

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	LINE NO. 1			U/K	U/T	T/K	COS CPS	BI PPM
													K %	U PPM	T PPM					
41237	0	0	0	0	QAG	48.6244	117.0406	17.4	662.7	449	55709.	2113	1.7	3.0	10.4	1.7	0.3	6.0	52	0.2
41236	0	0	0	0	QAG	48.6244	117.0401	17.4	662.9	441	55711.	2298	1.8	3.7	11.0	2.1	0.3	6.2	28	0.2
41235	0	0	0	0	QAG	48.6244	117.0395	17.4	663.1	434	55713.	2192	1.2	5.4	9.5	4.4	0.6	7.8	33	0.2
41234	0	0	0	0	QAG	48.6244	117.0390	17.4	663.3	428	55714.	2193	1.7	3.0	12.5	1.7	0.2	7.2	34	0.2
41233	0	0	0	0	QAG	48.6244	117.0384	17.4	663.4	422	55715.	2184	1.5	3.6	8.1	2.5	0.4	5.6	22	0.2
41232	0	0	0	0	QAG	48.6244	117.0379	17.4	663.6	415	55715.	2092	1.5	5.2	6.5	3.6	0.8	4.4	32	0.2
41231	0	0	0	0	QAG	48.6244	117.0373	17.4	663.8	407	55713.	2103	1.2	2.1	12.6	1.8	0.2	10.8	46	0.2
41230	0	0	0	0	QAG	48.6244	117.0367	17.5	663.9	398	55711.	2073	1.6	2.1	8.5	1.3	0.3	5.2	32	0.2
41229	0	0	0	0	QAG	48.6245	117.0362	17.5	664.1	390	55710.	2076	1.7	2.5	9.7	1.4	0.3	5.5	39	0.2
41228	0	0	0	0	QAG	48.6245	117.0356	17.5	664.2	385	55709.	2169	1.8	3.7	8.0	2.0	0.5	4.5	31	0.2
41227	0	0	0	0	QAG	48.6245	117.0351	17.5	664.3	382	55710.	2141	1.8	3.7	7.8	2.0	0.5	4.2	51	0.2
41226	0	0	0	0	QAG	48.6245	117.0345	17.5	664.4	379	55712.	2198	1.5	3.3	9.6	2.3	0.3	6.5	32	0.2
41225	0	0	0	0	QAG	48.6245	117.0340	17.5	664.5	376	55714.	2103	1.7	3.4	7.0	2.1	0.5	4.2	40	0.2
41224	0	0	0	0	QAG	48.6245	117.0334	17.5	664.6	372	55717.	2084	1.5	3.0	11.4	2.0	0.3	7.7	37	0.2
41223	0	0	0	0	QAG	48.6245	117.0329	17.5	664.7	366	55719.	2127	1.8	2.3	9.8	1.3	0.2	5.3	28	0.2
41222	0	0	0	0	QAG	48.6245	117.0323	17.5	664.8	360	55722.	2139	1.7	3.2	8.1	1.8	0.4	4.7	34	0.2
41221	0	0	0	0	QAG	48.6245	117.0318	17.5	664.9	354	55724.	2060	1.8	2.7	11.0	1.5	0.3	6.0	49	0.2
41220	0	0	0	0	QAG	48.6245	117.0312	17.5	665.0	350	55727.	2019	1.4	5.1	8.2	3.5	0.6	5.7	36	0.2
41219	0	0	0	0	QAG	48.6245	117.0306	17.5	665.1	348	55731.	2100	1.7	4.2	6.5	2.5	0.6	3.9	42	0.2
41218	0	0	0	0	QAG	48.6245	117.0301	17.5	665.2	348	55734.	1999	1.5	4.3	8.8	2.9	0.5	6.0	33	0.2
41217	0	0	0	0	QAG	48.6245	117.0295	17.5	665.3	348	55737.	2030	1.4	2.2	10.6	1.5	0.2	7.5	47	0.2
41216	0	0	0	0	QAG	48.6245	117.0290	17.5	665.3	348	55740.	2021	1.5	3.3	10.3	2.3	0.3	7.0	40	0.2
41215	0	0	0	0	QAG	48.6246	117.0284	17.6	665.4	345	55745.	2040	1.6	2.9	9.5	1.8	0.3	5.8	33	0.2
41214	0	0	0	0	QAG	48.6246	117.0279	17.6	665.4	342	55753.	2006	1.5	2.1	8.2	1.4	0.3	5.4	19	0.2
41213	0	0	0	0	QAG	48.6246	117.0273	17.6	665.5	338	55762.	2023	1.9	1.7	7.5	0.9	0.2	4.0	51	0.2
41212	0	0	0	0	QAG	48.6246	117.0268	17.6	665.5	334	55771.	2051	1.4	3.1	8.1	2.2	0.4	5.7	37	0.2
41211	0	0	0	0	QAG	48.6246	117.0262	17.6	665.6	329	55776.	2006	1.6	3.4	7.8	2.2	0.4	5.0	44	0.2
41210	0	0	0	0	QAG	48.6246	117.0257	17.6	665.7	325	55778.	2014	1.3	4.4	5.8	3.3	0.8	4.4	40	0.2
41209	0	0	0	0	QAG	48.6246	117.0251	17.6	665.7	321	55777.	2028	1.8	3.3	6.2	1.9	0.5	3.5	36	0.2
41208	0	0	0	0	QAG	48.6246	117.0246	17.6	665.8	317	55775.	2060	1.5	3.6	7.3	2.4	0.5	4.8	38	0.2
41207	0	0	0	0	QAG	48.6246	117.0240	17.6	665.9	316	55774.	2059	1.6	3.2	8.0	2.0	0.4	5.0	31	0.2

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	LINE NO. 2			COS CPS	BI PPM			
													K %	U PPM	T PPM					
41158	0	0	0	0	QAG	48.6199	117.0327	17.7	661.8	443	55756.	2009	1.0	4.5	9.7	4.6	0.5	10.0	35	0.2
41159	0	0	0	0	QAG	48.6199	117.0322	17.7	661.9	454	55757.	1982	1.4	3.7	9.1	2.7	0.4	6.7	41	0.2
41160	0	0	0	0	QAG	48.6199	117.0317	17.7	662.0	455	55759.	2080	1.8	2.6	8.5	1.5	0.3	4.8	42	0.2
41161	0	0	0	0	QAG	48.6199	117.0312	17.7	662.1	456	55760.	2128	1.6	4.1	9.9	2.6	0.4	6.4	33	0.2
41162	0	0	0	0	QAG	48.6199	117.0306	17.7	662.2	455	55760.	2080	1.4	5.7	4.2	4.0	1.4	2.9	53	0.2
41163	0	0	0	0	QAG	48.6199	117.0301	17.7	662.4	455	55758.	2104	1.6	5.3	7.0	3.3	0.8	4.4	42	0.2
41164	0	0	0	0	QAG	48.6199	117.0296	17.7	662.4	454	55755.	2153	1.7	3.0	9.4	1.8	0.3	5.5	36	0.2
41165	0	0	0	0	QAG	48.6199	117.0291	17.7	662.5	453	55754.	2145	1.9	3.3	7.5	1.7	0.4	3.9	38	0.2
41166	0	0	0	0	QAG	48.6199	117.0286	17.6	662.5	451	55753.	2058	1.5	4.4	7.2	2.9	0.6	4.8	44	0.2
41167	0	0	0	0	QAG	48.6199	117.0280	17.6	662.5	447	55754.	2122	1.4	5.3	10.2	3.8	0.5	7.2	31	0.2
41168	0	0	0	0	QAG	48.6199	117.0275	17.6	662.6	443	55756.	2112	1.4	3.8	8.9	2.7	0.4	6.4	37	0.2
41169	0	0	0	0	QAG	48.6199	117.0270	17.6	662.6	438	55757.	2025	1.1	5.1	7.5	4.5	0.7	6.6	41	0.2

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 3							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
40547	0	0	0	0	QAG	48.6172	117.0490	17.0	661.8	421	55847.	1753	1.3	4.7	6.1	3.1	0.8	4.6	32	0.1
40546	0	0	0	0	QAG	48.6172	117.0484	17.0	661.9	426	55847.	1796	1.4	4.2	4.8	2.9	0.9	3.3	34	0.1
40545	0	0	0	0	QAG	48.6172	117.0478	17.0	662.0	432	55848.	1736	1.3	4.2	6.4	3.3	0.7	5.0	47	0.1
40544	0	0	0	0	QAG	48.6172	117.0472	17.0	662.1	437	55847.	1882	1.2	3.3	8.3	2.8	0.4	7.1	27	0.1
40543	0	0	0	0	QAG	48.6172	117.0466	17.0	662.2	438	55846.	1822	0.9	4.7	9.0	5.1	0.5	9.6	31	0.1
40542	0	0	0	0	QAG	48.6172	117.0460	17.0	662.3	434	55844.	1720	1.0	4.8	4.9	4.7	1.0	4.8	44	0.1
40541	0	0	0	0	QAG	48.6172	117.0454	17.0	662.4	424	55840.	1655	1.0	3.5	6.4	3.6	0.6	6.5	39	0.1
40540	0	0	0	0	QAG	48.6172	117.0448	17.0	662.5	417	55836.	1596	1.3	3.4	6.0	2.6	0.6	4.3	37	0.1
40539	0	0	0	0	QAG	48.6172	117.0442	17.0	662.6	416	55830.	1629	1.4	1.9	7.3	1.4	0.3	5.2	37	0.1
40538	0	0	0	0	QAG	48.6172	117.0436	17.1	662.8	423	55825.	1658	0.9	5.1	5.9	5.7	0.9	6.6	31	0.1
40537	0	0	0	0	KKH	48.6172	117.0430	17.1	662.9	440	55820.	1573	1.3	3.0	5.2	2.4	0.6	4.1	36	0.1
40536	0	0	0	0	KKH	48.6172	117.0423	17.1	663.0	463	55816.	1733	1.3	3.6	3.7	2.9	1.0	2.9	35	0.2
40535	0	0	0	0	KKH	48.6172	117.0417	17.1	663.1	486	55812.	1801	0.7	4.7	6.4	6.4	0.7	8.8	33	0.2
40534	0	0	0	0	KKH	48.6172	117.0412	17.1	663.2	496	55809.	1856	0.9	4.7	5.7	5.0	0.8	6.1	41	0.2
40533	0	0	0	0	KKH	48.6172	117.0405	17.1	663.3	493	55807.	1873	1.5	2.8	5.2	1.8	0.5	3.4	44	0.2
40532	0	0	0	0	KKH	48.6172	117.0399	17.1	663.3	486	55805.	1880	1.1	4.9	5.4	4.7	0.9	5.2	33	0.2
40531	0	0	0	0	KKH	48.6172	117.0393	17.1	663.4	471	55805.	1943	1.5	4.4	5.9	3.0	0.8	4.0	33	0.2
40530	0	0	0	0	KKH	48.6172	117.0387	17.1	663.5	445	55806.	1914	1.3	4.6	8.0	3.7	0.6	6.4	22	0.2
40529	0	0	0	0	KKH	48.6172	117.0381	17.1	663.6	411	55809.	1800	1.3	3.9	6.2	2.9	0.6	4.6	41	0.2
40528	0	0	0	0	KKH	48.6172	117.0375	17.1	663.7	382	55813.	1977	1.6	2.8	9.3	1.8	0.3	6.0	34	0.2
40527	0	0	0	0	KKH	48.6172	117.0369	17.1	663.8	362	55818.	1908	1.6	2.1	10.1	1.3	0.2	6.2	41	0.2
40526	0	0	0	0	KKH	48.6172	117.0363	17.1	663.8	347	55823.	1945	1.4	3.1	8.5	2.2	0.4	5.9	50	0.2
40525	0	0	0	0	KKH	48.6172	117.0357	17.1	663.9	334	55828.	1977	1.4	3.8	9.7	2.8	0.4	7.1	38	0.2
40524	0	0	0	0	KKH	48.6172	117.0351	17.1	664.0	326	55832.	1963	1.4	2.9	11.0	2.0	0.3	7.8	43	0.2
40523	0	0	0	0	KKH	48.6172	117.0345	17.1	664.1	327	55833.	1950	1.3	3.5	10.7	2.7	0.3	8.4	32	0.2
40522	0	0	0	0	KKH	48.6172	117.0339	17.1	664.2	342	55830.	1926	1.5	2.5	8.1	1.6	0.3	5.3	39	0.2
40521	0	0	0	0	QAG	48.6172	117.0333	17.1	664.3	358	55827.	2037	1.8	3.8	4.5	2.1	0.8	2.6	41	0.2
40520	0	0	0	0	QAG	48.6172	117.0327	17.1	664.4	367	55822.	1951	1.5	3.1	7.9	2.1	0.4	5.3	44	0.2
40519	0	0	0	0	QAG	48.6172	117.0321	17.1	664.5	367	55818.	2033	2.0	2.4	6.7	1.2	0.4	3.4	42	0.2
40518	0	0	0	0	QAG	48.6172	117.0315	17.2	664.7	369	55814.	2096	1.6	2.7	9.3	1.7	0.3	5.8	33	0.2
40517	0	0	0	0	QAG	48.6172	117.0309	17.2	664.9	375	55811.	2014	1.7	3.2	10.9	1.9	0.3	6.5	34	0.2
40516	0	0	0	0	QAG	48.6172	117.0303	17.2	665.0	378	55810.	2049	1.5	2.9	10.0	1.9	0.3	6.5	40	0.2
40515	0	0	0	0	QAG	48.6172	117.0297	17.2	665.2	376	55811.	1900	1.5	2.4	7.8	1.6	0.3	5.1	35	0.2
40514	0	0	0	0	QAG	48.6172	117.0291	17.2	665.4	369	55812.	1911	1.7	3.5	7.8	2.0	0.4	4.5	41	0.2
40513	0	0	0	0	QAG	48.6172	117.0285	17.2	665.5	363	55813.	1949	1.4	2.7	9.7	1.9	0.3	6.9	32	0.2

L 1

L 2

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 4							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
40412	0	0	0	0	QAG	48.6129	117.0562	17.4	662.1	458	55860.	1917	1.1	4.3	6.0	3.9	0.7	5.4	29	0.1
40413	0	0	0	0	QAG	48.6129	117.0556	17.4	662.2	451	55862.	1980	1.4	4.8	6.5	3.4	0.7	4.7	35	0.1
40414	0	0	0	0	QAG	48.6129	117.0551	17.4	662.3	449	55864.	2031	1.3	5.3	9.4	4.2	0.6	7.4	36	0.1
40415	0	0	0	0	QAG	48.6129	117.0546	17.4	662.3	447	55866.	1996	1.0	4.8	8.4	4.6	0.6	8.1	31	0.1
40416	0	0	0	0	QAG	48.6129	117.0540	17.4	662.4	443	55869.	2009	1.4	7.6	7.6	2.6	0.5	5.5	37	0.1
40417	0	0	0	0	QAG	48.6129	117.0535	17.4	662.5	441	55870.	2094	1.3	5.5	8.0	4.3	0.7	6.2	36	0.1
40418	0	0	0	0	QAG	48.6129	117.0530	17.4	662.6	441	55870.	1962	1.4	4.8	7.3	3.4	0.7	5.2	43	0.1
40419	0	0	0	0	QAG	48.6129	117.0524	17.4	662.7	446	55869.	2054	1.9	4.8	6.9	2.5	0.7	3.6	28	0.1
40420	0	0	0	0	QAG	48.6129	117.0519	17.4	662.8	460	55869.	2081	1.5	5.2	7.2	3.6	0.7	4.9	29	0.1
40421	0	0	0	0	QAG	48.6129	117.0514	17.4	662.8	480	55868.	2071	1.4	5.0	8.8	3.5	0.6	6.3	44	0.1
40422	0	0	0	0	QAG	48.6129	117.0508	17.4	662.9	503	55867.	2211	1.8	3.7	8.9	2.1	0.4	5.0	38	0.1
40423	0	0	0	0	QAG	48.6129	117.0503	17.4	663.0	520	55866.	2274	1.2	6.8	6.0	5.9	1.1	5.1	35	0.1
40424	0	0	0	0	QAG	48.6129	117.0498	17.4	663.1	533	55863.	2335	1.6	5.0	12.0	3.2	0.4	7.6	32	0.1
40425	0	0	0	0	QAG	48.6129	117.0492	17.4	663.1	543	55861.	2335	1.5	5.7	5.9	3.8	1.0	4.0	33	0.1
40426	0	0	0	0	QAG	48.6129	117.0487	17.4	663.2	550	55859.	2262	2.0	5.7	11.4	2.9	0.5	5.7	33	0.1
40427	0	0	0	0	QAG	48.6129	117.0482	17.4	663.3	549	55858.	2081	1.6	5.5	9.5	3.4	0.6	6.0	36	0.1
40429	0	0	0	0	QAG	48.6129	117.0471	17.4	663.4	546	55858.	2200	1.8	4.0	5.3	2.2	0.8	2.9	39	0.1
40430	0	0	0	0	QAG	48.6129	117.0466	17.4	663.4	539	55858.	1951	1.2	5.8	5.1	4.8	1.1	4.2	36	0.1
40431	0	0	0	0	QAG	48.6129	117.0460	17.4	663.5	533	55857.	1802	1.3	4.2	3.5	3.2	1.2	2.7	42	0.1
40432	0	0	0	0	QAG	48.6129	117.0455	17.4	663.6	527	55858.	1701	1.4	4.5	4.8	3.3	0.9	3.5	45	0.1
40433	0	0	0	0	QAG	48.6129	117.0450	17.4	663.6	523	55858.	1602	1.1	4.9	4.4	4.6	1.1	4.1	41	0.1
40434	0	0	0	0	QAG	48.6129	117.0444	17.4	663.7	524	55859.	1597	1.0	4.5	6.0	4.5	0.8	6.0	34	0.1
40435	0	0	0	0	QAG	48.6128	117.0439	17.4	663.8	528	55861.	1608	1.0	3.9	7.9	3.9	0.5	8.0	27	0.1
40436	0	0	0	0	QAG	48.6128	117.0434	17.4	663.8	532	55862.	1490	0.6	4.9	5.3	8.2	0.9	8.8	37	0.1
40437	0	0	0	0	QAG	48.6128	117.0428	17.4	663.9	536	55864.	1513	0.9	4.4	5.1	4.9	0.9	5.6	26	0.1
40438	0	0	0	0	QAG	48.6128	117.0423	17.4	663.9	544	55865.	1581	1.0	3.8	6.2	4.0	0.6	6.5	29	0.1
40439	0	0	0	0	QAG	48.6128	117.0417	17.4	663.9	546	55866.	1608	0.8	3.1	9.1	4.0	0.3	11.6	25	0.1
40440	0	0	0	0	QAG	48.6128	117.0412	17.4	664.0	548	55867.	1629	0.8	5.0	5.3	6.4	1.0	6.6	23	0.1
40441	0	0	0	0	QAG	48.6128	117.0407	17.4	664.0	540	55867.	1547	0.5	5.3	6.8	10.9	0.8	14.1	34	0.1
40442	0	0	0	0	QAG	48.6128	117.0401	17.4	664.0	536	55869.	1628	0.4	6.5	5.5	16.3	1.2	13.7	29	0.1
40443	0	0	0	0	QAG	48.6128	117.0394	17.4	664.0	520	55870.	1542	0.9	3.9	6.9	4.4	0.6	7.9	44	0.1
40444	0	0	0	0	QAG	48.6128	117.0388	17.4	664.0	510	55872.	1527	0.7	4.4	6.1	6.4	0.7	8.9	30	0.1
40445	0	0	0	0	QAG	48.6128	117.0381	17.4	664.0	514	55875.	1636	1.0	2.7	6.5	2.6	0.4	6.4	32	0.1
40446	0	0	0	0	QAG	48.6128	117.0375	17.4	664.0	532	55878.	1567	1.0	4.3	5.7	4.3	0.8	5.7	31	0.1
40447	0	0	0	0	QAG	48.6127	117.0368	17.4	664.0	539	55881.	1702	1.3	4.1	6.9	3.1	0.6	5.2	26	0.1
40448	0	0	0	0	QAG	48.6127	117.0362	17.4	664.1	530	55885.	1811	1.5	4.6	6.1	3.0	0.8	4.0	30	0.1
40449	0	0	0	0	QAG	48.6127	117.0356	17.4	664.1	504	55888.	1745	1.0	4.1	7.2	4.1	0.6	7.2	44	0.1
40450	0	0	0	0	QAG	48.6127	117.0349	17.4	664.1	482	55892.	1840	1.5	4.6	4.8	3.1	1.0	3.2	33	0.1
40451	0	0	0	0	QAG	48.6127	117.0343	17.4	664.1	456	55897.	1849	1.2	3.3	8.9	2.8	0.4	7.7	35	0.1
40452	0	0	0	0	QAG	48.6127	117.0336	17.4	664.1	439	55902.	1805	1.2	4.7	6.4	4.0	0.7	5.4	41	0.1
40453	0	0	0	0	KKH	48.6127	117.0330	17.4	664.2	424	55906.	1949	1.6	4.0	6.9	2.5	0.6	4.2	15	0.1
40454	0	0	0	0	KKH	48.6127	117.0324	17.4	664.2	421	55909.	1925	1.3	4.8	6.0	3.8	0.8	4.7	36	0.1
40455	0	0	0	0	KKH	48.6127	117.0317	17.4	664.3	420	55911.	2127	1.4	4.3	7.9	3.2	0.5	5.8	39	0.1

C 2

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 5								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
41899	0	0	0	0	QAG	48.6092	117.0490	18.4	666.5	487	55831.	2295	1.7	3.7	9.7	2.1	0.4	5.6	38	0.2
41900	0	0	0	0	QAG	48.6092	117.0484	18.4	666.6	462	55832.	2102	1.5	3.5	9.0	2.3	0.4	5.9	29	0.2
41901	0	0	0	0	QAG	48.6092	117.0478	18.4	666.7	450	55833.	2054	1.8	3.2	8.7	1.8	0.4	4.8	33	0.2
41902	0	0	0	0	QAG	48.6091	117.0471	18.4	666.8	452	55834.	2129	1.6	3.6	7.6	2.3	0.5	4.8	40	0.2
41903	0	0	0	0	QAG	48.6091	117.0466	18.4	666.9	457	55835.	2053	1.6	4.2	8.6	2.6	0.5	5.3	40	0.2
41904	0	0	0	0	QAG	48.6091	117.0459	18.4	667.0	459	55834.	2053	1.2	4.1	10.0	3.4	0.4	8.4	31	0.2
41905	0	0	0	0	QAG	48.6091	117.0453	18.4	667.1	460	55834.	2044	1.7	5.1	6.8	3.0	0.7	4.1	37	0.2
41906	0	0	0	0	QAG	48.6091	117.0447	18.5	667.3	459	55835.	1910	1.7	3.7	8.7	2.2	0.4	5.1	41	0.2
41907	0	0	0	0	QAG	48.6091	117.0441	18.5	667.4	458	55834.	1952	1.3	3.5	7.2	2.7	0.5	5.5	38	0.2
41908	0	0	0	0	QAG	48.6091	117.0435	18.5	667.6	458	55835.	1929	1.3	3.4	9.2	2.5	0.4	7.0	40	0.2
41909	0	0	C	0	QAG	48.6091	117.0429	18.5	667.7	459	55835.	2087	1.0	6.0	7.3	6.2	0.8	7.6	31	0.1
41910	0	0	0	0	QAG	48.6090	117.0423	18.5	667.8	460	55835.	2074	1.4	4.3	9.6	3.1	0.4	6.8	32	0.1
41911	0	0	0	0	QAG	48.6090	117.0417	18.5	668.0	461	55835.	2068	1.3	4.1	11.9	3.2	0.3	9.2	25	0.1
41912	0	0	0	0	QAG	48.6090	117.0411	18.5	668.1	463	55836.	1960	0.9	4.6	7.9	5.2	0.6	8.9	28	0.1
41913	0	0	0	0	QAG	48.6090	117.0405	18.5	668.2	467	55837.	1936	1.1	3.9	9.6	3.6	0.4	8.8	28	0.1
41914	0	0	0	0	QAG	48.6090	117.0399	18.5	668.3	459	55838.	1847	0.9	3.5	10.0	4.0	0.3	11.3	30	0.1
41915	0	0	0	0	QAG	48.6090	117.0393	18.5	668.4	450	55839.	1726	1.5	2.6	7.7	1.8	0.3	5.3	36	0.1
41916	0	0	0	0	QAG	48.6089	117.0387	18.5	668.6	442	55839.	1716	0.9	3.8	8.8	4.3	0.4	10.0	38	0.1
41917	0	0	0	0	QAG	48.6089	117.0381	18.5	668.7	446	55838.	1831	1.1	4.4	8.1	3.9	0.5	7.1	32	0.1
41918	0	0	0	0	QAG	48.6089	117.0375	18.5	668.8	450	55837.	1802	1.2	5.0	5.9	4.1	0.9	4.8	36	0.1
41919	0	0	0	0	QAG	48.6089	117.0369	18.5	668.9	451	55837.	1870	1.1	4.7	5.8	4.5	0.8	5.5	20	0.1
41920	0	0	0	0	QAG	48.6089	117.0363	18.5	669.0	451	55838.	1740	0.9	4.5	8.0	5.0	0.6	8.9	31	0.1
41921	0	0	0	0	QAG	48.6089	117.0357	18.5	669.1	456	55840.	1771	1.2	4.2	8.0	3.5	0.5	6.8	30	0.1
41922	0	0	0	0	QAG	48.6089	117.0352	18.5	669.2	454	55843.	1959	1.4	4.5	6.6	3.2	0.7	4.7	31	0.1
41923	0	0	0	0	QAG	48.6089	117.0347	18.5	669.3	445	55848.	1936	1.3	3.8	8.2	2.9	0.5	6.3	32	0.1
41924	0	0	0	0	QAG	48.6089	117.0341	18.5	669.4	428	55853.	1943	1.1	5.4	6.4	4.8	0.8	5.7	42	0.1
41925	0	0	0	0	QAG	48.6089	117.0336	18.5	669.5	417	55859.	2008	1.6	3.2	8.0	2.0	0.4	5.0	32	0.1
41926	0	0	0	0	QAG	48.6088	117.0331	18.5	669.6	404	55865.	1958	1.0	5.2	7.5	5.0	0.7	7.3	28	0.1
41927	0	0	0	0	QAG	48.6088	117.0326	18.5	669.7	392	55871.	1932	1.0	3.9	9.0	3.9	0.4	9.1	37	0.1
41928	0	0	0	0	QAG	48.6088	117.0321	18.5	669.8	381	55879.	2032	1.7	2.8	7.9	1.7	0.4	4.8	31	0.1
41929	0	0	0	0	QAG	48.6088	117.0316	18.5	669.9	372	55887.	1917	1.3	3.4	9.0	2.7	0.4	7.1	35	0.1
41930	0	0	0	0	QAG	48.6088	117.0311	18.5	670.0	368	55894.	2025	1.1	4.5	12.1	4.1	0.4	11.0	38	0.1
41931	0	0	0	0	QAG	48.6088	117.0306	18.5	670.1	374	55900.	2184	1.7	4.0	7.3	2.4	0.6	4.4	30	0.1
41932	0	0	0	0	QAG	48.6088	117.0301	18.5	670.1	376	55905.	2112	1.3	5.0	9.1	4.0	0.5	7.2	49	0.1
41933	0	0	0	0	QAG	48.6088	117.0296	18.5	670.2	378	55907.	2160	1.3	4.1	8.3	3.1	0.5	6.2	30	0.1

C 3

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 6							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
42290	0	0	0	0	QAG	48.6073	117.2028	17.4	660.9	342	55735.	1463	0.9	2.5	5.2	2.7	0.5	5.5	43	0.1
42289	0	0	0	0	QAG	48.6073	117.2022	17.4	660.8	352	55731.	1524	1.0	2.5	4.7	2.4	0.5	4.5	36	0.1
42288	0	0	0	0	QAG	48.6073	117.2017	17.4	660.7	366	55727.	1506	1.2	2.7	5.4	2.4	0.5	4.7	39	0.1
42287	0	0	0	0	QAG	48.6073	117.2012	17.4	660.7	383	55723.	1533	1.3	2.5	6.1	1.9	0.4	4.7	41	0.1
42286	0	0	0	0	QAG	48.6073	117.2007	17.4	660.6	402	55717.	1638	1.1	2.2	8.2	2.0	0.3	7.6	32	0.1
42285	0	0	0	0	QAG	48.6073	117.2001	17.4	660.6	420	55712.	1719	1.0	3.2	9.3	3.2	0.3	9.1	25	0.1
42284	0	0	0	0	QAG	48.6073	117.1996	17.4	660.5	436	55706.	1656	1.1	2.0	8.0	1.8	0.3	7.1	52	0.1
42283	0	0	0	0	QAG	48.6073	117.1991	17.4	660.5	453	55700.	1797	1.4	2.8	7.8	2.0	0.4	5.5	32	0.1
42282	0	0	0	0	QAG	48.6073	117.1985	17.4	660.4	467	55697.	1829	1.1	3.8	7.3	3.4	0.5	6.6	41	0.1
42281	0	0	0	0	QAG	48.6073	117.1980	17.4	660.4	484	55695.	1762	1.2	3.6	6.3	3.0	0.6	5.3	44	0.1
42280	0	0	0	0	QAG	48.6073	117.1974	17.4	660.3	499	55694.	1940	1.4	3.2	6.9	2.4	0.5	5.0	42	0.1
42279	0	0	0	0	QAG	48.6073	117.1969	17.4	660.3	505	55694.	1870	1.5	2.8	6.9	1.9	0.4	4.7	40	0.1
42278	0	0	0	0	QAG	48.6073	117.1964	17.4	660.2	504	55694.	1868	1.5	2.1	8.1	1.4	0.3	5.5	42	0.1
42277	0	0	0	0	QAG	48.6073	117.1958	17.4	660.1	500	55693.	1853	1.5	3.3	5.3	2.1	0.6	3.5	31	0.1
42276	0	0	0	0	QAG	48.6073	117.1953	17.4	660.0	500	55694.	1940	1.4	2.5	8.7	1.8	0.3	6.3	29	0.1
42275	0	0	0	0	QAG	48.6073	117.1948	17.4	659.9	501	55694.	1772	1.0	4.0	8.2	3.9	0.5	8.0	22	0.1
42274	0	0	0	0	QAG	48.6073	117.1942	17.4	659.7	501	55694.	1753	1.9	2.5	5.2	1.3	0.5	2.7	34	0.1
42273	0	0	0	0	QAG	48.6073	117.1937	17.3	659.6	507	55692.	1785	1.7	1.8	6.7	1.1	0.3	4.0	34	0.1
42272	0	0	0	0	QAG	48.6073	117.1932	17.3	659.4	516	55690.	1834	1.6	3.1	5.7	2.0	0.6	3.6	36	0.2
42271	0	0	0	0	QAG	48.6073	117.1927	17.3	659.2	520	55689.	1898	1.7	1.5	7.4	0.9	0.2	4.2	31	0.2
42270	0	0	0	0	QAG	48.6073	117.1921	17.3	659.1	517	55688.	1896	1.5	3.2	7.1	2.1	0.5	4.6	42	0.2
42269	0	0	0	0	QAG	48.6073	117.1916	17.3	658.9	505	55687.	1902	1.4	2.7	8.0	1.9	0.3	5.6	42	0.2
42268	0	0	0	0	QAG	48.6073	117.1911	17.3	658.6	494	55688.	1936	1.4	3.6	9.1	2.5	0.4	6.4	35	0.2
42267	0	0	0	0	QAG	48.6073	117.1906	17.3	658.4	487	55688.	1869	1.3	3.8	7.5	2.9	0.5	5.8	38	0.2
42266	0	0	0	0	QAG	48.6073	117.1900	17.3	658.1	477	55688.	1859	1.1	5.1	9.4	4.8	0.5	9.0	43	0.2
42265	0	0	0	0	QAG	48.6073	117.1895	17.3	657.9	466	55689.	1832	1.5	3.9	8.6	2.6	0.5	5.8	35	0.2
42264	0	0	1	0	QAG	48.6072	117.1890	17.3	657.6	448	55688.	1715	2.0	0.9	7.4	0.5	0.1	3.8	38	0.1
42263	0	0	0	0	QAG	48.6072	117.1885	17.3	657.3	435	55686.	1769	1.3	3.1	7.9	2.4	0.4	6.2	29	0.1
42262	0	0	0	0	QAG	48.6072	117.1879	17.3	657.1	424	55684.	1737	1.4	2.8	5.9	2.1	0.5	4.3	44	0.1
42261	0	0	0	0	QAG	48.6072	117.1874	17.3	656.8	423	55680.	1758	1.6	2.1	5.9	1.3	0.4	3.6	35	0.1
42260	0	0	0	0	QAG	48.6072	117.1869	17.3	656.5	422	55677.	1744	1.3	2.8	8.3	2.2	0.3	6.4	40	0.1
42259	0	0	0	0	QAG	48.6072	117.1864	17.3	656.2	426	55672.	1717	1.5	2.3	7.6	1.6	0.3	5.0	35	0.1
42258	0	0	0	0	QAG	48.6072	117.1858	17.2	655.9	433	55667.	1784	1.5	3.9	7.5	2.5	0.5	4.9	27	0.1
42257	0	0	0	0	QAG	48.6072	117.1853	17.2	655.6	446	55661.	1824	1.2	4.6	5.4	3.7	0.8	4.4	29	0.1
42256	0	0	0	0	QAG	48.6072	117.1848	17.2	655.3	467	55654.	1839	1.2	3.7	6.1	3.0	0.6	5.0	36	0.1
42255	0	0	0	0	QAG	48.6072	117.1842	17.2	655.0	498	55645.	1925	1.5	2.9	11.6	1.9	0.2	7.7	27	0.1
42254	0	0	0	0	QAG	48.6072	117.1837	17.2	654.7	527	55636.	1839	1.6	3.0	8.6	1.9	0.3	5.5	50	0.1
42253	0	0	0	0	QAG	48.6072	117.1832	17.2	654.4	548	55627.	1980	1.5	3.6	9.3	2.4	0.4	6.4	39	0.1
42252	0	0	0	0	QAG	48.6072	117.1827	17.2	654.1	559	55619.	1962	1.6	3.9	4.3	2.5	0.9	2.8	42	0.1
42251	0	0	0	0	QAG	48.6072	117.1821	17.2	653.7	575	55613.	2020	1.2	4.7	9.3	3.9	0.5	7.8	41	0.1
42250	0	0	0	0	QAG	48.6072	117.1816	17.2	653.4	597	55609.	2058	1.9	2.7	9.1	1.4	0.3	4.8	37	0.1
42249	0	0	0	0	QAG	48.6072	117.1811	17.2	653.0	618	55607.	2204	1.4	5.9	10.6	4.2	0.6	7.6	27	0.1
42248	0	0	0	0	QAG	48.6072	117.1806	17.2	652.6	635	55606.	2197	1.9	4.0	7.9	2.1	0.5	4.1	35	0.1
42247	0	0	0	0	QAG	48.6072	117.1801	17.1	652.2	644	55607.	2059	1.7	3.8	8.7	2.2	0.4	5.2	52	0.1
42246	0	0	0	0	QAG	48.6072	117.1795	17.1	651.8	652	55609.	2173	1.4	5.1	9.9	3.5	0.5	6.9	33	0.1
42245	0	0	0	0	KG	48.6072	117.1790	17.1	651.4	657	55610.	2203	2.2	5.1	8.4	2.3	0.6	3.8	43	0.1
42244	0	0	0	0	KG	48.6072	117.1785	17.1	651.0	657	55609.	2361	2.1	4.4	9.6	2.2	0.5	4.7	32	0.1
42243	0	0	0	0	KG	48.6072	117.1779	17.1	650.5	649	55606.	2364	1.8	4.2	11.6	2.4	0.4	6.5	35	0.1
42242	0	0	0	0	KG	48.6072	117.1774	17.1	650.0	633	55603.	2117	1.8	5.5	6.9	3.1	0.8	3.9	39	0.1
42241	0	0	0	0	KG	48.6072	117.1769	17.1	649.5	617	55604.	2268	1.8	3.1	13.4	1.7	0.2	7.4	26	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 6							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
42240	0	0	0	0	KG	48.6072	117.1764	17.1	649.0	606	55607.	2173	1.9	4.5	7.5	2.4	0.6	4.0	46	0.1
42239	0	0	0	0	KG	48.6072	117.1758	17.1	648.6	600	55612.	2237	1.4	6.0	8.9	4.2	0.7	6.3	39	0.1
42237	0	0	0	0	KG	48.6071	117.1748	17.1	648.1	598	55616.	2222	2.3	2.7	13.5	1.2	0.2	6.0	45	0.1
42236	0	0	0	0	KG	48.6071	117.1743	17.0	647.6	594	55621.	2249	1.9	2.9	12.2	1.5	0.2	6.4	41	0.1
42235	0	0	0	0	KG	48.6071	117.1737	17.0	647.1	582	55625.	2261	1.6	5.7	8.4	3.6	0.7	5.3	39	0.1
42234	0	0	0	0	KG	48.6071	117.1732	17.0	646.7	565	55628.	2302	1.9	4.2	9.6	2.3	0.4	5.2	40	0.1
42233	0	0	0	0	KG	48.6071	117.1727	17.0	646.2	546	55632.	2185	2.3	2.2	8.0	1.0	0.3	3.5	30	0.1
42232	0	0	0	0	KG	48.6071	117.1721	17.0	645.8	530	55634.	2164	2.0	4.4	5.4	2.2	0.8	2.7	48	0.1
42231	0	0	0	0	KG	48.6071	117.1716	17.0	645.3	516	55636.	2154	1.3	4.5	10.1	3.4	0.4	7.6	34	0.1
42230	0	0	0	0	KG	48.6071	117.1711	17.0	644.9	508	55638.	2172	2.0	4.3	8.2	2.2	0.5	4.2	39	0.1
42229	0	0	0	0	KG	48.6071	117.1706	17.0	644.5	503	55640.	2247	1.7	3.3	10.8	2.0	0.3	6.3	40	0.1
42228	0	0	0	0	KG	48.6071	117.1701	17.0	644.1	501	55642.	2135	2.2	1.5	8.1	0.7	0.2	3.7	45	0.1
42227	0	0	0	0	KG	48.6071	117.1695	17.0	643.7	496	55645.	2250	2.0	3.6	11.1	1.8	0.3	5.5	33	0.1
42226	0	0	0	0	KG	48.6071	117.1690	17.0	643.3	484	55650.	2130	1.6	3.5	12.3	2.2	0.3	7.6	49	0.1
42225	0	0	0	0	KG	48.6071	117.1685	17.0	642.9	464	55656.	2155	1.5	3.8	12.5	2.5	0.3	8.3	45	0.1
42224	0	0	0	0	KHM	48.6071	117.1680	17.0	642.5	441	55661.	1943	1.7	3.0	11.0	1.8	0.3	6.6	47	0.1
42223	0	0	0	0	KHM	48.6071	117.1674	17.0	642.1	423	55668.	1874	1.8	2.3	11.8	1.3	0.2	6.7	32	0.1
42222	0	0	0	0	QAG	48.6071	117.1669	16.9	641.7	423	55673.	1995	1.7	3.6	7.6	2.1	0.5	4.5	36	0.1
42221	0	0	0	0	QAG	48.6071	117.1664	16.9	641.4	437	55673.	2095	1.7	3.3	9.6	1.9	0.3	5.5	29	0.1
42220	0	0	0	0	QAG	48.6071	117.1658	16.9	641.1	470	55671.	2133	2.0	4.5	6.7	2.2	0.7	3.3	39	0.1
42219	0	0	0	0	QAG	48.6071	117.1653	16.9	640.7	505	55666.	2051	1.4	5.0	9.1	3.6	0.5	6.5	40	0.1
42218	0	0	0	0	QAG	48.6071	117.1648	16.9	640.4	545	55657.	2038	1.8	3.5	11.9	2.0	0.3	6.7	46	0.1
42217	0	0	0	0	QAG	48.6071	117.1643	16.9	640.1	582	55648.	2280	2.3	3.2	6.4	1.4	0.5	2.9	44	0.1
42216	0	0	0	0	QAG	48.6071	117.1637	16.9	639.9	614	55639.	2427	1.7	2.2	15.9	1.3	0.1	9.1	29	0.1
42215	0	0	0	0	QAG	48.6071	117.1632	16.9	639.6	642	55631.	2361	2.0	3.0	10.3	1.5	0.3	5.1	41	0.1
42214	0	0	0	0	QAG	48.6071	117.1627	16.9	639.4	664	55627.	2325	2.2	2.6	9.0	1.2	0.3	4.1	46	0.1
42213	0	0	0	0	KHM	48.6071	117.1622	16.9	639.1	677	55624.	2599	1.9	5.9	12.8	3.1	0.5	6.7	37	0.1
42212	0	0	0	0	KHM	48.6071	117.1616	16.9	638.9	689	55623.	2615	1.8	3.2	15.1	1.8	0.2	8.4	31	0.1
42211	0	0	0	0	KHM	48.6071	117.1611	16.9	638.6	695	55623.	2581	1.6	7.5	10.1	4.6	0.7	6.1	36	0.1
42210	0	0	0	0	KHM	48.6071	117.1606	16.9	638.3	699	55624.	2686	3.1	4.5	11.5	1.4	0.4	3.7	44	0.1
42209	0	0	0	0	KHM	48.6071	117.1601	16.9	638.0	694	55625.	2759	3.0	3.4	9.8	1.1	0.4	3.3	41	0.1
42208	0	0	0	0	KHM	48.6071	117.1595	16.9	637.8	684	55627.	2835	3.3	4.1	16.2	1.2	0.3	4.9	49	0.1
42207	0	0	0	0	KHM	48.6071	117.1590	16.9	637.5	669	55629.	2830	2.5	2.9	17.4	1.2	0.2	7.0	40	0.1
42206	0	0	0	0	KHM	48.6071	117.1585	16.9	637.2	646	55630.	2743	2.3	3.2	15.6	1.4	0.2	6.9	42	0.1
42205	0	0	0	0	KHM	48.6071	117.1580	16.9	636.8	618	55633.	2829	2.2	5.2	16.5	2.4	0.3	7.5	29	0.1
42204	0	0	0	0	KHM	48.6071	117.1574	16.9	636.4	584	55637.	2651	1.9	5.4	13.2	2.8	0.4	7.0	36	0.1
42203	0	0	0	0	KHM	48.6070	117.1569	16.9	636.1	549	55640.	2578	1.9	4.2	12.8	2.3	0.3	6.9	40	0.1
42202	0	0	0	0	KHM	48.6070	117.1564	16.9	635.7	514	55643.	2493	1.7	5.5	10.9	3.3	0.5	6.5	40	0.1
42201	0	0	0	0	KHM	48.6070	117.1559	16.9	635.4	486	55646.	2545	2.4	2.5	12.2	1.0	0.2	5.0	44	0.1
42200	0	0	0	0	KHM	48.6070	117.1553	16.9	635.0	462	55647.	2416	2.2	3.2	11.2	1.4	0.3	5.1	39	0.1
42199	0	0	0	0	KHM	48.6070	117.1548	16.9	634.6	443	55649.	2449	1.9	4.2	10.9	2.2	0.4	5.7	36	0.1
42198	0	0	0	0	KHM	48.6070	117.1543	16.9	634.3	432	55650.	2306	1.8	4.2	11.6	2.3	0.4	6.3	43	0.1
42197	0	0	0	0	KHM	48.6070	117.1538	16.9	634.0	431	55652.	2502	2.1	1.6	15.5	0.8	0.1	7.5	40	0.1
42196	0	0	0	0	KHM	48.6070	117.1532	16.9	633.7	433	55655.	2469	1.9	4.6	14.0	2.4	0.3	7.3	42	0.1
42195	0	0	0	0	KHM	48.6070	117.1527	16.9	633.3	430	55660.	2495	1.6	4.1	12.0	2.5	0.3	7.4	42	0.1
42194	0	0	0	0	KHM	48.6070	117.1522	16.9	633.1	421	55665.	2480	1.9	3.2	15.9	1.7	0.2	8.5	42	0.1
42193	0	0	0	0	KHM	48.6070	117.1516	16.9	632.8	402	55672.	2546	2.1	3.3	15.0	1.6	0.2	7.3	40	0.1
42192	0	0	0	0	KHM	48.6070	117.1511	16.9	632.5	378	55679.	2563	1.9	2.5	15.8	1.3	0.2	8.4	32	0.1
42191	0	0	0	0	KHM	48.6070	117.1506	16.9	632.3	349	55687.	2474	2.4	3.3	13.0	1.4	0.3	5.4	51	0.1
42190	0	0	0	0	KHM	48.6070	117.1501	16.9	632.1	327	55694.	2456	2.2	2.1	13.4	1.0	0.2	6.0	46	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 6							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
42189	0	0	0	0	KHM	48.6070	117.1496	17.0	631.9	310	55702.	2542	2.2	3.8	12.7	1.7	0.3	5.7	45	0.1
42188	0	0	0	0	KHM	48.6070	117.1490	17.0	631.7	294	55710.	2451	2.2	3.0	13.7	1.4	0.2	6.2	47	0.1
42187	0	0	0	0	KHM	48.6070	117.1485	17.0	631.5	281	55719.	2471	2.3	3.2	13.2	1.4	0.2	5.8	55	0.1
42186	0	0	0	0	KHM	48.6070	117.1480	17.0	631.3	271	55728.	2317	1.9	3.2	10.7	1.7	0.3	5.6	49	0.1
42185	0	0	0	0	KHM	48.6070	117.1474	17.0	631.1	271	55737.	2477	2.2	2.1	10.8	1.0	0.2	4.9	39	0.1
42184	0	0	0	0	KHM	48.6070	117.1469	17.0	631.1	277	55747.	2549	2.0	3.8	13.4	1.9	0.3	6.8	51	0.1
42183	0	0	0	0	KHM	48.6070	117.1463	17.0	631.0	290	55754.	2666	2.3	2.9	13.8	1.2	0.2	6.0	50	0.1
42182	0	0	0	0	KHM	48.6070	117.1457	17.0	631.0	301	55760.	2684	2.4	3.2	14.4	1.3	0.2	5.9	49	0.1
42181	0	0	0	0	KHM	48.6070	117.1451	17.0	631.0	311	55766.	2907	2.7	3.9	14.5	1.4	0.3	5.4	41	0.1
42180	0	0	0	0	KHM	48.6070	117.1445	17.0	631.1	318	55772.	3067	2.7	3.9	17.5	1.4	0.2	6.5	41	0.1
42179	0	0	0	0	KHM	48.6070	117.1439	17.0	631.3	319	55778.	2888	2.4	3.9	13.5	1.7	0.3	5.7	45	0.1
42178	0	0	0	0	KHM	48.6070	117.1433	17.0	631.4	320	55783.	2874	2.5	2.8	16.3	1.1	0.2	6.5	61	0.1
42177	0	0	0	0	KHM	48.6070	117.1428	17.1	631.7	320	55786.	2867	2.3	3.7	14.7	1.6	0.2	6.4	52	0.1
42176	0	0	0	0	KHM	48.6070	117.1422	17.1	632.0	328	55786.	2861	2.5	4.1	11.0	1.7	0.4	4.5	42	0.2
42175	0	0	0	0	KHM	48.6070	117.1416	17.1	632.3	333	55784.	2774	1.9	2.7	16.7	1.4	0.2	8.6	45	0.2
42174	0	0	0	0	KHM	48.6070	117.1410	17.1	632.7	340	55781.	2810	2.4	1.8	16.5	0.8	0.1	6.8	39	0.2
42173	0	0	0	0	KHM	48.6070	117.1404	17.1	633.1	351	55779.	2837	2.4	1.9	15.4	0.8	0.1	6.5	51	0.2
42172	0	0	0	0	KHM	48.6070	117.1398	17.1	633.5	361	55776.	2879	1.9	4.3	14.8	2.2	0.3	7.7	42	0.2
42171	0	0	0	0	KHM	48.6070	117.1392	17.1	634.0	375	55774.	2819	2.0	5.0	13.8	2.6	0.4	7.0	53	0.2
42170	0	0	0	0	KHM	48.6071	117.1386	17.1	634.4	390	55772.	2955	2.6	3.1	13.6	1.2	0.2	5.2	43	0.2
42169	0	0	0	0	KHM	48.6071	117.1381	17.1	634.9	414	55772.	3090	2.4	6.1	12.2	2.6	0.5	5.1	39	0.2
42168	0	0	0	0	KHM	48.6071	117.1375	17.2	635.4	429	55773.	3191	2.7	3.6	17.2	1.3	0.2	6.3	50	0.2
42167	0	0	0	0	KHM	48.6071	117.1369	17.2	635.8	434	55775.	3158	2.6	3.4	19.6	1.3	0.2	7.7	38	0.2
42166	0	0	0	0	KHM	48.6071	117.1363	17.2	636.3	429	55777.	3139	2.1	2.9	20.6	1.4	0.1	10.0	35	0.2
42165	0	0	0	0	KHM	48.6071	117.1357	17.2	636.7	412	55780.	2919	2.4	3.6	13.5	1.5	0.3	5.6	54	0.2
42164	0	0	0	0	KHM	48.6071	117.1351	17.2	637.1	387	55782.	2892	2.0	3.5	14.5	1.7	0.2	7.1	44	0.2
42163	0	0	0	0	KHM	48.6071	117.1346	17.2	637.6	362	55786.	2759	2.4	3.1	13.0	1.3	0.2	5.3	43	0.2
42162	0	0	0	0	KHM	48.6071	117.1340	17.2	638.0	355	55790.	2708	2.1	3.7	11.9	1.7	0.3	5.7	40	0.2
42161	0	0	0	0	KHM	48.6071	117.1334	17.2	638.4	361	55791.	2738	2.0	3.9	14.9	1.9	0.3	7.4	48	0.2
42160	0	0	0	0	KHM	48.6071	117.1328	17.3	638.9	367	55792.	2901	2.3	2.8	17.4	1.2	0.2	7.6	34	0.2
42159	0	0	0	0	KHM	48.6071	117.1322	17.3	639.3	374	55789.	2936	2.3	3.1	17.3	1.4	0.2	7.7	42	0.2
42158	0	0	0	0	KHM	48.6071	117.1316	17.3	639.7	383	55784.	2928	2.3	2.6	14.7	1.1	0.2	6.5	47	0.2
42157	0	0	0	0	KHM	48.6071	117.1310	17.3	640.1	397	55778.	2938	2.4	3.5	14.7	1.5	0.2	6.2	36	0.2
42156	0	0	0	0	KHM	48.6071	117.1304	17.3	640.5	413	55772.	2862	2.0	4.8	14.0	2.4	0.3	6.9	63	0.2
42155	0	0	0	0	KHM	48.6071	117.1299	17.3	641.0	424	55765.	2999	2.0	5.0	18.2	2.4	0.3	9.0	40	0.1
42154	0	0	0	0	KHM	48.6071	117.1293	17.3	641.4	434	55758.	2845	1.8	5.9	14.8	3.3	0.4	8.3	46	0.1
42153	0	0	0	0	KHM	48.6071	117.1287	17.3	641.8	445	55751.	2862	1.8	6.1	14.5	3.4	0.4	8.1	48	0.1
42152	0	0	0	0	KHM	48.6071	117.1281	17.4	642.3	465	55745.	3013	2.3	6.5	12.5	2.8	0.5	5.4	46	0.1
42151	0	0	0	0	KHM	48.6071	117.1275	17.4	642.8	493	55739.	3149	2.5	5.1	17.6	2.0	0.3	7.0	31	0.1
42150	0	0	0	0	KHM	48.6071	117.1269	17.4	643.2	520	55734.	3063	2.4	4.2	15.2	1.8	0.3	6.4	46	0.1
42149	0	0	0	0	KHM	48.6071	117.1263	17.4	643.7	537	55729.	3056	2.4	4.1	15.8	1.7	0.3	6.7	54	0.1
42148	0	0	0	0	KHM	48.6071	117.1257	17.4	644.1	538	55726.	3089	2.0	5.6	22.3	2.8	0.2	11.3	31	0.1
42146	0	0	0	0	KHM	48.6071	117.1246	17.4	644.6	529	55725.	2939	2.2	3.9	16.6	1.7	0.2	7.5	35	0.1
42145	0	0	0	0	KHM	48.6071	117.1240	17.4	645.1	510	55726.	2812	1.9	6.5	13.1	3.4	0.5	7.0	49	0.1
42144	0	0	0	0	KHM	48.6071	117.1234	17.4	645.5	489	55730.	2672	2.2	5.9	13.0	2.6	0.5	5.8	47	0.1
42143	0	0	0	0	KHM	48.6071	117.1228	17.4	646.0	464	55736.	2539	2.1	3.6	12.0	1.7	0.3	5.6	29	0.1
42142	0	0	0	0	KHM	48.6072	117.1222	17.5	646.5	444	55743.	2411	2.1	3.0	11.4	1.4	0.3	5.4	52	0.1
42141	0	0	0	0	KHM	48.6072	117.1216	17.5	646.9	428	55752.	2413	1.8	4.3	11.9	2.4	0.4	6.7	41	0.1
42140	0	0	0	0	KHM	48.6072	117.1211	17.5	647.3	418	55761.	2438	1.4	5.3	11.7	3.9	0.5	8.6	37	0.1
42139	0	0	0	0	KHM	48.6072	117.1205	17.5	647.8	414	55769.	2339	1.5	5.3	11.1	3.5	0.5	7.3	49	0.1

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 6								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
42138	0	0	0	0	KHM	48.6072	117.1199	17.5	648.2	422	55775.	2437	1.7	5.2	11.6	3.1	0.4	6.9	45	0.1
42137	0	0	0	0	KHM	48.6072	117.1193	17.5	648.6	441	55782.	2599	2.2	4.5	13.3	2.1	0.3	6.2	31	0.1
42136	0	0	0	0	KHM	48.6072	117.1187	17.5	649.0	466	55787.	2598	2.0	5.4	11.5	2.7	0.5	5.8	53	0.1
42135	0	0	0	0	KHM	48.6072	117.1181	17.5	649.4	483	55793.	2867	1.9	5.3	17.5	2.7	0.3	9.1	35	0.1
42134	0	0	0	0	KHM	48.6072	117.1176	17.5	649.8	492	55799.	2983	1.8	7.0	13.7	3.9	0.5	7.6	36	0.1
42133	0	0	0	0	KHM	48.6072	117.1170	17.5	650.2	500	55803.	3007	2.0	4.9	18.1	2.4	0.3	8.9	40	0.1
42132	0	0	0	0	KHM	48.6072	117.1164	17.5	650.6	518	55806.	2941	2.0	5.5	17.2	2.7	0.3	8.5	40	0.1
42131	0	0	0	0	KHM	48.6072	117.1158	17.6	651.1	542	55807.	3227	2.6	3.0	24.2	1.2	0.1	9.3	32	0.1
42130	0	0	0	0	KHM	48.6072	117.1152	17.6	651.4	563	55805.	3229	2.2	6.0	23.4	2.7	0.3	10.5	41	0.1
42129	0	0	0	0	QAG	48.6071	117.1146	17.6	651.8	586	55802.	3329	1.7	8.7	14.1	5.2	0.6	8.5	33	0.1
42128	0	0	0	0	QAG	48.6071	117.1140	17.6	652.1	601	55797.	3393	2.6	7.2	17.4	2.8	0.4	6.8	22	0.1
42127	0	0	0	0	QAG	48.6071	117.1134	17.6	652.4	611	55791.	3329	2.2	6.5	20.8	3.0	0.3	9.6	44	0.1
42126	0	0	0	0	QAG	48.6071	117.1129	17.6	652.7	610	55784.	3017	2.3	5.4	14.9	2.3	0.4	6.4	42	0.1
42125	0	0	0	0	QAG	48.6071	117.1123	17.6	653.0	616	55779.	2979	1.9	7.4	13.1	3.9	0.6	6.9	37	0.1
42124	0	0	0	0	QAG	48.6071	117.1117	17.6	653.2	621	55775.	2893	2.2	4.6	12.3	2.1	0.4	5.5	40	0.1
42123	0	0	0	0	QAG	48.6071	117.1111	17.6	653.5	623	55772.	3043	2.5	4.9	15.6	2.0	0.3	6.3	42	0.1
42122	0	0	0	0	QAG	48.6070	117.1105	17.6	653.6	618	55772.	2780	2.3	5.0	12.8	2.2	0.4	5.6	38	0.1
42121	0	0	0	0	QAG	48.6070	117.1099	17.6	653.8	613	55772.	3057	2.3	6.0	11.7	2.6	0.5	5.1	39	0.1
42120	0	0	0	0	QAG	48.6070	117.1093	17.6	653.9	609	55774.	2759	1.8	5.8	15.1	3.1	0.4	8.2	43	0.1
42119	0	0	0	0	QAG	48.6070	117.1088	17.6	654.0	601	55777.	2774	2.0	7.7	9.4	3.8	0.8	4.6	33	0.1
42118	0	0	0	0	QAG	48.6070	117.1082	17.6	654.1	594	55782.	2806	1.8	6.5	11.8	3.5	0.5	6.5	37	0.1
42117	0	0	0	0	QAG	48.6070	117.1076	17.6	654.1	593	55787.	2868	1.9	8.4	9.8	4.4	0.9	5.2	39	0.1
42116	0	0	0	0	QAG	48.6069	117.1070	17.7	654.2	600	55793.	3040	1.8	6.8	14.7	3.7	0.5	8.1	51	0.1
42115	0	0	0	0	QAG	48.6069	117.1064	17.7	654.2	604	55799.	3110	2.3	5.8	12.7	2.5	0.5	5.5	36	0.1
42114	0	0	0	0	QAG	48.6069	117.1058	17.7	654.2	604	55806.	3260	2.7	7.2	16.2	2.7	0.4	6.0	37	0.1
42113	0	0	0	0	QAG	48.6069	117.1052	17.7	654.2	582	55815.	3091	2.1	7.0	15.6	3.3	0.4	7.4	36	0.1
42112	0	0	0	0	QAG	48.6069	117.1047	17.7	654.2	549	55826.	3214	2.2	7.5	17.1	3.5	0.4	7.9	37	0.1
42111	0	0	0	0	QAG	48.6069	117.1041	17.7	654.2	498	55836.	2862	2.2	6.6	12.7	3.1	0.5	5.9	34	0.1
42110	0	0	0	0	QAG	48.6068	117.1035	17.7	654.2	457	55846.	2633	1.9	4.8	11.4	2.6	0.4	6.1	50	0.1
42109	0	0	0	0	QAG	48.6068	117.1029	17.7	654.2	429	55852.	2526	1.8	4.7	13.1	2.6	0.4	7.4	35	0.1
42108	0	0	0	0	QAG	48.6068	117.1023	17.7	654.2	425	55857.	2586	1.7	6.2	11.8	3.6	0.5	6.8	35	0.1
42107	0	0	0	0	QAG	48.6068	117.1017	17.7	654.2	436	55858.	2656	2.2	4.5	13.4	2.0	0.3	6.1	33	0.1
42106	0	0	0	0	QAG	48.6068	117.1012	17.7	654.2	452	55858.	2696	1.8	4.7	15.6	2.6	0.3	8.7	47	0.1
42105	0	0	0	0	QAG	48.6068	117.1006	17.7	654.3	462	55857.	2777	1.8	6.9	10.8	3.9	0.6	6.1	32	0.1
42104	0	0	0	0	QAG	48.6068	117.1000	17.7	654.3	456	55856.	2556	1.4	7.4	12.2	5.5	0.6	9.1	41	0.1
42103	0	0	0	0	QAG	48.6067	117.0994	17.7	654.4	438	55855.	2404	1.8	5.3	10.3	3.0	0.5	5.8	34	0.1
42102	0	0	0	0	QAG	48.6067	117.0988	17.7	654.4	418	55855.	2080	1.3	4.4	9.3	3.4	0.5	7.2	37	0.1
42101	0	0	0	0	QAG	48.6067	117.0982	17.7	654.5	407	55854.	2006	1.3	2.8	11.8	2.1	0.2	8.9	39	0.1
42100	0	0	0	0	QAG	48.6067	117.0976	17.7	654.6	404	55854.	1877	1.3	4.2	8.5	3.1	0.5	6.4	44	0.1
42099	0	0	0	0	QAG	48.6067	117.0970	17.7	654.7	405	55853.	1852	1.1	4.4	5.3	4.0	0.8	4.8	41	0.1
42098	0	0	0	0	QAG	48.6067	117.0965	17.7	654.8	406	55851.	1848	1.6	3.8	7.2	2.3	0.5	4.4	27	0.1
42097	0	0	0	0	QAG	48.6066	117.0959	17.8	654.9	406	55849.	1840	1.2	4.6	5.9	3.8	0.8	4.8	28	0.1
42096	0	0	0	0	QAG	48.6066	117.0953	17.8	655.0	409	55846.	1867	1.7	3.1	7.8	1.9	0.4	4.7	37	0.1
42095	0	0	0	0	QAG	48.6066	117.0947	17.8	655.2	410	55843.	1856	1.5	4.2	5.2	2.8	0.8	3.5	36	0.1
42094	0	0	0	0	QAG	48.6066	117.0941	17.8	655.3	409	55840.	1862	1.6	3.2	4.1	2.0	0.8	2.5	34	0.1
42093	0	0	0	0	QAG	48.6066	117.0935	17.8	655.4	410	55837.	1902	1.4	3.3	8.2	2.3	0.4	5.7	27	0.1
42092	0	0	0	0	QAG	48.6066	117.0929	17.8	655.5	419	55834.	1939	1.5	4.4	8.4	3.0	0.5	5.8	34	0.1
42091	0	0	0	0	QAG	48.6066	117.0924	17.8	655.6	442	55832.	2125	1.9	3.8	7.5	2.0	0.5	4.0	31	0.1
42090	0	0	0	0	QAG	48.6065	117.0918	17.8	655.8	461	55831.	2240	2.2	4.9	5.0	2.2	1.0	2.2	34	0.1
42089	0	0	0	0	QAG	48.6065	117.0912	17.8	655.9	465	55831.	2124	1.7	5.5	4.5	3.3	1.2	2.7	45	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 6									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
42088	0	0	0	0	QAG	48.6065	117.0906	17.8	656.0	445	55832.	2111	1.7	4.4	7.8	2.7	0.6	4.7	46	0.1
42087	0	0	0	0	QAG	48.6065	117.0900	17.8	656.1	416	55834.	1994	1.3	5.2	5.2	3.9	1.0	3.9	47	0.1
42086	0	0	0	0	QAG	48.6065	117.0893	17.8	656.3	397	55836.	2065	1.7	2.6	11.6	1.6	0.2	6.9	39	0.1
42085	0	0	0	0	QAG	48.6065	117.0887	17.8	656.5	391	55838.	2081	1.5	6.6	5.6	4.3	1.2	3.6	27	0.1
42084	0	0	0	0	QAG	48.6064	117.0881	17.8	656.6	391	55840.	1991	1.7	3.2	8.0	2.0	0.4	4.8	33	0.1
42083	0	0	0	0	QAG	48.6064	117.0874	17.8	656.8	388	55841.	2077	1.7	5.4	6.2	3.1	0.9	3.6	36	0.1
42082	0	0	0	0	QAG	48.6064	117.0868	17.8	656.9	382	55841.	2007	1.6	3.9	8.3	2.5	0.5	5.3	41	0.1
42081	0	0	0	0	QAG	48.6064	117.0862	17.8	657.1	374	55840.	1996	1.9	4.0	6.0	2.1	0.7	3.2	35	0.1
42080	0	0	0	0	QAG	48.6064	117.0855	17.8	657.3	370	55838.	1900	1.5	3.7	7.2	2.4	0.5	4.7	36	0.1
42079	0	0	0	0	QAG	48.6064	117.0849	17.8	657.6	383	55836.	1900	1.7	3.0	7.0	1.8	0.4	4.1	36	0.1
42078	0	0	0	0	QAG	48.6064	117.0843	17.8	657.8	421	55832.	1877	1.5	5.0	5.1	3.4	1.0	3.5	37	0.1
42077	0	0	0	0	QAG	48.6064	117.0836	17.8	658.0	466	55828.	1867	1.7	2.0	6.5	1.1	0.3	3.8	40	0.1
42076	0	0	0	0	QAG	48.6063	117.0830	17.9	658.3	501	55823.	1823	1.6	3.8	6.3	2.5	0.6	4.1	33	0.1
42075	0	0	0	0	QAG	48.6063	117.0824	17.9	658.5	525	55820.	1727	1.0	4.5	4.9	4.5	0.9	4.9	34	0.1
42074	0	0	0	0	QAG	48.6063	117.0818	17.9	658.8	542	55818.	1709	1.3	3.5	6.1	2.7	0.6	4.6	36	0.2
42073	0	0	0	0	QAG	48.6063	117.0811	17.9	659.1	554	55815.	1533	0.8	5.6	2.8	6.9	2.0	3.4	44	0.2
42072	0	0	0	0	QAG	48.6063	117.0805	17.9	659.3	561	55814.	1566	1.3	2.8	5.6	2.1	0.5	4.3	27	0.2
42071	0	1	0	0	QAG	48.6063	117.0799	17.9	659.6	574	55813.	1703	0.4	6.7	3.0	17.1	2.2	7.6	39	0.2
42070	0	0	0	0	QAG	48.6062	117.0792	17.9	659.8	590	55813.	1761	1.0	4.4	5.8	4.6	0.8	6.1	28	0.2
42069	0	0	0	0	QAG	48.6062	117.0786	17.9	660.1	606	55813.	1888	1.6	2.8	4.9	1.7	0.6	3.0	46	0.2
42068	0	0	0	0	QAG	48.6062	117.0780	17.9	660.3	614	55813.	1946	1.4	4.5	7.5	3.1	0.6	5.2	38	0.1
42067	0	0	0	0	QAG	48.6062	117.0773	17.9	660.6	618	55814.	1994	0.6	6.5	5.5	10.4	1.2	8.7	40	0.1
42066	0	0	0	0	QAG	48.6062	117.0767	17.9	660.8	614	55815.	2051	1.2	4.6	6.9	3.8	0.7	5.6	46	0.1
42065	0	0	0	0	QAG	48.6062	117.0761	17.9	661.0	607	55815.	2160	1.2	6.4	6.8	5.5	0.9	5.9	41	0.1
42064	0	0	0	0	QAG	48.6062	117.0754	17.9	661.2	600	55815.	2199	1.3	4.3	10.0	3.3	0.4	7.7	39	0.2
42063	0	0	0	0	QAG	48.6062	117.0748	17.9	661.4	589	55814.	2273	1.6	2.4	9.9	1.6	0.2	6.4	39	0.2
42062	0	0	0	0	QAG	48.6061	117.0742	17.9	661.6	576	55811.	2197	1.1	4.2	8.4	4.0	0.5	8.0	36	0.2
42061	0	0	0	0	QAG	48.6061	117.0735	17.9	661.7	562	55808.	2250	1.0	6.3	5.7	6.3	1.1	5.7	41	0.2
42060	0	0	0	0	QAG	48.6061	117.0729	17.9	661.9	546	55804.	2171	1.3	3.7	8.1	2.8	0.5	6.1	44	0.2
42059	0	0	0	0	QAG	48.6061	117.0723	17.9	662.0	537	55800.	2092	1.2	5.1	8.1	4.3	0.6	6.8	46	0.2
42058	0	0	0	0	QAG	48.6061	117.0716	18.0	662.1	536	55796.	2147	1.9	5.0	7.3	2.7	0.7	3.9	42	0.2
42057	0	0	0	0	QAG	48.6061	117.0710	18.0	662.2	551	55791.	2198	1.3	5.3	5.6	4.0	0.9	4.2	44	0.1
42055	0	0	0	0	QAG	48.6060	117.0697	18.0	662.4	569	55785.	2226	1.2	7.1	6.5	6.0	1.1	5.5	38	0.1
42054	0	0	0	0	QAG	48.6060	117.0691	18.0	662.5	584	55781.	2217	0.9	3.9	9.8	4.2	0.4	10.4	42	0.1
42053	0	0	0	0	QAG	48.6060	117.0685	18.0	662.6	593	55776.	2343	1.5	5.6	5.4	3.7	1.0	3.5	38	0.1
42052	0	0	0	0	QAG	48.6060	117.0679	18.0	662.7	600	55774.	2416	1.4	4.9	9.1	3.6	0.5	6.6	24	0.1
42051	0	0	0	0	QAG	48.6060	117.0672	18.0	662.7	606	55773.	2468	1.7	5.2	11.7	3.0	0.4	6.9	41	0.1
42050	0	0	0	0	QAG	48.6060	117.0666	18.0	662.8	602	55773.	2412	1.7	3.2	12.1	1.9	0.3	7.3	33	0.2
42049	0	0	0	0	QAG	48.6060	117.0660	18.0	662.9	583	55775.	2377	1.1	7.3	8.3	6.7	0.9	7.6	47	0.1
42048	0	0	0	0	QAG	48.6060	117.0654	18.0	663.0	557	55776.	2495	1.7	5.1	6.8	3.0	0.7	4.1	25	0.1
42047	0	0	0	0	QAG	48.6060	117.0648	18.0	663.1	537	55778.	2277	1.5	4.1	10.3	2.8	0.4	7.1	40	0.1
42046	0	0	0	0	QAG	48.6060	117.0642	18.0	663.1	521	55782.	2166	1.5	2.0	9.4	1.3	0.2	6.1	38	0.1
42045	0	0	0	0	QAG	48.6060	117.0636	18.0	663.2	504	55786.	2282	1.4	6.0	9.3	4.4	0.6	6.8	33	0.1
42044	0	0	0	0	QAG	48.6060	117.0631	18.0	663.3	477	55790.	2250	1.3	5.2	9.5	3.9	0.6	7.1	32	0.1
42043	0	0	0	0	QAG	48.6060	117.0625	18.0	663.3	459	55795.	2138	1.1	4.9	9.3	4.4	0.5	8.4	44	0.1
42042	0	0	0	0	QAG	48.6060	117.0619	18.0	663.4	444	55801.	2183	1.3	4.4	8.6	3.2	0.5	6.4	55	0.1
42041	0	0	0	0	QAG	48.6059	117.0613	18.0	663.5	428	55807.	2214	1.3	5.0	9.0	3.9	0.6	7.1	43	0.1
42040	0	0	0	0	QAG	48.6059	117.0607	18.0	663.6	412	55814.	2160	1.7	4.4	6.9	2.7	0.6	4.2	30	0.1
42039	0	0	0	0	QAG	48.6059	117.0601	18.0	663.6	399	55820.	2027	1.3	3.7	8.4	3.0	0.4	6.7	43	0.1
42038	0	0	0	0	QAG	48.6059	117.0595	18.0	663.8	397	55825.	2132	1.0	5.0	7.3	4.9	0.7	7.1	43	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 6

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
42037	0	0	0	0	QAG	48.6059	117.0589	18.0	663.9	394	55831.	2229	1.2	4.0	11.8	3.3	0.3	9.7	30	0.2
42036	0	0	0	0	QAG	48.6059	117.0583	18.1	664.0	390	55836.	2118	1.3	4.9	10.5	3.8	0.5	8.2	33	0.2
42035	0	0	0	0	QAG	48.6059	117.0578	18.1	664.2	384	55840.	2151	1.2	4.3	10.7	3.6	0.4	8.9	30	0.2
42034	0	0	0	0	QAG	48.6059	117.0572	18.1	664.3	381	55844.	2274	1.7	4.2	9.0	2.5	0.5	5.5	21	0.2
42033	0	0	0	0	QAG	48.6059	117.0566	18.1	664.5	379	55845.	2131	1.5	4.0	9.9	2.6	0.4	6.4	44	0.2
42032	0	0	0	0	QAG	48.6059	117.0560	18.1	664.6	378	55848.	2189	1.5	2.3	12.2	1.6	0.2	8.3	28	0.2
42031	0	0	0	0	QAG	48.6059	117.0554	18.1	664.8	379	55850.	2134	1.3	3.9	9.6	3.0	0.4	7.4	29	0.2
42030	0	0	0	0	QAG	48.6059	117.0548	18.1	665.0	381	55850.	2187	1.7	3.5	11.2	2.1	0.3	6.7	42	0.2
42029	0	0	0	0	QAG	48.6059	117.0542	18.1	665.1	391	55851.	2184	1.5	3.3	9.8	2.3	0.3	6.6	32	0.2
42028	0	0	0	0	QAG	48.6059	117.0536	18.1	665.3	402	55849.	2143	2.0	3.0	9.0	1.5	0.3	4.6	48	0.2
42027	0	0	0	0	QAG	48.6059	117.0530	18.1	665.5	416	55848.	2298	1.7	4.2	9.8	2.5	0.4	5.8	36	0.2
42026	0	0	0	0	QAG	48.6059	117.0525	18.1	665.6	426	55847.	2280	1.8	4.7	7.9	2.7	0.6	4.5	30	0.2
42025	0	0	0	0	QAG	48.6059	117.0519	18.1	665.8	433	55847.	2314	1.7	5.4	9.1	3.2	0.6	5.4	36	0.2
42024	0	0	0	0	QAG	48.6059	117.0513	18.1	666.0	436	55847.	2236	2.0	2.2	12.2	1.1	0.2	6.1	53	0.2
42023	0	0	0	0	QAG	48.6059	117.0507	18.1	666.1	435	55846.	2318	1.6	5.1	11.5	3.3	0.4	7.4	33	0.2
42022	0	0	0	0	QAG	48.6059	117.0501	18.1	666.3	435	55844.	2403	1.8	3.0	11.4	1.7	0.3	6.4	41	0.2
42021	0	0	0	0	QAG	48.6059	117.0495	18.1	666.5	436	55842.	2383	1.6	4.2	9.3	2.6	0.5	5.7	27	0.2
42020	0	0	0	0	QAG	48.6059	117.0489	18.1	666.6	436	55839.	2333	1.7	2.0	12.3	1.2	0.2	7.3	26	0.2
42019	0	0	0	0	QAG	48.6059	117.0483	18.1	666.8	436	55838.	2334	1.1	5.4	10.9	4.9	0.5	10.0	39	0.2
42018	0	0	0	0	QAG	48.6059	117.0477	18.1	667.0	435	55838.	2237	1.7	4.1	9.4	2.4	0.4	5.5	29	0.2
42017	0	0	0	0	QAG	48.6059	117.0471	18.1	667.1	443	55837.	2205	1.4	3.7	8.8	2.6	0.4	6.2	44	0.2
42016	0	0	0	0	QAG	48.6059	117.0466	18.1	667.3	449	55836.	2212	1.4	4.2	9.2	3.1	0.5	6.6	35	0.2
42015	0	0	0	0	QAG	48.6059	117.0460	18.1	667.5	451	55836.	2282	1.3	3.7	8.6	2.9	0.4	6.8	38	0.2
42014	0	0	0	0	QAG	48.6059	117.0454	18.1	667.6	443	55836.	2246	1.5	5.1	7.0	3.4	0.7	4.8	29	0.2
42013	0	0	0	0	QAG	48.6059	117.0449	18.1	667.8	434	55836.	2193	2.0	2.6	9.8	1.3	0.3	5.0	42	0.2
42012	0	0	0	0	QAG	48.6059	117.0444	18.2	668.0	426	55835.	2169	1.3	4.0	8.6	3.1	0.5	6.8	31	0.2
42011	0	0	0	0	QAG	48.6059	117.0438	18.2	668.1	420	55834.	2161	1.4	5.1	7.1	3.8	0.7	5.3	45	0.2
42010	0	0	0	0	QAG	48.6058	117.0433	18.2	668.3	417	55833.	2205	1.8	2.7	10.2	1.5	0.3	5.6	35	0.2
42009	0	0	0	0	QAG	48.6058	117.0427	18.2	668.4	417	55829.	2118	1.6	2.7	7.5	1.7	0.4	4.7	31	0.2
42008	0	0	0	0	QAG	48.6058	117.0422	18.2	668.6	420	55826.	2112	1.3	4.9	7.7	3.8	0.6	5.9	31	0.2
42007	0	0	0	0	QAG	48.6058	117.0417	18.2	668.8	429	55821.	2106	1.5	3.4	9.3	2.3	0.4	6.3	30	0.2
42006	0	0	0	0	QAG	48.6058	117.0411	18.2	668.9	443	55815.	2170	2.0	2.0	11.6	1.0	0.2	5.9	39	0.2
42005	0	0	0	0	QAG	48.6058	117.0406	18.2	669.1	450	55811.	2274	1.8	3.3	9.7	1.8	0.3	5.4	34	0.2
42004	0	0	0	0	QAG	48.6058	117.0401	18.2	669.2	439	55808.	2212	2.0	3.3	9.5	1.7	0.3	4.8	26	0.2
42003	0	0	0	0	QAG	48.6058	117.0395	18.2	669.4	416	55808.	2008	1.6	1.8	6.9	1.1	0.3	4.4	36	0.2
42002	0	0	0	0	QAG	48.6058	117.0390	18.2	669.5	396	55810.	2151	1.8	3.7	7.0	2.0	0.5	3.8	42	0.2
42001	0	0	0	0	QAG	48.6057	117.0385	18.2	669.7	386	55815.	2048	1.6	3.6	7.3	2.2	0.5	4.5	29	0.2
42000	0	0	0	0	QAG	48.6057	117.0379	18.2	669.8	382	55822.	2105	1.6	3.3	11.1	2.1	0.3	7.0	41	0.2
41999	0	0	0	0	QAG	48.6057	117.0374	18.2	670.0	378	55826.	2206	2.0	3.3	8.4	1.6	0.4	4.2	28	0.2
41998	0	0	0	0	QAG	48.6057	117.0368	18.2	670.1	373	55830.	2217	1.7	3.3	10.2	1.9	0.3	5.9	32	0.2
41997	0	0	0	0	QAG	48.6057	117.0363	18.2	670.3	368	55834.	2258	1.7	4.6	7.7	2.8	0.6	4.7	22	0.2
41996	0	0	0	0	QAG	48.6057	117.0358	18.2	670.4	364	55836.	2130	1.9	2.4	7.8	1.3	0.3	4.1	35	0.2
41995	0	0	0	0	QAG	48.6057	117.0352	18.2	670.5	360	55838.	2158	1.8	4.0	9.1	2.2	0.4	5.1	27	0.2
41994	0	0	0	0	QAG	48.6057	117.0347	18.2	670.6	358	55840.	2145	1.8	2.3	10.2	1.3	0.2	5.7	43	0.2
41993	0	0	0	0	QAG	48.6057	117.0341	18.2	670.7	356	55842.	2195	2.2	3.1	7.0	1.4	0.4	3.2	33	0.2
41992	0	0	0	0	QAG	48.6057	117.0336	18.2	670.8	356	55844.	2139	2.1	2.9	7.3	1.4	0.4	3.4	35	0.2
41991	0	0	0	0	QAG	48.6057	117.0331	18.2	670.8	358	55846.	1962	1.8	2.3	8.6	1.3	0.3	4.7	46	0.2
41990	0	0	0	0	QAG	48.6056	117.0325	18.2	670.9	360	55849.	2023	1.6	2.4	8.3	1.5	0.3	5.2	27	0.2
41989	0	0	0	0	QAG	48.6056	117.0320	18.2	670.9	363	55852.	2042	1.6	2.0	7.1	1.2	0.3	4.3	29	0.2

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

REC	AF KF UF TF				UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	LINE NO. 7						COS CPS	BI PPM
	K	U	T	U/K									U/T	T/K						
42381	0	0	0	0	KG	48.6029	117.2067	18.9	662.4	375	55763.	1819	1.9	1.4	7.5	0.7	0.2	3.9	24	0.2
42382	0	0	1	0	KG	48.6029	117.2061	18.9	662.2	371	55759.	1852	2.1	1.0	9.6	0.5	0.1	4.6	31	0.2
42383	0	0	0	0	KG	48.6030	117.2056	18.9	661.9	365	55757.	1877	1.7	1.6	6.6	0.9	0.2	3.8	36	0.2
42384	0	0	0	0	QAG	48.6030	117.2050	18.9	661.7	360	55758.	1873	1.7	2.7	7.6	1.6	0.4	4.5	37	0.2
42385	0	0	0	0	QAG	48.6030	117.2045	18.9	661.4	348	55760.	1889	1.4	3.2	5.3	2.2	0.6	3.7	35	0.2
42386	0	0	0	0	QAG	48.6030	117.2039	18.9	661.1	331	55762.	1750	1.6	2.5	7.8	1.6	0.3	4.8	45	0.2
42387	0	0	0	0	QAG	48.6030	117.2034	19.0	660.9	315	55762.	1712	1.6	1.5	7.4	0.9	0.2	4.7	44	0.2
42388	0	0	0	0	QAG	48.6030	117.2028	19.0	660.7	315	55758.	1744	1.7	2.7	3.8	1.6	0.7	2.2	44	0.2
42389	0	0	0	0	QAG	48.6030	117.2023	19.0	660.4	326	55753.	1683	1.3	1.7	7.3	1.3	0.2	5.6	29	0.2
42390	0	0	0	0	QAG	48.6030	117.2017	19.0	660.2	342	55746.	1624	1.6	2.9	5.8	1.8	0.5	3.5	37	0.2
42391	0	0	0	0	QAG	48.6030	117.2011	19.0	659.9	354	55738.	1618	1.5	2.1	6.3	1.4	0.3	4.3	33	0.2
42392	0	0	0	0	QAG	48.6030	117.2006	19.0	659.7	362	55731.	1574	1.4	2.8	6.0	2.1	0.5	4.4	34	0.2
42393	0	0	1	0	QAG	48.6030	117.2000	19.0	659.5	367	55724.	1550	1.6	1.2	5.5	0.7	0.2	3.5	45	0.2
42394	0	0	0	0	QAG	48.6031	117.1995	19.0	659.3	370	55719.	1702	1.5	1.3	6.5	0.9	0.2	4.5	23	0.2
42395	0	0	0	0	QAG	48.6031	117.1989	19.0	659.1	373	55714.	1543	1.4	1.7	4.8	1.2	0.3	3.5	31	0.2
42396	0	0	0	0	QAG	48.6031	117.1984	19.0	658.9	372	55711.	1478	1.4	2.1	3.3	1.5	0.6	2.3	48	0.2
42397	0	0	0	0	QAG	48.6031	117.1978	19.0	658.7	372	55706.	1484	1.3	2.6	3.3	2.1	0.8	2.7	43	0.2
42398	0	0	0	0	QAG	48.6031	117.1973	19.0	658.6	375	55700.	1560	1.5	2.4	5.1	1.6	0.5	3.4	40	0.2
42399	0	0	0	0	QAG	48.6031	117.1967	19.0	658.4	385	55694.	1581	1.0	3.5	5.4	3.4	0.7	5.3	27	0.2
42400	0	0	0	0	QAG	48.6031	117.1962	19.0	658.3	399	55687.	1507	1.2	2.2	5.2	1.9	0.4	4.5	30	0.2
42401	0	0	0	0	QAG	48.6031	117.1956	19.0	658.1	411	55681.	1605	1.2	2.8	6.3	2.3	0.4	5.3	27	0.2
42402	0	0	0	0	QAG	48.6031	117.1950	19.0	657.9	416	55677.	1626	1.2	2.1	7.2	1.8	0.3	6.2	32	0.2
42403	0	0	0	0	QAG	48.6031	117.1945	19.0	657.8	419	55672.	1714	1.8	2.2	4.4	1.2	0.5	2.5	34	0.2
42404	0	0	0	0	QAG	48.6031	117.1939	19.0	657.7	429	55667.	1767	1.4	3.2	5.5	2.3	0.6	4.0	25	0.2
42405	0	0	0	0	QAG	48.6032	117.1934	19.0	657.5	459	55661.	1771	1.5	2.6	5.6	1.8	0.5	3.8	34	0.2
42406	0	0	0	0	QAG	48.6032	117.1928	19.0	657.4	497	55655.	1950	1.5	2.8	8.1	1.8	0.3	5.3	34	0.2
42407	0	0	0	0	QAG	48.6032	117.1923	19.0	657.2	542	55648.	2127	1.5	5.9	7.5	4.0	0.8	5.1	32	0.2
42408	0	0	0	0	KG	48.6032	117.1917	19.0	657.0	576	55644.	2040	1.8	2.9	9.4	1.6	0.3	5.3	46	0.2
42409	0	0	0	0	KG	48.6032	117.1912	19.0	656.8	602	55641.	2338	2.1	3.1	8.6	1.5	0.4	4.1	38	0.2
42410	0	0	0	0	KG	48.6032	117.1906	19.0	656.6	617	55640.	2300	1.8	3.4	9.6	1.9	0.4	5.2	37	0.2
42411	0	0	0	0	KG	48.6032	117.1900	19.0	656.4	619	55641.	2344	2.0	3.5	9.0	1.7	0.4	4.4	35	0.2
42412	0	0	0	0	KG	48.6032	117.1895	19.0	656.2	610	55643.	2387	2.0	4.3	9.3	2.1	0.5	4.5	23	0.2
42413	0	0	0	0	KG	48.6032	117.1889	19.0	655.9	596	55647.	2341	2.2	3.1	9.9	1.4	0.3	4.4	33	0.2
42414	0	0	0	0	KG	48.6032	117.1884	19.0	655.7	582	55654.	2364	2.0	4.1	9.7	2.0	0.4	4.8	29	0.2
42415	0	0	0	0	KG	48.6032	117.1878	19.0	655.4	564	55662.	2196	2.0	4.5	11.1	2.3	0.4	5.7	34	0.1
42416	0	0	0	0	KG	48.6032	117.1873	19.0	655.0	543	55671.	2333	2.0	5.9	5.6	2.9	1.0	2.7	39	0.1
42417	0	0	0	0	KG	48.6032	117.1867	19.0	654.7	519	55680.	2264	1.9	2.1	10.5	1.1	0.2	5.4	25	0.1
42418	0	0	0	0	KG	48.6032	117.1862	19.0	654.3	499	55688.	2207	2.1	2.6	8.8	1.3	0.3	4.3	33	0.1
42419	0	0	0	0	KG	48.6032	117.1856	18.9	653.9	486	55694.	2126	1.7	4.1	8.1	2.4	0.5	4.8	24	0.1
42420	0	0	0	0	KG	48.6032	117.1850	18.9	653.5	485	55698.	2101	2.2	1.6	9.6	0.8	0.2	4.5	35	0.1
42421	0	0	0	0	KG	48.6032	117.1845	18.9	653.1	489	55703.	2174	2.1	2.8	9.3	1.3	0.3	4.4	44	0.1
42422	0	0	0	0	KG	48.6032	117.1839	18.9	652.7	487	55709.	2207	1.8	3.4	9.9	1.9	0.3	5.6	41	0.1
42423	0	0	0	0	KG	48.6032	117.1834	18.9	652.3	474	55716.	2119	2.2	3.3	7.6	1.5	0.4	3.5	41	0.1
42424	0	0	0	0	KG	48.6032	117.1828	18.9	651.8	458	55725.	2271	2.1	4.2	9.7	2.0	0.4	4.6	28	0.1
42425	0	0	0	0	KG	48.6032	117.1823	18.9	651.4	441	55734.	2166	2.1	3.5	8.9	1.7	0.4	4.3	35	0.1
42426	0	0	0	0	KG	48.6032	117.1817	18.9	650.9	430	55744.	2100	1.9	2.7	13.4	1.4	0.2	7.1	52	0.1
42427	0	0	0	0	KG	48.6032	117.1812	18.9	650.4	417	55751.	2185	1.9	2.4	11.2	1.3	0.2	5.8	46	0.1
42428	0	0	0	0	KG	48.6032	117.1806	18.9	650.0	405	55756.	2261	1.7	4.1	11.4	2.4	0.4	6.7	48	0.1
42429	0	0	0	0	KG	48.6032	117.1800	18.9	649.5	398	55756.	2275	1.7	4.0	12.0	2.3	0.3	6.9	36	0.1
42430	0	0	0	0	KG	48.6032	117.1795	18.9	649.0	385	55754.	2151	1.7	3.9	8.6	2.3	0.5	5.1	58	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

K 2

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 7							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
42431	0	0	0	0	KG	48.6032	117.1789	18.9	648.5	381	55752.	2195	1.9	3.7	8.3	2.0	0.5	4.4	35	0.1
42432	0	0	0	0	KG	48.6032	117.1784	18.8	647.9	381	55753.	2131	2.0	2.9	10.2	1.4	0.3	5.1	48	0.1
42433	0	0	0	0	KG	48.6032	117.1778	18.8	647.4	395	55757.	2499	1.9	5.3	11.9	2.8	0.4	6.2	34	0.1
42434	0	0	0	0	KG	48.6032	117.1773	18.8	646.9	403	55762.	2437	1.5	4.9	11.4	3.4	0.4	7.8	39	0.1
42435	0	0	0	0	KG	48.6032	117.1767	18.8	646.3	413	55769.	2444	1.5	4.3	12.2	2.8	0.4	8.0	43	0.1
42436	0	0	0	0	KG	48.6032	117.1761	18.8	645.8	412	55775.	2343	2.1	3.8	12.3	1.8	0.3	5.9	37	0.1
42437	0	0	0	0	KG	48.6032	117.1756	18.8	645.2	414	55779.	2405	2.0	3.7	11.2	1.9	0.3	5.7	37	0.1
42438	0	0	0	0	KG	48.6032	117.1750	18.8	644.6	401	55783.	2315	1.9	3.9	12.2	2.0	0.3	6.4	42	0.1
42439	0	0	0	0	KG	48.6032	117.1745	18.7	644.0	398	55785.	2313	1.5	4.6	12.6	3.2	0.4	8.7	42	0.1
42440	0	0	0	0	KG	48.6032	117.1739	18.7	643.4	395	55787.	2438	2.0	3.9	10.4	1.9	0.4	5.1	27	0.1
42441	0	0	0	0	KG	48.6032	117.1734	18.7	642.8	393	55790.	2298	2.1	3.1	9.7	1.5	0.3	4.6	42	0.1
42442	0	0	0	0	KG	48.6032	117.1728	18.7	642.2	387	55794.	2188	1.6	1.7	14.3	1.1	0.1	8.8	40	0.1
42443	0	0	0	0	KG	48.6032	117.1723	18.7	641.6	376	55800.	2282	1.8	4.1	12.6	2.3	0.3	7.1	40	0.1
42444	0	0	0	0	KG	48.6032	117.1717	18.7	641.1	362	55808.	2089	1.6	2.9	12.1	1.9	0.2	7.8	40	0.1
42445	0	0	0	0	KG	48.6032	117.1711	18.6	640.5	347	55816.	2106	1.5	3.2	11.1	2.1	0.3	7.2	41	0.1
42446	0	0	0	0	KG	48.6032	117.1706	18.6	639.9	326	55826.	2090	1.7	3.5	9.4	2.1	0.4	5.6	42	0.1
42447	0	0	0	0	KG	48.6032	117.1700	18.6	639.4	305	55835.	1997	1.6	2.6	9.6	1.6	0.3	5.9	51	0.1
42448	0	0	0	0	KG	48.6032	117.1695	18.6	638.8	287	55843.	1861	1.6	3.1	9.4	1.9	0.3	5.8	48	0.1
42449	0	0	0	0	KHM	48.6032	117.1689	18.6	638.2	278	55851.	1897	1.7	2.6	10.2	1.6	0.3	6.1	27	0.1
42450	0	0	0	0	KHM	48.6032	117.1684	18.5	637.7	282	55856.	1788	1.4	3.4	8.0	2.4	0.4	5.6	47	0.1
42451	0	0	0	0	KHM	48.6032	117.1678	18.5	637.1	287	55858.	1849	1.3	3.1	6.1	2.3	0.5	4.6	53	0.1
42452	0	0	0	0	KHM	48.6032	117.1673	18.5	636.5	295	55858.	1792	1.3	3.2	8.4	2.4	0.4	6.4	49	0.1
42453	0	0	0	0	KHM	48.6032	117.1667	18.5	636.0	299	55855.	1769	1.3	2.6	9.1	2.0	0.3	7.0	31	0.1
42454	0	0	0	0	KHM	48.6032	117.1661	18.4	635.4	304	55848.	1626	1.3	1.9	7.3	1.5	0.3	5.8	37	0.1
42455	0	0	0	0	KHM	48.6032	117.1656	18.4	634.8	313	55838.	1583	0.9	1.8	9.4	1.9	0.2	10.0	64	0.1
42456	0	0	0	0	KHM	48.6032	117.1650	18.4	634.2	329	55826.	1612	1.1	2.9	8.3	2.7	0.3	7.7	37	0.1
42457	0	0	0	0	KHM	48.6032	117.1645	18.4	633.6	349	55813.	1635	1.1	3.4	5.6	3.1	0.6	5.2	47	0.1
42458	0	0	0	0	KHM	48.6032	117.1639	18.4	633.1	364	55801.	1624	1.4	3.3	6.8	2.4	0.5	5.0	43	0.1
42459	0	0	0	0	KHM	48.6032	117.1634	18.3	632.4	369	55791.	1677	1.4	2.7	6.1	1.9	0.4	4.3	45	0.1
42460	0	0	0	0	KHM	48.6032	117.1628	18.3	631.8	376	55780.	1741	1.4	3.0	9.2	2.1	0.3	6.6	32	0.1
42461	0	0	0	0	KHM	48.6032	117.1622	18.3	631.2	385	55771.	1742	1.1	3.7	7.3	3.3	0.5	6.6	44	0.1
42462	0	0	0	0	KHM	48.6032	117.1617	18.3	630.6	393	55765.	1831	1.6	2.2	7.2	1.4	0.3	4.6	32	0.1
42463	0	0	0	0	KHM	48.6032	117.1611	18.2	630.0	402	55761.	1818	1.5	3.3	8.7	2.3	0.4	6.0	42	0.1
42465	0	0	0	0	KHM	48.6032	117.1600	18.2	629.4	404	55759.	1860	1.4	3.3	8.4	2.3	0.4	5.9	47	0.1
42466	0	0	0	0	KHM	48.6032	117.1595	18.2	628.7	408	55760.	1872	1.6	2.4	9.0	1.5	0.3	5.7	37	0.1
42467	0	0	0	0	KHM	48.6032	117.1589	18.2	628.1	394	55761.	1821	1.5	2.7	8.0	1.8	0.3	5.3	49	0.1
42468	0	0	0	0	KHM	48.6032	117.1584	18.1	627.4	378	55763.	1944	1.6	2.6	10.0	1.7	0.3	6.4	38	0.1
42469	0	0	0	0	KHM	48.6032	117.1578	18.1	626.8	358	55767.	1922	1.5	3.3	9.5	2.3	0.3	6.5	39	0.1
42470	0	0	0	0	KHM	48.6032	117.1572	18.1	626.1	352	55770.	1850	1.2	2.8	11.8	2.3	0.2	9.8	53	0.1
42471	0	0	0	0	KHM	48.6032	117.1567	18.1	625.5	351	55774.	1984	1.4	3.1	8.8	2.2	0.3	6.4	50	0.1
42472	0	0	0	0	KHM	48.6032	117.1561	18.1	624.9	358	55776.	2113	1.9	2.4	10.5	1.3	0.2	5.5	52	0.1
42473	0	0	0	0	KHM	48.6032	117.1556	18.0	624.2	364	55777.	2245	1.6	2.9	12.3	1.8	0.2	7.6	48	0.1
42474	0	0	0	0	KHM	48.6032	117.1550	18.0	623.7	369	55778.	2298	1.6	4.1	10.9	2.6	0.4	6.8	68	0.1
42475	0	0	0	0	KHM	48.6032	117.1545	18.0	623.1	365	55779.	2349	2.0	3.7	11.0	1.9	0.3	5.6	35	0.1
42476	0	0	0	0	KHM	48.6032	117.1539	18.0	622.6	357	55782.	2355	1.9	3.0	11.8	1.6	0.3	5.3	50	0.1
42477	1	1	1	1	KHM	48.6032	117.1534	18.0	622.1	347	55784.	2271	1.7	3.5	10.9	2.0	0.3	6.3	51	0.1
42478	0	0	0	0	KHM	48.6032	117.1528	17.9	621.6	341	55786.	2308	1.8	3.1	11.9	1.7	0.3	6.6	51	0.1
42479	0	0	0	0	KHM	48.6032	117.1523	17.9	621.3	337	55787.	2395	1.9	3.5	13.6	1.8	0.3	7.2	53	0.1
42480	0	0	0	0	KHM	48.6032	117.1517	17.9	621.0	331	55788.	2400	1.7	3.9	13.1	2.2	0.3	7.5	51	0.1
42481	0	0	0	0	KHM	48.6032	117.1511	17.9	620.7	324	55789.	2365	1.9	3.3	13.6	1.8	0.2	7.4	53	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

K 3

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 7							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
42482	0	0	0	0	KHM	48.6032	117.1506	17.9	620.6	315	55789.	2403	1.9	3.3	13.7	1.7	0.2	7.1	49	0.1
42483	0	0	0	0	KHM	48.6032	117.1500	17.8	620.4	306	55788.	2297	1.9	2.9	9.9	1.5	0.3	5.2	48	0.1
42484	0	0	0	0	KHM	48.6032	117.1495	17.8	620.3	299	55786.	2189	1.9	2.6	12.0	1.3	0.2	6.3	46	0.1
42485	0	0	0	0	KHM	48.6032	117.1489	17.8	620.3	296	55782.	2293	1.7	2.9	13.7	1.7	0.2	7.9	51	0.1
42486	0	0	0	0	KHM	48.6032	117.1484	17.8	620.4	299	55778.	2326	1.9	3.2	10.1	1.7	0.3	5.4	51	0.1
42487	0	0	0	0	KHM	48.6031	117.1479	17.8	620.5	307	55777.	2530	2.1	4.6	12.0	2.2	0.4	5.9	50	0.1
42488	0	0	0	0	KHM	48.6031	117.1474	17.8	620.6	318	55774.	2556	2.0	2.9	13.8	1.5	0.2	6.9	45	0.1
42489	0	0	0	0	KHM	48.6031	117.1469	17.8	620.8	326	55773.	2668	1.9	4.5	12.9	2.4	0.4	7.0	38	0.1
42490	0	0	0	0	KHM	48.6031	117.1463	17.7	621.0	330	55771.	2735	2.1	4.5	15.8	2.2	0.3	7.7	45	0.1
42491	0	0	0	0	KHM	48.6031	117.1458	17.7	621.3	338	55769.	2733	1.7	4.7	14.4	2.7	0.3	8.4	45	0.1
42492	0	0	0	0	KHM	48.6030	117.1453	17.7	621.5	351	55768.	2815	2.4	3.0	14.7	1.3	0.2	6.2	46	0.1
42493	0	0	0	0	KHM	48.6030	117.1447	17.7	621.8	371	55767.	2923	2.0	4.8	14.9	2.3	0.3	7.3	47	0.1
42494	0	0	0	0	KHM	48.6030	117.1442	17.7	622.1	397	55767.	2907	2.5	5.7	12.3	2.3	0.5	4.9	61	0.1
42495	0	0	0	0	KHM	48.6030	117.1437	17.7	622.5	425	55768.	2926	2.5	5.6	13.5	2.3	0.4	5.4	50	0.1
42496	0	0	0	0	KHM	48.6030	117.1432	17.7	622.8	453	55768.	2939	2.3	3.7	17.0	1.7	0.2	7.5	43	0.1
42497	0	0	0	0	KHM	48.6030	117.1427	17.7	623.2	475	55767.	2740	2.6	4.2	14.0	1.6	0.3	5.5	56	0.1
42498	0	0	0	0	KHM	48.6029	117.1421	17.7	623.6	494	55767.	2759	2.9	3.8	13.4	1.3	0.3	4.6	64	0.1
42499	0	0	0	0	KHM	48.6029	117.1416	17.7	624.1	515	55765.	2823	2.8	3.2	16.4	1.1	0.2	5.8	47	0.1
42500	0	0	0	0	KHM	48.6029	117.1411	17.6	624.5	533	55762.	2715	2.3	4.3	14.6	1.8	0.3	6.3	40	0.1
42501	0	0	0	0	KHM	48.6029	117.1406	17.6	624.9	546	55760.	2772	2.1	5.6	12.2	2.7	0.5	5.9	48	0.1
42502	0	0	0	0	KHM	48.6028	117.1400	17.6	625.4	555	55758.	2647	1.7	3.5	17.7	2.0	0.2	10.1	43	0.1
42503	0	0	0	0	KHM	48.6028	117.1395	17.6	625.9	571	55756.	2617	2.1	3.9	16.6	1.8	0.2	7.9	58	0.1
42504	0	0	0	0	KHM	48.6028	117.1390	17.6	626.4	600	55754.	2828	2.0	7.2	15.6	3.5	0.5	7.7	40	0.1
42505	0	0	0	0	KHM	48.6028	117.1385	17.6	626.9	646	55752.	2871	2.3	4.9	13.3	2.2	0.4	5.8	39	0.1
42506	0	0	0	0	KHM	48.6028	117.1379	17.6	627.5	689	55750.	3130	2.3	7.9	13.8	3.4	0.6	6.0	45	0.1
42507	1	0	0	0	KHM	48.6028	117.1374	17.6	628.0	714	55748.	3021	2.9	4.2	16.9	1.4	0.2	5.7	50	0.1
42508	1	0	0	0	KHM	48.6027	117.1369	17.6	628.6	721	55747.	3134	2.3	8.1	15.3	3.6	0.5	6.7	33	0.1
42509	1	0	0	0	KHM	48.6027	117.1364	17.6	629.2	730	55747.	2953	2.2	4.7	14.3	2.1	0.3	6.4	45	0.1
42510	1	0	0	0	KHM	48.6027	117.1358	17.6	629.8	743	55748.	2950	2.1	6.7	14.4	3.2	0.5	6.8	44	0.1
42511	1	0	0	0	KHM	48.6027	117.1353	17.6	630.4	758	55750.	3178	2.5	6.0	13.6	2.4	0.4	5.4	47	0.1
42512	1	0	0	0	KHM	48.6026	117.1348	17.6	631.0	764	55751.	2967	2.3	7.8	14.5	3.4	0.5	6.3	44	0.1
42513	1	0	0	0	KHM	48.6026	117.1343	17.6	631.6	760	55752.	2871	1.9	8.0	11.8	4.3	0.7	6.4	58	0.1
42514	1	0	0	0	KHM	48.6026	117.1337	17.6	632.2	748	55752.	2959	2.6	5.8	14.2	2.2	0.4	5.4	44	0.1
42515	1	0	0	0	KHM	48.6026	117.1332	17.6	632.9	728	55752.	2812	2.1	6.7	12.3	3.1	0.5	5.8	42	0.1
42516	1	0	0	0	KHM	48.6026	117.1327	17.6	633.5	711	55753.	2800	2.3	6.2	12.5	2.7	0.5	5.5	43	0.1
42517	0	0	0	0	KHM	48.6026	117.1322	17.6	634.1	695	55754.	2688	1.8	4.9	14.4	2.7	0.3	8.1	49	0.1
42518	0	0	0	0	KHM	48.6025	117.1317	17.6	634.7	688	55754.	2746	2.3	4.6	12.3	2.0	0.4	5.4	37	0.1
42519	0	0	0	0	KHM	48.6025	117.1311	17.6	635.3	690	55754.	2736	2.1	4.0	14.0	1.9	0.3	6.7	33	0.1
42520	0	0	0	0	KHM	48.6025	117.1306	17.6	635.9	698	55754.	2672	1.3	8.1	12.0	6.4	0.7	9.4	47	0.1
42521	1	0	0	0	KHM	48.6025	117.1301	17.6	636.5	711	55754.	2981	2.2	8.1	13.2	3.8	0.6	6.1	31	0.1
42522	1	0	0	0	KHM	48.6024	117.1295	17.6	637.1	729	55754.	3057	2.0	6.3	16.7	3.2	0.4	8.5	43	0.1
42523	1	0	0	0	KHM	48.6024	117.1290	17.7	637.7	757	55753.	3157	1.9	9.0	14.3	4.9	0.6	7.7	46	0.1
42524	1	0	0	0	KHM	48.6024	117.1285	17.7	638.3	788	55753.	3102	2.0	9.8	9.4	4.8	1.0	4.6	56	0.1
42525	1	0	0	0	KHM	48.6024	117.1280	17.7	638.9	815	55754.	3347	2.1	7.6	15.6	3.6	0.5	7.3	50	0.1
42526	1	0	0	0	KHM	48.6024	117.1274	17.7	639.5	835	55754.	3578	2.3	10.5	12.2	4.5	0.9	5.3	48	0.1
42527	1	0	0	0	KHM	48.6024	117.1269	17.7	640.0	851	55754.	3675	3.0	7.5	15.1	2.5	0.5	5.0	39	0.1
42528	1	0	0	0	KHM	48.6023	117.1264	17.7	640.5	865	55756.	3683	2.5	7.1	23.8	2.8	0.3	9.5	33	0.1
42529	1	0	0	0	KHM	48.6024	117.1258	17.7	641.1	877	55758.	3721	3.0	4.9	27.5	1.6	0.2	9.1	35	0.1
42530	1	0	0	0	KHM	48.6024	117.1253	17.7	641.6	875	55761.	3884	2.6	8.0	18.0	3.1	0.4	6.9	43	0.1
42531	1	0	0	0	KHM	48.6024	117.1247	17.7	642.1	866	55766.	3699	2.2	13.3	11.8	6.2	1.1	5.5	35	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 7							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
42532	1	0	0	0	KHM	48.6024	117.1241	17.7	642.6	844	55771.	3810	2.4	12.2	17.5	5.1	0.7	7.3	32	0.1
42533	1	0	0	0	KHM	48.6024	117.1236	17.7	643.1	817	55777.	3500	2.2	5.8	21.6	2.7	0.3	9.9	42	0.1
42534	1	0	0	0	KHM	48.6025	117.1230	17.7	643.6	783	55781.	3475	1.5	11.3	14.4	7.4	0.8	9.5	39	0.1
42535	1	0	0	0	KHM	48.6025	117.1224	17.7	644.1	750	55786.	3501	1.9	10.1	17.4	5.4	0.6	9.4	41	0.1
42536	1	0	0	0	KHM	48.6025	117.1218	17.7	644.6	716	55792.	3297	1.8	9.7	13.2	5.3	0.7	7.2	48	0.1
42537	0	0	0	0	KHM	48.6025	117.1213	17.8	645.2	677	55799.	3266	2.0	7.0	18.0	3.5	0.4	9.1	32	0.1
42538	0	0	0	0	KHM	48.6026	117.1207	17.8	645.7	635	55805.	3035	2.1	7.6	12.7	3.6	0.6	5.9	42	0.1
42539	0	0	0	0	KHM	48.6026	117.1201	17.8	646.2	596	55811.	2901	1.8	6.3	12.6	3.6	0.5	7.2	38	0.1
42540	0	0	0	0	KHM	48.6026	117.1196	17.8	646.7	565	55815.	2901	2.0	8.4	11.2	4.2	0.8	5.6	51	0.1
42541	0	0	0	0	KHM	48.6026	117.1190	17.8	647.2	546	55817.	2879	1.5	8.2	10.1	5.4	0.8	6.6	40	0.1
42542	0	0	0	0	KHM	48.6026	117.1184	17.8	647.6	540	55818.	2885	1.6	8.1	14.6	5.2	0.6	9.3	26	0.1
42543	0	0	0	0	QAG	48.6027	117.1178	17.8	648.1	546	55816.	2819	1.8	7.3	12.5	4.0	0.6	6.8	52	0.1
42544	0	0	0	0	QAG	48.6027	117.1173	17.8	648.5	557	55815.	2969	1.4	8.5	10.2	6.0	0.8	7.2	37	0.1
42545	0	0	0	0	QAG	48.6027	117.1167	17.8	648.9	569	55813.	3112	1.4	6.7	18.6	4.7	0.4	13.1	37	0.1
42546	0	0	0	0	QAG	48.6027	117.1161	17.9	649.4	579	55811.	3015	1.7	8.9	13.8	5.2	0.6	8.1	36	0.1
42547	0	0	0	0	QAG	48.6028	117.1155	17.9	649.8	585	55811.	3303	2.0	9.0	12.8	4.5	0.7	6.4	21	0.1
42548	0	0	0	0	QAG	48.6028	117.1150	17.9	650.2	581	55813.	3159	2.1	7.6	14.9	3.6	0.5	7.0	37	0.1
42549	0	0	0	0	QAG	48.6028	117.1144	17.9	650.6	563	55816.	3030	2.1	5.5	14.4	2.6	0.4	6.9	49	0.1
42550	0	0	0	0	QAG	48.6028	117.1138	17.9	650.9	540	55820.	3126	1.9	8.3	13.4	4.4	0.6	7.1	43	0.1
42551	0	0	0	0	QAG	48.6028	117.1133	17.9	651.3	520	55825.	3212	2.1	7.8	15.3	3.8	0.5	7.4	40	0.1
42552	0	0	0	0	QAG	48.6029	117.1127	17.9	651.6	510	55828.	3081	1.5	7.3	14.2	5.0	0.5	9.7	36	0.1
42553	0	0	0	0	QAG	48.6029	117.1121	17.9	652.0	512	55831.	3090	1.9	7.0	14.2	3.8	0.5	7.7	48	0.1
42554	0	0	0	0	QAG	48.6029	117.1115	17.9	652.3	525	55832.	3284	2.0	6.1	17.2	3.0	0.4	8.5	37	0.1
42556	0	0	0	0	QAG	48.6030	117.1104	18.0	652.7	535	55832.	3295	2.6	8.7	12.2	3.4	0.7	4.8	42	0.1
42557	0	0	0	0	QAG	48.6030	117.1098	18.0	653.1	538	55831.	3339	2.2	6.7	17.4	3.1	0.4	8.0	41	0.1
42558	0	0	0	0	QAG	48.6030	117.1093	18.0	653.4	543	55829.	3098	2.3	7.0	15.7	3.0	0.4	6.9	40	0.1
42559	0	0	0	0	QAG	48.6030	117.1087	18.0	653.8	560	55827.	3115	1.5	8.4	14.5	5.7	0.6	9.9	39	0.1
42560	0	0	0	0	QAG	48.6030	117.1081	18.0	654.2	586	55824.	3075	1.9	8.6	14.3	4.5	0.6	7.4	35	0.1
42561	0	0	0	0	QAG	48.6031	117.1076	18.0	654.6	614	55824.	3245	2.3	7.1	14.4	3.1	0.5	6.4	31	0.1
42562	0	0	0	0	QAG	48.6031	117.1070	18.0	654.9	643	55825.	3400	2.4	9.6	15.7	4.0	0.6	6.6	42	0.1
42563	0	0	0	0	QAG	48.6030	117.1064	18.0	655.3	663	55827.	3366	1.9	10.0	14.3	5.3	0.7	7.6	41	0.1
42564	0	0	0	0	QAG	48.6030	117.1058	18.1	655.6	666	55829.	3329	2.4	8.9	14.4	3.8	0.6	6.1	43	0.1
42565	0	0	0	0	QAG	48.6030	117.1052	18.1	655.9	651	55833.	3201	2.1	9.5	9.7	4.4	1.0	4.5	36	0.1
42566	0	0	0	0	QAG	48.6030	117.1047	18.1	656.2	629	55836.	3285	2.0	10.2	13.9	5.0	0.7	6.8	39	0.1
42567	0	0	0	0	QAG	48.6030	117.1041	18.1	656.5	606	55839.	3273	2.1	9.3	18.6	4.4	0.5	8.8	35	0.1
42568	0	0	0	0	QAG	48.6030	117.1035	18.1	656.8	583	55842.	3155	1.9	8.4	15.0	4.6	0.6	8.1	31	0.1
42569	0	0	0	0	QAG	48.6030	117.1029	18.1	657.0	564	55845.	3103	1.6	7.1	16.6	4.3	0.4	10.2	46	0.1
42570	0	0	0	0	QAG	48.6030	117.1024	18.1	657.3	552	55849.	3219	1.9	7.0	16.7	3.7	0.4	8.9	25	0.1
42571	0	0	0	0	QAG	48.6030	117.1018	18.2	657.5	534	55854.	3212	2.2	6.4	18.6	3.0	0.3	8.6	29	0.1
42572	0	0	0	0	QAG	48.6030	117.1012	18.2	657.7	513	55858.	3164	2.1	6.9	15.3	3.4	0.5	7.4	31	0.1
42573	0	0	0	0	QAG	48.6030	117.1006	18.2	657.9	489	55862.	2902	1.4	6.2	13.5	4.4	0.5	9.5	27	0.1
42574	0	0	0	0	QAG	48.6030	117.1001	18.2	658.1	478	55864.	2849	2.2	5.1	15.0	2.3	0.3	6.9	36	0.1
42575	0	0	0	0	QAG	48.6030	117.0995	18.2	658.2	482	55865.	2956	2.2	3.7	14.8	1.7	0.2	6.7	40	0.1
42576	0	0	0	0	QAG	48.6030	117.0989	18.2	658.4	500	55865.	2916	1.6	6.5	13.4	4.2	0.5	8.5	26	0.1
42577	0	0	0	0	QAG	48.6029	117.0983	18.2	658.6	525	55864.	2702	1.4	6.8	11.3	4.8	0.6	8.0	36	0.1
42578	0	0	0	0	QAG	48.6029	117.0977	18.2	658.7	537	55860.	2593	1.9	5.4	8.6	2.9	0.6	4.6	42	0.1
42579	0	0	0	0	QAG	48.6029	117.0972	18.2	658.9	538	55856.	2440	1.6	5.3	14.5	3.4	0.4	9.3	33	0.1
42580	0	0	0	0	QAG	48.6029	117.0966	18.3	659.1	531	55852.	2386	1.4	5.2	12.4	3.8	0.4	9.1	35	0.1
42581	0	0	0	0	QAG	48.6029	117.0960	18.3	659.3	523	55850.	2199	1.4	5.2	7.2	3.7	0.7	5.1	43	0.1
42582	0	0	0	0	QAG	48.6029	117.0954	18.3	659.5	524	55850.	2314	1.4	6.5	9.6	4.6	0.7	6.7	29	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO.		7					
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
42583	0	0	0	0	QAG	48.6029	117.0949	18.3	659.7	525	55852.	2309	1.5	4.2	9.3	2.7	0.4	6.1	36	0.2
42584	0	0	0	0	QAG	48.6029	117.0943	18.3	659.8	525	55854.	2238	1.7	4.0	9.6	2.4	0.4	5.7	49	0.2
42585	0	0	0	0	QAG	48.6029	117.0937	18.3	660.0	513	55855.	2262	1.8	5.1	7.3	2.8	0.7	4.0	33	0.2
42586	0	0	0	0	QAG	48.6029	117.0931	18.3	660.1	495	55857.	2320	2.1	3.8	9.1	1.8	0.4	4.3	35	0.2
42587	0	0	0	0	QAG	48.6029	117.0926	18.3	660.3	479	55858.	2213	1.5	5.3	8.9	3.5	0.6	5.9	45	0.2
42588	0	0	0	0	QAG	48.6029	117.0920	18.4	660.4	467	55859.	2146	1.3	4.3	9.3	3.2	0.5	7.0	38	0.2
42589	0	0	0	0	QAG	48.6028	117.0914	18.4	660.6	457	55859.	2010	1.5	5.3	7.0	3.6	0.8	4.9	51	0.2
42590	0	0	0	0	QAG	48.6028	117.0908	18.4	660.7	450	55859.	2119	1.6	4.3	8.3	2.7	0.5	5.3	28	0.2
42591	0	0	0	0	QAG	48.6028	117.0903	18.4	660.9	442	55858.	2047	1.6	3.5	6.3	2.2	0.6	3.8	36	0.2
42592	0	0	0	0	QAG	48.6028	117.0857	18.4	661.1	444	55859.	2020	1.7	3.3	8.4	1.9	0.4	4.8	42	0.2
42593	0	0	0	0	QAG	48.6028	117.0891	18.4	661.2	447	55860.	1976	1.6	4.4	6.8	2.8	0.6	4.4	39	0.2
42594	0	0	0	0	QAG	48.6028	117.0885	18.4	661.4	458	55862.	1998	1.6	3.5	6.9	2.2	0.5	4.4	30	0.2
42595	0	0	0	0	QAG	48.6028	117.0880	18.4	661.5	466	55863.	2080	1.6	2.6	8.6	1.0	0.3	5.4	30	0.2
42596	0	0	0	0	QAG	48.6028	117.0874	18.5	661.6	477	55863.	2012	1.6	4.7	6.1	3.0	0.8	3.9	38	0.2
42597	0	0	0	0	QAG	48.6028	117.0868	18.5	661.8	487	55862.	2137	1.3	6.1	5.8	4.6	1.1	4.3	29	0.2
42598	0	0	0	0	QAG	48.6028	117.0862	18.5	661.9	497	55860.	2053	1.4	4.0	6.6	2.9	0.6	4.7	38	0.2
42599	0	0	0	0	QAG	48.6028	117.0856	18.5	662.0	508	55857.	2104	1.6	2.5	9.0	1.6	0.3	5.7	33	0.2
42600	0	0	0	0	QAG	48.6028	117.0851	18.5	662.2	519	55853.	2105	1.3	3.6	10.1	2.7	0.4	7.7	42	0.2
42601	0	0	0	0	QAG	48.6028	117.0845	18.5	662.3	523	55850.	2226	1.3	5.3	11.4	4.2	0.5	9.0	31	0.2
42602	0	0	0	0	QAG	48.6028	117.0839	18.5	662.4	522	55847.	2227	1.5	4.4	8.8	2.9	0.5	5.7	38	0.2
42603	0	0	0	0	QAG	48.6027	117.0833	18.5	662.5	519	55844.	2126	1.3	4.9	10.0	3.7	0.5	7.6	38	0.2
42604	0	0	0	0	QAG	48.6027	117.0828	18.5	662.6	523	55842.	2301	1.5	6.2	5.2	4.1	1.2	3.5	42	0.2
42605	0	0	0	0	QAG	48.6027	117.0822	18.6	662.7	530	55842.	2322	1.8	4.5	8.3	2.5	0.5	4.7	36	0.2
42606	0	0	0	0	QAG	48.6027	117.0816	18.6	662.8	538	55842.	2452	2.1	2.6	10.8	1.2	0.2	5.1	37	0.2
42607	0	0	0	0	QAG	48.6027	117.0811	18.6	662.9	537	55841.	2599	1.7	4.5	11.8	2.7	0.4	7.1	36	0.2
42608	0	0	0	0	QAG	48.6027	117.0806	18.6	663.0	527	55841.	2723	1.4	6.4	12.7	4.7	0.5	9.3	41	0.2
42609	0	0	0	0	QAG	48.6027	117.0800	18.6	663.0	503	55839.	2579	1.6	4.3	13.3	2.7	0.3	8.5	30	0.2
42610	0	0	0	0	QAG	48.6027	117.0795	18.6	663.1	471	55838.	2513	1.7	3.9	12.8	2.3	0.3	7.4	38	0.2
42611	0	0	0	0	QAG	48.6027	117.0789	18.6	663.2	436	55836.	2348	1.2	4.1	14.0	3.4	0.3	11.8	36	0.2
42612	0	0	0	0	QAG	48.6027	117.0784	18.6	663.3	409	55835.	2138	1.2	4.0	6.9	3.2	0.6	5.6	47	0.2
42613	0	0	0	0	QAG	48.6027	117.0778	18.6	663.4	391	55835.	2220	1.7	3.3	7.6	1.9	0.4	4.4	43	0.2
42614	0	0	0	0	QAG	48.6027	117.0773	18.7	663.5	380	55834.	2134	1.4	4.4	8.6	3.0	0.5	6.0	27	0.2
42615	0	0	0	0	QAG	48.6026	117.0767	18.7	663.6	370	55833.	2112	1.5	3.4	9.1	2.2	0.4	5.9	35	0.2
42616	0	0	0	0	QAG	48.6026	117.0762	18.7	663.7	360	55830.	2040	1.0	4.8	5.8	4.9	0.8	6.0	28	0.2
42617	0	0	0	0	QAG	48.6026	117.0756	18.7	663.8	353	55826.	1987	1.3	2.0	9.7	1.5	0.2	7.3	33	0.2
42618	0	0	0	0	QAG	48.6026	117.0751	18.7	663.9	352	55823.	2057	1.3	3.3	9.1	2.5	0.4	6.8	41	0.2
42619	0	0	0	0	QAG	48.6026	117.0745	18.7	664.0	359	55818.	2037	1.4	3.9	6.1	2.9	0.6	4.5	42	0.2
42620	0	0	0	0	QAG	48.6026	117.0740	18.7	664.0	374	55813.	2075	1.0	4.7	7.5	5.0	0.6	7.9	34	0.2
42621	0	0	0	0	QAG	48.6026	117.0734	18.7	664.1	399	55810.	2260	1.4	3.7	7.1	2.6	0.5	5.1	39	0.2
42622	0	0	0	0	QAG	48.6026	117.0729	18.7	664.1	422	55806.	2479	1.3	4.8	9.1	3.7	0.5	6.9	30	0.2
42623	0	0	0	0	QAG	48.6026	117.0723	18.7	664.2	435	55803.	2670	1.8	3.8	12.0	2.2	0.3	6.8	29	0.2
42624	0	0	0	0	QAG	48.6026	117.0716	18.8	664.3	427	55801.	2729	1.6	4.5	13.5	2.9	0.3	8.6	35	0.2
42625	0	0	0	0	QAG	48.6026	117.0712	18.8	664.4	408	55799.	2699	2.0	3.9	9.8	1.9	0.4	4.8	45	0.2
42626	0	0	0	0	QAG	48.6026	117.0707	18.8	664.4	391	55798.	2638	1.3	5.3	11.6	4.1	0.5	8.9	39	0.2
42627	0	0	0	0	QAG	48.6026	117.0701	18.8	664.5	385	55796.	2534	1.8	3.4	9.1	1.9	0.4	5.2	31	0.2
42628	0	0	0	0	QAG	48.6026	117.0696	18.8	664.5	388	55795.	2495	1.7	3.8	11.7	2.3	0.3	7.0	34	0.2
42629	0	0	0	0	QAG	48.6025	117.0691	18.8	664.6	388	55796.	2342	1.6	3.2	8.3	2.0	0.4	5.1	42	0.2
42630	0	0	0	0	QAG	48.6025	117.0685	18.8	664.6	382	55798.	2341	2.0	3.5	9.2	1.8	0.4	4.7	21	0.2
42631	0	0	0	0	QAG	48.6025	117.0680	18.8	664.6	369	55803.	2390	1.9	3.6	10.1	1.9	0.4	5.5	34	0.2
42632	0	0	0	0	QAG	48.6025	117.0674	18.8	664.7	355	55808.	2336	1.8	2.7	10.9	1.5	0.2	6.1	36	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	LINE NO. 7					COS CPS	BI PPM	
													K %	U PPM	T PPM	U/K	U/T			T/K
42633	0	0	0	0	QAG	48.6025	117.0669	18.8	664.7	344	55815.	2325	1.4	4.4	8.8	3.2	0.5	6.4	39	0.2
42634	0	0	0	0	QAG	48.6025	117.0663	18.8	664.7	334	55821.	2170	1.8	3.9	8.1	2.1	0.5	4.4	44	0.2
42635	0	0	0	0	QAG	48.6025	117.0658	18.9	664.8	329	55826.	2225	1.9	2.9	9.8	1.5	0.3	5.0	39	0.2
42636	0	0	0	0	QAG	48.6025	117.0652	18.9	664.8	332	55830.	2390	1.8	4.2	10.9	2.3	0.4	6.0	46	0.2
42637	0	0	0	0	QAG	48.6025	117.0647	18.9	664.9	337	55834.	2262	1.6	2.6	12.5	1.6	0.2	7.7	35	0.2
42638	0	0	0	0	QAG	48.6025	117.0642	18.9	664.9	341	55838.	2337	2.0	2.0	12.3	1.0	0.2	6.2	29	0.2
42639	0	0	0	0	QAG	48.6025	117.0636	18.9	664.9	334	55842.	2309	2.0	2.6	8.9	1.3	0.3	4.4	25	0.2
42640	0	0	0	0	QAG	48.6025	117.0631	18.9	665.0	331	55847.	2213	1.7	3.2	9.5	1.9	0.3	5.7	29	0.2
42641	0	0	0	0	QAG	48.6025	117.0626	18.9	665.0	330	55852.	2244	2.0	2.1	12.6	1.1	0.2	6.2	39	0.2
42642	0	0	0	0	QAG	48.6025	117.0621	18.9	665.0	334	55857.	2444	1.9	3.1	12.1	1.6	0.3	6.4	24	0.2
42643	0	0	0	0	QAG	48.6025	117.0615	18.9	665.0	340	55861.	2203	2.0	3.6	10.5	1.8	0.3	5.3	28	0.2
42644	0	0	0	0	QAG	48.6025	117.0610	18.9	665.1	350	55865.	2327	1.7	3.7	11.1	2.2	0.3	6.7	43	0.2
42645	0	0	0	0	QAG	48.6025	117.0605	18.9	665.1	358	55867.	2413	1.9	4.6	10.8	2.4	0.4	5.7	39	0.2
42647	0	0	0	0	QAG	48.6025	117.0594	18.9	665.1	364	55867.	2384	2.0	3.8	11.1	1.9	0.3	5.7	33	0.2
42648	0	0	0	0	QAG	48.6025	117.0589	19.0	665.2	366	55866.	2246	1.9	2.9	9.3	1.6	0.3	5.0	43	0.2
42649	0	0	0	0	QAG	48.6025	117.0584	19.0	665.2	370	55864.	2135	1.6	4.3	9.2	2.7	0.5	5.8	33	0.2
42650	0	0	0	0	QAG	48.6025	117.0578	19.0	665.2	373	55864.	2178	1.9	3.6	8.2	1.9	0.4	4.3	23	0.2
42651	0	0	0	0	QAG	48.6025	117.0573	19.0	665.2	376	55865.	2108	1.2	4.8	8.6	3.9	0.6	7.0	28	0.2
42652	0	0	1	0	QAG	48.6025	117.0568	19.0	665.3	377	55869.	2094	1.9	1.3	12.1	0.7	0.1	6.5	35	0.2
42653	0	0	0	0	QAG	48.6025	117.0563	19.0	665.3	378	55872.	2073	1.6	2.8	8.3	1.8	0.3	5.3	32	0.2
42654	0	0	0	0	QAG	48.6025	117.0557	19.0	665.3	381	55874.	2123	1.3	4.3	8.6	3.3	0.5	6.5	22	0.2
42655	0	0	0	0	QAG	48.6025	117.0552	19.0	665.4	382	55875.	2031	1.0	4.2	9.4	4.0	0.4	9.0	39	0.2
42656	0	0	0	0	QAG	48.6025	117.0547	19.0	665.4	389	55874.	2129	1.5	4.6	9.1	3.2	0.5	6.3	30	0.2
42657	0	0	0	0	QAG	48.6025	117.0542	19.0	665.4	406	55872.	1996	1.4	3.3	8.4	2.4	0.4	6.0	41	0.2
42658	0	0	0	0	QAG	48.6025	117.0536	19.0	665.5	431	55869.	2141	1.2	4.6	6.9	3.7	0.7	5.6	45	0.2
42659	0	0	0	0	QAG	48.6025	117.0531	19.0	665.6	453	55868.	2340	2.1	3.9	9.6	1.8	0.4	4.5	27	0.2
42660	0	0	0	0	QAG	48.6025	117.0526	19.1	665.7	467	55869.	2175	2.2	3.4	6.6	1.6	0.5	3.1	55	0.2
42661	0	0	0	0	QAG	48.6025	117.0521	19.1	665.8	474	55872.	2328	1.9	3.5	10.1	1.9	0.3	5.4	31	0.2
42662	0	0	0	0	QAG	48.6025	117.0515	19.1	665.9	470	55876.	2305	1.6	4.2	10.5	2.6	0.4	6.4	39	0.2
42663	0	0	0	0	QAG	48.6025	117.0510	19.1	666.0	454	55879.	2472	1.8	3.3	11.0	1.9	0.3	6.2	31	0.2
42664	0	0	0	0	QAG	48.6024	117.0504	19.1	666.1	431	55882.	2276	1.4	5.6	7.9	4.1	0.7	5.7	40	0.2
42665	0	0	0	0	QAG	48.6024	117.0498	19.1	666.2	414	55886.	2323	2.0	4.2	8.6	2.1	0.5	4.2	34	0.2
42666	0	0	0	0	QAG	48.6024	117.0492	19.1	666.4	397	55892.	2298	1.5	4.8	10.3	3.1	0.5	6.7	28	0.2
42667	0	0	0	0	QAG	48.6024	117.0486	19.1	666.5	379	55898.	2214	2.0	3.7	6.9	1.8	0.5	3.4	34	0.2
42668	0	0	0	0	QAG	48.6024	117.0481	19.1	666.7	363	55900.	2238	1.2	4.1	11.5	3.3	0.4	9.5	30	0.2
42669	0	0	0	0	QAG	48.6024	117.0475	19.1	666.9	360	55898.	2090	1.5	3.1	7.5	2.1	0.4	5.1	39	0.2
42670	0	0	0	0	QAG	48.6024	117.0469	19.1	667.0	369	55893.	2327	1.4	5.2	10.8	3.7	0.5	7.7	28	0.2
42671	0	0	0	0	QAG	48.6024	117.0463	19.1	667.2	390	55885.	2262	1.7	4.0	8.7	2.4	0.5	5.3	45	0.2
42672	0	0	0	0	QAG	48.6024	117.0458	19.1	667.4	409	55878.	2257	1.7	4.5	7.6	2.7	0.6	4.6	44	0.2
42673	0	0	0	0	QAG	48.6024	117.0452	19.1	667.6	425	55872.	2284	1.8	2.4	9.3	1.3	0.3	5.1	34	0.2
42674	0	0	0	0	QAG	48.6024	117.0446	19.1	667.8	429	55867.	2369	1.7	3.6	11.3	2.1	0.3	6.5	36	0.2
42675	0	0	0	0	QAG	48.6023	117.0440	19.1	667.9	428	55863.	2137	1.5	3.6	8.6	2.4	0.4	5.7	30	0.2
42676	0	0	0	0	QAG	48.6023	117.0434	19.1	668.1	424	55860.	2215	2.0	1.8	9.8	0.9	0.2	4.9	44	0.2
42677	0	0	0	0	QAG	48.6023	117.0429	19.1	668.3	420	55856.	2211	2.3	1.6	8.0	0.7	0.2	3.4	41	0.2
42678	0	0	0	0	QAG	48.6023	117.0423	19.1	668.5	415	55853.	2149	2.0	2.9	9.4	1.4	0.3	4.6	35	0.2
42679	0	0	0	0	QAG	48.6023	117.0417	19.1	668.7	411	55849.	2205	1.8	2.9	10.1	1.6	0.3	5.5	29	0.2
42680	0	0	0	0	QAG	48.6023	117.0411	19.1	668.8	406	55847.	2171	1.9	4.2	7.9	2.2	0.5	4.1	29	0.2
42681	0	0	0	0	QAG	48.6023	117.0405	19.1	669.0	400	55846.	2254	1.9	2.3	12.1	1.2	0.2	6.4	31	0.2
42682	0	0	0	0	QAG	48.6023	117.0400	19.1	669.1	395	55846.	2393	1.7	2.6	10.3	1.5	0.3	5.9	24	0.2
42683	0	0	1	0	QAG	48.6023	117.0394	19.1	669.3	390	55847.	2254	2.0	1.2	9.1	0.6	0.1	4.5	30	0.2

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 7							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
42684	0	0	0	0	QAG	48.6022	117.0388	19.1	669.4	386	55848.	2372	1.4	4.9	9.7	3.4	0.5	6.8	27	0.2
42685	0	0	0	0	QAG	48.6022	117.0382	19.1	669.5	382	55849.	2270	2.0	1.6	13.7	0.8	0.1	6.9	43	0.2
42686	0	0	0	0	Q/G	48.6022	117.0377	19.1	669.6	379	55849.	2184	2.0	2.3	9.7	1.2	0.2	4.8	31	0.2
42687	0	0	0	0	QAG	48.6022	117.0371	19.1	669.7	376	55849.	2204	2.0	3.8	7.4	1.9	0.5	3.7	39	0.2
42688	0	0	0	0	QAG	48.6022	117.0365	19.1	669.8	374	55849.	2088	2.2	1.7	8.3	0.7	0.2	3.7	35	0.2
42689	0	0	0	0	QAG	48.6022	117.0359	19.1	669.9	372	55848.	2140	1.9	3.4	8.6	1.8	0.4	4.6	35	0.2
42690	0	0	0	0	QAG	48.6022	117.0354	19.1	670.0	366	55850.	2058	1.3	1.9	11.0	1.3	0.2	7.5	28	0.2
42691	0	0	0	0	QAG	48.6022	117.0348	19.1	670.1	362	55853.	1888	1.5	3.3	6.9	2.2	0.5	4.6	32	0.2
42692	0	0	0	0	QAG	48.6022	117.0342	19.1	670.1	360	55857.	1697	1.3	1.8	7.5	1.4	0.2	5.7	49	0.2
42693	0	0	1	0	QAG	48.6021	117.0336	19.1	670.2	370	55862.	1658	1.5	1.0	7.7	0.6	0.1	5.1	42	0.2
42694	0	0	0	0	QAG	48.6021	117.0330	19.1	670.3	376	55865.	1613	1.0	3.2	4.3	3.1	0.8	4.1	40	0.2
42695	0	0	0	0	QAG	48.6021	117.0325	19.1	670.3	387	55866.	1571	0.8	2.9	6.4	3.6	0.5	7.9	33	0.3
42696	0	0	0	0	QAG	48.6021	117.0319	19.1	670.4	395	55865.	1563	1.3	2.5	4.0	1.9	0.6	3.1	33	0.3
42697	0	0	0	0	QAG	48.6021	117.0313	19.1	670.4	402	55861.	1571	1.0	2.2	5.3	2.1	0.4	5.1	31	0.3
42698	0	0	0	0	QAG	48.6021	117.0307	19.1	670.5	401	55856.	1508	0.9	2.4	7.2	2.9	0.3	8.5	36	0.3
42699	0	0	0	0	QAG	48.6021	117.0302	19.1	670.5	388	55854.	1523	1.0	2.0	6.5	1.9	0.3	6.3	36	0.3
42700	0	0	0	0	QAG	48.6021	117.0296	19.1	670.5	369	55853.	1684	0.7	3.8	5.5	5.1	0.7	7.4	21	0.3
42701	0	0	0	0	QAG	48.6021	117.0290	19.1	670.6	356	55856.	1511	1.1	2.3	5.1	2.2	0.4	4.8	27	0.3
42702	0	0	0	0	QAG	48.6021	117.0284	19.1	670.6	358	55859.	1617	1.2	2.1	7.2	1.8	0.3	6.3	31	0.3
42703	0	0	0	0	QAG	48.6021	117.0278	19.1	670.6	384	55862.	1690	1.2	3.6	5.4	2.9	0.7	4.4	20	0.3
42704	0	0	0	0	QAG	48.6020	117.0273	19.1	670.6	414	55865.	1758	1.5	1.8	7.5	1.3	0.2	5.1	31	0.3

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 8							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43056	0	0	0	0	QAG	48.5999	117.2063	17.3	655.9	487	55720.	2055	1.6	3.9	6.9	2.5	0.6	4.4	32	0.1
43055	0	0	0	0	QAG	48.5999	117.2057	17.3	655.8	494	55720.	1941	1.7	3.1	7.2	1.8	0.4	4.1	49	0.1
43054	0	0	0	0	QAG	48.5999	117.2051	17.3	655.7	490	55720.	2014	1.7	3.3	9.9	2.0	0.3	5.9	32	0.1
43053	0	0	0	0	KG	48.5999	117.2046	17.3	655.6	484	55722.	1801	1.4	3.9	4.8	2.8	0.8	3.4	58	0.1
43052	0	0	0	0	KG	48.5999	117.2040	17.3	655.5	477	55724.	1879	1.7	2.4	8.6	1.4	0.3	5.0	38	0.1
43051	0	0	0	0	KG	48.5999	117.2034	17.3	655.4	469	55727.	1870	1.8	2.5	6.6	1.4	0.4	3.7	42	0.1
43050	0	0	0	0	KG	48.5999	117.2029	17.3	655.3	458	55730.	1779	1.5	2.9	3.9	1.9	0.7	2.6	51	0.1
43049	0	0	0	0	KG	48.5999	117.2023	17.3	655.1	445	55730.	1916	1.9	2.5	6.5	1.3	0.4	3.5	47	0.1
43048	0	0	0	0	KG	48.5999	117.2017	17.3	654.9	436	55731.	1802	1.5	1.7	9.1	1.2	0.2	6.2	37	0.1
43047	0	0	0	0	KG	48.5999	117.2011	17.3	654.6	428	55731.	1897	1.6	2.8	7.8	1.7	0.4	4.9	23	0.1
43046	0	0	0	0	KG	48.5999	117.2006	17.3	654.3	417	55730.	1709	1.5	3.1	8.3	2.1	0.4	5.5	42	0.1
43045	0	0	0	0	KG	48.5999	117.2000	17.3	654.0	410	55729.	1854	1.5	4.6	5.1	3.2	0.9	3.5	37	0.1
43044	0	0	0	0	KG	48.5999	117.1994	17.3	653.7	401	55728.	1760	1.4	4.0	6.6	2.9	0.6	4.8	35	0.1
43043	0	0	0	0	KG	48.5999	117.1989	17.3	653.4	398	55729.	1738	1.1	2.4	8.0	2.1	0.3	7.0	39	0.1
43042	0	0	0	0	KG	48.5999	117.1983	17.3	653.0	387	55730.	1787	1.3	4.0	5.0	3.0	0.8	3.8	39	0.1
43041	0	0	0	0	KG	48.5999	117.1977	17.3	652.7	375	55732.	1802	1.6	3.2	6.2	2.0	0.5	3.9	41	0.1
43040	0	0	0	0	KG	48.5999	117.1971	17.3	652.4	358	55732.	1611	1.4	3.1	4.8	2.2	0.6	3.4	47	0.1
43039	0	0	0	0	KG	48.5999	117.1966	17.3	652.0	351	55733.	1619	1.4	3.2	5.2	2.3	0.6	3.6	25	0.1
43038	0	0	0	0	KG	48.5999	117.1960	17.3	651.7	344	55732.	1554	1.0	3.2	6.9	3.3	0.5	7.0	32	0.1
43037	0	0	0	0	KG	48.5999	117.1954	17.3	651.5	343	55728.	1642	1.6	2.2	5.8	1.4	0.4	3.7	37	0.1
43036	0	0	0	0	KG	48.5999	117.1949	17.3	651.2	351	55721.	1570	1.1	4.0	4.6	3.6	0.9	4.1	26	0.1
43035	0	0	0	0	KG	48.5999	117.1943	17.3	651.0	370	55711.	1659	1.1	3.1	3.6	2.9	0.9	3.4	27	0.2
43034	0	0	0	0	KG	48.5999	117.1937	17.3	650.9	396	55699.	1696	1.2	3.7	5.6	3.2	0.7	4.8	44	0.2
43033	0	0	0	0	KG	48.5999	117.1931	17.3	650.7	415	55689.	1652	1.4	1.7	8.0	1.2	0.2	5.5	43	0.2
43032	0	0	0	0	KG	48.5999	117.1926	17.3	650.6	430	55680.	1824	1.4	2.6	7.9	1.9	0.3	5.8	34	0.2
43031	0	0	0	0	KG	48.5999	117.1920	17.3	650.5	435	55671.	1913	1.8	2.9	5.8	1.6	0.5	3.2	28	0.2
43030	0	0	0	0	QAG	48.5999	117.1914	17.3	650.4	432	55662.	1699	0.9	3.2	8.0	3.4	0.4	8.6	50	0.2
43029	0	0	0	0	QAG	48.5999	117.1909	17.3	650.4	427	55652.	1685	1.6	2.2	4.7	1.4	0.5	2.9	42	0.2
43028	0	0	0	0	QAG	48.5999	117.1903	17.3	650.4	435	55643.	1770	1.5	3.0	7.2	2.0	0.4	4.9	41	0.2
43027	0	0	0	0	QAG	48.5999	117.1897	17.3	650.4	458	55634.	1719	1.8	2.6	5.8	1.4	0.4	3.2	41	0.2
43026	0	0	0	0	QAG	48.5999	117.1891	17.3	650.4	493	55627.	1783	1.4	2.9	5.8	2.1	0.5	4.1	35	0.2
43025	0	0	0	0	QAG	48.5999	117.1886	17.3	650.4	536	55621.	1858	1.2	4.0	8.2	3.2	0.5	6.6	25	0.2
43024	0	0	1	0	QAG	48.5999	117.1880	17.3	650.3	585	55616.	1914	1.5	1.3	8.9	0.9	0.1	5.9	41	0.2
43023	0	0	0	0	QAG	48.5999	117.1874	17.3	650.3	627	55611.	1983	2.1	1.9	7.3	0.9	0.3	3.5	41	0.2
43022	0	0	0	0	KG	48.5999	117.1869	17.3	650.3	654	55606.	2072	1.6	4.7	4.6	2.9	1.0	2.9	42	0.2
43021	0	0	0	0	KG	48.5999	117.1863	17.3	650.2	660	55603.	2030	1.2	4.8	8.0	4.1	0.6	6.9	52	0.2
43020	0	0	0	0	KG	48.5999	117.1857	17.3	650.1	659	55600.	2081	1.4	4.2	8.4	3.1	0.5	6.1	41	0.2
43019	0	0	0	0	KG	48.5999	117.1852	17.2	649.9	644	55601.	2048	1.1	4.1	7.6	3.7	0.5	6.9	29	0.2
43018	0	0	0	0	KG	48.5999	117.1846	17.2	649.8	624	55602.	2008	1.4	3.2	7.8	2.3	0.4	5.6	35	0.2
43017	0	0	0	0	KG	48.5999	117.1841	17.2	649.6	606	55605.	1903	1.4	3.6	8.2	2.5	0.4	5.7	46	0.2
43016	0	0	0	0	KG	48.5999	117.1837	17.2	649.4	597	55607.	1983	1.0	4.3	6.7	4.2	0.6	6.5	42	0.2
43015	0	0	0	0	KG	48.5999	117.1832	17.2	649.1	597	55609.	1939	1.3	3.9	9.8	3.0	0.4	7.6	47	0.2
43014	0	0	0	0	KG	48.5999	117.1828	17.2	648.8	595	55612.	1885	1.0	4.3	7.0	4.3	0.6	7.0	41	0.2
43013	0	0	0	0	KG	48.5999	117.1823	17.2	648.5	598	55615.	2042	1.6	4.0	10.9	2.5	0.4	6.9	33	0.2
43012	0	0	0	0	KG	48.5999	117.1818	17.2	648.1	601	55618.	1990	2.0	2.2	8.5	1.1	0.3	4.3	47	0.2
43011	0	0	0	0	KG	48.5999	117.1814	17.2	647.7	609	55620.	1992	1.2	5.0	6.2	4.1	0.8	5.0	30	0.1
43010	0	0	0	0	KG	48.5999	117.1809	17.2	647.3	620	55621.	2070	1.9	3.4	8.6	1.8	0.4	4.5	42	0.1
43009	0	0	0	0	KG	48.5999	117.1805	17.2	646.9	637	55622.	2164	1.6	3.3	12.8	2.1	0.3	8.1	33	0.1
43008	0	0	0	0	KG	48.5999	117.1800	17.2	646.4	660	55623.	2219	1.4	2.4	11.8	1.7	0.2	8.4	36	0.1
43007	0	0	0	0	KG	48.5999	117.1796	17.1	645.8	681	55624.	2365	1.8	3.6	13.2	1.9	0.3	7.2	34	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

C 3 NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	LINE NO. 8						COS CPS	BI PPM
													K %	U PPM	T PPM	U/K	U/T	T/K		
43006	0	0	0	0	KG	48.5999	117.1791	17.1	645.3	698	55625.	2405	1.9	2.8	14.4	1.5	0.2	7.7	41	0.1
43005	1	0	0	0	KG	48.5999	117.1786	17.1	644.7	710	55627.	2440	2.4	3.5	10.4	1.5	0.3	4.4	38	0.1
43004	1	0	0	0	KG	48.5999	117.1782	17.1	644.1	718	55630.	2394	1.9	5.4	7.5	2.8	0.7	4.0	36	0.1
43003	1	0	0	0	KG	48.5999	117.1777	17.1	643.5	733	55636.	2469	2.0	3.2	12.8	1.5	0.2	6.3	43	0.1
43002	1	0	0	0	KG	48.5999	117.1773	17.1	642.8	739	55643.	2618	1.8	3.7	15.9	2.1	0.2	8.9	27	0.1
43001	1	0	0	0	KG	48.5999	117.1768	17.1	642.2	739	55652.	2627	2.1	4.6	10.9	2.2	0.4	5.1	40	0.1
43000	1	0	0	0	KG	48.5999	117.1763	17.1	641.5	723	55660.	2408	2.0	3.2	12.4	1.6	0.3	6.2	41	0.1
42999	0	0	0	0	KG	48.5999	117.1759	17.0	640.8	700	55669.	2516	2.6	3.3	13.3	1.3	0.2	5.2	40	0.1
42997	0	0	0	0	KG	48.5999	117.1750	17.0	640.1	677	55679.	2423	1.7	3.2	15.1	1.9	0.2	9.1	35	0.1
42996	0	0	0	0	KG	48.5999	117.1745	17.0	639.4	651	55689.	2369	1.7	5.6	12.1	3.3	0.5	7.1	31	0.1
42995	0	0	0	0	KG	48.5999	117.1741	17.0	638.7	638	55699.	2374	1.5	5.9	11.2	3.9	0.5	7.5	31	0.1
42994	0	0	0	0	KG	48.5999	117.1736	17.0	638.0	635	55708.	2195	1.5	5.1	9.7	3.4	0.5	6.5	48	0.1
42993	0	0	0	0	KG	48.5999	117.1731	17.0	637.3	642	55715.	2201	1.7	3.8	9.9	2.2	0.4	5.7	41	0.1
42992	0	0	0	0	KG	48.5999	117.1727	17.0	636.6	642	55720.	2214	1.7	4.9	10.5	2.9	0.5	6.3	40	0.1
42991	0	0	0	0	KG	48.5999	117.1722	17.0	635.9	633	55725.	2147	1.6	3.7	12.6	2.4	0.3	8.1	41	0.1
42990	0	0	0	0	KG	48.5999	117.1718	17.0	635.2	618	55728.	2055	1.4	6.0	8.5	4.2	0.7	5.9	40	0.1
42989	0	0	0	0	KG	48.5999	117.1713	16.9	634.5	609	55729.	1887	1.3	4.1	10.0	3.2	0.4	7.7	41	0.1
42988	0	0	0	0	KG	48.5999	117.1709	16.9	633.8	611	55728.	1904	1.5	2.2	9.0	1.5	0.2	6.0	39	0.1
42987	0	0	0	0	KG	48.5999	117.1704	16.9	633.1	626	55726.	1973	1.5	2.8	10.9	1.9	0.3	7.3	41	0.1
42986	0	0	0	0	KG	48.5999	117.1700	16.9	632.4	652	55722.	2111	1.4	6.2	8.5	4.5	0.7	6.1	40	0.1
42985	0	0	0	0	KG	48.5999	117.1695	16.9	631.7	677	55719.	2153	1.4	5.8	9.7	4.1	0.6	6.9	40	0.1
42984	0	0	0	0	KHM	48.5999	117.1690	16.9	631.1	698	55714.	2274	1.7	4.4	13.9	2.6	0.3	8.3	46	0.1
42983	1	0	0	0	KHM	48.5999	117.1686	16.9	630.4	710	55709.	2295	1.9	6.5	5.9	3.5	1.1	3.1	44	0.1
42982	1	0	0	0	KHM	48.5999	117.1681	16.9	629.7	715	55705.	2358	2.0	2.9	10.2	1.4	0.3	5.0	50	0.1
42981	1	0	0	0	KHM	48.5999	117.1677	16.9	629.0	712	55703.	2479	1.6	6.1	8.8	3.7	0.7	5.4	45	0.1
42980	1	0	0	0	KHM	48.5999	117.1672	16.9	628.3	701	55704.	2377	1.7	3.5	10.4	2.0	0.3	6.0	50	0.1
42979	0	0	0	0	KHM	48.5999	117.1667	16.9	627.7	689	55708.	2589	2.6	5.3	13.0	2.1	0.4	5.1	44	0.1
42978	0	0	0	0	KHM	48.5999	117.1663	16.9	627.1	671	55713.	2545	1.9	5.6	9.5	3.0	0.6	5.0	41	0.1
42977	0	0	0	0	KHM	48.5999	117.1658	16.9	626.5	645	55719.	2637	2.1	3.8	13.3	1.9	0.3	6.5	47	0.1
42976	0	0	0	0	KHM	48.5999	117.1654	16.8	625.8	611	55724.	2519	2.0	6.0	12.2	3.0	0.5	6.0	33	0.1
42975	0	0	0	0	KHM	48.5999	117.1649	16.8	625.2	570	55730.	2328	2.2	3.0	13.1	1.4	0.2	6.0	61	0.1
42974	0	0	0	0	KHM	48.5999	117.1645	16.8	624.6	532	55736.	2368	2.1	1.7	15.6	0.8	0.1	7.3	41	0.1
42973	0	0	0	0	KHM	48.5999	117.1640	16.8	624.1	496	55741.	2392	2.2	3.8	11.2	1.8	0.3	5.2	45	0.1
42972	0	0	0	0	KHM	48.5999	117.1635	16.8	623.6	461	55748.	2496	2.0	3.4	15.0	1.7	0.2	7.4	40	0.1
42971	0	0	0	0	KHM	48.5999	117.1631	16.8	623.1	430	55754.	2380	2.1	4.0	11.9	1.9	0.3	5.7	42	0.1
42970	0	0	0	0	KHM	48.5999	117.1626	16.9	622.6	395	55761.	2500	2.0	3.1	14.7	1.6	0.2	7.4	55	0.1
42969	0	0	0	0	KHM	48.5999	117.1622	16.9	622.2	365	55769.	2535	1.8	4.4	12.6	2.4	0.4	6.8	59	0.1
42968	0	0	0	0	KHM	48.5999	117.1617	16.9	621.8	334	55775.	2665	2.2	3.9	12.3	1.8	0.3	5.7	44	0.1
42967	0	0	0	0	KHM	48.5999	117.1612	16.9	621.4	309	55780.	2675	2.3	4.4	14.2	1.9	0.3	6.3	50	0.1
42966	0	0	0	0	KHM	48.5999	117.1608	16.9	621.1	288	55784.	2793	1.9	5.9	14.6	3.1	0.4	7.8	42	0.1
42965	0	0	0	0	KHM	48.5999	117.1603	16.9	620.8	272	55786.	2791	2.2	3.7	14.0	1.7	0.3	6.3	54	0.1
42964	0	0	0	0	KHM	48.5999	117.1599	16.9	620.5	254	55788.	2659	2.1	3.5	14.0	1.7	0.3	6.7	54	0.1
42963	0	0	0	0	KHM	48.5999	117.1594	16.9	620.2	238	55793.	2439	1.8	4.4	13.8	2.4	0.3	7.6	52	0.1
42962	0	0	0	0	KHM	48.5999	117.1590	16.9	620.0	226	55799.	2412	1.9	3.1	15.1	1.6	0.2	7.9	60	0.1
42961	0	0	0	0	KHM	48.5999	117.1585	16.9	619.8	224	55805.	2359	1.8	3.2	12.2	1.8	0.3	6.7	49	0.1
42960	0	0	0	0	KHM	48.5999	117.1581	16.9	619.7	226	55810.	2412	1.9	3.5	12.4	1.9	0.3	6.6	42	0.1
42959	0	0	0	0	KHM	48.5999	117.1576	16.9	619.6	234	55813.	2397	1.7	4.2	11.6	2.4	0.4	6.6	61	0.1
42958	0	0	0	0	KHM	48.6000	117.1571	16.9	619.5	241	55815.	2365	1.8	3.6	11.3	1.9	0.3	6.2	64	0.1
42957	0	0	0	0	KHM	48.6000	117.1567	17.0	619.6	252	55814.	2543	2.0	3.2	15.2	1.6	0.2	7.5	54	0.1
42956	0	0	0	0	KHM	48.6000	117.1562	17.0	619.7	260	55814.	2484	2.4	4.0	11.4	1.6	0.4	4.7	60	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 8							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
42955	0	0	0	0	KHM	48.6000	117.1558	17.0	619.9	266	55813.	2659	2.1	4.5	14.6	2.1	0.3	7.0	49	0.1
42954	0	0	0	0	KHM	48.6000	117.1553	17.0	620.1	263	55811.	2766	2.5	2.2	18.1	0.9	0.1	7.3	44	0.1
42953	0	0	0	0	KHM	48.6000	117.1548	17.0	620.3	258	55808.	2847	2.3	4.9	15.2	2.2	0.3	6.7	40	0.1
42952	0	0	0	0	KHM	48.6000	117.1544	17.0	620.7	261	55803.	2871	2.6	4.7	15.8	1.8	0.3	6.2	40	0.1
42951	0	0	0	0	KHM	48.6000	117.1539	17.1	621.1	272	55797.	3053	2.3	5.7	13.7	2.5	0.4	5.9	39	0.1
42950	0	0	0	0	KHM	48.6000	117.1535	17.1	621.6	285	55791.	2877	2.5	4.6	16.7	1.8	0.3	6.7	66	0.1
42949	0	0	0	0	KHM	48.6000	117.1530	17.1	622.1	295	55786.	2946	2.5	4.6	14.5	1.9	0.3	5.9	61	0.1
42948	0	0	0	0	KHM	48.6000	117.1526	17.1	622.6	307	55784.	2935	2.1	5.1	16.6	2.4	0.3	8.0	56	0.1
42947	0	0	0	0	KHM	48.6000	117.1521	17.1	623.2	319	55783.	3085	2.7	4.7	17.9	1.8	0.3	6.8	46	0.1
42946	0	0	0	0	KHM	48.6000	117.1516	17.1	623.8	332	55784.	3095	2.7	5.9	16.5	2.2	0.4	6.1	58	0.1
42945	0	0	0	0	KHM	48.6000	117.1512	17.2	624.4	347	55783.	3116	2.0	7.5	14.4	3.7	0.5	7.1	47	0.1
42944	0	0	0	0	KHM	48.6000	117.1507	17.2	625.1	360	55782.	3173	2.3	6.6	13.9	2.8	0.5	6.0	46	0.1
42943	0	0	0	0	KHM	48.6000	117.1503	17.2	625.7	371	55781.	3140	2.4	6.2	14.6	2.6	0.4	6.0	59	0.1
42942	0	0	0	0	KHM	48.6000	117.1496	17.2	626.4	380	55781.	3310	2.5	6.0	17.9	2.4	0.3	7.1	42	0.1
42941	0	0	0	0	KHM	48.6000	117.1490	17.2	627.0	389	55781.	3400	2.6	6.8	18.8	2.7	0.4	7.4	42	0.1
42940	0	0	0	0	KHM	48.5999	117.1484	17.3	627.7	394	55781.	3208	2.5	4.4	17.2	1.8	0.3	6.9	50	0.1
42939	0	0	0	0	KHM	48.5999	117.1478	17.3	628.4	385	55780.	3297	2.4	5.7	17.7	2.4	0.3	7.5	41	0.1
42938	0	0	0	0	KHM	48.5999	117.1471	17.3	629.1	368	55779.	3120	2.3	6.4	16.7	2.8	0.4	7.3	47	0.1
42937	0	0	0	0	KHM	48.5999	117.1465	17.3	629.7	354	55778.	3046	2.2	4.6	19.4	2.0	0.2	8.7	43	0.1
42936	0	0	0	0	KHM	48.5999	117.1459	17.4	630.4	356	55776.	3041	2.4	5.2	15.1	2.1	0.3	6.2	52	0.1
42935	0	0	0	0	KHM	48.5999	117.1452	17.4	631.1	372	55773.	2958	2.4	6.3	12.4	2.6	0.5	5.1	53	0.1
42934	0	0	0	0	KHM	48.5999	117.1446	17.4	631.8	396	55769.	3144	2.7	4.7	17.8	1.8	0.3	6.7	49	0.1
42933	0	0	0	0	KHM	48.5999	117.1440	17.4	632.6	423	55764.	3211	2.4	4.9	16.7	2.1	0.3	7.1	47	0.1
42932	0	0	0	0	KHM	48.5999	117.1433	17.5	633.3	449	55758.	3348	2.6	6.8	13.8	2.7	0.5	5.4	45	0.1
42931	0	0	0	0	KHM	48.5999	117.1427	17.5	634.0	472	55752.	3462	2.6	8.0	13.0	3.0	0.6	4.9	43	0.1
42930	0	0	0	0	KHM	48.5999	117.1421	17.5	634.7	492	55746.	3253	2.6	4.7	16.1	1.8	0.3	6.1	52	0.1
42929	0	0	0	0	KHM	48.5999	117.1414	17.5	635.4	506	55740.	3377	2.8	6.5	16.5	2.3	0.4	5.9	45	0.1
42928	0	0	0	0	KHM	48.5999	117.1408	17.5	636.0	519	55736.	3388	2.8	4.9	17.3	1.8	0.3	6.2	36	0.1
42927	0	0	0	0	KHM	48.5999	117.1402	17.6	636.8	531	55732.	3316	2.7	6.3	17.2	2.3	0.4	6.3	48	0.1
42926	0	0	0	0	KHM	48.5999	117.1395	17.6	637.4	545	55731.	3453	2.7	5.3	18.9	1.9	0.3	6.9	37	0.1
42925	0	0	0	0	KHM	48.5999	117.1389	17.6	638.1	554	55732.	3350	2.6	6.4	16.4	2.4	0.4	6.3	40	0.1
42924	0	0	0	0	KHM	48.5999	117.1383	17.6	638.7	558	55735.	3470	2.5	6.5	14.8	2.6	0.4	6.0	27	0.1
42923	0	0	0	0	KHM	48.5999	117.1376	17.6	639.3	556	55740.	3307	2.1	5.2	20.2	2.5	0.3	9.8	42	0.1
42922	0	0	0	0	KHM	48.5999	117.1371	17.7	640.0	552	55747.	3297	2.4	7.8	17.9	3.2	0.4	7.4	35	0.1
42921	0	0	0	0	KHM	48.5999	117.1365	17.7	640.6	539	55754.	3062	2.0	7.4	14.8	3.6	0.5	7.3	55	0.1
42920	0	0	0	0	KHM	48.5999	117.1359	17.7	641.2	521	55763.	3177	2.5	5.9	16.3	2.4	0.4	6.5	39	0.1
42919	0	0	0	0	KHM	48.5998	117.1353	17.7	641.7	502	55771.	3110	2.3	5.9	16.3	2.5	0.4	7.0	35	0.1
42918	0	0	0	0	KHM	48.5998	117.1347	17.7	642.3	495	55781.	3109	2.4	4.7	14.0	2.0	0.3	5.8	34	0.1
42917	0	0	0	0	KHM	48.5998	117.1341	17.8	642.9	497	55791.	2918	2.3	6.0	12.8	2.6	0.5	5.6	47	0.1
42916	0	0	0	0	KHM	48.5998	117.1335	17.8	643.4	501	55799.	3120	2.4	5.4	15.9	2.3	0.3	6.7	46	0.1
42915	0	0	0	0	KHM	48.5998	117.1329	17.8	643.9	497	55808.	3187	2.6	4.4	22.7	1.7	0.2	8.8	31	0.1
42914	0	0	0	0	KHM	48.5998	117.1323	17.8	644.5	483	55814.	3026	2.0	5.3	17.9	2.7	0.3	9.1	40	0.1
42913	0	0	0	0	KHM	48.5998	117.1317	17.8	645.0	467	55820.	3072	2.3	5.7	16.1	2.5	0.4	7.0	44	0.1
42912	0	0	0	0	KHM	48.5998	117.1312	17.8	645.5	453	55826.	3049	2.6	5.6	15.1	2.2	0.4	5.9	41	0.1
42911	0	0	0	0	KHM	48.5997	117.1306	17.9	646.0	442	55831.	2994	2.3	4.5	16.7	2.0	0.3	7.4	29	0.1
42910	0	0	0	0	KHM	48.5997	117.1300	17.9	646.5	435	55833.	2824	2.5	6.0	14.9	2.4	0.4	6.1	56	0.1
42909	0	0	0	0	KHM	48.5997	117.1294	17.9	647.0	436	55833.	2949	2.0	4.6	15.4	2.3	0.3	7.7	36	0.1
42908	0	0	0	0	KHM	48.5997	117.1288	17.9	647.4	444	55832.	2888	2.1	5.1	16.4	2.5	0.3	7.9	38	0.1
42906	0	0	0	0	KHM	48.5997	117.1276	17.9	647.9	450	55828.	2908	2.3	5.1	13.5	2.2	0.4	5.8	44	0.1
42905	0	0	0	0	KHM	48.5997	117.1270	17.9	648.3	447	55824.	2865	2.3	5.1	14.4	2.2	0.4	6.2	47	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 8							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
42904	0	0	0	0	KHM	48.5997	117.1264	17.9	648.7	443	55820.	2979	2.2	4.9	13.2	2.2	0.4	6.0	49	0.1
42903	0	0	0	0	KHM	48.5997	117.1258	17.9	649.2	443	55815.	2949	2.1	6.0	15.8	2.9	0.4	7.6	44	0.1
42902	0	0	0	0	KHM	48.5997	117.1252	18.0	649.6	448	55812.	3017	2.1	7.2	13.1	3.4	0.5	6.2	27	0.1
42901	0	0	0	0	KHM	48.5996	117.1247	18.0	650.0	458	55808.	2875	1.8	7.2	12.4	4.0	0.6	6.9	46	0.1
42900	0	0	0	0	KHM	48.5996	117.1241	18.0	650.4	464	55805.	2948	2.0	4.3	17.5	2.1	0.2	8.7	54	0.1
42899	0	0	0	0	KHM	48.5996	117.1235	18.0	650.8	474	55803.	2962	1.6	7.6	17.7	4.7	0.4	11.1	39	0.1
42898	0	0	0	0	KHM	48.5996	117.1229	18.0	651.2	476	55804.	2855	2.2	6.1	11.6	2.8	0.5	5.3	41	0.1
42897	0	0	0	0	KHM	48.5996	117.1223	18.0	651.5	467	55807.	2983	1.6	7.6	14.4	4.7	0.5	8.9	47	0.1
42896	0	0	0	0	KHM	48.5996	117.1217	18.0	651.9	448	55813.	3070	2.1	7.7	13.9	3.7	0.6	6.7	32	0.1
42895	0	0	0	0	KHM	48.5996	117.1211	18.0	652.2	430	55820.	2918	1.8	5.5	14.3	3.1	0.4	8.1	47	0.1
42894	0	0	0	0	KHM	48.5996	117.1205	18.0	652.6	421	55825.	3031	1.8	7.9	13.0	4.4	0.6	7.3	33	0.1
42893	0	0	0	0	KHM	48.5995	117.1199	18.0	652.9	421	55826.	2952	1.8	6.3	12.6	3.5	0.5	6.9	44	0.1
42892	0	0	0	0	KHM	48.5995	117.1193	18.1	653.3	440	55826.	3128	1.9	8.2	14.2	4.4	0.6	7.7	26	0.1
42891	0	0	0	0	KHM	48.5995	117.1187	18.1	653.6	460	55822.	3254	2.3	5.7	17.5	2.5	0.3	7.8	31	0.1
42890	0	0	0	0	KHM	48.5995	117.1182	18.1	653.8	471	55817.	3167	1.8	8.3	14.6	4.7	0.6	8.3	42	0.1
42889	0	0	0	0	KHM	48.5995	117.1176	18.1	654.1	478	55812.	3318	1.9	8.1	14.5	4.3	0.6	7.7	31	0.1
42888	0	0	0	0	KHM	48.5995	117.1170	18.1	654.4	479	55809.	3432	2.1	7.7	17.9	3.7	0.4	8.7	38	0.1
42887	0	0	0	0	KHM	48.5995	117.1164	18.1	654.7	465	55808.	3453	2.2	8.0	17.0	3.7	0.5	7.8	48	0.1
42886	0	0	0	0	KHM	48.5995	117.1158	18.1	655.0	442	55812.	3496	1.8	8.9	17.7	4.9	0.5	9.8	48	0.1
42885	0	0	0	0	KHM	48.5994	117.1152	18.1	655.2	421	55817.	3423	2.2	6.6	17.7	3.0	0.4	8.1	47	0.1
42884	0	0	0	0	KHM	48.5994	117.1146	18.1	655.5	408	55824.	3544	2.4	8.2	14.9	3.4	0.5	6.2	33	0.1
42883	0	0	0	0	KHM	48.5994	117.1140	18.1	655.8	398	55831.	3507	2.2	7.9	14.3	3.7	0.6	6.6	35	0.1
42882	0	0	0	0	KHM	48.5994	117.1134	18.1	656.0	390	55838.	3584	2.1	7.1	16.4	3.3	0.4	7.7	46	0.1
42881	0	0	0	0	KHM	48.5994	117.1129	18.1	656.2	387	55844.	3525	2.1	6.9	14.1	3.3	0.5	6.6	41	0.1
42880	0	0	0	0	KHM	48.5994	117.1123	18.1	656.5	391	55848.	3338	1.5	8.3	16.5	5.4	0.5	10.8	45	0.1
42879	0	0	0	0	KHM	48.5994	117.1117	18.1	656.7	398	55851.	3338	2.2	6.9	15.8	3.1	0.4	7.1	49	0.1
42878	0	0	0	0	KHM	48.5994	117.1111	18.1	657.0	412	55851.	3252	2.2	7.1	14.6	3.3	0.5	6.8	45	0.1
42877	0	0	0	0	KHM	48.5994	117.1104	18.1	657.2	415	55852.	3292	2.2	7.8	17.7	3.5	0.4	7.9	47	0.1
42876	0	0	0	0	KHM	48.5994	117.1097	18.1	657.4	400	55853.	3167	1.8	8.4	13.3	4.7	0.6	7.4	49	0.1
42875	0	0	0	0	KHM	48.5994	117.1091	18.1	657.6	380	55853.	3076	1.9	5.2	15.9	2.7	0.3	8.2	30	0.1
42874	0	0	0	0	KHM	48.5994	117.1084	18.2	657.8	368	55853.	2914	1.5	8.1	10.5	5.3	0.8	6.9	44	0.1
42873	0	0	0	0	KHM	48.5994	117.1077	18.2	658.0	378	55851.	2930	1.8	5.9	12.9	3.2	0.5	7.0	48	0.1
42872	0	0	0	0	KHM	48.5994	117.1071	18.2	658.2	398	55846.	2922	2.0	5.5	12.9	2.8	0.4	6.5	43	0.1
42871	0	0	0	0	QAG	48.5994	117.1064	18.2	658.4	422	55839.	3103	2.5	4.4	16.8	1.8	0.3	6.8	29	0.1
42870	0	0	0	0	QAG	48.5994	117.1057	18.2	658.6	450	55831.	3034	2.0	5.5	13.1	2.7	0.4	6.4	45	0.1
42869	0	0	0	0	QAG	48.5994	117.1051	18.2	658.8	478	55823.	3079	1.7	7.4	14.2	4.3	0.5	8.3	38	0.1
42868	0	0	0	0	QAG	48.5994	117.1044	18.2	658.9	510	55816.	3250	2.1	6.7	19.2	3.2	0.3	9.2	45	0.1
42867	0	0	0	0	QAG	48.5994	117.1037	18.2	659.1	533	55811.	3271	2.2	6.5	16.8	3.0	0.4	7.6	39	0.1
42866	0	0	0	0	QAG	48.5994	117.1031	18.2	659.2	555	55807.	3517	2.1	8.0	14.5	3.8	0.6	6.8	40	0.1
42865	0	0	0	0	QAG	48.5994	117.1024	18.2	659.3	555	55806.	3337	2.1	7.7	14.0	3.8	0.6	6.8	28	0.1
42864	0	0	0	0	QAG	48.5994	117.1017	18.2	659.5	541	55809.	3008	2.3	4.7	16.8	2.0	0.3	7.3	33	0.1
42863	0	0	0	0	QAG	48.5994	117.1010	18.2	659.5	519	55813.	3021	2.0	4.1	16.2	2.0	0.3	8.1	25	0.1
42862	0	0	0	0	QAG	48.5994	117.1003	18.2	659.6	503	55818.	2723	1.7	5.7	12.3	3.4	0.5	7.2	36	0.1
42861	0	0	0	0	QAG	48.5993	117.0996	18.2	659.7	496	55823.	2582	1.5	5.1	11.2	3.5	0.5	7.5	47	0.1
42860	0	0	0	0	QAG	48.5993	117.0990	18.2	659.8	493	55827.	2700	1.8	5.0	14.4	2.7	0.3	7.9	37	0.1
42859	0	0	0	0	QAG	48.5993	117.0983	18.2	659.8	498	55831.	2709	1.9	5.3	10.4	2.8	0.5	5.5	52	0.1
42858	0	0	0	0	QAG	48.5993	117.0976	18.2	659.8	499	55835.	2816	1.7	6.5	14.0	3.8	0.5	8.3	37	0.1
42857	0	0	0	0	QAG	48.5993	117.0969	18.2	659.8	488	55840.	2822	2.2	4.0	18.0	1.8	0.2	8.2	31	0.1
42856	0	0	0	0	QAG	48.5993	117.0962	18.2	659.8	472	55844.	2949	2.1	5.2	14.8	2.5	0.3	7.0	23	0.1
42855	0	0	0	0	QAG	48.5993	117.0956	18.2	659.8	467	55845.	2781	1.7	5.4	13.5	3.1	0.4	7.7	43	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 8							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
42854	0	0	0	0	QAG	48.5993	117.0949	18.2	659.8	482	55846.	2800	1.9	5.5	15.6	3.0	0.4	8.4	28	0.1
42853	0	0	0	0	QAG	48.5993	117.0942	18.2	659.8	509	55845.	2860	1.6	5.0	17.6	3.2	0.3	11.0	30	0.1
42852	0	0	0	0	QAG	48.5993	117.0935	18.2	659.8	521	55843.	2792	1.3	8.6	12.2	6.5	0.7	9.2	46	0.1
42851	0	0	0	0	QAG	48.5993	117.0928	18.2	659.8	513	55841.	2802	1.1	6.2	15.9	5.5	0.4	14.1	25	0.1
42850	0	0	0	0	QAG	48.5993	117.0921	18.2	659.7	494	55839.	2707	1.5	7.4	10.6	4.9	0.7	6.9	38	0.1
42849	0	0	0	0	QAG	48.5993	117.0915	18.2	659.7	490	55837.	2559	1.8	5.8	11.5	3.1	0.5	6.3	37	0.1
42848	0	0	0	0	QAG	48.5992	117.0908	18.2	659.7	501	55834.	2625	1.5	6.2	12.6	4.1	0.5	8.3	30	0.1
42847	0	0	0	0	QAG	48.5992	117.0901	18.2	659.6	522	55830.	2553	1.5	6.4	14.5	4.2	0.4	9.4	36	0.1
42846	0	0	0	0	QAG	48.5992	117.0894	18.2	659.5	542	55824.	2620	1.6	5.3	11.8	3.4	0.4	7.6	36	0.1
42845	0	0	0	0	QAG	48.5992	117.0887	18.2	659.5	557	55818.	2675	2.4	6.2	11.3	2.6	0.5	4.7	48	0.1
42844	0	0	0	0	QAG	48.5992	117.0881	18.2	659.4	562	55814.	2667	1.5	5.7	11.1	3.8	0.5	7.4	47	0.1
42843	0	0	0	0	QAG	48.5992	117.0874	18.2	659.3	559	55811.	2786	1.7	4.3	16.6	2.6	0.3	10.0	43	0.1
42842	0	0	0	0	QAG	48.5992	117.0867	18.2	659.2	553	55808.	2871	1.9	7.6	15.0	3.9	0.5	7.8	29	0.1
42841	0	0	0	0	QAG	48.5992	117.0860	18.3	659.1	538	55805.	2946	1.5	6.8	12.5	4.6	0.5	8.4	33	0.1
42840	0	0	0	0	QAG	48.5992	117.0853	18.3	659.0	518	55802.	2805	1.7	6.1	15.2	3.6	0.4	8.9	36	0.1
42839	0	0	0	0	QAG	48.5992	117.0846	18.3	658.9	501	55800.	2650	1.3	7.9	11.9	6.0	0.7	9.0	30	0.1
42838	0	0	0	0	QAG	48.5992	117.0840	18.3	658.7	494	55797.	2613	1.3	7.6	9.9	6.1	0.8	7.8	39	0.1
42837	0	0	0	0	QAG	48.5992	117.0833	18.3	658.5	489	55795.	2500	1.4	6.7	8.3	4.6	0.8	5.8	42	0.1
42836	0	0	0	0	QAG	48.5992	117.0826	18.3	658.4	486	55793.	2463	1.3	6.1	12.4	4.7	0.5	9.6	35	0.1
42835	0	0	0	0	QAG	48.5992	117.0819	18.3	658.2	497	55790.	2506	2.1	4.9	11.4	2.4	0.4	5.6	37	0.1
42834	0	0	0	0	QAG	48.5992	117.0812	18.3	658.1	528	55787.	2687	1.5	7.2	11.2	4.9	0.6	7.6	36	0.1
42833	0	0	0	0	QAG	48.5991	117.0806	18.3	657.9	571	55785.	2669	1.3	7.5	9.5	6.0	0.8	7.6	48	0.1
42832	0	0	0	0	QAG	48.5991	117.0799	18.3	657.8	598	55784.	2745	1.4	7.8	6.2	5.7	1.2	4.6	40	0.1
42831	0	0	0	0	QAG	48.5991	117.0792	18.3	657.7	605	55785.	2480	2.5	4.1	10.1	1.6	0.4	4.0	41	0.1
42830	0	0	0	0	QAG	48.5991	117.0786	18.3	657.5	588	55789.	2502	1.6	7.1	10.7	4.5	0.7	6.7	31	0.1
42829	0	0	0	0	QAG	48.5991	117.0779	18.3	657.4	567	55792.	2482	1.6	8.7	9.5	5.6	0.9	6.1	29	0.1
42828	0	0	0	0	QAG	48.5991	117.0773	18.3	657.3	554	55794.	2404	1.8	4.5	12.1	2.6	0.4	6.9	42	0.1
42827	0	0	0	0	QAG	48.5991	117.0766	18.3	657.3	556	55795.	2493	1.5	5.7	8.4	3.7	0.7	5.4	35	0.1
42826	0	0	0	0	QAG	48.5991	117.0760	18.3	657.3	562	55794.	2659	1.5	6.8	13.3	4.5	0.5	8.8	36	0.1
42825	0	0	0	0	QAG	48.5990	117.0754	18.3	657.2	557	55793.	2666	1.5	7.8	12.3	5.1	0.6	8.0	43	0.1
42824	0	0	0	0	QAG	48.5990	117.0747	18.3	657.2	540	55792.	2696	1.7	6.7	12.3	4.1	0.5	7.5	37	0.1
42823	0	0	0	0	KHM	48.5990	117.0741	18.3	657.3	523	55792.	2696	2.0	5.2	11.0	2.6	0.5	5.5	35	0.1
42822	0	0	0	0	KHM	48.5990	117.0734	18.4	657.3	508	55792.	2768	2.2	6.2	10.3	2.8	0.6	4.6	37	0.1
42821	0	0	0	0	KHM	48.5990	117.0728	18.4	657.4	482	55796.	2888	2.0	6.5	9.1	3.2	0.7	4.5	39	0.1
42820	0	0	0	0	KHM	48.5990	117.0721	18.4	657.4	441	55801.	2757	1.9	6.7	12.0	3.6	0.6	6.4	42	0.1
42819	0	0	0	0	KHM	48.5990	117.0715	18.4	657.5	402	55806.	2781	1.6	5.2	14.1	3.3	0.4	8.8	39	0.1
42818	0	0	0	0	KHM	48.5990	117.0708	18.4	657.7	382	55812.	2647	1.7	6.1	12.1	3.5	0.5	6.9	32	0.1
42817	0	0	0	0	KHM	48.5990	117.0702	18.4	657.8	379	55816.	2609	1.6	6.4	8.7	3.9	0.7	5.3	39	0.1
42815	0	0	0	0	KHM	48.5989	117.0689	18.4	657.9	376	55821.	2513	1.9	6.3	9.8	3.3	0.6	5.0	53	0.1
42814	0	0	0	0	KHM	48.5989	117.0683	18.4	658.1	364	55826.	2663	1.9	5.7	10.8	3.0	0.5	5.6	31	0.1
42813	0	0	0	0	QAG	48.5989	117.0676	18.4	658.2	345	55831.	2651	1.4	5.0	15.1	3.5	0.3	10.6	39	0.1
42812	0	0	0	0	QAG	48.5989	117.0670	18.4	658.4	328	55837.	2646	1.8	5.1	13.1	2.8	0.4	7.4	25	0.1
42811	0	0	0	0	QAG	48.5989	117.0663	18.4	658.6	323	55841.	2494	1.6	3.9	13.1	2.4	0.3	8.0	34	0.1
42810	0	0	0	0	QAG	48.5989	117.0657	18.4	658.8	330	55842.	2486	1.7	5.5	13.8	3.2	0.4	8.1	35	0.1
42809	0	0	0	0	QAG	48.5989	117.0650	18.4	659.1	344	55842.	2448	1.5	5.0	10.4	3.2	0.5	6.8	39	0.1
42808	0	0	0	0	QAG	48.5988	117.0644	18.4	659.3	361	55842.	2448	1.6	3.5	10.9	2.2	0.3	6.7	33	0.1
42807	0	0	0	0	QAG	48.5988	117.0637	18.5	659.6	380	55840.	2437	1.7	5.8	8.0	3.3	0.7	4.6	45	0.1
42806	0	0	0	0	QAG	48.5988	117.0631	18.5	659.9	404	55837.	2392	1.7	5.6	8.0	3.3	0.7	4.7	51	0.1
42805	0	0	0	0	QAG	48.5988	117.0625	18.5	660.1	429	55832.	2215	1.5	4.2	9.4	2.8	0.4	6.2	53	0.1
42804	0	0	0	0	QAG	48.5988	117.0618	18.5	660.4	451	55825.	2328	1.4	5.9	7.7	4.2	0.8	5.5	40	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 8								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
42803	0	0	0	0	QAG	48.5988	117.0612	18.5	660.7	463	55820.	2441	1.4	6.0	10.2	4.2	0.6	7.2	26	0.1
42802	0	0	0	0	QAG	48.5988	117.0606	18.5	660.9	466	55816.	2287	1.8	3.3	11.1	1.9	0.3	6.3	40	0.1
42801	0	0	0	0	QAG	48.5988	117.0600	18.5	661.2	463	55814.	2358	1.1	7.3	6.5	6.8	1.1	6.1	40	0.1
42800	0	0	0	0	QAG	48.5988	117.0595	18.5	661.4	457	55814.	2231	1.7	4.9	9.1	2.9	0.5	5.3	39	0.1
42799	0	0	0	0	QAG	48.5988	117.0589	18.5	661.6	457	55814.	2308	1.3	6.0	7.2	4.7	0.8	5.6	35	0.1
42798	0	0	0	0	QAG	48.5988	117.0583	18.5	661.8	467	55813.	2315	1.1	7.1	8.1	6.5	0.9	7.4	32	0.1
42797	0	0	0	0	QAG	48.5988	117.0578	18.5	662.0	493	55811.	2342	1.5	3.5	12.6	2.3	0.3	8.3	30	0.2
42796	0	0	0	0	QAG	48.5987	117.0572	18.5	662.2	524	55808.	2440	1.8	5.3	7.6	2.9	0.7	4.1	38	0.2
42795	0	0	0	0	QAG	48.5987	117.0566	18.6	662.4	546	55806.	2525	1.8	3.5	11.9	1.9	0.3	6.6	47	0.2
42794	0	0	0	0	QAG	48.5987	117.0561	18.6	662.5	548	55806.	2501	1.3	6.5	9.5	5.0	0.7	7.4	29	0.2
42793	0	0	0	0	QAG	48.5987	117.0555	18.6	662.7	531	55809.	2476	1.8	5.2	9.8	2.9	0.5	5.4	38	0.2
42792	0	0	0	0	QAG	48.5987	117.0549	18.6	662.8	510	55814.	2298	1.4	4.9	8.6	3.5	0.6	6.1	54	0.2
42791	0	0	0	0	KHM	48.5987	117.0544	18.6	662.9	484	55818.	2425	1.6	5.0	8.2	3.0	0.6	5.0	39	0.2
42790	0	0	0	0	KHM	48.5987	117.0538	18.6	663.0	459	55824.	2438	1.6	5.8	10.2	3.7	0.6	6.6	39	0.2
42789	0	0	0	0	KHM	48.5987	117.0532	18.6	663.1	432	55830.	2408	1.3	5.8	10.7	4.5	0.5	8.2	41	0.2
42788	0	0	0	0	KHM	48.5987	117.0527	18.6	663.3	410	55834.	2441	1.8	3.3	11.2	1.9	0.3	6.4	45	0.2
42787	0	0	0	0	KHM	48.5987	117.0521	18.6	663.4	392	55839.	2575	1.1	6.6	11.0	5.9	0.6	9.8	34	0.2
42786	0	0	0	0	KHM	48.5987	117.0515	18.6	663.5	374	55843.	2572	1.5	6.4	11.9	4.4	0.5	8.1	30	0.2
42785	0	0	0	0	KHM	48.5987	117.0510	18.6	663.6	356	55846.	2744	1.8	4.9	12.7	2.7	0.4	6.9	42	0.2
42784	0	0	0	0	KHM	48.5987	117.0504	18.6	663.8	349	55846.	2683	1.7	4.6	13.4	2.7	0.3	7.9	53	0.2
42783	0	0	0	0	KHM	48.5987	117.0498	18.7	664.0	357	55844.	2779	1.9	4.2	14.9	2.2	0.3	7.9	40	0.2
42782	0	0	0	0	QAG	48.5987	117.0493	18.7	664.1	381	55841.	2747	1.7	8.0	10.4	4.7	0.8	6.1	32	0.2
42781	0	0	0	0	QAG	48.5986	117.0487	18.7	664.3	407	55838.	2757	1.2	7.3	13.8	6.3	0.5	11.8	34	0.2
42780	0	0	0	0	QAG	48.5986	117.0481	18.7	664.5	429	55835.	2683	1.3	4.7	13.2	3.5	0.4	9.9	36	0.2
42779	0	0	0	0	QAG	48.5986	117.0476	18.7	664.7	443	55833.	2598	1.9	3.6	13.1	1.9	0.3	6.9	30	0.2
42778	0	0	0	0	QAG	48.5986	117.0470	18.7	664.9	450	55831.	2515	1.4	4.3	13.5	3.0	0.3	9.5	44	0.2
42777	0	0	0	0	QAG	48.5986	117.0464	18.7	665.1	457	55830.	2473	1.4	4.7	9.8	3.5	0.5	7.2	38	0.2
42776	0	0	0	0	QAG	48.5986	117.0459	18.7	665.4	463	55830.	2276	1.4	4.0	8.6	2.8	0.5	6.0	29	0.2
42775	0	0	0	0	QAG	48.5986	117.0453	18.7	665.6	467	55832.	2351	1.5	5.1	9.2	3.4	0.6	6.1	39	0.2
42774	0	0	0	0	QAG	48.5986	117.0448	18.7	665.8	465	55834.	2221	1.5	4.7	13.1	3.2	0.4	8.9	31	0.2
42773	0	0	0	0	QAG	48.5986	117.0442	18.7	666.0	459	55836.	2208	0.9	6.0	7.1	7.1	0.9	8.3	49	0.2
42772	0	0	0	0	QAG	48.5986	117.0436	18.7	666.3	463	55840.	2273	1.5	3.3	13.4	2.3	0.2	9.2	32	0.2
42771	0	0	0	0	QAG	48.5986	117.0430	18.7	666.5	465	55845.	2232	1.1	4.5	9.6	4.0	0.5	8.6	35	0.2
42770	0	0	0	0	QAG	48.5986	117.0425	18.7	666.8	461	55847.	2418	1.4	6.3	8.2	4.6	0.8	6.0	29	0.2
42769	0	0	0	0	QAG	48.5986	117.0419	18.7	667.0	434	55850.	2389	1.5	6.2	9.7	4.2	0.6	6.7	43	0.2
42768	0	0	0	0	QAG	48.5986	117.0414	18.7	667.2	401	55853.	2363	1.2	5.8	9.6	4.6	0.6	7.8	40	0.2
42767	0	0	0	0	QAG	48.5986	117.0408	18.8	667.4	372	55854.	2322	1.6	2.9	9.8	1.8	0.3	6.1	37	0.2
42766	0	0	0	0	QAG	48.5986	117.0402	18.8	667.6	356	55856.	2330	1.8	3.2	10.4	1.8	0.3	5.7	29	0.2
42765	0	0	0	0	QAG	48.5986	117.0396	18.8	667.8	346	55858.	2305	1.6	3.5	12.6	2.1	0.3	7.7	41	0.2
42764	0	0	0	0	QAG	48.5985	117.0391	18.8	668.0	339	55858.	2294	1.6	2.7	12.5	1.7	0.2	7.7	39	0.2
42763	0	0	0	0	QAG	48.5985	117.0385	18.8	668.2	333	55858.	2173	1.5	4.0	9.5	2.7	0.4	6.4	43	0.2
42762	0	0	0	0	QAG	48.5985	117.0379	18.8	668.5	330	55859.	2322	1.6	5.0	10.4	3.2	0.5	6.6	32	0.2
42761	0	0	0	0	QAG	48.5985	117.0374	18.8	668.7	330	55858.	2188	1.1	5.4	10.4	4.8	0.5	9.3	34	0.2
42760	0	0	0	0	QAG	48.5985	117.0368	18.8	668.9	332	55856.	2191	1.7	3.7	9.5	2.2	0.4	5.5	34	0.2
42759	0	0	0	0	QAG	48.5985	117.0363	18.8	669.1	336	55855.	2019	1.7	3.2	7.8	1.8	0.4	4.5	49	0.2
42758	0	0	0	0	QAG	48.5985	117.0357	18.8	669.3	342	55849.	2127	1.7	2.5	8.8	1.4	0.3	5.1	36	0.2
42757	0	0	0	0	QAG	48.5985	117.0351	18.8	669.5	351	55845.	2097	1.4	4.1	9.5	2.9	0.4	6.7	41	0.2
42756	0	0	0	0	QAG	48.5985	117.0346	18.8	669.7	361	55843.	2147	1.0	5.7	9.3	5.7	0.6	9.2	34	0.2
42755	0	0	0	0	QAG	48.5985	117.0340	18.8	669.9	370	55840.	1872	1.1	2.7	9.7	2.5	0.3	8.9	47	0.2
42754	0	0	0	0	QAG	48.5985	117.0334	18.9	670.1	376	55836.	1993	1.8	3.1	7.2	1.7	0.4	4.0	26	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

H 3

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	LINE NO. 8			U/K	U/T	T/K	COS CPS	BI PPM
													K %	U PPM	T PPM					
42753	0	0	0	0	QAG	48.5985	117.0329	18.9	670.2	369	55834.	1844	1.3	1.5	11.1	1.1	0.1	8.4	30	0.2
42752	0	0	0	0	QAG	48.5985	117.0323	18.9	670.4	361	55833.	1798	1.2	3.4	7.1	2.8	0.5	5.8	27	0.2
42751	0	0	0	0	QAG	48.5985	117.0317	18.9	670.5	363	55832.	1723	1.1	4.3	5.8	3.9	0.7	5.3	17	0.2
42750	0	0	0	0	QAG	48.5985	117.0312	18.9	670.6	377	55831.	1733	1.3	1.8	7.6	1.4	0.2	6.0	37	0.2
42749	0	0	0	0	QAG	48.5985	117.0306	18.9	670.7	394	55833.	1724	1.0	2.7	8.1	2.8	0.3	8.2	29	0.2
42748	0	0	0	0	QAG	48.5984	117.0300	18.9	670.8	401	55835.	1662	1.0	2.5	7.1	2.6	0.4	7.4	44	0.2
42747	0	0	0	0	QAG	48.5984	117.0295	18.9	670.8	408	55838.	1685	0.9	3.3	6.8	3.6	0.5	7.3	36	0.2
42746	0	0	0	0	QAG	48.5984	117.0289	18.9	670.9	420	55841.	1714	0.9	3.9	6.2	4.3	0.6	6.9	40	0.2
42745	0	0	0	0	QAG	48.5984	117.0283	18.9	670.9	424	55840.	1854	0.9	5.4	3.3	5.8	1.6	3.5	30	0.2

H 4

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 9							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43089	0	0	0	0	QAG	48.5973	117.2051	19.1	655.3	438	55732.	1799	1.5	2.9	7.4	2.0	0.4	5.1	39	0.1
43090	0	0	0	0	QAG	48.5972	117.2045	19.1	654.9	443	55736.	1863	1.5	3.8	6.7	2.5	0.6	4.5	28	0.1
43091	0	0	0	0	QAG	48.5972	117.2039	19.1	654.5	450	55741.	1920	1.8	3.2	8.1	1.8	0.4	4.6	34	0.1
43092	0	0	0	0	QAG	48.5972	117.2033	19.1	654.1	454	55746.	1917	1.7	2.9	7.4	1.8	0.4	4.5	27	0.1
43093	0	0	0	0	QAG	48.5971	117.2027	19.1	653.8	458	55750.	1894	1.9	2.4	6.1	1.3	0.4	3.3	41	0.1
43094	0	0	0	0	QAG	48.5971	117.2021	19.1	653.4	457	55754.	1794	1.7	3.8	6.6	2.2	0.6	3.9	31	0.1
43095	0	0	0	0	QAG	48.5971	117.2015	19.1	653.0	445	55758.	1721	1.9	1.6	6.5	0.9	0.3	3.4	41	0.1
43096	0	0	0	0	QAG	48.5970	117.2009	19.1	652.7	429	55761.	1720	1.9	2.7	4.6	1.4	0.6	2.4	35	0.1
43097	0	0	0	0	QAG	48.5970	117.2003	19.1	652.4	416	55763.	1724	1.3	4.3	5.9	3.4	0.7	4.7	32	0.1
43098	0	0	0	0	QAG	48.5970	117.1997	19.1	652.1	410	55766.	1677	1.6	3.4	6.6	2.2	0.5	4.2	33	0.1
43099	0	0	0	0	QAG	48.5969	117.1991	19.1	651.8	404	55769.	1758	1.6	3.4	6.2	2.1	0.6	3.8	39	0.1
43100	0	0	0	0	QAG	48.5969	117.1985	19.1	651.4	395	55772.	1641	1.4	2.9	5.7	2.1	0.5	4.2	46	0.1
43101	0	0	0	0	QAG	48.5969	117.1979	19.1	651.0	385	55776.	1767	1.8	3.7	6.4	2.1	0.6	3.6	33	0.1
43102	0	0	0	0	KG	48.5968	117.1973	19.1	650.7	373	55781.	1804	1.7	2.4	6.0	1.5	0.4	3.6	32	0.1
43103	0	0	0	0	KG	48.5968	117.1967	19.1	650.3	356	55786.	1863	1.9	3.2	6.3	1.7	0.5	3.3	48	0.1
43104	0	0	0	0	KG	48.5968	117.1961	19.1	650.1	334	55791.	1772	1.5	3.8	4.9	2.5	0.8	3.2	47	0.1
43105	0	0	0	0	KG	48.5967	117.1955	19.1	649.8	311	55796.	1838	1.7	2.9	6.5	1.7	0.4	3.7	34	0.1
43106	0	0	0	0	KG	48.5967	117.1949	19.1	649.6	292	55798.	1851	1.8	2.4	9.7	1.3	0.2	5.2	37	0.1
43107	0	0	0	0	KG	48.5967	117.1943	19.1	649.4	277	55796.	1771	1.4	5.0	5.1	3.5	1.0	3.5	46	0.1
43108	0	0	0	0	KG	48.5966	117.1937	19.1	649.3	271	55790.	1785	1.5	3.7	8.8	2.5	0.4	5.8	30	0.1
43109	0	0	0	0	KG	48.5966	117.1931	19.1	649.2	275	55780.	1715	1.4	2.8	8.1	2.0	0.3	5.7	32	0.1
43110	0	0	0	0	KG	48.5966	117.1925	19.1	649.1	293	55767.	1719	1.3	3.9	6.2	2.9	0.6	4.7	42	0.1
43111	0	0	0	0	KG	48.5965	117.1919	19.1	649.1	322	55755.	1824	1.7	3.1	8.0	1.8	0.4	4.7	29	0.1
43112	0	0	0	0	KG	48.5965	117.1913	19.1	649.1	351	55744.	1815	1.8	3.8	6.7	2.1	0.6	3.7	43	0.1
43113	0	0	0	0	KG	48.5965	117.1907	19.1	649.1	377	55733.	1926	1.6	5.1	5.5	3.2	0.9	3.4	45	0.1
43114	0	0	0	0	KG	48.5965	117.1901	19.1	649.1	402	55721.	1869	1.7	3.6	8.8	2.1	0.4	5.1	23	0.1
43115	0	0	0	0	QAG	48.5964	117.1895	19.1	649.1	425	55711.	1916	1.7	2.9	6.3	1.7	0.5	3.6	35	0.1
43116	0	0	0	0	QAG	48.5964	117.1889	19.0	649.1	445	55701.	1901	1.8	5.0	4.7	2.8	1.1	2.6	37	0.1
43117	0	0	0	0	QAG	48.5963	117.1884	19.0	649.1	459	55693.	1837	1.3	5.2	4.2	4.0	1.2	3.3	42	0.1
43118	0	0	0	0	QAG	48.5963	117.1877	19.0	649.2	473	55684.	1788	1.4	4.0	5.3	2.9	0.8	3.9	45	0.1
43119	0	0	0	0	QAG	48.5963	117.1871	19.0	649.2	496	55674.	1849	1.5	3.5	7.0	2.3	0.5	4.5	31	0.1
43120	0	0	0	0	QAG	48.5963	117.1866	19.0	649.2	521	55663.	1876	1.9	3.0	7.9	1.5	0.4	4.1	37	0.1
43121	0	0	0	0	QAG	48.5962	117.1860	19.0	649.2	553	55653.	1795	1.5	4.7	5.8	3.2	0.8	4.0	36	0.1
43122	0	0	0	0	QAG	48.5962	117.1854	19.0	649.2	583	55645.	1808	1.6	4.9	3.2	3.1	1.5	2.0	33	0.1
43123	0	0	0	0	QAG	48.5961	117.1848	19.0	649.2	614	55640.	1985	1.5	4.5	11.5	3.0	0.4	7.7	27	0.1
43124	0	0	0	0	QAG	48.5961	117.1842	19.0	649.2	635	55637.	1912	1.5	2.7	8.5	1.8	0.5	5.8	33	0.1
43125	0	0	0	0	QAG	48.5961	117.1836	19.0	649.2	656	55636.	2083	1.5	4.3	7.5	2.9	0.6	5.0	29	0.1
43126	0	0	0	0	KG	48.5961	117.1830	19.0	649.1	673	55638.	2016	1.7	3.4	7.7	2.0	0.4	4.6	28	0.1
43127	0	0	0	0	KG	48.5960	117.1824	19.0	649.1	684	55640.	2015	1.4	4.3	8.8	3.1	0.5	6.4	32	0.1
43128	0	0	0	0	KG	48.5960	117.1818	19.0	649.0	683	55644.	2008	1.5	4.1	8.5	2.8	0.5	5.8	37	0.1
43129	0	0	0	0	KG	48.5960	117.1812	19.0	648.9	676	55649.	1980	1.6	4.1	7.5	2.5	0.5	4.7	34	0.1
43130	0	0	0	0	KG	48.5960	117.1807	19.0	648.8	669	55653.	1997	1.5	4.5	7.4	3.0	0.5	4.9	48	0.1
43131	0	0	0	0	KG	48.5960	117.1802	19.0	648.7	660	55658.	2119	1.5	4.7	7.5	3.2	0.6	5.1	43	0.1
43132	0	0	0	0	KG	48.5960	117.1797	19.0	648.6	641	55663.	1931	1.7	4.6	4.8	2.6	1.0	2.8	38	0.1
43133	0	0	0	0	KG	48.5960	117.1793	19.0	648.4	610	55669.	2251	1.4	4.4	13.5	3.3	0.5	10.0	17	0.1
43134	0	0	0	0	KG	48.5960	117.1788	19.0	648.2	575	55676.	2082	1.6	4.0	8.0	2.5	0.5	5.1	48	0.1
43135	0	0	0	0	KG	48.5960	117.1783	19.0	648.1	533	55682.	2185	1.6	3.8	10.0	2.3	0.4	6.1	37	0.1
43136	0	0	0	0	KG	48.5960	117.1778	19.0	647.9	492	55688.	2063	1.9	2.5	9.4	1.3	0.3	4.9	43	0.1
43137	0	0	0	0	KG	48.5960	117.1774	18.9	647.6	453	55693.	2055	1.7	1.6	9.3	1.0	0.2	5.5	36	0.1
43138	0	0	0	0	KG	48.5960	117.1769	18.9	647.4	426	55697.	1990	1.5	2.4	12.2	1.6	0.2	8.1	44	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 9								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43139	0	0	0	0	KG	48.5960	117.1764	18.9	647.2	413	55697.	2021	1.4	4.1	7.6	2.9	0.5	5.4	35	0.1
43140	0	0	0	0	KG	48.5960	117.1759	18.9	646.9	417	55694.	2087	1.8	2.0	12.2	1.1	0.2	6.7	35	0.1
43141	0	0	0	0	KG	48.5960	117.1754	18.9	646.7	433	55688.	2181	1.4	3.8	10.6	2.7	0.4	7.7	38	0.1
43142	0	0	0	0	KG	48.5960	117.1750	18.9	646.4	456	55681.	2127	1.5	4.7	9.4	3.2	0.5	6.5	31	0.1
43143	0	0	0	0	KG	48.5960	117.1745	18.9	646.1	476	55674.	2304	1.5	3.6	9.2	2.4	0.4	6.3	45	0.1
43144	0	0	0	0	KG	48.5960	117.1740	18.9	645.8	496	55663.	2183	1.5	3.2	11.6	2.1	0.3	7.6	42	0.1
43145	0	0	0	0	KG	48.5960	117.1735	18.9	645.4	512	55652.	2252	1.7	2.8	12.0	1.7	0.2	7.2	32	0.1
43146	0	0	0	0	KG	48.5960	117.1730	18.8	645.1	528	55641.	2301	1.2	5.0	8.1	4.1	0.6	6.6	30	0.1
43147	0	0	0	0	KG	48.5960	117.1726	18.8	644.7	539	55632.	2300	1.8	3.4	8.6	1.9	0.4	4.8	38	0.1
43148	0	0	0	0	KG	48.5960	117.1721	18.8	644.3	547	55628.	2418	1.7	5.7	5.5	3.4	1.0	3.3	31	0.1
43149	0	0	0	0	KG	48.5960	117.1716	18.8	643.9	557	55626.	2323	1.8	3.4	11.2	1.9	0.3	6.1	41	0.1
43150	0	0	0	0	KG	48.5960	117.1711	18.8	643.4	572	55624.	2510	2.1	3.1	12.4	1.4	0.2	5.8	29	0.1
43151	0	0	0	0	KG	48.5960	117.1707	18.8	643.0	590	55624.	2580	2.4	2.3	16.8	1.0	0.1	7.1	30	0.1
43152	0	0	0	0	KG	48.5960	117.1702	18.7	642.5	606	55626.	2565	1.9	4.0	11.0	2.1	0.4	5.7	31	0.1
43153	0	0	0	0	KG	48.5960	117.1697	18.7	642.0	617	55629.	2593	1.8	3.7	14.6	2.0	0.3	8.0	36	0.1
43154	0	0	0	0	KG	48.5960	117.1692	18.7	641.5	624	55633.	2583	1.9	3.9	13.7	2.0	0.3	7.1	32	0.1
43155	0	0	0	0	KG	48.5960	117.1688	18.7	640.9	637	55636.	2513	1.8	3.4	9.5	1.9	0.4	5.3	37	0.1
43156	0	0	0	0	KHM	48.5960	117.1683	18.7	640.4	655	55640.	2569	1.9	4.0	14.7	2.2	0.3	7.9	50	0.1
43157	0	0	0	0	KHM	48.5960	117.1678	18.7	639.8	671	55646.	2682	2.0	3.3	14.6	1.7	0.2	7.4	48	0.1
43158	0	0	0	0	KHM	48.5960	117.1673	18.6	639.2	682	55651.	2644	2.7	2.7	10.0	1.0	0.3	3.8	39	0.1
43159	0	0	0	0	KHM	48.5960	117.1668	18.6	638.5	686	55656.	2730	2.1	6.5	9.7	3.1	0.7	4.6	45	0.1
43160	0	0	0	0	KHM	48.5960	117.1664	18.6	637.9	684	55662.	2723	1.7	5.6	13.2	3.3	0.4	7.8	49	0.1
43161	0	0	0	0	KHM	48.5960	117.1659	18.6	637.3	678	55668.	2751	2.1	3.6	9.9	1.7	0.4	4.6	42	0.1
43162	0	0	0	0	KHM	48.5960	117.1654	18.5	636.6	671	55674.	2662	2.3	3.3	11.1	1.4	0.3	4.9	37	0.1
43163	0	0	0	0	KHM	48.5960	117.1649	18.5	636.0	667	55681.	2758	2.0	4.6	16.5	2.2	0.3	8.1	34	0.1
43164	0	0	0	0	KHM	48.5960	117.1645	18.5	635.3	665	55686.	2859	2.6	3.5	14.6	1.4	0.2	5.7	42	0.1
43165	0	0	0	0	KHM	48.5960	117.1640	18.5	634.7	668	55690.	2750	1.9	6.3	9.0	3.3	0.7	4.7	55	0.1
43167	0	0	0	0	KHM	48.5960	117.1630	18.5	634.0	668	55695.	2920	2.5	3.9	13.5	1.6	0.3	5.4	45	0.1
43168	0	0	0	0	KHM	48.5960	117.1626	18.4	633.3	666	55700.	2982	1.8	5.0	14.2	2.8	0.4	7.9	37	0.1
43169	0	0	0	0	KHM	48.5960	117.1621	18.4	632.6	654	55705.	2977	2.5	6.3	11.3	2.6	0.6	4.6	40	0.1
43170	0	0	0	0	KHM	48.5960	117.1616	18.4	631.9	640	55709.	2959	2.2	3.5	14.9	1.6	0.2	6.8	37	0.1
43171	0	0	0	0	KHM	48.5960	117.1611	18.4	631.3	624	55713.	2913	2.1	3.7	12.1	1.7	0.3	5.7	47	0.1
43172	0	0	0	0	KHM	48.5960	117.1606	18.3	630.5	607	55718.	2854	2.1	5.0	15.5	2.3	0.3	7.3	44	0.1
43173	0	0	0	0	KHM	48.5961	117.1602	18.3	629.9	585	55725.	2792	2.1	5.4	16.8	2.5	0.3	7.8	45	0.1
43174	0	0	0	0	KHM	48.5961	117.1597	18.3	629.2	560	55731.	2741	2.2	2.2	20.1	1.0	0.1	9.1	45	0.1
43175	0	0	0	0	KHM	48.5961	117.1592	18.3	628.6	535	55738.	2804	2.2	4.5	14.4	2.1	0.3	6.6	46	0.1
43176	0	0	0	0	KHM	48.5961	117.1587	18.3	627.9	513	55745.	2705	2.0	3.8	15.8	1.9	0.2	7.8	38	0.1
43177	0	0	0	0	KHM	48.5961	117.1582	18.2	627.2	493	55751.	2647	1.7	5.9	9.1	3.5	0.6	5.4	41	0.1
43178	0	0	0	0	KHM	48.5961	117.1578	18.2	626.6	472	55758.	2727	2.1	4.8	14.1	2.2	0.3	6.6	41	0.1
43179	0	0	0	0	KHM	48.5961	117.1573	18.2	626.0	452	55765.	2638	2.1	2.6	19.4	1.3	0.1	9.3	44	0.1
43180	0	0	0	0	KHM	48.5961	117.1568	18.2	625.4	433	55772.	2678	2.6	3.5	15.0	1.4	0.2	5.8	46	0.1
43181	0	0	0	0	KHM	48.5961	117.1563	18.2	624.7	415	55778.	2739	2.2	3.7	14.1	1.7	0.3	6.5	45	0.1
43182	0	0	0	0	KHM	48.5961	117.1559	18.1	624.1	396	55783.	2606	2.2	2.6	14.1	1.2	0.2	6.6	55	0.1
43183	0	0	0	0	KHM	48.5961	117.1554	18.1	623.5	377	55788.	2665	2.2	3.5	13.7	1.6	0.3	6.2	52	0.1
43184	0	0	0	0	KHM	48.5961	117.1549	18.1	622.9	361	55792.	2507	2.0	4.3	12.3	2.2	0.4	6.2	67	0.1
43185	0	0	0	0	KHM	48.5961	117.1544	18.1	622.4	349	55795.	2536	1.7	3.3	15.4	2.0	0.2	9.2	47	0.1
43186	0	0	0	0	KHM	48.5961	117.1539	18.1	621.8	337	55798.	2505	2.0	4.5	12.7	2.2	0.4	6.4	46	0.1
43187	0	0	0	0	KHM	48.5961	117.1535	18.1	621.4	329	55800.	2445	2.0	4.5	12.5	2.3	0.4	6.3	52	0.1
43188	0	0	0	0	KHM	48.5961	117.1530	18.1	620.9	321	55801.	2497	2.2	4.7	11.6	2.1	0.4	5.3	46	0.1
43189	0	0	0	0	KHM	48.5961	117.1525	18.0	620.5	313	55802.	2578	2.1	3.9	13.5	1.9	0.3	6.5	45	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 9							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43190	0	0	0	0	KHM	48.5961	117.1520	18.0	620.1	301	55804.	2530	2.3	2.7	13.4	1.2	0.2	5.8	55	0.1
43191	0	0	0	0	KHM	48.5961	117.1516	18.0	619.9	289	55805.	2617	1.9	3.6	16.0	1.9	0.2	8.5	54	0.1
43192	0	0	0	0	KHM	48.5961	117.1511	18.0	619.7	276	55807.	2512	1.9	3.8	12.0	2.0	0.3	6.2	45	0.1
43193	0	0	0	0	KHM	48.5961	117.1506	18.0	619.6	262	55808.	2486	1.7	3.6	15.2	2.1	0.2	8.8	45	0.1
43194	0	0	0	0	KHM	48.5961	117.1501	18.0	619.6	249	55807.	2416	1.6	4.9	12.9	3.0	0.4	7.9	41	0.1
43195	0	0	0	0	KHM	48.5961	117.1496	18.0	619.7	242	55803.	2372	1.7	3.8	12.8	2.2	0.3	7.5	58	0.1
43196	0	0	0	0	KHM	48.5961	117.1492	18.0	619.8	246	55795.	2485	1.7	5.1	11.3	3.0	0.4	6.7	54	0.1
43197	0	0	0	0	KHM	48.5961	117.1486	17.9	620.0	260	55785.	2550	1.9	3.8	13.0	2.0	0.3	6.7	49	0.1
43198	0	0	0	0	KHM	48.5961	117.1480	17.9	620.3	279	55773.	2775	1.8	4.1	16.0	2.2	0.3	8.7	48	0.1
43199	1	1	1	1	KHM	48.5961	117.1473	17.9	620.6	300	55759.	2741	2.0	4.5	14.0	2.3	0.3	7.1	60	0.1
43200	0	0	0	0	KHM	48.5961	117.1467	17.9	621.1	318	55745.	2887	2.4	4.1	15.9	1.7	0.3	6.6	61	0.1
43201	0	0	0	0	KHM	48.5961	117.1461	17.9	621.6	332	55731.	3180	2.6	5.6	16.1	2.2	0.3	6.3	53	0.1
43202	0	0	0	0	KHM	48.5961	117.1455	17.9	622.1	341	55720.	3204	2.6	5.9	20.1	2.2	0.3	7.6	56	0.1
43203	0	0	0	0	KHM	48.5961	117.1449	17.9	622.6	348	55710.	3429	2.8	5.9	20.0	2.1	0.3	7.0	30	0.1
43204	0	0	0	0	KHM	48.5960	117.1443	17.9	623.2	359	55703.	3381	3.0	6.0	21.1	2.0	0.3	7.1	53	0.1
43205	0	0	0	0	KHM	48.5960	117.1437	17.9	623.7	376	55697.	3363	2.9	5.4	18.6	1.9	0.3	6.4	60	0.1
43206	0	0	0	0	KHM	48.5960	117.1431	17.9	624.3	390	55692.	3413	3.2	5.5	16.8	1.8	0.3	5.3	56	0.1
43207	0	0	0	0	KHM	48.5960	117.1425	17.9	625.0	395	55690.	3348	3.3	4.6	19.7	1.4	0.2	6.0	57	0.1
43208	0	0	0	0	KHM	48.5960	117.1418	17.9	625.6	391	55690.	3321	2.4	6.6	20.0	2.8	0.3	8.3	24	0.1
43209	0	0	0	0	KHM	48.5960	117.1412	17.9	626.2	386	55691.	3176	2.2	7.5	16.2	3.4	0.5	7.4	61	0.1
43210	0	0	0	0	KHM	48.5960	117.1406	17.9	626.9	384	55693.	3108	2.7	4.2	15.5	1.6	0.3	5.8	56	0.1
43211	0	0	0	0	KHM	48.5960	117.1400	17.9	627.5	389	55694.	3087	2.8	4.6	18.3	1.6	0.3	6.6	53	0.1
43212	0	0	0	0	KHM	48.5960	117.1394	17.9	628.2	402	55694.	3074	2.5	5.8	14.8	2.3	0.4	6.1	34	0.1
43213	0	0	0	0	KHM	48.5960	117.1388	17.9	628.8	423	55694.	2993	2.1	7.3	13.1	3.5	0.6	6.3	40	0.1
43214	0	0	0	0	KHM	48.5960	117.1382	17.9	629.4	442	55693.	2958	2.4	4.3	14.5	1.8	0.3	6.2	52	0.1
43215	0	0	0	0	KHM	48.5960	117.1376	17.9	630.1	459	55693.	3064	2.5	3.6	17.7	1.5	0.2	7.1	38	0.1
43216	0	0	0	0	KHM	48.5959	117.1370	17.9	630.7	478	55692.	2956	2.4	5.5	11.8	2.3	0.5	4.9	39	0.1
43217	0	0	0	0	KHM	48.5959	117.1364	17.9	631.3	511	55692.	2978	2.6	4.2	16.2	1.6	0.3	6.3	33	0.1
43218	0	0	0	0	KHM	48.5959	117.1357	17.9	632.0	548	55693.	2978	2.3	5.3	12.5	2.3	0.4	5.5	35	0.1
43219	0	0	0	0	KHM	48.5959	117.1351	17.9	632.6	584	55694.	3171	2.3	6.5	13.6	2.8	0.5	6.0	44	0.1
43220	0	0	0	0	KHM	48.5959	117.1345	17.9	633.2	609	55697.	3167	2.3	6.5	13.8	2.9	0.5	6.1	50	0.1
43221	0	0	0	0	KHM	48.5959	117.1339	17.9	633.8	626	55701.	3217	2.6	4.9	16.9	1.9	0.3	6.4	52	0.1
43222	0	0	0	0	KHM	48.5959	117.1333	17.9	634.4	640	55705.	2957	2.4	4.7	16.0	1.9	0.3	6.6	47	0.1
43223	0	0	0	0	KHM	48.5959	117.1327	17.9	635.1	656	55710.	3100	1.9	6.3	14.7	3.3	0.4	7.7	37	0.1
43224	0	0	0	0	KHM	48.5959	117.1321	17.9	635.7	680	55715.	3174	1.8	6.9	15.0	3.9	0.5	8.4	47	0.1
43225	1	0	0	0	KHM	48.5959	117.1315	17.9	636.3	701	55719.	3438	2.2	8.8	11.2	4.1	0.8	5.2	34	0.1
43226	1	0	0	0	KHM	48.5959	117.1309	17.9	636.9	716	55724.	3383	2.4	6.5	14.3	2.8	0.5	6.0	36	0.1
43227	1	0	0	0	KHM	48.5959	117.1302	17.9	637.5	719	55727.	3571	2.4	3.6	25.2	1.5	0.1	10.4	38	0.1
43228	1	0	0	0	KHM	48.5959	117.1296	17.9	638.1	721	55730.	3363	2.5	5.6	17.2	2.2	0.3	6.8	38	0.1
43229	1	0	0	0	KHM	48.5959	117.1290	17.9	638.7	715	55732.	3506	2.7	5.4	18.4	2.0	0.3	6.8	44	0.1
43230	1	0	0	0	KHM	48.5959	117.1284	17.9	639.2	707	55735.	3394	1.6	8.2	13.4	5.2	0.6	8.4	39	0.1
43231	0	0	0	0	KHM	48.5958	117.1278	18.0	639.9	687	55737.	3242	2.4	7.6	15.2	3.1	0.5	6.3	42	0.1
43232	0	0	0	0	KHM	48.5958	117.1272	18.0	640.4	668	55739.	3370	1.9	8.3	15.3	4.4	0.5	8.2	34	0.1
43233	0	0	0	0	KHM	48.5958	117.1266	18.0	641.0	651	55740.	3359	1.8	7.7	15.5	4.3	0.5	8.7	51	0.1
43234	0	0	0	0	KHM	48.5958	117.1260	18.0	641.5	647	55741.	3339	1.9	8.8	14.8	4.6	0.6	7.8	40	0.1
43235	0	0	0	0	KHM	48.5958	117.1254	18.0	642.0	641	55743.	3250	1.9	6.3	13.4	3.3	0.5	6.9	40	0.1
43236	0	0	0	0	KHM	48.5958	117.1248	18.0	642.5	635	55745.	3257	1.6	7.5	12.3	4.6	0.6	7.7	50	0.1
43237	0	0	0	0	KHM	48.5958	117.1241	18.0	643.0	623	55748.	3357	1.9	9.0	15.6	4.7	0.6	8.2	36	0.1
43238	0	0	0	0	KHM	48.5958	117.1235	18.0	643.5	612	55751.	3080	1.2	8.9	16.6	7.5	0.5	13.9	38	0.1
43239	0	0	0	0	KHM	48.5958	117.1229	18.0	644.0	600	55754.	3158	1.6	9.5	12.5	6.1	0.8	8.0	44	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 9									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43240	0	0	0	0	KHM	48.5958	117.1223	18.0	644.4	599	55756.	3335	2.2	8.8	14.9	4.0	0.6	6.8	33	0.1
43241	0	0	0	0	KHM	48.5958	117.1217	18.0	644.8	607	55757.	3414	2.0	7.7	17.6	3.9	0.4	8.8	29	0.1
43242	0	0	0	0	KHM	48.5958	117.1211	18.0	645.2	610	55757.	3340	1.8	9.2	15.4	5.0	0.6	8.4	33	0.1
43243	0	0	0	0	KHM	48.5958	117.1206	18.0	645.6	598	55757.	3255	2.2	5.4	15.6	2.5	0.3	7.2	44	0.1
43244	0	0	0	0	KHM	48.5957	117.1200	18.0	646.0	579	55756.	3394	2.3	8.0	13.0	3.5	0.6	5.7	32	0.1
43245	0	0	0	0	KHM	48.5957	117.1195	18.0	646.3	570	55755.	3188	1.4	7.4	17.1	5.3	0.4	12.4	32	0.1
43246	0	0	0	0	KHM	48.5957	117.1189	18.1	646.7	574	55757.	3401	1.6	8.9	18.7	5.7	0.5	11.9	38	0.1
43247	0	0	0	0	KHM	48.5957	117.1184	18.1	647.1	571	55760.	3382	2.3	6.3	17.4	2.8	0.4	7.7	43	0.1
43248	0	0	0	0	KHM	48.5957	117.1179	18.1	647.4	550	55767.	3448	2.0	7.2	19.4	3.5	0.4	9.5	32	0.1
43249	0	0	0	0	KHM	48.5957	117.1173	18.1	647.7	506	55775.	3243	2.0	9.1	11.7	4.6	0.8	5.8	54	0.1
43250	0	0	0	0	KHM	48.5957	117.1168	18.1	648.0	456	55782.	3248	2.0	8.7	14.3	4.4	0.6	7.2	38	0.1
43251	0	0	0	0	KHM	48.5957	117.1162	18.1	648.3	410	55786.	3015	2.0	7.1	11.2	3.6	0.6	5.6	44	0.1
43252	0	0	0	0	KHM	48.5957	117.1157	18.1	648.7	383	55788.	3174	2.1	5.2	15.7	2.4	0.3	7.4	37	0.1
43253	0	0	0	0	KHM	48.5957	117.1152	18.1	649.0	378	55786.	3077	2.3	6.6	13.5	2.9	0.5	5.9	47	0.1
43254	0	0	0	0	KHM	48.5957	117.1146	18.1	649.3	388	55784.	3377	2.6	6.2	14.7	2.4	0.4	5.7	38	0.1
43255	0	0	0	0	KHM	48.5957	117.1141	18.1	649.6	396	55783.	3290	2.1	6.2	15.9	2.9	0.4	7.4	38	0.1
43256	0	0	0	0	KHM	48.5956	117.1136	18.1	649.9	400	55784.	3254	1.9	7.2	15.4	3.7	0.5	7.9	42	0.1
43258	0	0	0	0	KHM	48.5956	117.1125	18.1	650.2	397	55786.	3245	2.1	8.4	16.4	4.1	0.5	8.0	34	0.1
43259	0	0	0	0	KHM	48.5956	117.1120	18.2	650.5	392	55789.	3181	2.2	6.8	16.3	3.1	0.4	7.4	38	0.1
43260	0	0	0	0	KHM	48.5956	117.1114	18.2	650.8	392	55791.	3210	2.1	6.1	14.4	2.9	0.4	6.8	48	0.1
43261	0	0	0	0	KHM	48.5956	117.1109	18.2	651.1	403	55792.	3153	1.8	7.8	13.8	4.3	0.6	7.7	47	0.1
43262	0	0	0	0	KHM	48.5956	117.1103	18.2	651.3	423	55792.	3324	2.1	6.8	16.6	3.2	0.4	7.9	40	0.1
43263	0	0	0	0	KHM	48.5956	117.1098	18.2	651.6	444	55792.	3280	1.9	8.4	12.3	4.5	0.7	6.6	54	0.1
43264	0	0	0	0	KHM	48.5956	117.1093	18.2	651.8	463	55791.	3306	2.1	9.4	10.6	4.6	0.9	5.2	43	0.1
43265	0	0	0	0	KHM	48.5956	117.1087	18.2	652.0	482	55792.	3303	1.7	10.3	14.7	5.9	0.7	8.4	42	0.1
43266	0	0	0	0	KHM	48.5956	117.1082	18.2	652.3	499	55791.	3301	1.4	6.5	17.6	4.6	0.4	12.4	40	0.1
43267	0	0	0	0	KHM	48.5956	117.1076	18.2	652.4	518	55791.	3117	1.8	7.7	12.8	4.3	0.6	7.1	46	0.1
43268	0	0	0	0	KHM	48.5956	117.1071	18.2	652.6	535	55791.	3192	1.9	7.2	19.3	3.7	0.4	10.0	46	0.1
43269	0	0	0	0	KHM	48.5956	117.1066	18.2	652.8	549	55790.	3190	2.0	7.2	13.7	3.6	0.5	6.8	31	0.1
43270	0	0	0	0	KHM	48.5955	117.1060	18.3	653.0	559	55790.	3244	1.9	8.9	15.4	4.7	0.6	8.2	26	0.1
43271	0	0	0	0	KHM	48.5955	117.1055	18.3	653.1	572	55791.	3129	1.7	8.8	12.0	5.2	0.7	7.1	52	0.1
43272	0	0	0	0	QAG	48.5955	117.1049	18.3	653.3	591	55792.	3371	2.3	9.5	13.0	4.2	0.7	5.7	44	0.1
43273	0	0	0	0	QAG	48.5955	117.1044	18.3	653.4	605	55794.	3439	2.1	9.0	13.4	4.4	0.7	6.5	40	0.1
43274	0	0	0	0	QAG	48.5955	117.1038	18.3	653.5	604	55798.	3475	1.8	7.8	18.1	4.2	0.4	9.8	37	0.1
43275	0	0	0	0	QAG	48.5955	117.1032	18.3	653.6	583	55804.	3247	1.7	8.8	14.3	5.0	0.6	8.2	46	0.1
43276	0	0	0	0	QAG	48.5954	117.1026	18.3	653.7	550	55812.	3296	1.5	9.9	14.4	6.6	0.7	9.6	31	0.1
43277	0	0	0	0	QAG	48.5954	117.1020	18.3	653.8	509	55822.	3364	1.9	7.6	16.1	4.0	0.5	8.6	33	0.1
43278	0	0	0	0	KHM	48.5954	117.1014	18.3	653.9	470	55832.	3119	1.4	5.6	15.1	4.0	0.4	10.6	44	0.1
43279	0	0	0	0	KHM	48.5954	117.1008	18.3	654.0	437	55842.	2915	1.4	7.8	10.4	5.5	0.7	7.4	47	0.1
43280	0	0	0	0	KHM	48.5953	117.1002	18.3	654.1	410	55850.	2848	1.8	4.2	13.6	2.3	0.3	7.6	43	0.1
43281	0	0	0	0	KHM	48.5953	117.0996	18.3	654.2	390	55855.	2839	1.9	5.9	14.6	3.2	0.4	7.9	43	0.1
43282	0	0	0	0	KHM	48.5953	117.0990	18.3	654.3	380	55858.	2824	1.7	4.8	13.4	2.9	0.4	8.0	53	0.1
43283	0	0	0	0	KHM	48.5953	117.0983	18.3	654.4	380	55858.	2869	1.6	6.1	13.3	3.7	0.5	8.1	38	0.1
43284	0	0	0	0	KHM	48.5952	117.0977	18.4	654.5	391	55856.	2908	1.6	6.7	13.7	4.1	0.5	8.4	36	0.1
43285	0	0	0	0	KHM	48.5952	117.0971	18.4	654.6	399	55853.	2835	2.0	3.9	15.0	1.9	0.3	7.4	42	0.1
43286	0	0	0	0	KHM	48.5952	117.0965	18.4	654.7	401	55849.	2915	2.0	3.8	14.3	1.9	0.3	7.0	30	0.1
43287	0	0	0	0	KHM	48.5952	117.0959	18.4	654.7	393	55842.	2823	1.6	5.7	11.0	3.6	0.5	6.9	36	0.1
43288	0	0	0	0	KHM	48.5951	117.0953	18.4	654.8	394	55834.	2810	1.3	7.9	12.6	5.9	0.6	9.5	43	0.1
43289	0	0	0	0	KHM	48.5951	117.0947	18.4	654.8	407	55822.	2814	1.8	6.5	11.7	3.6	0.6	6.4	41	0.1
43290	0	0	0	0	KHM	48.5951	117.0941	18.4	654.8	437	55809.	2948	1.5	6.3	15.8	4.3	0.4	10.7	48	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 9							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43291	0	0	0	0	KHM	48.5951	117.0935	18.4	654.7	476	55797.	3144	2.5	5.9	14.1	2.4	0.4	5.7	53	0.1
43292	0	0	0	0	KHM	48.5950	117.0929	18.4	654.7	510	55786.	3399	2.8	7.1	12.8	2.6	0.6	4.6	39	0.1
43293	0	0	0	0	KHM	48.5950	117.0923	18.4	654.6	530	55776.	3365	2.7	8.8	14.8	3.2	0.6	5.4	37	0.1
43294	0	0	0	0	KHM	48.5950	117.0917	18.4	654.5	535	55768.	3231	1.8	7.9	14.3	4.5	0.6	8.1	35	0.1
43295	0	0	0	0	QAG	48.5950	117.0911	18.4	654.5	539	55761.	3040	2.4	6.9	15.3	2.8	0.4	6.3	42	0.1
43296	0	0	0	0	QAG	48.5949	117.0905	18.4	654.4	538	55756.	2984	2.2	6.4	11.5	2.9	0.6	5.3	35	0.1
43297	0	0	0	0	QAG	48.5949	117.0899	18.4	654.3	531	55754.	2950	2.2	7.5	9.3	3.4	0.8	4.2	26	0.1
43298	0	0	0	0	QAG	48.5949	117.0892	18.5	654.2	511	55755.	2990	1.6	8.6	14.1	5.3	0.6	8.7	42	0.1
43299	0	0	0	0	QAG	48.5948	117.0887	18.5	654.1	485	55757.	2671	1.7	6.3	13.4	3.8	0.5	8.1	40	0.1
43300	0	0	0	0	QAG	48.5948	117.0880	18.5	654.0	454	55761.	2572	2.2	4.9	10.9	2.2	0.4	5.0	40	0.1
43301	0	0	0	0	QAG	48.5948	117.0874	18.5	653.9	424	55765.	2515	1.7	5.9	11.6	3.5	0.5	6.9	33	0.1
43302	0	0	0	0	KHM	48.5948	117.0868	18.5	653.8	394	55767.	2339	1.7	4.5	10.6	2.5	0.4	6.1	51	0.1
43303	0	0	0	0	KHM	48.5947	117.0862	18.5	653.8	373	55770.	2343	1.8	5.9	9.5	3.3	0.6	5.2	42	0.1
43304	0	0	0	0	KHM	48.5947	117.0856	18.5	653.8	362	55769.	2292	1.6	4.1	11.6	2.6	0.4	7.3	50	0.1
43305	0	0	0	0	KHM	48.5947	117.0850	18.5	653.7	370	55766.	2376	1.7	3.5	16.3	2.1	0.2	9.6	42	0.1
43306	0	0	0	0	KHM	48.5947	117.0844	18.5	653.7	392	55761.	2464	1.7	5.4	10.8	3.1	0.5	6.2	34	0.1
43307	0	0	0	0	KHM	48.5947	117.0838	18.5	653.8	421	55754.	2521	1.5	4.8	12.1	3.1	0.4	7.9	27	0.1
43308	0	0	0	0	KHM	48.5946	117.0832	18.5	653.8	451	55748.	2591	2.2	4.6	10.4	2.1	0.4	4.8	53	0.1
43309	0	0	0	0	KHM	48.5946	117.0826	18.5	653.8	483	55742.	2720	2.1	5.2	12.9	2.5	0.4	6.1	48	0.1
43310	0	0	0	0	KHM	48.5946	117.0820	18.5	653.7	516	55735.	2891	2.5	6.5	11.7	2.6	0.6	4.6	33	0.1
43311	0	0	0	0	KHM	48.5945	117.0814	18.5	653.7	533	55729.	3132	2.6	5.2	14.3	2.0	0.4	5.5	38	0.1
43312	0	0	0	0	KHM	48.5945	117.0808	18.5	653.6	531	55723.	2952	2.1	6.6	14.4	3.1	0.5	6.8	54	0.1
43313	0	0	0	0	KHM	48.5945	117.0802	18.5	653.6	507	55716.	2856	1.9	7.3	12.1	3.8	0.6	6.3	34	0.1
43314	0	0	0	0	KHM	48.5946	117.0797	18.5	653.5	479	55710.	2756	1.9	6.8	11.6	3.6	0.6	6.1	38	0.1
43315	0	0	0	0	KHM	48.5946	117.0791	18.5	653.3	457	55705.	2707	1.7	5.9	11.6	3.4	0.5	6.7	42	0.1
43316	0	0	0	0	KHM	48.5946	117.0785	18.6	653.2	457	55700.	2725	1.9	5.5	11.9	2.9	0.5	6.2	46	0.1
43317	0	0	0	0	KHM	48.5946	117.0779	18.6	653.1	474	55696.	2785	2.3	5.7	12.5	2.5	0.5	5.4	43	0.1
43318	0	0	0	0	KHM	48.5946	117.0774	18.6	652.9	488	55694.	3021	2.3	4.2	14.2	1.8	0.3	6.1	40	0.1
43319	0	0	0	0	KHM	48.5946	117.0768	18.6	652.7	488	55694.	3057	1.9	7.3	16.6	3.8	0.4	8.7	27	0.1
43320	0	0	0	0	KHM	48.5946	117.0762	18.6	652.5	472	55694.	2851	2.0	6.5	13.7	3.2	0.5	6.8	36	0.1
43321	0	0	0	0	KHM	48.5946	117.0757	18.6	652.3	452	55696.	2796	1.6	7.7	9.2	4.8	0.8	5.7	51	0.1
43322	0	0	0	0	KHM	48.5946	117.0751	18.6	652.1	429	55698.	2814	2.0	4.5	13.6	2.3	0.3	6.9	32	0.1
43323	0	0	0	0	KHM	48.5946	117.0745	18.6	651.9	407	55700.	2793	2.1	5.7	11.8	2.7	0.5	5.7	43	0.2
43324	0	0	0	0	KHM	48.5946	117.0740	18.6	651.8	381	55703.	2777	2.0	5.1	11.4	2.6	0.4	5.8	47	0.2
43325	0	0	0	0	KHM	48.5946	117.0734	18.6	651.6	354	55705.	2727	2.1	5.0	10.0	2.4	0.5	4.8	49	0.2
43326	0	0	0	0	KHM	48.5946	117.0728	18.6	651.6	332	55706.	2658	1.9	6.0	10.1	3.2	0.6	5.4	53	0.2
43327	0	0	0	0	KHM	48.5946	117.0723	18.6	651.5	321	55705.	2714	1.4	6.4	9.4	4.5	0.7	6.6	36	0.2
43328	0	0	0	0	KHM	48.5946	117.0717	18.6	651.5	323	55704.	2759	1.6	6.2	12.4	3.9	0.5	7.8	43	0.2
43329	0	0	0	0	KHM	48.5946	117.0711	18.6	651.5	326	55702.	2653	1.7	5.1	10.0	3.0	0.5	6.0	37	0.2
43330	0	0	0	0	KHM	48.5946	117.0705	18.6	651.6	323	55702.	2504	1.4	5.3	11.4	3.7	0.5	8.1	58	0.2
43331	0	0	0	0	KHM	48.5946	117.0700	18.6	651.7	315	55703.	2559	2.0	5.5	9.1	2.7	0.6	4.5	43	0.2
43332	0	0	0	0	KHM	48.5946	117.0694	18.6	651.8	312	55702.	2645	2.1	5.7	11.4	2.8	0.5	5.5	48	0.2
43333	0	0	0	0	KHM	48.5947	117.0688	18.6	652.0	313	55703.	2589	2.2	4.5	8.9	2.0	0.5	4.0	40	0.2
43334	0	0	0	0	KHM	48.5947	117.0683	18.7	652.2	314	55703.	2666	1.9	6.7	10.1	3.6	0.7	5.4	27	0.2
43335	0	0	0	0	KHM	48.5947	117.0677	18.7	652.4	315	55702.	2713	1.7	6.7	10.3	3.8	0.7	5.9	35	0.2
43336	0	0	0	0	KHM	48.5947	117.0671	18.7	652.7	321	55704.	2685	2.3	4.4	9.3	1.2	0.5	4.0	28	0.2
43337	0	0	0	0	KHM	48.5947	117.0666	18.7	652.9	327	55704.	2641	1.8	4.6	13.6	2.6	0.3	7.5	46	0.2
43338	0	0	0	0	KHM	48.5947	117.0660	18.7	653.2	329	55706.	2505	1.6	5.6	10.1	2.4	0.6	6.3	46	0.2
43339	0	0	0	0	KHM	48.5947	117.0654	18.7	653.5	335	55708.	2586	2.0	3.5	13.5	1.8	0.3	6.9	33	0.2
43340	0	0	0	0	KHM	48.5947	117.0648	18.7	653.7	349	55709.	2592	2.3	4.3	10.4	1.9	0.4	4.6	44	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 9								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43341	0	0	0	0	KHM	48.5947	117.0643	18.7	654.0	369	55711.	2511	2.0	5.1	13.1	2.5	0.4	6.4	46	0.2
43342	0	0	0	0	KHM	48.5947	117.0637	18.7	654.3	390	55713.	2717	2.0	5.1	9.4	2.6	0.5	4.8	32	0.2
43343	0	0	0	0	KHM	48.5947	117.0632	18.7	654.6	406	55714.	2537	2.0	4.2	12.2	2.1	0.3	6.0	36	0.2
43344	0	0	0	0	KHM	48.5947	117.0626	18.7	654.9	424	55716.	2536	2.3	3.7	11.8	1.6	0.3	5.1	40	0.2
43345	0	0	0	0	KHM	48.5947	117.0620	18.7	655.1	443	55717.	2600	2.4	4.6	10.7	1.9	0.4	4.5	36	0.1
43346	0	0	0	0	KHM	48.5947	117.0614	18.7	655.3	470	55718.	2753	2.9	3.6	12.0	1.2	0.3	4.1	48	0.1
43347	0	0	0	0	QAG	48.5947	117.0609	18.7	655.6	502	55717.	2802	2.0	7.6	13.2	3.9	0.6	6.7	42	0.1
43349	0	0	0	0	QAG	48.5947	117.0597	18.7	655.8	536	55717.	2839	2.7	4.6	11.5	1.7	0.4	4.3	34	0.1
43350	0	0	0	0	QAG	48.5947	117.0592	18.7	656.0	571	55717.	3057	2.4	6.0	12.5	2.5	0.5	5.3	30	0.1
43351	0	0	0	0	QAG	48.5947	117.0586	18.7	656.1	593	55717.	2978	2.1	5.5	11.1	2.6	0.5	5.3	24	0.1
43352	0	0	0	0	QAG	48.5947	117.0580	18.8	656.3	603	55719.	2920	1.9	5.2	13.8	2.8	0.4	7.4	36	0.1
43353	0	0	0	0	QAG	48.5947	117.0574	18.8	656.4	596	55721.	2904	2.7	5.3	10.2	1.9	0.5	3.7	34	0.1
43354	0	0	0	0	KHM	48.5947	117.0569	18.8	656.5	589	55725.	2728	1.8	7.7	12.4	4.2	0.6	6.8	30	0.1
43355	0	0	0	0	KHM	48.5947	117.0563	18.8	656.6	583	55728.	2721	1.9	5.9	14.5	3.1	0.4	7.7	32	0.1
43356	0	0	0	0	KHM	48.5947	117.0557	18.8	656.6	573	55733.	2771	1.8	5.8	13.3	3.2	0.4	7.4	34	0.1
43357	0	0	0	0	KHM	48.5947	117.0551	18.8	656.6	558	55739.	2714	2.2	4.4	15.0	2.0	0.3	6.8	35	0.1
43358	0	0	0	0	KHM	48.5947	117.0545	18.8	656.6	539	55745.	2573	1.8	4.4	12.1	2.5	0.4	6.8	42	0.1
43359	0	0	0	0	KHM	48.5947	117.0539	18.8	656.7	521	55751.	2602	1.5	4.4	13.6	2.9	0.3	9.1	51	0.1
43360	0	0	0	0	KHM	48.5947	117.0533	18.8	656.7	498	55757.	2730	1.7	5.2	12.3	3.1	0.4	7.4	37	0.1
43361	0	0	0	0	KHM	48.5948	117.0527	18.8	656.7	469	55765.	2531	2.0	3.8	11.4	1.9	0.3	5.6	41	0.1
43362	0	0	0	0	KHM	48.5948	117.0521	18.8	656.8	437	55775.	2599	1.7	6.5	11.6	3.7	0.6	6.6	39	0.1
43363	0	0	0	0	KHM	48.5948	117.0515	18.8	656.8	405	55786.	2708	1.8	6.2	10.7	3.5	0.6	6.1	26	0.1
43364	0	0	0	0	KHM	48.5948	117.0510	18.9	656.9	376	55796.	2594	1.5	6.3	11.0	4.2	0.6	7.4	47	0.1
43365	0	0	0	0	KHM	48.5948	117.0504	18.9	656.9	355	55802.	2764	1.9	5.0	12.9	2.7	0.4	6.9	39	0.1
43366	0	0	0	0	KHM	48.5948	117.0498	18.9	657.1	345	55804.	2811	2.0	5.8	8.9	2.9	0.7	4.4	36	0.1
43367	0	0	0	0	KHM	48.5948	117.0492	18.9	657.2	344	55806.	2809	2.0	4.4	12.2	2.2	0.4	6.0	41	0.1
43368	0	0	0	0	KHM	48.5948	117.0486	18.9	657.4	348	55809.	2826	2.2	5.0	11.3	2.3	0.4	5.2	30	0.1
43369	0	0	0	0	KHM	48.5948	117.0480	18.9	657.6	349	55815.	2797	1.8	7.1	10.0	3.9	0.7	5.5	47	0.1
43370	0	0	0	0	KHM	48.5948	117.0474	18.9	657.8	350	55822.	2983	2.0	5.3	14.0	2.7	0.4	7.1	40	0.2
43371	0	0	0	0	KHM	48.5948	117.0468	18.9	658.1	350	55828.	2938	2.0	6.7	12.1	3.4	0.6	6.1	47	0.2
43372	0	0	0	0	KHM	48.5948	117.0462	18.9	658.3	351	55832.	3045	1.7	6.6	14.9	3.9	0.4	8.8	54	0.2
43373	0	0	0	0	KHM	48.5948	117.0457	18.9	658.6	350	55835.	3224	2.0	8.5	14.8	4.3	0.6	7.6	46	0.2
43374	0	0	0	0	KHM	48.5948	117.0451	18.9	658.9	349	55834.	3219	2.0	6.3	16.4	3.1	0.4	8.2	51	0.1
43375	0	0	0	0	KHM	48.5948	117.0445	18.9	659.2	351	55833.	3184	1.9	6.7	14.1	3.5	0.5	7.4	45	0.1
43376	0	0	0	0	KHM	48.5948	117.0439	18.9	659.5	350	55829.	3226	2.0	7.5	10.6	3.7	0.7	5.2	48	0.1
43377	0	0	0	0	KHM	48.5948	117.0433	18.9	659.9	347	55825.	3476	2.2	7.2	15.7	3.3	0.5	7.2	37	0.1
43378	0	0	0	0	KHM	48.5948	117.0427	18.9	660.3	347	55819.	3375	2.0	8.8	14.4	4.4	0.6	7.3	41	0.1
43379	0	0	0	0	KHM	48.5948	117.0421	18.9	660.6	360	55813.	3494	2.0	9.2	12.7	4.7	0.7	6.5	41	0.1
43380	0	0	0	0	KHM	48.5948	117.0415	18.9	661.0	380	55807.	3703	2.7	8.2	15.8	3.1	0.5	5.9	41	0.1
43381	0	0	0	0	QAG	48.5948	117.0409	18.9	661.3	406	55802.	3740	2.3	10.1	13.7	4.3	0.7	5.9	25	0.1
43382	0	0	0	0	QAG	48.5948	117.0403	18.9	661.7	431	55798.	3621	2.0	9.4	15.6	4.6	0.6	7.6	34	0.1
43383	0	0	0	0	QAG	48.5948	117.0397	18.9	662.0	451	55795.	3576	1.9	6.4	17.8	3.4	0.4	9.4	22	0.1
43384	0	0	0	0	QAG	48.5948	117.0392	18.9	662.4	458	55792.	3201	2.3	3.9	14.4	1.7	0.3	6.3	44	0.1
43385	0	0	0	0	QAG	48.5948	117.0386	18.9	662.8	453	55788.	3039	1.5	5.5	15.0	3.7	0.4	10.1	27	0.1
43386	0	0	0	0	QAG	48.5948	117.0380	18.9	663.2	445	55785.	2756	1.5	6.5	10.1	4.3	0.6	6.7	32	0.1
43387	0	0	0	0	QAG	48.5948	117.0374	18.9	663.5	447	55782.	2572	1.4	6.2	7.7	4.4	0.8	5.5	33	0.1
43388	0	0	0	0	QAG	48.5948	117.0368	18.9	663.9	451	55778.	2386	1.2	4.5	12.3	3.7	0.4	10.0	33	0.1
43389	0	0	0	0	QAG	48.5948	117.0362	18.9	664.3	453	55776.	2401	1.4	5.8	8.0	4.1	0.7	5.6	34	0.1
43390	0	0	0	0	QAG	48.5948	117.0356	18.9	664.6	445	55772.	2285	1.3	3.6	9.4	2.8	0.4	7.2	35	0.1
43391	0	0	0	0	QAG	48.5948	117.0350	18.9	664.9	436	55767.	2245	1.3	5.6	9.4	4.3	0.6	7.3	23	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO.		9					
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43392	0	0	0	0	QAG	48.5948	117.0344	18.9	665.2	423	55761.	2110	1.1	4.9	11.4	4.6	0.4	10.7	36	0.1
43393	0	0	0	0	QAG	48.5948	117.0338	18.9	665.6	419	55754.	1970	1.1	5.3	8.2	4.9	0.6	7.5	36	0.1
43394	0	0	0	0	QAG	48.5948	117.0332	18.9	665.9	425	55745.	1932	1.1	5.6	5.7	5.0	1.0	5.1	34	0.1
43395	0	0	0	0	QAG	48.5948	117.0326	18.9	666.2	445	55737.	1939	0.9	4.5	8.1	4.8	0.6	8.6	39	0.1
43396	0	0	0	0	QAG	48.5948	117.0320	18.9	666.4	468	55731.	1948	0.9	4.3	8.7	4.5	0.5	9.3	33	0.1
43397	0	0	0	0	QAG	48.5947	117.0314	18.9	666.7	476	55726.	1896	1.0	5.7	5.3	5.7	1.1	5.3	27	0.1
43398	0	0	0	0	QAG	48.5947	117.0308	18.9	666.9	475	55722.	1862	0.9	4.0	9.3	4.7	0.4	10.8	28	0.1
43399	0	0	0	0	QAG	48.5947	117.0302	18.9	667.1	459	55722.	1805	1.2	4.5	8.1	3.9	0.6	7.1	40	0.1
43400	0	0	0	0	QAG	48.5947	117.0296	18.9	667.3	444	55724.	1785	1.1	3.7	8.5	3.4	0.4	7.8	33	0.1
43401	0	0	0	0	QAG	48.5947	117.0290	18.9	667.4	426	55726.	1664	1.1	3.9	6.9	3.7	0.6	6.6	39	0.1
43402	0	0	0	0	QAG	48.5946	117.0284	18.9	667.6	407	55731.	1654	0.9	4.3	6.0	4.6	0.7	6.3	37	0.1
43403	0	0	0	0	QAG	48.5946	117.0278	18.9	667.6	397	55737.	1530	1.2	2.5	3.6	2.1	0.7	3.0	33	0.1
43404	0	0	0	0	QAG	48.5946	117.0272	18.9	667.7	398	55743.	1522	1.2	2.1	4.1	1.8	0.5	3.5	40	0.1
43405	0	0	0	0	QAG	48.5946	117.0266	18.9	667.8	416	55752.	1649	1.0	3.7	7.5	3.8	0.5	7.7	33	0.1
43406	0	0	0	0	QAG	48.5946	117.0260	18.9	667.8	440	55760.	1763	1.4	2.5	6.7	1.8	0.4	4.7	32	0.1
43407	0	0	0	0	QAG	48.5945	117.0254	18.9	667.9	446	55769.	1830	1.5	3.6	7.9	2.4	0.5	5.4	24	0.1
43408	0	0	0	0	QAG	48.5945	117.0248	18.9	667.9	451	55778.	1973	1.2	2.8	9.9	2.2	0.3	8.0	26	0.1
43409	0	0	0	0	QAG	48.5945	117.0242	18.9	667.9	459	55787.	1915	1.4	3.2	8.0	2.3	0.4	5.6	29	0.1
43410	0	0	0	0	QAG	48.5945	117.0236	18.9	667.9	474	55798.	2027	1.1	4.3	8.9	3.8	0.5	7.9	45	0.1

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 10

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43760	0	0	0	0	KG	48.5926	117.2025	17.1	651.4	539	55719.	1992	2.2	4.3	7.5	2.0	0.6	3.4	45	0.1
43759	0	0	0	0	KG	48.5926	117.2019	17.1	651.3	558	55720.	1943	1.6	3.8	9.2	2.4	0.4	5.7	34	0.1
43758	0	0	0	0	KG	48.5926	117.2013	17.1	651.2	571	55723.	2030	2.1	3.5	6.7	1.7	0.5	3.2	33	0.1
43757	0	0	0	0	KG	48.5926	117.2008	17.1	651.0	581	55725.	2068	1.7	4.8	6.3	2.9	0.8	3.8	40	0.1
43756	0	0	0	0	KG	48.5926	117.2002	17.1	650.8	587	55727.	1967	1.9	3.8	6.0	2.0	0.6	3.2	50	0.1
43755	0	0	0	0	KG	48.5926	117.1996	17.1	650.6	591	55731.	2143	1.8	4.4	9.2	2.5	0.5	5.2	40	0.1
43754	0	0	0	0	KG	48.5926	117.1991	17.1	650.4	590	55736.	2095	2.2	3.7	8.1	1.7	0.5	3.8	37	0.1
43753	0	0	0	0	KG	48.5926	117.1985	17.1	650.1	573	55741.	2099	2.2	4.3	8.5	2.0	0.5	3.9	39	0.1
43752	0	0	0	0	KG	48.5927	117.1979	17.1	649.7	556	55748.	2033	1.7	5.2	7.6	3.0	0.7	4.4	46	0.1
43751	0	0	0	0	KG	48.5927	117.1974	17.1	649.3	534	55755.	2160	2.7	2.5	7.0	0.9	0.4	2.6	33	0.1
43750	0	0	0	0	KG	48.5927	117.1968	17.1	648.9	518	55761.	1989	2.3	2.5	6.5	1.1	0.4	2.8	41	0.1
43749	0	0	0	0	KG	48.5927	117.1962	17.1	648.5	499	55767.	1954	1.5	4.4	6.1	3.0	0.7	4.1	33	0.1
43748	0	0	0	0	KG	48.5927	117.1957	17.1	648.1	480	55772.	2026	1.6	5.3	6.1	3.2	0.9	3.8	32	0.1
43747	0	0	0	0	KG	48.5927	117.1951	17.1	647.7	460	55776.	2054	2.1	5.1	6.1	2.5	0.8	3.0	32	0.1
43746	0	0	0	0	KG	48.5927	117.1945	17.1	647.3	431	55781.	2085	1.8	4.4	7.9	2.5	0.6	4.4	37	0.1
43745	0	0	0	0	KG	48.5927	117.1940	17.1	647.0	405	55785.	2081	1.9	3.8	7.0	2.0	0.5	3.7	27	0.1
43744	0	0	0	0	KG	48.5927	117.1934	17.1	646.6	380	55788.	2009	1.5	4.5	8.5	3.1	0.5	5.8	53	0.1
43743	0	0	0	0	KG	48.5927	117.1928	17.1	646.2	359	55791.	2039	1.7	4.0	7.5	2.3	0.5	4.4	29	0.1
43742	0	0	0	0	KG	48.5927	117.1923	17.1	645.9	341	55790.	1981	1.6	3.1	9.5	1.9	0.3	5.8	20	0.1
43741	0	0	0	0	KG	48.5927	117.1917	17.1	645.6	330	55787.	1910	1.7	3.0	8.7	1.7	0.3	5.0	35	0.1
43740	0	0	0	0	KG	48.5927	117.1911	17.1	645.3	330	55780.	1888	1.7	3.7	9.1	2.2	0.4	5.5	36	0.1
43739	0	0	0	0	KG	48.5927	117.1906	17.1	645.0	343	55769.	1764	1.8	3.2	7.3	1.8	0.4	4.1	59	0.1
43738	0	0	0	0	KG	48.5927	117.1900	17.1	644.7	364	55757.	1735	1.4	3.5	7.6	2.6	0.5	5.6	41	0.1
43737	0	0	0	0	KG	48.5927	117.1895	17.1	644.4	391	55744.	1873	1.5	4.0	5.9	2.7	0.7	4.1	52	0.1
43736	0	0	0	0	KG	48.5927	117.1889	17.0	644.2	418	55730.	1884	1.4	5.1	8.0	3.6	0.6	5.6	44	0.1
43735	0	0	0	0	KG	48.5927	117.1883	17.0	644.0	443	55717.	1930	1.7	3.2	7.8	1.9	0.4	4.5	51	0.1
43734	0	0	0	0	QAG	48.5927	117.1878	17.0	643.9	459	55706.	2000	1.8	3.9	9.0	2.2	0.4	5.0	40	0.1
43733	0	0	0	0	QAG	48.5927	117.1872	17.0	643.8	470	55694.	2003	1.8	4.8	8.2	2.7	0.6	4.7	47	0.1
43732	0	0	0	0	QAG	48.5927	117.1867	17.0	643.7	486	55684.	2072	1.9	4.8	5.3	2.6	0.9	2.8	37	0.1
43731	0	0	0	0	QAG	48.5927	117.1861	17.0	643.6	511	55673.	2106	1.7	3.9	6.9	2.4	0.6	4.2	38	0.1
43730	0	0	0	0	QAG	48.5927	117.1855	17.0	643.6	547	55663.	2111	1.7	5.2	7.8	3.0	0.7	4.6	31	0.1
43729	0	0	0	0	QAG	48.5927	117.1850	17.0	643.6	589	55653.	1910	2.2	5.4	8.3	2.5	0.6	3.9	38	0.1
43728	0	0	0	0	QAG	48.5927	117.1844	17.0	643.6	634	55643.	2158	1.6	3.3	10.2	2.1	0.3	6.4	47	0.1
43727	0	0	0	0	QAG	48.5927	117.1839	17.0	643.5	678	55634.	2203	2.0	4.1	7.6	2.1	0.5	3.9	34	0.1
43726	1	0	0	0	KG	48.5927	117.1833	17.0	643.5	717	55625.	2201	1.6	6.0	7.0	3.7	0.9	4.3	44	0.1
43724	1	0	0	0	KG	48.5927	117.1822	17.0	643.5	765	55619.	2386	2.2	4.5	9.1	2.0	0.5	4.1	40	0.1
43723	1	0	0	0	KG	48.5927	117.1816	17.0	643.5	808	55614.	2504	2.1	7.3	7.3	3.6	1.0	3.5	38	0.1
43722	1	0	0	0	KG	48.5927	117.1810	17.0	643.4	838	55612.	2546	2.0	8.3	7.0	4.1	1.2	3.5	47	0.1
43721	1	0	0	0	KG	48.5927	117.1805	16.9	643.2	851	55613.	2658	2.7	6.3	7.6	2.3	0.8	2.8	40	0.1
43720	1	0	0	0	KG	48.5927	117.1799	16.9	643.1	844	55615.	2792	1.6	7.7	10.8	4.8	0.7	6.7	39	0.1
43719	1	0	0	0	KG	48.5927	117.1794	16.9	642.9	824	55619.	2643	2.3	6.5	13.3	2.9	0.5	5.9	34	0.1
43718	1	0	0	0	KG	48.5927	117.1788	16.9	642.6	783	55625.	2570	2.7	5.9	9.1	2.2	0.7	3.4	38	0.1
43717	1	0	0	0	KG	48.5927	117.1782	16.9	642.3	732	55631.	2407	2.9	4.2	8.8	1.5	0.5	3.0	51	0.1
43716	0	0	0	0	KG	48.5927	117.1777	16.9	642.0	676	55637.	2636	1.7	5.5	14.9	3.3	0.4	8.9	30	0.1
43715	0	0	0	0	KG	48.5927	117.1771	16.9	641.7	623	55642.	2304	1.6	5.7	8.5	3.5	0.7	5.2	54	0.1
43714	0	0	0	0	KG	48.5927	117.1765	16.9	641.3	575	55647.	2222	1.9	4.2	8.1	2.2	0.5	4.3	46	0.1
43713	0	0	0	0	KG	48.5927	117.1760	16.8	640.9	538	55653.	2219	2.3	4.1	10.3	1.8	0.4	4.5	40	0.1
43712	0	0	0	0	KG	48.5927	117.1754	16.8	640.4	505	55660.	2189	1.3	6.8	10.1	5.4	0.7	7.9	45	0.1
43711	0	0	0	0	KG	48.5927	117.1749	16.8	640.0	471	55667.	2368	2.3	3.3	11.7	1.4	0.3	5.1	44	0.1
43710	0	0	0	0	KG	48.5927	117.1743	16.8	639.5	434	55674.	2356	1.6	5.6	11.8	3.5	0.5	7.4	43	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 10							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43709	0	0	0	0	KG	48.5927	117.1738	16.8	639.1	403	55680.	2285	2.0	4.9	9.5	2.4	0.5	4.7	50	0.1
43708	0	0	0	0	KG	48.5927	117.1732	16.8	638.6	375	55682.	2141	1.7	4.3	9.4	2.5	0.5	5.6	56	0.1
43707	0	0	0	0	KG	48.5927	117.1726	16.7	638.0	352	55682.	2245	1.8	4.4	10.3	2.5	0.4	5.8	39	0.1
43706	0	0	0	0	KG	48.5927	117.1721	16.7	637.5	331	55679.	2056	1.5	4.4	7.2	2.9	0.6	4.7	44	0.1
43705	0	0	0	0	KG	48.5927	117.1715	16.7	637.0	319	55675.	2159	1.8	3.5	11.1	1.9	0.3	6.2	38	0.1
43704	0	0	0	0	KG	48.5927	117.1709	16.7	636.5	312	55670.	2097	1.7	3.2	9.3	1.8	0.3	5.3	46	0.1
43703	0	0	0	0	KG	48.5926	117.1704	16.7	636.0	310	55665.	2018	1.7	4.0	9.6	2.4	0.4	5.7	43	0.1
43702	0	0	0	0	KG	48.5926	117.1698	16.7	635.5	316	55660.	2153	1.6	3.4	8.6	2.2	0.4	5.5	49	0.1
43701	0	0	0	0	KG	48.5926	117.1693	16.6	634.9	330	55654.	2048	1.6	3.4	8.2	2.1	0.4	5.1	58	0.1
43700	0	0	0	0	KG	48.5926	117.1687	16.6	634.4	364	55647.	2188	1.5	4.5	10.2	3.0	0.4	6.8	42	0.1
43699	0	0	0	0	KG	48.5926	117.1681	16.6	634.0	414	55639.	2257	2.0	3.7	9.8	1.8	0.4	4.9	48	0.1
43698	0	0	0	0	KHM	48.5926	117.1676	16.6	633.5	477	55631.	2416	2.1	3.1	15.1	1.5	0.2	7.4	52	0.1
43697	0	0	0	0	KHM	48.5926	117.1670	16.6	633.0	541	55624.	2493	2.1	3.3	14.7	1.6	0.2	7.1	55	0.1
43696	0	0	0	0	KHM	48.5926	117.1664	16.6	632.5	600	55621.	2706	2.2	6.1	11.5	2.8	0.5	5.3	37	0.1
43695	0	0	0	0	KHM	48.5926	117.1659	16.6	632.0	656	55619.	2586	2.0	2.8	15.2	1.4	0.2	7.6	52	0.1
43694	1	0	0	0	KHM	48.5926	117.1653	16.5	631.5	709	55620.	2894	2.2	6.3	12.7	2.9	0.5	5.8	45	0.1
43693	1	0	0	0	KHM	48.5926	117.1648	16.5	631.0	753	55620.	2703	2.1	5.3	12.6	2.5	0.4	6.1	37	0.1
43692	1	0	0	0	KHM	48.5926	117.1642	16.5	630.5	780	55622.	2963	2.2	6.1	12.0	2.7	0.5	5.4	40	0.1
43691	1	0	0	0	KHM	48.5926	117.1636	16.5	630.0	783	55625.	2897	2.1	4.0	15.9	1.8	0.2	7.4	51	0.1
43690	1	0	0	0	KHM	48.5926	117.1631	16.5	629.4	775	55628.	2942	1.9	8.4	14.0	4.5	0.6	7.5	38	0.1
43689	1	0	0	0	KHM	48.5926	117.1625	16.5	628.9	759	55633.	2901	2.4	5.1	16.8	2.1	0.3	7.0	46	0.1
43688	1	0	0	0	KHM	48.5926	117.1620	16.5	628.3	738	55637.	2716	1.5	7.6	11.1	5.2	0.7	7.7	44	0.1
43687	1	0	0	0	KHM	48.5926	117.1614	16.5	627.6	708	55642.	2665	2.6	5.0	13.3	1.9	0.4	5.1	48	0.1
43686	0	0	0	0	KHM	48.5926	117.1608	16.5	627.0	677	55648.	2549	1.8	4.8	10.3	2.6	0.5	5.6	40	0.1
43685	0	0	0	0	KHM	48.5926	117.1603	16.5	626.3	653	55655.	2588	1.8	6.5	15.4	3.6	0.4	8.4	45	0.1
43684	0	0	0	0	KHM	48.5926	117.1597	16.4	625.6	634	55663.	2531	1.4	7.2	11.9	5.0	0.6	8.2	46	0.1
43683	0	0	0	0	KHM	48.5926	117.1591	16.4	624.9	615	55671.	2450	2.1	4.2	16.0	2.0	0.3	7.7	47	0.1
43682	0	0	0	0	KHM	48.5926	117.1586	16.4	624.1	595	55678.	2560	1.9	6.7	11.1	3.6	0.6	6.0	46	0.1
43681	0	0	0	0	KHM	48.5926	117.1580	16.4	623.4	576	55687.	2613	1.7	6.1	10.6	3.5	0.6	6.1	40	0.1
43680	0	0	0	0	KHM	48.5926	117.1575	16.4	622.7	558	55695.	2687	1.7	6.2	15.9	3.7	0.4	9.5	47	0.1
43679	0	0	0	0	KHM	48.5926	117.1569	16.4	622.0	536	55705.	2679	2.0	3.5	15.0	1.8	0.2	7.6	41	0.1
43678	0	0	0	0	KHM	48.5926	117.1563	16.4	621.3	509	55714.	2695	1.8	7.1	12.0	4.0	0.6	6.7	46	0.1
43677	0	0	0	0	KHM	48.5926	117.1558	16.4	620.6	481	55723.	2701	1.9	4.4	12.5	2.3	0.4	6.5	61	0.1
43676	0	0	0	0	KHM	48.5926	117.1552	16.4	620.0	456	55731.	2718	1.8	5.0	13.0	2.9	0.4	7.4	48	0.1
43675	0	0	0	0	KHM	48.5926	117.1547	16.4	619.4	433	55739.	2764	2.3	4.8	14.9	2.1	0.3	6.4	53	0.1
43674	0	0	0	0	KHM	48.5926	117.1541	16.4	618.8	409	55746.	2746	2.2	4.2	14.4	1.9	0.3	6.7	46	0.1
43673	0	0	0	0	KHM	48.5926	117.1535	16.4	618.2	383	55752.	2813	1.6	5.2	12.4	3.3	0.4	7.7	46	0.1
43672	0	0	0	0	KHM	48.5926	117.1530	16.4	617.6	355	55759.	2701	2.0	4.3	10.9	2.2	0.4	5.5	55	0.1
43671	0	0	0	0	KHM	48.5926	117.1524	16.4	617.1	328	55767.	2775	2.0	6.0	14.8	3.0	0.4	7.4	55	0.1
43670	0	0	0	0	KHM	48.5926	117.1518	16.4	616.6	309	55773.	2704	2.1	4.4	13.1	2.1	0.3	6.3	65	0.1
43669	0	0	0	0	KHM	48.5926	117.1513	16.4	616.2	293	55788.	2721	1.7	5.5	13.6	3.3	0.4	8.0	69	0.1
43668	0	0	0	0	KHM	48.5926	117.1507	16.4	615.8	281	55798.	2766	2.0	6.1	13.0	3.1	0.5	6.5	59	0.1
43667	0	0	0	0	KHM	48.5926	117.1502	16.5	615.4	270	55806.	2825	2.2	4.8	16.5	2.2	0.3	7.5	58	0.1
43666	0	0	0	0	KHM	48.5926	117.1496	16.5	615.1	267	55813.	2815	2.0	4.6	16.2	2.3	0.3	8.3	57	0.1
43665	0	0	0	0	KHM	48.5926	117.1490	16.5	614.8	266	55819.	2749	1.8	4.9	13.9	2.7	0.3	7.7	79	0.1
43664	0	0	0	0	KHM	48.5926	117.1485	16.5	614.5	266	55825.	2858	2.4	3.5	14.3	1.5	0.2	5.9	58	0.1
43663	0	0	0	0	KHM	48.5926	117.1480	16.5	614.3	265	55827.	2712	2.4	5.0	13.8	2.1	0.4	5.8	59	0.1
43662	0	0	0	0	KHM	48.5926	117.1475	16.5	614.2	263	55828.	2723	2.3	3.9	16.9	1.7	0.2	7.3	46	0.1
43661	0	0	0	0	KHM	48.5926	117.1470	16.5	614.1	264	55826.	2508	1.7	4.5	12.3	2.6	0.4	7.1	63	0.1
43660	0	0	0	0	KHM	48.5926	117.1465	16.5	614.1	263	55822.	2638	1.9	5.3	12.3	2.8	0.4	6.5	62	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979														LINE NO. 10						
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43659	0	0	0	0	KHM	48.5926	117.1460	16.5	614.1	267	55817.	2525	2.2	2.5	14.8	1.1	0.2	6.8	52	0.1
43658	0	0	0	0	KHM	48.5925	117.1455	16.6	614.2	273	55813.	2442	2.0	2.6	13.6	1.3	0.2	6.9	48	0.1
43657	0	0	0	0	KHM	48.5925	117.1450	16.6	614.3	286	55810.	2422	1.9	4.3	14.4	2.3	0.3	7.6	65	0.1
43656	0	0	0	0	KHM	48.5925	117.1445	16.6	614.5	302	55807.	2492	2.3	2.9	14.8	1.3	0.2	6.3	54	0.1
43655	0	0	0	0	KHM	48.5925	117.1440	16.6	614.8	317	55804.	2488	2.0	4.2	12.6	2.1	0.3	6.3	65	0.1
43654	0	0	0	0	KHM	48.5925	117.1435	16.6	615.1	327	55803.	2538	2.2	4.6	12.2	2.1	0.4	5.6	59	0.1
43653	0	0	0	0	KHM	48.5925	117.1430	16.6	615.4	333	55800.	2583	1.8	4.0	13.1	2.2	0.3	7.3	60	0.1
43652	0	0	0	0	KHM	48.5925	117.1425	16.7	615.8	335	55799.	2452	1.9	3.7	13.2	1.9	0.3	7.0	50	0.1
43651	0	0	0	0	KHM	48.5925	117.1420	16.7	616.3	336	55798.	2611	2.1	4.4	13.6	2.0	0.3	6.4	45	0.1
43650	0	0	0	0	KHM	48.5925	117.1415	16.7	616.8	333	55798.	2526	2.3	3.5	14.4	1.5	0.2	6.3	47	0.1
43649	0	0	0	0	KHM	48.5925	117.1410	16.7	617.3	330	55798.	2527	2.1	3.7	13.7	1.7	0.3	6.5	55	0.1
43648	0	0	0	0	KHM	48.5925	117.1405	16.7	617.8	329	55798.	2591	2.5	4.2	13.7	1.7	0.3	5.5	46	0.1
43647	0	0	0	0	KHM	48.5925	117.1400	16.8	618.4	329	55797.	2619	2.4	4.2	14.1	1.7	0.3	5.9	46	0.1
43646	0	0	0	0	KHM	48.5925	117.1395	16.8	619.0	331	55796.	2482	2.2	4.6	13.0	2.1	0.4	5.9	43	0.1
43645	0	0	0	0	KHM	48.5925	117.1391	16.8	619.6	335	55794.	2654	2.4	3.8	15.9	1.6	0.2	6.7	42	0.1
43644	0	0	0	0	KHM	48.5925	117.1385	16.8	620.3	340	55790.	2565	2.5	4.0	14.8	1.6	0.3	5.9	46	0.1
43643	0	0	0	0	KHM	48.5925	117.1381	16.8	620.9	349	55786.	2509	2.1	3.6	12.7	1.7	0.3	6.1	57	0.1
43642	0	0	0	0	KHM	48.5925	117.1376	16.9	621.6	359	55780.	2553	1.9	2.4	14.6	1.3	0.2	7.7	55	0.1
43641	0	0	0	0	KHM	48.5925	117.1371	16.9	622.3	375	55775.	2573	2.3	2.9	13.5	1.2	0.2	5.8	58	0.1
43640	0	0	0	0	KHM	48.5925	117.1366	16.9	623.0	395	55770.	2611	2.2	4.5	12.9	2.0	0.3	5.7	45	0.1
43639	0	0	0	0	KHM	48.5924	117.1361	16.9	623.6	420	55765.	2772	2.2	4.7	15.7	2.1	0.3	7.1	59	0.1
43638	0	0	0	0	KHM	48.5924	117.1356	16.9	624.3	445	55761.	2841	2.0	5.9	12.9	3.0	0.5	6.5	39	0.1
43637	0	0	0	0	KHM	48.5924	117.1351	17.0	625.0	467	55758.	2833	2.4	4.4	17.5	1.8	0.2	7.4	55	0.1
43636	0	0	0	0	KHM	48.5924	117.1346	17.0	625.7	479	55756.	2861	2.3	5.8	15.1	2.6	0.4	6.6	41	0.1
43635	0	0	0	0	KHM	48.5924	117.1341	17.0	626.4	481	55756.	2755	2.1	3.9	14.6	1.8	0.3	6.8	48	0.1
43633	0	0	0	0	KHM	48.5924	117.1331	17.0	627.0	477	55756.	2946	2.2	6.1	15.3	2.8	0.4	7.0	37	0.1
43632	0	0	0	0	KHM	48.5924	117.1326	17.0	627.7	472	55755.	2717	2.0	5.3	14.4	2.7	0.4	7.3	51	0.1
43631	0	0	0	0	KHM	48.5924	117.1321	17.0	628.3	472	55755.	2683	1.9	4.4	14.7	2.3	0.3	7.8	49	0.1
43630	0	0	0	0	KHM	48.5924	117.1316	17.1	629.0	480	55753.	2822	2.4	4.1	14.9	1.7	0.3	6.1	54	0.1
43629	0	0	0	0	KHM	48.5924	117.1311	17.1	629.6	494	55751.	2746	1.9	7.3	12.8	3.9	0.6	6.7	47	0.1
43628	0	0	0	0	KHM	48.5924	117.1306	17.1	630.2	516	55747.	2823	2.2	3.6	14.6	1.6	0.2	6.5	60	0.1
43627	0	0	0	0	KHM	48.5924	117.1301	17.1	630.8	540	55743.	3008	2.0	6.4	12.7	3.2	0.5	6.4	43	0.1
43626	0	0	0	0	KHM	48.5924	117.1296	17.1	631.4	564	55738.	3168	2.3	7.7	12.1	3.3	0.6	5.2	50	0.1
43625	0	0	0	0	KHM	48.5924	117.1291	17.1	632.0	579	55734.	3392	2.2	6.1	19.5	2.7	0.3	8.8	52	0.1
43624	0	0	0	0	KHM	48.5923	117.1286	17.2	632.7	577	55730.	3359	1.8	8.9	14.9	4.9	0.6	8.3	52	0.1
43623	0	0	0	0	KHM	48.5923	117.1281	17.2	633.2	559	55726.	3359	2.3	5.3	19.7	2.3	0.3	8.6	37	0.1
43622	0	0	0	0	KHM	48.5923	117.1276	17.2	633.8	537	55722.	3202	2.6	6.2	17.2	2.4	0.4	6.7	46	0.1
43621	0	0	0	0	KHM	48.5923	117.1272	17.2	634.4	520	55719.	3244	2.3	7.6	15.5	3.4	0.5	6.9	41	0.1
43620	0	0	0	0	KHM	48.5923	117.1266	17.2	634.9	509	55717.	3317	2.0	7.8	16.0	3.8	0.5	7.8	49	0.1
43619	0	0	0	0	KHM	48.5923	117.1261	17.2	635.4	502	55717.	3395	2.3	5.3	17.0	2.3	0.3	7.5	63	0.1
43618	0	0	0	0	KHM	48.5923	117.1257	17.3	636.0	496	55717.	3418	2.0	6.5	19.0	3.3	0.3	9.6	38	0.1
43617	0	0	0	0	KHM	48.5923	117.1252	17.3	636.5	493	55716.	3453	2.1	8.2	15.4	4.0	0.5	7.4	58	0.1
43616	0	0	0	0	KHM	48.5923	117.1247	17.3	637.0	494	55717.	3452	2.2	7.9	16.7	3.7	0.5	7.7	37	0.1
43615	0	0	0	0	KHM	48.5923	117.1242	17.3	637.5	499	55717.	3359	1.9	8.2	15.0	4.2	0.5	7.8	47	0.1
43614	0	0	0	0	KHM	48.5923	117.1237	17.3	638.0	507	55718.	3556	2.0	8.6	14.9	4.3	0.6	7.4	35	0.1
43613	0	0	0	0	KHM	48.5923	117.1232	17.3	638.5	518	55720.	3440	2.2	10.3	12.2	4.7	0.9	5.6	31	0.1
43612	0	0	0	0	KHM	48.5923	117.1227	17.3	638.9	530	55722.	3559	2.5	7.1	18.4	2.9	0.4	7.5	40	0.1
43611	0	0	0	0	KHM	48.5923	117.1222	17.3	639.3	541	55725.	3663	1.9	9.4	18.1	4.9	0.5	9.4	33	0.1
43610	0	0	0	0	KHM	48.5923	117.1217	17.3	639.7	548	55728.	3775	2.7	8.1	14.8	3.0	0.5	5.6	38	0.1
43609	0	0	0	0	KHM	48.5923	117.1212	17.3	640.1	553	55730.	3913	2.3	6.1	18.3	2.6	0.3	7.8	23	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 10							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43608	0	0	0	0	KHM	48.5923	117.1207	17.3	640.5	562	55732.	3661	2.3	9.9	17.5	4.4	0.6	7.8	47	0.1
43607	0	0	0	0	KHM	48.5923	117.1202	17.4	641.0	577	55733.	3814	1.6	10.8	20.1	6.8	0.5	12.7	41	0.1
43606	0	0	0	0	KHM	48.5923	117.1197	17.4	641.3	594	55735.	3985	2.3	9.4	17.6	4.1	0.5	7.7	37	0.1
43605	0	0	0	0	KHM	48.5922	117.1192	17.4	641.6	592	55738.	4011	2.4	10.5	15.1	4.5	0.7	6.4	34	0.1
43604	0	0	0	0	KHM	48.5922	117.1187	17.4	641.9	566	55743.	3810	2.0	9.9	17.3	5.0	0.6	8.7	56	0.1
43603	0	0	0	0	KHM	48.5922	117.1182	17.4	642.2	517	55749.	3822	2.4	8.6	17.5	3.6	0.5	7.4	39	0.1
43602	0	0	0	0	KHM	48.5922	117.1177	17.4	642.4	465	55757.	3481	1.8	6.5	16.9	3.7	0.4	9.5	39	0.1
43601	0	0	0	0	KHM	48.5922	117.1172	17.4	642.7	423	55766.	3260	1.5	9.2	14.4	6.1	0.6	9.5	58	0.1
43600	0	0	0	0	KHM	48.5922	117.1167	17.4	642.9	396	55776.	3195	1.8	7.6	14.7	4.2	0.5	8.1	42	0.1
43599	0	0	0	0	KHM	48.5922	117.1162	17.4	643.1	383	55785.	3146	1.9	7.8	14.0	4.2	0.6	7.6	41	0.1
43598	0	0	0	0	KHM	48.5922	117.1157	17.4	643.2	381	55793.	2986	1.8	5.9	12.4	3.3	0.5	6.9	37	0.1
43597	0	0	0	0	KHM	48.5922	117.1152	17.4	643.4	382	55798.	3077	1.8	6.5	14.6	3.6	0.4	8.2	43	0.1
43596	0	0	0	0	KHM	48.5922	117.1147	17.4	643.6	385	55801.	3045	1.9	4.6	14.0	2.5	0.3	7.5	58	0.1
43595	0	0	0	0	KHM	48.5922	117.1142	17.4	643.8	390	55802.	2894	1.4	5.9	14.9	4.1	0.4	10.4	40	0.1
43594	0	0	0	0	KHM	48.5922	117.1138	17.4	644.0	409	55801.	2993	1.8	6.0	13.8	3.3	0.4	7.7	42	0.1
43593	0	0	0	0	KHM	48.5922	117.1133	17.5	644.2	440	55798.	2978	1.8	7.2	13.9	3.9	0.5	7.7	41	0.1
43592	0	0	0	0	KHM	48.5922	117.1128	17.5	644.4	477	55795.	3261	2.4	7.0	12.4	2.9	0.6	5.2	32	0.1
43591	0	0	0	0	KHM	48.5922	117.1123	17.5	644.7	510	55793.	3236	2.2	6.9	12.5	3.1	0.6	5.6	47	0.1
43590	0	0	0	0	KHM	48.5922	117.1118	17.5	645.0	539	55790.	3597	2.1	9.2	14.8	4.5	0.6	7.1	41	0.1
43589	0	0	0	0	KHM	48.5921	117.1113	17.5	645.3	563	55787.	3680	2.9	6.5	19.5	2.3	0.3	6.8	51	0.1
43588	0	0	0	0	KHM	48.5921	117.1108	17.5	645.6	573	55783.	3624	2.4	10.0	12.5	4.1	0.8	5.1	44	0.1
43587	0	0	0	0	KHM	48.5921	117.1103	17.5	645.9	567	55777.	3555	2.1	8.1	16.3	3.9	0.5	7.9	40	0.1
43586	0	0	0	0	KHM	48.5921	117.1098	17.5	646.2	562	55771.	3499	2.1	8.3	18.5	4.0	0.4	8.9	34	0.1
43585	0	0	0	0	KHM	48.5921	117.1093	17.5	646.6	577	55763.	3394	1.8	8.0	15.8	4.5	0.5	8.9	39	0.1
43584	0	0	0	0	KHM	48.5921	117.1088	17.5	646.9	615	55757.	3641	2.4	6.7	20.6	2.8	0.3	8.6	26	0.1
43583	0	0	0	0	KHM	48.5921	117.1083	17.5	647.2	652	55751.	3506	2.1	7.3	14.8	3.5	0.5	7.1	34	0.1
43582	0	0	0	0	KHM	48.5921	117.1078	17.5	647.4	678	55745.	3633	2.0	8.8	18.5	4.4	0.5	9.2	42	0.1
43581	0	0	0	0	KHM	48.5921	117.1073	17.5	647.7	694	55743.	3405	2.2	10.2	13.0	4.6	0.8	5.9	40	0.1
43580	1	0	0	0	KHM	48.5921	117.1068	17.5	647.9	709	55743.	3347	2.6	7.3	14.1	2.8	0.5	5.5	45	0.1
43579	1	0	0	0	KHM	48.5921	117.1063	17.5	648.1	713	55746.	3597	2.6	8.3	14.4	3.2	0.6	5.5	45	0.1
43578	1	0	0	0	KHM	48.5921	117.1056	17.5	648.3	703	55750.	3378	2.4	7.8	15.1	3.3	0.5	6.4	43	0.1
43577	0	0	0	0	KHM	48.5921	117.1050	17.6	648.4	681	55754.	3278	2.7	6.6	15.7	2.4	0.4	5.8	34	0.1
43576	0	0	0	0	KHM	48.5921	117.1043	17.6	648.5	660	55758.	3105	2.2	6.9	12.4	3.2	0.6	5.6	42	0.1
43575	0	0	0	0	KHM	48.5921	117.1037	17.6	648.6	637	55762.	3085	2.6	5.8	12.9	2.2	0.4	4.9	35	0.1
43574	0	0	0	0	KHM	48.5921	117.1030	17.6	648.7	611	55764.	3069	2.4	5.4	15.3	2.2	0.3	6.4	41	0.1
43573	0	0	0	0	KHM	48.5921	117.1023	17.6	648.7	584	55766.	2975	1.7	6.0	12.2	3.6	0.5	7.3	42	0.1
43572	0	0	0	0	KHM	48.5921	117.1017	17.6	648.7	559	55768.	2884	2.1	6.0	13.5	2.9	0.4	6.6	34	0.1
43571	0	0	0	0	KHM	48.5921	117.1010	17.6	648.8	534	55768.	2787	1.6	9.0	8.6	5.7	1.1	5.4	42	0.1
43570	0	0	0	0	KHM	48.5921	117.1003	17.6	648.8	510	55767.	2797	1.9	5.1	14.9	2.6	0.3	7.7	42	0.1
43569	0	0	0	0	KHM	48.5921	117.0997	17.6	648.8	490	55764.	2743	1.6	7.6	10.8	4.9	0.7	6.9	51	0.1
43568	0	0	0	0	KHM	48.5921	117.0990	17.6	648.7	474	55759.	2680	1.6	7.2	12.0	4.6	0.6	7.7	46	0.1
43567	0	0	0	0	KHM	48.5921	117.0983	17.6	648.7	468	55751.	2630	2.1	7.2	11.1	3.5	0.6	5.4	36	0.1
43566	0	0	0	0	KHM	48.5921	117.0977	17.6	648.6	477	55742.	2633	1.6	5.5	11.9	3.5	0.5	7.5	38	0.1
43565	0	0	0	0	KHM	48.5921	117.0970	17.6	648.6	503	55731.	2626	1.3	7.7	12.0	6.2	0.6	9.6	35	0.1
43564	0	0	0	0	KHM	48.5921	117.0964	17.6	648.5	538	55721.	2675	1.7	7.1	7.7	4.3	0.9	4.6	56	0.1
43563	0	0	0	0	KHM	48.5921	117.0957	17.6	648.5	577	55710.	2957	1.9	6.6	14.6	3.4	0.5	7.5	36	0.1
43562	0	0	0	0	KHM	48.5921	117.0950	17.6	648.4	614	55702.	2982	2.1	6.0	12.0	2.8	0.5	5.6	36	0.1
43561	0	0	0	0	KHM	48.5921	117.0944	17.6	648.3	632	55695.	3025	2.2	5.0	14.3	2.3	0.3	6.6	44	0.1
43560	0	0	0	0	QAG	48.5921	117.0937	17.6	648.3	635	55690.	3013	2.0	7.1	11.2	3.5	0.6	5.6	42	0.1
43559	0	0	0	0	QAG	48.5921	117.0931	17.7	648.2	626	55686.	3018	1.9	7.3	10.9	3.8	0.7	5.7	40	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 10

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43558	0	0	0	0	QAG	48.5921	117.0924	17.7	648.1	618	55683.	3060	1.5	8.5	10.3	5.8	0.8	7.1	34	0.1
43557	0	0	0	0	QAG	48.5921	117.0918	17.7	648.0	603	55681.	2823	1.8	6.8	11.0	3.7	0.6	6.0	48	0.1
43556	0	0	0	0	QAG	48.5921	117.0911	17.7	648.0	577	55681.	2807	1.9	8.0	8.4	4.3	0.9	4.5	32	0.1
43555	0	0	0	0	KHM	48.5920	117.0905	17.7	647.9	546	55681.	2826	2.1	5.4	16.3	2.6	0.3	7.8	45	0.1
43554	0	0	0	0	KHM	48.5920	117.0898	17.7	647.8	518	55681.	2705	2.2	4.8	11.6	2.2	0.4	5.3	50	0.1
43553	0	0	0	0	KHM	48.5920	117.0892	17.7	647.6	502	55681.	2640	1.6	4.5	11.7	2.8	0.4	7.4	34	0.1
43552	0	0	0	0	KHM	48.5920	117.0885	17.7	647.6	508	55679.	2671	1.8	5.8	11.4	3.3	0.5	6.4	27	0.1
43551	0	0	0	0	KHM	48.5920	117.0878	17.7	647.4	534	55677.	2746	2.0	5.6	11.2	2.8	0.5	5.6	44	0.1
43550	0	0	0	0	KHM	48.5920	117.0872	17.7	647.3	579	55673.	2949	1.8	7.2	11.9	4.0	0.6	6.7	35	0.1
43549	0	0	0	0	KHM	48.5920	117.0865	17.7	647.2	624	55669.	3073	2.1	8.2	13.4	3.8	0.6	6.3	46	0.1
43548	0	0	0	0	KHM	48.5920	117.0859	17.7	647.1	659	55666.	3320	2.4	8.3	14.6	3.5	0.6	6.2	36	0.1
43547	0	0	0	0	KHM	48.5920	117.0852	17.7	647.0	680	55663.	3275	2.4	4.4	18.4	1.8	0.2	7.6	41	0.2
43546	0	0	0	0	KHM	48.5919	117.0846	17.8	646.9	682	55661.	3271	2.2	7.3	13.5	3.4	0.5	6.2	45	0.2
43545	0	0	0	0	KHM	48.5919	117.0839	17.8	646.8	657	55659.	3139	1.4	6.0	12.9	4.3	0.5	9.3	40	0.2
43544	0	0	0	0	KHM	48.5919	117.0833	17.8	646.7	612	55656.	2905	1.8	5.1	15.3	2.8	0.3	8.3	45	0.2
43542	0	0	0	0	KHM	48.5919	117.0821	17.8	646.6	560	55653.	2664	2.1	5.4	12.9	2.5	0.4	6.0	46	0.2
43541	0	0	0	0	KHM	48.5919	117.0815	17.8	646.4	520	55650.	2667	1.8	5.3	10.4	3.0	0.5	5.9	42	0.2
43540	0	0	0	0	KHM	48.5919	117.0809	17.8	646.3	493	55649.	2487	2.1	3.6	10.7	1.7	0.3	5.2	47	0.2
43539	0	0	0	0	KHM	48.5919	117.0803	17.8	646.2	485	55648.	2476	2.0	3.0	13.6	1.5	0.2	6.9	49	0.2
43538	0	0	0	0	KHM	48.5918	117.0797	17.8	646.0	500	55648.	2733	1.6	6.7	13.0	4.2	0.5	8.0	40	0.2
43537	0	0	0	0	KHM	48.5918	117.0790	17.8	645.9	536	55649.	2800	1.7	6.2	11.4	3.6	0.5	6.6	37	0.2
43536	0	0	0	0	KHM	48.5918	117.0784	17.8	645.7	582	55648.	3019	1.8	8.2	13.2	4.6	0.6	7.3	24	0.2
43535	0	0	0	0	KHM	48.5918	117.0778	17.9	645.7	616	55646.	3153	2.1	7.3	13.0	3.5	0.6	6.2	43	0.2
43534	0	0	0	0	KHM	48.5918	117.0772	17.9	645.5	616	55645.	3176	2.1	5.3	19.8	2.5	0.3	9.5	40	0.1
43533	0	0	0	0	KHM	48.5918	117.0766	17.9	645.4	587	55645.	3118	1.8	6.2	13.6	3.4	0.5	7.6	41	0.2
43532	0	0	0	0	KHM	48.5918	117.0760	17.9	645.3	547	55646.	3008	2.1	5.1	13.2	2.4	0.4	6.3	31	0.2
43531	0	0	0	0	KHM	48.5918	117.0754	17.9	645.2	513	55649.	2738	2.3	3.9	13.0	1.7	0.3	5.6	50	0.2
43530	0	0	0	0	KHM	48.5918	117.0748	17.9	645.1	480	55653.	2824	2.4	4.8	14.5	2.0	0.3	6.0	41	0.2
43529	0	0	0	0	KHM	48.5917	117.0742	17.9	645.0	445	55660.	2738	1.7	7.3	10.2	4.3	0.7	6.0	38	0.2
43528	0	0	0	0	KHM	48.5917	117.0735	17.9	644.9	412	55666.	2662	2.1	4.2	12.6	2.0	0.3	6.0	40	0.2
43527	0	0	0	0	KHM	48.5917	117.0729	18.0	644.9	383	55673.	2502	1.9	4.3	9.6	2.2	0.4	5.0	37	0.2
43526	0	0	0	0	KHM	48.5917	117.0723	18.0	644.9	359	55680.	2452	2.0	3.7	9.7	1.8	0.4	4.8	45	0.2
43525	0	0	0	0	KHM	48.5917	117.0717	18.0	644.8	339	55685.	2390	1.9	3.7	8.8	2.0	0.4	4.7	45	0.2
43524	0	0	0	0	KHM	48.5917	117.0711	18.0	644.9	325	55690.	2356	1.8	3.8	8.8	2.1	0.4	5.0	38	0.2
43523	0	0	0	0	KHM	48.5917	117.0705	18.0	644.9	327	55692.	2453	1.7	4.1	12.2	2.4	0.3	7.3	46	0.2
43522	0	0	0	0	KHM	48.5917	117.0699	18.0	645.0	341	55693.	2498	1.6	3.9	12.7	2.4	0.3	7.9	52	0.2
43521	0	0	0	0	KHM	48.5916	117.0693	18.0	645.1	367	55692.	2675	1.7	4.2	13.9	2.4	0.3	7.9	36	0.2
43520	0	0	0	0	KHM	48.5916	117.0687	18.1	645.3	397	55691.	2759	1.7	5.0	14.5	2.9	0.3	8.5	46	0.2
43519	0	0	0	0	KHM	48.5916	117.0681	18.1	645.5	425	55689.	2786	1.9	3.3	15.5	1.7	0.2	8.2	52	0.2
43518	0	0	0	0	KHM	48.5916	117.0674	18.1	645.7	452	55687.	2910	1.7	4.9	14.6	2.9	0.3	8.8	33	0.2
43517	0	0	0	0	KHM	48.5916	117.0668	18.1	645.9	477	55684.	2950	1.7	6.8	12.4	3.9	0.6	7.1	42	0.2
43516	0	0	0	0	KHM	48.5916	117.0662	18.1	646.2	496	55680.	2914	1.9	5.1	16.1	2.6	0.3	8.4	58	0.2
43515	0	0	0	0	KHM	48.5916	117.0656	18.1	646.6	510	55675.	2813	2.5	3.6	8.5	1.4	0.4	3.4	59	0.2
43514	0	0	0	0	KHM	48.5916	117.0650	18.2	646.9	519	55669.	2915	2.4	4.7	12.9	2.0	0.4	5.4	39	0.2
43513	0	0	0	0	KHM	48.5916	117.0644	18.2	647.3	535	55664.	3033	2.2	5.0	13.2	2.3	0.4	6.1	34	0.2
43512	0	0	0	0	KHM	48.5915	117.0638	18.2	647.7	552	55661.	2932	1.9	6.8	12.9	3.5	0.5	6.6	45	0.2
43511	0	0	0	0	KHM	48.5915	117.0632	18.2	648.0	565	55659.	3107	2.1	6.6	14.3	3.2	0.5	6.8	42	0.2
43510	0	0	0	0	KHM	48.5915	117.0625	18.2	648.4	567	55658.	2962	2.1	4.3	15.0	2.0	0.3	7.0	41	0.2
43509	0	0	0	0	KHM	48.5915	117.0619	18.3	648.7	556	55658.	2969	1.8	4.9	10.5	2.7	0.5	5.7	22	0.1
43508	0	0	0	0	KHM	48.5915	117.0613	18.3	649.0	536	55658.	2779	2.0	4.5	15.3	2.2	0.3	7.5	42	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 10							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43507	0	0	0	0	KHM	48.5915	117.0607	18.3	649.3	518	55657.	2601	1.8	4.3	12.0	2.5	0.4	6.8	48	0.2
43506	0	0	0	0	KHM	48.5915	117.0601	18.3	649.6	513	55658.	2674	1.8	4.6	12.7	2.5	0.4	7.0	52	0.2
43505	0	0	0	0	KHM	48.5915	117.0595	18.3	649.8	518	55659.	2818	2.1	5.5	17.2	2.7	0.3	8.4	43	0.2
43504	0	0	0	0	KHM	48.5914	117.0589	18.4	650.1	508	55661.	2756	1.7	5.5	13.8	3.2	0.4	7.9	53	0.2
43503	0	0	0	0	KHM	48.5914	117.0583	18.4	650.3	481	55664.	2672	2.0	3.4	13.5	1.7	0.2	6.9	33	0.2
43502	0	0	0	0	KHM	48.5914	117.0577	18.4	650.5	445	55667.	2476	2.0	3.3	9.4	1.7	0.4	4.8	45	0.2
43501	0	0	0	0	KHM	48.5914	117.0571	18.4	650.7	418	55671.	2519	1.6	4.4	15.0	2.7	0.3	9.2	32	0.2
43500	0	0	0	0	KHM	48.5914	117.0564	18.4	651.0	396	55675.	2415	2.1	3.2	12.2	1.5	0.3	5.8	30	0.2
43499	0	0	0	0	KHM	48.5914	117.0558	18.5	651.2	385	55680.	2347	2.3	3.1	9.6	1.3	0.3	4.1	44	0.2
43498	0	0	0	0	KHM	48.5914	117.0552	18.5	651.5	390	55685.	2368	1.6	4.6	9.6	2.9	0.5	5.9	42	0.2
43497	0	0	0	0	KHM	48.5914	117.0546	18.5	651.7	402	55691.	2582	1.8	5.9	11.4	3.3	0.5	6.5	41	0.2
43496	0	0	0	0	KHM	48.5914	117.0540	18.5	652.0	412	55697.	2629	2.2	3.3	15.6	1.5	0.2	7.0	45	0.2
43495	0	0	0	0	KHM	48.5913	117.0534	18.5	652.3	407	55703.	2726	1.9	3.9	13.2	2.0	0.3	6.9	49	0.2
43494	0	0	0	0	KHM	48.5913	117.0528	18.5	652.6	403	55708.	2815	1.6	5.7	11.4	3.5	0.5	7.1	36	0.2
43493	0	0	0	0	KHM	48.5913	117.0522	18.6	653.0	404	55712.	2789	2.1	3.6	12.0	1.7	0.3	5.8	47	0.1
43492	0	0	0	0	KHM	48.5913	117.0515	18.6	653.3	422	55715.	2882	1.9	6.0	10.5	3.1	0.6	5.4	46	0.1
43491	0	0	0	0	KHM	48.5913	117.0509	18.6	653.7	446	55715.	3007	2.3	5.9	13.9	2.6	0.4	6.1	40	0.1
43490	0	0	0	0	KHM	48.5913	117.0503	18.6	654.0	471	55716.	3119	2.5	5.3	13.6	2.1	0.4	5.4	43	0.1
43489	0	0	0	0	KHM	48.5913	117.0497	18.6	654.4	471	55716.	3014	2.1	4.8	14.9	2.2	0.3	7.0	52	0.1
43488	0	0	0	0	KHM	48.5913	117.0491	18.6	654.8	456	55716.	3046	2.4	5.4	14.9	2.3	0.4	6.3	29	0.1
43487	0	0	0	0	KHM	48.5912	117.0485	18.7	655.2	434	55717.	2848	2.3	4.3	14.6	1.9	0.3	6.3	57	0.1
43486	0	0	0	0	KHM	48.5912	117.0479	18.7	655.6	423	55715.	2778	2.4	4.8	13.1	2.0	0.4	5.4	44	0.1
43485	0	0	0	0	KHM	48.5912	117.0473	18.7	655.9	415	55714.	2852	1.7	6.6	10.5	3.8	0.6	6.1	49	0.1
43484	0	0	0	0	KHM	48.5912	117.0467	18.7	656.3	409	55713.	2854	2.3	4.1	13.5	1.8	0.3	5.8	40	0.1
43483	0	0	0	0	KHM	48.5912	117.0461	18.7	656.7	403	55712.	2689	2.1	3.6	13.4	1.8	0.3	6.5	60	0.1
43482	0	0	0	0	KHM	48.5912	117.0454	18.7	657.0	407	55713.	2721	1.9	4.5	13.6	2.3	0.3	7.0	47	0.1
43481	0	0	0	0	KHM	48.5912	117.0448	18.7	657.4	416	55712.	2728	1.5	6.4	11.9	4.1	0.5	7.7	41	0.1
43480	0	0	0	0	KHM	48.5912	117.0442	18.8	657.7	434	55710.	2873	1.9	6.9	12.0	3.7	0.6	6.3	24	0.1
43479	0	0	0	0	KHM	48.5912	117.0436	18.8	658.0	449	55708.	2729	2.3	4.3	9.6	1.8	0.4	4.1	47	0.1
43478	0	0	0	0	KHM	48.5911	117.0430	18.8	658.4	466	55706.	2799	2.3	5.6	11.0	2.4	0.5	4.8	51	0.1
43477	0	0	0	0	KHM	48.5911	117.0424	18.8	658.7	482	55704.	2865	2.1	6.3	12.7	3.1	0.5	6.2	27	0.2
43476	0	0	0	0	KHM	48.5911	117.0418	18.8	659.0	489	55703.	2776	2.3	5.7	11.2	2.5	0.5	4.9	47	0.2
43475	0	0	0	0	KHM	48.5911	117.0412	18.8	659.3	486	55704.	2662	1.7	7.7	10.8	4.4	0.7	6.3	49	0.2
43474	0	0	0	0	KHM	48.5911	117.0405	18.8	659.6	476	55705.	2795	2.0	4.9	13.9	2.4	0.4	6.8	33	0.2
43473	0	0	0	0	KHM	48.5911	117.0399	18.9	660.0	457	55705.	2698	1.8	4.7	13.8	2.6	0.3	7.8	43	0.2
43472	0	0	0	0	KHM	48.5911	117.0393	18.9	660.3	433	55704.	2580	1.8	3.6	14.5	2.0	0.2	8.1	41	0.2
43471	0	0	0	0	QAG	48.5910	117.0387	18.9	660.7	401	55704.	2492	2.1	4.0	10.7	1.9	0.4	5.2	44	0.2
43470	0	0	0	0	QAG	48.5910	117.0381	18.9	661.0	381	55704.	2424	1.6	3.1	7.4	1.9	0.4	4.5	35	0.2
43469	0	0	0	0	QAG	48.5910	117.0375	18.9	661.3	370	55704.	2210	1.5	2.8	11.9	1.9	0.2	8.1	44	0.2
43468	0	0	0	0	QAG	48.5910	117.0369	18.9	661.6	381	55705.	2236	1.2	6.6	7.7	5.5	0.9	6.4	35	0.2
43467	0	0	0	0	QAG	48.5910	117.0363	18.9	661.9	399	55705.	2206	1.6	3.3	12.0	2.0	0.3	7.4	43	0.2
43466	0	0	0	0	QAG	48.5910	117.0357	18.9	662.2	426	55704.	2255	1.7	4.3	9.3	2.6	0.5	5.6	57	0.2
43465	0	0	0	0	QAG	48.5910	117.0350	19.0	662.6	449	55703.	2284	1.5	4.0	11.2	2.6	0.4	7.2	35	0.2
43464	0	0	0	0	QAG	48.5910	117.0344	19.0	662.9	468	55702.	2145	1.3	4.2	10.3	3.2	0.4	7.8	48	0.2
43463	0	0	0	0	QAG	48.5910	117.0338	19.0	663.3	476	55699.	2126	1.6	4.3	9.7	2.7	0.4	6.0	43	0.2
43462	0	0	0	0	QAG	48.5909	117.0332	19.0	663.6	481	55695.	2103	1.1	5.8	8.4	5.4	0.7	7.8	34	0.2
43461	0	0	0	0	QAG	48.5909	117.0326	19.0	664.0	485	55688.	1991	0.8	6.0	8.3	8.0	0.7	11.0	29	0.2
43460	0	0	0	0	QAG	48.5909	117.0320	19.0	664.3	489	55681.	1981	1.3	4.7	5.9	3.7	0.8	4.7	31	0.2
43459	0	0	0	0	QAG	48.5909	117.0314	19.0	664.5	490	55675.	2082	1.6	3.9	8.8	2.5	0.4	5.6	30	0.2
43458	0	0	0	0	QAG	48.5909	117.0308	19.0	664.8	498	55668.	2138	1.6	3.7	9.3	2.2	0.4	5.7	29	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

G 4

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 10

G 5

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43457	0	0	0	0	QAG	48.5909	117.0302	19.1	665.0	504	55663.	2324	1.6	4.8	8.9	3.0	0.5	5.5	36	0.2
43456	0	0	0	0	QAG	48.5909	117.0296	19.1	665.2	509	55659.	2328	1.8	5.4	10.7	3.0	0.5	6.1	35	0.2

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 11							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43800	0	0	0	0	QAG	48.5890	117.2020	19.0	648.0	475	55730.	1940	1.8	2.5	5.1	1.4	0.5	2.9	36	0.1
43801	0	0	0	0	QAG	48.5890	117.2014	19.0	647.7	472	55729.	1914	1.8	3.1	6.2	1.7	0.5	3.5	38	0.1
43803	0	0	0	0	KG	48.5890	117.2002	19.0	647.4	477	55730.	1952	1.8	2.1	11.0	1.2	0.2	6.2	33	0.1
43804	0	0	0	0	KG	48.5889	117.1996	19.0	647.0	480	55733.	1919	2.0	2.4	7.0	1.2	0.3	3.6	41	0.2
43805	0	0	0	0	KG	48.5889	117.1990	19.0	646.6	482	55737.	2030	2.0	2.2	9.3	1.1	0.2	4.6	27	0.2
43806	0	0	0	0	KG	48.5889	117.1984	19.0	646.1	474	55743.	1973	1.8	2.8	10.4	1.6	0.3	5.9	35	0.2
43807	0	0	0	0	KG	48.5889	117.1978	19.0	645.7	468	55749.	2020	1.8	4.0	6.6	2.3	0.6	3.7	35	0.2
43808	0	0	0	0	KG	48.5889	117.1972	19.0	645.2	458	55754.	2108	1.6	3.3	8.8	2.1	0.4	5.6	39	0.2
43809	0	0	0	0	KG	48.5889	117.1966	19.0	644.7	448	55760.	1960	1.6	3.3	7.6	2.1	0.4	4.8	39	0.2
43810	0	0	0	0	KG	48.5889	117.1960	19.0	644.3	440	55767.	2129	1.7	4.1	8.0	2.5	0.5	4.8	26	0.1
43811	0	0	0	0	KG	48.5889	117.1954	19.0	643.9	429	55775.	2216	2.0	3.2	10.3	1.6	0.3	5.2	42	0.1
43812	0	0	0	0	KG	48.5889	117.1948	19.0	643.6	417	55785.	2206	2.2	3.5	8.1	1.6	0.4	3.7	31	0.1
43813	0	0	0	0	KG	48.5888	117.1942	19.0	643.2	400	55794.	2292	1.6	3.6	11.1	2.2	0.3	6.7	35	0.1
43814	0	0	0	0	KG	48.5888	117.1936	19.0	643.0	381	55803.	2315	1.7	4.3	10.7	2.6	0.4	6.4	32	0.1
43815	0	0	0	0	KG	48.5888	117.1930	19.0	642.8	362	55809.	2288	2.0	4.5	9.5	2.2	0.5	4.7	37	0.1
43816	0	0	0	0	KG	48.5888	117.1924	19.0	642.6	347	55810.	2304	2.3	3.2	7.8	1.4	0.4	3.3	44	0.1
43817	0	0	0	0	KG	48.5888	117.1918	19.0	642.5	335	55806.	2235	1.8	2.8	12.9	1.6	0.2	7.3	44	0.1
43818	0	0	0	0	KG	48.5888	117.1912	19.0	642.5	336	55796.	2173	1.7	3.2	11.0	1.9	0.3	6.6	29	0.1
43819	0	0	0	0	KG	48.5888	117.1906	19.0	642.5	349	55780.	2081	1.8	4.0	9.6	2.2	0.4	5.4	57	0.1
43820	0	0	0	0	KG	48.5887	117.1900	19.0	642.7	373	55762.	2204	1.8	3.8	10.6	2.1	0.4	5.9	42	0.2
43821	0	0	0	0	KG	48.5887	117.1893	19.0	642.8	395	55744.	2170	1.8	3.8	6.1	2.0	0.6	3.3	54	0.2
43822	0	0	0	0	KG	48.5887	117.1888	19.0	643.0	414	55727.	2424	1.9	5.3	10.4	2.7	0.5	5.3	35	0.2
43823	0	0	0	0	KG	48.5887	117.1881	19.0	643.2	429	55711.	2274	1.7	3.4	11.8	2.0	0.3	6.9	31	0.2
43824	0	0	0	0	KG	48.5887	117.1875	19.0	643.4	446	55698.	2357	2.0	5.5	8.9	2.8	0.6	4.5	44	0.1
43825	0	0	0	0	KG	48.5887	117.1869	19.0	643.6	471	55687.	2329	1.9	3.4	8.3	1.8	0.4	4.4	51	0.1
43826	0	0	0	0	KG	48.5887	117.1863	19.0	643.8	506	55675.	2413	2.1	2.8	13.3	1.3	0.2	6.2	40	0.1
43827	0	0	0	0	KG	48.5887	117.1857	19.0	644.0	551	55665.	2610	2.1	5.8	7.3	2.8	0.8	3.5	38	0.1
43828	0	0	0	0	KG	48.5887	117.1851	19.0	644.2	594	55655.	2643	2.5	3.6	11.0	1.4	0.3	4.4	37	0.1
43829	0	0	0	0	QAG	48.5886	117.1845	19.0	644.4	532	55646.	2612	2.6	4.0	9.1	1.5	0.4	3.5	48	0.1
43830	0	0	0	0	QAG	48.5886	117.1839	19.0	644.5	661	55637.	2597	2.5	6.8	6.2	2.7	1.1	2.5	50	0.1
43831	0	0	0	0	QAG	48.5886	117.1833	19.0	644.5	686	55629.	2650	1.9	3.7	9.7	2.0	0.4	5.1	44	0.1
43832	1	0	0	0	QAG	48.5886	117.1827	19.0	644.6	706	55624.	2630	2.2	5.9	11.3	2.6	0.5	5.1	36	0.1
43833	1	0	1	0	KG	48.5886	117.1821	19.0	644.6	713	55622.	2511	2.6	1.2	12.2	0.5	0.1	4.8	41	0.1
43834	1	0	0	0	KG	48.5886	117.1815	19.0	644.5	713	55621.	2520	2.0	3.4	12.1	1.7	0.3	6.2	36	0.1
43835	1	0	0	0	KG	48.5886	117.1810	19.0	644.4	704	55623.	2420	2.6	3.9	10.3	1.5	0.4	4.0	39	0.1
43836	0	0	0	0	KG	48.5886	117.1804	19.0	644.3	698	55624.	2403	2.4	4.8	9.8	2.0	0.5	4.1	34	0.1
43837	0	0	0	0	KG	48.5886	117.1798	19.0	644.1	684	55625.	2193	1.6	4.9	9.8	3.1	0.5	6.1	44	0.1
43838	0	0	0	0	KG	48.5886	117.1792	19.0	643.9	665	55626.	2316	1.2	7.1	8.5	6.1	0.8	7.3	32	0.1
43839	0	0	0	0	KG	48.5886	117.1786	19.0	643.7	643	55627.	2305	2.3	4.0	7.0	1.7	0.6	3.0	30	0.1
43840	0	0	0	0	KG	48.5886	117.1781	19.0	643.4	616	55626.	2262	1.5	2.2	14.6	1.4	0.1	9.5	36	0.1
43841	0	0	0	0	KG	48.5885	117.1775	19.0	643.1	591	55626.	2079	2.1	3.6	6.6	1.7	0.5	3.2	40	0.1
43842	0	0	0	0	KG	48.5885	117.1769	18.9	642.8	568	55627.	2036	1.5	2.6	9.6	1.7	0.3	6.3	42	0.1
43843	0	0	0	0	KG	48.5885	117.1764	18.9	642.5	555	55628.	2121	1.6	5.2	10.0	3.3	0.5	6.3	39	0.1
43844	0	0	0	0	KG	48.5885	117.1758	18.9	642.1	545	55629.	2272	1.8	4.5	9.7	2.5	0.5	5.4	39	0.1
43845	0	0	0	0	KG	48.5885	117.1752	18.9	641.8	535	55631.	2290	1.9	5.0	9.9	2.7	0.5	5.3	47	0.1
43846	0	0	0	0	KG	48.5885	117.1746	18.9	641.4	520	55634.	2291	1.9	3.8	11.9	1.9	0.3	6.1	41	0.1
43847	0	0	0	0	KG	48.5885	117.1741	18.9	641.0	505	55636.	2502	2.1	4.1	15.3	2.0	0.3	7.4	39	0.1
43848	0	0	0	0	KG	48.5885	117.1735	18.9	640.6	492	55638.	2405	2.2	3.1	10.0	1.4	0.3	4.6	39	0.1
43849	0	0	0	0	KG	48.5885	117.1729	18.9	640.2	486	55640.	2440	2.5	3.3	10.3	1.3	0.3	4.1	36	0.1
43850	0	0	0	0	KG	48.5885	117.1723	18.9	639.8	485	55641.	2443	2.0	5.1	10.2	2.5	0.5	5.0	56	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 11							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43851	0	0	0	0	KG	48.5885	117.1718	18.8	639.3	483	55644.	2429	2.2	3.9	13.7	1.8	0.3	6.2	41	0.1
43852	0	0	0	0	KG	48.5885	117.1712	18.8	638.9	479	55647.	2438	2.2	3.6	8.8	1.6	0.4	4.0	46	0.1
43853	0	0	0	0	KG	48.5885	117.1706	18.8	638.5	467	55649.	2629	1.7	4.8	12.9	2.8	0.4	7.5	37	0.1
43854	0	0	0	0	KG	48.5885	117.1700	18.8	638.1	456	55651.	2496	2.1	5.5	10.2	2.6	0.5	4.8	38	0.1
43855	0	0	0	0	KG	48.5885	117.1695	18.8	637.7	449	55652.	2342	2.1	2.9	11.4	1.4	0.3	5.4	50	0.1
43856	0	0	0	0	KG	48.5885	117.1689	18.8	637.2	440	55652.	2327	1.9	4.4	9.4	2.3	0.5	4.9	38	0.1
43857	0	0	0	0	KG	48.5885	117.1683	18.7	636.7	430	55652.	2304	2.1	3.1	12.9	1.5	0.2	6.2	49	0.1
43858	0	0	0	0	KHM	48.5885	117.1677	18.7	636.3	419	55652.	2099	1.8	3.6	9.2	2.0	0.4	5.0	57	0.1
43859	0	0	0	0	KHM	48.5885	117.1672	18.7	635.8	417	55650.	2077	2.0	3.8	9.0	1.9	0.4	4.6	41	0.1
43860	0	0	0	0	KHM	48.5885	117.1666	18.7	635.3	417	55648.	1829	1.7	3.4	6.2	1.9	0.5	3.6	48	0.1
43861	0	0	0	0	KHM	48.5885	117.1660	18.7	634.8	426	55645.	1815	1.6	3.3	7.3	2.1	0.5	4.7	42	0.1
43862	0	0	0	0	KHM	48.5885	117.1655	18.7	634.3	440	55643.	1887	1.5	3.6	7.9	2.4	0.5	5.3	41	0.1
43863	0	0	0	0	KHM	48.5885	117.1649	18.6	633.7	459	55642.	1885	1.6	4.2	9.1	2.7	0.5	5.8	41	0.1
43864	0	0	0	0	KHM	48.5885	117.1643	18.6	633.1	482	55643.	1967	1.7	4.5	7.8	2.7	0.6	4.7	41	0.1
43865	0	0	0	0	KHM	48.5885	117.1637	18.6	632.6	503	55646.	2055	1.7	3.1	9.2	1.8	0.3	5.4	47	0.1
43866	0	0	0	0	KHM	48.5885	117.1631	18.6	631.9	524	55651.	2208	1.6	3.8	14.1	2.4	0.3	9.1	38	0.1
43867	0	0	0	0	KHM	48.5884	117.1626	18.6	631.3	540	55656.	2315	1.9	3.7	11.4	1.9	0.3	6.0	55	0.1
43868	0	0	0	0	KHM	48.5884	117.1620	18.5	630.6	549	55663.	2410	1.6	7.1	9.9	4.6	0.7	6.4	49	0.1
43869	0	0	0	0	KHM	48.5884	117.1614	18.5	630.0	548	55672.	2520	2.1	5.9	10.9	2.9	0.5	5.3	44	0.1
43870	0	0	0	0	KHM	48.5884	117.1608	18.5	629.3	539	55682.	2498	2.2	4.4	10.2	2.0	0.4	4.6	51	0.1
43871	0	0	0	0	KHM	48.5884	117.1603	18.5	628.7	527	55691.	2725	1.8	7.0	12.7	3.9	0.5	7.2	36	0.1
43872	0	0	0	0	KHM	48.5884	117.1597	18.5	628.0	515	55700.	2727	1.8	5.0	15.0	2.8	0.3	8.4	47	0.1
43873	0	0	0	0	KHM	48.5884	117.1591	18.4	627.3	502	55709.	2716	2.2	4.9	15.0	2.2	0.3	6.8	44	0.1
43874	0	0	0	0	KHM	48.5884	117.1586	18.4	626.7	491	55716.	2923	1.9	6.4	14.9	3.5	0.4	8.1	36	0.1
43875	0	0	0	0	KHM	48.5884	117.1580	18.4	626.1	477	55724.	2767	2.0	4.6	15.4	2.3	0.3	7.9	69	0.1
43876	0	0	0	0	KHM	48.5884	117.1574	18.4	625.5	459	55733.	3031	2.1	5.9	17.0	2.8	0.3	8.0	50	0.1
43877	0	0	0	0	KHM	48.5884	117.1568	18.4	624.9	436	55741.	2969	2.5	3.2	16.4	1.3	0.2	6.7	59	0.1
43878	0	0	0	0	KHM	48.5884	117.1562	18.3	624.3	410	55750.	2967	2.6	4.9	12.4	1.9	0.4	4.8	64	0.1
43879	0	0	0	0	KHM	48.5884	117.1557	18.3	623.8	386	55759.	2961	2.5	3.6	16.8	1.4	0.2	6.7	38	0.1
43880	0	0	0	0	KHM	48.5884	117.1551	18.3	623.2	366	55767.	2930	2.2	6.3	12.2	2.9	0.5	5.7	61	0.1
43881	0	0	0	0	KHM	48.5884	117.1545	18.3	622.8	350	55775.	2815	1.9	5.8	13.8	3.1	0.4	7.5	61	0.1
43882	0	0	0	0	KHM	48.5884	117.1540	18.3	622.3	339	55782.	2774	2.0	5.7	16.3	2.8	0.4	8.1	61	0.1
43883	0	0	0	0	KHM	48.5884	117.1534	18.2	621.8	326	55789.	2858	1.9	6.3	12.6	3.2	0.5	6.5	51	0.1
43884	0	0	0	0	KHM	48.5884	117.1528	18.2	621.5	314	55794.	2808	1.7	5.7	13.0	3.3	0.4	7.4	59	0.1
43885	0	0	0	0	KHM	48.5884	117.1522	18.2	621.1	309	55796.	2745	1.9	4.6	15.0	2.4	0.3	7.8	44	0.1
43886	0	0	0	0	KHM	48.5884	117.1517	18.2	620.8	320	55796.	2766	1.8	4.9	12.9	2.7	0.4	7.2	43	0.1
43887	0	0	0	0	KHM	48.5884	117.1511	18.2	620.5	341	55793.	2933	1.6	5.1	16.5	3.2	0.3	10.3	53	0.1
43888	0	0	0	0	KHM	48.5883	117.1505	18.1	620.2	359	55789.	3028	2.2	5.1	15.3	2.3	0.3	6.9	50	0.1
43889	0	0	0	0	KHM	48.5883	117.1499	18.1	619.9	377	55786.	2982	2.3	6.5	12.2	2.9	0.5	5.4	43	0.1
43890	0	0	0	0	KHM	48.5883	117.1494	18.1	619.7	398	55784.	3010	2.0	7.4	14.6	3.7	0.5	7.4	65	0.1
43891	0	0	0	0	KHM	48.5883	117.1488	18.1	619.5	427	55784.	3039	2.3	5.3	15.1	2.3	0.4	6.6	57	0.1
43893	0	0	0	0	KHM	48.5883	117.1476	18.1	619.4	440	55787.	3146	1.9	6.9	15.9	3.6	0.4	8.3	51	0.1
43894	0	0	0	0	KHM	48.5883	117.1471	18.1	619.3	438	55790.	3193	2.2	6.4	12.3	2.9	0.5	5.6	55	0.1
43895	0	0	0	0	KHM	48.5883	117.1465	18.1	619.3	428	55794.	3188	2.4	5.5	13.9	2.3	0.4	5.9	54	0.1
43896	0	0	0	0	KHM	48.5883	117.1459	18.0	619.2	424	55801.	3159	2.6	6.0	15.9	2.3	0.4	6.1	66	0.1
43897	0	0	0	0	KHM	48.5883	117.1453	18.0	619.2	427	55809.	3340	2.5	4.6	19.9	1.9	0.2	8.0	57	0.1
43898	0	0	0	0	KHM	48.5883	117.1448	18.0	619.3	428	55817.	3345	2.2	5.5	18.4	2.5	0.3	8.5	39	0.1
43899	0	0	0	0	KHM	48.5883	117.1442	18.0	619.3	419	55822.	3150	2.7	4.4	15.6	1.7	0.3	5.8	57	0.1
43900	0	0	0	0	KHM	48.5883	117.1436	18.0	619.4	404	55824.	3054	2.4	4.8	17.6	2.0	0.3	7.2	63	0.1
43901	0	0	0	0	KHM	48.5883	117.1430	18.0	619.5	388	55825.	2980	2.2	5.5	15.4	2.5	0.4	7.1	55	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979														LINE NO. 11						
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43902	0	0	0	0	KHM	48.5883	117.1425	18.0	619.7	385	55824.	2970	2.0	5.6	15.0	2.8	0.4	7.5	45	0.1
43903	0	0	0	0	KHM	48.5883	117.1419	17.9	619.8	398	55822.	2974	2.3	4.1	16.4	1.8	0.3	7.2	41	0.1
43904	0	0	0	0	KHM	48.5883	117.1413	17.9	620.0	422	55820.	3127	2.4	4.5	15.5	1.8	0.3	6.4	48	0.1
43905	0	0	0	0	KHM	48.5883	117.1407	17.9	620.2	447	55819.	2975	2.3	4.6	16.7	2.0	0.3	7.2	47	0.1
43906	0	0	0	0	KHM	48.5883	117.1402	17.9	620.3	469	55819.	3038	2.5	3.6	15.8	1.4	0.2	6.2	55	0.1
43907	0	0	0	0	KHM	48.5883	117.1396	17.9	620.5	485	55822.	2906	2.4	5.0	13.0	2.1	0.4	5.5	47	0.1
43908	0	0	0	0	KHM	48.5883	117.1390	17.9	620.7	488	55822.	2737	2.1	3.8	14.7	1.8	0.3	7.2	53	0.1
43909	0	0	0	0	KHM	48.5883	117.1384	17.9	620.9	478	55835.	2652	1.8	6.4	10.8	3.5	0.6	5.9	47	0.1
43910	0	0	0	0	KHM	48.5883	117.1379	17.9	621.1	469	55845.	2543	1.9	3.4	13.2	1.8	0.3	6.9	54	0.1
43911	0	0	0	0	KHM	48.5882	117.1373	17.9	621.3	471	55855.	2647	1.9	4.9	13.4	2.6	0.4	7.1	44	0.1
43912	0	0	0	0	KHM	48.5882	117.1367	17.9	621.6	489	55864.	2688	2.0	3.4	17.2	1.7	0.2	8.5	47	0.1
43913	0	0	0	0	KHM	48.5882	117.1362	17.8	621.8	510	55871.	2642	2.2	3.2	13.9	1.4	0.2	6.2	51	0.1
43914	0	0	0	0	KHM	48.5882	117.1356	17.8	622.0	528	55876.	2831	2.3	5.8	13.8	2.6	0.4	6.1	41	0.1
43915	0	0	0	0	KHM	48.5882	117.1350	17.8	622.3	538	55878.	2658	1.9	4.4	14.6	2.3	0.3	7.8	52	0.1
43916	0	0	0	0	KHM	48.5882	117.1344	17.8	622.5	545	55878.	2602	1.4	4.1	15.0	3.0	0.3	11.1	47	0.1
43917	0	0	0	0	KHM	48.5882	117.1339	17.8	622.8	556	55875.	2676	1.7	5.2	14.5	3.0	0.4	8.4	42	0.1
43918	0	0	0	0	KHM	48.5882	117.1333	17.8	623.1	572	55872.	2615	1.7	5.1	13.4	2.9	0.4	7.8	44	0.1
43919	0	0	0	0	KHM	48.5882	117.1327	17.8	623.3	597	55869.	2892	2.1	4.7	13.5	2.2	0.3	6.4	51	0.1
43920	0	0	0	0	KHM	48.5882	117.1321	17.8	623.6	613	55867.	2910	1.9	6.3	11.6	3.4	0.5	6.3	47	0.1
43921	0	0	0	0	KHM	48.5882	117.1315	17.8	623.9	619	55866.	3175	2.3	7.8	11.7	3.4	0.7	5.2	43	0.1
43922	0	0	0	0	KHM	48.5882	117.1310	17.8	624.2	599	55867.	3133	2.2	5.0	16.1	2.3	0.3	7.3	44	0.1
43923	0	0	0	0	KHM	48.5882	117.1304	17.8	624.5	567	55871.	3116	1.5	6.6	14.0	4.3	0.5	9.2	37	0.1
43924	0	0	0	0	KHM	48.5882	117.1298	17.8	624.8	520	55875.	2969	1.8	6.0	13.3	3.4	0.5	7.4	49	0.1
43925	0	0	0	0	KHM	48.5882	117.1292	17.8	625.2	475	55878.	2902	1.4	6.7	14.1	4.9	0.5	10.5	34	0.1
43926	0	0	0	0	KHM	48.5882	117.1287	17.8	625.5	436	55879.	2705	1.4	8.0	11.8	5.6	0.7	8.3	67	0.1
43927	0	0	0	0	KHM	48.5882	117.1281	17.8	625.8	411	55880.	2832	1.2	7.5	14.2	6.1	0.5	11.5	49	0.1
43928	0	0	0	0	KHM	48.5882	117.1275	17.8	626.2	393	55877.	2710	1.6	6.3	14.6	4.1	0.4	9.3	50	0.1
43929	0	0	0	0	KHM	48.5882	117.1270	17.8	626.6	383	55871.	2643	1.6	6.0	13.8	3.7	0.4	8.5	49	0.1
43930	0	0	0	0	KHM	48.5882	117.1264	17.8	627.0	382	55860.	2822	2.0	6.0	11.6	3.0	0.5	5.7	51	0.1
43931	0	0	0	0	KHM	48.5882	117.1258	17.8	627.4	393	55843.	2794	1.8	6.4	13.1	3.6	0.5	7.3	43	0.1
43932	0	0	0	0	KHM	48.5882	117.1252	17.8	627.8	425	55825.	2994	1.5	9.2	9.5	6.0	1.0	6.2	51	0.1
43933	0	0	0	0	KHM	48.5882	117.1247	17.8	628.2	467	55807.	2985	1.5	8.7	12.3	5.7	0.7	8.0	57	0.1
43934	0	0	0	0	KHM	48.5882	117.1241	17.8	628.6	516	55790.	3190	1.8	7.2	17.5	4.1	0.4	9.9	49	0.1
43935	0	0	0	0	KHM	48.5882	117.1235	17.8	629.1	555	55777.	3443	2.1	8.7	16.6	4.2	0.5	8.1	36	0.1
43936	0	0	0	0	KHM	48.5882	117.1229	17.8	629.5	573	55768.	3344	1.7	9.3	11.4	5.6	0.8	6.8	52	0.1
43937	0	0	0	0	KHM	48.5881	117.1224	17.8	630.0	572	55762.	3144	2.1	7.8	11.3	3.7	0.7	5.3	51	0.1
43938	0	0	0	0	KHM	48.5881	117.1218	17.8	630.5	557	55758.	2896	1.9	6.1	11.4	3.2	0.5	5.9	53	0.1
43939	0	0	0	0	KHM	48.5881	117.1212	17.8	630.9	550	55756.	2929	1.5	7.5	15.9	5.0	0.5	10.5	44	0.1
43940	0	0	0	0	KHM	48.5881	117.1206	17.8	631.4	550	55752.	2928	1.7	6.1	13.2	3.6	0.5	7.8	40	0.1
43941	0	0	0	0	KHM	48.5881	117.1201	17.8	631.9	556	55748.	2938	1.5	8.0	12.3	5.3	0.6	8.2	33	0.1
43942	0	0	0	0	KHM	48.5881	117.1195	17.8	632.4	571	55743.	3001	2.0	5.6	14.3	2.8	0.4	7.1	44	0.1
43943	0	0	0	0	KHM	48.5881	117.1189	17.8	633.0	590	55737.	3037	2.4	7.5	13.1	3.2	0.6	5.6	36	0.1
43944	0	0	0	0	KHM	48.5881	117.1183	17.8	633.5	612	55731.	3135	1.7	6.9	14.8	4.0	0.5	8.5	43	0.1
43945	0	0	0	0	KHM	48.5881	117.1178	17.8	634.0	629	55724.	3211	2.1	4.7	17.5	2.2	0.3	8.3	37	0.1
43946	0	0	0	0	KHM	48.5881	117.1172	17.8	634.5	648	55717.	3300	2.1	7.7	16.7	3.6	0.5	7.8	51	0.1
43947	0	0	0	0	KHM	48.5881	117.1166	17.8	635.0	671	55710.	3559	1.8	7.3	11.4	4.0	0.6	6.2	51	0.1
43948	1	0	0	0	KHM	48.5881	117.1160	17.8	635.5	702	55705.	3670	2.1	9.2	17.0	4.4	0.5	8.2	40	0.1
43949	1	0	0	0	KHM	48.5881	117.1155	17.8	636.1	726	55700.	3885	1.8	12.1	13.1	6.7	0.9	7.3	45	0.1
43950	1	0	0	0	KHM	48.5881	117.1149	17.8	636.6	745	55696.	3830	2.7	6.8	17.3	2.5	0.4	6.3	50	0.2
43951	1	0	0	0	KHM	48.5881	117.1143	17.8	637.1	755	55693.	3814	1.7	10.9	19.0	6.5	0.6	11.2	46	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 11							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
43952	1	0	0	0	KHM	48.5881	117.1137	17.8	637.5	758	55689.	3600	2.4	9.1	19.0	3.8	0.5	7.9	48	0.2
43953	1	0	0	0	KHM	48.5881	117.1132	17.8	638.0	759	55684.	3512	2.0	8.5	13.4	4.2	0.6	6.7	50	0.2
43954	1	0	0	0	KHM	48.5881	117.1126	17.8	638.4	759	55677.	3395	2.8	6.9	12.2	2.5	0.6	4.4	44	0.2
43955	1	0	0	0	KHM	48.5881	117.1120	17.8	638.8	763	55671.	3595	2.0	7.4	14.5	3.7	0.5	7.2	32	0.2
43956	1	0	0	0	KHM	48.5881	117.1114	17.8	639.2	764	55666.	3622	2.2	7.9	15.7	3.7	0.5	7.3	22	0.2
43957	1	0	0	0	KHM	48.5881	117.1109	17.8	639.6	768	55663.	3392	2.5	6.3	16.0	2.5	0.4	6.5	37	0.2
43958	1	0	0	0	KHM	48.5880	117.1103	17.8	639.9	778	55660.	3509	2.6	4.9	16.8	1.9	0.3	6.5	42	0.2
43959	1	0	0	0	KHM	48.5880	117.1097	17.8	640.2	787	55660.	3398	1.8	8.2	14.2	4.5	0.6	7.7	50	0.2
43960	1	0	0	0	KHM	48.5880	117.1091	17.8	640.5	788	55661.	3416	2.2	8.3	11.0	3.8	0.8	5.0	56	0.2
43961	1	0	0	0	KHM	48.5880	117.1086	17.8	640.7	777	55661.	3168	1.6	7.5	16.4	4.8	0.5	10.4	42	0.2
43962	1	0	0	0	KHM	48.5880	117.1080	17.8	641.0	754	55663.	3224	2.8	4.6	12.9	1.6	0.4	4.6	43	0.2
43963	1	0	0	0	KHM	48.5880	117.1074	17.8	641.1	719	55664.	3123	2.5	7.5	14.0	3.1	0.5	5.7	27	0.2
43964	0	0	0	0	KHM	48.5880	117.1068	17.8	641.3	684	55664.	3007	2.1	5.8	15.0	2.8	0.4	7.2	36	0.2
43965	0	0	0	0	KHM	48.5880	117.1062	17.8	641.3	656	55664.	2849	2.2	5.6	9.8	2.6	0.6	4.6	44	0.2
43966	0	0	0	0	KHM	48.5880	117.1057	17.8	641.4	641	55664.	2839	2.2	5.0	12.9	2.2	0.4	5.7	29	0.2
43967	0	0	0	0	KHM	48.5880	117.1051	17.8	641.5	644	55664.	2849	1.7	7.6	13.5	4.5	0.6	8.0	44	0.2
43968	0	0	0	0	KHM	48.5880	117.1045	17.8	641.5	652	55664.	3007	2.0	5.6	16.3	2.8	0.3	8.2	37	0.2
43969	0	0	0	0	KHM	48.5880	117.1039	17.8	641.6	658	55665.	3010	2.0	4.4	14.3	2.2	0.3	7.1	45	0.2
43970	0	0	0	0	KHM	48.5880	117.1033	17.8	641.6	649	55666.	2906	1.7	5.4	14.5	3.1	0.4	8.5	31	0.2
43971	0	0	0	0	KHM	48.5880	117.1027	17.8	641.6	628	55667.	2860	1.6	5.7	11.0	3.5	0.5	6.9	41	0.2
43972	0	0	0	0	KHM	48.5880	117.1021	17.8	641.5	598	55668.	2836	1.3	6.8	12.4	5.5	0.6	9.9	49	0.2
43973	0	0	0	0	KHM	48.5880	117.1016	17.8	641.5	561	55669.	2757	1.8	3.8	13.7	2.1	0.3	7.5	30	0.2
43974	0	0	0	0	KHM	48.5879	117.1010	17.8	641.4	525	55670.	2718	2.1	4.2	12.4	2.0	0.3	5.9	35	0.2
43975	0	0	0	0	KHM	48.5879	117.1004	17.8	641.4	489	55670.	2449	1.8	3.6	9.8	2.1	0.4	5.6	41	0.2
43976	0	0	0	0	KHM	48.5879	117.0998	17.8	641.3	461	55670.	2416	1.7	4.5	11.3	2.6	0.4	6.7	40	0.2
43977	0	0	0	0	KHM	48.5879	117.0992	17.8	641.3	444	55669.	2488	1.2	4.8	12.8	4.0	0.4	10.6	47	0.2
43978	0	0	0	0	KHM	48.5879	117.0987	17.8	641.2	444	55666.	2488	1.8	4.2	10.4	2.4	0.4	5.9	34	0.2
43979	0	0	0	0	KHM	48.5879	117.0981	17.8	641.1	462	55662.	2628	1.6	5.6	12.4	3.4	0.4	7.6	36	0.2
43980	0	0	0	0	KHM	48.5879	117.0975	17.8	641.0	490	55658.	2687	1.9	4.5	10.2	2.4	0.4	5.3	42	0.2
43981	0	0	0	0	KHM	48.5879	117.0969	17.8	641.0	510	55653.	2889	2.1	2.7	16.3	1.3	0.2	7.8	33	0.2
43982	0	0	0	0	KHM	48.5879	117.0963	17.8	640.9	516	55650.	2906	1.6	7.7	12.5	4.9	0.6	7.9	33	0.2
43984	0	0	0	0	KHM	48.5879	117.0952	17.8	640.8	507	55649.	2755	2.4	4.7	12.8	2.0	0.4	5.4	41	0.2
43985	0	0	0	0	KHM	48.5879	117.0946	17.8	640.7	486	55650.	2795	2.0	3.3	14.3	1.7	0.2	7.2	39	0.2
43986	0	0	0	0	KHM	48.5878	117.0940	17.8	640.6	459	55652.	2536	1.9	3.6	13.2	1.8	0.3	6.9	45	0.2
43987	0	0	0	0	KHM	48.5878	117.0934	17.8	640.6	434	55657.	2588	1.8	4.0	10.8	2.3	0.4	6.2	51	0.2
43988	0	0	0	0	KHM	48.5878	117.0928	17.8	640.5	418	55661.	2469	1.5	4.7	9.7	3.2	0.5	6.6	43	0.2
43989	0	0	0	0	KHM	48.5878	117.0922	17.8	640.5	406	55667.	2547	1.7	4.4	11.4	2.5	0.4	6.5	37	0.2
43990	0	0	0	0	KHM	48.5878	117.0917	17.8	640.4	391	55671.	2484	2.0	3.4	13.1	1.7	0.3	6.7	33	0.2
43991	0	0	0	0	KHM	48.5878	117.0911	17.8	640.4	369	55674.	2477	1.9	3.3	12.2	1.8	0.3	6.6	37	0.2
43992	0	0	0	0	KHM	48.5878	117.0905	17.8	640.4	345	55675.	2334	1.5	4.3	10.7	2.9	0.4	7.2	49	0.2
43993	0	0	0	0	KHM	48.5878	117.0899	17.8	640.4	328	55675.	2325	1.7	3.5	9.1	2.0	0.4	5.3	37	0.2
43994	0	0	0	0	KHM	48.5878	117.0893	17.8	640.4	328	55673.	2213	1.8	3.4	8.1	1.9	0.4	4.6	58	0.2
43995	0	0	0	0	KHM	48.5878	117.0887	17.8	640.4	350	55671.	2273	1.6	3.7	11.1	2.3	0.3	6.9	46	0.2
43996	0	0	0	0	KHM	48.5878	117.0882	17.8	640.4	388	55668.	2403	1.5	4.8	7.8	3.1	0.6	5.0	27	0.2
43997	0	0	0	0	KHM	48.5878	117.0876	17.8	640.5	437	55663.	2561	1.6	4.2	10.9	2.6	0.4	6.6	31	0.2
43998	0	0	0	0	KHM	48.5878	117.0870	17.8	640.5	488	55658.	2604	1.7	3.5	11.7	2.1	0.3	6.8	49	0.2
43999	0	0	0	0	KHM	48.5878	117.0864	17.8	640.5	543	55653.	2890	1.3	7.3	10.1	5.7	0.7	7.9	32	0.2
44000	0	0	0	0	KHM	48.5877	117.0858	17.8	640.5	606	55649.	3025	2.3	4.8	16.8	2.0	0.3	7.2	27	0.2
44001	0	0	0	0	KHM	48.5877	117.0853	17.8	640.5	665	55645.	3356	2.4	6.4	10.6	2.6	0.6	4.4	50	0.2
44002	1	0	0	0	KHM	48.5877	117.0847	17.8	640.5	701	55642.	3654	2.1	6.1	17.7	2.9	0.3	8.5	35	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 11							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
44003	0	0	0	0	KHM	48.5877	117.0841	17.8	640.5	697	55640.	3627	2.1	7.8	18.5	3.8	0.4	9.0	36	0.2
44004	0	0	0	0	KHM	48.5877	117.0835	17.8	640.4	664	55639.	3255	2.9	2.6	19.4	0.9	0.1	6.8	38	0.2
44005	0	0	0	0	KHM	48.5877	117.0829	17.8	640.4	613	55639.	3057	2.1	3.9	12.3	1.8	0.3	5.8	37	0.2
44006	0	0	0	0	KHM	48.5877	117.0823	17.8	640.3	557	55640.	2923	2.3	4.8	13.1	2.1	0.4	5.7	42	0.2
44007	0	0	0	0	KHM	48.5877	117.0817	17.8	640.2	504	55639.	2719	1.9	4.9	10.4	2.6	0.5	5.6	58	0.3
44008	0	0	0	0	KHM	48.5877	117.0812	17.8	640.0	467	55639.	2721	1.6	5.1	12.8	3.1	0.4	7.8	39	0.3
44009	0	0	0	0	KHM	48.5877	117.0806	17.8	639.9	447	55638.	2757	2.0	1.8	15.8	0.9	0.1	8.0	50	0.3
44010	0	0	0	0	KHM	48.5877	117.0800	17.8	639.7	438	55638.	2708	1.8	4.9	12.4	2.8	0.4	6.9	45	0.3
44011	0	0	0	0	KHM	48.5877	117.0794	17.8	639.6	436	55639.	2809	2.2	4.0	9.5	1.9	0.4	4.4	48	0.3
44012	0	0	0	0	KHM	48.5876	117.0788	17.8	639.4	437	55640.	2866	1.9	4.6	13.6	2.4	0.3	7.0	45	0.3
44013	0	0	0	0	KHM	48.5876	117.0783	17.8	639.2	441	55641.	2923	1.7	6.1	13.5	3.7	0.4	8.2	34	0.3
44014	0	0	0	0	KHM	48.5876	117.0777	17.8	639.0	445	55643.	2972	2.2	3.1	13.9	1.4	0.2	6.4	41	0.3
44015	0	0	0	0	KHM	48.5876	117.0771	17.8	638.8	448	55645.	3057	2.1	3.7	14.3	1.7	0.3	6.8	33	0.3
44016	0	0	0	0	KHM	48.5876	117.0765	17.8	638.7	445	55649.	2957	1.9	3.6	19.5	1.9	0.2	10.2	40	0.3
44017	1	1	1	1	KHM	48.5876	117.0759	17.8	638.6	433	55653.	2876	1.9	3.6	14.9	1.9	0.2	7.7	54	0.3
44018	0	0	0	0	KHM	48.5876	117.0753	17.8	638.5	410	55659.	2860	2.1	2.5	13.9	1.2	0.2	6.8	37	0.3
44019	0	0	0	0	KHM	48.5876	117.0748	17.8	638.4	382	55666.	2747	1.9	4.1	13.9	2.2	0.3	7.4	44	0.3
44020	0	0	0	0	KHM	48.5876	117.0742	17.8	638.4	353	55671.	2616	2.2	2.6	13.0	1.2	0.2	5.9	38	0.3
44021	0	0	0	0	KHM	48.5876	117.0736	17.8	638.4	329	55676.	2745	2.0	2.6	12.6	1.3	0.2	6.4	47	0.3
44022	0	0	0	0	KHM	48.5876	117.0730	17.8	638.4	305	55680.	2670	2.0	2.0	13.7	1.0	0.1	6.9	39	0.3
44023	0	0	0	0	KHM	48.5876	117.0725	17.8	638.5	283	55682.	2551	1.8	3.5	10.1	2.0	0.4	5.6	41	0.3
44024	0	0	0	0	KHM	48.5876	117.0719	17.9	638.7	263	55682.	2519	2.0	2.5	12.6	1.2	0.2	6.2	46	0.3
44025	0	0	0	0	KHM	48.5876	117.0713	17.9	638.9	251	55681.	2526	1.7	4.2	12.9	2.5	0.3	7.7	56	0.3
44026	0	0	0	0	KHM	48.5876	117.0708	17.9	639.2	249	55679.	2571	1.7	4.6	10.5	2.8	0.4	6.3	43	0.3
44027	0	0	0	0	KHM	48.5875	117.0702	17.9	639.4	255	55676.	2718	1.9	4.1	11.7	2.1	0.3	6.1	38	0.3
44028	0	0	0	0	KHM	48.5875	117.0696	17.9	639.7	272	55674.	2658	2.2	3.8	11.4	1.7	0.3	5.1	34	0.3
44029	0	0	0	0	KHM	48.5875	117.0690	17.9	640.0	299	55671.	2662	1.7	5.1	10.3	3.0	0.5	6.1	54	0.3
44030	0	0	0	0	KHM	48.5875	117.0685	17.9	640.4	337	55668.	2758	2.1	3.4	14.4	1.6	0.2	6.9	39	0.3
44031	0	0	0	0	KHM	48.5875	117.0679	17.9	640.7	378	55664.	3086	2.5	3.2	14.5	1.3	0.2	5.8	51	0.3
44032	0	0	0	0	KHM	48.5875	117.0673	17.9	641.1	417	55660.	3053	2.5	4.6	12.0	1.8	0.4	4.8	46	0.3
44033	0	0	0	0	KHM	48.5875	117.0667	17.9	641.5	452	55655.	3275	2.4	3.6	12.9	1.5	0.3	5.4	49	0.2
44034	0	0	0	0	KHM	48.5875	117.0662	17.9	641.9	477	55652.	3290	2.4	5.7	14.3	2.4	0.4	6.0	33	0.2
44035	0	0	0	0	KHM	48.5875	117.0656	17.9	642.3	496	55650.	3535	2.3	3.7	19.2	1.6	0.2	8.4	37	0.2
44036	0	0	0	0	KHM	48.5875	117.0650	17.9	642.8	503	55649.	3275	2.8	4.1	14.1	1.5	0.3	5.0	42	0.2
44037	0	0	0	0	KHM	48.5875	117.0644	18.0	643.2	504	55649.	3008	2.6	4.6	15.2	1.8	0.3	6.0	57	0.3
44038	0	0	0	0	KHM	48.5875	117.0639	18.0	643.7	506	55649.	3245	2.2	6.1	11.2	2.8	0.5	5.0	47	0.3
44039	0	0	0	0	KHM	48.5874	117.0633	18.0	644.1	519	55648.	3144	2.2	4.4	15.1	2.0	0.3	6.9	51	0.3
44040	0	0	0	0	KHM	48.5874	117.0627	18.0	644.6	540	55647.	3267	2.3	4.3	17.2	1.8	0.3	7.3	41	0.3
44041	0	0	0	0	KHM	48.5874	117.0621	18.0	645.1	556	55646.	3278	2.6	4.8	12.8	1.8	0.4	4.8	35	0.3
44042	0	0	0	0	KHM	48.5874	117.0616	18.0	645.5	560	55647.	3286	2.4	3.2	16.5	1.4	0.2	7.0	36	0.2
44043	0	0	0	0	KHM	48.5874	117.0610	18.0	646.0	547	55647.	3444	2.8	6.2	13.0	2.2	0.5	4.7	41	0.2
44044	0	0	0	0	KHM	48.5874	117.0604	18.0	646.4	526	55648.	3343	2.7	6.2	16.9	2.3	0.4	6.3	47	0.2
44045	0	0	0	0	KHM	48.5874	117.0598	18.1	646.9	512	55650.	3299	2.4	7.5	13.5	3.2	0.6	5.7	33	0.2
44046	0	0	0	0	KHM	48.5874	117.0593	18.1	647.4	507	55652.	3121	2.5	4.1	16.3	1.6	0.3	6.5	52	0.2
44047	0	0	0	0	KHM	48.5874	117.0587	18.1	647.8	494	55654.	3258	2.7	5.2	14.9	1.9	0.4	5.5	36	0.2
44048	0	0	0	0	KHM	48.5874	117.0581	18.1	648.2	466	55656.	3168	2.4	4.5	14.1	1.9	0.3	6.0	46	0.2
44049	0	0	0	0	KHM	48.5874	117.0575	18.1	648.6	436	55657.	2960	2.2	5.1	12.4	2.3	0.4	5.6	54	0.2
44050	0	0	0	0	KHM	48.5874	117.0570	18.1	649.1	419	55656.	3008	2.2	5.9	14.1	2.6	0.4	6.3	46	0.2
44051	0	0	0	0	KHM	48.5874	117.0564	18.2	649.5	416	55655.	3031	2.6	4.3	13.8	1.7	0.3	5.3	36	0.2
44052	0	0	0	0	KHM	48.5874	117.0558	18.2	649.9	423	55654.	3030	2.2	7.1	8.2	3.2	0.9	3.7	32	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 11							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
													%	PPM	PPM				CPS	PPM
44053	0	0	0	0	KHM	48.5873	117.0552	18.2	650.3	432	55653.	2825	2.2	6.4	7.4	2.9	0.9	3.3	38	0.2
44054	0	0	0	0	KHM	48.5873	117.0547	18.2	650.7	439	55651.	2803	2.0	4.5	13.8	2.2	0.3	6.9	38	0.2
44055	0	0	0	0	KHM	48.5873	117.0541	18.2	651.1	441	55648.	2769	2.3	4.9	13.9	2.1	0.4	6.1	53	0.2
44056	0	0	0	0	KHM	48.5873	117.0535	18.2	651.6	441	55645.	2537	1.8	6.7	10.9	3.7	0.6	6.0	48	0.2
44057	0	0	0	0	KHM	48.5873	117.0529	18.3	652.0	441	55643.	2593	1.9	3.2	14.9	1.7	0.2	7.9	43	0.2
44058	0	0	0	0	KHM	48.5873	117.0524	18.3	652.5	442	55640.	2614	2.1	4.6	10.7	2.1	0.4	5.0	40	0.2
44059	0	0	0	0	KHM	48.5873	117.0518	18.3	652.9	444	55637.	2529	1.9	4.6	11.4	2.4	0.4	6.0	45	0.2
44060	0	0	0	0	KHM	48.5873	117.0512	18.3	653.3	447	55633.	2562	1.9	4.8	11.6	2.6	0.4	6.2	45	0.2
44061	0	0	0	0	KHM	48.5873	117.0506	18.3	653.7	453	55629.	2607	2.2	4.0	14.1	1.8	0.3	6.3	34	0.2
44062	0	0	0	0	KHM	48.5873	117.0500	18.3	654.1	459	55627.	2624	2.2	6.1	10.2	2.7	0.6	4.6	41	0.2
44063	0	0	0	0	KHM	48.5872	117.0495	18.4	654.6	458	55624.	2489	2.3	4.9	7.7	2.2	0.6	3.4	36	0.1
44064	0	0	0	0	KHM	48.5872	117.0489	18.4	655.0	447	55623.	2434	2.4	2.8	9.6	1.2	0.3	4.1	36	0.1
44065	0	0	0	0	KHM	48.5872	117.0483	18.4	655.4	437	55622.	2334	1.9	2.7	11.9	1.4	0.2	6.4	43	0.1
44066	0	0	0	0	KHM	48.5872	117.0477	18.4	655.8	436	55621.	2346	1.9	3.6	10.1	1.9	0.4	5.4	49	0.1
44067	0	0	0	0	KHM	48.5872	117.0471	18.4	656.2	438	55620.	2410	1.9	4.9	7.6	2.5	0.6	4.0	36	0.1
44068	0	0	0	0	KHM	48.5872	117.0466	18.4	656.5	439	55619.	2328	2.0	4.2	8.2	2.2	0.5	4.2	38	0.1
44069	0	0	0	0	KHM	48.5872	117.0460	18.5	656.9	443	55618.	2390	1.6	4.7	10.9	2.9	0.4	6.7	37	0.1
44070	0	0	0	0	KHM	48.5872	117.0454	18.5	657.3	453	55617.	2257	1.8	4.2	7.5	2.4	0.6	4.2	38	0.1
44071	0	0	0	0	KHM	48.5872	117.0448	18.5	657.6	464	55618.	2436	1.8	5.2	11.6	3.0	0.5	6.6	31	0.1
44072	0	0	0	0	KHM	48.5872	117.0443	18.5	657.9	473	55619.	2328	1.6	5.7	5.6	3.6	1.0	3.5	44	0.1
44073	1	1	1	1	QAG	48.5871	117.0437	18.5	658.2	479	55621.	2395	1.8	5.2	8.2	2.9	0.6	4.6	40	0.1
44075	0	0	0	0	QAG	48.5871	117.0425	18.5	658.5	494	55623.	2228	1.4	4.0	9.5	2.9	0.4	6.9	42	0.1
44076	0	0	0	0	QAG	48.5871	117.0419	18.6	658.8	510	55624.	2360	1.7	3.4	8.7	2.0	0.4	5.3	28	0.1
44077	0	0	0	0	QAG	48.5871	117.0414	18.6	659.1	528	55625.	2232	2.0	3.0	8.9	1.5	0.3	4.5	42	0.1
44078	0	0	0	0	QAG	48.5871	117.0408	18.6	659.3	535	55626.	2412	1.6	5.5	10.1	3.5	0.5	6.5	37	0.1
44079	0	0	0	0	QAG	48.5871	117.0402	18.6	659.6	537	55627.	2369	1.6	2.9	11.1	1.7	0.3	6.8	29	0.1
44080	0	0	0	0	QAG	48.5871	117.0396	18.6	659.8	533	55628.	2284	1.3	5.3	7.2	4.1	0.7	5.6	28	0.1
44081	0	0	0	0	QAG	48.5871	117.0390	18.6	660.0	529	55629.	2257	1.1	5.8	10.5	5.2	0.5	9.5	38	0.1
44082	0	0	0	0	QAG	48.5871	117.0385	18.7	660.2	524	55629.	2189	1.5	5.5	8.9	3.6	0.6	5.9	36	0.1
44083	0	0	0	0	QAG	48.5871	117.0379	18.7	660.4	510	55629.	2205	1.2	4.6	7.3	3.8	0.6	6.0	29	0.1
44084	0	0	0	0	QAG	48.5870	117.0373	18.7	660.6	498	55628.	2101	1.8	4.6	4.7	2.5	1.0	2.5	44	0.1
44085	0	0	0	0	QAG	48.5870	117.0367	18.7	660.8	489	55626.	2150	1.3	6.7	8.1	5.1	0.8	6.2	38	0.1
44086	0	0	0	0	QAG	48.5870	117.0361	18.7	661.0	484	55623.	2179	1.7	4.6	6.6	2.8	0.7	3.9	41	0.1
44087	0	0	0	0	QAG	48.5870	117.0356	18.7	661.2	483	55620.	2181	1.6	5.0	10.8	3.1	0.5	6.8	32	0.1
44088	0	0	0	0	QAG	48.5870	117.0350	18.7	661.3	488	55618.	2135	1.7	6.4	6.8	3.7	0.9	4.0	43	0.1
44089	0	0	0	0	QAG	48.5870	117.0344	18.8	661.5	506	55617.	2087	1.7	4.5	7.4	2.6	0.6	4.4	32	0.1
44090	0	0	0	0	QAG	48.5870	117.0338	18.8	661.7	527	55616.	2188	1.9	4.2	8.1	2.2	0.5	4.3	30	0.1
44091	0	0	0	0	QAG	48.5870	117.0333	18.8	661.8	550	55615.	2157	1.4	5.7	8.1	4.0	0.7	5.6	38	0.1
44092	0	0	0	0	QAG	48.5870	117.0327	18.8	661.9	570	55613.	2187	1.6	4.6	7.7	2.9	0.6	4.9	37	0.1
44093	0	0	0	0	QAG	48.5869	117.0321	18.8	662.0	584	55611.	2220	1.8	4.0	6.3	2.2	0.6	3.5	38	0.1
44094	0	0	0	0	QAG	48.5869	117.0315	18.8	662.2	585	55610.	2269	1.7	4.5	10.0	2.6	0.5	5.7	26	0.1
44095	0	0	0	0	QAG	48.5869	117.0309	18.8	662.3	581	55609.	2246	1.8	6.5	5.1	3.7	1.3	2.9	40	0.1
44096	0	0	0	0	QAG	48.5869	117.0304	18.8	662.4	577	55610.	2197	1.2	5.1	12.4	4.3	0.4	10.4	37	0.1
44097	0	0	0	0	QAG	48.5869	117.0298	18.8	662.5	581	55611.	2218	1.7	6.8	9.3	4.1	0.7	5.6	32	0.1
44098	0	0	0	0	QAG	48.5869	117.0292	18.9	662.5	587	55611.	2326	1.7	5.3	8.2	3.1	0.6	4.7	20	0.1
44099	0	0	0	0	QAG	48.5869	117.0287	18.9	662.6	596	55612.	2404	1.7	4.9	10.5	2.8	0.5	6.1	30	0.1
44100	0	0	0	0	QAG	48.5869	117.0281	18.9	662.6	603	55613.	2434	1.6	5.9	10.1	3.6	0.6	6.1	47	0.1
44101	0	0	0	0	QAG	48.5869	117.0275	18.9	662.7	602	55613.	2388	1.7	5.0	12.5	3.0	0.4	7.4	39	0.1
44102	0	0	0	0	QAG	48.5869	117.0269	18.9	662.7	598	55614.	2326	1.4	5.1	8.8	3.7	0.6	6.4	40	0.1
44103	0	0	0	0	QAG	48.5869	117.0264	18.9	662.6	589	55615.	2276	1.7	5.2	9.1	3.1	0.6	5.4	50	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 11							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
44104	0	0	0	0	QAG	48.5870	117.0258	18.9	662.6	587	55615.	2165	1.2	4.7	10.5	3.8	0.4	8.6	25	0.1
44105	0	0	0	0	QAG	48.5870	117.0252	18.9	662.6	585	55615.	2102	1.5	5.2	7.4	3.5	0.7	4.9	45	0.1
44106	0	0	0	0	QAG	48.5870	117.0247	18.9	662.5	588	55615.	2044	1.4	2.7	12.6	1.9	0.2	8.7	46	0.1
44107	0	0	0	0	QAG	48.5870	117.0241	18.9	662.4	600	55615.	2107	1.3	5.7	11.9	4.5	0.5	9.5	27	0.1
44108	0	0	0	0	QAG	48.5870	117.0235	18.9	662.3	605	55617.	2039	1.3	3.4	9.3	2.6	0.4	7.2	41	0.1
44109	0	0	0	0	QAG	48.5870	117.0230	18.9	662.2	596	55620.	2155	1.2	5.4	10.4	4.4	0.5	8.5	38	0.1
44110	0	0	0	0	QAG	48.5870	117.0224	18.9	662.0	573	55624.	2134	1.8	5.0	7.9	2.8	0.6	4.3	35	0.1
44111	0	0	0	0	QAG	48.5870	117.0218	18.9	661.8	545	55628.	2017	1.3	4.1	7.9	3.1	0.5	6.1	33	0.1
44112	0	0	0	0	KKH	48.5870	117.0212	18.9	661.6	519	55634.	2025	1.5	4.9	7.1	3.2	0.7	4.6	41	0.1
44113	0	0	0	0	KKH	48.5870	117.0207	18.9	661.4	495	55641.	1999	1.4	3.7	9.1	2.6	0.4	6.3	39	0.2
44114	0	0	0	0	KKH	48.5870	117.0201	19.0	661.2	473	55649.	2050	1.5	5.1	9.4	3.4	0.5	6.3	36	0.2
44115	0	0	0	0	KKH	48.5870	117.0195	19.0	661.0	455	55656.	1998	1.4	3.4	8.3	2.4	0.4	5.9	40	0.2
44116	0	0	0	0	KKH	48.5870	117.0190	19.0	660.7	435	55662.	2037	1.3	4.2	9.9	3.3	0.4	7.8	38	0.2
44117	0	0	0	0	KKH	48.5870	117.0184	19.0	660.4	422	55666.	2043	1.4	2.8	9.0	2.0	0.3	6.6	28	0.2
44118	0	0	0	0	KKH	48.5870	117.0178	19.0	660.2	415	55671.	2004	1.1	3.0	11.7	2.7	0.3	10.5	33	0.2
44119	0	0	0	0	KKH	48.5870	117.0173	19.0	659.9	414	55674.	2031	1.3	4.0	8.0	3.1	0.5	6.4	42	0.2
44120	0	0	0	0	KKH	48.5870	117.0167	19.0	659.6	416	55678.	2117	1.1	4.6	7.9	4.0	0.6	7.0	28	0.2
44121	0	0	0	0	KKH	48.5870	117.0161	19.0	659.3	429	55682.	2135	1.6	3.7	8.0	2.3	0.5	5.0	27	0.2
44122	0	0	0	0	KKH	48.5870	117.0155	19.0	659.1	441	55687.	2223	1.5	4.7	9.4	3.2	0.5	6.5	31	0.2
44123	0	0	0	0	KKH	48.5870	117.0150	19.0	658.9	443	55691.	2104	1.9	2.0	10.2	1.1	0.2	5.4	37	0.1
44124	0	0	0	0	KKH	48.5870	117.0144	19.0	658.7	426	55695.	2073	1.7	4.2	7.7	2.5	0.5	4.6	31	0.1
44125	0	0	0	0	KKH	48.5871	117.0138	19.0	658.6	404	55697.	2066	1.8	3.6	7.3	2.0	0.5	4.0	31	0.1
44126	0	0	0	0	KKH	48.5871	117.0133	19.0	658.5	381	55697.	1994	1.6	3.3	7.1	2.0	0.5	4.4	48	0.1
44127	0	0	0	0	KKH	48.5871	117.0127	19.0	658.4	365	55698.	1879	1.6	3.4	9.8	2.2	0.3	6.3	37	0.1
44128	0	0	0	0	KKH	48.5871	117.0121	19.0	658.3	350	55698.	1945	1.6	3.7	8.7	2.3	0.4	5.5	32	0.1
44129	0	0	0	0	KKH	48.5871	117.0116	19.0	658.3	337	55697.	1897	1.6	3.8	7.3	2.3	0.5	4.5	38	0.1
44130	0	0	0	0	KKH	48.5871	117.0110	19.0	658.3	326	55696.	1823	1.4	5.0	6.3	3.7	0.8	4.7	38	0.1
44131	0	0	0	0	KKH	48.5871	117.0104	19.0	658.4	322	55694.	2079	1.3	5.3	7.6	4.2	0.7	6.1	44	0.1
44132	0	0	0	0	KKH	48.5871	117.0098	19.0	658.5	326	55692.	2077	1.6	3.9	10.6	2.5	0.4	6.8	32	0.1
44133	0	0	0	0	KKH	48.5871	117.0093	19.0	658.6	342	55689.	2257	1.8	4.6	9.2	2.6	0.5	5.2	41	0.1
44134	0	0	0	0	KKH	48.5871	117.0087	19.0	658.8	367	55686.	2380	1.6	5.2	9.6	3.3	0.5	6.1	54	0.1
44135	0	0	0	0	KKH	48.5871	117.0081	19.0	658.9	397	55681.	2619	2.0	6.2	11.6	3.0	0.5	5.7	35	0.1
44136	0	0	0	0	KKH	48.5871	117.0076	19.0	659.1	426	55676.	2662	2.3	4.7	11.7	2.1	0.4	5.1	34	0.1
44137	0	0	0	0	KKH	48.5871	117.0070	19.0	659.2	448	55671.	2662	2.0	4.5	12.5	2.3	0.4	6.4	44	0.1
44138	0	0	0	0	KKH	48.5871	117.0064	19.0	659.4	465	55667.	2671	1.9	4.8	11.0	2.5	0.4	5.7	45	0.1
44139	0	0	0	0	KKH	48.5871	117.0059	19.0	659.5	478	55663.	2559	1.7	5.3	10.9	3.0	0.5	6.3	42	0.1
44140	0	0	0	0	KKH	48.5871	117.0053	19.0	659.7	488	55661.	2449	1.7	4.8	12.1	2.8	0.4	7.2	35	0.1
44141	0	0	0	0	KKH	48.5871	117.0047	19.0	659.9	496	55659.	2314	1.7	5.4	6.8	3.1	0.8	4.0	28	0.1
44142	0	0	0	0	KKH	48.5871	117.0042	19.0	660.1	499	55656.	2261	1.5	2.7	12.8	1.7	0.2	2.4	38	0.1
44143	0	0	0	0	KKH	48.5871	117.0036	19.0	660.3	501	55654.	2168	1.6	4.9	4.6	3.1	1.1	2.9	33	0.1
44144	0	0	0	0	KKH	48.5871	117.0030	19.0	660.5	499	55652.	2088	1.4	4.9	8.0	3.6	0.6	5.9	26	0.1
44145	0	0	0	0	KKH	48.5871	117.0024	19.0	660.7	494	55652.	2097	1.3	4.9	9.7	3.7	0.5	7.3	30	0.1
44146	0	0	0	0	KKH	48.5871	117.0019	19.0	660.9	488	55653.	2035	1.3	4.3	7.5	3.2	0.6	5.6	33	0.1
44147	0	0	0	0	KKH	48.5871	117.0013	19.0	661.1	479	55654.	1890	1.5	3.9	8.1	2.6	0.5	5.4	35	0.1
44148	0	0	0	0	KKH	48.5871	117.0007	19.0	661.3	474	55656.	1971	1.6	3.4	7.2	2.2	0.5	4.6	35	0.1
44149	0	0	0	0	KKH	48.5871	117.0002	19.0	661.6	466	55658.	2040	1.4	4.9	6.2	3.5	0.8	4.5	31	0.1
44150	0	0	0	0	KKH	48.5871	116.9996	19.0	661.8	461	55661.	2008	1.5	3.8	9.3	2.6	0.4	6.4	26	0.1
44151	0	0	0	0	KKH	48.5872	116.9990	19.0	662.1	453	55665.	1969	1.3	5.5	7.2	4.3	0.8	5.6	50	0.1
44152	0	0	0	0	KKH	48.5872	116.9984	19.0	662.3	444	55668.	2114	1.6	3.5	8.4	2.1	0.4	5.1	39	0.1
44153	0	0	0	0	KKH	48.5872	116.9979	19.0	662.6	436	55671.	2182	1.7	3.4	8.3	2.1	0.4	5.0	29	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 11							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
44154	0	0	0	0	KKH	48.5872	116.9973	19.0	662.8	426	55675.	2087	1.6	3.4	7.5	2.2	0.5	4.8	41	0.2
44155	0	0	0	0	KKH	48.5872	116.9967	19.0	663.0	413	55679.	2088	1.4	5.2	7.6	3.8	0.7	5.6	43	0.2
44156	0	0	0	0	KKH	48.5872	116.9962	19.0	663.1	403	55684.	2147	1.5	4.8	10.1	3.2	0.5	6.8	32	0.2
44157	0	0	0	0	KKH	48.5872	116.9956	19.0	663.2	400	55689.	2190	1.5	3.7	9.3	2.4	0.4	6.1	29	0.2
44158	0	0	0	0	KKH	48.5872	116.9950	19.0	663.3	403	55692.	2253	1.5	4.2	10.6	2.8	0.4	7.1	34	0.1
44159	0	0	0	0	KKH	48.5872	116.9945	19.0	663.5	405	55692.	2143	1.5	3.9	8.3	2.6	0.5	5.5	28	0.1
44160	0	0	0	0	KKH	48.5872	116.9939	19.0	663.6	408	55692.	2213	1.5	3.7	11.9	2.4	0.3	7.9	33	0.1

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 12							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
44910	0	0	0	0	KG	48.5852	117.2244	18.0	649.2	369	55799.	1732	1.5	2.8	7.2	1.9	0.4	4.8	34	0.2
44909	0	0	0	0	KG	48.5852	117.2238	18.0	649.0	358	55802.	1696	1.5	2.8	6.0	1.9	0.5	4.0	39	0.2
44908	0	0	0	0	KG	48.5852	117.2232	18.0	648.8	353	55806.	1699	1.2	2.2	9.6	1.8	0.2	7.8	37	0.2
44907	0	0	0	0	KG	48.5852	117.2227	18.0	648.6	349	55812.	1596	1.6	1.8	7.6	1.2	0.2	4.8	38	0.2
44906	0	0	0	0	KG	48.5852	117.2221	18.0	648.4	347	55820.	1612	1.1	3.2	5.3	2.9	0.6	4.7	47	0.2
44905	0	0	0	0	KG	48.5852	117.2215	18.0	648.2	342	55828.	1714	1.5	1.9	5.6	1.3	0.3	3.8	40	0.2
44904	0	0	0	0	KG	48.5852	117.2209	18.0	647.8	338	55835.	1832	1.4	3.7	7.7	2.5	0.5	5.3	38	0.2
44903	0	0	0	0	KG	48.5853	117.2204	18.0	647.3	330	55839.	1781	1.3	2.6	8.0	2.0	0.3	6.1	38	0.2
44902	0	0	0	0	KG	48.5853	117.2198	18.0	647.0	322	55840.	1848	1.3	2.9	8.2	2.2	0.3	6.3	40	0.2
44901	0	0	0	0	KG	48.5853	117.2192	18.0	646.6	316	55838.	1856	1.9	2.7	6.6	1.5	0.4	3.6	36	0.2
44900	0	0	0	0	KG	48.5853	117.2186	18.0	646.3	313	55833.	1812	1.6	2.2	8.1	1.4	0.3	5.1	45	0.2
44898	0	0	0	0	KG	48.5853	117.2175	18.0	646.0	312	55827.	1802	1.7	2.3	5.1	1.4	0.4	3.1	42	0.2
44897	0	0	0	0	KG	48.5853	117.2169	18.0	645.7	316	55821.	1690	1.2	2.7	6.6	2.2	0.4	5.3	51	0.2
44896	0	0	0	0	KG	48.5853	117.2163	18.0	645.4	324	55817.	1691	1.2	2.6	5.6	2.1	0.5	4.6	44	0.2
44895	0	0	0	0	KG	48.5853	117.2157	18.0	645.2	338	55812.	1607	1.5	1.6	6.6	1.0	0.2	4.4	33	0.2
44894	0	0	0	0	KG	48.5853	117.2152	18.0	645.0	352	55806.	1628	1.4	2.0	6.2	1.5	0.3	4.4	43	0.2
44893	0	0	0	0	KG	48.5854	117.2146	18.0	644.8	370	55800.	1619	1.7	1.5	7.3	0.9	0.2	4.3	39	0.2
44892	0	0	0	0	KG	48.5854	117.2140	18.0	644.7	387	55792.	1709	1.4	3.3	7.4	2.4	0.4	5.5	29	0.2
44891	0	0	0	0	KG	48.5854	117.2134	18.0	644.5	400	55785.	1616	1.4	1.3	8.5	0.9	0.1	6.2	39	0.2
44890	0	0	0	0	KG	48.5854	117.2128	18.0	644.4	404	55779.	1608	1.4	2.2	6.0	1.6	0.4	4.5	42	0.2
44889	0	0	0	0	KG	48.5854	117.2123	18.0	644.3	398	55775.	1629	1.3	2.9	7.2	2.2	0.4	5.6	45	0.2
44888	0	0	0	0	KG	48.5854	117.2117	18.0	644.3	388	55773.	1657	1.4	2.7	5.8	2.0	0.5	4.2	31	0.2
44887	0	0	0	0	KG	48.5854	117.2111	18.0	644.2	379	55771.	1691	1.6	1.8	6.9	1.2	0.3	4.4	37	0.2
44886	0	0	1	0	KG	48.5854	117.2105	18.0	644.2	377	55768.	1638	1.5	1.0	7.3	0.7	0.1	5.0	29	0.2
44885	0	0	0	0	KG	48.5854	117.2100	18.0	644.2	384	55764.	1472	1.2	1.6	4.3	1.3	0.4	3.5	44	0.2
44884	0	0	0	0	KG	48.5855	117.2094	18.0	644.2	398	55761.	1573	1.1	2.5	7.6	2.4	0.3	7.2	41	0.2
44883	0	0	0	0	KG	48.5855	117.2088	18.0	644.3	417	55758.	1625	1.6	2.0	6.6	1.3	0.3	4.1	41	0.2
44882	0	0	1	0	KG	48.5855	117.2082	18.0	644.3	432	55757.	1537	1.6	0.9	7.7	0.5	0.1	4.9	38	0.2
44881	0	0	0	0	KG	48.5855	117.2077	17.9	644.3	444	55757.	1710	1.3	2.0	8.4	1.5	0.2	6.3	39	0.2
44880	0	0	0	0	KG	48.5855	117.2071	17.9	644.4	457	55756.	1702	1.5	2.3	6.2	1.6	0.4	4.2	29	0.2
44879	0	0	0	0	QAG	48.5855	117.2065	17.9	644.5	478	55755.	1815	1.4	3.4	7.4	2.4	0.5	5.2	33	0.2
44878	0	0	0	0	QAG	48.5855	117.2059	17.9	644.5	509	55754.	1892	1.8	3.2	5.5	1.8	0.6	3.0	40	0.2
44877	0	0	0	0	QAG	48.5855	117.2054	17.9	644.6	537	55751.	1959	1.6	4.3	6.5	2.7	0.7	4.2	38	0.2
44876	0	0	0	0	QAG	48.5855	117.2048	17.9	644.6	555	55748.	1963	1.4	3.2	8.3	2.4	0.4	6.1	31	0.2
44875	0	0	0	0	QAG	48.5856	117.2042	17.9	644.6	553	55745.	1912	2.2	2.0	6.0	0.9	0.3	2.8	52	0.2
44874	0	0	0	0	QAG	48.5856	117.2036	17.9	644.6	539	55741.	2092	2.0	2.9	7.6	1.5	0.4	3.9	33	0.2
44873	0	0	0	0	QAG	48.5856	117.2030	17.9	644.6	522	55736.	1886	2.1	2.4	7.8	1.1	0.3	3.7	42	0.2
44872	0	0	0	0	QAG	48.5856	117.2025	17.9	644.5	510	55730.	1949	2.0	2.6	6.3	1.3	0.4	3.2	31	0.2
44871	0	0	0	0	QAG	48.5856	117.2019	17.9	644.4	497	55725.	1846	1.6	2.6	8.7	1.6	0.3	5.4	29	0.2
44870	0	0	0	0	KG	48.5856	117.2013	17.9	644.3	484	55716.	1876	1.6	3.8	9.1	2.4	0.4	5.7	39	0.2
44869	0	0	0	0	KG	48.5856	117.2007	17.9	644.1	472	55710.	1989	1.5	3.8	9.4	2.5	0.4	6.3	34	0.2
44868	0	0	0	0	KG	48.5856	117.2001	17.9	643.9	468	55706.	1990	1.7	4.2	6.2	2.4	0.7	3.6	39	0.2
44867	0	0	0	0	KG	48.5856	117.1996	17.9	643.7	461	55704.	2045	1.9	3.5	7.1	1.8	0.5	3.7	45	0.2
44866	0	0	0	0	KG	48.5856	117.1990	17.9	643.4	453	55704.	2094	1.9	1.8	11.1	0.9	0.2	5.8	33	0.2
44865	0	0	0	0	KG	48.5857	117.1984	17.9	643.2	452	55704.	2058	2.2	2.3	11.9	1.0	0.2	5.3	32	0.2
44864	0	0	0	0	KG	48.5857	117.1978	17.9	642.9	460	55705.	2164	1.9	2.7	11.0	1.5	0.2	5.9	41	0.2
44863	0	0	0	0	KG	48.5857	117.1973	17.8	642.5	471	55706.	2297	2.1	3.5	10.4	1.7	0.3	5.1	38	0.2
44862	0	0	0	0	KG	48.5857	117.1967	17.8	642.2	472	55708.	2281	2.5	1.7	12.0	0.7	0.1	4.9	38	0.2
44861	0	0	0	0	KG	48.5857	117.1961	17.8	641.8	472	55710.	2345	2.1	4.0	8.1	1.9	0.5	3.8	39	0.2
44860	0	0	0	0	KG	48.5857	117.1955	17.8	641.5	459	55714.	2476	2.3	4.5	11.8	1.9	0.4	5.1	38	0.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 12							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
44859	0	0	0	0	KG	48.5857	117.1950	17.8	641.1	446	55721.	2417	2.0	4.6	13.4	2.3	0.3	6.7	41	0.1
44858	0	0	0	0	KG	48.5857	117.1944	17.8	640.8	418	55730.	2282	2.5	3.0	9.2	1.2	0.3	3.7	48	0.1
44857	0	0	0	0	KG	48.5858	117.1938	17.8	640.5	396	55743.	2364	2.2	3.3	9.0	1.5	0.4	4.1	43	0.1
44856	0	0	0	0	KG	48.5858	117.1932	17.8	640.1	370	55757.	2258	2.2	2.4	11.9	1.1	0.2	5.4	52	0.1
44855	0	0	0	0	KG	48.5858	117.1926	17.8	639.8	352	55771.	2205	2.2	4.8	7.2	2.2	0.7	3.3	35	0.2
44854	0	0	0	0	KG	48.5858	117.1921	17.8	639.6	333	55782.	2117	1.6	5.3	8.1	3.3	0.6	5.1	42	0.2
44853	0	0	0	0	KG	48.5858	117.1915	17.8	639.3	327	55786.	2164	2.2	3.5	6.9	1.6	0.5	3.2	36	0.2
44852	0	0	0	0	KG	48.5858	117.1909	17.7	639.1	334	55782.	2086	1.9	3.2	9.5	1.7	0.3	5.1	46	0.2
44851	0	0	0	0	KG	48.5858	117.1903	17.7	638.9	354	55772.	2215	2.0	4.1	8.8	2.1	0.5	4.4	37	0.2
44850	0	0	0	0	KG	48.5858	117.1898	17.7	638.9	382	55756.	2264	2.1	3.8	9.7	1.8	0.4	4.7	44	0.2
44849	0	0	0	0	KG	48.5858	117.1892	17.7	638.8	412	55737.	2378	2.2	3.5	10.5	1.6	0.3	4.8	34	0.1
44848	0	0	0	0	KG	48.5858	117.1886	17.7	638.9	445	55719.	2419	2.0	5.0	10.1	2.5	0.5	5.0	45	0.1
44847	0	0	0	0	KG	48.5859	117.1880	17.7	638.9	479	55702.	2370	2.1	3.3	9.6	1.6	0.3	4.6	44	0.1
44846	0	0	0	0	KG	48.5859	117.1875	17.7	639.0	515	55687.	2517	2.6	4.1	11.3	1.6	0.4	4.4	30	0.1
44845	0	0	0	0	KG	48.5859	117.1869	17.7	639.2	550	55675.	2614	1.6	7.9	8.3	4.9	1.0	5.1	51	0.1
44844	0	0	0	0	KG	48.5859	117.1863	17.7	639.4	588	55666.	2578	2.0	6.8	12.0	3.3	0.6	5.9	36	0.1
44843	0	0	0	0	KG	48.5859	117.1857	17.6	639.6	625	55656.	2736	2.5	6.4	10.5	2.6	0.6	4.2	42	0.1
44842	0	0	0	0	QAG	48.5859	117.1852	17.6	639.8	656	55648.	2718	2.3	5.1	12.2	2.2	0.4	5.2	45	0.1
44841	0	0	0	0	QAG	48.5859	117.1846	17.6	640.1	682	55640.	2712	2.9	2.7	15.5	0.9	0.2	5.3	44	0.1
44840	1	0	0	0	QAG	48.5859	117.1840	17.6	640.3	703	55632.	2524	2.9	5.1	7.9	1.8	0.6	2.7	44	0.1
44839	1	0	0	0	QAG	48.5859	117.1834	17.6	640.5	723	55626.	2609	1.9	6.9	10.7	3.6	0.6	5.5	39	0.1
44838	1	0	0	0	QAG	48.5860	117.1828	17.6	640.7	739	55621.	2734	2.7	3.2	13.1	1.2	0.2	4.9	38	0.1
44837	1	0	0	0	QAG	48.5860	117.1823	17.6	640.9	751	55617.	2545	2.1	7.5	8.1	3.6	0.9	4.0	36	0.1
44836	1	0	0	0	QAG	48.5860	117.1817	17.6	641.0	744	55613.	2522	2.6	3.7	9.7	1.5	0.4	3.8	38	0.1
44835	1	0	0	0	QAG	48.5860	117.1811	17.6	641.0	727	55610.	2422	1.6	4.2	13.7	2.7	0.3	8.8	40	0.1
44834	1	0	0	0	KG	48.5860	117.1805	17.5	641.0	705	55606.	2414	1.7	6.4	9.0	3.7	0.7	5.2	35	0.1
44833	0	0	0	0	KG	48.5859	117.1799	17.5	640.9	690	55601.	2432	2.5	3.9	10.5	1.5	0.4	4.1	44	0.1
44832	0	0	0	0	KG	48.5859	117.1794	17.5	640.8	676	55596.	2223	2.4	2.9	8.4	1.2	0.3	3.5	54	0.1
44831	0	0	0	0	KG	48.5859	117.1788	17.5	640.6	662	55592.	2362	2.3	4.0	11.8	1.8	0.3	5.2	39	0.1
44830	0	0	0	0	KG	48.5859	117.1782	17.5	640.4	645	55588.	2512	2.0	6.7	11.7	3.4	0.6	5.9	30	0.1
44829	0	0	0	0	KG	48.5859	117.1776	17.5	640.1	633	55584.	2502	2.0	6.0	13.5	3.1	0.4	6.9	44	0.1
44828	0	0	0	0	KG	48.5859	117.1770	17.5	639.7	625	55578.	2451	2.5	4.5	11.6	1.8	0.4	4.6	41	0.1
44827	0	0	0	0	KG	48.5858	117.1764	17.5	639.3	633	55570.	2473	2.2	3.3	16.1	1.5	0.2	7.3	34	0.1
44826	0	0	0	0	KG	48.5858	117.1758	17.4	638.8	645	55562.	2461	1.5	6.8	9.8	4.7	0.7	6.7	34	0.1
44825	0	0	0	0	KG	48.5858	117.1753	17.4	638.3	665	55557.	2377	2.1	5.0	8.5	2.3	0.6	4.0	41	0.1
44824	0	0	0	0	KG	48.5858	117.1747	17.4	637.8	687	55556.	2442	2.7	3.6	13.6	1.4	0.3	5.1	40	0.1
44823	1	0	0	0	KG	48.5858	117.1741	17.4	637.3	707	55561.	2611	2.4	3.6	13.9	1.5	0.3	5.7	57	0.1
44822	1	0	0	0	KG	48.5858	117.1735	17.4	636.7	719	55569.	2645	2.1	5.8	13.9	2.7	0.4	6.6	42	0.1
44821	1	0	0	0	KG	48.5858	117.1729	17.4	636.1	721	55578.	2582	2.7	6.4	10.2	2.4	0.6	3.8	57	0.1
44820	1	0	0	0	KG	48.5858	117.1723	17.4	635.5	720	55586.	2623	2.3	3.2	15.5	1.4	0.2	6.8	44	0.1
44819	1	0	0	0	KG	48.5857	117.1718	17.4	634.9	718	55591.	2492	2.5	3.7	14.7	1.5	0.3	5.8	41	0.1
44818	1	0	0	0	KG	48.5857	117.1712	17.4	634.2	712	55596.	2619	2.3	3.9	15.8	1.7	0.2	6.9	47	0.1
44817	1	0	0	0	KG	48.5857	117.1706	17.4	633.5	703	55602.	2650	1.8	6.2	15.7	3.4	0.4	8.7	33	0.1
44816	0	0	0	0	KG	48.5857	117.1700	17.3	632.9	692	55606.	2479	2.0	5.3	14.2	2.7	0.4	7.2	34	0.1
44815	0	0	0	0	KG	48.5857	117.1694	17.3	632.2	680	55611.	2408	1.9	4.5	10.8	2.4	0.4	5.8	41	0.1
44814	0	0	0	0	KG	48.5857	117.1689	17.3	631.6	668	55616.	2341	2.0	3.5	12.7	1.8	0.3	6.3	42	0.1
44813	0	0	0	0	KHM	48.5856	117.1683	17.3	630.9	655	55619.	2232	2.1	1.9	11.5	0.9	0.2	5.6	45	0.1
44812	0	0	0	0	KHM	48.5856	117.1677	17.3	630.3	639	55623.	2164	1.5	4.4	10.7	2.9	0.4	7.2	52	0.1
44811	0	0	0	0	KHM	48.5856	117.1671	17.3	629.7	624	55626.	2217	1.8	5.5	8.8	3.1	0.6	5.0	51	0.1
44810	0	0	0	0	KHM	48.5856	117.1665	17.3	629.1	613	55628.	2013	1.6	4.2	6.6	2.6	0.6	4.2	55	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 12							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
44809	0	0	0	0	KHM	48.5856	117.1659	17.3	628.5	601	55632.	2079	1.4	4.3	10.1	3.0	0.4	7.0	39	0.1
44807	0	0	0	0	KHM	48.5856	117.1648	17.3	627.9	585	55636.	1986	1.4	4.9	8.4	3.6	0.6	6.2	63	0.1
44806	0	0	0	0	KHM	48.5856	117.1642	17.3	627.4	565	55642.	2178	1.7	4.0	10.8	2.3	0.4	6.2	33	0.1
44805	0	0	0	0	KHM	48.5855	117.1636	17.3	626.8	546	55648.	2052	1.7	3.1	8.5	1.8	0.4	5.0	44	0.1
44804	0	0	0	0	KHM	48.5855	117.1630	17.3	626.3	532	55656.	2188	1.8	3.7	8.5	2.1	0.4	4.8	45	0.1
44803	0	0	0	0	KHM	48.5855	117.1624	17.2	625.8	519	55665.	2296	1.8	4.4	13.6	2.4	0.3	7.5	47	0.1
44802	0	0	0	0	KHM	48.5855	117.1618	17.2	625.4	512	55674.	2512	2.1	4.1	13.3	2.0	0.3	6.5	45	0.1
44801	0	0	0	0	KHM	48.5855	117.1613	17.2	625.0	497	55683.	2640	2.4	2.8	15.7	1.2	0.2	6.6	42	0.1
44800	0	0	0	0	KHM	48.5855	117.1607	17.2	624.6	474	55692.	2660	2.3	3.4	16.0	1.5	0.2	6.9	55	0.1
44799	0	0	0	0	KHM	48.5855	117.1601	17.2	624.2	435	55703.	2585	2.0	5.1	12.7	2.5	0.4	6.3	64	0.1
44798	0	0	0	0	KHM	48.5854	117.1595	17.2	623.9	398	55714.	2808	2.3	4.9	15.1	2.1	0.3	6.6	49	0.1
44797	0	0	0	0	KHM	48.5854	117.1589	17.2	623.6	366	55727.	2824	2.2	5.3	12.0	2.5	0.4	5.6	41	0.1
44796	0	0	0	0	KHM	48.5854	117.1583	17.2	623.3	341	55739.	2765	2.3	5.5	11.9	2.4	0.5	5.3	51	0.1
44795	0	0	0	0	KHM	48.5854	117.1578	17.2	623.1	318	55749.	3002	2.2	5.5	11.1	2.5	0.5	5.0	44	0.1
44794	0	0	0	0	KHM	48.5854	117.1572	17.2	623.0	301	55757.	2805	2.1	6.0	13.3	2.9	0.5	6.4	47	0.1
44793	0	0	0	0	KHM	48.5854	117.1566	17.2	622.9	295	55760.	2875	2.1	5.4	12.2	2.6	0.4	5.8	47	0.1
44792	0	0	0	0	KHM	48.5854	117.1560	17.2	622.8	307	55760.	3083	2.2	7.4	13.2	3.3	0.6	6.0	37	0.1
44791	0	0	0	0	KHM	48.5854	117.1554	17.2	622.8	330	55756.	3201	2.2	7.6	12.3	3.5	0.6	5.7	50	0.1
44790	0	0	0	0	KHM	48.5853	117.1548	17.2	622.8	351	55751.	3203	2.5	7.0	13.9	2.8	0.5	5.5	60	0.1
44789	0	0	0	0	KHM	48.5853	117.1542	17.2	622.9	365	55747.	3336	2.2	7.9	14.1	3.6	0.6	6.4	45	0.1
44788	0	0	0	0	KHM	48.5853	117.1536	17.2	623.0	371	55744.	3212	2.7	6.3	11.6	2.4	0.5	4.4	45	0.2
44787	0	0	0	0	KHM	48.5853	117.1530	17.2	623.0	373	55742.	3120	2.6	5.0	11.0	1.9	0.5	4.2	60	0.2
44786	0	0	0	0	KHM	48.5853	117.1525	17.2	623.2	372	55741.	3196	2.2	5.6	15.2	2.6	0.4	6.9	47	0.2
44785	0	0	0	0	KHM	48.5853	117.1519	17.2	623.3	374	55744.	3122	2.1	5.5	13.1	2.6	0.4	6.2	43	0.2
44784	0	0	0	0	KHM	48.5853	117.1513	17.2	623.5	373	55750.	3053	1.9	6.3	14.0	3.2	0.4	7.3	48	0.2
44783	0	0	0	0	KHM	48.5853	117.1507	17.2	623.6	366	55757.	3219	2.1	6.3	13.6	2.9	0.5	6.4	51	0.2
44782	0	0	0	0	KHM	48.5853	117.1501	17.2	623.8	359	55766.	3130	2.0	5.3	16.9	2.6	0.3	8.4	45	0.2
44781	0	0	0	0	KHM	48.5853	117.1495	17.2	624.0	356	55772.	3152	1.9	6.4	17.6	3.4	0.4	9.5	52	0.2
44780	0	0	0	0	KHM	48.5853	117.1489	17.2	624.2	365	55777.	3226	2.1	6.2	12.8	3.0	0.5	6.3	60	0.2
44779	0	0	0	0	KHM	48.5853	117.1483	17.2	624.4	372	55781.	3150	2.2	4.9	17.3	2.2	0.3	7.8	52	0.2
44778	0	0	0	0	KHM	48.5853	117.1477	17.2	624.5	372	55784.	3086	2.0	5.0	18.1	2.5	0.3	8.8	46	0.2
44777	0	0	0	0	KHM	48.5853	117.1471	17.3	624.7	371	55787.	2968	2.3	3.2	19.6	1.4	0.2	8.5	50	0.2
44776	0	0	0	0	KHM	48.5853	117.1465	17.3	624.9	379	55786.	2936	2.2	4.1	15.5	1.9	0.3	7.2	57	0.2
44775	0	0	0	0	KHM	48.5853	117.1459	17.3	625.1	405	55783.	2964	2.8	4.7	13.7	1.7	0.3	4.9	48	0.2
44774	0	0	0	0	KHM	48.5853	117.1453	17.3	625.2	436	55779.	2904	2.5	5.3	14.5	2.1	0.4	5.9	43	0.2
44773	0	0	0	0	KHM	48.5852	117.1447	17.3	625.4	463	55777.	2807	2.1	4.1	15.3	1.9	0.3	7.2	61	0.2
44772	0	0	0	0	KHM	48.5852	117.1441	17.3	625.5	470	55778.	2947	2.4	3.4	17.4	1.4	0.2	7.3	51	0.2
44771	0	0	0	0	KHM	48.5852	117.1435	17.3	625.7	464	55783.	2920	2.3	4.9	16.5	2.1	0.3	7.1	44	0.2
44770	0	0	0	0	KHM	48.5852	117.1430	17.3	625.9	447	55790.	2741	2.2	5.7	12.9	2.6	0.4	5.8	52	0.2
44769	0	0	0	0	KHM	48.5852	117.1424	17.3	626.1	423	55799.	2429	1.9	3.9	12.2	2.1	0.3	6.6	46	0.2
44768	0	0	0	0	KHM	48.5852	117.1418	17.3	626.3	395	55811.	2410	1.5	3.6	13.0	2.3	0.3	8.5	49	0.2
44767	0	0	0	0	KHM	48.5852	117.1412	17.3	626.5	370	55824.	2318	2.2	2.8	12.1	1.2	0.2	5.4	50	0.2
44766	0	0	0	0	KHM	48.5852	117.1406	17.3	626.8	362	55837.	2423	1.8	4.4	11.7	2.4	0.4	6.4	50	0.2
44765	0	0	0	0	KHM	48.5852	117.1400	17.3	627.0	372	55849.	2333	1.6	5.0	10.5	3.2	0.5	6.8	65	0.1
44764	0	0	0	0	KHM	48.5852	117.1394	17.3	627.3	393	55857.	2456	1.8	5.9	12.5	3.2	0.5	6.8	47	0.1
44763	0	0	0	0	KHM	48.5852	117.1388	17.3	627.5	419	55863.	2626	1.8	4.2	14.7	2.4	0.3	8.3	53	0.1
44762	0	0	0	0	KHM	48.5852	117.1382	17.3	627.8	441	55867.	2953	1.9	6.8	15.8	3.5	0.4	8.2	41	0.1
44761	0	0	0	0	KHM	48.5852	117.1376	17.3	628.1	458	55870.	2955	2.3	5.4	15.1	2.4	0.4	6.6	45	0.1
44760	0	0	0	0	KHM	48.5851	117.1370	17.3	628.3	469	55872.	3166	2.1	4.6	21.0	2.2	0.2	10.1	43	0.1
44759	0	0	0	0	KHM	48.5851	117.1364	17.3	628.6	480	55870.	3077	2.1	6.8	18.4	3.3	0.4	8.9	61	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 12							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
44758	0	0	0	0	KHM	48.5851	117.1358	17.3	628.9	492	55865.	3335	2.5	6.1	18.8	2.5	0.3	7.7	39	0.1
44757	0	0	0	0	KHM	48.5851	117.1353	17.4	629.2	498	55858.	3354	2.4	7.6	19.7	3.1	0.4	8.1	40	0.1
44756	0	0	0	0	KHM	48.5851	117.1346	17.4	629.5	496	55847.	3363	2.1	8.3	18.6	4.0	0.4	8.8	31	0.1
44755	0	0	0	0	KHM	48.5851	117.1341	17.4	629.7	488	55836.	3294	2.5	7.0	16.7	2.8	0.4	6.8	25	0.1
44754	0	0	0	0	KHM	48.5851	117.1335	17.4	630.0	474	55829.	3213	2.2	6.8	15.4	3.1	0.4	7.1	50	0.1
44753	0	0	0	0	KHM	48.5851	117.1329	17.4	630.3	457	55823.	3121	1.7	7.3	17.2	4.2	0.4	9.9	58	0.1
44752	0	0	0	0	KHM	48.5851	117.1323	17.4	630.5	438	55819.	3217	2.2	6.9	16.4	3.1	0.4	7.4	39	0.1
44751	0	0	0	0	KHM	48.5851	117.1317	17.4	630.8	425	55817.	3303	1.8	9.0	15.4	5.1	0.6	8.8	41	0.1
44750	0	0	0	0	KHM	48.5851	117.1311	17.4	631.0	408	55812.	3108	1.9	8.0	12.6	4.1	0.6	6.5	67	0.1
44749	0	0	0	0	KHM	48.5851	117.1305	17.4	631.2	382	55807.	2896	2.1	5.5	15.8	2.6	0.3	7.5	50	0.1
44748	0	0	0	0	KHM	48.5851	117.1299	17.4	631.5	345	55801.	2765	1.8	6.0	15.9	3.3	0.4	8.8	43	0.1
44747	0	0	0	0	KHM	48.5851	117.1293	17.4	631.7	313	55792.	2595	1.4	7.5	11.0	5.2	0.7	7.8	30	0.1
44746	0	0	0	0	KHM	48.5851	117.1287	17.4	631.9	296	55781.	2487	1.6	4.5	12.7	2.8	0.4	7.8	56	0.1
44745	0	0	0	0	KHM	48.5851	117.1281	17.4	632.1	297	55766.	2621	1.3	6.8	11.9	5.4	0.6	9.5	38	0.1
44744	0	0	0	0	KHM	48.5850	117.1275	17.4	632.4	316	55746.	2562	1.8	5.7	12.2	3.2	0.5	6.8	44	0.1
44743	0	0	0	0	KHM	48.5850	117.1269	17.4	632.7	340	55724.	2782	1.9	5.9	14.8	3.2	0.4	7.9	43	0.1
44742	0	0	0	0	KHM	48.5850	117.1263	17.4	633.0	360	55703.	2780	1.9	4.9	15.0	2.6	0.3	7.9	36	0.1
44741	0	0	0	0	KHM	48.5850	117.1257	17.4	633.3	359	55683.	2798	1.8	7.1	13.1	4.0	0.5	7.4	50	0.1
44740	0	0	0	0	KHM	48.5850	117.1252	17.4	633.5	344	55668.	2768	2.0	6.2	12.8	3.1	0.5	6.4	49	0.1
44739	0	0	0	0	KHM	48.5850	117.1246	17.4	633.8	327	55659.	2538	1.7	5.4	12.5	3.1	0.4	7.2	50	0.1
44738	0	0	0	0	KHM	48.5850	117.1240	17.4	634.2	325	55654.	2558	1.7	5.5	12.5	3.2	0.4	7.2	39	0.1
44737	0	0	0	0	KHM	48.5850	117.1234	17.4	634.5	340	55654.	2601	1.4	7.5	13.3	5.3	0.6	9.5	49	0.1
44736	0	0	0	0	KHM	48.5850	117.1228	17.4	634.8	360	55657.	2670	2.0	6.9	8.6	3.4	0.8	4.3	53	0.1
44735	0	0	0	0	KHM	48.5850	117.1222	17.4	635.1	381	55661.	2873	2.2	6.6	12.6	3.0	0.5	5.6	37	0.1
44734	0	0	0	0	KHM	48.5850	117.1216	17.4	635.4	409	55664.	2889	2.0	5.7	16.3	2.9	0.4	8.3	47	0.1
44733	0	0	0	0	KHM	48.5850	117.1210	17.4	635.7	441	55666.	3034	2.2	4.9	15.4	2.2	0.3	6.9	56	0.1
44732	0	0	0	0	KHM	48.5850	117.1204	17.4	636.0	482	55665.	3254	2.1	7.3	11.6	3.4	0.6	5.5	35	0.1
44731	0	0	0	0	KHM	48.5849	117.1198	17.4	636.3	517	55663.	3341	2.9	6.3	15.3	2.2	0.4	5.3	48	0.1
44730	0	0	0	0	KHM	48.5849	117.1192	17.4	636.5	548	55657.	3414	2.5	7.3	14.9	2.9	0.5	6.0	42	0.1
44729	0	0	0	0	KHM	48.5849	117.1186	17.4	636.8	573	55649.	3347	2.5	7.0	16.7	2.8	0.4	6.6	33	0.1
44728	0	0	0	0	KHM	48.5849	117.1180	17.4	637.0	593	55640.	3402	2.0	9.2	16.5	4.6	0.6	8.3	43	0.1
44727	0	0	0	0	KHM	48.5849	117.1174	17.4	637.2	613	55631.	3471	2.2	9.5	13.3	4.4	0.7	6.1	44	0.1
44726	0	0	0	0	KHM	48.5849	117.1169	17.4	637.3	630	55620.	3304	1.8	9.9	16.5	5.6	0.6	9.3	44	0.1
44725	0	0	0	0	KHM	48.5849	117.1163	17.4	637.5	650	55611.	3532	2.2	8.7	20.7	3.9	0.4	9.3	41	0.1
44724	0	0	0	0	KHM	48.5849	117.1157	17.4	637.6	676	55604.	3294	2.0	10.7	15.8	5.3	0.7	7.8	50	0.1
44723	0	0	0	0	KHM	48.5849	117.1151	17.4	637.8	699	55598.	3343	2.6	10.1	12.6	3.9	0.8	4.9	35	0.1
44722	1	0	0	0	KHM	48.5849	117.1145	17.4	637.9	715	55596.	3454	2.7	7.2	14.7	2.6	0.5	5.4	56	0.1
44721	1	0	0	0	KHM	48.5849	117.1139	17.4	637.9	725	55598.	3244	1.7	8.5	15.5	4.8	0.5	8.8	44	0.1
44720	1	0	0	0	KHM	48.5849	117.1132	17.4	637.9	723	55599.	3307	2.4	8.4	13.8	3.4	0.6	5.7	49	0.1
44719	1	0	0	0	KHM	48.5849	117.1126	17.4	637.9	707	55599.	3380	2.2	8.2	16.7	3.7	0.5	7.5	39	0.1
44718	0	0	0	0	KHM	48.5849	117.1120	17.4	637.9	679	55600.	3110	2.5	6.3	14.7	2.6	0.4	6.0	41	0.1
44716	0	0	0	0	KHM	48.5848	117.1107	17.4	637.8	658	55600.	2925	1.6	8.2	11.8	5.1	0.7	7.4	46	0.1
44715	0	0	0	0	KHM	48.5848	117.1100	17.4	637.7	655	55600.	2932	1.6	8.3	12.7	5.2	0.7	7.9	37	0.1
44714	0	0	0	0	KHM	48.5848	117.1094	17.4	637.6	664	55601.	2890	2.0	6.7	12.1	3.4	0.6	6.1	33	0.1
44713	0	0	0	0	KHM	48.5848	117.1087	17.4	637.4	671	55599.	3005	1.9	7.6	13.8	3.9	0.5	7.1	41	0.1
44712	0	0	0	0	KHM	48.5848	117.1081	17.4	637.3	670	55597.	3188	1.7	8.1	15.5	4.6	0.5	8.9	36	0.1
44711	0	0	0	0	KHM	48.5848	117.1075	17.4	637.0	663	55594.	2967	2.1	7.1	10.9	3.4	0.7	5.2	46	0.1
44710	0	0	0	0	KHM	48.5847	117.1068	17.4	636.8	660	55591.	3132	2.9	7.8	9.7	2.7	0.8	3.3	56	0.1
44709	0	0	0	0	KHM	48.5847	117.1062	17.4	636.5	655	55590.	3171	1.7	10.0	13.8	6.0	0.7	8.4	30	0.1
44708	0	0	0	0	KHM	48.5847	117.1055	17.4	636.2	638	55590.	3095	2.4	8.0	18.2	3.4	0.4	7.7	35	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 12							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
44707	0	0	0	0	KHM	48.5847	117.1049	17.4	635.8	608	55592.	2904	2.1	6.4	13.6	3.1	0.5	6.6	41	0.1
44706	0	0	0	0	KHM	48.5847	117.1042	17.4	635.5	574	55595.	2774	1.9	6.3	13.3	3.4	0.5	7.2	58	0.1
44705	0	0	0	0	KHM	48.5847	117.1036	17.4	635.1	544	55598.	2721	1.4	7.8	10.9	5.6	0.7	7.9	39	0.1
44704	0	0	0	0	KHM	48.5847	117.1030	17.4	634.7	520	55601.	2658	1.7	5.1	15.6	2.9	0.3	9.0	37	0.1
44703	0	0	0	0	KHM	48.5847	117.1023	17.4	634.2	500	55605.	2742	1.9	7.6	9.4	3.9	0.8	4.8	42	0.1
44702	0	0	0	0	KHM	48.5847	117.1017	17.4	633.8	483	55607.	2702	1.8	6.7	14.5	3.7	0.5	8.1	42	0.1
44701	0	0	0	0	KHM	48.5847	117.1010	17.4	633.3	469	55609.	2538	2.1	5.0	11.3	2.4	0.4	5.3	45	0.1
44700	0	0	0	0	KHM	48.5846	117.1004	17.4	632.9	459	55611.	2564	1.6	5.5	13.6	3.5	0.4	8.6	61	0.1
44699	0	0	0	0	KHM	48.5846	117.0997	17.4	632.4	451	55613.	2573	1.8	5.2	11.0	2.9	0.5	6.3	41	0.1
44698	0	0	0	0	KHM	48.5846	117.0991	17.4	631.9	444	55614.	2540	2.1	5.5	8.5	2.7	0.7	4.1	49	0.1
44697	0	0	0	0	KHM	48.5846	117.0984	17.4	631.5	438	55615.	2453	1.8	5.3	11.3	2.9	0.5	6.3	45	0.1
44696	0	0	0	0	KHM	48.5846	117.0978	17.4	631.0	434	55614.	2687	2.0	6.0	11.6	3.0	0.5	5.7	40	0.1
44695	0	0	0	0	KHM	48.5846	117.0972	17.4	630.6	436	55611.	2648	2.3	6.4	13.0	2.9	0.5	5.8	55	0.1
44694	0	0	0	0	KHM	48.5846	117.0965	17.4	630.2	435	55609.	2771	1.7	5.8	13.7	3.4	0.4	7.9	49	0.1
44693	0	0	0	0	KHM	48.5845	117.0959	17.4	629.9	428	55607.	2586	1.6	6.6	10.6	4.2	0.6	6.8	50	0.1
44692	0	0	0	0	KHM	48.5845	117.0952	17.5	629.6	414	55605.	2460	1.9	2.9	14.8	1.6	0.2	7.9	48	0.1
44691	0	0	0	0	KHM	48.5845	117.0946	17.5	629.3	397	55606.	2331	1.6	6.3	11.1	4.0	0.6	7.1	54	0.1
44690	0	0	0	0	KHM	48.5845	117.0939	17.5	629.0	383	55609.	2319	1.9	4.3	10.5	2.3	0.4	5.6	55	0.1
44689	0	0	0	0	KHM	48.5845	117.0933	17.5	628.8	380	55612.	2172	1.7	4.0	10.9	2.4	0.4	6.6	56	0.1
44688	0	0	0	0	KHM	48.5845	117.0927	17.5	628.7	401	55615.	2211	1.8	3.4	9.6	1.9	0.4	5.4	51	0.1
44687	0	0	0	0	KHM	48.5845	117.0920	17.5	628.6	444	55616.	2441	1.7	5.4	10.8	3.1	0.5	6.2	55	0.1
44686	0	0	0	0	KHM	48.5845	117.0914	17.5	628.6	500	55614.	2489	1.9	6.6	8.9	3.5	0.7	4.7	49	0.1
44685	0	0	0	0	KHM	48.5845	117.0907	17.5	628.6	559	55612.	2742	1.8	4.8	14.0	2.7	0.3	7.9	44	0.1
44684	0	0	0	0	KHM	48.5844	117.0901	17.5	628.6	615	55611.	3051	1.9	9.1	13.6	4.9	0.7	7.3	45	0.1
44683	0	0	0	0	KHM	48.5844	117.0894	17.5	628.8	668	55610.	3137	2.0	8.3	12.0	4.2	0.7	6.1	48	0.1
44682	1	0	0	0	KHM	48.5844	117.0888	17.5	628.9	717	55610.	3195	2.2	8.5	11.5	3.8	0.7	5.1	43	0.1
44681	1	0	0	0	KHM	48.5844	117.0882	17.6	629.2	765	55609.	3528	1.6	10.9	16.3	6.7	0.7	10.0	52	0.1
44680	1	0	0	0	KHM	48.5844	117.0875	17.6	629.4	804	55608.	3547	3.5	6.2	14.3	1.8	0.4	4.0	60	0.2
44679	1	0	0	0	KHM	48.5844	117.0869	17.6	629.7	832	55606.	3677	3.2	9.3	7.5	2.9	1.2	2.3	53	0.2
44678	1	0	0	0	KHM	48.5844	117.0862	17.6	630.0	851	55605.	3869	3.1	8.2	12.8	2.6	0.6	4.1	41	0.2
44677	1	0	0	0	KHM	48.5844	117.0857	17.6	630.3	867	55603.	3844	3.0	7.3	13.4	2.4	0.5	4.4	45	0.2
44676	1	0	0	0	KHM	48.5844	117.0851	17.6	630.6	877	55603.	3970	2.5	11.7	18.0	4.7	0.7	7.2	54	0.2
44675	1	0	0	0	KHM	48.5844	117.0845	17.6	630.9	868	55604.	3884	2.5	6.4	15.8	2.6	0.4	6.3	52	0.2
44674	1	0	0	0	KHM	48.5844	117.0840	17.6	631.3	832	55607.	3758	3.1	7.1	15.2	2.3	0.5	4.9	40	0.2
44673	1	0	0	0	KHM	48.5843	117.0834	17.6	631.5	775	55610.	3447	2.7	4.9	16.5	1.8	0.3	6.2	49	0.2
44672	1	0	0	0	KHM	48.5843	117.0829	17.7	631.9	705	55614.	3370	2.1	7.7	15.5	3.7	0.5	7.3	45	0.2
44671	0	0	0	0	KHM	48.5843	117.0823	17.7	632.2	633	55618.	2937	1.9	4.3	15.4	2.3	0.3	8.1	48	0.2
44670	0	0	0	0	KHM	48.5843	117.0817	17.7	632.4	561	55620.	2902	2.4	5.0	9.8	2.1	0.5	4.1	49	0.2
44669	0	0	0	0	KHM	48.5843	117.0812	17.7	632.7	496	55622.	2809	2.2	4.8	10.2	2.2	0.5	4.6	47	0.2
44668	0	0	0	0	KHM	48.5843	117.0806	17.7	633.0	437	55624.	2752	2.4	4.3	13.0	1.8	0.3	5.4	47	0.2
44667	0	0	0	0	KHM	48.5843	117.0800	17.7	633.2	389	55626.	2642	1.8	4.6	11.2	2.5	0.4	6.1	42	0.2
44666	0	0	0	0	KHM	48.5843	117.0795	17.7	633.5	353	55628.	2526	2.0	4.4	9.7	2.2	0.5	4.9	37	0.2
44665	0	0	0	0	KHM	48.5843	117.0789	17.8	633.8	331	55629.	2527	1.5	6.3	10.0	4.2	0.6	6.6	47	0.2
44664	0	0	0	0	KHM	48.5843	117.0784	17.8	634.0	321	55631.	2440	1.5	5.0	10.3	3.3	0.5	6.7	50	0.2
44663	0	0	0	0	KHM	48.5843	117.0778	17.8	634.3	318	55633.	2531	1.8	6.1	9.8	3.4	0.6	5.4	46	0.2
44662	0	0	0	0	KHM	48.5843	117.0772	17.8	634.6	319	55637.	2550	1.9	4.7	12.9	2.5	0.4	6.9	50	0.2
44661	0	0	0	0	KHM	48.5842	117.0767	17.8	634.9	322	55641.	2562	1.7	4.4	11.9	2.5	0.4	6.9	52	0.2
44660	0	0	0	0	KHM	48.5842	117.0761	17.8	635.3	325	55646.	2602	1.8	7.6	8.3	4.1	0.9	4.5	48	0.2
44659	0	0	0	0	KHM	48.5842	117.0756	17.8	635.6	322	55648.	2700	1.8	5.3	11.8	3.0	0.5	6.6	48	0.2
44658	0	0	0	0	KHM	48.5842	117.0750	17.9	636.0	314	55648.	2566	2.1	4.8	11.4	2.3	0.4	5.5	52	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 12							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
44657	0	0	0	0	KHM	48.5842	117.0744	17.9	636.4	305	55646.	2625	1.7	4.7	13.4	2.8	0.3	7.9	44	0.2
44656	0	0	0	0	KHM	48.5842	117.0739	17.9	636.7	308	55642.	2532	1.7	4.9	11.9	2.8	0.4	6.9	42	0.2
44655	0	0	0	0	KHM	48.5842	117.0733	17.9	637.1	322	55637.	2553	2.0	5.5	9.3	2.7	0.6	4.6	56	0.2
44654	0	0	0	0	KHM	48.5842	117.0728	17.9	637.5	341	55632.	2739	2.1	6.5	14.3	3.1	0.5	6.8	32	0.2
44653	0	0	0	0	KHM	48.5842	117.0722	17.9	638.0	360	55627.	2813	1.8	5.5	13.4	3.0	0.4	7.4	48	0.2
44652	0	0	0	0	KHM	48.5842	117.0716	17.9	638.4	371	55623.	2784	1.6	7.9	12.4	5.0	0.6	7.8	38	0.2
44651	0	0	0	0	KHM	48.5842	117.0711	18.0	638.9	375	55620.	2759	2.2	6.5	11.8	2.9	0.6	5.3	45	0.2
44650	0	0	0	0	KHM	48.5842	117.0705	18.0	639.3	370	55617.	2725	2.0	5.5	14.7	2.7	0.4	7.4	43	0.2
44649	0	0	0	0	KHM	48.5842	117.0700	18.0	639.8	366	55615.	2665	2.0	5.9	12.5	3.0	0.5	6.4	40	0.2
44648	0	0	0	0	KHM	48.5842	117.0694	18.0	640.3	364	55614.	2783	2.1	4.1	13.9	2.0	0.3	6.7	39	0.2
44647	0	0	0	0	KHM	48.5842	117.0688	18.0	640.8	368	55612.	2755	2.3	3.3	14.5	1.5	0.2	6.3	51	0.2
44646	0	0	0	0	KHM	48.5841	117.0683	18.0	641.3	378	55610.	2790	2.3	5.1	12.3	2.2	0.4	5.3	39	0.2
44645	0	0	0	0	KHM	48.5841	117.0677	18.0	641.9	390	55609.	2907	2.2	6.4	12.3	3.0	0.5	5.6	39	0.2
44644	0	0	0	0	KHM	48.5841	117.0672	18.1	642.5	405	55605.	2769	2.1	5.3	10.9	2.5	0.5	5.3	50	0.2
44643	0	0	0	0	KHM	48.5841	117.0666	18.1	643.1	416	55603.	2944	2.0	7.4	12.0	3.7	0.6	6.1	37	0.2
44642	0	0	0	0	KHM	48.5841	117.0660	18.1	643.7	425	55600.	2891	2.3	4.5	13.9	1.9	0.3	5.9	30	0.2
44641	0	0	0	0	KHM	48.5841	117.0655	18.1	644.3	431	55597.	2897	2.2	4.3	16.4	1.9	0.3	7.3	36	0.2
44640	0	0	0	0	KHM	48.5841	117.0649	13.1	644.9	436	55595.	2743	2.3	4.3	14.1	1.9	0.3	6.2	40	0.2
44639	0	0	0	0	KHM	48.5841	117.0643	18.1	645.5	441	55594.	2693	2.2	4.2	10.7	2.0	0.4	5.0	35	0.2
44638	0	0	0	0	KHM	48.5841	117.0638	18.1	646.1	446	55593.	2645	1.9	4.8	11.8	2.5	0.4	6.2	50	0.2
44637	0	0	0	0	KHM	48.5841	117.0632	18.1	646.6	449	55593.	2687	2.0	5.8	12.9	2.9	0.4	6.6	41	0.2
44636	0	0	0	0	KHM	48.5841	117.0627	18.2	647.2	445	55593.	2658	2.1	5.7	11.1	2.8	0.5	5.3	42	0.2
44635	0	0	0	0	KHM	48.5841	117.0621	18.2	647.8	439	55593.	2627	1.9	5.6	11.4	2.9	0.5	6.0	40	0.2
44634	0	0	0	0	KHM	48.5840	117.0615	18.2	648.4	434	55594.	2650	2.1	4.6	15.0	2.1	0.3	7.0	42	0.2
44633	0	0	0	0	KHM	48.5840	117.0610	18.2	648.9	434	55594.	2710	2.3	3.8	14.9	1.7	0.3	6.5	36	0.2
44632	0	0	0	0	KHM	48.5840	117.0604	18.2	649.4	432	55594.	2711	1.8	5.8	9.1	3.2	0.6	5.0	39	0.2
44631	0	0	0	0	KHM	48.5840	117.0599	18.2	650.0	430	55594.	2596	2.3	5.3	11.2	2.3	0.5	4.8	47	0.2
44630	0	0	0	0	KHM	48.5840	117.0593	18.2	650.4	429	55593.	2720	1.8	6.3	11.2	3.6	0.6	6.3	42	0.2
44629	0	0	0	0	KHM	48.5840	117.0587	18.2	650.9	436	55591.	2787	1.9	4.7	12.9	2.4	0.4	6.8	35	0.2
44628	0	0	0	0	KHM	48.5840	117.0582	18.2	651.4	453	55588.	2765	1.7	5.4	12.7	3.2	0.4	7.4	38	0.2
44626	0	0	0	0	KHM	48.5840	117.0571	18.2	651.8	480	55585.	2755	2.3	5.5	11.5	2.3	0.5	4.9	44	0.2
44625	0	0	0	0	KHM	48.5840	117.0565	18.2	652.3	506	55583.	2986	1.9	6.1	18.5	3.2	0.3	9.7	33	0.2
44624	0	0	0	0	KHM	48.5840	117.0559	18.2	652.7	526	55581.	2809	1.5	6.9	12.5	4.5	0.6	8.2	48	0.2
44623	0	0	0	0	KHM	48.5840	117.0554	18.3	653.1	540	55580.	2991	1.8	4.8	19.0	2.6	0.3	10.3	33	0.2
44622	0	0	0	0	KHM	48.5840	117.0548	18.3	653.5	552	55578.	2888	1.9	5.6	12.5	3.0	0.4	6.7	33	0.2
44621	0	0	0	0	KHM	48.5840	117.0542	18.3	653.8	566	55575.	3053	2.1	7.5	12.9	3.6	0.6	6.1	35	0.2
44620	0	0	0	0	KHM	48.5840	117.0537	18.3	654.1	579	55573.	3012	2.2	6.9	11.7	3.2	0.6	5.4	36	0.2
44619	0	0	0	0	KHM	48.5839	117.0530	18.3	654.4	594	55571.	3010	2.9	4.5	9.1	1.5	0.5	3.1	35	0.2
44618	0	0	0	0	KHM	48.5839	117.0524	18.3	654.7	597	55569.	3001	3.2	5.5	12.3	1.7	0.4	3.9	43	0.2
44617	0	0	0	0	KHM	48.5839	117.0518	18.3	655.0	589	55569.	2961	2.2	9.5	8.5	4.3	1.1	3.9	34	0.2
44616	0	0	0	0	KHM	48.5839	117.0511	18.3	655.2	568	55568.	2917	2.6	6.9	7.5	2.7	0.9	2.9	38	0.2
44615	0	0	0	0	KHM	48.5838	117.0505	18.3	655.4	549	55567.	2747	2.3	6.1	11.0	2.6	0.6	4.7	33	0.2
44614	0	0	0	0	KHM	48.5838	117.0498	18.3	655.7	544	55566.	2672	2.4	5.0	12.3	2.1	0.4	5.2	42	0.2
44613	0	0	0	0	KHM	48.5838	117.0492	18.3	655.9	562	55564.	2671	2.4	6.0	7.5	2.5	0.8	3.2	43	0.2
44612	0	0	0	0	KHM	48.5838	117.0486	18.3	656.1	585	55563.	2737	2.6	5.6	9.1	2.1	0.6	3.4	44	0.2
44611	0	0	0	0	KHM	48.5838	117.0479	18.3	656.2	609	55563.	2803	2.2	6.1	9.5	2.8	0.6	4.3	51	0.2
44610	0	0	0	0	QAG	48.5838	117.0473	18.3	656.4	621	55564.	2905	2.0	7.8	9.4	3.8	0.8	4.7	38	0.2
44609	0	0	0	0	QAG	48.5838	117.0466	18.3	656.5	640	55564.	2907	1.9	6.0	10.8	3.1	0.6	5.7	28	0.2
44608	0	0	0	0	QAG	48.5837	117.0460	18.3	656.6	654	55565.	2910	2.5	6.2	10.9	2.5	0.6	4.3	36	0.2
44607	0	0	0	0	QAG	48.5837	117.0453	18.3	656.7	657	55565.	2669	2.0	7.4	8.6	3.7	0.9	4.3	39	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 12							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
44606	0	0	0	0	QAG	48.5837	117.0447	18.3	656.8	643	55564.	2693	1.7	7.4	10.1	4.4	0.7	5.9	34	0.2
44605	0	0	0	0	QAG	48.5837	117.0441	18.3	656.9	619	55563.	2501	1.7	5.7	9.5	3.4	0.6	5.6	37	0.2
44604	0	0	0	0	QAG	48.5837	117.0435	18.3	657.0	596	55563.	2425	1.3	5.2	11.7	4.0	0.4	8.9	32	0.2
44603	0	0	0	0	QAG	48.5837	117.0429	18.3	657.1	582	55561.	2133	1.3	4.1	8.4	3.2	0.5	6.5	39	0.2
44602	0	0	0	0	QAG	48.5836	117.0424	18.3	657.1	580	55561.	2271	1.8	4.7	8.7	2.6	0.5	4.8	34	0.2
44601	0	0	0	0	QAG	48.5836	117.0418	18.3	657.2	584	55562.	2234	1.8	4.7	7.6	2.7	0.6	4.3	40	0.2
44600	0	0	0	0	QAG	48.5836	117.0412	18.3	657.2	588	55563.	2387	2.4	4.7	6.3	1.9	0.7	2.6	39	0.2
44599	0	0	0	0	QAG	48.5836	117.0406	18.3	657.3	585	55565.	2389	1.6	3.0	11.9	1.9	0.3	7.5	26	0.2
44598	0	0	0	0	QAG	48.5836	117.0401	18.3	657.3	566	55567.	2299	1.6	5.9	7.5	3.6	0.8	4.6	31	0.2
44597	0	0	0	0	QAG	48.5836	117.0395	18.3	657.4	559	55568.	2335	1.7	4.3	9.5	2.5	0.4	5.6	39	0.2
44596	0	0	0	0	QAG	48.5836	117.0390	18.3	657.5	564	55569.	2381	1.8	7.3	4.6	4.0	1.6	2.6	46	0.2
44595	0	0	0	0	QAG	48.5836	117.0384	18.3	657.5	589	55570.	2602	2.1	4.8	10.5	2.4	0.5	5.1	28	0.2
44594	0	0	0	0	QAG	48.5836	117.0378	18.3	657.6	611	55570.	2593	2.2	3.6	8.3	1.6	0.4	3.9	41	0.2
44593	0	0	0	0	QAG	48.5836	117.0373	18.3	657.7	630	55569.	2628	1.5	6.2	14.4	4.1	0.4	9.6	41	0.2
44592	0	0	0	0	QAG	48.5836	117.0367	18.3	657.7	650	55567.	2819	1.9	8.1	10.7	4.2	0.8	5.5	33	0.2
44591	0	0	0	0	QAG	48.5836	117.0361	18.3	657.8	664	55566.	2750	1.8	6.3	11.0	3.5	0.6	6.1	28	0.2
44590	0	0	0	0	QAG	48.5835	117.0356	18.3	657.8	674	55567.	2850	2.2	5.6	11.3	2.6	0.5	5.1	34	0.2
44589	0	0	0	0	QAG	48.5835	117.0350	18.3	657.9	684	55568.	2909	2.0	7.4	14.1	3.8	0.5	7.2	36	0.2
44588	0	0	0	0	QAG	48.5835	117.0344	18.3	657.9	686	55570.	2856	2.4	6.3	9.3	2.7	0.7	4.0	38	0.2
44587	0	0	0	0	QAG	48.5835	117.0339	18.3	658.0	676	55572.	2971	2.3	6.0	11.9	2.6	0.5	5.3	32	0.2
44586	0	0	0	0	QAG	48.5835	117.0333	18.3	658.0	650	55574.	2828	2.2	4.9	11.5	2.2	0.4	5.2	47	0.2
44585	0	0	0	0	QAG	48.5835	117.0327	18.3	658.1	617	55576.	2777	2.5	4.1	12.8	1.6	0.3	5.1	47	0.2
44584	0	0	0	0	QAG	48.5835	117.0322	18.3	658.1	589	55577.	2761	2.1	3.8	11.2	1.8	0.3	5.3	36	0.2
44583	0	0	0	0	QAG	48.5835	117.0316	18.3	658.1	563	55578.	2694	2.0	4.6	10.8	2.3	0.4	5.5	35	0.2
44582	0	0	0	0	QAG	48.5835	117.0310	18.3	658.1	535	55578.	2612	2.2	5.3	12.6	2.5	0.4	5.9	44	0.2
44581	0	0	0	0	QAG	48.5835	117.0305	18.3	658.1	504	55578.	2620	2.0	4.7	11.8	2.4	0.4	5.9	36	0.2
44580	0	0	0	0	QAG	48.5835	117.0299	18.2	658.0	484	55578.	2504	1.4	5.1	12.8	3.7	0.4	9.1	40	0.2
44579	0	0	0	0	QAG	48.5835	117.0293	18.2	658.0	484	55578.	2474	2.0	2.5	13.2	1.2	0.2	6.5	42	0.2
44578	0	0	0	0	QAG	48.5835	117.0288	18.2	657.9	506	55579.	2456	2.0	4.3	8.4	2.2	0.5	4.3	44	0.2
44577	0	0	0	0	QAG	48.5834	117.0282	18.2	657.9	540	55580.	2571	2.0	4.3	9.9	2.2	0.4	5.0	27	0.2
44576	0	0	0	0	QAG	48.5834	117.0276	18.2	657.9	577	55581.	2530	2.5	4.4	11.9	1.8	0.4	4.8	37	0.2
44575	0	0	0	0	QAG	48.5834	117.0271	18.2	657.8	609	55582.	2675	1.0	8.1	10.7	8.1	0.8	10.7	31	0.2
44574	0	0	0	0	QAG	48.5834	117.0265	18.2	657.7	637	55583.	2446	2.0	3.8	12.2	1.9	0.3	6.0	55	0.2
44573	0	0	0	0	QAG	48.5834	117.0259	18.2	657.6	669	55585.	2721	2.3	8.2	12.4	3.6	0.7	5.4	33	0.2
44572	1	0	0	0	QAG	48.5834	117.0254	18.2	657.5	709	55585.	2917	2.5	5.5	15.2	2.2	0.4	6.2	33	0.2
44571	1	0	0	0	QAG	48.5834	117.0248	18.2	657.4	741	55585.	3008	2.0	7.2	11.0	3.6	0.7	5.5	26	0.2
44570	1	0	0	0	QAG	48.5834	117.0242	18.2	657.3	754	55585.	2948	2.0	8.0	10.8	3.9	0.7	5.3	60	0.2
44569	1	0	0	0	QAG	48.5834	117.0237	18.2	657.2	737	55584.	2947	2.2	5.4	16.4	2.5	0.3	7.5	42	0.2
44568	1	0	0	0	KKH	48.5834	117.0231	18.2	657.1	713	55584.	2862	2.3	6.9	9.4	2.9	0.7	4.0	33	0.2
44567	0	0	0	0	KKH	48.5834	117.0225	18.2	656.9	692	55586.	2712	2.5	5.9	8.6	2.3	0.7	3.4	52	0.2
44566	0	0	0	0	KKH	48.5833	117.0220	18.2	656.8	680	55588.	2747	1.5	8.1	8.1	5.4	1.0	5.5	32	0.2
44565	0	0	0	0	KKH	48.5833	117.0214	18.2	656.7	670	55590.	2777	1.8	6.1	12.5	3.4	0.5	7.0	37	0.2
44564	0	0	0	0	KKH	48.5833	117.0208	18.2	656.5	652	55593.	2771	2.2	5.9	8.6	2.7	0.7	4.0	40	0.2
44563	0	0	0	0	KKH	48.5833	117.0203	18.2	656.4	627	55597.	2658	1.9	6.5	7.4	3.4	0.9	3.9	49	0.2
44562	0	0	0	0	KKH	48.5833	117.0197	18.2	656.2	593	55601.	2479	1.5	4.6	13.7	3.0	0.3	9.0	37	0.2
44561	0	0	0	0	KKH	48.5833	117.0191	18.2	656.0	551	55607.	2354	1.8	5.6	8.4	3.1	0.7	4.6	25	0.2
44560	0	0	0	0	KKH	48.5833	117.0186	18.2	655.9	508	55609.	2110	1.4	4.0	6.8	2.8	0.6	4.8	39	0.2
44559	0	0	0	0	KKH	48.5833	117.0180	18.2	655.7	470	55613.	2032	1.6	4.8	7.5	3.0	0.6	4.6	31	0.2
44558	0	0	0	0	KKH	48.5833	117.0174	18.2	655.6	446	55616.	2028	1.7	3.3	9.3	1.9	0.4	5.4	40	0.2
44557	0	0	0	0	KKH	48.5833	117.0169	18.2	655.4	423	55619.	2002	1.8	2.1	8.5	1.2	0.2	4.6	26	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 12							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
44556	0	0	0	0	KKH	48.5833	117.0163	18.2	655.3	399	55625.	1975	1.6	4.1	9.1	2.6	0.4	5.7	31	0.2
44555	0	0	0	0	KKH	48.5833	117.0157	18.2	655.1	377	55630.	1866	1.3	2.5	9.4	1.9	0.3	7.2	33	0.2
44554	0	0	0	0	KKH	48.5833	117.0152	18.2	655.0	362	55635.	1883	1.7	3.0	8.4	1.7	0.4	4.8	40	0.2
44553	0	0	0	0	KKH	48.5832	117.0146	18.2	654.9	352	55640.	1850	1.5	4.9	7.3	3.2	0.7	4.7	45	0.2
44552	0	0	0	0	KKH	48.5832	117.0140	18.2	654.9	350	55645.	1918	1.7	3.5	8.3	2.1	0.4	4.9	39	0.2
44551	0	0	0	0	KKH	48.5832	117.0135	18.2	654.8	352	55649.	1797	1.6	3.6	5.9	2.3	0.6	3.7	49	0.2
44550	0	0	0	0	KKH	48.5832	117.0129	18.2	654.9	364	55652.	1984	2.0	2.8	8.6	1.4	0.3	4.5	29	0.2
44549	0	0	0	0	KKH	48.5832	117.0123	18.2	654.9	382	55654.	1992	1.8	4.3	8.5	2.4	0.5	4.8	44	0.2
44548	0	0	0	0	KKH	48.5832	117.0118	18.2	655.0	406	55654.	2121	1.9	2.9	8.8	1.6	0.3	4.7	26	0.2
44547	0	0	0	0	KKH	48.5832	117.0112	18.2	655.2	430	55654.	2211	1.6	4.8	10.4	3.0	0.5	6.4	32	0.2
44546	0	0	0	0	KKH	48.5832	117.0107	18.2	655.3	449	55653.	2210	2.0	5.3	7.1	2.7	0.7	3.6	32	0.1
44545	0	0	0	0	KKH	48.5832	117.0101	18.2	655.6	465	55651.	2298	2.0	3.6	11.7	1.8	0.3	5.9	36	0.1
44544	0	0	0	0	KKH	48.5832	117.0095	18.3	655.9	479	55649.	2219	1.5	4.5	10.1	3.0	0.4	6.8	43	0.1
44543	0	0	0	0	KKH	48.5832	117.0089	18.3	656.2	493	55647.	2239	1.5	5.9	8.0	3.9	0.7	5.3	29	0.1
44542	0	0	0	0	KKH	48.5831	117.0084	18.3	656.5	505	55645.	2267	1.9	4.4	8.5	2.3	0.5	4.4	32	0.1
44541	0	0	0	0	KKH	48.5831	117.0078	18.3	656.9	516	55642.	2439	2.1	4.7	10.7	2.3	0.4	5.2	35	0.1
44540	0	0	0	0	KKH	48.5831	117.0072	18.3	657.3	525	55640.	2367	2.0	5.2	9.6	2.6	0.5	4.8	41	0.1
44539	0	0	0	0	KKH	48.5831	117.0067	18.3	657.7	534	55638.	2357	1.8	5.1	9.6	2.9	0.5	5.4	34	0.1
44538	0	0	0	0	KKH	48.5831	117.0061	18.3	658.1	542	55637.	2300	1.7	6.4	9.9	3.8	0.6	5.8	46	0.1
44537	0	0	0	0	KKH	48.5831	117.0056	18.3	658.6	547	55634.	2357	1.9	3.4	11.7	1.8	0.3	6.0	33	0.1
44535	0	0	0	0	KKH	48.5831	117.0044	18.3	659.1	550	55630.	2338	1.7	6.0	9.3	3.5	0.6	5.4	36	0.1
44534	0	0	0	0	KKH	48.5831	117.0038	18.3	659.5	555	55626.	2256	1.9	5.3	7.8	2.8	0.7	4.1	35	0.1
44533	0	0	0	0	KKH	48.5831	117.0033	18.3	659.9	566	55621.	2062	1.1	5.3	7.2	4.8	0.7	6.5	34	0.1
44532	0	0	0	0	KKH	48.5831	117.0027	18.3	660.4	579	55616.	2150	1.3	6.3	7.0	4.9	0.9	5.5	34	0.1
44531	0	0	0	0	KKH	48.5831	117.0022	18.3	660.8	588	55611.	2125	2.4	2.4	9.4	1.0	0.3	3.9	28	0.1
44530	0	0	0	0	KKH	48.5831	117.0016	18.3	661.1	588	55609.	2037	1.5	6.3	3.6	4.2	1.8	2.4	30	0.1
44529	0	0	0	0	KKH	48.5830	117.0010	18.4	661.6	591	55608.	1979	1.4	4.4	5.5	3.1	0.8	3.8	51	0.1
44528	0	0	0	0	KKH	48.5830	117.0004	18.4	661.9	594	55608.	2219	1.5	5.5	7.7	3.7	0.7	5.2	40	0.1
44527	0	0	0	0	KKH	48.5830	116.9999	18.4	662.3	603	55608.	2204	1.6	5.5	7.4	3.4	0.7	4.6	40	0.1
44526	0	0	0	0	KKH	48.5830	116.9993	18.4	662.6	609	55607.	2269	1.2	5.0	9.9	4.2	0.5	8.3	26	0.1
44525	0	0	0	0	KKH	48.5830	116.9988	18.4	663.0	621	55607.	2325	1.3	6.8	8.0	5.3	0.9	6.2	30	0.1
44524	0	0	0	0	KKH	48.5830	116.9982	18.4	663.2	635	55607.	2334	2.2	4.9	7.9	2.2	0.6	3.6	28	0.1
44523	0	0	0	0	KKH	48.5830	116.9976	18.4	663.4	644	55607.	2334	1.9	4.4	10.1	2.3	0.4	5.3	33	0.1
44522	0	0	0	0	KKH	48.5830	116.9971	18.4	663.6	648	55608.	2352	1.6	6.2	5.5	3.9	1.1	3.5	34	0.1
44521	0	0	0	0	KKH	48.5830	116.9965	18.5	663.8	648	55610.	2303	1.2	7.5	7.8	6.1	1.0	6.3	30	0.1
44520	0	0	0	0	KKH	48.5830	116.9959	18.5	663.9	651	55610.	2376	1.6	7.6	8.1	4.7	0.9	5.0	39	0.1

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 13							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
44970	0	0	0	0	KG	48.5818	117.2242	19.4	647.1	442	55850.	1981	1.7	1.7	10.6	1.0	0.2	6.1	37	0.2
44971	0	0	0	0	KG	48.5818	117.2237	19.4	646.9	423	55854.	1809	1.5	3.9	7.0	2.6	0.6	4.6	47	0.2
44972	0	0	0	0	KG	48.5818	117.2231	19.4	646.7	407	55856.	1903	1.6	2.4	9.9	1.5	0.2	6.4	53	0.2
44973	0	0	0	0	KG	48.5818	117.2225	19.4	646.5	397	55856.	1849	1.5	3.7	7.4	2.4	0.5	4.9	46	0.2
44974	0	0	0	0	KG	48.5818	117.2219	19.4	646.4	396	55856.	1977	1.9	3.0	7.0	1.6	0.4	3.7	30	0.2
44975	0	0	0	0	KG	48.5818	117.2213	19.4	646.3	407	55852.	1942	1.8	2.2	10.0	1.2	0.2	5.5	38	0.2
44976	0	0	0	0	KG	48.5818	117.2207	19.4	646.2	427	55846.	2033	1.6	3.2	9.6	2.0	0.3	5.9	41	0.2
44977	0	0	0	0	KG	48.5818	117.2201	19.3	646.0	443	55838.	2051	2.1	2.1	9.1	1.0	0.2	4.2	33	0.2
44978	0	0	0	0	KG	48.5818	117.2195	19.3	645.9	455	55828.	2023	2.1	3.7	8.1	1.7	0.5	3.8	58	0.2
44979	0	0	0	0	KG	48.5818	117.2190	19.3	645.7	468	55819.	2233	1.7	5.9	9.4	3.4	0.6	5.5	39	0.2
44980	0	0	0	0	KG	48.5818	117.2184	19.3	645.6	493	55812.	2397	2.1	3.8	9.8	1.8	0.4	4.7	39	0.2
44981	0	0	0	0	KG	48.5818	117.2178	19.3	645.4	527	55808.	2531	2.8	3.2	8.0	1.1	0.4	2.8	38	0.2
44982	0	0	0	0	KG	48.5818	117.2172	19.3	645.1	562	55806.	2393	2.3	3.3	13.7	1.4	0.2	5.9	44	0.2
44983	0	0	0	0	KG	48.5818	117.2166	19.3	644.8	588	55806.	2618	2.2	4.2	10.5	1.9	0.4	4.9	37	0.2
44984	0	0	0	0	KG	48.5818	117.2160	19.3	644.5	606	55808.	2644	2.5	3.9	11.1	1.6	0.4	4.5	39	0.2
44985	0	0	0	0	KG	48.5818	117.2155	19.3	644.2	600	55814.	2611	2.7	4.0	8.7	1.5	0.5	3.2	52	0.2
44986	0	0	0	0	KG	48.5818	117.2149	19.3	643.8	578	55822.	2660	1.9	5.0	10.6	2.7	0.5	5.7	44	0.2
44987	0	0	0	0	KG	48.5818	117.2143	19.3	643.3	541	55830.	2383	2.3	2.8	8.0	1.2	0.3	3.5	48	0.2
44988	0	0	0	0	KG	48.5818	117.2137	19.3	642.8	511	55838.	2325	2.0	2.7	13.7	1.4	0.2	7.0	40	0.2
44989	0	0	0	0	KG	48.5818	117.2131	19.3	642.4	484	55845.	2278	2.1	2.6	11.3	1.2	0.2	5.4	44	0.2
44990	0	0	0	0	KG	48.5818	117.2125	19.3	641.9	459	55851.	2343	1.8	4.8	9.8	2.6	0.5	5.4	52	0.2
44991	0	0	0	0	KG	48.5817	117.2119	19.3	641.3	434	55855.	2321	1.4	5.4	11.2	3.8	0.5	7.8	30	0.2
44992	0	0	0	0	KG	48.5817	117.2113	19.3	640.8	407	55858.	2247	2.3	3.2	11.3	1.4	0.3	5.0	35	0.2
44993	0	0	0	0	KG	48.5817	117.2108	19.3	640.3	382	55860.	2251	1.9	4.4	10.6	2.4	0.4	5.7	42	0.2
44994	0	0	0	0	KG	48.5817	117.2102	19.3	639.7	359	55862.	2282	2.0	2.6	10.8	1.3	0.2	5.5	48	0.2
44995	0	0	0	0	KG	48.5817	117.2096	19.3	639.2	343	55863.	2320	2.1	3.4	10.4	1.6	0.3	4.9	53	0.2
44996	0	0	0	0	KG	48.5817	117.2090	19.3	638.7	330	55865.	2264	2.1	3.4	10.9	1.6	0.3	5.3	52	0.2
44997	0	0	0	0	KG	48.5817	117.2084	19.3	638.2	318	55868.	2449	2.1	2.8	11.9	1.4	0.2	5.8	33	0.2
44998	0	0	0	0	KG	48.5817	117.2078	19.3	637.7	306	55871.	2242	1.5	3.6	12.2	2.4	0.3	8.2	37	0.2
44999	0	0	0	0	KG	48.5817	117.2072	19.3	637.2	296	55876.	2085	1.8	4.0	8.0	2.3	0.5	4.5	61	0.2
45000	0	0	0	0	KG	48.5817	117.2066	19.2	636.7	291	55883.	1951	1.6	3.1	8.0	1.9	0.4	5.0	45	0.2
45001	0	0	0	0	KG	48.5817	117.2061	19.2	636.2	288	55892.	1971	1.6	3.7	7.7	2.4	0.5	4.9	61	0.2
45002	0	0	0	0	KG	48.5817	117.2055	19.2	635.8	282	55900.	1852	1.2	3.2	8.9	2.6	0.4	7.3	29	0.2
45003	0	0	0	0	KG	48.5817	117.2049	19.2	635.4	273	55908.	1773	1.3	4.3	6.6	3.3	0.6	5.1	41	0.2
45004	0	0	0	0	KG	48.5817	117.2043	19.2	635.0	263	55915.	1800	1.4	2.5	6.6	1.8	0.4	4.8	57	0.2
45005	0	0	0	0	KG	48.5817	117.2037	19.2	634.8	254	55920.	1749	1.4	2.9	8.2	2.0	0.3	5.9	38	0.2
45006	0	0	0	0	KG	48.5817	117.2031	19.2	634.5	248	55923.	1659	1.1	2.6	7.4	2.3	0.3	6.5	46	0.2
45007	0	0	0	0	KG	48.5817	117.2025	19.2	634.3	246	55922.	1619	1.4	1.7	9.3	1.3	0.2	6.7	47	0.1
45008	0	0	0	0	KG	48.5817	117.2020	19.2	634.2	250	55921.	1696	1.2	3.2	9.0	2.7	0.4	7.5	38	0.1
45009	0	0	0	0	KG	48.5817	117.2014	19.2	634.1	252	55919.	1605	1.3	2.1	6.4	1.6	0.3	5.0	39	0.1
45010	0	0	0	0	KG	48.5817	117.2008	19.2	634.0	255	55917.	1608	1.1	3.1	7.3	2.7	0.4	6.6	52	0.1
45011	0	0	0	0	KG	48.5817	117.2002	19.2	634.0	256	55916.	1665	1.2	2.5	8.4	2.1	0.3	6.9	49	0.1
45012	0	0	0	0	KG	48.5817	117.1996	19.2	634.1	263	55911.	1617	1.4	2.4	6.8	1.7	0.3	4.9	52	0.1
45013	0	0	0	0	KG	48.5817	117.1990	19.2	634.1	275	55901.	1800	1.8	1.4	10.8	0.7	0.1	5.9	42	0.1
45014	0	0	0	0	KG	48.5816	117.1984	19.2	634.3	293	55887.	1942	1.4	2.7	11.2	1.9	0.2	8.0	56	0.1
45015	0	0	0	0	KG	48.5816	117.1978	19.2	634.5	318	55868.	2039	1.3	4.9	8.2	3.8	0.6	6.3	63	0.1
45016	0	0	0	0	KG	48.5816	117.1973	19.2	634.7	338	55846.	2251	1.5	4.3	9.7	2.8	0.4	6.4	45	0.1
45017	0	0	0	0	KG	48.5816	117.1967	19.2	634.9	357	55824.	2147	1.8	2.6	9.7	1.4	0.3	5.3	63	0.1
45018	0	0	0	0	KG	48.5816	117.1961	19.2	635.2	367	55804.	2199	2.0	3.7	10.4	1.8	0.4	5.2	56	0.1
45019	0	0	0	0	KG	48.5816	117.1955	19.2	635.4	377	55786.	2186	1.8	4.4	8.8	2.4	0.5	4.9	55	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 13							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
45020	0	0	0	0	KG	48.5816	117.1949	19.2	635.7	384	55771.	2061	1.7	1.8	10.0	1.0	0.2	5.7	50	0.1
45021	0	0	0	0	KG	48.5816	117.1943	19.2	636.0	399	55758.	2022	1.8	4.5	8.5	2.5	0.5	4.8	47	0.1
45022	0	0	0	0	KG	48.5816	117.1937	19.2	636.3	428	55747.	2136	1.4	4.1	8.7	2.9	0.5	6.1	45	0.1
45023	0	0	0	0	KG	48.5816	117.1932	19.2	636.6	456	55737.	2088	1.8	4.2	8.9	2.3	0.5	4.8	57	0.1
45024	0	0	0	0	KG	48.5816	117.1926	19.2	637.0	486	55728.	2195	2.2	3.6	7.6	1.6	0.5	3.5	38	0.1
45025	0	0	0	0	KG	48.5816	117.1920	19.2	637.3	510	55719.	2060	2.3	3.1	7.5	1.3	0.4	3.3	47	0.2
45026	0	0	0	0	KG	48.5816	117.1914	19.2	637.7	543	55709.	2154	1.4	5.1	7.8	3.6	0.7	5.5	49	0.2
45027	0	0	0	0	KG	48.5816	117.1908	19.2	638.1	567	55697.	2078	2.0	3.2	7.4	1.6	0.4	3.7	49	0.2
45028	0	0	0	0	KG	48.5816	117.1902	19.2	638.4	590	55686.	2199	1.8	4.7	6.7	2.6	0.7	3.7	40	0.2
45029	0	0	0	0	KG	48.5816	117.1896	19.2	638.8	610	55674.	2237	1.8	5.9	12.1	3.2	0.5	6.7	35	0.2
45030	0	0	0	0	KG	48.5816	117.1891	19.2	639.1	631	55663.	2261	1.9	3.7	7.9	1.9	0.5	4.1	34	0.2
45031	0	0	0	0	KG	48.5816	117.1885	19.2	639.5	649	55653.	2239	1.9	5.6	6.8	3.0	0.8	3.7	41	0.2
45032	0	0	0	0	KG	48.5816	117.1879	19.2	639.7	661	55645.	2216	1.6	4.8	6.5	3.1	0.7	4.2	43	0.2
45033	0	0	0	0	KG	48.5816	117.1873	19.2	640.0	673	55638.	2161	1.6	2.6	9.3	1.6	0.3	5.8	42	0.2
45034	0	0	0	0	KG	48.5816	117.1867	19.1	640.1	679	55632.	2374	1.7	3.5	12.2	2.1	0.3	7.3	31	0.2
45035	0	0	0	0	KG	48.5816	117.1861	19.1	640.3	680	55624.	2172	2.3	2.3	9.5	1.0	0.2	4.2	43	0.2
45036	0	0	0	0	KG	48.5816	117.1855	19.1	640.3	675	55616.	2214	1.9	4.8	7.3	2.6	0.7	3.9	37	0.2
45038	0	0	0	0	QAG	48.5815	117.1844	19.1	640.3	674	55606.	2152	1.6	4.8	7.1	3.1	0.7	4.5	50	0.2
45039	0	0	0	0	QAG	48.5815	117.1838	19.1	640.3	668	55597.	2274	1.5	5.8	11.8	3.8	0.5	7.8	33	0.2
45040	0	0	0	0	QAG	48.5815	117.1832	19.1	640.2	659	55593.	2313	1.6	5.2	9.0	3.3	0.6	5.7	33	0.2
45041	0	0	0	0	QAG	48.5815	117.1826	19.1	640.0	639	55592.	2286	2.0	3.2	12.7	1.6	0.3	6.5	39	0.2
45042	0	0	0	0	QAG	48.5815	117.1820	19.1	639.8	618	55593.	2438	2.5	3.3	9.6	1.3	0.3	3.9	42	0.2
45043	0	0	1	0	QAG	48.5815	117.1814	19.1	639.5	594	55596.	2500	2.0	0.8	15.4	0.4	0.1	7.9	36	0.2
45044	0	0	0	0	QAG	48.5815	117.1808	19.1	639.2	575	55600.	2466	1.8	2.9	12.4	1.7	0.2	7.0	40	0.2
45045	0	0	0	0	QAG	48.5815	117.1803	19.1	638.8	565	55604.	2477	2.0	3.0	14.0	1.5	0.2	6.9	39	0.2
45046	0	0	0	0	QAG	48.5815	117.1797	19.1	638.5	566	55608.	2492	1.6	4.8	17.1	3.0	0.3	10.6	40	0.2
45047	0	0	0	0	QAG	48.5815	117.1791	19.0	638.0	574	55610.	2687	2.5	4.6	15.0	1.9	0.3	6.1	39	0.2
45048	0	0	0	0	QAG	48.5815	117.1785	19.0	637.6	583	55612.	2752	2.9	3.6	18.2	1.3	0.2	6.3	45	0.2
45049	0	0	0	0	KG	48.5815	117.1779	19.0	637.2	587	55613.	2814	2.3	5.1	12.9	2.2	0.4	5.6	38	0.2
45050	0	0	0	0	KG	48.5815	117.1773	19.0	636.8	582	55616.	2789	3.2	4.2	14.5	1.3	0.3	4.6	46	0.2
45051	0	0	0	0	KG	48.5815	117.1767	19.0	636.4	568	55617.	2966	2.9	4.8	18.1	1.7	0.3	6.2	32	0.2
45052	C	0	0	0	KG	48.5815	117.1761	19.0	635.9	552	55618.	2744	2.1	5.1	14.6	2.4	0.3	6.9	36	0.2
45053	0	0	0	0	KG	48.5815	117.1756	19.0	635.5	531	55618.	2651	1.8	4.0	15.2	2.2	0.3	8.3	34	0.1
45054	0	0	0	0	KG	48.5815	117.1750	19.0	635.1	508	55618.	2544	2.3	4.7	12.9	2.0	0.4	5.6	39	0.1
45055	0	0	0	0	KG	48.5815	117.1744	18.9	634.6	481	55618.	2403	2.1	4.4	12.3	2.1	0.4	5.9	45	0.1
45056	0	0	0	0	KG	48.5815	117.1738	18.9	634.1	458	55620.	2252	1.9	3.1	13.9	1.7	0.2	7.4	31	0.1
45057	0	0	0	0	KG	48.5815	117.1732	18.9	633.7	439	55623.	2268	1.8	4.4	11.9	2.4	0.4	6.5	36	0.1
45058	0	0	0	0	KG	48.5815	117.1726	18.9	633.2	427	55625.	1945	1.5	4.2	7.8	2.7	0.5	5.0	62	0.1
45059	0	0	0	0	KG	48.5815	117.1720	18.9	632.8	419	55627.	1916	1.5	3.5	9.2	2.4	0.4	6.3	64	0.1
45060	0	0	0	0	KG	48.5815	117.1715	18.9	632.3	415	55627.	2007	1.5	4.0	7.9	2.6	0.5	5.2	35	0.1
45061	0	0	0	0	KG	48.5815	117.1709	18.9	631.8	417	55625.	1981	1.5	3.2	10.9	2.1	0.3	7.2	51	0.1
45062	0	0	0	0	KHM	48.5814	117.1703	18.9	631.3	425	55622.	1943	1.8	2.0	8.0	1.1	0.2	4.4	46	0.1
45063	0	0	0	0	KHM	48.5814	117.1697	18.8	630.7	439	55620.	1861	1.4	4.2	8.8	3.1	0.5	6.4	42	0.1
45064	0	0	0	0	KHM	48.5814	117.1691	18.8	630.2	456	55619.	1994	1.8	3.4	8.5	1.9	0.4	4.6	47	0.1
45065	0	0	0	0	KHM	48.5814	117.1685	18.8	629.6	477	55619.	2081	1.7	3.8	13.3	2.3	0.3	8.0	36	0.1
45066	0	0	0	0	KHM	48.5814	117.1679	18.8	629.0	505	55620.	2260	1.6	3.3	10.7	2.1	0.3	6.6	39	0.1
45067	0	0	0	0	KHM	48.5814	117.1673	18.8	628.5	529	55622.	2410	1.8	3.9	13.2	2.2	0.3	7.3	39	0.1
45068	0	0	0	0	KHM	48.5814	117.1668	18.8	627.9	540	55625.	2538	2.3	2.7	10.4	1.2	0.3	4.6	44	0.1
45069	0	0	0	0	KHM	48.5814	117.1662	18.8	627.3	530	55629.	2622	2.3	6.0	9.5	2.6	0.6	4.2	43	0.1
45070	0	0	0	0	KHM	48.5814	117.1656	18.7	626.6	507	55635.	2720	2.3	5.1	12.9	2.2	0.4	5.7	53	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 13

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
45071	0	0	0	0	KHM	48.5814	117.1650	18.7	626.0	479	55642.	2761	2.6	3.9	15.4	1.5	0.3	5.9	38	0.1
45072	0	0	0	0	KHM	48.5814	117.1644	18.7	625.5	451	55650.	2782	2.5	5.4	10.8	2.2	0.5	4.4	45	0.1
45073	0	0	0	0	KHM	48.5814	117.1638	18.7	624.9	426	55658.	2773	2.5	4.3	12.3	1.7	0.4	4.9	38	0.1
45074	0	0	0	0	KHM	48.5814	117.1633	18.7	624.3	402	55666.	2708	2.0	6.0	13.1	3.0	0.5	6.6	37	0.1
45075	0	0	0	0	KHM	48.5814	117.1627	18.7	623.9	384	55673.	2677	2.3	5.2	11.6	2.3	0.5	5.1	47	0.1
45076	0	0	0	0	KHM	48.5814	117.1621	18.7	623.4	371	55683.	2659	2.3	4.0	15.0	1.7	0.3	6.5	40	0.1
45077	0	0	0	0	KHM	48.5814	117.1615	18.7	623.0	363	55693.	2579	2.0	5.8	13.9	3.0	0.4	7.1	50	0.1
45078	0	0	0	0	KHM	48.5814	117.1609	18.7	622.7	355	55702.	2539	2.0	4.9	12.7	2.5	0.4	6.4	49	0.1
45079	0	0	0	0	KHM	48.5814	117.1603	18.6	622.4	346	55710.	2483	2.4	2.1	14.7	0.9	0.1	6.1	44	0.1
45080	0	0	0	0	KHM	48.5814	117.1597	18.6	622.2	335	55716.	2422	2.4	2.7	12.2	1.2	0.2	5.2	54	0.1
45081	0	0	0	0	KHM	48.5814	117.1591	18.6	622.1	325	55719.	2347	1.6	3.7	15.5	2.3	0.2	9.5	54	0.1
45082	0	0	0	0	KHM	48.5814	117.1586	18.6	622.0	316	55719.	2256	1.9	3.2	12.0	1.6	0.3	6.2	45	0.1
45083	0	0	0	0	KHM	48.5813	117.1580	18.6	622.0	309	55717.	2138	1.9	3.5	10.2	1.8	0.3	5.2	50	0.1
45084	0	0	0	0	KHM	48.5813	117.1574	18.6	622.1	307	55713.	2153	1.5	4.2	10.7	2.9	0.4	7.3	49	0.1
45085	0	0	0	0	KHM	48.5813	117.1568	18.6	622.3	314	55707.	2316	2.1	1.7	12.2	0.8	0.1	6.0	58	0.1
45086	0	0	0	0	KHM	48.5813	117.1562	18.6	622.4	330	55699.	2325	2.0	3.6	11.0	1.8	0.3	5.4	54	0.1
45087	0	0	0	0	KHM	48.5813	117.1556	18.6	622.7	354	55691.	2639	1.9	4.4	13.5	2.3	0.3	7.1	46	0.2
45088	0	0	0	0	KHM	48.5813	117.1550	18.6	623.0	378	55681.	2659	2.1	5.3	15.7	2.6	0.3	7.6	59	0.2
45089	0	0	0	0	KHM	48.5813	117.1544	18.6	623.3	403	55674.	2817	2.5	3.8	15.8	1.5	0.2	6.3	53	0.2
45090	0	0	0	0	KHM	48.5813	117.1539	18.6	623.7	420	55667.	2913	2.3	6.2	14.8	2.7	0.4	6.4	50	0.2
45091	0	0	0	0	KHM	48.5813	117.1533	18.6	624.0	438	55662.	2979	2.1	7.1	15.1	3.5	0.5	7.3	52	0.2
45092	0	0	0	0	KHM	48.5813	117.1527	18.5	624.4	458	55658.	2989	2.2	8.1	9.8	3.6	0.8	4.4	47	0.2
45093	0	0	0	0	KHM	48.5813	117.1521	18.5	624.8	488	55656.	3038	2.9	4.8	12.8	1.7	0.4	4.4	40	0.2
45094	0	0	0	0	KHM	48.5813	117.1515	18.5	625.3	517	55655.	3054	2.0	6.8	13.8	3.3	0.5	6.7	34	0.2
45095	0	0	0	0	KHM	48.5813	117.1509	18.5	625.7	543	55656.	3130	2.0	7.2	15.1	3.6	0.5	7.7	46	0.1
45096	0	0	0	0	KHM	48.5813	117.1503	18.5	626.2	560	55659.	2990	2.2	8.3	14.1	3.8	0.6	6.4	57	0.1
45097	0	0	0	0	KHM	48.5813	117.1497	18.5	626.7	568	55662.	2977	2.4	3.1	15.0	1.3	0.2	6.4	45	0.1
45098	0	0	0	0	KHM	48.5813	117.1492	18.5	627.2	566	55665.	3053	2.2	4.0	19.6	1.8	0.2	8.8	43	0.1
45099	0	0	0	0	KHM	48.5813	117.1486	18.5	627.7	561	55668.	2851	2.2	6.9	11.1	3.2	0.6	5.1	52	0.1
45100	0	0	0	0	KHM	48.5813	117.1480	18.5	628.2	557	55670.	2890	2.0	8.1	11.0	4.1	0.7	5.6	57	0.1
45101	0	0	0	0	KHM	48.5813	117.1474	18.5	628.7	556	55673.	2769	2.0	6.2	10.4	3.1	0.6	5.2	50	0.1
45102	0	0	0	0	KHM	48.5813	117.1468	18.5	629.2	559	55676.	2703	1.4	8.5	8.9	6.1	0.9	6.4	43	0.1
45103	0	0	0	0	KHM	48.5813	117.1462	18.5	629.6	570	55681.	2700	2.4	5.3	12.8	2.2	0.4	5.3	34	0.1
45104	0	0	0	0	KHM	48.5813	117.1456	18.5	630.1	591	55685.	2791	2.3	3.9	14.2	1.7	0.3	6.1	38	0.1
45105	0	0	0	0	KHM	48.5813	117.1451	18.5	630.6	613	55689.	2817	2.2	5.5	17.0	2.5	0.3	7.7	43	0.1
45106	0	0	0	0	KHM	48.5813	117.1445	18.5	631.0	624	55695.	2864	2.3	4.6	14.2	2.0	0.3	6.3	52	0.1
45107	0	0	0	0	KHM	48.5813	117.1439	18.5	631.4	620	55701.	2811	2.8	5.1	13.6	1.8	0.4	4.9	53	0.1
45108	0	0	0	0	KHM	48.5813	117.1433	18.5	631.8	618	55709.	2804	2.1	4.4	12.5	2.1	0.4	6.0	39	0.1
45109	0	0	0	0	KHM	48.5812	117.1427	18.5	632.2	607	55719.	2788	1.7	5.8	17.4	3.5	0.3	10.5	40	0.1
45110	0	0	0	0	KHM	48.5812	117.1422	18.5	632.6	599	55729.	2808	1.9	5.8	13.7	3.0	0.4	7.2	37	0.1
45111	0	0	0	0	KHM	48.5812	117.1416	18.5	632.9	589	55740.	2822	1.8	5.2	13.9	2.9	0.4	7.7	39	0.1
45112	0	0	0	0	KHM	48.5812	117.1410	18.5	633.2	600	55751.	2775	2.1	6.3	14.3	3.0	0.4	6.7	44	0.1
45113	0	0	0	0	KHM	48.5812	117.1404	18.5	633.5	618	55762.	2964	1.3	8.9	16.9	7.1	0.5	13.4	39	0.1
45114	0	0	0	0	KHM	48.5812	117.1398	18.5	633.8	637	55772.	2988	2.1	5.8	15.6	2.8	0.4	7.6	48	0.1
45115	0	0	0	0	KHM	48.5812	117.1393	18.5	634.0	639	55778.	3112	2.1	7.1	13.9	3.4	0.5	6.6	38	0.1
45116	0	0	0	0	KHM	48.5812	117.1387	18.5	634.3	626	55780.	2947	1.8	6.8	13.9	3.8	0.5	7.7	47	0.1
45117	0	0	0	0	KHM	48.5812	117.1381	18.5	634.5	605	55778.	2828	1.6	7.7	9.6	4.7	0.8	5.8	47	0.1
45118	0	0	0	0	KHM	48.5812	117.1375	18.5	634.6	596	55772.	3005	1.8	7.5	13.6	4.2	0.6	7.6	53	0.1
45119	0	0	0	0	KHM	48.5812	117.1369	18.5	634.8	605	55764.	3110	1.5	10.3	14.5	6.9	0.7	9.7	44	0.1
45120	0	0	0	0	KHM	48.5812	117.1363	18.5	635.0	624	55755.	3248	1.9	8.7	10.0	4.6	0.9	5.3	38	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 13							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
45121	0	0	0	0	KHM	48.5812	117.1357	18.5	635.1	633	55746.	3293	2.0	8.8	17.2	4.5	0.5	8.7	25	0.1
45122	0	0	0	0	KHM	48.5812	117.1352	18.5	635.2	620	55740.	3243	2.1	8.4	14.1	4.0	0.6	6.7	48	0.1
45123	0	0	0	0	KHM	48.5812	117.1346	18.5	635.3	593	55734.	3211	1.8	8.2	14.8	4.5	0.6	8.1	39	0.1
45124	0	0	0	0	KHM	48.5812	117.1340	18.5	635.3	567	55730.	3207	2.1	6.9	16.8	3.4	0.4	8.1	35	0.1
45125	0	0	0	0	KHM	48.5812	117.1334	18.5	635.3	535	55725.	3269	2.1	10.0	12.0	4.9	0.8	5.8	53	0.1
45126	0	0	0	0	KHM	48.5812	117.1328	18.5	635.4	494	55718.	3200	1.8	9.4	15.6	5.4	0.6	8.9	30	0.1
45127	0	0	0	0	KHM	48.5812	117.1323	18.5	635.3	447	55708.	2896	1.9	6.2	15.8	3.2	0.4	8.2	52	0.1
45129	0	0	0	0	KHM	48.5812	117.1311	18.5	635.3	417	55694.	2828	1.6	6.7	13.3	4.2	0.5	8.2	51	0.1
45130	0	0	0	0	KHM	48.5812	117.1305	18.5	635.3	413	55676.	2941	2.1	6.1	13.1	2.9	0.5	6.3	36	0.1
45131	0	0	0	0	KHM	48.5812	117.1299	18.5	635.2	437	55659.	3145	2.2	6.4	16.3	2.9	0.4	7.4	38	0.1
45132	0	0	0	0	KHM	48.5812	117.1293	18.5	635.1	481	55642.	3467	2.3	7.8	17.5	3.3	0.4	7.5	51	0.1
45133	0	0	0	0	KHM	48.5812	117.1288	18.5	635.0	527	55631.	3601	2.4	8.6	18.7	3.6	0.5	7.8	56	0.1
45134	0	0	0	0	KHM	48.5811	117.1282	18.5	635.0	552	55627.	3684	2.6	8.0	17.2	3.1	0.5	6.6	51	0.1
45135	0	0	0	0	KHM	48.5811	117.1276	18.5	634.8	550	55629.	3580	2.4	6.9	15.9	2.9	0.4	6.7	45	0.1
45136	0	0	0	0	KHM	48.5811	117.1270	18.5	634.7	520	55638.	3476	2.1	9.0	17.2	4.2	0.5	8.1	37	0.1
45137	0	0	0	0	KHM	48.5811	117.1264	18.5	634.6	482	55651.	3265	2.3	7.3	15.8	3.2	0.5	7.0	45	0.1
45138	0	0	0	0	KHM	48.5811	117.1259	18.5	634.5	441	55664.	3269	1.9	9.0	13.3	4.7	0.7	6.9	43	0.1
45139	0	0	0	0	KHM	48.5811	117.1253	18.5	634.5	406	55676.	3021	1.8	8.7	10.8	4.8	0.8	5.9	44	0.1
45140	0	0	0	0	KHM	48.5811	117.1247	18.5	634.5	382	55684.	2974	2.0	7.8	13.4	4.0	0.6	6.8	51	0.2
45141	0	0	0	0	KHM	48.5811	117.1241	18.5	634.5	370	55688.	3054	2.1	7.1	13.9	3.4	0.5	6.7	30	0.2
45142	0	0	0	0	KHM	48.5811	117.1235	18.5	634.5	367	55689.	2872	1.6	6.5	13.2	4.0	0.5	8.1	47	0.2
45143	0	0	0	0	KHM	48.5811	117.1229	18.5	634.5	372	55686.	2893	1.6	7.3	10.8	4.7	0.7	7.0	51	0.2
45144	0	0	0	0	KHM	48.5811	117.1224	18.5	634.6	382	55679.	2848	2.2	4.4	14.6	2.0	0.3	6.7	41	0.2
45145	0	0	0	0	KHM	48.5811	117.1218	18.5	634.7	398	55672.	2953	1.7	5.8	15.6	3.4	0.4	9.2	65	0.2
45146	0	0	0	0	KHM	48.5811	117.1212	18.5	634.8	414	55663.	3060	2.2	6.0	12.4	2.7	0.5	5.6	55	0.2
45147	0	0	0	0	KHM	48.5811	117.1206	18.5	634.9	429	55654.	3163	2.2	6.1	13.4	2.7	0.5	6.0	36	0.2
45148	0	0	0	0	KHM	48.5811	117.1200	18.5	635.0	442	55645.	3083	1.8	7.1	12.6	4.0	0.6	7.1	42	0.2
45149	0	0	0	0	KHM	48.5811	117.1195	18.5	635.2	457	55634.	2881	1.4	7.5	10.2	5.3	0.7	7.2	59	0.2
45150	0	0	0	0	KHM	48.5811	117.1189	18.5	635.3	471	55623.	2916	2.4	6.1	10.2	2.5	0.6	4.2	35	0.2
45151	0	0	0	0	KHM	48.5811	117.1183	18.5	635.4	486	55613.	3031	2.2	4.7	18.3	2.1	0.3	8.2	54	0.2
45152	0	0	0	0	KHM	48.5811	117.1177	18.5	635.5	499	55604.	3162	2.2	7.4	13.4	3.4	0.6	6.1	38	0.2
45153	0	0	0	0	KHM	48.5811	117.1171	18.4	635.6	517	55596.	3123	2.6	7.5	12.8	2.9	0.6	5.0	35	0.2
45154	0	0	0	0	KHM	48.5811	117.1165	18.4	635.6	530	55591.	3239	1.7	7.7	19.2	4.5	0.4	11.2	47	0.2
45155	0	0	0	0	KHM	48.5811	117.1160	18.4	635.7	532	55586.	3220	2.3	6.7	13.2	2.9	0.5	5.6	52	0.2
45156	0	0	0	0	KHM	48.5811	117.1154	18.4	635.7	525	55583.	3213	2.7	6.1	15.1	2.2	0.4	5.6	38	0.1
45157	0	0	0	0	KHM	48.5811	117.1148	18.4	635.7	523	55581.	3189	2.1	8.0	14.5	3.8	0.5	6.9	39	0.1
45158	0	0	0	0	KHM	48.5811	117.1142	18.4	635.6	535	55579.	3140	2.3	5.6	15.0	2.5	0.4	6.7	50	0.1
45159	0	0	0	0	KHM	48.5811	117.1136	18.4	635.6	544	55578.	3209	2.6	4.3	18.9	1.7	0.2	7.4	36	0.1
45160	0	0	0	0	KHM	48.5811	117.1131	18.4	635.5	540	55576.	3253	2.3	7.5	12.8	3.3	0.6	5.6	44	0.1
45161	0	0	0	0	KHM	48.5811	117.1125	18.4	635.3	525	55575.	3188	2.2	9.1	9.1	4.0	1.0	4.1	47	0.1
45162	0	0	0	0	KHM	48.5811	117.1119	18.4	635.2	510	55573.	3297	2.2	10.8	13.1	4.9	0.8	6.0	45	0.1
45163	0	0	0	0	KHM	48.5811	117.1113	18.4	635.0	498	55572.	3199	1.8	9.0	17.7	5.0	0.5	9.9	34	0.1
45164	0	0	0	0	KHM	48.5811	117.1107	18.4	634.8	488	55573.	3363	2.4	7.3	17.2	3.1	0.4	7.3	40	0.1
45165	0	0	0	0	KHM	48.5811	117.1101	18.4	634.5	478	55573.	3240	2.2	8.6	14.9	3.9	0.6	6.9	59	0.1
45166	0	0	0	0	KHM	48.5810	117.1096	18.4	634.2	469	55574.	3221	2.1	8.5	17.2	4.0	0.5	8.1	57	0.1
45167	0	0	0	0	KHM	48.5810	117.1090	18.4	633.9	460	55576.	3320	2.3	6.2	16.0	2.7	0.4	6.8	45	0.1
45168	0	0	0	0	KHM	48.5810	117.1084	18.4	633.5	453	55577.	3334	2.6	5.8	15.7	2.2	0.4	6.0	39	0.1
45169	0	0	0	0	KHM	48.5810	117.1078	18.4	633.1	446	55578.	3067	2.6	5.4	18.4	2.1	0.3	7.2	52	0.1
45170	0	0	0	0	KHM	48.5810	117.1072	18.4	632.7	439	55581.	3190	2.7	6.3	12.3	2.3	0.5	4.6	45	0.1
45171	0	0	0	0	KHM	48.5810	117.1066	18.4	632.2	433	55583.	3111	2.6	6.4	11.8	2.5	0.5	4.6	50	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 13							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
45172	0	0	0	0	KHM	48.5810	117.1061	18.3	631.7	432	55585.	3028	2.3	6.0	13.7	2.6	0.4	6.0	45	0.1
45173	0	0	0	0	KHM	48.5810	117.1055	18.3	631.1	432	55588.	3166	2.6	7.0	14.2	2.7	0.5	5.5	32	0.1
45174	0	0	0	0	KHM	48.5810	117.1049	18.3	630.6	431	55589.	3137	2.2	9.0	9.3	4.0	1.0	4.2	38	0.1
45175	0	0	0	0	KHM	48.5810	117.1043	18.3	630.0	425	55591.	3026	2.6	4.9	15.9	1.9	0.3	6.2	44	0.1
45176	0	0	0	0	KHM	48.5810	117.1037	18.3	629.5	419	55593.	2988	2.4	5.0	12.9	2.1	0.4	5.5	53	0.1
45177	0	0	0	0	KHM	48.5810	117.1031	18.3	628.9	417	55595.	3105	2.6	6.2	13.7	2.4	0.5	5.4	46	0.1
45178	0	0	0	0	KHM	48.5810	117.1026	18.3	628.3	421	55598.	3047	2.6	6.5	11.3	2.5	0.6	4.3	50	0.1
45179	0	0	0	0	KHM	48.5810	117.1020	18.3	627.8	425	55602.	3055	2.5	6.2	14.9	2.5	0.4	6.0	52	0.1
45180	0	0	0	0	KHM	48.5810	117.1014	18.3	627.3	423	55606.	3124	2.1	6.9	15.6	3.3	0.4	7.5	44	0.1
45181	0	0	0	0	KHM	48.5810	117.1008	18.3	626.8	417	55610.	3157	2.3	6.9	11.6	3.0	0.6	5.0	53	0.1
45182	0	0	0	0	KHM	48.5810	117.1003	18.3	626.4	407	55613.	3108	2.2	7.0	12.7	3.2	0.6	5.9	51	0.1
45183	0	0	0	0	KHM	48.5810	117.0997	18.3	626.1	396	55616.	3107	1.8	8.5	10.9	4.6	0.8	6.0	46	0.1
45184	0	0	0	0	KHM	48.5810	117.0991	18.3	625.8	385	55618.	2940	1.8	6.7	11.5	3.7	0.6	6.3	44	0.1
45185	0	0	0	0	KHM	48.5810	117.0985	18.3	625.5	373	55619.	2899	1.5	8.1	10.9	5.3	0.7	7.2	49	0.1
45186	0	0	0	0	KHM	48.5810	117.0979	18.2	625.3	362	55618.	2690	1.8	7.2	12.4	3.9	0.6	6.8	46	0.1
45187	0	0	0	0	KHM	48.5810	117.0973	18.2	625.1	353	55615.	2738	2.4	5.1	14.3	2.1	0.4	6.0	45	0.1
45188	0	0	0	0	KHM	48.5810	117.0968	18.2	625.1	352	55610.	2639	1.9	6.3	13.1	3.4	0.5	7.0	43	0.1
45189	0	0	0	0	KHM	48.5810	117.0962	18.2	625.0	360	55603.	2739	2.0	6.8	9.7	3.4	0.7	4.8	46	0.1
45190	0	0	0	0	KHM	48.5810	117.0956	18.2	625.0	377	55597.	2737	2.1	5.5	10.8	2.6	0.5	5.1	63	0.1
45191	0	0	0	0	KHM	48.5810	117.0950	18.2	625.1	400	55592.	2896	1.8	8.6	10.9	4.7	0.8	6.0	44	0.1
45192	0	0	0	0	KHM	48.5809	117.0944	18.2	625.2	426	55587.	3051	2.1	7.5	13.6	3.5	0.6	6.4	55	0.1
45193	0	0	0	0	KHM	48.5809	117.0938	18.2	625.3	450	55585.	3302	2.5	6.7	16.9	2.7	0.4	6.9	39	0.1
45194	0	0	0	0	KHM	48.5809	117.0933	18.2	625.5	465	55584.	3358	2.7	8.2	15.8	2.8	0.5	5.5	60	0.1
45195	0	0	0	0	KHM	48.5809	117.0927	18.2	625.6	466	55584.	3376	2.6	9.7	13.0	3.8	0.7	5.0	55	0.1
45196	0	0	0	0	KHM	48.5809	117.0921	18.2	625.8	456	55586.	3343	2.5	7.9	15.0	3.2	0.5	6.1	41	0.1
45197	0	0	0	0	KHM	48.5809	117.0915	18.2	626.0	442	55588.	3248	2.4	7.2	12.7	3.0	0.6	5.3	50	0.1
45198	0	0	0	0	KHM	48.5809	117.0909	18.2	626.2	429	55591.	3162	2.2	8.9	13.9	4.1	0.6	6.4	56	0.1
45199	0	0	0	0	KHM	48.5809	117.0904	18.2	626.4	420	55594.	3280	2.7	7.2	14.6	2.6	0.5	5.3	31	0.1
45200	0	0	0	0	KHM	48.5809	117.0898	18.1	626.6	415	55596.	3168	2.9	8.4	12.0	2.8	0.7	4.1	41	0.1
45201	0	0	0	0	KHM	48.5809	117.0892	18.1	626.8	414	55598.	3088	2.4	8.2	12.3	3.4	0.7	5.1	42	0.1
45202	0	0	0	0	KHM	48.5809	117.0886	18.1	627.0	414	55598.	2963	2.5	5.1	15.3	2.0	0.3	6.0	51	0.1
45203	0	0	0	0	KHM	48.5809	117.0881	18.1	627.2	413	55599.	2881	2.4	5.0	14.1	2.1	0.4	6.0	53	0.1
45204	0	0	0	0	KHM	48.5809	117.0875	18.1	627.5	411	55600.	2992	2.3	7.8	10.9	3.4	0.7	4.8	57	0.1
45205	0	0	0	0	KHM	48.5809	117.0869	18.1	627.7	409	55602.	2838	2.1	7.1	12.7	3.4	0.6	6.1	51	0.1
45206	0	0	0	0	KHM	48.5809	117.0863	18.1	628.0	410	55605.	2707	2.8	3.8	14.8	1.4	0.3	5.3	49	0.1
45207	0	0	0	0	KHM	48.5809	117.0857	18.1	628.2	411	55608.	2775	2.7	4.6	11.5	1.7	0.4	4.3	48	0.1
45208	0	0	0	0	KHM	48.5808	117.0852	18.1	628.5	413	55610.	2793	2.6	4.9	12.3	1.9	0.4	4.7	38	0.1
45209	0	0	0	0	KHM	48.5808	117.0846	18.1	628.8	412	55612.	2658	2.2	5.3	10.1	2.4	0.5	4.5	40	0.1
45210	0	0	0	0	KHM	48.5808	117.0840	18.1	629.0	412	55614.	2586	2.3	5.7	10.3	2.4	0.5	4.4	46	0.1
45211	0	0	0	0	KHM	48.5808	117.0834	18.1	629.3	410	55616.	2607	1.6	5.2	14.6	3.2	0.4	9.0	44	0.1
45212	0	0	0	0	KHM	48.5808	117.0828	18.1	629.6	408	55618.	2541	1.9	6.0	10.4	3.2	0.6	5.5	50	0.1
45213	0	0	0	0	KHM	48.5808	117.0823	18.1	630.0	410	55621.	2583	2.2	5.0	10.2	2.3	0.5	4.7	52	0.1
45214	0	0	0	0	KHM	48.5808	117.0817	18.1	630.3	424	55622.	2659	2.0	5.2	13.4	2.6	0.4	6.6	52	0.1
45215	0	0	0	0	KHM	48.5808	117.0811	18.1	630.7	453	55621.	2665	1.8	5.4	12.6	3.1	0.4	7.1	50	0.1
45216	0	0	0	0	KHM	48.5808	117.0805	18.1	631.0	484	55617.	2801	2.3	5.2	13.5	2.2	0.4	5.9	46	0.1
45217	0	0	0	0	KHM	48.5808	117.0800	18.1	631.4	518	55611.	2881	1.9	6.5	16.3	3.5	0.4	8.7	50	0.1
45219	0	0	0	0	KHM	48.5808	117.0788	18.1	631.8	542	55605.	2928	2.0	8.4	13.6	4.3	0.6	6.9	57	0.1
45220	0	0	0	0	KHM	48.5807	117.0782	18.1	632.2	563	55598.	3151	1.7	8.8	14.6	5.1	0.6	8.4	49	0.1
45221	0	0	0	0	KHM	48.5807	117.0776	18.1	632.7	580	55592.	3154	2.2	8.4	13.3	3.8	0.6	6.0	37	0.1
45222	0	0	0	0	KHM	48.5807	117.0771	18.1	633.1	604	55588.	3037	1.4	7.6	14.2	5.3	0.5	9.9	44	0.1

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 13							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
45223	0	0	0	0	KHM	48.5807	117.0765	18.2	633.6	639	55586.	3272	1.8	8.1	14.9	4.4	0.5	8.2	42	0.1
45224	0	0	0	0	KHM	48.5807	117.0759	18.2	634.0	679	55583.	3426	2.1	9.8	13.6	4.8	0.7	6.6	40	0.1
45225	1	0	0	0	KHM	48.5807	117.0753	18.2	634.5	716	55581.	3593	3.1	6.7	13.8	2.2	0.5	4.4	48	0.1
45226	1	0	0	0	KHM	48.5807	117.0748	18.2	635.0	733	55579.	3767	2.6	10.3	17.2	4.0	0.6	6.7	51	0.1
45227	1	0	0	0	KHM	48.5807	117.0742	18.2	635.5	736	55578.	3819	2.8	6.9	20.6	2.5	0.3	7.4	37	0.1
45228	1	0	0	0	KHM	48.5807	117.0735	18.2	636.0	729	55577.	3776	2.7	8.7	17.2	3.2	0.5	6.3	38	0.1
45229	1	0	0	0	KHM	48.5807	117.0730	18.2	636.5	731	55577.	3802	3.2	9.1	16.0	2.8	0.6	5.0	41	0.1
45230	1	0	0	0	KHM	48.5807	117.0724	18.2	637.0	730	55576.	3961	2.7	8.1	19.1	2.9	0.4	7.0	33	0.1
45231	1	0	0	0	KHM	48.5807	117.0719	18.2	637.5	724	55576.	3773	3.1	7.6	17.1	2.5	0.4	5.6	36	0.1
45232	1	0	0	0	KHM	48.5807	117.0713	18.2	638.1	707	55576.	3690	3.1	8.5	17.7	2.8	0.5	5.8	38	0.1
45233	0	0	0	0	KHM	48.5806	117.0707	18.2	638.6	676	55575.	3486	2.2	8.4	17.1	3.8	0.5	7.8	38	0.1
45234	0	0	0	0	KHM	48.5806	117.0701	18.3	639.2	636	55575.	3369	2.3	6.2	18.3	2.7	0.3	8.1	49	0.1
45235	0	0	0	0	KHM	48.5806	117.0695	18.3	639.8	591	55575.	3034	1.7	8.5	14.5	5.1	0.6	8.7	55	0.1
45236	0	0	0	0	KHM	48.5806	117.0690	18.3	640.3	562	55575.	2970	2.4	5.3	16.4	2.2	0.3	6.8	53	0.1
45237	0	0	0	0	KHM	48.5806	117.0684	18.3	640.9	546	55575.	3040	2.5	6.8	14.1	2.7	0.5	5.6	43	0.1
45238	0	0	0	0	KHM	48.5806	117.0678	18.3	641.5	544	55575.	3034	2.0	6.9	13.0	3.5	0.5	6.6	43	0.1
45239	0	0	0	0	KHM	48.5806	117.0672	18.3	642.0	543	55575.	3016	2.2	9.0	11.2	4.1	0.8	5.1	40	0.1
45240	0	0	0	0	KHM	48.5806	117.0667	18.3	642.6	543	55574.	3003	2.4	6.2	10.3	2.6	0.6	4.3	42	0.1
45241	0	0	0	0	KHM	48.5806	117.0661	18.3	643.2	544	55574.	2998	2.3	7.2	14.4	3.1	0.5	6.3	40	0.1
45242	0	0	0	0	KHM	48.5806	117.0655	18.4	643.8	551	55574.	2948	1.9	7.7	12.6	4.1	0.6	6.7	40	0.1
45243	0	0	0	0	KHM	48.5806	117.0649	18.4	644.4	566	55573.	3167	2.4	7.1	14.7	3.0	0.5	6.1	37	0.1
45244	0	0	0	0	KHM	48.5806	117.0643	18.4	645.0	581	55573.	3000	2.6	5.8	12.2	2.2	0.5	4.6	49	0.1
45245	0	0	0	0	KHM	48.5806	117.0638	18.4	645.6	597	55573.	3195	1.8	9.7	12.9	5.4	0.8	7.2	29	0.1
45246	0	0	0	0	KHM	48.5806	117.0632	18.4	646.1	610	55573.	3182	2.3	10.3	13.8	4.5	0.7	6.1	44	0.1
45247	0	0	0	0	KHM	48.5805	117.0626	18.4	646.7	608	55572.	3199	2.7	5.7	13.6	2.1	0.4	4.9	33	0.1
45248	0	0	0	0	KHM	48.5805	117.0620	18.4	647.3	598	55571.	3305	2.8	6.3	15.5	2.3	0.4	5.6	34	0.1
45249	0	0	0	0	KHM	48.5805	117.0614	18.5	647.9	584	55569.	3195	2.1	8.3	15.7	3.9	0.5	7.5	48	0.1
45250	0	0	0	0	KHM	48.5805	117.0609	18.5	648.4	584	55567.	3080	2.5	7.3	11.3	2.9	0.6	4.5	42	0.1
45251	0	0	0	0	KHM	48.5805	117.0603	18.5	648.9	583	55563.	3136	2.3	7.6	12.8	3.2	0.6	5.5	33	0.1
45252	0	0	0	0	KHM	48.5805	117.0597	18.5	649.4	584	55559.	3205	2.3	7.5	13.1	3.3	0.6	5.7	36	0.1
45253	0	0	0	0	KHM	48.5805	117.0591	18.5	649.9	583	55556.	3099	2.8	7.0	13.1	2.5	0.5	4.7	43	0.1
45254	0	0	0	0	KHM	48.5805	117.0585	18.5	650.4	589	55555.	3197	2.2	7.4	17.2	3.4	0.4	7.9	33	0.1
45255	0	0	0	0	KHM	48.5805	117.0580	18.5	650.8	598	55554.	3032	2.7	7.6	11.1	2.8	0.7	4.1	37	0.1
45256	0	0	0	0	KHM	48.5805	117.0574	18.6	651.2	612	55554.	3103	2.4	8.0	14.4	3.7	0.6	5.9	48	0.1
45257	0	0	0	0	KHM	48.5805	117.0568	18.6	651.6	629	55553.	3202	2.2	11.1	8.0	5.0	1.4	3.6	34	0.1
45258	0	0	0	0	KHM	48.5805	117.0562	18.6	651.9	649	55553.	3457	2.4	7.1	18.4	2.9	0.4	7.7	46	0.1
45259	0	0	0	0	KHM	48.5804	117.0556	18.6	652.3	667	55552.	3353	2.1	9.5	13.5	4.6	0.7	6.4	46	0.1
45260	0	0	0	0	KHM	48.5804	117.0551	18.6	652.5	680	55550.	3592	3.5	8.4	13.6	2.4	0.6	3.9	38	0.1
45261	0	0	0	0	KHM	48.5804	117.0545	18.6	652.8	677	55549.	3322	2.5	5.4	13.7	2.1	0.4	5.4	53	0.1
45262	0	0	0	0	KHM	48.5804	117.0539	18.7	653.1	660	55549.	3590	2.6	8.7	14.0	3.3	0.6	5.3	35	0.1
45263	0	0	0	0	KHM	48.5804	117.0534	18.7	653.3	639	55549.	3332	3.2	5.3	11.7	1.6	0.5	3.6	40	0.2
45264	0	0	0	0	KHM	48.5804	117.0528	18.7	653.5	615	55549.	3217	2.3	7.9	11.7	3.4	0.7	5.1	31	0.2
45265	0	0	0	0	KHM	48.5804	117.0523	18.7	653.7	592	55549.	3113	1.9	9.8	14.6	5.0	0.7	7.5	44	0.2
45266	0	0	0	0	KHM	48.5804	117.0517	18.7	653.9	564	55551.	3076	2.3	5.3	14.7	2.3	0.4	6.4	36	0.2
45267	0	0	0	0	KHM	48.5804	117.0511	18.7	654.0	538	55553.	2883	2.4	6.9	12.6	2.9	0.5	5.3	35	0.2
45268	0	0	0	0	KHM	48.5803	117.0506	18.7	654.2	513	55554.	2758	2.1	4.4	14.9	2.1	0.3	7.0	37	0.2
45269	0	0	0	0	KHM	48.5803	117.0500	18.7	654.4	490	55556.	2729	1.9	6.4	11.9	3.4	0.5	6.4	36	0.2
45270	0	0	0	0	KHM	48.5803	117.0495	18.8	654.6	467	55557.	2578	2.1	5.3	10.3	2.5	0.5	4.8	45	0.2
45271	0	0	0	0	KHM	48.5803	117.0489	18.8	654.7	450	55557.	2406	1.8	6.0	9.5	3.4	0.6	5.3	40	0.2
45272	0	0	0	0	KHM	48.5803	117.0483	18.8	654.8	445	55558.	2406	1.8	5.2	9.3	2.9	0.6	5.2	46	0.2

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 13								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
45273	0	0	0	0	KHM	48.5803	117.0478	18.8	655.0	456	55557.	2471	1.7	5.4	9.2	3.2	0.6	5.5	33	0.2
45274	0	0	0	0	KHM	48.5803	117.0472	18.8	655.1	480	55557.	2465	1.6	5.4	9.5	3.4	0.6	6.1	37	0.2
45275	0	0	0	0	KHM	48.5802	117.0466	18.8	655.3	511	55557.	2560	1.9	4.9	11.2	2.6	0.4	6.0	35	0.2
45276	0	0	0	0	KKH	48.5802	117.0461	18.8	655.4	537	55556.	2712	1.8	5.2	12.5	2.9	0.4	7.0	37	0.2
45277	0	0	0	0	KKH	48.5802	117.0455	18.8	655.5	550	55555.	2687	1.7	5.5	9.5	3.3	0.6	5.8	27	0.2
45278	0	0	0	0	KKH	48.5802	117.0450	18.8	655.6	540	55554.	2375	1.9	5.0	10.1	2.6	0.5	5.3	41	0.2
45279	0	0	0	0	KKH	48.5802	117.0444	18.9	655.8	519	55553.	2365	1.2	6.2	9.7	5.0	0.6	7.8	36	0.2
45280	0	0	0	0	KKH	48.5802	117.0439	18.9	655.9	488	55554.	2313	2.0	2.3	11.9	1.2	0.2	6.0	20	0.2
45281	0	0	0	0	KKH	48.5802	117.0433	18.9	656.0	458	55555.	2202	1.2	4.4	9.5	3.6	0.5	7.8	34	0.2
45282	0	0	0	0	KKH	48.5802	117.0427	18.9	656.1	428	55557.	2116	1.6	3.7	8.1	2.3	0.4	5.0	43	0.2
45283	0	0	0	0	KKH	48.5801	117.0422	18.9	656.2	401	55559.	2171	1.4	3.9	11.5	2.8	0.3	8.3	33	0.2
45284	0	0	0	0	KKH	48.5801	117.0416	18.9	656.3	383	55559.	2153	1.8	3.3	10.8	1.9	0.3	6.0	36	0.2
45285	0	0	0	0	KKH	48.5801	117.0410	18.9	656.4	367	55559.	2179	1.7	3.8	9.8	2.2	0.4	5.7	44	0.2
45286	0	0	0	0	KKH	48.5801	117.0405	18.9	656.5	355	55558.	2225	1.7	5.6	8.8	3.4	0.6	5.3	33	0.2
45287	0	0	0	0	KKH	48.5801	117.0399	18.9	656.6	342	55557.	2365	1.7	5.0	12.2	3.0	0.4	7.2	34	0.2
45288	0	0	0	0	KKH	48.5801	117.0394	18.9	656.7	333	55557.	2329	1.9	3.6	10.6	1.9	0.3	5.5	43	0.2
45289	0	0	0	0	KKH	48.5801	117.0388	18.9	656.7	332	55558.	2392	2.0	3.5	11.2	1.7	0.3	5.6	49	0.2
45290	0	0	0	0	KKH	48.5800	117.0383	19.0	656.8	339	55559.	2500	1.8	4.6	9.1	2.5	0.5	4.9	34	0.2
45291	0	0	0	0	KKH	48.5800	117.0377	19.0	656.9	355	55559.	2580	1.7	3.4	14.9	2.0	0.2	8.7	19	0.2
45292	0	0	0	0	KKH	48.5800	117.0371	19.0	656.9	370	55559.	2597	2.1	3.8	13.5	1.8	0.3	6.4	34	0.2
45293	0	0	0	0	KKH	48.5800	117.0366	19.0	657.0	384	55559.	2449	1.9	5.0	11.8	2.6	0.4	6.3	41	0.2
45294	0	0	0	0	KKH	48.5800	117.0360	19.0	657.0	399	55560.	2662	1.7	5.0	12.6	3.0	0.4	7.6	33	0.2
45295	0	0	0	0	KKH	48.5800	117.0354	19.0	657.0	409	55561.	2428	1.9	3.6	12.1	1.9	0.3	6.3	41	0.2
45296	0	0	0	0	KKH	48.5800	117.0349	19.0	657.0	428	55562.	2613	1.9	4.0	12.4	2.2	0.3	6.7	40	0.2
45297	0	0	0	0	KKH	48.5800	117.0343	19.0	657.1	441	55563.	2715	2.3	4.7	10.6	2.0	0.4	4.5	36	0.2
45298	0	0	0	0	KKH	48.5799	117.0338	19.0	657.1	452	55564.	2861	2.0	7.0	12.1	3.4	0.6	6.0	35	0.2
45299	0	0	0	0	KKH	48.5799	117.0332	19.0	657.2	449	55565.	2797	2.2	6.1	12.1	2.8	0.5	5.5	33	0.2
45300	0	0	0	0	KKH	48.5799	117.0327	19.0	657.2	436	55565.	2739	1.8	5.5	14.2	3.1	0.4	8.0	40	0.2
45301	0	0	0	0	KKH	48.5799	117.0321	19.0	657.2	412	55565.	2713	1.9	6.6	13.0	3.6	0.5	7.0	42	0.2
45302	0	0	0	0	KKH	48.5799	117.0315	19.0	657.3	383	55567.	2776	2.1	6.3	10.7	3.1	0.6	5.2	44	0.2
45303	0	0	0	0	KKH	48.5799	117.0310	19.0	657.3	352	55567.	2637	1.9	5.4	11.5	2.9	0.5	6.2	37	0.2
45304	0	0	0	0	KKH	48.5799	117.0304	19.0	657.4	333	55569.	2629	1.9	3.8	11.7	2.0	0.3	6.1	39	0.2
45305	0	0	0	0	KKH	48.5798	117.0298	19.0	657.5	333	55571.	2715	2.0	6.4	9.8	3.3	0.7	5.0	33	0.2
45306	0	0	0	0	KKH	48.5798	117.0293	19.0	657.6	346	55571.	2792	2.6	4.8	11.9	1.9	0.4	4.6	44	0.2
45307	0	0	0	0	KKH	48.5798	117.0287	19.0	657.6	368	55571.	2878	2.5	4.9	14.2	1.9	0.3	5.7	44	0.2
45308	0	0	0	0	KKH	48.5798	117.0282	19.1	657.7	396	55570.	3033	2.2	7.1	11.6	3.2	0.6	5.3	37	0.2
45310	0	0	0	0	KKH	48.5798	117.0271	19.1	657.8	447	55569.	3378	2.6	6.3	17.1	2.4	0.4	6.6	31	0.2
45311	0	0	0	0	KKH	48.5798	117.0265	19.1	657.8	513	55570.	3756	3.0	6.6	20.0	2.2	0.3	6.7	37	0.2
45312	0	0	0	0	KKH	48.5797	117.0259	19.1	657.8	582	55569.	4011	3.3	6.6	19.5	2.0	0.3	6.0	42	0.2
45313	0	0	0	0	KKH	48.5797	117.0254	19.1	657.9	623	55570.	4300	3.3	9.8	23.0	3.0	0.4	7.0	36	0.2
45314	0	0	0	0	KKH	48.5797	117.0248	19.1	657.9	639	55571.	4251	3.7	9.5	20.1	2.6	0.5	5.5	43	0.2
45315	0	0	0	0	KKH	48.5797	117.0243	19.1	657.9	621	55572.	3930	3.0	9.5	15.6	3.2	0.6	5.2	38	0.2
45316	0	0	0	0	KKH	48.5797	117.0237	19.1	657.9	593	55574.	3546	2.5	11.1	12.1	4.4	0.9	4.8	50	0.2
45317	0	0	0	0	KKH	48.5797	117.0232	19.1	657.9	557	55577.	3345	2.5	7.5	15.0	3.1	0.5	6.1	32	0.2
45318	0	0	0	0	KKH	48.5797	117.0226	19.1	657.9	520	55580.	3010	1.9	7.7	9.6	4.1	0.8	5.1	40	0.2
45319	0	0	0	0	KKH	48.5797	117.0221	19.1	657.9	486	55582.	2737	2.1	4.2	11.9	2.0	0.4	5.7	48	0.2
45320	0	0	0	0	KKH	48.5797	117.0215	19.1	657.9	454	55585.	2576	2.2	4.0	12.3	1.8	0.3	5.6	44	0.2
45321	0	0	0	0	KKH	48.5796	117.0210	19.1	657.9	427	55589.	2530	2.0	4.7	9.9	2.3	0.5	4.9	27	0.2
45322	0	0	0	0	KKH	48.5796	117.0205	19.1	657.9	392	55592.	2335	1.7	5.2	8.0	3.1	0.7	4.7	40	0.2
45323	0	0	0	0	KKH	48.5796	117.0199	19.1	657.9	361	55595.	2181	1.7	3.3	9.4	1.9	0.4	5.5	44	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 13							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
45324	0	0	0	0	KKH	48.5796	117.0194	19.1	657.9	333	55598.	2031	1.6	4.8	9.0	3.1	0.5	5.8	42	0.2
45325	0	0	0	0	KKH	48.5796	117.0188	19.1	658.0	319	55600.	2009	1.7	3.7	7.4	2.2	0.5	4.4	50	0.2
45326	0	0	0	0	KKH	48.5796	117.0183	19.1	658.1	310	55601.	2072	1.5	5.1	8.2	3.4	0.6	5.3	36	0.2
45327	0	0	0	0	KKH	48.5796	117.0177	19.1	658.1	305	55600.	2156	1.6	4.5	9.7	2.8	0.5	6.0	31	0.2
45328	0	0	0	0	KKH	48.5795	117.0172	19.2	658.2	309	55599.	2143	1.6	4.1	9.6	2.6	0.4	6.0	49	0.2
45329	0	0	0	0	KKH	48.5795	117.0167	19.2	658.3	320	55599.	2314	1.4	4.8	10.4	3.5	0.5	7.5	40	0.2
45330	0	0	0	0	KKH	48.5795	117.0161	19.2	658.4	332	55601.	2377	1.8	3.7	9.9	2.1	0.4	5.5	50	0.2
45331	0	0	0	0	KKH	48.5795	117.0156	19.2	658.6	333	55603.	2359	1.6	4.9	9.8	3.2	0.5	6.3	37	0.2
45332	0	0	0	0	KKH	48.5795	117.0150	19.2	658.7	323	55604.	2412	1.5	5.7	12.6	3.9	0.5	8.7	38	0.2
45333	0	0	0	0	KKH	48.5795	117.0145	19.2	658.8	310	55605.	2400	1.8	3.0	13.5	1.7	0.2	7.6	37	0.2
45334	0	0	0	0	KKH	48.5795	117.0140	19.2	659.0	299	55604.	2271	1.2	5.8	9.6	4.8	0.6	7.9	38	0.2
45335	0	0	0	0	KKH	48.5795	117.0134	19.2	659.2	296	55603.	2413	2.0	3.1	12.6	1.5	0.2	6.4	32	0.2
45336	0	0	0	0	KKH	48.5795	117.0129	19.2	659.4	297	55603.	2317	1.7	4.2	10.4	2.4	0.4	6.0	41	0.2
45337	0	0	0	0	KKH	48.5794	117.0123	19.2	659.6	300	55603.	2423	1.8	2.9	12.6	1.6	0.2	6.9	51	0.2
45338	0	0	0	0	KKH	48.5794	117.0118	19.2	659.8	302	55603.	2415	2.0	3.5	10.5	1.8	0.3	5.2	32	0.2
45339	0	0	0	0	KKH	48.5794	117.0112	19.2	660.0	304	55603.	2528	2.1	4.4	9.5	2.1	0.5	4.5	42	0.2
45340	0	0	0	0	KKH	48.5794	117.0107	19.2	660.3	313	55603.	2529	2.3	2.8	12.6	1.2	0.2	5.5	54	0.2
45341	0	0	0	0	KKH	48.5794	117.0102	19.2	660.6	325	55603.	2581	2.2	3.7	12.8	1.7	0.3	5.9	39	0.2
45342	0	0	0	0	KKH	48.5794	117.0096	19.2	660.9	342	55604.	2634	2.3	3.6	12.8	1.6	0.3	5.6	31	0.3
45343	0	0	0	0	KKH	48.5794	117.0091	19.2	661.2	360	55604.	2763	2.2	4.0	14.9	1.8	0.3	6.9	38	0.3
45344	0	0	0	0	KKH	48.5794	117.0085	19.2	661.6	370	55604.	2796	1.9	4.2	13.6	2.2	0.3	7.2	43	0.3
45345	0	0	0	0	KKH	48.5793	117.0080	19.2	662.0	367	55605.	2660	2.0	5.0	12.0	2.5	0.4	6.1	38	0.3
45346	0	0	0	0	KKH	48.5793	117.0074	19.2	662.3	359	55604.	2591	2.3	3.4	10.2	1.5	0.3	4.4	33	0.3
45347	0	0	0	0	KKH	48.5793	117.0069	19.2	662.7	356	55604.	2524	2.2	1.9	13.0	0.9	0.1	6.0	33	0.3
45348	0	0	0	0	KKH	48.5793	117.0064	19.2	663.2	362	55602.	2296	2.0	2.4	8.8	1.2	0.3	4.3	28	0.3
45349	0	0	0	0	KKH	48.5793	117.0058	19.2	663.7	365	55599.	2315	1.7	2.7	9.9	1.6	0.3	5.7	35	0.3
45350	0	0	0	0	KKH	48.5793	117.0053	19.2	664.1	370	55596.	2317	1.8	3.8	10.2	2.1	0.4	5.6	35	0.3
45351	0	0	0	0	KKH	48.5793	117.0047	19.2	664.6	373	55593.	2303	1.8	3.5	9.3	2.0	0.4	5.2	27	0.3
45352	0	0	0	0	KKH	48.5793	117.0042	19.3	665.1	377	55591.	2201	1.6	3.2	9.9	2.1	0.3	6.4	30	0.3
45353	0	0	0	0	KKH	48.5793	117.0036	19.3	665.6	378	55590.	2171	1.6	4.1	7.0	2.5	0.6	4.3	34	0.3
45354	0	0	0	0	KKH	48.5792	117.0031	19.3	666.1	377	55589.	2096	1.8	2.0	9.8	1.1	0.2	5.5	44	0.3
45355	0	0	0	0	KKH	48.5792	117.0026	19.3	666.6	376	55589.	2006	1.8	2.9	6.0	1.6	0.5	3.3	36	0.3
45356	0	0	0	0	KKH	48.5792	117.0020	19.3	667.1	374	55590.	2013	1.5	2.3	10.8	1.5	0.2	7.2	38	0.3
45357	0	0	0	0	KKH	48.5792	117.0015	19.3	667.5	374	55590.	2027	1.3	2.9	9.0	2.2	0.3	6.8	39	0.3
45358	0	0	0	0	KKH	48.5792	117.0009	19.3	668.0	372	55591.	1903	1.0	3.5	8.7	3.4	0.4	8.6	28	0.3
45359	0	0	0	0	KKH	48.5792	117.0004	19.3	668.4	370	55592.	2002	1.5	3.4	8.9	2.2	0.4	5.9	24	0.3
45360	0	0	0	0	KKH	48.5792	116.9998	19.3	668.8	364	55591.	1927	1.2	3.8	6.1	3.1	0.6	4.9	30	0.3
45361	0	0	0	0	KKH	48.5791	116.9993	19.3	669.2	359	55591.	1891	1.5	2.2	6.3	1.5	0.4	4.1	34	0.3
45362	0	0	0	0	KKH	48.5791	116.9988	19.3	669.6	355	55591.	1877	1.3	4.4	6.2	3.3	0.7	4.6	39	0.3
45363	0	0	0	0	KKH	48.5791	116.9982	19.3	670.0	357	55592.	1924	1.3	4.2	5.8	3.2	0.7	4.4	31	0.3
45364	0	0	0	0	KKH	48.5791	116.9977	19.3	670.3	363	55593.	1860	1.6	2.5	8.3	1.6	0.3	5.3	35	0.3
45365	0	0	0	0	KKH	48.5791	116.9971	19.3	670.6	375	55593.	1914	1.4	3.4	5.8	2.4	0.6	4.1	36	0.3
45366	0	0	0	0	KKH	48.5791	116.9966	19.3	671.0	385	55594.	1749	1.3	2.6	5.5	2.0	0.5	4.2	32	0.3
45367	0	0	0	0	KKH	48.5791	116.9961	19.3	671.2	388	55595.	1610	1.0	2.9	5.3	3.0	0.5	5.6	41	0.3
45368	0	0	0	0	KKH	48.5791	116.9955	19.3	671.5	392	55595.	1541	0.8	4.4	3.9	5.7	1.1	5.1	30	0.3
45369	0	0	0	0	KKH	48.5791	116.9950	19.3	671.8	402	55597.	1326	0.8	1.7	5.1	2.1	0.3	6.3	34	0.3
45370	0	0	0	0	KKH	48.5790	116.9944	19.3	672.0	415	55600.	1379	0.6	3.0	3.1	4.9	1.0	5.0	35	0.3
45371	0	0	0	0	KKH	48.5790	116.9939	19.3	672.3	422	55602.	1219	0.8	1.7	4.4	2.3	0.4	5.9	34	0.3
45372	0	0	0	0	KKH	48.5790	116.9933	19.3	672.5	422	55604.	1196	0.7	1.6	4.3	2.4	0.4	6.5	33	0.3
45373	0	0	0	0	KKH	48.5790	116.9928	19.3	672.6	420	55606.	1167	0.4	2.6	4.3	6.0	0.6	10.0	28	0.3

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 13

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
45374	0	0	0	1	KKH	48.5790	116.9923	19.3	672.7	417	55606.	1000	0.6	2.5	1.4	4.1	1.7	2.4	27	0.3
45375	0	0	0	0	KKH	48.5790	116.9917	19.3	672.8	414	55606.	955	0.5	1.5	2.4	3.0	0.6	4.7	38	0.3
45376	0	0	0	1	KKH	48.5790	116.9912	19.3	672.9	411	55605.	1015	0.3	2.3	1.4	8.2	1.7	4.8	35	0.2
45377	0	1	0	0	KKH	48.5789	116.9906	19.3	672.9	409	55602.	1025	0.2	2.7	1.9	12.8	1.4	9.2	36	0.2
45378	0	0	0	0	KKH	48.5789	116.9901	19.3	673.0	405	55601.	1223	0.7	3.6	3.4	4.9	1.1	4.6	32	0.2
45379	0	0	0	0	KKH	48.5789	116.9895	19.3	673.0	398	55600.	1233	0.8	1.6	4.8	2.1	0.3	6.1	48	0.2
45380	0	0	0	0	KKH	48.5789	116.9890	19.3	673.1	386	55601.	1534	1.0	4.0	5.3	4.2	0.8	5.5	24	0.3

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 14							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
45810	0	0	0	0	KG	48.5780	117.2227	17.9	652.1	422	55788.	1944	1.6	2.2	8.4	1.3	0.3	5.1	30	0.2
45809	0	0	0	0	KG	48.5780	117.2222	17.9	652.0	438	55783.	1896	2.0	2.4	7.6	1.2	0.3	3.8	34	0.2
45808	0	0	0	0	KG	48.5780	117.2217	17.9	652.0	446	55780.	1883	2.2	1.4	8.7	0.6	0.2	3.9	42	0.2
45807	0	0	0	0	KG	48.5780	117.2211	17.9	651.9	450	55779.	1901	1.9	2.8	9.6	1.5	0.3	5.1	33	0.2
45806	0	0	0	0	KG	48.5780	117.2206	17.9	651.9	457	55779.	1757	1.3	3.9	7.3	3.0	0.5	5.5	39	0.2
45805	0	0	0	0	KG	48.5780	117.2201	17.9	651.8	467	55779.	1814	1.7	2.1	9.0	1.3	0.2	5.4	35	0.2
45804	0	0	0	0	KG	48.5780	117.2195	17.9	651.7	470	55780.	1770	1.7	2.2	8.4	1.3	0.3	5.1	51	0.2
45803	0	0	0	0	KG	48.5780	117.2190	17.9	651.7	461	55785.	1896	1.4	3.5	7.5	2.6	0.5	5.5	33	0.2
45802	0	0	0	0	KG	48.5779	117.2185	17.9	651.6	447	55791.	1938	1.5	2.9	10.8	1.9	0.3	7.3	26	0.2
45801	0	0	0	0	KG	48.5779	117.2179	17.9	651.4	433	55796.	1765	1.2	4.0	8.8	3.2	0.5	7.1	52	0.1
45800	0	0	0	0	KG	48.5779	117.2174	17.9	651.2	434	55798.	1840	1.2	3.5	9.8	2.9	0.4	8.1	40	0.1
45799	0	0	0	0	KG	48.5779	117.2169	17.9	651.0	449	55796.	1717	1.5	2.5	6.2	1.7	0.4	4.2	30	0.1
45798	0	0	0	0	KG	48.5779	117.2163	17.9	650.8	483	55792.	1925	2.2	1.8	8.3	0.8	0.2	3.7	18	0.1
45797	0	0	0	0	KG	48.5779	117.2158	17.9	650.5	529	55785.	1868	1.3	5.5	6.0	4.2	0.9	4.6	36	0.1
45796	0	0	0	0	KG	48.5779	117.2153	17.9	650.2	578	55779.	2024	1.9	4.0	8.2	2.1	0.5	4.2	40	0.1
45795	0	0	0	0	KG	48.5779	117.2147	17.9	649.9	623	55774.	2142	1.9	4.1	9.1	2.2	0.5	4.8	45	0.1
45794	0	0	0	0	KG	48.5779	117.2142	17.9	649.6	661	55769.	2318	2.9	2.0	9.0	0.7	0.2	3.2	51	0.1
45793	0	0	0	0	KG	48.5779	117.2137	17.9	649.3	691	55766.	2415	2.0	7.5	6.2	3.8	1.2	3.2	42	0.1
45792	1	0	0	0	KG	48.5779	117.2131	17.9	648.9	704	55767.	2452	2.4	4.9	8.7	2.1	0.6	3.7	32	0.1
45791	0	0	0	0	KG	48.5779	117.2126	17.9	648.4	699	55770.	2384	1.6	2.5	11.3	1.5	0.2	6.9	36	0.1
45790	0	0	0	0	KG	48.5779	117.2120	17.9	648.0	678	55775.	2310	1.7	5.7	9.2	3.4	0.6	5.6	37	0.1
45789	0	0	0	0	KG	48.5779	117.2115	17.9	647.6	653	55781.	2323	1.8	4.2	10.3	2.3	0.4	5.6	32	0.1
45788	0	0	0	0	KG	48.5779	117.2109	17.9	647.1	632	55788.	2333	1.9	4.1	9.1	2.2	0.4	4.9	39	0.1
45787	0	0	0	0	KG	48.5779	117.2104	17.9	646.7	611	55795.	2178	2.0	5.2	9.1	2.7	0.6	4.6	33	0.1
45786	0	0	1	0	KG	48.5779	117.2098	17.9	646.2	591	55803.	2066	2.0	1.6	8.5	0.8	0.2	4.3	45	0.1
45785	0	0	0	0	KG	48.5779	117.2093	17.9	645.7	570	55811.	2043	2.0	2.9	6.8	1.5	0.4	3.4	52	0.1
45784	0	0	0	0	KG	48.5779	117.2087	17.9	645.2	550	55819.	2009	1.5	2.8	9.5	1.9	0.3	6.5	41	0.2
45783	0	0	0	0	KG	48.5779	117.2082	17.9	644.8	533	55828.	2088	1.4	5.8	6.8	4.1	0.8	4.9	34	0.2
45782	0	0	0	0	KG	48.5779	117.2076	17.9	644.3	518	55836.	2101	1.7	4.7	8.2	2.8	0.6	4.9	38	0.2
45781	0	0	0	0	KG	48.5779	117.2071	17.9	643.8	512	55844.	2182	1.9	3.5	13.8	1.8	0.3	7.1	48	0.2
45780	0	0	0	0	KG	48.5779	117.2065	17.9	643.4	514	55851.	2177	1.6	3.6	11.2	2.2	0.3	7.0	39	0.2
45779	0	0	0	0	KG	48.5779	117.2060	17.9	642.9	520	55855.	2294	2.5	3.4	9.8	1.4	0.3	4.0	37	0.2
45778	0	0	0	0	KG	48.5779	117.2055	17.9	642.5	528	55855.	2274	2.0	3.5	11.6	1.7	0.3	5.7	50	0.2
45777	0	0	0	0	KG	48.5780	117.2049	17.9	642.1	544	55852.	2622	2.2	4.7	11.4	2.2	0.4	5.2	38	0.2
45776	0	0	0	0	KG	48.5780	117.2044	17.9	641.7	566	55847.	2509	2.4	3.0	9.9	1.3	0.3	4.1	46	0.2
45775	0	0	0	0	KG	48.5780	117.2038	17.9	641.2	595	55844.	2712	2.3	5.4	15.5	2.4	0.4	6.8	45	0.2
45774	0	0	0	0	KG	48.5780	117.2033	17.9	640.8	610	55842.	2778	2.5	3.8	13.9	1.5	0.3	5.5	43	0.2
45773	0	0	0	0	KG	48.5780	117.2027	17.9	640.4	610	55842.	2979	3.2	4.0	13.9	1.3	0.3	4.4	43	0.2
45772	0	0	0	0	KG	48.5780	117.2022	17.9	639.9	594	55841.	3017	2.7	4.2	17.3	1.5	0.2	6.4	41	0.2
45771	0	0	0	0	KG	48.5780	117.2016	17.8	639.5	577	55840.	2952	2.5	5.8	10.9	2.3	0.5	4.3	36	0.2
45770	0	0	0	0	KG	48.5780	117.2011	17.8	639.0	562	55839.	2759	2.5	3.7	15.7	1.5	0.2	6.2	44	0.2
45769	0	0	0	0	KG	48.5780	117.2005	17.8	638.6	550	55838.	2794	2.3	4.0	14.8	1.7	0.3	6.5	26	0.2
45768	0	0	0	0	KG	48.5780	117.2000	17.8	638.2	540	55838.	2690	2.6	3.6	10.7	1.4	0.3	4.1	28	0.2
45767	0	0	0	0	KG	48.5780	117.1994	17.8	637.8	532	55838.	2626	2.5	3.3	13.2	1.3	0.3	5.3	45	0.2
45766	0	0	1	0	KG	48.5780	117.1989	17.8	637.3	527	55838.	2532	2.3	1.5	15.8	0.7	0.1	7.0	50	0.2
45765	0	0	0	0	KG	48.5780	117.1984	17.8	636.9	525	55836.	2593	2.8	3.8	13.2	1.3	0.3	4.7	46	0.2
45764	0	0	0	0	KG	48.5780	117.1978	17.8	636.5	524	55833.	2578	2.5	4.3	9.7	1.7	0.4	3.9	45	0.2
45763	0	0	0	0	KG	48.5780	117.1973	17.8	636.0	519	55831.	2607	2.4	5.2	11.5	2.2	0.5	4.8	54	0.2
45762	0	0	0	0	KG	48.5780	117.1967	17.8	635.6	502	55830.	2740	2.7	5.5	10.7	2.1	0.5	4.0	34	0.2
45761	0	0	0	0	KG	48.5780	117.1962	17.8	635.2	473	55832.	2421	2.5	3.2	8.3	1.3	0.4	3.4	49	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 14							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
45760	0	0	0	0	KG	48.5780	117.1956	17.7	634.8	438	55837.	2323	2.3	2.5	11.2	1.1	0.2	4.9	35	0.2
45759	0	0	0	0	KG	48.5780	117.1951	17.7	634.4	397	55843.	2048	2.0	2.3	10.3	1.2	0.2	5.1	58	0.2
45758	0	C	0	0	KG	48.5780	117.1945	17.7	634.1	363	55848.	1838	1.7	1.3	9.6	0.7	0.1	5.7	54	0.2
45757	0	0	0	0	KG	48.5780	117.1940	17.7	633.7	336	55851.	1695	1.4	2.0	6.7	1.5	0.3	4.8	41	0.2
45756	0	0	0	0	KG	48.5780	117.1935	17.7	633.4	332	55848.	1711	1.2	3.7	6.6	3.0	0.6	5.3	41	0.2
45755	0	0	0	0	KG	48.5780	117.1929	17.7	633.1	346	55840.	1630	1.7	3.1	6.3	1.9	0.5	3.8	47	0.2
45754	0	0	0	0	KG	48.5780	117.1924	17.7	632.9	371	55827.	1699	1.4	2.5	7.5	1.7	0.3	5.3	51	0.2
45753	0	0	0	0	KG	48.5780	117.1918	17.7	632.7	391	55810.	1791	1.4	3.0	8.3	2.1	0.4	5.8	36	0.2
45751	0	0	0	0	KG	48.5780	117.1907	17.7	632.6	401	55792.	1743	1.3	2.7	8.9	2.1	0.3	6.9	35	0.2
45750	0	0	0	0	KG	48.5780	117.1902	17.6	632.5	408	55776.	1674	1.4	2.7	7.6	1.9	0.4	5.5	46	0.2
45749	0	0	0	0	KG	48.5780	117.1896	17.6	632.4	425	55759.	1821	1.2	2.6	7.7	2.1	0.3	6.5	32	0.2
45748	0	0	0	0	KG	48.5780	117.1891	17.6	632.4	445	55743.	1905	1.6	2.8	11.0	1.8	0.3	7.0	43	0.1
45747	0	0	0	0	KG	48.5780	117.1885	17.6	632.4	459	55727.	1817	1.7	3.9	4.7	2.3	0.8	2.7	40	0.1
45746	0	0	0	0	KG	48.5780	117.1880	17.6	632.5	464	55712.	1849	1.7	1.8	8.0	1.1	0.2	4.7	42	0.1
45745	0	0	0	0	KG	48.5780	117.1874	17.6	632.5	464	55699.	1817	1.6	2.8	6.4	1.7	0.4	3.9	58	0.1
45744	0	0	0	0	KG	48.5780	117.1869	17.6	632.6	471	55687.	1988	1.9	2.2	10.6	1.2	0.2	5.7	38	0.1
45743	0	0	0	0	KG	48.5780	117.1863	17.6	632.7	482	55674.	1956	1.6	3.2	9.0	1.9	0.3	5.5	46	0.1
45742	0	0	0	0	KG	48.5780	117.1858	17.6	632.8	511	55660.	1970	1.4	2.7	7.5	1.9	0.4	5.2	50	0.1
45741	0	0	0	0	KG	48.5780	117.1852	17.6	632.9	555	55646.	2153	2.2	3.8	8.8	1.7	0.4	4.0	53	0.1
45740	0	0	0	0	KG	48.5780	117.1847	17.6	632.9	638	55630.	2419	2.6	5.6	5.5	2.2	1.0	2.2	46	0.1
45739	1	0	0	0	KG	48.5781	117.1842	17.5	632.9	706	55614.	2432	2.6	4.6	9.3	1.7	0.5	3.5	44	0.1
45738	1	0	0	0	QAG	48.5781	117.1836	17.5	632.8	757	55601.	2618	1.9	5.7	9.9	3.1	0.6	5.3	36	0.1
45737	1	0	0	0	QAG	48.5781	117.1831	17.5	632.8	769	55590.	2389	1.7	5.1	11.4	3.0	0.4	6.8	50	0.1
45736	1	0	0	0	QAG	48.5781	117.1825	17.5	632.7	797	55580.	2242	2.2	4.7	5.8	2.2	0.8	2.6	65	0.1
45735	1	0	0	0	QAG	48.5781	117.1820	17.5	632.6	832	55574.	2427	2.3	5.2	9.1	2.3	0.6	4.0	55	0.1
45734	1	0	0	0	QAG	48.5781	117.1814	17.5	632.4	866	55571.	2667	2.6	7.5	11.1	2.9	0.7	4.4	45	0.1
45733	1	0	0	0	QAG	48.5781	117.1809	17.5	632.2	888	55569.	2572	2.3	7.7	11.4	3.3	0.7	4.9	38	0.1
45732	1	0	0	0	QAG	48.5781	117.1803	17.5	631.9	909	55570.	2667	2.7	4.9	12.6	1.8	0.4	4.7	43	0.1
45731	1	0	0	0	QAG	48.5781	117.1798	17.5	631.7	916	55572.	2907	2.3	7.8	10.7	3.5	0.7	4.8	39	0.1
45730	1	0	0	0	QAG	48.5781	117.1792	17.5	631.3	913	55574.	3028	2.6	5.3	20.2	2.0	0.3	7.8	38	0.1
45729	1	0	0	0	QAG	48.5781	117.1787	17.5	631.0	891	55577.	3018	2.3	4.7	18.5	2.0	0.3	8.1	46	0.1
45728	1	0	0	0	KG	48.5781	117.1781	17.5	630.6	864	55580.	3018	3.4	3.7	19.1	1.1	0.2	5.6	52	0.1
45727	1	0	0	0	KG	48.5781	117.1776	17.4	630.1	829	55583.	3042	2.9	4.2	18.2	1.4	0.2	6.2	53	0.1
45726	1	0	0	0	KG	48.5781	117.1771	17.4	629.7	787	55587.	2885	2.2	4.8	13.7	2.2	0.4	6.2	35	0.1
45725	1	0	0	0	KG	48.5781	117.1765	17.4	629.2	739	55590.	2828	1.4	6.7	18.5	4.7	0.4	13.1	48	0.1
45724	0	0	0	0	KG	48.5781	117.1760	17.4	628.7	689	55593.	2746	2.0	3.6	16.0	1.8	0.2	8.1	46	0.1
45723	0	0	0	0	KG	48.5781	117.1754	17.4	628.2	644	55596.	2610	2.3	3.5	13.4	1.5	0.3	5.7	54	0.1
45722	0	0	0	0	KG	48.5781	117.1749	17.4	627.7	610	55596.	2629	2.5	4.2	15.2	1.6	0.3	6.0	41	0.1
45721	0	0	0	0	KG	48.5781	117.1743	17.4	627.2	581	55596.	2529	2.4	3.1	13.9	1.3	0.2	5.7	46	0.1
45720	0	0	0	0	KG	48.5781	117.1738	17.4	626.7	557	55596.	2443	2.4	3.5	14.5	1.5	0.2	6.0	46	0.1
45719	0	0	0	0	KG	48.5781	117.1732	17.4	626.1	533	55599.	2450	1.8	3.9	15.4	2.2	0.3	8.6	49	0.1
45718	0	0	0	0	KG	48.5781	117.1727	17.4	625.6	512	55606.	2336	1.5	4.5	13.7	3.0	0.3	9.1	40	0.1
45717	0	0	0	0	KG	48.5781	117.1721	17.4	625.1	491	55614.	2391	2.1	3.6	13.6	1.7	0.3	6.6	34	0.1
45716	0	0	0	0	KG	48.5781	117.1716	17.4	624.6	468	55621.	2253	1.8	4.6	8.8	2.5	0.5	4.8	53	0.1
45715	0	0	0	0	KG	48.5781	117.1711	17.4	624.1	440	55626.	2398	2.2	4.0	9.5	1.8	0.4	4.4	38	0.1
45714	0	0	0	0	KHM	48.5781	117.1705	17.4	623.6	410	55631.	2298	1.9	4.5	11.7	2.4	0.4	6.2	48	0.1
45713	0	0	0	0	KHM	48.5781	117.1700	17.4	623.2	384	55633.	2254	2.0	3.7	11.1	1.9	0.3	5.6	44	0.1
45712	0	0	0	0	KHM	48.5781	117.1694	17.4	622.7	361	55635.	2174	1.9	3.8	8.6	2.0	0.4	4.4	43	0.1
45711	0	0	0	0	KHM	48.5781	117.1689	17.4	622.3	344	55636.	2007	1.7	3.3	12.1	1.9	0.3	7.1	49	0.1
45710	0	0	0	0	KHM	48.5781	117.1683	17.4	621.9	331	55637.	2022	1.7	3.6	12.0	2.2	0.3	7.2	56	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 14								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
45709	0	0	0	0	KHM	48.5781	117.1678	17.4	621.5	326	55639.	2101	1.3	4.0	12.7	3.1	0.3	9.6	46	0.1
45708	0	0	0	0	KHM	48.5781	117.1672	17.4	621.1	325	55642.	2144	1.6	4.6	11.0	2.8	0.4	6.7	41	0.1
45707	0	0	0	0	KHM	48.5781	117.1667	17.4	620.7	327	55645.	2126	1.6	4.1	12.3	2.6	0.3	7.8	58	0.1
45706	0	0	0	0	KHM	48.5781	117.1661	17.4	620.3	328	55650.	2138	1.7	3.5	11.9	2.0	0.3	6.9	47	0.1
45705	0	0	0	0	KHM	48.5782	117.1656	17.4	620.0	325	55657.	2144	1.7	2.7	12.7	1.6	0.2	7.5	55	0.1
45704	0	0	0	0	KHM	48.5782	117.1650	17.4	619.7	320	55665.	2178	2.0	3.1	10.7	1.5	0.3	5.3	48	0.1
45703	0	0	0	0	KHM	48.5782	117.1645	17.4	619.4	315	55674.	2168	1.9	3.9	10.1	2.1	0.4	5.4	46	0.1
45702	0	0	0	0	KHM	48.5782	117.1639	17.4	619.1	310	55682.	2262	1.9	4.1	11.5	2.2	0.4	6.0	61	0.1
45701	0	0	0	0	KHM	48.5782	117.1634	17.4	618.9	302	55689.	2260	1.8	3.1	11.2	1.7	0.3	6.3	37	0.1
45700	0	0	0	0	KHM	48.5782	117.1629	17.4	618.7	291	55697.	2199	1.7	3.9	13.3	2.3	0.3	8.0	50	0.1
45699	0	0	0	0	KHM	48.5782	117.1623	17.4	618.6	279	55705.	2333	1.9	2.9	13.4	1.5	0.2	7.0	56	0.1
45698	0	0	0	0	KHM	48.5782	117.1618	17.4	618.5	272	55711.	2418	1.8	4.8	11.5	2.7	0.4	6.4	52	0.1
45697	0	0	0	0	KHM	48.5782	117.1612	17.4	618.5	275	55716.	2620	1.6	5.1	15.0	3.1	0.3	9.1	42	0.1
45696	0	0	0	0	KHM	48.5782	117.1607	17.4	618.5	288	55718.	2703	2.0	2.8	14.6	1.4	0.2	7.2	44	0.1
45695	0	0	0	0	KHM	48.5782	117.1601	17.4	618.6	306	55719.	2764	2.2	5.6	12.8	2.6	0.4	5.9	45	0.1
45694	0	0	0	0	KHM	48.5782	117.1596	17.4	618.8	328	55718.	2829	2.3	5.4	12.9	2.4	0.4	5.7	59	0.1
45693	0	0	0	0	KHM	48.5782	117.1590	17.4	619.0	357	55713.	3074	2.6	5.0	14.8	1.9	0.3	5.7	54	0.1
45692	0	0	0	0	KHM	48.5782	117.1585	17.4	619.3	385	55707.	3006	2.7	3.6	17.9	1.3	0.2	6.5	51	0.1
45691	0	0	0	0	KHM	48.5782	117.1579	17.4	619.6	405	55700.	3111	2.6	4.7	17.3	1.8	0.3	6.6	54	0.1
45690	0	0	0	0	KHM	48.5782	117.1574	17.4	620.0	409	55692.	3178	2.6	5.6	13.8	2.2	0.4	5.4	53	0.1
45689	0	0	0	0	KHM	48.5782	117.1567	17.4	620.4	405	55684.	2992	2.2	6.0	14.4	2.8	0.4	6.6	50	0.1
45688	0	0	0	0	KHM	48.5782	117.1561	17.4	620.9	399	55678.	2858	2.6	4.8	13.3	1.9	0.4	5.2	63	0.1
45687	0	0	0	0	KHM	48.5782	117.1554	17.4	621.4	391	55674.	2758	2.3	4.8	12.0	2.1	0.4	5.3	69	0.1
45686	0	0	0	0	KHM	48.5782	117.1547	17.4	621.9	392	55671.	2837	1.7	4.6	15.7	2.8	0.3	9.5	53	0.1
45685	0	0	0	0	KHM	48.5782	117.1540	17.4	622.4	401	55670.	2829	1.9	4.4	18.0	2.3	0.2	9.6	31	0.1
45684	0	0	0	0	KHM	48.5782	117.1534	17.4	623.0	421	55669.	2652	2.3	4.7	11.8	2.0	0.4	5.1	54	0.1
45683	0	0	0	0	KHM	48.5782	117.1527	17.4	623.5	443	55670.	2764	1.7	6.2	14.7	3.6	0.4	8.6	51	0.1
45682	0	0	0	0	KHM	48.5782	117.1520	17.4	624.1	466	55671.	2771	1.9	6.3	12.0	3.4	0.5	6.4	43	0.1
45681	0	0	0	0	KHM	48.5782	117.1514	17.4	624.6	485	55673.	2731	2.1	7.4	10.1	3.6	0.7	4.9	52	0.1
45680	0	0	0	0	KHM	48.5782	117.1507	17.5	625.2	504	55675.	2835	2.3	6.0	12.4	2.6	0.5	5.4	47	0.1
45679	0	0	0	0	KHM	48.5782	117.1500	17.5	625.8	516	55677.	2604	1.6	5.4	14.1	3.4	0.4	8.8	52	0.1
45678	0	0	0	0	KHM	48.5782	117.1494	17.5	626.3	525	55679.	2623	1.5	6.1	16.0	3.9	0.4	10.4	43	0.1
45677	0	0	0	0	KHM	48.5782	117.1487	17.5	626.9	533	55681.	2805	2.4	5.2	12.2	2.1	0.4	5.0	49	0.1
45676	0	0	0	0	KHM	48.5782	117.1480	17.5	627.4	541	55681.	2712	2.1	5.8	12.5	2.8	0.5	6.1	33	0.1
45675	0	0	0	0	KHM	48.5782	117.1473	17.5	628.0	558	55681.	2539	1.7	5.3	11.9	3.2	0.4	7.2	54	0.1
45674	0	0	0	0	KHM	48.5782	117.1467	17.5	628.5	576	55682.	2749	2.2	4.6	13.7	2.1	0.3	6.1	50	0.1
45673	0	0	0	0	KHM	48.5782	117.1460	17.5	629.0	604	55681.	2808	2.2	6.5	11.7	3.0	0.6	5.4	39	0.1
45672	0	0	0	0	KHM	48.5782	117.1453	17.5	629.5	625	55682.	2738	2.8	6.2	11.5	2.2	0.5	4.2	62	0.1
45671	0	0	0	0	KHM	48.5782	117.1447	17.5	630.0	635	55683.	2919	2.1	4.7	17.5	2.2	0.3	8.3	41	0.1
45670	0	0	0	0	KHM	48.5782	117.1440	17.5	630.6	627	55684.	2874	2.1	7.8	17.1	3.7	0.5	8.1	35	0.1
45669	0	0	0	0	KHM	48.5782	117.1433	17.5	631.0	614	55686.	2714	1.7	7.8	15.2	4.5	0.5	8.8	53	0.1
45668	0	0	0	0	KHM	48.5782	117.1427	17.5	631.5	606	55688.	2702	2.2	6.9	11.4	3.1	0.6	5.1	55	0.1
45667	0	0	0	0	KHM	48.5781	117.1420	17.5	631.9	607	55690.	2487	2.1	4.6	11.2	2.2	0.4	5.3	63	0.1
45666	0	0	0	0	KHM	48.5781	117.1413	17.5	632.4	614	55693.	2838	2.0	7.0	11.7	3.5	0.6	5.8	35	0.1
45665	0	0	0	0	KHM	48.5781	117.1406	17.5	632.8	616	55698.	2817	2.0	5.9	16.7	2.9	0.4	8.3	35	0.1
45664	0	0	0	0	KHM	48.5781	117.1400	17.5	633.2	604	55702.	2881	2.5	5.5	13.5	2.2	0.4	5.5	40	0.1
45663	0	0	0	0	KHM	48.5781	117.1393	17.5	633.5	584	55708.	2788	1.9	7.5	10.0	4.1	0.8	5.4	52	0.1
45661	0	0	0	0	KHM	48.5781	117.1380	17.5	633.8	572	55710.	2859	1.1	8.5	15.4	7.5	0.6	13.5	37	0.1
45660	0	0	0	0	KHM	48.5781	117.1373	17.5	634.1	580	55710.	2830	1.9	6.7	13.0	3.6	0.5	6.9	45	0.1
45659	0	0	0	0	KHM	48.5781	117.1366	17.5	634.3	604	55707.	2840	1.7	8.1	15.3	4.6	0.5	8.7	47	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 14									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
45658	0	0	0	0	KHM	48.5781	117.1359	17.5	634.5	633	55701.	3093	2.3	8.6	12.4	3.7	0.7	5.3	39	0.1
45657	0	0	0	0	KHM	48.5781	117.1353	17.5	634.7	661	55694.	3254	2.0	9.3	15.5	4.6	0.6	7.8	38	0.1
45656	0	0	0	0	KHM	48.5781	117.1346	17.5	634.8	696	55685.	3324	1.9	9.8	15.8	5.1	0.6	8.3	46	0.1
45655	1	0	0	0	KHM	48.5781	117.1340	17.5	634.9	711	55677.	3354	2.1	11.9	12.1	5.6	1.0	5.7	36	0.1
45654	1	0	0	0	KHM	48.5781	117.1334	17.5	635.0	715	55669.	3514	2.1	9.7	15.3	4.7	0.6	7.4	46	0.1
45653	0	0	0	0	KHM	48.5781	117.1328	17.5	635.0	682	55661.	3423	2.4	10.3	15.3	4.3	0.7	6.4	37	0.1
45652	0	0	0	0	KHM	48.5781	117.1322	17.5	635.0	647	55654.	3149	1.9	8.0	13.0	4.3	0.6	6.9	46	0.1
45651	0	0	0	0	KHM	48.5781	117.1316	17.5	635.0	606	55648.	2935	1.5	7.7	13.1	5.1	0.6	8.6	49	0.1
45650	0	0	0	0	KHM	48.5781	117.1310	17.5	634.9	576	55643.	2946	1.4	10.3	11.8	7.5	0.9	8.6	53	0.1
45649	0	0	0	0	KHM	48.5780	117.1304	17.5	634.9	556	55638.	2694	2.0	7.3	12.5	3.7	0.6	6.4	46	0.1
45648	0	0	0	0	KHM	48.5780	117.1298	17.5	634.8	550	55631.	2882	2.1	7.7	14.2	3.6	0.5	6.7	35	0.1
45647	0	0	0	0	KHM	48.5780	117.1292	17.5	634.7	564	55621.	2768	1.9	6.8	12.2	3.5	0.6	6.3	49	0.1
45646	0	0	0	0	KHM	48.5780	117.1286	17.5	634.5	597	55610.	3026	1.7	9.5	15.4	5.7	0.6	9.2	41	0.1
45645	0	0	0	0	KHM	48.5780	117.1280	17.5	634.4	642	55600.	3130	2.0	6.3	18.6	3.2	0.3	9.3	47	0.1
45644	0	0	0	0	KHM	48.5780	117.1274	17.4	634.3	684	55591.	3236	1.8	9.7	16.8	5.4	0.6	9.3	58	0.1
45643	1	0	0	0	KHM	48.5780	117.1268	17.4	634.1	714	55586.	3598	2.4	9.1	19.9	3.8	0.5	8.2	46	0.1
45642	1	0	0	0	KHM	48.5780	117.1262	17.4	634.0	712	55586.	3659	3.3	7.0	22.1	2.1	0.3	6.7	42	0.1
45641	0	0	0	0	KHM	48.5780	117.1256	17.4	633.8	694	55591.	3799	2.4	11.7	15.9	4.9	0.7	6.6	41	0.1
45640	0	0	0	0	KHM	48.5780	117.1250	17.4	633.6	659	55599.	3585	2.2	7.7	18.6	3.5	0.4	8.5	52	0.1
45639	0	0	0	0	KHM	48.5779	117.1244	17.4	633.5	623	55611.	3769	2.8	8.9	16.4	3.2	0.5	5.8	45	0.1
45638	0	0	0	0	KHM	48.5779	117.1238	17.4	633.3	577	55623.	3606	2.5	8.7	16.8	3.5	0.5	6.8	41	0.1
45637	0	0	0	0	KHM	48.5779	117.1232	17.4	633.1	538	55635.	3361	2.4	10.5	12.9	4.4	0.8	5.5	50	0.1
45636	0	0	0	0	KHM	48.5779	117.1226	17.4	632.9	517	55643.	3338	1.8	10.6	12.4	5.9	0.9	6.9	45	0.1
45635	0	0	0	0	KHM	48.5779	117.1220	17.4	632.7	514	55646.	3420	2.3	9.0	15.0	3.9	0.6	6.4	52	0.1
45634	0	0	0	0	KHM	48.5779	117.1214	17.4	632.5	523	55643.	3383	2.0	9.4	17.5	4.6	0.5	8.6	40	0.1
45633	0	0	0	0	KHM	48.5779	117.1208	17.4	632.3	542	55635.	3392	2.4	8.4	14.0	3.6	0.6	5.9	54	0.1
45632	0	0	0	0	KHM	48.5779	117.1202	17.4	632.1	565	55626.	3439	2.2	6.2	16.0	2.8	0.4	7.2	53	0.1
45631	0	0	0	0	KHM	48.5779	117.1196	17.4	631.8	580	55617.	3361	2.0	7.4	15.7	3.7	0.5	7.9	48	0.1
45630	0	0	0	0	KHM	48.5779	117.1190	17.4	631.6	591	55608.	3351	3.0	5.4	15.1	1.8	0.4	5.0	49	0.1
45629	0	0	0	0	KHM	48.5779	117.1184	17.4	631.3	581	55600.	3135	2.1	6.8	18.0	3.2	0.4	8.5	51	0.1
45628	0	0	0	0	KHM	48.5778	117.1178	17.4	631.0	575	55594.	3303	2.3	6.8	19.1	3.0	0.4	8.3	38	0.1
45627	0	0	0	0	KHM	48.5778	117.1172	17.3	630.7	560	55589.	2945	2.2	7.0	13.0	3.2	0.5	6.0	41	0.1
45626	0	0	0	0	KHM	48.5778	117.1166	17.3	630.3	556	55585.	3063	2.0	7.7	15.5	3.9	0.5	7.8	44	0.1
45625	0	0	0	0	KHM	48.5778	117.1160	17.3	630.0	549	55583.	2929	2.3	8.3	14.4	3.7	0.6	6.4	45	0.1
45624	0	0	0	0	KHM	48.5778	117.1154	17.3	629.6	540	55579.	2758	1.7	9.2	8.0	5.2	1.1	4.6	49	0.1
45623	0	0	0	0	KHM	48.5778	117.1148	17.3	629.2	532	55575.	2678	2.1	5.8	10.8	2.8	0.5	5.2	54	0.1
45622	0	0	0	0	KHM	48.5778	117.1141	17.3	628.8	528	55572.	2701	1.9	5.9	12.6	3.0	0.5	6.5	45	0.1
45621	0	0	0	0	KHM	48.5778	117.1133	17.3	628.4	530	55569.	2594	1.7	7.1	13.7	4.2	0.5	8.0	54	0.1
45620	0	0	0	0	KHM	48.5777	117.1126	17.3	628.0	535	55568.	2840	2.0	5.9	11.8	3.0	0.5	6.0	40	0.1
45619	0	0	0	0	KHM	48.5777	117.1119	17.3	627.5	539	55568.	2834	1.7	7.1	11.0	4.2	0.6	6.6	51	0.1
45618	0	0	0	0	KHM	48.5777	117.1111	17.3	627.0	541	55567.	2768	2.0	8.8	7.6	4.5	1.2	3.9	49	0.1
45617	0	0	0	0	KHM	48.5777	117.1104	17.3	626.5	538	55567.	2812	1.7	8.2	14.9	4.9	0.5	8.8	42	0.1
45616	0	0	0	0	KHM	48.5777	117.1097	17.3	626.0	529	55567.	2840	1.7	8.6	14.7	5.2	0.6	8.9	44	0.1
45615	0	0	0	0	KHM	48.5777	117.1089	17.3	625.5	516	55567.	2668	2.3	5.9	12.1	2.6	0.5	5.4	48	0.1
45614	0	0	0	0	KHM	48.5777	117.1082	17.3	625.0	503	55568.	2651	1.8	6.8	11.8	3.7	0.6	6.5	36	0.1
45613	0	0	0	0	KHM	48.5776	117.1075	17.3	624.5	490	55569.	2709	1.6	8.5	11.5	5.2	0.7	7.0	39	0.1
45612	0	0	0	0	KHM	48.5776	117.1067	17.3	624.0	480	55569.	2717	1.8	6.8	10.1	3.7	0.7	5.5	43	0.1
45611	0	0	0	0	KHM	48.5776	117.1060	17.3	623.4	472	55569.	2636	1.7	6.0	11.5	3.6	0.5	7.0	48	0.1
45610	0	0	0	0	KHM	48.5776	117.1055	17.3	622.9	466	55569.	2663	2.5	5.3	12.0	2.1	0.4	4.7	44	0.1
45609	0	0	0	0	KHM	48.5776	117.1049	17.3	622.4	462	55568.	2661	1.8	6.2	13.5	3.5	0.5	7.5	35	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 14									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
45608	0	0	0	0	KHM	48.5776	117.1044	17.3	621.9	456	55568.	2527	2.0	5.5	11.6	2.8	0.5	5.8	47	0.1
45607	0	0	0	0	KHM	48.5776	117.1038	17.3	621.4	447	55567.	2590	2.1	5.8	10.9	2.7	0.5	5.2	50	0.1
45606	0	0	0	0	KHM	48.5776	117.1033	17.3	621.0	435	55566.	2608	1.8	6.6	14.0	3.7	0.5	7.8	39	0.1
45605	0	0	0	0	KHM	48.5776	117.1028	17.3	620.5	423	55566.	2551	1.9	7.2	10.5	3.8	0.7	5.5	42	0.1
45604	0	0	0	0	KHM	48.5776	117.1022	17.3	620.1	414	55567.	2761	2.3	5.6	13.6	2.4	0.4	5.9	44	0.1
45603	0	0	0	0	KHM	48.5776	117.1017	17.3	619.7	405	55568.	2756	2.0	5.7	15.3	2.9	0.4	7.7	37	0.1
45602	0	0	0	0	KHM	48.5776	117.1011	17.3	619.2	395	55571.	2690	2.2	5.8	12.9	2.7	0.5	5.9	51	0.1
45601	0	0	0	0	KHM	48.5776	117.1006	17.3	618.8	386	55575.	2787	2.3	5.6	11.2	2.5	0.5	5.0	39	0.1
45600	0	0	0	0	KHM	48.5775	117.1000	17.3	618.4	378	55582.	2616	2.1	5.0	13.4	2.4	0.4	6.4	64	0.1
45599	0	0	0	0	KHM	48.5775	117.0995	17.3	618.1	372	55592.	2586	1.9	4.3	13.8	2.2	0.3	7.1	46	0.1
45598	0	0	0	0	KHM	48.5775	117.0990	17.3	617.8	364	55602.	2494	2.3	5.4	11.8	2.3	0.5	5.1	64	0.1
45597	0	0	0	0	KHM	48.5775	117.0984	17.3	617.5	355	55612.	2661	2.3	4.5	13.0	1.9	0.3	5.7	46	0.1
45596	0	0	0	0	KHM	48.5775	117.0979	17.3	617.2	346	55619.	2576	1.9	5.2	13.1	2.8	0.4	7.0	51	0.1
45595	0	0	0	0	KHM	48.5775	117.0973	17.3	617.0	341	55622.	2612	2.2	3.9	13.9	1.7	0.3	6.3	61	0.1
45594	0	0	0	0	KHM	48.5775	117.0968	17.3	616.9	341	55623.	2602	2.0	4.5	14.4	2.3	0.3	7.4	65	0.1
45593	0	0	0	0	KHM	48.5775	117.0962	17.3	616.8	345	55621.	2634	2.5	2.7	14.2	1.1	0.2	5.8	38	0.1
45592	0	0	0	0	KHM	48.5775	117.0957	17.3	616.8	349	55618.	2575	1.9	5.5	12.2	2.9	0.5	6.4	43	0.1
45591	0	0	0	0	KHM	48.5775	117.0951	17.3	616.8	345	55616.	2590	2.1	3.6	14.6	1.7	0.2	6.9	59	0.1
45590	0	0	0	0	KHM	48.5775	117.0946	17.3	616.9	334	55614.	2601	1.7	5.6	11.9	3.2	0.5	6.9	58	0.1
45589	0	0	0	0	KHM	48.5775	117.0940	17.3	617.0	320	55613.	2488	1.9	6.1	10.8	3.3	0.6	5.8	55	0.1
45588	0	0	0	0	KHM	48.5775	117.0935	17.3	617.2	311	55612.	2543	2.3	2.7	14.3	1.2	0.2	6.1	46	0.1
45587	0	0	0	0	KHM	48.5775	117.0929	17.3	617.5	309	55610.	2632	2.2	4.5	11.4	2.1	0.4	5.2	44	0.1
45586	0	0	0	0	KHM	48.5775	117.0924	17.3	617.8	315	55609.	2511	2.1	4.2	13.2	2.0	0.3	6.2	58	0.1
45585	0	0	0	0	KHM	48.5775	117.0918	17.4	618.1	326	55607.	2638	1.9	7.0	9.0	3.6	0.8	4.7	56	0.1
45584	0	0	0	0	KHM	48.5775	117.0913	17.4	618.5	342	55604.	2598	2.1	4.8	12.6	2.3	0.4	5.9	67	0.1
45583	0	0	0	0	KHM	48.5775	117.0907	17.4	618.9	362	55603.	2836	2.0	7.1	14.6	3.6	0.5	7.4	47	0.1
45582	1	1	1	1	KHM	48.5775	117.0902	17.4	619.4	381	55602.	2816	2.1	6.0	12.6	2.8	0.5	6.0	53	0.1
45581	0	0	0	0	KHM	48.5775	117.0896	17.4	619.8	398	55602.	2822	2.2	6.6	13.7	3.1	0.5	6.4	62	0.1
45580	0	0	0	0	KHM	48.5774	117.0892	17.4	620.3	412	55603.	2981	2.6	5.5	13.1	2.1	0.4	5.1	53	0.1
45579	0	0	0	0	KHM	48.5774	117.0888	17.4	620.9	426	55603.	3111	2.1	7.2	12.7	3.4	0.6	6.1	38	0.1
45578	0	0	0	0	KHM	48.5774	117.0883	17.4	621.4	440	55602.	3169	2.7	7.8	13.9	2.8	0.6	5.1	46	0.1
45577	0	0	0	0	KHM	48.5774	117.0879	17.4	622.0	453	55600.	3072	2.6	7.7	13.5	3.0	0.6	5.3	51	0.1
45576	0	0	0	0	KHM	48.5774	117.0875	17.5	622.7	462	55600.	3294	2.5	8.0	13.4	3.2	0.6	5.4	34	0.1
45575	0	0	0	0	KHM	48.5774	117.0871	17.5	623.3	471	55600.	3382	2.2	8.6	11.4	3.9	0.7	5.2	44	0.1
45574	0	0	0	0	KHM	48.5774	117.0867	17.5	624.0	477	55600.	3416	2.8	7.2	12.2	2.6	0.6	4.3	48	0.1
45573	0	0	0	0	KHM	48.5773	117.0862	17.5	624.6	481	55599.	3575	2.5	8.7	14.3	3.4	0.6	5.6	31	0.1
45572	0	0	0	0	KHM	48.5773	117.0858	17.5	625.3	481	55597.	3335	2.9	7.3	15.4	2.5	0.5	5.3	56	0.1
45570	0	0	0	0	KHM	48.5773	117.0850	17.5	626.0	480	55593.	3464	2.6	6.4	15.0	2.4	0.4	5.7	55	0.1
45569	0	0	0	0	KHM	48.5773	117.0846	17.5	626.7	480	55587.	3371	2.7	6.5	18.1	2.4	0.4	6.8	50	0.1
45568	0	0	0	0	KHM	48.5773	117.0842	17.5	627.4	478	55581.	3353	1.9	8.7	13.1	4.5	0.7	6.8	56	0.1
45567	0	0	0	0	KHM	48.5773	117.0837	17.6	628.1	476	55575.	3391	2.2	7.8	14.8	3.5	0.5	6.7	52	0.1
45566	0	0	0	0	KHM	48.5773	117.0833	17.6	628.8	473	55570.	3213	2.5	6.2	14.0	2.5	0.4	5.6	52	0.1
45565	0	0	0	0	KHM	48.5773	117.0829	17.6	629.4	469	55566.	3276	2.8	6.5	14.6	2.3	0.4	5.2	61	0.1
45564	0	0	0	0	KHM	48.5772	117.0825	17.6	630.1	467	55563.	3278	2.6	6.0	18.5	2.4	0.3	7.2	37	0.1
45563	0	0	0	0	KHM	48.5772	117.0820	17.6	630.8	469	55560.	3303	2.4	8.6	15.2	3.6	0.6	6.4	45	0.1
45562	0	0	0	0	KHM	48.5772	117.0816	17.6	631.4	478	55557.	3311	2.5	6.2	14.9	2.5	0.4	6.1	45	0.1
45561	0	0	0	0	KHM	48.5772	117.0812	17.6	632.1	494	55553.	3344	2.1	9.7	15.1	4.6	0.6	7.1	39	0.1
45560	0	0	0	0	KHM	48.5772	117.0808	17.7	632.7	510	55551.	3539	2.6	7.8	19.4	3.0	0.4	7.4	42	0.1
45559	0	0	0	0	KHM	48.5772	117.0802	17.7	633.3	524	55549.	3419	2.2	8.2	16.0	3.7	0.5	7.2	47	0.1
45558	0	0	0	0	KHM	48.5772	117.0797	17.7	634.0	534	55546.	3370	2.5	7.2	14.9	2.9	0.5	6.0	46	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 14							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
45557	0	0	0	0	KHM	48.5772	117.0791	17.7	634.5	546	55543.	3460	2.8	7.2	18.0	2.6	0.4	6.4	34	0.1
45556	0	0	0	0	KHM	48.5772	117.0786	17.7	635.1	558	55540.	3551	2.9	6.7	19.7	2.3	0.3	6.7	36	0.1
45555	0	0	0	0	KHM	48.5771	117.0780	17.7	635.7	570	55538.	3503	2.5	8.7	18.5	3.5	0.5	7.5	38	0.1
45554	0	0	0	0	KHM	48.5771	117.0775	17.8	636.2	578	55537.	3386	2.4	7.8	16.6	3.3	0.5	7.0	41	0.1
45553	0	0	0	0	KHM	48.5771	117.0769	17.8	636.8	585	55538.	3493	2.6	6.8	17.9	2.6	0.4	6.9	40	0.1
45552	0	0	0	0	KHM	48.5771	117.0763	17.8	637.3	591	55538.	3371	2.6	7.2	14.6	2.7	0.5	5.5	42	0.1
45551	0	0	0	0	KHM	48.5771	117.0758	17.8	637.8	602	55538.	3510	2.1	9.4	17.5	4.4	0.5	8.3	32	0.1
45550	0	0	0	0	KHM	48.5771	117.0752	17.8	638.3	619	55538.	3357	2.5	6.1	18.5	2.4	0.3	7.3	48	0.1
45549	0	0	0	0	KHM	48.5771	117.0747	17.8	638.7	644	55537.	3447	2.8	8.8	13.1	3.2	0.7	4.7	44	0.1
45548	0	0	0	0	KHM	48.5771	117.0741	17.8	639.1	663	55537.	3404	2.0	7.1	17.3	3.6	0.4	8.8	45	0.1
45547	0	0	0	0	KHM	48.5771	117.0735	17.8	639.5	672	55536.	3499	2.2	7.8	15.7	3.6	0.5	7.3	36	0.1
45546	0	0	0	0	KHM	48.5771	117.0730	17.9	639.9	674	55536.	3430	2.3	9.1	12.5	3.9	0.7	5.3	36	0.1
45545	0	0	0	0	KHM	48.5771	117.0724	17.9	640.3	677	55536.	3285	1.7	10.2	14.9	5.9	0.7	8.7	47	0.1
45544	0	0	0	0	KHM	48.5771	117.0719	17.9	640.7	687	55538.	3451	2.4	8.1	14.1	3.3	0.6	5.8	39	0.1
45543	1	0	0	0	KHM	48.5771	117.0713	17.9	641.1	706	55540.	3467	2.4	10.3	14.9	4.2	0.7	6.1	47	0.1
45542	1	0	0	0	KHM	48.5771	117.0707	17.9	641.4	729	55541.	3319	2.1	9.3	21.5	4.4	0.4	10.1	55	0.1
45541	1	0	0	0	KHM	48.5771	117.0702	17.9	641.8	748	55543.	3730	2.8	9.0	16.4	3.2	0.5	5.8	51	0.1
45540	1	0	0	0	KHM	48.5770	117.0696	17.9	642.1	761	55542.	3654	2.5	10.2	19.8	4.1	0.5	7.9	39	0.1
45539	1	0	0	0	KHM	48.5770	117.0691	17.9	642.4	764	55541.	3631	2.7	9.7	13.8	3.5	0.7	5.1	46	0.1
45538	1	0	0	0	KHM	48.5770	117.0685	18.0	642.8	764	55541.	3631	2.4	9.8	17.1	4.0	0.6	7.0	37	0.1
45537	1	0	0	0	KHM	48.5770	117.0680	18.0	643.0	759	55541.	3267	2.5	8.3	15.1	3.3	0.5	6.0	55	0.1
45536	1	0	0	0	KHM	48.5770	117.0674	18.0	643.3	753	55541.	3400	1.7	11.5	14.0	6.6	0.8	8.0	38	0.1
45535	1	0	0	0	KHM	48.5770	117.0668	18.0	643.6	746	55540.	3270	2.3	9.5	14.1	4.2	0.7	6.2	54	0.1
45534	1	0	0	0	KHM	48.5770	117.0663	18.0	643.9	733	55540.	3218	2.5	7.4	15.3	3.0	0.5	6.2	25	0.1
45533	1	0	0	0	KHM	48.5770	117.0657	18.0	644.1	715	55540.	3069	2.5	6.1	15.2	2.4	0.4	6.1	40	0.1
45532	1	0	0	0	KHM	48.5770	117.0651	18.0	644.3	704	55539.	3073	2.0	9.2	13.0	4.7	0.7	6.6	47	0.1
45531	1	0	0	0	KHM	48.5770	117.0645	18.0	644.5	715	55538.	3109	3.2	5.6	13.9	1.7	0.4	4.3	40	0.1
45530	1	0	0	0	KHM	48.5770	117.0638	18.0	644.7	746	55538.	3224	2.0	9.5	14.1	4.9	0.7	7.2	51	0.1
45529	1	0	0	0	KHM	48.5770	117.0632	18.0	644.8	785	55537.	3219	2.3	7.4	12.7	3.3	0.6	5.6	50	0.1
45528	1	0	0	0	KHM	48.5770	117.0626	18.1	645.0	815	55535.	3306	2.1	10.0	10.5	4.8	1.0	5.1	48	0.1
45527	1	0	0	0	KHM	48.5769	117.0620	18.1	645.0	830	55534.	3296	2.6	9.2	18.4	3.6	0.5	7.2	35	0.1
45526	1	0	0	0	KHM	48.5769	117.0614	18.1	645.1	824	55532.	3616	3.6	7.2	17.9	2.0	0.4	4.9	39	0.1
45525	1	0	0	0	KHM	48.5769	117.0608	18.1	645.2	797	55530.	3522	2.8	8.4	12.8	3.0	0.7	4.6	46	0.1
45524	1	0	0	0	KHM	48.5769	117.0602	18.1	645.3	745	55528.	3153	2.0	7.1	16.9	3.6	0.4	8.7	39	0.1
45523	0	0	0	0	KHM	48.5769	117.0596	18.1	645.3	685	55527.	2928	2.0	6.3	14.5	3.2	0.4	7.4	39	0.1
45522	0	0	0	0	KHM	48.5769	117.0590	18.1	645.3	629	55526.	2813	2.3	5.6	15.0	2.4	0.4	6.6	42	0.1
45521	0	0	0	0	KHM	48.5769	117.0584	18.1	645.3	594	55526.	2626	1.8	6.9	9.0	3.8	0.8	5.0	35	0.1
45520	0	0	0	0	KHM	48.5769	117.0578	18.1	645.3	572	55526.	2501	2.0	6.0	10.8	2.9	0.6	5.3	39	0.1
45519	0	0	0	0	KHM	48.5768	117.0571	18.1	645.4	561	55524.	2462	1.8	5.6	9.0	3.2	0.6	5.1	52	0.1
45518	0	0	0	0	KHM	48.5768	117.0565	18.1	645.4	555	55523.	2477	1.7	7.6	9.4	4.4	0.8	5.4	52	0.1
45517	0	0	0	0	KHM	48.5768	117.0559	18.1	645.4	547	55523.	2621	2.0	8.0	11.0	4.0	0.7	5.4	48	0.1
45516	0	0	0	0	KHM	48.5768	117.0553	18.2	645.4	533	55523.	2630	2.0	5.3	15.0	2.7	0.4	7.6	35	0.1
45515	0	0	0	0	KHM	48.5768	117.0547	18.2	645.4	521	55524.	2688	2.3	5.1	13.3	2.2	0.4	5.8	34	0.1
45514	0	0	0	0	KHM	48.5768	117.0541	18.2	645.4	505	55525.	2478	2.0	6.1	12.2	3.1	0.5	6.2	44	0.1
45513	0	0	0	0	KHM	48.5768	117.0535	18.2	645.3	491	55526.	2475	1.8	6.7	9.8	3.6	0.7	5.3	32	0.1
45512	0	0	0	0	KHM	48.5768	117.0529	18.2	645.3	475	55526.	2244	1.9	5.9	8.2	3.1	0.7	4.3	36	0.1
45511	0	0	0	0	KHM	48.5768	117.0523	18.2	645.2	468	55526.	2356	1.9	6.0	9.5	3.2	0.6	5.0	44	0.1
45510	0	0	0	0	KHM	48.5768	117.0517	18.2	645.2	467	55526.	2335	1.7	5.6	11.7	3.3	0.5	6.9	42	0.1
45509	0	0	0	0	KHM	48.5767	117.0511	18.2	645.1	479	55524.	2366	1.9	4.5	11.4	2.4	0.4	6.2	30	0.1
45508	0	0	0	0	KHM	48.5767	117.0504	18.2	645.1	503	55524.	2217	1.5	7.5	6.7	5.1	1.1	4.5	48	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 14							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
45507	0	0	0	0	KKH	48.5767	117.0498	18.2	645.0	538	55523.	2416	1.1	6.3	11.2	5.7	0.6	10.2	30	0.1
45506	0	0	0	0	KKH	48.5767	117.0492	18.2	644.9	575	55524.	2501	1.5	6.4	11.4	4.3	0.6	7.7	34	0.1
45505	0	0	0	0	KKH	48.5767	117.0486	18.3	644.9	602	55525.	2662	1.7	6.2	12.8	3.6	0.5	7.4	40	0.1
45504	0	0	0	0	KKH	48.5767	117.0480	18.3	644.9	615	55525.	2311	1.7	7.2	9.0	4.3	0.8	5.3	55	0.1
45503	0	0	0	0	KKH	48.5767	117.0474	18.3	644.8	612	55525.	2358	1.9	4.0	8.6	2.1	0.5	4.5	43	0.1
45502	0	0	0	0	KKH	48.5767	117.0468	18.3	644.8	598	55525.	2104	1.6	4.0	8.4	2.6	0.5	5.4	42	0.1
45501	0	0	0	0	KKH	48.5766	117.0462	18.3	644.7	577	55525.	2131	1.6	5.6	6.2	3.4	0.9	3.8	35	0.1
45500	0	0	0	0	KKH	48.5766	117.0456	18.3	644.7	550	55526.	2179	1.6	3.5	9.2	2.2	0.4	5.8	29	0.1
45499	0	0	0	0	KKH	48.5766	117.0450	18.3	644.7	522	55527.	1951	1.6	3.3	8.7	2.1	0.4	5.5	41	0.1
45498	0	0	0	0	KKH	48.5766	117.0443	18.3	644.7	499	55528.	1888	1.5	3.2	9.2	2.2	0.4	6.2	39	0.1
45497	0	0	0	0	KKH	48.5766	117.0437	18.3	644.6	482	55528.	1903	1.1	5.7	6.3	5.1	0.9	5.7	42	0.1
45496	0	0	0	0	KKH	48.5766	117.0431	18.4	644.7	473	55530.	1862	1.4	4.2	7.5	3.0	0.6	5.2	49	0.1
45495	0	0	0	0	KKH	48.5766	117.0425	18.4	644.7	464	55531.	1952	1.0	4.1	11.6	4.3	0.4	12.2	23	0.1
45494	0	0	0	0	KKH	48.5766	117.0419	18.4	644.7	459	55532.	1961	1.5	4.8	7.7	3.3	0.6	5.3	34	0.1
45493	0	0	0	0	KKH	48.5766	117.0413	18.4	644.7	454	55534.	1935	1.6	4.3	6.1	2.8	0.7	3.9	36	0.1
45492	0	0	0	0	KKH	48.5766	117.0407	18.4	644.8	451	55535.	1939	1.4	4.3	6.6	3.0	0.6	4.6	45	0.1
45491	0	0	0	0	KKH	48.5765	117.0401	18.4	644.9	446	55534.	1929	0.9	5.7	6.9	6.2	0.8	7.4	29	0.1
45490	0	0	0	0	KKH	48.5765	117.0395	18.4	645.0	438	55534.	1993	1.1	5.6	7.6	5.1	0.7	6.8	45	0.1
45489	0	0	0	0	KKH	48.5765	117.0389	18.5	645.1	422	55533.	1875	1.4	4.5	5.6	3.2	0.8	4.0	39	0.1
45488	0	0	0	0	KKH	48.5765	117.0383	18.5	645.3	406	55533.	1863	1.4	3.9	7.1	2.8	0.6	5.1	32	0.1
45487	0	0	0	0	KKH	48.5765	117.0376	18.5	645.4	387	55533.	1819	1.3	3.6	8.6	2.8	0.4	6.6	37	0.1
45486	0	0	0	0	KKH	48.5765	117.0370	18.5	645.6	372	55532.	1802	1.5	4.9	5.0	3.2	1.0	3.3	30	0.1
45485	0	0	0	0	KKH	48.5765	117.0364	18.5	645.8	358	55531.	1837	1.2	5.3	5.6	4.5	1.0	4.7	39	0.1
45484	0	0	0	0	KKH	48.5765	117.0358	18.5	646.1	345	55530.	1785	1.6	3.6	7.7	2.3	0.5	4.9	43	0.1
45483	0	0	0	0	KKH	48.5765	117.0352	18.6	646.4	336	55530.	1832	1.1	4.4	6.6	3.9	0.7	5.8	37	0.1
45482	0	0	0	0	KKH	48.5764	117.0346	18.6	646.7	328	55530.	1721	1.4	4.0	5.8	2.8	0.7	4.1	43	0.1
45481	0	0	0	0	KKH	48.5764	117.0340	18.6	647.0	322	55532.	1827	1.3	3.1	9.3	2.4	0.3	7.3	39	0.1
45479	0	0	0	0	KKH	48.5764	117.0328	18.6	647.4	330	55535.	1826	1.2	4.4	7.3	3.6	0.6	6.1	49	0.1
45478	0	0	0	0	KKH	48.5764	117.0322	18.6	647.7	338	55540.	1984	1.8	3.5	7.7	2.0	0.5	4.3	45	0.1
45477	0	0	0	0	KKH	48.5764	117.0316	18.7	648.2	340	55545.	2097	1.6	5.4	8.8	3.4	0.6	5.6	33	0.1
45476	0	0	0	0	KKH	48.5764	117.0309	18.7	648.6	332	55551.	2099	1.8	4.6	7.0	2.6	0.7	3.9	40	0.1
45475	0	0	0	0	KKH	48.5764	117.0303	18.7	649.1	328	55556.	2102	1.5	4.3	10.0	2.8	0.4	6.5	37	0.1
45474	0	0	0	0	KKH	48.5764	117.0297	18.7	649.6	338	55559.	2257	1.7	4.2	8.7	2.5	0.5	5.2	51	0.1
45473	0	0	0	0	KKH	48.5764	117.0291	18.7	650.1	348	55561.	2276	1.3	5.3	9.1	4.1	0.6	7.0	42	0.1
45472	0	0	0	0	KKH	48.5763	117.0285	18.7	650.6	358	55561.	2222	1.7	5.1	9.6	3.0	0.5	5.7	42	0.1
45471	0	0	0	0	KKH	48.5763	117.0279	18.8	651.2	366	55560.	2347	1.9	5.0	9.4	2.6	0.5	4.9	43	0.1
45470	0	0	0	0	KKH	48.5763	117.0273	18.8	651.8	387	55558.	2357	2.2	5.3	7.6	2.4	0.7	3.4	37	0.1
45469	0	0	0	0	KKH	48.5763	117.0267	18.8	652.4	413	55556.	2502	2.0	4.8	13.0	2.4	0.4	6.6	33	0.1
45468	0	0	0	0	KKH	48.5763	117.0261	18.8	653.0	445	55554.	2467	2.1	4.5	11.6	2.1	0.4	5.5	37	0.1
45467	0	0	0	0	KKH	48.5763	117.0255	18.8	653.6	479	55550.	2597	1.3	7.6	10.1	5.8	0.8	7.6	34	0.1
45466	0	0	0	0	KKH	48.5763	117.0249	18.9	654.2	528	55549.	2823	2.3	7.6	11.0	3.3	0.7	4.8	46	0.1
45465	0	0	0	0	KKH	48.5763	117.0242	18.9	654.8	592	55548.	3127	2.4	8.0	13.3	3.4	0.6	5.6	42	0.1
45464	0	0	0	0	KKH	48.5762	117.0236	18.9	655.3	662	55547.	3297	1.9	9.8	16.6	5.3	0.6	8.9	44	0.1
45463	1	0	0	0	KKH	48.5762	117.0230	18.9	655.9	715	55548.	3919	2.8	12.5	16.1	4.5	0.8	5.7	32	0.1
45462	1	0	0	0	KKH	48.5762	117.0224	18.9	656.4	743	55548.	3979	3.6	10.0	17.2	2.8	0.6	4.8	40	0.1
45461	1	0	0	0	KKH	48.5762	117.0218	19.0	657.0	724	55548.	3756	2.7	11.7	13.0	4.3	0.9	4.7	33	0.1
45460	0	0	0	0	KKH	48.5762	117.0212	19.0	657.4	671	55548.	3345	3.1	6.8	12.7	2.2	0.5	4.1	37	0.1
45459	0	0	0	0	KKH	48.5762	117.0205	19.0	657.9	602	55548.	3128	2.7	7.8	8.0	2.8	1.0	2.9	31	0.1
45458	0	0	0	0	KKH	48.5762	117.0199	19.0	658.3	554	55547.	2840	1.7	8.5	10.3	4.8	0.8	5.9	39	0.1
45457	0	0	0	0	KKH	48.5761	117.0192	19.0	658.7	531	55547.	2648	1.7	8.0	7.2	4.5	1.1	4.1	44	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 14							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
45456	0	0	0	0	KKH	48.5761	117.0186	19.0	659.1	528	55546.	2595	2.2	5.5	10.2	2.5	0.5	4.5	31	0.1
45455	0	0	0	0	KKH	48.5761	117.0179	19.0	659.5	536	55546.	2646	1.7	7.0	9.7	4.0	0.7	5.5	36	0.1
45454	0	0	0	0	KKH	48.5761	117.0173	19.0	659.9	540	55545.	2592	1.6	6.1	10.4	3.7	0.6	6.3	34	0.2
45453	0	0	0	0	KKH	48.5761	117.0167	19.1	660.3	528	55545.	2541	1.3	6.0	9.6	4.6	0.6	7.3	37	0.2
45452	0	0	0	0	KKH	48.5760	117.0160	19.1	660.7	503	55546.	2595	1.7	5.5	12.2	3.2	0.4	7.1	38	0.1
45451	0	0	0	0	KKH	48.5760	117.0154	19.1	661.0	474	55547.	2510	1.9	5.3	9.8	2.8	0.5	5.1	35	0.1
45450	0	0	0	0	KKH	48.5760	117.0147	19.1	661.4	450	55548.	2497	1.6	5.1	12.9	3.1	0.4	8.0	38	0.1
45449	0	0	0	0	KKH	48.5760	117.0141	19.1	661.7	432	55548.	2483	1.8	5.9	7.6	3.2	0.8	4.1	36	0.1
45448	0	0	0	0	KKH	48.5760	117.0134	19.1	662.0	424	55549.	2512	1.4	5.8	9.6	4.0	0.6	6.7	37	0.1
45447	0	0	0	0	KKH	48.5760	117.0128	19.1	662.4	429	55548.	2367	1.7	6.1	8.0	3.5	0.8	4.6	54	0.1
45446	0	0	0	0	KKH	48.5759	117.0122	19.1	662.7	439	55549.	2470	1.7	6.3	12.5	3.6	0.5	7.2	38	0.1
45445	0	0	0	0	KKH	48.5759	117.0115	19.2	663.0	452	55550.	2475	2.1	4.8	8.9	2.3	0.5	4.2	33	0.1
45444	0	0	0	0	KKH	48.5759	117.0109	19.2	663.3	455	55551.	2567	2.0	5.9	9.4	3.0	0.6	4.7	29	0.1
45443	0	0	0	0	KKH	48.5759	117.0102	19.2	663.6	463	55554.	2457	2.3	5.4	7.6	2.4	0.7	3.3	50	0.1
45442	0	0	0	0	KKH	48.5759	117.0096	19.2	663.9	461	55556.	2591	1.5	6.5	11.6	4.4	0.6	8.0	40	0.1
45441	0	0	0	0	KKH	48.5759	117.0089	19.2	664.2	462	55558.	2642	1.7	4.5	9.7	2.7	0.5	5.8	32	0.1
45440	0	0	0	0	KKH	48.5758	117.0083	19.2	664.5	454	55560.	2623	1.8	5.7	13.5	3.1	0.4	7.3	48	0.1
45439	0	0	0	0	KKH	48.5758	117.0076	19.2	664.8	447	55562.	2584	2.0	6.2	9.7	3.2	0.6	4.9	38	0.1
45438	0	0	0	0	KKH	48.5758	117.0070	19.2	665.1	441	55564.	2531	1.8	5.3	9.6	2.9	0.6	5.3	27	0.1
45437	0	0	0	0	KKH	48.5758	117.0064	19.3	665.4	437	55564.	2518	2.0	6.1	7.7	3.0	0.8	3.8	35	0.1
45436	0	0	0	0	KKH	48.5757	117.0057	19.3	665.7	434	55563.	2578	2.0	6.4	10.0	3.2	0.6	5.0	28	0.1
45435	0	0	0	0	KKH	48.5757	117.0051	19.3	666.0	432	55563.	2440	1.7	5.1	12.7	2.9	0.4	7.3	29	0.1
45434	0	0	0	0	KKH	48.5757	117.0044	19.3	666.2	434	55563.	2376	1.8	5.8	9.5	3.2	0.6	5.2	33	0.1
45433	0	0	0	0	KKH	48.5757	117.0038	19.3	666.6	437	55564.	2316	1.6	4.8	8.9	3.0	0.5	5.5	46	0.1
45432	0	0	0	0	KKH	48.5757	117.0031	19.3	666.8	459	55566.	2435	1.9	5.5	9.9	3.0	0.6	5.3	33	0.1
45431	0	0	0	0	KKH	48.5757	117.0025	19.3	667.1	482	55567.	2361	1.9	5.5	8.8	2.8	0.6	4.6	41	0.1
45430	0	0	0	0	KKH	48.5756	117.0019	19.3	667.4	508	55568.	2308	1.7	5.5	8.2	3.3	0.7	4.9	44	0.1
45429	0	0	0	0	KKH	48.5756	117.0012	19.3	667.7	512	55568.	2305	2.1	4.2	7.1	2.1	0.6	3.5	41	0.1
45428	0	0	0	0	KKH	48.5756	117.0006	19.3	668.0	509	55568.	2323	1.8	6.8	10.8	3.7	0.6	5.9	35	0.1
45427	0	0	0	0	KKH	48.5756	116.9999	19.3	668.2	507	55568.	2199	1.2	6.5	7.1	5.4	0.9	5.9	26	0.2
45426	0	0	0	0	KKH	48.5756	116.9993	19.3	668.5	509	55568.	2136	2.0	6.3	6.1	3.1	1.0	3.0	33	0.2
45425	0	0	0	0	KKH	48.5755	116.9986	19.3	668.7	513	55568.	2107	1.4	4.2	7.4	2.9	0.6	5.2	35	0.2
45424	0	0	0	0	KKH	48.5755	116.9980	19.4	668.9	518	55568.	2085	1.6	3.6	8.8	2.3	0.4	5.7	39	0.2
45423	0	0	0	0	KKH	48.5755	116.9973	19.4	669.1	524	55568.	2153	1.3	6.5	8.3	4.9	0.8	6.2	28	0.2
45422	0	0	0	0	KKH	48.5755	116.9967	19.4	669.2	533	55567.	2098	1.7	5.1	7.2	3.0	0.7	4.3	33	0.2
45421	0	0	0	0	KKH	48.5755	116.9961	19.4	669.4	541	55566.	2089	1.7	4.3	6.9	2.6	0.6	4.2	45	0.1
45420	0	0	0	0	KKH	48.5755	116.9954	19.4	669.5	544	55567.	2196	1.5	5.2	8.3	3.4	0.6	5.5	17	0.1
45419	0	0	0	0	KKH	48.5754	116.9948	19.4	669.7	545	55567.	1944	1.3	4.2	3.7	3.2	1.1	2.8	39	0.1
45418	0	0	0	0	KKH	48.5754	116.9941	19.4	669.8	546	55567.	1973	0.9	4.6	7.3	4.9	0.6	7.7	48	0.1
45417	0	0	0	0	KKH	48.5754	116.9935	19.4	669.9	544	55569.	2045	1.7	5.9	2.9	3.4	2.0	1.7	40	0.1

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 15							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50280	0	0	0	0	KG	48.5754	117.2195	20.6	661.5	325	55782.	2035	1.9	4.0	8.6	2.1	0.5	4.4	28	0.1
50281	0	0	0	0	KG	48.5754	117.2190	20.6	661.4	326	55782.	2062	2.0	2.4	7.7	1.2	0.3	3.8	42	0.1
50282	0	0	0	0	KG	48.5754	117.2186	20.6	661.2	325	55780.	2072	1.9	3.2	10.3	1.7	0.3	5.5	43	0.1
50283	0	0	0	0	KG	48.5754	117.2182	20.6	661.1	321	55778.	2116	1.6	4.2	10.0	2.7	0.4	6.3	27	0.1
50284	0	0	0	0	KG	48.5755	117.2177	20.6	660.9	319	55775.	1916	1.7	2.0	8.9	1.2	0.2	5.3	32	0.1
50285	0	0	0	0	KG	48.5755	117.2173	20.6	660.8	322	55772.	1960	1.5	2.6	9.4	1.8	0.3	6.3	28	0.1
50286	0	0	0	0	KG	48.5755	117.2169	20.6	660.6	330	55769.	1902	1.4	3.8	9.0	2.7	0.4	6.5	30	0.1
50287	0	0	0	0	KG	48.5755	117.2164	20.6	660.4	341	55766.	1877	1.3	4.4	8.8	3.4	0.5	6.9	27	0.1
50288	0	0	0	0	KG	48.5755	117.2160	20.6	660.2	357	55765.	1768	1.2	4.2	8.0	3.6	0.5	6.9	41	0.1
50289	0	0	0	0	KG	48.5756	117.2155	20.7	660.0	374	55765.	1864	1.6	4.1	6.0	2.5	0.7	3.7	29	0.1
50290	0	0	0	0	KG	48.5755	117.2151	20.7	659.9	387	55767.	1900	1.7	2.8	8.1	1.7	0.3	4.9	35	0.1
50291	0	0	0	0	KG	48.5755	117.2147	20.7	659.7	394	55771.	2020	1.7	3.1	9.1	1.8	0.3	5.2	32	0.1
50292	0	0	0	0	KG	48.5755	117.2142	20.7	659.5	394	55775.	1989	1.6	4.9	8.2	3.0	0.6	5.1	34	0.1
50293	0	0	0	0	KG	48.5755	117.2138	20.7	659.3	389	55779.	2005	1.3	3.4	8.2	2.6	0.4	6.3	35	0.1
50294	0	0	0	0	KG	48.5755	117.2133	20.7	659.1	381	55782.	2081	1.6	3.9	7.7	2.4	0.5	4.7	44	0.1
50295	0	0	0	0	KG	48.5754	117.2129	20.7	658.8	371	55784.	1998	1.5	4.6	9.0	3.2	0.5	6.2	37	0.1
50296	0	0	0	0	KG	48.5754	117.2124	20.7	658.6	362	55785.	1959	1.5	3.1	8.5	2.1	0.4	5.7	25	0.1
50297	0	0	0	0	KG	48.5754	117.2120	20.7	658.5	353	55788.	1986	1.8	2.8	8.6	1.6	0.3	4.9	37	0.1
50298	0	0	0	0	KG	48.5754	117.2116	20.7	658.2	343	55794.	1938	1.5	2.6	9.6	1.8	0.3	6.6	38	0.1
50299	0	0	0	0	KG	48.5753	117.2111	20.7	658.0	333	55801.	1810	1.7	3.6	7.4	2.1	0.5	4.4	46	0.1
50300	0	0	0	0	KG	48.5753	117.2107	20.7	657.8	322	55807.	1887	1.7	1.9	8.8	1.1	0.2	5.1	38	0.1
50301	0	0	0	0	KG	48.5753	117.2103	20.7	657.6	314	55813.	1849	1.6	3.5	6.8	2.2	0.5	4.4	39	0.1
50302	0	0	0	0	KG	48.5753	117.2098	20.7	657.3	306	55817.	1848	1.1	3.4	9.2	3.0	0.4	8.2	41	0.1
50303	0	0	0	0	KG	48.5753	117.2094	20.6	657.1	298	55818.	1892	1.7	3.4	7.1	2.0	0.5	4.2	46	0.1
50304	0	0	0	0	KG	48.5752	117.2089	20.6	656.8	289	55820.	1790	1.6	2.7	6.0	1.6	0.4	3.7	37	0.1
50305	0	0	0	0	KG	48.5752	117.2085	20.6	656.6	279	55823.	1792	1.5	4.1	6.3	2.8	0.7	4.3	53	0.1
50306	0	0	0	0	KG	48.5752	117.2080	20.6	656.4	270	55826.	1816	1.4	3.3	5.5	2.4	0.6	3.9	36	0.1
50307	0	0	0	0	KG	48.5752	117.2076	20.6	656.1	263	55830.	1706	1.3	2.8	7.5	2.2	0.4	6.0	34	0.1
50308	0	0	0	0	KG	48.5751	117.2072	20.6	655.9	261	55832.	1671	1.4	3.2	6.9	2.3	0.5	5.0	38	0.1
50309	0	0	0	0	KG	48.5751	117.2067	20.6	655.7	264	55832.	1607	1.2	2.6	6.5	2.1	0.4	5.3	49	0.1
50310	0	0	0	0	KG	48.5751	117.2063	20.6	655.4	271	55831.	1725	1.3	2.3	9.4	1.8	0.2	7.4	29	0.1
50311	0	0	0	0	KG	48.5751	117.2058	20.6	655.2	281	55828.	1710	1.3	2.2	8.6	1.7	0.3	6.8	39	0.1
50312	0	0	0	0	KG	48.5750	117.2054	20.6	654.9	295	55823.	1751	1.1	4.0	5.4	3.8	0.7	5.1	30	0.1
50313	0	0	0	0	KG	48.5750	117.2049	20.6	654.7	313	55817.	1870	1.5	3.4	9.7	2.2	0.3	6.3	47	0.1
50314	0	0	0	0	KG	48.5750	117.2045	20.6	654.4	334	55810.	1929	1.7	3.8	9.0	2.2	0.4	5.3	31	0.1
50315	0	0	0	0	KG	48.5750	117.2041	20.6	654.1	354	55805.	1999	1.6	3.9	6.3	2.4	0.6	3.9	45	0.1
50316	0	0	0	0	KG	48.5750	117.2036	20.6	653.9	365	55801.	2142	1.9	3.1	10.3	1.6	0.3	5.4	35	0.1
50317	0	0	0	0	KG	48.5749	117.2032	20.6	653.6	370	55799.	2049	2.0	2.6	8.3	1.3	0.3	4.2	35	0.1
50318	0	0	0	0	KG	48.5749	117.2027	20.6	653.3	366	55798.	2133	1.9	3.6	8.4	1.9	0.4	4.5	30	0.1
50319	0	0	0	0	KG	48.5749	117.2023	20.6	652.9	361	55798.	2019	1.8	2.9	7.1	1.6	0.4	4.0	49	0.1
50320	0	0	0	0	KG	48.5749	117.2018	20.6	652.6	353	55798.	2132	1.9	4.0	8.7	2.1	0.5	4.6	36	0.1
50321	0	0	0	0	KG	48.5748	117.2014	20.6	652.3	347	55797.	2039	1.4	3.7	7.8	2.6	0.5	5.5	38	0.1
50322	0	0	0	0	KG	48.5748	117.2010	20.6	651.9	347	55795.	2152	1.9	5.1	7.5	2.7	0.7	4.0	28	0.1
50323	0	0	0	0	KG	48.5748	117.2005	20.5	651.5	351	55791.	2064	1.9	3.0	9.0	1.6	0.3	4.8	44	0.1
50324	0	0	0	0	KG	48.5748	117.2001	20.5	651.1	358	55787.	2087	1.5	3.2	8.1	2.1	0.4	5.2	43	0.1
50325	0	0	0	0	KG	48.5748	117.1996	20.5	650.6	365	55783.	2137	2.1	3.9	8.5	1.8	0.5	4.0	40	0.1
50326	0	0	0	0	KG	48.5747	117.1992	20.5	650.2	374	55779.	2202	2.2	3.3	10.1	1.5	0.3	4.7	36	0.1
50327	0	0	0	0	KG	48.5747	117.1988	20.5	649.7	383	55778.	2255	1.9	4.3	8.5	2.3	0.5	4.5	51	0.1
50328	0	0	0	0	KG	48.5747	117.1983	20.5	649.3	388	55778.	2220	2.0	3.0	13.4	1.5	0.2	6.9	43	0.1
50329	0	0	0	0	KG	48.5747	117.1979	20.5	648.8	386	55780.	2329	2.3	2.7	11.9	1.2	0.2	5.3	36	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 15

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50330	0	0	0	0	KG	48.5746	117.1974	20.5	648.3	384	55785.	2282	2.0	3.5	9.3	1.7	0.4	4.6	35	0.1
50331	0	0	0	0	KG	48.5746	117.1970	20.5	647.8	387	55790.	2342	1.8	4.6	8.9	2.5	0.5	4.8	29	0.1
50332	0	0	0	0	KG	48.5746	117.1965	20.5	647.3	389	55796.	2417	1.9	5.2	8.0	2.7	0.6	4.2	26	0.1
50333	0	0	0	0	KG	48.5746	117.1961	20.5	646.8	386	55802.	2325	2.6	3.2	8.9	1.2	0.4	3.4	50	0.1
50334	0	0	0	0	KG	48.5746	117.1957	20.4	646.2	377	55808.	2352	2.0	4.3	10.8	2.1	0.4	5.3	52	0.1
50335	0	0	0	0	KG	48.5745	117.1952	20.4	645.7	366	55815.	2215	2.3	3.5	8.3	1.5	0.4	3.6	52	0.1
50336	0	0	0	0	KG	48.5745	117.1948	20.4	645.1	352	55820.	2141	1.3	4.9	11.1	3.8	0.4	8.6	37	0.1
50337	0	0	0	0	KG	48.5745	117.1943	20.4	644.6	337	55826.	1977	1.9	2.9	8.4	1.5	0.3	4.4	41	0.1
50338	0	0	0	0	KG	48.5745	117.1939	20.4	644.1	321	55832.	1933	1.7	3.6	8.5	2.1	0.4	4.9	43	0.1
50339	0	0	0	0	KG	48.5744	117.1935	20.4	643.5	307	55836.	1813	1.4	3.4	7.5	2.4	0.5	5.3	55	0.1
50340	0	0	0	0	KG	48.5744	117.1930	20.4	643.0	296	55841.	1770	1.4	3.2	6.6	2.2	0.5	4.7	34	0.1
50341	0	0	0	0	KG	48.5744	117.1926	20.3	642.5	286	55845.	1833	1.4	2.7	9.9	1.9	0.3	7.0	48	0.1
50342	0	0	0	0	KG	48.5744	117.1921	20.3	641.9	279	55850.	1769	1.3	4.0	6.7	3.2	0.6	5.3	39	0.1
50343	0	0	0	0	KG	48.5744	117.1917	20.3	641.4	274	55856.	1801	1.8	3.4	6.2	1.9	0.5	3.5	50	0.1
50344	0	0	0	0	KG	48.5743	117.1913	20.3	640.9	270	55864.	1763	1.6	3.2	6.2	2.0	0.5	3.9	61	0.1
50345	0	0	0	0	KG	48.5743	117.1908	20.3	640.4	268	55873.	1913	1.7	3.4	9.1	2.0	0.4	5.2	43	0.1
50346	0	0	0	0	KG	48.5743	117.1904	20.3	639.9	265	55884.	2012	1.7	4.3	6.5	2.5	0.7	3.7	55	0.1
50347	0	0	0	0	KG	48.5743	117.1899	20.3	639.4	258	55895.	2041	2.0	2.6	10.0	1.3	0.3	5.0	32	0.1
50348	0	0	0	0	KG	48.5742	117.1895	20.3	638.9	247	55904.	2113	2.1	3.5	10.3	1.6	0.3	4.8	46	0.1
50349	0	0	0	0	KG	48.5742	117.1890	20.3	638.4	232	55910.	2039	1.9	2.5	8.9	1.3	0.3	4.6	55	0.1
50350	0	0	0	0	KG	48.5742	117.1886	20.2	638.0	220	55911.	2014	2.0	2.7	9.4	1.4	0.3	4.7	42	0.1
50351	0	0	0	0	KG	48.5742	117.1882	20.2	637.6	209	55910.	1959	1.8	3.5	10.5	1.9	0.3	5.8	43	0.1
50352	1	0	0	0	KG	48.5742	117.1877	20.2	637.2	200	55906.	1833	1.7	1.7	11.7	1.0	0.1	6.9	42	0.1
50353	1	0	0	0	KG	48.5741	117.1873	20.2	636.9	194	55902.	1833	1.5	2.6	7.6	1.7	0.3	5.2	34	0.1
50354	1	0	0	0	KG	48.5741	117.1868	20.2	636.7	192	55897.	1760	1.4	3.2	7.0	2.3	0.5	4.9	44	0.1
50355	1	0	0	0	KG	48.5741	117.1864	20.2	636.5	189	55894.	1667	1.2	2.9	6.8	2.4	0.4	5.6	45	0.1
50356	1	0	0	0	KG	48.5741	117.1859	20.2	636.4	185	55890.	1632	1.4	3.3	7.2	2.3	0.5	5.1	68	0.1
50357	1	0	0	0	KG	48.5740	117.1855	20.2	636.3	178	55885.	1607	1.3	3.2	6.3	2.6	0.5	5.1	42	0.1
50358	1	0	0	0	KG	48.5740	117.1851	20.2	636.2	177	55877.	1545	1.3	3.5	6.1	2.8	0.6	4.8	42	0.1
50359	1	0	0	0	KG	48.5740	117.1846	20.2	636.3	180	55863.	1412	1.1	2.7	5.5	2.3	0.5	4.8	51	0.1
50361	1	0	0	0	KG	48.5739	117.1837	20.2	636.3	192	55844.	1466	0.9	3.7	4.9	4.0	0.7	5.3	40	0.1
50362	0	0	0	0	KG	48.5739	117.1833	20.2	636.5	208	55821.	1482	1.3	2.5	4.2	2.0	0.6	3.3	43	0.1
50363	0	0	0	0	KG	48.5739	117.1829	20.1	636.5	223	55795.	1552	1.1	2.9	8.2	2.6	0.4	7.3	38	0.1
50364	0	0	0	0	QAG	48.5739	117.1824	20.1	636.7	234	55769.	1576	1.3	3.2	7.0	2.4	0.5	5.2	40	0.1
50365	0	0	0	0	QAG	48.5739	117.1820	20.1	636.9	243	55743.	1598	1.3	3.4	5.0	2.6	0.7	3.8	43	0.1
50366	0	0	0	0	QAG	48.5738	117.1815	20.1	637.0	257	55719.	1669	1.4	1.8	9.0	1.2	0.2	6.2	41	0.1
50367	0	0	0	0	QAG	48.5738	117.1811	20.1	637.2	277	55698.	1714	1.6	2.8	7.0	1.7	0.4	4.3	43	0.1
50368	0	0	0	0	QAG	48.5738	117.1806	20.1	637.3	298	55678.	1702	1.6	1.3	7.3	0.8	0.2	4.6	32	0.1
50369	0	0	0	0	QAG	48.5738	117.1802	20.1	637.5	319	55660.	1700	1.7	2.8	6.3	1.7	0.4	3.8	51	0.1
50370	0	0	0	0	QAG	48.5737	117.1798	20.1	637.6	340	55644.	1781	1.6	3.0	6.0	1.9	0.5	3.8	53	0.1
50371	0	0	0	0	QAG	48.5737	117.1793	20.1	637.7	364	55630.	1747	1.5	3.2	8.1	2.1	0.4	5.3	32	0.1
50372	0	0	0	0	QAG	48.5737	117.1789	20.1	637.7	389	55617.	1714	1.4	4.0	5.7	2.8	0.7	4.0	41	0.1
50373	0	0	0	0	KG	48.5737	117.1784	20.1	637.7	416	55607.	1681	1.5	2.9	7.6	1.9	0.4	5.0	48	0.1
50374	0	0	0	0	KG	48.5737	117.1780	20.1	637.8	442	55599.	1747	1.5	4.0	6.6	2.7	0.6	4.4	47	0.1
50375	0	0	0	0	KG	48.5736	117.1776	20.1	637.8	468	55593.	1905	1.8	3.5	6.5	2.0	0.5	3.6	35	0.1
50376	0	0	0	0	KG	48.5736	117.1771	20.1	637.7	490	55588.	1736	1.4	3.3	8.4	2.4	0.4	6.2	37	0.1
50377	0	0	0	0	KG	48.5736	117.1767	20.1	637.7	510	55585.	1730	1.5	3.8	7.9	2.5	0.5	5.3	41	0.1
50378	0	0	0	0	KG	48.5736	117.1762	20.0	637.5	530	55582.	1709	1.3	4.1	6.3	3.2	0.7	4.9	34	0.1
50379	0	0	1	0	KG	48.5735	117.1758	20.0	637.4	546	55581.	1646	1.4	0.5	10.1	0.4	0.1	7.2	39	0.1
50380	0	0	0	0	KG	48.5735	117.1754	20.0	637.2	557	55581.	1754	1.7	3.8	7.4	2.3	0.5	4.5	45	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 15							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50381	0	0	0	0	KG	48.5735	117.1749	20.0	637.1	560	55582.	1896	1.9	2.6	8.1	1.4	0.3	4.3	25	0.1
50382	0	0	0	0	KG	48.5735	117.1745	20.0	636.8	562	55585.	1925	1.2	3.7	9.6	3.1	0.4	8.1	35	0.1
50383	0	0	0	0	KG	48.5735	117.1740	20.0	636.6	563	55589.	1987	1.9	2.4	10.3	1.3	0.2	5.5	43	0.1
50384	0	0	0	0	KG	48.5734	117.1736	20.0	636.3	560	55594.	1957	1.8	4.1	8.6	2.3	0.5	4.8	55	0.1
50385	0	0	0	0	KG	48.5734	117.1731	20.0	635.9	554	55600.	2134	2.0	2.9	7.5	1.5	0.4	3.8	53	0.1
50386	0	0	0	0	KG	48.5734	117.1727	20.0	635.6	544	55606.	2185	1.7	3.8	11.6	2.3	0.3	7.0	37	0.1
50387	0	0	0	0	KG	48.5734	117.1722	20.0	635.2	532	55611.	2323	1.8	2.4	15.0	1.4	0.2	8.4	40	0.1
50388	0	0	1	0	KG	48.5734	117.1717	20.0	634.8	521	55617.	2400	2.4	1.6	15.6	0.6	0.1	6.4	42	0.1
50389	0	0	0	0	KHM	48.5734	117.1712	20.0	634.3	506	55624.	2391	2.5	3.7	10.7	1.5	0.3	4.3	40	0.1
50390	0	0	0	0	KHM	48.5734	117.1707	20.0	633.9	492	55631.	2455	1.9	4.8	9.7	2.5	0.5	5.0	41	0.1
50391	0	0	0	0	KHM	48.5734	117.1702	20.0	633.4	473	55638.	2427	2.3	3.9	10.6	1.7	0.4	4.5	61	0.1
50392	0	0	0	0	KHM	48.5734	117.1696	20.0	632.9	452	55646.	2659	2.1	2.7	14.8	1.3	0.2	7.0	39	0.1
50393	0	0	0	0	KHM	48.5734	117.1691	20.0	632.4	427	55654.	2527	2.3	3.3	13.7	1.4	0.2	5.8	51	0.1
50394	0	0	0	0	KHM	48.5734	117.1686	20.0	631.9	403	55662.	2526	1.5	4.0	17.8	2.6	0.2	11.6	45	0.1
50395	0	0	0	0	KHM	48.5735	117.1681	19.9	631.4	382	55669.	2559	1.7	5.3	12.7	3.0	0.4	7.2	45	0.1
50396	0	0	0	0	KHM	48.5735	117.1676	19.9	630.9	365	55677.	2643	2.1	4.2	15.1	2.1	0.3	7.3	39	0.1
50397	0	0	0	0	KHM	48.5735	117.1671	19.9	630.4	345	55684.	2606	2.1	5.4	9.9	2.5	0.5	4.7	50	0.1
50398	0	0	0	0	KHM	48.5735	117.1666	19.9	630.0	324	55690.	2554	2.5	3.0	13.9	1.2	0.2	5.6	38	0.1
50399	0	0	0	0	KHM	48.5735	117.1661	19.9	629.5	301	55696.	2396	2.3	2.5	13.3	1.1	0.2	5.8	68	0.1
50400	0	0	0	0	KHM	48.5735	117.1656	19.9	629.1	280	55701.	2338	1.9	3.6	12.1	1.9	0.3	6.3	55	0.1
50401	0	0	0	0	KHM	48.5735	117.1651	19.9	628.7	262	55705.	2447	2.1	3.1	14.4	1.5	0.2	6.8	48	0.1
50402	0	0	0	0	KHM	48.5735	117.1646	19.9	628.3	246	55709.	2403	1.7	3.9	15.7	2.3	0.2	9.2	47	0.1
50403	0	0	0	0	KHM	48.5735	117.1640	19.9	627.9	234	55710.	2329	1.7	4.1	13.1	2.5	0.3	7.9	62	0.1
50404	0	0	0	0	KHM	48.5735	117.1635	19.9	627.5	228	55710.	2202	1.8	3.3	10.4	1.8	0.3	5.8	52	0.1
50405	0	0	0	0	KHM	48.5735	117.1630	19.9	627.1	229	55708.	2259	1.9	3.6	12.0	1.9	0.3	6.3	43	0.1
50406	0	0	0	0	KHM	48.5735	117.1625	19.9	626.7	237	55705.	2241	1.7	3.1	11.4	1.9	0.3	6.9	36	0.1
50407	0	0	0	0	KHM	48.5735	117.1620	19.9	626.4	252	55702.	2202	1.8	2.8	12.2	1.5	0.2	6.6	46	0.1
50408	0	0	0	0	KHM	48.5735	117.1615	19.9	626.0	273	55696.	2213	1.9	2.9	10.3	1.5	0.3	5.4	40	0.1
50409	0	0	0	0	KHM	48.5735	117.1610	19.9	625.6	300	55691.	2454	1.7	4.6	11.2	2.7	0.4	6.6	56	0.1
50410	0	0	0	0	KHM	48.5735	117.1605	19.8	625.2	327	55686.	2424	1.3	4.1	16.1	3.2	0.3	12.8	51	0.1
50411	0	0	0	0	KHM	48.5735	117.1600	19.8	624.8	349	55685.	2513	1.9	4.6	14.1	2.5	0.3	7.6	43	0.1
50412	0	0	0	0	KHM	48.5735	117.1595	19.8	624.4	360	55685.	2662	2.3	2.9	18.5	1.3	0.2	8.1	38	0.1
50413	0	0	0	0	KHM	48.5735	117.1590	19.8	624.0	357	55689.	2656	1.8	5.3	15.9	3.0	0.3	8.9	50	0.1
50414	0	0	0	0	KHM	48.5736	117.1584	19.8	623.6	346	55695.	2587	1.9	3.9	14.0	2.0	0.3	7.3	39	0.1
50415	0	0	0	0	KHM	48.5736	117.1579	19.8	623.2	331	55701.	2443	1.8	2.8	16.1	1.6	0.2	9.1	56	0.1
50416	0	0	0	0	KHM	48.5736	117.1574	19.8	622.9	317	55707.	2537	2.0	4.3	13.3	2.2	0.3	6.8	44	0.1
50417	0	0	0	0	KHM	48.5736	117.1569	19.8	622.6	302	55714.	2520	1.7	3.2	17.9	1.9	0.2	10.8	51	0.1
50418	0	0	0	0	KHM	48.5736	117.1564	19.8	622.3	288	55722.	2450	1.8	4.1	15.2	2.3	0.3	8.5	53	0.1
50419	0	0	0	0	KHM	48.5736	117.1559	19.8	622.1	274	55730.	2540	1.8	3.3	16.9	1.9	0.2	9.4	43	0.1
50420	0	0	0	0	KHM	48.5736	117.1554	19.8	622.0	262	55737.	2622	1.9	5.2	12.3	2.8	0.4	6.6	46	0.1
50421	0	0	0	0	KHM	48.5736	117.1549	19.8	621.8	249	55741.	2638	1.9	5.3	13.2	2.8	0.4	6.9	58	0.1
50422	0	0	0	0	KHM	48.5736	117.1544	19.8	621.8	236	55742.	2562	2.0	2.6	15.4	1.3	0.2	7.7	51	0.1
50423	0	0	0	0	KHM	48.5736	117.1539	19.8	621.8	226	55740.	2472	1.8	3.1	12.5	1.7	0.2	7.1	53	0.1
50424	0	0	0	0	KHM	48.5736	117.1534	19.8	621.8	224	55733.	2554	2.0	4.0	13.7	2.1	0.3	7.0	55	0.1
50425	0	0	0	0	KHM	48.5736	117.1528	19.8	622.0	232	55722.	2553	1.8	4.9	13.1	2.7	0.4	7.4	42	0.1
50426	0	0	0	0	KHM	48.5736	117.1523	19.8	622.1	249	55709.	2629	2.1	4.1	12.9	2.0	0.3	6.3	55	0.1
50427	0	0	0	0	KHM	48.5736	117.1518	19.8	622.4	273	55697.	2877	2.3	4.7	14.8	2.0	0.3	6.4	41	0.1
50428	0	0	0	0	KHM	48.5736	117.1513	19.8	622.7	295	55686.	2936	2.4	5.1	12.4	2.1	0.4	5.2	41	0.1
50429	0	0	0	0	KHM	48.5736	117.1508	19.8	623.0	320	55677.	3111	2.3	6.6	16.0	2.9	0.4	7.0	57	0.1
50430	0	0	0	0	KHM	48.5737	117.1503	19.8	623.3	346	55669.	3061	2.0	5.9	18.1	3.0	0.3	9.2	53	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 15								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50431	0	0	0	0	KHM	48.5737	117.1498	19.8	623.7	376	55663.	3309	2.1	5.8	16.0	2.7	0.4	7.6	54	0.1
50432	0	0	0	0	KHM	48.5737	117.1493	19.8	624.1	401	55659.	3198	2.4	5.3	18.1	2.2	0.3	7.6	45	0.1
50433	0	0	0	0	KHM	48.5737	117.1488	19.8	624.5	422	55657.	3256	1.8	8.1	18.3	4.4	0.4	10.1	54	0.1
50434	0	0	0	0	KHM	48.5737	117.1483	19.8	625.0	436	55656.	3141	1.6	7.1	17.7	4.6	0.4	11.4	51	0.1
50435	0	0	0	0	KHM	48.5737	117.1478	19.8	625.4	444	55657.	3209	2.0	8.4	12.1	4.3	0.7	6.2	37	0.1
50436	0	0	0	0	KHM	48.5737	117.1473	19.8	625.9	446	55658.	3024	2.2	5.7	11.8	2.6	0.5	5.3	51	0.1
50437	0	0	0	0	KHM	48.5737	117.1467	19.8	626.4	449	55660.	3031	2.0	7.4	11.2	3.8	0.7	5.8	46	0.1
50438	0	0	0	0	KHM	48.5737	117.1462	19.8	626.9	449	55662.	2972	1.7	6.2	11.9	3.6	0.5	6.9	37	0.1
50439	0	0	0	0	KHM	48.5737	117.1457	19.9	627.4	447	55664.	2900	1.7	5.8	13.7	3.4	0.4	7.9	49	0.1
50440	0	0	0	0	KHM	48.5737	117.1452	19.9	627.9	446	55665.	2734	1.7	5.3	11.2	3.0	0.5	6.4	49	0.1
50441	0	0	0	0	KHM	48.5737	117.1447	19.9	628.5	451	55665.	2595	2.1	5.3	9.1	2.5	0.6	4.3	58	0.1
50442	0	0	0	0	KHM	48.5737	117.1442	19.9	629.0	458	55664.	2635	2.2	4.4	14.5	2.0	0.3	6.6	43	0.1
50443	0	0	0	0	KHM	48.5737	117.1437	19.9	629.5	462	55662.	2572	1.4	4.4	14.5	3.1	0.3	10.4	49	0.1
50444	0	0	0	0	KHM	48.5737	117.1432	19.9	630.0	475	55660.	2526	1.6	5.1	9.9	3.2	0.5	6.3	50	0.1
50445	0	0	0	0	KHM	48.5737	117.1427	19.9	630.5	498	55658.	2577	2.1	3.2	14.6	1.5	0.2	7.0	49	0.1
50446	0	0	0	0	KHM	48.5737	117.1422	19.9	631.0	530	55656.	2676	2.0	5.1	14.8	2.6	0.3	7.5	32	0.1
50447	0	0	0	0	KHM	48.5737	117.1417	19.9	631.6	561	55656.	2893	2.3	4.1	18.7	1.8	0.2	8.2	38	0.1
50448	0	0	0	0	KHM	48.5737	117.1411	19.9	632.1	601	55657.	2857	2.1	4.1	18.4	1.9	0.2	8.7	54	0.1
50449	0	0	0	0	KHM	48.5738	117.1406	19.9	632.6	644	55659.	3101	2.0	8.1	13.5	4.1	0.6	6.9	44	0.1
50450	0	0	0	0	KHM	48.5738	117.1401	19.9	633.1	685	55662.	3153	2.5	5.8	15.3	2.3	0.4	6.0	50	0.1
50452	0	0	0	0	KHM	48.5738	117.1391	19.9	633.7	700	55666.	3394	2.5	6.0	20.4	2.4	0.3	8.0	32	0.1
50453	0	0	0	0	KHM	48.5738	117.1386	19.9	634.2	695	55670.	3517	2.7	8.8	13.7	3.3	0.6	5.1	29	0.1
50454	0	0	0	0	KHM	48.5738	117.1381	19.9	634.7	682	55673.	3299	2.3	8.1	13.7	3.5	0.6	5.9	39	0.1
50455	0	0	0	0	KHM	48.5738	117.1376	20.0	635.2	671	55676.	3330	2.8	7.5	13.6	2.7	0.5	4.8	44	0.1
50456	0	0	0	0	KHM	48.5738	117.1371	20.0	635.7	659	55677.	3287	2.7	6.0	19.8	2.3	0.3	7.4	46	0.1
50457	0	0	0	0	KHM	48.5738	117.1366	20.0	636.2	640	55676.	3486	2.4	8.0	16.0	3.3	0.5	6.6	40	0.1
50458	0	0	0	0	KHM	48.5738	117.1361	20.0	636.6	619	55675.	3290	2.2	9.8	14.1	4.5	0.7	6.4	49	0.1
50459	0	0	0	0	KHM	48.5738	117.1356	20.0	637.1	602	55672.	3290	2.2	7.9	15.4	3.6	0.5	7.0	36	0.1
50460	0	0	0	0	KHM	48.5738	117.1350	20.0	637.5	595	55667.	3258	1.5	8.8	17.6	5.8	0.5	11.7	30	0.1
50461	0	0	0	0	KHM	48.5738	117.1345	20.0	637.9	588	55661.	3331	1.9	9.2	14.1	4.9	0.7	7.5	63	0.1
50462	0	0	0	0	KHM	48.5738	117.1340	20.0	638.3	578	55654.	3237	1.5	11.1	13.8	7.2	0.8	9.0	32	0.1
50463	0	0	0	0	KHM	48.5738	117.1335	20.0	638.7	565	55647.	3417	1.7	8.6	17.0	5.2	0.5	10.3	33	0.1
50464	0	0	0	0	KHM	48.5738	117.1330	20.0	639.1	559	55639.	3396	2.1	9.2	14.6	4.4	0.6	7.1	48	0.1
50465	0	0	0	0	KHM	48.5739	117.1325	20.0	639.4	561	55631.	3369	2.2	7.6	17.6	3.5	0.4	8.0	39	0.1
50466	0	0	0	0	KHM	48.5739	117.1320	20.0	639.7	563	55622.	3400	2.3	5.3	17.5	2.3	0.3	7.6	57	0.1
50467	0	0	0	0	KHM	48.5739	117.1315	20.0	639.9	559	55612.	3417	2.1	8.8	11.4	4.3	0.8	5.5	37	0.1
50468	0	0	0	0	KHM	48.5739	117.1310	20.0	640.1	554	55602.	3326	1.9	6.6	16.9	3.4	0.4	8.8	44	0.1
50469	0	0	0	0	KHM	48.5739	117.1305	20.0	640.3	556	55591.	3458	2.2	7.6	14.8	3.4	0.5	6.6	43	0.1
50470	0	0	0	0	KHM	48.5739	117.1300	20.0	640.5	560	55580.	3409	2.0	9.3	13.8	4.7	0.7	7.0	34	0.1
50471	0	0	0	0	KHM	48.5739	117.1294	20.1	640.7	565	55570.	3517	2.9	5.0	19.3	1.7	0.3	6.8	38	0.1
50472	0	0	0	0	KHM	48.5739	117.1289	20.1	640.8	564	55563.	3284	1.9	8.1	16.4	4.4	0.5	8.8	40	0.1
50473	0	0	0	0	KHM	48.5739	117.1284	20.1	640.9	565	55559.	3292	2.4	7.0	16.7	3.0	0.4	7.1	36	0.1
50474	0	0	0	0	KHM	48.5739	117.1279	20.1	641.0	556	55560.	3089	2.1	6.2	17.0	3.0	0.4	8.2	46	0.1
50475	0	0	0	0	KHM	48.5739	117.1274	20.1	641.0	547	55566.	2982	1.8	5.5	16.9	3.0	0.3	9.3	31	0.1
50476	0	0	0	0	KHM	48.5739	117.1268	20.1	641.0	541	55576.	3111	2.0	5.7	18.9	2.9	0.3	9.6	45	0.1
50477	0	0	0	0	KHM	48.5739	117.1262	20.1	641.0	556	55589.	3172	1.7	7.9	12.8	4.8	0.6	7.7	36	0.1
50478	0	0	0	0	KHM	48.5739	117.1256	20.1	640.9	581	55602.	3361	2.6	6.8	17.4	2.6	0.4	6.7	42	0.1
50479	0	0	0	0	KHM	48.5740	117.1250	20.1	640.9	598	55614.	3507	2.6	7.1	14.9	2.8	0.5	5.9	43	0.1
50480	0	0	0	0	KHM	48.5740	117.1244	20.1	640.8	599	55624.	3562	2.0	10.1	10.6	5.0	0.9	5.3	40	0.1
50481	0	0	0	0	KHM	48.5740	117.1238	20.1	640.7	587	55631.	3507	2.6	5.9	19.5	2.2	0.3	7.5	38	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 15							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS LPS	BI PPM
50482	0	0	0	0	KHM	48.5740	117.1232	20.1	640.5	570	55636.	3532	2.3	7.1	14.1	3.1	0.5	6.2	54	0.1
50483	0	0	0	0	KHM	48.5740	117.1225	20.1	640.3	553	55638.	3465	2.6	8.3	15.0	3.2	0.6	5.8	44	0.1
50484	0	0	0	0	KHM	48.5740	117.1219	20.1	640.2	547	55638.	3459	2.2	6.9	12.7	3.2	0.5	5.8	40	0.1
50485	0	0	0	0	KHM	48.5741	117.1213	20.1	639.9	555	55636.	3390	2.8	6.9	15.7	2.5	0.4	5.7	48	0.1
50486	0	0	0	0	KHM	48.5741	117.1207	20.1	639.7	561	55632.	3417	3.1	5.7	21.6	1.9	0.3	7.0	42	0.1
50487	0	0	0	0	KHM	48.5741	117.1201	20.1	639.4	560	55627.	3508	2.7	5.9	14.2	2.1	0.4	5.2	50	0.1
50488	0	0	0	0	KHM	48.5741	117.1196	20.1	639.2	556	55621.	3385	2.1	8.4	17.0	4.1	0.5	8.3	50	0.1
50489	0	0	0	0	KHM	48.5741	117.1190	20.1	638.9	560	55617.	3479	2.9	6.7	15.3	2.3	0.4	5.2	41	0.1
50490	0	0	0	0	KHM	48.5741	117.1185	20.1	638.6	556	55613.	3537	2.9	6.2	14.5	2.2	0.4	5.1	48	0.1
50491	0	0	0	0	KHM	48.5741	117.1180	20.1	638.4	538	55609.	3264	2.1	9.2	17.2	4.4	0.5	8.2	38	0.1
50492	0	0	0	0	KHM	48.5741	117.1174	20.1	638.0	509	55606.	3198	2.9	5.3	15.9	1.8	0.3	5.4	51	0.1
50493	0	0	0	0	KHM	48.5741	117.1169	20.1	637.7	474	55603.	3208	2.3	6.7	17.4	3.0	0.4	7.7	38	0.1
50494	0	0	0	0	KHM	48.5741	117.1164	20.1	637.4	439	55603.	3138	2.4	5.5	16.4	2.3	0.3	6.8	35	0.1
50495	0	0	0	0	KHM	48.5740	117.1159	20.1	637.1	403	55603.	2956	2.1	5.4	14.9	2.6	0.4	7.2	45	0.1
50496	0	0	0	0	KHM	48.5740	117.1153	20.1	636.8	371	55603.	2836	1.8	5.5	18.3	3.0	0.3	10.1	45	0.1
50497	0	0	0	0	KHM	48.5740	117.1148	20.1	636.5	350	55603.	2674	1.8	6.7	10.4	3.8	0.6	5.9	50	0.1
50498	0	0	0	0	KHM	48.5740	117.1143	20.1	636.1	345	55600.	2741	2.1	5.3	13.6	2.5	0.4	6.4	39	0.1
50499	0	0	0	0	KHM	48.5740	117.1137	20.1	635.8	354	55596.	2748	1.9	5.2	11.4	2.7	0.5	6.0	62	0.1
50500	0	0	0	0	KHM	48.5740	117.1132	20.0	635.4	376	55591.	2939	1.7	6.7	13.3	4.0	0.5	7.8	38	0.1
50501	0	0	0	0	KHM	48.5740	117.1127	20.0	635.0	400	55588.	3083	1.8	7.4	13.4	4.1	0.6	7.4	53	0.1
50502	0	0	0	0	KHM	48.5740	117.1122	20.0	634.7	415	55585.	3126	2.3	6.9	12.8	3.0	0.5	5.5	52	0.1
50503	0	0	0	0	KHM	48.5740	117.1116	20.0	634.3	411	55582.	3075	2.6	5.1	12.5	1.9	0.4	4.7	36	0.1
50504	0	0	0	0	KHM	48.5740	117.1111	20.0	633.9	394	55579.	2959	2.2	6.1	11.6	2.8	0.5	5.3	51	0.1
50505	0	0	0	0	KHM	48.5740	117.1106	20.0	633.4	382	55576.	2847	1.5	6.0	15.0	3.9	0.4	9.8	44	0.1
50506	0	0	0	0	KHM	48.5740	117.1100	20.0	633.0	392	55572.	2840	1.9	6.8	10.8	3.5	0.6	5.6	44	0.1
50507	0	0	0	0	KHM	48.5740	117.1095	20.0	632.5	417	55569.	2890	2.1	7.0	14.5	3.3	0.5	6.9	44	0.1
50508	0	0	0	0	KHM	48.5740	117.1090	20.0	632.0	445	55565.	3182	1.9	7.1	13.3	3.8	0.5	7.1	41	0.1
50509	0	0	0	0	KHM	48.5740	117.1084	20.0	631.5	467	55561.	3205	1.9	8.8	13.8	4.8	0.6	7.5	52	0.1
50510	0	0	0	0	KHM	48.5740	117.1079	20.0	630.9	484	55558.	3285	2.9	7.7	11.3	2.7	0.7	4.0	48	0.1
50511	0	0	0	0	KHM	48.5740	117.1074	20.0	630.4	494	55556.	3231	2.4	5.0	17.1	2.1	0.3	7.1	47	0.1
50512	0	0	0	0	KHM	48.5739	117.1069	19.9	629.8	494	55554.	3270	2.0	8.7	16.8	4.4	0.5	8.5	46	0.1
50513	0	0	0	0	KHM	48.5739	117.1063	19.9	629.2	483	55553.	3205	2.3	5.4	18.1	2.3	0.3	7.9	44	0.1
50514	0	0	0	0	KHM	48.5739	117.1058	19.9	628.6	465	55553.	3323	2.3	7.6	16.6	3.3	0.5	7.3	45	0.1
50515	0	0	0	0	KHM	48.5739	117.1053	19.9	628.1	445	55555.	3210	2.8	5.6	15.7	2.0	0.4	5.6	62	0.1
50516	0	0	0	0	KHM	48.5739	117.1047	19.9	627.5	429	55557.	3216	1.9	7.4	17.6	3.9	0.4	9.2	54	0.1
50517	0	0	0	0	KHM	48.5739	117.1042	19.9	626.9	416	55562.	3109	2.2	5.1	15.6	2.3	0.3	7.0	36	0.1
50518	0	0	0	0	KHM	48.5739	117.1037	19.9	626.4	406	55567.	3175	2.2	5.6	16.1	2.6	0.3	7.3	48	0.1
50519	0	0	0	0	KHM	48.5739	117.1031	19.9	625.8	394	55571.	3030	2.1	4.8	16.2	2.4	0.3	7.9	60	0.1
50520	0	0	0	0	KHM	48.5739	117.1026	19.9	625.3	388	55578.	3142	2.1	7.7	12.3	3.7	0.6	5.9	48	0.1
50521	0	0	0	0	KHM	48.5739	117.1021	19.9	624.9	382	55584.	3127	2.2	6.4	13.7	2.9	0.5	6.3	45	0.1
50522	0	0	0	0	KHM	48.5739	117.1016	19.8	624.4	375	55590.	3056	2.5	5.5	14.0	2.2	0.4	5.6	44	0.1
50523	0	0	0	0	KHM	48.5739	117.1010	19.8	624.1	361	55596.	3004	2.5	4.5	15.7	1.8	0.3	6.3	44	0.1
50524	0	0	0	0	KHM	48.5739	117.1005	19.8	623.7	345	55600.	3039	2.0	5.1	14.9	2.6	0.3	7.5	39	0.1
50525	0	0	0	0	KHM	48.5739	117.1000	19.8	623.4	332	55602.	2919	2.3	4.1	13.4	1.8	0.3	5.7	55	0.1
50526	0	0	0	0	KHM	48.5739	117.0994	19.8	623.2	321	55603.	2806	2.5	5.3	12.6	2.2	0.4	5.2	43	0.1
50527	0	0	0	0	KHM	48.5739	117.0989	19.8	623.0	315	55602.	2700	2.2	4.4	12.2	2.0	0.4	5.5	59	0.1
50528	0	0	0	0	KHM	48.5739	117.0984	19.8	622.9	314	55601.	2831	2.1	5.6	10.4	2.7	0.5	5.0	40	0.2
50529	0	0	0	0	KHM	48.5739	117.0979	19.8	622.8	323	55599.	2863	2.4	3.5	13.8	1.5	0.3	5.8	52	0.2
50530	0	0	0	0	KHM	48.5739	117.0973	19.8	622.7	341	55598.	2914	2.2	6.8	11.0	3.1	0.6	5.0	55	0.2
50531	0	0	0	0	KHM	48.5739	117.0968	19.7	622.7	364	55596.	3025	2.1	4.4	16.8	2.0	0.3	7.8	56	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 15							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50532	0	0	0	0	KHM	48.5739	117.0963	19.7	622.7	386	55595.	3159	2.7	4.9	17.7	1.8	0.3	6.6	43	0.2
50533	0	0	0	0	KHM	48.5738	117.0957	19.7	622.7	403	55595.	3395	2.5	6.5	16.1	2.6	0.4	6.4	47	0.2
50534	0	0	0	0	KHM	48.5738	117.0952	19.7	622.7	417	55596.	3476	2.6	6.4	16.2	2.5	0.4	6.3	43	0.2
50535	0	0	0	0	KHM	48.5738	117.0947	19.7	622.8	429	55599.	3651	2.4	7.8	20.2	3.2	0.4	8.3	42	0.2
50536	0	0	0	0	KHM	48.5738	117.0942	19.7	622.9	433	55603.	3484	2.7	5.1	15.1	1.9	0.3	5.5	64	0.2
50537	0	0	0	0	KHM	48.5738	117.0936	19.7	623.0	434	55607.	3783	2.9	6.1	19.7	2.1	0.3	6.7	44	0.2
50538	0	0	0	0	KHM	48.5738	117.0931	19.7	623.1	431	55610.	3717	2.5	7.5	15.6	3.1	0.5	6.4	32	0.2
50539	0	0	0	0	KHM	48.5738	117.0926	19.7	623.2	422	55613.	3450	2.7	5.8	19.8	2.2	0.3	7.4	59	0.2
50540	0	0	0	0	KHM	48.5738	117.0920	19.7	623.3	401	55616.	3390	2.4	6.8	15.1	2.8	0.5	6.3	51	0.2
50541	0	0	0	0	KHM	48.5738	117.0915	19.6	623.4	371	55618.	3096	2.4	6.5	11.1	2.7	0.6	4.6	49	0.2
50543	0	0	0	0	KHM	48.5738	117.0905	19.6	623.6	347	55619.	2977	2.3	5.9	14.2	2.6	0.4	6.2	39	0.2
50544	0	0	0	0	KHM	48.5738	117.0899	19.6	623.8	331	55621.	2818	2.0	5.8	12.0	2.9	0.5	6.0	44	0.2
50545	0	0	0	0	KHM	48.5738	117.0894	19.6	623.9	327	55620.	2837	2.2	5.5	13.4	2.5	0.4	6.1	45	0.2
50546	0	0	0	0	KHM	48.5738	117.0889	19.6	624.1	325	55618.	2888	2.3	5.0	15.4	2.2	0.3	6.6	52	0.2
50547	0	0	0	0	KHM	48.5738	117.0883	19.6	624.3	326	55614.	2660	2.2	3.3	12.4	1.5	0.3	5.5	47	0.2
50548	0	0	0	0	KHM	48.5738	117.0878	19.6	624.5	329	55610.	2621	1.9	4.2	14.9	2.2	0.3	8.0	44	0.2
50549	0	0	0	0	KHM	48.5738	117.0873	19.6	624.7	333	55605.	2589	1.6	3.7	12.9	2.4	0.3	8.1	47	0.2
50550	0	0	0	0	KHM	48.5738	117.0867	19.6	624.9	335	55602.	2488	1.7	4.6	8.9	2.8	0.5	5.4	45	0.2
50551	0	0	0	0	KHM	48.5737	117.0862	19.6	625.2	329	55599.	2457	2.2	3.8	11.9	1.7	0.3	5.4	44	0.2
50552	0	0	0	0	KHM	48.5737	117.0856	19.6	625.4	315	55596.	2552	2.1	5.0	8.5	2.4	0.6	4.1	43	0.2
50553	0	0	0	0	KHM	48.5737	117.0850	19.6	625.7	298	55592.	2508	2.1	4.8	12.6	2.3	0.4	6.1	43	0.2
50554	0	0	0	0	KHM	48.5737	117.0844	19.6	625.9	284	55588.	2533	2.1	4.4	11.5	2.1	0.4	5.4	44	0.2
50555	0	0	0	0	KHM	48.5737	117.0838	19.6	626.2	279	55582.	2662	2.0	3.6	14.2	1.8	0.3	7.2	52	0.2
50556	0	0	0	0	KHM	48.5737	117.0833	19.6	626.5	279	55577.	2714	2.0	4.2	11.0	2.1	0.4	5.4	52	0.2
50557	0	0	0	0	KHM	48.5737	117.0827	19.5	626.8	283	55573.	2628	2.0	4.2	13.0	2.1	0.3	6.4	46	0.2
50558	0	0	0	0	KHM	48.5737	117.0821	19.5	627.1	288	55569.	2699	2.1	4.0	13.5	1.9	0.3	6.4	41	0.2
50559	0	0	0	0	KHM	48.5737	117.0815	19.5	627.5	297	55565.	2637	2.0	4.2	13.5	2.1	0.3	6.9	62	0.2
50560	0	0	0	0	KHM	48.5736	117.0809	19.5	627.8	310	55561.	2718	2.0	6.4	9.6	3.2	0.7	4.9	49	0.2
50561	0	0	0	0	KHM	48.5736	117.0803	19.5	628.2	323	55557.	2702	2.1	3.8	11.5	1.8	0.3	5.4	53	0.2
50562	0	0	0	0	KHM	48.5736	117.0798	19.5	628.6	338	55554.	2707	2.1	4.7	9.7	2.3	0.5	4.7	48	0.2
50563	0	0	0	0	KHM	48.5736	117.0792	19.5	629.1	355	55553.	2659	2.1	5.1	11.5	2.4	0.4	5.4	54	0.1
50564	0	0	0	0	KHM	48.5736	117.0786	19.5	629.5	376	55550.	2658	2.2	5.7	11.4	2.6	0.5	5.3	56	0.1
50565	0	0	0	0	KHM	48.5736	117.0780	19.5	629.9	400	55546.	2627	2.3	5.5	9.1	2.4	0.6	4.0	48	0.1
50566	0	0	0	0	KHM	48.5736	117.0774	19.5	630.4	422	55542.	2725	2.1	4.8	10.2	2.3	0.5	5.0	58	0.1
50567	0	0	0	0	KHM	48.5735	117.0768	19.5	630.8	441	55539.	2862	1.6	7.1	12.8	4.6	0.6	8.2	48	0.1
50568	0	0	0	0	KGP	48.5735	117.0763	19.5	631.3	456	55538.	2911	2.2	4.8	14.8	2.2	0.3	6.8	41	0.1
50569	0	0	0	0	KGP	48.5735	117.0757	19.5	631.7	462	55538.	2846	2.3	3.9	12.9	1.6	0.3	5.5	47	0.1
50570	0	0	0	0	KGP	48.5735	117.0751	19.5	632.2	461	55538.	2752	1.7	7.6	12.7	4.4	0.6	7.3	41	0.1
50571	0	0	0	0	KGP	48.5735	117.0745	19.5	632.7	456	55537.	2731	2.1	3.3	15.4	1.6	0.2	7.3	33	0.1
50572	0	0	0	0	KGP	48.5735	117.0739	19.5	633.1	459	55537.	2678	1.5	6.0	13.3	4.0	0.4	8.9	35	0.1
50573	0	0	0	0	KGP	48.5735	117.0733	19.5	633.6	469	55537.	2593	1.9	5.3	9.9	2.8	0.5	5.1	42	0.1
50574	0	0	0	0	KGP	48.5735	117.0728	19.5	634.1	489	55537.	2574	1.8	7.5	7.5	4.2	1.0	4.2	55	0.1
50575	0	0	0	0	KGP	48.5735	117.0722	19.5	634.5	515	55537.	2712	2.4	5.3	12.8	2.3	0.4	5.4	33	0.1
50576	0	0	0	0	KGP	48.5735	117.0716	19.5	634.9	546	55538.	2734	2.0	4.4	11.3	2.2	0.4	5.7	42	0.1
50577	0	0	0	0	KGP	48.5734	117.0710	19.5	635.4	572	55538.	2547	2.2	3.8	11.0	1.7	0.3	5.0	43	0.1
50578	0	0	0	0	KGP	48.5734	117.0704	19.5	635.9	595	55538.	2664	1.7	6.9	8.4	4.0	0.8	4.9	46	0.1
50579	0	0	0	0	KGP	48.5734	117.0699	19.5	636.3	616	55539.	2753	1.7	7.3	11.6	4.3	0.6	6.9	38	0.1
50580	0	0	0	0	KGP	48.5734	117.0693	19.5	636.7	639	55540.	2606	1.9	6.1	9.9	3.2	0.6	5.2	48	0.1
50581	0	0	0	0	KGP	48.5734	117.0687	19.5	637.2	656	55542.	2669	1.6	6.5	9.5	4.0	0.7	5.8	45	0.1
50582	0	0	0	0	KGP	48.5734	117.0681	19.5	637.6	671	55544.	2854	1.9	5.9	12.1	3.2	0.5	6.6	36	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 15								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50583	0	0	0	0	KGP	48.5734	117.0675	19.5	638.1	688	55544.	2774	1.7	5.7	14.4	3.4	0.4	8.5	45	0.2
50584	1	0	0	0	KHM	48.5733	117.0669	19.5	638.5	707	55544.	2891	1.6	6.7	11.0	4.2	0.6	6.9	40	0.2
50585	1	0	0	0	KHM	48.5733	117.0664	19.5	638.9	717	55544.	2905	2.0	4.7	12.6	2.3	0.4	6.3	35	0.2
50586	1	0	0	0	KHM	48.5733	117.0658	19.5	639.3	714	55542.	2820	2.1	4.6	14.7	2.2	0.3	7.2	37	0.2
50587	1	0	0	0	KHM	48.5733	117.0652	19.5	639.7	704	55542.	2610	1.3	8.2	9.6	6.4	0.8	7.6	36	0.2
50588	0	0	0	0	KHM	48.5733	117.0646	19.5	640.0	695	55541.	2668	2.2	4.9	13.4	2.2	0.4	6.0	37	0.2
50589	0	0	0	0	KHM	48.5733	117.0640	19.5	640.3	680	55541.	2568	2.0	6.1	10.7	3.1	0.6	5.4	43	0.2
50590	0	0	0	0	KHM	48.5733	117.0635	19.5	640.5	662	55541.	2462	1.8	3.9	13.1	2.2	0.3	7.3	39	0.2
50591	0	0	0	0	KHM	48.5733	117.0629	19.5	640.7	645	55542.	2487	1.9	5.7	7.7	3.0	0.7	4.1	46	0.2
50592	0	0	0	0	KHM	48.5733	117.0623	19.5	640.9	646	55542.	2513	1.1	6.4	9.0	5.8	0.7	8.2	43	0.2
50593	0	0	0	0	KHM	48.5732	117.0617	19.5	641.0	650	55544.	2620	2.0	4.7	11.4	2.4	0.4	5.7	46	0.2
50594	0	0	0	0	KHM	48.5732	117.0611	19.5	641.1	637	55545.	2678	2.0	6.1	9.1	3.1	0.7	4.7	44	0.2
50595	0	0	0	0	KHM	48.5732	117.0606	19.5	641.2	601	55548.	2551	1.4	5.2	14.7	3.7	0.4	10.4	35	0.2
50596	0	0	0	0	KHM	48.5732	117.0600	19.5	641.2	552	55550.	2549	1.9	4.3	10.8	2.2	0.4	5.6	39	0.2
50597	0	0	0	0	KHM	48.5732	117.0594	19.5	641.2	505	55552.	2552	2.2	3.8	10.8	1.7	0.4	5.0	33	0.2
50598	0	0	0	0	KHM	48.5732	117.0589	19.5	641.2	459	55555.	2396	1.5	5.3	9.2	3.5	0.6	6.1	31	0.2
50599	0	0	0	0	KHM	48.5732	117.0583	19.5	641.2	416	55557.	2389	1.8	2.3	13.0	1.3	0.2	7.3	44	0.2
50600	0	0	0	0	KHM	48.5732	117.0577	19.5	641.2	381	55558.	2255	1.7	2.6	10.6	1.6	0.2	6.3	35	0.2
50601	0	0	0	0	KHM	48.5732	117.0571	19.5	641.2	350	55558.	2125	1.6	4.1	9.4	2.6	0.4	6.1	47	0.2
50602	0	0	0	0	KHM	48.5732	117.0566	19.5	641.2	323	55557.	2113	1.7	4.0	10.3	2.3	0.4	6.1	41	0.2
50603	0	0	0	0	KHM	48.5731	117.0560	19.6	641.3	300	55555.	1980	1.6	2.7	8.0	1.7	0.3	5.1	33	0.2
50604	0	0	0	0	KHM	48.5731	117.0554	19.6	641.4	285	55552.	1794	1.4	1.7	8.4	1.2	0.2	5.9	42	0.2
50605	0	0	0	0	KHM	48.5731	117.0549	19.6	641.5	283	55551.	1823	1.5	3.0	8.7	2.0	0.3	5.7	35	0.2
50606	0	0	0	0	KHM	48.5731	117.0543	19.6	641.7	290	55551.	1798	1.4	2.8	7.4	2.0	0.4	5.3	49	0.2
50607	0	0	0	0	KHM	48.5731	117.0537	19.6	641.8	307	55550.	1817	1.4	3.4	7.6	2.5	0.4	5.6	52	0.2
50608	0	0	0	0	KHM	48.5731	117.0531	19.6	642.0	323	55550.	1987	1.4	3.3	8.7	2.4	0.4	6.2	33	0.2
50609	0	0	0	0	KHM	48.5731	117.0526	19.6	642.3	335	55549.	1967	1.6	2.4	10.2	1.6	0.2	6.5	41	0.2
50610	0	0	0	0	KHM	48.5731	117.0520	19.6	642.5	338	55548.	1952	1.6	3.0	9.7	2.0	0.3	6.2	53	0.2
50611	0	0	0	0	KHM	48.5730	117.0514	19.6	642.8	332	55548.	1877	1.4	2.2	8.5	1.6	0.3	6.1	39	0.2
50612	0	0	0	0	KHM	48.5730	117.0509	19.6	643.0	326	55547.	1873	1.3	3.2	9.2	2.6	0.4	7.3	42	0.2
50613	0	0	0	0	KHM	48.5730	117.0503	19.6	643.3	325	55547.	1906	1.4	3.5	8.0	2.5	0.4	5.7	43	0.2
50614	0	0	0	0	KHM	48.5730	117.0497	19.6	643.6	329	55546.	1942	1.4	4.0	8.8	2.8	0.5	6.2	38	0.2
50615	0	0	0	0	KHM	48.5730	117.0492	19.6	643.9	333	55545.	1871	1.2	2.8	10.6	2.4	0.3	9.0	32	0.2
50616	0	0	0	0	KHM	48.5730	117.0486	19.7	644.3	335	55545.	1791	1.4	4.3	6.2	3.0	0.7	4.3	45	0.2
50617	0	0	0	0	KHM	48.5730	117.0480	19.7	644.6	337	55545.	1816	1.5	2.6	8.3	1.7	0.3	5.5	40	0.2
50618	0	0	0	0	KHM	48.5730	117.0475	19.7	644.9	337	55547.	1885	1.4	3.6	7.4	2.6	0.5	5.4	38	0.2
50619	0	0	0	0	KHM	48.5730	117.0469	19.7	645.2	332	55549.	1897	1.1	3.8	8.6	3.4	0.4	7.6	34	0.2
50620	0	0	0	0	KHM	48.5730	117.0463	19.7	645.5	328	55549.	1815	1.1	3.9	6.2	3.6	0.6	5.8	39	0.2
50621	0	0	0	0	KKH	48.5729	117.0457	19.7	645.9	332	55549.	1810	1.4	3.0	9.9	2.1	0.3	6.8	35	0.2
50622	0	0	0	0	KKH	48.5729	117.0452	19.7	646.2	348	55548.	1747	1.3	3.2	6.3	2.5	0.5	4.9	39	0.2
50623	0	0	0	0	KKH	48.5729	117.0446	19.7	646.5	371	55547.	1983	1.5	3.4	8.5	2.3	0.4	5.6	39	0.2
50624	0	0	0	0	KKH	48.5729	117.0440	19.8	646.9	397	55547.	1922	1.5	2.9	6.4	2.0	0.5	4.4	49	0.2
50625	0	0	0	0	KKH	48.5729	117.0435	19.8	647.2	416	55546.	2025	1.4	3.3	9.8	2.4	0.3	7.1	43	0.2
50626	0	0	0	0	KKH	48.5729	117.0429	19.8	647.5	429	55545.	2075	1.8	4.2	8.1	2.4	0.5	4.6	41	0.2
50627	0	0	0	0	KKH	48.5729	117.0423	19.8	647.9	434	55544.	2018	1.0	5.4	6.9	5.5	0.8	7.1	41	0.2
50628	0	0	0	0	KKH	48.5729	117.0418	19.8	648.2	433	55544.	1996	1.5	3.6	6.6	2.3	0.5	4.3	31	0.2
50629	0	0	0	0	KKH	48.5728	117.0412	19.8	648.5	435	55544.	2041	1.1	3.0	10.6	2.8	0.3	9.9	41	0.2
50630	0	0	0	0	KKH	48.5728	117.0406	19.8	648.8	435	55544.	2039	1.2	3.3	9.7	2.7	0.3	7.9	42	0.2
50631	0	0	0	0	KKH	48.5728	117.0401	19.9	649.1	427	55544.	1995	1.7	2.7	7.8	1.6	0.4	4.6	40	0.2
50632	0	0	0	0	KKH	48.5728	117.0395	19.9	649.4	407	55544.	1913	1.4	4.1	8.1	3.0	0.5	6.0	45	0.2

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 15							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50634	0	0	0	0	KKH	48.5728	117.0383	19.9	649.6	379	55544.	1941	1.1	2.8	8.1	2.5	0.3	7.1	41	0.2
50635	0	0	0	0	KKH	48.5728	117.0378	19.9	649.9	354	55545.	1791	1.4	2.8	8.9	2.0	0.3	6.4	40	0.2
50636	0	0	0	0	KKH	48.5728	117.0372	19.9	650.1	335	55545.	1836	1.1	3.3	9.3	2.9	0.3	8.4	29	0.2
50637	0	0	0	0	KKH	48.5728	117.0366	19.9	650.3	340	55546.	1860	1.1	3.2	8.8	2.8	0.4	7.9	31	0.2
50638	0	0	0	0	KKH	48.5728	117.0361	20.0	650.6	359	55547.	1920	1.8	2.1	6.4	1.2	0.3	3.6	51	0.2
50639	0	0	0	0	KKH	48.5727	117.0355	20.0	650.8	383	55549.	2140	1.9	3.2	9.8	1.7	0.3	5.1	37	0.2
50640	0	0	0	0	KKH	48.5727	117.0349	20.0	651.0	393	55550.	2263	1.8	3.4	10.5	1.9	0.3	5.9	52	0.2
50641	0	0	0	0	KKH	48.5727	117.0343	20.0	651.3	390	55550.	2233	2.1	1.9	11.0	0.9	0.2	5.4	19	0.2
50642	0	0	0	0	KKH	48.5727	117.0338	20.0	651.5	377	55551.	2077	1.3	4.7	8.6	3.6	0.6	6.6	43	0.2
50643	0	0	0	0	KKH	48.5727	117.0332	20.1	651.8	360	55552.	1981	1.3	3.1	9.4	2.4	0.3	7.3	46	0.2
50644	0	0	0	0	KKH	48.5727	117.0327	20.1	652.0	341	55553.	1980	1.6	3.5	7.7	2.2	0.5	4.8	46	0.2
50645	0	0	0	0	KKH	48.5727	117.0321	20.1	652.3	318	55554.	1878	1.3	1.7	8.9	1.3	0.2	7.1	33	0.2
50646	0	0	0	0	KKH	48.5727	117.0315	20.1	652.6	296	55554.	1868	1.5	2.6	8.6	1.8	0.3	5.7	30	0.2
50647	0	0	0	0	KKH	48.5726	117.0309	20.2	652.9	285	55554.	1811	1.5	2.2	8.7	1.5	0.3	5.9	47	0.2
50648	0	0	0	0	KKH	48.5726	117.0304	20.2	653.2	279	55553.	1885	1.7	2.9	7.4	1.7	0.4	4.3	27	0.3
50649	0	0	0	0	KKH	48.5726	117.0298	20.2	653.5	274	55553.	1817	1.4	2.7	7.5	1.9	0.4	5.3	42	0.3
50650	0	0	0	0	KKH	48.5726	117.0292	20.2	653.9	261	55552.	1796	1.4	1.6	6.4	1.2	0.3	4.7	45	0.3
50651	0	0	0	0	KKH	48.5726	117.0287	20.2	654.2	255	55552.	1775	1.4	1.9	7.3	1.4	0.3	5.4	39	0.2
50652	0	0	0	0	KKH	48.5726	117.0281	20.3	654.6	257	55551.	1805	1.3	1.4	8.2	1.0	0.2	6.2	36	0.2
50653	0	0	0	0	KKH	48.5726	117.0275	20.3	654.9	262	55550.	1781	1.3	2.7	6.8	2.0	0.4	5.2	40	0.2
50654	0	0	1	0	KKH	48.5726	117.0269	20.3	655.3	274	55551.	1828	1.7	1.1	10.7	0.6	0.1	6.4	37	0.2
50655	0	0	0	0	KKH	48.5726	117.0264	20.3	655.7	289	55550.	1883	1.4	2.0	8.8	1.4	0.2	6.2	39	0.2
50656	0	0	0	0	KKH	48.5725	117.0258	20.4	656.1	310	55550.	1929	1.5	2.5	8.0	1.6	0.3	5.3	50	0.2
50657	0	0	0	0	KKH	48.5725	117.0252	20.4	656.6	328	55550.	1992	1.7	1.5	11.0	0.9	0.1	6.6	40	0.2
50658	0	0	0	0	KKH	48.5725	117.0247	20.4	657.0	349	55549.	2069	1.4	3.1	10.8	2.1	0.3	7.5	44	0.2
50659	0	0	0	0	KKH	48.5725	117.0241	20.4	657.4	371	55548.	2056	1.6	2.1	9.1	1.3	0.2	5.7	37	0.2
50660	0	0	0	0	KKH	48.5725	117.0235	20.5	657.9	391	55547.	2087	1.8	2.1	12.9	1.2	0.2	7.3	35	0.2
50661	0	0	0	0	KKH	48.5725	117.0230	20.5	658.3	404	55546.	2162	1.6	3.4	9.5	2.2	0.4	6.0	41	0.2
50662	0	0	0	0	KKH	48.5725	117.0224	20.5	658.8	408	55543.	2122	1.8	3.2	8.1	1.8	0.4	4.6	47	0.2
50663	0	0	0	0	KKH	48.5725	117.0218	20.5	659.3	404	55541.	2134	2.0	1.7	11.6	0.8	0.1	5.8	37	0.2
50664	0	0	0	0	KKH	48.5725	117.0212	20.6	659.8	396	55539.	2106	1.6	3.5	7.4	2.2	0.5	4.5	38	0.2
50665	0	0	0	0	KKH	48.5724	117.0207	20.6	660.2	394	55537.	2058	1.6	3.7	7.6	2.3	0.5	4.7	30	0.2
50666	0	0	0	0	KKH	48.5724	117.0201	20.6	660.7	397	55537.	2076	1.6	4.4	5.8	2.8	0.8	3.7	37	0.2
50667	0	0	0	0	KKH	48.5724	117.0195	20.6	661.2	410	55537.	2193	1.3	5.2	9.5	4.1	0.6	7.5	18	0.2
50668	0	0	0	0	KKH	48.5724	117.0190	20.7	661.7	430	55536.	2166	1.7	4.7	6.7	2.8	0.7	4.0	35	0.2
50669	0	0	0	0	KKH	48.5724	117.0184	20.7	662.1	458	55536.	2246	2.0	2.7	9.8	1.3	0.3	4.9	36	0.2
50670	0	0	0	0	KKH	48.5724	117.0178	20.7	662.5	479	55535.	2416	1.9	5.4	9.6	2.9	0.6	5.2	35	0.2
50671	0	0	0	0	KKH	48.5724	117.0173	20.7	662.9	491	55535.	2385	1.4	4.9	10.6	3.5	0.5	7.6	23	0.2
50672	0	0	0	0	KKH	48.5724	117.0167	20.8	663.3	502	55535.	2451	2.0	6.1	9.4	3.0	0.6	4.6	29	0.2
50673	0	0	0	0	KKH	48.5724	117.0161	20.8	663.6	524	55535.	2509	2.3	2.8	12.1	1.2	0.2	5.2	35	0.2
50674	0	0	0	0	KKH	48.5724	117.0156	20.8	663.9	559	55535.	2828	2.3	4.4	11.9	1.9	0.4	5.2	23	0.2
50675	0	0	0	0	KKH	48.5724	117.0150	20.9	664.3	583	55536.	2951	2.2	4.2	12.2	1.9	0.3	5.5	28	0.2
50676	0	0	0	0	KKH	48.5724	117.0145	20.9	664.6	569	55537.	2852	2.1	4.5	11.8	2.1	0.4	5.6	35	0.2
50677	0	0	0	0	KKH	48.5724	117.0139	20.9	664.8	519	55538.	2706	1.6	6.3	10.0	4.0	0.6	6.3	27	0.2
50678	0	0	0	0	KKH	48.5724	117.0134	20.9	665.1	460	55539.	2520	1.6	4.2	13.6	2.7	0.3	8.6	37	0.2
50679	0	0	0	0	KKH	48.5724	117.0128	20.9	665.3	415	55539.	2224	1.8	4.0	9.0	2.2	0.4	5.0	42	0.2
50680	0	0	0	0	KKH	48.5724	117.0123	20.9	665.6	382	55539.	2136	1.7	3.4	7.8	2.0	0.4	4.5	39	0.2
50681	0	0	0	0	KKH	48.5724	117.0118	21.0	665.9	359	55539.	2169	1.5	5.2	8.0	3.4	0.7	5.2	30	0.2
50682	0	0	0	0	KKH	48.5724	117.0112	21.0	666.1	343	55538.	2120	1.6	3.4	9.2	2.1	0.4	5.6	30	0.2
50683	0	0	0	0	KKH	48.5724	117.0107	21.0	666.4	333	55538.	2154	1.7	2.4	8.9	1.4	0.3	5.3	34	0.2

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

D 7

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 15							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50684	0	0	0	0	KKH	48.5724	117.0101	21.0	666.6	324	55538.	2052	1.4	3.8	8.3	2.7	0.5	5.8	38	0.2
50685	0	0	0	0	KKH	48.5724	117.0096	21.0	666.8	319	55538.	1972	1.7	3.5	7.9	2.1	0.4	4.7	42	0.2
50686	0	0	0	0	KKH	48.5724	117.0090	21.0	667.1	324	55540.	1962	1.7	3.5	7.0	2.1	0.5	4.1	36	0.2
50687	0	0	0	0	KKH	48.5724	117.0085	21.0	667.3	332	55542.	2014	1.8	2.6	7.5	1.4	0.3	4.1	35	0.2
50688	0	0	0	0	KKH	48.5724	117.0079	21.0	667.6	337	55545.	1980	1.7	1.4	7.1	0.8	0.2	4.1	38	0.2
50689	0	0	0	0	KKH	48.5724	117.0074	21.0	667.8	332	55547.	1967	2.1	1.7	8.1	0.8	0.2	3.9	51	0.2
50690	0	0	0	0	KKH	48.5724	117.0069	21.1	668.1	323	55549.	2044	1.5	4.6	8.4	3.1	0.6	5.7	35	0.2
50691	0	0	0	0	KKH	48.5724	117.0063	21.1	668.4	315	55551.	2065	1.5	3.4	8.0	2.4	0.4	5.5	26	0.2
50692	0	0	0	0	KKH	48.5724	117.0058	21.1	668.6	307	55554.	1910	1.4	3.4	7.0	2.4	0.5	4.9	44	0.2
50693	0	0	0	0	KKH	48.5724	117.0052	21.1	668.8	294	55557.	1897	1.5	3.5	6.1	2.3	0.6	4.1	30	0.2
50694	0	0	0	0	KKH	48.5724	117.0047	21.1	669.1	282	55560.	1883	1.4	3.1	7.8	2.2	0.4	5.7	25	0.2
50695	0	0	0	0	KKH	48.5724	117.0041	21.1	669.3	271	55563.	1841	1.6	3.0	7.0	1.9	0.4	4.4	29	0.2
50696	0	0	0	0	KKH	48.5724	117.0036	21.1	669.5	273	55566.	1818	1.3	3.9	6.7	2.9	0.6	5.0	35	0.2
50697	0	0	0	0	KKH	48.5724	117.0030	21.1	669.8	276	55569.	1837	1.4	2.4	7.6	1.7	0.3	5.4	45	0.2
50698	0	0	0	0	KKH	48.5724	117.0025	21.1	670.0	289	55573.	1976	1.5	3.2	8.9	2.2	0.4	5.9	42	0.2
50699	0	0	0	0	KKH	48.5724	117.0019	21.1	670.3	305	55577.	1953	1.4	4.1	5.8	3.0	0.7	4.2	30	0.2
50700	0	0	0	0	KKH	48.5724	117.0014	21.1	670.5	324	55580.	2176	1.9	3.5	7.7	1.9	0.5	4.2	36	0.2
50701	0	0	0	0	KKH	48.5724	117.0008	21.1	670.8	338	55584.	2094	1.6	3.6	8.0	2.2	0.4	5.0	33	0.2
50702	0	0	0	0	KKH	48.5724	117.0003	21.2	671.1	346	55588.	1994	1.9	2.8	9.3	1.5	0.3	4.9	42	0.2
50703	0	0	0	0	KKH	48.5724	116.9997	21.2	671.4	354	55593.	2012	1.7	2.9	8.4	1.7	0.3	5.0	36	0.2
50704	0	0	0	0	KKH	48.5724	116.9992	21.2	671.7	363	55598.	1855	1.4	3.0	5.7	2.1	0.5	4.0	37	0.2
50705	0	0	0	0	KKH	48.5724	116.9987	21.2	672.0	366	55602.	1824	1.1	4.2	6.2	3.7	0.7	5.6	40	0.2
50706	0	0	0	0	KKH	48.5724	116.9981	21.2	672.4	363	55605.	1843	0.9	4.6	5.2	5.3	0.9	6.0	31	0.2
50707	0	0	0	0	KKH	48.5724	116.9976	21.2	672.6	360	55608.	1836	1.1	2.5	9.4	2.3	0.3	8.6	28	0.2
50708	0	0	0	0	KKH	48.5724	116.9970	21.2	672.9	358	55609.	1826	1.3	2.3	7.8	1.8	0.3	6.1	37	0.2
50709	0	0	0	0	KKH	48.5724	116.9965	21.2	673.2	357	55608.	1761	1.1	2.8	5.0	2.6	0.6	4.5	36	0.2
50710	0	0	0	0	KKH	48.5724	116.9959	21.2	673.5	353	55606.	1770	1.5	2.6	7.8	1.7	0.3	5.2	36	0.2

D 8

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 16							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51205	0	0	0	0	KKH	48.5707	117.2470	20.0	667.3	254	55778.	2585	2.2	3.5	12.2	1.6	0.3	5.6	47	0.2
51204	0	0	0	0	KKH	48.5707	117.2464	20.0	667.2	251	55790.	2596	2.5	3.0	12.3	1.2	0.2	4.9	37	0.2
51203	0	0	0	0	KKH	48.5707	117.2457	20.0	667.1	249	55805.	2537	2.5	3.0	12.7	1.2	0.2	5.0	27	0.2
51202	0	0	0	0	KKH	48.5707	117.2451	20.0	666.9	243	55821.	2543	2.5	1.9	11.8	0.8	0.2	4.7	33	0.2
51201	0	0	0	0	KKH	48.5707	117.2445	20.0	666.7	238	55840.	2445	2.6	2.8	11.4	1.1	0.2	4.4	42	0.2
51200	0	0	0	0	KKH	48.5707	117.2439	20.0	666.6	230	55856.	2529	2.5	4.1	11.8	1.6	0.3	4.8	43	0.2
51199	0	0	0	0	KKH	48.5707	117.2433	20.0	666.4	219	55867.	2506	3.0	2.7	10.1	0.9	0.3	3.4	41	0.2
51198	0	0	0	0	KKH	48.5707	117.2426	20.0	666.3	205	55873.	2519	2.5	4.0	11.0	1.6	0.4	4.3	33	0.2
51197	1	0	0	0	KKH	48.5707	117.2420	20.0	666.2	191	55874.	2471	2.8	3.0	11.5	1.1	0.3	4.1	41	0.2
51196	1	0	0	0	KKH	48.5707	117.2414	20.0	666.1	177	55876.	2539	2.7	3.8	10.3	1.4	0.4	3.8	43	0.2
51195	1	0	0	0	KKH	48.5707	117.2408	20.0	666.1	166	55880.	2467	2.9	3.4	9.9	1.2	0.3	3.4	24	0.2
51194	1	0	0	0	KKH	48.5707	117.2402	20.0	666.0	161	55884.	2397	2.9	2.4	9.3	0.8	0.3	3.2	27	0.2
51193	1	0	0	0	KKH	48.5707	117.2396	20.0	666.0	162	55884.	2426	2.7	4.1	6.5	1.5	0.6	2.4	38	0.2
51192	1	0	0	0	KKH	48.5707	117.2389	20.0	666.0	169	55881.	2316	3.2	1.3	9.1	0.4	0.1	2.8	37	0.2
51191	1	0	0	0	KKH	48.5707	117.2383	20.0	665.9	176	55875.	2287	2.8	2.8	7.7	1.0	0.4	2.7	33	0.2
51190	1	0	0	0	KKH	48.5707	117.2377	20.0	665.9	180	55867.	2249	2.6	3.4	8.8	1.3	0.4	3.4	42	0.2
51189	1	0	0	0	KKH	48.5707	117.2371	20.0	665.9	179	55859.	2269	2.3	3.3	10.2	1.4	0.3	4.4	31	0.2
51188	1	0	0	0	KKH	48.5707	117.2365	20.0	665.9	176	55852.	2145	2.2	2.1	9.4	1.0	0.2	4.3	43	0.2
51187	1	0	0	0	KG	48.5707	117.2358	20.0	665.9	176	55848.	2064	2.1	3.6	7.5	1.7	0.5	3.6	42	0.2
51186	1	0	0	0	KG	48.5707	117.2352	20.0	665.9	182	55845.	2091	2.2	1.6	8.6	0.7	0.2	3.8	42	0.1
51185	1	0	0	0	KG	48.5707	117.2346	20.0	665.9	195	55844.	2060	2.1	2.6	8.7	1.2	0.3	4.1	44	0.1
51184	0	0	0	0	KG	48.5707	117.2340	20.0	665.9	216	55845.	2119	2.1	3.1	10.5	1.5	0.3	5.1	34	0.1
51183	0	0	0	0	KG	48.5707	117.2334	20.0	665.9	226	55845.	2129	1.9	3.8	8.2	2.0	0.5	4.3	36	0.1
51182	0	0	0	0	KG	48.5707	117.2328	20.0	665.9	231	55848.	2144	2.4	2.3	7.8	1.0	0.3	3.2	32	0.1
51181	0	0	0	0	KG	48.5707	117.2321	20.0	665.8	227	55849.	2132	2.1	1.7	9.5	0.8	0.2	4.6	36	0.1
51180	0	0	0	0	KG	48.5707	117.2315	20.0	665.8	229	55849.	2049	2.0	3.2	6.9	1.6	0.5	3.5	51	0.1
51179	0	0	0	0	KG	48.5707	117.2309	20.0	665.7	234	55847.	2049	1.6	2.8	9.1	1.8	0.3	5.8	33	0.1
51178	0	0	0	0	KG	48.5707	117.2303	20.0	665.6	240	55844.	1961	1.9	2.0	9.0	1.1	0.2	4.9	33	0.1
51177	0	0	0	0	KG	48.5707	117.2297	20.0	665.5	248	55840.	1977	1.8	2.6	11.4	1.5	0.2	6.4	32	0.1
51176	0	0	0	0	KG	48.5707	117.2290	20.0	665.4	255	55836.	1995	1.8	3.2	7.4	1.7	0.4	4.0	37	0.1
51175	0	0	0	0	KG	48.5707	117.2284	20.0	665.3	261	55831.	1940	2.1	3.9	4.7	1.8	0.8	2.2	39	0.1
51173	0	0	0	0	KG	48.5707	117.2272	20.0	665.1	268	55828.	1962	1.9	3.3	6.8	1.7	0.5	3.5	41	0.1
51172	0	0	0	0	KG	48.5707	117.2266	20.0	664.9	275	55826.	2003	1.9	2.1	9.2	1.1	0.2	4.9	35	0.1
51171	0	0	0	0	KG	48.5707	117.2260	20.0	664.8	282	55824.	2085	2.0	2.4	9.8	1.2	0.2	4.8	31	0.1
51170	0	0	0	0	KG	48.5707	117.2253	20.0	664.6	291	55821.	2231	2.0	3.4	8.8	1.7	0.4	4.4	39	0.1
51169	0	0	0	0	KG	48.5707	117.2247	20.0	664.4	296	55817.	2149	2.2	3.2	7.6	1.4	0.4	3.4	46	0.1
51168	0	0	0	0	KG	48.5707	117.2241	19.9	664.1	303	55811.	2085	1.7	3.8	8.0	2.2	0.5	4.7	50	0.1
51167	0	0	0	0	KG	48.5707	117.2235	19.9	663.9	300	55802.	2130	1.7	2.5	10.7	1.4	0.2	6.1	30	0.1
51166	0	0	0	0	KG	48.5707	117.2229	19.9	663.7	303	55792.	2170	2.1	2.8	9.4	1.3	0.3	4.4	33	0.1
51165	0	0	0	0	KG	48.5707	117.2223	19.9	663.4	307	55781.	2044	2.0	2.3	9.7	1.1	0.2	4.7	43	0.1
51164	0	0	0	0	KG	48.5707	117.2216	19.9	663.2	319	55772.	2152	1.9	4.6	8.5	2.4	0.5	4.5	30	0.1
51163	0	0	0	0	KG	48.5707	117.2210	19.9	662.9	330	55766.	1998	1.7	3.7	9.0	2.2	0.4	5.3	47	0.1
51162	0	0	0	0	KG	48.5707	117.2204	19.9	662.7	334	55763.	2080	1.8	2.1	9.3	1.1	0.2	5.2	46	0.1
51161	0	0	0	0	KG	48.5707	117.2198	19.9	662.4	334	55761.	2070	1.9	3.9	11.4	2.1	0.3	6.0	41	0.1
51160	0	0	0	0	KG	48.5707	117.2192	19.9	662.1	334	55759.	2082	2.0	4.7	7.3	2.4	0.6	5.7	28	0.1
51159	0	0	0	0	KG	48.5707	117.2186	19.8	661.8	335	55756.	2042	1.7	4.2	9.0	2.5	0.5	5.4	38	0.1
51158	0	0	0	0	KG	48.5707	117.2179	19.8	661.5	336	55752.	2099	2.1	3.6	7.6	1.7	0.5	3.7	40	0.1
51157	0	0	0	0	KG	48.5707	117.2173	19.8	661.2	339	55749.	2006	1.7	3.1	11.9	1.8	0.3	6.8	46	0.1
51156	0	0	0	0	KG	48.5707	117.2167	19.8	660.9	343	55749.	2052	1.8	3.5	9.1	2.0	0.4	5.2	31	0.1
51155	0	0	0	0	KG	48.5707	117.2161	19.8	660.6	351	55751.	2039	1.7	3.2	9.3	1.9	0.3	5.5	33	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 16							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51154	0	0	0	0	KG	48.5707	117.2155	19.8	660.2	358	55755.	2065	1.9	4.0	9.9	2.1	0.4	5.2	31	0.1
51153	0	0	0	0	KG	48.5707	117.2149	19.8	659.8	364	55760.	1948	1.8	3.5	6.3	1.9	0.6	3.5	48	0.1
51152	0	0	0	0	KG	48.5707	117.2142	19.7	659.4	364	55764.	2042	1.7	3.4	7.7	2.0	0.4	4.5	32	0.1
51151	0	0	0	0	KG	48.5707	117.2136	19.7	659.0	364	55768.	1992	1.7	3.2	8.2	2.0	0.4	5.0	28	0.1
51150	0	0	0	0	KG	48.5707	117.2130	19.7	658.6	365	55771.	1934	1.7	3.9	9.0	2.3	0.4	5.2	39	0.1
51149	0	0	0	0	KG	48.5707	117.2124	19.7	658.1	368	55774.	1987	1.7	4.8	8.6	2.9	0.6	5.1	43	0.1
51148	0	0	0	0	KG	48.5707	117.2118	19.7	657.6	368	55776.	1931	2.0	2.1	8.8	1.1	0.2	4.4	41	0.1
51147	0	0	0	0	KG	48.5707	117.2112	19.7	657.1	369	55777.	1930	1.5	2.9	10.2	1.9	0.3	6.8	28	0.1
51146	0	0	0	0	KG	48.5707	117.2105	19.6	656.6	374	55778.	1806	1.9	1.5	8.0	0.8	0.2	4.2	32	0.1
51145	0	0	0	0	KG	48.5707	117.2099	19.6	656.1	385	55778.	1905	1.3	3.4	12.1	2.5	0.3	9.0	36	0.1
51144	0	0	0	0	KG	48.5707	117.2093	19.6	655.6	401	55776.	2010	1.8	3.0	9.5	1.7	0.3	5.4	28	0.1
51143	0	0	0	0	KG	48.5707	117.2087	19.6	655.0	419	55775.	1964	1.3	4.3	8.1	3.3	0.5	6.1	37	0.1
51142	0	0	0	0	KG	48.5707	117.2081	19.6	654.5	437	55774.	2012	1.4	4.2	8.8	3.1	0.5	6.4	39	0.1
51141	0	0	0	0	KG	48.5707	117.2076	19.5	653.9	442	55773.	2069	1.7	3.7	7.6	2.2	0.5	4.5	38	0.1
51140	0	0	0	0	KG	48.5707	117.2071	19.5	653.4	439	55773.	1970	1.7	3.6	6.8	2.0	0.5	3.9	36	0.1
51139	0	0	0	0	KG	48.5708	117.2066	19.5	652.8	433	55772.	1932	1.5	5.1	5.6	3.5	0.9	3.8	42	0.1
51138	0	0	0	0	KG	48.5708	117.2061	19.5	652.2	436	55769.	1884	1.3	4.7	5.8	3.6	0.8	4.4	38	0.1
51137	0	0	0	0	KG	48.5708	117.2056	19.5	651.7	437	55766.	2059	2.0	3.7	7.8	1.8	0.5	3.8	35	0.1
51136	0	0	0	0	KG	48.5708	117.2051	19.5	651.1	437	55762.	2126	1.5	5.1	8.3	3.4	0.6	5.5	40	0.1
51135	0	0	0	0	KG	48.5708	117.2046	19.4	650.5	431	55762.	2100	2.0	4.7	7.5	2.4	0.6	3.9	46	0.1
51134	0	0	0	0	KG	48.5708	117.2041	19.4	649.9	422	55763.	2080	1.6	4.4	7.2	2.7	0.6	4.5	37	0.1
51133	0	0	0	0	KG	48.5708	117.2036	19.4	649.3	410	55767.	2075	1.8	5.1	8.0	2.9	0.6	4.5	45	0.1
51132	0	0	0	0	KG	48.5708	117.2031	19.4	648.7	398	55771.	1965	1.8	3.2	9.8	1.8	0.3	5.5	43	0.1
51131	0	0	0	0	KG	48.5708	117.2026	19.4	648.0	389	55772.	2054	1.7	2.6	11.8	1.5	0.2	7.1	44	0.1
51130	0	0	0	0	KG	48.5708	117.2021	19.3	647.4	384	55771.	1995	2.0	2.0	9.2	1.0	0.2	4.6	42	0.1
51129	0	0	0	0	KG	48.5708	117.2016	19.3	646.8	387	55768.	2002	1.9	3.5	9.2	1.8	0.4	4.8	41	0.1
51128	0	0	0	0	KG	48.5708	117.2011	19.3	646.1	397	55762.	2040	1.4	5.1	8.6	3.6	0.6	6.1	47	0.1
51127	0	0	0	0	KG	48.5708	117.2006	19.3	645.5	416	55756.	2014	1.6	3.8	6.1	2.4	0.6	3.8	46	0.1
51126	0	0	0	0	KG	48.5708	117.2001	19.3	644.9	432	55751.	2048	2.2	3.2	7.7	1.4	0.4	3.5	44	0.1
51125	0	0	0	0	KG	48.5708	117.1996	19.3	644.2	446	55748.	2050	2.0	2.9	11.4	1.5	0.3	5.9	43	0.1
51124	0	0	0	0	KG	48.5708	117.1991	19.2	643.5	455	55748.	2001	1.3	5.0	9.1	3.9	0.6	7.0	30	0.1
51123	0	0	0	0	KG	48.5708	117.1987	19.2	642.8	464	55750.	2032	1.9	3.6	5.7	1.9	0.6	3.0	34	0.1
51122	0	0	0	0	KG	48.5709	117.1982	19.2	642.2	468	55754.	2013	1.7	4.9	9.8	2.9	0.5	5.8	36	0.1
51121	0	0	0	0	KG	48.5709	117.1977	19.2	641.5	469	55758.	1828	1.2	6.0	7.3	4.8	0.8	5.8	42	0.1
51120	0	0	0	0	KG	48.5709	117.1972	19.2	640.9	464	55764.	1854	1.3	5.2	6.9	4.1	0.8	5.4	39	0.1
51119	0	0	0	0	KG	48.5709	117.1967	19.2	640.2	455	55770.	1794	1.2	4.1	6.8	3.3	0.6	5.6	46	0.1
51118	0	0	0	0	KG	48.5709	117.1962	19.1	639.5	444	55775.	1723	1.3	4.8	6.6	3.7	0.7	5.0	50	0.1
51117	0	0	0	0	KG	48.5709	117.1957	19.1	638.9	436	55780.	1846	1.6	3.8	6.1	2.4	0.6	3.9	46	0.1
51116	0	0	0	0	KG	48.5709	117.1952	19.1	638.2	425	55784.	1786	1.7	3.6	5.6	2.1	0.6	3.4	44	0.1
51115	0	0	0	0	KG	48.5709	117.1947	19.1	637.6	413	55786.	1792	1.6	3.2	7.4	2.0	0.4	4.5	47	0.1
51114	0	0	0	0	KG	48.5709	117.1942	19.1	637.0	399	55788.	1838	1.4	3.3	8.8	2.3	0.4	6.3	46	0.1
51113	0	0	0	0	KG	48.5709	117.1937	19.1	636.4	386	55790.	1731	1.5	4.0	5.9	2.7	0.7	3.9	39	0.1
51112	0	0	0	0	KG	48.5709	117.1932	19.1	635.9	376	55791.	1843	1.6	3.6	5.5	2.2	0.7	3.3	51	0.1
51111	0	0	0	0	KG	48.5709	117.1927	19.1	635.3	362	55793.	1822	1.4	3.1	8.4	2.2	0.4	5.9	47	0.1
51110	0	0	0	0	KG	48.5709	117.1922	19.0	634.8	355	55797.	1832	1.6	3.1	8.9	1.9	0.3	5.6	51	0.1
51109	0	0	0	0	KG	48.5710	117.1917	19.0	634.3	338	55801.	1883	1.5	3.8	9.5	2.6	0.4	6.3	44	0.1
51108	0	0	0	0	KG	48.5710	117.1912	19.0	633.8	326	55808.	1825	1.5	3.9	7.7	2.6	0.5	5.1	45	0.1
51107	0	0	0	0	KG	48.5710	117.1907	19.0	633.4	307	55816.	1693	1.7	3.5	6.2	2.1	0.6	3.7	43	0.1
51106	0	0	0	0	KG	48.5710	117.1902	19.0	633.0	294	55825.	1717	1.4	4.2	7.2	3.0	0.6	5.1	45	0.1
51105	0	0	0	0	KG	48.5710	117.1897	19.0	632.6	275	55836.	1643	1.4	3.1	6.6	2.3	0.5	4.8	45	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 16									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51104	0	0	0	0	KG	48.5710	117.1892	19.0	632.2	258	55848.	1708	1.3	3.4	6.2	2.5	0.5	4.6	47	0.1
51103	0	0	0	0	KG	48.5710	117.1888	19.0	631.8	242	55859.	1622	1.2	3.2	6.8	2.7	0.5	5.9	31	0.1
51102	0	0	0	0	KG	48.5710	117.1883	19.0	631.5	232	55868.	1532	1.3	3.1	5.7	2.5	0.6	4.4	43	0.1
51101	0	0	0	0	KG	48.5710	117.1878	19.0	631.2	226	55874.	1494	1.1	3.0	7.9	2.7	0.4	7.0	44	0.1
51100	0	0	0	0	KG	48.5710	117.1873	19.0	630.9	225	55877.	1400	1.4	2.2	6.4	1.5	0.3	4.6	50	0.1
51099	0	0	0	0	KG	48.5710	117.1868	19.0	630.7	225	55876.	1400	1.3	2.7	6.5	2.1	0.4	5.0	36	0.1
51098	0	0	0	0	KG	48.5710	117.1863	19.0	630.5	227	55870.	1426	1.3	2.1	6.9	1.7	0.3	5.5	38	0.1
51097	0	0	0	0	KG	48.5710	117.1858	19.0	630.4	231	55860.	1493	1.5	2.2	6.2	1.5	0.4	4.1	52	0.1
51096	0	0	0	0	KG	48.5710	117.1853	19.0	630.3	239	55845.	1567	1.3	2.7	5.9	2.2	0.5	4.7	43	0.1
51095	0	0	0	0	KG	48.5710	117.1847	18.9	630.2	250	55824.	1591	1.3	3.2	5.9	2.6	0.5	4.7	58	0.1
51094	0	0	0	0	KG	48.5710	117.1842	18.9	630.2	265	55799.	1737	1.6	2.7	7.2	1.7	0.4	4.4	47	0.1
51093	0	0	0	0	KG	48.5710	117.1836	18.9	630.3	292	55771.	1909	1.7	2.9	9.4	1.7	0.3	5.4	33	0.1
51092	0	0	0	0	KG	48.5710	117.1831	18.9	630.4	331	55742.	1950	1.9	3.9	7.5	2.1	0.5	4.0	48	0.1
51091	0	0	0	0	QAG	48.5710	117.1825	18.9	630.5	377	55714.	2112	2.3	3.3	8.3	1.5	0.4	3.6	50	0.1
51090	0	0	0	0	QAG	48.5710	117.1820	18.9	630.6	426	55690.	2207	1.6	4.8	9.4	3.0	0.5	5.9	39	0.1
51089	0	0	0	0	QAG	48.5710	117.1814	18.9	630.8	471	55668.	2077	1.7	4.1	5.7	2.5	0.7	3.4	41	0.1
51088	0	0	0	0	QAG	48.5710	117.1808	18.9	631.0	509	55651.	1882	1.6	3.3	7.9	2.1	0.4	5.0	47	0.1
51087	0	0	0	0	QAG	48.5710	117.1803	18.9	631.2	534	55636.	1937	1.6	3.6	4.9	2.2	0.7	3.0	37	0.1
51086	0	0	0	0	QAG	48.5710	117.1797	18.9	631.3	554	55623.	1908	1.2	3.7	7.6	3.0	0.5	6.3	50	0.1
51085	0	0	0	0	QAG	48.5710	117.1792	18.9	631.5	573	55613.	1940	1.5	2.5	11.4	1.7	0.2	7.6	41	0.1
51084	0	0	0	0	KG	48.5710	117.1786	18.9	631.6	592	55604.	1958	1.3	4.8	9.0	3.6	0.5	6.8	50	0.1
51082	0	0	0	0	KG	48.5710	117.1775	18.9	631.6	607	55596.	2000	1.7	4.5	9.1	2.7	0.5	5.5	40	0.1
51081	0	0	0	0	KG	48.5710	117.1770	18.9	631.6	613	55592.	1962	1.7	3.7	8.6	2.2	0.4	5.2	41	0.1
51080	0	0	0	0	KG	48.5710	117.1764	18.9	631.5	610	55588.	2197	1.7	4.8	9.3	2.9	0.5	5.6	36	0.1
51079	0	0	0	0	KG	48.5710	117.1758	18.9	631.4	595	55587.	2177	1.5	5.1	9.9	3.3	0.5	6.5	41	0.1
51078	0	0	0	0	KG	48.5710	117.1753	18.9	631.2	568	55587.	2259	1.8	4.1	9.3	2.2	0.4	5.1	39	0.1
51077	0	0	0	0	KG	48.5710	117.1747	18.9	631.0	533	55587.	2133	1.1	5.7	9.0	5.3	0.6	8.4	39	0.1
51076	0	0	0	0	KG	48.5710	117.1742	18.9	630.7	495	55590.	2147	1.3	6.2	7.7	4.9	0.8	6.1	54	0.1
51075	0	0	0	0	KG	48.5710	117.1736	18.9	630.4	459	55594.	1989	1.4	5.3	7.6	4.0	0.7	5.6	34	0.1
51074	0	0	0	0	KG	48.5709	117.1731	18.9	630.0	423	55599.	1914	1.5	4.7	8.0	3.1	0.6	5.3	38	0.1
51073	0	0	0	0	KG	48.5709	117.1725	18.9	629.7	387	55605.	1926	1.8	2.5	9.7	1.4	0.3	5.4	50	0.1
51072	0	0	0	0	KG	48.5709	117.1720	18.9	629.3	356	55612.	1938	2.0	2.5	12.9	1.2	0.2	6.6	47	0.1
51071	0	0	0	0	KHM	48.5709	117.1714	18.9	628.9	336	55619.	1951	1.8	2.7	10.3	1.5	0.3	5.6	44	0.1
51070	0	0	0	0	KHM	48.5709	117.1709	18.9	628.4	325	55626.	1994	1.8	3.0	9.3	1.7	0.3	5.1	36	0.1
51069	0	0	0	0	KHM	48.5709	117.1703	18.9	628.0	318	55631.	2030	1.7	3.5	10.6	2.0	0.3	6.1	54	0.1
51068	0	0	0	0	KHM	48.5709	117.1697	18.9	627.6	315	55635.	1994	1.7	2.4	9.0	1.4	0.3	5.2	52	0.1
51067	0	0	0	0	KHM	48.5709	117.1692	18.9	627.3	326	55637.	2130	1.7	3.8	9.2	2.2	0.4	5.4	43	0.1
51066	0	0	0	0	KHM	48.5709	117.1686	18.9	626.9	354	55638.	2100	1.9	3.8	9.2	2.0	0.4	5.0	49	0.1
51065	0	0	0	0	KHM	48.5709	117.1681	18.9	626.5	381	55638.	2134	2.0	2.7	9.7	1.4	0.3	4.9	45	0.1
51064	0	0	0	0	KHM	48.5709	117.1675	18.9	626.1	405	55637.	2129	2.0	3.3	10.2	1.7	0.3	5.2	54	0.1
51063	0	0	0	0	KHM	48.5709	117.1670	18.9	625.8	421	55637.	2222	2.1	4.1	8.0	2.0	0.5	3.8	39	0.1
51062	0	0	0	0	KHM	48.5709	117.1664	18.9	625.4	442	55637.	2288	1.9	4.5	11.6	2.4	0.4	6.2	42	0.1
51061	0	0	0	0	KHM	48.5709	117.1658	18.9	625.0	460	55637.	2236	1.6	4.9	10.9	3.1	0.4	6.9	54	0.1
51060	0	0	0	0	KHM	48.5709	117.1653	18.9	624.6	472	55636.	2388	2.2	2.3	12.2	1.1	0.2	5.6	47	0.1
51059	0	0	0	0	KHM	48.5709	117.1647	18.9	624.2	469	55634.	2233	1.6	4.6	13.8	2.9	0.3	8.8	45	0.1
51058	0	0	0	0	KHM	48.5709	117.1642	18.9	623.8	457	55632.	2288	1.3	6.1	11.2	4.7	0.5	8.6	47	0.1
51057	0	0	0	0	KHM	48.5709	117.1636	18.9	623.4	441	55632.	2148	1.6	5.0	12.3	3.2	0.4	7.8	47	0.1
51056	0	0	0	0	KHM	48.5709	117.1631	18.9	623.0	433	55635.	2256	1.5	4.0	12.1	2.7	0.3	8.1	38	0.1
51055	0	0	0	0	KHM	48.5709	117.1625	18.9	622.6	428	55641.	2359	1.9	2.9	16.3	1.6	0.2	8.8	41	0.1
51054	0	0	0	0	KHM	48.5709	117.1620	18.9	622.2	424	55649.	2380	2.0	2.3	17.1	1.1	0.1	8.5	47	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 16									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51053	0	0	0	0	KHM	48.5709	117.1614	18.9	621.8	415	55658.	2466	1.9	4.5	13.6	2.3	0.3	7.0	51	0.1
51052	0	0	0	0	KHM	48.5708	117.1608	18.9	621.4	403	55668.	2663	2.2	4.1	17.2	1.9	0.2	7.8	40	0.1
51051	0	0	0	0	KHM	48.5708	117.1603	18.9	621.0	387	55678.	2516	2.0	2.6	16.4	1.3	0.2	8.1	55	0.1
51050	0	0	0	0	KHM	48.5708	117.1597	18.9	620.6	368	55688.	2597	2.1	4.6	10.8	2.2	0.4	5.2	48	0.1
51049	0	0	0	0	KHM	48.5708	117.1592	18.9	620.3	348	55700.	2685	2.3	3.8	13.8	1.6	0.3	5.9	46	0.1
51048	0	0	0	0	KHM	48.5708	117.1586	18.9	620.0	326	55712.	2464	1.7	4.6	14.6	2.7	0.3	8.6	45	0.1
51047	0	0	0	0	KHM	48.5708	117.1581	18.9	619.7	303	55725.	2540	2.0	3.5	14.1	1.8	0.2	7.2	49	0.1
51046	0	0	0	0	KHM	48.5708	117.1575	18.9	619.5	280	55735.	2580	1.7	4.8	13.3	2.8	0.4	7.6	35	0.1
51045	0	0	0	0	KHM	48.5708	117.1570	18.9	619.4	260	55738.	2641	1.8	5.0	10.5	2.8	0.5	5.8	48	0.1
51044	0	0	0	0	KHM	48.5708	117.1564	18.9	619.3	257	55738.	2744	2.1	4.2	11.5	1.9	0.4	5.4	59	0.1
51043	0	0	0	0	KHM	48.5708	117.1559	18.9	619.4	267	55730.	2889	2.0	6.2	11.9	3.2	0.5	6.1	55	0.1
51042	0	0	0	0	KHM	48.5708	117.1553	18.9	619.4	293	55719.	2929	2.1	4.9	14.4	2.3	0.3	6.8	45	0.1
51041	0	0	0	0	KHM	48.5708	117.1547	18.9	619.5	320	55707.	2935	2.0	5.0	15.8	2.5	0.3	7.9	48	0.1
51040	0	0	0	0	KHM	48.5708	117.1542	18.9	619.7	350	55696.	2909	1.9	6.7	14.3	3.6	0.5	7.6	54	0.1
51039	0	0	0	0	KHM	48.5708	117.1536	18.9	619.9	373	55688.	2841	2.2	4.4	15.3	2.0	0.3	7.1	52	0.1
51038	0	0	0	0	KHM	48.5708	117.1531	18.9	620.2	395	55681.	2947	2.4	4.9	15.1	2.1	0.3	6.4	50	0.1
51037	0	0	0	0	KHM	48.5708	117.1525	18.9	620.5	412	55676.	2620	1.8	5.3	12.8	2.9	0.4	7.0	44	0.1
51036	0	0	0	0	KHM	48.5708	117.1520	18.9	620.9	427	55670.	2696	1.7	5.9	14.9	3.5	0.4	8.8	57	0.1
51035	0	0	0	0	KHM	48.5708	117.1514	18.9	621.2	431	55664.	2685	1.8	5.7	14.2	3.1	0.4	7.7	37	0.1
51034	0	0	0	0	KHM	48.5708	117.1508	18.9	621.7	425	55658.	2668	2.0	6.0	10.7	3.0	0.6	5.5	42	0.1
51033	0	0	0	0	KHM	48.5708	117.1503	18.9	622.1	408	55651.	2541	1.9	5.6	12.3	2.9	0.5	6.4	50	0.1
51032	0	0	0	0	KHM	48.5708	117.1497	18.9	622.5	389	55646.	2409	1.3	4.1	14.5	3.0	0.3	10.9	43	0.1
51031	0	0	0	0	KHM	48.5708	117.1492	18.9	622.9	374	55643.	2299	1.7	4.1	10.8	2.5	0.4	6.5	53	0.1
51030	0	0	0	0	KHM	48.5708	117.1486	18.9	623.3	360	55640.	2387	1.6	6.4	10.5	4.1	0.6	6.7	43	0.1
51029	0	0	0	0	KHM	48.5708	117.1481	18.9	623.7	353	55638.	2313	1.5	4.2	10.8	2.8	0.4	7.1	40	0.1
51028	0	0	0	0	KHM	48.5708	117.1475	18.9	624.1	351	55637.	2260	1.6	3.9	14.1	2.5	0.3	9.0	49	0.1
51027	0	0	0	0	KHM	48.5708	117.1470	18.9	624.5	358	55636.	2380	2.1	4.7	10.7	2.3	0.4	5.1	35	0.1
51026	0	0	0	0	KHM	48.5708	117.1464	18.9	625.0	380	55638.	2417	1.7	2.7	12.5	1.6	0.2	7.4	45	0.1
51025	0	0	0	0	KHM	48.5707	117.1458	19.0	625.5	404	55643.	2485	2.0	4.4	9.9	2.2	0.4	5.0	46	0.1
51024	0	0	0	0	KHM	48.5707	117.1453	19.0	625.9	428	55649.	2603	2.0	4.6	14.2	2.4	0.3	7.2	47	0.1
51023	0	0	0	0	KHM	48.5707	117.1447	19.0	626.4	439	55657.	2630	1.9	3.6	14.5	1.9	0.2	7.5	42	0.1
51022	0	0	0	0	KHM	48.5707	117.1442	19.0	626.9	446	55666.	2655	2.5	3.1	14.6	1.2	0.2	5.9	40	0.1
51021	0	0	0	0	KHM	48.5707	117.1436	19.0	627.4	450	55674.	2755	2.2	4.2	18.1	1.9	0.2	8.1	38	0.1
51020	0	0	0	0	KHM	48.5707	117.1431	19.0	628.0	456	55681.	2763	2.0	4.3	14.9	2.2	0.3	7.5	55	0.1
51019	0	0	0	0	KHM	48.5707	117.1425	19.0	628.5	465	55686.	2800	2.3	4.8	15.6	2.1	0.3	6.9	40	0.1
51018	0	0	0	0	KHM	48.5707	117.1420	19.0	629.1	472	55691.	2775	2.0	5.2	15.1	2.5	0.3	7.4	46	0.1
51017	0	0	0	0	KHM	48.5707	117.1414	19.0	629.7	472	55695.	2652	2.0	5.5	10.5	2.8	0.5	5.3	58	0.1
51016	0	0	0	0	KHM	48.5707	117.1409	19.0	630.2	466	55699.	2621	1.9	5.4	14.3	2.8	0.4	7.4	50	0.1
51015	0	0	0	0	KHM	48.5707	117.1403	19.0	630.8	461	55705.	2729	2.2	3.6	15.9	1.6	0.2	7.1	49	0.1
51014	0	0	0	0	KHM	48.5707	117.1397	19.0	631.4	455	55711.	2844	2.4	4.7	16.0	2.0	0.3	6.8	46	0.1
51013	0	0	0	0	KHM	48.5707	117.1392	19.0	631.9	442	55718.	2851	2.1	4.5	18.7	2.1	0.2	8.9	33	0.1
51012	0	0	0	0	KHM	48.5707	117.1386	19.0	632.5	424	55724.	2799	2.0	5.3	12.8	2.7	0.4	6.4	44	0.1
51011	0	0	0	0	KHM	48.5707	117.1381	19.0	633.0	411	55726.	2691	1.8	4.9	14.4	2.7	0.3	7.8	34	0.1
51010	0	0	0	0	KHM	48.5707	117.1375	19.0	633.5	413	55724.	2725	1.6	4.6	14.8	2.8	0.3	9.1	50	0.1
51009	0	0	0	0	KHM	48.5707	117.1370	19.0	634.0	425	55717.	2928	2.4	4.5	15.5	1.9	0.3	6.5	45	0.1
51008	0	0	0	0	KHM	48.5707	117.1364	19.0	634.5	442	55706.	2932	2.2	3.9	14.5	1.8	0.3	6.7	42	0.1
51007	0	0	0	0	KHM	48.5707	117.1358	19.0	634.9	446	55696.	3068	2.0	6.8	15.8	3.5	0.4	8.1	46	0.1
51006	0	0	0	0	KHM	48.5707	117.1353	19.0	635.3	434	55686.	3083	1.9	7.4	13.8	3.8	0.5	7.2	44	0.1
51005	0	0	0	0	KHM	48.5707	117.1347	19.0	635.7	415	55677.	2962	2.1	3.2	18.7	1.5	0.2	9.1	46	0.1
51004	0	0	0	0	KHM	48.5707	117.1342	19.0	636.1	412	55668.	2923	1.7	5.3	17.9	3.1	0.3	10.5	42	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 16								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51003	0	0	0	0	KHM	48.5706	117.1336	19.0	636.4	423	55659.	2968	1.8	6.0	15.2	3.3	0.4	8.4	35	0.1
51002	0	0	0	0	KHM	48.5706	117.1331	19.0	636.8	443	55650.	3040	1.9	7.8	13.2	4.1	0.6	6.9	48	0.1
51001	0	0	0	0	KHM	48.5706	117.1325	19.0	637.1	455	55642.	3049	1.7	7.2	13.5	4.2	0.5	7.9	54	0.1
51000	0	0	0	0	KHM	48.5706	117.1320	19.0	637.4	457	55633.	2941	2.2	5.7	11.5	2.6	0.5	5.3	44	0.1
50999	0	0	0	0	KHM	48.5706	117.1314	19.0	637.7	448	55623.	2798	1.7	6.5	11.3	3.8	0.6	6.6	37	0.1
50998	0	0	0	0	KHM	48.5706	117.1308	19.0	637.9	444	55614.	2812	1.8	6.3	14.3	3.5	0.4	8.0	49	0.1
50997	0	0	0	0	KHM	48.5706	117.1303	19.0	638.2	446	55605.	2788	1.8	6.0	13.2	3.3	0.5	7.2	54	0.1
50996	0	0	0	0	KHM	48.5706	117.1297	19.0	638.4	454	55597.	2868	2.1	5.2	14.5	2.5	0.4	6.8	55	0.1
50995	0	0	0	0	KHM	48.5706	117.1292	19.0	638.6	465	55590.	2659	1.7	4.9	10.1	2.9	0.5	6.0	44	0.1
50994	0	0	0	0	KHM	48.5706	117.1286	19.0	638.8	476	55585.	2695	1.7	4.4	13.0	2.5	0.3	7.6	50	0.1
50992	0	0	0	0	KHM	48.5706	117.1275	19.0	639.0	490	55583.	2866	2.1	4.6	17.3	2.2	0.3	8.4	35	0.1
50991	0	0	0	0	KHM	48.5706	117.1270	19.0	639.2	510	55583.	2978	2.0	5.6	15.4	2.8	0.4	7.7	37	0.1
50990	0	0	0	0	KHM	48.5706	117.1264	19.0	639.3	539	55585.	3007	1.8	6.2	16.5	3.4	0.4	9.1	36	0.1
50989	0	0	0	0	KHM	48.5706	117.1259	19.0	639.4	578	55588.	3293	2.1	9.0	14.1	4.2	0.6	6.6	40	0.1
50988	0	0	0	0	KHM	48.5706	117.1253	19.0	639.5	620	55590.	3380	2.2	9.7	14.9	4.4	0.6	6.8	45	0.1
50987	0	0	0	0	KHM	48.5706	117.1247	19.0	639.6	671	55592.	3606	1.9	8.0	17.4	4.3	0.5	9.4	44	0.1
50986	1	0	0	0	KHM	48.5706	117.1242	19.0	639.6	719	55592.	4031	2.6	9.7	18.8	3.8	0.5	7.3	47	0.1
50985	1	0	0	0	KHM	48.5706	117.1236	19.0	639.6	745	55592.	4047	3.5	5.9	22.9	1.7	0.3	6.6	38	0.1
50984	1	0	0	0	KHM	48.5706	117.1231	19.0	639.6	736	55592.	3843	2.8	8.6	17.4	3.1	0.5	6.3	41	0.1
50983	1	0	0	0	KHM	48.5706	117.1225	19.0	639.5	701	55592.	3731	2.8	10.1	10.3	3.6	1.0	3.7	48	0.1
50982	0	0	0	0	KHM	48.5706	117.1219	19.0	639.4	660	55590.	3756	2.8	5.0	17.5	1.8	0.3	6.4	34	0.1
50981	0	0	0	0	KHM	48.5705	117.1213	19.0	639.3	623	55588.	3520	2.9	4.0	21.5	1.4	0.2	7.3	39	0.1
50980	0	0	0	0	KHM	48.5705	117.1207	19.0	639.2	584	55585.	3551	2.4	8.3	15.0	3.5	0.6	6.4	35	0.1
50979	0	0	0	0	KHM	48.5705	117.1201	19.0	639.0	542	55581.	3321	2.0	6.7	18.3	3.4	0.4	9.4	52	0.1
50978	0	0	0	0	KHM	48.5705	117.1195	19.0	638.8	503	55579.	2938	2.1	6.3	14.3	3.1	0.4	7.0	37	0.1
50977	0	0	0	0	KHM	48.5705	117.1189	19.0	638.5	474	55576.	3018	2.2	5.4	15.8	2.4	0.3	7.2	46	0.1
50976	0	0	0	0	KHM	48.5705	117.1183	19.0	638.2	460	55572.	2865	2.5	5.0	14.2	2.0	0.4	5.7	40	0.1
50975	0	0	0	0	KHM	48.5705	117.1178	18.9	637.9	464	55570.	2844	1.9	7.3	14.0	3.9	0.5	7.5	44	0.1
50974	0	0	0	0	KHM	48.5705	117.1172	18.9	637.5	485	55567.	3007	2.4	8.0	14.2	3.3	0.6	5.9	27	0.1
50973	0	0	0	0	KHM	48.5705	117.1166	18.9	637.2	502	55565.	3116	2.2	7.8	13.9	3.6	0.6	6.4	30	0.1
50972	0	0	0	0	KHM	48.5705	117.1160	18.9	636.8	510	55564.	3143	1.9	7.2	14.2	3.8	0.5	7.5	46	0.1
50971	0	0	0	0	KHM	48.5705	117.1154	18.9	636.4	513	55562.	3036	2.5	6.5	11.6	2.6	0.6	4.7	46	0.1
50970	0	0	0	0	KHM	48.5704	117.1148	18.9	636.0	531	55559.	3072	2.1	8.0	11.1	3.8	0.7	5.2	47	0.1
50969	0	0	0	0	KHM	48.5704	117.1142	18.9	635.5	565	55554.	3058	2.3	6.2	11.9	2.7	0.5	5.2	43	0.1
50968	0	0	0	0	KHM	48.5704	117.1136	18.9	635.0	593	55549.	3221	2.3	7.2	18.5	3.1	0.4	8.0	50	0.1
50967	0	0	0	0	KHM	48.5704	117.1130	18.9	634.6	600	55544.	3367	2.9	6.9	14.2	2.4	0.5	4.9	41	0.1
50966	0	0	0	0	KHM	48.5704	117.1124	18.9	634.1	582	55540.	2960	2.0	9.4	11.7	4.7	0.8	5.9	49	0.1
50965	0	0	0	0	KHM	48.5704	117.1118	18.9	633.6	557	55537.	2780	2.4	7.1	9.2	3.0	0.8	3.9	49	0.1
50964	0	0	0	0	KHM	48.5704	117.1113	18.9	633.1	541	55533.	2795	2.0	5.6	9.7	2.9	0.6	4.9	56	0.1
50963	0	0	0	0	KHM	48.5704	117.1107	18.9	632.6	540	55529.	2698	1.5	8.1	11.2	5.3	0.7	7.3	50	0.1
50962	0	0	0	0	KHM	48.5704	117.1101	18.9	632.1	552	55526.	2785	1.8	5.0	12.3	2.7	0.4	6.7	36	0.1
50961	0	0	0	0	KHM	48.5704	117.1095	18.9	631.7	571	55523.	2667	2.0	6.2	8.8	3.2	0.7	4.5	62	0.1
50960	0	0	0	0	KHM	48.5704	117.1089	18.8	631.2	575	55522.	2767	1.8	8.3	11.7	4.5	0.7	6.4	48	0.1
50959	0	0	0	0	KHM	48.5703	117.1083	18.8	630.7	569	55521.	2874	1.9	8.4	8.7	4.5	1.0	4.6	45	0.1
50958	0	0	0	0	KHM	48.5703	117.1077	18.8	630.3	555	55520.	2789	1.6	7.7	13.1	4.9	0.6	8.3	47	0.1
50957	0	0	0	0	KHM	48.5703	117.1071	18.8	629.9	543	55518.	2805	1.9	6.3	11.0	3.4	0.6	5.9	46	0.1
50956	0	0	0	0	KHM	48.5703	117.1065	18.8	629.5	524	55516.	2782	2.0	6.2	12.2	3.1	0.5	6.2	55	0.1
50955	0	0	0	0	KHM	48.5703	117.1059	18.8	629.2	501	55514.	2707	1.7	7.7	12.1	4.5	0.6	7.1	44	0.1
50954	0	0	0	0	KHM	48.5703	117.1053	18.8	628.8	474	55512.	2743	2.2	6.2	12.4	2.9	0.5	5.7	47	0.1
50953	0	0	0	0	KHM	48.5703	117.1048	18.8	628.5	447	55509.	2634	1.5	7.6	9.7	4.9	0.8	6.3	42	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGN IFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 16							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50952	0	0	0	0	KHM	48.5703	117.1042	18.8	628.2	414	55506.	2610	1.8	5.8	10.8	3.3	0.5	6.1	39	0.1
50951	0	0	0	0	KHM	48.5703	117.1036	18.8	628.0	381	55504.	2725	2.0	4.5	15.4	2.2	0.3	7.7	48	0.1
50950	0	0	0	0	KHM	48.5703	117.1030	18.8	627.7	352	55502.	2471	1.5	5.3	12.1	3.6	0.4	8.1	52	0.1
50949	0	0	0	0	KHM	48.5703	117.1024	18.8	627.5	331	55503.	2498	1.8	7.0	9.9	3.9	0.7	5.6	44	0.1
50948	0	0	0	0	KHM	48.5703	117.1018	18.8	627.3	319	55505.	2410	1.6	5.4	9.7	3.3	0.5	6.1	60	0.1
50947	0	0	0	0	KHM	48.5702	117.1012	18.8	627.1	309	55510.	2546	1.7	5.2	11.4	3.1	0.5	6.8	44	0.1
50946	0	0	0	0	KHM	48.5702	117.1006	18.8	626.9	292	55517.	2567	1.7	6.1	9.5	3.5	0.6	5.4	51	0.1
50945	0	0	0	0	KHM	48.5702	117.1000	18.8	626.8	266	55526.	2708	2.1	4.7	11.6	2.2	0.4	5.5	48	0.1
50944	0	0	0	0	KHM	48.5702	117.0994	18.8	626.6	237	55535.	2622	2.0	3.9	14.2	1.9	0.3	6.0	47	0.1
50943	0	0	0	0	KHM	48.5702	117.0989	18.8	626.5	212	55543.	2567	1.9	5.0	10.5	2.6	0.5	5.4	48	0.1
50942	1	0	0	0	KHM	48.5702	117.0983	18.8	626.5	197	55550.	2382	1.8	4.7	8.8	2.6	0.5	4.9	52	0.1
50941	1	0	0	0	KHM	48.5702	117.0977	18.8	626.5	195	55554.	2383	1.8	4.8	10.0	2.7	0.5	5.6	45	0.1
50940	0	0	0	0	KHM	48.5702	117.0971	18.8	626.5	205	55556.	2404	1.6	6.2	11.0	3.9	0.6	6.8	46	0.1
50939	0	0	0	0	KHM	48.5702	117.0965	18.8	626.6	226	55556.	2549	1.8	5.6	11.5	3.1	0.5	6.2	61	0.1
50938	0	0	0	0	KHM	48.5702	117.0959	18.8	626.7	251	55556.	2532	1.9	4.5	11.8	2.4	0.4	6.2	52	0.1
50937	0	0	0	0	KHM	48.5701	117.0953	18.9	626.8	282	55556.	2636	2.1	5.6	11.0	2.6	0.5	5.2	46	0.1
50936	0	0	0	0	KHM	48.5701	117.0947	18.9	627.0	310	55557.	2632	1.9	7.0	9.2	3.7	0.8	4.8	45	0.1
50935	0	0	0	0	KHM	48.5701	117.0941	18.9	627.2	335	55557.	2797	1.9	6.8	8.3	3.6	0.8	4.3	41	0.1
50934	0	0	0	0	KHM	48.5701	117.0935	18.9	627.5	358	55557.	2794	2.4	3.1	12.6	1.3	0.2	5.2	37	0.1
50933	0	0	0	0	KHM	48.5701	117.0929	18.9	627.8	383	55555.	2872	2.2	4.5	16.9	2.0	0.3	7.7	41	0.1
50932	0	0	0	0	KHM	48.5701	117.0924	18.9	628.1	408	55553.	2875	2.2	5.8	15.0	2.7	0.4	6.8	28	0.1
50931	0	0	0	0	KHM	48.5701	117.0918	18.9	628.4	430	55551.	2925	2.1	6.6	11.5	3.2	0.6	5.6	55	0.1
50930	0	0	0	0	KHM	48.5701	117.0912	18.9	628.7	452	55550.	3098	2.6	5.4	17.5	2.1	0.3	6.7	61	0.1
50929	0	0	0	0	KHM	48.5701	117.0906	18.9	629.0	468	55549.	3176	2.2	7.1	15.8	3.2	0.4	7.2	42	0.1
50928	0	0	0	0	KHM	48.5701	117.0900	18.9	629.3	475	55547.	3118	1.9	6.9	14.0	3.6	0.5	7.4	58	0.1
50927	0	0	0	0	KHM	48.5701	117.0894	18.9	629.6	475	55545.	3178	2.3	4.5	17.4	2.0	0.3	7.7	49	0.1
50926	0	0	0	0	KHM	48.5700	117.0889	18.9	629.9	470	55543.	3199	2.4	7.9	9.2	3.3	0.9	3.9	39	0.1
50925	0	0	0	0	KHM	48.5700	117.0883	19.0	630.1	455	55542.	3088	2.3	7.2	12.9	3.2	0.6	5.7	55	0.1
50924	1	1	1	1	KHM	48.5700	117.0877	19.0	630.3	433	55543.	3113	2.4	6.4	14.5	2.7	0.4	6.0	47	0.1
50923	0	0	0	0	KHM	48.5700	117.0871	19.0	630.5	412	55545.	2968	2.4	6.3	14.6	2.6	0.4	6.0	46	0.1
50922	0	0	0	0	KHM	48.5700	117.0866	19.0	630.6	403	55548.	3006	2.0	6.3	14.5	3.1	0.4	7.2	50	0.1
50921	0	0	0	0	KHM	48.5700	117.0860	19.0	630.8	405	55551.	2943	2.3	5.2	12.4	2.2	0.4	5.3	54	0.1
50920	0	0	0	0	KHM	48.5700	117.0854	19.0	630.9	410	55553.	3103	2.1	6.8	14.0	3.3	0.5	6.8	44	0.1
50919	0	0	0	0	KHM	48.5700	117.0849	19.0	631.0	412	55556.	3204	2.3	5.2	16.1	2.2	0.3	6.9	40	0.1
50918	0	0	0	0	KHM	48.5700	117.0843	19.0	631.1	409	55556.	3251	2.5	4.7	17.6	1.9	0.3	7.1	44	0.1
50917	0	0	0	0	KHM	48.5699	117.0837	19.1	631.2	402	55554.	3230	2.4	5.3	15.7	2.2	0.3	6.6	48	0.1
50916	0	0	0	0	KHM	48.5699	117.0832	19.1	631.3	399	55552.	3340	2.3	6.8	15.0	3.0	0.5	6.5	36	0.1
50915	0	0	0	0	KHM	48.5699	117.0826	19.1	631.4	394	55549.	3356	2.3	7.7	15.8	3.3	0.5	6.8	56	0.1
50914	0	0	0	0	KHM	48.5699	117.0820	19.1	631.5	383	55546.	3303	2.4	5.9	18.0	2.5	0.3	7.6	54	0.1
50913	0	0	0	0	KHM	48.5699	117.0815	19.1	631.6	360	55544.	3273	2.1	6.2	16.7	2.9	0.4	7.9	50	0.1
50912	0	0	0	0	KHM	48.5699	117.0809	19.1	631.7	330	55543.	3082	2.3	5.9	16.6	2.6	0.4	7.4	46	0.1
50911	0	0	0	0	KHM	48.5699	117.0803	19.2	631.9	304	55540.	2885	2.3	5.4	12.7	2.3	0.4	5.5	49	0.1
50910	0	0	0	0	KGP	48.5699	117.0797	19.2	632.0	286	55537.	2803	2.0	6.6	11.2	3.4	0.6	5.7	50	0.1
50909	0	0	0	0	KGP	48.5699	117.0792	19.2	632.2	279	55533.	2689	2.1	4.8	11.7	2.3	0.4	5.7	55	0.1
50908	0	0	0	0	KGP	48.5699	117.0786	19.2	632.4	276	55528.	2642	2.2	5.0	10.5	2.3	0.5	4.8	49	0.1
50907	0	0	0	0	KGP	48.5698	117.0780	19.2	632.5	275	55524.	2522	2.0	4.8	10.6	2.4	0.5	5.2	49	0.1
50906	0	0	0	0	KGP	48.5698	117.0775	19.3	632.8	279	55522.	2356	2.3	3.5	11.9	1.5	0.3	5.2	53	0.1
50905	0	0	0	0	KGP	48.5698	117.0769	19.3	633.0	286	55522.	2353	2.0	3.8	13.3	1.9	0.3	6.7	43	0.1
50904	0	0	0	0	KGP	48.5698	117.0763	19.3	633.2	303	55522.	2252	1.6	3.8	11.4	2.3	0.3	7.0	46	0.1
50903	0	0	0	0	KGP	48.5698	117.0758	19.3	633.4	325	55524.	2274	1.8	3.7	11.2	2.0	0.3	6.1	57	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 16							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50901	0	0	0	0	KGP	48.5698	117.0746	19.3	633.6	347	55528.	2425	1.7	4.2	14.7	2.5	0.3	8.7	35	0.1
50900	0	0	0	0	KGP	48.5698	117.0741	19.3	633.8	367	55532.	2442	2.0	3.9	11.0	1.9	0.3	5.5	44	0.1
50899	0	0	0	0	KGP	48.5698	117.0735	19.4	634.1	388	55537.	2440	1.7	3.3	12.1	1.9	0.3	7.0	57	0.1
50898	0	0	0	0	KGP	48.5697	117.0729	19.4	634.4	409	55540.	2527	1.6	5.2	10.5	3.2	0.5	6.5	46	0.1
50897	0	0	0	0	KGP	48.5697	117.0723	19.4	634.6	432	55542.	2399	1.7	4.6	8.7	2.8	0.5	5.2	59	0.1
50896	0	0	0	0	KGP	48.5697	117.0718	19.4	634.8	451	55543.	2405	1.8	4.0	11.3	2.3	0.4	6.4	46	0.1
50895	0	0	0	0	KGP	48.5697	117.0712	19.4	635.1	467	55543.	2311	1.6	3.9	10.5	2.4	0.4	6.6	43	0.1
50894	0	0	0	0	KGP	48.5697	117.0706	19.5	635.3	479	55544.	2078	1.8	2.7	7.5	1.5	0.4	4.1	58	0.1
50893	0	0	0	0	KGP	48.5697	117.0701	19.5	635.5	491	55545.	2166	1.1	6.1	9.6	5.4	0.6	8.5	28	0.1
50892	0	0	0	0	KGP	48.5697	117.0695	19.5	635.7	506	55544.	2085	1.7	4.1	9.7	2.4	0.4	5.6	48	0.1
50891	0	0	0	0	KGP	48.5697	117.0689	19.5	636.0	522	55545.	2153	1.5	3.8	9.3	2.6	0.4	6.4	38	0.1
50890	0	0	0	0	KGP	48.5697	117.0684	19.5	636.2	537	55544.	2125	1.6	2.9	9.9	1.8	0.3	6.3	49	0.1
50889	0	0	0	0	KGP	48.5697	117.0678	19.6	636.4	551	55544.	2238	1.7	5.1	9.6	3.0	0.5	5.7	43	0.1
50888	0	0	0	0	KGP	48.5696	117.0672	19.6	636.6	553	55543.	2352	1.4	4.6	12.2	3.3	0.4	8.8	39	0.1
50887	0	0	0	0	KGP	48.5696	117.0667	19.6	636.9	544	55543.	2168	1.7	4.1	13.4	2.5	0.3	8.1	56	0.1
50886	0	0	0	0	KGP	48.5696	117.0661	19.6	637.1	522	55544.	2303	1.7	4.4	13.4	2.5	0.3	7.7	43	0.1
50885	0	0	0	0	KGP	48.5696	117.0655	19.6	637.3	494	55546.	2158	1.2	5.5	7.9	4.8	0.7	6.9	37	0.1
50884	0	0	0	0	KGP	48.5696	117.0649	19.7	637.6	465	55547.	2097	1.5	4.6	6.6	3.0	0.7	4.3	41	0.1
50883	0	0	0	0	KGP	48.5696	117.0644	19.7	637.8	439	55548.	2097	1.3	4.7	9.7	3.5	0.5	7.4	35	0.1
50882	0	0	0	0	KGP	48.5696	117.0638	19.7	638.0	425	55547.	2090	1.5	3.2	10.3	2.2	0.3	6.9	37	0.1
50881	0	0	0	0	KGP	48.5696	117.0632	19.7	638.3	420	55543.	2107	1.4	4.9	9.8	3.5	0.5	7.0	52	0.1
50880	0	0	0	0	KGP	48.5696	117.0627	19.7	638.5	415	55539.	2169	1.5	3.9	8.9	2.6	0.4	6.1	41	0.1
50879	0	0	0	0	KGP	48.5695	117.0621	19.8	638.9	391	55536.	2131	1.7	2.3	10.1	1.3	0.2	5.8	41	0.1
50878	0	0	0	0	KGP	48.5695	117.0615	19.8	639.2	360	55532.	1988	1.5	3.5	9.1	2.4	0.4	6.2	48	0.1
50877	0	0	0	0	KGP	48.5695	117.0610	19.8	639.4	329	55530.	1851	1.3	4.0	6.4	3.1	0.6	5.1	44	0.1
50876	0	0	0	0	KHM	48.5695	117.0604	19.8	639.7	320	55530.	1818	1.4	3.3	8.4	2.4	0.4	6.1	44	0.1
50875	0	0	0	0	KHM	48.5695	117.0598	19.9	640.1	316	55531.	1748	1.3	2.3	9.9	1.7	0.2	7.5	52	0.1
50874	0	0	0	0	KHM	48.5695	117.0592	19.9	640.4	317	55533.	1765	1.3	2.6	7.7	2.1	0.3	6.1	35	0.1
50873	0	0	0	0	KHM	48.5695	117.0587	19.9	640.7	318	55536.	1825	1.4	4.1	7.5	3.0	0.5	5.4	46	0.1
50872	0	0	0	0	KHM	48.5695	117.0581	19.9	641.1	318	55540.	1986	1.4	3.9	8.5	2.8	0.5	6.1	46	0.1
50871	0	0	0	0	KHM	48.5695	117.0575	20.0	641.5	320	55544.	1965	1.6	4.7	5.3	2.9	0.9	3.3	44	0.1
50870	0	0	0	0	KHM	48.5694	117.0570	20.0	641.9	328	55547.	2024	1.2	4.1	10.6	3.4	0.4	8.9	40	0.1
50869	0	0	0	0	KHM	48.5694	117.0564	20.0	642.3	336	55548.	2079	1.6	3.8	9.7	2.4	0.4	6.3	38	0.1
50868	0	0	0	0	KHM	48.5694	117.0558	20.0	642.8	343	55549.	2074	1.7	3.6	9.5	2.1	0.4	5.6	45	0.1
50867	0	0	0	0	KHM	48.5694	117.0553	20.1	643.3	346	55551.	2122	2.1	2.6	10.2	1.3	0.3	5.0	41	0.1
50866	0	0	0	0	KHM	48.5694	117.0547	20.1	643.8	347	55551.	2007	2.0	2.3	8.6	1.1	0.3	4.3	56	0.1
50865	0	0	0	0	KHM	48.5694	117.0541	20.1	644.2	344	55551.	1945	1.6	3.7	6.5	2.4	0.6	4.1	45	0.1
50864	0	0	0	0	KHM	48.5694	117.0536	20.1	644.7	338	55551.	1956	1.6	2.3	10.5	1.5	0.2	6.8	45	0.1
50863	0	0	0	0	KHM	48.5694	117.0530	20.2	645.3	332	55552.	1977	1.6	4.2	8.9	2.7	0.5	5.7	46	0.1
50862	0	0	0	0	KHM	48.5694	117.0524	20.2	645.8	324	55553.	1918	1.6	3.6	7.0	2.3	0.5	4.4	35	0.1
50861	0	0	0	0	KHM	48.5694	117.0518	20.2	646.3	314	55554.	1881	1.2	3.5	7.5	2.9	0.5	6.2	46	0.1
50860	0	0	0	0	KHM	48.5693	117.0511	20.2	646.8	305	55554.	1723	1.2	3.3	7.4	2.7	0.4	6.0	37	0.1
50859	0	0	0	0	KHM	48.5693	117.0505	20.3	647.4	301	55554.	1736	1.6	3.1	7.2	1.9	0.4	4.5	44	0.1
50858	0	0	0	0	KHM	48.5693	117.0499	20.3	647.9	301	55554.	1773	0.9	3.6	9.2	3.8	0.4	9.8	44	0.1
50857	0	0	0	0	KHM	48.5693	117.0493	20.3	648.4	307	55555.	1686	1.3	2.9	7.0	2.2	0.4	5.3	46	0.1
50856	0	0	0	0	KHM	48.5693	117.0487	20.3	648.9	319	55555.	1813	1.2	3.6	6.9	3.0	0.5	5.8	32	0.1
50855	0	0	0	0	KHM	48.5693	117.0480	20.4	649.4	332	55555.	1812	1.5	2.0	10.3	1.4	0.2	7.0	36	0.1
50854	0	0	0	0	KHM	48.5693	117.0474	20.4	649.9	347	55555.	1864	1.3	3.0	9.9	2.3	0.3	7.6	32	0.1
50853	0	0	0	0	KHM	48.5692	117.0468	20.4	650.3	362	55555.	1967	1.6	2.3	8.3	1.5	0.3	5.3	43	0.1
50852	0	0	0	0	KHM	48.5692	117.0462	20.4	650.8	375	55556.	1889	1.4	5.6	7.7	3.9	0.7	5.3	36	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 16							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50851	0	0	0	0	KHM	48.5692	117.0456	20.5	651.3	381	55555.	1964	1.3	4.3	5.6	3.3	0.8	4.3	41	0.1
50850	0	0	0	0	KHM	48.5692	117.0450	20.5	651.7	384	55555.	1922	1.4	4.5	6.8	3.2	0.7	4.8	49	0.1
50849	0	0	0	0	KHM	48.5692	117.0443	20.5	652.1	389	55554.	1997	1.4	3.4	12.9	2.4	0.3	9.0	30	0.1
50848	0	0	0	0	KHM	48.5692	117.0437	20.6	652.6	406	55553.	2065	1.5	3.4	10.8	2.3	0.3	7.4	37	0.1
50847	0	0	0	0	KHM	48.5692	117.0431	20.6	653.0	415	55554.	2164	2.0	4.1	6.2	2.1	0.7	3.1	40	0.1
50846	0	0	0	0	KHM	48.5692	117.0425	20.6	653.4	413	55553.	2019	1.6	2.9	8.0	1.8	0.4	5.0	38	0.1
50845	0	0	0	0	KHM	48.5692	117.0419	20.6	653.8	395	55552.	2150	1.4	4.0	10.8	2.8	0.4	7.7	31	0.1
50844	0	0	0	0	KHM	48.5691	117.0413	20.7	654.2	373	55551.	2026	1.5	4.6	9.0	3.1	0.5	6.2	32	0.1
50843	0	0	0	0	KKH	48.5691	117.0406	20.7	654.5	352	55550.	2060	1.5	4.6	9.7	3.2	0.5	6.6	29	0.1
50842	0	0	0	0	KKH	48.5691	117.0400	20.7	654.9	339	55549.	2008	1.8	2.8	12.6	1.6	0.2	6.9	32	0.1
50841	0	0	0	0	KKH	48.5691	117.0394	20.7	655.2	336	55549.	1983	1.5	3.3	7.0	2.3	0.5	4.7	39	0.1
50840	0	0	0	0	KKH	48.5691	117.0388	20.8	655.5	338	55548.	2015	1.4	4.5	9.6	3.2	0.5	6.9	28	0.1
50839	0	0	0	0	KKH	48.5691	117.0382	20.8	655.8	338	55547.	1995	1.5	3.4	7.3	2.2	0.5	4.8	34	0.1
50838	0	0	0	0	KKH	48.5691	117.0376	20.8	656.1	337	55545.	1968	1.5	3.7	8.5	2.4	0.4	5.5	36	0.1
50837	0	0	0	0	KKH	48.5690	117.0369	20.9	656.4	336	55543.	1854	1.0	4.9	7.9	4.9	0.6	7.8	39	0.1
50836	0	0	0	0	KKH	48.5690	117.0363	20.9	656.6	340	55541.	1820	1.1	2.8	6.8	2.5	0.4	6.0	39	0.1
50835	0	0	0	0	KKH	48.5690	117.0357	20.9	656.9	353	55540.	1811	1.2	3.7	5.1	3.1	0.7	4.3	41	0.1
50834	0	0	0	0	KKH	48.5690	117.0351	20.9	657.1	375	55538.	1889	1.2	4.2	6.6	3.5	0.6	5.5	35	0.1
50833	0	0	0	0	KKH	48.5690	117.0345	21.0	657.4	394	55536.	1834	1.3	2.8	11.1	2.1	0.2	8.6	34	0.1
50832	0	0	0	0	KKH	48.5690	117.0339	21.0	657.6	404	55536.	1904	1.1	4.6	8.4	4.0	0.5	7.4	30	0.1
50831	0	0	0	0	KKH	48.5690	117.0332	21.0	657.8	401	55534.	1880	0.9	5.5	8.4	6.0	0.7	9.1	33	0.1
50830	0	0	0	0	KKH	48.5690	117.0326	21.0	658.0	391	55533.	1889	1.0	5.4	8.1	5.1	0.7	7.8	46	0.1
50829	0	0	0	0	KKH	48.5690	117.0320	21.1	658.3	382	55533.	1932	1.0	5.7	7.3	6.0	0.8	7.7	33	0.1
50828	0	0	0	0	KKH	48.5689	117.0314	21.1	658.5	371	55533.	1926	1.3	4.3	7.9	3.2	0.5	5.9	32	0.1
50827	0	0	0	0	KKH	48.5689	117.0308	21.1	658.7	349	55533.	1942	1.3	4.5	8.7	3.5	0.5	6.9	27	0.1
50826	0	0	0	0	KKH	48.5689	117.0302	21.1	659.0	315	55534.	1822	1.3	3.0	8.0	2.2	0.4	6.0	42	0.1
50825	0	0	0	0	KKH	48.5689	117.0295	21.2	659.3	271	55536.	1771	1.6	2.2	9.3	1.4	0.2	5.8	38	0.1
50824	0	0	0	0	KKH	48.5689	117.0289	21.2	659.5	247	55537.	1809	1.3	3.5	8.1	2.6	0.4	6.1	32	0.1
50823	0	0	0	0	KKH	48.5689	117.0283	21.2	659.8	242	55539.	1902	1.4	4.2	7.6	3.1	0.5	5.6	48	0.1
50822	0	0	0	0	KKH	48.5689	117.0277	21.2	660.1	256	55541.	2071	1.4	3.9	10.4	2.9	0.4	7.6	39	0.1
50821	0	0	0	0	KKH	48.5689	117.0271	21.2	660.4	279	55542.	2228	1.9	3.0	9.3	1.6	0.3	4.9	49	0.1
50820	0	0	0	0	KKH	48.5688	117.0264	21.3	660.8	299	55542.	2527	2.1	3.6	12.3	1.7	0.3	6.0	23	0.1
50819	0	0	0	0	KKH	48.5688	117.0258	21.3	661.1	311	55541.	2600	2.1	5.4	10.2	2.6	0.5	4.8	48	0.1
50818	0	0	0	0	KKH	48.5688	117.0252	21.3	661.4	322	55539.	2534	1.9	5.7	7.2	3.1	0.8	3.8	29	0.1
50817	0	0	0	0	KKH	48.5688	117.0246	21.3	661.8	332	55537.	2586	1.8	5.7	10.3	3.2	0.6	5.8	28	0.1
50816	0	0	0	0	KKH	48.5688	117.0240	21.4	662.1	329	55536.	2370	2.0	4.0	11.1	2.0	0.4	5.5	37	0.1
50815	0	0	0	0	KKH	48.5688	117.0234	21.4	662.5	309	55535.	2107	1.5	4.0	11.0	2.7	0.4	7.6	36	0.1
50814	0	0	0	0	KKH	48.5688	117.0227	21.4	662.8	289	55534.	1974	1.6	3.2	7.2	2.1	0.4	4.6	36	0.1
50813	0	0	0	0	KKH	48.5688	117.0221	21.4	663.1	288	55535.	1880	1.4	3.2	8.6	2.4	0.4	6.3	26	0.1
50812	0	0	0	0	KKH	48.5688	117.0215	21.4	663.4	299	55535.	1925	1.5	3.8	9.5	2.6	0.4	6.6	38	0.1
50810	0	0	0	0	KKH	48.5687	117.0203	21.4	663.7	305	55536.	1847	1.4	2.9	7.8	2.1	0.4	5.6	41	0.1
50809	0	0	0	0	KKH	48.5687	117.0197	21.5	664.0	308	55538.	1912	1.6	3.4	10.6	2.1	0.3	6.7	34	0.1
50808	0	0	0	0	KKH	48.5687	117.0190	21.5	664.3	315	55539.	1943	1.9	2.5	7.9	1.4	0.3	4.3	38	0.1
50807	0	0	0	0	KKH	48.5687	117.0184	21.5	664.6	333	55540.	1981	2.0	4.4	6.9	2.2	0.6	3.5	31	0.1
50806	0	0	0	0	KKH	48.5687	117.0178	21.5	664.8	358	55540.	1992	1.9	4.1	7.0	2.1	0.6	3.6	42	0.1
50805	0	0	0	0	KKH	48.5687	117.0172	21.5	665.1	380	55540.	2116	2.1	4.6	6.9	2.2	0.7	3.3	42	0.1
50804	0	0	0	0	KKH	48.5686	117.0166	21.6	665.3	396	55540.	2141	1.5	4.7	8.4	3.1	0.6	5.4	46	0.1
50803	0	0	0	0	KKH	48.5686	117.0159	21.6	665.6	413	55541.	2298	1.9	4.3	14.5	2.3	0.3	7.7	31	0.1
50802	0	0	0	0	KKH	48.5686	117.0153	21.6	665.8	431	55541.	2233	1.4	5.1	10.3	3.5	0.5	7.2	46	0.1
50801	0	0	0	0	KKH	48.5686	117.0147	21.6	666.1	459	55543.	2363	2.1	4.0	8.7	1.9	0.5	4.2	35	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 16							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50800	0	0	0	0	KKH	48.5686	117.0141	21.6	666.3	494	55544.	2548	2.1	4.9	7.7	2.3	0.6	3.6	29	0.1
50799	0	0	0	0	KKH	48.5686	117.0135	21.6	666.6	536	55546.	2564	1.7	6.7	10.9	3.8	0.6	6.3	39	0.1
50798	0	0	0	0	KKH	48.5686	117.0129	21.6	666.9	577	55548.	2679	2.3	6.5	13.1	2.8	0.5	5.7	37	0.1
50797	0	0	0	0	KKH	48.5686	117.0123	21.7	667.1	593	55550.	3022	2.8	4.7	16.6	1.7	0.3	5.9	30	0.1
50796	0	0	0	0	KKH	48.5686	117.0118	21.7	667.4	580	55550.	2931	2.1	6.2	8.9	2.9	0.7	4.2	27	0.1
50795	0	0	0	0	KKH	48.5686	117.0112	21.7	667.6	532	55551.	2641	2.2	6.3	12.0	2.9	0.5	5.6	33	0.1
50794	0	0	0	0	KKH	48.5686	117.0107	21.7	667.8	480	55552.	2482	2.2	4.6	8.6	2.1	0.5	3.9	31	0.1
50793	0	0	0	0	KKH	48.5686	117.0101	21.7	668.0	439	55553.	2206	2.2	4.3	6.1	1.9	0.7	2.8	29	0.1
50792	0	0	0	0	KKH	48.5686	117.0096	21.7	668.2	418	55554.	2046	1.9	3.0	8.5	1.6	0.4	4.4	33	0.1
50791	0	0	0	0	KKH	48.5686	117.0090	21.7	668.4	410	55554.	2022	1.9	2.7	9.2	1.4	0.3	4.8	24	0.1
50790	0	0	0	0	KKH	48.5686	117.0085	21.7	668.6	406	55554.	1854	1.5	3.0	8.0	1.9	0.4	5.2	38	0.1
50789	0	0	0	0	KKH	48.5686	117.0079	21.7	668.8	402	55553.	1920	1.4	3.2	7.7	2.2	0.4	5.4	33	0.1
50788	0	0	0	0	KKH	48.5686	117.0074	21.7	668.9	394	55552.	1876	1.2	4.9	4.7	4.0	1.0	3.9	33	0.1
50787	0	0	0	0	KKH	48.5686	117.0068	21.8	669.1	383	55552.	2014	1.1	6.2	7.5	5.7	0.8	6.9	28	0.1
50786	0	0	0	0	KKH	48.5686	117.0063	21.8	669.3	369	55552.	1945	1.7	3.8	9.1	2.3	0.4	5.5	26	0.1
50785	0	0	0	0	KKH	48.5686	117.0057	21.8	669.5	352	55553.	1902	1.4	4.9	8.5	3.4	0.6	6.0	28	0.1
50784	0	0	0	0	KKH	48.5686	117.0052	21.8	669.7	336	55556.	1853	1.7	3.9	9.9	2.3	0.4	6.0	31	0.1
50783	0	0	0	0	KKH	48.5686	117.0046	21.8	669.8	323	55558.	1839	1.3	4.9	7.3	3.8	0.7	5.7	50	0.1
50782	0	0	0	0	KKH	48.5686	117.0041	21.8	670.0	316	55562.	1881	1.3	3.7	8.5	3.0	0.4	6.7	24	0.1
50781	0	0	0	0	KKH	48.5686	117.0035	21.8	670.2	308	55565.	1833	1.7	4.1	6.4	2.5	0.6	3.9	46	0.1
50780	0	0	0	0	KKH	48.5686	117.0029	21.8	670.4	305	55568.	1881	1.7	3.2	8.7	1.9	0.4	5.1	37	0.1
50779	0	0	0	0	KKH	48.5686	117.0024	21.8	670.6	305	55572.	1961	1.6	4.0	8.8	2.5	0.5	5.5	43	0.1
50778	0	0	0	0	KKH	48.5686	117.0018	21.8	670.8	312	55572.	1904	1.5	3.7	5.1	2.4	0.7	3.3	45	0.1
50777	0	0	0	0	KKH	48.5686	117.0013	21.9	671.1	323	55572.	2007	1.5	5.6	6.1	3.9	0.9	4.2	41	0.1
50776	0	0	0	0	KKH	48.5686	117.0007	21.9	671.3	343	55573.	2006	1.5	3.6	9.8	2.4	0.4	6.6	27	0.1
50775	0	0	0	0	KKH	48.5686	117.0002	21.9	671.6	361	55574.	2061	1.5	4.2	6.2	2.7	0.7	4.1	34	0.1
50774	0	0	0	0	KKH	48.5686	116.9996	21.9	671.8	379	55576.	2049	1.4	4.3	7.7	3.1	0.6	5.5	30	0.1
50773	0	0	0	0	KKH	48.5686	116.9991	21.9	672.1	390	55579.	1997	1.6	4.5	6.6	2.7	0.7	4.1	32	0.1
50772	0	0	0	0	KKH	48.5686	116.9986	21.9	672.4	407	55583.	1952	1.7	4.8	7.6	2.9	0.6	4.6	34	0.1
50771	0	0	0	0	KKH	48.5686	116.9980	21.9	672.6	415	55586.	1994	1.3	6.4	4.8	4.8	1.3	3.6	32	0.1
50770	0	0	0	0	KKH	48.5686	116.9975	21.9	672.9	416	55591.	1971	1.5	4.3	7.9	2.8	0.5	5.1	30	0.1
50769	0	0	0	0	KKH	48.5686	116.9969	22.0	673.2	413	55595.	1910	1.3	5.8	7.4	4.7	0.8	5.9	31	0.1
50768	0	0	0	0	KKH	48.5686	116.9964	22.0	673.4	411	55598.	1839	1.5	3.1	8.1	2.1	0.4	5.5	33	0.1
50767	0	0	0	0	KKH	48.5686	116.9958	22.0	673.7	409	55600.	1900	1.5	4.4	7.5	3.0	0.6	5.0	39	0.1
50766	0	0	0	0	KKH	48.5686	116.9953	22.0	673.9	401	55599.	1843	1.5	3.7	6.2	2.4	0.6	4.0	39	0.1

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 17

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51242	0	0	0	0	KKH	48.5664	117.2408	21.1	668.2	279	55755.	2336	2.7	3.1	8.0	1.1	0.4	2.9	43	0.2
51243	0	0	0	0	KKH	48.5664	117.2403	21.2	668.0	282	55765.	2317	2.6	3.1	8.3	1.2	0.4	3.2	40	0.2
51244	0	0	0	0	KKH	48.5664	117.2398	21.2	667.8	278	55776.	2324	2.8	2.3	7.4	0.8	0.3	2.6	36	0.2
51245	0	0	0	0	KKH	48.5664	117.2393	21.2	667.7	268	55784.	2195	2.6	1.4	8.6	0.5	0.2	3.4	40	0.2
51246	0	0	0	0	KKH	48.5664	117.2389	21.2	667.5	260	55789.	2237	2.4	2.9	8.3	1.2	0.4	3.4	41	0.2
51247	0	0	0	0	KKH	48.5664	117.2384	21.2	667.4	257	55793.	2234	2.7	2.3	8.2	0.9	0.3	3.0	37	0.2
51248	0	0	0	0	KKH	48.5664	117.2379	21.2	667.3	258	55795.	2212	2.3	2.4	8.0	1.1	0.3	3.5	31	0.2
51249	0	0	0	0	KKH	48.5664	117.2374	21.2	667.2	263	55797.	2098	2.2	3.2	8.9	1.5	0.4	4.1	37	0.2
51250	0	0	0	0	KKH	48.5664	117.2370	21.2	667.0	274	55799.	2158	2.1	1.4	11.9	0.7	0.1	5.7	38	0.2
51251	0	0	0	0	KKH	48.5664	117.2365	21.2	666.8	283	55801.	2179	2.2	2.0	8.6	0.9	0.2	4.0	31	0.2
51252	0	0	0	0	KKH	48.5664	117.2360	21.2	666.7	292	55802.	2143	2.0	4.2	6.8	2.1	0.6	3.4	46	0.2
51253	0	0	0	0	KG	48.5664	117.2355	21.2	666.5	297	55804.	2105	2.2	2.8	8.2	1.3	0.3	3.7	40	0.2
51254	0	0	1	0	KG	48.5664	117.2350	21.3	666.4	306	55805.	2187	2.3	1.3	10.4	0.6	0.1	4.6	36	0.2
51255	0	0	0	0	KG	48.5664	117.2345	21.3	666.3	316	55804.	2127	2.2	2.0	9.0	0.9	0.2	4.1	24	0.2
51256	0	0	0	0	KG	48.5664	117.2341	21.3	666.1	331	55801.	2094	2.1	1.7	9.8	0.8	0.2	4.6	32	0.2
51257	0	0	0	0	KG	48.5664	117.2336	21.3	665.9	349	55798.	2069	1.9	2.6	9.2	1.4	0.3	4.9	47	0.2
51258	0	0	0	0	KG	48.5664	117.2331	21.3	665.8	367	55794.	2007	2.1	2.1	5.7	1.0	0.4	2.7	37	0.2
51259	0	0	0	0	KG	48.5664	117.2327	21.3	665.6	382	55789.	1949	1.8	3.5	7.8	1.9	0.5	4.3	41	0.2
51260	0	0	0	0	KG	48.5664	117.2322	21.3	665.5	392	55785.	1923	1.6	3.5	8.9	2.2	0.4	5.6	40	0.2
51261	0	0	0	0	KG	48.5664	117.2317	21.3	665.3	399	55781.	1890	1.5	3.0	7.3	2.0	0.4	4.9	31	0.2
51262	0	0	0	0	KG	48.5664	117.2312	21.3	665.1	401	55781.	1994	1.6	4.5	7.9	2.9	0.6	5.1	30	0.2
51263	0	0	0	0	KG	48.5664	117.2307	21.3	664.9	405	55782.	2002	1.5	3.6	8.7	2.3	0.4	5.7	42	0.2
51264	0	0	0	0	KG	48.5664	117.2303	21.3	664.7	408	55784.	1985	1.5	2.8	7.6	1.9	0.4	5.0	37	0.2
51265	0	0	0	0	KG	48.5664	117.2298	21.3	664.5	412	55785.	2133	1.7	3.1	7.4	1.9	0.4	4.5	37	0.2
51266	0	0	0	0	KG	48.5664	117.2293	21.3	664.3	415	55785.	2161	1.9	4.0	12.2	2.2	0.3	6.6	29	0.2
51267	0	0	0	0	KG	48.5664	117.2288	21.3	664.0	421	55783.	2184	1.8	3.1	9.1	1.7	0.3	5.0	29	0.2
51268	0	0	0	0	KG	48.5665	117.2283	21.3	663.8	421	55780.	2123	2.0	1.9	7.2	1.0	0.3	3.6	34	0.2
51269	0	0	0	0	KG	48.5665	117.2279	21.3	663.6	419	55777.	2138	2.0	1.8	10.1	0.9	0.2	5.1	38	0.2
51270	0	0	0	0	KG	48.5665	117.2274	21.3	663.3	416	55774.	2179	2.1	3.8	8.2	1.8	0.5	4.0	38	0.1
51271	0	0	0	0	KG	48.5665	117.2269	21.3	663.0	416	55771.	2139	1.8	3.3	7.5	1.8	0.4	4.1	28	0.1
51272	0	0	0	0	KG	48.5665	117.2264	21.3	662.7	420	55770.	2173	1.8	3.4	9.7	1.9	0.4	5.3	38	0.1
51273	0	0	0	0	KG	48.5665	117.2260	21.3	662.4	425	55770.	2164	1.9	3.5	8.7	1.9	0.4	4.7	40	0.1
51274	0	0	0	0	KG	48.5665	117.2255	21.3	662.1	426	55772.	2200	1.7	3.4	9.6	2.1	0.4	5.8	38	0.1
51275	0	0	0	0	KG	48.5665	117.2250	21.3	661.7	421	55774.	2172	1.7	2.8	11.4	1.6	0.2	6.5	32	0.1
51276	0	0	0	0	KG	48.5665	117.2245	21.3	661.4	413	55777.	2069	1.9	2.0	9.8	1.1	0.2	5.1	28	0.1
51277	0	0	0	0	KG	48.5665	117.2241	21.3	661.1	410	55781.	2016	1.5	4.4	6.8	2.9	0.7	4.4	36	0.1
51278	0	0	0	0	QAG	48.5665	117.2236	21.3	660.8	409	55785.	1925	1.6	4.1	7.9	2.6	0.5	5.1	38	0.1
51279	0	0	0	0	QAG	48.5665	117.2231	21.3	660.4	408	55789.	2031	1.9	4.0	8.5	2.2	0.5	4.6	35	0.1
51280	0	0	0	0	QAG	48.5665	117.2226	21.3	660.1	407	55792.	1812	1.4	4.0	4.8	2.9	0.8	3.5	46	0.1
51281	0	0	0	0	QAG	48.5666	117.2222	21.3	659.8	409	55794.	1874	1.2	3.4	7.2	2.9	0.5	5.9	33	0.1
51282	0	0	0	0	QAG	48.5666	117.2217	21.2	659.4	414	55794.	1985	1.5	3.0	8.9	2.0	0.3	5.8	30	0.1
51283	0	0	0	0	QAG	48.5666	117.2212	21.2	659.1	417	55792.	2008	1.5	6.0	5.2	3.9	1.1	3.4	36	0.1
51284	0	0	0	0	QAG	48.5666	117.2207	21.2	658.8	418	55790.	1982	1.5	4.0	6.5	2.7	0.6	4.5	42	0.1
51285	0	0	0	0	QAG	48.5666	117.2202	21.2	658.4	418	55788.	1925	1.4	4.1	7.5	2.9	0.6	5.2	39	0.1
51286	0	0	0	0	QAG	48.5666	117.2198	21.2	658.1	419	55786.	1967	1.6	4.2	9.8	2.6	0.4	6.2	29	0.1
51287	0	0	0	0	QAG	48.5666	117.2193	21.2	657.8	419	55784.	1889	1.7	2.9	5.4	1.7	0.5	3.2	52	0.1
51288	0	0	0	0	QAG	48.5666	117.2188	21.2	657.5	421	55784.	2085	1.8	3.9	8.5	2.2	0.5	4.7	40	0.1
51289	0	0	0	0	QAG	48.5666	117.2183	21.2	657.1	416	55784.	2030	1.8	3.2	9.3	1.8	0.3	5.1	37	0.1
51290	0	0	0	0	QAG	48.5666	117.2179	21.2	656.8	405	55785.	2173	2.2	3.0	9.8	1.4	0.3	4.4	37	0.1
51291	0	0	0	0	QAG	48.5666	117.2174	21.2	656.5	388	55784.	2123	1.9	3.8	7.1	2.0	0.5	3.7	34	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 17							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51292	0	0	0	0	QAG	48.5667	117.2169	21.2	656.1	376	55783.	1939	1.5	4.1	7.6	2.7	0.5	5.1	35	0.1
51293	0	0	0	0	QAG	48.5667	117.2164	21.2	655.8	371	55783.	1977	1.8	1.2	9.5	0.7	0.1	5.2	39	0.1
51294	0	0	0	0	QAG	48.5667	117.2160	21.2	655.4	372	55782.	2010	1.6	3.2	7.8	2.0	0.4	4.8	28	0.1
51295	0	0	0	0	QAG	48.5667	117.2155	21.1	655.0	379	55780.	1812	1.8	2.3	7.0	1.3	0.3	3.9	42	0.1
51296	0	0	0	0	QAG	48.5667	117.2150	21.1	654.6	391	55780.	1927	1.6	3.4	8.0	2.1	0.4	4.9	35	0.1
51297	0	0	0	0	QAG	48.5667	117.2145	21.1	654.2	411	55781.	1918	1.9	2.6	7.9	1.4	0.3	4.3	39	0.1
51298	0	0	0	0	KG	48.5667	117.2141	21.1	653.8	430	55784.	1951	1.8	2.6	9.0	1.4	0.3	5.0	40	0.1
51299	0	0	0	0	KG	48.5667	117.2136	21.1	653.4	445	55789.	2164	1.9	2.7	11.1	1.4	0.2	5.7	27	0.1
51300	0	0	0	0	KG	48.5667	117.2131	21.1	653.0	449	55793.	2219	2.4	3.8	8.5	1.6	0.4	3.6	28	0.1
51301	0	0	0	0	KG	48.5667	117.2126	21.1	652.6	449	55796.	2314	2.1	3.8	8.9	1.9	0.4	4.3	28	0.1
51302	0	0	0	0	KG	48.5667	117.2121	21.1	652.1	441	55798.	2320	1.9	3.5	10.3	1.8	0.3	5.3	38	0.1
51303	0	0	0	0	KG	48.5667	117.2117	21.1	651.7	428	55800.	2365	2.2	5.2	10.1	2.3	0.5	4.6	30	0.1
51304	0	0	0	0	KG	48.5667	117.2112	21.0	651.2	408	55801.	2205	1.6	4.5	12.0	2.7	0.4	7.3	33	0.1
51305	0	0	0	0	KG	48.5667	117.2107	21.0	650.7	386	55803.	2210	1.8	3.5	10.3	1.9	0.3	5.6	38	0.1
51306	0	0	0	0	KG	48.5668	117.2102	21.0	650.3	364	55804.	2043	1.7	3.8	9.9	2.2	0.4	5.7	40	0.1
51307	0	0	0	0	KG	48.5668	117.2098	21.0	649.8	344	55803.	2079	1.6	2.9	11.2	1.8	0.3	7.0	38	0.1
51308	0	0	0	0	KG	48.5668	117.2093	21.0	649.3	328	55801.	1906	1.7	1.7	8.3	1.0	0.2	4.8	37	0.1
51309	0	0	0	0	KG	48.5668	117.2088	21.0	648.8	318	55797.	1838	1.7	2.2	9.8	1.3	0.2	5.6	41	0.1
51310	0	0	0	0	KG	48.5668	117.2083	20.9	648.3	315	55792.	1754	1.4	2.8	7.9	2.1	0.4	5.9	46	0.1
51311	0	0	0	0	KG	48.5668	117.2078	20.9	647.8	317	55788.	1893	1.6	3.2	7.9	2.0	0.4	4.9	37	0.1
51312	0	0	0	0	KG	48.5668	117.2074	20.9	647.2	323	55785.	1759	1.5	2.8	8.3	1.9	0.3	5.5	48	0.1
51313	0	0	0	0	KG	48.5668	117.2069	20.9	646.7	329	55783.	1847	1.5	3.2	7.9	2.2	0.4	5.4	37	0.1
51314	0	0	0	0	KG	48.5668	117.2064	20.9	646.1	335	55782.	1783	1.2	4.1	7.4	3.5	0.6	6.3	36	0.1
51315	0	0	0	0	KG	48.5668	117.2059	20.9	645.6	336	55783.	1828	1.6	3.5	6.7	2.3	0.5	4.3	43	0.1
51316	0	0	0	0	KG	48.5668	117.2055	20.9	645.0	336	55786.	1776	1.3	4.0	8.4	3.1	0.5	6.5	34	0.1
51317	0	0	0	0	KG	48.5668	117.2050	20.8	644.4	336	55789.	1773	1.6	3.4	5.8	2.1	0.6	3.6	45	0.1
51318	0	0	0	0	KG	48.5669	117.2045	20.8	643.8	337	55794.	1795	1.8	1.9	8.8	1.1	0.2	5.0	45	0.1
51319	0	0	0	0	KG	48.5669	117.2040	20.8	643.3	336	55798.	1904	1.6	2.6	7.9	1.6	0.3	5.0	47	0.1
51320	0	0	0	0	KG	48.5669	117.2036	20.8	642.7	337	55802.	1867	1.6	2.9	6.9	1.8	0.4	4.4	36	0.1
51321	0	0	0	0	KG	48.5669	117.2031	20.8	642.2	338	55808.	1871	1.5	3.0	6.9	2.0	0.4	4.5	49	0.1
51322	0	0	0	0	KG	48.5669	117.2026	20.8	641.6	339	55811.	1924	1.8	2.0	10.2	1.1	0.2	5.6	43	0.1
51323	0	0	0	0	KG	48.5669	117.2021	20.7	641.0	340	55812.	1860	1.6	3.0	6.4	1.9	0.5	4.0	42	0.1
51324	0	0	0	0	KG	48.5669	117.2017	20.7	640.5	350	55813.	1948	1.6	3.3	7.9	2.0	0.4	4.9	44	0.1
51325	0	0	0	0	KG	48.5669	117.2012	20.7	640.0	353	55812.	1902	1.6	2.1	8.0	1.4	0.3	5.1	46	0.1
51326	0	0	0	0	KG	48.5669	117.2007	20.7	639.4	353	55814.	1885	1.4	4.4	9.0	3.1	0.5	6.2	44	0.1
51327	0	0	0	0	KG	48.5669	117.2002	20.7	638.9	336	55819.	1961	1.5	3.3	9.5	2.3	0.4	6.4	34	0.1
51328	0	0	0	0	KG	48.5669	117.1998	20.7	638.5	325	55825.	1877	1.5	3.1	6.7	2.1	0.5	4.4	43	0.1
51329	0	0	0	0	KG	48.5670	117.1993	20.6	638.0	306	55832.	1749	1.3	2.8	8.8	2.2	0.3	7.0	48	0.1
51330	0	0	0	0	KG	48.5670	117.1988	20.6	637.6	292	55841.	1718	1.4	3.2	6.5	2.3	0.5	4.8	40	0.1
51331	0	0	0	0	KG	48.5670	117.1983	20.6	637.1	275	55850.	1624	1.2	2.4	7.1	2.0	0.3	5.8	44	0.1
51333	0	0	0	0	KG	48.5670	117.1974	20.6	636.8	265	55860.	1566	1.1	2.1	7.4	1.8	0.3	6.6	47	0.1
51334	0	0	0	0	KG	48.5670	117.1969	20.6	636.4	252	55870.	1523	1.2	2.4	7.4	2.0	0.3	6.4	41	0.1
51335	0	0	0	0	KG	48.5670	117.1964	20.6	636.1	237	55879.	1406	1.0	2.9	8.1	3.0	0.4	8.4	54	0.1
51336	0	0	0	0	KG	48.5670	117.1959	20.6	635.8	224	55886.	1388	1.0	2.4	6.7	2.5	0.4	6.9	36	0.1
51337	0	0	0	0	KG	48.5670	117.1954	20.5	635.5	222	55891.	1343	1.0	2.4	5.3	2.3	0.4	5.2	63	0.1
51338	0	0	0	0	KG	48.5670	117.1950	20.5	635.3	232	55893.	1365	1.2	1.9	6.7	1.6	0.3	5.8	47	0.1
51339	0	0	0	0	KG	48.5670	117.1945	20.5	635.0	253	55891.	1504	0.9	3.4	5.0	3.7	0.7	5.5	45	0.1
51340	0	0	0	0	KG	48.5670	117.1940	20.5	634.8	276	55888.	1598	1.4	1.6	7.8	1.1	0.2	5.4	48	0.1
51341	0	0	0	0	KG	48.5670	117.1935	20.5	634.6	296	55883.	1742	1.2	3.5	8.4	2.9	0.4	6.9	42	0.1
51342	0	0	0	0	KG	48.5671	117.1931	20.5	634.5	310	55878.	1869	1.9	2.8	7.9	1.5	0.4	4.3	33	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 17							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51343	0	0	0	0	KG	48.5671	117.1926	20.5	634.3	323	55871.	1874	1.1	4.2	9.4	3.6	0.4	8.3	47	0.1
51344	0	0	0	0	KG	48.5671	117.1921	20.4	634.1	334	55864.	1858	1.3	4.3	6.0	3.3	0.7	4.6	40	0.1
51345	0	0	0	0	KG	48.5670	117.1916	20.4	633.9	342	55857.	1903	1.9	3.4	8.4	1.8	0.4	4.4	33	0.1
51346	0	0	0	0	KG	48.5670	117.1911	20.4	633.7	344	55850.	1801	1.3	3.6	9.4	2.7	0.4	7.0	45	0.1
51347	0	0	0	0	KG	48.5670	117.1906	20.4	633.6	344	55844.	1812	1.1	4.8	5.6	4.3	0.9	5.0	40	0.1
51348	0	0	0	0	KG	48.5670	117.1902	20.4	633.4	342	55836.	1809	1.4	3.7	9.4	2.6	0.4	6.7	48	0.1
51349	0	0	0	0	KG	48.5670	117.1897	20.4	633.3	340	55830.	1756	1.4	2.4	7.4	1.8	0.3	5.5	40	0.1
51350	0	0	0	0	KG	48.5670	117.1892	20.4	633.1	337	55822.	1716	1.6	3.0	7.3	1.9	0.4	4.6	43	0.1
51351	0	0	0	0	KG	48.5670	117.1887	20.4	633.0	337	55812.	1768	1.1	3.8	10.2	3.4	0.4	9.0	38	0.1
51352	0	0	0	0	KG	48.5670	117.1882	20.3	632.8	340	55800.	1656	1.6	2.1	4.7	1.3	0.5	2.9	48	0.1
51353	0	0	0	0	KG	48.5670	117.1877	20.3	632.6	351	55785.	1663	1.6	2.3	7.7	1.4	0.3	4.9	45	0.1
51354	0	0	0	0	KG	48.5670	117.1872	20.3	632.5	371	55770.	1733	1.3	3.1	8.4	2.4	0.4	6.4	49	0.1
51355	0	0	0	0	KG	48.5670	117.1868	20.3	632.4	396	55755.	1712	1.2	3.9	6.6	3.2	0.6	5.5	51	0.1
51356	0	0	0	0	KG	48.5670	117.1863	20.3	632.2	424	55740.	1624	1.3	3.0	8.2	2.3	0.4	6.4	47	0.1
51357	0	0	0	0	KG	48.5670	117.1858	20.3	632.1	451	55727.	1586	1.3	1.7	7.8	1.3	0.2	6.1	41	0.1
51358	0	0	0	0	KG	48.5670	117.1853	20.3	631.9	480	55714.	1676	1.1	4.7	6.8	4.3	0.7	6.2	50	0.1
51359	0	0	0	0	KG	48.5670	117.1848	20.3	631.8	513	55702.	1745	1.7	4.0	6.1	2.4	0.7	3.6	43	0.1
51360	0	0	0	0	KG	48.5670	117.1843	20.2	631.6	544	55689.	1721	1.0	4.7	5.2	4.5	0.9	5.0	42	0.1
51361	0	0	0	0	KG	48.5669	117.1839	20.2	631.5	567	55677.	1799	1.5	3.1	9.9	2.2	0.3	6.8	41	0.1
51362	0	0	0	0	KG	48.5669	117.1834	20.2	631.3	575	55666.	1820	0.9	5.8	6.0	6.5	1.0	6.6	41	0.1
51363	0	0	0	0	QAG	48.5669	117.1829	20.2	631.1	569	55657.	1894	1.4	3.3	9.1	2.4	0.4	6.4	45	0.1
51364	0	0	0	0	QAG	48.5669	117.1824	20.2	631.0	549	55650.	1944	1.7	3.7	10.5	2.2	0.4	6.2	42	0.1
51365	0	0	0	0	QAG	48.5669	117.1819	20.2	630.8	520	55644.	1934	1.5	3.2	8.7	2.1	0.4	5.9	54	0.1
51366	0	0	0	0	QAG	48.5669	117.1814	20.2	630.6	485	55638.	1910	1.7	4.0	7.2	2.3	0.6	4.2	47	0.1
51367	0	0	0	0	QAG	48.5669	117.1809	20.1	630.4	451	55632.	1918	1.5	3.3	10.2	2.3	0.3	7.0	37	0.1
51368	0	0	0	0	QAG	48.5669	117.1805	20.1	630.3	424	55626.	1937	1.4	2.9	7.9	2.1	0.4	5.7	48	0.1
51369	0	0	0	0	QAG	48.5669	117.1800	20.1	630.1	398	55621.	1956	1.4	4.7	5.8	3.3	0.8	4.1	49	0.1
51370	0	0	0	0	KG	48.5669	117.1795	20.1	629.9	377	55616.	1989	1.4	3.1	9.3	2.2	0.3	6.4	42	0.1
51371	0	0	0	0	KG	48.5669	117.1790	20.1	629.7	359	55613.	1913	1.8	2.9	9.6	1.6	0.3	5.3	43	0.1
51372	0	0	0	0	KG	48.5669	117.1785	20.1	629.5	350	55613.	1925	1.8	2.7	6.8	1.6	0.4	3.8	43	0.1
51373	0	0	0	0	KG	48.5669	117.1780	20.0	629.2	350	55614.	1971	1.5	4.1	7.4	2.7	0.6	4.8	46	0.1
51374	0	0	0	0	KG	48.5668	117.1775	20.0	629.0	359	55619.	2085	1.5	2.7	10.9	1.8	0.2	7.3	43	0.1
51375	0	0	0	0	KG	48.5668	117.1770	20.0	628.7	370	55625.	2104	1.5	4.6	8.3	3.2	0.6	5.7	51	0.1
51376	0	0	0	0	KG	48.5668	117.1766	20.0	628.5	379	55631.	2119	1.9	3.0	13.6	1.5	0.2	7.1	56	0.1
51377	0	0	0	0	KG	48.5668	117.1761	20.0	628.3	387	55635.	2038	2.0	2.9	10.3	1.5	0.3	5.3	48	0.1
51378	0	0	0	0	KG	48.5668	117.1756	20.0	628.0	398	55638.	1969	1.8	3.5	6.4	2.0	0.6	3.6	46	0.1
51379	0	0	0	0	KG	48.5668	117.1751	20.0	627.8	415	55640.	1943	1.9	2.9	7.8	1.5	0.4	4.1	60	0.1
51380	0	0	0	0	KG	48.5668	117.1746	19.9	627.5	434	55643.	2004	1.7	3.2	8.1	1.8	0.4	4.6	45	0.1
51381	0	0	0	0	KG	48.5668	117.1741	19.9	627.2	457	55647.	2021	1.5	2.5	10.5	1.7	0.2	6.9	51	0.1
51382	0	0	0	0	KG	48.5668	117.1737	19.9	626.8	479	55651.	2032	1.6	3.0	9.8	1.8	0.3	6.0	41	0.1
51383	0	0	0	0	KG	48.5668	117.1732	19.9	626.5	497	55654.	1977	1.6	3.2	8.6	2.0	0.4	5.4	47	0.1
51384	0	0	0	0	KG	48.5668	117.1727	19.9	626.2	513	55656.	2042	1.7	2.3	9.7	1.4	0.2	5.9	46	0.1
51385	0	0	0	0	KG	48.5668	117.1722	19.9	625.8	528	55657.	2233	1.5	3.7	10.9	2.4	0.3	7.3	46	0.1
51386	0	0	0	0	KG	48.5668	117.1717	19.8	625.3	537	55658.	2072	1.8	3.5	9.3	2.0	0.4	5.3	37	0.1
51387	0	0	0	0	KG	48.5668	117.1712	19.8	624.9	535	55660.	2266	2.2	2.1	11.3	1.0	0.2	5.2	36	0.1
51388	0	0	0	0	QAG	48.5668	117.1707	19.8	624.4	521	55662.	2364	1.7	4.2	14.5	2.5	0.3	8.4	43	0.1
51389	0	0	0	0	QAG	48.5667	117.1703	19.8	623.9	500	55666.	2197	1.5	4.1	10.2	2.8	0.4	6.9	44	0.1
51390	0	0	0	0	QAG	48.5667	117.1698	19.8	623.4	476	55671.	2285	1.2	6.0	11.0	5.3	0.5	9.6	50	0.1
51391	0	0	0	0	QAG	48.5667	117.1693	19.8	622.9	451	55678.	2442	1.6	3.7	15.1	2.3	0.2	9.3	47	0.1
51392	0	0	0	0	QAG	48.5667	117.1688	19.8	622.4	429	55686.	2372	2.0	4.2	14.0	2.1	0.3	7.2	44	0.1

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 17

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51393	0	0	0	0	QAG	48.5667	117.1683	19.8	621.9	414	55692.	2409	1.7	4.5	10.4	2.6	0.4	6.1	46	0.1
51394	0	0	0	0	QAG	48.5667	117.1678	19.7	621.4	403	55699.	2443	1.5	4.5	12.3	3.0	0.4	8.2	49	0.1
51395	0	0	0	0	QAG	48.5667	117.1673	19.7	620.9	393	55705.	2480	2.2	2.7	15.3	1.3	0.2	7.1	38	0.1
51396	0	0	0	0	QAG	48.5667	117.1669	19.7	620.5	381	55711.	2450	1.9	3.3	10.8	1.7	0.3	5.7	41	0.1
51397	0	0	0	0	QAG	48.5667	117.1664	19.7	620.2	373	55719.	2496	1.9	3.6	12.7	1.9	0.3	6.8	43	0.1
51398	0	0	0	0	QAG	48.5667	117.1659	19.7	619.9	363	55728.	2528	1.6	5.4	12.0	3.5	0.5	7.7	47	0.1
51399	0	0	0	0	KHM	48.5667	117.1654	19.7	619.6	354	55737.	2442	1.7	4.0	14.6	2.3	0.3	8.5	54	0.1
51400	0	0	0	0	KHM	48.5667	117.1649	19.7	619.4	340	55744.	2508	1.9	3.6	11.6	1.9	0.3	6.1	65	0.1
51401	0	0	0	0	KHM	48.5667	117.1644	19.7	619.3	331	55748.	2666	1.8	5.7	12.2	3.2	0.5	6.9	54	0.1
51402	0	0	0	0	KHM	48.5667	117.1639	19.7	619.2	322	55746.	2552	2.1	5.3	10.0	2.5	0.5	4.8	55	0.1
51403	0	0	0	0	KHM	48.5667	117.1635	19.6	619.2	315	55743.	2569	1.8	5.4	12.1	2.9	0.4	6.6	57	0.1
51404	1	1	1	1	KHM	48.5667	117.1627	19.6	619.2	306	55738.	2507	1.9	5.0	10.9	2.6	0.5	5.8	63	0.1
51405	0	0	0	0	KHM	48.5667	117.1620	19.6	619.2	304	55733.	2480	1.3	5.6	12.1	4.2	0.5	9.1	55	0.1
51406	0	0	0	0	KHM	48.5667	117.1613	19.6	619.4	306	55729.	2557	1.7	5.0	10.0	3.0	0.5	6.0	48	0.1
51407	0	0	0	0	KHM	48.5667	117.1606	19.6	619.5	317	55726.	2648	1.6	5.5	13.8	3.4	0.4	8.6	58	0.1
51408	0	0	0	0	KHM	48.5667	117.1598	19.6	619.7	334	55723.	2693	1.9	7.1	9.0	3.7	0.8	4.7	57	0.1
51409	0	0	0	0	KHM	48.5667	117.1591	19.6	619.9	357	55722.	2736	2.0	4.8	14.0	2.5	0.3	7.2	54	0.1
51410	0	0	0	0	KHM	48.5667	117.1584	19.6	620.2	377	55719.	2971	2.2	4.3	13.6	1.9	0.3	6.1	47	0.1
51411	0	0	0	0	KHM	48.5667	117.1576	19.6	620.5	390	55715.	2880	1.7	5.7	14.9	3.4	0.4	8.9	41	0.1
51412	0	0	0	0	KHM	48.5667	117.1569	19.6	620.8	395	55713.	2960	2.2	5.9	13.8	2.7	0.4	6.2	46	0.1
51413	0	0	0	0	KHM	48.5667	117.1562	19.6	621.1	403	55713.	2834	2.0	5.2	14.8	2.6	0.3	7.3	38	0.1
51414	0	0	0	0	KHM	48.5667	117.1555	19.6	621.5	422	55715.	2777	2.3	5.8	10.4	2.6	0.6	4.6	51	0.1
51415	0	0	0	0	KHM	48.5667	117.1547	19.6	621.9	445	55717.	2878	2.6	3.4	13.3	1.3	0.3	5.1	45	0.1
51416	0	0	0	0	KHM	48.5666	117.1540	19.6	622.2	467	55720.	2865	2.2	5.2	13.8	2.4	0.4	6.4	56	0.1
51417	0	0	0	0	KHM	48.5666	117.1533	19.6	622.7	494	55725.	3051	2.1	5.1	15.8	2.4	0.3	7.6	37	0.1
51418	0	0	0	0	KHM	48.5666	117.1525	19.6	623.1	514	55730.	2902	2.1	5.4	15.7	2.6	0.3	7.5	37	0.1
51419	0	0	0	0	KHM	48.5666	117.1518	19.6	623.6	537	55737.	2778	2.2	4.8	13.6	2.2	0.4	6.1	50	0.1
51420	0	0	0	0	KHM	48.5666	117.1511	19.6	624.1	542	55741.	2784	2.2	5.0	13.2	2.2	0.4	6.0	43	0.1
51421	0	0	0	0	KHM	48.5666	117.1504	19.6	624.5	547	55744.	2672	2.0	4.5	13.5	2.2	0.3	6.7	30	0.1
51422	0	0	0	0	KHM	48.5666	117.1496	19.6	625.1	547	55742.	2601	1.6	4.3	13.9	2.7	0.3	8.7	47	0.1
51424	0	0	0	0	KHM	48.5666	117.1482	19.6	625.6	558	55737.	2621	1.9	5.9	13.6	3.1	0.4	7.1	38	0.1
51425	0	0	0	0	KHM	48.5666	117.1475	19.6	626.1	573	55731.	2634	1.7	3.0	16.1	1.8	0.2	9.5	45	0.1
51426	0	0	0	0	KHM	48.5666	117.1467	19.6	626.7	586	55727.	2798	2.0	6.2	13.5	3.1	0.5	6.7	42	0.1
51427	0	0	0	0	KHM	48.5666	117.1460	19.6	627.3	593	55727.	2923	2.1	6.4	15.1	3.1	0.4	7.3	44	0.1
51428	0	0	0	0	KHM	48.5666	117.1453	19.6	627.9	593	55733.	2928	2.1	5.3	19.1	2.5	0.3	9.1	56	0.1
51429	0	0	0	0	KHM	48.5666	117.1446	19.6	628.5	588	55745.	3029	2.1	7.2	14.2	3.5	0.5	6.9	44	0.1
51430	0	0	0	0	KHM	48.5666	117.1438	19.7	629.1	574	55761.	3090	1.9	5.8	15.8	3.0	0.4	8.2	45	0.1
51431	0	0	0	0	KHM	48.5666	117.1431	19.7	629.8	558	55782.	3188	1.7	8.0	14.2	4.7	0.6	8.3	44	0.1
51432	0	0	0	0	KHM	48.5666	117.1424	19.7	630.4	532	55801.	3097	2.6	5.2	18.5	2.0	0.3	7.2	56	0.1
51433	0	0	0	0	KHM	48.5666	117.1416	19.7	631.0	498	55812.	3000	2.2	5.7	18.9	2.6	0.3	8.6	50	0.1
51434	0	0	0	0	KHM	48.5666	117.1409	19.7	631.6	463	55814.	2762	1.4	7.6	13.8	5.3	0.5	9.6	38	0.1
51435	0	0	0	0	KHM	48.5666	117.1402	19.7	632.2	443	55805.	2803	1.7	7.1	9.8	4.1	0.7	5.6	45	0.1
51436	0	0	0	0	KHM	48.5666	117.1395	19.7	632.9	443	55790.	2926	1.6	6.5	13.4	4.0	0.5	8.3	48	0.1
51437	0	0	0	0	KHM	48.5666	117.1387	19.7	633.5	450	55771.	3178	2.2	6.2	15.5	2.8	0.4	7.1	29	0.1
51438	0	0	0	0	KHM	48.5666	117.1380	19.7	634.2	455	55750.	3108	1.8	6.9	14.5	3.9	0.5	8.2	42	0.1
51439	0	0	0	0	KHM	48.5666	117.1373	19.7	634.8	455	55730.	3051	1.9	6.1	15.9	3.2	0.4	8.4	52	0.1
51440	0	0	0	0	KHM	48.5666	117.1366	19.8	635.5	463	55711.	3308	2.0	7.6	15.9	3.8	0.5	8.0	36	0.1
51441	0	0	0	0	KHM	48.5666	117.1358	19.8	636.1	475	55697.	3173	1.7	8.2	15.4	4.8	0.5	9.1	42	0.1
51442	0	0	0	0	KHM	48.5666	117.1351	19.8	636.8	485	55688.	3327	2.0	6.8	15.3	3.5	0.4	7.8	39	0.1
51443	0	0	0	0	KHM	48.5666	117.1344	19.8	637.4	486	55679.	3168	2.3	7.8	14.5	3.5	0.5	6.4	43	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 17							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51444	0	0	0	0	KHM	48.5666	117.1337	19.8	638.0	483	55668.	3026	2.0	7.7	15.4	3.8	0.5	7.6	60	0.1
51445	0	0	0	0	KHM	48.5666	117.1329	19.8	638.6	484	55652.	3011	1.6	6.9	12.6	4.2	0.5	7.7	47	0.1
51446	0	0	0	0	KHM	48.5666	117.1322	19.8	639.2	485	55635.	2824	1.5	7.4	14.6	5.0	0.5	9.9	42	0.1
51447	0	0	0	0	KHM	48.5666	117.1315	19.8	639.8	485	55618.	2934	1.7	6.5	16.2	3.7	0.4	9.3	33	0.1
51448	0	0	0	0	KHM	48.5666	117.1308	19.8	640.4	482	55605.	3059	1.9	8.2	13.7	4.3	0.6	7.3	50	0.1
51449	0	0	0	0	KHM	48.5666	117.1300	19.8	640.9	464	55598.	3076	2.2	6.6	14.4	2.9	0.5	6.4	33	0.1
51450	0	0	0	0	KHM	48.5666	117.1293	19.8	641.5	428	55594.	2988	2.0	5.9	14.5	2.9	0.4	7.3	49	0.1
51451	0	0	0	0	KHM	48.5666	117.1286	19.9	642.0	375	55593.	2900	1.5	6.4	14.1	4.3	0.5	9.6	37	0.1
51452	0	0	0	0	KHM	48.5665	117.1280	19.9	642.5	335	55592.	2750	1.7	5.9	14.4	3.5	0.4	8.6	40	0.1
51453	0	0	0	0	KHM	48.5665	117.1273	19.9	642.9	315	55591.	2727	1.5	5.5	14.7	3.7	0.4	10.0	29	0.1
51454	0	0	0	0	KHM	48.5664	117.1267	19.9	643.3	319	55589.	2679	1.5	5.6	14.3	3.7	0.4	9.6	46	0.1
51455	0	0	0	0	KHM	48.5663	117.1260	19.9	643.7	333	55585.	2818	1.4	6.1	13.9	4.3	0.4	9.8	41	0.1
51456	0	0	0	0	KHM	48.5663	117.1254	19.9	644.0	355	55581.	2866	1.9	6.1	13.6	3.2	0.4	7.2	34	0.1
51457	0	0	0	0	KHM	48.5663	117.1247	19.9	644.3	380	55577.	2919	1.9	5.3	14.3	2.8	0.4	7.6	51	0.1
51458	0	0	0	0	KHM	48.5662	117.1241	19.9	644.5	402	55573.	2871	1.5	7.3	13.1	4.7	0.6	8.5	56	0.1
51459	0	0	0	0	KHM	48.5661	117.1234	19.9	644.7	434	55570.	2955	1.8	6.7	13.1	3.7	0.5	7.2	42	0.1
51460	0	0	0	0	KHM	48.5661	117.1227	19.9	644.9	462	55568.	3113	1.7	7.3	17.6	4.2	0.4	10.1	43	0.1
51461	0	0	0	0	KHM	48.5660	117.1221	19.9	645.0	485	55568.	3266	1.8	6.3	15.4	3.6	0.4	8.8	42	0.1
51462	0	0	0	0	KHM	48.5660	117.1214	19.9	645.1	482	55567.	3185	2.4	6.2	19.3	2.6	0.3	8.0	40	0.1
51463	0	0	0	0	KHM	48.5660	117.1209	19.9	645.1	465	55564.	3352	2.4	8.5	15.5	3.6	0.5	6.5	50	0.1
51464	0	0	0	0	KHM	48.5660	117.1204	19.9	645.0	446	55559.	3232	2.2	5.1	17.7	2.8	0.3	8.1	43	0.1
51465	0	0	0	0	KHM	48.5660	117.1198	19.9	645.0	433	55551.	3016	2.1	7.1	14.1	3.4	0.5	6.7	46	0.1
51466	0	0	0	0	KHM	48.5660	117.1193	19.9	644.8	430	55544.	3005	2.5	5.0	13.5	2.4	0.4	5.4	42	0.1
51467	0	0	0	0	KHM	48.5660	117.1188	19.9	644.7	436	55538.	2923	2.2	4.8	16.6	2.1	0.3	7.4	52	0.1
51468	0	0	0	0	KHM	48.5660	117.1182	19.9	644.5	435	55535.	3047	1.9	5.0	17.4	2.7	0.3	9.3	49	0.1
51469	0	0	0	0	KHM	48.5660	117.1177	19.9	644.3	429	55535.	2932	2.4	4.7	15.2	2.0	0.3	6.4	44	0.1
51470	0	0	0	0	KHM	48.5660	117.1172	19.9	644.0	415	55538.	2947	2.1	4.8	11.8	2.2	0.4	5.6	41	0.1
51471	0	0	0	0	KHM	48.5660	117.1166	19.9	643.7	406	55540.	2823	1.7	4.7	18.5	2.8	0.3	10.9	48	0.1
51472	0	0	0	0	KHM	48.5660	117.1161	19.9	643.4	397	55542.	2706	2.2	3.8	14.8	1.8	0.3	6.8	44	0.1
51473	0	0	0	0	KHM	48.5660	117.1156	19.9	643.1	394	55542.	2677	1.9	4.4	14.6	2.3	0.3	7.6	47	0.1
51474	0	0	0	0	KHM	48.5660	117.1150	19.9	642.7	400	55542.	2817	2.2	3.6	17.6	1.7	0.2	8.0	43	0.1
51475	0	0	0	0	KHM	48.5660	117.1145	19.9	642.3	415	55541.	2995	1.9	6.7	15.5	3.5	0.4	8.2	44	0.1
51476	0	0	0	0	KHM	48.5659	117.1140	19.9	641.8	432	55541.	3264	2.5	5.7	17.3	2.3	0.3	7.0	50	0.1
51477	0	0	0	0	KHM	48.5659	117.1134	19.9	641.4	444	55539.	3449	2.7	5.0	16.9	1.9	0.3	6.4	35	0.1
51478	0	0	0	0	KHM	48.5659	117.1129	19.9	640.9	447	55537.	3387	2.7	7.0	17.4	2.6	0.4	6.4	55	0.1
51479	0	0	0	0	KHM	48.5659	117.1124	19.9	640.4	449	55535.	3464	2.6	6.8	18.3	2.7	0.4	7.2	40	0.1
51480	0	0	0	0	KHM	48.5659	117.1118	19.9	639.9	449	55533.	3505	2.5	5.5	18.2	2.2	0.3	7.4	49	0.1
51481	0	0	0	0	KHM	48.5659	117.1113	19.9	639.4	447	55532.	3508	2.6	7.3	13.6	2.8	0.5	5.2	43	0.1
51482	0	0	0	0	KHM	48.5659	117.1107	19.9	638.9	437	55532.	3519	2.6	6.2	17.5	2.4	0.4	6.8	51	0.1
51483	0	0	0	0	KHM	48.5659	117.1102	19.9	638.4	421	55533.	3508	2.7	7.1	15.4	2.6	0.5	5.6	50	0.1
51484	0	0	0	0	KHM	48.5659	117.1097	19.9	637.9	402	55534.	3405	2.5	6.8	15.8	2.8	0.4	6.4	41	0.1
51485	0	0	0	0	KHM	48.5659	117.1091	19.9	637.5	380	55535.	3195	2.5	5.1	16.4	2.1	0.3	6.7	49	0.1
51486	0	0	0	0	KHM	48.5659	117.1086	19.8	637.0	358	55535.	3339	2.1	7.8	13.7	3.7	0.6	6.5	54	0.1
51487	0	0	0	0	KHM	48.5659	117.1081	19.8	636.6	337	55535.	3370	2.5	5.7	14.5	2.3	0.4	5.9	55	0.1
51488	0	0	0	0	KHM	48.5659	117.1075	19.8	636.2	317	55534.	3229	2.6	6.8	12.4	2.6	0.5	4.7	52	0.1
51489	0	0	0	0	KHM	48.5659	117.1070	19.8	635.9	299	55532.	3008	2.3	5.7	12.0	2.5	0.5	5.2	57	0.1
51490	0	0	0	0	KHM	48.5659	117.1065	19.8	635.6	282	55531.	3066	1.9	5.2	16.5	2.7	0.3	8.5	57	0.1
51491	0	0	0	0	KHM	48.5659	117.1059	19.8	635.3	267	55529.	2964	2.3	4.9	14.8	2.1	0.3	6.5	49	0.1
51492	0	0	0	0	KHM	48.5659	117.1054	19.8	635.0	256	55525.	2944	2.0	5.5	13.8	2.7	0.4	6.8	46	0.1
51493	0	0	0	0	KHM	48.5659	117.1049	19.8	634.7	251	55519.	2846	1.6	5.4	12.4	3.4	0.4	7.9	53	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 17							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51494	0	0	0	0	KHM	48.5659	117.1043	19.8	634.5	250	55511.	2872	2.0	5.4	13.4	2.7	0.4	6.7	33	0.1
51495	0	0	0	0	KHM	48.5659	117.1038	19.8	634.3	257	55503.	2955	2.2	5.9	13.3	2.8	0.4	6.2	41	0.1
51496	0	0	0	0	KHM	48.5659	117.1033	19.8	634.1	267	55496.	2995	2.2	4.0	16.9	1.8	0.2	7.6	34	0.1
51497	0	0	0	0	KHM	48.5659	117.1027	19.7	633.9	280	55489.	2993	2.1	6.6	14.5	3.2	0.5	7.0	37	0.1
51498	0	0	0	0	KHM	48.5659	117.1022	19.7	633.7	292	55485.	2935	2.3	4.8	15.3	2.1	0.3	6.7	58	0.1
51499	0	0	0	0	KHM	48.5659	117.1017	19.7	633.5	302	55482.	2793	2.5	3.5	15.3	1.4	0.2	6.0	50	0.1
51500	0	0	0	0	KHM	48.5659	117.1011	19.7	633.3	311	55480.	2790	2.0	4.9	13.0	2.4	0.4	6.4	44	0.1
51501	0	0	0	0	KHM	48.5659	117.1006	19.7	633.0	316	55479.	2711	1.7	6.3	12.8	3.7	0.5	7.5	47	0.1
51502	0	0	0	0	KHM	48.5659	117.1001	19.7	632.8	320	55478.	2697	1.7	4.7	13.0	2.8	0.4	7.7	48	0.1
51503	0	0	0	0	KHM	48.5659	117.0995	19.7	632.6	320	55478.	2519	1.4	7.1	10.4	5.2	0.7	7.6	48	0.1
51504	0	0	0	0	KHM	48.5659	117.0990	19.7	632.3	327	55479.	2522	1.7	4.9	10.7	2.9	0.5	6.4	58	0.1
51505	0	0	0	0	KHM	48.5659	117.0985	19.7	632.1	343	55480.	2580	1.9	5.3	9.1	2.8	0.6	4.8	39	0.1
51506	0	0	0	0	KHM	48.5659	117.0979	19.7	631.8	364	55481.	2534	1.5	5.6	11.2	3.8	0.5	7.6	39	0.1
51507	0	0	0	0	KHM	48.5659	117.0974	19.7	631.6	386	55484.	2640	2.1	4.1	13.6	1.9	0.3	6.4	44	0.1
51508	0	0	0	0	KHM	48.5659	117.0969	19.6	631.4	400	55488.	2871	2.0	6.5	10.4	3.3	0.6	5.3	38	0.1
51509	0	0	0	0	KHM	48.5659	117.0963	19.6	631.2	402	55495.	3003	2.0	5.9	15.5	2.9	0.4	7.6	48	0.1
51510	0	0	0	0	KHM	48.5659	117.0958	19.6	631.1	387	55504.	3068	2.1	7.0	14.8	3.4	0.5	7.1	37	0.1
51511	0	0	0	0	KHM	48.5659	117.0953	19.6	631.0	360	55514.	2951	2.5	4.6	15.0	1.9	0.3	6.1	52	0.1
51512	0	0	0	0	KHM	48.5659	117.0947	19.6	631.0	329	55523.	2854	2.2	5.4	13.7	2.4	0.4	6.2	52	0.1
51514	0	0	0	0	KHM	48.5659	117.0937	19.6	631.0	302	55531.	2657	1.7	5.9	12.6	3.4	0.5	7.4	50	0.1
51515	0	0	0	0	KHM	48.5659	117.0931	19.6	631.0	284	55537.	2481	1.7	5.0	12.5	3.0	0.4	7.4	49	0.1
51516	0	0	0	0	KHM	48.5659	117.0926	19.6	631.0	281	55540.	2368	2.0	3.6	12.0	1.8	0.3	6.1	39	0.1
51517	0	0	0	0	KHM	48.5659	117.0921	19.6	631.1	292	55540.	2441	1.7	4.8	10.2	2.9	0.5	6.1	35	0.1
51518	0	0	0	0	KHM	48.5659	117.0915	19.6	631.3	312	55538.	2498	1.9	4.3	9.4	2.2	0.5	4.9	55	0.1
51519	0	0	0	0	KHM	48.5658	117.0910	19.6	631.4	339	55533.	2524	1.8	4.8	11.9	2.7	0.4	6.8	50	0.1
51520	0	0	0	0	KHM	48.5658	117.0905	19.6	631.6	365	55528.	2826	2.4	4.8	12.9	2.0	0.4	5.5	41	0.1
51521	0	0	0	0	KHM	48.5658	117.0899	19.6	631.8	392	55525.	2879	2.2	4.9	14.8	2.2	0.3	6.7	45	0.1
51522	0	0	0	0	KHM	48.5658	117.0894	19.6	631.9	417	55523.	2884	1.9	5.9	14.3	3.1	0.4	7.5	47	0.1
51523	0	0	0	0	KHM	48.5658	117.0889	19.5	632.0	439	55522.	2904	2.0	7.0	12.8	3.5	0.5	6.4	56	0.1
51524	0	0	0	0	KHM	48.5658	117.0883	19.5	632.2	455	55522.	2895	2.1	6.5	11.0	3.1	0.6	5.3	43	0.1
51525	0	0	0	0	KHM	48.5658	117.0878	19.5	632.3	464	55523.	2981	1.8	7.4	13.0	4.2	0.6	7.3	47	0.1
51526	0	0	0	0	KHM	48.5658	117.0872	19.5	632.5	474	55523.	2926	2.2	4.3	13.5	2.0	0.3	6.3	44	0.1
51527	0	0	0	0	KHM	48.5658	117.0867	19.5	632.6	485	55525.	2839	1.6	5.9	12.2	3.6	0.5	7.5	48	0.1
51528	0	0	0	0	KHM	48.5658	117.0862	19.5	632.7	498	55526.	2728	2.2	4.7	13.0	2.2	0.4	6.0	32	0.1
51529	0	0	0	0	KHM	48.5658	117.0856	19.5	632.8	508	55526.	2902	2.2	5.9	11.1	2.7	0.5	5.0	47	0.1
51530	0	0	0	0	KHM	48.5658	117.0851	19.5	633.0	523	55527.	2806	2.2	4.8	12.9	2.2	0.4	5.9	58	0.1
51531	0	0	0	0	KHM	48.5658	117.0846	19.5	633.1	539	55528.	2649	2.1	5.1	12.0	2.5	0.4	5.8	33	0.1
51532	0	0	0	0	KHM	48.5658	117.0840	19.5	633.2	556	55530.	2920	2.0	6.2	15.6	3.1	0.4	7.9	51	0.1
51533	0	0	0	0	KHM	48.5658	117.0835	19.5	633.3	563	55531.	2978	2.7	6.2	12.8	2.3	0.5	4.8	43	0.1
51534	0	0	0	0	KHM	48.5658	117.0830	19.5	633.4	563	55532.	2977	2.0	5.8	14.8	3.0	0.4	7.5	51	0.1
51535	0	0	0	0	KHM	48.5658	117.0824	19.5	633.5	557	55533.	2920	1.9	6.0	13.1	3.2	0.5	7.0	52	0.1
51536	0	0	0	0	KHM	48.5658	117.0819	19.5	633.6	558	55533.	2985	2.1	6.7	15.4	3.2	0.4	7.4	39	0.1
51537	0	0	0	0	KHM	48.5658	117.0814	19.5	633.7	557	55534.	3131	2.4	8.2	9.2	3.4	0.9	3.9	42	0.1
51538	0	0	0	0	KHM	48.5658	117.0808	19.5	633.8	550	55535.	3124	2.0	6.8	14.7	3.3	0.5	7.2	46	0.1
51539	0	0	0	0	KHM	48.5658	117.0803	19.5	633.9	529	55536.	3011	2.6	5.0	15.9	1.9	0.3	6.2	44	0.1
51540	0	0	0	0	KGP	48.5658	117.0798	19.5	634.0	499	55538.	2887	2.4	4.9	16.4	2.0	0.3	6.9	48	0.1
51541	0	0	0	0	KGP	48.5658	117.0792	19.5	634.0	463	55540.	3016	2.4	2.9	16.5	1.2	0.2	6.9	47	0.1
51542	0	0	0	0	KGP	48.5658	117.0787	19.5	634.1	430	55542.	2876	1.8	5.3	15.0	2.9	0.4	8.2	44	0.1
51543	0	0	0	0	KGP	48.5658	117.0782	19.5	634.2	405	55542.	2901	2.0	6.0	14.4	3.0	0.4	7.1	50	0.1
51544	0	0	0	0	KGP	48.5658	117.0776	19.5	634.3	381	55541.	2872	2.0	4.7	14.4	2.3	0.3	7.2	50	0.1

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 17

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51545	0	0	0	0	KGP	48.5658	117.0771	19.5	634.3	359	55541.	2872	2.2	5.7	11.2	2.6	0.5	5.1	55	0.1
51546	0	0	0	0	KGP	48.5658	117.0766	19.5	634.4	339	55540.	2713	2.1	3.3	15.1	1.5	0.2	7.0	32	0.1
51547	0	0	0	0	KGP	48.5658	117.0760	19.5	634.5	334	55540.	2488	2.3	1.5	16.0	0.7	0.1	7.1	34	0.1
51548	0	0	0	0	KGP	48.5658	117.0755	19.5	634.6	333	55538.	2580	2.2	4.7	13.5	2.1	0.3	6.0	47	0.1
51549	0	0	0	0	KGP	48.5658	117.0750	19.5	634.7	333	55536.	2545	2.4	3.7	10.4	1.5	0.4	4.4	33	0.1
51550	0	0	0	0	KGP	48.5658	117.0744	19.5	634.9	328	55534.	2463	1.9	3.8	12.1	2.0	0.3	6.4	43	0.1
51551	0	0	0	0	KGP	48.5658	117.0739	19.5	635.0	327	55532.	2373	1.8	3.5	12.9	1.9	0.3	7.0	66	0.1
51552	0	0	0	0	KGP	48.5658	117.0734	19.5	635.2	332	55531.	2451	1.9	4.9	10.2	2.6	0.5	5.4	52	0.1
51553	0	0	0	0	KGP	48.5658	117.0728	19.5	635.4	345	55530.	2281	1.8	4.1	7.6	2.3	0.5	4.2	56	0.1
51554	0	0	0	0	KGP	48.5658	117.0723	19.5	635.6	361	55529.	2308	2.0	3.5	9.3	1.8	0.4	4.7	39	0.1
51555	0	0	0	0	KGP	48.5658	117.0718	19.5	635.9	373	55529.	2238	1.9	4.7	9.0	2.4	0.5	4.7	55	0.1
51556	0	0	0	0	KGP	48.5658	117.0712	19.5	636.1	378	55528.	2157	1.6	4.6	8.4	2.9	0.5	5.3	36	0.1
51557	0	0	0	0	KGP	48.5658	117.0707	19.5	636.4	378	55527.	2064	1.6	4.5	7.6	2.9	0.6	4.9	52	0.1
51558	0	0	0	0	KGP	48.5658	117.0702	19.5	636.7	378	55525.	2004	1.4	5.1	6.9	3.5	0.7	4.8	34	0.1
51559	0	0	0	0	KGP	48.5658	117.0696	19.5	636.9	382	55524.	2037	1.5	4.7	7.5	3.2	0.6	5.1	51	0.1
51560	0	0	0	0	KGP	48.5658	117.0691	19.6	637.2	390	55523.	2032	1.2	3.5	11.4	2.9	0.3	9.4	40	0.1
51561	0	0	0	0	KGP	48.5658	117.0686	19.6	637.4	401	55523.	2059	1.5	4.2	8.3	2.8	0.5	5.5	44	0.1
51562	0	0	0	0	KGP	48.5658	117.0680	19.6	637.7	411	55523.	2009	1.4	4.6	6.9	3.4	0.7	5.1	41	0.1
51563	0	0	0	0	KGP	48.5658	117.0675	19.6	637.9	418	55525.	2089	1.7	5.1	8.6	3.0	0.6	5.1	39	0.1
51564	0	0	0	0	KGP	48.5658	117.0670	19.6	638.1	422	55526.	2003	1.4	4.1	8.3	2.8	0.5	5.8	39	0.1
51565	0	0	0	0	KGP	48.5658	117.0664	19.6	638.3	418	55528.	2111	1.4	5.0	11.6	3.5	0.4	8.1	40	0.1
51566	0	0	0	0	KGP	48.5657	117.0659	19.6	638.5	409	55530.	2039	1.7	5.1	8.6	3.1	0.6	5.2	34	0.1
51567	0	0	0	0	KGP	48.5657	117.0654	19.6	638.6	394	55530.	2109	1.7	4.8	8.6	2.8	0.6	5.0	39	0.1
51568	0	0	0	0	KGP	48.5657	117.0648	19.6	638.7	379	55529.	2187	1.5	4.6	10.3	3.0	0.4	6.7	37	0.1
51569	0	0	0	0	KGP	48.5657	117.0643	19.6	638.9	370	55530.	2300	2.0	4.6	8.8	2.4	0.5	4.5	42	0.1
51570	0	0	0	0	KGP	48.5657	117.0638	19.6	639.0	371	55530.	2187	1.7	4.8	11.5	2.8	0.4	6.8	60	0.1
51571	0	0	0	0	KGP	48.5657	117.0632	19.6	639.1	373	55532.	2330	2.0	4.3	8.5	2.2	0.5	4.3	53	0.1
51572	0	0	0	0	KGP	48.5657	117.0627	19.6	639.3	373	55535.	2536	1.5	6.1	13.7	4.0	0.4	9.2	34	0.1
51573	0	0	0	0	KGP	48.5657	117.0621	19.7	639.5	366	55536.	2364	1.8	4.0	11.8	2.2	0.3	6.5	32	0.1
51574	0	0	0	0	KGP	48.5657	117.0616	19.7	639.8	355	55537.	2238	1.6	3.7	11.3	2.3	0.3	7.0	49	0.1
51575	0	0	0	0	KGP	48.5657	117.0611	19.7	640.0	339	55537.	2205	1.6	4.1	10.5	2.5	0.4	6.5	51	0.1
51576	0	0	0	0	KGP	48.5657	117.0605	19.7	640.2	317	55537.	2072	1.4	4.0	9.3	2.8	0.4	6.5	36	0.1
51577	0	0	0	0	KGP	48.5657	117.0600	19.7	640.4	297	55536.	1974	1.1	4.7	10.0	4.1	0.5	8.7	50	0.1
51578	0	0	0	0	KGP	48.5657	117.0595	19.7	640.7	274	55536.	1808	1.2	4.5	7.4	3.8	0.6	6.4	48	0.1
51579	0	0	0	0	KGP	48.5657	117.0589	19.7	641.0	259	55536.	1856	1.5	3.3	9.1	2.2	0.4	6.1	46	0.1
51580	0	0	0	0	KGP	48.5657	117.0584	19.7	641.3	249	55537.	1869	1.2	3.2	8.3	2.7	0.4	6.9	55	0.1
51581	0	0	0	0	KGP	48.5657	117.0579	19.7	641.7	248	55538.	1878	1.0	4.0	7.2	4.0	0.6	7.3	31	0.1
51582	0	0	0	0	KGP	48.5657	117.0573	19.8	642.1	252	55538.	1847	1.4	3.6	7.5	2.6	0.5	5.3	39	0.1
51583	0	0	0	0	KGP	48.5657	117.0568	19.8	642.4	257	55537.	1822	1.2	2.3	8.1	1.9	0.3	6.8	33	0.1
51584	0	0	0	0	KGP	48.5657	117.0563	19.8	642.8	267	55536.	1762	1.2	3.6	8.3	3.0	0.4	7.0	57	0.1
51585	0	0	0	0	KGP	48.5657	117.0557	19.8	643.1	282	55535.	1835	1.2	3.2	10.2	2.7	0.3	8.6	46	0.1
51586	0	0	0	0	KGP	48.5657	117.0552	19.8	643.4	303	55535.	1806	1.7	4.2	4.7	2.6	0.9	2.8	45	0.1
51587	0	0	0	0	KGP	48.5657	117.0547	19.8	643.8	325	55534.	1811	1.6	1.8	7.8	1.1	0.2	4.9	27	0.1
51588	0	0	0	0	KGP	48.5657	117.0541	19.8	644.1	348	55534.	1871	1.3	2.5	10.4	1.9	0.2	7.9	42	0.1
51589	0	0	0	0	KGP	48.5657	117.0536	19.8	644.4	365	55533.	1882	1.4	4.0	9.4	2.9	0.4	6.8	32	0.1
51590	0	0	0	0	KGP	48.5657	117.0531	19.9	644.8	371	55532.	1847	1.3	3.1	7.5	2.3	0.4	5.6	32	0.1
51591	0	0	0	0	KGP	48.5657	117.0525	19.9	645.1	370	55532.	1739	1.4	2.4	6.9	1.7	0.3	5.0	48	0.1
51592	0	0	0	0	KGP	48.5657	117.0520	19.9	645.5	369	55531.	1864	1.1	3.8	8.3	3.5	0.5	7.5	30	0.1
51593	0	0	0	0	KGP	48.5657	117.0515	19.9	645.8	377	55530.	1806	1.5	3.6	6.2	2.5	0.6	4.3	47	0.1
51594	0	0	0	0	KGP	48.5657	117.0509	19.9	646.1	388	55530.	1779	1.1	3.3	6.8	2.9	0.5	6.0	43	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 17

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51595	0	0	0	0	KGP	48.5657	117.0504	19.9	646.4	404	55530.	1849	1.3	3.9	9.1	2.9	0.4	6.8	37	0.1
51596	0	0	0	0	KGP	48.5657	117.0499	19.9	646.7	415	55531.	1868	1.6	2.2	8.4	1.3	0.3	5.1	31	0.1
51597	0	0	0	0	KGP	48.5657	117.0493	20.0	647.0	416	55531.	1860	1.5	2.1	8.0	1.4	0.3	5.3	41	0.1
51598	0	0	0	0	KGP	48.5657	117.0488	20.0	647.2	409	55530.	1714	1.4	1.8	9.7	1.3	0.2	6.9	41	0.1
51599	0	0	0	0	KGP	48.5657	117.0483	20.0	647.5	395	55530.	1745	1.5	2.8	6.9	1.9	0.4	4.7	52	0.1
51600	0	0	0	0	KGP	48.5657	117.0477	20.0	647.8	385	55531.	1745	1.6	3.2	7.1	2.0	0.4	4.6	32	0.1
51601	0	0	0	0	KGP	48.5657	117.0472	20.0	648.1	377	55531.	1769	1.3	2.9	7.8	2.2	0.4	6.0	40	0.1
51602	0	0	0	0	KGP	48.5657	117.0467	20.1	648.4	374	55531.	1773	1.2	3.5	7.5	2.8	0.5	6.0	46	0.1
51603	0	0	0	0	KGP	48.5657	117.0461	20.1	648.7	369	55529.	1713	1.2	3.0	7.9	2.6	0.4	6.8	43	0.1
51605	0	0	0	0	KGP	48.5656	117.0451	20.1	648.9	364	55527.	1804	1.3	3.9	7.0	2.9	0.6	5.2	38	0.1
51606	0	0	0	0	KGP	48.5656	117.0445	20.1	649.2	357	55525.	1823	1.6	4.0	7.8	2.5	0.5	4.9	38	0.1
51607	0	0	0	0	KGP	48.5656	117.0440	20.1	649.4	347	55524.	1797	1.6	2.0	9.4	1.3	0.2	6.1	35	0.1
51608	0	0	0	0	KGP	48.5656	117.0435	20.2	649.7	335	55524.	1694	1.3	2.9	6.6	2.2	0.4	5.1	39	0.1
51609	0	0	0	0	KGP	48.5656	117.0429	20.2	649.9	320	55525.	1731	0.9	4.6	7.8	5.0	0.6	8.4	41	0.1
51610	0	0	0	0	KGP	48.5656	117.0424	20.2	650.1	307	55526.	1658	1.5	3.0	8.1	2.0	0.4	5.5	38	0.1
51611	0	0	0	0	KGP	48.5656	117.0418	20.2	650.4	300	55527.	1721	1.2	3.9	4.8	3.4	0.8	4.1	44	0.1
51612	0	0	0	0	KGP	48.5656	117.0413	20.2	650.6	289	55527.	1768	1.4	3.6	7.6	2.5	0.5	5.3	34	0.1
51613	0	0	0	0	KGP	48.5656	117.0408	20.3	650.9	277	55528.	1751	1.5	3.2	4.5	2.1	0.7	3.0	42	0.1
51614	0	0	0	0	KGP	48.5656	117.0403	20.3	651.2	257	55528.	1645	1.1	4.2	4.4	3.7	1.0	3.9	48	0.1
51615	0	0	0	0	QAG	48.5656	117.0397	20.3	651.4	241	55527.	1695	1.2	3.5	7.9	2.8	0.4	6.4	29	0.1
51616	0	0	0	0	QAG	48.5656	117.0392	20.3	651.7	229	55526.	1525	1.0	3.8	5.1	3.9	0.8	5.2	43	0.1
51617	0	0	0	0	QAG	48.5656	117.0387	20.4	652.1	225	55525.	1555	0.9	3.8	5.3	4.4	0.7	6.1	40	0.1
51618	0	0	0	0	QAG	48.5656	117.0381	20.4	652.4	231	55525.	1536	1.3	2.8	4.3	2.1	0.6	3.3	46	0.1
51619	0	0	0	0	QAG	48.5656	117.0376	20.4	652.7	244	55524.	1562	1.1	2.9	3.8	2.7	0.8	3.5	41	0.1
51620	0	0	0	0	QAG	48.5656	117.0370	20.4	653.0	260	55523.	1557	1.4	2.6	5.8	1.8	0.4	4.2	35	0.1
51621	0	0	0	0	QAG	48.5656	117.0365	20.4	653.3	272	55523.	1732	1.2	3.8	5.2	3.1	0.7	4.3	27	0.1
51622	0	0	0	0	QAG	48.5656	117.0360	20.5	653.7	281	55524.	1671	1.4	3.8	7.9	2.7	0.5	5.6	42	0.1
51623	0	0	0	0	QAG	48.5656	117.0354	20.5	654.1	293	55525.	1783	1.3	3.0	6.7	2.3	0.4	5.1	36	0.1
51624	0	0	0	0	QAG	48.5656	117.0349	20.5	654.5	307	55527.	1763	1.1	4.6	4.6	4.4	1.0	4.4	49	0.1
51625	0	0	0	0	QAG	48.5656	117.0344	20.5	654.9	326	55527.	2010	1.7	3.5	8.9	2.0	0.4	5.1	39	0.1
51626	0	0	0	0	QAG	48.5656	117.0338	20.6	655.3	342	55528.	2138	1.4	4.6	7.1	3.4	0.6	5.3	41	0.1
51627	0	0	0	0	QAG	48.5656	117.0333	20.6	655.7	359	55529.	2339	1.5	5.2	8.2	3.4	0.6	5.4	36	0.1
51628	0	0	0	0	KKH	48.5656	117.0328	20.6	656.1	380	55529.	2313	1.9	3.6	10.3	2.0	0.4	5.5	43	0.1
51629	0	0	0	0	KKH	48.5656	117.0322	20.6	656.5	418	55528.	2396	1.4	4.2	12.7	3.0	0.3	8.9	30	0.1
51630	0	0	0	0	KKH	48.5656	117.0317	20.7	656.9	467	55527.	2516	1.5	5.1	9.9	3.4	0.5	6.5	45	0.1
51631	0	0	0	0	KKH	48.5656	117.0311	20.7	657.4	501	55526.	2577	2.1	4.6	11.7	2.2	0.4	5.7	42	0.1
51632	0	0	0	0	KKH	48.5656	117.0305	20.7	657.7	512	55524.	2525	1.7	4.0	11.7	2.4	0.3	7.0	36	0.1
51633	0	0	0	0	KKH	48.5656	117.0299	20.7	658.1	495	55526.	2214	1.7	5.5	8.0	3.2	0.7	4.7	32	0.1
51634	0	0	0	0	KKH	48.5656	117.0293	20.8	658.5	473	55527.	2194	1.2	5.0	10.5	4.4	0.5	9.2	36	0.1
51635	0	0	0	0	KKH	48.5656	117.0287	20.8	658.9	448	55527.	2135	1.5	2.8	10.8	1.9	0.3	7.2	45	0.1
51636	0	0	0	0	KKH	48.5656	117.0281	20.8	659.3	425	55527.	2162	1.5	3.4	11.6	2.3	0.3	7.7	31	0.1
51637	0	0	0	0	KKH	48.5656	117.0275	20.8	659.6	402	55527.	2064	1.6	3.7	9.7	2.4	0.4	6.1	44	0.1
51638	0	0	0	0	KKH	48.5656	117.0269	20.9	660.0	384	55527.	2136	1.6	3.5	10.1	2.1	0.3	6.2	38	0.1
51639	0	0	0	0	KKH	48.5656	117.0263	20.9	660.2	369	55527.	2226	1.4	4.3	9.6	3.2	0.4	7.1	35	0.1
51640	0	0	0	0	KKH	48.5656	117.0257	20.9	660.5	356	55530.	2201	1.5	3.5	11.1	2.4	0.3	7.5	35	0.1
51641	0	0	0	0	KKH	48.5656	117.0251	21.0	660.9	348	55532.	2288	1.8	4.1	10.4	2.2	0.4	5.7	27	0.1
51642	0	0	0	0	KKH	48.5656	117.0245	21.0	661.1	360	55534.	2348	1.8	3.8	11.3	2.1	0.3	6.3	38	0.1
51643	0	0	0	0	KKH	48.5656	117.0239	21.0	661.4	374	55535.	2485	1.6	5.5	9.9	3.4	0.6	6.1	43	0.1
51644	0	0	0	0	KKH	48.5656	117.0233	21.0	661.7	377	55537.	2536	1.7	4.6	11.4	2.8	0.4	6.9	36	0.1
51645	0	0	0	0	QAG	48.5656	117.0227	21.1	662.0	357	55538.	2485	2.1	3.5	11.5	1.7	0.3	5.6	46	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 17							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51646	0	0	0	0	QAG	48.5656	117.0221	21.1	662.3	333	55538.	2451	2.0	4.5	10.6	2.2	0.4	5.2	41	0.1
51647	0	0	0	0	QAG	48.5656	117.0215	21.1	662.6	313	55536.	2364	1.8	4.2	13.0	2.3	0.3	7.2	28	0.1
51648	0	0	0	0	QAG	48.5656	117.0209	21.1	662.9	314	55537.	2255	1.4	4.3	9.4	3.0	0.5	6.5	37	0.1
51649	0	0	0	0	QAG	48.5656	117.0203	21.2	663.3	328	55535.	2144	1.7	4.5	8.6	2.6	0.5	4.9	35	0.1
51650	0	0	0	0	QAG	48.5656	117.0197	21.2	663.6	343	55532.	2094	1.3	5.1	10.0	3.8	0.5	7.5	38	0.1
51651	0	0	0	0	QAG	48.5656	117.0191	21.2	664.0	349	55531.	2065	1.5	3.8	8.2	2.6	0.5	5.6	30	0.1
51652	0	0	0	0	QAG	48.5656	117.0185	21.2	664.3	350	55531.	1953	1.7	1.8	10.0	1.1	0.2	5.9	37	0.1
51653	0	0	0	0	QAG	48.5655	117.0179	21.2	664.7	354	55530.	1891	1.6	4.1	5.0	2.6	0.8	3.2	46	0.1
51654	0	0	0	0	QAG	48.5655	117.0173	21.3	665.1	358	55531.	1937	1.3	3.8	7.3	2.9	0.5	5.6	42	0.1
51655	0	0	0	0	QAG	48.5655	117.0167	21.3	665.5	356	55531.	1932	1.7	3.4	5.8	2.0	0.6	3.4	30	0.1
51656	0	0	0	0	QAG	48.5655	117.0161	21.3	665.9	350	55531.	1921	1.2	3.8	8.6	3.1	0.4	7.2	37	0.1
51657	0	0	0	0	QAG	48.5655	117.0155	21.3	666.3	341	55530.	1922	1.3	3.8	8.9	3.1	0.4	7.1	41	0.1
51658	0	0	0	0	QAG	48.5655	117.0150	21.3	666.7	335	55529.	1897	1.2	3.5	8.0	2.9	0.4	6.5	46	0.1
51659	0	0	0	0	QAG	48.5655	117.0143	21.3	667.0	333	55527.	2068	1.2	6.2	7.5	5.0	0.8	6.1	29	0.1
51660	0	0	0	0	QAG	48.5655	117.0137	21.3	667.3	335	55526.	2111	1.7	3.9	10.5	2.4	0.4	6.3	34	0.1
51661	0	0	0	0	QAG	48.5655	117.0132	21.3	667.6	341	55526.	2140	1.7	5.6	6.6	3.3	0.9	3.9	36	0.1
51662	0	0	0	0	QAG	48.5655	117.0125	21.4	668.0	350	55528.	2106	1.5	3.8	10.7	2.5	0.4	7.0	37	0.1
51663	0	0	0	0	QAG	48.5655	117.0119	21.4	668.2	376	55530.	2236	1.7	5.5	9.9	3.2	0.6	5.8	27	0.1
51664	0	0	0	0	QAG	48.5655	117.0114	21.4	668.5	411	55533.	2292	2.1	4.6	8.0	2.2	0.6	3.8	36	0.1
51665	0	0	0	0	QAG	48.5655	117.0107	21.4	668.7	450	55534.	2532	2.1	3.5	11.6	1.7	0.3	5.5	24	0.1
51666	0	0	0	0	QAG	48.5655	117.0102	21.4	668.9	471	55535.	2601	2.1	3.6	11.9	1.7	0.3	5.6	25	0.1
51667	0	0	0	0	QAG	48.5655	117.0096	21.4	669.1	470	55536.	2707	2.1	6.0	11.2	2.8	0.5	5.2	36	0.1
51668	0	0	0	0	KKH	48.5655	117.0091	21.4	669.3	448	55538.	2668	2.3	5.5	11.1	2.4	0.5	4.8	33	0.1
51669	0	0	0	0	KKH	48.5654	117.0085	21.4	669.4	418	55539.	2431	2.3	5.2	6.5	2.2	0.8	2.8	37	0.1
51670	0	0	0	0	KKH	48.5654	117.0080	21.4	669.5	390	55540.	2428	2.2	3.9	9.5	1.8	0.4	4.4	39	0.1
51671	0	0	0	0	KKH	48.5654	117.0074	21.4	669.6	374	55540.	2211	2.0	3.9	8.1	2.0	0.5	4.1	35	0.1
51672	0	0	0	0	KKH	48.5654	117.0069	21.4	669.7	364	55540.	2216	1.5	5.7	7.8	3.8	0.7	5.2	30	0.1
51673	0	0	0	0	KKH	48.5654	117.0063	21.4	669.8	356	55540.	2089	1.5	3.9	8.2	2.7	0.5	5.6	38	0.1
51674	0	0	0	0	KKH	48.5653	117.0058	21.5	669.9	346	55541.	2060	1.9	2.4	9.8	1.3	0.2	5.2	34	0.1
51675	0	0	0	0	KKH	48.5653	117.0052	21.5	670.0	339	55542.	1929	1.5	2.8	7.7	1.9	0.4	5.1	32	0.1
51676	0	0	0	0	KKH	48.5653	117.0047	21.5	670.1	333	55542.	1900	1.7	3.8	6.9	2.2	0.6	4.0	34	0.1
51677	0	0	0	0	KKH	48.5653	117.0041	21.5	670.1	328	55541.	1797	1.6	3.9	6.4	2.5	0.6	4.1	21	0.1
51678	0	0	0	0	KKH	48.5652	117.0036	21.5	670.2	331	55540.	1838	1.2	4.5	6.3	3.6	0.7	5.1	38	0.1
51679	0	0	0	0	KKH	48.5652	117.0031	21.5	670.3	348	55540.	1772	1.6	3.0	7.5	1.9	0.4	4.8	46	0.1
51680	0	0	0	0	KKH	48.5652	117.0025	21.5	670.3	377	55539.	2030	1.5	5.2	6.7	3.5	0.8	4.6	33	0.1
51681	0	0	0	0	KKH	48.5652	117.0020	21.5	670.4	404	55539.	2032	1.2	5.2	7.8	4.2	0.7	6.4	31	0.1
51682	0	0	0	0	KKH	48.5652	117.0014	21.5	670.5	427	55540.	1971	1.5	3.0	7.6	2.0	0.4	4.9	39	0.1
51683	0	0	0	0	KKH	48.5652	117.0009	21.5	670.5	433	55542.	1977	1.4	6.0	6.8	4.4	0.9	5.0	31	0.1
51684	0	0	0	0	KKH	48.5651	117.0003	21.5	670.6	422	55547.	1917	1.4	5.0	8.2	3.7	0.6	6.0	34	0.1
51685	0	0	0	0	KKH	48.5651	116.9998	21.5	670.6	401	55551.	1896	1.3	6.1	6.4	4.6	1.0	4.8	29	0.1
51686	0	0	0	0	KKH	48.5651	116.9992	21.5	670.6	388	55555.	1784	1.2	3.5	6.8	2.9	0.5	5.8	28	0.1
51687	0	0	0	0	KKH	48.5651	116.9987	21.5	670.7	386	55558.	1817	1.5	2.7	7.7	1.8	0.3	5.1	28	0.1
51688	0	0	0	0	KKH	48.5650	116.9981	21.5	670.7	387	55562.	1882	1.5	3.3	6.7	2.2	0.5	4.4	42	0.1
51689	0	0	0	0	KKH	48.5650	116.9976	21.5	670.7	384	55567.	1867	1.5	2.6	11.3	1.7	0.2	7.4	28	0.1
51690	0	0	0	0	KKH	48.5650	116.9970	21.5	670.6	378	55571.	1954	1.4	4.2	9.7	3.1	0.4	7.0	40	0.1
51691	0	0	0	0	KKH	48.5650	116.9965	21.5	670.7	374	55575.	1886	1.6	2.6	7.5	1.6	0.3	4.6	30	0.1
51692	0	0	0	0	KKH	48.5649	116.9959	21.5	670.6	372	55575.	1921	1.3	5.5	6.6	4.4	0.8	5.3	37	0.1
51693	0	0	0	0	KKH	48.5649	116.9954	21.5	670.6	375	55574.	1966	1.2	3.2	9.8	2.7	0.3	8.2	35	0.1
51694	0	0	0	0	KKH	48.5649	116.9948	21.5	670.6	383	55572.	1976	1.6	3.4	7.3	2.2	0.5	4.6	35	0.1

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 18								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52151	0	0	0	0	KKH	48.5636	117.2431	20.4	668.2	316	55740.	2273	2.1	3.6	7.6	1.7	0.5	3.6	36	0.2
52150	0	0	0	0	KKH	48.5636	117.2425	20.4	668.1	330	55743.	2344	2.5	2.7	9.1	1.1	0.3	3.6	31	0.2
52149	0	0	0	0	KKH	48.5636	117.2419	20.4	668.0	349	55746.	2324	2.5	2.8	9.3	1.1	0.3	3.7	32	0.2
52148	0	0	0	0	KKH	48.5636	117.2412	20.4	667.9	359	55748.	2269	2.6	3.2	6.8	1.2	0.5	2.6	35	0.2
52147	0	0	0	0	KKH	48.5636	117.2406	20.4	667.6	365	55750.	2288	2.2	4.0	8.6	1.8	0.5	3.9	40	0.2
52146	0	0	0	0	KKH	48.5636	117.2399	20.4	667.3	360	55754.	2158	2.5	2.0	11.9	0.8	0.2	4.7	26	0.2
52145	0	0	0	0	KKH	48.5636	117.2393	20.4	667.1	358	55758.	2177	2.2	2.3	9.1	1.0	0.3	4.1	36	0.2
52144	0	0	0	0	KKH	48.5636	117.2387	20.4	666.8	356	55762.	2188	1.8	4.0	6.8	2.3	0.6	3.8	39	0.2
52143	0	0	0	0	KKH	48.5636	117.2380	20.4	666.6	360	55764.	2059	2.0	2.1	10.3	1.0	0.2	5.1	32	0.2
52142	0	0	0	0	KKH	48.5636	117.2374	20.4	666.3	366	55764.	2170	2.0	3.3	8.1	1.7	0.4	4.1	25	0.2
52141	0	0	0	0	KKH	48.5636	117.2368	20.4	666.0	369	55764.	2068	1.9	3.2	9.7	1.7	0.3	5.1	35	0.2
52140	0	0	0	0	KKH	48.5636	117.2361	20.4	665.7	374	55766.	2063	1.6	3.8	8.6	2.3	0.4	5.3	35	0.2
52139	0	0	0	0	KKH	48.5636	117.2355	20.4	665.4	379	55767.	2048	1.6	4.3	9.0	2.6	0.5	5.5	43	0.2
52138	0	0	0	0	KG	48.5636	117.2348	20.4	665.1	385	55770.	2072	2.1	1.9	8.4	0.9	0.2	4.0	46	0.2
52137	0	0	0	0	KG	48.5636	117.2342	20.4	664.8	392	55773.	2083	2.0	4.2	6.0	2.1	0.7	2.9	28	0.2
52136	0	0	0	0	KG	48.5636	117.2336	20.4	664.5	396	55773.	2127	2.1	2.7	8.8	1.3	0.3	4.2	21	0.2
52135	0	0	0	0	QAG	48.5636	117.2329	20.3	664.1	397	55773.	2197	2.2	2.4	9.0	1.1	0.3	4.1	32	0.2
52134	0	0	1	0	QAG	48.5636	117.2323	20.3	663.8	391	55773.	2015	1.9	0.4	10.8	0.2	0.0	5.6	35	0.2
52133	0	0	0	0	QAG	48.5636	117.2317	20.3	663.5	383	55772.	2042	1.9	2.2	11.0	1.2	0.2	5.8	26	0.1
52132	0	0	0	0	QAG	48.5636	117.2310	20.3	663.1	367	55774.	2011	2.0	2.6	9.8	1.3	0.3	5.0	40	0.1
52131	0	0	0	0	QAG	48.5636	117.2304	20.3	662.8	353	55776.	1844	1.6	3.3	7.4	2.1	0.5	4.6	40	0.1
52130	0	0	0	0	QAG	48.5636	117.2297	20.3	662.4	341	55778.	1899	2.0	1.8	8.4	0.9	0.2	4.1	32	0.1
52129	0	0	0	0	QAG	48.5636	117.2291	20.3	662.0	341	55778.	1874	1.8	3.6	8.5	2.1	0.4	4.8	35	0.1
52128	0	0	0	0	QAG	48.5636	117.2285	20.3	661.6	347	55775.	1861	1.6	3.0	7.7	1.9	0.4	4.8	39	0.1
52127	0	0	0	0	QAG	48.5636	117.2278	20.3	661.3	355	55770.	1995	1.9	3.0	8.3	1.6	0.4	4.3	46	0.1
52126	0	0	0	0	QAG	48.5636	117.2272	20.3	660.9	358	55764.	1922	1.9	3.7	7.4	1.9	0.5	3.9	35	0.1
52125	0	0	0	0	QAG	48.5636	117.2265	20.3	660.5	358	55759.	1915	1.5	3.4	9.2	2.3	0.4	6.2	46	0.1
52124	0	0	0	0	QAG	48.5636	117.2259	20.3	660.1	357	55757.	1956	1.9	3.7	8.6	1.9	0.4	4.4	34	0.1
52123	0	0	0	0	QAG	48.5636	117.2253	20.2	659.6	360	55755.	1967	1.9	2.6	9.8	1.4	0.3	5.2	41	0.1
52122	0	0	0	0	QAG	48.5636	117.2246	20.2	659.2	366	55755.	1978	1.4	4.8	8.3	3.3	0.6	5.7	43	0.1
52120	0	0	0	0	KG	48.5636	117.2234	20.2	658.8	375	55754.	2076	1.6	3.7	12.1	2.3	0.3	7.6	26	0.1
52119	0	0	0	0	KG	48.5636	117.2227	20.2	658.3	384	55754.	2132	1.7	4.0	9.7	2.3	0.4	5.7	35	0.1
52118	0	0	0	0	KG	48.5636	117.2221	20.2	657.8	388	55754.	2094	1.7	4.9	8.5	2.9	0.6	5.0	35	0.1
52117	0	0	0	0	KG	48.5636	117.2215	20.2	657.4	386	55756.	2079	2.0	2.6	8.0	1.3	0.3	4.1	40	0.1
52116	0	0	0	0	KG	48.5636	117.2208	20.2	656.8	380	55760.	2064	1.5	3.7	10.6	2.4	0.3	6.9	31	0.1
52115	0	0	0	0	KG	48.5636	117.2202	20.2	656.4	372	55765.	2014	1.9	2.7	9.9	1.5	0.3	5.3	38	0.1
52114	0	0	0	0	KG	48.5636	117.2195	20.2	655.8	365	55773.	2062	1.8	3.0	8.7	1.7	0.3	4.9	37	0.1
52113	0	0	0	0	KG	48.5636	117.2189	20.1	655.3	363	55779.	1984	1.6	3.0	8.3	1.9	0.4	5.2	44	0.1
52112	0	0	0	0	KG	48.5636	117.2183	20.1	654.7	367	55783.	1987	1.3	4.5	7.1	3.6	0.6	5.6	32	0.1
52111	0	0	0	0	KG	48.5636	117.2176	20.1	654.1	380	55782.	1915	1.6	2.6	7.5	1.7	0.4	4.8	39	0.1
52110	0	0	0	0	KG	48.5636	117.2170	20.1	653.6	398	55778.	2003	1.7	3.4	8.1	2.0	0.4	4.7	51	0.1
52109	0	0	0	0	KG	48.5636	117.2164	20.1	653.0	422	55773.	2074	1.7	3.5	9.6	2.0	0.4	5.5	34	0.2
52108	0	0	0	0	KG	48.5636	117.2157	20.0	652.3	441	55769.	2213	2.0	3.5	8.8	1.8	0.4	4.4	42	0.2
52107	0	0	0	0	KG	48.5636	117.2151	20.0	651.7	450	55769.	2313	2.1	3.3	10.4	1.6	0.3	5.1	39	0.2
52106	0	0	0	0	KG	48.5636	117.2144	20.0	651.1	449	55772.	2361	2.5	2.7	8.0	1.1	0.3	3.2	36	0.2
52105	0	0	0	0	KG	48.5636	117.2138	20.0	650.4	438	55775.	2342	2.1	5.3	7.3	2.5	0.7	3.4	43	0.2
52104	0	0	0	0	KG	48.5636	117.2132	19.9	649.7	426	55777.	2240	2.0	3.8	9.6	1.9	0.4	4.8	47	0.2
52103	0	0	0	0	KG	48.5636	117.2125	19.9	649.0	415	55778.	2206	2.1	3.7	10.0	1.8	0.4	4.8	31	0.2
52102	0	0	0	0	KG	48.5636	117.2119	19.9	648.4	413	55776.	2012	1.9	2.2	8.3	1.1	0.3	4.4	46	0.2
52101	0	0	0	0	KG	48.5636	117.2112	19.9	647.6	425	55771.	1972	1.7	2.7	8.7	1.5	0.3	5.0	35	0.2

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 18								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52100	0	0	0	0	KG	48.5636	117.2106	19.8	646.9	450	55765.	1911	1.6	2.6	9.4	1.6	0.3	5.9	39	0.2
52099	0	0	0	0	KG	48.5636	117.2100	19.8	646.2	489	55757.	2057	2.0	1.7	7.9	0.9	0.2	4.0	41	0.2
52098	0	0	0	0	KG	48.5636	117.2093	19.8	645.5	530	55752.	2138	1.6	5.0	6.0	3.0	0.8	3.6	36	0.2
52097	0	0	0	0	KG	48.5636	117.2087	19.8	644.8	560	55749.	2340	2.0	5.7	8.2	2.8	0.7	4.1	24	0.2
52096	0	0	0	0	KG	48.5636	117.2081	19.8	644.1	573	55748.	2328	2.0	2.9	12.2	1.4	0.2	6.1	51	0.2
52095	0	0	0	0	KG	48.5636	117.2074	19.7	643.4	569	55752.	2335	2.0	3.2	9.8	1.6	0.3	4.8	43	0.2
52094	0	0	0	0	KG	48.5636	117.2068	19.7	642.7	557	55756.	2539	2.1	3.8	10.8	1.8	0.4	5.2	33	0.2
52093	0	0	0	0	KG	48.5636	117.2061	19.7	642.0	536	55762.	2499	1.9	5.0	12.3	2.7	0.4	6.6	32	0.2
52092	0	0	0	0	KG	48.5636	117.2055	19.7	641.4	508	55769.	2340	1.8	3.7	7.2	2.0	0.5	3.9	43	0.2
52091	0	0	0	0	KG	48.5636	117.2049	19.6	640.7	477	55776.	2285	1.8	3.1	12.7	1.7	0.2	7.1	33	0.2
52090	0	0	0	0	KG	48.5636	117.2042	19.6	640.1	449	55784.	2279	2.0	4.7	8.4	2.4	0.6	4.3	46	0.2
52089	0	0	0	0	KG	48.5636	117.2036	19.6	639.5	428	55793.	2329	2.2	2.8	11.7	1.3	0.2	5.4	34	0.2
52088	0	0	0	0	KG	48.5636	117.2030	19.6	639.0	411	55804.	2221	2.1	2.6	11.7	1.3	0.2	5.7	54	0.2
52087	0	0	0	0	KG	48.5636	117.2023	19.6	638.4	395	55814.	2238	1.6	4.3	9.9	2.7	0.4	6.3	42	0.2
52086	0	0	0	0	KG	48.5636	117.2017	19.5	637.9	374	55824.	2103	1.4	3.3	10.8	2.3	0.3	7.5	54	0.2
52085	0	0	0	0	KG	48.5636	117.2010	19.5	637.4	346	55835.	2043	1.7	2.5	10.1	1.4	0.2	5.8	45	0.2
52084	0	0	0	0	KG	48.5636	117.2004	19.5	637.0	317	55845.	1911	1.6	2.2	7.8	1.4	0.3	5.0	42	0.2
52083	0	0	0	0	KG	48.5636	117.1998	19.5	636.6	290	55854.	1854	1.7	1.8	11.2	1.0	0.2	6.6	43	0.2
52082	0	0	0	0	KG	48.5636	117.1991	19.5	636.2	273	55861.	1669	1.4	2.2	6.9	1.6	0.3	5.0	53	0.2
52081	0	0	0	0	KG	48.5636	117.1985	19.5	635.9	260	55864.	1646	1.4	2.3	5.7	1.6	0.4	4.0	54	0.2
52080	0	0	0	0	KG	48.5636	117.1979	19.5	635.6	250	55866.	1507	1.2	2.0	8.0	1.6	0.2	6.6	41	0.2
52079	0	0	0	0	KG	48.5636	117.1972	19.4	635.4	237	55865.	1587	1.2	2.3	7.2	1.9	0.3	5.8	35	0.2
52078	0	0	0	0	KG	48.5636	117.1966	19.4	635.2	236	55865.	1629	1.0	3.3	8.0	3.2	0.4	7.8	43	0.2
52077	0	0	0	0	KG	48.5636	117.1959	19.4	635.0	248	55864.	1726	1.6	3.1	6.2	2.0	0.5	3.9	49	0.1
52076	0	0	0	0	KG	48.5636	117.1953	19.4	634.9	272	55860.	2006	1.7	3.1	6.4	1.8	0.5	3.8	36	0.1
52075	0	0	0	0	KG	48.5636	117.1947	19.4	634.9	296	55853.	2010	2.1	1.8	9.7	0.9	0.2	4.7	44	0.1
52074	0	0	0	0	KG	48.5636	117.1940	19.4	634.8	319	55842.	2058	1.7	2.8	7.8	1.7	0.4	4.6	43	0.1
52073	0	0	0	0	KG	48.5636	117.1934	19.4	634.8	336	55830.	1894	1.5	2.5	8.0	1.6	0.3	5.3	42	0.1
52072	0	0	0	0	KG	48.5636	117.1927	19.4	634.8	344	55819.	1926	1.4	4.3	6.9	3.2	0.6	5.0	31	0.1
52071	0	0	0	0	KG	48.5636	117.1921	19.3	634.8	343	55811.	1733	1.5	2.6	7.3	1.7	0.4	4.8	39	0.1
52070	0	0	0	0	KG	48.5636	117.1915	19.3	634.9	344	55804.	1641	1.4	3.0	6.0	2.2	0.5	4.4	47	0.1
52069	0	0	0	0	KG	48.5636	117.1908	19.3	635.0	352	55801.	1616	1.3	2.6	5.7	2.0	0.5	4.4	34	0.1
52068	0	0	0	0	KG	48.5636	117.1902	19.3	635.1	376	55798.	1705	1.5	2.9	5.2	2.0	0.6	3.5	37	0.1
52067	0	0	0	0	KG	48.5636	117.1896	19.3	635.2	398	55794.	1850	1.7	3.1	6.1	1.9	0.5	3.6	48	0.1
52066	0	0	0	0	KG	48.5636	117.1889	19.3	635.2	418	55787.	1724	1.5	1.8	7.9	1.2	0.2	5.2	51	0.1
52065	0	0	0	0	KG	48.5636	117.1883	19.3	635.3	434	55774.	1775	1.1	4.0	6.1	3.6	0.7	5.4	49	0.1
52064	0	0	0	0	KG	48.5636	117.1877	19.3	635.3	452	55760.	1855	1.5	2.9	6.3	2.0	0.5	4.2	42	0.1
52063	0	0	0	0	KG	48.5636	117.1870	19.3	635.3	471	55750.	1874	1.6	2.0	9.9	1.2	0.2	6.1	27	0.1
52062	0	0	0	0	KG	48.5636	117.1864	19.3	635.3	487	55744.	1867	1.4	2.5	8.7	1.8	0.3	6.1	43	0.1
52061	0	0	0	0	QAG	48.5636	117.1857	19.2	635.3	493	55743.	1799	1.2	3.6	7.5	3.1	0.5	6.4	50	0.1
52060	0	0	0	0	QAG	48.5636	117.1851	19.2	635.3	491	55742.	1795	1.2	3.4	9.8	2.9	0.3	8.4	44	0.1
52059	0	0	0	0	QAG	48.5636	117.1845	19.2	635.3	473	55741.	1721	1.1	4.7	5.2	4.2	0.9	4.6	47	0.1
52058	0	0	0	0	QAG	48.5636	117.1838	19.2	635.2	453	55739.	1625	1.3	3.0	7.4	2.4	0.4	6.0	44	0.1
52057	0	0	0	0	QAG	48.5636	117.1832	19.2	635.1	432	55738.	1729	1.4	3.0	8.2	2.2	0.4	6.0	28	0.1
52056	0	0	0	0	QAG	48.5636	117.1825	19.2	635.0	416	55738.	1660	1.4	2.4	5.9	1.6	0.4	4.1	41	0.1
52055	0	0	0	0	QAG	48.5636	117.1819	19.2	634.9	403	55740.	1678	1.4	3.3	6.8	2.4	0.5	5.1	32	0.1
52054	0	0	0	0	QAG	48.5636	117.1813	19.2	634.7	392	55741.	1669	1.5	3.4	5.5	2.3	0.6	3.7	44	0.1
52053	0	0	0	0	QAG	48.5636	117.1806	19.2	634.6	386	55738.	1638	1.4	2.9	7.1	2.1	0.4	5.0	53	0.1
52052	0	0	0	0	KG	48.5636	117.1800	19.2	634.4	385	55733.	1652	1.1	3.2	8.4	3.0	0.4	7.9	44	0.1
52051	0	0	0	0	KG	48.5636	117.1794	19.2	634.2	390	55724.	1661	1.3	3.4	7.1	2.7	0.5	5.5	42	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 18									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52050	0	0	0	0	KG	48.5636	117.1787	19.2	634.0	397	55711.	1682	1.1	2.9	8.1	2.6	0.4	7.5	35	0.1
52049	0	0	0	0	KG	48.5636	117.1781	19.2	633.7	396	55698.	1816	1.5	2.7	10.0	1.8	0.3	6.9	41	0.1
52048	0	0	0	0	KG	48.5636	117.1774	19.2	633.5	388	55684.	1740	1.1	2.8	7.7	2.6	0.4	7.2	48	0.1
52047	0	0	0	0	KG	48.5636	117.1768	19.2	633.2	375	55669.	1773	1.3	3.5	6.3	2.7	0.6	4.8	49	0.1
52046	0	0	0	0	KG	48.5636	117.1762	19.1	632.9	365	55657.	1783	1.2	4.5	7.1	3.7	0.6	5.9	49	0.1
52045	0	0	0	0	KG	48.5636	117.1755	19.1	632.7	355	55644.	1822	1.6	2.3	11.9	1.5	0.2	7.6	42	0.1
52044	0	0	0	0	KG	48.5636	117.1749	19.1	632.4	348	55633.	1654	1.4	3.5	5.6	2.5	0.6	4.1	43	0.1
52043	0	0	0	0	KG	48.5636	117.1743	19.1	632.1	346	55622.	1721	1.7	1.3	8.4	0.8	0.2	5.1	41	0.1
52042	0	0	0	0	KG	48.5636	117.1736	19.1	631.9	353	55611.	1785	1.4	2.6	7.4	1.8	0.4	5.2	41	0.1
52041	0	0	0	0	KG	48.5636	117.1730	19.1	631.6	360	55601.	1867	1.5	3.5	8.7	2.4	0.4	5.9	40	0.1
52040	0	0	0	0	QAG	48.5636	117.1723	19.1	631.4	362	55594.	1892	1.8	1.3	8.9	0.7	0.2	4.9	47	0.1
52039	0	0	0	0	QAG	48.5636	117.1717	19.1	631.2	355	55590.	1883	1.7	3.4	7.7	2.0	0.4	4.6	47	0.1
52038	0	0	0	0	QAG	48.5636	117.1711	19.1	631.0	345	55589.	1886	1.5	3.1	8.8	2.0	0.3	5.7	54	0.1
52037	0	0	0	0	QAG	48.5636	117.1704	19.1	630.7	336	55592.	1857	1.4	2.2	8.9	1.5	0.2	6.2	54	0.1
52036	0	0	0	0	QAG	48.5636	117.1698	19.1	630.5	335	55594.	1717	1.3	3.0	4.3	2.3	0.7	3.2	62	0.1
52035	0	0	0	0	QAG	48.5636	117.1692	19.1	630.2	347	55596.	1759	1.3	2.8	8.6	2.1	0.3	6.4	41	0.1
52034	0	0	0	0	QAG	48.5636	117.1685	19.1	630.0	376	55598.	1630	1.5	1.6	7.5	1.1	0.2	4.9	50	0.1
52033	0	0	0	0	QAG	48.5636	117.1679	19.1	629.8	418	55598.	1391	1.2	1.3	6.1	1.1	0.2	5.2	46	0.1
52032	0	0	0	0	QAG	48.5636	117.1673	19.1	629.6	455	55599.	1269	0.8	1.5	4.4	2.0	0.3	5.9	37	0.1
52031	0	0	1	0	QAG	48.5636	117.1667	19.1	629.3	478	55599.	1186	1.0	1.2	5.3	1.1	0.2	5.1	39	0.1
52029	0	0	0	0	QAG	48.5636	117.1657	19.1	629.1	494	55599.	1185	0.7	1.8	3.4	2.4	0.5	4.6	37	0.1
52028	0	0	0	0	KHM	48.5636	117.1653	19.0	628.8	502	55601.	1283	1.0	1.6	6.2	1.7	0.3	6.4	38	0.1
52027	0	0	0	0	KHM	48.5636	117.1648	19.0	628.5	514	55602.	1639	0.9	3.1	8.1	3.5	0.4	9.1	46	0.1
52026	0	0	0	0	KHM	48.5636	117.1643	19.0	628.2	523	55604.	1860	1.2	4.2	8.0	3.5	0.5	6.6	33	0.1
52025	0	0	0	0	KHM	48.5636	117.1638	19.0	627.9	532	55606.	1994	1.7	4.6	8.6	2.7	0.5	5.0	58	0.1
52024	0	0	0	0	KHM	48.5636	117.1633	19.0	627.6	528	55607.	2391	1.5	5.0	13.1	3.3	0.4	8.7	36	0.1
52023	0	0	0	0	KHM	48.5635	117.1628	19.0	627.2	514	55609.	2453	1.6	5.6	11.1	3.6	0.5	7.1	51	0.1
52022	0	0	0	0	KHM	48.5635	117.1623	19.0	626.9	493	55612.	2477	2.3	3.2	13.5	1.4	0.2	6.0	38	0.1
52021	0	0	0	0	KHM	48.5635	117.1618	19.0	626.5	465	55615.	2578	2.2	5.1	13.0	2.4	0.4	6.0	44	0.1
52020	0	0	0	0	KHM	48.5635	117.1613	19.0	626.2	438	55620.	2699	1.4	4.7	16.6	3.3	0.3	11.7	46	0.1
52019	0	0	0	0	KHM	48.5635	117.1608	19.0	625.8	412	55626.	2633	2.1	4.4	12.8	2.1	0.3	6.0	59	0.1
52018	0	0	0	0	KHM	48.5635	117.1603	19.0	625.5	395	55631.	2699	2.2	3.6	17.0	1.6	0.2	7.7	48	0.1
52017	0	0	0	0	KHM	48.5635	117.1598	19.0	625.2	370	55637.	2668	1.9	5.6	13.6	3.0	0.4	7.3	56	0.1
52016	0	0	0	0	KHM	48.5635	117.1593	19.0	624.9	340	55644.	2777	2.1	4.5	15.1	2.1	0.3	7.2	45	0.1
52015	0	0	0	0	KHM	48.5635	117.1588	19.0	624.5	302	55652.	2721	1.8	4.4	15.9	2.4	0.3	8.6	50	0.1
52014	0	0	0	0	KHM	48.5635	117.1583	19.0	624.3	270	55661.	2647	1.5	4.9	13.3	3.2	0.4	8.6	40	0.1
52013	0	0	0	0	KHM	48.5635	117.1578	19.0	624.0	251	55672.	2514	1.7	4.5	11.8	2.7	0.4	7.0	50	0.1
52012	0	0	0	0	KHM	48.5635	117.1573	19.0	623.8	236	55683.	2496	1.9	3.1	13.8	1.6	0.2	7.2	53	0.1
52011	0	0	0	0	KHM	48.5635	117.1568	19.1	623.7	231	55693.	2559	2.1	3.6	15.3	1.7	0.2	7.4	58	0.1
52010	0	0	0	0	KHM	48.5635	117.1563	19.1	623.5	223	55702.	2905	1.6	5.1	13.8	3.2	0.4	8.6	57	0.1
52009	0	0	0	0	KHM	48.5635	117.1558	19.1	623.4	225	55705.	2863	2.0	4.9	12.9	2.4	0.4	6.4	59	0.1
52008	0	0	0	0	KHM	48.5635	117.1553	19.1	623.4	226	55706.	2966	1.9	6.2	14.1	3.3	0.4	7.6	53	0.1
52007	0	0	0	0	KHM	48.5634	117.1548	19.1	623.4	232	55705.	2949	2.0	5.8	14.7	3.0	0.4	7.5	61	0.1
52006	0	0	0	0	KHM	48.5634	117.1543	19.1	623.4	235	55703.	3051	2.3	5.0	14.8	2.2	0.3	6.5	59	0.1
52005	0	0	0	0	KHM	48.5634	117.1538	19.1	623.5	238	55704.	3122	2.3	4.1	15.2	1.7	0.3	6.5	49	0.1
52004	0	0	0	0	KHM	48.5634	117.1533	19.1	623.7	242	55705.	3123	2.0	5.8	14.9	2.9	0.4	7.4	43	0.1
52003	0	0	0	0	KHM	48.5634	117.1528	19.1	623.9	250	55706.	3172	2.0	6.2	11.6	3.1	0.5	5.8	52	0.1
52002	0	0	0	0	KHM	48.5634	117.1523	19.1	624.1	254	55706.	3036	2.0	5.3	15.7	2.7	0.3	7.9	55	0.1
52001	0	0	0	0	KHM	48.5634	117.1518	19.1	624.4	266	55704.	3055	2.2	5.1	14.6	2.3	0.3	6.6	60	0.1
52000	0	0	0	0	KHM	48.5634	117.1513	19.1	624.7	280	55699.	3035	2.2	5.0	14.8	2.3	0.3	6.9	56	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 18							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51999	0	0	0	0	KHM	48.5634	117.1508	19.1	625.1	293	55697.	3137	2.2	5.0	14.4	2.2	0.3	6.4	44	0.1
51998	0	0	0	0	KHM	48.5634	117.1503	19.1	625.5	305	55696.	2987	2.7	3.9	16.2	1.5	0.2	6.0	48	0.1
51997	0	0	0	0	KHM	48.5634	117.1498	19.1	626.0	312	55694.	2966	2.3	3.8	17.9	1.6	0.2	7.7	42	0.1
51996	0	0	0	0	KHM	48.5634	117.1494	19.1	626.5	324	55692.	3037	2.3	4.7	16.9	2.1	0.3	7.4	45	0.1
51995	0	0	0	0	KHM	48.5634	117.1488	19.2	627.0	324	55691.	2877	2.2	4.4	14.7	2.0	0.3	6.7	37	0.1
51994	0	0	0	0	KHM	48.5634	117.1484	19.2	627.5	324	55689.	2842	2.1	6.3	13.7	3.1	0.5	6.7	46	0.1
51993	0	0	0	0	KHM	48.5634	117.1479	19.2	628.1	317	55688.	2700	2.2	4.2	13.2	1.9	0.3	6.0	51	0.1
51992	0	0	0	0	KHM	48.5634	117.1474	19.2	628.6	313	55686.	2685	1.7	5.3	13.6	3.0	0.4	7.8	47	0.1
51991	0	0	0	0	KHM	48.5634	117.1469	19.2	629.2	313	55683.	2549	1.7	4.3	12.3	2.6	0.4	7.3	56	0.1
51990	0	0	0	0	KHM	48.5634	117.1464	19.2	629.7	318	55679.	2547	1.7	5.0	13.7	3.0	0.4	8.2	44	0.1
51989	0	0	0	0	KHM	48.5634	117.1459	19.2	630.3	331	55677.	2427	1.9	3.8	11.9	1.9	0.3	6.2	55	0.1
51988	0	0	0	0	KHM	48.5634	117.1454	19.2	630.9	344	55676.	2551	1.9	3.3	15.4	1.7	0.2	8.0	47	0.1
51987	0	0	0	0	KHM	48.5633	117.1449	19.2	631.5	362	55675.	2554	1.9	4.2	15.2	2.2	0.3	8.0	42	0.1
51986	0	0	0	0	KHM	48.5633	117.1444	19.2	632.0	374	55675.	2634	1.9	4.8	14.8	2.5	0.3	7.8	42	0.1
51985	0	0	0	0	KHM	48.5633	117.1439	19.3	632.7	384	55674.	2605	1.9	3.4	15.8	1.8	0.2	8.2	43	0.1
51984	0	0	0	0	KHM	48.5633	117.1434	19.3	633.2	386	55674.	2548	1.8	4.1	14.6	2.3	0.3	8.0	44	0.1
51983	0	0	0	0	KHM	48.5633	117.1429	19.3	633.8	381	55676.	2369	1.9	4.5	13.6	2.4	0.3	7.2	40	0.1
51982	0	0	0	0	KHM	48.5633	117.1424	19.3	634.4	376	55680.	2418	2.1	4.2	13.4	2.0	0.3	6.4	54	0.1
51981	0	0	0	0	KHM	48.5633	117.1419	19.3	634.9	375	55685.	2491	1.7	4.4	13.1	2.6	0.3	7.9	37	0.1
51980	0	0	0	0	KHM	48.5633	117.1414	19.3	635.4	384	55691.	2436	2.0	3.4	13.5	1.7	0.3	6.6	57	0.1
51979	0	0	0	0	KHM	48.5633	117.1409	19.3	636.0	393	55698.	2487	1.4	5.5	14.5	4.0	0.4	10.6	45	0.1
51978	0	0	0	0	KHM	48.5633	117.1404	19.3	636.4	402	55705.	2715	1.9	4.1	18.0	2.2	0.2	9.7	47	0.1
51977	0	0	0	0	KHM	48.5633	117.1399	19.3	636.9	409	55712.	2682	1.6	6.3	13.9	4.1	0.5	9.0	49	0.1
51976	0	0	0	0	KHM	48.5633	117.1394	19.3	637.4	424	55716.	2805	1.8	5.4	15.2	3.0	0.4	8.5	37	0.1
51975	0	0	0	0	KHM	48.5633	117.1389	19.4	637.9	436	55716.	3029	2.1	5.4	15.0	2.6	0.4	7.2	47	0.1
51974	0	0	0	0	KHM	48.5633	117.1383	19.4	638.3	444	55712.	2938	2.3	5.9	16.8	2.6	0.3	7.4	38	0.1
51973	0	0	0	0	KHM	48.5633	117.1377	19.4	638.7	445	55705.	3030	1.7	7.0	17.2	4.1	0.4	10.1	39	0.1
51972	0	0	0	0	KHM	48.5633	117.1371	19.4	639.1	446	55695.	3121	2.0	7.0	14.6	3.5	0.5	7.4	44	0.1
51971	0	0	0	0	KHM	48.5633	117.1365	19.4	639.5	446	55685.	3031	1.8	6.8	14.3	3.7	0.5	7.8	34	0.1
51970	0	0	0	0	KHM	48.5632	117.1359	19.4	639.8	443	55673.	3244	2.3	7.8	13.0	3.4	0.6	5.6	53	0.1
51969	0	0	0	0	KHM	48.5632	117.1353	19.4	640.2	442	55660.	3039	1.9	6.3	14.7	3.4	0.4	7.9	47	0.1
51968	0	0	0	0	KHM	48.5632	117.1347	19.4	640.5	443	55646.	2936	2.1	5.7	8.9	2.7	0.6	4.2	52	0.1
51967	0	0	0	0	KHM	48.5632	117.1341	19.4	640.8	448	55631.	2927	2.2	4.8	13.9	2.2	0.3	6.3	40	0.1
51966	0	0	0	0	KHM	48.5632	117.1335	19.4	641.1	458	55616.	2878	1.9	6.3	14.7	3.3	0.4	7.6	48	0.1
51965	0	0	0	0	KHM	48.5632	117.1329	19.4	641.4	460	55603.	2844	1.5	7.0	12.0	4.6	0.6	7.9	36	0.1
51964	0	0	0	0	KHM	48.5632	117.1322	19.4	641.7	458	55592.	2838	1.6	5.5	13.7	3.6	0.4	8.8	50	0.1
51963	0	0	0	0	KHM	48.5632	117.1317	19.4	642.0	455	55581.	2594	1.1	6.5	12.9	5.7	0.5	11.3	45	0.1
51962	0	0	0	0	KHM	48.5632	117.1310	19.4	642.2	469	55571.	2685	1.7	4.7	13.3	2.8	0.4	7.9	48	0.1
51961	0	0	0	0	KHM	48.5632	117.1304	19.5	642.5	483	55560.	2693	2.1	6.1	12.0	2.9	0.5	5.8	45	0.1
51960	0	0	0	0	KHM	48.5632	117.1298	19.5	642.7	489	55549.	2784	1.9	5.1	13.4	2.7	0.4	7.0	37	0.1
51959	0	0	0	0	KHM	48.5632	117.1292	19.5	642.9	492	55540.	2724	2.1	3.7	15.7	1.7	0.2	7.3	52	0.1
51958	0	0	0	0	KHM	48.5632	117.1286	19.5	643.1	502	55533.	2788	2.0	5.5	14.8	2.8	0.4	7.4	36	0.1
51957	0	0	0	0	KHM	48.5632	117.1280	19.5	643.3	516	55528.	2869	1.6	7.6	13.6	4.8	0.6	8.5	43	0.2
51956	0	0	0	0	KHM	48.5632	117.1274	19.5	643.5	512	55528.	2963	1.9	6.5	11.6	3.4	0.6	6.0	45	0.2
51955	0	0	0	0	KHM	48.5632	117.1268	19.5	643.6	492	55530.	2802	1.4	6.5	15.1	4.5	0.4	10.5	40	0.2
51954	0	0	0	0	KHM	48.5632	117.1262	19.5	643.8	467	55535.	2567	1.9	5.3	14.6	2.7	0.4	7.5	36	0.2
51953	0	0	0	0	KHM	48.5632	117.1256	19.5	643.9	460	55540.	2563	1.5	5.0	9.1	3.4	0.5	6.3	41	0.2
51952	0	0	0	0	KHM	48.5632	117.1250	19.5	644.0	465	55543.	2547	1.6	4.7	10.3	3.0	0.5	6.5	45	0.2
51951	0	0	0	0	KHM	48.5632	117.1244	19.5	644.1	475	55542.	2533	1.4	5.4	10.9	3.8	0.5	7.7	37	0.2
51950	0	0	0	0	KHM	48.5632	117.1238	19.5	644.2	485	55540.	2651	1.5	4.8	14.7	3.2	0.3	9.9	34	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 18							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51949	0	0	0	0	KHM	48.5632	117.1232	19.5	644.3	501	55536.	2707	1.7	4.2	12.4	2.5	0.3	7.2	46	0.2
51948	0	0	0	0	KHM	48.5631	117.1226	19.5	644.4	522	55531.	2582	1.9	4.7	11.8	2.5	0.4	6.3	47	0.2
51947	0	0	0	0	KHM	48.5631	117.1220	19.5	644.4	549	55524.	2770	1.7	5.7	14.3	3.3	0.4	8.3	33	0.2
51946	0	0	0	0	KHM	48.5631	117.1214	19.5	644.4	581	55517.	2994	1.7	7.5	14.5	4.5	0.5	8.8	31	0.2
51945	0	0	0	0	KHM	48.5631	117.1207	19.5	644.4	609	55510.	3046	2.1	6.4	18.2	3.1	0.4	8.9	41	0.2
51944	0	0	0	0	KHM	48.5631	117.1201	19.5	644.4	628	55502.	3157	2.3	6.2	15.1	2.7	0.4	6.6	41	0.2
51943	0	0	0	0	KHM	48.5631	117.1195	19.5	644.4	647	55495.	3306	2.0	7.9	14.9	3.9	0.5	7.3	36	0.2
51942	0	0	0	0	KHM	48.5631	117.1189	19.5	644.3	653	55488.	3201	2.2	5.5	13.6	2.5	0.4	6.1	46	0.2
51941	0	0	0	0	KHM	48.5631	117.1183	19.5	644.3	650	55482.	3134	2.6	4.8	15.5	1.8	0.3	5.9	39	0.2
51940	0	0	0	0	KHM	48.5631	117.1177	19.5	644.2	633	55479.	3105	2.5	4.5	16.0	1.8	0.3	6.5	35	0.2
51938	0	0	0	0	KHM	48.5630	117.1164	19.5	644.0	627	55476.	3067	2.5	4.4	17.1	1.8	0.3	6.9	29	0.2
51937	0	0	0	0	KHM	48.5630	117.1158	19.5	643.9	629	55475.	3221	2.2	6.6	14.7	3.0	0.5	6.6	39	0.2
51936	0	0	0	0	KHM	48.5630	117.1152	19.5	643.7	630	55475.	3268	1.9	7.6	14.0	4.0	0.5	7.4	41	0.2
51935	0	0	0	0	KHM	48.5630	117.1145	19.5	643.5	620	55475.	3119	2.5	4.4	16.9	1.7	0.3	6.7	52	0.2
51934	0	0	0	0	KHM	48.5630	117.1139	19.5	643.2	594	55474.	3126	2.5	6.6	12.7	2.6	0.5	5.0	33	0.2
51933	0	0	0	0	KHM	48.5630	117.1133	19.5	642.9	555	55471.	2899	2.5	4.3	11.0	1.7	0.4	4.4	46	0.2
51932	0	0	0	0	KHM	48.5629	117.1127	19.5	642.7	508	55469.	2930	1.7	5.3	12.2	3.0	0.4	6.9	43	0.2
51931	0	0	0	0	KHM	48.5629	117.1120	19.5	642.4	462	55467.	2745	2.2	5.4	13.6	2.4	0.4	6.2	54	0.2
51930	0	0	0	0	KHM	48.5629	117.1114	19.5	642.0	417	55466.	2693	2.0	5.5	11.7	2.7	0.5	5.8	50	0.2
51929	0	0	0	0	KHM	48.5629	117.1108	19.5	641.7	379	55466.	2658	1.9	4.6	15.9	2.5	0.3	8.6	35	0.2
51928	0	0	0	0	KHM	48.5629	117.1102	19.5	641.4	347	55465.	2646	1.8	5.9	13.0	3.3	0.4	7.3	39	0.2
51927	0	0	0	0	KHM	48.5629	117.1095	19.5	641.1	325	55463.	2640	2.0	4.2	15.3	2.1	0.3	7.8	41	0.2
51926	0	0	0	0	KHM	48.5629	117.1089	19.5	640.8	317	55462.	2857	2.1	4.9	11.2	2.3	0.4	5.2	35	0.2
51925	0	0	0	0	KHM	48.5629	117.1083	19.5	640.5	313	55463.	3078	2.4	5.2	17.1	2.2	0.3	7.1	43	0.2
51924	0	0	0	0	KHM	48.5628	117.1077	19.5	640.2	309	55464.	3145	2.7	4.1	17.8	1.5	0.2	6.6	42	0.1
51923	0	0	0	0	KHM	48.5628	117.1071	19.5	639.9	302	55464.	3176	2.5	6.2	12.6	2.4	0.5	5.0	45	0.1
51922	0	0	0	0	KHM	48.5628	117.1064	19.5	639.7	302	55463.	3057	2.2	7.0	12.5	3.2	0.6	5.7	55	0.1
51921	0	0	0	0	KHM	48.5628	117.1058	19.5	639.4	318	55460.	3099	2.6	5.7	14.1	2.2	0.4	5.4	54	0.1
51920	0	0	0	0	KHM	48.5628	117.1052	19.5	639.3	350	55454.	3116	2.5	6.5	14.1	2.6	0.5	5.7	46	0.1
51919	0	0	0	0	KHM	48.5628	117.1046	19.5	639.1	392	55447.	3271	2.6	7.7	11.8	3.0	0.7	4.6	40	0.1
51918	0	0	0	0	KHM	48.5627	117.1039	19.5	638.9	435	55441.	3420	2.2	6.1	17.2	2.8	0.4	7.8	33	0.1
51917	0	0	0	0	KHM	48.5627	117.1033	19.5	638.7	463	55437.	3563	3.1	5.6	16.8	1.8	0.3	5.5	41	0.1
51916	0	0	0	0	KHM	48.5627	117.1027	19.5	638.5	467	55436.	3599	2.6	8.0	13.5	3.0	0.6	5.2	55	0.1
51915	0	0	0	0	KHM	48.5627	117.1021	19.5	638.3	458	55436.	3391	2.3	6.2	19.5	2.8	0.3	8.6	55	0.1
51914	0	0	0	0	KHM	48.5627	117.1014	19.5	638.1	448	55436.	3287	2.3	6.2	15.7	2.7	0.4	6.8	32	0.1
51913	0	0	0	0	KHM	48.5627	117.1008	19.5	637.9	452	55437.	3241	2.5	6.3	11.3	2.5	0.6	4.5	44	0.1
51912	0	0	0	0	KHM	48.5627	117.1002	19.5	637.8	456	55438.	3246	2.5	4.8	17.4	1.9	0.3	7.0	42	0.1
51911	0	0	0	0	KHM	48.5626	117.0996	19.5	637.6	456	55440.	3193	2.1	8.1	12.9	3.8	0.6	6.1	39	0.1
51910	0	0	0	0	KHM	48.5626	117.0990	19.5	637.5	455	55444.	3032	2.0	8.5	14.3	4.3	0.6	7.3	56	0.1
51909	0	0	0	0	KHM	48.5626	117.0983	19.5	637.3	465	55446.	3134	2.5	5.7	16.9	2.3	0.3	6.8	34	0.1
51908	0	0	0	0	KHM	48.5626	117.0977	19.5	637.1	483	55450.	3121	2.4	6.2	14.4	2.5	0.4	5.9	52	0.1
51907	0	0	0	0	KHM	48.5626	117.0971	19.5	636.9	500	55455.	3408	2.9	7.0	13.7	2.4	0.5	4.8	45	0.1
51906	0	0	0	0	KHM	48.5626	117.0965	19.5	636.8	504	55461.	3336	2.8	5.3	17.9	1.9	0.3	6.5	40	0.1
51905	0	0	0	0	KHM	48.5626	117.0958	19.5	636.6	490	55470.	3371	2.7	6.8	15.5	2.5	0.4	5.8	46	0.1
51904	0	0	0	0	KHM	48.5625	117.0952	19.5	636.5	457	55482.	3362	2.7	7.0	18.7	2.6	0.4	6.9	54	0.1
51903	0	0	0	0	KHM	48.5625	117.0946	19.5	636.4	410	55495.	3292	2.5	6.5	16.5	2.6	0.4	6.7	41	0.1
51902	0	0	0	0	KHM	48.5625	117.0940	19.5	636.3	364	55509.	3284	2.7	7.4	15.2	2.8	0.5	5.7	42	0.1
51901	0	0	0	0	KHM	48.5625	117.0933	19.6	636.2	330	55522.	3028	2.5	5.7	11.3	2.3	0.5	4.5	56	0.1
51900	0	0	0	0	KHM	48.5625	117.0927	19.6	636.2	312	55532.	3089	2.7	5.8	10.8	2.2	0.5	4.0	50	0.1
51899	0	0	0	0	KHM	48.5625	117.0921	19.6	636.1	300	55540.	3040	2.6	4.2	14.3	1.6	0.3	5.6	46	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 18									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51898	0	0	0	0	KHM	48.5625	117.0915	19.6	636.1	289	55543.	2929	2.1	4.9	16.1	2.3	0.3	7.7	44	0.1
51897	0	0	0	0	KHM	48.5624	117.0908	19.6	636.2	282	55542.	2782	2.1	5.2	10.8	2.5	0.5	5.1	53	0.1
51896	0	0	0	0	KHM	48.5624	117.0902	19.6	636.2	293	55538.	2960	2.4	5.9	12.4	2.5	0.5	5.1	33	0.1
51895	0	0	0	0	KHM	48.5624	117.0896	19.6	636.3	321	55532.	3002	2.4	4.8	15.5	2.0	0.3	6.4	54	0.1
51894	0	0	0	0	KHM	48.5624	117.0890	19.6	636.4	355	55527.	3027	1.9	6.0	13.6	3.2	0.4	7.2	48	0.1
51893	0	0	0	0	KHM	48.5624	117.0883	19.6	636.6	381	55522.	3041	2.1	7.6	13.8	3.6	0.5	6.6	31	0.1
51892	0	0	0	0	KHM	48.5624	117.0877	19.6	636.8	397	55518.	3034	2.5	4.9	14.6	2.0	0.3	5.8	38	0.1
51891	0	0	0	0	KHM	48.5623	117.0871	19.6	636.9	407	55516.	3002	2.1	5.7	16.6	2.7	0.3	8.0	39	0.1
51890	0	0	0	0	KHM	48.5623	117.0865	19.7	637.2	410	55515.	2908	2.4	5.9	11.1	2.4	0.5	4.6	54	0.1
51889	0	0	0	0	KHM	48.5623	117.0858	19.7	637.5	413	55514.	2907	2.4	3.5	15.4	1.5	0.2	6.5	51	0.1
51888	0	0	0	0	KHM	48.5623	117.0852	19.7	637.8	418	55511.	2787	2.3	4.7	16.4	2.0	0.3	7.1	37	0.1
51887	0	0	0	0	KHM	48.5623	117.0846	19.7	638.1	429	55509.	2865	2.3	5.7	13.7	2.5	0.4	6.0	41	0.1
51886	0	0	0	0	KHM	48.5623	117.0840	19.7	638.4	442	55505.	2949	2.6	5.3	14.0	2.0	0.4	5.3	44	0.1
51885	0	0	0	0	KHM	48.5623	117.0833	19.7	638.7	454	55503.	3012	2.7	4.8	15.2	1.8	0.3	5.7	50	0.1
51884	0	0	0	0	KHM	48.5623	117.0827	19.7	639.0	464	55501.	3100	2.3	4.5	15.1	1.9	0.3	6.5	46	0.1
51883	0	0	0	0	KHM	48.5622	117.0821	19.7	639.3	455	55501.	3089	2.2	5.7	15.1	2.6	0.4	6.7	26	0.1
51882	0	0	0	0	KHM	48.5622	117.0815	19.7	639.5	431	55502.	2849	1.9	6.7	10.4	3.6	0.6	5.6	41	0.1
51881	0	0	0	0	KHM	48.5622	117.0809	19.8	639.8	401	55504.	2806	1.7	6.5	13.1	3.7	0.5	7.5	39	0.1
51880	0	0	0	0	KGP	48.5622	117.0802	19.8	640.0	384	55505.	2669	2.1	4.9	9.8	2.4	0.5	4.8	51	0.1
51879	0	0	0	0	KGP	48.5622	117.0796	19.8	640.3	386	55505.	2739	1.7	5.0	14.5	3.0	0.3	8.6	32	0.1
51878	0	0	0	0	KGP	48.5622	117.0790	19.8	640.5	403	55503.	2851	1.9	5.8	13.3	3.0	0.4	6.8	45	0.1
51877	0	0	0	0	KGP	48.5621	117.0784	19.8	640.6	432	55502.	2973	2.3	6.3	10.7	2.7	0.6	4.6	40	0.1
51876	0	0	0	0	KGP	48.5621	117.0777	19.8	640.8	454	55500.	3049	2.1	5.2	13.5	2.5	0.4	6.5	61	0.1
51875	0	0	0	0	KGP	48.5621	117.0771	19.8	640.9	463	55498.	3006	2.2	4.2	15.7	1.9	0.3	7.1	46	0.1
51874	0	0	0	0	KGP	48.5621	117.0765	19.9	641.1	461	55496.	2935	2.3	4.9	14.3	2.1	0.3	6.2	37	0.1
51873	0	0	0	0	KGP	48.5621	117.0759	19.9	641.2	452	55493.	2664	1.9	4.2	12.6	2.2	0.3	6.7	52	0.1
51872	0	0	0	0	KGP	48.5621	117.0752	19.9	641.3	445	55490.	2675	1.9	5.3	13.1	2.8	0.4	6.9	53	0.1
51871	0	0	0	0	KGP	48.5621	117.0746	19.9	641.3	437	55488.	2804	1.8	5.2	13.7	2.9	0.4	7.5	35	0.1
51870	0	0	0	0	KGP	48.5620	117.0740	19.9	641.4	424	55488.	2723	2.2	6.8	7.4	3.1	0.9	3.4	46	0.1
51869	0	0	0	0	KGP	48.5620	117.0734	19.9	641.5	400	55489.	2700	2.3	5.5	12.3	2.4	0.4	5.3	51	0.1
51868	0	0	0	0	KGP	48.5620	117.0728	20.0	641.6	366	55489.	2562	1.8	3.7	14.8	2.1	0.3	8.3	41	0.2
51867	0	0	0	0	KGP	48.5620	117.0721	20.0	641.6	338	55491.	2320	1.5	4.7	10.7	3.1	0.4	7.1	43	0.2
51866	0	0	0	0	KGP	48.5620	117.0715	20.0	641.7	320	55492.	2141	1.6	2.9	10.2	1.9	0.3	6.5	35	0.2
51865	0	0	0	0	KGP	48.5620	117.0709	20.0	641.7	316	55492.	2070	1.4	5.5	7.8	4.0	0.7	5.6	43	0.2
51864	0	0	0	0	KGP	48.5620	117.0703	20.0	641.8	313	55492.	1944	1.4	3.3	9.0	2.3	0.4	6.3	26	0.2
51863	0	0	0	0	KGP	48.5619	117.0696	20.0	641.8	311	55493.	1845	1.3	2.7	8.5	2.2	0.3	6.8	54	0.2
51862	0	0	0	0	KGP	48.5619	117.0690	20.1	641.9	311	55494.	1902	1.3	3.0	7.8	2.4	0.4	6.2	35	0.2
51861	0	0	0	0	KGP	48.5619	117.0684	20.1	642.0	319	55495.	2036	1.2	4.7	7.8	3.7	0.6	6.3	33	0.2
51860	0	0	0	0	KGP	48.5619	117.0678	20.1	642.1	334	55496.	2069	1.8	2.5	9.0	1.4	0.3	5.0	43	0.2
51859	0	0	0	0	KGP	48.5619	117.0671	20.1	642.2	345	55499.	2173	1.5	3.4	8.3	2.3	0.4	5.7	39	0.2
51858	0	0	0	0	KGP	48.5619	117.0665	20.1	642.2	344	55500.	2116	1.3	4.2	8.0	3.3	0.5	6.3	33	0.2
51857	0	0	0	0	KGP	48.5619	117.0658	20.1	642.3	335	55501.	1974	1.5	2.3	9.4	1.5	0.2	6.1	36	0.2
51856	0	0	0	0	KGP	48.5619	117.0652	20.2	642.5	320	55503.	1783	1.4	2.6	8.3	1.8	0.3	5.8	39	0.1
51855	0	0	0	0	KGP	48.5619	117.0645	20.2	642.6	316	55505.	1793	1.2	3.3	8.2	2.8	0.4	7.0	36	0.1
51854	0	0	0	0	KGP	48.5620	117.0639	20.2	642.7	313	55506.	1714	1.2	2.9	8.7	2.4	0.3	7.2	39	0.1
51853	0	0	0	0	KGP	48.5620	117.0632	20.2	642.9	317	55507.	1708	1.1	2.7	6.7	2.4	0.4	5.9	35	0.1
51852	0	0	0	0	KGP	48.5620	117.0626	20.2	643.0	315	55508.	1734	1.3	2.4	8.3	1.8	0.3	6.4	47	0.1
51851	0	0	0	0	KGP	48.5620	117.0620	20.2	643.2	321	55508.	1933	1.3	3.3	8.4	2.6	0.4	6.6	43	0.1
51850	0	0	0	0	KGP	48.5620	117.0613	20.2	643.4	329	55509.	2019	1.5	3.3	10.3	2.2	0.3	6.8	53	0.2
51849	0	0	0	0	KGP	48.5620	117.0607	20.3	643.5	341	55509.	2039	1.7	3.1	9.4	1.8	0.3	5.6	53	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 18							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51847	0	0	0	0	KGP	48.5620	117.0594	20.3	643.7	350	55508.	2261	1.8	4.2	13.5	2.4	0.3	7.6	32	0.2
51846	0	0	0	0	KGP	48.5620	117.0587	20.3	643.8	356	55507.	2134	1.6	3.7	8.5	2.4	0.4	5.4	31	0.2
51845	0	0	0	0	KGP	48.5620	117.0581	20.3	644.0	359	55506.	2041	1.6	3.5	9.7	2.3	0.4	6.2	43	0.2
51844	0	0	0	0	KGP	48.5620	117.0574	20.3	644.1	372	55505.	2110	1.9	2.8	11.1	1.5	0.3	5.9	37	0.2
51843	0	0	0	0	KGP	48.5620	117.0568	20.3	644.2	389	55504.	2182	1.6	4.0	9.0	2.5	0.4	5.5	33	0.2
51842	0	0	0	0	KGP	48.5621	117.0561	20.4	644.3	407	55505.	2310	1.9	4.2	10.3	2.2	0.4	5.3	34	0.2
51841	0	0	0	0	KGP	48.5621	117.0555	20.4	644.3	404	55505.	2096	2.2	2.5	8.3	1.1	0.3	3.9	55	0.2
51840	0	0	0	0	KGP	48.5621	117.0548	20.4	644.4	389	55505.	2162	1.7	5.1	8.3	3.0	0.6	4.9	45	0.2
51839	0	0	0	0	KGP	48.5621	117.0542	20.4	644.4	366	55506.	2163	1.9	3.3	10.3	1.7	0.3	5.4	38	0.2
51838	0	0	0	0	KGP	48.5621	117.0537	20.4	644.4	350	55507.	2094	1.9	3.3	8.7	1.8	0.4	4.6	41	0.2
51837	0	0	0	0	KGP	48.5621	117.0532	20.5	644.5	340	55507.	2008	1.6	3.3	7.8	2.1	0.4	5.0	43	0.2
51836	0	0	0	0	KGP	48.5621	117.0527	20.5	644.4	334	55506.	2073	1.7	3.6	7.3	2.1	0.5	4.2	40	0.2
51835	0	0	0	0	KGP	48.5621	117.0522	20.5	644.4	331	55505.	1938	1.9	2.6	9.6	1.4	0.3	5.2	34	0.2
51834	0	0	0	0	KGP	48.5620	117.0517	20.5	644.4	333	55502.	1962	1.2	4.0	10.4	3.4	0.4	8.9	40	0.2
51833	0	0	0	0	KGP	48.5620	117.0512	20.5	644.4	334	55500.	1812	1.5	2.7	6.2	1.8	0.4	4.1	52	0.2
51832	0	0	0	0	KGP	48.5620	117.0507	20.5	644.4	336	55498.	1835	1.4	3.2	10.9	2.3	0.3	7.9	40	0.2
51831	0	0	0	0	KGP	48.5620	117.0501	20.6	644.4	337	55497.	1793	1.4	3.1	5.2	2.3	0.6	3.8	37	0.2
51830	0	0	0	0	KGP	48.5620	117.0496	20.6	644.3	342	55496.	1719	1.6	1.2	8.6	0.8	0.1	5.5	47	0.2
51829	0	0	0	0	KGP	48.5620	117.0491	20.6	644.3	345	55496.	1745	1.7	2.0	8.3	1.2	0.2	5.0	48	0.2
51828	0	0	0	0	KGP	48.5620	117.0486	20.6	644.3	340	55495.	1842	1.3	3.7	8.1	2.9	0.5	6.4	30	0.2
51827	0	0	0	0	KGP	48.5620	117.0481	20.7	644.4	326	55495.	1686	1.7	1.9	7.4	1.1	0.3	4.3	48	0.2
51826	0	0	0	0	KGP	48.5620	117.0476	20.7	644.4	302	55496.	1597	1.2	1.3	7.7	1.1	0.2	6.6	35	0.2
51825	0	0	0	0	KGP	48.5620	117.0471	20.7	644.4	276	55497.	1552	1.1	1.7	7.1	1.5	0.2	6.3	38	0.2
51824	0	0	0	0	KGP	48.5620	117.0466	20.7	644.5	255	55500.	1534	1.0	3.2	7.1	3.3	0.5	7.4	49	0.2
51823	0	0	0	0	KGP	48.5620	117.0461	20.7	644.5	244	55503.	1550	1.3	1.8	6.3	1.4	0.3	4.9	46	0.2
51822	0	0	0	0	KGP	48.5620	117.0456	20.8	644.7	253	55508.	1533	1.2	3.0	5.7	2.4	0.5	4.7	41	0.2
51821	0	0	0	0	KGP	48.5620	117.0451	20.8	644.9	270	55513.	1564	1.4	2.8	5.3	2.0	0.5	3.8	55	0.2
51820	0	0	0	0	KGP	48.5620	117.0446	20.8	645.1	283	55519.	1582	0.9	3.5	6.5	3.9	0.5	7.2	40	0.2
51819	0	0	0	0	KGP	48.5620	117.0441	20.8	645.4	285	55526.	1655	1.2	2.6	6.9	2.1	0.4	5.7	41	0.2
51818	0	0	0	0	KGP	48.5620	117.0436	20.9	645.8	289	55530.	1655	1.1	3.1	6.3	2.7	0.5	5.5	35	0.2
51817	0	0	0	0	KGP	48.5620	117.0431	20.9	646.1	298	55532.	1619	1.3	1.9	6.4	1.5	0.3	5.1	45	0.2
51816	0	0	0	0	KGP	48.5619	117.0425	20.9	646.6	311	55534.	1673	1.3	2.2	6.7	1.7	0.3	5.1	23	0.2
51815	0	0	0	0	KGP	48.5619	117.0420	20.9	647.1	312	55536.	1715	1.2	2.7	7.6	2.2	0.3	6.4	34	0.2
51814	0	0	0	0	KGP	48.5619	117.0415	21.0	647.6	311	55537.	1721	1.2	3.3	6.5	2.8	0.5	5.4	41	0.2
51813	0	0	0	0	KGP	48.5619	117.0410	21.0	648.2	302	55537.	1716	1.0	2.9	8.0	2.8	0.4	7.7	27	0.2
51812	0	0	0	0	KGP	48.5619	117.0405	21.0	648.8	297	55536.	1732	1.5	2.1	7.5	1.4	0.3	5.0	34	0.2
51811	0	0	1	0	KGP	48.5619	117.0400	21.0	649.4	297	55533.	1822	1.6	1.0	10.2	0.6	0.1	6.3	31	0.2
51810	0	0	0	0	KGP	48.5619	117.0395	21.1	650.1	311	55531.	1844	1.3	4.1	5.6	3.2	0.7	4.4	51	0.2
51809	0	0	0	0	KGP	48.5619	117.0390	21.1	650.8	331	55529.	2006	1.6	2.6	10.1	1.7	0.3	6.5	34	0.2
51808	0	0	0	0	KGP	48.5619	117.0385	21.1	651.4	371	55529.	2135	1.6	4.8	8.6	3.1	0.6	5.5	44	0.2
51807	0	0	0	0	KGP	48.5619	117.0380	21.2	652.1	398	55529.	2181	1.7	4.3	9.9	2.6	0.4	5.9	50	0.2
51806	0	0	0	0	KGP	48.5619	117.0375	21.2	652.8	411	55529.	2348	1.9	2.6	10.5	1.3	0.2	5.4	35	0.2
51805	0	0	0	0	KGP	48.5619	117.0370	21.2	653.4	398	55528.	2371	1.9	4.5	9.1	2.4	0.5	4.9	36	0.2
51804	0	0	0	0	KGP	48.5619	117.0365	21.2	654.1	385	55527.	2367	2.2	2.4	12.2	1.1	0.2	5.6	46	0.2
51803	0	0	0	0	KGP	48.5619	117.0359	21.3	654.7	378	55525.	2372	1.6	4.9	11.8	3.1	0.4	7.6	46	0.2
51802	0	0	0	0	KGP	48.5619	117.0355	21.3	655.3	378	55521.	2438	2.0	5.6	6.8	2.8	0.8	3.4	51	0.2
51801	0	0	0	0	KGP	48.5618	117.0349	21.3	655.9	384	55518.	2586	2.1	3.9	13.4	1.9	0.3	6.4	32	0.2
51800	0	0	0	0	KGP	48.5618	117.0344	21.3	656.5	400	55515.	2741	2.6	3.5	14.5	1.3	0.2	5.5	33	0.2
51799	0	0	0	0	KGP	48.5618	117.0339	21.4	657.0	424	55512.	2864	2.5	3.8	13.6	1.5	0.3	5.5	41	0.2
51798	0	0	0	0	QAG	48.5618	117.0334	21.4	657.6	459	55512.	2977	2.5	6.0	14.5	2.4	0.4	5.8	49	0.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 18							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51797	0	0	0	0	QAG	48.5618	117.0329	21.4	658.1	477	55514.	2958	2.4	4.2	17.4	1.7	0.2	7.2	53	0.2
51796	0	0	0	0	QAG	48.5618	117.0323	21.4	658.6	484	55515.	3103	2.3	5.5	14.6	2.3	0.4	6.2	44	0.2
51795	0	0	0	0	QAG	48.5618	117.0317	21.5	659.1	482	55516.	3086	2.2	4.8	15.9	2.1	0.3	7.1	40	0.2
51794	0	0	0	0	QAG	48.5618	117.0311	21.5	659.5	480	55516.	2856	2.0	4.9	14.7	2.5	0.3	7.5	28	0.2
51793	0	0	0	0	QAG	48.5619	117.0305	21.5	659.9	472	55518.	2624	2.3	4.9	11.4	2.1	0.4	4.9	46	0.2
51792	0	0	0	0	QAG	48.5619	117.0299	21.5	660.4	460	55518.	2476	1.8	5.1	9.2	2.8	0.5	5.1	28	0.2
51791	0	0	0	0	QAG	48.5619	117.0293	21.6	660.8	460	55520.	2337	1.5	4.2	9.7	2.8	0.4	6.6	24	0.2
51790	0	0	0	0	QAG	48.5619	117.0287	21.6	661.3	464	55521.	2376	1.9	3.0	12.6	1.6	0.2	6.6	36	0.2
51789	0	0	0	0	QAG	48.5619	117.0281	21.6	661.7	463	55521.	2195	1.5	3.5	9.7	2.3	0.4	6.6	33	0.2
51788	0	0	0	0	QAG	48.5619	117.0275	21.6	662.0	459	55521.	2198	1.7	4.4	10.6	2.5	0.4	6.1	46	0.2
51787	0	0	0	0	QAG	48.5619	117.0269	21.7	662.5	461	55520.	2186	2.0	2.5	10.5	1.2	0.2	5.2	39	0.2
51786	0	0	0	0	QAG	48.5619	117.0263	21.7	662.8	467	55517.	2192	1.9	3.2	10.0	1.7	0.3	5.4	32	0.2
51785	0	0	1	0	QAG	48.5619	117.0257	21.7	663.2	474	55516.	1886	1.9	1.3	7.2	0.7	0.2	3.8	31	0.2
51784	0	0	0	0	QAG	48.5619	117.0251	21.7	663.6	471	55515.	1781	1.3	3.0	7.5	2.3	0.4	5.7	37	0.2
51783	0	0	0	0	QAG	48.5620	117.0245	21.8	663.9	458	55514.	1693	0.9	4.9	5.9	5.4	0.8	6.5	39	0.2
51782	0	0	0	0	QAG	48.5620	117.0239	21.8	664.3	446	55513.	1718	1.5	2.6	6.0	1.8	0.4	4.1	24	0.2
51781	0	0	0	0	QAG	48.5620	117.0233	21.8	664.6	443	55511.	1809	1.3	2.7	6.5	2.0	0.4	4.8	24	0.2
51780	0	0	0	0	QAG	48.5620	117.0227	21.8	664.9	454	55509.	1807	1.4	1.8	7.0	1.3	0.3	4.9	36	0.2
51779	0	0	0	0	QAG	48.5620	117.0221	21.8	665.2	457	55508.	1975	1.5	4.6	7.1	3.1	0.6	4.8	32	0.2
51778	0	0	0	0	QAG	48.5620	117.0215	21.9	665.5	446	55507.	2023	1.6	3.9	7.0	2.5	0.6	4.5	38	0.2
51777	0	0	0	0	QAG	48.5620	117.0209	21.9	665.8	412	55507.	1937	1.5	3.7	7.1	2.4	0.5	4.7	39	0.2
51776	0	0	0	0	QAG	48.5620	117.0202	21.9	666.1	374	55509.	1932	1.4	2.9	7.3	2.2	0.4	5.4	32	0.2
51775	0	0	0	0	QAG	48.5620	117.0197	21.9	666.3	344	55511.	1919	1.4	2.6	9.4	1.9	0.3	6.9	39	0.2
51774	0	0	0	0	QAG	48.5620	117.0190	21.9	666.6	336	55513.	1982	1.5	2.8	7.2	1.8	0.4	4.8	34	0.2
51773	0	0	0	0	QAG	48.5620	117.0184	21.9	666.9	342	55515.	1996	1.5	3.3	11.1	2.2	0.3	7.3	37	0.2
51772	0	0	0	0	QAG	48.5620	117.0178	22.0	667.2	352	55516.	2043	1.6	3.9	7.3	2.4	0.5	4.6	40	0.2
51771	0	0	0	0	QAG	48.5621	117.0172	22.0	667.5	353	55517.	2151	1.9	3.3	8.1	1.7	0.4	4.2	40	0.2
51770	0	0	0	0	QAG	48.5621	117.0166	22.0	667.8	345	55518.	2121	1.9	5.3	7.0	2.8	0.8	3.6	37	0.2
51769	0	0	0	0	QAG	48.5621	117.0160	22.0	668.1	336	55519.	2189	1.8	3.3	10.3	1.8	0.3	5.6	40	0.2
51768	0	0	0	0	QAG	48.5621	117.0154	22.0	668.4	328	55520.	2286	1.8	4.3	10.0	2.4	0.4	5.6	35	0.2
51767	0	0	0	0	QAG	48.5621	117.0148	22.0	668.7	322	55522.	2195	1.8	2.9	8.8	1.6	0.3	4.9	36	0.2
51766	0	0	0	0	QAG	48.5621	117.0142	22.0	669.0	319	55524.	2304	2.3	2.5	7.2	1.1	0.3	3.1	33	0.2
51765	0	0	0	0	QAG	48.5621	117.0136	22.0	669.3	324	55526.	2242	2.0	4.7	6.7	2.3	0.7	3.3	41	0.2
51764	0	0	0	0	QAG	48.5621	117.0130	22.0	669.5	333	55527.	2238	1.7	4.4	8.1	2.6	0.5	4.7	34	0.2
51763	0	0	0	0	QAG	48.5621	117.0124	22.1	669.8	338	55529.	2177	1.7	2.9	7.7	1.7	0.4	4.4	38	0.2
51762	0	0	0	0	QAG	48.5621	117.0118	22.1	670.1	347	55532.	2138	1.8	2.9	8.5	1.6	0.3	4.7	34	0.2
51761	0	0	0	0	QAG	48.5621	117.0112	22.1	670.4	355	55533.	2049	1.6	1.9	10.7	1.2	0.2	6.5	33	0.2
51760	0	0	0	0	QAG	48.5621	117.0106	22.1	670.6	369	55533.	2019	1.7	3.3	7.8	2.0	0.4	4.7	52	0.2
51759	0	0	0	0	QAG	48.5622	117.0100	22.1	670.9	378	55532.	2001	1.5	2.9	7.8	2.0	0.4	5.3	29	0.2
51757	0	0	0	0	QAG	48.5622	117.0088	22.1	671.1	387	55528.	2095	1.7	3.3	7.7	2.0	0.4	4.6	23	0.2
51756	0	0	0	0	QAG	48.5622	117.0082	22.1	671.3	409	55523.	2124	1.3	3.7	11.2	2.9	0.3	8.7	29	0.2
51755	0	0	0	0	QAG	48.5622	117.0076	22.1	671.5	431	55520.	2212	1.9	3.7	9.9	1.9	0.4	5.2	37	0.2
51754	0	0	0	0	QAG	48.5622	117.0070	22.1	671.6	447	55517.	2263	1.7	3.1	10.6	1.8	0.3	6.2	35	0.2
51753	0	0	0	0	KKH	48.5622	117.0064	22.1	671.8	445	55517.	2238	1.5	3.8	11.1	2.5	0.3	7.4	27	0.2
51752	0	0	0	0	KKH	48.5622	117.0058	22.1	671.9	440	55518.	2364	1.4	5.7	8.4	4.1	0.7	6.1	31	0.2
51751	0	0	0	0	KKH	48.5622	117.0052	22.1	672.0	427	55520.	2179	1.4	4.0	10.3	2.9	0.4	7.4	37	0.2
51750	0	0	0	0	KKH	48.5622	117.0046	22.1	672.0	417	55521.	2151	1.4	3.2	10.5	2.4	0.3	7.7	40	0.2
51749	0	0	0	0	KKH	48.5623	117.0040	22.1	672.1	409	55522.	1983	1.6	4.7	5.7	2.9	0.8	3.5	28	0.2
51748	0	0	0	0	KKH	48.5623	117.0034	22.1	672.1	407	55524.	2064	1.7	3.6	7.0	2.1	0.5	4.1	32	0.2
51747	0	0	0	0	KKH	48.5623	117.0028	22.2	672.0	399	55524.	2009	1.9	2.7	8.5	1.5	0.3	4.6	29	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 18

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51746	0	0	0	0	KKH	48.5623	117.0022	22.2	672.0	379	55525.	1949	1.4	4.3	5.7	3.0	0.8	4.0	40	0.1
51745	0	0	0	0	KKH	48.5623	117.0016	22.2	671.9	359	55524.	1959	1.8	2.4	9.4	1.4	0.3	5.3	27	0.1
51744	0	0	0	0	KKH	48.5623	117.0010	22.2	671.8	348	55523.	1814	1.7	2.7	6.7	1.6	0.4	4.0	38	0.1
51743	0	0	0	0	KKH	48.5623	117.0004	22.2	671.7	343	55522.	1859	1.7	3.2	8.0	1.9	0.4	4.8	25	0.1
51742	0	0	0	0	KKH	48.5623	116.9998	22.2	671.6	347	55521.	1770	1.6	2.9	7.1	1.8	0.4	4.4	40	0.1
51741	0	0	0	0	KKH	48.5623	116.9992	22.2	671.5	354	55520.	1797	1.5	4.6	4.4	3.2	1.0	3.1	40	0.1
51740	0	0	0	0	KKH	48.5623	116.9986	22.2	671.3	364	55520.	1917	1.6	3.4	6.9	2.1	0.5	4.3	27	0.1
51739	0	0	0	0	KKH	48.5623	116.9980	22.2	671.2	371	55521.	2018	1.6	4.4	8.7	2.7	0.5	5.3	35	0.1
51738	0	0	0	0	KKH	48.5623	116.9974	22.2	671.1	373	55522.	2075	2.1	2.2	9.0	1.1	0.2	4.3	29	0.1
51737	0	0	0	0	KKH	48.5623	116.9968	22.2	671.0	363	55523.	2124	1.6	3.8	8.8	2.4	0.4	5.5	45	0.1
51736	0	0	0	0	KKH	48.5623	116.9962	22.2	670.9	343	55524.	2074	1.6	4.8	7.9	3.0	0.6	5.0	36	0.2

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 19							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53204	0	0	0	0	QAG	48.5600	117.2469	20.1	667.2	376	55732.	2159	1.7	3.1	9.4	1.9	0.3	5.7	41	0.1
53203	0	0	0	0	QAG	48.5600	117.2463	20.1	667.2	382	55730.	2183	1.6	2.9	9.5	1.8	0.3	5.9	33	0.1
53202	0	0	0	0	QAG	48.5600	117.2457	20.2	667.2	386	55727.	2334	1.7	3.9	9.9	2.3	0.4	5.9	32	0.1
53201	0	0	0	0	QAG	48.5600	117.2450	20.2	667.1	384	55728.	2332	2.2	2.5	9.5	1.2	0.3	4.4	32	0.1
53200	0	0	0	0	QAG	48.5600	117.2444	20.2	666.9	377	55730.	2180	2.1	2.6	9.9	1.3	0.3	4.8	38	0.1
53199	0	0	0	0	QAG	48.5600	117.2437	20.2	666.7	370	55733.	2210	2.1	3.0	9.4	1.4	0.3	4.4	35	0.1
53198	0	0	0	0	QAG	48.5600	117.2431	20.2	666.5	364	55737.	2182	2.3	2.7	8.9	1.1	0.3	3.8	35	0.2
53197	0	0	0	0	QAG	48.5600	117.2425	20.2	666.3	360	55742.	2118	1.6	3.5	8.1	2.3	0.4	5.2	51	0.2
53196	0	0	0	0	QAG	48.5600	117.2418	20.2	666.0	359	55746.	2179	2.0	3.0	8.0	1.5	0.4	4.0	44	0.2
53195	0	0	0	0	QAG	48.5600	117.2412	20.2	665.7	358	55752.	2192	1.8	3.2	10.1	1.8	0.3	5.6	44	0.1
53194	0	0	0	0	QAG	48.5600	117.2406	20.2	665.3	360	55757.	2290	1.8	3.5	10.2	1.9	0.3	5.7	34	0.1
53193	0	0	0	0	QAG	48.5600	117.2399	20.2	664.7	359	55761.	2187	1.9	3.4	9.2	1.8	0.4	4.8	36	0.1
53192	0	0	0	0	QAG	48.5600	117.2393	20.2	664.2	362	55763.	2259	1.8	4.3	7.8	2.3	0.6	4.2	35	0.1
53191	0	0	0	0	QAG	48.5600	117.2387	20.2	663.6	368	55763.	2312	1.9	4.0	8.9	2.1	0.4	4.7	38	0.1
53190	0	0	0	0	QAG	48.5600	117.2380	20.2	663.0	378	55762.	2295	1.9	3.5	8.3	1.8	0.4	4.3	41	0.1
53189	0	0	0	0	QAG	48.5600	117.2374	20.2	662.4	389	55760.	2200	1.9	4.6	9.4	2.4	0.5	4.9	45	0.1
53188	0	0	0	0	QAG	48.5600	117.2368	20.2	661.8	402	55757.	2312	2.3	3.5	9.8	1.5	0.4	4.3	28	0.1
53187	0	0	0	0	QAG	48.5601	117.2361	20.2	661.2	416	55756.	2188	1.9	2.9	9.6	1.5	0.3	5.0	38	0.1
53186	0	0	0	0	QAG	48.5601	117.2355	20.2	660.6	431	55756.	2350	1.9	2.2	9.9	1.2	0.2	5.1	31	0.1
53185	0	0	0	0	QAG	48.5601	117.2348	20.1	660.0	443	55757.	2384	2.2	3.6	10.9	1.6	0.3	4.9	31	0.1
53184	0	0	0	0	QAG	48.5601	117.2342	20.1	659.4	455	55758.	2445	2.5	4.1	9.3	1.6	0.4	3.7	29	0.1
53183	0	0	0	0	QAG	48.5601	117.2336	20.1	658.8	469	55758.	2348	2.7	3.1	8.2	1.2	0.4	3.0	27	0.1
53182	0	0	0	0	QAG	48.5601	117.2329	20.1	658.2	483	55758.	2239	2.5	4.9	7.2	2.0	0.7	2.9	41	0.1
53181	0	0	0	0	QAG	48.5601	117.2323	20.1	657.6	493	55759.	2388	2.4	2.2	11.4	0.9	0.2	4.7	45	0.1
53180	0	0	0	0	KG	48.5601	117.2317	20.1	657.0	498	55760.	2514	2.6	5.6	7.8	2.2	0.7	3.0	27	0.1
53179	0	0	0	0	KG	48.5601	117.2310	20.1	656.4	496	55761.	2426	2.5	4.4	13.4	1.7	0.3	5.3	35	0.1
53178	0	0	0	0	KG	48.5601	117.2304	20.1	655.8	486	55763.	2550	2.2	5.1	10.2	2.3	0.5	4.6	27	0.1
53177	0	0	0	0	KG	48.5601	117.2298	20.1	655.2	466	55766.	2569	2.4	4.7	10.9	1.9	0.4	4.6	32	0.1
53176	0	0	0	0	KG	48.5601	117.2291	20.1	654.6	442	55768.	2441	2.2	2.9	11.4	1.4	0.3	5.3	37	0.1
53175	0	0	0	0	KG	48.5601	117.2285	20.1	654.0	417	55769.	2472	2.4	2.2	12.6	0.9	0.2	5.2	41	0.1
53174	0	0	0	0	KG	48.5601	117.2279	20.1	653.3	394	55772.	2369	2.3	4.7	10.8	2.0	0.4	4.6	43	0.1
53173	0	0	0	0	KG	48.5601	117.2272	20.1	652.7	376	55774.	2384	2.0	3.7	10.5	1.8	0.4	5.2	40	0.1
53172	0	0	0	0	KG	48.5601	117.2266	20.0	652.0	368	55778.	2283	1.9	4.1	8.8	2.2	0.5	4.6	36	0.1
53171	0	0	0	0	KG	48.5601	117.2260	20.0	651.4	362	55782.	2113	2.0	3.2	7.5	1.6	0.4	3.8	43	0.1
53170	0	0	0	0	KG	48.5601	117.2253	20.0	650.7	362	55786.	2147	1.8	4.4	11.4	2.4	0.4	6.2	40	0.1
53169	0	0	0	0	KG	48.5601	117.2247	20.0	650.1	372	55790.	2061	1.6	2.9	11.0	1.9	0.3	6.9	46	0.1
53168	0	0	0	0	KG	48.5601	117.2241	20.0	649.5	390	55792.	1998	1.6	3.5	8.4	2.1	0.4	5.2	63	0.1
53167	0	0	0	0	KG	48.5601	117.2234	20.0	648.8	406	55793.	2135	2.0	2.9	7.6	1.4	0.4	3.8	36	0.1
53166	0	0	0	0	KG	48.5601	117.2228	20.0	648.2	413	55794.	2049	1.9	3.2	5.3	1.7	0.6	2.8	40	0.1
53165	0	0	0	0	KG	48.5601	117.2222	20.0	647.5	429	55796.	2188	1.9	3.5	8.2	1.9	0.4	4.4	43	0.1
53164	0	0	0	0	KG	48.5601	117.2215	20.0	646.9	444	55799.	2194	2.0	4.4	5.7	2.2	0.8	2.8	55	0.1
53163	0	0	0	0	KG	48.5601	117.2209	20.0	646.3	455	55803.	2275	2.2	3.2	10.9	1.4	0.3	4.9	40	0.1
53162	0	0	0	0	KG	48.5601	117.2202	20.0	645.7	453	55805.	2391	1.8	3.9	13.7	2.2	0.3	7.5	45	0.1
53161	0	0	0	0	KG	48.5601	117.2196	20.0	645.1	446	55806.	2398	2.3	3.4	9.5	1.5	0.4	4.2	57	0.1
53160	0	0	0	0	KG	48.5601	117.2190	19.9	644.5	434	55808.	2414	2.2	5.0	11.7	2.2	0.4	5.3	45	0.1
53159	0	0	0	0	KG	48.5601	117.2184	19.9	643.9	417	55808.	2481	2.0	4.8	8.6	2.4	0.6	4.4	51	0.1
53158	0	0	0	0	KG	48.5601	117.2177	19.9	643.4	402	55808.	2494	2.4	4.2	8.7	1.8	0.5	3.6	42	0.1
53157	0	0	0	0	KG	48.5601	117.2171	19.9	642.9	389	55808.	2661	2.6	4.0	10.3	1.5	0.4	4.0	40	0.1
53156	0	0	0	0	KG	48.5601	117.2164	19.9	642.4	384	55807.	2566	2.1	4.9	7.2	2.3	0.5	4.8	45	0.1
53155	0	0	0	0	KG	48.5601	117.2158	19.9	641.9	381	55809.	2502	2.2	2.7	14.6	1.3	0.2	6.6	38	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 19							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53154	0	0	0	0	KG	48.5601	117.2152	19.8	641.4	380	55814.	2350	2.0	4.5	11.3	2.3	0.4	5.7	34	0.1
53153	0	0	0	0	KG	48.5601	117.2145	19.8	640.9	372	55823.	2157	1.6	4.4	8.3	2.8	0.5	5.2	47	0.1
53152	0	0	0	0	KG	48.5601	117.2139	19.8	640.5	362	55835.	2143	1.8	3.6	8.8	2.0	0.4	4.8	36	0.1
53151	0	0	0	0	KG	48.5601	117.2133	19.8	640.0	349	55847.	2203	2.0	3.9	9.3	2.0	0.4	4.7	34	0.1
53150	0	0	0	0	KG	48.5601	117.2126	19.8	639.6	332	55860.	2028	1.8	4.8	7.9	2.7	0.6	4.4	51	0.1
53149	0	0	0	0	KG	48.5601	117.2120	19.8	639.2	313	55870.	2065	1.6	3.4	10.0	2.1	0.3	6.2	37	0.1
53148	0	0	0	0	KG	48.5601	117.2113	19.7	638.8	294	55881.	1778	1.6	3.4	5.4	2.1	0.6	3.3	55	0.1
53147	0	0	0	0	KG	48.5601	117.2107	19.7	638.5	286	55890.	1720	1.4	3.1	7.1	2.2	0.4	5.2	37	0.1
53146	0	0	0	0	KG	48.5601	117.2101	19.7	638.2	280	55898.	1620	1.1	3.3	6.1	3.1	0.5	5.6	38	0.1
53145	0	0	0	0	KG	48.5601	117.2095	19.7	637.8	286	55905.	1686	1.4	1.8	9.5	1.2	0.2	6.6	36	0.1
53144	0	0	0	0	KG	48.5601	117.2088	19.7	637.5	295	55910.	1777	1.4	2.6	9.0	1.9	0.3	6.6	35	0.1
53143	0	0	0	0	KG	48.5601	117.2082	19.7	637.3	309	55913.	1862	1.7	2.7	8.8	1.7	0.3	5.3	35	0.1
53142	0	0	0	0	KG	48.5601	117.2076	19.7	637.0	318	55915.	1832	1.3	3.7	9.2	2.9	0.4	7.2	53	0.1
53141	0	0	0	0	KG	48.5601	117.2069	19.6	636.8	333	55912.	1955	1.6	3.1	9.7	2.0	0.3	6.1	34	0.1
53140	0	0	0	0	KG	48.5601	117.2063	19.6	636.6	349	55907.	2057	2.2	3.3	7.9	1.5	0.4	3.6	48	0.1
53139	0	0	0	0	KG	48.5601	117.2056	19.6	636.4	366	55899.	2210	1.7	4.6	10.8	2.7	0.4	6.3	43	0.1
53138	0	0	0	0	KG	48.5601	117.2050	19.6	636.3	376	55891.	2042	1.5	3.9	9.2	2.6	0.4	6.1	41	0.1
53137	0	0	0	0	KG	48.5601	117.2044	19.6	636.1	378	55884.	1992	1.6	3.3	7.3	2.0	0.5	4.5	38	0.1
53136	0	0	0	0	KG	48.5601	117.2038	19.6	636.0	376	55878.	1916	1.7	2.9	6.5	1.7	0.4	3.8	35	0.1
53134	0	0	0	0	KG	48.5601	117.2025	19.6	635.9	368	55875.	1870	1.4	4.1	6.6	2.9	0.6	4.7	47	0.1
53133	0	0	0	0	KG	48.5601	117.2018	19.6	635.8	356	55874.	1851	1.6	2.2	8.4	1.4	0.3	5.4	30	0.1
53132	0	0	0	0	KG	48.5601	117.2012	19.6	635.7	340	55874.	1848	1.5	3.2	8.2	2.1	0.4	5.4	33	0.1
53131	0	0	0	0	KG	48.5601	117.2006	19.6	635.7	319	55878.	1917	1.6	2.7	9.4	1.7	0.3	6.0	30	0.1
53130	0	0	0	0	KG	48.5601	117.1999	19.5	635.6	298	55886.	1933	1.4	3.2	10.8	2.2	0.3	7.7	45	0.1
53129	0	0	0	0	KG	48.5601	117.1993	19.5	635.6	275	55894.	1825	1.6	3.5	7.0	2.1	0.5	4.3	40	0.1
53128	0	0	0	0	KG	48.5601	117.1987	19.5	635.5	261	55901.	1924	1.5	2.3	9.6	1.5	0.2	6.5	25	0.1
53127	0	0	0	0	KG	48.5601	117.1980	19.5	635.5	256	55905.	1831	1.4	2.5	9.7	1.9	0.3	7.1	50	0.1
53126	0	0	0	0	KG	48.5601	117.1974	19.5	635.5	256	55904.	1919	1.4	2.6	10.0	1.8	0.3	7.0	40	0.1
53125	0	0	0	0	KG	48.5601	117.1968	19.5	635.6	265	55899.	1986	1.6	3.8	8.0	2.4	0.5	5.1	42	0.1
53124	0	0	0	0	KG	48.5601	117.1961	19.5	635.6	275	55891.	1948	1.6	2.6	8.7	1.6	0.3	5.3	54	0.1
53123	0	0	0	0	KG	48.5601	117.1955	19.5	635.7	289	55880.	1888	1.7	3.1	8.6	1.8	0.4	5.1	52	0.1
53122	0	0	0	0	KG	48.5601	117.1949	19.5	635.8	294	55867.	1846	1.6	3.2	6.5	2.1	0.5	4.1	43	0.1
53121	0	0	0	0	KG	48.5601	117.1942	19.5	635.9	307	55855.	2003	1.4	3.6	7.3	2.6	0.5	5.4	37	0.1
53120	0	0	0	0	KG	48.5601	117.1936	19.5	636.1	324	55842.	1976	1.7	2.7	10.5	1.5	0.3	6.1	48	0.1
53119	0	0	0	0	KG	48.5601	117.1929	19.5	636.2	344	55830.	1999	2.0	2.6	8.6	1.3	0.3	4.4	52	0.1
53118	0	0	0	0	KG	48.5601	117.1923	19.5	636.4	359	55820.	2065	1.7	4.0	11.8	2.3	0.3	6.7	36	0.1
53117	0	0	0	0	QAG	48.5601	117.1917	19.5	636.7	369	55808.	2147	2.2	2.9	12.7	1.3	0.2	5.7	48	0.1
53116	0	0	0	0	QAG	48.5601	117.1910	19.5	636.9	385	55796.	2135	2.0	2.3	10.5	1.2	0.2	5.4	47	0.1
53115	0	0	0	0	QAG	48.5601	117.1904	19.5	637.1	399	55784.	2005	1.9	2.3	10.0	1.2	0.2	5.3	47	0.1
53114	0	0	0	0	QAG	48.5601	117.1898	19.4	637.3	412	55774.	1961	1.3	4.2	8.6	3.2	0.5	6.4	43	0.1
53113	0	0	0	0	QAG	48.5601	117.1891	19.4	637.5	421	55766.	2016	1.9	4.0	6.2	2.1	0.6	3.3	39	0.1
53112	0	0	0	0	QAG	48.5601	117.1885	19.4	637.7	428	55760.	1846	1.3	2.7	9.2	2.1	0.3	7.0	53	0.1
53111	0	0	0	0	QAG	48.5601	117.1879	19.4	637.8	433	55757.	1913	1.7	3.2	8.0	1.9	0.4	4.7	54	0.1
53110	0	0	0	0	QAG	48.5601	117.1872	19.4	638.0	437	55753.	1932	1.3	4.4	6.1	3.5	0.7	4.9	50	0.1
53109	0	0	0	0	QAG	48.5602	117.1866	19.4	638.1	431	55749.	1966	1.4	4.2	9.1	3.1	0.5	6.7	29	0.1
53108	0	0	0	0	QAG	48.5601	117.1860	19.4	638.1	421	55744.	1888	1.0	4.7	8.4	4.8	0.6	8.6	45	0.1
53107	0	0	0	0	QAG	48.5601	117.1853	19.4	638.2	403	55740.	1867	1.5	3.7	6.8	2.5	0.5	4.6	41	0.1
53106	0	0	0	0	QAG	48.5601	117.1847	19.4	638.2	385	55737.	1886	1.2	4.4	8.2	3.6	0.5	6.8	41	0.1
53105	0	0	0	0	QAG	48.5601	117.1840	19.4	638.2	363	55736.	1884	1.5	4.8	4.4	3.2	1.1	2.9	40	0.1
53104	0	0	0	0	QAG	48.5601	117.1834	19.4	638.1	343	55736.	1870	1.4	3.6	9.5	2.5	0.4	6.7	40	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 19									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53103	0	0	0	0	QAG	48.5601	117.1828	19.4	638.0	334	55733.	1711	1.1	3.7	6.9	3.4	0.5	6.2	46	0.1
53102	0	0	0	0	QAG	48.5601	117.1821	19.4	638.0	340	55727.	1784	1.1	4.4	5.2	3.9	0.8	4.6	29	0.1
53101	0	0	0	0	KG	48.5601	117.1815	19.4	637.8	357	55716.	1782	1.2	3.4	8.0	2.9	0.4	6.6	34	0.1
53100	0	0	0	0	KG	48.5601	117.1808	19.4	637.7	382	55701.	1746	1.5	3.7	6.4	2.6	0.6	4.4	37	0.1
53099	0	0	0	0	KG	48.5601	117.1802	19.4	637.5	408	55683.	1829	1.2	2.9	9.6	2.5	0.3	8.2	50	0.1
53098	0	0	0	0	KG	48.5601	117.1796	19.4	637.4	428	55667.	1752	0.9	5.2	4.2	5.6	1.2	4.5	52	0.1
53097	0	0	0	0	KG	48.5601	117.1789	19.4	637.2	438	55652.	1871	1.4	3.2	8.9	2.3	0.4	6.3	40	0.1
53096	0	0	0	0	KG	48.5601	117.1783	19.3	636.9	438	55641.	1889	1.3	3.5	11.2	2.7	0.3	8.8	41	0.1
53095	0	0	0	0	KG	48.5601	117.1776	19.3	636.7	435	55632.	1970	1.3	3.4	8.3	2.6	0.4	6.4	42	0.1
53094	0	0	0	0	KG	48.5601	117.1770	19.3	636.5	431	55624.	1944	1.3	3.8	8.9	3.0	0.4	7.1	39	0.1
53093	0	0	0	0	KG	48.5601	117.1763	19.3	636.3	426	55617.	1778	1.0	3.6	7.1	3.6	0.5	7.0	45	0.1
53092	0	0	0	0	KG	48.5601	117.1757	19.3	636.0	421	55609.	1848	1.5	3.4	7.7	2.2	0.4	5.0	47	0.1
53091	0	0	0	0	KG	48.5601	117.1750	19.3	635.7	416	55603.	1928	1.6	3.8	8.0	2.4	0.5	5.2	45	0.1
53090	0	0	0	0	KG	48.5601	117.1744	19.3	635.5	411	55599.	1910	1.5	3.5	7.8	2.3	0.5	5.1	32	0.1
53089	0	0	0	0	KG	48.5601	117.1738	19.3	635.2	406	55595.	1781	1.2	4.2	6.3	3.6	0.7	5.4	41	0.1
53088	0	0	0	0	KG	48.5601	117.1731	19.3	635.0	401	55591.	1680	1.5	4.3	4.0	2.9	1.1	2.7	51	0.1
53087	0	0	0	0	KG	48.5601	117.1725	19.3	634.7	396	55588.	1658	1.4	4.0	5.4	2.8	0.7	3.8	37	0.1
53086	0	0	0	0	KG	48.5601	117.1718	19.3	634.4	393	55586.	1704	1.1	3.3	7.1	3.2	0.5	6.8	41	0.1
53085	0	0	0	0	QAG	48.5601	117.1712	19.3	634.1	385	55587.	1629	1.1	3.4	5.7	3.2	0.6	5.4	47	0.1
53084	0	0	0	0	QAG	48.5601	117.1706	19.3	633.8	377	55589.	1737	1.3	3.1	8.5	2.3	0.4	6.4	45	0.1
53083	0	0	0	0	QAG	48.5601	117.1699	19.3	633.5	367	55592.	1850	1.4	2.6	11.0	1.9	0.2	8.0	31	0.1
53082	0	0	0	0	QAG	48.5601	117.1693	19.3	633.1	363	55593.	1694	1.2	3.6	7.9	3.2	0.5	6.9	50	0.1
53081	0	0	0	0	QAG	48.5601	117.1686	19.2	632.7	362	55594.	1719	1.3	2.7	8.0	2.1	0.3	6.1	49	0.1
53080	0	0	0	0	QAG	48.5601	117.1680	19.2	632.4	362	55594.	1732	1.5	3.5	7.8	2.4	0.4	5.3	44	0.1
53079	0	0	0	0	QAG	48.5601	117.1673	19.2	632.0	362	55594.	1705	1.4	3.0	7.1	2.2	0.4	5.2	36	0.1
53078	0	0	0	0	QAG	48.5601	117.1667	19.2	631.6	365	55594.	1736	1.4	3.7	6.1	2.6	0.6	4.3	45	0.1
53077	0	0	0	0	QAG	48.5601	117.1661	19.2	631.2	374	55592.	1579	1.2	2.8	6.6	2.3	0.4	5.3	57	0.1
53076	0	0	0	0	KGP	48.5601	117.1654	19.2	630.8	396	55590.	1542	1.3	2.5	6.0	1.9	0.4	4.5	47	0.1
53075	0	0	0	0	KGP	48.5601	117.1648	19.2	630.4	421	55586.	1612	1.1	3.1	6.9	2.7	0.4	6.0	31	0.1
53074	0	0	0	0	KGP	48.5601	117.1643	19.2	630.0	444	55584.	1806	1.2	2.9	10.5	2.4	0.3	8.7	49	0.1
53073	0	0	0	0	KGP	48.5601	117.1638	19.2	629.6	452	55583.	2093	1.4	4.8	9.8	3.4	0.5	6.9	40	0.1
53072	0	0	0	0	KGP	48.5601	117.1633	19.2	629.2	445	55585.	2151	1.9	3.9	11.0	2.0	0.4	5.7	45	0.1
53071	0	0	0	0	KGP	48.5601	117.1628	19.2	628.7	426	55588.	2236	1.7	4.2	13.4	2.4	0.3	7.7	48	0.1
53070	0	0	0	0	KGP	48.5601	117.1623	19.2	628.3	400	55592.	2323	1.4	4.4	14.7	3.1	0.3	10.2	44	0.1
53069	0	0	0	0	KGP	48.5601	117.1618	19.2	627.8	374	55598.	2392	2.0	3.8	16.4	1.9	0.2	8.3	53	0.1
53068	0	0	0	0	KGP	48.5601	117.1613	19.2	627.3	349	55604.	2441	2.0	3.6	15.5	1.8	0.2	8.0	32	0.1
53067	0	0	0	0	KGP	48.5601	117.1608	19.2	626.9	324	55612.	2570	1.9	3.4	17.7	1.8	0.2	9.4	37	0.1
53066	0	0	0	0	KGP	48.5601	117.1603	19.2	626.5	298	55621.	2513	1.8	4.2	18.0	2.3	0.2	10.1	50	0.1
53065	0	0	0	0	KHM	48.5601	117.1598	19.2	626.0	280	55628.	2672	1.7	4.8	15.2	2.8	0.3	8.7	48	0.1
53064	0	0	0	0	KHM	48.5601	117.1593	19.2	625.6	264	55635.	2778	2.0	3.5	17.6	1.7	0.2	8.7	59	0.1
53063	1	1	1	1	KHM	48.5601	117.1588	19.2	625.2	254	55643.	2813	2.4	4.0	15.5	1.7	0.3	6.6	46	0.1
53062	0	0	0	0	KHM	48.5601	117.1584	19.2	624.8	237	55652.	2720	2.0	5.7	13.7	2.8	0.4	6.7	64	0.1
53061	0	0	0	0	KHM	48.5601	117.1579	19.2	624.4	221	55662.	2638	2.2	4.4	14.3	2.0	0.3	6.4	46	0.1
53060	0	0	0	0	KHM	48.5601	117.1574	19.2	624.1	207	55674.	2608	2.0	4.2	15.0	2.1	0.3	7.5	47	0.1
53059	1	0	0	0	KHM	48.5601	117.1569	19.2	623.8	198	55684.	2448	2.1	3.2	14.1	1.5	0.2	6.8	57	0.1
53058	1	0	0	0	KHM	48.5601	117.1564	19.2	623.5	194	55693.	2479	2.1	2.8	17.4	1.3	0.2	8.2	56	0.1
53057	1	0	0	0	KHM	48.5601	117.1559	19.2	623.3	194	55699.	2490	2.0	3.8	13.9	1.9	0.3	7.1	52	0.1
53056	1	0	0	0	KHM	48.5601	117.1554	19.2	623.1	200	55701.	2449	2.0	2.2	15.9	1.1	0.1	7.9	49	0.1
53055	0	0	0	0	KHM	48.5601	117.1549	19.2	623.0	217	55701.	2581	2.1	3.7	15.2	1.7	0.2	7.2	62	0.1
53054	0	0	0	0	KHM	48.5601	117.1544	19.2	622.9	233	55697.	2733	2.3	4.0	16.2	1.7	0.2	7.1	46	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 19							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53053	0	0	0	0	KHM	48.5601	117.1539	19.2	622.9	253	55691.	2650	2.2	4.2	13.8	1.9	0.3	6.4	45	0.1
53052	0	0	0	0	KHM	48.5601	117.1534	19.2	622.9	275	55686.	2771	2.2	6.5	11.4	3.0	0.6	5.3	63	0.1
53051	0	0	0	0	KHM	48.5601	117.1529	19.3	623.1	305	55680.	2961	2.3	4.8	17.5	2.1	0.3	7.6	52	0.1
53050	0	0	0	0	KHM	48.5601	117.1524	19.3	623.2	329	55676.	3082	2.5	4.5	15.6	1.8	0.3	6.2	48	0.1
53049	0	0	0	0	KHM	48.5601	117.1519	19.3	623.4	343	55673.	3041	1.7	5.6	18.2	3.2	0.3	10.5	46	0.1
53048	0	0	0	0	KHM	48.5601	117.1514	19.3	623.7	351	55671.	3091	2.0	5.9	13.6	3.0	0.4	6.9	54	0.1
53047	0	0	0	0	KHM	48.5601	117.1509	19.3	623.9	359	55668.	3012	1.3	5.2	18.0	2.9	0.3	9.9	56	0.1
53046	0	0	0	0	KHM	48.5601	117.1504	19.3	624.3	362	55667.	2934	2.0	5.7	13.8	2.9	0.4	6.9	47	0.1
53045	0	0	0	0	KHM	48.5601	117.1499	19.3	624.6	362	55666.	2764	1.8	4.8	12.4	2.6	0.4	6.8	63	0.1
53043	0	0	0	0	KHM	48.5601	117.1490	19.3	625.0	360	55667.	2670	1.9	5.0	14.6	2.6	0.3	7.6	44	0.1
53042	0	0	0	0	KHM	48.5601	117.1485	19.3	625.4	358	55669.	2543	1.8	4.2	13.9	2.3	0.3	7.7	60	0.1
53041	0	0	0	0	KHM	48.5601	117.1480	19.3	625.8	355	55672.	2436	1.6	5.4	9.8	3.3	0.6	6.0	56	0.1
53040	0	0	0	0	KHM	48.5601	117.1475	19.4	626.3	348	55675.	2460	1.7	4.6	12.0	2.7	0.4	7.0	51	0.1
53039	0	0	0	0	KHM	48.5601	117.1470	19.4	626.7	340	55678.	2360	1.8	4.2	13.4	2.4	0.3	7.6	57	0.1
53038	0	0	0	0	KHM	48.5601	117.1465	19.4	627.2	335	55681.	2386	1.6	3.9	9.9	2.5	0.4	6.4	54	0.1
53037	0	0	0	0	KHM	48.5601	117.1460	19.4	627.6	337	55683.	2462	1.5	4.3	13.8	2.8	0.3	9.0	36	0.1
53036	0	0	0	0	KHM	48.5601	117.1455	19.4	628.1	345	55684.	2396	2.1	2.0	15.2	0.9	0.1	7.2	53	0.1
53035	0	0	0	0	KHM	48.5601	117.1450	19.4	628.5	354	55683.	2423	2.2	3.6	12.3	1.6	0.3	5.6	60	0.1
53034	0	0	0	0	KHM	48.5601	117.1445	19.4	629.0	364	55680.	2533	2.0	5.1	12.9	2.6	0.4	6.4	44	0.1
53033	0	0	0	0	KHM	48.5601	117.1440	19.4	629.5	370	55676.	2565	1.7	3.5	17.6	2.1	0.2	10.6	44	0.1
53032	0	0	0	0	KHM	48.5601	117.1435	19.5	630.0	377	55672.	2458	1.6	3.8	15.8	2.4	0.2	9.9	33	0.1
53031	0	0	0	0	KHM	48.5601	117.1430	19.5	630.6	388	55669.	2464	2.0	3.1	14.3	1.6	0.2	7.2	54	0.1
53030	0	0	0	0	KHM	48.5601	117.1425	19.5	631.0	405	55667.	2357	1.8	3.6	11.4	2.0	0.3	6.2	55	0.1
53029	0	0	0	0	KHM	48.5601	117.1420	19.5	631.6	424	55666.	2470	1.6	4.9	10.8	3.0	0.5	6.6	52	0.1
53028	0	0	0	0	KHM	48.5601	117.1415	19.5	632.1	434	55666.	2516	1.7	4.3	10.1	2.6	0.4	6.1	48	0.1
53027	0	0	0	0	KHM	48.5601	117.1411	19.5	632.6	437	55667.	2440	1.8	3.0	16.1	1.6	0.2	8.8	43	0.1
53026	0	0	0	0	KHM	48.5601	117.1405	19.5	633.0	437	55669.	2309	1.6	5.4	11.4	3.5	0.5	7.4	44	0.1
53025	0	0	0	0	KHM	48.5601	117.1401	19.5	633.5	441	55672.	2238	1.6	4.3	10.8	2.6	0.4	6.6	50	0.1
53024	0	0	0	0	KHM	48.5601	117.1396	19.5	634.0	447	55676.	2347	1.9	2.6	14.2	1.4	0.2	7.7	48	0.1
53023	0	0	0	0	KHM	48.5601	117.1391	19.6	634.6	450	55681.	2283	1.8	3.5	10.9	2.0	0.3	6.2	41	0.1
53022	0	0	0	0	KHM	48.5601	117.1386	19.6	635.0	444	55686.	2367	2.0	4.2	10.1	2.1	0.4	5.0	34	0.1
53021	0	0	0	0	KHM	48.5601	117.1381	19.6	635.5	433	55690.	2274	2.0	2.5	10.5	1.2	0.2	5.3	50	0.1
53020	0	0	0	0	KHM	48.5601	117.1376	19.6	635.9	419	55693.	2267	1.5	3.0	11.8	2.0	0.3	7.7	36	0.1
53019	0	0	0	0	KHM	48.5601	117.1371	19.6	636.4	409	55692.	2259	1.7	5.5	10.8	3.2	0.5	6.4	57	0.1
53018	0	0	0	0	KHM	48.5601	117.1366	19.6	636.8	408	55689.	2308	1.6	4.2	10.7	2.6	0.4	6.6	37	0.1
53017	0	0	0	0	KHM	48.5601	117.1361	19.6	637.2	419	55683.	2444	1.7	4.6	15.5	2.7	0.3	8.9	41	0.1
53016	0	0	0	0	KHM	48.5601	117.1356	19.6	637.6	439	55672.	2491	1.6	3.6	15.1	2.2	0.2	9.4	56	0.1
53015	0	0	0	0	KHM	48.5601	117.1351	19.6	638.1	460	55659.	2695	2.1	4.3	13.4	2.1	0.3	6.5	49	0.1
53014	0	0	0	0	KHM	48.5601	117.1346	19.6	638.5	477	55644.	2911	1.4	7.2	14.9	5.2	0.5	10.6	41	0.1
53013	0	0	0	0	KHM	48.5601	117.1341	19.7	639.0	495	55628.	2995	2.3	4.6	17.6	2.1	0.3	7.8	38	0.1
53012	0	0	0	0	KHM	48.5601	117.1336	19.7	639.4	509	55612.	2995	2.2	4.5	12.6	2.1	0.4	5.7	49	0.1
53011	0	0	0	0	KHM	48.5601	117.1331	19.7	639.8	519	55599.	3014	1.6	6.9	12.9	4.2	0.5	7.9	34	0.1
53010	0	0	0	0	KHM	48.5601	117.1326	19.7	640.2	525	55587.	2900	1.6	5.8	12.4	3.6	0.5	7.8	40	0.1
53009	0	0	0	0	KHM	48.5601	117.1321	19.7	640.5	516	55577.	2789	1.6	5.8	13.7	3.7	0.4	8.7	35	0.1
53008	0	0	0	0	KHM	48.5601	117.1317	19.7	640.9	505	55568.	2787	1.6	6.8	11.8	4.2	0.6	7.3	38	0.2
53007	0	0	0	0	KHM	48.5601	117.1312	19.7	641.3	486	55561.	2834	1.6	5.8	13.7	3.7	0.4	8.8	31	0.2
53006	0	0	0	0	KHM	48.5601	117.1307	19.7	641.7	476	55556.	2669	1.7	5.2	11.5	3.0	0.5	6.7	52	0.2
53005	0	0	0	0	KHM	48.5601	117.1302	19.7	642.0	470	55551.	2557	1.2	5.5	13.2	4.5	0.4	10.7	35	0.2
53004	0	0	0	0	KHM	48.5601	117.1297	19.7	642.4	473	55548.	2637	1.4	8.2	8.8	6.0	0.9	6.4	36	0.2
53003	0	0	0	0	KHM	48.5601	117.1292	19.7	642.7	474	55545.	2678	1.9	5.0	11.0	2.7	0.5	5.9	40	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 19							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53002	0	0	0	0	KHM	48.5601	117.1287	19.7	643.0	481	55541.	2579	1.4	5.3	12.1	3.7	0.4	8.6	43	0.2
53001	0	0	0	0	KHM	48.5601	117.1282	19.7	643.3	496	55538.	2641	1.2	6.1	12.8	5.0	0.5	10.4	41	0.2
53000	0	0	0	0	KHM	48.5601	117.1277	19.7	643.5	519	55535.	2807	1.7	4.4	13.6	2.6	0.3	7.8	37	0.2
52999	0	0	0	0	KHM	48.5601	117.1272	19.7	643.8	531	55535.	2823	1.7	5.7	13.0	3.3	0.4	7.5	38	0.2
52998	0	0	0	0	KHM	48.5601	117.1267	19.7	644.0	517	55536.	2628	1.4	5.1	13.0	3.6	0.4	9.2	53	0.2
52997	0	0	0	0	KHM	48.5601	117.1260	19.7	644.2	497	55537.	2633	1.4	5.7	15.0	4.1	0.4	10.9	41	0.2
52996	0	0	0	0	KHM	48.5601	117.1253	19.7	644.4	481	55539.	2451	1.5	4.0	12.7	2.7	0.3	8.5	53	0.2
52995	0	0	0	0	KHM	48.5600	117.1245	19.7	644.5	483	55539.	2386	1.2	5.1	10.9	4.4	0.5	9.4	61	0.2
52994	0	0	0	0	KHM	48.5600	117.1238	19.7	644.7	497	55538.	2489	1.6	5.1	9.6	3.2	0.5	6.0	54	0.2
52993	0	0	0	0	KHM	48.5600	117.1231	19.7	644.8	516	55535.	2655	1.7	4.2	11.5	2.4	0.4	6.6	43	0.2
52992	0	0	0	0	KHM	48.5600	117.1224	19.7	644.8	530	55531.	2597	1.8	3.4	15.0	1.9	0.2	8.2	47	0.2
52991	0	0	0	0	KHM	48.5599	117.1217	19.7	644.9	539	55525.	2721	1.7	5.2	12.5	3.0	0.4	7.1	32	0.2
52990	0	0	0	0	KHM	48.5599	117.1209	19.7	644.9	550	55519.	2641	1.5	4.3	11.8	2.8	0.4	7.7	42	0.2
52989	0	0	0	0	KHM	48.5599	117.1202	19.7	644.9	562	55514.	2634	1.3	3.8	14.3	3.0	0.3	11.3	37	0.2
52988	0	0	0	0	KHM	48.5599	117.1195	19.7	644.9	574	55507.	2695	1.8	4.8	13.4	2.7	0.4	7.6	36	0.2
52987	0	0	0	0	KHM	48.5598	117.1188	19.7	644.9	588	55500.	2666	1.1	5.0	12.9	4.4	0.4	11.3	54	0.2
52986	0	0	0	0	KHM	48.5598	117.1181	19.7	644.8	612	55492.	2822	1.9	5.5	13.1	2.7	0.4	6.8	41	0.2
52985	0	0	0	0	KHM	48.5598	117.1173	19.7	644.7	640	55483.	2805	2.2	4.0	13.7	1.8	0.3	6.2	28	0.2
52984	0	0	0	0	KHM	48.5598	117.1166	19.7	644.6	671	55474.	3300	2.4	5.4	14.0	2.3	0.4	6.0	51	0.2
52983	0	0	0	0	KHM	48.5597	117.1159	19.7	644.5	685	55467.	3391	2.2	6.1	19.9	2.7	0.3	9.0	44	0.2
52982	0	0	0	0	KHM	48.5597	117.1152	19.7	644.3	676	55460.	3401	2.3	4.9	18.0	2.2	0.3	8.0	34	0.2
52981	0	0	0	0	KHM	48.5597	117.1146	19.7	644.1	640	55456.	3437	2.9	5.5	15.6	1.9	0.4	5.5	34	0.2
52980	0	0	0	0	KHM	48.5597	117.1140	19.7	643.9	597	55453.	3279	2.2	6.4	14.5	3.0	0.4	6.7	24	0.2
52979	0	0	0	0	KHM	48.5597	117.1133	19.7	643.7	555	55450.	3182	2.3	3.4	17.3	1.5	0.2	7.5	42	0.2
52978	0	0	0	0	KHM	48.5597	117.1127	19.7	643.5	514	55449.	3142	2.3	6.6	14.7	2.8	0.4	6.3	37	0.2
52977	0	0	0	0	KHM	48.5597	117.1121	19.7	643.2	472	55448.	2947	1.9	6.8	12.6	3.7	0.5	6.8	53	0.2
52976	0	0	0	0	KHM	48.5597	117.1115	19.7	643.0	427	55448.	2997	2.2	6.3	12.2	2.8	0.5	5.5	53	0.2
52975	0	0	0	0	KHM	48.5596	117.1109	19.7	642.7	383	55449.	2898	1.5	6.8	11.7	4.4	0.6	7.7	48	0.2
52974	0	0	0	0	KHM	48.5596	117.1103	19.7	642.4	348	55449.	2851	1.7	5.0	14.6	2.9	0.3	8.4	37	0.2
52973	0	0	0	0	KHM	48.5596	117.1096	19.7	642.2	335	55448.	2751	2.1	4.4	11.3	2.0	0.4	5.3	43	0.2
52972	0	0	0	0	KHM	48.5596	117.1090	19.7	642.0	346	55443.	2678	1.9	4.8	10.0	2.6	0.5	5.4	50	0.2
52971	0	0	0	0	KHM	48.5596	117.1084	19.7	641.8	378	55439.	3002	1.9	5.9	11.8	3.1	0.5	6.1	32	0.2
52970	0	0	0	0	KHM	48.5596	117.1078	19.8	641.7	418	55433.	2984	2.2	6.8	15.1	3.0	0.4	6.8	40	0.2
52969	0	0	0	0	KHM	48.5596	117.1072	19.8	641.5	458	55427.	3148	2.2	6.8	14.8	3.1	0.4	6.9	39	0.2
52968	0	0	0	0	KHM	48.5596	117.1066	19.8	641.4	490	55423.	3180	2.4	4.2	17.9	1.7	0.2	7.4	45	0.2
52967	0	0	0	0	KHM	48.5596	117.1060	19.8	641.3	506	55419.	3321	1.9	6.1	19.2	3.2	0.3	10.0	46	0.2
52966	0	0	0	0	KHM	48.5596	117.1053	19.8	641.2	504	55417.	3305	2.6	5.5	16.1	2.1	0.3	6.1	39	0.2
52965	0	0	0	0	KHM	48.5596	117.1047	19.8	641.1	491	55416.	3321	2.7	4.1	15.6	1.5	0.3	5.8	53	0.2
52964	0	0	0	0	KHM	48.5596	117.1041	19.8	641.0	476	55416.	3104	2.8	3.8	14.2	1.4	0.3	5.2	31	0.2
52963	0	0	0	0	KHM	48.5596	117.1035	19.8	641.0	465	55416.	3128	2.1	4.9	18.2	2.3	0.3	8.8	37	0.2
52962	0	0	0	0	KHM	48.5596	117.1029	19.8	640.9	458	55416.	3131	2.4	3.8	15.7	1.6	0.2	6.4	37	0.2
52961	0	0	0	0	KHM	48.5596	117.1023	19.8	640.9	457	55419.	3008	2.4	3.0	12.2	1.3	0.2	5.0	53	0.2
52960	0	0	0	0	KHM	48.5596	117.1017	19.8	640.9	467	55421.	3131	2.4	5.1	16.4	2.2	0.3	6.9	37	0.2
52959	0	0	0	0	KHM	48.5596	117.1010	19.8	640.9	491	55425.	3191	2.5	3.5	16.1	1.4	0.2	6.4	37	0.2
52958	0	0	0	0	KHM	48.5595	117.1004	19.8	640.8	536	55428.	3355	2.6	3.4	17.2	1.3	0.2	6.7	31	0.2
52957	0	0	0	0	KHM	48.5595	117.0998	19.8	640.7	574	55430.	3687	2.0	7.7	17.0	3.9	0.5	8.7	47	0.2
52956	0	0	0	0	KHM	48.5595	117.0992	19.8	640.7	599	55432.	3740	2.9	4.3	20.9	1.5	0.2	7.2	51	0.2
52955	0	0	0	0	KHM	48.5595	117.0986	19.8	640.6	602	55434.	3851	2.7	4.7	16.6	1.7	0.3	6.1	48	0.2
52954	0	0	0	0	KHM	48.5595	117.0980	19.8	640.5	591	55437.	3798	3.4	4.8	18.0	1.4	0.3	5.3	43	0.2
52952	0	0	0	0	KHM	48.5595	117.0967	19.8	640.4	568	55441.	3718	2.9	5.9	19.3	2.1	0.3	6.8	46	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 19							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52951	0	0	0	0	KHM	48.5595	117.0961	19.8	640.2	535	55446.	3473	2.1	3.7	21.3	1.8	0.2	10.2	44	0.2
52950	0	0	0	0	KHM	48.5595	117.0955	19.8	640.1	503	55452.	3510	2.7	5.5	13.3	2.0	0.4	4.8	45	0.2
52949	1	1	1	1	KHM	48.5595	117.0949	19.8	639.9	468	55459.	3625	3.2	5.0	18.7	1.6	0.3	5.9	37	0.2
52948	0	0	0	0	KHM	48.5595	117.0943	19.8	639.8	427	55467.	3266	2.6	3.6	18.9	1.4	0.2	7.3	43	0.2
52947	0	0	0	0	KHM	48.5595	117.0937	19.8	639.6	383	55475.	3279	3.0	3.7	16.6	1.3	0.2	5.6	41	0.2
52946	0	0	0	0	KHM	48.5595	117.0930	19.8	639.5	349	55483.	2888	2.6	4.5	12.9	1.7	0.3	5.0	55	0.2
52945	0	0	0	0	KHM	48.5595	117.0924	19.8	639.3	327	55490.	2829	2.1	3.8	14.9	1.8	0.3	7.3	36	0.2
52944	0	0	0	0	KHM	48.5595	117.0918	19.8	639.1	316	55496.	2637	2.0	4.5	9.8	2.2	0.5	4.8	49	0.2
52943	0	0	0	0	KHM	48.5594	117.0912	19.9	639.0	307	55498.	2576	1.8	4.5	13.0	2.5	0.3	7.1	38	0.2
52942	0	0	0	0	KHM	48.5594	117.0906	19.9	638.9	302	55498.	2559	1.9	3.3	14.0	1.8	0.2	7.4	59	0.2
52941	0	0	0	0	KHM	48.5594	117.0900	19.9	638.8	306	55498.	2486	1.8	4.0	9.5	2.2	0.4	5.2	43	0.2
52940	0	0	0	0	KHM	48.5594	117.0893	19.9	638.8	321	55496.	2629	2.1	5.0	11.2	2.4	0.4	5.3	35	0.2
52939	0	0	0	0	KHM	48.5594	117.0887	19.9	638.8	340	55495.	2637	2.1	2.8	14.7	1.4	0.2	7.2	47	0.2
52938	0	0	0	0	KHM	48.5594	117.0881	19.9	638.8	346	55494.	2523	1.9	3.7	12.9	2.0	0.3	6.9	47	0.2
52937	0	0	0	0	KHM	48.5594	117.0875	19.9	638.9	347	55494.	2555	1.9	4.8	8.5	2.5	0.6	4.5	47	0.2
52936	0	0	0	0	KHM	48.5594	117.0869	19.9	639.0	353	55493.	2548	1.8	4.6	11.1	2.6	0.4	6.2	49	0.2
52935	0	0	0	0	KHM	48.5594	117.0863	19.9	639.1	372	55489.	2541	1.8	5.6	8.6	3.1	0.7	4.8	35	0.2
52934	0	0	0	0	KHM	48.5594	117.0857	19.9	639.3	396	55486.	2542	2.2	3.8	13.4	1.7	0.3	6.1	45	0.2
52933	0	0	0	0	KHM	48.5594	117.0851	19.9	639.5	417	55481.	2569	1.9	4.3	9.0	2.3	0.5	4.7	32	0.2
52932	0	0	0	0	KHM	48.5594	117.0844	20.0	639.7	434	55478.	2585	1.6	4.2	13.5	2.7	0.3	8.6	34	0.2
52931	0	0	0	0	KHM	48.5594	117.0838	20.0	640.0	450	55477.	2590	1.9	5.8	10.7	3.0	0.5	5.6	36	0.2
52930	0	0	0	0	KHM	48.5594	117.0832	20.0	640.2	466	55477.	2717	2.0	5.0	11.2	2.4	0.4	5.5	35	0.2
52929	0	0	0	0	KHM	48.5594	117.0826	20.0	640.5	484	55478.	2683	1.7	6.0	8.7	3.5	0.7	5.0	51	0.2
52928	0	0	0	0	KHM	48.5593	117.0820	20.0	640.7	502	55479.	2689	2.3	2.9	13.6	1.3	0.2	5.9	41	0.2
52927	0	0	0	0	KHM	48.5593	117.0814	20.0	641.0	521	55481.	2775	1.8	5.9	12.7	3.2	0.5	6.9	43	0.2
52926	0	0	0	0	KHM	48.5593	117.0807	20.0	641.2	534	55482.	2817	2.0	4.1	14.9	2.1	0.3	7.6	47	0.2
52925	0	0	0	0	KHM	48.5593	117.0801	20.0	641.4	545	55483.	2948	2.3	5.9	12.1	2.5	0.5	5.2	41	0.2
52924	0	0	0	0	KHM	48.5593	117.0795	20.1	641.7	550	55484.	2922	2.4	4.9	11.1	2.1	0.4	4.7	37	0.2
52923	0	0	0	0	KGP	48.5593	117.0789	20.1	641.9	548	55484.	2796	2.1	5.7	13.0	2.8	0.4	6.3	42	0.2
52922	0	0	0	0	KGP	48.5593	117.0783	20.1	642.1	549	55484.	2844	1.4	6.3	14.8	4.6	0.4	10.9	46	0.2
52921	0	0	0	0	KGP	48.5593	117.0777	20.1	642.3	543	55483.	2776	2.3	4.9	9.7	2.1	0.5	4.3	26	0.2
52920	0	0	0	0	KGP	48.5593	117.0770	20.1	642.5	546	55482.	2637	1.9	2.1	12.4	1.1	0.2	6.6	57	0.2
52919	0	0	0	0	KGP	48.5593	117.0764	20.1	642.6	540	55482.	2705	1.7	4.3	10.2	2.5	0.4	5.9	41	0.2
52918	0	0	0	0	KGP	48.5593	117.0758	20.1	642.8	533	55481.	2670	1.8	3.0	12.2	1.7	0.2	6.8	37	0.2
52917	0	0	0	0	KGP	48.5593	117.0752	20.1	643.0	512	55479.	2758	1.7	5.2	14.4	3.1	0.4	8.6	40	0.2
52916	0	0	0	0	KGP	48.5593	117.0745	20.2	643.2	485	55478.	2437	1.9	4.5	9.3	2.5	0.5	5.0	48	0.2
52915	0	0	0	0	KGP	48.5592	117.0738	20.2	643.3	469	55478.	2467	1.7	4.3	8.4	2.6	0.5	5.1	51	0.2
52914	0	0	0	0	KGP	48.5592	117.0731	20.2	643.5	469	55478.	2406	2.1	3.2	10.5	1.5	0.3	5.0	43	0.2
52913	0	0	0	0	KGP	48.5592	117.0725	20.2	643.6	480	55478.	2457	1.7	4.0	8.9	2.4	0.5	5.4	34	0.2
52912	0	0	0	0	KGP	48.5592	117.0718	20.2	643.7	489	55478.	2613	1.8	6.0	9.5	3.2	0.6	5.2	38	0.2
52911	0	0	0	0	KGP	48.5591	117.0711	20.2	643.8	493	55477.	2408	1.4	5.5	10.8	3.8	0.5	7.5	43	0.2
52910	0	0	0	0	KGP	48.5591	117.0704	20.3	643.9	495	55476.	2414	1.6	5.3	9.9	3.4	0.5	6.3	35	0.2
52909	0	0	0	0	KGP	48.5591	117.0697	20.3	644.0	492	55476.	2387	1.6	3.9	6.8	2.4	0.6	4.2	37	0.2
52908	0	0	0	0	KGP	48.5591	117.0690	20.3	644.0	487	55476.	2430	1.5	5.8	6.7	3.8	0.9	4.4	44	0.2
52907	0	0	0	0	KGP	48.5591	117.0683	20.3	644.1	474	55477.	2393	1.6	2.0	13.3	1.2	0.2	8.3	31	0.2
52906	0	0	0	0	KGP	48.5590	117.0676	20.3	644.1	467	55479.	2558	2.0	4.4	9.8	2.2	0.4	4.9	37	0.2
52905	0	0	0	0	KGP	48.5590	117.0670	20.3	644.2	464	55481.	2694	1.8	4.9	11.7	2.6	0.4	6.3	33	0.2
52904	0	0	0	0	KGP	48.5590	117.0663	20.4	644.2	451	55483.	2621	2.0	4.3	13.8	2.2	0.3	7.0	52	0.2
52903	0	0	0	0	KGP	48.5590	117.0656	20.4	644.2	424	55485.	2697	2.2	4.9	13.3	2.2	0.4	6.1	33	0.2
52902	0	0	0	0	KGP	48.5589	117.0649	20.4	644.2	404	55488.	2385	2.0	3.5	12.0	1.8	0.3	6.0	32	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 19							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52901	0	0	0	0	KGP	48.5589	117.0642	20.4	644.2	413	55492.	2156	1.9	2.9	11.5	1.6	0.3	6.1	35	0.2
52900	0	0	0	0	KGP	48.5589	117.0635	20.4	644.3	431	55493.	2204	1.8	4.4	7.7	2.5	0.6	4.4	40	0.2
52899	0	0	0	0	KGP	48.5589	117.0628	20.4	644.3	453	55493.	2245	1.7	4.1	9.9	2.4	0.4	5.9	40	0.2
52898	0	0	0	0	KGP	48.5589	117.0621	20.4	644.3	479	55492.	2195	1.7	4.1	9.4	2.5	0.4	5.7	59	0.2
52897	0	0	0	0	KGP	48.5588	117.0615	20.5	644.3	515	55490.	2354	1.8	5.7	8.1	3.2	0.7	4.6	38	0.2
52896	0	0	0	0	KGP	48.5588	117.0608	20.5	644.3	545	55488.	2377	1.6	3.4	11.8	2.1	0.3	7.3	38	0.2
52895	0	0	0	0	KGP	48.5588	117.0601	20.5	644.3	558	55487.	2316	1.9	4.1	6.8	2.2	0.6	3.6	47	0.2
52894	0	0	0	0	KGP	48.5588	117.0594	20.5	644.2	552	55484.	2180	2.0	2.7	8.1	1.4	0.3	4.1	48	0.2
52893	0	0	0	0	KGP	48.5587	117.0587	20.5	644.2	542	55483.	2300	1.8	5.2	7.5	2.9	0.7	4.2	31	0.2
52892	0	0	0	0	KGP	48.5587	117.0580	20.5	644.2	524	55483.	2169	1.9	2.7	10.0	1.4	0.3	5.3	42	0.2
52891	0	0	0	0	KGP	48.5587	117.0573	20.6	644.2	505	55484.	2250	1.9	4.1	9.0	2.2	0.5	4.8	35	0.2
52890	0	0	0	0	KGP	48.5587	117.0566	20.6	644.2	480	55487.	2140	1.7	3.5	12.1	2.0	0.3	7.1	40	0.2
52889	0	0	0	0	KGP	48.5587	117.0560	20.6	644.1	455	55490.	1967	1.2	4.4	6.4	3.6	0.7	5.3	62	0.2
52888	0	0	0	0	KGP	48.5587	117.0554	20.6	644.1	424	55491.	2034	1.5	3.9	7.2	2.5	0.5	4.7	45	0.2
52887	0	0	0	0	KGP	48.5587	117.0549	20.6	644.1	395	55491.	1849	1.5	1.6	8.8	1.0	0.2	5.9	47	0.2
52886	0	0	0	0	KGP	48.5587	117.0543	20.6	644.0	373	55490.	1857	1.4	2.9	10.4	2.1	0.3	7.7	31	0.2
52885	0	0	0	0	KGP	48.5587	117.0537	20.7	644.1	366	55489.	1837	1.2	3.3	7.4	2.7	0.5	6.1	33	0.2
52884	0	0	0	0	KGP	48.5587	117.0532	20.7	644.0	365	55489.	1878	1.5	4.5	4.9	3.0	0.9	3.2	40	0.2
52883	0	0	0	0	KGP	48.5587	117.0526	20.7	644.0	371	55490.	1942	1.4	3.8	7.7	2.7	0.5	5.5	48	0.2
52882	0	0	0	0	KGP	48.5587	117.0521	20.7	644.1	379	55490.	2040	1.6	2.4	8.9	1.5	0.3	5.7	45	0.2
52881	0	0	0	0	KGP	48.5587	117.0515	20.7	644.1	372	55490.	2162	1.4	3.4	9.1	2.4	0.4	6.6	49	0.2
52880	0	0	0	0	KGP	48.5587	117.0510	20.8	644.1	355	55492.	2168	1.6	4.4	10.3	2.7	0.4	6.4	49	0.2
52879	0	0	0	0	KGP	48.5587	117.0504	20.8	644.1	325	55493.	2108	1.5	2.1	12.0	1.4	0.2	7.8	63	0.2
52878	0	0	0	0	KGP	48.5587	117.0499	20.8	644.1	298	55493.	2154	1.9	3.0	11.2	1.6	0.3	6.0	36	0.2
52877	0	0	0	0	KGP	48.5587	117.0493	20.8	644.2	278	55493.	2032	1.5	4.2	8.2	2.8	0.5	5.5	45	0.2
52876	0	0	0	0	KGP	48.5587	117.0488	20.8	644.2	267	55494.	2063	1.5	3.8	8.5	2.6	0.4	5.8	42	0.2
52875	0	0	0	0	KGP	48.5587	117.0482	20.9	644.3	263	55493.	2011	1.9	1.8	8.5	1.0	0.2	4.6	38	0.2
52874	0	0	0	0	KGP	48.5587	117.0477	20.9	644.4	261	55494.	1836	1.4	2.9	8.6	2.1	0.3	6.4	52	0.2
52873	0	0	0	0	KGP	48.5587	117.0471	20.9	644.5	266	55494.	1782	1.5	3.1	7.6	2.1	0.4	5.2	43	0.2
52872	0	0	0	0	KGP	48.5587	117.0466	20.9	644.6	272	55493.	1717	1.3	2.9	5.5	2.3	0.5	4.3	63	0.2
52871	0	0	0	0	KGP	48.5587	117.0460	20.9	644.7	279	55493.	1714	1.6	3.5	5.4	2.2	0.6	3.5	37	0.2
52870	0	0	0	0	KGP	48.5587	117.0454	21.0	644.9	282	55491.	1653	1.3	2.2	7.0	1.7	0.3	5.2	44	0.2
52869	0	0	0	0	KGP	48.5587	117.0449	21.0	645.1	293	55491.	1614	1.2	2.9	7.6	2.4	0.4	6.2	35	0.2
52868	0	0	0	0	KGP	48.5587	117.0443	21.0	645.4	312	55493.	1554	1.3	4.0	4.5	3.1	0.9	3.4	40	0.2
52867	0	0	0	0	KGP	48.5587	117.0438	21.0	645.6	338	55495.	1684	1.2	2.7	7.5	2.2	0.4	6.1	45	0.2
52866	0	0	0	0	KGP	48.5587	117.0432	21.1	645.9	358	55498.	1748	1.5	2.4	6.6	1.6	0.4	4.3	38	0.2
52865	0	0	0	0	KGP	48.5587	117.0427	21.1	646.2	367	55501.	1690	1.5	2.0	7.1	1.4	0.3	4.9	34	0.2
52864	0	0	0	0	KGP	48.5587	117.0421	21.1	646.6	366	55503.	1590	1.2	2.5	8.1	2.1	0.3	6.9	44	0.2
52863	0	0	0	0	KGP	48.5587	117.0416	21.1	647.0	357	55506.	1666	1.2	2.1	6.3	1.8	0.3	5.3	37	0.2
52861	0	0	1	0	KGP	48.5587	117.0405	21.2	647.4	342	55509.	1579	1.3	1.0	9.9	0.8	0.1	7.8	31	0.2
52860	0	0	0	0	KGP	48.5587	117.0399	21.2	647.9	327	55511.	1572	1.4	3.1	3.9	2.2	0.8	2.8	54	0.2
52859	0	0	0	0	KGP	48.5587	117.0394	21.2	648.3	317	55513.	1555	1.2	1.8	6.9	1.5	0.3	5.6	41	0.2
52858	0	0	0	0	KGP	48.5587	117.0388	21.2	648.8	313	55513.	1643	1.2	2.7	5.5	2.2	0.5	4.5	30	0.2
52857	0	0	0	0	KGP	48.5588	117.0383	21.3	649.4	308	55511.	1679	1.2	3.1	6.2	2.5	0.5	5.0	38	0.2
52856	0	0	0	0	KGP	48.5588	117.0377	21.3	649.9	308	55509.	1550	1.1	2.7	7.5	2.4	0.4	6.7	53	0.2
52855	0	0	0	0	KGP	48.5588	117.0371	21.3	650.4	314	55506.	1627	1.4	2.5	7.1	1.8	0.4	5.2	47	0.2
52854	0	0	0	0	KGP	48.5588	117.0366	21.3	650.9	323	55502.	1594	1.1	3.7	7.0	3.5	0.5	6.6	34	0.1
52853	0	0	0	0	KGP	48.5587	117.0360	21.4	651.5	330	55500.	1531	1.3	1.6	8.3	1.2	0.2	6.3	38	0.1
52852	0	0	0	0	KGP	48.5587	117.0354	21.4	652.1	332	55499.	1521	0.9	3.2	6.3	3.5	0.5	6.9	29	0.1
52851	0	0	0	0	KGP	48.5587	117.0348	21.4	652.6	334	55499.	1588	1.2	3.6	6.4	2.9	0.6	5.3	41	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 19							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52850	0	0	0	0	KGP	48.5587	117.0342	21.4	653.2	329	55499.	1595	1.1	2.1	9.1	1.9	0.2	8.1	32	0.1
52849	0	0	0	0	KGP	48.5586	117.0337	21.5	653.8	325	55499.	1582	1.3	2.3	5.6	1.8	0.4	4.4	40	0.1
52848	0	0	0	0	QAG	48.5586	117.0331	21.5	654.3	316	55500.	1466	1.1	2.5	7.1	2.3	0.4	6.4	35	0.1
52847	0	0	0	0	QAG	48.5586	117.0325	21.5	654.9	310	55501.	1525	1.0	2.0	6.0	2.0	0.3	5.9	39	0.1
52846	0	0	0	0	QAG	48.5585	117.0319	21.5	655.5	297	55502.	1508	1.0	2.6	6.8	2.6	0.4	6.8	42	0.1
52845	0	0	0	0	QAG	48.5585	117.0313	21.6	656.1	289	55504.	1519	1.0	2.6	6.0	2.6	0.4	6.0	47	0.1
52844	0	0	0	0	QAG	48.5585	117.0308	21.6	656.7	281	55507.	1621	1.3	2.3	6.3	1.7	0.4	4.8	39	0.1
52843	0	0	0	0	QAG	48.5585	117.0302	21.6	657.3	285	55511.	1706	1.1	3.4	8.8	3.2	0.4	8.2	46	0.1
52842	0	0	0	0	QAG	48.5584	117.0296	21.6	658.0	299	55515.	1924	1.4	3.0	11.0	2.1	0.3	7.8	37	0.1
52841	0	0	0	0	QAG	48.5584	117.0290	21.7	658.6	325	55519.	1993	1.6	3.7	7.1	2.4	0.5	4.5	28	0.1
52840	0	0	0	0	QAG	48.5584	117.0284	21.7	659.3	352	55522.	2010	1.3	4.0	8.2	3.2	0.5	6.6	45	0.1
52839	0	0	0	0	QAG	48.5584	117.0278	21.7	659.9	380	55524.	2254	1.6	5.5	7.6	3.4	0.7	4.7	29	0.1
52838	0	0	0	0	QAG	48.5583	117.0273	21.7	660.6	412	55525.	2303	2.2	3.0	13.4	1.4	0.2	6.2	44	0.1
52837	0	0	0	0	QAG	48.5583	117.0267	21.8	661.2	440	55523.	2440	1.6	6.4	10.7	3.9	0.6	6.5	28	0.1
52836	0	0	0	0	QAG	48.5583	117.0261	21.8	661.9	445	55519.	2314	1.7	4.2	10.0	2.5	0.4	6.0	39	0.1
52835	0	0	0	0	QAG	48.5582	117.0255	21.8	662.5	433	55512.	2192	1.5	4.8	7.5	3.2	0.6	5.1	38	0.1
52834	0	0	0	0	QAG	48.5582	117.0249	21.8	663.0	414	55507.	2164	1.8	3.4	12.0	1.9	0.3	6.7	32	0.1
52833	0	0	0	0	QAG	48.5582	117.0243	21.8	663.6	406	55504.	2046	1.4	5.0	8.2	3.5	0.6	5.7	50	0.1
52832	0	0	0	0	QAG	48.5582	117.0237	21.9	664.1	414	55504.	2140	1.5	4.6	10.0	3.0	0.5	6.6	46	0.1
52831	0	0	0	0	QAG	48.5582	117.0231	21.9	664.6	428	55506.	2133	1.6	2.8	11.3	1.7	0.2	7.0	43	0.1
52830	0	0	0	0	QAG	48.5582	117.0225	21.9	665.1	441	55508.	2336	1.8	4.4	10.3	2.5	0.4	5.9	38	0.1
52829	0	0	0	0	QAG	48.5582	117.0218	21.9	665.5	441	55508.	2116	2.1	3.2	8.8	1.5	0.4	4.1	41	0.1
52828	0	0	0	0	QAG	48.5582	117.0212	21.9	665.9	432	55508.	2139	1.7	4.5	8.7	2.7	0.5	5.2	38	0.1
52827	0	0	0	0	QAG	48.5582	117.0206	22.0	666.3	421	55507.	2164	1.6	4.8	5.4	2.9	0.9	3.3	34	0.2
52826	0	0	0	0	QAG	48.5581	117.0200	22.0	666.7	400	55507.	2224	1.5	3.9	11.0	2.6	0.4	7.3	37	0.2
52825	0	0	0	0	QAG	48.5581	117.0194	22.0	667.0	376	55508.	2109	2.0	3.0	8.8	1.5	0.3	4.4	39	0.2
52824	0	0	0	0	QAG	48.5581	117.0188	22.0	667.3	353	55508.	2058	1.6	4.3	9.2	2.7	0.5	5.7	26	0.2
52823	0	0	0	0	QAG	48.5581	117.0181	22.0	667.6	342	55508.	2072	1.8	2.8	4.1	1.6	0.7	2.3	31	0.2
52822	0	0	0	0	QAG	48.5581	117.0175	22.0	667.9	338	55507.	2028	2.0	4.2	7.1	2.1	0.6	3.6	30	0.2
52821	0	0	0	0	QAG	48.5581	117.0169	22.0	668.2	343	55505.	2075	1.8	3.8	8.7	2.1	0.4	4.8	37	0.2
52820	0	0	0	0	QAG	48.5581	117.0163	22.1	668.5	349	55503.	2225	2.3	2.3	10.3	1.0	0.2	4.5	29	0.2
52819	0	0	0	0	QAG	48.5581	117.0157	22.1	668.8	362	55502.	2149	2.0	3.7	6.7	1.8	0.5	3.3	30	0.2
52818	0	0	0	0	QAG	48.5581	117.0150	22.1	669.0	375	55500.	2056	2.0	3.0	6.8	1.5	0.4	3.4	36	0.2
52817	0	0	0	0	QAG	48.5580	117.0144	22.1	669.2	392	55499.	2118	1.9	4.7	5.7	2.5	0.8	3.0	28	0.2
52816	0	0	0	0	QAG	48.5580	117.0138	22.1	669.5	403	55499.	1990	1.6	3.5	6.9	2.2	0.5	4.4	33	0.2
52815	0	0	0	0	QAG	48.5580	117.0132	22.1	669.6	408	55499.	1985	1.6	4.5	7.0	2.9	0.7	4.4	37	0.2
52814	0	0	0	0	QAG	48.5580	117.0126	22.1	669.8	413	55499.	1857	1.4	3.1	8.3	2.2	0.4	5.9	36	0.2
52813	0	0	0	0	QAG	48.5580	117.0120	22.1	670.0	423	55500.	1807	1.7	1.9	6.5	1.1	0.3	3.9	38	0.2
52812	0	0	0	0	QAG	48.5580	117.0114	22.1	670.1	439	55501.	1892	1.4	1.9	7.9	1.4	0.2	5.8	25	0.2
52811	0	0	0	0	QAG	48.5580	117.0107	22.1	670.3	457	55503.	1899	1.2	4.3	7.0	3.5	0.6	5.7	27	0.2
52810	0	0	0	0	QAG	48.5580	117.0101	22.2	670.4	464	55505.	1949	1.3	2.9	7.2	2.2	0.4	5.6	25	0.2
52809	0	0	0	0	QAG	48.5580	117.0095	22.2	670.5	461	55507.	1821	1.1	3.0	6.6	2.6	0.5	5.8	34	0.2
52808	0	0	1	0	QAG	48.5580	117.0089	22.2	670.6	454	55509.	1859	1.3	0.8	9.7	0.6	0.1	7.8	25	0.2
52807	0	0	0	0	QAG	48.5580	117.0083	22.2	670.7	451	55511.	1792	1.1	1.8	5.1	1.6	0.4	4.4	37	0.2
52806	0	0	0	0	QAG	48.5579	117.0076	22.2	670.7	452	55512.	1738	1.1	2.7	8.6	2.4	0.3	7.7	26	0.2
52805	0	0	0	0	QAG	48.5579	117.0070	22.2	670.7	452	55513.	1867	1.2	2.5	5.8	2.1	0.4	4.9	38	0.2
52804	0	0	0	0	QAG	48.5579	117.0064	22.2	670.8	458	55512.	1852	1.8	1.6	6.1	0.9	0.3	3.4	41	0.2
52803	0	0	0	0	QAG	48.5579	117.0058	22.2	670.8	473	55511.	1972	1.5	3.0	7.0	2.0	0.4	4.8	42	0.2
52802	0	0	0	0	QAG	48.5579	117.0052	22.2	670.8	499	55509.	2034	1.5	3.8	5.8	2.5	0.7	3.8	38	0.2
52801	0	0	0	0	QAG	48.5579	117.0046	22.2	670.8	508	55507.	2240	1.7	3.9	4.2	2.3	0.9	2.4	29	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 19

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52800	0	0	0	0	QAG	48.5579	117.0039	22.2	670.7	492	55508.	2153	2.0	2.6	6.0	1.3	0.4	3.0	34	0.2
52799	0	0	0	0	QAG	48.5579	117.0033	22.2	670.7	446	55509.	2092	2.1	1.5	7.5	0.7	0.2	3.5	35	0.2
52798	0	0	0	0	QAG	48.5579	117.0027	22.2	670.7	393	55512.	2095	2.1	2.0	7.6	1.0	0.3	3.7	41	0.2
52797	0	0	0	0	QAG	48.5579	117.0020	22.2	670.6	343	55515.	1926	1.4	2.7	6.8	2.0	0.4	4.9	39	0.2
52796	0	0	0	0	QAG	48.5579	117.0014	22.2	670.5	308	55519.	1997	1.7	3.4	6.3	2.0	0.5	3.7	32	0.2
52795	0	0	0	0	QAG	48.5579	117.0007	22.2	670.5	293	55521.	1923	1.7	2.4	7.1	1.4	0.3	4.3	36	0.2
52794	0	0	0	0	QAG	48.5579	117.0001	22.2	670.4	291	55523.	1995	1.6	2.3	8.7	1.5	0.3	5.5	34	0.3
52793	0	0	0	0	QAG	48.5579	116.9995	22.2	670.4	288	55524.	2044	2.0	2.8	6.3	1.4	0.4	3.2	41	0.3
52792	0	0	0	0	QAG	48.5579	116.9988	22.1	670.3	274	55528.	2038	1.5	3.0	10.3	1.9	0.3	6.8	31	0.3
52791	0	0	0	0	QAG	48.5579	116.9982	22.1	670.3	256	55533.	2115	1.6	2.5	9.1	1.6	0.3	5.8	52	0.3
52790	0	0	0	0	QAG	48.5579	116.9975	22.1	670.2	244	55539.	2100	1.9	2.9	6.4	1.6	0.5	3.4	42	0.3
52789	0	0	0	0	QAG	48.5579	116.9968	22.1	670.2	243	55544.	2081	1.8	3.2	8.5	1.8	0.4	4.8	30	0.3
52788	0	0	0	0	QAG	48.5579	116.9962	22.1	670.1	250	55547.	2148	1.8	2.0	10.2	1.1	0.2	5.6	40	0.3

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO.		20							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM		
53250	0	0	0	0	QAG	48.5559	117.2453	21.6	663.2	379	55785.	2535	2.0	3.0	10.9	1.5	0.3	5.4	41	0.3		
53251	0	0	0	0	QAG	48.5559	117.2447	21.6	662.8	384	55789.	2732	2.5	4.5	11.6	1.8	0.4	4.6	30	0.3		
53252	0	0	0	0	QAG	48.5559	117.2441	21.6	662.3	391	55792.	2614	2.0	4.4	11.9	2.3	0.4	6.1	48	0.3		
53253	0	0	0	0	QAG	48.5559	117.2435	21.6	661.7	389	55795.	2853	2.1	4.1	14.6	1.9	0.3	6.8	36	0.2		
53254	0	0	0	0	QAG	48.5558	117.2429	21.6	661.2	379	55799.	2744	2.9	2.9	13.3	1.0	0.2	4.6	47	0.2		
53255	0	0	0	0	QAG	48.5558	117.2423	21.6	660.7	358	55802.	2884	2.4	3.4	10.7	1.4	0.3	4.5	31	0.2		
53256	0	0	0	0	QAG	48.5558	117.2417	21.5	660.1	340	55806.	2789	2.1	4.2	13.8	2.0	0.3	6.5	50	0.2		
53257	0	0	0	0	QAG	48.5558	117.2411	21.5	659.5	328	55808.	2777	2.3	4.0	12.9	1.7	0.3	5.7	50	0.2		
53258	0	0	0	0	QAG	48.5558	117.2406	21.5	658.9	322	55808.	2721	2.3	3.8	12.4	1.7	0.3	5.5	40	0.2		
53259	0	0	0	0	QAG	48.5558	117.2400	21.5	658.3	315	55808.	2820	2.5	3.4	12.0	1.4	0.3	4.9	40	0.2		
53260	0	0	0	0	KG	48.5558	117.2394	21.5	657.7	302	55809.	2752	2.4	2.6	14.8	1.1	0.2	6.1	43	0.2		
53261	0	0	0	0	KG	48.5558	117.2388	21.5	657.1	293	55812.	2666	2.0	4.9	12.5	2.5	0.4	6.4	45	0.2		
53262	0	0	0	0	KG	48.5557	117.2382	21.5	656.5	285	55819.	2683	2.5	3.5	11.4	1.4	0.3	4.5	50	0.2		
53263	0	0	0	0	KG	48.5557	117.2376	21.4	655.8	280	55831.	2727	2.1	4.6	11.9	2.2	0.4	5.7	33	0.2		
53264	0	0	0	0	KG	48.5557	117.2370	21.4	655.2	268	55843.	2874	2.4	4.4	12.1	1.8	0.4	4.9	29	0.2		
53265	0	0	0	0	KG	48.5557	117.2365	21.4	654.6	256	55855.	2833	2.7	3.3	12.3	1.2	0.3	4.6	35	0.2		
53266	0	0	0	0	KG	48.5557	117.2359	21.4	654.0	243	55864.	2790	2.7	3.9	10.5	1.5	0.4	4.0	48	0.2		
53267	0	0	0	0	KG	48.5557	117.2353	21.4	653.4	237	55871.	2513	2.2	4.6	9.9	2.1	0.5	4.5	36	0.2		
53268	0	0	0	0	KG	48.5557	117.2347	21.4	652.9	237	55874.	2440	2.2	4.4	8.5	2.0	0.5	3.8	41	0.2		
53269	0	0	0	0	KG	48.5556	117.2341	21.4	652.3	236	55875.	2340	2.3	2.9	10.9	1.3	0.3	4.8	44	0.2		
53270	0	0	0	0	KG	48.5556	117.2335	21.4	651.8	232	55874.	2285	2.2	3.8	10.1	1.7	0.4	4.6	45	0.2		
53271	0	0	0	0	KG	48.5556	117.2329	21.3	651.3	225	55869.	2277	2.0	3.3	7.7	1.6	0.4	3.8	34	0.2		
53272	0	0	0	0	KG	48.5556	117.2323	21.3	650.9	224	55865.	2131	2.0	2.5	8.2	1.2	0.3	4.1	48	0.2		
53273	0	0	0	0	KG	48.5556	117.2318	21.3	650.4	230	55862.	2169	1.9	2.5	12.5	1.3	0.2	6.6	49	0.2		
53274	0	0	0	0	KG	48.5556	117.2312	21.3	650.0	238	55859.	2264	2.0	2.6	10.1	1.3	0.3	5.1	32	0.2		
53275	0	0	0	0	KG	48.5556	117.2306	21.3	649.6	240	55857.	2362	2.0	4.3	8.4	2.2	0.5	4.3	41	0.2		
53276	0	0	0	0	KG	48.5555	117.2300	21.3	649.2	240	55853.	2147	1.7	3.2	9.5	1.9	0.3	5.4	63	0.2		
53277	0	0	0	0	KG	48.5555	117.2294	21.3	648.8	238	55850.	2339	1.9	4.2	9.3	2.2	0.5	4.8	56	0.2		
53278	0	0	0	0	KG	48.5555	117.2288	21.3	648.5	242	55847.	2276	2.2	3.3	8.1	1.5	0.4	3.7	33	0.2		
53279	0	0	0	0	KG	48.5555	117.2282	21.2	648.1	247	55844.	2357	2.0	4.1	9.0	2.0	0.5	4.4	30	0.2		
53280	0	0	0	0	KG	48.5555	117.2276	21.2	647.7	254	55842.	2309	2.1	2.6	11.4	1.3	0.2	5.4	43	0.2		
53281	0	0	0	0	KG	48.5555	117.2270	21.2	647.4	258	55843.	2224	1.9	1.6	9.8	0.9	0.2	5.1	44	0.2		
53282	0	0	0	0	KG	48.5555	117.2264	21.2	647.1	259	55847.	2217	2.2	3.4	9.1	1.5	0.4	4.2	51	0.2		
53283	0	0	0	0	KG	48.5555	117.2259	21.2	646.8	253	55854.	2237	2.0	2.8	11.2	1.4	0.3	5.5	42	0.2		
53284	0	0	0	0	KG	48.5554	117.2253	21.2	646.5	245	55863.	2171	1.8	3.5	10.1	2.0	0.3	5.7	39	0.1		
53285	0	0	0	0	KG	48.5554	117.2247	21.2	646.2	237	55872.	2272	1.8	3.6	9.7	2.0	0.4	5.4	48	0.1		
53286	0	0	0	0	KG	48.5554	117.2241	21.2	646.0	232	55879.	2324	1.4	5.1	10.1	3.6	0.5	7.1	42	0.1		
53287	0	0	0	0	KG	48.5554	117.2235	21.2	645.7	236	55884.	2361	1.8	4.0	11.8	2.2	0.3	6.4	42	0.1		
53288	0	0	0	0	KG	48.5554	117.2229	21.2	645.4	246	55885.	2350	1.9	4.4	7.6	2.4	0.6	4.1	50	0.1		
53289	0	0	0	0	KG	48.5554	117.2223	21.1	645.2	273	55884.	2503	2.1	3.8	9.4	1.8	0.4	4.5	54	0.1		
53290	0	0	0	0	KG	48.5554	117.2217	21.1	645.0	302	55881.	2578	1.7	5.3	7.8	3.2	0.7	4.7	43	0.1		
53291	0	0	0	0	KG	48.5553	117.2212	21.1	644.7	331	55877.	2863	2.0	5.8	12.6	2.9	0.5	6.2	43	0.1		
53292	0	0	0	0	KG	48.5553	117.2206	21.1	644.5	344	55876.	2913	2.0	6.0	11.0	3.0	0.5	5.4	37	0.1		
53293	0	0	0	0	KG	48.5553	117.2200	21.1	644.3	353	55874.	3045	2.3	3.8	15.2	1.6	0.3	6.5	39	0.1		
53294	0	0	0	0	KG	48.5553	117.2194	21.1	644.1	350	55874.	3185	2.5	6.3	13.6	2.5	0.5	5.5	56	0.1		
53295	0	0	0	0	KG	48.5553	117.2188	21.1	643.9	335	55876.	3367	2.4	5.9	15.1	2.5	0.4	6.3	42	0.1		
53296	0	0	0	0	KG	48.5553	117.2182	21.0	643.6	315	55878.	3504	2.3	6.7	15.9	3.0	0.4	7.1	44	0.1		
53297	0	0	0	0	KG	48.5553	117.2176	21.0	643.3	299	55881.	3601	2.5	7.6	16.0	3.1	0.5	6.4	52	0.1		
53298	0	0	0	0	KG	48.5553	117.2170	21.0	643.1	299	55884.	3722	2.4	7.1	17.0	2.9	0.4	7.0	44	0.1		
53299	0	0	0	0	KG	48.5552	117.2164	21.0	642.9	291	55887.	3724	2.4	7.1	20.2	3.0	0.4	8.5	27	0.1		

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 20							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53300	0	0	0	0	KG	48.5552	117.2159	21.0	642.7	286	55889.	3504	2.8	6.7	16.4	2.4	0.4	5.8	50	0.1
53301	0	0	0	0	KG	48.5552	117.2153	21.0	642.4	280	55891.	3418	2.7	6.4	16.5	2.4	0.4	6.1	43	0.1
53303	0	0	0	0	KG	48.5552	117.2141	21.0	642.2	288	55892.	3529	2.6	5.7	14.6	2.3	0.4	5.7	41	0.1
53304	0	0	0	0	KG	48.5552	117.2135	21.0	642.0	304	55894.	3424	2.3	8.1	13.9	3.6	0.6	6.2	38	0.1
53305	0	0	0	0	KG	48.5552	117.2129	20.9	641.8	332	55896.	3491	2.5	6.9	15.5	2.8	0.4	6.3	55	0.1
53306	0	0	0	0	KG	48.5551	117.2123	20.9	641.6	359	55898.	3387	2.9	6.1	16.6	2.1	0.4	5.8	50	0.1
53307	0	0	0	0	KG	48.5551	117.2117	20.9	641.4	380	55900.	3207	2.4	7.5	9.5	3.2	0.8	4.0	46	0.1
53308	0	0	0	0	KG	48.5551	117.2112	20.9	641.2	388	55900.	2920	2.5	5.7	13.4	2.3	0.4	5.4	35	0.1
53309	0	0	0	0	KG	48.5551	117.2106	20.9	641.1	386	55900.	2751	1.9	6.2	11.4	3.3	0.5	6.0	39	0.1
53310	0	0	0	0	KG	48.5551	117.2100	20.9	640.9	379	55899.	2527	1.9	4.9	12.1	2.5	0.4	6.2	39	0.1
53311	0	0	0	0	KG	48.5551	117.2094	20.9	640.8	367	55899.	2268	1.9	3.5	9.2	1.9	0.4	4.9	37	0.1
53312	0	0	0	0	KG	48.5551	117.2088	20.9	640.7	359	55901.	2247	2.2	3.4	9.3	1.5	0.4	4.2	45	0.1
53313	0	0	0	0	KG	48.5551	117.2082	20.9	640.6	355	55905.	2160	1.9	4.1	9.5	2.2	0.4	5.0	33	0.1
53314	0	0	0	0	KG	48.5550	117.2076	20.9	640.5	362	55910.	2058	1.8	3.6	7.3	2.0	0.5	4.0	35	0.1
53315	0	0	0	0	KG	48.5550	117.2070	20.9	640.4	371	55914.	2024	1.7	3.5	9.0	2.0	0.4	5.2	43	0.1
53316	0	0	0	0	KG	48.5550	117.2065	20.9	640.3	380	55917.	1961	1.7	4.2	7.6	2.5	0.6	4.5	59	0.1
53317	0	0	0	0	KG	48.5550	117.2059	20.9	640.2	385	55917.	1968	1.7	3.6	6.2	2.1	0.6	3.5	54	0.1
53318	0	0	0	0	KG	48.5550	117.2053	20.9	640.2	385	55914.	1963	1.4	3.4	7.6	2.5	0.5	5.5	45	0.1
53319	0	0	0	0	KG	48.5550	117.2047	20.8	640.1	380	55908.	1898	1.5	4.0	7.0	2.6	0.6	4.5	44	0.1
53320	0	0	0	0	KG	48.5550	117.2041	20.8	640.0	386	55900.	2025	1.7	4.3	7.0	2.6	0.6	4.1	42	0.1
53321	0	0	0	0	KG	48.5549	117.2035	20.8	639.9	401	55889.	1920	1.7	2.6	7.1	1.6	0.4	4.3	41	0.1
53322	0	0	0	0	KG	48.5549	117.2029	20.8	639.8	431	55878.	2085	1.6	5.8	4.4	3.7	1.3	2.8	58	0.1
53323	0	0	0	0	KG	48.5549	117.2023	20.8	639.7	457	55868.	2169	2.0	3.8	7.9	1.9	0.5	4.1	35	0.1
53324	0	0	0	0	KG	48.5549	117.2018	20.8	639.7	481	55857.	2161	1.8	4.6	10.5	2.5	0.4	5.8	42	0.1
53325	0	0	0	0	KG	48.5549	117.2012	20.8	639.6	490	55849.	2284	1.4	5.3	7.7	3.7	0.7	5.4	51	0.1
53326	0	0	0	0	KG	48.5549	117.2006	20.8	639.5	486	55843.	2374	1.9	3.7	11.5	2.0	0.3	6.2	39	0.1
53327	0	0	0	0	KG	48.5549	117.2000	20.8	639.5	463	55839.	2305	2.1	2.9	11.5	1.4	0.3	5.5	51	0.1
53328	0	0	0	0	KG	48.5549	117.1994	20.8	639.5	429	55837.	2509	2.2	5.3	8.7	2.4	0.6	4.0	29	0.1
53329	0	0	0	0	KG	48.5548	117.1988	20.8	639.4	386	55835.	2501	1.7	6.4	7.7	3.9	0.8	4.7	43	0.1
53330	0	0	0	0	KG	48.5548	117.1982	20.8	639.4	347	55830.	2476	2.1	4.0	10.8	1.9	0.4	5.1	47	0.1
53331	0	0	0	0	KG	48.5548	117.1976	20.8	639.5	322	55823.	2406	2.2	4.1	8.4	1.9	0.5	3.8	52	0.1
53332	0	0	0	0	KG	48.5548	117.1970	20.8	639.5	311	55813.	2210	2.0	5.4	7.3	2.7	0.7	3.6	55	0.1
53333	0	0	0	0	KG	48.5548	117.1965	20.8	639.6	316	55801.	2096	1.4	5.7	8.3	4.0	0.7	5.8	40	0.1
53334	0	0	0	0	KG	48.5548	117.1959	20.8	639.7	326	55789.	2035	1.7	4.4	7.6	2.6	0.6	4.4	39	0.1
53335	0	0	0	0	KG	48.5548	117.1953	20.8	639.8	344	55779.	1938	1.7	2.9	7.4	1.7	0.4	4.4	50	0.1
53336	0	0	0	0	KG	48.5547	117.1947	20.8	639.9	363	55771.	2036	1.6	4.8	5.9	3.0	0.8	3.7	45	0.1
53337	0	0	0	0	QAG	48.5547	117.1941	20.8	640.0	385	55768.	2161	1.8	4.8	7.4	2.7	0.6	4.1	30	0.1
53338	0	0	0	0	QAG	48.5547	117.1935	20.8	640.2	407	55767.	2172	1.9	4.1	9.4	2.2	0.4	5.1	54	0.1
53339	0	0	0	0	QAG	48.5547	117.1929	20.8	640.3	431	55769.	2208	2.2	3.5	9.0	1.6	0.4	4.1	33	0.1
53340	0	0	0	0	QAG	48.5547	117.1923	20.8	640.5	453	55770.	2238	2.0	3.5	10.1	1.8	0.3	5.1	42	0.1
53341	0	0	0	0	QAG	48.5547	117.1917	20.8	640.6	473	55769.	2406	2.2	6.2	8.1	2.8	0.8	3.7	44	0.1
53342	0	0	0	0	QAG	48.5547	117.1912	20.8	640.8	491	55767.	2214	1.9	3.9	8.7	2.1	0.4	4.7	32	0.1
53343	0	0	0	0	QAG	48.5547	117.1906	20.8	641.0	508	55763.	2215	2.0	3.8	9.3	1.9	0.4	4.6	38	0.1
53344	0	0	0	0	QAG	48.5546	117.1900	20.8	641.1	518	55757.	2227	1.9	4.5	7.5	2.3	0.6	3.9	32	0.1
53345	0	0	0	0	QAG	48.5546	117.1894	20.8	641.3	515	55751.	1944	1.8	3.0	6.8	1.7	0.4	3.8	48	0.1
53346	0	0	0	0	QAG	48.5546	117.1888	20.8	641.4	508	55747.	1898	1.3	4.3	6.6	3.3	0.7	5.0	32	0.1
53347	0	0	0	0	KG	48.5546	117.1882	20.8	641.5	504	55742.	1850	1.0	3.6	6.7	3.5	0.5	6.6	35	0.1
53348	0	0	0	0	KG	48.5546	117.1876	20.8	641.7	508	55737.	1671	1.2	3.5	5.7	3.0	0.6	4.9	43	0.1
53349	0	0	0	0	KG	48.5546	117.1870	20.8	641.8	516	55732.	1547	0.9	3.0	7.1	3.4	0.4	8.1	46	0.1
53350	0	0	0	0	KG	48.5546	117.1865	20.8	641.8	525	55724.	1587	1.2	3.5	7.1	2.9	0.5	5.9	37	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 20								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53351	0	0	0	0	KG	48.5546	117.1859	20.8	641.9	536	55717.	1670	1.1	3.6	6.0	3.2	0.6	5.2	38	0.1
53352	0	0	0	0	KG	48.5546	117.1853	20.7	641.9	541	55710.	1691	0.9	5.4	4.7	6.1	1.2	5.3	35	0.1
53353	0	0	0	0	KG	48.5546	117.1847	20.7	641.9	541	55703.	1785	0.8	4.3	9.0	5.4	0.5	11.1	37	0.1
53354	0	0	0	0	KG	48.5547	117.1841	20.7	641.9	539	55696.	1625	1.2	3.6	4.5	2.9	0.8	3.7	44	0.1
53355	0	0	0	0	KG	48.5547	117.1835	20.7	641.9	538	55688.	1793	1.3	3.9	6.2	2.9	0.6	4.6	37	0.1
53356	0	0	0	0	KG	48.5547	117.1829	20.7	641.8	539	55681.	1695	1.1	3.8	6.6	3.4	0.6	5.8	51	0.1
53357	0	0	0	0	KG	48.5547	117.1823	20.7	641.6	542	55671.	1798	1.2	4.8	4.5	4.0	1.1	3.7	31	0.1
53358	0	0	0	0	KG	48.5547	117.1817	20.7	641.5	545	55662.	1725	0.9	4.4	6.8	4.9	0.6	7.7	46	0.1
53359	0	0	0	0	KG	48.5548	117.1812	20.7	641.3	546	55652.	1797	0.9	3.5	7.4	3.9	0.5	8.2	36	0.1
53360	0	0	0	0	KG	48.5548	117.1806	20.7	641.0	540	55642.	1712	1.4	2.4	5.9	1.7	0.4	4.2	51	0.1
53361	0	0	0	0	KG	48.5548	117.1800	20.7	640.8	533	55634.	1898	1.2	4.4	4.9	3.8	0.9	4.3	35	0.1
53362	0	0	0	0	KG	48.5549	117.1794	20.7	640.5	521	55627.	1992	1.4	3.8	10.1	2.7	0.4	7.3	37	0.1
53363	0	0	0	0	KG	48.5549	117.1788	20.7	640.2	510	55619.	2076	1.3	4.9	7.3	3.7	0.7	5.6	32	0.1
53364	0	0	0	0	KG	48.5549	117.1782	20.7	639.9	495	55613.	2045	1.6	3.6	10.9	2.2	0.3	6.6	37	0.1
53365	0	0	0	0	KG	48.5549	117.1776	20.7	639.5	482	55608.	2067	1.6	3.7	9.6	2.3	0.4	6.1	38	0.1
53366	0	0	0	0	KG	48.5549	117.1770	20.7	639.2	470	55604.	2179	1.6	4.1	10.2	2.5	0.4	6.3	35	0.1
53367	0	0	0	0	KG	48.5550	117.1765	20.6	638.8	459	55601.	2170	1.7	4.3	9.1	2.5	0.5	5.2	45	0.1
53368	0	0	0	0	KG	48.5550	117.1759	20.6	638.3	449	55600.	2294	1.4	4.7	11.2	3.3	0.4	7.8	46	0.1
53369	0	0	0	0	KG	48.5550	117.1753	20.6	637.9	436	55601.	2356	1.7	2.9	13.1	1.7	0.2	7.5	52	0.1
53370	0	0	0	0	KG	48.5550	117.1747	20.6	637.5	421	55602.	2366	1.7	4.2	11.2	2.4	0.4	6.4	56	0.1
53371	0	0	0	0	KG	48.5551	117.1741	20.6	637.0	405	55602.	2315	1.9	4.7	11.4	2.4	0.4	5.9	49	0.1
53372	0	0	0	0	KG	48.5551	117.1735	20.6	636.6	391	55603.	2372	1.7	3.7	12.0	2.2	0.3	7.2	37	0.1
53373	0	0	0	0	KGP	48.5551	117.1729	20.6	636.1	382	55602.	2384	1.9	2.9	13.5	1.6	0.2	7.3	44	0.1
53374	0	0	0	0	KGP	48.5551	117.1723	20.6	635.7	380	55599.	2090	1.5	4.1	9.9	2.7	0.4	6.4	67	0.1
53375	0	0	0	0	KGP	48.5552	117.1718	20.5	635.2	384	55596.	2234	1.7	4.5	6.9	2.6	0.7	4.0	40	0.1
53376	0	0	0	0	KGP	48.5552	117.1712	20.5	634.7	390	55592.	2228	1.5	5.1	9.4	3.3	0.5	6.2	39	0.1
53377	0	0	0	0	KGP	48.5552	117.1706	20.5	634.2	397	55588.	2088	1.7	2.7	10.1	1.6	0.3	5.8	41	0.1
53378	0	0	0	0	KGP	48.5552	117.1700	20.5	633.8	405	55584.	2096	1.3	3.1	8.8	2.4	0.4	6.7	46	0.1
53379	0	0	0	0	KGP	48.5553	117.1694	20.5	633.3	415	55580.	2137	1.7	3.5	8.1	2.0	0.4	4.7	36	0.1
53380	0	0	0	0	KGP	48.5553	117.1688	20.5	632.8	420	55576.	2293	1.4	3.3	13.9	2.3	0.2	9.6	42	0.1
53381	0	0	0	0	KGP	48.5553	117.1682	20.5	632.3	420	55575.	2179	1.8	2.0	9.6	1.1	0.2	5.4	33	0.2
53382	0	0	0	0	KGP	48.5553	117.1676	20.4	631.8	413	55574.	2042	1.3	4.5	10.8	3.4	0.4	8.1	64	0.2
53383	0	0	0	0	KGP	48.5553	117.1671	20.4	631.4	402	55573.	2106	1.7	4.2	9.2	2.5	0.5	5.5	36	0.2
53384	0	0	0	0	KGP	48.5554	117.1665	20.4	630.9	392	55573.	2026	1.7	2.4	8.1	1.4	0.3	4.8	37	0.2
53385	0	0	0	0	KGP	48.5554	117.1659	20.4	630.4	387	55574.	2103	1.4	4.7	9.4	3.3	0.5	6.5	38	0.2
53386	0	0	0	0	KGP	48.5554	117.1653	20.4	629.9	389	55577.	2083	1.6	2.9	10.3	1.8	0.3	6.4	37	0.2
53387	0	0	0	0	KGP	48.5554	117.1647	20.4	629.4	396	55580.	2176	1.6	2.9	14.3	1.9	0.2	9.1	35	0.2
53388	0	0	0	0	KGP	48.5555	117.1641	20.3	628.8	404	55583.	2301	1.8	2.1	13.8	1.1	0.1	7.6	42	0.2
53389	0	0	0	0	KGP	48.5555	117.1635	20.3	628.3	412	55587.	2399	1.7	4.9	9.1	2.8	0.5	5.3	47	0.2
53390	0	0	0	0	KGP	48.5555	117.1629	20.3	627.7	418	55590.	2413	1.9	3.9	12.2	2.1	0.3	6.5	49	0.2
53391	0	0	1	0	KGP	48.5555	117.1624	20.3	627.1	422	55593.	2421	2.0	1.3	16.5	0.6	0.1	8.3	49	0.2
53392	0	0	0	0	KGP	48.5556	117.1618	20.3	626.5	430	55597.	2489	1.6	4.8	13.3	3.0	0.4	8.5	54	0.2
53394	0	0	0	0	KGP	48.5556	117.1606	20.3	625.9	432	55600.	2613	1.7	5.8	12.1	3.5	0.5	7.3	52	0.2
53395	0	0	0	0	KGP	48.5556	117.1600	20.2	625.3	432	55603.	2553	1.6	3.8	14.9	2.4	0.3	9.5	49	0.2
53396	0	0	0	0	KGP	48.5556	117.1594	20.2	624.7	428	55607.	2562	1.8	3.0	15.3	1.6	0.2	8.5	46	0.2
53397	0	0	0	0	KGP	48.5557	117.1588	20.2	624.1	424	55613.	2773	2.2	4.0	16.1	1.8	0.2	7.4	39	0.2
53398	0	0	0	0	KGP	48.5557	117.1582	20.2	623.5	422	55620.	2610	2.3	2.7	14.4	1.2	0.2	6.4	47	0.2
53399	0	0	0	0	KGP	48.5557	117.1577	20.2	622.9	418	55629.	2562	1.9	3.5	16.1	1.8	0.2	8.4	46	0.2
53400	0	0	0	0	KGP	48.5558	117.1571	20.2	622.4	416	55637.	2697	1.7	3.9	13.9	2.2	0.3	8.1	39	0.2
53401	0	0	0	0	KGP	48.5558	117.1565	20.2	621.8	411	55643.	2459	1.9	2.8	10.9	1.5	0.3	5.8	50	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 20							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53402	0	0	0	0	KGP	48.5558	117.1559	20.1	621.3	404	55648.	2582	2.1	2.1	15.2	1.0	0.1	7.4	59	0.2
53403	0	0	0	0	KHM	48.5558	117.1553	20.1	620.8	395	55652.	2590	1.8	3.2	14.0	1.8	0.2	7.8	44	0.2
53404	0	0	0	0	KHM	48.5558	117.1547	20.1	620.4	384	55659.	2563	1.9	3.7	13.0	1.9	0.3	6.7	46	0.2
53405	0	0	0	0	KHM	48.5559	117.1541	20.1	620.1	367	55666.	2597	2.0	2.0	16.5	1.0	0.1	8.2	36	0.2
53406	0	0	0	0	KHM	48.5559	117.1535	20.1	619.9	349	55674.	2639	2.2	2.2	19.1	1.0	0.1	8.6	55	0.1
53407	0	0	0	0	KHM	48.5559	117.1530	20.1	619.7	330	55682.	2574	2.3	2.3	14.9	1.0	0.2	6.6	59	0.1
53408	0	0	0	0	KHM	48.5559	117.1524	20.1	619.5	312	55687.	2416	2.1	2.7	11.4	1.3	0.2	5.6	65	0.1
53409	0	0	0	0	KHM	48.5560	117.1518	20.1	619.5	294	55690.	2519	1.9	3.6	15.0	1.9	0.2	8.1	49	0.1
53410	0	0	0	0	KHM	48.5560	117.1512	20.1	619.5	282	55690.	2495	1.7	2.8	11.7	1.7	0.2	6.9	61	0.1
53411	0	0	0	0	KHM	48.5560	117.1506	20.0	619.5	282	55685.	2568	1.9	4.1	14.1	2.2	0.3	7.5	45	0.1
53412	0	0	0	0	KHM	48.5560	117.1500	20.0	619.7	296	55679.	2593	1.7	4.0	16.3	2.3	0.2	9.5	46	0.1
53413	0	0	0	0	KHM	48.5561	117.1494	20.0	619.9	317	55670.	2737	2.0	2.9	16.8	1.5	0.2	8.4	60	0.1
53414	0	0	0	0	KHM	48.5561	117.1488	20.0	620.1	341	55661.	2965	1.9	4.6	16.1	2.4	0.3	8.4	59	0.1
53415	0	0	0	0	KHM	48.5561	117.1483	20.0	620.4	355	55652.	3127	2.2	5.6	14.0	2.6	0.4	6.4	60	0.1
53416	0	0	0	0	KHM	48.5561	117.1477	20.0	620.7	363	55645.	3170	2.1	6.1	16.8	2.9	0.4	8.0	44	0.1
53417	0	0	0	0	KHM	48.5562	117.1471	20.0	621.1	374	55641.	3313	2.6	3.2	22.9	1.2	0.1	8.8	43	0.1
53418	0	0	0	0	KHM	48.5562	117.1465	20.0	621.4	399	55639.	3416	2.4	5.2	20.0	2.2	0.3	8.5	48	0.1
53419	0	0	0	0	KHM	48.5562	117.1459	20.0	621.8	429	55638.	3284	2.4	6.3	16.7	2.6	0.4	7.1	56	0.1
53420	0	0	0	0	KHM	48.5562	117.1453	20.0	622.2	462	55637.	3501	2.9	4.4	20.6	1.5	0.2	7.1	53	0.1
53421	0	0	0	0	KHM	48.5562	117.1447	20.0	622.6	494	55636.	3466	2.5	6.1	17.3	2.5	0.4	7.0	34	0.1
53422	0	0	0	0	KHM	48.5562	117.1442	20.0	623.0	528	55635.	3400	2.1	5.5	20.5	2.6	0.3	9.7	56	0.1
53423	0	0	0	0	KHM	48.5562	117.1437	20.0	623.5	561	55634.	3569	2.5	5.4	18.6	2.2	0.3	7.5	46	0.1
53424	0	0	0	0	KHM	48.5562	117.1432	20.0	623.9	590	55633.	3438	2.4	6.0	20.2	2.5	0.3	8.4	39	0.1
53425	0	0	0	0	KHM	48.5562	117.1427	20.0	624.4	611	55634.	3518	2.8	6.3	15.3	2.2	0.4	5.5	40	0.1
53426	0	0	0	0	KHM	48.5562	117.1422	20.0	624.9	624	55635.	3413	2.0	6.0	17.4	3.0	0.3	8.6	43	0.1
53427	0	0	0	0	KHM	48.5562	117.1417	20.0	625.4	626	55636.	3200	2.0	2.8	21.8	1.4	0.1	11.0	41	0.1
53428	0	0	0	0	KHM	48.5562	117.1412	20.0	625.9	621	55637.	2976	2.3	5.3	14.5	2.3	0.4	6.3	57	0.1
53429	0	0	0	0	KHM	48.5562	117.1407	20.0	626.4	610	55638.	2993	2.3	4.3	15.8	1.8	0.3	6.7	52	0.1
53430	0	0	0	0	KHM	48.5562	117.1402	20.0	626.8	599	55638.	2896	1.9	5.0	15.5	2.6	0.3	8.1	44	0.1
53431	0	0	0	0	KHM	48.5562	117.1397	20.0	627.2	586	55639.	2779	2.1	6.1	12.8	2.9	0.5	6.1	45	0.1
53432	0	0	0	0	KHM	48.5562	117.1392	20.0	627.7	572	55640.	2693	2.0	5.7	12.2	2.9	0.5	6.2	39	0.1
53433	0	0	0	0	KHM	48.5562	117.1387	20.0	628.1	560	55640.	2600	1.7	3.4	16.9	1.9	0.2	9.7	40	0.1
53434	0	0	0	0	KHM	48.5562	117.1382	20.0	628.5	551	55640.	2682	1.7	5.3	13.1	3.1	0.4	7.7	53	0.1
53435	0	0	0	0	KHM	48.5562	117.1377	20.0	628.9	543	55640.	2701	1.9	3.6	13.8	1.9	0.3	7.2	33	0.1
53436	0	0	0	0	KHM	48.5562	117.1372	20.0	629.2	533	55641.	2530	1.4	7.1	10.4	5.0	0.7	7.3	49	0.1
53437	0	0	0	0	KHM	48.5561	117.1367	20.0	629.6	521	55644.	2628	1.6	3.4	13.5	2.2	0.3	8.7	44	0.1
53438	0	0	0	0	KHM	48.5561	117.1362	20.0	629.9	509	55649.	2477	1.7	3.9	13.8	2.3	0.3	8.2	46	0.1
53439	0	0	0	0	KHM	48.5561	117.1357	20.0	630.2	493	55656.	2453	1.7	4.1	14.4	2.4	0.3	8.6	49	0.1
53440	0	0	0	0	KHM	48.5561	117.1352	20.0	630.6	473	55665.	2411	1.8	4.7	10.2	2.6	0.5	5.7	50	0.1
53441	0	0	0	0	KHM	48.5561	117.1347	20.0	630.9	448	55675.	2394	1.9	1.9	14.4	1.0	0.1	7.5	43	0.1
53442	0	0	0	0	KHM	48.5561	117.1342	20.0	631.3	424	55688.	2477	1.7	4.2	15.8	2.5	0.3	9.6	48	0.1
53443	0	0	0	0	KHM	48.5561	117.1337	20.0	631.6	404	55698.	2304	1.6	3.6	15.3	2.3	0.2	9.8	40	0.1
53444	0	0	0	0	KHM	48.5561	117.1332	20.0	632.0	383	55705.	2362	1.7	3.7	12.6	2.2	0.3	7.4	44	0.1
53445	0	0	0	0	KHM	48.5561	117.1327	20.0	632.4	362	55708.	2439	1.8	4.2	11.1	2.4	0.4	6.3	38	0.1
53446	0	0	0	0	KHM	48.5561	117.1322	20.0	632.8	345	55706.	2283	1.4	5.6	11.7	4.1	0.5	8.5	61	0.1
53447	0	0	0	0	KHM	48.5561	117.1317	20.0	633.2	339	55702.	2282	1.2	3.8	8.4	3.1	0.5	6.8	52	0.1
53448	0	0	0	0	KHM	48.5561	117.1312	20.0	633.6	339	55696.	2350	1.6	3.6	12.2	2.2	0.3	7.6	34	0.1
53449	0	0	0	0	KHM	48.5561	117.1307	20.0	634.1	346	55689.	2372	1.5	4.2	11.7	2.8	0.4	7.7	61	0.1
53450	0	0	0	0	KHM	48.5560	117.1302	20.0	634.5	355	55681.	2481	1.3	4.5	13.1	3.4	0.3	9.9	53	0.1
53451	0	0	0	0	KHM	48.5560	117.1297	20.0	635.0	368	55671.	2448	1.8	5.8	8.8	3.2	0.7	5.0	47	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 20							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53452	0	0	0	0	KHM	48.5560	117.1292	20.1	635.5	380	55659.	2494	1.6	5.9	9.9	3.7	0.6	6.3	52	0.1
53453	0	0	0	0	KHM	48.5560	117.1287	20.1	636.0	396	55647.	2508	1.4	6.6	11.1	4.6	0.6	7.8	36	0.1
53454	0	0	0	0	KHM	48.5560	117.1282	20.1	636.5	418	55634.	2397	1.7	4.4	10.9	2.6	0.4	6.5	47	0.1
53455	0	0	0	0	KHM	48.5560	117.1277	20.1	637.0	448	55623.	2461	1.4	5.6	11.2	4.1	0.5	8.1	32	0.1
53456	0	0	0	0	KHM	48.5560	117.1272	20.1	637.5	484	55614.	2568	1.3	6.9	11.6	5.3	0.6	8.9	50	0.1
53457	0	0	0	0	KHM	48.5560	117.1267	20.1	638.1	524	55606.	2639	1.6	5.9	12.1	3.6	0.5	7.4	50	0.1
53458	0	0	0	0	KHM	48.5560	117.1263	20.1	638.6	547	55602.	2796	2.2	6.4	11.9	2.9	0.5	5.5	45	0.1
53459	0	0	0	0	KHM	48.5560	117.1257	20.1	639.2	545	55599.	2818	1.8	6.2	8.8	3.5	0.7	4.9	50	0.1
53460	0	0	0	0	KHM	48.5560	117.1252	20.1	639.7	522	55596.	2688	1.9	4.5	13.3	2.4	0.3	7.0	31	0.1
53461	0	0	0	0	KHM	48.5559	117.1245	20.1	640.3	500	55592.	2629	1.7	6.3	12.1	3.6	0.5	7.0	45	0.1
53462	0	0	0	0	KHM	48.5559	117.1239	20.1	640.8	492	55587.	2538	1.2	7.9	9.9	6.9	0.8	8.6	43	0.1
53463	0	0	0	0	KHM	48.5559	117.1234	20.2	641.4	499	55580.	2614	1.8	5.0	9.5	2.7	0.5	5.2	39	0.1
53464	0	0	0	0	KHM	48.5559	117.1227	20.2	642.0	517	55573.	2685	1.5	6.1	11.3	4.1	0.5	7.6	42	0.1
53465	0	0	0	0	KHM	48.5558	117.1221	20.2	642.5	540	55565.	2852	1.9	6.8	12.5	3.6	0.5	6.6	51	0.1
53466	0	0	0	0	KHM	48.5558	117.1216	20.2	643.0	559	55557.	2926	1.7	4.3	18.4	2.5	0.2	10.8	37	0.1
53467	0	0	0	0	KHM	48.5558	117.1209	20.2	643.5	565	55549.	2773	1.6	8.5	10.6	5.3	0.8	6.6	50	0.1
53468	0	0	0	0	KHM	48.5558	117.1204	20.2	644.0	556	55541.	2913	1.8	6.8	12.2	3.8	0.6	6.8	62	0.1
53469	0	0	0	0	KHM	48.5557	117.1198	20.2	644.5	539	55533.	2778	1.6	6.0	12.1	3.8	0.5	7.6	36	0.1
53470	0	0	0	0	KHM	48.5557	117.1192	20.2	644.9	532	55525.	2810	2.0	4.3	17.6	2.2	0.2	9.0	42	0.1
53471	0	0	0	0	KHM	48.5557	117.1186	20.3	645.3	537	55519.	2806	1.6	8.6	9.3	5.5	0.9	6.0	48	0.1
53472	0	0	0	0	KHM	48.5556	117.1180	20.3	645.7	546	55511.	3044	2.0	5.8	14.2	2.9	0.4	7.1	24	0.1
53473	0	0	0	0	KHM	48.5556	117.1174	20.3	646.0	555	55503.	3105	1.6	6.0	16.0	3.7	0.4	9.9	41	0.1
53474	0	0	0	0	KHM	48.5556	117.1168	20.3	646.3	569	55494.	3417	2.1	7.8	17.0	3.7	0.5	8.0	32	0.1
53475	0	0	0	0	KHM	48.5556	117.1161	20.3	646.6	580	55485.	3538	2.5	7.8	14.2	3.2	0.5	5.8	47	0.1
53476	0	0	0	0	KHM	48.5555	117.1156	20.3	646.9	574	55476.	3600	2.4	6.5	18.6	2.7	0.3	7.8	44	0.1
53477	0	0	0	0	KHM	48.5555	117.1150	20.3	647.1	550	55467.	3583	2.4	7.9	16.0	3.4	0.5	6.8	34	0.1
53478	0	0	0	0	KHM	48.5555	117.1144	20.3	647.4	521	55460.	3352	2.6	5.6	16.2	2.1	0.3	6.2	36	0.1
53479	0	0	0	0	KHM	48.5555	117.1138	20.4	647.6	498	55454.	3308	2.3	7.1	13.4	3.1	0.5	5.8	46	0.1
53480	0	0	0	0	KHM	48.5555	117.1132	20.4	647.8	469	55449.	3080	1.8	7.4	15.2	4.1	0.5	8.5	33	0.1
53481	0	0	0	0	KHM	48.5555	117.1126	20.4	647.9	440	55444.	2906	2.4	5.9	13.0	2.5	0.5	5.5	40	0.1
53482	0	0	0	0	KHM	48.5555	117.1121	20.4	648.1	409	55440.	2803	2.5	3.4	13.8	1.4	0.2	5.6	46	0.1
53483	0	0	0	0	KHM	48.5554	117.1109	20.4	648.2	386	55435.	2753	2.1	5.6	11.8	2.7	0.5	5.7	46	0.1
53485	0	0	0	0	KHM	48.5554	117.1103	20.4	648.3	376	55430.	2729	2.5	4.3	14.8	1.8	0.3	6.0	34	0.1
53486	0	0	0	0	KHM	48.5554	117.1097	20.4	648.4	383	55426.	2683	2.0	6.2	8.2	3.1	0.8	4.0	41	0.1
53487	0	0	0	0	KHM	48.5554	117.1092	20.4	648.5	403	55422.	2764	2.2	5.3	12.9	2.4	0.4	5.8	40	0.1
53488	0	0	0	0	KHM	48.5554	117.1086	20.4	648.6	424	55417.	2769	2.0	5.0	12.9	2.5	0.4	6.5	37	0.1
53489	0	0	0	0	KHM	48.5554	117.1080	20.4	648.7	443	55412.	2703	1.9	5.3	10.7	2.8	0.5	5.6	51	0.1
53490	0	0	0	0	KHM	48.5554	117.1074	20.5	648.8	467	55407.	2877	2.1	6.0	14.5	2.8	0.4	6.8	47	0.1
53491	0	0	0	0	KHM	48.5554	117.1069	20.5	648.8	500	55402.	3005	2.6	6.3	14.6	2.4	0.4	5.5	36	0.1
53492	0	0	0	0	KHM	48.5554	117.1063	20.5	648.9	521	55398.	3222	2.7	7.6	15.3	2.8	0.5	5.7	30	0.1
53493	0	0	0	0	KHM	48.5554	117.1057	20.5	648.9	525	55396.	3040	2.1	7.6	13.5	3.6	0.6	6.4	55	0.1
53494	0	0	0	0	KHM	48.5554	117.1051	20.5	649.0	502	55395.	3221	2.3	7.5	15.1	3.2	0.5	6.5	25	0.1
53495	0	0	0	0	KHM	48.5554	117.1046	20.5	649.0	472	55395.	2932	2.3	4.5	18.3	1.9	0.2	8.0	39	0.1
53496	0	0	0	0	KHM	48.5553	117.1040	20.5	649.0	445	55397.	2904	2.4	5.2	13.9	2.2	0.4	5.9	55	0.1
53497	0	0	0	0	KHM	48.5553	117.1034	20.5	649.0	430	55399.	2846	1.9	5.6	13.0	3.0	0.4	7.0	42	0.1
53498	0	0	0	0	KHM	48.5553	117.1028	20.5	649.0	434	55400.	2895	2.2	5.7	14.8	2.6	0.4	6.8	44	0.1
53499	0	0	0	0	KHM	48.5553	117.1022	20.5	649.0	455	55401.	3179	2.7	6.5	15.6	2.4	0.4	5.7	30	0.1
53500	0	0	0	0	KHM	48.5553	117.1017	20.5	649.0	482	55401.	3270	2.9	6.7	17.9	2.3	0.4	6.2	34	0.1
53501	0	0	0	0	KHM	48.5553	117.1011	20.5	648.9	499	55402.	3130	2.0	7.2	16.3	3.5	0.4	8.0	44	0.1
53502	0	0	0	0	KHM	48.5553	117.1005	20.5	648.9	507	55405.	3208	2.6	5.3	20.3	2.0	0.3	7.8	35	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 20							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53503	0	0	0	0	KHM	48.5553	117.0999	20.5	648.8	518	55407.	3181	2.7	4.4	17.6	1.6	0.2	6.6	51	0.1
53504	0	0	0	0	KHM	48.5553	117.0994	20.5	643.7	544	55410.	3256	2.9	5.2	18.4	1.8	0.3	6.2	53	0.1
53505	0	0	0	0	KHM	48.5553	117.0988	20.5	648.6	570	55413.	3316	3.3	4.6	17.4	1.4	0.3	5.3	43	0.1
53506	0	0	0	0	KHM	48.5553	117.0982	20.5	648.5	580	55416.	3508	2.7	6.3	13.7	2.3	0.5	5.0	45	0.1
53507	0	0	0	0	KHM	48.5553	117.0976	20.5	648.4	571	55419.	3481	3.0	7.1	13.5	2.4	0.5	4.5	46	0.1
53508	0	0	0	0	KHM	48.5553	117.0971	20.5	648.2	552	55424.	3339	2.7	5.5	17.8	2.1	0.3	6.6	38	0.1
53509	0	0	0	0	KHM	48.5553	117.0965	20.5	648.1	530	55429.	3412	2.9	7.1	15.9	2.4	0.4	5.5	32	0.1
53510	0	0	0	0	KHM	48.5553	117.0959	20.5	647.9	501	55434.	3142	2.6	5.9	13.4	2.3	0.4	5.2	36	0.1
53511	0	0	0	0	KHM	48.5553	117.0953	20.5	647.7	466	55438.	3181	2.4	6.4	14.5	2.6	0.4	6.0	39	0.1
53512	0	0	0	0	KHM	48.5553	117.0947	20.5	647.5	429	55440.	2911	2.7	4.2	12.8	1.6	0.3	4.8	36	0.1
53513	0	0	0	0	KHM	48.5552	117.0942	20.5	647.3	402	55441.	2701	2.2	5.0	14.5	2.3	0.3	6.6	31	0.1
53514	0	0	0	0	KHM	48.5552	117.0936	20.5	647.1	393	55442.	2580	2.0	3.8	13.8	1.9	0.3	6.8	48	0.1
53515	0	0	0	0	KHM	48.5552	117.0930	20.5	646.9	404	55444.	2594	2.2	4.7	8.5	2.1	0.6	3.8	39	0.1
53516	0	0	0	0	KHM	48.5552	117.0924	20.5	646.6	425	55448.	2727	2.0	6.2	11.2	3.1	0.6	5.6	41	0.1
53517	0	0	0	0	KHM	48.5552	117.0919	20.5	646.4	448	55452.	2821	2.0	6.6	11.7	3.3	0.6	5.9	39	0.1
53518	0	0	0	0	KHM	48.5552	117.0913	20.5	646.1	473	55455.	2927	2.0	5.9	18.1	3.0	0.3	9.0	42	0.1
53519	0	0	0	0	KHM	48.5552	117.0907	20.5	645.8	504	55461.	3094	3.1	4.8	14.8	1.6	0.3	4.8	40	0.1
53520	0	0	0	0	KHM	48.5552	117.0901	20.5	645.4	523	55467.	3337	2.6	6.6	16.5	2.5	0.4	6.3	32	0.1
53521	0	0	0	0	KHM	48.5552	117.0896	20.5	645.1	526	55474.	3342	2.5	7.3	15.7	3.0	0.5	6.4	37	0.1
53522	0	0	0	0	KHM	48.5552	117.0890	20.5	644.7	509	55481.	3341	2.3	7.9	18.5	3.5	0.4	8.2	30	0.1
53523	0	0	0	0	KHM	48.5552	117.0884	20.5	644.4	488	55487.	3326	3.0	7.7	11.9	2.6	0.6	4.0	48	0.1
53524	0	0	0	0	KHM	48.5552	117.0878	20.5	644.0	466	55491.	3161	2.4	7.5	14.2	3.2	0.5	6.0	36	0.1
53525	0	0	0	0	KHM	48.5552	117.0872	20.5	643.6	449	55495.	3090	2.4	6.1	14.6	2.6	0.4	6.2	42	0.1
53526	0	0	0	0	KHM	48.5551	117.0867	20.5	643.3	431	55498.	3200	2.4	5.9	15.5	2.5	0.4	6.5	35	0.1
53527	0	0	0	0	KHM	48.5551	117.0861	20.5	642.9	410	55501.	3029	2.7	5.0	13.7	1.8	0.4	5.1	49	0.1
53528	0	0	0	0	KHM	48.5551	117.0855	20.5	642.6	383	55501.	2969	2.1	6.4	14.7	3.1	0.4	7.1	37	0.1
53529	0	0	0	0	KHM	48.5551	117.0849	20.5	642.4	357	55501.	2730	2.0	4.4	15.3	2.2	0.3	7.8	38	0.1
53530	0	0	0	0	KHM	48.5551	117.0844	20.5	642.1	334	55501.	2515	2.0	3.7	12.7	1.8	0.3	6.3	59	0.1
53531	0	0	0	0	KHM	48.5551	117.0838	20.5	641.9	316	55498.	2452	2.0	4.5	11.9	2.3	0.4	6.1	40	0.1
53532	0	0	0	0	KHM	48.5551	117.0832	20.5	641.8	302	55497.	2347	1.8	4.0	10.6	2.2	0.4	5.9	46	0.1
53533	0	0	0	0	KHM	48.5551	117.0826	20.5	641.7	296	55494.	2223	1.5	5.7	8.7	3.7	0.6	5.7	41	0.1
53534	0	0	0	0	KHM	48.5551	117.0821	20.5	641.6	296	55491.	2121	1.5	4.8	9.8	3.2	0.5	6.6	40	0.1
53535	0	0	0	0	KHM	48.5551	117.0815	20.5	641.5	300	55487.	2097	1.4	4.4	10.2	3.1	0.4	7.2	40	0.1
53536	0	0	0	0	KHM	48.5551	117.0809	20.5	641.5	305	55482.	2125	1.4	5.4	8.2	3.9	0.7	5.9	32	0.1
53537	0	0	0	0	KHM	48.5551	117.0803	20.5	641.5	310	55477.	1995	1.5	3.3	9.5	2.2	0.3	6.4	56	0.1
53538	0	0	0	0	KHM	48.5551	117.0797	20.5	641.5	313	55472.	1942	1.2	5.1	6.5	4.1	0.8	5.2	49	0.1
53539	0	0	0	0	KHM	48.5551	117.0792	20.5	641.6	314	55468.	1929	1.5	4.9	6.0	3.4	0.8	4.1	45	0.1
53540	0	0	0	0	KHM	48.5551	117.0786	20.5	641.6	315	55466.	1984	1.4	5.3	8.6	3.8	0.6	6.1	49	0.1
53541	0	0	0	0	KHM	48.5551	117.0780	20.5	641.7	314	55466.	1875	1.2	2.9	8.7	2.3	0.3	7.0	38	0.1
53542	0	0	0	0	KHM	48.5550	117.0774	20.5	641.8	316	55457.	2087	1.9	4.1	8.3	2.1	0.5	4.3	40	0.1
53543	0	0	0	0	KHM	48.5550	117.0769	20.5	641.9	316	55469.	2096	1.3	4.6	9.3	3.5	0.5	7.0	47	0.1
53544	0	0	0	0	KHM	48.5550	117.0763	20.5	642.0	316	55469.	2246	1.6	4.3	10.8	2.7	0.4	6.8	35	0.1
53545	0	0	0	0	KHM	48.5550	117.0757	20.5	642.1	314	55469.	2241	1.6	4.4	8.7	2.8	0.5	5.6	38	0.1
53546	0	0	0	0	KHM	48.5550	117.0751	20.5	642.2	313	55469.	2161	1.7	3.2	10.4	1.9	0.3	6.0	52	0.1
53547	0	0	0	0	KGP	48.5550	117.0746	20.5	642.3	313	55471.	2164	1.6	4.3	10.7	2.6	0.4	6.5	47	0.1
53548	0	0	0	0	KGP	48.5550	117.0740	20.5	642.4	314	55473.	2201	1.9	4.4	10.0	2.4	0.4	5.4	54	0.1
53549	0	0	0	0	KGP	48.5550	117.0734	20.5	642.5	308	55475.	2193	1.6	3.9	10.8	2.5	0.4	6.8	41	0.1
53550	0	0	0	0	KGP	48.5550	117.0728	20.5	642.6	302	55476.	2110	1.7	3.6	7.7	2.2	0.5	4.7	42	0.1
53551	0	0	0	0	KGP	48.5550	117.0723	20.5	642.8	297	55477.	2062	1.3	5.3	7.6	4.1	0.7	5.9	47	0.1
53552	0	0	0	0	KGP	48.5550	117.0717	20.5	642.9	299	55477.	2071	1.4	3.2	8.8	2.3	0.4	6.3	47	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 20							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53553	0	0	0	0	KGP	48.5550	117.0711	20.6	643.1	300	55477.	2057	1.7	3.0	8.7	1.7	0.3	5.0	40	0.1
53554	0	0	0	0	KGP	48.5550	117.0705	20.6	643.2	296	55476.	1993	1.6	3.9	7.6	2.5	0.5	4.9	45	0.1
53555	0	0	0	0	KGP	48.5550	117.0699	20.6	643.3	295	55474.	1925	1.5	3.4	8.6	2.2	0.4	5.6	36	0.1
53556	0	0	0	0	KGP	48.5549	117.0694	20.6	643.5	302	55472.	1991	1.1	5.7	7.4	5.4	0.8	6.9	28	0.1
53557	0	0	0	0	KGP	48.5549	117.0688	20.6	643.7	314	55471.	1962	1.5	4.2	6.5	2.9	0.6	4.5	37	0.1
53558	0	0	0	0	KGP	48.5549	117.0682	20.6	643.8	330	55471.	1968	1.7	3.5	10.9	2.1	0.3	6.5	41	0.1
53559	0	0	0	0	KGP	48.5549	117.0676	20.6	644.0	350	55472.	1981	1.5	3.2	8.0	2.2	0.4	5.5	45	0.1
53560	0	0	0	0	KGP	48.5549	117.0671	20.6	644.2	368	55472.	1976	1.7	3.9	6.1	2.3	0.6	3.5	51	0.1
53561	0	0	0	0	KGP	48.5549	117.0665	20.6	644.4	381	55473.	2070	1.6	3.2	8.5	2.0	0.4	5.3	47	0.1
53562	0	0	0	0	KGP	48.5549	117.0659	20.6	644.6	385	55474.	2120	1.6	3.6	8.0	2.3	0.5	5.0	30	0.1
53563	0	0	0	0	KGP	48.5549	117.0653	20.6	644.9	381	55476.	2081	1.5	3.6	8.9	2.4	0.4	6.0	47	0.1
53564	0	0	0	0	KGP	48.5549	117.0647	20.6	645.1	373	55477.	2085	1.3	4.5	9.1	3.6	0.5	7.3	42	0.1
53565	0	0	0	0	KGP	48.5549	117.0642	20.6	645.3	378	55479.	2155	1.5	4.5	8.8	3.0	0.5	5.9	44	0.1
53566	0	0	0	0	KGP	48.5549	117.0636	20.6	645.6	398	55482.	2219	1.4	4.8	9.6	3.3	0.5	6.7	43	0.1
53567	0	0	0	0	KGP	48.5549	117.0630	20.6	645.8	424	55484.	2377	1.9	3.4	13.3	1.8	0.3	7.0	40	0.1
53568	0	0	0	0	KGP	48.5549	117.0624	20.6	646.0	435	55485.	2400	1.6	3.9	16.0	2.5	0.2	10.3	44	0.1
53569	0	0	0	0	KGP	48.5549	117.0619	20.6	646.2	439	55486.	2247	1.6	3.2	11.5	2.0	0.3	7.2	47	0.1
53570	0	0	0	0	KGP	48.5549	117.0613	20.7	646.5	429	55485.	2073	1.8	3.1	8.6	1.7	0.4	4.7	37	0.1
53571	0	0	0	0	KGP	48.5549	117.0607	20.7	646.7	416	55484.	2106	1.4	4.6	7.7	3.3	0.6	5.6	41	0.1
53572	0	0	0	0	KGP	48.5548	117.0601	20.7	646.8	406	55484.	1968	1.1	3.0	8.8	2.6	0.3	7.7	27	0.1
53573	0	0	0	0	KGP	48.5548	117.0596	20.7	647.0	415	55484.	1894	1.2	4.2	7.7	3.5	0.5	6.4	30	0.1
53575	0	0	0	0	KGP	48.5548	117.0584	20.7	647.1	438	55484.	1961	1.5	2.4	9.7	1.6	0.2	6.5	44	0.1
53576	0	0	0	0	KGP	48.5548	117.0578	20.7	647.1	463	55486.	2080	1.0	5.2	7.6	5.2	0.7	7.5	37	0.1
53577	0	0	0	0	KGP	48.5548	117.0573	20.7	647.2	485	55487.	2278	1.5	4.2	9.5	2.8	0.4	6.4	35	0.1
53578	0	0	0	0	KGP	48.5548	117.0567	20.7	647.2	496	55487.	2158	1.4	4.3	9.6	3.1	0.4	7.0	56	0.1
53579	0	0	0	0	KGP	48.5548	117.0561	20.7	647.2	492	55488.	2205	1.5	4.3	8.8	2.8	0.5	5.7	35	0.1
53580	0	0	0	0	KGP	48.5548	117.0555	20.7	647.2	481	55490.	2221	1.6	4.7	8.4	3.0	0.6	5.3	45	0.1
53581	0	0	0	0	KGP	48.5548	117.0550	20.7	647.2	479	55491.	2297	1.9	4.2	11.8	2.2	0.4	6.2	38	0.1
53582	0	0	0	0	KGP	48.5548	117.0544	20.7	647.1	483	55493.	2431	1.8	6.0	10.9	3.4	0.6	6.2	29	0.1
53583	0	0	0	0	KGP	48.5547	117.0538	20.7	647.1	479	55496.	2349	1.8	2.3	9.2	1.2	0.2	5.0	43	0.1
53584	0	0	0	0	KGP	48.5547	117.0533	20.7	647.0	447	55498.	2279	1.7	5.1	10.6	3.0	0.5	6.2	48	0.1
53585	0	0	0	0	KGP	48.5547	117.0527	20.7	646.9	408	55498.	2284	1.7	5.2	7.0	3.1	0.7	4.2	36	0.1
53586	0	0	0	0	KGP	48.5547	117.0521	20.8	646.9	365	55497.	2140	1.6	5.0	7.9	3.2	0.6	5.1	40	0.1
53587	0	0	0	0	KGP	48.5547	117.0515	20.8	646.9	332	55496.	2079	1.8	3.1	10.9	1.8	0.3	6.1	50	0.1
53588	0	0	0	0	KGP	48.5547	117.0510	20.8	646.8	304	55494.	1960	1.4	3.4	9.5	2.3	0.4	6.6	29	0.1
53589	0	0	0	0	KGP	48.5547	117.0504	20.8	646.8	294	55493.	1937	1.3	5.3	5.2	4.2	1.0	4.1	47	0.1
53590	0	0	0	0	KGP	48.5546	117.0498	20.8	646.8	294	55492.	1969	1.7	3.8	8.4	2.2	0.4	5.0	45	0.2
53591	0	0	0	0	KGP	48.5546	117.0493	20.8	646.8	291	55491.	1987	1.8	3.0	7.4	1.7	0.4	4.1	35	0.2
53592	0	0	0	0	KGP	48.5546	117.0487	20.8	646.8	285	55490.	1959	1.8	4.2	7.9	2.3	0.5	4.4	38	0.2
53593	0	0	0	0	KGP	48.5546	117.0481	20.8	646.9	282	55487.	1958	1.5	3.6	8.3	2.3	0.4	5.4	34	0.2
53594	0	0	0	0	KGP	48.5546	117.0476	20.8	646.9	289	55485.	1900	1.0	4.2	9.2	4.1	0.5	9.1	40	0.2
53595	0	0	0	0	KGP	48.5546	117.0470	20.8	647.0	301	55484.	1784	1.4	2.2	8.1	1.6	0.3	5.9	40	0.2
53596	0	0	0	0	KGP	48.5546	117.0464	20.8	647.1	309	55483.	1766	1.6	2.2	7.0	1.4	0.3	4.5	34	0.2
53597	0	0	0	0	KGP	48.5546	117.0459	20.9	647.2	311	55483.	1774	1.3	3.5	6.8	2.6	0.5	5.1	47	0.2
53598	0	0	0	0	KGP	48.5545	117.0453	20.9	647.3	309	55482.	1733	1.2	3.5	6.2	2.9	0.6	5.1	43	0.2
53599	0	0	0	0	KGP	48.5545	117.0447	20.9	647.4	310	55482.	1778	1.0	3.7	8.8	3.5	0.4	8.4	27	0.2
53600	0	0	0	0	KGP	48.5545	117.0441	20.9	647.5	317	55483.	1845	1.4	3.4	6.4	2.4	0.5	4.5	41	0.2
53601	0	0	0	0	KGP	48.5545	117.0436	20.9	647.6	332	55487.	1812	1.4	2.6	6.5	1.8	0.4	4.6	44	0.1
53602	0	0	0	0	KGP	48.5545	117.0430	20.9	647.7	352	55492.	1974	1.3	2.7	10.7	2.1	0.3	8.1	37	0.1
53603	0	0	0	0	KGP	48.5545	117.0424	20.9	647.9	368	55496.	1870	1.5	2.9	7.8	2.0	0.4	5.3	35	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 20									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53604	0	0	0	0	KGP	48.5545	117.0419	20.9	648.0	377	55499.	1881	1.1	4.2	7.7	3.7	0.5	6.8	40	0.1
53605	0	0	0	0	KGP	48.5544	117.0413	21.0	648.2	382	55500.	1909	1.7	1.7	8.1	1.0	0.2	4.9	39	0.1
53606	0	0	0	0	KGP	48.5544	117.0407	21.0	648.3	384	55500.	1896	1.3	2.8	8.3	2.2	0.3	6.3	36	0.1
53607	0	0	0	0	KGP	48.5544	117.0402	21.0	648.5	382	55501.	1942	1.5	3.5	8.2	2.4	0.4	5.5	36	0.1
53608	0	0	0	0	KGP	48.5544	117.0396	21.0	648.7	381	55500.	1929	1.6	2.7	10.3	1.7	0.3	6.6	37	0.1
53609	0	0	0	0	KGP	48.5544	117.0390	21.0	649.0	379	55501.	1948	1.7	1.7	12.3	1.0	0.1	7.4	36	0.1
53610	0	0	0	0	KGP	48.5544	117.0385	21.0	649.2	376	55501.	1856	1.4	4.8	6.5	3.5	0.7	4.8	47	0.1
53611	0	0	0	0	KGP	48.5544	117.0379	21.1	649.6	364	55500.	1947	1.5	2.8	9.3	1.8	0.3	6.1	43	0.1
53612	0	0	0	0	KGP	48.5544	117.0373	21.1	649.9	352	55498.	1785	1.2	2.0	11.6	1.7	0.2	10.1	40	0.1
53613	0	0	0	0	KGP	48.5543	117.0367	21.1	650.2	344	55497.	1787	1.2	3.6	6.7	3.1	0.5	5.8	43	0.1
53614	0	0	0	0	KGP	48.5543	117.0362	21.1	650.6	335	55496.	1723	1.0	2.9	7.5	3.0	0.4	7.8	39	0.1
53615	0	0	0	0	KGP	48.5543	117.0356	21.1	651.1	327	55496.	1613	1.2	2.0	8.1	1.6	0.2	6.6	60	0.1
53616	0	0	0	0	KGP	48.5543	117.0350	21.2	651.5	314	55497.	1651	1.2	3.0	6.5	2.5	0.5	5.3	35	0.1
53617	0	0	0	0	KGP	48.5543	117.0345	21.2	652.0	298	55496.	1596	1.1	2.3	7.5	2.1	0.3	6.9	31	0.1
53618	0	0	0	0	KGP	48.5543	117.0339	21.2	652.5	284	55495.	1620	1.2	2.1	8.5	1.8	0.2	7.4	27	0.1
53619	0	0	0	0	KGP	48.5543	117.0333	21.2	653.0	290	55493.	1632	1.2	2.7	6.5	2.2	0.4	5.3	33	0.1
53620	0	0	0	0	KGP	48.5542	117.0328	21.2	653.5	318	55492.	1765	1.4	2.7	5.8	1.9	0.5	4.1	40	0.1
53621	0	0	0	0	KGP	48.5542	117.0322	21.3	654.0	367	55490.	1881	2.0	3.5	6.5	1.8	0.5	3.3	36	0.1
53622	0	0	0	0	KGP	48.5542	117.0316	21.3	654.5	418	55487.	1978	1.7	4.3	7.6	2.6	0.6	4.6	47	0.2
53623	0	0	0	0	KGP	48.5542	117.0311	21.3	655.1	486	55484.	2239	2.0	2.8	11.6	1.4	0.2	5.8	39	0.2
53624	0	0	0	0	KGP	48.5542	117.0305	21.3	655.6	542	55482.	2463	1.7	5.3	15.0	3.0	0.4	8.7	33	0.2
53625	0	0	0	0	KGP	48.5542	117.0299	21.3	656.2	583	55481.	2483	1.8	3.9	13.4	2.2	0.3	7.5	29	0.2
53626	0	0	0	0	KGP	48.5542	117.0293	21.4	656.7	588	55481.	2342	1.8	4.2	12.5	2.3	0.3	7.0	32	0.2
53627	0	0	0	0	KGP	48.5542	117.0288	21.4	657.3	586	55481.	2294	1.6	2.9	10.7	1.9	0.3	6.9	29	0.2
53628	0	0	0	0	KGP	48.5541	117.0282	21.4	657.8	587	55481.	2269	1.8	3.9	7.0	2.2	0.6	3.9	30	0.2
53629	0	0	0	0	KGP	48.5541	117.0276	21.4	658.4	595	55482.	2245	2.0	2.6	10.5	1.3	0.2	5.1	30	0.2
53630	0	0	0	0	KGP	48.5541	117.0271	21.5	659.0	602	55482.	2145	1.8	2.4	8.4	1.3	0.3	4.7	42	0.2
53631	0	0	0	0	QAG	48.5541	117.0265	21.5	659.5	600	55482.	2083	1.5	2.7	8.0	1.8	0.3	5.4	31	0.2
53632	0	0	0	0	QAG	48.5541	117.0259	21.5	660.0	594	55482.	2057	1.3	3.4	8.5	2.7	0.4	6.7	30	0.2
53633	0	0	0	0	QAG	48.5541	117.0254	21.5	660.5	589	55482.	2130	1.7	4.4	5.2	2.5	0.8	3.0	23	0.2
53634	0	0	0	0	QAG	48.5541	117.0248	21.6	661.1	584	55482.	2038	1.7	2.1	9.6	1.2	0.2	5.5	32	0.2
53635	0	0	1	0	QAG	48.5540	117.0242	21.6	661.6	574	55482.	2135	1.7	1.6	12.2	1.0	0.1	7.4	35	0.2
53636	0	0	0	0	QAG	48.5540	117.0237	21.6	662.0	559	55482.	2157	1.9	2.6	6.2	1.4	0.4	5.2	44	0.2
53637	0	0	0	0	QAG	48.5540	117.0231	21.6	662.5	545	55483.	2049	1.7	2.0	8.5	1.2	0.2	5.0	53	0.2
53638	0	0	0	0	QAG	48.5540	117.0225	21.6	662.9	533	55484.	2230	1.8	4.2	7.9	2.3	0.5	4.3	34	0.2
53639	0	0	0	0	QAG	48.5540	117.0219	21.6	663.4	517	55486.	2194	2.3	1.9	8.5	0.8	0.2	3.7	32	0.2
53640	0	0	0	0	QAG	48.5540	117.0214	21.6	663.7	497	55486.	2227	1.7	3.5	9.9	2.1	0.4	6.0	32	0.2
53641	0	0	0	0	QAG	48.5540	117.0209	21.7	664.1	475	55488.	2195	1.8	2.3	8.3	1.2	0.3	4.6	35	0.2
53642	0	0	0	0	QAG	48.5540	117.0203	21.7	664.5	456	55490.	2314	1.8	3.7	10.4	2.0	0.4	5.6	39	0.2
53643	0	0	0	0	QAG	48.5540	117.0198	21.7	664.8	445	55492.	2229	2.0	2.2	9.5	1.1	0.2	4.7	31	0.2
53644	0	0	0	0	QAG	48.5540	117.0192	21.7	665.1	440	55493.	2219	1.7	5.7	6.7	3.3	0.9	3.8	32	0.2
53645	0	0	0	0	QAG	48.5540	117.0187	21.7	665.4	437	55494.	2347	2.2	3.0	8.7	1.4	0.3	4.0	37	0.2
53646	0	0	0	0	QAG	48.5540	117.0181	21.7	665.7	427	55493.	2290	2.1	4.0	7.8	1.9	0.5	3.8	38	0.2
53647	0	0	0	0	QAG	48.5540	117.0176	21.7	666.0	415	55493.	2325	2.1	3.4	9.9	1.6	0.3	4.7	30	0.2
53648	0	0	0	0	QAG	48.5540	117.0171	21.7	666.3	399	55492.	2277	2.0	2.9	8.2	1.5	0.4	4.1	38	0.2
53649	0	0	0	0	QAG	48.5540	117.0165	21.7	666.5	386	55489.	2203	2.2	2.7	9.4	1.2	0.3	4.4	37	0.2
53650	0	0	0	0	QAG	48.5540	117.0160	21.7	666.8	369	55486.	2160	1.8	2.2	11.8	1.2	0.2	6.6	43	0.2
53651	0	0	0	0	QAG	48.5540	117.0154	21.8	667.0	355	55482.	2062	1.7	3.0	10.6	1.8	0.3	6.3	35	0.2
53652	0	0	0	0	QAG	48.5540	117.0149	21.8	667.3	344	55479.	1946	1.5	3.2	8.6	2.1	0.4	5.6	35	0.2
53653	0	0	0	0	QAG	48.5540	117.0144	21.8	667.5	335	55476.	1841	1.5	2.1	7.8	1.4	0.3	5.1	32	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 20							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53654	0	0	0	0	QAG	48.5540	117.0138	21.8	667.8	326	55475.	1882	1.7	2.5	6.7	1.4	0.4	3.9	31	0.2
53655	0	0	0	0	QAG	48.5540	117.0133	21.8	668.0	315	55475.	1887	1.2	4.0	7.8	3.3	0.5	6.5	23	0.1
53656	0	0	0	0	QAG	48.5540	117.0127	21.8	668.2	306	55476.	1704	1.1	3.1	6.8	2.7	0.5	6.1	37	0.1
53657	0	0	0	0	QAG	48.5540	117.0122	21.8	668.5	296	55477.	1768	1.5	2.4	9.8	1.6	0.2	6.6	28	0.1
53658	0	0	0	0	QAG	48.5540	117.0116	21.8	668.7	284	55478.	1776	1.2	3.7	6.6	3.1	0.6	5.6	31	0.1
53659	0	0	0	0	QAG	48.5540	117.0111	21.8	668.9	271	55480.	1785	1.4	4.2	3.9	3.0	1.1	2.8	35	0.1
53660	0	0	0	0	QAG	48.5540	117.0106	21.8	669.1	260	55481.	1727	1.4	3.0	5.3	2.1	0.6	3.7	46	0.1
53661	0	0	0	0	QAG	48.5540	117.0100	21.8	669.3	253	55483.	1768	1.5	3.0	7.3	2.0	0.4	5.0	29	0.1
53662	0	0	0	0	QAG	48.5540	117.0095	21.8	669.6	254	55486.	1927	1.4	3.4	9.4	2.4	0.4	6.7	27	0.1
53663	0	0	0	0	QAG	48.5540	117.0089	21.8	669.7	263	55489.	1860	1.5	3.7	8.0	2.5	0.5	5.3	35	0.1
53664	0	0	0	0	QAG	48.5540	117.0084	21.8	669.9	275	55491.	1855	1.4	4.7	5.8	3.3	0.8	4.1	38	0.1
53666	0	0	0	0	QAG	48.5540	117.0073	21.8	670.1	284	55492.	1932	1.7	2.9	6.3	1.7	0.5	3.7	33	0.1
53667	0	0	0	0	QAG	48.5541	117.0068	21.8	670.3	302	55491.	1948	1.8	3.4	7.0	1.8	0.5	3.8	40	0.1
53668	0	0	0	0	QAG	48.5541	117.0062	21.8	670.5	327	55491.	1989	1.7	3.2	9.3	1.8	0.3	5.4	34	0.1
53669	0	0	0	0	QAG	48.5541	117.0057	21.8	670.6	366	55490.	1976	1.9	2.9	8.3	1.5	0.3	4.3	38	0.1
53670	0	0	0	0	QAG	48.5541	117.0051	21.8	670.7	406	55490.	2260	1.8	4.5	9.4	2.5	0.5	5.2	28	0.1
53671	0	0	0	0	QAG	48.5541	117.0046	21.8	670.8	454	55490.	2192	1.8	4.1	7.5	2.3	0.5	4.2	47	0.1
53672	0	0	0	0	QAG	48.5541	117.0040	21.8	670.9	494	55491.	2228	1.7	3.6	9.1	2.0	0.4	5.2	38	0.1
53673	0	0	0	0	QAG	48.5541	117.0035	21.8	670.9	510	55493.	2328	2.3	3.2	8.3	1.4	0.4	3.6	32	0.1
53674	0	0	0	0	QAG	48.5541	117.0030	21.8	671.0	499	55494.	2362	1.8	5.5	10.6	3.1	0.5	6.0	33	0.1
53675	0	0	0	0	QAG	48.5541	117.0024	21.8	671.0	468	55497.	2176	1.8	5.1	5.7	2.9	0.9	3.2	42	0.1
53676	0	0	0	0	QAG	48.5541	117.0019	21.8	671.0	439	55501.	2248	2.4	3.9	9.0	1.7	0.4	3.8	34	0.1
53677	0	0	0	0	QAG	48.5541	117.0013	21.8	671.1	411	55504.	2238	2.1	5.8	7.7	2.8	0.8	3.8	29	0.1
53678	0	0	0	0	QAG	48.5541	117.0008	21.8	671.1	392	55508.	2234	2.3	3.6	7.1	1.6	0.5	3.2	44	0.1
53679	0	0	0	0	QAG	48.5541	117.0003	21.8	671.0	379	55511.	2262	2.0	4.8	6.5	2.4	0.7	3.3	43	0.1
53680	0	0	0	0	QAG	48.5541	116.9997	21.8	671.0	369	55515.	2279	1.9	4.0	11.6	2.1	0.3	6.2	29	0.1

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 21							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
54165	0	0	0	0	KG	48.5525	117.2446	19.7	656.8	687	55665.	3184	2.8	4.6	14.0	1.7	0.3	5.0	33	0.1
54164	0	0	0	0	KG	48.5525	117.2440	19.7	656.6	694	55662.	3150	2.2	8.6	11.3	3.8	0.8	5.1	39	0.1
54163	0	0	0	0	KG	48.5525	117.2434	19.7	656.4	700	55662.	3305	2.5	7.7	12.9	3.0	0.6	5.1	31	0.1
54162	1	0	0	0	KG	48.5524	117.2428	19.7	656.1	703	55665.	3149	2.4	8.0	10.8	3.4	0.7	4.6	43	0.1
54161	0	0	0	0	KG	48.5524	117.2422	19.7	655.9	694	55670.	3425	3.0	5.2	14.3	1.7	0.4	4.8	34	0.1
54160	0	0	0	0	KG	48.5524	117.2417	19.7	655.6	669	55679.	3327	2.8	7.9	13.5	2.8	0.6	4.8	42	0.1
54159	0	0	0	0	KG	48.5524	117.2411	19.7	655.3	630	55689.	3020	2.5	5.1	15.9	2.1	0.3	6.4	57	0.1
54158	0	0	0	0	KG	48.5524	117.2405	19.7	655.0	589	55701.	3228	2.5	6.2	15.8	2.5	0.4	6.3	36	0.1
54157	0	0	0	0	KG	48.5524	117.2399	19.7	654.3	553	55712.	3073	2.6	5.2	16.4	2.0	0.3	6.2	47	0.1
54156	0	0	0	0	KG	48.5524	117.2393	19.7	653.7	521	55724.	2918	2.5	7.0	12.4	2.8	0.6	4.9	30	0.1
54155	0	0	0	0	KG	48.5524	117.2388	19.7	653.2	489	55736.	2796	2.5	7.0	9.3	2.8	0.8	3.7	48	0.1
54154	0	0	0	0	KG	48.5524	117.2382	19.7	652.6	457	55749.	2930	2.9	6.3	12.1	2.2	0.5	4.2	37	0.1
54153	0	0	0	0	KG	48.5524	117.2376	19.7	652.1	428	55761.	2813	2.6	4.9	11.5	1.9	0.4	4.4	48	0.1
54152	0	0	0	0	KG	48.5524	117.2370	19.7	651.6	408	55770.	2905	2.0	5.9	12.4	2.9	0.5	6.1	46	0.1
54151	0	0	0	0	KG	48.5524	117.2364	19.7	651.2	394	55776.	3097	2.3	5.2	13.5	2.2	0.4	5.9	40	0.1
54150	0	0	0	0	KG	48.5524	117.2359	19.7	650.7	387	55780.	3108	2.3	7.3	11.0	3.2	0.7	4.7	48	0.1
54149	0	0	0	0	KG	48.5524	117.2353	19.7	650.3	378	55783.	3163	2.8	5.6	12.4	2.0	0.5	4.4	47	0.1
54148	0	0	0	0	KG	48.5524	117.2347	19.7	649.9	371	55786.	3282	2.3	6.4	12.8	2.8	0.5	5.6	38	0.1
54147	0	0	0	0	KG	48.5524	117.2341	19.7	649.5	369	55789.	3336	2.3	6.6	13.3	2.9	0.5	5.9	38	0.1
54146	0	0	0	0	KG	48.5523	117.2335	19.7	649.2	372	55792.	3328	2.2	7.0	13.9	3.2	0.5	6.4	54	0.1
54145	0	0	0	0	KG	48.5523	117.2329	19.7	648.9	381	55794.	3213	2.1	7.5	10.7	3.6	0.7	5.1	49	0.1
54144	0	0	0	0	KG	48.5523	117.2324	19.7	648.6	386	55796.	3038	2.4	5.7	12.7	2.4	0.5	5.3	45	0.1
54143	0	0	0	0	KG	48.5523	117.2318	19.7	648.4	378	55797.	2833	2.3	5.6	14.0	2.5	0.4	6.2	52	0.2
54142	0	0	0	0	KG	48.5523	117.2312	19.7	648.2	359	55797.	2776	2.3	3.6	12.3	1.6	0.3	5.4	56	0.2
54141	0	0	0	0	KG	48.5523	117.2306	19.7	648.0	341	55796.	2657	2.1	5.9	10.4	2.9	0.6	5.1	46	0.2
54139	0	0	0	0	KG	48.5523	117.2295	19.7	647.8	335	55795.	2678	2.4	4.6	10.6	1.9	0.4	4.4	48	0.2
54138	0	0	0	0	KG	48.5523	117.2289	19.7	647.7	338	55794.	2828	2.4	3.3	12.1	1.4	0.3	5.1	30	0.1
54137	0	0	0	0	KG	48.5523	117.2283	19.7	647.6	336	55795.	2744	2.5	3.8	9.3	1.5	0.4	3.7	49	0.1
54136	0	0	0	0	KG	48.5523	117.2277	19.7	647.5	330	55797.	2772	2.6	4.2	14.6	1.6	0.3	5.7	44	0.1
54135	0	0	0	0	KG	48.5523	117.2271	19.7	647.4	317	55798.	2809	2.6	4.7	12.4	1.8	0.4	4.8	40	0.2
54134	0	0	0	0	KG	48.5522	117.2266	19.7	647.4	300	55800.	2655	2.4	4.9	11.6	2.0	0.4	4.9	47	0.2
54133	0	0	0	0	KG	48.5522	117.2260	19.7	647.3	280	55801.	2628	2.1	5.1	10.5	2.5	0.5	5.1	44	0.2
54132	0	0	0	0	KG	48.5522	117.2254	19.7	647.3	271	55802.	2516	2.3	3.9	8.7	1.7	0.5	3.8	45	0.2
54131	0	0	0	0	KG	48.5522	117.2248	19.7	647.3	279	55803.	2498	2.2	5.1	8.0	2.3	0.6	3.7	47	0.2
54130	0	0	0	0	KG	48.5522	117.2242	19.7	647.3	301	55804.	2536	2.2	5.7	9.8	2.6	0.6	4.5	36	0.2
54129	0	0	0	0	KG	48.5522	117.2236	19.7	647.3	322	55805.	2444	1.9	3.9	12.2	2.1	0.3	6.6	50	0.2
54128	0	0	0	0	KG	48.5522	117.2231	19.7	647.2	342	55804.	2594	2.1	4.7	8.1	2.3	0.6	3.9	49	0.2
54127	0	0	0	0	KG	48.5522	117.2225	19.7	647.2	361	55802.	2610	2.2	4.5	8.9	2.1	0.5	4.1	40	0.2
54126	0	0	0	0	KG	48.5522	117.2219	19.7	647.2	381	55798.	2667	2.1	4.3	8.6	2.0	0.5	4.1	45	0.2
54125	0	0	0	0	KG	48.5522	117.2213	19.7	647.2	397	55793.	2658	2.0	5.4	10.7	2.6	0.5	5.3	32	0.2
54124	0	0	0	0	KG	48.5522	117.2207	19.7	647.1	409	55788.	2613	2.0	4.5	10.1	2.3	0.4	5.1	44	0.2
54123	0	0	0	0	KG	48.5522	117.2202	19.7	647.1	412	55783.	2685	2.2	4.5	8.6	2.1	0.5	3.9	35	0.2
54122	0	0	0	0	KG	48.5522	117.2196	19.7	647.0	419	55779.	2603	2.1	4.1	11.7	1.9	0.3	5.6	29	0.2
54121	0	0	0	0	KG	48.5522	117.2190	19.7	647.0	430	55773.	2776	2.4	2.9	12.0	1.2	0.2	5.0	26	0.2
54120	0	0	0	0	KG	48.5522	117.2184	19.7	646.9	442	55768.	2648	2.4	2.7	12.3	1.1	0.2	5.1	37	0.2
54119	0	0	0	0	KG	48.5522	117.2178	19.7	646.8	451	55763.	2631	2.4	1.6	12.2	0.7	0.1	5.0	48	0.2
54118	0	0	0	0	KG	48.5521	117.2173	19.7	646.8	457	55758.	2567	2.3	2.5	9.7	1.1	0.3	4.3	58	0.2
54117	0	0	0	0	KG	48.5521	117.2167	19.7	646.7	464	55753.	2602	2.2	2.7	11.2	1.2	0.2	5.1	44	0.2
54116	0	0	0	0	KG	48.5521	117.2161	19.7	646.5	465	55750.	2826	2.2	5.2	8.7	2.3	0.6	3.9	49	0.2
54115	0	0	0	0	KG	48.5521	117.2155	19.6	646.3	454	55748.	2874	2.1	5.2	11.8	2.5	0.4	5.6	40	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 21

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
54114	0	0	0	0	KG	48.5521	117.2149	19.6	646.2	437	55748.	2857	2.5	4.3	11.2	1.8	0.4	4.6	33	0.2
54113	0	0	0	0	KG	48.5521	117.2143	19.6	646.0	423	55751.	2793	2.3	4.5	11.8	1.9	0.4	5.0	41	0.2
54112	0	0	0	0	KG	48.5521	117.2138	19.6	645.8	408	55756.	2866	2.2	6.0	11.6	2.7	0.5	5.3	47	0.2
54111	0	0	0	0	KG	48.5521	117.2132	19.6	645.7	388	55760.	2935	2.5	3.5	14.5	1.4	0.2	5.8	45	0.2
54110	0	0	0	0	KG	48.5521	117.2126	19.6	645.5	364	55764.	2942	2.1	5.3	10.5	2.5	0.5	5.0	35	0.2
54109	0	0	0	0	KG	48.5521	117.2120	19.6	645.3	346	55769.	2878	2.7	4.5	12.9	1.7	0.3	4.8	35	0.2
54108	0	0	0	0	KG	48.5521	117.2114	19.6	645.1	336	55773.	2891	2.7	4.7	12.8	1.8	0.4	4.8	34	0.2
54107	0	0	0	0	KG	48.5521	117.2109	19.6	644.9	329	55775.	2853	2.4	5.1	8.5	2.1	0.6	3.5	51	0.2
54106	0	0	0	0	KG	48.5521	117.2103	19.6	644.6	332	55778.	2760	2.4	3.9	11.1	1.7	0.4	4.7	54	0.2
54105	0	0	0	0	KG	48.5520	117.2097	19.6	644.4	350	55779.	2612	2.2	5.2	10.0	2.3	0.5	4.5	33	0.2
54104	0	0	0	0	KG	48.5520	117.2091	19.6	644.2	381	55780.	2620	2.4	4.8	11.1	2.0	0.4	4.7	42	0.2
54103	0	0	0	0	KG	48.5520	117.2085	19.5	644.0	415	55779.	2709	2.5	4.3	11.7	1.7	0.4	4.6	44	0.2
54102	0	0	0	0	KG	48.5520	117.2080	19.5	643.8	442	55776.	2753	2.8	4.0	10.7	1.5	0.4	3.9	46	0.2
54101	0	0	0	0	KG	48.5520	117.2074	19.5	643.6	465	55773.	2675	2.1	6.0	9.0	2.8	0.7	4.2	36	0.2
54100	0	0	0	0	KG	48.5520	117.2068	19.5	643.3	479	55769.	2715	2.4	5.9	12.1	2.5	0.5	5.0	40	0.2
54099	0	0	0	0	KG	48.5520	117.2062	19.5	643.1	498	55764.	2685	2.1	5.9	8.5	2.8	0.7	4.0	30	0.2
54098	0	0	0	0	KG	48.5520	117.2056	19.5	642.9	519	55758.	2840	2.3	5.7	10.6	2.5	0.5	4.6	42	0.2
54097	0	0	0	0	KG	48.5520	117.2050	19.5	642.7	544	55749.	2917	2.9	2.9	12.8	1.0	0.2	4.4	45	0.2
54096	0	0	0	0	KG	48.5520	117.2045	19.5	642.5	558	55741.	3088	2.9	4.6	12.0	1.6	0.4	4.1	46	0.2
54095	0	0	0	0	KG	48.5520	117.2039	19.5	642.3	558	55733.	3148	2.5	5.7	12.3	2.3	0.5	5.0	53	0.2
54094	0	0	0	0	KG	48.5520	117.2033	19.5	642.0	539	55725.	3315	3.2	5.2	12.6	1.6	0.4	3.9	38	0.2
54093	0	0	0	0	KG	48.5520	117.2027	19.4	641.8	506	55720.	3351	2.5	7.0	17.8	2.8	0.4	7.2	52	0.2
54092	0	0	0	0	KG	48.5520	117.2021	19.4	641.6	465	55716.	3480	2.7	7.3	13.0	2.7	0.6	4.9	41	0.2
54091	0	0	0	0	KG	48.5520	117.2016	19.4	641.4	422	55714.	3158	2.4	6.4	13.1	2.7	0.5	5.5	47	0.2
54090	0	0	0	0	KG	48.5519	117.2010	19.4	641.2	382	55716.	3132	2.2	5.9	14.8	2.6	0.4	6.6	36	0.2
54089	0	0	0	0	KG	48.5519	117.2004	19.4	641.0	351	55720.	2810	2.1	5.8	8.2	2.7	0.7	3.9	45	0.2
54088	0	0	0	0	KG	48.5519	117.1998	19.4	640.9	334	55725.	2681	1.7	5.2	11.5	3.1	0.5	6.9	35	0.2
54087	0	0	0	0	KG	48.5520	117.1993	19.4	640.8	334	55727.	2583	1.5	5.7	12.1	3.8	0.5	8.0	37	0.2
54086	0	0	0	0	KG	48.5520	117.1987	19.4	640.7	360	55727.	2589	1.7	5.8	9.5	3.4	0.6	5.6	40	0.2
54085	0	0	0	0	KG	48.5520	117.1981	19.4	640.7	393	55723.	2539	2.2	4.9	8.2	2.2	0.6	3.7	49	0.2
54084	0	0	0	0	KG	48.5520	117.1975	19.4	640.7	424	55719.	2522	2.3	4.8	10.1	2.1	0.5	4.4	44	0.2
54083	0	0	0	0	KG	48.5520	117.1970	19.4	640.7	444	55717.	2604	1.7	7.1	8.0	4.2	0.9	4.7	46	0.2
54082	0	0	0	0	KG	48.5520	117.1964	19.3	640.6	464	55715.	2555	2.4	4.6	10.0	1.9	0.5	4.2	45	0.2
54081	0	0	0	0	KG	48.5520	117.1958	19.3	640.7	483	55715.	2620	2.1	6.1	10.2	3.0	0.6	5.0	36	0.2
54080	0	0	0	0	KG	48.5520	117.1952	19.3	640.7	490	55716.	2476	2.2	4.7	11.2	2.1	0.4	5.1	35	0.2
54079	0	0	0	0	KG	48.5520	117.1947	19.3	640.8	487	55717.	2486	1.9	6.2	7.2	3.3	0.9	3.8	43	0.2
54078	0	0	0	0	KG	48.5520	117.1941	19.3	640.9	478	55718.	2385	1.7	6.3	8.1	3.8	0.8	4.9	42	0.2
54077	0	0	0	0	QAG	48.5520	117.1935	19.3	641.0	474	55718.	2377	1.6	3.6	8.3	2.3	0.4	5.2	30	0.2
54076	0	0	0	0	QAG	48.5520	117.1929	19.3	641.0	473	55719.	2249	1.5	3.9	10.2	2.6	0.4	6.7	36	0.2
54075	0	0	0	0	QAG	48.5520	117.1924	19.3	641.1	476	55717.	2239	1.5	4.8	8.2	3.3	0.6	5.7	48	0.2
54074	0	0	0	0	QAG	48.5520	117.1918	19.2	641.0	479	55713.	2300	1.3	4.4	10.7	3.3	0.4	7.9	31	0.2
54073	0	0	0	0	QAG	48.5520	117.1912	19.2	641.0	486	55706.	2114	1.9	6.1	5.6	3.2	1.1	3.0	37	0.2
54072	0	0	0	0	QAG	48.5520	117.1906	19.2	640.9	489	55697.	2318	1.4	5.2	10.3	3.6	0.5	7.2	37	0.2
54071	0	0	0	0	QAG	48.5520	117.1901	19.2	640.7	492	55687.	2071	1.3	5.0	5.6	4.0	0.9	4.5	29	0.2
54070	0	0	0	0	QAG	48.5520	117.1895	19.2	640.5	494	55679.	2052	1.2	5.0	6.4	4.3	0.8	5.4	34	0.2
54069	0	0	0	0	QAG	48.5520	117.1889	19.2	640.3	499	55671.	2014	1.1	5.2	5.9	4.9	0.9	5.5	43	0.2
54068	0	0	0	0	QAG	48.5520	117.1883	19.2	640.0	506	55664.	1899	1.0	5.1	9.3	5.2	0.5	9.5	37	0.2
54067	0	0	0	0	QAG	48.5520	117.1878	19.1	639.6	513	55659.	1985	1.3	4.8	9.5	3.7	0.5	7.5	39	0.2
54066	0	0	0	0	QAG	48.5520	117.1872	19.1	639.3	524	55654.	2035	1.1	4.6	9.0	4.1	0.5	7.9	30	0.2
54065	0	0	0	0	QAG	48.5521	117.1866	19.1	638.8	536	55651.	1946	1.0	4.3	7.3	4.5	0.6	7.6	45	0.2

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 21

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
54064	0	0	0	0	QAG	48.5527	117.1861	19.1	638.3	549	55647.	2056	1.6	2.3	9.5	1.5	0.2	6.1	44	0.2
54063	0	0	0	0	QAG	48.5521	117.1855	19.1	637.8	563	55643.	1947	1.0	5.2	3.9	5.1	1.4	3.8	43	0.2
54062	0	0	0	0	QAG	48.5521	117.1849	19.1	637.3	581	55637.	2080	1.6	2.7	10.5	1.6	0.3	6.4	42	0.2
54061	0	0	0	0	QAG	48.5521	117.1843	19.1	636.7	607	55628.	1991	1.2	3.1	9.8	2.6	0.3	8.4	46	0.2
54060	0	0	0	0	QAG	48.5521	117.1837	19.0	636.0	642	55620.	2005	1.6	2.9	8.0	1.8	0.4	5.0	52	0.2
54059	0	0	0	0	QAG	48.5521	117.1832	19.0	635.4	679	55610.	2095	0.9	4.9	8.3	5.4	0.6	9.1	46	0.2
54058	1	0	0	0	QAG	48.5521	117.1826	19.0	634.7	708	55602.	2344	1.7	6.3	6.0	3.8	1.1	3.6	44	0.2
54057	1	0	0	0	QAG	48.5521	117.1820	19.0	634.1	727	55597.	2529	2.2	4.0	9.7	1.8	0.4	4.4	46	0.2
54056	1	0	0	0	QAG	48.5521	117.1814	19.0	633.4	737	55592.	2559	1.5	5.9	8.2	3.8	0.7	5.4	55	0.2
54055	1	0	0	0	KG	48.5521	117.1809	19.0	632.7	742	55590.	2768	2.2	7.3	9.5	3.2	0.8	4.2	36	0.2
54054	1	0	0	0	KG	48.5521	117.1803	18.9	632.0	741	55589.	2785	2.0	5.5	13.3	2.8	0.4	6.7	38	0.2
54053	1	0	0	0	KG	48.5521	117.1797	18.9	631.3	732	55588.	2729	2.3	4.5	9.7	1.9	0.5	4.2	46	0.2
54052	1	0	0	0	KG	48.5521	117.1792	18.9	630.6	718	55589.	2778	2.3	3.3	14.9	1.5	0.2	6.6	39	0.1
54051	1	0	0	0	KG	48.5521	117.1786	18.9	629.9	701	55590.	2946	2.1	4.3	13.7	2.0	0.3	6.4	42	0.1
54050	0	0	0	0	KG	48.5521	117.1780	18.9	629.2	682	55590.	2872	1.7	6.3	13.7	3.6	0.5	8.0	36	0.1
54048	0	0	0	0	KG	48.5522	117.1769	18.9	628.5	660	55590.	2981	2.2	5.1	14.7	2.3	0.3	6.6	43	0.1
54047	0	0	0	0	KG	48.5522	117.1763	18.8	627.7	637	55590.	2805	2.0	4.9	12.8	2.4	0.4	6.3	38	0.1
54046	0	0	0	0	KG	48.5522	117.1757	18.8	627.0	613	55592.	2757	2.4	4.3	10.5	1.8	0.4	4.4	66	0.1
54045	0	0	0	0	KNA	48.5522	117.1751	18.8	626.4	592	55595.	2598	2.3	3.9	15.3	1.7	0.3	6.7	55	0.1
54044	0	0	0	0	KNA	48.5522	117.1746	18.8	625.7	571	55600.	2743	1.8	5.9	13.7	3.3	0.4	7.8	43	0.1
54043	0	0	0	0	KNA	48.5522	117.1740	18.8	625.0	552	55604.	2798	1.8	5.9	15.7	3.3	0.4	8.7	36	0.1
54042	0	0	0	0	KNA	48.5522	117.1734	18.8	624.3	533	55607.	2527	1.7	4.4	13.5	2.7	0.3	8.1	60	0.1
54041	0	0	0	0	KNA	48.5522	117.1728	18.8	623.7	514	55609.	2565	1.6	4.7	13.9	2.8	0.3	8.5	37	0.1
54040	0	0	0	0	KNA	48.5522	117.1723	18.8	623.0	499	55609.	2328	1.9	3.3	11.9	1.8	0.3	6.3	47	0.1
54039	0	0	0	0	KNA	48.5522	117.1717	18.7	622.3	490	55608.	2419	1.9	2.8	13.9	1.5	0.2	7.3	38	0.1
54038	0	0	0	0	KNA	48.5522	117.1711	18.7	621.7	489	55608.	2504	1.8	2.6	17.5	1.4	0.2	9.6	35	0.1
54037	0	0	0	0	KNA	48.5522	117.1705	18.7	621.1	490	55608.	2478	2.1	2.2	14.2	1.1	0.2	6.8	57	0.1
54036	0	0	0	0	KNA	48.5522	117.1700	18.7	620.5	485	55608.	2556	1.6	4.5	16.3	2.9	0.3	10.4	57	0.1
54035	0	0	0	0	KNA	48.5522	117.1694	18.7	619.9	474	55609.	2699	2.1	3.3	16.9	1.5	0.2	7.9	46	0.1
54034	0	0	0	0	KNA	48.5522	117.1688	18.7	619.3	457	55609.	2611	2.0	4.5	15.5	2.3	0.3	7.8	61	0.1
54033	0	0	0	0	KNA	48.5522	117.1682	18.7	618.7	440	55610.	2769	1.7	4.6	19.1	2.7	0.2	11.1	41	0.1
54032	0	0	0	0	KNA	48.5522	117.1677	18.7	618.2	423	55610.	2699	1.7	5.3	15.4	3.0	0.3	8.8	59	0.1
54031	0	0	0	0	KNA	48.5522	117.1671	18.7	617.6	408	55610.	2764	2.2	3.8	16.7	1.7	0.2	7.4	54	0.1
54030	0	0	0	0	KNA	48.5522	117.1665	18.6	617.0	389	55611.	2815	1.7	4.2	16.8	2.5	0.3	10.0	39	0.1
54029	0	0	0	0	KNA	48.5522	117.1660	18.6	616.5	373	55613.	2727	1.9	5.3	16.8	2.8	0.3	8.9	67	0.1
54028	0	0	0	0	KNA	48.5522	117.1654	18.6	616.0	356	55615.	2820	2.0	3.9	15.8	1.9	0.2	7.8	50	0.1
54027	0	0	0	0	KNA	48.5522	117.1648	18.6	615.5	343	55618.	2726	2.1	3.4	19.9	1.6	0.2	9.6	52	0.1
54026	0	0	0	0	KGP	48.5523	117.1642	18.6	615.1	325	55621.	2758	2.1	3.4	17.5	1.6	0.2	8.4	64	0.1
54025	0	0	0	0	KGP	48.5523	117.1637	18.6	614.6	307	55622.	2855	1.9	4.5	19.1	2.3	0.2	10.1	54	0.1
54024	0	0	0	0	KGP	48.5523	117.1631	18.6	614.2	286	55620.	2717	1.9	5.2	15.8	2.8	0.3	8.5	56	0.1
54023	0	0	0	0	KGP	48.5523	117.1625	18.6	613.8	266	55615.	2795	2.2	2.2	18.9	1.0	0.1	8.5	39	0.1
54022	0	0	0	0	KGP	48.5523	117.1619	18.6	613.4	252	55607.	2752	2.3	2.7	17.6	1.2	0.2	7.7	53	0.1
54021	0	0	0	0	KGP	48.5523	117.1613	18.6	613.0	242	55600.	2757	1.9	4.8	14.9	2.5	0.3	7.8	53	0.1
54020	0	0	0	0	KGP	48.5523	117.1608	18.6	612.7	244	55595.	2641	1.7	4.1	17.3	2.3	0.2	9.9	82	0.1
54019	0	0	0	0	KGP	48.5523	117.1602	18.6	612.4	242	55594.	2693	2.1	3.9	15.3	1.9	0.3	7.3	69	0.1
54018	0	0	0	0	KGP	48.5523	117.1596	18.6	612.2	240	55597.	2595	2.4	2.9	17.5	1.2	0.2	7.3	72	0.1
54017	0	0	0	0	KGP	48.5523	117.1591	18.6	611.9	232	55602.	2641	2.2	3.2	14.8	1.5	0.2	6.8	66	0.1
54016	0	0	0	0	KGP	48.5523	117.1585	18.6	611.8	227	55610.	2696	2.2	2.9	15.3	1.3	0.2	6.9	45	0.1
54015	0	0	0	0	KGP	48.5523	117.1579	18.7	611.7	226	55618.	2640	2.2	3.9	15.2	1.8	0.3	7.0	53	0.1
54014	0	0	0	0	KGP	48.5523	117.1573	18.7	611.6	228	55626.	2734	2.2	3.4	15.9	1.5	0.2	7.1	56	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 21							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
54013	0	0	0	0	KGP	48.5523	117.1562	18.7	611.5	235	55632.	2714	2.1	2.2	18.8	1.1	0.1	9.1	40	0.1
54012	0	0	0	0	KGP	48.5523	117.1562	18.7	611.6	246	55637.	2807	2.1	4.6	16.1	2.2	0.3	7.7	61	0.1
54011	0	0	0	0	KGP	48.5523	117.1556	18.7	611.7	260	55642.	2856	2.1	4.3	18.2	2.1	0.2	8.9	63	0.1
54010	0	0	0	0	KGP	48.5523	117.1550	18.7	611.8	274	55647.	3036	2.0	4.8	17.7	2.4	0.3	8.7	54	0.1
54009	0	0	0	0	KGP	48.5524	117.1544	18.7	612.0	288	55652.	3036	2.1	5.1	18.2	2.4	0.3	8.7	61	0.1
54008	0	0	0	0	KGP	48.5524	117.1539	18.7	612.2	300	55658.	3136	2.3	4.0	16.6	1.7	0.2	7.2	44	0.1
54007	0	0	0	0	KGP	48.5524	117.1533	18.8	612.6	309	55663.	3116	2.2	4.2	20.0	1.9	0.2	8.9	48	0.1
54006	0	0	0	0	KHM	48.5524	117.1527	18.8	612.9	315	55669.	3121	2.3	4.1	19.5	1.8	0.2	8.4	46	0.1
54005	0	0	0	0	KHM	48.5524	117.1522	18.8	613.4	317	55676.	3026	2.2	5.7	15.8	2.6	0.4	7.2	50	0.1
54004	0	0	0	0	KHM	48.5524	117.1516	18.8	613.8	316	55681.	2949	2.2	5.2	19.0	2.3	0.3	8.6	45	0.1
54003	0	0	0	0	KHM	48.5524	117.1510	18.8	614.3	315	55685.	2828	2.1	3.5	17.7	1.7	0.2	8.5	52	0.1
54002	0	0	0	0	KHM	48.5524	117.1504	18.8	614.8	317	55689.	2718	1.8	4.7	14.5	2.6	0.3	8.0	53	0.1
54001	0	0	0	0	KHM	48.5524	117.1499	18.9	615.4	324	55692.	2611	2.0	3.7	16.9	1.9	0.2	8.5	49	0.1
54000	0	0	0	0	KHM	48.5524	117.1493	18.9	615.9	337	55695.	2632	1.6	4.0	17.3	2.5	0.2	10.9	48	0.1
53999	0	0	0	0	KHM	48.5524	117.1487	18.9	616.4	350	55698.	2532	1.8	3.5	15.8	2.0	0.2	8.9	60	0.1
53998	0	0	0	0	KHM	48.5524	117.1481	18.9	617.0	360	55700.	2510	2.0	4.2	11.6	2.0	0.4	5.7	44	0.1
53997	0	0	0	0	KHM	48.5524	117.1476	19.0	617.6	365	55703.	2434	1.7	4.6	14.1	2.7	0.3	8.1	41	0.1
53996	0	0	0	0	KHM	48.5524	117.1470	19.0	618.2	374	55702.	2289	1.9	3.0	12.4	1.6	0.2	6.6	52	0.1
53995	0	0	0	0	KHM	48.5524	117.1464	19.0	618.8	384	55703.	2292	1.7	2.2	13.1	1.3	0.2	7.7	47	0.1
53994	0	0	0	0	KHM	48.5524	117.1458	19.0	619.3	397	55702.	2320	1.5	3.3	14.8	2.2	0.2	10.0	52	0.1
53993	0	0	0	0	KHM	48.5524	117.1453	19.1	620.0	411	55702.	2261	1.6	5.2	11.2	3.2	0.5	6.9	45	0.1
53992	0	0	0	0	KHM	48.5524	117.1447	19.1	620.5	423	55704.	2292	1.8	2.6	14.7	1.5	0.2	8.2	48	0.1
53991	0	0	0	0	KHM	48.5524	117.1441	19.1	621.1	429	55706.	2144	1.5	2.9	15.2	2.0	0.2	10.5	56	0.1
53990	0	0	0	0	KHM	48.5524	117.1435	19.1	621.7	428	55708.	2292	1.8	2.7	14.9	1.5	0.2	8.4	47	0.1
53989	0	0	0	0	KHM	48.5524	117.1430	19.2	622.3	428	55710.	2241	1.6	2.6	13.3	1.7	0.2	8.6	53	0.1
53988	0	0	0	0	KHM	48.5525	117.1424	19.2	622.8	427	55711.	2315	1.7	3.3	12.1	2.0	0.3	7.3	38	0.1
53987	0	0	0	0	KHM	48.5525	117.1418	19.2	623.4	428	55711.	2320	1.7	3.1	15.8	1.8	0.2	9.3	37	0.1
53986	0	0	0	0	KHM	48.5525	117.1413	19.2	624.0	432	55711.	2392	1.6	4.1	10.2	2.6	0.4	6.4	48	0.1
53985	0	0	0	0	KHM	48.5525	117.1407	19.3	624.6	433	55709.	2208	1.9	3.2	12.8	1.7	0.2	6.7	46	0.1
53984	0	0	0	0	KHM	48.5525	117.1401	19.3	625.2	428	55710.	2286	1.6	4.0	10.2	2.4	0.4	6.3	44	0.1
53983	0	0	0	0	KHM	48.5525	117.1396	19.3	625.8	419	55714.	2245	1.8	2.4	11.3	1.4	0.2	6.3	49	0.1
53982	0	0	0	0	KHM	48.5525	117.1390	19.3	626.4	405	55721.	2219	1.9	2.9	12.7	1.5	0.2	6.7	48	0.1
53981	0	0	0	0	KHM	48.5525	117.1385	19.4	627.0	387	55732.	2079	1.6	2.3	12.8	1.5	0.2	8.2	51	0.1
53980	0	0	0	0	KHM	48.5525	117.1379	19.4	627.5	363	55747.	2124	1.4	3.4	11.3	2.4	0.3	8.1	44	0.1
53979	0	0	0	0	KHM	48.5525	117.1374	19.4	628.0	341	55763.	2103	1.4	3.1	13.0	2.2	0.2	9.5	38	0.1
53978	0	0	0	0	KHM	48.5525	117.1368	19.5	628.6	324	55782.	2015	1.2	4.3	9.8	3.5	0.4	8.1	45	0.1
53977	0	0	0	0	KHM	48.5525	117.1363	19.5	629.1	315	55800.	2009	1.2	4.5	10.4	3.8	0.4	8.8	51	0.1
53976	0	0	0	0	KHM	48.5525	117.1358	19.5	629.6	314	55816.	2213	1.2	4.2	13.7	3.6	0.3	11.8	52	0.1
53975	0	0	0	0	KHM	48.5525	117.1352	19.5	630.1	314	55829.	2293	1.9	2.2	13.3	1.2	0.2	7.1	51	0.1
53974	0	0	0	0	KHM	48.5525	117.1347	19.6	630.6	311	55839.	2288	1.4	4.3	12.7	3.1	0.3	9.3	52	0.1
53973	0	0	0	0	KHM	48.5525	117.1341	19.6	631.1	304	55845.	2341	1.2	3.6	14.1	3.1	0.3	12.1	39	0.1
53972	0	0	0	0	KHM	48.5525	117.1336	19.6	631.6	301	55845.	2462	1.5	3.8	13.3	2.5	0.3	8.7	52	0.1
53971	0	0	0	0	KHM	48.5525	117.1331	19.6	632.1	307	55840.	2435	1.7	4.1	12.9	2.4	0.3	7.6	60	0.1
53970	0	0	0	0	KHM	48.5525	117.1325	19.7	632.6	319	55826.	2558	1.5	3.9	15.8	2.6	0.2	10.5	55	0.1
53969	0	0	0	0	KHM	48.5525	117.1320	19.7	633.1	338	55806.	2695	1.9	5.1	12.9	2.8	0.4	7.0	43	0.1
53968	0	0	0	0	KHM	48.5524	117.1314	19.7	633.6	359	55782.	2695	1.8	4.5	11.5	2.4	0.4	6.3	40	0.1
53967	0	0	0	0	KHM	48.5524	117.1309	19.7	634.2	376	55759.	2685	1.4	5.9	13.8	4.2	0.4	9.7	30	0.1
53966	0	0	0	0	KHM	48.5524	117.1303	19.8	634.8	384	55737.	2628	1.9	4.3	14.1	2.3	0.3	7.3	52	0.1
53965	0	0	0	0	KHM	48.5524	117.1298	19.8	635.3	388	55718.	2808	1.7	5.5	14.7	3.2	0.4	8.5	40	0.1
53964	0	0	0	0	KHM	48.5524	117.1293	19.8	635.9	392	55700.	2726	1.7	5.9	11.4	3.5	0.5	6.8	61	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 21									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53963	0	0	0	0	KHM	48.5524	117.1287	19.8	636.4	399	55685.	2876	1.9	6.8	11.7	3.5	0.6	6.1	38	0.1
53962	0	0	0	0	KHM	48.5524	117.1282	19.9	637.0	397	55671.	2664	1.6	6.1	10.3	3.8	0.6	6.4	57	0.1
53961	0	0	0	0	KHM	48.5524	117.1276	19.9	637.6	386	55659.	2735	1.4	5.4	12.2	4.0	0.4	9.0	34	0.1
53960	0	0	0	0	KHM	48.5524	117.1271	19.9	638.2	368	55650.	2474	1.9	4.1	10.0	2.1	0.4	5.3	32	0.1
53959	0	0	0	0	KHM	48.5524	117.1265	19.9	638.7	361	55641.	2559	1.7	4.7	14.1	2.7	0.3	8.2	39	0.1
53957	0	0	0	0	KHM	48.5524	117.1255	19.9	639.2	370	55633.	2344	1.5	5.5	10.3	3.6	0.5	6.8	50	0.1
53956	0	0	0	0	KHM	48.5524	117.1249	20.0	639.8	395	55627.	2509	1.4	4.9	15.2	3.5	0.3	11.1	41	0.1
53955	0	0	0	0	KHM	48.5524	117.1244	20.0	640.3	428	55621.	2809	2.1	5.5	10.9	2.6	0.5	5.2	38	0.1
53954	0	0	0	0	KHM	48.5524	117.1238	20.0	640.8	461	55617.	2882	1.8	5.8	14.4	3.2	0.4	7.8	51	0.1
53953	0	0	0	0	KHM	48.5524	117.1233	20.0	641.4	493	55613.	3029	1.9	7.7	15.2	4.2	0.5	8.2	44	0.1
53952	0	0	0	0	KHM	48.5524	117.1228	20.0	641.9	510	55609.	3056	2.1	7.1	11.8	3.4	0.6	5.6	49	0.1
53951	0	0	0	0	KHM	48.5524	117.1222	20.1	642.4	519	55603.	3152	1.5	8.3	14.9	5.6	0.6	10.1	39	0.1
53950	0	0	0	0	KHM	48.5524	117.1217	20.1	642.9	520	55595.	3101	2.1	7.9	14.7	3.7	0.5	7.0	51	0.1
53949	0	0	0	0	KHM	48.5524	117.1211	20.1	643.4	526	55587.	2927	1.7	6.1	12.9	3.5	0.5	7.5	44	0.1
53948	0	0	0	0	KHM	48.5524	117.1206	20.1	643.9	532	55577.	3270	2.1	7.9	12.1	3.7	0.7	5.7	37	0.1
53947	0	0	0	0	KHM	48.5524	117.1200	20.1	644.4	541	55567.	3217	2.1	7.5	12.6	3.5	0.6	5.9	45	0.1
53946	0	0	0	0	KHM	48.5524	117.1195	20.2	644.9	555	55557.	3286	2.3	5.4	18.9	2.3	0.3	8.1	37	0.1
53945	0	0	0	0	KHM	48.5524	117.1190	20.2	645.4	577	55546.	3227	1.7	8.8	14.6	5.3	0.6	8.8	45	0.1
53944	0	0	0	0	KHM	48.5524	117.1184	20.2	645.9	600	55535.	3271	2.3	8.2	15.2	3.6	0.5	6.7	47	0.1
53943	0	0	0	0	KHM	48.5524	117.1179	20.2	646.3	622	55524.	3511	2.2	9.0	17.7	4.1	0.5	8.1	50	0.1
53942	0	0	0	0	KHM	48.5524	117.1173	20.2	646.8	642	55512.	3501	2.3	6.5	18.0	2.8	0.4	7.7	51	0.1
53941	0	0	0	0	KHM	48.5524	117.1168	20.2	647.2	659	55502.	3501	2.9	8.1	17.0	2.8	0.5	5.8	43	0.1
53940	0	0	0	0	KHM	48.5524	117.1162	20.3	647.6	672	55493.	3569	2.4	9.6	16.1	4.1	0.6	6.8	45	0.1
53939	0	0	0	0	KHM	48.5524	117.1157	20.3	648.0	687	55484.	3794	2.7	8.9	20.4	3.3	0.4	7.5	34	0.1
53938	1	0	0	0	KHM	48.5524	117.1152	20.3	648.4	701	55477.	3812	2.6	7.7	24.0	2.9	0.3	9.1	45	0.1
53937	0	0	0	0	KHM	48.5524	117.1146	20.3	648.7	700	55469.	3871	2.3	11.2	19.4	4.9	0.6	8.5	39	0.1
53936	0	0	0	0	KHM	48.5524	117.1139	20.3	649.0	679	55462.	3975	3.0	6.5	23.8	2.2	0.3	8.0	40	0.1
53935	0	0	0	0	KHM	48.5524	117.1133	20.3	649.3	644	55455.	3928	2.1	7.4	17.1	3.5	0.4	8.0	39	0.1
53934	0	0	0	0	KHM	48.5524	117.1126	20.3	649.5	607	55449.	3747	2.2	9.5	19.3	4.4	0.5	9.0	25	0.1
53933	0	0	0	0	KHM	48.5523	117.1119	20.3	649.7	580	55441.	3545	2.2	9.4	19.8	4.2	0.5	8.9	39	0.1
53932	0	0	0	0	KHM	48.5523	117.1112	20.4	650.0	564	55432.	3321	2.7	6.9	17.9	2.6	0.4	6.8	43	0.1
53931	0	0	0	0	KHM	48.5523	117.1105	20.4	650.2	560	55422.	3250	1.9	7.6	12.0	4.0	0.6	6.3	40	0.1
53930	0	0	0	0	KHM	48.5523	117.1098	20.4	650.3	556	55412.	3344	2.9	3.9	16.6	1.3	0.2	5.6	44	0.1
53929	0	0	0	0	KHM	48.5522	117.1092	20.4	650.5	557	55403.	3296	2.6	6.2	20.6	2.4	0.3	7.9	47	0.1
53928	0	0	0	0	KHM	48.5522	117.1085	20.4	650.6	556	55396.	3372	3.3	2.9	19.6	0.9	0.1	5.9	32	0.1
53927	0	0	0	0	KHM	48.5522	117.1078	20.4	650.7	553	55391.	3319	2.6	5.3	17.2	2.0	0.3	6.6	42	0.1
53926	0	0	0	0	KHM	48.5522	117.1071	20.4	650.8	550	55385.	3273	2.3	7.5	16.6	3.3	0.4	7.4	37	0.1
53925	0	0	0	0	KHM	48.5522	117.1064	20.4	650.8	557	55380.	3156	2.4	7.0	13.6	3.0	0.5	5.7	40	0.1
53924	0	0	0	0	KHM	48.5522	117.1057	20.4	650.8	577	55377.	3231	2.8	4.1	16.4	1.4	0.2	5.8	32	0.1
53923	0	0	0	0	KHM	48.5521	117.1050	20.4	650.8	608	55374.	3162	2.1	6.2	15.5	3.0	0.4	7.5	40	0.1
53922	0	0	0	0	KHM	48.5521	117.1044	20.4	650.7	625	55374.	3356	3.2	4.6	15.3	1.5	0.3	4.8	35	0.1
53921	0	0	0	0	KHM	48.5521	117.1037	20.5	650.7	631	55375.	3399	2.8	7.4	17.3	2.6	0.4	6.2	37	0.1
53920	0	0	0	0	KHM	48.5521	117.1030	20.5	650.6	619	55376.	3230	2.8	4.9	14.8	1.8	0.3	5.3	30	0.1
53919	0	0	0	0	KHM	48.5520	117.1023	20.5	650.5	613	55376.	3116	3.2	3.8	16.1	1.2	0.2	5.0	43	0.1
53918	0	0	0	0	KHM	48.5520	117.1016	20.5	650.3	617	55375.	3037	1.8	6.1	15.4	3.3	0.4	8.4	43	0.1
53917	0	0	0	0	KHM	48.5520	117.1010	20.5	650.1	636	55375.	3203	2.2	6.5	15.1	3.0	0.4	7.0	43	0.1
53916	0	0	0	0	KHM	48.5520	117.1003	20.5	649.9	652	55373.	3242	2.3	6.4	18.8	2.8	0.3	8.1	49	0.1
53915	0	0	0	0	KHM	48.5520	117.0996	20.5	649.7	658	55372.	3461	3.1	7.2	14.5	2.3	0.5	4.7	31	0.1
53914	0	0	0	0	KHM	48.5520	117.0990	20.5	649.5	656	55372.	3241	2.5	3.9	19.3	1.6	0.2	7.7	35	0.1
53913	0	0	0	0	KHM	48.5520	117.0984	20.5	649.3	644	55374.	3202	2.5	5.0	16.8	2.0	0.3	6.7	38	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 21

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53912	0	0	0	0	KHM	48.5520	117.0977	20.5	649.1	624	55376.	3277	2.5	5.6	15.7	2.2	0.4	6.3	36	0.1
53911	0	0	0	0	KHM	48.5519	117.0971	20.5	648.8	593	55380.	3165	2.2	7.7	11.8	3.5	0.7	5.3	38	0.1
53910	0	0	0	0	KHM	48.5519	117.0965	20.5	648.6	557	55384.	3320	2.9	7.0	15.8	2.4	0.4	5.5	27	0.1
53909	0	0	0	0	KHM	48.5519	117.0959	20.5	648.3	510	55387.	3192	2.6	6.5	13.4	2.5	0.5	5.2	36	0.1
53908	0	0	0	0	KHM	48.5519	117.0953	20.5	648.1	457	55389.	2886	1.8	6.9	16.5	3.8	0.4	9.1	41	0.1
53907	0	0	0	0	KHM	48.5519	117.0947	20.5	647.9	402	55392.	2769	2.2	4.2	15.5	2.0	0.3	7.1	44	0.1
53906	0	0	0	0	KHM	48.5519	117.0941	20.5	647.7	359	55395.	2673	2.0	6.1	9.1	3.1	0.7	4.7	57	0.1
53905	0	0	0	0	KHM	48.5519	117.0935	20.5	647.5	327	55401.	2471	2.1	6.0	9.1	2.9	0.7	4.3	40	0.1
53904	0	0	0	0	KHM	48.5519	117.0928	20.6	647.4	316	55408.	2501	1.6	5.8	10.3	3.7	0.6	6.6	37	0.1
53903	0	0	0	0	KHM	48.5519	117.0922	20.6	647.3	322	55415.	2481	1.8	4.3	14.9	2.4	0.3	8.3	39	0.1
53902	0	0	0	0	KHM	48.5519	117.0916	20.6	647.2	339	55419.	2692	2.1	5.3	10.1	2.6	0.5	4.9	30	0.1
53901	0	0	0	0	KHM	48.5518	117.0910	20.6	647.1	359	55422.	2641	2.1	5.4	11.4	2.6	0.5	5.6	43	0.1
53900	0	0	0	0	KHM	48.5518	117.0904	20.6	647.1	383	55423.	2604	1.9	5.9	10.6	3.1	0.6	5.6	40	0.1
53899	0	0	0	0	KHM	48.5518	117.0898	20.6	647.1	415	55424.	2716	1.7	6.4	11.6	3.8	0.6	7.0	42	0.1
53898	0	0	0	0	KHM	48.5518	117.0892	20.6	647.2	451	55426.	2839	2.1	4.7	12.0	2.2	0.4	5.7	44	0.1
53897	0	0	0	0	KHM	48.5518	117.0886	20.6	647.2	486	55428.	2910	2.4	4.8	11.9	2.0	0.4	4.9	43	0.1
53896	0	0	0	0	KHM	48.5518	117.0880	20.6	647.3	512	55430.	2999	1.7	7.5	16.2	4.4	0.5	9.5	41	0.1
53895	0	0	0	0	KHM	48.5518	117.0873	20.6	647.4	505	55430.	3043	2.3	4.9	14.8	2.1	0.3	6.4	38	0.1
53894	0	0	0	0	KHM	48.5518	117.0867	20.6	647.5	482	55431.	3041	2.2	7.6	13.7	3.5	0.6	6.2	32	0.1
53893	0	0	0	0	KHM	48.5518	117.0861	20.6	647.6	441	55431.	3018	2.1	6.2	16.2	3.0	0.4	7.8	40	0.1
53892	0	0	0	0	KHM	48.5518	117.0855	20.6	647.7	414	55431.	2784	1.7	6.7	14.7	3.9	0.5	8.6	47	0.1
53891	0	0	0	0	KHM	48.5518	117.0849	20.6	647.8	394	55432.	3027	2.2	4.7	19.0	2.2	0.2	8.8	35	0.1
53890	0	0	0	0	KHM	48.5518	117.0843	20.6	647.9	382	55432.	2920	2.0	5.1	15.1	2.6	0.3	7.7	35	0.1
53889	0	0	0	0	KHM	48.5517	117.0837	20.6	648.0	373	55433.	2972	2.1	6.0	16.9	2.9	0.4	8.0	37	0.1
53888	0	0	0	0	KHM	48.5517	117.0831	20.6	648.0	366	55434.	2977	2.1	6.6	13.4	3.2	0.5	6.5	39	0.1
53887	0	0	0	0	KHM	48.5517	117.0824	20.7	648.1	366	55436.	2926	2.0	4.6	15.4	2.3	0.3	7.7	61	0.1
53886	0	0	0	0	KHM	48.5517	117.0818	20.7	648.0	367	55438.	2979	2.3	6.5	13.1	2.9	0.5	5.7	45	0.1
53885	0	0	0	0	KHM	48.5517	117.0812	20.7	648.0	365	55440.	2819	2.0	5.4	14.1	2.7	0.4	7.0	31	0.1
53884	0	0	0	0	KHM	48.5517	117.0806	20.7	647.9	363	55442.	2718	1.8	3.7	15.8	2.1	0.2	8.9	42	0.1
53883	0	0	0	0	KHM	48.5517	117.0800	20.7	647.9	375	55444.	2535	2.1	4.4	11.3	2.1	0.4	5.4	43	0.1
53882	0	0	0	0	KHM	48.5517	117.0794	20.7	647.8	405	55445.	2455	2.0	3.1	10.2	1.6	0.3	5.2	43	0.1
53881	0	0	0	0	KHM	48.5517	117.0788	20.7	647.7	445	55446.	2695	1.9	3.7	16.0	2.0	0.2	8.5	41	0.1
53880	0	0	0	0	KHM	48.5517	117.0781	20.7	647.5	498	55448.	2915	2.5	4.2	13.2	1.6	0.3	5.2	43	0.1
53879	0	0	0	0	KHM	48.5517	117.0775	20.7	647.4	542	55449.	3024	1.9	6.9	16.0	3.7	0.4	8.5	36	0.1
53878	0	0	0	0	KHM	48.5517	117.0769	20.7	647.3	568	55449.	3233	2.7	6.8	12.5	2.5	0.5	4.6	26	0.1
53877	0	0	0	0	KHM	48.5516	117.0763	20.7	647.1	570	55450.	3187	2.0	6.5	15.5	3.3	0.4	7.9	51	0.1
53876	0	0	0	0	KHM	48.5516	117.0757	20.8	647.0	565	55450.	3184	2.4	6.7	13.9	2.9	0.5	5.9	51	0.1
53875	0	0	0	0	KHM	48.5516	117.0751	20.8	646.9	563	55452.	3235	2.5	6.7	16.5	2.7	0.4	6.7	38	0.1
53874	0	0	0	0	KHM	48.5516	117.0745	20.8	646.8	565	55454.	3250	2.4	6.1	16.0	2.6	0.4	6.7	47	0.1
53873	0	0	0	0	KHM	48.5516	117.0739	20.8	646.6	567	55457.	3406	2.7	5.5	17.8	2.0	0.3	6.6	30	0.1
53872	0	0	0	0	KHM	48.5516	117.0732	20.8	646.5	575	55457.	3359	2.4	7.9	14.0	3.3	0.6	5.9	38	0.1
53871	0	0	0	0	KHM	48.5516	117.0726	20.8	646.4	572	55458.	3643	3.0	6.1	17.5	2.1	0.4	5.9	38	0.1
53870	0	0	0	0	KHM	48.5516	117.0720	20.8	646.3	558	55456.	3545	2.7	7.3	16.5	2.7	0.4	6.1	40	0.2
53869	0	0	0	0	KHM	48.5516	117.0714	20.8	646.2	527	55454.	3241	2.3	5.8	16.7	2.6	0.3	7.3	48	0.2
53868	0	0	0	0	KGP	48.5516	117.0708	20.9	646.1	483	55452.	3156	2.5	4.1	12.6	1.7	0.3	5.0	47	0.2
53866	0	0	0	0	KGP	48.5515	117.0696	20.9	645.9	429	55450.	2727	1.9	5.1	12.5	2.7	0.4	6.6	41	0.2
53865	0	0	0	0	KGP	48.5515	117.0690	20.9	645.8	377	55451.	2598	1.9	5.7	7.6	3.0	0.7	4.0	41	0.2
53864	0	0	0	0	KGP	48.5515	117.0683	20.9	645.7	335	55453.	2343	1.5	3.2	11.6	2.2	0.3	7.9	50	0.1
53863	0	0	0	0	KGP	48.5515	117.0677	20.9	645.5	299	55456.	2134	1.5	4.0	7.4	2.6	0.5	4.8	53	0.1
53862	0	0	0	0	KGP	48.5515	117.0671	20.9	645.4	265	55461.	2041	1.4	4.0	8.6	2.9	0.5	6.2	45	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGN IFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 21							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53861	0	0	0	0	KGP	48.5515	117.0665	21.0	645.4	242	55467.	1872	1.2	3.5	8.4	3.0	0.4	7.2	31	0.1
53860	0	0	0	0	KGP	48.5515	117.0659	21.0	645.3	242	55472.	1889	1.6	2.5	9.4	1.6	0.3	5.9	33	0.1
53859	0	0	0	0	KGP	48.5515	117.0653	21.0	645.3	259	55476.	1957	1.5	2.8	10.2	1.9	0.3	6.7	39	0.1
53858	0	0	0	0	KGP	48.5515	117.0647	21.0	645.3	290	55478.	1968	1.4	3.9	7.6	2.7	0.5	5.3	56	0.1
53857	0	0	0	0	KGP	48.5515	117.0641	21.0	645.4	318	55479.	2142	1.6	4.9	7.1	3.0	0.7	4.4	47	0.1
53856	0	0	0	0	KGP	48.5515	117.0634	21.0	645.5	340	55479.	2331	1.5	3.1	11.9	2.1	0.3	8.0	40	0.1
53855	0	0	0	0	KGP	48.5515	117.0628	21.1	645.6	355	55478.	2297	1.8	4.0	10.0	2.2	0.4	5.5	49	0.1
53854	0	0	0	0	KGP	48.5514	117.0622	21.1	645.8	371	55477.	2489	1.4	6.5	11.4	4.5	0.6	7.9	39	0.1
53853	0	0	0	0	KGP	48.5514	117.0616	21.1	646.1	400	55477.	2466	2.0	4.7	11.0	2.3	0.4	5.4	42	0.1
53852	0	0	0	0	KGP	48.5514	117.0610	21.1	646.3	424	55477.	2550	1.7	5.1	13.1	2.9	0.4	7.6	46	0.1
53851	0	0	0	0	KGP	48.5514	117.0604	21.1	646.6	448	55476.	2511	1.4	5.8	12.9	4.1	0.5	9.2	40	0.1
53850	0	0	0	0	KGP	48.5514	117.0598	21.2	647.0	456	55475.	2551	1.7	4.6	13.1	2.6	0.3	7.6	36	0.1
53849	0	0	0	0	KGP	48.5514	117.0592	21.2	647.3	459	55475.	2456	1.9	4.9	8.9	2.6	0.6	4.8	30	0.1
53848	0	0	0	0	KGP	48.5514	117.0585	21.2	647.7	457	55476.	2541	1.8	5.0	12.0	2.8	0.4	6.7	34	0.1
53847	0	0	0	0	KGP	48.5514	117.0579	21.2	648.1	447	55477.	2353	1.4	4.6	12.1	3.2	0.4	8.5	37	0.1
53846	0	0	0	0	KGP	48.5514	117.0573	21.2	648.5	439	55477.	2327	1.7	5.8	11.7	3.5	0.5	7.0	40	0.1
53845	0	0	0	0	KGP	48.5514	117.0567	21.3	648.9	436	55475.	2366	1.7	3.3	13.8	1.9	0.2	8.0	44	0.1
53844	0	0	0	0	KGP	48.5513	117.0561	21.3	649.3	441	55471.	2276	1.5	6.0	6.8	3.9	0.9	4.4	55	0.1
53843	0	0	0	0	KGP	48.5513	117.0555	21.3	649.7	444	55468.	2272	1.4	5.0	7.6	3.7	0.7	5.5	39	0.1
53842	0	0	0	0	KGP	48.5513	117.0549	21.3	650.1	438	55466.	2313	1.4	4.7	9.7	3.4	0.5	7.1	47	0.1
53841	0	0	0	0	KGP	48.5513	117.0543	21.3	650.5	435	55465.	2415	1.5	5.2	10.4	3.5	0.5	7.1	30	0.1
53840	0	0	0	0	KGP	48.5513	117.0536	21.4	650.8	444	55467.	2438	1.9	3.7	10.0	2.0	0.4	5.4	50	0.1
53839	0	0	0	0	KGP	48.5513	117.0530	21.4	651.2	465	55465.	2558	2.0	4.5	12.2	2.2	0.4	6.0	52	0.1
53838	0	0	0	0	KGP	48.5513	117.0524	21.4	651.5	484	55463.	2655	2.0	5.6	9.8	2.7	0.6	4.8	45	0.1
53837	0	0	0	0	KGP	48.5513	117.0518	21.4	651.8	494	55459.	2650	1.8	4.0	12.4	2.2	0.3	6.9	37	0.1
53836	0	0	0	0	KGP	48.5513	117.0512	21.4	652.1	493	55456.	2824	1.7	6.5	14.7	3.7	0.4	8.4	41	0.1
53835	0	0	0	0	KGP	48.5513	117.0506	21.5	652.4	481	55454.	2890	1.5	6.7	11.9	4.5	0.6	8.0	37	0.1
53834	0	0	0	0	KGP	48.5513	117.0500	21.5	652.6	462	55454.	2839	2.5	2.8	13.1	1.1	0.2	5.2	30	0.1
53833	0	0	0	0	KGP	48.5513	117.0495	21.5	652.9	437	55453.	2669	2.2	5.6	9.2	2.6	0.6	4.2	53	0.1
53832	0	0	0	0	KGP	48.5513	117.0489	21.5	653.1	415	55453.	2711	1.8	4.9	13.7	2.7	0.4	7.5	38	0.1
53831	0	0	0	0	KGP	48.5513	117.0483	21.5	653.2	404	55452.	2770	2.1	4.0	13.0	1.9	0.3	6.1	47	0.1
53830	0	0	0	0	KGP	48.5512	117.0477	21.6	653.4	408	55453.	2808	2.1	4.2	14.9	2.0	0.3	7.1	40	0.1
53829	0	0	0	0	KGP	48.5512	117.0472	21.6	653.5	408	55455.	2760	1.7	5.6	13.5	3.2	0.4	7.8	46	0.2
53828	0	0	0	0	KGP	48.5512	117.0466	21.6	653.6	400	55458.	2872	2.3	4.8	12.8	2.1	0.4	5.6	46	0.2
53827	0	0	0	0	KGP	48.5512	117.0460	21.6	653.7	379	55462.	2921	2.0	5.3	16.9	2.7	0.3	8.6	39	0.1
53826	0	0	0	0	KGP	48.5512	117.0454	21.6	653.8	364	55465.	2495	1.9	3.9	13.3	2.0	0.3	6.9	37	0.1
53825	0	0	0	0	KGP	48.5512	117.0449	21.7	653.9	351	55468.	2558	1.8	3.8	10.4	2.1	0.4	5.7	30	0.2
53824	0	0	0	0	KGP	48.5512	117.0443	21.7	653.9	350	55471.	2463	1.5	4.8	13.5	3.2	0.4	9.0	45	0.2
53823	0	0	0	0	KGP	48.5512	117.0437	21.7	654.0	351	55474.	2544	1.6	4.5	12.0	2.8	0.4	7.4	37	0.2
53822	0	0	0	0	KGP	48.5512	117.0432	21.7	654.0	341	55477.	2395	1.4	6.3	8.8	4.5	0.7	6.2	34	0.2
53821	0	0	0	0	KGP	48.5512	117.0426	21.7	654.1	329	55479.	2288	1.9	3.4	10.0	1.7	0.3	5.2	39	0.2
53820	0	0	0	0	KGP	48.5512	117.0420	21.8	654.2	321	55480.	2036	1.4	3.0	10.5	2.1	0.3	7.5	41	0.2
53819	0	0	0	0	KGP	48.5511	117.0414	21.8	654.3	333	55480.	1973	1.8	2.7	9.0	1.5	0.3	5.1	38	0.2
53818	0	0	0	0	KGP	48.5511	117.0408	21.8	654.4	355	55480.	1952	1.2	4.1	7.3	3.3	0.6	5.9	45	0.2
53817	0	0	0	0	KGP	48.5511	117.0403	21.8	654.5	375	55481.	2010	1.7	3.8	6.6	2.2	0.6	3.9	42	0.2
53816	0	0	0	0	KGP	48.5511	117.0397	21.9	654.7	394	55481.	2042	1.2	3.6	12.5	3.0	0.3	10.4	42	0.2
53815	0	0	0	0	KGP	48.5511	117.0391	21.9	654.8	406	55481.	2042	1.4	3.1	10.0	2.2	0.3	7.2	30	0.2
53814	0	0	0	0	KGP	48.5511	117.0385	21.9	655.0	409	55481.	2027	1.1	3.2	9.6	3.1	0.3	9.2	46	0.2
53813	0	0	0	0	KGP	48.5511	117.0380	21.9	655.2	402	55479.	2076	1.7	2.4	12.8	1.4	0.2	7.4	26	0.2
53812	0	0	0	0	KGP	48.5511	117.0374	21.9	655.4	393	55478.	1979	1.6	2.0	11.0	1.2	0.2	6.8	50	0.2

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 21								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53811	0	0	0	0	KGP	48.5511	117.0368	22.0	655.6	390	55476.	1975	1.2	3.9	8.2	3.3	0.5	6.9	38	0.2
53810	0	0	0	0	KGP	48.5511	117.0362	22.0	655.9	384	55474.	1978	1.4	3.6	8.7	2.6	0.4	6.3	35	0.2
53809	0	0	0	0	KGP	48.5511	117.0357	22.0	656.1	370	55474.	2020	1.4	3.8	8.6	2.7	0.4	6.0	47	0.2
53808	0	0	0	0	KGP	48.5511	117.0351	22.0	656.3	347	55474.	2054	1.3	3.5	10.1	2.7	0.3	7.6	40	0.2
53807	0	0	0	0	KGP	48.5511	117.0345	22.0	656.6	325	55475.	1997	1.6	2.4	11.3	1.5	0.2	6.9	36	0.1
53806	0	0	0	0	KGP	48.5511	117.0339	22.1	657.0	308	55477.	1907	1.5	3.0	8.9	2.0	0.3	6.1	38	0.1
53805	0	0	0	0	KGP	48.5510	117.0334	22.1	657.3	298	55480.	1954	1.2	4.4	7.0	3.7	0.6	5.9	41	0.1
53804	0	0	0	0	QAG	48.5510	117.0328	22.1	657.6	299	55481.	1882	1.6	2.7	9.1	1.7	0.3	5.8	57	0.1
53803	0	0	0	0	QAG	48.5510	117.0322	22.1	658.0	307	55483.	2050	1.5	3.2	10.5	2.1	0.3	6.8	47	0.1
53802	0	0	0	0	QAG	48.5510	117.0316	22.1	658.4	326	55486.	2036	2.0	3.0	7.4	1.5	0.4	3.8	45	0.1
53801	0	0	0	0	QAG	48.5510	117.0311	22.1	658.9	356	55488.	2281	1.9	3.0	10.1	1.6	0.3	5.4	34	0.1
53800	0	0	0	0	QAG	48.5510	117.0305	22.2	659.3	401	55489.	2429	1.7	5.3	11.9	3.2	0.4	7.2	41	0.1
53799	0	0	0	0	QAG	48.5510	117.0299	22.2	659.8	459	55488.	2639	2.3	4.2	14.5	1.8	0.3	6.2	30	0.1
53798	0	0	0	0	QAG	48.5510	117.0293	22.2	660.3	529	55486.	2870	2.5	4.1	14.4	1.6	0.3	5.8	32	0.1
53797	0	0	0	0	QAG	48.5510	117.0287	22.2	660.8	573	55484.	3008	2.2	7.2	11.4	3.2	0.6	5.1	35	0.1
53796	0	0	0	0	QAG	48.5510	117.0282	22.2	661.4	588	55482.	2867	2.2	5.5	11.3	2.5	0.5	5.1	36	0.1
53795	0	0	0	0	QAG	48.5510	117.0276	22.3	661.9	567	55481.	2634	1.6	5.4	12.6	3.3	0.4	7.8	37	0.1
53794	0	0	0	0	QAG	48.5509	117.0270	22.3	662.4	549	55480.	2601	2.0	6.9	10.4	3.5	0.7	5.2	34	0.1
53793	0	0	0	0	QAG	48.5509	117.0264	22.3	662.9	531	55480.	2346	2.0	3.2	12.7	1.6	0.3	6.4	35	0.1
53792	0	0	0	0	QAG	48.5509	117.0259	22.3	663.4	516	55480.	2343	1.7	4.2	9.8	2.5	0.4	5.9	30	0.1
53791	0	0	0	0	QAG	48.5509	117.0252	22.3	663.9	502	55480.	2123	1.5	5.0	9.7	3.4	0.5	6.6	42	0.1
53790	0	0	0	0	QAG	48.5509	117.0246	22.4	664.3	489	55480.	2237	2.0	4.0	8.7	2.0	0.5	4.4	24	0.1
53789	0	0	0	0	QAG	48.5509	117.0240	22.4	664.7	475	55479.	2270	1.8	4.0	10.7	2.2	0.4	5.9	33	0.1
53788	0	0	0	0	QAG	48.5509	117.0233	22.4	665.1	459	55481.	2249	1.9	5.6	8.0	2.9	0.7	4.2	27	0.1
53787	0	0	0	0	QAG	48.5509	117.0227	22.4	665.5	441	55482.	2213	1.9	3.6	10.6	1.9	0.3	5.6	34	0.1
53786	0	0	0	0	QAG	48.5509	117.0221	22.4	665.8	422	55484.	2246	1.7	3.0	11.4	1.8	0.3	6.9	33	0.1
53785	0	0	0	0	QAG	48.5509	117.0215	22.4	666.1	399	55487.	2202	1.9	4.2	12.3	2.2	0.3	6.4	39	0.1
53784	0	0	0	0	QAG	48.5509	117.0208	22.5	666.4	377	55489.	2216	2.1	4.5	10.5	2.1	0.4	5.0	42	0.1
53783	0	0	0	0	QAG	48.5509	117.0202	22.5	666.7	360	55490.	2026	1.7	3.1	7.2	1.9	0.4	4.3	36	0.1
53782	0	0	0	0	QAG	48.5509	117.0196	22.5	666.9	349	55490.	2081	1.5	4.3	10.5	2.9	0.4	7.0	42	0.1
53781	0	0	0	0	QAG	48.5509	117.0189	22.5	667.1	345	55490.	2156	1.7	4.8	8.3	2.8	0.6	4.8	28	0.1
53780	0	0	0	0	QAG	48.5509	117.0183	22.5	667.3	344	55490.	2219	1.9	4.2	10.8	2.3	0.4	5.8	36	0.1
53779	0	0	0	0	QAG	48.5509	117.0177	22.5	667.5	351	55489.	2237	1.6	3.9	10.0	2.2	0.4	6.1	34	0.1
53778	0	0	0	0	QAG	48.5509	117.0170	22.5	667.7	360	55487.	2181	1.7	4.8	11.1	2.9	0.4	6.7	34	0.1
53776	0	0	0	0	QAG	48.5509	117.0158	22.5	667.9	368	55483.	2069	1.6	4.3	7.5	2.7	0.6	4.7	39	0.1
53775	0	0	0	0	QAG	48.5509	117.0152	22.5	668.0	370	55477.	2060	1.5	4.0	7.3	2.6	0.5	4.8	21	0.1
53774	0	0	0	0	QAG	48.5508	117.0145	22.6	668.2	366	55471.	2030	1.5	3.9	8.1	2.5	0.5	5.3	34	0.1
53773	0	0	0	0	QAG	48.5508	117.0139	22.6	668.3	352	55468.	1963	1.5	2.9	11.6	1.9	0.2	7.6	27	0.1
53772	0	0	0	0	QAG	48.5508	117.0133	22.6	668.4	339	55464.	1723	1.2	2.7	6.0	2.2	0.4	4.9	42	0.1
53771	0	0	0	0	QAG	48.5508	117.0126	22.6	668.5	328	55464.	1706	1.2	3.5	6.4	2.9	0.5	5.3	35	0.1
53770	0	0	0	0	QAG	48.5508	117.0120	22.6	668.6	328	55465.	1847	1.3	3.7	7.1	3.0	0.5	5.7	31	0.1
53769	0	0	0	0	QAG	48.5508	117.0114	22.6	668.7	334	55468.	1855	1.2	4.6	8.1	3.9	0.6	7.0	34	0.1
53768	0	0	0	0	QAG	48.5508	117.0107	22.6	668.7	340	55473.	1964	1.3	3.0	11.0	2.4	0.3	8.8	29	0.1
53767	0	0	0	0	QAG	48.5508	117.0101	22.6	668.8	346	55476.	1938	1.5	3.9	9.3	2.6	0.4	6.2	44	0.1
53766	0	0	0	0	QAG	48.5508	117.0095	22.6	668.9	353	55479.	1997	1.5	3.5	6.2	2.3	0.6	4.1	42	0.1
53765	0	0	0	0	QAG	48.5508	117.0089	22.7	669.0	364	55480.	2014	1.5	4.3	8.9	2.9	0.5	6.0	34	0.1
53764	0	0	0	0	QAG	48.5508	117.0082	22.7	669.1	386	55481.	2089	1.5	4.6	6.0	3.0	0.8	3.9	22	0.1
53763	0	0	0	0	QAG	48.5508	117.0076	22.7	669.2	415	55481.	2001	1.2	4.3	8.6	3.5	0.5	7.0	48	0.1
53762	0	0	0	0	QAG	48.5508	117.0070	22.7	669.3	447	55479.	2174	1.8	4.1	6.2	2.2	0.7	3.4	29	0.1
53761	0	0	0	0	QAG	48.5508	117.0063	22.7	669.4	471	55479.	2225	1.5	4.3	12.3	3.0	0.4	8.4	31	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 21							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53760	0	0	0	0	QAG	48.5508	117.0057	22.7	669.5	492	55478.	2069	1.9	4.0	8.3	2.1	0.5	4.5	39	0.1
53759	0	0	0	0	QAG	48.5508	117.0051	22.7	669.6	511	55476.	2058	1.6	3.7	10.4	2.3	0.4	6.6	35	0.1
53758	0	0	0	0	QAG	48.5508	117.0044	22.7	669.7	524	55473.	2099	1.7	2.9	9.2	1.8	0.3	5.6	33	0.1
53757	0	0	0	0	QAG	48.5508	117.0038	22.7	669.8	523	55470.	1944	1.5	3.3	9.4	2.2	0.4	6.3	36	0.1
53756	0	0	0	0	QAG	48.5508	117.0032	22.7	669.9	510	55469.	2091	1.4	4.3	10.1	3.0	0.4	7.0	25	0.1
53755	0	0	0	0	QAG	48.5508	117.0026	22.7	670.0	491	55470.	2111	1.5	4.4	8.3	3.0	0.5	5.7	42	0.1
53754	0	0	0	0	QAG	48.5508	117.0021	22.7	670.1	462	55473.	2029	1.7	3.4	6.8	1.9	0.5	3.9	31	0.1
53753	0	0	0	0	QAG	48.5508	117.0016	22.7	670.1	432	55476.	1958	1.4	3.5	8.9	2.6	0.4	6.5	45	0.1
53752	0	0	0	0	QAG	48.5507	117.0011	22.8	670.2	405	55478.	1948	1.4	5.7	6.8	4.1	0.8	4.9	47	0.1
53751	0	0	0	0	QAG	48.5507	117.0006	22.8	670.2	382	55482.	1813	1.3	4.2	6.1	3.3	0.7	4.7	29	0.1
53750	0	0	0	0	QAG	48.5507	117.0001	22.8	670.2	363	55486.	1715	1.1	4.4	5.2	3.9	0.8	4.6	38	0.1
53749	0	0	0	0	QAG	48.5507	116.9996	22.8	670.2	347	55490.	1575	1.1	3.6	5.5	3.3	0.6	5.2	43	0.1
53748	0	0	0	0	QAG	48.5507	116.9991	22.8	670.2	340	55495.	1661	1.4	3.3	3.6	2.4	0.9	2.7	40	0.1
53747	0	0	0	0	QAG	48.5507	116.9987	22.8	670.1	339	55498.	1594	1.5	2.5	5.8	1.7	0.4	3.9	40	0.1
53746	0	0	0	0	QAG	48.5507	116.9982	22.8	670.1	339	55500.	1598	1.3	3.0	5.2	2.4	0.6	4.1	37	0.1
53745	0	0	0	0	QAG	48.5507	116.9977	22.8	670.0	341	55503.	1649	1.4	2.1	5.9	1.5	0.4	4.2	32	0.1

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 22								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
54450	0	0	0	0	KG	48.5489	117.2451	21.7	662.2	324	55722.	2719	2.4	3.7	11.0	1.6	0.3	4.6	44	0.2
54451	0	0	0	0	KG	48.5489	117.2445	21.7	661.9	320	55733.	2741	2.1	6.0	11.2	2.8	0.5	5.3	39	0.2
54452	0	0	0	0	KG	48.5489	117.2439	21.7	661.7	310	55742.	2605	2.1	5.7	7.8	2.7	0.7	3.7	40	0.2
54453	0	0	0	0	KG	48.5489	117.2433	21.7	661.5	298	55749.	2527	2.4	3.3	10.1	1.4	0.3	4.3	43	0.2
54454	0	0	0	0	KG	48.5489	117.2426	21.7	661.2	291	55755.	2432	2.1	3.3	13.3	1.6	0.2	6.2	39	0.2
54455	0	0	0	0	KG	48.5488	117.2420	21.7	661.0	286	55760.	2479	2.2	2.7	10.9	1.2	0.3	5.0	44	0.2
54456	0	0	0	0	KG	48.5488	117.2414	21.7	660.8	275	55762.	2367	1.9	3.2	10.6	1.7	0.3	5.5	44	0.2
54457	0	0	0	0	KG	48.5488	117.2408	21.6	660.6	266	55764.	2250	2.0	3.5	10.2	1.7	0.3	5.1	41	0.2
54458	0	0	0	0	KG	48.5488	117.2402	21.6	660.3	261	55763.	2273	2.0	4.6	7.4	2.4	0.6	3.8	45	0.2
54459	0	0	0	0	KG	48.5488	117.2396	21.6	660.0	264	55763.	2385	1.9	2.4	12.2	1.2	0.2	6.3	39	0.2
54460	0	0	0	0	KG	48.5488	117.2390	21.6	659.7	267	55763.	2358	1.9	1.7	10.4	0.9	0.2	5.4	24	0.2
54461	0	0	0	0	KG	48.5488	117.2384	21.6	659.4	269	55762.	2226	1.8	3.4	11.8	1.9	0.3	6.4	35	0.2
54462	0	0	0	0	KG	48.5488	117.2377	21.6	659.1	277	55763.	2280	1.9	3.9	9.7	2.1	0.4	5.2	32	0.2
54463	0	0	0	0	KG	48.5488	117.2371	21.6	658.7	289	55765.	2302	1.8	3.3	11.9	1.8	0.3	6.6	27	0.2
54464	0	0	0	0	KG	48.5488	117.2365	21.6	658.4	300	55769.	2258	2.1	3.7	8.8	1.8	0.4	4.2	34	0.2
54465	0	0	0	0	KG	48.5488	117.2359	21.6	658.1	306	55775.	2171	1.9	3.6	7.9	1.9	0.5	4.1	39	0.2
54466	0	0	0	0	KG	48.5488	117.2353	21.6	657.8	308	55783.	2251	1.9	3.1	10.2	1.6	0.3	5.4	38	0.2
54467	0	0	0	0	KG	48.5488	117.2347	21.6	657.5	306	55793.	2310	2.0	3.4	9.4	1.7	0.4	4.7	46	0.2
54468	0	0	0	0	KG	48.5488	117.2341	21.6	657.2	296	55806.	2300	1.9	2.8	10.1	1.5	0.3	5.3	45	0.2
54469	0	0	0	0	KG	48.5488	117.2335	21.6	656.9	280	55818.	2312	2.1	3.2	11.3	1.6	0.3	5.5	46	0.2
54470	0	0	0	0	KG	48.5488	117.2328	21.6	656.6	266	55829.	2364	1.9	3.6	10.0	1.9	0.4	5.3	39	0.2
54471	0	0	0	0	KG	48.5488	117.2322	21.6	656.3	263	55836.	2470	1.8	4.1	11.0	2.3	0.4	6.0	49	0.2
54472	0	0	0	0	KG	48.5488	117.2316	21.6	656.0	270	55840.	2504	2.0	2.9	13.2	1.5	0.2	6.7	32	0.2
54473	0	0	0	0	KG	48.5488	117.2310	21.6	655.7	282	55841.	2487	2.2	3.7	12.6	1.7	0.3	5.7	43	0.2
54474	0	0	0	0	KG	48.5488	117.2304	21.6	655.5	295	55839.	2476	2.1	3.4	11.0	1.6	0.3	5.3	46	0.2
54475	0	0	0	0	KG	48.5488	117.2298	21.6	655.2	305	55837.	2401	2.1	3.2	10.1	1.5	0.3	4.7	31	0.2
54476	0	0	0	0	KG	48.5488	117.2292	21.6	655.0	316	55835.	2306	1.9	3.7	10.3	1.9	0.4	5.4	36	0.2
54477	0	0	0	0	KG	48.5488	117.2285	21.6	654.8	334	55833.	2213	2.1	3.4	9.8	1.7	0.4	4.7	38	0.2
54478	0	0	0	0	KG	48.5488	117.2279	21.5	654.6	358	55833.	2275	2.2	2.6	11.4	1.2	0.2	5.1	56	0.2
54479	0	0	0	0	KG	48.5488	117.2273	21.5	654.4	385	55833.	2289	1.8	4.7	6.6	2.6	0.7	3.7	52	0.1
54480	0	0	0	0	KG	48.5488	117.2267	21.5	654.2	403	55836.	2441	2.2	5.1	8.7	2.4	0.6	4.0	37	0.1
54481	0	0	0	0	KG	48.5487	117.2261	21.5	654.0	415	55840.	2374	2.1	4.5	11.1	2.2	0.4	5.3	35	0.1
54482	0	0	0	0	KG	48.5487	117.2255	21.5	653.9	420	55843.	2396	2.0	5.6	9.1	2.8	0.6	4.6	42	0.1
54483	0	0	0	0	KG	48.5487	117.2249	21.5	653.7	422	55846.	2453	1.9	4.6	10.1	2.4	0.5	5.2	38	0.2
54484	0	0	0	0	KG	48.5487	117.2243	21.5	653.5	420	55846.	2380	1.9	5.7	8.8	3.1	0.6	4.7	27	0.2
54485	0	0	0	0	KG	48.5487	117.2236	21.5	653.4	412	55847.	2343	2.5	3.2	11.2	1.3	0.3	4.6	45	0.2
54486	0	0	0	0	KG	48.5487	117.2230	21.5	653.3	401	55848.	2293	2.3	2.6	7.5	1.1	0.3	3.2	42	0.1
54487	0	0	0	0	KG	48.5487	117.2224	21.5	653.2	386	55848.	2277	2.1	3.3	8.3	1.5	0.4	3.9	36	0.1
54488	0	0	0	0	KG	48.5487	117.2218	21.5	653.1	369	55851.	2105	1.8	3.7	8.1	2.1	0.5	4.6	42	0.1
54489	0	0	0	0	KG	48.5487	117.2212	21.5	653.0	354	55852.	2091	1.6	5.1	6.9	3.1	0.7	4.3	36	0.1
54490	0	0	0	0	KG	48.5487	117.2206	21.5	652.9	354	55851.	2149	2.5	2.9	6.6	1.2	0.4	2.7	34	0.1
54491	0	0	0	0	KG	48.5487	117.2200	21.5	652.9	358	55848.	2044	2.0	3.3	6.8	1.7	0.5	3.4	34	0.1
54492	0	0	0	0	KG	48.5487	117.2194	21.5	652.8	363	55841.	2067	1.6	4.3	8.3	2.6	0.5	5.2	44	0.1
54493	0	0	0	0	KG	48.5487	117.2187	21.5	652.7	361	55832.	2016	1.7	4.7	6.4	2.8	0.7	3.9	45	0.1
54494	0	0	0	0	KG	48.5487	117.2181	21.5	652.7	365	55823.	2124	1.6	4.2	5.8	2.7	0.7	3.6	25	0.1
54495	0	0	0	0	KG	48.5487	117.2175	21.5	652.6	374	55814.	2143	1.7	4.3	9.2	2.6	0.5	5.6	42	0.1
54496	0	0	0	0	KG	48.5487	117.2169	21.5	652.6	385	55805.	2144	2.1	3.2	10.7	1.5	0.3	5.1	32	0.1
54497	0	0	0	0	KG	48.5487	117.2163	21.5	652.5	399	55795.	2217	2.0	3.5	8.7	1.7	0.4	4.3	44	0.1
54498	0	0	0	0	KG	48.5487	117.2157	21.5	652.5	415	55785.	2254	1.9	4.1	9.2	2.2	0.4	4.9	39	0.1
54499	0	0	0	0	KG	48.5487	117.2151	21.5	652.4	431	55774.	2297	1.5	6.8	5.9	4.4	1.1	3.8	38	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 22							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
54500	0	0	0	0	KG	48.5487	117.2144	21.5	652.3	443	55764.	2340	2.0	3.2	11.1	1.6	0.3	5.7	43	0.1
54501	0	0	0	0	KG	48.5487	117.2138	21.5	652.2	447	55755.	2393	2.0	4.8	10.4	2.4	0.5	5.2	35	0.1
54502	0	0	0	0	KG	48.5486	117.2132	21.4	652.1	445	55748.	2453	1.9	5.2	8.0	2.8	0.6	4.3	44	0.1
54503	0	0	0	0	KG	48.5486	117.2126	21.4	652.1	434	55743.	2423	2.1	3.4	10.4	1.6	0.3	4.8	44	0.1
54504	0	0	0	0	KG	48.5486	117.2120	21.4	652.0	423	55737.	2523	1.8	4.8	15.0	2.6	0.3	8.3	30	0.1
54505	0	0	0	0	KG	48.5486	117.2114	21.4	651.9	411	55732.	2589	2.7	3.9	11.8	1.4	0.3	4.4	30	0.1
54506	0	0	0	0	KG	48.5486	117.2108	21.4	651.8	404	55725.	2421	2.2	4.2	8.9	1.9	0.5	4.1	45	0.1
54507	0	0	0	0	KG	48.5486	117.2102	21.4	651.6	404	55718.	2519	2.1	3.2	12.1	1.5	0.3	5.8	40	0.1
54508	0	0	0	0	KG	48.5486	117.2095	21.4	651.5	411	55711.	2591	2.1	4.2	11.4	2.0	0.4	5.5	36	0.1
54509	0	0	0	0	KG	48.5486	117.2089	21.4	651.4	426	55704.	2609	2.6	5.2	11.7	2.0	0.4	4.5	51	0.1
54510	0	0	0	0	KG	48.5486	117.2083	21.4	651.3	438	55699.	2624	2.6	4.4	9.3	1.7	0.5	3.6	44	0.1
54511	0	0	0	0	KG	48.5486	117.2077	21.4	651.2	449	55695.	2498	2.1	4.7	9.8	2.2	0.5	4.7	52	0.1
54512	0	0	0	0	KG	48.5486	117.2071	21.4	651.1	454	55691.	2613	2.7	5.5	9.3	2.0	0.6	3.5	41	0.1
54513	0	0	0	0	KG	48.5486	117.2065	21.4	651.0	458	55686.	2570	2.6	5.2	8.3	2.0	0.6	3.2	32	0.1
54514	0	0	0	0	KG	48.5486	117.2059	21.4	650.9	461	55682.	2394	2.1	4.1	7.8	1.9	0.5	5.7	32	0.1
54515	0	0	0	0	KG	48.5486	117.2053	21.4	650.7	466	55678.	2353	2.0	4.8	10.7	2.4	0.4	5.5	31	0.1
54516	0	0	0	0	KNA	48.5486	117.2047	21.4	650.7	473	55675.	2384	2.0	6.6	6.6	3.3	1.0	3.3	48	0.1
54517	0	0	0	0	KNA	48.5486	117.2040	21.4	650.6	486	55673.	2432	1.6	6.6	10.4	4.1	0.6	6.5	41	0.1
54518	0	0	0	0	KNA	48.5486	117.2034	21.4	650.5	492	55673.	2426	2.2	5.2	7.4	2.4	0.7	3.4	39	0.1
54519	0	0	0	0	KNA	48.5486	117.2028	21.4	650.4	489	55673.	2535	2.0	6.4	10.3	3.2	0.6	5.1	42	0.1
54520	0	0	0	0	KNA	48.5486	117.2022	21.4	650.4	472	55673.	2739	2.4	5.3	10.9	2.2	0.5	4.5	37	0.1
54521	0	0	0	0	KNA	48.5486	117.2016	21.4	650.3	449	55672.	2775	2.1	5.8	10.3	2.8	0.6	4.9	52	0.1
54522	0	0	0	0	KNA	48.5486	117.2010	21.4	650.2	425	55669.	2782	1.8	6.1	7.6	3.3	0.8	4.1	49	0.1
54523	0	0	0	0	KNA	48.5486	117.2003	21.4	650.1	416	55667.	2819	2.0	7.3	11.3	3.7	0.6	5.7	36	0.1
54524	0	0	0	0	KNA	48.5486	117.1997	21.4	650.0	420	55665.	2777	1.9	7.9	10.0	4.1	0.8	5.2	34	0.1
54525	0	0	0	0	KNA	48.5486	117.1991	21.4	649.9	434	55665.	2777	2.4	6.4	10.0	2.7	0.6	4.2	44	0.1
54526	0	0	0	0	KNA	48.5486	117.1985	21.3	649.8	444	55666.	2711	2.4	4.6	9.4	1.9	0.5	3.9	45	0.1
54527	0	0	0	0	KNA	48.5486	117.1979	21.3	649.7	452	55668.	2755	2.2	6.1	7.3	2.7	0.8	3.3	33	0.1
54528	0	0	0	0	QAG	48.5485	117.1973	21.3	649.6	462	55668.	2802	1.6	8.0	9.8	5.1	0.8	6.2	39	0.1
54529	0	0	0	0	QAG	48.5485	117.1967	21.3	649.4	474	55667.	2663	2.2	5.9	6.4	2.7	0.9	2.9	36	0.1
54530	0	0	0	0	QAG	48.5485	117.1961	21.3	649.2	490	55663.	2534	1.8	7.0	8.5	3.9	0.8	4.8	45	0.1
54531	0	0	0	0	QAG	48.5485	117.1954	21.3	649.0	504	55657.	2680	1.8	5.4	10.8	3.0	0.5	5.9	30	0.1
54532	0	0	0	0	QAG	48.5485	117.1948	21.3	648.8	509	55651.	2582	2.0	4.8	10.3	2.4	0.5	5.2	46	0.1
54533	0	0	0	0	QAG	48.5485	117.1942	21.3	648.5	511	55644.	2449	2.1	4.1	8.3	2.0	0.5	4.0	32	0.1
54534	0	0	0	0	QAG	48.5485	117.1936	21.3	648.2	506	55637.	2414	2.0	2.3	9.4	1.1	0.2	4.7	33	0.1
54535	0	0	0	0	QAG	48.5486	117.1930	21.3	647.9	500	55631.	2303	1.6	5.5	7.9	3.5	0.7	5.0	31	0.1
54536	0	0	0	0	QAG	48.5486	117.1924	21.3	647.6	491	55626.	2271	2.0	4.5	10.6	2.2	0.4	5.3	36	0.1
54537	0	0	0	0	QAG	48.5486	117.1918	21.3	647.3	483	55622.	2268	1.6	6.5	7.7	4.1	0.8	4.9	36	0.1
54539	0	0	0	0	QAG	48.5486	117.1906	21.3	646.9	480	55620.	2405	2.0	4.1	9.5	2.1	0.4	4.8	33	0.1
54540	0	0	0	0	QAG	48.5486	117.1900	21.3	646.5	467	55619.	2413	1.4	6.7	11.7	4.8	0.6	8.3	39	0.1
54541	0	0	0	0	QAG	48.5486	117.1894	21.3	646.1	449	55619.	2560	1.2	7.6	8.1	6.4	0.9	6.8	41	0.1
54542	0	0	0	0	QAG	48.5486	117.1888	21.2	645.7	426	55621.	2660	1.9	5.7	12.2	3.0	0.5	6.5	36	0.1
54543	0	0	0	0	QAG	48.5486	117.1882	21.2	645.3	409	55624.	2661	2.1	5.0	13.1	2.4	0.4	6.3	38	0.1
54544	0	0	0	0	QAG	48.5486	117.1876	21.2	644.9	393	55626.	2710	1.6	6.5	12.7	3.9	0.5	7.8	34	0.1
54545	0	0	0	0	KNA	48.5486	117.1870	21.2	644.5	378	55628.	2596	1.7	5.4	10.6	3.1	0.5	6.0	47	0.1
54546	0	0	0	0	KNA	48.5486	117.1864	21.2	644.1	363	55630.	2662	2.1	5.9	7.7	2.8	0.8	3.7	44	0.1
54547	0	0	0	0	KNA	48.5487	117.1858	21.2	643.7	350	55633.	2497	1.6	6.7	6.5	4.1	1.0	4.0	49	0.1
54548	0	0	0	0	KNA	48.5487	117.1852	21.2	643.3	341	55637.	2549	2.0	4.6	9.7	2.3	0.5	4.8	33	0.1
54549	0	0	0	0	KNA	48.5487	117.1846	21.2	642.9	336	55640.	2457	1.5	4.9	12.4	3.2	0.4	8.0	31	0.1
54550	0	0	0	0	KNA	48.5487	117.1840	21.2	642.5	333	55645.	2370	1.9	5.7	9.7	3.0	0.6	5.0	42	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 22							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
54551	0	0	0	0	KNA	48.5487	117.1834	21.1	642.1	333	55650.	2326	1.7	6.0	7.6	3.6	0.8	4.6	43	0.1
54552	0	0	0	0	KNA	48.5487	117.1828	21.1	641.7	334	55655.	2302	1.8	4.5	8.6	2.4	0.5	4.7	41	0.1
54553	0	0	0	0	KNA	48.5487	117.1822	21.1	641.4	338	55661.	2298	1.9	5.0	8.9	2.7	0.6	4.7	36	0.1
54554	0	0	0	0	KNA	48.5487	117.1816	21.1	641.0	341	55665.	2297	1.7	4.1	9.0	2.5	0.5	5.4	39	0.1
54555	0	0	0	0	KNA	48.5487	117.1810	21.1	640.7	339	55669.	2406	1.6	4.7	8.8	2.9	0.5	5.4	42	0.1
54556	0	0	0	0	KNA	48.5487	117.1803	21.1	640.4	330	55672.	2436	1.3	6.2	9.7	4.9	0.6	7.7	41	0.1
54557	0	0	0	0	KNA	48.5488	117.1797	21.1	640.1	321	55673.	2474	1.9	6.2	6.1	3.2	1.0	3.2	37	0.1
54558	0	0	0	0	KNA	48.5488	117.1791	21.1	639.7	315	55672.	2428	1.4	6.8	7.6	4.9	0.9	5.5	26	0.1
54559	0	0	0	0	KNA	48.5488	117.1785	21.0	639.4	322	55668.	2423	2.0	6.0	7.6	2.9	0.8	3.7	34	0.1
54560	0	0	0	0	KNA	48.5488	117.1779	21.0	639.0	342	55660.	2270	1.6	3.6	8.3	2.2	0.4	5.2	45	0.1
54561	0	0	0	0	KNA	48.5488	117.1773	21.0	638.7	375	55651.	2377	1.7	5.2	6.9	3.2	0.8	4.2	35	0.1
54562	0	0	0	0	KNA	48.5488	117.1767	21.0	638.4	416	55639.	2377	2.0	3.0	10.3	1.5	0.3	5.2	38	0.1
54563	0	0	0	0	KNA	48.5488	117.1761	21.0	638.1	460	55626.	2596	1.8	6.6	9.7	3.7	0.7	5.5	34	0.1
54564	0	0	0	0	KNA	48.5488	117.1755	20.9	637.7	502	55613.	2498	1.8	5.0	10.7	2.7	0.5	5.9	39	0.1
54565	0	0	0	0	KNA	48.5488	117.1749	20.9	637.3	533	55601.	2589	1.8	5.0	11.9	2.8	0.4	6.5	43	0.1
54566	0	0	0	0	KNA	48.5488	117.1743	20.9	636.9	552	55591.	2682	1.9	5.9	14.6	3.2	0.4	7.8	31	0.1
54567	0	0	0	0	KNA	48.5488	117.1737	20.9	636.5	559	55584.	2509	1.9	5.1	11.6	2.8	0.4	6.2	40	0.1
54568	0	0	0	0	KNA	48.5488	117.1731	20.9	636.0	557	55578.	2463	1.4	6.4	13.5	4.6	0.5	9.7	38	0.1
54569	0	0	0	0	KNA	48.5489	117.1725	20.9	635.6	546	55575.	2490	2.1	5.6	8.8	2.7	0.6	4.3	29	0.1
54570	0	0	0	0	KNA	48.5489	117.1719	20.8	635.1	527	55574.	2426	2.3	5.9	8.3	2.6	0.7	3.7	39	0.1
54571	0	0	0	0	KNA	48.5489	117.1713	20.8	634.6	505	55575.	2361	1.9	5.8	9.3	3.1	0.6	4.9	48	0.1
54572	0	0	0	0	KNA	48.5489	117.1707	20.8	634.1	482	55576.	2270	1.6	5.0	9.7	3.2	0.5	6.2	46	0.1
54573	0	0	0	0	KNA	48.5489	117.1701	20.8	633.6	462	55578.	2232	1.9	4.8	6.8	2.5	0.7	3.6	34	0.1
54574	0	0	0	0	KGP	48.5489	117.1695	20.7	633.1	446	55579.	2169	1.9	4.0	8.8	2.1	0.5	4.7	52	0.1
54575	0	0	0	0	KGP	48.5489	117.1689	20.7	632.6	432	55579.	2192	1.9	3.1	11.2	1.6	0.3	5.9	39	0.1
54576	0	0	0	0	KGP	48.5489	117.1683	20.7	632.0	422	55580.	2214	1.6	4.5	8.3	2.8	0.5	5.3	29	0.1
54577	0	0	0	0	KGP	48.5489	117.1677	20.7	631.4	413	55581.	2186	1.8	5.2	7.9	2.9	0.7	4.5	43	0.1
54578	0	0	0	0	KGP	48.5489	117.1671	20.6	630.8	407	55582.	2394	2.0	6.1	9.5	3.1	0.6	4.8	46	0.1
54579	0	0	0	0	KGP	48.5490	117.1665	20.6	630.3	404	55584.	2559	1.8	6.0	13.5	3.3	0.4	7.4	35	0.1
54580	0	0	0	0	KGP	48.5490	117.1659	20.6	629.7	404	55586.	2384	1.7	4.8	8.5	2.9	0.6	5.1	62	0.1
54581	0	0	0	0	KGP	48.5490	117.1653	20.6	629.1	407	55587.	2451	1.9	2.7	11.5	1.4	0.2	7.1	53	0.1
54582	0	0	0	0	KGP	48.5490	117.1646	20.5	628.5	414	55588.	2378	1.3	7.5	8.6	5.7	0.9	6.5	51	0.1
54583	0	0	0	0	KGP	48.5490	117.1640	20.5	627.9	425	55588.	2418	1.6	5.6	11.0	3.6	0.5	7.0	43	0.1
54584	0	0	0	0	KGP	48.5490	117.1635	20.5	627.3	439	55588.	2337	1.7	4.8	11.6	2.9	0.4	7.0	50	0.1
54585	0	0	0	0	KGP	48.5490	117.1628	20.5	626.7	455	55587.	2299	1.7	3.9	11.1	2.3	0.4	6.7	41	0.1
54586	0	0	0	0	KGP	48.5490	117.1622	20.4	626.0	467	55587.	2413	2.1	4.3	14.0	2.0	0.3	6.6	48	0.1
54587	0	0	0	0	KGP	48.5490	117.1616	20.4	625.4	471	55587.	2421	1.7	4.8	16.7	2.8	0.3	9.7	40	0.1
54588	0	0	0	0	KGP	48.5490	117.1610	20.4	624.7	468	55587.	2304	1.9	3.8	14.2	2.0	0.3	7.7	53	0.1
54589	0	0	0	0	KGP	48.5490	117.1604	20.3	624.0	458	55587.	2356	1.6	5.6	12.8	3.5	0.4	8.0	57	0.1
54590	0	0	0	0	KGP	48.5490	117.1598	20.3	623.4	443	55587.	2558	1.6	4.9	13.4	3.1	0.4	8.5	39	0.1
54591	0	0	0	0	KGP	48.5491	117.1592	20.3	622.8	427	55588.	2430	1.6	3.9	16.6	2.4	0.2	10.3	54	0.1
54592	0	0	0	0	KGP	48.5491	117.1586	20.3	622.1	414	55589.	2568	1.7	5.6	15.5	3.3	0.4	9.1	40	0.1
54593	0	0	0	0	KGP	48.5491	117.1580	20.2	621.5	407	55591.	2474	1.6	5.5	13.9	3.4	0.4	8.6	68	0.1
54594	0	0	0	0	KGP	48.5491	117.1574	20.2	620.8	398	55594.	2586	1.9	3.9	17.9	2.0	0.2	9.5	51	0.1
54595	0	0	0	0	KGP	48.5491	117.1568	20.2	620.2	388	55598.	2718	2.0	3.6	18.0	1.8	0.2	9.1	39	0.1
54596	0	0	0	0	KGP	48.5491	117.1562	20.2	619.5	378	55602.	2730	2.4	3.6	18.1	1.5	0.2	7.6	46	0.1
54597	0	0	0	0	KGP	48.5491	117.1556	20.1	618.8	372	55607.	2917	2.2	4.4	16.7	2.0	0.3	7.7	43	0.1
54598	0	0	0	0	KGP	48.5491	117.1550	20.1	618.2	368	55612.	2878	1.9	7.0	16.1	3.6	0.4	8.3	51	0.1
54599	0	0	0	0	KGP	48.5491	117.1546	20.1	617.5	366	55619.	3048	2.2	5.2	18.2	2.3	0.3	8.2	45	0.1
54600	0	0	0	0	KGP	48.5491	117.1541	20.0	616.9	363	55625.	2952	1.9	3.1	22.2	1.6	0.1	11.9	50	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 22

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
54601	0	0	0	0	KGP	48.5491	117.1537	20.0	616.2	363	55632.	3216	2.2	3.6	22.3	1.6	0.2	9.9	39	0.1
54602	0	0	0	0	KGP	48.5491	117.1533	20.0	615.6	362	55639.	3187	2.5	5.2	17.0	2.1	0.3	6.8	53	0.1
54603	0	0	0	0	KGP	48.5491	117.1529	20.0	615.0	360	55646.	3315	2.8	3.8	21.1	1.4	0.2	7.6	67	0.1
54604	0	0	0	0	KGP	48.5491	117.1524	19.9	614.4	355	55652.	3251	2.4	4.3	22.2	1.8	0.2	9.1	44	0.1
54605	0	0	0	0	KHM	48.5491	117.1520	19.9	613.8	349	55657.	3343	2.3	4.7	24.4	2.1	0.2	10.6	45	0.1
54606	0	0	0	0	KHM	48.5491	117.1516	19.9	613.2	343	55661.	3465	2.3	5.5	22.8	2.4	0.2	9.7	46	0.1
54607	0	0	0	0	KHM	48.5491	117.1512	19.9	612.6	336	55665.	3370	2.3	5.0	21.5	2.2	0.2	9.4	68	0.1
54608	0	0	0	0	KHM	48.5491	117.1507	19.8	612.0	327	55670.	3446	2.4	5.0	22.1	2.1	0.2	9.4	56	0.1
54609	0	0	0	0	KHM	48.5491	117.1503	19.8	611.5	318	55677.	3483	2.6	3.9	24.2	1.5	0.2	9.4	64	0.1
54610	0	0	0	0	KHM	48.5491	117.1499	19.8	611.0	309	55684.	3528	2.5	5.9	22.7	2.4	0.3	9.1	68	0.1
54611	0	0	0	0	KHM	48.5490	117.1494	19.8	610.5	302	55692.	3521	2.5	6.1	22.0	2.4	0.3	8.8	62	0.1
54612	0	0	0	0	KHM	48.5490	117.1490	19.7	609.9	294	55699.	3668	3.0	3.9	22.6	1.3	0.2	7.5	61	0.1
54613	1	1	1	1	KHM	48.5490	117.1486	19.7	609.5	289	55706.	3526	2.6	5.2	22.2	2.0	0.2	8.5	54	0.1
54614	0	0	0	0	KHM	48.5490	117.1481	19.7	609.0	284	55712.	3694	2.7	4.7	24.8	1.8	0.2	9.3	58	0.1
54615	0	0	0	0	KHM	48.5490	117.1477	19.7	608.6	280	55719.	3600	2.7	4.5	26.2	1.7	0.2	9.8	63	0.1
54616	0	0	0	0	KHM	48.5490	117.1473	19.7	608.1	275	55724.	3725	2.6	5.3	27.8	2.0	0.2	10.6	59	0.1
54617	0	0	0	0	KHM	48.5490	117.1469	19.6	607.7	269	55730.	3636	2.5	5.3	26.6	2.2	0.2	10.8	53	0.1
54618	0	0	0	0	KHM	48.5490	117.1464	19.6	607.3	260	55736.	3768	2.9	4.6	26.8	1.6	0.2	9.3	72	0.1
54619	0	0	0	0	KHM	48.5490	117.1460	19.6	607.0	252	55740.	3650	2.7	5.1	23.8	1.9	0.2	8.8	77	0.1
54620	0	0	0	0	KHM	48.5490	117.1456	19.6	606.8	242	55745.	3670	2.5	4.9	24.6	2.0	0.2	9.7	65	0.1
54621	0	0	0	0	KHM	48.5490	117.1451	19.6	606.5	231	55750.	3642	2.5	6.1	22.7	2.5	0.3	9.2	64	0.1
54622	0	0	0	0	KHM	48.5490	117.1447	19.6	606.4	219	55754.	3661	2.5	4.5	23.6	1.8	0.2	9.6	78	0.1
54623	0	0	0	0	KHM	48.5490	117.1443	19.5	606.2	209	55758.	3588	2.4	4.7	27.9	1.9	0.2	11.5	43	0.1
54624	0	0	0	0	KHM	48.5490	117.1439	19.5	606.1	203	55762.	3446	2.5	3.0	25.2	1.2	0.1	10.1	57	0.1
54625	1	0	0	0	KHM	48.5490	117.1434	19.5	606.1	199	55761.	3373	2.3	4.0	24.5	1.8	0.2	10.9	48	0.1
54626	1	0	0	0	KHM	48.5490	117.1430	19.5	606.2	194	55755.	3122	2.3	4.1	19.1	1.8	0.2	8.3	61	0.1
54627	1	0	0	0	KHM	48.5490	117.1426	19.5	606.3	191	55744.	3129	2.1	5.4	20.9	2.6	0.3	9.9	74	0.1
54628	1	0	0	0	KHM	48.5490	117.1422	19.5	606.5	196	55728.	3273	2.4	4.7	21.1	2.0	0.2	8.8	60	0.1
54630	0	0	0	0	KHM	48.5490	117.1413	19.5	606.8	210	55712.	3294	2.4	5.3	19.7	2.2	0.3	8.3	90	0.1
54631	0	0	0	0	KHM	48.5489	117.1409	19.5	607.1	224	55695.	3543	2.5	4.9	22.7	1.9	0.2	8.9	71	0.1
54632	0	0	0	0	KHM	48.5489	117.1404	19.5	607.5	234	55679.	3825	2.7	5.1	28.4	1.9	0.2	10.5	59	0.1
54633	0	0	0	0	KHM	48.5489	117.1400	19.4	607.8	239	55663.	3781	2.9	4.3	29.0	1.5	0.1	10.1	82	0.1
54634	0	0	0	0	KHM	48.5489	117.1396	19.4	608.3	243	55649.	3898	2.6	5.5	26.8	2.1	0.2	10.5	77	0.1
54635	0	0	0	0	KHM	48.5489	117.1392	19.4	608.8	249	55636.	4021	2.7	6.6	28.2	2.4	0.2	10.3	64	0.1
54636	0	0	0	0	KHM	48.5489	117.1387	19.4	609.3	257	55627.	4076	2.8	4.9	28.2	1.8	0.2	10.2	64	0.1
54637	0	0	0	0	KHM	48.5489	117.1383	19.4	609.8	266	55619.	4135	2.9	5.5	28.4	1.9	0.2	9.8	51	0.1
54638	0	0	0	0	KHM	48.5489	117.1379	19.4	610.3	277	55614.	4102	2.5	5.6	30.1	2.3	0.2	12.1	48	0.1
54639	0	0	0	0	KHM	48.5489	117.1375	19.4	610.9	288	55610.	3892	2.9	4.0	27.4	1.4	0.1	9.5	63	0.1
54640	0	0	0	0	KHM	48.5489	117.1370	19.4	611.4	303	55608.	3778	2.6	4.7	26.3	1.8	0.2	10.0	87	0.1
54641	0	0	0	0	KHM	48.5489	117.1366	19.4	612.1	321	55608.	3856	2.5	5.9	25.5	2.4	0.2	10.2	54	0.1
54642	0	0	0	0	KHM	48.5489	117.1362	19.4	612.7	345	55608.	3692	2.5	5.3	23.4	2.1	0.2	9.4	72	0.1
54643	0	0	0	0	KHM	48.5489	117.1357	19.4	613.3	374	55610.	3649	2.5	5.7	22.3	2.3	0.3	8.9	49	0.1
54644	0	0	0	0	KHM	48.5489	117.1353	19.4	614.0	415	55612.	3717	2.3	6.3	22.2	2.7	0.3	9.7	45	0.1
54645	0	0	0	0	KHM	48.5489	117.1349	19.4	614.7	460	55613.	3662	3.0	4.2	23.9	1.4	0.2	8.0	41	0.1
54646	0	0	0	0	KHM	48.5489	117.1345	19.4	615.3	511	55614.	3661	3.0	5.2	23.2	1.7	0.2	7.8	47	0.1
54647	0	0	0	0	KHM	48.5489	117.1340	19.4	616.0	555	55614.	3669	2.3	5.5	24.8	2.4	0.2	10.8	65	0.1
54648	0	0	0	0	KHM	48.5488	117.1336	19.4	616.7	587	55615.	3513	2.4	7.4	20.8	3.1	0.4	8.6	55	0.1
54649	0	0	0	0	KHM	48.5488	117.1332	19.4	617.4	604	55616.	3530	2.4	7.1	18.6	2.9	0.4	7.7	56	0.1
54650	0	0	0	0	KHM	48.5488	117.1327	19.4	618.1	611	55617.	3430	2.2	7.3	18.9	3.4	0.4	8.8	51	0.1
54651	0	0	0	0	KHM	48.5488	117.1323	19.5	618.9	617	55618.	3151	2.2	3.7	17.9	1.7	0.2	8.1	41	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 22									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
54652	0	0	0	0	KHM	48.5488	117.1319	19.5	619.6	625	55619.	3054	2.3	3.8	15.7	1.7	0.2	6.8	54	0.1
54653	0	0	0	0	KHM	48.5488	117.1315	19.5	620.4	634	55619.	3183	1.9	8.5	17.5	4.6	0.5	9.4	35	0.1
54654	0	0	0	0	KHM	48.5488	117.1310	19.5	621.1	658	55618.	3001	2.0	4.8	20.4	2.4	0.2	10.3	58	0.1
54655	0	0	0	0	KHM	48.5488	117.1306	19.5	621.8	684	55620.	3044	2.0	5.7	16.9	2.8	0.3	8.3	35	0.1
54656	1	0	0	0	KHM	48.5488	117.1302	19.5	622.6	710	55621.	3110	1.8	5.8	20.1	3.2	0.3	11.1	38	0.1
54657	1	0	0	0	KHM	48.5488	117.1297	19.5	623.3	719	55622.	3026	1.8	6.4	19.2	3.6	0.3	10.8	45	0.1
54658	1	0	0	0	KHM	48.5488	117.1293	19.5	624.0	724	55624.	3093	1.4	9.8	15.4	7.0	0.6	11.0	43	0.1
54659	1	0	0	0	KHM	48.5488	117.1289	19.5	624.7	723	55625.	2847	2.2	5.6	15.3	2.6	0.4	7.1	52	0.1
54660	1	0	0	0	KHM	48.5488	117.1285	19.6	625.5	723	55627.	3116	1.6	6.5	17.9	4.0	0.4	11.1	37	0.1
54661	1	0	0	0	KHM	48.5488	117.1280	19.6	626.2	724	55630.	2974	2.1	5.5	16.1	2.6	0.3	7.7	34	0.1
54662	1	0	0	0	KHM	48.5488	117.1276	19.6	626.9	726	55633.	2944	1.4	6.6	15.3	4.7	0.4	11.0	47	0.1
54663	1	0	0	0	KHM	48.5488	117.1272	19.6	627.6	722	55637.	2991	1.7	7.0	13.7	4.0	0.5	7.9	48	0.1
54664	1	0	0	0	KHM	48.5488	117.1267	19.6	628.4	704	55642.	2702	2.4	7.0	14.5	2.9	0.5	6.0	59	0.1
54665	0	0	0	0	KHM	48.5488	117.1263	19.6	629.1	665	55649.	2799	1.7	5.6	12.8	3.3	0.4	7.5	40	0.1
54666	0	0	0	0	KHM	48.5488	117.1259	19.7	629.9	617	55657.	2675	1.6	5.3	15.0	3.3	0.4	9.3	35	0.1
54667	0	0	0	0	KHM	48.5488	117.1255	19.7	630.6	583	55666.	2536	1.9	4.0	13.3	2.1	0.3	7.0	43	0.1
54668	0	0	0	0	KHM	48.5487	117.1250	19.7	631.3	574	55673.	2466	1.7	7.7	7.8	4.7	1.0	4.7	40	0.1
54669	0	0	0	0	KHM	48.5487	117.1246	19.7	632.0	582	55678.	2468	1.7	3.0	15.1	1.7	0.2	8.8	46	0.1
54670	0	0	0	0	KHM	48.5487	117.1242	19.7	632.8	593	55681.	2516	1.8	4.7	14.7	2.7	0.3	8.3	51	0.1
54671	0	0	0	0	KHM	48.5487	117.1238	19.8	633.6	602	55681.	2668	1.5	7.1	10.1	4.7	0.7	6.8	45	0.1
54672	0	0	0	0	KHM	48.5487	117.1233	19.8	634.3	607	55680.	2808	1.4	5.0	17.7	3.5	0.3	12.3	48	0.1
54673	0	0	0	0	KHM	48.5487	117.1229	19.8	635.1	612	55679.	2853	1.9	6.5	14.8	3.5	0.4	8.0	40	0.1
54674	0	0	0	0	KHM	48.5487	117.1225	19.8	635.8	614	55677.	2942	1.7	7.5	17.4	4.5	0.4	10.4	46	0.1
54675	0	0	0	0	KHM	48.5487	117.1220	19.9	636.6	601	55675.	2964	2.3	5.8	11.0	2.5	0.5	4.7	62	0.1
54676	0	0	0	0	KHM	48.5487	117.1216	19.9	637.3	576	55673.	3031	2.0	7.2	13.3	3.7	0.5	6.7	48	0.1
54677	0	0	0	0	KHM	48.5487	117.1212	19.9	638.1	554	55670.	3085	2.0	6.8	17.6	3.4	0.4	8.9	47	0.1
54678	0	0	0	0	KHM	48.5487	117.1208	19.9	638.8	545	55666.	3139	1.4	7.9	15.4	5.7	0.5	11.1	51	0.1
54679	0	0	0	0	KHM	48.5487	117.1203	20.0	639.5	539	55661.	3246	2.2	6.1	19.2	2.8	0.3	8.7	55	0.1
54680	0	0	0	0	KHM	48.5487	117.1199	20.0	640.2	534	55655.	3277	2.3	7.2	16.1	3.2	0.4	7.1	31	0.1
54681	0	0	0	0	KHM	48.5487	117.1195	20.0	640.9	522	55650.	3017	2.1	6.9	13.4	3.3	0.5	6.3	55	0.1
54682	0	0	0	0	KHM	48.5487	117.1190	20.0	641.6	512	55645.	3145	2.0	7.5	15.8	3.7	0.5	7.9	37	0.1
54683	0	0	0	0	KHM	48.5487	117.1186	20.1	642.4	497	55640.	3082	2.1	7.1	15.3	3.4	0.5	7.3	40	0.1
54684	0	0	0	0	KHM	48.5486	117.1182	20.1	643.0	483	55635.	2968	1.6	8.9	11.7	5.7	0.8	7.5	45	0.1
54685	0	0	0	0	KHM	48.5486	117.1178	20.1	643.6	467	55630.	3044	1.8	9.0	11.7	4.9	0.8	6.4	44	0.1
54686	0	0	0	0	KHM	48.5486	117.1173	20.1	644.3	452	55624.	2981	2.1	7.4	9.9	3.6	0.7	4.8	54	0.1
54687	0	0	0	0	KHM	48.5486	117.1169	20.2	645.0	436	55617.	3057	1.8	7.1	13.6	4.0	0.5	7.6	39	0.1
54688	0	0	0	0	KHM	48.5486	117.1165	20.2	645.6	423	55610.	3009	2.4	4.4	14.6	1.9	0.3	6.2	43	0.1
54689	0	0	0	0	KHM	48.5486	117.1161	20.2	646.2	409	55602.	2897	1.8	7.5	12.1	4.1	0.6	6.7	47	0.1
54690	0	0	0	0	KHM	48.5486	117.1156	20.3	646.8	404	55594.	2994	1.6	7.1	14.0	4.5	0.5	9.0	37	0.1
54691	0	0	0	0	KHM	48.5486	117.1152	20.3	647.4	398	55587.	2947	1.8	8.1	12.9	4.5	0.6	7.3	42	0.1
54692	0	0	0	0	KHM	48.5486	117.1148	20.3	647.9	402	55582.	2995	2.3	4.6	17.2	2.0	0.3	7.4	46	0.1
54693	0	0	0	0	KHM	48.5486	117.1143	20.3	648.5	404	55575.	2987	2.0	8.4	13.9	4.1	0.6	6.9	49	0.1
54694	0	0	0	0	KHM	48.5486	117.1139	20.4	649.1	407	55568.	3125	2.0	7.7	14.2	3.8	0.5	7.0	62	0.1
54695	0	0	0	0	KHM	48.5486	117.1135	20.4	649.6	411	55559.	3098	1.9	8.6	14.2	4.6	0.6	7.7	41	0.1
54696	0	0	0	0	KHM	48.5486	117.1131	20.4	650.1	418	55550.	3122	2.1	6.6	15.2	3.1	0.4	7.1	39	0.1
54697	0	0	0	0	KHM	48.5486	117.1126	20.4	650.7	419	55539.	3232	1.8	7.5	18.0	4.1	0.4	9.9	41	0.1
54698	0	0	0	0	KHM	48.5486	117.1122	20.5	651.2	417	55528.	3156	2.0	6.3	13.7	3.2	0.5	6.8	28	0.1
54699	0	0	0	0	KHM	48.5486	117.1118	20.5	651.7	427	55516.	3020	1.6	7.6	15.8	4.8	0.5	9.9	49	0.1
54700	0	0	0	0	KHM	48.5486	117.1113	20.5	652.1	460	55505.	3211	2.1	9.1	11.5	4.3	0.8	5.5	34	0.1
54701	0	0	0	0	KHM	48.5486	117.1109	20.5	652.5	503	55494.	3160	1.7	9.2	12.0	5.5	0.8	7.1	52	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 22							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
54702	0	0	0	0	KHM	48.5486	117.1105	20.6	652.9	541	55484.	3402	2.3	7.6	13.9	3.3	0.5	6.1	53	0.1
54703	0	0	0	0	KHM	48.5486	117.1101	20.6	653.3	570	55474.	3447	1.6	10.3	15.3	6.3	0.7	9.4	48	0.1
54704	0	0	0	0	KHM	48.5485	117.1096	20.6	653.6	587	55464.	3649	2.3	8.5	19.6	3.8	0.4	8.7	42	0.1
54705	0	0	0	0	KHM	48.5485	117.1092	20.6	653.9	594	55455.	3864	2.4	10.2	20.8	4.2	0.5	8.5	36	0.1
54706	0	0	0	0	KHM	48.5485	117.1088	20.7	654.2	593	55446.	3742	2.4	9.4	19.9	3.9	0.5	8.2	32	0.1
54707	0	0	0	0	KHM	48.5485	117.1084	20.7	654.4	587	55437.	3614	2.2	9.7	14.8	4.5	0.7	6.8	30	0.1
54708	0	0	0	0	KHM	48.5485	117.1079	20.7	654.6	584	55428.	3437	3.0	6.7	17.6	2.2	0.4	5.9	41	0.1
54709	0	0	0	0	KHM	48.5485	117.1075	20.7	654.7	585	55418.	3568	2.4	6.2	19.6	2.6	0.3	8.3	30	0.1
54710	0	0	0	0	KHM	48.5485	117.1071	20.7	654.8	591	55409.	3584	2.5	6.4	19.0	2.5	0.3	7.5	31	0.1
54711	0	0	0	0	KHM	48.5485	117.1066	20.8	654.9	601	55401.	3480	2.2	9.0	16.1	4.0	0.6	7.2	47	0.1
54712	0	0	0	0	KHM	48.5485	117.1062	20.8	654.9	617	55394.	3643	2.9	8.2	19.3	2.9	0.4	6.8	28	0.1
54713	0	0	0	0	KHM	48.5485	117.1058	20.8	654.9	625	55389.	3689	2.9	8.3	20.3	2.9	0.4	7.1	29	0.1
54714	0	0	0	0	KHM	48.5485	117.1054	20.8	654.9	627	55384.	3709	3.0	7.1	21.5	2.4	0.3	7.1	48	0.1
54715	0	0	0	0	KHM	48.5485	117.1049	20.8	654.9	623	55381.	3826	3.0	9.2	17.6	3.0	0.5	5.8	20	0.1
54716	0	0	0	0	KHM	48.5485	117.1045	20.9	654.9	618	55378.	3438	2.8	7.1	15.5	2.6	0.5	5.6	51	0.1
54717	0	0	0	0	KHM	48.5485	117.1041	20.9	654.8	613	55377.	3468	2.9	7.0	16.2	2.4	0.4	5.6	58	0.1
54718	0	0	0	0	KHM	48.5485	117.1037	20.9	654.7	600	55378.	3421	2.6	4.5	18.0	1.7	0.2	6.8	32	0.1
54719	0	0	0	0	KHM	48.5484	117.1030	20.9	654.6	587	55379.	3459	2.6	5.6	20.3	2.1	0.3	7.7	36	0.1
54721	0	0	0	0	KHM	48.5484	117.1017	20.9	654.5	570	55380.	3309	2.6	5.0	21.0	1.9	0.2	8.0	38	0.1
54722	0	0	0	0	KHM	48.5484	117.1010	20.9	654.3	554	55382.	3193	2.8	3.8	18.4	1.4	0.2	6.6	39	0.1
54723	0	0	0	0	KHM	48.5484	117.1003	21.0	654.1	545	55381.	3219	1.9	5.8	19.1	3.0	0.3	9.9	29	0.1
54724	0	0	0	0	KHM	48.5484	117.0997	21.0	653.9	548	55380.	3293	3.0	4.8	18.7	1.6	0.3	6.2	38	0.1
54725	0	0	0	0	KHM	48.5484	117.0990	21.0	653.7	550	55378.	3423	3.2	7.0	17.6	2.2	0.4	5.5	33	0.1
54726	0	0	0	0	KHM	48.5484	117.0983	21.0	653.4	541	55376.	3307	2.9	5.0	16.0	1.7	0.3	5.5	33	0.1
54727	0	0	0	0	KHM	48.5484	117.0977	21.0	653.2	512	55377.	3171	2.5	7.9	15.0	3.1	0.5	5.9	30	0.1
54728	0	0	0	0	KHM	48.5484	117.0970	21.0	653.0	473	55378.	3406	2.9	5.7	16.1	2.0	0.4	5.5	51	0.1
54729	0	0	0	0	KHM	48.5484	117.0963	21.0	652.7	431	55380.	3361	2.5	5.8	19.7	2.3	0.3	7.8	41	0.1
54730	0	0	0	0	KHM	48.5483	117.0957	21.0	652.4	400	55382.	3347	2.6	9.4	16.6	3.7	0.6	6.5	30	0.1
54731	0	0	0	0	KHM	48.5483	117.0950	21.1	652.2	378	55384.	3442	2.1	9.9	17.1	4.8	0.6	8.3	36	0.1
54732	0	0	0	0	KHM	48.5483	117.0943	21.1	652.0	360	55385.	3387	2.1	9.1	17.1	4.2	0.5	8.0	45	0.1
54733	0	0	0	0	KHM	48.5483	117.0937	21.1	651.8	347	55385.	3403	2.6	6.2	16.8	2.4	0.4	6.4	46	0.1
54734	0	0	0	0	KHM	48.5483	117.0930	21.1	651.6	335	55385.	3232	2.6	7.5	14.3	2.9	0.5	5.6	44	0.1
54735	0	0	0	0	KHM	48.5483	117.0923	21.1	651.5	326	55384.	3415	2.5	7.2	15.6	2.9	0.5	6.3	45	0.1
54736	0	0	0	0	KHM	48.5483	117.0917	21.1	651.4	317	55384.	3432	2.3	7.7	16.6	3.4	0.5	7.2	42	0.1
54737	0	0	0	0	KHM	48.5483	117.0910	21.1	651.3	317	55385.	3253	2.7	5.6	15.7	2.0	0.4	5.7	39	0.1
54738	0	0	0	0	KHM	48.5482	117.0903	21.1	651.2	330	55386.	3206	2.4	6.4	15.5	2.6	0.4	6.4	49	0.1
54739	0	0	0	0	KHM	48.5482	117.0897	21.1	651.2	346	55387.	3209	2.9	5.0	16.4	1.7	0.3	5.7	47	0.1
54740	0	0	0	0	KHM	48.5482	117.0890	21.1	651.2	362	55388.	3080	2.5	6.9	14.8	2.8	0.5	5.9	36	0.1
54741	0	0	0	0	KHM	48.5482	117.0884	21.1	651.2	378	55389.	3045	2.1	7.2	15.0	3.4	0.5	7.0	50	0.1
54742	0	0	0	0	KHM	48.5482	117.0877	21.1	651.2	396	55390.	3089	2.2	7.1	11.6	3.2	0.6	5.3	34	0.1
54743	0	0	0	0	KHM	48.5482	117.0870	21.2	651.3	408	55391.	3059	2.1	8.7	11.3	4.1	0.8	5.3	43	0.1
54744	0	0	0	0	KHM	48.5482	117.0863	21.2	651.3	412	55391.	2882	2.1	6.6	12.9	3.1	0.5	6.1	51	0.1
54745	0	0	0	0	KHM	48.5482	117.0857	21.2	651.4	417	55392.	2887	2.0	5.9	12.6	3.0	0.5	6.3	37	0.1
54746	0	0	0	0	KHM	48.5482	117.0850	21.2	651.5	436	55392.	2748	2.1	7.1	10.5	3.4	0.7	5.1	41	0.1
54747	0	0	0	0	KHM	48.5482	117.0844	21.2	651.5	465	55393.	2878	2.2	5.5	14.8	2.5	0.4	6.7	31	0.1
54748	0	0	0	0	KHM	48.5481	117.0837	21.2	651.6	506	55396.	2747	1.6	6.7	14.5	4.3	0.5	9.3	43	0.1
54749	0	0	0	0	KHM	48.5481	117.0830	21.2	651.7	553	55399.	2925	1.9	7.2	12.3	3.7	0.6	6.4	34	0.1
54750	0	0	0	0	KHM	48.5481	117.0824	21.2	651.7	584	55401.	3028	2.6	6.7	12.6	2.6	0.5	4.9	35	0.1
54751	0	0	0	0	KHM	48.5481	117.0817	21.2	651.8	593	55403.	2990	2.1	6.4	19.0	3.0	0.3	8.9	50	0.1
54752	0	0	0	0	KHM	48.5481	117.0811	21.2	651.9	569	55405.	2935	1.8	7.6	11.7	4.3	0.7	6.6	41	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 22							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
54753	0	0	0	0	KHM	48.5481	117.0804	21.2	652.0	529	55406.	2705	1.8	5.2	11.7	2.9	0.4	6.5	48	0.1
54754	0	0	0	0	KHM	48.5481	117.0798	21.2	652.0	490	55409.	2589	1.9	6.6	10.5	3.5	0.6	5.5	49	0.1
54755	0	0	0	0	KHM	48.5481	117.0791	21.2	652.0	480	55414.	2555	1.9	4.2	14.9	2.2	0.3	7.9	34	0.1
54756	0	0	0	0	KHM	48.5481	117.0785	21.2	652.0	504	55419.	2559	1.8	4.7	12.0	2.6	0.4	6.6	44	0.1
54757	0	0	0	0	KHM	48.5481	117.0778	21.2	651.9	545	55424.	2880	2.1	6.1	15.3	2.8	0.4	7.1	38	0.1
54758	0	0	0	0	KHM	48.5481	117.0772	21.2	651.8	587	55430.	2954	2.5	7.0	17.1	2.9	0.4	6.9	54	0.1
54759	0	0	0	0	KHM	48.5481	117.0765	21.2	651.7	617	55434.	3033	2.7	6.0	16.1	2.3	0.4	6.1	35	0.1
54760	0	0	0	0	KHM	48.5481	117.0759	21.2	651.5	640	55438.	3041	3.1	5.4	13.8	1.8	0.4	4.5	52	0.1
54761	0	0	0	0	KHM	48.5480	117.0752	21.2	651.3	662	55441.	3260	3.2	4.7	19.6	1.5	0.2	6.2	32	0.1
54762	0	0	0	0	KHM	48.5480	117.0746	21.2	651.0	695	55444.	3558	3.0	5.7	23.4	1.9	0.2	7.8	35	0.1
54763	1	0	0	0	KHM	48.5480	117.0739	21.2	650.7	716	55448.	3583	3.0	7.5	15.2	2.5	0.5	5.0	39	0.1
54764	1	0	0	0	KHM	48.5480	117.0733	21.2	650.4	717	55452.	3703	3.4	9.7	18.4	2.8	0.5	5.4	45	0.1
54765	0	0	0	0	KHM	48.5480	117.0726	21.2	650.1	694	55455.	3751	3.0	7.8	20.8	2.6	0.4	6.9	32	0.1
54766	0	0	0	0	KHM	48.5480	117.0720	21.2	649.7	665	55458.	3420	3.0	7.2	17.4	2.4	0.4	5.8	38	0.1
54767	0	0	0	0	KHM	48.5480	117.0713	21.2	649.4	625	55462.	3511	3.1	6.3	16.4	2.0	0.4	5.2	46	0.1
54768	0	0	0	0	KHM	48.5480	117.0707	21.2	649.0	575	55466.	3439	2.4	10.3	13.7	4.2	0.8	5.6	36	0.1
54769	0	0	0	0	KHM	48.5480	117.0700	21.2	648.7	521	55469.	3267	2.5	6.5	16.5	2.6	0.4	6.7	46	0.1
54770	0	0	0	0	KHM	48.5480	117.0694	21.2	648.3	468	55471.	3042	2.4	7.4	12.6	3.0	0.6	5.2	39	0.1
54771	0	0	0	0	KHM	48.5480	117.0687	21.2	648.0	421	55471.	2894	2.6	5.5	13.4	2.1	0.4	5.2	51	0.1
54772	0	0	0	0	KHM	48.5480	117.0681	21.2	647.7	381	55470.	2899	2.3	5.1	13.1	2.2	0.4	5.8	53	0.1
54773	0	0	0	0	KGP	48.5480	117.0674	21.2	647.3	355	55470.	2720	1.9	7.7	9.9	4.0	0.8	5.2	31	0.1
54774	0	0	0	0	KGP	48.5480	117.0668	21.2	647.1	350	55470.	2621	2.0	6.6	12.6	3.4	0.5	6.5	47	0.1
54775	0	0	0	0	KGP	48.5479	117.0661	21.2	646.9	355	55471.	2660	2.0	6.1	11.7	3.1	0.5	5.9	44	0.1
54776	0	0	0	0	KGP	48.5479	117.0654	21.2	646.6	370	55471.	2666	1.9	5.2	11.6	2.7	0.5	6.0	47	0.1
54777	0	0	0	0	KGP	48.5479	117.0648	21.2	646.4	382	55470.	2934	2.4	3.2	15.9	1.3	0.2	6.6	33	0.1
54778	0	0	0	0	KGP	48.5479	117.0641	21.2	646.3	396	55469.	3098	2.4	7.2	14.0	2.9	0.5	5.7	36	0.1
54779	0	0	0	0	KGP	48.5479	117.0635	21.2	646.1	407	55468.	2968	2.3	7.9	15.7	3.5	0.5	7.0	43	0.1
54780	0	0	0	0	KGP	48.5479	117.0629	21.2	646.0	426	55467.	3139	2.5	4.9	18.1	2.0	0.3	7.4	38	0.1
54781	0	0	0	0	KGP	48.5479	117.0622	21.2	645.9	444	55467.	3063	2.0	6.9	12.2	3.5	0.6	6.2	45	0.1
54782	0	0	0	0	KGP	48.5479	117.0616	21.2	645.9	463	55467.	3030	2.2	7.0	13.7	3.2	0.5	6.3	58	0.1
54783	0	0	0	0	KGP	48.5479	117.0609	21.2	645.9	464	55467.	3034	2.0	7.1	12.7	3.6	0.6	6.4	38	0.1
54784	0	0	0	0	KGP	48.5479	117.0602	21.2	645.9	448	55467.	2984	2.0	6.4	13.9	3.2	0.5	6.9	36	0.1
54785	0	0	0	0	KGP	48.5479	117.0596	21.2	646.0	427	55468.	2801	1.6	8.0	10.9	5.0	0.7	6.9	37	0.1
54786	0	0	0	0	KGP	48.5479	117.0589	21.2	646.0	406	55468.	2631	1.9	4.0	13.7	2.1	0.3	7.3	37	0.1
54787	0	0	0	0	KGP	48.5479	117.0583	21.3	646.1	396	55467.	2524	1.7	4.9	9.2	2.9	0.5	5.5	46	0.1
54788	0	0	0	0	KGP	48.5479	117.0576	21.3	646.2	379	55465.	2496	1.9	3.9	14.3	2.1	0.3	7.7	43	0.1
54789	0	0	0	0	KGP	48.5479	117.0570	21.3	646.4	373	55463.	2515	2.0	4.4	10.1	2.2	0.4	5.0	41	0.1
54790	0	0	0	0	KGP	48.5478	117.0563	21.3	646.5	364	55460.	2355	1.6	3.6	8.7	2.3	0.4	5.5	46	0.1
54791	0	0	0	0	KGP	48.5478	117.0557	21.3	646.7	377	55458.	2323	1.8	3.5	11.2	1.9	0.3	6.1	29	0.1
54792	0	0	0	0	KGP	48.5478	117.0550	21.3	646.9	388	55457.	2339	1.7	3.3	10.8	1.9	0.3	6.4	38	0.1
54793	0	0	0	0	KGP	48.5478	117.0544	21.3	647.1	413	55457.	2411	1.4	5.1	9.5	3.7	0.5	6.9	43	0.1
54794	0	0	0	0	KGP	48.5478	117.0537	21.3	647.3	440	55458.	2581	1.7	5.7	9.1	3.2	0.6	5.2	26	0.1
54795	0	0	0	0	KGP	48.5478	117.0531	21.3	647.5	468	55457.	2670	2.0	5.8	9.2	2.9	0.6	4.6	55	0.1
54796	0	0	0	0	KGP	48.5478	117.0524	21.3	647.7	490	55457.	2713	2.0	3.4	12.0	1.7	0.3	6.1	34	0.1
54797	0	0	0	0	KGP	48.5478	117.0518	21.3	648.0	503	55456.	2720	2.3	5.6	8.8	2.4	0.6	3.8	38	0.1
54798	0	0	0	0	KGP	48.5478	117.0511	21.3	648.2	522	55454.	2742	2.1	5.4	12.4	2.5	0.4	5.9	27	0.1
54799	0	0	0	0	KGP	48.5478	117.0505	21.3	648.5	545	55453.	2756	2.1	4.5	10.5	2.1	0.4	5.0	45	0.1
54800	0	0	0	0	KGP	48.5478	117.0498	21.3	648.8	552	55451.	2863	2.2	5.9	10.7	2.7	0.6	4.9	41	0.1
54801	0	0	0	0	KGP	48.5478	117.0492	21.3	649.1	542	55450.	2823	2.4	4.4	12.5	1.9	0.4	5.2	35	0.1
54802	0	0	0	0	KGP	48.5478	117.0485	21.3	649.4	521	55448.	2701	1.8	3.9	11.2	2.2	0.3	6.2	34	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 22							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
54803	0	0	0	0	KGP	48.5477	117.0479	21.4	649.8	509	55447.	2609	2.0	5.6	10.6	2.9	0.5	5.4	50	0.1
54804	0	0	0	0	KGP	48.5477	117.0472	21.4	650.1	519	55447.	2663	1.9	3.8	12.8	2.1	0.3	6.9	36	0.1
54805	0	0	0	0	KGP	48.5477	117.0466	21.4	650.5	538	55447.	2533	1.8	4.7	10.2	2.6	0.5	5.6	39	0.1
54806	0	0	0	0	KGP	48.5477	117.0459	21.4	650.8	565	55447.	2665	2.5	5.5	9.3	2.2	0.6	3.8	43	0.1
54807	0	0	0	0	KGP	48.5477	117.0453	21.4	651.1	584	55447.	2768	2.4	5.6	10.0	2.3	0.6	4.2	35	0.1
54808	0	0	0	0	KGP	48.5477	117.0446	21.4	651.4	606	55448.	2734	2.4	7.0	6.7	2.9	1.0	2.8	40	0.1
54809	0	0	0	0	KGP	48.5477	117.0440	21.4	651.7	628	55448.	2943	2.7	4.8	14.3	1.8	0.3	5.4	50	0.1
54810	0	0	0	0	KGP	48.5477	117.0433	21.4	652.1	632	55449.	3009	2.3	6.8	10.1	3.0	0.7	4.4	35	0.1
54812	0	0	0	0	KGP	48.5477	117.0421	21.4	652.4	607	55449.	2933	2.5	6.3	12.8	2.6	0.5	5.2	28	0.1
54813	0	0	0	0	KGP	48.5477	117.0415	21.5	652.7	563	55450.	2685	2.1	8.1	10.8	4.0	0.8	5.2	35	0.1
54814	0	0	0	0	KGP	48.5477	117.0409	21.5	653.0	518	55451.	2587	1.4	5.2	15.7	3.6	0.3	10.9	44	0.1
54815	0	0	0	0	KGP	48.5477	117.0403	21.5	653.4	483	55452.	2591	1.8	5.7	13.1	3.1	0.4	7.2	41	0.1
54816	0	0	0	0	KGP	48.5477	117.0398	21.5	653.7	461	55452.	2551	1.8	6.7	11.0	3.7	0.6	6.2	35	0.1
54817	0	0	0	0	KGP	48.5477	117.0392	21.5	654.0	445	55451.	2462	2.2	3.8	13.9	1.7	0.3	6.4	46	0.1
54818	0	0	0	0	KGP	48.5477	117.0386	21.5	654.3	434	55452.	2501	1.9	5.1	10.3	2.6	0.5	5.3	44	0.1
54819	0	0	0	0	KGP	48.5477	117.0380	21.5	654.6	413	55452.	2404	1.8	4.1	11.0	2.3	0.4	6.2	44	0.1
54820	0	0	0	0	KGP	48.5476	117.0374	21.6	654.9	395	55452.	2433	2.0	3.1	12.0	1.6	0.3	6.1	33	0.1
54821	0	0	0	0	KGP	48.5476	117.0369	21.6	655.1	371	55453.	2365	1.6	3.9	11.8	2.5	0.3	7.5	28	0.1
54822	0	0	0	0	KGP	48.5476	117.0363	21.6	655.4	354	55454.	2396	1.8	2.6	12.3	1.4	0.2	6.7	29	0.1
54823	0	0	0	0	KGP	48.5476	117.0357	21.6	655.7	338	55457.	2256	1.8	3.9	11.4	2.2	0.3	6.4	34	0.1
54824	0	0	0	0	KGP	48.5476	117.0351	21.6	655.9	330	55459.	2307	1.6	4.8	9.7	3.0	0.5	6.0	48	0.1
54825	0	0	0	0	KGP	48.5476	117.0345	21.6	656.1	338	55459.	2331	2.0	3.2	12.4	1.6	0.3	6.1	34	0.1
54826	0	0	0	0	KGP	48.5476	117.0340	21.7	656.4	352	55459.	2389	2.0	4.2	12.3	2.2	0.3	6.3	36	0.1
54827	0	0	0	0	KGP	48.5476	117.0334	21.7	656.5	383	55459.	2587	2.2	3.1	14.1	1.4	0.2	6.5	20	0.1
54828	0	0	0	0	KGP	48.5476	117.0328	21.7	656.8	402	55459.	2612	2.1	6.4	9.9	3.1	0.7	4.7	42	0.1
54829	0	0	0	0	KGP	48.5476	117.0322	21.7	657.0	411	55459.	2656	2.1	5.5	14.8	2.6	0.4	6.9	38	0.1
54830	0	0	0	0	KGP	48.5476	117.0316	21.7	657.2	392	55458.	2541	2.0	3.9	15.1	1.9	0.3	7.5	42	0.1
54831	0	0	0	0	KGP	48.5476	117.0311	21.7	657.5	369	55457.	2520	1.9	4.9	11.0	2.5	0.4	5.7	50	0.1
54832	0	0	0	0	QAG	48.5476	117.0305	21.8	657.8	352	55456.	2595	1.9	4.1	14.7	2.1	0.3	7.6	38	0.1
54833	0	0	0	0	QAG	48.5476	117.0299	21.8	658.0	344	55455.	2674	2.2	3.4	15.3	1.5	0.2	7.0	30	0.1
54834	0	0	0	0	QAG	48.5475	117.0293	21.8	658.3	343	55454.	2565	2.3	4.2	11.3	1.8	0.4	4.8	36	0.1
54835	0	0	0	0	QAG	48.5475	117.0287	21.8	658.5	343	55451.	2402	2.0	4.6	11.3	2.2	0.4	5.5	49	0.1
54836	0	0	0	0	QAG	48.5475	117.0282	21.8	658.8	340	55449.	2394	2.0	3.7	11.4	1.8	0.3	5.7	51	0.1
54837	0	0	0	0	QAG	48.5475	117.0276	21.9	659.1	350	55449.	2340	1.9	4.0	11.3	2.1	0.4	5.9	36	0.1
54838	0	0	0	0	QAG	48.5475	117.0270	21.9	659.5	366	55450.	2379	1.9	2.8	12.1	1.5	0.2	6.4	37	0.1
54839	0	0	0	0	QAG	48.5475	117.0264	21.9	659.8	406	55451.	2448	2.2	4.0	13.3	1.9	0.3	6.2	41	0.1
54840	0	0	0	0	QAG	48.5475	117.0258	21.9	660.2	443	55451.	2535	2.0	4.5	12.1	2.3	0.4	6.2	35	0.1
54841	0	0	0	0	QAG	48.5475	117.0253	22.0	660.5	477	55451.	2557	2.4	4.1	11.7	1.7	0.3	5.0	33	0.1
54842	0	0	0	0	QAG	48.5475	117.0247	22.0	660.9	499	55451.	2471	1.7	4.3	13.4	2.6	0.3	8.1	37	0.1
54843	0	0	0	0	QAG	48.5475	117.0241	22.0	661.2	511	55451.	2391	2.3	3.7	9.7	1.6	0.4	4.2	35	0.1
54844	0	0	0	0	QAG	48.5475	117.0235	22.0	661.6	517	55453.	2246	2.0	3.7	10.3	1.8	0.4	5.0	29	0.1
54845	0	0	0	0	QAG	48.5475	117.0229	22.0	661.9	527	55455.	2230	1.7	3.6	10.8	2.1	0.3	6.3	36	0.1
54846	0	0	0	0	QAG	48.5475	117.0224	22.1	662.3	538	55456.	2242	1.7	4.2	8.7	2.6	0.5	5.2	35	0.1
54847	0	0	0	0	QAG	48.5475	117.0218	22.1	662.7	550	55459.	2244	1.7	4.8	7.3	2.9	0.7	4.4	44	0.1
54848	0	0	0	0	QAG	48.5475	117.0212	22.1	663.1	550	55460.	2309	1.7	4.2	10.5	2.4	0.4	6.1	42	0.1
54849	0	0	1	0	QAG	48.5475	117.0206	22.1	663.4	543	55460.	2276	2.1	0.8	13.1	0.4	0.1	6.2	54	0.1
54850	0	0	0	0	QAG	48.5475	117.0200	22.2	663.8	537	55460.	2407	2.2	4.6	9.4	2.1	0.5	4.3	36	0.1
54851	0	0	0	0	QAG	48.5474	117.0194	22.2	664.2	540	55460.	2279	2.0	4.5	8.5	2.3	0.5	4.3	40	0.1
54852	0	0	0	0	QAG	48.5474	117.0189	22.2	664.6	545	55461.	2551	1.7	4.4	13.1	2.6	0.3	7.8	28	0.1
54853	0	0	0	0	QAG	48.5474	117.0183	22.2	664.9	548	55464.	2638	1.7	5.3	12.3	3.1	0.4	7.1	31	0.1

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 22							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
54854	0	0	0	0	QAG	48.5474	117.0177	22.3	665.3	539	55467.	2509	2.1	5.1	6.9	2.5	0.7	3.4	50	0.1
54855	0	0	0	0	QAG	48.5474	117.0171	22.3	665.6	516	55469.	2572	2.5	5.0	8.2	2.0	0.6	3.3	40	0.1
54856	0	0	0	0	QAG	48.5474	117.0165	22.3	665.9	485	55472.	2352	2.0	3.9	10.6	2.0	0.4	5.3	40	0.1
54857	0	0	0	0	QAG	48.5474	117.0160	22.3	666.2	452	55476.	2242	2.3	2.6	9.4	1.1	0.3	4.0	36	0.1
54858	0	0	0	0	QAG	48.5474	117.0154	22.3	666.5	431	55480.	2141	1.9	4.1	11.7	2.1	0.4	6.0	34	0.1
54859	0	0	0	0	QAG	48.5474	117.0148	22.3	666.8	419	55486.	2072	2.1	2.5	8.5	1.2	0.3	4.0	38	0.1
54860	0	0	0	0	QAG	48.5474	117.0142	22.3	667.2	413	55490.	2076	2.3	3.7	5.6	1.6	0.7	2.5	30	0.1
54861	0	0	0	0	QAG	48.5474	117.0136	22.4	667.4	413	55492.	1963	1.8	2.2	8.6	1.2	0.3	4.8	35	0.1
54862	0	0	0	0	QAG	48.5474	117.0131	22.4	667.7	418	55492.	2078	2.1	3.0	7.7	1.4	0.4	3.7	44	0.1
54863	0	0	0	0	QAG	48.5474	117.0125	22.4	668.0	422	55490.	2033	1.5	3.2	9.3	2.1	0.3	6.2	41	0.1
54864	0	0	0	0	QAG	48.5474	117.0119	22.4	668.2	419	55489.	2119	1.9	3.9	8.2	2.0	0.5	4.3	34	0.1
54865	0	0	0	0	QAG	48.5474	117.0113	22.4	668.5	406	55487.	1940	1.3	4.4	9.4	3.3	0.5	7.1	30	0.1
54866	0	0	0	0	QAG	48.5473	117.0107	22.4	668.8	391	55485.	1848	1.4	5.4	5.4	3.8	1.0	3.8	40	0.2
54867	0	0	0	0	QAG	48.5473	117.0102	22.4	669.0	378	55485.	1967	1.9	3.3	7.9	1.7	0.4	4.1	35	0.2
54868	0	0	0	0	QAG	48.5473	117.0096	22.4	669.3	372	55485.	1871	1.4	3.4	6.7	2.4	0.5	4.9	33	0.2
54869	0	0	0	0	QAG	48.5473	117.0090	22.4	669.5	369	55486.	1792	1.7	3.1	5.4	1.8	0.6	3.2	40	0.2
54870	0	0	0	0	QAG	48.5473	117.0084	22.4	669.7	367	55490.	1895	1.5	2.7	6.2	1.8	0.4	4.2	30	0.2
54871	0	0	0	0	QAG	48.5473	117.0078	22.4	669.9	368	55495.	1936	1.6	4.0	6.7	2.6	0.6	4.2	33	0.2
54872	0	0	0	0	QAG	48.5473	117.0072	22.5	670.2	370	55499.	1908	1.5	4.0	8.0	2.7	0.5	5.4	33	0.2
54873	0	0	0	0	QAG	48.5473	117.0067	22.5	670.4	373	55503.	1841	1.8	2.6	8.1	1.4	0.3	4.5	40	0.2
54874	0	0	0	0	QAG	48.5473	117.0061	22.5	670.5	370	55504.	1818	1.5	3.8	5.8	2.5	0.7	3.8	38	0.2
54875	0	0	0	0	QAG	48.5473	117.0055	22.5	670.7	368	55502.	1799	1.2	4.5	7.0	3.7	0.6	5.8	26	0.2
54876	0	0	0	0	QAG	48.5473	117.0049	22.5	670.9	371	55502.	1762	1.4	4.5	4.8	3.3	0.9	3.5	33	0.2
54877	0	0	0	0	QAG	48.5473	117.0043	22.5	671.0	386	55501.	1861	1.5	3.8	5.8	2.5	0.7	3.8	49	0.2
54878	0	0	0	0	QAG	48.5473	117.0038	22.5	671.1	412	55501.	1969	1.4	2.8	10.3	2.0	0.3	7.5	27	0.2
54879	0	0	0	0	QAG	48.5473	117.0032	22.5	671.2	439	55504.	1955	1.8	2.2	9.2	1.2	0.2	5.1	39	0.2
54880	0	0	0	0	QAG	48.5473	117.0026	22.5	671.3	459	55506.	1890	1.3	4.6	4.9	3.5	0.9	3.7	46	0.2
54881	0	0	0	0	QAG	48.5473	117.0020	22.5	671.4	462	55509.	1910	2.0	2.1	9.5	1.1	0.2	4.8	33	0.2
54882	0	0	0	0	QAG	48.5473	117.0014	22.5	671.4	451	55515.	1826	1.4	2.1	8.3	1.5	0.2	5.8	34	0.2
54883	0	0	0	0	QAG	48.5473	117.0009	22.5	671.5	427	55523.	1809	1.4	3.3	8.3	2.4	0.4	6.0	25	0.2
54884	0	0	0	0	QAG	48.5473	117.0003	22.5	671.5	403	55532.	1819	1.5	2.7	5.2	1.8	0.5	3.5	25	0.2
54885	0	0	0	0	QAG	48.5473	116.9997	22.5	671.6	388	55541.	1728	1.5	2.1	7.1	1.4	0.3	4.7	38	0.2
54886	0	0	0	0	QAG	48.5473	116.9991	22.5	671.6	379	55550.	1665	1.4	3.0	6.0	2.2	0.5	4.4	35	0.2
54887	0	0	0	0	QAG	48.5473	116.9985	22.5	671.6	378	55559.	1879	1.5	2.4	7.4	1.6	0.3	5.1	33	0.2
54888	0	0	0	0	QAG	48.5473	116.9979	22.5	671.6	377	55567.	1954	1.4	3.9	7.1	2.8	0.6	5.0	31	0.2
54889	0	0	0	0	QAG	48.5473	116.9974	22.5	671.6	381	55574.	2053	1.7	3.4	7.8	2.0	0.4	4.6	23	0.2
54890	0	0	0	0	QAG	48.5473	116.9968	22.5	671.6	384	55581.	1971	1.3	3.7	7.1	2.8	0.5	5.3	34	0.2
54891	0	0	0	0	QAG	48.5473	116.9962	22.5	671.6	392	55589.	2052	1.7	3.9	7.5	2.2	0.5	4.3	30	0.2

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 23									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM	
55368	0	0	0	0	KG	48.5449	117.2411	20.2	659.9	502	55779.	2774	2.2	5.0	11.3	2.3	0.4	5.1	41	0.2	
55367	0	0	0	0	KG	48.5449	117.2405	20.2	659.5	495	55790.	2843	2.7	2.6	17.6	1.0	0.1	6.5	39	0.2	
55365	0	0	0	0	KG	48.5450	117.2391	20.2	659.1	480	55800.	2747	2.2	4.3	13.8	2.0	0.3	6.2	40	0.2	
55364	0	0	0	0	KG	48.5450	117.2384	20.2	658.7	466	55809.	2701	2.5	2.9	14.6	1.2	0.2	5.9	24	0.2	
55363	0	0	0	0	KG	48.5450	117.2377	20.2	658.4	452	55817.	2826	2.1	5.0	13.8	2.4	0.4	6.5	36	0.2	
55362	0	0	0	0	KG	48.5450	117.2370	20.2	658.0	442	55824.	2673	2.0	4.1	10.7	2.0	0.4	5.3	41	0.2	
55361	0	0	0	0	KG	48.5450	117.2363	20.2	657.6	437	55829.	2653	2.2	4.7	11.5	2.1	0.4	5.1	48	0.2	
55360	0	0	0	0	KG	48.5450	117.2356	20.2	657.3	436	55834.	2669	2.1	4.5	13.6	2.2	0.3	6.6	36	0.2	
55359	0	0	0	0	KG	48.5450	117.2350	20.2	657.0	436	55839.	2675	2.1	4.1	12.6	1.9	0.3	6.0	42	0.2	
55358	0	0	0	0	KG	48.5450	117.2343	20.2	656.7	433	55842.	2791	2.2	4.9	9.3	2.3	0.5	4.3	36	0.2	
55357	0	0	0	0	KG	48.5450	117.2336	20.2	656.4	425	55845.	2657	2.3	4.0	10.6	1.7	0.4	4.6	33	0.2	
55356	0	0	0	0	KG	48.5450	117.2329	20.2	656.1	414	55849.	2568	2.1	2.7	13.8	1.3	0.2	6.5	42	0.2	
55355	0	0	0	0	KG	48.5450	117.2322	20.2	655.9	397	55851.	2488	2.6	1.7	12.0	0.7	0.1	4.6	41	0.2	
55354	0	0	0	0	KG	48.5450	117.2315	20.2	655.7	374	55854.	2427	2.0	2.9	10.2	1.5	0.3	5.2	36	0.2	
55353	0	0	0	0	KG	48.5450	117.2308	20.2	655.5	351	55855.	2213	1.9	2.8	10.9	1.5	0.3	5.8	36	0.2	
55352	0	0	0	0	KG	48.5450	117.2301	20.2	655.3	338	55854.	2210	1.7	4.1	8.5	2.4	0.5	4.9	40	0.2	
55351	0	0	0	0	KG	48.5450	117.2295	20.1	655.2	339	55852.	2140	1.8	3.1	11.3	1.8	0.3	6.4	51	0.2	
55350	0	0	0	0	KG	48.5450	117.2288	20.1	655.1	346	55849.	2122	1.7	3.4	8.7	2.0	0.4	5.2	38	0.2	
55349	0	0	0	0	KG	48.5450	117.2281	20.1	655.0	357	55844.	1983	1.5	3.5	8.2	2.3	0.4	5.5	44	0.2	
55348	0	0	0	0	KG	48.5451	117.2274	20.1	654.9	365	55838.	1935	1.7	2.1	9.9	1.2	0.2	5.7	32	0.2	
55347	0	0	0	0	KG	48.5451	117.2267	20.1	654.9	377	55834.	2096	1.8	2.6	6.4	1.4	0.4	3.5	28	0.2	
55346	0	0	0	0	KG	48.5451	117.2260	20.1	654.9	392	55830.	2056	1.7	3.0	6.1	1.7	0.5	3.5	38	0.2	
55345	0	0	0	0	KG	48.5451	117.2253	20.1	654.9	408	55828.	2206	2.1	2.8	6.3	1.4	0.4	3.0	39	0.2	
55344	0	0	0	0	KG	48.5451	117.2246	20.1	654.9	413	55827.	2307	2.3	3.9	8.9	1.7	0.4	3.9	37	0.2	
55343	0	0	0	0	KG	48.5451	117.2240	20.1	655.0	402	55828.	2321	2.1	3.5	10.0	1.7	0.4	4.8	46	0.2	
55342	0	0	0	0	KG	48.5451	117.2233	20.1	655.0	381	55831.	2272	2.2	3.7	7.8	1.6	0.5	3.5	42	0.2	
55341	0	0	0	0	KG	48.5451	117.2226	20.1	655.0	359	55834.	2173	2.1	2.6	9.8	1.3	0.3	4.7	38	0.2	
55340	0	0	0	0	QAG	48.5451	117.2219	20.1	655.1	344	55838.	2257	2.2	3.3	8.6	1.5	0.4	4.0	35	0.2	
55339	0	0	0	0	QAG	48.5451	117.2212	20.1	655.1	336	55839.	2162	2.2	3.3	7.2	1.5	0.5	3.3	40	0.1	
55338	0	0	0	0	QAG	48.5451	117.2205	20.1	655.1	339	55837.	2174	1.9	5.1	7.1	2.7	0.7	3.8	48	0.1	
55337	0	0	0	0	QAG	48.5451	117.2198	20.1	655.0	350	55833.	2181	2.0	3.8	5.8	1.9	0.7	2.8	42	0.1	
55336	0	0	0	0	QAG	48.5451	117.2191	20.1	655.0	372	55825.	2220	2.2	3.0	10.9	1.4	0.3	4.9	34	0.1	
55335	0	0	0	0	QAG	48.5452	117.2184	20.0	654.9	393	55815.	2197	2.1	4.0	8.7	1.9	0.5	4.0	42	0.1	
55334	0	0	0	0	QAG	48.5452	117.2178	20.0	654.8	407	55802.	2081	1.9	3.7	7.1	1.9	0.5	3.7	48	0.1	
55333	0	0	0	0	QAG	48.5452	117.2171	20.0	654.8	417	55790.	2192	2.0	4.8	6.9	2.3	0.7	3.4	37	0.1	
55332	0	0	0	0	QAG	48.5452	117.2164	20.0	654.6	423	55778.	2144	2.0	3.3	9.5	1.7	0.3	4.8	40	0.1	
55331	0	0	0	0	QAG	48.5452	117.2157	20.0	654.5	428	55768.	2236	2.1	3.8	7.8	1.8	0.5	3.7	31	0.1	
55330	0	0	0	0	QAG	48.5452	117.2150	20.0	654.4	428	55760.	2198	1.6	4.6	9.8	2.8	0.5	6.1	24	0.1	
55329	0	0	0	0	QAG	48.5452	117.2143	20.0	654.3	428	55754.	2169	2.0	5.3	8.6	2.7	0.6	4.3	50	0.1	
55328	0	0	0	0	QAG	48.5452	117.2136	20.0	654.1	431	55748.	2179	1.9	4.6	10.0	2.4	0.5	5.2	37	0.1	
55327	0	0	0	0	QAG	48.5452	117.2130	19.9	654.0	435	55743.	2134	2.2	2.5	9.8	1.1	0.3	4.4	36	0.1	
55326	0	0	0	0	QAG	48.5452	117.2122	19.9	653.8	440	55736.	2191	2.4	2.4	10.5	1.0	0.2	4.5	28	0.1	
55325	0	0	0	0	QAG	48.5452	117.2116	19.9	653.7	443	55730.	2276	2.2	4.0	8.4	1.8	0.5	3.8	37	0.1	
55324	0	0	0	0	QAG	48.5452	117.2109	19.9	653.6	442	55724.	2367	2.1	3.6	9.6	1.7	0.4	4.5	40	0.1	
55323	0	0	0	0	QAG	48.5452	117.2102	19.9	653.4	444	55719.	2369	2.2	3.6	9.5	1.6	0.4	4.3	43	0.1	
55322	0	0	0	0	QAG	48.5452	117.2095	19.8	653.2	452	55712.	2297	1.9	5.0	9.0	2.6	0.6	4.7	41	0.1	
55321	0	0	0	0	QAG	48.5452	117.2088	19.8	653.1	465	55705.	2372	2.2	4.4	6.5	2.0	0.7	3.0	41	0.1	
55320	0	0	0	0	QAG	48.5452	117.2081	19.8	652.9	473	55698.	2373	1.9	5.5	6.4	2.9	0.9	3.4	47	0.1	
55319	0	0	0	0	QAG	48.5452	117.2074	19.8	652.7	480	55693.	2297	1.9	5.5	7.2	2.9	0.8	3.8	38	0.1	
55318	0	0	0	0	QAG	48.5453	117.2067	19.8	652.5	476	55688.	2226	1.7	4.7	8.7	2.8	0.5	5.1	35	0.1	

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 23									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
55317	0	0	0	0	QAG	48.5453	117.2061	19.7	652.3	476	55685.	2096	1.8	4.5	7.7	2.5	0.6	4.2	53	0.1
55316	0	0	0	0	QAG	48.5453	117.2055	19.7	652.1	473	55681.	2335	1.8	3.4	12.0	1.9	0.3	6.6	24	0.1
55315	0	0	0	0	QAG	48.5452	117.2049	19.7	651.9	484	55679.	2191	1.4	4.9	7.6	3.4	0.6	5.3	33	0.2
55314	0	0	0	0	QAG	48.5452	117.2043	19.7	651.7	494	55676.	2268	1.9	3.0	9.9	1.6	0.3	5.3	32	0.2
55313	0	0	0	0	QAG	48.5452	117.2037	19.7	651.5	493	55673.	2124	1.7	3.6	6.9	2.1	0.5	4.0	44	0.2
55312	0	0	0	0	QAG	48.5452	117.2031	19.6	651.2	500	55671.	2087	1.9	2.7	8.7	1.4	0.3	4.5	34	0.2
55311	0	0	0	0	QAG	48.5452	117.2025	19.6	651.0	493	55668.	2130	1.7	3.9	8.9	2.3	0.4	5.2	29	0.2
55310	0	0	0	0	QAG	48.5452	117.2020	19.6	650.7	491	55666.	2048	1.4	4.3	9.2	3.1	0.5	6.5	30	0.2
55309	0	0	0	0	QAG	48.5452	117.2014	19.6	650.4	491	55664.	2055	1.7	4.9	10.9	2.9	0.5	6.3	42	0.2
55308	0	0	0	0	QAG	48.5452	117.2008	19.6	650.1	509	55662.	2093	1.7	3.3	5.6	1.9	0.6	3.2	38	0.2
55307	0	0	0	0	QAG	48.5452	117.2002	19.5	649.7	533	55660.	2273	2.0	3.4	7.4	1.7	0.5	3.8	35	0.2
55306	0	0	0	0	QAG	48.5452	117.1996	19.5	649.3	557	55657.	2314	1.8	3.6	8.0	2.0	0.4	4.5	36	0.2
55305	0	0	0	0	QAG	48.5452	117.1990	19.5	648.9	573	55656.	2462	1.7	4.4	9.9	2.6	0.4	5.9	40	0.2
55304	0	0	0	0	QAG	48.5452	117.1985	19.5	648.5	586	55655.	2451	2.1	2.0	10.6	1.0	0.2	5.0	33	0.2
55303	0	0	0	0	QAG	48.5452	117.1979	19.4	648.0	593	55655.	2451	1.7	6.4	5.3	3.8	1.2	3.1	49	0.2
55302	0	0	0	0	QAG	48.5452	117.1973	19.4	647.5	595	55656.	2568	2.3	4.1	11.6	1.8	0.4	5.0	42	0.2
55301	0	0	0	0	QAG	48.5452	117.1967	19.4	647.0	592	55658.	2543	2.2	6.1	6.4	2.8	1.0	2.9	45	0.2
55300	0	0	0	0	QAG	48.5452	117.1961	19.4	646.5	582	55662.	2486	2.2	4.7	8.1	2.1	0.6	3.7	39	0.2
55299	0	0	0	0	QAG	48.5452	117.1955	19.3	645.9	566	55665.	2456	2.0	3.7	11.1	1.8	0.3	5.5	27	0.2
55298	0	0	0	0	KNA	48.5451	117.1949	19.3	645.3	550	55667.	2455	1.8	4.3	7.0	2.4	0.6	3.9	25	0.2
55297	0	0	0	0	KNA	48.5451	117.1944	19.3	644.7	536	55668.	2251	2.0	3.9	9.1	1.9	0.4	4.6	44	0.2
55296	0	0	0	0	KNA	48.5451	117.1938	19.3	644.1	529	55667.	2058	1.5	4.2	7.0	2.8	0.6	4.7	49	0.2
55295	0	0	0	0	KNA	48.5451	117.1932	19.2	643.5	529	55664.	2096	1.6	4.5	6.3	2.8	0.7	4.0	31	0.2
55294	0	0	0	0	KNA	48.5451	117.1926	19.2	642.9	535	55660.	1986	1.5	4.0	8.4	2.6	0.5	5.6	46	0.2
55293	0	0	0	0	KNA	48.5451	117.1920	19.2	642.3	546	55655.	2155	1.5	4.5	8.8	3.1	0.5	6.0	44	0.2
55292	0	0	0	0	KNA	48.5451	117.1914	19.2	641.7	562	55649.	2228	1.8	4.5	7.3	2.5	0.6	4.1	40	0.1
55291	0	0	0	0	KNA	48.5451	117.1908	19.1	641.0	579	55642.	2263	2.0	2.5	7.4	1.2	0.3	3.7	27	0.1
55290	0	0	0	0	KNA	48.5451	117.1903	19.1	640.4	593	55634.	2298	2.0	4.8	8.0	2.4	0.6	4.0	43	0.1
55289	0	0	0	0	KNA	48.5451	117.1897	19.1	639.8	598	55627.	2445	2.1	6.6	5.6	3.1	1.2	2.6	33	0.1
55288	0	0	0	0	KG	48.5451	117.1891	19.0	639.1	594	55620.	2579	1.9	6.1	11.4	3.3	0.5	6.2	28	0.1
55287	0	0	0	0	KG	48.5451	117.1885	19.0	638.5	583	55614.	2538	1.5	8.8	6.8	6.0	1.3	4.7	48	0.1
55286	0	0	0	0	KG	48.5451	117.1879	19.0	637.8	560	55611.	2695	2.1	3.9	12.5	1.9	0.3	6.1	43	0.1
55285	0	0	0	0	KG	48.5451	117.1873	19.0	637.1	533	55610.	2628	2.2	5.8	7.6	2.6	0.8	3.4	48	0.1
55284	0	0	0	0	KG	48.5450	117.1863	18.9	636.4	499	55611.	2813	2.5	4.3	13.4	1.7	0.3	5.4	39	0.1
55283	0	0	0	0	KG	48.5450	117.1862	18.9	635.8	465	55612.	2904	2.4	5.5	13.3	2.3	0.4	5.6	34	0.1
55282	0	0	0	0	KG	48.5450	117.1856	18.9	635.1	425	55614.	2698	2.3	5.4	7.4	2.4	0.7	3.3	50	0.1
55281	0	0	0	0	KG	48.5450	117.1850	18.8	634.4	387	55616.	2685	1.9	4.7	11.6	2.6	0.4	6.2	39	0.1
55280	0	0	0	0	KG	48.5450	117.1844	18.8	633.7	355	55618.	2624	1.7	6.2	13.8	3.6	0.4	8.0	47	0.1
55279	0	0	0	0	KG	48.5450	117.1838	18.8	633.0	338	55619.	2760	1.9	5.7	11.6	2.9	0.5	6.0	54	0.1
55278	0	0	0	0	KG	48.5450	117.1832	18.8	632.3	335	55618.	2734	1.7	5.8	11.8	3.3	0.5	6.7	58	0.1
55277	0	0	0	0	KG	48.5450	117.1827	18.7	631.6	345	55615.	2723	1.9	6.9	10.5	3.6	0.7	5.4	45	0.1
55276	0	0	0	0	KG	48.5450	117.1821	18.7	630.8	360	55611.	2727	1.6	6.9	10.1	4.2	0.7	6.2	44	0.1
55274	0	0	0	0	KG	48.5450	117.1809	18.7	630.1	381	55607.	2655	1.9	5.8	8.2	3.0	0.7	4.2	44	0.1
55273	0	0	0	0	KG	48.5450	117.1803	18.6	629.4	418	55603.	2591	2.0	6.2	7.5	3.1	0.8	3.8	59	0.1
55272	0	0	0	0	KG	48.5450	117.1797	18.6	628.6	474	55601.	2656	2.2	6.6	8.0	3.1	0.8	3.7	51	0.1
55271	0	0	0	0	KG	48.5450	117.1792	18.6	627.9	550	55600.	2350	1.4	7.6	10.2	5.6	0.7	7.6	38	0.1
55270	0	0	0	0	KG	48.5450	117.1786	18.6	627.2	632	55601.	3005	2.1	8.8	9.6	4.2	0.9	4.6	44	0.1
55269	1	0	0	0	KG	48.5450	117.1780	18.5	626.4	714	55602.	3009	2.5	6.8	12.3	2.8	0.6	5.0	48	0.1
55268	1	0	0	0	KG	48.5450	117.1774	18.5	625.7	788	55603.	2939	1.8	9.4	12.0	5.1	0.8	6.5	45	0.1
55267	1	0	0	0	KG	48.5449	117.1768	18.5	625.0	854	55605.	3352	2.0	10.4	12.4	5.1	0.8	6.1	40	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 23							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
55266	1	0	0	0	KGP	48.5449	117.1762	18.5	624.3	902	55607.	3331	2.5	6.7	18.0	2.6	0.4	7.1	36	0.1
55265	1	0	0	0	KGP	48.5449	117.1756	18.4	623.5	936	55610.	2970	1.6	9.7	12.4	5.9	0.8	7.6	66	0.1
55264	1	0	0	0	KGP	48.5449	117.1751	18.4	622.8	954	55612.	3175	1.8	10.2	10.6	5.7	1.0	5.9	49	0.1
55263	1	0	0	0	KGP	48.5449	117.1745	18.4	622.1	964	55615.	3112	1.7	10.1	9.7	6.0	1.0	5.8	47	0.1
55262	1	0	0	0	KGP	48.5449	117.1739	18.4	621.5	964	55617.	3064	2.2	10.1	12.8	4.7	0.8	5.9	48	0.1
55261	1	0	0	0	KGP	48.5449	117.1733	18.4	620.8	957	55618.	2887	1.7	10.8	8.8	6.5	1.2	5.4	45	0.1
55260	1	0	0	0	KGP	48.5449	117.1727	18.3	620.1	939	55616.	2725	1.4	10.0	7.8	7.0	1.3	5.4	51	0.1
55259	1	0	0	0	KGP	48.5449	117.1721	18.3	619.4	922	55614.	2741	2.4	6.0	10.6	2.5	0.6	4.5	52	0.1
55258	1	0	0	0	KGP	48.5449	117.1716	18.3	618.8	908	55614.	2700	1.6	8.0	14.5	5.2	0.6	9.3	46	0.1
55257	1	0	0	0	KGP	48.5449	117.1710	18.3	618.2	899	55614.	2749	1.6	8.9	13.0	5.6	0.7	8.2	51	0.1
55256	1	0	0	0	KGP	48.5449	117.1704	18.3	617.5	884	55616.	2613	1.8	8.4	10.7	4.6	0.8	5.8	40	0.1
55255	1	0	0	0	KGP	48.5449	117.1698	18.2	616.9	863	55618.	2605	2.1	9.1	10.5	4.4	0.9	5.1	45	0.1
55254	1	0	0	0	KGP	48.5449	117.1692	18.2	616.3	834	55619.	2561	1.2	8.4	12.3	7.1	0.7	10.3	36	0.1
55253	1	0	0	0	KGP	48.5448	117.1686	18.2	615.7	804	55617.	2570	1.7	7.3	9.9	4.2	0.7	5.7	46	0.1
55252	1	0	0	0	KGP	48.5448	117.1680	18.2	615.1	772	55615.	2475	1.2	8.2	12.5	6.7	0.7	10.2	44	0.1
55251	1	0	0	0	KGP	48.5448	117.1674	18.2	614.5	746	55612.	2379	1.9	5.0	12.0	2.6	0.4	6.3	55	0.1
55250	1	0	0	0	KGP	48.5448	117.1669	18.2	613.9	724	55609.	2531	1.1	5.5	15.8	4.8	0.3	13.9	49	0.1
55249	1	0	0	0	KGP	48.5448	117.1663	18.2	613.3	707	55606.	2582	1.9	5.3	11.9	2.9	0.4	6.4	41	0.1
55248	0	0	0	0	KGP	48.5448	117.1657	18.1	612.7	690	55604.	2727	2.3	5.5	15.5	2.4	0.4	6.8	57	0.1
55247	0	0	0	0	KGP	48.5448	117.1651	18.1	612.1	667	55603.	2701	2.2	5.1	15.3	2.4	0.3	7.1	60	0.1
55246	0	0	0	0	KGP	48.5448	117.1645	18.1	611.5	638	55602.	2672	1.3	6.2	16.5	4.8	0.4	12.8	58	0.1
55245	0	0	0	0	KGP	48.5448	117.1639	18.1	610.9	607	55602.	2816	1.9	5.9	15.8	3.1	0.4	8.3	59	0.1
55244	0	0	0	0	KGP	48.5448	117.1634	18.1	610.4	575	55604.	2711	2.3	7.2	13.6	3.1	0.5	5.9	76	0.1
55243	0	0	0	0	KGP	48.5448	117.1628	18.1	609.8	542	55604.	3033	2.5	6.4	18.2	2.6	0.4	7.3	49	0.1
55242	0	0	0	0	KGP	48.5448	117.1622	18.1	609.3	509	55604.	3136	2.5	4.7	15.6	1.9	0.3	6.2	53	0.1
55241	0	0	0	0	KGP	48.5448	117.1616	18.1	608.8	473	55604.	3162	2.5	6.4	20.8	2.5	0.3	8.3	55	0.1
55240	0	0	0	0	KGP	48.5448	117.1610	18.1	608.3	436	55604.	3261	2.3	5.5	18.7	2.4	0.3	8.2	46	0.1
55239	0	0	0	0	KGP	48.5448	117.1604	18.1	607.8	401	55606.	3350	2.3	6.1	19.7	2.6	0.3	8.6	60	0.1
55238	0	0	0	0	KGP	48.5448	117.1599	18.1	607.3	370	55609.	3333	2.9	5.1	21.3	1.8	0.2	7.4	70	0.1
55237	0	0	0	0	KGP	48.5448	117.1593	18.1	606.8	343	55614.	3556	2.7	6.0	22.7	2.2	0.3	8.4	63	0.1
55236	0	0	0	0	KGP	48.5447	117.1587	18.1	606.4	320	55620.	3683	2.8	4.5	27.4	1.6	0.2	9.9	44	0.1
55235	0	0	0	0	KGP	48.5447	117.1581	18.1	605.9	304	55627.	3800	3.2	3.1	26.1	1.0	0.1	8.2	51	0.1
55234	0	0	0	0	KGP	48.5447	117.1575	18.1	605.5	290	55636.	3753	2.9	5.6	25.0	1.9	0.2	8.5	57	0.1
55233	0	0	0	0	KGP	48.5447	117.1569	18.1	605.1	279	55646.	3778	2.6	6.2	25.0	2.4	0.2	9.5	53	0.1
55232	0	0	0	0	KGP	48.5447	117.1563	18.2	604.8	266	55658.	3470	2.9	4.3	21.6	1.5	0.2	7.5	73	0.1
55231	0	0	0	0	KGP	48.5447	117.1559	18.2	604.5	255	55675.	3603	2.7	5.5	25.5	2.1	0.2	9.6	59	0.1
55230	0	0	0	0	KGP	48.5447	117.1555	18.2	604.1	243	55694.	3461	2.4	6.4	21.6	2.7	0.3	9.0	73	0.1
55229	0	0	0	0	KGP	48.5447	117.1551	18.2	603.9	234	55715.	3646	2.8	4.2	24.6	1.5	0.2	8.8	68	0.1
55228	0	0	0	0	KGP	48.5447	117.1547	18.2	603.6	224	55734.	3648	2.7	3.9	26.7	1.4	0.1	10.0	75	0.1
55227	0	0	0	0	KGP	48.5448	117.1543	18.2	603.4	211	55750.	3676	3.0	4.9	26.2	1.6	0.2	8.7	60	0.1
55226	1	0	0	0	KGP	48.5448	117.1539	18.2	603.2	195	55763.	3682	2.8	6.2	24.8	2.2	0.2	8.9	62	0.1
55225	1	0	0	0	KGP	48.5448	117.1535	18.3	603.2	186	55768.	3706	2.9	6.1	24.8	2.1	0.2	8.6	73	0.1
55224	1	0	0	0	KGP	48.5448	117.1531	18.3	603.1	188	55765.	3693	3.0	7.1	24.2	2.3	0.3	8.0	52	0.1
55223	0	0	0	0	KGP	48.5448	117.1527	18.3	603.1	202	55754.	3776	3.1	5.2	23.2	1.7	0.2	7.6	70	0.1
55222	0	0	0	0	KGP	48.5448	117.1523	18.3	603.2	220	55739.	3846	3.2	4.2	27.2	1.3	0.2	8.6	75	0.1
55221	0	0	0	0	KGP	48.5448	117.1519	18.3	603.3	240	55726.	4007	3.0	5.7	26.7	1.9	0.2	9.0	62	0.1
55220	0	0	0	0	KGP	48.5448	117.1515	18.4	603.5	259	55716.	3856	3.2	4.9	27.1	1.5	0.2	8.5	79	0.1
55219	0	0	0	0	KHM	48.5448	117.1511	18.4	603.8	278	55708.	4049	3.3	2.7	30.0	0.8	0.1	9.1	71	0.1
55218	0	0	0	0	KHM	48.5448	117.1507	18.4	604.1	297	55702.	3874	2.8	6.4	27.7	2.3	0.2	9.9	69	0.1
55217	0	0	0	0	KHM	48.5448	117.1503	18.4	604.4	316	55694.	3980	2.8	6.3	27.0	2.2	0.2	9.7	65	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 23								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
55216	0	0	0	0	KHM	48.5448	117.1499	18.5	604.8	335	55686.	3888	2.7	6.6	24.7	2.4	0.3	9.1	65	0.1
55215	1	1	1	1	KHM	48.5448	117.1494	18.5	605.2	354	55679.	3571	2.8	5.4	21.1	1.9	0.3	7.5	57	0.1
55214	0	0	0	0	KHM	48.5448	117.1490	18.5	605.6	373	55671.	3748	3.1	5.4	21.2	1.8	0.3	6.9	65	0.1
55213	0	0	0	0	KHM	48.5448	117.1486	18.6	606.1	394	55665.	3839	3.1	6.6	23.9	2.1	0.3	7.7	53	0.1
55212	0	0	0	0	KHM	48.5448	117.1482	18.6	606.6	414	55657.	3805	2.9	5.5	22.2	1.9	0.2	7.6	56	0.1
55211	0	0	0	0	KHM	48.5448	117.1478	18.6	607.0	434	55651.	3736	2.8	4.8	27.3	1.7	0.2	9.7	63	0.1
55210	0	0	0	0	KHM	48.5449	117.1474	18.7	607.5	452	55645.	3498	3.0	4.5	23.6	1.5	0.2	7.9	79	0.1
55209	0	0	0	0	KHM	48.5449	117.1470	18.7	608.0	470	55639.	3624	2.9	4.8	23.9	1.6	0.2	8.2	55	0.1
55208	0	0	0	0	KHM	48.5449	117.1466	18.7	608.5	487	55635.	3523	2.4	6.4	23.2	2.6	0.3	9.5	48	0.1
55207	0	0	0	0	KHM	48.5449	117.1462	18.8	609.0	501	55633.	3526	2.9	5.4	17.2	1.8	0.3	5.9	59	0.1
55206	0	0	0	0	KHM	48.5449	117.1458	18.8	609.5	514	55633.	3561	2.7	4.8	22.5	1.7	0.2	8.2	47	0.1
55205	0	0	0	0	KHM	48.5449	117.1454	18.8	610.0	525	55633.	3397	2.2	5.6	22.2	2.6	0.3	10.2	66	0.1
55204	0	0	0	0	KHM	48.5449	117.1450	18.9	610.5	535	55635.	3362	2.3	5.1	21.5	2.2	0.2	9.3	48	0.1
55203	0	0	0	0	KHM	48.5449	117.1446	18.9	611.0	541	55635.	3413	2.2	8.0	21.2	3.6	0.4	9.6	45	0.1
55202	0	0	0	0	KHM	48.5449	117.1442	18.9	611.5	548	55635.	3408	2.5	5.7	19.2	2.3	0.3	7.6	57	0.1
55201	0	0	0	0	KHM	48.5449	117.1438	19.0	612.1	556	55634.	3413	2.9	4.0	21.3	1.4	0.2	7.4	48	0.1
55200	0	0	0	0	KHM	48.5449	117.1434	19.0	612.6	567	55633.	3343	3.0	4.7	19.5	1.6	0.2	6.5	54	0.1
55199	0	0	0	0	KHM	48.5449	117.1430	19.0	613.2	573	55633.	3418	2.6	4.7	19.3	1.8	0.2	7.5	43	0.1
55198	0	0	0	0	KHM	48.5449	117.1426	19.1	613.8	576	55633.	3345	2.3	5.4	22.7	2.3	0.2	9.7	52	0.1
55197	0	0	0	0	KHM	48.5449	117.1422	19.1	614.3	580	55634.	3268	2.2	8.0	16.1	3.7	0.5	7.5	53	0.1
55196	0	0	0	0	KHM	48.5450	117.1418	19.2	614.9	585	55638.	3290	3.0	3.4	22.0	1.1	0.2	7.4	69	0.1
55195	0	0	0	0	KHM	48.5450	117.1413	19.2	615.5	589	55640.	3468	2.2	5.4	18.9	2.5	0.3	8.8	50	0.1
55194	0	0	0	0	KHM	48.5450	117.1409	19.2	616.1	594	55643.	3481	2.3	5.3	21.7	2.3	0.2	9.6	49	0.1
55193	0	0	0	0	KHM	48.5450	117.1405	19.3	616.7	606	55645.	3425	2.7	7.7	20.5	2.9	0.4	7.6	58	0.1
55192	0	0	0	0	KHM	48.5450	117.1401	19.3	617.3	619	55644.	3359	1.8	9.5	17.2	5.3	0.5	9.7	55	0.1
55191	0	0	0	0	KHM	48.5450	117.1397	19.4	617.9	633	55643.	3593	2.4	6.2	20.5	2.6	0.3	8.6	65	0.1
55190	0	0	0	0	KHM	48.5450	117.1393	19.4	618.5	651	55641.	3453	2.3	4.9	21.2	2.2	0.2	9.3	57	0.1
55189	0	0	0	0	KHM	48.5450	117.1389	19.4	619.1	670	55637.	3452	2.8	6.3	18.7	2.3	0.3	6.8	59	0.1
55188	0	0	0	0	KHM	48.5450	117.1385	19.5	619.8	689	55633.	3634	2.5	8.5	17.4	3.4	0.5	6.9	36	0.1
55187	0	0	0	0	KHM	48.5450	117.1381	19.5	620.4	696	55630.	3492	2.4	5.3	20.9	2.2	0.3	8.8	56	0.1
55186	0	0	0	0	KHM	48.5450	117.1377	19.5	621.1	697	55627.	3362	1.9	7.4	19.3	3.8	0.4	10.0	52	0.1
55184	0	0	0	0	KHM	48.5450	117.1369	19.6	621.7	689	55624.	3287	2.0	9.8	20.6	4.9	0.5	10.4	44	0.1
55183	0	0	0	0	KHM	48.5450	117.1365	19.6	622.4	685	55622.	3256	2.0	5.7	20.3	2.8	0.3	10.0	41	0.1
55182	0	0	0	0	KHM	48.5450	117.1361	19.7	623.1	685	55621.	3271	2.9	3.9	17.8	1.3	0.2	6.1	46	0.1
55181	0	0	0	0	KHM	48.5450	117.1357	19.7	623.7	688	55619.	2967	2.5	4.8	17.4	1.9	0.3	6.9	48	0.1
55180	0	0	0	0	KHM	48.5450	117.1353	19.7	624.3	688	55618.	3224	2.2	7.4	16.3	3.3	0.5	7.3	42	0.1
55179	0	0	0	0	KHM	48.5451	117.1349	19.8	625.0	686	55618.	3083	2.6	3.8	16.2	1.5	0.2	6.2	45	0.1
55178	0	0	0	0	KHM	48.5451	117.1345	19.8	625.7	681	55618.	2928	2.2	5.6	16.8	2.5	0.3	7.6	40	0.1
55177	0	0	0	0	KHM	48.5451	117.1341	19.8	626.3	676	55619.	2945	1.8	5.6	13.7	3.1	0.4	7.6	44	0.1
55176	0	0	0	0	KHM	48.5451	117.1337	19.9	627.0	671	55620.	2864	2.3	2.6	14.1	1.2	0.2	6.2	54	0.1
55175	0	0	0	0	KHM	48.5451	117.1332	19.9	627.7	668	55620.	2808	2.3	5.3	12.8	2.3	0.4	5.6	50	0.1
55174	0	0	0	0	KHM	48.5451	117.1328	19.9	628.3	665	55621.	2861	1.7	7.0	13.1	4.2	0.5	7.9	61	0.1
55173	0	0	0	0	KHM	48.5451	117.1324	20.0	629.0	664	55622.	2632	1.3	6.3	8.2	4.9	0.8	6.4	48	0.1
55172	0	0	0	0	KHM	48.5451	117.1320	20.0	629.6	663	55624.	2816	1.1	7.0	13.3	6.2	0.5	11.8	42	0.1
55171	0	0	0	0	KHM	48.5451	117.1316	20.0	630.3	662	55625.	2676	1.6	5.5	11.3	3.4	0.5	6.9	44	0.1
55170	0	0	0	0	KHM	48.5451	117.1312	20.1	630.9	658	55628.	2629	1.8	6.4	15.0	3.6	0.4	8.5	42	0.1
55169	0	0	0	0	KHM	48.5451	117.1308	20.1	631.6	652	55629.	2659	1.9	3.9	15.2	2.1	0.3	8.2	48	0.1
55168	0	0	0	0	KHM	48.5451	117.1304	20.1	632.2	647	55631.	2821	2.2	4.6	19.4	2.1	0.2	8.9	38	0.1
55167	0	0	0	0	KHM	48.5451	117.1300	20.2	632.9	647	55633.	2561	1.8	4.0	10.6	2.2	0.4	5.8	48	0.1
55166	0	0	0	0	KHM	48.5451	117.1296	20.2	633.5	649	55636.	2745	2.3	5.1	12.3	2.3	0.4	5.4	40	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 23							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
55165	0	0	0	0	KHM	48.5452	117.1292	20.2	634.1	654	55641.	2671	1.8	4.4	15.2	2.4	0.3	8.6	45	0.1
55164	0	0	0	0	KHM	48.5452	117.1288	20.3	634.7	660	55645.	2863	2.0	6.6	13.5	3.3	0.5	6.8	41	0.1
55163	0	0	0	0	KHM	48.5452	117.1284	20.3	635.3	668	55649.	2766	1.8	5.0	13.9	2.8	0.4	7.9	42	0.1
55162	0	0	0	0	KHM	48.5452	117.1280	20.3	635.9	674	55654.	2898	1.9	4.9	16.5	2.6	0.3	8.7	45	0.1
55161	0	0	0	0	KHM	48.5452	117.1276	20.4	636.6	678	55657.	2914	2.1	6.1	15.9	2.9	0.4	7.5	37	0.1
55160	0	0	0	0	KHM	48.5452	117.1272	20.4	637.2	677	55660.	2866	1.7	8.4	11.3	5.0	0.7	6.7	58	0.1
55159	0	0	0	0	KHM	48.5452	117.1268	20.4	637.7	673	55662.	2755	2.3	6.5	10.8	2.8	0.6	4.7	29	0.1
55158	0	0	0	0	KHM	48.5452	117.1264	20.5	638.3	667	55662.	2904	2.0	4.3	19.1	2.1	0.2	9.3	29	0.1
55157	0	0	0	0	KHM	48.5452	117.1260	20.5	638.9	663	55660.	2850	1.7	5.4	18.7	3.3	0.3	11.3	40	0.1
55156	0	0	0	0	KHM	48.5452	117.1256	20.5	639.5	659	55658.	2796	2.2	5.5	14.1	2.6	0.4	6.5	36	0.1
55155	0	0	0	0	KHM	48.5452	117.1252	20.6	640.1	655	55655.	2794	1.7	8.0	10.3	4.7	0.8	6.1	47	0.1
55154	0	0	0	0	KHM	48.5452	117.1247	20.6	640.6	650	55651.	2724	1.2	8.1	11.1	7.0	0.7	9.6	53	0.1
55153	0	0	0	0	KHM	48.5452	117.1243	20.6	641.2	645	55647.	2913	2.2	6.3	13.0	2.9	0.5	5.9	30	0.1
55152	0	0	0	0	KHM	48.5452	117.1239	20.7	641.8	641	55642.	2859	1.4	6.0	18.8	4.4	0.3	13.8	34	0.1
55151	0	0	0	0	KHM	48.5452	117.1235	20.7	642.3	639	55637.	2776	1.7	6.7	11.4	3.9	0.6	6.7	44	0.1
55150	0	0	0	0	KHM	48.5452	117.1231	20.7	642.9	640	55633.	2799	1.4	6.8	14.1	4.7	0.5	9.8	48	0.1
55149	0	0	0	0	KHM	48.5452	117.1227	20.7	643.4	636	55629.	3057	1.9	9.2	13.1	5.0	0.7	7.1	39	0.1
55148	0	0	0	0	KHM	48.5453	117.1223	20.8	644.1	631	55624.	3230	1.8	8.5	15.4	4.7	0.6	8.5	41	0.1
55147	0	0	0	0	KHM	48.5453	117.1219	20.8	644.6	623	55617.	3222	2.1	8.8	17.8	4.2	0.5	8.4	45	0.1
55146	0	0	0	0	KHM	48.5453	117.1215	20.8	645.2	616	55611.	3178	2.1	7.1	18.9	3.4	0.4	9.0	38	0.1
55145	0	0	0	0	KHM	48.5453	117.1211	20.9	645.8	603	55604.	3416	1.9	7.1	17.6	3.6	0.4	9.1	41	0.1
55144	0	0	0	0	KHM	48.5453	117.1207	20.9	646.4	586	55598.	3472	2.0	7.4	12.4	3.7	0.6	6.2	46	0.1
55143	0	0	0	0	KHM	48.5453	117.1203	20.9	647.0	565	55592.	3566	2.1	8.0	22.4	3.8	0.4	10.5	44	0.1
55142	0	0	0	0	KHM	48.5453	117.1199	20.9	647.5	547	55585.	3561	2.3	7.9	14.3	3.4	0.6	6.2	51	0.1
55141	0	0	0	0	KHM	48.5453	117.1195	21.0	648.1	528	55578.	3752	2.4	9.2	17.7	3.8	0.5	7.3	37	0.1
55140	0	0	0	0	KHM	48.5453	117.1188	21.0	648.7	515	55571.	3559	2.0	9.8	15.5	4.9	0.6	7.9	53	0.1
55139	0	0	0	0	KHM	48.5453	117.1181	21.0	649.3	505	55564.	3669	2.1	9.7	15.7	4.5	0.6	7.3	43	0.1
55138	0	0	0	0	KHM	48.5453	117.1175	21.0	649.8	486	55556.	3543	2.5	8.9	16.3	3.5	0.5	6.5	41	0.1
55137	0	0	0	0	KHM	48.5453	117.1168	21.1	650.4	460	55550.	3477	2.4	7.1	16.8	3.0	0.4	7.0	49	0.1
55136	0	0	0	0	KHM	48.5454	117.1161	21.1	650.9	433	55544.	3356	2.6	7.7	13.8	3.0	0.6	5.3	41	0.1
55135	0	0	0	0	KHM	48.5454	117.1154	21.1	651.4	424	55540.	3212	2.3	6.5	13.5	2.9	0.5	6.0	42	0.1
55134	0	0	0	0	KHM	48.5454	117.1148	21.1	651.9	421	55537.	3280	2.2	5.4	16.5	2.4	0.3	7.5	47	0.1
55133	0	0	0	0	KHM	48.5454	117.1141	21.2	652.4	414	55534.	3157	2.2	7.3	15.9	3.3	0.5	7.2	31	0.1
55132	0	0	0	0	KHM	48.5454	117.1134	21.2	652.9	404	55532.	3114	2.4	6.3	13.1	2.7	0.5	5.5	37	0.1
55131	0	0	0	0	KHM	48.5454	117.1128	21.2	653.3	398	55530.	3028	1.7	7.8	17.9	4.8	0.4	10.8	33	0.1
55130	0	0	0	0	KHM	48.5454	117.1121	21.2	653.7	399	55530.	3077	2.2	7.4	14.9	3.4	0.5	6.8	38	0.1
55129	0	0	0	0	KHM	48.5455	117.1114	21.2	654.2	405	55529.	3132	1.9	6.0	15.3	3.1	0.4	8.0	34	0.1
55128	0	0	0	0	KHM	48.5455	117.1107	21.3	654.6	402	55527.	3058	2.2	5.1	15.4	2.3	0.3	6.9	42	0.1
55127	0	0	0	0	KHM	48.5455	117.1101	21.3	654.9	396	55522.	2979	1.7	6.3	13.8	3.7	0.5	8.1	58	0.1
55126	0	0	0	0	KHM	48.5455	117.1094	21.3	655.3	392	55515.	3059	1.8	6.0	15.7	3.3	0.4	8.6	54	0.1
55125	0	0	0	0	KHM	48.5455	117.1087	21.3	655.6	404	55505.	3043	2.2	5.8	17.9	2.6	0.3	8.1	29	0.1
55124	0	0	0	0	KHM	48.5455	117.1080	21.3	655.9	428	55495.	2984	2.2	5.4	15.3	2.4	0.3	6.9	50	0.1
55123	0	0	0	0	KHM	48.5455	117.1074	21.4	656.2	446	55487.	3038	1.9	6.3	15.0	3.3	0.4	7.9	29	0.1
55122	0	0	0	0	KHM	48.5455	117.1067	21.4	656.4	442	55479.	3027	1.5	6.5	17.0	4.3	0.4	11.2	48	0.1
55121	0	0	0	0	KHM	48.5455	117.1060	21.4	656.7	426	55469.	2901	1.8	7.3	13.6	4.2	0.5	7.7	49	0.1
55120	0	0	0	0	KHM	48.5456	117.1054	21.4	656.9	422	55456.	2798	2.0	5.8	12.3	3.0	0.5	6.3	41	0.1
55119	0	0	0	0	KHM	48.5456	117.1047	21.4	657.1	443	55441.	2990	2.0	6.4	13.1	3.3	0.5	6.7	30	0.1
55118	0	0	0	0	KHM	48.5456	117.1040	21.4	657.3	473	55423.	3136	2.6	5.6	15.0	2.2	0.4	5.7	33	0.1
55117	0	0	0	0	KHM	48.5456	117.1033	21.4	657.4	491	55407.	3098	1.7	6.7	14.0	3.9	0.5	8.1	37	0.1
55116	0	0	0	0	KHM	48.5456	117.1027	21.4	657.6	502	55392.	3149	2.3	9.0	13.9	3.9	0.6	6.0	38	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 23									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
55115	0	0	0	0	KHM	48.5456	117.1020	21.5	657.7	516	55379.	3187	2.0	6.7	14.0	3.4	0.5	7.1	38	0.1
55114	0	0	0	0	KHM	48.5456	117.1013	21.5	657.8	540	55368.	3357	2.0	6.2	17.2	3.0	0.4	8.5	32	0.1
55113	0	0	0	0	KHM	48.5457	117.1006	21.5	657.9	568	55358.	3535	2.4	7.8	19.3	3.3	0.4	8.2	30	0.1
55112	0	0	0	0	KHM	48.5457	117.1000	21.5	658.0	581	55352.	3427	2.0	7.6	17.0	3.9	0.4	8.7	42	0.1
55111	0	0	0	0	KHM	48.5457	117.0993	21.5	658.1	564	55347.	3525	2.7	5.5	17.0	2.0	0.3	6.3	37	0.1
55110	0	0	0	0	KHM	48.5457	117.0987	21.5	658.1	527	55344.	3225	2.5	5.8	15.7	2.3	0.4	6.3	40	0.1
55109	0	0	0	0	KHM	48.5457	117.0980	21.5	658.1	491	55342.	3197	2.0	7.7	12.5	3.9	0.6	6.3	39	0.1
55108	0	0	0	0	KHM	48.5456	117.0974	21.5	658.1	478	55340.	3083	2.5	4.1	18.0	1.6	0.2	7.2	35	0.1
55107	0	0	0	0	KHM	48.5456	117.0967	21.5	658.1	480	55338.	3317	2.6	5.6	18.8	2.2	0.3	7.3	38	0.2
55106	0	0	0	0	KHM	48.5456	117.0961	21.5	658.0	480	55337.	3518	2.9	7.3	14.7	2.5	0.5	5.0	40	0.2
55105	0	0	0	0	KHM	48.5456	117.0955	21.5	658.0	466	55336.	3509	3.1	5.8	16.0	1.9	0.4	5.1	31	0.2
55104	0	0	0	0	KHM	48.5456	117.0948	21.5	657.9	439	55336.	3591	2.8	5.7	20.7	2.0	0.3	7.3	35	0.2
55103	0	0	0	0	KHM	48.5456	117.0942	21.5	657.9	407	55336.	3604	3.1	6.5	16.1	2.1	0.4	5.2	28	0.2
55102	1	1	1	1	KHM	48.5456	117.0936	21.5	657.8	388	55335.	3584	2.8	3.4	21.2	1.2	0.2	7.6	31	0.2
55101	0	0	0	0	KHM	48.5455	117.0929	21.6	657.8	373	55335.	3427	2.3	5.6	21.3	2.4	0.3	9.2	39	0.2
55100	0	0	0	0	KHM	48.5455	117.0923	21.6	657.7	364	55336.	3429	2.7	4.8	16.0	1.7	0.3	5.8	27	0.2
55099	0	0	0	0	KHM	48.5455	117.0916	21.6	657.6	356	55338.	3446	2.3	4.3	22.9	1.9	0.2	9.9	35	0.2
55098	0	0	0	0	KHM	48.5455	117.0910	21.6	657.5	347	55341.	3291	2.5	4.1	17.5	1.6	0.2	6.9	38	0.2
55097	0	0	0	0	KHM	48.5455	117.0904	21.6	657.4	342	55345.	3210	2.4	4.5	13.3	1.9	0.3	5.4	38	0.2
55096	0	0	0	0	KHM	48.5455	117.0897	21.6	657.3	342	55349.	3014	2.5	2.1	18.2	0.8	0.1	7.3	50	0.2
55095	0	0	0	0	KHM	48.5455	117.0891	21.6	657.3	358	55352.	3021	2.6	3.9	15.0	1.5	0.3	5.8	51	0.2
55093	0	0	0	0	KHM	48.5454	117.0878	21.6	657.2	384	55355.	3253	2.6	3.9	19.6	1.5	0.2	7.6	50	0.2
55092	0	0	0	0	KHM	48.5454	117.0872	21.6	657.1	401	55357.	3405	2.5	6.3	15.2	2.5	0.4	6.1	40	0.2
55091	0	0	0	0	KHM	48.5454	117.0865	21.6	657.1	408	55359.	3201	2.1	5.7	15.7	2.7	0.4	7.6	31	0.2
55090	0	0	0	0	KHM	48.5454	117.0859	21.6	657.0	400	55363.	3044	2.4	6.2	11.4	2.6	0.5	4.8	46	0.2
55089	0	0	0	0	KHM	48.5454	117.0853	21.6	657.0	392	55367.	3012	2.3	4.6	16.1	1.9	0.3	6.9	43	0.2
55088	0	0	0	0	KHM	48.5454	117.0846	21.6	656.9	388	55371.	2698	1.9	4.6	13.6	2.4	0.3	7.1	34	0.2
55087	0	0	0	0	KHM	48.5454	117.0840	21.6	656.8	410	55375.	2673	2.5	3.7	11.2	1.5	0.3	4.4	42	0.2
55086	0	0	0	0	KHM	48.5453	117.0834	21.6	656.7	451	55378.	2738	2.1	5.6	10.6	2.7	0.5	5.1	34	0.2
55085	0	0	0	0	KHM	48.5453	117.0827	21.6	656.7	491	55382.	2800	2.0	5.2	11.5	2.6	0.5	5.9	39	0.2
55084	0	0	0	0	KHM	48.5453	117.0821	21.6	656.6	502	55386.	2841	2.4	5.2	13.4	2.2	0.4	5.5	28	0.2
55083	0	0	0	0	KHM	48.5453	117.0814	21.6	656.5	501	55391.	2551	2.3	2.4	13.1	1.1	0.2	5.7	36	0.2
55082	0	0	0	0	KHM	48.5453	117.0808	21.6	656.3	505	55396.	2538	1.9	4.8	10.1	2.5	0.5	5.4	50	0.2
55081	0	0	0	0	KHM	48.5453	117.0802	21.6	656.2	535	55400.	2779	2.1	5.0	14.1	2.3	0.4	6.6	31	0.2
55080	0	0	0	0	KHM	48.5453	117.0795	21.6	656.0	586	55403.	2938	2.6	5.1	12.2	2.0	0.4	4.7	29	0.2
55079	0	0	0	0	KHM	48.5453	117.0789	21.6	655.8	638	55405.	3187	2.4	6.2	14.6	2.6	0.4	6.1	45	0.2
55078	0	0	0	0	KHM	48.5452	117.0782	21.6	655.6	684	55407.	3269	2.5	5.9	16.0	2.4	0.4	6.5	43	0.2
55077	1	0	0	0	KHM	48.5452	117.0776	21.6	655.4	718	55408.	3297	2.4	4.6	17.5	2.0	0.3	7.4	38	0.2
55076	1	0	0	0	KHM	48.5452	117.0770	21.6	655.2	749	55408.	3414	2.2	5.1	16.0	2.3	0.3	7.4	52	0.2
55075	1	0	0	0	KHM	48.5452	117.0763	21.6	654.9	762	55408.	3442	2.2	4.9	18.5	2.2	0.3	8.3	43	0.2
55074	1	0	0	0	KHM	48.5452	117.0757	21.6	654.7	753	55409.	3548	3.2	4.8	17.8	1.5	0.3	5.6	39	0.2
55073	1	0	0	0	KHM	48.5452	117.0751	21.6	654.4	721	55410.	3175	2.2	5.1	18.3	2.3	0.3	8.3	52	0.2
55072	0	0	0	0	KHM	48.5452	117.0744	21.6	654.2	681	55413.	3410	2.5	3.9	21.9	1.6	0.2	8.8	34	0.2
55071	0	0	0	0	KHM	48.5452	117.0738	21.6	653.9	640	55415.	3435	2.9	4.9	16.2	1.7	0.3	5.6	34	0.2
55070	0	0	0	0	KHM	48.5451	117.0732	21.6	653.7	596	55418.	3338	2.6	4.5	19.0	1.8	0.2	7.4	46	0.2
55069	0	0	0	0	KHM	48.5451	117.0725	21.6	653.4	544	55422.	3225	2.7	4.4	11.8	1.6	0.4	4.3	45	0.2
55068	0	0	0	0	KHM	48.5451	117.0719	21.6	653.2	486	55425.	2969	2.2	4.5	12.9	2.1	0.4	6.0	38	0.2
55067	0	0	0	0	KHM	48.5451	117.0712	21.6	653.0	430	55430.	2867	2.6	3.2	14.2	1.2	0.2	5.4	32	0.2
55066	0	0	0	0	KHM	48.5451	117.0706	21.6	652.8	382	55433.	2719	2.3	3.4	14.2	1.5	0.2	6.2	37	0.2
55065	0	0	0	0	KHM	48.5451	117.0700	21.6	652.6	352	55437.	2604	1.7	3.0	12.9	1.7	0.2	7.4	43	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 23							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
55064	0	0	0	0	KHM	48.5451	117.0693	21.6	652.5	353	55440.	2671	2.0	4.4	15.3	2.2	0.3	7.6	38	0.2
55063	0	0	0	0	KHM	48.5450	117.0687	21.6	652.4	387	55442.	2749	2.1	4.2	14.3	2.0	0.3	7.0	40	0.2
55062	0	0	0	0	KHM	48.5450	117.0681	21.6	652.3	421	55444.	3027	2.3	4.7	17.3	2.0	0.3	7.6	44	0.2
55061	0	0	0	0	KHM	48.5450	117.0674	21.6	652.2	448	55444.	2878	2.3	1.8	17.1	0.8	0.1	7.4	53	0.2
55060	0	0	0	0	KHM	48.5450	117.0668	21.6	652.1	451	55446.	3040	2.4	3.7	13.7	1.6	0.3	5.8	42	0.2
55059	0	0	0	0	KHM	48.5450	117.0661	21.6	652.1	459	55446.	2926	1.9	5.1	12.3	2.7	0.4	6.5	41	0.2
55058	0	0	0	0	KHM	48.5450	117.0655	21.6	652.0	468	55447.	2954	2.3	6.1	10.6	2.7	0.6	4.6	44	0.2
55057	0	0	0	0	KHM	48.5450	117.0648	21.6	651.9	491	55449.	2992	2.1	4.2	16.0	2.0	0.3	7.6	31	0.2
55056	0	0	0	0	KHM	48.5450	117.0642	21.6	651.9	501	55449.	3150	2.2	3.5	16.5	1.6	0.2	7.6	24	0.2
55055	0	0	0	C	KHM	48.5449	117.0636	21.6	651.8	505	55450.	3168	2.7	3.3	17.3	1.2	0.2	6.4	41	0.2
55054	0	0	0	0	KHM	48.5449	117.0629	21.6	651.8	489	55451.	3241	2.4	4.6	14.3	2.0	0.3	6.1	39	0.2
55053	0	0	0	0	KHM	48.5449	117.0623	21.7	651.7	470	55452.	3207	2.4	4.7	11.8	2.0	0.4	4.9	48	0.2
55052	0	0	0	0	KHM	48.5449	117.0617	21.7	651.6	450	55454.	3003	2.6	4.1	13.0	1.6	0.3	5.1	54	0.2
55051	0	0	0	0	KHM	48.5449	117.0610	21.7	651.4	411	55456.	2841	2.1	5.8	15.7	2.8	0.4	7.6	40	0.2
55050	0	0	0	0	KHM	48.5449	117.0604	21.7	651.3	379	55457.	2714	1.6	5.3	10.3	3.2	0.5	6.3	51	0.2
55049	0	0	0	0	KHM	48.5449	117.0598	21.7	651.1	346	55456.	2606	1.8	4.3	13.2	2.4	0.3	7.2	42	0.2
55048	0	0	0	0	KHM	48.5448	117.0591	21.7	650.9	335	55457.	2634	1.6	5.8	9.5	3.6	0.6	6.0	47	0.2
55047	0	0	0	0	KGP	48.5448	117.0585	21.7	650.7	318	55457.	2569	2.0	4.7	10.4	2.4	0.4	5.3	52	0.2
55046	0	0	0	0	KGP	48.5448	117.0578	21.7	650.5	307	55458.	2447	1.7	4.0	11.6	2.4	0.3	6.8	39	0.2
55045	0	0	0	0	KGP	48.5448	117.0572	21.7	650.4	306	55457.	2282	1.5	4.2	9.3	2.8	0.4	6.3	36	0.2
55044	0	0	0	0	KGP	48.5448	117.0566	21.7	650.2	318	55455.	2209	1.5	3.4	9.4	2.3	0.4	6.3	50	0.2
55043	0	0	0	0	KGP	48.5448	117.0559	21.8	650.1	325	55452.	2384	1.5	4.3	10.5	2.9	0.4	7.0	53	0.2
55042	0	0	0	0	KGP	48.5448	117.0553	21.8	649.9	326	55448.	2332	1.6	3.4	12.6	2.1	0.3	7.9	45	0.2
55041	0	0	0	0	KGP	48.5448	117.0546	21.8	649.8	323	55444.	2259	1.8	2.7	9.0	1.5	0.3	5.0	59	0.2
55040	0	0	0	0	KGP	48.5448	117.0540	21.8	649.7	330	55441.	2326	2.0	3.0	11.3	1.5	0.3	5.7	37	0.2
55039	0	0	0	0	KGP	48.5447	117.0534	21.8	649.6	336	55440.	2371	1.7	4.0	9.3	2.4	0.4	5.5	45	0.2
55038	0	0	0	0	KGP	48.5447	117.0527	21.8	649.5	329	55442.	2291	1.5	3.7	12.4	2.4	0.3	8.0	39	0.2
55037	0	0	0	0	KGP	48.5447	117.0521	21.8	649.5	302	55445.	2135	1.5	2.9	9.3	2.0	0.3	6.4	36	0.2
55036	0	0	0	0	KGP	48.5447	117.0515	21.8	649.5	278	55449.	1998	1.6	2.7	10.7	1.7	0.3	6.8	46	0.2
55035	0	0	0	0	KGP	48.5447	117.0508	21.9	649.5	271	55453.	2069	1.6	2.9	10.7	1.8	0.3	6.7	31	0.2
55034	0	0	0	0	KGP	48.5447	117.0502	21.9	649.6	282	55454.	2148	1.5	4.9	9.4	3.3	0.5	6.2	42	0.2
55033	0	0	0	0	KGP	48.5446	117.0495	21.9	649.7	307	55453.	2237	1.7	3.4	9.3	2.0	0.4	5.5	45	0.2
55032	0	0	0	0	KGP	48.5446	117.0489	21.9	649.9	346	55451.	2452	2.0	3.3	11.1	1.7	0.3	5.5	39	0.2
55031	0	0	0	0	KGP	48.5446	117.0483	21.9	650.1	383	55449.	2568	1.8	4.1	10.5	2.3	0.4	5.7	47	0.2
55030	0	0	0	0	KGP	48.5446	117.0476	21.9	650.3	420	55447.	2579	2.1	3.8	11.9	1.8	0.3	5.6	34	0.2
55029	0	0	0	0	KGP	48.5446	117.0470	22.0	650.6	445	55446.	2604	2.5	2.8	11.7	1.1	0.2	4.7	36	0.2
55028	0	0	0	0	KGP	48.5446	117.0464	22.0	650.9	474	55445.	2740	2.0	6.4	14.4	3.3	0.4	7.3	40	0.1
55027	0	0	0	0	KGP	48.5446	117.0457	22.0	651.2	497	55444.	2625	2.3	5.5	13.4	2.4	0.4	5.8	37	0.1
55026	0	0	0	0	KGP	48.5446	117.0451	22.0	651.5	520	55442.	2628	2.1	6.0	11.6	2.8	0.5	5.4	45	0.1
55025	0	0	0	0	KGP	48.5446	117.0444	22.0	651.9	541	55441.	2587	1.8	5.4	11.7	3.0	0.5	6.6	46	0.1
55024	0	0	0	0	KGP	48.5445	117.0438	22.0	652.3	560	55439.	2712	2.1	5.1	12.4	2.4	0.4	5.9	45	0.1
55023	0	0	0	0	KGP	48.5445	117.0432	22.1	652.8	564	55438.	2699	1.7	5.4	12.8	3.2	0.4	7.6	37	0.1
55022	0	0	0	0	KGP	48.5445	117.0425	22.1	653.2	553	55436.	2662	2.6	3.8	10.6	1.4	0.4	4.0	40	0.1
55021	0	0	0	0	KGP	48.5445	117.0419	22.1	653.6	537	55435.	2650	2.0	4.2	11.1	2.1	0.4	5.4	34	0.1
55020	0	0	0	0	KGP	48.5445	117.0412	22.1	654.0	523	55437.	2590	2.1	2.4	14.2	1.2	0.2	6.8	41	0.1
55019	0	0	0	0	KGP	48.5445	117.0406	22.1	654.4	507	55438.	2483	1.8	5.3	11.5	3.0	0.5	6.4	36	0.1
55018	0	0	0	0	KGP	48.5445	117.0400	22.1	654.8	480	55440.	2556	2.6	4.1	13.0	1.6	0.3	5.1	40	0.1
55017	0	0	0	0	KGP	48.5444	117.0393	22.2	655.2	448	55443.	2458	2.1	4.1	14.1	1.9	0.3	6.6	48	0.1
55016	0	0	0	0	KGP	48.5444	117.0387	22.2	655.6	413	55443.	2356	1.4	3.7	12.5	2.6	0.3	8.7	34	0.1
55015	0	0	0	0	KGP	48.5444	117.0381	22.2	656.0	384	55444.	2203	1.8	4.5	9.6	2.5	0.5	5.3	36	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 23									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM		
55014	0	0	0	0	KGP	48.5444	117.0374	22.2	656.4	370	55446.	2251	1.9	3.6	8.1	1.9	0.4	4.3	40	0.1		
55013	0	0	0	0	KGP	48.5444	117.0368	22.2	656.8	373	55449.	2251	2.0	3.6	13.2	1.8	0.3	6.7	33	0.1		
55012	0	0	0	0	KGP	48.5444	117.0361	22.3	657.2	387	55453.	2295	2.0	4.1	14.8	2.1	0.3	7.5	37	0.1		
55011	0	0	0	0	KGP	48.5444	117.0355	22.3	657.6	411	55455.	2326	1.6	5.0	11.1	3.2	0.5	6.1	39	0.1		
55010	0	0	0	0	KGP	48.5443	117.0349	22.3	658.0	448	55456.	2447	1.9	4.7	12.6	2.5	0.4	6.0	31	0.1		
55009	0	0	0	0	KGP	48.5443	117.0342	22.3	658.3	527	55454.	2752	2.1	6.3	14.4	3.0	0.4	6.8	33	0.1		
55008	0	0	0	0	KHM	48.5443	117.0336	22.3	658.7	585	55452.	2862	1.7	7.2	14.0	4.1	0.5	8.0	30	0.1		
55007	0	0	0	0	KHM	48.5443	117.0330	22.4	659.1	619	55451.	2983	2.2	6.5	15.9	3.0	0.4	7.2	32	0.1		
55006	0	0	0	0	KHM	48.5443	117.0323	22.4	659.4	596	55451.	2860	2.0	6.5	14.2	3.3	0.5	7.1	39	0.1		
55005	0	0	0	0	KHM	48.5443	117.0317	22.4	659.8	567	55451.	2808	1.9	8.3	11.4	4.4	0.7	6.1	54	0.1		
55004	0	0	0	0	KHM	48.5443	117.0311	22.4	660.1	537	55452.	2964	2.2	6.5	16.0	3.0	0.4	7.3	40	0.1		
55002	0	0	0	0	QAG	48.5443	117.0298	22.4	660.4	502	55454.	2745	2.4	5.8	14.4	2.4	0.4	6.1	32	0.1		
55001	0	0	0	0	QAG	48.5442	117.0291	22.5	660.8	459	55457.	2536	2.0	5.7	11.4	2.8	0.5	5.6	34	0.1		
55000	0	0	0	0	QAG	48.5442	117.0285	22.5	661.1	411	55461.	2382	2.1	4.1	10.7	1.9	0.4	5.1	39	0.1		
54999	0	0	0	0	QAG	48.5442	117.0279	22.5	661.4	379	55465.	2214	2.0	1.9	14.1	0.9	0.1	6.9	38	0.1		
54998	0	0	0	0	QAG	48.5442	117.0272	22.5	661.7	382	55467.	2240	1.9	3.8	8.6	2.0	0.4	4.6	45	0.1		
54997	0	0	0	0	QAG	48.5442	117.0266	22.5	662.0	403	55467.	2320	1.9	3.7	12.6	1.9	0.3	6.5	32	0.1		
54996	0	0	0	0	QAG	48.5442	117.0259	22.6	662.4	436	55466.	2348	2.0	3.9	13.0	1.9	0.3	6.5	57	0.1		
54995	0	0	0	0	QAG	48.5442	117.0253	22.6	662.7	465	55464.	2332	1.8	2.4	13.3	1.3	0.2	7.3	44	0.1		
54994	0	0	0	0	QAG	48.5441	117.0247	22.6	663.0	510	55462.	2562	2.2	4.9	12.7	2.2	0.4	5.9	29	0.2		
54993	0	0	0	0	QAG	48.5441	117.0240	22.6	663.4	539	55460.	2434	1.8	4.2	11.1	2.3	0.4	6.1	36	0.2		
54992	0	0	0	0	QAG	48.5441	117.0234	22.6	663.7	550	55457.	2429	2.7	4.3	9.2	1.6	0.5	3.4	42	0.2		
54991	0	0	0	0	QAG	48.5441	117.0228	22.6	664.0	541	55455.	2410	2.5	3.8	10.5	1.5	0.4	4.2	43	0.2		
54990	0	0	0	0	QAG	48.5441	117.0222	22.7	664.4	533	55453.	2391	2.1	2.4	11.5	1.1	0.2	5.4	41	0.2		
54989	0	0	0	0	QAG	48.5441	117.0216	22.7	664.7	528	55450.	2495	1.6	6.9	11.8	4.3	0.6	7.5	29	0.2		
54988	0	0	0	0	QAG	48.5441	117.0210	22.7	665.0	523	55447.	2431	2.0	4.6	8.5	2.3	0.5	4.3	31	0.2		
54987	0	0	0	0	QAG	48.5441	117.0204	22.7	665.3	514	55447.	2482	2.2	4.2	10.8	1.9	0.4	4.9	23	0.2		
54986	0	0	0	0	QAG	48.5441	117.0198	22.7	665.6	499	55447.	2220	2.1	3.8	7.5	1.8	0.5	3.7	44	0.2		
54985	0	0	0	0	QAG	48.5440	117.0192	22.7	665.9	481	55448.	2319	2.1	4.2	8.1	2.0	0.5	3.9	36	0.2		
54984	0	0	0	0	QAG	48.5440	117.0186	22.8	666.2	470	55450.	2178	1.7	2.4	9.7	1.4	0.2	5.8	32	0.2		
54983	0	0	0	0	QAG	48.5440	117.0180	22.8	666.5	470	55452.	2133	1.9	3.6	9.3	1.8	0.4	4.8	31	0.2		
54982	0	0	0	0	QAG	48.5440	117.0174	22.8	666.7	463	55454.	2059	1.6	3.5	8.4	2.2	0.4	5.2	42	0.2		
54981	0	0	0	0	QAG	48.5440	117.0168	22.8	667.0	455	55455.	2059	1.4	2.7	9.1	1.9	0.3	6.4	34	0.2		
54980	0	0	0	0	QAG	48.5440	117.0163	22.8	667.2	442	55455.	1913	1.4	3.9	6.5	2.9	0.6	4.8	29	0.2		
54979	0	0	0	0	QAG	48.5440	117.0157	22.8	667.4	440	55455.	1880	1.5	2.1	8.2	1.4	0.3	5.4	35	0.2		
54978	0	0	0	0	QAG	48.5440	117.0151	22.8	667.6	451	55455.	1996	1.6	2.4	9.3	1.5	0.3	5.7	37	0.2		
54977	0	0	0	0	QAG	48.5440	117.0145	22.9	667.9	463	55458.	2078	1.3	3.1	8.9	2.4	0.4	6.9	30	0.2		
54976	0	0	1	0	QAG	48.5439	117.0139	22.9	668.1	475	55460.	2203	1.8	1.6	12.7	0.9	0.1	7.0	22	0.2		
54975	0	0	0	0	QAG	48.5439	117.0133	22.9	668.3	485	55463.	2149	1.5	2.0	11.8	1.3	0.2	7.7	24	0.2		
54974	0	0	0	0	QAG	48.5439	117.0127	22.9	668.5	498	55466.	2254	1.5	3.7	10.6	2.5	0.3	7.3	39	0.2		
54973	0	0	0	0	QAG	48.5439	117.0121	22.9	668.7	512	55469.	2263	2.0	4.4	9.1	2.2	0.5	4.5	27	0.2		
54972	0	0	0	0	QAG	48.5439	117.0115	22.9	669.0	514	55474.	2176	1.9	3.8	7.6	2.0	0.5	4.0	44	0.2		
54971	0	0	0	0	QAG	48.5439	117.0109	22.9	669.1	507	55480.	2052	1.6	3.2	9.7	2.0	0.3	6.0	45	0.2		
54970	0	0	0	0	QAG	48.5439	117.0103	22.9	669.3	494	55487.	2058	1.1	4.5	6.9	3.9	0.6	6.0	32	0.2		
54969	0	0	0	0	QAG	48.5439	117.0098	22.9	669.5	480	55493.	1935	1.3	4.2	9.5	3.1	0.4	7.1	29	0.2		
54968	0	0	0	0	QAG	48.5439	117.0092	22.9	669.7	463	55500.	1953	1.2	3.4	9.8	2.8	0.3	8.0	28	0.2		
54967	0	0	0	0	QAG	48.5439	117.0086	23.0	669.9	449	55506.	1848	1.4	3.5	6.2	2.5	0.6	4.4	39	0.2		
54966	0	0	0	0	QAG	48.5439	117.0080	23.0	670.1	447	55510.	1764	1.7	1.9	7.8	1.1	0.2	4.5	41	0.2		
54965	0	0	0	0	QAG	48.5438	117.0074	23.0	670.3	455	55515.	1872	1.7	2.8	5.6	1.7	0.5	3.4	55	0.2		
54964	0	0	0	0	QAG	48.5438	117.0068	23.0	670.4	468	55519.	1915	1.6	2.5	8.2	1.6	0.3	5.1	20	0.2		

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 23							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
54963	0	0	0	0	QAG	48.5438	117.0062	23.0	670.5	478	55521.	1938	1.6	4.1	6.8	2.5	0.6	4.2	31	0.2
54962	0	0	0	0	QAG	48.5438	117.0056	23.0	670.7	488	55524.	2035	1.4	3.5	8.3	2.5	0.4	5.9	36	0.2
54961	0	0	0	0	QAG	48.5438	117.0050	23.0	670.8	490	55525.	2013	1.7	3.7	7.6	2.3	0.5	4.6	30	0.2
54960	0	0	0	0	QAG	48.5438	117.0044	23.0	670.9	484	55526.	2025	1.3	3.9	9.9	3.0	0.4	7.6	23	0.2
54959	0	0	0	0	QAG	48.5438	117.0038	23.0	670.9	479	55527.	1972	1.7	2.3	9.0	1.4	0.3	5.3	34	0.2
54958	0	0	0	0	QAG	48.5438	117.0033	23.0	671.0	480	55528.	2042	1.9	3.5	7.6	1.8	0.5	4.0	20	0.2
54957	0	0	0	0	QAG	48.5438	117.0027	23.0	671.1	507	55531.	2083	1.7	2.7	7.7	1.6	0.4	4.6	39	0.2
54956	0	0	0	0	QAG	48.5437	117.0021	23.1	671.2	542	55536.	1965	1.1	4.1	4.9	3.7	0.8	4.4	36	0.2
54955	0	0	0	0	QAG	48.5437	117.0015	23.1	671.3	574	55543.	2067	1.5	4.1	6.7	2.6	0.6	4.4	35	0.2
54954	0	0	0	0	QAG	48.5438	117.0008	23.1	671.3	583	55550.	1854	0.8	5.6	5.6	7.4	1.0	7.3	32	0.2
54953	0	0	0	0	QAG	48.5438	117.0001	23.1	671.3	575	55560.	1935	1.8	2.4	5.9	1.3	0.4	3.3	38	0.2
54952	0	0	0	0	QAG	48.5438	116.9994	23.1	671.4	557	55570.	2065	1.5	5.4	7.8	3.7	0.7	5.4	30	0.2
54951	0	0	0	0	QAG	48.5439	116.9987	23.1	671.4	541	55582.	1958	1.5	2.7	8.3	1.8	0.3	5.4	42	0.2
54950	0	0	0	0	QAG	48.5439	116.9980	23.1	671.4	518	55596.	2136	1.2	4.4	7.4	3.7	0.6	6.1	39	0.2
54949	0	0	0	0	QAG	48.5439	116.9973	23.1	671.4	490	55609.	2167	1.5	3.8	7.0	2.6	0.5	4.8	36	0.2
54948	0	0	0	0	QAG	48.5439	116.9966	23.1	671.4	451	55622.	2164	1.7	3.8	6.6	2.3	0.6	3.9	39	0.2
54947	0	0	0	0	QAG	48.5440	116.9960	23.1	671.5	410	55634.	2273	1.5	4.5	9.8	3.0	0.5	6.6	43	0.2
54946	0	0	0	0	QAG	48.5440	116.9953	23.1	671.5	381	55646.	2345	1.8	2.5	11.8	1.4	0.2	6.7	30	0.2
54945	0	0	0	0	QAG	48.5440	116.9946	23.1	671.5	355	55657.	2320	2.2	2.0	11.3	0.9	0.2	5.2	24	0.2

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 24							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
55417	0	0	0	0	KG	48.5412	117.2455	21.9	666.0	362	55757.	2276	1.8	3.6	9.3	2.0	0.4	5.3	41	0.1
55418	0	0	0	0	KG	48.5412	117.2449	21.9	665.6	355	55761.	2247	2.0	2.5	13.3	1.3	0.2	6.7	34	0.1
55419	0	0	0	0	KG	48.5412	117.2444	21.9	665.2	356	55765.	2311	2.2	2.7	11.2	1.2	0.2	5.1	20	0.1
55420	0	0	0	0	KG	48.5412	117.2438	21.9	664.9	353	55768.	2194	1.7	4.0	10.1	2.3	0.4	5.9	27	0.1
55421	0	0	0	0	KG	48.5412	117.2432	21.9	664.5	355	55771.	2227	2.0	3.8	9.9	1.9	0.4	5.0	33	0.1
55422	0	0	0	0	KG	48.5412	117.2427	21.9	664.2	357	55775.	2234	2.0	3.5	11.6	1.7	0.3	5.7	26	0.1
55423	0	0	0	0	KG	48.5412	117.2421	21.9	663.8	362	55780.	2281	1.8	4.6	11.0	2.5	0.4	6.1	44	0.1
55424	0	0	0	0	KG	48.5412	117.2416	21.9	663.5	368	55784.	2210	1.8	4.4	10.2	2.5	0.4	5.7	30	0.1
55425	0	0	0	0	KG	48.5412	117.2410	21.9	663.1	370	55791.	2192	2.0	2.0	10.7	1.0	0.2	5.5	45	0.1
55426	0	0	0	0	KG	48.5412	117.2405	21.9	662.8	375	55798.	2256	1.9	4.9	7.3	2.6	0.7	3.9	33	0.1
55427	0	0	0	0	KG	48.5412	117.2399	21.9	662.5	378	55805.	2149	2.0	4.0	8.5	2.0	0.5	4.3	46	0.1
55428	0	0	0	0	KG	48.5412	117.2393	21.9	662.2	380	55812.	2179	2.2	2.7	12.7	1.2	0.2	5.8	41	0.1
55429	0	0	0	0	KG	48.5412	117.2388	21.9	661.9	376	55818.	2213	2.2	4.1	9.7	1.8	0.4	4.3	33	0.1
55430	0	0	0	0	KG	48.5412	117.2382	21.9	661.4	375	55824.	2357	2.0	4.8	8.9	2.4	0.5	4.4	27	0.1
55431	0	0	0	0	KG	48.5412	117.2377	21.9	660.9	379	55831.	2255	2.0	4.8	7.4	2.4	0.7	3.6	43	0.1
55432	0	0	0	0	KG	48.5412	117.2371	21.9	660.4	377	55838.	2320	1.9	4.3	7.8	2.3	0.6	4.2	30	0.1
55433	0	0	0	0	KG	48.5412	117.2366	21.9	660.0	368	55846.	2247	2.2	3.7	9.6	1.7	0.4	4.4	40	0.1
55434	0	0	0	0	KG	48.5412	117.2360	21.9	659.5	358	55855.	2263	2.5	2.9	9.4	1.2	0.3	3.8	40	0.1
55435	0	0	0	0	KG	48.5412	117.2355	21.8	659.0	357	55865.	2274	2.0	2.0	13.6	1.0	0.1	6.9	18	0.1
55436	0	0	0	0	KG	48.5412	117.2349	21.8	658.6	357	55875.	2201	2.3	3.9	9.1	1.6	0.4	3.9	43	0.1
55437	0	0	0	0	KG	48.5412	117.2343	21.8	658.3	356	55885.	2260	2.3	3.6	8.1	1.6	0.4	3.6	32	0.1
55438	0	0	0	0	KG	48.5412	117.2338	21.8	657.9	350	55896.	2232	1.9	3.6	11.1	1.9	0.3	5.7	39	0.1
55439	0	0	0	0	KG	48.5412	117.2332	21.8	657.6	340	55907.	2258	2.0	5.8	7.5	2.9	0.8	3.7	35	0.1
55440	0	0	0	0	KG	48.5412	117.2327	21.8	657.4	325	55916.	2320	2.0	4.6	8.5	2.3	0.5	4.3	32	0.1
55441	0	0	0	0	KG	48.5412	117.2321	21.8	657.1	312	55922.	2275	2.2	4.1	9.9	1.8	0.4	4.4	48	0.1
55442	0	0	0	0	KG	48.5412	117.2316	21.8	657.0	308	55921.	2277	2.1	3.5	8.8	1.6	0.4	4.1	42	0.1
55443	0	0	0	0	KG	48.5412	117.2310	21.8	656.8	318	55915.	2201	2.1	2.9	9.8	1.4	0.3	4.7	41	0.1
55444	0	0	0	0	QAG	48.5412	117.2304	21.8	656.7	333	55906.	2205	2.1	3.0	8.8	1.4	0.3	4.2	40	0.1
55445	0	0	0	0	QAG	48.5412	117.2299	21.8	656.7	347	55897.	2145	1.7	2.6	11.7	1.5	0.2	6.7	27	0.1
55446	0	0	0	0	QAG	48.5412	117.2293	21.8	656.6	355	55887.	2054	1.6	4.0	9.9	2.5	0.4	6.2	41	0.1
55447	0	0	0	0	QAG	48.5412	117.2288	21.8	656.6	364	55876.	2030	1.9	3.2	9.2	1.7	0.3	5.0	42	0.1
55448	0	0	0	0	QAG	48.5412	117.2282	21.8	656.6	372	55866.	2051	1.9	1.7	9.9	0.9	0.2	5.2	34	0.1
55449	0	0	0	0	QAG	48.5412	117.2277	21.8	656.6	382	55856.	1996	1.7	3.0	6.8	1.7	0.4	3.9	50	0.1
55450	0	0	0	0	QAG	48.5412	117.2271	21.8	656.6	395	55846.	2094	1.9	2.7	11.3	1.4	0.2	6.0	32	0.1
55451	0	0	0	0	QAG	48.5412	117.2265	21.8	656.7	413	55836.	1897	1.6	3.8	9.7	2.3	0.4	5.9	52	0.1
55452	0	0	0	0	QAG	48.5412	117.2260	21.8	656.7	437	55826.	2083	1.7	3.5	11.1	2.0	0.3	6.4	35	0.1
55453	0	0	0	0	QAG	48.5412	117.2254	21.8	656.7	468	55818.	2033	1.6	4.1	5.8	2.5	0.7	3.5	55	0.1
55454	0	0	0	0	QAG	48.5412	117.2249	21.8	656.7	501	55809.	1996	1.7	3.6	5.7	2.1	0.6	3.3	49	0.1
55455	0	0	0	0	QAG	48.5412	117.2243	21.8	656.7	533	55803.	2169	1.9	4.7	7.8	2.4	0.6	4.0	38	0.1
55456	0	0	0	0	QAG	48.5412	117.2238	21.8	656.6	549	55797.	2103	2.0	3.8	8.7	1.9	0.4	4.4	39	0.1
55457	0	0	0	0	QAG	48.5412	117.2232	21.8	656.6	554	55792.	2089	1.5	5.2	7.5	3.6	0.7	5.2	39	0.1
55458	0	0	0	0	QAG	48.5412	117.2226	21.8	656.5	550	55790.	2129	2.0	3.8	7.8	1.9	0.5	3.9	33	0.1
55459	0	0	0	0	QAG	48.5412	117.2221	21.8	656.5	548	55787.	2148	2.0	3.1	9.2	1.5	0.3	4.6	30	0.1
55460	0	0	0	0	QAG	48.5412	117.2215	21.8	656.4	551	55784.	1980	1.8	2.7	8.2	1.5	0.3	4.5	42	0.1
55461	0	0	0	0	QAG	48.5412	117.2210	21.8	656.3	569	55782.	2173	1.8	5.6	5.5	3.1	1.0	3.1	34	0.1
55462	0	0	0	0	QAG	48.5412	117.2204	21.8	656.1	593	55777.	2449	2.0	5.5	10.0	2.8	0.5	5.1	38	0.1
55463	0	0	0	0	QAG	48.5412	117.2199	21.8	656.0	614	55773.	2231	1.4	5.1	10.3	3.6	0.5	7.3	41	0.1
55464	0	0	0	0	QAG	48.5412	117.2193	21.8	655.8	624	55770.	2607	1.8	7.7	12.1	4.3	0.6	6.8	34	0.1
55465	0	0	0	0	QAG	48.5412	117.2187	21.8	655.6	633	55766.	2521	1.7	6.7	8.6	4.0	0.8	5.1	32	0.1
55467	0	0	0	0	QAG	48.5412	117.2176	21.8	655.4	629	55762.	2454	2.0	4.5	7.4	2.2	0.6	3.7	28	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 24							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
55468	0	0	0	0	QAG	48.5412	117.2171	21.8	655.2	618	55758.	2411	2.1	5.4	6.5	2.6	0.8	3.2	40	0.1
55469	0	0	0	0	QAG	48.5412	117.2165	21.8	654.9	602	55753.	2263	2.3	4.4	8.5	1.9	0.5	3.7	46	0.1
55470	0	0	0	0	QAG	48.5412	117.2160	21.8	654.7	593	55747.	2105	2.3	3.8	7.9	1.6	0.5	3.4	39	0.1
55471	0	0	0	0	QAG	48.5412	117.2154	21.8	654.4	586	55744.	2198	1.9	7.2	3.8	3.7	1.9	2.0	36	0.1
55472	0	0	0	0	QAG	48.5412	117.2149	21.8	654.1	580	55742.	2180	1.5	5.7	8.2	3.8	0.7	5.5	31	0.1
55473	0	0	0	0	QAG	48.5412	117.2143	21.7	653.7	568	55742.	2169	2.0	5.0	6.9	2.5	0.7	3.4	35	0.1
55474	0	0	0	0	QAG	48.5412	117.2137	21.7	653.4	548	55744.	2133	1.5	5.3	8.7	3.4	0.6	5.7	38	0.1
55475	0	0	0	0	QAG	48.5412	117.2132	21.7	653.1	516	55748.	2007	2.0	3.2	6.9	1.6	0.5	3.5	44	0.1
55476	0	0	0	0	QAG	48.5412	117.2126	21.7	652.8	484	55753.	2043	1.4	4.1	9.9	2.8	0.4	6.9	48	0.1
55477	0	0	0	0	QAG	48.5412	117.2120	21.7	652.5	445	55758.	2020	1.6	4.4	7.7	2.8	0.6	4.9	40	0.1
55478	0	0	0	0	QAG	48.5412	117.2114	21.7	652.2	413	55763.	1852	1.4	4.2	7.3	2.9	0.6	5.1	31	0.1
55479	0	0	0	0	QAG	48.5412	117.2109	21.7	651.9	383	55768.	1820	1.4	2.7	9.1	1.9	0.3	6.4	35	0.1
55480	0	0	0	0	QAG	48.5412	117.2103	21.7	651.6	370	55770.	1748	1.9	1.3	8.2	0.7	0.2	4.4	42	0.1
55481	0	0	0	0	QAG	48.5412	117.2097	21.7	651.4	364	55770.	1726	1.6	2.8	6.7	1.8	0.4	4.3	54	0.1
55482	0	0	0	0	QAG	48.5412	117.2092	21.7	651.1	363	55769.	1743	1.3	3.5	7.0	2.8	0.5	5.6	32	0.1
55483	0	0	0	0	QAG	48.5412	117.2086	21.7	650.9	364	55766.	1753	1.5	2.9	6.5	2.0	0.4	4.4	36	0.1
55484	0	0	0	0	QAG	48.5412	117.2080	21.7	650.7	366	55763.	1731	1.3	4.2	5.9	3.1	0.7	4.4	32	0.1
55485	0	0	0	0	QAG	48.5412	117.2074	21.7	650.4	368	55760.	1773	1.4	4.8	6.2	3.5	0.8	4.6	33	0.1
55486	0	0	0	0	QAG	48.5412	117.2069	21.7	650.2	372	55755.	1724	1.2	4.0	4.6	3.5	0.9	4.0	32	0.1
55487	0	0	0	0	QAG	48.5412	117.2063	21.7	650.0	382	55750.	1679	1.5	2.4	5.7	1.5	0.4	3.7	37	0.1
55488	0	0	0	0	QAG	48.5412	117.2057	21.7	649.8	399	55744.	1679	1.4	2.9	7.6	2.1	0.4	5.5	38	0.1
55489	0	0	0	0	QAG	48.5412	117.2052	21.6	649.5	423	55738.	1767	1.8	2.7	7.0	1.5	0.4	4.0	39	0.1
55490	0	0	0	0	QAG	48.5412	117.2046	21.6	649.3	454	55731.	1906	1.7	2.7	7.7	1.6	0.3	4.6	32	0.1
55491	0	0	0	0	KG	48.5412	117.2040	21.6	649.1	485	55724.	1845	1.5	3.1	6.4	2.0	0.5	4.2	33	0.1
55492	0	0	0	0	KG	48.5413	117.2035	21.6	648.8	508	55718.	1972	1.3	4.0	10.1	3.0	0.4	7.6	25	0.1
55493	0	0	0	0	KG	48.5413	117.2029	21.6	648.5	522	55711.	1844	1.5	3.3	7.0	2.1	0.5	4.6	33	0.1
55494	0	0	0	0	KG	48.5413	117.2023	21.6	648.2	532	55706.	1890	1.3	4.5	4.1	3.5	1.1	3.2	43	0.1
55495	0	0	0	0	KG	48.5413	117.2018	21.6	647.9	543	55701.	2042	1.4	4.8	5.1	3.5	0.9	3.7	39	0.1
55496	0	0	0	0	KG	48.5413	117.2012	21.6	647.6	554	55697.	2089	1.6	3.3	7.2	2.1	0.5	4.6	32	0.1
55497	0	0	0	0	KG	48.5413	117.2006	21.5	647.2	561	55694.	2038	1.1	4.1	10.0	3.9	0.4	9.3	26	0.1
55498	0	0	0	0	KG	48.5413	117.2000	21.5	646.8	562	55691.	2210	1.7	4.2	8.2	2.6	0.5	4.9	37	0.1
55499	0	0	0	0	KG	48.5413	117.1995	21.5	646.4	559	55689.	2153	1.4	5.4	4.6	3.9	1.2	3.3	37	0.1
55500	0	0	0	0	KG	48.5413	117.1989	21.5	645.9	554	55690.	2238	1.9	4.8	6.9	2.5	0.7	3.6	34	0.1
55501	0	0	0	0	KG	48.5413	117.1983	21.5	645.5	546	55693.	2360	2.2	3.3	11.7	1.5	0.3	5.4	30	0.1
55502	0	0	0	0	KG	48.5413	117.1978	21.5	645.0	536	55697.	2385	1.9	5.0	7.7	2.6	0.6	4.0	41	0.1
55503	0	0	0	0	KG	48.5413	117.1972	21.5	644.4	529	55701.	2481	2.1	4.0	12.7	1.9	0.3	6.0	42	0.1
55504	0	0	0	0	KG	48.5413	117.1966	21.4	643.9	526	55707.	2496	1.9	3.3	12.4	1.7	0.3	6.5	31	0.1
55505	0	0	0	0	KG	48.5413	117.1960	21.4	643.3	524	55714.	2598	1.9	4.0	10.7	2.1	0.4	5.5	44	0.1
55506	0	0	0	0	KG	48.5413	117.1955	21.4	642.7	526	55720.	2453	2.4	4.6	11.5	1.9	0.4	4.8	48	0.1
55507	0	0	0	0	KG	48.5413	117.1949	21.4	642.1	526	55727.	2429	1.8	3.2	10.9	1.7	0.3	5.9	49	0.1
55508	0	0	0	0	KG	48.5413	117.1943	21.4	641.5	530	55732.	2581	2.4	4.9	9.3	2.0	0.5	3.8	39	0.1
55509	0	0	0	0	KG	48.5413	117.1938	21.3	640.8	525	55737.	2503	1.8	5.4	9.3	3.1	0.6	5.3	35	0.1
55510	0	0	0	0	KG	48.5413	117.1932	21.3	640.1	517	55741.	2571	1.9	5.1	10.6	2.7	0.5	5.6	34	0.1
55511	0	0	0	0	KG	48.5413	117.1926	21.3	639.4	506	55744.	2631	2.3	3.9	12.2	1.7	0.3	5.4	37	0.1
55512	0	0	0	0	KG	48.5413	117.1921	21.3	638.8	499	55749.	2449	2.2	6.8	5.2	3.0	1.3	2.3	48	0.1
55513	0	0	0	0	KG	48.5413	117.1915	21.3	638.1	497	55754.	2475	2.2	5.2	8.2	2.4	0.6	3.7	45	0.1
55514	0	0	0	0	KG	48.5413	117.1909	21.2	637.4	492	55759.	2564	2.2	4.9	9.6	2.2	0.5	4.3	47	0.1
55515	0	0	0	0	KG	48.5413	117.1904	21.2	636.7	483	55765.	2538	2.1	4.7	11.8	2.3	0.4	5.7	34	0.1
55516	0	0	0	0	KG	48.5413	117.1898	21.2	636.0	477	55770.	2562	2.0	3.9	12.1	1.9	0.3	5.9	41	0.1
55517	0	0	0	0	KG	48.5413	117.1892	21.2	635.4	474	55774.	2514	2.2	3.9	12.4	1.7	0.3	5.5	44	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 24				COS	BI			
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
55518	0	0	0	0	KG	48.5413	117.1886	21.1	634.7	472	55780.	2649	2.2	6.0	9.6	2.7	0.6	4.4	56	0.1
55519	0	0	0	0	KG	48.5413	117.1881	21.1	634.1	465	55785.	2761	2.2	5.9	9.9	2.8	0.6	4.6	45	0.1
55520	0	0	0	0	KNA	48.5413	117.1875	21.1	633.5	455	55791.	2702	1.8	4.6	10.7	2.5	0.4	5.9	47	0.1
55521	0	0	0	0	KNA	48.5413	117.1869	21.1	632.9	442	55796.	2767	2.0	6.0	12.1	3.0	0.5	6.1	38	0.1
55522	0	0	0	0	KNA	48.5413	117.1864	21.0	632.3	424	55800.	2698	2.5	3.9	13.7	1.6	0.3	5.5	47	0.1
55523	0	0	0	0	KNA	48.5413	117.1858	21.0	631.8	395	55805.	2587	2.2	4.1	12.5	1.9	0.3	5.8	37	0.1
55524	0	0	0	0	KNA	48.5413	117.1852	21.0	631.3	363	55810.	2397	1.9	4.6	8.6	2.4	0.5	4.5	44	0.1
55525	0	0	0	0	KNA	48.5413	117.1846	21.0	630.8	333	55813.	2219	1.6	4.8	9.7	3.0	0.5	6.2	55	0.1
55526	0	0	0	0	KNA	48.5413	117.1841	20.9	630.3	315	55816.	2181	1.8	3.8	5.6	2.1	0.7	3.1	42	0.1
55527	0	0	0	0	KNA	48.5413	117.1835	20.9	629.8	301	55815.	2139	1.4	4.6	9.3	3.4	0.5	6.9	52	0.1
55528	0	0	0	0	KNA	48.5414	117.1829	20.9	629.4	290	55810.	2105	1.6	3.7	8.0	2.3	0.5	5.0	49	0.1
55529	0	0	0	0	KNA	48.5414	117.1824	20.9	628.9	282	55803.	2111	1.7	4.8	7.9	2.9	0.6	4.7	33	0.1
55530	0	0	0	0	KNA	48.5414	117.1818	20.8	628.5	280	55792.	2093	1.3	6.9	7.1	5.4	1.0	5.6	34	0.1
55531	0	0	0	0	KNA	48.5414	117.1812	20.8	628.1	285	55781.	2149	1.3	4.8	9.3	3.8	0.5	7.3	41	0.1
55532	0	0	0	0	KNA	48.5414	117.1807	20.8	627.7	301	55768.	2120	1.7	3.9	9.0	2.3	0.4	5.4	44	0.1
55533	0	0	0	0	KG	48.5414	117.1801	20.7	627.3	328	55755.	2194	1.2	5.1	8.5	4.3	0.6	7.2	48	0.1
55534	0	0	0	0	KG	48.5414	117.1795	20.7	626.9	366	55744.	2270	1.5	5.4	9.1	3.5	0.6	5.9	44	0.1
55535	0	0	0	0	KG	48.5414	117.1789	20.7	626.5	413	55734.	2260	1.9	5.1	6.2	2.7	0.8	3.3	43	0.1
55536	0	0	0	0	KG	48.5414	117.1784	20.7	626.1	466	55726.	2205	1.6	5.0	9.6	3.3	0.5	6.2	51	0.1
55537	0	0	0	0	KG	48.5414	117.1778	20.6	625.7	519	55722.	2400	1.4	7.7	4.2	5.6	1.8	3.0	46	0.1
55538	0	0	0	0	KG	48.5414	117.1772	20.6	625.3	562	55720.	2205	1.2	5.5	9.1	4.5	0.6	7.4	63	0.1
55539	0	0	0	0	KG	48.5414	117.1767	20.6	624.9	594	55720.	2371	1.7	6.6	9.5	3.9	0.7	5.6	45	0.1
55540	0	0	0	0	KG	48.5414	117.1761	20.5	624.5	605	55721.	2274	1.6	5.7	8.1	3.5	0.7	5.0	54	0.1
55541	0	0	0	0	KG	48.5414	117.1755	20.5	624.1	606	55723.	2230	1.5	4.8	11.0	3.2	0.4	7.2	37	0.1
55542	0	0	0	0	KGP	48.5414	117.1750	20.5	623.7	602	55725.	1977	1.4	5.6	6.1	4.1	0.9	4.5	53	0.1
55543	0	0	0	0	KGP	48.5414	117.1744	20.5	623.3	605	55727.	2165	1.6	4.6	11.9	2.9	0.4	7.4	40	0.1
55544	0	0	0	0	KGP	48.5414	117.1738	20.4	622.8	618	55730.	2097	1.1	5.4	7.4	4.8	0.7	6.5	35	0.1
55545	0	0	0	0	KGP	48.5414	117.1732	20.4	622.3	644	55733.	2171	1.1	7.3	7.0	6.6	1.1	6.2	44	0.1
55546	0	0	0	0	KGP	48.5414	117.1727	20.4	621.9	670	55735.	2228	1.7	4.7	7.4	2.8	0.6	4.4	41	0.1
55547	0	0	0	0	KGP	48.5414	117.1721	20.3	621.4	686	55736.	2091	1.4	4.0	9.6	2.8	0.4	6.8	44	0.1
55548	0	0	0	0	KGP	48.5414	117.1715	20.3	620.9	686	55736.	2251	1.6	6.5	10.4	4.0	0.6	6.4	45	0.1
55549	0	0	0	0	KGP	48.5414	117.1710	20.3	620.5	677	55736.	2158	1.5	5.0	10.7	3.3	0.5	7.2	60	0.1
55550	0	0	0	0	KGP	48.5414	117.1704	20.3	620.0	666	55734.	2189	1.3	5.9	8.7	4.7	0.7	6.9	35	0.1
55551	0	0	0	0	KGP	48.5414	117.1698	20.2	619.5	648	55733.	2051	1.2	5.1	5.4	4.1	0.9	4.4	50	0.1
55552	0	0	0	0	KGP	48.5414	117.1693	20.2	619.0	629	55732.	2144	2.2	5.0	7.1	2.3	0.7	3.3	39	0.1
55553	0	0	0	0	KGP	48.5414	117.1687	20.2	618.5	611	55733.	2076	1.3	6.6	10.0	5.1	0.7	7.7	63	0.1
55554	0	0	0	0	KGP	48.5414	117.1681	20.1	618.0	592	55735.	2177	1.7	4.2	10.4	2.5	0.4	6.0	55	0.1
55555	0	0	0	0	KGP	48.5414	117.1675	20.1	617.5	575	55736.	2128	1.7	5.9	5.3	3.4	1.1	3.0	54	0.1
55556	0	0	0	0	KGP	48.5414	117.1670	20.1	617.0	557	55738.	2175	1.8	4.3	8.4	2.3	0.5	4.6	58	0.1
55558	0	0	0	0	KGP	48.5414	117.1658	20.1	616.5	538	55740.	2227	1.4	5.4	10.3	4.0	0.5	7.6	57	0.1
55559	0	0	0	0	KGP	48.5414	117.1653	20.0	616.0	515	55744.	2304	2.2	4.5	9.3	2.1	0.5	4.3	48	0.1
55560	0	0	0	0	KGP	48.5414	117.1647	20.0	615.6	489	55751.	2250	2.2	5.4	6.7	2.4	0.8	3.0	60	0.1
55561	0	0	0	0	KGP	48.5414	117.1641	20.0	615.1	462	55759.	2359	1.8	4.7	7.0	2.6	0.7	3.9	30	0.1
55562	0	0	0	0	KGP	48.5414	117.1636	20.0	614.7	435	55770.	2234	1.6	5.9	9.7	3.7	0.6	6.0	52	0.1
55563	0	0	0	0	KGP	48.5414	117.1630	19.9	614.2	404	55781.	2191	1.7	4.7	10.6	2.7	0.4	6.2	52	0.1
55564	0	0	0	0	KGP	48.5414	117.1624	19.9	613.7	371	55792.	2237	1.5	5.0	10.8	3.3	0.5	7.0	58	0.1
55565	0	0	0	0	KGP	48.5414	117.1618	19.9	613.3	337	55805.	2231	1.7	4.0	9.7	2.3	0.4	5.7	57	0.1
55566	0	0	0	0	KGP	48.5414	117.1613	19.9	612.9	307	55817.	2154	1.8	3.5	9.8	1.9	0.4	5.4	60	0.1
55567	0	0	0	0	KGP	48.5414	117.1607	19.8	612.4	278	55826.	2278	2.1	3.5	11.8	1.6	0.3	5.6	45	0.1
55568	0	0	0	0	KGP	48.5414	117.1601	19.8	612.0	264	55832.	2240	1.8	4.8	8.5	2.7	0.6	4.7	58	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 24				COS CPS	BI PPM				
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TFMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM			T PPM	U/K	U/T	T/K
55569	0	0	0	0	KGP	48.5414	117.1596	19.8	611.7	259	55832.	2366	2.1	5.0	9.5	2.4	0.5	4.6	58	0.1
55570	0	0	0	0	KGP	48.5414	117.1590	19.8	611.3	268	55826.	2637	2.3	4.8	10.9	2.1	0.4	4.7	73	0.1
55571	0	0	0	0	KGP	48.5414	117.1584	19.8	610.9	277	55815.	2888	2.8	5.1	14.2	1.8	0.4	5.1	73	0.1
55572	0	0	0	0	KGP	48.5415	117.1579	19.7	610.5	291	55802.	2990	2.6	4.8	15.6	1.9	0.3	6.0	66	0.1
55573	0	0	0	0	KGP	48.5415	117.1573	19.7	610.2	306	55786.	3234	2.8	4.9	20.4	1.7	0.2	7.3	55	0.1
55574	0	0	0	0	KGP	48.5415	117.1567	19.7	609.8	318	55771.	3478	3.0	4.0	18.5	1.3	0.2	6.1	61	0.1
55575	0	0	0	0	KGP	48.5415	117.1561	19.7	609.6	325	55766.	3463	2.9	4.9	18.0	1.7	0.3	6.1	53	0.1
55576	0	0	0	0	KGP	48.5415	117.1556	19.7	609.3	328	55760.	3598	3.1	2.7	22.2	0.9	0.1	7.1	50	0.1
55577	0	0	0	0	KGP	48.5415	117.1550	19.7	609.1	331	55726.	3567	3.1	4.4	20.1	1.4	0.2	6.5	59	0.1
55578	0	0	0	0	KGP	48.5415	117.1544	19.6	608.9	337	55712.	3512	2.6	7.4	18.9	2.9	0.4	7.3	58	0.1
55579	0	0	0	0	KGP	48.5415	117.1539	19.6	608.8	344	55699.	3407	2.7	5.8	21.5	2.1	0.3	7.8	59	0.1
55580	0	0	0	0	KGP	48.5415	117.1533	19.6	608.7	350	55688.	3373	2.7	5.3	22.9	2.0	0.2	8.6	52	0.1
55581	0	0	0	0	KHM	48.5415	117.1527	19.6	608.7	354	55676.	3270	3.0	2.1	21.7	0.7	0.1	7.1	61	0.1
55582	0	0	0	0	KHM	48.5415	117.1522	19.6	608.8	355	55665.	3138	2.6	4.1	18.9	1.6	0.2	7.3	63	0.1
55583	0	0	0	0	KHM	48.5415	117.1516	19.6	608.9	354	55652.	2883	2.6	3.8	17.5	1.5	0.2	6.9	64	0.1
55584	0	0	0	0	KHM	48.5415	117.1510	19.6	609.0	347	55637.	2816	2.7	2.7	17.7	1.0	0.2	6.6	44	0.1
55585	0	0	0	0	KHM	48.5415	117.1504	19.6	609.2	335	55622.	2711	2.4	4.2	15.5	1.8	0.3	6.5	66	0.1
55586	0	0	0	0	KHM	48.5415	117.1497	19.6	609.5	325	55608.	2741	2.5	4.6	10.8	1.9	0.4	4.4	49	0.1
55587	0	0	0	0	KHM	48.5414	117.1491	19.5	609.7	320	55595.	2789	2.1	3.9	17.5	1.8	0.2	8.2	46	0.1
55588	0	0	0	0	KHM	48.5414	117.1485	19.5	610.0	317	55585.	3044	2.6	3.5	19.6	1.3	0.2	7.4	55	0.1
55589	0	0	0	0	KHM	48.5414	117.1479	19.5	610.4	315	55578.	3142	2.8	3.1	19.0	1.1	0.2	6.8	48	0.1
55590	0	0	0	0	KHM	48.5414	117.1473	19.5	610.8	315	55573.	3307	2.4	4.9	19.6	2.0	0.2	8.2	61	0.1
55591	0	0	0	0	KHM	48.5414	117.1467	19.5	611.1	321	55570.	3354	2.8	3.9	22.8	1.4	0.2	8.2	63	0.1
55592	0	0	0	0	KHM	48.5414	117.1461	19.5	611.5	330	55567.	3246	2.6	4.2	20.6	1.6	0.2	7.8	68	0.1
55593	0	0	0	0	KHM	48.5414	117.1455	19.5	612.0	346	55567.	3305	2.6	4.7	18.3	1.8	0.3	7.1	58	0.1
55594	0	0	0	0	KHM	48.5414	117.1449	19.5	612.4	366	55567.	3309	2.6	3.9	19.7	1.5	0.2	7.5	59	0.1
55595	0	0	0	0	KHM	48.5414	117.1442	19.5	612.8	389	55569.	3224	2.8	4.1	17.9	1.4	0.2	6.4	65	0.1
55596	0	0	0	0	KHM	48.5414	117.1436	19.5	613.3	413	55573.	3281	2.8	3.7	19.2	1.3	0.2	6.8	61	0.1
55597	0	0	0	0	KHM	48.5414	117.1430	19.5	613.8	435	55577.	3259	2.4	7.4	14.1	3.1	0.5	5.9	60	0.1
55598	0	0	0	0	KHM	48.5414	117.1424	19.5	614.3	457	55580.	3146	2.5	6.3	13.5	2.5	0.5	5.4	49	0.1
55599	0	0	0	0	KHM	48.5414	117.1418	19.5	614.8	481	55583.	3044	2.8	4.7	17.9	1.7	0.3	6.5	55	0.1
55600	0	0	0	0	KHM	48.5414	117.1412	19.5	615.3	509	55584.	3153	2.2	6.5	18.2	3.0	0.4	8.4	53	0.1
55601	0	0	0	0	KHM	48.5413	117.1406	19.5	615.8	539	55585.	2987	2.4	5.2	17.0	2.1	0.3	7.0	53	0.1
55602	0	0	0	0	KHM	48.5413	117.1400	19.5	616.4	570	55584.	3108	2.6	4.3	19.0	1.7	0.2	7.4	56	0.1
55603	0	0	0	0	KHM	48.5413	117.1393	19.5	616.9	600	55584.	3143	2.3	5.2	18.6	2.3	0.3	8.2	50	0.1
55604	0	0	0	0	KHM	48.5413	117.1387	19.5	617.5	622	55582.	3209	3.1	4.1	16.6	1.3	0.2	5.3	44	0.1
55605	0	0	0	0	KHM	48.5413	117.1381	19.5	618.0	634	55581.	3204	2.0	6.6	15.8	3.3	0.4	8.0	40	0.1
55606	0	0	0	0	KHM	48.5413	117.1375	19.5	618.6	638	55580.	3179	2.6	5.1	15.2	2.0	0.3	5.8	57	0.1
55607	0	0	0	0	KHM	48.5413	117.1369	19.5	619.2	643	55579.	2983	2.1	5.2	15.0	2.5	0.3	7.1	49	0.1
55608	0	0	0	0	KHM	48.5413	117.1363	19.5	619.8	655	55577.	2922	2.4	4.5	12.4	1.9	0.4	5.3	62	0.1
55609	0	0	0	0	KHM	48.5413	117.1357	19.5	620.4	672	55574.	3054	2.6	5.6	17.4	2.2	0.3	6.7	50	0.1
55610	0	0	0	0	KHM	48.5413	117.1351	19.5	621.0	695	55573.	3016	2.5	4.5	11.3	1.8	0.4	4.4	38	0.1
55611	1	0	0	0	KHM	48.5413	117.1345	19.5	621.6	723	55571.	3174	2.0	7.6	10.8	3.8	0.7	5.3	52	0.1
55612	1	0	0	0	KHM	48.5412	117.1339	19.5	622.2	745	55570.	2929	2.6	4.2	16.2	1.7	0.3	6.3	49	0.1
55613	1	0	0	0	KHM	48.5412	117.1332	19.5	622.8	757	55570.	3119	2.3	6.9	14.0	3.0	0.5	6.1	41	0.1
55614	1	0	0	0	KHM	48.5412	117.1326	19.6	623.5	760	55570.	2952	2.3	4.2	16.7	1.8	0.3	7.1	53	0.1
55615	1	0	0	0	KHM	48.5412	117.1320	19.6	624.1	766	55570.	2892	1.5	7.1	13.9	4.7	0.5	9.3	52	0.1
55616	1	0	0	0	KHM	48.5412	117.1314	19.6	624.7	781	55570.	3052	1.0	9.0	11.5	8.7	0.8	11.2	49	0.1
55617	1	0	0	0	KHM	48.5412	117.1308	19.6	625.3	796	55571.	3153	1.9	8.3	16.0	4.3	0.5	8.3	33	0.1
55618	1	0	0	0	KHM	48.5412	117.1302	19.6	625.9	812	55572.	3237	1.9	7.2	16.8	3.8	0.4	8.9	46	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 24							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
55619	1	0	0	0	KHM	48.5412	117.1296	19.6	626.5	819	55575.	3062	1.7	8.2	16.0	4.9	0.5	9.6	49	0.1
55620	1	0	0	0	KHM	48.5412	117.1290	19.6	627.1	817	55580.	3049	1.3	11.6	10.2	9.1	1.1	8.0	38	0.1
55621	1	0	0	0	KHM	48.5412	117.1283	19.6	627.7	807	55587.	2951	2.0	7.4	15.5	3.7	0.5	7.7	50	0.1
55622	1	0	0	0	KHM	48.5412	117.1277	19.6	628.3	791	55596.	2889	1.6	8.5	17.2	5.4	0.5	11.0	42	0.1
55623	1	0	0	0	KHM	48.5412	117.1271	19.6	628.9	773	55605.	2704	1.2	7.1	12.6	5.9	0.6	10.5	45	0.1
55624	1	0	0	0	KHM	48.5412	117.1265	19.7	629.5	758	55614.	2633	1.6	7.7	12.9	4.9	0.6	8.2	37	0.1
55625	1	0	0	0	KHM	48.5412	117.1259	19.7	630.1	744	55624.	2681	2.0	5.3	17.6	2.6	0.3	8.6	35	0.1
55626	1	0	0	0	KHM	48.5411	117.1253	19.7	630.7	715	55634.	2524	1.6	5.6	14.7	3.4	0.4	9.0	47	0.1
55627	0	0	0	0	KHM	48.5411	117.1247	19.7	631.2	675	55645.	2416	1.5	6.1	10.1	4.0	0.6	6.7	37	0.1
55628	0	0	0	0	KHM	48.5411	117.1241	19.7	631.7	626	55656.	2312	1.7	4.2	8.7	2.6	0.5	5.3	49	0.1
55629	0	0	0	0	KHM	48.5411	117.1234	19.7	632.2	576	55669.	2107	1.2	4.9	9.0	4.1	0.5	7.6	52	0.1
55630	0	0	0	0	KHM	48.5411	117.1228	19.7	632.7	529	55682.	2105	1.0	6.2	10.7	6.1	0.6	10.6	41	0.1
55631	0	0	0	0	KHM	48.5411	117.1222	19.8	633.3	482	55696.	1921	1.4	3.0	8.3	2.1	0.4	5.9	41	0.1
55632	0	0	0	0	KHM	48.5411	117.1216	19.8	633.8	442	55710.	1936	1.5	3.4	9.1	2.3	0.4	6.2	41	0.1
55633	0	0	0	0	KHM	48.5411	117.1210	19.8	634.3	404	55723.	1841	1.2	2.5	8.9	2.1	0.3	7.7	48	0.1
55634	0	0	0	0	KHM	48.5411	117.1204	19.8	634.7	383	55735.	1895	1.0	4.3	11.6	4.3	0.4	11.6	40	0.1
55635	0	0	0	0	KHM	48.5411	117.1198	19.8	635.2	388	55743.	1923	1.3	3.8	11.1	3.0	0.3	8.9	44	0.1
55636	0	0	0	0	KHM	48.5411	117.1192	19.8	635.7	408	55748.	1971	1.1	3.7	11.1	3.4	0.3	10.4	46	0.1
55637	0	0	0	0	KHM	48.5410	117.1186	19.9	636.2	428	55750.	2116	1.4	4.1	9.4	3.0	0.4	6.8	37	0.1
55638	0	0	0	0	KHM	48.5410	117.1180	19.9	636.6	436	55749.	2187	1.5	4.5	9.9	3.1	0.5	6.8	40	0.1
55639	0	0	0	0	KHM	48.5410	117.1173	19.9	637.1	440	55746.	2159	1.6	3.7	14.1	2.3	0.3	8.6	40	0.1
55640	0	0	0	0	KHM	48.5410	117.1167	19.9	637.6	439	55743.	2189	1.5	3.8	13.9	2.5	0.3	9.0	44	0.1
55641	0	0	0	0	KHM	48.5410	117.1161	20.0	638.1	438	55739.	2300	1.8	2.7	12.4	1.5	0.2	6.9	38	0.1
55642	0	0	0	0	KHM	48.5410	117.1155	20.0	638.5	433	55735.	2229	1.6	4.6	10.7	2.9	0.4	6.8	31	0.1
55643	0	0	0	0	KHM	48.5410	117.1149	20.0	639.0	436	55731.	2258	1.4	4.9	12.8	3.4	0.4	8.9	38	0.1
55644	0	0	0	0	KHM	48.5410	117.1143	20.0	639.5	441	55725.	2259	1.1	6.0	8.6	5.5	0.7	7.9	58	0.1
55645	0	0	0	0	KHM	48.5410	117.1137	20.1	640.0	454	55719.	2352	1.6	4.9	11.7	3.1	0.4	7.3	33	0.1
55646	0	0	0	0	KHM	48.5410	117.1131	20.1	640.5	461	55713.	2328	1.2	6.9	12.6	5.9	0.5	10.9	47	0.1
55647	0	0	0	0	KHM	48.5410	117.1124	20.1	640.9	461	55707.	2466	1.7	3.2	13.3	1.9	0.2	8.0	35	0.1
55649	0	0	0	0	KHM	48.5410	117.1112	20.1	641.4	449	55700.	2462	1.8	5.3	11.3	3.0	0.5	6.3	36	0.1
55650	0	0	0	0	KHM	48.5410	117.1106	20.2	642.0	437	55693.	2276	1.7	4.4	10.2	2.6	0.4	6.0	54	0.1
55651	0	0	0	0	KHM	48.5409	117.1100	20.2	642.4	434	55684.	2461	1.5	5.4	9.8	3.5	0.5	6.4	35	0.1
55652	0	0	0	0	KHM	48.5409	117.1094	20.2	642.9	441	55675.	2494	1.2	5.5	10.4	4.4	0.5	8.4	45	0.1
55653	0	0	0	0	KHM	48.5409	117.1088	20.3	643.5	456	55665.	2551	1.3	5.8	13.6	4.5	0.4	10.6	43	0.1
55654	0	0	0	0	KHM	48.5409	117.1082	20.3	644.0	476	55654.	2751	1.5	6.8	12.0	4.5	0.6	8.0	37	0.1
55655	0	0	0	0	KHM	48.5409	117.1075	20.3	644.5	502	55643.	2863	1.5	7.3	12.5	5.0	0.6	8.6	41	0.1
55656	0	0	0	0	KHM	48.5409	117.1069	20.3	645.0	531	55632.	2879	2.2	6.9	10.3	3.1	0.7	4.6	50	0.1
55657	0	0	0	0	KHM	48.5409	117.1063	20.4	645.6	562	55621.	3062	2.5	4.9	14.3	2.0	0.3	5.8	44	0.1
55658	0	0	0	0	KHM	48.5409	117.1057	20.4	646.1	586	55612.	3198	2.0	5.3	20.7	2.6	0.3	10.3	48	0.1
55659	0	0	0	0	KHM	48.5409	117.1051	20.4	646.7	598	55602.	3179	2.1	7.7	14.9	3.7	0.5	7.2	38	0.1
55660	0	0	0	0	KHM	48.5409	117.1045	20.5	647.3	594	55592.	3182	1.8	8.5	10.3	4.6	0.8	5.6	45	0.1
55661	0	0	0	0	KHM	48.5409	117.1039	20.5	647.9	574	55583.	3004	2.0	6.3	16.2	3.2	0.4	8.2	37	0.1
55662	0	0	0	0	KHM	48.5408	117.1033	20.5	648.5	555	55574.	2753	2.0	6.6	10.3	3.2	0.6	5.1	39	0.1
55663	0	0	0	0	KHM	48.5408	117.1026	20.6	649.1	548	55563.	2746	1.3	7.4	10.1	5.6	0.7	7.7	48	0.1
55664	0	0	0	0	KHM	48.5408	117.1020	20.6	649.7	563	55552.	2716	1.5	8.1	14.8	5.4	0.5	9.8	38	0.1
55665	0	0	0	0	KHM	48.5408	117.1014	20.6	650.3	587	55538.	2825	2.5	4.8	14.8	1.9	0.3	5.9	40	0.1
55666	0	0	0	0	KHM	48.5408	117.1008	20.7	650.9	614	55525.	2901	2.0	6.9	13.5	3.6	0.5	6.9	42	0.1
55667	0	0	0	0	KHM	48.5408	117.1002	20.7	651.4	647	55513.	3196	2.2	6.9	20.4	3.2	0.3	9.5	39	0.1
55668	0	0	0	0	KHM	48.5408	117.0996	20.7	652.0	676	55501.	3224	1.5	11.1	14.2	7.6	0.8	9.7	43	0.1
55669	0	0	0	0	KHM	48.5408	117.0990	20.8	652.7	699	55492.	3137	2.1	7.1	15.7	3.3	0.5	7.4	44	0.1

** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 24							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
55670	0	0	0	0	KHM	48.5408	117.0984	20.8	653.2	698	55484.	3288	1.8	10.5	12.9	5.9	0.8	7.3	26	0.1
55671	0	0	0	0	KHM	48.5408	117.0978	20.8	653.8	687	55476.	3104	2.0	5.9	18.1	2.9	0.3	9.0	37	0.1
55672	0	0	0	0	KHM	48.5408	117.0972	20.9	654.4	674	55467.	3152	2.1	7.9	12.7	3.8	0.6	6.1	32	0.1
55673	0	0	0	0	KHM	48.5408	117.0965	20.9	655.0	671	55455.	3060	1.8	8.9	11.1	4.9	0.8	6.1	38	0.1
55674	0	0	0	0	KHM	48.5408	117.0959	20.9	655.5	653	55442.	3040	2.0	8.9	12.9	4.4	0.7	6.5	34	0.1
55675	0	0	0	0	KHM	48.5407	117.0953	21.0	656.1	622	55430.	2874	2.0	7.7	11.8	3.8	0.7	5.8	35	0.1
55676	0	0	0	0	KHM	48.5407	117.0947	21.0	656.5	583	55417.	2653	1.2	6.8	11.4	5.6	0.6	9.3	34	0.1
55677	0	0	0	0	KHM	48.5407	117.0941	21.0	657.0	567	55404.	2586	1.4	8.3	10.9	5.9	0.8	7.7	43	0.1
55678	0	0	0	0	KHM	48.5407	117.0935	21.0	657.5	569	55390.	2629	1.8	6.2	14.0	3.4	0.4	7.8	36	0.1
55679	0	0	0	0	KHM	48.5407	117.0929	21.1	657.9	581	55377.	2832	2.1	7.4	9.8	3.6	0.7	4.8	27	0.1
55680	0	0	0	0	KHM	48.5407	117.0923	21.1	658.3	585	55366.	2921	1.2	8.7	12.3	7.0	0.7	10.0	38	0.1
55681	0	0	0	0	KHM	48.5407	117.0916	21.1	658.7	582	55358.	2864	2.0	7.4	14.3	3.8	0.5	7.3	33	0.1
55682	0	0	0	0	KHM	48.5407	117.0910	21.2	659.1	577	55353.	2747	2.2	5.1	14.8	2.3	0.3	6.6	45	0.1
55683	0	0	0	0	KHM	48.5407	117.0904	21.2	659.4	586	55349.	2905	1.7	7.7	14.6	4.4	0.5	8.4	37	0.1
55684	0	0	0	0	KHM	48.5407	117.0898	21.2	659.6	606	55347.	2809	1.4	5.6	15.2	4.2	0.4	11.2	48	0.1
55685	0	0	0	0	KHM	48.5407	117.0892	21.3	659.9	629	55345.	3081	1.8	8.8	11.1	4.8	0.8	6.0	40	0.1
55686	0	0	0	0	KHM	48.5407	117.0886	21.3	660.1	634	55344.	3181	2.5	7.1	19.2	2.9	0.4	7.8	33	0.1
55687	0	0	0	0	KHM	48.5406	117.0879	21.3	660.3	622	55344.	3009	2.7	3.5	18.1	1.3	0.2	6.6	35	0.1
55688	0	0	0	0	KHM	48.5406	117.0872	21.3	660.5	598	55344.	3031	2.4	5.5	17.9	2.3	0.3	7.5	41	0.1
55689	0	0	0	0	KHM	48.5406	117.0865	21.4	660.7	562	55344.	2876	1.9	5.7	17.7	3.0	0.3	9.3	43	0.1
55690	0	0	0	0	KHM	48.5406	117.0859	21.4	660.8	516	55345.	2694	1.7	7.2	9.0	4.2	0.8	5.3	33	0.1
55691	0	0	0	0	KHM	48.5406	117.0852	21.4	661.0	471	55347.	2385	1.2	5.4	14.2	4.5	0.4	11.7	40	0.1
55692	0	0	0	0	KHM	48.5406	117.0845	21.4	661.1	447	55351.	2388	2.0	4.3	10.7	2.2	0.4	5.4	41	0.1
55693	0	0	0	0	KHM	48.5406	117.0838	21.5	661.3	451	55354.	2376	2.1	2.7	14.5	1.3	0.2	6.9	39	0.1
55694	0	0	0	0	KHM	48.5406	117.0832	21.5	661.4	461	55356.	2368	1.8	5.4	10.7	3.1	0.5	6.0	30	0.1
55695	0	0	0	0	KHM	48.5406	117.0825	21.5	661.5	468	55356.	2453	1.7	5.6	11.8	3.2	0.5	6.8	38	0.1
55696	0	0	0	0	KHM	48.5406	117.0818	21.5	661.6	464	55355.	2365	1.6	3.0	13.8	1.9	0.2	8.8	31	0.1
55697	0	0	0	0	KHM	48.5406	117.0811	21.5	661.7	461	55355.	2348	1.1	4.4	12.3	3.9	0.4	10.9	31	0.1
55698	0	0	0	0	KHM	48.5406	117.0805	21.6	661.8	460	55356.	2318	1.4	4.8	10.5	3.5	0.5	7.5	38	0.1
55699	0	0	0	0	KHM	48.5406	117.0798	21.6	661.9	469	55359.	2286	1.9	3.3	12.4	1.8	0.3	6.7	41	0.1
55700	0	0	0	0	KHM	48.5406	117.0791	21.6	661.9	499	55362.	2467	2.2	4.5	13.0	2.1	0.3	6.0	23	0.2
55701	0	0	0	0	KHM	48.5406	117.0784	21.6	661.9	519	55364.	2571	1.5	6.2	8.3	4.3	0.7	5.7	47	0.2
55702	0	0	0	0	KHM	48.5406	117.0777	21.6	661.9	533	55366.	2696	1.9	6.5	12.1	3.4	0.5	6.3	36	0.2
55703	0	0	0	0	KHM	48.5406	117.0771	21.7	661.9	535	55368.	2666	2.2	4.7	12.9	2.1	0.4	5.8	30	0.2
55704	0	0	0	0	KHM	48.5406	117.0764	21.7	661.8	557	55369.	2677	2.1	5.9	11.9	2.8	0.5	5.6	35	0.2
55705	0	0	0	0	KHM	48.5406	117.0757	21.7	661.7	595	55371.	2936	2.1	7.0	13.9	3.4	0.5	6.7	31	0.2
55706	0	0	0	0	KHM	48.5406	117.0750	21.7	661.6	645	55374.	3196	2.3	6.1	14.2	2.7	0.4	6.3	36	0.2
55707	0	0	0	0	KHM	48.5406	117.0744	21.7	661.4	673	55377.	3284	2.3	6.0	13.7	2.6	0.4	6.1	29	0.2
55708	0	0	0	0	KHM	48.5406	117.0737	21.7	661.3	675	55382.	3309	3.3	5.4	15.2	1.6	0.4	4.6	42	0.2
55709	0	0	0	0	KHM	48.5406	117.0730	21.7	661.1	654	55388.	3280	2.9	4.8	11.8	1.7	0.4	4.1	46	0.2
55710	0	0	0	0	KHM	48.5406	117.0724	21.8	660.9	629	55394.	3210	2.6	6.6	13.9	6	0.5	5.4	31	0.2
55711	0	0	0	0	KHM	48.5406	117.0717	21.8	660.7	599	55401.	3156	2.7	5.7	14.4	2.1	0.4	5.3	40	0.2
55712	0	0	0	0	KHM	48.5406	117.0710	21.8	660.5	559	55408.	2993	2.1	7.2	12.2	3.4	0.6	5.8	38	0.2
55713	0	0	0	0	KHM	48.5406	117.0704	21.8	660.3	525	55415.	2917	2.4	3.3	13.4	1.4	0.2	5.6	34	0.2
55714	0	0	0	0	KHM	48.5406	117.0697	21.8	660.1	505	55421.	2881	3.0	2.4	15.7	0.8	0.1	5.2	37	0.2
55715	0	0	0	0	KHM	48.5406	117.0690	21.8	659.9	498	55425.	2933	1.9	5.6	15.6	2.9	0.4	8.1	46	0.2
55716	0	0	0	0	KHM	48.5406	117.0684	21.8	659.6	507	55429.	3092	2.8	3.8	16.2	1.4	0.2	5.9	31	0.2
55717	0	0	0	0	KHM	48.5406	117.0677	21.8	659.4	528	55433.	3026	2.8	4.7	15.0	1.7	0.3	5.4	36	0.2
55718	0	0	0	0	KHM	48.5406	117.0671	21.8	659.2	532	55438.	2980	2.1	6.0	12.8	2.9	0.5	6.2	38	0.2
55719	0	0	0	0	KHM	48.5406	117.0664	21.8	659.0	524	55442.	2918	2.6	3.7	15.1	1.4	0.2	5.7	54	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 24							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
55720	0	0	0	0	KHM	48.5406	117.0657	21.8	658.8	508	55446.	2711	2.2	4.1	11.6	1.8	0.4	5.2	42	0.2
55721	0	0	0	0	KHM	48.5406	117.0651	21.8	658.6	513	55448.	2795	2.1	4.8	11.9	2.4	0.4	5.8	45	0.2
55722	0	0	0	0	KHM	48.5406	117.0644	21.8	658.3	535	55448.	2827	2.2	5.8	12.1	2.7	0.5	5.5	28	0.2
55723	0	0	0	0	KHM	48.5406	117.0638	21.9	658.1	576	55447.	2850	2.0	5.0	11.4	2.5	0.4	5.6	51	0.2
55724	0	0	0	0	KHM	48.5406	117.0631	21.9	657.9	609	55445.	2870	1.9	4.9	11.8	2.5	0.4	6.1	35	0.2
55725	0	0	0	0	KHM	48.5406	117.0624	21.9	657.6	623	55443.	3004	2.5	3.5	16.5	1.4	0.2	6.5	23	0.2
55726	0	0	0	0	KHM	48.5406	117.0618	21.9	657.3	605	55444.	2754	2.3	3.4	15.0	1.5	0.2	6.5	52	0.2
55727	0	0	0	0	KHM	48.5406	117.0612	21.9	657.0	587	55448.	2766	2.7	4.2	11.5	1.6	0.4	4.3	37	0.2
55728	0	0	0	0	KHM	48.5406	117.0606	21.9	656.7	572	55454.	2702	2.3	3.6	13.0	1.6	0.3	5.7	38	0.2
55729	0	0	0	0	KHM	48.5405	117.0600	21.9	656.3	570	55460.	2684	2.2	4.5	12.7	2.0	0.4	5.7	35	0.2
55730	0	0	0	0	KHM	48.5405	117.0594	21.9	655.9	570	55468.	2786	2.2	3.9	14.4	1.8	0.3	6.6	42	0.2
55731	0	0	0	0	KHM	48.5405	117.0588	21.9	655.5	568	55474.	2918	2.5	5.3	10.1	2.1	0.5	4.0	36	0.2
55732	0	0	0	0	KHM	48.5405	117.0582	21.9	655.1	552	55481.	2928	1.6	7.3	12.3	4.7	0.6	7.8	29	0.2
55733	0	0	0	0	KHM	48.5405	117.0577	21.9	654.7	529	55490.	2908	2.6	3.1	15.9	1.2	0.2	6.0	38	0.2
55734	0	0	0	0	KHM	48.5405	117.0571	21.9	654.4	508	55499.	2945	2.0	5.6	16.1	2.7	0.3	7.9	28	0.2
55735	0	0	0	0	KHM	48.5405	117.0565	21.9	654.0	490	55508.	3022	2.5	3.8	13.8	1.5	0.3	5.5	27	0.2
55736	0	0	0	0	KHM	48.5405	117.0559	21.9	653.7	468	55516.	2886	2.5	1.9	15.3	0.8	0.1	6.0	41	0.2
55737	0	0	0	0	KHM	48.5405	117.0553	21.9	653.3	444	55523.	2816	2.4	4.3	13.6	1.8	0.3	5.6	40	0.2
55739	0	0	0	0	KHM	48.5405	117.0541	21.9	653.0	422	55530.	2676	2.1	5.3	13.9	2.5	0.4	6.5	39	0.2
55740	0	0	0	0	KHM	48.5405	117.0535	21.9	652.8	408	55535.	2746	2.4	3.7	12.6	1.5	0.3	5.2	40	0.2
55741	0	0	0	0	KHM	48.5405	117.0530	21.9	652.5	395	55539.	2859	2.5	3.5	15.5	1.4	0.2	6.3	34	0.2
55742	0	0	0	0	KHM	48.5405	117.0524	21.9	652.3	384	55542.	2640	2.0	3.9	13.1	1.9	0.3	6.5	34	0.2
55743	0	0	0	0	KHM	48.5404	117.0518	21.9	652.1	362	55543.	2565	1.7	4.1	13.8	2.3	0.3	7.9	46	0.2
55744	0	0	0	0	KHM	48.5404	117.0512	21.9	652.0	340	55541.	2465	1.8	4.1	11.0	2.3	0.4	6.1	33	0.2
55745	0	0	0	0	KHM	48.5404	117.0506	21.9	651.9	316	55539.	2450	1.9	3.2	10.8	1.7	0.3	5.8	39	0.2
55746	0	0	0	0	KHM	48.5404	117.0500	21.9	651.8	303	55536.	2285	1.5	3.1	12.7	2.0	0.2	8.3	46	0.2
55747	0	0	0	0	KHM	48.5404	117.0494	21.9	651.7	300	55532.	2349	1.6	3.0	11.3	1.9	0.3	7.2	36	0.2
55748	0	0	0	0	KHM	48.5404	117.0488	21.9	651.6	308	55528.	2351	1.6	3.3	11.6	2.1	0.3	7.4	33	0.2
55749	0	0	0	0	KHM	48.5404	117.0483	21.9	651.6	323	55524.	2425	1.7	2.7	13.7	1.6	0.2	8.2	40	0.2
55750	0	0	0	0	KHM	48.5404	117.0477	21.9	651.6	347	55518.	2422	1.9	2.5	12.4	1.3	0.2	6.5	44	0.2
55751	0	0	0	0	KHM	48.5404	117.0471	21.9	651.6	374	55515.	2372	1.6	3.4	9.7	2.1	0.3	5.9	42	0.2
55752	0	0	0	0	KHM	48.5404	117.0465	21.9	651.6	409	55513.	2587	2.2	4.8	10.7	2.2	0.4	4.9	41	0.2
55753	0	0	0	0	KHM	48.5404	117.0459	21.9	651.7	445	55511.	2591	1.9	4.6	12.2	2.5	0.4	6.5	34	0.2
55754	0	0	0	0	KHM	48.5403	117.0453	21.9	651.8	478	55511.	2652	2.2	5.3	10.7	2.4	0.5	4.8	32	0.2
55755	0	0	0	0	KHM	48.5403	117.0447	21.9	651.9	493	55511.	2729	1.7	7.7	9.0	4.7	0.9	5.4	35	0.2
55756	0	0	0	0	KHM	48.5403	117.0441	21.9	652.1	475	55513.	2507	1.4	4.2	12.8	3.1	0.3	9.3	43	0.2
55757	0	0	0	0	KHM	48.5403	117.0436	21.9	652.2	440	55517.	2386	1.5	4.5	12.0	2.9	0.4	7.9	42	0.1
55758	0	0	0	0	KHM	48.5403	117.0430	21.9	652.4	398	55521.	2351	1.2	4.6	11.4	3.8	0.4	9.3	33	0.1
55759	0	0	0	0	KHM	48.5403	117.0424	21.9	652.6	365	55524.	2206	1.6	4.7	9.7	3.0	0.5	6.1	44	0.1
55760	0	0	0	0	KHM	48.5403	117.0418	21.9	652.9	344	55526.	2270	1.4	5.1	10.1	3.5	0.5	7.0	46	0.1
55761	0	0	0	0	KHM	48.5403	117.0412	21.9	653.1	340	55526.	2240	1.6	4.7	10.0	2.9	0.5	6.1	42	0.1
55762	0	0	0	0	KHM	48.5403	117.0406	22.0	653.4	345	55524.	2366	1.7	5.6	8.1	3.3	0.7	4.8	49	0.1
55763	0	0	0	0	KHM	48.5403	117.0400	22.0	653.7	353	55521.	2329	1.8	4.9	7.3	2.8	0.7	4.1	41	0.1
55764	0	0	0	0	KHM	48.5403	117.0395	22.0	654.0	363	55518.	2428	1.7	4.6	11.6	2.7	0.4	6.9	41	0.1
55765	0	0	0	0	KHM	48.5403	117.0389	22.0	654.3	371	55514.	2414	1.7	4.8	10.8	2.8	0.4	6.3	42	0.1
55766	0	0	0	0	KHM	48.5403	117.0383	22.0	654.6	386	55512.	2582	1.6	5.6	13.3	3.5	0.4	8.4	28	0.1
55767	0	0	0	0	KHM	48.5402	117.0377	22.0	654.9	413	55509.	2515	1.8	5.0	12.2	2.7	0.4	6.6	44	0.1
55768	0	0	0	0	KHM	48.5402	117.0371	22.0	655.3	445	55507.	2660	2.1	5.1	10.2	2.5	0.5	4.9	36	0.1
55769	0	0	0	0	KHM	48.5402	117.0365	22.0	655.6	474	55506.	2907	2.1	6.6	13.4	3.2	0.5	6.5	44	0.1
55770	0	0	0	0	KHM	48.5402	117.0359	22.0	655.9	480	55505.	2791	2.5	3.0	14.8	1.2	0.2	5.9	35	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 24								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
55771	0	0	0	0	KHM	48.5402	117.0354	22.0	656.3	475	55504.	2722	2.0	3.7	14.1	1.8	0.3	7.0	49	0.1
55772	0	0	0	0	KHM	48.5402	117.0348	22.0	656.6	467	55503.	2683	2.0	4.2	15.0	2.1	0.3	7.6	32	0.1
55773	0	0	0	0	KHM	48.5402	117.0342	22.0	656.9	474	55502.	2735	1.7	5.3	10.6	3.0	0.5	6.1	55	0.1
55774	0	0	0	0	KHM	48.5402	117.0336	22.1	657.2	484	55501.	2752	2.5	4.9	13.7	1.9	0.4	5.4	40	0.1
55775	0	0	0	0	KHM	48.5402	117.0330	22.1	657.5	486	55501.	2821	2.3	5.0	12.9	2.1	0.4	5.6	23	0.1
55776	0	0	0	0	KHM	48.5402	117.0324	22.1	657.8	487	55502.	2777	2.0	5.5	11.5	2.8	0.5	5.9	34	0.1
55777	0	0	0	0	KHM	48.5402	117.0318	22.1	658.1	505	55503.	2750	2.2	6.6	9.2	3.0	0.7	4.1	28	0.1
55778	0	0	0	0	KHM	48.5401	117.0312	22.1	658.3	539	55503.	2975	2.0	5.5	19.0	2.8	0.3	9.7	36	0.1
55779	0	0	0	0	KHM	48.5401	117.0306	22.1	658.6	562	55505.	3041	2.2	5.9	17.3	2.7	0.3	8.0	38	0.1
55780	0	0	0	0	KHM	48.5401	117.0301	22.1	658.9	572	55509.	2951	2.0	4.9	16.7	2.4	0.3	8.3	47	0.1
55781	0	0	0	0	KHM	48.5401	117.0295	22.1	659.1	570	55515.	3079	2.8	5.6	16.0	2.0	0.4	5.7	34	0.1
55782	0	0	0	0	KHM	43.5401	117.0289	22.1	659.4	569	55525.	3243	2.3	7.4	15.1	3.2	0.5	6.5	43	0.1
55783	0	0	0	0	KHM	48.5401	117.0283	22.2	659.7	542	55535.	3142	2.6	6.4	14.5	2.5	0.4	5.6	37	0.1
55784	0	0	0	0	QAG	48.5401	117.0277	22.2	659.9	494	55546.	3064	2.5	4.0	16.9	1.6	0.2	6.8	34	0.1
55785	0	0	0	0	QAG	48.5401	117.0271	22.2	660.2	437	55554.	3055	2.4	4.8	17.4	2.0	0.3	7.3	27	0.1
55786	0	0	0	0	QAG	48.5401	117.0265	22.2	660.5	399	55556.	2921	1.8	6.0	14.1	3.3	0.4	7.7	37	0.1
55787	0	0	0	0	QAG	48.5401	117.0260	22.2	660.7	387	55552.	2939	1.6	7.2	13.4	4.4	0.5	8.2	44	0.2
55788	0	0	0	0	QAG	48.5401	117.0254	22.2	661.0	399	55543.	2855	2.1	6.7	13.5	3.2	0.5	6.6	27	0.2
55789	0	0	0	0	QAG	48.5401	117.0248	22.2	661.3	428	55532.	2820	1.9	5.2	15.7	2.8	0.3	8.4	38	0.2
55790	0	0	0	0	QAG	48.5401	117.0242	22.3	661.7	473	55522.	2821	2.2	5.8	12.6	2.7	0.5	5.8	35	0.2
55791	0	0	0	0	QAG	48.5401	117.0236	22.3	662.0	523	55512.	2815	1.9	8.1	11.3	4.3	0.7	6.0	32	0.2
55792	0	0	0	0	QAG	48.5400	117.0230	22.3	662.3	569	55502.	2804	2.0	3.2	15.2	1.7	0.2	7.8	39	0.2
55793	0	0	0	0	QAG	48.5400	117.0224	22.3	662.6	607	55493.	2843	2.3	3.8	13.2	1.6	0.3	5.6	30	0.2
55794	0	0	0	0	QAG	48.5400	117.0219	22.3	662.9	637	55485.	2672	2.5	4.3	10.4	1.7	0.4	4.2	34	0.2
55795	0	0	0	0	QAG	48.5400	117.0213	22.4	663.3	658	55479.	2465	2.5	2.5	10.4	1.0	0.2	4.2	43	0.2
55796	0	0	0	0	KHM	48.5400	117.0207	22.4	663.6	661	55476.	2501	1.7	6.1	7.7	3.6	0.8	4.5	21	0.2
55797	0	0	0	0	KHM	48.5400	117.0201	22.4	663.9	652	55475.	2283	2.0	3.1	9.7	1.6	0.3	4.9	33	0.2
55798	0	0	0	0	KHM	48.5400	117.0195	22.4	664.3	637	55475.	2261	2.0	4.1	10.4	2.0	0.4	5.2	31	0.2
55799	0	0	0	0	KHM	48.5400	117.0189	22.4	664.6	636	55477.	2150	1.0	4.6	10.3	4.7	0.4	10.6	40	0.2
55800	0	0	0	0	KHM	48.5400	117.0183	22.4	665.0	637	55480.	2185	1.6	3.4	9.7	2.2	0.4	6.3	31	0.2
55801	0	0	0	0	KHM	48.5400	117.0177	22.4	665.3	641	55484.	2133	1.6	4.5	7.1	2.8	0.6	4.5	32	0.2
55802	0	0	0	0	KHM	48.5400	117.0171	22.4	665.6	637	55490.	2041	1.7	4.7	7.3	2.8	0.6	4.3	35	0.2
55803	0	0	0	0	KHM	48.5400	117.0165	22.5	666.0	639	55495.	2209	1.0	4.2	13.8	4.1	0.3	13.6	28	0.2
55804	0	0	0	0	KHM	48.5400	117.0159	22.5	666.3	644	55500.	2439	1.8	3.9	10.0	2.1	0.4	5.5	32	0.2
55805	0	0	0	0	KHM	48.5400	117.0153	22.5	666.6	651	55504.	2516	1.4	5.4	11.1	3.9	0.5	8.1	32	0.2
55806	0	0	0	0	KHM	48.5399	117.0147	22.5	666.9	650	55508.	2568	2.0	4.1	13.6	2.0	0.3	6.7	27	0.2
55807	0	0	0	0	KHM	48.5399	117.0141	22.5	667.2	646	55512.	2434	1.6	4.9	9.8	3.1	0.5	6.1	38	0.2
55808	0	0	1	0	KHM	48.5399	117.0134	22.5	667.5	636	55515.	2386	2.2	1.2	15.0	0.5	0.1	6.9	37	0.2
55809	0	0	0	0	QAG	48.5399	117.0128	22.5	667.8	625	55518.	2622	1.0	5.7	14.2	5.5	0.4	13.8	29	0.2
55810	0	0	0	0	QAG	48.5399	117.0122	22.5	668.1	613	55521.	2509	2.0	4.8	15.0	2.5	0.3	7.6	29	0.2
55811	0	0	0	0	QAG	48.5399	117.0116	22.5	668.3	600	55526.	2508	1.4	6.2	13.2	4.3	0.5	9.1	26	0.2
55812	0	0	0	0	QAG	48.5399	117.0110	22.5	668.6	586	55533.	2422	1.3	4.7	12.6	3.6	0.4	9.8	31	0.2
55813	0	0	0	0	QAG	48.5399	117.0103	22.5	668.9	564	55542.	2297	1.6	5.1	8.5	3.3	0.6	5.4	32	0.2
55814	0	0	0	0	QAG	48.5399	117.0097	22.5	669.1	540	55552.	2379	1.8	3.8	10.4	2.1	0.4	5.6	33	0.2
55815	0	0	0	0	QAG	48.5399	117.0091	22.5	669.4	510	55563.	2090	1.7	3.0	10.7	1.8	0.3	6.5	24	0.2
55816	0	0	0	0	QAG	48.5399	117.0085	22.5	669.6	483	55575.	1993	1.1	4.8	8.8	4.4	0.5	8.1	33	0.2
55817	0	0	0	0	QAG	48.5399	117.0079	22.6	670.0	458	55586.	1908	1.3	4.1	7.1	3.1	0.6	5.5	31	0.2
55818	0	0	0	0	QAG	48.5399	117.0073	22.6	670.2	437	55595.	1736	1.3	1.7	7.6	1.3	0.2	5.7	32	0.2
55819	0	0	0	0	QAG	48.5399	117.0067	22.6	670.4	424	55603.	1798	1.7	2.9	6.2	1.7	0.5	3.6	20	0.2
55820	0	0	0	0	QAG	48.5399	117.0060	22.6	670.7	420	55609.	1757	1.5	3.6	4.2	2.3	0.8	2.8	25	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 24							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
55821	0	0	0	0	QAG	48.5399	117.0054	22.6	670.9	426	55613.	1697	1.2	3.3	5.7	2.7	0.6	4.6	38	0.2
55822	0	0	0	0	QAG	48.5399	117.0048	22.6	671.1	437	55616.	1713	1.2	3.2	6.3	2.7	0.5	5.2	35	0.2
55823	0	0	0	0	QAG	48.5399	117.0042	22.6	671.2	448	55618.	1785	1.1	3.0	7.6	2.8	0.4	7.1	29	0.1
55824	0	0	0	0	QAG	48.5399	117.0036	22.6	671.3	454	55621.	1716	1.0	3.9	7.5	3.8	0.5	7.4	30	0.1
55825	0	0	0	0	QAG	48.5399	117.0030	22.6	671.4	457	55625.	1620	1.1	3.6	5.8	3.3	0.6	5.4	34	0.1
55826	0	0	0	0	QAG	48.5399	117.0023	22.6	671.5	465	55630.	1498	1.2	3.1	6.3	2.7	0.5	5.5	32	0.1
55827	0	0	0	0	QAG	48.5399	117.0017	22.6	671.6	478	55637.	1406	0.6	2.7	5.1	4.4	0.5	8.2	29	0.1
55828	0	0	0	0	QAG	48.5399	117.0011	22.6	671.6	499	55645.	1397	1.1	2.6	6.0	2.4	0.4	5.6	31	0.1
55830	0	0	0	0	QAG	48.5399	116.9999	22.6	671.5	511	55654.	1531	1.1	1.7	6.4	1.5	0.3	6.0	38	0.1
55831	0	0	0	0	QAG	48.5399	116.9993	22.6	671.5	502	55664.	1659	0.8	5.0	5.5	6.5	0.9	7.1	36	0.1
55832	0	0	0	0	QAG	48.5399	116.9987	22.6	671.4	470	55671.	1887	1.3	3.6	9.3	2.7	0.4	7.0	27	0.1
55833	0	0	0	0	QAG	48.5399	116.9980	22.6	671.3	431	55677.	1945	1.9	3.2	10.0	1.7	0.3	5.2	30	0.1
55834	0	0	0	0	QAG	48.5399	116.9974	22.6	671.1	400	55682.	1866	1.4	2.9	6.8	2.1	0.4	4.9	41	0.1
55835	0	0	0	0	QAG	48.5399	116.9968	22.6	671.0	389	55685.	1959	1.6	3.7	9.7	2.3	0.4	6.0	33	0.1
55836	0	0	0	0	QAG	48.5399	116.9962	22.6	670.9	386	55687.	2166	1.4	5.0	10.0	3.5	0.5	7.0	36	0.1
55837	0	0	0	0	QAG	48.5399	116.9956	22.6	670.8	398	55689.	2252	1.9	4.2	10.5	2.3	0.4	5.6	30	0.1
55838	0	0	0	0	QAG	48.5399	116.9950	22.6	670.7	403	55690.	2251	1.9	2.7	14.1	1.5	0.2	7.5	28	0.1

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 25							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
56312	0	0	0	0	KG	48.5384	117.2436	20.3	662.4	522	55746.	2219	1.2	7.0	8.7	5.7	0.8	7.1	32	0.2
56311	0	0	0	0	KG	48.5384	117.2429	20.3	662.1	518	55743.	2301	2.0	4.4	11.2	2.2	0.4	5.7	29	0.2
56310	0	0	0	0	KG	48.5384	117.2423	20.3	661.8	511	55741.	2186	1.7	4.5	6.3	2.7	0.7	3.7	38	0.2
56309	0	0	0	0	KG	48.5384	117.2417	20.3	661.5	500	55740.	2241	1.3	5.1	9.2	4.0	0.6	7.3	33	0.2
56308	0	0	0	0	KG	48.5385	117.2410	20.3	661.2	496	55741.	2304	2.1	4.1	6.9	1.9	0.6	3.2	54	0.2
56307	0	0	0	0	KG	48.5385	117.2404	20.3	660.9	488	55742.	2355	2.2	2.7	10.3	1.2	0.3	4.6	37	0.2
56306	0	0	0	0	KG	48.5385	117.2397	20.3	660.6	478	55743.	2487	2.2	5.5	7.4	2.5	0.7	3.4	44	0.2
56305	0	0	0	0	KG	48.5386	117.2391	20.3	660.3	462	55746.	2464	1.8	4.9	8.6	2.7	0.6	4.8	46	0.2
56304	0	0	0	0	KG	48.5386	117.2385	20.3	660.0	446	55748.	2586	2.5	3.4	13.5	1.4	0.3	5.4	28	0.2
56303	0	0	0	0	KG	48.5386	117.2378	20.3	659.7	424	55751.	2484	2.0	4.9	8.6	2.4	0.6	4.2	48	0.2
56302	0	0	0	0	KG	48.5387	117.2372	20.3	659.4	402	55756.	2620	2.2	3.9	9.4	1.8	0.4	4.2	48	0.2
56301	0	0	0	0	KG	48.5386	117.2366	20.3	659.2	392	55761.	2619	1.9	5.7	10.4	2.9	0.5	5.3	34	0.2
56300	0	0	0	0	KG	48.5386	117.2360	20.3	659.0	392	55765.	2699	2.5	3.4	12.2	1.4	0.3	4.8	29	0.2
56299	0	0	0	0	KG	48.5386	117.2354	20.3	658.7	405	55770.	2790	2.0	4.2	12.3	2.1	0.3	6.2	31	0.2
56298	0	0	0	0	KG	48.5386	117.2347	20.3	658.6	410	55775.	2714	2.2	5.0	13.4	2.3	0.4	6.2	41	0.2
56297	0	0	0	0	KG	48.5386	117.2341	20.3	658.4	408	55780.	2622	2.2	4.6	10.5	2.1	0.4	4.9	35	0.2
56296	0	0	0	0	KG	48.5386	117.2335	20.3	658.2	393	55786.	2600	2.6	4.4	9.3	1.7	0.5	3.5	40	0.2
56295	0	0	0	0	KG	48.5386	117.2329	20.3	658.1	379	55790.	2549	2.3	4.1	9.7	1.8	0.4	4.2	30	0.2
56294	0	0	0	0	KG	48.5386	117.2323	20.3	657.9	372	55793.	2637	2.1	5.0	11.3	2.4	0.4	5.4	44	0.2
56293	0	0	0	0	KG	48.5386	117.2317	20.3	657.9	372	55794.	2623	2.1	3.8	11.8	1.8	0.3	5.6	45	0.2
56292	0	0	0	0	KG	48.5386	117.2310	20.3	657.8	379	55794.	2669	2.6	4.1	9.4	1.6	0.4	3.6	45	0.2
56291	0	0	0	0	KG	48.5386	117.2304	20.3	657.7	395	55793.	2581	2.3	4.4	10.3	1.9	0.4	4.6	35	0.2
56290	0	0	0	0	QAG	48.5386	117.2298	20.3	657.6	412	55792.	2646	2.0	5.8	10.3	2.9	0.6	5.1	32	0.2
56289	0	0	0	0	QAG	48.5386	117.2292	20.3	657.5	428	55789.	2334	2.2	3.7	10.0	1.7	0.4	4.5	36	0.1
56288	0	0	0	0	QAG	48.5386	117.2286	20.3	657.4	444	55786.	2156	1.6	5.1	7.4	3.2	0.7	4.6	46	0.1
56287	0	0	0	0	QAG	48.5386	117.2280	20.3	657.3	459	55781.	2077	2.0	3.9	5.7	2.0	0.7	2.9	49	0.1
56286	0	0	0	0	QAG	48.5386	117.2274	20.3	657.1	475	55775.	2077	1.7	3.6	8.1	2.1	0.4	4.8	32	0.1
56285	0	0	0	0	QAG	48.5386	117.2268	20.3	657.0	483	55769.	2123	1.5	4.5	8.1	2.9	0.6	5.3	31	0.1
56284	0	0	0	0	QAG	48.5385	117.2261	20.2	656.8	502	55764.	2125	2.0	5.2	6.8	2.6	0.8	3.5	40	0.1
56283	0	0	0	0	QAG	48.5385	117.2255	20.2	656.6	508	55760.	2114	2.1	3.6	5.9	1.7	0.6	2.8	37	0.1
56282	0	0	0	0	QAG	48.5385	117.2249	20.2	656.4	511	55759.	2156	2.3	4.7	6.3	2.1	0.7	2.8	41	0.1
56281	0	0	0	0	QAG	48.5385	117.2243	20.2	656.1	497	55758.	2079	1.9	3.2	7.9	1.7	0.4	4.1	42	0.1
56280	0	0	0	0	QAG	48.5385	117.2237	20.2	655.8	483	55760.	2176	1.6	5.0	8.4	3.0	0.6	5.1	37	0.1
56279	0	0	0	0	QAG	48.5385	117.2231	20.2	655.5	461	55763.	2077	1.5	4.5	8.7	2.9	0.5	5.7	41	0.1
56278	0	0	0	0	QAG	48.5385	117.2225	20.2	655.2	446	55767.	2005	2.5	3.6	8.3	1.4	0.4	3.3	38	0.1
56277	0	0	0	0	QAG	48.5385	117.2218	20.2	654.8	441	55771.	1980	2.0	3.4	8.7	1.7	0.4	4.3	37	0.1
56276	0	0	0	0	QAG	48.5385	117.2212	20.2	654.4	455	55772.	1879	1.6	2.9	6.9	1.8	0.4	4.3	55	0.1
56274	0	0	0	0	QAG	48.5385	117.2200	20.2	654.0	473	55771.	1958	1.7	3.7	8.4	2.2	0.4	5.0	37	0.1
56273	0	0	0	0	QAG	48.5385	117.2194	20.1	653.5	495	55770.	1926	1.7	3.7	6.6	2.2	0.6	3.8	34	0.1
56272	0	0	0	0	QAG	48.5385	117.2188	20.1	653.0	515	55768.	1943	1.4	3.6	6.1	2.5	0.6	4.3	37	0.1
56271	0	0	0	0	QAG	48.5385	117.2182	20.1	652.6	521	55767.	1987	1.3	3.7	11.0	2.9	0.3	8.5	50	0.1
56270	0	0	0	0	QAG	48.5385	117.2175	20.1	652.1	515	55766.	1968	1.4	3.4	6.4	2.4	0.5	4.6	36	0.1
56269	0	0	0	0	QAG	48.5385	117.2169	20.1	651.6	492	55765.	2027	1.8	2.7	7.9	1.6	0.3	4.5	32	0.1
56268	0	0	0	0	QAG	48.5385	117.2163	20.0	651.0	472	55765.	1934	1.7	3.8	7.5	2.2	0.5	4.4	39	0.1
56267	0	0	0	0	KG	48.5385	117.2157	20.0	650.5	454	55768.	1959	0.9	4.5	6.7	4.8	0.7	7.2	50	0.1
56266	0	0	0	0	KG	48.5385	117.2151	20.0	650.0	441	55773.	1846	1.4	2.8	7.9	2.0	0.4	5.8	40	0.1
56265	0	0	0	0	KG	48.5385	117.2145	20.0	649.5	431	55782.	2017	1.5	4.3	6.8	2.8	0.6	4.4	33	0.1
56264	0	0	0	0	KG	48.5385	117.2139	20.0	649.1	420	55791.	1930	1.7	3.3	10.4	1.9	0.3	5.9	39	0.1
56263	0	0	0	0	KG	48.5385	117.2132	20.0	648.6	415	55798.	1843	1.9	2.6	5.0	1.4	0.5	2.7	43	0.1
56262	0	0	0	0	KG	48.5385	117.2126	19.9	648.2	414	55801.	1834	1.5	3.4	7.2	2.3	0.5	4.9	42	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 25							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
56261	0	0	0	0	KG	48.5385	117.2120	19.9	647.7	420	55801.	1793	1.5	2.9	7.3	2.0	0.4	5.0	45	0.1
56260	0	0	0	0	KG	48.5385	117.2114	19.9	647.3	425	55798.	1830	1.5	1.5	10.4	1.0	0.1	7.1	40	0.1
56259	0	0	0	0	KG	48.5384	117.2108	19.9	646.9	427	55796.	1816	1.5	3.2	5.9	2.2	0.5	4.1	35	0.1
56258	0	0	0	0	KG	48.5384	117.2101	19.9	646.5	418	55795.	1795	1.8	3.4	7.0	1.9	0.5	4.0	40	0.1
56257	0	0	0	0	KG	48.5384	117.2095	19.8	646.1	401	55797.	1893	1.6	4.3	7.1	2.8	0.6	4.6	39	0.1
56256	0	0	0	0	KG	48.5384	117.2089	19.8	645.7	380	55801.	1914	1.7	3.9	6.1	2.3	0.6	3.6	27	0.1
56255	0	0	0	0	KG	48.5384	117.2083	19.8	645.3	360	55805.	1741	1.3	3.6	5.6	2.8	0.6	4.3	50	0.1
56254	0	0	0	0	KG	48.5384	117.2077	19.8	645.0	346	55808.	1753	1.6	2.9	7.8	1.8	0.4	4.8	31	0.1
56253	0	0	0	0	KG	48.5384	117.2071	19.8	644.6	336	55807.	1710	1.9	1.8	9.2	0.9	0.2	4.9	42	0.1
56252	0	0	0	0	KG	48.5384	117.2065	19.7	644.3	338	55802.	1700	1.6	2.0	5.3	1.3	0.4	3.3	29	0.1
56251	0	0	0	0	KG	48.5384	117.2058	19.7	644.0	354	55792.	1754	1.6	3.6	7.3	2.2	0.5	4.5	45	0.1
56250	0	0	0	0	KG	48.5384	117.2052	19.7	643.7	384	55780.	1746	1.1	4.0	8.2	3.8	0.5	7.6	30	0.1
56249	0	0	0	0	KG	48.5384	117.2046	19.7	643.4	420	55768.	1739	1.4	3.4	6.1	2.4	0.5	4.4	50	0.1
56248	0	0	0	0	KG	48.5384	117.2040	19.7	643.1	455	55758.	1777	1.3	3.2	8.1	2.5	0.4	6.3	50	0.1
56247	0	0	0	0	KG	48.5384	117.2034	19.6	642.8	482	55750.	1879	1.7	2.9	6.8	1.6	0.4	3.9	39	0.1
56246	0	0	0	0	KG	48.5384	117.2028	19.6	642.5	502	55743.	1860	1.5	3.6	5.4	2.4	0.7	3.7	34	0.1
56245	0	0	0	0	KG	48.5384	117.2021	19.6	642.3	515	55738.	2011	1.9	3.1	7.9	1.7	0.4	4.2	32	0.1
56244	0	0	0	0	KG	48.5384	117.2015	19.6	642.0	522	55733.	2082	1.7	2.3	10.5	1.3	0.2	6.1	35	0.1
56243	0	0	0	0	KG	48.5384	117.2009	19.5	641.7	518	55729.	2149	1.4	3.1	12.0	2.2	0.3	8.6	42	0.1
56242	0	0	0	0	KG	48.5384	117.2003	19.5	641.5	504	55724.	2104	1.9	3.2	10.5	1.7	0.3	5.7	39	0.1
56241	0	0	0	0	KG	48.5384	117.1997	19.5	641.2	488	55716.	2157	1.5	4.0	10.0	2.6	0.4	6.5	31	0.1
56240	0	0	0	0	KG	48.5384	117.1991	19.5	640.9	484	55708.	1965	1.5	3.9	7.0	2.6	0.6	4.7	34	0.1
56239	0	0	0	0	KG	48.5384	117.1984	19.5	640.6	496	55699.	1883	1.4	4.7	8.2	3.5	0.6	6.1	48	0.1
56238	0	0	0	0	KG	48.5384	117.1978	19.4	640.3	518	55691.	1994	1.3	5.1	6.8	3.9	0.7	5.2	46	0.1
56237	0	0	0	0	KG	48.5384	117.1972	19.4	640.0	542	55685.	1955	1.3	5.1	6.1	4.0	0.8	4.8	40	0.1
56236	0	0	0	0	KG	48.5383	117.1966	19.4	639.7	558	55681.	2068	1.6	4.9	7.7	3.2	0.6	4.9	44	0.1
56235	0	0	0	0	KG	48.5383	117.1960	19.4	639.4	565	55678.	2153	1.7	5.5	7.2	3.3	0.8	4.3	36	0.1
56234	0	0	0	0	KG	48.5383	117.1954	19.3	639.0	563	55679.	2216	1.8	3.4	11.3	1.9	0.3	6.4	31	0.1
56233	0	0	0	0	KG	48.5383	117.1948	19.3	638.6	565	55682.	2196	1.5	4.3	10.0	2.8	0.4	6.5	49	0.1
56232	0	0	0	0	KG	48.5383	117.1941	19.3	638.3	569	55687.	2436	2.4	4.6	8.5	1.9	0.5	3.5	45	0.1
56231	0	0	0	0	KG	48.5383	117.1935	19.3	637.9	568	55694.	2391	1.5	5.3	10.4	3.6	0.5	7.0	47	0.1
56230	0	0	0	0	KG	48.5383	117.1929	19.2	637.5	556	55701.	2282	2.0	2.8	9.6	1.4	0.3	4.8	54	0.1
56229	0	0	0	0	KG	48.5383	117.1923	19.2	637.1	535	55708.	2555	2.2	4.6	11.8	2.1	0.4	5.4	34	0.1
56228	0	0	0	0	KG	48.5383	117.1917	19.2	636.7	510	55715.	2492	2.2	4.0	11.2	1.8	0.4	5.0	55	0.1
56227	0	0	0	0	KG	48.5383	117.1911	19.2	636.3	480	55724.	2481	2.0	3.2	15.5	1.6	0.2	7.6	36	0.1
56226	0	0	0	0	KG	48.5383	117.1904	19.2	635.9	441	55734.	2266	1.7	3.6	12.4	2.1	0.3	7.2	58	0.1
56225	0	0	0	0	KNA	48.5383	117.1898	19.1	635.5	400	55745.	2274	2.0	3.8	12.9	1.9	0.3	6.5	50	0.1
56224	0	0	0	0	KNA	48.5383	117.1892	19.1	635.1	364	55757.	2196	2.0	3.0	10.7	1.5	0.3	5.4	51	0.1
56223	0	0	0	0	KNA	48.5383	117.1886	19.1	634.7	342	55768.	2229	1.8	3.6	11.3	2.0	0.3	6.2	41	0.1
56222	0	0	0	0	KNA	48.5383	117.1880	19.1	634.3	333	55775.	2309	1.7	3.3	12.7	1.9	0.3	7.3	58	0.1
56221	0	0	0	0	KNA	48.5383	117.1874	19.0	633.9	331	55780.	2401	1.6	4.7	11.8	3.0	0.4	7.4	45	0.1
56220	0	0	0	0	KNA	48.5383	117.1868	19.0	633.5	344	55783.	2075	1.5	4.7	10.2	3.1	0.5	6.7	60	0.1
56219	0	0	0	0	KNA	48.5383	117.1861	19.0	633.1	372	55783.	2394	2.0	4.7	12.3	2.3	0.4	6.1	39	0.1
56218	0	0	0	0	KNA	48.5383	117.1855	19.0	632.7	418	55780.	2386	1.9	5.5	10.2	2.9	0.5	5.4	44	0.1
56217	0	0	0	0	KNA	48.5383	117.1849	18.9	632.2	471	55775.	2450	1.6	5.3	9.9	3.3	0.5	6.1	38	0.1
56216	0	0	0	0	KNA	48.5383	117.1843	18.9	631.8	522	55768.	2594	2.3	4.3	9.9	1.8	0.4	4.3	50	0.1
56215	0	0	0	0	KNA	48.5383	117.1837	18.9	631.4	569	55761.	2573	2.1	4.9	8.8	2.4	0.6	4.2	46	0.1
56214	0	0	0	0	KNA	48.5383	117.1831	18.9	631.0	604	55755.	2487	2.2	4.3	9.5	2.0	0.5	4.3	53	0.1
56213	0	0	0	0	KNA	48.5383	117.1824	18.8	630.5	632	55749.	2529	2.3	4.3	11.7	1.9	0.4	5.1	47	0.1
56212	0	0	0	0	KNA	48.5383	117.1818	18.8	630.1	649	55745.	2524	2.2	5.8	7.5	2.7	0.8	3.4	48	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 25									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
56211	0	0	0	0	KNA	48.5383	117.1812	18.8	629.6	659	55742.	2559	2.2	6.8	10.7	3.1	0.6	4.8	37	0.1
56210	0	0	0	0	KNA	48.5383	117.1806	18.8	629.1	665	55740.	2400	1.9	4.9	10.0	2.6	0.5	5.3	53	0.1
56209	0	0	0	0	KNA	48.5383	117.1800	18.8	628.7	673	55741.	2538	1.6	6.5	11.0	4.2	0.6	7.1	41	0.1
56208	0	0	0	0	KNA	48.5382	117.1794	18.7	628.1	692	55743.	2473	2.2	7.3	9.9	3.3	0.7	4.4	53	0.1
56207	1	0	0	0	KNA	48.5382	117.1787	18.7	627.6	710	55745.	2523	2.2	5.6	8.6	2.6	0.6	4.0	43	0.1
56206	1	0	0	0	KNA	48.5382	117.1781	18.7	627.0	731	55749.	2540	2.2	5.1	6.2	2.3	0.8	2.8	58	0.1
56205	1	0	0	0	KNA	48.5382	117.1775	18.7	626.5	745	55754.	2685	2.1	6.4	11.1	3.0	0.6	5.2	36	0.1
56204	1	0	0	0	KNA	48.5382	117.1769	18.7	625.9	756	55760.	2673	2.3	6.9	9.3	2.9	0.7	4.0	49	0.1
56203	1	0	0	0	KNA	48.5382	117.1763	18.6	625.3	756	55766.	2508	2.3	5.1	7.9	2.3	0.6	3.5	39	0.1
56202	1	0	0	0	KNA	48.5382	117.1757	18.6	624.8	750	55774.	2619	2.5	5.0	11.5	2.0	0.4	4.6	44	0.1
56201	1	0	0	0	KNA	48.5382	117.1750	18.6	624.1	739	55783.	2588	1.8	5.8	10.7	3.2	0.5	5.9	43	0.1
56200	1	0	0	0	KNA	48.5382	117.1744	18.6	623.5	720	55792.	2579	2.3	5.6	10.5	2.4	0.5	4.6	34	0.1
56199	0	0	0	0	KNA	48.5382	117.1738	18.6	623.0	691	55801.	2337	1.9	4.5	11.2	2.4	0.4	5.8	56	0.1
56198	0	0	0	0	KNA	48.5382	117.1732	18.6	622.4	651	55809.	2318	2.1	3.2	13.3	1.5	0.2	6.3	51	0.1
56197	0	0	0	0	KNA	48.5382	117.1726	18.5	621.8	608	55819.	2327	1.7	2.4	11.5	1.4	0.2	6.8	42	0.1
56196	0	0	0	0	KG	48.5382	117.1720	18.5	621.2	559	55828.	2034	1.6	3.6	10.3	2.3	0.4	6.5	40	0.1
56195	0	0	0	0	KG	48.5382	117.1714	18.5	620.7	509	55837.	2025	1.2	4.6	10.5	3.9	0.4	8.9	52	0.1
56194	0	0	0	0	KG	48.5382	117.1707	18.5	620.1	464	55847.	1992	1.5	3.3	11.4	2.2	0.3	7.6	40	0.1
56193	0	0	0	0	KG	48.5382	117.1701	18.5	619.6	425	55854.	1829	1.3	4.1	5.1	3.0	0.8	3.8	50	0.1
56192	0	0	0	0	KG	48.5382	117.1695	18.5	619.0	392	55861.	1854	1.6	3.6	5.9	2.2	0.6	3.7	48	0.1
56191	0	0	0	0	KG	48.5382	117.1689	18.5	618.5	366	55865.	1785	1.8	3.2	7.0	1.8	0.5	3.9	56	0.1
56190	0	0	0	0	KG	48.5382	117.1683	18.4	618.0	348	55868.	1847	1.7	2.7	8.3	1.6	0.3	4.8	45	0.1
56189	0	0	0	0	KG	48.5382	117.1677	18.4	617.5	338	55872.	1840	1.5	3.1	9.1	2.1	0.3	6.2	59	0.1
56188	0	0	0	0	KG	48.5382	117.1671	18.4	617.1	332	55877.	1996	1.6	3.9	10.2	2.4	0.4	6.3	51	0.1
56187	0	0	0	0	KG	48.5382	117.1664	18.4	616.6	332	55882.	2000	1.6	4.0	8.5	2.4	0.5	5.2	59	0.1
56186	0	0	0	0	KG	48.5382	117.1658	18.4	616.1	335	55887.	2103	1.9	3.5	8.8	1.9	0.4	4.6	46	0.1
56185	0	0	0	0	KG	48.5381	117.1652	18.4	615.7	343	55889.	2105	1.7	4.5	7.9	2.7	0.6	4.7	49	0.1
56183	0	0	0	0	KG	48.5381	117.1640	18.4	615.2	353	55888.	2304	1.9	4.6	9.1	2.4	0.5	4.8	47	0.1
56182	0	0	0	0	KG	48.5381	117.1633	18.4	614.8	365	55883.	2267	1.8	4.8	7.8	2.7	0.6	4.4	55	0.1
56181	0	0	0	0	KG	48.5381	117.1627	18.4	614.3	377	55875.	2249	1.5	4.8	9.1	3.2	0.5	6.0	60	0.1
56180	0	0	0	0	KG	48.5381	117.1621	18.4	613.9	390	55864.	2449	1.8	6.2	7.7	3.5	0.8	4.3	41	0.1
56179	0	0	0	0	KG	48.5381	117.1615	18.4	613.5	403	55851.	2448	2.3	4.5	12.2	1.9	0.4	5.3	56	0.1
56178	0	0	0	0	KG	48.5381	117.1609	18.4	613.0	423	55837.	2424	2.0	5.5	11.9	2.8	0.5	6.0	62	0.1
56177	0	0	0	0	KG	48.5381	117.1603	18.3	612.6	442	55821.	2550	2.0	6.5	8.4	3.3	0.8	4.3	55	0.1
56176	0	0	0	0	KG	48.5381	117.1597	18.3	612.1	469	55802.	2682	2.2	5.8	8.3	2.7	0.7	3.8	44	0.1
56175	0	0	0	0	KG	48.5381	117.1590	18.3	611.7	501	55781.	2753	2.3	3.6	15.7	1.6	0.2	6.8	46	0.1
56174	0	0	0	0	KG	48.5381	117.1584	18.3	611.3	536	55759.	2752	2.3	5.2	14.4	2.3	0.4	6.3	70	0.1
56173	0	0	0	0	KG	48.5381	117.1578	18.3	610.8	560	55738.	2940	3.1	4.7	13.1	1.5	0.4	4.2	50	0.1
56172	0	0	0	0	KG	48.5381	117.1572	18.3	610.4	559	55720.	2842	2.1	5.8	15.8	2.7	0.4	7.4	57	0.1
56171	0	0	0	0	KG	48.5381	117.1566	18.3	609.9	544	55705.	2693	2.4	5.5	15.0	2.3	0.4	6.4	43	0.1
56170	0	0	0	0	KG	48.5381	117.1560	18.3	609.5	521	55691.	2558	2.1	5.1	9.5	2.4	0.5	4.5	64	0.1
56169	0	0	0	0	KG	48.5381	117.1553	18.4	609.2	498	55679.	2350	2.0	4.2	10.0	2.1	0.4	5.0	64	0.1
56168	0	0	0	0	KG	48.5381	117.1547	18.4	608.8	476	55670.	2343	1.7	4.7	7.8	2.8	0.6	4.7	59	0.1
56167	0	0	0	0	KG	48.5381	117.1541	18.4	608.4	456	55662.	2430	2.2	3.2	12.7	1.5	0.3	5.7	50	0.1
56166	0	0	0	0	KG	48.5381	117.1535	18.4	608.0	437	55656.	2374	2.1	3.3	15.1	1.6	0.2	7.0	55	0.1
56165	0	0	0	0	KG	48.5381	117.1529	18.4	607.7	419	55652.	2457	2.1	5.7	11.2	2.7	0.5	5.3	46	0.1
56164	0	0	0	0	KG	48.5381	117.1523	18.4	607.3	402	55652.	2474	2.3	4.3	12.8	1.9	0.3	5.7	44	0.1
56163	0	0	0	0	KG	48.5381	117.1516	18.4	607.0	383	55654.	2447	2.0	5.0	12.7	2.6	0.4	6.5	54	0.1
56162	0	0	0	0	KG	48.5381	117.1510	18.4	606.8	360	55657.	2565	2.3	3.9	14.1	1.7	0.3	6.1	65	0.1
56161	0	0	0	0	KG	48.5381	117.1506	18.4	606.5	335	55662.	2485	2.4	2.4	14.4	1.0	0.2	6.0	58	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 25									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
56160	0	0	0	0	KG	48.5381	117.1502	18.4	606.3	312	55668.	2468	2.3	2.5	14.2	1.1	0.2	6.1	59	0.1
56159	0	0	0	0	KG	48.5381	117.1497	18.4	606.1	292	55674.	2487	2.3	4.2	12.9	1.8	0.3	5.5	51	0.1
56158	0	0	0	0	KG	48.5381	117.1493	18.5	606.0	273	55681.	2451	2.4	4.3	11.7	1.8	0.4	4.8	58	0.1
56157	0	0	0	0	KG	48.5381	117.1488	18.5	605.8	257	55688.	2339	2.3	2.5	12.5	1.1	0.2	5.5	61	0.1
56156	0	0	0	0	KHM	48.5381	117.1484	18.5	605.7	245	55694.	2367	2.1	4.0	11.2	1.9	0.4	5.4	63	0.1
56155	0	0	0	0	KHM	48.5381	117.1480	18.5	605.6	237	55700.	2440	2.2	2.7	12.6	1.2	0.2	5.7	53	0.1
56154	0	0	0	0	KHM	48.5381	117.1475	18.5	605.5	231	55702.	2400	2.2	4.0	9.2	1.9	0.4	4.3	65	0.1
56153	0	0	0	0	KHM	48.5381	117.1471	18.5	605.5	229	55700.	2493	2.4	4.5	7.9	1.9	0.6	3.3	57	0.1
56152	0	0	0	0	KHM	48.5381	117.1467	18.6	605.6	230	55695.	2420	2.2	4.3	11.7	1.9	0.4	5.3	54	0.1
56151	0	0	0	0	KHM	48.5381	117.1462	18.6	605.7	236	55687.	2465	2.1	4.0	11.6	1.9	0.3	5.5	55	0.1
56150	0	0	0	0	KHM	48.5381	117.1458	18.6	605.7	247	55675.	2299	2.0	4.1	10.4	2.1	0.4	5.3	67	0.1
56149	0	0	0	0	KHM	48.5381	117.1454	18.6	605.9	264	55662.	2396	2.0	4.8	10.5	2.5	0.5	5.4	58	0.1
56148	0	0	0	0	KHM	48.5381	117.1449	18.6	606.0	285	55647.	2526	2.4	3.1	10.3	1.3	0.3	4.3	54	0.1
56147	0	0	0	0	KHM	48.5381	117.1445	18.7	606.3	306	55632.	2489	2.2	3.6	12.7	1.6	0.3	5.7	70	0.1
56146	0	0	0	0	KHM	48.5382	117.1440	18.7	606.6	328	55619.	2503	2.2	3.7	11.6	1.7	0.3	5.3	54	0.1
56145	0	0	0	0	KHM	48.5382	117.1436	18.7	606.8	350	55609.	2553	2.2	5.2	12.4	2.4	0.4	5.7	50	0.1
56144	0	0	0	0	KHM	48.5382	117.1432	18.7	607.1	372	55598.	2598	2.3	3.9	8.9	1.7	0.4	3.8	61	0.1
56143	0	0	0	0	KHM	48.5382	117.1427	18.8	607.5	396	55591.	2849	2.4	4.8	12.6	2.0	0.4	5.2	42	0.1
56142	0	0	0	0	KHM	48.5382	117.1423	18.8	607.9	422	55584.	2930	2.4	5.2	13.8	2.2	0.4	5.8	58	0.1
56141	0	0	0	0	KHM	48.5382	117.1419	18.8	608.3	448	55578.	2991	2.8	5.2	13.5	1.9	0.4	4.9	51	0.1
56140	0	0	0	0	KHM	48.5382	117.1414	18.8	608.6	473	55576.	3001	2.5	5.5	13.0	2.2	0.4	5.2	64	0.1
56139	0	0	0	0	KHM	48.5382	117.1410	18.9	609.1	495	55575.	3149	2.7	3.3	15.9	1.2	0.2	5.9	65	0.1
56138	0	0	0	0	KHM	48.5382	117.1405	18.9	609.5	513	55575.	3253	2.3	6.5	16.2	2.9	0.4	7.1	50	0.1
56137	0	0	0	0	KHM	48.5382	117.1401	18.9	609.9	527	55575.	3225	2.5	4.6	16.5	1.8	0.3	6.6	51	0.1
56136	0	0	0	0	KHM	48.5382	117.1397	19.0	610.3	537	55576.	3382	2.6	4.7	18.5	1.8	0.3	7.3	51	0.1
56135	0	0	0	0	KHM	48.5382	117.1392	19.0	610.7	543	55578.	3203	2.5	6.2	16.1	2.5	0.4	6.4	57	0.1
56134	0	0	0	0	KHM	48.5382	117.1388	19.0	611.1	544	55580.	3277	2.7	4.4	20.5	1.6	0.2	7.5	47	0.1
56133	0	0	0	0	KHM	48.5382	117.1384	19.1	611.6	537	55585.	3074	2.7	4.5	15.8	1.7	0.3	5.9	47	0.1
56132	0	0	0	0	KHM	48.5382	117.1379	19.1	612.1	526	55589.	2891	2.2	6.0	12.1	2.7	0.5	5.5	64	0.1
56131	0	0	0	0	KHM	48.5382	117.1375	19.1	612.5	513	55593.	2945	2.3	4.6	14.6	2.0	0.3	6.3	52	0.1
56130	0	0	0	0	KHM	48.5383	117.1371	19.2	613.0	503	55596.	2757	1.9	4.0	14.0	2.1	0.3	7.4	39	0.1
56129	0	0	0	0	KHM	48.5383	117.1366	19.2	613.5	496	55598.	2691	2.0	3.9	11.3	1.9	0.3	5.5	69	0.1
56128	0	0	0	0	KHM	48.5383	117.1362	19.2	613.9	494	55600.	2643	2.3	3.7	12.7	1.6	0.3	5.6	55	0.1
56127	0	0	0	0	KHM	48.5383	117.1357	19.3	614.4	500	55601.	2716	2.3	2.8	18.2	1.2	0.2	8.0	54	0.1
56126	0	0	0	0	KHM	48.5383	117.1353	19.3	614.9	508	55603.	2737	2.3	5.4	11.2	2.3	0.5	4.8	58	0.1
56125	0	0	0	0	KHM	48.5383	117.1349	19.3	615.4	517	55602.	2833	2.1	6.6	11.8	3.1	0.6	5.5	53	0.1
56124	0	0	0	0	KHM	48.5383	117.1344	19.4	615.9	520	55601.	2790	2.2	5.2	14.3	2.4	0.4	6.5	58	0.1
56123	0	0	0	0	KHM	48.5383	117.1340	19.4	616.5	518	55600.	2854	2.6	5.6	14.9	2.2	0.4	5.8	61	0.1
56122	0	0	0	0	KHM	48.5383	117.1336	19.4	617.0	514	55599.	2866	2.3	5.1	16.4	2.2	0.3	7.1	51	0.1
56121	0	0	0	0	KHM	48.5383	117.1331	19.5	617.5	513	55598.	2739	2.1	5.3	12.4	2.5	0.4	5.9	51	0.1
56120	0	0	0	0	KHM	48.5383	117.1327	19.5	618.1	516	55596.	2631	1.8	5.1	13.2	2.8	0.4	7.2	70	0.1
56119	0	0	0	0	KHM	48.5383	117.1323	19.5	618.6	520	55592.	2655	1.8	4.5	15.2	2.5	0.3	8.6	63	0.1
56118	0	0	0	0	KHM	48.5383	117.1318	19.6	619.2	521	55588.	2633	1.8	3.6	14.3	2.0	0.3	7.8	61	0.1
56117	0	0	0	0	KHM	48.5383	117.1314	19.6	619.7	522	55586.	2610	2.3	4.2	13.9	1.9	0.3	6.1	41	0.1
56116	0	0	0	0	KHM	48.5383	117.1310	19.7	620.3	525	55586.	2592	2.1	5.7	13.0	2.7	0.4	6.3	40	0.1
56115	0	0	0	0	KHM	48.5383	117.1305	19.7	620.9	545	55585.	2729	2.0	5.8	14.8	2.8	0.4	7.3	42	0.1
56114	0	0	0	0	KHM	48.5383	117.1301	19.7	621.4	563	55587.	2534	1.7	4.4	14.3	2.6	0.3	8.2	50	0.1
56113	0	0	0	0	KHM	48.5383	117.1296	19.8	622.0	584	55587.	2639	1.8	5.0	14.6	2.8	0.3	8.1	53	0.1
56112	0	0	0	0	KHM	48.5383	117.1292	19.8	622.6	577	55588.	2562	1.7	4.8	13.0	2.9	0.4	7.8	54	0.1
56111	0	0	0	0	KHM	48.5384	117.1288	19.8	623.2	574	55589.	2574	1.8	4.1	16.0	2.3	0.3	9.0	45	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 25							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
56110	0	0	0	0	KHM	48.5384	117.1283	19.9	623.8	572	55589.	2355	1.8	4.0	14.1	2.2	0.3	7.6	45	0.1
56109	0	0	0	0	KHM	48.5384	117.1279	19.9	624.4	585	55591.	2437	2.1	3.5	12.5	1.7	0.3	6.0	50	0.1
56108	0	0	0	0	KHM	48.5384	117.1274	19.9	624.9	594	55593.	2484	1.9	4.7	11.8	2.4	0.4	6.1	52	0.1
56107	0	0	0	0	KHM	48.5384	117.1270	20.0	625.6	589	55596.	2407	2.0	3.4	12.5	1.7	0.3	6.1	43	0.1
56106	0	0	0	0	KHM	48.5384	117.1266	20.0	626.2	573	55600.	2289	1.7	3.0	13.6	1.7	0.2	7.8	46	0.1
56105	0	0	0	0	KHM	48.5384	117.1261	20.0	626.7	551	55604.	2314	1.1	5.3	10.0	4.9	0.5	9.3	39	0.1
56104	0	0	0	0	KHM	48.5384	117.1257	20.1	627.4	532	55608.	2201	1.3	5.9	10.6	4.4	0.6	8.0	48	0.1
56103	0	0	0	0	KHM	48.5384	117.1253	20.1	628.0	516	55612.	2132	1.4	3.5	11.8	2.5	0.3	8.4	60	0.1
56102	0	0	0	0	KHM	48.5384	117.1248	20.1	628.5	520	55615.	2099	1.7	3.3	13.5	1.9	0.2	7.8	54	0.1
56101	0	0	0	0	KHM	48.5384	117.1244	20.2	629.2	532	55619.	2204	1.4	5.9	10.7	4.1	0.5	7.5	47	0.1
56100	0	0	0	0	KHM	48.5384	117.1240	20.2	629.8	551	55622.	2279	1.8	3.9	7.9	2.1	0.5	4.3	52	0.1
56099	0	0	0	0	KHM	48.5384	117.1235	20.2	630.4	562	55625.	2177	1.9	3.5	10.4	1.8	0.3	5.4	66	0.1
56098	0	0	0	0	KHM	48.5384	117.1231	20.3	631.0	574	55629.	2319	1.7	4.1	12.0	2.5	0.3	7.2	43	0.1
56097	0	0	0	0	KHM	48.5384	117.1227	20.3	631.7	586	55632.	2452	2.0	5.0	10.0	2.5	0.5	4.9	33	0.1
56096	0	0	0	0	KHM	48.5385	117.1222	20.3	632.3	597	55636.	2479	1.5	6.3	11.0	4.1	0.6	7.2	45	0.1
56095	0	0	0	0	KHM	48.5385	117.1218	20.4	633.0	601	55639.	2451	2.1	5.1	11.8	2.5	0.4	5.7	47	0.1
56093	0	0	0	0	KHM	48.5385	117.1209	20.4	633.6	602	55643.	2594	2.0	3.0	14.8	1.5	0.2	7.4	48	0.1
56092	0	0	0	0	KHM	48.5385	117.1205	20.4	634.2	601	55647.	2536	2.1	5.0	11.8	2.4	0.4	5.6	38	0.1
56091	0	0	0	0	KHM	48.5385	117.1200	20.5	634.9	597	55652.	2401	1.6	4.9	17.0	3.1	0.3	10.6	41	0.1
56090	0	0	0	0	KHM	48.5385	117.1196	20.5	635.5	595	55656.	2508	1.6	5.6	11.3	3.5	0.5	7.1	37	0.1
56089	0	0	0	0	KHM	48.5385	117.1192	20.5	636.1	592	55662.	2491	1.3	6.6	12.1	5.0	0.5	9.3	42	0.1
56088	0	0	0	0	KHM	48.5385	117.1187	20.6	636.8	596	55667.	2430	1.8	3.6	14.1	2.1	0.3	8.0	35	0.1
56087	0	0	0	0	KHM	48.5385	117.1183	20.6	637.4	603	55673.	2454	1.7	6.2	13.3	3.7	0.5	8.0	39	0.1
56086	0	0	0	0	KHM	48.5385	117.1178	20.6	638.0	613	55680.	2672	2.2	4.5	12.7	2.1	0.4	5.8	28	0.1
56085	0	0	0	0	KHM	48.5385	117.1174	20.7	638.6	618	55685.	2740	1.6	5.6	14.3	3.6	0.4	9.1	46	0.1
56084	0	0	0	0	KHM	48.5385	117.1170	20.7	639.2	616	55691.	2634	2.2	3.1	17.1	1.5	0.2	7.9	48	0.1
56083	0	0	0	0	KHM	48.5385	117.1165	20.7	639.7	612	55694.	2676	1.7	4.0	12.4	2.3	0.3	7.2	61	0.1
56082	0	0	0	0	KHM	48.5385	117.1161	20.7	640.3	615	55694.	2650	2.0	4.7	13.1	2.3	0.4	6.4	45	0.1
56081	0	0	0	0	KHM	48.5385	117.1157	20.8	640.8	626	55692.	2914	1.8	5.4	17.9	3.0	0.3	10.0	45	0.1
56080	0	0	0	0	KHM	48.5385	117.1152	20.8	641.4	636	55690.	2919	2.0	7.3	11.4	3.7	0.6	5.7	43	0.1
56079	0	0	0	0	KHM	48.5385	117.1148	20.8	641.9	637	55689.	2943	1.8	5.4	18.6	3.0	0.3	10.1	44	0.1
56078	0	0	0	0	KHM	48.5385	117.1143	20.9	642.4	637	55690.	2983	1.8	6.3	13.6	3.5	0.5	7.7	40	0.1
56077	0	0	0	0	KHM	48.5386	117.1139	20.9	642.9	634	55692.	3046	2.3	3.3	18.8	1.4	0.2	8.1	36	0.1
56076	0	0	0	0	KHM	48.5385	117.1133	20.9	643.4	629	55694.	3155	2.6	7.5	15.3	2.9	0.5	5.9	46	0.1
56075	0	0	0	0	KHM	48.5385	117.1127	21.0	643.9	623	55696.	3043	1.9	7.1	14.3	3.8	0.5	7.7	41	0.1
56074	0	0	0	0	KHM	48.5385	117.1121	21.0	644.4	618	55697.	3057	2.1	4.6	16.3	2.2	0.3	7.8	53	0.1
56073	0	0	0	0	KHM	48.5385	117.1115	21.0	644.9	610	55697.	3055	2.1	4.7	15.3	2.2	0.3	7.1	42	0.1
56072	0	0	0	0	KHM	48.5385	117.1109	21.0	645.3	597	55697.	3177	2.3	5.5	16.9	2.4	0.3	7.3	40	0.1
56071	0	0	0	0	KHM	48.5384	117.1103	21.1	645.8	577	55695.	3103	2.1	5.2	14.0	2.4	0.4	6.5	30	0.1
56070	0	0	0	0	KHM	48.5384	117.1096	21.1	646.2	561	55693.	3135	2.1	5.0	16.4	2.5	0.3	8.0	34	0.1
56069	0	0	0	0	KHM	48.5384	117.1090	21.1	646.7	554	55689.	3017	1.9	5.3	14.1	2.8	0.4	7.4	42	0.1
56068	0	0	0	0	KHM	48.5384	117.1084	21.1	647.1	559	55682.	3034	1.5	7.8	15.5	5.1	0.5	10.1	44	0.1
56067	0	0	0	0	KHM	48.5384	117.1078	21.2	647.6	567	55674.	3266	2.4	5.1	14.4	2.1	0.4	6.0	35	0.1
56066	0	0	0	0	KHM	48.5383	117.1072	21.2	648.0	573	55664.	3184	2.1	4.2	17.6	2.0	0.2	8.2	52	0.1
56065	0	0	0	0	KHM	48.5383	117.1066	21.2	648.4	567	55656.	3180	2.0	6.5	13.7	3.2	0.5	6.8	41	0.1
56064	0	0	0	0	KHM	48.5383	117.1060	21.3	648.9	558	55651.	3177	2.4	6.9	15.3	2.9	0.5	6.4	33	0.1
56063	0	0	0	0	KHM	48.5383	117.1054	21.3	649.3	541	55648.	2988	2.1	4.2	19.4	2.0	0.2	9.2	41	0.1
56062	0	0	0	0	KHM	48.5383	117.1048	21.3	649.7	530	55646.	2907	1.8	6.5	15.7	3.6	0.4	8.6	41	0.1
56061	0	0	0	0	KHM	48.5383	117.1042	21.3	650.1	524	55644.	2885	1.7	6.2	15.0	3.6	0.4	8.7	35	0.1
56060	0	0	0	0	KHM	48.5382	117.1035	21.4	650.6	520	55643.	2849	1.9	4.4	13.2	2.3	0.3	6.8	54	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 25							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
56059	0	0	0	0	KHM	48.5382	117.1029	21.4	650.9	506	55641.	2914	2.0	6.5	12.9	3.2	0.5	6.4	41	0.1
56058	0	0	0	0	KHM	48.5382	117.1023	21.4	651.3	487	55640.	2787	1.4	6.9	13.4	4.8	0.5	9.3	34	0.1
56057	0	0	0	0	KHM	48.5382	117.1017	21.4	651.7	475	55638.	2665	1.8	5.9	12.3	3.3	0.5	6.9	40	0.1
56056	0	0	0	0	KHM	48.5381	117.1011	21.4	652.1	474	55634.	2711	1.7	5.2	11.9	3.1	0.4	7.2	39	0.1
56055	0	0	0	0	KHM	48.5381	117.1005	21.5	652.5	469	55629.	2861	1.6	6.5	15.6	4.0	0.4	9.6	29	0.1
56054	0	0	0	0	KHM	48.5381	117.0999	21.5	652.9	461	55623.	2747	1.4	6.6	15.3	4.6	0.4	10.7	46	0.1
56053	0	0	0	0	KHM	48.5381	117.0993	21.5	653.3	446	55614.	2680	2.2	4.8	12.8	2.2	0.4	5.8	39	0.1
56052	0	0	0	0	KHM	48.5381	117.0987	21.5	653.6	442	55604.	2642	2.1	3.8	13.1	1.9	0.3	6.4	42	0.1
56051	0	0	0	0	KHM	48.5381	117.0981	21.6	654.0	443	55593.	2592	1.9	3.4	13.0	1.8	0.3	6.8	47	0.1
56050	0	0	0	0	KHM	48.5380	117.0975	21.6	654.4	449	55581.	2486	1.5	5.3	13.1	3.5	0.4	8.7	36	0.1
56049	0	0	0	0	KHM	48.5380	117.0968	21.6	654.7	451	55570.	2579	1.6	5.2	10.1	3.3	0.5	6.5	41	0.1
56048	0	0	0	0	KHM	48.5380	117.0962	21.6	655.1	451	55560.	2427	1.7	5.4	10.8	3.2	0.5	6.5	40	0.1
56047	0	0	0	0	KHM	48.5380	117.0956	21.6	655.4	457	55551.	2466	1.6	4.8	10.0	3.0	0.5	6.2	39	0.1
56046	0	0	0	0	KHM	48.5380	117.0950	21.7	655.7	468	55544.	2417	1.4	4.9	12.4	3.5	0.4	8.9	36	0.1
56045	0	0	0	0	KHM	48.5379	117.0944	21.7	656.1	472	55536.	2510	1.3	6.4	13.0	4.9	0.5	9.8	40	0.1
56044	0	0	0	0	KHM	48.5379	117.0938	21.7	656.4	471	55528.	2486	1.6	4.7	11.2	3.0	0.4	7.0	46	0.1
56043	0	0	0	0	KHM	48.5379	117.0932	21.7	656.7	459	55521.	2464	1.6	6.8	8.6	4.2	0.8	5.4	50	0.1
56042	0	0	0	0	KHM	48.5379	117.0926	21.7	657.0	453	55512.	2369	1.5	5.6	10.2	3.8	0.6	6.9	39	0.1
56041	0	0	0	0	KHM	48.5379	117.0920	21.7	657.2	456	55503.	2464	1.1	5.9	11.9	5.4	0.5	10.8	32	0.1
56040	0	0	0	0	KHM	48.5378	117.0914	21.7	657.5	482	55493.	2423	1.2	5.7	10.0	4.7	0.6	8.2	39	0.1
56039	0	0	0	0	KHM	48.5378	117.0907	21.8	657.8	519	55482.	2612	1.3	6.9	14.9	5.5	0.5	11.8	31	0.1
56038	0	0	0	0	KHM	48.5378	117.0901	21.8	658.1	557	55470.	2515	1.5	5.6	9.8	3.7	0.6	6.4	41	0.1
56037	0	0	0	0	KHM	48.5378	117.0895	21.8	658.4	581	55459.	2600	1.8	4.7	13.1	2.6	0.4	7.3	36	0.1
56036	0	0	0	0	KHM	48.5378	117.0889	21.8	658.7	602	55449.	2606	1.8	6.6	8.0	3.7	0.8	4.4	40	0.1
56035	0	0	0	0	KHM	48.5378	117.0883	21.8	658.9	624	55438.	2756	1.5	6.5	10.7	4.3	0.6	7.0	23	0.1
56034	0	0	0	0	KHM	48.5377	117.0877	21.8	659.2	651	55429.	2756	2.2	4.5	11.2	2.0	0.4	5.0	29	0.1
56033	0	0	0	0	KHM	48.5377	117.0871	21.8	659.5	678	55421.	2838	2.1	6.4	12.8	3.0	0.5	6.0	35	0.1
56032	1	0	0	0	KHM	48.5377	117.0865	21.8	659.7	711	55413.	3159	2.1	5.9	15.8	2.8	0.4	7.5	22	0.1
56031	1	0	0	0	KHM	48.5377	117.0859	21.9	660.0	745	55406.	3154	1.9	7.9	13.2	4.2	0.6	7.0	46	0.1
56030	1	0	0	0	KHM	48.5377	117.0853	21.9	660.3	762	55399.	3208	2.4	6.3	13.0	2.6	0.5	5.4	37	0.1
56029	1	0	0	0	KHM	48.5376	117.0847	21.9	660.5	763	55391.	3171	1.5	8.6	16.2	5.9	0.5	11.0	30	0.1
56028	1	0	0	0	KHM	48.5376	117.0840	21.9	660.7	746	55384.	3103	1.1	8.7	14.4	7.7	0.6	12.7	36	0.1
56027	1	0	0	0	KHM	48.5376	117.0834	21.9	660.9	732	55377.	3096	1.8	7.6	14.4	4.1	0.5	7.9	42	0.1
56026	1	0	0	0	KHM	48.5376	117.0828	21.9	661.1	716	55371.	2980	1.6	6.7	15.4	4.1	0.4	9.5	30	0.1
56025	1	0	0	0	KHM	48.5376	117.0822	21.9	661.3	705	55365.	2877	2.1	5.6	16.3	2.7	0.3	7.8	32	0.1
56024	1	0	0	0	KHM	48.5375	117.0816	21.9	661.4	703	55362.	2773	1.9	4.9	14.5	2.7	0.3	7.8	40	0.1
56023	1	0	0	0	KHM	48.5375	117.0810	21.9	661.5	715	55360.	2724	1.7	4.6	14.0	2.7	0.3	8.2	40	0.1
56022	1	0	0	0	KHM	48.5375	117.0804	21.9	661.6	743	55359.	3017	1.9	5.3	12.7	2.8	0.4	6.7	33	0.1
56021	1	0	0	0	KHM	48.5375	117.0798	21.9	661.6	767	55359.	3101	2.1	5.0	18.3	2.4	0.3	8.9	37	0.1
56020	1	0	0	0	KHM	48.5375	117.0792	21.9	661.6	772	55357.	3095	2.6	7.2	12.3	2.7	0.6	4.7	40	0.1
56019	1	0	0	0	KHM	48.5374	117.0786	21.9	661.6	763	55357.	2971	2.7	4.7	14.4	1.7	0.3	5.2	39	0.1
56018	1	0	0	0	KHM	48.5374	117.0779	21.9	661.6	757	55357.	3073	2.3	8.3	10.8	3.6	0.8	4.7	22	0.1
56017	1	0	0	0	KHM	48.5374	117.0773	22.0	661.5	767	55357.	2933	1.6	5.0	12.8	3.1	0.4	7.9	36	0.1
56016	1	0	0	0	KHM	48.5374	117.0767	22.0	661.4	798	55354.	2996	1.9	6.1	13.7	3.2	0.4	7.3	40	0.1
56015	1	0	0	0	KHM	48.5374	117.0761	22.0	661.3	833	55361.	3148	2.2	7.9	13.5	3.6	0.6	6.2	43	0.1
56014	1	0	0	0	KHM	48.5374	117.0755	22.0	661.2	874	55363.	3516	2.8	7.7	14.1	2.8	0.5	5.1	35	0.1
56013	1	0	0	0	KHM	48.5373	117.0749	22.0	661.0	880	55367.	3524	3.1	5.8	16.2	1.9	0.4	5.3	42	0.1
56012	1	0	0	0	KHM	48.5374	117.0743	22.0	660.8	855	55372.	3585	2.9	7.0	16.5	2.5	0.4	5.8	36	0.1
56011	1	0	0	0	KHM	48.5374	117.0736	22.0	660.6	795	55377.	3096	2.7	7.8	12.4	2.9	0.6	4.7	30	0.1
56010	1	0	0	0	KHM	48.5374	117.0730	22.0	660.4	736	55382.	3115	1.7	5.2	21.2	3.0	0.2	12.4	24	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 25							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
56009	0	0	0	0	KHM	48.5374	117.0723	22.0	660.2	698	55386.	2947	2.0	4.0	17.8	2.0	0.2	8.8	24	0.1
56008	0	0	0	0	KHM	48.5374	117.0717	22.0	660.0	690	55390.	2751	1.3	7.7	11.2	5.9	0.7	8.6	35	0.1
56007	1	0	0	0	KHM	48.5374	117.0711	22.0	659.7	712	55395.	2995	2.5	5.0	14.7	2.0	0.3	5.8	30	0.1
56006	1	0	0	0	KHM	48.5374	117.0704	22.0	659.4	754	55400.	3235	2.3	6.6	16.8	2.9	0.4	7.5	35	0.1
56005	1	0	0	0	KHM	48.5374	117.0698	22.0	659.1	781	55405.	3376	1.6	8.7	15.6	5.6	0.6	10.1	37	0.1
56004	1	0	0	0	KHM	48.5375	117.0692	22.0	658.8	783	55410.	3401	2.5	5.8	17.6	2.3	0.3	7.0	38	0.1
56002	1	0	0	0	KHM	48.5375	117.0679	22.0	658.5	763	55417.	3316	3.2	7.7	11.7	2.4	0.7	3.7	34	0.1
56001	1	0	0	0	KHM	48.5375	117.0672	22.0	658.2	747	55424.	3291	2.6	7.0	13.8	2.7	0.5	5.3	44	0.1
56000	1	0	0	0	KHM	48.5375	117.0666	22.0	657.8	727	55432.	3206	1.7	8.8	13.4	5.0	0.7	7.7	38	0.1
55999	1	0	0	0	KHM	48.5375	117.0660	22.0	657.5	703	55438.	3064	2.6	8.2	11.3	3.1	0.7	4.3	28	0.1
55998	0	0	0	0	KHM	48.5375	117.0653	22.0	657.2	687	55442.	2973	2.1	6.3	11.4	3.0	0.6	5.4	44	0.1
55997	0	0	0	0	KHM	48.5376	117.0647	22.0	656.9	691	55444.	2959	1.8	8.0	10.8	4.5	0.7	6.1	33	0.1
55996	1	0	0	0	KHM	48.5376	117.0641	22.0	656.5	711	55446.	2898	1.8	6.0	14.4	3.4	0.4	8.2	35	0.1
55995	1	0	0	0	KHM	48.5376	117.0634	22.0	656.2	744	55446.	2888	1.9	5.3	16.8	2.7	0.3	8.7	37	0.1
55994	1	0	0	0	KHM	48.5376	117.0628	22.0	655.9	790	55446.	3318	2.5	6.3	13.4	2.5	0.5	5.4	26	0.1
55993	1	0	0	0	KHM	48.5376	117.0621	22.0	655.7	821	55447.	3229	3.0	6.7	14.7	2.3	0.5	5.0	41	0.1
55992	1	0	0	0	KHM	48.5376	117.0615	22.0	655.4	826	55448.	3447	2.7	10.1	14.9	3.8	0.7	5.6	38	0.1
55991	1	0	0	0	KHM	48.5376	117.0609	22.0	655.1	795	55450.	3225	2.4	4.7	18.0	2.0	0.3	7.6	38	0.1
55990	1	0	0	0	KHM	48.5376	117.0602	22.1	654.9	764	55451.	3155	2.0	7.6	16.0	3.8	0.5	8.1	38	0.1
55989	1	0	0	0	KHM	48.5377	117.0596	22.1	654.6	739	55454.	2993	2.1	7.8	18.7	3.7	0.4	8.8	39	0.1
55988	1	0	0	0	KHM	48.5377	117.0590	22.1	654.4	722	55457.	3188	2.0	6.5	15.0	3.2	0.4	7.5	37	0.1
55987	1	0	0	0	KHM	48.5377	117.0583	22.1	654.1	706	55460.	3093	2.3	7.3	14.7	3.2	0.5	6.4	38	0.1
55986	0	0	0	0	KHM	48.5377	117.0577	22.1	653.9	681	55464.	3059	2.3	6.2	16.8	2.7	0.4	7.3	38	0.1
55985	0	0	0	0	KHM	48.5377	117.0571	22.1	653.6	636	55471.	2990	1.9	7.8	13.8	4.1	0.6	7.3	42	0.1
55984	0	0	0	0	KHM	48.5377	117.0564	22.1	653.4	582	55477.	2838	2.1	4.6	13.9	2.2	0.3	6.5	42	0.1
55983	0	0	0	0	KHM	48.5377	117.0558	22.1	653.2	533	55486.	2825	2.5	3.9	14.6	1.6	0.3	5.9	32	0.1
55982	0	0	0	0	KHM	48.5378	117.0551	22.1	653.0	493	55492.	2656	2.2	3.7	16.9	1.7	0.2	7.8	41	0.1
55981	0	0	0	0	KHM	48.5378	117.0545	22.1	652.8	459	55498.	2659	1.8	6.6	15.2	3.7	0.4	8.5	28	0.1
55980	0	0	0	0	KHM	48.5378	117.0539	22.1	652.6	422	55505.	2466	2.3	2.3	12.0	1.0	0.2	5.2	35	0.1
55979	0	0	0	0	KHM	48.5378	117.0532	22.1	652.5	394	55511.	2435	2.2	2.7	11.3	1.2	0.2	5.2	42	0.1
55978	0	0	0	0	KHM	48.5378	117.0526	22.2	652.3	372	55517.	2344	1.7	5.2	13.4	3.1	0.4	8.0	46	0.1
55977	0	0	0	0	KHM	48.5378	117.0519	22.2	652.2	365	55522.	2325	1.4	4.3	11.5	3.2	0.4	8.4	43	0.1
55976	0	0	0	0	KHM	48.5378	117.0513	22.2	652.0	369	55525.	2441	1.6	5.0	11.3	3.1	0.4	7.1	42	0.1
55975	0	0	0	0	KHM	48.5378	117.0507	22.2	652.0	381	55526.	2346	1.7	3.7	11.9	2.1	0.3	6.9	38	0.1
55974	0	0	0	0	KHM	48.5379	117.0500	22.2	651.9	394	55524.	2455	1.7	4.8	13.5	2.8	0.4	7.7	38	0.1
55973	0	0	0	0	KHM	48.5379	117.0494	22.2	651.9	408	55521.	2545	1.8	5.3	11.2	3.0	0.5	6.2	54	0.1
55972	0	0	0	0	KHM	48.5379	117.0488	22.2	652.0	435	55516.	2760	1.7	6.4	13.4	3.8	0.5	7.9	30	0.1
55971	0	0	0	0	KHM	48.5379	117.0481	22.2	652.0	467	55511.	2848	2.0	6.7	11.1	3.3	0.6	5.5	53	0.1
55970	0	0	0	0	KHM	48.5378	117.0475	22.3	652.2	492	55507.	3034	2.1	8.1	13.1	3.8	0.6	6.1	31	0.1
55969	0	0	0	0	KHM	48.5378	117.0469	22.3	652.3	506	55504.	2796	1.6	5.2	14.4	3.3	0.4	9.2	32	0.1
55968	0	0	0	0	KHM	48.5378	117.0463	22.3	652.4	515	55502.	2645	1.8	4.8	11.6	2.6	0.4	6.4	50	0.1
55967	0	0	0	0	KHM	48.5378	117.0457	22.3	652.6	527	55502.	2602	1.7	5.1	13.6	3.0	0.4	8.0	47	0.1
55966	0	0	0	0	KHM	48.5377	117.0451	22.3	652.8	523	55503.	2576	1.8	6.1	12.5	3.4	0.5	7.0	43	0.1
55965	0	0	0	0	KHM	48.5377	117.0445	22.3	653.1	497	55507.	2647	1.7	7.2	9.8	4.1	0.7	5.6	38	0.1
55964	0	0	0	0	KHM	48.5377	117.0439	22.4	653.4	459	55513.	2543	1.8	3.5	15.3	1.9	0.2	8.3	41	0.1
55963	0	0	0	0	KHM	48.5377	117.0433	22.4	653.8	426	55520.	2555	1.7	5.2	12.1	3.0	0.4	7.1	43	0.1
55962	0	0	0	0	KHM	48.5376	117.0427	22.4	654.2	409	55526.	2629	1.6	5.6	12.1	3.5	0.5	7.5	25	0.1
55961	0	0	0	0	KHM	48.5376	117.0421	22.4	654.5	406	55528.	2667	2.0	4.7	11.5	2.3	0.4	5.6	37	0.1
55960	0	0	0	0	KHM	48.5376	117.0415	22.4	654.9	412	55528.	2709	2.3	2.7	13.3	1.2	0.2	5.7	40	0.1
55959	0	0	0	0	KHM	48.5376	117.0409	22.4	655.2	411	55526.	2594	1.7	5.6	12.1	3.4	0.5	7.2	52	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 25								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
55958	0	0	0	0	KHM	48.5376	117.0403	22.5	655.6	408	55524.	2678	1.9	4.7	14.0	2.5	0.3	7.4	32	0.1
55957	0	0	0	0	KHM	48.5375	117.0397	22.5	656.0	393	55524.	2429	1.7	4.2	11.0	2.5	0.4	6.6	36	0.1
55956	0	0	0	0	KHM	48.5375	117.0391	22.5	656.4	383	55526.	2419	1.6	4.3	11.2	2.7	0.4	6.9	34	0.1
55955	0	0	0	0	KHM	48.5375	117.0385	22.5	656.8	378	55529.	2532	1.9	4.3	12.3	2.2	0.3	6.4	26	0.1
55954	0	0	0	0	KHM	48.5375	117.0378	22.5	657.2	389	55531.	2570	2.1	4.3	14.3	2.1	0.3	6.8	41	0.1
55953	0	0	0	0	KHM	48.5374	117.0372	22.6	657.6	405	55533.	2539	2.0	3.2	12.4	1.6	0.3	6.1	43	0.1
55952	0	0	0	0	KHM	48.5374	117.0366	22.6	658.0	413	55534.	2606	1.4	5.8	12.1	4.2	0.5	8.8	34	0.1
55951	0	0	0	0	KHM	48.5374	117.0360	22.6	658.4	408	55535.	2635	1.6	6.4	14.1	3.9	0.5	8.6	23	0.1
55950	0	0	0	0	KHM	48.5374	117.0354	22.6	658.7	395	55536.	2495	1.6	6.5	12.9	4.0	0.5	7.8	41	0.1
55949	0	0	0	0	KHM	48.5373	117.0348	22.6	659.1	384	55536.	2445	1.7	5.6	13.4	3.3	0.4	7.8	46	0.1
55948	0	0	0	0	KHM	48.5373	117.0342	22.7	659.5	375	55538.	2443	1.8	5.2	8.4	3.0	0.6	4.8	41	0.1
55947	0	0	0	0	KHM	48.5373	117.0336	22.7	659.9	374	55540.	2401	1.4	5.1	11.6	3.7	0.4	8.4	42	0.1
55946	0	0	0	0	KHM	48.5373	117.0330	22.7	660.3	387	55542.	2646	1.2	6.2	13.8	5.3	0.4	11.9	47	0.1
55945	0	0	0	0	KHM	48.5372	117.0324	22.7	660.7	417	55543.	2592	1.5	4.1	10.8	2.8	0.4	7.5	34	0.1
55944	0	0	0	0	KHM	48.5372	117.0318	22.7	661.1	451	55544.	2694	1.4	5.5	16.7	3.8	0.3	11.7	34	0.1
55943	0	0	0	0	KHM	48.5372	117.0312	22.8	661.5	480	55545.	2822	2.0	4.5	15.0	2.3	0.3	7.5	23	0.1
55942	0	0	0	0	KHM	48.5372	117.0306	22.8	661.9	509	55546.	2961	2.0	4.0	12.5	2.0	0.3	6.1	38	0.1
55941	0	0	0	0	KHM	48.5372	117.0300	22.8	662.3	517	55551.	3059	1.7	5.6	16.9	3.3	0.3	10.0	32	0.1
55940	0	0	0	0	KHM	48.5371	117.0294	22.8	662.7	503	55556.	3084	2.1	4.8	13.9	2.3	0.3	6.6	41	0.1
55939	0	0	0	0	KHM	48.5371	117.0288	22.8	663.1	457	55563.	3051	2.1	5.7	13.7	2.7	0.4	6.5	44	0.1
55938	0	0	0	0	KHM	48.5371	117.0282	22.9	663.5	407	55570.	3051	2.6	4.1	14.6	1.6	0.3	5.5	30	0.1
55937	0	0	0	0	QAG	48.5371	117.0275	22.9	663.9	369	55576.	2919	2.3	4.4	12.4	1.9	0.4	5.4	36	0.1
55936	0	0	0	0	QAG	48.5371	117.0269	22.9	664.3	359	55578.	3088	2.6	4.4	13.7	1.7	0.3	5.2	29	0.1
55935	0	0	0	0	QAG	48.5371	117.0263	22.9	664.7	375	55575.	3175	2.7	4.6	12.5	1.7	0.4	4.6	48	0.1
55934	0	0	0	0	QAG	48.5371	117.0256	22.9	665.1	407	55566.	3038	2.3	5.0	14.7	2.2	0.3	6.4	33	0.1
55933	0	0	0	0	QAG	48.5371	117.0250	23.0	665.4	439	55552.	2800	2.0	6.1	14.4	3.1	0.4	7.3	35	0.1
55932	0	0	0	0	QAG	48.5371	117.0244	23.0	665.8	459	55539.	2729	1.9	5.7	12.7	3.0	0.5	6.6	39	0.1
55931	0	0	0	0	QAG	48.5371	117.0237	23.0	666.2	471	55527.	2455	2.2	4.7	11.8	2.1	0.4	5.4	36	0.1
55930	0	0	0	0	QAG	48.5371	117.0231	23.0	666.5	477	55518.	2246	1.7	3.0	10.4	1.8	0.3	6.0	33	0.2
55929	0	0	0	0	QAG	48.5371	117.0225	23.0	666.8	482	55512.	2274	1.6	4.5	11.0	2.8	0.4	6.9	30	0.2
55928	0	0	0	0	QAG	48.5371	117.0218	23.0	667.2	499	55506.	2190	1.8	3.6	9.8	2.0	0.4	5.5	28	0.2
55927	0	0	0	0	QAG	48.5371	117.0212	23.1	667.5	509	55502.	2000	2.0	2.7	9.5	1.3	0.3	4.7	30	0.2
55926	0	0	0	0	QAG	48.5371	117.0206	23.1	667.8	518	55501.	2205	1.3	4.9	9.7	3.9	0.5	7.6	30	0.2
55925	0	0	0	0	QAG	48.5371	117.0199	23.1	668.1	506	55503.	2085	1.7	4.6	5.1	2.8	0.9	3.1	31	0.2
55924	0	0	0	0	QAG	48.5371	117.0193	23.1	668.4	487	55510.	2206	1.2	4.1	11.2	3.3	0.4	9.0	24	0.2
55923	0	0	0	0	QAG	48.5371	117.0186	23.1	668.7	464	55518.	2268	1.7	2.2	10.9	1.3	0.2	6.4	39	0.2
55922	0	0	0	0	QAG	48.5371	117.0180	23.1	668.9	440	55526.	2284	2.0	3.3	10.4	1.7	0.3	5.3	38	0.2
55921	0	0	0	0	QAG	48.5371	117.0174	23.1	669.2	424	55535.	2191	1.5	4.1	10.0	2.7	0.4	6.5	35	0.2
55920	0	0	0	0	QAG	48.5371	117.0168	23.2	669.4	418	55542.	2341	1.5	3.6	11.3	2.5	0.3	7.8	43	0.2
55919	0	0	0	0	QAG	48.5371	117.0161	23.2	669.7	424	55548.	2427	2.1	3.3	12.7	1.6	0.3	6.1	30	0.2
55918	0	0	0	0	QAG	48.5371	117.0155	23.2	669.8	436	55555.	2561	1.6	5.1	12.2	3.2	0.4	7.5	27	0.2
55917	0	0	0	0	QAG	48.5371	117.0148	23.2	670.1	446	55560.	2523	1.8	4.1	13.5	2.2	0.3	7.3	32	0.2
55916	0	0	0	0	QAG	48.5371	117.0142	23.2	670.3	448	55563.	2530	1.5	5.7	13.8	3.8	0.4	9.1	33	0.2
55915	0	0	0	0	QAG	48.5371	117.0136	23.2	670.5	448	55566.	2524	1.7	3.7	13.0	2.3	0.3	7.9	40	0.2
55914	0	0	0	0	QAG	48.5371	117.0129	23.2	670.6	452	55569.	2462	1.5	4.0	11.4	2.7	0.4	7.6	31	0.2
55913	0	0	0	0	QAG	48.5371	117.0123	23.2	670.8	464	55571.	2372	1.8	4.5	11.9	2.6	0.4	6.8	31	0.2
55911	0	0	0	0	QAG	48.5371	117.0110	23.3	671.0	478	55574.	2402	1.6	4.4	10.5	2.8	0.4	6.6	29	0.2
55910	0	0	0	0	QAG	48.5371	117.0104	23.3	671.1	487	55580.	2364	1.3	4.8	11.7	3.7	0.4	9.1	29	0.2
55909	0	0	0	0	QAG	48.5371	117.0098	23.3	671.2	493	55587.	2290	1.9	2.0	14.4	1.0	0.1	7.5	49	0.2
55908	0	0	0	0	QAG	48.5371	117.0091	23.3	671.3	495	55596.	2111	1.3	2.8	10.6	2.2	0.3	8.3	36	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 25									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
55907	0	0	0	0	QAG	48.5371	117.0085	23.3	671.4	525	55608.	2204	1.6	2.7	10.9	1.7	0.2	6.8	28	0.2
55906	0	0	0	0	QAG	48.5371	117.0079	23.3	671.5	527	55619.	2178	1.2	4.0	9.3	3.4	0.4	7.7	28	0.2
55905	0	0	0	0	QAG	48.5371	117.0072	23.3	671.6	552	55630.	2256	1.6	4.0	12.6	2.5	0.3	7.8	32	0.2
55904	0	0	0	0	QAG	48.5371	117.0066	23.3	671.7	569	55641.	2166	1.6	3.8	8.8	2.4	0.4	5.6	41	0.1
55903	0	0	0	0	QAG	48.5371	117.0060	23.3	671.7	571	55650.	2272	1.4	3.7	10.6	2.7	0.3	7.7	23	0.2
55902	0	0	0	0	QAG	48.5371	117.0053	23.4	671.8	568	55659.	2210	1.6	3.8	9.3	2.4	0.4	5.8	35	0.2
55901	0	0	0	0	QAG	48.5371	117.0047	23.4	671.8	565	55665.	2210	1.4	4.6	8.6	3.4	0.5	6.3	32	0.2
55900	0	0	0	0	QAG	48.5371	117.0041	23.4	671.8	563	55669.	2222	1.7	2.5	8.6	1.5	0.3	5.2	33	0.2
55899	0	0	0	0	QAG	48.5371	117.0034	23.4	671.9	562	55670.	2155	1.4	5.5	7.2	3.8	0.8	5.0	30	0.2
55898	0	0	0	0	QAG	48.5371	117.0028	23.4	671.9	560	55669.	2091	1.2	3.5	10.9	3.1	0.3	9.5	26	0.2
55897	0	0	0	0	QAG	48.5371	117.0022	23.4	671.9	556	55669.	2010	0.8	4.6	9.2	5.9	0.5	11.6	20	0.2
55896	0	0	0	0	QAG	48.5370	117.0015	23.4	671.9	541	55669.	1991	1.1	4.5	7.3	4.2	0.6	6.9	34	0.2
55895	0	0	0	0	QAG	48.5368	117.0008	23.4	672.0	524	55669.	2207	1.3	4.4	8.7	3.3	0.5	6.5	25	0.2
55894	0	0	0	0	QAG	48.5367	117.0001	23.4	672.0	508	55670.	2215	1.4	6.2	7.8	4.4	0.8	5.5	39	0.2
55893	0	0	0	0	QAG	48.5366	116.9994	23.4	672.0	504	55672.	2132	1.7	3.6	7.0	2.2	0.5	4.2	47	0.2
55892	0	0	0	0	QAG	48.5365	116.9987	23.5	672.1	494	55675.	2191	2.1	1.7	9.7	0.8	0.2	4.7	41	0.2
55891	0	0	0	0	QAG	48.5364	116.9980	23.5	672.1	489	55680.	2286	1.7	5.3	9.5	3.1	0.6	5.6	29	0.2
55890	0	0	0	0	QAG	48.5362	116.9973	23.5	672.1	479	55685.	2265	2.0	4.1	9.3	2.0	0.4	4.6	30	0.2
55889	0	0	0	0	QAG	48.5361	116.9966	23.5	672.1	477	55689.	2212	1.9	4.4	7.5	2.3	0.6	3.9	32	0.2
55888	0	0	0	0	QAG	48.5360	116.9960	23.5	672.2	473	55694.	2261	2.3	3.6	8.4	1.6	0.4	3.7	49	0.2
55887	0	0	0	0	QAG	48.5359	116.9953	23.5	672.2	466	55699.	2129	1.9	3.8	6.6	2.0	0.6	3.5	24	0.2
55886	0	0	0	0	QAG	48.5358	116.9946	23.5	672.2	459	55704.	2103	1.4	4.7	10.8	3.3	0.4	7.6	39	0.2
55885	0	0	0	0	QAG	48.5356	116.9939	23.5	672.2	449	55710.	2125	1.3	5.0	7.9	3.8	0.6	6.0	23	0.2

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 26							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
48575	0	0	0	0	QAG	48.5348	117.2276	20.9	657.4	312	55885.	2614	2.1	6.0	10.0	2.9	0.6	4.8	29	0.1
48576	0	0	0	0	QAG	48.5348	117.2270	20.9	657.0	309	55889.	2701	2.2	5.8	11.9	2.6	0.5	5.4	35	0.1
48577	0	0	0	0	QAG	48.5348	117.2265	20.9	656.6	300	55896.	2682	1.8	6.2	10.3	3.5	0.6	5.8	45	0.1
48578	0	0	0	0	QAG	48.5348	117.2260	20.9	656.2	290	55903.	2529	1.9	4.8	11.7	2.6	0.4	6.3	39	0.1
48579	0	0	0	0	QAG	48.5348	117.2254	20.9	655.9	292	55911.	2432	2.3	3.1	13.9	1.3	0.2	6.0	43	0.1
48580	0	0	0	0	QAG	48.5348	117.2249	20.9	655.6	302	55918.	2351	2.0	4.2	10.7	2.1	0.4	5.2	38	0.1
48581	0	0	0	0	KG	48.5348	117.2244	20.9	655.3	321	55924.	2386	2.3	4.0	10.3	1.7	0.4	4.5	42	0.1
48582	0	0	0	0	KG	48.5348	117.2238	20.9	655.0	336	55928.	2295	2.0	3.8	8.5	1.9	0.5	4.3	39	0.1
48583	0	0	0	0	KG	48.5347	117.2233	20.9	654.7	353	55927.	2257	2.0	4.8	8.0	2.4	0.6	4.1	28	0.1
48584	0	0	0	0	KG	48.5347	117.2228	20.9	654.5	365	55925.	2190	1.7	4.5	10.6	2.6	0.4	6.2	42	0.1
48585	0	0	0	0	KG	48.5347	117.2222	20.9	654.2	374	55921.	2174	2.5	2.3	10.1	0.9	0.2	4.0	43	0.1
48586	0	0	0	0	KG	48.5347	117.2217	20.9	653.8	378	55919.	2193	2.2	3.0	9.4	1.4	0.3	4.3	29	0.1
48587	0	0	0	0	KG	48.5347	117.2212	20.9	653.4	384	55921.	2102	2.0	3.0	10.0	1.5	0.3	5.1	45	0.1
48588	0	0	0	0	KG	48.5347	117.2207	20.9	653.0	383	55925.	2097	1.7	4.0	8.8	2.4	0.5	5.3	42	0.1
48589	0	0	0	0	KG	48.5347	117.2201	20.8	652.6	380	55930.	1971	1.8	3.8	5.3	2.1	0.7	2.9	52	0.1
48590	0	0	0	0	KG	48.5347	117.2196	20.8	652.2	368	55935.	1918	1.7	1.8	10.0	1.0	0.2	5.8	33	0.1
48591	0	0	0	0	KG	48.5347	117.2191	20.8	651.7	359	55941.	1976	1.8	3.0	10.7	1.6	0.3	5.8	46	0.1
48592	0	0	0	0	KG	48.5347	117.2185	20.8	651.3	353	55947.	2106	1.9	4.3	7.7	2.3	0.6	4.1	41	0.1
48593	0	0	0	0	KG	48.5347	117.2180	20.8	650.9	347	55956.	1987	2.0	2.8	5.6	1.4	0.5	2.8	37	0.1
48594	0	0	0	0	KG	48.5347	117.2175	20.8	650.5	339	55967.	1861	1.7	2.6	7.4	1.5	0.3	4.5	52	0.1
48595	0	0	0	0	KG	48.5347	117.2169	20.8	650.1	325	55977.	1995	1.5	4.2	8.9	2.8	0.5	6.0	45	0.1
48596	0	0	0	0	KG	48.5347	117.2164	20.8	649.6	310	55988.	1974	1.8	3.3	8.5	1.8	0.4	4.7	42	0.1
48597	0	0	0	0	KG	48.5347	117.2159	20.8	649.1	294	55995.	1937	1.7	3.1	6.5	1.8	0.5	3.8	35	0.1
48598	0	0	0	0	KG	48.5347	117.2153	20.8	648.7	281	56000.	1940	1.7	4.1	10.9	2.5	0.4	6.6	42	0.1
48599	0	0	0	0	KG	48.5347	117.2148	20.8	648.2	277	56005.	1920	1.8	2.4	10.9	1.3	0.2	6.0	50	0.1
48600	0	0	0	0	KG	48.5347	117.2143	20.7	647.7	279	56007.	1917	1.6	3.2	7.7	2.1	0.4	4.9	44	0.1
48601	0	0	0	0	KG	48.5347	117.2138	20.7	647.1	286	56007.	1914	2.0	1.6	9.6	0.8	0.2	4.9	50	0.1
48602	0	0	0	0	KG	48.5347	117.2132	20.7	646.6	291	56005.	1909	1.7	1.9	9.3	1.1	0.2	5.4	28	0.1
48603	0	0	0	0	KG	48.5346	117.2127	20.7	646.1	297	56001.	1967	1.8	2.1	9.3	1.2	0.2	5.2	31	0.1
48604	0	0	0	0	KG	48.5346	117.2122	20.7	645.6	308	55994.	1849	1.8	2.9	8.0	1.6	0.4	4.3	45	0.1
48605	0	0	0	0	KG	48.5346	117.2116	20.7	645.1	327	55987.	1835	1.7	3.6	6.8	2.2	0.5	4.1	41	0.1
48606	0	0	0	0	KG	48.5346	117.2111	20.7	644.6	347	55977.	1869	1.5	2.5	7.5	1.7	0.3	5.0	47	0.1
48607	0	0	0	0	KG	48.5346	117.2106	20.7	644.1	362	55969.	1833	1.3	2.7	9.3	2.2	0.3	7.4	40	0.1
48608	0	0	0	0	KG	48.5346	117.2100	20.7	643.6	369	55960.	1738	1.5	2.2	9.6	1.5	0.2	6.6	50	0.1
48609	0	0	0	0	KG	48.5346	117.2095	20.6	643.1	374	55952.	1773	1.6	2.8	7.6	1.8	0.4	4.9	45	0.1
48610	0	0	0	0	KG	48.5346	117.2090	20.6	642.6	376	55946.	1803	1.6	2.8	7.2	1.7	0.4	4.4	50	0.1
48611	0	0	0	0	KG	48.5346	117.2085	20.6	642.1	376	55940.	1789	1.5	3.6	6.7	2.4	0.5	4.5	46	0.1
48612	0	0	0	0	KG	48.5346	117.2079	20.6	641.7	373	55934.	1735	1.6	2.8	7.3	1.8	0.4	4.6	46	0.1
48613	0	0	0	0	KG	48.5346	117.2074	20.6	641.2	369	55929.	1848	1.5	3.3	9.4	2.2	0.4	6.3	38	0.1
48614	0	0	0	0	KG	48.5346	117.2069	20.6	640.8	362	55926.	1942	1.9	3.5	7.9	1.8	0.4	4.1	38	0.1
48615	0	0	0	0	KG	48.5346	117.2063	20.6	640.4	357	55923.	1911	1.5	3.7	8.6	2.4	0.4	5.7	40	0.1
48616	0	0	0	0	KG	48.5346	117.2058	20.6	640.0	352	55924.	1925	1.9	3.5	6.5	1.8	0.5	3.4	39	0.1
48617	0	0	0	0	KG	48.5346	117.2053	20.6	639.6	345	55928.	1976	1.9	2.1	8.5	1.1	0.2	4.6	45	0.1
48618	0	0	0	0	KG	48.5346	117.2047	20.6	639.2	336	55932.	1984	1.6	3.1	9.2	1.9	0.3	5.7	42	0.1
48619	0	0	0	0	KG	48.5345	117.2042	20.6	638.9	326	55935.	1985	2.0	1.8	8.7	0.9	0.2	4.3	45	0.1
48620	0	0	0	0	KG	48.5345	117.2037	20.5	638.5	318	55936.	1941	1.5	3.5	8.7	2.4	0.4	5.8	46	0.1
48621	0	0	0	0	KG	48.5345	117.2031	20.5	638.2	307	55936.	1908	1.9	2.8	8.8	1.5	0.3	4.8	40	0.1
48622	0	0	0	0	KG	48.5345	117.2026	20.5	637.9	297	55937.	1777	1.6	2.9	7.7	1.8	0.4	4.9	45	0.1
48623	0	0	0	0	KG	48.5345	117.2021	20.5	637.7	293	55937.	1738	1.3	3.4	7.6	2.7	0.5	6.0	44	0.1
48624	0	0	0	0	KG	48.5345	117.2016	20.5	637.4	296	55937.	1924	1.6	2.9	10.0	1.8	0.3	6.3	35	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 26							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
48625	0	0	0	0	KG	48.5345	117.2010	20.5	637.2	306	55932.	1736	1.6	2.8	8.2	1.8	0.3	5.3	53	0.1
48626	0	0	0	0	KG	48.5345	117.2005	20.5	636.9	317	55923.	1789	1.3	3.8	6.9	3.0	0.5	5.4	43	0.1
48627	0	0	0	0	KG	48.5345	117.2000	20.5	636.7	331	55912.	1764	1.4	4.2	4.9	3.0	0.9	3.4	43	0.1
48628	0	0	0	0	KG	48.5345	117.1994	20.5	636.5	343	55899.	1731	1.8	1.6	8.5	0.9	0.2	4.7	42	0.1
48629	0	0	0	0	KG	48.5345	117.1989	20.4	636.2	354	55888.	1707	1.3	3.6	6.9	2.8	0.5	5.5	46	0.1
48630	0	0	0	0	KG	48.5345	117.1984	20.4	636.0	361	55878.	1776	1.5	3.1	6.4	2.1	0.5	4.4	30	0.1
48631	0	0	0	0	KG	48.5345	117.1978	20.4	635.8	369	55870.	1714	1.6	3.4	5.7	2.0	0.6	3.4	49	0.1
48632	0	0	0	0	KG	48.5345	117.1973	20.4	635.6	376	55866.	1761	1.5	3.2	7.7	2.1	0.4	5.0	47	0.1
48633	0	0	0	0	KG	48.5345	117.1968	20.4	635.4	379	55864.	1850	1.9	2.8	6.8	1.5	0.4	3.6	48	0.1
48634	0	0	0	0	KG	48.5345	117.1962	20.4	635.3	369	55862.	1746	1.6	3.2	7.9	1.9	0.4	4.8	46	0.1
48635	0	0	0	0	KG	48.5345	117.1957	20.4	635.1	354	55860.	1808	1.5	3.0	8.4	2.0	0.4	5.5	39	0.1
48636	0	0	0	0	KG	48.5345	117.1952	20.4	635.0	344	55857.	1744	1.4	3.1	7.3	2.3	0.4	5.3	42	0.1
48637	0	0	0	0	KG	48.5345	117.1946	20.4	634.8	350	55853.	1657	1.1	3.6	6.0	3.3	0.6	5.4	50	0.1
48639	0	0	0	0	KG	48.5344	117.1936	20.3	634.7	366	55850.	1653	1.4	3.0	6.8	2.1	0.4	4.8	50	0.1
48640	0	0	0	0	KNA	48.5344	117.1931	20.3	634.6	378	55849.	1643	1.3	3.7	8.0	2.9	0.5	6.4	38	0.1
48641	0	0	0	0	KNA	48.5344	117.1925	20.3	634.4	380	55849.	1571	1.2	3.1	6.4	2.7	0.5	5.5	51	0.1
48642	0	0	0	0	KNA	48.5344	117.1920	20.3	634.3	372	55849.	1598	1.0	3.4	6.8	3.4	0.5	6.8	47	0.1
48643	0	0	0	0	KNA	48.5344	117.1915	20.3	634.2	360	55849.	1502	1.1	2.7	6.3	2.4	0.4	5.7	48	0.1
48644	0	0	0	0	KNA	48.5344	117.1909	20.3	634.1	354	55849.	1521	1.3	2.2	5.7	1.7	0.4	4.4	40	0.1
48645	0	0	0	0	KNA	48.5344	117.1904	20.3	634.1	351	55847.	1583	1.4	3.3	5.1	2.3	0.6	3.6	33	0.1
48646	0	0	0	0	KNA	48.5344	117.1899	20.3	634.0	358	55847.	1639	1.4	3.5	5.5	2.5	0.6	4.0	43	0.1
48647	0	0	0	0	KNA	48.5344	117.1893	20.3	633.9	366	55849.	1794	1.6	3.3	7.3	2.1	0.4	4.7	38	0.1
48648	0	0	0	0	KNA	48.5344	117.1888	20.3	633.8	376	55853.	1829	1.9	2.4	8.4	1.3	0.3	4.4	47	0.1
48649	0	0	0	0	KNA	48.5344	117.1883	20.2	633.7	381	55861.	1904	1.7	3.7	8.7	2.2	0.4	5.0	43	0.1
48650	0	0	0	0	KNA	48.5344	117.1877	20.2	633.6	380	55871.	2123	1.4	5.3	10.0	3.9	0.5	7.4	51	0.1
48651	0	0	0	0	KG	48.5344	117.1872	20.2	633.6	384	55881.	2191	1.9	3.6	10.0	1.8	0.4	5.2	48	0.1
48652	0	0	0	0	KG	48.5344	117.1867	20.2	633.5	393	55890.	2267	1.7	5.4	9.1	3.2	0.6	5.5	45	0.1
48653	0	0	0	0	KG	48.5344	117.1862	20.2	633.5	407	55897.	2249	1.6	3.3	11.0	2.0	0.3	6.7	59	0.1
48654	0	0	0	0	KG	48.5344	117.1856	20.2	633.4	422	55900.	2337	1.9	3.2	11.4	1.7	0.3	5.9	48	0.1
48655	0	0	0	0	KG	48.5343	117.1851	20.2	633.4	428	55902.	2296	1.7	4.0	10.6	2.3	0.4	6.1	44	0.1
48656	0	0	0	0	KG	48.5343	117.1846	20.2	633.4	432	55902.	2345	2.2	3.7	9.4	1.7	0.4	4.4	34	0.1
48657	0	0	0	0	KG	48.5343	117.1840	20.2	633.4	431	55899.	2145	1.9	3.3	9.4	1.7	0.3	4.9	46	0.1
48658	0	0	0	0	KG	48.5343	117.1835	20.2	633.3	440	55896.	2042	1.9	3.3	9.6	1.8	0.3	5.1	44	0.1
48659	0	0	0	0	KG	48.5343	117.1830	20.2	633.3	459	55889.	2059	1.8	3.3	10.2	1.8	0.3	5.7	38	0.1
48660	0	0	0	0	KG	48.5343	117.1824	20.1	633.2	486	55879.	2137	2.3	4.0	9.7	1.7	0.4	4.3	36	0.1
48661	0	0	0	0	KG	48.5343	117.1819	20.1	633.2	521	55869.	2049	1.8	4.3	6.2	2.4	0.7	3.4	40	0.1
48662	0	0	0	0	KG	48.5343	117.1814	20.1	633.1	561	55860.	2016	1.8	4.3	7.8	2.4	0.5	4.3	42	0.1
48663	0	0	0	0	KG	48.5343	117.1808	20.1	633.1	603	55852.	2141	1.9	3.3	7.8	1.8	0.4	4.1	41	0.1
48664	0	0	0	0	KG	48.5343	117.1803	20.1	632.9	641	55848.	2145	2.1	3.5	11.4	1.7	0.3	5.5	40	0.1
48665	0	0	0	0	KG	48.5343	117.1798	20.1	632.8	663	55846.	2262	2.5	3.8	8.6	1.5	0.4	3.5	35	0.1
48666	0	0	0	0	KG	48.5343	117.1793	20.1	632.7	671	55847.	2293	1.8	4.7	8.6	2.6	0.5	4.7	40	0.1
48667	0	0	0	0	KG	48.5343	117.1787	20.1	632.5	667	55850.	2251	2.2	4.9	7.5	2.2	0.7	3.4	41	0.1
48668	0	0	0	0	KG	48.5343	117.1782	20.1	632.3	654	55853.	2241	1.9	5.4	7.6	2.9	0.7	4.1	37	0.1
48669	0	0	0	0	KG	48.5343	117.1777	20.1	632.0	638	55858.	2060	2.0	4.2	8.1	2.1	0.5	4.1	50	0.1
48670	0	0	0	0	KG	48.5343	117.1771	20.1	631.7	638	55864.	2199	2.1	2.0	12.1	0.9	0.2	5.9	48	0.1
48671	0	0	0	0	KG	48.5343	117.1766	20.1	631.4	651	55870.	2198	1.9	4.7	8.6	2.5	0.5	4.5	43	0.1
48672	0	0	0	0	KG	48.5343	117.1761	20.1	631.1	653	55878.	2332	2.3	4.6	8.9	2.0	0.5	3.9	38	0.1
48673	0	0	0	0	KG	48.5343	117.1756	20.0	630.7	634	55886.	2177	2.1	4.0	9.4	1.9	0.4	4.4	42	0.1
48674	0	0	0	0	KG	48.5343	117.1749	20.0	630.4	597	55894.	2072	1.6	2.9	7.9	1.8	0.4	4.9	47	0.1
48675	0	0	0	0	KG	48.5343	117.1744	20.0	629.9	561	55903.	2070	1.8	2.9	8.9	1.7	0.3	5.0	45	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 26							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
48676	0	0	0	0	KG	48.5343	117.1738	20.0	629.5	523	55913.	1945	1.4	3.5	8.5	2.4	0.4	5.9	44	0.1
48677	0	0	0	0	KG	48.5343	117.1732	20.0	629.1	492	55925.	1906	1.4	3.6	9.3	2.7	0.4	6.8	55	0.1
48678	0	0	0	0	KG	48.5343	117.1726	20.0	628.7	463	55937.	1897	1.3	3.4	11.5	2.6	0.3	8.7	58	0.1
48679	0	0	0	0	KG	48.5343	117.1720	20.0	628.3	438	55950.	2027	1.8	3.3	11.0	1.8	0.3	6.2	39	0.1
48680	0	0	0	0	KG	48.5343	117.1714	20.0	627.8	416	55961.	2008	1.9	2.6	8.5	1.4	0.3	4.5	39	0.1
48681	0	0	0	0	KG	48.5343	117.1708	20.0	627.4	400	55970.	2002	1.6	3.2	7.6	2.0	0.4	4.7	41	0.1
48682	0	0	0	0	KG	48.5343	117.1702	19.9	626.9	388	55976.	1942	1.3	4.4	6.9	3.4	0.6	5.4	40	0.1
48683	0	0	0	0	KG	48.5343	117.1696	19.9	626.5	378	55981.	1878	1.6	2.2	10.3	1.4	0.2	6.5	46	0.1
48684	0	0	0	0	KG	48.5343	117.1690	19.9	626.1	366	55984.	1806	1.7	2.8	6.3	1.7	0.4	3.7	40	0.1
48685	0	0	0	0	KG	48.5343	117.1684	19.9	625.7	353	55987.	1745	1.1	3.9	6.9	3.7	0.6	6.5	48	0.1
48686	0	0	0	0	KG	48.5343	117.1679	19.9	625.3	342	55989.	1702	1.2	2.3	8.4	1.9	0.3	7.2	38	0.1
48687	0	0	0	0	KG	48.5343	117.1673	19.9	624.9	338	55989.	1581	1.3	2.5	6.0	2.0	0.4	4.6	57	0.1
48688	0	0	0	0	KG	48.5343	117.1667	19.9	624.5	338	55985.	1628	1.1	3.3	9.1	3.1	0.4	8.6	46	0.1
48689	0	0	0	0	KG	48.5343	117.1661	19.8	624.0	343	55979.	1622	1.5	2.2	7.8	1.5	0.3	5.2	43	0.1
48690	0	0	0	0	KG	48.5343	117.1655	19.8	623.6	355	55973.	1664	1.3	1.9	9.0	1.5	0.2	6.8	46	0.1
48691	0	0	0	0	KG	48.5343	117.1649	19.8	623.2	380	55965.	1628	1.3	2.6	7.6	2.0	0.3	5.9	50	0.1
48692	0	0	0	0	KG	48.5343	117.1643	19.8	622.8	416	55957.	1860	1.5	3.6	9.2	2.4	0.4	6.0	50	0.1
48693	0	0	0	0	KG	48.5343	117.1637	19.8	622.3	462	55950.	2050	2.0	3.0	9.3	1.5	0.3	4.7	46	0.1
48694	0	0	0	0	KG	48.5343	117.1631	19.8	621.9	511	55942.	2054	1.7	5.3	5.6	3.2	0.9	3.4	50	0.1
48695	0	0	0	0	KG	48.5343	117.1625	19.7	621.4	565	55935.	2269	1.5	4.9	9.3	3.3	0.5	6.2	38	0.1
48696	0	0	0	0	KG	48.5343	117.1620	19.7	620.9	606	55929.	2374	1.8	6.4	8.9	3.6	0.7	5.0	37	0.1
48697	0	0	0	0	KG	48.5343	117.1615	19.7	620.4	628	55923.	2278	2.1	5.0	10.7	2.4	0.5	5.2	45	0.1
48698	0	0	0	0	KG	48.5343	117.1611	19.7	619.9	623	55919.	2330	1.4	4.7	11.8	3.3	0.4	8.3	40	0.1
48699	0	0	0	0	KG	48.5343	117.1606	19.7	619.4	608	55917.	2128	1.8	2.2	9.3	1.2	0.2	5.3	42	0.1
48700	0	0	0	0	KG	48.5343	117.1601	19.6	618.8	586	55917.	2124	2.1	2.8	7.2	1.3	0.4	3.4	47	0.1
48701	0	0	0	0	KG	48.5343	117.1596	19.6	618.3	558	55917.	2106	2.2	2.8	8.8	1.3	0.3	4.1	39	0.1
48702	0	0	0	0	KG	48.5343	117.1591	19.6	617.8	529	55918.	1941	1.7	3.4	6.3	2.0	0.5	3.8	39	0.1
48703	0	0	0	0	KG	48.5343	117.1586	19.6	617.3	497	55920.	1866	1.5	2.5	11.1	1.6	0.2	7.2	61	0.1
48704	0	0	0	0	KG	48.5343	117.1581	19.6	616.8	465	55922.	1787	1.6	1.5	6.7	0.9	0.2	4.1	67	0.1
48705	0	0	0	0	KG	48.5343	117.1576	19.5	616.2	433	55921.	1963	1.8	3.1	6.1	1.7	0.5	3.4	47	0.1
48706	0	0	0	0	KG	48.5343	117.1571	19.5	615.7	406	55921.	1889	1.6	2.4	9.3	1.5	0.3	5.7	49	0.1
48707	0	0	0	0	KG	48.5343	117.1566	19.5	615.2	386	55921.	1856	1.7	2.4	9.4	1.4	0.3	5.6	42	0.1
48708	0	0	0	0	KG	48.5343	117.1561	19.5	614.7	371	55922.	1781	1.3	3.1	9.1	2.3	0.3	6.8	59	0.1
48709	0	0	0	0	KG	48.5343	117.1556	19.5	614.2	364	55926.	1819	1.6	2.2	8.7	1.4	0.3	5.5	59	0.1
48710	0	0	0	0	KG	48.5343	117.1551	19.4	613.6	355	55932.	1823	1.4	2.2	9.3	1.6	0.2	6.6	50	0.1
48711	0	0	0	0	KG	48.5343	117.1546	19.4	613.1	354	55938.	1906	1.4	3.9	9.2	2.9	0.4	6.8	47	0.1
48712	0	0	0	0	KG	48.5343	117.1541	19.4	612.6	351	55944.	1863	1.5	2.1	9.9	1.4	0.2	6.5	50	0.1
48713	0	0	0	0	KG	48.5343	117.1536	19.4	612.1	353	55949.	1911	1.8	1.6	12.5	0.9	0.1	7.0	42	0.1
48714	0	0	0	0	KG	48.5343	117.1532	19.3	611.6	350	55952.	1900	1.7	2.7	10.0	1.6	0.3	6.0	53	0.1
48715	0	0	0	0	KG	48.5343	117.1527	19.3	611.1	350	55952.	1952	1.8	3.2	7.1	1.7	0.4	3.8	52	0.1
48716	0	0	0	0	KG	48.5343	117.1522	19.3	610.7	349	55951.	2038	1.8	3.3	8.8	1.8	0.4	4.9	55	0.1
48717	0	0	0	0	KG	48.5343	117.1517	19.3	610.3	347	55948.	2076	2.0	1.8	11.6	0.9	0.2	5.9	50	0.1
48718	0	0	0	0	KG	48.5343	117.1512	19.2	609.8	348	55944.	2038	1.8	2.3	11.1	1.3	0.2	6.1	49	0.1
48719	0	0	0	0	KG	48.5343	117.1507	19.2	609.3	347	55940.	2089	2.2	2.8	11.5	1.2	0.2	5.2	73	0.1
48720	0	0	0	0	KG	48.5343	117.1502	19.2	608.9	353	55935.	2282	1.9	3.9	10.9	2.1	0.4	5.8	55	0.1
48721	0	0	0	0	KG	48.5343	117.1497	19.2	608.5	355	55928.	2297	2.4	2.5	11.1	1.0	0.2	4.6	64	0.1
48722	0	0	0	0	KG	48.5343	117.1492	19.2	608.1	361	55921.	2268	2.2	4.5	10.9	2.0	0.4	5.0	67	0.1
48723	0	0	0	0	KG	48.5343	117.1487	19.1	607.6	362	55914.	2544	2.7	3.4	12.3	1.3	0.3	4.6	47	0.1
48724	0	0	0	0	KG	48.5343	117.1482	19.1	607.3	356	55909.	2518	2.3	3.5	13.5	1.5	0.3	5.9	50	0.1
48725	0	0	0	0	KG	48.5343	117.1477	19.1	606.9	346	55905.	2450	2.6	1.5	12.8	0.6	0.1	4.9	66	0.1

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 26								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
48726	0	0	0	0	KG	48.5343	117.1472	19.1	606.5	332	55899.	2364	2.2	3.8	8.2	1.7	0.5	3.7	54	0.1
48727	0	0	0	0	KG	48.5343	117.1466	19.1	606.1	322	55894.	2610	2.1	3.6	11.5	1.7	0.3	5.5	53	0.1
48728	0	0	0	0	KG	48.5343	117.1460	19.0	605.7	316	55889.	2463	2.7	2.3	14.0	0.8	0.2	5.1	66	0.1
48730	0	0	0	0	KG	48.5343	117.1447	19.0	605.4	315	55884.	2580	2.8	3.1	14.8	1.1	0.2	5.3	55	0.1
48731	0	0	0	0	KHM	48.5343	117.1441	19.0	605.1	315	55883.	2540	2.7	2.8	13.7	1.0	0.2	5.0	49	0.1
48732	0	0	0	0	KHM	48.5343	117.1434	19.0	604.9	318	55882.	2496	2.3	4.1	12.5	1.8	0.3	5.4	63	0.1
48733	0	0	0	0	KHM	48.5342	117.1428	19.0	604.7	321	55880.	2483	2.6	2.9	13.1	1.1	0.2	5.1	58	0.1
48734	0	0	0	0	KHM	48.5342	117.1422	19.0	604.6	324	55879.	2458	2.5	2.8	13.0	1.1	0.2	5.2	65	0.1
48735	0	0	0	0	KHM	48.5342	117.1415	19.0	604.5	323	55879.	2264	2.3	3.2	9.3	1.4	0.3	4.1	66	0.1
48736	0	0	0	0	KHM	48.5342	117.1409	18.9	604.5	319	55877.	2186	2.2	2.3	12.5	1.1	0.2	5.8	63	0.1
48737	0	0	0	0	KHM	48.5342	117.1403	18.9	604.5	313	55874.	2173	2.3	2.9	8.3	1.3	0.3	3.7	61	0.1
48738	0	0	0	0	KHM	48.5342	117.1396	18.9	604.6	307	55867.	2095	2.0	2.9	6.7	1.5	0.4	3.4	75	0.1
48739	0	0	0	0	KHM	48.5342	117.1390	18.9	604.8	303	55852.	2121	2.1	2.0	9.6	1.0	0.2	4.6	58	0.1
48740	0	0	0	0	KHM	48.5342	117.1384	18.9	605.0	304	55832.	2138	1.9	2.8	6.1	1.4	0.5	3.2	53	0.1
48741	0	0	0	0	KHM	48.5342	117.1377	18.9	605.3	310	55806.	2205	2.1	3.0	7.4	1.4	0.4	3.5	62	0.1
48742	0	0	0	0	KHM	48.5342	117.1371	18.9	605.6	323	55778.	2255	2.0	3.4	10.8	1.7	0.3	5.4	43	0.1
48743	0	0	0	0	KHM	48.5342	117.1365	18.9	605.9	339	55753.	2412	2.4	3.4	11.8	1.4	0.3	5.0	59	0.1
48744	0	0	0	0	KHM	48.5341	117.1358	18.9	606.3	355	55733.	2492	1.9	5.7	11.7	3.0	0.5	6.1	68	0.1
48745	0	0	0	0	KHM	48.5341	117.1352	18.9	606.7	365	55719.	2725	2.0	5.0	14.3	2.4	0.3	7.0	58	0.1
48746	0	0	0	0	KHM	48.5341	117.1346	18.9	607.1	368	55710.	2691	2.0	3.6	12.9	1.8	0.3	6.4	65	0.1
48747	0	0	0	0	KHM	48.5341	117.1339	18.9	607.6	372	55705.	2643	1.7	5.1	13.7	3.0	0.4	7.9	78	0.1
48748	0	0	0	0	KHM	48.5341	117.1333	18.8	608.0	381	55701.	2721	2.2	3.9	15.1	1.8	0.3	7.0	40	0.1
48749	0	0	0	0	KHM	48.5341	117.1327	18.8	608.5	396	55698.	2790	2.6	3.4	16.1	1.3	0.2	6.2	45	0.1
48750	0	0	0	0	KHM	48.5341	117.1320	18.8	609.0	414	55695.	2641	1.9	5.3	16.0	2.8	0.3	8.6	63	0.1
48751	0	0	0	0	KHM	48.5341	117.1314	18.8	609.5	437	55690.	2727	1.8	4.5	15.6	2.5	0.3	8.5	54	0.1
48752	0	0	0	0	KHM	48.5341	117.1308	18.8	610.0	462	55686.	2737	2.1	4.3	14.0	2.1	0.3	6.8	47	0.1
48753	0	0	0	0	KHM	48.5341	117.1301	18.8	610.6	486	55682.	2730	1.9	3.3	17.3	1.7	0.2	9.0	46	0.1
48754	0	0	0	0	KHM	48.5341	117.1295	18.9	611.2	506	55679.	2627	1.5	4.5	15.4	3.1	0.3	10.5	48	0.1
48755	0	0	0	0	KHM	48.5341	117.1289	18.9	611.8	526	55676.	2600	1.7	5.0	15.2	3.0	0.3	9.1	49	0.1
48756	0	0	0	0	KHM	48.5341	117.1283	18.9	612.4	552	55673.	2753	1.9	3.5	14.2	1.8	0.2	7.4	53	0.1
48757	0	0	0	0	KHM	48.5340	117.1276	18.9	613.0	584	55670.	2679	1.8	5.2	15.6	2.9	0.3	8.9	66	0.1
48758	0	0	0	0	KHM	48.5340	117.1270	18.9	613.6	620	55666.	2841	1.6	7.6	14.3	4.8	0.5	9.0	40	0.1
48759	0	0	0	0	KHM	48.5340	117.1263	18.9	614.2	660	55662.	2887	2.3	4.1	14.4	1.8	0.3	6.3	56	0.1
48760	0	0	0	0	KHM	48.5340	117.1257	18.9	614.8	700	55658.	2958	2.0	6.2	15.6	3.1	0.4	7.7	48	0.1
48761	1	0	0	0	KHM	48.5340	117.1251	18.9	615.4	738	55656.	2976	2.5	4.8	16.0	1.9	0.3	6.4	48	0.1
48762	1	0	0	0	KHM	48.5340	117.1245	18.9	616.1	771	55653.	2997	2.1	5.6	13.2	2.6	0.4	6.2	52	0.1
48763	1	0	0	0	KHM	48.5340	117.1238	18.9	616.7	800	55652.	2889	1.9	6.5	13.0	3.4	0.5	6.9	45	0.1
48764	1	0	0	0	KHM	48.5340	117.1232	18.9	617.3	828	55651.	3140	2.4	6.0	15.4	2.5	0.4	6.5	49	0.1
48765	1	0	0	0	KHM	48.5340	117.1225	19.0	618.0	854	55650.	3063	1.9	5.4	17.2	2.8	0.3	8.8	54	0.1
48766	1	0	0	0	KHM	48.5340	117.1219	19.0	618.7	882	55649.	3204	2.6	4.7	12.1	1.8	0.4	4.7	42	0.1
48767	1	0	0	0	KHM	48.5340	117.1213	19.0	619.3	909	55650.	3083	2.5	5.9	14.3	2.4	0.4	5.8	51	0.1
48768	1	0	0	0	KHM	48.5340	117.1207	19.0	620.0	918	55652.	3172	3.0	4.0	16.1	1.3	0.2	5.3	49	0.1
48769	1	0	0	0	KHM	48.5340	117.1200	19.0	620.6	901	55655.	2915	1.9	6.8	14.1	3.6	0.5	7.4	46	0.1
48770	1	0	0	0	KHM	48.5340	117.1194	19.0	621.3	858	55658.	2783	1.2	8.6	11.3	7.1	0.8	9.3	53	0.1
48771	1	0	0	0	KHM	48.5339	117.1187	19.1	622.1	810	55660.	2674	1.9	7.4	10.8	4.0	0.7	5.8	45	0.1
48772	1	0	0	0	KHM	48.5339	117.1181	19.1	622.8	764	55661.	2434	1.6	6.2	12.7	4.0	0.5	8.1	54	0.1
48773	1	0	0	0	KHM	48.5339	117.1175	19.1	623.5	730	55663.	2386	1.6	5.6	9.7	3.5	0.6	6.2	43	0.1
48774	1	0	0	0	KHM	48.5339	117.1169	19.1	624.2	710	55665.	2363	1.0	7.7	11.5	7.6	0.7	11.4	37	0.1
48775	1	0	0	0	KHM	48.5339	117.1162	19.1	624.9	704	55667.	2447	1.7	4.4	12.7	2.6	0.3	7.5	42	0.1
48776	1	0	0	0	KHM	48.5339	117.1156	19.2	625.7	706	55669.	2377	1.3	6.7	10.5	5.2	0.6	8.1	48	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 26								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
48777	1	0	0	0	KHM	48.5339	117.1149	19.2	626.5	713	55671.	2483	1.1	6.4	10.4	5.9	0.6	9.6	52	0.1
48778	1	0	0	0	KHM	48.5339	117.1143	19.2	627.2	725	55672.	2806	2.3	8.5	10.5	3.8	0.8	4.6	35	0.1
48779	1	0	0	0	KHM	48.5339	117.1137	19.2	628.0	744	55675.	2646	1.9	4.9	13.8	2.6	0.4	7.3	43	0.1
48780	1	0	0	0	KHM	48.5339	117.1131	19.3	628.8	755	55679.	2758	2.2	5.1	12.8	2.4	0.4	5.9	50	0.1
48781	1	0	0	0	KHM	48.5339	117.1124	19.3	629.5	759	55685.	2798	2.0	6.4	12.9	3.2	0.5	6.4	51	0.1
48782	1	0	0	0	KHM	48.5339	117.1118	19.3	630.3	754	55692.	2563	1.8	5.3	12.1	3.0	0.4	6.8	52	0.1
48783	1	0	0	0	KHM	48.5338	117.1112	19.3	631.0	753	55699.	2505	1.9	6.3	7.8	3.4	0.8	4.2	44	0.1
48784	1	0	0	0	KHM	48.5338	117.1105	19.4	631.8	754	55705.	2639	1.2	7.6	12.4	6.3	0.6	10.2	41	0.1
48785	1	0	0	0	KHM	48.5338	117.1099	19.4	632.5	762	55712.	2582	1.6	6.3	10.4	3.9	0.6	6.5	47	0.1
48786	1	0	0	0	KHM	48.5338	117.1093	19.4	633.2	776	55718.	2516	1.4	7.4	8.4	5.3	0.9	5.9	43	0.1
48787	1	0	0	0	KHM	48.5338	117.1086	19.4	634.0	794	55723.	2699	1.8	5.7	13.1	3.2	0.4	7.4	41	0.1
48788	1	0	0	0	KHM	48.5338	117.1080	19.5	634.7	811	55727.	2831	2.5	7.9	8.6	3.2	0.9	3.5	39	0.1
48789	1	0	0	0	KHM	48.5338	117.1074	19.5	635.5	812	55732.	3045	2.1	4.4	16.0	2.1	0.3	7.6	41	0.1
48790	1	0	0	0	KHM	48.5338	117.1067	19.5	636.2	801	55735.	2939	2.1	5.5	14.3	2.6	0.4	6.7	36	0.1
48791	1	0	0	0	KHM	48.5338	117.1061	19.6	636.9	789	55737.	2958	1.5	6.9	16.9	4.7	0.4	11.5	37	0.1
48792	1	0	0	0	KHM	48.5338	117.1055	19.6	637.6	792	55738.	2723	1.2	8.3	13.5	6.9	0.6	11.1	40	0.1
48793	1	0	0	0	KHM	48.5338	117.1049	19.6	638.4	803	55738.	2994	2.4	5.8	12.6	2.4	0.5	5.3	45	0.1
48794	1	0	0	0	KHM	48.5337	117.1043	19.7	639.1	807	55736.	2907	1.7	7.0	17.5	4.0	0.4	10.0	46	0.1
48795	1	0	0	0	KHM	48.5337	117.1037	19.7	639.9	795	55736.	3011	1.4	5.9	19.8	4.3	0.3	14.6	32	0.1
48796	1	0	0	0	KHM	48.5337	117.1031	19.7	640.6	773	55735.	2650	1.8	4.8	12.5	2.7	0.4	7.0	58	0.1
48797	1	0	0	0	KHM	48.5337	117.1024	19.8	641.4	752	55733.	2862	2.0	6.3	15.4	3.1	0.4	7.6	32	0.1
48798	1	0	0	0	KHM	48.5337	117.1018	19.8	642.2	736	55731.	2709	1.6	7.6	10.4	4.9	0.7	6.7	35	0.1
48799	1	0	0	0	KHM	48.5337	117.1012	19.8	642.9	726	55726.	2790	1.9	7.6	10.3	3.9	0.7	5.3	43	0.1
48800	1	0	0	0	KHM	48.5337	117.1006	19.9	643.7	718	55719.	2729	1.3	7.6	14.5	6.1	0.5	11.6	40	0.1
48801	1	0	0	0	KHM	48.5336	117.1000	19.9	644.5	713	55711.	2800	2.1	5.0	15.6	2.4	0.3	7.4	28	0.1
48802	1	0	0	0	KHM	48.5336	117.0994	20.0	645.2	715	55704.	2829	1.8	5.8	11.2	3.2	0.5	6.2	42	0.1
48803	1	0	0	0	KHM	48.5336	117.0988	20.0	646.0	726	55696.	2840	2.0	8.0	9.7	4.1	0.8	5.0	46	0.1
48804	1	0	0	0	KHM	48.5336	117.0982	20.0	646.7	742	55688.	2991	2.7	3.5	19.3	1.3	0.2	7.1	38	0.1
48805	1	0	0	0	KHM	48.5336	117.0976	20.1	647.4	752	55680.	3020	1.7	7.0	12.7	4.0	0.6	7.3	47	0.1
48806	1	0	0	0	KHM	48.5336	117.0970	20.1	648.1	740	55673.	3102	2.2	5.8	12.7	2.6	0.5	5.7	37	0.1
48807	1	0	0	0	KHM	48.5336	117.0963	20.1	648.8	708	55665.	3131	2.4	9.2	9.5	3.9	1.0	4.0	37	0.1
48808	0	0	0	0	KHM	48.5336	117.0957	20.2	649.5	668	55659.	2871	1.8	6.1	14.1	3.5	0.4	8.0	33	0.1
48809	0	0	0	0	KHM	48.5335	117.0951	20.2	650.1	643	55653.	2954	1.6	6.7	13.9	4.2	0.5	8.6	32	0.1
48810	0	0	0	0	KHM	48.5335	117.0945	20.2	650.7	620	55648.	2821	1.2	6.9	11.9	5.6	0.6	9.7	36	0.1
48811	0	0	0	0	KHM	48.5335	117.0939	20.3	651.4	586	55644.	2702	1.6	5.5	13.3	3.4	0.4	8.2	38	0.1
48812	0	0	0	0	KHM	48.5335	117.0933	20.3	652.0	537	55641.	2773	1.4	9.0	9.5	6.4	0.9	6.7	41	0.1
48813	0	0	0	0	KHM	48.5335	117.0927	20.4	652.5	496	55639.	2529	1.9	4.9	12.3	2.6	0.4	6.6	50	0.1
48814	0	0	0	0	KHM	48.5335	117.0921	20.4	653.0	479	55637.	2620	1.8	5.8	9.8	3.3	0.6	5.4	49	0.1
48815	0	0	0	0	KHM	48.5335	117.0915	20.4	653.5	471	55635.	2618	1.5	5.2	13.4	3.4	0.4	8.8	30	0.1
48816	0	0	0	0	KHM	48.5334	117.0909	20.5	654.0	464	55632.	2620	1.5	6.5	11.5	4.4	0.6	7.8	41	0.1
48817	0	0	0	0	KHM	48.5334	117.0902	20.5	654.4	445	55628.	2503	1.7	4.5	11.0	2.7	0.4	6.5	43	0.1
48818	0	0	0	0	KHM	48.5334	117.0896	20.5	654.8	433	55625.	2427	1.6	4.9	10.8	3.0	0.5	6.6	45	0.1
48819	0	0	0	0	KHM	48.5334	117.0890	20.6	655.2	439	55622.	2585	1.2	6.7	13.7	5.4	0.5	11.1	29	0.1
48821	0	0	0	0	KHM	48.5334	117.0878	20.6	655.6	466	55620.	2837	1.7	5.7	14.6	3.5	0.4	8.8	37	0.1
48822	0	0	0	0	KHM	48.5334	117.0872	20.6	655.9	488	55619.	2839	1.7	5.5	14.8	3.2	0.4	8.6	34	0.1
48823	0	0	0	0	KHM	48.5334	117.0866	20.7	656.3	489	55618.	2812	1.5	6.8	14.7	4.5	0.5	9.9	41	0.1
48824	0	0	0	0	KHM	48.5333	117.0860	20.7	656.6	473	55618.	2690	1.7	4.5	14.4	2.7	0.3	8.7	28	0.1
48825	0	0	0	0	KHM	48.5333	117.0853	20.7	656.9	458	55617.	2603	1.6	4.7	11.4	2.9	0.4	7.1	33	0.1
48826	0	0	0	0	KHM	48.5333	117.0847	20.8	657.2	427	55616.	2523	1.4	7.0	9.9	5.1	0.7	7.3	29	0.1
48827	0	0	0	0	KHM	48.5333	117.0841	20.8	657.5	396	55614.	2317	1.3	3.9	12.1	3.1	0.3	9.6	38	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 26							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
48828	0	0	0	0	KHM	48.5333	117.0835	20.8	657.8	377	55610.	2149	1.2	4.5	10.5	3.7	0.4	8.6	43	0.2
48829	0	0	0	0	KHM	48.5333	117.0829	20.9	658.2	391	55606.	2310	1.4	4.0	10.7	2.9	0.4	7.8	33	0.2
48830	0	0	0	0	KHM	48.5333	117.0823	20.9	658.4	400	55600.	2294	1.3	4.2	11.7	3.2	0.4	9.0	34	0.2
48831	0	0	0	0	KHM	48.5332	117.0817	20.9	658.7	407	55593.	2338	1.5	2.9	12.8	2.0	0.2	8.8	32	0.2
48832	0	0	0	0	KHM	48.5332	117.0811	21.0	659.1	409	55585.	2268	1.4	4.3	9.6	3.0	0.4	6.8	38	0.2
48833	0	0	0	0	KHM	48.5332	117.0805	21.0	659.4	436	55576.	2360	1.3	4.8	11.3	3.7	0.4	8.7	28	0.2
48834	0	0	0	0	KHM	48.5332	117.0799	21.0	659.6	463	55566.	2445	1.4	5.1	10.2	3.6	0.5	7.2	37	0.2
48835	0	0	0	0	KHM	48.5332	117.0793	21.1	659.9	482	55556.	2536	1.2	6.5	10.5	5.3	0.6	8.6	43	0.2
48836	0	0	0	0	KHM	48.5332	117.0786	21.1	660.2	483	55545.	2558	1.5	5.1	15.4	3.4	0.3	10.2	33	0.2
48837	0	0	0	0	KHM	48.5332	117.0780	21.1	660.5	473	55535.	2446	1.0	5.9	12.3	5.7	0.5	12.1	32	0.2
48838	0	0	0	0	KHM	48.5331	117.0774	21.1	660.7	463	55525.	2215	1.1	4.6	9.2	4.3	0.5	8.6	41	0.2
48839	0	0	0	0	KHM	48.5331	117.0768	21.2	661.0	449	55516.	2179	1.1	5.5	8.1	4.9	0.7	7.2	32	0.2
48840	0	0	0	0	KHM	48.5331	117.0762	21.2	661.2	439	55509.	2073	1.2	3.3	8.9	2.7	0.4	7.2	47	0.2
48841	0	0	0	0	KHM	48.5331	117.0756	21.2	661.4	442	55503.	2027	1.4	1.9	13.6	1.4	0.1	9.6	33	0.2
48842	0	0	0	0	KHM	48.5331	117.0750	21.3	661.6	462	55499.	2177	1.3	3.4	11.2	2.5	0.3	8.4	45	0.2
48843	0	0	0	0	KHM	48.5331	117.0744	21.3	661.8	499	55498.	2256	1.5	3.2	14.1	2.2	0.2	9.4	45	0.2
48844	0	0	0	0	KHM	48.5331	117.0737	21.3	661.9	553	55500.	2536	1.5	3.6	12.0	2.5	0.3	8.2	37	0.2
48845	0	0	0	0	KHM	48.5331	117.0731	21.3	662.0	602	55504.	2772	1.8	4.5	15.7	2.5	0.3	8.9	39	0.2
48846	0	0	0	0	KHM	48.5331	117.0725	21.3	662.1	632	55509.	2979	1.8	6.3	11.6	3.5	0.5	6.4	44	0.2
48847	0	0	0	0	KHM	48.5330	117.0719	21.4	662.2	617	55515.	3062	2.2	3.6	14.5	1.6	0.3	6.5	31	0.2
48848	0	0	0	0	KHM	48.5330	117.0713	21.4	662.2	584	55521.	2727	1.5	5.0	12.2	3.3	0.4	7.9	39	0.2
48849	0	0	0	0	KHM	48.5330	117.0707	21.4	662.3	549	55527.	2627	1.5	4.9	13.8	3.2	0.4	9.1	38	0.2
48850	0	0	0	0	KHM	48.5330	117.0701	21.4	662.3	541	55532.	2467	1.6	2.8	12.9	1.8	0.2	8.3	39	0.2
48851	0	0	0	0	KHM	48.5330	117.0695	21.4	662.2	551	55536.	2684	1.7	5.9	14.3	3.5	0.4	8.6	40	0.2
48852	0	0	0	0	KHM	48.5330	117.0689	21.5	662.2	581	55540.	2681	1.8	4.7	13.0	2.6	0.4	7.3	45	0.2
48853	0	0	0	0	KHM	48.5329	117.0683	21.5	662.1	623	55546.	2863	1.8	2.7	17.7	1.5	0.2	9.8	55	0.2
48854	0	0	0	0	KHM	48.5329	117.0676	21.5	662.0	655	55553.	3194	2.2	4.7	14.4	2.1	0.3	6.4	36	0.2
48855	0	0	0	0	KHM	48.5329	117.0670	21.5	661.8	667	55562.	3054	2.0	7.5	10.9	3.7	0.7	5.4	45	0.2
48856	0	0	0	0	KHM	48.5329	117.0665	21.5	661.6	655	55571.	3391	2.3	4.7	21.1	2.1	0.2	9.4	30	0.2
48857	0	0	0	0	KHM	48.5329	117.0659	21.6	661.5	644	55582.	3233	2.0	8.5	14.7	4.4	0.6	7.5	32	0.2
48858	0	0	0	0	KHM	48.5329	117.0653	21.6	661.2	643	55592.	3413	2.1	6.9	15.1	3.3	0.5	7.2	27	0.2
48859	0	0	0	0	KHM	48.5329	117.0647	21.6	661.0	637	55602.	3531	2.4	6.6	14.5	2.7	0.5	6.0	36	0.2
48860	0	0	0	0	KHM	48.5329	117.0642	21.6	660.7	622	55611.	3357	2.3	6.1	16.3	2.6	0.4	7.0	46	0.2
48861	0	0	0	0	KHM	48.5329	117.0636	21.6	660.4	597	55617.	3334	1.9	7.3	15.9	3.9	0.5	8.6	40	0.2
48862	0	0	0	0	KHM	48.5329	117.0630	21.6	660.1	588	55623.	3165	2.0	3.8	16.2	1.9	0.2	8.0	34	0.2
48863	0	0	0	0	KHM	48.5329	117.0625	21.6	659.7	584	55629.	3178	2.0	4.7	13.5	2.4	0.3	6.9	43	0.2
48864	0	0	0	0	KHM	48.5329	117.0619	21.7	659.4	579	55634.	3084	2.0	5.1	17.0	2.5	0.3	8.5	41	0.2
48865	0	0	0	0	KHM	48.5329	117.0613	21.7	659.0	564	55640.	3295	2.0	6.0	14.9	3.1	0.4	7.5	37	0.2
48866	0	0	0	0	KHM	48.5329	117.0607	21.7	658.5	550	55647.	3132	2.2	4.7	17.9	2.2	0.3	8.3	41	0.2
48867	0	0	0	0	KHM	48.5329	117.0602	21.7	658.1	543	55654.	3220	2.5	6.3	14.9	2.5	0.4	5.9	41	0.2
48868	0	0	0	0	KHM	48.5329	117.0596	21.7	657.7	545	55660.	3156	2.3	5.7	15.7	2.4	0.4	6.7	40	0.2
48869	0	0	0	0	KHM	48.5329	117.0590	21.7	657.2	549	55668.	3225	1.6	8.8	12.4	5.4	0.7	7.6	36	0.2
48870	0	0	0	0	KHM	48.5329	117.0584	21.7	656.8	535	55676.	3268	1.7	4.1	17.9	2.3	0.2	10.2	37	0.2
48871	0	0	0	0	KHM	48.5329	117.0579	21.7	656.4	505	55685.	3216	2.3	6.1	14.5	2.7	0.4	6.4	40	0.2
48872	0	0	0	0	KHM	48.5329	117.0573	21.7	655.9	474	55694.	3152	2.0	6.1	13.2	3.1	0.5	6.8	45	0.2
48873	0	0	0	0	KHM	48.5329	117.0567	21.7	655.5	458	55705.	3010	1.9	5.7	13.8	3.0	0.4	7.3	38	0.2
48874	0	0	0	0	KHM	48.5329	117.0562	21.7	655.0	457	55714.	3083	1.9	6.1	13.8	3.2	0.4	7.1	54	0.2
48875	0	0	0	0	KHM	48.5329	117.0556	21.8	654.7	450	55723.	2944	2.1	4.7	14.5	2.2	0.3	6.9	37	0.2
48876	0	0	0	0	KHM	48.5329	117.0550	21.8	654.3	434	55731.	2976	1.9	7.1	13.0	3.8	0.5	7.0	39	0.2
48877	0	0	0	0	KHM	48.5329	117.0544	21.8	653.9	415	55738.	3039	1.7	5.8	16.5	3.4	0.4	9.7	37	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 26							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
48878	0	0	0	0	KHM	48.5329	117.0539	21.8	653.5	406	55744.	2810	1.7	4.7	13.0	2.7	0.4	7.6	40	0.1
48879	0	0	0	0	KHM	48.5329	117.0533	21.8	653.2	402	55748.	2778	2.0	4.8	12.4	2.4	0.4	6.2	40	0.1
48880	0	0	0	0	KHM	48.5329	117.0527	21.8	652.9	394	55749.	2909	1.7	4.8	15.7	2.9	0.3	9.4	42	0.1
48881	0	0	0	0	KHM	48.5329	117.0522	21.8	652.7	394	55747.	2796	1.9	3.7	14.3	1.9	0.3	7.4	47	0.1
48882	0	0	0	0	KHM	48.5329	117.0516	21.8	652.5	408	55742.	2706	1.8	5.4	11.6	3.1	0.5	6.6	42	0.1
48883	0	0	0	0	KHM	48.5329	117.0510	21.8	652.3	432	55734.	2752	1.9	4.2	16.1	2.2	0.3	8.5	41	0.1
48884	0	0	0	0	KHM	48.5329	117.0504	21.8	652.1	455	55723.	2852	1.5	7.0	17.2	4.6	0.4	11.3	40	0.1
48885	0	0	0	0	KHM	48.5329	117.0499	21.8	652.0	480	55711.	2720	1.5	6.1	12.3	4.0	0.5	8.1	44	0.1
48886	0	0	0	0	KHM	48.5329	117.0493	21.8	651.9	503	55701.	2774	1.9	3.8	16.6	2.0	0.2	8.9	31	0.1
48887	0	0	0	0	KHM	48.5329	117.0487	21.8	651.9	533	55691.	2717	2.0	4.1	14.7	2.0	0.3	7.3	38	0.1
48888	0	0	0	0	KHM	48.5329	117.0481	21.8	651.9	558	55683.	2687	1.8	5.9	11.7	3.3	0.5	6.6	43	0.1
48889	0	0	0	0	KHM	48.5329	117.0476	21.8	651.9	582	55678.	2887	2.0	6.1	14.2	3.1	0.4	7.3	27	0.1
48890	0	0	0	0	KHM	48.5329	117.0470	21.8	652.0	601	55672.	2647	1.7	5.4	13.3	3.3	0.4	8.1	40	0.1
48891	0	0	0	0	KHM	48.5329	117.0464	21.8	652.1	622	55669.	2871	1.7	6.8	9.2	3.9	0.7	5.2	39	0.1
48892	0	0	0	0	KHM	48.5329	117.0459	21.8	652.2	640	55668.	2922	1.6	7.9	12.7	5.0	0.6	8.1	49	0.1
48893	0	0	0	0	KHM	48.5329	117.0453	21.8	652.3	639	55667.	2748	1.8	5.8	13.7	3.2	0.4	7.6	36	0.1
48894	0	0	0	0	KHM	48.5329	117.0447	21.8	652.4	618	55668.	2783	1.5	6.6	12.7	4.3	0.5	8.3	44	0.1
48895	0	0	0	0	KHM	48.5329	117.0441	21.8	652.6	584	55670.	2564	1.2	6.3	8.9	5.3	0.7	7.5	48	0.1
48896	0	0	0	0	KHM	48.5329	117.0436	21.8	652.8	557	55673.	2353	1.5	4.3	12.5	2.9	0.3	8.6	45	0.1
48897	0	0	0	0	KHM	48.5329	117.0430	21.8	652.9	544	55676.	2413	1.7	3.6	13.0	2.1	0.3	7.8	34	0.1
48898	0	0	0	0	KHM	48.5329	117.0424	21.9	653.2	544	55680.	2377	1.6	6.0	9.1	3.9	0.7	5.8	30	0.1
48899	0	0	0	0	KHM	48.5329	117.0418	21.9	653.4	542	55684.	2317	1.6	4.2	12.9	2.7	0.3	8.3	29	0.1
48900	0	0	0	0	KHM	48.5329	117.0413	21.9	653.6	534	55688.	2420	1.7	5.1	10.7	3.0	0.5	6.2	35	0.1
48901	0	0	0	0	KHM	48.5329	117.0407	21.9	653.8	520	55693.	2372	1.3	6.4	8.9	4.9	0.7	6.7	42	0.1
48902	0	0	0	0	KHM	48.5328	117.0401	21.9	654.0	516	55699.	2346	1.4	4.3	10.1	3.0	0.4	7.1	38	0.1
48903	0	0	0	0	KHM	48.5328	117.0396	21.9	654.2	515	55705.	2352	1.3	4.2	10.3	3.2	0.4	7.8	39	0.1
48904	0	0	0	0	KHM	48.5328	117.0390	21.9	654.4	517	55711.	2465	1.7	3.7	13.8	2.1	0.3	8.0	44	0.1
48905	0	0	0	0	KHM	48.5328	117.0384	21.9	654.6	521	55714.	2585	1.6	5.9	10.5	3.7	0.6	6.5	25	0.1
48906	0	0	0	0	KHM	48.5328	117.0378	21.9	654.8	531	55716.	2575	1.8	5.8	14.2	3.2	0.4	7.9	30	0.1
48907	0	0	0	0	KHM	48.5328	117.0373	21.9	655.1	553	55719.	2756	1.8	4.7	15.5	2.6	0.3	8.4	46	0.1
48908	0	0	0	0	KHM	48.5328	117.0367	21.9	655.3	581	55724.	2919	1.9	6.6	13.5	3.5	0.5	7.1	39	0.1
48909	0	0	0	0	KHM	48.5328	117.0361	21.9	655.5	597	55730.	3065	2.4	6.4	14.7	2.6	0.4	6.1	27	0.1
48911	0	0	0	0	KHM	48.5328	117.0350	21.9	655.8	589	55738.	3017	2.1	5.8	13.9	2.7	0.4	6.5	28	0.1
48912	0	0	0	0	KHM	48.5328	117.0344	21.9	656.0	555	55744.	3019	1.9	7.5	13.7	3.9	0.5	7.1	32	0.1
48913	0	0	0	0	KHM	48.5328	117.0338	21.9	656.3	515	55750.	3000	2.0	5.8	14.6	2.9	0.4	7.2	31	0.1
48914	0	0	0	0	KHM	48.5328	117.0333	21.9	656.5	476	55755.	3022	1.9	5.0	15.9	2.7	0.3	8.5	55	0.1
48915	0	0	0	0	KHM	48.5328	117.0327	21.9	656.8	440	55758.	2906	2.0	4.9	14.7	2.5	0.3	7.5	42	0.1
48916	0	0	0	0	KHM	48.5328	117.0321	22.0	657.1	405	55759.	2657	2.3	3.2	12.2	1.4	0.3	5.3	47	0.1
48917	0	0	0	0	KHM	48.5328	117.0315	22.0	657.4	374	55759.	2679	2.0	5.3	11.6	2.6	0.5	5.7	39	0.1
48918	0	0	0	0	KHM	48.5328	117.0310	22.0	657.6	355	55756.	2516	1.5	5.7	12.4	3.8	0.5	8.4	33	0.1
48919	0	0	0	0	KHM	48.5328	117.0304	22.0	657.9	350	55751.	2537	1.5	4.7	12.8	3.1	0.4	8.4	41	0.1
48920	0	0	0	0	KHM	48.5328	117.0298	22.0	658.2	361	55744.	2417	1.4	5.1	11.4	3.6	0.4	8.1	45	0.1
48921	0	0	0	0	QAG	48.5328	117.0293	22.0	658.5	369	55737.	2469	1.3	4.4	13.4	3.6	0.3	10.8	41	0.2
48922	0	0	0	0	QAG	48.5328	117.0287	22.0	658.8	382	55730.	2433	1.6	4.5	9.8	2.9	0.5	6.3	42	0.2
48923	0	0	0	0	QAG	48.5328	117.0281	22.0	659.1	398	55724.	2582	1.7	4.6	13.6	2.6	0.3	7.8	38	0.2
48924	0	0	0	0	QAG	48.5328	117.0275	22.0	659.4	430	55720.	2692	1.7	5.4	10.7	3.2	0.5	6.4	40	0.2
48925	0	0	0	0	QAG	48.5328	117.0270	22.0	659.6	454	55719.	2749	1.4	4.4	13.1	3.0	0.3	9.1	29	0.2
48926	0	0	0	0	QAG	48.5328	117.0264	22.1	659.9	450	55720.	2799	1.5	5.9	11.4	4.0	0.5	7.8	41	0.2
48927	0	0	0	0	QAG	48.5328	117.0258	22.1	660.2	413	55723.	2695	1.2	5.9	10.7	4.7	0.5	8.6	38	0.2
48928	0	0	0	0	QAG	48.5328	117.0253	22.1	660.5	365	55726.	2416	1.3	6.0	8.0	4.5	0.8	6.0	59	0.2

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 26									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
48929	0	0	0	0	QAG	48.5328	117.0247	22.1	660.8	330	55728.	2178	1.3	4.1	9.6	3.0	0.4	7.1	38	0.2
48930	0	0	0	0	QAG	48.5328	117.0241	22.1	661.1	316	55728.	2190	1.4	2.1	10.8	1.5	0.2	7.5	33	0.2
48931	0	0	0	0	QAG	48.5328	117.0235	22.1	661.3	327	55724.	2039	1.3	2.4	9.7	1.9	0.3	7.6	36	0.2
48932	0	0	0	0	QAG	48.5328	117.0230	22.1	661.6	350	55717.	2232	1.4	3.7	8.5	2.7	0.4	6.2	29	0.2
48933	0	0	0	0	QAG	48.5328	117.0224	22.1	661.8	374	55706.	2183	1.3	2.4	11.6	1.8	0.2	8.7	29	0.2
48934	0	0	0	0	QAG	48.5328	117.0218	22.1	662.1	395	55695.	2079	1.5	3.1	5.9	2.0	0.5	3.9	37	0.2
48935	0	0	0	0	QAG	48.5328	117.0212	22.1	662.3	414	55686.	2051	1.3	3.7	8.2	2.9	0.4	6.5	32	0.2
48936	0	0	0	0	KHM	48.5328	117.0207	22.1	662.6	435	55679.	1991	1.4	4.6	5.8	3.4	0.8	4.2	37	0.2
48937	0	0	0	0	KHM	48.5328	117.0201	22.2	662.9	452	55675.	1999	1.5	3.7	8.5	2.5	0.4	5.8	40	0.2
48938	0	0	0	0	KHM	48.5328	117.0195	22.2	663.1	464	55674.	1959	1.5	1.9	8.0	1.3	0.2	5.2	39	0.3
48939	0	0	0	0	KHM	48.5328	117.0190	22.2	663.4	467	55676.	1942	1.2	4.5	7.1	3.6	0.6	5.8	43	0.2
48940	0	0	0	0	KHM	48.5328	117.0184	22.2	663.6	463	55681.	1955	1.7	1.6	6.3	1.0	0.3	3.7	32	0.2
48941	0	0	0	0	KHM	48.5328	117.0178	22.2	663.9	450	55687.	1941	1.1	2.6	6.3	2.3	0.4	5.6	28	0.2
48942	0	0	0	0	KHM	48.5328	117.0172	22.2	664.1	438	55694.	1937	1.0	2.5	7.4	2.4	0.3	7.2	43	0.2
48943	0	0	0	0	KHM	48.5328	117.0167	22.2	664.3	432	55701.	1845	1.0	3.6	7.8	3.7	0.5	8.0	38	0.2
48944	0	0	1	0	KHM	48.5328	117.0161	22.2	664.6	434	55708.	1938	1.2	1.3	10.9	1.1	0.1	9.4	32	0.2
48945	0	0	0	0	KHM	48.5328	117.0155	22.3	664.8	439	55714.	2098	1.2	4.5	9.4	3.8	0.5	7.9	41	0.2
48946	0	0	0	0	KHM	48.5328	117.0150	22.3	665.1	441	55720.	2018	1.2	3.9	6.8	3.3	0.6	5.7	40	0.2
48947	0	0	0	0	KHM	48.5328	117.0144	22.3	665.3	439	55726.	2028	1.4	2.7	8.1	1.9	0.3	5.7	30	0.2
48948	0	0	0	0	KHM	48.5328	117.0138	22.3	665.5	428	55733.	1882	1.5	3.6	7.4	2.4	0.5	4.9	50	0.2
48949	0	0	0	0	KHM	48.5327	117.0132	22.3	665.7	421	55738.	1901	1.5	2.5	9.5	1.7	0.3	6.5	32	0.2
48950	0	0	0	0	KHM	48.5327	117.0127	22.3	665.9	424	55744.	1918	1.5	2.4	8.2	1.5	0.3	5.4	33	0.2
48951	0	0	0	0	KHM	48.5327	117.0121	22.3	666.1	430	55750.	1943	1.3	3.6	7.8	2.8	0.5	6.3	30	0.2
48952	0	0	0	0	KHM	48.5327	117.0116	22.3	666.4	423	55755.	1843	1.4	3.3	6.7	2.4	0.5	5.0	35	0.2
48953	0	0	0	0	KHM	48.5327	117.0110	22.3	666.6	417	55759.	1874	1.2	3.1	8.6	2.5	0.4	7.0	29	0.2
48954	0	0	0	0	KHM	48.5327	117.0104	22.3	666.8	417	55763.	1728	1.3	3.7	5.3	2.8	0.7	3.9	29	0.2
48955	0	0	0	0	KHM	48.5327	117.0099	22.3	666.9	429	55765.	1950	1.2	4.0	6.6	3.4	0.6	5.7	29	0.2
48956	0	0	0	0	QAG	48.5327	117.0093	22.3	667.2	435	55765.	1795	1.5	2.4	7.4	1.6	0.3	5.0	39	0.2
48957	0	0	0	0	QAG	48.5326	117.0087	22.3	667.4	442	55763.	1750	1.6	3.0	7.3	1.9	0.4	4.6	38	0.2
48958	0	0	0	0	QAG	48.5326	117.0082	22.3	667.6	448	55761.	1795	1.0	4.0	8.3	4.1	0.5	8.6	38	0.2
48959	0	0	0	0	QAG	48.5326	117.0076	22.3	667.7	456	55759.	1815	1.5	2.0	8.0	1.4	0.3	5.4	40	0.2
48960	0	0	0	0	QAG	48.5326	117.0070	22.4	668.0	462	55758.	1851	1.4	3.6	6.2	2.5	0.6	4.3	25	0.2
48961	0	0	0	0	QAG	48.5326	117.0065	22.4	668.2	467	55756.	1785	1.0	4.4	7.2	4.4	0.6	7.2	25	0.2
48962	0	0	0	0	QAG	48.5326	117.0059	22.4	668.4	472	55755.	2001	1.5	2.4	8.7	1.6	0.3	5.8	26	0.2
48963	0	0	0	0	QAG	48.5325	117.0053	22.4	668.6	477	55752.	1926	1.3	3.1	7.6	2.4	0.4	6.0	29	0.2
48964	0	0	0	0	QAG	48.5325	117.0048	22.4	668.7	473	55749.	1865	1.4	3.0	6.7	2.2	0.4	4.9	35	0.2
48965	0	0	0	0	QAG	48.5325	117.0042	22.4	668.9	458	55746.	1827	1.2	2.9	8.8	2.3	0.3	7.1	29	0.2
48966	0	0	0	0	QAG	48.5325	117.0036	22.4	669.0	432	55744.	1819	1.1	3.9	7.6	3.5	0.5	6.7	38	0.2
48967	0	0	0	0	QAG	48.5325	117.0031	22.4	669.2	403	55741.	1776	1.0	3.2	8.3	3.2	0.4	8.2	32	0.2
48968	0	0	0	0	QAG	48.5325	117.0025	22.4	669.4	374	55739.	1632	1.4	2.8	8.6	2.1	0.3	6.4	36	0.2
48969	0	0	0	0	QAG	48.5325	117.0020	22.4	669.6	349	55737.	1613	1.2	1.5	8.5	1.2	0.2	7.2	32	0.2
48970	0	0	0	0	QAG	48.5324	117.0014	22.4	669.7	335	55735.	1741	1.2	1.5	8.4	1.3	0.2	6.8	31	0.2
48971	0	0	0	0	QAG	48.5324	117.0008	22.4	669.9	332	55735.	1796	1.4	3.9	6.7	2.8	0.6	4.9	39	0.2
48972	0	0	0	0	QAG	48.5324	117.0003	22.4	670.1	343	55737.	1825	1.3	3.4	7.1	2.6	0.5	5.4	36	0.2
48973	0	0	0	0	QAG	48.5324	116.9997	22.4	670.2	353	55740.	1982	1.5	3.3	7.5	2.3	0.4	5.2	23	0.2
48974	0	0	0	0	QAG	48.5324	116.9991	22.4	670.4	359	55743.	1834	1.3	2.8	7.5	2.2	0.4	5.8	35	0.2
48975	0	0	0	0	QAG	48.5324	116.9986	22.4	670.5	358	55747.	1981	1.0	4.3	9.4	4.4	0.5	9.5	29	0.2
48976	0	0	0	0	QAG	48.5323	116.9980	22.4	670.7	361	55752.	1942	0.9	4.3	10.0	4.6	0.4	10.6	26	0.2
48977	0	0	0	0	QAG	48.5323	116.9974	22.4	670.8	367	55759.	1897	1.5	2.0	8.9	1.3	0.2	5.8	19	0.2
48978	0	0	0	0	QAG	48.5323	116.9969	22.4	671.0	378	55767.	1979	1.1	3.9	7.8	3.7	0.5	7.3	27	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 27							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49503	0	0	0	0	KG	48.5313	117.2430	19.6	662.3	339	55864.	2401	1.9	3.2	11.8	1.7	0.3	6.3	35	0.2
49502	0	0	0	0	KG	48.5313	117.2424	19.6	662.2	324	55862.	2509	1.9	3.3	10.7	1.7	0.3	5.5	34	0.2
49501	0	0	0	0	KG	48.5313	117.2419	19.6	662.1	302	55861.	2394	2.0	3.4	11.0	1.7	0.3	5.5	30	0.2
49500	0	0	0	0	KG	48.5313	117.2413	19.6	661.9	281	55860.	2273	1.8	4.1	11.1	2.2	0.4	6.0	43	0.2
49499	0	0	0	0	KG	48.5313	117.2407	19.6	661.7	269	55859.	2201	1.9	1.9	11.0	1.0	0.2	5.8	35	0.2
49498	0	0	0	0	KG	48.5313	117.2401	19.6	661.4	271	55856.	2265	1.8	2.7	11.6	1.6	0.2	6.5	44	0.2
49497	0	0	0	0	KG	48.5313	117.2396	19.6	661.1	292	55849.	2353	2.4	1.9	9.6	0.8	0.2	4.1	42	0.2
49496	0	0	0	0	KG	48.5313	117.2390	19.6	660.8	326	55839.	2507	1.9	4.7	9.9	2.4	0.5	5.1	34	0.2
49495	0	0	0	0	KG	48.5313	117.2384	19.6	660.5	377	55828.	2695	2.3	3.9	13.1	1.7	0.3	5.6	38	0.2
49494	0	0	0	0	KG	48.5313	117.2379	19.6	660.2	423	55818.	2830	2.3	5.0	11.9	2.2	0.4	5.3	39	0.2
49493	0	0	0	0	KG	48.5313	117.2373	19.6	659.9	458	55812.	2817	2.9	2.7	12.6	0.9	0.2	4.4	38	0.2
49492	0	0	0	0	KG	48.5313	117.2367	19.6	659.6	472	55809.	2788	2.6	3.4	8.9	1.3	0.4	3.5	38	0.2
49491	0	0	0	0	KNA	48.5312	117.2362	19.6	659.2	480	55808.	2661	2.2	6.5	6.9	3.0	0.9	3.2	36	0.2
49490	0	0	0	0	KNA	48.5312	117.2356	19.6	658.9	492	55808.	2646	2.0	5.2	12.1	2.6	0.4	6.0	38	0.2
49489	0	0	0	0	KNA	48.5312	117.2350	19.6	658.5	511	55809.	2527	2.4	4.0	9.5	1.7	0.4	3.9	52	0.2
49488	0	0	0	0	KNA	48.5312	117.2345	19.6	658.1	531	55809.	2473	2.0	5.6	8.8	2.8	0.6	4.4	44	0.2
49487	0	0	0	0	KNA	48.5312	117.2339	19.6	657.7	562	55808.	2599	2.2	2.8	12.9	1.3	0.2	6.0	27	0.2
49486	0	0	0	0	KNA	48.5312	117.2333	19.6	657.2	597	55806.	2549	2.2	4.3	11.7	2.0	0.4	5.4	35	0.2
49485	0	0	0	0	KNA	48.5312	117.2327	19.6	656.7	638	55806.	2571	2.3	8.5	6.7	3.7	1.3	2.9	36	0.2
49484	0	0	0	0	KNA	48.5312	117.2322	19.6	656.2	661	55807.	2794	2.3	2.5	14.6	1.1	0.2	6.4	37	0.1
49483	0	0	0	0	QAG	48.5312	117.2316	19.6	655.7	662	55811.	2652	2.1	3.8	13.9	1.8	0.3	6.5	33	0.1
49482	0	0	0	0	QAG	48.5312	117.2310	19.6	655.2	644	55817.	2542	2.2	5.4	6.7	2.4	0.8	3.0	28	0.1
49481	0	0	0	0	QAG	48.5312	117.2304	19.6	654.6	620	55825.	2375	2.4	3.0	12.7	1.3	0.2	5.4	39	0.1
49480	0	0	0	0	KNA	48.5312	117.2298	19.6	654.0	607	55833.	2450	2.1	3.7	9.9	1.7	0.4	4.6	36	0.1
49479	0	0	0	0	KNA	48.5312	117.2292	19.6	653.5	598	55840.	2398	2.3	4.9	10.8	2.1	0.5	4.6	43	0.1
49478	0	0	0	0	KNA	48.5312	117.2286	19.6	652.9	595	55848.	2421	2.3	3.6	9.7	1.5	0.4	4.2	40	0.1
49477	0	0	0	0	KNA	48.5312	117.2280	19.6	652.3	591	55855.	2505	2.1	3.8	11.7	1.8	0.3	5.6	49	0.1
49476	0	0	0	0	KNA	48.5312	117.2274	19.6	651.7	593	55861.	2463	2.4	5.6	8.2	2.4	0.7	3.5	50	0.1
49475	0	0	0	0	KNA	48.5311	117.2268	19.6	651.1	598	55867.	2426	2.2	5.7	7.0	2.5	0.8	3.1	38	0.1
49474	0	0	0	0	KNA	48.5311	117.2262	19.5	650.5	608	55872.	2539	1.7	5.8	13.4	3.4	0.4	7.8	43	0.1
49473	0	0	0	0	KNA	48.5311	117.2256	19.5	649.9	615	55876.	2476	2.0	5.4	10.7	2.7	0.5	5.4	36	0.1
49472	0	0	0	0	KG	48.5311	117.2249	19.5	649.3	618	55879.	2448	2.0	5.2	8.3	2.6	0.6	4.1	35	0.1
49471	0	0	0	0	KG	48.5311	117.2243	19.5	648.7	616	55884.	2239	2.3	3.9	10.0	1.7	0.4	4.4	51	0.1
49470	0	0	0	0	KG	48.5311	117.2237	19.5	648.1	608	55890.	2328	1.8	7.3	6.5	4.1	1.1	3.7	42	0.1
49469	0	0	0	0	KG	48.5311	117.2231	19.5	647.5	593	55896.	2241	2.1	4.1	10.8	1.9	0.4	5.1	33	0.1
49468	0	0	0	0	KG	48.5311	117.2225	19.5	647.0	576	55903.	2144	1.6	4.6	7.1	3.0	0.6	4.6	54	0.1
49467	0	0	0	0	KG	48.5311	117.2219	19.5	646.4	557	55910.	2146	2.0	4.6	9.4	2.3	0.5	4.7	53	0.1
49466	0	0	0	0	KG	48.5311	117.2213	19.5	645.8	545	55916.	2275	1.7	4.2	10.4	2.5	0.4	6.1	32	0.1
49465	0	0	0	0	KG	48.5311	117.2207	19.5	645.3	535	55921.	2037	2.0	5.4	6.1	2.7	0.9	3.0	38	0.1
49464	0	0	0	0	KG	48.5311	117.2201	19.5	644.7	529	55925.	2150	1.9	3.7	7.2	2.0	0.5	3.9	49	0.1
49463	0	0	0	0	KG	48.5311	117.2195	19.5	644.2	528	55929.	2236	1.9	5.2	9.5	2.8	0.6	5.0	37	0.1
49462	0	0	0	0	KG	48.5311	117.2189	19.5	643.6	528	55931.	2216	1.9	4.9	8.0	2.6	0.6	4.3	34	0.1
49461	0	0	0	0	KG	48.5311	117.2183	19.5	643.1	527	55932.	2191	1.7	5.8	10.3	3.5	0.6	6.2	38	0.1
49460	0	0	0	0	KG	48.5311	117.2177	19.5	642.6	523	55933.	2105	1.8	4.0	7.3	2.3	0.6	4.1	38	0.1
49459	0	0	0	0	KG	48.5311	117.2171	19.4	642.0	517	55934.	2023	1.8	4.4	7.1	2.4	0.6	3.9	50	0.1
49458	0	0	0	0	KG	48.5311	117.2165	19.4	641.5	517	55934.	2052	1.6	4.5	8.5	2.8	0.5	5.4	42	0.1
49457	0	0	0	0	KG	48.5311	117.2159	19.4	641.0	525	55933.	2037	1.5	4.7	8.0	3.2	0.6	5.5	42	0.1
49456	0	0	0	0	KG	48.5311	117.2153	19.4	640.5	532	55931.	2190	1.6	6.1	6.8	3.9	0.9	4.4	43	0.1
49455	0	0	0	0	KG	48.5311	117.2147	19.4	640.1	522	55928.	2092	1.6	3.9	9.1	2.4	0.4	5.6	37	0.1
49454	0	0	0	0	KG	48.5311	117.2141	19.4	639.6	493	55923.	1927	1.5	3.9	6.5	2.7	0.6	4.4	34	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 27							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49453	0	0	0	0	KG	48.5311	117.2135	19.4	639.2	461	55920.	1907	1.2	5.4	7.6	4.5	0.7	6.3	40	0.1
49452	0	0	0	0	KG	48.5311	117.2129	19.4	638.8	434	55915.	1910	1.7	3.4	8.0	2.0	0.4	4.6	51	0.1
49451	0	0	0	0	KG	48.5311	117.2122	19.4	638.3	410	55911.	1966	1.4	4.0	8.5	2.8	0.5	6.0	46	0.1
49450	0	0	0	0	KG	48.5311	117.2117	19.3	637.9	383	55907.	2061	1.6	4.5	6.5	2.7	0.7	4.0	44	0.1
49449	0	0	0	0	KG	48.5311	117.2110	19.3	637.6	353	55905.	2038	1.8	3.4	10.6	1.9	0.3	6.0	37	0.1
49448	0	0	0	0	KG	48.5311	117.2104	19.3	637.2	323	55904.	2047	1.9	4.1	5.9	2.2	0.7	3.1	47	0.1
49447	0	0	0	0	KG	48.5311	117.2098	19.3	636.9	298	55903.	2032	1.8	4.6	7.2	2.6	0.6	4.1	52	0.1
49446	0	0	0	0	KG	48.5311	117.2092	19.3	636.6	279	55903.	2052	1.6	4.6	6.0	2.8	0.8	3.7	38	0.1
49445	0	0	0	0	KG	48.5310	117.2086	19.3	636.3	267	55904.	1921	1.7	2.7	6.9	1.6	0.4	4.2	56	0.1
49444	0	0	0	0	KG	48.5310	117.2080	19.3	636.0	265	55906.	1887	1.7	3.4	8.7	2.0	0.4	5.1	44	0.1
49443	0	0	0	0	KG	48.5310	117.2074	19.3	635.7	276	55911.	1984	1.7	3.7	6.5	2.2	0.6	3.9	50	0.1
49442	0	0	0	0	KG	48.5310	117.2068	19.3	635.5	298	55916.	2020	1.7	4.0	8.0	2.3	0.5	4.6	41	0.1
49441	0	0	0	0	KG	48.5310	117.2062	19.3	635.3	328	55918.	1980	1.8	3.2	8.5	1.8	0.4	4.8	50	0.1
49440	0	0	0	0	KG	48.5310	117.2056	19.3	635.1	352	55918.	1961	1.6	3.3	8.7	2.1	0.4	5.4	48	0.1
49439	0	0	0	0	KG	48.5310	117.2050	19.3	634.9	370	55916.	1932	1.8	3.6	6.5	2.0	0.6	3.6	54	0.1
49438	0	0	0	0	KG	48.5310	117.2044	19.3	634.7	380	55913.	1937	1.8	1.8	10.5	1.0	0.2	5.7	43	0.1
49437	0	0	0	0	KG	48.5310	117.2038	19.3	634.5	388	55912.	2048	1.5	4.4	8.0	2.9	0.6	5.3	44	0.1
49436	0	0	0	0	KG	48.5310	117.2032	19.3	634.4	384	55914.	2004	1.8	3.1	10.2	1.7	0.3	5.8	48	0.1
49435	0	0	0	0	KG	48.5310	117.2026	19.3	634.2	361	55920.	2028	2.0	4.1	5.8	2.0	0.7	2.9	46	0.1
49434	0	0	0	0	KG	48.5310	117.2020	19.2	634.1	321	55930.	2024	1.8	3.0	8.8	1.6	0.3	4.8	52	0.1
49433	0	0	0	0	KG	48.5310	117.2014	19.2	634.0	290	55943.	1922	1.9	2.1	8.6	1.1	0.2	4.6	48	0.1
49432	0	0	0	0	KG	48.5310	117.2008	19.2	633.9	265	55958.	2012	1.8	3.0	9.7	1.7	0.3	5.5	42	0.1
49431	0	0	0	0	KG	48.5310	117.2001	19.2	633.8	261	55971.	2060	1.8	3.3	9.8	1.8	0.3	5.5	46	0.1
49429	0	0	0	0	KNA	48.5310	117.1989	19.2	633.8	257	55981.	2231	2.0	3.1	10.7	1.5	0.3	5.3	43	0.1
49428	1	1	1	1	KNA	48.5310	117.1983	19.2	633.8	262	55985.	2155	2.1	2.8	9.5	1.4	0.3	4.6	51	0.1
49427	0	0	0	0	KNA	48.5310	117.1978	19.2	633.8	272	55984.	2258	2.1	5.0	8.7	2.4	0.6	4.2	49	0.1
49426	0	0	0	0	KNA	48.5310	117.1972	19.2	633.8	286	55978.	2268	1.9	4.2	10.2	2.2	0.4	5.5	41	0.1
49425	0	0	0	0	KNA	48.5310	117.1966	19.2	633.9	309	55970.	2246	2.2	2.8	10.6	1.2	0.3	4.7	56	0.1
49424	0	0	0	0	KNA	48.5310	117.1960	19.2	634.0	332	55960.	2353	2.6	4.1	8.4	1.6	0.5	3.3	50	0.1
49423	0	0	0	0	KNA	48.5310	117.1954	19.2	634.1	358	55951.	2335	2.6	3.8	8.0	1.4	0.5	3.0	60	0.1
49422	0	0	0	0	KNA	48.5310	117.1948	19.2	634.3	378	55941.	2410	2.4	4.0	9.3	1.6	0.4	3.8	47	0.1
49421	0	0	0	0	KNA	48.5310	117.1942	19.2	634.5	398	55933.	2408	2.2	5.2	8.6	2.3	0.6	3.9	37	0.1
49420	0	0	0	0	KNA	48.5310	117.1936	19.2	634.7	409	55925.	2342	2.0	3.9	11.9	2.0	0.3	6.0	44	0.1
49419	0	0	0	0	KNA	48.5310	117.1930	19.2	634.9	416	55919.	2313	2.1	3.9	8.3	1.9	0.5	4.0	41	0.1
49418	0	0	0	0	KG	48.5310	117.1924	19.2	635.1	419	55913.	2316	2.4	3.4	8.7	1.4	0.4	3.6	30	0.1
49417	0	0	0	0	KG	48.5310	117.1919	19.2	635.3	431	55905.	2138	2.2	3.4	9.4	1.5	0.4	4.2	48	0.1
49416	0	0	0	0	KG	48.5310	117.1913	19.2	635.5	441	55898.	2219	2.4	3.8	9.2	1.6	0.4	3.8	46	0.1
49415	0	0	0	0	KG	48.5310	117.1907	19.2	635.7	449	55890.	2101	1.9	4.1	9.3	2.1	0.4	4.8	52	0.1
49414	0	0	0	0	KG	48.5310	117.1901	19.2	636.0	448	55884.	2188	2.2	5.3	9.9	2.4	0.5	4.6	53	0.1
49413	0	0	0	0	KG	48.5310	117.1895	19.2	636.1	452	55879.	2298	2.4	3.0	9.3	1.3	0.3	3.9	40	0.1
49412	0	0	0	0	KG	48.5310	117.1889	19.2	636.3	460	55875.	2357	1.8	5.1	10.6	2.8	0.5	5.8	55	0.1
49411	0	0	0	0	KG	48.5310	117.1883	19.2	636.5	463	55871.	2353	1.9	4.6	11.6	2.4	0.4	6.1	56	0.1
49410	0	0	0	0	KG	48.5310	117.1877	19.2	636.6	459	55868.	2311	1.9	4.7	9.5	2.5	0.5	5.0	40	0.1
49409	0	0	0	0	KG	48.5310	117.1871	19.1	636.6	455	55866.	2311	2.0	5.3	6.2	2.7	0.9	3.1	37	0.1
49408	0	0	0	0	KG	48.5309	117.1866	19.1	636.7	460	55864.	2235	1.8	4.4	8.0	2.5	0.6	4.5	39	0.1
49407	0	0	0	0	KG	48.5309	117.1860	19.1	636.8	467	55862.	2245	2.0	3.0	11.5	1.5	0.3	5.6	36	0.1
49406	0	0	0	0	KG	48.5309	117.1854	19.1	636.8	485	55859.	2285	2.4	3.2	10.6	1.3	0.3	4.4	39	0.1
49405	0	0	0	0	QAG	48.5309	117.1848	19.1	636.9	497	55855.	2228	2.0	3.1	9.8	1.5	0.3	4.8	50	0.1
49404	0	0	0	0	QAG	48.5309	117.1842	19.1	636.9	508	55850.	2199	1.9	4.7	10.9	2.5	0.4	5.8	31	0.1
49403	0	0	0	0	QAG	48.5309	117.1836	19.1	636.9	509	55845.	2236	2.3	4.0	9.6	1.7	0.4	4.2	32	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 27							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49402	0	0	0	0	QAG	48.5309	117.1830	19.1	636.8	512	55840.	1992	1.4	3.8	7.9	2.7	0.5	5.5	58	0.1
49401	0	0	0	0	QAG	48.5309	117.1824	19.1	636.8	519	55834.	2026	1.4	6.0	7.7	4.3	0.8	5.5	42	0.1
49400	0	0	0	0	QAG	48.5309	117.1819	19.1	636.7	528	55826.	2017	1.6	3.3	8.6	2.0	0.4	5.2	34	0.1
49399	0	0	0	0	QAG	48.5309	117.1813	19.0	636.6	542	55819.	1808	1.3	5.4	5.9	4.1	0.9	4.5	43	0.1
49398	0	0	0	0	KG	48.5309	117.1807	19.0	636.5	561	55810.	1954	1.5	4.1	7.7	2.8	0.5	5.3	45	0.1
49397	0	0	0	0	KG	48.5309	117.1801	19.0	636.4	584	55804.	1962	2.0	4.8	7.5	2.4	0.6	3.8	43	0.1
49396	0	0	0	0	KG	48.5309	117.1795	19.0	636.2	607	55800.	2162	1.5	5.9	7.3	3.8	0.8	4.7	37	0.1
49395	0	0	0	0	KG	48.5309	117.1789	19.0	636.1	620	55799.	2095	1.2	6.2	6.4	5.1	1.0	5.2	40	0.1
49394	0	0	0	0	KG	48.5309	117.1783	19.0	635.9	620	55802.	2218	1.8	4.4	12.6	2.4	0.3	6.9	42	0.1
49393	0	0	0	0	KG	48.5309	117.1777	19.0	635.6	609	55808.	2313	2.2	2.5	11.7	1.1	0.2	5.3	43	0.1
49392	0	0	0	0	KG	48.5309	117.1772	19.0	635.3	587	55815.	2323	1.8	4.4	10.6	2.5	0.4	5.9	35	0.1
49391	0	0	0	0	KG	48.5309	117.1766	18.9	635.0	564	55825.	2354	2.1	4.6	9.1	2.2	0.5	4.3	46	0.1
49390	0	0	0	0	KG	48.5309	117.1760	18.9	634.7	537	55835.	2309	2.1	5.5	10.9	2.6	0.5	5.1	46	0.1
49389	0	0	0	0	KG	48.5309	117.1754	18.9	634.3	515	55847.	2361	1.6	6.6	6.5	4.3	1.0	4.2	46	0.1
49388	0	0	0	0	KG	48.5309	117.1748	18.9	633.9	495	55861.	2256	2.3	3.2	10.1	1.4	0.3	4.4	54	0.1
49387	0	0	0	0	KG	48.5309	117.1742	18.9	633.5	481	55875.	2192	1.9	3.4	8.1	1.8	0.4	4.4	40	0.1
49386	0	0	0	0	KG	48.5309	117.1736	18.9	633.0	472	55887.	1983	1.6	2.9	7.6	1.9	0.4	4.9	42	0.1
49385	0	0	0	0	KG	48.5309	117.1730	18.9	632.5	472	55897.	1969	1.5	3.8	7.6	2.5	0.5	5.1	53	0.1
49384	0	0	0	0	KG	48.5309	117.1724	18.8	632.0	476	55906.	1948	1.6	3.4	6.1	2.2	0.6	3.9	49	0.1
49383	0	0	0	0	KG	48.5309	117.1719	18.8	631.5	482	55912.	1900	1.5	4.3	6.4	2.9	0.7	4.2	44	0.1
49382	0	0	0	0	KG	48.5309	117.1713	18.8	631.0	484	55917.	1919	1.5	2.6	8.6	1.8	0.3	5.7	42	0.1
49381	0	0	0	0	KG	48.5309	117.1707	18.8	630.4	485	55919.	1926	1.9	4.1	6.0	2.2	0.7	3.2	46	0.1
49380	0	0	0	0	KG	48.5309	117.1701	18.8	629.9	480	55916.	2036	1.5	3.9	11.3	2.6	0.3	7.5	45	0.1
49379	0	0	0	0	KG	48.5309	117.1695	18.7	629.4	467	55912.	2086	2.0	2.7	9.9	1.4	0.3	5.0	42	0.1
49378	0	0	0	0	KG	48.5309	117.1689	18.7	628.9	446	55909.	1930	1.7	3.9	9.3	2.3	0.4	5.5	51	0.1
49377	0	0	0	0	KG	48.5309	117.1683	18.7	628.4	426	55908.	2077	1.7	4.1	8.7	2.4	0.5	5.2	44	0.1
49376	0	0	0	0	KG	48.5309	117.1677	18.7	627.9	413	55909.	2024	1.7	4.9	6.0	2.9	0.8	3.6	47	0.1
49375	0	0	0	0	KG	48.5309	117.1671	18.7	627.4	406	55912.	2066	1.9	3.3	6.6	1.8	0.5	3.6	50	0.1
49374	0	0	0	0	KG	48.5309	117.1665	18.7	626.9	401	55914.	2080	2.2	2.5	8.6	1.1	0.3	3.8	58	0.1
49373	0	0	0	0	KG	48.5309	117.1660	18.6	626.3	396	55912.	1980	1.5	2.8	9.6	1.8	0.3	6.2	47	0.1
49372	0	0	0	0	KG	48.5309	117.1654	18.6	625.8	401	55907.	1661	1.3	2.8	12.0	2.3	0.2	9.6	39	0.1
49371	0	0	0	0	KG	48.5309	117.1648	18.6	625.3	427	55898.	1774	1.4	3.5	6.0	2.5	0.6	4.4	52	0.1
49370	0	0	0	0	KG	48.5309	117.1642	18.6	624.8	473	55885.	1798	1.9	2.8	6.9	1.5	0.4	3.7	55	0.1
49369	0	0	0	0	KG	48.5309	117.1636	18.6	624.3	528	55870.	1934	1.4	5.7	8.4	4.2	0.7	6.2	40	0.1
49368	0	0	0	0	KG	48.5309	117.1630	18.5	623.7	582	55856.	1973	1.6	3.7	7.9	2.4	0.5	5.1	48	0.1
49367	0	0	0	0	KG	48.5309	117.1624	18.5	623.2	630	55843.	1971	1.8	3.0	8.4	1.6	0.4	4.6	59	0.1
49366	0	0	0	0	KG	48.5309	117.1618	18.5	622.6	670	55832.	2104	1.9	4.6	7.1	2.5	0.7	3.8	52	0.1
49365	1	0	0	0	KG	48.5309	117.1613	18.5	622.1	705	55824.	2084	1.8	4.7	5.0	2.6	0.9	2.8	51	0.1
49364	1	0	0	0	KG	48.5309	117.1607	18.5	621.5	727	55817.	2162	1.8	3.9	10.1	2.2	0.4	5.7	44	0.1
49363	1	0	0	0	KG	48.5309	117.1601	18.5	621.0	737	55813.	2207	2.2	4.9	7.5	2.2	0.7	3.4	33	0.1
49362	1	0	0	0	KG	48.5309	117.1595	18.5	620.4	741	55811.	2345	1.6	6.3	5.7	3.9	1.1	3.5	37	0.1
49361	1	0	0	0	KG	48.5309	117.1589	18.4	619.8	748	55808.	2300	1.4	6.7	9.5	4.7	0.7	6.7	40	0.1
49360	1	0	0	0	KG	48.5309	117.1583	18.4	619.2	765	55806.	2234	1.5	4.4	12.2	2.9	0.4	8.1	38	0.1
49359	1	0	0	0	KG	48.5309	117.1577	18.4	618.7	788	55804.	2508	2.1	3.5	12.0	1.7	0.3	5.8	32	0.1
49358	1	0	0	0	KG	48.5309	117.1572	18.4	618.1	812	55802.	2376	1.7	4.8	9.6	2.8	0.5	5.6	51	0.1
49357	1	0	0	0	KG	48.5309	117.1566	18.4	617.6	834	55800.	2625	2.1	5.2	12.3	2.5	0.4	5.9	48	0.1
49356	1	0	0	0	KG	48.5309	117.1560	18.4	617.0	850	55798.	2552	2.1	3.8	12.3	1.8	0.3	5.8	47	0.1
49355	1	0	0	0	KG	48.5309	117.1554	18.4	616.4	861	55796.	2800	3.0	6.1	10.7	2.0	0.6	3.6	48	0.1
49354	1	0	0	0	KG	48.5309	117.1548	18.4	615.9	867	55797.	2753	2.1	8.8	6.4	4.3	1.4	3.1	28	0.1
49353	1	0	0	0	KG	48.5309	117.1542	18.4	615.3	870	55799.	2746	2.7	3.6	14.6	1.3	0.2	5.4	43	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 27							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49352	1	0	0	0	KG	48.5309	117.1536	18.4	614.8	867	55801.	2788	2.9	7.6	9.7	2.6	0.8	3.3	46	0.1
49351	1	0	0	0	KG	48.5309	117.1530	18.4	614.2	858	55803.	2597	2.7	5.4	8.7	2.0	0.6	3.3	44	0.1
49350	1	0	0	0	KG	48.5309	117.1524	18.4	613.6	841	55803.	2599	2.3	4.8	11.6	2.1	0.4	5.1	51	0.1
49349	1	0	0	0	KG	48.5309	117.1518	18.4	613.1	810	55804.	2433	2.3	5.1	9.0	2.2	0.6	3.9	42	0.1
49348	1	0	0	0	KG	48.5309	117.1513	18.4	612.6	768	55804.	2401	2.1	3.9	11.5	1.9	0.3	5.6	54	0.1
49347	1	0	0	0	KG	48.5309	117.1507	18.4	612.0	720	55805.	2370	1.9	5.8	9.2	3.1	0.6	5.0	45	0.1
49346	0	0	0	0	KG	48.5309	117.1501	18.4	611.5	678	55805.	2203	2.0	4.1	8.4	2.1	0.5	4.3	62	0.1
49345	0	0	0	0	KG	48.5309	117.1495	18.4	611.1	638	55804.	2224	1.8	4.6	7.9	2.6	0.6	4.4	64	0.1
49344	0	0	0	0	KG	48.5309	117.1489	18.4	610.6	597	55802.	2335	2.1	4.1	8.9	2.0	0.5	4.3	40	0.1
49343	0	0	0	0	KG	48.5309	117.1483	18.4	610.2	563	55800.	2272	2.0	2.6	10.0	1.3	0.3	5.1	48	0.1
49342	0	0	0	0	KG	48.5309	117.1477	18.4	609.8	531	55799.	2200	1.7	3.8	12.5	2.3	0.3	7.4	54	0.1
49341	0	0	0	0	KG	48.5309	117.1471	18.4	609.4	503	55799.	2268	2.1	4.2	7.1	2.0	0.6	3.5	42	0.1
49340	0	0	0	0	KG	48.5309	117.1466	18.4	609.1	476	55800.	2313	1.7	3.3	10.9	1.9	0.3	6.4	45	0.1
49338	0	0	0	0	KG	48.5309	117.1454	18.4	608.8	447	55803.	2180	2.0	3.5	9.4	1.8	0.4	4.7	60	0.1
49337	0	0	0	0	KG	48.5309	117.1448	18.4	608.5	419	55804.	2204	1.8	4.8	7.0	2.7	0.7	4.0	56	0.1
49336	0	0	0	0	KG	48.5309	117.1442	18.4	608.2	390	55807.	2148	2.2	2.6	11.0	1.2	0.2	5.1	70	0.1
49335	0	0	0	0	KG	48.5309	117.1436	18.4	608.0	371	55811.	2206	1.8	3.4	10.7	1.9	0.3	5.8	46	0.1
49334	0	0	0	0	KG	48.5309	117.1430	18.4	607.8	354	55816.	2346	1.7	4.4	13.9	2.6	0.3	8.1	63	0.1
49333	0	0	0	0	KG	48.5309	117.1426	18.4	607.5	337	55823.	2374	2.0	4.7	12.8	2.4	0.4	6.6	50	0.1
49332	0	0	0	0	KG	48.5309	117.1422	18.4	607.3	315	55832.	2236	2.1	4.1	9.0	2.0	0.4	4.4	56	0.1
49331	0	0	0	0	KG	48.5309	117.1417	18.5	607.2	292	55844.	2312	2.2	2.6	10.7	1.2	0.2	4.8	54	0.1
49330	0	0	0	0	KG	48.5309	117.1413	18.5	607.0	281	55859.	2330	2.0	3.7	13.1	1.9	0.3	6.7	50	0.1
49329	0	0	0	0	KG	48.5309	117.1409	18.5	606.9	271	55874.	2428	1.7	4.4	12.5	2.5	0.3	7.3	55	0.1
49328	0	0	0	0	KG	48.5309	117.1405	18.5	606.8	265	55886.	2385	1.9	4.7	10.2	2.5	0.5	5.4	54	0.1
49327	0	0	0	0	KHM	48.5309	117.1400	18.5	606.7	262	55893.	2409	2.1	3.1	11.1	1.5	0.3	5.4	51	0.1
49326	0	0	0	0	KHM	48.5309	117.1396	18.6	606.7	270	55892.	2448	2.1	3.8	10.7	1.8	0.4	5.1	54	0.1
49325	0	0	0	0	KHM	48.5309	117.1392	18.6	606.7	287	55887.	2576	2.3	2.8	13.0	1.2	0.2	5.5	56	0.1
49324	0	0	0	0	KHM	48.5309	117.1387	18.6	606.7	300	55876.	2496	2.3	2.7	16.1	1.2	0.2	7.0	55	0.1
49323	0	0	0	0	KHM	48.5309	117.1383	18.6	606.7	305	55866.	2529	2.5	4.4	11.8	1.8	0.4	4.8	55	0.1
49322	0	0	0	0	KHM	48.5309	117.1379	18.6	606.8	301	55855.	2440	2.3	4.6	12.2	2.0	0.4	5.3	66	0.1
49321	0	0	0	0	KHM	48.5309	117.1375	18.7	607.0	295	55843.	2450	2.3	4.5	12.1	2.0	0.4	5.4	68	0.1
49320	0	0	0	0	KHM	48.5309	117.1370	18.7	607.2	290	55830.	2581	2.3	4.6	12.2	2.0	0.4	5.4	55	0.1
49319	0	0	0	0	KHM	48.5309	117.1366	18.7	607.4	290	55814.	2541	2.5	1.9	14.5	0.8	0.1	5.7	66	0.1
49318	0	0	0	0	KHM	48.5308	117.1362	18.7	607.6	296	55795.	2566	2.4	2.2	16.0	0.9	0.1	6.6	62	0.1
49317	0	0	0	0	KHM	48.5308	117.1358	18.8	607.9	304	55774.	2631	2.5	4.2	10.8	1.7	0.4	4.4	67	0.1
49316	0	0	0	0	KHM	48.5308	117.1353	18.8	608.3	313	55755.	2720	2.3	5.1	12.9	2.2	0.4	5.6	64	0.1
49315	1	1	1	1	KHM	48.5308	117.1349	18.8	608.6	319	55738.	2795	2.3	4.7	13.2	2.0	0.4	5.7	53	0.1
49314	0	0	0	0	KHM	48.5308	117.1345	18.9	609.0	321	55728.	2886	2.4	5.5	12.9	2.3	0.4	5.3	51	0.1
49313	0	0	0	0	KHM	48.5308	117.1340	18.9	609.3	324	55722.	2777	1.9	6.9	14.0	3.6	0.5	7.2	53	0.1
49312	0	0	0	0	KHM	48.5308	117.1336	18.9	609.7	327	55722.	2788	2.2	5.7	12.6	2.6	0.5	5.8	56	0.1
49311	0	0	0	0	KHM	48.5308	117.1332	19.0	610.1	330	55724.	2729	2.2	4.2	13.3	1.9	0.3	6.0	55	0.1
49310	0	0	0	0	KHM	48.5308	117.1328	19.0	610.5	327	55726.	2664	2.1	4.2	12.1	2.0	0.3	5.8	67	0.1
49309	0	0	0	0	KHM	48.5308	117.1323	19.0	610.9	320	55729.	2620	1.9	4.9	10.8	2.5	0.5	5.6	51	0.1
49308	0	0	0	0	KHM	48.5308	117.1319	19.1	611.3	310	55730.	2376	1.8	2.5	11.8	1.3	0.2	6.4	76	0.1
49307	0	0	0	0	KHM	48.5308	117.1315	19.1	611.7	304	55729.	2379	1.9	4.2	11.3	2.2	0.4	6.0	51	0.1
49306	0	0	0	0	KHM	48.5308	117.1311	19.1	612.1	302	55728.	2268	1.4	4.7	12.6	3.3	0.4	8.8	56	0.1
49305	0	0	0	0	KHM	48.5308	117.1306	19.2	612.6	300	55726.	2240	2.0	3.2	16.6	1.7	0.2	8.5	43	0.1
49304	0	0	0	0	KHM	48.5308	117.1302	19.2	612.9	293	55723.	2227	2.0	3.3	12.7	1.7	0.3	6.5	55	0.1
49303	0	0	0	0	KHM	48.5308	117.1298	19.2	613.3	293	55720.	2145	1.9	2.0	12.8	1.0	0.2	6.7	62	0.1
49302	0	0	0	0	KHM	48.5308	117.1293	19.3	613.8	288	55716.	2192	1.8	2.0	12.3	1.1	0.2	6.9	55	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 27									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49301	0	0	0	0	KHM	48.5308	117.1289	19.3	614.2	295	55710.	2241	1.7	3.6	14.7	2.1	0.2	8.4	65	0.1
49300	0	0	0	0	KHM	48.5308	117.1285	19.3	614.6	301	55705.	2299	1.9	2.7	14.1	1.4	0.2	7.5	58	0.1
49299	0	0	0	0	KHM	48.5308	117.1281	19.4	615.1	323	55698.	2383	1.9	2.8	12.3	1.5	0.2	6.4	51	0.1
49298	0	0	0	0	KHM	48.5308	117.1276	19.4	615.5	340	55692.	2398	1.7	4.1	11.7	2.4	0.4	6.7	39	0.1
49297	0	0	0	0	KHM	48.5308	117.1272	19.4	615.9	365	55686.	2541	2.0	3.8	13.1	1.9	0.3	6.6	45	0.1
49296	0	0	0	0	KHM	48.5308	117.1268	19.5	616.4	387	55680.	2507	2.0	5.0	10.9	2.6	0.5	5.6	51	0.1
49295	0	0	0	0	KHM	48.5308	117.1264	19.5	616.8	418	55674.	2627	2.3	3.4	14.1	1.5	0.2	6.2	54	0.1
49294	0	0	0	0	KHM	48.5308	117.1259	19.6	617.3	447	55669.	2694	2.4	4.2	15.3	1.8	0.3	6.4	66	0.1
49293	0	0	0	0	KHM	48.5308	117.1255	19.6	617.8	483	55665.	2854	2.4	6.3	15.1	2.6	0.4	6.2	41	0.1
49292	0	0	0	0	KHM	48.5308	117.1251	19.6	618.3	512	55662.	2963	2.4	7.7	12.9	3.3	0.6	5.5	49	0.1
49291	0	0	0	0	KHM	48.5308	117.1246	19.7	618.9	533	55660.	3043	2.4	3.1	20.3	1.3	0.2	8.6	59	0.1
49290	0	0	0	0	KHM	48.5308	117.1242	19.7	619.4	544	55658.	3000	2.3	4.3	20.5	1.8	0.2	8.8	56	0.1
49289	0	0	0	0	KHM	48.5308	117.1238	19.7	619.9	553	55656.	3035	2.0	6.7	16.6	3.3	0.4	8.2	64	0.1
49288	0	0	0	0	KHM	48.5308	117.1234	19.8	620.5	557	55653.	3085	2.3	4.6	15.4	2.0	0.3	6.6	42	0.1
49287	0	0	0	0	KHM	48.5308	117.1229	19.8	621.1	560	55650.	3062	1.5	5.9	19.6	3.9	0.3	13.0	50	0.1
49286	0	0	0	0	KHM	48.5308	117.1225	19.8	621.6	561	55647.	3041	1.9	5.1	18.2	2.6	0.3	9.4	49	0.1
49285	0	0	0	0	KHM	48.5308	117.1221	19.9	622.2	563	55645.	2838	2.4	5.0	12.8	2.0	0.4	5.3	71	0.1
49284	0	0	0	0	KHM	48.5308	117.1217	19.9	622.8	561	55644.	2906	2.5	3.9	17.7	1.5	0.2	7.1	37	0.1
49283	0	0	0	0	KHM	48.5308	117.1212	19.9	623.4	548	55643.	2764	2.3	4.4	12.9	1.9	0.3	5.7	45	0.1
49282	0	0	0	0	KHM	48.5308	117.1208	20.0	624.0	524	55644.	2572	1.8	3.4	15.4	1.9	0.2	8.5	61	0.1
49281	0	0	0	0	KHM	48.5308	117.1204	20.0	624.5	486	55645.	2595	1.8	4.9	12.4	2.7	0.4	6.9	40	0.1
49280	0	0	0	0	KHM	48.5308	117.1199	20.0	625.1	457	55646.	2405	1.7	4.8	9.0	2.7	0.5	5.2	43	0.1
49279	0	0	0	0	KHM	48.5308	117.1195	20.1	625.7	432	55647.	2331	1.5	5.4	10.9	3.7	0.5	7.4	41	0.1
49278	0	0	0	0	KHM	48.5308	117.1191	20.1	626.2	424	55649.	2325	1.7	4.8	11.3	2.8	0.4	6.7	51	0.1
49277	0	0	0	0	KHM	48.5308	117.1187	20.1	626.8	422	55652.	2478	2.0	4.7	12.8	2.4	0.4	6.4	39	0.1
49276	0	0	0	0	KHM	48.5308	117.1182	20.2	627.4	434	55653.	2543	2.1	2.7	13.8	1.3	0.2	6.6	57	0.1
49275	0	0	0	0	KHM	48.5308	117.1178	20.2	627.9	454	55654.	2710	2.4	5.7	11.5	2.3	0.5	4.7	56	0.1
49274	0	0	0	0	KHM	48.5308	117.1174	20.2	628.4	475	55655.	2791	2.1	4.5	14.4	2.2	0.3	7.0	41	0.1
49273	0	0	0	0	KHM	48.5307	117.1170	20.3	629.0	495	55656.	2878	1.9	4.8	13.1	2.5	0.4	6.7	43	0.1
49272	0	0	0	0	KHM	48.5307	117.1165	20.3	629.5	516	55657.	2672	2.3	5.4	11.4	2.4	0.5	4.9	62	0.1
49271	0	0	0	0	KHM	48.5307	117.1161	20.3	630.1	539	55656.	3060	2.7	3.9	17.4	1.4	0.2	6.3	46	0.1
49270	0	0	0	0	KHM	48.5307	117.1157	20.4	630.6	557	55656.	3004	2.6	4.3	15.0	1.7	0.3	5.8	50	0.1
49269	0	0	0	0	KHM	48.5307	117.1152	20.4	631.2	568	55656.	3021	1.9	7.2	17.0	3.7	0.4	8.8	63	0.1
49268	0	0	0	0	KHM	48.5307	117.1148	20.4	631.7	566	55657.	2881	2.1	6.3	12.0	3.0	0.5	5.7	45	0.1
49267	0	0	0	0	KHM	48.5307	117.1144	20.5	632.3	555	55658.	2906	2.2	5.8	14.1	2.7	0.4	6.5	46	0.1
49266	0	0	0	0	KHM	48.5307	117.1140	20.5	632.9	544	55659.	2561	1.8	4.1	13.4	2.3	0.3	7.5	57	0.1
49265	0	0	0	0	KHM	48.5307	117.1135	20.5	633.4	542	55661.	2679	2.1	3.9	15.1	1.9	0.3	7.2	41	0.1
49264	0	0	0	0	KHM	48.5307	117.1131	20.6	634.0	548	55663.	2561	1.7	4.9	13.7	2.9	0.4	7.9	45	0.1
49263	0	0	0	0	KHM	48.5307	117.1127	20.6	634.6	558	55666.	2528	1.4	6.0	12.2	4.4	0.5	9.1	42	0.1
49262	0	0	0	0	KHM	48.5307	117.1122	20.6	635.1	563	55670.	2556	1.8	4.3	13.6	2.4	0.3	7.7	39	0.1
49261	0	0	0	0	KHM	48.5307	117.1116	20.7	635.7	563	55675.	2474	1.8	4.5	13.4	2.5	0.3	7.6	48	0.1
49260	0	0	0	0	KHM	48.5307	117.1111	20.7	636.3	564	55680.	2524	1.5	5.3	11.2	3.6	0.5	7.7	38	0.1
49259	0	0	0	0	KHM	48.5307	117.1105	20.7	636.8	569	55687.	2383	2.1	3.0	13.2	1.4	0.2	6.3	56	0.2
49258	0	0	1	0	KHM	48.5307	117.1100	20.7	637.4	569	55694.	2418	1.6	1.6	13.8	1.0	0.1	8.6	42	0.2
49257	0	0	0	0	KHM	48.5307	117.1095	20.8	637.9	564	55701.	2430	1.5	4.2	8.9	2.7	0.5	5.8	42	0.2
49256	0	0	0	0	KHM	48.5307	117.1089	20.8	638.5	561	55710.	2430	1.7	4.1	12.1	2.4	0.3	7.1	44	0.2
49255	0	0	0	0	KHM	48.5307	117.1084	20.8	639.0	566	55718.	2500	1.7	4.1	13.6	2.4	0.3	7.9	47	0.2
49254	0	0	0	0	KHM	48.5307	117.1078	20.9	639.6	576	55727.	2526	2.3	2.8	9.4	1.2	0.3	4.1	54	0.2
49253	0	0	0	0	KHM	48.5307	117.1073	20.9	640.2	582	55734.	2575	1.8	3.5	14.6	1.9	0.2	8.0	45	0.2
49252	0	0	0	0	KHM	48.5307	117.1068	20.9	640.7	584	55740.	2642	1.8	5.0	11.5	2.7	0.4	6.4	37	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 27							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49251	0	0	0	0	KHM	48.5307	117.1062	20.9	641.2	586	55744.	2676	1.6	5.2	14.4	3.3	0.4	9.2	46	0.2
49250	0	0	0	0	KHM	48.5307	117.1057	21.0	641.8	592	55746.	2628	1.9	3.4	13.7	1.8	0.2	7.4	43	0.2
49248	0	0	0	0	KHM	48.5307	117.1046	21.0	642.3	602	55747.	2714	1.6	5.4	13.9	3.4	0.4	8.7	46	0.2
49247	0	0	0	0	KHM	48.5307	117.1041	21.0	642.9	616	55747.	2681	1.8	5.0	15.7	2.7	0.3	8.6	47	0.2
49246	0	0	0	0	KHM	48.5307	117.1035	21.1	643.4	631	55746.	2882	1.7	3.7	15.2	2.2	0.2	9.0	36	0.2
49245	0	0	0	0	KHM	48.5307	117.1030	21.1	644.0	645	55745.	2903	2.4	3.8	15.4	1.6	0.2	6.5	44	0.2
49244	0	0	0	0	KHM	48.5307	117.1024	21.1	644.5	656	55742.	2805	2.4	3.0	15.3	1.3	0.2	6.5	50	0.2
49243	0	0	0	0	KHM	48.5307	117.1019	21.1	645.0	667	55738.	2839	2.0	4.7	15.4	2.4	0.3	7.7	49	0.2
49242	0	0	0	0	KHM	48.5307	117.1014	21.2	645.6	674	55734.	2844	2.3	4.4	16.4	2.0	0.3	7.2	39	0.2
49241	0	0	0	0	KHM	48.5307	117.1008	21.2	646.1	677	55729.	3066	2.4	5.1	11.9	2.2	0.4	5.1	37	0.2
49240	0	0	0	0	KHM	48.5307	117.1003	21.2	646.5	680	55725.	2782	1.7	6.0	10.9	3.6	0.5	6.6	44	0.2
49239	0	0	0	0	KHM	48.5306	117.0998	21.2	647.0	690	55721.	2804	1.7	6.9	8.8	4.0	0.8	5.1	41	0.2
49238	0	0	0	0	KHM	48.5306	117.0992	21.3	647.5	690	55716.	2823	1.7	4.6	14.1	2.8	0.3	8.5	38	0.2
49237	0	0	0	0	KHM	48.5306	117.0987	21.3	647.9	666	55712.	2680	1.9	4.5	13.8	2.5	0.3	7.4	28	0.2
49236	0	0	0	0	KHM	48.5306	117.0981	21.3	648.3	622	55710.	2707	1.5	5.7	10.3	3.7	0.5	6.8	40	0.2
49235	0	0	0	0	KHM	48.5306	117.0976	21.3	648.8	584	55708.	2538	1.5	7.8	13.4	5.1	0.6	8.8	32	0.2
49234	0	0	0	0	KHM	48.5306	117.0971	21.3	649.1	570	55706.	2679	2.1	3.3	11.9	1.6	0.3	5.8	50	0.2
49233	0	0	0	0	KHM	48.5306	117.0965	21.4	649.5	578	55703.	2684	1.8	5.3	12.1	2.9	0.4	6.6	48	0.2
49232	0	0	0	0	KHM	48.5306	117.0960	21.4	649.9	585	55699.	2912	1.9	5.1	15.5	2.6	0.3	8.0	31	0.2
49231	0	0	0	0	KHM	48.5306	117.0954	21.4	650.2	572	55696.	2915	1.9	8.3	9.9	4.3	0.8	5.2	49	0.2
49230	0	0	0	0	KHM	48.5306	117.0949	21.4	650.6	535	55694.	2748	1.6	5.0	11.6	3.1	0.4	7.1	44	0.2
49229	0	0	0	0	KHM	48.5306	117.0944	21.4	650.9	483	55693.	2528	1.8	4.5	9.3	2.5	0.5	5.2	41	0.2
49228	0	0	0	0	KHM	48.5306	117.0938	21.5	651.3	436	55693.	2444	1.2	5.7	7.9	4.7	0.7	6.4	34	0.2
49227	0	0	0	0	KHM	48.5306	117.0933	21.5	651.6	405	55693.	2387	1.3	4.2	12.6	3.4	0.3	10.1	42	0.2
49226	0	0	0	0	KHM	48.5306	117.0928	21.5	651.9	399	55692.	2394	1.6	2.4	11.8	1.5	0.2	7.3	46	0.2
49225	0	0	0	0	KHM	48.5306	117.0922	21.5	652.3	416	55688.	2506	1.3	4.7	15.1	3.6	0.3	11.5	41	0.2
49224	0	0	0	0	KHM	48.5306	117.0917	21.5	652.6	423	55683.	2588	1.7	3.9	11.1	2.3	0.4	6.6	35	0.2
49223	0	0	0	0	KHM	48.5306	117.0911	21.5	652.9	417	55678.	2535	1.5	4.4	11.1	3.0	0.4	7.6	36	0.2
49222	0	0	0	0	KHM	48.5306	117.0906	21.6	653.3	404	55674.	2537	1.6	4.0	12.2	2.5	0.3	7.6	48	0.2
49221	0	0	0	0	KHM	48.5306	117.0901	21.6	653.6	415	55669.	2434	1.6	3.0	12.4	1.9	0.2	7.6	45	0.2
49220	0	0	0	0	KHM	48.5306	117.0895	21.6	653.9	443	55663.	2603	1.5	4.8	13.2	3.3	0.4	9.0	33	0.2
49219	0	0	0	0	KHM	48.5306	117.0890	21.6	654.2	474	55657.	2611	1.9	5.1	10.9	2.7	0.5	5.8	44	0.2
49218	0	0	0	0	KHM	48.5306	117.0884	21.6	654.5	492	55654.	2797	1.5	6.4	11.2	4.4	0.6	7.7	40	0.2
49217	0	0	0	0	KHM	48.5306	117.0879	21.6	654.8	499	55652.	2806	1.9	5.5	9.8	2.9	0.6	5.1	35	0.2
49216	0	0	0	0	KHM	48.5305	117.0874	21.6	655.1	495	55653.	2663	2.3	4.2	8.7	1.8	0.5	3.8	41	0.2
49215	0	0	0	0	KHM	48.5305	117.0868	21.6	655.4	497	55653.	2744	1.7	5.4	11.8	3.2	0.5	6.9	37	0.2
49214	0	0	0	0	KHM	48.5305	117.0863	21.7	655.7	489	55653.	2704	1.9	4.8	10.1	2.6	0.5	5.4	44	0.2
49213	0	0	0	0	KHM	48.5305	117.0858	21.7	656.0	482	55652.	2665	1.6	5.3	9.6	3.3	0.5	6.0	47	0.2
49212	0	0	0	0	KHM	48.5305	117.0852	21.7	656.3	471	55650.	2701	1.7	6.3	11.3	3.6	0.6	6.4	24	0.2
49211	0	0	0	0	KHM	48.5305	117.0847	21.7	656.5	475	55646.	2728	1.9	4.2	12.6	2.2	0.3	6.5	44	0.2
49210	0	0	0	0	KHM	48.5305	117.0841	21.7	656.8	478	55644.	2727	1.9	5.3	12.6	2.8	0.4	6.6	41	0.2
49209	0	0	0	0	KHM	48.5305	117.0836	21.7	657.1	480	55639.	2657	1.5	5.1	11.3	3.3	0.5	7.4	42	0.2
49208	0	0	0	0	KHM	48.5305	117.0831	21.7	657.4	478	55634.	2720	1.6	4.5	13.3	2.8	0.3	8.3	37	0.2
49207	0	0	0	0	KHM	48.5305	117.0825	21.7	657.6	472	55628.	2576	1.6	4.1	11.1	2.7	0.4	7.2	34	0.2
49206	0	0	0	0	KHM	48.5305	117.0820	21.7	657.9	463	55623.	2560	1.7	3.5	14.2	2.1	0.2	8.4	41	0.2
49205	0	0	0	0	KHM	48.5305	117.0815	21.7	658.2	447	55618.	2557	1.7	4.8	13.1	2.8	0.4	7.6	30	0.2
49204	0	0	0	0	KHM	48.5305	117.0809	21.7	658.5	430	55611.	2255	1.2	4.7	9.4	3.8	0.5	7.6	43	0.2
49203	0	0	0	0	KHM	48.5305	117.0804	21.7	658.7	416	55603.	2341	1.2	4.1	11.6	3.6	0.4	10.1	42	0.2
49202	0	0	0	0	KHM	48.5305	117.0798	21.7	659.0	415	55594.	2263	1.5	3.0	10.2	2.1	0.3	7.0	25	0.2
49201	0	0	0	0	KHM	48.5305	117.0793	21.7	659.3	442	55585.	2335	1.2	6.0	10.1	4.8	0.6	8.2	38	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 27							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49200	0	0	0	0	KHM	48.5305	117.0788	21.8	659.6	472	55576.	2427	1.6	3.5	14.4	2.3	0.2	9.3	39	0.2
49199	0	0	0	0	KHM	48.5305	117.0782	21.8	659.9	497	55568.	2558	1.3	5.8	13.2	4.5	0.4	10.4	37	0.2
49198	0	0	0	0	KHM	48.5305	117.0777	21.8	660.2	504	55561.	2541	1.7	4.3	12.2	2.5	0.4	7.1	48	0.2
49197	0	0	0	0	KHM	48.5305	117.0771	21.8	660.5	511	55555.	2471	1.6	4.5	9.7	2.9	0.5	6.2	37	0.2
49196	0	0	0	0	KHM	48.5305	117.0766	21.8	660.8	514	55551.	2406	2.0	2.9	11.8	1.5	0.2	6.0	37	0.2
49195	0	0	0	0	KHM	48.5305	117.0760	21.8	661.1	515	55548.	2380	1.7	3.5	13.2	2.1	0.3	8.0	34	0.1
49194	0	0	0	0	KHM	48.5305	117.0755	21.8	661.4	518	55547.	2465	1.0	4.8	13.3	4.7	0.4	12.9	35	0.1
49193	0	0	0	0	KHM	48.5305	117.0750	21.8	661.6	532	55546.	2449	1.6	3.5	12.5	2.2	0.3	7.6	27	0.1
49192	0	0	0	0	KHM	48.5305	117.0744	21.8	661.9	558	55547.	2599	1.4	5.4	13.2	4.0	0.4	9.6	38	0.1
49191	0	0	0	0	KHM	48.5305	117.0739	21.8	662.2	592	55550.	2658	1.7	5.0	12.3	2.9	0.4	7.1	42	0.1
49190	0	0	0	0	KHM	48.5304	117.0734	21.8	662.4	620	55552.	2958	2.3	4.5	12.7	2.0	0.4	5.5	31	0.1
49189	0	0	0	0	KHM	48.5304	117.0728	21.8	662.7	640	55555.	2937	1.9	6.8	10.7	3.5	0.6	5.5	42	0.1
49188	0	0	0	0	KHM	48.5304	117.0723	21.8	662.9	648	55557.	3080	1.8	5.9	15.8	3.3	0.4	8.8	29	0.1
49187	0	0	0	0	KHM	48.5304	117.0717	21.8	663.1	658	55558.	3065	2.3	2.9	17.7	1.2	0.2	7.6	40	0.1
49186	0	0	0	0	KHM	48.5304	117.0712	21.8	663.3	653	55561.	3169	2.5	5.4	15.7	2.1	0.3	6.2	34	0.1
49185	0	0	0	0	KHM	48.5304	117.0707	21.8	663.4	637	55565.	2933	1.5	8.1	12.6	5.5	0.6	8.5	30	0.1
49184	0	0	0	0	KHM	48.5304	117.0701	21.8	663.5	608	55569.	2954	1.6	5.5	14.8	3.5	0.4	9.3	37	0.1
49183	0	0	0	0	KHM	48.5304	117.0696	21.8	663.5	601	55573.	2756	1.9	5.4	13.9	2.9	0.4	7.4	38	0.1
49182	0	0	0	0	KHM	48.5304	117.0691	21.8	663.5	620	55575.	2977	1.4	6.4	15.8	4.5	0.4	11.1	31	0.1
49181	0	0	0	0	KHM	48.5304	117.0685	21.8	663.5	665	55576.	3261	2.2	4.4	21.1	2.0	0.2	9.5	27	0.1
49180	1	0	0	0	KHM	48.5304	117.0680	21.8	663.4	707	55579.	3426	2.7	6.5	14.9	2.4	0.4	5.6	32	0.1
49179	1	0	0	0	KHM	48.5304	117.0674	21.8	663.3	732	55582.	3562	2.4	8.1	16.3	3.3	0.5	6.7	39	0.1
49178	1	0	0	0	KHM	48.5304	117.0669	21.8	663.0	729	55586.	3681	2.1	9.3	20.8	4.5	0.4	10.1	37	0.1
49177	1	0	0	0	KHM	48.5304	117.0663	21.8	662.8	713	55593.	3641	2.2	8.8	16.5	3.9	0.5	7.3	35	0.1
49176	0	0	0	0	KHM	48.5304	117.0657	21.8	662.6	679	55599.	3580	2.6	6.0	18.9	2.3	0.3	7.2	19	0.1
49175	0	0	0	0	KHM	48.5304	117.0651	21.8	662.3	653	55605.	3239	2.6	5.4	14.0	2.0	0.4	5.3	39	0.1
49174	0	0	0	0	KHM	48.5304	117.0645	21.8	661.9	637	55611.	3213	2.7	5.1	15.5	1.9	0.3	5.8	30	0.1
49173	0	0	0	0	KHM	48.5304	117.0639	21.8	661.5	649	55615.	3539	2.0	8.9	17.0	4.4	0.5	8.5	40	0.1
49172	0	0	0	0	KHM	48.5303	117.0633	21.8	661.1	662	55620.	3369	2.4	8.5	14.6	3.6	0.6	6.2	31	0.1
49171	0	0	0	0	KHM	48.5303	117.0627	21.8	660.7	670	55626.	3438	2.1	7.9	14.0	3.9	0.6	6.8	33	0.1
49170	0	0	0	0	KHM	48.5303	117.0621	21.8	660.3	658	55634.	3509	2.5	5.9	19.1	2.4	0.3	7.7	33	0.1
49169	0	0	0	0	KHM	48.5303	117.0615	21.8	659.8	645	55643.	3251	2.6	4.8	19.6	1.9	0.2	7.7	42	0.1
49168	0	0	0	0	KHM	48.5303	117.0609	21.8	659.4	635	55651.	3219	2.5	7.0	16.5	2.8	0.4	6.5	51	0.1
49167	0	0	0	0	KHM	48.5303	117.0603	21.8	658.9	628	55661.	3318	2.3	7.5	12.7	3.2	0.6	5.5	38	0.1
49166	0	0	0	0	KHM	48.5303	117.0597	21.8	658.5	613	55669.	3379	2.2	7.2	18.9	3.2	0.4	8.5	31	0.1
49165	0	0	0	0	KHM	48.5303	117.0591	21.8	658.1	595	55677.	3342	1.9	8.3	14.6	4.3	0.6	7.6	28	0.1
49164	0	0	0	0	KHM	48.5303	117.0585	21.8	657.6	588	55685.	3376	2.1	6.8	13.6	3.2	0.5	6.4	25	0.1
49163	0	0	0	0	KHM	48.5303	117.0579	21.8	657.2	588	55693.	3517	2.1	7.0	18.7	3.4	0.4	9.0	40	0.1
49162	0	0	0	0	KHM	48.5303	117.0573	21.8	656.8	577	55702.	3552	2.1	8.0	16.2	3.9	0.5	7.9	40	0.1
49161	0	0	0	0	KHM	48.5303	117.0567	21.8	656.4	550	55712.	3520	2.0	9.6	14.4	4.9	0.7	7.3	38	0.1
49160	0	0	0	0	KHM	48.5302	117.0561	21.8	656.0	514	55721.	3378	2.1	5.3	20.5	2.6	0.3	9.9	51	0.1
49159	0	0	0	0	KHM	48.5302	117.0555	21.8	655.7	482	55729.	3190	2.0	6.9	15.8	3.5	0.4	8.1	44	0.1
49157	0	0	0	0	KHM	48.5302	117.0543	21.8	655.4	454	55736.	3088	1.9	8.0	12.1	4.2	0.7	6.3	42	0.1
49156	0	0	0	0	KHM	48.5302	117.0537	21.8	655.1	414	55741.	2919	1.5	7.0	15.7	4.7	0.4	10.4	41	0.1
49155	0	0	0	0	KHM	48.5302	117.0531	21.8	654.8	381	55748.	2849	2.0	5.8	17.5	2.9	0.3	8.9	36	0.1
49154	0	0	0	0	KHM	48.5302	117.0525	21.8	654.6	352	55754.	2826	1.5	6.8	14.1	4.5	0.5	9.2	42	0.1
49153	0	0	0	0	KHM	48.5302	117.0519	21.8	654.3	345	55758.	2688	1.7	6.3	13.8	3.8	0.5	8.4	40	0.1
49152	0	0	0	0	KHM	48.5302	117.0513	21.8	654.1	345	55759.	2826	1.9	4.4	15.8	2.4	0.3	8.6	31	0.1
49151	0	0	0	0	KHM	48.5302	117.0507	21.8	653.9	356	55754.	2769	1.9	7.3	11.5	3.9	0.6	6.2	36	0.1
49150	0	0	0	0	KHM	48.5302	117.0501	21.8	653.7	368	55745.	2575	1.7	5.7	16.3	3.4	0.3	9.7	46	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 27							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49149	0	0	0	0	KHM	48.5302	117.0495	21.8	653.6	386	55731.	2570	1.4	3.9	14.1	2.8	0.3	10.1	42	0.1
49148	0	0	0	0	KHM	48.5301	117.0489	21.8	653.5	407	55718.	2577	1.4	6.4	14.0	4.6	0.5	10.1	40	0.1
49147	0	0	0	0	KHM	48.5301	117.0483	21.8	653.5	433	55704.	2442	1.7	4.5	11.4	2.7	0.4	6.9	48	0.1
49146	0	0	0	0	KHM	48.5301	117.0477	21.8	653.4	455	55695.	2441	1.4	7.0	9.0	4.8	0.8	6.2	39	0.1
49145	0	0	0	0	KHM	48.5301	117.0470	21.8	653.4	473	55689.	2385	1.6	6.1	12.9	3.9	0.5	8.3	45	0.1
49144	0	0	0	0	KHM	48.5301	117.0464	21.8	653.4	490	55684.	2471	1.3	6.0	13.6	4.7	0.4	10.8	43	0.1
49143	0	0	0	0	KHM	48.5301	117.0459	21.8	653.5	505	55681.	2584	1.2	6.8	8.7	5.6	0.8	7.1	31	0.1
49142	0	0	0	0	KHM	48.5301	117.0452	21.8	653.5	521	55678.	2618	1.5	7.3	10.5	4.9	0.7	7.1	30	0.1
49141	0	0	0	0	KHM	48.5301	117.0446	21.8	653.6	536	55677.	2726	1.8	6.2	15.6	3.5	0.4	8.8	27	0.1
49140	0	0	0	0	KHM	48.5301	117.0441	21.8	653.8	554	55679.	2543	1.6	3.6	14.6	2.3	0.2	9.1	36	0.1
49139	0	0	0	0	KHM	48.5301	117.0434	21.8	653.9	565	55681.	2774	1.5	5.5	12.1	3.8	0.5	8.3	26	0.1
49138	0	0	0	0	KHM	48.5300	117.0428	21.8	654.1	555	55684.	2639	1.4	4.0	15.3	2.8	0.3	10.8	39	0.1
49137	0	0	0	0	KHM	48.5300	117.0422	21.8	654.2	530	55688.	2565	2.1	4.6	12.1	2.2	0.4	5.7	45	0.1
49136	0	0	0	0	KHM	48.5300	117.0416	21.8	654.4	501	55691.	2393	1.7	4.7	12.3	2.8	0.4	7.4	28	0.1
49135	0	0	0	0	KHM	48.5300	117.0410	21.8	654.5	490	55694.	2319	1.6	5.2	12.6	3.2	0.4	7.8	32	0.1
49134	0	0	0	0	KHM	48.5300	117.0404	21.8	654.7	489	55698.	2391	1.5	4.8	7.6	3.2	0.6	5.1	29	0.1
49133	0	0	0	0	KHM	48.5300	117.0398	21.8	654.9	492	55702.	2230	1.5	4.7	7.7	3.1	0.6	5.0	54	0.1
49132	0	0	0	0	KHM	48.5300	117.0392	21.8	655.0	486	55705.	2314	1.3	6.8	7.5	5.3	0.9	5.9	37	0.1
49131	0	0	0	0	KHM	48.5300	117.0386	21.8	655.2	474	55709.	2246	1.3	2.4	10.9	1.9	0.2	8.7	43	0.1
49130	0	0	0	0	KHM	48.5300	117.0380	21.8	655.4	470	55714.	2266	1.0	5.3	11.6	5.4	0.5	11.8	41	0.1
49129	0	0	0	0	KHM	48.5300	117.0374	21.8	655.5	482	55717.	2235	1.2	5.3	9.9	4.5	0.5	8.5	48	0.1
49128	0	0	0	0	KHM	48.5300	117.0368	21.8	655.6	505	55720.	2384	1.6	3.4	9.3	2.1	0.4	5.7	37	0.2
49127	0	0	0	0	KHM	48.5300	117.0362	21.9	655.8	527	55724.	2425	1.1	5.6	8.5	5.0	0.7	7.6	38	0.2
49126	0	0	0	0	KHM	48.5300	117.0356	21.9	655.9	545	55728.	2587	2.1	4.1	14.6	2.0	0.3	7.0	34	0.2
49125	0	0	0	0	KHM	48.5299	117.0350	21.9	656.0	550	55735.	2680	2.2	4.1	12.1	1.8	0.3	5.5	40	0.2
49124	0	0	0	0	KHM	48.5299	117.0344	21.9	656.2	542	55741.	2561	1.4	4.7	12.4	3.3	0.4	8.9	37	0.2
49123	0	0	0	0	KHM	48.5299	117.0338	21.9	656.3	532	55746.	2747	1.3	6.4	10.0	4.9	0.6	7.6	35	0.2
49122	0	0	0	0	KHM	48.5299	117.0332	21.9	656.4	518	55750.	2694	1.6	6.5	11.9	4.0	0.5	7.4	44	0.2
49121	0	0	0	0	KHM	48.5299	117.0326	21.9	656.5	503	55753.	2619	1.9	4.4	10.6	2.3	0.4	5.5	27	0.2
49120	0	0	0	0	KHM	48.5299	117.0320	21.9	656.7	474	55755.	2589	1.9	5.2	11.4	2.8	0.5	6.1	37	0.2
49119	0	0	0	0	KHM	48.5299	117.0314	21.9	656.7	451	55756.	2410	1.7	4.5	11.2	2.6	0.4	6.4	33	0.2
49118	0	0	0	0	KHM	48.5299	117.0308	21.9	656.9	443	55754.	2331	1.3	3.9	12.0	2.9	0.3	9.0	28	0.2
49117	0	0	0	0	KHM	48.5299	117.0302	21.9	657.0	463	55749.	2390	1.3	4.2	11.9	3.1	0.4	8.9	27	0.2
49116	0	0	0	0	KHM	48.5298	117.0296	21.9	657.1	496	55744.	2331	1.2	4.6	11.1	3.8	0.4	9.2	36	0.2
49115	0	0	0	0	KHM	48.5298	117.0290	21.9	657.2	529	55737.	2479	1.4	4.4	9.9	3.0	0.4	6.8	44	0.2
49114	0	0	0	0	KHM	48.5298	117.0284	21.9	657.3	553	55731.	2532	1.6	4.2	13.5	2.7	0.3	8.7	35	0.2
49113	0	0	0	0	KHM	48.5298	117.0278	22.0	657.5	567	55727.	2700	1.3	5.6	13.0	4.3	0.4	9.9	30	0.2
49112	0	0	0	0	KHM	48.5298	117.0272	22.0	657.6	570	55726.	2487	1.2	6.8	10.3	5.5	0.7	8.3	38	0.2
49111	0	0	0	0	KHM	48.5298	117.0266	22.0	657.7	546	55725.	2513	1.9	4.7	11.8	2.5	0.4	6.3	30	0.2
49110	0	0	0	0	KHM	48.5298	117.0260	22.0	657.8	506	55725.	2290	1.3	4.0	10.7	3.0	0.4	8.1	35	0.2
49109	0	0	0	0	KHM	48.5298	117.0255	22.0	657.9	459	55725.	2164	1.5	4.5	10.7	3.1	0.4	7.2	33	0.2
49108	0	0	0	0	KHM	48.5298	117.0248	22.0	658.1	428	55725.	2006	1.3	4.8	8.1	3.6	0.6	6.2	35	0.1
49107	0	0	0	0	KHM	48.5298	117.0242	22.0	658.2	406	55721.	1990	1.4	3.2	5.1	2.3	0.6	3.6	31	0.1
49106	0	0	0	0	KHM	48.5298	117.0237	22.0	658.4	400	55715.	1831	0.7	4.4	7.3	6.6	0.6	11.0	38	0.1
49105	0	0	0	0	KHM	48.5297	117.0231	22.0	658.5	416	55707.	1786	1.2	3.2	6.6	2.6	0.5	5.5	33	0.1
49104	0	0	0	0	KHM	48.5297	117.0225	22.0	658.7	445	55698.	1890	1.4	4.1	8.5	3.0	0.5	6.1	45	0.1
49103	0	0	0	0	KHM	48.5297	117.0219	22.1	658.9	475	55691.	1923	1.0	3.7	8.4	3.7	0.4	8.2	34	0.1
49102	0	0	0	0	KHM	48.5297	117.0213	22.1	659.2	498	55687.	1929	1.5	4.7	8.1	3.1	0.6	5.3	36	0.1
49101	0	0	0	0	KHM	48.5297	117.0207	22.1	659.4	518	55686.	1956	1.3	4.0	8.2	3.1	0.5	6.3	39	0.1
49100	0	0	0	0	KHM	48.5297	117.0201	22.1	659.6	534	55687.	1980	1.1	4.8	6.3	4.2	0.8	5.6	42	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 27							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GR/SS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49099	0	0	0	0	KHM	48.5297	117.0195	22.1	659.8	544	55690.	1882	1.4	3.3	7.0	2.4	0.5	5.1	34	0.1
49098	0	0	0	0	KHM	48.5297	117.0189	22.1	660.1	541	55696.	1869	1.2	5.5	2.8	4.7	2.0	2.4	41	0.2
49097	0	0	0	0	KHM	48.5296	117.0183	22.1	660.3	528	55704.	1885	1.2	4.3	5.4	3.5	0.8	4.3	40	0.2
49096	0	0	0	0	KHM	48.5296	117.0177	22.1	660.5	511	55713.	1715	1.2	2.5	8.5	2.1	0.3	7.1	43	0.2
49095	0	0	0	0	KHM	48.5296	117.0171	22.1	660.8	500	55722.	1799	1.1	4.3	4.6	4.1	0.9	4.4	42	0.2
49094	0	0	0	0	KHM	48.5296	117.0165	22.2	661.1	491	55731.	1700	1.4	3.0	8.4	2.1	0.4	6.0	36	0.2
49093	0	0	0	0	KHM	48.5296	117.0159	22.2	661.3	484	55737.	1796	1.1	4.3	6.7	3.8	0.6	5.9	30	0.2
49092	0	0	0	0	KHM	48.5296	117.0153	22.2	661.6	476	55743.	1689	1.2	2.2	8.4	1.9	0.3	7.0	30	0.2
49091	0	0	0	0	KHM	48.5296	117.0147	22.2	661.8	469	55749.	1617	1.2	4.8	3.3	4.0	1.5	2.7	43	0.2
49090	0	0	0	0	KHM	48.5296	117.0141	22.2	662.0	462	55752.	1699	1.1	3.8	4.7	3.4	0.8	4.3	32	0.2
49089	0	0	0	0	KHM	48.5296	117.0135	22.2	662.2	455	55755.	1613	1.0	3.5	3.8	3.4	0.9	3.6	24	0.2
49088	0	0	0	0	KHM	48.5296	117.0129	22.2	662.4	453	55756.	1576	1.0	3.7	4.4	3.6	0.8	4.4	34	0.2
49087	0	0	0	0	KG	48.5295	117.0123	22.2	662.5	459	55754.	1577	1.3	1.9	9.2	1.4	0.2	6.9	27	0.2
49086	0	0	0	0	KG	48.5295	117.0117	22.3	662.7	461	55752.	1561	1.4	2.1	6.3	1.5	0.3	4.5	36	0.2
49085	0	0	0	0	KG	48.5295	117.0111	22.3	662.9	459	55750.	1556	1.4	1.4	5.1	1.0	0.3	3.7	41	0.2
49084	0	0	0	0	KG	48.5295	117.0105	22.3	663.0	450	55745.	1493	0.9	3.5	4.1	4.1	0.9	4.8	31	0.2
49083	0	0	0	0	KG	48.5295	117.0099	22.3	663.1	446	55740.	1642	1.2	2.4	3.8	2.1	0.6	3.3	25	0.2
49082	0	0	0	0	KG	48.5295	117.0093	22.3	663.2	444	55735.	1611	0.9	2.9	6.5	3.3	0.4	7.4	40	0.2
49081	0	0	0	0	KG	48.5295	117.0087	22.3	663.4	440	55729.	1601	1.5	1.2	3.1	0.8	0.4	2.1	32	0.2
49080	0	0	0	0	KG	48.5295	117.0081	22.3	663.5	443	55723.	1607	1.0	2.3	7.4	2.3	0.3	7.3	31	0.2
49079	0	0	0	0	KG	48.5295	117.0075	22.4	663.6	444	55718.	1757	1.2	2.6	5.5	2.2	0.5	4.7	35	0.2
49078	0	0	0	0	KG	48.5294	117.0069	22.4	663.7	442	55713.	1814	1.6	2.4	6.1	1.6	0.4	4.0	36	0.2
49077	0	0	0	0	KG	48.5294	117.0063	22.4	663.9	430	55711.	1773	1.3	1.9	8.2	1.4	0.2	6.3	34	0.2
49076	0	0	0	0	KG	48.5294	117.0058	22.4	664.0	414	55710.	1840	1.1	4.3	5.4	4.0	0.8	5.1	34	0.2
49075	0	0	0	0	KG	48.5294	117.0051	22.4	664.1	399	55712.	1802	0.9	3.0	9.8	3.5	0.3	11.3	30	0.2
49074	0	0	0	0	KG	48.5294	117.0045	22.4	664.3	386	55717.	1792	1.4	1.5	8.5	1.1	0.2	6.1	36	0.2
49073	0	0	0	0	KG	48.5294	117.0040	22.4	664.4	373	55724.	1750	1.1	3.6	8.1	3.2	0.4	7.2	30	0.2
49072	0	0	0	0	KG	48.5294	117.0034	22.4	664.6	362	55735.	1700	1.0	2.7	7.2	2.7	0.4	7.1	41	0.2
49071	0	0	0	0	KG	48.5294	117.0028	22.4	664.8	352	55748.	1611	1.3	1.7	7.2	1.3	0.2	5.5	44	0.2
49070	0	0	0	0	KG	48.5294	117.0022	22.4	665.0	352	55760.	1644	1.0	2.0	5.3	2.1	0.4	5.5	45	0.2
49069	0	0	0	0	KG	48.5293	117.0016	22.5	665.2	350	55773.	1700	1.1	2.3	6.1	2.1	0.4	5.6	44	0.2
49068	0	0	0	0	KG	48.5293	117.0010	22.5	665.4	350	55784.	1732	1.3	3.7	5.2	2.8	0.7	4.0	28	0.2
49066	0	0	0	0	KG	48.5293	116.9998	22.5	665.7	349	55795.	1681	1.1	2.7	6.1	2.5	0.4	5.6	38	0.2
49065	0	0	0	0	KG	48.5293	116.9992	22.5	665.9	350	55805.	1734	0.7	2.7	8.9	3.9	0.3	13.1	40	0.2
49064	0	0	0	0	KG	48.5293	116.9986	22.5	666.2	353	55814.	1670	1.0	2.0	7.0	2.1	0.3	7.3	29	0.2
49063	0	0	0	0	KG	48.5293	116.9980	22.5	666.5	356	55821.	1617	0.8	3.7	4.8	4.5	0.8	5.8	48	0.2
49062	0	0	0	0	KG	48.5293	116.9974	22.5	666.8	360	55826.	1669	0.7	2.2	7.2	3.2	0.3	10.2	40	0.2
49061	0	0	0	0	KG	48.5293	116.9968	22.5	667.1	364	55830.	1740	1.4	2.4	7.6	1.7	0.3	5.4	27	0.2
49060	0	0	0	0	KG	48.5293	116.9962	22.6	667.4	371	55831.	1625	1.3	2.2	6.8	1.8	0.3	5.4	38	0.2

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 28							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49545	0	0	0	0	KKH	48.5278	117.2419	21.9	664.8	323	55925.	2485	2.2	4.2	10.4	1.9	0.4	4.8	33	0.1
49546	0	0	0	0	KKH	48.5278	117.2414	21.9	664.6	312	55922.	2303	1.8	4.3	11.1	2.3	0.4	6.1	32	0.1
49547	0	0	0	0	KKH	48.5278	117.2408	21.9	664.4	303	55917.	2207	2.1	3.1	9.3	1.5	0.3	4.4	38	0.1
49548	0	0	0	0	KKH	48.5278	117.2403	21.9	664.2	294	55914.	2269	2.0	3.9	10.4	1.9	0.4	5.2	49	0.1
49549	0	0	0	0	KG	48.5278	117.2398	21.9	664.1	283	55912.	2241	2.0	3.2	11.9	1.6	0.3	6.0	46	0.1
49550	0	0	0	0	KG	48.5278	117.2392	21.9	664.0	278	55906.	2189	1.8	3.3	8.5	1.9	0.4	4.8	38	0.1
49551	0	0	0	0	KG	48.5278	117.2387	21.9	663.9	279	55896.	2164	1.6	3.8	8.7	2.4	0.4	5.4	31	0.1
49552	0	0	0	0	KG	48.5278	117.2382	21.9	663.8	286	55884.	2156	1.7	4.7	7.8	2.8	0.6	4.6	43	0.1
49553	0	0	0	0	KG	48.5278	117.2376	21.9	663.7	298	55871.	2075	1.6	4.0	9.2	2.5	0.4	5.8	33	0.1
49554	0	0	0	0	KG	48.5278	117.2371	21.9	663.6	316	55858.	2111	1.9	3.4	9.6	1.8	0.3	5.1	46	0.1
49555	0	0	0	0	KG	48.5278	117.2366	21.9	663.6	339	55848.	2077	1.9	3.3	8.7	1.8	0.4	4.7	42	0.1
49556	0	0	0	0	KG	48.5278	117.2361	21.9	663.4	371	55839.	2230	1.6	3.2	11.8	2.0	0.3	7.2	33	0.2
49557	0	0	0	0	KNA	48.5278	117.2355	21.9	663.3	406	55830.	2242	2.2	4.0	7.9	1.8	0.5	3.5	42	0.2
49558	0	0	0	0	KNA	48.5278	117.2350	21.9	663.1	436	55823.	2380	1.8	5.8	9.9	3.2	0.6	5.6	39	0.2
49559	0	0	0	0	KNA	48.5278	117.2345	21.9	663.0	462	55817.	2311	1.9	5.0	7.0	2.6	0.7	3.7	45	0.2
49560	0	0	0	0	KNA	48.5278	117.2339	21.9	662.8	486	55811.	2439	1.6	5.8	11.9	3.6	0.5	7.5	28	0.2
49561	0	0	0	0	KNA	48.5278	117.2334	21.9	662.6	512	55808.	2657	2.2	4.4	11.8	2.0	0.4	5.4	30	0.2
49562	0	0	0	0	KNA	48.5279	117.2329	21.9	662.4	514	55807.	2509	2.4	3.4	11.6	1.4	0.3	4.8	49	0.2
49563	0	0	0	0	KNA	48.5279	117.2323	21.9	662.1	505	55808.	2435	2.0	4.9	7.7	2.4	0.6	3.8	38	0.2
49564	0	0	0	0	KNA	48.5279	117.2318	21.9	661.9	486	55812.	2242	2.0	4.0	9.3	2.0	0.4	4.6	47	0.2
49565	0	0	0	0	KNA	48.5279	117.2313	21.9	661.6	475	55817.	2191	2.2	3.1	8.6	1.4	0.4	4.0	39	0.2
49566	0	0	0	0	KNA	48.5279	117.2307	21.9	661.3	463	55822.	2212	2.2	3.3	9.6	1.5	0.3	4.4	45	0.2
49567	0	0	0	0	KNA	48.5279	117.2302	21.9	661.0	458	55827.	2139	1.4	5.5	8.0	4.0	0.7	5.8	35	0.1
49568	0	0	0	0	KNA	48.5279	117.2297	21.9	660.6	456	55832.	2349	1.9	4.2	11.7	2.2	0.4	6.0	32	0.1
49569	0	0	0	0	KNA	48.5279	117.2291	21.9	660.2	455	55837.	2363	2.0	4.4	12.4	2.2	0.4	6.2	31	0.1
49570	0	0	0	0	KNA	48.5279	117.2286	21.9	659.8	446	55843.	2456	1.9	4.1	8.0	2.1	0.5	4.2	40	0.1
49571	0	0	0	0	KNA	48.5279	117.2281	21.9	659.4	441	55852.	2529	1.9	4.6	12.0	2.5	0.4	6.4	40	0.1
49572	0	0	0	0	KNA	48.5279	117.2276	21.9	659.0	439	55861.	2590	2.0	5.1	12.5	2.5	0.4	6.1	24	0.1
49573	0	0	0	0	KNA	48.5279	117.2270	21.9	658.6	450	55870.	2507	2.5	3.6	9.4	1.4	0.4	3.7	50	0.1
49574	0	0	0	0	KG	48.5279	117.2265	21.9	658.1	460	55878.	2551	2.1	5.6	7.7	2.7	0.7	3.7	37	0.1
49575	0	0	0	0	KG	48.5279	117.2260	21.9	657.7	462	55887.	2566	2.1	4.7	10.6	2.3	0.4	5.1	46	0.1
49576	0	0	0	0	KG	48.5279	117.2254	21.9	657.2	458	55897.	2419	2.5	3.3	9.5	1.4	0.4	3.9	38	0.1
49577	0	0	0	0	KG	48.5279	117.2249	21.9	656.7	451	55905.	2411	2.6	3.2	12.6	1.2	0.3	4.9	38	0.1
49578	0	0	0	0	KG	48.5279	117.2244	21.8	656.2	444	55913.	2377	2.4	4.0	8.6	1.7	0.5	3.5	43	0.1
49579	0	0	0	0	KG	48.5279	117.2238	21.8	655.7	439	55921.	2464	2.3	4.5	9.9	2.0	0.5	4.3	41	0.1
49580	0	0	0	0	KG	48.5279	117.2233	21.8	655.1	441	55928.	2429	2.4	3.5	8.8	1.5	0.4	3.7	38	0.1
49581	0	0	0	0	KG	48.5279	117.2228	21.8	654.6	447	55935.	2341	1.9	5.3	5.9	2.8	0.9	3.1	43	0.1
49582	0	0	0	0	KG	48.5279	117.2222	21.8	654.1	448	55942.	2342	1.9	4.8	7.6	2.5	0.6	3.9	35	0.1
49583	0	0	0	0	KG	48.5279	117.2217	21.8	653.5	438	55946.	2206	2.2	3.8	7.7	1.8	0.5	3.6	46	0.1
49584	0	0	0	0	KG	48.5279	117.2212	21.8	653.0	426	55950.	2169	1.8	5.1	5.7	2.8	0.9	3.1	48	0.1
49585	0	0	0	0	KG	48.5279	117.2207	21.8	652.4	413	55951.	2273	2.2	3.5	10.8	1.6	0.3	4.9	37	0.1
49586	0	0	0	0	KG	48.5279	117.2201	21.8	651.8	406	55949.	2096	1.8	4.5	7.8	2.5	0.6	4.3	35	0.1
49587	0	0	0	0	KG	48.5279	117.2196	21.8	651.3	402	55946.	2030	1.5	3.7	8.6	2.5	0.4	5.8	58	0.1
49588	0	0	0	0	KG	48.5279	117.2191	21.8	650.7	398	55944.	2142	1.8	5.4	9.2	3.0	0.6	5.2	35	0.1
49589	0	0	0	0	KG	48.5279	117.2185	21.8	650.1	392	55942.	2121	1.6	4.6	8.6	2.8	0.5	5.3	39	0.1
49590	0	0	0	0	KG	48.5279	117.2180	21.8	649.6	383	55943.	2197	1.7	4.4	7.3	2.6	0.6	4.4	30	0.1
49591	0	0	0	0	KG	48.5279	117.2175	21.8	649.0	375	55944.	2157	1.9	3.6	8.6	1.9	0.4	4.5	34	0.1
49592	0	0	0	0	KG	48.5279	117.2169	21.8	648.5	362	55944.	2125	1.6	4.5	8.0	2.7	0.6	4.9	39	0.1
49593	0	0	0	0	KG	48.5279	117.2164	21.8	647.9	348	55944.	2180	2.2	3.4	8.6	1.6	0.4	4.0	50	0.1
49594	0	0	0	0	KG	48.5279	117.2159	21.8	647.4	331	55944.	2211	1.8	4.3	8.6	2.4	0.5	4.7	43	0.1

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 28									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49595	0	0	0	0	KG	48.5279	117.2153	21.8	646.9	315	55944.	2242	1.9	3.6	9.1	1.9	0.4	4.7	42	0.1
49596	0	0	0	0	KG	48.5279	117.2148	21.7	646.3	298	55947.	2098	1.9	4.4	6.1	2.3	0.7	3.2	49	0.1
49597	0	0	0	0	KG	48.5279	117.2143	21.7	645.8	278	55950.	2050	1.6	4.7	9.8	3.0	0.5	6.3	46	0.1
49598	0	0	0	0	KG	48.5279	117.2138	21.7	645.4	259	55951.	2010	1.7	2.6	10.8	1.5	0.2	6.3	52	0.1
49599	0	0	0	0	KG	48.5279	117.2132	21.7	644.9	247	55952.	2070	1.5	3.7	10.4	2.4	0.4	6.8	29	0.1
49600	0	0	0	0	KG	48.5279	117.2127	21.7	644.4	244	55949.	2043	1.7	4.4	7.6	2.6	0.6	4.6	35	0.1
49601	0	0	0	0	KG	48.5279	117.2122	21.7	644.0	254	55944.	2180	1.8	3.5	10.6	1.9	0.3	5.8	31	0.1
49602	0	0	0	0	KG	48.5279	117.2116	21.7	643.6	271	55936.	2194	1.8	4.5	10.4	2.5	0.4	5.9	45	0.1
49603	0	0	0	0	KNA	48.5279	117.2111	21.7	643.3	298	55928.	2311	2.1	4.0	9.2	1.9	0.4	4.4	32	0.1
49604	0	0	0	0	KNA	48.5279	117.2106	21.7	642.9	324	55919.	2275	1.7	4.7	7.5	2.8	0.6	4.5	43	0.1
49605	0	0	0	0	KNA	48.5279	117.2100	21.7	642.6	349	55911.	2395	2.0	3.4	10.9	1.7	0.3	5.4	37	0.1
49606	0	0	0	0	KNA	48.5279	117.2095	21.7	642.3	371	55905.	2272	2.1	3.4	11.1	1.6	0.3	5.2	36	0.1
49607	0	0	0	0	KNA	48.5279	117.2090	21.7	642.0	392	55904.	2184	2.0	3.1	7.7	1.5	0.4	3.8	44	0.1
49608	0	0	0	0	KNA	48.5279	117.2085	21.7	641.7	414	55906.	2204	2.0	3.4	10.2	1.7	0.3	5.0	30	0.1
49609	0	0	0	0	KNA	48.5278	117.2079	21.7	641.5	430	55910.	2056	1.6	5.6	9.1	3.4	0.6	5.5	41	0.1
49610	0	0	0	0	KNA	48.5278	117.2074	21.7	641.3	440	55914.	2141	2.0	3.2	6.8	1.6	0.5	3.4	34	0.1
49611	0	0	0	0	KNA	48.5278	117.2069	21.7	641.1	441	55918.	2047	1.7	3.6	10.3	2.2	0.4	6.1	37	0.1
49612	0	0	0	0	KNA	48.5278	117.2063	21.7	640.9	433	55924.	2018	1.5	4.1	11.6	2.8	0.4	7.9	49	0.1
49613	0	0	0	0	KNA	48.5278	117.2058	21.7	640.7	420	55931.	2079	1.5	4.1	9.8	2.7	0.4	6.4	46	0.1
49614	0	0	0	0	KNA	48.5278	117.2053	21.7	640.6	405	55939.	2021	1.9	3.3	11.5	1.8	0.3	6.2	44	0.1
49615	0	0	0	0	KNA	48.5278	117.2047	21.7	640.4	394	55948.	2004	1.5	4.6	6.3	3.0	0.7	4.2	45	0.1
49616	0	0	0	0	KNA	48.5278	117.2042	21.7	640.3	388	55955.	2113	2.1	2.3	9.5	1.1	0.2	4.4	48	0.1
49617	0	0	0	0	KNA	48.5278	117.2037	21.7	640.2	386	55961.	2279	1.9	4.1	9.1	2.2	0.4	4.9	45	0.1
49618	0	0	0	0	KNA	48.5278	117.2031	21.7	640.1	383	55966.	2417	2.3	4.4	10.5	1.9	0.4	4.6	47	0.1
49619	0	0	0	0	KNA	48.5278	117.2026	21.7	640.0	382	55968.	2492	2.0	4.3	10.4	2.1	0.4	5.2	40	0.1
49620	0	0	0	0	KNA	48.5278	117.2021	21.7	640.0	387	55967.	2698	1.9	5.9	14.0	3.1	0.4	7.3	39	0.1
49621	0	0	0	0	KNA	48.5278	117.2016	21.7	639.9	405	55964.	2738	2.2	5.1	11.4	2.3	0.4	5.2	54	0.1
49622	0	0	0	0	KNA	48.5278	117.2010	21.7	639.9	435	55960.	2729	2.2	4.9	12.8	2.2	0.4	5.9	52	0.1
49624	0	0	0	0	KNA	48.5278	117.2000	21.7	639.8	470	55955.	2841	2.5	4.8	11.1	1.9	0.4	4.4	39	0.1
49625	0	0	0	0	KNA	48.5278	117.1994	21.7	639.8	505	55951.	2641	2.9	4.5	12.3	1.5	0.4	4.2	50	0.1
49626	0	0	0	0	KNA	48.5278	117.1989	21.6	639.8	531	55946.	2663	2.4	5.7	8.2	2.4	0.7	3.4	30	0.1
49627	0	0	0	0	KNA	48.5278	117.1984	21.6	639.8	549	55942.	2485	2.5	4.1	11.4	1.6	0.4	4.5	39	0.1
49628	0	0	0	0	KG	48.5278	117.1978	21.6	639.8	560	55939.	2327	2.1	4.6	9.6	2.2	0.5	4.6	42	0.1
49629	0	0	0	0	KG	48.5278	117.1973	21.6	639.8	562	55936.	2298	1.9	6.2	7.5	3.3	0.8	4.0	46	0.1
49630	0	0	0	0	KG	48.5278	117.1968	21.6	639.8	561	55933.	2314	2.0	4.3	6.2	2.2	0.7	3.1	44	0.1
49631	0	0	0	0	KG	48.5278	117.1962	21.6	639.8	551	55929.	2254	1.7	6.4	6.5	3.6	1.0	3.7	46	0.1
49632	0	0	0	0	KG	48.5278	117.1957	21.6	639.8	546	55925.	2267	1.8	3.5	9.2	1.9	0.4	5.0	30	0.1
49633	0	0	0	0	KG	48.5278	117.1952	21.6	639.8	537	55921.	2178	1.9	4.3	7.5	2.3	0.6	4.0	49	0.1
49634	0	0	0	0	KG	48.5278	117.1946	21.6	639.9	532	55918.	2080	2.2	2.4	7.9	1.1	0.3	3.6	40	0.1
49635	0	0	0	0	KG	48.5278	117.1941	21.6	639.9	527	55915.	2020	1.6	3.5	10.0	2.2	0.3	6.2	47	0.1
49636	0	0	0	0	KG	48.5278	117.1936	21.6	639.9	531	55909.	2075	1.9	2.9	9.9	1.5	0.3	5.3	29	0.1
49637	0	0	0	0	KG	48.5278	117.1931	21.6	639.9	541	55902.	2068	1.9	4.6	8.6	2.4	0.5	4.6	42	0.1
49638	0	0	0	0	KG	48.5278	117.1925	21.6	639.9	559	55894.	2144	2.7	3.5	8.8	1.3	0.4	3.3	39	0.1
49639	0	0	0	0	KG	48.5278	117.1920	21.6	639.9	588	55886.	2244	2.2	4.6	8.2	2.1	0.6	3.7	35	0.1
49640	0	0	0	0	KG	48.5278	117.1915	21.6	639.9	619	55878.	2176	2.1	3.7	7.7	1.8	0.5	3.6	38	0.1
49641	0	0	0	0	KG	48.5278	117.1909	21.6	639.9	647	55872.	2276	2.7	5.1	6.5	1.9	0.8	2.4	42	0.1
49642	0	0	0	0	KG	48.5278	117.1904	21.6	639.8	661	55867.	2192	2.1	6.7	7.6	3.2	0.9	3.6	35	0.1
49643	0	0	0	0	QAG	48.5278	117.1899	21.6	639.8	667	55864.	2183	2.1	4.5	11.1	2.2	0.4	5.4	43	0.1
49644	0	0	0	0	QAG	48.5278	117.1893	21.6	639.7	662	55862.	2213	1.9	6.4	5.6	3.4	1.1	3.0	40	0.1
49645	0	0	0	0	QAG	48.5278	117.1887	21.6	639.6	639	55861.	2013	2.2	3.5	7.7	1.6	0.5	3.5	46	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 28							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49646	0	0	0	0	QAG	48.5278	117.1881	21.6	639.5	614	55859.	2029	1.6	3.9	9.5	2.5	0.4	6.1	43	0.1
49647	0	0	0	0	QAG	48.5278	117.1875	21.6	639.4	596	55859.	1815	1.5	3.6	7.5	2.4	0.5	5.0	32	0.1
49648	0	0	0	0	QAG	48.5278	117.1869	21.6	639.3	599	55856.	1804	1.7	3.6	5.8	2.2	0.6	3.5	45	0.1
49649	0	0	0	0	QAG	48.5278	117.1863	21.6	639.2	615	55851.	1938	0.8	5.3	8.0	6.5	0.7	9.8	45	0.1
49650	0	0	0	0	QAG	48.5278	117.1857	21.6	639.0	639	55846.	1903	2.0	3.7	10.2	1.9	0.4	5.2	38	0.1
49651	0	0	0	0	QAG	48.5278	117.1850	21.6	638.9	664	55842.	1964	1.6	5.2	7.9	3.2	0.7	4.8	43	0.1
49652	0	0	0	0	QAG	48.5278	117.1844	21.5	638.7	683	55840.	2054	2.0	3.8	9.0	1.9	0.4	4.6	41	0.1
49653	0	0	0	0	QAG	48.5277	117.1839	21.5	638.5	690	55843.	1970	2.0	3.5	8.5	1.7	0.4	4.3	43	0.1
49654	0	0	0	0	QAG	48.5277	117.1832	21.5	638.3	688	55847.	2056	1.4	5.6	7.9	3.9	0.7	5.5	39	0.1
49655	0	0	0	0	QAG	48.5277	117.1826	21.5	638.1	678	55852.	2138	1.4	3.3	13.7	2.3	0.2	9.6	43	0.1
49656	0	0	0	0	QAG	48.5277	117.1820	21.5	637.9	665	55857.	2127	1.7	4.9	7.9	2.9	0.6	4.7	34	0.1
49657	0	0	0	0	QAG	48.5277	117.1814	21.5	637.7	647	55862.	2155	1.6	5.3	10.3	3.3	0.5	6.3	33	0.1
49658	0	0	0	0	QAG	48.5277	117.1808	21.5	637.4	627	55867.	2124	1.3	6.6	7.6	5.0	0.9	5.8	39	0.1
49659	0	0	0	0	QAG	48.5277	117.1802	21.5	637.2	606	55872.	2116	1.8	4.4	10.7	2.5	0.4	6.1	36	0.1
49660	0	0	0	0	KG	48.5277	117.1796	21.5	636.9	586	55880.	2107	1.7	6.9	8.4	4.1	0.8	5.0	35	0.1
49661	0	0	0	0	KG	48.5277	117.1790	21.5	636.6	569	55890.	2120	2.3	3.3	9.2	1.4	0.4	4.0	35	0.1
49662	0	0	0	0	KG	48.5276	117.1784	21.4	636.2	555	55901.	2078	1.4	3.9	9.4	2.7	0.4	6.5	41	0.1
49663	0	0	0	0	KG	48.5276	117.1778	21.4	635.9	546	55910.	2094	1.6	3.7	10.6	2.3	0.3	6.6	34	0.1
49664	0	0	0	0	KG	48.5276	117.1772	21.4	635.6	543	55918.	2043	1.9	3.2	10.2	1.6	0.3	5.3	39	0.1
49665	0	0	0	0	KG	48.5276	117.1766	21.4	635.2	539	55924.	1970	1.7	3.0	9.7	1.8	0.3	5.8	40	0.1
49666	0	0	0	0	KG	48.5276	117.1760	21.4	634.8	535	55927.	1923	1.8	3.3	11.1	1.8	0.3	6.1	55	0.1
49667	0	0	0	0	KG	48.5276	117.1754	21.4	634.5	533	55931.	1988	1.4	4.8	8.2	3.5	0.6	5.9	38	0.1
49668	0	0	0	0	KG	48.5276	117.1748	21.4	634.1	537	55935.	2059	1.7	3.6	9.2	2.1	0.4	5.4	35	0.1
49669	0	0	0	0	KG	48.5276	117.1742	21.3	633.6	544	55937.	2129	1.7	4.5	10.1	2.7	0.4	6.1	41	0.1
49670	0	0	0	0	KG	48.5276	117.1736	21.3	633.2	543	55940.	2127	1.9	2.7	11.7	1.4	0.2	6.2	41	0.1
49671	0	0	0	0	KG	48.5276	117.1730	21.3	632.7	532	55944.	2145	2.0	3.8	8.8	1.9	0.4	4.5	36	0.1
49672	0	0	0	0	KG	48.5275	117.1724	21.3	632.3	516	55949.	2156	1.7	4.1	10.9	2.4	0.4	6.3	47	0.1
49673	0	0	0	0	KG	48.5275	117.1718	21.3	631.9	490	55954.	2085	2.2	3.1	12.4	1.4	0.2	5.7	49	0.1
49674	0	0	1	0	KG	48.5275	117.1712	21.2	631.5	462	55959.	1998	2.0	1.1	9.9	0.5	0.1	4.9	52	0.1
49675	0	0	0	0	KG	48.5275	117.1706	21.2	631.0	434	55959.	1953	1.6	4.9	6.2	3.1	0.8	3.9	39	0.1
49676	0	0	0	0	KG	48.5275	117.1700	21.2	630.6	416	55956.	1783	1.8	3.8	9.5	2.1	0.4	5.3	58	0.1
49677	0	0	0	0	KG	48.5275	117.1694	21.2	630.2	409	55947.	1784	1.5	3.8	5.4	2.6	0.7	3.6	45	0.1
49678	0	0	0	0	KG	48.5275	117.1688	21.2	629.7	410	55934.	1552	1.3	3.4	6.5	2.6	0.5	5.1	58	0.1
49679	0	0	0	0	KG	48.5275	117.1682	21.1	629.3	421	55917.	1512	1.0	2.5	7.9	2.4	0.3	7.8	58	0.1
49680	0	0	0	0	KG	48.5275	117.1676	21.1	628.8	445	55898.	1584	1.7	2.7	4.6	1.6	0.6	2.7	40	0.1
49681	0	0	0	0	KG	48.5275	117.1670	21.1	628.4	482	55880.	1649	1.4	2.5	6.3	1.8	0.4	4.6	39	0.1
49682	0	0	0	0	KG	48.5274	117.1664	21.1	627.9	531	55863.	1627	1.0	4.1	4.8	4.0	0.9	4.6	62	0.1
49683	0	0	0	0	KG	48.5274	117.1658	21.1	627.5	585	55849.	1936	1.3	3.5	7.5	2.7	0.5	5.8	39	0.1
49684	0	0	0	0	KG	48.5274	117.1651	21.0	627.0	642	55837.	1977	1.8	5.0	6.5	2.8	0.8	3.7	42	0.1
49685	0	0	0	0	KG	48.5274	117.1646	21.0	626.6	684	55828.	2142	1.7	3.8	9.3	2.3	0.4	5.6	32	0.1
49686	1	0	0	0	KG	48.5274	117.1639	21.0	626.1	709	55822.	2172	2.0	5.0	9.1	2.5	0.5	4.7	44	0.1
49687	1	0	0	0	KG	48.5274	117.1633	21.0	625.7	709	55819.	2090	1.6	3.2	13.8	2.1	0.2	8.9	34	0.1
49688	1	0	0	0	KG	48.5274	117.1627	20.9	625.2	702	55819.	2125	2.0	4.4	7.3	2.2	0.6	3.7	47	0.1
49689	0	0	0	0	KG	48.5274	117.1621	20.9	624.7	686	55820.	1918	1.3	4.0	10.3	3.1	0.4	8.0	55	0.1
49690	0	0	0	0	KG	48.5274	117.1615	20.9	624.2	666	55823.	1933	1.1	3.1	9.4	2.8	0.3	8.5	40	0.1
49691	0	0	0	0	KG	48.5273	117.1609	20.8	623.7	645	55825.	1817	1.5	3.2	5.7	2.2	0.6	3.9	60	0.1
49692	0	0	0	0	KG	48.5273	117.1603	20.8	623.2	633	55828.	1813	1.8	3.2	8.4	1.8	0.4	4.6	49	0.1
49693	0	0	0	0	KG	48.5273	117.1597	20.8	622.7	632	55831.	1861	1.4	3.5	8.6	2.5	0.4	6.0	48	0.1
49694	0	0	0	0	KG	48.5273	117.1591	20.8	622.2	635	55836.	1915	1.8	4.5	6.3	2.5	0.7	3.5	46	0.1
49695	0	0	0	0	KG	48.5273	117.1585	20.7	621.6	633	55842.	1990	1.5	2.6	11.5	1.7	0.2	7.7	38	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 28							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49696	0	0	0	0	KG	48.5273	117.1579	20.7	621.1	624	55849.	2022	1.6	2.5	9.8	1.6	0.3	6.0	38	0.1
49697	0	0	0	0	KG	48.5273	117.1573	20.7	620.6	608	55854.	1939	1.8	3.7	7.4	2.1	0.5	4.2	46	0.1
49698	0	0	0	0	KG	48.5273	117.1567	20.7	620.0	587	55858.	2008	1.8	2.5	12.4	1.4	0.2	7.0	51	0.1
49699	0	0	0	0	KG	48.5273	117.1561	20.6	619.5	564	55863.	1846	1.7	2.6	8.9	1.6	0.3	5.3	59	0.1
49700	0	0	0	0	KG	48.5273	117.1555	20.6	618.9	541	55870.	1919	1.5	3.8	6.1	2.5	0.6	4.0	42	0.1
49701	0	0	0	0	KG	48.5273	117.1549	20.6	618.4	522	55878.	1979	1.6	4.4	8.1	2.7	0.5	5.0	43	0.1
49702	0	0	0	0	KG	48.5272	117.1543	20.5	617.8	507	55886.	1966	1.5	3.3	6.2	2.2	0.5	4.2	56	0.1
49703	0	0	0	0	KG	48.5272	117.1537	20.5	617.3	495	55894.	1948	2.1	3.2	8.7	1.6	0.4	4.2	50	0.1
49704	0	0	0	0	KG	48.5272	117.1531	20.5	616.8	483	55901.	2037	2.1	3.0	10.9	1.4	0.3	5.1	45	0.1
49705	0	0	0	0	KG	48.5272	117.1525	20.5	616.2	471	55908.	1989	2.0	3.0	8.4	1.5	0.4	4.3	49	0.1
49706	0	0	0	0	KG	48.5272	117.1519	20.4	615.7	459	55913.	2129	1.7	2.9	12.1	1.7	0.2	7.3	38	0.1
49707	0	0	0	0	KG	48.5272	117.1513	20.4	615.2	446	55917.	2049	1.6	3.3	8.2	2.0	0.4	5.0	53	0.1
49708	0	0	0	0	KG	48.5272	117.1507	20.4	614.7	435	55919.	2075	1.5	2.5	12.7	1.6	0.2	8.4	59	0.1
49709	0	0	0	0	KG	48.5272	117.1501	20.4	614.3	427	55921.	2153	1.7	3.1	10.2	1.8	0.3	5.9	55	0.1
49710	0	0	0	0	KG	48.5272	117.1495	20.3	613.7	416	55925.	2143	2.1	3.0	8.6	1.4	0.3	4.2	54	0.1
49711	0	0	0	0	KG	48.5271	117.1489	20.3	613.3	400	55931.	2027	1.7	2.7	8.8	1.6	0.3	5.2	59	0.1
49712	0	0	0	0	KG	48.5271	117.1483	20.3	612.9	378	55939.	2243	1.9	4.1	11.4	2.1	0.4	5.9	46	0.1
49713	0	0	0	0	KG	48.5271	117.1477	20.3	612.6	357	55948.	2236	2.5	2.4	13.7	1.0	0.2	5.6	48	0.1
49715	0	0	0	0	KG	48.5271	117.1465	20.2	612.2	341	55958.	2185	2.2	3.8	9.3	1.7	0.4	4.3	64	0.1
49716	0	0	0	0	KG	48.5271	117.1459	20.2	611.9	325	55968.	2342	2.1	4.2	11.3	2.0	0.4	5.5	54	0.1
49717	0	0	0	0	KG	48.5271	117.1453	20.2	611.6	311	55977.	2439	2.0	5.7	8.4	2.9	0.7	4.3	72	0.1
49718	0	0	0	0	KG	48.5271	117.1447	20.2	611.3	294	55986.	2437	2.0	4.8	10.0	2.4	0.5	4.9	51	0.1
49719	0	0	0	0	KG	48.5271	117.1441	20.1	611.0	282	55992.	2468	2.3	4.0	10.3	1.7	0.4	4.5	61	0.1
49720	0	0	0	0	KG	48.5271	117.1435	20.1	610.7	275	55994.	2441	2.2	2.1	14.0	1.0	0.2	6.3	49	0.1
49721	0	0	0	0	KG	48.5271	117.1429	20.1	610.6	275	55993.	2418	2.0	4.1	14.5	2.0	0.3	7.2	49	0.1
49722	0	0	0	0	KG	48.5271	117.1423	20.1	610.4	283	55987.	2479	2.3	2.3	15.7	1.0	0.1	6.8	54	0.1
49723	0	0	0	0	QAG	48.5271	117.1417	20.1	610.3	296	55977.	2492	2.2	3.1	14.0	1.4	0.2	6.2	58	0.1
49724	0	0	0	0	QAG	48.5271	117.1411	20.0	610.1	312	55963.	2537	2.4	2.9	13.5	1.2	0.2	5.7	57	0.1
49725	0	0	0	0	KG	48.5272	117.1405	20.0	610.1	328	55949.	2646	2.6	3.8	14.9	1.5	0.3	5.8	38	0.1
49726	0	0	0	0	KG	48.5272	117.1400	20.0	610.1	343	55934.	2471	2.2	4.1	11.8	1.8	0.3	5.3	58	0.1
49727	0	0	0	0	KG	48.5272	117.1394	20.0	610.1	353	55919.	2567	2.5	3.2	12.8	1.2	0.2	5.1	64	0.1
49728	0	0	0	0	KG	48.5272	117.1388	20.0	610.1	359	55902.	2415	2.4	3.1	16.5	1.3	0.2	7.0	64	0.1
49729	0	0	0	0	KG	48.5272	117.1382	19.9	610.0	367	55884.	2432	2.2	4.1	13.3	1.8	0.3	6.0	50	0.1
49730	0	0	0	0	KG	48.5272	117.1376	19.9	610.1	375	55862.	2449	2.3	3.0	11.5	1.3	0.3	4.9	48	0.1
49731	0	0	0	0	KHM	48.5272	117.1370	19.9	610.1	386	55837.	2339	2.2	3.2	12.6	1.5	0.3	5.8	61	0.1
49732	0	0	0	0	KHM	48.5272	117.1364	19.9	610.2	394	55810.	2362	2.4	2.9	9.8	1.2	0.3	4.2	50	0.1
49733	0	0	0	0	KHM	48.5272	117.1358	19.9	610.3	406	55782.	2377	2.0	3.4	14.5	1.7	0.2	7.2	64	0.1
49734	0	0	0	0	KHM	48.5272	117.1352	19.9	610.4	418	55754.	2243	2.1	2.9	13.7	1.4	0.2	6.6	41	0.1
49735	0	0	0	0	KHM	48.5272	117.1346	19.9	610.5	440	55731.	2287	1.9	3.2	12.1	1.6	0.3	6.3	56	0.1
49736	0	0	0	0	KHM	48.5272	117.1341	19.9	610.6	467	55713.	2303	2.1	3.4	11.3	1.6	0.3	5.5	46	0.1
49737	0	0	0	0	KHM	48.5273	117.1335	19.8	610.6	499	55701.	2380	2.2	2.9	12.4	1.3	0.2	5.6	55	0.1
49738	0	0	0	0	KHM	48.5273	117.1329	19.8	610.7	530	55694.	2352	2.0	3.8	10.5	1.9	0.4	5.3	47	0.1
49739	0	0	0	0	KHM	48.5273	117.1323	19.8	610.8	562	55692.	2525	1.6	3.7	14.4	2.4	0.3	9.1	47	0.1
49740	0	0	0	0	KHM	48.5273	117.1317	19.8	610.9	584	55694.	2531	1.9	4.8	14.1	2.5	0.3	7.3	52	0.1
49741	0	0	0	0	KHM	48.5273	117.1311	19.8	610.9	597	55698.	2734	2.5	3.2	13.9	1.3	0.2	5.5	55	0.1
49742	0	0	0	0	KHM	48.5273	117.1305	19.8	611.0	589	55704.	2843	2.3	3.2	13.7	1.4	0.2	6.0	51	0.1
49743	0	0	0	0	KHM	48.5273	117.1299	19.8	611.1	565	55712.	2661	2.2	6.0	12.6	2.7	0.5	5.6	57	0.1
49744	0	0	0	0	KHM	48.5273	117.1293	19.8	611.2	528	55719.	2639	1.9	2.2	16.7	1.2	0.1	8.8	56	0.1
49745	0	0	0	0	KHM	48.5273	117.1287	19.8	611.3	489	55726.	2557	1.7	4.6	12.4	2.7	0.4	7.3	55	0.1
49746	0	0	0	0	KHM	48.5273	117.1281	19.8	611.3	458	55734.	2427	1.8	4.9	11.9	2.7	0.4	6.5	51	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 28									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49747	0	0	0	0	KHM	48.5273	117.1275	19.8	611.5	429	55740.	2349	1.5	2.7	14.1	1.8	0.2	9.3	61	0.1
49748	0	0	0	0	KHM	48.5272	117.1269	19.8	611.6	405	55744.	2360	1.7	3.7	14.6	2.1	0.3	8.5	57	0.1
49749	0	0	0	0	KHM	48.5272	117.1263	19.8	611.7	378	55746.	2287	1.6	4.0	12.0	2.5	0.3	7.3	38	0.1
49750	0	0	0	0	KHM	48.5272	117.1257	19.8	611.9	363	55745.	2209	1.7	2.0	14.9	1.1	0.1	8.7	54	0.1
49751	0	0	0	0	KHM	48.5272	117.1251	19.8	612.1	353	55741.	2249	1.9	3.3	15.2	1.8	0.2	8.2	47	0.1
49752	0	0	0	0	KHM	48.5272	117.1245	19.8	612.3	351	55734.	2102	1.9	3.9	9.5	2.1	0.4	5.0	51	0.1
49753	0	0	0	0	KHM	48.5272	117.1239	19.8	612.6	352	55724.	2161	1.9	2.5	10.6	1.4	0.2	5.7	56	0.1
49754	0	0	0	0	KHM	48.5271	117.1232	19.8	612.9	361	55711.	2208	1.7	3.0	12.4	1.7	0.2	7.1	60	0.1
49755	0	0	0	0	KHM	48.5271	117.1226	19.8	613.3	382	55698.	2266	1.3	5.0	11.8	3.8	0.4	8.9	31	0.1
49756	0	0	0	0	KHM	48.5271	117.1220	19.8	613.7	404	55684.	2304	1.8	3.0	13.2	1.6	0.2	7.3	54	0.1
49757	0	0	0	0	KHM	48.5271	117.1214	19.8	614.2	418	55671.	2415	1.6	3.5	12.7	2.2	0.3	7.7	62	0.1
49758	0	0	0	0	KHM	48.5271	117.1208	19.8	614.6	417	55660.	2414	1.4	4.8	10.9	3.5	0.4	7.8	52	0.1
49759	0	0	0	0	KHM	48.5271	117.1202	19.8	615.1	410	55649.	2350	1.7	4.7	10.2	2.7	0.5	5.9	61	0.1
49760	0	0	0	0	KHM	48.5271	117.1196	19.8	615.7	402	55639.	2263	1.5	2.8	13.3	1.9	0.2	8.7	58	0.1
49761	0	0	0	0	KHM	48.5270	117.1190	19.8	616.3	400	55632.	2210	1.7	2.9	10.4	1.7	0.3	6.2	53	0.1
49762	0	0	0	0	KHM	48.5270	117.1184	19.9	616.9	400	55626.	2278	1.8	2.9	12.2	1.6	0.2	6.6	51	0.1
49763	0	0	0	0	KHM	48.5270	117.1178	19.9	617.5	410	55622.	2283	1.4	4.7	10.7	3.4	0.4	7.7	43	0.1
49764	0	0	0	0	KHM	48.5270	117.1172	19.9	618.1	425	55618.	2212	1.9	2.8	10.5	1.4	0.3	5.4	51	0.1
49765	0	0	0	0	KHM	48.5270	117.1165	19.9	618.8	458	55615.	2349	1.9	2.5	11.3	1.3	0.2	5.9	51	0.1
49766	0	0	0	0	KHM	48.5270	117.1159	19.9	619.4	490	55615.	2418	2.0	2.9	11.6	1.4	0.2	5.7	60	0.1
49767	0	0	0	0	KHM	48.5269	117.1153	19.9	620.1	535	55615.	2509	2.3	4.4	12.5	2.0	0.4	5.5	44	0.1
49768	0	0	0	0	KHM	48.5269	117.1147	19.9	620.8	586	55617.	2800	2.6	3.1	12.6	1.2	0.2	4.8	54	0.1
49769	0	0	0	0	KHM	48.5269	117.1141	20.0	621.5	644	55619.	2881	2.2	4.6	14.1	2.1	0.3	6.5	35	0.1
49770	0	0	0	0	KHM	48.5269	117.1135	20.0	622.2	692	55620.	2704	1.7	4.7	12.8	2.8	0.4	7.6	59	0.1
49771	1	0	0	0	KHM	48.5269	117.1129	20.0	622.9	725	55622.	2840	2.2	5.3	14.1	2.4	0.4	6.4	52	0.1
49772	1	0	0	0	KHM	48.5269	117.1123	20.0	623.7	760	55624.	3017	2.6	3.4	17.2	1.3	0.2	6.7	49	0.1
49773	1	0	0	0	KHM	48.5269	117.1117	20.0	624.4	800	55626.	3090	2.3	6.3	12.2	2.8	0.5	5.4	52	0.1
49774	1	0	0	0	KHM	48.5269	117.1111	20.0	625.1	841	55627.	3140	2.7	5.2	19.3	1.9	0.3	7.1	50	0.2
49775	1	0	0	0	KHM	48.5268	117.1105	20.1	625.9	875	55628.	3121	2.0	6.6	14.7	3.3	0.4	7.4	46	0.2
49776	1	0	0	0	KHM	48.5268	117.1099	20.1	626.6	905	55629.	3242	2.6	4.1	16.9	1.5	0.2	6.4	43	0.2
49777	1	0	0	0	KHM	48.5268	117.1093	20.1	627.4	932	55629.	3354	2.5	8.4	15.1	3.3	0.6	6.0	62	0.2
49778	1	0	0	0	KHM	48.5268	117.1086	20.1	628.1	957	55628.	3412	2.3	7.6	14.8	3.3	0.5	6.5	47	0.2
49779	1	0	0	0	KHM	48.5268	117.1080	20.2	628.9	980	55629.	3358	2.4	4.7	19.4	2.0	0.2	8.2	36	0.2
49780	1	0	0	0	KHM	48.5268	117.1074	20.2	629.6	990	55630.	3542	2.2	5.9	19.8	2.7	0.3	9.0	38	0.2
49781	1	0	0	0	KHM	48.5267	117.1068	20.2	630.4	986	55633.	3367	2.8	3.7	15.4	1.3	0.2	5.5	47	0.2
49782	1	0	0	0	KHM	48.5267	117.1062	20.2	631.1	961	55638.	3383	2.9	8.8	7.8	3.1	1.1	2.7	49	0.2
49783	1	0	0	0	KHM	48.5267	117.1056	20.3	631.9	924	55643.	3277	3.2	5.8	17.0	1.8	0.3	5.3	42	0.2
49784	1	0	0	0	KHM	48.5267	117.1050	20.3	632.6	877	55648.	2948	1.7	6.1	13.7	3.5	0.4	7.9	49	0.2
49785	1	0	0	0	KHM	48.5267	117.1044	20.3	633.4	830	55653.	2842	2.0	5.4	7.6	2.7	0.7	3.9	44	0.2
49786	1	0	0	0	KHM	48.5267	117.1038	20.3	634.1	793	55656.	2656	1.7	6.9	9.0	4.0	0.8	5.2	54	0.2
49787	1	0	0	0	KHM	48.5266	117.1031	20.4	634.9	770	55660.	2418	1.6	4.2	11.1	2.6	0.4	6.7	50	0.2
49788	1	0	0	0	KHM	48.5266	117.1026	20.4	635.7	756	55665.	2675	2.2	3.5	12.6	1.6	0.3	5.8	42	0.2
49789	1	0	0	0	KHM	48.5266	117.1019	20.4	636.4	742	55671.	2526	1.6	5.4	12.0	3.4	0.5	7.5	51	0.2
49790	1	0	0	0	KHM	48.5266	117.1013	20.5	637.2	724	55678.	2626	2.0	3.0	15.8	1.5	0.2	7.9	48	0.2
49791	1	0	0	0	KHM	48.5266	117.1007	20.5	638.0	711	55687.	2387	2.1	3.1	16.1	1.5	0.2	7.9	65	0.2
49792	0	0	0	0	KHM	48.5266	117.1001	20.5	638.7	689	55695.	2624	2.4	3.3	11.3	1.4	0.3	4.7	37	0.2
49793	0	0	0	0	KHM	48.5266	117.0995	20.5	639.5	659	55704.	2509	1.6	5.0	11.4	3.1	0.4	7.2	38	0.2
49794	0	0	0	0	KHM	48.5266	117.0989	20.6	640.3	613	55715.	2434	1.5	5.5	9.7	3.7	0.6	6.6	38	0.2
49795	0	0	0	0	KHM	48.5265	117.0983	20.6	641.0	570	55727.	2242	1.3	4.9	10.8	3.8	0.4	8.5	33	0.2
49796	0	0	0	0	KHM	48.5265	117.0977	20.6	641.7	530	55739.	2283	1.3	3.7	14.7	2.9	0.2	11.7	38	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 28							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49797	0	0	0	0	KHM	48.5265	117.0971	20.7	642.5	500	55753.	2247	1.6	4.5	10.7	2.8	0.4	6.7	38	0.2
49798	0	0	0	0	KHM	48.5265	117.0965	20.7	643.2	479	55767.	2332	1.7	2.7	11.3	1.6	0.2	6.8	27	0.2
49799	0	0	0	0	KHM	48.5265	117.0959	20.7	643.9	461	55779.	2206	1.5	3.2	10.5	2.2	0.3	7.3	35	0.2
49800	0	0	1	0	KHM	48.5265	117.0952	20.8	644.7	442	55791.	2190	1.8	1.3	11.5	0.7	0.1	6.5	42	0.2
49801	0	0	0	0	KHM	48.5264	117.0946	20.8	645.4	425	55801.	2226	1.4	2.9	14.1	2.1	0.2	10.2	50	0.2
49802	0	0	0	0	KHM	48.5264	117.0940	20.8	646.0	416	55807.	2352	1.5	4.3	11.0	2.8	0.4	7.3	26	0.2
49803	0	0	0	0	KHM	48.5264	117.0934	20.9	646.7	420	55811.	2412	1.9	3.5	9.1	1.9	0.4	4.8	35	0.2
49805	0	0	0	0	KHM	48.5264	117.0922	20.9	647.3	422	55811.	2513	1.7	3.9	13.3	2.3	0.3	7.8	34	0.2
49806	0	0	0	0	KHM	48.5264	117.0916	20.9	647.8	421	55808.	2610	1.5	6.0	10.5	3.9	0.6	6.8	42	0.2
49807	0	0	0	0	KHM	48.5264	117.0910	21.0	648.4	420	55802.	2569	1.6	4.9	10.5	3.1	0.5	6.7	43	0.2
49808	0	0	0	0	KHM	48.5263	117.0904	21.0	649.0	431	55794.	2704	1.5	4.9	13.6	3.3	0.4	9.0	43	0.2
49809	0	0	0	0	KHM	48.5263	117.0898	21.1	649.5	443	55785.	2769	1.6	4.5	11.9	2.7	0.4	7.3	36	0.2
49810	0	0	0	0	KHM	48.5263	117.0892	21.1	650.0	447	55778.	2934	1.8	6.5	12.6	3.5	0.5	6.9	34	0.2
49811	0	0	0	0	KHM	48.5263	117.0885	21.1	650.5	441	55772.	2735	1.8	5.2	12.8	2.8	0.4	7.0	47	0.2
49812	0	0	0	0	KHM	48.5263	117.0879	21.2	651.0	442	55768.	2771	2.1	5.1	11.9	2.4	0.4	5.6	53	0.2
49813	0	0	0	0	KHM	48.5263	117.0873	21.2	651.5	450	55768.	2809	2.0	4.8	13.4	2.4	0.4	6.7	45	0.2
49814	0	0	0	0	KHM	48.5262	117.0867	21.2	651.9	446	55769.	2797	1.7	3.8	16.0	2.2	0.2	9.3	41	0.2
49815	0	0	0	0	KHM	48.5262	117.0861	21.3	652.3	431	55772.	2735	2.2	2.9	11.1	1.3	0.3	4.9	36	0.2
49816	0	0	0	0	KHM	48.5262	117.0855	21.3	652.8	418	55774.	2696	2.0	4.5	10.9	2.3	0.4	5.5	41	0.2
49817	0	0	0	0	KHM	48.5262	117.0849	21.4	653.3	412	55773.	2691	1.6	6.8	9.3	4.2	0.7	5.9	39	0.2
49818	0	0	0	0	KHM	48.5262	117.0843	21.4	653.7	411	55769.	2703	1.9	5.2	11.8	2.8	0.4	6.3	45	0.2
49819	0	0	0	0	KHM	48.5262	117.0837	21.4	654.2	411	55763.	2671	1.6	4.6	13.9	2.9	0.3	8.7	26	0.2
49820	0	0	0	0	KHM	48.5262	117.0831	21.5	654.7	420	55753.	2615	1.9	4.6	13.9	2.4	0.3	7.2	32	0.2
49821	0	0	0	0	KHM	48.5262	117.0825	21.5	655.2	439	55742.	2706	1.8	5.0	11.6	2.7	0.4	6.3	45	0.2
49822	0	0	0	0	KHM	48.5261	117.0818	21.5	655.7	444	55730.	2716	1.9	4.8	13.6	2.5	0.4	7.1	28	0.2
49823	0	0	0	0	KHM	48.5261	117.0813	21.6	656.2	436	55718.	2579	1.6	4.8	12.5	3.1	0.4	8.0	54	0.2
49824	0	0	0	0	KHM	48.5261	117.0806	21.6	656.7	422	55706.	2564	1.4	5.1	11.3	3.8	0.5	8.3	31	0.2
49825	0	0	0	0	KHM	48.5261	117.0800	21.6	657.2	417	55694.	2523	1.7	3.7	10.1	2.1	0.4	5.9	45	0.2
49826	0	0	0	0	KHM	48.5261	117.0794	21.7	657.7	422	55682.	2511	1.6	4.5	11.6	2.9	0.4	7.5	31	0.2
49827	0	0	0	0	KHM	48.5261	117.0788	21.7	658.2	433	55669.	2494	1.7	3.6	11.6	2.1	0.3	7.0	35	0.2
49828	0	0	0	0	KHM	48.5260	117.0782	21.8	658.7	448	55657.	2676	2.2	4.6	15.1	2.0	0.3	6.8	33	0.1
49829	0	0	0	0	KHM	48.5260	117.0776	21.8	659.2	479	55647.	2860	2.2	6.9	9.6	3.1	0.7	4.4	43	0.1
49830	0	0	0	0	KHM	48.5260	117.0770	21.8	659.7	504	55637.	2982	2.4	5.5	10.7	2.3	0.5	4.6	38	0.1
49831	0	0	0	0	KHM	48.5260	117.0764	21.9	660.2	525	55630.	3150	2.2	5.7	12.7	2.6	0.4	5.8	40	0.1
49832	0	0	0	0	KHM	48.5260	117.0757	21.9	660.7	531	55624.	3180	2.0	7.5	16.0	3.8	0.5	8.0	27	0.1
49833	0	0	0	0	KHM	48.5260	117.0751	21.9	661.1	534	55619.	3123	2.2	5.4	15.6	2.4	0.3	7.0	32	0.1
49834	0	0	0	0	KHM	48.5260	117.0745	22.0	661.5	534	55615.	3099	2.2	4.9	13.7	2.2	0.4	6.1	21	0.1
49835	0	0	0	0	KHM	48.5259	117.0738	22.0	661.9	522	55612.	3194	1.5	7.5	18.6	5.1	0.4	12.5	35	0.1
49836	0	0	0	0	KHM	48.5259	117.0732	22.0	662.3	493	55608.	2863	1.7	6.8	12.5	4.1	0.5	7.5	43	0.1
49837	0	0	0	0	KHM	48.5259	117.0726	22.0	662.7	466	55605.	2726	2.2	4.8	13.1	2.2	0.4	6.0	39	0.1
49838	0	0	0	0	KHM	48.5259	117.0719	22.1	663.0	451	55602.	2633	1.7	3.8	16.6	2.2	0.2	9.5	30	0.1
49839	0	0	0	0	KHM	48.5259	117.0713	22.1	663.4	450	55601.	2493	1.7	5.7	10.5	3.4	0.5	6.2	38	0.1
49840	0	0	0	0	KHM	48.5258	117.0707	22.1	663.6	443	55600.	2425	1.6	5.1	11.3	3.2	0.5	7.0	37	0.1
49841	0	0	0	0	KHM	48.5258	117.0700	22.2	663.9	432	55601.	2256	1.2	5.6	13.9	4.8	0.4	12.0	43	0.1
49842	0	0	0	0	KHM	48.5258	117.0694	22.2	664.2	436	55603.	2328	1.9	3.3	12.7	1.8	0.3	6.9	28	0.1
49843	0	0	0	0	KHM	48.5258	117.0688	22.2	664.4	441	55606.	2217	1.1	5.0	11.2	4.7	0.4	10.5	36	0.1
49844	0	0	0	0	KHM	48.5258	117.0681	22.2	664.6	441	55613.	2159	1.3	5.0	9.1	3.9	0.5	7.0	31	0.1
49845	0	0	0	0	KHM	48.5258	117.0675	22.3	664.8	444	55620.	2118	1.6	4.3	6.9	2.7	0.6	4.3	37	0.1
49846	0	0	0	0	KHM	48.5258	117.0669	22.3	664.9	473	55629.	2196	1.4	4.9	10.4	3.5	0.5	7.4	40	0.1
49847	0	0	0	0	KHM	48.5257	117.0662	22.3	665.0	521	55641.	2404	1.3	5.2	15.4	3.9	0.3	11.7	30	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 28									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49848	0	0	0	0	KHM	48.5257	117.0656	22.3	665.0	563	55654.	2773	2.1	6.0	12.2	2.9	0.5	5.8	31	0.1
49849	0	0	0	0	KHM	48.5257	117.0650	22.4	665.0	590	55669.	2850	2.1	5.9	14.9	2.9	0.4	7.3	34	0.1
49850	0	0	0	0	KHM	48.5257	117.0643	22.4	665.0	618	55684.	3156	1.9	8.1	16.8	4.3	0.5	8.9	29	0.1
49851	0	0	0	0	KHM	48.5257	117.0637	22.4	664.9	638	55695.	3274	2.3	4.0	20.5	1.7	0.2	8.7	27	0.1
49852	0	0	0	0	KHM	48.5257	117.0631	22.4	664.8	632	55702.	3041	1.9	6.9	14.8	3.6	0.5	7.8	34	0.1
49853	0	0	0	0	KHM	48.5257	117.0624	22.4	664.6	597	55708.	2854	2.2	5.3	17.7	2.4	0.3	8.0	35	0.1
49854	0	0	0	0	KHM	48.5256	117.0619	22.5	664.4	545	55714.	2718	2.0	5.1	17.0	2.6	0.3	8.6	26	0.1
49855	0	0	0	0	KHM	48.5256	117.0613	22.5	664.1	493	55722.	2546	1.4	7.3	9.3	5.4	0.8	6.9	39	0.1
49856	0	0	0	0	KHM	48.5256	117.0608	22.5	663.8	456	55733.	2441	1.6	7.3	11.8	4.7	0.6	7.6	37	0.1
49857	0	0	0	0	KHM	48.5256	117.0602	22.5	663.5	426	55744.	2589	2.1	3.0	14.7	1.4	0.2	6.9	23	0.1
49858	0	0	0	0	KHM	48.5256	117.0597	22.5	663.1	413	55757.	2505	1.6	2.9	18.1	1.9	0.2	11.5	26	0.1
49859	0	0	0	0	KHM	48.5256	117.0591	22.6	662.8	397	55770.	2497	1.9	3.1	16.0	1.7	0.2	8.5	31	0.1
49860	0	0	0	0	KHM	48.5256	117.0586	22.6	662.4	390	55783.	2592	1.8	5.5	13.2	3.0	0.4	7.2	29	0.1
49861	0	0	0	0	KHM	48.5256	117.0580	22.6	662.0	385	55796.	2520	1.7	3.3	13.8	2.0	0.2	8.4	35	0.1
49862	0	0	0	0	KHM	48.5256	117.0574	22.6	661.5	373	55810.	2597	1.8	4.5	13.2	2.5	0.3	7.4	35	0.1
49863	0	0	0	0	KHM	48.5256	117.0569	22.6	661.1	359	55822.	2493	2.1	3.0	13.9	1.4	0.2	6.7	44	0.1
49864	0	0	0	0	KHM	48.5256	117.0564	22.6	660.6	349	55832.	2461	1.7	5.1	11.2	3.0	0.5	6.5	45	0.1
49865	0	0	0	0	KHM	48.5256	117.0558	22.6	660.2	361	55841.	2540	1.9	4.8	12.8	2.6	0.4	6.7	28	0.1
49866	0	0	0	0	KHM	48.5256	117.0552	22.6	659.7	377	55848.	2511	1.7	4.1	14.0	2.5	0.3	8.4	39	0.1
49867	0	0	0	0	KHM	48.5256	117.0547	22.6	659.2	393	55855.	2604	1.5	5.2	11.4	3.4	0.5	7.6	46	0.1
49868	0	0	0	0	KHM	48.5256	117.0541	22.7	658.9	398	55859.	2772	2.0	5.2	15.8	2.6	0.3	7.9	39	0.1
49869	0	0	0	0	KHM	48.5256	117.0536	22.7	658.4	395	55860.	2743	1.7	5.1	15.7	3.1	0.3	9.5	38	0.1
49870	0	0	0	0	KHM	48.5256	117.0530	22.7	658.0	386	55860.	2750	2.2	3.9	12.6	1.8	0.3	5.6	44	0.1
49871	0	0	0	0	KHM	48.5256	117.0525	22.7	657.6	373	55859.	2843	2.4	3.5	15.1	1.5	0.2	6.3	32	0.1
49872	0	0	0	0	KHM	48.5256	117.0519	22.7	657.3	356	55860.	2580	1.8	4.0	15.2	2.2	0.3	8.4	45	0.1
49873	0	0	0	0	KHM	48.5256	117.0514	22.7	656.9	340	55861.	2420	1.6	4.8	14.2	3.1	0.3	9.1	44	0.1
49874	0	0	0	0	KHM	48.5256	117.0508	22.7	656.6	334	55861.	2520	1.9	4.5	14.5	2.4	0.3	7.8	44	0.1
49875	0	0	0	0	KHM	48.5256	117.0503	22.7	656.3	335	55860.	2407	1.8	3.7	14.8	2.0	0.2	8.2	39	0.1
49876	0	0	0	0	KHM	48.5256	117.0497	22.7	656.0	336	55857.	2474	1.7	3.1	13.2	1.9	0.2	7.9	33	0.1
49877	0	0	0	0	KHM	48.5256	117.0492	22.7	655.8	329	55851.	2458	1.9	4.1	14.4	2.2	0.3	7.8	32	0.1
49878	0	0	0	0	KHM	48.5256	117.0486	22.7	655.6	330	55844.	2418	2.2	4.1	9.9	1.9	0.4	4.6	35	0.1
49879	0	0	1	0	KHM	48.5256	117.0480	22.7	655.4	341	55838.	2376	1.9	1.3	15.3	0.7	0.1	8.2	38	0.1
49880	0	0	0	0	KHM	48.5256	117.0475	22.7	655.2	358	55832.	2227	1.9	3.0	9.6	1.6	0.3	5.2	42	0.1
49881	0	0	0	0	KHM	48.5256	117.0470	22.7	655.0	374	55826.	2436	1.7	5.3	11.8	3.2	0.4	7.2	27	0.1
49882	0	0	0	0	KHM	48.5256	117.0464	22.7	654.9	382	55821.	2380	1.7	4.2	11.1	2.4	0.4	6.4	41	0.1
49883	0	0	0	0	KHM	48.5256	117.0458	22.7	654.8	383	55815.	2341	1.8	3.9	11.2	2.2	0.4	6.1	36	0.1
49884	0	0	0	0	KHM	48.5256	117.0453	22.7	654.7	372	55809.	2221	1.6	4.7	8.1	3.0	0.6	5.2	42	0.1
49885	0	0	0	0	KHM	48.5256	117.0447	22.7	654.6	364	55803.	1939	1.5	3.3	10.2	2.3	0.3	7.1	41	0.1
49886	0	0	0	0	KHM	48.5255	117.0442	22.7	654.5	365	55798.	1980	1.1	3.0	11.7	2.8	0.3	10.6	36	0.1
49887	0	0	0	0	KHM	48.5255	117.0436	22.8	654.4	371	55794.	1947	1.6	3.5	8.4	2.2	0.4	5.3	38	0.1
49888	0	0	0	0	KHM	48.5255	117.0431	22.8	654.4	377	55789.	1960	1.5	2.7	7.6	1.7	0.3	5.0	36	0.1
49889	0	0	0	0	KHM	48.5255	117.0425	22.8	654.3	377	55786.	1903	1.2	4.2	8.6	3.5	0.5	7.2	37	0.1
49890	0	0	0	0	KHM	48.5255	117.0420	22.8	654.3	381	55786.	1789	1.0	3.6	8.3	3.7	0.4	8.4	45	0.1
49891	0	0	0	0	KHM	48.5255	117.0414	22.8	654.2	386	55785.	1843	0.8	5.0	7.6	6.4	0.7	9.9	39	0.1
49892	0	0	0	0	KHM	48.5255	117.0409	22.8	654.2	399	55783.	1853	1.6	3.5	6.8	2.2	0.5	4.2	37	0.1
49893	0	0	0	0	KHM	48.5255	117.0403	22.8	654.2	416	55780.	1963	1.4	2.6	11.5	1.9	0.2	8.5	35	0.2
49894	0	0	0	0	KHM	48.5255	117.0398	22.8	654.3	436	55776.	2178	1.7	4.2	7.9	2.5	0.5	4.7	36	0.2
49896	0	0	0	0	KHM	48.5255	117.0387	22.8	654.3	463	55772.	2256	1.6	3.3	14.2	2.1	0.2	9.0	32	0.2
49897	0	0	0	0	KHM	48.5255	117.0381	22.8	654.4	488	55768.	2275	1.7	3.9	11.1	2.2	0.3	6.4	28	0.2
49898	0	0	0	0	KHM	48.5255	117.0376	22.8	654.4	498	55765.	2242	1.6	3.7	8.6	2.3	0.4	5.3	35	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 28							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49899	0	0	0	0	KHM	48.5255	117.0370	22.8	654.5	486	55763.	2135	1.6	4.6	7.9	2.9	0.6	5.0	33	0.2
49900	0	0	0	0	KHM	48.5255	117.0365	22.8	654.6	459	55763.	2051	1.6	2.0	10.9	1.2	0.2	6.8	32	0.2
49901	0	0	0	0	KHM	48.5255	117.0359	22.8	654.8	437	55765.	1876	1.2	3.7	5.8	3.1	0.6	4.9	44	0.2
49902	0	0	0	0	KHM	48.5255	117.0353	22.8	654.9	428	55768.	1902	1.2	3.4	8.6	2.8	0.4	6.9	40	0.2
49903	0	0	0	0	KHM	48.5255	117.0348	22.8	655.1	438	55769.	1970	1.1	3.8	8.2	3.3	0.5	7.3	39	0.2
49904	0	0	0	0	KHM	48.5255	117.0342	22.8	655.3	456	55770.	1915	1.7	4.2	8.6	2.5	0.5	5.2	44	0.2
49905	0	0	0	0	KHM	48.5255	117.0337	22.8	655.5	478	55768.	2026	1.3	3.4	11.8	2.6	0.3	9.1	41	0.2
49906	0	0	0	0	KHM	48.5255	117.0331	22.8	655.7	498	55765.	2134	1.2	4.7	6.5	3.9	0.7	5.4	40	0.1
49907	0	0	0	0	KHM	48.5255	117.0326	22.8	655.9	522	55760.	2095	1.4	4.5	9.5	3.1	0.5	6.6	34	0.1
49908	0	0	0	0	KHM	48.5255	117.0320	22.8	656.0	544	55755.	2363	1.6	3.0	15.3	1.9	0.2	9.8	40	0.1
49909	0	0	0	0	KHM	48.5255	117.0315	22.8	656.2	564	55749.	2308	1.4	5.2	8.6	3.8	0.6	6.3	40	0.1
49910	0	0	0	0	KHM	48.5255	117.0309	22.8	656.3	566	55742.	2424	1.7	5.0	10.4	3.0	0.5	6.2	25	0.1
49911	0	0	0	0	KHM	48.5255	117.0303	22.8	656.4	558	55734.	2345	1.2	5.8	10.5	4.8	0.6	8.7	32	0.1
49912	0	0	0	0	KHM	48.5255	117.0298	22.8	656.5	544	55725.	2142	1.7	4.1	7.7	2.4	0.5	4.5	35	0.1
49913	0	0	0	0	KHM	48.5255	117.0293	22.8	656.6	548	55718.	2307	1.4	4.4	11.7	3.1	0.4	8.4	38	0.1
49914	0	0	0	0	KHM	48.5255	117.0287	22.8	656.6	570	55711.	2449	1.7	3.0	13.6	1.7	0.2	7.9	30	0.1
49915	0	0	0	0	KHM	48.5255	117.0282	22.8	656.6	581	55706.	2382	1.5	3.4	14.2	2.2	0.2	9.4	33	0.1
49916	0	0	0	0	KHM	48.5255	117.0276	22.8	656.5	574	55705.	2442	1.6	4.7	9.8	2.9	0.5	6.1	20	0.1
49917	0	0	0	0	KHM	48.5255	117.0271	22.8	656.4	548	55708.	2290	1.3	3.0	12.0	2.3	0.2	9.3	40	0.1
49918	0	0	0	0	KHM	48.5255	117.0265	22.8	656.3	530	55714.	2358	1.2	4.9	12.9	4.0	0.4	10.7	42	0.1
49919	0	0	0	0	KHM	48.5255	117.0260	22.8	656.3	515	55725.	2228	1.4	6.1	8.3	4.5	0.7	6.1	36	0.1
49920	0	0	0	0	KHM	48.5255	117.0254	22.8	656.1	498	55738.	2172	1.1	5.4	8.2	5.1	0.7	7.7	38	0.1
49921	0	0	0	0	KHM	48.5255	117.0249	22.8	656.0	478	55755.	2068	1.6	4.2	8.5	2.7	0.5	5.5	32	0.1
49922	0	0	0	0	KHM	48.5255	117.0244	22.8	656.0	453	55775.	1993	1.5	3.5	5.9	2.3	0.6	3.8	39	0.1
49923	0	0	0	0	KHM	48.5255	117.0238	22.8	655.9	429	55797.	2038	1.4	2.6	10.5	1.8	0.2	7.3	30	0.1
49924	0	0	0	0	KHM	48.5255	117.0233	22.8	655.8	404	55818.	1848	1.3	3.6	7.5	2.7	0.5	5.6	56	0.1
49925	0	0	0	0	KHM	48.5255	117.0227	22.8	655.8	382	55838.	1872	1.4	2.7	7.7	1.9	0.4	5.5	36	0.1
49926	0	0	0	0	KHM	48.5255	117.0222	22.8	655.8	363	55852.	1767	0.9	5.3	5.2	5.7	1.0	5.6	44	0.2
49927	0	0	0	0	KHM	48.5255	117.0216	22.8	655.8	351	55861.	1662	1.1	2.6	7.3	2.5	0.4	6.8	32	0.2
49928	0	0	0	0	KHM	48.5255	117.0211	22.8	655.8	344	55863.	1658	1.0	2.5	7.1	2.4	0.3	6.9	40	0.2
49929	0	0	0	0	KHM	48.5256	117.0206	22.8	655.9	340	55859.	1603	0.9	2.1	8.1	2.3	0.3	8.7	45	0.2
49930	0	0	0	0	KG	48.5256	117.0200	22.8	656.0	342	55849.	1602	1.2	2.3	5.4	1.9	0.4	4.4	33	0.2
49931	0	0	0	0	KG	48.5256	117.0195	22.8	656.0	355	55836.	1691	1.1	3.6	6.6	3.3	0.5	6.1	51	0.2
49932	0	0	0	0	KG	48.5256	117.0189	22.8	656.1	379	55821.	1669	1.3	3.5	6.9	2.7	0.5	5.4	39	0.2
49933	0	0	0	0	KG	48.5256	117.0184	22.8	656.3	409	55806.	1779	1.3	2.4	6.9	1.8	0.3	5.3	37	0.2
49934	0	0	0	0	KG	48.5256	117.0178	22.8	656.3	441	55791.	1861	1.4	2.1	8.2	1.6	0.3	6.0	43	0.2
49935	0	0	0	0	KG	48.5256	117.0173	22.8	656.4	467	55779.	1958	1.4	3.8	6.0	2.8	0.6	4.4	42	0.2
49936	0	0	0	0	KG	48.5256	117.0167	22.8	656.6	488	55769.	1800	1.7	2.8	5.4	1.7	0.5	3.3	38	0.2
49937	0	0	0	0	KG	48.5256	117.0162	22.8	656.6	502	55761.	1906	1.1	5.8	4.3	5.5	1.4	4.0	48	0.2
49938	0	0	0	0	KG	48.5256	117.0157	22.8	656.7	513	55756.	1983	1.4	3.1	6.7	2.2	0.5	4.7	41	0.2
49939	0	0	0	0	KG	48.5256	117.0151	22.8	656.8	523	55753.	1860	1.1	4.2	7.4	4.0	0.6	7.0	32	0.2
49940	0	0	0	0	KG	48.5256	117.0146	22.8	656.9	533	55750.	1807	1.0	5.0	4.0	5.1	1.3	4.0	36	0.2
49941	0	0	0	0	KG	48.5256	117.0140	22.8	656.9	542	55749.	1837	1.2	3.1	7.3	2.5	0.4	5.9	34	0.2
49942	0	0	0	0	KG	48.5256	117.0135	22.8	657.0	548	55748.	1786	1.3	2.4	7.5	2.0	0.3	6.0	35	0.2
49943	0	0	0	0	KG	48.5256	117.0129	22.8	657.1	550	55746.	1631	1.3	3.2	5.4	2.5	0.6	4.1	38	0.2
49944	0	0	0	0	KG	48.5256	117.0124	22.8	657.1	550	55743.	1702	1.1	3.3	4.9	3.0	0.7	4.4	44	0.2
49945	0	0	1	0	KG	48.5256	117.0118	22.8	657.2	550	55738.	1820	1.9	1.1	8.3	0.6	0.1	4.4	36	0.2
49946	0	0	0	0	KG	48.5257	117.0113	22.8	657.2	550	55734.	1761	1.4	3.2	6.3	2.3	0.5	4.6	40	0.2
49947	0	0	0	0	KG	48.5257	117.0108	22.8	657.3	553	55730.	1901	1.1	3.3	7.9	3.0	0.4	7.1	29	0.2
49948	0	0	0	0	KG	48.5257	117.0102	22.8	657.3	551	55728.	1949	1.3	1.8	10.2	1.4	0.2	7.7	34	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 28							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
49949	0	0	0	0	KG	48.5257	117.0097	22.8	657.4	545	55727.	1992	1.4	4.4	5.9	3.2	0.7	4.3	29	0.2
49950	0	0	0	0	KG	48.5257	117.0091	22.8	657.4	532	55725.	1960	1.9	2.9	8.9	1.5	0.3	4.8	42	0.2
49951	0	0	0	0	KG	48.5257	117.0086	22.8	657.5	515	55723.	1928	1.7	2.6	8.1	1.5	0.3	4.7	41	0.2
49952	0	0	1	0	KG	48.5257	117.0080	22.8	657.5	496	55721.	1815	1.4	1.3	7.6	0.9	0.2	5.4	34	0.2
49953	0	0	0	0	KG	48.5257	117.0075	22.8	657.6	478	55718.	1879	1.3	2.4	8.8	1.9	0.3	7.0	30	0.2
49954	0	0	0	0	KG	48.5257	117.0069	22.8	657.7	463	55713.	1943	1.2	3.6	8.3	3.0	0.4	6.7	28	0.2
49955	0	0	0	0	KG	48.5257	117.0064	22.8	657.7	454	55708.	1825	0.8	3.8	6.8	4.9	0.6	8.9	30	0.2
49956	0	0	0	0	KG	48.5257	117.0059	22.8	657.8	451	55704.	1793	1.4	2.3	8.3	1.7	0.3	6.2	38	0.2
49957	0	0	0	0	KG	48.5257	117.0053	22.8	657.9	452	55701.	1730	1.3	3.3	7.8	2.6	0.4	6.1	38	0.2
49958	0	0	0	0	KG	48.5257	117.0048	22.8	658.0	456	55699.	1691	1.3	3.1	6.9	2.5	0.5	5.5	41	0.2
49959	0	0	0	0	KG	48.5257	117.0042	22.8	658.1	459	55698.	1709	1.8	2.5	4.2	1.4	0.6	2.3	46	0.2
49960	0	0	0	0	KG	48.5257	117.0037	22.8	658.2	463	55699.	1721	1.2	3.9	6.0	3.2	0.6	5.0	32	0.2
49961	0	0	0	0	KG	48.5257	117.0031	22.8	658.3	463	55700.	1644	1.2	1.9	10.2	1.6	0.2	8.8	39	0.2
49962	0	0	0	0	KG	48.5257	117.0026	22.8	658.5	457	55704.	1618	1.6	1.8	8.6	1.1	0.2	5.3	41	0.2
49963	0	0	0	0	KG	48.5257	117.0021	22.8	658.7	444	55709.	1645	0.9	2.7	4.9	3.2	0.6	5.8	36	0.2
49964	0	0	0	0	KG	48.5257	117.0015	22.8	658.8	429	55716.	1600	1.0	2.6	8.5	2.5	0.3	8.2	27	0.2
49965	0	0	0	0	KG	48.5257	117.0010	22.8	659.0	421	55723.	1555	1.0	1.9	4.5	1.9	0.4	4.4	27	0.2
49966	0	0	0	0	QAG	48.5258	117.0004	22.8	659.2	407	55727.	1367	0.9	2.1	7.5	2.5	0.3	8.7	40	0.2
49967	0	0	0	0	QAG	48.5258	116.9999	22.8	659.4	398	55729.	1394	1.1	2.2	4.2	2.1	0.5	3.9	34	0.2
49968	0	0	0	0	QAG	48.5258	116.9993	22.8	659.6	386	55728.	1318	0.7	2.6	5.2	3.6	0.5	7.3	31	0.2
49969	0	0	0	0	QAG	48.5258	116.9988	22.8	659.9	387	55723.	1317	1.1	1.7	6.5	1.6	0.3	6.1	32	0.2
49970	0	0	0	0	QAG	48.5258	116.9982	22.8	660.1	396	55720.	1342	1.4	1.5	4.8	1.1	0.3	3.6	32	0.2
49971	0	0	0	0	QAG	48.5258	116.9977	22.8	660.3	410	55717.	1428	1.0	2.8	3.3	2.8	0.8	3.4	35	0.2
49972	0	0	0	0	QAG	48.5258	116.9972	22.8	660.6	425	55718.	1482	1.2	2.3	4.8	1.9	0.5	3.9	22	0.2
49973	0	0	0	0	QAG	48.5258	116.9966	22.8	660.8	434	55725.	1472	1.1	2.3	5.6	2.1	0.4	5.1	37	0.2
49974	0	0	0	0	QAG	48.5258	116.9961	22.8	660.9	443	55733.	1547	0.9	3.8	3.6	4.4	1.1	4.1	35	0.2
49975	0	0	0	0	QAG	48.5258	116.9955	22.8	661.0	453	55743.	1571	1.0	3.0	4.3	3.1	0.7	4.5	40	0.2
49976	0	0	1	0	QAG	48.5258	116.9950	22.8	661.1	459	55755.	1554	1.3	0.7	4.9	0.6	0.1	3.8	35	0.2
49977	0	0	0	0	QAG	48.5258	116.9944	22.8	661.2	459	55766.	1514	1.2	1.7	4.2	1.5	0.4	3.6	34	0.2
49978	0	0	0	0	QAG	48.5258	116.9939	22.8	661.3	451	55778.	1565	0.9	3.9	4.3	4.2	0.9	4.7	41	0.2
49979	0	0	0	0	QAG	48.5258	116.9934	22.8	661.4	445	55790.	1636	1.0	1.9	6.7	2.0	0.3	6.9	25	0.2
49980	0	0	0	0	QAG	48.5258	116.9928	22.8	661.5	438	55802.	1438	0.9	2.6	4.8	2.8	0.5	5.3	52	0.2

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 29							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50520	0	0	0	0	KKH	48.5239	117.2412	20.6	664.0	388	55886.	2960	2.6	4.1	14.4	1.5	0.3	5.5	31	0.1
50519	0	0	0	0	KKH	48.5239	117.2406	20.6	663.7	417	55871.	2843	2.3	6.6	12.9	2.9	0.5	5.7	35	0.1
50518	0	0	0	0	KKH	48.5239	117.2401	20.6	663.4	454	55855.	2960	2.2	6.5	12.4	2.9	0.5	5.5	37	0.1
50517	0	0	0	0	KKH	48.5239	117.2395	20.6	663.1	496	55839.	2914	2.3	5.6	15.2	2.4	0.4	6.7	33	0.1
50516	0	0	0	0	KKH	48.5239	117.2390	20.6	662.8	542	55827.	2920	2.4	6.0	14.1	2.5	0.4	6.0	34	0.1
50515	0	0	0	0	KG	48.5239	117.2384	20.6	662.5	575	55817.	2995	2.0	7.9	11.5	4.0	0.7	5.8	32	0.1
50514	0	0	0	0	KG	48.5239	117.2379	20.6	662.2	606	55811.	2956	2.5	6.5	14.0	2.6	0.5	5.7	37	0.1
50513	0	0	0	0	KG	48.5239	117.2373	20.6	661.9	626	55806.	2838	2.3	4.9	10.8	2.1	0.4	4.7	30	0.1
50512	0	0	0	0	KG	48.5239	117.2368	20.6	661.5	648	55801.	2936	2.7	5.7	15.0	2.1	0.4	5.5	42	0.1
50511	0	0	0	0	KG	48.5239	117.2362	20.6	661.2	660	55796.	2811	2.2	6.3	11.6	3.1	0.6	5.3	31	0.1
50510	0	0	0	0	KG	48.5239	117.2357	20.6	660.9	658	55795.	2714	2.2	5.1	10.0	2.3	0.5	4.5	37	0.1
50509	0	0	0	0	KG	48.5239	117.2351	20.6	660.5	645	55795.	2666	2.7	4.3	10.5	1.6	0.4	4.0	44	0.1
50508	0	0	0	0	KG	48.5239	117.2346	20.6	660.1	630	55797.	2582	2.1	6.0	8.3	2.9	0.7	4.0	29	0.1
50507	0	0	0	0	KG	48.5239	117.2340	20.6	659.7	626	55801.	2427	2.0	5.7	7.5	2.8	0.8	3.8	38	0.1
50506	0	0	0	0	KG	48.5239	117.2334	20.6	659.3	633	55805.	2433	2.2	5.8	6.6	2.6	0.9	3.0	34	0.1
50505	0	0	0	0	KG	48.5239	117.2329	20.6	658.9	644	55811.	2413	1.8	6.5	7.1	3.6	0.9	4.0	35	0.1
50504	0	0	0	0	KG	48.5239	117.2323	20.6	658.5	646	55815.	2393	1.7	8.5	8.6	5.0	1.0	5.1	24	0.1
50503	0	0	0	0	KG	48.5239	117.2317	20.6	658.1	643	55819.	2363	1.5	6.2	7.2	4.2	0.9	4.9	37	0.1
50502	0	0	0	0	KG	48.5239	117.2312	20.6	657.7	626	55823.	2334	1.7	5.7	8.1	3.3	0.7	4.7	32	0.1
50501	0	0	0	0	KNA	48.5239	117.2306	20.6	657.3	611	55827.	2179	1.5	5.1	7.2	3.5	0.7	5.0	41	0.1
50500	0	0	0	0	KNA	48.5239	117.2300	20.6	657.0	599	55833.	2072	1.8	5.7	4.6	3.1	1.2	2.5	47	0.1
50499	0	0	0	0	KNA	48.5239	117.2295	20.6	656.6	599	55840.	2118	1.6	5.5	7.4	3.4	0.7	4.5	38	0.1
50498	0	0	0	0	KNA	48.5238	117.2289	20.6	656.2	604	55847.	2246	2.0	4.7	6.9	2.4	0.7	3.5	38	0.1
50497	0	0	0	0	KNA	48.5238	117.2284	20.6	655.8	610	55852.	2359	1.3	7.8	8.6	6.2	0.9	6.9	32	0.1
50496	0	0	0	0	KNA	48.5238	117.2278	20.6	655.4	612	55855.	2271	1.8	4.1	7.3	2.3	0.6	4.1	47	0.1
50495	0	0	0	0	KG	48.5238	117.2272	20.6	655.0	612	55855.	2405	1.6	5.9	8.1	3.8	0.7	5.2	39	0.1
50494	0	0	0	0	KG	48.5238	117.2267	20.6	654.6	610	55854.	2592	2.9	3.2	9.1	1.1	0.3	3.1	36	0.1
50493	0	0	0	0	KG	48.5238	117.2261	20.6	654.2	603	55851.	2735	2.1	6.9	8.6	3.3	0.8	4.1	28	0.1
50492	0	0	0	0	KG	48.5238	117.2255	20.6	653.8	587	55849.	2687	2.2	5.5	8.2	2.5	0.7	3.7	35	0.1
50491	0	0	0	0	KG	48.5238	117.2250	20.6	653.4	557	55846.	2741	2.5	5.1	9.2	2.0	0.5	3.7	37	0.1
50490	0	0	0	0	KG	48.5238	117.2244	20.6	653.1	520	55840.	2948	2.3	4.2	15.3	1.8	0.3	6.5	33	0.1
50489	0	0	0	0	KG	48.5238	117.2238	20.6	652.7	485	55835.	2991	2.2	6.7	9.0	3.0	0.7	4.1	39	0.1
50488	0	0	0	0	KG	48.5238	117.2233	20.6	652.3	458	55827.	3039	2.4	5.2	12.1	2.2	0.4	5.0	51	0.1
50487	0	0	0	0	KG	48.5238	117.2227	20.6	651.9	429	55819.	3245	2.3	6.8	12.2	3.0	0.6	5.4	44	0.1
50486	0	0	0	0	KG	48.5238	117.2222	20.6	651.5	392	55811.	3548	2.4	6.2	10.4	2.5	0.6	4.3	51	0.1
50485	0	0	0	0	KG	48.5238	117.2216	20.6	651.1	353	55801.	3221	2.4	8.5	11.3	3.5	0.8	4.7	30	0.1
50484	0	0	0	0	KG	48.5238	117.22 0	20.6	650.7	319	55791.	3202	2.5	7.4	12.7	3.0	0.6	5.1	45	0.1
50483	0	0	0	0	KG	48.5238	117.2205	20.6	650.4	297	55783.	3183	2.3	7.4	12.8	3.2	0.6	5.6	33	0.1
50482	0	0	0	0	KG	48.5238	117.2199	20.6	650.0	287	55776.	3252	2.3	7.8	13.5	3.4	0.6	5.9	37	0.1
50481	0	0	0	0	KG	48.5238	117.2193	20.6	649.6	294	55774.	3232	2.5	7.3	12.2	2.9	0.6	4.9	46	0.1
50480	0	0	0	0	KNA	48.5238	117.2188	20.6	649.3	306	55776.	3199	2.6	7.8	12.1	3.0	0.6	4.7	56	0.1
50479	0	0	0	0	KNA	48.5238	117.2182	20.5	648.9	312	55779.	3331	2.9	5.8	15.3	2.0	0.4	5.2	39	0.1
50478	0	0	0	0	KNA	48.5238	117.2177	20.5	648.6	310	55785.	3235	2.5	7.9	12.0	3.2	0.7	4.8	50	0.1
50477	0	0	0	0	KNA	48.5238	117.2171	20.5	648.3	313	55791.	3430	2.4	7.7	13.9	3.3	0.6	5.9	34	0.1
50476	0	0	0	0	KNA	48.5238	117.2165	20.5	648.0	321	55796.	3375	2.6	5.8	14.4	2.2	0.4	5.4	41	0.1
50475	0	0	0	0	KNA	48.5238	117.2160	20.5	647.8	341	55803.	3328	2.3	8.2	10.6	3.6	0.8	4.6	45	0.1
50474	0	0	0	0	KNA	48.5237	117.2154	20.5	647.5	364	55807.	3236	2.7	7.2	11.0	2.7	0.7	4.1	52	0.1
50473	0	0	0	0	KNA	48.5237	117.2148	20.5	647.3	392	55812.	2907	2.3	7.4	10.1	3.3	0.7	4.4	44	0.1
50472	0	0	0	0	KNA	48.5237	117.2143	20.5	647.1	409	55819.	2753	2.4	5.0	12.0	2.1	0.4	5.1	50	0.1
50471	0	0	0	0	KNA	48.5237	117.2137	20.5	646.9	419	55826.	2582	2.3	6.7	6.5	2.9	1.0	2.9	39	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 29							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50470	0	0	0	0	KNA	48.5237	117.2132	20.5	646.8	418	55834.	2462	1.8	5.1	13.3	2.8	0.4	7.4	43	0.1
50469	0	0	0	0	KNA	48.5237	117.2126	20.5	646.6	411	55844.	2242	1.7	4.0	9.5	2.4	0.4	5.8	48	0.1
50468	0	0	0	0	KNA	48.5237	117.2120	20.5	646.5	401	55853.	2198	1.7	3.3	9.1	1.9	0.4	5.3	40	0.1
50467	0	0	0	0	KNA	48.5237	117.2115	20.5	646.3	388	55864.	2064	2.0	4.0	6.0	2.1	0.7	3.1	51	0.1
50466	0	0	0	0	KNA	48.5237	117.2109	20.5	646.2	373	55876.	2178	1.9	5.3	6.2	2.8	0.8	3.4	33	0.1
50465	0	0	0	0	KNA	48.5237	117.2103	20.5	646.1	354	55887.	1992	1.5	5.3	5.3	3.5	1.0	3.5	55	0.1
50464	0	0	0	0	KNA	48.5237	117.2098	20.5	646.0	333	55898.	2136	1.8	4.8	7.1	2.6	0.7	3.9	40	0.1
50463	0	0	0	0	KNA	48.5237	117.2092	20.5	645.9	315	55908.	2142	1.7	3.4	9.8	1.9	0.3	5.6	34	0.1
50462	0	0	0	0	KNA	48.5237	117.2086	20.5	645.9	308	55915.	2231	1.8	4.2	8.9	2.4	0.5	5.1	36	0.1
50461	0	0	0	0	KNA	48.5237	117.2081	20.5	645.9	308	55919.	2293	2.2	3.2	10.3	1.5	0.3	4.7	41	0.1
50460	0	0	0	0	KNA	48.5237	117.2075	20.5	645.9	311	55918.	2208	1.8	3.4	9.7	1.9	0.4	5.5	52	0.1
50459	0	0	0	0	KNA	48.5237	117.2069	20.5	645.9	314	55915.	2291	2.1	3.6	10.4	1.7	0.3	5.0	34	0.1
50458	0	0	0	0	KNA	48.5237	117.2064	20.5	645.9	321	55912.	2158	1.8	4.1	9.9	2.3	0.4	5.4	39	0.1
50457	0	0	0	0	KG	48.5237	117.2058	20.5	645.9	334	55910.	2073	2.0	2.2	8.4	1.1	0.3	4.2	49	0.1
50456	0	0	0	0	KG	48.5237	117.2053	20.5	646.0	344	55910.	2147	2.1	3.1	9.1	1.5	0.3	4.3	44	0.1
50455	0	0	0	0	KG	48.5237	117.2047	20.5	646.1	345	55911.	2086	1.6	4.3	9.0	2.8	0.5	5.7	34	0.1
50454	0	0	0	0	KG	48.5237	117.2041	20.5	646.2	345	55914.	2175	1.9	3.9	9.9	2.1	0.4	5.3	39	0.1
50453	0	0	0	0	KG	48.5237	117.2036	20.5	646.3	347	55915.	2267	2.2	5.0	8.2	2.3	0.6	3.8	42	0.1
50452	0	0	0	0	KG	48.5237	117.2030	20.5	646.3	350	55915.	2268	2.3	2.6	11.7	1.1	0.2	5.0	38	0.1
50451	0	0	0	0	KG	48.5237	117.2024	20.5	646.4	350	55912.	2247	2.2	4.1	10.1	1.9	0.4	4.6	29	0.1
50450	0	0	0	0	KG	48.5237	117.2019	20.5	646.5	349	55906.	2226	2.3	2.8	8.6	1.2	0.3	3.8	26	0.1
50448	0	0	0	0	KG	48.5236	117.2007	20.5	646.5	350	55901.	2176	1.9	4.6	8.4	2.5	0.5	4.6	33	0.1
50447	0	0	0	0	KG	48.5236	117.2002	20.5	646.5	357	55896.	2151	1.8	3.2	11.7	1.8	0.3	6.5	40	0.1
50446	0	0	0	0	KG	48.5236	117.1996	20.5	646.6	370	55890.	2046	2.1	2.9	8.0	1.4	0.4	3.8	57	0.1
50445	0	0	0	0	KG	48.5236	117.1991	20.5	646.6	384	55883.	2077	2.1	3.5	9.7	1.7	0.4	4.7	45	0.1
50444	0	0	0	0	KG	48.5236	117.1985	20.5	646.5	397	55877.	2054	1.7	4.9	6.1	2.8	0.8	3.5	37	0.1
50443	0	0	0	0	KG	48.5236	117.1979	20.4	646.5	408	55875.	1986	1.7	3.6	7.7	2.2	0.5	4.6	40	0.1
50442	0	0	0	0	KG	48.5236	117.1974	20.4	646.4	417	55875.	2077	1.5	5.0	6.3	3.3	0.8	4.2	38	0.1
50441	0	0	0	0	QAG	48.5236	117.1968	20.4	646.4	424	55876.	2095	2.2	2.5	7.8	1.2	0.3	3.6	35	0.1
50440	0	0	0	0	QAG	48.5236	117.1962	20.4	646.3	423	55876.	2039	1.7	3.9	10.5	2.3	0.4	6.1	55	0.1
50439	0	0	0	0	QAG	48.5236	117.1957	20.4	646.2	413	55876.	2087	1.9	4.2	10.3	2.2	0.4	5.5	45	0.1
50438	0	0	0	0	QAG	48.5236	117.1951	20.4	646.1	395	55878.	2025	1.5	4.2	9.1	2.7	0.5	5.9	45	0.1
50437	0	0	0	0	QAG	48.5236	117.1946	20.4	646.0	374	55881.	2020	1.5	4.5	9.2	3.1	0.5	6.3	39	0.1
50436	0	0	0	0	QAG	48.5236	117.1940	20.4	645.9	351	55887.	1953	1.9	3.2	8.3	1.7	0.4	4.4	39	0.1
50435	0	0	0	0	QAG	48.5236	117.1935	20.4	645.8	329	55891.	1966	1.9	3.7	6.0	1.9	0.6	3.1	33	0.1
50434	0	0	0	0	QAG	48.5236	117.1930	20.4	645.7	311	55893.	1983	1.7	2.9	10.3	1.6	0.3	5.9	49	0.1
50433	0	0	0	0	QAG	48.5236	117.1924	20.3	645.5	297	55893.	1875	1.6	3.3	5.6	2.1	0.6	3.6	61	0.1
50432	0	0	0	0	QAG	48.5236	117.1919	20.3	645.4	294	55890.	1881	1.5	3.6	9.1	2.3	0.4	5.9	35	0.1
50431	0	0	0	0	QAG	48.5236	117.1913	20.3	645.3	300	55884.	1902	1.7	2.6	8.6	1.5	0.3	4.9	44	0.1
50430	0	0	0	0	QAG	48.5236	117.1908	20.3	645.2	313	55878.	1851	1.3	3.2	8.5	2.4	0.4	6.5	44	0.1
50429	0	0	0	0	QAG	48.5236	117.1902	20.3	645.1	329	55871.	1872	1.6	4.4	4.6	2.7	1.0	2.8	38	0.1
50428	0	0	0	0	QAG	48.5236	117.1897	20.3	645.1	347	55867.	1891	1.6	3.6	10.5	2.2	0.3	6.5	32	0.1
50427	0	0	0	0	QAG	48.5236	117.1891	20.3	645.0	374	55863.	1999	1.9	3.7	8.6	2.0	0.4	4.7	52	0.1
50426	0	0	0	0	QAG	48.5236	117.1886	20.2	644.9	407	55859.	2149	1.9	3.7	8.9	1.9	0.4	4.6	42	0.1
50425	0	0	0	0	QAG	48.5236	117.1881	20.2	644.8	441	55855.	2140	1.7	3.6	9.5	2.1	0.4	5.6	46	0.1
50424	0	0	0	0	QAG	48.5236	117.1875	20.2	644.7	467	55850.	2096	2.3	3.3	7.8	1.5	0.4	3.4	47	0.1
50423	0	0	0	0	QAG	48.5236	117.1870	20.2	644.6	485	55846.	2010	1.9	4.4	7.4	2.3	0.6	3.8	53	0.1
50422	0	0	0	0	QAG	48.5236	117.1864	20.2	644.5	501	55842.	2062	1.7	3.9	7.6	2.4	0.5	4.6	40	0.1
50421	0	0	0	0	QAG	48.5236	117.1859	20.1	644.4	521	55839.	2054	1.7	2.7	10.9	1.5	0.2	6.3	35	0.1
50420	0	0	0	0	QAG	48.5236	117.1853	20.1	644.3	545	55834.	2015	2.1	3.6	6.7	1.7	0.5	3.3	44	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 29								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50419	0	0	0	0	QAG	48.5236	117.1848	20.1	644.1	566	55828.	2031	1.2	4.6	8.4	3.9	0.5	7.1	27	0.1
50418	0	0	0	0	QAG	48.5236	117.1842	20.1	644.0	584	55825.	2044	1.5	4.8	7.4	3.2	0.6	5.1	35	0.1
50417	0	0	0	0	QAG	48.5236	117.1837	20.1	643.8	595	55822.	2000	1.1	4.5	6.4	4.1	0.7	5.8	37	0.1
50416	0	0	0	0	QAG	48.5236	117.1832	20.0	643.6	601	55821.	2092	1.6	4.7	8.7	2.9	0.5	5.5	33	0.1
50415	0	0	0	0	QAG	48.5236	117.1826	20.0	643.4	601	55822.	2121	1.5	3.6	10.1	2.4	0.4	6.7	36	0.1
50414	0	0	0	0	QAG	48.5236	117.1821	20.0	643.1	598	55823.	2118	1.4	4.9	9.1	3.4	0.5	6.3	32	0.1
50413	0	0	0	0	QAG	48.5236	117.1815	20.0	642.9	591	55827.	2211	1.9	5.5	8.1	3.0	0.7	4.4	35	0.1
50412	0	0	0	0	QAG	48.5236	117.1810	20.0	642.6	577	55832.	2221	1.7	4.2	8.5	2.5	0.5	5.0	50	0.1
50411	0	0	0	0	QAG	48.5236	117.1804	19.9	642.3	558	55837.	2156	1.9	1.7	12.3	0.9	0.1	6.5	38	0.1
50410	0	0	0	0	QAG	48.5236	117.1799	19.9	642.0	535	55843.	2224	2.0	4.2	10.5	2.1	0.4	5.2	37	0.1
50409	0	0	0	0	QAG	48.5236	117.1794	19.9	641.7	511	55850.	2203	1.8	3.7	8.6	2.0	0.4	4.7	44	0.1
50408	0	0	0	0	KG	48.5236	117.1788	19.9	641.4	487	55858.	2127	1.5	4.6	9.8	3.1	0.5	6.5	33	0.1
50407	0	0	0	0	KG	48.5236	117.1783	19.9	641.1	468	55865.	2177	2.1	3.7	7.9	1.8	0.5	3.8	46	0.1
50406	0	0	0	0	KG	48.5236	117.1777	19.8	640.8	454	55871.	2196	1.9	2.1	11.4	1.1	0.2	5.9	44	0.1
50405	0	0	0	0	KG	48.5236	117.1772	19.8	640.5	443	55873.	2199	2.1	5.3	7.5	2.5	0.7	3.6	41	0.1
50404	0	0	0	0	KG	48.5236	117.1766	19.8	640.2	428	55874.	2260	2.0	3.7	9.9	1.8	0.4	4.9	43	0.1
50403	0	0	0	0	KG	48.5236	117.1761	19.8	639.9	410	55874.	2124	2.2	5.3	6.1	2.4	0.9	2.8	46	0.1
50402	0	0	0	0	KG	48.5236	117.1755	19.7	639.5	392	55875.	2052	1.9	4.6	7.7	2.4	0.6	4.0	38	0.1
50401	0	0	0	0	KG	48.5236	117.1750	19.7	639.3	381	55877.	1948	1.9	2.9	8.3	1.5	0.4	4.3	44	0.1
50400	0	0	0	0	KG	48.5236	117.1745	19.7	639.0	381	55878.	1937	1.4	4.6	6.7	3.3	0.7	4.8	34	0.1
50399	0	0	0	0	KG	48.5236	117.1739	19.7	638.7	393	55877.	1883	1.8	3.9	6.9	2.2	0.6	3.9	51	0.1
50398	0	0	0	0	KG	48.5236	117.1734	19.7	638.4	418	55875.	1909	2.0	3.6	9.0	1.8	0.4	4.5	49	0.1
50397	0	0	0	0	KG	48.5236	117.1728	19.6	638.0	447	55871.	1889	1.5	3.8	10.6	2.6	0.4	7.1	29	0.1
50396	0	0	0	0	KG	48.5236	117.1723	19.6	637.7	477	55868.	1885	1.4	5.3	6.0	3.8	0.9	4.2	56	0.1
50395	0	0	0	0	KG	48.5236	117.1717	19.6	637.4	500	55866.	1927	1.7	3.2	7.3	1.9	0.4	4.4	36	0.1
50394	0	0	0	0	KG	48.5236	117.1712	19.6	637.0	520	55866.	1886	2.0	3.2	8.4	1.6	0.4	4.2	56	0.1
50393	0	0	0	0	KG	48.5236	117.1706	19.6	636.7	533	55866.	1899	1.5	4.5	8.3	3.1	0.5	5.6	44	0.1
50392	0	0	0	0	KG	48.5236	117.1701	19.5	636.3	542	55867.	1896	1.3	4.4	5.9	3.3	0.7	4.4	41	0.1
50391	0	0	0	0	KG	48.5236	117.1695	19.5	635.9	544	55867.	2066	1.8	4.7	7.9	2.7	0.6	4.5	46	0.1
50390	0	0	0	0	KG	48.5235	117.1690	19.5	635.6	543	55869.	2038	1.9	5.0	5.9	2.6	0.8	3.1	49	0.1
50389	0	0	0	0	KG	48.5235	117.1685	19.5	635.2	539	55873.	2088	2.0	3.9	9.6	1.9	0.4	4.7	40	0.1
50388	0	0	0	0	KG	48.5235	117.1679	19.4	634.8	531	55877.	2078	1.6	3.9	9.0	2.4	0.4	5.5	42	0.1
50387	0	0	0	0	KG	48.5235	117.1674	19.4	634.4	520	55882.	2073	2.0	3.3	8.3	2.7	0.6	4.2	53	0.1
50386	0	0	0	0	KG	48.5235	117.1668	19.4	634.0	501	55887.	2094	1.5	4.4	8.3	3.0	0.5	5.6	60	0.1
50385	0	0	0	0	KG	48.5235	117.1663	19.4	633.5	482	55889.	2069	1.7	5.2	8.3	3.1	0.6	5.0	36	0.1
50384	0	0	0	0	KG	48.5235	117.1657	19.4	633.1	469	55888.	1943	1.7	3.4	8.3	2.0	0.4	4.8	38	0.1
50383	0	0	0	0	KG	48.5235	117.1652	19.3	632.6	469	55883.	1912	1.7	3.1	9.3	1.8	0.3	5.4	25	0.1
50382	0	0	0	0	KG	48.5235	117.1646	19.3	632.1	482	55874.	1858	1.8	4.3	6.1	2.4	0.7	3.5	42	0.1
50381	0	0	0	0	KG	48.5235	117.1641	19.3	631.7	505	55862.	1828	1.5	4.2	7.4	2.8	0.6	4.9	41	0.1
50380	0	0	0	0	KG	48.5235	117.1636	19.3	631.2	538	55849.	1932	1.9	3.2	7.7	1.7	0.4	4.0	48	0.1
50379	0	0	0	0	KG	48.5235	117.1630	19.3	630.7	577	55836.	1820	1.9	3.2	6.0	1.6	0.5	3.1	51	0.1
50378	0	0	0	0	KG	48.5235	117.1625	19.2	630.1	625	55824.	2168	2.0	5.6	9.7	2.8	0.6	4.8	40	0.1
50377	0	0	0	0	KG	48.5235	117.1619	19.2	629.6	667	55815.	2171	1.8	4.0	11.2	2.2	0.4	6.2	49	0.1
50376	1	0	0	0	KG	48.5235	117.1614	19.2	629.0	701	55809.	2337	2.6	3.8	11.4	1.5	0.3	4.4	39	0.1
50375	1	0	0	0	KG	48.5235	117.1608	19.2	628.5	707	55804.	2297	1.9	2.6	13.9	1.4	0.2	7.4	53	0.1
50374	0	0	0	0	KG	48.5235	117.1603	19.2	627.9	695	55800.	2164	1.7	5.2	10.8	3.1	0.5	6.4	44	0.1
50373	0	0	0	0	KG	48.5235	117.1597	19.2	627.4	668	55800.	2107	1.6	3.4	10.5	2.1	0.3	6.6	41	0.1
50372	0	0	0	0	KG	48.5235	117.1592	19.1	626.7	644	55802.	1909	1.5	4.7	8.2	3.2	0.6	5.6	41	0.1
50371	0	0	0	0	KG	48.5235	117.1587	19.1	626.2	627	55805.	2020	1.5	5.0	8.1	3.3	0.6	5.4	55	0.1
50370	0	0	0	0	KG	48.5235	117.1581	19.1	625.6	612	55810.	1882	1.9	1.6	11.8	0.8	0.1	6.3	50	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 29								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50369	0	0	0	0	KG	48.5235	117.1576	19.1	625.0	598	55814.	1902	1.9	3.3	7.8	1.7	0.4	4.1	49	0.1
50368	0	0	0	0	KG	48.5235	117.1570	19.1	624.4	579	55818.	1768	1.2	5.5	5.1	4.4	1.1	4.2	52	0.1
50367	0	0	0	0	KG	48.5235	117.1565	19.1	623.8	560	55824.	1821	1.3	2.7	8.2	2.1	0.3	6.1	40	0.1
50366	0	0	0	0	KG	48.5235	117.1559	19.1	623.3	544	55830.	1821	1.4	2.9	7.0	2.1	0.4	5.2	51	0.1
50365	0	0	0	0	KG	48.5235	117.1554	19.0	622.7	531	55835.	1888	1.5	4.4	7.5	2.9	0.6	4.9	40	0.1
50364	0	0	0	0	KG	48.5235	117.1548	19.0	622.1	525	55840.	1837	1.8	3.6	7.4	2.0	0.5	4.1	37	0.1
50363	0	0	0	0	KG	48.5235	117.1543	19.0	621.5	521	55844.	1888	1.7	3.5	8.4	2.1	0.4	5.0	60	0.1
50362	0	0	0	0	KG	48.5235	117.1538	19.0	621.0	517	55850.	2008	2.1	3.4	8.6	1.7	0.4	4.2	48	0.1
50361	0	0	0	0	KG	48.5235	117.1532	19.0	620.4	507	55854.	1947	1.9	2.6	9.4	1.4	0.3	4.9	42	0.1
50360	0	0	0	0	KG	48.5235	117.1527	19.0	619.9	489	55860.	1974	1.6	4.7	7.7	3.0	0.6	4.9	43	0.1
50359	0	0	0	0	KG	48.5235	117.1521	19.0	619.3	466	55867.	2019	1.6	3.0	9.2	1.9	0.3	5.8	47	0.1
50357	0	0	0	0	KG	48.5235	117.1510	19.0	618.8	443	55874.	2051	1.6	3.6	10.3	2.3	0.3	6.5	51	0.1
50356	0	0	0	0	KG	48.5235	117.1505	19.0	618.3	423	55880.	2173	2.0	4.0	10.0	2.0	0.4	4.9	49	0.1
50355	0	0	0	0	KG	48.5235	117.1499	19.0	617.8	409	55885.	2167	2.0	2.2	13.9	1.1	0.2	7.1	48	0.1
50354	0	0	0	0	KG	48.5235	117.1494	18.9	617.2	398	55887.	2273	1.6	2.9	11.2	1.7	0.3	6.8	46	0.1
50353	0	0	0	0	KG	48.5235	117.1488	18.9	616.8	391	55889.	2222	1.8	3.3	14.2	1.8	0.2	7.8	52	0.1
50352	0	0	0	0	KG	48.5235	117.1483	18.9	616.3	382	55889.	2143	2.2	1.8	11.4	0.8	0.2	5.1	63	0.1
50351	0	0	0	0	KG	48.5235	117.1478	18.9	615.8	373	55893.	2383	2.3	2.6	13.8	1.1	0.2	6.1	46	0.1
50350	0	0	0	0	KG	48.5235	117.1472	18.9	615.4	361	55900.	2338	2.3	2.2	10.0	0.9	0.2	4.4	54	0.1
50349	0	0	0	0	KG	48.5235	117.1467	18.9	615.0	355	55909.	2336	2.2	2.2	11.5	1.0	0.2	5.2	54	0.1
50348	0	0	0	0	KG	48.5235	117.1461	18.9	614.6	346	55924.	2351	2.1	5.2	7.2	2.5	0.7	3.5	59	0.1
50347	0	0	0	0	KG	48.5235	117.1456	18.9	614.2	335	55942.	2398	1.9	5.5	10.0	2.9	0.5	5.4	64	0.1
50346	0	0	0	0	KG	48.5235	117.1450	18.9	613.9	317	55961.	2503	2.0	5.3	9.8	2.7	0.5	5.0	45	0.1
50345	0	0	0	0	KG	48.5235	117.1445	18.9	613.6	300	55978.	2559	2.1	3.8	11.9	1.8	0.3	5.6	56	0.1
50344	0	0	0	0	KG	48.5235	117.1440	18.9	613.3	286	55992.	2711	2.2	4.0	10.5	1.8	0.4	4.9	47	0.1
50343	0	0	0	0	KG	48.5235	117.1434	18.9	612.9	275	55997.	2573	2.6	2.5	11.2	1.0	0.2	4.4	57	0.1
50342	0	0	0	0	QAG	48.5235	117.1429	18.9	612.7	268	55994.	2499	2.2	3.0	11.6	1.4	0.3	5.3	58	0.1
50341	0	0	0	0	QAG	48.5235	117.1424	18.9	612.4	262	55982.	2374	2.2	3.1	14.5	1.4	0.2	6.5	54	0.1
50340	0	0	0	0	QAG	48.5235	117.1419	18.9	612.2	264	55963.	2332	2.0	3.2	12.3	1.6	0.3	6.2	55	0.1
50339	0	0	0	0	QAG	48.5235	117.1414	18.9	612.0	274	55940.	2128	1.8	2.9	8.9	1.6	0.3	4.9	54	0.1
50338	0	0	0	0	QAG	48.5235	117.1410	18.9	611.9	296	55916.	2201	2.0	3.2	10.4	1.6	0.3	5.3	51	0.1
50337	0	0	0	0	QAG	48.5234	117.1405	19.0	611.7	328	55892.	2047	1.9	1.9	10.3	1.0	0.2	5.5	55	0.1
50336	0	0	0	0	KG	48.5234	117.1400	19.0	611.6	364	55869.	2109	1.7	3.4	8.2	2.0	0.4	4.8	48	0.1
50335	0	0	0	0	KG	48.5234	117.1396	19.0	611.5	398	55848.	2164	1.5	4.7	9.4	3.2	0.5	6.3	45	0.1
50334	0	0	0	0	KG	48.5234	117.1391	19.0	611.5	427	55828.	2105	1.6	4.0	12.1	2.5	0.3	7.7	50	0.1
50333	0	0	0	0	KG	48.5234	117.1386	19.0	611.4	448	55811.	2125	1.9	2.4	10.2	1.3	0.2	5.4	52	0.1
50332	0	0	0	0	KG	48.5234	117.1382	19.0	611.4	459	55796.	1977	1.6	2.0	8.5	1.3	0.2	5.4	53	0.1
50331	0	0	0	0	KG	48.5234	117.1377	19.0	611.4	462	55781.	2003	1.6	4.5	7.2	2.9	0.6	4.7	46	0.1
50330	0	0	0	0	KG	48.5234	117.1372	19.0	611.3	462	55767.	1984	1.5	2.6	12.2	1.8	0.2	8.2	36	0.1
50329	0	0	0	0	KG	48.5233	117.1367	19.0	611.3	475	55752.	1815	1.7	1.9	9.5	1.2	0.2	5.8	46	0.1
50328	0	0	0	0	KG	48.5233	117.1363	19.1	611.4	498	55734.	1941	1.7	3.8	6.5	2.2	0.6	3.8	42	0.1
50327	0	0	0	0	KG	48.5233	117.1358	19.1	611.4	536	55717.	2073	1.5	5.0	6.3	3.4	0.8	4.3	43	0.1
50326	0	0	0	0	KG	48.5233	117.1353	19.1	611.4	581	55700.	2069	1.4	1.9	10.9	1.3	0.2	7.6	48	0.1
50325	0	0	0	0	KHM	48.5233	117.1348	19.1	611.4	630	55687.	2210	1.5	2.6	11.8	1.7	0.2	7.7	35	0.1
50324	0	0	0	0	KHM	48.5233	117.1344	19.1	611.4	672	55677.	2181	1.5	3.7	10.6	2.5	0.4	7.2	48	0.1
50323	1	0	0	0	KHM	48.5233	117.1339	19.1	611.4	701	55669.	2204	2.2	2.6	9.3	1.2	0.3	4.2	48	0.1
50322	1	0	0	0	KHM	48.5233	117.1334	19.2	611.5	723	55663.	2420	2.2	2.9	13.1	1.4	0.2	6.0	33	0.1
50321	1	0	1	0	KHM	48.5232	117.1330	19.2	611.5	741	55658.	2233	1.9	1.5	15.2	0.8	0.1	7.9	63	0.1
50320	1	0	0	0	KHM	48.5232	117.1325	19.2	611.6	763	55654.	2345	1.8	3.3	11.2	1.8	0.3	6.2	55	0.1
50319	1	0	0	0	KHM	48.5232	117.1320	19.2	611.6	776	55651.	2484	2.0	4.0	10.3	2.0	0.4	5.0	49	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 29							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	LUS CPS	B! PPM
50318	1	0	0	0	KHM	48.5232	117.1315	19.2	611.7	775	55651.	2566	2.9	4.7	8.3	1.6	0.6	2.8	51	0.1
50317	1	0	0	0	KHM	48.5232	117.1311	19.3	611.8	757	55653.	2777	2.3	3.1	15.7	1.4	0.2	7.0	43	0.1
50316	1	0	1	0	KHM	48.5232	117.1306	19.3	611.8	731	55656.	2779	1.8	1.9	15.3	1.0	0.1	8.4	50	0.2
50315	1	0	0	0	KHM	48.5232	117.1301	19.3	611.9	708	55660.	2667	2.3	2.4	15.8	1.0	0.1	6.8	43	0.2
50314	0	0	0	0	KHM	48.5232	117.1297	19.3	612.0	687	55665.	2579	1.7	4.4	12.3	2.6	0.4	7.1	52	0.2
50313	0	0	0	0	KHM	48.5231	117.1292	19.3	612.1	667	55670.	2566	1.7	5.0	15.2	2.9	0.3	9.0	50	0.2
50312	0	0	0	0	KHM	48.5231	117.1287	19.4	612.2	638	55675.	2655	2.2	2.2	15.8	1.0	0.1	7.1	60	0.2
50311	0	0	0	0	KHM	48.5231	117.1283	19.4	612.3	614	55681.	2736	2.3	3.3	17.0	1.4	0.2	7.3	32	0.2
50310	0	0	0	0	KHM	48.5231	117.1278	19.4	612.4	589	55686.	2738	2.3	3.7	11.2	1.6	0.3	4.9	54	0.2
50309	0	0	0	0	KHM	48.5231	117.1273	19.4	612.5	566	55691.	2919	2.3	2.1	17.8	0.9	0.1	7.7	50	0.2
50308	0	0	0	0	KHM	48.5231	117.1268	19.5	612.7	532	55695.	2823	2.1	4.0	15.6	2.0	0.3	7.6	43	0.2
50307	0	0	0	0	KHM	48.5231	117.1264	19.5	612.8	496	55699.	2702	1.7	4.6	15.0	2.7	0.3	8.9	61	0.2
50306	0	0	0	0	KHM	48.5231	117.1259	19.5	612.9	458	55702.	2726	2.6	3.2	14.3	1.3	0.2	5.6	66	0.2
50305	0	0	0	0	KHM	48.5230	117.1254	19.5	613.0	420	55705.	2733	2.4	3.8	13.4	1.6	0.3	5.6	48	0.2
50304	0	0	0	0	KHM	48.5230	117.1250	19.6	613.1	381	55707.	2796	2.5	4.6	10.2	1.8	0.5	4.0	43	0.2
50303	0	0	0	0	KHM	48.5230	117.1245	19.6	613.2	345	55708.	2782	2.1	5.8	11.6	2.7	0.5	5.4	64	0.2
50302	0	0	0	0	KHM	48.5230	117.1240	19.6	613.4	314	55710.	2865	1.7	5.7	13.7	3.4	0.4	8.1	40	0.2
50301	0	0	0	0	KHM	48.5230	117.1235	19.7	613.5	288	55710.	2818	1.9	5.2	11.3	2.7	0.5	5.8	60	0.2
50300	0	0	0	0	KHM	48.5230	117.1231	19.7	613.7	266	55709.	2714	1.9	4.6	14.9	2.4	0.3	7.8	66	0.2
50299	0	0	0	0	KHM	48.5230	117.1226	19.7	613.8	249	55709.	2804	1.9	4.8	11.4	2.5	0.4	6.0	68	0.2
50298	0	0	0	0	KHM	48.5230	117.1221	19.8	614.0	235	55707.	2827	1.9	5.0	11.9	2.6	0.4	6.3	50	0.2
50297	0	0	0	0	KHM	48.5229	117.1217	19.8	614.2	225	55704.	2768	1.9	4.6	14.8	2.5	0.3	7.9	53	0.2
50296	0	0	0	0	KHM	48.5229	117.1212	19.8	614.4	213	55701.	2747	2.1	4.1	12.1	2.0	0.3	5.9	45	0.2
50295	0	0	0	0	KHM	48.5229	117.1207	19.8	614.7	203	55697.	2575	2.1	3.3	15.1	1.5	0.2	7.1	52	0.2
50294	1	0	0	0	KHM	48.5229	117.1202	19.9	615.0	194	55693.	2517	2.0	2.8	12.3	1.4	0.2	6.1	63	0.1
50293	1	0	0	0	KHM	48.5229	117.1198	19.9	615.2	191	55689.	2456	1.6	4.6	11.8	2.9	0.4	7.5	33	0.1
50292	1	0	0	0	KHM	48.5229	117.1193	19.9	615.6	196	55685.	2360	2.0	2.8	12.4	1.4	0.2	6.3	53	0.1
50291	0	0	0	0	KHM	48.5229	117.1188	20.0	615.9	205	55680.	2410	1.8	3.8	11.1	2.1	0.3	6.2	63	0.1
50290	0	0	0	0	KHM	48.5229	117.1184	20.0	616.3	225	55675.	2408	1.6	3.8	12.0	2.4	0.3	7.5	53	0.1
50289	0	0	0	0	KHM	48.5228	117.1179	20.0	616.6	244	55669.	2409	1.8	3.4	12.2	1.9	0.3	6.9	55	0.1
50288	0	0	0	0	KHM	48.5228	117.1174	20.1	617.1	266	55663.	2325	1.8	3.5	12.3	1.9	0.3	6.9	69	0.1
50287	0	0	0	0	KHM	48.5228	117.1169	20.1	617.5	284	55658.	2377	1.7	4.7	12.7	2.8	0.4	7.6	44	0.1
50286	0	0	0	0	KHM	48.5228	117.1165	20.1	617.9	305	55652.	2289	1.8	4.0	11.7	2.2	0.3	6.4	53	0.1
50285	0	0	0	0	KHM	48.5228	117.1160	20.1	618.4	327	55646.	2351	1.8	4.3	9.5	2.5	0.5	5.4	51	0.1
50284	0	0	0	0	KHM	48.5228	117.1155	20.2	618.9	347	55642.	2301	2.1	4.0	9.2	1.9	0.4	4.4	45	0.1
50283	0	0	0	0	KHM	48.5228	117.1151	20.2	619.4	365	55640.	2426	2.2	1.6	15.8	0.7	0.1	7.3	56	0.1
50282	0	0	0	0	KHM	48.5228	117.1146	20.2	619.9	382	55639.	2460	1.7	3.5	13.2	2.1	0.3	8.0	41	0.1
50281	0	0	0	0	KHM	48.5227	117.1141	20.3	620.4	397	55639.	2454	1.9	5.1	12.4	2.7	0.4	6.7	48	0.1
50280	0	0	0	0	KHM	48.5227	117.1136	20.3	620.9	416	55639.	2557	2.1	3.7	14.5	1.8	0.3	7.0	43	0.1
50279	0	0	0	0	KHM	48.5227	117.1132	20.3	621.5	434	55637.	2541	2.0	4.6	12.2	2.4	0.4	6.2	67	0.1
50278	0	0	0	0	KHM	48.5227	117.1127	20.4	622.0	447	55636.	2686	2.7	2.2	17.1	0.8	0.1	6.3	48	0.1
50277	0	0	0	0	KHM	48.5227	117.1122	20.4	622.6	450	55635.	2638	1.5	4.7	17.2	3.2	0.3	11.7	50	0.1
50276	0	0	0	0	KHM	48.5227	117.1118	20.4	623.2	451	55634.	2614	1.8	3.8	13.5	2.1	0.3	7.6	48	0.1
50275	0	0	0	0	KHM	48.5227	117.1113	20.4	623.7	455	55632.	2678	1.9	3.5	13.9	1.8	0.3	7.2	51	0.1
50274	0	0	0	0	KHM	48.5227	117.1108	20.5	624.3	463	55630.	2525	1.9	3.9	12.5	2.0	0.3	6.6	55	0.1
50273	0	0	0	0	KHM	48.5226	117.1104	20.5	624.9	476	55629.	2578	2.0	4.5	14.2	2.3	0.3	7.3	43	0.1
50272	0	0	0	0	KHM	48.5226	117.1099	20.5	625.5	495	55629.	2611	2.1	3.8	14.7	1.8	0.3	7.1	42	0.1
50271	0	0	0	0	KHM	48.5226	117.1094	20.6	626.1	518	55629.	2641	2.1	3.9	13.5	1.9	0.3	6.6	37	0.1
50270	0	0	0	0	KHM	48.5226	117.1089	20.6	626.6	536	55629.	2632	2.2	4.1	15.3	1.9	0.3	7.0	48	0.1
50269	0	0	0	0	KHM	48.5226	117.1085	20.6	627.2	555	55628.	2582	2.0	3.9	12.5	1.9	0.3	6.2	49	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 29							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50267	0	0	0	0	KHM	48.5226	117.1075	20.6	627.8	574	55627.	2681	1.8	4.6	14.4	2.5	0.3	8.0	38	0.1
50266	0	0	0	0	KHM	48.5226	117.1070	20.7	628.3	597	55626.	2826	2.0	5.6	14.6	2.8	0.4	7.4	43	0.1
50265	0	0	0	0	KHM	48.5225	117.1066	20.7	628.9	609	55627.	2795	2.4	4.1	11.1	1.7	0.4	4.6	52	0.1
50264	0	0	0	0	KHM	48.5225	117.1061	20.7	629.4	610	55627.	2766	2.6	2.9	16.4	1.1	0.2	6.2	45	0.1
50263	0	0	0	0	KHM	48.5225	117.1056	20.8	629.9	596	55629.	2778	2.0	3.0	19.2	1.5	0.2	9.4	43	0.1
50262	0	0	0	0	KHM	48.5225	117.1052	20.8	630.4	568	55631.	2751	2.2	2.8	17.8	1.3	0.2	7.9	45	0.1
50261	0	0	0	0	KHM	48.5225	117.1047	20.8	630.9	531	55634.	2540	2.0	3.9	14.8	2.0	0.3	7.5	59	0.1
50260	0	0	0	0	KHM	48.5225	117.1042	20.9	631.5	490	55637.	2442	2.1	2.0	14.2	1.0	0.1	6.7	52	0.1
50259	0	0	0	0	KHM	48.5225	117.1037	20.9	632.0	455	55640.	2259	1.7	3.4	11.3	2.0	0.3	6.6	61	0.1
50258	0	0	0	0	KHM	48.5225	117.1033	20.9	632.4	423	55643.	2292	1.6	5.8	10.4	3.6	0.6	6.5	48	0.1
50257	0	0	0	0	KHM	48.5224	117.1028	20.9	632.9	395	55646.	2242	1.9	3.9	10.6	2.1	0.4	5.7	59	0.1
50256	0	0	0	0	KHM	48.5224	117.1023	21.0	633.4	371	55649.	2251	1.7	4.5	8.5	2.7	0.5	5.1	43	0.1
50255	0	0	0	0	KHM	48.5224	117.1019	21.0	633.8	361	55651.	2209	1.8	3.4	10.2	1.9	0.3	5.7	46	0.1
50254	0	0	0	0	KHM	48.5224	117.1014	21.0	634.3	366	55653.	2254	2.0	4.6	9.1	2.3	0.5	4.6	41	0.1
50253	0	0	0	0	KHM	48.5224	117.1009	21.1	634.8	375	55653.	2214	2.0	3.3	11.8	1.7	0.3	6.0	53	0.1
50252	0	0	0	0	KHM	48.5224	117.1004	21.1	635.2	384	55654.	2210	2.0	3.2	10.7	1.6	0.3	5.3	49	0.1
50251	0	0	0	0	KHM	48.5224	117.1000	21.1	635.6	386	55655.	2169	1.4	4.0	11.5	2.9	0.4	8.3	48	0.1
50250	0	0	0	0	KHM	48.5224	117.0995	21.2	636.1	385	55657.	2190	2.0	2.2	11.1	1.1	0.2	5.5	43	0.1
50249	0	0	0	0	KHM	48.5223	117.0990	21.2	636.5	388	55660.	2151	1.6	4.0	8.6	2.5	0.5	5.4	56	0.1
50248	0	0	0	0	KHM	48.5223	117.0986	21.2	637.0	396	55662.	2221	1.8	4.0	10.6	2.2	0.4	5.7	39	0.1
50247	0	0	0	0	KHM	48.5223	117.0981	21.2	637.4	409	55664.	2099	1.7	2.7	9.4	1.6	0.3	5.5	57	0.1
50246	0	0	0	0	KHM	48.5223	117.0976	21.3	637.9	418	55666.	2324	1.6	5.1	10.1	3.1	0.5	6.2	32	0.1
50245	0	0	0	0	KHM	48.5223	117.0972	21.3	638.3	424	55667.	2252	1.7	3.9	8.3	2.4	0.5	5.0	43	0.1
50244	0	0	0	0	KHM	48.5223	117.0967	21.3	638.7	429	55670.	2227	1.7	5.6	10.0	3.4	0.6	6.1	47	0.1
50243	0	0	0	0	KHM	48.5223	117.0962	21.4	639.2	425	55672.	2203	1.6	3.9	8.5	2.5	0.5	5.4	44	0.1
50242	0	0	0	0	KHM	48.5223	117.0957	21.4	639.7	429	55674.	2184	1.4	5.4	10.8	3.7	0.5	7.5	43	0.1
50241	0	0	0	0	KHM	48.5222	117.0953	21.4	640.1	445	55676.	2248	1.7	4.7	10.8	2.8	0.4	6.4	42	0.1
50240	0	0	0	0	KHM	48.5222	117.0948	21.4	640.6	471	55679.	2382	1.5	5.9	8.9	4.1	0.7	6.1	40	0.1
50239	0	0	0	0	KHM	48.5222	117.0943	21.5	641.1	489	55682.	2380	2.0	3.4	12.0	1.7	0.3	5.9	45	0.1
50238	0	0	0	0	KHM	48.5222	117.0938	21.5	641.6	496	55685.	2459	1.2	6.6	13.7	5.4	0.5	11.2	36	0.1
50237	0	0	0	0	KHM	48.5222	117.0934	21.5	642.1	499	55689.	2444	1.9	5.2	11.6	2.7	0.5	6.1	39	0.1
50236	0	0	0	0	KHM	48.5222	117.0929	21.6	642.6	494	55693.	2438	1.4	4.5	11.1	3.3	0.4	8.1	46	0.1
50235	0	0	0	0	KHM	48.5222	117.0924	21.6	643.2	479	55697.	2386	1.9	5.4	10.1	2.9	0.5	5.4	42	0.1
50234	0	0	0	0	KHM	48.5222	117.0920	21.6	643.7	467	55701.	2320	2.0	3.9	7.9	2.0	0.5	4.0	44	0.1
50233	0	0	0	0	KHM	48.5221	117.0915	21.6	644.2	470	55704.	2489	1.9	3.4	13.9	1.8	0.2	7.5	36	0.1
50232	0	0	0	0	KHM	48.5221	117.0910	21.7	644.8	495	55708.	2543	1.7	5.8	12.1	3.3	0.5	6.9	41	0.1
50231	0	0	0	0	KHM	48.5221	117.0905	21.7	645.4	527	55713.	2682	2.3	4.8	15.0	2.1	0.3	6.5	37	0.1
50230	0	0	0	0	KHM	48.5221	117.0901	21.7	645.9	546	55718.	2715	2.1	5.1	14.9	2.4	0.3	7.2	46	0.1
50229	0	0	0	0	KHM	48.5221	117.0896	21.8	646.5	546	55723.	2864	1.7	7.5	13.1	4.3	0.6	7.6	21	0.1
50228	0	0	0	0	KHM	48.5221	117.0891	21.8	647.0	529	55728.	2707	1.8	5.7	13.7	3.1	0.4	7.5	42	0.1
50227	0	0	0	0	KHM	48.5221	117.0887	21.8	647.6	513	55733.	2722	2.0	5.1	10.9	2.5	0.5	5.4	42	0.1
50226	0	0	0	0	KHM	48.5221	117.0882	21.8	648.1	501	55738.	2662	1.8	6.2	13.6	3.5	0.5	7.7	49	0.1
50225	0	0	0	0	KHM	48.5220	117.0877	21.9	648.7	496	55741.	2766	1.8	4.7	14.3	2.6	0.3	7.8	49	0.1
50224	0	0	0	0	KHM	48.5220	117.0872	21.9	649.2	491	55745.	2803	2.2	5.0	9.6	2.3	0.5	4.3	32	0.1
50223	0	0	0	0	KHM	48.5220	117.0868	21.9	649.7	485	55747.	2695	2.1	4.2	13.8	2.0	0.3	6.6	45	0.1
50222	0	0	0	0	KHM	48.5220	117.0863	21.9	650.3	477	55749.	2722	1.9	6.4	10.1	3.3	0.6	5.3	35	0.1
50221	0	0	0	0	KHM	48.5220	117.0858	22.0	650.8	470	55752.	2691	1.7	4.8	12.8	2.8	0.4	7.4	40	0.1
50220	0	0	0	0	KHM	48.5220	117.0854	22.0	651.3	463	55756.	2733	1.8	4.7	13.0	2.6	0.4	7.1	40	0.1
50219	0	0	0	0	KHM	48.5220	117.0849	22.0	651.8	444	55758.	2572	1.7	3.0	13.9	1.8	0.2	8.1	40	0.1
50218	0	0	0	0	KHM	48.5220	117.0844	22.0	652.3	423	55760.	2539	1.4	5.1	12.2	3.6	0.4	8.8	41	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 29								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50217	0	0	0	0	KHM	48.5219	117.0840	22.1	652.8	407	55760.	2304	1.4	4.5	13.0	3.3	0.3	9.6	48	0.1
50216	0	0	0	0	KHM	48.5219	117.0835	22.1	653.3	412	55759.	2459	1.6	5.7	11.0	3.6	0.5	6.8	47	0.1
50215	0	0	0	0	KHM	48.5219	117.0830	22.1	653.7	427	55758	2356	1.2	6.2	10.9	5.0	0.6	8.9	30	0.1
50214	0	0	0	0	KHM	48.5220	117.0825	22.1	654.1	460	55757.	2420	1.5	2.5	14.1	1.6	0.2	9.3	47	0.1
50213	0	0	0	0	KHM	48.5220	117.0820	22.1	654.5	492	55758.	2602	1.6	5.2	10.6	3.2	0.5	6.5	50	0.1
50212	0	0	0	0	KHM	48.5220	117.0815	22.2	655.0	517	55758.	2617	1.5	6.3	11.5	4.2	0.5	7.8	41	0.1
50211	0	0	0	0	KHM	48.5220	117.0810	22.2	655.4	522	55757.	2633	1.6	5.1	10.1	3.2	0.5	6.2	44	0.1
50210	0	0	0	0	KHM	48.5220	117.0805	22.2	655.8	517	55756.	2632	1.7	3.9	12.8	2.2	0.3	7.4	39	0.1
50209	0	0	0	0	KHM	48.5220	117.0800	22.2	656.1	507	55754.	2555	1.6	5.3	12.1	3.4	0.4	7.7	35	0.1
50208	0	0	0	0	KHM	48.5220	117.0795	22.2	656.5	491	55752.	2509	1.2	6.2	10.3	5.1	0.6	8.6	30	0.1
50207	0	0	0	0	KHM	48.5220	117.0790	22.2	656.8	474	55749.	2426	1.6	5.1	9.9	3.3	0.5	6.3	46	0.1
50206	0	0	0	0	KHM	48.5220	117.0786	22.3	657.2	458	55745.	2514	1.4	5.4	10.4	4.0	0.5	7.7	43	0.1
50205	0	0	0	0	KHM	48.5220	117.0781	22.3	657.5	455	55743.	2625	1.6	6.1	14.5	3.9	0.4	9.4	28	0.1
50204	0	0	0	0	KHM	48.5220	117.0776	22.3	657.8	451	55740.	2479	1.7	5.6	12.0	3.2	0.5	7.0	32	0.1
50203	0	0	0	0	KHM	48.5220	117.0771	22.3	658.2	450	55739.	2681	2.1	3.5	14.7	1.7	0.2	7.0	36	0.1
50202	0	0	0	0	KHM	48.5220	117.0766	22.3	658.5	438	55739.	2616	1.7	4.6	13.3	2.7	0.3	8.0	37	0.1
50201	0	0	0	0	KHM	48.5220	117.0761	22.3	658.8	437	55736.	2622	2.1	3.6	11.3	1.7	0.3	5.3	34	0.1
50200	0	0	0	0	KHM	48.5220	117.0756	22.3	659.1	444	55731.	2667	1.9	5.7	13.7	3.1	0.4	7.4	39	0.1
50199	0	0	0	0	KHM	48.5220	117.0751	22.3	659.4	453	55724.	2754	2.1	4.2	13.5	2.0	0.3	6.4	39	0.1
50198	0	0	0	0	KHM	48.5220	117.0746	22.4	659.8	460	55717.	2696	1.7	5.7	14.4	3.4	0.4	8.4	38	0.1
50197	0	0	0	0	KHM	48.5220	117.0741	22.4	660.1	463	55711.	2677	2.7	2.6	16.1	1.0	0.2	6.1	41	0.1
50196	0	0	0	0	KHM	48.5220	117.0737	22.4	660.4	469	55707.	2780	2.2	4.5	14.0	2.1	0.3	6.4	36	0.1
50195	0	0	0	0	KHM	48.5220	117.0732	22.4	660.7	468	55703.	2780	1.8	5.1	11.9	2.8	0.4	6.5	39	0.1
50194	0	0	0	0	KHM	48.5220	117.0727	22.4	661.0	467	55699.	2682	2.0	5.0	15.5	2.5	0.3	7.9	35	0.1
50193	0	0	0	0	KHM	48.5220	117.0722	22.4	661.3	469	55693.	2748	2.2	4.5	14.8	2.0	0.3	6.7	43	0.1
50192	0	0	0	0	KHM	48.5221	117.0717	22.4	661.6	487	55686.	2902	1.7	5.9	16.2	3.4	0.4	9.3	35	0.1
50191	0	0	0	0	KHM	48.5221	117.0712	22.4	661.9	509	55679.	2870	1.9	5.4	13.7	2.8	0.4	7.2	34	0.1
50190	0	0	0	0	KHM	48.5221	117.0707	22.4	662.2	529	55671.	3113	2.3	4.9	18.4	2.2	0.3	8.2	28	0.1
50189	0	0	0	0	KHM	48.5221	117.0702	22.4	662.5	550	55665.	3010	2.3	4.5	18.1	1.9	0.2	7.8	34	0.1
50188	0	0	0	0	KHM	48.5221	117.0697	22.4	662.7	571	55659.	3063	2.7	4.7	16.1	1.7	0.3	6.0	58	0.1
50187	0	0	0	0	KHM	48.5221	117.0692	22.4	663.0	595	55652.	3141	2.3	5.5	13.9	2.4	0.4	6.0	35	0.1
50186	0	0	0	0	KHM	48.5221	117.0688	22.4	663.2	610	55645.	2965	2.3	5.2	13.7	2.3	0.4	6.0	43	0.1
50185	0	0	0	0	KHM	48.5221	117.0683	22.4	663.4	622	55640.	2883	2.2	5.4	14.5	2.4	0.4	6.6	38	0.1
50184	0	0	0	0	KHM	48.5221	117.0678	22.4	663.6	628	55636.	2891	2.0	6.8	11.9	3.4	0.6	6.0	29	0.1
50183	0	0	0	0	KHM	48.5221	117.0673	22.4	663.7	638	55635.	2921	2.0	5.0	11.9	2.6	0.4	6.1	35	0.1
50182	0	0	0	0	KHM	48.5221	117.0668	22.4	663.8	650	55635.	2953	2.3	6.1	10.9	2.7	0.6	4.8	31	0.1
50181	0	0	0	0	KHM	48.5221	117.0663	22.4	663.9	667	55636.	2988	1.5	8.4	13.0	5.7	0.6	8.8	31	0.1
50180	0	0	0	0	KHM	48.5221	117.0658	22.4	664.0	687	55640.	2996	2.4	6.0	15.9	2.5	0.4	6.5	43	0.1
50179	1	0	0	0	KHM	48.5221	117.0653	22.4	664.0	719	55644.	3106	1.6	9.0	14.3	5.5	0.6	8.7	40	0.1
50178	1	0	0	0	QAG	48.5221	117.0648	22.4	664.0	748	55649.	3253	2.2	3.1	17.4	3.7	0.5	7.8	39	0.1
50176	1	0	0	0	QAG	48.5221	117.0639	22.3	663.9	770	55654.	3407	2.1	7.6	19.0	3.7	0.4	9.2	41	0.1
50175	1	0	0	0	QAG	48.5221	117.0634	22.3	663.8	773	55658.	3373	1.6	10.5	17.3	6.4	0.6	10.5	38	0.1
50174	1	0	0	0	QAG	48.5221	117.0628	22.3	663.7	769	55662.	3419	1.8	8.6	17.5	4.7	0.5	9.6	28	0.1
50173	1	0	0	0	QAG	48.5221	117.0623	22.3	663.5	745	55667.	3220	2.3	5.4	16.5	2.3	0.3	7.2	38	0.1
50172	1	0	0	0	QAG	48.5221	117.0617	22.3	663.3	712	55674.	3119	2.6	5.5	13.9	2.1	0.4	5.3	37	0.1
50171	0	0	0	0	KHM	48.5221	117.0611	22.3	663.2	664	55684.	2759	2.2	7.4	10.5	3.4	0.7	4.9	35	0.1
50170	0	0	0	0	KHM	48.5221	117.0606	22.3	662.9	615	55696.	2738	2.1	3.0	16.1	1.5	0.2	7.8	46	0.1
50169	0	0	0	0	KHM	48.5221	117.0600	22.3	662.7	563	55708.	2632	2.0	5.2	11.5	2.6	0.5	5.8	42	0.1
50168	0	0	0	0	KHM	48.5221	117.0595	22.3	662.4	519	55720.	2427	1.9	2.5	13.9	1.3	0.2	7.3	45	0.1
50167	0	0	0	0	KHM	48.5221	117.0589	22.3	662.2	487	55729.	2435	2.0	3.1	15.1	1.5	0.2	7.6	31	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 29							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50166	0	0	0	0	KHM	48.5221	117.0584	22.3	661.9	466	55736.	2350	1.7	2.5	11.6	1.5	0.2	6.7	38	0.1
50165	0	0	0	0	KHM	48.5221	117.0578	22.3	661.6	463	55741.	2513	1.8	4.1	13.7	2.2	0.3	7.4	41	0.1
50164	0	0	0	0	KHM	48.5221	117.0573	22.3	661.3	471	55744.	2540	1.7	5.3	10.8	3.0	0.5	6.2	40	0.1
50163	0	0	0	0	KHM	48.5221	117.0567	22.2	660.9	488	55746.	2632	1.8	4.5	17.0	2.5	0.3	9.6	40	0.1
50162	0	0	0	0	KHM	48.5221	117.0562	22.2	660.6	507	55747.	2625	2.2	3.3	11.7	1.5	0.3	5.3	28	0.1
50161	0	0	0	0	KHM	48.5221	117.0556	22.2	660.2	536	55749.	2787	2.0	5.1	14.7	2.5	0.3	7.2	30	0.2
50160	0	0	0	0	KHM	48.5221	117.0551	22.2	659.9	557	55751.	2823	2.3	5.9	13.3	2.5	0.4	5.8	22	0.2
50159	0	0	0	0	KHM	48.5221	117.0545	22.2	659.5	564	55754.	2788	2.3	3.3	19.3	1.5	0.2	8.6	41	0.2
50158	0	0	0	0	KHM	48.5221	117.0539	22.2	659.1	556	55755.	2878	1.7	6.8	16.2	3.9	0.4	9.3	28	0.2
50157	0	0	0	0	KHM	48.5221	117.0534	22.2	658.7	556	55755.	2716	2.1	4.1	15.2	1.9	0.3	7.1	32	0.2
50156	0	0	0	0	KHM	48.5221	117.0528	22.2	658.3	570	55754.	2850	2.2	4.9	15.6	2.2	0.3	7.0	39	0.2
50155	0	0	0	0	KHM	48.5221	117.0523	22.2	657.9	581	55753.	2837	1.7	5.7	14.2	3.3	0.4	8.2	44	0.2
50154	0	0	0	0	KHM	48.5221	117.0517	22.2	657.5	585	55755.	3043	2.5	4.6	15.7	1.8	0.3	6.4	32	0.2
50153	0	0	0	0	KHM	48.5221	117.0512	22.1	657.0	589	55756.	3122	3.0	4.3	13.8	1.4	0.3	4.6	37	0.2
50152	0	0	0	0	KHM	48.5221	117.0506	22.1	656.6	607	55757.	3055	2.6	4.5	14.2	1.7	0.3	5.4	38	0.2
50151	0	0	0	0	KHM	48.5221	117.0501	22.1	656.2	634	55756.	3445	2.6	5.7	13.6	2.2	0.4	5.3	35	0.2
50150	0	0	0	0	KHM	48.5221	117.0495	22.1	655.8	656	55754.	3347	2.2	9.9	10.9	4.4	0.9	4.9	52	0.2
50149	0	0	0	0	KHM	48.5221	117.0490	22.1	655.4	663	55752.	3391	2.4	6.3	15.5	2.7	0.4	6.6	36	0.2
50148	0	0	0	0	KHM	48.5221	117.0484	22.1	655.0	645	55752.	3192	2.1	5.7	16.8	2.7	0.3	7.9	41	0.2
50147	0	0	0	0	KHM	48.5221	117.0479	22.1	654.7	608	55753.	2962	2.2	6.8	12.7	3.0	0.5	5.7	36	0.2
50146	0	0	0	0	KHM	48.5221	117.0473	22.1	654.3	561	55755.	2696	2.1	6.3	10.7	3.1	0.6	5.2	50	0.2
50145	0	0	0	0	KHM	48.5221	117.0468	22.1	654.0	524	55757.	2758	2.0	6.0	11.5	3.0	0.5	5.8	28	0.2
50144	0	0	0	0	KHM	48.5221	117.0462	22.1	653.7	491	55759.	2444	1.9	3.4	10.9	1.7	0.3	5.7	41	0.2
50143	0	0	0	0	KHM	48.5221	117.0457	22.1	653.5	461	55762.	2494	1.8	3.3	11.8	1.8	0.3	6.6	26	0.2
50142	0	0	0	0	KHM	48.5221	117.0451	22.1	653.2	429	55766.	2149	1.5	5.1	8.9	3.4	0.6	5.9	38	0.2
50141	0	0	0	0	KHM	48.5221	117.0445	22.0	652.9	403	55770.	2096	1.3	4.2	10.7	3.4	0.4	8.5	35	0.2
50140	0	0	0	0	KHM	48.5221	117.0440	22.0	652.7	389	55775.	1997	1.5	2.3	7.8	1.6	0.3	5.3	51	0.2
50139	0	0	0	0	KHM	48.5221	117.0434	22.0	652.5	387	55780.	2019	1.5	3.8	6.9	2.6	0.5	4.8	35	0.2
50138	0	0	0	0	KHM	48.5221	117.0429	22.0	652.4	392	55785.	2075	1.5	3.4	8.6	2.3	0.4	5.6	45	0.2
50137	0	0	0	0	KHM	48.5221	117.0423	22.0	652.3	404	55788.	2251	1.6	3.1	12.7	2.0	0.2	8.2	34	0.2
50136	0	0	0	0	KHM	48.5221	117.0418	22.0	652.2	417	55790.	2459	1.6	3.4	14.5	2.2	0.2	9.1	32	0.2
50135	0	0	0	0	KHM	48.5221	117.0412	22.0	652.2	431	55789.	2513	1.7	5.0	10.3	2.9	0.5	5.9	34	0.2
50134	0	0	0	0	KHM	48.5221	117.0406	22.0	652.1	434	55786.	2574	1.8	4.7	10.4	2.6	0.4	5.9	35	0.2
50133	0	0	0	0	KHM	48.5221	117.0401	22.0	652.1	431	55782.	2383	1.7	4.0	9.6	2.3	0.4	5.6	53	0.2
50132	0	0	0	0	KHM	48.5221	117.0396	22.0	652.2	422	55778.	2190	1.4	4.3	9.5	3.1	0.5	6.8	37	0.2
50131	0	0	0	0	KHM	48.5221	117.0390	22.0	652.3	419	55775.	2054	1.6	3.0	11.3	1.9	0.3	7.2	46	0.2
50130	0	0	0	0	KHM	48.5221	117.0385	22.0	652.3	421	55771.	2001	1.0	5.3	7.6	5.1	0.7	7.3	37	0.2
50129	0	0	0	0	KHM	48.5221	117.0379	22.0	652.5	428	55769.	2032	1.2	2.9	11.8	2.4	0.2	9.7	37	0.2
50128	0	0	0	0	KHM	48.5221	117.0373	22.0	652.7	431	55767.	2110	1.8	2.3	11.2	1.3	0.2	6.1	40	0.2
50127	0	0	0	0	KHM	48.5221	117.0368	22.0	652.9	429	55763.	2079	1.5	3.9	10.5	2.7	0.4	7.2	21	0.2
50126	0	0	0	0	KHM	48.5221	117.0362	22.0	653.1	426	55759.	1994	1.6	2.4	9.3	1.5	0.3	5.8	42	0.2
50125	0	0	0	0	KHM	48.5221	117.0357	22.0	653.2	431	55755.	1926	1.5	3.7	8.4	2.4	0.4	5.6	44	0.2
50124	0	0	0	0	KHM	48.5221	117.0351	22.0	653.5	437	55750.	2019	1.2	2.6	11.6	2.1	0.2	9.4	35	0.2
50123	0	0	0	0	KHM	48.5221	117.0346	22.0	653.7	440	55746.	2030	1.5	3.7	9.2	2.5	0.4	6.3	27	0.2
50122	0	0	0	0	KHM	48.5221	117.0340	22.0	653.8	441	55742.	1949	1.5	3.4	10.2	2.3	0.3	6.9	34	0.2
50121	0	0	0	0	KHM	48.5221	117.0335	22.0	654.1	445	55739.	1885	1.3	3.8	7.5	3.0	0.5	6.0	41	0.2
50120	0	0	0	0	KHM	48.5221	117.0329	22.0	654.2	449	55736.	1916	1.4	2.6	8.8	1.9	0.3	6.5	36	0.2
50119	0	0	0	0	KHM	48.5221	117.0324	22.0	654.4	452	55733.	1807	1.3	2.8	6.0	2.2	0.5	4.7	33	0.2
50118	0	0	0	0	KHM	48.5221	117.0318	22.0	654.6	452	55730.	1810	1.0	2.9	8.6	2.8	0.3	8.5	32	0.2
50117	0	0	0	0	KHM	48.5221	117.0312	22.0	654.8	454	55727.	1890	1.2	2.6	8.8	2.1	0.3	7.1	36	0.2

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 29							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50116	0	0	0	0	KHM	48.5221	117.0307	22.0	655.0	461	55725.	1896	1.1	4.6	6.7	4.1	0.7	6.0	28	0.2
50115	0	0	0	0	KHM	48.5221	117.0301	22.0	655.2	474	55723.	1809	1.0	3.6	7.0	3.7	0.5	7.2	33	0.2
50114	0	0	0	0	KHM	48.5221	117.0296	22.0	655.3	493	55722.	1893	1.4	3.0	7.3	2.2	0.4	5.3	45	0.2
50113	0	0	0	0	KHM	48.5221	117.0290	22.0	655.5	516	55722.	1989	1.1	4.7	7.6	4.3	0.6	6.9	43	0.2
50112	0	0	0	0	KHM	48.5222	117.0285	22.0	655.6	542	55726.	2072	1.1	5.2	9.5	4.7	0.5	8.6	40	0.2
50111	0	0	0	0	KHM	48.5222	117.0279	22.0	655.8	568	55731.	2154	1.5	3.8	7.8	2.6	0.5	5.4	43	0.2
50110	0	0	0	0	KHM	48.5222	117.0274	22.0	655.9	593	55739.	2224	1.3	6.4	6.3	5.0	1.0	4.9	36	0.2
50109	0	0	0	0	KHM	48.5222	117.0268	22.0	656.0	599	55749.	2312	1.5	4.1	10.6	2.7	0.4	6.9	28	0.2
50108	0	0	0	0	KHM	48.5222	117.0263	22.0	656.1	571	55761.	2165	1.7	2.8	9.0	1.7	0.3	5.4	27	0.2
50107	0	0	0	0	KG	48.5222	117.0257	22.0	656.2	523	55773.	1928	1.3	3.6	6.4	2.7	0.6	4.9	43	0.2
50106	0	0	0	0	KG	48.5222	117.0251	22.0	656.3	472	55788.	1810	1.4	2.2	8.5	1.6	0.3	6.3	38	0.2
50105	0	0	0	0	KG	48.5222	117.0246	22.0	656.4	443	55802.	1656	1.0	4.1	5.8	4.2	0.7	6.0	35	0.2
50104	0	0	0	0	KG	48.5222	117.0240	22.0	656.5	430	55814.	1710	1.1	3.4	6.6	3.2	0.5	6.2	44	0.2
50103	0	0	0	0	KG	48.5222	117.0234	22.0	656.5	436	55823.	1831	1.0	4.5	5.2	4.5	0.9	5.1	31	0.2
50102	0	0	0	0	KG	48.5222	117.0229	22.0	656.6	446	55829.	1816	1.6	2.3	7.5	1.4	0.3	4.6	40	0.2
50101	0	0	0	0	KG	48.5222	117.0223	22.0	656.6	447	55833.	1863	1.3	3.0	6.3	2.2	0.5	4.8	32	0.2
50100	0	0	0	0	KG	48.5222	117.0217	22.0	656.6	424	55836.	1917	1.3	2.3	9.0	1.7	0.3	6.7	43	0.2
50099	0	0	0	0	KG	48.5222	117.0212	22.0	656.6	389	55836.	1725	1.1	3.3	7.0	3.1	0.5	6.6	42	0.2
50098	0	0	0	0	KG	48.5222	117.0206	22.0	656.7	357	55834.	1705	1.6	2.6	6.9	1.7	0.4	4.4	33	0.2
50097	0	0	0	0	KG	48.5222	117.0201	22.0	656.7	339	55828.	1718	1.4	2.2	7.3	1.6	0.3	5.3	28	0.2
50096	0	0	0	0	KG	48.5222	117.0195	22.0	656.7	338	55819.	1772	1.5	1.8	6.8	1.2	0.3	4.4	33	0.2
50095	0	0	0	0	KG	48.5222	117.0189	22.0	656.7	355	55806.	1740	1.3	3.2	9.2	2.5	0.4	7.2	30	0.2
50094	0	0	0	0	KG	48.5222	117.0183	22.0	656.7	396	55790.	1785	1.0	5.0	8.0	5.2	0.6	8.4	51	0.2
50093	0	0	0	0	KG	48.5222	117.0178	22.0	656.7	444	55773.	1842	1.7	2.7	7.1	1.6	0.4	4.1	39	0.2
50092	0	0	0	0	KG	48.5222	117.0172	22.0	656.7	484	55759.	2029	1.7	3.7	7.4	2.2	0.5	4.3	31	0.2
50091	0	0	0	0	KG	48.5222	117.0167	22.0	656.7	497	55751.	1880	1.3	4.4	6.3	3.4	0.7	4.8	32	0.2
50090	0	0	0	0	KG	48.5222	117.0161	22.0	656.7	495	55749.	1959	1.4	3.3	8.2	2.4	0.4	6.0	37	0.2
50089	0	0	0	0	KG	48.5222	117.0155	22.0	656.7	481	55752.	1787	1.3	3.0	9.1	2.2	0.3	6.8	51	0.2
50088	0	0	1	0	KG	48.5222	117.0150	22.0	656.6	466	55756.	1889	1.7	1.3	7.3	0.8	0.2	4.4	37	0.2
50087	0	0	0	0	KG	48.5222	117.0144	22.0	656.6	459	55760.	1757	1.2	4.0	7.0	3.4	0.6	6.0	28	0.2
50085	0	0	0	0	KG	48.5222	117.0133	22.0	656.5	458	55765.	1714	1.3	4.1	6.5	3.1	0.6	4.9	48	0.2
50084	0	0	0	0	KG	48.5222	117.0127	22.0	656.5	465	55770.	1740	1.3	2.5	3.8	1.9	0.7	2.8	33	0.2
50083	0	0	0	0	KG	48.5222	117.0121	22.0	656.4	470	55776.	1720	1.6	3.2	6.4	2.1	0.5	4.1	34	0.2
50082	0	0	0	0	KG	48.5222	117.0116	22.0	656.3	480	55780.	1886	1.4	4.1	6.7	3.0	0.6	5.0	27	0.2
50081	0	0	0	0	KG	48.5222	117.0110	22.0	656.2	481	55783.	1708	1.3	2.6	10.1	2.0	0.3	8.1	28	0.2
50080	0	0	0	0	KG	48.5222	117.0104	22.0	656.0	468	55786.	1734	1.2	3.1	7.7	2.6	0.4	6.5	39	0.2
50079	0	0	0	0	KG	48.5222	117.0099	22.0	655.9	445	55788.	1735	0.9	3.5	8.0	4.0	0.4	9.3	39	0.2
50078	0	0	0	0	KG	48.5222	117.0093	22.0	655.7	424	55790.	1718	1.2	2.4	9.7	1.9	0.2	7.9	31	0.2
50077	0	0	0	0	KG	48.5222	117.0087	22.0	655.6	411	55792.	1791	1.3	1.8	8.0	1.4	0.2	6.1	34	0.2
50076	0	0	0	0	KG	48.5222	117.0082	22.0	655.4	397	55792.	1663	1.2	1.5	9.3	1.2	0.2	7.5	40	0.2
50075	0	0	0	0	KG	48.5222	117.0076	22.0	655.2	380	55793.	1616	1.1	2.4	7.5	2.2	0.3	7.0	47	0.2
50074	0	0	0	0	KG	48.5222	117.0070	22.0	655.1	363	55795.	1684	1.1	1.8	7.4	1.6	0.2	6.5	27	0.2
50073	0	0	0	0	KG	48.5222	117.0065	22.0	654.9	352	55796.	1643	1.2	2.5	8.5	2.0	0.3	7.0	33	0.2
50072	0	0	0	0	KG	48.5222	117.0059	22.0	654.7	351	55800.	1610	1.1	3.0	6.8	2.8	0.4	6.3	32	0.2
50071	0	0	0	0	KG	48.5222	117.0053	22.0	654.6	352	55806.	1600	1.1	3.1	6.5	2.8	0.5	5.7	39	0.2
50070	0	0	0	0	KG	48.5222	117.0048	22.0	654.4	349	55813.	1567	0.9	2.9	5.1	3.1	0.6	5.5	45	0.2
50069	0	0	0	0	KG	48.5222	117.0042	22.0	654.3	342	55822.	1683	1.3	3.2	5.0	2.4	0.6	3.8	31	0.2
50068	0	0	0	0	KG	48.5222	117.0037	22.0	654.2	337	55831.	1557	0.9	2.9	6.4	3.1	0.5	6.8	42	0.2
50067	0	0	0	0	KG	48.5222	117.0031	22.0	654.2	332	55840.	1480	0.9	2.6	5.3	3.0	0.5	6.2	41	0.2
50066	0	0	0	0	KG	48.5222	117.0025	22.0	654.1	329	55850.	1418	1.1	2.2	6.0	2.1	0.4	5.7	38	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

J 15

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	LINE NO. 29						COS CPS	BI PPM
													K %	U PPM	T PPM	U/K	U/T	T/K		
50065	0	0	0	0	KG	48.5222	117.0020	22.0	654.1	316	55861.	1500	0.8	3.7	3.0	4.8	1.2	3.8	33	0.2
50064	0	0	0	0	KG	48.5222	117.0014	22.0	654.1	297	55874.	1312	1.0	2.1	5.5	2.2	0.4	5.7	39	0.2
50063	0	0	0	0	KG	48.5222	117.0008	22.0	654.2	272	55887.	1146	0.7	2.1	5.1	2.9	0.4	7.2	31	0.2
50062	0	0	0	0	KG	48.5222	117.0003	22.0	654.2	251	55898.	1061	0.6	2.6	2.0	4.4	1.3	3.5	32	0.2
50061	0	0	0	0	KG	48.5222	116.9997	22.0	654.3	242	55903.	999	0.7	1.4	2.6	2.1	0.6	3.7	32	0.2
50060	0	0	0	0	KG	48.5222	116.9991	22.0	654.4	249	55902.	1032	0.6	1.6	4.4	2.5	0.4	7.0	38	0.2
50059	0	0	0	0	KG	48.5222	116.9986	22.0	654.6	269	55897.	1081	0.7	1.0	3.2	1.4	0.3	4.4	34	0.1
50058	0	0	0	0	KG	48.5222	116.9980	22.0	654.8	293	55888.	1163	0.6	3.0	3.6	4.9	0.8	6.0	34	0.1
50057	0	0	0	0	KG	48.5222	116.9974	22.0	655.0	318	55880.	1226	1.0	1.6	4.9	1.5	0.3	4.7	51	0.1
50056	0	0	0	0	KG	48.5222	116.9969	22.0	655.2	340	55871.	1300	1.1	2.6	3.2	2.5	0.8	3.1	40	0.1
50055	0	0	0	0	KG	48.5222	116.9963	22.0	655.4	360	55861.	1386	1.0	2.6	3.8	2.5	0.7	3.6	32	0.1
50054	0	0	0	0	KG	48.5222	116.9957	22.0	655.7	375	55850.	1374	1.0	2.5	5.7	2.5	0.4	5.7	49	0.1
50053	0	0	0	0	KG	48.5222	116.9952	22.1	656.0	387	55838.	1527	0.7	2.7	4.8	3.7	0.6	6.5	21	0.1
50052	0	0	0	0	KG	48.5222	116.9946	22.1	656.3	392	55825.	1626	1.0	4.2	5.1	4.1	0.8	4.9	45	0.1
50051	0	0	0	0	KG	48.5222	116.9940	22.1	656.6	388	55811.	1541	1.2	3.4	3.9	2.9	0.9	3.3	39	0.1
50050	0	0	0	0	KG	48.5222	116.9935	22.1	656.9	384	55800.	1667	1.3	3.3	6.6	2.6	0.5	5.2	29	0.1

J 1

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 30							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50800	0	0	0	0	KKH	48.5201	117.2428	22.3	669.0	319	56100.	2306	1.7	4.5	9.0	2.6	0.5	5.3	32	0.2
50801	0	0	0	0	KKH	48.5201	117.2422	22.3	668.8	322	56091.	2255	1.6	4.2	10.3	2.6	0.4	6.3	43	0.2
50802	0	0	0	0	KKH	48.5201	117.2417	22.3	668.6	333	56084.	2350	1.8	3.8	10.4	2.0	0.4	5.7	28	0.2
50803	0	0	0	0	KKH	48.5201	117.2411	22.3	668.4	352	56072.	2459	2.1	3.9	8.9	1.9	0.4	4.4	39	0.1
50804	0	0	0	0	KKH	48.5201	117.2406	22.3	668.3	377	56062.	2572	2.2	3.8	12.2	1.8	0.3	5.6	29	0.1
50805	0	0	0	0	KKH	48.5201	117.2400	22.3	668.2	407	56049.	2583	2.1	4.0	11.4	1.9	0.4	5.5	39	0.1
50806	0	0	0	0	KKH	48.5201	117.2395	22.3	668.1	418	56034.	2495	1.7	4.8	9.6	2.9	0.5	5.8	39	0.1
50807	0	0	0	0	QAG	48.5201	117.2389	22.3	667.9	421	56017.	2337	1.9	4.0	10.5	2.2	0.4	5.6	34	0.1
50808	0	0	0	0	QAG	48.5201	117.2384	22.3	667.8	413	55996.	2166	1.6	4.8	8.5	2.9	0.6	5.2	31	0.1
50809	0	0	0	0	QAG	48.5201	117.2378	22.3	667.7	426	55975.	2090	1.3	6.3	5.4	4.7	1.2	4.0	40	0.1
50810	0	0	0	0	QAG	48.5201	117.2373	22.4	667.6	453	55956.	2255	2.4	3.8	9.4	1.6	0.4	4.0	24	0.1
50811	0	0	0	0	KG	48.5201	117.2367	22.4	667.4	481	55939.	2345	2.3	5.0	8.0	2.2	0.6	3.5	35	0.1
50812	0	0	0	0	KG	48.5201	117.2362	22.4	667.2	497	55925.	2384	1.9	4.5	9.0	2.4	0.5	4.7	32	0.1
50813	0	0	0	0	KG	48.5201	117.2356	22.4	667.0	493	55914.	2445	1.6	6.2	8.3	3.8	0.7	5.2	26	0.1
50814	0	0	0	0	KG	48.5201	117.2351	22.4	666.7	486	55906.	2573	2.1	7.1	7.1	3.3	1.0	3.3	31	0.1
50815	0	0	0	0	KG	48.5201	117.2345	22.4	666.5	479	55901.	2464	2.1	5.3	6.4	2.6	0.8	3.1	43	0.1
50816	0	0	0	0	KG	48.5201	117.2340	22.4	666.3	461	55897.	2452	2.4	4.0	11.3	1.7	0.4	4.7	33	0.1
50817	0	0	0	0	KG	48.5201	117.2334	22.4	666.0	436	55894.	2460	2.7	3.2	9.8	1.2	0.3	3.6	32	0.1
50818	0	0	0	0	KG	48.5201	117.2329	22.4	665.8	405	55891.	2244	1.8	4.1	11.0	2.3	0.4	6.1	34	0.1
50819	0	0	0	0	KG	48.5201	117.2323	22.4	665.5	386	55887.	2262	1.7	5.1	8.0	3.0	0.6	4.6	37	0.1
50820	0	0	0	0	KG	48.5201	117.2318	22.4	665.2	378	55881.	2178	1.6	3.9	8.5	2.4	0.5	5.2	36	0.1
50821	0	0	0	0	KG	48.5201	117.2312	22.4	665.0	377	55877.	2096	1.5	3.9	7.5	2.6	0.5	5.0	34	0.1
50822	0	0	0	0	KG	48.5201	117.2307	22.4	664.7	379	55873.	2020	1.5	2.9	8.9	1.9	0.3	5.9	39	0.1
50823	0	0	0	0	KG	48.5201	117.2301	22.4	664.4	379	55871.	2162	2.0	5.2	9.1	2.6	0.6	4.6	37	0.1
50824	0	0	0	0	KG	48.5201	117.2296	22.4	664.1	380	55870.	2136	1.5	4.2	9.5	2.7	0.4	6.2	31	0.1
50825	0	0	0	0	QAG	48.5201	117.2290	22.4	663.8	385	55870.	2107	1.7	3.9	9.4	2.3	0.4	5.7	28	0.1
50826	0	0	0	0	QAG	48.5201	117.2285	22.4	663.5	389	55868.	2176	2.1	3.4	9.6	1.6	0.4	4.6	31	0.1
50827	0	0	0	0	QAG	48.5201	117.2279	22.4	663.2	393	55868.	2131	1.8	4.7	6.6	2.6	0.7	3.8	34	0.1
50828	0	0	0	0	QAG	48.5201	117.2274	22.4	662.9	394	55869.	2094	1.6	3.9	9.6	2.5	0.4	6.0	37	0.1
50829	0	0	0	0	QAG	48.5200	117.2268	22.4	662.6	396	55868.	2073	1.6	3.9	10.6	2.4	0.4	6.7	37	0.1
50830	0	0	0	0	QAG	48.5200	117.2263	22.4	662.3	400	55869.	2017	2.4	3.5	6.2	1.5	0.6	2.6	45	0.1
50831	0	0	0	0	QAG	48.5200	117.2257	22.4	662.0	402	55869.	2161	1.8	4.3	10.3	2.4	0.4	5.6	37	0.1
50832	0	0	0	0	KNA	48.5200	117.2252	22.4	661.7	409	55867.	2110	1.6	5.1	7.4	3.2	0.7	4.6	27	0.1
50833	0	0	0	0	KNA	48.5200	117.2246	22.4	661.4	417	55866.	2043	1.7	4.6	8.2	2.8	0.6	5.0	36	0.1
50834	0	0	0	0	KNA	48.5200	117.2241	22.4	661.1	429	55867.	2117	2.0	4.3	7.6	2.2	0.6	3.8	41	0.1
50835	0	0	0	0	KNA	48.5200	117.2235	22.4	660.8	431	55869.	2195	2.1	4.7	6.7	2.2	0.7	3.2	41	0.1
50836	0	0	0	0	KNA	48.5200	117.2230	22.4	660.5	425	55872.	2113	1.8	5.4	6.1	2.9	0.9	3.4	47	0.1
50837	0	0	0	0	KNA	48.5200	117.2224	22.4	660.1	413	55875.	2056	1.7	6.1	7.2	3.7	0.8	4.4	37	0.1
50838	0	0	0	0	KNA	48.5200	117.2219	22.4	659.8	403	55878.	1961	1.4	3.7	7.8	2.6	0.5	5.4	32	0.1
50839	0	0	0	0	KNA	48.5200	117.2213	22.4	659.5	395	55880.	2005	1.7	4.7	5.1	2.8	0.9	3.0	38	0.1
50840	0	0	0	0	KNA	48.5200	117.2208	22.4	659.1	389	55881.	2138	1.5	5.5	10.0	3.6	0.5	6.5	28	0.1
50841	0	0	0	0	KNA	48.5200	117.2202	22.4	658.8	381	55882.	2054	1.9	3.2	8.0	1.7	0.4	4.2	38	0.1
50842	0	0	0	0	KNA	48.5200	117.2197	22.4	658.4	374	55883.	2039	1.9	4.6	8.9	2.4	0.5	4.6	39	0.1
50843	0	0	0	0	KNA	48.5200	117.2191	22.4	658.1	372	55884.	2054	1.5	4.2	6.2	2.7	0.7	4.0	46	0.1
50844	0	0	0	0	KNA	48.5200	117.2186	22.4	657.7	376	55885.	2070	2.1	3.3	6.9	1.5	0.5	3.2	35	0.1
50845	0	0	0	0	KNA	48.5200	117.2180	22.3	657.3	392	55890.	2111	1.9	6.3	5.8	3.3	1.1	3.1	41	0.1
50846	0	0	0	0	KNA	48.5200	117.2175	22.3	656.9	401	55897.	2290	2.0	5.6	7.9	2.7	0.7	3.9	28	0.1
50847	0	0	0	0	KG	48.5200	117.2169	22.3	656.5	398	55905.	2247	2.1	5.3	6.5	2.6	0.8	3.2	35	0.1
50848	0	0	0	0	KG	48.5200	117.2163	22.3	656.1	377	55915.	2208	2.3	3.8	7.9	1.7	0.5	3.5	40	0.1
50849	0	0	0	0	KG	48.5200	117.2157	22.3	655.7	356	55926.	2232	2.4	4.1	8.7	1.7	0.5	3.7	42	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 30									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50850	0	0	0	0	KG	48.5200	117.2151	22.3	655.3	339	55935.	2270	2.3	4.0	8.8	1.8	0.5	3.9	35	0.1
50851	0	0	0	0	KG	48.5200	117.2145	22.3	654.9	325	55944.	2202	2.1	4.2	8.0	2.0	0.5	3.8	41	0.1
50852	0	0	0	0	KG	48.5200	117.2139	22.3	654.5	317	55951.	2273	2.2	3.9	7.2	1.8	0.5	3.3	49	0.1
50853	0	0	0	0	KG	48.5200	117.2133	22.3	654.2	317	55956.	2181	2.3	4.3	6.7	1.9	0.6	3.0	55	0.1
50854	0	0	0	0	KG	48.5200	117.2127	22.3	653.9	320	55960.	2298	2.1	4.4	10.6	2.1	0.4	5.2	38	0.1
50855	0	0	0	0	KG	48.5200	117.2121	22.3	653.6	323	55963.	2438	2.2	4.0	11.6	1.8	0.3	5.2	37	0.1
50856	0	0	0	0	KG	48.5200	117.2115	22.3	653.3	325	55965.	2244	2.3	4.4	9.5	1.9	0.5	4.2	45	0.1
50857	0	0	0	0	KG	48.5200	117.2109	22.3	653.0	328	55968.	2292	1.9	6.2	8.1	3.3	0.8	4.3	35	0.1
50858	0	0	0	0	KG	48.5200	117.2103	22.3	652.8	324	55971.	2296	2.1	6.8	6.5	3.2	1.0	3.1	41	0.1
50859	0	0	0	0	KG	48.5200	117.2097	22.3	652.6	321	55972.	2307	2.3	4.3	6.7	1.9	0.6	3.0	43	0.1
50860	0	0	0	0	KG	48.5200	117.2091	22.3	652.5	322	55971.	2277	2.4	4.0	9.5	1.7	0.4	4.0	42	0.1
50861	0	0	0	0	KG	48.5200	117.2085	22.3	652.3	335	55965.	2396	2.5	2.7	11.4	1.1	0.2	4.6	41	0.1
50862	0	0	0	0	KG	48.5200	117.2079	22.3	652.2	358	55955.	2423	2.7	2.0	12.1	0.8	0.2	4.5	45	0.1
50863	0	0	0	0	KG	48.5200	117.2073	22.3	652.0	388	55944.	2524	2.2	5.1	12.3	2.3	0.4	5.6	40	0.1
50864	0	0	0	0	KG	48.5200	117.2067	22.3	651.9	413	55934.	2610	2.4	4.7	12.2	1.9	0.4	5.1	33	0.1
50865	0	0	0	0	KG	48.5200	117.2061	22.3	651.8	425	55924.	2432	2.6	3.3	9.6	1.3	0.3	3.7	38	0.1
50866	0	0	0	0	KG	48.5200	117.2055	22.3	651.6	426	55917.	2321	2.1	4.9	9.0	2.3	0.5	4.3	34	0.1
50867	0	0	0	0	KG	48.5200	117.2049	22.3	651.5	422	55912.	2173	1.9	5.2	8.2	2.8	0.6	4.4	43	0.1
50868	0	0	0	0	KG	48.5200	117.2043	22.3	651.3	416	55907.	2178	1.8	3.8	11.5	2.1	0.3	6.4	39	0.1
50869	0	0	0	0	KG	48.5199	117.2037	22.3	651.1	411	55904.	2019	1.8	4.1	5.3	2.3	0.8	2.9	39	0.1
50870	0	0	0	0	KG	48.5199	117.2031	22.3	650.9	410	55901.	1965	1.6	3.8	7.1	2.5	0.5	4.6	40	0.1
50871	0	0	0	0	KG	48.5199	117.2025	22.3	650.6	410	55899.	1994	1.3	4.8	7.3	3.7	0.7	5.7	43	0.1
50872	0	0	0	0	KG	48.5199	117.2019	22.3	650.4	412	55898.	1944	1.5	3.4	8.6	2.2	0.4	5.6	40	0.1
50873	0	0	0	0	KG	48.5199	117.2013	22.3	650.1	416	55898.	1866	1.6	3.7	8.3	2.3	0.4	5.2	32	0.1
50874	0	0	0	0	QAG	48.5199	117.2007	22.3	649.9	424	55898.	1911	1.5	4.2	7.8	2.9	0.5	5.3	32	0.1
50875	0	0	0	0	QAG	48.5199	117.2001	22.3	649.6	435	55899.	1926	1.7	5.2	6.4	3.1	0.8	3.8	33	0.1
50877	0	0	0	0	QAG	48.5199	117.1989	22.3	649.4	451	55899.	2117	1.8	5.7	6.0	3.2	0.9	3.4	36	0.1
50878	0	0	0	0	QAG	48.5199	117.1983	22.3	649.1	457	55900.	2084	1.9	4.1	5.5	2.2	0.8	3.0	41	0.1
50879	0	0	0	0	QAG	48.5199	117.1977	22.3	648.9	452	55902.	2121	1.6	4.3	10.1	2.7	0.4	6.2	38	0.1
50880	0	0	0	0	QAG	48.5199	117.1971	22.3	648.7	434	55906.	1983	1.9	2.8	10.2	1.5	0.3	5.5	46	0.1
50881	0	0	0	0	QAG	48.5199	117.1965	22.3	648.5	418	55911.	2091	2.0	3.2	7.6	1.6	0.4	3.7	30	0.1
50882	0	0	0	0	QAG	48.5199	117.1959	22.3	648.3	397	55917.	2027	1.9	3.6	11.1	1.9	0.3	5.9	44	0.1
50883	0	0	0	0	QAG	48.5199	117.1953	22.3	648.2	374	55922.	1991	1.7	3.6	7.6	2.1	0.5	4.4	39	0.1
50884	0	0	0	0	QAG	48.5199	117.1947	22.3	648.1	357	55926.	1868	1.8	3.2	5.1	1.7	0.6	2.8	45	0.1
50885	0	0	0	0	QAG	48.5199	117.1941	22.3	648.0	356	55926.	2020	2.0	3.0	9.7	1.5	0.3	5.0	47	0.1
50886	0	0	0	0	QAG	48.5199	117.1935	22.2	647.9	371	55923.	2031	1.7	5.2	7.4	3.1	0.7	4.5	44	0.1
50887	0	0	0	0	QAG	48.5199	117.1929	22.2	647.8	402	55918.	2048	2.0	3.0	9.1	1.5	0.3	4.7	46	0.1
50888	0	0	0	0	QAG	48.5199	117.1923	22.2	647.7	432	55911.	2098	1.7	4.2	9.5	2.4	0.4	5.4	35	0.1
50889	0	0	0	0	QAG	48.5199	117.1917	22.2	647.7	462	55903.	2067	1.5	5.0	8.9	3.2	0.6	5.8	53	0.1
50890	0	0	0	0	QAG	48.5199	117.1911	22.2	647.6	481	55895.	2094	2.2	2.8	7.9	1.3	0.4	3.7	33	0.1
50891	0	0	0	0	QAG	48.5199	117.1905	22.2	647.5	497	55888.	2171	2.3	3.8	7.9	1.7	0.5	3.5	31	0.1
50892	0	0	0	0	QAG	48.5199	117.1899	22.2	647.4	512	55882.	2080	1.5	5.4	7.2	3.6	0.8	4.8	37	0.1
50893	0	0	0	0	QAG	48.5199	117.1893	22.2	647.3	525	55878.	2143	2.0	3.7	10.3	1.9	0.4	5.2	30	0.1
50894	0	0	0	0	QAG	48.5199	117.1887	22.2	647.2	537	55873.	1993	1.7	4.5	6.3	2.6	0.7	3.6	40	0.1
50895	0	0	0	0	QAG	48.5199	117.1881	22.2	647.0	545	55870.	2086	1.9	5.1	6.5	2.7	0.8	3.5	45	0.1
50896	0	0	0	0	QAG	48.5199	117.1875	22.2	646.8	553	55867.	1926	1.6	3.3	11.1	2.0	0.3	6.7	40	0.1
50897	0	0	0	0	QAG	48.5199	117.1869	22.2	646.6	559	55864.	1961	1.5	4.2	8.0	2.9	0.5	5.4	33	0.1
50898	0	0	0	0	QAG	48.5199	117.1863	22.2	646.3	561	55864.	1909	1.4	4.0	8.0	2.9	0.5	5.7	33	0.1
50899	0	0	0	0	QAG	48.5199	117.1857	22.2	646.0	555	55865.	2047	1.9	3.3	8.7	1.7	0.4	4.6	42	0.1
50900	0	0	0	0	QAG	48.5199	117.1851	22.2	645.6	550	55868.	1971	1.2	5.6	6.7	4.6	0.8	5.5	40	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 30							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50901	0	0	0	0	QAG	48.5199	117.1845	22.2	645.2	551	55873.	2059	1.3	5.0	8.2	3.8	0.6	6.2	31	0.1
50902	0	0	0	0	QAG	48.5199	117.1839	22.2	644.8	556	55879.	2223	1.8	5.1	8.8	2.8	0.6	4.9	29	0.1
50903	0	0	0	0	QAG	48.5199	117.1833	22.2	644.3	561	55886.	2244	1.7	5.2	10.7	3.1	0.5	6.4	39	0.1
50904	0	0	0	0	QAG	48.5199	117.1827	22.2	643.9	559	55894.	2405	2.1	5.0	8.7	2.4	0.6	4.2	41	0.1
50905	0	0	0	0	QAG	48.5199	117.1821	22.1	643.4	550	55902.	2375	2.4	4.8	10.4	2.0	0.5	4.3	39	0.1
50906	0	0	0	0	QAG	48.5199	117.1815	22.1	642.9	535	55911.	2394	1.8	4.8	14.1	2.7	0.3	7.9	49	0.1
50907	0	0	0	0	QAG	48.5199	117.1810	22.1	642.4	515	55921.	2575	2.0	4.0	9.6	2.0	0.4	4.8	36	0.1
50908	0	0	0	0	QAG	48.5199	117.1803	22.1	642.0	495	55929.	2500	1.9	5.1	10.1	2.7	0.5	5.3	38	0.1
50909	0	0	0	0	QAG	48.5199	117.1797	22.1	641.6	474	55938.	2480	2.4	5.1	10.1	2.1	0.5	4.2	37	0.1
50910	0	0	0	0	KG	48.5199	117.1792	22.1	641.2	451	55947.	2388	1.6	6.1	6.1	3.7	1.0	3.7	45	0.1
50911	0	0	0	0	KG	48.5199	117.1785	22.1	640.8	428	55956.	2249	1.8	5.4	7.5	3.0	0.7	4.2	49	0.1
50912	0	0	0	0	KG	48.5199	117.1779	22.1	640.5	405	55965.	2179	1.9	5.6	7.5	3.0	0.7	4.0	56	0.1
50913	0	0	0	0	KG	48.5199	117.1774	22.1	640.2	380	55974.	1952	1.6	3.2	9.7	1.9	0.3	6.0	47	0.1
50914	0	0	0	0	KG	48.5199	117.1768	22.1	640.0	361	55979.	1979	1.6	2.3	7.4	1.5	0.3	4.7	38	0.1
50915	0	0	0	0	KG	48.5199	117.1762	22.0	639.8	355	55980.	1928	1.7	3.2	7.2	1.9	0.4	4.2	42	0.1
50916	0	0	0	0	KG	48.5199	117.1756	22.0	639.7	360	55975.	1868	1.4	4.6	7.6	3.3	0.6	5.5	28	0.1
50917	0	0	0	0	QAG	48.5199	117.1750	22.0	639.5	371	55964.	1835	1.5	4.8	6.8	3.2	0.7	4.5	38	0.1
50918	0	0	0	0	QAG	48.5199	117.1744	22.0	639.4	386	55950.	1900	1.7	2.2	9.3	1.3	0.2	5.6	47	0.1
50919	0	0	0	0	QAG	48.5199	117.1738	22.0	639.3	410	55933.	1946	1.6	3.1	8.8	2.0	0.4	5.6	51	0.1
50920	0	0	0	0	QAG	48.5199	117.1732	22.0	639.2	440	55917.	2006	1.6	2.7	8.3	1.6	0.3	5.1	36	0.1
50921	0	0	0	0	QAG	48.5199	117.1726	22.0	639.2	475	55903.	1942	1.7	4.0	7.2	2.3	0.6	4.1	36	0.1
50922	0	0	0	0	QAG	48.5199	117.1720	22.0	639.1	508	55892.	1899	1.5	3.4	9.4	2.2	0.4	6.2	47	0.1
50923	0	0	0	0	QAG	48.5199	117.1714	21.9	639.0	543	55885.	2038	1.4	4.0	12.3	2.8	0.3	8.7	38	0.1
50924	0	0	0	0	KG	48.5199	117.1708	21.9	638.9	571	55881.	2018	1.5	5.4	7.8	3.6	0.7	5.1	48	0.1
50925	0	0	0	0	KG	48.5199	117.1702	21.9	638.8	587	55880.	2038	1.7	2.9	11.3	1.6	0.3	6.5	36	0.1
50926	0	0	0	0	KG	48.5199	117.1696	21.9	638.7	588	55880.	2017	1.9	4.1	7.0	2.1	0.6	3.6	45	0.1
50927	0	0	0	0	KG	48.5199	117.1690	21.9	638.5	576	55882.	2049	1.8	4.4	5.9	2.4	0.7	3.2	33	0.1
50928	0	0	0	0	KG	48.5199	117.1684	21.8	638.2	568	55881.	2105	1.6	3.1	9.3	2.0	0.3	5.9	34	0.1
50929	0	0	0	0	KG	48.5199	117.1678	21.8	637.9	565	55879.	2018	1.8	4.1	7.1	2.3	0.6	3.9	43	0.1
50930	0	0	0	0	KG	48.5199	117.1672	21.8	637.6	570	55875.	2287	1.9	3.5	9.0	1.8	0.4	4.7	41	0.1
50931	0	0	0	0	KG	48.5199	117.1666	21.8	637.3	566	55870.	2143	2.3	2.6	10.5	1.1	0.2	4.5	47	0.1
50932	0	0	0	0	KG	48.5199	117.1660	21.7	636.9	553	55868.	2120	1.7	5.2	8.5	3.0	0.6	4.9	53	0.1
50933	0	0	0	0	KG	48.5199	117.1654	21.7	636.6	529	55870.	2208	1.7	5.2	9.2	3.2	0.6	5.6	53	0.1
50934	0	0	0	0	KG	48.5199	117.1648	21.7	636.2	508	55874.	2153	1.5	4.0	10.4	2.6	0.4	6.9	38	0.1
50935	0	0	0	0	KG	48.5199	117.1642	21.7	635.7	477	55883.	2119	1.8	3.2	11.2	1.8	0.3	6.3	33	0.1
50936	0	0	0	0	KG	48.5199	117.1636	21.6	635.3	448	55892.	2160	2.0	2.0	11.6	1.0	0.2	5.8	50	0.1
50937	0	0	0	0	KG	48.5199	117.1630	21.6	634.9	422	55903.	2193	1.9	3.7	7.6	2.0	0.5	4.1	43	0.1
50938	0	0	0	0	KG	48.5199	117.1624	21.6	634.5	404	55915.	2107	2.0	3.7	7.4	1.8	0.5	3.7	34	0.1
50939	0	0	0	0	KG	48.5199	117.1618	21.6	634.0	385	55924.	2096	1.5	4.5	8.2	2.9	0.5	5.3	35	0.1
50940	0	0	0	0	KG	48.5199	117.1612	21.5	633.5	364	55930.	1942	1.7	2.3	9.3	1.3	0.2	5.3	40	0.1
50941	0	0	0	0	KG	48.5199	117.1606	21.5	633.0	354	55931.	1997	1.7	3.7	8.1	2.2	0.5	4.8	37	0.1
50942	0	0	0	0	KG	48.5199	117.1600	21.5	632.6	351	55928.	1971	1.5	3.5	10.5	2.3	0.3	6.8	50	0.1
50943	0	0	0	0	KG	48.5199	117.1594	21.5	632.1	359	55920.	1887	1.7	4.0	8.1	2.4	0.5	4.9	62	0.1
50944	0	0	0	0	KG	48.5199	117.1588	21.4	631.6	372	55909.	1951	1.7	3.4	9.0	1.9	0.4	5.2	47	0.1
50945	0	0	0	0	KG	48.5199	117.1582	21.4	631.1	394	55898.	1854	1.6	2.0	8.3	1.2	0.2	5.1	53	0.1
50946	0	0	0	0	KG	48.5199	117.1576	21.4	630.6	415	55886.	1816	1.4	4.0	7.3	2.8	0.5	5.2	48	0.1
50947	0	0	0	0	KG	48.5199	117.1570	21.3	630.0	433	55877.	1973	1.7	5.8	6.8	3.4	0.9	3.9	44	0.1
50948	0	0	0	0	KG	48.5199	117.1564	21.3	629.4	447	55872.	1927	1.8	2.8	10.8	1.5	0.3	5.8	51	0.1
50949	0	0	0	0	KG	48.5199	117.1558	21.3	628.8	458	55869.	2016	1.4	3.6	9.5	2.5	0.4	6.6	48	0.1
50950	0	0	0	0	KG	48.5199	117.1552	21.3	628.2	459	55869.	2208	2.0	3.3	10.6	1.7	0.3	5.4	39	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 30									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
50951	0	0	0	0	KG	48.5199	117.1546	21.2	627.5	454	55869.	2137	2.0	4.7	9.7	2.3	0.5	4.8	47	0.1
50952	0	0	0	0	KG	48.5199	117.1540	21.2	626.9	447	55870.	2152	1.8	4.4	9.8	2.5	0.5	5.6	54	0.1
50953	0	0	0	0	KG	48.5199	117.1534	21.2	626.3	442	55868.	2162	2.3	3.7	7.0	1.6	0.5	3.0	53	0.1
50954	0	0	0	0	KG	48.5199	117.1528	21.1	625.6	439	55865.	2203	1.7	5.4	9.0	3.2	0.6	5.4	45	0.1
50955	0	0	0	0	KG	48.5199	117.1522	21.1	624.9	432	55861.	2287	1.9	4.8	11.5	2.5	0.4	6.0	44	0.1
50956	0	0	0	0	KG	48.5199	117.1516	21.1	624.3	426	55858.	2280	1.8	5.0	8.8	2.7	0.6	4.8	47	0.1
50957	0	0	0	0	KG	48.5199	117.1510	21.1	623.6	419	55857.	2151	1.5	3.2	11.7	2.1	0.3	7.6	53	0.1
50958	0	0	0	0	KG	48.5199	117.1504	21.0	622.9	410	55859.	2190	2.2	2.7	9.5	1.2	0.3	4.4	49	0.1
50959	0	0	0	0	KG	48.5199	117.1498	21.0	622.3	400	55863.	2347	1.5	5.2	9.7	3.4	0.5	6.3	44	0.1
50960	0	0	0	0	KG	48.5199	117.1492	21.0	621.7	385	55871.	2262	1.7	4.6	8.9	2.7	0.5	5.2	39	0.1
50961	0	0	0	0	KG	48.5199	117.1486	20.9	621.1	374	55881.	2234	1.8	4.1	11.1	2.3	0.4	6.1	47	0.1
50962	0	0	0	0	KG	48.5199	117.1480	20.9	620.5	364	55892.	2212	1.8	4.0	8.6	2.2	0.5	4.7	47	0.1
50963	0	0	0	0	KG	48.5199	117.1474	20.9	620.0	351	55904.	2253	2.1	3.2	10.5	1.6	0.3	5.1	47	0.1
50964	0	0	0	0	KG	48.5199	117.1468	20.9	619.5	344	55915.	2251	2.1	4.4	9.2	2.1	0.5	4.5	46	0.1
50965	0	0	0	0	KG	48.5199	117.1462	20.8	619.0	337	55926.	2280	2.4	2.2	11.1	0.9	0.2	4.6	45	0.1
50966	0	0	0	0	KG	48.5199	117.1456	20.8	618.6	339	55936.	2190	2.2	4.1	8.9	1.9	0.5	4.1	51	0.1
50968	1	1	1	1	KG	48.5199	117.1444	20.8	618.2	337	55945.	2232	2.1	4.6	9.5	2.2	0.5	4.6	46	0.1
50969	0	0	0	0	KG	48.5199	117.1438	20.7	617.9	335	55952.	2234	1.6	4.8	10.2	3.1	0.5	6.6	53	0.1
50970	0	0	0	0	KG	48.5199	117.1432	20.7	617.6	330	55956.	2313	2.0	4.2	12.6	2.1	0.3	6.4	44	0.1
50971	0	0	0	0	QAG	48.5199	117.1426	20.7	617.4	321	55956.	2218	2.3	3.5	10.9	1.6	0.3	4.8	57	0.1
50972	0	0	0	0	QAG	48.5199	117.1420	20.7	617.2	316	55954.	2326	2.1	3.2	12.0	1.5	0.3	5.6	41	0.1
50973	0	0	0	0	QAG	48.5199	117.1414	20.6	617.1	315	55947.	2261	1.9	4.2	11.9	2.2	0.4	6.3	53	0.1
50974	0	0	0	0	QAG	48.5199	117.1408	20.6	617.0	324	55933.	2159	1.9	4.4	10.1	2.4	0.4	5.4	64	0.1
50975	0	0	0	0	QAG	48.5199	117.1403	20.6	617.0	330	55913.	2194	2.2	3.8	10.0	1.7	0.4	4.5	59	0.1
50976	0	0	0	0	QAG	48.5199	117.1397	20.6	617.0	340	55887.	2266	2.1	5.2	8.9	2.5	0.6	4.3	46	0.1
50977	0	0	0	0	KG	48.5199	117.1392	20.5	617.0	351	55858.	2086	1.7	4.4	10.0	2.5	0.4	5.7	47	0.1
50978	0	0	0	0	KG	48.5199	117.1387	20.5	617.1	372	55827.	2089	2.0	3.7	8.7	1.9	0.4	4.3	48	0.1
50979	0	0	0	0	KG	48.5199	117.1381	20.5	617.2	396	55796.	2036	1.6	5.4	9.5	3.5	0.6	6.1	54	0.1
50980	0	0	0	0	KG	48.5199	117.1376	20.5	617.4	426	55771.	2078	2.0	2.2	8.3	1.1	0.3	4.2	48	0.1
50981	0	0	0	0	KG	48.5199	117.1370	20.4	617.4	464	55750.	2117	1.9	4.8	3.3	2.5	1.5	1.7	47	0.1
50982	0	0	0	0	KG	48.5199	117.1365	20.4	617.5	513	55733.	2173	1.5	5.1	8.1	3.4	0.6	5.5	61	0.1
50983	0	0	0	0	KG	48.5199	117.1359	20.4	617.7	561	55720.	2275	1.9	5.1	8.7	2.6	0.6	4.5	41	0.1
50984	0	0	0	0	KG	48.5199	117.1354	20.4	617.7	603	55707.	2350	1.9	4.2	11.4	2.2	0.4	5.9	52	0.1
50985	0	0	0	0	KG	48.5199	117.1349	20.4	617.8	628	55695.	2283	1.9	4.5	11.9	2.3	0.4	6.1	35	0.1
50986	0	0	0	0	KG	48.5199	117.1343	20.3	617.8	643	55686.	2299	2.2	4.1	11.4	1.8	0.4	5.2	49	0.1
50987	0	0	0	0	KG	48.5199	117.1338	20.3	617.9	650	55676.	2240	2.2	4.2	8.7	1.9	0.5	4.0	58	0.1
50988	0	0	0	0	KG	48.5199	117.1332	20.3	617.8	658	55668.	2135	2.0	3.5	9.6	1.8	0.4	4.8	41	0.1
50989	0	0	0	0	KG	48.5199	117.1327	20.3	617.8	672	55660.	2128	2.0	4.4	8.8	2.2	0.5	4.4	62	0.1
50990	0	0	0	0	KG	48.5199	117.1322	20.3	617.8	687	55652.	2350	2.0	4.5	12.6	2.2	0.4	6.4	47	0.1
50991	0	0	0	0	KHM	48.5199	117.1316	20.3	617.7	684	55646.	2328	2.5	4.7	12.8	1.9	0.4	5.2	37	0.1
50992	0	0	0	0	KHM	48.5199	117.1311	20.2	617.6	665	55641.	2272	1.6	6.6	7.9	4.1	0.8	4.9	44	0.1
50993	0	0	0	0	KHM	48.5199	117.1305	20.2	617.4	632	55638.	2237	1.7	5.3	9.9	3.2	0.5	5.9	44	0.1
50994	0	0	0	0	KHM	48.5199	117.1300	20.2	617.3	607	55637.	2047	1.6	3.6	12.4	2.2	0.3	7.8	63	0.1
50995	0	0	0	0	KHM	48.5199	117.1294	20.2	617.1	591	55638.	2142	2.0	5.1	12.2	2.5	0.4	6.2	43	0.1
50996	0	0	0	0	KHM	48.5199	117.1289	20.2	616.9	577	55640.	2122	1.8	3.0	9.8	1.7	0.3	5.5	61	0.1
50997	0	0	0	0	KHM	48.5199	117.1284	20.2	616.7	561	55644.	2169	1.9	2.8	12.4	1.5	0.2	6.6	34	0.1
50998	0	0	0	0	KHM	48.5199	117.1278	20.2	616.5	540	55650.	2163	1.6	3.0	12.2	1.8	0.2	7.5	47	0.1
50999	0	0	0	0	KHM	48.5199	117.1273	20.1	616.3	519	55661.	2086	1.8	1.7	12.9	0.9	0.1	7.1	46	0.1
51000	0	0	0	0	KHM	48.5199	117.1267	20.1	616.1	494	55677.	2208	1.5	4.1	12.6	2.8	0.3	8.6	31	0.1
51001	0	0	0	0	KHM	48.5199	117.1262	20.1	616.0	474	55700.	2135	1.9	2.7	11.9	1.4	0.2	6.2	43	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 30							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51002	0	0	0	0	KHM	48.5198	117.1257	20.1	615.9	452	55727.	2122	1.7	3.3	11.5	1.9	0.3	6.6	61	0.1
51003	0	0	0	0	KHM	48.5198	117.1251	20.1	615.9	433	55754.	2275	1.9	4.8	8.6	2.5	0.6	4.6	45	0.1
51004	0	0	0	0	KHM	48.5198	117.1246	20.1	615.9	408	55779.	2130	1.9	3.8	7.9	2.0	0.5	4.1	69	0.1
51005	0	0	0	0	KHM	48.5198	117.1240	20.1	615.9	383	55794.	2131	1.7	3.0	11.8	1.7	0.3	6.9	50	0.1
51006	0	0	0	0	KHM	48.5198	117.1235	20.1	615.9	355	55798.	2047	1.6	4.5	8.0	2.7	0.6	4.9	55	0.1
51007	0	0	0	0	KHM	48.5198	117.1228	20.0	616.0	333	55789.	1970	1.8	3.2	8.4	1.8	0.4	4.6	40	0.1
51008	0	0	0	0	KHM	48.5198	117.1222	20.0	616.1	321	55769.	1911	1.5	4.5	7.9	3.0	0.6	5.4	44	0.1
51009	0	0	0	0	KHM	48.5198	117.1216	20.0	616.2	323	55741.	1877	1.7	2.4	9.5	1.4	0.3	5.6	52	0.1
51010	0	0	0	0	KHM	48.5198	117.1209	20.0	616.4	333	55711.	1847	1.3	4.7	7.0	3.5	0.7	5.2	58	0.1
51011	0	0	0	0	KHM	48.5198	117.1203	20.0	616.7	352	55683.	2077	1.3	5.0	8.1	3.8	0.6	6.1	33	0.1
51012	0	0	0	0	KHM	48.5198	117.1196	20.0	617.0	378	55660.	2148	2.1	2.7	10.1	1.3	0.3	4.9	51	0.1
51013	0	0	0	0	KHM	48.5198	117.1190	20.0	617.2	407	55643.	2314	1.6	5.1	11.1	3.2	0.5	6.8	43	0.1
51014	0	0	0	0	KHM	48.5198	117.1183	20.0	617.5	441	55630.	2408	1.9	5.6	12.8	3.0	0.4	6.8	51	0.1
51015	0	0	0	0	KHM	48.5197	117.1177	20.0	617.8	474	55622.	2599	2.4	4.2	13.1	1.8	0.3	5.5	53	0.1
51016	0	0	0	0	KHM	48.5197	117.1171	20.0	618.1	515	55616.	2578	2.1	4.6	12.7	2.2	0.4	6.1	54	0.1
51017	0	0	0	0	KHM	48.5197	117.1164	20.0	618.4	558	55613.	2715	1.9	5.3	12.6	2.9	0.4	6.8	46	0.1
51018	0	0	0	0	KHM	48.5197	117.1158	20.0	618.7	602	55612.	2861	1.9	6.7	18.7	3.5	0.4	9.6	45	0.1
51019	0	0	0	0	KHM	48.5197	117.1151	20.0	619.0	654	55612.	2732	1.7	5.1	17.0	2.9	0.3	9.8	58	0.1
51020	1	0	0	0	KHM	48.5197	117.1145	20.0	619.3	702	55615.	2793	2.4	5.5	15.4	2.3	0.4	6.4	46	0.1
51021	1	0	0	0	KHM	48.5197	117.1138	20.0	619.7	752	55619.	2899	1.4	9.0	12.6	6.3	0.7	8.9	38	0.1
51022	1	0	0	0	KHM	48.5197	117.1132	20.0	620.1	780	55623.	2828	2.4	3.3	13.8	1.4	0.2	5.7	38	0.1
51023	1	0	0	0	KHM	48.5197	117.1125	20.0	620.4	797	55628.	2861	2.3	3.5	17.7	1.5	0.2	7.7	40	0.1
51024	1	0	0	0	KHM	48.5197	117.1119	20.0	620.7	797	55633.	2878	2.5	3.7	13.5	1.5	0.3	5.4	53	0.1
51025	1	0	0	0	KHM	48.5197	117.1113	20.0	621.1	795	55638.	2674	2.0	5.6	15.9	2.8	0.4	8.0	53	0.1
51026	1	0	0	0	KHM	48.5196	117.1106	20.0	621.5	782	55643.	2738	2.0	6.5	14.8	3.3	0.4	7.5	39	0.1
51027	1	0	0	0	KHM	48.5196	117.1100	20.0	621.8	762	55647.	2621	1.9	6.7	13.9	3.6	0.5	7.5	41	0.1
51028	1	0	0	0	KHM	48.5196	117.1093	20.0	622.2	729	55651.	2633	2.5	4.0	14.5	1.6	0.3	5.8	44	0.1
51029	0	0	0	0	KHM	48.5196	117.1087	20.0	622.6	683	55654.	2456	1.6	5.9	15.4	3.8	0.4	9.8	52	0.1
51030	0	0	0	0	KHM	48.5196	117.1080	20.0	623.0	632	55658.	2370	1.9	2.1	14.6	1.1	0.1	7.6	35	0.1
51031	0	0	0	0	KHM	48.5196	117.1074	20.0	623.4	581	55662.	2192	1.4	4.9	7.1	3.5	0.7	5.0	53	0.1
51032	0	0	0	0	KHM	48.5196	117.1068	20.0	623.8	535	55666.	2127	1.6	4.8	9.2	3.0	0.5	5.7	54	0.1
51033	0	0	0	0	KHM	48.5196	117.1061	20.0	624.1	497	55668.	2183	2.1	2.2	11.3	1.1	0.2	5.5	29	0.1
51034	0	0	0	0	KHM	48.5196	117.1055	20.1	624.6	466	55669.	2121	1.8	3.7	9.2	2.1	0.4	5.2	45	0.1
51035	0	0	0	0	KHM	48.5195	117.1048	20.1	625.0	443	55670.	2022	1.9	2.6	9.2	1.4	0.3	4.9	59	0.1
51036	0	0	0	0	KHM	48.5195	117.1042	20.1	625.4	423	55669.	1982	1.7	3.6	9.9	2.1	0.4	6.0	48	0.1
51037	0	0	0	0	KHM	48.5195	117.1035	20.1	625.8	406	55668.	2080	1.7	4.0	10.6	2.3	0.4	6.2	32	0.1
51038	0	0	0	0	KHM	48.5195	117.1029	20.1	626.2	396	55667.	1924	1.5	3.1	10.1	2.1	0.3	6.8	46	0.1
51039	0	0	0	0	KHM	48.5195	117.1022	20.1	626.6	395	55664.	1904	1.5	3.3	10.8	2.2	0.3	7.1	57	0.1
51040	0	0	0	0	KHM	48.5195	117.1016	20.1	627.1	401	55661.	1806	1.2	3.7	7.9	3.1	0.5	6.7	37	0.1
51041	0	0	0	0	KHM	48.5195	117.1010	20.2	627.6	410	55658.	1881	0.8	5.2	8.1	6.9	0.6	10.7	40	0.1
51042	0	0	0	0	KHM	48.5195	117.1003	20.2	628.1	417	55655.	1792	1.4	3.2	8.1	2.3	0.4	5.9	49	0.1
51043	0	0	0	0	KHM	48.5195	117.0997	20.2	628.6	421	55652.	1880	1.4	3.2	3.0	2.4	0.4	5.9	49	0.1
51044	0	0	0	0	KHM	48.5195	117.0990	20.2	629.1	423	55648.	1870	1.4	3.2	10.5	2.4	0.3	7.8	40	0.1
51045	0	0	0	0	KHM	48.5195	117.0984	20.2	629.7	425	55646.	1814	1.3	3.9	8.7	3.1	0.5	6.8	37	0.1
51046	0	0	0	0	KHM	48.5194	117.0977	20.3	630.3	428	55644.	1864	1.7	3.5	6.9	2.1	0.5	4.1	45	0.1
51047	0	0	0	0	KHM	48.5194	117.0971	20.3	630.8	432	55642.	1940	1.5	2.7	9.7	1.8	0.3	6.5	37	0.1
51048	0	0	0	0	KHM	48.5194	117.0965	20.3	631.4	431	55640.	1968	1.3	4.5	7.3	3.4	0.6	5.5	47	0.1
51049	0	0	0	0	KHM	48.5194	117.0958	20.3	632.0	426	55639.	1763	1.2	3.5	7.6	2.8	0.5	6.2	56	0.1
51050	0	0	0	0	KHM	48.5194	117.0952	20.3	632.6	413	55639.	1780	1.5	2.6	8.7	1.7	0.3	5.7	72	0.1
51051	0	0	0	0	KHM	48.5194	117.0945	20.4	633.2	399	55640.	1810	1.5	3.7	9.3	2.5	0.4	6.4	41	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO.		30							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPH	T PPM	U/K	U/T	T/K	COS CPS	BI PPM	
51052	0	0	0	0	KHM	48.5194	117.0939	20.4	633.8	385	55640.	1832	1.2	4.8	6.0	4.2	0.8	5.2	39	0.1	
51053	0	0	0	0	KHM	48.5194	117.0932	20.4	634.3	379	55642.	1799	0.9	4.2	8.1	4.5	0.5	8.6	48	0.1	
51054	0	0	0	0	KHM	48.5194	117.0926	20.4	634.9	386	55643.	1831	1.3	4.4	8.9	3.4	0.5	6.9	45	0.1	
51055	0	0	0	0	KHM	48.5193	117.0919	20.5	635.5	406	55644.	1871	1.5	4.9	4.5	3.4	1.1	3.1	38	0.1	
51056	0	0	0	0	KHM	48.5193	117.0913	20.5	636.1	433	55647.	1810	1.4	3.4	6.7	2.4	0.5	4.8	51	0.1	
51057	0	0	0	0	KHM	48.5193	117.0907	20.5	636.7	456	55650.	1762	0.9	4.9	7.3	5.7	0.7	8.6	51	0.1	
51059	0	0	0	0	KHM	48.5193	117.0894	20.6	637.4	479	55653.	1920	1.7	2.9	8.0	1.7	0.4	4.7	44	0.1	
51060	0	0	0	0	KHM	48.5193	117.0887	20.6	638.0	501	55658.	1921	1.3	3.9	7.7	3.0	0.5	5.9	47	0.1	
51061	0	0	0	0	KHM	48.5193	117.0881	20.6	638.6	532	55662.	1988	1.4	3.6	11.7	2.6	0.3	8.5	39	0.1	
51062	0	0	0	0	KHM	48.5193	117.0874	20.6	639.3	552	55666.	1949	1.1	6.4	6.9	5.7	0.9	6.2	49	0.1	
51063	0	0	0	0	KHM	48.5193	117.0868	20.7	640.0	561	55669.	2139	1.6	5.9	7.1	3.7	0.8	4.5	40	0.1	
51064	0	0	0	0	KHM	48.5193	117.0861	20.7	640.6	561	55672.	1996	1.0	4.6	8.5	4.6	0.5	8.5	47	0.1	
51065	0	0	0	0	KHM	48.5192	117.0855	20.7	641.3	565	55675.	2102	1.7	4.2	6.8	2.5	0.6	4.0	40	0.1	
51066	0	0	0	0	KHM	48.5192	117.0849	20.8	642.0	579	55679.	2145	1.3	3.8	10.4	2.9	0.4	7.8	43	0.1	
51067	0	0	0	0	KHM	48.5192	117.0842	20.8	642.7	595	55682.	2290	2.0	3.9	12.9	2.0	0.3	6.6	34	0.1	
51068	0	0	0	0	KHM	48.5192	117.0836	20.8	643.4	612	55686.	2320	2.2	3.8	10.7	1.7	0.4	4.9	35	0.1	
51069	0	0	0	0	KHM	48.5192	117.0829	20.9	644.1	632	55688.	2448	2.2	4.3	10.4	1.9	0.4	4.7	32	0.1	
51070	0	0	0	0	KHM	48.5192	117.0823	20.9	644.8	640	55689.	2476	1.7	3.9	14.6	2.3	0.3	8.8	41	0.1	
51071	0	0	0	0	KHM	48.5192	117.0816	20.9	645.5	644	55691.	2388	1.8	4.2	10.1	2.4	0.4	5.7	39	0.1	
51072	0	0	0	0	KHM	48.5192	117.0810	21.0	646.2	633	55692.	2373	1.6	4.4	12.1	2.8	0.4	7.8	41	0.2	
51073	0	0	0	0	KHM	48.5192	117.0804	21.0	646.9	626	55694.	2232	1.6	4.7	8.7	3.0	0.5	5.5	30	0.2	
51074	0	0	0	0	KHM	48.5192	117.0797	21.1	647.6	616	55697.	2245	1.7	5.0	4.4	2.9	1.1	2.6	42	0.2	
51075	0	0	0	0	KHM	48.5191	117.0791	21.1	648.3	604	55699.	2138	2.1	2.5	7.2	1.2	0.3	3.5	43	0.2	
51076	0	0	0	0	KHM	48.5191	117.0784	21.1	649.0	600	55701.	2255	1.7	3.0	12.9	1.8	0.2	7.7	45	0.2	
51077	0	0	0	0	KHM	48.5191	117.0778	21.2	649.7	593	55703.	2192	1.7	4.4	7.9	2.7	0.6	4.8	61	0.2	
51078	0	0	0	0	KHM	48.5191	117.0771	21.2	650.4	586	55705.	2275	1.6	3.4	12.6	2.2	0.3	8.1	42	0.2	
51079	0	0	0	0	KHM	48.5191	117.0765	21.2	651.0	572	55706.	2186	1.2	4.1	12.1	3.4	0.3	9.9	36	0.2	
51080	0	0	0	0	KHM	48.5191	117.0758	21.3	651.7	564	55705.	2131	1.3	4.0	10.2	3.1	0.4	8.1	45	0.2	
51081	0	0	0	0	KHM	48.5191	117.0752	21.3	652.3	567	55703.	2303	2.1	3.3	12.1	1.6	0.3	5.9	38	0.2	
51082	0	0	0	0	KHM	48.5191	117.0746	21.4	653.0	579	55700.	2317	1.3	3.7	10.8	2.9	0.3	8.3	32	0.1	
51083	0	0	0	0	KHM	48.5191	117.0739	21.4	653.6	592	55695.	2317	1.5	4.1	10.3	2.8	0.4	7.1	42	0.1	
51084	0	0	0	0	KHM	48.5191	117.0733	21.4	654.2	603	55690.	2346	1.8	4.1	11.0	2.3	0.4	6.1	33	0.1	
51085	0	0	0	0	KHM	48.5190	117.0726	21.5	654.9	616	55683.	2514	2.0	4.3	11.7	2.2	0.4	6.0	33	0.1	
51086	0	0	0	0	KHM	48.5190	117.0720	21.5	655.5	639	55676.	2504	1.8	3.8	12.2	2.1	0.3	6.7	40	0.1	
51087	0	0	0	0	KHM	48.5190	117.0713	21.5	656.1	669	55670.	2749	1.4	5.6	13.1	4.0	0.4	9.4	26	0.1	
51088	0	0	0	0	KHM	48.5190	117.0707	21.6	656.6	686	55664.	2663	1.6	6.4	13.9	4.1	0.5	9.0	46	0.1	
51089	0	0	0	0	KHM	48.5190	117.0700	21.6	657.2	678	55659.	2581	1.7	6.0	11.2	3.4	0.5	6.4	31	0.1	
51090	0	0	0	0	KHM	48.5190	117.0694	21.6	657.7	649	55656.	2601	1.3	7.0	14.3	5.4	0.5	11.1	39	0.1	
51091	0	0	0	0	KHM	48.5190	117.0687	21.7	658.3	617	55654.	2307	1.4	5.8	8.7	4.2	0.7	6.3	53	0.1	
51092	0	0	0	0	KHM	48.5190	117.0681	21.7	658.7	598	55653.	2228	1.6	2.8	9.7	1.8	0.3	6.2	39	0.1	
51093	0	0	0	0	KHM	48.5190	117.0675	21.7	659.2	585	55650.	2363	2.0	3.6	12.6	1.8	0.3	6.4	39	0.1	
51094	0	0	0	0	KHM	48.5190	117.0668	21.8	659.6	584	55647.	2338	1.7	3.7	10.1	2.2	0.4	6.1	43	0.1	
51095	0	0	0	0	KHM	48.5190	117.0662	21.8	660.0	590	55642.	2289	1.6	5.6	11.2	3.4	0.5	6.9	40	0.1	
51096	0	0	0	0	KHM	48.5189	117.0655	21.8	660.3	607	55637.	2453	1.4	5.5	11.0	4.0	0.5	7.9	38	0.1	
51097	0	0	0	0	KHM	48.5189	117.0649	21.9	660.6	639	55633.	2477	1.8	6.4	9.1	3.6	0.7	5.1	33	0.1	
51098	0	0	0	0	KHM	48.5189	117.0642	21.9	660.9	687	55629.	2895	1.7	8.2	12.7	4.7	0.6	7.3	41	0.1	
51099	1	0	0	0	QAG	48.5189	117.0636	21.9	661.1	744	55626.	2994	1.6	8.4	14.8	5.4	0.6	9.5	49	0.1	
51100	1	0	0	0	QAG	48.5189	117.0630	22.0	661.3	786	55626.	3640	2.2	7.9	18.5	3.5	0.4	8.3	33	0.1	
51101	1	0	0	0	QAG	48.5189	117.0624	22.0	661.4	805	55627.	3390	2.0	7.1	16.6	3.5	0.4	8.3	38	0.1	
51102	1	0	0	0	QAG	48.5189	117.0618	22.0	661.5	788	55630.	3550	2.7	5.9	20.9	2.1	0.3	7.6	36	0.1	

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO.		30							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BAR ^{MM}	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51103	1	0	0	0	KHM	48.5189	117.0612	22.0	661.5	763	55634.	3195	2.2	5.5	13.3	2.5	0.4	6.1	31	0.1
51104	1	0	0	0	KHM	48.5189	117.0607	22.1	661.6	730	55637.	3010	2.3	6.3	14.0	2.8	0.4	6.1	43	0.1
51105	0	0	0	0	KHM	48.5189	117.0601	22.1	661.6	699	55640.	2957	1.8	6.8	15.0	3.8	0.5	8.4	29	0.1
51106	0	0	0	0	KHM	48.5189	117.0595	22.1	661.5	662	55645.	2682	2.3	3.2	17.6	1.4	0.2	7.7	39	0.1
51107	0	0	0	0	KHM	48.5188	117.0589	22.1	661.4	615	55650.	2431	1.1	6.5	10.5	6.0	0.6	9.7	38	0.1
51108	0	0	0	0	KHM	48.5188	117.0583	22.2	661.4	575	55655.	2508	1.7	4.1	12.4	2.4	0.3	7.3	32	0.1
51109	0	0	0	0	KHM	48.5188	117.0578	22.2	661.2	551	55659.	2316	1.6	4.5	12.6	2.9	0.4	8.1	32	0.1
51110	0	0	0	0	KHM	48.5188	117.0572	22.2	661.1	543	55662.	2150	1.4	3.5	11.9	2.6	0.3	8.7	39	0.1
51111	0	0	0	0	KHM	48.5188	117.0566	22.2	660.9	553	55666.	2213	1.7	3.8	12.7	2.2	0.3	7.3	44	0.1
51112	0	0	0	0	KHM	48.5188	117.0560	22.3	660.8	561	55669.	2315	1.7	5.1	9.0	3.1	0.6	5.5	29	0.1
51113	0	0	0	0	KHM	48.5188	117.0555	22.3	660.6	565	55672.	2435	1.6	5.2	11.8	3.2	0.4	7.3	31	0.1
51114	0	0	0	0	KHM	48.5188	117.0549	22.3	660.4	563	55676.	2325	1.1	6.5	10.1	5.7	0.6	8.9	29	0.1
51115	0	0	0	0	KHM	48.5188	117.0543	22.3	660.1	557	55677.	2314	1.7	5.2	9.7	3.1	0.5	5.9	40	0.1
51116	0	0	0	0	KHM	48.5188	117.0537	22.3	659.9	561	55678.	2455	1.6	6.7	9.8	4.2	0.7	6.2	35	0.1
51117	0	0	0	0	KHM	48.5188	117.0531	22.3	659.6	566	55680.	2404	1.9	5.6	11.3	4.0	0.5	6.0	41	0.1
51118	0	0	0	0	KHM	48.5188	117.0526	22.4	659.4	571	55680.	2430	2.2	3.9	10.3	1.8	0.4	4.7	41	0.1
51119	0	0	0	0	KHM	48.5188	117.0520	22.4	659.1	564	55681.	2529	2.2	3.9	11.7	1.8	0.3	5.3	41	0.1
51120	0	0	0	0	KHM	48.5188	117.0514	22.4	658.8	559	55683.	2595	1.5	6.8	10.5	4.5	0.7	7.0	22	0.1
51121	0	0	0	0	KHM	48.5188	117.0508	22.4	658.5	556	55684.	2523	2.1	5.8	12.9	2.8	0.5	6.2	38	0.1
51122	0	0	0	0	KHM	48.5188	117.0502	22.4	658.2	553	55684.	2457	1.8	6.0	11.7	3.3	0.5	6.4	42	0.1
51123	0	0	0	0	KHM	48.5188	117.0497	22.4	657.9	540	55684.	2535	2.2	3.1	13.1	1.4	0.2	6.1	39	0.1
51124	0	0	0	0	KHM	48.5187	117.0491	22.4	657.6	517	55682.	2497	1.9	6.5	9.3	3.4	0.7	4.8	36	0.1
51125	0	0	0	0	KHM	48.5187	117.0485	22.4	657.3	493	55683.	2408	1.8	4.1	12.3	2.3	0.3	6.7	43	0.1
51126	0	0	0	0	KHM	48.5187	117.0479	22.5	657.0	477	55683.	2471	1.9	4.1	13.5	2.1	0.3	7.1	56	0.1
51127	0	0	0	0	KHM	48.5187	117.0474	22.5	656.7	472	55684.	2536	2.3	3.3	15.1	1.4	0.2	6.6	32	0.1
51128	0	0	0	0	KHM	48.5187	117.0468	22.5	656.3	485	55685.	2591	1.6	7.0	12.6	4.5	0.6	8.0	22	0.1
51129	0	0	0	0	KHM	48.5187	117.0462	22.5	656.0	515	55685.	2649	1.7	8.1	10.2	4.9	0.8	6.2	36	0.1
51130	0	0	0	0	KHM	48.5187	117.0456	22.5	655.7	560	55685.	2969	2.1	5.2	15.7	2.5	0.3	7.4	36	0.1
51131	0	0	0	0	KHM	48.5187	117.0450	22.5	655.4	595	55686.	3139	2.3	5.6	16.4	2.4	0.3	7.0	42	0.1
51132	0	0	0	0	KHM	48.5187	117.0445	22.5	655.1	607	55688.	2951	2.1	6.4	13.8	3.1	0.5	6.7	38	0.1
51133	0	0	0	0	KHM	48.5187	117.0439	22.5	654.9	591	55691.	3018	2.5	7.2	14.0	2.8	0.5	5.5	50	0.1
51134	0	0	0	0	KHM	48.5187	117.0433	22.5	654.6	562	55695.	2840	2.2	5.3	15.1	2.4	0.3	6.9	35	0.1
51135	0	0	0	0	KHM	48.5187	117.0427	22.5	654.3	526	55701.	2727	1.9	6.6	11.3	3.5	0.6	6.0	31	0.1
51136	0	0	0	0	KHM	48.5187	117.0422	22.6	654.1	491	55708.	2557	1.6	6.0	11.4	3.7	0.5	7.1	31	0.1
51137	0	0	0	0	KHM	48.5187	117.0416	22.6	653.9	456	55715.	2377	1.7	4.5	11.0	2.6	0.4	6.3	40	0.1
51138	0	0	0	0	KHM	48.5187	117.0410	22.6	653.6	424	55722.	2312	1.7	4.6	11.5	2.7	0.4	6.8	40	0.1
51139	0	0	0	0	KHM	48.5186	117.0404	22.6	653.4	398	55726.	2130	1.3	4.4	11.7	3.4	0.4	9.0	42	0.1
51140	0	0	0	0	KHM	48.5186	117.0399	22.6	653.2	387	55731.	1979	1.5	4.5	10.6	3.1	0.4	7.2	39	0.1
51141	0	0	0	0	KHM	48.5186	117.0393	22.6	653.1	394	55735.	1948	1.2	4.1	6.9	3.4	0.6	5.7	41	0.1
51142	0	0	0	0	KHM	48.5186	117.0387	22.6	653.0	411	55741.	2055	1.5	3.0	9.9	2.1	0.3	6.8	28	0.1
51143	0	0	0	0	KHM	48.5186	117.0381	22.6	652.9	429	55747.	1992	1.6	3.4	9.2	2.1	0.4	5.6	32	0.1
51144	0	0	0	0	KHM	48.5186	117.0376	22.6	652.8	433	55756.	1972	1.7	4.6	7.2	2.7	0.6	4.3	39	0.1
51145	0	0	0	0	KHM	48.5186	117.0370	22.6	652.8	426	55764.	1903	1.1	4.1	7.3	3.6	0.6	6.4	27	0.1
51146	0	0	0	0	KHM	48.5186	117.0364	22.6	652.8	412	55771.	1738	1.3	3.9	7.0	3.1	0.6	5.4	31	0.1
51147	0	0	0	0	KHM	48.5186	117.0358	22.6	652.8	399	55779.	1671	1.4	3.7	4.3	2.6	0.9	3.1	40	0.1
51148	0	0	0	0	KHM	48.5186	117.0352	22.6	652.8	388	55787.	1643	1.0	3.4	7.4	3.3	0.5	7.3	36	0.1
51150	0	0	0	0	KHM	48.5186	117.0341	22.6	652.9	381	55795.	1560	1.2	2.6	6.4	2.2	0.4	5.5	36	0.1
51151	0	0	0	0	KHM	48.5186	117.0335	22.6	653.0	379	55803.	1521	1.1	2.5	6.1	2.2	0.4	5.4	38	0.1
51152	0	0	0	0	KHM	48.5186	117.0329	22.6	653.1	382	55810.	1569	1.0	2.9	5.8	3.0	0.5	6.1	46	0.1
51153	0	0	0	0	KHM	48.5186	117.0323	22.6	653.2	392	55814.	1647	1.1	4.3	5.1	3.9	0.8	4.7	26	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 30							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51154	0	0	0	0	KHM	48.5186	117.0318	22.6	653.4	405	55817.	1662	1.2	2.5	6.2	2.1	0.4	5.2	34	0.1
51155	0	0	0	0	KHM	48.5186	117.0312	22.6	653.6	418	55819.	1701	1.0	4.0	6.0	4.0	0.7	6.0	52	0.1
51156	0	0	0	0	KHM	48.5185	117.0306	22.6	653.8	424	55818.	1807	1.1	4.1	8.1	3.8	0.5	7.4	28	0.1
51157	0	0	0	0	KHM	48.5185	117.0300	22.6	654.0	426	55817.	1682	0.9	5.2	4.8	5.7	1.1	5.3	45	0.1
51158	0	0	0	0	KG	48.5185	117.0294	22.6	654.1	433	55815.	1709	1.3	3.6	7.9	2.8	0.4	6.3	43	0.1
51159	0	0	0	0	KG	48.5185	117.0289	22.6	654.3	451	55811.	1814	1.1	6.2	4.6	5.9	1.4	4.3	38	0.1
51160	0	0	0	0	KG	48.5185	117.0283	22.7	654.5	477	55806.	1816	1.4	2.8	4.3	2.0	0.7	3.0	44	0.1
51161	0	0	0	0	KG	48.5185	117.0277	22.7	654.7	505	55801.	1920	1.1	5.1	9.1	4.5	0.6	8.1	31	0.1
51162	0	0	0	0	KG	48.5185	117.0271	22.7	654.9	530	55795.	1931	1.4	4.6	8.4	3.4	0.5	6.2	27	0.1
51163	0	0	0	0	KG	48.5185	117.0266	22.7	655.0	554	55790.	2121	1.4	5.9	8.9	4.1	0.7	6.2	48	0.1
51164	0	0	0	0	KG	48.5185	117.0260	22.7	655.1	577	55786.	2060	1.5	5.4	10.1	3.5	0.5	6.6	41	0.1
51165	0	0	0	0	KG	48.5185	117.0254	22.7	655.3	602	55785.	2069	1.4	4.2	8.5	3.0	0.5	6.1	35	0.1
51166	0	0	0	0	KG	48.5185	117.0248	22.7	655.4	623	55786.	2326	1.1	6.9	9.6	6.2	0.7	8.7	31	0.1
51167	0	0	0	0	KG	48.5185	117.0243	22.7	655.4	635	55790.	2340	1.6	6.7	6.0	4.1	1.1	3.7	45	0.1
51168	0	0	0	0	KG	48.5185	117.0237	22.7	655.5	626	55796.	2446	1.5	5.4	10.0	3.7	0.5	6.8	34	0.1
51169	0	0	0	0	KG	48.5185	117.0230	22.7	655.5	605	55805.	2311	1.5	7.1	7.5	4.7	1.0	4.9	44	0.1
51170	0	0	0	0	KG	48.5184	117.0224	22.7	655.6	577	55815.	2103	1.5	4.0	7.1	2.6	0.6	4.6	40	0.1
51171	0	0	0	0	KG	48.5184	117.0218	22.7	655.6	556	55824.	1989	1.8	4.1	5.9	2.3	0.7	3.3	46	0.1
51172	0	0	0	0	KG	48.5184	117.0211	22.7	655.6	532	55832.	1927	1.8	3.7	7.5	2.1	0.5	4.2	42	0.1
51173	0	0	0	0	KG	48.5184	117.0205	22.7	655.5	507	55839.	1870	1.7	3.7	7.0	2.2	0.5	4.1	30	0.1
51174	0	0	0	0	KG	48.5184	117.0199	22.7	655.5	483	55844.	1801	1.0	4.3	5.7	4.3	0.8	5.8	35	0.1
51175	0	0	0	0	KG	48.5184	117.0192	22.7	655.4	473	55849.	1790	1.5	3.0	5.5	2.1	0.5	3.7	24	0.1
51176	0	0	0	0	KG	48.5184	117.0186	22.7	655.3	478	55853.	1737	1.3	3.8	7.1	2.9	0.5	5.4	43	0.1
51177	0	0	0	0	KG	48.5184	117.0179	22.7	655.3	482	55858.	1913	1.2	3.8	7.3	3.1	0.5	5.9	29	0.1
51178	0	0	0	0	KG	48.5184	117.0173	22.7	655.1	475	55864.	1916	1.5	2.5	9.8	1.7	0.3	6.6	25	0.1
51179	0	0	0	0	KG	48.5184	117.0167	22.7	655.0	457	55869.	1838	1.1	4.0	6.7	3.5	0.6	5.9	41	0.1
51180	0	0	0	0	KG	48.5184	117.0160	22.7	654.8	445	55873.	1766	1.2	3.4	8.3	2.9	0.4	7.0	34	0.1
51181	0	0	0	0	KG	48.5184	117.0154	22.7	654.7	447	55875.	1778	1.7	2.1	9.8	1.2	0.2	5.7	48	0.1
51182	0	0	0	0	KG	48.5184	117.0148	22.7	654.4	473	55875.	1826	1.5	3.6	7.1	2.4	0.5	4.8	36	0.1
51183	0	0	0	0	KG	48.5184	117.0141	22.7	654.2	504	55874.	1902	1.3	4.4	7.1	3.4	0.6	5.4	43	0.1
51184	0	0	0	0	KG	48.5183	117.0135	22.7	654.0	530	55874.	1928	0.9	4.3	9.6	4.6	0.5	10.3	35	0.1
51185	0	0	0	0	KG	48.5183	117.0129	22.7	653.7	538	55873.	1985	1.4	4.8	6.8	3.5	0.7	5.0	30	0.1
51186	0	0	0	0	KG	48.5183	117.0122	22.7	653.5	539	55871.	1989	1.8	2.8	6.7	1.5	0.4	3.7	45	0.1
51187	0	0	0	0	KG	48.5183	117.0116	22.7	653.2	538	55867.	1945	1.7	2.6	7.5	1.6	0.3	4.5	36	0.1
51188	0	0	0	0	KG	48.5183	117.0109	22.6	652.9	536	55863.	1869	1.4	2.9	7.5	2.1	0.4	5.4	44	0.1
51189	0	0	0	0	KG	48.5183	117.0103	22.6	652.6	525	55858.	1980	1.2	4.7	5.1	3.8	0.9	4.2	29	0.1
51190	0	0	0	0	PCP	48.5183	117.0097	22.6	652.3	506	55855.	1882	0.9	4.4	8.5	5.2	0.5	10.0	42	0.1
51191	0	0	0	0	PCP	48.5183	117.0090	22.6	652.0	482	55854.	1810	1.2	4.3	5.2	3.6	0.8	4.4	42	0.1
51192	0	0	0	0	PCP	48.5183	117.0084	22.6	651.7	461	55856.	1739	1.2	2.3	7.9	1.9	0.3	6.6	38	0.1
51193	0	0	0	0	PCP	48.5183	117.0078	22.6	651.4	445	55862.	1692	1.0	4.0	6.5	4.1	0.6	6.5	45	0.1
51194	0	0	0	0	PCP	48.5183	117.0071	22.6	651.1	431	55870.	1696	1.2	1.9	9.3	1.7	0.2	8.0	39	0.1
51195	0	0	0	0	PCP	48.5182	117.0065	22.6	650.7	421	55879.	1677	1.2	3.5	4.9	2.9	0.7	4.1	26	0.1
51196	0	0	0	0	PCP	48.5182	117.0058	22.6	650.4	413	55888.	1467	0.9	3.7	3.2	4.2	1.1	3.7	44	0.1
51197	0	0	0	0	PCP	48.5182	117.0052	22.6	650.1	408	55895.	1409	0.7	3.2	4.3	4.8	0.7	6.5	43	0.1
51198	0	0	0	0	PCP	48.5182	117.0046	22.6	649.7	410	55903.	1445	0.9	3.1	4.6	3.5	0.7	5.1	44	0.1
51199	0	0	0	0	PCP	48.5182	117.0039	22.6	649.4	418	55910.	1405	0.9	3.4	3.7	3.9	0.9	4.1	43	0.1
51200	0	0	0	0	PCP	48.5182	117.0033	22.6	649.0	424	55920.	1523	1.0	2.6	6.2	2.7	0.4	6.4	27	0.1
51201	0	0	0	0	PCP	48.5182	117.0027	22.6	648.7	420	55930.	1543	0.9	4.2	6.1	4.9	0.7	7.2	31	0.1
51202	0	0	0	0	PCP	48.5182	117.0020	22.6	648.4	406	55940.	1369	0.7	3.6	4.6	5.4	0.8	6.9	46	0.1
51203	0	0	0	0	PCP	48.5181	117.0014	22.6	648.1	389	55951.	1465	1.0	2.5	5.4	2.6	0.5	5.7	30	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO.		30							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM		
51204	0	0	0	0	PCP	48.5181	117.0007	22.6	647.8	370	55960.	1396	1.0	1.9	5.3	1.9	0.4	5.4	40	0.2		
51205	0	0	0	0	PCP	48.5181	117.0001	22.6	647.5	349	55969.	1477	0.8	2.5	5.7	3.1	0.4	7.0	20	0.2		
51206	0	0	0	0	PCP	48.5180	116.9995	22.6	647.2	331	55976.	1288	0.6	2.7	4.1	4.4	0.7	6.7	52	0.2		
51207	0	0	0	0	PCP	48.5179	116.9988	22.6	647.0	317	55981.	1222	0.7	2.7	5.6	3.9	0.5	8.2	32	0.2		
51208	0	0	0	0	PCP	48.5179	116.9982	22.6	646.9	310	55983.	1243	0.8	2.1	5.4	2.8	0.4	7.1	41	0.2		
51209	0	0	0	0	PCP	48.5179	116.9975	22.6	646.7	307	55983.	1226	0.7	1.6	4.1	2.3	0.4	5.7	41	0.2		
51210	0	0	0	0	PCP	48.5178	116.9969	22.6	646.7	306	55981.	1151	1.0	2.0	3.1	2.0	0.6	3.1	51	0.2		
51211	0	0	0	0	PCP	48.5177	116.9963	22.6	646.6	305	55979.	1119	0.7	2.6	2.7	3.7	1.0	3.9	45	0.2		
51212	0	0	0	0	PCP	48.5177	116.9956	22.6	646.6	302	55976.	1094	0.8	1.4	4.1	1.7	0.3	4.8	46	0.2		
51213	0	0	0	0	PCP	48.5177	116.9950	22.6	646.7	301	55970.	1203	0.9	1.6	4.0	1.8	0.4	4.5	39	0.2		
51214	0	0	0	0	PCP	48.5176	116.9944	22.6	646.7	302	55963.	1281	0.7	2.3	4.2	3.3	0.5	6.2	46	0.2		
51215	0	0	0	0	PCP	48.5175	116.9937	22.6	646.9	302	55955.	1257	0.9	2.2	2.9	2.4	0.8	3.1	46	0.2		
51216	0	0	0	0	PCP	48.5175	116.9931	22.6	647.0	294	55946.	1331	1.1	2.7	4.3	2.6	0.6	4.1	47	0.2		
51217	0	0	0	0	PCP	48.5175	116.9924	22.6	647.1	280	55936.	1325	0.7	2.9	3.4	4.3	0.8	5.1	35	0.2		
51218	0	0	0	0	PCP	48.5174	116.9918	22.6	647.2	265	55924.	1343	0.9	2.1	4.5	2.4	0.5	5.2	35	0.2		
51219	0	0	0	0	PCP	48.5173	116.9911	22.6	647.3	254	55907.	1362	0.6	3.7	4.1	6.5	0.9	7.1	43	0.2		
51220	0	0	0	0	PCP	48.5173	116.9905	22.6	647.4	252	55886.	1343	0.8	2.9	4.8	3.5	0.6	5.9	57	0.2		

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 31							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51698	0	0	0	0	QAG	48.5151	117.2405	21.2	664.8	588	55988.	2552	2.2	4.3	8.0	2.0	0.5	3.6	40	0.1
51697	0	0	0	0	QAG	48.5151	117.2399	21.2	664.7	583	55980.	2476	1.3	5.6	11.7	4.3	0.5	9.1	31	0.1
51696	0	0	0	0	QAG	48.5151	117.2393	21.2	664.5	576	55975.	2567	2.1	4.7	10.3	2.2	0.5	4.9	37	0.2
51695	0	0	0	0	QAG	48.5151	117.2386	21.2	664.3	567	55970.	2520	1.8	4.6	11.2	2.5	0.4	6.2	32	0.2
51694	0	0	0	0	QAG	48.5152	117.2381	21.2	664.2	547	55967.	2409	1.7	4.6	9.0	2.7	0.5	5.4	35	0.2
51693	0	0	0	0	KKH	48.5152	117.2374	21.2	664.0	525	55965.	2345	1.6	4.9	10.8	3.1	0.5	6.8	30	0.2
51692	0	0	0	0	KKH	48.5152	117.2368	21.2	663.8	504	55963.	2342	2.1	3.5	11.5	1.7	0.3	5.6	28	0.2
51691	0	0	0	0	KKH	48.5152	117.2362	21.2	663.5	494	55959.	2315	1.8	3.7	11.0	2.1	0.3	6.2	43	0.2
51690	0	0	0	0	KKH	48.5152	117.2356	21.2	663.3	489	55952.	2315	2.1	2.2	10.7	1.0	0.2	5.2	45	0.2
51689	0	0	0	0	KKH	48.5152	117.2350	21.2	663.1	490	55940.	2170	1.5	4.3	8.4	2.9	0.5	5.7	27	0.1
51688	0	0	0	0	KKH	48.5153	117.2344	21.2	662.9	492	55925.	2122	1.8	3.3	10.7	1.8	0.3	5.9	33	0.1
51687	0	0	0	0	KKH	48.5153	117.2338	21.2	662.7	494	55908.	2227	2.2	3.1	6.6	1.4	0.5	3.0	46	0.1
51686	0	0	0	0	KKH	48.5153	117.2332	21.2	662.5	495	55891.	2019	1.9	3.9	9.5	2.0	0.4	5.0	48	0.1
51685	0	0	0	0	KKH	48.5153	117.2326	21.2	662.3	497	55877.	2188	2.2	3.3	10.7	1.5	0.3	4.9	32	0.1
51684	0	0	0	0	KKH	48.5154	117.2320	21.2	662.1	498	55865.	2327	2.1	5.4	6.7	2.6	0.8	3.3	40	0.1
51683	0	0	0	0	KG	48.5154	117.2314	21.2	661.9	494	55856.	2228	1.8	4.0	10.4	2.2	0.4	5.8	35	0.1
51682	0	0	0	0	KG	48.5154	117.2308	21.2	661.7	483	55851.	2273	2.1	2.4	12.6	1.1	0.2	6.0	33	0.1
51681	0	0	0	0	KG	48.5154	117.2302	21.2	661.6	467	55848.	2103	1.7	6.5	4.1	3.7	1.6	2.4	46	0.1
51680	0	0	0	0	KG	48.5154	117.2296	21.2	661.4	454	55846.	2080	1.4	5.0	6.9	3.6	0.7	4.9	55	0.1
51679	0	0	1	0	KG	48.5154	117.2289	21.2	661.2	442	55844.	2002	2.2	1.1	9.9	0.5	0.1	4.5	33	0.1
51678	0	0	0	0	KG	48.5155	117.2283	21.2	661.1	429	55845.	1939	1.7	3.0	6.7	1.8	0.5	4.0	38	0.1
51677	0	0	0	0	KG	48.5155	117.2277	21.2	660.9	413	55847.	2016	1.5	3.1	9.1	2.1	0.3	6.1	38	0.1
51676	0	0	0	0	KG	48.5155	117.2271	21.2	660.7	397	55850.	2000	1.7	4.5	6.5	2.6	0.7	3.7	34	0.1
51675	0	0	0	0	KG	48.5155	117.2265	21.2	660.5	383	55856.	2111	1.8	3.3	10.4	1.8	0.3	5.6	28	0.1
51674	0	0	0	0	KG	48.5155	117.2259	21.2	660.4	371	55864.	2055	1.8	3.3	6.5	1.8	0.5	3.5	35	0.1
51673	0	0	0	0	KG	48.5156	117.2253	21.2	660.2	357	55871.	2013	1.8	3.5	6.6	1.9	0.5	3.6	43	0.1
51672	0	0	0	0	KG	48.5156	117.2247	21.2	659.9	347	55878.	2076	1.9	2.9	8.3	1.5	0.4	4.3	31	0.1
51671	0	0	0	0	KG	48.5156	117.2241	21.2	659.7	343	55884.	2042	2.0	3.2	6.0	1.6	0.5	3.0	35	0.1
51670	0	0	0	0	KG	48.5156	117.2235	21.2	659.5	348	55889.	1987	1.7	3.0	7.8	1.8	0.4	4.7	42	0.1
51669	0	0	0	0	KG	48.5157	117.2229	21.2	659.2	361	55894.	2053	1.6	3.2	8.7	2.0	0.4	5.6	28	0.1
51668	0	0	0	0	KG	48.5157	117.2223	21.2	658.9	375	55898.	2080	1.7	4.5	5.3	2.7	0.8	3.2	42	0.1
51667	0	0	0	0	KG	48.5157	117.2217	21.1	658.6	389	55903.	2055	2.0	3.9	6.5	1.9	0.6	3.2	36	0.1
51666	0	0	0	0	KG	48.5157	117.2211	21.1	658.3	396	55908.	2025	1.8	4.7	6.4	2.6	0.7	3.5	28	0.1
51665	0	0	0	0	KG	48.5157	117.2204	21.1	657.9	401	55914.	2054	1.7	3.9	8.8	2.3	0.4	5.2	40	0.2
51664	0	0	0	0	KG	48.5157	117.2198	21.1	657.6	406	55919.	2160	2.2	3.1	8.4	1.4	0.4	3.7	35	0.2
51663	0	0	0	0	KG	48.5158	117.2192	21.1	657.3	411	55923.	2188	1.7	5.0	5.0	2.9	1.0	2.9	38	0.2
51662	0	0	0	0	KG	48.5158	117.2186	21.1	656.9	410	55927.	2024	1.9	2.5	7.0	1.3	0.4	3.7	44	0.2
51661	0	0	0	0	KG	48.5158	117.2180	21.1	656.5	400	55933.	2155	1.8	3.6	7.3	2.0	0.5	4.0	22	0.2
51660	0	0	0	0	KG	48.5158	117.2174	21.1	656.2	388	55940.	2084	2.2	3.1	6.2	1.4	0.5	2.8	35	0.2
51659	0	0	0	0	KG	48.5159	117.2168	21.1	655.9	376	55948.	2157	2.0	1.6	10.5	0.8	0.1	5.2	43	0.2
51658	0	0	0	0	KG	48.5159	117.2162	21.1	655.6	366	55958.	2192	1.6	4.8	8.1	3.0	0.6	5.1	35	0.2
51657	0	0	0	0	KG	48.5159	117.2156	21.1	655.2	354	55967.	2154	1.9	3.5	8.4	1.8	0.4	4.3	37	0.2
51656	0	0	0	0	KG	48.5159	117.2150	21.1	655.0	343	55975.	2131	1.8	4.2	9.4	2.4	0.4	5.3	46	0.2
51655	0	0	0	0	KG	48.5159	117.2144	21.1	654.7	347	55979.	2029	1.6	2.9	10.1	1.9	0.3	6.5	26	0.2
51654	0	0	0	0	KG	48.5160	117.2138	21.1	654.4	360	55979.	2109	1.8	3.8	7.5	2.1	0.5	4.1	46	0.2
51653	0	0	0	0	KG	48.5160	117.2132	21.1	654.2	376	55974.	2010	1.9	3.0	8.5	1.6	0.4	4.4	44	0.2
51652	0	0	0	0	KG	48.5160	117.2126	21.0	653.9	384	55966.	2079	1.6	3.7	7.6	2.3	0.5	4.7	40	0.2
51651	0	0	0	0	KG	48.5160	117.2120	21.0	653.7	395	55960.	2291	2.2	2.6	8.6	1.2	0.3	3.9	34	0.2
51650	0	0	0	0	KG	48.5160	117.2113	21.0	653.5	406	55955.	2189	1.7	3.2	10.1	1.9	0.3	5.8	31	0.2
51649	0	0	0	0	KG	48.5161	117.2108	21.0	653.3	416	55949.	2088	1.9	3.9	7.4	2.1	0.5	4.0	38	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 31									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51648	0	0	0	0	KG	48.5161	117.2101	21.0	653.1	422	55943.	2240	1.9	3.9	8.2	2.1	0.5	4.4	41	0.2
51647	0	0	0	0	KG	48.5161	117.2095	21.0	652.9	430	55935.	2107	1.9	2.9	8.4	1.6	0.3	4.5	49	0.1
51646	0	0	0	0	KG	48.5161	117.2089	21.0	652.7	439	55926.	2109	1.8	2.9	7.9	1.6	0.4	4.3	24	0.1
51645	0	0	0	0	KG	48.5161	117.2083	21.0	652.5	448	55917.	2061	1.7	3.6	5.0	2.2	0.7	3.0	41	0.1
51644	0	0	0	0	KG	48.5162	117.2077	21.0	652.3	457	55910.	2010	1.9	2.7	6.4	1.4	0.4	3.3	33	0.1
51643	0	0	0	0	KG	48.5162	117.2071	21.0	652.1	463	55906.	2039	1.6	4.3	8.8	2.8	0.5	5.7	38	0.1
51642	0	0	0	0	KG	48.5162	117.2065	21.0	651.9	466	55906.	2146	1.6	4.7	7.8	2.9	0.6	4.8	36	0.1
51640	0	0	0	0	QAG	48.5162	117.2053	21.0	651.6	464	55907.	2054	1.6	3.7	8.0	2.3	0.5	5.0	37	0.1
51639	0	0	0	0	QAG	48.5163	117.2047	20.9	651.4	460	55910.	2129	1.9	3.3	5.9	1.7	0.6	3.0	32	0.1
51638	0	0	0	0	QAG	48.5163	117.2041	20.9	651.1	455	55914.	2151	2.1	3.3	9.4	1.6	0.4	4.5	29	0.1
51637	0	0	0	0	QAG	48.5163	117.2035	20.9	650.8	444	55919.	2160	1.7	4.0	10.1	2.4	0.4	6.1	48	0.1
51636	0	0	0	0	QAG	48.5163	117.2029	20.9	650.5	427	55925.	2268	1.9	4.2	8.8	2.2	0.5	4.6	33	0.1
51635	0	0	0	0	QAG	48.5163	117.2022	20.9	650.2	406	55928.	2161	1.8	3.6	11.3	2.0	0.3	6.3	30	0.1
51634	0	0	0	0	QAG	48.5164	117.2016	20.9	649.9	383	55932.	2113	1.7	3.9	8.7	2.2	0.5	4.9	52	0.1
51633	0	0	0	0	QAG	48.5164	117.2010	20.9	649.6	366	55935.	2122	1.9	4.2	6.6	2.2	0.6	3.4	45	0.1
51632	0	0	0	0	QAG	48.5164	117.2004	20.9	649.3	357	55941.	2094	2.2	2.3	9.1	1.0	0.3	4.1	39	0.1
51631	0	0	0	0	QAG	48.5164	117.1998	20.9	648.9	350	55949.	2182	2.0	4.6	9.0	2.3	0.5	4.5	39	0.1
51630	0	0	0	0	QAG	48.5164	117.1992	20.9	648.6	344	55959.	2152	2.3	3.0	10.1	1.3	0.3	4.4	33	0.1
51629	0	0	0	0	QAG	48.5165	117.1986	20.9	648.3	336	55971.	2082	1.8	2.4	9.6	1.3	0.2	5.2	31	0.1
51628	0	0	0	0	QAG	48.5165	117.1980	20.9	648.0	337	55981.	2135	1.9	5.3	8.4	2.8	0.6	4.5	40	0.1
51627	0	0	0	0	QAG	48.5165	117.1974	20.8	647.7	346	55988.	2209	1.7	3.9	11.6	2.2	0.3	6.6	43	0.1
51626	0	0	0	0	KG	48.5165	117.1968	20.8	647.5	364	55992.	2365	2.3	4.9	9.6	2.2	0.5	4.3	51	0.1
51625	0	0	0	0	KG	48.5166	117.1962	20.8	647.4	383	55991.	2451	2.3	3.6	13.8	1.6	0.3	6.1	32	0.1
51624	0	0	0	0	KG	48.5166	117.1956	20.8	647.3	395	55987.	2530	2.3	3.8	11.7	1.7	0.3	5.2	38	0.1
51623	0	0	0	0	KG	48.5166	117.1950	20.8	647.2	403	55980.	2346	2.1	4.3	10.8	2.0	0.4	5.1	48	0.1
51622	0	0	0	0	KG	48.5166	117.1944	20.8	647.1	407	55969.	2390	2.5	3.7	10.3	1.5	0.4	4.2	34	0.1
51621	0	0	0	0	KG	48.5166	117.1938	20.8	647.1	413	55956.	2213	2.0	4.8	8.7	2.4	0.5	4.5	41	0.1
51620	0	0	0	0	KG	48.5166	117.1932	20.8	647.1	424	55942.	2140	1.9	5.7	6.1	2.9	0.9	3.2	44	0.1
51619	0	0	0	0	KG	48.5166	117.1926	20.8	647.1	443	55926.	2135	1.7	5.0	6.1	3.0	0.8	3.7	43	0.1
51618	0	0	0	0	KG	48.5166	117.1920	20.7	647.1	464	55910.	2152	1.8	3.7	9.6	2.1	0.4	5.3	40	0.1
51617	0	0	0	0	KG	48.5166	117.1914	20.7	647.1	486	55895.	1971	1.5	4.0	9.0	2.8	0.4	6.2	35	0.1
51616	0	0	0	0	QAG	48.5166	117.1908	20.7	647.1	506	55883.	1990	2.2	2.7	10.1	1.2	0.3	4.6	44	0.1
51615	0	0	0	0	QAG	48.5166	117.1902	20.7	647.1	525	55872.	1955	1.3	4.5	7.6	3.6	0.6	6.0	30	0.1
51614	0	0	0	0	QAG	48.5166	117.1896	20.7	647.1	542	55864.	1909	1.8	2.8	7.8	1.5	0.4	4.3	41	0.1
51613	0	0	0	0	QAG	48.5166	117.1890	20.7	647.0	554	55859.	1974	1.8	2.7	8.4	1.5	0.3	4.8	50	0.1
51612	0	0	0	0	QAG	48.5166	117.1884	20.7	646.9	564	55857.	1942	1.7	2.9	9.0	1.7	0.3	5.3	45	0.1
51611	0	0	0	0	QAG	48.5166	117.1878	20.6	646.7	571	55859.	1944	1.3	3.7	7.6	2.8	0.5	5.7	33	0.1
51610	0	0	0	0	QAG	48.5166	117.1872	20.6	646.6	576	55862.	2076	1.3	4.9	11.2	3.9	0.4	8.8	36	0.1
51609	0	0	0	0	QAG	48.5166	117.1866	20.6	646.4	582	55865.	2089	1.7	4.8	7.9	2.9	0.6	4.7	40	0.1
51608	0	0	0	0	QAG	48.5166	117.1860	20.6	646.2	588	55868.	2171	1.7	3.2	12.6	1.8	0.3	7.2	37	0.1
51607	0	0	0	0	QAG	48.5166	117.1854	20.6	646.0	587	55870.	2316	1.7	5.4	9.2	3.1	0.6	5.4	35	0.1
51606	0	0	0	0	QAG	48.5166	117.1848	20.6	645.7	579	55873.	2260	1.4	4.9	11.8	3.4	0.4	8.3	38	0.1
51605	0	0	0	0	QAG	48.5166	117.1842	20.5	645.4	559	55877.	2223	1.9	4.6	8.1	2.4	0.6	4.3	51	0.1
51604	0	0	0	0	KG	48.5166	117.1836	20.5	645.1	525	55881.	2082	2.2	1.8	9.0	0.8	0.2	4.1	53	0.1
51603	0	0	0	0	KG	48.5166	117.1830	20.5	644.8	490	55888.	2230	2.2	3.6	11.6	1.6	0.3	5.3	37	0.1
51602	0	0	0	0	KG	48.5166	117.1824	20.5	644.5	455	55897.	2083	1.8	4.3	8.6	2.3	0.5	4.7	33	0.1
51601	0	0	0	0	KG	48.5166	117.1818	20.5	644.2	434	55905.	2074	2.0	1.8	11.8	0.9	0.2	6.1	35	0.1
51600	0	0	0	0	KG	48.5166	117.1812	20.5	643.8	424	55912.	2003	1.6	2.9	10.4	1.8	0.3	6.6	31	0.1
51599	0	0	0	0	KG	48.5166	117.1806	20.5	643.5	431	55918.	1975	1.7	2.3	9.2	1.4	0.3	5.5	37	0.1
51598	0	0	0	0	KG	48.5166	117.1800	20.4	643.1	445	55922.	2058	2.0	2.7	8.7	1.3	0.3	4.4	47	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 31									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51597	0	0	0	0	KG	48.5166	117.1794	20.4	642.8	463	55927.	2078	1.9	3.4	9.4	1.8	0.4	5.0	43	0.1
51596	0	0	0	0	KG	48.5166	117.1787	20.4	642.4	471	55933.	2200	2.0	2.2	11.4	1.1	0.2	5.6	46	0.1
51595	0	0	0	0	KG	48.5166	117.1781	20.4	642.0	479	55939.	2222	1.5	3.0	15.1	2.0	0.2	10.1	36	0.1
51594	0	0	0	0	KG	48.5166	117.1776	20.4	641.7	483	55946.	2252	2.0	2.5	10.3	1.2	0.2	5.0	32	0.1
51593	0	0	0	0	KG	48.5166	117.1769	20.4	641.3	484	55953.	2345	1.7	4.9	8.7	2.8	0.6	5.0	54	0.1
51592	0	0	0	0	KG	48.5166	117.1763	20.3	640.9	475	55960.	2358	2.4	3.1	11.4	1.3	0.3	4.8	43	0.1
51591	0	0	0	0	KG	48.5166	117.1758	20.3	640.5	458	55967.	2355	2.2	4.0	8.7	1.9	0.5	4.0	41	0.1
51590	0	0	0	0	KG	48.5166	117.1751	20.3	640.2	441	55972.	2166	1.8	3.5	6.7	1.9	0.5	3.7	44	0.1
51589	0	0	0	0	KG	48.5166	117.1745	20.3	639.8	423	55976.	2048	1.6	3.2	8.6	2.0	0.4	5.4	37	0.1
51588	0	0	0	0	KG	48.5166	117.1740	20.3	639.5	407	55976.	1938	1.6	2.4	7.9	1.5	0.3	5.0	53	0.1
51587	0	0	0	0	KG	48.5166	117.1733	20.3	639.2	404	55972.	1864	1.8	2.8	6.8	1.5	0.4	3.8	44	0.1
51586	0	0	0	0	QAG	48.5166	117.1727	20.2	638.9	421	55964.	1923	1.8	3.8	4.8	2.2	0.8	2.7	33	0.1
51585	0	0	0	0	QAG	48.5166	117.1721	20.2	638.6	452	55952.	1889	2.0	2.0	9.0	1.0	0.2	4.4	43	0.2
51584	0	0	0	0	QAG	48.5166	117.1715	20.2	638.4	482	55939.	1976	1.6	3.3	7.8	2.0	0.4	4.8	39	0.1
51583	0	0	0	0	QAG	48.5166	117.1709	20.2	638.2	507	55927.	1981	1.6	2.7	9.1	1.7	0.3	5.6	50	0.1
51582	0	0	0	0	QAG	48.5166	117.1703	20.2	638.0	530	55915.	2027	1.9	2.8	8.4	1.5	0.3	4.5	37	0.1
51581	0	0	0	0	QAG	48.5166	117.1697	20.1	637.8	557	55906.	2121	2.4	3.9	8.4	1.7	0.5	3.6	42	0.1
51580	0	0	0	0	QAG	48.5166	117.1691	20.1	637.7	585	55897.	2021	1.7	3.9	9.2	2.3	0.4	5.4	45	0.1
51579	0	0	0	0	QAG	48.5166	117.1685	20.1	637.5	613	55889.	2086	2.0	3.0	7.4	1.5	0.4	3.6	48	0.1
51578	0	0	0	0	QAG	48.5166	117.1679	20.1	637.4	633	55882.	2081	1.8	2.6	7.1	1.4	0.4	4.0	36	0.1
51577	0	0	0	0	QAG	48.5165	117.1673	20.1	637.2	650	55877.	2102	1.4	5.4	7.9	3.8	0.7	5.6	35	0.1
51576	0	0	0	0	KG	48.5165	117.1667	20.1	637.1	665	55876.	2154	1.7	4.4	10.0	2.7	0.4	6.1	41	0.1
51575	0	0	0	0	KG	48.5165	117.1661	20.0	636.9	675	55874.	2170	2.1	3.1	11.5	1.4	0.3	5.4	50	0.1
51574	0	0	0	0	KG	48.5165	117.1655	20.0	636.7	673	55874.	2149	1.5	3.6	11.7	2.3	0.3	7.7	44	0.1
51573	0	0	0	0	KG	48.5165	117.1649	20.0	636.5	665	55874.	2144	2.1	3.9	9.5	1.9	0.4	4.6	38	0.1
51572	0	0	0	0	KG	48.5165	117.1643	20.0	636.3	659	55874.	2094	1.6	3.6	8.4	2.3	0.4	5.4	40	0.1
51571	0	0	0	0	KG	48.5165	117.1637	20.0	636.0	659	55874.	2399	2.0	3.4	11.4	1.7	0.3	5.8	45	0.1
51570	0	0	0	0	KG	48.5165	117.1631	20.0	635.7	654	55874.	2364	2.0	4.5	8.8	2.2	0.5	4.4	47	0.1
51569	0	0	0	0	KG	48.5165	117.1625	19.9	635.4	638	55874.	2352	2.3	4.0	8.5	1.7	0.5	3.7	36	0.1
51568	0	0	0	0	KG	48.5165	117.1619	19.9	635.1	616	55875.	2438	2.1	3.0	13.8	1.5	0.2	6.7	46	0.1
51567	0	0	0	0	KG	48.5165	117.1613	19.9	634.8	583	55877.	2450	2.2	4.3	11.5	2.0	0.4	5.3	42	0.1
51566	0	0	0	0	KG	48.5165	117.1607	19.9	634.4	534	55880.	2318	1.8	5.7	9.3	3.1	0.6	5.1	47	0.1
51565	0	0	0	0	KG	48.5165	117.1601	19.9	634.1	488	55881.	2208	1.7	4.7	7.7	2.8	0.6	4.6	35	0.1
51564	0	0	0	0	KG	48.5165	117.1595	19.9	633.7	454	55879.	2130	1.5	3.8	8.1	2.5	0.5	5.3	38	0.1
51563	0	0	0	0	KG	48.5165	117.1589	19.9	633.3	455	55873.	1966	1.6	2.3	9.6	1.5	0.2	6.2	32	0.1
51562	0	0	0	0	KG	48.5165	117.1583	19.9	632.8	487	55861.	1865	1.3	4.3	8.3	3.3	0.5	6.3	57	0.1
51561	0	0	0	0	KG	48.5165	117.1577	19.9	632.4	544	55846.	2055	1.8	3.6	12.7	2.0	0.3	7.0	41	0.1
51560	0	0	0	0	KG	48.5165	117.1571	19.8	631.9	603	55830.	2017	1.8	4.1	8.6	2.2	0.5	4.7	40	0.1
51559	0	0	0	0	KG	48.5165	117.1565	19.8	631.5	649	55818.	2110	1.9	5.4	10.1	2.9	0.5	5.4	59	0.1
51558	0	0	0	0	KG	48.5165	117.1559	19.8	631.0	678	55810.	2098	2.1	3.2	10.6	1.5	0.3	5.1	62	0.1
51557	0	0	0	0	KG	48.5165	117.1553	19.8	630.5	694	55807.	2342	2.0	6.1	10.7	3.0	0.6	5.3	28	0.1
51556	0	0	0	0	KG	48.5165	117.1547	19.8	630.0	697	55808.	2198	1.7	4.5	10.5	2.6	0.4	6.1	38	0.1
51555	0	0	0	0	KG	48.5165	117.1541	19.8	629.5	695	55811.	2167	2.6	2.9	4.7	1.1	0.6	1.8	48	0.1
51554	0	0	0	0	KG	48.5165	117.1535	19.8	628.9	680	55818.	2275	1.6	5.7	8.2	3.6	0.7	5.2	42	0.1
51553	0	0	0	0	KG	48.5165	117.1529	19.8	628.4	652	55825.	2235	1.6	3.3	10.1	2.0	0.3	6.2	37	0.1
51552	0	0	0	0	KG	48.5165	117.1523	19.8	627.9	617	55834.	2042	2.0	3.7	10.5	1.9	0.4	5.4	48	0.1
51550	0	0	0	0	KG	48.5165	117.1511	19.8	627.4	584	55841.	2113	2.2	4.6	6.6	2.1	0.7	2.9	39	0.1
51549	0	0	0	0	KG	48.5165	117.1505	19.8	626.9	551	55850.	2107	1.6	4.2	9.4	2.6	0.4	5.9	35	0.1
51548	0	0	0	0	KG	48.5165	117.1499	19.8	626.4	515	55859.	1936	1.8	4.3	7.5	2.4	0.6	4.2	50	0.1
51547	0	0	0	0	KG	48.5165	117.1493	19.8	626.0	478	55870.	1937	2.0	4.1	8.4	2.1	0.5	4.3	42	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 31							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51546	0	0	0	0	KG	48.5165	117.1487	19.8	625.6	444	55883.	1910	1.5	3.0	10.0	2.1	0.3	6.8	46	0.1
51545	0	0	0	0	KG	48.5165	117.1481	19.8	625.2	414	55897.	1906	1.7	3.2	7.8	1.9	0.4	4.6	43	0.1
51544	0	0	0	0	KG	48.5165	117.1475	19.8	624.9	388	55909.	1886	1.6	2.8	9.6	1.7	0.3	6.0	53	0.1
51543	0	0	0	0	KG	48.5165	117.1469	19.8	624.6	368	55918.	1781	1.2	3.8	9.1	3.1	0.4	7.4	51	0.1
51542	0	0	0	0	KG	48.5165	117.1463	19.8	624.3	359	55919.	1826	1.3	4.8	7.3	3.7	0.7	5.7	51	0.1
51541	0	0	0	0	KG	48.5165	117.1457	19.8	624.1	362	55916.	1950	1.5	3.7	9.6	2.5	0.4	6.6	40	0.1
51540	0	0	0	0	KG	48.5165	117.1451	19.8	623.9	375	55909.	1990	1.5	5.7	7.1	3.9	0.8	4.9	58	0.1
51539	0	0	0	0	KG	48.5165	117.1445	19.8	623.7	388	55899.	2012	1.8	3.3	10.4	1.8	0.3	5.8	47	0.1
51538	0	0	0	0	KG	48.5165	117.1439	19.8	623.7	388	55889.	2172	1.9	4.3	6.1	2.3	0.7	3.3	43	0.1
51537	0	0	0	0	KG	48.5165	117.1433	19.8	623.6	372	55881.	2210	1.8	2.8	11.2	1.5	0.2	6.2	38	0.1
51536	0	0	0	0	KG	48.5165	117.1427	19.8	623.6	348	55875.	2122	1.8	3.5	7.3	1.9	0.5	4.0	48	0.1
51535	0	0	0	0	KG	48.5165	117.1421	19.8	623.6	334	55869.	2072	1.6	4.4	8.4	2.8	0.5	5.4	48	0.1
51534	0	0	0	0	KG	48.5165	117.1415	19.8	623.7	331	55863.	2117	1.9	3.1	8.4	1.6	0.4	4.4	52	0.1
51533	0	0	0	0	KG	48.5165	117.1409	19.8	623.7	337	55853.	2123	1.6	3.5	10.6	2.2	0.3	6.6	49	0.1
51532	0	0	0	0	KG	48.5165	117.1403	19.8	623.8	343	55838.	2057	1.8	3.8	9.9	2.1	0.4	5.6	57	0.1
51531	0	0	0	0	KG	48.5165	117.1397	19.8	624.0	351	55823.	2065	1.6	4.1	9.5	2.6	0.4	5.9	55	0.1
51530	0	0	0	0	KG	48.5165	117.1391	19.8	624.1	362	55806.	2067	1.9	2.9	11.9	1.5	0.2	6.2	38	0.1
51529	0	0	0	0	KG	48.5165	117.1385	19.9	624.3	377	55789.	2151	1.7	3.5	10.3	2.0	0.3	6.0	40	0.1
51528	0	0	0	0	KG	48.5165	117.1379	19.9	624.5	392	55771.	2060	1.6	3.5	8.4	2.2	0.4	5.2	53	0.1
51527	0	0	0	0	KG	48.5165	117.1373	19.9	624.7	406	55752.	2063	1.7	3.9	9.9	2.3	0.4	5.9	47	0.1
51526	0	0	0	0	KG	48.5165	117.1367	19.9	624.8	419	55734.	1979	1.5	4.1	10.6	2.7	0.4	6.9	37	0.1
51525	0	0	0	0	KG	48.5165	117.1361	19.9	625.0	438	55715.	2121	1.2	5.9	6.1	3.2	1.0	3.3	44	0.1
51524	0	0	0	0	KG	48.5165	117.1355	19.9	625.1	459	55697.	2073	1.4	4.0	8.8	2.9	0.5	6.3	52	0.1
51523	0	0	0	0	KG	48.5165	117.1349	19.9	625.3	482	55681.	1977	2.2	2.8	7.5	1.3	0.4	3.5	61	0.1
51522	0	0	0	0	KG	48.5165	117.1343	19.9	625.4	500	55665.	2152	1.9	3.8	10.5	2.0	0.4	5.6	41	0.1
51521	0	0	0	0	KG	48.5165	117.1337	19.9	625.6	516	55652.	2215	1.8	4.6	10.3	2.5	0.4	5.7	35	0.1
51520	0	0	0	0	KG	48.5165	117.1331	20.0	625.7	535	55642.	2190	1.8	3.2	12.4	1.8	0.3	6.8	40	0.1
51519	0	0	0	0	KG	48.5165	117.1326	20.0	625.8	555	55633.	2115	1.8	3.5	11.5	1.9	0.3	6.3	46	0.1
51518	0	0	0	0	KG	48.5165	117.1320	20.0	625.8	561	55626.	2375	2.1	4.1	8.6	1.9	0.5	4.0	39	0.1
51517	0	0	0	0	KG	48.5165	117.1315	20.0	625.8	540	55620.	2241	1.7	4.5	10.4	2.6	0.4	5.9	30	0.1
51516	0	0	0	0	KG	48.5164	117.1310	20.0	625.8	507	55614.	2053	1.6	2.9	11.8	1.8	0.2	7.3	53	0.1
51515	0	0	0	0	KG	48.5164	117.1305	20.0	625.8	477	55610.	1994	1.8	2.5	11.0	1.4	0.2	6.2	36	0.1
51514	0	0	0	0	KG	48.5164	117.1300	20.1	625.7	459	55604.	1861	1.4	3.8	8.0	2.7	0.5	5.8	40	0.1
51513	0	0	0	0	KG	48.5164	117.1294	20.1	625.6	447	55597.	1839	1.9	2.7	7.7	1.4	0.4	4.1	41	0.1
51512	0	0	0	0	KG	48.5164	117.1289	20.1	625.5	445	55591.	1807	1.1	4.1	8.5	3.6	0.5	7.6	39	0.1
51511	0	0	0	0	KG	48.5164	117.1284	20.1	625.3	450	55584.	1924	1.4	3.3	11.3	2.4	0.3	8.3	52	0.1
51510	0	0	0	0	KG	48.5164	117.1279	20.1	625.2	463	55577.	1879	1.4	3.2	6.5	2.3	0.5	4.7	46	0.1
51509	0	0	0	0	KG	48.5164	117.1273	20.1	624.9	473	55572.	1970	1.8	3.9	9.6	2.1	0.4	5.2	49	0.1
51508	0	0	0	0	KG	48.5164	117.1268	20.1	624.7	479	55570.	2227	2.0	2.2	13.6	1.1	0.2	6.7	40	0.1
51507	0	0	0	0	KG	48.5164	117.1263	20.2	624.5	472	55571.	2137	1.7	4.7	10.6	2.8	0.4	6.3	48	0.1
51506	0	0	0	0	KG	48.5163	117.1258	20.2	624.3	455	55577.	2178	1.9	4.0	8.9	2.1	0.4	4.6	36	0.1
51505	0	0	0	0	KG	48.5163	117.1253	20.2	624.0	431	55587.	2034	1.4	3.9	8.3	2.8	0.5	6.0	52	0.1
51504	0	0	0	0	KG	48.5163	117.1247	20.2	623.7	409	55603.	2000	1.4	3.7	8.6	2.6	0.4	6.0	46	0.1
51503	0	0	0	0	KG	48.5163	117.1242	20.2	623.4	385	55624.	2068	1.2	5.5	6.8	4.5	0.8	5.6	51	0.1
51502	0	0	0	0	KG	48.5163	117.1237	20.3	623.2	362	55648.	1980	1.7	4.1	8.0	2.4	0.5	4.7	59	0.1
51501	0	0	0	0	KG	48.5163	117.1232	20.3	623.0	341	55673.	1942	1.6	3.1	11.4	1.9	0.3	7.0	51	0.1
51500	0	0	0	0	KHM	48.5163	117.1227	20.3	622.7	326	55696.	1834	1.4	3.9	7.8	2.8	0.5	5.5	45	0.1
51499	0	0	0	0	KHM	48.5163	117.1221	20.3	622.5	314	55719.	1726	1.1	3.9	7.0	3.4	0.6	6.2	47	0.1
51498	0	0	0	0	KHM	48.5163	117.1216	20.4	622.3	305	55739.	1685	1.3	2.4	8.7	1.8	0.3	6.5	51	0.1
51497	0	0	0	0	KHM	48.5163	117.1211	20.4	622.1	299	55753.	1601	1.2	2.3	5.2	2.0	0.4	4.5	57	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 31							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51496	0	0	0	0	KHM	48.5163	117.1206	20.4	621.9	297	55761.	1466	1.1	2.6	5.1	2.4	0.5	4.7	55	0.1
51495	0	0	0	0	KHM	48.5162	117.1200	20.4	621.7	304	55761.	1619	1.1	3.2	6.3	2.9	0.5	5.8	43	0.1
51494	0	0	0	0	KHM	48.5162	117.1195	20.4	621.6	313	55754.	1524	1.2	2.3	8.0	1.9	0.3	6.6	35	0.1
51493	0	0	0	0	KHM	48.5162	117.1190	20.5	621.5	328	55742.	1579	1.2	2.5	6.4	2.1	0.4	5.2	40	0.1
51492	0	0	0	0	KHM	48.5162	117.1185	20.5	621.5	343	55725.	1585	1.1	4.0	6.8	3.8	0.6	6.3	52	0.1
51491	0	0	0	0	KHM	48.5162	117.1180	20.5	621.5	361	55706.	1686	1.1	3.1	5.7	2.8	0.5	5.0	46	0.1
51490	0	0	0	0	KHM	48.5162	117.1174	20.5	621.6	382	55684.	1819	1.3	5.6	4.1	4.3	1.4	3.1	48	0.1
51489	0	0	0	0	KHM	48.5162	117.1169	20.5	621.7	400	55661.	1860	1.2	2.9	9.4	2.4	0.3	7.6	48	0.1
51488	0	0	0	0	KHM	48.5162	117.1164	20.6	622.0	413	55640.	1935	1.7	2.1	10.0	1.2	0.2	5.8	46	0.1
51487	0	0	0	0	KHM	48.5162	117.1159	20.6	622.2	420	55624.	2083	1.4	4.4	9.0	3.2	0.5	6.6	52	0.1
51486	0	0	0	0	KHM	48.5162	117.1154	20.6	622.5	429	55611.	2097	1.5	4.8	8.7	3.3	0.5	6.0	50	0.1
51485	0	0	0	0	KHM	48.5161	117.1148	20.7	622.9	441	55602.	2163	1.6	3.6	11.1	2.3	0.3	7.1	48	0.1
51484	0	0	0	0	KHM	48.5161	117.1143	20.7	623.3	456	55595.	2167	1.7	4.6	7.8	2.7	0.6	4.5	53	0.1
51483	0	0	0	0	KHM	48.5161	117.1138	20.7	623.8	470	55590.	2204	1.6	4.7	8.1	3.0	0.6	5.2	42	0.1
51482	0	0	0	0	KHM	48.5161	117.1132	20.7	624.3	483	55587.	2123	1.5	4.3	7.8	3.0	0.6	5.3	52	0.1
51481	0	0	0	0	KHM	48.5161	117.1127	20.8	624.8	495	55587.	2322	1.8	4.1	14.2	2.3	0.3	8.0	43	0.1
51480	0	0	0	0	KHM	48.5161	117.1122	20.8	625.3	510	55589.	2341	1.3	4.7	11.4	3.5	0.4	8.6	41	0.1
51479	0	0	0	0	KHM	48.5161	117.1116	20.8	625.8	528	55594.	2325	1.5	4.2	16.5	2.9	0.3	11.2	35	0.1
51478	0	0	0	0	KHM	48.5161	117.1111	20.8	626.3	547	55599.	2400	1.8	4.2	9.3	2.3	0.5	5.2	44	0.1
51477	0	0	0	0	KHM	48.5161	117.1106	20.9	626.9	565	55606.	2452	1.8	4.0	11.5	2.3	0.3	6.5	53	0.1
51476	0	0	0	0	KHM	48.5161	117.1101	20.9	627.4	578	55612.	2544	2.1	3.7	12.3	1.8	0.3	6.0	43	0.1
51475	0	0	0	0	KHM	48.5161	117.1095	20.9	627.9	595	55617.	2529	2.2	5.8	12.5	2.6	0.5	5.7	44	0.1
51474	0	0	0	0	KHM	48.5161	117.1090	21.0	628.4	611	55620.	2506	1.6	4.1	12.5	2.5	0.3	7.7	48	0.1
51473	0	0	0	0	KHM	48.5161	117.1085	21.0	628.9	630	55623.	2514	2.2	2.5	11.9	1.2	0.2	5.4	46	0.1
51472	0	0	0	0	KHM	48.5161	117.1079	21.0	629.4	643	55624.	2680	1.6	5.9	14.9	3.7	0.4	9.4	46	0.1
51471	0	0	0	0	KHM	48.5161	117.1074	21.0	629.8	652	55627.	2741	1.6	6.6	10.7	4.1	0.6	6.7	42	0.1
51470	0	0	0	0	KHM	48.5161	117.1069	21.1	630.3	658	55632.	2673	1.8	5.5	14.3	3.0	0.4	7.8	47	0.1
51469	0	0	0	0	KHM	48.5161	117.1064	21.1	630.8	661	55636.	2842	1.7	5.7	18.9	3.4	0.3	11.3	40	0.1
51468	0	0	0	0	KHM	48.5161	117.1058	21.1	631.2	654	55641.	2835	2.4	4.6	14.1	1.9	0.3	5.8	49	0.1
51467	0	0	0	0	KHM	48.5161	117.1053	21.1	631.7	621	55647.	2877	1.9	5.5	12.8	2.9	0.4	6.7	52	0.1
51466	0	0	0	0	KHM	48.5161	117.1048	21.2	632.1	572	55652.	2699	2.1	3.1	14.2	1.5	0.2	6.7	65	0.1
51465	0	0	0	0	KHM	48.5161	117.1042	21.2	632.6	517	55658.	2648	2.5	3.4	12.4	1.4	0.3	5.0	31	0.1
51464	0	0	0	0	KHM	48.5161	117.1037	21.2	633.0	474	55664.	2418	2.0	1.9	12.6	0.9	0.1	6.3	50	0.1
51463	0	0	1	0	KHM	48.5161	117.1032	21.3	633.5	441	55666.	2369	2.2	0.0	15.4	0.0	0.0	7.2	55	0.1
51462	0	0	0	0	KHM	48.5160	117.1027	21.3	633.9	415	55666.	2271	2.0	2.7	13.2	1.4	0.2	6.8	50	0.1
51461	0	0	0	0	KHM	48.5160	117.1021	21.3	634.3	398	55664.	2315	1.7	3.4	11.6	2.0	0.3	6.9	47	0.2
51459	0	0	0	0	KHM	48.5160	117.1011	21.4	634.7	387	55661.	2368	2.0	2.9	10.2	1.4	0.3	5.0	39	0.2
51458	0	0	0	0	KHM	48.5160	117.1005	21.4	635.1	382	55658.	2420	1.9	2.5	12.0	1.3	0.2	6.2	33	0.2
51457	0	0	0	0	KHM	48.5160	117.1000	21.4	635.5	375	55655.	2182	2.0	3.2	10.4	1.6	0.3	5.2	48	0.1
51456	0	0	0	0	KHM	48.5160	117.0995	21.4	635.9	369	55651.	2212	1.7	3.2	13.2	1.9	0.2	8.0	36	0.1
51455	0	0	0	0	KHM	48.5160	117.0990	21.5	636.3	359	55649.	2162	1.9	1.9	11.7	1.0	0.2	6.1	37	0.1
51454	0	0	0	0	KHM	48.5160	117.0984	21.5	636.6	344	55649.	2186	1.9	3.4	9.6	1.9	0.4	5.2	35	0.1
51453	0	0	0	0	KHM	48.5160	117.0979	21.5	637.0	322	55648.	1933	1.5	3.6	8.6	2.4	0.4	5.8	38	0.1
51452	0	0	0	0	KHM	48.5160	117.0974	21.6	637.3	303	55648.	1899	1.3	3.0	6.6	2.3	0.5	5.1	43	0.1
51451	0	0	0	0	KHM	48.5160	117.0968	21.6	637.7	291	55649.	1776	1.2	3.0	8.2	2.5	0.4	6.8	53	0.1
51450	0	0	0	0	KHM	48.5160	117.0963	21.6	638.0	291	55648.	1819	1.3	2.6	7.1	1.9	0.4	5.4	52	0.1
51449	0	0	0	0	KHM	48.5160	117.0958	21.6	638.3	294	55647.	1788	1.0	3.2	7.2	3.2	0.4	7.1	45	0.2
51448	0	0	0	0	KHM	48.5160	117.0953	21.7	638.7	296	55646.	1738	1.4	3.6	6.9	2.6	0.5	5.0	41	0.2
51447	0	0	0	0	KHM	48.5160	117.0947	21.7	639.0	294	55645.	1701	1.1	3.1	7.6	2.8	0.4	7.0	50	0.2
51446	0	0	0	0	KHM	48.5160	117.0942	21.7	639.4	293	55643.	1758	1.3	2.3	8.9	1.8	0.3	6.9	51	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 31									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM		
51445	0	0	0	0	KHM	48.5160	117.0937	21.7	639.8	298	55641.	1821	1.4	3.5	7.1	2.4	0.5	4.9	46	0.2		
51444	0	0	0	0	KHM	48.5159	117.0931	21.7	640.2	306	55638.	1844	1.6	2.4	8.7	1.5	0.3	5.6	32	0.2		
51443	0	0	0	0	KHM	48.5159	117.0926	21.8	640.6	315	55634.	1918	1.5	2.5	9.2	1.7	0.3	6.3	30	0.2		
51442	0	0	0	0	KHM	48.5159	117.0921	21.8	641.1	324	55629.	2110	1.8	3.4	8.9	1.9	0.4	4.9	40	0.2		
51441	0	0	0	0	KHM	48.5159	117.0916	21.8	641.5	334	55622.	2115	2.1	1.7	11.8	0.8	0.1	5.7	39	0.2		
51440	0	0	0	0	KHM	48.5159	117.0910	21.8	642.0	347	55616.	2196	1.7	4.4	10.5	2.5	0.4	6.1	42	0.2		
51439	0	0	0	0	KHM	48.5159	117.0905	21.9	642.5	362	55612.	2247	2.0	1.9	10.6	0.9	0.2	5.4	40	0.2		
51438	0	0	0	0	KHM	48.5159	117.0900	21.9	643.0	375	55610.	2188	1.8	3.8	10.3	2.2	0.4	5.8	48	0.2		
51437	0	0	0	0	KHM	48.5159	117.0894	21.9	643.5	386	55612.	2192	1.5	3.5	14.4	2.4	0.2	10.0	45	0.2		
51436	0	0	0	0	KHM	48.5159	117.0889	21.9	644.1	390	55615.	2174	1.3	3.9	10.5	2.9	0.4	7.9	38	0.2		
51435	0	0	0	0	KHM	48.5159	117.0884	21.9	644.6	392	55616.	2094	1.5	2.2	13.9	1.4	0.2	9.2	35	0.2		
51434	0	0	0	0	KHM	48.5159	117.0879	22.0	645.2	387	55619.	2009	1.3	4.1	13.1	3.1	0.3	10.1	46	0.2		
51433	0	0	0	0	KHM	48.5159	117.0873	22.0	645.7	375	55622.	2010	1.5	3.3	9.7	2.2	0.3	6.5	42	0.2		
51432	0	0	0	0	KHM	48.5159	117.0868	22.0	646.2	358	55625.	1919	1.6	4.2	7.9	2.7	0.5	5.1	51	0.2		
51431	0	0	0	0	KHM	48.5159	117.0863	22.0	646.7	345	55630.	1891	1.4	2.2	9.0	1.5	0.2	6.3	50	0.2		
51430	0	0	0	0	KHM	48.5159	117.0857	22.0	647.3	338	55634.	2083	1.8	2.9	12.1	1.6	0.2	6.7	42	0.2		
51429	0	0	0	0	KHM	48.5159	117.0852	22.0	647.8	337	55638.	2019	1.4	4.4	9.8	3.0	0.4	6.8	46	0.2		
51428	0	0	0	0	KHM	48.5159	117.0847	22.1	648.3	332	55642.	2025	1.2	2.3	10.7	1.9	0.2	8.9	53	0.2		
51427	0	0	0	0	KHM	48.5159	117.0842	22.1	648.8	325	55644.	2055	1.3	3.2	11.0	2.4	0.3	8.3	41	0.2		
51426	0	0	0	0	KHM	48.5159	117.0836	22.1	649.3	321	55644.	1964	1.5	2.6	8.0	1.8	0.3	5.4	41	0.2		
51425	0	0	0	0	KHM	48.5159	117.0831	22.1	649.8	325	55642.	2070	1.6	1.7	7.6	1.1	0.2	4.6	45	0.2		
51424	0	0	0	0	KHM	48.5159	117.0826	22.1	650.3	336	55641.	2065	1.3	4.3	9.5	3.3	0.5	7.3	41	0.2		
51423	0	0	0	0	KHM	48.5159	117.0820	22.1	650.8	345	55641.	1985	1.7	2.0	10.4	1.2	0.2	5.9	45	0.2		
51422	0	0	0	0	KHM	48.5159	117.0815	22.2	651.3	348	55642.	1980	1.8	3.6	6.7	2.0	0.5	3.7	48	0.2		
51421	0	0	0	0	KHM	48.5159	117.0810	22.2	651.8	350	55641.	2014	2.0	2.0	9.5	1.0	0.2	4.9	48	0.2		
51420	0	0	0	0	KHM	48.5158	117.0805	22.2	652.3	356	55639.	1959	1.8	3.8	8.5	2.2	0.4	4.8	39	0.2		
51419	0	0	0	0	KHM	48.5158	117.0799	22.2	652.8	364	55637.	2022	1.7	3.4	10.3	2.0	0.3	6.0	53	0.2		
51418	0	0	0	0	KHM	48.5158	117.0794	22.2	653.3	370	55635.	1860	1.2	2.6	7.3	2.2	0.4	6.3	44	0.2		
51417	0	0	0	0	KHM	48.5158	117.0789	22.2	653.8	370	55635.	1930	1.8	2.9	6.9	1.6	0.4	3.8	41	0.2		
51416	0	0	0	0	KHM	48.5158	117.0783	22.3	654.3	368	55635.	1889	1.7	2.4	9.0	1.4	0.3	5.3	37	0.2		
51415	0	0	0	0	KHM	48.5158	117.0778	22.3	654.8	369	55636.	2019	1.9	3.4	7.5	1.8	0.5	4.0	39	0.1		
51414	0	0	0	0	KHM	48.5158	117.0773	22.3	655.4	378	55636.	2051	1.6	3.6	7.6	2.3	0.5	4.8	30	0.1		
51413	0	0	0	0	KHM	48.5158	117.0768	22.3	655.9	395	55636.	2048	1.5	3.1	11.2	2.1	0.3	7.6	46	0.1		
51412	0	0	0	0	KHM	48.5158	117.0762	22.3	656.4	411	55636.	2091	1.3	5.2	8.5	3.9	0.6	6.3	35	0.1		
51411	0	0	0	0	KHM	48.5158	117.0757	22.3	656.9	424	55635.	2097	1.6	5.6	8.1	3.5	0.7	5.1	44	0.1		
51410	0	0	0	0	KHM	48.5158	117.0752	22.3	657.4	432	55634.	2048	1.6	5.0	6.1	3.0	0.8	3.7	44	0.1		
51409	0	0	0	0	KHM	48.5158	117.0746	22.3	658.0	439	55632.	2205	1.8	3.7	9.7	2.1	0.4	5.5	40	0.1		
51408	0	0	0	0	KHM	48.5158	117.0741	22.3	658.5	441	55630.	2098	1.8	4.4	7.5	2.5	0.6	4.2	32	0.1		
51407	0	0	0	0	KHM	48.5158	117.0736	22.4	659.1	435	55630.	2078	1.5	4.7	7.1	3.2	0.7	4.9	52	0.1		
51406	0	0	0	0	KHM	48.5158	117.0730	22.4	659.6	421	55629.	2110	1.7	3.5	9.3	2.0	0.4	5.4	29	0.1		
51405	0	0	0	0	KHM	48.5158	117.0725	22.4	660.2	410	55626.	2066	1.4	3.5	11.7	2.5	0.3	8.3	31	0.1		
51404	0	0	0	0	KHM	48.5158	117.0720	22.4	660.7	410	55623.	2138	1.5	4.4	11.6	2.9	0.4	7.6	22	0.1		
51403	0	0	0	0	KHM	48.5158	117.0715	22.4	661.3	427	55618.	2133	1.9	3.2	9.8	1.7	0.3	5.1	38	0.1		
51402	0	0	0	0	KHM	48.5157	117.0709	22.4	661.8	453	55612.	2300	2.1	3.5	11.0	1.7	0.3	5.2	43	0.1		
51401	0	0	0	0	KHM	48.5157	117.0704	22.4	662.4	483	55605.	2411	1.7	3.6	11.7	2.1	0.3	6.8	39	0.1		
51400	0	0	0	0	KHM	48.5157	117.0699	22.4	662.9	515	55599.	2471	2.1	4.7	12.0	2.2	0.4	5.7	37	0.1		
51399	0	0	0	0	KHM	48.5157	117.0694	22.4	663.4	540	55594.	2818	1.9	5.4	13.0	2.8	0.4	6.9	38	0.1		
51398	0	0	0	0	KHM	48.5157	117.0688	22.4	663.9	556	55590.	2704	2.1	4.7	11.8	2.2	0.4	5.6	38	0.1		
51397	0	0	0	0	KHM	48.5157	117.0683	22.4	664.4	540	55587.	2760	2.2	6.4	11.2	2.8	0.6	5.0	29	0.1		
51396	0	0	0	0	KHM	48.5157	117.0678	22.4	664.9	510	55584.	2631	2.1	5.0	13.6	2.4	0.4	6.6	40	0.1		

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 31									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51395	0	0	0	0	KHM	48.5157	117.0672	22.4	665.4	485	55578.	2700	2.1	4.5	12.0	2.1	0.4	5.7	33	0.1
51394	0	0	0	0	KHM	48.5157	117.0667	22.4	665.9	489	55573.	2674	2.1	2.6	18.3	1.2	0.1	8.7	28	0.1
51393	0	0	0	0	KHM	48.5157	117.0662	22.4	666.3	528	55568.	2965	1.8	6.8	13.2	3.7	0.5	7.2	28	0.1
51392	0	0	0	0	KHM	48.5157	117.0656	22.4	666.6	559	55563.	3218	2.4	7.0	17.2	3.0	0.4	7.2	25	0.1
51391	0	0	0	0	KHM	48.5157	117.0651	22.4	666.9	577	55559.	3219	2.4	5.5	15.8	2.3	0.4	6.5	44	0.1
51390	0	0	0	0	KHM	48.5157	117.0646	22.4	667.2	570	55554.	3153	1.9	8.6	19.2	4.4	0.4	9.9	27	0.1
51389	0	0	0	0	QAG	48.5157	117.0641	22.4	667.4	567	55548.	3276	1.5	9.7	15.2	6.6	0.6	10.4	26	0.1
51388	0	0	0	0	QAG	48.5157	117.0635	22.4	667.6	566	55543.	3252	1.7	8.3	17.3	4.9	0.5	10.2	33	0.1
51387	0	0	0	0	QAG	48.5157	117.0630	22.4	667.7	565	55538.	3170	2.2	6.2	17.1	2.9	0.4	7.9	35	0.1
51386	0	0	0	0	QAG	48.5157	117.0625	22.4	667.8	567	55535.	3320	2.3	5.8	18.3	2.5	0.3	8.0	29	0.1
51385	0	0	0	0	QAG	48.5157	117.0620	22.4	667.8	559	55533.	3296	1.7	8.6	16.9	5.2	0.5	10.2	34	0.1
51384	0	0	0	0	QAG	48.5157	117.0614	22.4	667.8	552	55532.	2987	1.3	6.2	17.6	4.6	0.3	13.3	41	0.1
51383	0	0	0	0	KHM	48.5157	117.0609	22.4	667.8	543	55532.	3006	1.7	4.9	16.0	2.8	0.3	9.4	42	0.1
51382	0	0	0	0	KHM	48.5157	117.0604	22.4	667.6	546	55533.	2777	1.9	6.2	16.3	3.3	0.4	8.6	29	0.1
51381	0	0	0	0	KHM	48.5157	117.0598	22.4	667.4	550	55535.	2825	1.6	6.8	11.3	4.2	0.6	7.0	25	0.1
51380	0	0	0	0	KHM	48.5156	117.0592	22.4	667.2	555	55538.	2717	1.8	6.2	11.8	3.4	0.5	6.5	30	0.1
51379	0	0	0	0	KHM	48.5156	117.0586	22.4	667.0	548	55543.	2538	2.0	5.8	15.0	3.0	0.4	7.7	31	0.1
51378	0	0	0	0	KHM	48.5156	117.0580	22.4	666.7	531	55548.	2467	1.4	5.8	13.1	4.1	0.4	9.4	30	0.1
51377	0	0	0	0	KHM	48.5156	117.0574	22.4	666.3	511	55556.	2361	1.9	2.6	15.5	1.3	0.2	8.1	32	0.1
51376	0	0	0	0	KHM	48.5156	117.0568	22.4	666.0	502	55564.	2284	1.7	5.0	11.8	3.0	0.4	7.0	44	0.1
51375	0	0	0	0	KHM	48.5156	117.0562	22.3	665.6	515	55570.	2337	1.6	3.1	11.4	2.0	0.3	7.3	44	0.1
51374	0	0	0	0	KHM	48.5156	117.0556	22.3	665.1	527	55577.	2354	1.5	4.4	13.8	3.1	0.3	9.5	35	0.1
51373	0	0	0	0	KHM	48.5156	117.0550	22.3	664.7	531	55582.	2362	1.4	4.9	11.2	3.5	0.4	8.1	29	0.1
51372	0	0	0	0	KHM	48.5155	117.0544	22.3	664.3	509	55588.	2288	1.6	4.2	10.6	2.7	0.4	6.7	26	0.1
51371	0	0	0	0	KHM	48.5155	117.0538	22.3	663.8	485	55594.	2108	1.3	4.5	8.2	3.4	0.6	6.2	34	0.1
51370	0	0	0	0	KHM	48.5155	117.0532	22.3	663.4	457	55599.	2029	1.5	4.4	7.2	3.0	0.6	4.9	32	0.1
51368	0	0	0	0	KHM	48.5155	117.0520	22.3	662.9	437	55605.	2072	1.1	4.1	8.6	3.6	0.5	7.6	39	0.1
51367	0	0	0	0	KHM	48.5155	117.0514	22.3	662.5	422	55612.	1953	1.4	3.1	8.9	2.3	0.4	6.4	29	0.1
51366	0	0	0	0	KHM	48.5155	117.0508	22.2	662.0	410	55620.	1840	1.1	3.8	8.4	3.4	0.5	7.6	40	0.1
51365	0	0	0	0	KHM	48.5155	117.0502	22.2	661.5	404	55626.	1783	1.2	3.7	8.7	3.1	0.4	7.5	41	0.1
51364	0	0	0	0	KHM	48.5155	117.0496	22.2	661.1	398	55631.	1865	1.7	3.5	8.9	2.0	0.4	5.2	38	0.1
51363	0	0	0	0	KHM	48.5154	117.0490	22.2	660.7	400	55632.	1909	1.3	3.8	9.5	3.0	0.4	7.5	34	0.1
51362	0	0	0	0	KHM	48.5154	117.0484	22.2	660.3	423	55630.	2021	1.4	4.9	6.4	3.5	0.8	4.5	34	0.1
51361	0	0	0	0	KHM	48.5154	117.0478	22.2	659.9	469	55627.	2168	1.4	4.1	10.0	2.9	0.4	7.2	25	0.1
51360	0	0	0	0	KHM	48.5154	117.0471	22.1	659.4	532	55625.	2234	1.6	5.5	6.9	3.5	0.8	4.3	31	0.1
51359	0	0	0	0	KHM	48.5154	117.0466	22.1	659.0	588	55626.	2651	1.9	7.0	8.7	3.7	0.8	4.6	24	0.1
51358	0	0	0	0	KHM	48.5154	117.0459	22.1	658.6	630	55630.	2793	2.1	4.3	13.3	2.0	0.3	6.2	40	0.2
51357	0	0	0	0	KHM	48.5154	117.0453	22.1	658.2	644	55638.	2819	2.0	5.1	14.9	2.5	0.3	7.4	37	0.1
51356	0	0	0	0	KHM	48.5154	117.0447	22.1	657.9	632	55649.	2687	1.8	6.0	14.8	3.4	0.4	8.3	41	0.1
51355	0	0	0	0	KHM	48.5154	117.0441	22.1	657.6	604	55662.	2748	1.6	6.6	13.1	4.1	0.5	8.2	39	0.1
51354	0	0	0	0	KHM	48.5154	117.0435	22.0	657.2	573	55678.	2645	2.0	4.7	11.9	2.4	0.4	5.9	37	0.1
51353	0	0	0	0	KHM	48.5153	117.0429	22.0	656.8	539	55697.	2428	1.8	3.3	11.2	1.8	0.3	6.2	36	0.1
51352	0	0	0	0	KHM	48.5153	117.0423	22.0	656.5	506	55719.	2364	1.9	4.7	9.6	2.5	0.5	5.1	40	0.1
51351	0	0	0	0	KHM	48.5153	117.0417	22.0	656.1	478	55742.	2234	1.6	4.3	9.5	2.7	0.5	5.9	33	0.1
51350	0	0	0	0	KHM	48.5153	117.0411	22.0	655.8	449	55766.	2246	1.8	3.5	8.8	2.0	0.4	4.9	35	0.1
51349	0	0	0	0	KHM	48.5153	117.0405	22.0	655.5	422	55789.	2219	1.7	3.8	9.8	2.2	0.4	5.7	29	0.1
51348	0	0	0	0	KHM	48.5153	117.0399	21.9	655.1	394	55811.	1948	1.1	5.3	8.0	5.0	0.7	7.4	42	0.1
51347	0	0	0	0	KHM	48.5153	117.0393	21.9	654.8	373	55829.	1882	1.5	4.2	7.5	2.8	0.6	5.1	32	0.1
51346	0	0	0	0	KHM	48.5153	117.0387	21.9	654.5	354	55846.	1846	1.3	3.1	8.4	2.4	0.4	6.5	36	0.1
51345	0	0	0	0	KHM	48.5152	117.0381	21.9	654.3	334	55861.	1685	1.5	2.2	7.1	1.4	0.3	4.6	40	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 31								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51344	0	0	0	0	KHM	48.5152	117.0375	21.9	654.1	315	55870.	1746	1.2	3.3	6.3	2.7	0.5	5.1	29	0.1
51343	0	0	0	0	KHM	48.5152	117.0369	21.9	653.9	306	55874.	1741	1.5	2.8	6.2	1.9	0.5	4.2	32	0.1
51342	0	0	0	0	KHM	48.5152	117.0363	21.8	653.7	315	55875.	1698	1.6	2.1	6.7	1.3	0.3	4.3	41	0.1
51341	0	0	0	0	KHM	48.5152	117.0357	21.8	653.6	337	55870.	1795	1.6	2.6	9.1	1.7	0.3	5.8	28	0.1
51340	0	0	0	0	KHM	48.5152	117.0351	21.8	653.6	366	55863.	1711	1.4	3.4	5.7	2.5	0.6	4.2	47	0.1
51339	0	0	0	0	KHM	48.5152	117.0345	21.8	653.6	393	55854.	1971	1.4	3.8	8.1	2.7	0.5	5.9	40	0.1
51338	0	0	0	0	KHM	48.5152	117.0339	21.8	653.7	414	55848.	1821	1.0	4.5	8.7	4.6	0.5	8.9	45	0.1
51337	0	0	0	0	KHM	48.5152	117.0333	21.8	653.7	428	55845.	1892	1.0	4.8	8.9	4.7	0.5	8.6	39	0.1
51336	0	0	0	0	KHM	48.5152	117.0327	21.7	653.8	442	55844.	1919	1.2	4.1	10.1	3.3	0.4	8.2	34	0.1
51335	0	0	0	0	KG	48.5151	117.0321	21.7	653.9	460	55846.	1877	1.3	4.7	5.2	3.8	0.9	4.2	42	0.1
51334	0	0	0	0	KG	48.5151	117.0315	21.7	654.1	480	55848.	1902	1.2	5.1	8.4	4.3	0.6	7.0	35	0.1
51333	0	0	0	0	KG	48.5151	117.0309	21.7	654.3	496	55850.	1976	1.6	4.2	6.1	2.6	0.7	3.8	36	0.1
51332	0	0	0	0	KG	48.5151	117.0302	21.7	654.4	505	55854.	2058	1.6	5.2	5.2	3.2	1.0	3.1	39	0.1
51331	0	0	0	0	KG	48.5151	117.0296	21.6	654.6	507	55857.	1866	0.9	4.6	7.2	4.9	0.6	7.7	44	0.1
51330	0	0	0	0	KG	48.5151	117.0290	21.6	654.7	504	55859.	1983	1.2	6.0	8.7	4.8	0.7	7.0	44	0.1
51329	0	0	0	0	KG	48.5151	117.0284	21.6	654.9	500	55859.	2054	1.2	4.8	8.4	4.0	0.6	7.0	36	0.1
51328	0	0	0	0	KG	48.5151	117.0278	21.6	655.0	492	55857.	1869	1.4	3.6	7.5	2.6	0.5	5.5	54	0.1
51327	0	0	0	0	KG	48.5150	117.0272	21.6	655.1	485	55853.	1920	1.5	3.2	8.6	2.2	0.4	5.9	39	0.1
51326	0	0	0	0	KG	48.5150	117.0266	21.6	655.2	483	55845.	1980	1.3	4.5	6.9	3.4	0.7	5.2	34	0.1
51325	0	0	0	0	KG	48.5150	117.0260	21.5	655.3	492	55835.	2019	1.4	4.1	8.6	3.0	0.5	6.3	29	0.1
51324	0	0	0	0	KG	48.5150	117.0254	21.5	655.3	508	55824.	1867	1.2	4.4	6.6	3.8	0.7	5.7	35	0.1
51323	0	0	0	0	KG	48.5150	117.0248	21.5	655.4	528	55813.	1958	1.4	5.5	6.0	4.0	0.9	4.4	32	0.1
51322	0	0	0	0	KG	48.5150	117.0242	21.5	655.4	554	55804.	1942	1.5	3.7	8.4	2.4	0.4	5.5	43	0.1
51321	0	0	0	0	KG	48.5150	117.0236	21.5	655.4	587	55797.	1957	1.2	5.9	6.7	4.9	0.9	5.6	36	0.1
51320	0	0	0	0	KG	48.5150	117.0230	21.5	655.4	619	55793.	2141	1.5	4.8	5.9	3.2	0.8	4.0	40	0.1
51319	0	0	0	0	KG	48.5150	117.0224	21.5	655.4	650	55793.	2445	1.3	7.9	8.9	5.9	0.9	6.7	23	0.1
51318	0	0	0	0	KG	48.5150	117.0218	21.4	655.4	657	55795.	2435	1.8	5.2	11.1	2.9	0.5	6.2	40	0.1
51317	0	0	0	0	KG	48.5149	117.0211	21.4	655.3	639	55801.	2281	1.6	4.0	8.7	2.4	0.5	5.4	41	0.1
51316	0	0	0	0	KG	48.5149	117.0205	21.4	655.2	600	55806.	2240	1.5	5.4	10.2	3.6	0.5	6.7	40	0.1
51315	0	0	0	0	KG	48.5149	117.0198	21.4	655.1	572	55812.	2074	1.9	4.7	7.9	2.5	0.6	4.2	34	0.1
51314	0	0	0	0	KG	48.5149	117.0192	21.4	655.1	567	55817.	2227	2.0	3.0	12.7	1.5	0.2	6.4	28	0.1
51313	0	0	0	0	KG	48.5148	117.0185	21.4	654.9	577	55820.	2194	1.6	3.6	12.0	2.2	0.3	7.4	35	0.1
51312	0	0	0	0	KG	48.5148	117.0179	21.4	654.8	596	55822.	2188	1.6	5.4	6.8	3.3	0.8	4.2	42	0.1
51311	0	0	0	0	KG	48.5148	117.0172	21.4	654.6	608	55822.	2226	1.9	3.5	10.9	1.9	0.3	5.9	35	0.1
51310	0	0	0	0	KG	48.5148	117.0166	21.3	654.4	619	55819.	2304	1.7	3.2	12.6	1.8	0.3	7.4	39	0.1
51309	0	0	0	0	KG	48.5147	117.0159	21.3	654.1	628	55816.	2369	1.7	5.0	9.0	3.0	0.6	5.4	31	0.1
51308	0	0	0	0	KG	48.5147	117.0153	21.3	653.9	643	55814.	2368	1.5	6.4	7.0	4.3	0.9	4.7	29	0.1
51307	0	0	0	0	KG	48.5147	117.0146	21.3	653.6	648	55813.	2383	1.4	6.0	9.9	4.2	0.6	7.0	33	0.1
51306	0	0	0	0	KG	48.5147	117.0140	21.3	653.4	642	55814.	2268	1.4	6.0	12.3	4.3	0.5	8.8	30	0.1
51305	0	0	0	0	KG	48.5146	117.0133	21.3	653.1	627	55816.	2332	1.9	3.1	10.8	1.7	0.3	5.8	30	0.1
51304	0	0	0	0	KG	48.5146	117.0127	21.3	652.8	614	55819.	2161	1.3	6.1	7.5	4.6	0.8	5.7	39	0.1
51303	0	0	0	0	PCP	48.5146	117.0120	21.2	652.4	602	55820.	2220	1.6	2.9	8.6	1.8	0.3	5.3	33	0.1
51302	0	0	0	0	PCP	48.5146	117.0114	21.2	652.1	590	55822.	2117	1.7	5.1	9.7	3.1	0.5	5.7	32	0.1
51301	0	0	0	0	PCP	48.5145	117.0107	21.2	651.7	578	55824.	2083	1.6	4.7	7.8	3.0	0.6	5.0	40	0.1
51300	0	0	0	0	PCP	48.5145	117.0101	21.2	651.3	567	55825.	2032	1.4	4.4	8.1	3.3	0.5	6.0	41	0.1
51299	0	0	0	0	PCP	48.5145	117.0094	21.2	651.0	554	55828.	2017	1.7	2.6	10.5	1.6	0.3	6.2	36	0.1
51298	0	0	0	0	PCP	48.5145	117.0088	21.2	650.6	542	55832.	1950	1.2	2.9	9.7	2.4	0.3	8.2	38	0.1
51297	0	0	0	0	PCP	48.5144	117.0081	21.2	650.1	530	55839.	1821	1.0	4.5	7.1	4.5	0.6	7.0	41	0.1
51296	0	0	0	0	PCP	48.5144	117.0075	21.2	649.7	518	55850.	1924	1.4	2.7	7.0	2.0	0.4	5.1	38	0.1
51295	0	0	0	0	PCP	48.5144	117.0068	21.2	649.3	503	55862.	1804	1.0	3.8	9.9	3.7	0.4	9.8	41	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 31							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51294	0	0	0	0	PCP	48.5144	117.0062	21.1	648.9	482	55875.	1792	1.5	2.2	9.9	1.5	0.2	6.7	33	0.2
51293	0	0	0	0	PCP	48.5143	117.0055	21.1	648.4	450	55884.	1702	1.0	3.9	4.9	3.7	0.8	4.8	41	0.2
51292	0	0	0	0	PCP	48.5143	117.0049	21.1	648.0	421	55886.	1588	0.7	4.0	5.1	5.4	0.8	7.0	43	0.2
51291	0	0	0	0	PCP	48.5143	117.0042	21.1	647.5	412	55881.	1531	1.0	2.4	7.4	2.5	0.3	7.7	34	0.2
51290	0	0	0	0	PCP	48.5143	117.0035	21.1	647.1	431	55871.	1617	0.7	3.8	7.0	5.2	0.5	9.5	34	0.2
51289	0	0	0	0	PCP	48.5143	117.0029	21.1	646.6	462	55859.	1572	0.9	3.1	6.6	3.4	0.5	7.1	32	0.2
51288	0	0	0	0	PCP	48.5142	117.0022	21.1	646.2	481	55851.	1462	0.9	3.8	4.1	4.5	0.9	4.7	52	0.2
51287	0	0	0	0	PCP	48.5142	117.0016	21.1	645.8	486	55846.	1557	1.0	1.5	7.9	1.5	0.2	7.9	45	0.2
51286	0	0	0	0	PCP	48.5142	117.0009	21.1	645.4	478	55845.	1572	1.1	2.9	5.3	2.6	0.5	4.8	31	0.2
51285	0	0	0	0	PCP	48.5141	117.0003	21.1	645.0	468	55849.	1574	1.1	2.8	5.3	2.6	0.5	4.9	40	0.2
51284	0	0	0	0	PCP	48.5141	116.9996	21.1	644.6	460	55854.	1571	1.0	4.6	5.7	4.5	0.8	5.6	37	0.2
51283	0	0	0	0	PCP	48.5141	116.9990	21.1	644.2	456	55861.	1473	1.0	2.7	4.7	2.8	0.6	4.8	38	0.2
51282	0	0	0	0	PCP	48.5141	116.9983	21.0	643.7	459	55870.	1584	0.9	2.7	7.7	2.9	0.3	8.5	35	0.2
51281	0	0	0	0	PCP	48.5141	116.9977	21.0	643.3	465	55878.	1605	1.1	2.4	7.4	2.3	0.3	7.0	46	0.2
51280	0	0	0	0	PCP	48.5140	116.9970	21.0	643.0	474	55886.	1606	1.1	2.6	5.0	2.3	0.5	4.5	44	0.2
51279	0	0	0	0	PCP	48.5140	116.9964	21.0	642.6	475	55894.	1656	1.2	3.0	6.1	2.5	0.5	5.1	56	0.2
51277	0	0	0	0	PCP	48.5140	116.9951	21.0	642.3	466	55903.	1882	1.3	3.1	6.0	2.3	0.5	4.5	23	0.2
51276	0	0	0	0	PCP	48.5139	116.9944	21.0	642.0	449	55911.	1728	1.1	4.1	4.7	3.6	0.9	4.2	34	0.2
51275	0	0	0	0	PCP	48.5139	116.9938	21.0	641.7	436	55919.	1700	1.1	3.4	6.6	2.9	0.5	5.7	40	0.2
51274	0	0	0	0	PCP	48.5139	116.9931	21.0	641.4	426	55925.	1793	1.2	2.4	9.3	1.9	0.3	7.6	34	0.2
51273	0	0	0	0	PCP	48.5139	116.9925	21.0	641.1	412	55932.	1700	1.1	3.7	5.2	3.4	0.7	4.7	42	0.2
51272	0	0	0	0	PCP	48.5138	116.9918	21.1	640.9	390	55937.	1611	1.2	2.8	7.0	2.3	0.4	5.8	42	0.2
51271	0	0	0	0	PCP	48.5138	116.9912	21.1	640.8	366	55940.	1514	1.0	2.3	6.1	2.2	0.4	5.9	49	0.2
51270	0	0	0	0	PCP	48.5138	116.9905	21.1	640.6	342	55938.	1435	0.9	3.0	4.0	3.4	0.8	4.4	50	0.2

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 32							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51744	0	0	0	0	QAG	48.5127	117.2407	22.3	666.3	530	56151.	2384	2.0	3.3	12.8	1.6	0.3	6.3	47	0.1
51745	0	0	0	0	QAG	48.5127	117.2402	22.3	666.1	539	56138.	2326	1.9	3.5	11.9	1.8	0.3	6.2	33	0.1
51746	0	0	0	0	QAG	48.5128	117.2397	22.3	666.0	533	56128.	2286	1.9	3.8	6.9	2.0	0.6	3.7	39	0.1
51747	0	0	0	0	QAG	48.5128	117.2392	22.3	665.9	532	56120.	2335	2.0	3.6	10.1	1.8	0.4	4.9	28	0.1
51748	0	0	0	0	QAG	48.5128	117.2386	22.3	665.7	533	56114.	2261	2.1	4.6	5.8	2.2	0.8	2.8	42	0.1
51749	0	0	0	0	QAG	48.5128	117.2381	22.3	665.6	541	56109.	2238	1.9	5.1	6.3	2.7	0.8	3.4	40	0.1
51750	0	0	0	0	QAG	48.5128	117.2376	22.3	665.4	550	56104.	2125	2.0	4.8	6.8	2.4	0.7	3.3	38	0.1
51751	0	0	0	0	KKH	48.5128	117.2370	22.3	665.2	561	56099.	2428	1.9	6.1	8.7	3.3	0.7	4.7	28	0.2
51752	0	0	0	0	KKH	48.5128	117.2365	22.4	665.0	567	56093.	2318	2.0	3.2	8.7	1.7	0.4	4.5	19	0.2
51753	0	0	0	0	KKH	48.5129	117.2360	22.4	664.8	565	56087.	2336	1.6	4.5	9.6	2.8	0.5	5.9	29	0.2
51754	0	0	0	0	KKH	48.5129	117.2355	22.4	664.7	558	56080.	2118	2.2	2.5	7.3	1.1	0.3	3.4	44	0.2
51755	0	0	0	0	KKH	48.5129	117.2350	22.4	664.5	547	56073.	2254	1.3	5.5	11.2	4.4	0.5	8.9	34	0.2
51756	0	0	0	0	KKH	48.5129	117.2344	22.4	664.3	535	56064.	2224	1.3	4.4	11.5	3.4	0.4	8.9	35	0.2
51757	0	0	0	0	KKH	48.5129	117.2339	22.4	664.1	525	56055.	1998	1.5	3.4	8.1	2.3	0.4	5.4	41	0.2
51758	0	0	0	0	KKH	48.5130	117.2334	22.4	663.9	518	56045.	2083	1.9	2.7	9.9	1.4	0.3	5.1	42	0.2
51759	0	0	0	0	KKH	48.5130	117.2329	22.4	663.7	516	56034.	2055	1.4	4.3	7.6	3.0	0.6	5.3	41	0.2
51760	0	0	1	0	KKH	48.5130	117.2323	22.4	663.5	514	56024.	2148	1.9	1.1	8.9	0.5	0.1	4.7	35	0.2
51761	0	0	0	0	QAG	48.5130	117.2318	22.4	663.3	514	56015.	2112	1.3	4.4	7.8	3.4	0.6	5.9	45	0.2
51762	0	0	0	0	QAG	48.5130	117.2313	22.4	663.1	515	56006.	2080	1.1	4.9	4.2	4.3	1.2	3.6	39	0.2
51763	0	0	0	0	QAG	48.5130	117.2308	22.4	662.9	516	56000.	2232	1.6	2.7	9.1	1.7	0.3	5.9	30	0.2
51764	0	0	0	0	QAG	48.5130	117.2302	22.4	662.7	513	55993.	2219	1.6	4.6	7.6	2.9	0.6	4.8	38	0.2
51765	0	0	0	0	QAG	48.5131	117.2297	22.4	662.5	507	55988.	2090	1.2	4.0	9.5	3.4	0.4	8.2	34	0.2
51766	0	0	0	0	QAG	48.5131	117.2292	22.4	662.3	506	55985.	2125	1.6	2.8	8.4	1.7	0.3	5.2	33	0.2
51767	0	0	0	0	QAG	48.5131	117.2287	22.4	662.1	505	55984.	2142	1.6	4.0	6.8	2.5	0.6	4.3	32	0.2
51768	0	0	0	0	QAG	48.5131	117.2281	22.4	661.8	500	55985.	2136	1.7	3.4	10.2	2.0	0.3	6.0	32	0.2
51769	0	0	0	0	QAG	48.5131	117.2275	22.4	661.6	486	55986.	2248	2.1	2.3	7.1	1.1	0.3	3.3	37	0.2
51770	0	0	0	0	QAG	48.5131	117.2268	22.4	661.4	472	55985.	2088	1.5	4.1	9.2	2.7	0.4	6.0	38	0.2
51771	0	0	0	0	QAG	48.5131	117.2262	22.4	661.1	458	55983.	2066	1.9	4.5	8.2	2.3	0.5	4.2	51	0.2
51772	0	0	0	0	QAG	48.5131	117.2255	22.4	660.9	450	55979.	2147	1.6	5.2	7.6	3.3	0.7	4.9	40	0.2
51773	0	0	0	0	QAG	48.5131	117.2249	22.4	660.6	444	55976.	2152	2.0	4.4	5.8	2.2	0.8	3.0	38	0.2
51774	0	0	0	0	QAG	48.5131	117.2242	22.4	660.3	441	55972.	2103	1.8	4.2	9.9	2.4	0.4	5.6	31	0.2
51775	0	0	0	0	QAG	48.5130	117.2236	22.4	660.1	437	55969.	2024	1.9	2.6	6.1	1.4	0.4	3.3	46	0.2
51776	0	0	0	0	KG	48.5130	117.2229	22.4	659.8	432	55968.	2048	1.9	3.8	6.9	2.0	0.6	3.6	40	0.2
51777	0	0	0	0	KG	48.5130	117.2223	22.4	659.6	425	55969.	2073	1.9	2.9	6.5	1.6	0.5	3.4	37	0.2
51778	0	0	0	0	KG	48.5130	117.2216	22.4	659.3	418	55974.	2020	2.0	3.5	5.0	1.8	0.7	2.5	37	0.2
51779	0	0	0	0	KG	48.5130	117.2210	22.4	659.0	409	55982.	2086	1.7	2.5	7.7	1.5	0.3	4.6	37	0.2
51780	0	0	0	0	KG	48.5130	117.2203	22.4	658.8	404	55991.	2171	2.1	1.9	11.3	0.9	0.2	5.3	34	0.2
51781	0	0	0	0	QAG	48.5130	117.2197	22.4	658.5	399	56001.	2114	1.9	2.6	7.1	1.4	0.4	3.7	42	0.2
51782	0	0	0	0	QAG	48.5130	117.2190	22.4	658.3	392	56011.	2170	2.1	3.1	6.3	1.5	0.5	3.0	36	0.2
51783	0	0	0	0	QAG	48.5130	117.2184	22.4	658.1	385	56019.	2188	1.7	1.7	8.3	1.0	0.2	4.9	42	0.2
51784	0	0	0	0	QAG	48.5130	117.2177	22.4	657.9	378	56024.	2205	2.0	2.9	8.7	1.4	0.3	4.3	41	0.2
51785	0	0	0	0	QAG	48.5130	117.2170	22.4	657.7	376	56025.	2145	1.8	3.3	7.8	1.8	0.4	4.3	38	0.2
51786	0	0	0	0	QAG	48.5130	117.2164	22.4	657.5	377	56023.	2057	1.7	4.5	8.4	2.7	0.5	5.1	48	0.2
51787	0	0	0	0	QAG	48.5130	117.2157	22.4	657.3	384	56019.	2144	1.7	3.8	8.3	2.2	0.5	4.9	37	0.2
51788	0	0	0	0	KG	48.5129	117.2151	22.4	657.2	398	56014.	2139	2.1	3.2	7.0	1.5	0.5	3.4	36	0.2
51789	0	0	0	0	KG	48.5129	117.2144	22.4	657.0	418	56009.	2103	1.8	2.9	11.2	1.6	0.3	6.1	33	0.2
51790	0	0	0	0	KG	48.5129	117.2138	22.4	656.9	439	56003.	1993	1.8	3.0	8.7	1.6	0.3	4.7	40	0.1
51791	0	0	0	0	KG	48.5129	117.2131	22.4	656.7	460	55996.	2071	1.5	4.6	8.8	3.0	0.5	5.8	35	0.1
51792	0	0	0	0	KG	48.5129	117.2125	22.4	656.6	474	55989.	1967	1.8	1.9	8.3	1.1	0.2	4.7	37	0.1
51793	0	0	0	0	KG	48.5129	117.2118	22.4	656.4	489	55983.	2072	1.5	4.3	8.6	2.9	0.5	5.9	29	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 32							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51794	0	0	0	0	KG	48.5129	117.2112	22.4	656.3	492	55980.	1918	1.8	2.7	5.7	1.6	0.5	3.3	42	0.1
51795	0	0	1	0	KG	48.5129	117.2105	22.4	656.1	489	55978.	1805	1.6	1.3	8.2	0.8	0.2	5.1	47	0.1
51796	0	0	0	0	KG	48.5129	117.2099	22.4	655.9	473	55979.	1820	1.5	3.9	9.7	2.6	0.4	6.5	30	0.1
51797	0	0	0	0	KG	48.5129	117.2092	22.4	655.7	462	55981.	1883	1.9	3.8	7.4	2.0	0.5	3.8	29	0.1
51798	0	0	0	0	QAG	48.5129	117.2086	22.4	655.5	448	55984.	1982	2.1	2.4	8.6	1.2	0.3	4.1	24	0.1
51799	0	0	0	0	QAG	48.5128	117.2079	22.4	655.3	434	55988.	1821	1.7	2.6	8.7	1.6	0.3	5.2	45	0.1
51800	0	0	0	0	QAG	48.5128	117.2073	22.4	655.0	415	55993.	1947	1.3	5.5	6.4	4.1	0.9	4.8	28	0.1
51801	0	0	0	0	QAG	48.5128	117.2066	22.4	654.8	400	55999.	1880	1.9	2.7	8.6	1.5	0.3	4.6	32	0.1
51802	0	0	0	0	QAG	48.5128	117.2060	22.4	654.5	386	56007.	1891	2.1	2.9	4.6	1.4	0.6	2.2	41	0.1
51803	0	0	0	0	QAG	48.5128	117.2053	22.4	654.3	375	56017.	1886	1.6	3.2	6.7	2.0	0.5	4.2	29	0.1
51804	0	0	0	0	QAG	48.5128	117.2047	22.4	654.1	366	56026.	1927	1.6	3.4	7.0	2.2	0.5	4.5	28	0.1
51805	0	0	0	0	QAG	48.5128	117.2040	22.4	653.9	361	56035.	1912	1.7	2.1	9.6	1.2	0.2	5.7	37	0.1
51806	0	0	0	0	QAG	48.5128	117.2034	22.4	653.7	361	56043.	2036	1.8	1.8	10.6	1.0	0.2	5.8	30	0.1
51807	0	0	0	0	QAG	48.5128	117.2027	22.4	653.5	361	56047.	1998	1.6	4.4	6.5	2.8	0.7	4.1	33	0.1
51808	0	0	0	0	QAG	48.5128	117.2020	22.4	653.4	366	56050.	2000	2.2	2.6	9.5	1.2	0.3	4.3	36	0.1
51809	0	0	0	0	KG	48.5128	117.2014	22.4	653.2	376	56049.	2054	1.8	3.6	6.1	2.0	0.6	3.4	41	0.1
51810	0	0	0	0	KG	48.5128	117.2007	22.4	653.1	396	56043.	2114	2.0	3.9	7.8	1.9	0.5	3.9	38	0.1
51811	0	0	0	0	KG	48.5128	117.2001	22.4	653.0	416	56035.	2053	1.9	3.5	8.1	1.9	0.4	4.4	54	0.1
51812	0	0	0	0	KG	48.5128	117.1994	22.4	653.0	432	56025.	2198	1.9	3.3	10.7	1.7	0.3	5.6	28	0.1
51813	0	0	0	0	KG	48.5127	117.1988	22.4	652.9	451	56016.	2260	2.2	3.5	9.3	1.5	0.4	4.2	41	0.1
51814	0	0	0	0	KG	48.5127	117.1981	22.4	652.9	471	56008.	2046	2.4	1.9	7.9	0.8	0.2	3.3	36	0.1
51815	0	0	0	0	KG	48.5127	117.1975	22.4	652.8	490	56000.	2183	1.7	4.8	8.3	2.9	0.6	5.0	40	0.1
51816	0	0	0	0	KG	48.5127	117.1968	22.4	652.8	499	55993.	2083	2.1	2.8	8.6	1.3	0.3	4.0	39	0.1
51817	0	0	0	0	KG	48.5127	117.1962	22.4	652.8	504	55987.	2133	1.6	4.1	11.0	2.5	0.4	6.9	33	0.1
51818	0	0	0	0	KG	48.5127	117.1955	22.4	652.8	503	55982.	2085	1.9	2.1	9.9	1.1	0.2	4.0	40	0.1
51819	0	0	0	0	KG	48.5127	117.1949	22.4	652.7	501	55977.	2072	1.8	4.3	6.9	2.4	0.6	3.9	37	0.1
51820	0	0	0	0	KG	48.5127	117.1942	22.4	652.7	504	55973.	1995	1.9	1.8	7.8	0.9	0.2	4.0	50	0.1
51821	0	0	0	0	QAG	48.5127	117.1936	22.4	652.6	511	55968.	1989	1.8	3.6	6.7	2.0	0.5	3.7	40	0.1
51822	0	0	0	0	QAG	48.5127	117.1929	22.4	652.6	520	55962.	1944	1.9	3.4	7.4	1.9	0.5	4.0	39	0.1
51824	0	0	0	0	QAG	48.5126	117.1916	22.4	652.6	523	55955.	1955	1.6	3.5	10.1	2.2	0.3	6.3	38	0.1
51825	0	0	0	0	QAG	48.5126	117.1910	22.4	652.5	525	55949.	1848	1.8	2.3	10.2	1.3	0.2	5.7	36	0.1
51826	0	0	0	0	QAG	48.5126	117.1903	22.4	652.4	525	55944.	1914	1.6	3.0	9.0	1.9	0.3	5.8	37	0.1
51827	0	0	0	0	QAG	48.5126	117.1897	22.4	652.3	524	55939.	1893	1.7	2.9	8.0	1.7	0.4	4.7	38	0.1
51828	0	0	0	0	QAG	48.5126	117.1890	22.4	652.2	520	55936.	1903	1.6	4.2	7.0	2.7	0.6	4.5	32	0.1
51829	0	0	0	0	QAG	48.5126	117.1884	22.4	652.1	515	55934.	1817	1.5	1.8	7.6	1.2	0.2	5.0	30	0.1
51830	0	0	1	0	QAG	48.5126	117.1877	22.4	652.0	511	55934.	1717	1.6	1.2	7.7	0.7	0.2	4.8	38	0.1
51831	0	0	0	0	QAG	48.5126	117.1870	22.4	651.9	505	55935.	1787	1.4	3.6	4.5	2.5	0.8	3.2	43	0.1
51832	0	0	0	0	QAG	48.5126	117.1864	22.4	651.7	498	55936.	1857	1.6	3.8	5.6	2.4	0.7	3.5	31	0.2
51833	0	0	0	0	QAG	48.5126	117.1857	22.4	651.6	492	55937.	1798	1.5	3.3	5.5	2.2	0.6	3.8	41	0.2
51834	0	0	0	0	QAG	48.5126	117.1851	22.3	651.4	489	55938.	1859	1.6	2.4	7.7	1.5	0.3	4.8	40	0.2
51835	0	0	0	0	KG	48.5126	117.1844	22.3	651.3	487	55939.	1901	1.7	2.7	6.2	1.6	0.4	3.7	36	0.2
51836	0	0	1	0	KG	48.5125	117.1838	22.3	651.1	486	55941.	1962	1.9	0.6	10.8	0.3	0.1	5.8	39	0.2
51837	0	0	0	0	KG	48.5125	117.1831	22.3	650.9	484	55944.	1944	1.3	4.4	6.8	3.5	0.6	5.4	32	0.2
51838	0	0	0	0	KG	48.5125	117.1825	22.3	650.8	477	55949.	1880	1.5	2.8	5.9	1.9	0.5	3.9	42	0.2
51839	0	0	0	0	KG	48.5125	117.1818	22.3	650.6	464	55956.	1929	1.7	2.8	8.7	1.7	0.3	5.1	45	0.2
51840	0	0	0	0	KG	48.5125	117.1812	22.3	650.4	442	55965.	2022	1.9	1.7	8.2	0.9	0.2	4.3	31	0.2
51841	0	0	0	0	KG	48.5125	117.1805	22.3	650.3	418	55977.	2004	1.9	3.2	6.8	1.7	0.5	3.6	34	0.2
51842	0	0	0	0	FG	48.5125	117.1799	22.3	650.1	399	55987.	1930	1.5	4.4	5.7	2.8	0.8	3.7	41	0.2
51843	0	0	0	0	KG	48.5125	117.1792	22.3	650.0	384	55995.	1922	1.8	1.5	8.1	0.9	0.2	4.6	34	0.2
51844	0	0	0	0	KG	48.5125	117.1786	22.3	649.8	382	56001.	1911	1.9	2.3	9.0	1.2	0.3	4.7	40	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 32							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	B1 PPM
51845	0	0	0	0	KG	48.5125	117.1779	22.3	649.6	381	56002.	1905	1.6	2.6	8.4	1.6	0.3	5.2	46	0.2
51846	0	0	0	0	KG	48.5125	117.1773	22.3	649.5	384	55999.	2024	1.9	2.2	8.7	1.1	0.2	4.6	37	0.2
51847	0	0	0	0	KG	48.5125	117.1765	22.3	649.3	383	55996.	1920	1.6	3.7	7.4	2.3	0.5	4.7	43	0.2
51848	0	0	0	0	KG	48.5125	117.1760	22.3	649.1	385	55991.	1815	1.6	2.8	6.0	1.8	0.5	3.8	44	0.2
51849	0	0	0	0	KG	48.5125	117.1753	22.3	649.0	393	55985.	1866	1.5	4.0	7.0	2.7	0.6	4.7	40	0.2
51850	0	0	0	0	KG	48.5124	117.1747	22.3	648.9	404	55979.	1880	1.8	2.4	8.6	1.3	0.3	4.9	41	0.2
51851	0	0	0	0	KG	48.5124	117.1740	22.3	648.7	417	55973.	1762	1.6	1.6	7.3	1.1	0.2	4.7	56	0.2
51852	0	0	0	0	KG	48.5124	117.1733	22.3	648.6	425	55969.	1923	1.8	2.4	8.1	1.4	0.3	4.6	33	0.2
51853	0	0	0	0	KG	48.5124	117.1727	22.3	648.4	429	55968.	1916	1.8	2.8	6.7	1.5	0.4	3.7	37	0.2
51854	0	0	0	0	KG	48.5124	117.1720	22.2	648.2	428	55968.	1994	1.7	1.9	11.7	1.1	0.2	6.9	38	0.2
51855	0	0	0	0	KG	48.5124	117.1714	22.2	648.1	427	55969.	1936	1.8	2.2	9.8	1.2	0.2	5.4	44	0.2
51856	0	0	0	0	KG	48.5124	117.1707	22.2	647.9	425	55969.	1974	1.9	2.0	8.5	1.0	0.2	4.4	46	0.2
51857	0	0	0	0	KG	48.5124	117.1701	22.2	647.8	423	55968.	2024	1.7	2.6	8.3	1.6	0.3	5.0	38	0.2
51858	0	0	0	0	QAG	48.5124	117.1694	22.2	647.7	421	55965.	2001	1.7	2.9	6.5	1.7	0.4	3.9	43	0.2
51859	0	0	0	0	QAG	48.5124	117.1688	22.2	647.5	422	55960.	2021	2.0	3.3	9.7	1.6	0.3	4.8	41	0.2
51860	0	0	0	0	QAG	48.5124	117.1681	22.2	647.3	431	55951.	1980	1.8	2.4	8.3	1.3	0.3	4.6	36	0.2
51861	0	0	0	0	QAG	48.5123	117.1675	22.2	647.1	448	55941.	1980	2.1	3.1	6.2	1.5	0.5	3.0	40	0.2
51862	0	0	0	0	QAG	48.5123	117.1668	22.1	646.9	472	55932.	1905	1.6	2.9	6.0	1.8	0.5	3.7	46	0.2
51863	0	0	0	0	QAG	48.5123	117.1662	22.1	646.7	497	55923.	1991	2.0	2.1	8.0	1.1	0.3	4.1	28	0.2
51864	0	0	0	0	QAG	48.5123	117.1655	22.1	646.4	517	55916.	1965	1.6	3.0	8.5	1.9	0.4	5.2	25	0.2
51865	0	0	0	0	QAG	48.5123	117.1649	22.1	646.1	530	55912.	1979	1.9	1.8	9.9	1.0	0.2	5.3	30	0.2
51866	0	0	0	0	KG	48.5123	117.1642	22.1	645.7	535	55909.	1934	1.6	2.5	9.4	1.6	0.3	6.1	36	0.2
51867	0	0	0	0	KG	48.5123	117.1636	22.1	645.4	538	55909.	2069	1.8	3.5	8.4	2.0	0.4	4.7	28	0.2
51868	0	0	0	0	KG	48.5123	117.1629	22.1	645.0	539	55910.	1905	1.3	3.9	8.1	3.1	0.5	6.5	39	0.2
51869	0	0	0	0	KG	48.5123	117.1623	22.1	644.6	541	55912.	1998	1.4	3.9	8.8	2.9	0.4	6.4	24	0.2
51870	0	0	0	0	KG	48.5123	117.1616	22.1	644.2	543	55915.	1938	1.9	3.7	5.7	1.9	0.6	3.0	39	0.2
51871	0	0	0	0	KG	48.5123	117.1609	22.1	643.7	548	55917.	2084	1.5	4.4	9.7	2.9	0.5	6.3	37	0.2
51872	0	0	0	0	KG	48.5123	117.1603	22.0	643.2	552	55919.	2029	1.8	2.3	9.8	1.2	0.2	5.4	38	0.2
51873	0	0	0	0	KG	48.5123	117.1597	22.0	642.7	557	55920.	2041	1.9	3.3	7.0	1.7	0.5	3.7	45	0.1
51874	0	0	0	0	KG	48.5123	117.1590	22.0	642.2	561	55919.	2095	1.6	3.5	9.5	2.2	0.4	5.9	44	0.1
51875	0	0	0	0	KG	48.5122	117.1583	22.0	641.7	563	55920.	2147	2.1	3.3	8.9	1.6	0.4	4.3	37	0.1
51876	0	0	0	0	KG	48.5122	117.1577	22.0	641.2	560	55921.	2159	1.8	3.8	11.7	2.1	0.3	6.5	22	0.1
51877	0	0	0	0	KG	48.5122	117.1570	22.0	640.6	548	55925.	2156	1.7	3.0	10.0	1.8	0.3	6.0	45	0.1
51878	0	0	0	0	KG	48.5122	117.1564	22.0	640.1	529	55930.	2107	1.5	2.6	11.0	1.7	0.2	7.1	43	0.1
51879	0	0	0	0	KG	48.5122	117.1557	22.0	639.6	507	55935.	2073	1.6	1.8	13.8	1.1	0.1	8.7	37	0.1
51880	0	0	0	0	KG	48.5122	117.1551	21.9	639.0	486	55940.	2095	1.7	3.3	9.4	1.9	0.4	5.5	47	0.1
51881	0	0	0	0	KG	48.5122	117.1544	21.9	638.5	463	55945.	1973	1.8	2.8	9.3	1.6	0.3	5.2	45	0.1
51882	0	0	0	0	KG	48.5122	117.1538	21.9	638.0	440	55951.	2026	1.5	2.9	8.4	1.9	0.3	5.6	44	0.1
51883	0	0	0	0	KG	48.5122	117.1531	21.9	637.5	420	55957.	2071	1.4	3.7	6.8	2.6	0.5	4.7	41	0.1
51884	0	0	0	0	KG	48.5122	117.1525	21.9	637.0	407	55963.	1945	1.6	3.6	8.0	2.2	0.5	4.9	45	0.1
51885	0	0	0	0	KG	48.5122	117.1518	21.9	636.5	396	55970.	2106	1.8	3.5	8.4	1.9	0.4	4.5	43	0.1
51886	0	0	0	0	KG	48.5121	117.1512	21.8	636.0	385	55979.	2054	1.9	3.0	9.4	1.6	0.3	5.0	52	0.1
51887	0	0	0	0	KG	48.5121	117.1505	21.8	635.6	375	55987.	2097	1.6	3.7	12.5	2.3	0.3	7.7	40	0.1
51888	0	0	0	0	KG	48.5121	117.1499	21.8	635.2	358	55994.	2013	1.8	3.4	8.1	1.9	0.4	4.6	43	0.1
51889	0	0	0	0	KG	48.5121	117.1492	21.8	634.8	344	55997.	1983	1.9	3.7	7.7	2.0	0.5	4.0	43	0.2
51890	0	0	0	0	KG	48.5121	117.1486	21.8	634.4	332	55994.	1971	1.7	2.5	11.9	1.5	0.2	7.2	36	0.2
51891	0	0	0	0	KG	48.5121	117.1479	21.8	634.1	336	55985.	1884	1.6	2.3	9.7	1.4	0.2	6.0	40	0.2
51892	0	0	0	0	KG	48.5121	117.1473	21.7	633.8	347	55972.	1857	1.2	3.0	9.0	2.4	0.3	7.2	48	0.2
51893	0	0	0	0	KG	48.5121	117.1466	21.7	633.4	369	55955.	1823	1.2	2.8	8.7	2.3	0.3	7.2	39	0.2
51894	0	0	0	0	KG	48.5121	117.1460	21.7	633.1	398	55936.	1833	1.5	2.4	8.0	1.5	0.3	5.2	53	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 32							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51895	0	0	0	0	KG	48.5121	117.1453	21.7	632.9	431	55917.	1869	1.6	2.4	9.1	1.5	0.3	5.6	39	0.2
51896	0	0	0	0	KG	48.5121	117.1447	21.7	632.6	473	55898.	1767	1.2	2.8	6.6	2.3	0.4	5.3	55	0.2
51897	0	0	0	0	KG	48.5121	117.1440	21.7	632.3	520	55881.	1874	1.9	2.4	8.1	1.2	0.3	4.2	50	0.2
51898	0	0	0	0	KG	48.5121	117.1433	21.6	632.0	571	55866.	1895	1.2	3.4	7.9	2.8	0.4	6.6	48	0.2
51899	0	0	0	0	KG	48.5120	117.1427	21.6	631.8	610	55854.	2025	1.5	3.9	10.2	2.6	0.4	6.6	36	0.2
51900	0	0	0	0	KG	48.5120	117.1420	21.6	631.5	626	55844.	2009	1.5	2.2	12.7	1.5	0.2	8.7	45	0.2
51901	0	0	0	0	KG	48.5120	117.1414	21.6	631.3	623	55837.	2010	1.4	3.0	5.5	2.1	0.3	3.9	37	0.2
51902	0	0	0	0	KG	48.5120	117.1407	21.6	631.1	614	55832.	1969	1.5	3.8	8.6	2.5	0.4	5.7	44	0.2
51903	0	0	0	0	KG	48.5120	117.1401	21.5	630.9	619	55828.	1925	1.7	3.3	7.0	1.9	0.5	4.0	43	0.2
51904	0	0	0	0	KG	48.5120	117.1394	21.5	630.7	633	55826.	2038	1.3	5.0	6.7	3.9	0.7	5.2	41	0.2
51905	0	0	0	0	KG	48.5120	117.1388	21.5	630.4	638	55825.	1984	2.0	2.6	8.0	1.3	0.3	3.9	52	0.2
51906	0	0	0	0	KG	48.5120	117.1381	21.5	630.3	630	55825.	2106	1.6	2.4	11.2	1.5	0.2	7.0	37	0.2
51907	0	0	0	0	KG	48.5120	117.1375	21.5	630.1	608	55824.	1889	1.7	2.8	5.9	1.6	0.5	3.4	59	0.2
51908	0	0	0	0	KG	48.5120	117.1368	21.5	629.9	584	55821.	1887	1.5	1.8	9.7	1.2	0.2	6.5	44	0.2
51909	0	0	0	0	KG	48.5120	117.1361	21.4	629.7	563	55814.	1857	1.6	2.4	7.8	1.5	0.3	4.9	51	0.2
51910	0	0	0	0	KG	48.5121	117.1355	21.4	629.5	557	55801.	1774	1.4	1.7	7.2	1.2	0.2	5.0	47	0.2
51911	0	0	0	0	KG	48.5121	117.1348	21.4	629.3	568	55784.	1858	1.1	4.0	9.3	3.7	0.4	8.7	36	0.2
51912	0	0	0	0	KG	48.5121	117.1341	21.4	629.2	604	55765.	1941	1.6	2.6	7.0	1.6	0.4	4.4	42	0.2
51913	0	0	0	0	KG	48.5121	117.1335	21.4	629.0	655	55746.	1990	1.5	3.7	5.9	2.4	0.6	3.9	50	0.1
51915	1	0	0	0	KG	48.5121	117.1322	21.4	628.8	723	55729.	2199	2.3	3.3	7.7	1.4	0.4	3.3	57	0.1
51916	1	0	0	0	KG	48.5121	117.1315	21.3	628.6	774	55713.	2226	2.1	2.2	8.3	1.1	0.3	3.9	52	0.1
51917	1	0	0	0	KG	48.5121	117.1308	21.3	628.4	801	55698.	2447	1.9	3.3	12.0	1.7	0.3	6.2	42	0.1
51918	1	0	0	0	KG	48.5121	117.1302	21.3	628.2	790	55685.	2238	2.1	3.6	9.2	1.7	0.4	4.4	48	0.1
51919	1	0	0	0	KG	48.5122	117.1295	21.3	628.0	765	55673.	2304	2.2	4.1	7.0	1.8	0.6	3.1	53	0.1
51920	1	0	0	0	KG	48.5122	117.1289	21.3	627.8	739	55662.	2100	1.5	3.2	8.8	2.2	0.4	5.8	48	0.1
51921	1	0	0	0	KG	48.5122	117.1282	21.3	627.6	719	55650.	1964	1.2	2.9	6.5	2.4	0.5	5.3	46	0.1
51922	1	0	0	0	KG	48.5122	117.1275	21.2	627.3	710	55637.	1961	1.3	4.3	8.1	3.3	0.5	6.2	49	0.1
51923	1	0	0	0	KG	48.5122	117.1269	21.2	627.1	709	55626.	2121	1.7	4.3	9.3	2.5	0.5	5.3	37	0.1
51924	1	0	0	0	KG	48.5122	117.1262	21.2	626.9	715	55615.	2058	1.8	3.7	9.4	2.1	0.4	5.3	47	0.1
51925	1	0	0	0	KG	48.5122	117.1256	21.2	626.6	724	55607.	2267	1.7	4.5	7.8	2.6	0.6	4.5	43	0.1
51926	1	0	0	0	KG	48.5122	117.1249	21.2	626.3	734	55602.	2263	1.3	6.3	6.5	4.9	1.0	5.1	53	0.1
51927	1	0	0	0	KG	48.5123	117.1242	21.2	626.1	742	55600.	2410	2.0	3.8	11.5	1.9	0.3	5.7	52	0.1
51928	1	0	0	0	KG	48.5123	117.1236	21.2	625.8	738	55601.	2481	2.0	5.0	11.3	2.5	0.4	5.8	46	0.1
51929	1	0	0	0	KG	48.5123	117.1229	21.2	625.5	724	55606.	2572	2.1	5.6	10.2	2.7	0.5	5.0	45	0.1
51930	0	0	0	0	KG	48.5123	117.1223	21.1	625.2	694	55613.	2333	2.5	3.3	9.2	1.3	0.4	3.7	46	0.1
51931	0	0	0	0	KG	48.5123	117.1216	21.1	624.9	658	55622.	2348	2.7	2.0	9.1	0.7	0.2	3.3	56	0.1
51932	0	0	0	0	KG	48.5123	117.1209	21.1	624.6	614	55632.	2380	2.0	3.0	9.3	1.5	0.3	4.7	34	0.1
51933	0	0	0	0	KG	48.5123	117.1203	21.1	624.4	570	55643.	2261	1.9	3.3	11.4	1.7	0.3	5.9	36	0.1
51934	0	0	0	0	KG	48.5123	117.1196	21.1	624.2	526	55657.	2283	1.7	4.0	9.2	2.4	0.4	5.5	38	0.1
51935	0	0	0	0	KG	48.5123	117.1190	21.1	624.0	486	55671.	1968	1.7	3.6	7.8	2.1	0.5	4.6	54	0.1
51936	0	0	0	0	KG	48.5123	117.1183	21.1	623.9	449	55685.	1884	1.2	3.4	12.1	2.9	0.3	10.2	59	0.1
51937	0	0	0	0	KG	48.5124	117.1176	21.1	623.9	418	55697.	1847	1.4	3.0	7.6	2.1	0.4	5.2	53	0.1
51938	0	0	0	0	KG	48.5124	117.1170	21.1	623.8	395	55705.	1915	1.9	2.0	9.0	1.0	0.2	4.8	39	0.1
51939	0	0	0	0	KG	48.5123	117.1164	21.1	623.9	381	55708.	1693	1.3	3.4	5.7	2.7	0.6	4.5	55	0.1
51940	0	0	0	0	KG	48.5123	117.1158	21.1	624.0	378	55706.	1705	1.1	3.8	7.9	3.6	0.5	7.3	41	0.1
51941	0	0	0	0	KG	48.5123	117.1152	21.1	624.1	386	55700.	1682	1.4	3.0	6.1	2.1	0.5	4.4	51	0.1
51942	0	0	0	0	KG	48.5123	117.1147	21.1	624.3	400	55691.	1646	1.4	1.4	8.3	1.0	0.2	6.1	57	0.1
51943	0	0	0	0	KG	48.5123	117.1141	21.1	624.5	413	55678.	1605	1.4	1.7	7.4	1.2	0.2	5.4	52	0.1
51944	0	0	0	0	KG	48.5122	117.1135	21.1	624.8	425	55664.	1695	1.2	2.7	7.1	2.2	0.4	5.9	38	0.1
51945	0	0	0	0	KG	48.5122	117.1129	21.1	625.1	440	55648.	1581	1.2	3.4	6.2	3.0	0.6	5.4	61	0.1

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 32							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51946	0	0	0	0	KG	48.5122	117.1123	21.1	625.5	459	55630.	1618	1.1	2.5	7.5	2.3	0.3	7.2	44	0.1
51947	0	0	0	0	KG	48.5122	117.1117	21.1	625.9	482	55612.	1648	1.4	2.3	6.8	1.6	0.3	4.8	48	0.1
51948	0	0	0	0	KG	48.5121	117.1111	21.1	626.3	510	55596.	1766	1.5	2.4	7.5	1.6	0.3	5.0	47	0.1
51949	0	0	0	0	KC	48.5121	117.1106	21.1	626.7	541	55579.	1853	1.9	3.1	8.4	1.6	0.4	4.5	48	0.1
51950	0	0	0	0	KG	48.5121	117.1100	21.1	627.1	579	55564.	1928	1.4	4.9	7.8	3.6	0.6	5.7	45	0.1
51951	0	0	0	0	KHM	48.5121	117.1094	21.1	627.6	622	55552.	2007	1.4	3.5	7.9	2.5	0.4	5.7	3	0.1
51952	0	0	0	0	KHM	48.5121	117.1088	21.1	628.1	654	55541.	2092	1.8	4.0	8.5	2.3	0.5	4.8	52	0.1
51953	0	0	0	0	KHM	48.5120	117.1082	21.1	628.6	674	55532.	2127	1.7	4.4	9.9	2.6	0.4	6.0	48	0.1
51954	0	0	0	0	KHM	48.5120	117.1077	21.1	629.1	678	55526.	2279	1.6	3.4	12.6	2.1	0.3	7.7	39	0.1
51955	0	0	0	0	KHM	48.5120	117.1071	21.1	629.7	686	55522.	2190	1.7	5.1	10.1	3.1	0.5	6.0	47	0.1
51956	0	0	0	0	KHM	48.5120	117.1065	21.1	630.2	698	55521.	2175	1.2	5.5	9.2	4.7	0.6	8.0	48	0.1
51957	1	0	0	0	KHM	48.5119	117.1059	21.1	630.8	714	55522.	2159	1.6	3.0	11.6	1.8	0.3	7.1	45	0.1
51958	1	0	0	0	KHM	48.5119	117.1053	21.1	631.4	735	55524.	2201	2.0	5.4	7.2	2.6	0.7	3.5	46	0.1
51959	1	0	0	0	KHM	48.5119	117.1048	21.2	632.0	757	55527.	2375	1.5	8.0	9.1	5.2	0.9	5.9	47	0.1
51960	1	0	0	0	KHM	48.5119	117.1042	21.2	632.6	778	55530.	2276	2.1	2.3	12.3	1.1	0.2	5.9	44	0.1
51961	1	0	0	0	KHM	48.5118	117.1036	21.2	633.2	789	55537.	2611	1.3	8.0	13.7	6.2	0.6	10.7	40	0.1
51962	1	0	0	0	KHM	48.5118	117.1030	21.2	633.8	794	55535.	2531	1.5	4.3	13.0	2.9	0.3	8.8	39	0.1
51963	1	0	0	0	KHM	48.5118	117.1024	21.2	634.4	799	55537.	2689	1.4	8.0	13.5	5.6	0.6	9.4	30	0.1
51964	1	0	0	0	KHM	48.5118	117.1018	21.2	635.0	808	55537.	2545	2.3	3.6	12.7	1.6	0.3	5.6	31	0.1
51965	1	0	0	0	KHM	48.5117	117.1012	21.2	635.6	825	55538.	2622	2.1	5.4	12.4	2.5	0.4	5.9	52	0.1
51966	1	0	0	0	KHM	48.5117	117.1007	21.2	636.2	842	55538.	2720	2.8	4.8	14.1	1.7	0.3	5.1	44	0.1
51967	1	0	0	0	KHM	48.5117	117.1001	21.2	636.8	840	55540.	2846	2.1	4.2	16.7	2.0	0.3	8.1	37	0.1
51968	1	0	0	0	KHM	48.5117	117.0995	21.3	637.4	816	55542.	2812	2.3	7.6	10.5	3.2	0.7	4.5	59	0.1
51969	1	0	0	0	KHM	48.5117	117.0989	21.3	638.0	774	55545.	2682	1.6	7.0	9.8	4.3	0.7	6.0	49	0.1
51970	1	0	0	0	KHM	48.5117	117.0983	21.3	638.6	739	55548.	2752	2.3	5.2	15.6	2.3	0.3	6.8	50	0.1
51971	1	0	0	0	KHM	48.5117	117.0977	21.3	639.2	714	55551.	2775	1.3	9.0	9.5	6.9	0.9	7.3	39	0.1
51972	0	0	0	0	KHM	48.5117	117.0971	21.3	639.7	699	55553.	2663	1.9	6.2	10.0	3.3	0.6	5.3	38	0.1
51973	0	0	0	0	KHM	48.5117	117.0965	21.3	640.2	683	55553.	2825	2.5	4.3	12.8	1.8	0.3	5.2	34	0.1
51974	0	0	0	0	KHM	48.5117	117.0959	21.4	640.8	677	55553.	2811	1.2	7.7	11.3	6.6	0.7	9.6	46	0.1
51975	0	0	0	0	KHM	48.5117	117.0953	21.4	641.2	670	55552.	2654	2.6	5.3	10.8	2.1	0.5	4.2	31	0.1
51976	0	0	0	0	KHM	48.5117	117.0947	21.4	641.7	668	55551.	2812	2.1	6.3	10.5	3.0	0.6	5.0	32	0.1
51977	0	0	0	0	KHM	48.5117	117.0941	21.4	642.2	662	55550.	2801	2.5	4.6	12.9	1.8	0.4	5.2	32	0.1
51978	0	0	0	0	KHM	48.5117	117.0935	21.4	642.7	646	55549.	2823	1.8	3.4	17.3	1.8	0.2	9.4	53	0.1
51979	0	0	0	0	KHM	48.5117	117.0929	21.4	643.2	627	55548.	2727	2.0	4.1	13.5	2.0	0.3	6.7	35	0.1
51980	0	0	0	0	KHM	48.5117	117.0923	21.5	643.6	608	55548.	2572	2.2	3.6	12.8	1.6	0.3	5.8	47	0.1
51981	0	0	0	0	KHM	48.5117	117.0917	21.5	644.1	595	55547.	2555	2.3	5.0	9.0	2.2	0.6	3.9	40	0.1
51982	0	0	0	0	KHM	48.5117	117.0911	21.5	644.5	578	55547.	2557	1.8	4.8	11.9	2.6	0.4	6.5	39	0.1
51983	0	0	0	0	KHM	48.5117	117.0905	21.5	644.9	559	55548.	2547	2.0	4.6	12.8	2.3	0.4	6.4	34	0.1
51984	0	0	0	0	KHM	48.5117	117.0899	21.5	645.3	548	55548.	2587	2.1	2.1	15.1	1.0	0.1	7.2	37	0.1
51985	0	0	0	0	KHM	48.5117	117.0893	21.6	645.8	538	55549.	2689	1.9	3.7	15.4	1.9	0.2	8.0	41	0.1
51986	0	0	0	0	KHM	48.5117	117.0887	21.6	646.2	525	55550.	2537	2.1	2.9	15.4	1.3	0.2	7.2	47	0.1
51987	0	0	0	0	KHM	48.5117	117.0881	21.6	646.6	508	55549.	2386	1.8	3.6	9.8	2.0	0.4	5.4	46	0.1
51988	0	0	0	0	KHM	48.5117	117.0875	21.6	647.0	491	55549.	2402	2.1	4.9	10.1	2.3	0.5	4.8	46	0.1
51989	0	0	0	0	KHM	48.5117	117.0869	21.6	647.4	472	55549.	2359	1.8	5.2	9.3	2.9	0.6	5.2	33	0.1
51990	0	0	0	0	KHM	48.5117	117.0863	21.6	647.7	454	55550.	2189	1.6	3.3	10.9	2.0	0.3	6.8	46	0.1
51991	0	0	0	0	KHM	48.5117	117.0857	21.7	648.2	441	55552.	2274	1.7	4.2	10.1	2.5	0.4	6.1	33	0.1
51992	0	0	0	0	KHM	48.5117	117.0851	21.7	648.5	438	55555.	2243	2.0	4.1	10.2	2.1	0.4	5.2	37	0.1
51993	0	0	0	0	KHM	48.5117	117.0845	21.7	648.9	447	55557.	2355	1.7	2.9	14.1	1.8	0.2	8.5	39	0.1
51994	0	0	1	0	KHM	48.5117	117.0839	21.7	649.3	459	55558.	2202	1.9	1.4	15.1	0.7	0.1	7.8	32	0.1
51995	0	0	0	0	KHM	48.5117	117.0833	21.8	649.7	469	55560.	2410	2.3	4.1	8.4	1.8	0.5	3.7	37	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 32							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
51996	0	0	0	0	KHM	48.5117	117.0827	21.8	650.0	477	55560.	2288	2.0	3.1	10.9	1.6	0.3	5.5	36	0.1
51997	0	0	0	0	KHM	48.5117	117.0820	21.8	650.4	500	55560.	2283	2.0	3.7	13.1	1.9	0.3	6.7	24	0.1
51998	0	0	0	0	KHM	48.5117	117.0815	21.8	650.7	530	55559.	2452	1.9	2.8	14.4	1.5	0.2	7.6	38	0.1
51999	0	0	0	0	KHM	48.5117	117.0808	21.8	651.0	562	55558.	2486	1.5	7.1	11.2	4.7	0.6	7.5	32	0.1
52000	0	0	0	0	KHM	48.5117	117.0802	21.9	651.4	580	55558.	2431	1.7	4.9	11.9	2.9	0.4	7.2	38	0.1
52001	0	0	0	0	KHM	48.5117	117.0797	21.9	651.7	591	55558.	2373	1.5	5.5	11.1	3.7	0.5	7.5	49	0.1
52002	0	0	0	0	KHM	48.5117	117.0790	21.9	652.0	605	55558.	2504	2.2	7.0	9.5	3.2	0.7	4.4	31	0.1
52003	0	0	0	0	KHM	48.5117	117.0784	22.0	652.4	621	55557.	2426	2.1	3.0	11.9	1.4	0.3	5.7	35	0.1
52005	0	0	0	0	KHM	48.5117	117.0772	22.0	652.7	639	55555.	2567	1.8	4.5	11.0	2.5	0.4	6.1	55	0.1
52006	0	0	0	0	KHM	48.5117	117.0766	22.0	653.0	645	55554.	2540	2.4	3.8	11.2	1.6	0.3	4.7	37	0.1
52007	0	0	0	0	KHM	48.5117	117.0760	22.0	653.3	647	55555.	2543	2.5	4.2	9.7	1.7	0.4	3.8	38	0.1
52008	0	0	0	0	KHM	48.5117	117.0754	22.1	653.7	649	55555.	2527	2.2	6.4	11.2	3.0	0.6	5.2	31	0.1
52009	0	0	0	0	KHM	48.5117	117.0748	22.1	654.0	657	55557.	2613	2.4	6.8	11.3	2.9	0.6	4.7	33	0.1
52010	0	0	0	0	KHM	48.5117	117.0742	22.1	654.4	672	55559.	2563	2.4	5.6	9.9	2.3	0.6	4.1	39	0.1
52011	0	0	0	0	KHM	48.5117	117.0736	22.1	654.7	698	55560.	2601	1.9	9.0	9.0	4.6	1.0	4.6	31	0.1
52012	1	0	0	0	KHM	48.5117	117.0730	22.2	655.1	734	55563.	2678	2.2	5.0	12.9	2.3	0.4	5.9	40	0.1
52013	1	0	0	0	KHM	48.5117	117.0724	22.2	655.4	772	55567.	2814	2.1	6.1	10.3	2.9	0.6	4.8	39	0.1
52014	1	0	0	0	KHM	48.5117	117.0718	22.2	655.8	794	55572.	2906	2.2	7.8	11.4	3.5	0.7	5.1	30	0.1
52015	1	0	0	0	KHM	48.5117	117.0713	22.3	656.1	796	55579.	2845	1.6	7.6	16.1	4.6	0.5	9.8	47	0.1
52016	1	0	0	0	KHM	48.5117	117.0707	22.3	656.5	782	55588.	2886	2.1	6.8	10.2	3.3	0.7	4.8	24	0.1
52017	1	0	0	0	KHM	48.5117	117.0701	22.3	656.9	757	55599.	2763	1.8	8.0	11.9	4.3	0.7	6.5	34	0.1
52018	1	0	0	0	KHM	48.5117	117.0695	22.3	657.2	726	55609.	2622	1.7	6.8	9.4	4.0	0.7	5.5	35	0.1
52019	0	0	0	0	KHM	48.5117	117.0689	22.4	657.7	686	55620.	2411	1.8	5.4	8.1	3.0	0.7	4.6	40	0.1
52020	0	0	0	0	KHM	48.5117	117.0683	22.4	658.0	644	55629.	2192	1.7	5.0	6.4	3.0	0.8	3.8	37	0.1
52021	0	0	0	0	KHM	48.5117	117.0677	22.4	658.4	595	55637.	2161	1.5	4.7	8.3	3.1	0.6	5.4	40	0.1
52022	0	0	0	0	KHM	48.5117	117.0672	22.5	658.9	551	55642.	1980	1.7	5.3	8.6	3.2	0.6	5.2	35	0.1
52023	0	0	0	0	KHM	48.5117	117.0666	22.5	659.3	518	55645.	1910	1.7	3.4	8.7	2.0	0.4	5.1	33	0.1
52024	0	0	0	0	KHM	48.5117	117.0660	22.5	659.7	502	55644.	1818	1.7	4.8	7.2	2.8	0.7	4.3	37	0.1
52025	0	0	0	0	KHM	48.5117	117.0654	22.5	660.1	503	55641.	1873	1.5	4.6	6.9	3.1	0.7	4.7	27	0.1
52026	0	0	0	0	KHM	48.5117	117.0648	22.5	660.6	516	55636.	1852	1.6	6.1	4.1	3.9	1.5	2.6	36	0.1
52027	0	0	0	0	KHM	48.5117	117.0642	22.6	661.0	533	55629.	1890	1.6	3.7	7.3	2.4	0.5	4.5	46	0.1
52028	0	0	0	0	KHM	48.5117	117.0636	22.6	661.4	547	55621.	1952	1.3	5.0	7.8	3.8	0.6	6.0	29	0.1
52029	0	0	0	0	QAG	48.5117	117.0631	22.6	661.8	548	55614.	2010	1.2	4.2	9.8	3.6	0.4	8.2	25	0.1
52030	0	0	0	0	QAG	48.5117	117.0625	22.7	662.2	542	55606.	1958	1.4	3.8	9.6	2.8	0.4	7.0	33	0.1
52031	0	0	0	0	QAG	48.5117	117.0619	22.7	662.6	535	55599.	1909	1.2	4.8	9.5	4.0	0.5	7.9	29	0.1
52032	0	0	0	0	QAG	48.5117	117.0613	22.7	662.9	543	55592.	1870	0.9	6.4	7.6	7.5	0.8	8.9	43	0.1
52033	0	0	0	0	QAG	48.5117	117.0607	22.7	663.2	557	55586.	1999	1.3	6.0	5.4	4.5	1.1	4.0	30	0.1
52034	0	0	0	0	QAG	48.5117	117.0601	22.7	663.5	579	55580.	2068	1.6	4.4	9.3	2.8	0.5	5.9	35	0.1
52035	0	0	0	0	QAG	48.5117	117.0596	22.8	663.8	609	55575.	2367	1.6	4.2	12.9	2.6	0.3	7.9	35	0.1
52036	0	0	0	0	QAG	48.5117	117.0590	22.8	664.1	637	55572.	2532	1.4	5.2	7.7	3.6	0.7	5.4	46	0.1
52037	0	0	0	0	KHM	48.5117	117.0584	22.8	664.3	655	55571.	2763	1.8	5.7	15.4	3.2	0.4	8.7	29	0.1
52038	0	0	0	0	KHM	48.5117	117.0578	22.8	664.4	658	55572.	2631	1.4	7.1	10.3	5.3	0.7	7.4	34	0.1
52039	0	0	0	0	KHM	48.5117	117.0572	22.9	664.6	652	55575.	2619	1.5	8.2	11.8	5.4	0.7	7.8	50	0.1
52040	0	0	0	0	KHM	48.5117	117.0566	22.9	664.7	636	55581.	2472	1.2	7.1	13.6	6.1	0.5	11.8	25	0.1
52041	0	0	0	0	KHM	48.5117	117.0560	22.9	664.8	607	55588.	2374	1.1	7.3	9.0	7.0	0.8	8.6	46	0.1
52042	0	0	0	0	KHM	48.5117	117.0555	22.9	664.8	578	55596.	2269	1.9	4.4	11.0	2.3	0.4	5.7	37	0.1
52043	0	0	0	0	KHM	48.5117	117.0549	22.9	664.8	555	55603.	2102	1.3	4.8	8.9	3.7	0.5	6.9	34	0.1
52044	0	0	0	0	KHM	48.5117	117.0544	22.9	664.8	545	55608.	2075	1.1	6.1	9.6	5.3	0.6	8.4	38	0.1
52045	0	0	0	0	KHM	48.5117	117.0538	23.0	664.8	542	55612.	2181	1.9	3.8	10.1	2.0	0.4	5.5	32	0.1
52046	0	0	0	0	KHM	48.5116	117.0532	23.0	664.7	547	55614.	2175	1.7	4.9	7.9	2.9	0.6	4.6	39	0.1

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 32									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52047	0	0	0	0	KHM	48.5116	117.0526	23.0	664.5	559	55614.	2256	2.1	5.2	6.7	2.5	0.8	3.2	48	0.1
52048	0	0	0	0	KHM	48.5116	117.0521	23.0	664.3	576	55613.	2354	2.2	4.3	10.4	2.0	0.4	4.8	35	0.1
52049	0	0	0	0	KHM	48.5116	117.0515	23.0	664.1	582	55612.	2433	1.9	5.6	9.8	3.0	0.6	5.2	40	0.1
52050	0	0	0	0	KHM	48.5116	117.0509	23.0	663.8	565	55610.	2423	1.9	4.8	13.0	2.6	0.4	6.9	23	0.1
52051	0	0	0	0	KHM	48.5116	117.0504	23.0	663.6	535	55608.	2279	1.7	4.7	7.0	2.9	0.7	4.2	36	0.1
52052	0	0	0	0	KHM	48.5116	117.0498	23.1	663.3	504	55607.	2098	1.7	4.0	10.7	2.3	0.4	6.2	38	0.1
52053	0	0	0	0	KHM	48.5116	117.0493	23.1	662.9	485	55607.	2058	1.3	5.8	4.6	4.4	1.3	3.5	37	0.1
52054	0	0	0	0	KHM	48.5116	117.0487	23.1	662.6	477	55609.	2071	1.5	5.1	7.3	3.3	0.7	4.8	30	0.1
52055	0	0	0	0	KHM	48.5116	117.0481	23.1	662.2	484	55614.	1993	1.5	3.3	10.5	2.2	0.3	6.8	25	0.1
52056	0	0	0	0	KHM	48.5116	117.0476	23.1	661.7	505	55622.	2061	1.5	5.0	6.9	3.4	0.7	4.6	37	0.1
52057	0	0	0	0	KHM	48.5115	117.0470	23.1	661.3	527	55633.	2109	1.6	5.9	8.0	3.7	0.7	5.0	29	0.1
52058	0	0	0	0	KHM	48.5115	117.0464	23.1	660.8	541	55647.	2061	1.2	3.4	12.0	2.7	0.3	9.8	26	0.1
52059	0	0	0	0	KHM	48.5115	117.0459	23.1	660.3	543	55661.	2167	1.0	8.2	5.4	7.9	1.5	5.2	23	0.1
52060	0	0	0	0	KHM	48.5115	117.0453	23.1	659.8	535	55677.	2118	1.5	4.6	9.9	3.2	0.5	6.7	40	0.1
52061	0	0	0	0	KHM	48.5115	117.0447	23.1	659.4	522	55694.	2200	1.6	5.2	11.9	3.2	0.4	7.4	30	0.1
52062	0	0	0	0	KHM	48.5115	117.0442	23.1	658.8	506	55713.	2170	1.3	6.7	6.0	5.2	1.1	4.7	37	0.1
52063	0	0	0	0	KHM	48.5115	117.0436	23.1	658.3	492	55733.	2169	1.3	5.8	9.9	4.3	0.6	7.4	39	0.1
52064	0	0	0	0	KHM	48.5115	117.0430	23.1	657.8	478	55755.	2054	1.3	4.6	6.4	3.6	0.7	5.0	30	0.1
52065	0	0	0	0	KHM	48.5114	117.0425	23.1	657.3	463	55780.	2150	1.8	5.2	7.0	2.9	0.7	3.9	31	0.1
52066	0	0	0	0	KHM	48.5114	117.0419	23.2	656.9	443	55805.	2124	1.5	4.3	8.5	2.8	0.5	5.5	35	0.1
52067	0	0	0	0	KHM	48.5114	117.0413	23.2	656.5	424	55830.	2100	1.7	4.4	7.8	2.6	0.6	4.7	45	0.1
52068	0	0	0	0	KHM	48.5114	117.0408	23.2	656.1	404	55854.	2076	1.9	3.6	7.8	1.9	0.5	4.2	44	0.1
52069	0	0	0	0	KHM	48.5114	117.0402	23.2	655.7	391	55875.	2117	1.9	2.4	11.4	1.3	0.2	6.1	33	0.1
52070	0	0	0	0	KHM	48.5114	117.0396	23.2	655.4	373	55895.	2062	1.7	3.3	10.2	1.9	0.3	5.8	41	0.1
52071	0	0	0	0	KHM	48.5114	117.0391	23.2	655.1	354	55913.	1901	1.5	3.4	7.1	2.2	0.5	4.8	50	0.1
52072	0	0	0	0	KHM	48.5114	117.0385	23.2	654.9	329	55926.	1834	1.4	2.8	10.0	2.0	0.3	7.1	37	0.1
52073	0	0	0	0	KHM	48.5114	117.0379	23.2	654.7	311	55934.	1733	1.3	3.7	9.3	2.9	0.4	7.2	32	0.1
52074	0	0	0	0	KHM	48.5114	117.0374	23.2	654.6	306	55936.	1650	1.3	2.6	6.3	2.0	0.4	4.8	32	0.1
52075	0	0	0	0	KHM	48.5114	117.0368	23.2	654.4	315	55933.	1730	1.3	3.4	6.3	2.7	0.5	4.9	36	0.1
52076	0	0	0	0	KHM	48.5113	117.0362	23.2	654.4	327	55929.	1666	1.5	3.2	5.6	2.1	0.6	3.6	39	0.1
52077	0	0	0	0	KHM	48.5113	117.0357	23.2	654.3	336	55923.	1776	1.5	3.9	8.6	2.6	0.5	5.8	23	0.1
52078	0	0	0	0	KHM	48.5113	117.0351	23.2	654.3	340	55917.	1717	1.7	3.3	6.4	2.0	0.5	3.9	34	0.1
52079	0	0	0	0	KHM	48.5113	117.0345	23.2	654.3	342	55913.	1747	1.0	4.7	5.0	4.7	0.9	5.0	32	0.1
52080	0	0	0	0	KG	48.5113	117.0340	23.2	654.3	340	55911.	1728	1.4	3.2	7.2	2.3	0.4	5.1	27	0.1
52081	0	0	0	0	KG	48.5113	117.0334	23.2	654.3	333	55908.	1661	1.2	4.0	4.1	3.3	1.0	3.4	39	0.1
52082	0	0	0	0	KG	48.5113	117.0329	23.2	654.3	316	55906.	1665	1.4	3.4	4.9	2.5	0.7	3.6	33	0.1
52083	0	0	0	0	KG	48.5113	117.0323	23.2	654.4	302	55902.	1639	1.3	2.9	6.3	2.2	0.5	4.7	31	0.2
52084	0	0	0	0	KG	48.5112	117.0317	23.2	654.5	298	55895.	1666	1.1	3.7	5.2	3.3	0.7	4.7	20	0.2
52085	0	0	0	0	KG	48.5112	117.0311	23.2	654.5	311	55888.	1622	1.3	2.6	6.5	2.0	0.4	5.1	36	0.2
52086	0	0	0	0	KG	48.5112	117.0306	23.2	654.6	328	55881.	1659	1.0	2.2	8.9	2.2	0.2	9.1	39	0.2
52087	0	0	0	0	KG	48.5112	117.0300	23.2	654.7	345	55873.	1683	1.4	2.0	6.8	1.5	0.3	5.1	31	0.2
52088	0	0	0	0	KG	48.5112	117.0294	23.2	654.9	357	55869.	1608	1.2	2.1	8.4	1.7	0.2	7.0	47	0.2
52089	0	0	0	0	KG	48.5112	117.0289	23.2	655.0	362	55866.	1603	1.0	2.8	7.0	2.8	0.4	7.1	44	0.2
52090	0	0	0	0	KG	48.5112	117.0283	23.2	655.2	368	55863.	1617	0.9	3.3	6.9	3.9	0.5	8.1	41	0.2
52091	0	0	0	0	KG	48.5112	117.0278	23.2	655.3	376	55859.	1585	0.9	2.7	5.5	3.0	0.5	6.1	42	0.2
52092	0	0	0	0	KG	48.5112	117.0272	23.2	655.5	390	55854.	1665	1.1	4.0	2.6	3.6	1.5	2.4	43	0.2
52093	0	0	0	0	KG	48.5112	117.0266	23.2	655.7	406	55846.	1791	1.2	2.1	6.7	1.7	0.3	5.6	39	0.2
52094	0	0	0	0	KG	48.5111	117.0261	23.2	655.9	425	55839.	1759	1.2	4.5	7.5	3.7	0.6	6.2	35	0.2
52096	0	0	0	0	KG	48.5111	117.0249	23.2	656.1	442	55831.	1784	1.3	2.0	8.1	1.6	0.2	6.5	28	0.2
52097	0	0	0	0	KG	48.5111	117.0244	23.2	656.3	457	55823.	1784	1.3	3.3	6.0	2.6	0.5	4.8	38	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 32								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52098	0	0	0	0	KG	48.5111	117.0238	23.2	656.5	467	55815.	1847	1.0	3.3	6.7	3.3	0.5	6.7	30	0.2
52099	0	0	0	0	KG	48.5111	117.0232	23.3	656.8	480	55807.	1667	1.3	1.5	7.0	1.1	0.2	5.4	44	0.2
52100	0	0	0	0	KG	48.5111	117.0227	23.3	656.9	499	55799.	1802	1.4	2.8	4.5	2.0	0.6	3.2	41	0.2
52101	0	0	0	0	KG	48.5111	117.0221	23.3	657.1	522	55792.	1872	1.4	1.9	6.6	1.4	0.3	4.8	36	0.1
52102	0	0	0	0	KG	48.5111	117.0215	23.3	657.3	543	55783.	1754	1.2	3.4	8.2	2.9	0.4	6.8	34	0.1
52103	0	0	0	0	KG	48.5110	117.0210	23.3	657.4	560	55773.	1868	1.1	3.1	9.0	2.9	0.4	8.2	28	0.1
52104	0	0	0	0	KG	48.5110	117.0204	23.3	657.5	573	55763.	1851	1.2	4.0	6.2	3.4	0.6	5.4	38	0.1
52105	0	0	0	0	KG	48.5110	117.0198	23.2	657.6	587	55753.	1783	1.4	3.5	6.9	2.4	0.5	4.8	34	0.1
52106	0	0	0	0	KG	48.5110	117.0193	23.2	657.6	611	55743.	2052	1.5	4.7	7.3	3.2	0.6	5.0	37	0.1
52107	0	0	0	0	KG	48.5110	117.0187	23.2	657.6	649	55732.	2253	1.8	4.0	9.2	2.3	0.4	5.2	32	0.1
52108	0	0	0	0	KG	48.5110	117.0181	23.2	657.6	673	55723.	2201	1.4	5.2	7.8	3.7	0.7	5.6	39	0.1
52109	0	0	0	0	KG	48.5110	117.0176	23.2	657.6	670	55714.	2163	1.3	6.2	8.8	5.0	0.7	7.0	36	0.1
52110	0	0	0	0	KG	48.5110	117.0170	23.2	657.5	629	55707.	2026	1.1	4.9	6.6	4.3	0.7	5.8	33	0.1
52111	0	0	0	0	KG	48.5110	117.0164	23.3	657.4	580	55703.	1979	1.3	5.1	3.3	3.9	1.5	2.5	32	0.1
52112	0	0	0	0	KG	48.5110	117.0158	23.3	657.2	527	55702.	1841	1.3	3.1	8.7	2.3	0.4	6.6	27	0.1
52113	0	0	0	0	KG	48.5110	117.0152	23.3	657.1	490	55705.	1679	1.1	3.2	7.1	2.9	0.5	6.3	40	0.1
52114	0	0	0	0	KG	48.5110	117.0146	23.3	656.9	476	55708.	1723	1.2	3.6	7.4	3.1	0.5	6.4	31	0.1
52115	0	0	0	0	PCP	48.5110	117.0141	23.3	656.7	473	55714.	1648	1.2	3.8	5.9	3.1	0.6	4.8	43	0.1
52116	0	0	0	0	PCP	48.5109	117.0135	23.3	656.5	472	55720.	1749	1.4	1.9	6.0	1.3	0.3	4.3	47	0.1
52117	0	0	0	0	PCP	48.5109	117.0129	23.3	656.3	458	55726.	1772	1.3	4.6	8.3	3.5	0.6	6.2	29	0.1
52118	0	0	0	0	PCP	48.5109	117.0123	23.3	656.0	448	55732.	1810	1.4	2.8	8.3	2.0	0.3	5.9	41	0.1
52119	0	0	0	0	PCP	48.5109	117.0117	23.3	655.7	436	55737.	1769	1.3	3.3	6.6	2.5	0.5	5.0	39	0.1
52120	0	0	0	0	PCP	48.5109	117.0112	23.3	655.4	431	55740.	1762	1.3	2.9	8.7	2.3	0.3	6.9	38	0.1
52121	0	0	0	0	PCP	48.5109	117.0106	23.3	655.1	431	55744.	1682	1.2	3.8	5.7	3.1	0.7	4.6	42	0.1
52122	0	0	0	0	PCP	48.5109	117.0100	23.3	654.8	444	55747.	1806	1.4	3.7	7.7	2.6	0.5	5.5	39	0.1
52123	0	0	0	0	PCP	48.5109	117.0094	23.2	654.4	473	55750.	1959	2.0	2.8	9.0	1.4	0.3	4.4	28	0.1
52124	0	0	0	0	PCP	48.5109	117.0089	23.2	654.0	503	55754.	2071	1.7	2.8	8.5	1.6	0.3	5.0	35	0.1
52125	0	0	0	0	PCP	48.5109	117.0083	23.2	653.7	526	55758.	2114	1.6	4.1	9.0	2.5	0.5	5.5	25	0.1
52126	0	0	0	0	PCP	48.5109	117.0077	23.2	653.3	535	55762.	2219	1.6	5.3	6.1	3.2	0.9	3.8	35	0.1
52127	0	0	0	0	PCP	48.5109	117.0071	23.2	652.9	538	55766.	2124	1.4	4.8	11.6	3.6	0.4	8.6	33	0.1
52128	0	0	0	0	PCP	48.5109	117.0065	23.2	652.5	536	55769.	2129	1.3	5.6	6.2	4.3	0.9	4.8	37	0.1
52129	0	0	0	0	PCP	48.5109	117.0060	23.2	652.1	527	55771.	2277	1.6	3.6	12.1	2.3	0.3	7.7	21	0.1
52130	0	0	0	0	PCP	48.5108	117.0054	23.2	651.7	517	55774.	1969	2.3	3.1	11.2	1.4	0.3	4.9	53	0.1
52131	0	0	0	0	PCP	48.5108	117.0048	23.2	651.2	486	55775.	2096	1.7	4.0	8.9	2.3	0.4	5.2	31	0.1
52132	0	0	0	0	PCP	48.5108	117.0042	23.2	650.8	456	55776.	1846	1.2	4.3	9.0	3.7	0.5	7.6	37	0.1
52133	0	0	0	0	PCP	48.5108	117.0036	23.2	650.4	422	55778.	1762	1.1	4.4	8.4	4.0	0.5	7.5	35	0.1
52134	0	0	0	0	PCP	48.5108	117.0031	23.2	650.0	412	55779.	1684	1.2	3.0	6.7	2.6	0.4	5.9	46	0.1
52135	0	0	0	0	PCP	48.5108	117.0025	23.2	649.6	407	55782.	1673	1.4	3.4	4.6	2.5	0.7	3.3	42	0.1
52136	0	0	0	0	PCP	48.5108	117.0019	23.2	649.1	408	55786.	1747	1.3	4.2	9.2	3.3	0.5	7.2	39	0.1
52137	0	0	0	0	PCP	48.5108	117.0013	23.2	648.7	411	55790.	1676	0.8	3.8	9.0	4.7	0.4	11.3	49	0.1
52138	0	0	0	0	PCP	48.5108	117.0007	23.2	648.3	417	55795.	1674	0.8	3.1	8.2	3.9	0.4	10.4	47	0.1
52139	0	0	0	0	PCP	48.5108	117.0002	23.2	647.8	422	55800.	1867	1.3	4.0	7.6	3.0	0.5	5.7	40	0.1
52140	0	0	0	0	PCP	48.5108	116.9996	23.2	647.4	425	55805.	1862	1.3	5.1	6.3	3.9	0.8	4.8	30	0.1
52141	0	0	0	0	PCP	48.5108	116.9990	23.2	646.9	426	55810.	1880	1.6	3.5	8.6	2.2	0.4	5.6	38	0.1
52142	0	0	0	0	PCP	48.5108	116.9984	23.2	646.4	429	55814.	1800	1.5	4.7	5.5	3.2	0.9	3.6	56	0.1
52143	0	0	0	0	PCP	48.5108	116.9978	23.2	645.9	429	55818.	1898	1.5	3.3	10.5	2.2	0.3	7.0	35	0.1
52144	0	0	0	0	PCP	48.5108	116.9973	23.2	645.4	430	55826.	1732	1.3	3.0	6.2	2.4	0.5	4.9	47	0.1
52145	0	0	0	0	PCP	48.5108	116.9967	23.2	645.0	426	55833.	1811	1.3	4.6	7.7	3.5	0.6	5.8	39	0.1
52146	0	0	0	0	PCP	48.5107	116.9961	23.2	644.7	419	55843.	1850	1.2	3.1	10.3	2.6	0.3	8.8	24	0.1
52147	0	0	0	0	PCP	48.5107	116.9955	23.2	644.5	402	55853.	1763	1.3	3.7	6.1	2.8	0.6	4.7	33	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

G 17

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 32

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52148	0	0	0	0	PCP	48.5107	116.9949	23.2	644.3	383	55863.	1862	0.9	4.7	8.2	5.2	0.6	9.1	29	0.1
52149	0	0	0	0	PCP	48.5107	116.9944	23.2	644.1	364	55873.	1694	1.3	3.0	7.4	2.2	0.4	5.5	36	0.1
52150	0	0	0	0	PCP	48.5107	116.9938	23.2	643.9	353	55884.	1685	1.2	3.6	6.5	3.1	0.6	5.5	31	0.1

G 18

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 33							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52510	0	0	0	0	QAG	48.5092	117.1813	21.4	653.4	338	55963.	1976	1.9	2.2	8.3	1.2	0.3	4.5	41	0.2
52509	0	0	0	0	KG	48.5092	117.1807	21.4	653.3	334	55970.	1998	1.8	1.7	11.2	0.9	0.2	6.2	38	0.2
52508	0	0	0	0	KG	48.5092	117.1801	21.4	653.2	335	55973.	1833	1.6	2.0	6.8	1.2	0.3	4.2	29	0.2
52507	0	0	0	0	KG	48.5092	117.1795	21.4	653.1	341	55974.	1783	1.7	1.4	6.4	0.8	0.2	3.8	49	0.2
52506	0	0	0	0	KG	48.5092	117.1789	21.4	653.0	350	55975.	1901	1.8	3.3	7.4	1.8	0.4	4.0	37	0.2
52505	0	0	0	0	KG	48.5092	117.1783	21.4	652.8	357	55978.	1960	1.8	2.2	7.5	1.2	0.3	4.2	52	0.2
52504	0	0	0	0	KG	48.5092	117.1777	21.4	652.7	360	55982.	2108	2.0	1.7	10.2	0.9	0.2	5.2	43	0.2
52503	0	0	0	0	KG	48.5092	117.1771	21.4	652.5	357	55986.	2113	1.7	2.8	9.5	1.6	0.3	5.6	38	0.2
52502	0	0	0	0	KG	48.5092	117.1765	21.4	652.3	350	55989.	2019	1.9	1.9	9.0	1.0	0.2	4.7	38	0.2
52501	0	0	1	0	KG	48.5092	117.1759	21.4	652.2	339	55986.	1850	2.0	0.8	9.0	0.4	0.1	4.4	36	0.2
52500	0	0	0	0	KG	48.5092	117.1753	21.4	652.1	337	55980.	1822	1.4	2.3	7.8	1.7	0.3	5.6	42	0.2
52499	0	0	0	0	KG	48.5092	117.1747	21.4	651.9	348	55969.	1723	1.6	3.1	5.9	1.9	0.5	3.6	47	0.2
52498	0	0	0	0	KG	48.5092	117.1741	21.4	651.8	366	55957.	1725	1.3	3.5	5.9	2.6	0.6	4.4	42	0.2
52497	0	0	0	0	KG	48.5092	117.1736	21.4	651.7	383	55945.	1819	1.3	2.3	9.1	1.8	0.2	7.1	37	0.2
52496	0	0	0	0	KG	48.5092	117.1730	21.4	651.5	392	55935.	1827	1.5	2.8	7.5	1.9	0.4	5.0	39	0.2
52495	0	0	0	0	KG	48.5092	117.1724	21.3	651.4	396	55927.	1874	1.4	2.3	7.8	1.7	0.3	5.7	36	0.2
52494	0	0	0	0	KG	48.5092	117.1718	21.3	651.3	397	55921.	1946	1.6	4.0	7.8	2.4	0.5	4.8	41	0.2
52493	0	0	0	0	KG	48.5092	117.1712	21.3	651.1	395	55918.	2041	1.8	3.9	5.7	2.1	0.7	3.1	31	0.2
52492	0	0	0	0	KG	48.5092	117.1706	21.3	651.0	390	55917.	1993	1.8	2.0	7.7	1.1	0.3	4.4	42	0.2
52491	0	0	0	0	KG	48.5092	117.1700	21.3	650.8	383	55918.	2067	1.7	3.5	7.9	2.1	0.4	4.7	34	0.2
52490	0	0	0	0	KG	48.5092	117.1694	21.3	650.7	375	55921.	2062	1.7	1.8	12.8	1.1	0.1	7.8	27	0.2
52489	0	0	0	0	KG	48.5093	117.1688	21.3	650.5	366	55925.	2122	1.7	3.2	10.6	1.8	0.3	6.1	45	0.2
52488	0	0	0	0	KG	48.5093	117.1682	21.3	650.3	354	55929.	2143	1.6	3.1	10.5	1.9	0.3	6.5	42	0.2
52487	0	0	0	0	QAG	48.5093	117.1676	21.3	650.1	342	55930.	2042	1.6	2.7	9.9	1.7	0.3	6.1	40	0.2
52486	0	0	0	0	QAG	48.5093	117.1670	21.3	649.9	335	55929.	2022	1.9	2.6	9.9	1.4	0.3	5.4	37	0.2
52485	0	0	0	0	QAG	48.5093	117.1664	21.3	649.7	335	55924.	1933	1.5	3.2	8.7	2.1	0.4	5.8	35	0.2
52484	0	0	0	0	QAG	48.5093	117.1658	21.3	649.5	345	55915.	1764	1.5	2.1	6.6	1.4	0.3	4.4	37	0.2
52482	0	0	1	0	QAG	48.5093	117.1646	21.3	649.2	366	55902.	1858	1.7	1.2	10.3	0.7	0.1	6.2	27	0.2
52481	0	0	0	0	QAG	48.5093	117.1640	21.3	649.0	397	55890.	1834	1.3	3.1	8.6	2.3	0.4	6.4	42	0.2
52480	0	0	0	0	QAG	48.5093	117.1635	21.3	648.7	431	55881.	1883	1.6	2.8	6.9	1.8	0.4	4.3	39	0.2
52479	0	0	0	0	QAG	48.5093	117.1629	21.3	648.5	458	55875.	1925	1.2	4.9	6.1	4.0	0.8	5.0	25	0.2
52478	0	0	0	0	QAG	48.5093	117.1623	21.3	648.2	474	55873.	1952	1.6	3.2	10.0	2.0	0.3	6.3	37	0.2
52477	0	0	0	0	QAG	48.5093	117.1617	21.3	648.0	479	55874.	2013	1.7	1.7	10.1	1.0	0.2	5.9	39	0.2
52476	0	0	0	0	QAG	48.5093	117.1611	21.3	647.7	480	55874.	1902	1.5	4.2	8.6	2.9	0.5	5.9	39	0.2
52475	0	0	0	0	KG	48.5093	117.1605	21.3	647.4	481	55876.	1888	1.4	1.9	10.0	1.4	0.2	7.3	44	0.2
52474	0	0	0	0	KG	48.5093	117.1599	21.2	647.1	486	55878.	1927	1.3	3.9	7.5	3.1	0.5	5.8	37	0.2
52473	0	0	1	0	KG	48.5093	117.1594	21.2	646.8	494	55879.	2017	1.7	1.4	10.6	0.9	0.1	6.3	33	0.2
52472	0	0	0	0	KG	48.5093	117.1588	21.2	646.5	504	55880.	1983	1.3	2.5	11.6	2.0	0.2	9.1	31	0.2
52471	0	0	0	0	KG	48.5093	117.1582	21.2	646.1	514	55881.	2032	1.6	2.7	8.7	1.7	0.3	5.4	35	0.2
52470	0	0	0	0	KG	48.5093	117.1576	21.2	645.8	522	55883.	2067	1.8	3.6	9.8	2.0	0.4	5.5	33	0.2
52469	0	0	0	0	KG	48.5093	117.1570	21.2	645.4	523	55887.	2169	1.5	2.6	9.8	1.7	0.3	6.6	27	0.2
52468	0	0	0	0	KG	48.5093	117.1564	21.2	645.0	514	55893.	2081	1.8	3.2	7.1	1.8	0.5	3.9	48	0.2
52467	0	0	0	0	KG	48.5093	117.1559	21.2	644.7	491	55901.	2207	1.9	3.1	10.3	1.7	0.3	5.5	49	0.2
52466	0	0	0	0	KG	48.5093	117.1553	21.2	644.3	467	55910.	2270	1.8	1.5	11.7	0.9	0.1	6.5	32	0.2
52465	0	0	0	0	KG	48.5094	117.1547	21.2	643.9	438	55920.	2143	1.7	3.7	7.6	2.2	0.5	4.5	40	0.2
52464	0	0	0	0	KG	48.5094	117.1541	21.1	643.5	415	55931.	2128	1.9	1.7	10.5	0.9	0.2	5.6	36	0.2
52463	0	0	0	0	KG	48.5094	117.1535	21.1	643.0	393	55939.	2023	1.7	2.1	10.2	1.2	0.2	6.0	35	0.2
52462	0	0	0	0	KG	48.5094	117.1530	21.1	642.7	385	55944.	2073	1.7	2.9	9.4	1.7	0.3	5.6	34	0.2
52461	0	0	0	0	KG	48.5094	117.1524	21.1	642.3	386	55946.	2063	1.7	2.4	13.2	1.5	0.2	8.0	39	0.2
52460	0	0	0	0	KG	48.5094	117.1518	21.1	641.9	393	55944.	2113	2.2	2.0	8.2	0.9	0.2	3.8	45	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 33								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52459	0	0	0	0	KG	48.5094	117.1512	21.1	641.6	401	55939.	2232	2.1	2.4	9.6	1.1	0.2	4.6	33	0.2
52458	0	0	0	0	KG	48.5094	117.1506	21.1	641.2	408	55934.	2304	2.0	3.6	9.5	1.8	0.4	4.7	47	0.2
52457	0	0	1	0	KG	48.5094	117.1500	21.0	640.8	408	55930.	2392	2.5	0.7	12.5	0.3	0.1	5.1	54	0.2
52456	0	0	0	0	KG	48.5094	117.1495	21.0	640.5	399	55928.	2418	2.5	3.4	13.0	1.4	0.3	5.3	39	0.2
52455	0	0	0	0	KG	48.5094	117.1489	21.0	640.2	373	55929.	2442	2.0	3.1	12.2	1.6	0.3	6.2	41	0.2
52454	0	0	0	0	KG	48.5094	117.1483	21.0	639.9	345	55931.	2209	1.8	2.7	8.0	1.5	0.3	4.4	39	0.2
52453	0	0	0	0	KG	48.5094	117.1477	21.0	639.6	316	55932.	2127	1.7	2.9	7.3	1.7	0.4	4.2	50	0.2
52452	0	0	0	0	KG	48.5094	117.1471	21.0	639.4	298	55930.	1951	1.5	2.7	8.8	1.8	0.3	5.9	40	0.2
52451	0	0	0	0	KG	48.5094	117.1465	21.0	639.2	293	55922.	1859	1.2	3.4	8.8	2.9	0.4	7.4	44	0.2
52450	0	0	0	0	KG	48.5094	117.1460	21.0	638.9	308	55910.	1831	1.9	1.2	8.2	0.6	0.1	4.4	46	0.2
52449	0	0	0	0	KG	48.5094	117.1454	21.0	638.7	338	55895.	1844	1.6	2.3	5.5	1.5	0.4	3.5	41	0.2
52448	0	0	0	0	KG	48.5094	117.1448	20.9	638.5	375	55880.	1873	1.5	3.7	7.1	2.5	0.5	4.7	35	0.2
52447	0	0	0	0	KG	48.5095	117.1442	20.9	638.4	406	55867.	2010	1.5	4.4	7.0	3.0	0.6	4.7	46	0.2
52446	0	0	0	0	KG	48.5095	117.1436	20.9	638.2	429	55859.	1956	1.4	1.7	9.4	1.2	0.2	6.7	35	0.2
52445	0	0	0	0	KG	48.5094	117.1431	20.9	638.1	435	55852.	2021	1.7	3.5	7.9	2.0	0.4	4.5	34	0.2
52444	0	0	0	0	KG	48.5094	117.1425	20.9	637.9	434	55848.	1858	1.5	2.2	7.0	1.5	0.3	4.7	41	0.1
52443	0	0	1	0	KG	48.5094	117.1420	20.9	637.8	428	55847.	1927	1.7	1.2	10.3	0.7	0.1	6.2	45	0.1
52442	0	0	0	0	KG	48.5094	117.1414	20.9	637.7	426	55846.	1971	1.8	2.3	7.7	1.3	0.3	4.3	35	0.1
52441	0	0	0	0	KG	48.5094	117.1408	20.9	637.6	427	55844.	1981	1.6	1.9	9.6	1.2	0.2	6.2	45	0.1
52440	0	0	0	0	KG	48.5094	117.1403	20.9	637.4	432	55841.	1959	2.0	1.4	8.5	0.7	0.2	4.2	48	0.1
52439	0	0	0	0	KG	48.5094	117.1397	20.9	637.3	431	55838.	1985	1.8	3.7	8.1	2.0	0.4	4.5	37	0.1
52438	0	0	0	0	KG	48.5093	117.1391	20.9	637.2	426	55834.	2122	1.9	4.2	9.8	2.2	0.4	5.1	28	0.1
52437	0	0	0	0	KG	48.5093	117.1386	20.9	637.0	411	55831.	1930	1.5	3.2	7.7	2.1	0.4	5.1	38	0.1
52436	0	0	0	0	KG	48.5093	117.1380	20.9	636.8	392	55829.	1867	1.5	3.5	8.8	2.4	0.4	6.0	53	0.1
52435	0	0	0	0	KG	48.5093	117.1374	20.9	636.7	375	55827.	1761	1.6	2.7	8.7	1.8	0.3	5.6	51	0.1
52434	0	0	0	0	KG	48.5093	117.1369	20.9	636.5	366	55823.	1817	1.2	2.1	9.0	1.7	0.2	7.4	61	0.1
52433	0	0	0	0	KG	48.5093	117.1363	20.9	636.3	367	55815.	1794	1.5	3.5	4.6	2.4	0.8	3.1	46	0.1
52432	0	0	0	0	KG	48.5092	117.1357	20.9	636.1	375	55801.	1862	1.5	3.7	9.0	2.5	0.4	6.0	45	0.1
52431	0	0	0	0	KG	48.5092	117.1352	20.9	636.0	386	55785.	1818	1.0	5.6	8.6	5.8	0.7	8.9	44	0.1
52430	0	0	0	0	KG	48.5092	117.1346	20.9	635.8	405	55766.	1991	1.7	3.4	9.2	2.0	0.4	5.5	30	0.1
52429	0	0	0	0	KG	48.5092	117.1341	20.9	635.6	432	55744.	1874	1.5	3.8	8.1	2.6	0.5	5.5	49	0.1
52428	0	0	0	0	KG	48.5092	117.1335	20.9	635.4	468	55720.	1977	1.5	4.7	9.5	3.2	0.5	6.3	45	0.1
52427	0	0	0	0	KG	48.5092	117.1329	20.9	635.2	512	55695.	2071	1.7	2.2	11.3	1.3	0.2	6.7	39	0.1
52426	0	0	0	0	KG	48.5092	117.1324	20.9	635.0	559	55671.	2172	2.0	3.8	10.3	1.9	0.4	5.3	44	0.1
52425	0	0	0	0	KG	48.5091	117.1318	20.9	634.8	607	55651.	2214	1.9	3.9	9.8	2.1	0.4	5.1	55	0.1
52424	0	0	0	0	KG	48.5091	117.1312	20.9	634.6	635	55635.	2422	1.6	5.6	9.9	3.4	0.6	6.0	38	0.1
52423	0	0	0	0	KG	48.5091	117.1307	20.9	634.3	645	55623.	2233	1.3	2.3	12.6	1.7	0.2	9.5	50	0.1
52422	0	0	0	0	KG	48.5091	117.1301	20.9	634.0	647	55612.	2241	1.9	2.9	12.0	1.5	0.2	6.4	37	0.1
52421	0	0	0	0	KG	48.5091	117.1296	20.9	633.7	650	55602.	2199	1.9	3.0	11.1	1.6	0.3	6.0	46	0.1
52420	0	0	0	0	KG	48.5091	117.1290	20.9	633.4	647	55593.	2219	1.4	5.9	7.7	4.3	0.8	5.7	50	0.1
52419	0	0	0	0	KG	48.5090	117.1284	20.9	633.0	635	55585.	2145	1.7	4.5	9.4	2.6	0.5	5.5	50	0.1
52418	0	0	0	0	KG	48.5090	117.1279	20.9	632.6	618	55576.	2091	1.4	5.1	8.1	3.7	0.6	5.8	40	0.1
52417	0	0	0	0	KG	48.5090	117.1273	20.9	632.1	609	55568.	2118	1.9	3.9	8.5	2.0	0.5	4.4	42	0.1
52416	0	0	0	0	KG	48.5090	117.1267	20.9	631.7	601	55560.	2214	1.9	3.3	11.8	1.7	0.3	6.2	33	0.1
52415	0	0	0	0	KG	48.5090	117.1262	20.9	631.2	590	55553.	2131	1.5	6.0	8.1	4.0	0.7	5.4	37	0.1
52414	0	0	0	0	KG	48.5090	117.1256	20.9	630.8	573	55549.	2049	1.8	2.2	11.2	1.2	0.2	6.3	42	0.1
52413	0	0	0	0	KG	48.5089	117.1251	20.9	630.3	554	55547.	2003	1.4	4.1	6.2	2.9	0.7	4.3	62	0.1
52412	0	0	0	0	KG	48.5089	117.1245	20.9	629.8	535	55549.	2096	1.9	2.9	8.0	1.5	0.4	4.2	38	0.1
52411	0	0	1	0	KG	48.5089	117.1239	21.0	629.4	511	55555.	1938	2.0	1.3	10.1	0.7	0.1	5.0	48	0.1
52410	0	0	0	0	KG	48.5089	117.1234	21.0	628.9	483	55564.	2045	1.7	3.2	6.1	2.0	0.5	3.7	37	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 33							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52409	0	0	0	0	KG	48.5089	117.1228	21.0	628.5	452	55575.	1935	1.1	3.3	7.0	3.0	0.5	6.3	46	0.1
52408	0	0	0	0	KG	48.5089	117.1222	21.0	628.1	421	55588.	1971	1.7	3.1	8.4	1.8	0.4	5.0	30	0.1
52407	0	0	0	0	KG	48.5089	117.1217	21.0	627.7	391	55603.	2004	1.6	3.9	8.5	2.5	0.5	5.5	50	0.1
52406	0	0	0	0	KG	48.5088	117.1211	21.0	627.3	364	55618.	1765	1.6	2.4	7.2	1.5	0.3	4.7	44	0.2
52405	0	0	0	0	KG	48.5088	117.1205	21.0	627.0	338	55635.	1789	1.2	2.8	9.8	2.3	0.3	8.2	55	0.2
52404	0	0	0	0	KG	48.5088	117.1200	21.1	626.7	316	55654.	1821	1.3	3.3	7.3	2.6	0.5	5.6	45	0.2
52403	0	0	0	0	KG	48.5088	117.1194	21.1	626.4	296	55673.	1733	1.3	2.5	8.5	1.9	0.3	6.4	50	0.2
52402	0	0	0	0	KG	48.5088	117.1189	21.1	626.1	277	55691.	1672	1.3	2.3	6.8	1.8	0.3	5.3	54	0.2
52401	0	0	0	0	KG	48.5088	117.1183	21.1	625.9	260	55705.	1637	1.3	2.5	7.2	2.0	0.4	5.7	57	0.2
52400	0	0	0	0	KG	48.5088	117.1178	21.1	625.7	245	55712.	1628	1.2	2.6	6.1	2.1	0.4	5.0	42	0.2
52399	0	0	0	0	KG	48.5088	117.1173	21.2	625.7	239	55712.	1670	1.3	2.0	7.3	1.5	0.3	5.7	35	0.1
52398	0	0	0	0	KG	48.5088	117.1168	21.2	625.6	243	55706.	1597	1.1	3.2	7.1	3.0	0.4	6.7	39	0.1
52397	0	0	0	0	KG	48.5088	117.1163	21.2	625.6	256	55696.	1622	1.4	2.8	5.5	2.0	0.5	3.9	51	0.1
52396	0	0	0	0	KG	48.5088	117.1157	21.2	625.6	274	55684.	1657	1.5	3.8	6.9	2.5	0.5	4.6	48	0.1
52395	0	0	0	0	KG	48.5088	117.1152	21.3	625.7	288	55673.	1660	1.2	3.3	5.9	2.8	0.6	4.9	46	0.1
52394	0	0	0	0	KG	48.5088	117.1147	21.3	625.9	296	55664.	1631	1.5	2.6	6.2	1.7	0.4	4.1	44	0.1
52392	0	0	0	0	KG	48.5089	117.1137	21.3	626.1	298	55656.	1620	1.4	2.9	4.7	2.0	0.6	3.3	51	0.1
52391	0	0	0	0	KG	48.5089	117.1131	21.3	626.3	299	55649.	1576	1.2	2.5	7.6	2.1	0.3	6.5	44	0.1
52390	0	0	0	0	KG	48.5089	117.1126	21.4	626.6	303	55640.	1571	1.3	1.9	7.8	1.4	0.2	5.9	38	0.1
52389	0	0	0	0	KG	48.5089	117.1121	21.4	627.0	310	55631.	1594	1.3	2.5	7.0	1.8	0.3	5.3	40	0.1
52388	0	0	0	0	KG	48.5089	117.1116	21.4	627.3	320	55620.	1550	1.3	4.0	6.2	3.2	0.6	4.9	42	0.1
52387	0	0	0	0	KG	48.5089	117.1111	21.4	627.7	332	55608.	1603	1.3	2.3	8.2	1.8	0.3	6.4	54	0.1
52386	0	0	0	0	KG	48.5089	117.1105	21.5	628.1	348	55596.	1724	0.9	3.9	8.2	4.1	0.5	8.8	33	0.1
52385	0	0	0	0	KG	48.5089	117.1100	21.5	628.5	364	55582.	1642	1.3	3.7	6.7	2.9	0.6	5.2	43	0.1
52384	0	0	0	0	KG	48.5089	117.1095	21.5	628.9	379	55569.	1683	1.4	3.3	6.1	2.4	0.5	4.3	38	0.1
52383	0	0	0	0	KG	48.5089	117.1090	21.6	629.5	390	55557.	1768	1.3	3.8	6.1	3.0	0.6	4.8	47	0.1
52382	0	0	0	0	KG	48.5089	117.1085	21.6	629.9	396	55547.	1742	1.3	4.0	5.6	3.2	0.7	4.4	55	0.1
52381	0	0	0	0	KG	48.5089	117.1079	21.6	630.4	399	55537.	1838	1.3	3.3	8.1	2.5	0.4	6.1	42	0.1
52380	0	0	0	0	KG	48.5089	117.1074	21.6	630.9	388	55529.	1736	1.5	3.5	7.7	2.3	0.5	5.1	46	0.1
52379	0	0	0	0	KG	48.5089	117.1069	21.7	631.4	369	55520.	1870	1.3	3.0	8.7	2.3	0.3	6.8	38	0.1
52378	0	0	0	0	KG	48.5089	117.1064	21.7	631.9	350	55512.	1772	1.1	5.2	7.9	4.8	0.7	7.3	44	0.1
52377	0	0	0	0	KG	48.5090	117.1059	21.7	632.4	341	55507.	1722	0.8	4.2	7.2	5.0	0.6	8.6	40	0.1
52376	0	0	0	0	KG	48.5090	117.1053	21.8	632.9	342	55503.	1721	1.0	4.4	9.0	4.6	0.5	9.4	43	0.1
52375	0	0	0	0	KG	48.5090	117.1048	21.8	633.4	348	55498.	1799	1.4	3.4	9.8	2.5	0.3	7.1	38	0.1
52374	0	0	0	0	KG	48.5090	117.1043	21.8	633.9	360	55493.	1834	1.3	3.9	6.6	2.9	0.6	5.0	35	0.1
52373	0	0	0	0	KG	48.5090	117.1038	21.9	634.5	378	55486.	1802	1.5	3.4	7.0	2.3	0.5	4.8	38	0.1
52372	0	0	0	0	KG	48.5090	117.1032	21.9	635.0	408	55479.	1845	1.1	4.1	10.2	3.6	0.4	9.1	45	0.1
52371	0	0	0	0	KG	48.5090	117.1027	21.9	635.5	442	55475.	1931	1.6	2.9	7.5	1.9	0.4	4.8	41	0.1
52370	0	0	0	0	KHM	48.5090	117.1022	21.9	636.0	478	55472.	1960	1.5	3.5	9.6	2.4	0.4	6.5	43	0.1
52369	0	0	0	0	KHM	48.5090	117.1017	22.0	636.6	505	55472.	1982	1.9	4.2	8.4	2.2	0.5	4.4	49	0.1
52368	0	0	0	0	KHM	48.5090	117.1012	22.0	637.1	530	55474.	2031	1.6	6.7	7.4	4.1	0.9	4.6	35	0.1
52367	0	0	0	0	KHM	48.5090	117.1006	22.0	637.6	548	55476.	2278	1.5	4.7	10.5	3.1	0.4	6.9	34	0.1
52366	0	0	0	0	KHM	48.5090	117.1001	22.1	638.1	566	55478.	2182	1.9	3.9	10.2	2.0	0.4	5.3	41	0.1
52365	0	0	0	0	KHM	48.5090	117.0996	22.1	638.7	584	55481.	2230	1.5	4.8	7.3	3.1	0.7	4.7	38	0.1
52364	0	0	0	0	KHM	48.5091	117.0991	22.1	639.2	607	55484.	2586	1.6	4.3	13.0	2.7	0.3	8.2	36	0.1
52363	0	0	0	0	KHM	48.5091	117.0986	22.2	639.8	629	55487.	2506	1.6	6.2	12.6	3.8	0.5	7.8	38	0.1
52362	0	0	0	0	KHM	48.5091	117.0981	22.2	640.3	645	55490.	2628	1.9	6.1	10.9	3.2	0.6	5.7	51	0.1
52361	0	0	0	0	KHM	48.5091	117.0975	22.2	640.8	659	55492.	2704	2.0	6.4	11.6	3.1	0.5	5.7	38	0.1
52360	0	0	0	0	KHM	48.5091	117.0970	22.3	641.3	672	55495.	2694	1.8	5.9	16.4	3.3	0.4	9.3	45	0.1
52359	0	0	0	0	KHM	48.5091	117.0965	22.3	641.8	688	55498.	2926	1.9	4.6	18.2	2.4	0.3	9.5	44	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 33							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS	K	U	T	U/K	U/T	T/K	COS	BI
												CPS	%	PPM	PPM				CPS	PPM
52358	0			0	KHM	48.5091	117.0960	22.3	642.3	698	55499.	2885	1.9	5.7	14.8	3.0	0.4	7.8	31	0.1
52357	0			0	KHM	48.5091	117.0954	22.3	642.8	700	55501.	2980	2.4	5.6	16.7	2.4	0.3	7.1	41	0.1
52356	0			0	KHM	48.5091	117.0949	22.4	643.4	696	55503.	2861	2.4	5.1	14.9	2.1	0.3	6.2	36	0.1
52355	0			0	KHM	48.5091	117.0944	22.4	643.9	690	55505.	2997	1.7	6.9	12.5	4.0	0.5	7.4	42	0.1
52354	0			0	KHM	48.5091	117.0939	22.4	644.4	689	55507.	2994	2.6	4.7	15.7	1.8	0.3	6.0	33	0.1
52353	0			J	KHM	48.5091	117.0934	22.4	644.9	688	55508.	2983	2.2	4.4	19.6	2.0	0.2	8.8	44	0.1
52352	0			0	KHM	48.5092	117.0928	22.5	645.5	684	55508.	2924	1.9	7.8	14.4	4.2	0.5	7.7	50	0.1
52351	0			0	KHM	48.5092	117.0923	22.5	646.0	673	55507.	2957	2.3	6.4	13.8	2.8	0.5	6.1	28	0.1
52350	0			0	KHM	48.5091	117.0918	22.5	646.5	659	55507.	2975	2.0	7.2	12.8	3.6	0.6	6.4	29	0.1
52349	0			0	KHM	48.5091	117.0913	22.5	647.0	644	55507.	2665	1.8	5.6	14.7	3.1	0.4	8.2	46	0.1
52348	0			0	KHM	48.5091	117.0907	22.6	647.5	635	55507.	2800	1.8	7.1	16.4	4.0	0.4	9.3	37	0.1
52347	0			0	KHM	48.5091	117.0902	22.6	648.0	626	55509.	2759	2.3	5.3	15.0	2.4	0.4	6.7	38	0.1
52346	0			0	KHM	48.5091	117.0897	22.6	648.4	611	55511.	2710	2.5	4.9	12.8	1.9	0.4	5.1	38	0.1
52345	0			0	KHM	48.5091	117.0891	22.6	648.9	591	55513.	2515	2.0	5.0	11.6	2.5	0.4	5.8	49	0.1
52344	0			0	KHM	48.5091	117.0886	22.6	649.3	575	55515.	2671	2.0	7.0	12.4	3.5	0.6	6.2	38	0.1
52343	0			0	KHM	48.5090	117.0880	22.7	649.8	576	55517.	2696	1.2	7.7	14.3	6.2	0.5	11.5	41	0.1
52342	0			0	KHM	48.5090	117.0875	22.7	650.2	578	55518.	2694	2.3	3.5	17.7	1.5	0.2	7.7	31	0.1
52341	0			0	KHM	48.5090	117.0870	22.7	650.6	576	55518.	2789	2.2	4.5	15.1	2.0	0.3	6.8	39	0.1
52340	0			0	KHM	48.5090	117.0864	22.7	651.0	562	55518.	2661	1.8	4.8	12.7	2.7	0.4	7.0	40	0.1
52339	0			0	KHM	48.5090	117.0859	22.7	651.5	549	55517.	2789	2.0	6.0	13.5	3.1	0.4	6.9	38	0.1
52338	0			0	KHM	48.5090	117.0854	22.7	651.9	540	55514.	2814	1.9	4.4	18.1	2.4	0.2	9.8	38	0.1
52337	0			0	KHM	48.5090	117.0849	22.8	652.3	531	55511.	2792	2.0	6.6	13.4	3.4	0.5	6.8	42	0.1
52336	0			0	KHM	48.5089	117.0843	22.8	652.7	528	55507.	2904	1.9	6.7	11.2	3.5	0.6	5.9	34	0.1
52335	0			0	KHM	48.5089	117.0838	22.8	653.1	522	55504.	2712	2.2	3.8	13.8	1.7	0.3	6.2	53	0.1
52334	0			0	KHM	48.5089	117.0833	22.8	653.5	524	55502.	2891	2.3	4.7	16.9	2.1	0.3	7.4	24	0.1
52333	0			0	KHM	48.5089	117.0827	22.8	653.9	526	55502.	2727	2.0	6.4	9.7	3.2	0.7	4.9	47	0.2
52332	0			0	KHM	48.5089	117.0822	22.8	654.2	521	55503.	2785	2.2	5.2	13.4	2.4	0.4	6.2	36	0.2
52331	0			0	KHM	48.5089	117.0816	22.8	654.6	506	55505.	2711	2.2	3.3	16.7	1.5	0.2	7.7	44	0.2
52330	0			1	KHM	48.5089	117.0811	22.9	655.0	496	55508.	2792	2.2	0.6	16.7	0.3	0.0	7.7	44	0.2
52329	0			0	KHM	48.5089	117.0806	22.9	655.4	491	55512.	2893	2.1	3.5	15.8	1.7	0.2	7.4	41	0.2
52328	0			0	KHM	48.5089	117.0800	22.9	655.7	487	55514.	2828	1.9	5.0	15.3	2.7	0.3	8.3	40	0.2
52327	0			0	KHM	48.5088	117.0795	22.9	656.1	471	55516.	2835	2.3	4.4	14.8	1.9	0.3	6.6	30	0.2
52326	0			0	KHM	48.5088	117.0790	22.9	656.4	452	55516.	2875	2.1	3.8	14.5	1.8	0.3	7.1	37	0.2
52325	0			0	KHM	48.5088	117.0784	22.9	656.7	437	55515.	2686	1.8	3.4	14.7	1.9	0.2	8.1	47	0.2
52324	0			0	KHM	48.5088	117.0779	22.9	657.1	433	55514.	2815	2.1	4.4	13.7	2.1	0.3	6.5	35	0.2
52323	0			0	KHM	48.5088	117.0774	22.9	657.4	438	55512.	2796	2.3	3.6	12.8	1.6	0.3	5.6	34	0.2
52322	0			0	KHM	48.5088	117.0768	22.9	657.8	436	55511.	2650	2.7	2.7	13.2	1.0	0.2	5.0	53	0.2
52321	0			0	KHM	48.5087	117.0763	23.0	658.2	425	55511.	2773	2.0	3.1	16.3	1.5	0.2	8.0	38	0.2
52320	0			0	KHM	48.5087	117.0758	23.0	658.5	409	55510.	2542	2.3	2.8	14.1	1.2	0.2	6.2	51	0.2
52319	0			0	KHM	48.5087	117.0752	23.0	658.9	397	55510.	2574	1.9	3.8	13.5	2.0	0.3	7.0	40	0.2
52318	0			0	KHM	48.5087	117.0747	23.0	659.2	387	55511.	2456	1.8	2.3	13.7	1.3	0.2	7.7	30	0.2
52317	0			0	KHM	48.5087	117.0742	23.0	659.6	379	55513.	2378	2.1	3.6	10.9	1.7	0.3	5.1	31	0.2
52316	0			0	KHM	48.5087	117.0736	23.0	659.9	379	55517.	2183	2.1	2.5	10.4	1.2	0.2	5.0	42	0.2
52315	0			0	KHM	48.5087	117.0731	23.0	660.3	391	55523.	2008	1.6	1.8	11.4	1.1	0.2	7.1	34	0.2
52314	0			0	KHM	48.5087	117.0726	23.0	660.6	415	55533.	2080	1.8	3.0	7.2	1.7	0.4	4.0	42	0.2
52313	0			0	KHM	48.5086	117.0720	23.0	661.0	446	55544.	2204	1.2	3.9	10.4	3.2	0.4	8.5	26	0.2
52312	0			1	KHM	48.5086	117.0715	23.0	661.4	469	55557.	2021	1.7	1.2	9.0	0.7	0.1	5.3	31	0.2
52311	0			1	KHM	48.5086	117.0710	23.0	661.8	478	55568.	1997	1.8	0.9	10.7	0.5	0.1	5.9	33	0.2
52310	0			0	KHM	48.5086	117.0704	23.0	662.1	475	55577.	1920	1.4	3.4	7.8	2.4	0.4	5.6	47	0.2
52309	0			1	KHM	48.5086	117.0699	23.0	662.5	473	55585.	1821	1.5	1.0	7.8	0.7	0.1	5.3	43	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 33							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52308	0	0	0	0	KHM	48.5086	117.0694	23.0	662.9	481	55592.	1902	1.3	2.6	7.8	2.1	0.3	6.2	35	0.2
52307	0	0	0	0	KHM	48.5086	117.0688	23.0	663.2	490	55598.	1963	1.3	2.7	8.3	2.0	0.3	6.3	39	0.2
52306	0	0	0	0	KHM	48.5085	117.0683	23.0	663.6	495	55602.	1913	1.4	4.3	7.5	3.2	0.6	5.5	34	0.2
52305	0	0	0	0	KHM	48.5085	117.0678	23.0	664.0	494	55606.	2001	1.0	3.9	7.8	3.8	0.5	7.7	34	0.2
52304	0	0	0	0	KHM	48.5085	117.0672	23.0	664.3	494	55609.	2041	1.3	4.2	8.5	3.3	0.5	6.5	44	0.2
52303	0	0	0	0	KHM	48.5085	117.0667	23.0	664.7	503	55609.	2162	1.4	4.1	10.1	3.0	0.4	7.3	36	0.2
52301	0	0	0	0	KHM	48.5085	117.0656	23.0	665.0	519	55608.	2096	2.0	2.7	7.6	1.3	0.4	3.7	52	0.2
52300	0	0	1	0	KHM	48.5085	117.0651	23.0	665.4	541	55605.	2298	1.6	1.3	12.3	0.8	0.1	7.8	42	0.2
52299	0	0	0	0	KHM	48.5085	117.0646	23.0	665.6	556	55601.	2355	1.6	4.7	13.5	3.0	0.3	8.7	39	0.2
52298	0	0	0	0	KHM	48.5084	117.0639	23.0	665.9	565	55597.	2609	1.9	2.2	15.0	1.1	0.1	7.7	25	0.2
52297	0	0	0	0	KHM	48.5084	117.0633	22.9	666.1	569	55592.	2511	1.6	4.0	10.7	2.6	0.4	6.9	35	0.2
52296	0	0	1	0	KHM	48.5084	117.0627	22.9	666.3	570	55587.	2509	1.7	1.3	15.2	0.8	0.1	8.8	38	0.2
52295	0	0	0	0	KHM	48.5084	117.0621	22.9	666.5	564	55584.	2439	2.1	2.7	10.2	1.3	0.3	4.9	33	0.2
52294	0	0	0	0	KHM	48.5083	117.0615	22.9	666.7	548	55579.	2465	1.6	4.3	12.7	2.7	0.3	8.0	41	0.2
52293	0	0	0	0	KHM	48.5083	117.0609	22.9	666.9	533	55576.	2261	1.4	3.3	9.4	2.3	0.3	6.7	42	0.2
52292	0	0	0	0	KHM	48.5083	117.0603	22.9	667.0	530	55571.	2252	1.5	6.3	7.7	4.1	0.8	5.0	42	0.2
52291	0	0	0	0	KHM	48.5083	117.0597	22.9	667.1	532	55566.	2305	1.8	2.1	12.0	1.2	0.2	6.7	25	0.2
52290	0	0	0	0	KHM	48.5083	117.0591	22.9	667.1	533	55563.	2269	1.7	3.2	8.6	1.9	0.4	5.0	43	0.2
52289	0	0	0	0	QAG	48.5083	117.0584	22.8	667.1	523	55561.	2313	1.2	4.2	10.5	3.6	0.4	9.0	34	0.2
52288	0	0	0	0	QAG	48.5082	117.0578	22.8	667.1	514	55563.	2231	1.3	3.9	11.9	3.1	0.3	9.4	45	0.2
52287	0	0	0	0	QAG	48.5082	117.0572	22.8	667.1	502	55567.	2312	1.4	2.9	11.7	2.1	0.2	8.3	28	0.2
52286	0	0	0	0	QAG	48.5082	117.0566	22.8	667.0	500	55572.	2342	1.3	4.5	12.1	3.5	0.4	9.6	35	0.2
52285	0	0	0	0	QAG	48.5082	117.0560	22.8	666.9	511	55578.	2569	1.5	6.4	11.8	4.4	0.5	8.0	27	0.2
52284	0	0	0	0	QAG	48.5081	117.0554	22.7	666.7	545	55584.	2543	1.4	4.7	14.5	3.3	0.3	10.2	36	0.2
52283	0	0	0	0	KHM	48.5081	117.0548	22.7	666.5	581	55590.	2636	2.1	3.8	13.8	1.8	0.3	6.5	42	0.2
52282	0	0	0	0	KHM	48.5081	117.0542	22.7	666.3	608	55597.	2863	1.7	5.5	13.9	3.2	0.4	8.0	29	0.2
52281	0	0	0	0	KHM	48.5081	117.0535	22.7	666.0	615	55606.	2583	1.8	3.4	12.6	1.9	0.3	7.0	36	0.2
52280	0	0	0	0	KHM	48.5081	117.0529	22.7	665.6	603	55613.	2584	1.8	6.2	7.6	3.4	0.8	4.2	30	0.2
52279	0	0	0	0	KHM	48.5081	117.0523	22.6	665.3	577	55621.	2372	1.5	2.5	14.0	1.6	0.2	9.2	25	0.2
52278	0	0	0	0	KHM	48.5081	117.0517	22.6	664.9	543	55629.	2141	1.8	1.9	10.4	1.0	0.2	5.8	48	0.2
52277	0	0	0	0	KHM	48.5081	117.0510	22.6	664.4	512	55634.	2135	1.5	5.3	7.1	3.6	0.8	4.7	30	0.2
52276	0	0	0	0	KHM	48.5081	117.0504	22.6	664.0	491	55638.	1951	1.4	3.4	7.0	2.5	0.5	5.2	36	0.2
52275	0	0	0	0	KHM	48.5081	117.0498	22.5	663.5	488	55641.	1899	1.6	4.1	6.5	2.6	0.6	4.2	45	0.2
52274	0	0	0	0	KHM	48.5080	117.0491	22.5	663.0	498	55644.	2025	1.8	2.7	5.8	1.5	0.5	3.2	38	0.2
52273	0	0	0	0	KHM	48.5080	117.0485	22.5	662.6	507	55650.	1943	1.3	2.9	10.3	2.3	0.3	8.2	39	0.2
52272	0	0	0	0	KHM	48.5080	117.0479	22.5	662.1	504	55657.	2012	1.6	3.4	8.3	2.2	0.4	5.3	33	0.2
52271	0	0	0	0	KHM	48.5080	117.0473	22.4	661.6	491	55666.	1921	1.5	2.1	10.8	1.4	0.2	7.2	47	0.2
52270	0	0	0	0	KHM	48.5080	117.0467	22.4	661.1	473	55678.	1936	1.3	2.5	8.7	1.9	0.3	6.7	38	0.2
52269	0	0	0	0	KHM	48.5080	117.0460	22.4	660.6	456	55693.	1998	1.3	2.3	11.6	1.7	0.2	8.8	36	0.2
52268	0	0	0	0	KHM	48.5080	117.0454	22.4	660.1	438	55711.	1860	1.5	2.7	8.3	1.8	0.3	5.6	42	0.2
52267	0	0	0	0	KHM	48.5080	117.0448	22.4	659.7	421	55733.	1827	1.7	1.8	8.5	1.1	0.2	5.1	45	0.2
52266	0	0	0	0	KHM	48.5080	117.0442	22.3	659.2	400	55756.	1806	1.6	2.2	9.9	1.4	0.2	6.2	43	0.2
52265	0	0	0	0	KHM	48.5080	117.0435	22.3	658.8	377	55782.	1861	1.1	3.0	8.3	2.7	0.4	7.4	28	0.2
52264	0	0	0	0	KHM	48.5080	117.0429	22.3	658.4	354	55807.	1774	1.4	4.0	6.0	2.9	0.7	4.4	32	0.2
52263	0	0	0	0	KHM	48.5080	117.0423	22.3	658.0	339	55830.	1766	1.2	2.9	8.4	2.4	0.3	7.0	32	0.2
52262	0	0	0	0	KHM	48.5080	117.0417	22.2	657.6	326	55852.	1776	1.2	4.0	6.3	3.4	0.6	5.3	33	0.2
52261	0	0	0	0	KHM	48.5080	117.0410	22.2	657.2	322	55873.	1710	1.1	3.1	7.6	2.7	0.4	6.7	38	0.2
52260	0	0	0	0	KHM	48.5080	117.0404	22.2	656.9	322	55890.	1744	1.3	2.0	6.3	1.5	0.3	4.8	35	0.2
52259	0	0	0	0	KG	48.5080	117.0398	22.2	656.6	330	55901.	1777	1.5	2.1	7.9	1.4	0.3	5.3	34	0.2
52258	0	0	0	0	KG	48.5079	117.0392	22.2	656.2	346	55904.	1745	1.1	3.4	7.1	3.2	0.5	6.6	48	0.2

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 33							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52257	0	0	0	0	KG	48.5079	117.0385	22.1	655.9	374	55900.	1851	1.4	3.4	7.9	2.5	0.4	5.7	46	0.2
52256	0	0	0	0	KG	48.5079	117.0379	22.1	655.7	414	55892.	1975	1.6	1.9	8.6	1.2	0.2	5.3	30	0.2
52255	0	0	0	0	KG	48.5079	117.0373	22.1	655.4	457	55882.	2173	1.3	3.9	10.2	3.0	0.4	7.7	32	0.2
52254	0	0	0	0	KG	48.5079	117.0367	22.1	655.2	494	55878.	2186	1.7	2.9	9.2	1.7	0.3	5.4	38	0.2
52253	0	0	0	0	KG	48.5079	117.0361	22.1	655.0	510	55877.	2254	1.5	4.5	9.9	3.0	0.5	6.5	28	0.2
52252	0	0	0	0	KG	48.5079	117.0354	22.0	654.8	499	55882.	2174	1.3	3.5	10.0	2.6	0.3	7.5	37	0.2
52251	0	0	0	0	KG	48.5079	117.0348	22.0	654.6	466	55891.	2287	1.9	3.2	9.5	1.7	0.3	5.1	19	0.2
52250	0	0	0	0	KG	48.5079	117.0342	22.0	654.4	432	55901.	1992	1.4	3.8	6.5	2.8	0.6	4.7	39	0.2
52249	0	0	0	0	KG	48.5079	117.0336	22.0	654.2	408	55909.	1877	1.2	3.3	7.6	2.9	0.4	6.5	41	0.2
52248	0	0	0	0	KG	48.5079	117.0329	22.0	654.1	395	55916.	1751	1.3	3.0	7.5	2.3	0.4	5.8	39	0.2
52247	0	0	0	0	KG	48.5079	117.0323	21.9	653.9	394	55915.	1662	1.2	2.7	6.2	2.3	0.4	5.4	50	0.2
52246	0	0	0	0	KG	48.5079	117.0317	21.9	653.8	406	55910.	1708	1.1	3.4	6.0	3.1	0.6	5.6	34	0.2
52245	0	0	0	0	KG	48.5079	117.0311	21.9	653.7	426	55900.	1765	1.2	3.9	7.9	3.4	0.5	6.8	42	0.2
52244	0	0	0	0	KG	48.5079	117.0304	21.9	653.6	448	55887.	1691	1.3	1.7	7.9	1.3	0.2	6.2	51	0.2
52243	0	0	0	0	KG	48.5079	117.0298	21.9	653.6	464	55874.	1878	0.8	4.3	5.9	5.4	0.7	7.3	36	0.2
52242	0	0	0	0	KG	48.5078	117.0292	21.9	653.6	477	55863.	1696	1.3	2.5	9.0	2.0	0.3	7.1	39	0.2
52241	0	0	0	0	KG	48.5078	117.0286	21.8	653.6	487	55851.	1921	1.2	2.7	8.9	2.2	0.3	7.3	26	0.2
52240	0	0	0	0	KG	48.5078	117.0280	21.8	653.6	498	55839.	1811	1.3	4.2	7.4	3.3	0.6	5.8	41	0.2
52239	0	0	0	0	KG	48.5078	117.0273	21.8	653.6	505	55828.	1885	1.6	1.7	8.1	1.1	0.2	5.1	42	0.2
52238	0	0	0	0	KG	48.5078	117.0267	21.8	653.7	510	55815.	1926	1.4	2.7	10.7	1.9	0.3	7.5	38	0.2
52237	0	0	0	0	KG	48.5078	117.0261	21.8	653.8	513	55804.	1934	1.5	2.8	8.7	1.9	0.3	5.9	31	0.2
52236	0	0	0	0	KG	48.5078	117.0255	21.8	653.9	520	55793.	1881	1.2	4.8	6.0	4.1	0.8	5.1	34	0.2
52235	0	0	0	0	KG	48.5078	117.0248	21.8	654.0	532	55782.	1912	1.3	1.8	9.5	1.3	0.2	7.1	28	0.2
52234	0	0	0	0	KG	48.5078	117.0242	21.8	654.1	550	55772.	1881	1.1	3.5	9.0	3.3	0.4	8.4	36	0.2
52233	0	0	0	0	KG	48.5078	117.0236	21.7	654.2	569	55763.	2009	1.7	2.8	7.7	1.7	0.4	4.6	39	0.2
52232	0	0	0	0	KG	48.5078	117.0230	21.7	654.3	585	55753.	2054	1.1	4.6	10.5	4.2	0.4	9.4	41	0.2
52231	0	0	0	0	KG	48.5078	117.0223	21.7	654.3	590	55743.	2050	1.1	3.3	10.4	2.9	0.3	9.2	30	0.2
52230	0	0	0	0	KG	48.5078	117.0217	21.7	654.4	594	55734.	1992	1.2	3.8	7.5	3.1	0.5	6.2	39	0.2
52229	0	0	0	0	KG	48.5078	117.0211	21.7	654.4	608	55725.	2056	1.4	2.9	9.3	2.0	0.3	6.5	38	0.2
52228	0	0	0	0	KG	48.5078	117.0205	21.7	654.5	639	55715.	2154	1.6	2.4	9.6	1.5	0.3	5.9	38	0.2
52227	0	0	0	0	KG	48.5078	117.0198	21.7	654.5	677	55706.	2236	1.6	4.2	8.7	2.7	0.5	5.6	24	0.2
52226	0	0	0	0	KG	48.5078	117.0192	21.7	654.4	682	55698.	2265	1.5	3.1	8.9	2.1	0.4	6.1	35	0.2
52225	0	0	0	0	KG	48.5078	117.0186	21.7	654.3	660	55693.	2151	1.5	3.2	10.0	2.1	0.3	6.6	27	0.2
52224	0	0	0	0	KG	48.5078	117.0180	21.7	654.3	619	55690.	1872	1.1	4.1	7.0	3.8	0.6	6.5	37	0.2
52223	0	0	0	0	KG	48.5078	117.0174	21.7	654.1	597	55688.	1888	1.3	4.0	3.8	3.2	1.1	3.0	40	0.2
52222	C	0	0	0	KG	48.5077	117.0168	21.7	654.0	584	55686.	1829	1.3	2.2	4.4	1.7	0.5	3.4	37	0.2
52221	0	0	0	0	PCP	48.5077	117.0161	21.7	653.8	582	55685.	2089	1.7	4.5	7.6	2.6	0.6	4.5	27	0.2
52220	0	0	1	0	PCP	48.5077	117.0155	21.7	653.5	584	55684.	1906	1.5	1.1	8.4	0.7	0.1	5.7	40	0.2
52219	0	0	0	0	PCP	48.5077	117.0149	21.6	653.3	598	55684.	2088	1.5	4.0	7.7	2.7	0.5	5.2	46	0.2
52218	0	0	0	0	PCP	48.5077	117.0143	21.6	653.0	612	55685.	2243	1.8	5.7	7.6	3.1	0.7	4.2	22	0.2
52217	0	0	0	0	PCP	48.5077	117.0137	21.6	652.7	635	55687.	2104	1.7	3.9	8.8	2.4	0.4	5.3	36	0.1
52216	0	0	0	0	PCP	48.5077	117.0131	21.6	652.4	652	55688.	2393	1.1	5.9	14.0	5.3	0.4	12.6	35	0.1
52215	0	0	0	0	PCP	48.5077	117.0125	21.6	652.0	664	55689.	2393	1.9	3.4	12.7	1.8	0.3	6.9	25	0.1
52214	0	0	0	0	PCP	48.5077	117.0119	21.6	651.7	663	55689.	2276	1.9	3.9	7.3	2.0	0.5	3.8	43	0.1
52213	0	0	0	0	PCP	48.5077	117.0112	21.6	651.2	657	55690.	2300	1.7	5.1	7.6	2.9	0.7	4.4	52	0.1
52212	0	0	0	0	PCP	48.5077	117.0106	21.6	650.9	647	55690.	2208	2.1	2.9	10.6	1.4	0.3	5.1	50	0.1
52210	0	0	0	0	PCP	48.5077	117.0094	21.6	650.4	633	55692.	2358	1.9	5.9	5.1	3.1	1.2	2.7	41	0.1
52209	0	0	0	0	PCP	48.5077	117.0088	21.6	650.0	617	55693.	2048	1.6	3.0	11.7	1.9	0.3	7.3	46	0.1
52208	0	0	0	0	PCP	48.5077	117.0082	21.6	649.6	606	55692.	2200	1.4	3.9	11.9	2.8	0.3	8.4	24	0.1
52207	0	0	0	0	PCP	48.5077	117.0076	21.5	649.1	600	55692.	2195	1.5	6.1	9.9	4.0	0.6	6.4	41	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

N 17

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 33								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52206	0	0	0	0	PCP	48.5077	117.0069	21.5	648.7	599	55693.	2111	1.7	5.7	7.8	3.3	0.7	4.4	40	0.1
52205	0	0	0	0	PCP	48.5077	117.0063	21.5	648.3	597	55695.	2265	1.4	6.2	9.2	4.4	0.7	6.6	26	0.1
52204	0	0	0	0	PCP	48.5077	117.0057	21.5	647.9	593	55698.	2189	1.8	3.9	10.8	2.2	0.4	6.1	47	0.1
52203	0	0	0	0	PCP	48.5077	117.0051	21.5	647.4	587	55700.	2253	1.3	5.9	12.2	4.6	0.5	9.5	35	0.1
52202	0	0	0	0	PCP	48.5077	117.0045	21.5	647.0	585	55704.	2117	1.4	5.6	7.7	4.0	0.7	5.5	38	0.1
52201	0	0	0	0	PCP	48.5077	117.0039	21.5	646.6	579	55707.	2163	1.3	4.6	8.8	3.5	0.5	6.7	38	0.1
52200	0	0	0	0	PCP	48.5077	117.0033	21.5	646.2	573	55712.	2121	1.3	5.3	4.5	4.1	1.2	3.4	39	0.1
52199	0	0	0	0	PCP	48.5077	117.0027	21.5	645.8	561	55717.	2128	1.4	4.0	8.0	3.0	0.5	5.9	29	0.1
52198	0	0	0	0	PCP	48.5077	117.0020	21.5	645.4	545	55723.	2030	1.6	4.0	8.7	2.6	0.5	5.5	45	0.1
52197	0	0	0	0	PCP	48.5077	117.0014	21.5	645.1	523	55731.	1826	1.2	2.7	9.8	2.3	0.3	8.4	43	0.1
52196	0	0	0	0	PCP	48.5077	117.0008	21.4	644.7	503	55739.	1854	1.0	4.4	7.8	4.2	0.6	7.6	45	0.1
52195	0	0	0	0	PCP	48.5077	117.0002	21.4	644.4	488	55746.	1782	1.1	5.1	7.0	4.5	0.7	6.2	41	0.1
52194	0	0	0	0	PCP	48.5077	116.9996	21.4	644.1	473	55752.	1733	1.4	4.7	5.0	2.9	0.8	3.6	46	0.1
52193	0	0	0	0	PCP	48.5077	116.9990	21.4	643.9	456	55759.	1789	1.1	3.3	7.6	3.0	0.4	6.8	52	0.1
52192	0	0	0	0	PCP	48.5077	116.9984	21.4	643.6	432	55767.	1794	1.6	1.5	8.9	0.9	0.2	5.5	43	0.1
52191	0	0	0	0	PCP	48.5077	116.9978	21.4	643.3	406	55778.	1908	1.4	4.2	7.1	3.0	0.6	5.1	37	0.1
52190	0	0	0	0	PCP	48.5077	116.9971	21.4	643.0	376	55790.	1734	1.4	2.2	6.7	1.6	0.3	4.8	43	0.1

N 18

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 34							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52550	0	0	0	0	KG	48.5056	117.1787	23.0	656.0	337	55999.	1642	1.3	2.8	5.9	2.1	0.5	4.5	41	0.1
52551	0	0	0	0	KG	48.5056	117.1780	23.0	655.8	346	55999.	1642	1.7	1.6	7.1	1.0	0.2	4.3	45	0.1
52552	0	0	0	0	KG	48.5056	117.1774	23.0	655.7	355	56000.	1709	1.4	3.0	8.6	2.2	0.4	6.4	32	0.1
52553	0	0	0	0	KG	48.5056	117.1768	23.0	655.5	360	55999.	1689	1.3	2.2	6.5	1.7	0.3	5.0	35	0.1
52554	0	0	0	0	KG	48.5056	117.1761	23.0	655.4	366	55995.	1660	1.4	2.6	8.3	1.8	0.3	5.8	39	0.1
52555	0	0	0	0	KG	48.5056	117.1755	23.1	655.1	373	55990.	1710	1.6	2.3	6.8	1.4	0.3	4.3	40	0.1
52556	0	0	0	0	KG	48.5056	117.1748	23.1	654.9	384	55982.	1646	1.3	2.6	6.3	2.0	0.4	4.9	43	0.1
52557	0	0	0	0	KG	48.5056	117.1742	23.1	654.6	395	55973.	1689	1.3	3.2	7.1	2.5	0.5	5.4	48	0.1
52558	0	0	0	0	KG	48.5056	117.1735	23.1	654.3	407	55963.	1672	1.5	2.5	5.8	1.7	0.4	3.9	36	0.1
52559	0	0	0	0	KG	48.5056	117.1729	23.1	654.1	417	55952.	1649	1.0	3.1	6.7	3.0	0.5	6.4	48	0.2
52560	0	0	0	0	KG	48.5056	117.1722	23.1	653.8	425	55944.	1666	1.4	3.5	5.8	2.5	0.6	4.1	32	0.2
52561	0	0	0	0	KG	48.5056	117.1716	23.1	653.5	433	55936.	1753	1.5	3.2	6.2	2.2	0.5	4.2	39	0.2
52562	0	0	0	0	KG	48.5056	117.1710	23.1	653.3	443	55931.	1699	1.5	2.4	6.7	1.6	0.4	4.6	41	0.2
52563	0	0	0	0	KG	48.5056	117.1703	23.1	653.0	453	55930.	1771	1.6	3.0	6.9	1.9	0.4	4.4	41	0.2
52564	0	0	0	0	KG	48.5056	117.1697	23.1	652.7	459	55931.	1908	1.1	3.9	8.4	3.5	0.5	7.5	37	0.2
52565	0	0	0	0	KG	48.5056	117.1690	23.1	652.5	458	55935.	1964	1.5	2.2	7.6	1.4	0.3	5.0	42	0.2
52566	0	0	0	0	KG	48.5055	117.1684	23.1	652.3	453	55939.	2074	1.7	3.6	9.2	2.1	0.4	5.4	31	0.2
52567	0	0	0	0	KG	48.5055	117.1677	23.1	652.0	444	55943.	2105	1.6	3.3	8.3	2.1	0.4	5.3	35	0.2
52568	0	0	0	0	KG	48.5055	117.1671	23.1	651.8	427	55944.	1974	1.7	2.9	8.9	1.7	0.3	5.3	46	0.2
52569	0	0	0	0	KG	48.5055	117.1664	23.0	651.6	409	55942.	1912	1.8	1.5	11.0	0.8	0.1	6.1	47	0.2
52570	0	0	0	0	KG	48.5055	117.1658	23.0	651.4	403	55936.	1796	1.4	3.1	7.9	2.2	0.4	5.6	39	0.2
52571	0	0	0	0	KG	48.5055	117.1652	23.0	651.3	415	55926.	1792	1.5	2.7	6.7	1.8	0.4	4.5	38	0.2
52572	0	0	0	0	QAG	48.5055	117.1645	23.0	651.2	444	55914.	1842	1.5	2.3	8.8	1.6	0.3	6.0	32	0.2
52573	0	0	0	0	QAG	48.5055	117.1639	23.0	651.0	474	55903.	1741	1.5	2.7	6.4	1.8	0.4	4.4	43	0.1
52574	0	0	0	0	QAG	48.5055	117.1632	23.0	650.8	503	55891.	1882	1.5	3.1	8.7	2.2	0.4	6.0	34	0.1
52575	0	0	0	0	QAG	48.5055	117.1626	23.0	650.7	520	55882.	1834	1.7	3.1	7.5	1.9	0.4	4.5	43	0.1
52576	0	0	0	0	QAG	48.5055	117.1620	23.0	650.5	528	55876.	1898	1.4	3.4	10.4	2.3	0.3	7.2	33	0.1
52577	0	0	0	0	QAG	48.5055	117.1613	23.0	650.4	524	55873.	1815	1.3	3.0	7.0	2.4	0.4	5.6	32	0.1
52578	0	0	0	0	QAG	48.5054	117.1607	23.0	650.3	511	55873.	2009	1.4	4.5	8.1	3.3	0.6	6.0	19	0.1
52579	0	0	0	0	QAG	48.5054	117.1601	23.0	650.1	491	55875.	1824	1.4	2.2	10.4	1.5	0.2	7.3	30	0.1
52580	0	0	0	0	QAG	48.5054	117.1595	23.0	649.9	469	55879.	1852	1.2	2.7	8.3	2.2	0.3	6.8	38	0.1
52581	0	0	0	0	QAG	48.5054	117.1588	23.0	649.8	451	55885.	1859	1.9	3.2	7.2	1.7	0.4	3.8	40	0.1
52582	0	0	0	0	QAG	48.5054	117.1582	23.0	649.6	437	55890.	1833	1.6	3.1	5.9	2.0	0.5	3.8	39	0.1
52583	0	0	0	0	QAG	48.5054	117.1576	23.0	649.4	426	55895.	1903	1.2	5.1	7.7	4.1	0.7	6.2	36	0.1
52584	0	0	0	0	QAG	48.5054	117.1570	23.0	649.2	417	55899.	1888	1.5	2.9	7.3	1.9	0.4	4.8	31	0.1
52586	0	0	0	0	KG	48.5054	117.1557	23.0	649.0	413	55901.	1834	1.4	4.8	5.6	3.4	0.8	4.0	31	0.1
52587	0	0	0	0	KG	48.5053	117.1551	22.9	648.8	415	55901.	1847	1.6	3.4	7.8	2.2	0.4	5.0	43	0.1
52588	0	0	0	0	KG	48.5053	117.1544	22.9	648.6	425	55902.	1843	1.6	3.9	6.6	2.5	0.6	4.2	41	0.1
52589	0	0	0	0	KG	48.5053	117.1538	22.9	648.3	438	55902.	1717	1.3	2.8	8.7	2.1	0.3	6.6	34	0.1
52590	0	0	0	0	KG	48.5053	117.1532	22.9	648.1	452	55904.	1847	1.8	3.0	6.7	1.7	0.4	3.8	37	0.1
52591	0	0	0	0	KG	48.5053	117.1526	22.9	647.9	459	55908.	1875	1.3	3.2	8.7	2.4	0.4	6.6	46	0.1
52592	0	0	0	0	KG	48.5053	117.1519	22.9	647.7	457	55914.	1845	1.5	2.1	10.3	1.4	0.2	6.8	37	0.1
52593	0	0	0	0	KG	48.5053	117.1513	22.9	647.4	447	55920.	1977	1.2	4.2	9.5	3.6	0.4	8.1	36	0.1
52594	0	0	0	0	KG	48.5053	117.1507	22.9	647.2	431	55929.	1913	1.3	3.2	9.1	2.4	0.4	6.8	33	0.1
52595	0	0	0	0	KG	48.5052	117.1501	22.9	647.0	412	55938.	1865	1.3	2.8	10.0	2.1	0.3	7.6	39	0.1
52596	0	0	0	0	KG	48.5052	117.1494	22.9	646.8	392	55947.	2000	1.7	2.0	11.8	1.2	0.2	6.8	35	0.1
52597	0	0	0	0	KG	48.5052	117.1488	22.9	646.5	374	55954.	1853	1.0	4.5	10.4	4.6	0.4	10.7	49	0.1
52598	0	0	0	0	KG	48.5052	117.1482	22.8	646.3	361	55957.	1873	1.4	3.3	10.0	2.4	0.3	7.3	35	0.1
52599	0	0	0	0	KG	48.5052	117.1476	22.8	646.1	354	55955.	1918	1.7	2.2	8.9	1.3	0.2	5.3	49	0.1
52600	0	0	0	0	KG	48.5052	117.1469	22.8	645.8	357	55948.	1875	1.8	2.9	8.8	1.7	0.3	5.0	46	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 34

B 1

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52601	0	0	0	0	KG	48.5052	117.1463	22.8	645.6	369	55935.	1858	1.9	1.4	10.5	0.7	0.1	5.6	49	0.1
52602	0	0	0	0	KG	48.5052	117.1457	22.8	645.4	388	55918.	1891	1.7	2.5	9.4	1.5	0.3	5.5	31	0.1
52603	0	0	0	0	KG	48.5052	117.1451	22.8	645.2	413	55900.	1882	1.3	3.8	9.2	2.8	0.4	6.9	52	0.1
52604	0	0	0	0	KG	48.5051	117.1444	22.8	645.0	442	55880.	1878	1.9	3.3	7.0	1.7	0.5	3.7	46	0.1
52605	0	0	0	0	KG	48.5051	117.1438	22.7	644.7	471	55863.	1901	1.6	3.4	8.3	2.1	0.4	5.2	51	0.1
52606	0	0	0	0	KG	48.5051	117.1432	22.7	644.4	495	55847.	2052	1.6	3.2	8.4	2.0	0.4	5.2	39	0.1
52607	0	0	0	0	KG	48.5051	117.1427	22.7	644.1	506	55833.	2002	1.4	4.6	7.8	3.2	0.6	5.4	34	0.1
52608	0	0	0	0	KG	48.5051	117.1421	22.7	643.9	511	55820.	2019	1.5	2.7	8.8	1.7	0.3	5.7	46	0.1
52609	0	0	0	0	KG	48.5051	117.1415	22.7	643.6	520	55808.	1931	1.3	3.9	6.9	3.1	0.6	5.4	38	0.1
52610	0	0	0	0	KG	48.5051	117.1409	22.7	643.3	545	55794.	2047	1.4	5.2	7.5	3.8	0.7	5.6	41	0.1
52611	0	0	0	0	KG	48.5051	117.1403	22.6	643.0	576	55782.	2065	1.5	3.9	9.9	2.7	0.4	6.7	31	0.1
52612	0	0	0	0	KG	48.5051	117.1397	22.6	642.7	604	55770.	2022	1.7	3.1	7.7	1.8	0.4	4.5	43	0.1
52613	0	0	0	0	KG	48.5051	117.1391	22.6	642.3	625	55759.	2310	1.8	2.2	10.6	1.2	0.2	5.8	30	0.2
52614	0	0	0	0	KG	48.5051	117.1385	22.6	642.0	634	55750.	2271	2.4	2.2	12.3	0.9	0.2	5.1	42	0.2
52615	0	0	0	0	KG	48.5051	117.1380	22.5	641.6	633	55744.	2293	2.3	2.6	11.5	1.2	0.2	5.1	36	0.2
52616	0	0	0	0	KG	48.5051	117.1374	22.5	641.2	621	55738.	2357	1.9	3.3	9.0	1.8	0.4	4.8	34	0.2
52617	0	0	0	0	KG	48.5051	117.1368	22.5	640.9	599	55734.	2212	2.3	3.3	8.6	1.5	0.4	3.8	53	0.2
52618	0	0	0	0	KG	48.5051	117.1362	22.5	640.5	573	55731.	1998	1.7	1.7	9.5	1.0	0.2	5.5	39	0.2
52619	0	0	0	0	KG	48.5051	117.1356	22.4	640.0	548	55727.	1827	1.3	3.4	7.4	2.7	0.4	6.7	54	0.2
52620	0	0	0	0	KG	48.5051	117.1350	22.4	639.5	532	55723.	1863	1.5	3.6	6.9	2.4	0.5	4.6	35	0.2
52621	0	0	0	0	KG	48.5051	117.1344	22.4	639.0	518	55721.	1824	1.3	3.0	8.0	2.3	0.4	6.1	50	0.2
52622	0	0	1	0	KG	48.5051	117.1339	22.4	638.5	505	55720.	1888	2.0	0.9	8.9	0.4	0.1	4.5	40	0.2
52623	0	0	0	0	KG	48.5051	117.1333	22.3	638.0	493	55720.	1759	1.3	3.0	6.2	2.3	0.5	4.7	48	0.2
52624	0	0	0	0	KG	48.5051	117.1327	22.3	637.4	487	55719.	1934	1.6	3.3	9.1	2.1	0.4	5.8	31	0.2
52625	0	0	0	0	KG	48.5051	117.1321	22.3	636.9	484	55719.	1723	1.0	2.7	8.2	2.7	0.3	8.0	47	0.2
52626	0	0	0	0	KG	48.5051	117.1315	22.3	636.3	488	55717.	1975	1.4	3.2	8.9	2.2	0.4	6.2	28	0.2
52627	0	0	0	0	KG	48.5051	117.1309	22.2	635.6	493	55716.	1977	1.7	2.1	9.9	1.2	0.2	5.7	48	0.2
52628	0	0	0	0	KG	48.5051	117.1303	22.2	635.0	497	55716.	1845	1.4	4.0	6.8	2.8	0.6	4.8	44	0.2
52629	0	0	0	0	KG	48.5051	117.1297	22.2	634.4	499	55717.	1927	1.4	2.6	8.0	1.9	0.3	5.8	38	0.2
52630	0	0	0	0	KG	48.5051	117.1292	22.1	633.7	497	55717.	1867	1.5	3.1	8.4	2.1	0.4	5.6	54	0.2
52631	0	0	0	0	KG	48.5051	117.1286	22.1	633.1	493	55717.	1849	1.4	2.7	7.2	1.9	0.4	5.0	32	0.2
52632	0	0	0	0	KG	48.5051	117.1280	22.1	632.5	483	55717.	1670	1.3	1.4	7.2	1.1	0.2	5.6	62	0.2
52633	0	0	0	0	KG	48.5051	117.1274	22.0	631.8	472	55717.	1712	1.3	2.7	6.7	2.1	0.4	5.0	43	0.2
52634	0	0	0	0	KG	48.5051	117.1268	22.0	631.1	464	55716.	1736	1.3	1.3	6.6	1.0	0.2	4.9	39	0.2
52635	0	0	0	0	KG	48.5051	117.1262	22.0	630.5	460	55715.	1695	1.2	2.7	8.0	2.3	0.3	6.6	38	0.2
52636	0	0	0	0	KG	48.5051	117.1256	22.0	629.9	461	55713.	1749	1.1	3.0	8.5	2.8	0.4	7.9	38	0.2
52637	0	0	0	0	KG	48.5051	117.1250	21.9	629.2	462	55711.	1768	1.2	2.4	8.0	2.0	0.3	6.6	40	0.2
52638	0	0	0	0	KG	48.5051	117.1245	21.9	628.6	465	55708.	1854	1.2	2.9	7.5	2.4	0.4	6.2	52	0.2
52639	0	0	0	0	KG	48.5051	117.1239	21.9	628.0	462	55704.	1892	1.4	3.3	6.6	2.3	0.5	4.6	40	0.2
52640	0	0	0	0	KG	48.5051	117.1233	21.8	627.4	457	55701.	1900	1.5	1.9	10.2	1.2	0.2	6.6	51	0.2
52641	0	0	0	0	KG	48.5051	117.1227	21.8	626.7	447	55699.	1996	1.7	3.0	8.0	1.7	0.4	4.6	44	0.2
52642	0	0	0	0	KG	48.5051	117.1221	21.8	626.1	436	55700.	1933	1.5	4.7	5.1	3.2	0.9	3.4	43	0.2
52643	0	0	0	0	KG	48.5051	117.1215	21.7	625.5	424	55702.	1995	1.6	3.1	5.6	1.9	0.6	3.5	37	0.2
52644	0	0	0	0	KG	48.5051	117.1209	21.7	624.9	409	55707.	1949	1.9	3.1	7.0	1.7	0.4	3.7	54	0.2
52645	0	0	0	0	KG	48.5051	117.1203	21.7	624.3	396	55715.	1937	1.8	2.4	7.0	1.3	0.3	5.8	47	0.2
52646	0	0	0	0	KG	48.5051	117.1198	21.7	623.7	385	55725.	1929	1.5	2.2	8.0	1.5	0.3	5.5	46	0.2
52647	0	0	0	0	KG	48.5051	117.1192	21.6	623.2	375	55737.	2017	1.2	3.1	10.4	2.5	0.3	8.4	46	0.2
52648	0	0	0	0	KG	48.5051	117.1186	21.6	622.6	363	55750.	2018	1.5	3.5	7.6	2.3	0.5	5.1	61	0.2
52649	0	0	0	0	KG	48.5051	117.1180	21.6	622.1	347	55764.	2009	1.6	3.7	6.5	2.3	0.6	4.1	42	0.2
52650	0	0	0	0	KG	48.5051	117.1174	21.6	621.7	331	55779.	1979	1.4	3.1	8.2	2.3	0.4	5.9	40	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 34							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52651	0	0	0	0	KG	48.5051	117.1168	21.5	621.2	314	55794.	2010	1.7	3.0	7.7	1.8	0.4	4.5	49	0.1
52652	0	0	0	0	KG	48.5051	117.1162	21.5	620.8	302	55808.	2009	1.6	2.1	9.7	1.3	0.2	6.2	38	0.1
52653	0	0	0	0	KG	48.5051	117.1156	21.5	620.5	292	55821.	1929	1.5	3.1	9.2	2.0	0.3	6.0	46	0.1
52654	0	0	0	0	KG	48.5051	117.1151	21.5	620.3	284	55831.	1892	1.5	2.2	7.8	1.4	0.3	5.1	55	0.1
52655	0	0	0	0	KG	48.5051	117.1145	21.4	620.0	277	55837.	1863	1.5	1.8	9.2	1.2	0.2	6.2	68	0.1
52656	0	0	0	0	KG	48.5051	117.1139	21.4	619.9	274	55837.	1725	1.3	2.3	10.5	1.8	0.2	8.3	54	0.1
52657	0	0	0	0	KG	48.5051	117.1134	21.4	619.9	274	55831.	1793	1.2	2.3	7.3	2.0	0.3	6.2	72	0.1
52658	0	0	0	0	KG	48.5051	117.1128	21.4	619.9	279	55821.	1712	1.5	1.7	6.6	1.1	0.3	4.3	63	0.1
52659	0	0	0	0	KG	48.5051	117.1122	21.4	619.9	287	55809.	1682	1.5	2.0	7.9	1.3	0.3	5.3	45	0.1
52660	0	0	0	0	KG	48.5051	117.1117	21.4	620.0	296	55796.	1636	1.4	2.8	4.5	2.0	0.6	3.2	54	0.1
52661	0	0	0	0	KG	48.5051	117.1111	21.3	620.1	304	55786.	1682	1.2	2.5	4.1	2.1	0.6	3.5	48	0.1
52662	0	0	0	0	KG	48.5051	117.1105	21.3	620.3	310	55779.	1721	1.4	2.7	7.7	1.9	0.4	5.4	44	0.1
52663	0	0	0	0	KG	48.5051	117.1100	21.3	620.5	313	55776.	1755	1.6	1.9	8.1	1.2	0.2	5.1	51	0.1
52664	0	0	0	0	KG	48.5051	117.1094	21.3	620.8	314	55776.	1669	1.6	2.4	7.2	1.5	0.3	4.6	38	0.1
52665	0	0	0	0	KG	48.5051	117.1088	21.3	621.1	313	55778.	1664	1.5	2.2	7.7	1.5	0.3	5.3	39	0.1
52666	0	0	0	0	KG	48.5051	117.1083	21.3	621.4	311	55777.	1661	1.4	2.7	6.9	1.9	0.4	4.9	54	0.1
52667	0	0	0	0	KG	48.5051	117.1077	21.3	621.8	311	55772.	1513	1.4	1.7	5.6	1.2	0.3	3.9	60	0.1
52668	0	0	0	0	KG	48.5051	117.1071	21.3	622.2	315	55763.	1566	1.3	2.1	6.0	1.7	0.4	4.7	39	0.1
52669	0	0	0	0	KG	48.5051	117.1066	21.2	622.5	322	55750.	1603	1.3	3.1	6.0	2.4	0.5	4.6	36	0.1
52670	0	0	0	0	KG	48.5051	117.1060	21.2	622.9	332	55735.	1488	1.0	3.6	7.1	3.8	0.5	7.4	58	0.1
52671	0	0	0	0	KG	48.5051	117.1054	21.2	623.3	347	55718.	1531	1.3	3.0	5.6	2.3	0.5	4.2	51	0.1
52672	0	0	0	0	KG	48.5050	117.1049	21.2	623.8	373	55700.	1612	1.2	2.3	8.1	2.0	0.3	6.9	39	0.1
52673	0	0	0	0	KG	48.5050	117.1043	21.2	624.3	404	55682.	1565	1.3	2.1	5.3	1.7	0.4	4.2	43	0.1
52674	0	0	0	0	KG	48.5050	117.1037	21.2	624.7	437	55665.	1544	1.1	2.4	5.0	2.2	0.5	4.6	49	0.1
52676	0	0	0	0	KG	48.5050	117.1026	21.2	625.2	460	55650.	1608	1.3	2.7	6.7	2.1	0.4	5.2	50	0.1
52677	0	0	0	0	KG	48.5050	117.1020	21.2	625.7	475	55636.	1609	1.2	2.8	7.5	2.5	0.4	6.5	44	0.1
52678	0	0	0	0	KG	48.5050	117.1015	21.2	626.2	479	55625.	1562	1.3	3.2	4.9	2.4	0.6	3.7	46	0.1
52679	0	0	0	0	KG	48.5050	117.1009	21.2	626.7	480	55614.	1501	1.1	3.3	3.6	3.0	0.9	3.2	46	0.1
52680	0	0	0	0	KG	48.5050	117.1003	21.2	627.2	481	55603.	1560	0.9	2.7	6.5	3.0	0.4	7.0	49	0.1
52681	0	0	0	0	KG	48.5050	117.0998	21.2	627.8	486	55592.	1494	1.0	4.4	5.1	4.3	0.9	5.0	38	0.1
52682	0	0	0	0	KG	48.5050	117.0992	21.2	628.3	487	55580.	1537	0.9	3.3	5.6	3.8	0.6	6.6	43	0.1
52683	0	0	0	0	KG	48.5050	117.0986	21.2	628.9	489	55568.	1600	0.9	3.6	6.1	3.9	0.6	6.5	39	0.1
52684	0	0	0	0	KG	48.5050	117.0981	21.2	629.4	491	55556.	1481	0.8	2.9	8.7	3.7	0.3	11.1	41	0.1
52685	0	0	0	0	KG	48.5050	117.0975	21.2	630.0	504	55545.	1493	1.2	3.3	6.3	2.7	0.5	5.1	50	0.1
52686	0	0	0	0	KG	48.5050	117.0970	21.3	630.6	530	55532.	1642	1.2	4.8	3.6	4.0	1.3	3.0	41	0.1
52687	0	0	0	0	KG	48.5050	117.0964	21.3	631.2	563	55519.	1727	1.0	2.5	6.6	2.5	0.4	6.5	43	0.1
52688	0	0	0	0	KG	48.5050	117.0958	21.3	631.8	595	55507.	1849	1.1	5.2	8.0	5.0	0.7	7.6	40	0.1
52689	0	0	0	0	KG	48.5050	117.0952	21.3	632.3	616	55495.	1786	1.3	3.6	6.5	2.7	0.6	4.9	47	0.1
52690	0	0	0	0	KG	48.5050	117.0947	21.3	632.9	629	55484.	1965	1.5	4.9	4.7	3.3	1.1	3.1	35	0.1
52691	0	0	0	0	KG	48.5050	117.0941	21.3	633.5	640	55474.	1975	1.1	3.8	9.3	3.5	0.4	8.5	38	0.1
52692	0	0	0	0	KG	48.5050	117.0936	21.3	634.1	652	55466.	2032	1.6	3.1	10.0	2.0	0.3	6.4	36	0.1
52693	0	0	0	0	KG	48.5050	117.0930	21.3	634.7	658	55460.	2107	1.2	5.8	10.0	4.9	0.6	8.5	35	0.1
52694	0	0	0	0	KG	48.5050	117.0924	21.4	635.4	653	55455.	2031	1.7	4.5	6.0	2.6	0.8	3.5	50	0.1
52695	0	0	0	0	KG	48.5050	117.0918	21.4	635.9	631	55453.	2023	1.2	6.6	6.1	5.5	1.1	5.1	41	0.1
52696	0	0	0	0	KG	48.5050	117.0913	21.4	636.5	599	55451.	1942	0.9	5.1	10.8	5.4	0.5	11.5	41	0.1
52697	0	0	0	0	KG	48.5050	117.0907	21.4	637.1	563	55451.	1858	1.3	4.6	7.6	3.5	0.6	5.7	45	0.1
52698	0	0	0	0	KHM	48.5050	117.0901	21.4	637.7	537	55451.	1889	1.2	5.1	8.9	4.3	0.6	7.5	47	0.1
52699	0	0	0	0	KHM	48.5050	117.0896	21.4	638.2	527	55452.	1884	1.4	3.8	8.3	2.7	0.5	6.0	34	0.1
52700	0	0	0	0	KHM	48.5050	117.0890	21.5	638.8	533	55454.	1915	1.7	4.0	8.5	2.4	0.5	5.1	34	0.1
52701	0	0	0	0	KHM	48.5050	117.0885	21.5	639.4	550	55457.	2096	1.6	6.2	8.1	4.0	0.8	5.2	43	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 34									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52702	0	0	0	0	KHM	48.5050	117.0879	21.5	640.0	573	55460.	2241	1.5	4.6	12.4	3.1	0.4	8.2	42	0.1
52703	0	0	0	0	KHM	48.5049	117.0873	21.5	640.5	598	55465.	2298	1.8	5.6	9.9	3.1	0.6	5.5	41	0.1
52704	0	0	0	0	KHM	48.5049	117.0868	21.5	641.1	622	55470.	2284	1.8	6.6	8.2	3.7	0.8	4.6	35	0.1
52705	0	0	0	0	KHM	48.5049	117.0862	21.6	641.7	641	55476.	2231	1.1	4.4	10.9	4.0	0.4	9.9	37	0.1
52706	0	0	0	0	KHM	48.5049	117.0856	21.6	642.3	650	55482.	2418	1.6	4.7	9.6	3.0	0.5	6.2	46	0.1
52707	0	0	0	0	KHM	48.5049	117.0851	21.6	642.9	651	55487.	2412	1.7	7.1	11.6	4.1	0.6	6.7	33	0.1
52708	0	0	0	0	KHM	48.5049	117.0845	21.6	643.5	643	55491.	2262	1.6	4.1	11.9	2.6	0.3	7.6	49	0.1
52709	0	0	0	0	KHM	48.5049	117.0839	21.7	644.1	630	55496.	2280	1.7	4.0	13.5	2.3	0.3	7.8	45	0.1
52710	0	0	0	0	KHM	48.5049	117.0834	21.7	644.6	615	55500.	2136	1.7	6.1	7.3	3.5	0.8	4.2	44	0.1
52711	0	0	0	0	KHM	48.5049	117.0828	21.7	645.3	597	55504.	2192	2.1	3.3	9.8	1.6	0.3	4.6	43	0.1
52712	0	0	0	0	KHM	48.5049	117.0822	21.7	645.9	577	55507.	2228	1.5	3.6	15.1	2.4	0.2	10.0	43	0.1
52713	0	0	0	0	KHM	48.5049	117.0816	21.8	646.5	561	55510.	2032	1.7	4.6	8.8	2.6	0.5	5.0	48	0.1
52714	0	0	0	0	KHM	48.5049	117.0811	21.8	647.1	555	55512.	2155	1.4	6.4	8.8	4.5	0.7	6.2	35	0.1
52715	0	0	0	0	KHM	48.5049	117.0805	21.8	647.8	559	55515.	2142	1.5	5.2	11.8	3.5	0.4	7.9	39	0.1
52716	0	0	0	0	KHM	48.5049	117.0800	21.8	648.4	555	55519.	2287	1.7	5.9	8.7	3.4	0.7	5.0	39	0.1
52717	0	0	0	0	KHM	48.5049	117.0794	21.9	649.1	545	55522.	2166	1.8	5.3	8.3	3.0	0.6	4.7	41	0.1
52718	0	0	0	0	KHM	48.5049	117.0788	21.9	649.7	529	55524.	2223	1.7	6.8	7.9	3.9	0.9	4.6	40	0.1
52719	0	0	0	0	KHM	48.5049	117.0783	21.9	650.3	518	55525.	2171	1.5	4.7	11.6	3.1	0.4	7.7	27	0.1
52720	0	0	0	0	KHM	48.5049	117.0777	22.0	651.0	511	55524.	2105	1.6	4.0	8.2	2.5	0.5	5.2	41	0.1
52721	0	0	0	0	KHM	48.5049	117.0771	22.0	651.6	505	55523.	2203	1.6	3.9	12.8	2.4	0.3	8.0	44	0.1
52722	0	0	0	0	KHM	48.5049	117.0766	22.0	652.2	500	55522.	2155	1.3	2.5	12.6	1.9	0.2	9.6	42	0.1
52723	0	0	0	0	KHM	48.5049	117.0760	22.1	652.9	494	55521.	2110	1.5	3.7	10.3	2.4	0.4	6.7	33	0.1
52724	0	0	0	0	KHM	48.5049	117.0754	22.1	653.4	489	55521.	2051	1.4	4.3	9.3	3.1	0.5	6.8	41	0.1
52725	0	0	0	0	KHM	48.5049	117.0749	22.1	654.0	494	55522.	2049	1.4	4.4	10.2	3.2	0.4	7.5	45	0.1
52726	0	0	0	0	KHM	48.5049	117.0743	22.2	654.5	512	55524.	2189	1.5	4.2	9.6	2.8	0.4	6.4	38	0.1
52727	0	0	0	0	KHM	48.5049	117.0737	22.2	655.0	543	55529.	2198	0.9	6.0	10.0	6.8	0.6	11.2	41	0.1
52728	0	0	0	0	KHM	48.5049	117.0732	22.2	655.5	582	55535.	2317	1.1	3.8	14.2	3.4	0.3	12.9	40	0.1
52729	0	0	0	0	KHM	48.5049	117.0726	22.3	656.0	618	55543.	2316	1.1	4.8	10.1	4.3	0.5	9.1	35	0.1
52730	0	0	0	0	KHM	48.5049	117.0720	22.3	656.4	642	55552.	2274	1.4	5.5	13.9	4.1	0.4	10.3	40	0.1
52731	0	0	0	0	KHM	48.5049	117.0715	22.3	656.8	648	55562.	2211	1.7	2.6	12.3	1.6	0.2	7.4	34	0.1
52732	0	0	0	0	KHM	48.5049	117.0709	22.4	657.2	646	55572.	2170	1.6	3.7	7.7	2.3	0.5	4.8	42	0.1
52733	0	0	0	0	KHM	48.5049	117.0703	22.4	657.5	640	55584.	2122	1.4	4.8	7.4	3.4	0.6	5.3	43	0.2
52734	0	0	1	0	KHM	48.5049	117.0698	22.4	657.7	624	55595.	2068	1.5	1.7	10.7	1.2	0.2	7.3	30	0.2
52735	0	0	0	0	KHM	48.5049	117.0692	22.5	658.0	599	55607.	2055	1.5	4.1	8.2	2.7	0.5	5.3	27	0.2
52736	0	0	0	0	KHM	48.5049	117.0686	22.5	658.2	568	55620.	2078	1.6	2.3	9.8	1.4	0.2	6.0	36	0.2
52737	0	0	0	0	KHM	48.5049	117.0681	22.5	658.5	536	55633.	1856	1.1	4.0	6.3	3.6	0.6	5.7	35	0.2
52738	0	0	0	0	KHM	48.5049	117.0675	22.6	658.7	503	55647.	1803	1.2	3.8	6.2	3.2	0.6	5.2	34	0.2
52739	0	0	0	0	KHM	48.5049	117.0669	22.6	659.0	473	55662.	1797	1.4	2.5	9.3	1.9	0.3	6.8	41	0.2
52740	0	0	0	0	KHM	48.5049	117.0664	22.6	659.2	444	55676.	1713	1.2	3.8	6.8	3.1	0.6	5.5	38	0.2
52741	0	0	0	0	KHM	48.5048	117.0658	22.7	659.5	418	55688.	1703	1.2	1.9	7.7	1.6	0.2	6.3	36	0.2
52742	0	0	0	0	KHM	48.5048	117.0652	22.7	659.7	395	55697.	1601	1.0	2.4	5.2	2.3	0.5	5.0	40	0.2
52743	0	0	1	0	KHM	48.5048	117.0647	22.7	659.9	383	55702.	1629	1.4	0.9	8.4	0.6	0.1	5.9	39	0.2
52744	0	0	0	0	KHM	48.5048	117.0641	22.7	660.2	390	55702.	1727	1.1	3.3	6.6	3.1	0.5	6.3	31	0.2
52745	0	0	0	0	KHM	48.5048	117.0635	22.8	660.6	416	55699.	1744	1.2	2.8	7.9	2.3	0.4	6.4	38	0.2
52746	0	0	0	0	KHM	48.5048	117.0630	22.8	660.9	450	55692.	1775	1.4	2.4	6.4	1.8	0.4	4.7	46	0.2
52747	0	0	0	0	KHM	48.5048	117.0624	22.8	661.2	482	55682.	1945	1.8	3.4	6.4	1.9	0.5	3.6	37	0.2
52748	0	0	0	0	KHM	48.5048	117.0618	22.9	661.6	508	55673.	1959	1.2	4.0	8.7	3.3	0.5	7.1	26	0.2
52749	0	0	0	0	KHM	48.5048	117.0613	22.9	661.9	531	55663.	1946	1.8	2.4	6.8	1.3	0.4	3.7	38	0.2
52750	0	0	0	0	KHM	48.5048	117.0607	22.9	662.3	553	55654.	2040	1.6	3.0	10.0	1.8	0.3	6.1	42	0.2
52751	0	0	0	0	KHM	48.5048	117.0602	23.0	662.7	577	55648.	2122	2.1	2.4	7.0	1.1	0.3	3.3	36	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 34									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM		
52752	0	0	0	0	KHM	48.5048	117.0596	23.0	663.0	595	55643.	2153	1.4	4.8	8.3	3.4	0.6	5.8	29	0.2		
52753	0	0	0	0	KHM	48.5048	117.0590	23.0	663.3	603	55639.	2060	1.8	2.7	9.6	1.5	0.3	5.3	42	0.2		
52754	0	0	0	0	KHM	48.5048	117.0584	23.0	663.6	607	55635.	2001	1.3	2.0	10.4	1.5	0.2	7.8	33	0.2		
52755	0	0	0	0	KHM	48.5048	117.0579	23.1	663.9	616	55630.	2151	1.5	3.3	7.3	2.2	0.4	4.9	33	0.2		
52756	0	0	0	0	KHM	48.5048	117.0573	23.1	664.1	647	55625.	2177	1.4	4.7	5.5	3.4	0.9	4.0	33	0.2		
52757	0	0	0	0	KHM	48.5048	117.0567	23.1	664.2	678	55621.	2427	1.3	6.3	7.5	4.7	0.8	5.6	42	0.2		
52758	0	0	0	0	QAG	48.5048	117.0562	23.1	664.4	700	55617.	2454	1.2	5.4	12.7	4.4	0.4	10.4	40	0.2		
52759	1	0	0	0	QAG	48.5048	117.0556	23.2	664.5	701	55615.	2446	1.2	5.4	13.8	4.4	0.4	11.3	41	0.2		
52760	0	0	0	0	QAG	48.5048	117.0551	23.2	664.5	698	55615.	2674	2.2	2.5	16.1	1.2	0.2	7.5	31	0.2		
52761	1	0	0	0	QAG	48.5048	117.0545	23.2	664.5	704	55617.	2620	1.9	2.7	13.7	1.4	0.2	7.2	47	0.2		
52762	1	0	0	0	QAG	48.5048	117.0539	23.2	664.4	711	55623.	3095	2.0	2.8	20.1	1.4	0.1	10.3	31	0.2		
52763	1	0	0	0	QAG	48.5048	117.0533	23.3	664.3	719	55632.	3161	2.2	3.2	13.5	1.5	0.2	6.1	31	0.2		
52764	0	0	0	0	QAG	48.5048	117.0528	23.3	664.1	685	55645.	3132	1.7	6.9	14.4	4.1	0.5	8.7	29	0.2		
52765	0	0	1	0	QAG	48.5048	117.0522	23.3	663.9	632	55660.	2837	2.4	1.8	13.7	0.7	0.1	5.7	36	0.2		
52767	0	0	0	0	KHM	48.5048	117.0511	23.3	663.7	562	55675.	2405	1.5	2.8	12.8	1.8	0.2	8.3	37	0.2		
52768	0	0	0	0	KHM	48.5048	117.0506	23.3	663.4	516	55691.	2296	1.4	3.6	11.5	2.6	0.3	8.3	36	0.2		
52769	0	0	0	0	KG	48.5048	117.0500	23.4	663.2	484	55706.	2233	1.5	3.4	8.3	2.2	0.4	5.5	37	0.2		
52770	0	0	0	0	KG	48.5047	117.0494	23.4	662.9	465	55722.	2099	1.6	2.7	7.5	1.7	0.4	4.7	34	0.2		
52771	0	0	0	0	KG	48.5047	117.0489	23.4	662.6	450	55737.	2125	1.7	2.9	9.5	1.7	0.3	5.6	37	0.2		
52772	0	0	1	0	KG	48.5047	117.0483	23.4	662.4	438	55754.	2094	1.7	1.4	11.6	0.8	0.1	7.0	27	0.2		
52773	0	0	0	0	KG	48.5047	117.0478	23.4	662.1	422	55773.	1912	1.3	3.8	9.5	3.0	0.4	7.5	38	0.2		
52774	0	0	0	0	KG	48.5047	117.0472	23.4	661.8	404	55790.	1952	1.3	3.3	10.0	2.6	0.3	7.8	33	0.2		
52775	0	0	0	0	KG	48.5047	117.0466	23.4	661.6	385	55810.	1837	1.2	3.5	7.0	2.9	0.5	5.8	28	0.2		
52776	0	0	0	0	KG	48.5047	117.0461	23.5	661.4	365	55828.	1775	0.9	3.4	5.5	3.7	0.6	5.9	31	0.2		
52777	0	0	0	0	KG	48.5047	117.0455	23.5	661.3	349	55844.	1802	1.5	2.0	8.0	1.3	0.3	5.2	39	0.2		
52778	0	0	0	0	KG	48.5047	117.0450	23.5	661.1	338	55856.	1783	1.3	2.7	9.2	2.1	0.3	7.2	45	0.2		
52779	0	0	0	0	KG	48.5047	117.0444	23.5	660.9	341	55860.	1883	1.6	3.0	7.1	1.8	0.4	4.4	35	0.2		
52780	0	0	0	0	KG	48.5047	117.0439	23.5	660.8	359	55858.	1844	1.3	3.6	8.3	2.7	0.4	6.2	47	0.2		
52781	0	0	0	0	KG	48.5047	117.0433	23.5	660.6	385	55853.	1892	1.4	2.8	6.9	2.1	0.4	5.1	43	0.2		
52782	0	0	0	0	KG	48.5047	117.0427	23.5	660.5	415	55846.	2033	1.5	3.1	9.8	2.1	0.3	6.5	50	0.2		
52783	0	0	0	0	KG	48.5047	117.0422	23.5	660.3	445	55838.	2042	1.3	5.1	8.8	3.9	0.6	6.6	32	0.2		
52784	0	0	0	0	KG	48.5047	117.0416	23.5	660.1	481	55833.	2066	1.5	4.9	7.9	3.3	0.6	5.4	43	0.2		
52785	0	0	0	0	KG	48.5047	117.0411	23.6	660.0	508	55830.	2128	1.9	2.7	10.0	1.4	0.3	5.3	33	0.2		
52786	0	0	0	0	KG	48.5047	117.0405	23.6	659.8	518	55829.	2057	1.9	3.4	5.6	1.8	0.6	3.0	50	0.2		
52787	0	0	0	0	KG	48.5047	117.0399	23.6	659.6	509	55831.	2187	1.7	2.9	8.7	1.7	0.3	5.2	45	0.1		
52788	0	0	0	0	KG	48.5047	117.0394	23.6	659.4	497	55833.	1923	1.3	2.9	10.0	2.2	0.3	7.5	41	0.1		
52789	0	0	0	0	KG	48.5047	117.0388	23.6	659.2	491	55834.	1834	1.6	1.9	7.5	1.2	0.3	4.6	35	0.1		
52790	0	0	0	0	KG	48.5047	117.0383	23.6	659.0	498	55832.	1964	1.5	4.1	6.6	2.7	0.6	4.3	30	0.1		
52791	0	0	0	0	KG	48.5047	117.0377	23.6	658.7	514	55830.	2052	2.0	3.2	10.0	1.6	0.3	5.1	30	0.2		
52792	0	0	0	0	KG	48.5047	117.0371	23.6	658.5	537	55829.	2213	1.6	2.7	8.5	1.7	0.3	5.4	31	0.2		
52793	0	0	0	0	KG	48.5047	117.0366	23.6	658.2	551	55831.	2143	1.5	7.4	5.5	4.8	1.3	3.6	35	0.2		
52794	0	0	0	0	KG	48.5047	117.0360	23.6	658.0	550	55835.	2209	1.3	2.9	12.3	2.3	0.2	9.7	26	0.2		
52795	0	0	0	0	KG	48.5047	117.0355	23.6	657.7	535	55841.	1966	1.7	2.4	10.1	1.4	0.2	6.1	22	0.2		
52796	0	0	0	0	KG	48.5047	117.0349	23.6	657.4	518	55848.	2044	1.5	3.0	9.7	2.1	0.3	6.6	42	0.2		
52797	0	0	0	0	KG	48.5046	117.0344	23.6	657.2	498	55855.	1995	1.4	2.5	7.5	1.8	0.3	5.5	32	0.2		
52798	0	0	0	0	KG	48.5046	117.0338	23.6	657.0	479	55864.	1952	1.2	4.5	8.7	3.7	0.5	7.1	40	0.2		
52799	0	0	0	0	KG	48.5046	117.0332	23.6	656.8	463	55875.	1957	1.0	4.0	9.0	3.9	0.4	8.7	40	0.2		
52800	0	0	0	0	KG	48.5046	117.0327	23.6	656.6	449	55889.	1960	1.7	3.9	6.7	2.3	0.6	3.9	35	0.2		
52801	0	0	0	0	KG	48.5046	117.0321	23.6	656.5	434	55903.	1878	1.3	3.8	6.6	2.8	0.6	4.9	39	0.2		
52802	0	0	0	0	KG	48.5046	117.0316	23.6	656.4	414	55916.	1801	1.2	2.8	6.7	2.3	0.4	5.5	41	0.2		

*** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 34

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
52803	0	0	0	0	KG	48.5046	117.0310	23.6	656.4	393	55928.	1867	1.5	3.5	6.9	2.4	0.5	4.6	30	0.2
52804	0	0	0	0	KG	48.5046	117.0304	23.7	656.4	370	55936.	1746	1.5	1.6	8.6	1.1	0.2	5.9	35	0.2
52805	0	0	0	0	KG	48.5046	117.0299	23.7	656.5	347	55940.	1749	1.3	2.3	6.5	1.8	0.4	5.0	37	0.2
52806	0	0	0	0	KG	48.5046	117.0293	23.7	656.6	327	55939.	1654	1.0	2.9	5.0	2.8	0.6	4.8	37	0.2
52807	0	0	0	0	KG	48.5046	117.0288	23.7	656.7	318	55931.	1680	1.4	2.0	7.7	1.4	0.3	5.6	40	0.2
52808	0	0	0	0	KG	48.5046	117.0282	23.7	656.8	317	55920.	1635	1.4	1.9	6.5	1.4	0.3	4.7	47	0.2
52809	0	0	0	0	KG	48.5046	117.0277	23.7	657.0	324	55905.	1656	1.4	2.6	6.3	1.9	0.4	4.5	36	0.2
52810	0	0	0	0	KG	48.5046	117.0271	23.7	657.2	333	55890.	1792	1.4	3.4	6.9	2.5	0.5	5.0	35	0.2
52811	0	0	0	0	KG	48.5046	117.0265	23.7	657.5	344	55875.	1832	1.4	1.4	9.2	1.0	0.2	6.7	36	0.2
52812	0	0	0	0	KG	48.5046	117.0260	23.7	657.7	356	55861.	1787	1.6	2.3	7.8	1.4	0.3	4.8	44	0.2
52813	0	0	0	0	KG	48.5046	117.0254	23.7	658.0	370	55848.	1914	1.2	4.8	7.1	3.9	0.7	5.7	47	0.2
52814	0	0	0	0	KG	48.5046	117.0249	23.7	658.2	383	55836.	1911	1.5	2.7	9.1	1.8	0.3	5.9	35	0.2
52815	0	0	0	0	KG	48.5046	117.0243	23.7	658.5	394	55824.	1915	1.6	2.7	7.1	1.7	0.4	4.4	47	0.2
52816	0	0	0	0	KG	48.5046	117.0237	23.7	658.8	401	55811.	1887	1.8	1.7	9.3	0.9	0.2	5.2	44	0.2
52817	0	0	1	0	KG	48.5046	117.0232	23.7	659.0	410	55797.	2009	1.6	1.1	13.1	0.7	0.1	8.4	33	0.2
52818	0	0	0	0	KG	48.5046	117.0226	23.7	659.2	419	55783.	1906	1.7	2.2	9.2	1.3	0.2	5.5	30	0.2
52819	0	0	0	0	KG	48.5045	117.0221	23.7	659.4	424	55770.	1915	2.0	1.4	7.2	0.7	0.2	3.5	45	0.2
52820	0	0	0	0	KG	48.5045	117.0215	23.7	659.6	421	55757.	1809	1.6	2.4	7.8	1.5	0.3	5.0	36	0.2
52821	0	0	0	0	KG	48.5045	117.0210	23.7	659.8	413	55743.	1918	1.4	4.2	8.6	3.0	0.5	6.1	30	0.1
52822	0	0	0	0	KG	48.5045	117.0204	23.7	659.9	408	55729.	1866	1.2	5.2	6.7	4.4	0.8	5.6	31	0.1
52823	0	0	0	0	KG	48.5045	117.0198	23.7	660.0	412	55714.	1799	1.7	2.6	6.5	1.5	0.4	3.9	36	0.1
52824	0	0	0	0	KG	48.5045	117.0193	23.7	660.1	430	55699.	1874	1.2	3.7	8.0	3.0	0.5	6.5	38	0.1
52825	0	0	0	0	KG	48.5045	117.0187	23.7	660.1	465	55686.	1972	1.6	2.0	11.2	1.2	0.2	6.9	28	0.1
52826	0	0	0	0	KG	48.5045	117.0182	23.7	660.1	509	55675.	2035	1.2	4.1	9.0	3.5	0.5	7.6	39	0.1
52827	0	0	0	0	KG	48.5045	117.0176	23.7	660.1	538	55667.	2051	1.3	3.7	9.4	2.8	0.4	7.1	43	0.1
52828	0	0	0	0	KG	48.5045	117.0170	23.7	660.0	546	55661.	2203	1.6	5.3	8.3	3.4	0.6	5.3	41	0.1
52829	0	0	0	0	KG	48.5045	117.0165	23.7	659.9	513	55657.	2141	1.5	3.2	13.1	2.1	0.2	8.6	30	0.1
52830	0	0	0	0	PCP	48.5045	117.0159	23.7	659.8	469	55657.	2085	1.5	4.4	7.7	2.9	0.6	5.2	41	0.1
52831	0	0	0	0	PCP	48.5045	117.0154	23.7	659.6	417	55658.	1875	1.2	3.5	9.3	3.0	0.4	8.1	39	0.1
52832	0	0	0	0	PCP	48.5045	117.0148	23.7	659.4	382	55660.	1768	1.0	4.2	6.4	4.1	0.7	6.2	41	0.1
52833	0	0	0	0	PCP	48.5045	117.0143	23.7	659.2	356	55664.	1767	1.2	3.1	8.7	2.6	0.4	7.2	32	0.1
52834	0	0	0	0	PCP	48.5045	117.0138	23.7	659.0	337	55667.	1715	1.4	2.0	7.6	1.4	0.3	5.6	48	0.1
52835	0	0	0	0	PCP	48.5045	117.0132	23.7	658.8	323	55670.	1692	1.2	3.6	7.0	2.9	0.5	5.6	36	0.1
52836	0	0	0	0	PCP	48.5045	117.0126	23.7	658.6	309	55673.	1651	1.2	3.6	6.2	2.9	0.6	5.0	34	0.1
52837	0	0	0	0	PCP	48.5045	117.0121	23.7	658.3	297	55675.	1744	1.4	3.0	5.6	2.2	0.5	4.1	43	0.1
52838	0	0	0	0	PCP	48.5045	117.0116	23.7	658.1	290	55675.	1723	1.3	3.9	4.7	3.0	0.8	3.5	43	0.1
52839	0	0	0	0	PCP	48.5045	117.0110	23.7	657.8	289	55675.	1865	1.1	3.5	8.7	3.2	0.4	7.8	32	0.1
52840	0	0	0	0	PCP	48.5045	117.0105	23.6	657.5	293	55675.	1851	1.5	3.9	6.3	2.7	0.6	4.3	46	0.1
52841	0	0	0	0	PCP	48.5045	117.0099	23.6	657.2	293	55674.	1899	1.4	1.5	9.0	1.1	0.2	6.7	38	0.1
52842	0	0	0	0	PCP	48.5045	117.0094	23.6	656.9	289	55675.	1961	1.7	2.2	7.8	1.3	0.3	4.8	35	0.1
52843	0	0	0	0	PCP	48.5045	117.0088	23.6	656.6	277	55677.	1855	1.4	3.9	5.6	2.8	0.7	4.0	39	0.1
52844	0	0	0	0	PCP	48.5045	117.0083	23.6	656.3	272	55678.	1753	1.0	4.0	9.1	3.9	0.4	8.8	56	0.1
52845	0	0	0	0	PCP	48.5044	117.0077	23.6	656.0	274	55680.	1781	1.3	3.0	8.7	2.3	0.4	6.7	39	0.1
52846	0	0	0	0	PCP	48.5044	117.0072	23.6	655.7	287	55680.	1840	1.5	3.1	7.5	2.1	0.4	5.1	36	0.1
52847	0	0	0	0	PCP	48.5044	117.0066	23.6	655.4	306	55681.	1873	1.4	3.2	6.6	2.3	0.5	4.6	36	0.1
52848	0	0	0	0	PCP	48.5044	117.0061	23.6	655.1	328	55682.	2024	1.7	3.3	9.6	2.0	0.3	5.6	36	0.1
52849	0	0	0	0	PCP	48.5044	117.0055	23.6	654.8	348	55684.	2143	1.4	4.3	9.5	3.1	0.4	6.9	35	0.1
52850	0	0	0	0	PCP	48.5044	117.0050	23.6	654.4	366	55686.	2151	1.5	3.6	10.7	2.3	0.3	6.9	32	0.1
52851	0	0	0	0	PCP	48.5044	117.0044	23.6	654.1	371	55688.	2207	1.9	3.2	9.0	1.7	0.4	4.6	47	0.1
52852	0	0	0	0	PCP	48.5044	117.0039	23.6	653.8	370	55691.	2169	1.7	5.0	9.1	3.0	0.5	5.5	42	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 35

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53320	0	0	0	0	QAG	48.5020	117.1788	23.4	657.8	382	55977.	1855	1.4	5.1	5.6	3.6	0.9	4.0	32	0.1
53321	0	0	0	0	QAG	48.5020	117.1782	23.4	657.7	372	55977.	1819	1.3	4.3	6.9	3.2	0.6	5.1	45	0.1
53322	0	0	0	0	QAG	48.5020	117.1775	23.4	657.6	364	55977.	1898	1.6	3.2	7.3	2.0	0.4	4.7	29	0.1
53323	0	0	0	0	QAG	48.5020	117.1769	23.4	657.6	357	55973.	1825	1.4	3.9	6.4	2.7	0.6	4.5	28	0.1
53324	0	0	0	0	QAG	48.5020	117.1763	23.4	657.5	354	55969.	1766	1.2	3.3	7.3	2.8	0.5	6.2	34	0.1
53325	0	0	0	0	QAG	48.5020	117.1756	23.4	657.3	353	55963.	1647	1.3	1.5	8.9	1.1	0.2	6.7	53	0.2
53326	0	0	0	0	QAG	48.5020	117.1750	23.4	657.2	352	55957.	1602	1.2	2.7	4.1	2.3	0.7	3.4	43	0.2
53327	0	0	0	0	QAG	48.5020	117.1743	23.4	657.1	351	55953.	1755	1.5	1.7	9.0	1.1	0.2	6.0	34	0.2
53328	0	0	0	0	QAG	48.5020	117.1737	23.4	657.0	351	55951.	1567	1.3	1.6	7.5	1.3	0.2	6.0	42	0.2
53329	0	0	0	0	QAG	48.5020	117.1730	23.4	656.9	350	55951.	1723	1.4	2.4	8.3	1.7	0.3	6.0	31	0.2
53330	0	0	0	0	QAG	48.5020	117.1724	23.4	656.8	345	55952.	1675	1.0	3.0	8.2	2.9	0.4	7.8	46	0.2
53331	0	0	0	0	QAG	48.5020	117.1718	23.4	656.6	335	55954.	1713	1.4	1.7	6.7	1.2	0.3	4.8	44	0.2
53332	0	0	0	0	QAG	48.5020	117.1711	23.4	656.4	324	55955.	1635	1.2	2.7	5.4	2.2	0.5	4.4	49	0.2
53333	0	0	0	0	KG	48.5020	117.1705	23.4	656.3	315	55957.	1668	1.5	2.5	6.6	1.7	0.4	4.3	35	0.1
53334	0	0	0	0	KG	48.5020	117.1698	23.3	656.1	312	55957.	1655	1.3	2.8	6.2	2.2	0.5	4.8	32	0.1
53335	0	0	0	0	KG	48.5020	117.1692	23.3	655.9	313	55955.	1627	1.3	3.8	7.4	2.9	0.5	5.8	38	0.1
53336	0	0	0	0	KG	48.5020	117.1685	23.3	655.7	319	55952.	1660	1.5	3.6	5.7	2.4	0.6	3.8	38	0.1
53337	0	0	0	0	KG	48.5020	117.1679	23.3	655.6	327	55946.	1623	1.3	3.6	7.4	2.8	0.5	5.9	46	0.1
53338	0	0	0	0	KG	48.5020	117.1673	23.3	655.4	336	55940.	1611	1.3	2.1	6.1	1.6	0.3	4.6	38	0.1
53339	0	0	0	0	KG	48.5020	117.1666	23.3	655.2	344	55932.	1717	1.1	3.2	10.9	2.8	0.3	9.6	42	0.1
53340	0	0	0	0	KG	48.5020	117.1660	23.3	655.1	354	55921.	1680	1.1	2.6	7.7	2.4	0.3	7.3	34	0.1
53341	0	0	0	0	KG	48.5020	117.1653	23.3	654.9	366	55910.	1652	1.4	2.8	6.0	1.9	0.5	4.2	42	0.2
53342	0	0	0	0	KG	48.5020	117.1647	23.3	654.6	385	55902.	1659	1.3	2.5	7.8	1.9	0.3	5.8	43	0.2
53343	0	0	0	0	QAG	48.5020	117.1641	23.3	654.4	398	55894.	1724	1.3	2.1	9.3	1.6	0.2	6.9	31	0.2
53344	0	0	0	0	QAG	48.5020	117.1634	23.3	654.2	407	55888.	1671	1.4	2.9	5.2	2.1	0.6	3.7	50	0.2
53345	0	0	0	0	QAG	48.5020	117.1628	23.3	654.0	409	55885.	1705	1.5	2.2	9.2	1.4	0.2	6.0	39	0.2
53346	0	0	0	0	QAG	48.5020	117.1621	23.3	653.7	414	55882.	1824	1.4	2.2	8.8	1.5	0.3	6.1	34	0.2
53347	0	0	0	0	QAG	48.5020	117.1615	23.3	653.5	418	55882.	1721	1.2	2.8	7.0	2.3	0.4	5.8	41	0.2
53348	0	0	0	0	QAG	48.5020	117.1608	23.3	653.2	418	55884.	1780	1.7	1.4	10.8	0.8	0.1	6.2	47	0.2
53349	0	0	0	0	QAG	48.5020	117.1602	23.3	652.9	413	55886.	1805	1.4	2.1	10.7	1.5	0.2	7.6	26	0.2
53350	0	0	0	0	QAG	48.5020	117.1596	23.3	652.7	402	55890.	1729	1.5	2.9	8.1	2.0	0.4	5.6	34	0.2
53351	0	0	0	0	QAG	48.5020	117.1589	23.3	652.4	390	55893.	1758	1.5	3.2	6.6	2.2	0.5	4.6	35	0.2
53352	0	0	0	0	QAG	48.5020	117.1583	23.3	652.1	378	55895.	1670	1.4	2.9	6.6	2.1	0.4	4.8	43	0.2
53353	0	0	0	0	QAG	48.5020	117.1576	23.3	651.8	369	55896.	1745	1.4	1.7	8.5	1.2	0.2	6.0	32	0.2
53354	0	0	0	0	QAG	48.5020	117.1570	23.2	651.5	367	55894.	1585	1.3	1.9	7.8	1.4	0.2	6.0	34	0.2
53355	0	0	0	0	QAG	48.5020	117.1564	23.2	651.2	374	55890.	1582	1.3	1.7	5.7	1.3	0.3	4.3	41	0.2
53356	0	0	0	0	QAG	48.5020	117.1557	23.2	650.9	387	55884.	1517	1.1	2.9	6.5	2.5	0.4	5.7	38	0.1
53357	0	0	0	0	QAG	48.5020	117.1551	23.2	650.6	404	55878.	1620	1.1	1.7	7.0	1.5	0.2	6.3	41	0.1
53358	0	0	0	0	KG	48.5020	117.1544	23.2	650.4	420	55874.	1671	1.1	3.4	8.8	3.0	0.4	7.9	36	0.1
53359	0	0	0	0	KG	48.5020	117.1538	23.2	650.1	437	55876.	1619	1.1	3.0	8.9	2.8	0.3	8.5	45	0.1
53360	0	0	0	0	KG	48.5020	117.1532	23.2	649.8	452	55881.	1662	1.4	1.7	9.3	1.2	0.2	6.5	48	0.1
53361	0	0	1	0	KG	48.5020	117.1525	23.2	649.6	458	55891.	1702	1.4	0.8	11.4	0.6	0.1	8.3	35	0.1
53362	0	0	0	0	KG	48.5020	117.1519	23.2	649.3	456	55902.	1796	1.1	3.0	7.6	2.8	0.4	7.3	36	0.1
53363	0	0	0	0	KG	48.5020	117.1512	23.2	649.0	445	55913.	1731	1.4	1.4	9.9	1.0	0.1	7.1	39	0.1
53364	0	0	0	0	KG	48.5020	117.1506	23.1	648.7	434	55920.	1815	1.2	2.1	7.9	1.7	0.3	6.7	35	0.1
53365	0	0	1	0	KG	48.5020	117.1499	23.1	648.4	423	55923.	1806	1.8	0.9	9.0	0.5	0.1	5.1	40	0.1
53366	0	0	0	0	KG	48.5020	117.1493	23.1	648.2	409	55920.	1777	1.4	2.4	8.9	1.7	0.3	6.2	40	0.1
53367	0	0	0	0	KG	48.5020	117.1487	23.1	647.9	404	55911.	1798	1.1	3.7	8.0	3.5	0.5	7.6	36	0.1
53368	0	0	0	0	KG	48.5020	117.1480	23.1	647.6	416	55897.	1777	1.4	1.9	8.9	1.3	0.2	6.2	46	0.1
53369	0	0	0	0	KG	48.5020	117.1474	23.1	647.3	448	55881.	1840	1.6	2.4	10.0	1.5	0.2	6.2	32	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

H 1

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 35

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53370	0	0	0	0	KG	48.5020	117.1467	23.1	647.0	489	55864.	1860	1.5	2.0	10.7	1.4	0.2	7.4	44	0.1
53371	0	0	0	0	KG	48.5020	117.1461	23.0	646.6	522	55848.	1939	1.5	3.8	7.7	2.5	0.5	5.0	35	0.1
53372	0	0	0	0	KG	48.5020	117.1455	23.0	646.3	548	55835.	1886	1.5	2.4	11.0	1.6	0.2	7.2	45	0.1
53373	0	0	0	0	KG	48.5020	117.1448	23.0	645.9	568	55823.	1799	1.1	4.0	6.7	3.8	0.6	6.4	44	0.1
53374	0	0	0	0	KG	48.5020	117.1442	23.0	645.5	591	55813.	1930	1.7	2.6	10.2	1.5	0.3	6.1	41	0.1
53375	0	0	0	0	KG	48.5020	117.1436	23.0	645.2	606	55804.	2138	1.6	5.4	10.8	3.4	0.5	6.8	35	0.1
53376	0	0	0	0	KG	48.5020	117.1429	22.9	644.8	607	55796.	1993	1.7	3.9	5.0	2.3	0.8	2.9	52	0.1
53377	0	0	0	0	KG	48.5020	117.1423	22.9	644.4	598	55789.	1998	1.9	2.6	10.2	1.3	0.3	5.3	30	0.1
53378	0	0	0	0	QAG	48.5020	117.1417	22.9	644.0	579	55783.	1902	1.5	3.3	6.5	2.1	0.5	4.2	34	0.1
53379	0	0	0	0	QAG	48.5020	117.1410	22.9	643.6	561	55778.	1835	1.6	3.5	7.1	2.2	0.5	4.6	43	0.1
53380	0	0	0	0	QAG	48.5020	117.1404	22.8	643.2	538	55774.	1794	1.1	3.6	7.5	3.2	0.5	6.6	31	0.1
53381	0	0	0	0	QAG	48.5021	117.1398	22.8	642.8	524	55770.	1707	1.3	3.7	5.7	2.9	0.7	4.4	37	0.1
53382	0	0	0	0	QAG	48.5021	117.1391	22.8	642.4	511	55768.	1642	1.0	4.1	4.9	4.1	0.8	4.8	47	0.1
53383	0	0	0	0	QAG	48.5021	117.1385	22.8	641.9	502	55765.	1622	1.1	4.1	5.6	3.6	0.7	4.9	37	0.1
53384	0	0	0	0	KG	48.5021	117.1379	22.7	641.5	499	55762.	1649	1.3	1.9	8.8	1.5	0.2	7.0	44	0.1
53385	0	0	1	0	KG	48.5021	117.1372	22.7	641.0	502	55759.	1644	1.3	1.1	7.5	0.9	0.2	5.7	34	0.1
53386	0	0	0	0	KG	48.5021	117.1366	22.7	640.6	514	55755.	1610	0.9	4.8	5.7	5.1	0.8	6.1	42	0.1
53387	0	0	0	0	KG	48.5021	117.1359	22.7	640.1	533	55752.	1696	1.0	2.7	9.4	2.6	0.3	9.2	30	0.1
53388	0	0	0	0	KG	48.5021	117.1353	22.6	639.6	554	55749.	1714	1.6	2.4	10.9	1.5	0.2	6.9	47	0.1
53389	0	0	0	0	KG	48.5021	117.1347	22.6	639.2	570	55747.	1714	1.6	1.6	8.3	1.0	0.2	5.3	54	0.1
53390	0	0	0	0	KG	48.5021	117.1341	22.6	638.7	574	55746.	1825	1.3	2.9	7.8	2.2	0.4	6.1	41	0.1
53391	0	0	0	0	KG	48.5021	117.1336	22.5	638.2	570	55746.	1838	1.0	5.7	7.9	5.9	0.7	8.1	47	0.1
53392	0	0	0	0	KG	48.5021	117.1331	22.5	637.7	561	55746.	1846	1.7	2.7	11.2	1.5	0.2	6.5	45	0.1
53394	0	0	0	0	KG	48.5020	117.1320	22.5	637.2	549	55747.	1866	1.5	3.2	7.1	2.1	0.5	4.6	48	0.1
53395	0	0	0	0	KG	48.5020	117.1315	22.4	636.6	537	55746.	1899	1.5	3.6	7.7	2.3	0.5	5.0	34	0.1
53396	0	0	0	0	KG	48.5020	117.1309	22.4	636.1	525	55746.	1947	1.9	4.0	4.4	2.2	0.9	2.4	40	0.1
53397	0	0	0	0	KG	48.5020	117.1304	22.4	635.5	511	55748.	1801	1.8	3.3	7.6	1.9	0.4	4.3	51	0.1
53398	0	0	0	0	KG	48.5020	117.1299	22.3	634.9	496	55751.	1699	1.3	2.4	7.0	1.9	0.3	5.6	52	0.2
53399	0	0	1	0	KG	48.5020	117.1293	22.3	634.4	482	55756.	1675	1.3	1.3	7.4	1.0	0.2	5.7	50	0.2
53400	0	0	0	0	KG	48.5020	117.1288	22.3	633.8	472	55763.	1778	1.3	3.6	9.0	2.7	0.4	7.0	32	0.2
53401	0	0	1	0	KG	48.5019	117.1282	22.2	633.2	457	55769.	1610	1.3	1.4	9.5	1.1	0.2	7.5	49	0.2
53402	0	0	0	0	KG	48.5019	117.1277	22.2	632.6	436	55776.	1674	1.1	2.5	8.6	2.3	0.3	7.8	36	0.2
53403	0	0	0	0	KG	48.5019	117.1272	22.2	632.1	414	55784.	1572	1.1	2.9	5.2	2.6	0.6	4.6	45	0.2
53404	0	0	0	0	KG	48.5019	117.1266	22.1	631.4	397	55790.	1554	1.1	1.5	5.9	1.4	0.3	5.5	50	0.2
53405	0	0	0	0	KG	48.5019	117.1261	22.1	630.8	386	55795.	1489	1.4	2.5	4.5	1.8	0.5	3.3	51	0.2
53406	0	0	0	0	KG	48.5019	117.1256	22.1	630.2	378	55799.	1583	1.3	2.2	6.6	1.7	0.3	4.9	41	0.2
53407	0	0	0	0	KG	48.5018	117.1250	22.0	629.6	373	55800.	1582	1.3	1.5	6.2	1.1	0.2	4.7	45	0.2
53408	0	0	0	0	KG	48.5018	117.1245	22.0	629.0	367	55799.	1620	0.9	3.0	7.2	3.4	0.4	8.0	63	0.2
53409	0	0	0	0	KG	48.5018	117.1239	22.0	628.5	361	55798.	1690	1.2	2.7	7.0	2.2	0.4	5.8	34	0.2
53410	0	0	0	0	KG	48.5018	117.1234	22.0	628.0	352	55797.	1769	1.3	2.4	8.3	1.8	0.3	6.4	33	0.2
53411	0	0	0	0	KG	48.5018	117.1229	21.9	627.4	346	55798.	1714	1.3	1.4	8.8	1.0	0.2	6.5	53	0.2
53412	0	0	0	0	KG	48.5018	117.1223	21.9	626.9	345	55803.	1598	1.2	3.2	7.1	2.7	0.4	6.1	50	0.2
53413	0	0	0	0	KG	48.5018	117.1218	21.9	626.4	348	55811.	1752	1.2	3.4	8.9	2.9	0.4	7.8	42	0.2
53414	0	0	0	0	KG	48.5018	117.1213	21.8	625.9	350	55822.	1752	1.3	2.2	9.0	1.7	0.2	7.0	52	0.2
53415	0	0	0	0	KG	48.5017	117.1207	21.8	625.5	347	55835.	1731	1.2	2.1	9.5	1.8	0.2	7.9	43	0.2
53416	0	0	0	0	KG	48.5017	117.1202	21.8	625.1	339	55849.	1590	1.2	2.5	5.0	2.1	0.5	4.1	48	0.2
53417	0	0	0	0	KG	48.5017	117.1196	21.8	624.7	330	55865.	1581	1.1	1.3	8.4	1.1	0.1	7.5	48	0.2
53418	0	0	0	0	KG	48.5017	117.1191	21.7	624.4	319	55879.	1488	1.1	2.4	5.5	2.2	0.4	5.0	49	0.2
53419	0	0	0	0	KG	48.5017	117.1186	21.7	624.1	307	55891.	1566	1.2	2.4	4.2	1.9	0.6	3.4	51	0.1
53420	0	0	0	0	KG	48.5017	117.1180	21.7	623.8	296	55900.	1441	1.1	2.0	6.7	1.8	0.3	6.1	44	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 35

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53421	0	0	0	0	KG	48.5017	117.1175	21.7	623.6	288	55904.	1566	1.0	3.1	6.9	3.0	0.5	6.8	47	0.1
53422	0	0	0	0	KG	48.5016	117.1170	21.7	623.4	285	55905.	1581	1.3	2.3	6.8	1.8	0.3	5.3	49	0.1
53423	0	0	0	0	KG	48.5016	117.1164	21.6	623.2	291	55902.	1650	1.3	3.3	7.0	2.5	0.5	5.4	47	0.1
53424	0	0	0	0	KG	48.5016	117.1159	21.6	623.1	302	55897.	1690	1.4	2.2	8.7	1.6	0.3	6.3	52	0.1
53425	0	0	0	0	KG	48.5016	117.1153	21.6	623.1	317	55890.	1874	1.5	2.9	8.7	2.0	0.3	6.0	57	0.1
53426	0	0	0	0	KG	48.5016	117.1148	21.6	623.1	336	55882.	1970	1.5	4.1	7.7	2.7	0.5	5.0	60	0.1
53427	0	0	0	0	KG	48.5016	117.1143	21.6	623.1	359	55875.	1997	1.8	3.5	7.2	1.9	0.5	4.0	50	0.1
53428	0	0	0	0	KG	48.5016	117.1137	21.5	623.2	377	55868.	2065	1.7	3.3	9.8	1.9	0.3	5.6	45	0.1
53429	0	0	0	0	KG	48.5015	117.1132	21.5	623.3	384	55860.	2055	2.0	2.0	8.4	1.0	0.2	4.2	51	0.1
53430	0	0	0	0	KG	48.5015	117.1127	21.5	623.5	379	55849.	2055	1.6	2.5	10.8	1.6	0.2	6.8	46	0.1
53431	0	0	0	0	KG	48.5015	117.1121	21.5	623.7	377	55834.	1951	1.5	2.9	7.9	1.9	0.4	5.2	50	0.1
53432	0	0	0	0	KG	48.5015	117.1116	21.5	623.9	375	55815.	1929	1.5	3.2	11.1	2.1	0.3	7.2	36	0.1
53433	0	0	0	0	KG	48.5015	117.1111	21.5	624.2	379	55794.	1807	1.5	3.6	7.0	2.3	0.5	4.5	54	0.1
53434	0	0	0	0	KG	48.5015	117.1105	21.5	624.5	390	55772.	1824	1.8	3.8	6.8	2.2	0.6	3.8	58	0.1
53435	0	0	0	0	KG	48.5015	117.1100	21.5	624.9	408	55753.	1938	1.4	4.3	9.6	3.1	0.5	6.8	45	0.1
53436	0	0	0	0	KG	48.5014	117.1094	21.5	625.2	429	55737.	1950	1.5	4.3	5.6	2.8	0.8	3.7	38	0.1
53437	0	0	0	0	KG	48.5014	117.1089	21.5	625.6	453	55725.	1811	1.6	2.8	9.4	1.7	0.3	5.8	51	0.1
53438	0	0	0	0	KG	48.5014	117.1084	21.5	626.0	474	55716.	1859	1.3	3.8	8.3	2.9	0.5	6.3	47	0.1
53439	0	0	0	0	KG	48.5014	117.1078	21.5	626.3	493	55711.	1833	1.1	4.1	8.0	3.6	0.5	7.0	43	0.1
53440	0	0	1	0	KG	48.5014	117.1073	21.5	626.8	505	55707.	1913	1.5	1.2	11.2	0.8	0.1	7.5	39	0.1
53441	0	0	0	0	KG	48.5014	117.1068	21.5	627.2	520	55705.	1926	1.1	4.6	5.9	4.3	0.8	5.4	36	0.1
53442	0	0	0	0	KG	48.5014	117.1062	21.5	627.6	543	55704.	1885	1.6	3.7	5.7	2.3	0.6	3.6	49	0.1
53443	0	0	0	0	KG	48.5013	117.1057	21.5	628.0	564	55702.	1792	1.2	5.3	5.1	4.3	1.0	4.2	53	0.1
53444	0	0	0	0	KG	48.5013	117.1051	21.5	628.5	575	55698.	1879	1.3	2.8	8.8	2.1	0.3	6.6	39	0.1
53445	0	0	0	0	KG	48.5013	117.1046	21.5	628.9	578	55693.	1961	1.7	3.9	9.9	2.2	0.4	5.7	44	0.1
53446	0	0	0	0	KG	48.5013	117.1041	21.5	629.4	586	55686.	1761	1.3	3.2	7.8	2.5	0.4	6.2	45	0.1
53447	0	0	0	0	KG	48.5013	117.1035	21.5	629.8	600	55679.	1733	1.4	3.2	7.7	2.2	0.4	5.4	42	0.1
53448	0	0	0	0	KG	48.5013	117.1030	21.5	630.3	620	55673.	1784	1.2	4.6	7.7	3.9	0.6	6.6	52	0.1
53449	0	0	0	0	KG	48.5013	117.1025	21.5	630.8	644	55665.	1883	1.6	4.1	9.9	2.5	0.4	6.0	41	0.1
53450	0	0	0	0	KG	48.5013	117.1019	21.5	631.2	662	55657.	1935	1.4	5.7	7.4	4.1	0.8	5.4	39	0.1
53451	0	0	0	0	KG	48.5012	117.1014	21.5	631.6	669	55649.	1816	1.1	4.5	9.2	4.2	0.5	8.6	53	0.1
53452	0	0	0	0	KG	48.5012	117.1008	21.5	632.1	664	55643.	1963	1.5	4.5	9.9	3.0	0.4	6.8	37	0.1
53453	0	0	0	0	KG	48.5012	117.1001	21.5	632.6	662	55638.	1894	0.9	6.3	6.8	7.2	0.9	7.7	35	0.1
53454	0	0	0	0	KG	48.5012	117.0995	21.5	633.0	663	55634.	1853	1.6	5.7	7.0	3.5	0.8	4.4	47	0.1
53455	0	0	0	0	KG	48.5012	117.0989	21.5	633.5	661	55631.	1854	1.7	3.2	10.0	1.9	0.3	6.0	44	0.1
53456	0	0	0	0	KG	48.5012	117.0982	21.5	634.0	648	55628.	2027	1.3	5.4	7.8	4.1	0.7	5.8	34	0.1
53457	0	0	0	0	KG	48.5012	117.0976	21.6	634.6	624	55627.	1960	1.7	3.9	8.5	2.2	0.5	4.9	37	0.1
53458	0	0	0	0	KG	48.5011	117.0970	21.6	635.1	592	55627.	1888	1.2	5.0	6.3	4.1	0.8	5.2	41	0.1
53459	0	0	0	0	KG	48.5011	117.0964	21.6	635.6	562	55625.	1830	1.3	5.2	5.2	4.0	1.0	4.0	33	0.1
53460	0	0	0	0	KG	48.5011	117.0957	21.6	636.1	540	55622.	1749	1.3	3.2	8.7	2.5	0.4	6.7	44	0.1
53461	0	0	0	0	KG	48.5011	117.0951	21.6	636.7	529	55616.	1652	1.2	3.4	6.6	2.9	0.5	5.6	41	0.1
53462	0	0	0	0	KG	48.5011	117.0945	21.6	637.3	525	55609.	1752	1.2	4.7	8.5	3.8	0.6	6.9	42	0.1
53463	0	0	0	0	KG	48.5011	117.0938	21.6	637.8	515	55599.	1694	1.4	3.6	7.8	2.6	0.5	5.6	36	0.1
53464	0	0	0	0	KG	48.5011	117.0932	21.7	638.5	499	55589.	1680	1.4	4.2	4.3	3.4	1.1	3.2	52	0.1
53465	0	0	0	0	KG	48.5011	117.0926	21.7	639.1	480	55577.	1674	1.2	7.9	5.0	4.0	1.0	4.0	48	0.1
53466	0	0	0	0	KG	48.5010	117.0919	21.7	639.8	470	55564.	1721	1.4	3.6	6.7	2.6	0.5	4.9	39	0.1
53467	0	0	0	0	KG	48.5010	117.0913	21.7	640.4	469	55550.	1697	1.2	5.0	4.0	4.2	1.3	3.4	44	0.1
53468	0	0	0	0	KG	48.5010	117.0907	21.7	641.0	475	55535.	1829	1.3	3.5	7.7	2.6	0.5	5.8	40	0.1
53469	0	0	0	0	KG	48.5010	117.0901	21.7	641.7	482	55522.	1737	1.1	4.8	7.8	4.3	0.6	7.0	44	0.1
53470	0	0	0	0	KG	48.5010	117.0894	21.8	642.3	493	55509.	1737	1.3	1.9	9.2	1.4	0.2	6.9	35	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

J 1

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 35

K 1

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53471	0	0	0	0	KG	48.5010	117.0888	21.8	643.0	503	55498.	1817	1.3	5.2	5.2	4.0	1.0	4.0	33	0.1
53472	0	0	0	0	KG	48.5010	117.0882	21.8	643.6	510	55489.	1862	1.5	4.4	5.1	3.0	0.9	3.5	41	0.1
53473	0	0	0	0	KG	48.5009	117.0876	21.8	644.3	516	55482.	1901	1.2	3.6	9.2	3.0	0.4	7.6	45	0.1
53474	0	0	0	0	KG	48.5009	117.0869	21.9	644.9	524	55478.	1859	1.5	4.5	7.8	3.0	0.6	5.3	42	0.1
53475	0	0	0	0	KG	48.5009	117.0863	21.9	645.6	532	55475.	1825	0.8	4.7	4.4	5.9	1.1	5.5	43	0.1
53476	0	0	0	0	KG	48.5009	117.0857	21.9	646.2	537	55474.	2039	1.2	3.8	10.7	3.2	0.4	9.2	37	0.1
53477	0	0	0	0	KG	48.5009	117.0850	21.9	646.9	534	55475.	2120	1.3	5.5	8.5	4.2	0.7	6.5	30	0.1
53478	0	0	0	0	KG	48.5009	117.0844	22.0	647.5	531	55475.	2065	1.5	4.5	8.4	3.1	0.6	5.6	54	0.1
53479	0	0	0	0	KG	48.5009	117.0838	22.0	648.2	530	55477.	2104	1.4	3.8	8.0	2.7	0.5	5.7	37	0.1
53480	0	0	0	0	KG	48.5009	117.0832	22.0	648.8	535	55480.	2106	1.4	4.3	11.4	3.0	0.4	8.0	24	0.1
53481	0	0	0	0	KG	48.5008	117.0825	22.1	649.5	540	55485.	2080	1.2	6.3	9.8	5.1	0.6	7.9	38	0.1
53482	0	0	0	0	KG	48.5008	117.0819	22.1	650.2	541	55491.	2094	1.4	3.4	12.3	2.5	0.3	9.0	34	0.1
53483	0	0	0	0	KG	48.5008	117.0813	22.1	650.8	536	55498.	2143	1.4	5.1	10.4	3.8	0.5	7.6	41	0.1
53485	0	0	0	0	KG	48.5008	117.0800	22.1	651.5	523	55505.	2089	1.4	4.4	9.3	3.3	0.5	6.9	46	0.1
53486	0	0	0	0	KG	48.5008	117.0794	22.2	652.2	501	55512.	2016	1.3	4.2	6.3	3.2	0.7	4.7	41	0.1
53487	0	0	0	0	KG	48.5008	117.0788	22.2	652.9	476	55517.	1858	1.2	4.9	6.1	4.0	0.8	5.0	39	0.1
53488	0	0	0	0	KG	48.5007	117.0781	22.2	653.6	456	55521.	1755	1.1	4.1	6.9	3.8	0.6	6.3	44	0.1
53489	0	0	0	0	KG	48.5007	117.0775	22.3	654.3	448	55523.	1668	1.1	3.1	6.4	2.8	0.5	5.7	54	0.1
53490	0	0	0	0	KG	48.5007	117.0769	22.3	655.0	448	55524.	1656	1.2	3.5	6.6	3.0	0.5	5.7	41	0.1
53491	0	0	0	0	KG	48.5007	117.0762	22.3	655.7	457	55525.	1789	1.2	4.9	7.0	4.1	0.7	5.9	41	0.1
53492	0	0	0	0	KG	48.5007	117.0756	22.4	656.4	468	55526.	1926	1.2	5.2	6.8	4.4	0.8	5.8	32	0.1
53493	0	0	0	0	KG	48.5007	117.0750	22.4	657.0	483	55527.	1851	1.2	2.9	7.7	2.5	0.4	6.6	45	0.1
53494	0	0	0	0	KG	48.5007	117.0744	22.4	657.7	504	55529.	1830	1.0	3.3	9.5	3.3	0.4	9.4	26	0.1
53495	0	0	0	0	KG	48.5007	117.0737	22.5	658.3	532	5553.	2023	1.5	3.7	8.0	2.4	0.5	5.2	38	0.1
53496	0	0	0	0	KG	48.5006	117.0731	22.5	658.9	563	55540.	2052	1.5	2.9	11.3	1.9	0.3	7.7	36	0.1
53497	0	0	0	0	KG	48.5006	117.0725	22.5	659.5	597	55549.	2289	1.7	2.6	11.6	1.6	0.2	7.1	31	0.1
53498	0	0	0	0	KG	48.5006	117.0718	22.6	660.1	631	55559.	2254	1.9	2.8	8.1	1.5	0.3	4.2	44	0.1
53499	0	0	0	0	KG	48.5006	117.0712	22.6	660.7	656	55570.	2372	2.3	4.0	11.2	1.7	0.4	4.9	41	0.1
53500	0	0	0	0	KG	48.5006	117.0706	22.6	661.2	670	55584.	2379	1.7	5.4	8.6	3.2	0.6	5.2	34	0.1
53501	0	0	0	0	KG	48.5006	117.0699	22.6	661.7	669	55598.	2470	1.5	6.0	10.4	3.9	0.6	6.8	31	0.1
53502	0	0	0	0	KG	48.5006	117.0693	22.6	662.1	654	55614.	2596	1.7	7.3	8.9	4.2	0.8	5.1	37	0.1
53503	0	0	0	0	KG	48.5005	117.0687	22.7	662.7	620	55632.	2325	1.4	5.7	10.1	4.0	0.6	7.1	41	0.1
53504	0	0	0	0	KG	48.5005	117.0681	22.7	663.1	579	55652.	2289	1.8	6.1	6.6	3.4	0.9	3.6	37	0.1
53505	0	0	0	0	KG	48.5005	117.0674	22.7	663.5	526	55675.	2365	1.5	7.4	6.4	5.1	1.1	4.4	25	0.1
53506	0	0	0	0	KG	48.5005	117.0668	22.8	664.0	471	55698.	2386	1.7	4.5	11.3	2.7	0.4	6.8	23	0.1
53507	0	0	0	0	KG	48.5005	117.0662	22.8	664.4	406	55718.	2151	1.9	3.8	9.0	2.0	0.4	4.7	37	0.1
53508	0	0	0	0	KG	48.5005	117.0656	22.8	664.8	366	55732.	2040	1.5	4.0	8.0	2.7	0.5	5.4	39	0.1
53509	0	0	0	0	KG	48.5005	117.0649	22.9	665.2	341	55739.	2053	1.9	3.5	7.8	1.9	0.4	4.1	45	0.1
53510	0	0	0	0	KG	48.5005	117.0643	22.9	665.6	340	55740.	2034	1.8	4.2	6.7	2.3	0.6	3.6	29	0.1
53511	0	0	0	0	KG	48.5004	117.0637	22.9	665.9	341	55735.	1963	1.4	3.7	11.3	2.6	0.3	8.1	45	0.1
53512	0	0	0	0	KG	48.5004	117.0630	23.0	666.3	347	55727.	1880	1.3	4.3	8.0	3.2	0.5	6.1	41	0.1
53513	0	0	0	0	KG	48.5004	117.0624	23.0	666.6	355	55717.	1882	1.7	1.7	12.2	1.0	0.1	7.0	37	0.1
53514	0	0	0	0	KG	48.5004	117.0618	23.0	666.9	362	55705.	1859	1.2	3.2	8.3	2.6	0.4	6.7	36	0.1
53515	0	0	0	0	KG	48.5004	117.0611	23.0	667.2	372	55696.	1807	1.6	3.0	8.6	1.9	0.3	5.5	50	0.1
53516	0	0	0	0	KG	48.5004	117.0605	23.1	667.4	374	55688.	1852	1.1	4.3	7.4	4.1	0.6	7.0	41	0.1
53517	0	0	0	0	KG	48.5004	117.0599	23.1	667.6	372	55680.	1847	1.3	3.8	8.7	3.0	0.4	7.0	48	0.1
53518	0	0	0	0	KG	48.5004	117.0593	23.1	667.7	371	55674.	1850	1.3	2.9	9.8	2.2	0.3	7.5	29	0.1
53519	0	0	0	0	KG	48.5003	117.0586	23.1	667.9	384	55668.	1926	1.4	4.1	7.9	2.9	0.5	5.6	31	0.1
53520	0	0	0	0	KG	48.5003	117.0580	23.2	667.9	416	55663.	1946	1.5	3.6	7.6	2.4	0.5	5.1	40	0.1
53521	0	0	0	0	KG	48.5003	117.0574	23.2	668.0	459	55658.	2203	1.5	4.3	10.8	3.0	0.4	7.4	41	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 35

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53522	0	0	0	0	KG	48.5003	117.0567	23.2	668.0	501	55654.	2372	1.5	4.7	10.6	3.2	0.4	7.1	33	0.1
53523	0	0	0	0	KG	48.5003	117.0561	23.2	667.9	531	55653.	2578	1.4	6.6	12.6	4.6	0.5	8.9	41	0.1
53524	0	0	0	0	KG	48.5003	117.0555	23.3	667.9	548	55654.	2728	1.6	6.3	13.4	3.9	0.5	8.2	28	0.1
53525	0	0	0	0	QAG	48.5003	117.0549	23.3	667.8	558	55658.	2821	1.7	5.0	18.9	2.9	0.3	10.9	22	0.1
53526	0	0	0	0	QAG	48.5003	117.0543	23.3	667.7	560	55666.	2865	2.4	4.3	13.9	1.8	0.3	5.9	46	0.1
53527	0	0	0	0	QAG	48.5003	117.0537	23.3	667.6	545	55675.	2767	2.0	5.5	11.5	2.7	0.5	5.6	30	0.1
53528	0	0	0	0	QAG	48.5003	117.0532	23.3	667.5	518	55687.	2558	1.5	6.4	13.3	4.4	0.5	9.2	31	0.1
53529	0	0	0	0	QAG	48.5002	117.0526	23.4	667.4	495	55701.	2419	2.1	5.3	12.9	2.5	0.4	6.1	22	0.1
53530	0	0	0	0	QAG	48.5002	117.0520	23.4	667.2	479	55716.	2411	1.7	4.7	12.1	2.7	0.4	7.1	35	0.1
53531	0	0	0	0	KG	48.5002	117.0514	23.4	667.1	463	55732.	2260	1.9	3.9	9.6	2.1	0.4	5.1	32	0.1
53532	0	0	0	0	KG	48.5002	117.0508	23.4	667.0	433	55749.	2189	1.8	3.6	11.6	2.0	0.3	6.5	35	0.1
53533	0	0	0	0	KG	48.5002	117.0502	23.4	666.9	398	55764.	2103	1.6	1.6	12.2	1.0	0.1	7.7	34	0.1
53534	0	0	0	0	KG	48.5002	117.0497	23.4	666.8	368	55774.	2044	1.4	4.7	8.6	3.4	0.5	6.2	29	0.1
53535	0	0	0	0	KG	48.5002	117.0491	23.4	666.7	361	55780.	1905	1.4	5.2	7.7	3.8	0.7	5.7	37	0.1
53536	0	0	0	0	KG	48.5002	117.0485	23.5	666.6	376	55780.	1835	1.1	4.6	7.2	4.1	0.6	6.4	39	0.1
53537	0	0	0	0	KG	48.5002	117.0479	23.5	666.5	402	55778.	1907	1.2	3.3	11.7	2.7	0.3	9.7	35	0.1
53538	0	0	0	0	KG	48.5002	117.0473	23.5	666.4	434	55774.	1886	1.7	3.6	6.5	2.1	0.6	3.8	30	0.1
53539	0	0	0	0	KG	48.5002	117.0467	23.5	666.3	465	55773.	1936	1.7	3.4	7.7	2.0	0.4	4.5	37	0.1
53540	0	0	0	0	KG	48.5002	117.0462	23.5	666.2	481	55774.	2023	1.5	3.8	8.8	2.5	0.4	5.9	52	0.1
53541	0	0	0	0	KG	48.5002	117.0456	23.5	666.1	484	55776.	1879	1.4	3.9	7.9	2.8	0.5	5.7	42	0.1
53542	0	0	0	0	KG	48.5002	117.0450	23.5	666.0	478	55779.	1965	1.4	4.8	8.1	3.4	0.6	5.9	39	0.1
53543	0	0	0	0	KG	48.5002	117.0444	23.5	665.9	481	55779.	1967	1.4	3.1	10.3	2.3	0.3	7.5	41	0.1
53544	0	0	0	0	KG	48.5002	117.0438	23.5	665.8	485	55775.	1997	1.5	4.0	7.6	2.7	0.5	5.1	25	0.1
53545	0	0	0	0	KG	48.5002	117.0432	23.5	665.7	487	55772.	1976	1.3	4.4	9.7	3.4	0.5	7.4	35	0.1
53546	0	0	0	0	KG	48.5002	117.0427	23.5	665.5	482	55768.	1884	1.5	4.5	7.2	3.1	0.6	5.0	36	0.1
53547	0	0	0	0	KG	48.5002	117.0421	23.5	665.4	480	55763.	1863	1.5	5.4	5.1	3.5	1.1	3.3	43	0.1
53548	0	0	0	0	KG	48.5002	117.0415	23.5	665.2	492	55758.	1995	1.0	5.7	9.5	5.6	0.6	9.3	27	0.1
53549	0	0	0	0	KG	48.5002	117.0409	23.5	665.1	517	55754.	2044	1.5	3.6	8.6	2.3	0.4	5.7	33	0.1
53550	0	0	0	0	KG	48.5002	117.0403	23.5	664.9	533	55751.	2040	1.9	3.9	7.8	2.1	0.5	4.1	42	0.1
53551	0	0	0	0	KG	48.5001	117.0397	23.5	664.7	541	55751.	2053	1.5	5.2	7.5	3.6	0.7	5.2	32	0.1
53552	0	0	0	0	KG	48.5001	117.0392	23.5	664.4	542	55753.	2216	1.4	5.2	12.5	3.7	0.4	8.8	28	0.1
53553	0	0	0	0	KG	48.5001	117.0386	23.4	664.1	546	55756.	2213	1.7	4.8	11.7	2.7	0.4	6.7	31	0.1
53554	0	0	0	0	KG	48.5001	117.0380	23.4	663.8	542	55760.	2185	1.6	2.8	9.8	1.8	0.3	6.1	25	0.1
53555	0	0	0	0	KG	48.5001	117.0374	23.4	663.5	536	55765.	2295	1.5	4.6	9.0	3.0	0.5	5.9	36	0.1
53556	0	0	0	0	KG	48.5001	117.0368	23.4	663.2	531	55770.	2150	1.9	3.7	8.7	1.9	0.4	4.5	21	0.1
53557	0	0	0	0	KG	48.5001	117.0362	23.4	662.8	527	55774.	2241	1.5	5.2	11.4	3.6	0.5	7.9	36	0.1
53558	0	0	0	0	KG	48.5001	117.0357	23.3	662.5	520	55779.	2178	1.7	5.0	7.5	2.9	0.7	4.3	41	0.1
53559	0	0	0	0	KG	48.5001	117.0351	23.3	662.1	506	55784.	2285	2.4	3.7	11.0	1.5	0.3	4.6	23	0.1
53560	0	0	0	0	KG	48.5001	117.0345	23.3	661.8	487	55789.	2230	1.8	4.9	9.9	2.7	0.5	5.6	25	0.1
53561	0	0	0	0	KG	48.5001	117.0339	23.3	661.5	464	55794.	2023	1.6	3.4	8.3	2.2	0.4	5.3	47	0.1
53562	0	0	0	0	KG	48.5001	117.0333	23.3	661.1	437	55799.	2044	1.7	3.2	8.3	1.9	0.4	5.0	29	0.1
53563	0	0	0	0	KG	48.5001	117.0327	23.2	660.7	408	55806.	1916	1.5	2.8	8.5	1.9	0.3	5.8	32	0.1
53564	0	0	0	0	KG	48.5001	117.0322	23.2	660.4	379	55815.	1857	1.5	2.5	9.6	1.7	0.3	6.4	38	0.1
53565	0	0	0	0	KG	48.5001	117.0316	23.2	660.1	352	55825.	1783	1.4	3.2	9.1	2.2	0.3	6.5	30	0.1
53566	0	0	0	0	KG	48.5001	117.0310	23.2	659.8	330	55833.	1732	1.3	2.5	9.7	1.8	0.3	7.3	45	0.1
53567	0	0	0	0	KG	48.5001	117.0304	23.2	659.6	321	55839.	1765	1.6	2.9	6.1	1.7	0.5	3.7	30	0.1
53568	0	0	0	0	KG	48.5001	117.0298	23.1	659.3	326	55842.	1711	1.3	4.3	7.5	3.4	0.6	6.0	35	0.1
53569	0	0	0	0	KG	48.5000	117.0292	23.1	659.0	351	55845.	1855	1.6	3.5	6.1	2.2	0.6	3.7	43	0.1
53570	0	0	0	0	KG	48.5000	117.0286	23.1	658.8	387	55846.	1922	1.4	4.3	6.6	3.1	0.7	4.7	38	0.1
53571	0	0	0	0	KG	48.5000	117.0281	23.0	658.5	424	55845.	2053	1.7	3.2	11.5	1.9	0.3	7.0	42	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

L 1

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 35

M 1

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53572	0	0	0	0	KG	48.5000	117.0275	23.0	658.3	448	55843.	2101	1.5	4.0	9.0	2.6	0.4	5.9	34	0.1
53573	0	0	0	0	KG	48.5000	117.0269	23.0	658.1	464	55838.	2054	1.8	4.2	8.5	2.3	0.5	4.6	29	0.1
53574	0	0	0	0	KG	48.5000	117.0263	23.0	657.9	480	55831.	2191	1.9	4.6	8.1	2.4	0.6	4.3	33	0.1
53576	0	0	0	0	KG	48.5000	117.0251	22.9	657.7	508	55825.	2297	1.8	3.3	8.1	1.9	0.4	4.5	22	0.1
53577	0	0	0	0	KG	48.5000	117.0246	22.9	657.5	531	55819.	2260	1.7	3.9	11.7	2.3	0.3	7.0	39	0.1
53578	0	0	0	0	KG	48.5000	117.0240	22.9	657.3	541	55813.	2345	1.7	7.1	7.4	4.1	1.0	4.2	31	0.1
53579	0	0	0	0	KG	48.5000	117.0234	22.8	657.2	523	55808.	2311	1.9	4.0	11.6	2.1	0.3	6.1	32	0.1
53580	0	0	0	0	KG	48.5000	117.0228	22.8	657.0	492	55803.	2247	1.2	5.0	11.3	4.0	0.4	9.1	33	0.1
53581	0	0	0	0	KG	48.5000	117.0222	22.8	656.8	453	55797.	2137	2.0	3.6	8.3	1.9	0.4	4.2	37	0.1
53582	0	0	0	0	KG	48.5000	117.0217	22.7	656.6	414	55788.	2004	1.6	3.2	10.8	2.0	0.3	6.8	41	0.1
53583	0	0	0	0	KG	48.5000	117.0211	22.7	656.5	376	55773.	1878	1.4	3.2	7.8	2.3	0.4	5.6	34	0.1
53584	0	0	0	0	KG	48.5000	117.0205	22.7	656.3	342	55751.	1847	1.3	3.0	9.2	2.3	0.3	7.0	47	0.1
53585	0	0	0	0	KG	48.5000	117.0199	22.6	656.1	320	55728.	1853	1.2	3.8	8.9	3.0	0.4	7.1	41	0.1
53586	0	0	0	0	KG	48.5000	117.0193	22.6	656.0	311	55705.	1707	1.3	2.0	9.0	1.5	0.2	6.7	35	0.1
53587	0	0	0	0	KG	48.5000	117.0187	22.6	655.9	318	55686.	1657	1.0	4.7	6.3	4.9	0.7	6.7	30	0.1
53588	0	0	0	0	KG	48.5000	117.0181	22.5	655.7	346	55672.	1680	1.2	3.3	7.3	2.8	0.4	6.2	41	0.1
53589	0	0	0	0	KG	48.5000	117.0176	22.5	655.6	393	55660.	1815	1.2	1.9	10.5	1.6	0.2	8.9	47	0.1
53590	0	0	0	0	KG	48.5000	117.0170	22.5	655.4	453	55650.	1948	1.0	4.3	8.8	4.2	0.5	8.5	38	0.1
53591	0	0	0	0	KG	48.4999	117.0164	22.4	655.3	496	55643.	1996	1.4	3.6	7.5	2.6	0.5	5.3	25	0.1
53592	0	0	0	0	KG	48.4999	117.0158	22.4	655.2	512	55638.	1867	1.4	3.5	8.4	2.5	0.4	6.0	43	0.1
53593	0	0	0	0	KG	48.4999	117.0152	22.4	655.0	499	55636.	1780	1.7	2.9	7.5	1.7	0.4	4.4	40	0.1
53594	0	0	0	0	KG	48.4999	117.0146	22.3	654.9	479	55635.	1769	1.2	4.9	3.3	4.1	1.5	2.8	50	0.1
53595	0	0	0	0	KG	48.4999	117.0141	22.3	654.8	449	55634.	1691	1.0	3.6	5.0	3.4	0.7	4.8	38	0.1
53596	0	0	0	0	KG	48.4999	117.0135	22.3	654.8	411	55633.	1721	1.2	5.3	5.0	4.3	1.1	4.1	34	0.1
53597	0	0	0	0	KG	48.4999	117.0129	22.3	654.7	368	55633.	1496	1.2	3.1	7.3	2.5	0.4	5.9	34	0.1
53598	0	0	0	0	KG	48.4999	117.0123	22.3	654.7	333	55633.	1594	1.1	3.6	6.4	3.3	0.6	5.9	26	0.1
53599	0	0	0	0	KG	48.4999	117.0117	22.3	654.6	316	55634.	1560	1.4	3.2	5.2	2.3	0.6	3.7	32	0.1
53600	0	0	0	0	KG	48.4999	117.0112	22.3	654.6	320	55635.	1530	1.3	2.3	6.2	1.8	0.4	4.9	39	0.1
53601	0	0	0	0	KG	48.4999	117.0106	22.2	654.5	339	55635.	1656	0.8	3.9	7.9	5.1	0.5	10.5	50	0.1
53602	0	0	0	0	KG	48.4999	117.0100	22.2	654.5	374	55636.	1823	1.0	3.9	7.5	3.9	0.5	7.5	31	0.1
53603	0	0	0	0	KG	48.4999	117.0094	22.2	654.5	414	55636.	1801	1.5	3.5	7.3	2.4	0.5	4.9	39	0.1
53604	0	0	0	0	KG	48.4999	117.0088	22.2	654.6	454	55637.	1912	1.2	2.9	7.0	3.1	0.6	5.6	37	0.1
53605	0	0	0	0	KG	48.4999	117.0082	22.2	654.6	491	55639.	1981	1.7	3.2	6.4	1.9	0.5	3.8	38	0.1
53606	0	0	0	0	KG	48.4999	117.0076	22.2	654.6	543	55640.	2102	1.5	5.3	7.6	3.6	0.7	5.2	37	0.1
53607	0	0	0	0	KG	48.4999	117.0070	22.2	654.6	609	55642.	2134	1.1	6.1	8.4	5.4	0.7	7.4	34	0.1
53608	0	0	0	0	KG	48.4999	117.0065	22.2	654.6	687	55645.	2364	1.4	4.8	11.5	3.5	0.4	8.5	35	0.1
53609	1	0	0	0	KG	48.4999	117.0059	22.2	654.7	766	55648.	2732	1.8	5.0	12.3	2.7	0.4	6.8	41	0.1
53610	1	0	0	0	KG	48.4998	117.0053	22.2	654.7	845	55652.	2942	2.1	8.0	11.8	3.8	0.7	5.6	34	0.1
53611	1	0	0	0	KG	48.4998	117.0047	22.2	654.7	875	55656.	2961	2.6	5.1	15.7	2.0	0.3	6.1	41	0.1
53612	1	0	0	0	KG	48.4998	117.0042	22.1	654.7	863	55659.	3085	2.5	8.6	9.8	3.5	0.9	4.0	32	0.1
53613	1	0	0	0	KG	48.4998	117.0036	22.1	654.7	799	55662.	2824	1.1	10.5	8.8	9.5	1.2	7.9	44	0.1
53614	1	0	0	0	KG	48.4998	117.0030	22.1	654.7	725	55666.	2485	1.7	5.6	7.8	3.4	0.7	4.7	53	0.1
53615	0	0	0	0	KG	48.4998	117.0024	22.1	654.7	642	55670.	2138	1.5	4.3	8.7	2.9	0.5	5.8	46	0.1
53616	0	0	0	0	KG	48.4998	117.0019	22.1	654.7	569	55675.	2092	1.5	4.6	6.5	3.1	0.7	4.4	34	0.1
53617	0	0	0	0	KG	48.4998	117.0013	22.1	654.7	510	55678.	1995	1.2	6.0	6.5	5.1	0.9	5.5	42	0.1
53618	0	0	0	0	KG	48.4998	117.0007	22.1	654.7	455	55681.	1885	1.7	2.9	5.7	1.7	0.5	3.4	53	0.1
53619	0	0	0	0	KG	48.4998	117.0002	22.1	654.7	408	55684.	1778	1.7	2.1	7.7	1.3	0.3	4.6	47	0.1
53620	0	0	0	0	KG	48.4998	116.9996	22.1	654.7	376	55686.	1752	1.4	3.5	5.0	2.4	0.7	3.5	39	0.1
53621	0	0	0	0	KG	48.4998	116.9990	22.1	654.7	365	55688.	1830	1.5	3.3	6.7	2.2	0.5	4.4	51	0.1
53622	0	0	0	0	KG	48.4998	116.9985	22.1	654.7	371	55690.	1872	1.6	3.2	7.4	2.0	0.4	4.7	30	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 101

0 1

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
38352	0	0	0	0	QAG	48.5011	117.2185	17.1	658.8	468	56350.	2065	1.3	4.2	5.7	3.3	0.7	4.5	24	0.2
38351	0	0	0	0	QAG	48.5015	117.2185	17.1	658.8	453	56355.	1912	1.3	2.9	8.5	2.2	0.3	6.6	33	0.1
38350	0	0	0	0	QAG	48.5019	117.2185	17.1	658.7	442	56355.	1977	1.5	3.4	5.8	2.3	0.3	4.0	30	0.1
38349	0	0	0	0	QAG	48.5022	117.2184	17.1	658.7	442	56351.	1867	1.3	2.0	7.9	1.5	0.3	5.9	39	0.1
38348	0	0	0	0	QAG	48.5027	117.2184	17.1	658.6	443	56343.	2016	1.5	4.0	10.7	2.6	0.4	7.0	41	0.1
38347	0	0	0	0	QAG	48.5030	117.2184	17.1	658.5	442	56331.	2131	1.8	3.6	10.3	2.0	0.4	5.7	39	0.1
38346	0	0	0	0	QAG	48.5034	117.2184	17.1	658.5	438	56317.	1993	1.3	3.5	10.3	2.8	0.3	8.2	36	0.1
38345	0	0	0	0	QAG	48.5038	117.2184	17.1	658.3	434	56301.	2049	1.5	2.2	9.9	1.5	0.2	6.8	31	0.1
38344	0	0	0	0	QAG	48.5042	117.2184	17.1	658.2	430	56285.	2162	2.0	4.1	6.5	2.1	0.6	3.3	34	0.1
38343	0	0	0	0	QAG	48.5046	117.2184	17.1	658.0	429	56266.	2153	2.0	2.5	11.7	1.2	0.2	5.8	31	0.1
38342	0	0	0	0	QAG	48.5050	117.2184	17.1	657.8	430	56246.	2058	1.6	4.2	8.0	2.6	0.5	4.9	36	0.1
38341	0	0	0	0	QAG	48.5054	117.2184	17.1	657.7	433	56224.	2195	1.8	2.0	10.3	1.1	0.2	5.7	26	0.1
38340	0	0	0	0	QAG	48.5058	117.2184	17.1	657.5	438	56200.	2043	1.4	5.6	5.8	4.1	1.0	4.2	38	0.2
38339	0	0	0	0	QAG	48.5062	117.2184	17.1	657.3	443	56176.	2158	1.6	2.3	11.7	1.5	0.2	7.4	43	0.2
38338	0	0	0	0	QAG	48.5066	117.2184	17.1	657.1	449	56153.	2204	1.9	2.5	10.3	1.3	0.2	5.5	47	0.2
38337	0	0	0	0	QAG	48.5070	117.2184	17.1	656.9	454	56130.	2383	2.1	2.6	9.2	1.2	0.3	4.3	24	0.2
38336	0	0	0	0	QAG	48.5074	117.2184	17.1	656.7	457	56107.	2374	2.1	3.9	9.1	1.9	0.4	4.4	28	0.2
38335	0	0	0	0	QAG	48.5078	117.2183	17.1	656.5	461	56087.	2390	1.5	6.5	9.6	4.2	0.7	6.3	44	0.1
38334	0	0	0	0	QAG	48.5081	117.2183	17.1	656.3	459	56068.	2463	1.4	5.7	12.2	3.9	0.5	8.4	32	0.1
38333	0	0	0	0	QAG	48.5085	117.2183	17.1	656.1	456	56051.	2389	1.7	3.8	9.2	2.2	0.4	5.4	30	0.1
38332	0	0	0	0	QAG	48.5089	117.2183	17.1	655.9	452	56036.	2343	1.9	4.8	10.3	2.5	0.5	5.3	47	0.1
38331	0	0	0	0	QAG	48.5093	117.2183	17.1	655.8	448	56022.	2299	1.9	4.0	10.9	2.1	0.4	5.6	42	0.1
38330	0	0	0	0	QAG	48.5097	117.2183	17.1	655.6	443	56009.	2229	2.1	3.2	12.6	1.6	0.3	6.1	36	0.1
38329	0	0	0	0	QAG	48.5101	117.2183	17.1	655.4	439	55997.	2197	2.0	2.4	10.0	1.2	0.2	5.0	36	0.1
38328	0	0	0	0	QAG	48.5105	117.2183	17.1	655.2	441	55986.	2081	1.8	3.7	10.3	2.1	0.4	5.8	22	0.1
38327	0	0	0	0	QAG	48.5109	117.2183	17.1	655.0	448	55976.	2098	1.6	3.6	8.9	2.2	0.4	5.5	45	0.1
38326	0	0	0	0	QAG	48.5113	117.2183	17.1	654.8	455	55967.	1988	1.7	3.1	7.4	1.8	0.4	4.2	48	0.1
38325	0	0	0	0	QAG	48.5117	117.2183	17.1	654.6	463	55959.	1961	2.4	2.3	8.1	1.0	0.3	3.4	41	0.1
38324	0	0	0	0	QAG	48.5121	117.2182	17.1	654.4	472	55954.	1908	2.1	3.4	7.1	1.7	0.5	3.4	37	0.1
38323	0	0	0	0	QAG	48.5125	117.2182	17.1	654.2	482	55949.	2038	2.1	4.8	5.2	2.3	0.9	2.5	34	0.1
38322	0	0	0	0	QAG	48.5129	117.2182	17.1	654.0	489	55946.	1873	1.8	3.0	8.4	1.7	0.4	4.7	45	0.1
38321	0	0	0	0	QAG	48.5133	117.2182	17.1	653.8	492	55944.	1967	1.4	5.5	4.4	3.8	1.2	3.1	39	0.1
38320	0	0	0	0	QAG	48.5136	117.2182	17.1	653.6	492	55942.	2030	1.9	3.1	10.0	1.6	0.3	5.3	34	0.1
38319	0	0	0	0	QAG	48.5140	117.2182	17.1	653.3	491	55940.	1962	1.9	4.7	5.9	2.4	0.8	3.1	49	0.1
38318	0	0	0	0	QAG	48.5144	117.2182	17.1	653.1	492	55937.	1910	1.8	4.6	6.9	2.6	0.7	3.9	43	0.1
38317	0	0	0	0	QAG	48.5148	117.2182	17.2	652.9	497	55934.	1946	1.7	3.3	6.1	2.0	0.5	3.6	32	0.1
38316	0	0	0	0	KG	48.5152	117.2182	17.2	652.6	507	55930.	1925	1.9	2.7	6.8	1.4	0.4	3.7	29	0.1
38315	0	0	0	0	KG	48.5156	117.2182	17.2	652.3	518	55925.	1929	1.8	3.3	6.7	1.8	0.5	3.7	34	0.1
38313	0	0	0	0	KG	48.5164	117.2182	17.2	652.0	531	55920.	1932	1.9	3.1	7.3	1.7	0.4	3.9	39	0.1
38312	0	0	0	0	KG	48.5168	117.2182	17.2	651.7	544	55915.	2150	2.0	3.5	10.7	1.7	0.3	5.3	31	0.1
38311	0	0	0	0	KG	48.5172	117.2181	17.2	651.4	552	55910.	2051	2.0	5.1	5.7	2.5	0.9	2.8	35	0.1
38310	0	0	0	0	KG	48.5176	117.2181	17.2	651.1	557	55905.	2101	1.6	5.1	8.8	3.3	0.6	5.7	35	0.1
38309	0	0	0	0	KG	48.5180	117.2181	17.2	650.8	559	55899.	1966	1.7	4.8	6.5	2.9	0.8	3.9	36	0.1
38308	0	0	0	0	KG	48.5184	117.2181	17.2	650.5	565	55893.	2213	2.0	4.3	8.2	2.2	0.5	4.2	25	0.1
38307	0	0	0	0	KG	48.5188	117.2181	17.2	650.1	569	55886.	2074	1.9	4.5	5.2	2.4	0.9	2.8	38	0.1
38306	0	0	0	0	KG	48.5191	117.2181	17.2	649.8	574	55879.	2207	1.7	5.8	7.0	3.4	0.8	4.1	24	0.1
38305	0	0	0	0	KG	48.5195	117.2181	17.2	649.5	575	55872.	2141	1.4	5.4	6.7	3.8	0.8	4.8	42	0.1
38304	0	0	0	0	KNA	48.5199	117.2181	17.2	649.1	578	55865.	2228	1.8	7.0	7.0	3.8	1.0	3.8	35	0.1
38303	0	0	0	0	KNA	48.5203	117.2181	17.2	648.8	581	55859.	2287	2.0	6.5	5.7	3.3	1.1	2.9	52	0.1
38302	0	0	0	0	KNA	48.5207	117.2181	17.2	648.4	583	55853.	2453	2.0	6.2	8.3	3.1	0.7	4.2	40	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
38301	0	0	0	0	KNA	48.5211	117.2181	17.2	648.1	580	55847.	2401	1.9	6.2	7.8	3.3	0.8	4.1	42	0.1
38300	0	0	0	0	KNA	48.5215	117.2181	17.2	647.7	573	55841.	2736	1.9	8.3	8.5	4.3	1.0	4.4	30	0.1
38299	0	0	0	0	KNA	48.5219	117.2181	17.3	647.4	560	55835.	2762	2.3	6.8	12.2	3.0	0.6	5.4	49	0.1
38298	0	0	0	0	KNA	48.5223	117.2180	17.3	647.1	545	55829.	2942	2.6	6.4	11.5	2.5	0.6	4.4	34	0.1
38297	0	0	0	0	KNA	48.5227	117.2180	17.3	646.8	521	55822.	3288	2.6	8.8	12.4	3.5	0.7	4.9	34	0.1
38296	0	0	0	0	KNA	48.5231	117.2180	17.3	646.5	499	55815.	3146	2.7	6.2	12.1	2.3	0.5	4.4	39	0.1
38295	0	0	0	0	KNA	48.5235	117.2180	17.3	646.1	473	55807.	3213	2.6	8.0	13.0	3.1	0.6	5.1	45	0.1
38294	0	0	0	0	KNA	48.5238	117.2180	17.3	645.9	446	55801.	3355	2.8	6.2	15.6	2.2	0.4	5.5	42	0.1
38293	0	0	0	0	KG	48.5242	117.2180	17.3	645.6	415	55798.	3119	2.7	7.6	10.2	2.8	0.7	3.8	50	0.1
38292	0	0	0	0	KG	48.5246	117.2180	17.3	645.3	393	55799.	3221	2.4	7.1	13.6	2.9	0.5	5.6	45	0.1
38291	0	0	0	0	KG	48.5249	117.2180	17.3	645.1	382	55802.	3015	2.2	7.2	11.4	3.2	0.6	5.1	48	0.1
38290	0	0	0	0	KG	48.5253	117.2180	17.3	644.8	385	55810.	2894	2.2	6.8	9.9	3.1	0.7	4.6	45	0.1
38289	0	0	0	0	KG	48.5257	117.2180	17.3	644.6	400	55818.	2784	2.6	5.4	7.7	2.1	0.7	3.0	53	0.1
38288	0	0	0	0	KG	48.5260	117.2180	17.3	644.5	427	55829.	2754	2.3	5.5	11.5	2.4	0.5	5.1	39	0.1
38287	0	0	0	0	KG	48.5264	117.2180	17.3	644.3	461	55840.	2608	2.0	7.3	7.8	3.8	0.9	4.0	40	0.1
38286	0	0	0	0	KG	48.5268	117.2180	17.3	644.2	496	55852.	2556	1.5	7.4	10.2	4.9	0.7	6.7	28	0.1
38285	0	0	0	0	KG	48.5271	117.2180	17.3	644.1	521	55864.	2462	1.8	8.7	4.7	4.9	1.9	2.6	51	0.1
38284	0	0	0	0	KG	48.5275	117.2179	17.3	644.1	527	55875.	2297	2.0	6.1	7.8	3.1	0.8	4.0	31	0.1
38283	0	0	0	0	KG	48.5279	117.2179	17.3	644.0	526	55885.	2194	1.9	5.1	7.5	2.6	0.7	3.9	42	0.1
38282	0	0	0	0	KG	48.5282	117.2179	17.3	644.0	521	55891.	2187	1.8	6.6	6.2	3.6	1.1	3.4	37	0.1
38281	0	0	0	0	KG	48.5286	117.2179	17.4	644.1	518	55896.	1999	1.9	3.5	6.6	1.8	0.5	3.4	42	0.1
38280	0	0	0	0	KG	48.5290	117.2179	17.4	644.1	513	55899.	2171	2.1	4.0	7.0	1.9	0.6	3.4	43	0.1
38279	0	0	0	0	KG	48.5293	117.2179	17.4	644.1	503	55902.	2032	2.0	3.0	9.1	1.5	0.3	4.7	35	0.1
38278	0	0	0	0	KG	48.5297	117.2179	17.4	644.2	491	55904.	2036	1.8	3.3	7.5	1.8	0.4	4.1	42	0.1
38277	0	0	0	0	KG	48.5301	117.2179	17.4	644.3	474	55907.	1998	1.8	5.2	7.1	2.9	0.7	4.0	38	0.1
38276	0	0	0	0	KG	48.5304	117.2179	17.4	644.4	454	55908.	2101	1.8	2.9	6.9	1.6	0.4	3.8	47	0.1
38275	0	0	0	0	KG	48.5308	117.2179	17.4	644.4	433	55909.	2208	2.3	2.7	9.7	1.2	0.3	4.2	39	0.1
38274	0	0	0	0	KG	48.5312	117.2179	17.4	644.5	415	55909.	2190	2.5	3.6	7.9	1.4	0.5	3.2	35	0.1
38273	0	0	0	0	KG	48.5316	117.2179	17.4	644.6	397	55909.	2145	2.1	3.9	6.5	1.9	0.6	3.1	42	0.1
38272	0	0	0	0	KG	48.5319	117.2179	17.4	644.7	378	55908.	2070	1.7	4.2	8.5	2.5	0.5	5.1	48	0.1
38271	0	0	0	0	KG	48.5323	117.2179	17.4	644.8	356	55906.	2017	1.9	2.7	9.7	1.4	0.3	5.1	46	0.1
38270	0	0	0	0	KG	48.5327	117.2179	17.4	644.9	338	55903.	1978	1.6	3.1	10.8	2.0	0.3	6.9	32	0.1
38269	0	0	0	0	KG	48.5330	117.2178	17.4	645.0	326	55896.	1953	1.6	3.8	8.5	2.5	0.5	5.5	36	0.1
38268	0	0	0	0	KG	48.5334	117.2178	17.4	645.1	323	55887.	1890	1.4	4.9	6.3	3.6	0.8	4.6	36	0.1
38267	0	0	0	0	KG	48.5338	117.2178	17.4	645.3	327	55876.	1917	1.3	5.3	6.0	4.0	0.9	4.5	43	0.1
38266	0	0	0	0	KG	48.5341	117.2178	17.4	645.4	335	55866.	1995	1.7	3.9	9.0	2.3	0.4	5.3	38	0.1
38265	0	0	0	0	KG	48.5345	117.2178	17.4	645.5	346	55856.	1974	1.7	3.6	8.4	2.1	0.4	4.8	31	0.1
38264	0	0	0	0	KG	48.5349	117.2178	17.4	645.7	362	55846.	1912	1.5	3.6	8.2	2.4	0.4	5.4	40	0.1
38263	0	0	0	0	KG	48.5352	117.2178	17.4	645.9	384	55837.	1964	1.7	5.0	8.0	2.9	0.6	4.6	31	0.1
38262	0	0	0	0	KG	48.5356	117.2178	17.4	646.0	407	55829.	2016	1.9	4.4	5.6	2.4	0.8	3.0	31	0.1
38261	0	0	0	0	KG	48.5359	117.2178	17.4	646.2	430	55822.	1936	1.9	4.1	7.8	2.1	0.5	4.1	42	0.1
38260	0	0	0	0	KG	48.5363	117.2178	17.4	646.4	451	55816.	2030	1.6	5.2	6.7	3.2	0.8	4.1	28	0.1
38259	0	0	0	0	KG	48.5367	117.2178	17.4	646.6	469	55811.	2096	1.7	3.7	7.9	2.1	0.5	4.6	31	0.1
38258	0	0	0	0	KG	48.5370	117.2178	17.4	646.8	484	55807.	2130	1.9	4.9	9.0	2.5	0.5	4.7	57	0.1
38257	0	0	0	0	KG	48.5374	117.2178	17.4	647.0	492	55804.	2140	2.1	3.2	8.1	1.5	0.4	3.9	48	0.1
38256	0	0	0	0	KG	48.5378	117.2178	17.4	647.2	498	55801.	2169	2.0	5.6	8.2	2.9	0.7	4.2	38	0.1
38255	0	0	0	0	QAG	48.5382	117.2178	17.4	647.4	493	55799.	2067	1.7	3.9	5.1	2.2	0.8	2.9	39	0.1
38254	0	0	0	0	QAG	48.5385	117.2178	17.4	647.5	492	55796.	2129	2.0	4.2	5.7	2.1	0.7	2.8	23	0.1
38253	0	0	0	0	QAG	48.5389	117.2178	17.4	647.7	494	55792.	2113	1.3	5.8	6.9	4.4	0.8	5.3	43	0.1
38252	0	0	0	0	QAG	48.5393	117.2177	17.4	647.8	508	55789.	2007	1.7	2.5	11.4	1.5	0.2	6.9	43	0.1

** NOTE** QUALITY CODE INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 101							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
38251	0	0	0	0	QAG	48.5396	117.2177	17.4	647.9	521	55786.	2091	1.6	3.0	7.6	1.9	0.4	4.8	42	0.1
38250	0	0	0	0	QAG	48.5400	117.2177	17.4	648.0	531	55784.	2185	1.7	5.7	4.3	3.4	1.3	2.5	32	0.1
38249	0	0	0	0	QAG	48.5404	117.2177	17.4	648.1	546	55782.	2146	1.7	4.2	9.0	2.5	0.5	5.4	32	0.1
38248	0	0	0	0	QAG	48.5407	117.2177	17.4	648.1	566	55779.	2237	1.8	5.1	8.5	2.9	0.6	4.8	29	0.1
38247	0	0	0	0	QAG	48.5411	117.2177	17.4	648.0	601	55776.	2368	1.5	6.6	9.2	4.3	0.7	5.9	37	0.1
38246	0	0	0	0	QAG	48.5415	117.2177	17.4	648.0	624	55773.	2553	1.8	7.6	7.6	4.2	1.0	4.2	40	0.1
38245	0	0	0	0	QAG	48.5418	117.2177	17.4	647.9	624	55771.	2519	2.3	3.9	6.3	1.7	0.6	2.7	40	0.1
38244	0	0	0	0	QAG	48.5422	117.2177	17.4	647.8	597	55770.	2357	2.0	5.6	9.9	2.8	0.6	5.0	42	0.1
38243	0	0	0	0	QAG	48.5426	117.2177	17.4	647.6	571	55770.	2537	2.3	5.8	9.5	2.5	0.6	4.1	30	0.1
38242	0	0	0	0	QAG	48.5430	117.2177	17.4	647.4	558	55771.	2388	2.2	4.5	7.8	2.1	0.6	3.6	38	0.1
38241	0	0	0	0	QAG	48.5434	117.2177	17.4	647.2	555	55772.	2373	1.9	5.3	8.9	2.9	0.6	4.8	39	0.1
38240	0	0	0	0	QAG	48.5438	117.2177	17.4	647.0	553	55773.	2261	2.0	4.9	6.3	2.4	0.8	3.1	56	0.1
38239	0	0	0	0	QAG	48.5442	117.2177	17.4	646.7	550	55774.	2344	1.9	7.4	7.5	4.0	1.0	4.1	42	0.1
38238	0	0	0	0	QAG	48.5446	117.2177	17.4	646.4	545	55776.	2364	1.8	5.3	7.0	3.0	0.8	4.0	36	0.1
38237	0	0	0	0	QAG	48.5450	117.2177	17.4	646.1	544	55778.	2434	2.1	5.7	8.9	2.8	0.6	4.4	37	0.1
38236	0	0	0	0	QAG	48.5454	117.2177	17.4	645.8	547	55780.	2469	1.8	5.8	9.3	3.2	0.6	5.1	43	0.1
38235	0	0	0	0	QAG	48.5458	117.2177	17.4	645.4	546	55783.	2429	2.2	5.9	7.9	2.7	0.7	3.7	42	0.1
38234	0	0	0	0	QAG	48.5462	117.2176	17.4	645.1	543	55784.	2364	2.0	7.9	6.4	4.0	1.2	3.2	48	0.1
38233	0	0	0	0	QAG	48.5466	117.2176	17.4	644.7	537	55785.	2386	1.6	7.3	8.7	4.7	0.8	5.6	38	0.1
38232	0	0	0	0	KG	48.5470	117.2176	17.4	644.3	535	55786.	2517	1.7	8.3	8.5	4.9	1.0	5.1	39	0.1
38231	0	0	0	0	KG	48.5473	117.2176	17.4	643.9	534	55787.	2350	1.6	5.4	10.5	3.3	0.5	6.5	40	0.1
38230	0	0	0	0	KG	48.5477	117.2176	17.4	643.5	540	55787.	2596	2.0	5.2	9.6	2.6	0.5	4.8	30	0.1
38229	0	0	0	0	KG	48.5481	117.2176	17.4	643.0	547	55788.	2530	2.5	4.5	10.6	1.8	0.4	4.2	41	0.1
38228	0	0	0	0	KG	48.5485	117.2176	17.4	642.6	555	55788.	2512	1.7	5.2	12.3	2.9	0.4	7.1	32	0.1
38227	0	0	0	0	KG	48.5489	117.2176	17.4	642.1	560	55788.	2566	2.4	2.5	10.9	1.1	0.2	4.6	47	0.1
38226	0	0	0	0	KG	48.5493	117.2176	17.4	641.7	564	55787.	2614	2.3	5.5	10.2	2.4	0.5	4.5	49	0.1
38225	0	0	0	0	KG	48.5497	117.2176	17.4	641.2	569	55786.	2585	2.4	4.1	9.8	1.7	0.4	4.1	36	0.1
38224	0	0	0	0	KG	48.5501	117.2176	17.4	640.8	571	55784.	2714	2.3	4.7	13.0	2.1	0.4	5.7	46	0.1
38222	0	0	0	0	KG	48.5509	117.2176	17.4	640.3	574	55783.	2769	2.3	6.8	8.8	3.0	0.8	3.9	45	0.1
38221	0	0	0	0	KG	48.5513	117.2176	17.4	639.9	566	55785.	2958	2.3	6.9	11.8	3.0	0.6	5.1	38	0.1
38220	0	0	0	0	KG	48.5517	117.2176	17.4	639.5	553	55790.	2859	2.1	5.8	14.6	2.8	0.4	7.0	43	0.1
38219	0	0	0	0	KG	48.5521	117.2176	17.4	639.1	527	55797.	2947	2.8	4.6	11.3	1.7	0.4	4.1	47	0.1
38218	0	0	0	0	KG	48.5525	117.2175	17.4	638.7	500	55808.	2937	2.2	5.3	14.8	2.4	0.4	6.8	44	0.1
38217	0	0	0	0	KG	48.5529	117.2175	17.4	638.3	471	55822.	3272	2.4	6.8	14.6	2.9	0.5	6.2	38	0.1
38216	0	0	0	0	KG	48.5533	117.2175	17.4	637.9	434	55839.	3233	2.5	5.5	15.2	2.2	0.4	6.0	42	0.1
38215	0	0	0	0	KG	48.5536	117.2175	17.4	637.6	388	55856.	3240	2.5	7.1	11.5	2.8	0.6	4.6	38	0.1
38214	0	0	0	0	KG	48.5540	117.2175	17.4	637.3	343	55873.	2757	2.0	7.7	11.4	3.9	0.7	5.9	54	0.1
38213	0	0	0	0	KG	48.5544	117.2175	17.4	637.0	316	55889.	2558	2.0	5.8	12.4	2.9	0.5	6.3	46	0.1
38212	0	0	0	0	KG	48.5548	117.2175	17.4	636.8	302	55904.	2748	1.8	7.2	14.0	4.0	0.5	7.8	47	0.1
38211	0	0	0	0	KG	48.5552	117.2175	17.4	636.6	290	55917.	2468	1.9	6.0	10.0	3.2	0.6	5.3	43	0.1
38210	0	0	0	0	KG	48.5556	117.2175	17.4	636.4	279	55926.	2179	2.0	3.5	9.2	1.8	0.4	4.7	36	0.1
38209	0	0	0	0	KG	48.5560	117.2175	17.4	636.3	284	55929.	2088	1.6	4.9	7.7	3.0	0.6	4.7	47	0.1
38208	0	0	0	0	KG	48.5564	117.2175	17.4	636.2	297	55927.	1976	1.7	4.8	8.0	2.7	0.6	4.6	62	0.1
38207	0	0	0	0	KG	48.5568	117.2175	17.4	636.2	317	55919.	2099	2.0	3.0	9.7	1.5	0.3	4.8	42	0.1
38206	0	0	0	0	KG	48.5572	117.2175	17.4	636.2	340	55909.	2122	1.7	2.9	10.0	1.7	0.3	6.0	48	0.1
38205	0	0	0	0	KG	48.5576	117.2175	17.4	636.3	370	55897.	2118	1.7	4.9	9.1	2.9	0.5	5.4	52	0.1
38204	0	0	0	0	KG	48.5580	117.2175	17.4	636.4	407	55885.	2396	1.8	4.3	11.7	2.4	0.4	6.5	51	0.1
38203	0	0	0	0	KG	48.5583	117.2175	17.4	636.6	442	55874.	2391	2.0	3.4	12.7	1.7	0.3	6.4	30	0.1
38202	0	0	0	0	KG	48.5587	117.2175	17.4	636.8	474	55864.	2280	2.0	3.9	10.8	1.9	0.4	5.4	44	0.1
38201	0	0	0	0	KG	48.5591	117.2175	17.4	637.1	499	55856.	2408	2.1	5.1	10.7	2.5	0.5	5.2	44	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 101							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
38200	0	0	0	0	KG	48.5595	117.2175	17.4	637.4	522	55849.	2462	2.3	4.7	9.1	2.0	0.5	3.9	39	0.1
38199	0	0	0	0	KG	48.5599	117.2175	17.4	637.8	542	55843.	2323	2.0	4.6	8.1	2.3	0.6	4.1	46	0.1
38198	0	0	0	0	KG	48.5603	117.2175	17.4	638.2	559	55838.	2281	1.5	4.2	6.7	2.7	0.6	4.4	46	0.1
38197	0	0	0	0	KG	48.5607	117.2175	17.4	638.7	573	55833.	2258	1.6	4.9	8.7	3.0	0.6	5.3	38	0.1
38196	0	0	0	0	KG	48.5611	117.2175	17.4	639.1	586	55829.	2141	1.7	5.2	7.3	3.0	0.7	4.1	48	0.1
38195	0	0	0	0	KG	48.5615	117.2175	17.4	639.6	602	55824.	2204	1.8	4.5	11.0	2.6	0.4	6.2	34	0.1
38194	0	0	0	0	KG	48.5619	117.2175	17.4	640.1	613	55819.	2211	1.8	4.0	8.8	2.2	0.5	4.8	33	0.1
38193	0	0	0	0	KG	48.5623	117.2175	17.4	640.6	624	55816.	2154	1.6	3.1	10.1	2.0	0.3	6.4	46	0.1
38192	0	0	0	0	KG	48.5626	117.2175	17.4	641.0	632	55812.	2174	2.0	3.6	7.8	1.8	0.5	3.9	31	0.1
38191	0	0	0	0	KG	48.5630	117.2175	17.4	641.5	643	55808.	2036	2.0	2.4	5.3	1.2	0.5	2.6	48	0.1
38190	0	0	0	0	KG	48.5634	117.2175	17.4	641.9	653	55806.	2308	2.0	4.2	10.0	2.1	0.4	5.0	27	0.1
38189	0	0	0	0	KG	48.5638	117.2175	17.4	642.3	664	55803.	2236	1.6	5.4	9.8	3.4	0.5	6.2	41	0.1
38188	0	0	0	0	KG	48.5642	117.2175	17.4	642.7	671	55801.	2338	2.3	3.2	10.1	1.4	0.3	4.5	49	0.1
38187	0	0	0	0	QAG	48.5646	117.2175	17.4	643.1	678	55798.	2216	1.5	6.3	8.3	4.1	0.8	5.4	32	0.1
38186	0	0	0	0	QAG	48.5650	117.2175	17.4	643.5	683	55795.	2322	2.2	4.1	10.5	1.8	0.4	4.7	34	0.1
38185	0	0	0	0	QAG	48.5654	117.2174	17.4	643.8	687	55792.	2308	1.9	5.2	8.0	2.7	0.6	4.2	44	0.1
38184	0	0	0	0	QAG	48.5658	117.2174	17.4	644.1	685	55790.	2409	1.7	3.7	12.1	2.2	0.3	7.3	41	0.1
38183	0	0	0	0	QAG	48.5661	117.2174	17.4	644.4	678	55788.	2163	1.6	5.8	8.7	3.7	0.7	5.6	41	0.1
38182	0	0	0	0	QAG	48.5665	117.2174	17.4	644.7	669	55786.	2315	1.7	5.7	9.9	3.4	0.6	5.9	40	0.1
38181	0	0	0	0	QAG	48.5669	117.2174	17.4	644.9	665	55783.	2195	1.7	4.1	5.7	2.3	0.7	3.3	45	0.1
38180	0	0	0	0	KG	48.5673	117.2174	17.4	645.1	667	55780.	2278	1.9	4.6	7.0	2.4	0.7	3.7	35	0.1
38179	0	0	0	0	KG	48.5677	117.2174	17.4	645.3	674	55778.	2182	1.7	4.9	5.6	2.9	0.9	3.3	41	0.1
38178	0	0	0	0	KG	48.5681	117.2174	17.4	645.4	685	55775.	2266	1.9	3.4	10.2	1.8	0.3	5.4	37	0.1
38177	0	0	0	0	KG	48.5685	117.2174	17.4	645.6	696	55772.	2297	1.9	4.9	8.3	2.6	0.6	4.3	42	0.1
38176	1	0	0	0	KG	48.5689	117.2174	17.4	645.6	706	55769.	2323	2.2	3.5	12.1	1.6	0.3	5.5	40	0.1
38175	1	0	0	0	KG	48.5693	117.2174	17.4	645.7	713	55767.	2418	1.9	3.6	8.2	1.9	0.4	4.3	41	0.1
38174	1	0	0	0	KG	48.5697	117.2174	17.4	645.8	717	55766.	2306	1.7	6.7	7.3	4.1	0.9	4.4	36	0.2
38173	1	0	0	0	KG	48.5701	117.2174	17.4	645.8	711	55767.	2293	1.7	4.7	5.5	2.7	0.9	3.2	41	0.1
38172	0	0	0	0	KG	48.5704	117.2174	17.4	645.8	699	55769.	2387	1.5	6.0	8.9	4.1	0.7	6.0	42	0.1
38171	0	0	0	0	KG	48.5708	117.2174	17.4	645.8	685	55772.	2310	2.0	3.1	8.3	1.5	0.4	4.1	34	0.1
38170	0	0	0	0	KG	48.5712	117.2174	17.4	645.7	676	55776.	2169	2.0	2.7	9.1	1.3	0.3	4.5	47	0.1
38169	0	0	0	0	KG	48.5717	117.2174	17.4	645.6	669	55782.	2285	1.8	6.0	9.5	3.3	0.6	5.2	42	0.1
38168	0	0	0	0	KG	48.5721	117.2174	17.4	645.5	662	55787.	2310	1.6	3.6	11.3	2.2	0.3	7.1	32	0.1
38167	0	0	0	0	KG	48.5725	117.2174	17.4	645.4	654	55793.	2146	1.5	4.9	9.2	3.3	0.5	6.2	41	0.1
38166	0	0	0	0	KG	48.5729	117.2174	17.4	645.2	642	55798.	2152	1.7	4.5	7.2	2.7	0.6	4.3	45	0.1
38165	0	0	0	0	KG	48.5733	117.2174	17.4	645.0	631	55803.	2004	1.4	4.0	7.6	2.9	0.5	5.4	44	0.1
38164	0	0	0	0	KG	48.5737	117.2174	17.4	644.8	621	55808.	2089	1.8	4.0	7.0	2.2	0.6	3.8	38	0.1
38163	0	0	0	0	KG	48.5741	117.2174	17.4	644.6	615	55812.	2101	1.7	3.1	7.6	1.9	0.4	4.5	43	0.1
38162	0	0	0	0	KG	48.5745	117.2174	17.4	644.5	604	55817.	2110	1.3	5.1	10.0	3.8	0.5	7.6	35	0.1
38161	0	0	0	0	KG	48.5749	117.2174	17.4	644.1	592	55821.	2130	2.0	5.6	6.8	2.8	0.8	3.4	35	0.1
38160	0	0	0	0	KG	48.5753	117.2174	17.4	643.7	584	55825.	1943	1.8	3.8	3.6	2.1	1.1	2.0	46	0.1
38159	0	0	0	0	KG	48.5757	117.2173	17.4	643.4	574	55830.	2035	1.2	4.5	8.0	3.6	0.6	6.4	41	0.1
38158	0	0	0	0	KG	48.5761	117.2173	17.4	643.1	560	55834.	2071	1.7	4.1	5.3	2.5	0.8	3.2	50	0.1
38157	0	0	0	0	KG	48.5765	117.2173	17.4	642.8	544	55838.	2008	1.5	4.6	6.2	3.1	0.7	4.2	43	0.1
38156	0	0	0	0	KG	48.5770	117.2173	17.4	642.5	532	55842.	1988	1.7	3.4	8.6	2.0	0.4	5.1	40	0.1
38155	0	0	0	0	KG	48.5773	117.2173	17.4	642.1	523	55845.	1961	1.5	3.7	8.7	2.5	0.4	5.8	52	0.1
38154	0	0	0	0	KG	48.5778	117.2173	17.4	641.8	518	55847.	2089	1.4	4.3	8.2	3.1	0.5	5.9	37	0.1
38153	0	0	0	0	KG	48.5782	117.2173	17.4	641.4	520	55849.	2202	1.9	2.8	12.8	1.5	0.2	6.8	43	0.1
38152	0	0	0	0	KG	48.5786	117.2173	17.4	641.1	520	55850.	2251	1.9	3.3	8.0	1.8	0.4	4.3	51	0.1
38151	0	0	0	0	KG	48.5790	117.2173	17.4	640.8	514	55851.	2263	2.0	6.3	6.4	3.1	1.0	3.2	42	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

D 1

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 101							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
38150	0	0	0	0	KG	48.5794	117.2173	17.4	640.5	498	55853.	2251	1.5	5.1	7.1	3.3	0.7	4.6	40	0.1
38149	0	0	0	0	KG	48.5798	117.2173	17.4	640.2	480	55856.	2270	1.5	4.9	8.1	3.3	0.6	5.5	42	0.1
38148	0	0	0	0	KG	48.5802	117.2173	17.4	639.9	458	55862.	2210	1.3	5.8	8.5	4.5	0.7	6.6	45	0.1
38147	0	0	0	0	KG	48.5806	117.2173	17.4	639.7	433	55870.	2195	1.7	2.7	9.8	1.7	0.3	5.9	37	0.1
38146	0	0	0	0	KG	48.5810	117.2173	17.4	639.4	408	55878.	2011	1.1	5.0	5.8	4.5	0.9	5.2	53	0.1
38145	0	0	0	0	KG	48.5814	117.2173	17.5	639.2	388	55887.	1934	1.2	4.0	4.2	3.2	0.9	3.4	43	0.1
38144	0	0	0	0	KG	48.5818	117.2173	17.5	639.0	377	55896.	1923	1.7	3.4	7.1	2.1	0.5	4.3	47	0.1
38143	0	0	0	0	KG	48.5822	117.2173	17.5	638.8	367	55903.	1877	1.2	4.7	6.1	3.8	0.8	4.9	45	0.1
38142	0	0	0	0	KG	48.5826	117.2173	17.5	638.7	359	55908.	1900	1.7	3.1	8.1	1.9	0.4	4.8	43	0.1
38141	0	0	0	0	KG	48.5831	117.2173	17.5	638.6	349	55910.	1858	1.6	3.8	6.9	2.4	0.5	4.4	40	0.1
38140	0	0	0	0	KG	48.5835	117.2173	17.5	638.5	342	55907.	1795	1.4	3.1	5.7	2.2	0.5	4.1	29	0.1
38139	0	0	0	0	KG	48.5839	117.2173	17.5	638.5	336	55900.	1784	1.3	3.7	8.1	3.0	0.5	6.5	45	0.1
38138	0	0	0	0	KG	48.5843	117.2173	17.5	638.5	335	55888.	1773	1.2	4.4	6.8	3.7	0.7	5.7	42	0.1
38137	0	0	0	0	KG	48.5847	117.2173	17.5	638.6	339	55872.	1629	1.4	2.2	6.0	1.5	0.4	4.2	53	0.1
38136	0	0	0	0	KG	48.5851	117.2172	17.5	638.6	354	55854.	1775	1.6	3.5	7.5	2.2	0.5	4.7	27	0.1
38135	0	0	0	0	KG	48.5855	117.2172	17.5	638.8	380	55835.	1653	1.3	1.8	7.5	1.3	0.2	5.6	46	0.1
38134	0	0	0	0	KG	48.5859	117.2172	17.5	638.9	412	55818.	1774	1.3	3.3	6.9	2.6	0.5	5.5	39	0.1
38133	0	0	0	0	KG	48.5863	117.2172	17.5	639.1	447	55805.	1833	1.6	3.6	6.4	2.3	0.6	4.1	50	0.1
38131	0	0	0	0	KG	48.5871	117.2172	17.5	639.3	478	55795.	1859	1.3	2.4	8.1	1.8	0.3	6.1	56	0.1
38130	0	0	0	0	KG	48.5875	117.2172	17.5	639.5	503	55788.	2003	1.4	3.8	12.1	2.7	0.3	8.7	41	0.1

D 2

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 102							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
38491	0	0	0	0	QAG	48.5010	117.1762	17.8	651.9	524	56020.	1894	1.4	3.3	9.7	2.4	0.3	6.9	43	0.1
38492	0	0	0	0	QAG	48.5014	117.1762	17.8	651.8	519	56020.	1932	1.4	4.1	6.7	2.9	0.6	4.7	33	0.1
38493	0	0	0	0	QAG	48.5018	117.1762	17.8	651.7	513	56020.	1923	1.2	5.2	6.3	4.3	0.8	5.3	36	0.1
38494	0	0	0	0	KG	48.5022	117.1762	17.8	651.6	507	56022.	1899	1.7	4.0	7.0	2.4	0.6	4.2	42	0.1
38495	0	0	0	0	KG	48.5025	117.1762	17.8	651.4	501	56023.	1892	1.5	3.6	3.9	2.5	0.4	6.0	33	0.1
38496	0	0	0	0	KG	48.5029	117.1762	17.8	651.2	494	56024.	1743	1.5	4.0	5.6	2.7	0.7	3.8	44	0.1
38497	0	0	0	0	KG	48.5033	117.1761	17.8	651.0	485	56027.	1745	1.8	2.4	7.1	1.3	0.3	3.9	37	0.1
38498	0	0	0	0	KG	48.5037	117.1761	17.8	650.8	478	56030.	1770	1.6	2.9	7.8	1.8	0.4	5.0	34	0.1
38499	0	0	0	0	KG	48.5041	117.1761	17.8	650.5	475	56034.	1714	1.6	2.3	8.9	1.4	0.3	5.6	48	0.1
38500	0	0	0	0	KG	48.5045	117.1761	17.8	650.3	477	56038.	1681	1.2	5.2	5.0	4.2	1.0	4.1	39	0.1
38501	0	0	0	0	KG	48.5049	117.1761	17.8	650.0	476	56040.	1741	1.1	4.1	6.9	3.7	0.6	6.2	33	0.1
38502	0	0	0	0	KG	48.5053	117.1761	17.8	649.7	476	56041.	1735	1.4	3.7	5.6	2.7	0.6	4.1	34	0.1
38503	0	0	0	0	KG	48.5057	117.1760	17.8	649.4	475	56041.	1825	1.5	3.8	8.1	2.6	0.5	5.5	33	0.1
38504	0	0	0	0	KG	48.5061	117.1760	17.8	649.1	478	56040.	1755	1.3	3.0	7.3	2.2	0.4	5.5	32	0.1
38505	0	0	0	0	KG	48.5065	117.1760	17.8	648.8	481	56040.	1838	1.1	2.6	7.7	2.3	0.3	6.8	26	0.1
38506	0	0	0	0	KG	48.5069	117.1760	17.8	648.5	485	56040.	1813	1.7	4.4	4.5	2.6	1.0	2.7	34	0.1
38507	0	0	0	0	KG	48.5073	117.1760	17.9	648.3	490	56040.	1820	1.5	2.9	6.2	2.0	0.5	4.2	37	0.1
38508	0	0	0	0	KG	48.5077	117.1760	17.9	647.9	494	56040.	1845	1.5	3.9	7.8	2.6	0.5	5.3	32	0.1
38509	0	0	0	0	KG	48.5081	117.1759	17.9	647.6	496	56040.	1843	1.5	4.1	7.5	2.8	0.5	5.1	25	0.1
38510	0	0	0	0	KG	48.5085	117.1759	17.9	647.2	500	56040.	1909	1.6	4.1	5.1	2.6	0.8	3.2	53	0.1
38511	0	0	0	0	KG	48.5089	117.1759	17.9	646.9	505	56039.	1808	1.4	4.3	6.0	3.1	0.7	4.3	50	0.1
38512	0	0	0	0	KG	48.5093	117.1759	17.9	646.6	511	56038.	1925	1.5	3.3	9.2	2.2	0.4	6.1	35	0.1
38513	0	0	0	0	KG	48.5097	117.1759	17.9	646.2	512	56036.	2082	2.0	3.9	11.8	2.0	0.3	6.0	33	0.1
38514	0	0	0	0	KG	48.5101	117.1759	17.9	645.9	511	56034.	2088	2.2	2.8	10.3	1.3	0.3	4.7	39	0.1
38515	0	0	0	0	KG	48.5105	117.1758	17.9	645.5	511	56031.	1997	1.6	3.8	8.2	2.3	0.5	5.0	39	0.1
38516	0	0	0	0	KG	48.5109	117.1758	17.9	645.1	512	56028.	2029	1.9	3.6	8.7	1.9	0.4	4.6	43	0.1
38517	0	0	0	0	KG	48.5113	117.1758	17.9	644.8	517	56026.	2062	2.0	3.6	6.8	1.8	0.5	3.4	38	0.1
38518	0	0	0	0	KG	48.5117	117.1758	17.9	644.4	519	56025.	1837	1.5	4.0	6.3	2.6	0.6	4.1	54	0.1
38519	0	0	0	0	KG	48.5121	117.1758	17.9	644.0	522	56026.	2107	1.8	4.4	8.1	2.4	0.5	4.5	28	0.1
38520	0	0	0	0	KG	48.5125	117.1758	17.9	643.7	520	56026.	1996	1.5	5.5	7.8	3.6	0.7	5.1	44	0.1
38521	0	0	0	0	KG	48.5129	117.1758	17.9	643.3	507	56027.	1971	1.7	4.4	7.3	2.7	0.6	4.4	61	0.1
38522	0	0	0	0	KG	48.5133	117.1757	17.9	642.9	484	56028.	1997	1.7	3.2	8.3	1.9	0.4	5.0	47	0.1
38523	0	0	0	0	KG	48.5137	117.1757	17.9	642.5	460	56027.	1981	1.9	2.7	9.6	1.4	0.3	5.0	33	0.1
38524	0	0	0	0	KG	48.5141	117.1757	17.9	642.1	447	56025.	1842	1.5	3.8	8.1	2.6	0.5	5.5	40	0.1
38525	0	0	0	0	KG	48.5145	117.1757	17.9	641.8	445	56023.	1856	1.7	3.4	9.7	2.0	0.4	5.5	41	0.1
38526	0	0	0	0	KG	48.5148	117.1757	17.9	641.4	450	56021.	1910	1.6	3.6	7.7	2.3	0.5	4.9	58	0.1
38527	0	0	0	0	KG	48.5152	117.1757	17.9	641.0	453	56020.	1911	1.9	2.4	10.8	1.2	0.2	5.7	51	0.1
38528	0	0	0	0	KG	48.5156	117.1756	17.9	640.6	456	56018.	1987	1.7	3.4	8.3	2.0	0.4	4.8	45	0.1
38529	0	0	0	0	KG	48.5160	117.1756	17.9	640.2	460	56017.	2124	1.8	5.5	7.9	3.0	0.7	4.3	38	0.1
38530	0	0	0	0	KG	48.5164	117.1756	17.9	639.8	469	56016.	2127	1.5	4.2	8.5	2.9	0.5	5.7	49	0.1
38531	0	0	0	0	KG	48.5168	117.1756	17.9	639.4	480	56016.	2233	2.1	4.6	9.3	2.2	0.5	4.6	40	0.1
38532	0	0	0	0	KG	48.5172	117.1756	17.9	639.0	488	56017.	2353	1.9	3.8	11.9	2.0	0.3	6.3	49	0.1
38533	0	0	0	0	KG	48.5176	117.1756	17.9	638.6	495	56018.	2286	1.6	4.9	8.8	3.0	0.6	5.4	40	0.1
38534	0	0	0	0	KG	48.5180	117.1756	17.9	638.2	497	56020.	2322	2.0	6.9	6.7	3.5	1.0	3.4	43	0.1
38535	0	0	0	0	KG	48.5184	117.1755	17.9	637.9	503	56024.	2463	2.5	4.8	11.3	2.0	0.4	4.6	32	0.1
38536	0	0	0	0	KG	48.5188	117.1755	17.9	637.5	512	56027.	2358	2.0	4.3	9.4	2.2	0.5	4.8	48	0.1
38537	0	0	0	0	KG	48.5192	117.1755	17.9	637.2	523	56028.	2465	1.8	5.3	7.4	2.9	0.7	4.0	40	0.1
38538	0	0	0	0	QAG	48.5196	117.1755	17.9	636.9	519	56029.	2365	2.1	4.8	10.2	2.3	0.5	4.8	38	0.1
38539	0	0	0	0	QAG	48.5200	117.1755	17.9	636.6	499	56028.	2455	2.5	2.7	10.6	1.1	0.3	4.3	41	0.1
38540	0	0	0	0	QAG	48.5204	117.1754	17.9	636.4	462	56025.	2121	1.7	5.6	8.4	3.3	0.7	5.0	46	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
38541	0	0	0	0	QAG	48.5208	117.1754	17.9	636.1	426	56019.	2020	1.4	2.8	9.8	2.0	0.3	7.2	42	0.1
38542	0	0	0	0	QAG	48.5212	117.1754	17.9	635.9	399	56012.	1971	1.3	5.2	7.7	3.9	0.7	5.8	47	0.1
38543	0	0	0	0	QAG	48.5216	117.1754	17.9	635.7	393	56003.	1905	1.5	2.6	10.7	1.7	0.2	7.0	42	0.1
38544	0	0	0	0	QAG	48.5220	117.1754	17.9	635.5	399	55994.	1845	1.5	4.5	5.7	2.9	0.8	3.8	42	0.1
38546	0	0	0	0	KG	48.5228	117.1754	18.0	635.4	410	55983.	2012	1.6	5.1	8.4	3.1	0.6	5.1	31	0.1
38547	0	0	0	0	KG	48.5232	117.1753	18.0	635.2	417	55972.	1979	1.8	3.2	7.5	1.7	0.4	4.1	36	0.1
38548	0	0	0	0	KG	48.5236	117.1753	18.0	635.1	422	55961.	1976	1.7	3.4	8.1	2.0	0.4	4.8	39	0.1
38549	0	0	0	0	KG	48.5240	117.1753	18.0	634.9	431	55948.	1993	1.6	3.5	7.3	2.2	0.5	4.7	31	0.1
38550	0	0	0	0	KG	48.5244	117.1753	18.0	634.8	446	55937.	1849	1.5	3.3	9.4	2.3	0.4	6.5	54	0.1
38551	0	0	0	0	KG	48.5248	117.1753	18.0	634.7	470	55926.	1890	1.5	3.0	9.3	2.1	0.3	6.4	59	0.1
38552	0	0	0	0	KG	48.5252	117.1753	18.0	634.5	501	55916.	2046	1.7	4.6	7.4	2.7	0.6	4.3	44	0.1
38553	0	0	0	0	KG	48.5256	117.1752	18.0	634.4	539	55908.	2018	1.9	4.1	7.6	2.2	0.5	4.0	42	0.1
38554	0	0	0	0	KG	48.5260	117.1752	18.0	634.3	575	55901.	2043	1.9	2.9	8.8	1.6	0.3	4.7	42	0.1
38555	0	0	0	0	KC	48.5264	117.1752	18.0	634.1	602	55895.	2292	2.2	3.3	11.2	1.5	0.3	5.0	32	0.1
38556	0	0	0	0	KG	48.5267	117.1752	18.0	634.0	618	55889.	2185	1.7	4.5	9.3	2.7	0.5	5.6	46	0.1
38557	0	0	0	0	KG	48.5271	117.1752	18.0	633.9	626	55886.	2183	1.5	5.3	7.1	3.6	0.7	4.9	37	0.1
38558	0	0	0	0	KG	48.5275	117.1752	18.0	633.8	626	55884.	2240	1.8	3.9	7.2	2.2	0.5	4.0	45	0.1
38559	0	0	0	0	KG	48.5279	117.1751	18.0	633.6	618	55884.	2241	1.7	4.6	6.5	2.6	0.7	3.7	45	0.1
38560	0	0	0	0	KG	48.5283	117.1751	18.0	633.4	605	55886.	2165	2.2	3.5	9.2	1.6	0.4	4.2	46	0.1
38561	0	0	0	0	KG	48.5287	117.1751	18.0	633.3	591	55888.	2267	2.5	4.6	8.2	1.8	0.6	3.3	41	0.1
38562	0	0	0	0	KG	48.5291	117.1751	18.0	633.1	576	55889.	1977	1.8	3.9	8.0	2.2	0.5	4.5	43	0.1
38563	0	0	0	0	KG	48.5295	117.1751	18.0	632.9	564	55891.	2081	1.8	6.1	4.5	3.4	1.4	2.5	48	0.1
38564	0	0	0	0	KG	48.5299	117.1751	18.0	632.8	553	55892.	2239	2.3	3.5	8.7	1.5	0.4	3.8	43	0.1
38565	0	0	0	0	KG	48.5303	117.1750	18.0	632.6	540	55894.	2149	1.9	5.5	7.0	2.9	0.8	3.7	39	0.1
38566	0	0	0	0	KG	48.5307	117.1750	18.0	632.4	523	55898.	2051	1.3	4.3	8.8	3.4	0.5	6.9	56	0.1
38567	0	0	0	0	KG	48.5311	117.1750	18.0	632.2	500	55901.	2228	1.6	4.4	9.2	2.8	0.5	5.9	41	0.1
38568	0	0	0	0	KG	48.5315	117.1750	18.0	631.9	476	55905.	2182	1.5	4.8	8.2	3.2	0.6	5.5	55	0.1
38569	0	0	0	0	KG	48.5319	117.1750	18.0	631.7	456	55907.	2207	1.3	3.9	9.4	3.0	0.4	7.2	32	0.1
38570	0	0	0	0	KG	48.5323	117.1750	18.0	631.5	445	55907.	2110	1.9	3.9	9.5	2.0	0.4	5.0	32	0.1
38571	0	0	0	0	KG	48.5327	117.1750	18.0	631.2	441	55907.	2048	1.6	5.5	7.9	3.5	0.7	5.0	45	0.1
38572	0	0	0	0	KG	48.5331	117.1749	18.0	630.9	440	55905.	1985	1.5	2.2	8.9	1.5	0.3	5.9	50	0.1
38573	0	0	0	0	KG	48.5335	117.1749	18.0	630.6	439	55901.	2050	1.7	4.0	7.0	2.3	0.6	4.0	43	0.1
38574	0	0	0	0	KG	48.5339	117.1749	18.0	630.4	440	55897.	1973	1.6	3.4	10.7	2.1	0.3	6.7	51	0.1
38575	0	0	0	0	KG	48.5343	117.1749	18.0	630.0	447	55891.	2020	1.8	2.5	7.5	1.4	0.3	4.1	32	0.1
38576	0	0	0	0	KG	48.5347	117.1749	18.0	629.7	461	55884.	1928	1.3	3.9	6.9	2.9	0.6	5.2	43	0.1
38577	0	0	0	0	KG	48.5351	117.1749	18.0	629.4	479	55877.	2077	1.7	3.6	9.7	2.1	0.4	5.8	50	0.1
38578	0	0	0	0	KG	48.5355	117.1749	18.0	629.0	498	55871.	2180	1.8	3.6	10.0	2.0	0.4	5.7	30	0.1
38579	0	0	0	0	KG	48.5359	117.1748	18.0	628.7	513	55864.	2105	2.2	4.0	8.2	1.8	0.5	3.8	43	0.1
38580	0	0	0	0	KG	48.5363	117.1748	18.0	628.3	521	55858.	2040	1.5	4.5	9.0	3.0	0.5	6.0	43	0.1
38581	0	0	0	0	KG	48.5367	117.1748	18.0	628.0	521	55852.	2046	1.4	4.7	7.4	3.3	0.6	5.2	47	0.1
38582	0	0	1	0	KG	48.5371	117.1748	18.0	627.7	518	55849.	2007	2.2	1.0	10.3	0.4	0.1	4.6	51	0.1
38583	0	0	0	0	KNA	48.5375	117.1748	18.0	627.3	516	55845.	2061	1.5	3.6	9.5	2.4	0.4	6.3	42	0.1
38584	0	0	0	0	KNA	48.5378	117.1747	18.0	627.0	515	55843.	2183	2.0	2.6	12.2	1.3	0.2	6.0	41	0.1
38585	0	0	0	0	KNA	48.5383	117.1747	18.0	626.7	517	55841.	2205	2.1	2.3	10.8	1.1	0.2	5.2	47	0.1
38586	0	0	0	0	KNA	48.5387	117.1747	18.1	626.5	520	55838.	2335	2.2	4.9	8.3	2.3	0.6	3.8	42	0.1
38587	0	0	0	0	KNA	48.5390	117.1747	18.1	626.2	517	55836.	2416	1.9	4.8	9.4	2.6	0.5	5.1	44	0.1
38588	0	0	0	0	KNA	48.5394	117.1747	18.1	626.0	501	55834.	2296	2.2	3.9	9.1	1.8	0.4	4.2	53	0.1
38589	0	0	0	0	KNA	48.5398	117.1747	18.1	625.9	474	55832.	2285	1.6	5.7	8.7	3.7	0.7	5.6	54	0.1
38590	0	0	0	0	KNA	48.5402	117.1747	18.1	625.7	446	55830.	2162	1.7	2.8	9.8	1.6	0.3	5.7	42	0.1
38591	0	0	0	0	KNA	48.5406	117.1746	18.1	625.6	423	55827.	2156	1.8	4.8	8.0	2.7	0.6	4.5	47	0.1

*** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 102							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
38592	0	0	0	0	KGP	48.5410	117.1746	18.1	625.6	399	55820.	2052	1.8	3.6	9.9	2.0	0.4	5.6	37	0.1
38593	0	0	0	0	KGP	48.5414	117.1746	18.1	625.6	373	55810.	1983	1.6	3.2	10.5	2.0	0.3	6.6	45	0.1
38594	0	0	0	0	KGP	48.5418	117.1746	18.1	625.6	351	55796.	1839	1.5	3.4	7.8	2.3	0.4	5.3	52	0.1
38595	0	0	0	0	KGP	48.5422	117.1746	18.1	625.6	340	55779.	1882	1.3	4.9	5.8	3.9	0.9	4.6	39	0.1
38596	0	0	0	0	KGP	48.5426	117.1746	18.1	625.7	345	55760.	1939	1.2	4.3	7.9	3.5	0.5	6.3	48	0.1
38597	0	0	0	0	KGP	48.5430	117.1745	18.1	625.8	363	55743.	2091	1.2	4.2	9.0	3.4	0.5	7.3	41	0.1
38598	0	0	0	0	KGP	48.5434	117.1745	18.1	625.9	389	55726.	2254	1.4	5.4	8.8	3.9	0.6	6.4	33	0.1
38599	0	0	0	0	KGP	48.5438	117.1745	18.1	626.0	423	55711.	2436	1.7	6.3	9.5	3.7	0.7	5.6	49	0.1
38600	0	0	0	0	KGP	48.5442	117.1745	18.1	626.1	459	55700.	2380	1.5	4.6	11.8	3.1	0.4	7.8	46	0.1
38601	0	0	0	0	KGP	48.5446	117.1745	18.1	626.2	488	55688.	2359	1.3	5.9	9.7	4.7	0.6	7.7	59	0.1
38602	0	0	0	0	KGP	48.5450	117.1745	18.1	626.4	505	55677.	2269	1.6	4.6	9.0	2.8	0.5	5.6	36	0.1
38603	0	0	0	0	KGP	48.5454	117.1745	18.1	626.5	515	55665.	2254	1.9	6.0	8.3	3.2	0.7	4.5	51	0.1
38604	0	0	0	0	KGP	48.5458	117.1744	18.1	626.7	521	55653.	2222	1.5	4.8	10.5	3.2	0.5	7.0	53	0.1
38605	0	0	0	0	KGP	48.5462	117.1744	18.1	626.8	520	55641.	2212	1.8	4.9	8.3	2.8	0.6	4.6	49	0.1
38606	0	0	0	0	KGP	48.5466	117.1744	18.1	627.0	511	55629.	2227	1.4	6.0	7.0	4.4	0.9	5.2	46	0.1
38607	0	0	0	0	KGP	48.5470	117.1744	18.1	627.1	494	55619.	2255	1.7	4.9	9.4	2.9	0.5	5.6	39	0.1
38608	0	0	0	0	KGP	48.5474	117.1744	18.1	627.2	473	55610.	2161	1.3	5.4	8.4	4.2	0.6	6.5	44	0.1
38609	0	0	0	0	KGP	48.5478	117.1743	18.1	627.4	450	55603.	2275	1.7	4.0	11.5	2.3	0.3	6.8	36	0.1
38610	0	0	0	0	KNA	48.5482	117.1743	18.1	627.5	432	55598.	2105	1.6	4.7	6.3	2.8	0.7	3.8	57	0.1
38611	0	0	0	0	KNA	48.5486	117.1743	18.1	627.7	419	55594.	2152	1.7	4.3	7.7	2.5	0.6	4.5	43	0.1
38612	0	0	0	0	KNA	48.5490	117.1743	18.2	627.9	417	55591.	2205	1.9	5.0	8.2	2.6	0.6	4.3	52	0.1
38613	0	0	0	0	KNA	48.5494	117.1743	18.2	628.0	418	55590.	2271	1.9	4.7	9.3	2.5	0.5	5.0	36	0.1
38614	0	0	0	0	KNA	48.5497	117.1743	18.2	628.1	426	55591.	2419	1.6	5.1	9.2	3.1	0.5	5.7	31	0.1
38615	0	0	0	0	KNA	48.5502	117.1743	18.2	628.3	436	55593.	2383	1.6	5.2	10.5	3.2	0.5	6.6	53	0.1
38616	0	0	0	0	KNA	48.5506	117.1742	18.2	628.4	448	55598.	2555	1.9	6.5	8.4	3.4	0.8	4.4	45	0.1
38617	0	0	0	0	KNA	48.5509	117.1742	18.2	628.5	456	55603.	2763	2.0	5.7	14.0	2.6	0.4	7.1	42	0.1
38618	0	0	0	0	KNA	48.5513	117.1742	18.2	628.6	463	55606.	2714	2.5	4.1	14.2	1.7	0.3	5.8	48	0.1
38619	0	0	0	0	KNA	48.5517	117.1742	18.2	628.7	470	55610.	2788	2.1	3.9	16.5	1.8	0.2	7.7	50	0.1
38620	0	0	0	0	KNA	48.5521	117.1742	18.2	628.8	478	55613.	2836	1.7	5.0	17.4	3.0	0.3	10.5	42	0.1
38621	0	0	0	0	KGP	48.5525	117.1742	18.2	628.9	485	55616.	2663	2.2	4.6	14.5	2.1	0.3	6.7	57	0.1
38622	0	0	0	0	KGP	48.5529	117.1741	18.2	629.0	490	55619.	2761	2.2	4.4	15.4	2.0	0.3	7.1	47	0.1
38623	0	0	0	0	KGP	48.5533	117.1741	18.2	629.1	490	55621.	2735	1.7	5.8	13.8	3.4	0.4	8.2	40	0.1
38624	0	0	0	0	KGP	48.5537	117.1741	18.2	629.1	488	55623.	2584	2.2	3.2	13.6	1.5	0.2	6.2	50	0.1
38625	0	0	0	0	KG	48.5541	117.1741	18.2	629.2	489	55625.	2572	1.8	4.5	15.5	2.5	0.3	8.5	35	0.1
38626	0	0	0	0	KG	48.5545	117.1741	18.2	629.2	497	55626.	2567	2.1	4.6	11.3	2.2	0.4	5.4	37	0.1
38627	0	0	0	0	KG	48.5549	117.1741	18.2	629.3	512	55628.	2383	2.1	3.5	11.6	1.7	0.3	5.5	61	0.1
38628	0	0	0	0	KG	48.5553	117.1740	18.2	629.3	531	55628.	2367	1.4	4.3	12.6	3.1	0.3	9.1	56	0.1
38629	0	0	0	0	KG	48.5557	117.1740	18.2	629.2	553	55629.	2352	1.7	2.7	13.6	1.5	0.2	7.7	42	0.1
38630	0	0	0	0	KG	48.5561	117.1740	18.2	629.2	575	55630.	2287	2.3	2.2	13.2	0.9	0.2	5.7	40	0.1
38631	0	0	0	0	KG	48.5565	117.1740	18.2	629.2	597	55633.	2225	1.9	3.8	9.6	2.1	0.4	5.2	41	0.1
38632	0	0	0	0	KG	48.5569	117.1740	18.2	629.1	608	55636.	2246	1.8	3.7	8.2	2.0	0.4	4.6	32	0.1
38633	0	0	0	0	KG	48.5573	117.1740	18.2	629.0	606	55639.	2108	1.7	6.0	5.8	3.5	1.0	3.3	33	0.1
38634	0	0	0	0	KG	48.5577	117.1740	18.2	628.8	593	55642.	1897	1.3	5.2	6.0	3.9	0.9	4.5	43	0.1
38635	0	0	0	0	KG	48.5581	117.1739	18.2	628.7	579	55643.	1839	1.7	2.9	7.7	1.7	0.4	4.5	42	0.1
38637	0	0	0	0	KG	48.5589	117.1739	18.2	628.5	570	55644.	1908	0.9	5.4	4.8	5.8	1.1	5.1	45	0.1
38638	0	0	0	0	KG	48.5593	117.1739	18.2	628.3	563	55647.	1848	1.1	4.7	7.6	4.3	0.6	6.9	52	0.1
38639	0	0	0	0	KG	48.5597	117.1739	18.2	628.1	557	55649.	1887	1.0	4.3	8.4	4.4	0.5	8.6	49	0.1
38640	0	0	0	0	KG	48.5601	117.1739	18.2	627.9	547	55652.	1821	1.1	3.0	5.8	2.7	0.5	5.2	43	0.1
38641	0	0	0	0	KG	48.5605	117.1738	18.3	627.7	535	55656.	1943	1.5	5.0	9.1	3.4	0.6	6.1	49	0.1
38642	0	0	0	0	KG	48.5609	117.1738	18.3	627.5	524	55660.	1808	1.1	5.1	5.9	4.7	0.9	5.4	51	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 102							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
38643	0	0	0	0	KG	48.5613	117.1738	18.3	627.2	513	55663.	1786	1.4	4.7	3.6	3.4	1.3	2.6	48	0.1
38644	0	0	0	0	KG	48.5616	117.1738	18.3	626.9	503	55666.	1761	1.5	2.4	8.3	1.6	0.3	5.6	38	0.1
38645	0	0	0	0	KG	48.5620	117.1738	18.3	626.7	494	55668.	1826	1.4	4.0	6.3	2.8	0.6	4.5	32	0.1
38646	0	0	0	0	KG	48.5625	117.1738	18.3	626.5	484	55670.	1685	1.7	3.7	5.0	2.3	0.7	3.0	34	0.1
38647	0	0	0	0	KG	48.5628	117.1737	18.3	626.4	473	55671.	1655	1.2	3.6	7.2	3.0	0.5	6.1	50	0.1
38648	0	0	0	0	KG	48.5632	117.1737	18.3	626.3	456	55673.	1641	1.1	2.1	8.3	1.8	0.2	7.3	40	0.1
38649	0	0	0	0	KG	48.5636	117.1737	18.3	626.1	434	55675.	1679	1.2	4.1	4.6	3.6	0.9	4.0	45	0.1
38650	0	0	0	0	KG	48.5640	117.1737	18.3	626.1	410	55678.	1768	1.5	2.7	6.8	1.8	0.4	4.4	48	0.1
38651	0	0	0	0	KG	48.5644	117.1737	18.3	626.0	386	55680.	1714	1.0	4.2	7.4	4.2	0.6	7.3	34	0.1
38652	0	0	0	0	KG	48.5648	117.1737	18.3	626.0	365	55682.	1705	1.3	3.2	6.0	2.5	0.5	4.8	54	0.1
38653	0	0	0	0	KG	48.5652	117.1736	18.3	626.1	346	55681.	1604	1.2	3.3	6.4	2.8	0.5	5.5	63	0.1
38654	0	0	0	0	KG	48.5656	117.1736	18.3	626.1	331	55678.	1704	1.4	3.0	8.7	2.1	0.3	6.0	36	0.1
38655	0	0	0	0	KG	48.5660	117.1736	18.3	626.3	322	55672.	1631	1.0	3.7	7.8	3.6	0.5	7.6	44	0.1
38656	0	0	0	0	KG	48.5664	117.1736	18.3	626.4	324	55663.	1606	0.8	2.2	8.2	2.6	0.3	9.7	54	0.1
38657	0	0	0	0	KG	48.5668	117.1736	18.3	626.6	336	55655.	1678	1.1	2.6	6.6	2.3	0.4	5.9	47	0.1
38658	0	0	0	0	KG	48.5673	117.1736	18.3	626.8	356	55647.	1696	1.3	3.0	6.9	2.3	0.4	5.3	49	0.1
38659	0	0	0	0	KG	48.5677	117.1736	18.3	627.0	380	55640.	1848	1.9	1.8	9.3	1.0	0.2	5.0	51	0.1
38660	0	0	0	0	KG	48.5681	117.1736	18.3	627.2	403	55633.	1940	1.8	3.6	10.1	2.0	0.4	5.7	68	0.1
38661	0	0	0	0	KG	48.5685	117.1736	18.3	627.5	427	55626.	2083	1.7	3.3	11.6	2.0	0.3	7.0	43	0.1
38662	0	0	0	0	KG	48.5690	117.1736	18.3	627.7	449	55620.	2170	2.2	1.9	10.5	0.8	0.2	4.7	37	0.1
38663	0	0	0	0	KG	48.5694	117.1736	18.3	628.0	466	55615.	2133	1.7	2.9	12.3	1.6	0.2	7.0	45	0.1
38664	0	0	0	0	KG	48.5698	117.1736	18.3	628.2	479	55612.	2296	1.7	3.7	12.5	2.2	0.3	7.5	32	0.1
38665	0	0	0	0	KG	48.5702	117.1736	18.3	628.5	490	55609.	2241	1.6	5.3	6.9	3.3	0.8	4.2	54	0.1
38666	0	0	0	0	KG	48.5706	117.1736	18.3	628.7	503	55607.	2195	1.3	3.5	14.7	2.7	0.2	11.2	39	0.1
38667	0	0	0	0	KG	48.5710	117.1736	18.3	629.0	514	55604.	2048	1.8	2.3	8.5	1.3	0.3	4.7	56	0.1
38668	0	0	0	0	KG	48.5715	117.1736	18.3	629.3	519	55602.	2219	1.9	4.4	8.5	2.3	0.5	4.4	50	0.1
38669	0	0	0	0	KG	48.5719	117.1736	18.3	629.6	519	55602.	2095	2.1	1.8	13.7	0.9	0.1	6.7	57	0.1
38670	0	0	0	0	KG	48.5723	117.1736	18.3	629.8	518	55601.	2155	1.8	3.5	10.3	1.9	0.3	5.6	54	0.1
38671	0	0	0	0	KG	48.5727	117.1736	18.3	630.1	520	55603.	2236	2.1	4.5	11.0	2.2	0.4	5.4	33	0.1
38672	0	0	0	0	KG	48.5732	117.1736	18.3	630.4	526	55603.	2235	1.7	4.0	10.5	2.4	0.4	6.3	55	0.1
38673	0	0	0	0	KG	48.5736	117.1736	18.3	630.7	533	55604.	2126	2.0	4.1	10.3	2.1	0.4	5.2	48	0.1
38674	0	0	0	0	KG	48.5740	117.1736	18.3	630.9	542	55607.	2239	1.4	3.9	9.9	2.9	0.4	7.2	48	0.1
38675	0	0	0	0	KG	48.5744	117.1736	18.3	631.2	548	55608.	2224	1.5	5.9	8.4	3.9	0.7	5.5	50	0.1
38676	0	0	0	0	KG	48.5748	117.1736	18.3	631.4	550	55611.	2324	1.8	5.8	10.0	3.3	0.6	5.7	37	0.1
38677	0	0	0	0	KG	48.5753	117.1736	18.3	631.7	550	55613.	2440	1.9	4.4	14.0	2.4	0.3	7.6	36	0.1
38678	0	0	0	0	KG	48.5757	117.1736	18.3	632.0	549	55615.	2330	1.9	7.2	10.3	3.8	0.7	5.4	48	0.1
38679	0	0	0	0	KG	48.5761	117.1736	18.3	632.3	547	55618.	2368	2.3	4.0	12.1	1.7	0.3	5.2	46	0.1
38680	0	0	0	0	KG	48.5765	117.1736	18.3	632.5	544	55620.	2483	2.2	4.0	11.1	1.8	0.4	5.0	44	0.1
38681	0	0	0	0	KG	48.5769	117.1736	18.3	632.8	542	55621.	2606	2.3	5.9	10.5	2.6	0.6	4.6	46	0.1
38682	0	0	0	0	KG	48.5773	117.1736	18.3	633.0	542	55622.	2859	2.1	6.4	14.1	3.0	0.5	6.6	37	0.1
38683	0	0	0	0	KG	48.5778	117.1737	18.3	633.3	539	55622.	2846	2.0	6.9	13.5	3.5	0.5	6.8	43	0.1
38684	0	0	0	0	KG	48.5782	117.1737	18.3	633.5	535	55623.	2899	2.1	3.5	16.0	1.7	0.2	7.5	40	0.1
38685	0	0	0	0	KG	48.5786	117.1737	18.3	633.7	530	55624.	2985	2.0	6.5	13.4	3.2	0.5	6.5	47	0.1
38686	0	0	0	0	KG	48.5790	117.1737	18.3	634.0	527	55625.	3055	2.0	5.2	17.5	2.6	0.3	8.7	56	0.1
38687	0	0	0	0	KG	48.5795	117.1737	18.3	634.2	522	55625.	3000	2.6	2.8	15.8	1.1	0.2	6.2	41	0.1
38688	0	0	0	0	KG	48.5799	117.1737	18.3	634.5	517	55624.	2942	2.3	5.1	15.9	2.2	0.3	6.9	44	0.1
38689	0	0	0	0	KG	48.5803	117.1737	18.3	634.7	515	55623.	2729	2.1	6.0	13.8	2.9	0.4	6.8	38	0.1
38690	0	0	0	0	KG	48.5807	117.1737	18.3	635.0	521	55621.	2834	2.1	5.4	12.1	2.6	0.4	5.8	49	0.1
38691	0	0	0	0	KG	48.5811	117.1737	18.4	635.3	529	55619.	2622	2.3	4.2	10.5	1.8	0.4	4.5	52	0.1
38692	0	0	0	0	KG	48.5815	117.1737	18.4	635.5	539	55618.	2698	2.3	4.4	11.5	1.9	0.4	5.0	37	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 102

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
38693	0	0	0	0	KG	48.5820	117.1737	18.4	635.7	545	55617.	2606	2.5	3.5	8.3	1.4	0.4	3.4	38	0.1
38694	0	0	0	0	KG	48.5824	117.1737	18.4	635.9	544	55616.	2558	2.0	6.2	12.0	3.2	0.5	6.1	36	0.1
38695	0	0	0	0	KG	48.5828	117.1737	18.4	636.1	533	55615.	2636	2.1	4.3	17.3	2.1	0.2	8.4	35	0.1
38696	0	0	0	0	KG	48.5832	117.1737	18.4	636.3	525	55614.	2437	1.9	4.0	11.3	2.1	0.3	6.0	41	0.1
38697	0	0	0	0	KG	48.5836	117.1737	18.4	636.5	517	55613.	2295	1.6	4.3	11.6	2.6	0.4	7.1	49	0.1
38698	0	0	0	0	KG	48.5841	117.1737	18.4	636.6	508	55613.	2378	1.8	4.3	10.2	2.4	0.4	5.6	49	0.1
38699	0	0	0	0	KG	48.5845	117.1737	18.4	636.8	501	55614.	2279	1.8	3.7	11.1	2.0	0.3	6.1	59	0.1
38700	0	0	0	0	KG	48.5849	117.1737	18.4	636.9	498	55615.	2318	1.8	4.6	9.5	2.6	0.5	5.4	47	0.1
38701	0	0	0	0	KG	48.5853	117.1737	18.4	637.0	502	55617.	2271	1.6	4.4	11.9	2.8	0.4	7.6	47	0.1
38702	0	0	0	0	KG	48.5858	117.1737	18.4	637.0	506	55620.	2314	2.2	4.2	12.6	1.9	0.3	5.9	46	0.1
38703	0	0	0	0	KG	48.5862	117.1737	18.4	637.1	510	55625.	2199	1.8	2.9	9.7	1.6	0.3	5.4	40	0.1
38704	0	0	0	0	KG	48.5865	117.1737	18.4	637.1	512	55631.	2281	2.1	3.7	10.6	1.7	0.3	5.0	39	0.1
38705	0	0	0	0	KG	48.5869	117.1737	18.4	637.1	506	55638.	2201	2.4	3.0	10.3	1.3	0.3	4.3	47	0.1
38706	0	0	0	0	KG	48.5872	117.1737	18.4	637.1	496	55645.	2270	1.7	5.0	9.8	3.0	0.5	5.9	46	0.1
38707	0	0	0	0	KG	48.5876	117.1737	18.4	637.1	477	55652.	2415	1.7	4.3	11.9	2.6	0.4	7.1	42	0.1
38708	0	0	0	0	KG	48.5879	117.1736	18.4	637.0	455	55660.	2322	2.2	3.4	10.9	1.6	0.3	5.0	46	0.1
38709	0	0	0	0	KG	48.5883	117.1736	18.4	637.0	430	55667.	2488	2.1	4.4	11.7	2.1	0.4	5.6	55	0.1
38710	0	0	0	0	KG	48.5886	117.1736	18.4	636.9	408	55674.	2601	2.4	3.8	13.8	1.6	0.3	5.6	35	0.1
38711	0	0	0	0	KG	48.5890	117.1736	18.4	636.9	397	55682.	2502	2.4	2.3	15.0	0.9	0.2	6.3	61	0.1
38712	0	0	0	0	KG	48.5893	117.1736	18.4	636.8	397	55689.	2619	2.4	4.8	12.5	2.0	0.4	5.1	37	0.1
38713	0	0	0	0	KG	48.5897	117.1736	18.4	636.8	401	55697.	2627	2.1	4.0	15.4	1.9	0.3	7.3	47	0.1
38714	0	0	0	0	KG	48.5900	117.1736	18.4	636.8	404	55707.	2674	2.4	3.8	13.5	1.6	0.3	5.5	46	0.1
38715	0	0	0	0	KG	48.5904	117.1736	18.4	636.8	403	55717.	2646	2.0	4.6	10.4	2.2	0.4	5.1	48	0.1
38716	0	0	0	0	KG	48.5907	117.1736	18.4	636.8	398	55727.	2656	2.3	5.3	14.9	2.3	0.4	6.5	32	0.1
38717	0	0	0	0	KG	48.5911	117.1736	18.4	636.8	387	55735.	2528	2.0	5.1	13.4	2.5	0.4	6.6	35	0.1
38718	0	0	0	0	KG	48.5914	117.1736	18.4	636.8	369	55739.	2476	1.8	4.6	10.0	2.6	0.5	5.7	40	0.1
38719	0	0	0	0	KG	48.5918	117.1736	18.4	636.9	351	55738.	2286	1.6	3.2	11.8	2.0	0.3	7.4	41	0.1
38720	0	0	0	0	KG	48.5921	117.1736	18.4	637.0	339	55735.	2104	1.7	3.6	10.3	2.2	0.4	6.2	48	0.1
38721	0	0	0	0	KG	48.5925	117.1736	18.4	637.1	340	55728.	1916	1.8	3.5	7.2	1.9	0.5	4.0	46	0.1
38722	0	0	0	0	KG	48.5928	117.1736	18.4	637.2	351	55721.	1929	1.1	4.1	7.6	3.6	0.5	6.7	47	0.1
38723	0	0	0	0	KG	48.5932	117.1736	18.4	637.3	371	55713.	1983	1.2	4.9	8.9	4.2	0.5	7.6	30	0.1
38724	0	0	0	0	KG	48.5936	117.1736	18.4	637.5	393	55707.	1899	1.9	3.2	8.5	1.7	0.4	4.5	44	0.1
38725	0	0	0	0	KG	48.5939	117.1735	18.4	637.6	420	55703.	1926	1.5	4.2	7.5	2.8	0.6	5.0	37	0.1
38726	0	0	0	0	KG	48.5943	117.1735	18.4	637.8	455	55699.	1919	1.8	3.4	8.4	1.9	0.4	4.7	38	0.1
38728	0	0	0	0	KG	48.5950	117.1735	18.4	637.9	498	55694.	2067	1.5	4.1	9.4	2.8	0.4	6.4	46	0.1
38729	0	0	0	0	KG	48.5953	117.1735	18.4	638.1	543	55690.	1931	1.7	1.8	11.0	1.0	0.2	6.3	62	0.1
38730	0	0	0	0	KG	48.5957	117.1735	18.4	638.2	578	55685.	2166	1.8	3.4	11.2	1.9	0.3	6.3	34	0.1
38731	0	0	0	0	KG	48.5960	117.1735	18.5	638.3	606	55680.	2109	1.6	4.9	8.1	3.0	0.6	4.9	44	0.1
38732	0	0	0	0	KG	48.5964	117.1735	18.5	638.4	635	55676.	2017	1.5	5.7	7.9	3.8	0.7	5.2	64	0.1
38733	0	0	0	0	KG	48.5967	117.1735	18.5	638.5	669	55673.	2254	1.6	7.0	6.9	4.5	1.0	4.4	45	0.1
38734	0	0	0	0	KG	48.5971	117.1735	18.5	638.6	695	55672.	2358	1.7	4.3	10.8	2.6	0.4	6.4	42	0.1
38735	1	0	0	0	KG	48.5974	117.1735	18.5	638.6	706	55673.	2346	1.7	3.4	13.4	2.1	0.3	8.1	45	0.1
38736	1	0	0	0	KG	48.5978	117.1735	18.5	638.6	703	55676.	2366	1.9	6.1	9.1	3.3	0.7	4.8	41	0.1
38737	1	0	0	0	KG	48.5981	117.1735	18.5	638.6	704	55682.	2469	1.9	5.6	12.5	3.0	0.5	6.7	45	0.1
38738	1	0	0	0	KG	48.5985	117.1735	18.5	638.6	701	55689.	2525	1.3	6.3	11.3	4.9	0.6	8.9	43	0.1
38739	0	0	0	0	KG	48.5989	117.1735	18.5	638.5	694	55698.	2507	1.4	7.8	9.5	5.6	0.8	6.8	41	0.1
38740	0	0	0	0	KG	48.5993	117.1735	18.5	638.5	678	55710.	2525	1.6	5.0	14.4	3.2	0.4	9.1	48	0.1
38741	0	0	0	0	KG	48.5997	117.1735	18.5	638.4	662	55722.	2634	2.1	6.4	10.1	3.1	0.6	4.9	32	0.1
38742	0	0	0	0	KG	48.6002	117.1735	18.5	638.3	639	55735.	2588	2.3	5.7	10.8	2.4	0.5	4.6	50	0.1
38743	0	0	0	0	KG	48.6006	117.1735	18.5	638.3	610	55748.	2742	1.8	5.9	14.8	3.3	0.4	8.1	35	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 102

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
38744	0	0	0	0	KG	48.6010	117.1735	18.5	638.2	564	55760.	2563	2.1	5.2	12.7	2.5	0.4	6.0	55	0.1
38745	0	0	0	0	KG	48.6014	117.1735	18.5	638.2	519	55772.	2522	2.0	4.9	15.9	2.4	0.3	7.9	39	0.1
38746	0	0	0	0	KG	48.6019	117.1735	18.5	638.2	479	55783.	2486	2.1	2.7	16.2	1.3	0.2	7.8	42	0.1
38747	0	0	0	0	KG	48.6023	117.1735	18.5	638.3	451	55790.	2509	1.9	4.5	9.9	2.4	0.5	5.3	36	0.1
38748	0	0	0	0	KG	48.6027	117.1735	18.6	638.4	429	55791.	2593	2.0	4.5	13.2	2.2	0.3	6.5	46	0.1
38749	0	0	0	0	KG	48.6031	117.1735	18.6	638.4	410	55788.	2633	1.7	4.0	15.5	2.3	0.3	9.0	40	0.1
38750	0	0	0	0	KG	48.6035	117.1735	18.6	638.6	385	55780.	2628	1.9	4.2	13.7	2.3	0.3	7.4	46	0.1
38751	0	0	0	0	KG	48.6040	117.1735	18.6	638.8	365	55769.	2612	2.0	3.9	12.4	2.0	0.3	6.3	53	0.1
38752	0	0	0	0	KG	48.6044	117.1735	18.6	639.0	348	55755.	2494	1.4	4.3	16.1	3.0	0.3	11.3	54	0.1
38753	0	0	0	0	KG	48.6048	117.1735	18.6	639.3	352	55740.	2566	1.7	3.5	15.8	2.0	0.2	9.2	43	0.1
38754	0	0	0	0	KG	48.6052	117.1735	18.6	639.7	364	55724.	2571	2.1	3.4	13.2	1.6	0.3	6.4	39	0.1
38755	0	0	0	0	KG	48.6057	117.1735	18.6	640.0	387	55707.	2343	1.6	4.5	11.3	2.8	0.4	7.1	41	0.1
38756	0	0	0	0	KG	48.6061	117.1735	18.6	640.4	412	55693.	2434	2.1	2.8	13.8	1.3	0.2	6.5	45	0.1
38757	0	0	0	0	KG	48.6065	117.1735	18.6	640.8	433	55682.	2269	2.2	4.7	10.4	2.1	0.5	4.8	47	0.1
38758	0	0	0	0	KG	48.6069	117.1735	18.6	641.1	451	55673.	2156	1.7	3.3	9.3	1.9	0.4	5.5	40	0.1
38759	0	0	0	0	KG	48.6073	117.1735	18.6	641.5	466	55668.	2162	1.9	4.2	11.2	2.2	0.4	5.9	39	0.1
38760	0	0	0	0	KG	48.6078	117.1735	18.6	641.9	477	55664.	2111	2.1	4.2	10.7	2.0	0.4	5.1	48	0.1
38761	0	0	0	0	KG	48.6082	117.1735	18.6	642.3	487	55661.	2231	1.9	4.2	9.2	2.2	0.5	4.7	41	0.1
38762	0	0	0	0	KG	48.6086	117.1735	18.7	642.7	498	55659.	2171	2.1	3.8	10.4	1.8	0.4	5.0	40	0.1
38763	0	0	0	0	KG	48.6090	117.1735	18.7	643.1	510	55657.	2164	1.5	5.3	9.5	3.6	0.6	6.5	47	0.1
38764	0	0	0	0	KG	48.6095	117.1735	18.7	643.4	520	55655.	2150	1.7	3.9	9.1	2.3	0.4	5.4	48	0.1
38765	0	0	0	0	KG	48.6099	117.1735	18.7	643.8	527	55653.	2180	1.7	4.9	7.9	2.9	0.6	4.7	37	0.1
38766	0	0	0	0	KG	48.6103	117.1735	18.7	644.1	533	55651.	2180	1.6	3.9	9.8	2.5	0.4	6.3	37	0.1
38767	0	0	0	0	QAG	48.6107	117.1735	18.7	644.4	536	55650.	2213	1.8	5.5	9.6	3.0	0.6	5.3	47	0.1
38768	0	0	0	0	QAG	48.6111	117.1735	18.7	644.6	538	55650.	2176	1.7	5.6	8.0	3.3	0.7	4.7	40	0.1
38769	0	0	0	0	QAG	48.6115	117.1735	18.7	644.8	540	55652.	2344	2.1	3.4	12.8	1.6	0.3	6.1	44	0.1
38770	0	0	0	0	QAG	48.6120	117.1735	18.7	645.0	539	55654.	2365	2.0	5.4	8.1	2.7	0.7	4.1	49	0.1
38771	0	0	0	0	QAG	48.6124	117.1735	18.7	645.2	538	55655.	2349	2.1	4.1	9.5	1.9	0.4	4.4	44	0.1
38772	0	0	0	0	QAG	48.6128	117.1735	18.7	645.4	539	55656.	2348	2.3	3.9	10.5	1.7	0.4	4.5	37	0.1
38773	0	0	0	0	QAG	48.6132	117.1735	18.7	645.4	543	55656.	2459	2.3	3.8	11.9	1.7	0.3	5.2	39	0.1
38774	0	0	0	0	QAG	48.6137	117.1735	18.8	645.5	549	55657.	2500	2.2	5.6	9.9	2.6	0.6	4.5	30	0.1
38775	0	0	0	0	KG	48.6141	117.1735	18.8	645.5	558	55659.	2564	2.6	4.6	11.6	1.8	0.4	4.5	37	0.1
38776	0	0	0	0	KG	48.6145	117.1735	18.8	645.5	555	55663.	2675	2.3	2.8	16.1	1.2	0.2	6.9	40	0.1
38777	0	0	0	0	KG	48.6149	117.1735	18.8	645.5	541	55669.	2605	2.0	6.1	8.4	3.1	0.7	4.2	40	0.1
38778	0	0	0	0	KG	48.6152	117.1735	18.8	645.4	508	55678.	2522	2.2	6.5	7.8	2.9	0.8	3.5	49	0.1
38779	0	0	0	0	KG	48.6156	117.1735	18.8	645.3	479	55690.	2429	2.1	4.3	11.5	2.0	0.4	5.5	43	0.1
38780	0	0	0	0	KG	48.6159	117.1735	18.8	645.2	450	55704.	2391	2.0	5.2	8.4	2.6	0.6	4.2	36	0.1
38781	0	0	0	0	KG	48.6163	117.1735	18.8	645.0	434	55721.	2411	2.2	5.0	10.9	2.3	0.5	4.9	35	0.1
38782	0	0	0	0	KG	48.6167	117.1735	18.8	644.9	424	55740.	2484	2.4	4.5	9.6	1.8	0.5	3.9	42	0.1
38783	0	0	0	0	KG	48.6170	117.1735	18.8	644.7	418	55758.	2526	2.3	4.9	10.5	2.1	0.5	4.6	35	0.1
38784	0	0	0	0	KG	48.6174	117.1734	18.8	644.6	412	55776.	2544	2.1	4.5	12.5	2.2	0.4	6.1	28	0.1
38785	0	0	0	0	KG	48.6177	117.1734	18.8	644.5	402	55795.	2431	2.0	3.9	11.5	2.0	0.3	5.7	43	0.1
38786	0	0	0	0	KG	48.6181	117.1734	18.8	644.4	384	55815.	2417	1.9	3.5	11.1	1.9	0.3	5.9	42	0.1
38787	0	0	0	0	KG	48.6185	117.1734	18.8	644.3	361	55836.	2468	2.3	3.3	13.0	1.5	0.3	5.7	34	0.1
38788	0	0	0	0	KG	48.6188	117.1734	18.8	644.3	337	55857.	2358	2.1	3.7	9.1	1.7	0.4	4.3	57	0.1
38789	0	0	0	0	KKH	48.6192	117.1734	18.8	644.3	317	55875.	2296	1.9	3.5	12.5	1.8	0.3	6.4	38	0.1
38790	0	0	0	0	KKH	48.6195	117.1734	18.8	644.3	304	55887.	2255	2.1	4.5	8.6	2.1	0.5	4.1	51	0.1
38791	0	0	0	0	KKH	48.6199	117.1734	18.8	644.4	296	55891.	2097	1.7	3.8	9.2	2.2	0.4	5.3	51	0.1
38792	0	0	0	0	KKH	48.6203	117.1734	18.8	644.5	297	55886.	2132	2.0	3.6	7.4	1.8	0.5	3.6	48	0.1
38793	0	0	0	0	KKH	48.6206	117.1734	18.8	644.7	301	55873.	2119	1.9	3.8	8.9	2.0	0.4	4.8	43	0.1

** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 103

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BAROM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
39471	0	0	0	0	KG	48.5007	117.1299	17.1	648.4	575	55762.	2039	1.8	3.7	9.0	2.1	0.4	5.1	54	0.1
39472	0	0	0	0	KG	48.5010	117.1299	17.1	648.5	598	55753.	2055	1.4	3.3	8.3	2.4	0.4	6.1	40	0.1
39473	0	0	0	0	KG	48.5014	117.1299	17.1	648.6	614	55746.	2138	2.2	2.4	9.0	1.1	0.3	4.0	33	0.1
39474	0	0	0	0	KG	48.5017	117.1299	17.1	648.8	623	55743.	2071	1.8	5.3	8.1	2.9	0.7	4.4	44	0.1
39475	0	0	0	0	KG	48.5021	117.1299	17.1	648.9	624	55743.	2056	1.7	3.3	11.3	1.9	0.3	6.5	55	0.1
39476	0	0	0	0	KG	48.5024	117.1299	17.1	649.0	623	55745.	1964	2.1	2.2	8.9	1.1	0.2	4.3	52	0.1
39477	0	0	0	0	KG	48.5028	117.1299	17.1	649.1	613	55750.	1939	1.3	2.4	13.6	1.9	0.2	10.8	38	0.1
39478	0	0	0	0	KG	48.5031	117.1299	17.1	649.1	597	55751.	1966	1.6	2.0	12.7	1.2	0.2	7.9	37	0.1
39479	0	0	0	0	KG	48.5035	117.1299	17.1	649.2	580	55761.	1767	1.4	2.7	6.4	1.9	0.4	4.5	42	0.1
39480	0	0	0	0	KG	48.5038	117.1299	17.1	649.2	565	55765.	1845	1.6	3.5	7.4	2.1	0.5	4.6	47	0.1
39481	0	0	0	0	KG	48.5042	117.1299	17.1	649.2	551	55766.	1915	1.2	2.1	12.5	1.8	0.2	10.6	37	0.1
39482	0	0	0	0	KG	48.5045	117.1299	17.1	649.2	534	55766.	1870	1.2	5.0	5.6	4.1	0.9	4.6	35	0.1
39483	0	0	0	0	KG	48.5049	117.1299	17.1	649.2	514	55763.	1758	1.4	2.4	8.4	1.7	0.3	6.1	39	0.1
39484	0	0	0	0	KG	48.5052	117.1299	17.1	649.2	501	55759.	1743	1.7	2.0	11.0	1.2	0.2	6.4	44	0.1
39485	0	0	0	0	KG	48.5056	117.1299	17.1	649.2	497	55753.	1726	1.4	2.5	7.4	1.8	0.3	5.3	45	0.1
39486	0	0	0	0	KG	48.5059	117.1299	17.1	649.3	504	55747.	1859	1.7	4.8	4.5	2.9	1.1	2.7	46	0.1
39487	0	0	0	0	KG	48.5063	117.1299	17.1	649.3	519	55740.	1839	1.8	1.9	7.8	1.0	0.2	4.2	40	0.1
39488	0	0	0	0	KG	48.5066	117.1299	17.1	649.3	539	55733.	1816	1.6	3.1	7.9	2.0	0.4	5.1	44	0.1
39489	0	0	0	0	KG	48.5070	117.1299	17.1	649.2	555	55727.	1900	1.4	4.7	9.0	3.4	0.5	6.5	48	0.1
39490	0	0	0	0	KG	48.5073	117.1299	17.1	649.2	559	55720.	1859	1.4	4.6	7.0	3.3	0.7	5.0	43	0.1
39491	0	0	0	0	KG	48.5077	117.1299	17.1	649.1	557	55712.	1923	1.2	3.2	11.0	2.7	0.3	9.3	43	0.1
39492	0	0	0	0	KG	48.5080	117.1299	17.1	649.0	558	55703.	1890	1.6	1.9	11.7	1.2	0.2	7.3	47	0.1
39493	0	0	0	0	KG	48.5084	117.1299	17.1	648.9	576	55695.	1742	1.1	5.6	6.9	5.2	0.8	6.5	65	0.1
39494	0	0	0	0	KG	48.5087	117.1299	17.1	648.7	607	55687.	1951	1.2	2.0	11.7	1.7	0.2	9.6	40	0.1
39495	0	0	0	0	KG	48.5091	117.1299	17.1	648.6	648	55681.	2096	1.6	3.3	12.1	2.1	0.3	7.7	45	0.1
39496	0	0	0	0	KG	48.5094	117.1299	17.1	648.4	688	55677.	2127	1.5	5.0	6.3	3.3	0.8	4.1	55	0.1
39497	1	0	0	0	KG	48.5098	117.1299	17.1	648.2	718	55675.	2305	1.5	4.4	11.8	2.9	0.4	7.7	45	0.1
39498	1	0	0	0	KG	48.5101	117.1299	17.1	648.0	730	55675.	2518	1.7	7.1	11.1	4.3	0.6	6.7	40	0.1
39499	1	0	0	0	KG	48.5105	117.1299	17.1	647.8	725	55677.	2290	0.9	7.0	10.9	8.2	0.6	12.7	52	0.1
39500	1	0	0	0	KG	48.5108	117.1299	17.1	647.5	704	55679.	2270	1.9	5.3	8.7	2.8	0.6	4.7	49	0.1
39501	0	0	0	0	KG	48.5112	117.1299	17.1	647.2	682	55681.	2304	2.2	3.4	8.2	1.6	0.4	3.8	38	0.1
39502	0	0	0	0	KG	48.5115	117.1299	17.1	647.0	659	55680.	2165	2.0	5.3	6.9	2.7	0.8	3.5	56	0.1
39503	0	0	0	0	KG	48.5119	117.1299	17.1	646.7	643	55678.	2159	1.5	6.0	7.4	4.1	0.8	5.1	36	0.1
39504	0	0	0	0	KG	48.5122	117.1299	17.1	646.4	634	55676.	2139	1.6	3.4	9.1	2.2	0.4	5.8	54	0.1
39505	0	0	0	0	KG	48.5126	117.1299	17.1	646.1	632	55675.	2201	1.9	3.8	15.1	2.0	0.3	8.1	44	0.1
39506	0	0	0	0	KG	48.5129	117.1299	17.1	645.8	620	55674.	2178	2.3	2.7	10.1	1.2	0.3	4.4	36	0.1
39507	0	0	0	0	KG	48.5133	117.1299	17.1	645.5	600	55673.	2256	1.5	4.0	11.7	2.6	0.3	7.8	29	0.1
39508	0	0	0	0	KG	48.5136	117.1299	17.1	645.1	573	55672.	2064	1.9	3.1	6.0	1.7	0.5	3.2	40	0.1
39509	0	0	0	0	KG	48.5140	117.1299	17.1	644.8	556	55670.	2078	1.7	3.3	11.4	1.9	0.3	6.6	37	0.1
39510	0	0	0	0	KG	48.5143	117.1299	17.1	644.4	545	55668.	2136	1.6	3.9	9.6	2.5	0.4	6.2	42	0.1
39511	0	0	0	0	KG	48.5147	117.1299	17.1	644.0	536	55667.	2098	1.6	4.5	6.4	2.8	0.7	4.0	40	0.1
39512	0	0	0	0	KG	48.5150	117.1299	17.1	643.6	528	55665.	2015	1.8	3.8	7.4	2.1	0.5	4.2	54	0.1
39513	0	0	0	0	KG	48.5154	117.1299	17.1	643.2	515	55663.	2078	1.8	4.5	11.6	2.5	0.4	6.3	33	0.1
39514	0	0	0	0	KG	48.5157	117.1299	17.1	642.7	499	55660.	2033	1.8	3.4	13.2	1.9	0.3	7.5	45	0.1
39515	0	0	0	0	KG	48.5161	117.1299	17.1	642.3	487	55658.	2061	2.0	2.5	8.9	1.2	0.3	4.4	32	0.1
39516	0	0	0	0	KG	48.5164	117.1299	17.1	641.9	487	55657.	2178	1.5	4.7	11.3	3.2	0.4	7.7	44	0.1
39517	0	0	0	0	KG	48.5168	117.1299	17.1	641.5	495	55656.	2038	1.7	4.3	9.3	2.5	0.5	5.4	37	0.1
39518	0	0	0	0	KG	48.5171	117.1299	17.1	641.1	500	55656.	2143	1.4	6.6	4.0	4.6	1.6	2.8	46	0.1
39519	0	0	0	0	KG	48.5175	117.1299	17.1	640.6	492	55657.	2061	1.6	4.3	11.1	2.7	0.4	6.9	38	0.1
39520	0	0	0	0	KG	48.5179	117.1299	17.1	640.2	476	55656.	1898	1.6	5.0	8.5	3.1	0.6	5.3	54	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 103							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
39521	0	0	0	0	KG	48.5182	117.1299	17.0	639.7	462	55654.	1922	0.9	6.7	6.7	7.1	1.0	7.2	51	0.1
39522	0	0	0	0	KG	48.5186	117.1298	17.0	639.3	454	55652.	2039	1.6	4.2	8.5	2.5	0.5	5.2	44	0.1
39523	0	0	0	0	KHM	48.5189	117.1298	17.0	638.9	453	55649.	1932	1.4	4.2	8.4	2.9	0.5	5.8	47	0.1
39524	0	0	0	0	KHM	48.5193	117.1298	17.0	638.4	458	55646.	1877	1.5	4.8	7.0	3.3	0.7	4.8	54	0.1
39525	0	0	0	0	KHM	48.5196	117.1298	17.0	638.0	467	55643.	2061	1.8	2.8	9.5	1.6	0.3	5.4	38	0.1
39526	0	0	0	0	KHM	48.5200	117.1298	17.0	637.6	476	55639.	1955	1.5	4.3	10.8	2.8	0.4	7.1	60	0.1
39527	0	0	0	0	KHM	48.5203	117.1298	17.0	637.1	485	55636.	2193	1.4	5.1	9.9	3.6	0.5	7.0	54	0.1
39528	0	0	0	0	KHM	48.5207	117.1298	17.0	636.7	489	55634.	2248	1.8	5.8	11.7	3.3	0.5	6.6	51	0.1
39529	0	0	0	0	KHM	48.5210	117.1298	17.0	636.3	486	55632.	2325	1.9	4.5	11.3	2.3	0.4	5.8	45	0.1
39530	0	0	0	0	KHM	48.5214	117.1298	17.0	635.8	480	55632.	2424	1.9	4.8	11.9	2.6	0.4	6.4	49	0.1
39531	0	0	0	0	KHM	48.5217	117.1298	17.0	635.4	473	55633.	2378	1.7	3.4	12.5	2.1	0.3	7.5	49	0.1
39532	0	0	0	0	KHM	48.5221	117.1298	17.0	635.0	472	55634.	2424	1.6	4.2	17.1	2.7	0.2	10.9	44	0.1
39533	0	0	0	0	KHM	48.5224	117.1298	17.0	634.5	470	55636.	2427	1.8	3.5	11.2	1.9	0.3	6.1	61	0.1
39534	0	0	0	0	KHM	48.5228	117.1298	17.0	634.1	467	55636.	2425	1.7	5.9	11.6	3.6	0.5	7.0	53	0.1
39535	0	0	0	0	KHM	48.5231	117.1298	17.0	633.7	458	55637.	2440	2.2	4.2	11.0	1.9	0.4	5.0	53	0.1
39536	0	0	0	0	KHM	48.5235	117.1298	17.0	633.2	447	55641.	2428	2.1	2.1	17.3	1.0	0.1	8.4	58	0.1
39537	0	0	0	0	KHM	48.5238	117.1298	17.0	632.8	436	55644.	2480	2.2	1.6	15.0	0.7	0.1	6.9	44	0.1
39538	0	0	0	0	KHM	48.5242	117.1298	17.0	632.4	425	55650.	2423	2.2	2.2	14.9	1.0	0.2	6.9	42	0.1
39539	0	0	0	0	KHM	48.5245	117.1298	17.0	631.9	415	55658.	2463	1.8	3.4	17.1	1.9	0.2	9.4	51	0.1
39540	0	0	0	0	KHM	48.5249	117.1297	17.0	631.5	409	55666.	2566	2.0	3.9	12.7	2.0	0.3	6.5	38	0.1
39541	0	0	0	0	KHM	48.5252	117.1297	17.0	631.1	405	55676.	2394	2.0	5.1	13.1	2.5	0.4	6.5	56	0.1
39542	0	0	0	0	KHM	48.5256	117.1297	17.0	630.7	396	55687.	2533	2.1	3.7	14.9	1.8	0.2	7.1	49	0.1
39543	0	0	0	0	KHM	48.5260	117.1297	17.0	630.0	386	55698.	2582	2.2	3.3	13.2	1.5	0.3	6.2	47	0.1
39544	0	0	0	0	KHM	48.5263	117.1297	17.0	628.9	375	55709.	2535	2.3	3.2	15.6	1.4	0.2	6.7	53	0.1
39545	0	0	0	0	KHM	48.5267	117.1297	17.0	627.8	369	55720.	2523	1.9	3.4	15.7	1.8	0.2	8.1	42	0.1
39546	0	0	0	0	KHM	48.5271	117.1297	17.0	626.7	359	55729.	2463	1.9	3.7	13.8	1.9	0.3	7.1	51	0.1
39547	0	0	0	0	KHM	48.5275	117.1297	17.0	625.7	348	55735.	2497	2.0	4.1	12.8	2.0	0.3	6.3	68	0.1
39548	0	0	0	0	KHM	48.5279	117.1296	17.0	624.7	334	55738.	2305	2.0	3.2	13.1	1.6	0.2	6.6	73	0.1
39549	0	0	0	0	KHM	48.5283	117.1296	17.0	623.7	320	55738.	2422	2.0	4.2	12.1	2.1	0.3	6.2	45	0.1
39550	0	0	0	0	KHM	48.5287	117.1296	17.0	622.8	309	55734.	2235	1.8	3.6	10.5	2.0	0.3	5.9	67	0.1
39551	0	0	0	0	KHM	48.5291	117.1296	17.0	621.8	302	55727.	2202	1.7	3.4	11.6	2.0	0.3	6.7	48	0.1
39552	0	0	0	0	KHM	48.5295	117.1295	17.0	620.9	304	55715.	2077	1.5	3.8	10.2	2.6	0.4	7.0	49	0.1
39553	0	0	0	0	KHM	48.5299	117.1295	17.0	619.9	318	55703.	2193	1.5	4.0	14.2	2.7	0.3	9.7	45	0.1
39554	0	0	0	0	KHM	48.5302	117.1295	17.0	619.0	342	55689.	2160	1.9	3.6	11.7	1.9	0.3	6.1	50	0.1
39555	0	0	0	0	KHM	48.5306	117.1295	17.0	618.1	372	55675.	2330	1.7	3.2	14.2	1.8	0.2	8.1	45	0.1
39556	0	0	0	0	KHM	48.5310	117.1294	17.0	617.5	398	55662.	2436	1.5	3.9	14.2	2.6	0.3	9.2	53	0.1
39557	0	0	0	0	KHM	48.5314	117.1294	17.0	617.3	433	55651.	2528	1.6	4.8	14.7	3.0	0.3	9.0	50	0.1
39558	0	0	0	0	KHM	48.5318	117.1294	17.0	617.2	467	55642.	2669	2.4	6.0	8.5	2.5	0.7	3.6	60	0.1
39559	0	0	0	0	KHM	48.5322	117.1294	17.0	617.0	504	55635.	2817	2.1	5.3	13.4	2.5	0.4	6.3	58	0.1
39560	0	0	0	0	KHM	48.5326	117.1293	17.0	617.0	535	55629.	3045	2.4	5.5	19.1	2.3	0.3	8.1	50	0.1
39562	0	0	0	0	KHM	48.5334	117.1293	17.0	616.9	565	55624.	3026	2.3	6.8	15.7	2.9	0.4	6.8	53	0.1
39563	0	0	0	0	KHM	48.5338	117.1293	17.0	616.9	584	55621.	3148	2.7	6.2	15.2	2.3	0.4	5.7	44	0.1
39564	0	0	0	0	KHM	48.5342	117.1293	17.0	617.0	598	55618.	3078	2.2	7.7	16.9	3.5	0.5	7.6	52	0.1
39565	0	0	0	0	KHM	48.5345	117.1292	17.0	617.0	622	55615.	3184	2.0	5.8	16.4	2.9	0.4	8.1	42	0.1
39566	0	0	0	0	KHM	48.5349	117.1292	17.0	617.2	655	55614.	3126	2.2	8.5	15.4	3.9	0.6	7.1	49	0.1
39567	0	0	0	0	KHM	48.5353	117.1292	17.0	617.3	690	55614.	3366	1.7	9.1	15.7	5.2	0.6	9.0	46	0.1
39568	1	0	0	0	KHM	48.5357	117.1292	17.0	617.5	714	55615.	3281	2.5	8.1	15.3	3.2	0.5	6.0	55	0.1
39569	1	0	0	0	KHM	48.5361	117.1292	17.0	617.8	724	55617.	3318	2.3	7.9	14.1	3.5	0.6	6.3	61	0.1
39570	1	0	0	0	KHM	48.5365	117.1291	17.0	618.0	728	55621.	3198	1.5	8.3	17.6	5.5	0.5	11.8	48	0.1
39571	1	0	0	0	KHM	48.5369	117.1291	17.0	618.3	713	55626.	3193	1.1	9.0	18.1	8.1	0.5	16.4	44	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 103

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
39622	0	0	0	0	KHM	48.5579	117.1281	17.2	631.5	700	55592.	3246	2.2	6.3	13.6	2.8	0.5	6.2	39	0.1
39623	1	0	0	0	KHM	48.5584	117.1281	17.2	631.6	714	55586.	3158	1.6	8.1	15.2	5.2	0.5	9.7	37	0.1
39624	1	0	0	0	KHM	48.5589	117.1281	17.2	631.8	725	55580.	3250	1.3	8.3	14.3	6.6	0.6	11.3	39	0.1
39625	1	0	0	0	KHM	48.5594	117.1281	17.2	631.9	738	55575.	3208	1.7	9.7	10.8	5.6	0.9	6.2	32	0.1
39626	1	0	0	0	KHM	48.5599	117.1281	17.3	632.1	757	55570.	3137	1.7	6.0	14.6	3.5	0.4	8.4	44	0.1
39627	1	0	0	0	KHM	48.5604	117.1281	17.3	632.4	781	55566.	3241	0.8	11.0	15.6	13.4	0.7	19.0	46	0.1
39628	1	0	0	0	KHM	48.5609	117.1281	17.3	632.5	803	55562.	3436	1.3	11.1	14.0	8.7	0.8	10.9	41	0.1
39629	1	0	0	0	KHM	48.5614	117.1281	17.3	632.6	804	55560.	3513	2.8	6.2	13.3	2.2	0.5	4.8	40	0.1
39630	1	0	0	0	KHM	48.5619	117.1281	17.3	632.8	795	55558.	3322	1.1	10.2	10.8	9.3	0.9	9.9	46	0.1
39631	1	0	0	0	KHM	48.5623	117.1281	17.3	633.0	782	55558.	3399	2.1	7.5	14.0	3.6	0.5	6.8	36	0.1
39632	1	0	0	0	KHM	48.5627	117.1281	17.3	633.1	776	55560.	3426	1.9	9.6	15.9	4.9	0.6	8.2	37	0.1
39633	1	0	0	0	KHM	48.5631	117.1281	17.3	633.2	763	55563.	3318	2.0	7.3	13.7	3.6	0.5	6.9	45	0.1
39634	1	0	0	0	KHM	48.5635	117.1281	17.3	633.4	732	55567.	3218	1.6	7.9	13.1	5.0	0.6	8.4	49	0.1
39635	0	0	0	0	KHM	48.5639	117.1281	17.3	633.5	690	55572.	3279	2.5	6.2	12.0	2.4	0.5	4.7	43	0.1
39636	0	0	0	0	KHM	48.5643	117.1281	17.4	633.6	645	55578.	3089	2.0	5.4	16.0	2.7	0.3	7.9	44	0.1
39637	0	0	0	0	KHM	48.5647	117.1281	17.4	633.8	602	55584.	3111	1.4	7.9	13.4	5.6	0.6	9.6	36	0.1
39638	0	0	0	0	KHM	48.5650	117.1281	17.4	633.9	559	55591.	3035	2.0	6.6	13.4	3.4	0.5	6.8	43	0.1
39639	0	0	0	0	KHM	48.5654	117.1281	17.4	634.0	519	55599.	2823	1.3	6.5	14.2	4.9	0.5	10.7	46	0.1
39640	0	0	0	0	KHM	48.5658	117.1281	17.4	634.1	491	55608.	2843	2.0	5.9	14.8	3.0	0.4	7.4	49	0.1
39641	0	0	0	0	KHM	48.5662	117.1281	17.4	634.2	474	55614.	2955	1.8	7.1	13.8	4.0	0.5	7.7	45	0.1
39642	0	0	0	0	KHM	48.5666	117.1281	17.4	634.3	463	55618.	2898	1.7	6.3	11.0	3.7	0.6	6.4	49	0.1
39643	0	0	0	0	KHM	48.5670	117.1281	17.4	634.3	457	55619.	2990	1.7	6.6	12.2	3.9	0.5	7.1	36	0.1
39644	0	0	0	0	KHM	48.5674	117.1281	17.4	634.4	454	55616.	2862	1.7	4.2	11.4	2.4	0.4	6.5	54	0.2
39645	0	0	0	0	KHM	48.5678	117.1281	17.5	634.6	447	55611.	3072	1.6	7.5	12.5	4.6	0.6	7.7	35	0.2
39646	0	0	0	0	KHM	48.5681	117.1281	17.5	634.6	444	55604.	3020	1.6	7.6	13.5	4.7	0.6	8.4	33	0.2
39647	0	0	0	0	KHM	48.5685	117.1282	17.5	634.7	445	55597.	2906	1.9	6.5	10.4	3.5	0.6	5.6	48	0.2
39648	0	0	0	0	KHM	48.5689	117.1282	17.5	634.8	456	55592.	3040	1.9	8.5	12.5	4.6	0.7	6.7	47	0.1
39649	0	0	0	0	KHM	48.5693	117.1282	17.5	634.9	464	55588.	3060	2.0	6.3	14.7	3.2	0.4	7.5	35	0.1
39650	0	0	0	0	KHM	48.5697	117.1282	17.5	635.0	470	55585.	3089	2.3	6.5	13.9	2.8	0.5	6.0	47	0.1
39651	0	0	0	0	KHM	48.5701	117.1282	17.5	635.0	467	55584.	3029	1.9	5.0	14.2	2.6	0.4	7.4	44	0.1
39653	0	0	0	0	KHM	48.5709	117.1282	17.5	635.1	464	55581.	2976	2.3	6.0	10.7	2.6	0.6	4.7	38	0.1
39654	0	0	0	0	KHM	48.5713	117.1282	17.5	635.1	465	55579.	2990	2.0	5.0	14.0	2.5	0.4	7.0	34	0.1
39655	0	0	0	0	KHM	48.5717	117.1282	17.5	635.1	476	55577.	2923	2.0	5.8	14.8	3.0	0.4	7.5	50	0.1
39656	0	0	0	0	KHM	48.5720	117.1282	17.5	635.1	493	55575.	2852	1.8	5.8	14.6	3.2	0.4	8.1	43	0.1
39657	0	0	0	0	KHM	48.5724	117.1282	17.5	635.1	514	55574.	2947	2.2	5.5	12.1	2.5	0.5	5.6	41	0.1
39658	0	0	0	0	KHM	48.5728	117.1282	17.6	635.1	543	55573.	2954	1.9	6.7	11.6	3.6	0.6	6.3	50	0.1
39659	0	0	0	0	KHM	48.5732	117.1282	17.6	635.1	581	55573.	3301	2.2	6.5	17.9	3.0	0.4	8.3	36	0.1
39660	0	0	0	0	KHM	48.5736	117.1282	17.6	635.0	600	55575.	3130	2.2	5.5	9.4	2.5	0.6	4.2	56	0.1
39661	0	0	0	0	KHM	48.5740	117.1282	17.6	634.9	602	55579.	3278	1.6	9.6	12.5	6.1	0.8	8.0	45	0.1
39662	0	0	0	0	KHM	48.5744	117.1282	17.6	634.8	585	55584.	3322	2.1	7.0	18.7	3.3	0.4	8.9	44	0.1
39663	0	0	0	0	KHM	48.5747	117.1282	17.6	634.6	579	55590.	3099	1.8	7.5	15.4	4.1	0.5	8.4	49	0.1
39664	0	0	0	0	KHM	48.5751	117.1282	17.6	634.5	572	55595.	3181	2.0	6.1	15.8	3.1	0.4	7.9	50	0.1
39665	0	0	0	0	KHM	48.5755	117.1282	17.6	634.3	562	55601.	3276	1.7	9.4	14.2	5.4	0.7	8.2	48	0.1
39666	0	0	0	0	KHM	48.5758	117.1282	17.6	634.0	539	55607.	3278	2.0	7.7	17.5	3.9	0.4	8.9	39	0.1
39667	0	0	0	0	KHM	48.5762	117.1282	17.6	633.8	517	55614.	2982	2.2	6.1	12.4	2.8	0.5	5.7	63	0.1
39668	0	0	0	0	KHM	48.5766	117.1281	17.6	633.5	502	55620.	3217	2.1	7.5	13.5	3.6	0.6	6.6	39	0.1
39669	0	0	0	0	KHM	48.5770	117.1281	17.6	633.2	495	55626.	3151	2.2	7.0	11.7	3.2	0.6	5.4	43	0.1
39670	0	0	0	0	KHM	48.5773	117.1281	17.6	632.9	486	55632.	3324	1.8	7.5	15.2	4.1	0.5	8.4	43	0.1
39671	0	0	0	0	KHM	48.5777	117.1281	17.6	632.6	474	55638.	3243	1.6	7.5	18.6	4.8	0.4	11.9	54	0.1
39672	0	0	0	0	KHM	48.5781	117.1281	17.6	632.2	463	55644.	3142	2.3	5.2	16.5	2.3	0.3	7.2	47	0.1

** NOTE*** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 103							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
39723	1	0	0	0	KHM	48.5970	117.1275	17.7	633.4	948	55784.	3910	2.9	10.4	14.5	3.6	0.7	5.1	40	0.1
39724	1	0	0	0	KHM	48.5974	117.1274	17.7	633.8	918	55790.	3780	2.0	10.0	16.0	5.0	0.6	8.0	31	0.1
39725	1	0	0	0	KHM	48.5978	117.1274	17.7	634.2	877	55795.	3547	2.8	4.8	18.0	1.7	0.3	6.4	48	0.1
39726	1	0	0	0	KHM	48.5982	117.1274	17.7	634.5	847	55800.	3515	2.5	10.8	12.1	4.4	0.9	4.9	42	J.1
39727	1	0	0	0	KHM	48.5986	117.1274	17.7	634.9	814	55804.	3434	2.1	4.5	20.3	2.1	0.2	9.9	41	0.1
39728	1	0	0	0	KHM	48.5990	117.1273	17.7	635.2	780	55807.	3211	1.8	10.2	12.5	5.7	0.8	7.0	53	0.1
39729	1	0	0	0	KHM	48.5994	117.1273	17.7	635.5	741	55807.	3207	1.7	7.6	14.6	4.4	0.5	8.5	47	0.1
39730	1	0	0	0	KHM	48.5998	117.1273	17.7	635.8	714	55803.	3148	1.7	8.7	14.8	5.2	0.6	8.8	38	0.1
39731	0	0	0	0	KHM	48.6002	117.1273	17.7	636.0	700	55797.	3243	1.9	6.4	15.8	3.3	0.4	8.2	35	0.1
39732	1	0	0	0	KHM	48.6006	117.1272	17.8	636.3	702	55789.	3180	2.0	5.8	19.0	2.8	0.3	9.3	28	0.2
39733	1	0	0	0	KHM	48.6010	117.1272	17.8	636.5	716	55781.	3136	1.9	6.5	13.3	3.5	0.5	7.1	33	0.2
39734	1	0	0	0	KHM	48.6014	117.1272	17.8	636.8	740	55774.	3295	2.5	5.4	19.7	2.2	0.3	8.0	48	0.2
39735	1	0	0	0	KHM	48.6018	117.1272	17.8	636.9	770	55768.	3765	2.9	7.2	17.4	2.5	0.4	6.1	31	0.2
39736	1	0	0	0	KHM	48.6022	117.1271	17.8	637.1	788	55764.	3876	2.7	8.1	18.3	3.0	0.4	6.9	43	0.2
39737	1	0	0	0	KHM	48.6026	117.1271	17.8	637.3	793	55761.	3644	3.9	5.3	15.7	1.4	0.3	4.0	50	0.2
39738	1	0	0	0	KHM	48.6030	117.1271	17.8	637.4	782	55759.	3699	3.0	7.7	17.0	2.6	0.5	5.6	47	0.2
39739	1	0	0	0	KHM	48.6034	117.1271	17.8	637.5	764	55757.	3640	2.5	4.4	24.6	1.7	0.2	9.8	45	0.2
39740	1	0	0	0	KHM	48.6038	117.1271	17.8	637.6	739	55755.	3493	2.3	7.1	16.0	3.1	0.4	7.1	31	0.1
39741	1	0	0	0	KHM	48.6042	117.1271	17.8	637.7	714	55753.	3420	2.9	5.0	17.8	1.7	0.3	6.1	26	0.1
39743	0	0	0	0	KHM	48.6050	117.1272	17.8	637.8	688	55750.	3335	2.2	7.8	16.3	3.6	0.5	7.5	44	0.1
39744	0	0	0	0	KHM	48.6054	117.1272	17.8	637.9	660	55748.	3343	2.3	6.5	13.3	2.8	0.5	5.8	43	0.1
39745	0	0	0	0	KHM	48.6058	117.1272	17.8	637.9	629	55747.	3174	2.0	5.8	14.8	2.9	0.4	7.3	48	0.1
39746	0	0	0	0	KHM	48.6062	117.1272	17.8	638.0	602	55744.	3088	2.1	7.1	14.1	3.4	0.5	6.8	43	0.1
39747	0	0	0	0	KHM	48.6066	117.1272	17.8	638.0	579	55741.	3082	2.6	5.3	13.1	2.1	0.4	5.1	50	0.1
39748	0	0	0	0	KHM	48.6070	117.1272	17.8	638.0	562	55736.	3076	2.7	4.2	13.6	1.6	0.3	5.1	47	0.2
39749	0	0	0	0	KHM	48.6075	117.1272	17.8	638.1	551	55730.	2890	2.5	5.4	9.7	2.2	0.6	3.9	45	0.2
39750	0	0	0	0	KHM	48.6079	117.1272	17.8	638.1	554	55725.	2928	2.2	4.9	10.7	2.2	0.5	4.8	43	0.2
39751	0	0	0	0	KHM	48.6083	117.1272	17.8	638.1	561	55720.	2908	2.3	5.1	12.0	2.2	0.4	5.3	45	0.2
39752	0	0	0	0	KHM	48.6087	117.1273	17.9	638.1	563	55717.	3087	2.1	5.7	15.8	2.7	0.4	7.5	44	0.2
39753	0	0	0	0	KHM	48.6091	117.1273	17.9	638.1	553	55713.	2916	2.5	4.9	14.4	2.0	0.3	5.8	29	0.2
39754	0	0	0	0	KHM	48.6095	117.1273	17.9	638.1	540	55709.	2968	2.5	4.8	12.2	2.0	0.4	4.9	40	0.2
39755	0	0	0	0	KHM	48.6099	117.1273	17.9	638.1	528	55705.	2818	2.1	5.4	11.2	2.6	0.5	5.3	37	0.2
39756	0	0	0	0	KHM	48.6103	117.1273	17.9	638.0	519	55700.	2737	1.9	2.7	15.9	1.4	0.2	8.3	42	0.2
39757	0	0	0	0	KHM	48.6107	117.1273	17.9	638.0	513	55695.	2563	2.3	2.0	16.7	0.8	0.1	7.2	54	0.2
39758	0	0	0	0	KHM	48.6111	117.1273	17.9	637.9	518	55691.	2662	1.8	5.9	12.5	3.2	0.5	6.9	40	0.2
39759	0	0	0	0	KHM	48.6115	117.1273	17.9	637.7	538	55688.	2778	2.1	5.3	13.3	2.5	0.4	6.5	44	0.2
39760	0	0	0	0	KHM	48.6120	117.1273	17.9	637.6	565	55684.	2905	2.0	3.4	14.0	1.7	0.2	7.0	41	0.2
39761	0	0	0	0	KHM	48.6124	117.1274	17.9	637.5	582	55683.	3011	1.9	4.0	15.0	2.1	0.3	7.9	41	0.2
39762	0	0	0	0	KHM	48.6128	117.1274	17.9	637.3	578	55683.	2926	2.3	6.0	10.4	2.6	0.6	4.6	57	0.2
39763	0	0	0	0	KHM	48.6132	117.1274	17.9	637.2	559	55684.	2808	1.7	6.1	12.2	3.6	0.5	7.2	40	0.2
39764	0	0	0	0	KHM	48.6136	117.1274	17.9	637.0	537	55687.	2898	2.5	3.4	15.2	1.4	0.2	6.1	39	0.2
39765	0	0	0	0	KHM	48.6140	117.1275	17.9	636.7	521	55690.	2758	2.2	3.8	10.8	1.7	0.4	4.9	54	0.2
39766	0	0	0	0	KHM	48.6144	117.1275	17.9	636.5	512	55694.	2737	2.0	4.1	14.2	2.1	0.3	7.2	49	0.2
39767	0	0	0	0	KHM	48.6149	117.1275	17.9	636.3	509	55699.	2776	2.1	3.5	15.2	1.7	0.2	7.3	50	0.2
39768	0	0	0	0	KHM	48.6153	117.1275	17.9	636.0	506	55705.	2705	2.1	4.9	12.7	2.3	0.4	6.0	52	0.2
39769	0	0	0	0	KHM	48.6157	117.1276	17.9	635.7	498	55709.	2891	2.2	5.2	13.0	2.4	0.4	5.9	39	0.2
39770	0	0	0	0	KHM	48.6161	117.1276	17.9	635.4	485	55713.	2711	2.0	4.7	12.9	2.4	0.4	6.5	40	0.2
39771	0	0	0	0	KHM	48.6165	117.1276	17.9	635.2	472	55717.	2668	2.1	3.2	15.1	1.5	0.2	7.3	42	0.2
39772	0	0	0	0	KHM	48.6169	117.1276	17.9	634.9	459	55722.	2646	1.5	5.2	11.0	3.4	0.5	7.2	45	0.2
39773	0	0	0	0	KHM	48.6173	117.1277	17.9	634.6	443	55727.	2663	2.1	3.3	14.2	1.6	0.2	6.8	46	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 103

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
39774	0	0	0	0	KHM	48.6178	117.1277	17.9	634.3	425	55732.	2708	2.2	3.9	12.4	1.7	0.3	5.6	48	0.2
39775	0	0	0	0	KHM	48.6182	117.1277	17.9	634.0	403	55736.	2687	1.8	2.4	15.2	1.3	0.2	8.3	38	0.2
39776	0	0	0	0	KHM	48.6186	117.1277	17.9	633.7	383	55739.	2524	1.7	4.3	13.1	2.6	0.3	7.9	51	0.2
39777	0	0	0	0	KHM	48.6190	117.1278	17.9	633.5	366	55740.	2552	2.2	3.1	12.6	1.4	0.2	5.7	39	0.2
39778	0	0	0	0	KHM	48.6194	117.1278	17.9	633.2	353	55739.	2583	2.3	2.5	14.1	1.1	0.2	6.0	40	0.2
39779	0	0	0	0	KHM	48.6199	117.1278	17.9	633.0	345	55737.	2423	1.5	5.2	10.3	3.4	0.5	6.7	44	0.2
39780	0	0	0	0	KHM	48.6203	117.1278	17.9	632.8	338	55734.	2297	1.8	4.0	12.0	2.2	0.3	6.6	56	0.2
39781	0	0	0	0	KHM	48.6208	117.1277	17.9	632.6	334	55730.	2307	1.8	3.1	12.2	1.8	0.3	6.9	56	0.1
39782	0	0	0	0	KHM	48.6212	117.1277	17.9	632.4	337	55723.	2288	1.4	4.9	11.2	3.6	0.4	8.2	44	0.1
39783	0	0	0	0	KHM	48.6217	117.1277	17.9	632.2	344	55715.	2331	1.6	3.6	11.2	2.2	0.3	7.0	49	0.1
39784	0	0	0	0	KHM	48.6222	117.1277	17.9	632.0	351	55707.	2410	1.8	3.7	10.7	2.0	0.4	5.8	42	0.1
39785	0	0	0	0	KHM	48.6226	117.1277	17.9	631.8	356	55700.	2467	1.6	5.4	12.0	3.3	0.4	7.4	45	0.2
39786	0	0	0	0	KHM	48.6231	117.1277	17.9	631.6	364	55695.	2391	1.9	4.3	9.7	2.3	0.4	5.3	43	0.2
39787	0	0	0	0	KHM	48.6235	117.1276	17.9	631.4	368	55693.	2572	1.9	2.9	12.1	1.5	0.2	6.4	33	0.2
39788	0	0	0	0	KHM	48.6240	117.1276	17.9	631.1	370	55691.	2502	1.9	3.1	12.5	1.6	0.2	6.6	57	0.2
39789	0	0	0	0	KHM	48.6244	117.1276	17.9	630.9	370	55690.	2636	1.7	3.5	16.1	2.1	0.2	9.5	34	0.2
39790	0	0	0	0	KHM	48.6249	117.1276	17.9	630.6	365	55690.	2538	1.6	5.0	11.0	3.3	0.5	7.1	50	0.2
39791	0	0	0	0	KHM	48.6254	117.1276	17.9	630.2	358	55689.	2616	1.8	5.1	15.0	2.8	0.3	8.3	42	0.2
39792	0	0	0	0	KHM	48.6258	117.1275	17.9	629.9	350	55687.	2549	1.6	4.6	12.8	2.9	0.4	8.1	41	0.2

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979														LINE NO. 104						
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
39365	0	0	0	0	KG	48.5002	117.0858	17.4	645.7	452	55526.	2108	1.4	4.5	8.7	3.1	0.5	6.1	36	0.1
39364	0	0	0	0	KG	48.5005	117.0858	17.4	645.8	422	55514.	2013	1.2	5.4	6.5	4.6	0.8	5.6	46	0.1
39363	0	0	0	0	KG	48.5009	117.0858	17.4	645.9	393	55502.	1925	1.5	3.7	6.3	2.5	0.6	4.3	36	0.1
39362	0	0	0	0	KG	48.5013	117.0858	17.4	646.0	376	55489.	1959	1.3	4.2	7.5	3.1	0.6	5.7	37	0.1
39361	0	0	0	0	KG	48.5016	117.0858	17.4	646.1	374	55475.	2078	1.3	4.4	10.7	3.4	0.4	8.3	39	0.1
39360	0	0	0	0	KG	48.5020	117.0858	17.4	646.2	391	55462.	2156	1.3	4.9	8.6	3.8	0.6	6.6	33	0.1
39359	0	0	0	0	KG	48.5023	117.0859	17.4	646.2	417	55452.	2345	1.7	4.5	9.6	2.7	0.5	5.7	41	0.1
39358	0	0	0	0	KG	48.5027	117.0859	17.4	646.3	438	55449.	2406	1.9	3.9	10.2	2.1	0.4	5.4	48	0.1
39357	0	0	0	0	KG	48.5031	117.0859	17.4	646.4	448	55452.	2522	1.3	6.0	12.8	4.6	0.5	9.7	41	0.1
39356	0	0	0	0	KG	48.5034	117.0859	17.4	646.4	440	55459.	2509	1.9	4.5	9.9	2.3	0.5	5.1	40	0.1
39355	0	0	0	0	KG	48.5038	117.0859	17.4	646.5	426	55468.	2517	1.7	5.8	11.6	3.4	0.5	6.7	36	0.1
39354	0	0	0	0	KG	48.5041	117.0859	17.4	646.5	409	55477.	2304	1.6	4.6	11.5	2.9	0.4	7.4	48	0.1
39353	0	0	0	0	KG	48.5045	117.0859	17.4	646.5	398	55485.	2375	1.8	3.9	10.8	2.2	0.4	6.0	29	0.1
39352	0	0	0	0	KHM	48.5049	117.0859	17.4	646.5	399	55491.	2282	1.6	4.1	9.5	2.6	0.4	6.0	28	0.2
39351	0	0	0	0	KHM	48.5052	117.0859	17.4	646.5	416	55497.	2333	1.5	5.3	10.5	3.6	0.5	7.2	31	0.2
39350	0	0	0	0	KHM	48.5056	117.0859	17.4	646.5	450	55502.	2396	1.5	4.2	14.5	2.7	0.3	9.5	42	0.2
39349	0	0	0	0	KHM	48.5059	117.0859	17.4	646.5	496	55506.	2580	1.5	5.1	11.7	3.5	0.4	8.0	32	0.2
39348	0	0	0	0	KHM	48.5063	117.0859	17.4	646.4	544	55510.	2474	1.7	6.0	8.5	3.6	0.7	5.1	46	0.2
39347	0	0	0	0	KHM	48.5067	117.0859	17.4	646.4	590	55513.	2807	1.7	5.9	13.8	3.4	0.4	8.0	42	0.2
39346	0	0	0	0	KHM	48.5070	117.0860	17.4	646.3	629	55516.	2765	2.0	6.5	9.4	3.3	0.7	4.8	56	0.2
39345	0	0	0	0	KHM	48.5074	117.0860	17.4	646.2	663	55518.	2840	1.9	7.7	12.2	4.1	0.6	6.4	42	0.2
39344	0	0	0	0	KHM	48.5077	117.0860	17.4	646.1	695	55520.	2974	1.3	7.1	16.7	5.5	0.4	12.8	38	0.2
39343	1	0	0	0	KHM	48.5081	117.0860	17.4	646.0	711	55522.	3200	2.2	5.8	13.3	2.6	0.4	6.1	28	0.2
39342	1	0	0	0	KHM	48.5084	117.0860	17.4	645.9	713	55525.	3187	1.9	5.8	15.9	3.0	0.4	8.3	37	0.2
39341	1	0	0	0	KHM	48.5087	117.0860	17.4	645.7	701	55527.	3087	1.9	5.9	19.2	3.1	0.3	10.1	30	0.2
39340	0	0	0	0	KHM	48.5091	117.0860	17.4	645.6	693	55531.	3057	2.0	6.9	10.7	3.4	0.6	5.3	49	0.2
39339	0	0	0	0	KHM	48.5094	117.0860	17.4	645.4	682	55534.	2883	2.0	4.7	12.8	2.3	0.4	6.3	50	0.2
39338	0	0	0	0	KHM	48.5097	117.0860	17.4	645.3	667	55538.	3048	2.0	8.3	12.3	4.3	0.7	6.3	32	0.2
39337	0	0	0	0	KHM	48.5101	117.0860	17.4	645.1	640	55542.	2834	2.0	6.2	10.0	3.1	0.6	5.0	47	0.2
39336	0	0	0	0	KHM	48.5104	117.0860	17.4	645.0	609	55546.	2867	1.7	4.0	15.4	2.4	0.3	9.3	37	0.2
39335	0	0	0	0	KHM	48.5107	117.0860	17.4	644.8	575	55551.	2516	1.5	5.6	12.5	3.8	0.4	8.6	55	0.2
39334	0	0	0	0	KHM	48.5110	117.0860	17.4	644.7	544	55556.	2705	2.1	5.9	10.8	2.8	0.5	5.0	31	0.2
39333	0	0	0	0	KHM	48.5114	117.0860	17.4	644.5	515	55562.	2382	1.9	3.1	11.0	1.6	0.3	5.7	50	0.2
39332	0	0	0	0	KHM	48.5117	117.0860	17.4	644.4	486	55568.	2417	1.9	2.7	13.1	1.4	0.2	6.9	37	0.2
39331	0	0	0	0	KHM	48.5120	117.0860	17.4	644.2	452	55574.	2256	1.5	3.3	9.8	2.2	0.3	6.4	36	0.2
39330	0	0	0	0	KHM	48.5124	117.0860	17.4	644.1	417	55581.	2146	1.5	3.8	9.2	2.5	0.4	6.1	35	0.2
39329	0	0	0	0	KHM	48.5127	117.0860	17.4	644.0	390	55588.	2018	1.5	2.7	9.5	1.8	0.3	6.4	23	0.2
39328	0	0	0	0	KHM	48.5130	117.0860	17.4	643.9	377	55595.	1972	1.4	3.5	6.9	2.5	0.5	4.9	40	0.2
39327	0	0	0	0	KHM	48.5134	117.0860	17.4	643.8	376	55603.	2041	1.5	2.8	8.6	2.2	0.3	6.6	37	0.2
39326	0	0	0	0	KHM	48.5137	117.0860	17.4	643.7	376	55612.	2031	1.3	3.1	9.1	2.3	0.3	6.8	39	0.2
39325	0	0	0	0	KHM	48.5140	117.0860	17.4	643.7	372	55621.	2011	1.4	3.9	6.4	2.8	0.6	4.7	49	0.2
39324	0	0	0	0	KHM	48.5143	117.0860	17.4	643.6	360	55631.	2012	1.4	3.8	8.4	2.6	0.4	5.9	37	0.2
39323	0	0	0	0	KHM	48.5147	117.0860	17.4	643.6	342	55640.	1934	1.4	2.6	8.4	1.8	0.3	5.8	54	0.2
39322	0	0	0	0	KHM	48.5150	117.0860	17.3	643.6	322	55647.	2015	1.4	3.3	8.4	2.4	0.4	6.0	47	0.2
39321	0	0	0	0	KHM	48.5153	117.0860	17.3	643.6	303	55653.	1983	1.4	3.3	8.1	2.3	0.4	5.8	40	0.2
39320	0	0	0	0	KHM	48.5157	117.0860	17.3	643.7	287	55658.	1897	1.4	2.6	7.4	1.8	0.4	5.2	46	0.2
39319	0	0	0	0	KHM	48.5160	117.0860	17.3	643.8	275	55663.	1903	1.1	4.2	9.3	3.7	0.5	8.2	41	0.2
39318	0	0	0	0	KHM	48.5163	117.0860	17.3	643.9	266	55668.	1886	1.2	3.5	8.1	2.9	0.4	6.7	37	0.2
39317	0	0	0	0	KHM	48.5167	117.0860	17.3	644.0	266	55674.	2006	1.5	3.3	7.0	2.1	0.5	4.5	40	0.2
39316	0	0	0	0	KHM	48.5170	117.0860	17.3	644.2	274	55679.	1966	1.4	4.2	8.7	3.0	0.5	6.3	49	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979											LINE NO. 104									
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
39315	0	0	0	0	KHM	48.5173	117.0860	17.3	644.4	289	55685.	2109	1.5	3.2	7.8	2.1	0.4	5.2	48	0.2
39314	0	0	0	0	KHM	48.5177	117.0860	17.3	644.7	309	55692.	2129	1.7	2.3	11.0	1.3	0.2	6.3	43	0.2
39313	0	0	0	0	KHM	48.5180	117.0860	17.3	644.9	325	55700.	2238	1.5	3.7	8.7	2.4	0.4	5.7	45	0.2
39312	0	0	0	0	KHM	48.5183	117.0860	17.3	645.2	337	55707.	2264	1.5	4.5	11.5	2.9	0.4	7.6	41	0.2
39311	0	0	0	0	KHM	48.5186	117.0860	17.3	645.5	343	55715.	2457	1.5	5.0	13.1	3.3	0.4	8.6	25	0.2
39310	0	0	0	0	KHM	48.5190	117.0860	17.3	645.8	347	55722.	2576	1.5	4.1	14.5	2.7	0.3	9.5	40	0.2
39309	0	0	0	0	KHM	48.5193	117.0860	17.3	646.1	361	55727.	2508	1.8	3.3	9.6	1.9	0.3	5.3	54	0.2
39308	0	0	0	0	KHM	48.5196	117.0860	17.3	646.5	380	55731.	2509	1.8	4.3	12.5	2.4	0.3	6.9	32	0.2
39307	0	0	0	0	KHM	48.5200	117.0860	17.3	646.8	397	55734.	2589	1.7	4.6	11.9	2.7	0.4	7.0	37	0.2
39305	0	0	0	0	KHM	48.5206	117.0860	17.3	647.2	408	55736.	2531	1.8	3.3	13.5	1.8	0.2	7.3	38	0.2
39304	0	0	0	0	KHM	48.5210	117.0860	17.3	647.5	419	55739.	2628	1.7	5.8	10.2	3.3	0.6	5.8	40	0.2
39303	0	0	0	0	KHM	48.5213	117.0860	17.3	647.9	438	55742.	2617	1.4	5.2	11.2	3.7	0.5	7.9	37	0.2
39302	0	0	0	0	KHM	48.5216	117.0860	17.3	648.2	464	55744.	2629	1.6	5.7	12.9	3.4	0.4	7.9	36	0.2
39301	0	0	0	0	KHM	48.5219	117.0860	17.3	648.5	511	55746.	2767	1.7	4.7	11.5	2.8	0.4	6.8	60	0.2
39300	0	0	0	0	KHM	48.5224	117.0859	17.3	648.8	557	55745.	3029	1.6	4.1	17.7	2.6	0.2	11.2	37	0.2
39299	0	0	0	0	KHM	48.5228	117.0859	17.3	649.0	584	55744.	3187	1.6	9.2	10.7	5.7	0.9	6.6	45	0.2
39298	0	0	0	0	KHM	48.5233	117.0859	17.3	649.3	582	55743.	3211	2.3	5.6	13.3	2.5	0.4	5.9	35	0.2
39297	0	0	0	0	KHM	48.5237	117.0858	17.3	649.6	561	55742.	3183	1.9	6.0	13.1	3.2	0.5	7.0	39	0.2
39296	0	0	0	0	KHM	48.5242	117.0858	17.3	649.8	531	55742.	3264	1.8	6.7	15.1	3.8	0.4	8.5	31	0.2
39295	0	0	0	0	KHM	48.5246	117.0857	17.3	650.0	491	55741.	3061	1.5	7.0	11.6	4.8	0.6	7.9	28	0.2
39294	0	0	0	0	KHM	48.5251	117.0857	17.3	650.2	453	55739.	3018	1.5	7.1	11.5	4.7	0.6	7.6	39	0.2
39293	0	0	0	0	KHM	48.5255	117.0856	17.3	650.4	422	55734.	2795	1.7	6.3	14.0	3.6	0.4	8.0	45	0.2
39292	0	0	0	0	KHM	48.5259	117.0856	17.3	650.6	398	55727.	2727	1.7	5.9	9.2	3.5	0.6	5.4	39	0.2
39291	0	0	0	0	KHM	48.5264	117.0856	17.3	650.7	384	55717.	2721	1.3	6.5	8.9	5.0	0.7	6.9	44	0.2
39290	0	0	0	0	KHM	48.5268	117.0855	17.3	650.9	379	55705.	2649	1.3	6.7	9.1	5.2	0.7	7.0	40	0.2
39289	0	0	0	0	KHM	48.5273	117.0855	17.3	651.1	383	55690.	2593	2.2	2.9	10.8	1.3	0.3	4.8	46	0.2
39288	0	0	0	0	KHM	48.5277	117.0854	17.3	651.2	398	55676.	2569	1.7	6.3	12.4	3.6	0.5	7.2	36	0.2
39287	0	0	0	0	KHM	48.5282	117.0854	17.3	651.4	419	55662.	2639	1.5	7.2	9.7	4.8	0.7	6.5	38	0.2
39286	0	0	0	0	KHM	48.5286	117.0854	17.3	651.5	443	55649.	2706	1.6	6.8	9.4	4.4	0.7	6.1	36	0.2
39285	0	0	0	0	KHM	48.5291	117.0853	17.3	651.7	466	55638.	2835	1.8	5.8	10.9	3.2	0.5	6.0	42	0.2
39284	0	0	0	0	KHM	48.5295	117.0853	17.3	651.9	496	55628.	2981	1.8	9.3	8.5	5.2	1.1	4.7	51	0.1
39283	0	0	0	0	KHM	48.5299	117.0852	17.3	652.0	518	55620.	3199	1.4	7.5	12.4	5.4	0.6	8.9	46	0.1
39282	0	0	0	0	KHM	48.5304	117.0852	17.3	652.2	524	55611.	3057	1.6	9.5	10.5	6.0	0.9	6.6	39	0.1
39281	0	0	0	0	KHM	48.5308	117.0851	17.2	652.3	510	55603.	2986	1.1	8.9	11.1	8.5	0.8	10.6	34	0.1
39280	0	0	0	0	KHM	48.5313	117.0851	17.2	652.4	498	55593.	2848	1.7	8.2	11.1	4.8	0.7	6.5	46	0.1
39279	0	0	0	0	KHM	48.5317	117.0851	17.2	652.5	501	55583.	2741	1.4	7.9	8.9	5.8	0.9	6.6	64	0.1
39278	0	0	0	0	KHM	48.5322	117.0850	17.2	652.7	517	55571.	2899	1.7	8.3	8.5	4.9	1.0	5.1	40	0.1
39277	0	0	0	0	KHM	48.5326	117.0850	17.2	652.8	542	55559.	2981	2.1	7.0	11.5	3.3	0.6	5.5	29	0.1
39276	0	0	0	0	KHM	48.5331	117.0849	17.2	652.9	563	55546.	2986	1.2	8.7	10.0	7.4	0.9	8.6	38	0.1
39275	0	0	0	0	KHM	48.5335	117.0849	17.2	653.1	584	55532.	2938	2.1	6.4	11.6	3.1	0.5	5.7	45	0.1
39274	0	0	0	0	KHM	48.5340	117.0849	17.2	653.2	615	55518.	3079	1.4	11.4	10.5	8.4	1.1	7.7	47	0.1
39273	0	0	0	0	KHM	48.5344	117.0848	17.2	653.3	649	55504.	3214	1.7	9.4	10.5	5.4	0.9	6.1	38	0.1
39272	0	0	0	0	KHM	48.5348	117.0848	17.2	653.3	666	55490.	3294	1.4	9.7	16.1	6.9	0.6	11.5	33	0.1
39271	0	0	0	0	KHM	48.5353	117.0847	17.2	653.4	667	55476.	3265	1.7	6.2	18.5	3.5	0.3	10.6	37	0.1
39270	0	0	0	0	KHM	48.5357	117.0847	17.2	653.4	672	55462.	3436	1.2	10.6	15.5	8.8	0.7	12.8	30	0.1
39269	0	0	0	0	KHM	48.5362	117.0846	17.2	653.5	697	55448.	3155	1.8	8.4	11.7	4.7	0.7	6.5	39	0.1
39268	1	0	0	0	KHM	48.5366	117.0846	17.2	653.5	730	55433.	3506	2.3	7.5	13.5	3.3	0.6	5.9	34	0.1
39267	1	0	0	0	KHM	48.5371	117.0846	17.2	653.5	762	55420.	3445	0.9	14.9	13.2	16.4	1.1	14.5	49	0.1
39266	1	0	0	0	KHM	48.5375	117.0845	17.2	653.4	773	55409.	3670	2.3	9.1	12.5	3.9	0.7	5.4	39	0.1
39265	1	0	0	0	KHM	48.5379	117.0845	17.2	653.3	756	55401.	3573	1.8	13.5	13.9	7.5	1.0	7.8	24	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 104

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
39264	1	0	0	0	KHM	48.5383	117.0845	17.2	653.3	715	55394.	3167	1.0	11.2	12.2	11.8	0.9	12.8	50	0.1
39263	0	0	0	0	KHM	48.5387	117.0845	17.1	653.1	668	55390.	3097	1.8	8.3	10.3	4.7	0.8	5.8	43	0.1
39262	0	0	0	0	KHM	48.5390	117.0845	17.1	653.0	629	55388.	2902	1.4	8.6	15.1	6.3	0.6	11.1	49	0.1
39261	0	0	0	0	KHM	48.5394	117.0845	17.1	652.8	598	55386.	2794	1.4	6.2	13.1	4.6	0.5	9.7	40	0.1
39260	0	0	0	0	KHM	48.5398	117.0845	17.1	652.6	573	55385.	2811	1.4	5.4	12.5	3.8	0.4	8.8	35	0.1
39259	0	0	0	0	KHM	48.5402	117.0845	17.1	652.4	553	55384.	2642	1.6	6.8	10.7	4.3	0.6	6.9	34	0.1
39258	0	0	0	0	KHM	48.5406	117.0845	17.1	652.2	535	55384.	2655	1.1	7.9	10.1	7.2	0.8	9.2	32	0.1
39257	0	0	0	0	KHM	48.5410	117.0845	17.1	651.9	529	55384.	2571	1.4	7.3	8.2	5.4	0.9	6.1	36	0.1
39256	0	0	0	0	KHM	48.5414	117.0845	17.1	651.6	534	55385.	2721	1.5	6.0	11.3	4.0	0.5	7.5	39	0.1
39255	0	0	0	0	KHM	48.5418	117.0845	17.1	651.3	543	55386.	2732	1.7	5.0	9.9	3.0	0.5	6.0	40	0.1
39254	0	0	0	0	KHM	48.5421	117.0845	17.1	651.0	536	55387.	2818	1.5	7.4	11.7	4.9	0.6	7.7	34	0.1
39253	0	0	0	0	KHM	48.5425	117.0845	17.1	650.7	516	55389.	2695	1.5	6.6	9.1	4.4	0.7	6.1	61	0.1
39252	0	0	0	0	KHM	48.5429	117.0845	17.1	650.4	493	55390.	2675	1.6	7.2	11.3	4.6	0.6	7.2	50	0.2
39251	0	0	0	0	KHM	48.5433	117.0845	17.0	650.0	482	55393.	2803	1.4	7.4	12.3	5.3	0.6	8.7	27	0.2
39250	0	0	0	0	KHM	48.5437	117.0845	17.0	649.7	481	55395.	2678	1.4	5.5	12.4	3.9	0.4	8.9	40	0.2
39249	0	0	0	0	KHM	48.5441	117.0845	17.0	649.4	488	55397.	2870	2.1	4.4	14.5	2.1	0.3	7.0	44	0.2
39248	0	0	0	0	KHM	48.5445	117.0845	17.0	649.0	493	55398.	2989	2.2	6.4	12.5	3.0	0.5	5.8	40	0.2
39247	0	0	0	0	KHM	48.5448	117.0845	17.0	648.6	491	55399.	3105	1.8	8.5	12.8	4.8	0.7	7.2	37	0.2
39246	0	0	0	0	KHM	48.5452	117.0845	17.0	648.3	483	55401.	3186	2.4	4.2	15.9	1.7	0.3	6.6	29	0.2
39245	0	0	0	0	KHM	48.5456	117.0845	17.0	647.9	472	55402.	3161	2.0	7.4	14.6	3.7	0.5	7.2	32	0.2
39244	0	0	0	0	KHM	48.5460	117.0844	17.0	647.5	456	55404.	3228	2.1	6.8	12.7	3.3	0.5	6.2	31	0.2
39243	0	0	0	0	KHM	48.5464	117.0844	17.0	647.1	436	55407.	2980	2.1	6.0	15.2	2.9	0.4	7.3	51	0.2
39242	0	0	0	0	KHM	48.5468	117.0844	17.0	646.7	422	55409.	2875	2.0	5.9	12.2	3.0	0.5	6.2	49	0.2
39241	0	0	0	0	KHM	48.5472	117.0844	17.0	646.3	426	55413.	2940	1.9	7.1	9.8	3.7	0.7	5.1	52	0.2
39240	0	0	0	0	KHM	48.5475	117.0844	16.9	645.9	447	55417.	3092	2.0	6.7	14.5	3.4	0.5	7.4	41	0.2
39239	0	0	0	0	KHM	48.5479	117.0844	16.9	645.5	480	55422.	3132	1.8	6.9	12.3	3.8	0.6	6.7	35	0.2
39238	0	0	0	0	KHM	48.5483	117.0844	16.9	645.0	520	55427.	3107	2.0	6.8	13.7	3.5	0.5	7.0	48	0.2
39237	0	0	0	0	KHM	48.5487	117.0844	16.9	644.6	562	55431.	3380	2.3	6.1	13.8	2.6	0.4	5.9	49	0.2
39236	0	0	0	0	KHM	48.5491	117.0844	16.9	644.1	602	55435.	3481	2.4	6.8	16.9	2.9	0.4	7.1	47	0.2
39235	0	0	0	0	KHM	48.5495	117.0844	16.9	643.6	623	55439.	3690	2.8	3.8	20.5	1.3	0.2	7.4	46	0.2
39234	0	0	0	0	KHM	48.5499	117.0844	16.9	643.2	614	55443.	3405	3.0	5.6	13.0	1.9	0.4	4.4	56	0.2
39233	0	0	0	0	KHM	48.5503	117.0844	16.9	642.6	581	55448.	3658	3.1	7.4	16.0	2.4	0.5	5.2	35	0.1
39232	0	0	0	0	KHM	48.5506	117.0844	16.9	642.2	528	55452.	3254	2.4	8.3	12.1	3.5	0.7	5.1	38	0.1
39231	0	0	0	0	KHM	48.5510	117.0844	16.9	641.7	481	55457.	3143	2.9	5.4	16.2	1.9	0.3	5.6	41	0.1
39230	0	0	0	0	KHM	48.5514	117.0844	16.9	641.1	445	55462.	2949	1.7	6.9	12.3	4.1	0.6	7.2	45	0.1
39229	0	0	0	0	KHM	48.5518	117.0844	16.9	640.6	422	55467.	3008	2.0	6.9	12.5	3.5	0.6	6.4	44	0.1
39228	0	0	0	0	KHM	48.5522	117.0844	16.9	640.1	404	55472.	3067	1.9	6.9	12.7	3.6	0.5	6.6	46	0.1
39227	0	0	0	0	KHM	48.5526	117.0844	16.8	639.6	384	55477.	3036	2.2	4.9	15.2	2.3	0.3	7.1	37	0.1
39226	0	0	0	0	KHM	48.5530	117.0844	16.8	639.1	371	55482.	3042	1.8	6.6	15.4	3.7	0.4	8.6	35	0.1
39225	0	0	0	0	KHM	48.5533	117.0844	16.8	638.6	355	55487.	2927	1.6	5.6	15.0	3.4	0.4	9.2	46	0.1
39224	0	0	0	0	KHM	48.5537	117.0844	16.8	638.1	339	55492.	2770	2.1	2.9	15.4	1.4	0.2	7.3	55	0.1
39223	0	0	0	0	KHM	48.5541	117.0844	16.8	637.6	331	55497.	2760	2.1	5.3	13.3	2.6	0.4	6.4	56	0.1
39222	0	0	0	0	KHM	48.5545	117.0844	16.8	637.2	327	55501.	2686	1.8	6.3	12.9	3.5	0.5	7.1	43	0.1
39221	0	0	0	0	KHM	48.5549	117.0844	16.8	636.7	328	55504.	2636	2.0	3.7	12.3	1.9	0.3	6.3	53	0.1
39220	0	0	0	0	KHM	48.5553	117.0844	16.8	636.2	329	55506.	2595	1.9	5.6	12.8	2.9	0.4	6.6	38	0.1
39219	0	0	0	0	KHM	48.5557	117.0844	16.8	635.8	332	55507.	2547	1.7	5.1	13.2	2.9	0.4	7.7	41	0.1
39218	0	0	0	0	KHM	48.5561	117.0844	16.8	635.4	335	55507.	2625	1.7	6.9	10.0	4.1	0.7	6.0	44	0.1
39217	0	0	0	0	KHM	48.5564	117.0844	16.8	635.1	335	55506.	2518	1.7	5.2	11.5	3.1	0.5	7.0	47	0.1
39216	0	0	0	0	KHM	48.5568	117.0844	16.8	634.7	336	55504.	2528	2.0	4.9	11.7	2.4	0.4	5.8	42	0.1
39214	0	0	0	0	KHM	48.5576	117.0844	16.8	634.4	348	55502.	2483	1.9	3.7	12.5	2.0	0.3	6.8	41	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 104

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
39213	0	0	0	0	KHM	48.5580	117.0844	16.8	634.1	375	55501.	2586	2.1	4.1	11.7	2.0	0.4	5.7	49	0.1
39212	0	0	0	0	KHM	48.5584	117.0844	16.8	633.8	408	55500.	2733	1.8	6.2	11.1	3.4	0.6	6.1	44	0.1
39211	0	0	0	0	KHM	48.5588	117.0844	16.8	633.5	435	55500.	2750	2.5	6.4	10.8	2.6	0.6	4.4	35	0.1
39210	0	0	0	0	KHM	48.5591	117.0843	16.8	633.2	453	55501.	2677	1.9	5.4	15.7	2.8	0.3	8.1	49	0.1
39209	0	0	0	0	KHM	48.5595	117.0843	16.8	632.9	467	55502.	2717	2.2	4.4	10.9	2.0	0.4	5.0	37	0.1
39208	0	0	0	0	KHM	48.5599	117.0843	16.8	632.6	487	55504.	2636	2.4	4.7	10.9	2.0	0.4	4.6	41	0.1
39207	0	0	0	0	KHM	48.5603	117.0843	16.7	632.3	504	55506.	2957	3.0	4.0	15.0	1.3	0.3	4.9	36	0.1
39206	0	0	0	0	KHM	48.5607	117.0843	16.7	632.1	520	55507.	2986	2.2	5.1	14.2	2.4	0.4	6.5	39	0.1
39205	0	0	0	0	KHM	48.5611	117.0843	16.7	631.8	517	55508.	2951	2.5	6.3	10.6	2.5	0.6	4.2	49	0.1
39204	0	0	0	0	KHM	48.5615	117.0843	16.7	631.5	505	55508.	2930	2.0	5.3	15.6	2.7	0.3	7.9	50	0.1
39203	0	0	0	0	KHM	48.5618	117.0843	16.7	631.2	493	55510.	3112	2.2	6.0	13.3	2.7	0.5	5.9	31	0.1
39202	0	0	0	0	KHM	48.5622	117.0843	16.7	631.0	491	55512.	3021	2.4	3.8	14.4	1.6	0.3	5.9	53	0.1
39201	0	0	0	0	KHM	48.5626	117.0843	16.7	630.6	496	55514.	3224	2.4	5.4	15.7	2.3	0.3	6.6	46	0.1
39200	0	0	0	0	KHM	48.5630	117.0843	16.7	630.3	500	55515.	3063	2.0	6.1	15.9	3.0	0.4	7.9	55	0.1
39199	0	0	0	0	KHM	48.5634	117.0843	16.7	630.0	498	55515.	3014	2.4	6.2	12.6	2.6	0.5	5.2	60	0.1
39198	0	0	0	0	KHM	48.5638	117.0843	16.7	629.7	496	55515.	3017	2.4	3.7	13.0	1.5	0.3	5.4	54	0.1
39197	0	0	0	0	KHM	48.5642	117.0843	16.7	629.3	499	55515.	2879	1.9	5.8	14.0	3.0	0.4	7.3	54	0.1
39196	0	0	0	0	KHM	48.5646	117.0843	16.7	629.0	515	55516.	2945	2.2	7.5	9.5	3.5	0.8	4.4	53	0.1
39195	0	0	0	0	KHM	48.5649	117.0843	16.7	628.6	531	55517.	2835	2.9	5.4	14.3	1.9	0.4	5.0	53	0.1
39194	0	0	0	0	KHM	48.5653	117.0843	16.7	628.2	540	55520.	3045	2.4	5.6	12.9	2.3	0.4	5.4	38	0.1
39193	0	0	0	0	KHM	48.5657	117.0843	16.7	627.8	546	55523.	2933	2.2	6.4	14.3	2.9	0.4	6.5	41	0.1
39192	0	0	0	0	KHM	48.5660	117.0843	16.7	627.4	553	55526.	2923	2.2	4.8	12.1	2.2	0.4	5.6	48	0.1
39191	0	0	0	0	KHM	48.5664	117.0843	16.7	627.0	561	55531.	2957	2.7	3.4	18.3	1.3	0.2	6.9	45	0.1
39190	0	0	0	0	KHM	48.5668	117.0843	16.8	626.6	566	55535.	3102	2.4	6.1	17.7	2.5	0.3	7.4	39	0.1
39189	0	0	0	0	KHM	48.5671	117.0843	16.8	626.1	567	55540.	3176	2.2	7.1	12.6	3.3	0.6	5.8	40	0.1
39188	0	0	0	0	KHM	48.5675	117.0843	16.8	625.7	568	55546.	3169	2.3	6.5	13.9	2.8	0.5	6.0	46	0.1
39187	0	0	0	0	KHM	48.5679	117.0842	16.8	625.2	564	55550.	3128	2.4	5.4	14.8	2.2	0.4	6.1	48	0.1
39186	0	0	0	0	KHM	48.5682	117.0842	16.8	624.8	558	55555.	3383	2.6	5.7	11.7	2.2	0.5	4.5	47	0.1
39185	0	0	0	0	KHM	48.5686	117.0842	16.8	624.3	546	55561.	3286	2.7	3.4	17.6	1.3	0.2	6.6	40	0.1
39184	0	0	0	0	KHM	48.5689	117.0842	16.8	623.9	527	55566.	3218	2.2	6.3	14.9	2.9	0.4	6.9	37	0.1
39183	0	0	0	0	KHM	48.5693	117.0842	16.8	623.5	499	55572.	3107	2.2	6.1	15.1	2.8	0.4	7.0	60	0.1
39182	0	0	0	0	KHM	48.5697	117.0842	16.8	623.1	469	55577.	2962	2.0	6.2	12.7	3.2	0.5	6.5	57	0.1
39181	0	0	0	0	KHM	48.5700	117.0842	16.8	622.8	436	55581.	2845	2.1	4.4	12.8	2.1	0.3	6.0	51	0.1
39180	0	0	0	0	KHM	48.5704	117.0842	16.8	622.4	401	55585.	2758	1.8	4.8	14.3	2.7	0.3	8.1	52	0.1
39179	0	0	0	0	KHM	48.5708	117.0842	16.8	622.1	362	55588.	2673	2.2	6.1	10.2	2.8	0.6	4.7	42	0.1
39178	0	0	0	0	KHM	48.5711	117.0842	16.8	621.9	329	55592.	2607	1.8	5.9	12.0	3.3	0.5	6.8	43	0.1
39177	0	0	0	0	KHM	48.5715	117.0842	16.8	621.6	304	55595.	2275	1.6	4.2	9.3	2.6	0.5	5.7	53	0.1
39176	0	0	0	0	KHM	48.5719	117.0842	16.8	621.5	291	55598.	2285	1.7	3.4	9.8	1.9	0.3	5.6	47	0.1
39175	0	0	0	0	KHM	48.5722	117.0842	16.8	621.3	282	55600.	2337	1.7	5.0	8.7	2.9	0.6	4.9	54	0.1
39174	0	0	0	0	KHM	48.5726	117.0842	16.9	621.3	281	55600.	2610	1.8	5.9	12.4	3.3	0.5	7.0	53	0.1
39173	0	0	0	0	KHM	48.5729	117.0842	16.9	621.3	288	55599.	2652	1.9	4.3	14.6	2.3	0.3	7.9	48	0.1
39172	0	0	0	0	KHM	48.5733	117.0842	16.9	621.3	305	55596.	2689	2.2	5.2	10.9	2.3	0.5	4.9	60	0.1
39171	0	0	0	0	KHM	48.5737	117.0842	16.9	621.4	335	55592.	2796	2.0	5.5	12.9	2.8	0.4	6.4	57	0.1
39170	0	0	0	0	KHM	48.5740	117.0842	16.9	621.5	366	55588.	2878	2.4	4.6	14.1	1.9	0.3	5.9	56	0.1
39169	0	0	0	0	KHM	48.5743	117.0842	16.9	621.6	401	55585.	3013	2.0	4.9	17.0	2.5	0.3	8.7	46	0.1
39168	0	0	0	0	KHM	48.5746	117.0842	16.9	621.8	432	55584.	2947	2.6	5.0	13.8	2.0	0.4	5.4	60	0.1
39167	0	0	0	0	KHM	48.5749	117.0842	16.9	622.0	465	55582.	2987	2.2	5.1	12.2	2.3	0.4	5.5	56	0.1
39166	0	0	0	0	KHM	48.5752	117.0842	16.9	622.2	494	55582.	3051	2.1	6.4	13.3	3.0	0.5	6.2	45	0.1
39165	0	0	0	0	KHM	48.5756	117.0842	17.0	622.4	513	55583.	2975	2.5	5.6	12.8	2.3	0.4	5.2	52	0.1
39164	0	0	0	0	KHM	48.5759	117.0843	17.0	622.7	521	55586.	3164	2.6	7.3	9.1	2.8	0.8	3.6	56	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGN IFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 104							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
39163	0	0	0	0	KHM	48.5762	117.0843	17.0	623.0	519	55590.	3165	2.3	6.6	16.2	2.8	0.4	7.0	45	0.1
39162	0	0	0	0	KHM	48.5765	117.0843	17.0	623.3	505	55593.	3068	2.5	6.2	14.9	2.5	0.4	6.0	45	0.1
39161	0	0	0	0	KHM	48.5768	117.0843	17.0	623.6	486	55598.	3119	2.5	4.4	15.4	1.7	0.3	6.1	47	0.1
39160	0	0	0	0	KHM	48.5771	117.0843	17.0	623.8	464	55601.	2751	1.8	7.1	9.4	4.0	0.8	5.3	61	0.1
39159	0	0	0	0	KHM	48.5775	117.0843	17.0	624.1	444	55606.	2763	2.0	3.3	16.8	1.6	0.2	8.3	45	0.1
39158	0	0	0	0	KHM	48.5778	117.0843	17.0	624.4	418	55611.	2792	2.0	6.8	12.2	3.5	0.6	6.2	59	0.1
39157	0	0	0	0	KHM	48.5781	117.0843	17.1	624.7	386	55617.	2742	2.3	4.7	12.6	2.0	0.4	5.5	40	0.1
39156	0	0	0	0	KHM	48.5784	117.0844	17.1	625.1	352	55622.	2574	2.0	5.2	8.4	2.5	0.6	4.1	51	0.1
39155	0	0	0	0	KHM	48.5787	117.0844	17.1	625.4	323	55626.	2505	2.0	4.3	10.9	2.2	0.4	5.5	57	0.1
39154	0	0	0	0	KHM	48.5790	117.0844	17.1	625.8	303	55630.	2565	2.0	4.5	12.9	2.3	0.4	6.5	46	0.1
39153	0	0	0	0	KHM	48.5793	117.0844	17.1	626.2	295	55632.	2476	1.5	6.1	11.5	4.1	0.5	7.6	53	0.1
39152	0	0	0	0	KHM	48.5797	117.0844	17.1	626.6	298	55634.	2766	2.0	6.3	10.2	3.2	0.6	5.2	42	0.1
39151	0	0	0	0	KHM	48.5800	117.0844	17.1	627.1	310	55634.	2710	2.1	4.9	12.3	2.3	0.4	5.8	51	0.1
39150	0	0	0	0	KHM	48.5803	117.0844	17.1	627.6	329	55633.	2871	2.4	5.5	13.7	2.3	0.4	5.8	41	0.1
39149	0	0	0	0	KHM	48.5806	117.0844	17.2	628.1	351	55630.	2821	2.0	5.7	11.6	2.9	0.5	5.9	59	0.1
39148	0	0	0	0	KHM	48.5809	117.0844	17.2	628.6	374	55627.	3006	2.3	5.6	12.7	2.4	0.4	5.6	49	0.1
39147	0	0	0	0	KHM	48.5812	117.0845	17.2	629.2	396	55625.	3025	2.0	5.5	13.0	2.7	0.4	6.4	43	0.1
39146	0	0	0	0	KHM	48.5815	117.0845	17.2	629.7	416	55623.	2940	2.1	5.6	12.9	2.7	0.4	6.1	50	0.1
39145	0	0	0	0	KHM	48.5819	117.0845	17.2	630.3	435	55623.	3006	2.1	6.4	15.3	3.0	0.4	7.2	38	0.1
39144	0	0	0	0	KHM	48.5822	117.0845	17.2	630.9	453	55623.	3071	1.7	8.2	10.4	4.9	0.8	6.2	45	0.1
39143	0	0	0	0	KHM	48.5825	117.0845	17.2	631.5	470	55624.	2970	2.1	6.2	13.1	3.0	0.5	6.3	45	0.1
39142	0	0	0	0	KHM	48.5828	117.0845	17.3	632.2	487	55626.	3141	2.2	5.7	13.7	2.6	0.4	6.2	50	0.1
39141	0	0	0	0	KHM	48.5831	117.0845	17.3	632.8	505	55629.	3290	2.3	6.8	12.7	2.9	0.5	5.4	41	0.1
39140	0	0	0	0	KHM	48.5834	117.0845	17.3	633.4	524	55631.	3265	2.5	7.0	14.9	2.8	0.5	6.0	54	0.1
39139	0	0	0	0	KHM	48.5838	117.0845	17.3	634.0	540	55633.	3511	2.1	7.5	16.7	3.7	0.5	8.2	34	0.1
39138	0	0	0	0	KHM	48.5841	117.0846	17.3	634.6	549	55636.	3600	2.5	10.4	13.8	4.1	0.8	5.5	45	0.1
39137	0	0	0	0	KHM	48.5844	117.0846	17.3	635.3	550	55639.	3522	1.8	10.0	14.3	5.5	0.7	7.9	47	0.1
39136	0	0	0	0	KHM	48.5847	117.0846	17.3	635.9	544	55641.	3595	2.7	6.3	19.4	2.3	0.3	7.2	39	0.1
39135	0	0	0	0	KHM	48.5850	117.0846	17.4	636.5	529	55643.	3447	2.1	7.3	14.0	3.5	0.5	6.8	41	0.1
39134	0	0	0	0	KHM	48.5853	117.0846	17.4	637.1	510	55646.	3521	2.6	7.3	12.6	2.8	0.6	4.9	49	0.1
39133	0	0	0	0	KHM	48.5857	117.0846	17.4	637.7	491	55647.	3226	1.9	6.0	15.5	3.2	0.4	8.2	48	0.1
39132	0	0	0	0	KHM	48.5860	117.0846	17.4	638.3	479	55649.	3340	2.7	5.9	16.9	2.2	0.4	6.2	45	0.1
39131	0	0	0	0	KHM	48.5864	117.0846	17.4	638.9	476	55650.	3376	2.7	6.0	20.9	2.3	0.3	7.9	34	0.1
39130	0	0	0	0	KHM	48.5867	117.0847	17.4	639.5	483	55650.	3291	2.2	7.0	14.3	3.2	0.5	6.6	50	0.1
39129	0	0	0	0	KHM	48.5871	117.0847	17.4	640.0	496	55650.	3430	2.3	8.5	13.2	3.7	0.6	5.7	52	0.1
39128	0	0	0	0	KHM	48.5874	117.0847	17.4	640.6	510	55651.	3457	2.8	6.5	15.6	2.3	0.4	5.5	49	0.1
39127	0	0	0	0	KHM	48.5878	117.0847	17.5	641.2	523	55652.	3479	2.2	10.3	14.1	4.8	0.7	6.6	40	0.1
39126	0	0	0	0	KHM	48.5881	117.0847	17.5	641.7	529	55653.	3728	3.1	9.4	14.0	3.0	0.7	4.5	41	0.1
39125	0	0	0	0	KHM	48.5885	117.0847	17.5	642.3	526	55655.	3732	2.8	7.4	20.4	2.7	0.4	7.4	24	0.1
39123	0	0	0	0	KHM	48.5892	117.0848	17.5	642.8	513	55659.	3556	2.6	5.5	18.0	2.1	0.3	6.9	40	0.1
39122	0	0	0	0	KHM	48.5895	117.0848	17.5	643.3	502	55664.	3378	2.7	5.9	16.6	2.1	0.4	6.1	40	0.1
39121	0	0	0	0	KHM	48.5899	117.0848	17.5	643.8	499	55669.	3415	2.6	8.6	15.4	3.3	0.6	5.9	39	0.1
39120	0	0	0	0	KHM	48.5902	117.0848	17.5	644.3	512	55675.	3333	2.4	6.8	13.1	2.9	0.5	5.5	48	0.1
39119	0	0	0	0	KHM	48.5906	117.0848	17.5	644.8	533	55681.	3416	2.2	6.6	15.5	3.0	0.4	6.9	38	0.1
39118	0	0	0	0	KHM	48.5909	117.0848	17.5	645.2	553	55687.	3427	2.7	6.4	14.7	2.4	0.4	5.5	37	0.1
39117	0	0	0	0	KHM	48.5912	117.0848	17.6	645.7	566	55695.	3383	2.7	4.9	16.6	1.8	0.3	6.2	38	0.1
39116	0	0	0	0	KHM	48.5916	117.0849	17.6	646.1	569	55703.	3482	2.5	4.4	18.1	1.7	0.2	7.2	46	0.1
39115	0	0	0	0	KHM	48.5919	117.0849	17.6	646.5	565	55712.	3385	2.4	4.9	17.2	2.1	0.3	7.3	39	0.1
39114	0	0	0	0	KHM	48.5923	117.0849	17.6	646.9	550	55721.	3349	2.1	6.9	15.3	3.3	0.5	7.4	40	0.1
39113	0	0	0	0	KHM	48.5927	117.0849	17.6	647.3	527	55732.	3163	2.0	8.9	12.9	4.3	0.7	6.3	26	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 104							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
39112	0	0	0	0	KHM	48.5931	117.0849	17.6	647.6	494	55744.	2936	2.3	3.6	14.8	1.6	0.2	6.6	52	0.2
39111	0	0	0	0	KHM	48.5935	117.0849	17.6	648.0	455	55758.	2904	2.2	4.3	17.3	2.0	0.3	7.8	40	0.2
39110	0	0	0	0	KHM	48.5939	117.0849	17.6	648.3	414	55771.	2668	1.8	5.2	11.9	2.9	0.4	6.5	61	0.2
39109	0	0	0	0	KHM	48.5943	117.0849	17.6	648.6	380	55784.	2449	2.0	2.2	14.2	1.1	0.2	7.2	45	0.2
39108	0	0	0	0	KHM	48.5947	117.0849	17.6	649.0	361	55795.	2458	1.8	3.7	9.1	2.0	0.4	5.0	32	0.2
39107	0	0	0	0	KHM	48.5951	117.0849	17.7	649.3	354	55804.	2389	1.5	3.7	12.5	2.5	0.3	8.3	39	0.2
39106	0	0	0	0	KHM	48.5955	117.0849	17.7	649.6	358	55811.	2481	1.8	3.5	11.9	1.9	0.3	6.6	38	0.2
39105	0	0	0	0	QAG	48.5959	117.0849	17.7	649.9	366	55817.	2453	1.2	5.7	11.4	4.7	0.5	9.4	33	0.2
39104	0	0	0	0	QAG	48.5963	117.0849	17.7	650.2	376	55822.	2484	1.7	4.2	12.6	2.5	0.3	7.6	43	0.2
39103	0	0	0	0	QAG	48.5966	117.0849	17.7	650.5	382	55827.	2501	1.4	6.0	8.0	4.4	0.8	5.8	35	0.2
39102	0	0	0	0	QAG	48.5970	117.0848	17.7	650.8	384	55832.	2469	1.6	4.6	11.6	2.9	0.4	7.5	45	0.2
39101	0	0	0	0	QAG	48.5974	117.0848	17.7	651.1	391	55837.	2553	1.5	5.9	9.1	4.0	0.6	6.1	34	0.2
39100	0	0	0	0	QAG	48.5978	117.0848	17.7	651.4	407	55840.	2603	1.7	6.5	10.2	3.9	0.6	6.2	36	0.2
39099	0	0	0	0	QAG	48.5982	117.0848	17.7	651.7	431	55842.	2615	1.6	6.3	10.6	4.0	0.6	6.8	31	0.2
39098	0	0	0	0	QAG	48.5986	117.0848	17.7	652.0	454	55843.	2705	1.9	6.4	10.6	3.5	0.6	5.7	38	0.2
39097	0	0	0	0	QAG	48.5990	117.0848	17.7	652.2	476	55844.	2656	1.5	5.7	10.7	3.8	0.5	7.2	41	0.2
39096	0	0	0	0	QAG	48.5994	117.0848	17.7	652.5	497	55844.	2848	1.9	5.3	10.7	2.8	0.5	5.6	49	0.2
39095	0	0	0	0	QAG	48.5998	117.0848	17.7	652.7	518	55845.	2805	1.5	4.9	12.0	3.3	0.4	7.9	44	0.2
39094	0	0	0	0	QAG	48.6002	117.0848	17.8	653.0	536	55846.	3027	1.9	5.9	11.0	3.2	0.5	5.9	30	0.2
39093	0	0	0	0	QAG	48.6006	117.0848	17.8	653.3	552	55848.	2842	1.5	7.1	12.2	4.8	0.6	8.2	34	0.2
39092	0	0	0	0	QAG	48.6010	117.0848	17.8	653.5	568	55849.	2665	1.5	6.5	9.0	4.4	0.7	6.1	38	0.2
39091	0	0	0	0	QAG	48.6014	117.0848	17.8	653.6	587	55851.	2690	1.3	5.8	9.5	4.6	0.6	7.6	46	0.2
39090	0	0	0	0	QAG	48.6018	117.0848	17.8	653.8	603	55852.	2692	1.4	6.3	10.1	4.4	0.6	7.0	44	0.2
39089	0	0	0	0	QAG	48.6022	117.0848	17.8	653.9	609	55854.	2648	1.1	6.0	13.1	5.3	0.5	11.5	39	0.2
39088	0	0	0	0	QAG	48.6026	117.0848	17.8	653.9	601	55855.	2401	1.4	3.3	8.1	2.4	0.4	6.0	42	0.2
39087	0	0	0	0	QAG	48.6030	117.0848	17.8	653.9	580	55857.	2441	1.6	4.4	8.0	2.8	0.6	5.0	37	0.2
39086	0	0	0	0	QAG	48.6034	117.0848	17.8	653.9	553	55858.	2205	1.8	3.9	5.9	2.2	0.7	3.4	34	0.2
39085	0	0	0	0	QAG	48.6038	117.0848	17.8	653.9	520	55859.	2220	1.5	4.7	8.9	3.2	0.5	6.0	38	0.2
39084	0	0	0	0	QAG	48.6042	117.0848	17.8	653.8	489	55860.	2161	1.7	5.2	3.5	3.1	1.5	2.0	31	0.2
39083	0	0	0	0	QAG	48.6046	117.0848	17.8	653.6	461	55859.	2147	1.8	4.7	6.2	2.7	0.8	3.5	37	0.2
39082	0	0	0	0	QAG	48.6050	117.0848	17.8	653.5	436	55858.	2188	1.6	5.9	6.0	3.7	1.0	3.8	43	0.2
39081	0	0	0	0	QAG	48.6054	117.0848	17.8	653.3	417	55854.	2148	1.8	3.1	8.2	1.7	0.4	4.6	30	0.2
39080	0	0	0	0	QAG	48.6058	117.0848	17.8	653.1	399	55850.	2071	1.3	4.3	6.9	3.3	0.6	5.3	38	0.2
39079	0	0	0	0	QAG	48.6062	117.0848	17.8	652.9	386	55846.	2075	1.7	4.9	6.9	3.0	0.7	4.1	39	0.2
39078	0	0	0	0	QAG	48.6066	117.0848	17.8	652.6	376	55843.	2017	1.6	4.6	5.0	2.8	0.9	3.0	33	0.2
39077	0	0	0	0	QAG	48.6070	117.0848	17.8	652.4	380	55841.	1944	1.3	4.7	3.8	3.7	1.2	3.0	40	0.2
39076	0	0	0	0	QAG	48.6074	117.0848	17.8	652.1	397	55838.	2166	1.4	5.6	5.3	4.0	1.1	3.7	30	0.2
39075	0	0	0	0	QAG	48.6078	117.0848	17.8	651.9	421	55836.	2145	1.7	3.4	7.6	2.0	0.5	4.5	45	0.2
39074	0	0	0	0	QAG	48.6082	117.0848	17.8	651.6	440	55835.	2175	1.7	5.8	7.6	3.4	0.8	4.5	46	0.2
39073	0	0	0	0	QAG	48.6086	117.0848	17.8	651.4	449	55836.	2329	1.8	5.0	7.9	2.8	0.6	4.4	26	0.1
39072	0	0	0	0	QAG	48.6090	117.0848	17.9	651.2	444	55837.	2239	1.9	4.0	6.8	2.1	0.6	3.6	29	0.1
39071	0	0	0	0	QAG	48.6094	117.0848	17.9	651.0	434	55840.	2194	1.6	3.4	7.6	2.2	0.5	4.8	39	0.1
39070	0	0	0	0	QAG	48.6098	117.0848	17.9	650.7	417	55843.	2104	1.4	4.9	7.1	3.5	0.7	5.0	45	0.1
39069	0	0	0	0	QAG	48.6102	117.0848	17.9	650.5	409	55845.	2081	1.5	5.6	6.0	3.8	0.9	4.1	46	0.1
39068	0	0	0	0	QAG	48.6106	117.0848	17.9	650.3	407	55846.	2040	1.4	5.5	5.5	4.0	1.0	4.0	55	0.1
39067	0	0	0	0	QAG	48.6110	117.0848	17.9	650.1	414	55846.	2086	1.5	6.0	8.4	3.9	0.7	5.5	45	0.1
39066	0	0	0	0	QAG	48.6114	117.0848	17.9	649.9	420	55843.	2173	1.9	4.2	7.7	2.2	0.5	4.1	53	0.1
39065	0	0	0	0	QAG	48.6118	117.0848	17.9	649.8	422	55840.	2313	1.6	4.8	7.7	3.1	0.6	4.9	35	0.1
39064	0	0	0	0	QAG	48.6122	117.0848	17.9	649.6	421	55836.	2193	1.4	4.1	9.0	2.9	0.5	6.4	31	0.1
39063	0	0	0	0	QAG	48.6126	117.0848	17.9	649.5	419	55832.	2168	1.6	5.7	5.5	3.6	1.0	3.5	48	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 104							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
39062	0	0	0	0	QAG	48.6130	117.0848	17.9	649.4	417	55827.	2207	1.8	4.3	7.5	2.4	0.6	4.2	44	0.1
39061	0	0	0	0	QAG	48.6134	117.0848	17.9	649.4	414	55823.	2286	1.6	5.2	11.5	3.3	0.5	7.2	27	0.1
39060	0	0	0	0	QAG	48.6137	117.0847	17.9	649.3	410	55819.	2394	1.5	5.9	7.9	4.0	0.7	5.3	34	0.2
39059	0	0	0	0	QAG	48.6141	117.0847	17.9	649.3	407	55813.	2213	1.9	3.6	8.2	1.9	0.4	4.3	43	0.2
39058	0	0	0	0	QAG	48.6145	117.0847	17.9	649.2	405	55806.	2207	1.8	3.7	9.6	2.1	0.4	5.4	48	0.2
39057	0	0	0	0	QAG	48.6149	117.0847	17.9	649.2	406	55798.	2295	1.9	3.4	8.8	1.8	0.4	4.7	49	0.2
39056	0	0	0	0	QAG	48.6152	117.0846	17.9	649.2	407	55790.	2223	1.7	5.1	9.6	2.9	0.5	5.5	34	0.2
39055	0	0	0	0	QAG	48.6156	117.0846	17.9	649.2	406	55781.	2234	1.9	3.4	9.1	1.8	0.4	4.7	36	0.2
39054	0	0	0	0	QAG	48.6160	117.0846	17.9	649.3	401	55773.	2255	1.8	3.1	10.3	1.7	0.3	5.7	27	0.2
39053	0	0	0	0	QAG	48.6163	117.0845	17.9	649.3	395	55764.	2213	1.7	3.9	8.8	2.3	0.4	5.2	46	0.2
39052	0	0	0	0	QAG	48.6167	117.0845	17.9	649.3	390	55755.	2141	1.6	4.4	7.8	2.9	0.6	5.0	34	0.2
39051	0	0	0	0	QAG	48.6171	117.0845	17.9	649.3	388	55747.	2228	1.8	3.4	10.2	1.8	0.3	5.6	36	0.2
39050	0	0	0	0	QAG	48.6175	117.0845	17.9	649.4	388	55738.	2060	1.3	3.8	8.9	3.0	0.4	6.9	31	0.2
39049	0	0	0	0	QAG	48.6178	117.0844	17.9	649.4	392	55729.	2136	1.6	3.9	7.9	2.4	0.5	4.9	42	0.2
39048	0	0	0	0	QAG	48.6182	117.0844	17.9	649.4	394	55722.	2222	1.4	4.5	10.9	3.3	0.4	7.9	48	0.2
39047	0	0	0	0	QAG	48.6186	117.0844	17.9	649.4	393	55715.	2242	1.7	4.8	6.3	2.8	0.8	3.7	32	0.2
39046	0	0	1	0	QAG	48.6190	117.0844	17.9	649.4	390	55710.	2135	1.9	0.9	12.3	0.5	0.1	6.4	44	0.2
39045	0	0	0	0	QAG	48.6193	117.0844	17.9	649.3	388	55707.	2284	1.8	1.9	12.2	1.0	0.2	6.8	30	0.2
39044	0	0	0	0	QAG	48.6197	117.0843	17.9	649.3	386	55703.	2400	1.7	3.7	12.2	2.1	0.3	7.1	31	0.2
39043	0	0	0	0	QAG	48.6201	117.0843	17.9	649.3	384	55701.	2333	1.8	3.6	7.0	2.0	0.5	3.9	48	0.2
39042	0	0	0	0	QAG	48.6205	117.0843	17.9	649.3	382	55700.	2357	1.7	3.5	10.2	2.1	0.3	6.2	35	0.2
39041	0	0	0	0	QAG	48.6208	117.0842	17.9	649.2	381	55699.	2372	1.4	4.5	12.6	3.2	0.4	9.0	33	0.2
39040	0	0	0	0	QAG	48.6212	117.0842	17.9	649.2	380	55699.	2212	1.8	3.6	8.5	2.0	0.4	4.8	48	0.2
39039	0	0	0	0	QAG	48.6216	117.0842	17.9	649.2	379	55698.	2294	2.0	3.8	6.8	1.9	0.6	3.4	46	0.2
39038	0	0	0	0	QAG	48.6219	117.0842	17.9	649.1	376	55696.	2328	1.7	4.3	6.5	2.5	0.7	3.8	37	0.2
39037	0	0	0	0	QAG	48.6223	117.0841	17.9	649.0	373	55693.	2396	1.7	5.4	9.4	3.2	0.6	5.6	31	0.2
39036	0	0	0	0	QAG	48.6227	117.0841	17.9	648.9	373	55688.	2356	1.8	4.4	7.9	2.4	0.6	4.3	36	0.2
39035	0	0	0	0	QAG	48.6231	117.0841	17.9	648.8	378	55682.	2437	1.5	4.7	11.2	3.1	0.4	7.3	41	0.2
39034	0	0	0	0	QAG	48.6235	117.0841	17.9	648.6	393	55676.	2546	2.2	3.5	10.1	1.6	0.3	4.6	53	0.2
39032	0	0	0	0	QAG	48.6243	117.0841	17.9	648.4	404	55671.	2652	2.5	3.1	10.5	1.2	0.3	4.2	46	0.2
39031	0	0	0	0	KKH	48.6247	117.0841	18.0	648.3	402	55667.	2704	2.2	5.9	9.7	2.6	0.6	4.4	50	0.2
39030	0	0	0	0	KKH	48.6251	117.0841	18.0	648.1	387	55664.	2767	2.3	4.4	11.3	1.9	0.4	4.9	38	0.2
39029	0	0	0	0	KKH	48.6255	117.0841	18.0	647.8	373	55663.	2710	1.9	5.3	11.7	2.9	0.5	6.3	41	0.2
39028	0	0	0	0	KKH	48.6259	117.0841	18.0	647.7	371	55662.	2792	2.3	4.3	12.8	1.9	0.3	5.6	35	0.2
39027	0	0	0	0	KKH	48.6263	117.0841	18.0	647.5	374	55660.	2809	2.0	4.9	12.3	2.4	0.4	6.1	37	0.2
39026	0	0	0	0	KKH	48.6268	117.0841	18.0	647.3	376	55658.	2832	2.3	3.6	17.8	1.6	0.2	7.7	42	0.2

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 105							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53775	0	0	0	0	KG	48.4997	117.0341	20.3	658.6	624	55811.	2304	1.7	5.4	8.1	3.1	0.7	4.7	39	0.1
53776	0	0	0	0	KG	48.5001	117.0341	20.3	658.5	604	55822.	2173	1.6	3.8	8.6	2.5	0.4	5.6	36	0.1
53777	0	0	0	0	KG	48.5005	117.0341	20.3	658.4	579	55833.	2172	1.8	4.5	6.8	2.4	0.7	3.7	41	0.2
53778	0	0	0	0	KG	48.5009	117.0341	20.3	658.3	554	55845.	2124	1.6	4.2	9.1	2.6	0.5	5.7	41	0.2
53779	0	0	0	0	KG	48.5013	117.0341	20.3	658.3	526	55855.	2079	1.5	4.8	7.5	3.3	0.6	5.1	31	0.2
53780	0	0	0	0	KG	48.5017	117.0341	20.3	658.1	496	55862.	2032	1.3	5.2	5.3	4.1	1.0	4.2	44	0.2
53781	0	0	0	0	KG	48.5022	117.0341	20.3	658.0	471	55866.	1932	1.5	3.8	7.8	2.6	0.5	5.3	41	0.2
53782	0	0	0	0	KG	48.5026	117.0341	20.3	657.9	460	55867.	1815	1.4	3.6	9.0	2.7	0.4	6.7	50	0.2
53783	0	0	0	0	KG	48.5030	117.0341	20.3	657.8	470	55868.	2063	1.7	3.7	9.6	2.1	0.4	5.6	23	0.1
53784	0	0	0	0	KG	48.5034	117.0341	20.3	657.6	484	55868.	2030	1.4	4.5	8.5	3.2	0.5	6.0	37	0.1
53785	0	0	0	0	KG	48.5038	117.0341	20.3	657.4	492	55869.	2091	1.6	4.3	8.3	2.6	0.5	5.1	40	0.1
53786	0	0	0	0	KG	48.5042	117.0340	20.3	657.3	485	55869.	2069	1.3	5.6	8.0	4.4	0.7	6.2	36	0.1
53787	0	0	0	0	KG	48.5047	117.0340	20.3	657.1	482	55869.	2126	1.4	4.5	7.3	3.2	0.6	5.1	33	0.1
53788	0	0	0	0	KG	48.5051	117.0340	20.3	656.9	489	55871.	2068	1.8	3.5	6.1	2.0	0.6	3.4	41	0.1
53789	0	0	0	0	KG	48.5055	117.0340	20.3	656.6	506	55873.	2055	1.6	3.3	10.7	2.1	0.3	6.9	54	0.1
53790	0	0	0	0	KG	48.5059	117.0340	20.3	656.4	516	55877.	2210	1.6	3.7	10.9	2.3	0.3	6.8	27	0.1
53791	0	0	0	0	KG	48.5063	117.0340	20.3	656.2	510	55883.	2106	1.4	5.7	6.4	4.0	0.9	4.5	26	0.1
53792	0	0	0	0	KG	48.5067	117.0340	20.3	655.9	493	55890.	2192	1.7	1.7	13.4	1.0	0.1	7.7	33	0.1
53793	0	0	0	0	KG	48.5071	117.0340	20.3	655.7	473	55899.	2134	1.7	4.3	8.3	2.5	0.5	4.8	37	0.1
53794	0	0	0	0	KG	48.5076	117.0340	20.3	655.4	456	55908.	2069	1.5	4.0	8.0	2.6	0.5	5.3	27	0.1
53795	0	0	0	0	KG	48.5080	117.0340	20.3	655.2	445	55918.	2047	1.3	4.3	8.4	3.4	0.5	6.6	33	0.1
53796	0	0	0	0	KG	48.5084	117.0340	20.3	654.9	438	55928.	2047	1.7	3.8	9.3	2.2	0.4	5.5	41	0.1
53797	0	0	0	0	KG	48.5088	117.0340	20.3	654.7	428	55938.	2112	1.6	3.8	8.0	2.4	0.5	5.0	35	0.1
53798	0	0	0	0	KG	48.5092	117.0340	20.3	654.5	414	55947.	2041	1.7	3.5	8.7	2.1	0.4	5.2	43	0.1
53799	0	0	0	0	KG	48.5096	117.0340	20.3	654.2	394	55958.	2040	1.3	3.7	7.8	2.8	0.5	6.0	35	0.1
53800	0	0	0	0	KG	48.5101	117.0340	20.3	654.0	370	55967.	2101	1.4	3.5	11.5	2.5	0.3	8.1	36	0.1
53801	0	0	0	0	KG	48.5105	117.0340	20.3	653.8	344	55970.	2076	1.6	3.3	7.6	2.1	0.4	4.7	37	0.1
53802	0	0	0	0	KG	48.5109	117.0340	20.3	653.6	318	55969.	1969	1.3	3.2	8.6	2.5	0.4	6.5	39	0.1
53803	0	0	0	0	KG	48.5113	117.0340	20.3	653.3	305	55960.	1820	1.3	4.2	5.9	3.3	0.7	4.7	47	0.1
53804	0	0	0	0	KG	48.5117	117.0340	20.3	653.2	312	55946.	1780	1.4	3.2	7.2	2.3	0.4	5.1	41	0.1
53805	0	0	0	0	KG	48.5121	117.0340	20.3	653.0	337	55930.	1846	1.4	3.4	8.9	2.5	0.4	6.5	28	0.1
53806	0	0	0	0	KHM	48.5125	117.0340	20.3	652.9	366	55915.	1839	1.1	5.2	6.2	4.8	0.8	5.8	26	0.1
53807	0	0	0	0	KHM	48.5130	117.0339	20.3	652.7	388	55902.	1778	1.4	3.3	8.8	2.3	0.4	6.2	48	0.1
53808	0	0	0	0	KHM	48.5134	117.0339	20.3	652.6	402	55892.	1745	1.3	3.6	7.8	2.8	0.5	6.0	34	0.1
53809	0	0	0	0	KHM	48.5138	117.0339	20.3	652.5	416	55883.	1774	1.3	3.8	6.3	2.9	0.6	4.8	47	0.1
53810	0	0	0	0	KHM	48.5142	117.0339	20.3	652.5	433	55877.	1780	1.2	3.4	7.6	2.8	0.4	6.3	30	0.1
53811	0	0	0	0	KHM	48.5146	117.0339	20.3	652.4	449	55875.	1846	1.5	3.3	8.1	2.3	0.4	5.6	37	0.1
53812	0	0	0	0	KHM	48.5150	117.0339	20.3	652.4	461	55874.	1881	1.7	3.4	6.1	2.1	0.6	3.7	42	0.1
53813	0	0	0	0	KHM	48.5155	117.0339	20.3	652.3	470	55876.	1783	1.6	3.5	7.0	2.3	0.5	4.5	35	0.1
53814	0	0	0	0	KHM	48.5159	117.0339	20.3	652.3	480	55878.	1829	1.0	4.0	8.6	4.0	0.5	8.6	33	0.1
53815	0	0	0	0	KHM	48.5163	117.0339	20.3	652.3	476	55879.	1866	1.8	3.1	5.5	1.7	0.6	3.1	39	0.1
53816	0	0	0	0	KHM	48.5167	117.0339	20.3	652.3	458	55879.	1792	1.4	4.5	6.7	3.2	0.7	4.8	29	0.1
53817	0	0	0	0	KHM	48.5171	117.0339	20.3	652.4	426	55878.	1779	1.3	3.3	7.4	2.5	0.4	5.7	32	0.1
53818	0	0	0	0	KHM	48.5175	117.0339	20.3	652.4	393	55875.	1670	1.4	2.9	5.8	2.1	0.5	4.1	35	0.1
53819	0	0	0	0	KHM	48.5180	117.0339	20.3	652.4	364	55868.	1595	1.3	2.5	5.8	2.0	0.4	4.6	41	0.1
53820	0	0	0	0	KHM	48.5184	117.0339	20.3	652.4	343	55855.	1500	1.1	3.7	4.6	3.4	0.8	4.0	49	0.1
53822	0	0	0	0	KHM	48.5192	117.0339	20.3	652.4	337	55835.	1526	1.1	2.4	6.5	2.1	0.4	5.7	40	0.1
53823	0	0	0	0	KHM	48.5196	117.0339	20.3	652.5	349	55811.	1631	1.3	3.8	5.6	2.8	0.7	4.2	36	0.1
53824	0	0	0	0	KHM	48.5200	117.0339	20.3	652.5	378	55786.	1703	1.3	3.3	6.6	2.5	0.5	5.0	37	0.1
53825	0	0	0	0	KHM	48.5204	117.0338	20.3	652.5	422	55764.	1728	0.8	5.3	7.3	6.8	0.7	9.4	44	0.1

** NOTE *** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 105							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53826	0	0	0	0	KHM	48.5209	117.0338	20.3	652.6	470	55748.	1886	1.2	4.8	7.4	4.1	0.7	6.3	44	0.1
53827	0	0	0	0	KHM	48.5213	117.0338	20.3	652.6	505	55737.	2010	1.5	3.4	8.7	2.3	0.4	6.0	48	0.1
53828	0	0	0	0	KHM	48.5217	117.0338	20.3	652.7	516	55732.	2102	1.7	2.5	10.5	1.5	0.2	6.3	37	0.1
53829	0	0	0	0	KHM	48.5221	117.0338	20.3	652.7	504	55729.	2175	1.6	5.0	7.6	3.1	0.6	4.8	39	0.1
53830	0	0	0	0	KHM	48.5225	117.0338	20.3	652.7	485	55729.	2203	1.3	6.7	7.9	5.3	0.8	6.3	28	0.1
53831	0	0	0	0	KHM	48.5229	117.0338	20.3	652.8	466	55731.	2027	1.2	4.3	10.5	3.5	0.4	8.6	38	0.1
53832	0	0	0	0	KHM	48.5234	117.0338	20.3	652.9	459	55734.	2095	1.6	3.8	11.8	2.4	0.3	7.5	42	0.1
53833	0	0	0	0	KHM	48.5238	117.0338	20.3	653.0	471	55737.	2014	1.6	3.7	10.0	2.2	0.4	6.1	48	0.1
53834	0	0	0	0	KHM	48.5242	117.0338	20.3	653.0	497	55739.	2092	1.6	3.7	10.3	2.4	0.4	6.6	42	0.1
53835	0	0	0	0	KHM	48.5246	117.0338	20.3	653.1	514	55741.	2092	1.4	4.5	7.0	3.2	0.6	5.0	36	0.1
53836	0	0	0	0	KHM	48.5250	117.0338	20.3	653.2	514	55743.	2169	1.3	4.1	10.4	3.2	0.4	7.9	37	0.1
53837	0	0	0	0	KHM	48.5255	117.0338	20.3	653.2	508	55745.	2109	1.6	2.8	10.6	1.8	0.3	6.7	29	0.1
53838	0	0	0	0	KHM	48.5259	117.0338	20.3	653.3	513	55744.	2157	1.2	5.5	11.5	4.8	0.5	10.0	34	0.1
53839	0	0	0	0	KHM	48.5263	117.0338	20.3	653.3	527	55744.	2216	1.5	4.2	11.2	2.8	0.4	7.5	29	0.1
53840	0	0	0	0	KHM	48.5267	117.0338	20.3	653.4	543	55742.	2150	1.4	4.8	10.7	3.5	0.4	7.9	31	0.1
53841	0	0	0	0	KHM	48.5271	117.0338	20.3	653.4	568	55740.	2343	1.5	6.3	9.7	4.2	0.7	6.4	46	0.1
53842	0	0	0	0	KHM	48.5275	117.0338	20.3	653.5	589	55738.	2365	1.4	5.5	10.9	4.0	0.5	7.9	41	0.1
53843	0	0	0	0	KHM	48.5279	117.0338	20.3	653.5	600	55736.	2526	1.9	5.2	11.4	2.8	0.5	6.1	36	0.1
53844	0	0	0	0	KHM	48.5284	117.0338	20.3	653.5	605	55734.	2598	1.6	7.0	10.8	4.3	0.6	6.6	30	0.1
53845	0	0	0	0	KHM	48.5288	117.0338	20.3	653.5	605	55731.	2535	1.6	6.7	10.6	4.3	0.6	6.8	45	0.1
53846	0	0	0	0	KHM	48.5292	117.0338	20.3	653.5	611	55728.	2657	1.7	5.7	10.4	3.4	0.6	6.1	27	0.1
53847	0	0	0	0	KHM	48.5296	117.0337	20.3	653.5	607	55725.	2480	2.1	5.8	9.6	2.8	0.6	4.6	46	0.1
53848	0	0	0	0	KHM	48.5300	117.0337	20.3	653.5	595	55722.	2738	1.7	7.2	11.5	4.3	0.6	6.8	26	0.1
53849	0	0	0	0	KHM	48.5304	117.0337	20.3	653.4	576	55718.	2653	1.6	6.9	12.5	4.2	0.6	7.7	39	0.1
53850	0	0	0	0	KHM	48.5309	117.0337	20.3	653.4	561	55714.	2629	1.1	7.8	12.6	6.9	0.6	11.1	35	0.1
53851	0	0	0	0	KHM	48.5313	117.0337	20.3	653.3	561	55709.	2744	1.1	8.2	11.3	7.8	0.7	10.8	43	0.1
53852	0	0	0	0	KHM	48.5317	117.0337	20.3	653.3	577	55705.	2973	1.6	6.3	13.2	3.8	0.5	8.0	41	0.1
53853	0	0	0	0	KHM	48.5321	117.0337	20.3	653.3	584	55699.	2931	2.2	6.8	17.1	3.1	0.4	7.9	41	0.1
53854	0	0	0	0	KHM	48.5325	117.0337	20.3	653.2	582	55695.	3162	2.2	6.7	11.2	3.0	0.6	5.1	37	0.1
53855	0	0	0	0	KHM	48.5329	117.0337	20.3	653.1	572	55690.	3166	1.9	6.8	16.5	3.6	0.4	8.8	35	0.1
53856	0	0	0	0	KHM	48.5334	117.0337	20.3	653.0	563	55684.	3051	1.3	8.5	13.6	6.4	0.6	10.3	45	0.1
53857	0	0	0	0	KHM	48.5338	117.0337	20.3	653.0	538	55677.	3107	1.9	7.4	16.1	3.9	0.5	8.5	34	0.1
53858	0	0	0	0	KHM	48.5342	117.0336	20.3	652.9	506	55669.	2711	1.4	7.3	13.7	5.2	0.5	9.7	41	0.1
53859	0	0	0	0	KHM	48.5346	117.0336	20.3	652.9	475	55659.	2490	2.1	4.7	12.6	2.2	0.4	6.0	50	0.1
53860	0	0	0	0	KHM	48.5350	117.0336	20.3	652.8	460	55649.	2451	1.6	5.6	13.4	3.6	0.4	8.5	35	0.1
53861	0	0	0	0	KHM	48.5354	117.0336	20.3	652.7	446	55638.	2534	1.4	6.0	13.2	4.3	0.5	9.4	29	0.1
53862	0	0	0	0	KHM	48.5358	117.0336	20.2	652.6	434	55627.	2323	1.7	4.0	12.6	2.3	0.3	7.2	39	0.1
53863	0	0	0	0	KHM	48.5363	117.0336	20.2	652.6	429	55616.	2380	1.6	6.5	10.7	4.0	0.6	6.6	38	0.1
53864	0	0	0	0	KHM	48.5367	117.0336	20.2	652.5	441	55603.	2413	1.1	6.6	11.6	6.0	0.6	10.6	34	0.1
53865	0	0	0	0	KHM	48.5371	117.0336	20.2	652.4	475	55590.	2480	1.7	6.2	12.0	3.7	0.5	7.1	50	0.1
53866	0	0	0	0	KHM	48.5375	117.0336	20.2	652.3	518	55577.	2825	2.0	5.9	16.0	2.9	0.4	8.0	37	0.1
53867	0	0	0	0	KHM	48.5379	117.0335	20.2	652.3	549	55564.	2909	1.6	5.5	13.5	3.5	0.4	8.6	39	0.1
53868	0	0	0	0	KHM	48.5383	117.0335	20.2	652.2	552	55552.	2979	1.8	6.5	17.0	3.6	0.4	9.6	24	0.1
53869	0	0	0	0	KHM	48.5387	117.0335	20.2	652.1	537	55542.	2917	2.2	5.0	14.0	2.2	0.4	6.3	31	0.1
53870	0	0	0	0	KHM	48.5392	117.0335	20.2	652.0	522	55534.	2644	2.2	3.6	10.6	1.6	0.3	4.8	47	0.1
53871	0	0	0	0	KHM	48.5396	117.0335	20.2	651.9	513	55527.	2643	2.0	4.4	12.9	2.2	0.3	6.5	41	0.1
53872	0	0	0	0	KHM	48.5400	117.0335	20.2	651.8	517	55520.	2717	2.3	4.1	15.8	1.8	0.3	7.0	46	0.1
53873	0	0	0	0	KHM	48.5404	117.0335	20.2	651.8	527	55512.	2870	2.2	3.3	16.0	1.5	0.2	7.3	41	0.1
53874	0	0	0	0	KHM	48.5408	117.0335	20.2	651.7	537	55506.	2805	2.0	6.4	12.3	3.2	0.5	6.2	33	0.1
53875	0	0	0	0	KHM	48.5412	117.0334	20.1	651.5	541	55500.	2863	2.0	7.5	14.0	3.7	0.5	7.0	33	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979												LINE NO. 105								
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53876	0	0	0	0	KHM	48.5416	117.0334	20.1	651.4	554	55495.	2723	2.2	5.5	11.6	2.5	0.5	5.4	31	0.1
53877	0	0	0	0	KHM	48.5421	117.0334	20.1	651.4	561	55490.	2819	1.8	6.5	12.1	3.5	0.5	6.6	20	0.1
53878	0	0	0	0	KHM	48.5425	117.0334	20.1	651.3	561	55488.	2621	1.9	4.1	14.2	2.1	0.3	7.4	48	0.1
53879	0	0	0	0	KHM	48.5429	117.0334	20.1	651.2	541	55486.	2524	1.9	4.8	10.9	2.5	0.4	5.6	39	0.1
53880	0	0	0	0	KHM	48.5433	117.0334	20.1	651.1	541	55484.	2454	1.5	6.3	11.5	4.2	0.5	7.7	49	0.1
53881	0	0	0	0	KHM	48.5437	117.0334	20.1	651.0	556	55482.	2588	2.3	6.4	12.7	2.8	0.5	5.5	37	0.1
53882	0	0	0	0	KHM	48.5441	117.0334	20.1	650.9	588	55480.	2604	1.3	6.1	13.4	4.7	0.5	10.2	45	0.1
53883	0	0	0	0	KGP	48.5446	117.0333	20.1	650.8	621	55479.	2619	2.0	3.2	14.7	1.6	0.2	7.5	40	0.1
53884	0	0	0	0	KGP	48.5450	117.0333	20.0	650.7	646	55479.	2875	2.4	6.1	15.2	2.5	0.4	6.3	39	0.1
53885	0	0	0	0	KGP	48.5454	117.0333	20.0	650.6	653	55481.	2992	2.1	4.1	15.7	2.0	0.3	7.5	35	0.1
53886	0	0	0	0	KGP	48.5458	117.0333	20.0	650.5	653	55483.	2999	2.4	4.5	16.8	1.9	0.3	7.0	32	0.1
53887	0	0	0	0	KGP	48.5462	117.0334	20.0	650.4	638	55486.	2912	1.9	6.2	11.7	3.2	0.5	6.1	41	0.1
53888	0	0	0	0	KGP	48.5466	117.0334	20.0	650.2	619	55489.	2950	2.5	5.8	13.4	2.3	0.4	5.4	28	0.1
53889	0	0	0	0	KGP	48.5470	117.0334	20.0	650.1	593	55488.	2689	2.3	6.0	11.4	2.6	0.5	5.0	51	0.1
53890	0	0	0	0	KGP	48.5474	117.0335	20.0	650.0	581	55487.	2820	1.9	6.6	16.3	3.4	0.4	8.5	38	0.1
53891	0	0	0	0	KGP	48.5478	117.0335	20.0	649.8	569	55488.	2779	2.2	4.2	13.0	1.9	0.3	5.9	40	0.1
53892	0	0	0	0	KGP	48.5482	117.0336	19.9	649.6	561	55490.	2547	2.4	5.1	9.7	2.2	0.5	4.1	43	0.1
53893	0	0	0	0	KGP	48.5486	117.0336	19.9	649.5	546	55495.	2461	1.5	4.6	9.6	3.1	0.5	6.4	42	0.2
53894	0	0	0	0	KGP	48.5490	117.0336	19.9	649.3	530	55501.	2534	1.8	6.0	8.4	3.3	0.7	4.6	43	0.2
53895	0	0	0	0	KGP	48.5495	117.0337	19.9	649.1	509	55507.	2581	2.1	5.6	10.6	2.8	0.5	5.2	34	0.2
53896	0	0	0	0	KGP	48.5499	117.0337	19.9	648.9	492	55512.	2384	1.6	4.4	12.8	2.7	0.3	7.8	44	0.2
53897	0	0	0	0	KGP	48.5503	117.0338	19.9	648.7	477	55518.	2359	1.7	5.3	7.8	3.2	0.7	4.7	55	0.2
53898	0	0	0	0	KGP	48.5507	117.0338	19.9	648.5	453	55524.	2260	1.4	3.4	8.6	2.4	0.4	6.2	35	0.2
53899	0	0	0	0	KGP	48.5511	117.0338	19.9	648.3	436	55528.	2184	1.8	4.0	6.8	2.3	0.6	3.8	43	0.2
53900	0	0	0	0	KGP	48.5515	117.0339	19.8	648.1	418	55531.	1986	1.9	3.7	7.6	2.0	0.5	4.0	48	0.2
53901	0	0	0	0	KGP	48.5519	117.0339	19.8	647.9	410	55533.	2060	1.5	2.3	8.9	1.5	0.3	5.9	34	0.2
53902	0	0	0	0	KGP	48.5523	117.0340	19.8	647.7	396	55535.	2129	1.3	4.8	8.5	3.8	0.6	6.7	31	0.2
53903	0	0	0	0	KGP	48.5527	117.0340	19.8	647.4	381	55538.	1874	1.4	2.2	9.9	1.6	0.2	7.1	47	0.2
53904	0	0	0	0	KGP	48.5531	117.0341	19.8	647.2	364	55541.	1887	1.3	3.5	7.9	2.6	0.4	5.9	37	0.2
53905	0	0	0	0	KGP	48.5535	117.0341	19.8	647.0	338	55543.	1832	1.2	1.7	9.3	1.4	0.2	7.7	46	0.2
53906	0	0	0	0	KGP	48.5539	117.0341	19.8	646.9	313	55543.	1792	1.4	1.5	7.4	1.1	0.2	5.4	36	0.2
53907	0	0	0	0	KGP	48.5543	117.0342	19.7	646.7	291	55541.	1677	1.2	4.2	5.6	3.5	0.7	4.8	42	0.2
53908	0	0	0	0	KGP	48.5547	117.0342	19.7	646.5	277	55538.	1643	1.2	2.1	6.3	1.8	0.3	5.3	35	0.2
53909	0	0	0	0	KGP	48.5551	117.0343	19.7	646.4	276	55534.	1590	1.1	2.5	4.3	2.3	0.6	4.0	50	0.2
53910	0	0	0	0	KGP	48.5555	117.0343	19.7	646.4	279	55529.	1614	1.2	4.0	5.3	3.3	0.8	4.3	48	0.2
53911	0	0	0	0	KGP	48.5560	117.0343	19.7	646.3	286	55526.	1603	0.8	4.1	5.0	5.1	0.8	6.3	32	0.2
53913	0	0	0	0	KGP	48.5568	117.0344	19.7	646.3	297	55523.	1530	1.1	2.6	6.1	2.4	0.4	5.7	41	0.2
53914	0	0	0	0	KGP	48.5572	117.0345	19.7	646.3	315	55521.	1573	1.0	3.7	7.2	3.7	0.5	7.3	42	0.1
53915	0	0	0	0	KGP	48.5576	117.0345	19.7	646.3	337	55520.	1583	1.0	3.8	5.6	3.7	0.7	5.6	50	0.1
53916	0	0	0	0	KGP	48.5580	117.0346	19.6	646.3	363	55520.	1718	1.4	2.6	4.6	1.8	0.5	3.3	34	0.1
53917	0	0	0	0	KGP	48.5584	117.0346	19.6	646.4	410	55522.	1777	1.1	4.1	5.6	3.8	0.7	5.2	59	0.1
53918	0	0	0	0	KGP	48.5588	117.0346	19.6	646.5	461	55522.	1968	1.7	3.6	10.7	2.2	0.3	6.5	50	0.1
53919	0	0	0	0	KGP	48.5592	117.0347	19.6	646.6	512	55521.	2148	1.7	5.3	7.5	3.1	0.7	4.4	37	0.1
53920	0	0	0	0	KGP	48.5596	117.0347	19.6	646.7	542	55517.	2296	1.9	4.6	10.5	2.4	0.4	5.6	23	0.1
53921	0	0	0	0	KGP	48.5600	117.0348	19.6	646.8	562	55514.	2434	2.2	4.1	10.6	1.9	0.4	4.8	42	0.1
53922	0	0	0	0	KGP	48.5604	117.0348	19.6	646.9	574	55512.	2437	1.7	5.8	10.0	3.3	0.6	5.7	49	0.1
53923	0	0	0	0	KGP	48.5608	117.0349	19.6	647.0	576	55513.	2537	1.6	5.1	12.7	3.2	0.4	8.0	46	0.1
53924	0	0	0	0	KGP	48.5612	117.0349	19.6	647.1	574	55517.	2641	1.9	5.8	10.0	3.1	0.6	5.3	30	0.1
53925	0	0	0	0	KGP	48.5616	117.0349	19.5	647.1	574	55520.	2542	2.1	5.6	9.7	2.7	0.6	4.7	48	0.1
53926	0	0	0	0	KGP	48.5620	117.0350	19.5	647.2	564	55524.	2742	2.5	4.1	14.0	1.6	0.3	5.6	33	0.1

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979													LINE NO. 105							
REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53927	0	0	0	0	KGP	48.5624	117.0350	19.5	647.2	546	55527.	2541	2.1	3.8	7.9	1.8	0.5	3.8	45	0.1
53928	0	0	0	0	QAG	48.5629	117.0350	19.5	647.2	511	55529.	2673	1.9	3.8	13.1	2.0	0.3	6.8	37	0.1
53929	0	0	0	0	QAG	48.5633	117.0351	19.5	647.3	474	55526.	2476	2.1	3.3	11.7	1.6	0.3	5.5	37	0.1
53930	0	0	0	0	QAG	48.5637	117.0351	19.5	647.2	437	55523.	2368	2.0	2.4	10.4	1.2	0.2	5.3	34	0.1
53931	0	0	0	0	QAG	48.5641	117.0350	19.5	647.2	406	55521.	2206	1.5	6.0	8.7	4.1	0.7	6.0	37	0.1
53932	0	0	0	0	QAG	48.5645	117.0350	19.5	647.2	392	55521.	2029	1.6	3.3	8.2	2.0	0.4	5.0	48	0.1
53933	0	0	0	0	QAG	48.5649	117.0350	19.5	647.2	388	55523.	2012	1.9	3.4	9.0	1.8	0.4	4.8	41	0.1
53934	0	0	0	0	QAG	48.5654	117.0350	19.5	647.1	398	55527.	1960	2.0	2.3	9.5	1.2	0.2	4.7	37	0.1
53935	0	0	0	0	QAG	48.5658	117.0349	19.4	647.0	420	55531.	1944	1.4	4.8	6.8	3.4	0.7	4.8	30	0.1
53936	0	0	0	0	QAG	48.5662	117.0349	19.4	646.9	457	55535.	2150	1.2	4.3	9.2	3.6	0.5	7.7	39	0.1
53937	0	0	0	0	QAG	48.5666	117.0349	19.4	646.8	508	55538.	1951	1.5	3.2	8.7	2.2	0.4	5.8	34	0.1
53938	0	0	0	0	KKH	48.5671	117.0349	19.4	646.7	563	55541.	2131	1.0	4.8	12.3	4.7	0.4	12.0	32	0.1
53939	0	0	0	0	KKH	48.5675	117.0348	19.4	646.6	622	55543.	2143	2.2	3.4	6.9	1.6	0.5	3.2	34	0.1
53940	0	0	0	0	KKH	48.5679	117.0348	19.4	646.5	665	55545.	2133	1.4	5.3	7.8	3.7	0.7	5.5	41	0.1
53941	0	0	0	0	KKH	48.5683	117.0348	19.4	646.3	691	55546.	2355	1.2	5.6	9.5	4.7	0.6	8.0	32	0.1
53942	0	0	0	0	KKH	48.5688	117.0347	19.4	646.2	688	55548.	2246	1.4	7.3	5.2	5.0	1.4	3.6	45	0.1
53943	0	0	0	0	KKH	48.5692	117.0347	19.4	646.0	682	55551.	2257	1.2	5.3	11.6	4.4	0.5	9.7	33	0.1
53944	0	0	0	0	KKH	48.5696	117.0347	19.4	645.9	685	55554.	2213	1.3	6.3	6.5	4.8	1.0	4.9	38	0.1
53945	0	0	0	0	KKH	48.5700	117.0347	19.4	645.7	692	55556.	2357	1.5	4.1	9.4	2.8	0.4	6.4	49	0.2
53946	0	0	0	0	KKH	48.5704	117.0346	19.4	645.5	689	55559.	2307	1.9	3.9	7.4	2.0	0.5	3.9	36	0.2
53947	0	0	0	0	KKH	48.5709	117.0346	19.4	645.3	668	55561.	2380	2.2	3.7	8.5	1.7	0.4	3.9	44	0.2
53948	0	0	0	0	KKH	48.5713	117.0346	19.4	645.1	639	55563.	2252	1.6	4.1	8.7	2.5	0.5	5.3	45	0.2
53949	0	0	0	0	KKH	48.5717	117.0345	19.4	645.0	608	55564.	2231	1.4	4.6	11.0	3.3	0.4	8.0	34	0.2
53950	0	0	0	0	KKH	48.5721	117.0345	19.4	644.8	579	55565.	2308	1.8	3.2	9.5	1.8	0.3	5.3	40	0.2
53951	0	0	0	0	KKH	48.5726	117.0345	19.4	644.6	554	55568.	2352	1.9	3.6	12.1	1.8	0.3	6.2	37	0.2
53952	0	0	1	0	KKH	48.5730	117.0345	19.4	644.5	524	55571.	2152	1.7	1.1	12.2	0.6	0.1	7.2	48	0.2
53953	0	0	0	0	KKH	48.5734	117.0344	19.4	644.4	490	55574.	2147	1.6	5.2	8.7	3.3	0.6	5.6	41	0.2
53954	0	0	0	0	KKH	48.5738	117.0344	19.4	644.3	450	55579.	2161	1.7	3.9	11.2	2.2	0.3	6.4	34	0.1
53955	0	0	0	0	KKH	48.5742	117.0344	19.4	644.3	414	55583.	2228	1.5	4.5	9.4	3.0	0.5	6.1	34	0.1
53956	0	0	0	0	KKH	48.5747	117.0343	19.4	644.3	379	55587.	2032	1.6	3.7	9.6	2.4	0.4	6.1	53	0.1
53957	0	0	0	0	KKH	48.5751	117.0343	19.4	644.3	347	55590.	1996	1.1	5.0	7.7	4.4	0.6	6.8	36	0.1
53958	0	0	0	0	KKH	48.5755	117.0343	19.4	644.4	319	55590.	1836	1.3	3.2	9.3	2.4	0.3	7.0	57	0.1
53959	0	0	0	0	KKH	48.5759	117.0343	19.4	644.6	296	55590.	1815	1.2	2.2	8.2	1.8	0.3	6.7	45	0.1
53960	0	0	0	0	KKH	48.5764	117.0342	19.4	644.8	287	55588.	1824	1.4	3.6	10.1	2.6	0.4	7.4	45	0.1
53961	0	0	0	0	KKH	48.5768	117.0342	19.4	645.1	292	55585.	1918	1.6	3.2	7.6	2.0	0.4	4.7	38	0.1
53962	0	0	0	0	KKH	48.5772	117.0342	19.4	645.4	317	55581.	2088	1.3	4.1	7.9	3.1	0.5	6.0	34	0.1
53963	0	0	0	0	KKH	48.5776	117.0341	19.4	645.8	353	55578.	2140	1.8	3.8	9.3	2.2	0.4	5.3	33	0.1
53964	0	0	0	0	KKH	48.5781	117.0341	19.4	646.3	404	55575.	2365	2.1	4.2	9.0	2.0	0.5	4.3	39	0.1
53965	0	0	0	0	KKH	48.5785	117.0341	19.5	646.8	462	55572.	2477	2.2	4.0	11.2	1.8	0.4	5.1	46	0.1
53966	0	0	0	0	KKH	48.5789	117.0341	19.5	647.3	530	55569.	2804	1.9	6.1	11.1	3.2	0.6	5.8	41	0.1
53967	0	0	0	0	KKH	48.5793	117.0340	19.5	647.8	588	55568.	3060	2.3	4.5	15.1	1.9	0.3	6.5	50	0.1
53968	0	0	0	0	KKH	48.5797	117.0340	19.5	648.3	632	55566.	3144	2.4	5.9	14.6	2.4	0.4	6.1	29	0.1
53969	0	0	0	0	KKH	48.5802	117.0340	19.5	648.9	646	55566.	3110	2.3	6.8	13.7	3.0	0.5	6.0	45	0.1
53970	0	0	0	0	KKH	48.5806	117.0340	19.5	649.5	654	55567.	3143	2.1	8.5	9.0	4.1	1.0	4.3	44	0.1
53971	0	0	0	0	KKH	48.5810	117.0339	19.5	650.1	657	55568.	3125	1.3	7.9	12.3	6.1	0.6	9.5	27	0.1
53972	0	0	0	0	KKH	48.5814	117.0339	19.5	650.6	682	55571.	3016	2.1	7.8	10.5	3.7	0.7	4.9	33	0.1
53973	1	0	0	0	KKH	48.5819	117.0339	19.5	651.2	704	55574.	3091	2.9	3.2	14.0	1.1	0.2	4.9	40	0.1
53974	1	0	0	0	QAG	48.5823	117.0338	19.6	651.8	724	55577.	3113	2.7	5.0	11.7	1.9	0.4	4.4	40	0.1
53975	1	0	0	0	QAG	48.5827	117.0338	19.6	652.4	725	55580.	3022	2.2	7.1	11.0	3.2	0.6	5.0	42	0.2
53976	1	0	0	0	QAG	48.5831	117.0338	19.6	652.9	719	55584.	3340	3.0	6.9	12.4	2.3	0.6	4.2	35	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 105

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
53977	1	0	0	0	QAG	48.5836	117.0338	19.6	653.5	712	55587.	3171	2.8	6.3	12.1	2.3	0.5	4.4	25	0.2
53978	1	0	0	0	QAG	48.5840	117.0337	19.6	654.0	701	55591.	2914	2.5	7.1	8.4	2.9	0.8	3.4	45	0.2
53979	0	0	0	0	QAG	48.5844	117.0337	19.6	654.5	674	55595.	2833	1.9	5.2	14.0	2.7	0.4	7.2	41	0.2
53980	0	0	0	0	QAG	48.5848	117.0337	19.7	655.0	639	55597.	2852	2.1	6.7	11.5	3.2	0.6	5.5	34	0.2
53981	0	0	0	0	QAG	48.5853	117.0336	19.7	655.5	601	55598.	2514	1.4	6.6	6.6	4.8	1.0	4.8	43	0.2
53982	0	0	0	0	QAG	48.5857	117.0336	19.7	656.0	570	55599.	2417	1.2	8.0	6.6	6.8	1.2	5.7	29	0.2
53983	0	0	0	0	QAG	48.5861	117.0336	19.7	656.4	550	55601.	2417	1.8	5.0	9.4	2.8	0.5	5.3	39	0.2
53984	0	0	0	0	QAG	48.5865	117.0336	19.7	656.8	542	55604.	2345	1.3	6.1	7.3	4.7	0.8	5.6	50	0.2
53985	0	0	0	0	QAG	48.5869	117.0335	19.7	657.2	534	55609.	2348	1.7	4.0	10.0	2.4	0.4	5.9	42	0.2
53986	0	0	0	0	QAG	48.5874	117.0335	19.8	657.6	517	55615.	2294	1.4	6.1	6.5	4.3	0.9	4.6	28	0.2
53987	0	0	0	0	QAG	48.5878	117.0335	19.8	658.0	495	55623.	2166	1.5	4.2	10.4	2.9	0.4	7.2	46	0.2
53988	0	0	0	0	QAG	48.5882	117.0335	19.8	658.3	478	55630.	1941	1.1	4.5	7.5	4.0	0.6	6.8	41	0.2
53989	0	0	0	0	QAG	48.5886	117.0334	19.8	658.7	468	55638.	2049	1.3	4.0	10.4	3.2	0.4	8.2	31	0.2
53990	0	0	0	0	QAG	48.5891	117.0334	19.8	658.9	462	55645.	2077	1.0	4.9	6.5	5.0	0.8	6.7	48	0.2
53991	0	0	0	0	QAG	48.5895	117.0334	19.9	659.2	460	55653.	2063	1.5	3.5	10.8	2.4	0.3	7.4	31	0.2
53992	0	0	0	0	QAG	48.5899	117.0333	19.9	659.5	461	55661.	2194	1.3	4.6	9.4	3.6	0.5	7.5	36	0.2
53993	0	0	0	0	QAG	48.5903	117.0333	19.9	659.7	460	55669.	2115	2.0	2.5	12.4	1.3	0.2	6.4	22	0.2
53994	0	0	0	0	QAG	48.5907	117.0333	19.9	659.9	461	55679.	2166	1.2	6.2	7.1	5.2	0.9	5.9	29	0.2
53995	0	0	0	0	QAG	48.5912	117.0333	19.9	660.1	461	55690.	2086	1.4	4.0	7.9	2.8	0.5	5.7	44	0.2
53996	0	0	0	0	QAG	48.5916	117.0332	20.0	660.4	460	55701.	2113	1.6	4.1	6.2	2.5	0.7	3.9	35	0.2
53997	0	0	0	0	QAG	48.5920	117.0332	20.0	660.5	452	55711.	1994	1.2	5.8	6.4	4.9	0.9	5.5	35	0.2
53998	0	0	0	0	QAG	48.5924	117.0332	20.0	660.7	437	55720.	2026	1.2	5.6	6.5	4.6	0.9	5.4	47	0.2
53999	0	0	0	0	QAG	48.5929	117.0332	20.0	660.8	423	55728.	2029	1.1	4.8	10.1	4.5	0.5	9.5	32	0.2
54000	0	0	0	0	QAG	48.5933	117.0331	20.0	660.9	415	55734.	2035	1.4	4.2	7.5	3.0	0.6	5.4	42	0.2
54001	0	0	0	0	QAG	48.5937	117.0331	20.0	661.0	410	55740.	2076	1.4	4.4	8.7	3.2	0.5	6.3	28	0.2
54002	0	0	0	0	QAG	48.5941	117.0331	20.1	661.2	410	55746.	1997	1.0	5.5	7.3	5.3	0.8	7.0	48	0.2
54004	0	0	0	0	QAG	48.5950	117.0330	20.1	661.2	419	55751.	2021	1.3	4.3	9.7	3.3	0.4	7.3	37	0.2
54005	0	0	0	0	QAG	48.5954	117.0330	20.1	661.3	435	55756.	2072	1.4	4.4	8.0	3.2	0.6	5.8	29	0.2
54006	0	0	0	0	QAG	48.5958	117.0330	20.1	661.4	451	55762.	1983	1.0	3.8	8.0	3.8	0.5	8.0	34	0.2
54007	0	0	0	0	QAG	48.5963	117.0329	20.1	661.5	461	55769.	1912	1.5	3.4	9.4	2.4	0.4	6.5	31	0.2
54008	0	0	0	0	QAG	48.5967	117.0329	20.1	661.5	463	55776.	1968	1.1	3.5	9.4	3.3	0.4	8.8	26	0.2
54009	0	0	0	0	QAG	48.5971	117.0329	20.2	661.6	459	55785.	1876	1.2	3.7	7.4	3.1	0.5	6.3	38	0.2
54010	0	0	0	0	QAG	48.5975	117.0329	20.2	661.7	459	55793.	1789	1.1	2.6	9.1	2.3	0.3	8.1	33	0.2
54011	0	0	0	0	QAG	48.5979	117.0328	20.3	661.8	469	55802.	1841	1.4	2.3	8.1	1.7	0.3	5.9	40	0.2
54012	0	0	0	0	QAG	48.5984	117.0328	20.3	661.9	484	55811.	1975	1.0	4.9	9.9	5.0	0.5	10.1	27	0.2
54013	0	0	0	0	QAG	48.5988	117.0328	20.4	662.0	494	55820.	1956	1.5	3.7	8.5	2.5	0.4	5.8	27	0.2
54014	0	0	0	0	QAG	48.5992	117.0327	20.4	662.1	498	55830.	1839	1.4	3.6	6.6	2.6	0.5	4.8	44	0.2
54015	0	0	0	0	QAG	48.5996	117.0327	20.4	662.1	511	55838.	1901	1.3	3.6	5.3	2.9	0.7	4.2	35	0.2
54016	0	0	0	0	QAG	48.6001	117.0327	20.5	662.3	522	55845.	2101	1.3	3.9	7.4	3.0	0.5	5.6	29	0.2
54017	0	0	0	0	QAG	48.6005	117.0327	20.5	662.4	534	55851.	1985	1.5	4.4	9.4	3.0	0.5	6.4	38	0.2
54018	0	0	0	0	QAG	48.6009	117.0326	20.6	662.6	529	55856.	1889	1.3	3.1	8.5	2.3	0.4	6.4	42	0.2
54019	0	0	0	0	QAG	48.6013	117.0326	20.6	662.7	522	55860.	1951	1.3	4.2	6.0	3.3	0.7	4.7	23	0.2
54020	0	0	0	0	QAG	48.6017	117.0326	20.6	662.8	517	55864.	1850	1.4	3.3	6.5	2.3	0.5	4.6	37	0.2
54021	0	0	0	0	QAG	48.6022	117.0325	20.7	663.0	514	55867.	1776	1.4	2.4	4.4	1.7	0.6	3.2	38	0.2
54022	0	0	1	0	QAG	48.6026	117.0325	20.7	663.1	502	55869.	1746	1.4	1.5	10.5	1.1	0.1	7.6	34	0.2
54023	0	0	0	0	QAG	48.6030	117.0325	20.7	663.3	483	55870.	1649	0.9	2.7	7.8	3.0	0.3	8.5	34	0.2
54024	0	0	0	0	QAG	48.6034	117.0325	20.8	663.4	475	55869.	1768	1.4	1.9	7.1	1.4	0.3	5.2	29	0.2
54025	0	0	0	0	QAG	48.6039	117.0324	20.8	663.5	477	55867.	1926	1.6	3.0	6.3	1.9	0.5	3.9	41	0.2
54026	0	0	0	0	QAG	48.6043	117.0324	20.9	663.7	482	55865.	2015	1.9	1.6	8.6	0.9	0.2	4.6	34	0.2
54027	0	0	0	0	QAG	48.6047	117.0324	20.9	663.8	479	55863.	2056	1.7	3.7	9.2	2.3	0.4	5.6	42	0.2

** NOTE** QUALITY CODE 1 INDICATES DATA FAILED SIGNIFICANCE TEST OR IS OTHERWISE UNRELIABLE.

NORTHEAST WASHINGTON DETAIL SURVEY GLEASON MOUNTAIN CARSON GEOSCIENCE 1979

LINE NO. 105

REC	AF	KF	UF	TF	UNIT	LAT	LONG	TEMP	BARM	RADR	MAG	GROSS CPS	K %	U PPM	T PPM	U/K	U/T	T/K	COS CPS	BI PPM
54028	0	0	0	0	QAG	48.6052	117.0323	20.9	663.9	474	55861.	2143	1.7	1.6	8.3	0.9	0.2	4.7	39	0.2
54029	0	0	0	0	QAG	48.6056	117.0323	21.0	663.9	468	55860.	2205	1.3	6.2	7.7	4.6	0.8	5.8	31	0.2
54030	0	0	0	0	QAG	48.6061	117.0323	21.0	664.0	461	55860.	2061	1.8	2.9	8.9	1.6	0.3	4.9	39	0.2
54031	0	0	0	0	QAG	48.6065	117.0322	21.1	664.0	451	55860.	2122	1.6	3.4	6.8	2.1	0.5	4.3	37	0.2
54032	0	0	0	0	QAG	48.6069	117.0322	21.1	664.0	442	55863.	1966	1.3	3.1	8.6	2.4	0.4	6.6	39	0.2
54033	0	0	0	0	QAG	48.6074	117.0322	21.1	664.0	445	55865.	2041	1.0	4.2	9.8	4.2	0.4	9.7	26	0.2
54034	0	0	0	0	QAG	48.6078	117.0321	21.2	664.0	447	55869.	1893	1.4	2.1	10.3	1.5	0.2	7.6	32	0.2
54035	0	0	0	0	QAG	48.6083	117.0321	21.2	663.9	442	55873.	1930	1.7	3.2	5.4	1.9	0.6	3.2	38	0.2
54036	0	0	0	0	QAG	48.6087	117.0321	21.2	663.8	430	55877.	2053	1.5	3.8	7.8	2.6	0.5	5.3	33	0.2
54037	0	0	0	0	QAG	48.6092	117.0320	21.2	663.7	423	55881.	2154	1.3	4.7	6.0	3.7	0.8	4.7	29	0.2
54038	0	0	0	0	QAG	48.6096	117.0320	21.2	663.5	415	55884.	1992	1.5	3.6	8.9	2.4	0.4	5.9	25	0.2
54039	0	0	0	0	QAG	48.6101	117.0320	21.2	663.4	402	55885.	1987	1.5	3.8	8.2	2.5	0.5	5.4	33	0.2
54040	0	0	0	0	QAG	48.6105	117.0319	21.3	663.3	380	55886.	1964	1.7	2.4	8.2	1.4	0.3	4.9	44	0.2
54041	0	0	0	0	QAG	48.6109	117.0319	21.3	663.1	362	55887.	1949	1.4	2.0	8.4	1.4	0.2	5.8	42	0.2
54042	0	0	0	0	QAG	48.6114	117.0319	21.3	662.9	348	55888.	1989	1.7	3.4	4.7	2.0	0.7	2.7	31	0.2
54043	0	0	0	0	QAG	48.6118	117.0319	21.3	662.8	345	55887.	1898	1.7	2.2	7.9	1.3	0.3	4.7	42	0.2
54044	0	0	0	0	QAG	48.6123	117.0319	21.3	662.5	347	55884.	1873	1.4	2.1	9.3	1.5	0.2	6.5	42	0.2
54045	0	0	0	0	KKH	48.6127	117.0319	21.4	662.4	353	55879.	2063	1.4	4.0	7.9	2.8	0.5	5.5	29	0.2
54046	0	0	0	0	KKH	48.6131	117.0318	21.4	662.2	360	55871.	1946	1.7	2.7	7.6	1.6	0.4	4.5	42	0.2
54047	0	0	0	0	KKH	48.6136	117.0318	21.4	661.9	370	55862.	2005	1.4	2.3	9.6	1.7	0.2	7.0	40	0.2
54048	0	0	0	0	KKH	48.6140	117.0318	21.4	661.7	381	55852.	2096	1.8	2.7	9.2	1.5	0.3	5.1	33	0.2
54049	0	0	0	0	KKH	48.6144	117.0318	21.5	661.5	390	55842.	2105	1.6	3.3	8.5	2.1	0.4	5.4	31	0.2
54050	0	0	0	0	KKH	48.6149	117.0318	21.5	661.3	393	55834.	2094	1.6	3.3	8.7	2.1	0.4	5.6	36	0.2
54051	0	0	0	0	QAG	48.6153	117.0318	21.5	661.1	389	55826.	2120	1.5	3.6	8.9	2.5	0.4	6.1	28	0.2
54052	0	0	0	0	QAG	48.6157	117.0318	21.5	660.9	384	55818.	2037	1.6	3.8	6.5	2.4	0.6	4.0	39	0.2
54053	0	0	0	0	QAG	48.6162	117.0318	21.5	660.7	382	55811.	2075	1.9	2.4	8.0	1.3	0.3	4.3	36	0.2
54054	0	0	0	0	QAG	48.6166	117.0318	21.6	660.5	383	55804.	2057	1.8	3.7	8.6	2.0	0.4	4.7	37	0.2
54055	0	0	0	0	QAG	48.6170	117.0318	21.6	660.4	374	55796.	2084	1.4	3.9	9.6	2.8	0.4	6.9	44	0.2
54056	0	0	0	0	QAG	48.6175	117.0318	21.6	660.2	365	55788.	1939	1.7	2.1	7.1	1.2	0.3	4.2	44	0.2
54057	0	0	0	0	QAG	48.6179	117.0318	21.6	660.1	361	55779.	2039	1.6	3.0	9.2	1.9	0.3	5.8	36	0.2
54058	0	0	0	0	QAG	48.6183	117.0318	21.6	660.0	373	55769.	2047	1.6	3.1	10.2	1.9	0.3	6.4	21	0.2
54059	0	0	0	0	QAG	48.6188	117.0318	21.6	659.8	394	55760.	2004	1.2	4.8	6.1	4.0	0.8	5.1	40	0.2
54060	0	0	0	0	QAG	48.6192	117.0318	21.6	659.7	418	55752.	1980	1.3	1.9	8.7	1.5	0.2	6.6	21	0.2
54061	0	0	0	0	QAG	48.6196	117.0318	21.6	659.6	440	55746.	1990	1.1	4.1	7.6	3.9	0.5	7.2	41	0.2
54062	0	0	0	0	QAG	48.6201	117.0318	21.6	659.6	454	55741.	2095	1.5	3.5	7.3	2.3	0.5	4.9	37	0.2
54063	0	0	0	0	QAG	48.6205	117.0318	21.6	659.5	459	55738.	2109	1.7	2.7	9.4	1.5	0.3	5.4	39	0.2
54064	0	0	0	0	QAG	48.6209	117.0318	21.6	659.4	460	55734.	2163	1.4	3.3	7.9	2.4	0.4	5.8	44	0.2
54065	0	0	0	0	QAG	48.6214	117.0318	21.6	659.4	461	55730.	2286	1.6	4.0	9.8	2.5	0.4	6.2	40	0.2
54066	0	0	1	0	QAG	48.6218	117.0318	21.6	659.3	462	55727.	2229	2.1	0.9	11.4	0.4	0.1	5.3	38	0.2
54067	0	0	0	0	QAG	48.6222	117.0318	21.6	659.3	463	55723.	2218	1.2	5.2	8.0	4.6	0.7	7.0	48	0.2
54068	0	0	0	0	QAG	48.6227	117.0318	21.6	659.2	464	55720.	2273	1.4	4.5	8.1	3.2	0.6	5.8	36	0.2
54069	0	0	0	0	QAG	48.6231	117.0318	21.6	659.2	463	55718.	2253	2.0	2.6	10.0	1.3	0.3	4.9	45	0.2
54070	0	0	0	0	QAG	48.6235	117.0318	21.5	659.1	461	55716.	2198	2.0	3.4	7.6	1.7	0.4	3.8	41	0.2
54071	0	0	0	0	QAG	48.6240	117.0318	21.5	659.1	458	55715.	2273	1.7	3.0	8.6	1.7	0.4	4.9	30	0.2
54072	0	0	0	0	QAG	48.6244	117.0318	21.5	659.0	456	55713.	2276	1.7	4.0	9.8	2.4	0.4	5.9	42	0.2
54073	0	0	0	0	QAG	48.6248	117.0318	21.5	659.0	455	55713.	2269	1.4	4.1	8.3	2.8	0.5	5.8	42	0.2
54074	0	0	0	0	QAG	48.6253	117.0319	21.5	658.9	454	55713.	2310	1.6	4.1	10.2	2.6	0.4	6.5	24	0.2
54075	0	0	0	0	QAG	48.6257	117.0319	21.5	658.9	453	55713.	2350	1.7	3.7	8.1	2.1	0.5	4.6	40	0.2

GRID

GRID

GRID

GRID

GRID

GRID

B	1	LINE NO.	34
C	1	LINE NO.	34
D	1	LINE NO.	34
E	1	LINE NO.	34
F	1	LINE NO.	34
G	1	LINE NO.	34
H	1	LINE NO.	35
I	1	LINE NO.	35
J	1	LINE NO.	35
K	1	LINE NO.	35
L	1	LINE NO.	35
M	1	LINE NO.	35
N	1	LINE NO.	35
O	1	LINE NO.	101
P	1	LINE NO.	101
B	2	LINE NO.	101
C	2	LINE NO.	101
D	2	LINE NO.	101
E	2	LINE NO.	102
F	2	LINE NO.	102
G	2	LINE NO.	102
H	2	LINE NO.	102
I	2	LINE NO.	102
J	2	LINE NO.	102
K	2	LINE NO.	102
L	2	LINE NO.	103
M	2	LINE NO.	103
N	2	LINE NO.	103
O	2	LINE NO.	103
P	2	LINE NO.	103
B	3	LINE NO.	103
C	3	LINE NO.	103
D	3	LINE NO.	104
E	3	LINE NO.	104
F	3	LINE NO.	104
G	3	LINE NO.	104
H	3	LINE NO.	104
I	3	LINE NO.	104
J	3	LINE NO.	104
K	3	LINE NO.	105
L	3	LINE NO.	105
M	3	LINE NO.	105
N	3	LINE NO.	105
O	3	LINE NO.	105
P	3	LINE NO.	105
B	4		