

CRS Report for Congress

Earthquakes: Risk, Monitoring, Notification, and Research

Updated June 19, 2008

Peter Folger
Specialist in Energy and Natural Resources Policy
Resources, Science, and Industry Division



Prepared for Members and
Committees of Congress

Earthquakes: Risk, Monitoring, Notification, and Research

Summary

Close to 75 million people in 39 states face some risk from earthquakes. Seismic hazards are greatest in the western United States, particularly California, Alaska, Washington, Oregon, and Hawaii. The Rocky Mountain region, a portion of the central United States known as the New Madrid Seismic Zone, and portions of the eastern seaboard, particularly South Carolina, also have a relatively high earthquake hazard. Compared to the loss of life in other countries, relatively few Americans have died as a result of earthquakes over the past 100 years. The United States, however, faces the possibility of large economic losses from earthquake-damaged buildings and infrastructure.

Until Hurricane Katrina in 2005, the 1994 Northridge (CA) earthquake was the costliest natural catastrophe to strike the United States; some damage estimates were \$26 billion (in 2005 dollars). Estimates of total loss from a hypothetical earthquake of magnitude more than 7.0 reach as high as \$500 billion for the Los Angeles area. The May 12, 2008, magnitude 7.9 earthquake in Sichuan, China, has raised some concerns about the possibility of a similar devastating earthquake occurring in seismically active and densely populated parts of the United States, such as California.

Given the potentially huge costs associated with a severe earthquake, an ongoing issue for Congress is whether the federally supported programs aimed at reducing U.S. vulnerability to earthquakes are an adequate response to the earthquake hazard. Under the National Earthquake Hazards Reduction Program (NEHRP), four federal agencies have responsibility for long-term earthquake risk reduction: the U.S. Geological Survey (USGS), the National Science Foundation (NSF), the Federal Emergency Management Agency (FEMA), and the National Institute of Standards and Technology (NIST). They variously assess U.S. earthquake hazards, send notifications of seismic events, develop measures to reduce earthquake hazards, and conduct research to help reduce overall U.S. vulnerability to earthquakes.

Congress established NEHRP in 1977, and its early focus was on research that would lead to an improved understanding of why earthquakes occur and to an ability to predict their occurrence precisely. Understanding has improved about why and where earthquakes occur; however, reliably predicting the precise date and time an earthquake will occur is not yet possible. Congress most recently reauthorized NEHRP in 2004 (P.L. 108-360) and authorized appropriations through FY2009. The 2004 reauthorization designated NIST as the lead agency to create better synergy among the agencies and improve the program. Congress may wish to determine whether the reorganized structure has yielded expected benefits for the program. Appropriations for NEHRP have not met levels authorized for the past four years, falling short by an average of 31% for FY2005 through FY2008. What effect funding at the levels enacted through FY2008 has had on the U.S. capability to detect earthquakes and minimize losses after an earthquake occurs is not clear.

Contents

Earthquake Hazards and Risk	1
USGS Releases New National Seismic Hazards Maps and New Earthquake Forecast for California	3
Magnitude 7.9 Earthquake on May 12, 2008, in China	6
Monitoring	10
Advanced National Seismic System (ANSS)	11
National Strong-Motion Project (NSMP)	12
Global Seismic Network (GSN)	12
Detection, Notification, and Warning	13
National Earthquake Information Center (NEIC)	13
ShakeMap	14
National Earthquake Hazards Reduction Program (NEHRP)	16
Mitigation	16
Research — Understanding Earthquakes	18
U.S. Geological Survey	18
National Science Foundation	19
Conclusions	20
Additional Reading	20

List of Figures

Figure 1. Earthquake Hazard in the United States	2
Figure 2. Histogram of the Number of U.S. Earthquakes from 2000 to 2007 by Magnitude (1.0 to 6.9)	5
Figure 3. Example of a ShakeMap	15

List of Tables

Table 1. 26 Urban Areas Facing Significant Seismic Risk	4
Table 2. Earthquakes Responsible for Most U.S. Fatalities Since 1970	5
Table 3. The 10 Most Damaging Earthquakes in the United States	7
Table 4. U.S. Cities With Estimated Annualized Earthquake Losses of More than \$10 Million	9
Table 5. Authorized and Enacted Funding for NEHRP	17

Earthquakes: Risk, Monitoring, Notification, and Research


The 1994 Northridge (CA) earthquake caused as much as \$26 billion (in 2005 dollars) in damage, according to one estimate, and was one of the costliest natural disasters to strike the United States. The Federal Emergency Management Agency (FEMA) has estimated that earthquakes cost the United States over \$4 billion per year. Some cost estimates of a single, large earthquake striking the Los Angeles area range as high as \$500 billion. A hypothetical scenario for a magnitude 7.8 earthquake in southern California, released on May 22, 2008, estimated a possibility of 1,800 fatalities and over \$200 billion in economic losses. The May 12, 2008, magnitude 7.9 earthquake in Sichuan, China, has thus far resulted in nearly 70,000 fatalities. (Sources for these data are provided below.)

Under the National Earthquake Hazards Reduction Program (NEHRP), the federal government supports efforts to assess and monitor earthquake hazards and risk in the United States. Four federal agencies, responsible for long-term earthquake risk reduction, coordinate their activities under NEHRP: the U.S. Geological Survey (USGS), the National Science Foundation (NSF), FEMA, and the National Institute of Standards and Technology (NIST). Congress reauthorized NEHRP in 2004 (P.L. 108-360), and authorized appropriations for a total of \$902.5 million over five years.

Given the potentially huge costs associated with a large, damaging earthquake in the United States, an ongoing issue for Congress is whether the federally supported earthquake programs are adequate for the earthquake risk. This report describes estimates of earthquake hazards and risk in the United States, the current federal programs that support earthquake monitoring and that provide notification after a seismic event, and the programs that support mitigation and research aimed at reducing U.S. vulnerability to earthquakes.

Earthquake Hazards and Risk

Figure 1 indicates that good information exists on where earthquakes are likely to occur and how severe the earthquake magnitude and resulting ground shaking are likely to be. The map in **Figure 1** depicts the potential shaking hazard from future earthquakes. It is based on the frequency at which earthquakes occur in different areas and how far the strong shaking extends from the source of the earthquake. In **Figure 1**, the hazard levels indicate the potential ground motion — expressed as a percentage of the acceleration due to gravity (g) — with up to a 1 in 10 chance of being exceeded over a 50-year period.

Figure 1. Earthquake Hazard in the United States

Source: USGS Fact Sheet 2008-3018 (April 2008), at [http://earthquake.usgs.gov/research/hazmaps/products_data/images/nshm_us02.gif]. Modified by CRS.

All 50 states are vulnerable to earthquake hazards, although risks vary greatly across the country. Seismic hazards are greatest in the western continental United States, particularly California, Washington, Oregon, and Alaska and Hawaii. Alaska is the most earthquake-prone state, experiencing a magnitude 7 earthquake¹ almost every year and a magnitude 8 earthquake every 14 years on average. Because of its low population and infrastructure density, Alaska has a relatively low risk for large economic losses from an earthquake. In contrast, California has more citizens and infrastructure at risk than any other state because of the state's frequent seismic activity combined with its high population.

Figure 1 also shows relatively high earthquake hazard in the Rocky Mountain region, portions of the eastern seaboard — particularly South Carolina — and a part of the central United States known as the New Madrid Seismic Zone (discussed below). Other portions of the eastern and northeastern United States are also vulnerable to moderate seismic hazard. According to the USGS, 75 million people

¹ Magnitude is a number that characterizes the relative size of an earthquake. Earthquake magnitude is often reported using the *Richter* scale (magnitudes in this report are generally consistent with the Richter scale). Richter magnitude is calculated from the strongest seismic wave recorded from the earthquake, and is based on a logarithmic (base 10) scale: for each whole number increase in the Richter scale, the ground motion increases by ten times. The amount of energy released per whole number increase, however, goes up by a factor of 32. The *moment magnitude* scale is another expression of earthquake size, or energy released during an earthquake, that roughly corresponds to the Richter magnitude and is used by most seismologists because it more accurately describes the size of very large earthquakes. *Intensity* is a measure of how much shaking occurred at a site based on observations and amount of damage. Intensity is usually reported on the Modified Mercalli Intensity Scale as a Roman numeral ranging from I (not felt) to XII (total destruction).

in 39 states are subject to significant risk. During the period 1975-1995, only four states did not experience detectable earthquakes: Florida, Iowa, North Dakota, and Wisconsin. (The map shown in **Figure 1** is based on the new USGS seismic hazards map, released on April 21, 2008. See box for more information about the new map.)

USGS Releases New National Seismic Hazards Maps and New Earthquake Forecast for California

On April 21, 2008, the USGS released new National Seismic Hazards Maps that update the version published in 2002. Compared to the 2002 version, the new maps indicate lower ground motions (by 10% to 25%) for the central and eastern United States, based on modifications to the ground-motion models used for earthquakes. The new maps indicate that estimates of ground motion for the western United States are as much as 30% lower for certain types of ground motion, called long-period seismic waves, which affect taller, multistory buildings. Ground motion that affects shorter buildings of a few stories, called short-period seismic waves, is roughly similar to the 2002 maps. The new maps show higher estimates for ground motion for western Oregon and Washington compared to the 2002 maps, due to new ground motion models for the offshore Cascadia subduction zone. In formulating the 2008 maps, the USGS gave more weight to the probability of a catastrophic magnitude 9 earthquake occurring along the Cascadia subduction zone. That fault ruptures, on average, every 500 years, and has the potential to generate destructive earthquakes and tsunamis along the coasts of Washington, Oregon, and northern California.

According to a report released on April 14, 2008, California has a 99% chance of experiencing a magnitude 6.7 or larger earthquake in the next 30 years. The likelihood of an even larger earthquake, magnitude 7.5 or greater, is 46% and will likely occur in the southern part of the state. The fault with the highest probability of generating at least one earthquake of magnitude 6.7 or greater over the next 30 years is the San Andreas in southern California (59% probability); for northern California it is the Hayward-Rodgers Creek Fault (31%). The earthquake forecasts are not predictions (i.e., they do not give a specific date or time), but represent probabilities over a given time period, and even the probabilities have variability associated with them. The earthquake forecasts are known as the “Uniform California Earthquake Rupture Forecast (UCERF)” and are produced by a working group comprised of the USGS, the California Geological Survey, and the Southern California Earthquake Center.

Sources: USGS Fact Sheet 2008-3018, “2008 United States National Seismic Hazard Maps,” (April 2008), at [http://pubs.usgs.gov/fs/2008/3018/pdf/FS08-3018_508.pdf]; USGS Fact Sheet 2008-3027, “Forecasting California’s Earthquakes — What Can We Expect in the Next 30 Years?” (2008), at [<http://pubs.usgs.gov/fs/2008/3027/fs2008-3027.pdf>].

Shaking hazards maps, such as the one in **Figure 1**, are often combined with other data, such as the strength of existing buildings, to estimate possible damage in an area following an earthquake. The combination of seismic risk, population, and vulnerable infrastructure can help improve the understanding of which urban areas across the United States face risks from earthquake hazards that may not be immediately obvious from the probability maps of shaking hazards alone. The USGS has identified 26 urban areas that face a significant seismic risk from the combination of population and severity of shaking. **Table 1** lists those areas at greatest risk.

Table 1. 26 Urban Areas Facing Significant Seismic Risk
(alphabetically by state for cities with at least 300,000 people)

State	City	State	City
Alaska	Anchorage	Nevada	Las Vegas
California	Fresno	Nevada	Reno
California	Los Angeles	New Mexico	Albuquerque
California	Sacramento	New York	New York
California	Salinas	Oregon	Eugene-Springfield
California	San Diego	Oregon	Portland
California	San Francisco-Oakland	Puerto Rico	San Juan
California	Santa Barbara	South Carolina	Charleston
California	Stockton-Lodi	Tennessee	Chattanooga-Knoxville
Idaho	Boise	Tennessee	Memphis
Indiana	Evansville	Utah	Provo-Orem
Massachusetts	Boston	Utah	Salt Lake City
Missouri	St. Louis	Washington	Seattle

Sources: USGS Fact Sheet 2006-3016 (March 2006); USGS Circular 1188, Table 3.

Note: These areas are identified using a population-based risk factor based on 1999 population data. (William Leith, ANSS Coordinator, USGS, Reston, VA, telephone conversation, Nov. 15, 2006).

The USGS estimates that several million earthquakes occur worldwide each year, but the majority are of small magnitude or occur in remote areas, and are not detectable. More earthquakes are detected each year as more seismometers² are installed in the world, but the number of large earthquakes (magnitude greater than 6.0)³ has remained relatively constant. Between 2000 and 2007 there were 2,261-3,876 earthquakes per year in the United States, according to the National Earthquake Information Center (NEIC). (See **Figure 2**.)

As **Figure 2** shows, about 98% of earthquakes detected each year by the NEIC are smaller than magnitude 5.0; only 55 earthquakes exceeded magnitude 6.0 for the eight-year period (less than 0.3% of the total earthquakes detected) for an average of slightly less than seven earthquakes per year of at least 6.0 magnitude.


Large earthquakes, although infrequent, cause the most damage and are responsible for most earthquake-related deaths. Over the past 100 years, relatively few Americans have died as a result of earthquakes, compared to citizens in other countries.⁴ The great San Francisco earthquake of 1906 claimed an estimated 3,000 lives, as a result of both the earthquake and subsequent fires. Since 1970, three major earthquakes in the United States were responsible for 188 of the 212 total earthquake-related fatalities (see **Table 2**).

² *Seismometers* are instruments that measure and record the size and force of seismic waves, essentially sound waves radiated from the earthquake as it ruptures. Seismometers generally consist of a mass attached to a fixed base. During an earthquake, the base moves and the mass does not, and the relative motion is commonly transformed into an electrical voltage that is recorded. A *seismograph* usually refers to the *seismometer* and the recording device, but the two terms are often used interchangeably.

³ See USGS “Earthquakes Facts and Statistics” at [http://neic.usgs.gov/neis/eqlists/eqstats.html#table_2].

⁴ Estimates of earthquake-related fatalities vary and an exact tally of deaths and injuries is rare. For more information on the difficulties of counting earthquake-related deaths and injuries, see [http://earthquake.usgs.gov/regional/world/casualty_totals.php].

Figure 2. Histogram of the Number of U.S. Earthquakes from 2000 to 2007 by Magnitude (1.0 to 6.9)



Source: USGS, “Earthquake Facts and Statistics,” at [<http://neic.usgs.gov/neis/eqlists/eqstats.html>]; data as of June 10, 2008.

Note: Earthquakes greater than magnitude 7.0 and less than 1.0 are not shown.

Table 2. Earthquakes Responsible for Most U.S. Fatalities Since 1970

Date	Location	Magnitude	Deaths
February 9, 1971	San Fernando Valley, CA	6.6	65
October 18, 1989	Loma Prieta, CA	6.9	63
January 17, 1994	Northridge, CA	6.7	60

Source: USGS, [http://earthquake.usgs.gov/regional/states/us_deaths.php].

Note: Other sources report different numbers of fatalities associated with the Northridge earthquake.

Since 2000, only two deaths directly caused by earthquakes have occurred in the United States, both associated with falling debris in Paso Robles (CA) during the December 22, 2003, San Simeon earthquake of magnitude 6.5. In contrast, earthquakes have been directly or indirectly responsible for more than 430,000 fatalities in other countries since 2000. More than half of those estimated deaths resulted from the December 2004 Indonesian earthquake of magnitude 9.1 and the resulting tsunami. On May 12, 2008, a magnitude 7.9 earthquake struck Eastern Sichuan, China, causing the known deaths of nearly 70,000 people (see box).

Magnitude 7.9 Earthquake on May 12, 2008, in China

On May 12, 2008, at 2:28 PM local time (2:28 AM eastern daylight time), a catastrophic earthquake of magnitude 7.9 struck Eastern Sichuan, China. The epicenter is located approximately 960 miles southwest of Beijing, and the earthquake was triggered approximately 12 miles below the Earth's surface. As of June 11, 2008, nearly 70,000 fatalities had been reported. The earthquake was felt in parts of eastern, southern, and central China, and as far away as Bangladesh, Taiwan, Thailand, and Vietnam. Several large aftershocks have occurred since the main seismic event.

The May 12 earthquake resulted from movement along a northeast-trending *reverse* or *thrust* fault, reflecting stresses resulting from the convergence of rocks of the Tibetan Plateau, to the west, against the crust underlying the Sichuan Basin and southeastern China. The region has experienced large earthquakes in the past; on August 25, 1933, a magnitude 7.5 earthquake struck the northwestern margin of the Sichuan Basin, resulting in approximately 9,300 fatalities.

Some concerns have been raised about the possibility of an earthquake of similar magnitude occurring in a seismically active region of the United States, such as southern California, where fault movement similar to the Eastern Sichuan earthquake may occur. On May 22, 2008, the USGS released a hypothetical scenario for a magnitude 7.8 southern California earthquake, called the ShakeOut Scenario. In the scenario, scientists hypothetically simulated the ground shaking and fault rupture associated with a magnitude 7.8 earthquake, and estimated the resulting damage to buildings and infrastructure. The scenario estimated approximately 1,800 fatalities and \$213 billion in economic losses as a result of the earthquake. The report points to aggressive retrofitting programs that have increased the seismic resistance of buildings, highways, and other critical infrastructure in southern California as one reason why the number of possible fatalities is relatively low.

Some scientists have raised the possibility that earthquakes, such as the May 12 Sichuan event, may sometimes exhibit cascading behavior, where bursts of seismic energy are released along different places in a single fault, or jump between connected faults. Earthquakes that occur along the Sierra Madre Fault in southern California, for example, could trigger a series of cascading seismic events along other faults, such as the San Andreas. Seismic hazards estimates may not fully account for the damage that could be caused by cascading earthquakes along a connected fault system. Scientists are hoping to examine the Sichuan earthquake in more detail to better understand the nature of cascading seismic events and how they affect the U.S. seismic hazard estimates.

Sources: Ken Hudnut, geophysicist, USGS, Pasadena, CA, phone conversation, June 11, 2008; USGS Earthquake Hazards Program, at [<http://earthquake.usgs.gov/eqcenter/eqinthenews/2008/us2008ryan/#summary>] and [<http://earthquake.usgs.gov/eqcenter/eqinthenews/2008/us2008ryan/>]; and USGS, The ShakeOut Scenario, Open-File Report 2008-1150 (2008), at [<http://pubs.usgs.gov/of/2008/1150/>].]

The 1994 Northridge earthquake was the nation's most damaging earthquake in the past 100 years, preceded five years earlier by the second most costly earthquake — Loma Prieta. **Table 3** shows the 10 costliest U.S. earthquakes in terms of insured and uninsured losses. Comparing losses between different earthquakes, and between earthquakes and other disasters such as hurricanes, can be difficult because of the different ways losses are calculated. Calculations may include a combination of insured losses, uninsured losses, and estimates of lost economic activity. For example, insured losses from Hurricane Katrina in 2005 — mainly property — may be \$41 billion, according to one estimate.⁵ Total property damage would rise if uninsured property were included; and including interrupted economic activity in the calculation could bring the total loss for Hurricane Katrina to \$100 billion, according to one estimate.⁶

Table 3. The 10 Most Damaging Earthquakes in the United States

Year	Location	Magnitude	2005 constant \$
1994	Northridge, CA	6.7	\$26 billion ^a
1989	Loma Prieta, CA	6.9	\$11 billion
1964	Anchorage, AK	9.2	\$3.1 billion
1971	San Fernando, CA	6.5	\$2.7 billion
2001	Nisqually, WA	6.8	\$2.5 billion
1987	Whittier Narrows, CA	5.9	\$615 million
1933	Long Beach, CA	6.3	\$600 million
1953	Kern County, CA	7.5	\$440 million
1992	Landers, CA	7.6	\$130 million
1992	Cape Mendocino, CA	7.1	\$92 million

Source: Insurance Information Institute, at [<http://www.iii.org/media/facts/statsbyissue/earthquakes/>].

Note: Includes insured and uninsured losses.

a. Estimates for total losses resulting from the Northridge earthquake vary; the Congressional Budget Office estimated \$43 billion in total losses (\$50 million in 2005 dollars). See *Federal Reinsurance for Disasters*, Congressional Budget Office (September 2002), p. 19.

⁵ Insurance Information Institute, [<http://www.iii.org/media/facts/statsbyissue/hurricanes/>]. Loss estimates are in 2005 dollars.

⁶ Risk Management Solutions (RMS), Newark, CA, press release (Sept. 2, 2005), at [http://www.rms.com/NewsPress/PR_090205_HUKatrina.asp].

The United States faces potentially large total losses due to earthquake-caused damage to buildings and infrastructure and lost economic activity. As urban development continues in earthquake-prone regions in the United States, concerns are increasing about the exposure of the built environment, including utilities and transportation systems, to potential earthquake damage.⁷ One estimate of loss from a severe earthquake in the Los Angeles area is over \$500 billion. An even higher estimate — approximately \$900 billion — includes damage to the heavily populated central New Jersey-Philadelphia corridor if a 6.5 magnitude earthquake occurred along a fault lying between New York City and Philadelphia.⁸

Some studies and techniques combine seismic risk with the value of the building inventory⁹ and income losses (e.g., business interruption, wage, and rental income losses) in cities, counties, or regions across the country to provide estimations of economic losses from earthquakes. One report¹⁰ calculates that the *annualized* loss from earthquakes nationwide is \$4.4 billion, with California, Oregon, and Washington accounting for \$3.7 billion (84%) of the U.S. total estimated annualized loss. **Table 4** shows cities with estimated annualized U.S. earthquake losses over \$10 million. Annualized earthquake loss (AEL) addresses two components of seismic risk: the probability of ground motion and the consequences of ground motion. It enables comparison between different regions with different seismic hazards and different building construction types and quality. For example, earthquake hazard is higher in the Los Angeles area than in Memphis, but the general building stock in Los Angeles is more resistant to the effects of earthquakes. The AEL annualizes the expected losses by averaging them by year.

A single large earthquake can cause far more damage than the average annual estimate. However, annualized estimates help provide comparisons of infrequent, high impact events like damaging earthquakes, with more frequently occurring hazards like floods, hurricanes, or other types of severe weather. The annualized earthquake loss values shown in **Table 4** represent future estimates, and are calculated by multiplying losses from all potential future ground motions by their respective frequencies of occurrence, and then summing these values.¹¹

⁷ FEMA Publication 366, *HAZUS 99 Estimated Annualized Earthquake Losses for the United States* (February 2001). Hereafter referred to as FEMA 366.

⁸ A. M. Best Company Inc., *2006 Annual Earthquake Study: \$100 Billion of Insured Loss in 40 Seconds* (Oldwick, NJ: A.M. Best Company, 2006), p. 12. The A. M. Best report includes estimates from catastrophe-modeling companies of predicted damage from hypothetical earthquakes in Los Angeles, the Midwest, the Northeast, and Japan. The report cites an estimate by one such company, Risk Management Solutions, that a hypothetical 7.4 magnitude event along the Newport-Inglewood Fault near Los Angeles would cause \$549 billion in total property damage. A hypothetical 6.5 magnitude earthquake along a fault between Philadelphia and New York City would produce \$901 billion in total loss, according to an RMS estimate.

⁹ Building inventory refers to four main inventory groups: (1) general building stock, (2) essential and high potential loss facilities, (3) transportation systems, and (4) utility systems (FEMA 366).

¹⁰ FEMA 366.

¹¹ FEMA 366

Table 4. U.S. Cities With Estimated Annualized Earthquake Losses of More than \$10 Million

(in millions)

Rank	Metro area	AEL	Rank	Metro area	AEL
1	Los Angeles, CA	\$1,069	21	Bakersfield, CA	\$31
2	Riverside, CA	\$357	22	Tacoma, WA	\$28
3	Oakland, CA	\$349	23	Las Vegas, NV	\$28
4	San Francisco, CA	\$346	24	Anchorage, AK	\$25
5	San Jose, CA	\$243	25	Boston, MA	\$23
6	Orange, CA	\$214	26	Hilo, HI	\$20
7	Seattle, WA	\$128	27	Stockton, CA	\$19
8	San Diego, CA	\$128	28	Reno, NV	\$18
9	Portland, OR	\$98	29	Memphis, TN	\$17
10	Ventura, CA	\$89	30	Philadelphia, PA	\$17
11	New York, NY	\$56	31	San Luis Obispo, CA	\$16
12	Vallejo, CA	\$53	32	Salem, OR	\$15
13	Santa Rosa, CA	\$51	33	Fresno, CA	\$14
14	Salt Lake City, UT	\$40	34	Charleston, SC	\$13
15	Sacramento, CA	\$39	35	Albuquerque, NM	\$13
16	St. Louis, MO	\$34	36	Newark, NJ	\$12
17	Eureka, CA	\$34	37	Honolulu, HI	\$12
18	Salinas, CA	\$33	38	Atlanta, GA	\$11
19	Santa Barbara, CA	\$33	39	Modesto, CA	\$11
20	Santa Cruz, CA	\$33	40	Redding, CA	\$10

Source: FEMA Publication 366, *HAZUS 99 Estimated Annualized Earthquake Losses for the United States* (February 2001). Annualized earthquake losses (AEL) calculated in 2000 dollars.

Estimating earthquake damage is not an exact science and depends on many factors. Primarily, these are the probability of ground motion occurring in a particular area (see **Figure 1**), and the consequences of that ground motion, which are largely a function of building construction type and quality, and of the level of ground motion and shaking during the actual event. Some researchers have questioned whether the probability of ground motion estimates for regions of the country that experience infrequent earthquakes, such as the New Madrid Seismic

Zone, are too high.¹² These researchers question whether the benefits of building structures to conform with the earthquake probability estimates merit the costs, in light of the uncertainty in making those probability estimates.¹³ An uncertainty analysis of the seismic hazard in the New Madrid Seismic Zone is beyond the scope of this report.

The New Madrid Seismic Zone in the central United States is vulnerable to large but infrequent earthquakes. A series of large (magnitude greater than 7.0) earthquakes struck the Mississippi Valley over the winter of 1811-1812, centered close to the town of New Madrid, MO. Some of the tremors were felt as far away as Charleston, SC, and Washington, DC. The mechanism for the earthquakes in the New Madrid zone is poorly understood,¹⁴ and no earthquakes of comparable magnitude have occurred in the area since these events. Such factors contribute to the difficulty of making a reasonable damage estimate for a low-frequency, high-impact event in the region based on the probability of an earthquake of similar magnitude occurring. This uncertainty has implications for policy decisions to ameliorate risk, such as setting building codes, and for designing and building structures to withstand a level of shaking commensurate with the risk. Developers of building codes tend to err on the side of caution.

Table 4 also shows annualized earthquake losses for the cities of New York, Boston, and Newark, where no destructive earthquakes have struck for generations.¹⁵ Those cities represent areas of relatively low seismic hazard, but have high populations and dense infrastructure, which produces a significant risk to people and structures, according to some estimates.¹⁶ In the absence of any significant or damaging earthquakes for those cities in recent memory, however, the actual risk is difficult to grasp intuitively.

Monitoring

Congress authorized the USGS to monitor seismic activity in the United States in the 1990 reauthorization of the National Earthquake Hazards Reduction Act (P.L. 101-614). The USGS operates a nationwide network of seismographic stations called the Advanced National Seismic System (ANSS), which includes the National Strong-

¹² Andrew Newman, Seth Stein, John Weber, Joseph Engeln, Ailin Mao, and Timothy Dixon, "Slow Deformation and Lower Seismic Hazard in the New Madrid Seismic Zone," *Science*, v. 284 (April 23, 1999), pp. 619-621.

¹³ Seth Stein, Joseph Tomasello, and Andrew Newman, "Should Memphis Build for California's Earthquakes?," *Eos*, v. 84, no. 19, (May 13, 2003), pp. 177, 184-185.

¹⁴ In contrast to California, where earthquakes occur on the active margin of the North American tectonic plate, the New Madrid seismic zone is not on a plate boundary but may be related to old faults in the interior of the plate, marking a zone of tectonic weakness.

¹⁵ The largest earthquakes in New York, New Jersey, and Massachusetts were, respectively, 1944, Massena, NY, magnitude 5.8, felt from Canada south to Maryland; 1783, New Jersey, magnitude 5.3, felt from New Hampshire to Pennsylvania; 1755, Cape Ann and Boston, MA, intensity of VIII on the Modified Mercalli Scale, felt from Nova Scotia to Chesapeake Bay (USGS Earthquake Hazards Program).

¹⁶ FEMA 366 and USGS Circular 1188, Table 3.

Motion Project (NSMP). Globally, the USGS and the Incorporated Research Institutions for Seismology (IRIS) operate 140 seismic stations of the Global Seismic Network (GSN) in more than 80 countries. The GSN provides worldwide coverage of earthquakes, including reporting and research, and also monitors nuclear explosions.

Advanced National Seismic System (ANSS). “The mission of ANSS is to provide accurate and timely data and information products for seismic events, including their effects on buildings and structures, employing modern monitoring methods and technologies.”¹⁷ If fully implemented, ANSS would encompass more than 7,000 earthquake sensor systems covering parts of the nation vulnerable to earthquake hazards. The system includes over 700 stations consisting of backbone stations, dense urban networks, and regional networks.¹⁸ In the original conception for ANSS, approximately 6,000 of the planned stations are to be installed in 26 high-risk urban areas to monitor strong ground shaking and how buildings and other structures respond. Currently, five high-risk urban areas have instruments deployed in sufficient density to generate the data to produce near real-time maps, called ShakeMaps,¹⁹ which can be used in emergency response during and after an earthquake.

Approximately 1,000 new instruments are to replace aging and obsolete stations in the networks that now monitor the nation’s most seismically active regions. The current regional networks contain a mix of modern, digital, broadband, and high-resolution instruments that can provide real-time data; they are supplemented by older instruments that may require manual downloading of data. Universities in the region typically operate the regional networks and will likely continue to do so as ANSS is implemented.

Lastly, approximately 100 instruments comprise the existing “backbone” of ANSS, with a roughly uniform distribution across the United States, including Alaska and Hawaii. These instruments provide a broad and uniform minimum threshold of coverage across the country. The backbone network consists of USGS-deployed instruments and other instruments that serve both ANSS and the EarthScope project (described below, under “Research — Understanding Earthquakes”).

In 2004, Congress passed the National Earthquake Hazards Reduction Program Reauthorization Act of 2004 (P.L. 108-360), which authorized \$30 million for ANSS in FY2005 and \$36 million per year through FY2009. Congress first authorized the program with P.L. 106-503 at a level of \$38 million for FY2002 and \$44 million for FY2003. Total expenditures for ANSS from FY2002 to FY2007 are slightly more than \$37 million, or approximately 17% of authorized levels. The FY2009 budget

¹⁷ USGS Earthquake Hazards Program, at [<http://earthquake.usgs.gov/research/monitoring/anss/>].

¹⁸ USGS FY2009 Budget Justification, at [http://www.doi.gov/budget/2009/data/greenbook/FY2009_USGS_Greenbook.pdf].

¹⁹ ShakeMap is a product of the USGS Earthquake Hazards Program in conjunction with regional seismic network operators; see Shakemap below.

request states that the USGS plans to install a total of 803 ANSS monitoring stations by the end of 2008, with no new stations planned after that. That would represent slightly more than 11% of the 7,000 seismic stations originally envisioned for the program.

National Strong-Motion Project (NSMP). Under ANSS, the USGS operates the NSMP to record seismic data from damaging earthquakes in the United States on the ground and in buildings and other structures in densely urbanized areas. The program currently has 900 strong-motion²⁰ instruments in 701 permanent stations across the United States and in the Caribbean. The NSMP has three components: data acquisition, data management, and research. The near real-time measurements collected by the NSMP are used by other government agencies for emergency response and real-time warnings. If fully implemented, the ANSS program would deploy about 3,000 strong-motion instruments, and the NSMP program would operate those strong-motion instruments located in buildings and other structures. Many of the current NSMP instruments are older designs and are being upgraded with modern seismometers.

Global Seismic Network (GSN). The GSN is a system of broadband digital seismographs arrayed around the globe and designed to collect high-quality data that are readily accessible to users worldwide, typically via computer. Currently, 140 stations have been installed in 80 countries and the system is nearly complete, although in some regions the spacing and location of stations has not fully met the original goal of uniform spacing of approximately 2,000 kilometers. The system is currently providing data to the United States and other countries and institutions for earthquake reporting and research, and for monitoring nuclear explosions to assess compliance with the Comprehensive Test Ban Treaty. The Emergency Supplemental Appropriations Act for Defense, the Global War on Terror, and Tsunami Relief, 2005 (P.L. 109-13) provided more than \$8 million to the USGS, of which \$1.45 million was to expand the GSN real-time communications.²¹ Funding for the GSN totaled \$7.3 million in FY2007.²²

The Incorporated Research Institutions for Seismology (IRIS)²³ coordinates the GSN and manages and makes available the large amounts of data that are generated from the network. The actual network of seismographs is organized into two main components, each managed separately. The USGS operates two-thirds of the stations from its Albuquerque Seismological Laboratory, and the University of California-San Diego manages the other third via its Project IDA (International Deployment of Accelerometers). Other universities and affiliated agencies and institutions operate

²⁰ Strong motion seismometers, or accelerometers, are special sensors that measure the acceleration of the ground during large (>6.0 magnitude) earthquakes.

²¹ See also CRS Report RL32739, *Tsunamis: Monitoring, Detection, and Early Warning Systems*, by Wayne A. Morrissey.

²² William Leith, USGS, personal communication, Apr. 2, 2007.

²³ IRIS is a university research consortium, primarily funded by NSF, that collects and distributes seismographic data.

a small number of additional stations. IRIS, with funding from the NSF, supports all of the stations not funded through the USGS appropriations.

Detection, Notification, and Warning

Unlike other natural hazards, such as hurricanes, where predicting the location and timing of landfall is becoming increasingly accurate, the scientific understanding of earthquakes does not yet allow for precise earthquake prediction. Instead, notification and warning typically involves communicating the location and magnitude of an earthquake as soon as possible after the event to emergency response providers and others who need the information.

Some probabilistic earthquake forecasts are being made available now that give, for example, a 24-hour probability of earthquake aftershocks for a particular region, such as California. These forecasts are not predictions, and are currently intended to increase public awareness of the seismic hazard, improve emergency response, and increase scientific understanding of the short-term hazard.²⁴ In the California example, a time-dependent map is created and updated every hour by a system that considers all earthquakes, large and small, detected by the California Integrated Seismic Network,²⁵ and calculates a probability that each earthquake will be followed by an aftershock²⁶ that can cause strong shaking. The probabilities are calculated from known behavior of aftershocks and the possible shaking pattern based on historical data.

When a destructive earthquake occurs in the United States or in other countries, the first reports of its location, or epicenter,²⁷ and magnitude originate either from the National Earthquake Information Center in Golden, CO, or from one of the regional seismic networks that are part of ANSS. Other organizations, such as universities, consortia, and individual seismologists may also contribute information about the earthquake after the event. Products, such as ShakeMap, are assembled as rapidly as possible to assist in emergency response and damage estimation following a destructive earthquake.

National Earthquake Information Center (NEIC). The NEIC, part of the USGS, is located in Golden, CO. Originally established as part of the National Ocean Survey (Department of Commerce) in 1966, the NEIC was made part of the

²⁴ USGS Open-File Report 2004-1390, and California 24-hour Aftershock Forecast Map, at [<http://pasadena.wr.usgs.gov/step/>].

²⁵ The California Integrated Seismic Network is the California region of ANSS; see [<http://www.cisn.org/>].

²⁶ Earthquakes typically occur in clusters, in which the earthquake with the largest magnitude is called the main shock, events before the main shock are called foreshocks, and those after are called aftershocks. See also [<http://pasadena.wr.usgs.gov/step/aftershocks.html>].

²⁷ The *epicenter* of an earthquake is the point on the Earth's surface directly above the hypocenter. The *hypocenter* is the location beneath the Earth's surface where the fault rupture begins.

USGS in 1973. With data gathered from the networks described above and from other sources, the NEIC determines the location and size of all destructive earthquakes that occur worldwide and disseminates the information to the appropriate national or international agencies, government public information channels, news media, scientists and scientific groups, and the general public.

The NEIC has long-standing agreements with key emergency response groups, federal, state, and local authorities, and other key organizations in earthquake-prone regions who receive automated alerts — typically location and magnitude of an earthquake — within a few minutes of an event in the United States. The NEIC sends these preliminary alerts by email and pager immediately after an earthquake's magnitude and epicenter are automatically determined by computer.²⁸ This initial determination is then checked by around-the-clock staff who confirm and update the magnitude and location data.²⁹ After the confirmation, a second set of notifications and confirmations are triggered to key recipients by email, pager, fax, and telephone.

For earthquakes outside the United States, the NEIC notifies the State Department Operations Center, and often sends alerts directly to staff at American embassies and consulates in the affected countries, to the International Red Cross, the U.N. Department of Humanitarian Affairs, and other recipients who have made arrangements to receive alerts.

With the advent of the USGS Earthquake Notification Service (ENS), notifications of earthquakes detected by the ANSS/NEIC are provided free to interested parties. Users of the service can specify the regions of interest, establish notification thresholds of earthquake magnitude, designate whether they wish to receive notification of aftershocks, and even set different magnitude thresholds for daytime or nighttime to trigger a notification.

ShakeMap. Traditionally, the information commonly available following a destructive earthquake has been epicenter and magnitude, as in the data provided by the NEIC described above. Those two parameters by themselves, however, do not always indicate the intensity of shaking and extent of damage following a major earthquake. Recently, the USGS developed a product called ShakeMap that provides a near real-time map of ground motion and shaking intensity following an earthquake in areas of the United States where the ShakeMap system is in place. Currently, ShakeMaps are available for northern California, southern California, the Pacific Northwest, Nevada, Utah, and Alaska.³⁰ **Figure 3** shows an example of a ShakeMap.

With improvements to the regional seismographic networks in the areas where ShakeMap is available, new real-time telemetry from the region, and advances in digital communication and computation, ShakeMaps are now triggered automatically and made available within minutes of the event via the Web. In addition, better maps


²⁸ Stuart Simkin, NEIC, Golden, CO, telephone conversation, Nov. 4, 2006.

²⁹ In early 2006, the NEIC implemented an around-the-clock operation center and seismic event processing center in response to the Indonesian earthquake and resulting tsunami of December 2004. Funding to implement 24/7 operations was provided by P.L. 109-13.

³⁰ See [<http://earthquake.usgs.gov/eqcenter/shakemap/>].

are now available because of recent improvements in understanding the relationship between the ground motions recorded during the earthquake and the intensity of resulting damage. The maps produced portray the extent of damaging shaking and can be used by emergency response and for estimating loss following a major earthquake. If databases containing inventories of buildings and lifelines³¹ are available, they can be combined with shaking intensity data to produce maps of estimated damage.

Figure 3. Example of a ShakeMap



Source: USGS, [<http://earthquake.usgs.gov/eqcenter/shakemap/nc/shake/40206647/>].
Note: Earthquake occurred northeast of the The Geysers, CA, on December 1, 2007, at 12:50 p.m., with a magnitude of 3.9. Viewed on January 12, 2008.

The ShakeMaps have limitations, especially during the first few minutes following an earthquake before more data arrive from distributed sources. Because they are generated automatically, the initial maps are preliminary, and may not have been checked by human oversight when first made available. They are considered a work in progress, but are deemed to be very promising, especially as more modern seismic instruments are added to the regional networks under ANSS and the computational and telecommunication ability improves.

³¹ Lifelines are essential utility and transportation systems.

National Earthquake Hazards Reduction Program (NEHRP)

In 1977 Congress passed the Earthquake Hazards Reduction Act (P.L. 95-124) establishing NEHRP as a long-term earthquake risk reduction program for the United States. The program initially focused on research, led by USGS and NSF, toward understanding and ultimately predicting earthquakes. Earthquake prediction has proved intractable thus far, and the NEHRP program shifted its focus to minimizing losses from earthquakes after they occur. FEMA was created in 1979 and President Carter designated it as the lead agency for NEHRP. In 1980, Congress reauthorized the Earthquake Hazards Reduction Act (P.L. 96-472), defining FEMA as the lead agency and authorizing additional funding for earthquake hazard preparedness and mitigation to FEMA and the National Bureau of Standards (now NIST).

Mitigation. In 1990, Congress reauthorized NEHRP (P.L. 101-614) and made substantive changes, to decrease the emphasis on earthquake prediction, clarify the role of FEMA, clarify and expand the program objectives, and require federal agencies to adopt seismic safety standards for new and existing federal buildings. In 2004, Congress reauthorized NEHRP through FY2009 (P.L. 108-360) and shifted primary responsibility for planning and coordinating NEHRP from FEMA to NIST. It also established a new interagency coordinating committee and a new advisory committee, both focused on earthquake hazards reduction.

The current program activities are focused on four broad areas:

- developing effective measures to reduce earthquake hazards;
- promoting the adoption of earthquake hazards reduction measures by federal, state, and local governments, national building standards and model building code organizations, engineers, architects, building owners, and others who play a role in planning and constructing buildings, bridges, structures, and critical infrastructure or lifelines;
- improving the basic understanding of earthquakes and their effects on people and infrastructure, through interdisciplinary research involving engineering, natural sciences, and social, economic, and decision sciences; and
- developing and maintaining ANSS, the George E. Brown Jr. Network for Earthquake Engineering Simulation (NEES),³² and the GSN.

The House Science Committee report in the 108th Congress on H.R. 2608 (P.L. 108-360) noted that NEHRP has produced a wealth of useful information since 1977, but it also stated that the program's potential has been limited by the inability of the NEHRP agencies to coordinate their efforts.³³ The committee asserted that restructuring the program with NIST as the lead agency, directing funding towards

³² NEES is an NSF-funded project that consists of 15 experimental facilities and an IT infrastructure with a goal of mitigating earthquake damage by the use of improved materials, designs, construction techniques, and monitoring tools.

³³ U.S. House, Committee on Science, *National Earthquake Hazards Reduction Program Reauthorization Act of 2003*, H.Rept. 108-246 (Aug. 14, 2003), p. 13.

appropriate priorities, and implementing it as a true interagency program would lead to improvement.

Under the reauthorization, the Director of NIST chairs the Interagency Coordinating Committee, which is composed of the directors of FEMA, USGS, NSF, the Office of Science and Technology Policy, and the Office of Management and Budget. The Interagency Coordinating Committee is charged with overseeing the planning, management, and coordination of the program. Primary responsibilities for the NEHRP agencies break down as follows:

- NIST supports the development of performance-based seismic engineering tools and works with other groups to promote the commercial application of the tools through building codes, standards, and construction practices;
- FEMA assists other agencies and private-sector groups to prepare and disseminate building codes and practices for structures and lifelines, and aid development of performance-based codes for buildings and other structures;
- USGS conducts research and other activities to characterize and assess earthquake risks, and (1) operates a forum, using the NEIC, for the international exchange of earthquake information; (2) works with other NEHRP agencies to coordinate activities with earthquake reduction efforts in other countries; and (3) maintains seismic hazard maps in support of building codes for structures and lifelines, and other maps needed for performance-based design approaches; and
- NSF supports research to improve safety and performance of buildings, structures, and lifelines using the large-scale experimental and computational facilities of NEES and other institutions engaged in research and implementation of NEHRP.

Table 5 shows authorization of appropriations for NEHRP from FY2005 through FY2008 and the enacted amounts by agency through FY2007. The total enacted amount for FY2005-FY2007 is \$366.8 million, \$157.2 million less than the amount authorized in P.L. 108-360 of \$524 million over the three-year span. Slightly less than \$200 million is authorized under the law for FY2009.

Table 5. Authorized and Enacted Funding for NEHRP
(\$ millions)

Agency	FY05 Auth.	FY05 Enact.	FY06 Auth.	FY06 Enact.	FY07 Auth.	FY07 Enact.	FY08 Auth.	FY08 Enact.	FY09 Auth.
NIST	10.0	0.9	11.0	0.9	12.1	1.7	13.3	1.7	14.64
FEMA	21.0	14.7	21.6	9.5	22.3	9.1	23.0	6.1	23.64
USGS	77.0	58.4	84.4	54.5	85.9	55.4	87.4	58.1	88.9
NSF	58.0	53.1	59.5	53.8	61.2	54.8	62.9	55.6	64.7
Total	166.0	127.1	176.5	118.7	181.5	121.0	186.6	121.5	191.8

Source: NEHRP program office, at [<http://www.nehrp.gov/plans/index.htm>].

HAZUS-MH. FEMA, under contract with the National Institute of Building Sciences,³⁴ developed a methodology and software program called the Hazards U.S. Multi-Hazard (HAZUS-MH).³⁵ The program allows a user to estimate losses from damaging earthquakes, hurricane winds, and floods before a disaster occurs. The pre-disaster estimates could provide a basis for developing mitigation plans and policies, preparing for emergencies, and planning response and recovery. HAZUS-MH combines existing scientific knowledge about earthquakes (for example, ShakeMaps, described above), engineering information that includes data on how structures respond to shaking, and geographic information system (GIS) software to produce maps and display hazards data including economic loss estimates. The loss estimates produced by HAZUS-MH include the following:

- physical damage to residential and commercial buildings, schools, critical facilities, and infrastructure;
- economic loss, including lost jobs, business interruptions, repair and reconstruction costs; and
- social impacts, including estimates of shelter requirements, displaced households, and number of people exposed to the disaster.

In addition to furnishing information as part of earthquake mitigation efforts, HAZUS-MH can also be used to support real-time emergency response activities by state and federal agencies after a disaster. Twenty-seven HAZUS-MH user groups³⁶ — cooperative ventures among private, public, and academic organizations that use the HAZUS-MH software — have formed across the United States to help foster better-informed risk management for earthquakes and other natural hazards. HAZUS-MH software was first released to the public in 1997 and the first user group, the Bay Area HAZUS-MH User Group, was formed the same year.

Research — Understanding Earthquakes

U.S. Geological Survey. Under NEHRP, the USGS has responsibility for conducting targeted research into improving the basic scientific understanding of earthquake processes. The current earthquake research program at the USGS covers six broad categories:³⁷

- *Borehole geophysics and rock mechanics*: studies to understand heat flow, stress, fluid pressure, and the mechanical behavior of fault-

³⁴ The National Institute of Building Sciences (NIBS) is a non-profit non-governmental organization established by Congress in the Housing and Community Development Act of 1974 (PL 99-383). NIBS is funded through dues from its membership, private sector contributions, and contracts with federal and state agencies. The mission of NIBS is to improve the building regulatory environment, facilitate introducing new products and technologies into the building process, and disseminate technical and regulatory information. See [<http://www.nibs.org/>].

³⁵ See [http://www.fema.gov/plan/prevent/hazus/hz_overview.shtm].

³⁶ See [<http://www.hazus.org/>].

³⁷ See [<http://earthquake.usgs.gov/research/>].

zone materials at seismogenic³⁸ depths to yield improved models of the earthquake cycle;

- *Crustal deformation*: studies of the distortion or deformation of the earth's surface near active faults as a result of the motion of tectonic plates;
- *Earthquake geology and paleoseismology*: studies of the history, effects, and mechanics of earthquakes;
- *Earthquake hazards*: studies of where, why, when, and how earthquakes occur;
- *Regional and whole-earth structure*: studies using seismic waves from earthquakes and man-made sources to determine the structure of the planet ranging from the local scale, to the whole crust, mantle, and even the earth's core; and
- *Strong-motion seismology, site response, and ground motion*: studies of large-amplitude ground motions and the response of engineered structures to those motions using accelerometers.

National Science Foundation. NSF supports fundamental research into understanding the earth's dynamic crust. Through its Earth Sciences Division³⁹ (part of the Geosciences Directorate), NSF distributes research grants and coordinates programs investigating the crustal processes that lead to earthquakes around the globe. Recently, NSF initiated a Major Research Equipment and Facilities Construction (MREFC) project called EarthScope.⁴⁰ EarthScope is deploying instruments across the United States to study the structure and evolution of the North American Continent, and to investigate the physical processes that cause earthquakes and volcanic eruptions. EarthScope, a five-year, \$200 million project, began in 2003, is funded by NSF, and is conducted in partnership with the USGS and NASA.

EarthScope instruments will form a framework for broad, integrated studies of the four-dimensional (three spatial dimensions, plus time) structure of North America. The project is divided into three main programs:

- *The San Andreas Fault Observatory at Depth (SAFOD)*: a deep borehole observatory drilled through the San Andreas fault zone close to the hypocenter of the 1966 Parkfield, CA, magnitude 6 earthquake.
- *The Plate Boundary Observatory (PBO)*: a system of GPS arrays and strainmeters⁴¹ that measure the active boundary zone between the Pacific and North American tectonic plates in the western United States.
- *USArray*: four hundred transportable seismometers that will be deployed systematically across the United States on a uniform grid

³⁸ Seismogenic means capable of generating earthquakes.

³⁹ See [<http://www.nsf.gov/div/index.jsp?div=EAR>].

⁴⁰ See [<http://www.earthscope.org/>].

⁴¹ A strainmeter is a tool used by seismologists to measure the motion of one point relative to another.

to provide a complete image of North America from continuous seismic measurements.

Through its Engineering Directorate, NSF funds NEES,⁴² a project intended to operate until 2014, aimed at understanding the effects of earthquakes on structures and materials. To achieve the program's goal, the facilities conduct experiments and computer simulations of how buildings, bridges, utilities, coastal regions, and materials behave during an earthquake.

Conclusions

The 2003 reauthorization of NEHRP shifted leadership of the multiagency program from FEMA to NIST and authorized the program through FY2009. Congress may wish to determine whether the reorganized structure has yielded expected benefits for the program, now in its fourth year since P.L. 108-360 was enacted. Appropriations for NEHRP have not met levels authorized in the law for FY2005 through FY2008, falling short by an average of 31% for FY2005 through FY2008. What effect funding at the levels enacted through FY2008 has had on all programs authorized under NEHRP is unclear, although progress in some programs has been slower than anticipated. For example, the Advanced National Seismic System (ANSS), an integrated system of earthquake sensors deployed across the country, is about 11% complete, in part because appropriated funds for ANSS have historically been a fraction of the authorized levels. To what extent the current rate of progress toward meeting the goals of ANSS affects the U.S. capability to detect earthquakes and minimize losses after an earthquake occurs is not clear.

Congress may also wish to examine if and how new research results — generated under EarthScope, a research program at NSF distinct from NEHRP — on understanding earthquakes are contributing to the nation's resilience to earthquake disasters. An ongoing question is how scientific advances in understanding the fundamental nature of earthquakes — funded by EarthScope and other programs at NSF and the USGS — can be applied towards improving the U.S. capability to minimize losses from destructive earthquakes.

Additional Reading

Aspects of the federal role in the aftermath of a damaging earthquake or other natural catastrophes — the response and recovery phase — are covered in the following CRS reports.

⁴² A non-profit NEES consortium (NEESinc.) has operated the facilities for the 10-year operating lifespan at the following institutions: Cornell University; Lehigh University; Oregon State University; Rensselaer Polytechnical Institute; University of Buffalo-State University of New York; University of California-Berkeley; University of California-Davis; University of California-Los Angeles; University of California-San Diego; University of California-Santa Barbara; University of Colorado-Boulder; University of Illinois at Urbana-Champaign; University of Minnesota; University of Nevada-Reno; University of Texas at Austin. See [<http://www.nees.org/>].

CRS Report RL33330, *Community Development Block Grant Funds in Disaster Relief and Recovery*, by Eugene Boyd.

CRS Report RL33060, *Tax Deductions for Catastrophic Risk Insurance Reserves: Explanation and Economic Risk Analysis*, by David L. Brumbaugh and Rawle O. King.

CRS Report RL31734, *Federal Disaster Recovery Programs: Brief Summaries*, by Mary B. Jordan.

CRS Report RL32847, *Tsunamis and Earthquakes: Is Federal Disaster Insurance in Our Future?*, by Rawle O. King.

CRS Report RS22268, *Repairing and Reconstructing Disaster-Damaged Roads and Bridges: The Role of Federal-Aid Highway Assistance*, by Robert S. Kirk.

CRS Report RS22273, *Emergency Contracting Authorities*, by John R. Luckey.

CRS Report RL34146, *FEMA's Disaster Declaration Process: A Primer*, by Francis X. McCarthy.

CRS Report RL33206, *Vulnerability of Concentrated Critical Infrastructure: Background and Policy Options*, by Paul W. Parfomak.

In response to conference report H.Rept. 109-699, accompanying the FY2007 Department of Homeland Security Appropriations Act (P.L. 109-295), FEMA released the following report to Congress:

Federal Emergency Management Agency, "Federal Earthquake Response Plans: Report to Congress," December 2007, 92 pages.