DEPARTMENT OF THE INTERIOR
U. S. GEOLOGICAL SURVEY

PREPARED IN COOPERATION WITH THE
ATOMIC ENERGY COMMISSION

PHOTOGEOLOGIC MAP, WOODSIDE-4
UTAH - EMERY AND CARBON COUNTIES

TRACE ELEMENTS MEMORANDUM REPORT 751
R. 14 E.

metadc502231

EXPLANATION

Contact

Can be accurately located
within 30 feet horizontally

Contact

Can be approximately located
within 30 to 200 feet horizontally

Contact

Cannot be located accurately;
probable error greater than 200 feet

Probable or doubtful contact

Fault

Dashed where approximately located
U, upthrown side; D, downthrown side

Probable or doubtful fault

Approximate strike and dip of beds
Based on photo-interpretation

Inferred strike and dip of beds
Based on photo-interpretation
of areas where bedding is obscure

Conspicuous resistant bed within
a formation
May be traceable only locally

Uninterpretable linear feature
on photograph
May be geologically significant

County boundary

Primary road Secondary road

Trail Power line

Abandoned railroad

Bench mark

Note: The lower unit of the probable equivalent of the
Burro Canyon formation is believed to be the Buckhorn
conglomerate of Stokes (Geol. Soc. America Bull.,
vol. 55, 1944); and the upper unit, the Cedar
Mountain shale of Stokes.
Names of members of the Mancos shale are based
on C. B. Hunt's Geologic Map of the Henry Mountains
Region, Utah, Map OM 131, 1952.

PLANIMETRY FROM U. S. GEOLOGICAL SURVEY
TOPOGRAPHIC MAP, WOODSIDE-4 QUADRANGLE,
UTAH

This map is preliminary and has not been
edited or reviewed for conformity with
U. S. Geological Survey standards and
nomenclature.

PHOTOGEOLOGY BY V. M. HOSLEY
SCALE 1:24,000
FEBRUARY 1954

Roads as classified in this map series are as follows:
Primary roads are maintained and graded, traversable by
two-wheel-drive vehicles; secondary roads are traversable
possibly by two-wheel-drive vehicles; trails are not
traversable by four-wheel-drive vehicles except locally.
When other information is lacking, roads are classified
by their appearance on aerial photographs.

Stratigraphic column for this area modified from U.S. Geol.
Survey Bull. 882, 1936 and Gas 100, Map OM 131, 1952.
Maps of this series have been compiled mainly from photo-
geologic data but have not been checked in the field; hence
they have not had the benefit of thorough radiological work
respect to maps compiled entirely from field data.

USGS - TEM-751

GEOLOGY AND MINERALOGY

<u>Distribution (Series A)</u>	<u>No. of copies</u>
Exploration Division, Grand Junction Operations Office. . . .	3
(Including one film positive of map)	
Division of Raw Materials, New York	2
Division of Raw Materials, Salt Lake City	1
U. S. Geological Survey:	
Fuels Branch, Washington.	4
Geophysics Branch, Washington	2
Conservation Division, Washington	1
K. L. Buck, Denver.	1
R. P. Fischer, Grand Junction	4
(Including two film positives of map)	
J. F. Smith, Jr., Denver.	1
W. A. Fischer, Washington	4
(Including one film positive of map)	
TEPCO, Denver	1
TEPCO, RPS, Washington.	6
(Including master)	

INDEX MAP OF PART OF
THE COLORADO PLATEAU AREA,
SHOWING LOCATION OF
PHOTOGEOLOGIC QUADRANGLE MAPS