DOE/RW-0345P

DOE's Yucca Mountain Studies

U.S. Department of Energy
YUCCA MOUNTAIN SITE CHARACTERIZATION PROJECT
Post Office Box 98608
Las Vegas, NV 89193-8608
(702) 794-7900

Office of Civilian Radioactive Waste Management
Education and Information Division (RW5)
1000 Independence Avenue, S.W.
Washington, D.C. 20585
(202) 586-2835

MASTER

The following number is for OCRWM records management purposes only and should not be used when ordering this publication.
Accession No.: HQO-920311-0010
DOE/RW-0345P • December 1992

COPIES OF THIS DOCUMENT IS UNLIMITED

This booklet is about the disposal of high-level nuclear waste in the United States. It is for readers who have a general rather than a technical background. It discusses why scientists and engineers think high-level nuclear waste may be disposed of safely underground. It also describes why Yucca Mountain, Nevada, is being studied as a potential repository site and provides basic information about those studies.

The question of how to dispose of high-level nuclear waste safely has been a scientific and public concern since the beginning of the nuclear age. The first commercial nuclear power plant in the United States began operation in 1957. Since then, the United States has come to rely on nuclear energy as a significant source of electricity, second only to coal. Nuclear energy is used to make important contributions to medicine, research, and national security. But the benefits of nuclear power come coupled with great challenges. In this case, the challenge is the safe disposal of radioactive waste.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

A repository is an enormous challenge

A repository is a deep, underground mine where high-level nuclear waste would remain safely isolated from people and the environment. Scientists believe it is possible, using technology we have today, to design, construct and operate a repository safely. What is challenging about this project is using different fields of science to predict complex environmental interactions for thousands of years. Specialists in different fields of science must understand how their findings interact, then make predictions based on these interactions.

For example, evaluating water movement through rock is not enough. Possible changes in climate, and resulting effects on erosion and on the movement of water through rock over thousands of years, must be considered.

This project is also a challenge to the ability of people to work together to resolve a complex issue. It involves important decisions about the environment and energy, decisions that will affect and protect not only ourselves but future generations.

DOE places high priority on communicating with the public

The U.S. Department of Energy (DOE) regards communicating with the public as a significant part of its responsibilities in the Yucca Mountain Site Characterization Project. Staff members make a concerted effort to be available to the public and to communicate technical information in ways that are easy to understand. DOE staff members hold public meetings in Nevada to tell citizens what is happening and to answer their questions. Several meetings are

held each year throughout Nevada. State and local officials are invited to participate in these meetings.

DOE offers frequent tours of Yucca Mountain and related facilities. During these, citizens talk to the scientists doing the studies.

Additionally, DOE sends speakers throughout Nevada with displays, publications, scale models and audio-visual materials to explain the program.

Three public information offices are open daily in Las Vegas, Pahrump and Beatty. DOE also mails information about the Project to anyone who requests it. All of these activities are done to provide the public with ready access to information about what DOE is doing. If you want more information, please write or call:

U.S. Department of Energy

YUCCA MOUNTAIN SITE CHARACTERIZATION PROJECT

P.O. Box 98608
Las Vegas, NV 89193-8608
(702) 794-7900

Desert Tortoise

Species Name: Gopherus agassizii

Status: State listed as protected and rare, federally listed as threatened

About the plants and animals on these pages...

The plants, mammals, reptiles and insects in this booklet are being studied in the Yucca Mountain Environmental Program. Environmental scientists go to work before site studies begin. They document the environment around Yucca Mountain as it exists before field work starts, and develop methods to mitigate effects from site characterization. This information helps protect plants and animals and their environment, cultural resources, air quality and water resources. There are more details about this program in the sections "How a repository might affect quality of life" and "What happens when a repository is full?"

Legislation governing high-level nuclear waste disposal

State and local governments have a say in the process	2
Licensing is governed by an independent agency	3
DOE's work is checked by other experts	4
Who pays for nuclear waste management?	5

The Yucca Mountain Site Characterization Project

What will scientists study?	7
Studying the movement of water	8
Studying earthquakes and the movement of rock	8
Volcanoes and Yucca Mountain	9
How a repository might affect quality of life	9
How will scientists get this information?	10

What is nuclear waste?

What is spent fuel?	11
What about reprocessing fuel?	12

Plans for safe operation

Preparing waste for shipping	13
What would a repository look like?	14
What happens when a repository is full?	14

Could radioactive materials get out of a repository?

What about radiation protection?	15
Understanding the hazards of radiation	16
Factors that increase exposure to radiation	17
Would there be a radiation dose to people nearby?	17
Americans' average personal radiation exposure	18

Plans for safe transportation

Ship by road? Ship by rail? Ship by both?	21
---	----

Legislation governing high-level nuclear waste disposal

The need to find safe, permanent disposal is becoming more critical. Congress specified that the public as well as the scientific community could be involved in the waste disposal program because waste disposal will affect present and future generations. Scientists, concerned citizens, and members of Congress, industry, and federal, state and local governments participate in this program. This involvement underscores the Project's commitment to protecting public health and safety.

Spent nuclear fuel is the radioactive by-product of making electricity at commercial nuclear power plants and high-level nuclear waste is the by-product from production at defense facilities. In 1982, Congress established a national policy to solve the problem of high-level nuclear waste disposal. This policy is a federal law called the Nuclear Waste Policy Act. Congress based this policy on what most scientists agreed was the best way to dispose of nuclear waste.

Additionally, the Nuclear Waste Policy Act provided a detailed process that DOE is following. To pay for the waste disposal program, Congress established the Nuclear Waste Fund. Ratepayers who use nuclear power pay for nuclear waste disposal through their utilities.

The Nuclear Waste Policy Act made DOE responsible for finding a site, building and operating an underground disposal facility called a geologic repository. The recommendation to use a geologic repository

dates back to 1957 when the National Academy of Sciences recommended that the best means of protecting the public health and safety and the environment would be to dispose of the waste in rock deep underground.

Scientists had studied many options, including leaving the waste where it was, burying it in the ocean floor, putting it in polar ice sheets, and rocketing it into outer space. Based on the final environmental impact statement that evaluated all of these options, underground disposal was determined to pose the least overall risk to the environment. The impact statement included a review by the public.

In 1976, nearly 20 years after the first commercial nuclear power plant began operating, a federal program was established to collect data on potential repository sites. The 1982 Act was based on what was learned during this earlier program. In 1983, DOE selected nine locations in six states for consideration as potential sites.

These sites were studied and results of these preliminary studies were reported in 1985.

Based on those reports, the president approved three sites for intensive scientific study called site characterization. The three sites were Hanford, Washington; Deaf Smith County, Texas; and Yucca Mountain, Nevada.

In December 1987, Congress amended the Nuclear Waste Policy Act and directed DOE to study only Yucca Mountain. This congressional action was criticized by many Nevadans, who felt the 1987 Amendments Act was unfair. In the Amendments Act, Congress directed DOE to determine whether or not Yucca Mountain is a suitable site for a repository. The Act stressed that if, at any time, Yucca Mountain is found unsuitable, studies will be stopped immediately. If that happens, the site will be restored and DOE will seek new direction from Congress.

The 1987 Amendments Act also established the independent Office of

the Nuclear Waste Negotiator. The office of the negotiator is within the Executive Office, appointed by the president with the advice and consent of the Senate. The negotiator's task is to try and find a state or Indian tribe willing to host a repository or monitored retrievable storage facility in exchange for negotiated benefits. Any site selected must be technically qualified.

State and local governments have a say in the process

The Nuclear Waste Policy Act and Amendments specify that funds be provided to the state of Nevada and affected counties for independent studies and review of the program. DOE interacts formally and informally with state and local agencies and various groups.

Three agencies have been created by the state of Nevada to conduct repository-related activities:

- The Nevada Commission on Nuclear Projects is charged with advising the governor and the Nevada Legislature on nuclear waste matters and making recommendations on state policy.
- The Nevada Agency for Nuclear Projects/Nuclear Waste Project Office is responsible for all state oversight of the high-level nuclear waste program and for carrying out Nevada's responsibilities under the Nuclear Waste Policy Act. It produces technical reports, public information ma-

History leading to studying Yucca Mountain

Atomic Energy Commission requests input from National Academy of Sciences (NAS) about radioactive waste disposal

Project Salt Vault – studying salt formations throughout United States as potential sites

Lyons, Kans rejected

1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	--

NAS recommends geologic disposal for nuclear waste

Lyons, Kansas selected as first repository site

terials, and studies in geotechnical, environmental, socioeconomic, and transportation areas.

- The Nevada Legislature's Committee on High-Level Radioactive Waste is a seven-member oversight panel of Senate and Assembly members.

In addition, the Nevada Local Government Planning Group is an informal body of representatives from local governments and Indian tribes organized to keep local governments informed about repository issues.

Licensing is governed by an independent agency

A high-level nuclear waste facility, wherever one is ultimately located, must be reviewed and licensed by an independent federal agency, the U.S. Nuclear Regulatory Commission (NRC). This licensing process is a thorough review of DOE's scientific studies to ensure the safety of the facility and its operation.

The NRC oversees DOE's studies at Yucca Mountain on a continuing basis and DOE also regularly reports to the NRC about the studies. At the end of these studies, DOE will prepare an Environmental Impact Statement to describe the potential effect a repository might have on the region surrounding Yucca Mountain. Public hearings on the statement will be held in Nevada. A copy of this statement will be put in libraries and available to the public.

If the studies indicate that Yucca Mountain is a suitable location for a repository, the Secretary of Energy will recommend to the president that a repository be built. If the site receives presidential approval, the state will be notified and DOE will seek a license from the NRC to begin construction.

The NRC review is a long process expected to take at least three years. It provides a way for individuals and interested organizations, including representatives of the state of Nevada and local governments, to have input into the NRC review.

Repository construction could begin only after the NRC completed its review and if it approved the license application. Scientific studies will continue during construction to confirm that what was predicted

Yucca Mountain is identified as most promising of areas studied at southwestern Nevada Test Site

Nine sites under study in six states

Nuclear Waste Policy Amendments Act designates only Yucca Mountain to be studied

1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Scientific Studies																	

Regional studies are underway in 36 states, examining underground geologic formations

Nuclear Waste Policy Act passed

Three sites selected for further study: Deaf Smith, Texas; Hanford, Washington; Yucca Mountain, Nevada

about behavior of the rock underground was accurate. The results of those studies also will be submitted to the NRC. Further NRC approval would be required before repository operations actually could begin.

According to federal law, the state of Nevada will have an opportunity to

submit a notice of disapproval, a veto, after the presidential decision. If that happened, work at Yucca Mountain could continue only if a simple majority vote in Congress overruled the state's veto.

DOE's work is checked by other experts

As the first DOE nuclear program subject to external regulation, the Yucca Mountain Site Characterization Project is one of the most closely reviewed programs ever undertaken by the federal government. DOE's studies are reviewed by many organizations including:

- Congress;
- the General Accounting Office;
- the Nuclear Regulatory Commission;
- the state of Nevada;
- the local governments in Nevada that are designated as "affected" by the program;
- the independent Nuclear Waste Technical Review Board appointed by the president;
- the National Academy of Sciences;
- the electric utilities; and
- an independent accounting firm.

Black-tailed Jackrabbit

Species Name: Lepus californicus

Status: Common, state protected; as a game animal state hunting license required.

Who pays for nuclear waste management?

Customers who use nuclear power pay for the disposal of spent fuel. The federal government collects a fee of one mil (one-tenth of a cent) per kilowatt-hour of nuclear-generated electricity from utilities. This money goes into the Nuclear Waste Fund. In addition, the federal government will pay the fund for disposal of

high-level waste generated by Department of Defense programs.

The Nuclear Waste Fund pays for all aspects of the U.S. nuclear waste management program. DOE, the state of Nevada, and local governments that could be affected by the potential repository receive money from the Nuclear Waste Fund through congressional appropria-

tions. Money from federal income taxes is not used to support the commercial nuclear waste management program. The General Accounting Office, an arm of the U.S. Congress, oversees expenditures from the fund. The Nuclear Waste Fund also is audited annually by a public accounting firm.

Yucca

Species Name: Yucca baccata

Status: protected on state and federal lands against collecting or destroying without landowner's permission.

The Yucca Mountain Site Characterization Project

Years of study called site characterization are planned at Yucca Mountain, Nevada, to collect and analyze detailed environmental and geologic data from aboveground and underground. There also will be reviews by independent technical groups and the state of Nevada, as well as intense public scrutiny. Hundreds of scientists, engineers, and other experts will be involved; many scientific issues and opinions will be considered.

Many scientists think that Yucca Mountain has features that may make it suitable for a nuclear waste repository. By suitable, scientists mean the rock will keep the waste sufficiently isolated for 10,000 years so that the radioactive material will pose about the same risk or less risk of health effects to the public as that of unmined uranium ore. There also are scientists who question the suitability of the Yucca Mountain site, or whether it can ever be shown to be suitable.

Knowing the following terms helps one understand what scientists will study in this project.

Geology is the science that deals with the history of the Earth as recorded in rock.

Geohydrology is the science that deals with the quantity, quality, and movement of underground water.

Faults are cracks in the Earth's crust accompanied by movement of one side of the crack in relation to the other.

Seismology is the study of the potential for earthquakes. Earthquakes occur when rock moves along a fault.

Volcanology is the study of the potential for volcanoes.

What will scientists study?

Yucca Mountain is far from large population centers, its climate is very dry, and the mountain has an extremely deep water table. The unique combination of rock characteristics and the deep water table lead many scientists to think that the site appears capable of isolating waste. However, many scientific and technical issues about Yucca Mountain must be resolved to see if it is or is not a suitable site for a repository. These include:

- how much water there is in the rock and how it moves through the rock;
- the effects volcanic activity might have on a repository in Yucca Mountain;
- how an earthquake might affect a repository and the groundwater table, which is about 240-370 meters (800 - 1,200 feet) below the potential repository depth; and
- whether the development of a repository would have acceptable environmental impacts.

In addition to studies related to Yucca Mountain's geologic and environmental suitability, a variety of social, transportation and economic questions about a repository's effect on the quality of life in nearby communities will be researched.

Antelope ground squirrel

Species Name: *Ammospermophilus leucurus*

Status: Common, unprotected

Studying the movement of water

Geohydrology studies will focus on how water moves through Yucca Mountain and how water could affect a repository. This is important because scientists believe that groundwater is the most likely way radioactive materials could be released from a repository. Yucca Mountain is in the southern part of the Great Basin where there is very little rainfall, most of which quickly runs off the surface or evaporates. Approximately 15 centimeters (six inches) of rain falls on Yucca Mountain in a year. Scientists think that only an extremely small fraction of that rain could soak into the ground and actually reach the underground area where the potential repository would be located.

Additionally, the water table under Yucca Mountain is extremely deep. This makes it possible to put a repository about 300 meters (1,000 feet) underground and have it be about 240 meters (800 feet) above the water table. Geologists call the rocks and soil above the water table the unsaturated zone. In the unsaturated zone there is relatively little water in the rock and water there may move very slowly. These factors significantly limit the chance of water reaching and corroding waste containers and carrying radioactive material away from a repository.

Studying earthquakes and the movement of rock

Earthquakes occur when rocks move along a fault. Project scientists have been studying faults and monitoring earthquakes in the region surrounding Yucca Mountain for more than 10 years. These studies will continue during site characterization and probably for years beyond that period, if the site is suitable.

Seismicity studies planned for Yucca Mountain will provide information about the potential for movement

along faults. These will be done to understand whether or not fault movement or earthquakes could affect the suitability of the site. As part of these studies there are major trenching programs at Yucca Mountain to study movement of faults during the past two million years.

These studies will show the history of movements of faults. Information about how frequently the faults moved and how much they moved during each episode also will be obtained.

Experience with earthquakes throughout the world has shown that, generally, underground structures can withstand ground motion generated by earthquakes. Tests involving nuclear explosions underground at the Nevada Test Site have shown that underground structures

can withstand ground motion greater than that anticipated from earthquakes. Safety engineering design of surface facilities would consider the possible effects of an earthquake, and buildings would be designed and built to withstand any anticipated effects.

At this time, assessments suggest that risk of damage to surface and underground facilities from faults is low because the amount of movement along faults in that area appears to be small. Additionally, there possibly are thousands of years between movements. Scientists are confident that such faulting could never break open the mountain to expose waste at the surface. Geologic dating of surface material around Yucca Mountain indicates that the mountain itself and the terrain around it

If you could take a slice of Yucca Mountain, this is how it might look. Scientists are studying the mountain to see where faults are and where the saturated zone is.

have remained largely unchanged over the last one million years. Current information strongly indicates that Yucca Mountain would remain stable over the period of time required by the regulations.

Volcanoes and Yucca Mountain

Yucca Mountain was formed millions of years ago by a series of explosive volcanic eruptions that deposited ash and material which compressed together to create layers of rock called tuff. The explosive type of volcano that formed Yucca Mountain is extinct. There are, however, seven small and dormant volcanoes scientists are studying in the Yucca Mountain area to determine if one might erupt in the next 10,000 years and if an eruption might affect an underground nuclear waste repository. By studying the layers of soil and rock to learn about past volcanic activities, scientists can make predictions about the future.

Scientists called volcanologists have been studying volcanoes at Yucca Mountain for more than a decade. Scientists believe that the probability of a volcano erupting in the Yucca Mountain region over the next 10,000 years is very remote and does not make the site unsuitable for a repository. The chance of a volcano directly affecting a repository in the Yucca Mountain area has been calculated as about 1 in 500 million per year.

The seven volcanoes located near Yucca Mountain are among the most common type of volcano on earth. Two cones are located about 19 to 43 kilometers (12-27 miles) away, and may have been active within the last 10,000 years. The other five, located 13 to 43 kilometers (8-27 miles) away, had their last eruptions from 300,000 years to 1.2 million years ago. All seven cones consist of less than 0.1 cubic kilometers (0.06 cubic miles) of material.

How a repository might affect quality of life

Studies already are being done and more are planned on environmental, socioeconomic and transportation issues. Environmental studies focus on the following field operations: potential impacts on plants, animals and their environment; water quality and quantity; air quality; meteorology; radiological monitoring; archaeological; Native American cultural resources; and soils and reclamation.

Socioeconomic studies include estimates of the repository program's effect on employment, including jobs with the program and jobs supporting the work of people in the program. Potential effects on community services, tourism, and population distribution also are being studied.

Transportation studies evaluate shipping methods and routes in Nevada. The studies also will include technical and financial assistance needed for public safety organizations for emergency response training.

Three types of volcanoes

There are three main types of volcanoes. Composite volcanoes have explosive eruptions, such as Mt. St. Helens in Washington. The eruptions that formed Yucca Mountain itself were from a composite volcano. Shield volcanoes have less explosive eruptions, and people can walk fairly close to some slow-moving lava from these volcanoes. The Hawaiian islands are examples of shield volcanoes. Out of the three main types of volcanoes, cinder cones generally are the smallest volcanoes with the simplest and weakest eruptions. The

seven dormant volcanoes near Yucca Mountain are cinder cones.

A magma chamber is an underground pocket of rock and earth so hot it has melted to a liquid or paste. Data gathered so far suggests that there is no evidence of a magma chamber beneath the volcanoes near Yucca Mountain. That makes the likelihood of a new volcano in the region extremely remote. More studies will be conducted to get additional data about volcanism in that area.

Merriam's Kangaroo Rat
Species Name: Dipodomys Merriami
Status: Common, unprotected

How will scientists get information?

Various methods will be used to get information. These will include:

- laboratory studies;
- drilling holes to understand the geology, volcanology, and geohydrology;
- digging trenches to study faults and volcanism;
- sound waves sent down from the surface to measure response from rock layers; and
- other geophysical methods studying the potential for earthquakes and volcanoes, the Earth's magnetic field, and the area's background radioactivity.

This wide array of studies will provide a credible basis for scientific decisions about the suitability of the site. It should be emphasized that if, at any time, these studies show that Yucca Mountain does not qualify as a repository site, DOE must stop work and report to Congress.

Desert Collared Lizard

Species Name: *Crotaphytus insularis*

Status: Common, unprotected

What is nuclear waste?

Nuclear, or radioactive, wastes result whenever we put nuclear fission to work. Nuclear fission occurs when atoms split. The energy from fission is used to make electricity. High-level radioactive, or nuclear, waste is the by-product of making electricity at commercial nuclear power plants and from production at defense facilities.

At a nuclear power plant, fission takes place under carefully controlled conditions inside the reactor. Nuclear fission generates energy, including heat. This heat is used to make steam, which turns turbines to make electricity. To understand how nuclear fuel is used to make electricity, think about other power plants. When electricity is made at coal-fired plants, coal is the fuel burned to make steam. At nuclear power plants, uranium is the fuel used to make steam.

Nuclear fuel consists of solid pellets of enriched uranium each about the size of a pencil eraser. These small pellets produce a tremendous amount of energy when used in a nuclear power plant. For example, one pellet contains the energy equivalent of almost one ton of coal. The pellets are sealed in tubes of a strong, corrosion- and heat-resistant metal alloy. The tubes containing the uranium pellets are bundled together to form a nuclear fuel assembly. The assemblies are placed inside a nuclear reactor and used to generate heat to make electricity. The fuel will be used until the fuel is spent, or no longer efficient in generating that heat.

What is spent fuel?

Once a year, approximately one-third of the nuclear fuel inside a reactor is removed and replaced with fresh fuel. The spent fuel is highly radioactive and is the primary form of nuclear waste.

When spent fuel is removed from a reactor, it is put into a pool of water at the reactor site. The water is a radiation shield and coolant. Storing the spent fuel in pools is intended only as a temporary measure until a permanent disposal place is found.

As an alternative to storing in pools, some spent fuel is being stored aboveground at the reactor site in concrete or steel containers called dry casks. Like storage under water in pools, this approach also is temporary.

While pool storage is effective for short-term storage, the need to find safe, permanent disposal is becoming more and more critical because at some nuclear power plants, the storage pools are almost full.

Today, using pools and dry casks, approximately 20,000 metric tons of spent fuel are stored at more than 60 nuclear power plant locations across the country. By the year 2000, an estimated 40,000 metric tons of spent fuel will have been produced. By then, there also will be about 8,000 metric tons of solidified high-level nuclear waste from defense programs. Currently, high-level waste from defense programs is stored primarily at three U.S. Department of Energy (DOE) facilities, in Idaho, South Carolina and Washington.

Permanent storage must be able to isolate high-level radioactive waste for thousands of years because its radioactivity can harm people and the environment. According to U.S. Environmental Protection Agency standards, at the end of 10,000 years, the radioactive material remaining in the waste could lead to about the same number of health effects as those associated with a comparable size unmined uranium ore deposit. The DOE must demonstrate, at the boundaries set by the standards, that a repository will isolate waste for 10,000 years. Uranium ore deposits are used to describe this regulation and potential risks because natural uranium is used to make the enriched uranium that is in spent nuclear fuel.

Fuel assembly

Fuel rod

Specifically, the regulations for repositories were calculated on the basis that a repository could cause no more than 1,000 health effects to 10 billion people over 10,000 years. There are many elements of our everyday lives, such as driving in cars and smoking or being around people who smoke, that pose potentially higher health effects to that many people over that many years.

What about reprocessing the fuel?

The chemical process by which uranium and plutonium are recovered from spent fuel is called reprocessing. Commercial reprocessing of spent nuclear fuel currently is being done in several countries that use nuclear energy. The United States reprocesses military and defense spent fuel. Because reprocessing is more expensive than mining and processing uranium ore for fuel, reprocessing is uneconomical for private industry in the United States at this time.

When spent fuel is reprocessed, a highly radioactive liquid by-product remains. This will be turned into a solid, glass-like substance which then must be placed permanently in a repository. No liquids will ever be stored in the repository.

Possible timeframe for studying, licensing, constructing and operating a repository, as well as the expected accumulation of high-level nuclear waste.

Plans for safe operation

Operation of an underground repository could begin only after a lengthy process. First, the site must undergo years of comprehensive study. Then, if Yucca Mountain appears capable of isolating nuclear waste, the suitability will be judged by the U.S. Nuclear Regulatory Commission (NRC). If the NRC agrees that the site is suitable, repository construction could begin. According to the current schedule, this would occur around 2004. Following is a preliminary description of how nuclear waste would be disposed of safely.

From a cooling pool at a power plant, spent fuel would be packaged for shipment either to an monitored retrievable storage (MRS) facility or to a repository.

An MRS facility is an aboveground facility that would provide temporary, short-term storage for spent fuel. It would be regularly monitored. The facility would receive spent fuel from commercial reactors, store it, and ultimately ship it to a permanent repository.

Preparing waste for shipping

At the reactor or MRS, spent fuel assemblies would be hoisted by remote control into a strong, heavily shielded shipping container. This container, called a cask, is designed to withstand severe accidents during transportation. The cask would then be closed, sealed, and inspected before being loaded onto a truck or

railcar for shipment. Transportation casks used to ship radioactive waste must be certified by the NRC.

On arrival at the repository, the cask would be unloaded by remote control and carefully re-inspected. The fuel assemblies would be removed from the transportation cask and put into a canister, which would be welded shut. The waste canisters then would be taken by special vehicles down a ramp to rooms underground. There, by remote control, the waste would be placed inside the holes in the rock floors. After each canister is in place, a heavy shield will plug the hole.

What would a repository look like?

The potential repository would look like a large mining complex. It would have two types of industrial facilities - a facility on the surface for handling and packaging nuclear waste and a large mine about 300 meters (1,000 feet) underground.

Many kinds of different facilities would be built on the surface. These would include roads, utilities, waste-handling facilities, fire and medical service facilities, administrative offices, repair shops, water and sewage treatment plants, warehouses, a machine shop, an electrical shop, and a

security office. These facilities would cover approximately a 160-hectare (400-acre) area.

Underground, about 560 hectares (1,400 acres) would be mined. The underground facilities would include the tunnels leading to the areas where the waste containers would be placed, and service areas near the shafts and ramps that provide access from the surface.

The repository will be designed to contain the radioactive material and to protect the environment. This will be done by using layers of shielding, by sealing the containers, and eventually by filling the holes and tunnels. This approach, using layers of man-made and natural barriers, is used throughout the plans for the repository.

What happens when a repository is full?

After a repository has been filled to capacity, regulations require DOE to keep the facility open and to monitor it for a period of at least 50 years from the time waste was first placed in it. This will allow experts to monitor conditions inside the repository while the radioactive waste is in place and also will allow the spent fuel to be retrieved.

Eventually, the repository tunnels and shafts will be filled with the rock and earth taken out of them and then sealed. At the ground level, facilities will be removed and, to the extent reasonable and feasible, DOE will return the site to its original condition.

Could radioactive materials get out of a repository?

Now that we have looked at how a repository would work, let's see how people would be protected from radiation from a repository. Federal regulations that govern high-level nuclear waste disposal require that a repository isolate waste for a period of 10,000 years, and at all times throughout that period, meet strict standards for release of radioactive material set by the EPA. During this period, the radioactivity in the waste also decreases naturally (a process called decay.) At the end of the 10,000 years, the radioactive material remaining in the waste is comparable, from a health-effect standpoint, to that associated with a comparable size unmined uranium ore deposit. This is one of the reasons for the 10,000-year period that is found in the federal standards.

What about radiation protection?

An underground repository is a safe disposal method because it will provide multiple layers of protection through natural and engineered barriers.

The natural dryness of the Yucca Mountain area would be one of the first layers of protection. The depth at which a repository would be buried would be another. Being above the water table would be a third layer of protection.

Man-made barriers would provide more layers of protection. There are at least two levels of man-made barriers: waste form and waste package. The waste form is either a solid ceramic pellet or a glass bead. The solid waste will be sealed in corrosion-resistant metal or ceramic containers which would keep moisture from reaching the spent fuel. DOE must demonstrate that waste packages could substantially contain the radioactive spent fuel during the first 300-1,000 years in a repository.

Natural barriers form subsequent layers of protection. Most scientists think that when the waste containers are first placed in the repository, the heat from the waste packages will dry any moisture in the surrounding rock mass. After 1,000 years, repository engineering still will help prevent the movement of radioactive materials because an air gap around the package will help prevent water in surrounding rock from reaching and corroding the container.

Scientists and engineers assume that, over thousands of years, some of the man-made barriers in a repository will break down. Once that happens, natural barriers, including the mountain itself, will be counted on to stop or slow the movement of radioactive particles.

Artist's concept showing the interaction of zeolites and radionuclides. In this drawing, moisture is shown moving in a cross-section of tuff. Some of the drops of moisture carry radionuclides (radioactive particles). As the radionuclides come in contact with the zeolites, they would be attracted to the zeolites, sticking to them, and, with less intensity, to the tuff.

Many scientists think that if the waste form and package were dissolved as the result of contact with water, and radioactive particles were released in the rock above the water table, that the radioactive particles would move through the rock very slowly. In part, this is because of the extremely small amount of water present to carry the radioactive material. It is also because some of this material would stick to the zeolites, or minerals, in the rock and slow their movement from a repository. For a practical understanding of zeolites, the action of zeolites is similar to the process used to remove unwanted minerals from "hard" water. This is called water "softening."

Studies designed to calculate both the time taken by radionuclides to travel through the rock and the resultant expected maximal doses and risks to the public are part of the sci-

entific evaluation of Yucca Mountain. It is expected from the review of preliminary data that these doses will be small, that is, they will be comparable to the doses received from drinking naturally occurring radionuclides in water.

The radioactive material also will have to travel a distance before it would reach water used by people, plants and animals. At the end of the 10,000 years, the radioactive material remaining in the waste could lead to about the same number of health effects as those associated with a comparable size unmined uranium ore deposit. Studies designed to test these theories will be part of the evaluation of Yucca Mountain.

DOE will need to demonstrate the application of the multiple barrier design system at Yucca Mountain to the NRC to obtain a repository license.

Understanding the hazards of radiation

We live with radiation every day. We receive radiation doses from cosmic rays from outer space and from radon gas and other naturally radioactive elements in the earth. This is called natural background radiation. It includes the radiation dose we receive from plants, animals and from our own bodies.

We also are exposed to man-made sources of radiation including medical and dental treatments, smoke detectors, television sets, nuclear power plants, and emissions from coal-fired power plants.

Radiation is easy to detect with scientific instruments. The unit commonly used in the United States to measure radiation dose rate is the millirem (mrem), which is one-thousandth of a rem. A rem is a measure of the effect of a dose of radiation on human tissue. According to the report issued by the Commission on Biological Effects of Ionizing Radiation (BEIR V), the average American's annual dose of natural and man-made radiation is about 360 millirem per year.

Factors that increase exposure to radiation

A number of factors can vary the amounts of radiation dose we receive. Where we live affects the level of radiation to which we are exposed, since cosmic radiation levels increase with elevation. For example, a person living in Denver receives 50 millirem of cosmic radiation dose per year compared to a person living in Chicago, who receives 25 millirem per year. This is because the Earth's atmosphere is thinner at higher elevations and does not block as many cosmic rays.

What you do at work may affect your exposure. People who work with sources of radiation or in jobs such as airline pilots and flight attendants may have higher radiation doses than people in other occupations. Medical and dental X-rays and procedures also will add to your total radiation dose.

We also are exposed to natural radiation from soil and rock. The National Council on Radiation Protection (NCRP) says that radioactive radon gas, emitted from the Earth and sometimes trapped in homes, can account for up to 55 percent, or 200 millirem per year, of our annual dose.

Did you know that almost all radiation exposure in the United States comes from natural sources such as the sun and the soil?

For a long time large doses of radiation have been recognized as harmful. For this reason, there are limits on exposure to radiation from man-made sources. These limits are determined by scientific research and are continually reevaluated by:

- National Commission on Radiological Protection;
- the National Council on Radiation Protection;
- the Committee on Biological Effects of Ionizing Radiation;
- the National Research Council of the National Academy of Sciences; and
- the U. S. Environmental Protection Agency (EPA).

The result of this intensive study and monitoring is that radiation is one of the most scientifically understood, precisely detected, and strictly regulated of all potentially harmful agents.

Would there be a radiation dose to people nearby?

Preliminary estimates indicate that if a repository were located at Yucca Mountain and if a person lived about five kilometers (three miles) from the repository, less than one millirem of radiation per year would be added to that person's total background radiation exposure.

If a repository were constructed, the health and safety of repository workers and the public would be monitored continuously throughout the repository's construction, operation, and closing. Details of the monitoring program would be reviewed by the NRC as part of the licensing process. By law, the state where a repository is located and local governments, recognized as affected by the potential repository, will have the right to review the results of the radiological process.

Americans' average dose per year is less than 360 mrem

Americans' average personal radiation exposure

Radiation is all around us as a part of our natural environment. Each year, the average dose per person from all radiation sources is 360 mrem. One factor that contributes to common radiation exposure is where you live. Background radiation in Las Vegas, Nevada is 59 mrem per year. Background radiation in Colorado is slightly higher due to that state's higher altitude. The atmosphere is thinner at higher altitudes, allowing more radiation exposure from space. Several coastal areas of Brazil have an exposure of about 500 mrem per year because of the local soil and rock. And Kerala, India, which has the highest known levels of background radiation of any inhabited area on Earth, has areas which exceed 1,300 mrem per year in background radiation due to the monazite sand in the area composed of approximately nine percent of the radioactive element thorium.

It is common for people to receive far more than the average of 360 millirem in a year because of a variety of other factors. Some of these are illustrated in the chart which accompanies this.

Examples of possible doses from common sources of radiation*

Where you live

Location: Las Vegas, Nevada** (natural background) 59.0 mrem
 Radon: (U.S. average) 200.0 mrem
 World-wide weapons test fallout less than 1.0 mrem

What you eat and drink

Food and water (U.S. average) 39.0 mrem

Medical

One chest X-ray 10.0 mrem

The average exposure for medical sources is 53 mrem.

A lower gastrointestinal tract X-ray has a dose of about 500 mrem. A radiopharmaceutical exam has a dose of about 300 mrem.

How you live

Jet plane travel: for each 2,500 miles add 1 mrem 2.0 mrem

TV viewing:

for each hour per day it is .15; so 4 hours X .15 = 0.6 mrem

Sleeping: With partner, add 0.1 mrem 0.1 mrem

Cooking: with natural gas 6.0 mrem

Total annual mrem dose for this example 317.7 mrem

U.S. annual average dose is 360 mrem

* NOTE: Doses are estimates only and vary at any given time. Information from the BEIR Report V, National Academy of Sciences, Committee on Biological Effects of Ionizing Radiation.

** In the Off-Site Environmental Monitoring Report: Radiation Monitoring Around United States Nuclear Testing Areas, 1988 - U.S. Environmental Protection Agency/Environmental Monitoring Systems Laboratory, Las Vegas, Nevada 1989.

Scientific Name: Scarab beetle of the Coleoptera order
 Status: Common, unprotected

Plans for safe transportation

One of the major issues Nevadans and others ask questions about is transportation of spent fuel through their state. Their concern is the possibility of radiation exposure during transportation.

Most people are unaware that many kinds of radioactive materials are moved around our country each day. Shipments go to and from hospitals and medical research institutions, nuclear power plants, government research facilities, industrial complexes and other facilities. The safety record for transporting hazardous nuclear materials is excellent. For more than 30 years there has not been a single death or injury during transportation due to the radioactive nature of the nuclear waste being transported.

What would be the radiation exposure from spent fuel or high-level ra-

dioactive waste shipments? Evaluations show that exposure to a vehicle carrying high-level waste moving 38 kilometers (24 miles) per hour is an extremely tiny dose of radiation. For people within 30 meters (100 feet) of the route of a vehicle carrying high-level waste, the dose per year would be two to eight millirem of radiation. This would be about two percent of the dose they receive from radiation that occurs naturally in the environment.

The cask in which high-level nuclear waste is shipped is the primary transportation safety feature. Shipping cask designs in use today meet rigorous standards before being certified by the NRC. This ensures that they will withstand severe accidents without any harmful release of their radioactive contents.

The NRC must certify all casks for the repository program. New casks are being designed to increase cask capacity so that the number of shipments to a repository can be reduced. This is possible because spent fuel now will be older, that is, will have been out of the reactor longer and will be thermally cooler. Additionally, these casks will require less shielding due to the fuel having less radioactivity. These new casks are not being developed because present cask design is unsafe or inadequate, but to minimize the number of shipments.

**Department of Energy
potential rail alternatives
for further study**

Potential highway routes being studied by the state of Nevada

Ship by road? Ship by rail? Ship by both?

The U.S. Department of Transportation (DOT) and the NRC regulate the shipment of nuclear materials. State and federal regulations control virtually every aspect of spent fuel and high-level waste transportation. Studies are being done to decide what method of shipment to a repository would be used. Is it best to transport spent fuel and high-level waste by rail or road, or a combination of the two?

DOE will study possible routes for shipments of high-level nuclear waste to Yucca Mountain if it is found suitable for a repository. Highway routes within the state will be selected from interstate highways in accordance with DOT regulations. These same regulations permit a state to recommend alternate routes to the DOT if public safety would be improved.

Rail routes also will be selected according to federal regulations in effect at the time of shipment. To ship by rail, a rail spur would have to be built to connect Yucca Mountain with main rail lines already in the region.

According to current projections, nuclear waste shipments could begin

by 2010. The approximate number of cask shipments to a repository each year is estimated to be 250 by rail casks and 1,000 casks by truck, if shipments are made directly from nuclear power plants. If a monitored retrievable storage facility is built, most spent fuel would travel by rail to Yucca Mountain.

If nuclear waste shipments were made to Yucca Mountain, extensive safety checks will be made. Inspections will be made by DOE, DOT, utilities, and the transporter, as well as state inspectors before the shipment leaves, en route, and when the shipment arrives at its destination. Before a repository would open, highway patrol officers, firefighters, emergency medical personnel, and other public safety workers along the designated routes will receive training and emergency response equipment.

If I am interested in learning more about the U.S. Nuclear Waste Management Program and understanding the issues involved, what may I do?

You may learn the basic facts and research the issues necessary to evaluate what is being said and written.

The U.S. Department of Energy's Office of Civilian Radioactive Waste Management (OCRWM) has a number of publications which are available to anyone requesting them.

OCRWM has a National Information Center and a toll-free number, 1-(800)225-NWPA, with information specialists who will help you get answers to your questions and get publications. Also, written inquiries may be made at the following address: OCRWM Information Center, P.O. Box 44375, Washington, D.C. 20026. Inquiries also may be made to DOE/OCRWM's Yucca Mountain Site Characterization Project at P.O. Box 98608, Las Vegas, NV 89193-8608.

OCRWM also has an electronic bulletin board program, called Infolink, which has current program information, a publications catalog and a publications ordering capability. For more information about using Infolink, please write to the OCRWM Information Center.

The League of Women Voters has produced a book titled "The Nuclear Waste Primer, A Handbook for Citizens," that is a resource on this subject. This book and many others on the subject of high-level nuclear waste management are available in DOE information offices in Nevada. To get directions to those offices, call (702) 295-1312 or write to either of the addresses mentioned above.

A drawing of one type of cask licensed by the Nuclear Regulatory Commission