Environmental Management Science Program

Project ID Number 54122

A Broad Spectrum Catalytic System for Removal of Toxic Organics from Water By Deep Oxidation

Ayusman Sen
Pennsylvania State University
152 Davey Laboratory
University Park, Pennsylvania 16802
Phone: 814-863-2460
E-mail: asen@chem.psu.edu

June 1, 1998

A Broad Spectrum Catalytic System for Removal of Toxic Organics from Water By Deep Oxidation

Ayusman Sen, Pennsylvania State University

Research Objective

Toxic organics and polymers pose a serious threat to the environment, especially when they are present in aquatic systems. The objective of the research is the design of practical procedures for the removal and/or recycling of such pollutants by oxidation.

Research Progress and Implications

This report summarizes the work performed in the first one and half years of a three year project.

We had earlier described a catalytic system for the deep oxidation of toxic organics, such as benzene, phenol and substituted phenols, aliphatic and aromatic halogenated compounds, organophosphorus, and organosulfur compounds [1]. In this system, metallic palladium was found to catalyze the oxidation of the substrate by dioxygen in aqueous medium at 80-100° C in the presence of carbon monoxide. For all the substrates examined, deep oxidation to carbon monoxide, carbon dioxide, and water occurred in high yields, resulting in up to several hundred turnovers over a 24 h period.

Because of a pressing need for new procedures for the destruction of chemical warfare agents, we have examined in detail the deep oxidation of appropriate model compounds containing phosphorus-carbon and sulfur-carbon bonds using the same catalytic system. The result is the first observation of the efficient catalytic oxidative cleavage of phosphorus-carbon and sulfur-carbon bonds under mild conditions, using dioxygen as the oxidant [2].

In addition to the achievements described above, we have unpublished results in several other areas. For example, we have investigated the possibility of using dihydrogen rather than carbon monoxide as a coreductant in the catalytic deep oxidation of substrates. Even more attractive from a practical standpoint is the possibility of using a mixture of carbon monoxide and dihydrogen (synthesis gas). Indeed, experiments indicated that it is possible to substitute carbon monoxide by dihydrogen or synthesis gas. Significantly, in the case of nitro compounds, the deep oxidation in fact proceeded faster when dihydrogen rather than carbon monoxide was the coreductant.

Finally, we have achieved the oxidative degradation and chemical recycling of a wide range of polymeric materials under relatively mild conditions using nitrogen oxides and dioxygen [3]. With the production of polymeric materials on the rise and landfill space at a premium, it becomes increasingly important to develop new techniques for reducing the amount of material lost to the landfill. While some condensation polymers are chemically recycled, there is very little, if any, recycling of addition polymers which constitute 75% by weight of all polymers manufactured. Using our procedure, a wide variety of addition and condensation polymers can be oxidatively degraded. In the particular cases of polystyrene, high and low density polyethylene and, perhaps, polypropylene useful organics are produced in moderate to good yields.

1. "A Broad Spectrum Catalytic System for Removal of Toxic Organics from Water by Deep Oxidation Using Dioxygen as the Oxidant," Terrence Hogan, Robert Simpson, Minren Lin, and Ayusman Sen. *Catal. Lett.*, 1996, 40, 95.
2. "The Deep Oxidation of Chemical Warfare Agent Models: Facile Catalytic Oxidative Cleavage of Phosphorus-Carbon and Sulfur-Carbon Bonds using Dioxygen," Terrence Hogan, Robert Simpson, Minren Lin, and Ayusman Sen. *Catal. Lett.*, 1997, 49, 59.
3. "Chemical Recycling of Plastics to Useful Organics by Oxidative Degradation," Anne Pifer and Ayusman Sen. *Angew. Chem.*, submitted.

Planned Activities

We plan to continue our research on new systems for the oxidation of toxic organics and polymers. As described in the original proposal, the research will encompass: (a) the elucidation of the detailed mechanism of oxidation, including the identification of the active species and the nature of the bond-breaking and oxidation steps, and (b) the identification of the classes of organics and polymers that can be efficiently oxidized and thereby removed and/or recycled. The ultimate goal of the research is the design of one or more cleanup systems that would be useful from a practical standpoint. While the design of procedures for removal of organics and polymers from water would be the first priority of research, the use of similar systems for the oxidation of non-aqueous phase organics and polymers will also be investigated.