Title List of Documents Made Publicly Available

July 1-31, 1995

RECEIVED
OCT 03 1995
OSTI

U.S. Nuclear Regulatory Commission

Office of Administration

AVAILABILITY NOTICE

Availability of Reference Materials Cited in NRC Publications

Most documents cited in NRC publications will be available from one of the following sources:

1. The NRC Public Document Room, 2120 L Street, NW., Lower Level, Washington, DC 20555-0001
2. The Superintendent of Documents, U.S. Government Printing Office, P. O. Box 37082, Washington, DC 20402-9328
3. The National Technical Information Service, Springfield, VA 22161-0002

Although the listing that follows represents the majority of documents cited in NRC publications, it is not intended to be exhaustive.

Referenced documents available for inspection and copying for a fee from the NRC Public Document Room include NRC correspondence and internal NRC memoranda; NRC bulletins, circulars, information notices, inspection and investigation notices; licensee event reports; vendor reports and correspondence; Commission papers; and applicant and licensee documents and correspondence.

The following documents in the NUREG series are available for purchase from the Government Printing Office: formal NRC staff and contractor reports, NRC-sponsored conference proceedings, international agreement reports, grantee reports, and NRC booklets and brochures. Also available are regulatory guides, NRC regulations in the *Code of Federal Regulations*, and *Nuclear Regulatory Commission Issuances*.

Documents available from the National Technical Information Service include NUREG-series reports and technical reports prepared by other Federal agencies and reports prepared by the Atomic Energy Commission, forerunner agency to the Nuclear Regulatory Commission.

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions. *Federal Register* notices, Federal and State legislation, and congressional reports can usually be obtained from these libraries.

Documents such as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings are available for purchase from the organization sponsoring the publication cited.

Single copies of NRC draft reports are available free, to the extent of supply, upon written request to the Office of Administration, Distribution and Mail Services Section, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at the NRC Library, Two White Flint North, 11545 Rockville Pike, Rockville, MD 20852-2738, for use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from the American National Standards Institute, 1430 Broadway, New York, NY 10018-3308.

A year's subscription of this report consists of 12 monthly issues.

Title List of Documents Made Publicly Available

July 1-31, 1995

Date Published: September 1995

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED *WV*

MASTER

 

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

CONTENTS

Preface	v
Arrangement of Items by Docket Number	ix
Alphabetic Arrangement of Docket Items by Facility Name	xv
Docketed Items	1
Low-Level Radwaste Disposal Sites — Docket 27	1
Domestic Licensing of Source Material — Docket 40	1
Domestic Licensing of Production and Utilization Facilities — Docket 50	8
Standardized Nuclear Power Plant Design — Docket 52	133
Domestic Licensing of Special Nuclear Material — Docket 70	135
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71	141
Licensing of Independent Spent Fuel Storage — Docket 72	147
Nondocketed Items	149
10 CFR — Commission Meeting Records	149
ACNW — Advisory Committee on Nuclear Waste	149
ACRS — Advisory Committee on Reactor Safeguards	150
ADVCM — NRC Advisory Committee	150
COMMISSION — NRC Commissioners	150
CONTRACT — NRC Contracts and Modifications	153
FOIA — Freedom of Information Act Requests and Releases	155
GEN TECH IS — Generic Technical Issues	163
I&E — Inspection and Enforcement	163
MISC — Public Document Room Miscellaneous	164
NUREG — NUREG Reports and Related Correspondence	164
ORG — Correspondence with Other Organizations	167
PR — Proposed Rule	169
PRESS — Press Releases	172
PRM — Petition for Rulemaking	172
PROJ — Projects—Predocket Licensing	172
PT21 — Noncompliance Reports and Related Correspondence	173
QA999 — Quality Assurance Inspections	173
REG CERT Registry Certificate	174
REGGD — Regulatory Guides	174
REVIEW GROUP — NRC Research Review Groups	175
SECY — Position Papers Before the Commission	176
STATE PROG — State Programs	177
TOPREP — Vendor Reports and Related Correspondence	181
WASTE MGT — Nuclear Waste Management	184
XPORTLIC — Export and Import Licenses	187
Personal Author Index	191
Corporate Source Index	209
Report Number Index	225
Cross Reference of Enclosures to Principal Documents	227
Appendix A — Definitions of Docket 50 Categories	A-1
Appendix B — Definitions of Nondocketed Categories	B-1

 

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR).

Duplicate copies may be obtained for a fee. Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System, which is accessible both at the PDR and remotely. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. Insofar as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are

- A. Application/construction stage documents and correspondence
- B. Utility Preliminary Safety Analysis Reports (PSAR), amendments
- C. Utility Environmental Reports (ER), amendments, and correspondence
- D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), supplements and correspondence
- E. NRC Safety Evaluation Reports (SER), supplements and correspondence
- F. Security, medical, emergency, and fire-protection plans
- G. Legal and adjudicatory correspondence
- H. General correspondence
- I. Financial information
- J. Insurance and indemnity information
- K. Utility Final Safety Analysis Reports (FSAR) and amendments
- L. Limited work authorizations (LWA) and related correspondence
- M. Antitrust reviews and antitrust correspondence
- N. Antitrust hearing transcripts, testimony, and briefings
- O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
- P. Operating license stage documents and correspondence
- Q. Inspection reports, IE Bulletins, Circulars and Information Notices, civil penalties, and related correspondence

DOCKETED ITEMS (cont.)

R. Periodic operating reports and related correspondence	U. Congressional/executive correspondence
S. Reportable occurrences, PNOs, PNSs, and related correspondence	V. Licensing of operators and related correspondence
T. Transcripts, testimony, and briefings on non-antitrust matters	W. Decommissioning stage documents and correspondence
	X. Onsite storage of low-level waste
	Y. Independent spent fuel storage installations

Appendix A sets forth those categories and describes the materials available in each. Omission of a category in the listing for a docket indicates that no documents in

that category were filed in the time period of the report.

The principal elements of the entries in the list are

- ① P. Operating license stage documents & correspondence
- ② 8907070172 ③ Commends util for exemplary hospitality extended to visiting Soviet technical working group on 890608.
- ④ DENTON, H.R. ⑤ Office of Governmental & Public Affairs (Post 870413). ⑥ 89/06/27
- ⑦ CLARK, P.R. ⑧ General Public Utilities Corp.—GPU Service Corp. ⑨ 2 pp. ⑩ 50442:181-50442:182 ⑪ ⑫ ⑬

1. NRC/PDR Document category (see Appendix A).
 2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
 3. Description of information contained in the document.
 4. Personal author(s). An asterisk in this position indicates that there is no personal author.
 5. Author affiliation (NRC, corporate, agency, or nonindividual source).
 6. Date of document described.
 7. Recipient of the document.
 8. Recipient affiliation (NRC or corporate).
 9. Pages in this document.
 10. This five-digit number is the NRC 48X microfiche designation.
 11. The three-digit portion of this entry is the number of the frame on which this document starts.
 12. This five-digit number is the microfiche on which this document ends.
 13. The three-digit portion of this entry is the number of the frame on which this document ends.
- The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number of a formal report number, it will appear in the last line of the item following entry 5.

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number or a formal report number, it will appear in the last line of the item following entry 5.

NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:

10CFR—Commission Meeting Records
 ACRS—Advisory Committee on Reactor Safeguards
 ADVCM—NRC Advisory Committees
 COMMISSION—NRC Commissioners
 CONTRACT—NRC Contracts and Modifications
 FOIA—Freedom of Information Act Requests and Releases
 GEN TECH IS—Generic Technical Issues
 IE—Inspection and Enforcement Issuances
 MISC—Public Document Room Miscellaneous
 NUREG—NRC-Issued Formal Reports and Related Correspondence
 ORG—Organizational File
 PR—Proposed Rules
 PRM—Petitions for Rulemaking
 PROJ—Projects
 PT21—10 CFR Part 21 Deficiency Reports

QA999—Quality Assurance Inspections
 REGGD—Regulatory Guides
 RES—Research and Technical Assistance Reports
 REVIEW GRP—Research Review Groups
 RM—Rulemakings
 SECY—Staff Position Papers Before the Commission
 STATE PROG—State Programs
 TOPREP—Vendor Topical Reports and Correspondence
 WASH—AEC-Issued Formal Reports and Correspondence
 WM—Waste Management Documents
 WMRES—Waste Management Contract Documents
 XPORTLIC—Exports and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are

- ① NUREG—NRC-Issued Formal Reports and Related Correspondence

② ③ ④
 8910100307 NUREG/CR-5340 DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE
 TEST VI-2

⑤ ⑥
 OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. Oak Ridge National Laboratory.

⑦ ⑧ ⑨ ⑩ ⑪
 FIN B-0127. ORNL/TM-11105. 89/09/30. Division of Systems Research (Post 880717). 69 pp.

⑫ ⑬ ⑭ ⑮
 51409:065-51409:134.

1. Nondocket category.
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).

NONDOCKETED ITEMS (cont.)

3. NRC Report Number.
4. Title and description of information contained in the document.
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or other nonindividual source.
7. Contract or financial identification number (FIN), if any.
8. Secondary report number, if any.
9. Date of document described.
10. NRC organizational recipient (or sponsor).
11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
14. This five-digit number is the microfiche on which this document ends.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

NOTES:

1. The address for GPO is

Superintendent of Documents
U.S. Government Printing Office
P.O. Box 37082
Washington, DC 20013-7082

To place orders, send check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202-512-2249.

2. The address for NTIS is

National Technical Information Service
5285 Port Royal Road
Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 487-4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is

2120 L Street, NW.
Washington, DC 20555

The mailing address is

U.S. Nuclear Regulatory Commission
Public Document Room
Mail Stop LL-6
Washington, DC 20555

Telefacsimile

202/634-3343

Telephone

202/634-3273

To place orders for documents or to arrange for training on the computer system, write, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, are obtainable from the PDR.

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page	Docket	Name	Page
Low Level Radwaste Disposal Sites - Docket 27			40-7708	UNION CARBIDE CORP., NEW YORK, NY	3
27-047	COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	1	40-8027	SEQUOYAH FUELS CORP., GORE, OK	3
27-048	LOUISVILLE, KY, U.S. ECOLOGY, INC.	1	40-8084	RIO ALGOM MINING CORP., MOAB, UT	4
DOCKET	UNKNOWN	1	40-8102	EXXON CORP., HOUSTON, TX	4
Domestic Licensing of Source Material - Docket 40			40-8452	BEAR CREEK URANIUM CO., CASPER, WY	4
40-0185	G.T.E. PRODUCTS CORP., TOWANDA, PA	1	40-8502	TOTAL MINERALS CORP., CASPER, WY	4
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	1	40-8584	KENNECOTT URANIUM CO., RAWLINS, WY	4
40-0341	GENERAL SERVICES ADMIN., WASHINGTON, DC	1	40-8681	UMETCO MINERALS CORP., BLANDING, UT	4
40-0534	GENERAL ELECTRIC CO., CLEVELAND, OH	1	40-8688	PLATEAU RESOURCES, LTD., LAKE POWELL, UT	5
40-0645	CLEVITE CORP. CLEVELAND	1	40-8724	CHEMETRON CORP., PROVIDENCE, RI	5
40-0659	GENERAL ELECTRIC CO., CINCINNATI, OH	1	40-8778	MOLYCORP, INC., LOS ANGELES, CA	5
40-0672	NUCLEAR METALS, INC., CONCORD, MA	1	40-8794	MOLYCORP, INC., LOS ANGELES, CA	5
40-0681	HORIZONS INC. CLEVELAND	2	40-8805	OERAC, INC., MILWAUKEE, WI	5
40-1152	WESTERN NUCLEAR, INC., LAKEWOOD, CO	2	40-8833	MANLABS, INC., CAMBRIDGE, MA	5
40-1341	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	2	40-8852	FERRUMATIC, INC., TOTOWA, NJ	5
40-1389	CLEVITE CORP. CLEVELAND	2	40-8857	POWER RESOURCES, INC., GLENROCK, WY	5
40-1650	WYMAN-GORDON CO., NORTH GRAFTON, MA	2	40-8866	NUCLEAR METALS, INC., CONCORD, MA	6
40-2253	ARMY, DEPT. OF, WATERTOWN, MA	2	40-8902	ATLANTIC RICHFIELD CO., GRANTS, NM	6
40-2377	KAISER ALUMINUM SPECIALTY PRODUCTS	2	40-8903	HOMESTAKE MINING CO., GRANTS, NM	6
40-2384	PMI CO., ASHTABULA, OH	2	40-8904	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	6
40-3392	ALLIED-SIGNAL, INC., METROPOLIS, IL	2	40-8905	QUIVIRA MINING CO., GRANTS, NM	6
40-3453	ATLAS CORP., DENVER, CO	2	40-8907	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	6
40-4492	AMERICAN NUCLEAR CORP., CASPER, WY	2	40-8938	BUTKIN PRECISION MANUFACTURING, INC., MILFORD, CN	7
40-6500	ENERGY, DEPT. OF, CANONSBURG, PA	3	40-8943	FERRIET EXPLORATION CO. OF NEBRASKA, DENVER, CO	7
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	3	40-8948	SHIELDALLOY CORP., NEWFIELD, NJ	7
40-6659	PETROTONICS CO., SHIRLEY BASIN, WY	3	40-8968	HYDRO RESOURCES, INC., DALLAS, TX	7
40-6840	CABOT CORP., BOYERTOWN, PA	3	40-8871	U.S. ENERGY CORP., RIVERTON, WY	7
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	3	40-8881	PATHFINDER MINES CORP., MILLS, WY	7
40-7354	ARMY, DEPT. OF, ABERDEEN, MD	3	40-8889	ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	7
40-7397	FOOTE MINERAL CO., EXTON, PA	3	40-9022	HARTLEY & HARTLEY LANDFILL	8
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	3	40-9024	ENERGY FUELS NUCLEAR	8
40-7604	BP CHEMICALS AMERICA, INC., LIMA, OH	3	40-9027	CABOT CORP. READING & REVERE	8
			Domestic Licensing of Production and Utilization Facilities - Docket 50		
			50-3	INDIAN POINT STATION, UNIT 1	8
			50-5	PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	8

Docket	Name	Page	Docket	Name	Page
50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	8	50-226	AEROTEST RADIOGRAPHY & RESEARCH REACTOR	16
50-16	ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	9	50-236	LOCKHEED AIRCRAFT CORP.	16
50-18	VALLECITOS BOILING WATER REACTOR	9	50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	16
50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	9	50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	18
50-29	YANKEE-ROWE NUCLEAR POWER STATION	9	50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	18
50-54	CINTICHEM	9	50-247	INDIAN POINT STATION, UNIT 2	20
50-62	UNIV. OF VIRGINIA RESEARCH REACTOR	9	50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	21
50-70	GENERAL ELECTRIC NUCLEAR TEST REACTOR	9	50-250	TURKEY POINT PLANT, UNIT 3	22
50-72	UNIV. OF UTAH RESEARCH REACTOR	9	50-251	TURKEY POINT PLANT, UNIT 4	23
50-73	GENERAL ELECTRIC NUCLEAR TEST REACTOR	10	50-254	QUAD-CITIES STATION, UNIT 1	24
50-77	CATHOLIC UNIV. OF AMERICA RESEARCH REACTOR	10	50-255	PALISADES NUCLEAR PLANT	25
50-83	UNIV. OF FLORIDA TRAINING REACTOR	10	50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	26
50-89	GENERAL ATOMICS	10	50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	27
50-113	UNIV. OF ARIZONA RESEARCH REACTOR	10	50-261	H.B. ROBINSON PLANT, UNIT 2	29
50-116	IOWA STATE UNIV. RESEARCH REACTOR	10	50-263	MONTICELLO NUCLEAR GENERATING PLANT	30
50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	10	50-265	QUAD-CITIES STATION, UNIT 2	31
50-139	UNIV. OF WASHINGTON RESEARCH REACTOR	10	50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	32
50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	10	50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	33
50-150	OHIO STATE UNIV. RESEARCH REACTOR	11	50-269	OCONEE NUCLEAR STATION, UNIT 1	33
50-151	UNIV. OF ILLINOIS RESEARCH REACTOR	11	50-270	OCONEE NUCLEAR STATION, UNIT 2	34
50-155	BIG ROCK POINT NUCLEAR PLANT	11	50-271	VERMONT YANKEE NUCLEAR POWER STATION	35
50-156	UNIV. OF WISCONSIN RESEARCH REACTOR	12	50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	36
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	12	50-274	U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	38
50-163	GENERAL ATOMICS	13	50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	38
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	13	50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	38
50-183	VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR	13	50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	40
50-188	KANSAS STATE UNIV. RESEARCH REACTOR	13	50-280	SURRY POWER STATION, UNIT 1	42
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	13	50-281	SURRY POWER STATION, UNIT 2	43
50-213	HADDAM NECK PLANT	13	50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	43
50-219	OYSTER CREEK NUCLEAR POWER PLANT	14	50-284	IDAHO STATE UNIV. RESEARCH REACTOR	45
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	16	50-285	FORT CALHOUN STATION, UNIT 1	45
			50-286	INDIAN POINT STATION, UNIT 3	46
			50-287	OCONEE NUCLEAR STATION, UNIT 3	48
			50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50

Docket	Name	Page	Docket	Name	Page
50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	50	50-339	NORTH ANNA POWER STATION, UNIT 2	79
50-295	ZION NUCLEAR POWER STATION, UNIT 1	51	50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	80
50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	52	50-344	TROJAN NUCLEAR PLANT	81
50-298	COOPER NUCLEAR STATION	54	50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	81
50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	55	50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	81
50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	56	50-352	LIMERICK GENERATING STATION, UNIT 1	82
50-304	ZION NUCLEAR POWER STATION, UNIT 2	57	50-353	LIMERICK GENERATING STATION, UNIT 2	83
50-305	KEWAUNEE NUCLEAR POWER PLANT	58	50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	85
50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	58	50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	86
50-309	MAINE YANKEE ATOMIC POWER PLANT	59	50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	87
50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	60	50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	89
50-312	RANCHO SECO NUCLEAR GENERATING STATION	61	50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	90
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	62	50-368	ARKANSAS NUCLEAR ONE, UNIT 2	91
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	62	50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	92
50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	64	50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	93
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	65	50-373	LASALLE COUNTY STATION, UNIT 1	94
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	65	50-374	LASALLE COUNTY STATION, UNIT 2	95
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	66	50-382	WATERFORD GENERATING STATION, UNIT 3	95
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	66	50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	97
50-322	SHOREHAM NUCLEAR POWER STATION	67	50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	97
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	68	50-389	ST. LUCIE PLANT, UNIT 2	98
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	69	50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	99
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	69	50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	101
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	70	50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	103
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	71	50-397	WPPSS NUCLEAR PROJECT, UNIT 2	104
50-329	MIDLAND PLANT, UNIT 1	72	50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	105
50-330	MIDLAND PLANT, UNIT 2	72	50-407	UNIV. OF UTAH RESEARCH REACTOR	106
50-331	DUANE ARNOLD ENERGY CENTER	72	50-409	LA CROSSE BOILING WATER REACTOR	106
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	73	50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	106
50-334	BEAVER VALLEY POWER STATION, UNIT 1	75	50-412	BEAVER VALLEY POWER STATION, UNIT 2	107
50-335	ST. LUCIE PLANT, UNIT 1	76	50-413	CATAWBA NUCLEAR STATION, UNIT 1	107
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	77	50-414	CATAWBA NUCLEAR STATION, UNIT 2	109
50-338	NORTH ANNA POWER STATION, UNIT 1	78	50-416	GRAND GULF NUCLEAR STATION, UNIT 1	110

Docket	Name	Page	Docket	Name	Page
50-417	GRAND GULF NUCLEAR STATION, UNIT 2	111	52-003	AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	133
50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	111	52-004	GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	135
50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	112	DOCKET	UNKNOWN	135
50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	113	Domestic Licensing of Special Nuclear Material - Docket 70		
STN-50-437	FLOATING NUCLEAR PLANT	115	70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	135
50-438	BELLEfonte NUCLEAR PLANT, UNIT 1	115	70-0036	COMBUSTION ENGINEERING, INC., HEMATITE, MO	136
50-439	BELLEfonte NUCLEAR PLANT, UNIT 2	115	70-0113	PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA	136
50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	115	70-0133	CLEVITE CORP., CLEVELAND, OH	136
50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	116	70-0135	BABCOCK & WILCOX CO., APOLLO, PA	136
50-443	SEABROOK NUCLEAR STATION, UNIT 1	116	70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	136
50-444	SEABROOK NUCLEAR STATION, UNIT 2	117	70-0354	BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	137
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	117	70-0687	CINTICHEM, INC., TUXEDO, NY	137
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	118	70-0734	GENERAL ATOMICS, SAN DIEGO, CA	137
STN-50-454	BYRON STATION, UNIT 1	118	70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	137
STN-50-455	BYRON STATION, UNIT 2	119	70-0882	COLUMBIA UNIV., NEW YORK, NY	137
STN-50-456	BRAIDWOOD STATION, UNIT 1	120	70-0825	CIMARRON CORP., OKLAHOMA CITY, OK	137
STN-50-457	BRAIDWOOD STATION, UNIT 2	121	70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	137
50-458	RIVER BEND STATION, UNIT 1	122	70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	138
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	123	70-1151	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	138
50-461	CLINTON POWER STATION, UNIT 1	123	70-1201	B&W FUEL CO., LYNCHBURG, VA	138
STN-50-482	WOLF CREEK GENERATING STATION	124	70-1252	EDLOW INTERNATIONAL CO., WASHINGTON, DC	139
STN-50-483	CALLAWAY PLANT, UNIT 1	125	70-1257	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	139
STN-50-496	SOUTH TEXAS PROJECT, UNIT 1	126	70-1426	TRANSNUCLEAR, INC., FALLS CHURCH, VA	139
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	128	70-2872	RS HOLDING, INC., CLEVELAND, OH	139
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	129	70-2910	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	139
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	129	70-3020	NUCLEAR ASSURANCE CORP., NORCROSS, GA	139
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	131	70-3070	LOUISIANA ENERGY SERVICES, WASHINGTON, DC	139
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	132	70-3074	COLUMBIA UNIV., NEW YORK, NY	140
50-537	CLINCH RIVER BREEDER REACTOR	133	70-3087	SCIENTIFIC ECOLOGY GROUP, OAK RIDGE, TN	140
52-001	GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	133	70-7001	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	140
52-002	SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.	133	70-7002	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION)	140

Docket	Name	Page	Docket	Name	Page
DOCKET	UNKNOWN	141	71-0682	T&K INSPECTION	143
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71			71-0701	NDT SPECIALISTS, INC.	143
71-0016	NORTHWEST AIRLINES, INC.	141	71-0703	NORDION INTERNATIONAL, INC.	143
71-0083	HUNTINGTON TESTING	141	71-0706	S.K. MCBRYDE, INC.	143
71-0087	NONDESTRUCTIVE INSPECTION SERVICE	141	71-0721	QUALITY SYSTEMS NDE, LTD.	143
71-0103	TWIN CITY TESTING CORP.	141	71-0723	BASIN SERVICES, INC.	143
71-0111	MATERIAL TESTING LABORATORY OF VIRGINIA, INC.	141	71-0738	VERMONT NONDESTRUCTIVE TESTING, INC.	143
71-0119	INGERSOLL-RAND CO.	141	71-0749	CURTIS INSPECTION SERVICES, INC.	143
71-0135	BABCOCK & WILCOX CO.	141	71-0770	RUST REMEDIAL SERVICES	143
71-0149	MIDWEST INSPECTION SERVICE	141	71-0780	WESTERN INDUSTRIAL X-RAY	143
71-0157	FROEHLING & ROBERTSON, INC.	141	71-0783	NORTHWEST INSPECTION & TESTING SERVICES	143
71-0158	X-R-I TESTING OF MICHIGAN	141	71-0787	LAFAYETTE TESTING SERVICES	143
71-0172	EMPIRE STEEL CASTINGS, INC.	141	71-0817	MESCALERO ENVIRO, INC.	144
71-0185	FBF, INC.	141	71-0819	FAIRFIELD UNIVERSITY	144
71-0252	DAYTON X-RAY CO.	142	71-0821	PENSACOLA TESTING LABS, INC.	144
71-0260	ASTROTECH, INC.	142	71-3027	MODEL: NT-IV TRANSPORTATION, DEPT. OF	144
71-0319	GENERAL TESTING & INSPECTION CO.	142	71-4986	MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	144
71-0328	INDUSTRIAL NDT SERVICES DIV. (INDUSTRIAL HEAT TREATING)	142	71-5857	MODEL: BM-1, CINTICHEM, INC.	144
71-0346	PUBLIC SERVICE CO. OF COLORADO	142	71-8553	MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	144
71-0352	NILES STEEL TANK CO.	142	71-8717	MODEL: 6717-B, AMERSHAM CORP.	144
71-0378	WISCONSIN ELECTRIC POWER CO.	142	71-8001	MODEL: IF-300, NUCLEAR PACKAGING, INC.	144
71-0401	RELIANCE TESTING CO.	142	71-9006	MODEL: AI 500 SL, AMERSHAM CORP.	144
71-0431	TRUTOM (U.S.), LTD.	142	71-9007	MODEL: AI 520, AMERSHAM CORP.	144
71-0461	ATLANTIC RESEARCH CORP.	142	71-9029	MODEL: 676 & 676E, AMERSHAM CORP.	144
71-0495	SOUTHWEST X-RAY CORP.	142	71-9032	MODEL: 650, AMERSHAM CORP.	144
71-0524	RADIATION STERILIZERS, INC.	142	71-9033	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	145
71-0532	WESTERN X-RAY	142	71-9035	MODEL: 680 & 680E, AMERSHAM CORP.	145
71-0539	ARROW NDE CO., INC.	142	71-9036	MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	145
71-0552	OLD DOMINION FABRICATORS	142	71-9038	MODEL: 715, AMERSHAM CORP.	145
71-0578	SENIOR ENGINEERING CO.	142	71-9056	MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	145
71-0583	MINNESOTA VALLEY ENGINEERING, INC.	142	71-9107	MODEL: 771, AMERSHAM CORP.	145
71-0600	SHAFFER VALVE CO.	142	71-9126	MODEL: 20, 20A, 50, & 50A, AMERSHAM CORP.	145
71-0601	CARRIER CORP.	142	71-9127	MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.	145
71-0615	ALONSO & CARUS IRON WORKS, INC.	142	71-9141	MODEL: 900, AMERSHAM CORP.	146
71-0637	WESTERN STRESS, INC.	143	71-9143	MODEL: 920, AMERSHAM CORP.	146
71-0642	RTS TECHNOLOGY, INC.	143	71-9147	MODEL: 880, AMERSHAM CORP.	146
71-0644	PACIFIC COAST TESTING SERVICE, INC.	143	71-9150	MODEL: PAT-2, ENERGY, DEPT. OF	146
71-0656	PROFESSIONAL WELDING ASSOCIATES, INC.	143			
71-0658	TRI STATE ASSOCIATES, INC.	143			
71-0678	PACTEC, INC.	143			

Docket	Name	Page	Docket	Name	Page
71-9156	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	146	72-0005	ISFSI POINT BEACH GEN LIC/VSC-24, 50-286 & 50-301	147
71-9157	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	146	72-0007	ISFSI PALISADES GEN LIC/VSC-24, 50-255	147
71-9176	MODEL: NUPAC 14/210H & L, ET AL, NUPAC SERVICES, INC.	146	72-0008	CALVERT CLIFFS ISFSI, 50-317 & 50-318	147
71-9228	MODEL: 2000, GENERAL ELECTRIC CO.	146	72-0009	FORT ST. VRAIN ISFSI, 50-267	147
71-9234	MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	146	72-0010	PRAIRIE ISLAND ISFSI, 50-282 & 50-306	148
71-9245	MODEL: RTS-420, RTS TECHNOLOGY, INC.	146	72-0011	RANCHO SECO ISFSI, 50-312	148
71-9248	MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	146	72-0014	ISFSI DAVIS BESSE GEN LIC/NUHOMS, 50-346	148
71-9251	MODEL: BW-2801, B&W FUEL CO.	146	72-0015	ISFSI OYSTER CREEK GEN LIC/NUHOMS, 50-219	148
71-9259	MODEL: TROJAN STEAM GENERATOR, PORTLAND GENERAL	146	72-0016	VEPCO - NORTH ANNA ISFSI - 50-338 & 50-339	148
71-9260	MODEL: TROJAN PRESSURIZER, PORTLAND GENERAL ELECTRIC	146	72-0018	PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306	148
71-9261	MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	147	72-1002	MODEL: NAC S/T, NUCLEAR ASSURANCE CORP.	148
71-9263	MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	147	72-1004	MODEL: STANDARDIZED NUHOMS SYSTEM	148
Licensing of Independent Spent Fuel Storage - Docket 72			72-1007	MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	148
72-0001	GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308	147	72-1008	MODEL: HI-STAR SYSTEM, HOLTEC INTERNATIONAL	148
72-0004	OCONEE ISFSI, 50-268, 50-270 & 50-287	147	72-1009	DOE-MPC-21P FOR PWR FUEL, APPL. FOR CERT OF COMPLIANCE	148
			72-1012	DOE-MPC-24B FOR BWR FUEL	148

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page	Name	Docket	Page
Low Level Radwaste Disposal Sites - Docket 27			MANLABS, INC., CAMBRIDGE, MA	40-8833	5
COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	27-047	1	MOLYCORP, INC., LOS ANGELES, CA	40-8794	5
LOUISVILLE, KY, U.S. ECOLOGY, INC.	27-048	1	MOLYCORP, INC., LOS ANGELES, CA	40-8778	5
Domestic Licensing of Source Material - Docket 40			NUCLEAR METALS, INC., CONCORD, MA	40-8866	6
ALLIED-SIGNAL, INC., METROPOLIS, IL	40-3392	2	NUCLEAR METALS, INC., CONCORD, MA	40-0672	1
AMERICAN NUCLEAR CORP., CASPER, WY	40-4492	2	PATHFINDER MINES CORP., MILLS, WY	40-8981	7
ARMY, DEPT. OF, ABERDEEN, MD	40-7354	3	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	3
ARMY, DEPT. OF, WATERTOWN, MA	40-2253	2	PETROTOMICS CO., SHIRLEY BASIN, WY	40-6659	3
ATLANTIC RICHFIELD CO., GRANTS, NM	40-8902	6	PLATEAU RESOURCES, LTD., LAKE POWELL, UT	40-8698	5
ATLAS CORP., DENVER, CO	40-3453	2	POWER RESOURCES, INC., GLENROCK, WY	40-8857	5
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	4	QUIVIRA MINING CO., GRANTS, NM	40-8905	6
BP CHEMICALS AMERICA, INC., LIMA, OH	40-7604	3	RIO ALGOM MINING CORP., MOAB, UT	40-8084	4
BUTKIN PRECISION MANUFACTURING, INC., MILFORD, CN	40-8936	7	RMI CO., ASHTABULA, OH	40-2384	2
CABOT CORP. READING & REVERE	40-9027	8	SEQUOYAH FUELS CORP., GORE, OK	40-8027	3
CABOT CORP., BOYERTOWN, PA	40-6940	3	SHIELDALLOY CORP., NEWFIELD, NJ	40-8948	7
CERAC, INC., MILWAUKEE, WI	40-8805	5	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	3
CHEMETRON CORP., PROVIDENCE, RI	40-8724	5	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	40-8904	6
CLEVITE CORP. CLEVELAND	40-0645	1	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	40-1341	2
CLEVITE CORP. CLEVELAND	40-1389	2	TOTAL MINERALS CORP., CASPER, WY	40-8502	4
ENERGY FUELS NUCLEAR	40-9024	8	U.S. ENERGY CORP., RIVERTON, WY	40-8971	7
ENERGY, DEPT. OF, CANONSBURG, PA	40-8500	3	UMETCO MINERALS CORP., BLANDING, UT	40-8681	4
ENVIROCORE OF UTAH, INC., SALT LAKE CITY, UT	40-8989	7	UMETCO MINERALS CORP., RIVERTON, WY	40-0299	1
EXXON CORP., HOUSTON, TX	40-8102	4	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	40-8907	6
FANSTEEL, INC., NORTH CHICAGO, IL	40-7560	3	UNION CARBIDE CORP., NEW YORK, NY	40-7708	3
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	7	WESTERN NUCLEAR, INC., LAKEWOOD, CO	40-1162	2
FERRULMATIC, INC., TOTOWA, NJ	40-8852	5	WYMAN-GORDON CO., NORTH GRAFTON, MA	40-1650	2
FOOTE MINERAL CO., EXTON, PA	40-7397	3	Domestic Licensing of Production and Utilization Facilities - Docket 50		
G.T.E. PRODUCTS CORP., TOWANDA, PA	40-0185	1	AEROTEST RADIOGRAPHY & RESEARCH REACTOR	50-228	16
GENERAL ELECTRIC CO., CINCINNATI, OH	40-0659	1	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	112
GENERAL ELECTRIC CO., CLEVELAND, OH	40-0534	1	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	113
GENERAL SERVICES ADMIN., WASHINGTON, DC	40-0341	1	ARKANSAS NUCLEAR ONE, UNIT 1	50-313	62
HARTLEY & HARTLEY LANDFILL	40-9022	8	ARKANSAS NUCLEAR ONE, UNIT 2	50-366	91
HOMESTAKE MINING CO., GRANTS, NM	40-8903	6	BEAVER VALLEY POWER STATION, UNIT 1	50-334	75
HORIZONS INC. CEVELAND	40-0861	2	BEAVER VALLEY POWER STATION, UNIT 2	50-412	107
HYDRO RESOURCES, INC., DALLAS, TX	40-8968	7	BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	115
KAISER ALUMINUM SPECIALTY PRODUCTS	40-2377	2	BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	115
KENNECOTT URANIUM CO., RAWLINS, WY	40-6584	4			

Name	Docket	Page	Name	Docket	Page
BIG ROCK POINT NUCLEAR PLANT	50-155	11	ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	50-16	8
BRAIDWOOD STATION, UNIT 1	STN-50-456	120	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	80
BRAIDWOOD STATION, UNIT 2	STN-50-457	121	FLOATING NUCLEAR PLANT	STN-50-437	115
BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	26	FORT CALHOUN STATION, UNIT 1	50-285	45
BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	27	FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	33
BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-266	52	GENERAL ATOMICS	50-163	13
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	69	GENERAL ATOMICS	50-89	10
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	69	GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-70	8
BYRON STATION, UNIT 1	STN-50-454	118	GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-73	10
BYRON STATION, UNIT 2	STN-50-455	119	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	12
CALLAWAY PLANT, UNIT 1	STN-50-483	125	GRAND GULF NUCLEAR STATION, UNIT 1	50-418	110
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	65	GRAND GULF NUCLEAR STATION, UNIT 2	50-417	111
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-316	65	H.B. ROBINSON PLANT, UNIT 2	50-261	28
CATAWBA NUCLEAR STATION, UNIT 1	50-413	107	HADDAM NECK PLANT	50-213	13
CATAWBA NUCLEAR STATION, UNIT 2	50-414	109	HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	85
CATHOLIC UNIV. OF AMERICA RESEARCH REACTOR	50-77	10	HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	10
CINTICHEM	50-54	9	IDAHO STATE UNIV. RESEARCH REACTOR	50-284	45
CLINCH RIVER BREEDER REACTOR	50-537	133	INDIAN POINT STATION, UNIT 1	50-3	8
CLINTON POWER STATION, UNIT 1	50-461	123	INDIAN POINT STATION, UNIT 2	50-247	20
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	117	INDIAN POINT STATION, UNIT 3	50-286	46
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	118	IOWA STATE UNIV. RESEARCH REACTOR	50-116	10
COOPER NUCLEAR STATION	50-298	54	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	73
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	56	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	81
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	81	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	59
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	38	KANSAS STATE UNIV. RESEARCH REACTOR	50-188	13
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	68	KEWAUNEE NUCLEAR POWER PLANT	50-305	58
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	62	LA CROSSE BOILING WATER REACTOR	50-409	106
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	64	LASALLE COUNTY STATION, UNIT 1	50-373	94
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	8	LASALLE COUNTY STATION, UNIT 2	50-374	95
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	16	LIMERICK GENERATING STATION, UNIT 1	50-352	62
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	21	LIMERICK GENERATING STATION, UNIT 2	50-353	83
DUANE ARNOLD ENERGY CENTER	50-331	72	LOCKHEED AIRCRAFT CORP.	50-236	16
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	66	MAINE YANKEE ATOMIC POWER PLANT	50-309	59
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	80	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	9
			MIDLAND PLANT, UNIT 1	50-329	72
			MIDLAND PLANT, UNIT 2	50-330	72
			MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	18

Name	Docket	Page	Name	Docket	Page
MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	77	SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	86
MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	111	SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	87
MONTICELLO NUCLEAR GENERATING PLANT	50-263	30	SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	10
NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	15	SEABROOK NUCLEAR STATION, UNIT 1	50-443	116
NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	106	SEABROOK NUCLEAR STATION, UNIT 2	50-444	117
NORTH ANNA POWER STATION, UNIT 1	50-338	78	SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	70
NORTH ANNA POWER STATION, UNIT 2	50-339	79	SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	71
OCONEE NUCLEAR STATION, UNIT 1	50-269	33	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	105
OCONEE NUCLEAR STATION, UNIT 2	50-270	34	SHOREHAM NUCLEAR POWER STATION	50-322	67
OCONEE NUCLEAR STATION, UNIT 3	50-287	48	SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	126
OHIO STATE UNIV. RESEARCH REACTOR	50-150	11	SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	128
OYSTER CREEK NUCLEAR POWER PLANT	50-219	14	ST. LUCIE PLANT, UNIT 1	50-335	76
PAUISADES NUCLEAR PLANT	50-255	25	ST. LUCIE PLANT, UNIT 2	50-389	96
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	129	SURRY POWER STATION, UNIT 1	50-280	42
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	131	SURRY POWER STATION, UNIT 2	50-281	43
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	132	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	97
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	13	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	97
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	38	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	50
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	40	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	66
PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	50-5	8	TROJAN NUCLEAR PLANT	50-344	81
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	115	TURKEY POINT PLANT, UNIT 3	50-250	22
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	116	TURKEY POINT PLANT, UNIT 4	50-251	23
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	50	U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	50-274	38
POINT BEACH NUCLEAR PLANT, UNIT 1	50-286	32	UNIV. OF ARIZONA RESEARCH REACTOR	50-113	10
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	56	UNIV. OF FLORIDA TRAINING REACTOR	50-83	10
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	43	UNIV. OF ILLINOIS RESEARCH REACTOR	50-151	11
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	58	UNIV. OF UTAH RESEARCH REACTOR	50-407	106
QUAD-CITIES STATION, UNIT 1	50-254	24	UNIV. OF UTAH RESEARCH REACTOR	50-72	9
QUAD-CITIES STATION, UNIT 2	50-265	31	UNIV. OF VIRGINIA RESEARCH REACTOR	50-62	9
RANCHO SECO NUCLEAR GENERATING STATION	50-312	61	UNIV. OF WASHINGTON RESEARCH REACTOR	50-139	10
RIVER BEND STATION, UNIT 1	50-458	122	UNIV. OF WISCONSIN RESEARCH REACTOR	50-156	12
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	18	VALLECITOS BOILING WATER REACTOR	50-18	9
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	38	VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR	50-183	13
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	60	VERMONT YANKEE NUCLEAR POWER STATION	50-271	35
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-208	13	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	103
			WATERFORD GENERATING STATION, UNIT 3	50-362	95
			WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	99

Name	Docket	Page	Name	Docket	Page
WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	101	SCIENTIFIC ECOLOGY GROUP, OAK RIDGE, TN	70-3087	140
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	92	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	70-1257	139
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	93	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	70-2910	139
WOLF CREEK GENERATING STATION	STN-50-482	124	TRANSNUCLEAR, INC., FALLS CHURCH, VA	70-1426	139
WPPSS NUCLEAR PROJECT, UNIT 1	50-480	123	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	70-7001	140
WPPSS NUCLEAR PROJECT, UNIT 2	50-397	104	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION)	70-7002	140
WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	129	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1151	138
YANKEE-ROWE NUCLEAR POWER STATION	50-29	9	Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
ZION NUCLEAR POWER STATION, UNIT 1	50-295	51	ALONSO & CARUS IRON WORKS, INC.	71-0615	142
ZION NUCLEAR POWER STATION, UNIT 2	50-304	57	ARROW NDE CO., INC.	71-0539	142
AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	52-003	133	ASTROTECH, INC.	71-0260	142
GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	52-001	133	ATLANTIC RESEARCH CORP.	71-0461	142
GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	52-004	135	BABCOCK & WILCOX CO.	71-0135	141
SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	52-002	133	BASIN SERVICES, INC.	71-0723	143
Domestic Licensing of Special Nuclear Material - Docket 70			CARRIER CORP.	71-0601	142
B&W FUEL CO., LYNCHBURG, VA	70-1201	138	CURTIS INSPECTION SERVICES, INC.	71-0749	143
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	135	DAYTON X-RAY CO.	71-0252	142
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	135	EMPIRE STEEL CASTINGS, INC.	71-0172	141
BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	70-0364	137	FAIRFIELD UNIVERSITY	71-0619	144
CIMARRON CORP., OKLAHOMA CITY, OK	70-0925	137	FBF, INC.	71-0185	141
CINTICHEM, INC., TUXEDO, NY	70-0667	137	FROEHLING & ROBERTSON, INC.	71-0157	141
CLEVITE CORP., CLEVELAND, OH	70-0133	136	GENERAL TESTING & INSPECTION CO.	71-0319	142
COLUMBIA UNIV., NEW YORK, NY	70-0682	137	HUNTINGTON TESTING	71-0093	141
COLUMBIA UNIV., NEW YORK, NY	70-3074	140	INDUSTRIAL NDT SERVICES DIV. (INDUSTRIAL HEAT TREATING)	71-0326	142
COMBUSTION ENGINEERING, INC., HEMATITE, MO	70-0036	136	INGERSOLL-RAND CO.	71-0119	141
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	137	LAFAYETTE TESTING SERVICES	71-0787	143
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-1252	139	MATERIAL TESTING LABORATORY OF VIRGINIA, INC.	71-0111	141
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	137	MESCALERO ENVIRO, INC.	71-0817	144
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	137	MIDWEST INSPECTION SERVICE	71-0149	141
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	138	MINNESOTA VALLEY ENGINEERING, INC.	71-0583	142
LOUISIANA ENERGY SERVICES, WASHINGTON, DC	70-3070	139	MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.	71-9127	145
NUCLEAR ASSURANCE CORP., NORCROSS, GA	70-3020	139	MODEL: 20, 20A, 50, & 50A, AMERSHAM CORP.	71-9126	145
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	136	MODEL: 2000, GENERAL ELECTRIC CO.	71-9228	146
PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA	70-0113	136	MODEL: 650, AMERSHAM CORP.	71-9032	144
RS HOLDING, INC., CLEVELAND, OH	70-2872	139	MODEL: 860, 860A, 860AE, 860B, 860BE, 860E, AMERSHAM	71-9033	145
			MODEL: 6717-B, AMERSHAM CORP.	71-8717	144

Name	Docket	Page	Name	Docket	Page
MODEL: 676 & 676E, AMERSHAM CORP.	71-9029	144	PENSACOLA TESTING LABS, INC.	71-0821	144
MODEL: 680 & 680E, AMERSHAM CORP.	71-9035	145	PROFESSIONAL WELDING ASSOCIATES, INC.	71-0656	143
MODEL: 715, AMERSHAM CORP.	71-8039	145	PUBLIC SERVICE CO. OF COLORADO	71-0346	142
MODEL: 771, AMERSHAM CORP.	71-9107	145	QUALITY SYSTEMS NDE, LTD.	71-0721	143
MODEL: 850, AMERSHAM CORP.	71-9147	146	RADIATION STERILIZERS, INC.	71-0524	142
MODEL: 900, AMERSHAM CORP.	71-9141	146	RELIANCE TESTING CO.	71-0401	142
MODEL: 920, AMERSHAM CORP.	71-9143	146	RTS TECHNOLOGY, INC.	71-0642	143
MODEL: AI 500 SU, AMERSHAM CORP.	71-9006	144	RUST REMEDIAL SERVICES	71-0770	143
MODEL: AI 520, AMERSHAM CORP.	71-9007	144	S.K. MCBRYDE, INC.	71-0706	143
MODEL: BMI-1, CINTICHEM, INC.	71-5957	144	SENIOR ENGINEERING CO.	71-0578	142
MODEL: BW-2901, B&W FUEL CO.	71-9251	146	SHAVER VALVE CO.	71-0800	142
MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	71-9036	145	SOUTHWEST X-RAY CORP.	71-0495	142
MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	71-9261	147	T&K INSPECTION	71-0692	143
MODEL: IF-300, NUCLEAR PACKAGING, INC.	71-9001	144	TRI STATE ASSOCIATES, INC.	71-0669	143
MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	71-9157	146	TRUTOM (U.S.), LTD.	71-0431	142
MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	71-9156	146	TWIN CITY TESTING CORP.	71-0103	141
MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	71-9234	146	VERMONT NONDESTRUCTIVE TESTING, INC.	71-0738	143
MODEL: NT-IV TRANSPORTATION, DEPT. OF	71-9027	144	WESTERN INDUSTRIAL X-RAY	71-0780	143
MODEL: NUPAC 14/210H & L, ET AL, NUPAC SERVICES, INC.	71-9176	146	WESTERN STRESS, INC.	71-0637	143
MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	71-6553	144	WESTERN X-RAY	71-0532	142
MODEL: PAT-2, ENERGY, DEPT. OF	71-9150	146	WISCONSIN ELECTRIC POWER CO.	71-0378	142
MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	71-4986	144	X-R-I TESTING OF MICHIGAN	71-0158	141
MODEL: RTS-420, RTS TECHNOLOGY, INC.	71-9245	146	Licensing of Independent Spent Fuel Storage - Docket 72		
MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	71-9248	146	CALVERT CLIFFS ISFSI, 50-317 & 50-318	72-0008	147
MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	71-9056	145	DOE-MPC-21P FOR PWR FUEL, APPL FOR CERT OF COMPLIANCE	72-1009	148
MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	71-9263	147	DOE-MPC-24B FOR BWR FUEL	72-1012	148
MODEL: TROJAN PRESSURIZER, PORTLAND GENERAL ELECTRIC	71-9260	146	FORT ST. VRAIN ISFSI, 50-267	72-0009	147
MODEL: TROJAN STEAM GENERATOR, PORTLAND GENERAL	71-9259	146	GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308	72-0001	147
NDT SPECIALISTS, INC.	71-0701	143	ISFSI DAVIS BESSE GEN LIC/NUHOMS, 50-346	72-0014	148
NILES STEEL TANK CO.	71-0352	142	ISFSI OYSTER CREEK GEN LIC/NUHOMS, 50-219	72-0015	148
NONDESTRUCTIVE INSPECTION SERVICE	71-0097	141	ISFSI PALISADES GEN LIC/VSC-24, 50-255	72-0007	147
NORDION INTERNATIONAL, INC.	71-0703	143	ISFSI POINT BEACH GEN LIC/VSC-24, 50-266 & 50-301	72-0005	147
NORTHWEST AIRLINES, INC.	71-0016	141	MODEL: HI-STAR SYSTEM, HOLTEC INTERNATIONAL	72-1008	148
NORTHWEST INSPECTION & TESTING SERVICES	71-0783	143	MODEL: NAC S/T, NUCLEAR ASSURANCE CORP.	72-1002	148
OLD DOMINION FABRICATORS	71-0552	142	MODEL: STANDARDIZED NUHOMS SYSTEM	72-1004	148
PACIFIC COAST TESTING SERVICE, INC.	71-0644	143	MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	72-1007	148
PACTEC, INC.	71-0678	143	DOONEE ISFSI, 50-269, 50-270 & 50-287	72-0004	147

Name	Docket	Page	Name	Docket	Page
PRAIRIE ISLAND ISFSI, 50-282 & 50-306	72-0010	148	VEPCO - NORTH ANNA ISFSI - 50-338 & 50-339	72-0018	148
PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306	72-0018	148	UNKNOWN	DOCKET	135
RANCHO SECO ISFSI, 50-312	72-0011	148	UNKNOWN	DOCKET	1
			UNKNOWN	DOCKET	141

DOCKETED ITEMS

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-047 COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.

9507210963 Advances that NRC has reviewed revised rept & determined that rept meets requirements of License Condition 13 of license 12-13538-01 Amend 28 HOGG, R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/06/29 STILL, J. Chem-Nuclear Systems, Inc. 1p 84507 355-84807 355

9507250868 Summary of 950629 meeting w/Chem-Nuclear Sys, Inc. in Rockville, MD re recent developments & licensing/regulatory activities related to decommissioning, low-level radwaste processing & disposal HOGG, R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/07/07 NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 25pp 84536 185-84536 183

DOCKET 27-048 LOUISVILLE, KY, U.S. ECOLOGY, INC.

9507106147 Forwards 1994 facility utilization rept per Condition 32 of amend 11 to license 15-19204-01 BEEDE, S.C. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.) 95/06/26 WEBER, M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 17pp 84690 285-84690 301

9507106112 Forwards copy of 1994 Annual Environ Monitoring Rept for US Ecology Inc LWRW disposal facility near Richland, WA LEDOUX, M.R. American Ecology Corp 95/06/28 HOGG, R. Division of Waste Management (NMSS 940403) 1p 84690 001-84690 253

9507106123 "Annual Environ Monitoring Rept for CY94 for US Ecology in Richland, WA LWRW Disposal Facility" LEDOUX, M.R. PALMER, J. American Ecology Corp 94/12/31 252pp 84690 002-84690 253

9507310185 Forwards Rev 2 to Richland Operational Procedure 32 "Processing DOE/NRC 741 Forms" & Rev 3 to Richland Operational Procedure 9, "Cosmetology Issuance" for review & approval WESKITT, R. American Ecology Corp 95/07/11 HOGG, R. NRC - No Detailed At- tention Given App 84909 044-84909 057

9507310186 Rev 2 to Richland Operational Procedure ROP 32, "Processing DOE/NRC 741 Forms" American Ecology Corp 95/06/06 3pp 84903 049-84903 050

9507310290 Rev 3 to Richland Operational Procedure ROP 9, "Cosmetology Issuance" American Ecology Corp 95/06/06 7pp 84903 051-84903 057

DOCKET DOCKET UNKNOWN

9507100988 Responds to NRC 950509 ltr re violations noted in wasp rept 40-7753/95-01 Corrective actions licensee plans to complete scope of work & select qualified contractor to assist in decontamination & decontamination work by Aug 1996 TRELOAR, C.F. BP America, Inc 95/06/16 KULZER, E.L. Region 3 (Post 820201) 1p 84587 257-84587 257

9507140026 Ack receipt of 950519 ltr responding to wasp rept 40-7753/95-01 Submits clarification of NRC expectations for corrective actions & requests to review characterization & remediation plan before clean-up activity begins MCCOY, F. Region 3 (Post 820201) 95/06/30 TRELOAR, C. Region 3 (Post 820201) 2pp 84525 143-84525 144

9507170212 Forwards summary of 950605 meeting w/NRC in Region I to discuss characterization & remediation of Tennessee property located in Ford, New Jersey KENNEDY, J.D. Region 1 (Post 820201) 95/07/11 PERREES, M. Attention Not Assigned 3pp 84747 347-84747 348

9507270015 Responds to 950418 ltr re "Project Work Plan To Remove Off-Site Contamination," from property adjacent to northern border of Washington Site Questions & comments encl PERSON, L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/07/16 DANKMEYER, B. MolyCorp, Inc 4pp 84883 073-84883 076

9507270091 Provides comments on staff technical position on effluent disposal at licensed Uranium recovery facilities PAULSON, A. Kennecott Corp 95/07/21 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 7pp 84551 315-84551 321

9507310087 Responds to NRC 950703 RAI on proposed amend to process urinary waste solutions from Rhine-Potomac for recovery of U SPARKING, D.K. Energy Fuels Nuclear, Inc SCHIERMANS, L. Energy Fuels Nuclear, Inc 95/07/21 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 3pp 84903 271-84903 273

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0185 G.T.E. PRODUCTS CORP., TOWANDA, PA

9507280049 Forwards wasp rept 40-0185/95-01 on 950629-30 No violations noted Inform of closure of conformity action ltr HEHL, C.W. Region 1 (Post 820201) 95/07/17 ALPER, A.M. ORRAM Corp 3pp 84824 361-84824 353

DOCKET 40-0288 UMETCO MINERALS CORP., RIVERTON, WY

9507280148 Ack receipt of ltr identifying discrepancy in 950609 ltr to NRC, confirming change in bond numbers resulting from change from Seaboard Surety to Safeco Insurance Co of America GREGG, R.D. UMETCO Minerals Corp 95/08/29 HAGUE, M. Division of Low-Level Waste Management & Decommissioning (870413-940402) 1p 84558 356-84558 360

9507280160 Confirms that State of WY holds in favor bond 6757793-32 referred to in 870616 ltr to NRC approved as to increase to sum by state in 871120 ltr LYONS, P.J. UMETCO Minerals Corp 95/06/26 HAGUE, M. Division of Low-Level Waste Management & Decommissioning (870413-940402) 3pp 84558 357-84558 360

9507280206 Provides NRC position on review of previously approved reclamation plans HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/07/18 LYONS, P.J. UMETCO Minerals Corp 2pp 84534 323-84534 353

9507270068 Inform that license condition 65 of source mail license SUA-648 has been amended, increasing surety amount HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/07/21 LYONS, P.J. UMETCO Minerals Corp App 84873 180-84873 197

9507270073 Amend 28 to license SUA-648 for Umetco Minerals Corp HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/07/21 14pp 84873 184-84873 197

DOCKET 48-8341 GENERAL SERVICES ADMIN., WASHINGTON, DC

9507120158 Summary of 950622 Ordinance Road Citizen's Committee meeting (re demolition & removal of final building & NRC remediation research. Aftermath listed MINNITTE, S. Anne Arundel County, MD 95/06/26 Anne Arundel County, MD 1p 84631 254-84631 254

9507120283 Discusses findings by J. McCasale of MD Dept of Environ Asbestos Enforcement Div at Curtis Bay site Debris being loaded found to contain excessive amounts of stable asbestos HLOPAC, W.J. OHM Corp 95/07/07 LASH, J. Chem-Nuclear Systems, Inc 2pp 84698 353-84698 354

9507140174 Requests asbestos evaluation of Anne Arundel County property adjacent to DLA Suspected asbestos contamination from tankette panels which were broken off in ground w/portals remaining both above & below grade WELLS, P.K. RUST Environment & Infrastructure, Inc (formerly SEC Donohue) 95/07/07 MCQUADE, J.E. Maryland, State of App 84736 950-84736 361

9507140282 Rev 1 to PL-NRS-0695-182, "Curtis Bay Final Status Survey Plan" GAUL, W. Attention Not Assigned 95/07/11 14pp 84761 130-84761 143

9507140279 Forwards concurred on responses from OHM addressing NRC concerns & questions documented in NRC 950607 & 20 ltr REILLY, F.K. Defense, Dept of, Defense Logistics Agency 95/07/11 ORLANDO, D. Division of Low-Level Waste Management & Decommissioning (870413-940402) 3pp 84751 149-84751 151

9507140187 Submits radiochemical analysis results for sample taken from monitoring well (MW-1) at Curtis Bay Depot site WILLIAMS, A.A. RUST Environment & Infrastructure, Inc (formerly SEC Donohue) 95/07/12 REILLY, F.K. Defense, Dept of, Defense Logistics Agency 14pp 84761 023-84761 036

DOCKET 48-8534 GENERAL ELECTRIC CO., CLEVELAND, OH

9507130155 Inform of review of self-guarantee financial assurance submittal documents dtd 950323 Subj documents found in compliance w/criteria in 10CFR30 App C, "Criteria Re Use of Financial Tests & Self-Guarantees for Decommissioning" WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/07/10 SCHINDLER, W.H. General Electric Co 1p 84736 090-84736 090

DOCKET 40-0645 CLEVITE CORP., CLEVELAND

9507310188 Partial response to FOIA requests for documents App A records already available in PDR POWELL, A. Division of Freedom of Information & Publications Services (Post 840714) 95/02/21 MORANO, D. Attention Not Assigned 2pp 84872 012-84872 013

DOCKET 40-0669 GENERAL ELECTRIC CO., CINCINNATI, OH

9507130155 Inform of review of self-guarantee financial assurance submittal documents dtd 950323 Subj documents found in compliance w/criteria in 10CFR30 App C, "Criteria Re Use of Financial Tests & Self-Guarantees for Decommissioning" WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/07/10 SCHINDLER, W.H. General Electric Co 1p 84736 090-84736 090

DOCKET 40-0672 NUCLEAR METALS, INC., CONCORD, MA

9507108084 Inform that NRC will withhold from public disclosure per 10CFR2 790, marked pricing data in Oak Corp contract dtd 940323, per 950414 request KENNEDY, J.D. Region 1 (Post 820201) 95/06/21 YUMBACCO, F.J. Nuclear Metals, Inc 4pp 84662 120-84662 126

2 DOCKETED ITEMS

9507100086 Ack receipt of 950605 for informing NRC of steps taken to correct violations noted in insp repts 40-0672/94-01 & 40-8868/94-01 KINNEHAM, J.D. Region 1 (Post 820201) 95/06/28 VUMBACO, F.J. Nuclear Metals Inc 2pp 84539 039-84539 043

9507100042 Responds to NRC 950407 for re violations noted in insp repts 40-0672/94-01 & 40-8868/94-01 Corrective actions attached in-house memo distributed to members of staff w/ regards to proper handling of future commitments VUMBACO, F.J. Nuclear Metals, Inc 95/06/05 KINNEHAM, J.D. Region 1 (Post 820201) 3pp 84539 041-84539 043

9507100081 Ack receipt of 950605 for Radioactive Waste Mgt Assoc reprimand approving NMI characterization of holding basin & expecting remedial plan by 950615 Concludes that NMI does not meet requirements in NRC decommissioning funding regulations MILLER, M.T. Region 1 (Post 820201) 95/06/30 RESNIKOFF, M. Radioactive Waste Management Associates 3pp 84723 235-84723 284

9507100180 Forwards Radioactive Waste Mgt Assoc Rept, 'Review of Phase II Field Investigation & Financial Resources of NMI,' & expresses concern re NMI lack of financial resources to decommission Concord, MA site & bldgs RESNIKOFF, M. Radioactive Waste Management Associates 95/06/05 MILLER, M.T. Region 1 (Post 820201) 1p 84723 235-84723 284

9507100107 'Review of Phase II Field Investigation & Financial Resources of NMI' KNOWLTON, K. RESNIKOFF, M. Radioactive Waste Management Associates 95/05/22 48pp 84723 235-84723 284

DOCKET 40-0661 HORIZONS INC. CLEVELAND

9507138185 Adopts determination that govt contractually liable for costs necessary to remediate work site of contamination which occurred as result of performing contract DE-A008-85SR18633 (formerly AT(30-1)-1335) PAINTER, G.W. Energy, Dept. of 95/06/22 WARNER, H. Horizons Inc. Cleveland, OH 2pp 84876 224-84876 235

DOCKET 40-1162 WESTERN NUCLEAR, INC., LAKEWOOD, CO

9507258275 Provides NRC final portion on review of previously approved reclamation plans, discussed at Mar 1995 joint NRC - American Mining Congress U recovery workshop in Denver HOLDRICH, L.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/07/18 BAKER, S.J. Western Nuclear, Inc 2pp 84838 098-84838 127

DOCKET 40-1341 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9507250209 Provides NRC final portion on review of previously approved reclamation plans, per Mar 1995 joint NRC - American Mining Congress U recovery workshop in Denver; CO Commission Paper 56CV-95-155 on sub and HOLDRICH, L.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/07/15 CARRIER, P. Tennessee Valley Authority 2pp 84835 263-84835 312

DOCKET 40-1389 CLEYTE CORP. CLEVELAND

9507210169 Partial response to FOIA requests for documents App A records already available in PCR POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 95/02/21 MORANO, D. Affiliation Not Assigned 2pp 84872 012-84872 013

DOCKET 40-1850 WYMAN-GORDON CO., NORTH GRAFTON, MA

9507270189 Advises that results of Apr 1996 groundwater sample analyses from Wyman-Gordon indicate that Tl concentrations less than 15 ppb/gross alpha & within EPA Primary Drinking Water Standards JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/07/18 Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 1p 84874 097-84874 097

DOCKET 40-2253 ARMY, DEPT. OF, WATERTOWN, MA

9507180414 Awaits US Army Research Laboratory response re review of Volumes 1 & 2 Requests schedule be prepared for survey plan as soon as possible w/o decommissioning plan & volumes 3 & 4 KINNEHAM, J.D. Region 1 (Post 820201) 95/06/22 BECK, J. Oak Ridge Associated Universities 1pp 84711 022-84711 026

DOCKET 40-2377 KAMER ALUMINUM SPECIALTY PRODUCTS

9507270201 Summary of 950618 meeting w/ M. Scott contractor & consultant to Kaiser Aluminum Specialty Products in Rockville, MD re characterization & decommissioning of obsolete SDMP site in Tulsa, OK TURTEL, R.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/07/10 WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 2pp 84874 187-84874 188

DOCKET 40-2384 RMI CO., ASHTABULA, OH

9507090122 Application for amend to license SMS-802 incorporating decommissioning plan (DP) for RMI Titanium Co. solution plant submitted to NRC 950427, allowing RMI to perform radiological decommissioning activities described in DP HENDERSON, J.W. RMI Co 95/06/12 4pp 84581 164-84581 197

DOCKET 40-3382 ALLIED-SIGNAL, INC., METROPOLIS, IL

9507060284 Accepts proposal made in 950607 for re accident notifications. Advises that Div. of Planning & Analysis will be making w/ licensee in order to implement agreement. PEPPER, A.J. Illinois, State of 95/06/22 KOSMIDER, M.D. Allied-Signal Corp 1p 84617 359-84617 358

9507280032 Forwards insp repts 40-3392/95-03 on 950626-28 No violations noted One USI re whether or not contamination surveys of labeled ore concentrate drums re carried from its suppliers by exclusive-use vehicles required, also noted SHEAR, G. Region 3 (Post 820201) 95/07/20 KOSMIDER, M. Allied-Signal Corp 2pp 84783 110-84783 116

9507280033 Insp repts 40-03392/95-03 on 950626-28 No violations noted Major areas inspected compliance w/ requirements specified in NRC regulations license & license condition JACOBSON, J.M., SHEAR, G.L. Region 3 (Post 820201) 95/07/20 7pp 84793 112-84793 118

DOCKET 40-3453 ATLAS CORP., DENVER, CO

9507280177 Forwards 'Summary Document Screening Risk Assessment for Reclamation of U Mill Tailings at Moab, UT' & 'Technical Support Document Screening Risk Assessment for Reclamation of U Mill Tailings at Moab, UT' BLUBAUGH, R.E. Atlas Corp 95/07/24 HOLDRICH, L.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 4pp 84882 062-84882 239

9507280181 'Summary Document Screening Risk Assessment for Reclamation of U Mill Tailings at Moab, UT' SENEZ Consultants, Ltd 95/06/23 55pp 84882 068-84882 120

9507280184 'Technical Support Document Screening Risk Assessment for Reclamation of U Mill Tailings at Moab, UT' SENEZ Consultants, Ltd 95/06/23 168pp 84882 121-84882 289

9507280188 EN-95-041 on 950615, notice of proposed imposition of civil penalty in amount of \$5,000 issued to licensee Atlas based on violation involving release for unrestricted use of scrap metal from dismantled U mill at Moab, UT, in excess of limits MAHAISH, N. JEBERMAN, J. Oic of Enforcement (Post 870413) 95/06/12 1p 84807 297-84807 297

9507120385 Discusses insp repts 40-3453/95-02 & 40-3453/95-01 & NRC investigation repts 4-93-047R & forwards notice of violation & proposed imposition of civil penalty in amount of \$5,000 CALLAN, L.J. Region 4 (Post 820201) 95/06/15 BLUBAUGH, R.E. Atlas Corp 4pp 84875 335-84875 341

9507120387 Notice of violation & proposed imposition of civil penalty in amount of \$5,000 Noncompliance noted equipment & metals released from licensee restricted area during 1993 which exceeded limits specified in guidelines Region 1 (Post 820201) 95/06/15 3pp 84875 335-84875 341

9507060287 Provides copy of minutes from 950612 meeting re groundwater quality status at Atlas Minerals U mill tailings facility near Moab, UT SINCLAIR, W.J. Utah, State of 95/06/26 HOLDRICH, L.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 12pp 84870 218-84870 226

9507120300 Responds to questions re licensee proposed plan to dispose of asbestos-containing mat within restricted area at Moab site BLUBAUGH, R.E. Atlas Corp 95/06/28 FLEGEL, M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p 84899 363-84899 383

9507140481 Forwards '1994 ALARA Audit Rept for Atlas Minerals Div of Atlas Corp Radiation Protection Program at Moab Mill Site' BLUBAUGH, R.E. Atlas Corp 95/07/12 HOLDRICH, L.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p 84738 216-84738 268

9507140482 '1994 ALARA Audit Rept for Atlas Minerals Div of Atlas Corp Radiation Protection Program at Moab Mill Site' EDWARDS, O.L. Atlas Corp 95/06/30 63pp 84738 217-84738 268

9507140483 Forwards annual technical evaluation of emberment performance re Atlas Corp Moab Mill site, in accordance w/ license SUA-917, license condition 30 Technical evaluation performed by Smith Emerson Technologies Corp BLUBAUGH, R.E. Atlas Corp 95/07/12 HOLDRICH, L.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 5pp 84793 352-84793 356

9507180186 Forwards response to NRC 950615 & 950619 for re violations noted in insp of license SUA-917 on 82130-840209 Corrective actions instructed site personnel to move mat back into restricted area BLUBAUGH, R.E. Atlas Corp 95/07/13 JEBERMAN, J. Oic of Enforcement (Post 870413) 5pp 84785 252-84785 256

DOCKET 40-4482 AMERICAN NUCLEAR CORP., CASPER, WY

9507140422 Notification of 950618, 20 & 21 meetings w/ WY Dept. of Energy Quality Land Quality Div in Casper, WY to discuss reclamation of ANC Gas Hills site HOOKS, K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/06/01 High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p 84780 016-84780 016

9507280048 Summarizes 950619-21 meetings w/ American Nuclear Co re reclamation design & AVI work plan American Nuclear Corp 95/06/21 HOOKS, K., JOHNSON, T., RONLD NRC No Deleted Affiliation Given 7pp 84837 244-84837 250

9507200261 Outlines approach on listed key issues, as follow-up to discussions in 950619-21 meeting w/ NRC in Casper, WY re American Nuclear Gas Hills project CHANCELLOR, R.A. Wyoming, State of 95/07/10 HOLDRICH, L.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 3pp 84777 331-84777 332

9507250283 Forwards minutes from 950619-21 site visit & meetings w/Wyoming Dept of Environ Quality re NRC comments on American Nuclear Corp Reclamation Plan for Gas Hills, WY site & Dept of Environ Quality plans for completing site reclamation GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/07/21 MOXLEY, M. Wyoming, State of 30pp 84838 128-84836 157

DOCKET 40-6600 ENERGY, DEPT. OF, CANONSBURG, PA

9507288216 Forwards proposed mode to Canonburg, PA UMTRA project site completion rept (CR) & two signed certification summaries CR mode in response to NRC 950605 fr ABRAMS, M.F. Energy, Dept. of 95/06/28 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 37pp 84855 313-84565 349

DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

9507140646 Forwards resp rept 40-6622/95-01 on 950606-07 No violations or deviations noted SCARANO, R.A. Region 4 (Post 820201) 95/07/10 NUGENT, E.L. Pathfinder Mines Corp 4pp 84825 201-84825 212

9507140048 Insp rept 40-6622/95-01 on 950606-07 No violations noted Major areas inspected licensee mill tailings program, mgmt & organization controls, operations review, radiation protection, radioactive waste mgmt & environmental monitoring VAQUEZ, G.M. Region 4 (Post 820201) 95/07/07 8pp 84825 205-84825 212

DOCKET 40-6859 PETROTECHNICS CO., SHIRLEY BASIN, WY

9507256276 Provides NRC final position on review of previously approved reclamation plans, discussed at Mar 1995 joint NRC - American Mining Congress U recovery workshop in Denver HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/07/19 JUDAY, R.A. Petrotechnics Co (formerly Getty/Petrotechnics Co) 2pp 84836 068-84836 097

DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA

9507140132 Requests amend to license SMC-1582 for release of bldg & surrounding areas at flooding site for unrestricted use CAMPITELLI, J.T. Cabot Corp 95/07/05 HOGG, R. Licensing Branch 1p 84761 044-84761 044

9507190169 Requests addl 30 days to provide NRC w/answers to questions in 950302 & 950507 ltr from Dr Kladky CAMPITELLI, J.T. Cabot Corp 95/07/12 CASSANO, R.F. Licensing Branch 1p 84799 343-84799 343

9507240116 Responds to 950524 ltr, providing update of progress in developing decommissioning cost estimate for Cabot Corp Boyertown facility CASSANO, R.F. Licensing Branch 95/07/18 GANNON, W.C. Cabot Corp 1p 84884 215-84884 218

9507270252 Ack receipt of 950712 Campitelli ltr requesting addl 30 days to respond to NRC RAIS, add 950302 & 97 Extension of 30 days granted CASSANO, R.F. Licensing Branch 95/07/18 GANNON, W.C. Cabot Corp 1p 84874 158-84874 158

DOCKET 40-7182 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ

9507070184 Ack receipt of 950531 ltr & requests that any further actions or developments w/regard to Newfield Site Of Shieldalloy be communicated to Borough by correspondence sent to attention of Mayor & Council SPALL, G.R. Attention Not Assigned 95/06/07 PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards 1p 84822 345-84822 346

9507070448 Forwards "Project Status & Schedules Envron Programs" OLIVA, J.M. Attention Not Assigned 95/06/28 COMFORT, G. NRC - No Detailed Affiliation Given 1p 84618 247-84618 272

9507070451 "Project Status & Schedules Envron Programs" " Attention Not Assigned 95/06/14 26pp 84619 245-84619 272

9507070422 Ack receipt of and ltr did 950519 forwarding B Marcyniak & Z Marcyniak 950509 ltr expressing concerns re storage of radioactive msl at Shieldalloy Metallurgical Corp. GIMELLO, R.J. New Jersey, State of 95/06/27 ANDREWS, R.E. House of Rep 3pp 84619 225-84619 227

9507270190 Summary of 950620 meeting w/Shieldalloy Metallurgical Corp Cyprus Foote Mineral Corp in Rockville, MD re development of EIS for Cambridge, OH & Newfield, NJ facilities NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/06/29 WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 8pp 84874 170-84874 177

9507240372 Advises that as discussed in 950606 telcon, NRC has no objection to licensee accelerating monitoring schedule for sampling programs other than large area monitoring COMFORT, G.C. Licensing Branch 95/07/11 EVES, C.S. Shieldalloy Metallurgical Corp 1p 84824 082-84824 082

DOCKET 40-7354 ARMY, DEPT. OF, ABERDEEN, MD

9507250126 Responds to 950214 ltr to 3 Villar re licensed activities at Aberdeen Proving Ground Forwards copies of NRC license that NRC could locate which currently authorize or previously authorized use of licensed msl at Aberdeen Proving Ground KIHNEAN, J.D. Region 1 (Post 820201) 95/06/16 OCHS, R. Attention Not Assigned 4pp 84507 269-84507 270

9507050138 Inform of concerns about historical & ongoing radiological contamination present at Aberdeen Proving Ground & possible past, present & future adverse health effects in community OCHS, R. Attention Not Assigned 95/02/14 VILLAR, S. Region 1 (Post 820201) 1p 84507 270-84507 270

DOCKET 40-7397 FOOTE MINERAL CO., EXTON, PA

9507060419 Forwards resp rept 40-7397/95-01 on 950509-11 No violations noted MCCORMICK-BARGE Region 3 (Post 820201) 95/06/27 LEEP, F. Foote Mineral Co 2pp 84516 102-84516 108

9507060028 Insp rept 40-7397/95-01 on 950509-11 No violations noted Major areas inspected radiological surveys conducted to identify contaminated slag at residential locations that may exceed criteria for release of sites for unrestricted use GLINSKY, R.L. MCCORMICK-BARGE Region 3 (Post 820201) 95/06/27 5pp 84516 104-84516 108

9507190216 Confirms 950325 conversation w/R Glinsky requesting & receiving extension for submittal Phase II data rept & dose response rept LEEP, F. Foote Mineral Co 95/06/30 MCCORMICK-BARGE Region 3 (Post 820201) 1p 84889 918-84889 918

9507190386 Ack approved Cyprus Foote Mineral schedule for submittal of Phase II Data Rept & Dose Response Rept BARGER, J.W. Region 3 (Post 820201) 95/07/10 LEEP, F. Cyprus Industrial Minerals Co 1p 84765 948-84765 346

9507190030 Forwards copy of NRC response to number of questions & comments raised by Save Wills Creek Water Resources Committee MCCORMICK-BARGE Region 3 (Post 820201) 95/07/10 Attention Not Assigned 14pp 84711 226-84711 247

DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL

9507060190 Forwards proprietary request for addl info for processing existing residues of past operations Encl withheld DATTA, A. Licensing Branch 95/06/29 HUNTER, J.J. Fansteel, Inc 1p 84579 014-84579 014

9507060091 Notification of 950718 meeting w/licenses in Rockville, MD to discuss licensee decommissioning funding plan DATTA, A. Licensing Branch 95/06/30 Licensing Branch 1p 84816 032-84816 332

9507200242 Forwards non-proprietary version of encl to 950625 ltr re request for addl info for processing residues Ltr & encl will be placed in public domain DATTA, A. Licensing Branch 95/07/18 HUNTER, J.J. Fansteel, Inc 3pp 84815 034-84815 036

DOCKET 40-7804 BP CHEMICALS AMERICA, INC., LIMA, OH

9507260011 Provides notice of use of respiratory protection per 10CFR20.1703(d) Applications of protection in various characterization & remediation activities discussed RUPERT, W.M. BP Chemicals International 95/07/07 MILLER, H. Region 3 (Post 820201) 2pp 84836 348-84836 347

DOCKET 40-7708 UNION CARBIDE CORP., NEW YORK, NY

9507201098 Confirms 950707 telcon, which explained property boundary misunderstanding between Etem Metals & Eversady, involving Etem Metals SDMP site in Manhattan, OH NORRIS, S.T. Attention Not Assigned 95/07/10 BARGER, J. Region 3 (Post 820201) 3pp 84797 344-84797 346

DOCKET 40-8027 SEQUOYAH FUELS CORP., GORE, OK

9507280246 Appeals denial of FOIA request for records re Sequoyah Fuels Corp application for amend to license to allow changes in mgmt structure CURRAN, D. Harmon, Curran, Gallagher & Spillberg (formerly Harmon, Curran & Tausley) 94/12/22 TAYLOR, J.M. Ofc of the Executive Director for Operations 2pp 84833 254-84833 255

9507280248 Responds to appeal of denial of FOIA request for documents cited in airtel message of 940920 from J. Shepherd to M. Vasquez. Appeal granted THOMPSON, H.L. Dep Exec Dir for Nuc. Matls. Safety, Safeguards & Operations Support (Post 820205) 95/02/09 CURRAN, D. Harmon, Curran, Gallagher & Spillberg (formerly Harmon, Curran & Tausley) 1p 84833 254-84833 266

9507260251 Inform of review of NACE petition & section 4 of IR deal w/mgt issues at BFC in light of amend request SHEPHERD, J.C. NRC - No Detailed Affiliation Given 94/09/20 VASQUEZ, G.M. NRC - No Detailed Affiliation Given 1p 84833 257-84833 258

9507260096 Forwards "Preliminary Property Search Document, Sequoyah Fuels Corp, Gore, OK" POTTS, M.W. Environmental Protection Agency 95/04/20 HUGHES, L. Name Address care for a Clean Environment 2pp 84836 001-84836 014

9507260100 "Preliminary Property Search Document, Sequoyah Fuels Corp, Gore, OK" MILLER, C. Environmental Protection Agency 94/04/007 94/07/13 376pp 84836 003-84836 014

9507270141 Forwards FR notice of public info meeting on remediation of Sequoyah Fuels Corp facility in Gore, OK WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/06/16 MEYERS, D.L. Division of Freedom of Information & Publications Services (Post 940714) 2pp 84874 080-84874 087

4 DOCKETED ITEMS

-9507270143 FR notice of public info meeting on remediation of Sequoyah Fuels Corp facility in Gore, OK
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/06/16 6pp 84874 082-84874 087

9507050055 Extends invitation to share info concerning remediation of Sequoyah Fuels facility located near Gore, OK
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/06/21 SODT, C. Oklahoma, State of 6pp 84870 227-84870 230

9507080239 Informs that Sequoyah Fuels Corp in Gore, OK produced ammonium nitrate solution that has been applied as N fertilizer to lands used for production of forage crops
HEBERT, M.A. Environmental Protection Agency 95/06/21 CURRY, B. Oklahoma, State of 1p 84817 083-84817 083

9507100673 Order * NRC Staff shall file brief within 10 days after svc of order & license & General Atomics shall file answers within 10 days after svc on staff brief w/ Certificate of Svc Served on 950620
MOYLE, J.C. Office of the Secretary of the Commission #395 19857 95/06/29 Office of the General Counsel (Post 950701) 6pp 84538 145-84538 150

9507100108 Memorandum & order (denying) General Atomics motion re NRC Staff "Reliance" clause & establishing schedule for bifurcated issue of agency jurisdiction Motion to strike language denied w/ Certificate of Svc Served on 950630
GLEASON, J.P., KLINE, J.R., BOLLWEGER, G.P. Atomic Safety & Licensing Board Panel #395 16873 95/06/30 General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 23pp 84538 308-84538 330

9507140341 Submits proposed escrow agreement to provide financial assurance for decommissioning of facility
ELLIS, J.H. Sequoyah Fuels Corp 95/07/07 WEBER, M. Decommissioning & Regulatory Waste Branch (Post 951230) 6pp 84760 053-84760 071

9507160065 Native Americans for Clean Environment & Cherokee Nation first set of interrogatories & requests for production of documents to Sequoyah Fuels Corp * w/ Certificate of Svc Related correspondence
CURRAN, D. Native Americans for a Clean Environment WILCOXEN, J.G. Cherokee Nation WILCOXEN, J.G. Wilcoxon, Wilcoxon & Pinnock (formerly Wilcoxon & Wilcoxon) #395 16887 95/07/10 Sequoyah Fuels Corp 17pp 84878 041-84878 057

9507180117 Native Americans for Clean Environ & Cherokee Nation first set of interrogatories & requests for production of documents to General Atomics * w/ Certificate of Svc Related correspondence
CURRAN, D. Native Americans for a Clean Environment WILCOXEN, J.G. Cherokee Nation WILCOXEN, J.G. Wilcoxon, Wilcoxon & Pinnock (formerly Wilcoxon & Wilcoxon) #395 16886 95/07/10 General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 19pp 84875 109-84875 127

9507180111 NRC Staff brief in support of partial reversal of LBP-66-05 * Submits that paragraph 7 of protective order exceeds scope of Board authority & inconsistent w/ policies on referral of matters internally w/ Certificate of Svc
MARFIO, G.L. Office of the General Counsel (Post 950701) #395 19891 95/07/14 Commissioners (Post 750119) 21pp 84875 067-84875 108

9507270082 Forwards intervenor written presentations in opposition to Sequoyah Fuels Corp proposed license amendment application for changes to organization & mgmt structure
CURRAN, D. Harmon, Curran, Gallagher & Speilberg (formerly Harmon, Curran & Toussley) #395 16909 95/07/17 GLEASON, J.P., KLINE, J.R. Atomic Safety & Licensing Board Panel 1p 84813 234-84814 045

-9507270082 Native Americans for Clean Environ & Cherokee Nation brief in opposition to Sequoyah Fuels Corp license amendment application * Informs that Sequoyah Fuels 950303 revised licensee application denied
CURRAN, D. Native Americans for a Clean Environment CURRAN, D. Harmon, Curran, Gallagher & Speilberg (formerly Harmon, Curran & Toussley) WILCOXEN, J.G. Cherokee Nation 95/07/17 Atomic Safety & Licensing Board Panel 21pp 84813 235-84813 235

-9507270024 Testimony of CJ Earl re 940508 Sequoyah Fuels Corp proposed mgmt changes w/ Certificate of Svc
EARL, C.J. Affiliation Not Assigned 95/07/17 150pp 84913 256-84914 045

9507270019 Forwards comments on licensee request for amend to license SUB-1010, dtd 940719, re changes to implement new 10CFR20 & related administrative changes
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/07/19 ELLIS, J.H. Sequoyah Fuels Corp 6pp 84874 185-84874 189

9507270055 Informs of filing of CJ Earl affidavit of testimony in license amend proceeding re proposed mgmt changes at Sequoyah Fuels facility
CURRAN, D. Harmon, Curran, Gallagher & Speilberg (formerly Harmon, Curran & Toussley) #395 16910 95/07/20 JULIAN, E.L. Docketing & Services Branch 2pp 84813 228-84813 228

9507270112 Advises that no add action by licensee required re preliminary plan for completion of decommissioning
WEBER, M.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/07/21 ELLIS, J.H. Sequoyah Fuels Corp 4pp 84883 050-84883 055

DOCKET 48-8084 RIO ALGON MINING CORP., MOAB, UT

9507140061 Forwards revised pages 2 & 3 for semi-annual effluent rpt submitted to NRC on 940830
FOSSEY, F.G. Rio Algon Mining Corp 95/07/06 HOLONICH, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 3pp 84780 275-84780 277

9507180111 Forwards insp rpt 40-8084/95-02 on 950425-26 No violations noted
SCARANO, R.A. Region 4 (Post 820201) 95/07/25 FERDINAND, B. Rio Algon Mining Corp 4pp 84843 038-84843 044

-9507180112 Insp rpt 40-8084/95-02 on 950425-26 No violations noted Major areas inspected licensee evaporation ponds & environs, including review of construction records
NATARAJA, M. Region 4 (Post 820201) 95/06/12 3pp 84843 042-84843 044

DOCKET 48-8182 EXXON CORP., HOUSTON, TX

9507280150 Provides NRC final position on review of previously approved reclamation plans
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/07/16 PATTON, J.D. Exxon Corp 2pp 84842 192-84842 221

DOCKET 48-8452 BEAR CREEK URANIUM CO., CASPER, WY

9507250015 Forwards TER of R requesting amend to License SUA-1810 for Bear Creek U Co
AUSTIN, J.M. Performance Assessment & Hydrology Branch (NMSS 940403) 95/07/14 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 3pp 84834 367-84834 368

DOCKET 40-8502 TOTAL MINERALS CORP., CASPER, WY

9507030174 Forwards corrected pages to 10CFR40.65 semiannual effluent rpt for period covering Jan-June 1994, including Tables 1 & 4 correcting UFA-226 & Th-230 analytical results & Table 1 to annual rpt to WY Dept of Environ Quality for Permit 478
WICHERS, D.L. COGEMA, Inc 95/06/19 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p 84561 135-84561 142

-9507030175 Revised Tables 1 & 4 to 10CFR40.65 semiannual effluent rpt for period covering Jan-June 1994 & revised Table 1 to annual rpt to WY Dept of Environ Quality for Permit 478
* COGEMA, Inc 94/06/30 6pp 84561 134-84561 141

-9507030182 Forwards corrected pages to 10CFR40.65 semiannual effluent rpt for period covering Jan-June 1994, including Tables 1 & 4 correcting UFA-226 & Th-230 analytical results & Table 1 to annual rpt to WY Dept of Environ Quality w/o ends
WICHERS, D.L. COGEMA, Inc 95/06/19 CARL, C. Region 4 (Post 820201) 1p 84561 142-84561 142

9507170100 Forwards insp rpt 40-8502/95-01 on 950606-08 No violations noted
SCARANO, R.A. Region 4 (Post 820201) 95/07/10 WICHERS, D.L. Affiliation Not Assigned 4pp 84747 157-84747 177

-9507170100 Insp rpt 40-8502/95-01 on 950606-08 No violations noted Major areas inspected mgmt & organization controls, operations review, radiation protection, environmental monitoring, fire protection & EPCs
CARL, C. Region 4 (Post 820201) 95/07/07 17pp 84747 151-84747 177

9507280161 Ack receipt of Ir dtd 950619, along w/ corrected pages to semi-annual effluent rpt for first half of 1994
CARL, C. Region 4 (Post 820201) 95/07/24 WICHERS, D.L. COGEMA, Inc 3pp 84842 170-84842 179

DOCKET 48-8584 KENNECOTT URANIUM CO., RAYMOND, WY

9507030118 Informs that Kennecott U Co currently assembling database for background groundwater study for sweetwater U project & intends to have database developed by Shepley Mifflin Inc
PAULSON, O.A. Kennecott Uranium Co (formerly Minerals Exploration Co) 95/06/05 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 2pp 84561 162-84561 163

DOCKET 40-8881 UMETCO MINERALS CORP., BLANDING, UT

9507060189 Advises that NMSS has reviewed Energy Fuels Nuclear Inc 941212 request to enlarge disposal area of non-decommissioning radioactive mill & to modify disposal practices in Cell 2 Procedures generally acceptable
BELL, M.J. Engineering & Geosciences Branch (NMSS 940403) 95/06/28 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 3pp 84568 357-84568 361

9507100058 Withdraws 950111 amend request to process yellowcake slurry from Dawn Mining Co
SCHIERMAN, S.L. Energy Fuels Nuclear, Inc 96/08/28 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p 84595 011-84595 011

9507180189 NRC Staff response to N Segay motion to discontinue proceedings * Motion should be deferred or denied w/o prejudice to being refilled in six months w/ Certificate of Svc
TURK, S.E. Office of the General Counsel (Post 850701) #395 16872 95/06/30 Atomic Safety & Licensing Board Panel 8pp 84538 393-84538 340

9507180333 Informs that NRC reviewed 950112 request to receive & process feed mill from Phoro-Poulsen Chemicals & concludes that feed add into necessary before NRC can grant request
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/07/03 SCHIERMAN, S. Energy Fuels Nuclear, Inc 2pp 84584 338-84584 339

9507180118 Forwards documents re recent agreements reached w/ Swiss Limited Partners ensuring that necessary money available to maintain all partnership activities through 1998
ROBERTS, H.R. Energy Fuels Nuclear, Inc 95/07/05 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 164pp 84691 001-84691 164

9507280037 Advises that staff has no technical objections to licensee request to remove license condition 24(B) re quarterly monitoring of environ radon from license
AUSTIN, J.M. Performance Assessment & Hydrology Branch (NMSS 940403) 95/07/07 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 2pp 84875 005-84875 006

9507180031 Memorandum & order (extending proceeding in abeyance) (establishing conference date) * Denies intervenor motion to discontinue proceeding. Orders parties to continue to provide monthly status reports w/ Certificate of Service on 950712 GLEASON, J.P. Atomic Safety & Licensing Board Panel. #385 16858. 95/07/12 Officer of the General Counsel (Post 850701). 5pp. 84575:001-84575:005.

9507255317 Forwards request for addl info to assess licensee ability to operate White Mesa facility in near future.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (HMS 940403). 95/07/14. ROBERTS, H. Energy Fuels Nuclear, Inc. 3pp. 84834:354-84834:356

DOCKET 40-8698 PLATEAU RESOURCES, LTD., LAKE POWELL, UT

9507100423 "Effluent Monitoring Report for Jan-June 1995 for Shooting Canyon U Processing Facility." w/ 850705 ltr.
MORRILL, V. Plateau Resources, Ltd. 95/06/30 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (HMS 940403). 10pp. 84891:351-84891:360

9507270078 Informs that NRC has completed review of licensee annual safety update & found that increase incorporates inflation of cost estimate by 2.8%. Informs that revised amount of \$2,482,118 acceptable. Amend 15 to license SUA-1371 and.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (HMS 940403). 95/07/21 WEBBER, K. Plateau Resources, Ltd. 2pp. 84874:088-84874:079

-9507270080 Amend 15 to license SUA-1371 for Plateau Resources Ltd.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (HMS 940403). 95/07/21 3pp. 84874:071-84874:079

DOCKET 40-8724 CHEMETRON CORP., PROVIDENCE, RI

9507060188 Forwards summary of final release survey data for east fence line of ALCOA property in response to letter w/ K Lambert.
ADAMS, T.G. B. Koh & Associates, Inc. 95/06/19 JOHNSON, T. NRC - No Detailed Affiliation Given. 3pp. 84590:350-84590:357.

9507060363 Submits deficiencies & comments as result of review & discussions during 950614 meeting re B Koh & Associates. 950428 response to State of OH 950320 notice of deficiency re on license 941205 request to implement closure plan.
PARKER, J.L. Ohio, State of. 95/06/20 KOH, B. Koh & Associates, Inc. 16pp. 84590:305-84590:320.

9507060188 Advises that NRC has determined that contamination survey does not need to be performed re interior of Building 5B.
JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (HMS 940403). 95/06/27. SARGENT, D.R. Chemetron Corp. 4pp. 84570:156-84570:159

9507270078 Requests response on and comments re Chemetron Site Remediation Plan rev 1.2 submitted on 950228 by B Koh.
JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (HMS 940403). 95/07/13. SARGENT, D.R. Chemetron Corp. 3pp. 84874:203-84874:211.

DOCKET 40-8778 MOLYCORP, INC., LOS ANGELES, CA

9507070914 Expresses gratitude for informing NRC of actions taken in 950526 re re posting of contaminated areas at Washington, PA facility. Responds to request re posting of contaminated areas at MolyCorp York facility.
KINEMAN, J.D. Region 1 (Post 820201). 95/06/28. DANKMYER, B. MolyCorp, Inc. 2pp. 84590:063-84590:065

-9507070916 Informs that MolyCorp posted areas in question immediately after 950428 site visit & all access gates to impoundment area & all traffic access roads to area have been posted w/ caution signs in response to 950510 ltr.
WESZEL, G.W. MolyCorp, Inc. 95/06/28. KINEMAN, J. Region 1 (Post 820201). 2pp. 84590:065-84590:068

9507120082 Forwards amend 2 to license SMB-1393 & SER. Amend changes Condition 14. Section E of license to require new date by which decommissioning activities at facility must be completed.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (HMS 940403). 95/06/28. DANKMYER, B. MolyCorp, Inc. 2pp. 84878:327-84878:332

-9507120085 Amend 2 to license SMB-1393 for MolyCorp. No changing Condition 14. Section E to require new date by which decommissioning activities at facility must be completed.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (HMS 940403). 95/06/30. 1p. 84878:329-84878:329

-9507120086 SER supporting amend 2 to license SMB-1393.
* NRC - No Detailed Affiliation Given. 95/06/28. 3pp. 84878:330-84878:332

9507270082 Tip rpt of 950428 visit to MolyCorp site in Washington, PA re first hand review of licensee site environ characteristics & examination of physical details of on-going site characterization activities. List of attendees encl.
PERSON, L.S. Low-Level Waste & Decommissioning Projects Branch (HMS 940403). 95/06/28. NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (HMS 940403). 3pp. 84872:348-84872:352

DOCKET 40-8794 MOLYCORP, INC., LOS ANGELES, CA

9507070914 Expresses gratitude for informing NRC of actions taken in 950526 re re posting of contaminated areas at Washington, PA facility. Responds to request re posting of contaminated areas at MolyCorp York facility.
KINEMAN, J.D. Region 1 (Post 820201). 95/06/28. DANKMYER, B. MolyCorp, Inc. 2pp. 84590:063-84590:065

9507270082 Tip rpt of 950428 visit to MolyCorp site in Washington, PA re first hand review of licensee site environ characteristics & examination of physical details of on-going site characterization activities. List of attendees encl.
PERSON, L.S. Low-Level Waste & Decommissioning Projects Branch (HMS 940403). 95/06/28. NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (HMS 940403). 3pp. 84872:348-84872:352

DOCKET 40-8805 CERAC, INC., MILWAUKEE, WI

9507240817 Responds to 950415 & 950528 ltr re results of licensee investigation of certain licensed activities, per NRC request. Concludes that investigation sufficient to support findings.
HOLT, S.J. Region 3 (Post 820201). 95/06/30. Cerac, Inc. 1p. 84781:044-84781:044

DOCKET 40-8839 MAALABS, INC., CAMBRIDGE, MA

9507050150 Discusses map rpt 40-8839/95-02 on 950504 & forwards notice of violation.
HEHL, C.W. Region 1 (Post 820201). 95/06/23. ESSELMAN, T.C. Affiliation Not Assigned. 3pp. 84507:285-84507:290

-9507050158 Notice of violation from map on 950504 Violation noted: wipe test surveys were not taken of floors & work surfaces every 2 wks.
* Region 1 (Post 820201). 95/06/23. 3pp. 84507:288-84507:290.

9507290072 Forwards response to NRC 950623 ltr re violations noted in map of license SUB-1427. Corrective actions wipe tests have been performed & negative.
ESSELMAN, T.C. 95/07/21. Document Control Branch (Document Control Desk). 10pp. 84897:311-84897:320.

DOCKET 40-8852 FERRULMATIC, INC., TOTOWA, NJ

9507180128 Safety map on 940427 & 950525 of license SUB-1443. Map findings no violations observed.
* Region 1 (Post 820201). * Ferrulmatic, Inc. 95/07/05. 1p. 84765:313-84765:313

DOCKET 40-8857 POWER RESOURCES, INC., GLENROCK, WY

9507210218 Responds to request for addl info re PRI response to comment 6, involving average transmissivity estimate determined from F-Wellfield hydrology test.
KEARNEY, W.F. Power Resources Corp. 94/01/14. HOGGE, B. Wyoming, State of. 3p. 84866:343-84866:345.

9507280214 Discusses issues raised in meeting w/ Utah & Dept of Environ Quality on 831217 re wastewater land application permit. 603 Details what PRI needs to do to remedy concerns noted.
CHANCELLOR, R.A. Wyoming, State of. 94/01/18. KEARNEY, B. Power Resources Corp. 4pp. 84866:263-84866:266

9507210117 Informs that review has been completed for initial monitoring of F-Wellfield. Requests that licensee submit test that details progression of mining for first eight wellfield patterns.
KEARNEY, W.F. Wyoming, State of. 94/01/21. KEARNEY, B. Power Resources Corp. 2pp. 84866:328-84866:328.

9507260186 Informs that Power Resources, Inc. intends to submit revised renewal info soon after NRC receipt of pending license application submitted on 831203.
KEARNEY, W.F. Power Resources Corp. 94/01/28. HALL, R.E. Uranium Recovery Field Oic, PA. 1p. 84866:336-84866:336

9507210208 Forwards addl comments to Power Resources, Inc. on initial monitoring plan for proposed F-Wellfield. Revised monitoring plan reflected on tables 1 & 2. One overall drawing encl.
KEARNEY, W.F. Power Resources Corp. 94/01/28. HALL, R.E. Uranium Recovery Field Oic, PA. 7pp. 84866:336-84866:342

9507200272 Forwards three revised pages OP-36 & OP-36A for Volume 6 of approved license application to reflect that can of one casing vol of water will be routinely purged from monitor wells prior to sampling.
KEARNEY, W.F. Power Resources Corp. 94/01/31. HALL, R.E. Uranium Recovery Field Oic, PA. 2pp. 84867:220-84867:223.

-9507210208 Revised pages OP-36 & OP-36A to Section 8.3 of Volume 6, "Water Quality Sampling & Analysis Procedures" of approved license application.
* Power Resources Corp. 94/01/31. 2pp. 84867:222-84867:223.

9507210179 Responds to C Corbett request for addl info to support demonstrate that domestic & stock wells in area of proposed facilities not routinely installed to depths less than 200 feet. Results of investigation into depths of wells encl.
KEARNEY, W.F. Power Resources Corp. 94/02/04. HALL, R.E. Uranium Recovery Field Oic, PA. 2pp. 84866:331-84866:334.

9507210135 Informs that Power Resources, Inc. permit revision request to reduce baseline sampling requirements of permit 603 has been reviewed by LOD & WQD staffs. Receipt of fir grants PRI permission to change operations plan as submitted.
SHAFFER, R. Wyoming, State of. 94/02/09. KEARNEY, B. Power Resources Corp. 1p. 84866:330-84866:330

9507210102 Responds to 940131 ltr concerning required mechanical integrity tests conducted in A/B Wellfields. Requests that wells 1-24 & 1-50, which did not pass testing be plugged & abandoned as soon as possible.
MEINING, J. Wyoming, State of. 94/02/14. KEARNEY, B. Power Resources Corp. 1p. 84866:327-84866:327.

9507210247 Discusses info concerning ground water quality issue of well M-83.
SHAFFER, R. Wyoming, State of. 94/02/16. MORZENT, S.P. Uranium Recovery Field Oic, PA. 2pp. 84866:347-84866:349

9507210241 Informs that Power Resources, Inc. permit revision request to change number of casing volumes require to be removed from monitoring wells before water quality samples collected for permit 603 has been reviewed.
SHAFFER, R. Wyoming, State of. 94/02/28. KEARNEY, B. Uranium Recovery Field Oic, PA. 1p. 84866:345-84866:345.

9507190324 Informs that Power Resources, Inc. permit 603 rev request reviewed & receipt of fir grants permission to commence mining operations in F-Wellfield. Plans processed as non-significant & recorded as permit changes 18, 19 & 20.
SHAFFER, R. Wyoming, State of. 94/03/01. KEARNEY, B. Power Resources, Inc. (formerly Spalding City Nuclear Corp.) 2pp. 84866:353-84866:354.

6 DOCKETED ITEMS

9507190815 Requests expedition of review & approval to allow injection activities at proposed F-Wellfield & to allow Power Resources, Inc. to proceed w/const & operation of satellite 2 waste water land application facility
COOPER, P.G. Power Resources, Inc. (formerly Spent City Nuclear Corp.) 94/03/08 HALL, R.E. Uranium Recovery Field Ofc. R4 2pp 84866 351-84866 352

9507200336 Forwards revised section 9, "Radiation Safety" of approved Operations Plan, per 931203 application for amend to license
KEARNEY, W.F. Power Resources Corp. 94/03/04 HALL, R.E. Uranium Recovery Field Ofc. R4 1p 84866 267-84866 309

9507200441 Revised section 9, "Radiation Safety" of Operations Plan
Power Resources Corp. 94/03/04 42pp 84866 268-84866 309

9507200252 Discusses license condition 10.11 which requires that satellite 1 purge storage reservoir at Highland U Project be maintained at least four feet
KEARNEY, W.F. Power Resources Corp. 94/03/11 HALL, R.E. Uranium Recovery Field Ofc. R4 3pp 84866 260-84866 282

9507200307 Inform that Power Resources, Inc. permit rev to incorporate satellite 2 wastewater land application facility into Operations Plan for permit 603 has been reviewed by LDO & WOD staffs
SHAFFER, R. Wyoming, State of 94/03/11 KEARNEY, B. Uranium Recovery Field Ofc. R4 3pp 84866 257-84866 259

9507200318 Responds to 940228 request to hold meeting on outstanding issues of 940118 from R. Chancellor & 940216 from S. Morzenti No meeting will be scheduled
SHAFFER, R. Wyoming, State of 94/03/11 KEARNEY, B. Uranium Recovery Field Ofc. R4 3pp 84866 310-84866 311

9507200319 Forwards detailed assessment to determine potential radiological impacts to public of land applying wastewater containing two mg/l natural U & submits list of factors used in assessment, per 940401 URFO for license amend request
KEARNEY, W.F. Power Resources, Inc. (formerly Spent City Nuclear Corp.) 94/04/13 HALL, R.E. Uranium Recovery Field Ofc. R4 3pp 84867 005-84867 012

9507200322 "Assessment of Radiation Doses to Public From Ingestion of Wastewater Treated Waste Water, Power Resources, Inc. Highland U Project"
Power Resources, Inc. (formerly Spent City Nuclear Corp.) 94/04/13 8pp 84867 007-84867 012

9507200389 Inform that Power Resources, Inc. responses to conditions for approval for permit 603 renewed Receipt of its signifies that all conditions for F-Wellfield & Wastewater Land Application facility satisfied Recorded as permit change 22
SHAFFER, R. Power Resources, Inc. (formerly Spent City Nuclear Corp.) 94/04/19 KEARNEY, B. Wyoming, State of 1p 84867 004-84867 004

9507200392 Inform that add info submitted demonstrated that total effective dose equivalent for U substantially less than 50 mrem per year limit specified in 10CFR20.1302(2)(a)
KEARNEY, W.F. Power Resources Corp. 94/04/21 HALL, R.E. Uranium Recovery Field Ofc. R4 2pp 84866 325-84866 326

9507210084 Responds to NRC 940209 request for add info re conditions at & near well M-53 in order that NRC can evaluate FR 931106 request for rev of UCLs at well M-53
KEARNEY, W.F. Power Resources Corp. 94/04/25 HALL, R.E. Uranium Recovery Field Ofc. R4 13pp 84866 312-84866 324

9507210023 Responds to NOV cover for re radiation safety staffing. Inform that licensee determined that add person in Highland Environmental/Radiation Safety dept will enhance present programs & will provide assistance in areas
HILDEBRAND, P. Power Resources, Inc. (formerly Spent City Nuclear Corp.) 94/06/04 HALL, R.E. Uranium Recovery Field Ofc. R4 3pp 84867 082-84867 083

9507210025 Inform of review of license amend request to add approx 80 acres to existing licensed area for Power Resources, Inc. Highland U Project
AUSTIN, J.H. Performance Assessment & Hydrology Branch (NMSS 940403) 95/05/30 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p 84872 360-84872 360

9507210254 Inform that licensee in process of reviewing 1995 surety estimate to account for increases in surety estimates associated w/ground water restoration & will submit revised 1995 surety estimate to NRC & State of WY by 950630
KEARNEY, W.F. Power Resources Corp. 95/06/31 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 2pp 84803 312-84803 313

9507190321 Provides two floppy disks that contain Lot# 123 file of baseline water quality data for F-Wellfield at Facility Highland U Project
KEARNEY, W.F. Power Resources Corp. 95/06/26 BRADLEY, V. Division of Waste Management (NMSS 940403) 2pp 84862 325-84862 326

9507170142 Ack receipt of 950605 from informing NRC of steps taken to correct violations noted in insp rept 45-8957/95-01
CAIN, C.L. Region 4 (Post 820201) 95/07/11 HILDEBRAND, P. Power Resources Corp. 4pp 84747 185-84747 185

9507190388 Forwards 1995 surety estimate for Highland U Project, per licensee condition 9.10 for NRC review & approval
KEARNEY, W.F. Power Resources Corp. 95/07/14 HOLONICH, J.J. Division of Waste Management (NMSS 940403) 4pp 84763 222-84763 286

9507200326 Forwards modified SER in response to recipient branch 950632 request for ecological assessment of Power Resources, Inc. license renewal document & mod to SER Licensee should update document to present technology in 10CFR20
AUSTIN, J.H. Performance Assessment & Hydrology Branch (NMSS 940403) 95/07/18 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 2pp 84842 081-84842 103

9507200328 Modified GE approving Power Resources, Inc. request for renewal of license SUA-1511
Division of Waste Management (NMSS 940403) 95/07/18 21pp 84842 083-84842 103

9507250193 Inform that staff has no technical objections to licensee amend request to construct & operate Satellite 3 facility at Highland U Project
AUSTIN, J.H. Performance Assessment & Hydrology Branch (NMSS 940403) 95/07/21 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p 84828 250-84828 250

DOCKET 40-6856 NUCLEAR METALS, INC., CONCORD, MA

9507190084 Inform that NRC will withhold from public disclosure per 10CFR2.790, marked pricing data in Olin Corp contract dtd 940325, per 950414 request
KINNEMAN, J.D. Region 1 (Post 820201) 95/06/21 YUMBACCO, F.J. Nuclear Metals, Inc. 4pp 84692 120-84692 126

9507100035 Ack receipt of 950605 from informing NRC of steps taken to correct violations noted in insp repts 40-0672/94-01 & 40-8868/94-01
KINNEMAN, J.D. Region 1 (Post 820201) 95/06/28 YUMBACCO, F.J. Nuclear Metals, Inc. 2pp 84539 039-84539 043

9507100042 Responds to NRC 850407 for re violations noted in insp repts 40-0672/94-01 & 40-8868/94-01 Corrective actions attached in-house memo distributed to members of staff w/reports to proper handling of future commitments
YUMBACCO, F.J. Nuclear Metals, Inc. 95/06/05 KINNEMAN, J.D. Region 1 (Post 820201) 3pp 84539 041-84539 043

DOCKET 40-8992 ATLANTIC RICHFIELD CO., GRANTS, NM

9507200687 Forwards findings data re fire layers per discussion w/ recipient
BAKER, K. Atlantic Richfield Co. (ARCO) 95/06/06 NRC - No Detailed Affirmation Given 3pp 84842 181-84842 163

9507190177 Submits clarification of origin of byproduct melt containing PCBs
ZIEGLER, R.S. Atlantic Richfield Co. (ARCO) 95/06/23 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 4pp 84581 101-84581 102

950719024 Forwards "Atlantic Richfield Co Land Use Survey Rept. Bluewater U Mill Site Grants, NM" for 1995 Reclamation activity at site only significant deviation in land use within survey area at site from 1994 rept
ZIEGLER, R.S. Atlantic Richfield Co. (ARCO) 95/06/29 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p 84582 179-84582 157

950719025 "Atlantic Richfield Co Land Use Survey Rept. Bluewater U Mill Site Grants, NM" w/two oversize drawings
Atlantic Richfield Co. (ARCO) 95/06/30 17pp 84882 180-84882 157

9507250210 Forwards amend 28 to license SUA-1470 to revise cover design for Carbonate Tailings Pile, design of main tailings impoundment South Toe bench slope design & quarry & rock scoring criteria
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/07/20 ZIEGLER, R.S. Atlantic Richfield Co. (ARCO) 13pp 84835 282-84835 282

9507250258 Amend 29 to license SUA-1470 for Atlantic Richfield Co
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/07/20 7pp 84835 275-84835 282

DOCKET 40-8993 HOMESTEAK MINING CO., GRANTS, NM

9507190336 Inform that licensee prepared to place bedding & erosion protection on outcrops per 950707 telcon w/T. Harris Placement of bedding scheduled to begin 950715
CRAFT, F.R. Homestake Mining Co. 95/06/10 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p 84761 158-84761 156

9507200298 Forwards revised summary of reclamation cost estimates, as per request by K. Hooks
CRAFT, F.R. Homestake Mining Co. 95/06/26 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 2pp 84822 347-84822 348

DOCKET 40-8904 SONJO WESTERN MINING CO., SALT LAKE CITY, UT

9507200164 Provides NRC final position on review of previously approved reclamation plans
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/07/18 CRADUCH, D. Kennecott Corp. 2pp 84842 222-84842 261

DOCKET 40-8985 QUIVIRA MINING CO., GRANTS, NM

9507190332 Forwards TER documenting NRC review of licensee 950616 proposal to use nmp at Ambrosia Lake site which does not meet NRC approved scoring criteria/ licensee current cost specs
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/07/03 FERDINAND, B. Quivira Mining Co. 3pp 84834 340-84834 342

9507200468 Responds that NRC approve deposit of byproduct melt in areas adjacent to tailings impoundments
FERDINAND, B. Quivira Mining Co. 95/07/20 HOLONICH, J.J. Low-Level Waste & Decontamination Projects Branch (NMSS 940403) 3pp 84824 160-84824 169

DOCKET 40-8907 UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.)

9507190385 Notification of 950720 meeting w/licensee in Rockville, MD to discuss Church Rock background water quality data & alternate concentration limits
HOOKS, K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/08/29 High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p 84694 337-84694 337

9507120341 Expresses appreciation for recent invitation to travel to Washington to meet w/United Nuclear personnel & consultants
TRUJILLO, D.M. New Mexico, State of 95/05/29 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 2pp 84881 251-84881 252

9507110390 Informs that as described in end TER/NRC unable to approve extension of license period company guarantee based on review of request in 950330 re Licensee requested to initiate efforts to secure alternate financial instrument.
HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/30. VELASQUEZ, J.R. United Nuclear Corp. (subs. of UNO, Inc.). 4pp. 84894343-84894346

9507120848 Forwards workplan outlining field work to be performed in vicinity of Church Rock Superfund site to determine if nitrate naturally occurring in alluvial soils at Church Rock Superfund site McKinley County, NM.
TRUJILLO, D.M. New Mexico, State of. 95/07/08. GHOSSE, S. Environmental Protection Agency. 8pp. 84884233-84884238

9507250128 Expresses appreciation for recent invitation to travel to Washington to meet w/UNO personnel & consultants.
TRUJILLO, D.M. New Mexico, State of. 95/07/18. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84825358-84825359

9507280020 Forwards disk w/1977 water quality data & slides used in presentation of Quiver operations at Church Rock site & excerpt out of 1982 Background Water Quality Report & slides not encl.
DU PONT, S. Attention Not Assigned. 95/07/21. HOOKS, K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 34pp. 84837210-84837243

DOCKET 40-8306 BUTKIN PRECISION MANUFACTURING, INC., MILFORD, CN

9507250264 Forwards amend 5 to license STB-1505 & SER & categorical exclusion Amend transfers license from Butkin Precision Mfg. Inc. to B&B Tool Co.
HOGG, R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/12. BUTKA, J. Attention Not Assigned. 8pp. 84831335-84831348

9507250286 Amend 5 to license STB-1505 for B&B Tool Co. transferring license from Butkin Precision Mfg. Inc. to B&B Tool Co.
WEBER, M.F. Division of Waste Management (NMSS 940403). 95/07/12. 2pp. 84831344-84831345

9507250288 SER & categorical exclusion supporting Amend 5 to license STB-1505.
* NRC - No Detailed Attention Given. 95/07/12. 4pp. 84831346-84831349

DOCKET 40-8843 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

9507060294 Provides requested info & requests that NRC approves addl flow increase for main recovery plant.
KNOX, E.L. 95/06/26. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 84832317-84832335

9507110327 Recommends that subsequent annual pond map repts include plan-view map showing footcords of land survey points & summary of settlement data from previous land surveys based on review of licensee 1994 pond map repts submitted 841117.
PARK, J.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/30. GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 84864347-84864350

9507280078 Ack receipt of 950620 re informing NRC of steps taken to correct violations noted in map repts 40-8943/95-01.
CAIN, C.L. Region 4 (Post 820201). 95/07/20. COLLINGS, S.P. Attention Not Assigned. 4pp. 84793135-84793140

DOCKET 40-8946 SHELDALLOY CORP., NEWFIELD, NJ

9507110086 Forwards Vols I, II, III & IV of draft "Remedial Investigation & Feasibility Study at Sheldalloy Metallurgical Corp Site in Cambridge, OH." w/ four overbooks.
SHIELDS, W.J. P.T.I. Services, Inc. 95/06/29. ACKMAN, D. Ohio, State of. 2pp. 84700001-84704329

9507110087 Vols I, II, III & IV of draft "Remedial Investigation & Feasibility Study at Sheldalloy Metallurgical Corp Site in Cambridge, OH."
* P.T.I. Services, Inc. 95/06/30. 1,783pp. 84700003-84704329

9507110341 Forwards revised repts, "Onsite Slag Characterization & Distribution at Sheldalloy Metallurgical Corp Site, Cambridge, OH."
SHIELDS, W.J. P.T.I. Services, Inc. 95/06/30. NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 84682001-84682178

9507110342 Revised repts, "Onsite Slag Characterization & Distribution at Sheldalloy Metallurgical Corp Site, Cambridge, OH."
* P.T.I. Services, Inc. 95/06/30. 1,755pp. 84682004-84682178

9507110338 Forwards OH EPA comments on draft work plan for remedial investigation & feasibility study at Sheldalloy Metallurgical Corp site in Cambridge, OH, dated 950216.
BLAIR, G.J. Ohio, State of. 95/03/16. EVES, C.S. Sheldalloy Metallurgical Corp. LEIP Foote Mineral Co. 13pp. 84694206-84694227

9507080218 Forwards an original of response to OPEA & NRC comments on Draft RI/FS Work Plan dated to B Blair on 950328.
SHIELDS, W.J. P.T.I. Services, Inc. 95/05/24. NELSON, R.A. NRC - No Detailed Attention Given. 19pp. 84690285-84690303

9507110085 Notice of hearing on RPA applications of professionals for allowance of compensation for services rendered & reimbursement of expenses.
RAPASARD, J.J. Metall. Inc. RAPASARD, J.J. Sheldalloy Metallurgical Corp. RAPASARD, J.J. West, Gohal & Manges. 95/06/18. 87pp. 84682278-84682314

9507080211 Forwards letter from S. Bauman re concerns w/Sheldalloy site in Quenady County, OH.
NEY, R.W. House of Rep. 95/06/22. NELSON, R.A. NRC - No Detailed Attention Given. 2pp. 84617296-84617297

9507060227 Forwards draft source term development for metal CoPCs in East & West Slag Piles at Sheldalloy site in Cambridge, OH.
SHIELDS, W.J. P.T.I. Services, Inc. 95/06/28. NELSON, R.A. Office of Nuclear Material Safety & Safeguards. 1p. 84842176-84842216

9507060233 Draft Source Term Development for Metal CoPCs in East & West Slag Piles, Sheldalloy Metallurgical Corp Site in Cambridge, OH.
* P.T.I. Services, Inc. 95/06/23. 38pp. 84842177-84842216

9507060013 Forwards map repts 40-8946/95-01 on 950227-0511. No violations noted.
MCCORMICK-BARGE Region 3 (Post 820201). 95/06/26. EVES, C.S. Sheldalloy Metallurgical Corp. 2pp. 84516078-84516080

9507060018 Map repts 40-8946/95-01 on 950227-0511. No violations noted. Major areas inspected posting measures program for maintaining integrity of West Slag cap & program of surveillance for security slag piles.
GUNSUR, L. MCCORMICK-BARGE Region 3 (Post 820201). 95/06/26. 11pp. 84516080-84516090

9507270018 Summary of 950620 meeting w/Sheldalloy Metallurgical Corp. Cyrus Foote Mineral Corp in Rockville, MD re development of EIS for Cambridge, OH & Newfield, NJ facilities.
NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/28. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 8pp. 84874170-84874177

9507130348 Forwards response to NRC comments transmitted on 950616 in memo entitled, "NRC Staff Review of Remedial Investigation/Feasibility Study Work Plan, Sheldalloy Metallurgical Corp, Cambridge, OH - May 1995."
SHIELDS, W.J. P.T.I. Services, Inc. 95/06/30. NELSON, R.A. Office of Nuclear Material Safety & Safeguards. 3pp. 84895021-84895023

9507130306 Requests EIS scope change re Cambridge, OH site.
EVES, C.S. Sheldalloy Metallurgical Corp. 95/07/05. NELSON, R.A. NRC - No Detailed Attention Given. 1p. 84893059-84893059

9507270017 Discusses public release of preliminary draft EIS for Sheldalloy Metallurgical Corp in Cambridge, OH.
NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/05. BLAIR, B. Environmental Protection Agency. 3pp. 84874018-84874023

9507270298 Notifies licensee of change in NRC project mgmt responsibilities for licensing & decommissioning of facility in Cambridge, OH (license SMR-1507).
NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/11. EVES, C.S. Sheldalloy Metallurgical Corp. 1p. 84874183-84874193

9507270174 Advises that Remedial Investigation/Feasibility Study, received on 950703, did not adequately address all NRC questions concerning alternatives to analysis of facility. Unresolved questions listed.
NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/13. EVES, C.S. Sheldalloy Metallurgical Corp. 4pp. 84874185-84874195

9507270223 Responds to 950627 re re scope of EIS being developed by NRC for license.
NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/20. DARRIGOLD, Nuclear Information & Resource Service. 4pp. 84873198-84873201

DOCKET 40-8988 HYDRO RESOURCES, INC., DALLAS, TX

9507250186 Informs that addl shift hours necessary to complete SER review for license application for Growpoint, NM in-situ leach U project.
HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/21. PELIZZA, M.S. HRM, Inc. (Hydro Resources, Inc.). 2pp. 84828248-84828249

DOCKET 40-8971 U.S. ENERGY CORP., RIVERTON, WY

9507270268 Forwards suppl technical evaluation repts to suppl review completed on 950203 re license Grants Mountain ion exchange facility decommissioning.
AUSTIN, J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 95/07/10. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 84874194-84874197

DOCKET 40-8981 PATHFINDER MINES CORP., MILLS, WY

9507170081 Forwards map repts 40-8981/95-01 on 950805 & 06. No violations noted. Inspector noted two monthly maps of evaporation ponds water levels measured but not recorded.
SCARANO, R.A. Region 4 (Post 820201). 95/07/11. WICHERS, D.L. Pathfinder Mines Corp. 4pp. 84755233-84755303

9507170087 Map repts 40-8981/95-01 on 950805 & 06. No violations noted. Major areas inspected re org & organization controls, operations, environmental protection & emission monitoring.
CAIN, C.L. Region 4 (Post 820201). 95/07/07. 7pp. 84755297-84755303

DOCKET 40-8989 ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT

9507130207 Forwards Brigham Environ 1994 4th quarter LARW & 11e03 groundwater sampling results, consisting of results from first, second, third & fourth quarter sampling.
HELLSTROM, G.W. Envirocare of Utah, Inc. 95/07/07. CARLSON, B. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 29pp. 84698001-84698024

9507110311 Application for amend to license SMC-1558, requesting annual surety review. Replace Page 9-10 through end of Section 9 w/ end pages.
HELLSTROM, G.W. Envirocare, Inc. 95/06/24. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 25pp. 84694161-84694165

9507130298 Forwards amend 5 to license SMC-1558 & TER. Amend expands waste capacity of 11e (2) disposal cell from 3.3 million to 5.5 million cubic yards.
HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/07. JUDD, C.A. Envirocare of Utah, Inc. 6pp. 84692252-84692260

8 DOCKETED ITEMS

950729008 Amend 5 to license SMC-1558 for Envirocare of Utah, Inc. expanding waste capacity of 11a(2) disposal cell from 3.3 million to 5.5 million cubic yards. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/07 11pp 84842.258-84842.258.

950729021 Requests that NRC approve qualifications of G. Sadquist & authority of proposed annual audit per license condition 9 B, license SMC-1558 & amend 5. HELLSTROM, G.W. Envirocare of Utah, Inc. 95/07/14. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 34pp. 84798.290-84799.313.

DOCKET 40-9022 HARTLEY & HARTLEY LANDFILL

9507140228 Forwards Vols 1 & 2 of "Technical Memo Nonintrusive (Phase IIA) Investigation SCA/Hartley & Hartley Landfill Bay County, MI." W/ five oversize drawings. OGLE, J.A. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/07/07. PARROTT, J. NRC - No Detailed Affiliation Given. HARTMAN, M. Michigan, State of 1p. 84782.001-84782.321

9507140235 Vols 1 & 2 of "Technical Memo Nonintrusive (Phase IIA) Investigation SCA/Hartley & Hartley Landfill Bay County, MI." W/ five oversize drawings. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/07/31. 320pp. 84782.002-84782.321

9507290182 Forwards FRN announcing FONSI & opportunity for hearing on issuance of license SUC-1595. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/12. MEYER, D.L. Regulatory Publications Branch (950205-950222). 6pp. 84589.354-84589.358.

DOCKET 40-9024 ENERGY FUELS NUCLEAR

9507050211 Summarizes [See 950516 meeting w/representatives from Energy Fuels Nuclear, Inc. to discuss Omnibus Budget Reconciliation Act of 1990 issues, including NRC new approach to fees. MCCONNELL, K.I. Commissioners (Post 750119). 95/06/15. Commissioners (Post 750119). 1p. 84516.198-84516.198

9507290223 Submits follow up to 950705 telecon re POL for storage of used resin at Ring Creek & associated reclamation bond. REHMAN, M.R. Energy Fuels Nuclear, Inc. 95/07/10. CARLSON, R.D. NRC - No Detailed Affiliation Given 14pp. 84779.336-84779.349.

DOCKET 48-9827 CABOT CORP. READING & REVERE

9507050319 Discusses review of decommissioning activities planned for Reading, PA facility. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/23. BARRION, J. Cabot Corp. 2pp. 84870.251-84870.258.

9507050317 Notice of violation from insp. Violation noted, licensee failed to submit adequate characterization plan by 950330. Office of Nuclear Material Safety & Safeguards 95/06/23. 2pp. 84570.233-84570.236.

9507290074 Responds to NRC 950623 letter violations noted in insp of license SMC-1582. Corrective actions revised characterization plan to include specific schedule for performing characterization of slag pile. LINDELL, J.S. Cabot Corp. 95/07/21. Document Control Branch (Document Control Desk). 8pp. 84828.309-84828.312.

9507310158 Forwards response to NRC comments on "Characterization Plan for Reading Slag Pile," dtd Jul 1995. Rev 1 to NES Document 82A9896, "Characterization Plan for Reading Slag Pile" also encl. CAMPITELLI, J.A. Cabot Corp. 95/07/24. HOGG, R. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 7pp. 84808.058-84808.078.

9507310161 Rev 1 to "Characterization Plan for Reading Slag Pile." CRAIG, K., REISENHAVER, D. Nuclear Energy Service, Inc. 82A9896 R01 95/07/31. 14pp. 84808.085-84808.078.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 88-3 INDIAN POINT STATION, UNIT 1

P. Operating license stage documents & correspondence

9503290062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC before board app. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.268.

Q. Inspection reports, IE Bulletins & correspondence

9507030019 Forwards insp rept 50-003/95-01 & 50-247/95-16 on 950605-09 & notice of violation. MARTIN, T.T. Region 1 (Post 820201). 95/06/23. QUINN, S.E. Consolidated Edison Co. of New York, Inc. 2pp. 84696.044-84696.067.

9507290183 Notice of violation from insp on 950605-09. Violation noted: licensee delayed 1800 to carrier for exclusive use transport in package w/ radiation levels of 375 mrem per hour on contact w/ outer surface of vehicle. Region 1 (Post 820201). 95/06/23. 3pp. 84696.048-84696.060.

9507290226 Insp rept 50-006/95-01 & 50-247/95-16 on 950605-09. Violations noted: Major areas inspected: radwaste processing, waste stream sampling & analysis, preparation & shipment of radioactive matl & onsite storage of radwaste. NOBLE, J., BORRES, R. Region 1 (Post 820201). 95/06/21. 14pp. 84696.051-84696.067.

DOCKET 98-6 PENNSYLVANIA STATE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9507100004 Forwards insp rept 50-005/95-01 & 70-0113/95-01 on 950409-14. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 95/06/28. SHIRLEY, D.A. Pennsylvania State Univ., Harrisburg, PA. 2pp. 84538.351-84538.359.

9507100010 Insp rept 50-005/95-01 & 70-0113/95-01 on 950409-14. No violations noted. Major areas inspected: reactor operations, health physics program, emergency preparedness, matl oversight, & use of special nuclear matl. DRAGOUN, T. Region 1 (Post 820201). 95/06/28. 7pp. 84538.353-84538.358.

G. Inspection reports, IE Bulletins & correspondence

9507100004 Forwards insp rept 50-005/95-01 & 70-0113/95-01 on 950409-14. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 95/06/28. SHIRLEY, D.A. Pennsylvania State Univ., Harrisburg, PA. 2pp. 84538.351-84538.359.

9507100010 Insp rept 50-005/95-01 & 70-0113/95-01 on 950409-14. No violations noted. Major areas inspected: reactor operations, health physics program, emergency preparedness, matl oversight, & use of special nuclear matl. DRAGOUN, T. Region 1 (Post 820201). 95/06/28. 7pp. 84538.353-84538.358.

H. Reportable occurrences, LERs & related correspondence

9507120182 RO on 950510-950630, when comparing control rod worth data from annual surveillance tests during 1994 & 1995 discrepancy of greater than one dollar of reactivity was observed. SHIRLEY, D.A. Pennsylvania State Univ., University Park, PA. 95/07/07. Document Control Branch (Document Control Desk). 5pp. 84876.937-84876.941.

V. Operator Examinations

9507060361 Forwards reactor operator license certificate for MP Grieb, newly licensed individual at Pennsylvania State Univ. W/o and BOGER, B.A. 95/06/28. SHIRLEY, D.A. Pennsylvania State Univ., University Park, PA. 1p. 84531.960-84531.960.

DOCKET 98-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507291181 Revised Maps for Corporate ERPs from CEPF-9000 Series including rev 2 to Quad Cities Map, rev 1 to Dresden Map & revised 3000 Series Table of Contents. W/ two oversize drawings. Commonwealth Edison Co. 95/06/02. 3pp. 84871.338-84871.338.

9507050304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101. VONK, M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84556.336-84556.355.

9507110049 Forwards info re physical security activities at plant for review & followup. Requests that results of review & disposition of subj matters be submitted to Region III within 45 days of receipt of dtd. CREED, J.R. Region 3 (Post 820201). 95/07/03. JOYCE, T. Commonwealth Edison Co. 2pp. 84587.252-84587.253.

9507250111 Forwards util revised EP EALs. VONK, M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 200pp. 84825.001-84825.200.

9507240458 Submits supplementary response to Comm Ed 950806 response to NRC 950802 RAI re proposed use of Corporate EDF as interim EOF. JOHNSON, L.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 841001). 2pp. 84816.358-84816.367.

R. Periodic operating reports & related correspondence

9507180264 Monthly operating rept for June 1996 for Dresden Generating Station Units 1, 2 & 3. W/ 950714 R. CARROLL, E.W., HOLLAND, P.G. Commonwealth Edison Co. 95/06/30. 21pp. 84782.335-84782.355.

9507290103 Forwards 1996 second quarter rept of changes, tests & experiments per 10CFR50.59. Rept previously being submitted on annual basis, but will now be submitted on quarterly basis. HOLLAND, P.G. Commonwealth Edison Co. 95/07/10. Office of Nuclear Reactor Regulation (Post 841001). 1p. 84849.001-84849.002.

9507290106 Rept of changes, tests & experiments per 10CFR50.59 for 1996 second quarter. Commonwealth Edison Co. 95/06/30. 750pp. 84849.002-84849.003.

S. Reportable occurrences, LERs & related correspondence

9507170387 LER 95-001-00 on 950615, Unit 1 high radiation area was unlocked in violation of TS. Caused by lack of review & verification of plant TS. Detailed review was made of all Unit 1 areas. W/ 950714 R. BAKER, J., JOYCE, T.P. Commonwealth Edison Co. 95/07/10. 5pp. 84784.019-84784.023.

W. Decommissioning Stage Documents & Correspondence

950719034 Documents understanding reached in 950621 Edison re significance of SER attached to Order approving Dresden Unit 1 decommissioning plan & issuance of amend 37 to license DFR-2 to TS.
HOLLAND, P.G. Commonwealth Edison Co. 86/06/28. Document Control Branch (Document Control Desk). 3pp. 84682:358-84682:358.

9506280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

950719038 Notification of 950711 meeting w/Commonwealth Edison Co in Rockville, MD to discuss licensee plans for dry spent fuel storage at plant.
EASTON, E.P. Office of Nuclear Material Safety & Safeguards. 95/07/03. TRAYERS, W.D. Office of Nuclear Material Safety & Safeguards. 1p. 84518:281-84518:281.

950719026 Ack receipt for 10CFR50.54(a) submittal did 950517, incorporating changes in CIA program description topical rept.
RING, M.A. Region 3 (Post 820201). 95/07/11. KORYACH, T.L. Commonwealth Edison Co. 2pp. 84732:312-84732:313.

DOCKET 95-16 ENRICO FERRIS ATOMIC POWER PLANT, UNIT 1

H. General correspondence

9507170383 Comments to provide notice of transfer to NRC re proposed Corporate restructuring of Detroit Edison Co. as requested by T. Colburn.
GIPSON, D.R. Detroit Edison Co. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84776:269-84776:270.

W. Decommissioning Stage Documents & Correspondence

9507270281 Top rept of 950802 visit to Forts Unit 1 in Lagoona Beach, Ill re terminology project manager & other DNM/LUDP staff w/facility & facilitating meeting of project manager w/all counterparts at plant.
BROWNE, S.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 840403). 95/08/30. SELL, L.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 840403). 8pp. 84874:159-84874:164.

DOCKET 95-18 VALLEGITOS BOILING WATER REACTOR

I. Financial information

9507130185 Inform of review of self-guarantee financial assurance submittal documents did 950323. Sub documents found in compliance w/criteria in 10CFR30 App C, "Criteria Re Use of Financial Tests & Self-Guarantees for Decommissioning."
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 840403). 95/07/10. SCHINDLER, W.H. General Electric Co. 1p. 84736:090-84736:090.

DOCKET 95-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

V. Operator Examinations

9507080137 Notifies that JC VanAntwerp resigned position as senior reactor operator, effective 950830.
BERNARD, J.A. Massachusetts Institute of Technology, Cambridge, MA. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84617:212-84617:212.

DOCKET 95-23 YANKEE-ROWE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9507080244 Advises that 950420 Rev 5 to delisted security plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plan.
JOYNER, J.H. Region 1 (Post 820201). 95/06/21. GRANT, J. Yankee Atomic Electric Co. 2pp. 84570:271-84570:273.

9507180486 Revised EPIPs, including Revs 114 & 115 to table contents & Rev 12 to OP-3316, "Control Room Actions During Emergency."
Yankee Atomic Electric Co. 95/07/07. 19pp. 84786:047-84786:063.

K. Utility Final Safety Analysis Report (FSAR) & amendments

9507170492 Document custody assignment form & YAEF controlled document record of changes form to YNPS FSAR. YNPS FSAR control through Change 9.
Yankee Atomic Electric Co. 95/07/08. 2pp. 84786:189-84786:200.

G. Inspection reports, IE Bulletins & correspondence

9507250837 Comment on proposed "Review of NRC Insp Rept Content, Format & Style." Unit believes that report writers should be required to clearly articulate safety significance of each finding.
THAYER, J. Yankee Atomic Electric Co. 95/07/13. MEYERS, D. NRC - No Detailed Attention Given. 10pp. 84787:140-84787:149.

9507240204 Forwards insp rept 95-029/95-01 on 950214-16 & 0523-25. No violations noted. NRC noted one concern re number of radiological & industrial safety events among contract workers.
JOYNER, J.H. Region 1 (Post 820201). 95/07/14. THAYER, J.K. Yankee Atomic Electric Co. 3pp. 84823:291-84823:304.

9507240211 Insp rept 95-029/95-01 on 950214-17 & 0523-25. No violations noted. Major areas inspected, audits & appraisals, changes to program, procedures & staff, radiological activities in 1994, planning & preparation for future work & interim storage.
NICK, J. BONES, R. Region 1 (Post 820201). 95/07/13. 11pp. 84823:294-84823:304.

W. Decommissioning Stage Documents & Correspondence

9507190256 Notification of 950718 meeting w/all in Rockville, MD to discuss plans to use Yankee Models previously. Meeting cancelled.
ORR, F.R. 95/06/18. JONES, R.C. 2pp. 84587:100-84587:101.

9506280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507190091 Comment supporting proposed GL "Relocation of Pressure Temp Limit Curves & Low Temp Overpressure Protection Sys Limits."
GRANT, J.M. Yankee Atomic Electric Co. 95/06/30. Docketing & Services Branch. 2pp. 84557:081-84557:082.

DOCKET 95-54 CENTCHEM

W. Decommissioning Stage Documents & Correspondence

9507190308 Forwards supplementary info requested in NRC 950808 ltr re licensee proposed method for developing bedrock release order including proposed bedrock sampling plan.
MCDOVERN, J. Canchem, Inc. 95/07/12. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 840403). 3pp. 84736:088-84736:090.

DOCKET 95-82 UNIV. OF VIRGINIA RESEARCH REACTOR

F. Operating license stage documents & correspondence

9507180213 Forwards amend 21 to amended license R-86 & SE Amend removes from license authorization to possess high-enriched U reactor fuel, updates & adds definitions to TS, additionally updates & reformats various TS to improve clarity.
ADAMS, A. 95/07/21. MURDER, R.U. Virginia, Univ. of, Charlottesville, VA. 3pp. 84878:233-84878:236.

9507300221 Amend 21 to license R-86, removing from license authorization to possess high-enriched U reactor fuel, updates & adds definitions to TS, additionally updates & reformats various TS to improve clarity.
WEISS, S.H. Office of Nuclear Reactor Regulation (Post 841001). 95/07/21. 61pp. 84879:236-84879:296.

9507310223 Safety evaluation supporting amend 21 to license R-86.
Office of Nuclear Reactor Regulation (Post 841001). 95/07/21. 3pp. 84879:297-84879:305.

G. Inspection reports, IE Bulletins & correspondence

9507180338 Forwards insp rept 95-062/95-01 on 950605-07. No violations noted.
COLLINS, D.M. Region 2 (Post 820201). 95/07/07. MURDER, R.U. Virginia, Univ. of, Charlottesville, VA. 2pp. 84876:310-84876:320.

9507180340 Insp rept 95-062/95-01 on 950605-07. No violations noted. Major areas inspected, onsite review of operations of Class 1 non-power reactor.
SASSETT, C.H., DESAI, B.B., MCALPINE, E.J. Region 2 (Post 820201). 95/07/07. 3pp. 84876:318-84876:320.

V. Operator Examinations

9507080157 Informs that written & operating exams scheduled for wk of 950628. Requests that reference mats be furnished at least 60 days prior to exam date & that license applications be submitted at least 30 days prior to first exam date.
DOYLE, P.V. 95/06/26. MURDER, R.U. Virginia, Univ. of, Charlottesville, VA. 10pp. 84538:341-84538:352.

DOCKET 95-70 GENERAL ELECTRIC NUCLEAR TEST REACTOR

I. Financial information

9507180155 Inform of review of self-guarantee financial assurance submittal documents did 950323. Sub documents found in compliance w/criteria in 10CFR30 App C, "Criteria Re Use of Financial Tests & Self-Guarantees for Decommissioning."
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 840403). 95/07/10. SCHINDLER, W.H. General Electric Co. 1p. 84736:090-84736:090.

DOCKET 95-72 UNIV. OF UTAH RESEARCH REACTOR

W. Decommissioning Stage Documents & Correspondence

9507180192 Forwards ltr & rept from Oak Ridge Inst for Science & Education re final termination survey for reactor, including questions on licensee 950322 document, "Summary of Decommissioning Process..." for review & response.
SCARANO, R.A. Region 4 (Post 820201). 95/07/17. SLAUGHTER, D.M. Utah, Univ. of, Salt Lake City, UT. 4pp. 84788:293-84788:310.

10 DOCKETED ITEMS

-9507190111 Forwards comments on licensee "Summary of Decommissioning Process of Univ of UT AGN-201 Reactor 107, Final Repd Rev 1" ADAMS, W.C. Oak Ridge Associated Universities 95/07/19 MURRAY, B. Region 4 (Post 820201) 14pp 84769 297-84769 310

DOCKET 58-73 GENERAL ELECTRIC NUCLEAR TEST REACTOR

I. Financial Information

9507190155 Inform of review of self-guarantee financial assistance submittal documents did 950323 Subj documents found in compliance w/ criteria in 10CFR50 App C, "Criteria for Use of Financial Tests & Self-Guarantees for Decommissioning" WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (RMSS 940403) 95/07/10 SCHINDLER, W.H. General Electric Co. 1p 84736 050-84736 090

DOCKET 58-77 CATHOLIC UNIV. OF AMERICA RESEARCH REACTOR

W. Decommissioning Stage Documents & Correspondence

9507190281 Responds to request for add info re final status survey rpt LUSTER, D.R. Catholic Univ. of America, Washington, DC 95/06/02 JOYNER, J.H. Region 1 (Post 820201) 10pp 84684 211-84684 228

950720177 Responds to 950602 in which requested review of final status survey plan for area currently identified as power plant machine shop related to Catholic Univ of America research reactor MENDONCA, M.M. 95/07/17 LUSTER, D.R. Catholic Univ. of America, Washington, DC 9pp 84784 059-84784 061

DOCKET 58-83 UNIV. OF FLORIDA TRAINING REACTOR

F. Security, medical, emergency & fire protection plans

9507240468 Forwards Rev 12 of physical security plan for Univ of Florida Training Reactor per 10CFR50.54 Encl withfield VERNETSON, W.G. Florida, Univ. of, Gainesville, FL 95/07/18 Document Control Branch (Document Control Desk) 2pp 84691 037 84691 058

P. Operating license stage documents & correspondence

9507270221 Expresses opinion that 10CFR20.1501(c) can readily relieve any burden on licensee R-88 operators in response to NRC 950605 request for input on burden associated w/ controlling radiation beams at facility VERNETSON, W.G. Florida, Univ. of, Gainesville, FL 95/07/11 WEISS, S.H. 3pp 84673 389-84673 380

S. Reportable occurrences, LERs & related correspondence

9507070469 RO on 950608 failure of primary coolant return line flow sensor to initiate trip occurred. Flow sensors checked after debris removal & as of 950628 problem considered resolved VERNETSON, W.G. Florida, Univ. of, Gainesville, FL 95/06/30 Region 2 (Post 820201) 6pp 84619 232-84619 240

-9507100115 Inform that E McAlpine relative to failure of primary coolant flow line return sensor discovered on 950608 per 950612 telcon VERNETSON, W.G. Florida, Univ. of, Gainesville, FL 95/06/12 EBNETER, S. Region 2 (Post 820201) 3pp 84619 238-84619 240

DOCKET 58-85 GENERAL ATOMICS

F. Security, medical, emergency & fire protection plans

9507280312 Forwards revised radiological contingency plan, together w/ GA re requesting revs be approved & NRC in approving Jan 1986 revs as requested Rev 9 of "Emergency Procedures - TRIGA Reactors Facility" also and HICKMAN, S. General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 95/07/14 ADAMS, A. 1p 84681 278-84681 061

-9507280214 Revised "Radiological Contingency Plan" General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 95/06/30 97pp 84661 279-84661 017

-9507280218 Rev 9 to "Emergency Procedures - TRIGA Reactors Facility" RAZVI, J., BAXTER, L.M., BROOK, J.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 84/11/07 44pp 84682 018-84682 081

DOCKET 58-113 UNIV. OF ARIZONA RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9507060179 Application for amend to license R-52, reviving TS Section 6, "Administrative Controls," including revised organizational chart & changes in emergency plan & physical security plan TS, emergency plan & SAR processed separately WILLIAMS, J.G. Arizona, Univ. of, Tucson, AZ 95/06/28 Document Control Branch (Document Control Desk) 3pp 84598 356-84598 358

9507120241 Requests application for amend to license R-52 re changes that affect units at any other than Nuclear Reactor Lab WILLIAMS, J.G. Arizona, Univ. of, Tucson, AZ 95/06/28 Document Control Branch (Document Control Desk) 3pp 84710 112-84710 213

-9507120245 Rev 6 to "Emergency Plan for Univ of AZ Nuclear Reactor Lab" Arizona, Univ. of, Tucson, AZ 95/06/30 203pp 84710 115-84710 159

P. Operating license stage documents & correspondence

9507060179 Application for amend to license R-52, reviving TS Section 6, "Administrative Controls," including revised organizational chart & changes in emergency plan & physical security plan TS, emergency plan & SAR processed separately WILLIAMS, J.G. Arizona, Univ. of, Tucson, AZ 95/06/28 Document Control Branch (Document Control Desk) 3pp 84598 356-84598 358

9507120241 Requests application for amend to license R-52 re changes that affect units at any other than Nuclear Reactor Lab WILLIAMS, J.G. Arizona, Univ. of, Tucson, AZ 95/06/28 Document Control Branch (Document Control Desk) 3pp 84710 112-84710 213

-9507120245 Rev 6 to "Emergency Plan for Univ of AZ Nuclear Reactor Lab" Arizona, Univ. of, Tucson, AZ 95/06/30 203pp 84710 115-84710 159

-9507120253 "SAR Univ of Arizona Triga Mark I Research Reactor for June 1995" Arizona, Univ. of, Tucson, AZ 95/06/30 9pp 84710 150-84710 160

-9507120277 Proposed tech specs re changes in administrative organization of Univ Arizona, Univ. of, Tucson, AZ 95/06/30 47pp 84710 197-84710 219

DOCKET 58-116 IOWA STATE UNIV RESEARCH REACTOR

V. Operator Examinations

9507270288 Inform that written & operating exams scheduled at facility during wk of 951113, per telcon between J Adams & W Eresian. Ref mail listed in Encl 1 requested 60 days prior to exam date ERESIAN, W.J. Office of Nuclear Reactor Regulation (Post 841001) 95/07/21 DONOFSKY, R. Iowa State Univ., Ames, IA 10pp 84844 023-84844 042

9507310052 Inform that written & operating exams scheduled for wk of 951113 per telcon between J Adams & W Eresian. Requests set of ref mail be furnished at least 60 days before test & submission of license application 30 days prior to test ERESIAN, W.J. 95/07/21 DONOFSKY, R. Iowa State Univ., Ames, IA 10pp 84868 347-84868 356

DOCKET 58-132 HUMBOLDT BAY POWER PLANT, UNIT 3

P. Operating license stage documents & correspondence

9507280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board Sys GRAYES, B.K. 95/06/29 Consolidated Edison Co of New York Inc 10pp 84518 259-84518 258

9507180172 Forwards amend 29 to license DPR-7 & safety evaluation Amend permits provisions of 10CFR50.68 to be applied re changes to facility or procedures described in Decommissioning Plan or changes to Decommissioning Plan YATES, C.Y. 95/07/07 RUEGER, G.M. Pacific Gas & Electric Co 3pp 84696 339-84696 339

-9507180185 Amend 29 to license DPR-7, permitting provisions of 10CFR50.68 to be applied re changes to facility or procedures described in Decommissioning Plan or changes to Decommissioning Plan & conduct of tests not described in Decommissioning Plan WEISS, S.H. 95/07/07 2pp 84696 338-84696 337

-9507180185 Safety evaluation supporting amend 29 to license DPR-7 Office of Nuclear Reactor Regulation (Post 841001) 95/07/07 2pp 84696 338-84696 339

DOCKET 58-138 UNIV. OF WASHINGTON RESEARCH REACTOR

H. General correspondence

9507118011 Inform of change in facility organization due to retirement on 950630 of W.P. Miller Appointed M Carathe to replace Miller as of 950701 DAMBORG, M.J. Washington, Univ. of, Seattle, WA 95/07/06 Document Control Branch (Document Control Desk) 1p 84695 058-84695 058

DOCKET 58-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY

P. Operating license stage documents & correspondence

9507060288 Forwards addendum to TS Change Request 56 to license DPR-4, reviving TS pages 1, 2 & 3 to change organization performing remainder of characterization activities & future decommissioning activities to assure linkage w/ licensee HILDEBRAND, J.E. Saxton Nuclear Experimental Corp 95/06/23 Document Control Branch (Document Control Desk) 2pp 84561 095-84561 097

-9507060288 Addendum to TS Change Request 56 to license DPR-4 reviving TS pages 1, 2 & 3 to change organization performing remainder of characterization activities & future decommissioning activities to assure linkage w/ licensee HILDEBRAND, J.E. Saxton Nuclear Experimental Corp 95/06/23 4pp 84561 095-84561 094

-9507060291 Proposed tech specs pages 1, 2 & 3, changing organization performing remainder of characterization activities & future decommissioning activities to assure linkage w/ licensee appropriately maintained Saxton Nuclear Experimental Corp 95/06/23 3pp 84561 095-84561 097

9507060343 Summary of 950608 meeting w/ SNRC re proposed change to TS & proposed schedule for decommissioning facility List of attendees & briefing meeting NRC - No Detailed Affiliation Given 95/06/23 NRC - No Detailed Affiliation Given 3pp 84530 212-84530 219

R. Periodic operating reports & related correspondence

9507060122 Forwards "Saxon Nuclear Experimental Corp 1994 Annual Rpt for Saxon Nuclear Experimental Facility for 940101-941231"
GOOD, B.A. Saxon Nuclear Experimental Corp. 95/06/26 Document Control Branch (Document Control Desk) 1p 84600 304-84600 314

9507060130 "Saxon Nuclear Experimental Corp 1994 Annual Rpt for Saxon Nuclear Experimental Facility for 940101-1231"
Saxon Nuclear Experimental Corp. 94/12/31 10pp 84600 306-84600 314

S. Reportable occurrences, LERs & related correspondence

9507060133 Ack receipt of 950608 rpt & forwards RAI re breach of plant containment vessel liner that occurred on 950525, due within 30 days of its date
ADAMS, A. 95/06/27 HILDEBRAND, J.E. Saxon Nuclear Experimental Corp. 4pp 84539 337-84539 340

DOCKET 90-150 OHIO STATE UNIV. RESEARCH REACTOR

F. Operating license stage documents & correspondence

9507060183 Forwards "TRTR Peer Review for OH State Univ Nuclear Reactor Lab" for 950214-15
MYSE, R. Ohio State Univ., Columbus, OH 95/06/14 MICHAELS, T. NRC - No Detailed Affiliation Given 2pp 84560 321-84560 344

9507060185 "TRTR Peer Review for OH State Univ Nuclear Reactor Lab, for 950214-15
RICHARDS, W.J. HUGHES, D.E. ERNST, J. Ohio State Univ. Columbus, OH 95/05/10 27pp 84560 323-84560 349

DOCKET 90-151 UNIV. OF ILLINOIS RESEARCH REACTOR

V. Operator Examinations

9507280243 Forwards results for operator initial exam conducted at Univ of Illinois on 950626-27 w/p end
RICHARDS, S.A. Office of Nuclear Reactor Regulation (Post 941001) 95/07/20 HOUML, R. Illinois, Univ. of, Urbana, IL 1p 84838 135-84838 136

DOCKET 90-156 BIG ROCK POINT NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9507180468 Rev 117 to Vol 3 to "Site Emergency Plan" & table of contents/effective pages w/undated ltr
Consumers Power Co. 95/06/31 4pp 84786 033-84786 026

9507060188 Advises that 950615 Rev 13 to suitability training & qualification plan contains w/provisions of 10CFR50.54(p) & acceptable
CREED, J.R. Region 3 (Post 820201) 95/06/22 DONNELLY, P.M. Consumers Power Co. 2pp 84581 151-84581 162

9507060241 Responds to NRC 950524 ltr re violations & proposed imposition of civil penalty noted in insp rpt 50-155/95-08. Corrective actions facility shutdown & fire sys dual-basket strainer replaced & tested
DONNELLY, P.M. Consumers Power Co. 95/06/22 LIEBERMAN, J. Off. of Enforcement (Post 670413) 16pp 84580 160-84580 175

9507060087 Forwards SE accepting relief requests & proposed alternatives requested w/exception of core spray & fire water pump test frequency relief requests which had been granted on provisional basis
CARPENTER, C.A. 95/06/23 DONNELLY, P.M. Consumers Power Co. 2pp 84531 295-84531 320

9507060072 SER granting relief per 10CFR50.55a(1)(6)(i) to test core spray pumps during cold shutdowns based on impracticability of performing testing IAW code requirements
Office of Nuclear Reactor Regulation (Post 941001) 95/06/23 24pp 84531 297-84531 326

9507060078 Requests corrections to rev 27 of security plan for Big Rock Point Rev withheld
DONNELLY, P.M. Consumers Power Co. 95/06/25 Document Control Branch (Document Control Desk) 1p 84598 354-84598 354

9507180115 Forwards insp rpt 50-155/95-08 on 950428-0612. No violations noted. Minor areas inspected: operations, maintenance, engineering & plant support activities including insp of operational status of EP program
PHILLIPS, M.P. Region 3 (Post 820201) 95/07/07 DONNELLY, P.M. Consumers Power Co. 4pp 84781 270-84781 288

9507180121 Insps rpt 50-155/95-08 on 950428-0612. No violations noted. Minor areas inspected: operations, maintenance, engineering & plant support activities including insp of operational status of EP program
PHILLIPS, M.P. Region 3 (Post 820201) 95/07/07 13pp 84781 274-84781 286

9507180461 Rev 66 to EOF Procedures Index
Consumers Power Co. 95/07/13 2pp 84785 045-84785 046

9507180462 Rev 45 to EOF App G, "Emergency Telephone Numbers"
Consumers Power Co. 95/07/13 9pp 84785 036-84785 044

9507260034 Forwards 950327 FEMA correspondence, transmitting findings for offsite EP aspects of plant exercise conducted on 950323. No deficiencies identified
CREED, J.R. Region 3 (Post 820201) 95/07/14 DONNELLY, P.M. Consumers Power Co. 2pp 84784 225-84784 310

9504190145 Forwards final exercise rpt of 950323 exercise of radiological emergency preparedness. No deficiencies noted. Ten areas requiring CA identified
HEPLER, O.M. Federal Emergency Management Agency 95/03/27 SPESARD, J.R.L. 2pp 84794 227-84794 228

9504190149 Final rpt "Radiological Emergency Preparedness Exercise Evaluation Rpt, conducted on 950323
Federal Emergency Management Agency 95/03/08 84pp 84794 229-84794 310

9507300113 Page 5 of 8 to EPIP-5B, "Protective Action Recommendations for Offsite Populations"
Consumers Power Co. 95/07/18 2pp 84907 006-84907 009

9507260147 Ack receipt of 950629 ltr forwarding Rev 28 to plant Security Plan NRC has determined that rev acceptable Rev being withheld from public disclosure per 10CFR79.21
CREED, J.R. Region 3 (Post 820201) 95/07/20 DONNELLY, P.M. Consumers Power Co. 2pp 84829 244-84829 245

9507270053 Rev 118 to Vol 8 of Big Rock Point NPP Site Emergency Plan
WOOSTER, K.A. Consumers Power Co. 95/07/21 19pp 84874 033-84874 051

9507270130 Rev 167 to volume 9A, "Site Emergency Plan Implementing Procedures," procedure include EPIP-5B, EPIP-5F, EPIP-4A, EPIP-5H, EPIP-5L & EPIP-5S
WOOSTER, K.A. Consumers Power Co. 95/07/21 44pp 84851 179-84851 223

H. General correspondence

9507060181 Responds to 950612 ltr re request to be put on distribution lists of documents re licensing, operation & decommissioning of nuclear facilities in Great Lakes Basin
CARPENTER, C.A. 95/06/27 LLOYD, B. 3pp 84536 235-84536 240

9507060189 Urges extension to period of public comment by at least 90 days. Requests NRC add organization to communications list.
LLOYD, B. 95/06/12 DUDLEY, R.F. Office of Nuclear Reactor Regulation (Post 941001) 2pp 84538 239-84538 240

P. Operating license stage documents & correspondence

9507060067 Forwards SE accepting relief requests & proposed alternatives, as requested w/exception of core spray & fire water pump test frequency relief requests which had been granted on provisional basis
CARPENTER, C.A. 95/06/23 DONNELLY, P.M. Consumers Power Co. 2pp 84531 295-84531 320

9507060072 SER granting relief per 10CFR50.55a(1)(6)(i) to test core spray pumps during cold shutdowns based on impracticability of performing testing IAW code requirements
Office of Nuclear Reactor Regulation (Post 941001) 95/06/23 24pp 84531 297-84531 326

9506280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/29 Consolidated Edison Co. of New York, Inc. 10pp 84518 258-84518 266

9507200346 Responds to 950626 ltr requesting copies of NRC questions on plant decommissioning plan, transcript of May 1995 public meeting & executive summary of plant decommissioning plan
DUDLEY, R.F. 95/07/06 CAMPBELL, J.W. 2pp 84825 340-84825 343

9507200358 Expresses appreciation for prompt response to 950612 ltr re plant decommissioning plan listed into requested
CAMPBELL, J.W. 95/06/26 DUDLEY, R.F. Office of Nuclear Reactor Regulation (Post 941001) 2pp 84825 342-84825 343

9507180082 Requests exemption from annual fee requirements of 10CFR171.15 for Big Rock Point
DONNELLY, P.M. Consumers Power Co. 95/07/07 Document Control Branch (Document Control Desk) 2pp 84798 110-84798 111

9507200268 Ack receipt for 10CFR50.54(a) submittal dtd 950518, incorporating changes in QA program description topical rpt.
RHEGMA, A. Region 3 (Post 820201) 95/07/11 DONNELLY, P.M. Consumers Power Co. 1p 84792 323-84792 323

9507210291 Forwards plant response to NRC 950612 RAI re plant decommissioning plan & enclos. rpt.
DONNELLY, P.M. Consumers Power Co. 95/07/12 WEISS, S.H. 47pp 84797 272-84797 316

9507260033 Forwards Engineering Analysis EA-BRP-SEP-95-01 "Big Rock Point CRD Piping & Supports Evaluation/SEP NRC Item Resolution" informing NRC of CRD position re resolving NRC concerns w/operability of CRD piping
DONNELLY, P.M. Consumers Power Co. 95/07/19 Document Control Branch (Document Control Desk) 4pp 84856 276-84856 328

9507260304 "Big Rock Point CRD Piping & Supports Evaluation/SEP NRC Item Resolution"
JENKINS, J.B. Consumers Power Co. EA-BRP-SEP-95-01 ROD 95/07/13 45pp 84836 280-84836 326

9507310043 Forwards copy of EA & FONSI re 950304 application for amend to plant TSs as revised 950414 & supplemented 950419 & 0531
TRAN, L.N. 95/07/26 DONNELLY, P.M. Consumers Power Co. 2pp 84883 342-84883 346

9507310045 Environ assessment & finding of no significant impact re 950304 application for amend to plant TSs. Amend revises TSs to conform to wording of revised 10CFR20, "Stand for Protection Against Radiation"
HANFORD, J.N. 95/07/26 3pp 84883 344-84883 346

12 DOCKETED ITEMS

D. Inspection reports, IE Bulletins & correspondence

9507030241 Response to NRC 950524 R re violations & proposed mitigation of civil penalty noted in insp rpt 50-155/95-06. Corrective actions facility shutdown & hrs sys dual-battery system repaired & tested.
DONNELLY, P.M. Consumers Power Co 95/06/22 LIEBERMAN, J. Ofc of Enforcement (Post 670419) 16pp 84550 190-84560 175

9507180115 Forwards insp rpt 50-155/95-06 on 950426-0612 No violations noted.
PHILLIPS, M.P. Region 3 (Post 820201) 95/07/07 DONNELLY, P.M. Consumers Power Co 4pp 84781 274-84781 296

9507180121 Insp rpt 50-155/95-06 on 950426-0612 No violations noted. Major areas inspected operations, maintenance, engineering & plant support activities, including insp of operational status of EP program.
PHILLIPS, M.P. Region 3 (Post 820201) 95/07/07 13pp 84781 274-84781 296

9507180177 Ack receipt of 950622 R re informing NRC of steps taken to correct violations noted in insp rpt 50-155/95-06.
PHILLIPS, M.P. Region 3 (Post 820201) 95/07/13 DONNELLY, P.M. Consumers Power Co 1p 84765 310-84765 310

R. Periodic operating reports & related correspondence

9507128481 Monthly operating rpt for June 1995 for Big Rock Point Nuclear Plant W/ 950706 R.
JOHNSTON, J.R., CONNELLY, P.M. Consumers Power Co 95/06/30 7pp 84675 298 84675 303

S. Reportable occurrences, LERs & related correspondence

9507070468 LER 95-005-00 on 950606, battery room fire door blocked open during monthly battery readings. Caused by human performance. Individuals involved counseled by dept manager W/950630 R.
BOURASSA, M.D., DONNELLY, P.M. Consumers Power Co 95/06/30 4pp 84578 340-84578 343

9507180345 Forwards LER 94-010 re manual scram due to loss of FW.
DONNELLY, P.M. Consumers Power Co 95/07/03 Document Control Branch (Document Control Desk) 1p 84630 021-84630 025

9507110247 LER 94-010-01 on 941129, manual scram occurred due to loss of FW. Delay order was written & posted on 941214 to prohibit use of SOP 15.
BOURASSA, M.D. Consumers Power Co 95/07/03 4pp 84630 022-84630 025

9507180060 Forwards LER 95-004 re unexpected alarm due to add load from stack lights placed on 125 Vdc sys.
DONNELLY, D.M. Consumers Power Co 95/07/10 Document Control Branch (Document Control Desk) 1p 84764 010-84764 013

9507180053 LER 95-004-00 on 950616, unexpected trouble alarm was received due to add load from stack lights placed on 125 Vdc sys. Caused by human error. Recalculated station battery to include add 12 ampere load.
BOURASSA, M.D. Consumers Power Co 95/07/10 5pp 84764 011-84764 013

V. Operator Examinations

9507180006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING, M.A. Region 3 (Post 820201) 95/07/24 LACROIX, D.G. Consumers Power Co CHASENSKY, T.M., SCHMIDT, T.L. Commonwealth Edison Co 3pp 84918 021-84918 023

DOCKET 50-188 UNIV. OF WISCONSIN RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9507270075 Rev 4 to Univ of WI Nuclear Reactor Emergency Plan W/950714 R.
CASHWELL, R.J. Wisconsin Univ of Madison, WI 95/07/14 14pp 84874 055-84874 058

V. Operator Examinations

9507270463 Informs that effective 950621 RJ Agnew appointed as SRO & Alternate Reactor Supervisor upon re-licensing as SRO & that LJ Krieta, HJ MacLean, DE Paezel & WR Wood appointed ROs upon lowering as ROs in accordance w/TS 6703 & 10CFR60.74.
CASHWELL, R.J., MATUSEWICZ, S.M. Wisconsin Univ of Madison, WI 95/06/21 Document Control Branch (Document Control Desk) 1p 84819 241-84819 241

9507260227 Forwards certificates to newly listed licensed individuals. Commission provides certificates suitable for framing to all new operator & senior operator licensees in recognition of important role in protecting health & safety of public.
BOGER, B.A. 95/06/28 CASHWELL, R.J. Wisconsin Univ of Madison, WI 1p 84834 187-84834 187

9507260168 Forwards operator & senior operator license certificates for listed individuals at licensee facility. Requests that RJ Cashwell convey personal congratulations to each recipient of certificates.
BOGER, B.A. 95/06/28 CASHWELL, R.J. Wisconsin Univ of Madison, WI 1p 84838 131-84838 131

DOCKET 50-188 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9507120210 Discusses insp rpt 50-190/95-01 on 950222-24 & 27, 0320-24 & 27 & telecon on 950428-25 & forwards notice of violations.
COLLINS, D.M. Region 2 (Post 820201) 95/06/21 KARABARA, Georgia Institute of Technology, Atlanta, GA 3pp 84576 078-84576 107

9507120224 Insp rpt 50-190/95-01 on 950222-24, 27 & 0320-24 & 27 & telecon on 950428-25. Violations noted. Major areas inspected radiation protection program activities including radiation control surveillance experiments & security.
BASSETT, C.H., LENAHA, J.J., GLORSEN, W.B. Region 2 (Post 820201) 95/06/21 24pp 84576 064-84576 107

G. Adjudicatory correspondence

9507100055 NRC response to request for protective order filed by Georgians Against Nuclear Energy. Recommends that request be deferred or denied w/o prejudice to being refiled at later date W/Certificate of Svc.
TURKSE, Office of the General Counsel (Post 860701) #395 16853 95/06/28 Atomic Safety & Licensing Board Panel 6pp 84538 048-84538 051

9507100061 Georgians Against Nuclear Energy Response to Georgia Tech & NRC Staff Comments on Housekeeping Stay. Requests clarification as to fuel that Georgia Tech intends to remove W/Certificate of Svc.
CARROLL, G. Georgians Against Nuclear Energy #395 16870 95/06/28 Commissioners (Post 750119) 3pp 84538 001-84538 004

9507190072 NRC reply to responses filed by GA Institute of Technology & Georgians Against Nuclear Energy to Commission order of 950609. Submits that Commission should retain housekeeping stay in effect W/Certificate of Svc.
TURKSE, Office of the General Counsel (Post 860701) #395 16854 95/06/27 Commissioners (Post 750119) 12pp 84538 132-84538 144

9507110051 Questions NRC issuance of Order re reactor fuel when so much pending on GA Tech Neely Research Reactor.
BLOCKEY-O'BRIEN Affiliation Not Assigned 95/06/27 NRC - No Detailed Affiliation Given 1p 84883 357-84883 358

9507180118 Informs that 950627 R from P Blocky-O'Brien w/950519 ends was sent to Georgia Inst of Technology Licensing Board Chairman G. Bechthold for Requests distribution to licensee w/Certificate of Svc Served on 950706.
CARROLL, G. Atomic Safety & Licensing Board Panel #395 16876 95/07/06 JULIAN, E.L. Docketing & Services Branch 7pp 84675 128-84675 135

9507180037 Georgians Against Nuclear Energy Response to NRC interrogatories & request for production of documents. W/Certificate of Svc Related correspondence.
CARROLL, G. Georgians Against Nuclear Energy #395 16889 95/07/07 Office of the General Counsel (Post 860701) 7pp 84575 013-84575 019

9507180047 NRC Staff response to discovery requests filed by Georgians Against Nuclear Energy. Affidavit of M.M. Mendonca in response to GANE interrogatory to NRC Staff re Related correspondence.
TURKSE, Office of the General Counsel (Post 860701) #395 16891 95/07/07 5pp 84575 025-84575 036

9507180123 Affidavit of M.M. Mendonca in response to interrogatory filed by Georgians Against Nuclear Energy. Staff responds to interrogatory by GANE to NRC staff on 950605 W/Certificate of Svc.
MENDONCA, M.M. Office of the General Counsel (Post 860701) MENDONCA, M.M. 95/07/07 5pp 84675 031-84675 035

9507180088 Notice of Appearance. Submits listed info in accordance w/ 10CFR2.713(b) Part 2 W/Certificate of Svc.
WOODHEAD, C.P. Office of the General Counsel (Post 860701) #395 16890 95/07/07 3pp 84575 081-84575 084

9507180086 Memorandum & order (Request for protective order). Informs that Board will defer ruling on Intervenor request pending further Commission guidance re validity & potential scope of Contention 5 W/Certificate of Svc Served on 950710.
BECHHOEFER, C. Atomic Safety & Licensing Board Panel #395 16894 95/07/10 Georgians Against Nuclear Energy 4pp 84575 071-84575 075

9507180049 Georgia Institute of Technology clarification of response to Commissioner order expunging housekeeping stay. Georgia Tech agrees to remove nuclear fuel to off site location W/Certificate of Svc.
DUNN, D.R., GUILDAY, P. Georgia Institute of Technology, Atlanta, GA DUNN, D.R. Georgia, State of #395 16890 95/07/12 5pp 84575 036-84575 040

9507270048 Discusses receipt 950627 R to President Clinton re "2 206 Petition" in which that NRC requesting Docketing & Svc Branch to distribute copies of suit R to Georgia Inst of Technology W/Certificate of Svc Served on 950717.
WOLF, M.P. Office of Public Affairs (Post 91117) #395 16897 95/07/17 BLOCKEY-O'BRIEN Affiliation Not Assigned 4pp 84813 224-84813 227

9507270118 Forwards petition to intervene dtd 950706 submitted by G. Carroll on behalf of Georgians Against Nuclear Energy. Petition filed in response to "Order Modifying Facility Operating License R-97".
HOYLE, J.C. Office of the Secretary of the Commission #395 16902 95/07/17 COTTER, P. Atomic Safety & Licensing Board Panel 1p 84814 055-84814 059

9507270118 Georgians Against Nuclear Energy request for hearing on conversion of Georgia Tech Research Reactor from use of HEU to LEU.
CARROLL, G. Georgians Against Nuclear Energy 95/07/06 Commissioners (Post 750119) 5pp 84814 059-84814 060

9507270127 Establishment of Atomic Safety & Licensing Board. Board being established in proceeding per request by G. Carroll on behalf of Georgians Against Nuclear Energy W/Certificate of Svc Served on 950719.
GLEASON, J.P. Atomic Safety & Licensing Board Panel #395 16903 95/07/18 3pp 84814 061-84814 063

9507270163 Discusses 10CFR2.206 petition to NRC on Georgia Tech reactor/ALARA/shield clamping.
BLOCKEY-O'BRIEN Affiliation Not Assigned 95/07/18 NRC - No Detailed Affiliation Given 3pp 84874 069-84874 091

C. Inspection reports, E. Bulletins & correspondence

9507120010 Discusses insp rept 50-160/95-01 on 950222-24 & 27, 0320-24 & 27 & taken on 950425-26 & forwards notice of violations
COLLINS D.M. Region 2 (Post 820201), 95/06/21 KARAMURA George Institute of Technology, Atlanta, GA 3pp. 84578.078-84578.107.

9507120017 Notice of violation from insp on 950222-24,27 & 0320-24,27. Violations noted annual rept submitted by licensee which described operations during years 1983,1986 & 1988-1993 did not contain stated specified data.
* Region 2 (Post 820201), 95/06/21, 3pp. 84578.081-84578.083.

9507120024 Insp rept 50-160/95-01 on 950222-24,27 & 0320-24 & 27 & taken on 0425-26. Violations noted. Major areas inspected: radiation protection program activities, including radiation control surveillance, experiments & security.
BAGGETT, C.H., LEMAHAN, J.J., QUORSEN, W.B. Region 2 (Post 820201), 95/06/21 24pp. 84578.084-84578.107

9507120027 Ack receipt of 950619 ltr informing NRC of steps taken to correct violations noted in insp rept 50-160/95-02 on 950601.
COLLINS D.M. Region 2 (Post 820201), 95/06/27 KARAMURA George Institute of Technology, Atlanta, GA 3pp. 84578.259-84578.266.

DOCKET 50-183 GENERAL ATOMICS

F. Security, medical, emergency & fire protection plans

9507280212 Forwards revised radiological contingency plan, together w/ GA ltr requesting same be approved & NRC to approve Jan 1995 revs as requested. Rev 9 of "Emergency Procedures - TRIGA Reactors Facility" also encl.
HICKMAN, S. General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 95/07/14 ADAMS, A. 1p. 84881.278-84882.061

9507280214 Revised "Radiological Contingency Plan."
* General Atomics (formerly GA Technologies, Inc./General Atomic Co.), 95/06/30 87pp. 84881.278-84882.017

9507280218 Rev 9 to "Emergency Procedures - TRIGA Reactors Facility"
RAZVI, J., BAUTERA, M., BROCK, J.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.), 94/11/07, 44pp. 84882.018-84882.061

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

P. Operating license stage documents & correspondence

9508280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29, Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.288

DOCKET 50-183 VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR

I. Financial information

9507190195 Inform of review of self-guarantee financial assurance submitted documents and 950523 sub documents found in compliance w/ contents in 10CFR50 App C, "Criteria for Use of Financial Tests & Self-Guarantees for Decommissioning."
WEBER, M.F. Loss/Level Waiver & Decommissioning Projects Branch (NMSS 840403), 95/07/10, SCHINDLER, W.H. General Electric Co. 1p. 84736.090-84736.090.

DOCKET 50-188 KANSAS STATE UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

9507090337 Advises NRC that licensee seeking control of access to radiation beams schedule to protect individuals from over-exposure & to assure compliance w/ 10CFR20.1601.
RYAN, E.C. Kansas State Univ., Manhattan, KS 95/06/18 WEISS, S.H. 2pp. 84561.189-84561.190

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507030342 "City of San Juan Capistrano Emergency Response Plan"
* San Juan Capistrano, CA. 95/06/31, 258pp. 84588.001-84588.268.

9507120067 Revised table of contents for SONGS OERP.
* Southern California Edison Co. 95/07/06, 3pp. 84591.259-84591.261.

9507170168 Rev 3 to EPP SO123-XXI-1.11.3, "Emergency Plan Training Program Description." W/950706 ltr
MARSH, W.C. Southern California Edison Co. 95/07/06, 23pp. 84747.315-84747.337

9507230013 Comment supporting proposed generic communication 10CFR50.54 re process for changes to security plans w/o prior NRC approval.
MARSH, W.C. Southern California Edison Co. 95/07/11, Division of Freedom of Information & Publications Services (Post 840714), 1p. 84767.023-84767.023.

9507270263 Advises that 950512 revs 4 & 5 to EPP SO123-VII-1, "Recognition & Classification of Emergencies" acceptable
SCARANO, R.A. Region 4 (Post 820201), 95/07/21 RAY, H.B. Southern California Edison Co. 8pp. 84874.001-84874.008.

9507210122 Forwards exemption from requirements of 10CFR73.55, requirements for physical protection against radiological sabotage, facilitating implementation of biometric access control sys.
WEISS, M.K., FIELDS, M. 95/07/21, RAY, H.B. Southern California Edison Co. 3pp. 84883.302-84883.310.

9507210141 Exemption from 10CFR73.55 requirements re issuance, storage & retrieval of picture badges for unescorted access persons
WEISS, S. 95/07/21, Southern California Edison Co. 6pp. 84883.305-84883.310

9508010157 Exoneration assessment & finding of no significant impact re issuance of exemption from certain requirements of 10CFR73.55 physical protection
WEISS, S.H. 95/07/13 6pp. 84883.311-84883.316.

P. Operating license stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29, Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.288

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Linamarque 5MB/58/S8D-00 actuators. Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Linamarque Corp. 95/07/12 Document Control Branch (Document Control Desk) 30pp. 84815.168-84815.198

DOCKET 50-213 HADDAM NECK PLANT

F. Security, medical, emergency & fire protection plans

9507090184 Revised EPPs including Rev 28 to EPP 1.5-1, Rev 3 to EPP 1.5-1A & Temporary Procedure Change 95-831 to Rev 14 to EPP 1.5-1A.
BUCH, W.M. Connecticut Yankee Atomic Power Co. 95/06/30 67pp. 84629.074-84629.144

9507140229 Temporary Procedure Change 95-858 to Rev 3 to EPP 1.5-1A, "Non-Emergency Event Assessment"
* Connecticut Yankee Atomic Power Co. 95/06/30, 2pp. 84761.124-84761.125

Q. Adjudicatory correspondence

9507100068 Inform that time provided by NRC regulation within which Commission may act to review Director's Decision DD-95-11 in docket has expired. Decision became final on 950626, W/Certificate of Svc. Served on 950630.
HOYLE, J.C. Office of the Secretary of the Commission 950616 95/06/29 GAVENSKY, R. Affiliation Not Assigned, 2pp. 84538.306-84538.307.

9507170426 Submits rebuttal to NREGO response to AJ Ross 10CFR2.206 petition re problems at Millstone Station w/ regards to work control, lagging control & procedure compliance
ROSS, A.J. Affiliation Not Assigned, 95/07/11, RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 43pp. 84796.008-84796.064

9507230091 Inform of establishment of special review group to review pertinent written documentation re allegations of harassment & intimidation at site
TAYLOR, M. Ofc. of the Executive Director for Operations, 92/04/08, ELLIS, W.B. Northeast Nuclear Energy Co. 10pp. 84796.043-84796.064.

H. General correspondence

9507210041 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
OPEKA, J.F. Northeast Utilities 95/07/14, HOYLE, J.C. Office of the Secretary of the Commission 2pp. 84738.115-84738.116.

P. Operating license stage documents & correspondence

9507180119 Forwards Rev 2 to "Haddam Neck Plant Technical Requirements Manual"
JANNETTY, T.F. Connecticut Yankee Atomic Power Co. 95/06/28, NRC - No Detailed Affiliation Given 2pp. 84768.311-84768.324.

9507180123 Rev 2 to "Haddam Neck Plant Technical Requirements Manual"
* Connecticut Yankee Atomic Power Co. 95/06/28, 12pp. 84768.313-84768.324

9507030325 Provides response to GL 95-03, "Documentation of Cracking of SG Tubes"
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/06/27 Document Control Branch (Document Control Desk) 30pp. 84587.294-84587.323.

9508280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29 Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.288.

9507250062 Expresses appreciation for opportunity to meet on 950806 re spent fuel reach.
DACHOW, F.R. Connecticut Yankee Atomic Power Co. 95/07/06 MCCracken, D.E. NRC - No Detailed Affiliation Given, 1p. 84828.145-84828.145.

9507140158 Forwards "Haddam Neck Plant Technical Repl Supporting Cycle 19 Operation," Rev 8.
DEBARBA, J.A. Northeast Nuclear Energy Co. DEBARBA, J.A. Northeast Utilities Service Co. 95/07/07 Document Control Branch (Document Control Desk) 2pp. 84738.288-84738.314.

14 DOCKETED ITEMS

-9507148163 Rev 5 to "Haddam Neck Plant Technical Rept Supporting Cycle 19 Operation"
Northeast Nuclear Energy Co 85/07/07 53pp 84730 262-84730 314

9507170127 Forwards "Startup Physics Test Rept for Cycle 19" operation for plant.
DACHAUER, R. Connecticut Yankee Atomic Power Co 95/07/07 Document Control Branch (Document Control Desk) 1p 84755 142-84755 179

-9507170122 "GYAP Haddam Neck Plant Core XIX Startup Physics Test Rept for June 1995"
STODDARD, J.E., HERRING, W.M., PALMER, J. Connecticut Yankee Atomic Power Co 95/06/30 31pp 84755 143-84755 173

9507240189 Forwards SE accepting use of enhanced computer codes re topical rept NUSCO-152 addendum 4, "Physics Methodology for PWR Refuel Design"
ROONEY, V.L. Project Directorate I-3 (PD1-3) (Post 941001) 95/07/18 OPEKA, J.F. Connecticut Yankee Atomic Power Co OPEKA, J.F. Northeast Nuclear Energy Co 4pp 84778 340-84778 349

-9507240322 Safety evaluation accepting use of enhanced computer codes re topical rept NUSCO-152 addendum 4, "Physics Methodology for PWR Refuel Design"
Office of Nuclear Reactor Regulation (Post 941001) 95/07/18 6pp 84778 344-84778 349

9507240186 Forwards safety evaluation concluding that uol adequately responded to issues re SEP Topic III-1, "QA Group Classification of Components & Sys" & considers SEP Topic III-1 complete
WANG, A. Project Directorate I-4 (PD1-4) (Post 941001) 95/07/19 OPEKA, J.F. Connecticut Yankee Atomic Power Co OPEKA, J.F. Northeast Nuclear Energy Co 4pp 84823 277-84823 290

-9507240195 Safety evaluation concluding that uol adequately responded to issues re SEP Topic III-1, "QA Group Classification of Components & Sys" & considers SEP Topic III-1 complete
Office of Nuclear Reactor Regulation (Post 941001) 95/07/19 10pp 84823 281-84823 290

9507240336 Provides comments on preliminary accident sequence precursor analysis of operational events & conditions which have occurred at Haddam Neck Plant.
OPEKA, J.F. Connecticut Yankee Atomic Power Co OPEKA, J.F. Northeast Nuclear Energy Co 95/07/19 Document Control Branch (Document Control Desk) 30pp 84823 324-84823 356

9507240084 Requests withdrawal of LAR re reduction of unnecessary plugging of Haddam Neck Plant SG tubes in subsequent expansion roll transition event.
OPEKA, J.F. Connecticut Yankee Atomic Power Co OPEKA, J.F. Northeast Nuclear Energy Co 95/07/25 Document Control Branch (Document Control Desk) 2pp 84874 359-84874 360

Q. Inspection reports, IE Bulletins & correspondence

9507050462 Informs NRC of change in completion date of commitment uol made in 950103 response to NRC 941125 re uol violation noted in insp rept 50-219/94-22 Activities related to commitment will be completed by 950723
OPEKA, J.F. Connecticut Yankee Atomic Power Co OPEKA, J.F. Northeast Nuclear Energy Co 95/06/29 Document Control Branch (Document Control Desk) 2pp 84570 184-84570 185

9507110046 Consistent on proposed "Review of NRC Insp Rept Content, Format & Style"
OPEKA, J.F. Northeast Nuclear Energy Co 95/06/28 MEYERS, D. Rules & Directives Review Branch (Post 820523) 10pp 84587 242-84587 251

9507108043 Forwards resident safety insp rept 50-219/95-14 on 950508-0619 No violations noted
DURR, J.P. Region 1 (Post 820201) 95/07/08 OPEKA, J.F. Connecticut Yankee Atomic Power Co 3pp 84592 061-84592 082

-9507180246 Resident insp rept 50-219/95-14 on 950508-0619 No violations noted. Major areas inspected: plant operations, engineering & technical support & plant support activities.
NICHOLSON, L.E. Region 1 (Post 820201) 95/06/30 18pp 84682 064-84682 062

9507138174 Forwards "1995 Refuel Outage ISI Summary Rept"
DACHAUER, R. Connecticut Yankee Atomic Power Co 95/07/08 Document Control Branch (Document Control Desk) 1p 84676 001-84676 161

-9507130179 "1995 Refuel Outage ISI Summary Rept"
FULLER, J., FAN, J., DELAWARE, L. Connecticut Yankee Atomic Power Co 95/07/08 150pp 84676 002-84676 151

9507250286 Requests add info for proposed use of Code Case N-508-1 in shutoff insp program for Haddam Neck Plant & Millstone NPP Units 1, 2 & 3
MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001) 95/07/21 OPEKA, J.F. Connecticut Yankee Atomic Power Co OPEKA, J.F. Northeast Nuclear Energy Co 6pp 84816 343-84816 348

R. Periodic operating reports & related correspondence

9507190319 Monthly operating rept for June 1995 for Haddam Neck Plant. W/950714
EMMONS, K.W., RYLEY, M.E., DACHAUER, R. Connecticut Yankee Atomic Power Co 95/06/30 7pp 84762 328-84762 334

9507170402 Provides 1994 joint frequency distribution of wind direction, wind speed & stability for Haddam Neck Plant & Millstone Nuclear Power Station
OPEKA, J.F. Connecticut Yankee Atomic Power Co OPEKA, J.F. Northeast Nuclear Energy Co OPEKA, J.F. Northeast Nuclear Service Co 95/07/19 TCHLER, J. Brookhaven National Laboratory 6pp 84755 028-84755 033

S. Reportable occurrences, LERs & related correspondence

9507060347 Informs of revised commitment date for completion of corrective action associated w/ LER 94-025
OPEKA, J.F. Northeast Nuclear Energy Co OPEKA, J.F. Northeast Nuclear Service Co 95/06/29 Document Control Branch (Document Control Desk) 2pp 84559 018-84559 019

9507060348 LER 95-015-00 on 950602.3G narrow range level channel was found inoperable due to failure to identify that channel 4C was inoperable within one h. Replaced transmitter
LEARON, L., DACHAUER, R. Connecticut Yankee Atomic Power Co 95/06/28 6pp 84578 231-84578 236

9507280064 Part 21 rept re high failure rates of dc/dc converter added to std N-2A0-V2H analog output converter module caused by abnormal power draw by converter. Replacement converter being designed.
KEPER, J.T. Posborn Corp 95/07/07 NRC - No Detailed Attention Given 3pp 84855 001-84855 003

9507240322 Part 21 rept re potential defect in Limtorque SMG/95/680-00 actuators. Condition dependent on individual hoists: internal operating practices used when clearing MOV operable for safety related ops.
HYLTON, C.L. Limtorque Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84875 189-84875 196

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9507120331 Forwards Rev 5 to UFSAR & Rev 6 fire hazards analysis rept.
BARTON, J.J. General Public Utilities Corp - GPU Service Corp 95/06/19 Document Control Branch (Document Control Desk) 2pp 84719 001-84719 117

-9507120338 Rev 6 to Fire Hazards Analysis Rept
General Public Utilities Corp - GPU Service Corp 95/06/19 571pp 84719 003-84719 208

9507080307 Provides status of 941208 2.208 petition re Thermo-Lag fire barrier evaluations.
DROMERICK, A.W. Project Directorate I-3 (PD1-3) (Post 941001) 95/06/28 GUNTER, P., DECAW, W. Nuclear Information & Resource Service 4pp 84533 357-84533 360

9507180157 Revised EPIPs, including EPIP/6490 series EPIPs index, Rev 15 to EPIP-CC-03, Rev 12 to EPIP-CC-06 & Rev 4 to EPIP-CC-40 W/950710 to
BARTON, J.J. General Public Utilities Corp - GPU Service Corp 95/07/10 73pp 84684 261-84684 333

9507240104 Forwards plant response to NRC RAI re previous responses to GL 92-06 on Thermo-Lag 330 fire barriers.
BARTON, J.J. General Public Utilities Corp - GPU Service Corp 95/07/17 Document Control Branch (Document Control Desk) 11pp 84823 235-84823 245

9507240256 Responds to 950628 request for clarification of response period extended in excess of 90 days re licensee RAI of 941229. Informs that 45-day response period concerns followup RAI of 950524, not RAI 941229.
DROMERICK, A.W. Project Directorate I-3 (PD1-3) (Post 941001) 95/07/19 POLLARD, R.B. Union of Concerned Scientists 3pp 84778 325-84778 328

-9507240256 Requests clarification of contradiction between RAI of 941229 & followup RAI of 950524, re specified response period. Informs that it appears that response period has been extended beyond 90 days.
POLLARD, R.B. Union of Concerned Scientists 95/06/28 DROMERICK, A.W. Project Directorate I-3 (PD1-3) (Post 941001) 1p 84778 328-84778 328

9507170178 Notification of 950628 meeting w/uol in Rockville, MD to discuss security matters re independent Spent Fuel Facility, proposed change to 10CFR73.65(a)(4), vehicle barrier sys & protected area lighting.
DROMERICK, A.W. 95/07/24 MCKEE, P.F. 4pp 84672 353-84672 355

G. Adjudicatory correspondence

9507080307 Provides status of 941208 2.208 petition re Thermo-Lag fire barrier evaluations.
DROMERICK, A.W. Project Directorate I-3 (PD1-3) (Post 941001) 95/06/28 GUNTER, P., DECAW, W. Nuclear Information & Resource Service 4pp 84533 357-84533 360

H. General correspondence

9506230332 Responds to 950517 ltr from FR Lashberg re concerns expressed by constituent L. Amato on US govt administration plan to accept & store SF from foreign reactors before providing for SF storage from NPPs in US.
TAYLOR, J.M. Off. of the Executive Director for Operations 95/06/08 LAUTENBERG, F.R. Senate 2pp 84795 052-84795 055

-9507240896 Expresses concern on behalf of LA Amato for Township of Lacey, NJ re Oyster Creek Nuclear Generating Station spent fuel rods storage facility & Administration plan to allow for import of used nuclear fuel from Europe.
LAUTENBERG, F.R. Senate 95/05/17 TAYLOR, J. NYC - No Detailed Attention Given 4pp 84795 084-84795 088

9507230307 Informs that NRC will continue to keep records of NJ & all other States informed of permit concern in activities per 950523 ltr to LT Connors re storage of "bad" nuclear fuel rods at plant.
MCKEE, P.F. Project Directorate I-3 (PD1-3) (Post 941001) 95/06/16 ANSTEY, J. Attention Not Assigned 6pp 84511 279-84511 280

K. Utility Final Safety Analysis Report (FSAR) & amendments

9507120321 Forwards Rev 9 to UPSAR & Rev 6 fire hazards analysis repl.
BARTON,J.J. General Public Utilities Corp - GPU Service Corp 95/05/19 Document
Control Branch (Document Control Desk) 2pp 84719 001-84723 117

-9507120326 Rev 8 to "Fire Hazards Analysis Repl."

* General Public Utilities Corp - GPU Service Corp 95/05/19 57pp 84719 003-
84720 206

-9507120339 Rev 9 to updated FSAR for Oyster Creek Nuclear Generating Station
* General Public Utilities Corp - GPU Service Corp 95/06/30 1,000pp 84720 210-
84723 117

P. Operating license stage documents & correspondence

9507050013 Requests that proposed amend to license DPR-16 re elimination of require-
ment to perform reactor shutdown & drywell solely to inspect stubbers be considered
cost beneficial licensee action
BARTON,J.J. General Public Utilities Corp - GPU Service Corp 95/06/26 Document
Control Branch (Document Control Desk) 3pp 84561 331-84561 345

-9507050017 Application for amend to license DPR-16 Amend would eliminate require-
ment to perform reactor shutdown & drywell solely for purpose of inspecting stubbers
in svc for only 12 months
BARTON,J.J. General Public Utilities Corp - GPU Service Corp 95/06/26 4pp
84561 334-84561 341

-9507050020 Proposed tech specs re performance of reactor shutdown & drywell to
inspect stubbers in svc for only 12 months
* General Public Utilities Corp - GPU Service Corp 95/06/26 4pp 84561 342-
84561 345

9506260062 Rev 1 to NRC Administrative Ltr 94-19 to all NRC licensees re access to
NRC bulletin board sys
GRIMES,J.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp
84516 239-84516 208

9507060381 Requests extension of commitment date for submitting ISI A-45 seismic
evaluation repl to 850328 Ltr committed by 920814 ltr in response to Suppl 1 to GL
87-02 to submit repl by 950930
BARTON,J.J. General Public Utilities Corp - GPU Service Corp 95/06/30 Document
Control Branch (Document Control Desk) 2pp 84617 096-84617 100

9507240184 Forwards plant response to NRC RAI re previous response to GL 92-08
on Thermo-Lag 330 fire barriers
BARTON,J.J. General Public Utilities Corp - GPU Service Corp 95/07/17 Document
Control Branch (Document Control Desk) 11pp 84823 235-84823 241

Q. Inspection reports, IS Bulletins & correspondence

9507050099 Forwards insp rept 50-219/95-09 on 950404-0521 & notice of violation
DURR,J.P. Region 1 (Post 820201) 95/06/28 BARTON,J.J. General Public Utilities
Corp - GPU Service Corp 3pp 84507 110-84507 135

-9507050102 Notice of violation from insp on 950404-0521 Violation noted while con-
ducting post maint testing following repairs to refuel bridge core alteration performed
w/o direct supervision by licensed SRO
* Region 1 (Post 820201) 95/06/28 1p 84507 113-84507 113

-9507050105 Insp rept 50-219/95-09 on 950404-0521 Violations noted Major areas
inspected plant operations,maint,engineering,plant support & safety assessment/quality
verification
ROGGE,J. Region 1 (Post 820201) 95/06/26 22pp 84507 114-84507 135

9507100324 Forwards insp rept 50-219/95-12 on 950515-19 No violations noted
DURR,J.P. Region 1 (Post 820201) 95/06/30 BARTON,J.J. General Public Utilities
Corp - GPU Service Corp 3pp 84691 294-84691 307

-9507100326 Insp rept 50-219/95-12 on 950515-19 No violations noted Major areas
inspected evaluated effectiveness of licensee controls in identifying,correcting &
preventing issues that degrade quality of plant operations or safety
ROGGE,J. Region 1 (Post 820201) 95/06/30 11pp 84691 297-84691 307

9507140802 Ask receipt of 950816 ltr informing NRC of steps taken to correct violations
noted in insp rept 50-219/94-24
WIGGINS,J.T. Region 1 (Post 820201) 95/07/06 BARTON,J.J. General Public Utilities
Corp - GPU Service Corp 2pp 84628 044-84628 052

9507200084 Forwards CAL issued 950707 to VECTRA Technologies,Inc. concerning
map of NUHOMS-24P sys,for licensee reference
DROMERICK,A.W. Project Directorate I-3 (PD1-3) (Post 841001) 95/07/14
BARTON,J.J. General Public Utilities Corp - GPU Service Corp 4pp 84752 351-
84752 357

9507250035 Responds to NRC ltr re violations noted in insp rept 50-219/95-09 Correct-
ive actions upon notification to refueling licensed SRO that fuel bundle lifted & reassem-
bled, another refueling SRO verified bundle to be correct
BARTON,J.J. General Public Utilities Corp - GPU Service Corp 95/07/20 Document
Control Branch (Document Control Desk) 3pp 84828 328-84828 330

R. Periodic operating reports & related correspondence

9507200024 Monthly operating rept for June 1995 for Oyster Creek Nuclear Generating
Station W/950712 ltr
EDELMAAN,P. BARTON,J.J. General Public Utilities Corp - GPU Service Corp 95/
06/30 5pp 84779 958-84779 990

S. Reportable occurrences, LERs & related correspondence

9507110153 LER 95-004-00 on 950608,SRO Group Shift Supervisor left CR during TS
required time Caused by personnel error Re-enforcement of station regt expectations
re direct face-to-face turnouts w/personnel W/950705 ltr
SHUMAKER,B. BARTON,J.J. General Public Utilities Corp - GPU Service Corp 95/
07/05 4pp 84862 043-84862 046

Y. Dry Cask Independent Spent Fuel Storage Installations

9507200084 Forwards CAL issued 950707 to VECTRA Technologies,Inc. concerning
map of NUHOMS-24P sys,for licensee reference
DROMERICK,A.W. Project Directorate I-3 (PD1-3) (Post 841001) 95/07/14
BARTON,J.J. General Public Utilities Corp - GPU Service Corp 4pp 84752 351-
84752 357

9507270175 Notification of 950623 meeting w/rlt in Rockville,MD to discuss security
measures re Independent Spent Fuel Facility, proposed change to
10CFR73.55(a)(3),vehicle barrier sys & protected area lighting
DROMERICK,A.W. 95/07/24 MCKEE,P.F. 4pp 84872 353-84872 355

DOCKET 95-229 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507060171 Rev 5 to SPP-ERP 09, "Off-Site Dose Assessment & Protective Action
Recommendation" W/950626 ltr
JACOTT,R.B. DAHLBERG,K.A. MCCORMICK,M.J. Niagara Mohawk Power Corp 95/
06/26 35pp 84617 228-84617 262

9507250082 Comment supporting proposed GL 95-XX, "Process for Changes to Security
Plans W/O Prior NRC Approval"
MCCORMICK,M.J. Niagara Mohawk Power Corp 95/07/03 Division of Freedom of
Information & Publications Services (Post 840714) 1p 84767 002-84767 002

H. General correspondence

9507210012 Comment supporting proposed rule 10CFR50 re changes in frequency re-
quirements for emergency planning & preparedness exercises from annual to biennial
MCCORMICK,M.J. Niagara Mohawk Power Corp 95/06/30 Docketing & Synopsis
Branch 1p 84738 015-84738 015

9507200081 Responds to 950426 ltr re concerns on how situation developed in which
licensee stored radioactive waste in basement room since 1961,NRC enforcement of
regulations & industry storage of spent nuclear fuel
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 841001) 95/07/14
EWING,J.S. Attention Not Assigned 4pp 84771 935-84771 351

-9507200085 Requests consideration of and ltr from J Ewing
MUKULSHI,B.A. Senate 95/05/19 RATHBUN,D.K. Office of Congressional Affairs
(Post 911117) 5pp 84771 347-84771 351

K. Utility Final Safety Analysis Report (FSAR) & amendments

9507070185 Forwards Rev 13 "Nine Mile Point Nuclear Station Unit 1 FSAR (Updated),"
including changes to QA topical rept & annual safety evaluation summary rept
SYLVIA,B.R. Niagara Mohawk Power Corp 95/06/29 Document Control Branch
(Document Control Desk) 50pp 84590 001-84591 100

-9507070186 Rev 13 to "Nine Mile Point Nuclear Station Unit 1 FSAR (Updated)"
* Niagara Mohawk Power Corp 95/06/30 404pp 84590 061-84591 100

P. Operating license stage documents & correspondence

9507200086 Forwards response to NRC 950421 RAI re all 930727 responses to GL 89-
20,Suppl 1 "Initiation of IFE for Severe Accident Vulnerabilities - 10CFR50.54(f)"
TERRY,C.D. Niagara Mohawk Power Corp 95/06/28 Document Control Branch
(Document Control Desk) 88pp 84590 001-84590 086

9507050091 Forwards SE approving relief request CS-RR-6 re alternative testing pro-
posed for certain core spray sys relief valves
MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 841001) 95/06/26 SYLVIA,B.R. Ni-
agara Mohawk Power Corp 3pp 84529 081-84529 087

-9507050094 SER granting relief as requested per 10CFR50.55(a)(3)(v)
* Office of Nuclear Reactor Regulation (Post 841001) 95/06/25 4pp 84539 064-
84539 087

9506260062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to
NRC bulletin board sys
GRIMES,J.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp
84516 239-84516 208

9507210134 Transmits SE re licensee determination of no plant mode warranted for two
human engineering observations re earlier DCROR
EDISON,G.E. Project Directorate I-1 (PD1-1) (Post 841001) 95/07/10 SYLVIA,B.R.
Niagara Mohawk Power Corp 2pp 84754 295-84754 303

-9507210138 Safety evaluation accepting licensee reassessment of HED EA-007 & res-
olution of issue re HED VER-026
* Office of Nuclear Reactor Regulation (Post 841001) 95/07/10 3pp 84754 200-
84754 303

9507210004 Advise NRC of withdrawal of proposed license amend,dtd 941229 re ex-
tension of calibration frequency
TERRY,C.D. Niagara Mohawk Power Corp 95/07/13 Document Control Branch
(Document Control Desk) 2pp 84811 351-84811 352

16 DOCKETED ITEMS

9507260662 Responds to 950421 request from R. Sylva accepting change to GAP for plant re addition of functions of records mgt. document control & QA administrative sys to QA organization. IAW 10CFR50.54. MOORE, J.C. Region 1 (Post 820201) 95/07/13 SYLVIA, B.R. Niagara Mohawk Power Corp. 2pp. 84796:130-84793:131

9507260689 Forwards mod of SPDES discharge permit NY-000-1015 for Nine Mile Point Nuclear Station Units 1 & 2. MOORE, J.C. Region 1 (Post 820201) 95/07/18 Document Control Branch (Document Control Desk) 5pp. 84824:116-84824:120

Q. Inspection reports, IE Bulletins & correspondence

9507260674 Ack receipt of 950616 ltr informing NRC of steps taken to correct violations noted in insp repts 50-220/95-10 & 50-410/95-10. JOYNER, J.H. Region 1 (Post 820201) 95/06/26 SYLVIA, B.R. Niagara Mohawk Power Corp. 2pp. 84507:047-84507:062

9507260682 Responds to NRC ltr re violations noted in insp repts 50-220/95-09 & 50-410/95-03. Corrective actions described operations management on technical issues. SYLVIA, B.R. Niagara Mohawk Power Corp. 95/06/26 Document Control Branch (Document Control Desk) 5pp. 84592:351-84592:355

9507260634 Forwards insp repts 50-220/95-12 & 50-410/95-12 on 950423-0803. No violations noted. COVIGILL, C.J. Region 1 (Post 820201) 95/06/26 SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84881:280-84881:293

9507260618 Insp repts 50-220/95-12 & 50-410/95-12 on 950423-0803. No violations noted. Major areas inspected plant operations, maintenance, plant support, safety assessment/quality verification & previously open items. DOERFLEIN, L.T. Region 1 (Post 820201) 95/06/27 11pp. 84691:263-84691:293

9507260670 Forwards "Summary Rept of Insps & Exams Performed for ASME B&PV Code Section XI, Class 1 & 2 Pressure Retaining Components & Supports at Culmination of Refueling Outage 13 Which Ended on 950404". TERRY, C.D. Niagara Mohawk Power Corp. 95/06/30 Document Control Branch (Document Control Desk) 1p. 84600:001-84600:001

9507260625 "Summary Rept of Insps & Exams Performed for ASME B&PV Code Section XI, Class 1 & 2 Pressure Retaining Components & Supports at Culmination of Refueling Outage 13 Which Ended on 950404". Niagara Mohawk Power Corp. 95/06/29 150pp. 84600:002-84600:151

9507260645 Forwards MDV insp repts 50-220/95-11 & 50-410/95-11 on 950530-0809 & notice of violation. BLOUGH, A.R. Region 1 (Post 820201) 95/06/30 SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84682:339-84682:360

9507260662 Notice of violation from insp on 950830-0809. Violation noted related to adequately disposition condition adverse to quality in that two safety-related HPCS valves not properly identified as being susceptible to pressure locking. Region 1 (Post 820201) 95/06/30 1p. 84682:339-84682:339

9507260637 Insp repts 50-220/95-11 & 50-410/95-11 on 950530-0830. Violations noted. Major areas inspected MDV areas opened during previous insps of GL 89-10 program & issues regarding resolution prior to program closure. TRAPP, J.A., KELLY, E.A. Region 1 (Post 820201) 95/06/29 25pp. 84682:337-84682:360

9507260656 Forwards Safety Insp Rept 50-220/95-15 on 950605-08. Violations noted. MEYER, G.W. Region 1 (Post 820201) 95/07/06 SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84692:195-84692:207

9507260659 Insp Rept 50-220/95-15 on 950605-08. Violations noted. Major areas inspected licensed operator requalification training program through performance-based insp. WALKER, T., MEYER, G.W. Region 1 (Post 820201) 95/06/30 10pp. 84692:198-84692:207

9507260680 Forwards insp repts 50-220/95-17 & 50-410/95-17 on 950626-29. No violations noted. JOYNER, J.H. Region 1 (Post 820201) 95/07/14 SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84824:302-84824:308

9507260686 Insp repts 50-220/95-17 & 50-410/95-17 on 950626-29. No violations noted. Major areas inspected radiological error monitoring program & meteorological monitoring program. PELUSO, L., BORES, R. Region 1 (Post 820201) 95/07/14 5pp. 84824:305-84824:306

9507270250 Ack receipt of 950626 ltr informing NRC of steps taken to correct violations noted in insp repts 50-220/95-03 & 50-410/95-03. COVIGILL, C.J. Region 1 (Post 820201) 95/07/19 SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84843:336-84843:343

R. Periodic operating reports & related correspondence

9507260632 Monthly operating rept for June 1995 for Nine Mile Point Nuclear Station Unit 1 W/950706 ltr. COLEMAN, D.E., ABBOTT, R.B. Niagara Mohawk Power Corp. 95/06/30 5pp. 84790:254-84790:258

S. Reportable occurrences, LERs & related correspondence

9507260675 Part 21 rept re discovery that rept used to determine true life of various Agastis GP series relay erroneous. Caused by utilization of electrical characteristics of relay broken next. Relays replaced & use of rept discontinued. TERRY, C.D. Niagara Mohawk Power Corp. 95/06/23 Document Control Branch (Document Control Desk) 3pp. 84592:015-84592:017

9507260683 Special report 950615, #11 drywell high range gamma radiation monitoring sys was removed from svc under WO #95-01247-02. ABBOTT, R.B. Niagara Mohawk Power Corp. 95/06/29 Document Control Branch (Document Control Desk) 2pp. 84570:258-84570:259

9507260622 Part 21 rept re potential defect in Lemmon 5MB/5B/5BD-00 actuators. Condition dependent on individual companies internal operating practices used when declaring MDV operable for safety related sys. HYLTON, C.L. Lemmon Corp. 95/07/12 Document Control Branch (Document Control Desk) 3pp. 84815:169-84815:198

V. Operator Examinations

9507260656 Forwards Safety Insp Rept 50-220/95-15 on 950605-08. Violations noted. MEYER, G.W. Region 1 (Post 820201) 95/07/06 SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84692:198-84692:207

9507260659 Insp Rept 50-220/95-15 on 950605-08. Violations noted. Major areas inspected licensed operator requalification training program through performance-based insp. WALKER, T., MEYER, G.W. Region 1 (Post 820201) 95/06/30 10pp. 84692:198-84692:207

DOCKET 58-228 AEROTEST RADIOGRAPHY & RESEARCH REACTOR

M. General correspondence

95072606124 Inform of administrative changes occurring within OEA family of companies. TSUKIMURA, R.R. Aerotest Operations, Inc. 95/07/10. COLLINS, S.J. Region 4 (Post 820201) 2pp. 84777:351-84777:355

95072606173 Forwards rept summarizing Aerotest Radiography Research Reactor operations from 940701-950630. MERENA, W., Aerotest Operations, Inc. 95/07/01 NRC - No Detailed Affiliation Given 1p. 84681:232-84681:237

R. Periodic operating reports & related correspondence

95072606176 "Annual Summary of Changes, Tests & Experiments Performed at Aerotest Radiography & Research Reactor". MERENA, W., TSUKIMURA, R. Aerotest Operations, Inc. 95/06/30 5pp. 84681:233-84681:237

DOCKET 58-236 LOCKHEED AIRCRAFT CORP.

Q. Inspection reports, IE Bulletins & correspondence

95072606286 Requests add info for proposed use of Code Case N-508-1 in stubber insp program for Hadden Neck Plant & Milestone NPP Units 1, 2 & 3. MCKEE, J.F. Project Directorate I-4 (PD1-4) (Post 941001) 95/07/21. OPEKA, J.F. Connecticut Yankee Atomic Power Co., OPEKA, J.F. Northeast Nuclear Energy Co. 5pp. 84816:343-84816:348

DOCKET 80-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

95072606141 Revised Maps for Corporate EPIPs from CEPF-3000 Series including rev 2 to Quad Cells Map, rev 1 to Dresden Map & revised 3000 Series Table of Contents. W/ two overseas drawings. Commonwealth Edison Co. 95/06/02 3pp. 84871:336-84871:338

95072606004 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101. VONK, M.J. Commonwealth Edison Co. 95/06/19 Document Control Branch (Document Control Desk) 20pp. 84598:336-84598:355

95072606049 Forwards info re physical security activities at plant for review & followup. Requests that results of review & disposition of sub matters be submitted to Region III within 45 days of receipt of dtd ltr. CREED, J.R. Region 3 (Post 820201) 95/07/03. JOYCE, T. Commonwealth Edison Co. 5pp. 84857:252-84857:253

95072606172 Expresses appreciation for participation in Dresden exercise in Operations Cr on 950711. ENRIGHT, A. 95/07/17. CRUTCHLEY, J. 1p. 84782:358-84782:358

95072606111 Forwards unrev EP EALs. VONK, M.J. Commonwealth Edison Co. 95/07/19 Document Control Branch (Document Control Desk) 20pp. 84598:336-84598:355

95072606488 Submits supplementary response to Comm Ed 950606 response to NRC 950602 RAJ re proposed use of Corporate EOP as interim EOP. JOHNSON, L.M. Commonwealth Edison Co. 95/07/21 Office of Nuclear Reactor Regulation (Post 941001) 2pp. 84918:359-84918:357

P. Operating license stage documents & correspondence

95072606231 Forwards safety assessment for reactor recirculation piping, in response to NRC 940707 ltr on RAJ. PIET, P.L. Commonwealth Edison Co. 94/07/12. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411) 22pp. 84845:372-84845:393

95072606485 Inform that 950606-07 NRC senior managers met to evaluate nuclear safety performance of operating reactors, fuel facilities & other related licenses. TAYLOR, L.M. Office of the Executive Director for Operations. 95/06/20. O'CONNOR, J.J. Commonwealth Edison Co. 5pp. 84390:244-84390:248

950708084 Forwards amends 136,130,157 & 153 to licenses DPR-19,DPR-25,DPR-29 & DPR-30 & safety evaluation Amend's respond to licensee application dtd 950216 re TS Upgrade program for plants
STANG,J.F. 95/06/23. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84531:188-84531:255

-950708084 Amends 136,130,157 & 153 to licenses DPR-19,DPR-25,DPR-29 & DPR-30, respectively, responding to licensee application dtd 950216 re TS Upgrade Program for plants
STANG,J.F. 95/06/23. 4pp. 84531:191-84531:238.

-950708083 Safety evaluation supporting amends 136,130,157 & 153 to licenses DPR-19,DPR-25,DPR-29 & DPR-30, respectively
95/06/23 18pp. 84531:238-84531:255

950708085 Forwards detailed safety assessment discussing calculational methodology used in evaluating impact of inadvertent loading
SCHRAGE,J.L. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk) 8pp. 84560:298-84560:304

-950708154 "Reactor Bldg Crane & Cask Yoke Assembly Mods."
Commonwealth Edison Co. 94/10/31 7pp. 84580:288-84580:304.

950628062 Rev 1 to NRC Administrative Ltr 84-18 to all NRC licensees re access to GRUMES,B.K. 95/06/29 Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:258.

950710079 Informs that util will implement TS amends 134 & 129 to ensure that sufficient margin exists from condenser low vacuum SCRAM setpoint to allow for circulating water reversal through main condenser
PIET,P.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk) 3pp. 84592:241-84592:247

-950710082 Proposed tech specs which include revised settings.
Commonwealth Edison Co. 95/06/29 4pp. 84592:244-84592:247.

950708038 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NPSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR
BENES,G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk) 1p. 84632:316-84632:315.

950708038 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NPSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR
BENES,G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk) 1p. 84599:001-84599:257.

-950708041 Forwards Rev 0 to Licensing Topical Rept (LTR) NPSR-0111, "BWR Transient Analysis Methods." Requests NRC approval of LTR by issuance of SER prior to June of 1996.
BENES,G.G. Commonwealth Edison Co. 95/06/28. Document Control Branch (Document Control Desk) 1p. 84599:002-84599:002

-950708053 "BWR Transient Analysis Methods."
FREEMAN,J.M., TSALJ.W., RIECKT.A. Commonwealth Edison Co. NPSR-0111 R00 95/06/29. 20pp. 84698:008-84698:287.

950710077 Forwards addl info requested re TS upgrade program for Dresden Units 2 & 3 & Quad Cables Units 1 & 2.
PIET,P.L. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk) 5pp. 84688:232-84688:206

-950710082 Proposed tech specs re TS upgrade program for Dresden Units 2 & 3 & Quad Cables Units 1 & 2.
Commonwealth Edison Co. 95/06/30. 7pp. 84695:258-84695:208.

950711032 Provides results of Comm Ed assessments of concerns raised by NRC during 950501 visit to plant re potential impact of HPCI turbine exhaust rupture disk opening.
JOYCE,T.P. Commonwealth Edison Co. 95/07/03. Document Control Branch (Document Control Desk) 23pp. 84694:196-84694:208

950717014 Transmits corrected document of design documents for proposed repair of Dresden Station Unit 2 & 3 cone stirrers
SCHRAGE,J.L. Commonwealth Edison Co. 95/07/10. Document Control Branch (Document Control Desk) 6pp. 84755:182-84755:186.

950713026 Ack receipt for 10CFR50.54(a) submittal dtd 950517, incorporating changes in QA program description topical rpt.
RANG,M.A. Region 3 (Post 820201) 95/07/11. KOVACH,T.J. Commonwealth Edison Co. 2pp. 84732:312-84732:313.

950724086 Notifies that Comm Ed intends to provide for NRC review & approval, rev 3 to Dresden IST plan prior to 950801 to supersede revs 1 & 2 to Dresden IST plan, submitted by Comm Ed 950630 & 950610 ltr, respectively
JOYCE,T.P. Commonwealth Edison Co. 95/07/14. Document Control Branch (Document Control Desk) 2pp. 84824:028-84824:029

950724081 Application for amends to licenses DPR-19,DPR-25,DPR-29 & DPR-30, including addl efforts to upgrade existing TS Sections 3.4.0, "Definitions," Section 3.7.4.0, "Applicability," & Section 3.7.4.3, "Reactivity Controls."
SCHRAGE,J.L. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk) 3pp. 84824:121-84824:138.

-950724086 Proposed tech specs, reflecting util efforts to upgrade existing TS Sections 3.0, "Definitions," Section 3.7.4.0, "Applicability," & Section 3.7.4.3, "Reactivity Controls."
Commonwealth Edison Co. 95/07/19. 13pp. 84824:124-84824:138

950724082 Expresses understanding re util partial implementation of amends 134 & 129 relating to new setpoint for condenser low vacuum scram for Dresden Station Units 2 & 3, respectively
STANG,J.F. 95/07/20. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84822:359-84822:360

950724086 Forwards response to NRC 950222 RAI re util TS upgrade program section 3.4.7, "Containment Sys.," submitted by util on 930817. Marked-up current TS pages & marked-up BWR/4 STS pages also incl
PIET,P.L. Commonwealth Edison Co. 95/07/20. Document Control Branch (Document Control Desk) 173pp. 84823:001-84823:173

-950724074 Marked-up TS, consisting of cross-ref between current TS requirements & cross-ref between BWR/4 STS requirements & requirements proposed in TS upgrade program 3/4.7
Commonwealth Edison Co. 95/07/20. 91pp. 84823:089-84823:173

950726086 Informs that staff accepts licensee 950120 proposal for alternate method for recalculation of plant recirculation loop from "Category G" weld to "Category E" weld in accordance w/guidelines of 8L 88-01
STANG,J.F. 95/07/21. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84844:363-84844:365

950726084 Forwards request for addl info re core shroud repair for plant Units 2 & 3
STANG,J.F. 95/07/26. FARRAR,D.L. Commonwealth Edison Co. 6pp. 84868:152-84868:156

G. Inspection reports, NE Bulletin & correspondence

950713002 Comment on "NRC Insp Rptes, Review of Contents, Format & Style." Quality factors should be applied to rpts which mirror performance based regulatory goals.
FARRAR,D.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk) 11pp. 84557:083-84557:073.

950726081 Ack receipt of 950621 ltr informing NRC of steps taken to correct violations noted in insp rpts 90-237/95.06 & 80-242/95-06
HILAND,P.L. Region 3 (Post 820201) 95/07/14. JOYCE,T. Commonwealth Edison Co. 2pp. 84918:952-84918:953.

H. Periodic operating reports & related correspondence

950718034 Monthly operating rpts for June 1995 for Dresden Generating Station Units 1,2 & 3 W/950714 ltr.
CARROLLE W., HOLLAND,P.G. Commonwealth Edison Co. 95/08/30 21pp. 84782:335-84782:365.

950727003 Forwards 1995 second quarter rpt of changes, tests & experiments per 10CFR50.59. Rpt previously being submitted on annual basis, but will now be submitted on quarterly basis
HOLLAND,P.G. Commonwealth Edison Co. 95/07/10. Office of Nuclear Reactor Regulation (Post 941001) 1p. 84849:001-84849:023.

-950727004 Rpt of changes, tests & experiments per 10CFR50.59 for 1995 second quarter
Commonwealth Edison Co. 95/08/30 750pp. 84849:002-84849:023.

I. Reportable occurrences, LERs & related correspondence

950718004 Forwards response to NRC 950528 request for comments on technical adequacy of preliminary accident sequence precursor of operational condition discovered at facility. Comments correct description of event
JOYCE,T.P. Commonwealth Edison Co. 95/07/05. Document Control Branch (Document Control Desk) 6pp. 84656:061-84656:056.

950713008 LER 95-015-00 on 950607, leakage limit exceeded due to excessive leakage past MSIVs MSIVs 1A & 1C will be inspected, repaired & local leak rate tested prior to unit start up W/950705 ltr.
MCIVERN,J.M., JOYCE,T.P. Commonwealth Edison Co. 95/07/07. 6pp. 84682:319-84682:323.

950713009 LER 95-016-00 on 950610, Type B & C leakage limit exceeded due to excessive leakage past HPCI check valve (CV). Cause of CV LERT failure under investigation HPCI turbine exhaust CV will be removed, inspected & replaced W/ 950706 ltr.
MCIVERN,J.M., JOYCE,T.P. Commonwealth Edison Co. 95/07/10 4pp. 84729:103-84729:108

950728043 Forwards preliminary ASF analysis of operational condition which occurred at plant on 940908 & reported in LER 287/94-018, Rev 1. For comment.
STANG,J.F. 95/07/20. FARRAR,D.L. Commonwealth Edison Co. 13pp. 84659:302-84659:322

950728078 LER 94-022-01 on 940808, Type B & C leakage limit was exceeded due to worn seating surface of HPCI check valve. Replaced HPCI turbine exhaust check valve w/dual-disk type check valve W/950721 ltr
MCIVERN,J.M., JOYCE,T.P. Commonwealth Edison Co. 95/07/21. 6pp. 84832:040-84832:045

950725016 Forwards LER 95-002 re failure of drywell air sample valve 2-62038.
JOYCE,T.P. Commonwealth Edison Co. 95/07/21. Document Control Branch (Document Control Desk) 1p. 84832:026-84832:030

-950725016 LER 95-002-01 on 950117, Type B & C leakage limit was exceeded due to leaking drywell air sample valve. Replaced drywell air sample valve 2-62038.
MCIVERN,J.M. Commonwealth Edison Co. 95/07/31. 4pp. 84832:027-84832:030.

V. Operator Examinations

950731006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003
RING,M.A. Region 3 (Post 820201). 95/07/24. LACROIX,B. Consumers Power Co. WEIDNER,J.C. Commonwealth Edison Co. CANTRELL,J.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 84919:021-84919:023

18 DOCKETED ITEMS

DOCKET 90-244 ROBERT SMITH GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507052186 Rev 14 to EOP-RR-1.1 "Response to Loss of Secondary Heat Sink." W/ 9506261r
 * Rochester Gas & Electric Corp. 95/06/26. JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 941001). 2pp. 84558:206-84558:335

9507120858 Revised EPIPs including rev 23 to EPIP 1-5, rev 4 to EPIP 1-15 & rev 4 to EPIP 2-8 W/9507061r
 WATTS, R.J. Rochester Gas & Electric Corp. 95/07/06. JOHNSON, A.R. Project Directorate I-1 (PD1-1) (Post 941001). 4pp. 84672:311-84672:359

9507120907 Revised EPIPs including rev 8 to EPIP 4-5, rev 10 to EPIP 5-2, rev 10 to EPIP 5-3 & rev 4 to EPIP 5-9 W/9507071r
 WATTS, R.J. Rochester Gas & Electric Corp. 95/07/07. JOHNSON, A.R. Project Directorate I-1 (PD1-1) (Post 941001). 2pp. 84618:211-84618:232

9507120923 Offers listed info re SG tube rupture procedure, per telcon between AR Johnson & G Wobbe in EOP E-3, SG sampling allowed as means of identifying location of rupture.
 MECREDDY, R.C. Rochester Gas & Electric Corp. 95/07/11. JOHNSON, A.R. Project Directorate I-1 (PD1-1) (Post 941001). 2pp. 84777:358-84777:360

9507120955 Revised EPIPs including Rev 8 to EPIP 1-11, "Survey Ctr Activation." Rev 13 to EPIP 2-1, "Protective Action Recommendations" & rev 7 to EPIP 2-3, "Emergency Release Rate Determination" W/9507191r
 WATTS, R.J. Rochester Gas & Electric Corp. 95/07/19. JOHNSON, A.R. Project Directorate I-1 (PD1-1) (Post 941001). 5pp. 84694:257-84694:314

P. Operating license stage documents & correspondence

9507060075 Forwarded safety evaluation in response to GL-90-06 which provided resolution of GL-70 "Power Operated Relief Valve & Block Valve Reliability" & GL-84, "Add Low Temp Overpressure Protection for LWR"
 JOHNSON, A.R. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/21. MECREDDY, R.C. Rochester Gas & Electric Corp. 3pp. 84540:032-84540:042

9507060092 Safety evaluation accepting proposed T6 3.1.1.8 & associated action statements equivalent to those proposed in GL-90-06.
 * Office of Nuclear Reactor Regulation (Post 941001). 95/06/21. 3pp. 84540:035-84540:042

9507120342 Forwarded SE granting licensee 940615 request re plant inservice testing program for pumps & valves relief requests VR-31 & VR-32
 MARSH, L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/21. MECREDDY, R.C. Rochester Gas & Electric Corp. 3pp. 84622:351-84622:360

9507120351 Safety evaluation granting plant inservice testing program pumps & valves relief requests VR-31 & VR-32
 * Office of Nuclear Reactor Regulation (Post 941001). 95/06/21. 7pp. 84622:354-84622:360

9507060218 Responds to GL 95-03, "Circumferential Cracking Of Steam Generator Tubes."
 MECREDDY, R.C. Rochester Gas & Electric Corp. 95/06/27. JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 941001). 3pp. 84570:200-84570:202

9507060258 Informs that NRC finds response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies," acceptable & closes TAC M88845
 JOHNSON, A.R. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/27. MECREDDY, R.C. Rochester Gas & Electric Corp. 3pp. 84593:240-84593:248

9506230062 Rev 1 to NRC Administrative Ltr 94-19 to all NRC licensees re access to NRC bulletin board sys.
 GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc. 10pp. 84618:259-84618:266

9507140068 Forwarded SE that authorizes licensee to use code Case N-522 until code Case N-522 published in future rev of RS 1147.
 MARSH, L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/07/07. MECREDDY, R.C. Rochester Gas & Electric Corp. 3pp. 84710:338-84710:340

9507140091 Safety evaluation supporting relief request 13, rev 1.
 * Office of Nuclear Reactor Regulation (Post 941001). 95/07/07. 3pp. 84710:339-84710:340

9507060239 Offers listed info re SG tube rupture procedure, per telcon between AR Johnson & G Wobbe in EOP E-3, SG sampling allowed as means of identifying location of rupture.
 MECREDDY, R.C. Rochester Gas & Electric Corp. 95/07/11. JOHNSON, A.R. Project Directorate I-1 (PD1-1) (Post 941001). 2pp. 84777:359-84777:360

9507250169 Forwarded response to questions in rel 950711 re methodology for determining LTOP sys setpoints
 MECREDDY, R.C. Rochester Gas & Electric Corp. 95/07/17. GRIMES, C.J. 4pp. 84626:352-84626:357

9507240169 Forwarded corrected safety evaluation, granting plant 1ST program for pumps & valves relief requests VR-31 & VR-32.
 MARSH, L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/07/20. MECREDDY, R.C. Rochester Gas & Electric Corp. 3pp. 84624:324-84624:332

9507240170 Corrected safety evaluation, granting plant 1ST program for pumps & valves relief requests VR-31 & VR-32.
 * Office of Nuclear Reactor Regulation (Post 941001). 95/07/20. 4pp. 84624:328-84624:332

Q. Inspection reports, IE Bulletins & correspondence

9507060337 Forwarded SE authorizing licensee 921215 & 950216 hrs related to third 10-yr interval inservice shop program plan.
 MARSH, L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/23. MECREDDY, R.C. Rochester Gas & Electric Corp. 3pp. 84636:279-84636:286

9507060342 Safety evaluation authorizing licensee 921215 & 950216 hrs related to third 10-yr interval inservice shop program plan.
 * Project Directorate I-1 (PD1-1) (Post 941001). 95/06/23. 2pp. 84538:282-84538:283

9507060348 Technical for repl re third 10-yr interval inservice shop program relief request
 * Idaho National Engineering Laboratory 95/06/23. NRC - No Detailed Affiliation Given. 5pp. 84538:284-84538:288

9507140058 Forwarded insp rept 50-244/95-12 on 950507-0617. No violations noted.
 LAMVILLE, J.C. Region 1 (Post 820201). 95/07/07. MECREDDY, R.C. Rochester Gas & Electric Corp. 3pp. 84625:221-84625:247

9507140082 Insps rept 50-244/95-12 on 950507-0617. No violations noted. Major areas inspected: plant operations, maintenance, engineering, plant support & safety assessment/quality verification.
 LAZARUS, W.J. Region 1 (Post 820201). 95/07/07. 24pp. 84625:224-84625:247

9507170167 Forwarded final exam repl re plant 1995 SG eddy current insp
 MECREDDY, R.C. Rochester Gas & Electric Corp. 95/07/10. JOHNSON, A.R. Project Directorate I-1 (PD1-1) (Post 941001). 1p. 84755:048-84755:117

9507170189 Rev 0 to "Final Exam Rept for 1995 SG Eddy Current Insps at Ginna Nuclear Power Station," dtd 950503.
 DAVISON, M.L. GAVORITO, M.J. Rochester Gas & Electric Corp. 95/05/04. 6pp. 84755:048-84755:117

R. Periodic operating reports & related correspondence

9507180328 Monthly operating rept for June 1995 for RE Ginna Nuclear Power Plant W/9507111r
 ORLOWSKI, C.A., WALDEN, J., WIDAY, J.A. Rochester Gas & Electric Corp. 95/06/30. 5pp. 84776:338-84776:342

S. Reportable occurrences, LERs & related correspondence

9507120083 LER 95-005-00, on 950607, FW violation on high SG level occurred. Caused by decrease in instrument air pressure due to an air leak in compartment. FW flow switched to manual control W/9507071r
 ST MARTIN, J.T. MECREDDY, R.C. Rochester Gas & Electric Corp. 95/07/07. JOHNSON, A.R. Project Directorate I-1 (PD1-1) (Post 941001). 3pp. 84676:280-84676:288

9507210322 Part 21 rept re potential defect in Lindorpe GMB/98/98D-00 actuators. Condition dependent on individual licensee internal operating procedures used when declaring MOV operable for safety related events
 HYLTON, C.L. Lindorpe Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:198-84815:199

9507200284 Part 21 rept re 14 inch air-operated butterfly valve, used as BW outlet valve AGV-4561 supplied by Fisher Controls Co. On 950418, found that valve actuated opposite from required configuration. Actuator lever reinstalled.
 MECREDDY, R.C. Rochester Gas & Electric Corp. 95/07/14. JOHNSON, A.R. Project Directorate I-1 (PD1-1) (Post 941001). 4pp. 84815:158-84815:161

DOCKET 90-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507180230 Revised EPIPs including Rev 165 to EPIP 4000 procedure index Rev 1 to EPIP 4404, "Notification & Communications" & rev 1 to EPIP 4470, "Control Room Data Coordination"
 * Northeast Nuclear Energy Co. 95/06/29. 43pp. 84784:217-84784:251

9507140078 Informs NRC that unit annual emergency preparedness exercise for plant has been scheduled for 951005. Scope & objectives re exercise and
 OPEKA, J.F., DEBARBA, E. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Nuclear Energy Co. 95/07/07. Document Control Branch (Document Control Desk). 4pp. 84760:287-84760:294

9507140175 Rev 15 to Millstone Emergency Plan
 * Northeast Nuclear Energy Co. 95/07/07. 20pp. 84736:245-84736:261

9507240080 Forwarded insp rept 50-245/95-20, 50-306/95-20 & 50-423/95-20 on 950426-0608. No violations noted.
 DURR, J.P. Region 1 (Post 820201). 95/07/17. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 84751:335-84751:341

9507240084 Insps rept 50-245/95-20, 50-338/95-20 & 50-423/95-20 on 950426-0608. No violations noted. Major areas inspected: plant operations, radiological controls, maintenance, security, outage activities & licensee self-assessment.
 NECHOLSON, L.E. Region 1 (Post 820201). 95/07/14. 43pp. 84751:339-84751:371

9507310155 Revised EPIPs including change 1 to rev 4 to EPIP form 4400-1 & change 1 to rev 3 to EPIP form 4400-2
 * Northeast Nuclear Energy Co. 95/07/20. 4pp. 84807:040-84807:048

9507180318 Rev 16 to Millstone Nuclear Power Station Emergency Plan
 * Northeast Nuclear Energy Co. 95/07/31. 4pp. 84786:076-84786:078

G. Adjudicatory correspondence

9507180338 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-95-11 in docket has expired. Decision became final on 950826 W/Certificate of Service served on 950630.
 HOYLE, J.C. Office of the Secretary of the Commission. #395 15866. 95/06/29. GAVENSKY, R. Affiliation Not Assigned. 2pp. 84538:306-84538:307

9507170405 Submits rebuttal to NNECO response to AJ Ross 10CFR2.206 petition re problems at Millstone Station w/regards to work control, tagging control & procedure compliance
ROSS, A.J. Affiliation Not Assigned 95/07/11 RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 841001) 43pp 84747 020-84747 078

9507170405 Submits rebuttal to NNECO response to AJ Ross 10CFR2.206 petition re problems at Millstone Station w/regards to work control, tagging control & procedure compliance
ROSS, A.J. Affiliation Not Assigned 95/07/11 RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 841001) 43pp 84747 006-84747 064

9507220391 Inform of establishment of special review group to review pertinent written documentation re allegations of harassment & intimidation at job
TAYLOR, J.M. Of the Executive Director for Operations 92/04/08 ELLIS, W.B. Northeast Nuclear Energy Co 10pp 84796 049-84796 064

9507220385 Provides update on two 10CFR2.206 petitions submitted 08/04/20 & 95/01/02 05, 08 & 17
ANDERSEN, J.W. Project Directorate I-3 (PD1-3) (Post 841001) 95/07/19 ROSS, A.J. Affiliation Not Assigned 2pp 84824 238-84824 337

M. General correspondence

9507080465 Inform NRC of mgt change within Nuclear Group which affects distribution of NRC correspondence to NNECO
OPEKA, J.F. Northeast Nuclear Energy Co OPEKA, J.F. Northeast Utilities Service Co 95/06/29 Document Control Branch (Document Control Desk) 4pp 84570 196-84570 199

9507210041 Concurs supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial
OPEKA, J.F. Northeast Utilities 95/07/14 HOYLE, J.C. Office of the Secretary of the Commission 2pp 84738 118-84738 116

K. Utility Final Safety Analysis Report (FSAR) & amendments

9507210285 Forwards rev 9 to "Updated Final Safety Analysis Rept," for Millstone Nuclear Power Station, Unit 1
OPEKA, J.F. Northeast Nuclear Energy Co OPEKA, J.F. Northeast Utilities 95/06/30 Document Control Branch (Document Control Desk) 2pp 84777 001-84777 312

9507210285 Rev 9 to "Updated Safety Analysis Rept," for Millstone Nuclear Power Station, Unit 1
Northeast Nuclear Energy Co 95/06/30 310pp 84777 003-84777 312

P. Operating license stage documents & correspondence

9507060031 Inform that NRC has reviewed ISAP update & staff comments contained in end-of-staff notes that 18 topics should remain open within 144 ISAP topics W/enc
ANDERSEN, J.W. Project Directorate I-3 (PD1-3) (Post 841001) 95/06/28 OPEKA, J.F. Connecticut Yankee Atomic Power Co OPEKA, J.F. Northeast Nuclear Energy Co 8pp 84536 193-84536 200

9507220062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRUBBS, B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84518 289-84518 269

9507060233 Application for amend to license DPR-21, modifying TSs to allow use of pull-to-lock switches to detect automatic insertion of ECCS
DEBARBA, E.A. Northeast Nuclear Energy Co DEBARBA, E.A. Northeast Utilities Service Co 95/07/11 Document Control Branch (Document Control Desk) 7pp 84766 286-84766 297

9507180036 Proposed tech spec, allowing use of pull-to-lock switches to detect automatic insertion of ECCS
Northeast Nuclear Energy Co 95/07/11 8pp 84765 292-84765 297

9507200305 Forwards ltr dtd 891003 re plant IPE for internal events Requests placement of document in PDR
ANDERSEN, J.W. Project Directorate I-3 (PD1-3) (Post 841001) 95/07/12 LARHAM, D.H. Office of Information Resources Management (Post 890205) 1p 84752 219-84752 241

9507060296 Forwards SE re individual plant exam responses to Generic Ltr 88-20 No specific unresolved safety issues or generic safety issues were proposed for resolution as part of IPE
ANDERSEN, J.W. Project Directorate I-4 93/10/05 OPEKA, J.F. Connecticut Yankee Atomic Power Co OPEKA, J.F. Northeast Nuclear Energy Co 22pp 84793 220-84793 223

9507210055 Safety evaluation accepting licensee evaluation of individual plant exam of internal events, per GL 88-20
Office of Nuclear Reactor Regulation, Director (Post 870411) 93/10/05 16pp 84752 224-84752 241

9507220398 Forwards supplemental response to GL 94-03, "ISGC of Core Shrouds in Shuts"
OPEKA, J.F. Northeast Nuclear Energy Co OPEKA, J.F. Northeast Utilities Service Co 95/07/14 Document Control Branch (Document Control Desk) 11pp 84779 254-84779 264

9507240143 Application for amend to license DPR-21, Amend would incorporate operability & SRs for RPV overfill protection instrumentation
OPEKA, J.F. Northeast Nuclear Energy Co OPEKA, J.F. Northeast Utilities Service Co 95/07/16 Document Control Branch (Document Control Desk) 10pp 84823 246-84823 264

9507240148 Proposed tech spec re incorporation of operability & SRs for RPV overfill protection instrumentation
Northeast Nuclear Energy Co 95/07/18 8pp 84823 256-84823 264

9507240234 Modification of 950824 meeting w/utl in Rockville, MD to discuss service water & emergency service water issues
ANDERSEN, J.W. Project Directorate I-3 (PD1-3) (Post 841001) 95/07/19 MCKEE, P.F. Project Directorate I-3 (PD1-3) (Post 841001) 3pp 84778 306-84778 306

9507270282 Forwards Amend 83 to License DPR-21 & safety evaluation Amend permits individual without current senior reactor operator for Unit 1 to hold operations manager position
ANDERSEN, J.W. 95/07/24 OPEKA, J.F. Connecticut Yankee Atomic Power Co OPEKA, J.F. Northeast Nuclear Energy Co 3pp 84873 144-84873 154

9507270285 Amend 83 to License DPR-21, permitting individual without current senior reactor operator license for Unit 1 to hold operations manager position
MCKEE, P.F. 95/07/24 6pp 84873 147-84873 151

9507270287 Safety evaluation supporting Amend 83 to license DPR-21
95/07/24 3pp 84873 152-84873 154

9507270311 Forwards amend 84 to license DPR-21 & safety evaluation Amend allows use of ANSI/ANS 5.1-1979 decay heat model for post-loss of coolant accident containment analysis
ANDERSEN, J.W. 95/07/24 OPEKA, J.F. Northeast Nuclear Energy Co OPEKA, J.F. Connecticut Yankee Atomic Power Co 4pp 84874 178-84874 186

9507270314 Amend 84 to license DPR-21 allowing use of ANSI/ANS 5.1-1979 decay heat model for post-loss of coolant accident containment cooling analysis
MCKEE, P.F. 95/07/24 2pp 84874 182-84874 183

9507270317 Safety evaluation supporting amend 84 to license DPR-21
95/07/24 3pp 84874 184-84874 186

Q. Inspection reports, IE Bulletin & correspondence

9507030001 Expresses appreciation for informing NRC of actions taken to strengthen licensee licensed operator initial exam training program
MEYER, G.W. Region 1 (Post 820201) 95/06/22 OPEKA, J.F. Northeast Nuclear Energy Co 2pp 84488 001-84488 005

9507030022 Ack receipt of 950612 re informing NRC of steps taken to correct violations noted in insp rpt 50-245/95-14
MEYER, G.W. Region 1 (Post 820201) 95/06/22 OPEKA, J.F. Northeast Nuclear Energy Co 2pp 84488 166-84488 175

9507030016 Forwards insp repts 50-245/95-16 & 50-423/95-16 on 950410-14, 24-28 & 0506-12 & notice of violation violations involved poor planning of work & workers exceeding planned scope of work w/o correcting work package
MEYER, G.W. Region 1 (Post 820201) 95/06/23 OPEKA, J.F. Northeast Nuclear Energy Co 3pp 84488 120-84488 143

9507030017 Notice of violation from insp on 950410-28 Violation noted corrective actions taken to preclude repetition of work control violations had been inadequate, as evidenced by failed recurrency events
Region 1 (Post 820201) 95/06/23 2pp 84488 123-84488 124

9507030020 Insp repts 50-245/95-16 & 50-423/95-16 on 950410-14, 24-28 & 0506-12 Violations noted Major areas inspected merit, engineering & plant support
KENNY, T.J., MEYER, G.W. Region 1 (Post 820201) 95/06/22 15pp 84488 126-84488 143

9507180321 Forwards insp rpt 50-245/95-24 on 950612-16
KELLY, E.M. Region 1 (Post 820201) 95/06/29 OPEKA, J.F. Northeast Nuclear Energy Co 2pp 84882 304-84882 312

9507180328 Insp rpt 50-245/95-24 on 950612-16 No violations noted Major areas inspected hardened well vent
KORONIA, B.E., KELLY, E.M. Region 1 (Post 820201) 95/06/29 7pp 84882 306-84882 312

9507190448 Comment on proposed "Review of NRC Insp Rept Content Format & Style"
OPEKA, J.F. Northeast Utilities Service Co OPEKA, J.F. Connecticut Yankee Atomic Power Co 95/06/29 MEYER, G.D. Rules & Procedures Review Branch (Post 920323) 10pp 84557 242-84557 251

9507200880 Forwards insp repts 50-245/95-20, 50-336/95-20 & 50-423/95-20 on 950428-0806 No violations noted
DURR, J.P. Region 1 (Post 820201) 95/07/17 OPEKA, J.F. Northeast Nuclear Energy Co 4pp 84751 336-84751 321

9507240044 Insp repts 50-245/95-20, 50-336/95-20 & 50-423/95-20 on 950428-0806 No violations noted Major areas inspected plant operations radiological controls, maintenance, surveillance, security, outage activities & licensee self-assessment
NICHOLSON, L.E. Region 1 (Post 820201) 95/07/14 43pp 84751 338-84751 321

9507260236 Requests add info for proposed use of Code Case N-508-1 in smaller insp program for Haddam Neck Plant & Millstone NPP Units 1, 2 & 3
MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 841001) 95/07/21 OPEKA, J.F. Connecticut Yankee Atomic Power Co OPEKA, J.F. Northeast Nuclear Energy Co 6pp 84816 343-84816 348

R. Periodic operating reports & related correspondence

9507200893 Forwards monthly operating repts for June 1995 for Millstone Nuclear Power Station Units 1, 2 & 3 Repts to Apr & May 1995 repts for Unit 1 also end
MILLER, D.B. Northeast Nuclear Energy Co MILLER, D.B. Northeast Utilities Service Co 95/07/11 Document Control Branch (Document Control Desk) 1p 84783 308-84783 326

9507200912 Monthly operating repts for June 1995 for Millstone Nuclear Power Station Units 1, 2 & 3
NEWBURN, G. Northeast Nuclear Energy Co 95/06/30 15pp 84783 310-84783 324

20 DOCKETED ITEMS

9507280096 Rev to May 1995 monthly operating rept for Milestone Unit 1
NEWBURGH, G. Northeast Nuclear Energy Co. 95/05/31 1p. 84753325-84753325

9507280096 Revised monthly operating rept for Apr 1995 for Milestone Unit 1
NEWBURGH, G. Northeast Nuclear Energy Co. 95/04/30. 1p. 84753325-84753325

9507170482 Provides 1994 joint frequency distribution of wind distribution, wind speed & stability for Haddam Neck Plant & Milestone Nuclear Power Station.
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/07/13. TICHLEF, J. Brookhaven National Laboratory. 6pp. 84755028-84755033

5. Reportable occurrences, LIRs & related correspondence

9507280026 Forwards ASF analyses of shutdown event which occurred at plant on 840410 & reported in LER 94-016.
ANDERSEN, J.W. Project Directorate 1-3 (PD1-3) (Post 841001). 95/07/14. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 11pp. 84771310-84771328.

9507310143 LER 95-010-00 on 950621 listed SGTs deficiencies discovered. Caused by inadequate documentation & inadequate understanding of original SGTs design bases & operation. Mode made to provide LOCKOUT switch for SGTs trans W/950721 by HARRIS, D.N., MILLER, D.B. Northeast Nuclear Energy Co. 95/07/21 6pp. 84883291-84883298

9507310159 LER 95-011-00 on 950626, discovered that loss of normal power (LNP) circuit did not meet single failure criteria due to design deficiency. Both LNP circuits modified to installed manually reset seal W/950721 by HARRIS, D.N., MILLER, D.B. Northeast Nuclear Energy Co. 95/07/21 7pp. 84883294-84883299

V. Operator Examinations

9507300801 Expresses appreciation for planning NRC of actions taken to strengthen licensed licensed operator initial exam training program.
MEYER, G.W. Region 1 (Post 820201). 95/06/22. OPEKA, J.F. Northeast Nuclear Energy Co. 2pp. 84488001-84488006.

9507300822 Ack receipt of 950612 ltr informing NRC of steps taken to correct violations noted in insp rept 50-245/95-14.
MEYER, G.W. Region 1 (Post 820201). 95/06/22. OPEKA, J.F. Northeast Nuclear Energy Co. 2pp. 84488188-84488175.

9507300827 Requests that staff evaluate nrc license candidate in simulator w/ number of RO currently required by T5.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 95/07/20. MARTIN, T.T. Region 1 (Post 820201). 2pp. 84874349-84874344

9507270882 Forwards Amend 83 to Licensee DPR-21 & safety evaluation. Amend permits individual without current senior reactor operator for Unit 1 to hold operations manager position.
ANDERSEN, J.W. 95/07/24. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 84873144-84873154.

9507270885 Amend 83 to Licensee DPR-21 permitting individual without current senior reactor operator license for Unit 1 to hold operations manager position.
MCKEY, P. 95/07/24. 6pp. 84873147-84873151.

9507270827 Safety evaluation supporting Amend 83 to license DPR-21.
* 95/07/24. 3pp. 84873152-84873154

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507140117 Forwards SE which concludes that proposed changes to emergency action level meet requirements of 10CFR50.47(b)(4) & App E to 10CFR50.
WILLIAMS, J.L. Project Directorate 1-1 (PD1-1) (Post 941001). 95/07/11. QUINN, S.E. Consolidated Edison Co. of New York, Inc. 3pp. 84862183-84862186.

9507140128 SER accepting proposed EAL changes for plant, per 10CFR50.47(b)(4) & App E to 10CFR50.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/11. 3pp. 84862186-84862188.

G. Adjudicatory correspondence

9507300878 Ack receipt of 950518 ltr requesting that NRC suspend licensee license until completion of actions requested in GL-95-03 Request denied.
RUSSELL, W. Office of Nuclear Reactor Regulation (Post 941001). 95/06/16. HOGARTH, C. Westchester Peoples Action Coalition, Inc. 7pp. 84518119-84518126.

9507300886 Notice of receipt of petition for Director's Decision under 10CFR2.206.
MARGALIA, J.J. Office of Nuclear Reactor Regulation (Post 941001). 95/06/16. 3pp. 84518125-84518128

P. Operating license stage documents & correspondence

9507300835 Requests NRC approval to allow through-wall leak in s/w water piping to be left in as found condition per GL 80-26. Detailed data for acceptability of not performing ASME code acceptable repair and.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/06/22. Document Control Branch (Document Control Desk). 5pp. 84863352-84863358.

9507300882 Requests enforcement discretion from T5e 3.0.1, 3.3.F.2 & 3.3.F.3 to allow continued operation of unit above 350 F for up to 60 h w/non-essential SW header drained & inoperable. Justification and.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/06/28. Document Control Branch (Document Control Desk). 10pp. 84561321-84561330

9507300883 Advises that response to RAI re 820812 IPE will be submitted by 951031.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/06/28. Document Control Branch (Document Control Desk). 1p. 84817062-84817062

9507300818 Provides request info in response to GL 95-03 re circumferential stress corrosion cracking.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/06/28. Document Control Branch (Document Control Desk). 7pp. 84817277-84817283.

9507100257 Forwards Rev 1 to justification for continued operation in support of request for enforcement discretion requested on 950626.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/06/28. Document Control Branch (Document Control Desk). 13pp. 84675271-84675283.

9506280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GAMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518259-84518268.

9507060338 Submits correction to Rev 6 of Licensing Topical Rept (LTR) NPSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR.
BENES, G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84599001-84599002.

9507070341 Forwards Rev 0 to Licensing Topical Rept (LTR) NPSR-0111, "BWR Transient Analysis Methods." Requests NRC approval of LTR by issuance of SER prior to June of 1996.
BENES, G.G. Commonwealth Edison Co. 95/06/28. Document Control Branch (Document Control Desk). 1p. 84599002-84599002

9507070353 "BWR Transient Analysis Methods."
FREEMAN, J.M., TSAUR, W., RUECK, T.A. Commonwealth Edison Co. NPSR-0111 R00 95/06/22. 200pp. 84599003-84599027

9507120194 Notifies that NRC intended to exercise enforcement discretion not to enforce compliance w/TS 3.3.F.2 & 3.3.F.3 for period from 950629 to 1.05 am until 9:05 am on 950702 as requested by uia 950628 & 28 ltr.
COOPER, R.W. Region 1 (Post 820201). 95/06/30. QUINN, S.E. Consolidated Edison Co. of New York, Inc. 3pp. 84747259-84747314

9507120251 Summary of 950601 meeting w/NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NUREG-1485 severe accident source term of operating reactors.
SCALITTO, J. 95/07/25. QUAY, T.R. 46pp. 84888143-84888188.

G. Inspection reports, IE Bulletins & correspondence

9507300818 Forwards insp repts 50-003/95-01 & 50-247/95-18 on 950605-09 & notice of violation.
MARTIN, T.T. Region 1 (Post 820201). 95/06/23. QUINN, S.E. Consolidated Edison Co. of New York, Inc. 2pp. 84869046-84869057

9507180183 Notice of violation from insp on 950605-09 Violation noted: licensee delivered fluids to center for exclusive use transport in package w/radiation levels of 375 mrem per hour on contact w/outer surface of vehicle.
* Region 1 (Post 820201). 95/06/23. 3pp. 84869048-84869050

9507300826 Insp repts 50-003/95-01 & 50-247/95-18 on 950605-09 Violations noted: Major areas inspected: radiometric processing, waste steam sampling & analysis, preparation & shipment of radioactive mail & onsite storage of radioactive.
MOGGE, J., BORRES, R. Region 1 (Post 820201). 95/06/21. 14pp. 84869061-84869067

9507100282 Forwards insp rept 50-247/95-13 on 950530-0602. No violations noted.
RULAND, W.H. Region 1 (Post 820201). 95/07/03. QUINN, S.E. Consolidated Edison Co. of New York, Inc. 2pp. 84860314-84860321.

9507100284 Insp rept 50-247/95-13 on 950530-0602. No violations noted. Major areas inspected: coverage of enhanced monitoring program for Potassium transfer mode 114 & 115B/D map prior to 950711.
CALVERT, J.A., RULAND, W.H. Region 1 (Post 820201). 95/07/03. 14pp. 84860315-84860331.

9507140166 Forwards insp rept 50-247/95-15 on 950507-0617. No violations noted.
CONVILL, G.J. Region 1 (Post 820201). 95/07/07. QUINN, S.E. Consolidated Edison Co. of New York, Inc. 3pp. 84825101-84825115.

9507140821 Insp rept 50-247/95-15 on 950507-0617. No violations noted. Major areas inspected: plant operations, maintenance & plant support.
DOERFEL, L.T. Region 1 (Post 820201). 95/07/07. 12pp. 84825104-84825116.

9507280085 Responds to NRC 950612 ltr re violations noted in insp rept 50-247/95-08. Corrective actions: containment spray pump secured & MOV closed. Tagout reviewed & modified to include containment spray pump & pump discharge valves.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/07/12. Document Control Branch (Document Control Desk). 6pp. 84828344-84828349

9507280123 Ack receipt of 950619 ltr in response to 950428 ltr that transmitted insp rept 50-247/95-08.
JOYNER, J.H. Region 1 (Post 820201). 95/07/14. QUINN, S.E. Consolidated Edison Co. of New York, Inc. 2pp. 84848351-84848353.

G. Reportable occurrences, LIRs & related correspondence

9507110159 LER 95-015-00 on 950606, two motor driven APFs inadvertently started. Caused by main boiler feedwater pump trip signal due to personnel error. APFs secured & returned to automatic mode W/950630 ltr.
WHITNEY, M.A., QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/06/30. 3pp. 84662036-84662042

9507210322 Part 21 rept re potential defect in Limbique SWS/SB/SBD-00 actuators. Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related svcs
HYLTON, C.L. Limbique Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815.199-84815.198.

9507260128 LER 95-018-00 on 950612, electrical generator trip occurred that initiated RT. Caused by actuation of pilot wire HCB/85PW Post trip review was completed & held meetings w/ Station Nuclear Safety Committee W/950712 ft.
BAHR, J.M., QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/07/12. App. 84867350-84867353.

DOCKET 58-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9507280141 Revised Maps for Corporate EPRs from CEPR-3000 Series including rev 2 to Quad Cities Map Unit 1 to Dresden Map & revised 3000 Series Table of Contents. W/ two oversize drawings.
* Commonwealth Edison Co. 95/06/02. 3pp. 84871.396-84871.398.

9507050864 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone call & Reg Guide 1.101
VONK, M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84558336-84558355.

9507110409 Forwards info re physical security activities at plant for review & followup. Requests that results of review & disposition of sub numbers be submitted to Region III within 45 days of receipt of dtd lt.
CRUED, J.R. Region 3 (Post 820201). 95/07/08. JOYCE, T. Commonwealth Edison Co. 2pp. 84557252-84557253.

9507200173 Expresses appreciation for participation in Dresden exercise in Operations Ctr on 950711.
ENRIGHT, A. 95/07/17. CRUTCHLEY, J. 1p. 84752.958-84752.958

9507260111 Forwards unrev EP EALs.
VONK, M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 20pp. 84825.001-84825.200

9507240458 Submits supplementary response to Comm Ed 950806 response to NRC 950802 RAI re proposed use of Corporate EOP as interim EOP.
JOHNSTON, J.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84816.356-84816.357

F. Operating license stage documents & correspondence

9507260262 Forwards "Response to NRR RAI (Dtd 940623) Re Core Cracking at Dresden Unit 3 & Quad Cities Unit 1."
PIET, P.L. Commonwealth Edison Co. 94/07/06. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 84853.001-84853.032.

9507260266 "Response to NRR RAI (Dtd 940623) Re Core Shroud Cracking at Dresden Unit 3 & Quad Cities Unit 1."
* Commonwealth Edison Co. 94/06/25. 39pp. 84853.004-84853.032.

9507280231 Forwards safety assessment for reactor recirculation piping, in response to NRC 940707 Iscon RAI
PIET, P.L. Commonwealth Edison Co. 94/07/12. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 22pp. 84845302-84845323.

9507060466 Informs that 950806-07 NRC senior managers met to evaluate nuclear safety performance of operating reactors, fuel facilities & other main licenses.
TAYLOR, J.M. Dir. of the Executive Director for Operations. 95/06/20. O'CONNOR, J. Commonwealth Edison Co. 5pp. 84530.244-84530.249.

9507060364 Forwards amends 136, 130, 157 & 153 to licenses DPR-19, DPR-25, DPR-29 & DPR-30 & safety evaluation. Amends respond to licensee application dtd 930216 re TS Upgrade program for plants.
STANG, J.F. 95/06/23. FARRAR, D.L. Commonwealth Edison Co. 3pp. 84531.188-84531.255

9507060314 Amends 136, 130, 157 & 153 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, responding to licensee application dtd 930216 re TS Upgrade Program for plants.
STANG, J.F. 95/06/23. 48pp. 84531.191-84531.236

9507060323 Safety evaluation supporting amends 136, 130, 157 & 153 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
* 95/06/23. 16pp. 84531.239-84531.255

9507060145 Forwards detailed safety assessment discussing calculational methodologies used in evaluating impact of inadvertent loading.
SCHRAEGE, J.L. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 6pp. 84560.262-84560.304.

9507060154 "Reactor Bldg Crane & Cask Yoke Assembly Mode."
* Commonwealth Edison Co. 94/10/31. 7pp. 84560.298-84560.304.

9507060052 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIEBS, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.259

9507100079 Informs that util will implement TS amends 134 & 128 to ensure that sufficient margin exists from condenser low vacuum SCRAM response to allow for circulating water removal through main condenser
PIET, P.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 3pp. 84882.241-84882.247

9507100082 Proposed tech specs which includes revised settings
* Commonwealth Edison Co. 95/06/29. App. 84882.244-84882.247.

9507060338 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NFRS-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR
BENES, G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84832.315-84832.315

9507100177 Forwards addl info requested re TS upgrade program for Dresden Units 2 & 3 & Quad Cities Units 1 & 2.
PIET, P.L. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 58pp. 84665.232-84665.008

9507100182 Proposed tech specs re TS upgrade program for Dresden Units 2 & 3 & Quad Cities Units 1 & 2
* Commonwealth Edison Co. 95/06/30. 78pp. 84665.288-84665.008.

9507110324 Provides results of Comm Ed assessments of concerns raised by NRC during 950501 visit to plant, re potential impact of NRC turbine exhaust rupture disk opening.
JOYCE, T. Commonwealth Edison Co. 95/07/03. Document Control Branch (Document Control Desk). 23pp. 84884.186-84884.206

9507170114 Transmits corrected document of design documents for proposed repair of Dresden Station Unit 2 & 3 core shrouds
SCHRAEGE, J.L. Commonwealth Edison Co. 95/07/10. Document Control Branch (Document Control Desk). 6pp. 84755.182-84755.185

9507120248 Ack receipt for 10CFR50.54(a) submittal dtd 950517, incorporating changes in QA program description topical rept
RUSSELL, W.T. Region 3 (Post 820201). 95/07/11. KOVACH, T.J. Commonwealth Edison Co. 2pp. 84732.312-84732.319.

9507240356 Notifies that Comm Ed intends to provide for NRC review & approval, rev 3 to Dresden IST plan, prior to 950631 to supersede revs 1 & 2 to Dresden IST plan, submitted by Comm Ed 950630 & 0910 hrs, respectively.
JOYCE, T.P. Commonwealth Edison Co. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84824.028-84824.029

9507240401 Application for amends to licenses DPR-19, DPR-25, DPR-29 & DPR-30, reflecting util efforts to upgrade existing TS Sections 1.0, "Definitions," Section 3/4.0, "Applicability," & Section 3/4.3, "Reactivity Controls."
SCHRAEGE, J.L. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 3pp. 84824.121-84824.138

9507240408 Proposed tech specs, reflecting util efforts to upgrade existing TS Sections 1.0, "Definitions," Section 3/4.0, "Applicability," & Section 3/4.3, "Reactivity Controls."
* Commonwealth Edison Co. 95/07/19. 15pp. 84824.124-84824.138

9507240142 Expresses understanding re util partial implementation of amends 134 & 128 relating to new support for condenser low vacuum scram for Dresden Station Units 2 & 3, respectively.
STANG, J.F. 95/07/20. FARRAR, D.L. Commonwealth Edison Co. 2pp. 84822.358-84822.360.

9507240468 Forwards response to NRC 950222 RAI re util TS upgrade program section 3/4.7, "Containment Sys.," submitted by util on 930817. Marked-up current TS pages & marked-up BWR/4 STS pages also encl.
PIET, P.L. Commonwealth Edison Co. 95/07/20. Document Control Branch (Document Control Desk). 17pp. 84823.001-84823.173.

9507240474 Marked-up TS, consisting of cross-ref between current TS requirements & cross-ref between BWR/4 STS requirements & requirements proposed in TS upgrade program 3/4.7.
* Commonwealth Edison Co. 95/07/20. 91pp. 84823.063-84823.173

9507280264 Forwards request for addl info re core shroud repair for plants Units 2 & 3
STANG, J.F. 95/07/26. FARRAR, D.L. Commonwealth Edison Co. 6pp. 84866.152-84866.156.

D. Inspection reports, IE Bulletins & correspondence

9507110025 Comment on "NRC Insp Repts, Review of Contents, Format & Style." Quality factors should be applied to maps which mirror performance based regulatory goals.
FARRAR, D.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84557.083-84557.073.

9507240301 Ack receipt of 950621 lt informing NRC of steps taken to correct violations noted in insp repts 80-237/86-06 & 50-248/95-06.
HOLLAND, P.G. Region 3 (Post 820201). 95/07/14. JOYCE, T. Commonwealth Edison Co. 2pp. 84610.332-84610.333.

R. Periodic operating reports & related correspondence

9507190254 Monthly operating repts for June 1995 for Dresden Generating Station Units 1, 2 & 3. W/950714 lt
GARROLL, E.W., HOLLAND, P.G. Commonwealth Edison Co. 95/06/30. 21pp. 84782.335-84782.385.

9507270103 Forwards 1995 second quarter rept of changes, tests & experiments per 10CFR50.59. Rept previously being submitted on annual basis, but will now be submitted on quarterly basis.
HOLLAND, P.G. Commonwealth Edison Co. 95/07/10. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84849.001-84849.023.

9507270108 Rept of changes, tests & experiments per 10CFR50.59 for 1995 second quarter
* Commonwealth Edison Co. 95/06/30. 750pp. 84849.902-84849.023

22 DOCKETED ITEMS

5. Reportable occurrences, LERs & related correspondence

950703002 LER 95-010-00 on 950526, inadvertent LCO entry occurred due to inadequate control of decay heat during shutdown. Trained licensed operators on RHR alternatives W/950628 hr.
FENLIR, JOYCE, T.P. Commonwealth Edison Co. 95/06/26. 5pp. 84559-090-84559-094

950703018 LER 95-009-00 on 950526, Unit 3 actuated from main turbine stop valve closure due to turbine trip on high vibration. Performed visual & NDE inspections on failed LPC rotor blade W/ 950622 hr.
DARRETT, P., JOYCE, T.P. Commonwealth Edison Co. 95/06/29. 11pp. 84559-104-84559-114

950707054 Forwards LER 95-009, providing info associated w/original equipment manufacturer evaluation of belt failure & updates corrective actions to be performed.
JOYCE, T.P. Commonwealth Edison Co. 95/06/26. Document Control Branch (Document Control Desk). 1p. 84588-229-84588-234

950707088 LER 95-009-01 on 950416, HPCI was declared inoperable due to broken room cooler drive belt. Investigated use of stronger belt for Unit-2 HPCI room cooler fan.
LUPA, G. Commonwealth Edison Co. 95/06/23. 5pp. 84588-230-84588-234.

950703004 LER 95-011-00 on 950529, Type B & C primary containment leakage limit exceeded due to excessive leakage past HPCI check valve. HPCI turbine check valve 3-2301-45 will be replaced & local leak rate tested W/950626 hr.
MCGIVERN, M., JOYCE, T.P. Commonwealth Edison Co. 95/06/26. 4pp. 84559-095-84559-098

950703017 LER 95-012-00 on 950531, degraded secondary containment condition was observed during testing due to procedure deficiency. Closed RPR main interlock inner door W/950628 hr.
WILLIAMS, L., JOYCE, T.P. Commonwealth Edison Co. 95/06/29. 5pp. 84578-243-84578-248

9507270176 Forwards LER 95-009 re test vote that exceeded administrative local leakage limits during plant refueling outage 13.
JOYCE, T.P. Commonwealth Edison Co. 95/07/24. Document Control Branch (Document Control Desk). 1p. 84587-317-84587-321.

9507270184 LER 95-009-00 on 940312, Type B & C leakage was exceeded due to valve 3-1301-3 was not fully closed. Mod request form was submitted to consider providing slower speed opening rate for 3-1301-3 valve to facilitate fine adjustment of valve.
MCGIVERN, M. Commonwealth Edison Co. 95/07/24. 14pp. 84567-318-84567-331.

V. Operator Examinations

950710006 Informs that NRC plans to administer general fundamentals exam section of written operator licensing exam on 951009.
RINCK, M.A. Region 3 (Post 82201). 95/07/24. LACROIX, D.G. Consumers Power Co. EBERHARDT, R.R. Detroit Edison Co. BROWN, J.L. Wisconsin Public Service Corp. 3pp. 84919-021-84919-023.

DOCKET 90-254 TURKEY POINT PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9507240025 Forwards info in addition to plant previous responses re GL 92-08, "Thermo-Lag 330-1 Fire Barriers".
PLUNKETT, T.F. Florida Power & Light Co. 95/07/19. Document Control Branch (Document Control Desk). 13pp. 84823-217-84823-234.

9507240040 "Pyrolysis Gas Chromatography Analysis of 7 Thermo-Lag Fire Barrier Samples."
FREEMAN, W.P., KELLER, T.A. Nucor, Inc. 95/06/27. 5p. 84823-230-84823-234

9507270075 Discusses 940620-21 evaluation of plant physical protection program including mode to protection programs resulting from 1994 ORE. Mode adequate to resolve concerns raised during 1994 ORE.
SPESSARD, J.L. 95/07/19. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84834-316-84834-318.

G. Adjudicatory correspondence

9507180145 Informs that info provided by NRC regulation when which Commission may act to review Director's Decision D0-95-07 in listed docket has expired. Decision became final agency action on 950608. W/Certificate of Rev. Served on 950630.
HOYLE, J.C. Office of the Secretary of the Commission. #395 18962. 95/06/29. SAPIRO, T.J. Espano, T.J. 3pp. 84538-343-84538-344.

P. Operating license stage documents & correspondence

9507080032 Forwards safety evaluation re approval to utilize test-before-break methodology for reactor coolant sys piping for plant units 3 & 4.
CRUTEAU, R.P. Project Directorate (I-1) (PDG-1) (Post 941001). 95/06/23. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 84540-025-84540-031.

9507080038 Safety evaluation supporting NRC independent flow calculations to evaluate licensee LBB analysis of large diameter reactor coolant piping for plant units 3 & 4.
Office of Nuclear Reactor Regulation (Post 941001). 95/06/23. 5pp. 84540-027-84540-031.

9506280062 Rev 1 to NRC Administrative Ltr 84-13 to all NRC licensees re access to NRC bulletin board sys.
GIMES, B.K. 95/06/23. Consolidated Edison Co. of New York, Inc. 10pp. 84518-259-84518-263.

9507080082 Forwards copy of Order identifying FL Dept of Environ Protection as performing agency authorized to administer NPDES permit for Turkey Point.
PLUNKETT, T.F. Florida Power & Light Co. 95/06/29. Document Control Branch (Document Control Desk). 8pp. 84817-213-84817-220.

9507240025 Forwards info in addition to plant previous responses re GL 92-08, "Thermo-Lag 330-1 Fire Barriers".
PLUNKETT, T.F. Florida Power & Light Co. 95/07/19. Document Control Branch (Document Control Desk). 13pp. 84823-217-84823-234.

9507240040 "Pyrolysis Gas Chromatography Analysis of 7 Thermo-Lag Fire Barrier Samples."
FREEMAN, W.P., KELLER, T.A. Nucor, Inc. 95/06/27. 5p. 84823-230-84823-234

9507190048 Transmits "Turkey Point Nuclear Plant Service Water Operational Performance Insp. Self Assessment, Final Rept."
BOHLKE, W.H. Florida Power & Light Co. 95/07/14. Document Control Branch (Document Control Desk). 1pp. 84788-001-84788-101.

9507190070 "Service Water Operational Performance Insp. Self Assessment, Final Rept." for Turkey Point Nuclear Plant.
Florida Power & Light Co. 95/07/14. 100pp. 84788-005-84788-101

9507190028 Informs that audit of licensee USR A-46 program will be conducted during wk of 951206 to resolve remaining issues re USR A-46, Suppl 1 to GL 87-02 for facilities.
MORRIS, J., CRUTEAU, R.P. Project Directorate (I-1) (PDG-1) (Post 941001). 95/07/17. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84788-219-84788-221.

9507810092 Application for amendments to licensee DPR-31 & DPR-41, modifying TS Table 4.3-1 re nuclear instrumentation sys adjustments based on calometric measurements at reduced power levels.
PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 13pp. 84903-174-84903-189.

9507810183 Proposed tech specs for nuclear instrumentation sys adjustments based on calometric measurements at reduced power levels.
Florida Power & Light Co. 95/07/26. 3pp. 84903-187-84903-189.

9507810198 Application for amendments to licensee DPR-31 & DPR-41, revising TS 3/4.1.3.1, "Movable Control Assemblies - Group Height" & 3/4.1.3.2, "Position Indication Sys - Operating" & associated bases.
PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 13pp. 84903-142-84903-221.

9507810208 Proposed tech specs re rod misalignment requirement for movable control assemblies.
Florida Power & Light Co. 95/07/26. 67pp. 84903-155-84903-221.

9507810215 Application for amendments to licensee DPR-31 & DPR-41, revising TS to achieve consistency throughout document by removing outdated mat, incorporating administrative clarifications & corrections & correcting types.
PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 10pp. 84903-001-84903-022.

9507810229 Proposed tech specifications TS to achieve consistency throughout document by removing outdated mat, incorporating administrative clarifications & corrections & correcting types.
Florida Power & Light Co. 95/07/26. 12pp. 84903-011-84903-022.

9507810224 Application for amendments to licensee DPR-31 & DPR-41, adding to approved COLR analysis methodology used for SBLCA analysis in anticipation of thermal update to 2,300 MW for both units & increasing current margin to calculated PCT.
PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 8pp. 84902-257-84902-303.

9507810228 Proposed tech specs, adding to approved COLR analysis methodology used for SBLCA analysis in anticipation of thermal update to 2,300 MW for both units & increasing current margin to calculated PCT.
Florida Power & Light Co. 95/07/26. 38pp. 84902-265-84902-309.

9507810224 Application for amendments to licensee DPR-31 & DPR-41, modifying TS Tables 3.3-1 & 3.3-2 action statements for RPS/RAS/ESFAS instrumentation, Tables 4.3-1 & 4.3-2 SRs for RPS/RAS/ESFAS instrumentation & Bases 3/4.3.1 & 3/4.3.2.
PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 15pp. 84903-221-84903-253.

9507810236 Proposed tech specs, modifying TS Tables 3.3-1 & 3.3-2 action statements for RPS/RAS/ESFAS instrumentation, Tables 4.3-1 & 4.3-2 SRs for RPS/RAS/ESFAS instrumentation & Bases 3/4.3.1 & 3/4.3.2 for RPS/RAS/ESFAS instrumentation.
Florida Power & Light Co. 95/07/26. 14pp. 84903-240-84903-253.

9507810247 Application for amendments to licensee DPR-31 & DPR-41, modifying TS per selected line items from NRC GL 83-06, "Unit-Item TS Improvements to Reduce SRs for Testing During Power Operation."
PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 10pp. 84903-208-84903-220.

9507810250 Proposed tech specs 4.1.3.1, 2.4.5.5, 1.4.6.2, 2.2.4.10, 1.2 & Table 4.3-3 to reduce frequency of testing per GL 93-05.
Florida Power & Light Co. 95/07/26. 8pp. 84903-216-84903-220.

Q. Inspection reports, NE Bulletins & correspondence

9507120055 Forwards insp rept 50-250/95-10 & 50-251/95-10 on 950430-0526. Violations noted will not be subj to EA due to fact that licensee efforts in identifying &/or correcting efforts meet specified criteria.
LANDSK, D. Region 2 (Post 82201). 95/06/22. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84575-089-84575-126.

-9507128059 Insp repts 50-250/95-10 & 50-251/95-10 on 950430-0526. No violations noted. Major areas inspected: plant operations including operational safety & plant events; maintenance including surveillance observations, engineering & plant support. JOHNSON, T.P., LANDIS, K.D. Region 2 (Post 820201). 95/06/22. 27pp. 84575-102-84575-128.

9507118013 Comments on proposed rule re, "Review of NRC Insp Rept Content, Format & Style." BORLKE, W.H. Florida Power & Light Co. 95/06/27. MEYERS, D. Rules & Directives Review Branch (Post 820223). 6pp. 84567-039-84567-044.

9507200195 Forwards insp repts 50-250/95-12 & 50-251/95-12 on 950626-30. No violations or deviations noted. BORLKE, W.H. Region 2 (Post 820201). 95/07/12. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84816-244-84816-255.

-9507200199 Insp repts 50-250/95-12 & 50-251/95-12 on 950626-30. No violations or deviations noted. Major areas inspected: implementation of new 10CFR20 requirements. FORBES, D.B., RANKIN, W.H. Region 2 (Post 820201). 95/07/10. 9pp. 84816-247-84816-255.

S. Reportable occurrences, LERs & related correspondence

9507210822 Part 21 re potential defect in Lantorque SWS/SB/SBD-00 actuators. Condition dependent on individual licensee internal operating practices used when deciding MOV operable for safety related svcs. HYLTON, G.L. Lantorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815-169-84815-186.

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

9507210828 Forwards info in addition to plant previous responses re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." PLUNKETT, T.F. Florida Power & Light Co. 95/07/13. Document Control Branch (Document Control Desk). 13pp. 84823-217-84823-234.

-9507210840 "Pyrolysis Gas Chromatography Analysis of 7 Thermo-Lag Fire Barrier Samples." FREEMAN, W.P. Nacori, Inc. 95/06/27. 5p. 84823-230-84823-234.

9507210837 Declassifies 940620-21 evaluation of plant physical protection program including mode to protection program resulting from 1994 OSRE. Mode adequate to resolve concerns raised during 1994 OSRE. SPRESSARD, J.L. 95/07/19. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84834-315-84834-318.

G. Adjudicatory correspondence

9507100948 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DC-88-07 in listed docket has expired. Decision became final agency action on 950601. W/ Certificate of Rev. Served on 950630. HOYLE, J.C. Office of the Secretary of the Commission. #385 18862. 95/06/29. SARONITO, T.J. Saponik, T.J. 2pp. 84836-343-84836-344.

F. Operating license stage documents & correspondence

9507080032 Forwards safety evaluation re approval to utilize leak-before-break methodology for reactor coolant sys piping for plant units 3 & 4. CROTEAU, R.P. Project Directorate #1 (PD2-1) (Post 941001). 95/06/23. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 84540-025-84540-031.

-9507080036 Safety evaluation supporting NRC independent flow calculations to evaluate licensee LBE analysis of large diameter reactor coolant piping for plant units 3 & 4. Office of Nuclear Reactor Regulation (Post 941001). 95/06/23. 5pp. 84540-027-84540-031.

9507200462 Rev 1 to NRC Administrative Ltr 84-13 to all NRC licensees re access to NRC bulletin board svcs. GRAMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84818-256-84818-268.

9507080162 Forwards copy of Order identifying FL Dept of Environ Protection as permitting agency authorized to administer NPDES permit for Turkey Point. PLUNKETT, T.F. Florida Power & Light Co. 95/06/29. Document Control Branch (Document Control Desk). 8pp. 84617-213-84617-220.

9507210826 Forwards info in addition to plant previous responses re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." PLUNKETT, T.F. Florida Power & Light Co. 95/07/13. Document Control Branch (Document Control Desk). 13pp. 84823-217-84823-234.

-9507210840 "Pyrolysis Gas Chromatography Analysis of 7 Thermo-Lag Fire Barrier Samples." FREEMAN, W.P., KELLER, T.A. Nacori, Inc. 95/06/27. 5p. 84823-230-84823-234.

9507190648 Transmits "Turkey Point Nuclear Plant Service Water Operational Performance Insp/Self Assessment/Final Rept." BORLKE, W.H. Florida Power & Light Co. 95/07/14. Document Control Branch (Document Control Desk). 1pp. 84769-001-84769-101.

-9507190670 "Service Water Operational Performance Insp/Self Assessment, Final Rept." for Turkey Point Nuclear Plant. Florida Power & Light Co. 95/07/14. 100pp. 84768-002-84768-101.

9507200228 Informs that audit of licensee LSI A-48 program will be conducted during wk of 951205 to resolve remaining issues re USI A-48, Suppl 1 to GL 97-02 for facilities. MORRIS, L. CROTEAU, R.P. Project Directorate #1 (PD2-1) (Post 941001). 95/07/17. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84769-219-84769-221.

9507310192 Application for amends to licensee DPR-31 & DPR-41, modifying TS Table 4.3-1 re nuclear instrumentation sys adjustments based on calibrating measurements at reduced power levels. PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 13pp. 84903-174-84903-189.

-9507310193 Proposed tech specs for nuclear instrumentation sys adjustments based on calibrating measurements at reduced power levels. Florida Power & Light Co. 95/07/26. 3pp. 84903-187-84903-189.

9507310198 Application for amends to licensee DPR-31 & DPR-41, revising TS 3/4.1.3.1, "Movable Control Assemblies - Group Height" & 3/4.1.3.2, "Position Indication Sys - Operating" & associated bases. PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 13pp. 84890-142-84890-221.

-9507310200 Proposed tech specs re rod misalignment requirement for movable control assemblies. Florida Power & Light Co. 95/07/26. 67pp. 84890-155-84890-221.

9507310219 Application for amends to licensee DPR-31 & DPR-41, revising TS to achieve consistency throughout document by removing outdated ref, incorporating administrative clarifications & corrections & correcting typos. PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 10pp. 84903-001-84903-022.

-9507310228 Proposed tech specs, revising TS to achieve consistency throughout document by removing outdated ref, incorporating administrative clarifications & corrections & correcting typos. Florida Power & Light Co. 95/07/26. 12pp. 84903-011-84903-022.

9507310224 Application for amends to licensee DPR-31 & DPR-41, adding to approved OCLR analysis methodology used for SBL/CCA analysis in anticipation of thermal update to 2,300 MWT for both units & increasing current margin to calculated PCT. PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 8pp. 84902-257-84902-303.

-9507310226 Proposed tech specs, adding to approved OCLR analysis methodology used for SBL/CCA analysis in anticipation of thermal update to 2,300 MWT for both units & increasing current margin to calculated PCT. Florida Power & Light Co. 95/07/26. 38pp. 84902-266-84902-303.

9507310234 Application for amends to licensee DPR-31 & DPR-41, modifying TS Tables 3.3-1 & 3.3-2 action statements for RPS/NIS/ESFAS instrumentation, Tables 4.3-1 & 4.3-2 SRs for RPS/NIS/ESFAS instrumentation & Bases 3/4.3.1 & 3/4.3.2. PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 19pp. 84903-221-84903-253.

-9507310236 Proposed tech specs, modifying TS Tables 3.3-1 & 3.3-2 action statements for RPS/NIS/ESFAS instrumentation, Tables 4.3-1 & 4.3-2 SRs for RPS/NIS/ESFAS instrumentation & Bases 3/4.3.1 & 3/4.3.2 for RPS/NIS/ESFAS instrumentation. Florida Power & Light Co. 95/07/26. 14pp. 84903-240-84903-259.

9507310247 Application for amends to licensee DPR-31 & DPR-41, modifying TS per selected line items from NRC GL 93-06, "Line-Item TS Improvements to Reduce SRs for Testing During Power Operation." PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 10pp. 84903-206-84903-220.

-9507310250 Proposed tech specs 4.1.3.1.2, 4.6.5.1, 4.4.5.2.2.4, 10.1.2 & Table 4.3-3 to reduce frequency of testing per GL 93-06. Florida Power & Light Co. 95/07/26. 8pp. 84903-216-84903-220.

Q. Inspection reports, NE Bulletins & correspondence

9507120065 Forwards insp repts 50-250/95-10 & 50-251/95-10 on 950430-0526. Violations noted will not be subj to EA due to fact that licensee efforts in identifying &/or correcting efforts meet specified criteria. LANDIS, K.D. Region 2 (Post 820201). 95/06/22. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84575-049-84575-128.

-9507120089 Insp repts 50-250/95-10 & 50-251/95-10 on 950430-0526. No violations noted. Major areas inspected: plant operations including operational safety & plant events; maintenance including surveillance observations, engineering & plant support. JOHNSON, T.P., LANDIS, K.D. Region 2 (Post 820201). 95/06/22. 27pp. 84575-102-84575-128.

9507118013 Comments on proposed rule re, "Review of NRC Insp Rept Content, Format & Style." BORLKE, W.H. Florida Power & Light Co. 95/06/27. MEYERS, D. Rules & Directives Review Branch (Post 820223). 6pp. 84567-039-84567-044.

9507200195 Forwards insp repts 50-250/95-12 & 50-251/95-12 on 950626-30. No violations or deviations noted. BORLKE, W.H. Region 2 (Post 820201). 95/07/12. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84816-244-84816-255.

-9507200199 Insp repts 50-250/95-12 & 50-251/95-12 on 950626-30. No violations or deviations noted. Major areas inspected: implementation of new 10CFR20 requirements. FORBES, D.B., RANKIN, W.H. Region 2 (Post 820201). 95/07/10. 9pp. 84816-247-84816-255.

S. Reportable occurrences, LERs & related correspondence

9507210822 Part 21 re potential defect in Lantorque SWS/SB/SBD-00 actuators. Condition dependent on individual licensee internal operating practices used when deciding MOV operable for safety related svcs. HYLTON, G.L. Lantorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815-169-84815-186.

24 DOCKETED ITEMS

DOCKET 80-264 QUAD-CITIES STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507250141 Revised Maps for Corporate EPIPs from CEP-3000 Series including rev 2 to Quad Cities Map rev 1 to Dresden Map & revised 9000 Series Table of Contents W/ two overlay drawings
* Commonwealth Edison Co 95/06/02 3pp 84871 336-84871 338

9507060304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1 101
VONKUM J. Commonwealth Edison Co 85/06/19 Document Control Branch (Document Control Desk) 20pp 84558 338-84558 355

9507030305 Revised EPIPs including Rev 25 to QEP 150-0 & Interim Procedure 975
* Commonwealth Edison Co 85/06/20 6pp 84561 099-84561 105

9507120658 Revised EPIPs including rev 19 to QEP 100-0 rev 8 to QEP 100-T2 rev 29 to QEP 110-0 rev 10 to QEP 110-S1 rev 6 to QEP 110-S2 rev 9 to QEP 110-S3 rev 28 to QEP 150-0 rev 4 to QEP 150-T8 rev 4 to QEP 150-T9 & rev 4 to QEP 150-T10
* Commonwealth Edison Co 85/07/06 20pp 84681 272-84681 298

9507100458 Revised EPIPs including Rev 12 to QEP 175-0 "Chemistry Director Procedures," Rev 5 to QEP 175-T3 "Post-Accident Sampling Procedure List" & Rev 4 to QEP 175-T4 "Post-Accident Sample/Analysis Procedure Ref"
* Commonwealth Edison Co 85/07/12 3pp 84786 027-84786 035

9507200445 Revised EPIPs including rev 17 to QEP 140-0 rev 8 to QEP 140-S1 rev 8 to QEP 140-S5 rev 27 to QEP 150-0 rev 7 to QEP 150-S5 rev 25 to QEP 730-0 & rev 11 to QEP 730-T4
* Commonwealth Edison Co 85/07/14 20pp 84618 253-84618 280

9507200659 Ack receipt of 950609 FEMA IR transmitting findings for offsite emergency preparedness aspects of plant 940727 exercise
CREEDE J. R. Region 3 (Post 820201) 95/07/14 KRAFT E. Commonwealth Edison Co 2pp 84795 001-84795 081

9507060302 Forwards final rpt for 940727 JMI participation plume exposure pathway exercise No deficiencies noted RFA ARGAs noted
HEPLER L. M. Federal Emergency Management Agency 85/06/09 SPESARD R. L. 2pp 84796 003-84796 004

9507200779 "Radiological Emergency Preparedness Exercise Evaluation Report"
* Federal Emergency Management Agency 95/06/02 77pp 84795 005-84795 081

9507200111 Forwards util revised EP EALs
VONKUM J. Commonwealth Edison Co 85/07/19 Document Control Branch (Document Control Desk) 200pp 84825 001-84825 200

9507200458 Submits supplementary response to Comm Ed 950606 response to NRC 950602 RAI re proposed use of Corporate EOP as interim EOP
JOHNSON M. Commonwealth Edison Co 85/07/21 Office of Nuclear Reactor Regulation (Post 841001) 2pp 84816 356-84816 357

9507310448 Forwards EA & FONSI re 950621 request for exemption. Exemption would allow use of hand geometry biometric sys to control unrestricted access into protected areas of Quad Cities in conjunction w/ photograph identification badges
PULSFER R. M. 95/07/25 FARRAR D. L. Commonwealth Edison Co 2pp 84866 320-84866 334

9507310651 Environ assessment & finding of no significant impact re licensee request for exemption did 950621 re hand biometric sys of site access control
PULSFER R. M. 85/07/25 8pp 84866 330-84866 334

P. Operating license stage documents & correspondence

9507200252 Forwards "Response to NRR RAI (Did 940623) Re Core Cracking at Dresden Unit 3 & Quad Cities Unit 1"
PIET P. L. Commonwealth Edison Co 94/07/08 RUSSELL W. T. Office of Nuclear Reactor Regulation, Director (Post 870411) 3pp 84850 001-84850 032

9507200256 "Response to NRR RAI (Did 940623) Re Core Shroud Cracking at Dresden Unit 3 & Quad Cities Unit 1"
* Commonwealth Edison Co 94/06/25 39pp 84853 004-84853 032

9507200291 Forwards safety assessment for reactor recirculation piping, in response to NRC 940707 letter RAI
PIET P. L. Commonwealth Edison Co 94/07/12 RUSSELL W. T. Office of Nuclear Reactor Regulation, Director (Post 870411) 22pp 84845 302-84845 323

9507100057 Forwards "Shroud Repair Program For Quad Cities Unit 2," GENE 771-111-0695 & GENE 771-113-0895 Rev 0
SCHRAGE J. L. Commonwealth Edison Co 95/06/19 Document Control Branch (Document Control Desk) 24pp 84859 315-84859 345

9507100656 Rev 0 to "Shroud Repair Program For Quad Cities Unit 2, Shroud Head Contact On Upper Support"
JAHANNAN Y., POTTER M., SVARNEY N. Commonwealth Edison Co GENE 771-111-0695 RD 95/06/15 4pp 84689 337-84689 340

9507100670 Rev 0 to "Shroud Repair Program For Quad Cities Unit 2, Shroud Head Contact On Upper Support"
JAHANNAN Y., POTTER M., SVARNEY N. Commonwealth Edison Co GENE 771-113-0695 RD 85/06/15 4pp 84688 341-84688 345

9507060485 Inform that 950606-07 NRC senior managers met to evaluate nuclear safety performance of operating reactors, fuel facilities & other nuclear licensees
TAYLOR J. M. Ofc of the Executive Director for Operations 95/06/20 O'CONNOR J. J. Commonwealth Edison Co 8pp 84530 244-84530 249

9507060304 Forwards amends 136,130,157 & 153 to licenses DPR-19, DPR-25, DPR-29 & DPR-30 & safety evaluation Amends respond to licensee application did 930216 re TS Upgrade program for plants
STANG J. F. 95/06/23 FARRAR D. L. Commonwealth Edison Co 3pp 84531 185-84531 255

9507060314 Amends 136,130,157 & 153 to licenses DPR-19, DPR-25, DPR-29 & DPR-30 respectively, responding to licensee application did 930216 re TS Upgrade Program for plants
STANG J. F. 85/06/23 46pp 84531 191-84531 258

9507060325 Safety evaluation supporting amends 136,130,157 & 153 to licenses DPR-19, DPR-25, DPR-29 & DPR-30 respectively
* 95/06/23 16pp 84531 235-84531 255

9507030145 Forwards detailed safety assessment discussing calculational methodology used in evaluating impact of inadvertent loading
SCHRAGE J. L. Commonwealth Edison Co 95/06/27 Document Control Branch (Document Control Desk) 6pp 84560 292-84560 304

9507030154 "Reactor Bldg Crane & Cask Yoke Assembly Mode"
* Commonwealth Edison Co 94/07/31 7pp 84560 299-84560 304

9507060258 Forwards order approving transfer of licenses of plant to MidAmerican Energy Co. in response to 941121 ltr
PULSFER R. M. 95/06/28 FARRAR D. L. Commonwealth Edison Co SHELTON S. E. Iowa Electric Gas & Electric 3pp 84033 341-84033 336

9507060276 Order approving transfer of license & notice of consideration of proposed issuance of associated amends, proposed NSIC determination & opportunity for hearing
RUSSELL W. T. Office of Nuclear Reactor Regulation (Post 841001) 95/06/28 Commonwealth Edison Co 12pp 84533 344-84533 358

9506200662 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES B. K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84518 259-84518 266

9507060336 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NFR-0111 "BWR Transient Analysis Methods" Release of info statement should not have been included in LTR since no proprietary info contained within LTR
BENES G. G. Commonwealth Edison Co 95/06/30 Document Control Branch (Document Control Desk) 1p 84832 315-84832 315

9507060336 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NFR-0111 "BWR Transient Analysis Methods" Release of info statement should not have been included in LTR since no proprietary info contained within LTR
BENES G. G. Commonwealth Edison Co 95/06/30 Document Control Branch (Document Control Desk) 1p 84599 001-84599 257

9507060341 Forwards Rev 0 to Licensing Topical Rept (LTR) NFR 0111, "BWR Transient Analysis Methods" Requests NRC approval of LTR by issuance of SER prior to June of 1996
BENES G. G. Commonwealth Edison Co 95/06/26 Document Control Branch (Document Control Desk) 1p 84599 002-84599 002

9507060315 "BWR Transient Analysis Methods"
FUEMAN J. M., TSAU R. W., RINGK T. A. Commonwealth Edison Co NFR-0111 R00 95/06/23 200pp 84599 003-84599 257

9507100177 Forwards addl info requested re TS upgrade program for Dresden Units 2 & 3 & Quad Cities Units 1 & 2
PIET P. L. Commonwealth Edison Co 85/06/30 Document Control Branch (Document Control Desk) 5pp 84865 232-84865 000

9507100182 Proposed tech specs re TS upgrade program for Dresden Units 2 & 3 & Quad Cities Units 1 & 2
* Commonwealth Edison Co 95/06/30 79pp 84865 258-84865 000

9507100294 Forwards listed correspondences from LeBoeuf, Lamb, Greene & MacRae supporting expedited review of proposal to transfer license W/O end
PULSFER R. M. 95/07/03 CAPRA M. A. 1p 84816 328-84816 328

9507100188 Forwards analyses using realistic assumptions as documented in ref ltr, did 950630 Results confirm & further validate util conclusion that no permanent deformations nor gross yielding occurred as result of impingement
SCHRAGE J. L. Commonwealth Edison Co 95/07/05 Document Control Branch (Document Control Desk) 2pp 84864 143-84864 150

9507100195 "Quad Cities Unit 2 Shroud Head Contact on Upper Support"
BEHRINGER T. J., DEBOO G. Commonwealth Edison Co 9388-84-00 R00 95/07/03 15pp 84594 145-84594 160

9507100807 Requests inclusion of end listed technical corrections into subsequent rev to SE re core shroud repair
SCHRAGE J. L. Commonwealth Edison Co 95/07/10 Document Control Branch (Document Control Desk) 2pp 84765 859-84765 957

9507100366 Ack receipt for 10CFR50.54(a) substantial did 950517, incorporating changes in QA program description topical rpt
RING M. A. Region 3 (Post 820201) 95/07/11 KOVACH T. J. Commonwealth Edison Co 2pp 84732 312-84732 313

9507100401 Application for amends to licenses DPR-19, DPR-25, DPR-29 & DPR-30, reflecting util efforts to upgrade existing TS Sections 1.0, "Definitions," Section 3/4.0, "Applicability," & Section 3/4.3, "Reactivity Controls"
SCHRAGE J. L. Commonwealth Edison Co 85/07/19 Document Control Branch (Document Control Desk) 3pp 84824 121-84824 136

9507200408 Proposed tech specs reflecting util efforts to upgrade existing TS Sections 1.0, "Definitions," Section 3/4.0, "Applicability," & Section 3/4.3, "Reactivity Controls"
* Commonwealth Edison Co 85/07/19 15pp 84824 124-84824 138

9507200448 Forwards response to NRC 950222 RAI re util TS upgrade program section 3/4.7, "Containment Sys," submitted by util on 950917 Marked-up current TS pages & marked-up ENR/4 STS pages also end
PIET P. L. Commonwealth Edison Co 95/07/20 Document Control Branch (Document Control Desk) 173pp 84823 001-84823 173

-9507240474 Marked-up TS, consisting of cross-ref between current TS requirements & cross-ref between BWR/4 TS requirements & requirements proposed in TS upgrade program 3/4.7.
* Commonwealth Edison Co. 95/07/20. 91pp. 84823.083-84823.173.

9507280912 Requests that ref GL re rpt be considered for Cost Beneficial Licensing Action. Relocated fuel bundle event will most likely become most limiting event on upcoming cycles if cycle lengths increased.
BENED, G.G. Commonwealth Edison Co. 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84828.333-84828.334.

G. Inspection reports, NE Bulletins & correspondence

9507190825 Comment on "NRC Insp Repts, Review of Contents, Format & Style" Quality factors should be applied to insps which mirror performance based regulatory goals.
FARRAR, D.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84557.063-84557.073.

9507120107 Provides rev to original response to notice of violation dtd 941229 from insp repts 90-254/94-20 & 90-265/94-20.
PEARCE, L.W. Commonwealth Edison Co. 95/07/06. Document Control Branch (Document Control Desk). 1p. 84881.255-84881.255.

9507190867 Forwards insp repts 90-254/95-04 & 90-265/95-04 on 950421-0602 & NOV.
MILANO, P.L. Region 3 (Post 820201). 95/07/06. KRAFT, E. Commonwealth Edison Co. 3pp. 84776.201-84776.232.

-9507190893 Notice of violation from insp on 950421-0602. Violation noted on 950414, checklist had not been completed to document qualification of NDE contractor performing UT insp of core shroud vertical welds.
* Region 3 (Post 820201). 95/07/06. 2pp. 84776.204-84776.206.

-9507190898 Insp repts 90-254/95-04 & 90-265/95-04 on 950421-0602. No violations noted. Major areas inspected: operations, maint, surveillance, engineering & technical support, plant support & issue resolution.
MILANO, P. Region 3 (Post 820201). 95/07/06. 25pp. 84776.207-84776.232.

9507190204 Forwards SE of third 10-year interval inservice insp request for relief CR-15. Alternative contained in request for relief authorized.
CAPRA, R.A. 95/07/12. FARRAR, D.L. Commonwealth Edison Co. 2pp. 84728.010-84728.015.

-9507190207 Safety evaluation authorizing alternative contained in third 10-yr ISI request for relief CR-15.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/12. 4pp. 84729.012-84729.015.

H. Periodic operating reports & related correspondence

9507190384 Monthly operating repts for June 1995 for Quad Cities Nuclear Station Units 1 & 2. W/950710 lt.
MOORE, K. PEARCE, L.W. Commonwealth Edison Co. 95/06/30. 21pp. 84790.132-84790.153.

V. Operator Examinations

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951008.
RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. 3pp. 84590.021-84590.023.

DOCKET 90-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9507170030 Rev 8 to EPP 5.7.2, "Emergency Post-Accident Analysis."
LEE, M.T. Consumers Power Co. 95/07/12. 14pp. 84755.308-84755.319.

9507070019 Forwards insp repts 90-255/95-07 on 950413-0527 & notice of violation.
KROPP, W.J. Region 3 (Post 820201). 95/06/27. PALMISANO, T. Consumers Power Co. 3pp. 84530.086-84530.091.

-9507070032 Insp repts 90-255/95-07 on 950413-0527. Violations noted. Major areas inspected: current plant conditions, onsite event followup, maint activities, EP, engineering, past emergency situations, training, communications & organization.
KROPP, W.J. Region 3 (Post 820201). 95/06/27. 20pp. 84530.072-84530.091.

9507080108 Editorial changes to Rev 2 of E-16.2, "Post Accident Sample Monitoring Sys Supplies & Associated Equipment Checks."
CALLOWAY, A.A., NICKLES, B.C. Consumers Power Co. 95/06/28. 11pp. 84617.184-84617.205.

9507190040 Comments on proposed generic ltr re proceed for changes to security plans w/o prior NRC approval. Proposed GL also avoids unnecessary expense for requirements that provide no benefit.
VINCENT, R.A. Consumers Power Co. 95/06/29. NRC - No Detailed Affiliation Given. 1p. 84587.080-84587.080.

9507080369 Forwards "IPE of External Events (IPEEE)," in response to GL 88-20, Suppl 4. Results of IPEEE demonstrate acceptable performance in seismic & other external events areas. Core damage frequency for internal fires slightly high.
HAAS, K.M. Consumers Power Co. 95/06/30. Document Control Branch (Document Control Desk). 4pp. 84573.025-84573.264.

9507120306 Forwards SALP 13 repts 90-255/95-01 covering period 931031-950527. Weaknesses noted.
MILLER, H.J. Region 3 (Post 820201). 95/07/08. FENBACH, R.A. Consumers Power Co. 7pp. 84675.313-84675.325.

-9507120307 SALP 13 repts 90-255/95-01 covering period 931031-950527. Weaknesses noted. Areas assessed: plant operations, maint, engineering & plant support, including radiological controls, emergency preparedness, security, fire protection & chemistry.
* Region 3 (Post 820201). 95/07/08. 5pp. 84675.321-84675.325.

950720124 Rev 2 to Emergency Implementing (E) Procedure E-7.10, "Post Accident Sampling Radiological Gaseous Effluent Monitoring."
WYMER, S.L. Consumers Power Co. 95/07/20. 8pp. 84643.344-84643.352.

P. Operating license stage documents & correspondence

9507190101 Sdth partial response to FOIA request for documents. App H documents and 3 placed in PDR. Releasable portions of records identified in App I also and incl FOIA Exemption 6.
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/07/10. GLITZENSTEIN, Adeline Not Assigned. GLITZENSTEIN, Don't Waste Michigan. 5pp. 84723.118-84723.235.

-9507190133 Informs that NRC & consultants waiting for plant soil boring data which will be due on 940415 before proceeding w/ independent analysis.
HSA, A.H. Probabilistic Safety Assessment Branch. 94/04/12. CRANE, P.G. Office of the General Counsel (Post 860701). BAILEY, H.A. Office for Analysis & Evaluation of Operational Data, Director. LANDSMAN, R.B. Region 3 (Post 820201). 1p. 84723.147-84723.147.

9507080448 Forwards safety evaluation re plant conformance to Reg Guide RG-1.97 for condensate storage tank water level monitoring instrumentation which identified subsequent to 871020 SER.
GAMBERONI, M. 95/06/21. HAAS, K.M. Consumers Power Co. 2pp. 84538.326-84538.330.

-9507080465 Safety evaluation re review of licensee submittal which concludes that sufficient justification has been provided for deviation in seismic qualification of CST level instrumentation channel cable.
* 95/06/21. 3pp. 84539.328-84539.330.

9507080466 Comment on proposed GL re relocation of pressure temperature limit curves & low temperature overpressure protection sys limits. Supports issuance of ltr VINCENT, R.A. Consumers Power Co. 95/06/27. NRC - No Detailed Affiliation Given. 1p. 84516.010-84516.010.

9507080103 Forwards SE re cracking of internal 600 components for plant.
GAMBERONI, M. 95/06/27. HAAS, K.M. Consumers Power Co. 2pp. 84538.281-84538.279.

-9507080109 SE re cracking of internal 600 components at plant.
* 95/06/27. 17pp. 84539.283-84539.279.

9507080119 Forwards plant response to GL 95-03, "Circumferential Cracking of SG Tubes."
HAAS, K.M. Consumers Power Co. 95/06/27. Document Control Branch (Document Control Desk). 13pp. 84587.345-84587.357.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/28. Consolidated Edison Co. of New York, Inc. 10pp. 84518.258-84518.268.

9507070115 Informs that nonproprietary version of table 2-14, forwarded w/950615 ltr, which responded to NRC request to withdraw licensee proprietary designation contained in table 2-14 of Consumers Power Co. repts, will be placed in PDR.
GAMBERONI, M. 95/06/29. HAAS, K.M. Consumers Power Co. 3pp. 84559.209-84559.205.

9507080369 Forwards "IPE of External Events (IPEEE)," in response to GL 88-20, Suppl 4. Results of IPEEE demonstrate acceptable performance in seismic & other external events areas. Core damage frequency for internal fires slightly high.
HAAS, K.M. Consumers Power Co. 95/06/30. Document Control Branch (Document Control Desk). 4pp. 84573.025-84573.264.

-9507080372 "IPE of External Events (IPEEE)."
* Consumers Power Co. 95/06/30. 23pp. 84573.030-84573.264.

9507110248 Application for amend to license DFR-20, deleting TS 6.4, "Training" & revising TS 6.5.1.2 on Plant Review Committee Composition & 6.5.3.1 & 6.5.3.2, clarifying & modifying function & composition of Plant Safety & Licensing staff.
HAAS, K.M. Consumers Power Co. 95/07/05. Document Control Branch (Document Control Desk). 7pp. 84675.294-84675.296.

-9507110250 Proposed tech specs, deleting section 6.4, "Training," & revising sections 6.5.1.2 on Plant Review Committee Composition & 6.5.3.1 & 6.5.3.2, clarifying & modifying function & composition of Plant Safety & Licensing staff.
* Consumers Power Co. 95/07/05. 6pp. 84675.291-84675.296.

9507130267 Notification of 950724 meeting w/UT in Rockville, MD to discuss specific technical aspects of Palisades reactor vessel. List of participants encl.
GAMBERONI, M. 95/07/10. HANNON, J. 3pp. 84631.349-84631.351.

Q. Inspection reports, NE Bulletins & correspondence

9507080012 Ack receipt of 950619 re informing NRC of steps taken to correct violations noted in insp repts 90-255/95-04.
KROPP, W.J. Region 3 (Post 820201). 95/06/27. PALMISANO, T. Consumers Power Co. 3pp. 84518.086-84518.077.

9507070019 Forwards insp repts 90-255/95-07 on 950413-0527 & notice of violation.
KROPP, W.J. Region 3 (Post 820201). 95/06/27. PALMISANO, T. Consumers Power Co. 3pp. 84530.086-84530.091.

-9507070021 Notice of violation from insp on 950413-0527. Violation noted: sampling deficiencies in radiological environ monitoring program remained uncorrected after being identified in Oct 1991 & 1992.
* Region 3 (Post 820201). 95/06/27. 1p. 84530.071-84530.071.

26 DOCKETED ITEMS

-950707032 Insp rept 50-255/95-07 on 950419-0527. Violations noted. Major areas inspected: current mail conditions, onsite event followup, mail schedules, EP, engineering, pest, emergency actions, training, communications & organization. KROPP, W.J. Region 3 (Post 820201). 95/06/27 2pp. 84530 072-84530:061

950712036 Forwards SALP 13 rept 50-255/95-01 covering period 931031-950527 Weaknesses noted. MILLER, H.J. Region 3 (Post 820201). 95/07/03. FENECHURA, Consumers Power Co. 7pp. 84575:313-84575:325.

-950712037 SALP 13 rept 50-255/95-01 covering period 931031-950527 Weaknesses noted. Areas assessed: plant operations, main, engineering & plant support including radiological controls, emergency preparedness, security, fire protection & chemistry. * Region 3 (Post 820201). 95/07/03. 5pp. 84575:321-84575:325

R. Periodic operating reports & related correspondence

950711032 Monthly operating rept for June 1995 for Palisades Nuclear Plant. W/ 950703 W/ BEPUE, S.W., WILLIAMS, A.L. Consumers Power Co. 95/06/30 5pp. 84885 040-84885:044

S. Reportable occurrences, LERs & related correspondence

950711032 Part 21 rept re potential defect in Unit 1 torque SMD/58/58D-00 scissor. Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related sys. HYLTON, C.L. Unit 1 torque Corp. 95/07/12. Document Control Branch (Document Control Desk) 30pp. 84815:188-84815:188

V. Operator Examinations

950725018 Advises NRC of plant withdrawal of commitment re sending of licensed operators to simulator training on startups & outage in excess of 100 days. Simulator has been relocated on site & training has become routine part of requalification. HAAS, K.M. Consumers Power Co. 95/07/20. Document Control Branch (Document Control Desk) 2pp. 84828:340-84828:341

950731030 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003. RIVKIN, A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. 950714. WISCONSIN Electric Power Co. WALKER, W.P. Northern States Power Co. 3pp. 84919:021-84919:025

Y. Dry Cask Independent Spent Fuel Storage Installations

950712025 FOIA request for records authored by Dr R Landman since 1989 re spent fuel or dry cask storage. WILLIAMS, O.G. JRA Associates. 94/12/14. GRIMLEY, D.H. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84797 005-84797:005

950718011 Sixth partial response to FOIA request for documents App H documents sent & placed in PDR. Releaseable portions of records identified in App I also sent. FOIA exemption B. POWELL, J.R. Division of Freedom of Information & Publications Services (Post 940714). 95/07/10. GLITZENSTEIN, E. Affiliation Not Assigned. GLITZENSTEIN, E. Don't Waste Michigan. 3pp. 84723:118-84723:125

-950718011 Informs that author attended NRCs prebrief for B. Bernero on Palisades dry cask storage pads as result of R Landman NRC to Chairman Salas. EDO briefing scheduled for 940803. Supporting documentation encl. HSIA, A.H. Plant Systems Branch. 94/03/01. MARSH, L.B. Division of Radiation Safety & Safeguards (Post 921004). 17pp. 84723:125-84723:141

-950718012 Trip rept of 940405 site visit to audit licensee analysis on ISFSI storage pad. HSIA, A.H. Probabilistic Safety Assessment Branch. 94/04/06. MARSH, L.B. Project Directorate I-2. 3pp. 84723:142-84723:146

-950718014 Forwards highlight of plant dry cask storage. BAGCHUS, G. Civil Engineering & Geosciences Branch. 94/04/12. HSIA, A.H. Probabilistic Safety Assessment Branch. 2pp. 84723:148-84723:148

-950718014 Confirms discussion re ISFSI audit of plant including response spectrum & slope stability. Licensee currently taking necessary steps to address seismic issues re ISFSI noted by NRC. HSIA, A.H. Probabilistic Safety Assessment Branch. 94/04/13. LANDSMAN, R.B. Region 2 (Post 820201). 1p. 84723:150-84723:160

-950718015 Informs that there will be conference call w/ plant on 950906 to discuss preliminary conclusions from NRC independent assessment of dry cask storage pad & licensee assessment. HSIA, A.H. Probabilistic Safety Assessment Branch. 94/05/04. BAGCHUS, G. Civil Engineering & Geosciences Branch. ZWOLINSKI, J.A. Division of Reactor Projects - I/II (Post 870411). MARSH, L.B. Project Directorate I-1. 1p. 84723:151-84723:151

-950718016 Informs that there will be conference call today w/ Region III & licensee to discuss preliminary results from ISFSI pad analysis. HSIA, A.H. Probabilistic Safety Assessment Branch. 94/05/06. OLSHAN, L.N. Project Directorate I-2. REAMER, W.C. Office of the General Counsel (Post 860701). GEECHER, W.M. Office of Public Affairs (Pre 870413). 1p. 84723:152-84723:152

-950718017 Informs that there will be conference call on 940812 w/ Region III & licensee to discuss preliminary results from ISFSI pad analysis. HSIA, A.H. Probabilistic Safety Assessment Branch. 94/05/08. ZWOLINSKI, J.A. Division of Reactor Projects - I/II (Post 870411). MARSH, L.B. Project Directorate I-1. OLSHAN, L.N. Project Directorate I-2. 2pp. 84723:153-84723:154

-950718018 Forwards mails on dry cask storage facility which were sent to util on 840510. SMEDLEY, D. Sargent & Lundy, Inc. 94/05/12. KROPP, W. Region 3 (Post 820201). 22pp. 84723:155-84723:178

-950718019 Forwards pages from App A1 to EA-FC-864-046-A1, Rev 0, "Seismic Evaluation of Dry Cask Storage Facility," which was sent to util on 940509. SMEDLEY, D. Sargent & Lundy, Inc. 94/05/11. KROPP, W. Region 3 (Post 820201). 53pp. 84723:177-84723:229

-950718022 Informs of arrangement made to have bridge number for plant ISFSI public meeting on 940816 in Rockville, MD to discuss plant restart issues. Portions of encl partially deleted. HSIA, A.H. Probabilistic Safety Assessment Branch. 94/05/12. ZWOLINSKI, J.A. Division of Reactor Projects - I/II (Post 870411). MARSH, L.B. Project Directorate I-1. DEAN, W.J. Ofc of the Executive Director for Operations. 6pp. 84723:230-84723:233

950718028 First response to FOIA request for records App A records encl & available in PDR. POWELL, J.R. Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. WILLIAMS, O.G. JRA Associates. 2pp. 84797 006-84797:016

-950721038 Forwards comments on draft into notice re dry cask storage, including short paragraph from Dr R Landman about dynamic analysis of pad & foundation. GREENMAN, E.G. Region 3 (Post 820201). 94/12/13. PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728). 7pp. 84787 010-84787:016

950725017 Forwards proprietary Siemens Power Corp (SPC) rept EMF-94-180, "Temp Criteria for Quenching of Fuel in Dry Storage" & lr from SPC to OPC which resolves various OPC comments on sub rept Rept withheld per 100FR2790(b). HAAS, K.M. Consumers Power Co. 95/07/17. Document Control Branch (Document Control Desk) 1p. 84828:251-84828:251

DOCKET 50-256 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

950712018 Forwards map repts 50-259/95-30, 50-260/95-30 & 50-296/95-30 on 950530-0802. No violations or deviations noted. BARR, K.P. Region 2 (Post 820201). 95/06/23. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84576 064-84576:074

-950712019 Insp repts 50-259/95-30, 50-260/95-30 & 50-296/95-30 on 950530-0802. No violations noted. Major areas inspected: operational readiness of emergency preparedness program for in-depth map associated w/ Unit 3 restart activities. GOODEN, A. Region 2 (Post 820201). 95/06/23. 7pp. 84576 068-84576:074

950712048 Confirms 950618 telcon between G Kelley & D Thompson re meeting to discuss three sites new physical security plans, scheduled for 950705-06 in Knoxville, TN. JAUDON, J.P. 95/06/27. MEDFORD, M. Tennessee Valley Authority. 5pp. 84575:057-84575:062

950707028 Revised EPPs, including index, Rev 15 to EPP-2, Rev 18 to EPP-3, Rev 17 to EPP-4, Rev 19 to EPP-5, Rev 15 to EPP-6 & Rev 14 to EPP-7. W/ 950629 W/ SALAS, P. Tennessee Valley Authority. 95/06/28. 101pp. 84579 160-84579:260

950720027 Forwards trip rept of 950514-16 visit to Browns Ferry Nuclear Plant. NEBUAD, T. Army, Dept. of Corps of Engineers. 95/06/29. YOUNG, F. NRC - No Detailed Affiliation Given. 1p. 84835:253-84835:253

-950720031 Trip rept of 950514-16 visit to Browns Ferry Nuclear Power Station re plant evaluation & subsequent vehicle bachel location. NEBUAD, T. Army, Dept. of Corps of Engineers. 95/06/06. Army, Dept. of Corps of Engineers. 7pp. 84835:254-84835:260

950717017 Ack receipt of 950517 lr forwarding detailed scenario for plant radiological emergency plan exercise. Submittal meet requirement for full participation exercise scheduled for wk of 950724. BARR, K.P. Region 2 (Post 820201). 95/07/10. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84560:335-84560:337

950718032 Revised EPPs, including rev 19 to EPP-1, rev 12 to EPP-6, rev 14 to EPP-7, rev 12 to EPP-8, rev 7 to EPP-10, rev 7 to EPP-12, rev 8 to EPP-17, rev 8 to EPP-18, rev 8 to EPP-22 & rev 6 to EPP-23. W/ 950712 W/ CARVER, P.P. Tennessee Valley Authority. 95/07/12. 210pp. 84819:001-84819:210

950720034 Comment on proposed GL re 100FR50,54(p). "Process for Changes to Security Plans W/o Poor NRC Approval." Agrees that proposed clarification of language in 100FR50,54(p) & provided screening criteria appropriate. CARVER, P.P. Tennessee Valley Authority. 95/07/13. NRC - No Detailed Affiliation Given. 2pp. 84723:046-84723:047

950720014 Revised Central Emergency Control Ctr (CECC) EPPs, including rev 2 to CECC-EPP-2, rev 17 to CECC-EPP-3, rev 18 to CECC-EPP-4 & rev 20 to CECC-EPP-5. W/ 950720 W/ CARVER, P.P. Tennessee Valley Authority. 95/07/20. 48pp. 84828:001-84828:045

H. General correspondence

950708021 Forwards Rev 8 to Topical Rept TVA-NPO08-A, "TVA Nuclear Organization Description," incorporating organizational changes announced through 950501. CARVER, P.P. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk) 2pp. 84568:258-84568:310

-950708022 Rev 8 to "TVA Nuclear Organization Description." Tennessee Valley Authority. TVA-NPO08-A R06. 95/06/29. 50pp. 84569:289-84569:310

P. Operating license stage documents & correspondence

950705030 Discusses 950606-07 NRC senior managers meeting to evaluate nuclear performance of operating reactors, test facilities & other major licensees. Recovery of unit 3 progressing accordingly. Disposition of unit 1 indeterminate. TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/20. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84516:259-84516:261

9506280082 Rev 1 to NRC Administrative Ltr 84-13 to all NRC licensees re access to NRC bulletin board sys
GRIFFIN, S K 95/06/29 Consolidated Edison Co of New York, Inc 10pp
84518-259-84518-298

9507170006 Discusses NRC 950612 ltr announcing NRC meeting w/utl scheduled for 950719 to discuss methods for implementation of problem identification & corrective action programs at utl facilities.
JAUDON, J P Region 2 (Post 820201) 95/06/30 KINGSLEY, O D Tennessee Valley Authority 8pp 84550-298-84550-301

9507170005 Application for amends to licensees DPR-33, DPR-52 & DPR-68 revising TS base section 3.7.4.4.7 A to clarify method of determining operability of drywell to suppress chamber vacuum breakers
SALAS, P Tennessee Valley Authority 95/07/10 Document Control Branch (Document Control Desk) 8pp 84756-201-84756-212

-9507170002 Proposed tech spec clarifying method of determining operability of drywell to suppress chamber vacuum breakers
* Tennessee Valley Authority 95/07/10 8pp 84756-204-84756-212

9507170022 Confirms conversation between G Wotzel & NRC staff on 950712 concerning meeting requested by utl, which has been scheduled for 950720 to discuss results of site water sys operational performance assessment.
LESSER, M S Region 2 (Post 820201) 95/07/12 KINGSLEY, O D Tennessee Valley Authority 3pp 84728-048-84728-050

9507200178 Provides tech spec requested by NRC in 950629 teleconference for revision of proposed TS 346
SALAS, P Tennessee Valley Authority 95/07/14 Document Control Branch (Document Control Desk) 10pp 84807-337-84807-346

9507200180 Forwards Amends 222,237 & 196 to Licensees DPR-33, DPR-52 & DPR-68, respectively, implementing analog transmitter/trip sys on plant, revise reactor vessel water level safety limit.
WILLIAMS, J F 95/07/17 KINGSLEY, O D Tennessee Valley Authority 1p 84821-285-84821-289

-9507200214 Amends 222,237 & 196 to Licensees DPR-33, DPR-52 & DPR-68, respectively, implementing analog transmitter/trip sys on plant, revise reactor vessel water level safety limit & limiting safety sys setting for Units 1,2 & 3
HEBDON, J 95/07/17 9pp 84821-286-84821-292

-9507200222 Safety evaluation supporting amends 222,237 & 196 to Licensees DPR-33, DPR-52 & DPR-68, respectively
* Office of Nuclear Reactor Regulation (Post 841001) 95/07/17 11pp 84821-353-84821-363

9507240324 Submits RAI re TVA organization topical rep/rev 6 Requests response by 950618
HEBDON, J F 95/07/20 KINGSLEY, O D Tennessee Valley Authority 4pp 84778-350-84778-353

9507290058 Responds to 950720 ltr requesting add info on revised nuclear organization topical rep
CARRIER, P Tennessee Valley Authority 95/07/24 Document Control Branch (Document Control Desk) 8pp 84875-148-84875-156

9507310281 Summary of 950601 meeting w/NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NUREG-1465 severe accident source term at operating reactors.
SCALET, D 95/07/26 QUAY, Y R 4pp 84888-143-84888-186

9507310287 Supple previous responses to GL 88-19, requesting action re resolution of USI A-47, "Safety Implication of Control Sys in LWR NPPs"
SALAS, P Tennessee Valley Authority 95/07/26 Document Control Branch (Document Control Desk) 4pp 84902-353-84902-358

G. Inspection reports, 9E Bulletins & correspondence

9507120189 Forwards insp repts 50-259/95-30, 50-260/95-30 & 50-266/95-30 on 950330-0602 No violations or deviations noted
BARR, K P Region 2 (Post 820201) 95/06/23 KINGSLEY, O D Tennessee Valley Authority 4pp 84576-064-84576-074

-9507120189 Insp repts 50-259/95-30, 50-260/95-30 & 50-266/95-30 on 950330-0602 No violations noted Major areas inspected, operational readiness of emergency preparedness program for in-depth insp associated w/Unit 3 restart activities
GOODEN, A BARR, K P Region 2 (Post 820201) 95/06/23 7pp 84576-068-84576-074

9507120088 Forwards insp repts 50-259/95-34, 50-260/95-34 & 50-266/95-34 on 950612-18 No violations noted
CASTO, C A Region 2 (Post 820201) 95/06/27 KINGSLEY, O D Tennessee Valley Authority 3pp 84574-124-84574-133

-9507120010 Insp repts 50-259/95-34, 50-260/95-34 & 50-266/95-34 on 950612-18 No violations noted Major areas inspected status of licensee actions for Unit 3 compliance w/Station Blackout Rule addressed in 10CFR50.63 & loss of all ac power
SALAS, P SHYLOCK, M B Region 2 (Post 820201) 95/06/27 7pp 84574-127-84574-133

9507120012 Forwards insp repts 50-259/95-31, 50-260/95-31 & 50-266/95-31 on 950514-0610 & notice of violation
LESSER, M S Region 2 (Post 820201) 95/06/28 KINGSLEY, O D Tennessee Valley Authority 4pp 84574-136-84574-169

-9507120020 Notice of violation from insp on 950514-0610 Violation noted inservice testing of Unit 2 core spray testable check valves not performed IAW listed requirements
* Region 2 (Post 820201) 95/06/28 2pp 84574-140-84574-141

-9507120024 Insp repts 50-259/95-31, 50-260/95-31 & 50-266/95-31 on 950514-0610 No violations noted Major areas inspected operations, surveillance testing & maint activities
WERT, C D, LESSER, M S Region 2 (Post 820201) 95/06/28 27pp 84574-142-84574-169

9507200408 Responds to NRC 950606 ltr re violation noted in insp repts 50-259/95-26, 50-260/95-26 & 50-266/95-26 Corrective actions Abnormal Operating Instruction (AOI) O-AOI-100-7 revised to provide SCSS w/labdata to evaluate weather conditions
MACHON, R D Tennessee Valley Authority 95/07/06 Document Control Branch (Document Control Desk) 8pp 84682-331-84682-333

9507140281 Forwards insp repts 50-259/95-33, 50-260/95-33 & 50-266/95-33 on 950605-09 & notice of violation
BARR, K P Region 2 (Post 820201) 95/07/06 KINGSLEY, O D Tennessee Valley Authority 4pp 84728-333-84728-360

-9507140284 Notice of violation from insp on 950605-09 Violation noted on 950605-09 only one out of seven individuals preparing to enter RCA to perform work on Unit 2 RHRSW sys observed to thoroughly read RWP 95-2-0-01901
* Region 2 (Post 820201) 95/07/06 2pp 84728-337-84728-338

-9507140041 Insp repts 50-259/95-33, 50-260/95-33 & 50-266/95-33 on 950605-09 Violation noted Major areas inspected radiation monitoring sys operators & radiation protection program activities
KUZCO, G B, LLOYD, W T RANKIN, W H Region 2 (Post 820201) 95/07/06 22pp 84728-339-84728-380

9507170002 Forwards insp repts 50-259/95-36, 50-260/95-36 & 50-266/95-36 on 950605-09 No violations noted
CASTO, C A Region 2 (Post 820201) 95/07/07 KINGSLEY, O D Tennessee Valley Authority 3pp 84650-284-84650-295

-9507170005 Insp repts 50-259/95-36, 50-260/95-36 & 50-266/95-36 on 950605-09 No violations noted Major areas inspected engineering/technical support, design changes, mods & resolution of training control related issues
WISEMAN, G SHYLOCK, M B Region 2 (Post 820201) 95/07/06 8pp 84650-287-84650-299

9507200256 Ack receipt of 950620 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/95-16, 50-260/95-16 & 50-266/95-16
GIBSON, A F Region 2 (Post 820201) 95/07/13 KINGSLEY, O D Tennessee Valley Authority 3pp 84811-356-84811-358

9507180167 Forwards "SWS Operational Performance Insp (SWSOPi) Browns Ferry Nuclear Plant" TVA plans to meet w/NRC Region II to discuss addl repl & to provide NRC w/status of corrective actions for weaknesses noted in SWSOPi addl-estimate-ment repl
MACHON, R D Tennessee Valley Authority 95/07/14 Document Control Branch (Document Control Desk) 2pp 84765-001-84765-180

-9507180173 "SWS Operational Performance Insp (SWSOPi) Browns Ferry Nuclear Plant"
KOSYLARZ, J F Ogden Environmental & Energy Services Co (formerly EPC Environ mental & Energy S 95/06/22 150pp 84765-003-84765-180

R. Periodic operating reports & related correspondence

9507210025 Revised Table 9 to Browns Ferry Nuclear Plant Annual Radiological Effluent Release Rpt for Jan-Dec 1994 W/950717 ltr
SALAS, P Tennessee Valley Authority 94/12/31 4pp 84811-341-84811-344

9507260082 Monthly operating repts for June 1995 for Browns Ferry Nuclear Plant Unit 1,2 & 3 W/950714 ltr
SMITH, T R, SALAS, P Tennessee Valley Authority 95/06/20 13pp 84828-106-84828-116

DOCKET 58-298 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507120188 Forwards insp repts 50-259/95-30, 50-260/95-30 & 50-266/95-30 on 950330-0602 No violations or deviations noted
BARR, K P Region 2 (Post 820201) 95/06/23 KINGSLEY, O D Tennessee Valley Authority 4pp 84576-064-84576-074

-9507120188 Insp repts 50-259/95-30, 50-260/95-30 & 50-266/95-30 on 950330-0602 No violations noted Major areas inspected operational readiness of emergency preparedness program for in-depth insp associated w/Unit 3 restart activities
GOODEN, A Region 2 (Post 820201) 95/06/23 7pp 84576-068-84576-074

9507120045 Confirms 950619 telcon between G Kelley & D Thompson re meeting to discuss three addl new physical security plans, scheduled for 950705-06 in Knoxville, TN
JAUDON, J P 95/06/27 MEDFORD, M Tennessee Valley Authority 6pp 84575-057-84575-062

9507070284 Revised EPIP including index, Rev 15 to EPIP-2 Rev 15 to EPIP-3, Rev 17 to EPIP-4, Rev 19 to EPIP-5, Rev 15 to EPIP-6 & Rev 14 to EPIP-7, W/950629 ltr
SALAS, P Tennessee Valley Authority 95/06/29 101pp 84579-160-84579-260

9507200297 Forwards insp repts of 950514-16 visit to Browns Ferry Nuclear Plant
NEBUDA, D T Army, Dept. of, Corps of Engineers 95/06/28 YOUNG, F NRC - No Detailed Affiliation Given 1p 84836-253-84836-260

-9507200281 Insp repts of 950514-16 visit to Browns Ferry Nuclear Power Stations re brief evaluation & subsequent vehicle barrier location
NEBUDA, D T Army, Dept. of, Corps of Engineers 95/06/06 Army, Dept. of, Corps of Engineers 7pp 84835-254-84835-260

9507170017 Ack receipt of 950517 ltr forwarding detailed scenario for plant radiological emergency plan exercise Submittal meet requirement for full participation exercise scheduled for wk of 950724
BARR, K P Region 2 (Post 820201) 95/07/10 KINGSLEY, O D Tennessee Valley Authority 3pp 84650-336-84650-337

28 DOCKETED ITEMS

9507210002 Revised EPIPs including rev 19 to EPIP-1, rev 12 to EPIP-8, rev 14 to EPIP-7, rev 12 to EPIP-5, rev 7 to EPIP-10, rev 7 to EPIP-12, rev 8 to EPIP-17, rev 6 to EPIP-18, rev 9 to EPIP-22 & rev 6 to EPIP-23 W/950712 lr
CARRIER, P P Tennessee Valley Authority 95/07/12 210pp 84819 001-84819 210

9507260004 Comment on proposed GL re 10CFR50.54(p), "Process for Changes to Security Plans W/o Prior NRC Approval." Agrees that proposed clarification of language in 10CFR50.54(p) & provided screening criteria appropriate
CARRIER, P P Tennessee Valley Authority 95/07/13 NRC - No Detailed Attention Given 2pp 84753 045-84753 047

9507260114 Revised Central Emergency Control Ctr (CECC) EPIPs including rev 2 to CECC-EPIP-2, rev 17 to CECC-EPIP-3, rev 18 to CECC-EPIP-4 & rev 20 to CECC-EPIP-5 W/950720 lr
CARRIER, P P Tennessee Valley Authority 95/07/20 48pp 84826 001-84826 049

H General correspondence

9507080216 Forwards Rev 6 to Topical Rept TVA-NPOD68-A "TVA Nuclear Organization Description," incorporating organizational changes announced through 950501
CARRIER, P P Tennessee Valley Authority 95/06/29 Document Control Branch (Document Control Desk) 2pp 84599 258-84599 310

-9507080222 Rev 6 to "TVA Nuclear Organization Description"
Tennessee Valley Authority TVA-NPOD68-A R06 95/06/29 50pp 84599 260-84599 310

P Operating license stage documents & correspondence

9506280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B K 95/06/28 Consolidated Edison Co of New York, Inc. 10pp 84518 258-84518 258

9507070314 Provides suppl info requested by NRC for review of proposed TS 359 submitted on 950511 to reflect interim addition of scram pilot air header low pressure trip function on BFN Unit 3 Revised Units 2 & 3 TS bases page encl
SALAS, P Tennessee Valley Authority 95/06/30 Document Control Branch (Document Control Desk) 3pp 84579 305-84579 321

-9507070316 Proposed tech specs based pages for TS 359, incorporating info re scram pilot air header low pressure trip function
Tennessee Valley Authority 95/06/30 14pp 84579 308-84579 321

9507170086 Discusses NRC 950612 lr announcing NRC meeting w/utl scheduled for 950719 to discuss methods for implementation of problem identification & corrective action programs at utl facilities
JALDON, J P Region 2 (Post 820201) 95/06/30 KINGSLEY, O D Tennessee Valley Authority 6pp 84650 296-84650 301

9507170086 Application for permits to licensees DPR-33, DPR-52 & DPR-68 regarding TS base section 7.7 A/4.7 A to clarify method of determining operability of drywell to suppression chamber vacuum breakers
SALAS, P Tennessee Valley Authority 95/07/10 Document Control Branch (Document Control Desk) 3pp 84753 201-84753 212

-9507170082 Proposed tech specs clarifying method of determining operability of drywell to suppression chamber vacuum breakers
Tennessee Valley Authority 95/07/10 3pp 84755 204-84755 212

9507210022 Confirms conversation between S Wetzell & NRC staff on 950712 concerning meeting requested by utl, which has been scheduled for 950720 to discuss results of evc water sys operational performance assessment
LESSER, M S Region 2 (Post 820201) 95/07/12 KINGSLEY, O D Tennessee Valley Authority 3pp 84736 048-84736 050

9507210178 Provides suppl info verbally requested by NRC in 950628 teleconference for review of proposed TS 349
SALAS, P Tennessee Valley Authority 95/07/14 Document Control Branch (Document Control Desk) 10pp 84807 337-84807 348

9507240185 Forwards Amends 222,237 & 196 to Licensees DPR-33, DPR-52 & DPR-68, respectively & safety evaluation Amends implement analog transmitter/trip sys on plant/reactor vessel water level safety limit
WILLIAMS, J F 95/07/17 KINGSLEY, O D Tennessee Valley Authority 1p 84821 265-84821 363

-9507240244 Amends 222,237 & 196 to Licensees DPR-33, DPR-52 & DPR-68, respectively, implementing analog transmitter/trip sys on plant/reactor vessel water level safety limit & limiting safety sys setting for Units 1,2 & 3
HEBDON, F J 95/07/17 9pp 84821 266-84821 352

-9507240222 Safety evaluation supporting amends 222,237 & 196 to Licensees DPR-33, DPR-52 & DPR-68, respectively
Office of Nuclear Reactor Regulation (Post 841001) 95/07/17 11pp 84821 388-84821 393

9507240324 Submits RAJ re TVA organization topical repr, rev 6 Requests response by 950818
HEBDON, F J 95/07/20 KINGSLEY, O D Tennessee Valley Authority 4pp 84778 350-84778 353

9507280058 Responds to 950720 lr requesting addl info on revised nuclear organization topical repr
CARRIER, P P Tennessee Valley Authority 95/07/24 Document Control Branch (Document Control Desk) 9pp 84875 148-84875 156

9507280281 Summary of 950601 meeting w/NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NUREG-1485 severe accident source term at operating reactors
SCALLETTO, J 95/07/26 QUAY, T R 4pp 84888 143-84888 158

Q Inspection reports, EE Bulletins & correspondence

9507280189 Forwards insp repts 50-258/95-30, 50-260/95-30 & 50-296/95-30 on 950530-0602 No violations or deviations noted
BARR, K P Region 2 (Post 820201) 95/06/23 KINGSLEY, O D Tennessee Valley Authority 4pp 84576 084-84576 074

-9507120193 Insp repts 50-259/95-30, 50-260/95-30 & 50-296/95-30 on 950530-0602 No violations noted Major areas inspected operational readiness of emergency preparedness programs for in-depth insp associated w/Unit 3 restart activities
GOODENA, BARR, K Region 2 (Post 820201) 95/06/23 7pp 84578 068-84578 074

9507120089 Forwards insp repts 50-259/95-34, 50-260/95-34 & 50-296/95-34 on 950612-18 No violations noted
CASTO, C A Region 2 (Post 820201) 95/06/27 KINGSLEY, O D Tennessee Valley Authority 3pp 84574 124-84574 133

-9507120019 Insp repts 50-259/95-44, 50-260/95-34 & 50-296/95-34 on 950612-18 No violations noted Major areas inspected status of licensee actions for Unit 3 compliance w/Station Blackout Rule addressed in 10CFR50.63 & loss of all ac power
SALAS, P Region 2 (Post 820201) 95/06/27 7pp 84574 127-84574 133

9507120012 Forwards insp repts 50-259/95-31, 50-260/95-31 & 50-296/95-31 on 950614-0610 & notice of violation
LESSER, M S Region 2 (Post 820201) 95/06/26 KINGSLEY, O D Tennessee Valley Authority 4pp 84574 136-84574 169

-9507120028 Notice of violation from insp on 950614-0610 Violation noted instance testing of Unit 2 dose spray testable check valves not performed IAW tested requirements
Region 2 (Post 820201) 95/06/26 2pp 84574 140-84574 141

-9507120024 Insp repts 50-259/95-31, 50-260/95-31 & 50-296/95-31 on 950614-0610 No violations noted Major areas inspected operations, surveillance testing & maint activities
WERT, L D, LESSER, M S Region 2 (Post 820201) 95/06/26 27pp 84574 142-84574 169

9507100408 Responds to NRC 950806 lr re violation noted in insp repts 50-258/95-29, 50-260/95-29 & 50-296/95-29 Corrective actions Abnormal Operating Instruction (AOI) 0-AOI-100-7 revised to provide SOG w/latitude to evaluate weather conditions
MADON, R D Tennessee Valley Authority 95/07/06 Document Control Branch (Document Control Desk) 3pp 84892 351-84892 355

9507100081 Forwards insp repts 50-258/95-33, 50-260/95-33 & 50-296/95-33 on 950605-09 & notice of violation
BARR, K P Region 2 (Post 820201) 95/07/06 KINGSLEY, O D Tennessee Valley Authority 4pp 84728 333-84728 360

-9507140024 Notice of violation from insp on 950605-09 Violation noted on 950605, only one out of seven individuals preparing to enter RCA to perform work on Unit 2 RHRSW sys observed to thoroughly read RWP 95-2-0-01301
Region 2 (Post 820201) 95/07/06 2pp 84728 337-84728 338

-9507140001 Insp repts 50-258/95-33, 50-260/95-33 & 50-296/95-33 on 950605-09 Violation noted Major areas inspected radiation monitoring sys operations & radiation protection program activities
KUZCO, G S, LOO, W T, RANKIN, W H Region 2 (Post 820201) 95/07/06 22pp 84728 339-84728 360

9507170082 Forwards insp repts 50-259/95-36, 50-260/95-36 & 50-296/95-36 on 950605-08 No violations noted
CASTO, C A Region 2 (Post 820201) 95/07/07 KINGSLEY, O D Tennessee Valley Authority 3pp 84830 284-84830 296

-9507170085 Insp repts 50-259/95-36, 50-260/95-36 & 50-296/95-36 on 950605-09 No violations noted Major areas inspected engineering/technical support, design changes, mods & resolution of drawing control related issues
WISEMAN, G, SHYMLOCK, M S Region 2 (Post 820201) 95/07/08 9pp 84850 287-84850 295

9507200268 Ack receipt of 950620 lr informing NRC of steps taken to correct violations noted in insp repts 50-259/95-15, 50-260/95-15 & 50-296/95-15
GIBSON, A F Region 2 (Post 820201) 95/07/13 KINGSLEY, O D Tennessee Valley Authority 3pp 84811 358-84811 356

9507180187 Forwards "SWS Operational Performance Insp (SWSOP) Browns Ferry Nuclear Plant." TVA plans to meet w/NRC Region II to discuss end rpt & to provide NRC w/status of corrective actions for weaknesses noted in SWSOP self-assessment rpt
MADON, R D Tennessee Valley Authority 95/07/14 Document Control Branch (Document Control Desk) 2pp 84785 001-84785 180

-9507180173 "SWS Operational Performance Insp (SWSOP) Browns Ferry Nuclear Plant."
KOBELARZ, S F Ogden Environmental & Energy Services Co (formerly EPC Environmental & Energy S 95/06/23 150pp 84785 008-84785 180

R Periodic operating reports & related correspondence

9507210035 Revised Table 3 to Browns Ferry Nuclear Plant Annual Radiological Environmental Release Rpt for Jan-Dec 1994 W/950717 lr
SALAS, P Tennessee Valley Authority 84/12/31 4pp 84811 341-84811 344

9507250052 Monthly operating repts for June 1995 for Browns Ferry Nuclear Plant Units 1,2 & 3 W/950714 lr
SMITH, T R, SALAS, P Tennessee Valley Authority 95/06/30 13pp 84828 106-84828 118

S. Reportable occurrences, LERs & related correspondence

9507180888 Forwards LER 95-005 re failure of SFN Unit 2 HPCI during testing. Event reported per 10CFR50.73(a)(2)(v) as condition alone could have prevented fulfillment of safety function of structure or sys needed to mitigate consequences. MAACHON, R.D. Tennessee Valley Authority. 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84688.341-84688.347.

9507110055 LER 95-005-00 on 950807 HPCI steam supply valve failed during testing due to failure of HPCI steam supply valve to open during initial start of flow test. Issued request work order to investigate & determine cause of valve failure. AUSTIN, S.W. Tennessee Valley Authority. 95/07/07. 8pp. 84688.343-84688.347.

DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507120061 Forwards map rept 50-261/95-18 on 950523-26 & notice of violation. COLLINS, D.M. Region 2 (Post 820201). 95/06/22. HINNANT, C.S. Carolina Power & Light Co. 8pp. 84575.088-84575.093.

9507120061 Notice of violation from map on 950523-26 Violation noted: safeguards in dechlorination were found stored overnight in non-approved locked cabinet outside protection area.
* Region 2 (Post 820201). 95/06/22. 2pp. 84575.091-84575.092.

9507120062 Partially withheld map rept 50-261/95-18 on 950523-26 (ref 10CFR73.21). Major areas inspected/protected area barriers, fences for duty & alarm stations. STRATTON, L., TOBIN, W., MCQUIRE, D. Region 2 (Post 820201). 95/06/23. 1p. 84575.092-84575.093.

9507180044 Rev 13 to Plant Emergency Procedure (PEP) PEP-302, "Dose Projections" W/950628 tr. KRICH, R.M. Carolina Power & Light Co. 95/06/28. 78pp. 84689.199-84689.277.

9507120044 Forwards map rept 50-261/95-17 on 950605-06. No violations or deviations noted. FEEBLE, T.A. Region 2 (Post 820201). 95/06/29. HINNANT, C.S. Carolina Power & Light Co. 2pp. 84574.248-84574.253.

9507120062 Map rept 50-261/95-17 on 950605-06. No violations noted. Major areas inspected/emergency operating procedures & CA for previously identified deficiencies. MELLENS, L., KELLOGG, P.J. Region 2 (Post 820201). 95/06/29. 14pp. 84574.250-84574.263.

9507148937 Advice that rev 30 to radiological emergency plan satisfactory & meets planning side of 10CFR50.47(b) & requirements of App E to 10CFR50. Reminds util of 10CFR50.64(g) requirements. BARR, K.P. Region 2 (Post 820201). 95/07/06. HINNANT, C.S. Carolina Power & Light Co. 3pp. 84780.072-84780.074.

9507228157 Ltr contract NRC-02-93-036, confirming verbal authorization provided on 950520 to commence work under sub task order w/ stated ceiling amount, to "Emergency Operating Procedures, Insp for Plant." WIGGINS, E.J. Division of Contracts (Post 840714). RM 3-2012-5. 95/07/06. COLINA, I. Science & Engineering Associates, Inc. 8pp. 84845.023-84845.028.

9507228091 Comment on proposed generic communication, 10CFR50.54(p), "Process for Changes to Security Plans W/o Prior NRC Approval." Supports proposed clarification & endorses NEI comments. ROGANUR, E. Carolina Power & Light Co. 95/07/14. NRC - No Detailed Affiliation Given. 1p. 84787.022-84787.022.

9507280070 Forwards revs to emergency plan & procedures. W/two oversize encl. KRICH, R.M. Carolina Power & Light Co. 95/07/21. Document Control Branch (Document Control Desk). 5pp. 84880.001-84880.052.

9507280073 Revised plant emergency procedures (PEP), including rev 0 to PEP, 957, rev 40 to PEP-171, rev 13 to PEP-154, rev 7 to PEP-160, rev 4 to PEP-163, rev 7 to PEP-651, rev 8 to PEP-652 & rev 8 to PEP-654.
* Carolina Power & Light Co. 95/07/10. 116pp. 84880.008-84880.121.

9507280077 Rev 31 to Plant Program Procedure PLP-007, "Robinson Emergency Plan." W/two oversize drawings.
* Carolina Power & Light Co. 95/06/22. 21pp. 84880.122-84880.362.

I. Financial Information

9507120076 Confirms that \$34,186 was electronically transferred on 950628 for fees for legal invoices. ROGANUR, E. Carolina Power & Light Co. 95/07/06. Document Control Branch (Document Control Desk). 1p. 84681.282-84681.282.

P. Operating license steps documents & correspondence

9507110488 Discusses 950620 mgmt meeting conducted in Region II etc to discuss plant outage issues. List of attendees encl. VERRELLI, D.M. Region 2 (Post 820201). 95/06/21. HINNANT, C.S. Carolina Power & Light Co. 4pp. 84557.273-84557.318.

9507080024 Transmits change to basis of TS Section 3.10.1.5 re CR misalignment. KRICH, R.M. Carolina Power & Light Co. 95/06/22. Document Control Branch (Document Control Desk). 2pp. 84573.358-84573.358.

9507080027 Proposed tech specs, changing basis of TS 3.10.1.5 re CR misalignment.
* Carolina Power & Light Co. 95/06/22. 1p. 84573.358-84573.358.

9507080092 Advises NRC that incl committed in plant responses to GL 93-04, chd 950520, 940828 & 950213, implemented during refueling outage 18 on 950429. KRICH, R.M. Carolina Power & Light Co. 95/06/23. Document Control Branch (Document Control Desk). 2pp. 84685.350-84685.351.

9507080092 Responses to GL 93-03, "Circumferential Cracking Of SG Tubes." KRICH, R.M. Carolina Power & Light Co. 95/06/27. Document Control Branch (Document Control Desk). 11pp. 84573.345-84573.355.

9507080098 Repts significant change in application of acceptable ECCS model that resulted in reduction of calculated peak fuel cladding temperature by more than 50 F from temp calculated for testing transient using test model. KRICH, R.M. Carolina Power & Light Co. 95/06/28. Document Control Branch (Document Control Desk). 2pp. 84617.205-84617.207.

9506280092 Rev 1 to NRC Administrative Ltr 84-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co of New York, Inc. 10pp. 84516.259-84516.269.

9507070154 Forwards "HB Robinson Steam Electric Plant (HBRSEP) Unit 2 IPE for External Events Submittal Final Rept." "HBRSEP Unit 2 USI A-46 Seismic Evaluation Rept Final Rept." & "HBRSEP Unit 2 USI A-46 Relay Evaluation Rept Final Rept." per GL 88-20. KRICH, R.M. Carolina Power & Light Co. 95/06/30. Document Control Branch (Document Control Desk). 5pp. 84640.001-84640.175.

9507070180 "HB Robinson Steam Electric Plant Unit 2 IPE for External Events Submittal Final Rept." OLIVER, R.E., ZARZAR, J., JOHNSON, N. Carolina Power & Light Co. 95/06/30. 400pp. 84640.007-84641.086.

9507070187 "HB Robinson Steam Electric Plant Unit 2 USI A-46 Seismic Evaluation Rept Final Rept."
* EOE, Inc. 52212-R-002 R00 95/06/22. 168pp. 84641.097-84641.253.

9507070174 Rev 0 to "HB Robinson Steam Electric Plant Unit 2 USI A-46 Relay Evaluation Rept Final Rept."
* Carolina Power & Light Co. * EOE, Inc. 95/06/30. 276pp. 84641.264-84642.175.

9507210029 Application for amend to license DPR-23. Amend would clarify requirements in TS Section 3.8, "Refueling." KRICH, R.M., HINNANT, C.S. Carolina Power & Light Co. 95/07/17. Document Control Branch (Document Control Desk). 11pp. 84809.318-84809.329.

9507210083 Proposed tech specs re clarification of requirements in TS Section 3.8, "Refueling."
* Carolina Power & Light Co. 95/07/17. 1p. 84809.329-84809.329.

Q. Inspection reports, IE Bulletins & correspondence

9507060151 Submits suppl reply to 950407 re transmitting map rept 50-261/95-08. KRICH, R.M. Carolina Power & Light Co. 95/06/22. Document Control Branch (Document Control Desk). 3pp. 84617.046-84617.046.

9507120061 Forwards map rept 50-261/95-18 on 950523-26 & notice of violation. COLLINS, D.M. Region 2 (Post 820201). 95/06/22. HINNANT, C.S. Carolina Power & Light Co. 8pp. 84575.088-84575.093.

9507120061 Notice of violation from map on 950523-26. Violation noted: safeguards in dechlorination were found stored overnight in non-approved locked cabinet outside protection area.
* Region 2 (Post 820201). 95/06/22. 2pp. 84575.091-84575.092.

9507120062 Partially withheld map rept 50-261/95-18 on 950523-26 (ref 10CFR73.21). Major areas inspected/protected area barriers, fences for duty & alarm stations. STRATTON, L., TOBIN, W., MCQUIRE, D. Region 2 (Post 820201). 95/06/23. 1p. 84575.092-84575.093.

9507120038 Forwards map rept 50-261/95-17 on 950605-08. No violations or deviations noted. FEEBLE, T.A. Region 2 (Post 820201). 95/06/29. HINNANT, C.S. Carolina Power & Light Co. 2pp. 84574.248-84574.253.

9507120052 Map rept 50-261/95-17 on 950605-09. No violations noted. Major areas inspected/emergency operating procedures & CA for previously identified deficiencies. MELLENS, L., KELLOGG, P.J. Region 2 (Post 820201). 95/06/26. 14pp. 84574.250-84574.263.

9507148221 Ack receipt of 950616 response to violation C from map rept 50-261/95-12. VERRELLI, D.M. Region 2 (Post 820201). 95/06/29. HINNANT, C.S. Carolina Power & Light Co. 3pp. 84787.350-84787.352.

9507140228 Forwards map rept 50-261/95-15 on 950530-0802. No violations noted. BARR, K.P. Region 2 (Post 820201). 95/06/30. HINNANT, C.S. Carolina Power & Light Co. 3pp. 84780.001-84780.015.

9507140232 Map rept 50-261/95-15 on 950530-0802. No violations noted. Major areas inspected/adequacy of licensee occupational radiation protection program during extended outages. WRIGHT, F.N., RANKIN, W.H. Region 2 (Post 820201). 95/06/28. 12pp. 84780.004-84780.015.

9507170015 Notifies that on 950731, representatives of NRC will meet w/mgmt of Carolina Power & Light Co for SALP meeting to discuss plant performance over past 16 months. EBNETER, S.D. Region 2 (Post 820201). 95/06/30. COPELAND, W.R. Affiliation Not Assigned. 3pp. 84680.330-84680.332.

9507140241 Ack receipt of 950622 supplemental response to violations noted in map rept 50-261/95-08. CASTO, C.A. Region 2 (Post 820201). 95/07/07. HINNANT, C.S. Carolina Power & Light Co. 2pp. 84737.348-84737.349.

9507180082 Responds to NRC 950812 ltr re violations noted in map rept 50-261/95-14, USI derives violation. Corrective actions, supervisor performing thickie plug studies referred from duties & qualifications suspended. HINNANT, C.S. Carolina Power & Light Co. 95/07/12. Document Control Branch (Document Control Desk). 11pp. 84783.182-84783.192.

30 DOCKETED ITEMS

9507200254 Forwards insp rept 50-261/95-20 on stated date No violations or deviations noted
PEEBLES, T.A. Region 2 (Post 820201) 95/07/12 MINNANT, C.S. Carolina Power & Light Co 3pp 84821 119-84821 132

9507200256 Insp rept 50-261/95-20 on stated date No violations or deviations noted Major areas inspected/checked efforts re violations & open items noted during SW operational performance in 2
KELLOGG, P.J., PEEBLES, T.A. Region 2 (Post 820201) 95/07/10 12pp 84821 121-84821 132

9507200256 Ack receipt of 950712 in informing NRC of steps taken to correct violations noted in insp rept 50-261/95-14
VERRELL, D.M. Region 2 (Post 820201) 95/07/14 MINNANT, C.S. Carolina Power & Light Co 3pp 84794 330-84794 332

9507200418 Ack receipt of 950619 in informing NRC of steps taken to correct violations noted in insp rept 50-261/95-12 on 950519
VERRELL, D.M. Region 2 (Post 820201) 95/07/14 MINNANT, C.S. Carolina Power & Light Co 3pp 84793 328-84793 270

9507200427 Contains scheduling of next meeting on 950731 to discuss results of SAIP for period of 951226-950617
VERRELL, D.M. Region 2 (Post 820201) 95/07/14 MINNANT, C.S. Carolina Power & Light Co 3pp 84793 328-84793 330

9507200428 Responds to NRC 950515 in re violations noted in insp rept 50-261/95-13 Corrective actions/PCP studs replaced & visual exam utilizing mirrors employed for two studs on either side of replaced studs Seismic stress evaluation completed
MINNANT, C.S. Carolina Power & Light Co 95/07/17 Document Control Branch (Document Control Desk) 3pp 84811 329-84811 331

9507200434 Forwards insp rept 50-261/95-19 on 950514-0617 & notice of violation
VERRELL, D.M. Region 2 (Post 820201) 95/07/17 MINNANT, C.S. Carolina Power & Light Co 4pp 84824 001-84824 027

9507200436 Notice of violation from insp on 950514-0617 Violation noted OMM-005 was not followed in that auxiliary operator & independent verifier initiated local clearance & test request re valve 20
* Region 2 (Post 820201) 95/07/17 3pp 84824 005-84824 007

9507200438 Insp rept 50-261/95-19 on 950514-0617 Violations noted Major areas inspected plant operations, main activities, engineering efforts & plant support functions
ORDERS, W.T., VERRELL, D.M. Region 2 (Post 820201) 95/07/17 20pp 84824 006-84824 027

9507200438 Forwards response to NRC 950522 in re violations noted in insp rept 50-261/95-18 Corrective actions removed defective containing SGI form non-approved container & placed in approved locked security storage container
MINNANT, C.S. Carolina Power & Light Co 95/07/24 Document Control Branch (Document Control Desk) 4pp 84875 001-84875 004

II. Periodic operating reports & related correspondence

9507130158 Monthly operating rept for June 1995 for HS Robinson Steam Electric Plant, Unit 2 W/950710 in
SCARBOROUGH, J., KRICH, R.M. Carolina Power & Light Co 95/06/30 4pp 84736 094-84736 087

S. Reportable occurrences, LERs & related correspondence

9507100608 PNO-B-95-037 on 950620, A charging pump relief valve lifted while operating at 2% reactor power investigation into failure of mechanism underway NRC not fed & licensee issued press release
VERRELL, D.M. Region 2 (Post 820201) 95/06/27 1p 84557 015-84557 015

9507120299 LER 95-002-00 on 950606, inadvertent MSIV closure during plant cooldown occurred Caused by high steam flow signal created by loss of water in steam flow transmitter spring line insulation installed W/950705 in
GARROU, L., YOUNG, D.E. Consumers Power Co 95/07/06 3pp 84668 325-84668 327

9507210322 Part 21 rept re potential defect in Limbique S46/SB/SBD-00 actuators/Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related svcs
MYLTON, C.L. Limbique Corp 95/07/12 Document Control Branch (Document Control Desk) 50pp 84815 169-84815 198

DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

9507050193 Forwards revised pages of Rev 44 to Monticello Security Plan End withheld
ANDERSON, R.O. Northern States Power Co 95/06/28 Document Control Branch (Document Control Desk) 1p 84559 019-84559 019

9507070332 Revised EPI's including Rev 64 to index, Rev 15 to A.2-107, Rev 3 to A.2-109, Rev 3 to A.2-206, Rev 9 to A.2-410 & Rev 8 to A.2-424 W/950630 in
ANDERSON, R.O. Northern States Power Co 95/06/30 110pp 84819 084-84819 204

9507180199 Provides comments re proposed GL re 10CFR50.54(p), 'Process for Changes to Security Plans W/o Prior NRC Approval' Use endorses NEI comments & believes process described would provide proper screening online re proposed security plan
ANDERSON, R.O. Northern States Power Co 95/07/13 Rules & Directives Review Branch (Post 920323) 1p 84780 339-84780 339

P. Operating license stage documents & correspondence

9507030212 Summary of 950411 meeting w/GE at Rockville MD re power uprates for GE BWRs List of attendees, Agenda & Overhead slides & Overhead slides for Monticello Nuclear Generating Plant and
WETZEL, B.A. 95/06/24 17pp 84512 133-84512 149

9506200042 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRANDES, J.N. 95/06/28 Consolidated Edison Co of New York, Inc 10pp 84618 259-84618 268

9507100388 Forwards LAR to licensee DPR-22, advising TS to extend surveillance test intervals & allowable out-of-svc times for selected instrumentation
HILL, W.J. Northern States Power Co 95/07/05 Document Control Branch (Document Control Desk) 2pp 84656 185-84656 229

9507100388 LAR to licensee DPR-22, advising TS to extend surveillance test intervals & allowable out-of-svc times for selected instrumentation
HILL, W.J. Northern States Power Co 95/07/05 10pp 84656 185-84656 194

9507100390 Proposed tech specs extending surveillance test intervals & allowable out-of-svc times for selected instrumentation
* Northern States Power Co 95/07/05 85pp 84656 195-84656 229

9507120317 Forwards notice of 950515 withdrawal of 940126 application for amend to license modifying TS re MSIV leak rate test, Notice filed w/Ofc of FR for publication
KIM, T.J. 95/07/05 ANDERSON, R.O. Northern States Power Co 2pp 84631 301-84631 304

9507120321 Notice of 950515 withdrawal of 940126 application for amend to license modifying TS re MSIV leak rate test
KIM, T.J. 95/07/05 2pp 84631 303-84631 304

9507120346 Forwards amend 93 to license DPR-22 & safety evaluation Amend increases max core spray pump flow to more conservatively account for ECCS bypass leakage paths & makes editorial & administrative changes to sections of TS
KIM, T.J. 95/07/12 ANDERSON, R.O. Northern States Power Co 3pp 84728 128-84728 151

9507120351 Amend 93 to license DPR-22, increasing min core spray pump flow to more conservatively account for ECCS bypass leakage sections of TS Changes to TS and
HANNON, J.N. 95/07/12 15pp 84728 128-84728 143

9507120355 Safety evaluation supporting amend 93 to license DPR-22
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/12 3pp 84728 144-84728 151

Q. Inspection reports, IE Bulletins & correspondence

9507120352 Fourth partial response to FOIA request for documents Records in App D & E will be made available in APP App F records will be withheld in entirety or in part (ref FOIA exemption 3)
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714) 95/02/10 KATZ, D. Citizens Awareness Network 3pp 84683 079-84683 121

9507120358 Partially withheld notice of violation & proposed imposition of civil penalty from insp on 950511-15 Violation noted on 950622 drywell & degraded barriers of 4KV switchgear room were not positioned to positively control access to areas
DAVIS, A.B. Region 3 (Post 820201) 95/11/29 31pp 84823 021-84823 121

9507120381 Forwards insp rept 50-263/95-06 on 950510-0623 No violations noted
PHILLIPS, M.P. Region 3 (Post 820201) 95/07/07 WATZLE, Northern States Power Co 4pp 84781 318-84781 337

9507120388 Insp rept 50-263/95-06 on 950510-0623 No violations noted Major areas inspected operations, engineering, plant & plant support
PHILLIPS, M.P. Region 3 (Post 820201) 95/07/07 16pp 84781 322-84781 337

R. Periodic operating reports & related correspondence

9507200443 Monthly operating rept for June 1995 for Monticello Nuclear Generating Station W/950713 in
PAUSTIAN, H.H., ANDERSON, R.O. Northern States Power Co 95/06/30 5pp 84789 314-84789 314

S. Reportable occurrences, LERs & related correspondence

9507140333 LER 95-005-00 on 950610, drain valve not fully re-closed during surveillance of SJAE OG PM chamber rendering both SJAE PMs inoperable Caused by personnel/cognitive error Training provided & procedure changed W/950707 in
PARKER, T., HILL, W.J. Northern States Power Co 95/07/07 6pp 84729 119-84729 124

9507210322 Part 21 rept re potential defect in Limbique S46/SB/SBD-00 actuators/Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related svcs
MYLTON, C.L. Limbique Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 169-84815 198

V. Operator Examinations

9507120806 Informs that NRC plans to administer general fundamentals exam section of written operator licensing exam on 951003
RING, A.L. Region 3 (Post 820201) 95/07/24 LACROIX, D.G. Consumers Power Co 352ERT, R.D. Wisconsin Electric Power Co WALKER, W.P. Northern States Power Co 3pp 84919 021-84919 023

DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

- 9507250141 Revised Maps for Corporate EPIPs from CEPP-3000 Series including rev 2 to Quad Cities Map rev 1 to Dresden Map & revised 3000 Series Table of Contents w/ two overseas drawings.
* Commonwealth Edison Co. 95/06/02. 3pp. 84871:095-84871:335.
- 9507250304 Subjects modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101.
VONK, M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84868:336-84868:355.
- 9507250306 Revised EPIPs, including Rev 25 to CEP 150-0 & Interm Procedure 975.
* Commonwealth Edison Co. 95/05/20. 3pp. 84861:038-84861:106.
- 9507250556 Revised EPIPs, including rev 19 to CEP 100-Q, rev 6 to CEP 100-T2, rev 29 to CEP 110-Q, rev 10 to CEP 110-S1, rev 6 to CEP 110-S2, rev 8 to CEP 110-S3, rev 26 to CEP 150-Q, rev 4 to CEP 150-T8, rev 4 to CEP 150-T8 & rev 4 to CEP 150-T10.
* Commonwealth Edison Co. 95/07/08. 28pp. 84881:272-84881:288.
- 9507250458 Revised EPIPs, including Rev 12 to CEP 178-0, "Chemistry Director Procedures," Rev 5 to CEP 173-T3, "Post-Accident Sampling Procedures List" & Rev 4 to CEP 175-T4, "Post-Accident Sampling Analysis Procedures List".
* Commonwealth Edison Co. 95/07/12. 3pp. 84786:027-84786:035.
- 9507250049 Revised EPIPs, including rev 17 to CEP 140-Q, rev 9 to CEP 140-S1, rev 3 to CEP 140-S6, rev 27 to CEP 150-Q, rev 7 to CEP 150-S5, rev 25 to CEP 730-0 & rev 11 to CEP 730-T4.
* Commonwealth Edison Co. 95/07/14. 28pp. 84815:253-84815:280.
- 9507250088 Ack receipt of 950606 FEMA letter transmitting findings for offsite emergency preparedness aspects of plant 940727 exercise.
DREED, L.R. Region 3 (Post 626201). 95/07/14. KRAFT, J. Commonwealth Edison Co. 2pp. 84795:001-84795:001.
- 9507250002 Forwards final report for 940727 full-participation plane exposure pathway exercise. No deficiencies noted. Five ARCA's noted.
HEPLER, O.M. Federal Emergency Management Agency. 95/06/09. 9PE99ARD, R.L. 2pp. 84795:003-84795:004.
- 9507250079 "Radiological Emergency Preparedness Exercise Evaluation Report."
* Federal Emergency Management Agency. 95/05/02. 77pp. 84795:005-84795:061.
- 9507250111 Forwards unaltered EP EALs.
VONK, M.J. Commonwealth Edison Co. 95/07/16. Document Control Branch (Document Control Desk). 200pp. 84825:001-84825:200.
- 9507240458 Submits supplementary responses to Comm Ed 950606 response to NRC 950602 RAI re proposed use of Composite EDF as interim EDF.
JOHNSON, J.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 641001). 2pp. 84816:336-84816:337.
- 9507210045 Forwards EA & FONSI re 950621 request for exemption. Exemption would allow use of hand geometry biometric sys to control unescorted access into protected areas of Quad Cities in conjunction w/ photograph identification badges.
PULSIFER, R.M. 95/07/25. FARRAR, D.L. Commonwealth Edison Co. 2pp. 84868:328-84868:334.
- 9507210051 Environ assessment & finding of no significant impact re licensed request for exemption did 950621 re hand biometric sys of site access control.
PULSIFER, R.M. 95/07/25. 3pp. 84868:330-84868:334.

F. Operating license stage documents & correspondence

- 9507240231 Forwards safety assessment for reactor recalculation piping, in response to NRC 940707 telcon RAI.
PIET, P.L. Commonwealth Edison Co. 94/07/12. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 670411). 22pp. 84845:302-84845:323.
- 9507180657 Forwards "Shroud Repair Program For Quad Cities Unit 2." GENE-771-111-0895 & GENE-771-111-0695, Rev 0.
SCHRAGE, J.L. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 24pp. 84869:315-84869:345.
- 9507100665 Rev 0 to "Shroud Repair Program For Quad Cities Unit 2, Shroud Head Contact On Upper Support."
JAHAMANY, POTTER, R.M. SVARNEY, N. Commonwealth Edison Co. GENE-771-111-0895 R0. 95/06/15. 4pp. 84869:337-84869:340.
- 9507100670 Rev 0 to "Shroud Repair Program For Quad Cities Unit 2, Shroud Head Contact On Upper Support."
JAHAMANY, POTTER, R.M. SVARNEY, N. Commonwealth Edison Co. GENE-771-111-0895 R0. 95/06/15. 4pp. 84869:341-84869:345.
- 9507050485 Informs that 950606-07 NRC senior managers met to evaluate nuclear safety performance of operating reactors, fuel facilities & other nuclear businesses.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/20. O'DONNOR, L.J. Commonwealth Edison Co. 5pp. 84530:244-84530:248.
- 9507060384 Forwards amendments 136, 130, 157 & 153 to licenses DPR-18, DPR-25, DPR-29 & DPR-30 & safety evaluation. Amendments respond to licensee application did 950218 re TS Upgrade program for plants.
STANG, J.F. 95/06/23. FARRAR, D.L. Commonwealth Edison Co. 3pp. 84531:186-84531:225.
- 9507060814 Amends 136, 130, 157 & 153 to licenses DPR-18, DPR-25, DPR-29 & DPR-30 respectively, responding to licensee application did 950218 re TS Upgrade program for plants.
STANG, J.F. 95/06/23. 48pp. 84531:191-84531:238.
- 9507060328 Safety evaluation supporting amends 136, 130, 157 & 153 to licenses DPR-18, DPR-25, DPR-29 & DPR-30 respectively.
* 95/06/23. 18pp. 84531:229-84531:255.

- 9507030145 Forwards detailed safety assessment discussing calculational methodologies used in evaluating impact of inadvertent loading.
SCHRAGE, J.L. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 6pp. 84560:252-84560:304.
- 9507030154 "Reactor Bldg Crane & Cask Yoke Assembly Mods."
* Commonwealth Edison Co. 94/10/31. 7pp. 84860:296-84860:304.
- 9507080285 Forwards order approving transfer of license of plant to MidAmerican Energy Co. in response to 841121 to PULSIFER, R.M. 95/06/28. FARRAR, D.L. Commonwealth Edison Co. SHELTON, S.E. Iowa, Illinois Gas & Electric. 3pp. 84533:341-84533:356.
- 9507080276 Order approving transfer of license & notice of consideration of proposed issuance of associated amends, proposed NSIC determination & opportunity for hearing.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 641001). 95/06/28. Commonwealth Edison Co. 12pp. 84533:344-84533:356.
- 9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIFFIN, R.K. 95/06/28. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.
- 9506040255 Notifies that Comm Ed completed GL 85-10 MOV testing activities for Quad-Cities Station Unit 2 on 950617.
SCHRAGE, J.L. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84517:097-84517:097.
- 9506040338 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NPSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR.
BENES, G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84532:315-84532:315.
- 9506040338 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NPSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR.
BENES, G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84532:315-84532:315.
- 9507070041 Forwards Rev 0 to Licensing Topical Rept (LTR) NPSR-0111, "BWR Transient Analysis Methods." Requests NRC approval of LTR by issuance of GER prior to June of 1996.
BENES, G.G. Commonwealth Edison Co. 95/06/26. Document Control Branch (Document Control Desk). 1p. 84599:002-84599:002.
- 9507070053 "BWR Transient Analysis Methods."
FREEMAN, J.M. Commonwealth Edison Co. NPSR-0111 R00. 95/06/23. 200pp. 84599:003-84599:257.
- 9507180177 Forwards addl info requested re TS upgrade program for Dresden Units 2 & 3 & Quad Cities Units 1 & 2.
PIET, P.L. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 96pp. 84865:232-84865:008.
- 9507100182 Proposed tech specs re TS upgrade program for Dresden Units 2 & 3 & Quad Cities Units 1 & 2.
* Commonwealth Edison Co. 95/06/30. 73pp. 84865:288-84865:008.
- 9507110294 Forwards listed correspondences from LaSalle, Lamb, Greene & MacRae supporting expected review of proposal to transfer license W/o end.
PULSIFER, R.M. 95/07/08. CAPRAR, A. 1p. 84516:328-84516:328.
- 9507110188 Forwards analysis using realistic assumptions as documented in ref R, did 950630. Results confirm & further validate uti conclusion that no permanent deformations nor gross yielding occurred as result of engagement.
SCHRAGE, J.L. Commonwealth Edison Co. 95/07/08. Document Control Branch (Document Control Desk). 2pp. 84894:143-84894:160.
- 9507110183 "Quad Cities Unit 2 Shroud Head Contact on Upper Support."
SCHRAGE, J.L., DEBOO, G. Commonwealth Edison Co. 95/06/04. R00. 95/07/03. 16pp. 84894:145-84894:160.
- 9507170007 Requests inclusion of and listed technical corrections into subsequent revs to SE re core shroud repair.
SCHRAGE, J.L. Commonwealth Edison Co. 95/07/10. Document Control Branch (Document Control Desk). 2pp. 84755:358-84755:357.
- 9507130098 Ack receipt for 10CFR50.54(a) submittal did 950517, incorporating changes in QA program description topical rept.
RANKIN, A. Region 3 (Post 626201). 95/07/11. KOVACH, T.J. Commonwealth Edison Co. 2pp. 84732:312-84732:312.
- 9507240481 Application for amends to licenses DPR-18, DPR-25, DPR-29 & DPR-30 reflecting uti efforts to upgrade existing TS Sections 3.0, "Definitions," Section 3/4.0, "Applicability," & Section 3/4.3, "Reactivity Controls."
SCHRAGE, J.L. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 5pp. 84824:121-84824:136.
- 9507240486 Proposed tech specs reflecting uti efforts to upgrade existing TS Sections 1.0, "Definitions," Section 3/4.0, "Applicability," & Section 3/4.3, "Reactivity Controls."
* Commonwealth Edison Co. 95/07/19. 15pp. 84824:124-84824:136.
- 9507240486 Forwards responses to NRC 950222 RAI re uti TS upgrade program section 3/4.7, "Containment Sys." submitted by uti on 950517. Marked-up outline TS pages & marked-up ENR/4 STS pages also encl.
PIET, P.L. Commonwealth Edison Co. 95/07/20. Document Control Branch (Document Control Desk). 170pp. 84823:001-84823:173.
- 9507240474 Marked-up TS, consisting of cross-ref between current TS requirements & cross-ref between ENR/4 STS requirements & requirements proposed in TS upgrade program 3/4.7.
* Commonwealth Edison Co. 95/07/20. 91pp. 84823:083-84823:173.

32 DOCKETED ITEMS

9507290812 Requests that ref GE Jr rpt be considered for Cost Beneficial Licensing Action Mitigated fuel bundle event will most likely become most limiting event on upcoming cycles if cycle lengths increased.
BENES,G.G. Commonwealth Edison Co. 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84829-333-84829-334

D. Inspection reports, IE Bulletins & correspondence

9507190828 Comment on "NRC Insp Repts, Review of Contents, Format & Style." Quality factors should be applied to maps which mirror performance based regulatory goals.
FARRAR,D.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84557-063-84557-073

9507120907 Provides rev to original response to notice of violation dtd 941229 from insp repts 50-254/94-20 & 50-265/94-20
PEARCE,L.W. Commonwealth Edison Co. 95/07/06. Document Control Branch (Document Control Desk). 1p. 84851255-84851255.

9507180867 Forwards insp repts 50-254/95-04 & 50-265/95-04 on 950421-0602 & NOV.
HILAND,P.L. Region 3 (Post 820201). 95/07/08. KRAFT,E. Commonwealth Edison Co. 3pp. 84776-201-84776-232

9507180899 Notice of violation from insp on 950421-0602 Violation noted on 950414, checklists had not been completed to document qualification of NDE contractor performing UT insp of core shroud vertical welds.
* Region 3 (Post 820201). 95/07/06. 2pp. 84776-204-84776-206

9507180899 Insp repts 50-254/95-04 & 50-265/95-04 on 950421-0602 No violations noted. Major areas inspected: operations, maint, surveillance, engineering & technical support, plant support & about resolution.
HILAND,P.L. Region 3 (Post 820201). 95/07/06. 25pp. 84776-207-84776-232

9507170894 Forwards Rev 0 of Relief Request CR-15 re plant Unit 2 third ten year interval insp Proposed request provides alternate provisions for bolted connections.
SCHWABE,J.L. Commonwealth Edison Co. 95/07/07. Document Control Branch (Document Control Desk). 4pp. 84772-355-84772-358

9507190284 Forwards SE of third 10-year interval instance insp request for relief CR-15 Alternative contained in request for relief authorized
CAPRA,R.A. 95/07/12. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84729-010-84729-015

9507190284 Safety evaluation supporting alternative contained in third 10-yr ISI request for relief CR-15
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/12. 4pp. 84729-012-84729-015

R. Periodic operating reports & related correspondence

9507190334 Monthly operating repts for June 1995 for Quad Cities Nuclear Station Units 1 & 2 W/950710 re.
MOORE,J.K. PEARCE,L.W. Commonwealth Edison Co. 95/06/30. 21pp. 84790-132-84790-153

V. Operator Examinations

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003
RINGS,M.A. Region 3 (Post 820201). 95/07/24. LAOROU,D.G. Consultant Power Co. 3pp. 84919-021-84919-023

DOCKET 90-286 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507050383 Forwards public & central file versions of revised EPIPs. Central file version of revised EPIPs withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/06/02. Document Control Branch (Document Control Desk). 1p. 84568-089-84568-135

9507050387 Public version of revised EPIPs, including Rev 30 to EPIP index, Rev 27 to EPIP 1.1, Rev 26 to EPIP 1.2 & Rev 4 to EPIP 12.1
* Wisconsin Electric Power Co. 95/06/02. 45pp. 84568-090-84568-135.

9507050387 Forwards public & central file versions of revised EPIPs. Central file version of revised EPIPs withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/06/29. Document Control Branch (Document Control Desk). 1p. 84568-091-84568-087.

9507050407 Public version of revised EPIPs, including Rev 31 to EPIP index, Rev 25 to EPIP form index, Rev 11 to EPIP 6.1, EPIP 6.50 dtd 950629, Rev 17 to EPIP-22, Rev 16 to EPIP-23, Rev 15 to EPIP-25 & Rev 14 to EPIP-26.
* Wisconsin Electric Power Co. 95/06/28. 84pp. 84563-002-84563-087

9507050449 Forwards Rev 0 to "Point Beach Nuclear Plant Emergency Action Level Technical Basis Document."
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/06/29. Document Control Branch (Document Control Desk). 6pp. 84561-191-84561-210.

9507050447 Rev 0 to "Point Beach Nuclear Plant Emergency Action Technical Basis Document."
* Wisconsin Electric Power Co. 95/06/02. 112pp. 84561-199-84561-210.

9507190175 Forwards EA & finding of no significant impact re application dtd 940604. Exemption allows three new cable trays installed as part of DG addition project to remain in place in auxiliary FW pump fire area.
HANSEN,A.G. 95/07/03. LINK,R.E. Wisconsin Electric Power Co. 3pp. 84516-333-84516-340

9507190184 Environmental assessment & finding of no significant impact re allowance of three new cable trays installed as part of DG addition project, to remain in place in auxiliary FW pump fire area.
PICKETT,D.V. 95/07/03. 5pp. 84516-335-84516-340

9507250604 Comment on proposed 10CFR50.54(a) re process for changes to security plans w/o prior NRC approval Supports proposed clarification of language in 10CFR50.54(a)
KRIEGER,G.M. Wisconsin Electric Power Co. 95/07/11. NRC - No Detailed Affirmation Given. 2pp. 84787-005-84787-006

9507190214 Forwards exemption from requirements of Section III.G.2.b of App R to 10CFR50, allowing intervening combustibles in form of cable fill in three cable trays to remain installed in APW pump fire area.
HANSEN,A.G. 95/07/18. LINK,R.E. Wisconsin Electric Power Co. 3pp. 84788-330-84788-341

9507190220 Exemption from requirements of Section III.G.2.b of App R to 10CFR50, allowing intervening combustibles in form of cable fill in three cable trays to remain installed in APW pump fire area.
ROE,J.W. 95/07/18. Wisconsin Electric Power Co. 3pp. 84788-333-84788-341

K. Utility Plant Safety Analysis Report (PSAR) & amendments

9507120021 Updated PSAR for Point Beach Units 1 & 2 W/950830 re.
KRIEGER,G.M. Wisconsin Electric Power Co. 95/06/30. 330pp. 84689-001-84689-230

P. Operating license stage documents & correspondence

9504280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/28. Consolidated Edison Co. of New York, Inc. 10pp. 84516-259-84516-268

9507250438 Forwards "Point Beach Nuclear Plant IPE of External Events for Severe Accident Vulnerabilities." per GL 88-20, Suppl 4 & NUREG-1407
LINK,R.E. Wisconsin Electric Power Co. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84562-001-84562-125

9507050431 "Point Beach Nuclear Plant IPE of External Events for Severe Accident Vulnerabilities."
* Wisconsin Electric Power Co. 95/06/30. 48pp. 84562-003-84562-126

9507190175 Forwards EA & finding of no significant impact re application dtd 940604. Exemption allows three new cable trays installed as part of DG addition project to remain in place in auxiliary FW pump fire area.
HANSEN,A.G. 95/07/03. LINK,R.E. Wisconsin Electric Power Co. 3pp. 84516-333-84516-340

9507190184 Environmental assessment & finding of no significant impact re allowance of three new cable trays installed as part of DG addition project, to remain in place in auxiliary FW pump fire area.
PICKETT,D.V. 95/07/03. 5pp. 84516-335-84516-340

9507120128 Forwards amendments 162 & 166 to licenses DPR-24 & DPR-27, respectively & safety evaluation. Amendments modify TS Section 15.6.3, "Review & Audit" & Section 15.7.8, "Administrative Controls."
HANSEN,A.G. 95/07/06. LINK,R.E. Wisconsin Electric Power Co. 3pp. 84612-335-84612-336

9507120131 Amendments 162 & 166 to licenses DPR-24 & DPR-27, respectively, modifying TS Section 15.6.5, "Review & Audit" & TS Section 15.7.8, "Administrative Controls."
HANSEN,A.G. 95/07/05. 15pp. 84612-339-84612-353

9507120139 Safety evaluation supporting amendments 162 & 166 to licenses DPR-24 & DPR-27, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/05. 3pp. 84612-354-84612-356

9507190214 Forwards exemption from requirements of Section III.G.2.b of App R to 10CFR50, allowing intervening combustibles in form of cable fill in three cable trays to remain installed in APW pump fire area.
HANSEN,A.G. 95/07/18. LINK,R.E. Wisconsin Electric Power Co. 3pp. 84788-330-84788-341

9507190226 Exemption from requirements of Section III.G.2.b of App R to 10CFR50, allowing intervening combustibles in form of cable fill in three cable trays to remain installed in APW pump fire area.
ROE,J.W. 95/07/18. Wisconsin Electric Power Co. 3pp. 84788-333-84788-341

9507240235 Forwards requests for relief associated w/ third ASME Section XI pressure test program.
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/07/19. Document Control Branch (Document Control Desk). 5pp. 84824-310-84824-314

9507250112 Forwards "Four-YR Performance Test Rept."
KRIEGER,G.M. Wisconsin Electric Power Co. 95/07/19. Document Control Branch (Document Control Desk). 1p. 84828-275-84828-288

9507250171 "Four-YR Performance Test Rept."
* Wisconsin Electric Power Co. 95/07/19. 13pp. 84828-276-84828-288

G. Inspection reports, IE Bulletins & correspondence

9507140841 Confirms requalification program insp at plant during wk of 950811, per bulletin w/F Corvick & J Hansen Requests operating tests by 950828, per 10CFR55.59(c).
RINGS,M.A. Region 3 (Post 820201). 95/07/07. LINK,R. Wisconsin Electric Power Co. 2pp. 84625-195-84625-196

9507100073 Forwards insp repts 50-266/95-06 & 50-301/95-06 on 950606-0616 No violations noted
FARBER, M.J. Region 3 (Post 820201) 95/07/10 LINK, R Wisconsin Electric Power Co 2pp 84780 344-84780 357

9507100074 Insp repts 50-266/95-06 & 50-301/95-06 on 950606-0616 No violations noted Major areas inspected operations, engineering, maintenance & plant support.
FARBER, M.J. Region 3 (Post 820201) 95/07/10 12pp 84780 344-84780 357

9507100010 Responds to NRC 950619 letter violations noted in insp repts 50-266/95-06 & 50-301/95-06 on 950611-0606 Corrective actions LOV protection declared inoperable & TS 153.0 entered & load decrease commenced
LINK, R Wisconsin Electric Power Co 95/07/12 Document Control Branch (Document Control Desk) 3pp 84785 201-84785 206

9507100010 Forwards insp repts 50-266/95-07 & 50-301/95-07 on 950619-23 No violations noted
JACOBSON, J.M. Region 3 (Post 820201) 95/07/13 LINK, R Wisconsin Electric Power Co 2pp 84711 008-84711 018

9507100015 Insp repts 50-266/95-07 & 50-301/95-07 on 950619-23 No violations noted Major areas inspected licensee responses to GL 88-10, "Safety-Related MOV Testing & Surveillance," & licensee self-assessment in this area.
BURGESS, S.D., GUZMAN, J.G., PEGS, W.D. Region 3 (Post 820201) 95/07/12 3pp 84711 010-84711 018

R. Periodic operating reports & related correspondence

9507100064 Monthly operating repts for June 1996 for Port Beach Units 1 & 2 W/
950706 1p
KOUDELKA, M.B., MAXFIELD, G.J. Wisconsin Electric Power Co 95/06/30 3pp 84681 253-84681 271

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 repts re potential defect in Limitorque SMB/38/380-00 actuators Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related tests.
MYLTON, C.L. Limitorque Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 188-84815 188

V. Operator Examinations

9507100041 Confirms requalification program insp at plant during wk of 950911, per telcon w/F. Corcoran & J. Hansen Requests operating tests by 950828, per 10CFR55.64(c)
RINGS, M.A. Region 3 (Post 820201) 95/07/07 LINK, R Wisconsin Electric Power Co 2pp 84828 196-84828 196

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003
RINGS, M.A. Region 3 (Post 820201) 95/07/24 LACROIX, D.G. Consumers Power Co 3pp 84918 021-84918 023

Y. Dry Cask Independent Spent Fuel Storage Installations

950720134 Informs that NRC continues to believe that requirement applicable for licensee that proposes to store spent nuclear fuel in ISFSI under license issued in Subpart K of 10CFR72
HANSEN, L.G. 95/07/14 LINK, R Wisconsin Electric Power Co 4pp 84752 330-84752 333

9507201125 Discusses ISFSI preoperational testing & forwards summary of results of load testing of MGB transfer cask.
LINK, R Wisconsin Electric Power Co 95/07/21 Document Control Branch (Document Control Desk) 3pp 84875 173-84875 175

DOCKET 50-287 PORT ST. VRAIN NUCLEAR GENERATING STATION

S. Reportable occurrences, LERs & related correspondence

9507210323 Part 21 repts re potential defect in Limitorque SMB/38/380-00 actuators Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related tests.
MYLTON, C.L. Limitorque Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 188-84815 188

W. Decommissioning Stage Documents & Correspondence

9507100253 Second partial response to FOIA request for records re Ft St Vrain App C records available in PDR
PUGH, L.L. Division of Freedom of Information & Publications Services (Post 840714) 95/07/24 KATZ, D. Citizens Awareness Network 2pp 84723 331-84723 334

9507060185 Submits proposed revisions to criteria for classification & investigation of first radiological safety areas.
FISHER, M.J. Public Service Co of Colorado 95/06/28 WEBER, M.F. Decommissioning & Regulatory Issues Branch (Post 901230) 14pp 84561 263-84561 276

9506200082 Rev 1 to NRC Administrative Ltr 94-18 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84518 259-84518 266

9507270119 Forwards amend 88 to license DFR-34 & safety evaluation Amend revises PSV OTS to reflect recent organizational changes resulting from corporate restructuring to prepare for repowering site w/natural gas-power turbines
PITTLIGLO, C.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/06/30 CRAWFORD, A.C. Public Service Co of Colorado 2pp 84851 243-84851 256

9507270120 Amend 88 to license DFR-34 revising PSV OTS to reflect recent organizational changes resulting from corporate restructuring to prepare for repowering site w/natural gas-power turbines & to incorporate editorial changes.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/06/30 15pp 84851 243-84851 253

9507270121 Safety evaluation supporting amend 88 to license DFR-34
* Office of Nuclear Reactor Regulation (Post 941001) 95/06/30 3pp 84851 264-84851 266

9507270052 Informs of approval of "Final Survey Plan for Repower Area" for plant
PITTLIGLO, C.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/07/17 CRAWFORD, A.C. Public Service Co of Colorado 3pp 84854 358-84854 361

9507270181 Address of approval of 950623 submitted entitled, "Final Survey Plan for Site Release, Proposed Mod to Classification & Investigation Criteria"
PITTLIGLO, C.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/07/17 CRAWFORD, A.C. Public Service Co of Colorado 1p 84874 098-84874 096

Y. Dry Cask Independent Spent Fuel Storage Installations

9507100043 Discusses info re amend to license SNM-2504 for ISFSI which would permit repowering Fort St Vrain site w/natural gas-fired combustion turbines & heat recovery SGR
FISHER, M.J. Public Service Co of Colorado 95/07/12 STURZ, F.C. Source Containment & Devices Branch (Post 911213) 2pp 84768 358-84768 360

9507200268 Requests that NRC review & approve proposed rev to plant "ISFSI Operational Quality Program" & change to QA program re radioactive material packages 0346
FISHER, M.J. Public Service Co of Colorado 95/07/18 Office of Nuclear Material Safety & Safeguards 2pp 84835 331-84835 334

9507200268 "ISFSI Operational Quality Program"
* Public Service Co of Colorado 95/07/13 21pp 84835 333-84835 354

9507310258 Forwards proposed amend to ISFSI TS Changes involve membership of ISFSI Safety Review Committee & reflect organization that will use for long term operation & maint of ISFSI, as described in Ltr 950719
CRAWFORD, A.C. Public Service Co of Colorado 95/07/21 TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards 2pp 84918 008-84918 020

9507310262 Application for amend to license SNM-2504, revising TS re membership of ISFSI Safety Review Committee, reflecting organization that will use for long term operation & maint of ISFSI & deleting ref to PSV 10CFR50 POL
CRAWFORD, A.C. Public Service Co of Colorado 95/07/21 3pp 84918 011-84918 013

9507310152 Proposed tech spec, involving membership of ISFSI Safety Review Committee, reflecting organization that will use for long term operation & maint of ISFSI & deleting ref to PSV 10CFR50 POL
* Public Service Co of Colorado 95/07/21 7pp 84919 014-84919 020

DOCKET 50-268 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507070165 Forwards rev 1 to Duke Power Co Nuclear Security & Contingency Plan, per 10CFR50.54(p) End withheld
TUCKMAN, M.S. Duke Power Co 95/06/27 Document Control Branch (Document Control Desk) 2pp 84622 343-84622 344

9507170008 Rev 95-05 to Vol B, "Oconee Nuclear Site EIPs" W/950711 Ltr
FOSTER, W.W., HAMPTON, J.W. Duke Power Co 95/07/11 35pp 84756 320-84756 355

K. Utility Final Safety Analysis Report (FSAR) & amendments

9507060061 "Oconee Nuclear Station FSAR 1964 Update" W/950630 Ltr
HAMPTON, J.W. Duke Power Co 94/12/31 1,078pp 84580 001-84580 350

P. Operating license stage documents & correspondence

9507030185 Informs that add'l audit not necessary to accept util use of revised CROV code Proposed changes to Administrative Controls section of each plant TS must be submitted in order to include util use of revised code as methodology
BERKOWITZ, N. 95/06/18 TUCKMAN, M.S. Duke Power Co 4pp 84511 281-84511 284

9507030258 Commits to complete fatigue analysis for RCS attached piping out to first isolation valve by 950831 Schedule for completion of fatigue analysis will be developed by 950301
HAMPTON, J.W. Duke Power Co 95/06/26 Document Control Branch (Document Control Desk) 2pp 84561 185-84561 186

9507060264 Forwards util responses to GL 95-03 re circumferential cracking of SG tubes
TUCKMAN, M.S. Duke Power Co 95/06/27 Document Control Branch (Document Control Desk) 14pp 84570 116-84570 129

9507120028 Discusses 950620 meeting w/representatives from Oconee Engineering Dept in Atlanta re overview of engineering sciences at site W/ list of attendees & handout.
CASTO, C.A. Region 2 (Post 820201) 95/06/28 HAMPTON, J.W. Duke Power Co 27pp 84574 221-84574 247

34 DOCKETED ITEMS

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B K 95/06/29 Consolidated Edison Co of New York, Inc 10pp
84518 259-84518 258

9507110096 Advances NRC that review of Oconee Nuclear Station mode indicates that LPSW flow instrumentation mode have been completed
HAMPTON, J W Duke Power Co 95/06/29 Document Control Branch (Document Control Desk) 3pp 84696 136-84696 137

9507240112 Application for amends to licensee DPR-38, DPR-47, DPR-55, NPF-9, NPF-17, NPF-35 & NPF-52 re mgt positions authorized to approve such items as procedures & procedure changes, station mode, TS amends & reportable events
TUCKMAN, M S Duke Power Co 95/06/29 Document Control Branch (Document Control Desk) 3pp 84796 287-84796 352

-9507240118 Proposed tech specs re mgt positions authorized to approve such items as procedures & procedure changes, station mode, TS amends & reportable events
* Duke Power Co 95/06/29 3pp 84796 292-84796 298

-9507240123 "DPC TR QA Program"
* Duke Power Co 95/06/29 3pp 84796 297-84796 352

9507148447 Forwards "Oconee Nuclear Station Knowledge Reliability Analysis Duke Power Co," Vol 1-3
HAMPTON, J W Duke Power Co 95/07/08 Document Control Branch (Document Control Desk) 2pp 84740 001-84745 942

-9507148448 "Oconee Nuclear Station Knowledge Reliability Analysis Duke Power Co," Vol 1-3
* Duke Power Co 95/06/30 2,150pp 84740 003-84745 342

9507148012 Informs that staff agrees that completion of analyses by 950631, commensurate w/safety benefits gained & acceptable Schedule for performance of fatigue analysis to be developed by 950631
WIENS, L A 95/07/10 HAMPTON, J W Duke Power Co 4pp 84882 145-84882 145

9507179064 Provides suppl response to plant QA-1 licensing bases & GL 83-26, Section 2.2.1 support 1
HAMPTON, J W Duke Power Co 95/07/10 Document Control Branch (Document Control Desk) 5pp 84755 213-84755 218

9507179135 Modifies commitment made in 950404 suppl response 4 to GL 83-13
HAMPTON, J W Duke Power Co 95/07/12 Document Control Branch (Document Control Desk) 2pp 84755 129-84755 121

9507240031 Discusses unit attention to perform mod to increase LPSW discharge line & consequent effluent monitoring requirement
HAMPTON, J W Duke Power Co 95/07/17 Document Control Branch (Document Control Desk) 3pp 84819 347-84819 349

9507240451 Notification of 950615 meeting w/ul in Rockville, MD to discuss proposed methodology for re-analysis of FSAR Chapter 15 non-LOCA accidents & status of MK B11 fuel assembly development program and status of Duke TR Agenda and
WIENS, L A 95/07/19 BERKOW, H N 3pp 84815 238-84815 242

Q. Inspection reports, IE Bulletins & correspondence

9507120071 Forwards insp repts 50-269/95-09, 50-270/95-09 & 50-287/95-09 on 950430-0527 & mode of detection
CRILENIAK, R V Region 2 (Post 820201) 95/06/21 HAMPTON, J W Duke Power Co 3pp 84575 194-84575 218

-9507120077 Notice of detection from insp on 950430-0527 Operation notational initial operation, Channel "A" & "B" solenoid valves which operated MSSVs were not safety-related
* Region 2 (Post 820201) 95/06/21 1p 84575 197-84575 197

-9507120082 Insp repts 50-269/95-09, 50-270/95-09 & 50-287/95-09 on 950430-0527 Deviations noted Major areas inspected Plant operations, surveillance testing, maintenance activities, outage engineering & technical assistance & plant support
HAMPTON, J W Duke Power Co 95/06/21 22pp 84575 198-84575 218

9507148918 Ack receipt of 950623 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/95-08, 50-270/95-08 & 50-287/95-08
CRILENIAK, R V Region 2 (Post 820201) 95/06/29 HAMPTON, J W Duke Power Co 3pp 84751 152-84751 154

9507120305 Responds to ltr of 950614, accepting delay in implementation schedule for plant unit EOC-16 outage (start Nov 1995) re IE Bulletin 80-04
WIENS, L A 95/06/30 HAMPTON, J W Duke Power Co 3pp 84631 278-84631 280

9507280027 Forwards insp repts 50-269/95-11, 50-270/95-11 & 50-287/95-11 on 950625-0824 & NOV
CRILENIAK, R V Region 2 (Post 820201) 95/07/12 HAMPTON, J W Duke Power Co 3pp 84800 309-84800 330

-9507280031 Notice of violation from insp on 950626-0824 Violation noted on 950626, licensee identified problems requiring operability evaluation for three HPI sys containment isolation valves, but did not initiate PIP for problems
* Region 2 (Post 820201) 95/07/12 3pp 84800 312-84800 318

-9507280034 Insp repts 50-269/95-11, 50-270/95-11 & 50-287/95-11 on 950626-0824 Violations noted Major areas inspected plant operations, maintenance & surveillance testing, outage engineering & plant support
HAMPTON, J W Duke Power Co 95/07/12 17pp 84800 314-84800 330

9507208207 Ack receipt of 950615 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-31, 50-270/94-31 & 50-287/94-31 Advises that NRC will not initiate violation 2 as non-critical Add comments listed
GIBSON, A F Region 2 (Post 820201) 95/07/12 HAMPTON, J W Duke Power Co 2pp 84800 358-84800 358

9507240380 Forwards insp repts 50-269/95-10, 50-270/95-10 & 50-287/95-10 on 950605-15 No violations noted
CASTO, C A Region 2 (Post 820201) 95/07/14 HAMPTON, J W Duke Power Co 3pp 84824 088-84824 104

-9507240382 Insp repts 50-269/95-10, 50-270/95-10 & 50-287/95-10 on 950605-15 No violations noted Major areas inspected electrical design
RUDISAIL, S, SHYLOCK, M Region 2 (Post 820201) 95/07/12 16pp 84824 088-84824 104

9507280120 Forwards insp repts 50-269/95-13, 50-270/95-13 & 50-287/95-13 on 950618-23 No violations or deviations noted
BARR, K P Region 2 (Post 820201) 95/07/14 HAMPTON, J W Duke Power Co 3pp 84790 315-84790 324

-9507280123 Insp repts 50-269/95-13, 50-270/95-13 & 50-287/95-13 on 950618-23 No violations or deviations noted Major areas inspected secondary water chemistry, control room emergency ventilation sys & audits
JONES, D W, DECKER, T R Region 2 (Post 820201) 95/07/11 6pp 84789 318-84789 324

R. Periodic operating reports & related correspondence

9507080184 Forwards facility changes for 1994
HAMPTON, J W Duke Power Co 95/06/30 Document Control Branch (Document Control Desk) 6pp 84573 253-84573 329

9507118101 Informs that no 10CFR50.46 annual rept required, since no minor changes made to BAW EDCS model & no significant errors reported for period from Jan-Dec 1994
HAMPTON, J W Duke Power Co 95/06/30 Document Control Branch (Document Control Desk) 2pp 84695 007-84695 008

9507208044 Monthly operating repts for June 1995 for Oconee Nuclear Station Units 1, 2 & 3 W/950714 ltr
WILLIAMS, R A, WEBER, R L Duke Power Co 95/06/30 18pp 84795 339-84795 358

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Lintrorque SIMB/SB/SBD-06 actuators Condition dependent on individual licensee internal operating practices used with declining MOV operable for safety related sys
HYLTON, C L Lintrorque Corp 95/07/12 Document Control Branch (Document Control Desk) 33pp 84815 108-84815 188

9507200108 Forwards LER 93-001-02 re design deficiency resulting in technical inoperability of emergency power source due to postulated failure of Keowee Hydro Units
HAMPTON, J W Duke Power Co 95/07/13 Document Control Branch (Document Control Desk) 1p 84788 145-84788 154

-9507208104 LER 93-001-02on 930111, design deficiency resulted in technical inoperability of plant emergency power source due to postulated failure of Keowee hydro units Prohibited use of KH units for generation to sys grid
WILKEL, V Duke Power Co 95/07/13 3pp 84788 146-84788 154

Y. Dry Cask Independent Spent Fuel Storage Installations

9507120029 Forwards cover page of 1994 update to FSAR for Oconee (SFS)
HAMPTON, J W Duke Power Co 95/06/30 Office of Nuclear Material Safety & Safeguards 3pp 84881 300-84881 302

9507208004 Forwards CAL issued to VECTRA Technologies re standardized NUHOMS-24P dry shielded casks & transfer casks used w/FSFS
WIENS, L A 95/07/13 HAMPTON, J W Duke Power Co 3pp 84739 347-84739 352

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507070185 Forwards rev 1 to Duke Power Co Nuclear Security & Contingency Plan, per 10CFR50.54(p) End withheld
TUCKMAN, M S Duke Power Co 95/06/27 Document Control Branch (Document Control Desk) 2pp 84822 843-84822 344

9507170090 Rev 95-05 to Vol B, "Oconee Nuclear Site EPPs" W/950711 ltr
FOSTER, W W, HAMPTON, J W Duke Power Co 95/07/11 35pp 84788 320-84788 355

K. Utility Final Safety Analysis Report (FSAR) & amends

9507240061 "Oconee Nuclear Station FSAR 1994 Update" W/950630 ltr
HAMPTON, J W Duke Power Co 94/12/31 1,078pp 84590 001-84592 950

P. Operating license stage documents & correspondence

9507080186 Informs that add audit not necessary to accept util use of revised CROV code Proposed changes to Administrative Controls section of each plant TS must be submitted in order to include util use of revised code as methodology
BERKOW, H N 95/06/18 TUCKMAN, M S Duke Power Co 4pp 84511 281-84511 284

9507030055 Commits to complete fatigue analyses for RCS attached piping out to first isolation valve by 950631 Schedule for completion of fatigue analyses will be developed by 950631
HAMPTON, J W Duke Power Co 95/06/26 Document Control Branch (Document Control Desk) 2pp 84861 185-84861 195

9507050204 Forwards jtl response to GL 95-03 re circumferential cracking of SG tubes
TUCKMAN, M S Duke Power Co 95/06/27 Document Control Branch (Document Control Desk) 14pp 84570 115-84570 128

9507120025 Discusses 950620 meeting w/representatives from Oconee Engineering Dept in Atlanta re overview of engineering activities at site W/lot of attendees & handout
CASTO,C.A. Region 2 (Post 820201) 95/06/28 HAMPTON,J.W. Duke Power Co 2pp 84574 221-84574 247

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES,B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84518 259-84518 268

9507110098 Advises NRC that review of Oconee Nuclear Station mode indicates that LPSW flow instrumentation needs have been completed
HAMPTON,J.W. Duke Power Co 95/07/29 Document Control Branch (Document Control Desk) 3pp 84795 138-84795 137

9507240112 Application for amendments to licenses DPR-38,DPR-47 DPR-83, NPF-9,NPF-17,NPF-35 & NPF-52 re mgt positions authorized to approve such items as procedures & procedure changes,station mode,TS amendments & reportable events
TUCKERMAN,M.S. Duke Power Co 95/08/29 Document Control Branch (Document Control Desk) 3pp 84796 267-84796 352

9507240118 Proposed tech specs re mgt positions authorized to approve such items as procedures & procedure changes,station mode, TS amendments & reportable events
Duke Power Co 95/08/29 3pp 84796 292-84796 266

9507240123 "DPC TR QA Program"
Duke Power Co 95/08/29 5pp 84796 237-84796 352

9507140447 Forwards "Oconee Nuclear Station Keowee Reliability Analysis Duke Power Co" Vols 1-3
HAMPTON,J.W. Duke Power Co 95/07/08 Document Control Branch (Document Control Desk) 3pp 84740 001-84745 342

9507140448 "Oconee Nuclear Station Keowee Reliability Analysis Duke Power Co," Vol 1-3
Duke Power Co 95/08/30 2,180pp 84740 003-84745 342

9507140072 Informs that staff agrees that completion of analyses by 950831,common sense w/safety benefits gained & acceptable Schedule for performance of fatigue analyses to be developed by 950901
WIENS,L.A. 95/07/10 HAMPTON,J.W. Duke Power Co 4pp 84682 145-84682 148

9507170064 Provides suppl response to plant QA-1 licensing basis & GL 88-28,Section 2.1 subpart 1
HAMPTON,J.W. Duke Power Co 95/07/10 Document Control Branch (Document Control Desk) 4pp 84755 213-84755 219

9507170186 Modifies commitment made in 950404 suppl response 4 to GL 88-13
HAMPTON,J.W. Duke Power Co 95/07/12 Document Control Branch (Document Control Desk) 2pp 84753 120-84755 121

9507240031 Discusses w/attention to perform need to relocate LPSW discharge line & consequent effluent monitoring requirement
HAMPTON,J.W. Duke Power Co 95/07/17 Document Control Branch (Document Control Desk) 3pp 84619 347-84619 349

9507240451 Notification of 950615 meeting w/Id in Rockville,MD to discuss proposed methodology for re-analysis of FSAR Chapter 15 non-LOCA accidents & status of M&B B11 fuel assembly development program and status of Duke TR Agenda end
WIENS,L.A. 95/07/19 BERKOW,H.N. 6pp 84615 239-84615 242

G. Inspection reports, E. Bulletins & correspondence

9507120071 Forwards insp repts 50-269/95-08,50-270/95-08 & 50-287/95-09 on 950430-0527 & notice of deviation
CRILENIAK,R.V. Region 2 (Post 820201) 95/06/21 HAMPTON,J.W. Duke Power Co 3pp 84575 194-84575 219

9507120077 Notice of deviation from insp on 950430-0527 Deviation noted since initial operation,Channel "A" & "B" solenoid valves which operated MSSVs were not safety-related
Region 2 (Post 820201) 95/06/21 1p 84575 197-84575 197

9507120082 Insp repts 50-269/95-09,50-270/95-09 & 50-287/95-09 on 950430-0527 Deviations noted Major areas inspected plant operations,surveillance instrumentation activities,online engineering & technical assistance & plant support
HARMON,P.E., CRILENIAK,R.V. Region 2 (Post 820201) 95/06/21 23pp 84575 188-84575 213

9507140318 Ack receipt of 950623 re informing MRC of steps taken to correct violations noted in insp repts 50-269/95-08, 50-270/95-08 & 50-287/95-08
CRILENIAK,R.V. Region 2 (Post 820201) 95/06/29 HAMPTON,J.W. Duke Power Co 3pp 84761 152-84761 154

9507200027 Forwards insp repts 50-269/95-11,50-270/95-11 & 50-287/95-11 on 950528-0624 & NOV
CRILENIAK,R.V. Region 2 (Post 820201) 95/07/12 HAMPTON,J.W. Duke Power Co 3pp 84560 209-84560 330

9507200034 Insp repts 50-269/95-11,50-270/95-11 & 50-287/95-11 on 950528-0624 Violations noted Major areas inspected plant operations,main & surveillance instrumentation engineering & plant support
HARMON,P.E., CRILENIAK,R.V. Region 2 (Post 820201) 95/07/12 17pp 84800 314-84800 330

9507200207 Ack receipt of 950315 re informing MRC of steps taken to correct violations noted in insp repts 50-269/94-31, 50-270/94-31 & 50-287/94-31 Advises that NRC will reclassify Violation 2 as non-cited Add comments listed
GIBSON,L.F. Region 2 (Post 820201) 95/07/12 HAMPTON,J.W. Duke Power Co 2pp 84800 336-84800 359

9507240380 Forwards insp repts 50-269/95-10,50-270/95-10 & 50-287/95-10 on 950606-16 No violations noted
CASTO,C.A. Region 2 (Post 820201) 95/07/14 HAMPTON,J.W. Duke Power Co 3pp 84824 085-84824 104

9507140382 Insp repts 50-269/95-10,50-270/95-10 & 50-287/95-10 on 950605-16 No violations noted Major areas inspected electrical design
RICHESALL,S., SHYMLOCK,M. Region 2 (Post 820201) 95/07/12 18pp 84824 089-84824 104

9507200125 Forwards insp repts 50-269/95-13,50-270/95-13 & 50-287/95-13 on 950619-23 No violations or deviations noted
BARR,K.P. Region 2 (Post 820201) 95/07/14 HAMPTON,J.W. Duke Power Co 3pp 84793 315-84793 324

9507200125 Insp repts 50-269/95-10,50-270/95-10 & 50-287/95-10 on 950619-23 No violations or deviations noted Major areas inspected secondary water chemistry,control room emergency ventilation sys & audits
JONES,D.W., DECKER,T.R. Region 2 (Post 820201) 95/07/11 6pp 84793 318-84793 324

9507250109 Responds to NRC 950621 re re deviations noted in insp repts 50-270/95-08 & 50-287/95-09 Corrective actions schedule for completion of fatigue analyses for RCS will be developed by 950901
HAMPTON,J.W. Duke Power Co 95/07/21 Document Control Branch (Document Control Desk) 10pp 84528 259-84528 298

R. Periodic operating reports & related correspondence

9507080054 Forwards facility changes for 1994
HAMPTON,J.W. Duke Power Co 95/06/30 Document Control Branch (Document Control Desk) 63pp 84573 265-84573 329

9507101001 Informs that no 10CFR50.46 annual rept requirement no minor changes made to B&W ECCS model & no significant errors reported for period from Jan-Dec 1994
HAMPTON,J.W. Duke Power Co 95/06/30 Document Control Branch (Document Control Desk) 2pp 84686 007-84686 008

9507200044 Monthly operating repts for June 1995 for Oconee Nuclear Station Units 1,2 & 3 W/950714 re
WILLIAMS,R.A., WEBER,R.L. Duke Power Co 95/06/30 18pp 84795 338-84795 358

S. Reportable occurrences, LIRs & related correspondence

9507210322 Part 21 rept re potential defect in Limtorque 8M6/8B/8BD-00 actuators Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related avcs
MYLTON,G.L. Limtorque Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84615 189-84615 198

T. Dry Cask Independent Spent Fuel Storage Installations

9507130029 Forwards cover page of 1994 update to FSAR for Oconee 15FSI
HAMPTON,J.W. Duke Power Co 95/06/30 Office of Nuclear Material Safety & Security 3pp 84581 300-84581 302

9507200004 Forwards CAL issued to VECTRA Technologies re standardized NUHOMS-24P dry shielded caskers & transfer casks used w/15FSI
WIENS,L.A. 95/07/13 HAMPTON,J.W. Duke Power Co 3pp 84799 347-84799 352

DOCKET 95-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9507030013 Informs of insp to verify that plant maintained post-fire shutdown capability achieved during initial validation insp during wk of 950731 Requests documents concerning 10CFR50, app R & FP programs to be sent to RI & B&N, prior to insp
RULAND,W.H. Region 1 (Post 820201) 95/06/22 REID,D.A. Vermont Yankee Nuclear Power Corp 3pp 84498 117-84498 119

9507050085 Requests exemption from 10CFR50,App R,Section II J, "Emergency Lighting"
REID,D.A. Vermont Yankee Nuclear Power Corp 95/06/29 Document Control Branch (Document Control Desk) 3pp 84588 351-84588 353

9507180203 Forwards w/ 1995 emergency response exercise manual Encl withheld per 10CFR2.790
TREMBLAY,L.A. Vermont Yankee Nuclear Power Corp 95/07/13 Document Control Branch (Document Control Desk) 2pp 84785 250-84785 251

P. Operating license stage documents & correspondence

9507030126 Forwards updated TS pages in support of application for amend re BWR thermal hydraulic stability
TREMBLAY,L.A. Vermont Yankee Nuclear Power Corp 95/06/22 Document Control Branch (Document Control Desk) 2pp 84560 275-84560 291

9507030127 Proposed tech specs supporting proposed amend re BWR thermal hydraulic stability
Vermont Yankee Nuclear Power Corp 95/06/22 15pp 84560 277-84560 291

9507200082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES,B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84518 259-84518 268

9507050055 Requests exemption from 10CFR50 App R,Section II J, "Emergency Lighting"
REID,D.A. Vermont Yankee Nuclear Power Corp 95/06/29 Document Control Branch (Document Control Desk) 3pp 84588 351-84588 353

36 DOCKETED ITEMS

9507170387 Requests review & concurrence w/checked changes to info reflected in amend 43 to license DFR-25
REID,D.A. Vermont Yankee Nuclear Power Corp 95/07/13 Document Control Branch (Document Control Desk) 3pp 84776 257-84776 259

9507200148 Forwards final EPI report, "Inside Surface Ultrasonic Technique Capabilities as Demonstrated for Insp of FW Nozzles" demonstrating ultrasonic exam techniques as replacement to NUREG-0619 liquid penetrant exam
TREMELAY,L.A. Vermont Yankee Nuclear Power Corp 95/07/14 Document Control Branch (Document Control Desk) 1p 84779 206-84779 253

-9507200151 Inside Surface Ultrasonic Technique Capabilities as Demonstrated for Insp of FW Nozzles final report
SAGSSTETTER,M.J. KETZMAN,K. Electric Power Research Institute 95/06/20 47pp 84779 207-84779 253

9507200147 Forwards plant startup test report for cycle 18
TREMELAY,L.A. Vermont Yankee Nuclear Power Corp 95/07/25 Document Control Branch (Document Control Desk) 1p 84875 204-84875 215

-9507200155 "Startup Test Report, Vermont Yankee Cycle 18"
Vermont Yankee Nuclear Power Corp 95/07/25 12pp 84875 205-84875 215

9507310074 Forwards SE of relief request RR-V12 for third yr interval pump & valve IGT program for plant Rev changes test type & test frequency of svc SWS check valves V70-43A & B
MCKEY,P.F. 95/07/27 REID,D.A. Vermont Yankee Nuclear Power Corp 3pp 84883 347-84883 353

-9507310079 Safety evaluation approving RR-V12 per 10CFR50.55a(f)(6)(i), provided that basis expanded to show that closure verification of both V70-43A & B impractical during refueling outages
95/07/27 4pp 84883 350-84883 353

G. Inspection reports, IE Bulletins & correspondence

9507300113 Informs of insp to verify that plant maintained post-fire shutdown capability achieved during initial validation insp during wk of 950731 Requests documents concerning 10CFR50, app R & FP programs to be sent to RI & BNL prior to insp
RULAND,W.H. Region 1 (Post 820201) 95/06/22 REID,D.A. Vermont Yankee Nuclear Power Corp 3pp 84888 117-84888 119

9507310012 Forwards insp report 50-271/95-10 on 950417-21 No violations noted
MODES,M.C. Region 1 (Post 820201) 95/06/27 REID,D.A. Vermont Yankee Nuclear Power Corp 3pp 84907 201-84907 215

-9507300116 Insp report 50-271/95-10 on 950417-21 No violations noted Major areas inspected effectiveness of licensee engineering organization in providing engineering & technical support for operation of plant
CHAUDHARY,S.K. MODES,M.C. Region 1 (Post 820201) 95/06/27 12pp 84907 204-84907 215

9507120337 EN-95-047 on 950705, notice of proposed imposition of civil penalty in amount of \$50,000 issued to licensee Action based on violations indicative of weaknesses in corrective action
BALL,J., UESERMAN,J. Ofc of Enforcement (Post 870418) 95/06/29 1p 84982 314-84982 314

9507060319 Forwards Third Interval ISI Program 950401 - 030831, Rev 1
TREMELAY,L.A. Vermont Yankee Nuclear Power Corp 95/06/30 Document Control Branch (Document Control Desk) 1p 84965 010-84965 256

-9507060338 Third Interval ISI Program 950401 - 030831, Rev 1
LARSSEN,C., FIELDS,W. Vermont Yankee Nuclear Power Corp 95/06/22 245pp 84965 011-84965 256

9507100992 Forwards Safety Insp Report 50-271/95-12 on 950501-18 No violations noted
MEYER,G.W. Region 1 (Post 820201) 95/07/08 REID,D.A. Vermont Yankee Nuclear Power Corp 2pp 84932 001-84932 013

-9507100995 Insp Report 50-271/95-12 on 950501-18 No violations noted Major areas inspected main program & associated main activities
BIGSETT,P., MEYER,G.W. Region 1 (Post 820201) 95/06/30 11pp 84932 003-84932 013

9507120378 Declassify insp report 50-271/95-08 & forwards notice of violation & proposed imposition of civil penalty
MARTIN,T.T. Region 1 (Post 820201) 95/07/05 REID,D.A. Vermont Yankee Nuclear Power Corp 5pp 84975 348-84975 356

-9507120377 Notice of violation & proposed imposition of civil penalty in amount of \$50,000 Noncompliance noted from Mar 1994 until 950306, significance condition adverse to quality tested at facility but not promptly corrected
Region 1 (Post 820201) 95/07/05 3pp 84975 354-84975 356

9507100384 "NRC Staff Proposes to Fine Vermont Yankee Nuclear Power Corp \$50,000 for Alleged Violation of NRC Requirements."
Ofc of Public Affairs (Post 911117) 95/07/06 2pp 84930 001-84930 002

9507140009 Forwards insp report 50-271/95-16 on 950612-16 No violations noted
BLOUGH,A.R. Region 1 (Post 820201) 95/07/07 REID,D.A. Vermont Yankee Nuclear Power Corp 2pp 84925 070-84925 064

-9507140012 Insp report 50-271/95-16 on 950612-16 No violations noted Major areas inspected report to plant extent reports, LERs, emergency instructions & minor & temporary mode
GRAY,E.H., BURRITT,A.L., BLOUGH,A.R. Region 1 (Post 820201) 95/07/06 13pp 84925 072-84925 064

9507160182 Forwards insp report 50-271/95-13 on 950622-0808 No violations noted
RULAND,W.H. Region 1 (Post 820201) 95/07/12 REID,D.A. Vermont Yankee Nuclear Power Corp 3pp 84785 262-84785 264

-9507160187 Insp report 50-271/95-13 on 950622-0809 No violations noted Major areas inspected verified adequacy of program, procedures, training, equipment & sys for implementing station blackout mode
SHANNON,J., BHATIA,S., RULAND,W.H. Region 1 (Post 820201) 95/07/12 21pp 84785 265-84785 284

9507210049 Forwards insp report 50 271/95-11 on 950423-0803 & notice of violation
LINVILLE,J.C. Region 1 (Post 820201) 95/07/14 REID,D.A. Vermont Yankee Nuclear Power Corp 3pp 84738 160-84738 163

-9507210054 Notice of violation from insp on 950423-0803 Violation noted facility procedures do not include detailed instructions for general insp of interior surface of drilled lead
Region 1 (Post 820201) 95/07/14 2pp 84738 163-84738 164

-9507210058 Insp report 50-271/95-11 on 950423-0803 Violations noted Major areas inspected operations, maint, engineering, plant support & safety assessment & quality verification
CONTER,J. Region 1 (Post 820201) 95/07/14 10pp 84738 165-84738 163

H. Periodic operating reports & related correspondence

9507300143 Forwards suppl effluent & waste disposal semiannual report for third & fourth quarters of 1994
TREMELAY,L.A. Vermont Yankee Nuclear Power Corp 95/06/30 Document Control Branch (Document Control Desk) 1p 84800 207-84800 261

-9507300150 "Suppl Effluent & Waste Disposal Semiannual Report for Third & Fourth Quarters 1994, including Annual Radiological Impact on Man for 1994"
Vermont Yankee Nuclear Power Corp 94/12/31 52pp 84800 208-84800 261

9507190344 Monthly operating report for June 1995 for Vermont Yankee Nuclear Power Station W/950710 IR
WALLING,G.A., WANCZYK,R.J. Vermont Yankee Nuclear Power Corp 95/06/30 18pp 84786 332-84786 349

I. Reportable occurrences, LIRs & related correspondence

9507170369 LER 95-002-01 on 950118, discovered inadequate FSAR statement re ventilation airflow in radiowaste bldg during resin cask transfer Rev to FSAR will be submitted to correct statement, W/950713 IR
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp 95/07/13 5pp 84764 014-84764 018

9507250064 LER 95-009-01 on 940720, inadvertent primary containment isolation sys activation occurred due to unexpected transfer of 120/240 volt ac bus to alternate power source during lightning storm Reset FW valve lockups W/950720 IR
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp 95/07/20 11pp 84832 050-84832 050

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507210218 Revised EPIPs, including Rev 53 to table of contents, Rev 14 to EPIP 2025 "Operations Support Or (OSC) Activation & Operations" & Rev 30 to EPIP 2043 "Emergency Response Callout/Personnel Recall"
Public Service Electric & Gas Co of New Jersey 95/07/12 52pp 84809 001-84809 082

9507210301 Revised EPIPs, including Rev 48 to table contents, Rev 16 to EPIP 1008, Rev 14 to EPIP 1007 & Rev 31 to EPIP 1013
Public Service Electric & Gas Co of New Jersey 95/07/13 108pp 84811 040-84811 148

9507210047 Forwards insp reports 50-272/95-10 & 50-311/95-10 on 950507-0823 & NOV
COOPER,A.W. Region 1 (Post 820201) 95/07/14 ELIASON,L.R. Public Service Electric & Gas Co of New Jersey 6pp 84738 131-84738 133

-9507210048 Insp reports 50-272/95-10 & 50-311/95-10 on 950507-0823 No violations noted Major areas inspected operations, radiological controls, maint, surveillance, security, engineering, technical support, safety assessment & CV
WHITE,J.R. Region 1 (Post 820201) 95/07/13 21pp 84738 133-84738 139

9507190124 Revised EPIPs, including Rev 42 to table of contents, forms, Rev 16 to unusual event, Rev 24 to Attachment 6, Rev 23 to Attachment 7, Rev 15 to Attachment 8, Rev 22 to Attachment 9 & Rev 4 to Attachment 23
Public Service Electric & Gas Co of New Jersey 95/07/16 71pp 84789 178-84789 248

9507200012 Forwards 950504 IR from JE Lamb, which transmits FEMA Region III final report for 941025 radiological emergency preparedness exercise
JOYNER,J.H. Region 1 (Post 820201) 95/07/19 ELIASON,L.R. Public Service Electric & Gas Co of New Jersey 3pp 84830 218-84830 303

-9507200017 Forwards final report for plant 941025 emergency preparedness exercise
LAAB,J.E. Federal Emergency Management Agency 95/05/04 SIKD, Region 1 (Post 820201) 1p 84830 222-84830 222

-9507200075 "Radiological Emergency Preparedness Exercise Evaluation Report," on 941025
Federal Emergency Management Agency 95/05/26 81pp 84830 223-84830 303

9507200061 Revised EPIPs, including rev 3 to EPIP 403, rev 4 to EPIP 501, rev 6 to EPIP 601, rev 15 to EPIP 602, rev 12 to EPIP 603, rev 3 to EPIP 604, rev 6 to EPIP 701 & rev 27 to EPIP TOC
Public Service Electric & Gas Co of New Jersey 95/07/20 147pp 84826 001-84826 147

9507250067 Revised EPIPs, including rev 13 to EPIP 901, rev 13 to EPIP 902, rev 9 to EPIP 903 & rev 19 to EPIP TOC
Public Service Electric & Gas Co of New Jersey 95/07/26 58pp 84828 047-84828 105

950729001 Revised EPRs, including rev 4 to EPR 806, rev 5 to EPR 807 & rev 14 to EPR TOC.
* Public Service Electric & Gas Co. of New Jersey. 95/07/25. 26pp. 84827-325-84827-330.

P. Operating license stage documents & correspondence

950729033 Forwards amends 170 & 152 to licensee DPR-70 & DPR-75, respectively & SE Amends increase TS min volume of emergency diesel fuel oil contained in Diesel Fuel Storage Tanks at both units of Salem station.
OLSHAN, L.N. Project Directorate I-2 (PD1-2) Post 941001. 95/06/20. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 8pp. 84753-011-84753-081.

950729037 Amends 170 & 152 to licensee DPR-70 & DPR-75, respectively, increasing TS min volume of emergency diesel fuel oil contained in Diesel Fuel Storage Tanks at both units of Salem station.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/20. 14pp. 84753-014-84753-027.

950729039 Safety evaluation supporting amends 170 & 152 to licensee DPR-70 & DPR-75, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/20. 4pp. 84753-029-84753-031.

950718032 Forwards environmental assessment & FCRSI re application for exemption dtd 950404. Exemption would defer next scheduled containment integrated leak rate test for one outage from Relief 12 to 13.
OLSHAN, L.N. Project Directorate I-2 (PD1-2) Post 941001. 95/06/27. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 8pp. 84886-205-84886-271.

950718038 Environ assessment & finding of no significant impact re requirement of Section III.D.1(a) of App J to 10CFR50, which requires set of three Type A tests be performed at approx equal intervals during each 10-year svc period.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/27. 4pp. 84886-258-84886-271.

950729063 Rev 1 to NRC Administrative Ltr 84-13 to all NRC licensees re access to NRC Bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518-258-84518-268.

950720027 Informs that licensee 950404 request for exemption to defer performance of CLRT to thirteenth refueling outage granted. Exemption encl.
OLSHAN, L.N. Project Directorate I-2 (PD1-2) Post 941001. 95/07/05. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 84752-252-84752-261.

950720031 Exemption deferring performance of CLRT until 13th refueling outage.
VARGA, S.A. Division of Reactor Projects I/II (DRPEI) Post 941001. 95/07/05. Public Service Electric & Gas Co. of New Jersey. 8pp. 84752-285-84752-291.

950720198 Forwards amend 171 to licensee DPR-70 & safety evaluation. Amend provides one-time interval extension for Type A test required by 10CFR50 App J.
OLSHAN, L.N. Project Directorate I-2 (PD1-2) Post 941001. 95/07/05. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 8pp. 84753-349-84753-357.

950721815 Amend 171 to licensee DPR-70, providing one-time interval extension for Type A test required by 10CFR50 App J.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/05. 4pp. 84753-352-84753-355.

950721822 Safety evaluation supporting amend 171 to licensee DPR-70.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/05. 2pp. 84753-356-84753-357.

9507170281 Submits charter for formation of Salem assessment panel to assist in co-ordination of NRC resources for performance monitoring & assessment of Salem Nuclear Generating Station.
MARTIN, T.T. Region 1 (Post 820201). 95/07/05. LINVILLE, J.C. Region 1 (Post 820201). 3pp. 84747-350-84747-352.

950714067 Informs of formation of Salem Assessment Panel (SAP), which will coordinate resources for performance monitoring & assessment of plant & all nuclear business units. Lists panel responsibilities & names of panel members.
LANNING, W.D. Region 1 (Post 820201). 95/07/07. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 8pp. 84826-218-84826-220.

9507170377 Informs that util requires addl 30 days to complete review & root cause evaluations of findings of independent technical issue investigation performed for util by Synergic Consulting Svcs Corp. Response will be submitted by 950804.
THOMSON, X. Public Service Electric & Gas Co. of New Jersey. 95/07/11. WHITE, J. Region 1 (Post 820201). 2pp. 84778-267-84778-268.

9507190808 Forwards plant response to GL 85-03 re circumferential cracking of SG tubes evaluations & plans developed.
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 95/07/17. Document Control Branch (Document Control Desk). 13pp. 84788-298-84788-311.

9507240282 Comments on util 950419 submittal of licensee change request 94-28 re containment pressure/vacuum relief valves.
TOUCH, K.W. New Jersey. State of, 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84824-300-84824-301.

9507260037 Notifies that util eliminated mgt observation group comment per 840513 re HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 95/07/22. MARTIN, T.T. Region 1 (Post 820201). 2pp. 84836-350-84836-351.

Q. Inspection reports, EE Bulletins & correspondence

9507198125 Provides info requested re Bulletin 88-06 response. Test used to verify flow meter indications encl.
ONORATO, H. Public Service Electric & Gas Co. of New Jersey. 95/01/28. OLSHAN, L.N. - No Detailed Affirmation Given. 84729-122-84729-125.

9507030002 Rev II to notification of significant licensee meeting 95-42 on 950728 w/ util at Region 1 etc to discuss NRC findings re apparent violations of 10CFR50 App B.
WHITE, J.R. Region 1 (Post 820201). 95/06/22. Region 1 (Post 820201). 2pp. 84488-006-84488-007.

9507230467 Forwards responses to NRC 950624 re re violations noted in insp repts 50-272/95-07 & 50-311/95-07. Corrective actions personnel involved in blocking second radiation monitoring channel have been appropriately disciplined.
ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 95/06/23. Document Control Branch (Document Control Desk). 26pp. 84880-208-84880-230.

9507210647 Forwards insp repts 50-272/95-10 & 50-311/95-10 on 950507-0623 & NOV.
COOPER, R.W. Region 1 (Post 820201). 95/07/14. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 6pp. 84736-131-84736-159.

9507210657 Notice of violation from insp on 950507-0623. Violation noted: technician failed to unlatch cylinder fuel pump rack after obtaining compression pressure for cylinder 4R on 1C emergency DG.
* Region 1 (Post 820201). 95/07/14. 2pp. 84736-137-84736-138.

9507210681 Insp repts 50-272/95-10 & 50-311/95-10 on 950507-0623. No violations noted. Major areas inspected: operations, personnel involved in blocking second radiation monitoring channel, surveillance, security, engineering, technical support, safety assessment & CV.
WHITE, J.R. Region 1 (Post 820201). 95/07/13. 21pp. 84736-139-84736-159.

9507260193 Forwards insp repts 50-272/95-12 & 50-311/95-12 on 950515-0603 & notice of violation. Violation of concern because significant number of circuit breaker failures have occurred due to same cause (oil in operating mechanism).
RULAND, W.H. Region 1 (Post 820201). 95/07/18. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 8pp. 84793-248-84793-262.

9507260198 Notice of violation from insp on 950515-0603. Violation noted: corrective actions not taken to prevent repetitive failure that occurred between 931204-950329 re hardened grease & oil in breaker operating mechanism.
* Region 1 (Post 820201). 95/07/18. 2pp. 84793-251-84793-252.

9507260112 Insp repts 50-272/95-12 & 50-311/95-12 on 950515-0603. Violations noted: Major areas inspected: review of merit procedures, breaker reliability & corrective actions.
SCHOLL, L.L. RULAND, W.H. Region 1 (Post 820201). 95/07/18. 11pp. 84793-253-84793-262.

R. Periodic operating reports & related correspondence

9507180329 Monthly operating report for June 1995 for Salem Nuclear Generating Station Unit 1. W/950714 tr.
PHILLIPS, R. HELLER, R. SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey. 95/06/30. 8pp. 84778-352-84778-358.

S. Reportable occurrences, LERs & related correspondence

9507110368 Special report 950807 identified that 950801 failure of EDG 1B potential connection mode failure. Util unable to determine cause at present time. LER will be submitted to NRC.
SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey. 95/07/03. Document Control Branch (Document Control Desk). 2pp. 84885-055-84885-056.

9507118215 Forwards LER 95-008 re valid test failure of 1B EDG.
SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey. 95/07/08. Document Control Branch (Document Control Desk). 1p. 84862-001-84862-011.

9507118224 LER 95-008-00 on 950601, valid test of 1B EDG & subsequent inoperability of 1B & 1C EDGs identified. Caused by endogenous vibration tolerant design of original equipment. Cracked nipple replace to restore EDG 1B availability.
PASTVA, M.J. Public Service Electric & Gas Co. of New Jersey. 95/07/06. 10pp. 84862-002-84862-011.

9507260134 Forwards LER 95-006 re TS 3.0.3 for both units was entered.
SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey. 95/07/14. Document Control Branch (Document Control Desk). 1p. 84867-354-84867-351.

9507260138 LER 95-006-00 on 950404, TS 3.0.3 for both units was entered due to inability of CR emergency air conditioning sys to automatically activate. Operability determination has been completed.
PASTVA, M.J. Public Service Electric & Gas Co. of New Jersey. 95/07/14. 8pp. 84867-355-84867-361.

9507260142 LER 95-006-00 on 950617, controlled shutdown completed due to inoperability of switchgear & penetration area ventilation sys (SPAVS). Thus SPAVS supply fans will be inspected & fan motors replaced. W/950714 tr.
PASTVA, M.J. SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey. 95/07/14. 10pp. 84868-001-84868-010.

9507260220 LER 95-010-00 on 950615, RHR pumps for long-term flow requirements for both units declared inoperable due to RHR flow instrument uncertainties. Evaluated EOPs W/950714 tr.
PASTVA, M.J. SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey. 95/07/14. 7pp. 84868-018-84868-024.

9507270268 LER 95-011-00 on 950222, inconsistency between WCAP-11634 analysis used for postulated steam line breaks outside containment & updated PSAR was discovered due to inadequate design review. W/950721 tr.
PASTVA, M.J. WARREN, C.C. Public Service Electric & Gas Co. of New Jersey. 95/07/21. 8pp. 84867-341-84867-348.

9507310286 Notification of nonroutine event on 950702, one dead logger head sea turtle recovered from trash rack of CWS intake. Cause of death appeared to be severe propeller cut on remaining carapace. Turtle disposed of in landfill.
BENJAMIN, J.A. Public Service Electric & Gas Co. of New Jersey. 95/07/21. Document Control Branch (Document Control Desk). 8pp. 84903-298-84903-306.

38 DOCKETED ITEMS

DOCKET 50-274 U.S. GEOLOGICAL SURVEY RESEARCH REACTOR

P. Operating license stage documents & correspondence

9507200154 Requests add'l info to complete review of amend request for license R-113 for US Geological Survey TRIGA Research Reactor
ADAMS, A. 95/07/13 FOUOH, T Interior Dept of Geological Survey 5pp
84750 357-84750 361

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

950719884 Rev 18 to EPIP EP R-2, "Release of Airborne Radioactive Materials Initial Assessment," & revised Table of Contents W/ 950629 R
ANGUS, M J Pacific Gas & Electric Co 95/06/29 14pp 84896 129-84896 135

9507128014 Revised EPIP, including rev 24 to Group Index EP G-1 W/ 950629 R
FUJIMOTO, W H Pacific Gas & Electric Co 95/06/29 8pp 84851 303-84851 310

9507128076 Forwards Rev 4 of Diablo Canyon Security Force Training & Qualification Plan Encl withheld per 10CFR2790(d)
FUJIMOTO, W H Pacific Gas & Electric Co 95/07/05 Document Control Branch (Document Control Desk) 1p 84859 355-84859 356

9507130108 Forwards insp repts 50-275/95-09 & 50-323/95-09 on 950612-18 & notice of violation Violation of concern because represents weakness in CAP
SCARANO, R A Region 4 (Post 820201) 95/07/07 RUEGER, G M Pacific Gas & Electric Co 6pp 84596 204-84596 227

-9507130111 Notice of violation from insp on 950612-18 Violation noted licensee failed to conduct quarterly fire drills which ensured that all fire brigade team members participated in at least to quarterly fire drills per year
* Region 4 (Post 820201) 95/07/07 1p 84598 210-84598 210

-9507130116 Insp repts 50-275/95-09 & 50-323/95-09 on 950612-18 Violations noted Major areas inspected status of emergency preparedness program including changes to emergency plan & implementing procedures
DEXTER, T W Region 4 (Post 820201) 95/06/28 17pp 84598 211-84598 227

9507250014 Comments supporting NRC generic fire process for changes to security plans w/o prior NRC approval
ANGUS, M J Pacific Gas & Electric Co 95/07/14 NRC - No Detailed Affiliation Given 1p 84787 024-84787 024

P. Operating license stage documents & correspondence

9507300086 Forwards Rev 2 to Calculation 935-DC, "10CFR50 App R Emergency Lighting & Communications," & repl re emergency AC & DC lighting at Diablo Canyon plant
FUJIMOTO, W H Pacific Gas & Electric Co 95/06/23 Document Control Branch (Document Control Desk) 6pp 84558 177-84558 324

-9507300102 "10CFR50 App R Emergency Lighting & Communications"
* Pacific Gas & Electric Co 94/11/17 16pp 84558 183-84558 324

9507100319 Forwards amends 105 & 104 to licenses DPR-80 & DPR-82, respectively & SE Amends revise TS for DCP on EDG surveillance testing starting w/cycle 8, next cycle for both units
MILLER, M A 95/06/26 RUEGER, G M Pacific Gas & Electric Co 6pp 84508 349-84508 363

-9507100355 Amends 105 & 104 to licenses DPR-80 & DPR-82, respectively revising TS for DCP on EDG surveillance testing starting w/cycle 8, next cycle for both units
MILLER, M A 95/06/26 7pp 84506 353-84506 361

-9507180388 Safety evaluation supporting amends 105 & 104 to licenses DPR-80 & DPR-82, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/06/26 2pp 84606 362-84606 363

9507250082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIFFIN, S K 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84518 259-84518 268

9507300407 Forwards response to GL 95-03, "Crucial/Integral Cracking of SG Tubes"
FUJIMOTO, W H Pacific Gas & Electric Co 95/06/29 Document Control Branch (Document Control Desk) 20pp 84869 332-84869 351

9507070136 Forwards amend request 95-04, proposing to change TS 3/4.4.2.2 to add mode 1 applicability & to revise LTOP sys enable temp for mode 4 applicability from 323 degrees F to 270 degrees F
FUJIMOTO, W H Pacific Gas & Electric Co 95/06/29 Document Control Branch (Document Control Desk) 2pp 84862 330-84862 342

-9507070140 Application for amend to licenses DPR-80 & DPR-82, proposing to change TS 3/4.4.2.2 to add mode 1 applicability & to revise LTOP sys enable temp for mode 4 applicability from 323 degrees F to 270 degrees F
FUJIMOTO, W H Pacific Gas & Electric Co 95/06/29 6pp 84582 332-84582 337

-9507070149 Proposed tech spec, proposing to change TS 3/4.4.2.2 to add mode 1 applicability & to revise LTOP sys enable temp for mode 4 applicability from 323 degrees F to 270 degrees F
* Pacific Gas & Electric Co 95/06/29 4pp 84582 336-84582 342

9507250386 Forwards insp rpt of 950517-19 visit to Diablo Canyon Power Plant
NEBUAD, T Army, Dept. of Corps of Engineers 95/06/29 YOUNG, F NRC - No Detailed Affiliation Given 1p 84835 230-84835 232

-9507250319 The rpt of 950517-19 visit to Diablo Canyon Power Plant re drawings & standard calculations
NEBUAD, T Army, Dept. of Corps of Engineers 95/06/08 Army, Dept. of Corps of Engineers 2pp 84835 231-84835 232

9507110074 Informs NRC that uhl did not meet 950630 date committed in uhl ltr DCL 94-174 for installation of enhanced auxiliary submerse flow instrumentation Bases for delaying containment tested
FUJIMOTO, W H Pacific Gas & Electric Co 95/07/06 Document Control Branch (Document Control Desk) 2pp 84653 049-84653 050

9507128189 Forwards corrected SE page supporting amends 105 & 104 for plant, re 2 h loaded EDG run
MILLER, M A 95/07/06 RUEGER, G M Pacific Gas & Electric Co 3pp 84631 327-84631 330

-9507128175 Corrected SE page re 2 h loaded run which will be done at least of greater than or equal to 2484 low rather than at EDG continuous rating of 2600 as incorrectly stated in previous SE
* 95/07/06 1p 84631 330-84631 330

9507128375 Forwards amends 105 & 106 to licenses DPR-80 & DPR-82, respectively & SE Amends revise TS 3/4.7.2.3/4.7.3.9/4.7.8 3/4.7.11 & 3/4.7.13 INW Commission final policy statement for relocation of support TS
MILLER, M A 95/07/06 RUEGER, G M Pacific Gas & Electric Co 4pp 84625 298-84625 317

-9507128381 Amends 105 & 106 to licenses DPR-80 & DPR-82, respectively revising TS 3/4.7.2.3/4.7.3.9/4.7.8 3/4.7.11 & 3/4.7.13
MILLER, M A 95/07/06 15pp 84625 292-84625 311

-9507128389 Safety evaluation supporting amends 105 & 323 to licenses DPR-80 & DPR-82, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/06 5pp 84625 312-84625 317

9507280113 Notification of 950603 meeting w/UL in Rockville, MD to discuss licensee plans for future licensing & site activities, agenda and
MILLER, M A 95/07/24 BATEMAN, W H 5pp 84842 295-84842 299

9507130263 Discusses review of proposed emergency TS change for plant Unit 2. Request schedule submittal within 30 days in order to comply w/10CFR50.45(a)(3)(i)
MILLER, M A 95/07/24 RUEGER, G M Pacific Gas & Electric Co 4pp 84679 359-84679 359

Q. Inspection reports, 15 bulletins & correspondence

9507120147 Informs that licensee use of requirements of Exam Category 6-B-2 Item 812.20 of 1989 Code Edition, approved for first 10-year interval of ISI program plan per 10CFR50.55a(4)(iv), provided that all requirements met
BATEMAN, W H 95/07/06 RUEGER, G M Pacific Gas & Electric Co 2pp 84625 292-84625 297

-9507128151 SER approving use of requirements of Exam Category 6-B-2, Item 812.20 of 1989 Code Edition, per 10CFR50.55a(4)(iv)
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/06 4pp 84625 284-84625 287

9507130108 Forwards insp repts 50-275/95-09 & 50-323/95-09 on 950612-18 & notice of violation Violation of concern because represents weakness in CAP
SCARANO, R A Region 4 (Post 820201) 95/07/07 RUEGER, G M Pacific Gas & Electric Co 6pp 84596 204-84596 227

-9507130111 Notice of violation from insp on 950612-18 Violation noted licensee failed to conduct quarterly fire drills which ensured that all fire brigade team members participated in at least to quarterly fire drills per year
* Region 4 (Post 820201) 95/07/07 1p 84598 210-84598 210

-9507130116 Insp repts 50-275/95-09 & 50-323/95-09 on 950612-18 Violations noted Major areas inspected status of emergency preparedness program including changes to emergency plan & implementing procedures
DEXTER, T W Region 4 (Post 820201) 95/06/28 17pp 84598 211-84598 227

9507280080 Forwards response to NRC 950621 ltr re violations noted in insp repts 50-275/95-09 & 50-323/95-09 on 950402-0513 Corrective actions removed scaffolding plants that restricted air flow & performed engineering analysis
FUJIMOTO, W H Pacific Gas & Electric Co 95/07/21 Document Control Branch (Document Control Desk) 4pp 84829 298-84829 302

R. Periodic operating reports & related correspondence

9507250441 "NPDES Second Quarterly 1995 Rept on Discharge Monitoring at Diablo Canyon Power Plant." W/950720 ltr
FUJIMOTO, W H Pacific Gas & Electric Co 95/06/30 BRIGGS, R W California, State of 100pp 84826 148-84826 243

9507250057 Monthly operating repts for June 1995 for Diablo Canyon NPP Units 1 & 2 W/950712 ltr
FUJIMOTO, W H Pacific Gas & Electric Co 95/06/30 12pp 84828 119-84828 130

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507178243 Updates on efforts to review 941006 petition to shut down plant due to tested reasons, including electrical control cable fire risk. Core shroud acceptable IAW insp results NRC reviewing uhl core shroud design mod
SHEA, J W Project Directorate 1-2 (PD-1) Post 941001 95/06/20 OCHS, R Maryland Safe Energy Coalition 161pp 84673 001-84673 161

9507178358 Rev 18 to EPIP EPP-101 "Classification of Emergencies" W/ 950630 ltr
HUNG, B L A. PECC Energy Co, (formerly Philadelphia Electric Co) 95/06/30 23pp 84778 280-84778 302

9507100386 Forwards Physical Security Insp Repts 50-277/95-18 & 50-278/95-16 on 950612-14 No safety concerns or violations noted
JOYNER, J.H. Region 1 (Post 820201) 05/07/03 SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp 84682 014-84682 020

9507100401 Insp Repts 50-277/95-16 & 50-278/95-16 on 950612-14 No violations noted Major areas inspected: fire support & audits, protected area intrusion detection equipment, alarm stations & security training & qualification
SMITH, G.G., LAMROTH, D.F. Region 1 (Post 820201) 05/07/03 App 84682 017-84682 020

9507100448 Rev 10 to "Nuclear Emergency Plan," for PBAPS Units 2 & 3 & LGS Units 1 & 2 W/950711
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 05/07/11 3pp 84755 206-84755 244

9507100465 Forwards combined insp repts 50-277/95-11 & 50-278/95-11 on 950423-0624 Insp repts documents generally good performance by operators, engineers, maintenance & health physics technicians & station staff.
COOPER, R.V. Region 1 (Post 820201) 05/07/12 SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 84751 140-84751 189

9507100466 Insp repts 50-277/95-11 & 50-278/95-11 on 950423-0624 No violations noted Major areas inspected: operations, surveillance, maintenance & technical support
ANDERSON, C.J. Region 1 (Post 820201) 05/07/12 26pp 84751 144-84751 168

9507100488 Forwards insp repts 50-277/95-14 & 50-278/95-14 on 950612-18 No safety concerns or violations noted
JOYNER, J.H. Region 1 (Post 820201) 05/07/21 SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp 84680 343-84680 357

9507100566 Insp repts 50-277/95-14 & 50-278/95-14 on 950612-16 No violations noted Major areas inspected: emergency facilities, equipment, instrumentation & support, organization & ins control & emergency response organization training
LAUGHUN, J., JOYNER, J. Region 1 (Post 820201) 05/07/21 12pp 84680 345-84680 357

G. Administrative correspondence

9507170242 Updates on efforts to review 941006 petition to shut down plant due to failed reasons, including electrical control cable fire risk Core shroud acceptable IAW repts results NRC reviewing all core shroud design mod
SHEA, J.W. Project Directorates 1-2 (PD1-2) Post 941001 05/06/20 OCHS, R. Maryland Safe Energy Coalition 15pp 84673 001-84673 161

F. Operating license stage documents & correspondence

9507050420 Forwards amends 203 & 206 to licenses DPR-44 & DPR-56 & safety evaluation Amends extend surveillance test intervals & allowable out-of-svc times for testing & or repair of instrumentation that activate reactor protection sys
SHEA, J.W. Project Directorates 1-2 (PD1-2) Post 941001 05/06/06 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 84528 119-84528 290

9507050428 Amends 203 & 206 to licenses DPR-44 & DPR-56, respectively, extending surveillance test intervals & allowable out-of-svc times for testing & or repair of instrumentation that activate reactor protection sys
STOLTZ, J.F. Project Directorates 1-2 (PD1-2) Post 941001 05/06/06 12pp 84528 122-84528 248

9507050429 Safety evaluation supporting amends 203 & 206 to licenses DPR-44 & DPR-56, respectively
Office of Nuclear Reactor Regulation (Post 941001) 05/06/06 42pp 84528 249-84528 290

9507050289 Summary of 950511 meeting between NRC & PECO re extended emergency diesel generator allowed outage time List of attendees, licensee draft response & licensee meeting handout and
SHEA, J.W. Project Directorates 1-2 (PD1-2) Post 941001 05/06/07 Project Directorate 1-2 (PD1-2) Post 941001 14pp 84512 186-84512 226

9507050278 Rev 5 to administrative guideline procedure AG-43, "Guideline for Performance of Sys Outages"
PECO Energy Co., (formerly Philadelphia Electric Co.) 04/09/16 13pp 84512 180-84512 184

9507050281 Rev 6 to GP-23, "Diesel Generator Outages"
PECO Energy Co., (formerly Philadelphia Electric Co.) 04/09/20 32pp 84512 195-84512 226

9507050284 Forwards SE supporting approved installation of WR neutron monitoring sys for licenses DPR-44 & DPR-56
SHEA, J.W. Project Directorates 1-2 (PD1-2) Post 941001 05/06/09 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 84530 209-84530 211

9507050282 Safety evaluation approving proposed installation of WR neutron monitoring sys for licenses DPR-44 & DPR-56
Office of Nuclear Reactor Regulation (Post 941001) 05/06/09 6pp 84530 207-84530 211

950710141 Forwards amends 205 & 206 to licenses DPR-44 & DPR-56, respectively & SE Amends change existing TS requirements for source range neutron monitoring equipment while in refueling mode
SHEA, J.W. Project Directorates 1-2 (PD1-2) Post 941001 05/06/13 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp 84587 064-84587 087

950710151 Amends 205 & 206 to licenses DPR-44 & DPR-56, respectively, changing existing TS requirements for source range neutron monitoring equipment while in refueling mode
STOLTZ, J.F. Project Directorates 1-2 (PD1-2) Post 941001 05/06/13 16pp 84587 067-84587 082

950710185 Safety evaluation supporting Amends 205 & 206 to licenses DPR-44 & DPR-56, respectively
Office of Nuclear Reactor Regulation (Post 941001) 05/06/13 3pp 84687 083-84687 087

9507050154 Advises NRC of plant opposition to Condition 9 re EDG allowed OOS time Reasons for opposition listed
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 05/06/16 Document Control Branch (Document Control Desk) 6pp 84589 348-84589 353

9507050076 Contains commitments for PBAPS Unit 3 concerning power rate
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 05/06/22 Document Control Branch (Document Control Desk) 3pp 84555 358-84555 360

9507050138 Forwards "Design Rept For Installation Of Stabilizers On PBAPS Units 2 & 3 Core Shroud," & proprietary "Shroud Mechanical Repair Program PBAPS Units 2 & 3 Shroud & Shroud Repair Hardware Stress Analysis," Proprietary, and withheld
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 05/06/22 Document Control Branch (Document Control Desk) 3pp 84632 190-84632 314

9507050141 "Design Rept For Installation Of Stabilizers On PBAPS Units 2 & 3 Core Shroud"
LENZ, M.O. MCCLEAN, N.A. TSCHANZ, L.E. General Electric Co. GENE-771-59-0994 R04 05/06/30 8pp 84632 226-84632 314

9507050214 Provides written notice that util has implemented TS amend 206
EDWARDS, G.D. PECO Energy Co., (formerly Philadelphia Electric Co.) 05/06/28 Document Control Branch (Document Control Desk) 2pp 84670 207-84670 206

9506290062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 06/06/29 Consolidated Edison Co of New York, Inc 10pp 84518 259-84518 258

9507170001 Discusses Rev 9 to TS change request 92-16 Request originally submitted to NRC on 940029 Rev reflects incorporation of NRC review comments re plant conversion to improved TSs per NUREG-1433
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 05/07/07 Document Control Branch (Document Control Desk) 3pp 84775 348-84775 350

9507100291 Forwards SE which denies rev 2 to relief request GVR-2 of second ten year interval of surveillance testing program
STOLTZ, J.F. Project Directorates 1-2 (PD1-2) Post 941001 05/07/07 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 84686 242-84686 250

9507100296 SER denying rev 2 to relief request GVR-2 of second 10-year interval of surveillance testing program
Office of Nuclear Reactor Regulation (Post 941001) 05/07/07 8pp 84686 246-84686 250

9507170057 Identifies administrative error associated w/submittal of TS change request 3003 & requests that NRC concur w/proposed corrective action
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 05/07/10 Document Control Branch (Document Control Desk) 2pp 84758 219-84758 220

9507180078 Ack receipt of 941114 10CFR50.54(a) submittal transmitting proposed changes to QA Program description for plant & response to 950410 request for add info
MODES, M.C. Region 1 (Post 820201) 05/07/10 SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp 84723 235-84723 267

9507180017 Notification of significant licensee meeting 95-86 w/utl on 950802 to discuss NRC findings relative to violation of TS 3.9 B.3 since E2 EDG was inoperable for more than 7 days
ANDERSON, C.J. Region 1 (Post 820201) 05/07/12 Region 1 (Post 820201) 2pp 84711 029-84711 029

9507201228 Resubmits modified version of Rev 2 to Relief Request GVR-2 to second 10-yr interval of IST program & addresses NRC three concerns provided in Section 2.3 of SE attached to NRC 950707 ltr denying 950215 proposed rev 2 to relief request
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 05/07/14 Document Control Branch (Document Control Desk) 6pp 84779 298-84779 303

9507201207 Notification of significant licensee meeting 95-70 w/utl on 950910 to discuss plans for implementing standard TS at Peach Bottom
ANDERSON, C.J. Region 1 (Post 820201) 05/07/21 Region 1 (Post 820201) 2pp 84883 077-84883 078

9507200442 Application for amends to licenses DPR-44 & DPR-56, proposing overall conversion of current PBAPS TS to improved TS as contained in NUREG-1433, Std TS, GE Plants, BWR/4
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 05/07/21 Document Control Branch (Document Control Desk) 6pp 84876 111-84876 136

9507200084 Proposed tech spec, proposing overall conversion of current PBAPS TS to improved TS as contained in NUREG-1433, "Std TS, GE Plants, BWR/4"
PECO Energy Co., (formerly Philadelphia Electric Co.) 05/07/21 25pp 84875 119-84875 135

9507200257 Forwards amends 208 & 212 to licenses DPR-44 & DPR-56, respectively & safety evaluation Amends relocates Nuclear Review Board review requirements, ISEG requirements & certain review & audit requirements from TS
SHEA, J.W. 05/07/25 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 84845 052-84845 077

9507200291 Amends 208 & 212 to licenses DPR-44 & DPR-56, respectively relocating NRB review requirements, ISEG requirements & certain review & audit requirements from TS
STOLTZ, J.F. 05/07/25 16pp 84845 056-84845 071

9507200293 Safety evaluation supporting amends 208 & 212 to licenses DPR-44 & DPR-56, respectively
05/07/25 6pp 84845 072-84845 077

9507558154 Advises NRC of plant opposition to Condition 9 re EDG allowed OOS time. Reasons for opposition listed.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/06/16 Document Control Branch (Document Control Desk) 6pp. 84588 348-84589 353.

9507630076 Confirms commitments for PBAPS Unit 3 concerning power rate.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/06/22 Document Control Branch (Document Control Desk) 3pp. 84555 358-84556 360

9507058138 Forwards "Design Rept For Installation Of Stabilizers On PBAPS Units 2 & 3 Core Shroud," & proprietary "Shroud Mechanical Repair Program PBAPS Units 2 & 3 Shroud & Shroud Repair Hardware Stress Analysis." Proprietary and withheld.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/06/22 Document Control Branch (Document Control Desk) 5pp. 84632 150-84633 214.

9507050141 "Design Rept For Installation Of Stabilizers On PBAPS Units 2 & 3 Core Shroud."
LENZ, M.O., MCCLENNAN, T.S., TCHANTRE, L.E. General Electric Co GENE-771-56-0894 NO4. 95/06/20 6pp. 84632 226-84633 214

9507050214 Provides written notice that all has implemented TS amend 206.
EDWARDS, G.D. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/06/29 Document Control Branch (Document Control Desk) 3pp. 84570 207-84570 206

9506260062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRANES, B.K. 95/06/29. Consolidated Edison Co of New York, Inc. 10pp. 84518 259-84519 259

9507210140 Forwards EA & FONSI re 941121 re for exemption involving one-time scheduler exemption concerning Type A test intervals for Peach Bottom Atomic Power Station, Unit 3.
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/06/28. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp. 84754 308-84754 313

9507210142 Envision assessment & finding of no significant impact supporting one-time scheduler exemption concerning Type A test intervals for Peach Bottom Atomic Power Station, Unit 3.
STOLTZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/29. 5pp. 84754 309-84754 313.

9507170001 Discusses Rev B to TS change request 93-15 Request originally submitted to NRC on 940928 Rev reflects incorporation of NRC review comments re plant conversion to improved TSs per NUREG-1435.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/07/07. Document Control Branch (Document Control Desk) 3pp. 84773 348-84773 350

9507182291 Forwards SE which denies rev 2 to relief request GVR-2 of second ten year interval of inservice testing program.
STOLTZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/07. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp. 84696 242-84696 250.

9507180296 SE denying rev 2 to relief request GVR-2 of second 10-year interval of inservice testing program.
Office of Nuclear Reactor Regulation (Post 941001). 95/07/07. 5pp. 84696 246-84696 250

9507170057 Identifies administrative error associated w/submittal of TS change request 9003 & requests that NRC concur w/proposed corrective action.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/07/10 Document Control Branch (Document Control Desk) 2pp. 84755 218-84755 220

9507180267 Forwards exemption which involves one-time scheduler exemption from requirements of 10CFR50, App J, Section II.D.1.(a) to perform three Type A Tests at approximately equal intervals & within 10-year avg period.
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/07/10. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp. 84696 289-84696 300

9507180277 Exemption from requirements in App J to 10CFR50 that set of three Type A tests be performed at approximately equal intervals during each 10-year avg period.
VARGA, S.A. Associate Director for Projects (ADPR) (Post 941001). 95/07/10 PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp. 84696 292-84696 300.

9507180078 Ack receipt of 941114 10CFR50.54(a) submittal concerning proposed changes to QA Program description for plant & response to 890410 request for add info.
MOORE, M.C. Region 1 (Post 820201). 95/07/10. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp. 84753 295-84753 297.

9507270249 Forwards amend 210 to license DPR-58 & safety evaluation. Amend allows third type A containment integrated leakage rate test in second 10 yr avg period to be conducted during refueling outage 11 scheduled for Sept 1997.
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/07/10. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp. 84873 156-84873 164.

9507270270 Amend 210 to license DPR-58 allowing third Type A containment ILRT in second 10 yr avg period to be conducted during refueling outage 11 scheduled for Sept 1997.
STOLTZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/10. 4pp. 84873 156-84873 161.

9507270275 Safety evaluation supporting amend 210 to license DPR-58.
Office of Nuclear Reactor Regulation (Post 941001). 95/07/10 3pp. 84873 162-84873 164

9507180017 Notification of significant licensee meeting 95-05 w/rel on 950602 to discuss NRC findings relative to violation of TS 3.9.5.3 since E2 EDG was inoperable for more than 7 days.
ANDERSON, C.J. Region 1 (Post 820201) 95/07/12. Region 1 (Post 820201) 2pp. 84711 029-84711 028

9507170401 Informs of change to PBAPS Unit 3 TS bases, figures 1-1-1, "APRM Flow Base Source Relationship To Normal Operating Conditions."
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/07/13 Document Control Branch (Document Control Desk) 3pp. 84745 355-84745 357.

9507200120 Resubmits modified version of Rev 2 to Relief Request GVR-2 to second 10-yr interval of IST program & addresses NRC three concerns provided in Section 2.3 of SE attached to NRC 950707 re denying 950215 proposed rev 2 to relief request.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/07/14. Document Control Branch (Document Control Desk) 6pp. 84779 298-84779 303

9507270307 Notification of significant licensee meeting 95-70 w/rel on 950810 to discuss plans for implementing standard TS at Peach Bottom.
ANDERSON, C.J. Region 1 (Post 820201). 95/07/21. Region 1 (Post 820201) 2pp. 84883 077-84883 078

9507260042 Application for amends to licenses DPR-44 & DPR-56, proposing overall conversion of current PBAPS TS to improved TS as contained in NUREG-1433. Std TS, GE Plants, BWR/4.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/07/21. Document Control Branch (Document Control Desk) 3pp. 84875 111-84875 135.

9507260054 Proposed tech specs, proposing overall conversion of current PBAPS TS to improved TS as contained in NUREG-1433. "Std TS, GE Plants, BWR/4."
PECO Energy Co., (formerly Philadelphia Electric Co.) 95/07/21. 25pp. 84876 119-84876 195

9507260207 Forwards amends 208 & 212 to licenses DPR-44 & DPR-56, respectively & safety evaluation. Amends relocate Nuclear Renewal Board review requirements, ISEG requirements & certain review & audit requirements from TS.
SHEA, J.W. 95/07/25. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp. 84849 052-84849 077

9507260211 Amends 208 & 212 to licenses DPR-44 & DPR-56, respectively, relocating NRB review requirements, ISEG requirements & certain review & audit requirements from TS.
STOLTZ, J.F. 95/07/25. 16pp. 84845 056-84845 071

9507260293 Safety evaluation supporting amends 208 & 212 to licenses DPR-44 & DPR-56, respectively.
95/07/28. 6pp. 84845 072-84845 077

G. Inspection reports, SE Bulletin & correspondence

9507170243 Updates on efforts to renew 941006 petition to shut down plant due to listed reasons, including electrical control cable fire risk. Core shroud acceptable IAW insp results. NRC reviewing util core shroud design mod.
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/08/20. OCHS, R. Maryland Safe Energy Coalition 16pp. 84873 001-84873 181

9507180331 Forwards insp repts 50-277/95-17 & 50-278/95-17 on 950612-16. No violations noted.
MEYER, G.W. Region 1 (Post 820201) 95/08/25. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.) 2pp. 84892 208-84892 214.

9507180339 Insp repts 50-277/95-17 & 50-278/95-17 on 950612-16. No violations noted. Major areas inspected: days testing & maint activities.
STOLTZ, J.F. MEYER, G.W. Region 1 (Post 820201) 95/08/29. 5pp. 84892 210-84892 214.

9507180396 Forwards Physical Security Insp repts 50-277/95-16 & 50-278/95-16 on 950612-14. No safety concerns or violations noted.
JOYNER, J.H. Region 1 (Post 820201). 95/07/03. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp. 84892 014-84892 020.

9507180401 Insp Repts 50-277/95-16 & 50-278/95-16 on 950612-14. No violations noted. Major areas inspected: mgt support & audits, protected area intrusion detection equipment, alarm stations & security training & qualification.
SMITH, G.C., LUKOTH, D.F. Region 1 (Post 820201). 95/07/03. 4pp. 84892 017-84892 020

9507180555 Forwards combined insp repts 50-277/95-11 & 50-278/95-11 on 950423-0624. Insp repts documents generally good performance by operators, engineers, maint & health physics technicians & station mgt.
OCCOPEL, R.N. Region 1 (Post 820201). 95/07/17. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp. 84751 140-84751 169.

9507240086 Insp repts 50-277/95-11 & 50-278/95-11 on 950423-0624. No violations noted. Major areas inspected: operations, surveillance, maint, engineering & technical support.
ANDERSON, C.J. Region 1 (Post 820201) 95/07/12. 26pp. 84751 144-84751 169.

9507200068 Forwards Rev 4 to Relief Request RR-14 for PBAPS, Units 2 & 3 second ten-yr interval IST program. Relief request would allow authorization to utilize Code Cases N-486-1 & N-416-1. Withdraws Relief Requests RR-14, Rev 3 & RR-20, Rev 0.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/07/21 Document Control Branch (Document Control Desk) 6pp. 84876 169-84876 164.

9507210058 Forwards insp repts 50-277/95-14 & 50-278/95-14 on 950612-16. No safety concerns or violations noted.
JOYNER, J.H. Region 1 (Post 820201). 95/07/21. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp. 84890 343-84890 357.

9507210066 Insp repts 50-277/95-14 & 50-278/95-14 on 950612-16. No violations noted. Major areas inspected: emergency facilities, equipment, instrumentation & supplies, organization & mgt controls & emergency response organization training.
LAUGHLIN, J., JOYNER, J. Region 1 (Post 820201). 95/07/21. 12pp. 84890 346-84890 357

R. Periodic operating reports & related correspondence

9507200016 Monthly operating repts for June 1996 for PBAPS Units 2 & 3. W/950712 re.
JEFFREY, W.J., RAINY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/08/30 14pp. 84798 819-84798 832.

42 DOCKETED ITEMS

S. Reportable occurrences, LERs & related correspondence

950710165 Special report 950630, determined that number 12 cylinder on E-1 D/G had lower than normal operating temps during surveillance test. Caused by failure of fuel oil motor pump. Injector pump replaced & satisfactorily tested.
EDWARDS, G.D. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/07/25
Document Control Branch (Document Control Desk) 2pp 84903-288-84903-289

DOCKET 58-280 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507120203 Forwards Emergency Response Data Sys implementation documents & Data Point Library updates for plants.
DEMPSEY, K.C. Incident Response Branch, 95/02/27 SAUL, K.L. Halliburton NUS Environmental Corp. 1p 84631-332-84631-332

9507170009 Forwards SE which concludes that proposed Plan change which would eliminate requirement for 30 & 90 minute response times in Table 3.1 & deletion of Table 5.2, unacceptable.
BARR, K.P. Region 2 (Post 820201), 95/07/06, O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 2pp 84650-302-84650-321

9507170012 SER denying proposed revisions to decrease effectiveness of currently approved emergency plan for each site.
* Office of Nuclear Reactor Regulation (Post 941001), 95/07/08, 5pp 84650-303-84650-321

9507180143 Advises that val still in strong support of PR re revs to emergency planning procedures. UM encourages NRC efforts to select industry advice & recommendations in development of PR.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 95/07/13, Dooking & Services Branch, 1p 84785-321-84785-321

9507180231 Summary of 950711 meeting w/val re emergency plan staff augmentation. List of attendees & slides and
ENGLE, J.B., BUCKLEY, B.C. Project Directorate II-1 (PD2-1) (Post 941001), 95/07/18
Project Directorate II-1 (PD2-1) (Post 941001) 15pp 84784-074-84784-088

P. Operating license stage documents & correspondence

9507200284 FOIA request for documents filed w/NRC re compliance w/any regulations dealing w/safety, safe operations & environ concerns.
STEVENSON, V.L. Affiliation Not Assigned, 95/01/21 Division of Freedom of Information & Publications Services (Post 940714) 1p 84797-001-84797-001

9507200285 Final response to FOIA request for records. App A records available in FOR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714), 95/02/08 STEVENSON, V.L. Affiliation Not Assigned, 3pp 84797-002-84797-004

9507200287 EVALUATION OF POTENTIAL SEVERE ACCIDENTS DURING LOW POWER AND SHUTDOWN OPERATIONS AT SURRY, UNIT 1. Evaluation Of Severe Accident Risk During Mid-Loop Operations Appendix.
JO, L., LIN, C.C., NEYMOTIN, L. Brookhaven National Laboratory, FN L-1690, NUREG/CR-6144 Vol 2, 95/05/31, Division of Systems Technology (Post 941217), 275pp 84830-084-84830-327

9507200288 Confirms telcon between M Bowling & A Balde on 950606 re cancellation of meeting which had been scheduled for 950710 to discuss control rod drive sys issues & planned corrective actions.
LANDIS, K.D. Region 2 (Post 820201), 95/06/26 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 84785-096-84785-098

9508200082 Rev 1 to NRC Administrative Ltr 84-15 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/08/29 Consolidated Edison Co of New York, Inc 10pp 84518-259-84518-268

9507100218 Forwards amends 200 & 201 to licenses DPR-32 & DPR-37 & safety evaluation. Amends change "as-found" test acceptance criterion for pressurizer safety valves from plus or minus 1% to plus or minus 3%.
BUCKLEY, B.C. Project Directorate II-1 (PD2-1) (Post 941001), 95/06/29, O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 4pp 84616-262-84616-294

9507110220 Amends 200 & 201 to licenses DPR-32 & DPR-37, respectively, changing "as found" test acceptance criterion for pressurizer safety valves from plus or minus 1% to plus or minus 3%.
MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001), 95/06/29, 6pp 84616-266-84616-291

9507110225 Safety evaluation supporting amends 200 & 201 to licenses DPR-32 & DPR-37, respectively.
* Office of Nuclear Reactor Regulation (Post 941001), 95/06/29, 3pp 84616-292-84616-294

9507140322 Forwards exemption from requirements of 10CFR50, App J, Section 111.D.1(a) to delay performance of type A test until 1997 refusing outage granted.
MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001), 95/07/07, O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 2pp 84710-314-84710-323

9507140333 Grants exemption from requirements of 10CFR50 App J, Section 111.D.1(a) delaying performance of type A test until 1997 refusing outage granted.
VARGAS, S.A. Project Directorate II-2 (PD1-2) (Post 941001), 95/07/07, Virginia Power (Virginia Electric & Power Co.), 7pp 84710-316-84710-323

9507180141 Notification of 950725 meeting w/VEPC in Glen Allen, VA to discuss counterparts meeting.
BUCKLEY, B.C., ENGLE, J.B. Project Directorate II-1 (PD2-1) (Post 941001), 95/07/11, MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001), 6pp 84728-020-84728-025

9507190210 Forwards amends 201 & 201 to licenses DPR-32 & DPR-37 & SE. Amends change TSs to delete unnecessary descriptive phrases re number of cells in station & EDG batteries.
BUCKLEY, B.C. Project Directorate II-1 (PD2-1) (Post 941001), 95/07/11, O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 3pp 84728-081-84728-092

9507190216 Amends 201 & 201 to licenses DPR-32 & DPR-37, respectively, changing TSs to delete unnecessary descriptive phrases re number of cells in station & EDG batteries.
MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001), 95/07/11 7pp 84728-084-84728-090

9507190223 Safety evaluation supporting amends 201 & 201 to licenses DPR-32 & DPR-37, respectively.
* Office of Nuclear Reactor Regulation (Post 941001), 95/07/11 2pp 84728-091-84728-092

9507180176 Application for amends to licenses DPR-32 & DPR-37, providing two h allowed outage time for one RHR pump to accommodate plant safety, emergency power sys surveillance testing & permit depressurizing SI accumulators in lieu of isolation.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 95/07/14, Document Control Branch (Document Control Desk) 14pp 84780-318-84780-338

9507180178 Proposed tech specs, providing two h allowed outage time for one RHR pump to accommodate plant safety, emergency power sys surveillance testing & permit depressurizing SI accumulators in lieu of accumulator isolation.
Virginia Power (Virginia Electric & Power Co.), 95/07/14 9pp 84780-330-84780-338

9507180180 Advises NRC that val withdrew \$30,901 exemption request due to pending issuance of rev to App J of 10CFR50.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/07/14, Document Control Branch (Document Control Desk), 2pp 84785-296-84785-298

9507200284 Inform that VEPCO has implemented changes to fitness for duty program & herein provides required notification.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/07/20, Document Control Branch (Document Control Desk), 2pp 84851-332-84851-333

9507200287 Application for amends to licenses DPR-32 & DPR-37, proposing changes to TSs by establishing new setpoint limit for steam generator high-high level & provide more restrictive setting limits for certain RPS/ESFAS setpoints.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/07/20, Document Control Branch (Document Control Desk) 10p 84851-224-84851-242

9507200287 Proposed tech specs establishing new setpoint limit for SG high-high level & provides more restrictive setting limits for certain RPS/ESFAS setpoints.
* Virginia Power (Virginia Electric & Power Co.) 95/07/20, 9pp 84851-224-84851-242

G. Inspection reports, R. Bulletins & correspondence

9507120072 Forwards insp repts 50-280/95-08 & 50-281/95-08 on 950430-0627. Violations noted will not be subj to EA due to fact that licensee efforts in identifying &/or correcting violations meet specified criteria.
LANDIS, K.D. Region 2 (Post 820201), 95/06/23, O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 4pp 84575-220-84575-240

9507120078 Insp repts 50-280/95-08 & 50-281/95-08 on 950430-0627. No violations noted. Major areas inspected: plant status, operational safety verification, maint insp, surveillance insp, on-site engineering review, plant support.
GARNER, L.W., BEUSLE, G.A. Region 2 (Post 820201), 95/06/22 17pp 84575-224-84575-240

9507200144 Forwards safety assessment & insp plans for Surry & North Anna plants per requirements of GL 95-03.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/08/27, Document Control Branch (Document Control Desk) 12pp 84556-328-84556-338

9507140190 Ack receipt of 950615 re informing NRC of steps taken to correct violations noted in insp repts 50-280/95-08 & 50-281/95-08.
MERSCHOFF, E.W. Region 2 (Post 820201), 95/06/30, O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 4pp 84737-365-84737-368

9507140259 Forwards insp repts 50-280/95-11 & 50-281/95-11 on 950805-08. No violations noted.
BARR, K.P. Region 2 (Post 820201), 95/06/30, O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 84737-305-84737-319

9507140263 Insp repts 50-280/95-11 & 50-281/95-11 on 950805-08. No violations noted. Major areas inspected: organization & mgmt controls, audits & apparatus, training & qualification, external exposure control & internal exposure control.
FORBES, D.B., RANKIN, W.H. Region 2 (Post 820201), 95/06/28, 12pp 84737-308-84737-318

9507240368 Forwards safety evaluation re plant third 10-yr interval ISI program update & associated requests for relief.
MATTHEWS, D.B., Project Directorate II-1 (PD2-1) (Post 941001), 95/07/19, O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 4pp 84778-329-84778-339

9507240376 Safety evaluation granting requests for relief RR-2, RR-6, RR-7, RR-8, RR-11, SR-002, SR-003, SR-004 & SR-008.
* Office of Nuclear Reactor Regulation (Post 941001), 95/07/19 7pp 84778-339-84778-342

R. Periodic operating reports & related correspondence

9507180316 Monthly operating repts for June 1995 for Surry Power Station Units 1 & 2 w/950713 IR.
MASON, D., OLSEN, C., BRYANT, B.C. Virginia Power (Virginia Electric & Power Co.) 95/08/30, 20pp 84783-225-84783-244

S. Reportable occurrences, LERs & related correspondence

- 9507030139 Part 21 report re several incidents of instrument drift in excess of specified limits for Rosemount pressure transmitter Model 1154SH9. Other licensees advised to be alert to differences in pressure indication.
SAUNDERS, R.F. Virginia Power (Virginia Electric & Power Co.) 95/06/27. Document Control Branch (Document Control Desk). App. 84555.354-84555.357
- 9507110113 LER 95-005-00 on 950531, review identified min value speed used in periodic test procedures incorrect. Caused by cognitive personnel error. CAT level verified in compliance w/ revised calculated min level of 99.4%. W/950630 Mr. CHRISTIAN, D.A. Virginia Power (Virginia Electric & Power Co.) 95/06/30. Epp. 84830.016-84830.020

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

- 9507120290 Forwards Emergency Response Data Sys implementation documents & Data Point Library updates for plants.
DEMPSEY, K.C. Incident Response Branch, 95/02/27. SAUL, K.L. Halliburton NUS Environmental Corp. 1p. 84631.332-84631.332
- 9507170900 Forwards SE which concludes that proposed Plan change which would eliminate requirement for 30 & 90 minute response times in Table 5.1 & deletion of Table 5.2, unacceptable.
BARRICK, P. Region 2 (Post 820201). 95/07/08. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 2pp. 84650.302-84650.321
- 9507170012 EER denying proposed revisions to decrease effectiveness of currently approved emergency plan for each site.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/08. 3pp. 84650.305-84650.321
- 9507180166 Advises that still in strong support of PR re revs to emergency planning procedures. LER encourages NRC efforts to select industry advice & recommendations in development of PR.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 95/07/13. Docketing & Services Branch. 1p. 84755.321-84755.321
- 9507210331 Summary of 950711 meeting w/atl re emergency plan staff augmentation. List of attendees & slides and
ENGLE, L.B., BUCKLEY, B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/18. Project Directorate II-1 (PD2-1) (Post 941001). 15pp. 84754.074-84754.088

P. Operating license stage documents & correspondence

- 9507210284 FOIA request for documents filed w/NRC re compliance w/any regulations dealing w/safety, safe operations & environ concerns.
STEVENSON, V.L. Affiliation Not Assigned. 95/01/21. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84797.001-84797.001
- 9507210285 Final response to FOIA request for records. App A records available in FOR
FOWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. STEVENSON, V.L. Affiliation Not Assigned. App. 84797.002-84797.004
- 9507220143 Confirms telcon between M. Bowling & A. Belske on 950609 re cancellation of meeting which had been scheduled for 950710 to discuss control rod drive sys issues & planned corrective actions.
LANDIS, K.D. Region 2 (Post 820201). 95/06/28. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp. 84576.096-84576.098
- 9507220992 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GAMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84516.259-84516.268
- 9507103118 Forwards Amends 200 & 201 to licensees DPR-32 & DPR-37 & safety evaluation. Amends change "as found" test acceptance criterion for pressurizer safety valves from plus or minus 1% to plus or minus 5%.
BUCKLEY, B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/29. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 4pp. 84516.282-84516.294
- 9507110328 Amends 200 & 201 to licensees DPR-32 & DPR-37, respectively, changing "as found" test acceptance criterion for pressurizer safety valves from plus or minus 1% to plus or minus 5%.
MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/29. 6pp. 84616.286-84616.291
- 9507110325 Safety evaluation supporting amends 200 & 201 to licensees DPR-32 & DPR-37, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/29. 3pp. 84616.292-84616.294

- 9507190181 Notification of 950725 meeting w/VEPC in Glen Allen, VA to discuss countermeasures meeting.
BUCKLEY, B.C., ENGLE, L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/11. MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 6pp. 84729.020-84729.025

- 9507190210 Forwards amends 201 & 201 to licensees DPR-32 & DPR-37 & SE. Amends change TSs to delete unnecessary descriptive phrases re number of cells in station & EDG batteries.
BUCKLEY, B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/11. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp. 84728.081-84728.082

- 9507190216 Amends 201 & 201 to licensees DPR-32 & DPR-37, respectively, changing TSs to delete unnecessary descriptive phrases re number of cells in station & EDG batteries.
MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/11. 7pp. 84728.084-84728.090

- 9507190223 Safety evaluation supporting amends 201 & 201 to licensees DPR-32 & DPR-37, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/11. 2pp. 84728.091-84728.092

- 9507190176 Application for amends to licensees DPR-32 & DPR-37, providing two h allowed outage time for one RHR pump to accommodate plant safety, emergency power sys surveillance testing & permit depressurizing SI accumulators in lieu of isolation.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/07/14. Document Control Branch (Document Control Desk). 14pp. 84780.316-84780.338

- 9507190178 Proposed tech specs, providing two h allowed outage time for one RHR pump to accommodate plant safety, emergency power sys surveillance testing & permit depressurizing SI accumulators in lieu of accumulator isolation.
* Virginia Power (Virginia Electric & Power Co.) 95/07/14. 9pp. 84780.330-84780.338

- 9507190190 Advises NRC that will withdraws 930901 exemption request due to pending issuance of rev to App J of 10CFR50.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/07/14. Document Control Branch (Document Control Desk). 3pp. 84785.296-84785.299

- 9507270034 Informs that VEPCO has implemented changes to fitness for duty program & human provides required notification.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84851.332-84851.333

- 9507270067 Application for amends to licensees DPR-32 & DPR-37, proposing changes to TSs by establishing new setpoint limit for steam generator high-high level & provides more restrictive setting limits for certain RPS/ESFAS setpoints.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/07/20. Document Control Branch (Document Control Desk). 10pp. 84851.224-84851.242

- 9507270070 Proposed tech specs establishing new setpoint limit for SG high-high level & provides more restrictive setting limits for certain RPS/ESFAS setpoints.
* Virginia Power (Virginia Electric & Power Co.) 95/07/20. 9pp. 84851.234-84851.242

G. Inspection reports, IE Bulletins & correspondence

- 9507120872 Forwards insp repts 50-280/95-08 & 50-281/95-08 on 950430-0527. Violations noted will not be sub to EA due to fact that licensee efforts in identifying &/or correcting violation meet specified criteria.
LANDIS, K.D. Region 2 (Post 820201). 95/06/28. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 4pp. 84576.220-84576.240

- 9507120878 Insp repts 50-280/95-08 & 50-281/95-08 on 950430-0527. No violations noted. Major areas inspected: plant status, operational safety verification, maint insp, surveillance insp, on-site engineering review, plant support.
GARNER, L.W., BELSKE, G.A. Region 2 (Post 820201). 95/06/22. 17pp. 84576.224-84576.240

- 9507090144 Forwards safety assessment & insp plans for Surry & North Anna plants per requirements of GL 95-09.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/06/27. Document Control Branch (Document Control Desk). 12pp. 84555.326-84555.339

- 9507140199 Ack receipt of 950615 for informing NRC of steps taken to correct violations noted in insp repts 50-280/95-08 & 50-281/95-08.
BERSCHOFF, E.W. Region 2 (Post 820201). 95/06/30. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 4pp. 84737.358-84737.358

- 9507140258 Forwards insp repts 50-280/95-11 & 50-281/95-11 on 950605-09. No violations noted.
BARRICK, P. Region 2 (Post 820201). 95/06/30. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp. 84737.305-84737.319

- 9507140283 Insp repts 50-280/95-11 & 50-281/95-11 on 950605-09. No violations noted. Major areas inspected: organization & mgmt controls, audits & appraisals, training & qualification, external exposure control & internal exposure control.
FORBES, D.B., RANKIN, W.H. Region 2 (Post 820201). 95/06/29. 12pp. 84737.306-84737.318

R. Periodic operating reports & related correspondence

- 9807180816 Monthly operating repts for June 1995 for Surry Power Station Units 1 & 2. W/950713 Mr.
MASON, D., OLSEN, C., BRYANT, B.C. Virginia Power (Virginia Electric & Power Co.) 95/06/30. 20pp. 84789.225-84789.244

S. Reportable occurrences, LERs & related correspondence

- 9507030139 Part 21 report re several incidents of instrument drift in excess of specified limits for Rosemount pressure transmitter Model 1154SH9. Other licensees advised to be alert to differences in pressure indication.
SAUNDERS, R.F. Virginia Power (Virginia Electric & Power Co.) 95/06/27. Document Control Branch (Document Control Desk). 4pp. 84555.354-84555.357

- 9507190028 LER 95-006-00 on 950614, experienced generator trip, followed by turbine & reactor trips. Cause believed to be due to inadvertent action during maintenance but not confirmed. Unit placed in safe shutdown. W/950713 Mr.
CHRISTIAN, D.A. Virginia Power (Virginia Electric & Power Co.) 95/07/13. 7pp. 84771.296-84771.302

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

44 DOCKETED ITEMS

8507030135 Responds to petition of 850605, denying request for immediate suspension of plant FOLs because no safety issues warranting action could be identified
RUSSELL, W.T. BJORALT, S.H. Office of Nuclear Reactor Regulation (Post 941001) 95/06/19 GUNTER, P.V. Nuclear Information & Resource Service 31pp 84518 298 84518 322

8507030136 Notice of receipt of petition for Director's Decision under 10CFR2206 submitted on 850605 Requests immediate suspension of plant FOLs until state of pressure boundary exams & SA of irradiated fuel retrievability plan can be completed
MIRAGLIA, F.J. Office of Nuclear Reactor Regulation (Post 941001) 95/06/19 4pp 84518 300-84518 304

8507030162 Submits "Petition for Emergency Enforcement Action per 10CFR2206, Concerning Primary Pressure Boundary Exams, Retrievability of Irradiated (spent) Fuel & Retrievability of Reactor Core at Plant"
GUNTER, P.V., BJORALT, S.J. Nuclear Information & Resource Service 95/06/05 TAYLOR, J.M. Dir. of the Executive Director for Operations 18pp 84518 305-84518 322

8507030173 Forwards response to 841117 RAI re Thermo-Lag related ampacity derating issues Most Kacrow-wrapped cables discussed in NRC RAI will either no longer require fire wrap or ampacities will be recalculated using end methodologies
WADLEY, M.D. Northern States Power Co 95/06/30 Document Control Branch (Document Control Desk) 13pp 84617 158-84617 171

8507030180 Forwards details re activities at Prairie Island NPP Encl withheld (ref 10CFR2206)
CREED, J.R. Region 3 (Post 820201) 95/07/10 BAILEY, L.L. Federal Emergency Management Agency 1p 84781 138-84781 135

8507030198 Provides comments re proposed GL re 10CFR50.54(c), "Process for Changes to Security Plans w/o Prior NRC Approval" and endorses NEI comments & believes process described would provide proper screening criteria re proposed security plan
ANDERSON, R.O. Northern States Power Co 95/07/19 Rules & Directives Review Branch (Post 820325) 1p 84790 309-84790 308

B. Adjudicatory correspondence

8507030135 Responds to petition of 850605, denying request for immediate suspension of plant FOLs because no safety issues warranting action could be identified
RUSSELL, W.T. BJORALT, S.H. Office of Nuclear Reactor Regulation (Post 941001) 95/06/19 GUNTER, P.V. Nuclear Information & Resource Service 31pp 84518 298 84518 322

8507030136 Notice of receipt of petition for Director's Decision under 10CFR2206 submitted on 850605 Requests immediate suspension of plant FOLs until exam of pressure boundary exams & SA of irradiated fuel retrievability plan can be completed
MIRAGLIA, F.J. Office of Nuclear Reactor Regulation (Post 941001) 95/06/19 4pp 84518 300-84518 304

8507030162 Submits "Petition for Emergency Enforcement Action per 10CFR2206, Concerning Primary Pressure Boundary Exams, Retrievability of Irradiated (spent) Fuel & Retrievability of Reactor Core at Plant"
GUNTER, P.V., BJORALT, S.J. Nuclear Information & Resource Service 95/06/05 TAYLOR, J.M. Dir. of the Executive Director for Operations 18pp 84518 305-84518 322

8507280347 Responds to 850521 ltr re concerns raised w/respect to NRC response to 10CFR2206 petition requesting certain actions including immediate suspension of plant Units 1 & 2 operating licenses held by NSP
HANNON, L.N. 95/07/12 BJORALT, S.J. Affiliation Not Assigned 5pp 84752 181-84752 208

8507280355 Requests immediate action & response re issues raised by Prairie Island Condition Against Nuclear Storage & NRS in 850605 ltr Petition filed under 10CFR2206
BJORALT, S.J. 95/06/21 THE CHAIRMAN, SELIN, J. Commissioners (Post 750118) 3pp 84752 198-84752 208

P. Operating license stage documents & correspondence

8507030384 Forwards SE authorizing licensee 950418 request to utilize ASME Boiler & Pressure Vessel Code Case N-416-1 during third 10-yr inservice insp interval
CARPENTER, C.A. 95/06/24 ANDERSON, R.O. Northern States Power Co 3pp 84530 231-84530 237

8507030385 Safety evaluation authorizing licensee to utilize ASME B5PV Code Case N-416-1 as alternative to required hydrostatic pressure test
Office of Nuclear Reactor Regulation (Post 941001) 95/06/24 4pp 84530 235-84530 237

8507030386 Forwards response to 94 95-03, "Circumferential Cracking of SG Tubes"
ANDERSON, R.O. Northern States Power Co 95/06/27 Document Control Branch (Document Control Desk) 3pp 84561 123-84561 127

9506280462 Rev 1 to NRC Administrative Ltr 94-12 to all NRC licensees re access to NRC bulletin board sys
GRINBERG, B.K. 95/06/29 Consolidated Edison Co of New York, Inc. 10pp 84518 259-84518 268

8507030379 Forwards response to 841117 RAI re Thermo-Lag related ampacity derating issues Most Kacrow-wrapped cables discussed in NRC RAI will either no longer require fire wrap or ampacities will be recalculated using end methodologies
WADLEY, M.D. Northern States Power Co 95/06/30 Document Control Branch (Document Control Desk) 13pp 84617 158-84617 171

8507110272 Forwards amends 119 & 112 to licenses DPR-42 & DPR-60 & SE, Amends revokes TSs to allow containment airlock doors to remain open during core alterations provided certain conditions met
WETZEL, J.L. 95/07/03 ANDERSON, R.O. Northern States Power Co 3pp 84587 035-84587 053

8507110274 Amends 119 & 112 to licenses DPR-42 & DPR-60, respectively, revoking TSs to allow containment airlock doors to remain open during core alterations provided certain conditions met
WETZEL, J.L. 95/07/03 18pp 84587 035-84587 055

8507110276 Safety evaluation supporting amends 119 & 112 to licenses DPR-42 & DPR-60, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/07/03 8pp 84587 058-84587 063

9507129278 Responds to 850512 ltr to Commissioner & confirms portions of discussions w/D. Anthony on 850519 re codes & title
PAPERDELLO, C.J. Office of Nuclear Material Safety & Safeguards 95/07/05 HOWARD, J.J. Northern States Power Co 1p 84631 334-84631 334

9507180062 Discusses evacuation adequacy re schedule at plant Requests results of review & disposition within 30 days of 950707 ltr Stated end details of matter withheld (ref 10CFR2206)
CREED, J.R. Region 3 (Post 820201) 95/07/07 WATZLE Northern States Power Co 2pp 84711 254-84711 263

8507129411 Forwards signed computer access & operating agreement between NSP & NRC
BERSON, B.A. Region 3 (Post 820201) 95/07/12 WADLEY, M. Northern States Power Co 3pp 84775 277-84775 279

8507250185 Application for amends to licenses DPR-42 & DPR-60, revoking plant radiological effluent TS & other sections re radiological controls to conform to NUREG-1431, old TS, Westinghouse plants, Rev 1 & GL 88-01
WADLEY, M.D. Northern States Power Co 95/07/17 Document Control Branch (Document Control Desk) 17pp 84825 201-84825 340

8507250190 Proposed tech specs, revoking plant radiological effluent TS & other sections re radiological controls to conform to NUREG-1431 old TS, Westinghouse plants, Rev 1 & GL 88-01
Northern States Power Co 95/07/17 12pp 84825 216-84825 340

Q. Inspection reports, IE Bulletins & correspondence

8507030295 Requests confirmation in writing that 940126 proposed notice of violation issued against Burns Ind Security Svcs withdrawn, per Secretary of Labor Final Decision & Order issued under date of 950524
THOMAS, G.D. Burns International Security Services, Inc. 95/06/21 Ofc of Enforcement (Post 879413) 2pp 84570 299-84570 270

8507070010 Forwards insp repts 50-282/95-06, 50-306/95-06 & 72-0010/95-06 on 850328-0515 Monitored violation noted
KROPP, W.J. Region 3 (Post 820201) 95/06/27 WATZLE Northern States Power Co 5pp 84530 010-84530 039

8507070028 Insp repts 50-282/95-06, 50-306/95-06 & 72-0010/95-06 on 850328-0515 Monitored violation noted Major areas inspected licensee followup on previously identified items, operational safety verification & EGF6
KROPP, W.J. Region 3 (Post 820201) 95/06/27 25pp 84530 015-84530 039

8507180186 Forwards insp repts 50-282/95-02, 50-306/95-02 & 72-0010/95-02 on 850134-0611 & NOV
GREENMAN, E.Q. Region 3 (Post 820201) 95/06/30 WATZLE Northern States Power Co 7pp 84783 257-84783 305

8507180181 Notice of violation from insp on 950124-0511 Violation noted cask bending, loading & unloading activities not prescribed by approved procedures of type appropriate to circumstances as evidence
Region 3 (Post 820201) 95/06/30 2pp 84783 274-84783 275

8507180186 Insp repts 50-282/95-02, 50-306/95-02 & 72-0010/95-02 on 850124-0511 Violations noted Major areas inspected cask handling sys, loading/unloading, maint & surveillance procedures
KROPP, W.J. Region 3 (Post 820201) 95/06/30 30pp 84783 275-84783 306

8507180288 Forwards Rev 1 to "FINGP Unit 1 ISI Exam Plan Third Interval 931217-031218" in response to NRC RAI during 950530 telcon
ANDERSON, R.O. Northern States Power Co 95/07/08 Document Control Branch (Document Control Desk) 1p 84685 035-84685 126

8507180273 Rev 1 to "FINGP Unit 1 ISI Exam Plan Third Interval 931217-031218"
VILM, KIMNEY, C. RICKER, J. Northern States Power Co 95/07/06 81pp 84685 035-84685 126

9507190083 Forwards responses to NRC 850530 RAI on third 10-yr ISI exam plan for FINGP Unit 2, submitted on 841115 Gya code drawings for FINGP Units 1 & 2 also encl
ANDERSON, R.O. Northern States Power Co 95/07/18 Document Control Branch (Document Control Desk) 100pp 84908 235-84908 337

R. Periodic operating reports & related correspondence

8507110326 Monthly operating repts for June 1995 for Prairie Island Nuclear Generating Plant W/ 950705 ltr
DUGSTAD, D. ANDERSON, R.O. Northern States Power Co 95/06/30 5pp 84625 012-84625 020

S. Reportable occurrences, LIRs & related correspondence

8507170136 Special repton 950630, 122 diesel fire pump started 2 pag below acceptable pressure range allowed by procedure
ANDERSON, R.O. Northern States Power Co 95/07/10 Document Control Branch (Document Control Desk) 2pp 84747 183-84747 184

8507210322 Part 21 repts re potential defect in Limtorque SMB/SB/SBD-00 actuators Condition dependent on individual licensee internal operating practices used when declining MOV operable for safety related svcs
HYLTON, C.L. Limtorque Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 168-84815 196

9507240048 LER 95-007-00 on 950618 identified that door seal test of containment maintenance airlock not performed within 3 days of last use caused by personnel error Surveillance performed immediately W/950714 by HUNSTAD, A.A., ANDERSON, R.O. Northern States Power Co 95/07/14 4pp 84821 085-84821 086

9507240096 LER 95-008-00 on 950617 found that SF₆ pt continuous air monitor not operating caused by broken drive belt on sample pump belt replaced W/950717 by HUNSTAD, A.A., ANDERSON, R.O. Northern States Power Co 95/07/17 4pp 84821 077-84821 080

V. Operator Examinations

9507310028 Ack 950621 conversation between NRC & D Reynolds re four applicants seeking SOR license informs that applicants had not completed required on job training prior to administration of NRC exam during wk of 950615 GRANT, G.E. Region 3 (Post 820201) 95/07/06 WATZLE Northern States Power Co 2pp 84537 079-84537 080

9507310008 Informing that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003 RING, M.A. Region 3 (Post 820201) 95/07/24 LACROUX, G. Consumers Power Co 3pp 84919 021-84919 023

V. Dry Cask Independent Spent Fuel Storage Installations

9507080274 Responds to 950801 for stating you were not invited to 950805 meeting held at NRC headquarters w/utl Summary of discussions at meeting and SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards 95/06/21 WURST, J. Minnesota, State of 2pp 84540 062-84540 063

9507080308 Summary of 950805 meeting w/utl in Rockville, MD re utl progress in selecting site for second EFSI needed to be built SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards 95/06/21 TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards 3pp 84540 055-84540 057

9507180388 Responds to Prairie Island Coalition Against Nuclear Storage analysis which expresses concern that dry cask storage facility at Prairie Island site vulnerable to man-inoperable anti-aircraft ground warfare weapons HANNON, J.N. 95/07/13 CRICKER, G. 2pp 84896 240-84896 241

DOCKET 90-284 IDAHO STATE UNIV. RESEARCH REACTOR

G. Inspection reports, RE Bulletins & correspondence

9507260228 Forwards mail exam rept 50-264/OL-95-01, facility comments & NRC resolution of comments and exams & answer key re license to operate Idaho State Univ reactor W/o end RICHARDS, S.A. 95/07/20 GALLAGHER, M.C. Idaho State Univ., Pocatello, ID 1p 84831 187-84831 187

R. Periodic operating reports & related correspondence

9507100350 "ID State Univ Reactor Annual Operating Rept for 1984" W/ 950629 by CLOVIS, R.D. Idaho State Univ., Pocatello, ID 84/12/31 58pp 84882 275-84882 332

V. Operator Examinations

9507260288 Forwards results of operator mail exam conducted at Idaho State Univ on 950706 W/o end RICHARDS, S.A. 95/07/20 CLOVIS, R.D. Idaho State Univ., Pocatello, ID 1p 84831 186-84831 185

9507280228 Forwards mail exam rept 50-264/OL-95-01, facility comments & NRC resolution of comments and exams & answer key re license to operate Idaho State Univ reactor W/o end RICHARDS, S.A. 95/07/20 GALLAGHER, M.C. Idaho State Univ., Pocatello, ID 1p 84831 187-84831 187

DOCKET 90-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507080108 Forwards proprietary & non-proprietary versions of rev 5 to EPIP-OSC-21 & revised EPIP Index PATTERSON, T.L. Omaha Public Power District 95/06/22 Document Control Branch (Document Control Desk) 2pp 84582 330-84582 344

9507080109 Public version of rev 5 to EPIP-OSC-21, "Activation of Operations Support CV," & revised EPIP Index PATTERSON, T.L. Omaha Public Power District 95/06/22 15pp 84589 330-84589 344

9507180262 Informing that as result of mod which upgraded PC6 meteorological tower-based EPIOS data points modified on 950616. Updated data point library ref file sheets including min & max instrument ranges for new instruments and PATTERSON, T.L. Omaha Public Power District 95/06/30 Document Control Branch (Document Control Desk) 6pp 84682 083-84682 088

9507170364 Informing that instrument calibration & calibration frequency are controlled by radiation protection dept procedures PATTERSON, T.L. Omaha Public Power District 95/07/11 Document Control Branch (Document Control Desk) 1p 84785 360-84785 360

9507210218 Revised EPIOS, including FC-EPI emergency plan forms index & Rev 7 to FC-EPI-23 Section B, "Automatic Release Calculation Main Steam Line" W/950714 by PATTERSON, T.L. Omaha Public Power District 95/07/14 6pp 84787 330-84787 338

G. Adjudicatory correspondence

9507080346 Ack receipt of 950502 petition under 10CFR2.206 requesting that pressurized-water reactors at listed plants be immediately shut down RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/06/28 DOHERTY, J.F. Affiliation Not Assigned 4pp 84559 127-84559 139

9507080354 Notice of receipt of petition for Director's Decision under 10CFR2.206. Discusses J.F. Doherty 950502 petition requesting that NRC take immediate action to shut down PWR & inspect SG tubes at listed plants using point plus probe sys RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/06/28 2pp 84559 135-84559 136

9507080365 Request for shut down & SG tube map for listed plants, CE PWRs Believes that continued operation of plants health & safety hazard to nearby residents DOHERTY, J.F. Affiliation Not Assigned 95/05/02 Commissioners (Post 750119) 3pp 84559 127-84559 139

L. Financial information

9507310008 Forwards "1995/1996 Statement of Cash Flow From Operations," as guarantee of payment of deferred premiums for period of 950530-950630 PATTERSON, T.L. Omaha Public Power District 95/07/21 DINITZ, J.N. NRC - No Detailed Affiliation Given 3pp 84890 358-84890 360

P. Operating license stage documents & correspondence

9507080069 Forwards plant response to GL 95-05, "Circumferential Cracking of SG Tubes" PATTERSON, T.L. Omaha Public Power District 95/06/23 Document Control Branch (Document Control Desk) 15pp 84573 330-84573 344

9507080170 Forwards amend 167 to license DPR-40 & SE Amend relocates requirements for in-core instrumentation sys from TS to USAR LU, T. 95/06/26 PATTERSON, T.L. Omaha Public Power District 4pp 84530 185-84530 202

9507080175 Amend 167 to license DPR-40, relocating requirements for in-core instrumentation sys from TS to USAR LU, T. 95/06/26 5pp 84530 185-84530 187

9507080176 Safety evaluation supporting Amend 167 to license DPR-40 * Office of Nuclear Reactor Regulation (Post 941001) 95/06/26 5pp 84530 186-84530 202

9507100868 Forwards application for amend to license DPR-40 re extension of allowed outage time for an inoperable LPSI pump from 24 h to seven days GATES, W.G. Omaha Public Power District 95/06/28 Document Control Branch (Document Control Desk) 4pp 84681 185-84681 247

9507100865 Application for amend to license DPR-40 Amend would extend allowed outage time for inoperable LPSI pump from 24 h to seven days GATES, W.G. Omaha Public Power District 95/06/27 2pp 84681 185-84681 195

9507100871 Proposed tech spec re extension of allowed outage time for an inoperable low pressure SI pump * Omaha Public Power District 95/06/26 9pp 84681 191-84681 247

9507100107 Forwards description & justification of changes to proposed audit frequencies to plant QA program GATES, W.G. Omaha Public Power District 95/06/26 Document Control Branch (Document Control Desk) 4pp 84682 292-84682 297

9507100110 Proposed tech spec re audit frequencies for plant QA program * Omaha Public Power District 95/06/28 2pp 84682 292-84682 297

9507100868 Forwards application for amend to license DPR-40 re clarification & reformation of TS on chemical & vol control sys GATES, W.G. Omaha Public Power District 95/06/27 Document Control Branch (Document Control Desk) 2pp 84682 245-84682 280

9507100864 Application for amend to license DPR-40 Amend will modify & reform TS re chemical & vol control sys GATES, W.G. Omaha Public Power District 95/06/27 3pp 84682 260-84682 262

9507100230 Proposed tech spec re reformation & clarification of TS re chemical & vol control sys * Omaha Public Power District 95/06/27 2pp 84682 263-84682 260

9506280862 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys GRIMES, B.K. 95/06/28 Consolidated Edison Co of New York, Inc 10pp 84518 259-84518 268

9507100891 Forwards "Individual Plant Exam of External Events for Fort Calhoun Station," in response to GL 89-20, Suppl 4 PATTERSON, T.L. Omaha Public Power District 95/06/30 Document Control Branch (Document Control Desk) 2pp 84686 007-84686 060

9507100893 "Individual Plant Exam of External Events for Fort Calhoun Station" * Omaha Public Power District 95/06/30 40pp 84686 010-84686 060

9507210252 Forwards application for amends to license DPR-40, proposing TS, by allowing up to 24 hours to restore safety injection tank operability if inoperable Also, forwards, "Joint Applications Rept For SIT AOT/STI Extension" GATES, W.G. Omaha Public Power District 95/07/11 Document Control Branch (Document Control Desk) 3pp 84818 278-84818 339

9507210253 Application for amend to license DPR-40, proposing TS allowing up to 24 hours to restore SIT operability if inoperable GATES, W.G. Omaha Public Power District 95/07/11 3pp 84818 279-84818 361

46 DOCKETED ITEMS

850720257 Joint Application Rept for Safety Injection Tank AOT/STI Extension
* Omaha Public Power District, 95/05/31 50pp 94818 262-84818 333

950724879 Submits station RV multi data & withdrawal of proprietary versions for plant Conclude that data in references 5 & 6 acceptable & withdraws submittals in references 1, 2 & 3
UUT 95/07/20 PATTERSON, T.L. Omaha Public Power District, App 84778 354-84778 357

9507270295 Forwards amend 168 to license DPR-40 & safety evaluation Amend implementation administrative changes to TSs 5.2 & 5.5
UUT 95/07/21 PATTERSON, T.L. Omaha Public Power District, App 84873 104-84873 119

9507270297 Amend 168 to license DPR-40, implementing administrative changes to TSs 5.2 & 5.5
95/07/21 8pp 84873 108-84873 115

9507270380 Safety evaluation supporting amend 168 to license DPR-40
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/21 4pp 84873 115-84873 119

9507270332 Forwards amend 168 to license DPR-40 & safety evaluation Amend revises TS to make changes to TS 2.6.2, 2.11.3, 2.2 & 3.10
UUT 95/07/21 PATTERSON, T.L. Omaha Public Power District, 6pp 84873 018-84873 046

9507270356 Amend 168 to license DPR-40, revising TS to make changes to TS 2.6.2, 2.11.3, 2 & 3.10
95/07/21 17pp 84873 024-84873 040

9507270364 Safety evaluation supporting amend 168 to license DPR-40
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/21 6pp 84873 041-84873 046

Q Inspection reports, NE Bulletins & correspondence

9507109027 Forwards insp rept 50-285/95-07 on 950409-0520 No violations noted
BEACH, A.B. Region 4 (Post 820201) 95/06/30 PATTERSON, T.L. Omaha Public Power District, App 84539 022-84539 038

9507100801 Insp rept 50-285/95-07 on 950409-0520 No violations noted Major areas inspected onsite events, operational safety verification, onsite engineering & open item followup
JOHNSON, W.D. Region 4 (Post 820201) 95/06/30 13pp 84539 025-84539 036

9507180056 Provides 1895 refueling outage ISI results, NIS-1 & NIS-2 forms
PATTERSON, T.L. Omaha Public Power District, 95/07/11 Document Control Branch (Document Control Desk) 1p 84784 332-84784 351

9507180143 "Forms NIS-1 & NIS-2 Owner Rept for ISI"
* Omaha Public Power District, 95/07/11 17pp 84784 333-84784 351

9507180061 Forwards insp rept 50-285/95-09 on 950521-0701 & notice of violation
DYER, J.E. Region 4 (Post 820201) 95/07/25 PATTERSON, T.L. Omaha Public Power District, 6pp 84843 001-84843 021

9507180005 Notice of violation from insp on 950521-0701 Violation noted radiation protection technician, located inside contaminated area, reached across contaminated area boundary & touched clipboard in hands of person in clean area
* Region 4 (Post 820201) 95/07/25 1p 84843 005-84843 006

9507180067 Insp rept 50-285/95-09 on 950521-0701 Violations noted Major areas inspected onsite events, operational safety verification, plant support activities, result & surveillance activities, onsite engineering & open item followup
YANDELL, A. Region 4 (Post 820201) 95/07/21 15pp 84843 007-84843 021

R. Periodic operating reports & related correspondence

9507250274 "Fort Calhoun Station SG Eddy Current Test Rept 1995 Refueling Outage"
W/950718
PATTERSON, T.L. Omaha Public Power District, 95/06/31 18pp 84855 313-84855 330

9507210154 Monthly operating rept for June 1995 for Fort Calhoun Station W/950714
LIPPY, D.L. PATTERSON, T.L. Omaha Public Power District, 95/06/30 8pp 84807 347-84807 354

9507270825 Forwards "Fort Calhoun Station Performance Indicators" for June 1995
PATTERSON, T.L. Omaha Public Power District, 95/07/20 Document Control Branch (Document Control Desk) 1p 84851 078-84851 178

9507270825 "Fort Calhoun Station Performance Indicators" for June 1995
* Omaha Public Power District, 95/06/30 100pp 84851 079-84851 178

S. Reportable occurrences, LERs & related correspondence

9507080066 LER 95-004-00 on 950802 discrepancy re seismic classification of new fuel storage racks was discovered. Caused by lack of administrative control during parallel development of design. Performed calculation W/950830
LINDQUIST, S.A. PATTERSON, T.L. Omaha Public Power District, 95/08/30 5pp 84578 210-84578 214

9507080071 Forwards LER 94-010 Rev 2 that provides add info re potential effects of elevated post-accident COW temp & update status of corrective actions.
PATTERSON, T.L. Omaha Public Power District, 95/06/30 Document Control Branch (Document Control Desk) 1p 84578 215-84578 225

9507080074 LER 94-010-02 on 941114, identified potential accident scenarios that could have resulted in inoperability of both CR A/C units. Developed administrative controls
GESCHWENDER, J. Omaha Public Power District, 95/08/30 10pp 84578 216-84578 225

9507210322 Part 21 rept re potential defect in Limtorque SMB/SS/S&D-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related ops
HYLTON, C.L. Limtorque Corp, 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 180-84815 198

DOCKET 54-286 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9507180124 Revised EIPs, including rev 1 to IP-2101, rev 1 to IP-2106, rev 1 to IP-2200, rev 1 to IP-2201, rev 1 to IP-2203, rev 1 to IP-2204, rev 2 to IP-2205, rev 1 to IP-2207, rev 2 to IP-2301, revised EP-Forms Index & EP-Form 23 W/950630
CHAUBARD, M.A. Power Authority of the State of New York (New York Power Authority) 95/06/30 68pp 84689 220-84689 317

9507210128 Forwards SE re proposed changes to plant EALs informs that NRC endorsed NUMARC/NESP-007 as acceptable method by which licensee may develop site-specific emergency classification schemes
CONCELLI, J.F. Project Directorate, 1-1 (PD-1-1) (Post 841001) 95/07/10 CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 2pp 84754 281-84754 287

9507210128 Safety evaluation accepting EAL changes to license DPR-84 informs that major changes consistent w/guidance in NUMARC/NESP-007 & meet requirements of 10CFR50.47(b)(4) & App E to 10CFR50
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/10 4pp 84754 283-84754 287

9507140051 Revised EIPs, including Vol II to table of contents, Rev 15 to IP-1008, "Obtaining Meteorological Data" & Rev 13 to IP-1004, "Mobile Computer Sys - Data Assessment Module"
CHAUBARD, M.A. Power Authority of the State of New York (New York Power Authority) 95/07/12 44pp 84722 278-84722 321

9507180067 Revised EIPs, including table of contents & rev 6 to IP-1052 "Hazardous Waste Emergency"
* Power Authority of the State of New York (New York Power Authority) 95/07/14 18pp 84756 005-84756 022

G. Adjudicatory correspondence

9507030078 Ack receipt of 950518 re requesting that NRC suspend licensee license until completion of actions requested in GL 95-03 Request denied
RUSSELL, W. Office of Nuclear Reactor Regulation (Post 941001) 95/06/16 HOGARTH, C. Westchester Peoples Action Coalition, Inc. 7pp 84516 118-84516 126

9507030086 Notice of receipt of petition for Director's Decision under 10CFR2.206
MIRAGLIA, F.J. Office of Nuclear Reactor Regulation (Post 941001) 95/06/16 2pp 84516 126-84516 126

P. Operating license stage documents & correspondence

9507060256 Summarizes 950606-07 NRC senior managers meeting to evaluate nuclear safety performance of operating reactors, fuel facilities & other matters licensee. Facility performance improved but monitoring continues
TAYLOR, J.M. Off of the Executive Director for Operations 95/06/20 FRESMAN, D. Power Authority of the State of New York (New York Power Authority) App 84516 204-84516 207

9507060041 Forwards plant response to GL 95-03, "Circumferential Cracking of SG Tubes"
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 95/06/27 Document Control Branch (Document Control Desk) 11pp 84579 087-84579 107

9506290042 Rev 1 to NRC Administrative LR 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc. 10pp 84518 259-84518 268

9507140083 Forwards NYPA Assessment Panel charters & meeting minutes, from 1993, 1994, 1995 to present, to be made public per guidelines in MC 0350
LANE, W.D. Region 1 (Post 820201) 95/07/05 CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) App 84650 001-84650 283

9507140131 Informs that NYPA Assessment Panel revised charter based on current shutdown status of plant, reflecting development of restart action plan & obtaining restart approval per MC 0360 & Region 1 instruction 1470.1 Lists panel responsibilities
WIGGINS, J.T., MILLER, C.L. Region 1 (Post 820201) 93/05/13 COWGILL, C.J. Region 1 (Post 820201) 2pp 84850 006-84850 006

9507140147 Informs of expansion of FitzPatrick Assessment Panel to include plant & assume new title of NYPA Assessment Panel
HEHL, C.W. Region 1 (Post 820201) 93/01/11 COWGILL, C.J. Region 1 (Post 820201) 2pp 84650 007-84650 006

9507140150 Summary of 930118 93-01 NYPA Assessment Panel meeting re NRC charter, expectations for current panel members & future activities
COWGILL, C.J. Region 1 (Post 820201) 93/01/28 NRC - No Detailed Affiliation Given 16pp 84650 009-84650 022

9507140156 Summary of 930204 93-02 NYPA Assessment Panel meeting re determination that corporate engineering team may be redirected to be broad-based assessment of activities at plant
COWGILL, C.J. Region 1 (Post 820201) 93/02/09 NRC - No Detailed Affiliation Given 2pp 84650 023-84650 024

9507140178 Summary of 930217 93-09 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants
COWGILL, C.J. Region 1 (Post 820201) 93/03/01 NRC - No Detailed Affiliation Given 5pp 84650 025-84650 030

- 9507148189 Summary of 930331 93-04 NYPA Assessment Panel meeting re NYPA presentation of FitzPatrick restart self-assessment, review of comment on plant PIP & plant restart process
ESELGROTHUP Region 1 (Post 820201) 93/04/07 NRC - No Detailed Affiliation
Given 5pp 84650 031-84650 034
- 9507148212 Summary of 930409 93-05 NYPA Assessment Panel meeting re FitzPatrick plant status, post startup issues, Indian Point plant status & establishment of sub-committees
ESELGROTHUP Region 1 (Post 820201) 93/04/14 NRC - No Detailed Affiliation
Given 11pp 84650 035-84650 046
- 9507148225 Submit restart item criteria to aid in development of list of restart issues for plant
COWCELLAN Office of Nuclear Reactor Regulation (Post 941001) 93/04/07 CAPRAIS Office of Nuclear Reactor Regulation (Post 941001) 1p 84650 047-84650 047
- 9507148234 Summary of 930415 93-06 NYPA Assessment Panel meeting re special team map at plant to be conducted between 930426 & 930507, status of FitzPatrick plant, status of Indian Point plant & development of restart issues list
ESELGROTHUP Region 1 (Post 820201) 93/04/18 NRC - No Detailed Affiliation
Given 6pp 84650 048-84650 052
- 9507148258 Summary of 930514 93-07 NYPA Assessment Panel meeting re status of FitzPatrick plant, status of Indian Point plant & review of NRC draft restart items list
ESELGROTHUP Region 1 (Post 820201) 93/05/14 NRC - No Detailed Affiliation
Given 32pp 84650 053-84650 084
- 9507148272 Summary of 930520 93-08 NYPA Assessment Panel meeting re status of FitzPatrick plant, status of Indian Point plant, preliminary findings of special team into changes to draft restart issues list & map support at Indian Point plant
COWGILLCJ Region 1 (Post 820201) 93/05/07 NRC - No Detailed Affiliation
Given 6pp 84650 085-84650 090
- 9507148278 Summary of 930606 93-09 NYPA Assessment Panel meeting re correction to 93-08 meeting minutes, status & map status planning for FitzPatrick & Indian Point plants
COWGILLCJ Region 1 (Post 820201) 93/06/18 NRC - No Detailed Affiliation
Given 12pp 84650 091-84650 102
- 9507148284 Summary of 930714 93-10 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, NYPA response to NRC questions & comments concerning PIP items & Indian Point restart action plan status
COWGILLCJ Region 1 (Post 820201) 93/07/14 NRC - No Detailed Affiliation
Given 7pp 84650 103-84650 110
- 9507148292 Summary of 930804 93-11 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, logic functional deficiencies at FitzPatrick plant & need for review of changes to PIP as result of SIT
COWGILLCJ Region 1 (Post 820201) 93/08/02 NRC - No Detailed Affiliation
Given 6pp 84650 111-84650 116
- 9507148307 Summary of 930902 93-12 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, OSTI planned for FitzPatrick plant, Indian Point restart issues checklist item IV B & how NRC should best address this area
COWGILLCJ Region 1 (Post 820201) 93/09/29 NRC - No Detailed Affiliation
Given 6pp 84650 117-84650 124
- 9507148311 Summary of 931105 93-13 NYPA Assessment Panel meeting re status at FitzPatrick & Indian Point plants, OSTI at FitzPatrick plant, proposed several ongoing issues for addition to restart issues list & views on PIP & SIT causes
COWGILLCJ Region 1 (Post 820201) 93/11/23 NRC - No Detailed Affiliation
Given 16pp 84650 125-84650 140
- 9507148318 Summary of 931123 93-14 NYPA Assessment Panel meeting re map plan at FitzPatrick for followup of items identified in IFS SIT report, status of FitzPatrick plant, map plan/lineup for selected PIP items & NRC restart items
COWGILLCJ Region 1 (Post 820201) 93/12/16 NRC - No Detailed Affiliation
Given 10pp 84650 141-84650 150
- 9507148321 Summary of 931221 93-15 NYPA Assessment Panel meeting re impressions of results of PIP map meeting, NYPA appears to be driven excessively by outside parties, concerns at Indian Point plant
COWGILLCJ Region 1 (Post 820201) 94/03/04 NRC - No Detailed Affiliation
Given 3pp 84650 151-84650 152
- 9507148324 Summary of 940124 94-01 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, proposed additions & mode to list of restart issues in restart action plan & expectations for NRC/NYPA next meeting
COWGILLCJ Region 1 (Post 820201) 94/03/09 NRC - No Detailed Affiliation
Given 3pp 84650 153-84650 162
- 9507148336 Summary of 940301 94-02 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, Indian Point restart map follow-up tracking list & MOV program status at Indian Point plant
COWGILLCJ Region 1 (Post 820201) 94/04/04 NRC - No Detailed Affiliation
Given 14pp 84650 163-84650 176
- 9507148342 Summary of 940324 94-03 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, review of NRC corporate evaluation of NYPA conducted in Dec 1993 & current map program expectations at plants
COWGILLCJ Region 1 (Post 820201) 94/05/03 NRC - No Detailed Affiliation
Given 6pp 84650 177-84650 184
- 9507148348 Forwards NRC comments on review of NYPA corporate support & monitoring of Indian Point & FitzPatrick plants & discusses NRC map activity
WELLINGB D Region 4 (Post 820201) 95/07/05 NRC - No Detailed Affiliation
Given 15pp 84650 185-84650 198
- 9507148352 Summary of 940324 94-04 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, restart action plan items for closure & licensee drawing upgrade program & record retention program
COWGILLCJ Region 1 (Post 820201) 94/06/03 NRC - No Detailed Affiliation
Given 8pp 84650 199-84650 204
- 9507148358 Submits agenda for 94-05 NYPA Assessment Panel meeting
COWGILLCJ Region 1 (Post 820201) 95/07/05 NRC - No Detailed Affiliation
Given 2pp 84650 205-84650 206
- 9507148363 Summary of 940507 94-05 NYPA Assessment Panel meeting re comments on NYPA map meeting of 940528 & results of meeting w/public, New York State Assemblywoman S Gallet & Cortland Township Supervisor L. Pugliese following map meeting
COWGILLCJ Region 1 (Post 820201) 94/07/06 NRC - No Detailed Affiliation
Given 8pp 84650 207-84650 212
- 9507148368 Summary of 940701 94-06 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants & draft NRC letter to NYPA discussing restart & continuous improvement plan
COWGILLCJ Region 1 (Post 820201) 94/08/02 NRC - No Detailed Affiliation
Given 4pp 84650 213-84650 216
- 9507148378 Summary of 940908 94-07 NYPA Assessment Panel meeting re MOV meeting between NRC & NYPA on 940818, status of FitzPatrick & Indian Point plants, status of GRSS core map program & open licensing actions at Indian Point plant
COWGILLCJ Region 1 (Post 820201) 94/09/21 NRC - No Detailed Affiliation
Given 7pp 84650 217-84650 222
- 9507148383 Summary of 941005 94-08 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, schedule for closure of 58 Indian Point 3 restart action plan items & restart action plan item 2 R02 for closure
COWGILLCJ Region 1 (Post 820201) 94/10/16 NRC - No Detailed Affiliation
Given 4pp 84650 223-84650 228
- 9507148398 Summary of 941019 94-09 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, licensee annual EP partial participation exercise observed by NRC inspectors 941013 & proposed development of PERT chart
COWGILLCJ Region 1 (Post 820201) 94/11/01 NRC - No Detailed Affiliation
Given 5pp 84650 229-84650 234
- 9507148393 Summary of 941117 94-11 NYPA Assessment Panel meeting re Indian Point plant readiness assessment team map to begin 950123 & review of minutes from NYPA Assessment Panel meeting 94-10 & open action list
COWGILLCJ Region 1 (Post 820201) 94/12/12 NRC - No Detailed Affiliation
Given 3pp 84650 235-84650 236
- 9507148395 Summary of 941202 94-12 NYPA Assessment Panel meeting re NRC "road map" for Indian Point restart & power escalation, status of FitzPatrick & Indian Point plants & 941117 public meeting w/NYPA
COWGILLCJ Region 1 (Post 820201) 94/12/16 NRC - No Detailed Affiliation
Given 4pp 84650 237-84650 240
- 9507148397 Summary of 941222 94-13 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, RATI map plan, restart items for closure & status of licensing issues at Indian Point plant
COWGILLCJ Region 1 (Post 820201) 95/01/09 NRC - No Detailed Affiliation
Given 4pp 84650 241-84650 244
- 9507148398 Summary of 950322 NYPA 95-06 Assessment Panel meeting re current plant status & NRC observation of station blackout test
COWGILLCJ Region 1 (Post 820201) 95/03/31 NRC - No Detailed Affiliation
Given 4pp 84650 255-84650 258
- 9507148403 Summary of 950110 94-14 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, conclusion from T Martin tour of Indian Point plant on 950104-06, status of restart activities & licensing issues for Indian Point plant
COWGILLCJ Region 1 (Post 820201) 95/01/20 NRC - No Detailed Affiliation
Given 5pp 84650 245-84650 250
- 9507148404 Summary of 950413 NYPA 95-06 Assessment Panel meeting re current plant status & problem identified by NRC w/five containment isolation valves at plant 1S
COWGILLCJ Region 1 (Post 820201) 95/04/26 NRC - No Detailed Affiliation
Given 4pp 84650 259-84650 272
- 9507148407 Summary of 950124 95-07 NYPA Assessment Panel meeting re C Cowgill visit to Indian Point plant during wk of 950116, review of minutes from NYPA Assessment Panel meeting 94-14 & review of open NYPA Assessment Panel action item list
COWGILLCJ Region 1 (Post 820201) 95/02/02 NRC - No Detailed Affiliation
Given 4pp 84650 251-84650 254
- 9507148418 Summary of 950423 NYPA 95-07 Assessment Panel meeting to discuss restart assessment team map meeting scheduled for 950427
COWGILLCJ Region 1 (Post 820201) 95/06/03 NRC - No Detailed Affiliation
Given 2pp 84650 273-84650 274
- 9507148412 Summary of 950207 95-02 NYPA Assessment Panel meeting re review of minutes from NYPA Assessment Panel meeting 95-01, NRC restart action plan items for closure, status of RATI & Indian Point IPE
COWGILLCJ Region 1 (Post 820201) 95/02/17 NRC - No Detailed Affiliation
Given 4pp 84650 255-84650 256
- 9507148414 Summary of 950516 NYPA 95-08 Assessment Panel meeting to discuss recent allegation received by plant & status of actions to address transmittal from public meeting held on 950427
COWGILLCJ Region 1 (Post 820201) 95/06/01 NRC - No Detailed Affiliation
Given 6pp 84650 275-84650 283
- 9507148418 Summary of 950223 95-03 NYPA Assessment Panel meeting re importance of tracking remaining restart action plan technical items, status of FitzPatrick & Indian Point plants & status of two remaining open restart issues
COWGILLCJ Region 1 (Post 820201) 95/03/07 NRC - No Detailed Affiliation
Given 4pp 84650 257-84650 260
- 9507148424 Summary of 950308 95-04 NYPA Assessment Panel meeting re enforcement panel discussion concerning auxiliary safety injection component cooling water pump & status of FitzPatrick & Indian Point plants
COWGILLCJ Region 1 (Post 820201) 95/03/20 NRC - No Detailed Affiliation
Given 4pp 84650 261-84650 254
- 9507148240 Discusses self assessment during plant startup Description of self-assessment method & summary results provided in Attachment 1
CAHILL W J Power Authority of the State of New York (New York Power Authority) 95/07/09 Document Control Branch (Document Control Desk) 7pp 84694 353-84694 358

48 DOCKETED ITEMS

950712328 Responds to 950308 inquiry re whether or not staff exceeded authority by assuming operation control of recovery actions for plant events on 9/10/04 & 9/10/05. Concludes that potential safety significance of events warranted staff actions. TAYLOR, J. M. Of the Executive Director for Operations. 95/07/10. COLVIN, J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 4pp 84631 274-84631 277

950713178 Forwards application for amend to License DPR-64, replacing title-specific list members on PORC w/more general statement of membership requirements & changes title "Resident Manager" to "Site Executive Officer". CAHILL, W. J. Power Authority of the State of New York (New York Power Authority) 95/07/21 Document Control Branch (Document Control Desk) 2pp 84682 335-84682 381

950730199 Application for amend to License DPR-64, replacing title-specific list of members on PORC w/more general statement of membership requirements & changing title "Resident Manager" to "Site Executive Officer". CAHILL, W. J. Power Authority of the State of New York (New York Power Authority) 95/07/21 1p 84682 337-84682 337

950730199 Proposed tech specs re PORC membership & reg position title "Power Authority of the State of New York (New York Power Authority) 95/07/21 24pp 84682 339-84682 361

G. Inspection reports, IE Bulletins & correspondence

950730202 Ack receipt of 950810 re informing NRC of steps taken to correct violations noted in insp rpt 95-256/95-04. CONGILL, C. J. Region 1 (Post 820201) 95/08/23. HILL, L. M. Power Authority of the State of New York (New York Power Authority) 4pp 84488 107-84488 116

950730202 Forwards insp rpt 95-256/95-04 on 950418-0529 No violations noted. CONGILL, C. J. Region 1 (Post 820201) 95/08/23. HILL, L. M. Power Authority of the State of New York (New York Power Authority) 3pp 84507 089-84507 089

950730204 Insp rpt 95-256/95-04 on 950418-0529 No violations noted. Major areas inspected plant operations, maint, engineering, plant support & safety assessment & quality verification. CONGILL, C. J. Region 1 (Post 820201) 95/08/26 26pp 84507 082-84507 089

950714083 Forwards NYPA Assessment Panel charter & meeting minutes, from 1993, 1994, 1995 to present to be made public per guidelines in MC 0950. LAMMING, W. D. Region 1 (Post 820201) 95/07/05. CAHILL, W. J. Power Authority of the State of New York (New York Power Authority) 4pp 84650 001-84650 283

950734824 Summary of 950415 95-06 NYPA Assessment Panel meeting re special team insp at plant to be conducted between 950425 & 950507, status of FitzPatrick plant status of Indian Point plant & development of restart action plan. ESEB, G. R. Region 1 (Post 820201) 95/04/16 NRC - No Detailed Affiliation Given 6pp 84650 046-84650 052

950714822 Summary of 950520 95-09 NYPA Assessment Panel meeting re status of FitzPatrick plant status of Indian Point plant, preliminary findings of special team insp, changes to draft restart issues list & insp support at Indian Point plant. CONGILL, C. J. Region 1 (Post 820201) 95/08/07 NRC - No Detailed Affiliation Given 6pp 84650 065-84650 090

950714826 Summary of 950808 95-09 NYPA Assessment Panel meeting re correction to 95-08 meeting minutes, status & insp status planning for FitzPatrick & Indian Point plants. CONGILL, C. J. Region 1 (Post 820201) 95/08/18 NRC - No Detailed Affiliation Given 12pp 84650 091-84650 102

950714837 Summary of 950802 95-12 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, OSTI planned for FitzPatrick plant, Indian Point restart issue checklist item IV 9 & how NRC should best address this area. CONGILL, C. J. Region 1 (Post 820201) 95/08/29 NRC - No Detailed Affiliation Given 6pp 84650 117-84650 124

950714831 Summary of 951109 95-13 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, OSTI at FitzPatrick plant, proposed several ongoing issues for addition to restart issues list & views on PIP & SIT causes. CONGILL, C. J. Region 1 (Post 820201) 95/11/23 NRC - No Detailed Affiliation Given 16pp 84650 125-84650 140

950714831 Summary of 951123 95-14 NYPA Assessment Panel meeting re insp plan at FitzPatrick for followup of items identified in IPG SIT rpt, status of FitzPatrick plant, insp plans/analyses for selected PIP items & NRC restart items. CONGILL, C. J. Region 1 (Post 820201) 95/12/18 NRC - No Detailed Affiliation Given 10pp 84650 141-84650 150

950714838 Summary of 940301 94-02 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, Indian Point restart insp follow-up tracking list & MOV program status at Indian Point plant. CONGILL, C. J. Region 1 (Post 820201) 94/04/04 NRC - No Detailed Affiliation Given 14pp 84650 163-84650 178

950714842 Summary of 940324 94-03 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, review of NRC corporate evaluation of NYPA conducted in Dec 1993 & current insp program expectations at plants. CONGILL, C. J. Region 1 (Post 820201) 94/09/03 NRC - No Detailed Affiliation Given 5pp 84650 177-84650 184

950714846 Forwards NRC comments on review of NYPA corporate support & monitoring of Indian Point & FitzPatrick plants & discusses NRC insp activity. WELLING, S. D. Region 1 (Post 820201) 95/07/05 NRC - No Detailed Affiliation Given 15pp 84650 185-84650 198

950714832 Summary of 940324 94-04 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, restart action plan items for closure & licensee drawing update program & record retention program. CONGILL, C. J. Region 1 (Post 820201) 94/06/03 NRC - No Detailed Affiliation Given 5pp 84650 199-84650 204

950714857 Summary of 940508 94-07 NYPA Assessment Panel meeting re MOV meeting between NRC & NYPA on 940518, status of FitzPatrick & Indian Point plants, status of DRSS core insp program & open licensing actions at Indian Point plant. CONGILL, C. J. Region 1 (Post 820201) 94/09/21 NRC - No Detailed Affiliation Given 7pp 84650 217-84650 222

950714858 Summary of 941019 94-09 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, licensee annual EP partial participation exercise observed by NRC inspectors 941015 & proposed development of PERT chart. CONGILL, C. J. Region 1 (Post 820201) 94/11/01 NRC - No Detailed Affiliation Given 5pp 84650 225-84650 234

950714859 Summary of 941117 94-11 NYPA Assessment Panel meeting re Indian Point plant readiness assessment team insp to begin 950123 & review of minutes from NYPA Assessment Panel meeting 94-10 & open action list. CONGILL, C. J. Region 1 (Post 820201) 94/12/12 NRC - No Detailed Affiliation Given 5pp 84650 236-84650 236

950714857 Summary of 941222 94-13 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, RATI insp plan, restart items for closure & status of licensing issues at Indian Point plant. CONGILL, C. J. Region 1 (Post 820201) 95/01/09 NRC - No Detailed Affiliation Given 5pp 84650 241-84650 244

9507148410 Summary of 950425 NYPA 95-07 Assessment Panel meeting to discuss restart assessment team insp not meeting scheduled for 950427. CONGILL, C. J. Region 1 (Post 820201) 95/05/03 NRC - No Detailed Affiliation Given 2pp 84650 273-84650 274

9507148412 Summary of 950207 95-02 NYPA Assessment Panel meeting re review of minutes from NYPA Assessment Panel meeting 95-01, NRC restart action plan items for closure, status of RATI & Indian Point IPE. CONGILL, C. J. Region 1 (Post 820201) 95/02/17 NRC - No Detailed Affiliation Given 4pp 84650 283-84650 286

9507308167 Forwards plant readiness assessment team insp rpt & NRC rpt re did 950619, modifying plant CAL & articulating basis for supporting conclusion that plant ready to restart per 950526 response to re resolution to permanently close plant. CONGILL, C. J. Region 1 (Post 820201) 95/07/14. HEDGES, B. Rockland County NY 3pp 84752 022-84752 180

9507240263 Forwards NRC Readiness Assessment Team insp rpt & 950619 NRC rpt re which modified plant CAL & articulated basis for supporting conclusion that plant ready to restart, followup to response to 950526 response to re resolution to permanently close plant. CONGILL, C. J. Region 1 (Post 820201) 95/07/14. GRUSON, N. New York, State of 2pp 84754 184-84754 181

9507268140 Forwards corrected NOV which replaces NOV that was issued on 950721 re being apparently did. CALLAN, J. Region 4 (Post 820201) 95/07/24. HOSHINO, R. S. Ebasco Services, Inc 4pp 84842 187-84842 191

9507268143 Notice of violation from insp Violation noted licensee demonstrated against N. Armp by not recommending Armp for employment as per joint in Secretary of Labor 950331 Decision & Order of removal. Region 4 (Post 820201) 95/07/21 1p 84842 191-84842 191

F. Periodic operating reports & related correspondence

9507190325 Monthly operating rpt for June 1995 for Indian Point 3 Nuclear Power Plant, W/950710 re. ORLANDO, T. HILL, L. M. Power Authority of the State of New York (New York Power Authority) 95/08/30 9pp 84752 322-84752 327

S. Reportable occurrences, LERs & related correspondence

9507268067 LER 95-011-06 on 950625, overtemperature delta T RT setpoint was exceeded due to inadequate test procedure for calibr of time constants that was prohibited by TS Assessed surveillance test during current outage W/950624 re. GUMBLE, F. HILL, L. M. Power Authority of the State of New York (New York Power Authority) 95/08/24 7pp 84559 077-84559 093

9507170828 LER 95-005-01 on 950203, steam boiler feed pump discharge isolation valves determined to have failed performance test criteria, caused by degraded valve & actuator components. Design changes initiated re actuator W/950710 re. ERLINGER, K. HILL, L. M. Power Authority of the State of New York (New York Power Authority) 95/07/10 11pp 84739 013-84739 023

9507210322 Part 21 rpt re potential defect in Lintorque SH48/S8/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when deciding MOV operable for safety related ops. HYLTON, C. L. Lintorque Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84816 169-84816 198

DOCKET 98-267 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9507070185 Forwards rev 1 to Duke Power Co Nuclear Security & Contingency Plan, per 10CFR50.54(p) End withheld. TUCKERMAN, S. Duke Power Co 95/06/27 Document Control Branch (Document Control Desk) 2pp 84822 349-84822 344

9507170868 Rev 95-05 to Vol B "Oconee Nuclear Site EPIPs" W/950711 re. FOSTER, W. W., HAMPTON, J. W. Duke Power Co 95/07/11 35pp 84753 320-84753 353

K. Utility Final Safety Analysis Report (FSAR) & amendments

9507060861 "Oconee Nuclear Station FSAR 1994 Update" W/950630 W
HAMPTON, J.W. Duke Power Co. 54/12/31 1,078pp. 84590 001-84592 350

P. Operating license stage documents & correspondence

9507081195 Informs that add mod not necessary to accept use of revised CROV code Proposed changes to Administrative Controls section of each plant TS must be submitted in order to include use of revised code as methodology
BERKOW, H.N. 95/06/19 TUCKMAN, M.S. Duke Power Co. 4pp. 84511 281 84511 284

9507081258 Commits to complete fatigue analyses for RCS attached piping out to first isolation valve by 950831 Schedule for completion of fatigue analyses will be developed by 950901
HAMPTON, J.W. Duke Power Co. 95/06/26 Document Control Branch (Document Control Desk) 2pp. 84561 185-84561 186

9507090204 Forwards util response to GL 95-09 re circumferential cracking of 3G tubes
TUCKMAN, M.S. Duke Power Co. 95/06/27 Document Control Branch (Document Control Desk) 14pp. 84570 115-84570 128

9507120028 Discusses 950620 meeting w/representatives from Oconee Engineering Dept in Atlanta re overview of engineering activities at site W/ list of attendees & handout
CASTO, C.A. Region 2 (Post 820201) 95/06/28 HAMPTON, J.W. Duke Power Co. 27pp. 84574 221-84574 247

9508280852 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/28 Consolidated Edison Co. of New York, Inc. 10pp. 84518 259-84518 258

9507110898 Advises NRC that review of Oconee Nuclear Station mods indicates that LP3W flow instrumentation mods have been completed
HAMPTON, J.W. Duke Power Co. 95/06/29 Document Control Branch (Document Control Desk) 2pp. 84586 135-84586 137

9507240112 Application for amendments to licenses DPR-38, DPR-47, DPR-55, NPF-9, NPF-17, NPF-35 & NPF-52 re mod positions authorized to approve such items as procedures & procedure changes, station mods, TS amendments & reportable events
TUCKMAN, M.S. Duke Power Co. 95/06/29 Document Control Branch (Document Control Desk) 5pp. 84786 267-84786 352

9507240118 Proposed tech specs re mod positions authorized to approve such items as procedures & procedure changes, station mods, TS amendments & reportable events
Duke Power Co. 95/06/29 5pp. 84796 292-84796 295

9507240123 "DPG TR QA Program"
Duke Power Co. 95/06/29 5pp. 84796 297-84796 352

9507140447 Forwards "Oconee Nuclear Station Known Reliability Analysis Duke Power Co." Vols 1-3
HAMPTON, J.W. Duke Power Co. 95/07/06 Document Control Branch (Document Control Desk) 2pp. 84740 001-84745 342

9507140448 "Oconee Nuclear Station Known Reliability Analysis Duke Power Co." Vols 1-3
Duke Power Co. 95/06/30 2,160pp. 84740 009-84745 342

9507140572 Informs that staff agrees that completion of analyses by 950831, commensurate w/safety benefits gained & acceptable Schedule for performance of fatigue analyses to be developed by 950901
WIENS, L.A. 95/07/10 HAMPTON, J.W. Duke Power Co. 4pp. 84682 145-84682 148

9507170084 Provides suppl response to plant QA-1 licensing baps & GL 83-28, Section 2.3.1 subpart 1
HAMPTON, J.W. Duke Power Co. 95/07/10 Document Control Branch (Document Control Desk) 6pp. 84756 213-84756 218

9507170136 Modifies commitment made in 950404 suppl responses 4 to GL 89-13
HAMPTON, J.W. Duke Power Co. 95/07/12 Document Control Branch (Document Control Desk) 2pp. 84755 120-84755 121

9507240031 Discusses util intention to perform mod to reroute LP3W discharge line & consequent effluent monitoring requirement
HAMPTON, J.W. Duke Power Co. 95/07/17 Document Control Branch (Document Control Desk) 3pp. 84619 347-84619 349

9507240451 Notification of 950815 meeting w/util in Rodenville, MD to discuss proposed methodology for re-analysis of FSAR Chapter 15 non-LOCA accidents & status of M&B B1F fuel assembly development program and status of Duke TR Agenda end
WIENS, L.A. 95/07/19 BERKOW, H.N. 5pp. 84815 238-84815 242

Q. Inspection reports, IE Bulletins & correspondence

9507120071 Forwards insp repts 50-259/95-09, 50-270/95-09 & 50-287/95-09 on 950430-0527 & notice of deviation
CRLEHAK, R.V. Region 2 (Post 820201) 95/06/21 HAMPTON, J.W. Duke Power Co. 3pp. 84575 194-84575 219

9507120077 Notice of deviation from insp on 950430-0527 Deviation noted since initial operation, Channel "A" & "B" solenoid valves which operated MSBVs were not safety-related
Region 2 (Post 820201) 95/06/21 1p. 84575 197-84575 197

9507120082 Insp repts 50-259/95-09, 50-270/95-09 & 50-287/95-09 on 950430-0527 Deviations noted Major areas inspected plant operations, surveillance testing, maintenance activities, on-site engineering & technical assistance & plant support
HARMON, P.E., CRLEHAK, R.V. Region 2 (Post 820201) 95/06/21 25pp. 84575 198-84575 219

9507140316 Ack receipt of 950623 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/95-09, 50-270/95-09 & 50-287/95-09
CRLEHAK, R.V. Region 2 (Post 820201) 95/06/29 HAMPTON, J.W. Duke Power Co. 3pp. 84761 152-84761 154

9507120085 Responds to ltr of 950614, accepting delay in implementation schedule for plant unit ECC-16 outage (start Nov 1998) re IE Bulletin 80-04
WIENS, L.A. 95/06/30 HAMPTON, J.W. Duke Power Co. 3pp. 84631 278-84631 280

9507120132 Forwards relief request 95-03 & supporting technical info re delay for one outage in performing code-required RV nozzle exams
HAMPTON, J.W. Duke Power Co. 95/07/05 Document Control Branch (Document Control Desk) 11pp. 84681 311-84681 321

9507120322 Forwards safety evaluation authorizing proposed alternative to use exam techniques specified in section XI, 1982 edition of ASME Code, per 950406 ltr
BERKOW, H.N. 95/07/08 TUCKMAN, M.S. Duke Power Co. 3pp. 84825 344-84825 350

9507120324 Safety evaluation authorizing use 950406 proposed alternative to use exam techniques specified in section XI, 1982 Edition of ASME Code
Office of Nuclear Reactor Regulation (Post 841001) 95/07/08 4pp. 84625 347-84625 350

9507120279 Responds to concern re question of whether NRC resident inspector exceeded regulatory authority following 940810 reactor trip & concludes that authority not exceeded Other alleged inappropriate staff actions to be addressed by NRC
TAYLOR, J.M. Dir. of the Executive Director for Operations 95/07/10 PATE, Z.T. Institute of Nuclear Power Operations 8pp. 84631 281-84631 289

9507240027 Forwards insp repts 50-259/95-11, 50-270/95-11 & 50-287/95-11 on 950528-0624 & NOV
CRLEHAK, R.V. Region 2 (Post 820201) 95/07/12 HAMPTON, J.W. Duke Power Co. 3pp. 84800 309-84800 330

9507240031 Notice of violation from insp on 950528-0624 Violation noted on 950523, licensee identified problems requiring operability evaluation for three HPI sys containment isolation valves, but did not initiate PIP for problem
Region 2 (Post 820201) 95/07/12 2pp. 84800 312-84800 313

9507240034 Insp repts 50-259/95-11, 50-270/95-11 & 50-287/95-11 on 950528-0624 Violations noted Major areas inspected plant operations, maint & surveillance testing, on-site engineering & plant support
HARMON, P.E., CRLEHAK, R.V. Region 2 (Post 820201) 95/07/12 17pp. 84800 314-84800 330

9507240037 Ack receipt of 950315 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/94-31, 50-270/94-31 & 50-287/94-31 Advises that NRC will reclassify Violation 2 as non-coded Add comments listed
GIBSON, J.F. Region 2 (Post 820201) 95/07/12 HAMPTON, J.W. Duke Power Co. 2pp. 84800 359-84800 359

9507240388 Forwards insp repts 50-259/95-10, 50-270/95-10 & 50-287/95-10 on 950605-16 No violations noted
CASTO, C.A. Region 2 (Post 820201) 95/07/14 HAMPTON, J.W. Duke Power Co. 3pp. 84824 096-84824 104

9507240382 Insp repts 50-259/95-10, 50-270/95-10 & 50-287/95-10 on 950605-16 No violations noted Major areas inspected electrical design
RUDSAIL, S., HARMON, P.E. Region 2 (Post 820201) 95/07/12 16pp. 84824 089-84824 184

9507280120 Forwards insp repts 50-259/95-13, 50-270/95-13 & 50-287/95-13 on 950619-22 No violations or deviations noted
BARR, K.P. Region 2 (Post 820201) 95/07/14 HAMPTON, J.W. Duke Power Co. 3pp. 84793 315-84793 324

9507280123 Insp repts 50-259/95-13, 50-270/95-13 & 50-287/95-13 on 950619-22 No violations or deviations noted Major areas inspected secondary water chemistry, control room emergency ventilation sys & audits
JONES, D.W., DECKER, T.R. Region 2 (Post 820201) 95/07/11 6pp. 84793 318-84793 354

9507280126 Responds to NRC 950821 ltr re deviations noted in insp repts 50-270/95-09 & 50-287/95-09 Corrective actions schedule for completion of fatigue analyses for RCS will be developed by 950901
HAMPTON, J.W. Duke Power Co. 95/07/21 Document Control Branch (Document Control Desk) 10pp. 84628 299-84628 299

9507310180 Discusses 950628 conference call w/BSW & util to discuss util 950612 ltr to NRC re topical rept BAW-2228
GRUNDORF, L.L. 95/07/21 MARCUS, G.H. 4pp. 84879 347-84879 350

R. Periodic operating reports & related correspondence

9507080154 Forwards facility changes for 1994
HAMPTON, J.W. Duke Power Co. 95/06/30 Document Control Branch (Document Control Desk) 65pp. 84573 265-84573 329

9507110101 Informs that no 10CFR50.46 annual rept required, no minor changes made to BSW EOCs model & no significant errors reported for period from Jan-Dec 1994
HAMPTON, J.W. Duke Power Co. 95/06/30 Document Control Branch (Document Control Desk) 2pp. 84595 007-84595 008

9507280044 Monthly operating repts for June 1995 for Oconee Nuclear Station Units 1 & 2 & 3 W/950714 ltr
WILLIAMS, R.A., WEBER, R.L. Duke Power Co. 95/06/30 18pp. 84796 339-84796 356

50 DOCKETED ITEMS

S. Reportable occurrences, LERs & related correspondence

9507210222 Part 21 repl re potential defect in Limboree SMS/SS/SD-00 activities. Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related work.
HYLTON, C.L. Limboree Corp. 95/07/12. Document Control Branch (Document Control Desk) 30pp. 84815-169-84815-169

9507260133 PNC-11-05-043 on 950718 facility declared NOUE due to reactor coolant leakage rate of approx 36 gpm. Unit presently in cold shutdown & plans to make repairs underway.
CARROLL, R.E. Region 2 (Post 820201). 95/07/18. 1p. 84783-343-84783-343

T. Dry Cask Independent Spent Fuel Storage Installations

9507210222 Forwards cover page of 1994 update to FSAR for Oconee ISFSI.
HAMPTON, J.W. Duke Power Co. 95/06/30. Office of Nuclear Material Safety & Safeguards. 3pp. 84851-300-84851-302

9507260133 Forwards CAL issued to VECTRA Technologies re standardized NUHOMS-24P dry shielded casks & transfer casks used w/ISFSI.
WIENS, L.A. 95/07/13. HAMPTON, J.W. Duke Power Co. 3pp. 84789-247-84789-252

DOCKET 50-269 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507060488 Forwards revised pages to rev 32 of amended physical security plan & Rev 13 of Isolation & quarantine plan. Revised pages withheld.
WILSON, J.F. General Public Utilities Corp. - GPU Service Corp. 95/06/15. Document Control Branch (Document Control Desk) 1p. 84889-109-84889-109

9507130149 Rev 16 to EPP-TM-03, "Emergency Notification & Call Outs".
BEAVER, J., NELSON, J.A. General Public Utilities Corp. - GPU Service Corp. 95/06/28. 39pp. 84678-186-84678-233

9507130220 Forwards response to 950526 response to followup to RAJ re GL 92-08 concerning Thermo-Lag fire barrier issues.
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 95/07/07. Document Control Branch (Document Control Desk) 3pp. 84884-348-84884-354

P. Operating license stage documents & correspondence

9507060488 Forwards EA & FONSI re exemption from 10CFR50.44, 10CFR50.46 & 10CFR50.47 for demonstration fuel assemblies.
HERNAN, R.W. Project Directorate 1-3 (PD1-3) (Post 941001). 95/06/26. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 84530-223-84530-230

9507060488 Forwards exemption & finding of no significant impact re issuance of exemption from provisions of 10CFR50.44, 10CFR50.46 & App K to 10CFR50.47 for demonstration fuel assemblies.
HERNAN, R.W. Project Directorate 1-3 (PD1-3) (Post 941001). 95/06/26. 5pp. 84530-223-84530-230

9507060488 Forwards notice of significant meeting 95-00 w/utl on 950725 in King of Prussia, PA to discuss license details of upcoming outage plans.
ROGGE, J. Region 1 (Post 820201). 95/06/27. Region 1 (Post 820201) 2pp. 84507-281-84507-282

9507060488 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518-258-84518-268

9507130220 Forwards response to 950526 response to followup to RAJ re GL 92-08 concerning Thermo-Lag fire barrier issues.
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 95/07/07. Document Control Branch (Document Control Desk) 3pp. 84884-348-84884-354

9507130220 Forwards Rev 2 to TR 089, "TM-1 Cycle 10 COLR." Rev incorporates Table 3, "SWST, BAWT & RBAST Min Bore Requirements for Cold Shutdown".
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 95/07/20. Document Control Branch (Document Control Desk) 1p. 84884-315-84884-368

9507130220 Rev 2 to "TM-1 Cycle 10 COLR."
General Public Utilities Corp. - GPU Service Corp. TR 089 R02. 95/06/28. 44pp. 84594-318-84594-358

9507130220 Forwards rev to LAR 250 to License DPR-50, clarifying Section III, "SE Justifying Change" for source-range nuclear instrumentation SRs.
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 95/07/24. Document Control Branch (Document Control Desk) 1p. 84803-276-84803-280

9507130220 Rev to LAR 250 to License DPR-50, clarifying Section III, "SE Justifying Change" for source-range nuclear instrumentation SRs.
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 95/07/24. 4pp. 84803-277-84803-280

9507130220 Forwards amend 194 to license DPR-50 & SE. Amend revises plant TS allowing use of two Zr-based advanced fuel rod cladding made mfg by B&W.
HERNAN, R.W. 95/07/24. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 84883-317-84883-327

9507130220 Amend 194 to license DPR-50, revising plant TS to allow use of two Zr-based advanced fuel rod cladding made mfg by B&W.
MCKEE, P.F. 95/07/24. 4pp. 84883-320-84883-323

9507130220 Safety evaluation supporting amend 194 to license DPR-50.
95/07/24. 4pp. 84883-324-84883-327

Q. Inspection reports, IE Bulletins & correspondence

9507100604 Forwards schedule & bases for NRC map of facility planned for next yr.
COOPER, R.W. Region 1 (Post 820201). 95/06/29. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 4pp. 84536-347-84536-350

9507100604 Responds to 950530 ltr from PS Vreth re suspension of participation in re-qualification program of K Douglas, holder of license SOP-11095.
MEYER, G.W. Region 1 (Post 820201). 95/07/14. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 2pp. 84786-074-84786-076

R. Periodic operating reports & related correspondence

9507130149 Monthly operating rpt for June 1995 for TM Unit 1. W/950707 ltr.
MEYER, G.W., BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 95/06/30. 7pp. 84885-167-84885-163

S. Reportable occurrences, LERs & related correspondence

9507210222 Part 21 repl re potential defect in Limboree SMS/SS/SD-00 activities. Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related work.
HYLTON, C.L. Limboree Corp. 95/07/12. Document Control Branch (Document Control Desk) 30pp. 84815-169-84815-169

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

H. General correspondence

9507060488 Comment supporting proposed rule 10CFR73 re NRC initiative to eliminate requirement to post security at primary containment entrance during refueling & major maintenance periods.
BOULETTE, E.T. Boston Edison Co. 95/06/14. Docketing & Services Branch 1p. 84507-054-84507-064

9507130149 Responds to 950601 ltr to D Raftery requesting that info be provided re failure to maintain primary containment integrity & failure to control special nuclear material.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/21. KERRY, J.F. Senate App. 84809-290-84809-301

9507210114 Forwards copy of ltr from MC Olt & DM Murhead for Citizens Urging for Responsible Energy group of Duxbury, MA re Pilgrim Nuclear Power Station.
KERRY, J.F. Senate 95/06/01. RATHBURN, D. Office of Congressional Affairs (Post 911117). 3pp. 84809-298-84809-301

K. Utility Final Safety Analysis Report (FSAR) & appenda

9507120220 Rev 17 to "Final Safety Analysis Report For Pilgrim Nuclear Power Station," for 1994 W/950629 ltr W/113 oversight drawings.
OLIVER, L.J. Boston Edison Co. 95/06/30. 255pp. 84874-001-84874-255

P. Operating license stage documents & correspondence

9507060488 Responds to 950601 ltr requesting that NRC provide info re two recent issues associated w/activities at plant operated by Boston Edison Co.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/21. KERRY, J.F. Massachusetts, Commonwealth of. 3pp. 84512-227-84512-247

9507060488 Forwards corrected TS pages of amend to DPR-35 for Pilgrim Nuclear Power Station.
EATON, R.B. Project Directorate 1-1 (PD1-1) (Post 941001). 95/06/22. BOULETTE, E.T. Boston Edison Co. 3pp. 84512-251-84512-257

9507060488 Corrected TS pages of amend 164 to license DPR-35 for plant.
Project Directorate 1-1 (PD1-1) (Post 941001). 95/06/22. 3pp. 84512-354-84512-356

9507060488 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518-258-84518-268

9507060488 Approves use of ltr/inmate at dosage rate requested in 950522 ltr.
MCSWENEY, E.K. Environmental Protection Agency. 95/06/30. BOULETTE, E.T. Boston Edison Co. 2pp. 84882-359-84882-360

9507130149 Notice of significant meeting 95-66 w/utl on 950719 to discuss results of Pilgrim SWS self-assessment.
CONTE, R.J. Region 1 (Post 820201). 95/06/30. Region 1 (Post 820201) 3pp. 84755-268-84755-290

9507130149 Forwards Rev 11A & 11B to "Pilgrim Nuclear Power Station COLR."
BOULETTE, E.T. Boston Edison Co. 95/07/13. Document Control Branch (Document Control Desk) 1p. 84772-290-84772-292

9507130149 Rev 11A to "Pilgrim Nuclear Power Station PNP COLR."
Boston Edison Co. 95/06/18. 25pp. 84772-315-84772-315

9507130149 Rev 11B, "Pilgrim Nuclear Power Station PNP COLR."
Boston Edison Co. 95/06/08. 25pp. 84772-315-84772-340

9507200674 Application for amend to license DPR-35, reflecting use of advanced GE-11 fuel design in cycle 11.
BOULETTE, E.T. Boston Edison Co. 95/07/14. Document Control Branch (Document Control Desk) 6pp. 84800-068-84800-108

9507200078 Proposed tech specs re Section 2.1, Basis Safety Limits; Section 3.3, Control insertion times; & Section 4.11 C, minimum critical power ratio to reflect use of advanced GE-11 fuel design in cycle 11
* Boston Edison Co. 95/07/14. 17pp. 84800:092-84800:108.

9507200072 Forwards proprietary "Stress Corrosion Cracking Evaluation of XM-19 in BWR Environments" per commitment in 950509 IR. Encl. includes selection of air cooled XM-19 steel for shroud supports in rods at plant. Encl. withheld.
BOULETTE, E.T. Boston Edison Co. 95/07/24. Document Control Branch (Document Control Desk). 6pp. 84874:328-84874:333

Q. Inspection reports, IR Bulletins & correspondence

9507140014 Summaries 950511 meeting w/public in Plymouth, MA to discuss plant outage ramp results & startup readiness
COOPER, R.W. Region 1 (Post 820201). 95/07/05. BOULETTE, E.T. Boston Edison Co. 12pp. 84825:089-84825:100

9507240070 Forwards insp rept 50-293/95-14 on 950619-23 & notice of violation
KELLY, E.M. Region 1 (Post 820201). 95/07/17. BOULETTE, E.T. Boston Edison Co. 4pp. 84795:148-84795:153

9507240074 Notice of violation from insp on 950619-23 Violation noted licensee identified roof leakage into EDG bldg near safety-related electrical equipment
* Region 1 (Post 820201). 95/07/17. 8pp. 84795:153-84795:153

9507240076 Insp rept 50-293/95-14 on 950619-23 Violations noted Major areas inspected: plant design changes & temporary mode
TRAFF, J.M., KELLY, E.M. Region 1 (Post 820201). 95/07/14. 10pp. 84795:154-84795:163

9507270023 Forwards responses to NRC IR re violations noted in insp rept 50-288/95-08 on 950404-0516. Corrective actions recovered all mislabeled detectors & integrity was verified to be intact
BOULETTE, E.T. Boston Edison Co. 95/07/21. Document Control Branch (Document Control Desk). 8pp. 84851:285-84851:292

R. Periodic operating reports & related correspondence

9507060046 Repts changes, tests & experiments at plant for period of Jan-Dec 1994
ROTHERT, W.C. Boston Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 6pp. 84882:201-84882:206

9507100025 Monthly operating rept for June 1995 for Pilgrim Nuclear Power Plant/W/ 950713 IR
CANNON, R.L., OLIVER, L.J. Boston Edison Co. 95/06/30. 7pp. 84789:328-84789:334

9507250050 "Discharge Monitoring Rept For Pilgrim Nuclear Power Station," for June 1995 W/950718 IR
ROTHERT, W.C. Boston Edison Co. 95/06/30. 10pp. 84839:347-84839:356

S. Reportable occurrences, LERs & related correspondence

9507210022 Part 21 rept re potential defect in Limbongue SMB/SB/SBD-00 actuators. Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limbongue Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198

9507130052 LER 95-006-00 on 950614, RGIC sys made inoperable for troubleshooting problem w/ turbine steam supply valve. Caused by either loosened wire-connector or failed auxiliary deck in relay. Relay replaced & wires checked. W/950713 IR
GALFA, J., BOULETTE, E.T. Boston Edison Co. 95/07/13. 6pp. 84789:121-84789:126

9507180046 LER 95-005-00 on 950606, drywell-to-torus portion of primary containment vacuum relief sys activated. Caused by non-established drywell-to-torus atmosphere differential pressure. Add nitrogen delivered W/950714 IR
ELLIS, D.W., BOULETTE, E.T. Boston Edison Co. 95/07/14. 8pp. 84789:113-84789:120

DOCKET 80-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, shielding, emergency & fire protection plans

9507050049 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101
VONCK, M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84596:336-84596:355

9507070028 Forwards Amend 3 to "Zion Station Fire Protection Rept." Safe shutdown rept. Vol 1 updated to reflect changes implemented to meet App R commitments & fire hazards analysis. Vol 2 updated to reflect changes through 941201
SHIRAKI, G.Y. Commonwealth Edison Co. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 22pp. 84596:301-84596:322

9507070030 Amend 3 to "Zion Station Fire Protection Rept."
* Commonwealth Edison Co. 95/07/31. 543pp. 84663:024-84663:202

9507100057 Ack receipt of 950605 FEMA IR transmitting FEMA evaluation rept for 930728 & 940601 emergency preparedness exercise at plant
CRSED, J.R. Region 3 (Post 820201). 95/07/05. TUSTEN, R. Commonwealth Edison Co. 2pp. 84557:099-84557:102

9506020120 Forwards final rept for 930728 & 940601, plume exposure pathway exercises at offsite radiological emergency response plans site-specific to station. No deficiencies noted.
HEPLER, C.M. Federal Emergency Management Agency. 95/05/05. SPESSARD, P.L. 2pp. 84557:101-84557:102

9506020126 "Radiological Emergency Preparedness Exercise Evaluation Rept." exercise data 930728 & 940601, draft rept date 950116.
* Federal Emergency Management Agency. 95/04/17. 87pp. 84557:103-84557:189

9507250111 Forwards unreviewed EP EALs
VONCK, M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 200pp. 84825:001-84825:200

9507240058 Submits supplementary response to Comm Ed 950606 response to NRC 950602 RAI re proposed use of Corporate EDF as interim EDF
JOHNSTON, J.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84816:356-84816:357

G. Adjudicatory correspondence

9507180142 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DQ-85-08 in listed docket has expired. Decision became final agency action on 950620 W/Certificate of Svc. Served on 950630
HOYLE, J.C. Office of the Secretary of the Commission. #395 18864. 95/06/29. RUTHERFORD, R.K. Affiliation Not Assigned. 2pp. 84538:341-84538:342

K. Unit 1 Final Safety Analysis Report (FSAR) & amendments

9507200244 Revised updated FSAR for Zion Nuclear Station Units 1 & 2 W/950621 IR
SHIRAKI, G.Y. Commonwealth Edison Co. 95/06/21. 321pp. 84596:207-84596:199

P. Operating license stage documents & correspondence

9507140196 Forwards notice of consideration of issuance of amend to license DPR-38 & proposed NSHC determination & opportunity for hearing re request to allow 9G tubes that exceed repair criteria remain in svc for remainder of unit 1 cycle
SHIRAKI, G.Y. 95/06/19. FARRAR, D.L. NRC - No Detailed Affiliation Given. 2pp. 84710:324-84710:334

9507140114 Notice of consideration of issuance of amend to license DPR-38 & proposed NSHC determination & opportunity for hearing Amend to allow 164 9G tubes that exceed repair criteria remain in svc for remainder of unit 1 cycle.
RECKLEY, W.D. 95/06/19. 8pp. 84710:326-84710:334

9507060146 Forwards for info copy of environ assessment & finding of no significant impact re unit 950512 request for one-time only exemption from scheduler requirements of 10CFR50, App J.
SHIRAKI, G.Y. 95/06/26. FARRAR, D.L. Commonwealth Edison Co. 2pp. 84590:250-84590:255

9507060124 Environ assessment & finding of no significant impact re one-time only exemption from scheduler requirements of 10CFR50, App J.
SHIRAKI, G.Y. 95/06/26. 4pp. 84590:252-84590:255

9507030273 Provides unreviewed response to GL 95-03, "Cumulative Grading of 9G Tubes"
VONCK, M.J. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 13pp. 84596:190-84596:202

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268

9507060347 Informs that delay in submittal date for info described in unit 950628 IR & 950622 taken re IPE submittal - internal events & status of IPE SER response from 950630 to 0631 necessary because of add scope of work.
SHIRAKI, G.Y. Commonwealth Edison Co. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84596:359-84596:360

9507070069 Application for amendments to license DPR-38 & DPR-48, pending TS for EDG hot sequence loading test release. Per Reg Guide 1.108, Rev 1
SHIRAKI, G.Y. Commonwealth Edison Co. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 13pp. 84622:271-84622:286

9507070091 Proposed tech specs for EDG hot sequence loading test release.
* Commonwealth Edison Co. 95/06/30. 13pp. 84622:284-84622:296

9507100277 Forwards amends 165 & 153 to licensees DPR-38 & DPR-48, respectively & SE Amends add statement to recognize performing containment leakage rate testing in accordance w/10CFR50, App J & approved exemptions.
SHIRAKI, G.Y. 95/06/30. FARRAR, D.L. Commonwealth Edison Co. 2pp. 84587:007-84587:016

9507100231 Amends 165 & 153 to licensees DPR-38 & DPR-48, respectively, adding statement to recognize performing containment leakage rate testing in accordance w/10CFR50, App J & approved exemptions.
SHIRAKI, G.Y. 95/06/30. 8pp. 84587:009-84587:016

9507100204 Safety evaluation supporting amends 165 & 153 to licensees DPR-38 & DPR-48, respectively
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/30. 2pp. 84587:017-84587:018

9507130286 Ack receipt for 10CFR50 64(a) submittal dtd 950517, incorporating changes in QA program description topical rept.
RINK, J.A. Region 3 (Post 820201). 95/07/11. KOVACH, T.J. Commonwealth Edison Co. 2pp. 84728:232-84728:233

9507130438 Informs that one-time scheduler exemption from requirements of 10CFR50, App J, to delay performance of type A test for period of approximately 18 months granted. Exemption ends.
SHIRAKI, G.Y. 95/07/12. FARRAR, D.L. Commonwealth Edison Co. 2pp. 84728:233-84728:242

9507130438 Exemption from requirements of 10CFR50, App J, to delay performance of type A for period of approximately 18 months.
RICE, J.W. 95/07/12. Commonwealth Edison Co. 6pp. 84728:235-84728:242

52 DOCKETED ITEMS

9507240034 Ack receipt of 950605 R in response to NRC 950505 R requesting info re number of radiation protection concerns at plant
CAHILL, R.J. Region 3 (Post 820201). 95/07/14. TUETKEN, R. Commonwealth Edison Co. 2pp. 84761038-84761040

9507218187 Forwards amends 166 & 154 to licensee DPR-39 & DPR-48 & safety evaluation Amends revise requirement to perform EDG automatic hot start & sequence loading test immediately following 24 h EDG endurance test.
SHIRAKI, C.Y. 95/07/18 FARRAR, D.L. Commonwealth Edison Co. 2pp. 84764025-84764038

9507210191 Amends 166 & 154 to licensee DPR-39 & DPR-48, respectively, revising requirement to perform EDG automatic hot start & sequence loading test immediately following 24 h EDG endurance test.
SHIRAKI, C.Y. 95/07/18. 7pp. 84764027-84764033.

9507210194 Safety evaluation supporting amends 166 & 154 to licensee DPR-39 & DPR-48, respectively
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 5pp. 84764034-84764038

9507260274 Discusses proposed changes to CL rate testing requirements in 10CFR50 App. J. Requests meeting w/appropriate industry representatives to develop alternative approaches & to develop plan to complete model TS before rule change date.
GRIMES, C.L. 95/07/18. BUSH, L. Westinghouse Operating Plants Owners Group. SZABO, C. Babcock & Wilcox Operating Plants Owners Group. MANN, B. C-E Operating Plants Owners Group. 36pp. 84832321-84832357.

9507240452 Provides plan to deposition Alloy 699 TT plugs at Zion Station.
SIMPSON, T.W. Commonwealth Edison Co. 95/07/21. Document Control Branch (Document Control Desk). 2pp. 84812354-84812355.

9507218078 Forwards amend 167 to licensee DPR-39 & safety evaluation. Amend allows limited number of SG tubes w/roll transition indications to remain in svc until Sept 1995 refueling outage.
SHIRAKI, C.Y. 95/07/26 FARRAR, D.L. Commonwealth Edison Co. 2pp. 84856251-84856275

9507218084 Amend 167 to licensee DPR-39, allowing limited number of SG tubes w/roll transition indications to remain in svc until Sept 1995 refueling outage.
SHIRAKI, C.Y. 95/07/26. 5pp. 84856253-84856257.

9507218086 Safety evaluation supporting amend 167 to licensee DPR-39.
* 95/07/26. 17pp. 84856259-84856275

Q. Inspection reports, IE Bulletins & correspondence

9507090882 Forwards response to NRC 940426 RAI re plant 950603 proposed ISI program.
SIMPSON, T.W. Commonwealth Edison Co. 95/06/20. Office of Nuclear Reactor Regulation (Post 941001). 3pp. 84588287-84588320.

9507090838 Forwards revised semi-annual insp plan for plant dtd 950607.
MILLER, L.F. Region 3 (Post 820201). 95/06/27. TUETKEN, R. Commonwealth Edison Co. 2pp. 84508060-84508061.

9507110825 Comment on "NRC Insp Repts, Review of Contents, Format & Style" Quality factors should be applied to insps which mirror performance based regulatory goals.
FARRAR, D.L. Commonwealth Edison Co. 95/06/28. Document Control Branch (Document Control Desk). 1pp. 84557063-84557073.

9507070801 Confirms plans as discussed between L Miller & M Lenzink to hold meeting on 950719 in Lake IL to discuss events surrounding apparent failures to comply w/TS requirements re SG operability, Policy statement end.
ADELSON, W.L. Region 3 (Post 820201). 95/06/30. TUETKEN, R. Commonwealth Edison Co. 6pp. 84530001-84530006

9507170406 Documents commitment in response to request for add info re SG tube insps.
SIMPSON, T.W. Commonwealth Edison Co. 95/07/12. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84778280-84778280.

9507190818 Forwards insp repts 50-295/95-13 & 50-304/95-13 on 950626-30. No violations noted.
RINGS, M.A. Region 3 (Post 820201). 95/07/14. TUETKEN, R. Commonwealth Edison Co. 2pp. 84711030-84711039.

9507190823 Insp repts 50-295/95-13 & 50-304/95-13 on 950626-30. No violations noted. Major areas inspected/licensed operator requalification program, including administrative training procedures, requalification training records & exam mat.
BAILEY, M. BURDICK, T. Region 3 (Post 820201). 95/07/14. 6pp. 84711032-84711039

R. Periodic operating reports & related correspondence

9507190838 Monthly operating repts for June 1995 for Zion Generating Station Units 1 & 2. W/950714 R.
CYGAN, J. SCHWARTZ, G.K. Commonwealth Edison Co. 95/06/30. 39pp. 84790154-84790162

S. Reportable occurrences, LERs & related correspondence

9507120841 LER 95-006-00 on 950607 determined that prior to shutdown in Fall 1993 plant not in compliance w/TS SR 4.5.1.a.3 re CWR pressure. Caused by mgt deficiency SW design basis document & surveillance procedures reviewed. W/950706 R.
DAHLIN, D. SCHWARTZ, G.K. Commonwealth Edison Co. 95/07/06. 6pp. 84678263-84678268

9507170405 Forwards LER 95-007 re non-compliance w/EDG TEs.
SCHWARTZ, G.K. Commonwealth Edison Co. 95/07/11. Document Control Branch (Document Control Desk). 1p. 84739035-84739042

9507170181 LER 95-007-00 on 950612, EDG TS was in compliance due to personnel error. Performed testing on five plant EDGs which deviated from requirement of RG 1.108 & has been verified to meet equivalent test requirement.
FAHNING, G. Commonwealth Edison Co. 95/07/11. 6pp. 84739036-84739042

9507240038 LER 95-014-01 on 950707, failed to adequately test power operated RV per TS 4.3.1.F.1 due to procedural deficiency. Reviewed TS SR as applied to pressure PCRV to ensure complete compliance w/950718 R.
MIKA, S.L. SCHWARTZ, G.K. Commonwealth Edison Co. 95/07/19. 4pp. 84821061-84821084

V. Operator Examinations

9507190019 Forwards insp repts 50-295/95-13 & 50-304/95-13 on 950626-30. No violations noted.
RINGS, M.A. Region 3 (Post 820201). 95/07/14. TUETKEN, R. Commonwealth Edison Co. 2pp. 84711030-84711039

9507190026 Insp repts 50-295/95-13 & 50-304/95-13 on 950626-30. No violations noted. Major areas inspected/licensed operator requalification program, including administrative training procedures, requalification training records & exam mat.
BAILEY, M. BURDICK, T. Region 3 (Post 820201). 95/07/14. 6pp. 84711032-84711039

9507310608 Informs that NRC plans to administer generic fundamental exam section of written operator licensing exam on 951003.
RINGS, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, G. Consumers Power Co. 2pp. 84818021-84818023.

DOCKET 50-296 BROWN'S FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9507120189 Forwards insp repts 50-259/95-30, 50-260/95-30 & 50-296/95-30 on 950630-0602. No violations or deviations noted.
BARR, K.P. Region 2 (Post 820201). 95/08/23. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84578064-84578074

9507120193 Insp repts 50-259/95-30, 50-260/95-30 & 50-296/95-30 on 950630-0602. No violations noted. Major areas inspected: operational readiness of emergency preparedness program for in-depth insps associated w/Unit 3 restart activities.
GOODEN, A. Region 2 (Post 820201). 95/08/23. 7pp. 84578068-84578074.

9507120845 Confirms 950619 telcon between C Kelley & D Thompson re meeting to discuss three sites new physical security plans, scheduled for 950705-06 in Knoxville, TN.
JAUOON, J.P. 95/06/27. MEDFORD, M. Tennessee Valley Authority. 6pp. 84575057-84575062

9507070284 Revised EPIPs, including index. Rev 15 to EPIP-2, Rev 18 to EPIP-3, Rev 17 to EPIP-4, Rev 19 to EPIP-5, Rev 15 to EPIP-6 & Rev 14 to EPIP-7. W/950629 R.
SALAS, P. Tennessee Valley Authority. 95/06/29. 101pp. 84579160-84579260.

9507250297 Forwards insp rpt of 950514-16 visit to Browns Ferry Nuclear Plant.
NEBUDA, D.T. Army, Dept. of Corps of Engineers. 95/06/29. YOUNG, G. NRC - No Detailed Affiliation Given. 1p. 84835254-84835260

9507250301 Trip rpt of 950514-16 visit to Browns Ferry Nuclear Power Station re latest evaluation & subsequent vehicle barrier location.
NEBUDA, D.T. Army, Dept. of Corps of Engineers. 95/06/06. Army, Dept. of Corps of Engineers. 7pp. 84835264-84835280.

950719017 Ack receipt of 950517 R forwarding detailed scenario for plant radiological emergency plan exercise. Submittal meet requirement for full participation exercise scheduled for wk of 950724.
BARR, K.P. Region 2 (Post 820201). 95/07/10. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84650335-84650337.

9507210802 Revised EPIPs, including rev 19 to EPIP-1, rev 12 to EPIP-6, rev 14 to EPIP-7, rev 12 to EPIP-8, rev 7 to EPIP-10, rev 7 to EPIP-12, rev 6 to EPIP-17, rev 5 to EPIP-13, rev 9 to EPIP-22 & rev 8 to EPIP-23. W/950712 R.
CARRIER, P.P. Tennessee Valley Authority. 95/07/12. 210pp. 84818001-84818210.

9507260064 Comment on proposed GL re 10CFR50.54(p), "Process for Changes to Security Plans w/o Prior NRC Approval." Agrees that proposed clarification of language in 10CFR50.54(p) & provided screening online appropriate.
CARRIER, P.P. Tennessee Valley Authority. 95/07/13. NRC - No Detailed Affiliation Given. 2pp. 84793046-84793047

9507260114 Revised Central Emergency Control Ctr (CECC) EPIPs, including rev 2 to CECC-EPIP-2, rev 17 to CECC-EPIP-3, rev 16 to CECC-EPIP-4 & rev 20 to CECC-EPIP-5. W/950720 R.
CARRIER, P.P. Tennessee Valley Authority. 95/07/20. 46pp. 84826001-84826048.

H. General correspondence

9507060211 Forwards Rev 6 to Topical Rept TVA-NPO089-A, "TVA Nuclear Organization Description," incorporating organizational changes announced through 950601.
CARRIER, P.P. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84688258-84688310.

9507060222 Rev 6 to "TVA Nuclear Organization Description."
* Tennessee Valley Authority. TVA-NPO089-A R06 95/06/29. 30pp. 84688259-84688310.

P. Operating license stage documents & correspondence

9507150308 Discusses 950606-07 NRC senior managers meeting to evaluate nuclear performance of operating reactors, fuel facilities & other major licensees Recovery of unit 3 progressing accordingly Disposition of unit 1 indeterminate
TAYLOR, J.M. Of the Executive Director for Operations 95/06/20
KINGSLEY, O.D. Tennessee Valley Authority 4pp 84516 258-84516 261

9507120026 Confirms conversation between P. Salas & NRC on 950622, concerning meeting which has been scheduled for 950720 to discuss status & schedule for unit 3 restart activities
LESSER, M.S. Region 2 (Post 820201) 95/06/27 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84574 215-84574 217

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRUBBS, B.K. 95/06/23 Consolidated Edison Co. of New York, Inc. 10pp 84516 258-84516 288

9507070314 Provides suppl info requested by NRC for review of proposed TS 359 submitted on 950511 to reflect interim addition of scram pilot air header low pressure trip function on BFW Unit 3 Reactor Units 2 & 3 TS bases page end
SALAS, P. Tennessee Valley Authority 95/06/30 Document Control Branch (Document Control Desk) 3pp 84579 305-84579 321

9507070318 Proposed tech specs bases pages for TS 359, incorporating into re scram pilot air header low pressure trip function
Tennessee Valley Authority 95/06/30 14pp 84579 305-84579 321

9507170008 Discusses NRC 950612 for announcing NRC meeting w/Unit scheduled for 950718 to discuss methods for implementation of problem identification & corrective action programs at all facilities
MACHON, R.D. Region 2 (Post 820201) 95/06/30 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84550 296-84550 301

9507110329 Requests that encl JM Taylor 950705 memo to chairman be classified as publicly available
TAM, P.S. 95/07/07 Document Control Branch (Document Control Desk) 1p 84587 147-84587 193

9507110334 Forwards draft rept re licensing status of Watts Bar, Unit 1 & restart of Browns Ferry, Unit 3
TAYLOR, J.M. Of the Executive Director for Operations 95/07/06 THE CHAIRMAN, JACKSON, S.A., ROGERS, C. Tennessee Valley Authority 4pp 84587 148-84587 193

9507170055 Application for amends to license DPR-33, DPR-52 & DPR-68 revising TS base section 3.7 A/4.7 A to clarify method of determining operability of drywell to suppression chamber vacuum breakers
SALAS, P. Tennessee Valley Authority 95/07/10 Document Control Branch (Document Control Desk) 3pp 84768 201-84768 212

9507170062 Proposed tech specs clarifying method of determining operability of drywell to suppression chamber vacuum breakers
Tennessee Valley Authority 95/07/10 3pp 84755 204-84755 212

9507210022 Confirms conversation between S. Wetzel & NRC staff on 950712 concerning meeting requested by Unit, which has been scheduled for 950720 to discuss results of the water sys operational performance assessment
LESSER, M.S. Region 2 (Post 820201) 95/07/12 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84738 045-84738 050

9507230178 Provides suppl info verbally requested by NRC in 950629 teleconference for review of proposed TS 348
SALAS, P. Tennessee Valley Authority 95/07/14 Document Control Branch (Document Control Desk) 10pp 84807 337-84807 348

9507240193 Forwards Amends 222,237 & 196 to Licensees DPR-33, DPR-52 & DPR-68, respectively, amending analog transmitter/trip sys on plant, rewire reactor vessel level safety limit
WILLIAMS, J.F. 95/07/17 KINGSLEY, O.D. Tennessee Valley Authority 1p 84821 285-84821 383

9507240214 Amends 222,237 & 196 to Licensees DPR-33, DPR-52 & DPR-68, respectively, amending analog transmitter/trip sys on plant, rewire reactor vessel level safety limit & limiting safety sys setting for Units 1, 2 & 3
HEBDON, F.J. 95/07/17 9pp 84821 286-84821 352

9507240232 Safety evaluation supporting amends 222,237 & 196 to Licensees DPR-33, DPR-52 & DPR-68, respectively
Office of Nuclear Reactor Regulation (Post 841001) 95/07/17 11pp 84821 353-84821 383

9507240324 Submits RAI to TVA organization topical rept, rev & Requests response by 950618
HEBDON, F.J. 95/07/20 KINGSLEY, O.D. Tennessee Valley Authority 4pp 84776 350-84776 353

9507270305 Staff requirements memo re 950712 briefing in Rockville, MD on status of Watts Bar & Browns Ferry, Unit 3
HOYLE, J.C. Office of the Secretary of the Commission 95/07/24 TAYLOR, J.M. Of the Executive Director for Operations 1p 84844 045-84844 045

9507280088 Responds to 950720 for requesting addl info on revised nuclear organization topical rept
GARBER, P.P. Tennessee Valley Authority 95/07/24 Document Control Branch (Document Control Desk) 8pp 84875 148-84875 158

9507310291 Summary of 950601 meeting w/NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NUREG-1465 severe accident source term at operating reactors
SCALETTO, J. 95/07/26 CHAFF, T.R. 4pp 84888 143-84888 185

Q. Inspection reports, III Bulletins & correspondence

9507120189 Forwards insp rept 50-259/95-30, 50-260/95-30 & 50-296/95-30 on 950530-0502 No violations noted Major areas inspected operational readiness of emergency preparedness program for in-depth insp associated w/Unit 3 restart activities
GOODENA, BARR, K. Region 2 (Post 820201) 95/06/23 7pp 84576 062-84576 074

9507120008 Forwards insp rept 50-259/95-34, 50-260/95-34 & 50-296/95-34 on 950612-16 No violations noted
CASTO, C.A. Region 2 (Post 820201) 95/06/27 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84574 124-84574 133

9507120010 Insp rept 50-259/95-34, 50-260/95-34 & 50-296/95-34 on 950612-16 No violations noted Major areas inspected status of licensee actions for Unit 3 compliance w/Station Blackout Rule addressed in 10CFR60.63 & loss of all ac power
SALGADO, N., SHYMLOCK, M. Region 2 (Post 820201) 95/06/27 7pp 84574 127-84574 133

9507120146 Confirms conversation of 950622 between S. Austin & G. Wiskeman re working level meeting scheduled for 950710 to discuss upcoming unit 3app Flump
LESSER, M.S. Region 2 (Post 820201) 95/06/27 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84576 028-84576 041

9507120812 Forwards insp rept 50-259/95-31, 50-260/95-31 & 50-296/95-31 on 950514-0610 & notice of violation
LESSER, M.S. Region 2 (Post 820201) 95/06/28 KINGSLEY, O.D. Tennessee Valley Authority 4pp 84574 196-84574 169

9507120034 Insp rept 50-259/95-31, 50-260/95-31 & 50-296/95-31 on 950514-0610 No violations noted Major areas inspected operations, surveillance testing & manual activities
WERT, L.D., LESSER, M.S. Region 2 (Post 820201) 95/06/28 27pp 84574 142-84574 169

9507100409 Responds to NRC 950508 for re violation noted in insp rept 50-259/95-26, 50-260/95-26 & 50-296/95-26 Corrective actions Abnormal Operating Instruction (AOI) 0-AOI-100-7 revised to provide SOS w/latitude to evaluate weather conditions
MACHON, R.D. Tennessee Valley Authority 95/07/06 Document Control Branch (Document Control Desk) 5pp 84892 331-84892 335

9507140281 Forwards insp rept 50-259/95-33, 50-260/95-33 & 50-296/95-33 on 950605-09 & notice of violation
BARR, K.P. Region 2 (Post 820201) 95/07/06 KINGSLEY, O.D. Tennessee Valley Authority 4pp 84728 933-84728 960

9507140294 Notice of violation from insp on 950605-09 Violation noted on 950609 only one out of seven individuals preparing to enter PCA to perform work on Unit 2 FR-FR-W sys observed to thoroughly read FR-FR 95-2-0-01001
Region 2 (Post 820201) 95/07/06 2pp 84728 937-84728 955

9507140381 Insp rept 50-259/95-33, 50-260/95-33 & 50-296/95-33 on 950605-09 Violation noted Major areas inspected radiation monitoring sys operations & radiation protection program activities
KJZIO, G.B., LOD, W.T., RANKIN, W.H. Region 2 (Post 820201) 95/07/06 22pp 84728 939-84728 960

9507170002 Forwards insp rept 50-259/95-36, 50-260/95-36 & 50-296/95-36 on 950605-09 No violations noted
CASTO, C.A. Region 2 (Post 820201) 95/07/07 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84650 284-84650 295

9507170005 Insp rept 50-259/95-36, 50-260/95-36 & 50-296/95-36 on 950605-09 No violations noted Major areas inspected engineering/technical support, design changes, mode & resolution of drawing control related issues
WISSEMAN, G., SHYMLOCK, M.B. Region 2 (Post 820201) 95/07/06 8pp 84650 287-84650 295

9507200258 Ack receipt of 950620 for informing NRC of steps taken to correct violations noted in insp rept 50-259/95-15, 50-260/95-15 & 50-296/95-15
GIBSON, A.F. Region 2 (Post 820201) 95/07/13 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84811 358-84811 358

9507180157 Forwards "SWIS Operational Performance Insp (SWISOP) Browns Ferry Nuclear Plant" TVA plans to meet w/NRC Region II to discuss and rept & to provide NRC w/status of corrective actions for weaknesses noted in SWISOP self-assessment rept
MACHON, R.D. Tennessee Valley Authority 95/07/14 Document Control Branch (Document Control Desk) 2pp 84796 001-84796 180

9507180173 "SWIS Operational Performance Insp (SWISOP) Browns Ferry Nuclear Plant"
KOBAYASHI, S.F. Ogden Environmental & Energy Services Co. (formerly ERC Environmental & Energy) 95/06/29 15pp 84795 003-84795 180

R. Periodic operating reports & related correspondence

9507210838 Revised Table 9 to Browns Ferry Nuclear Plant Annual Radiological Effluent Release Rept for Jan-Dec 1994 W/950717 for
SALAS, P. Tennessee Valley Authority 94/12/31 4pp 84811 341-84811 341

9507290082 Monthly operating rept for June 1995 for Browns Ferry Nuclear Plant Units 1, 2 & 3 W/950714 for
SMITH, T.R., SALAS, P. Tennessee Valley Authority 95/06/30 13pp 84828 108-84828 116

S. Reportable occurrences, LERs & related correspondence

9507170084 LER 95-001-00 on 950615, under-voltage condition occurred on shutdown boards, automatically starting EDGs Caused by loss of Athens 151 kV line EDGs placed in standby & power restored to buses W/950711 for
WALLACE, J.E., MACHON, R.D. Tennessee Valley Authority 95/07/11 7pp 84739 008-84739 012

54 DOCKETED ITEMS

T. Hearing transcripts on non-entitled matters

9507280220 Transcript of 950712 public meeting in Rockville, MD re briefing on status of Watts Bar & Browns Ferry Unit 3. Pp 1-58 Supporting documentation and
* Commissioners (Post 750119) 95/07/12 73pp 84844 256-84844 327

DOCKET 95-236 COOPER NUCLEAR STATION

F. Security, medical, emergency & fire protection plans

9507190252 Responds to ltr of 950425 accepting revised commitments re testing CREPS in plant as interim measures until sys mod can be implemented & new testing criteria established
HALL, J.R. 95/07/05 HORN, G.R. Nebraska Public Power District. 4pp 84516 329-84516 332

9507190254 Revised EPRP including Rev 21 to 5.7.1, "Emergency Classification" & Rev 15 to 5.7.2, "Alert & Notification Sys." W/950707 ltr
KRUMLAND, K.M., HOUSTON, G.L., HORN, G.R. Nebraska Public Power District 95/07/07 101pp 84868 041-84868 143

9507190095 Forwards insp rept 50-298/95-08 on 950416-0527 & notice of violation indicating that add'l mgmt attention required in order to establish & maintain environment & safety-related activities will be performed IAW procedures
DYER, J.E. Region 4 (Post 820201) 95/07/25 HORN, G.R. Nebraska Public Power District. 5pp 84843 096-84843 126

9507190087 Notice of violation from insp on 950416-0527 Violation noted Emergency Procedure 5.2.5.1, "Loss of All AC," did not provide instructions for securing high pressure coolant sys after 10 minutes into station blackout scenario
* Region 4 (Post 820201) 95/07/25 2pp 84843 101-84843 102

P. Operating license stage documents & correspondence

9507190277 Informs that based on 950606-07 meeting, corrective actions re plant performance including hardware & personnel performance acceptable
TAYLOR, J.M. Ofc of the Executive Director for Operations 95/06/20 GANGLER, L. Nebraska Public Power District. 5pp 84516 253-84516 257

9507190136 Forwards safety evaluation addressing BWRROG 900602 response to GL 89-19, "Request for Action re Resolution of Unresolved Safety Issue A-47 'Safety Implication of Control Sys in LWR NPPs' Per 10CFR50.54(b)"
HALL, J.R. 95/06/21 HORN, G.R. Nebraska Public Power District. 4pp 84516 188-84516 194

9507190157 Safety evaluation re response to GL 89-19, "Request for Action re Resolution of Unresolved Safety Issue A-47 'Safety Implication of Control Sys in LWR NPPs' Per 10CFR50.54(b)" - Status upgrade unwarranted
* Office of Nuclear Reactor Regulation (Post 941001) 95/06/21 2pp 84516 183-84516 194

9507190096 Discusses complaints filed by Midwest Power Sys Inc & Lincoln Electric Sys indicating violation w/ license for recovery of expenses incurred as result of extended outage at plant
BECKNER, W.D. 95/06/21 HORN, G.R. Nebraska Public Power District. 3pp 84559 200-84559 202

9507190090 Application for amend to license DPR-46 Amend would increase RPY boron concentration & rec surveillance frequency for SLC pump operability testing
HORN, G.R. Nebraska Public Power District. 95/06/28 Document Control Branch (Document Control Desk) 11pp 84579 080-84579 096

9507190093 Proposed tech specs re increasing required RPY boron concentration & rec surveillance frequency for SLC pump operability testing
* Nebraska Public Power District 95/06/26 26pp 84579 071-84579 096

9507190062 Rev 1 to NRC Administrative Ltr 94-10 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84519 259-84519 268

9507190259 Provides update on util commitment for an improved STS conversion assessment for Cooper Nuclear Station re feasibility & practicality of conversion
MUELLER, J.H. Nebraska Public Power District. 95/06/30 Document Control Branch (Document Control Desk) 2pp 84567 957-84567 358

9507190217 Certifies that minimum requirement has been deposited in external trust fund for purposes of decommissioning CNS
MUELLER, J.H. Nebraska Public Power District. 95/06/30 Document Control Branch (Document Control Desk) 6pp 84517 299-84517 303

9507190246 Submits update on commitment for new training tracking sys. Commitment corrective steps in response to violations occurred due to inadequate overview
MUELLER, J.H. Nebraska Public Power District. 95/06/30 Document Control Branch (Document Control Desk) 4pp 84589 357-84589 360

9507190089 Forwards Environ Assessment & FONSI re 941227 application for exemption from requirements of app J to 10CFR50, allowing Type B testing of drywell head & manport primary containment penetrations to be deferred from current date of 950717
HALL, J.R. 95/07/10 HORN, G.R. Nebraska Public Power District. 3pp 84625 352-84625 359

9507190380 Environ assessment & finding of no significant impact re exemption from 10CFR50, App J for plant allowing type B testing of drywell head & manport primary containment penetrations to be deferred from current date of 950717
HALL, J.R. 95/07/10 5pp 84625 355-84625 358

9507190338 Forwards amend 170 to license DPR-45 & safety evaluation. Amend reverse surveillance requirement 4.7.A.2.1.1 to allow one-time extension for performance of type B local leak rate testing of drywell head & manport from 950717 until 951013
HALL, J.R. 95/07/11 HORN, G.R. Nebraska Public Power District. 3pp 84696 175-84696 186

9507190341 Amend 170 to license DPR-45 reverse surveillance requirement 4.7.A.2.1.1 to allow one-time extension for performance of type B local leak rate testing of drywell head & manport
HALL, J.R. 95/07/11 4pp 84696 179-84696 182

9507190346 Safety evaluation supporting amend 170 to license DPR-45
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/11 3pp 84696 183-84696 185

9507190254 Forwards Rev 7 to "CNS Second Ten Yr Interval IST Program," in response to concerns noted in ltr 950607.1112 & 950126 ltr re CNS status of issues related to unit startup/insp rept 50-298/93-17 & LER 94-032, respectively
MUELLER, J.H. Nebraska Public Power District. 95/07/14 Document Control Branch (Document Control Desk) 4pp 84784 001-84784 216

9507190256 Rev 7 to "CNS Second Ten Yr Interval IST Program"
* Nebraska Public Power District. 95/07/14 212pp 84784 005-84784 216

9507200142 Forwards rev to proposed change to plant TSs re DG enhancements Rev notes TS in more conservative direction
HORN, G.R. Nebraska Public Power District. 95/07/14 Document Control Branch (Document Control Desk) 3pp 84779 185-84779 184

9507200146 Revised proposed tech specs re DG enhancements reflecting more conservative approach to enhancing DGs
* Nebraska Public Power District. 95/07/14 7pp 84779 189-84779 194

9507190257 Forwards exemption from 10CFR50, App J re drywell head & manport Cooper Nuclear Station Safety evaluation and
HALL, J.R. 95/07/17 HORN, G.R. Nebraska Public Power District. 3pp 84768 342-84768 350

9507190252 Notice of exemption authorizing operation of Cooper Nuclear Station at power levels not in excess of megawatts thermal
ROE, J.W. 95/07/13 7pp 84768 345-84768 351

9507190263 Safety evaluation re exemption from 10CFR50, App J Section II D 2(a) for drywell head & manport
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/17 2pp 84768 352-84768 353

9507200017 Requests relief from requirements of Paragraphs HIA-7110 & HIA-7210 of Section III of ASME Code Relief specific for weld located between 24 inch HPCI turbine exhaust line & 10 inch branch line
MUELLER, J.H. Nebraska Public Power District. 95/07/21 Document Control Branch (Document Control Desk) 4pp 84876 317-84876 322

Q. Inspection reports, IE Bulletins & correspondence

9507060246 Forwards now & revised relief requests for CNS second ten-yr insp program in response to deficiencies noted in insp rept 50-298/93-17
MUELLER, J.H. Nebraska Public Power District. 95/06/21 Document Control Branch (Document Control Desk) 9pp 84690 315-84690 350

9507060248 Submits update on commitment for new training tracking sys. Commitment corrective steps in response to violations occurred due to inadequate overview
MUELLER, J.H. Nebraska Public Power District. 95/06/30 Document Control Branch (Document Control Desk) 4pp 84589 357-84589 360

9507190099 Ack receipt of 950615 ltr informing NRC of steps taken to correct violations noted in insp rept 50-298/95-04 Ack position that example 1 of station did not meet threshold for implementing condition reporting procedure
BEACH, A.B. Region 4 (Post 820201) 95/06/30 HORN, G.R. Nebraska Public Power District. 3pp 84557 024-84557 031

9507190254 Forwards Rev 7 to "CNS Second Ten Yr Interval IST Program," in response to concerns noted in ltr 950607.1112 & 950126 ltr re CNS status of issues related to unit startup/insp rept 50-298/93-17 & LER 94-032, respectively
MUELLER, J.H. Nebraska Public Power District. 95/07/14 Document Control Branch (Document Control Desk) 4pp 84784 001-84784 216

9507190263 Forwards Rev 4 to "CNS Second Ten Yr Interval IST Program for ASME Class 1, 2 & 3 Components" per commitments stated in ref documents
MUELLER, J.H. Nebraska Public Power District. 95/07/14 Document Control Branch (Document Control Desk) 4pp 84782 001-84782 021

9507190266 Rev 4 to "CNS Second Ten Yr Interval IST Program for ASME Class 1, 2 & 3 Components"
* Nebraska Public Power District. 95/06/30 381pp 84782 004-84782 021

9507190112 Forwards util plan for insp of plant core shroud per GL 94-03 Util plans to perform weld insps during Oct 1995 refueling outage. W/one overseas drawing
HORN, G.R. Nebraska Public Power District. 95/07/14 Document Control Branch (Document Control Desk) 7pp 84897 353-84897 358

9507190095 Forwards insp rept 50-298/95-08 on 950416-0527 & notice of violation indicating that add'l mgmt attention required in order to establish & maintain environment & safety-related activities will be performed IAW procedures.
DYER, J.E. Region 4 (Post 820201) 95/07/25 HORN, G.R. Nebraska Public Power District. 5pp 84843 096-84843 126

9507190087 Notice of violation from insp on 950416-0527 Violation noted Emergency Procedure 5.2.5.1, "Loss of All AC," did not provide instructions for securing high pressure coolant sys after 10 minutes into station blackout scenario
* Region 4 (Post 820201) 95/07/25 2pp 84843 101-84843 102

9507190041 Insps rept 50-298/95-08 on 950416-0527 Violations noted Major areas inspected onsite response to event/operational safety verification plant support activities/insp & surveillance observations & onsite engineering
HARRELL, P.H. Region 4 (Post 820201) 95/07/24 28pp 84843 103-84843 126

R. Periodic operating reports & related correspondence

- 9507148164 Forwards monthly operating report for June 1995 for Cooper Nuclear Station & corrected operating status for months of Feb-May 1995.
HERRON, L.T. Nebraska Public Power District 95/07/10. Document Control Branch (Document Control Desk). 1p. 84760-344-84760-352.
- 9507148184 Monthly operating report for June 1995 for Cooper Nuclear Station
BALLINGER, P.L. Nebraska Public Power District 95/08/30. 4pp. 84760-345-84760-348.
- 9507148185 Corrected copy of monthly operating report for Feb 1995 for Cooper Nuclear Station
" Nebraska Public Power District 95/02/28. 1p. 84760-349-84760-349.
- 9507148203 Corrected copy of monthly operating report for Mar 1995 for Cooper Nuclear Station
" Nebraska Public Power District 95/03/31. 1p. 84760-350-84760-350.
- 9507148207 Corrected copy of monthly operating report for Apr 1995 for Cooper Nuclear Station
" Nebraska Public Power District 95/04/30. 1p. 84760-351-84760-351.
- 9507148211 Corrected copy of monthly operating report for May 1995 for Cooper Nuclear Station
" Nebraska Public Power District 95/05/31. 1p. 84760-352-84760-352.

S. Reportable occurrences, LERs & related correspondence

- 9507210322 Part 21 report re potential defect in Linstorpe SHS/SB/SBD-00 actuators. Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related events.
HYLTON, C.L. Linstorpe Corp. 95/07/12. Document Control Branch (Document Control Desk). 3pp. 84815-169-84815-196.

DOCKET 95-061 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

- 9507050383 Forwards public & central files versions of revised EPIPs. Central files version of revised EPIPs withheld.
MAXFIELD, G.J. Wisconsin Electric Power Co. 95/06/02. Document Control Branch (Document Control Desk). 1p. 84569-069-84569-135.
- 9507050387 Public version of revised EPIPs including Rev 30 to EPIP index, Rev 27 to EPIP 1.1, Rev 28 to EPIP 1.2 & Rev 4 to EPIP 1.2.1
" Wisconsin Electric Power Co. 95/06/02. 45pp. 84569-069-84569-135.
- 9507050397 Forwards public & central files versions of revised EPIPs. Central files version of revised EPIPs withheld.
MAXFIELD, G.J. Wisconsin Electric Power Co. 95/06/29. Document Control Branch (Document Control Desk). 1p. 84569-001-84569-067.
- 9507050407 Public version of revised EPIPs including Rev 31 to EPIP index, Rev 25 to EPIP from index, Rev 11 to EPIP 6.1, EPIP 6.5c did 650628, Rev 17 to EPIP-22, Rev 16 to EPIP-23, Rev 15 to EPIP-25 & Rev 14 to EPIP-25
" Wisconsin Electric Power Co. 95/06/28. 84pp. 84569-002-84569-067.
- 9507050408 Forwards Rev 0 to "Point Beach Nuclear Plant Emergency Action Level Technical Basis Document."
MAXFIELD, G.J. Wisconsin Electric Power Co. 95/06/29. Document Control Branch (Document Control Desk). 6pp. 84561-191-84561-210.
- 9507050417 Rev 0 to "Point Beach Nuclear Plant Emergency Action Technical Basis Document."
" Wisconsin Electric Power Co. 95/06/02. 112pp. 84561-189-84561-310.
- 9507101075 Forwards EA & finding of no significant impact re application did 840804. Exemption allows three new cable trays installed as part of DG addition project to remain in place in auxiliary FW pump fire area.
HANSEN, A.G. 95/07/03. LINK, R.E. Wisconsin Electric Power Co. 3pp. 84618-333-84618-340.
- 9507110184 Environmental assessment & finding of no significant impact re allowance of three new cable trays installed as part of DG addition project to remain in place in auxiliary FW pump fire area.
PICKETT, D.V. 95/07/03. 5pp. 84618-338-84618-340.
- 9507250094 Comment on proposed 10CFR50.54(p) re process for changes to security plans w/o prior NRC approval. Supports proposed clarification of language in 10CFR50.54(p).
KRIEGER, G.M. Wisconsin Electric Power Co. 95/07/11. NRC - No Detailed Affiliation Given. 2pp. 84787-005-84787-005.
- 9507180214 Forwards exemption from requirements of Section II.G.2.b of App R to 10CFR50, allowing intervening combustibles in form of cable fill in three cable trays to remain installed in APW pump fire area.
HANSEN, A.G. 95/07/18. LINK, R.E. Wisconsin Electric Power Co. 3pp. 84768-330-84768-341.
- 9507180220 Exemption from requirements of Section II.G.2.b of App R to 10CFR50, allowing intervening combustibles in form of cable fill in three cable trays to remain installed in APW pump fire area.
ROE, J.W. 95/07/18. Wisconsin Electric Power Co. 3pp. 84768-333-84768-341.

K. Utility Final Safety Analysis Report (FSAR) & amendments

- 9507120821 Updated FSAR for Point Beach Units 1 & 2 W/860630.
KRIEGER, G.M. Wisconsin Electric Power Co. 95/06/30. 330pp. 84669-001-84669-330.

P. Operating license stage documents & correspondence

- 9506280862 Rev 1 to NRC Administrative LR 94-13 to all NRC licensees re access to NRC Bulletin board sys.
GRIMES, B.K. 95/08/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518-259-84518-266.
- 9507050429 Forwards "Point Beach Nuclear Plant IPE of External Events for Severe Accident Vulnerabilities," per GL 89-20, Suppl 4 & NUREG-1407.
LINK, R.E. Wisconsin Electric Power Co. 95/08/30. Document Control Branch (Document Control Desk). 2pp. 84562-001-84562-126.
- 9507050431 "Point Beach Nuclear Plant IPE of External Events for Severe Accident Vulnerabilities."
" Wisconsin Electric Power Co. 95/06/30. 468pp. 84562-003-84562-126.
- 9507101075 Forwards EA & finding of no significant impact re application did 840804. Exemption allows three new cable trays installed as part of DG addition project to remain in place in auxiliary FW pump fire area.
HANSEN, A.G. 95/07/03. LINK, R.E. Wisconsin Electric Power Co. 3pp. 84618-333-84618-340.
- 9507110184 Environmental assessment & finding of no significant impact re allowance of three new cable trays installed as part of DG addition project to remain in place in auxiliary FW pump fire area.
PICKETT, D.V. 95/07/03. 5pp. 84618-335-84618-340.
- 9507120126 Forwards amends 162 & 166 to licenses DPR-24 & DPR-27, respectively & safety evaluation. Amends modify TS Section 15.6.5, "Review & Audit" & Section 15.7.8, "Administrative Controls."
HANSEN, A.G. 95/07/05. LINK, R.E. Wisconsin Electric Power Co. 3pp. 84612-336-84612-356.
- 9507120134 Amends 162 & 166 to licenses DPR-24 & DPR-27, respectively, modifying TS Section 15.6.5, "Review & Audit" & TS Section 15.7.8, "Administrative Controls."
HANSEN, A.G. 95/07/05. 15pp. 84612-338-84612-358.
- 9507120138 Safety evaluation supporting amends 162 & 166 to licenses DPR-24 & DPR-27, respectively.
" Office of Nuclear Reactor Regulation (Post 841001). 95/07/05. 3pp. 84612-354-84612-356.
- 9507180214 Forwards exemption from requirements of Section II.G.2.b of App R to 10CFR50, allowing intervening combustibles in form of cable fill in three cable trays to remain installed in APW pump fire area.
HANSEN, A.G. 95/07/18. LINK, R.E. Wisconsin Electric Power Co. 3pp. 84768-330-84768-341.
- 9507180220 Exemption from requirements of Section II.G.2.b of App R to 10CFR50, allowing intervening combustibles in form of cable fill in three cable trays to remain installed in APW pump fire area.
ROE, J.W. 95/07/18. Wisconsin Electric Power Co. 3pp. 84768-333-84768-341.
- 9507280285 Forwards requests for retail associated w/ final ASME Section XI pressure test program.
MAXFIELD, G.J. Wisconsin Electric Power Co. 95/07/19. Document Control Branch (Document Control Desk). 3pp. 84824-310-84824-314.
- 9507280112 Forwards "Four-YR Performance Test Report."
KRIEGER, G.M. Wisconsin Electric Power Co. 95/07/19. Document Control Branch (Document Control Desk). 1p. 84828-275-84828-288.
- 9507280177 "Four-YR Performance Test Report."
" Wisconsin Electric Power Co. 95/07/19. 12pp. 84828-276-84828-288.

Q. Inspection reports, NE Bulletins & correspondence

- 9507140041 Confirms requalification program snap at plant during wk of 950811, per 3600n w/ Carowic & J Hansen Requests operating tests by 950828, per 10CFR55.59(c).
RHO, M.A. Region 3 (Post 820201). 95/07/07. LINK, R. Wisconsin Electric Power Co. 2pp. 84625-186-84625-196.
- 9507180073 Forwards insp repts 50-286/95-06 & 50-301/95-06 on 950505-0616. No violations noted.
FARBER, M.J. Region 3 (Post 820201). 95/07/10. LINK, R. Wisconsin Electric Power Co. 2pp. 84780-344-84780-357.
- 9507180074 Insp repts 50-286/95-06 & 50-301/95-06 on 950505-0616. No violations noted. Major areas inspected: operations, engineering, maintenance & plant support.
FARBER, M.J. Region 3 (Post 820201). 95/07/10. 12pp. 84780-346-84780-367.
- 9507180076 Responds to NRC 850613 lb re violations noted in insp repts 50-286/95-04 & 50-301/95-04 on 950311-0505. Corrective actions: LDV protection declared inoperable & TS 15.3.0 entered & load decrease commenced.
LINK, R.E. Wisconsin Electric Power Co. 95/07/12. Document Control Branch (Document Control Desk). 5pp. 84795-201-84795-205.
- 9507180078 Forwards insp repts 50-286/95-07 & 50-301/95-07 on 950619-23. No violations noted.
JACOBSON, J.M. Region 3 (Post 820201). 95/07/13. LINK, R. Wisconsin Electric Power Co. 2pp. 84711-008-84711-018.
- 9507180079 Insp repts 50-286/95-07 & 50-301/95-07 on 950619-23. No violations noted. Major areas inspected: licensee response to GL 89-10, "Safety-Related MOV Testing & Surveillance," & licensee self-assessment in that area.
BURGESS, S.D., GUZMAN, J.G., PEGG, W.D. Region 3 (Post 820201). 95/07/13. 9pp. 84711-010-84711-018.

56 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

9507128054 Monthly operating report for June 1995 for Point Beach Units 1 & 2 w/ 950708 11/ KOUDELKA, M.B., MAXFIELD, G.J. Wisconsin Electric Power Co. 95/06/30 9pp 84681263-84681271

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 report re potential defect in Linetorque SM5/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related events. MYLTON, C.L. Linetorque Corp. 95/07/12 Document Control Branch (Document Control Desk). 30pp 84815169-84815196.

V. Operator Examinations

9507140041 Confirms requalification program in progress at plant during wk of 950911, per telecon w/ F. Carow & J. Hansen. Requests operating tests by 950828, per 10CFR55.59(c). RING, M.A. Region 3 (Post 820201). 95/07/07. LINK, R. Wisconsin Electric Power Co. 2pp 84625195-84625196

9507180058 Informing that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003. RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. 3pp 84919021-84919023

Y. Dry Cask Independent Spent Fuel Storage Installations

9507200134 Informing that NRC continues to believe that requirements applicable for licensees that propose to store spent nuclear fuel in ISFSI under license issued in Subpart K of 10CFR72. HANSEN, G.A. 95/07/14. LINK, R. Wisconsin Electric Power Co. 4pp 84752330-84752333

9507280125 Discusses ISFSI preoperational testing & forwards summary of results of load testing of MSB transfer cask. LINK, R. Wisconsin Electric Power Co. 95/07/21. Document Control Branch (Document Control Desk). 3pp 84875173-84875175

DOCKET 95-382 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9507030314 Submits comments on Thermo-Lag related aspect of testing test program for plant, Unit 3. RAGHAVAN, L. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/22. BEARD, P.M. Florida Power Corp. 4pp 84509348-84509351

9507070471 Rev 7 to EPIP EN-103, "Operation & Staffing of CR-3 Control Room During Emergency Classifications." STEPHENSON, J.D. Florida Power Corp. 95/06/27. 9pp 84619349-84619357

9507080281 Responds to NRC 940714 IR re open concern noted w/ Rev 7 to training & qualification plan. BEARD, P.M. Florida Power Corp. 95/06/30 Document Control Branch (Document Control Desk). 1p 84617380-84617380

9507080392 Notification of 950711 meeting w/ staff in Rockville, MD to discuss revs to plant's emergency plans. BUCKLEY, B.C., ENGLE, L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/30. MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 3pp 84840088-84840090

9507108440 Rev 7 to EPIP EN-217, "Duties of Sampling Team." STEPHENSON, J.D. Florida Power Corp. 95/06/30. 7pp 84892093-84892041.

9507120265 Forwards Revs 5-6 to physical security plan. Revs withheld, per 10CFR73.21. BEARD, P.M. Florida Power Corp. 95/07/06. Document Control Branch (Document Control Desk). 1p 84747247-84747247

9507120119 Forwards answers to NRC questions on previous responses re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," including proprietary add info on derivation & use of EPIP TC tools. Proprietary info withheld per 10CFR2.790. BEARD, P.M. Florida Power Corp. 95/07/06. Document Control Branch (Document Control Desk). 24pp 84728296-84728321.

9507120184 Forwards "FPC Crystal River Unit 3 Fire Endurance Test Program Plan for Meccas Over Thermo-Lag (Overlay Upgrade) & Meccas (Stand Alone)." BEARD, P.M. Florida Power Corp. 95/07/06. Document Control Branch (Document Control Desk). 2pp 84695294-84695342

-9507120187 "FPC Crystal River Unit 3 Fire Endurance Test Program Plan for Meccas Over Thermo-Lag (Overlay Upgrade) & Meccas (Stand Alone)." Florida Power Corp. 95/06/30. 47pp 84695294-84695342

9507140170 Rev 7 to EPIP EN-220, "Volant Weather." STEPHENSON, J.D. Florida Power Corp. 95/07/07. 52pp 84738256-84738348.

9507250059 Revised EPIP unloading rev 49 to EN-202 & rev 71 to EN-206. STEPHENSON, J.D. Florida Power Corp. 95/07/17. 72pp 84826244-84826315

K. Utility Final Safety Analysis Report (FSAR) & amendments

9507120128 Rev 22 to "Crystal River Unit 3, FSAR" w/ 950735 11/ BOLOD, G.L. Florida Power Corp. 95/07/06. 72pp 84674256-84674326

P. Operating license stage documents & correspondence

9507030314 Submits comments on Thermo-Lag related aspect of testing test program for plant, Unit 3. RAGHAVAN, L. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/22. BEARD, P.M. Florida Power Corp. 4pp 84509348-84509351.

9506280052 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp 84516259-84516266

9507120118 Forwards answers to NRC questions on previous responses re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," including proprietary add info on derivation & use of EPIP TC tools. Proprietary info withheld per 10CFR2.790. BEARD, P.M. Florida Power Corp. 95/07/06. Document Control Branch (Document Control Desk). 24pp 84728296-84728321

9507120184 Forwards "FPC Crystal River Unit 3 Fire Endurance Test Program Plan for Meccas Over Thermo-Lag (Overlay Upgrade) & Meccas (Stand Alone)." BEARD, P.M. Florida Power Corp. 95/07/06. Document Control Branch (Document Control Desk). 2pp 84695294-84695342

-9507120187 "FPC Crystal River Unit 3 Fire Endurance Test Program Plan for Meccas Over Thermo-Lag (Overlay Upgrade) & Meccas (Stand Alone)." Florida Power Corp. 95/06/30. 47pp 84695294-84695342

9507120040 Confirms 950712 telecon re 950718 meeting, now rescheduled to 950828 to discuss status of progress on corrective action plan. LANDIS, K.D. Region 2 (Post 820201). 95/07/13. BEARD, P.M. Florida Power Corp. 4pp 84738111-84738114

Q. Inspection reports, IE Bulletins & correspondence

9507180025 Ltr contract, defining back order 73, "Follow-Up to SWSCPI - Crystal River." WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-03-026 95/06/12. LOFT, J.A. PARAMETER, Inc. 2pp 84696350-84696351

9507050114 Informing that responses required by 940426 CAL re once-through-steam-generator tube insp during refuel 9 complete. RAGHAVAN, L. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/21. BEARD, P.M. Florida Power Corp. 2pp 84516164-84516165

9507110014 Comment on "Review of NRC Insp Rept Content, Format & Style" Insp repts frequently not appropriately focused on safety issues. WILSON, K.R. Florida Power Corp. 95/06/29. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 5pp 84557045-84557049

9507120053 Confirms 950707 telecon between K. Wilson & R. Bucher re 950725 preoperational conference. LANDIS, K.D. Region 2 (Post 820201). 95/07/13. BEARD, P.M. Florida Power Corp. 4pp 84738184-84738187

9507260089 Confirms 950707 conversation between R. Hendricks & T. Peables re preoperational enforcement conference requested by NRC, scheduled for 950721 to discuss apparent violation regarding 940905 event involving pressure control of RCS makeup tank. LANDIS, K.D. Region 2 (Post 820201). 95/07/17. FIELDS, D.A. Affiliation Not Assigned. 2pp 84794337-84794339

9507280089 Confirms 950714 conversation between B. Morris & C. Evans re enforcement conference scheduled for 950721 in Atlanta, GA. Purpose of conference to discuss apparent violation re 940905 event involving pressure control of RCS makeup tank. LANDIS, K.D. Region 2 (Post 820201). 95/07/17. STEWART, J.D. Affiliation Not Assigned. 3pp 84793244-84793245

9507280124 Confirms conversation between B. Morris & C. Evans concerning preoperational enforcement conference requested by NRC, scheduled for 950721 to discuss apparent violation re 940905 event involving pressure control of RCS makeup tank. LANDIS, K.D. Region 2 (Post 820201). 95/07/17. VAN SICKLEN, M. Affiliation Not Assigned. 3pp 84793325-84793327

9507280126 Confirms 950707 conversation between R. Hendricks & T. Peables re requested preoperational enforcement conference which has been scheduled for 950721. Purpose of conference to discuss violation re coolant sys makeup tank. LANDIS, K.D. Region 2 (Post 820201). 95/07/17. WEISS, R.P. Affiliation Not Assigned. 3pp 84794345-84794350

9507280130 Confirms conversation between B. Morris & C. Evans re preoperational enforcement conference requested by NRC, scheduled for 950721. Purpose of conference to discuss apparent violation re 940905 event involving RCS tank. LANDIS, K.D. Region 2 (Post 820201). 95/07/17. SMITH, C.M. Affiliation Not Assigned. 3pp 84790331-84790333

R. Periodic operating reports & related correspondence

9507250086 Monthly operating report for June 1995 for Crystal River Unit 3 w/ 950712 11/ DAO, T.V., KELLEY, L.C. Florida Power Corp. 95/06/30. 6pp 84851073-84851077.

S. Reportable occurrences, LERs & related correspondence

9507070119 LER 95-009-00 on 950802 toxic gas monitor actuated resulting in CREV activation due to manual release during sulfur dioxide delivery. Evaluation being conducted to determine feasibility of moving sulfur dioxide tank w/ 950630 11/ FRIMOUX, J.A., HICKLE, B.J. Florida Power Corp. 95/06/30. 8pp 84578311-84578318

9507210322 Part 21 rept re potential defect in Limolique SMB/SB/SBD-00 actuators. Condition dependent on individual licensee internal operating practices used when declining MOV operable for safety related svcs
HYLTON, C.L. Limolique Corp. 95/07/12. Document Control Branch (Document Control Desk). 3pp. 84815-189-84815-196

9507258089 LER 95-010-000n 950620, inadequate procedure caused low CW flow to makeup pump that resulted in operation outside design base. Rebalanced sys flows & revised applicable procedure W/950720 lt.
FRILOLF, J.A., HICKLE, B.J. Florida Power & Light Co 95/07/20. Bpp. 84832-081-84832-088

T. Hearing transcripts on non-antitrust matters

9507198198 Forwards transcripts of interviews w/ licensed operators at Crystal River Unit 3 facility as requested by 950713 lt.
GRAY, J.R. Ofc of Enforcement (Post 870413). 95/07/14. MCGARRY, L.M. Winston & Strawn. 2pp. 84763-178-84763-286

9507198143 Transcript of 941201 interview w/ J.T. Johnson in Crystal River, FL. Pp. 1-14
* Ofc of Investigations (Post 880201). 94/12/01. 14pp. 84763-180-84763-198

9507198148 Transcript of 941201 interview w/ J.D. Stewart in Crystal River, FL. Pp. 1-18
* Ofc of Investigations (Post 880201). 94/12/01. 16pp. 84763-210-84763-229

9507198150 Transcript of 941214 interview w/ C. Smith in Crystal River, FL. Pp. 1-10
* Ofc of Investigations (Post 880201). 94/12/14. 10pp. 84763-210-84763-219

9507198151 Transcript of 941214 interview w/ M. van Sicken in Crystal River, FL. Pp. 1-47
* Ofc of Investigations (Post 880201). 94/12/14. 47pp. 84763-220-84763-266

V. Operator Examinations

9507260880 Confirms 950707 conversation between R. Hendricks & T. Peebles re pre-decisional enforcement conference requested by NRC, scheduled for 950721 to discuss apparent violation regarding 940905 event involving pressure control of RCS makeup tank.
LANDS, K.D. Region 2 (Post 820201). 95/07/17. FIELDS, D.A. Affiliation Not Assigned. 3pp. 84794-337-84794-339

9507260899 Confirms 950724 conversation between B. Morris & C. Evans re enforcement conference scheduled for 950721 in Atlanta, GA. Purpose of conference to discuss apparent violation re 940905 event involving pressure control of RCS makeup tank.
LANDS, K.D. Region 2 (Post 820201). 95/07/17. STEWART, J.D. Affiliation Not Assigned. 3pp. 84793-244-84793-248

9507260124 Confirms conversation between B. Morris & C. Evans concerning pre-decisional enforcement conference requested by NRC, scheduled for 950721 to discuss apparent violation re 940905 event involving pressure control of RCS makeup tank.
LANDS, K.D. Region 2 (Post 820201). 95/07/17. VAN SICKLEN, M. Affiliation Not Assigned. 3pp. 84793-325-84793-327

9507260128 Confirms 950707 conversation between R. Hendricks & T. Peebles re requested pre-decisional enforcement conference which has been scheduled for 950721. Purpose of conference to discuss violation re coolant sys makeup tank.
LANDS, K.D. Region 2 (Post 820201). 95/07/17. WEISS, R.P. Affiliation Not Assigned. 3pp. 84794-346-84794-350

9507260130 Confirms conversation between B. Morris & C. Evans re pre-decisional enforcement conference requested by NRC scheduled for 950721. Purpose of conference to discuss apparent violation re 940905 event involving RCS tank.
LANDS, K.D. Region 2 (Post 820201). 95/07/17. SMITH, C.M. Affiliation Not Assigned. 3pp. 84793-331-84793-333

DOCKET 58-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507050384 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101.
VONK, M.J. Commonwealth Edison Co. 95/06/16. Document Control Branch (Document Control Desk). 20pp. 84558-394-84558-395

9507078289 Forwards Amdt 3 to "Zion Station Fire Protection Rept." Safe shutdown repl. Vol 1 updated to reflect changes implemented to meet App R commitments & fire hazards analysis. Vol 2 updated to reflect changes through 941231.
SHARP, T.W. Commonwealth Edison Co. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 23pp. 84863-001-84863-202

9507107290 Amdt 3 to "Zion Station Fire Protection Rept."
* Commonwealth Edison Co. 95/07/31. 64pp. 84863-024-84863-202

9507110867 Ack receipt of 950505 FEMA lt. transmitting FEMA evaluation rpt for 950728 & 940801 emergency preparedness exercises at plant.
CREED, J.R. Region 3 (Post 820201). 95/07/05. TUETKEN, R. Commonwealth Edison Co. 2pp. 84557-089-84557-189

95050508128 Forwards final rpt for 950728 & 940801 plume exposure pathway exercise at offsite radiological emergency response plans site-specific to station. No deficiencies noted.
HEPLER, D.M. Federal Emergency Management Agency. 95/06/05. SPESSARD, R.L. 2pp. 84557-101-84557-102

95060628125 "Radiological Emergency Preparedness Exercise Evaluation Rept." exercise date 930728 & 940601, draft rpt date 950118
* Federal Emergency Management Agency. 95/04/17. 37pp. 84557-103-84557-189

9507259111 Forwards unrev'd EP EALs.
VONK, M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 20pp. 84825-001-84825-200

9507248458 Submits supplementary response to Comm Ed 950608 response to NRC 950602 RAI re proposed use of Corporate EOF as interim EOF.
JOHNSON, L.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84816-358-84816-357

G. Adjudicatory correspondence

9507100142 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-95-06 in listed docket has expired. Decision became final agency action on 950620 W/Certificate of Sec. Served on 950630.
HOYLE, J.C. Office of the Secretary of the Commission. #385 18854. 95/08/29. RUTHERFORD, R.K. Affiliation Not Assigned. 2pp. 84638-341-84638-342

K. Utility Final Safety Analysis Report (FSAR) & amendments

9507260244 Revised updated FSAR for Zion Nuclear Station Units 1 & 2 W/950621 lt.
SHARP, T.W. Commonwealth Edison Co. 95/06/21. 321pp. 84658-207-84658-189

P. Operating license stage documents & correspondence

9507030273 Provides unrev'd response to GL 95-00, "Circumferential Cracking of SG Tubes."
VONK, M.J. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 13pp. 84580-180-84580-202

9506260862 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRANES, B.K. 95/06/29. Consolidated Edison Co of New York, Inc. 10pp. 84818-238-84818-288

9507198047 Informs that delay in submittal data for info described in unrev'd 950328 lt. & 950622 submittal re IPE submittal - internal events & status of IPE SER response from 950830 to 0831 necessary, because of add scope of work.
SHARP, T.W. Commonwealth Edison Co. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84588-358-84588-360

9507070088 Application for amendments to licensees DPR-39 & DPR-48, revoking TS for EDG hot sequence loading test relaxation per Reg Guide 1.106 Rev 1.
SHARP, T.W. Commonwealth Edison Co. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 13pp. 84622-271-84622-296

9507070091 Proposed tech specs for EDG hot sequence loading test relaxation.
* Commonwealth Edison Co. 95/06/30. 13pp. 84622-284-84622-296

9507100277 Forwards amendments 165 & 153 to licensees DPR-39 & DPR-48, respectively & SE. Amendments add statement to recognize performing containment leakage rate testing in accordance w/ 10CFR50, app J & approved exemptions.
SHIRAKI, C.Y. 95/06/30. FARRAR, D.L. Commonwealth Edison Co. 2pp. 84587-007-84587-018

9507100281 Amends 165 & 153 to licensees DPR-39 & DPR-48, respectively, adding statement to recognize performing containment leakage rate testing in accordance w/ 10CFR50, app J & approved exemptions.
SHIRAKI, C.Y. 95/06/30. Bpp. 84587-009-84587-016

9507100296 Safety evaluation supporting amendments 165 & 153 to licensees DPR-39 & DPR-48, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/30. 2pp. 84587-017-84587-018

9507130288 Ack receipt for 10CFR50.54(a) submittal dtd 950517, incorporating changes in QA program description topical rpt.
RING, J.M. Region 3 (Post 820201). 95/07/11. KOVACH, T.J. Commonwealth Edison Co. 2pp. 84783-312-84783-313

9507240014 Ack receipt of 950605 lt. in response to NRC 950605 re requesting info re number of radiation protection concerns at plant.
CARLINO, R.J. Region 3 (Post 820201). 95/07/14. TUETKEN, R. Commonwealth Edison Co. 2pp. 84751-039-84751-040

9507210187 Forwards amendments 186 & 154 to licensees DPR-39 & DPR-48 & safety evaluation. Amendments revise requirement to perform EDG automatic hot start & sequence loading test immediately following 25 h EDG endurance test.
SHIRAKI, C.Y. 95/07/18. FARRAR, D.L. Commonwealth Edison Co. 2pp. 84784-025-84784-038

9507210181 Amends 168 & 154 to licensees DPR-39 & DPR-48, respectively, revising requirement to perform EDG automatic hot start & sequence loading test immediately following 24 h EDG endurance test.
SHIRAKI, C.Y. 95/07/18. 7pp. 84784-027-84784-033

9507210184 Safety evaluation supporting amendments 168 & 154 to licensees DPR-39 & DPR-48, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. Bpp. 84784-034-84784-038

9507260274 Discusses proposed changes to CL rate testing requirements in 10CFR50 App J. Requests meeting w/ appropriate industry representatives to discuss alternative approaches & to develop plan to complete model TS before rule change date.
GAINES, C.L. 95/07/18. BUSHEL, Washington Operating Plants Owners Group. SZABO, G. Babcock & Wilcox Operating Plants Owners Group. MANN, B. C-E Operating Plants Owners Group. 38pp. 84832-221-84832-257

9507240452 Provides plan to deposition Alloy 690 TT plugs at Zion Station.
SHARP, T.W. Commonwealth Edison Co. 95/07/21. Document Control Branch (Document Control Desk). 2pp. 84819-354-84819-355

58 DOCKETED ITEMS

D. Inspection reports, IE Bulletins & correspondence

950709082 Forwards response to NRC 940426 RAI re plant 930908 proposed (SI) program.
SAMPKIN, T.W. Commonwealth Edison Co. 95/06/20. Office of Nuclear Reactor Regulation (Post 941001) 3pp. 84588.287-84588.322.

950709083 Forwards revised semi-annual insp plan for plant did 930907.
MILLER, F. Region 3 (Post 820201) 95/06/27. TUETKEN, R. Commonwealth Edison Co. 2pp. 84506.060-84506.061.

950710026 Comment on "NRC Insp Repts, Review of Contents, Format & Style." Quality factors should be applied to insps which mirror performance based regulatory goals.
FARRAR, D.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk) 11pp. 84557.063-84557.073

950709081 Confirms plans as discussed between L. Miller & M. Lesnak to hold meeting on 950718 in Little, IL to discuss events surrounding apparent failures to comply w/TS requirements re SG operability Policy statement and AXELSON, W.L. Region 3 (Post 820201) 95/06/30. TUETKEN, R. Commonwealth Edison Co. 5pp. 84530.001-84530.005.

950719018 Forwards insp repts 50-255/95-13 & 50-304/95-13 on 950526-30. No violations noted.
RING, M.A. Region 3 (Post 820201) 95/07/14. TUETKEN, R. Commonwealth Edison Co. 2pp. 84711.030-84711.033

950719025 Insps repts 50-255/95-13 & 50-304/95-13 on 950526-30. No violations noted. Major areas inspected: licensed operator requalification program including administrative training procedures, requalification training records & exam mat.
BAILEY, M. BURDICK, T. Region 3 (Post 820201) 95/07/14. 8pp. 84711.032-84711.039

R. Periodic operating reports & related correspondence

950719034 Monthly operating repts for June 1995 for Zion Generating Station Units 1 & 2. W/950714 R.
CYGAN, L. SCHWARTZ, G.K. Commonwealth Edison Co. 95/06/30. 36pp. 84790.154-84790.192

V. Operator Examinations

950719019 Forwards insp repts 50-255/95-13 & 50-304/95-13 on 950526-30. No violations noted.
RING, M.A. Region 3 (Post 820201) 95/07/14. TUETKEN, R. Commonwealth Edison Co. 2pp. 84711.030-84711.033

950719025 Insps repts 50-255/95-13 & 50-304/95-13 on 950526-30. No violations noted. Major areas inspected: licensed operator requalification program including administrative training procedures, requalification training records & exam mat.
BAILEY, M. Region 3 (Post 820201) 95/07/14. 8pp. 84711.032-84711.039

950730006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING, M.A. Region 3 (Post 820201) 95/07/24. LACROIX, D.G. Consumers Power Co. 3pp. 84818.021-84818.023

DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

950710020 Revised radiological emergency response plan implementing procedures endorsed W/950707 R.
MARCH, M.L. Wisconsin Public Service Corp. 95/07/07. 11pp. 84689.346-84689.356

950719029 Forwards FEMA correspondence did 950530 & FEMA evaluation rpt for 931118 emergency preparedness exercise at Kewaunee Nuclear Power Plant.
CREED, J.R. Region 3 (Post 820201) 95/07/10. MARCH, M.L. Wisconsin Public Service Corp. 2pp. 84711.120-84711.125

950709029 Forwards final rpt for 931118 full-participation plume exposure pathway exercise of offsite radiological emergency response plans.
HEPLER, O.M. Federal Emergency Management Agency. 95/05/30. SPESSARD, J.R. 2pp. 84711.122-84711.123

950709064 "Radiological Emergency Preparedness Exercise Evaluation Rpt."
Federal Emergency Management Agency. 95/04/17. 102pp. 84711.124-84711.225.

P. Operating license stage documents & correspondence

950709044 Forwards plant response to request for info per GL 95-03, "Circumferential Cracking of SG Tubes."
STEINHARDT, C.R. Wisconsin Public Service Corp. 95/06/27. Document Control Branch (Document Control Desk) 8pp. 84555.340-84555.348

950629082 Rev 1 to NRC Administrative Ltr 84-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.268

950720087 Provides documentation of 950713 telcon request for enforcement discretion to permit deferring TS required testing of turbine first stage pressure & pressurizer level instrumentation for 10 days beyond required date.
MARCH, M.L. Wisconsin Public Service Corp. 95/07/17. Document Control Branch (Document Control Desk) 6pp. 84824.108-84824.115

950720024 Confirms denial of 950717 request for NRC to exercise enforcement discretion in enforcing compliance w/actions required in TS.
MILICAN, J.L. Dep. Exec. Dir. for Nuc. Reactor Reg. Regional Operations & Research (Post 890205) 95/07/21. STEINHARDT, C.R. Wisconsin Public Service Corp. 2pp. 84851.349-84851.350

G. Inspection reports, IE Bulletins & correspondence

950709081 Discusses SW operational performance insp rpt 50-305/94-03.
MARCH, M.L. Wisconsin Public Service Corp. 95/06/30. Document Control Branch (Document Control Desk) 2pp. 84587.959-84587.960

950711016 Summarizes 950606-07 NRC senior managers meeting to evaluate nuclear safety performance of operating reactors, fuel loadings & other metrics licensees per SAMPKIN, T.W. Comments set for achieving high level of performance.
TAYLOR, J. Dir. of the Executive Director for Operations 95/07/06. STEINHARDT, C.R. Wisconsin Public Service Corp. 2pp. 84617.041-84617.044

R. Periodic operating reports & related correspondence

950721014 Monthly operating rpt for June 1995 for Kewaunee NPP. W/ 950711 R.
ANDERSON, M.L. MARCH, M.L. Wisconsin Public Service Corp. 95/06/30. 5pp. 84807.365-84807.380

V. Operator Examinations

950731006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING, M.A. Region 3 (Post 820201) 95/07/24. LACROIX, D.G. Consumers Power Co. WALLACE, J. Commonwealth Edison Co. SAWATZKE, J. Northern States Power Co. 3pp. 84819.021-84819.023

DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

950709015 Responds to petition of 950605, denying request for immediate suspension of plant FOLs because no safety issues warranting action could be identified.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/06/19. GUNTER, P.V. Nuclear Information & Resource Service 31pp. 84518.269-84518.322

950709018 Notice of receipt of petition for Director's Decision under 10CFR2.206 submitted on 950605. Requests immediate suspension of plant FOLs until exam of pressure boundary exams & SA of irradiated fuel retrievability plan can be completed.
MIRAGLIA, J. Office of Nuclear Reactor Regulation (Post 941001) 95/06/19. 4pp. 84518.300-84518.304

950709016 Submits "Petition for Emergency Enforcement Action per 10CFR2.206, Concerning Primary Pressure Boundary Exams, Retrievability of Irradiated (spent) Fuel & Retrievability of Reactor Core at Plant."
GUNTER, P.V. Nuclear Information & Resource Service 95/06/05. TAYLOR, J.M. Dir. of the Executive Director for Operations 18pp. 84518.305-84518.322

950709073 Forwards response to 941117 RAI re Thermo-Lag related inspection detailing issues. Most Kewaunee-related issues discussed in NRC RAI will either no longer exist or will be re-evaluated w/ re-regulation using end methodologies.
WADLEY, M.D. Northern States Power Co. 95/06/30. Document Control Branch (Document Control Desk) 13pp. 84617.158-84617.171

950720054 Forwards details re activities at Prairie Island NPP. Encl. withheld (ref 10CFR2.789).
CREED, J.R. Region 3 (Post 820201) 95/07/10. BAILEY, L.L. Federal Emergency Management Agency 1p. 84781.135-84781.135

950719019 Provides comments re proposed GL re 10CFR50.54(p), "Process for Changes to Security Plans W/ Prior NRC Approval." UH endorses NRC comments & believes process described would provide proper screening criteria re proposed security plan.
ANDERSON, R.O. Northern States Power Co. 95/07/13. Rules & Directives Review Branch (Post 920329) 1p. 84780.939-84780.939

G. Adjudicatory correspondence

950709015 Responds to petition of 950605, denying request for immediate suspension of plant FOLs because no safety issues warranting action could be identified.
RUSSELL, W.T. GUNTER, P.V. Office of Nuclear Reactor Regulation (Post 941001) 95/06/19. GUNTER, P.V. Nuclear Information & Resource Service 31pp. 84518.269-84518.322

950709018 Notice of receipt of petition for Director's Decision under 10CFR2.206 submitted on 950605. Requests immediate suspension of plant FOLs until exam of pressure boundary exams & SA of irradiated fuel retrievability plan can be completed.
MIRAGLIA, J. Office of Nuclear Reactor Regulation (Post 941001) 95/06/19. 4pp. 84518.300-84518.304

950709016 Submits "Petition for Emergency Enforcement Action per 10CFR2.206, Concerning Primary Pressure Boundary Exams, Retrievability of Irradiated (spent) Fuel & Retrievability of Reactor Core at Plant."
GUNTER, P.V. GUNTER, P.V. Nuclear Information & Resource Service 95/06/05. TAYLOR, J.M. Dir. of the Executive Director for Operations 18pp. 84518.305-84518.322

950720047 Responds to 950621 RAI re concerns raised w/ respect to NRC response to 10CFR2.206 petition requesting certain actions including immediate suspension of plant (Units 1 & 2) operating licenses held by NSP.
HANNON, J.N. 95/07/12. GUNTER, P.V. Affiliation Not Assigned 5pp. 84752.131-84752.208

950720055 Requests immediate action & response re issues raised by Prairie Island Coalition Against Nuclear Storage & NRS in 950605 RAI. Petition filed under 10CFR2.206.
GUNTER, P.V. 95/06/21. THE CHAIRMAN, SELIN, Commissioners (Post 750119) 3pp. 84752.168-84752.208

P. Operating license stage documents & correspondence

9507050384 Forwards SE authorizing licensee 950419 request to utilize ASME Boiler & Pressure Vessel Code Case N-416-1 during third 10-yr inservice inspection interval.
CARPENTER, L.A. 95/06/24. ANDERSON, R.O. Northern States Power Co. 9pp. 84530.221-84530.237

-9507050399 Safety evaluation authorizing licensee to utilize ASME SBPV Code Case N-416-1 as alternative to required hydrostatic pressure test.
* Office of Nuclear Reactor Regulation (Post 841001) 95/06/24. 4pp. 84530.233-84530.237

9507050319 Forwards response to GL 95-09, "Circumferential Cracking of SG Tubes."
ANDERSON, R.O. Northern States Power Co. 95/06/27. Document Control Branch (Document Control Desk). 9pp. 84561.120-84561.127

9506260082 Rev 1 to NRC Administrative Lit 94-12 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/28. Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.268

9507050373 Forwards response to 841117 RAI re Thermo-Lag related aspect detaching issues. Most Kanonol-wrapped cables discussed in NRC RAI will either no longer require fire wrap or inspection will be recalculated using end methodologies.
WADLEY, M.D. Northern States Power Co. 95/06/30. Document Control Branch (Document Control Desk). 13pp. 84517.159-84517.171

9507110272 Forwards amends 119 & 112 to licensee DPR-42 & DPR-60 & SE. Amends revise TSs to allow containment airlock doors to remain open during core alterations provided certain conditions met.
WETZEL, L. 95/07/03. ANDERSON, R.O. Northern States Power Co. 9pp. 84587.035-84587.063

-9507110274 Amends 119 & 112 to licensee DPR-42 & DPR-60, respectively, revising TSs to allow containment airlock doors to remain open during core alterations provided certain conditions met.
WETZEL, L.A. 95/07/03. 18pp. 84587.038-84587.055

-9507110276 Safety evaluation supporting amends 119 & 112 to licensee DPR-42 & DPR-60, respectively.
* Office of Nuclear Reactor Regulation (Post 841001) 95/07/03. 9pp. 84587.056-84587.059

9507190882 Disposes evaluation adequacy re activities at plant. Requests results of review & disposition within 30 days of 950707. Re Status and details of matter withheld (w/ 10CFR2.790).
CREED, J.R. Region 3 (Post 820201). 95/07/07. WATZLE, Northern States Power Co. 9pp. 84711.284-84711.285

9507170411 Forwards signed computer access & operating agreement between NSF & NRC.
BERSON, B.A. Region 3 (Post 820201). 95/07/12. WADLEY, M. Northern States Power Co. 9pp. 84779.277-84779.279

9507260185 Application for amends to licensee DPR-42 & DPR-60, revising plant radiological effluent TS & other sections re radiological controls to conform to NUREG-1431, and TS, Westinghouse plants, Rev 1 & GL 89-01.
WADLEY, M.D. Northern States Power Co. 95/07/17. Document Control Branch (Document Control Desk). 17pp. 84625.201-84625.240

-9507260180 Proposed tech spec. revising plant radiological effluent TS & other sections re radiological controls to conform to NUREG-1431, and TS, Westinghouse plants, Rev 1 & GL 89-01.
* Northern States Power Co. 95/07/17. 12pp. 84625.218-84625.240

Q. Inspection reports, IE Bulletins & correspondence

9507050285 Requests confirmation in writing that 940126 proposed notice of violation issued against Burns Intl Security Svcs withdrawn per Secretary of Labor Final Decision & Order issued under date of 950524.
THOMAS, G.D. Burns International Security Services, Inc. 95/06/21. Ofc of Enforcement (Post 870413). 2pp. 84570.259-84570.270

9507070818 Forwards insp repts 50-282/95-06, 50-306/95-06 & 72-0010/95-06 on 950328-0515. Nonrec'd violation noted.
KROPP, W.J. Region 3 (Post 820201). 95/06/27. WATZLE, Northern States Power Co. 9pp. 84530.010-84530.039

-9507070829 Insp repts 50-282/95-06, 50-306/95-06 & 72-0010/95-06 on 950328-0515. Nonrec'd violation noted. Major areas inspected: licensee followup on previously identified items, operational safety verification & ERFs.
KROPP, W.J. Region 3 (Post 820201). 95/06/27. 25pp. 84530.015-84530.039

9507180158 Forwards insp repts 50-282/95-02, 50-306/95-02 & 72-0010/95-02 on 950124-0511 & MOY.
GREENHALL, E.G. Region 3 (Post 820201). 95/06/30. WATZLE, Northern States Power Co. 7pp. 84783.267-84783.269

-9507180161 Notice of violation from insp on 950124-0511. Violation noted: deck handling, loading & unloading activities not prescribed by approved procedures of type appropriate to circumstances as evidence.
* Region 3 (Post 820201). 95/06/30. 2pp. 84783.274-84783.275

-9507180168 Insp repts 50-282/95-02, 50-306/95-02 & 72-0010/95-02 on 950124-0511. Violations noted: Major areas inspected: deck handling, loading/unloading, maintenance & surveillance procedures.
KROPP, W.J. Region 3 (Post 820201). 95/06/30. 9pp. 84783.276-84783.305

9507190083 Forwards responses to NRC 950590 RAI on third 10-yr ISI exam plan for PWR Unit 2, submitted on 941115. Sys code drawings for PINGP Units 1 & 2 also end.
ANDERSON, R.O. Northern States Power Co. 95/07/13. Document Control Branch (Document Control Desk). 10pp. 84803.236-84803.237

R. Periodic operating reports & related correspondence

9507110285 Monthly operating repts for June 1995 for Prairie Island Nuclear Generating Plant W/950705. Ir.
DUGSTAD, D. ANDERSON, R.O. Northern States Power Co. 95/06/30. 9pp. 84666.012-84666.020

S. Reportable occurrences, LERs & related correspondence

9507170138 Special report 850610.122 diesel fire pump started 2 psig below acceptable pressure range allowed by procedure.
ANDERSON, R.O. Northern States Power Co. 95/07/10. Document Control Branch (Document Control Desk). 2pp. 84747.183-84747.184

9507210322 Part 21 rept re potential defect in Limbique SMR/SB/SBD-00 actuators. Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related area.
HYLTON, C.L. Limbique Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84816.169-84816.198

9507250092 Forwards LER 95-002 re RT while subcritical caused by personnel error. Reviewed event w/ personnel involved. W/950718 Ir.
ANDERSON, R.O. Northern States Power Co. 95/07/19. Document Control Branch (Document Control Desk). 1p. 84832.069-84832.072

-9507250182 LER 95-002-00 on 950621 RT occurred while subcritical due to personnel error. Reviewed event w/ personnel involved. W/950718 Ir.
HUNSTAD, A.A. Northern States Power Co. 95/07/19. 9pp. 84832.070-84832.072

V. Operator Examinations

9507110228 Ack 950621 conversation between NRC & D Reynolds re four applicants seeking SDR license. Informants that applicants had not completed required on job training prior to administration of NRC exam during wk of 950515.
GRANT, G.E. Region 3 (Post 820201). 95/07/05. WATZLE, Northern States Power Co. 2pp. 84557.079-84557.080

9507310006 Informants that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. 3pp. 84816.021-84816.023

Y. Dry Cask (Independent Spent Fuel Storage) Installations

9507060374 Responds to 950601 Ir stating you were not invited to 950605 meeting held at NRC headquarters w/atl Summary of discussions at meeting end.
SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards. 95/06/21. WURST, J. Minnesota, State of. 2pp. 84540.082-84540.083

9507060386 Summary of 950605 meeting w/atl in Rockville, MD re atl progress in selecting site for second ISFSI needed to be built.
SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards. 95/06/21. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 9pp. 84540.055-84540.057

9507180365 Responds to Prairie Island Coalition Against Nuclear Storage analysis which expresses concern that dry cask storage facility at Prairie Island still vulnerable to man-intransportable anti-tank ground warfare weapons.
HANNON, J.N. 95/07/13. CROCKER, G. 2pp. 84696.240-84696.241

DOCKET 50-308 MAINE YANKEE ATOMIC POWER PLANT

F. Security, medical, emergency & fire protection plans

9507170054 Revised EPPs, including Rev 5 to 2-50-3, "ECF Operation" & Rev 7 to 2-50-32, "Administrative Support."
* Maine Yankee Atomic Power Co. 95/06/29. 33pp. 84755.221-84755.253

9507180218 Change 95-01 to emergency plan W/950712 Ir.
HEBERT, J.R. Maine Yankee Atomic Power Co. 95/07/08. 27pp. 84784.282-84784.288

9507250269 Rev 14 to EPP 2-50-6, "Emergency Classification," & revised 2.50 Series Index.
* Maine Yankee Atomic Power Co. 95/07/18. 3pp. 84835.241-84835.243

9507250135 Responds to NRC 950602 Ir re concerns noted in insp rpt 50-308/95-09. Corrective actions Electrical Maint Procedure 61-210-5 revised & procedure 0-16-3 being revised to require fire protection engineer review of work packages.
LEITCH, G.M. Maine Yankee Atomic Power Co. 95/07/20. Document Control Branch (Document Control Desk). 14pp. 84828.221-84828.224

G. Adjudicatory correspondence

9507060346 Ack receipt of 950502 petition under 10CFR2.206 requesting that pressurized-water reactors at listed plants be immediately shut down.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 841001) 95/06/26. DOHERTY, J.F. Attention Not Assigned. 9pp. 84856.127-84856.136

-9507060354 Notice of receipt of petition for Director's Decision under 10CFR2.206. Discusses, if Doherty 950502 petition requesting that NRC take immediate action to shut down PWR & inspect SG tubes at listed plants using point plus probe sys.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 841001) 95/06/28. 2pp. 84596.135-84596.136

60 DOCKETED ITEMS

-9507060365 Request for shut down & SG tube stop for failed plants, CE
PWRs believes that continued operation of plants health & safety hazard to nearby
residents.
DOHERTY, J.F. Affiliation: Not Assigned 05/05/02 Commissioners (Post 750119)
3pp 84559 137-84559 139

M. General correspondence

9507288272 Responds to 950508 ltr in which ltr from FC Anger and re safety & eco-
nomic concerns related to defective SG tubes at Maine Yankee Atomic Power Co.
TAYLOR, J.M. C/o of the Executive Director for Operations 05/07/21 COHEN, W.S.
Senate 4pp 84831 183-84831 203

-9507288273 Forwards F Anger 950501 ltr re concerns about Maine Yankee nuclear
power plant in Wiscasset, Maine.
GARVEY, G.G. Senate 05/05/02 THE CHAIRMAN SELUN, I. Commissioners (Post
750119) 11pp 84831 183-84831 203

P. Operating license stage documents & correspondence

9507060064 Discusses info requested re ref GL 95-03 concerning circumferential crack-
ing of SG tubes.
WHITTIER, G.D. Maine Yankee Atomic Power Co. 05/06/27 Document Control
Branch (Document Control Desk) 4pp 84537 357-84537 360

9507060104 Discusses 950511 meeting w/ulm re issues associated w/SG, including as-
sessment of SG stop & repair plans informs that last known equivalent plug
ratio 26.7 based on some revised sleeve dimensions.
SHERON, B.W. 05/06/27 THADANILAC 2pp 84536 213-84536 214

9507288062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to
NRC bulletin board sys.
GRINES, B.K. 05/06/29 Consolidated Edison Co of New York, Inc 10pp
84518 259-84518 288

9507288075 Forwards "Maine Yankee Atomic Power Co Simulator Certification Test
Plan 1995-1999".
LEITCH, G.M. Maine Yankee Atomic Power Co. 05/07/20 Document Control Branch
(Document Control Desk) 1p 84837 260-84837 284

-9507288076 MYAP Simulator Certification Test Plan
EVANS, J.M. & SHEAN, A.R. LEITCH, G.M. Maine Yankee Atomic Power Co. 05/
07/17 4pp 84837 261-84837 284

9507288030 Forwards amend 151 to license DPR-36 & safety evaluation Amend adds
exception to TS 3.6.A & 3.6.C Exception permits reduced component cooling water
flow for short periods of time.
TROTTER, E.H. 05/07/24 FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp
84873 062-84873 103

-9507288035 Amend 151 to license DPR-36, adds exception to TS 3.6.A &
3.6.C Exception permits reduced component cooling water flow for short periods of
time.
MCKEEL, F. 05/07/24 4pp 84873 095-84873 100

-9507288038 Safety evaluation supporting amend 151 to license DPR-36
* 05/07/24 3pp 84873 101-84873 103

9507288095 TS Change 182 to License DPR-36 modifying TS 3.12.B by adding excep-
tion to permit once per cycle 10 day remedial action time for most purposes consist-
ent w/CE NPSD-996 TS change is proposed.
FRIZZLE, C.D. Maine Yankee Atomic Power Co. 05/07/24 Document Control Branch
(Document Control Desk) 3pp 84803 088-84803 049

-9507288097 Proposed TS Pages 3.12.1, 3.12.2 & 3.12.3 re station svc power
* Maine Yankee Atomic Power Co. 05/07/24 4pp 84903 040-84903 043

9507310003 Proposed TS Change 191 to License DPR-36, modifying remedial actions
requirements of TS 3.6.C re emergency core cooling & containment spray sys.
FRIZZLE, C.D. Maine Yankee Atomic Power Co. 05/07/24 Document Control Branch
(Document Control Desk) 3pp 84903 023-84903 034

-9507310004 Proposed TS Pages 3.6.2, 3.6.3 & 3.6.4 re emergency core cooling & con-
tainment spray sys.
* Maine Yankee Atomic Power Co. 05/07/24 4pp 84903 031-84903 034

Q. Inspection reports, NE Bulletin & correspondence

9507140004 Forwards insp rept 50-308/95-10 on 950415-0603 & notice of violation
LINNILE, J.C. Region 1 (Post 820201) 05/07/07 FRIZZLE, C.D. Maine Yankee
Atomic Power Co. 3pp 84825 053-84825 088

-9507140006 Notice of violation from insp on 950415-0603 Violation noted uli failed to
identify that disk inside secondary component cooling water sys valve had been in-
stalled backwards.
* Region 1 (Post 820201) 05/07/07 1p 84825 058-84825 056

-9507140007 Insp rept 50-308/95-10 on 950415-0603 Violations noted Major areas
inspected operations, maintenance, engineering & overall plant support.
LAZARUS, W.J. Region 1 (Post 820201) 05/07/07 12pp 84825 057-84825 088

9507288011 Responds to NRC 950801 ltr re violations noted in insp rept 50-308/95-
06 Corrective actions: survey of work areas, securing of radiological hazards, restricting
workers involved from further radiation exposure & processing documents.
LEITCH, G.M. Maine Yankee Atomic Power Co. 05/07/13 Document Control Branch
(Document Control Desk) 4pp 84785 183-84785 200

9507288007 Forwards insp rept 50-308/95-12 on 950501-05 Mods technically
sound, says drawings found to be representative of as-built configuration & mail condi-
tion acceptable.
KELLY, E.M. Region 1 (Post 820201) 05/07/18 FRIZZLE, C.D. Maine Yankee Atomic
Power Co. 2pp 84831 002-84831 013

-9507288009 Insp rept 50-308/95-12 on 950501-05 No violations noted Major areas
inspected plant procedures surveillance testing design change
documentation associated temporary mod & walkdowns of control room ventilation
sys.
BUCKLEY, M.J., KELLY, E.M. Region 1 (Post 820201) 05/07/12 3pp 84831 005-
84831 013

9507288015 Responds to NRC 950802 ltr re concerns noted in insp rept 50-308/95-
06 Corrective actions: Electrical Maint Procedure 61-210-5 revised & procedure 61-18-3
being revised to require fire protection engineer review of work packages.
LEITCH, G.M. Maine Yankee Atomic Power Co. 05/07/20 Document Control Branch
(Document Control Desk) 14pp 84826 211-84826 224

9507288090 Forwards response to violations noted in insp Rept 50-308/95-08 Correc-
tive actions: plant engineering dept developed written plan to investigate & repair de-
mineralized water storage tank leak.
HEBERT, J.R. Maine Yankee Atomic Power Co. 05/07/21 Document Control Branch
(Document Control Desk) 3pp 84822 356-84822 358

R. Periodic operating reports & related correspondence

9507190043 Monthly operating rept for June 1995 for Maine Yankee W/ 950713 ltr
BAILEY, J.J., HEBERT, J.R. Maine Yankee Atomic Power Co. 05/06/30 9pp
84789 355-84789 380

S. Reportable occurrences, LERs & related correspondence

9507060178 LER 95-009-00 on 950301, inappropriate TS violation after test was con-
ducted due to results from 1992 had indicated that bypass flow had been measured
but no action was taken. Installed add test connections in bypass W/950630 ltr
KNOBEL, L.M., HEBERT, J.R. Maine Yankee Atomic Power Co. 05/06/30 6pp
84578 280-84578 288

DOCKET 90-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507210210 Revised EPIPs, including Rev 53 to table of contents, Rev 14 to EPIP 2025
"Operations Support Ctr (OSC) Activation & Operations" & Rev 30 to EPIP 2045,
"Emergency Response Calcut/Persomel Recall".
* Public Service Electric & Gas Co of New Jersey 05/07/12 62pp 84809 001-
84809 062

9507210201 Revised EPIPs, including Rev 49 to table contents, Rev 16 to EPIP
1008 Rev 14 to EPIP 1007 & Rev 31 to EPIP 1013
* Public Service Electric & Gas Co of New Jersey 05/07/13 108pp 84811 040-
84811 148

9507210847 Forwards insp rept 50-272/95-10 & 50-311/95-10 on 950507-0623 &
HCV.
COOPER, R.W. Region 1 (Post 820201) 05/07/14 ELIASON, L.R. Public Service Elec-
tric & Gas Co of New Jersey 6pp 84738 131-84738 159

-9507210801 Insp rept 50-272/95-10 & 50-311/95-10 on 950507-0623 No violations
noted Major areas inspected: operations, radiological
controls, maintenance, surveillance, security, engineering, technical support, safety assessment &
QV.
WHITE, J.R. Region 1 (Post 820201) 05/07/13 21pp 84738 139-84738 159

9507288024 Revised EPIPs, including Rev 42 to table of contents forms, Rev 16 to un-
usual event, Rev 24 to Attachment 6, Rev 23 to Attachment 7, Rev 15 to Attachment
5, Rev 22 to Attachment 8 & Rev 4 to Attachment 23.
* Public Service Electric & Gas Co of New Jersey 05/07/16 71pp 84789 176-
84789 248

9507288012 Forwards 950504 ltr from JE Lamb, which transmits FEMA Region III final
rept for 941025 radiological emergency preparedness exercise.
JOYNER, J.M. Region 1 (Post 820201) 05/07/19 ELIASON, L.R. Public Service Elec-
tric & Gas Co of New Jersey 3pp 84830 218-84830 303

-9507288017 Forwards final rept for plant 941025 emergency preparedness exercise
LAMB, J.E. Federal Emergency Management Agency 05/05/04 GLKD Region 1
(Post 820201) 7p 84830 222-84830 222

-9505220275 "Radiological Emergency Preparedness Exercise Evaluation Rept" on
941025
* Federal Emergency Management Agency 05/03/26 61pp 84830 223-84830 303

9507288081 Revised EPIPs, including rev 3 to EPIP 403, rev 4 to EPIP 501, rev 8 to EPIP
601, rev 15 to EPIP 602, rev 12 to EPIP 603, rev 3 to EPIP 604, rev 6 to EPIP 701 & rev
27 to EPIP TOC.
* Public Service Electric & Gas Co of New Jersey 05/07/26 147pp 84826 001-
84826 147

9507288087 Revised EPIPs, including rev 13 to EPIP 901, rev 13 to EPIP 902, rev 9 to
EPIP 903 & rev 19 to EPIP TOC.
* Public Service Electric & Gas Co of New Jersey 05/07/26 59pp 84825 047-
84825 105

9507288091 Revised EPIPs, including rev 4 to EPIP 806, rev 5 to EPIP 807 & rev 14 to
EPIP TOC.
* Public Service Electric & Gas Co of New Jersey 05/07/26 26pp 84827 325-
84827 350

P. Operating license stage documents & correspondence

9507200422 Forwards amends 170 & 152 to licensees DPR-70 & DPR-75, respectively & SE Amends increase TS min volume of emergency diesel fuel oil contained in Diesel Fuel Storage Tanks at both units of Salem station.
OLSHAN, L.N. Project Directorate I-2 (PD1-2) Post 841001. 95/06/30. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 84753-011-84753-031

9507200327 Amends 170 & 152 to licensees DPR-70 & DPR-75, respectively, increasing TS min volume of emergency diesel fuel oil contained in Diesel Fuel Storage Tanks at both units of Salem station.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 841001. 95/06/20. 14pp. 84753-014-84753-027.

9507200331 Safety evaluation supporting amends 170 & 152 to licensees DPR-70 & DPR-75, respectively.
Office of Nuclear Reactor Regulation (Post 841001). 95/06/20. 4pp. 84753-028-84753-031.

9506280962 Rev 1 to NRC Administrative Ltr 84-13 to all NRC licensees re access to NRC bulletin board sys.
GRANES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518-259-84518-266

9507170261 Submits charter for formation of Salem assessment panel to assist in coordination of NRC resources for performance monitoring & assessment of Salem Nuclear Generating Station.
MARTIN, T.T. Region 1 (Post 820201). 95/07/06. LINVILLE, J.C. Region 1 (Post 820201). 4pp. 84747-350-84747-352

9507140507 Informa of formation of Salem Assessment Panel (SAP), which will coordinate resources for performance monitoring & assessment of plant & all nuclear business units. Lists panel responsibilities & names of panel members.
LANNING, W.D. Region 1 (Post 820201). 95/07/07. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84825-216-84825-220.

9507170377 Informa that all requests add 30 days to complete review & root cause evaluations of findings of independent technical issue investigation performed for unit by Synchro Consulting Svcs Corp. Response will be submitted by 950804.
THOMSON, L.F. Public Service Electric & Gas Co. of New Jersey. 95/07/11. WHITE, J. Region 1 (Post 820201). 2pp. 84776-267-84776-268

9507190809 Forwards plant response to GL 95-03 re circumferential cracking of SG tubes inspections & plans developed.
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 95/07/17. Document Control Branch (Document Control Desk). 13pp. 84786-239-84786-311.

9507240862 Comments on airtel 950419 submittal of license change request 94-29 re containment pressure/vacuum relief valves.
TOSCHUK, W. New Jersey, State of. 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84834-300-84834-301

9507250837 Notices that unit eliminated night observation group commitment per 840613.
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 95/07/22. MARTIN, T.T. Region 1 (Post 820201). 2pp. 84836-350-84836-351.

G. Inspection reports, IE Bulletins & correspondence

9507190126 Provides info requested re Bulletin 95-05 response Test used to verify flow meter indication and.
OHORATO, J.M. Public Service Electric & Gas Co. of New Jersey. 95/01/26. OLSHAN, L.N. - No Deleted Attention Given. 4pp. 84728-122-84728-125.

9507000402 Rev II to notification of significant licensee meeting 95-42 on 950728 w/ unit of Region 1 info to discuss NRC findings re apparent violations of 10CFR50.9, App B.
WHITE, J.R. Region 1 (Post 820201). 95/06/22. Region 1 (Post 820201). 2pp. 84488-005-84488-007

9507030857 Forwards response to NRC 950324 re re violations noted in map repts 50-272/95-07 & 50-311/95-07. Corrective actions, personnel involved in blocking second radiation monitoring channel have been appropriately disciplined.
ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 95/06/23. Document Control Branch (Document Control Desk). 2pp. 84860-205-84860-230.

9507210547 Forwards map repts 50-272/95-10 & 50-311/95-10 on 950507-0623 & NOV.
COOPER, R.W. Region 1 (Post 800201). 95/07/14. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 6pp. 84738-131-84738-159.

9507210657 Notice of violation from map on 950507-0623. Violation noted: technician failed to attach cylinder fuel pump rack after obtaining compression pressure for cylinder 4R on 1C emergency DG.
Region 1 (Post 820201). 95/07/14. 2pp. 84738-137-84738-138

9507210651 Map repts 50-272/95-10 & 50-311/95-10 on 950507-0623. No violations noted. Major areas inspected: operations, radiological controls, maintenance, surveillance, security, engineering, technical supportability, assessment & CV.
WHITE, J.R. Region 1 (Post 820201). 95/07/13. 21pp. 84738-139-84738-158.

9507280106 Forwards map repts 50-272/95-12 & 50-311/95-12 on 950515-0808 & notice of violation. Violation of concern because significant number of circuit breaker issues have occurred due to same cause diff in operating mechanism.
RULAND, W.H. Region 1 (Post 820201). 95/07/19. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84783-249-84783-252.

9507280309 Notice of violation from map on 950515-0808. Violation noted: corrective actions not taken to prevent repetitive failure that occurred between 931204-950329 re hardened gaskets & diff in breaker operating mechanism.
Region 1 (Post 820201). 95/07/19. 2pp. 84738-251-84738-252.

9507280812 Map repts 50-272/95-12 & 50-311/95-12 on 950515-0808. Violations noted. Major areas inspected: review of recent procedures, breaker reliability & corrective actions.
SCHOLL, L. RULAND, W.H. Region 1 (Post 820201). 95/07/16. 11pp. 84799-253-84799-262

R. Periodic operating reports & related correspondence

9507190337 Monthly operating rept for June 1995 for Salem Nuclear Generating Station Unit 2. W/950714 re.
PHILLIPS, R., HELLER, R., SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey. 95/06/30. 8pp. 84778-343-84778-351

S. Reportable occurrences, LERs & related correspondence

9507110207 Forwards LER 95-004 re ESF actuation during unit 2 controlled shutdown per TS 3.0.3.
SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey. 95/07/07. Document Control Branch (Document Control Desk). 1p. 84688-328-84688-340

9507110212 LER 95-004-00 on 950607, ESFA RT occurred during Unit 2 controlled shutdown per TS 3.0.3. Caused by FHR sys inoperability. Replaced all SBF-1 failed protection relays on 500 kV breakers.
HALL, W. Pennsylvania Power & Light Co. 95/07/07. 11pp. 84688-328-84688-340.

9507210269 Notification of nonroutine event on 950702, one dead logger head sea turtle recovered from trash rack of CWS intake. Cause of death appeared to be severe propeller cut on returning carapace. Turtle disposed of in landfill.
BENJAMIN, J.A. Public Service Electric & Gas Co. of New Jersey. 95/07/21. Document Control Branch (Document Control Desk). 3pp. 84803-286-84803-300

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9507140346 Forwards amend 0 to physical protection plan & rev 0 to training & qualification plan for Rancho Seco ISFSI. Encs withheld per 10CFR73.21.
REDEKER, S.J. Sacramento Municipal Utility District. 95/06/08. WEISS, S. Document Control Branch (Document Control Desk). 3pp. 84780-034-84780-036

G. Inspection reports, IE Bulletins & correspondence

9507110345 Forwards proprietary response to violations noted in map Rept 50-312/95-02. Response withheld (ref 10CFR2.790).
REDEKER, S.J. Sacramento Municipal Utility District. 95/06/29. WEISS, S. Document Control Branch (Document Control Desk). 1p. 84728-332-84728-332

9507240801 Ack receipt of 950828 re informing NRC of steps taken to correct violations noted in map repts 50-312/95-02 on 950808.
SCARANO, J.A. Region 4 (Post 820201). 95/07/18. SHETLER, J.R. Sacramento Municipal Utility District. 5pp. 84751-001-84751-006

6. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limbongue SMB/95/9800-00 actuators. Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related sys.
HILTON, C.L. Limbongue Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815-163-84815-199

W. Decommissioning Stage Documents & Correspondence

9506280962 Rev 1 to NRC Administrative Ltr 84-13 to all NRC licensees re access to NRC bulletin board sys.
GRANES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518-259-84518-268

9507200150 Requests add info to complete review re proposed license amend 181 RAL end.
DUDLEY, R.F. 95/07/12. REDEKER, S.J. Sacramento Municipal Utility District. 4pp. 84750-345-84750-348

9507240336 Forwards amend 122 to license DPR-54 & SE Amends relocates QAA frequency provisions, occurred in plant permanently defuncted TSs to plant quality manual & changes reporting frequency of radioactive effluent release rept to annual.
DUDLEY, R.F. 95/07/19. Sacramento Municipal Utility District. 2pp. 84785-190-84785-201.

9507240346 Amend 122 to license DPR-54, relocating QAA frequency provisions contained in plant permanently defuncted TSs to plant quality manual & changes reporting frequency of radioactive effluent release rept to annual.
WEISS, S.H. 95/07/19. 8pp. 84785-192-84785-199.

9507240348 Safety evaluation supporting amend 122 to license DPR-54.
Office of Nuclear Reactor Regulation (Post 841001). 95/07/19. 2pp. 84786-200-84786-201

Y. Dry Cask Independent Spent Fuel Storage Installations

9507140346 Forwards amend 0 to physical protection plan & rev 0 to training & qualification plan for Rancho Seco ISFSI. Encs withheld per 10CFR73.21.
REDEKER, S.J. Sacramento Municipal Utility District. 95/06/08. WEISS, S. Document Control Branch (Document Control Desk). 3pp. 84780-034-84780-036

9507170073 Forwards proposed "Rancho Seco ISFSI Decommissioning Plan." Plan outlines unit strategy for decommissioning ISFSI & expands upon Section 9.6 of ISFSI SAR.
REDEKER, S. Sacramento Municipal Utility District. 95/06/27. Document Control Branch (Document Control Desk). 1p. 84747-079-84747-156

9507170078 Proposed "Rancho Seco ISFSI Decommissioning Plan."
Sacramento Municipal Utility District. 95/06/27. 77pp. 84747-080-84747-156

62 DOCKETED ITEMS

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emergency & fire protection plans

950706038 Rev 9 to procedure/work plan 1903 057 "Emergency Response Facility - EOP"
* Entergy Operations, Inc. 95/07/06 8pp 84559 020-84559 106

950712038 Discusses insp repts 50-313/95-16 & 50-368/95-16 on 950419-20 & for-wards notice of violation
CALLAN, L.J. Region 4 (Post 820201) 95/07/06 YELVERTON, J.W. Entergy Oper-ations, Inc. 5pp 84574 312-84574 316

-950712046 Notice of violation from insp on 950419-20 Violation noted unauthorized individual terminated for cause & who had not had unescorted access revoked/gained unescorted access to protected area
* Region 4 (Post 820201) 95/07/06 2pp 84574 317-84574 318

950713071 Informs that licensee failed to promptly revoke employee unescorted access following for-cause termination due to manager failure to inform security of termination Subjects notification in order to prevent occurrence in NRC office
LIEBERMAN, J. Office of Enforcement (Post 870413) 95/07/11 PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 2pp 84596 335-84596 336

950720054 Rev 16 to EHP OP-1603 DOK, "Administration & Maint. EP & Implementing Procedures"
* Entergy Operations, Inc. 95/07/14 17pp 84600 034-84600 050

950725054 Comment on proposed generic for re 10CFR50.54 "Process for Changes to Security Plans w/o Prior NRC Approval" Agrees w/ proposed clarification of lan-guage & w/proposed screening criteria in notes
DEVANEY, J.G. Entergy Operations, Inc. 95/07/14 NRC - No Detailed Affiliation Given 2pp 84768 204-84768 205

950726001 Forwards Rev 33 to ANO Industrial Security Plan Encl withheld per 10CFR73.21
MIMS, D.C. Entergy Operations, Inc. 95/07/19 Document Control Branch (Document Control Desk) 2pp 84871 341-84871 342

F. Operating license stage documents & correspondence

9507270128 Provides suppl to TS change request re ANO Units 1 & 2 on control room ventilation Typographical error was introduced on ANO-1 page 56a
MIMS, D.C. Entergy Operations, Inc. 95/06/22 Document Control Branch (Document Control Desk) 3pp 84573 349-84573 358

-9507270128 Proposed tech spec re control room ventilation, correcting typographical error
* Entergy Operations, Inc. 95/06/22 7pp 84579 352-84579 356

950728044 Forwards response to QL 95-03 "Ordnamental Cracking of SG Tubes"
MIMS, D.C. Entergy Operations, Inc. 95/06/27 Document Control Branch (Document Control Desk) 15pp 84583 319-84583 327

950826082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/29 Consolidated Edison Co. of New York, Inc. 10pp 84518 256-84518 268

9507260374 Discusses proposed changes to CL rule testing requirements in 10CFR50 App J Requests meeting w/appropriate industry representatives to discuss alternative approaches & to develop plan to complete model TS before rule change date
GRIMES, C.I. 95/07/19 BUSH, L. Westinghouse Operating Plants Owners Group SZABO, C. Babcock & Wilcox Operating Plants Owners Group MANN, B. C-E Operating Plants Owners Group 35pp 84632 321-84632 357

9507270128 Discusses info re TS change request, dated 950512 re open containment articles during core alterations
MIMS, D.C. Entergy Operations, Inc. 95/07/21 Document Control Branch (Document Control Desk) 2pp 84843 353-84843 354

9507300291 Forwards summary of items that require rev or will no longer be implement-ed due to alternate controls Submittal contains no new commitments
MIMS, D.C. Entergy Operations, Inc. 95/07/28 Document Control Branch (Document Control Desk) 9pp 84893 301-84893 309

Q. Inspection reports, IE Bulletins & correspondence

9507030011 Forwards insp repts 50-313/95-19 & 50-368/95-19 on 950612-16 No viola-tions noted
GWYNNE, T.P. Region 4 (Post 820201) 95/06/28 YELVERTON, J.W. Entergy Oper-ations, Inc. 4pp 84488 086-84488 106

-9507030011 Insp repts 50-313/95-19 & 50-368/95-19 on 950612-19 No violations noted Major areas inspected performance review of licensee disposition of stored transmitters, transmitter calibration process & trending process
POWERS, D.A. Region 4 (Post 820201) 95/06/26 13pp 84488 062-84488 106

9507050059 Forwards "ISI Summary Rept ANO, Unit 1, Outage 1R12" Outage complet-ed on 950401
MIMS, D.C. Entergy Operations, Inc. 95/06/29 Document Control Branch (Document Control Desk) 2pp 84553 127-84553 295

-9507050053 "ISI Summary Rept ANO, Unit 1, Outage 1R12"
* Entergy Operations, Inc. 95/06/29 167pp 84553 129-84553 285

9507060161 Confirms that requested actions of NRC Bulletin 90-001, Suppl 1, "Loss of Fuel Oil in Transmitters May by Rosemount" completed for ANO Unit 1, in accordance w/reporting requirement 3c
MIMS, D.C. Entergy Operations, Inc. 95/06/29 Document Control Branch (Document Control Desk) 2pp 84517 057-84517 059

9507110028 Comments on proposed rule re, "Review of NRC insp Rept Content, Format & Style"
* Entergy Operations, Inc. 95/06/28 MEYERS, D. Rules & Directives Review Branch (Post 820223) 5pp 84557 074-84557 076

9507110021 Ack receipt of 950602 re informing NRC of steps taken to correct violations noted in insp repts 50-313/95-03 & 50-368/95-03 on 950505
BEACH, A.B. Region 4 (Post 820201) 95/06/30 YELVERTON, J.W. Entergy Oper-ations, Inc. 5pp 84557 054-84557 082

9507120038 Discusses insp repts 50-313/95-16 & 50-368/95-16 on 950419-20 & for-wards notice of violation
CALLAN, L.J. Region 4 (Post 820201) 95/07/06 YELVERTON, J.W. Entergy Oper-ations, Inc. 5pp 84574 312-84574 316

-9507120046 Notice of violation from insp on 950419-20 Violation noted unauthorized individual terminated for cause & who had not had unescorted access revoked/gained unescorted access to protected area
* Region 4 (Post 820201) 95/07/06 2pp 84574 317-84574 318

9507140064 Forwards insp repts 50-313/95-05 & 50-368/95-05 on 950314-0624 & notice of violation
DYER, J.E. Region 4 (Post 820201) 95/07/07 YELVERTON, J.W. Entergy Operations, Inc. 5pp 84625 250-84625 274

-9507140067 Notice of violation from insp on 950314-0624 Violation noted procedure 1403 006 was not appropriate to circumstance that did not specify proper orientation of thrust bearing for reactor bldg fan cooler monitor
* Region 4 (Post 820201) 95/07/07 2pp 84625 255-84625 256

-9507140071 Insp repts 50-313/95-05 & 50-368/95-05 on 950314-0624 Violations noted Major areas inspected event, operational safety verification, maint & surveillance observations, on-site engineering, plant support activities & follow-up engineering
HARRIS, L.P. Region 4 (Post 820201) 95/07/06 18pp 84625 257-84625 274

9507160171 Informs that licensee failed to promptly revoke employee unescorted access following for-cause termination due to manager failure to inform security of termination Subjects notification in order to prevent occurrence in NRC office
LIEBERMAN, J. Office of Enforcement (Post 870413) 95/07/11 PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 2pp 84606 335-84606 336

9507170149 Forwards insp repts 50-313/95-17 & 50-368/95-17 on 950612-18 No viola-tions noted One unresolved item identified concerning practice of repeating up to 70 percent of questions from one biennial qualification exam
GWYNNE, T.P. Region 4 (Post 820201) 95/07/12 YELVERTON, J.W. Entergy Oper-ations, Inc. 5pp 84747 196-84747 209

-9507170156 Insp repts 50-313/95-17 & 50-368/95-17 on 950612-18 No violations noted Major areas inspected licensed operator qualification program
PELLET, J.L. Region 4 (Post 820201) 95/07/11 9pp 84747 201-84747 209

9507240417 Responds to NRC re re violations noted in insp repts 50-313/95-04 & 50-368/95-04 Corrective actions initiated job orders & revised procedures
MIMS, D.C. Entergy Operations, Inc. 95/07/20 Document Control Branch (Document Control Desk) 5pp 84824 217-84824 221

R. Periodic operating reports & related correspondence

9507190317 Monthly operating rept for June 1995 for ANO Unit 1 W/950714 ltr
WHITT, D.C. MIMS, D.C. Entergy Operations, Inc. 95/06/30 7pp 84788 337-84788 343

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 repl re potential defect in Limtorque SIB/SB/SBD-00 actuators Condition dependent on individual licensee's internal operating practices used when deciding MOV operable for safety related svcs
HYLTON, C.L. Limtorque Corp. 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 169-84815 168

9507190013 Special repton 950602, electric fire pump P-5A declared inoperable Cause of degraded performance indeterminable at time but believed to be result of normal wear Tump fire pump for backup fire suppression water supply installed
MIMS, D.C. Entergy Operations, Inc. 95/07/14 Document Control Branch (Document Control Desk) 2pp 84768 385-84768 386

V. Operator Examinations

9507170149 Forwards insp repts 50-313/95-17 & 50-368/95-17 on 950612-18 No viola-tions noted One unresolved item identified concerning practice of repeating up to 70 percent of questions from one biennial qualification exam
GWYNNE, T.P. Region 4 (Post 820201) 95/07/12 YELVERTON, J.W. Entergy Oper-ations, Inc. 5pp 84747 196-84747 209

-9507170156 Insp repts 50-313/95-17 & 50-368/95-17 on 950612-18 No violations noted Major areas inspected licensed operator qualification program
PELLET, J.L. Region 4 (Post 820201) 95/07/11 9pp 84747 201-84747 209

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507110057 Ack receipt of 950605 FEMA re transmitting two deficiencies to State of Ill re 950509 emergency preparedness exercise at plant
GREED, J.R. Region 3 (Post 820201) 95/07/06 FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 4pp 84557 064-84557 067

950710147 Requests for exemption from 10CFR73.55 to eliminate from security plan requirement to continuously staff duplicate alarm station. Description of proposed physical security plan changes & other supporting info and ERIS withheld.
FITZPATRICK, Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/07/19 Document Control Branch (Document Control Desk) 3pp 84803 257-84803 259

K. Utility Final Safety Analysis Report (FSAR) & amendments

9507270211 "1995 FSAR update for DG Cook Nuclear Plant Units 1 & 2" W/ 950719
FITZPATRICK, Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/07/19 806pp 84840-001-84842 060

P. Operating license stage documents & correspondence

950708124 Advises that safety review of proposed cancellation of commitment to block elements concluded that cancellation would be beneficial & prudent & therefore justified.
FITZPATRICK, Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/07/26 Document Control Branch (Document Control Desk) 3pp 84581 198-84581 170

9507060219 Response to GL 95-03, "Circumferential Cracking Of Steam Generator Tubes"
FITZPATRICK, Indiana Michigan Power Co. 95/06/27 Document Control Branch (Document Control Desk) 18pp 84589 332-84589 349

9506260632 Rev 1 to NRC Administrative Ltr 94-12 to all NRC licensees re records to NRC bulletin board sys
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc. 10pp 84515 259-84515 269

9507070175 Application for amendments to Licensee DPR-58 & DPR-74, changing TS Section 5.3.1 to allow fuel reconsolidation, per GL 95-02, Suppl 1
FITZPATRICK, Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/06/30 Document Control Branch (Document Control Desk) 3pp 84622 329-84622 333

9507070181 Proposed tech specs re fuel reconsolidation, per GL 95-02
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/06/30 2pp 84622 332-84622 333

9507120068 Forwards amend 196 to licensee DPR-58 & safety evaluation. Amend adds footnotes to TS 4.6.1.2 to provide one-time extension of required test interval for overall integrated containment leak rate tests.
HICKMAN, J.B. 95/07/06 FITZPATRICK, Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) FITZPATRICK, American Electric Power Service Corp 2pp 84631 333-84631 344

9507120388 Amend 196 to licensee DPR-58, adding footnotes to TS 4.6.1.2 to provide one-time extension of required test interval for overall integrated containment leak rate tests.
HICKMAN, J.B. 95/07/06 4pp 84631 337-84631 340

9507120381 Safety evaluation supporting amend 196 to licensee DPR-58
Office of Nuclear Reactor Regulation (Post 941001) 95/07/06 4pp 84631 341-84631 344

9507140143 Forwards exemption from requirements of 10CFR50, App J Section 111 D.1 (a), delaying performance of type A test until 1997 retesting outage granted.
HICKMAN, J.B. 95/07/06 FITZPATRICK, Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp 84710 341-84710 349

9507140144 Grants exemption from requirements of 10CFR50, App J Section 111 D.1 (a), delaying performance of type A test until 1997 retesting outage granted.
CAPRA, R.A. 95/07/06 Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 5pp 84710 343-84710 349

9507180442 Forwards amendments 197 & 182 to licensees DPR-58 & DPR-74, respectively & SE Amendments revise TS section 3.9.4 to allow, under certain conditions, both containment personnel lockouts to be open during core alterations.
HICKMAN, J.B. 95/07/12 FITZPATRICK, Indiana Michigan Power Co. FITZPATRICK, American Electric Power Service Corp 3pp 84725 330-84725 348

9507180461 Amendments 197 & 182 to licensees DPR-58 & DPR-74, respectively, revising TS 3.9.4 to allow, under certain conditions, both containment personnel lockouts to be open during core alterations.
HICKMAN, J.B. 95/07/12 10pp 84725 333-84725 342

9507180466 Safety evaluation supporting amendments 197 & 182 to licensees DPR-58 & DPR-74, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/07/12 4pp 84725 343-84725 346

Q. Inspection reports, IE Bulletins & correspondence

9507130064 Notices that NRC issued NOV to Hydro Nuclear Servs, Inc. (Hydro), contractor at plant in 1988 when Hydro denied employment to ST Doyle for refusing to sign application that included what Doyle believed was waiver of rights under ERA.
JUELSON, W.L. Region 3 (Post 820201) 95/06/26 FITZPATRICK, Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 4pp 84678 326-84678 334

9507120118 Forwards SE which authorizes use alternative re relief from out-of-service inspection program compliance w/requirements of Section XI would result in hardship or unusual difficulty w/o compensating increase in level of safety & quality.
CARPENTER, C.A. 95/07/05 FITZPATRICK, Indiana Michigan Power Co. FITZPATRICK, American Electric Power Service Corp 2pp 84631 317-84631 322

9507120122 SER authorizing alternative for hydrostatic testing contained in licensee proposal per 10CFR50.55a(b)(6) for Class 1, 2 & 3 yrs as compliance w/specified hydrostatic testing requirements would result in hardship.
Office of Nuclear Reactor Regulation (Post 941001) 95/07/05 4pp 84631 319-84631 322

9507180138 Forwards add info requested following 950511 meeting w/NRC re unresolved items from UL 1993 sys based MFC insp repts 50-315/93-12 & 50-318/93-12.
FITZPATRICK, Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/07/07 Document Control Branch (Document Control Desk) 2pp 84765 001-84765 259

9507180137 "Qualitative Functional Diversity Assessment of UPSAR of Common Mode Failure of Digital Equipment Software"
American Electric Power Service Corp. 95/07/04 4pp 84765 006-84765 069

9507180149 Requests that proprietary WCAP-13601, "Westinghouse Seipoint Methodology for Protection Sys. DC Cook Unit 2" be withheld from public disclosure per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 95/05/26 RUSSELL, W. Document Control Branch (Document Control Desk) 1pp 84765 067-84765 066

9507180151 "RPS Diversity in Westinghouse PWRs"
BURNETT, T.W. DORRYCOTT, J.W., RISHB, D.H. Westinghouse Electric Corp. WCAP-7306 95/04/30 100pp 84765 068-84765 259

9507180062 Forwards insp repts 50-315/95-08 & 50-316/95-08 on 950516-0519 No violations noted.
KROPP, W.J. Region 3 (Post 820201) 95/07/11 FITZPATRICK, Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 4pp 84781 338-84781 359

9507180064 Insp repts 50-315/95-08 & 50-316/95-08 on 950516-0519 No violations noted. Major areas inspected action of previous insp terms, operational safety verification, on-site event followup & current mail conditions.
KROPP, W.J. Region 3 (Post 820201) 95/07/11 18pp 84781 342-84781 359

9507240342 Appreciates advance notification of planned NRC Regional Initiative insp activities provided in 950607. Also, requests that start date of insp plan 37550 be kept flexible to confirmation in late Oct/early Nov time frame.
FITZPATRICK, Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/07/19 AXELSON, W.L. Region 3 (Post 820201) 2pp 84824 287-84824 288

9507260024 Forwards exam repts 50-315/OL-95-01 on 950612-19 No violations noted.
BURDICK, T.M. Region 3 (Post 820201) 95/07/21 FITZPATRICK, Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp 84794 017-84794 224

9507260031 Exam repts 50-315/OL-95-01 on 950612-20 Exam results two SRO & seven RO candidates passed exams. One RO passed operational exam & failed written exam.
HANSEN, J., BURDICK, T.M. Region 3 (Post 820201) 95/07/21 206pp 84794 019-84794 224

R. Periodic operating reports & related correspondence

9507140142 Monthly operating repts for June 1995 for Donald C Cook Nuclear Plant Unit 1 w/950706 R.
TURNER, J., BUSSONE, G.F. BLIND, A.A. Indiana Michigan Power Co. 95/06/30 5pp 84726 322-84726 326

S. Reportable occurrences, LERs & related correspondence

9507100183 Forwards notification of email spill of ethylene glycol to ground.
FITZPATRICK, Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/06/30 Document Control Branch (Document Control Desk) 2pp 84692 319-84692 322

9507140189 NIDES noncompliance notification on 950530, spill of ethylene glycol occurred when contracted svc technician troubleshooting portable welding machine. Ethylene glycol coolant replaced w/propylene glycol coolant.
CARLSON, J.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/06/08 2pp 84692 321-84692 322

9507260084 Part 21 repts re high failure rates of dc/dc converter added to old N-240-V2H analog output converter module. Caused by abnormal power draw by converter. Replacement converter being designed.
KEPER, J.T. Fusions Corp. 95/07/07 NRC - No Detailed Attribution Given 3pp 84955 001-84955 003

9507210322 Part 21 repts re potential defect in Linetorque SMB/SE/SED-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Linetorque Corp. 95/07/12 Document Control Branch (Document Control Desk) 3pp 84915 189-84915 196

9507310172 LER 95-002-00 on 950620, 21, 22 & 23, nine MSSVs lift settings found to exceed TS limit. Caused by mild galling between disc & nozzle components. Eight of MSSVs w/initial high lift setpoint had subsequent lifts within TS limit. W/950724 R.
WEBER, G.A., BLIND, A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/07/24 4pp 84956 257-84956 260

V. Operator Examinations

9507140043 Forwards individual exam results for applicants who took June 1995 oral license exams. Info considered proprietary IAW 10CFR2.790 W/e ends.
RANK, M.A. Region 3 (Post 820201) 95/07/07 CARTEAUX, P.F. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp 84625 199-84625 200

9507260024 Forwards exam repts 50-315/OL-95-01 on 950612-19 No violations noted.
BURDICK, T.M. Region 3 (Post 820201) 95/07/21 FITZPATRICK, Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp 84794 017-84794 224

9507260031 Exam repts 50-315/OL-95-01 on 950612-20 Exam results two SRO & seven RO candidates passed exams. One RO passed operational exam & failed written exam.
HANSEN, J., BURDICK, T.M. Region 3 (Post 820201) 95/07/21 206pp 84794 019-84794 224

64 DOCKETED ITEMS

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exams on 951003
RING, M.A. Region 3 (Post 820201) 95/07/24 LACROIX, D.G. Consumers Power Co
CARTEAU, P.F. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.)
SIMPSON, R.A. Centenor Energy 3pp 84919 021-84919 023

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507130037 Ack receipt of 950608 FEMA for transmitting two deficiencies to State of MI re 950605 emergency preparedness exercise at plant
CHIED, J.R. Region 3 (Post 820201) 95/07/05 FITZPATRICK, E. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.) 4pp 84957 084-84957 097

9507310147 Requests for exemption from 10CFR73.55 to eliminate from security plan requirement to continuously staff duplicate alarm station Description of proposed physical security plan changes & other supporting info and Encls withheld
FITZPATRICK, E. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.) 95/07/19 Document Control Branch (Document Control Desk) 3pp 84903 267-84903 269

K. Utility Final Safety Analysis Report (FSAR) & amendments

9507270211 "1995 FSAR update for DC Cook Nuclear Plant Units 1 & 2" W/ 950719
FITZPATRICK, E. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.) 95/07/18 206pp 84840 001-84840 080

P. Operating license stage documents & correspondence

9507030124 Adverse that safety review of proposed cancellation of commitment re blocked alarms concluded that cancellation would be beneficial & prudent & therefore justified
FITZPATRICK, E. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.) 95/06/26 Document Control Branch (Document Control Desk) 3pp 84561 198-84561 170

9507080218 Response to GL 95-03, "Circumferential Cracking Of Steam Generator Tubes"
FITZPATRICK, E. Indiana Michigan Power Co 95/06/27 Document Control Branch (Document Control Desk) 16pp 84699 334-84699 349

9506280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84518 258-84518 266

9507080130 Provides add info re review of submittal to delete plant TS 3.4.3.4 that concerns turbine over-speed protection requirements
FITZPATRICK, E. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.) 95/06/29 Document Control Branch (Document Control Desk) 4pp 84617 206-84617 211

9507070175 Application for amendments to Licensee DPR-68 & DPR-74, changing TS Section 3.3.1 to allow fuel reconstruction, per GL 90-02, Suppl 1
FITZPATRICK, E. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.) 95/06/30 Document Control Branch (Document Control Desk) 3pp 84622 328-84622 333

9507070161 Proposed tech specs re fuel reconstruction, per GL 90-02
Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.) 95/06/30 3pp 84622 328-84622 333

9507100442 Forwards amends 197 & 182 to licensees DPR-68 & DPR-74, respectively & SE Amends revise TS section 3.9.4 to allow, under certain conditions, both containment personnel airlocks to be open during core alterations
HICKMAN, J.B. 95/07/12 FITZPATRICK, E. Indiana Michigan Power Co
FITZPATRICK, E. American Electric Power Service Corp 3pp 84725 330-84725 346

9507100481 Amends 197 & 182 to licensees DPR-68 & DPR-74, respectively, revising TS 3.9.4 to allow, under certain conditions, both containment personnel airlocks to be open during core alterations
HICKMAN, J.B. 95/07/12 10pp 84725 330-84725 342

9507180488 Safety evaluation supporting amends 197 & 182 to licensees DPR-68 & DPR-74, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/07/12 4pp 84725 343-84725 349

Q. Inspection reports, SE Bulletins & correspondence

9507120384 Notifies that NRC issued NOV to Hydro Nuclear Swat, Inc (Hydro), contractor at plant in 1988 when Hydro denied employment to ST Doyle for refusing to sign application that included what Doyle believed was waiver of rights under ERA
AXELSON, W.L. Region 3 (Post 820201) 95/06/28 FITZPATRICK, E. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.) 8pp 84675 326-84675 334

9507120118 Forwards SE which authorizes psi alternative re relief from psi interview insp program Compliance w/requirements of Section XI would result in hardship or unusual difficulty w/o compensating increase in level of safety & quality
CARPENTER, C.A. 95/07/05 FITZPATRICK, E. Indiana Michigan Power Co
FITZPATRICK, E. American Electric Power Service Corp 2pp 84631 317-84631 322

9507120122 GER authorizing alternative for hydrostatic testing contained in licensee proposal per 10CFR50.55a(2)(i) for Cases 1, 2 & 3 tys as compliance w/specified hydrostatic testing requirements would result in hardship
Office of Nuclear Reactor Regulation (Post 941001) 95/07/05 4pp 84631 319-84631 322

9507180130 Forwards add info requested following 950511 meeting w/NRC re unresolved items from upl 1995 sys based ISC insp repts 50-315/95-12 & 50-316/95-12
FITZPATRICK, E. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.) 95/07/07 Document Control Branch (Document Control Desk) 2pp 84765 001-84765 259

9507180137 "Qualitative Functional Diversity Assessment of UFSAR of Common Mode Failure of Digital Equipment Software"
American Electric Power Service Corp QA-92-18 92/12/04 84pp 84765 003-84765 089

9507180140 Requests that proprietary WCAP-13801 "Westinghouse Support Methodology for Protection Sys. DC Cook Unit 2" be withheld from public disclosure per 10CFR2.790
LIPARULO, N.J. Westinghouse Electric Corp 95/05/26 RUSSELL, W. Document Control Branch (Document Control Desk) 16pp 84765 067-84765 085

9507180082 Forwards insp repts 50-315/95-06 & 50-316/95-06 on 950515-0516 No violations noted
KROPP, W.J. Region 3 (Post 820201) 95/07/11 FITZPATRICK, E. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.) 4pp 84781 338-84781 356

9507180084 Insps repts 50-315/95-06 & 50-316/95-06 on 950515-0516 No violations noted Major areas inspected action of previous insps, operational safety verification, on-site event followup & current stat conditions
KROPP, W.J. Region 3 (Post 820201) 95/07/11 16pp 84781 342-84781 359

9507240342 Appreciates advance notification of planned NRC Regional Inspective insp activities provided in 950607 W/Also, requests that start date of insp plan 37530 be kept flexible to confirmation in late Oct/early Nov time frame
FITZPATRICK, E. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.) 95/07/19 AXELSON, W.L. Region 3 (Post 820201) 2pp 84824 267-84824 268

9507260024 Forwards exam rept 50-315/OL-95-01 on 950612-19 No violations noted
BURDICK, T.M. Region 3 (Post 820201) 95/07/21 FITZPATRICK, E. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.) 2pp 84794 017-84794 224

9507260031 Exam rept 50-315/OL-95-01 on 950612-20 Exam results two SRO & seven RO candidates passed exams One RO passed operational exam & failed written exam
HANSEN, J. Region 3 (Post 820201) 95/07/21 206pp 84794 019-84794 224

R. Periodic operating reports & related correspondence

9507140138 Monthly operating repts for June 1995 for Donald C Cook Nuclear Unit 2 W/950706
TURNER, J., BUSSONE, G.F., BLAND, A.A. Indiana Michigan Power Co 95/06/30 5pp 84729 327-84729 331

S. Reportable occurrences, LERs & related correspondence

9507180183 Forwards notification of small spill of ethylene to ground
FITZPATRICK, E. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.) 95/06/30 Document Control Branch (Document Control Desk) 2pp 84682 319-84682 322

9507100189 NPDES noncompliance notification on 950630, spill of ethylene glycol occurred when contracted svc technician troubleshooting portable welding machine Ethylene glycol coolant replaced w/propylene glycol coolant
CARLSON, J.P. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.) 95/06/08 2pp 84682 321-84682 322

9507260084 Part 21 rept re high failure rates of d/d/c converter added to std N-2A0-V24 analog output converter modules Caused by abnormal power draw by converter Replacement converter being designed
KEIPER, J.T. Foxboro Corp 95/07/07 NRC - No Detailed Adhesion Given 3pp 84555 001-84555 003

9507210322 Part 21 rept re potential defect in Linatorque SMB/SB/SBD-00 actuators Condition dependent on individual licensee internal operating practices used when deducing MOV operable for safety related svcs
MYLTON, C.L. Linatorque Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 169-84815 168

V. Operator Examinations

9507140043 Forwards individual exam results for applicants who took June 1995 initial license exams Info considered proprietary IAW 10CFR2.790 W/o ends
RING, M.A. Region 3 (Post 820201) 95/07/07 CARTEAU, P.F. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.) 2pp 84825 199-84825 200

9507260024 Forwards exam rept 50-315/OL-95-01 on 950612-19 No violations noted
BURDICK, T.M. Region 3 (Post 820201) 95/07/21 FITZPATRICK, E. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.) 2pp 84794 017-84794 224

9507260031 Exam rept 50-315/OL-95-01 on 950612-20 Exam results two SRO & seven RO candidates passed exams One RO passed operational exam & failed written exam
HANSEN, J., BURDICK, T.M. Region 3 (Post 820201) 95/07/21 206pp 84794 019-84794 224

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003
RING, M.A. Region 3 (Post 820201) 95/07/24 LACROIX, D.G. Consumers Power Co
CARTEAU, P.F. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.)
SIMPSON, R.A. Centenor Energy 3pp 84919 021-84919 023

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Safety, medical, emergency & fire protection plans

9507080265 Responds to 950508 Ltr re NRC concern re radiological protection afforded by plant control room. Concludes that licensee proposed actions adequate, but acceptance predicated upon submission of final design configuration by 950731.
MCDONALD, D.G. Project Directorate I-1 (PD1-1) (Post 941001) 95/06/22
DENTON, R.E. Baltimore Gas & Electric Co 4pp 84540 017-84540 020

9507178129 Forwards SALP repts 50-317/93-98 & 50-318/93-98 for 931010-950513 Weaknesses noted
MARTIN, T.T. Region 1 (Post 820201) 95/07/10 DENTON, R.E. Baltimore Gas & Electric Co 5pp 84755 127-84755 141

9507178133 SALP repts 50-317/93-98 & 50-318/93-98 for 931010-950513 Weaknesses noted
* Region 1 (Post 820201) 95/07/10 10pp 84755 132-84755 141

G. Adjudicatory correspondence

9507080346 Ack receipt of 950502 petition under 10CFR2.206 requesting that pressurized-water reactors at listed plants be immediately shut down
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/06/28
DOHERTY, J.F. Attention Not Assigned 8pp 84558 127-84558 139

9507080354 Notice of receipt of petition for Director's Decision under 10CFR2.206 Discusses J.F. Doherly 950502 petition requesting that NRC take immediate action to shut down PWRs & inspect SG tubes at listed plants using point plus probe sys.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/06/28 2pp 84559 135-84559 136

9507080385 Request for shut down & SG tube insp for listed plants. CE PWRs. Believes that continued operation of plants health & safety hazard to nearby residents.
DOHERTY, J.F. Attention Not Assigned 95/05/02, Commissioners (Post 780119) 3pp 84559 137-84559 139

P. Operating license stage documents & correspondence

9507030211 Forwards response to NRC GL 95-03, "Circumstantial Cracking of SG Tubes." Supporting document prepared by CEOG in response to GL 95-03 also encl.
DENTON, R.E. Baltimore Gas & Electric Co 95/06/27 Document Control Branch (Document Control Desk) 18pp 84556 325-84556 342

9506260062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, C.I. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84519 259-84519 266

9507070182 Forwards suppl to license amend request re administrative controls Section 6.0 upgrade.
DENTON, R.E. Baltimore Gas & Electric Co 95/06/29 Document Control Branch (Document Control Desk) 5pp 84619 514-84619 518

9507140108 Requests add info to complete review re summary of IPE repts for plant. RAI related to internal event analyses in IPE including accident sequence core damage frequency analyses & containment performance improvement program.
MCDONALD, D.G. Project Directorate I-1 (PD1-1) (Post 941001) 95/07/11
DENTON, R.E. Baltimore Gas & Electric Co 14pp 84562 169-84562 182

9507260150 Application for amendments to licenses DPR-53 & DPR-69, revising TS 5.2.1 to allow use of lead fuel assemblies & requests temporary exemption from requirements of 10CFR50.46, 10CFR50.44 & 10CFR50.44 App K for CCNPP Unit 1.
DENTON, R.E. Baltimore Gas & Electric Co 95/07/13 Document Control Branch (Document Control Desk) 8pp 84827 265-84827 324

9507260166 Proposed TS 5.2.1, "Fuel Assemblies," allowing use of cladding materials other than zircaloy or ZIRLO w/approved temporary exemption to 10CFR50.46, 10CFR50.44 & 10CFR50.44 App K & allowing use of lead fuel assemblies.
* Baltimore Gas & Electric Co 95/07/13 4pp 84827 281-84827 284

9507260188 Nonproprietary "SER" for use of Advanced Zirconium-Based Cladding Metals in Calvert Cliffs, Unit 1 Batch A Lead Fuel Assemblies.
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.)
* ASEA Brown Boveri, Inc. CEN 425-P P03-NP 95/06/31 40pp 84827 285-84827 324

9507200181 Responds to NRC 950516 request for info re vendor replacement equipment.
DENTON, R.E. Baltimore Gas & Electric Co 95/07/17 Document Control Branch (Document Control Desk) 3pp 84779 179-84779 181

9507280274 Discusses proposed changes to CL rule testing requirements in 10CFR50 App J. Requests meeting w/appropriate industry representatives to discuss alternative approaches & to develop plan to complete model TG before rule change date.
GRIMES, C.I. 95/07/18 BUSH, L. Westinghouse Operating Plants Owners Group 9pp 84832 321-84832 357

9507290408 Responds to GL 95-01, rev 1, suppl 1, "Reactor Vessel Integrity."
DENTON, R.E. Baltimore Gas & Electric Co 95/07/24 Document Control Branch (Document Control Desk) 7pp 84903 255-84903 261

Q. Inspection reports, IE bulletins & correspondence

9507178129 Forwards SALP repts 50-317/93-98 & 50-318/93-98 for 931010-950513 Weaknesses noted
MARTIN, T.T. Region 1 (Post 820201) 95/07/10 DENTON, R.E. Baltimore Gas & Electric Co 5pp 84755 127-84755 141

9507178133 SALP repts 50-317/93-98 & 50-318/93-98 for 931010-950513 Weaknesses noted
* Region 1 (Post 820201) 95/07/10 10pp 84755 132-84755 141

9507290077 Notification of significant licensee meeting 95-97 w/whl on 950726 to discuss NRC SALP results for period 931010-950513.
DOERFLEIN, L.T. Region 1 (Post 820201) 95/07/12 Region 1 (Post 820201) 2pp 84711 282-84711 282

9507240187 Forwards insp repts 50-317/93-98 & 50-318/93-98 on 950514-0824 No violations noted. NRC noted whl repts continues to emphasize that operations expected to use good judgement & manually trip unit if conditions arise re safety.
COWGILL, C.J. Region 1 (Post 820201) 95/07/17 DENTON, R.E. Baltimore Gas & Electric Co 5pp 84795 215-84795 233

9507240196 Insp repts 50-317/93-98 & 50-318/93-98 on 950514-0824 No violations noted. Major areas inspected: operations, maintenance, engineering & plant support.
DOERFLEIN, L.T. Region 1 (Post 820201) 95/07/17 16pp 84795 215-84795 233

R. Periodic operating reports & related correspondence

9507218184 Monthly operating repts for June 1995 for Calvert Cliffs NPP Units 1 & 2 W/950714 W.
OLSEN, D. CRUSE, C.H. Baltimore Gas & Electric Co 95/06/30 12pp 84808 321-84808 322

S. Reportable occurrences, LERs & related correspondence

9507118254 LER 95-004-02 on 950516, fire damper was inoperable due to conflicting design info. Established fire watches for inoperable dampers. W/950709 W.
MUTH, D.W., CRUSE, C.H. Baltimore Gas & Electric Co 95/07/09 8pp 84876 245-84876 253

9507210322 Part 21 repts re potential defect in Limiting 6MB/58/58D-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related sys.
HYLTON, C.L. Limiting Corp. 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 169-84815 198

9507206152 LER 95-002 00 on 950616, manual inp occurred due to loss of 12 SG feed pump. Repaired overspeed trip mechanism & restarted Unit 1 W/950714 W.
MUTH, D.W., CRUSE, C.H. Baltimore Gas & Electric Co 95/07/14 6pp 84786 155-84786 160

V. Operator Examinations

9507178129 Forwards SALP repts 50-317/93-98 & 50-318/93-98 for 931010-950513 Weaknesses noted
MARTIN, T.T. Region 1 (Post 820201) 95/07/10 DENTON, R.E. Baltimore Gas & Electric Co 5pp 84755 127-84755 141

9507178133 SALP repts 50-317/93-98 & 50-318/93-98 for 931010-950513 Weaknesses noted
* Region 1 (Post 820201) 95/07/10 10pp 84755 132-84755 141

9507280418 Discusses 950710 action re arrangements made for administration of licensing exams at plant scheduled for wk of 951118 & operating tests scheduled for wk of 951127.
MEYER, G.W. Region 1 (Post 820201) 95/07/13 DENTON, R.E. Baltimore Gas & Electric Co 2pp 84738 030-84738 032

Y. Dry Cask Independent Spent Fuel Storage Installations

9507200269 Forwards CAL issued to VECTRA Technologies, Inc. CAL, identifies actions to be taken as result of NRC insp findings during insp of Reactor fabrication contractor for VECTRA.
MCDONALD, D.G. Project Directorate I-1 (PD1-1) (Post 941001) 95/07/14
DENTON, R.E. Baltimore Gas & Electric Co 2pp 84771 329-84771 334

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

F. Safety, medical, emergency & fire protection plans

9507080205 Responds to 950508 Ltr re NRC concern re radiological protection afforded by plant control room. Concludes that licensee proposed actions adequate, but acceptance predicated upon submission of final design configuration by 950731.
MCDONALD, D.G. Project Directorate I-1 (PD1-1) (Post 941001) 95/06/22
DENTON, R.E. Baltimore Gas & Electric Co 4pp 84540 017-84540 020

9507178129 Forwards SALP repts 50-317/93-98 & 50-318/93-98 for 931010-950513 Weaknesses noted
MARTIN, T.T. Region 1 (Post 820201) 95/07/10 DENTON, R.E. Baltimore Gas & Electric Co 5pp 84755 127-84755 141

9507178133 SALP repts 50-317/93-98 & 50-318/93-98 for 931010-950513 Weaknesses noted
* Region 1 (Post 820201) 95/07/10 10pp 84755 132-84755 141

G. Adjudicatory correspondence

9507080346 Ack receipt of 950502 petition under 10CFR2.206 requesting that pressurized-water reactors at listed plants be immediately shut down.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/06/28
DOHERTY, J.F. Attention Not Assigned 8pp 84558 127-84558 139

9507080354 Notice of receipt of petition for Director's Decision under 10CFR2.206 Discusses J.F. Doherly 950502 petition requesting that NRC take immediate action to shut down PWRs & inspect SG tubes at listed plants using point plus probe sys.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/06/28 2pp 84559 135-84559 136

66 DOCKETED ITEMS

-950706095 Request for shut down & SG tube wrap for listed plants, CE PWFRs Believe that continued operation of plants health & safety hazard to nearby residents.
OCHERTY, J.F. Affiliation Not Assigned 95/06/02 Commissioners (Post 750118) 3pp 84559 137-84558 139

P. Operating license stage documents & correspondence

9507030211 Forwards response to NRC GL 85-03, "Circumstantial Cracking of SG Tubes." Supporting document prepared by CEOG in response to GL 85-03 also and DENTON, R.E. Baltimore Gas & Electric Co. 95/06/27 Document Control Branch (Document Control Desk) 18pp 84559 325-84558 342

9507280682 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29 Consolidated Edison Co. of New York, Inc. 10pp 84518 259-84518 258

9507070162 Forwards suppl to license amend request re administrative controls Section 6.0 upgrade.
DENTON, R.E. Baltimore Gas & Electric Co. 95/06/29 Document Control Branch (Document Control Desk) 3pp 84519 314-84519 318

950710309 Forwards "CCNPP Unit 2 Cycle 11 Summary of Startup Testing," per TS 6.9.1.1 Unit 2 returned commercial power operation on 950518.
CRUSE, C.H. Baltimore Gas & Electric Co. 95/07/05 Document Control Branch (Document Control Desk) 1p 84594 277-84594 287

-950711813 "CCNPP Unit 2 Cycle 11 Summary of Startup Testing"
* Baltimore Gas & Electric Co. 95/07/05 10pp 84594 278-84594 287

9507340108 Requests add info to complete review re summary of IFE repl for plant RAI related to internal event analysis in IFE including accident sequence core damage frequency analysis & containment performance improvement program.
MCDONALD, D.G. Project Directorate 1-1 (PD1-1) (Post 941001) 95/07/11 DENTON, R.E. Baltimore Gas & Electric Co. 14pp 84652 189-84652 182

9507280155 Application for amends to licensees DPR-53 & DPR-69 rewording TS 5.2.1 to allow use of lead fuel assemblies & requests temporary exemption from requirements of 10CFR50.46, 10CFR50.44 & 10CFR50. App K for CCNPP Unit 1.
DENTON, R.E. Baltimore Gas & Electric Co. 95/07/13 Document Control Branch (Document Control Desk) 3pp 84827 265-84827 324

-9507250156 Proposed TS 5.2.1, "Fuel Assemblies," allowing use of cladding materials other than zircaloy or ZIRLO w/approved temporary exemption to 10CFR50.46 10CFR50.44 & 10CFR50. App K & allowing use of lead fuel assemblies.
* Baltimore Gas & Electric Co. 95/07/13 4pp 84827 261-84827 284

9507280181 Responds to NRC 950615 request for info re vendor replacement equipment.
DENTON, R.E. Baltimore Gas & Electric Co. 95/07/17 Document Control Branch (Document Control Desk) 3pp 84779 179-84779 181

9507280274 Discusses proposed changes to CL rate testing requirements in 10CFR50 App J Requests meeting w/appropriate industry representatives to discuss alternative approaches & to develop plan to complete model T4 before rule change date.
GRIMES, C.I. 95/07/18 BUSH, L.L. Westinghouse Operating Plants Owners Group 36pp 84832 321-84832 357

9507280444 Provides unredacted USE value for CCNPP Unit 2 Weld Seams 2-203-A/B & C in resolution of Open Issue 2 identified in utl 940511 response to GL 92-01, "RV Structural Integrity" close-out ltr.
DENTON, R.E. Baltimore Gas & Electric Co. 95/07/20 Document Control Branch (Document Control Desk) 3pp 84824 244-84824 245

9507310046 Responds to GL 92-01, rev 1, suppl 1, "Reactor Vessel Integrity"
DENTON, R.E. Baltimore Gas & Electric Co. 95/07/24 Document Control Branch (Document Control Desk) 7pp 84903 255-84903 251

Q. Inspection reports, IE Bulletins & correspondence

9507170129 Forwards SALP repts 50-317/93-99 & 50-318/93-99 for 931010-950513 Weaknesses noted.
MARTIN, T.T. Region 1 (Post 820201) 95/07/10 DENTON, R.E. Baltimore Gas & Electric Co. 6pp 84755 127-84755 141

-9507170138 SALP repts 50-317/93-99 & 50-318/93-99 for 931010-950513 Weaknesses noted.
* Region 1 (Post 820201) 95/07/10 10pp 84756 122-84756 141

9507180677 Notification of significant licensee meeting 95-87 w/utl on 950726 to discuss NRC SALP results for period 931010-950513.
DOERFLEIN, T. Region 1 (Post 820201) 95/07/12 Region 1 (Post 820201) 2pp 84711 282-84711 283

9507240187 Forwards insp repts 50-317/95-05 & 50-318/95-05 on 950514-9524 No violations noted NRC noted utl mgt continues to emphasize that operators expected to use good judgement & manually trip unit if conditions arise re safety.
OWING, L.L. Region 1 (Post 820201) 95/07/17 DENTON, R.E. Baltimore Gas & Electric Co. 3pp 84795 215-84795 233

-9507240193 Insps repts 50-317/95-05 & 50-318/95-05 on 950514-9524 No violations noted Major areas inspected operations, maintenance, engineering & plant support.
DOERFLEIN, T. Region 1 (Post 820201) 95/07/17 16pp 84795 218-84795 233

R. Periodic operating reports & related correspondence

9507270134 Monthly operating repts for June 1995 for Calvert Cliffs NPP Units 1 & 2 w/950714 ltr.
OLSEN, H.O., CRUSE, C.H. Baltimore Gas & Electric Co. 95/06/30 12pp 84806 321-84806 322

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Lintrique 8MB/8B/8BD-00 actuators Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Lintrique Corp. 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 189-84815 198

V. Operator Examinations

9507170129 Forwards SALP repts 50-317/93-99 & 50-318/93-99 for 931010-950513 Weaknesses noted.
MARTIN, T.T. Region 1 (Post 820201) 95/07/10 DENTON, R.E. Baltimore Gas & Electric Co. 6pp 84755 127-84755 141

-9507170138 SALP repts 50-317/93-99 & 50-318/93-99 for 931010-950513 Weaknesses noted.
* Region 1 (Post 820201) 95/07/10 10pp 84755 132-84755 141

9507210016 Discusses 950710 baloon re arrangements made for administration of licensing exams at plant scheduled for wk of 951112 & operating tests scheduled for wk of 951127.
MEYER, G.W. Region 1 (Post 820201) 95/07/13 DENTON, R.E. Baltimore Gas & Electric Co. 3pp 84738 030-84738 032

Y. Dry Cask Independent Spent Fuel Storage Installations

9507200289 Forwards CAL issued to VECTRA Technologies, Inc. CAL identifies actions to be taken as result of NRC insp findings during insp of Rafter, fabrication contractor for VECTRA.
MCDONALD, D.G. Project Directorate 1-1 (PD1-1) (Post 941001) 95/07/14 DENTON, R.E. Baltimore Gas & Electric Co. 2pp 84771 329-84771 334

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507060438 Forwards revised pages to rev 32 of amended physical security plan & Rev 13 of training & qualification plan Revised pages withheld.
WILSON, J.F. General Public Utilities Corp. - GPU Service Corp. 95/06/15 Document Control Branch (Document Control Desk) 1p 84589 109-84589 109

9507130149 Rev 15 to EPIP-TM-03, "Emergency Notification & Call Out."
BEAVER, J., NELSON, M.A. General Public Utilities Corp. - GPU Service Corp. 95/06/28 39pp 84676 195-84676 233

M. General correspondence

9507240166 Responds to 950412 public comments opposing draft NUREG/BR-0189, "Responsiveness to Public."
WEISS, S.H. 95/07/19 MORGAN, K.Z. Affiliation Not Assigned 2pp 84778 239-84778 240

P. Operating license stage documents & correspondence

9507280329 Seventh partial response to FOIA request for records App J, K & releasable portions of App L records available in PDR App L documents partially withheld (ref FOIA Exemption 6).
POWELL, R.A. Division of Freedom of Information & Publications Service (Post 940714) 95/07/31 FIDELLER, Affiliation Not Assigned. 3pp 84781 258-84781 318

-9512870138 Forwards anonymous ltr & newsclipping re utl settlement agreements, for appropriate handling.
NEWLIN, R.W. Office of Public Affairs (Pre 870413) 89/11/07 HAYES, B. Office of Investigation (Pre 880201) 3pp 84761 307-84761 309

9507280682 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29 Consolidated Edison Co. of New York, Inc. 10pp 84518 259-84518 258

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Lintrique 8MB/8B/8BD-00 actuators Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Lintrique Corp. 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 189-84815 198

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507060343 Discusses 950328 ltr responding to 941230 request for addl info re use of Thermo-Lag 330-1 at plant.
JABBOUR, K.N. 95/06/29 BECKHAM, J.T. Georgia Power Co. 3pp 84536 189-84536 190

9507170028 Ack receipt of 950519 ltr forwarding scenarios/controller package for plant 1995 emergency preparedness exercise. Submits meet requirements for full participation exercise scheduled for 950823.
BARR, K.P. Region 2 (Post 820201) 95/07/10 BECKHAM, J.T. Georgia Power Co. 3pp 84850 340-84850 342

9507250256 Comment on proposed generic communication, 10CFR50.54(p) "Process for Changes to Security Plans W/o Prior NRC Approval" BECKHAM, J.T. Georgia Power Co 95/07/10 NRC - No Detailed Affiliation Given 2pp 84788 200-84788 201

9507210017 Forwards SALP repts 50-321/95-99 & 50-366/95-99 on 931128-950527 Plant performance remained superior in functional area of engineering EBNETER, S.D. Region 2 (Post 820201) 95/07/11 BECKHAM, J.T. Georgia Power Co 3pp 84738 038-84738 043

9507210023 SALP repts 50-321/95-99 & 50-366/95-99 for 931128-950527 Region 2 (Post 820201) 95/07/11 3pp 84738 038-84738 043

9507270399 Rev 10D to El Hatch Nuclear Plant Units 1 & 2 fire hazards analysis update Georgia Power Co 95/07/31 3pp 84881 010-84881 048

9507240056 Informs that add info has been discovered that shows violation did not occur per insp repts 50-321/95-09 & 50-366/95-09 BECKHAM, J.T. Georgia Power Co 95/07/18 Document Control Branch (Document Control Desk) 4pp 84795 300-84795 316

9507240060 "El Hatch Nuclear Plant EP 1995 On-Hours Semi-Annual HP Exercise Summary Rept for 930531" MOTHER, R.D. Georgia Power Co 95/08/16 13pp 84795 304-84795 318

9507280041 Revised EPI/including rev 11 to 72EP-EP-073-05, "Offsite Emergency Notifications," & rev 11 to 72EP-EP-901-08 "Emergency Classification & Initial Actions" W/950725 to BECKHAM, J.T. Georgia Power Co 95/07/25 7pp 84875 035-84875 110

M. General correspondence

9507060174 Comment on "Review of NRC Insp Rept Content, Format & Style" Unit feels that use of boilerplate phrases seldom appropriate & that less boilerplate word ing should be used BECKHAM, J.T. Georgia Power Co 95/06/28 MEYERS, D. Division of Freedom of Information & Publications Services (Post 940714) 2pp 84507 318-84507 317

K. Utility Final Safety Analysis Report (FSAR) & amendments

9507270397 Forwards quarterly FSAR & fire hazards analysis revs 13D & 10D, respectively BECKHAM, J.T. Georgia Power Co 95/07/14 Document Control Branch (Document Control Desk) 4pp 84880 001-84880 048

9507270398 Rev 13D to El Hatch Nuclear Plant Units 1 & 2 FSAR update Georgia Power Co 95/07/31 38pp 84880 005-84880 009

9507270399 Rev 10D to El Hatch Nuclear Plant Units 1 & 2 fire hazards analysis update Georgia Power Co 95/07/31 3pp 84881 010-84881 048

P. Operating license stage documents & correspondence

9507030862 Forwards response to NRC 950805 RAJ re core shroud mod installed at facility to clarify methodology in Suppl A to Rev 1 to GENE-771-34-0784 GE proprietary repl, "Finite Element Analysis," also and GE proprietary repl withheld BECKHAM, J.T. Georgia Power Co 95/08/21 Document Control Branch (Document Control Desk) 17pp 84558 331-84558 347

9506280063 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys GIMMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84518 258-84518 258

9507060363 Discusses 950328 ltr responding to 941230 request for add info re use of Thermo-Lag 330-1 at plant JABBOUR, K.N. 95/06/29 BECKHAM, J.T. Georgia Power Co 3pp 84536 168-84536 190

9507110328 Forwards SE approving code case N-415-1 as alternative to required 10-yr hydrostatic pressure test for class 1, 2 & 3, per 10CFR50.55(a)(3)(ii) BERKOW, H.N. 95/07/05 BECKHAM, J.T. Georgia Power Co 3pp 84816 348-84816 353

9507110331 Safety evaluation approving code case N-415-1 as alternative to required 10-yr hydrostatic pressure test for class 1, 2 & 3 per 10CFR50.55(a)(3)(ii) Office of Nuclear Reactor Regulation (Post 941001) 95/07/05 6pp 84816 348-84816 353

9507270274 Advises that info requested by GE re core shroud mod installed on plant will be withheld from public disclosure, re 10CFR2.790, per 950618 request JABBOUR, K.N. 95/07/17 BECKHAM, J.T. Georgia Power Co 4pp 84834 319-84834 322

9507280468 Advises that GE 950621 responses to NRC request for add info, dtd 950608, re core shroud mod installed on unit 1, will be withheld from public disclosure, re 10CFR2.790 JABBOUR, K.N. 95/07/18 BECKHAM, J.T. Georgia Power Co 5pp 84798 169-84798 173

9507280508 Forwards SE re EPI on severe accident vulnerabilities Based on review of EPI, NRC concludes that evaluation meets intent of GL 88-20 JABBOUR, K.N. 95/07/18 BECKHAM, J.T. Georgia Power Co 3pp 84832 160-84832 320

9507280291 Safety evaluation of plant EPI submitted Unit has met intent of GL 88-20 Office of Nuclear Reactor Regulation (Post 941001) 95/07/18 17pp 84832 163-84832 182

9507140441 "Technical Evaluation Rept on Individual Plant Exam Front End Analysis" DARRBY, J.L. Science & Engineering Associates, Inc. NRC-04-91-066 SEA 92-563-026-A 4 95/06/29 NRC - No Detailed Affiliation Given 57pp 84832 163-84832 240

9507140442 "Technical Evaluation Rept on Individual Plant Exam Back-End Analysis" BUDNITZ, R.J. Science & Engineering Associates, Inc. NRC-05-91-068 SEA-91-068-226-84 94/12/31 NRC - No Detailed Affiliation Given 25pp 84832 241-84832 264

9507140445 "Technical Evaluation Rept on Individual Plant Exam Human Reliability Analysis" HAAS, P.M. Concord Associates, Inc. NRC-04-91-069 CA/TR-94-019-27 94/11/30 Division of Safety Issue Resolution (950717-841217) 55pp 94832 265-84832 320

9507210168 Forwards EA & FONSI re 950119 application for amend involving increase of licensed core thermal power for Hatch, Units 1 & 2 JABBOUR, K.N. 95/07/21 BECKHAM, J.T. Georgia Power Co 3pp 84879 301-84879 342

9507230173 Environ assessment & finding of no significant impact re increase of licensed core thermal power for Hatch, Units 1 & 2 95/07/21 9pp 84879 334-84879 342

9507210205 Clarifies issues re IST program update process & informs that upd procedure w/update as issued BECKHAM, J.T. Georgia Power Co 95/07/25 Document Control Branch (Document Control Desk) 2pp 84909 310-84909 311

Q. Inspection reports, IE Bulletin & correspondence

9507120631 Forwards insp repts 50-424/95-14, 50-425/95-14, 50-321/95-12 & 50-366/95-12 on 950515-0601 No violations noted MERSCHOFF, E.W. Region 2 (Post 820201) 95/06/22 WOODARD, J.D. Georgia Power Co 4pp 84574 264-84574 276

9507120635 Insp repts 50-424/95-14, 50-425/95-14, 50-321/95-12 & 50-366/95-12 on 950515-0601 No violations noted Major areas inspected effectiveness of licensee quality controls programs in addressing safety concerns. CULLEN, J.R.V. MERSCHOFF, E.W. Region 2 (Post 820201) 95/06/22 9pp 84574 268-84574 276

9507120615 Forwards insp repts 50-321/95-08 & 50-366/95-08 on 950418-0527 & notice of violation CULLEN, J.R.V. Region 2 (Post 820201) 95/06/26 BECKHAM, J.T. Georgia Power Co 4pp 84574 172-84574 203

9507120619 Notice of violation from insp on 950418-0527 Violation noted written procedures had not properly been implemented in that on 950411, operator placed jumper across terminals DO-1 to DO-2 in lieu of DO-2 to CCC-1, resulting in alarm Region 2 (Post 820201) 95/06/26 2pp 84574 176-84574 177

9507120623 Insp repts 50-321/95-08 & 50-366/95-08 on 950418-0527 Violations noted Major areas inspected plant operations, maintenance, plant support activities & insp of open items HOLBROOK, B.L. CHURCHNOT, E.F., HAAQ, R.C. Region 2 (Post 820201) 95/06/23 23pp 84574 178-84574 203

9507110205 Submits response to violations noted in Insp Repts 50-321/95-02 & 50-366/95-02 Corrective actions Procedure 30IT-TET-002-0s revised to include new thrust margin to account for switch repeatability BECKHAM, J.T. Georgia Power Co 95/07/08 Document Control Branch (Document Control Desk) 18pp 84694 315-84694 332

9507170013 Confirms arrangements re 950726 mtg meeting at plant Purpose of meeting to discuss SALP of plant during 931128-950527 HAAQ, R.C. Region 2 (Post 820201) 95/07/05 BECKHAM, J.T. Georgia Power Co 3pp 84650 324-84650 326

9507210017 Forwards SALP repts 50-321/95-99 & 50-366/95-99 on 931128-950527 Plant performance remained superior in functional area of engineering EBNETER, S.D. Region 2 (Post 820201) 95/07/11 BECKHAM, J.T. Georgia Power Co 5pp 84738 038-84738 043

9507210023 SALP repts 50-321/95-99 & 50-366/95-99 for 931128-950527 Region 2 (Post 820201) 95/07/11 3pp 84738 038-84738 043

9507240056 Informs that add info has been discovered that shows violation did not occur per insp repts 50-321/95-09 & 50-366/95-09 BECKHAM, J.T. Georgia Power Co 95/07/18 Document Control Branch (Document Control Desk) 4pp 84795 300-84795 318

9507240060 "El Hatch Nuclear Plant EP 1995 On-Hours Semi-Annual HP Exercise Summary Rept for 930531" MOTHER, R.D. Georgia Power Co 95/08/16 13pp 84795 304-84795 318

R. Periodic operating reports & related correspondence

9507140149 Monthly operating repts for June 1995 for Edwin I Hatch Nuclear Plant Units 1 & 2 W/950710 to BEARD, M.M. BECKHAM, J.T. Georgia Power Co 95/06/30 12pp 84798 343-84798 354

S. Reportable occurrences, LERs & related correspondence

9507210046 LER 95-004-00 on 950618, RPS bus "B" power supply tripped. Cause has not been determined Testing & analysis continuing in attempt to isolate cause Voltage regulator involved sent to reg for analysis W/950717 to THPES, B. BECKHAM, J.T. Georgia Power Co 95/07/17 6pp 84821 036-84821 041

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

DOCKET 80-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507080229 Revised EPIPs including rev 51c to OPEP-Appendix A, "Emergency Response Resources," & rev 0 to OPEP-02.6, "Severe Weather." W/950829 R. NEWTON/R.R. Carolina Power & Light Co. 95/05/27. 3pp. 84819-055-84819-093

9507250011 Comment on proposed generic communication, 10CFR50.54(p), "Process for Changes to Security Plans W/o Prior NRC Approval." Supports proposed clarification & endorses NEI comments. ROGAN, R.E. Carolina Power & Light Co. 95/07/14. NRC - No Detailed Affiliation Given. 1p. 84787-022-84787-022

9507270078 Summary of 950518 meeting w/IES, WPPSS & CP&L in Rockville, MD to address proposed test of Damant fire barriers including test configurations for dummy modules, schedules & test details. List of participants, et al, et al. KELLY, G.B. 95/07/20. 3pp. 84831-217-84831-245.

H. General correspondence

9507140431 Provides updates to NRC service list for NRC correspondence re BSEP/Units 1 & 2 due to listed organizational changes. HICKS, G.D. Carolina Power & Light Co. 95/07/10. Document Control Branch (Document Control Desk). 4pp. 84738-357-84738-362.

P. Operating license stage documents & correspondence

9506290062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, S.K. 95/05/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518-259-84518-268.

9507080388 Forwards "IPE for External Events (IEEE) Submittal Final Rept." as committed in 821015 for External events portion of USI A-45, "Shutdown DHR Requirements" submitted in IEEE, per GL 85-20 & considered resolved. ANDERSON, R.A. Carolina Power & Light Co. 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84583-001-84583-106.

-9507080396 "IPE for External Events Submittal Final Rept." Carolina Power & Light Co. 95/06/30. 457pp. 84583-004-84583-106

9507210003 Forwards rev 2 of "Advance Fuel Shipment Notification," to custody of J Cook, W/o and SKIPPER, M. Carolina Power & Light Co. 95/07/06. DODD, J. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 84738-003-84738-003

9507270078 Summary of 950518 meeting w/IES, WPPSS & CP&L in Rockville, MD to address proposed test of Damant fire barriers including test configurations for dummy modules, schedules & test details. List of participants, et al, et al. KELLY, G.B. 95/07/20. 3pp. 84831-217-84831-245.

Q. Inspection reports, IE Bulletins & correspondence

9507270026 FOIA request for documents re allegations from 1983 or 1984 that utility nuclear assessment dept lacked sufficient independence in making personnel selections or NRC investigation of NAD's independence in personnel selection. CALVERT, M.S. Carolina Power & Light Co. 94/12/22. Division of Freedom of Information & Publications Services (Post 840714). 2pp. 84871-129-84871-130.

9507270029 Final response to FOIA request for records App A records and available in PDR. Releaseable portions of App B records also and available in PDR. App B records partially withheld (ref FOIA Exemption 5). POWELL, L.A. Division of Freedom of Information & Publications Services (Post 840714). 95/02/09. CALVERT, M.S. Carolina Power & Light Co. 4pp. 84871-131-84871-145.

-9507270029 Discusses allegation RI-89-0152 re site VP has power to make personnel selection for nuclear assessment dept. Inapp. conducted on 831208-15 to assess adequacy of plant nuclear assessment department. Memo partially deleted. GRIFFITHS, J.H. Region 2 (Post 820201). 04/04/14. DEMIRANDA, O. Region 2 (Post 820201). 7pp. 84871-136-84871-141.

-9507270024 Discusses 950606 conversation w/R Prevette expressing concerns re independence of nuclear assessment dept. Excerpt from inap repts 50-325/92-55 & 50-324/93-55 and W/o and Ltr partially deleted. URYC, B. Region 2 (Post 820201). 94/07/07. Affiliation Not Assigned. 3pp. 84871-142-84871-143.

-9507270025 Discusses 950606 conversation w/R Prevette expressing concern re independence of nuclear assessment dept. Excerpt from inap repts 50-325/92-55 & 50-324/93-55 and W/o and Ltr partially deleted. URYC, B. Region 2 (Post 820201). 94/07/07. Affiliation Not Assigned. 3pp. 84871-144-84871-145.

9507120080 Ack receipt of 950622 re informing NRC of steps taken to correct violations noted in inap repts 50-325/95-10 & 50-324/95-10 on 950428. 0902. No violations noted. VERRELLI, D.M. Region 2 (Post 820201). 95/06/28. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 84575-276-84575-278

9507140178 Forwards inap repts 50-324/95-13 & 50-325/95-13 on 950428. 0902. No violations noted. VERRELLI, D.M. Region 2 (Post 820201). 95/06/28. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 84738-270-84738-287.

-9507140185 Inap repts 50-324/95-13 & 50-325/95-13 on 950428-0902. No violations noted. Major areas inspected: operations, maint & surveillance, engineering & plant support. PATTERSON, C.A., BYRON, F.M., JANUS, M.T. Region 2 (Post 820201). 95/06/29. 22pp. 84739-275-84739-287.

9507290148 Summary of night meeting conducted on 950710 at Brunswick Technical Training Ctr to discuss licensee performance during past SALP cycle. List of attendees & copy of slides and. VERRELLI, D.M. Region 2 (Post 820201). 95/07/14. ANDERSON, R.A. Carolina Power & Light Co. 13pp. 84733-348-84733-366

R. Periodic operating reports & related correspondence

9507190358 Forwards MORs for June 1995 for BSEP, units 1 & 2 & corrected May 1995 Unit 1 MOR. CP&L determined that manual scram on 950519 during Unit 1 startup did not contribute to forced outage rate as reported in original May 1995 MOR for Unit 1. LEVINS, W. Carolina Power & Light Co. 95/07/12. Document Control Branch (Document Control Desk). 1p. 84780-103-84780-204

-9507190352 Corrected monthly operating rept for May 1995 for BSEP Unit 1. HARRISON, F. Carolina Power & Light Co. 95/05/31. 2pp. 84790-194-84790-195

-9507190353 Monthly operating rept for June 1995 for BSEP, Units 1 & 2. HARRISON, F. Carolina Power & Light Co. 95/05/30. 3pp. 84790-195-84790-204

S. Reportable occurrences, LEAs & related correspondence

9507210022 Part 21 rept re potential defect in Limitorque SMI/SB/SBC-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related tests. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 20pp. 84815-169-84815-198

DOCKET 80-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507080229 Revised EPIPs including rev 51c to OPEP-Appendix A, "Emergency Response Resources," & rev 0 to OPEP-02.6, "Severe Weather." W/950829 R. NEWTON/R.R. Carolina Power & Light Co. 95/05/27. 3pp. 84819-055-84819-093.

9507250011 Comment on proposed generic communication, 10CFR50.54(p), "Process for Changes to Security Plans W/o Prior NRC Approval." Supports proposed clarification & endorses NEI comments. ROGAN, R.E. Carolina Power & Light Co. 95/07/14. NRC - No Detailed Affiliation Given. 1p. 84787-022-84787-022

9507270078 Summary of 950518 meeting w/IES, WPPSS & CP&L in Rockville, MD to address proposed test of Damant fire barriers including test configurations for dummy modules, schedules & test details. List of participants, et al, et al. KELLY, G.B. 95/07/20. 3pp. 84831-217-84831-245.

H. General correspondence

9507140431 Provides updates to NRC service list for NRC correspondence re BSEP/Units 1 & 2 due to listed organizational changes. HICKS, G.D. Carolina Power & Light Co. 95/07/10. Document Control Branch (Document Control Desk). 4pp. 84738-357-84738-362

P. Operating license stage documents & correspondence

9506290062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, S.K. 95/05/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518-259-84518-268.

9507080388 Forwards "IPE for External Events (IEEE) Submittal Final Rept." as committed in 821015 for External events portion of USI A-45, "Shutdown DHR Requirements" submitted in IEEE, per GL 85-20 & considered resolved. ANDERSON, R.A. Carolina Power & Light Co. 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84583-001-84583-106

-9507080396 "IPE for External Events Submittal Final Rept." Carolina Power & Light Co. 95/06/30. 457pp. 84583-004-84583-106

9507270078 Summary of 950518 meeting w/IES, WPPSS & CP&L in Rockville, MD to address proposed test of Damant fire barriers including test configurations for dummy modules, schedules & test details. List of participants, et al, et al. KELLY, G.B. 95/07/20. 3pp. 84831-217-84831-245.

9507260246 Notification of 950606 meeting w/IE in Rockville, MD to discuss results of Brunswick Unit 1 core shroud repair conducted during spring 1995 following outage & to discuss industry position re future core shroud repairs. TRIMBLE, D.C. Project Directorate B-1 (PD2-1) (Post 841001). 95/07/21. MATTHEWS, D.B. Project Directorate B-1 (PD2-1) (Post 841001). 3pp. 84816-231-84816-233.

Q. Inspection reports, IE Bulletins & correspondence

9507270026 FOIA request for documents re allegations from 1983 or 1984 that utility nuclear assessment dept lacked sufficient independence in making personnel selections or NRC investigation of NAD's independence in personnel selection. CALVERT, M.S. Carolina Power & Light Co. 94/12/22. Division of Freedom of Information & Publications Services (Post 840714). 2pp. 84871-129-84871-130

9507270029 Final response to FOIA request for records App A records and available in PDR. Releaseable portions of App B records also and available in PDR. App B records partially withheld (ref FOIA Exemption 5). POWELL, L.A. Division of Freedom of Information & Publications Services (Post 840714). 95/02/09. CALVERT, M.S. Carolina Power & Light Co. 4pp. 84871-131-84871-145.

70 DOCKETED ITEMS

9507250251 Discusses allegation RA-93-0153 re pre VP has power to make personnel selection for nuclear assessment dept. Inap. conducted on 931208-15 to assess adequacy of plant nuclear assessment department. Memo partially deleted. CHRISTENSEN, H. Region 2 (Post 820201) 84/04/14. DEMERAND, O. Region 2 (Post 820201) 7pp 84871 135-84871 141

9507270254 Discusses 930806 conversation w/R. Prevaitte expressing concern re independence of nuclear assessment dept. Excerpt from inap. repts 50-325/93-55 & 50-324/93-55 and W/o end. Ltr partially deleted. URYC, B. Region 2 (Post 820201) 94/07/07. Affiliation Not Assigned 2pp 84871 142-84871 143

9507270255 Discusses 930806 conversation w/R. Prevaitte expressing concern re independence of nuclear assessment dept. Excerpt from inap. repts 50-325/93-55 & 50-324/93-55 and W/o end. Ltr partially deleted. URYC, B. Region 2 (Post 820201) 94/07/07. Affiliation Not Assigned 3pp 84871 144-84871 145

950728095 Ack receipt of 950522 re informing NRC of steps taken to correct violations noted in inap. repts 50-325/95-10 & 50-324/95-10 on 950525. VERRELLUD, M. Region 2 (Post 820201) 95/06/29. ANDERSON, R.A. Carolina Power & Light Co 3pp 84575 276-84575 278

950728178 Forwards inap. repts 50-324/95-13 & 50-325/95-13 on 950429-0902 No violations noted. VERRELLUD, M. Region 2 (Post 820201) 95/06/29. ANDERSON, R.A. Carolina Power & Light Co 3pp 84738 270-84738 297

950728185 Inap. repts 50-324/95-13 & 50-325/95-13 on 950429-0902 No violations noted. Major areas inspected: operations, maintenance & surveillance, engineering & plant support. PATTERSON, C.A. BYRON, P.M., JANUS, M.T. Region 2 (Post 820201) 95/06/29 2pp 84738 275-84738 297

9507280148 Summary of inap. meeting conducted on 950710 at Brunswick Technical Training Ctr to discuss licensee performance during past SAUP cycle. List of attendees & copy of slides and VERRELLUD, M. Region 2 (Post 820201) 95/07/14. ANDERSON, R.A. Carolina Power & Light Co 13pp 84793 346-84793 006

9507280244 Notification of 950606 meeting w/ul in Rockville, MD to discuss results of Brunswick, Unit 1, core shroud reinspect conducted during spring 1995 refueling outage & to discuss industry position re future core shroud reinspect. TRIMBLE, D.C. Project Directorate II-1 (PD2-1) (Post 941001) 95/07/21. MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001) 3pp 84816 331-84816 333

II. Periodic operating reports & related correspondence

9507190356 Forwards MOPR for June 1995 for BSEP Units 1 & 2 & corrected May 1995 Unit 1 MOPR. CP&L determined that manual scram on 950519 during Unit 1 startup did not contribute to forced outage rate as reported in original May 1995 MOPR for Unit 1. LEVINS, W. Carolina Power & Light Co 95/07/12. Document Control Branch (Document Control Desk) 1p 84790 193-84790 204

9507190362 Corrected monthly operating report for May 1995 for BSEP Unit 1. HARRISON, F. Carolina Power & Light Co 95/05/31 2pp 84790 194-84790 195

9507190363 Monthly operating report for June 1995 for BSEP Units 1 & 2. HARRISON, F. Carolina Power & Light Co 95/06/30 3pp 84790 195-84790 204

5. Reportable occurrences, LERs & related correspondence

9507030698 Forwards LER 95-001 re two inoperable control rod accumulators result in entry into TS 3.0.3. COWAN, J. Carolina Power & Light Co 95/06/22. Document Control Branch (Document Control Desk) 2pp 84559 084-84559 086

9507030672 LER 95-001-01 on 950108, two inoperable CR accumulators resulted in entry into TS 3.0.3. COWAN, J. Carolina Power & Light Co 95/06/22 3pp 84559 085-84559 086

9507120187 LER 95-013-00 on 950609, HPCI declared inoperable. Caused by ground due to lubrication practices in excess of only recommended frequency resulting in debris within compressor area. Debris removed W/950707 ltr. THEARLING, G.M., LEVINS, W. Carolina Power & Light Co 95/07/07 4pp 84676 269-84676 273

9507219822 Part 21 repts re potential defect in Limestone SMB/SB/SBD-00 actuators. Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, G.L. Limestone Corp 95/07/12. Document Control Branch (Document Control Desk) 3pp 84615 169-84615 186

DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507120848 Confirms 950618 telcon between C. Kelley & D. Thompson re meeting to discuss three site new physical security plans, scheduled for 950705-06 in Knoxville, TN. JAUDE, J.P. 95/06/27. MEDFORD, M. Tennessee Valley Authority 5pp 84575 067-84575 062

9507219802 Revised EPIPs, including rev 19 to EPIP-1, rev 12 to EPIP-6, rev 14 to EPIP-7, rev 12 to EPIP-8, rev 7 to EPIP-10, rev 7 to EPIP-12, rev 8 to EPIP-17, rev 6 to EPIP-16, rev 9 to EPIP-22 & rev 6 to EPIP-23 W/950712 ltr. CARRIER, P.P. Tennessee Valley Authority 95/07/12 21pp 84819 001-84819 210

9507219127 Ack receipt of 950405 ltr forwarding Rev 35 to plant Physical Security Plan. NRC review of changes found most to be consistent w/provisions of 10CFR50.54(p). End outlines items needing clarification. Encl withheld per 10CFR73.21. COLLINS, D.M. Region 2 (Post 820201) 95/07/13. KINGSLEY, O.D. Tennessee Valley Authority 3pp 84611 347-84611 349

9507250114 Revised Central Emergency Control Ctr (CECC) EPIPs, including rev 2 to CECC-EPIP-2, rev 17 to CECC-EPIP-3, rev 18 to CECC-EPIP-4 & rev 20 to CECC-EPIP-5 W/950720 ltr. CARRIER, P.P. Tennessee Valley Authority 95/07/20 48pp 84826 001-84826 046

9507280273 Forwards safety evaluation re emergency action plan conversion to NUMARC emergency action levels. LABARGE, D.E. 95/07/28. KINGSLEY, O.D. Tennessee Valley Authority 2pp 84868 164-84868 171

9507280277 Safety evaluation accepting proposed EAL changes for plant Units 1 & 2. 95/07/26 6pp 84868 168-84868 171

III. General correspondence

9507080218 Forwards Rev 6 to Topical Rept TVA-NPOD89-A, "TVA Nuclear Organization Description," incorporating organizational changes announced through 950601. CARRIER, P.P. Tennessee Valley Authority 95/06/29. Document Control Branch (Document Control Desk) 2pp 84599 258-84599 310

9507080223 Rev 6 to "TVA Nuclear Organization Description." Tennessee Valley Authority TVA-NPOD89-A R06 95/06/29 50pp 84599 260-84599 310

P. Operating license stage documents & correspondence

9507080227 Provides response to GL 95-03, "Circumferential Cracking of SG Tubes." SHELL, R.H. Tennessee Valley Authority 95/06/27. Document Control Branch (Document Control Desk) 3pp 84568 315-84568 350

9507280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc 10pp 84518 250-84518 266

9507080268 Application for amend to licenses DPR-77 & DPR-78, consisting of TS Change 94-14 re personnel unlock open during core alterations. SHELL, R.H. Tennessee Valley Authority 95/06/29. Document Control Branch (Document Control Desk) 3pp 84563 296-84563 312

9507080271 Proposed tech spec. allowing containment personnel unlock doors to be open during fuel movement & core alterations. Tennessee Valley Authority 95/06/29 15pp 84563 300-84563 312

9507080191 Forwards "Sequoyah Nuclear Plant Individual Plant Evaluation Of External Events," June 1995. SHELL, R.H. Tennessee Valley Authority 95/06/29. Document Control Branch (Document Control Desk) 3pp 84571 001-84571 262

9507080185 "Sequoyah Nuclear Plant Individual Plant Evaluation Of External Events." Tennessee Valley Authority 95/06/30 35pp 84871 004-84871 062

9507080281 Forwards amends 205 & 195 to licenses DPR-77 & DPR-78 & SE Amend renews action statements to eliminate starting of emergency diesel generators. LABARGE, D.E. 95/06/29. KINGSLEY, O.D. Tennessee Valley Authority 3pp 84539 290-84539 300

9507080295 Amends 205 & 195 to licenses DPR-77 & DPR-78 respectively, renewing action statements to eliminate starting of emergency diesel generators. HEBDON, J. 95/06/29 14pp 84539 293-84539 296

9507080297 Safety evaluation supporting amends 205 & 195 to licenses DPR-77 & DPR-78 respectively. Office of Nuclear Reactor Regulation (Post 941001) 95/06/29 3pp 84539 297-84539 300

9507170606 Discusses NRC 950512 ltr announcing NRC meeting w/ul scheduled for 950719 to discuss methods for implementation of problem identification & corrective action programs at uli facilities. JAUDE, J.P. Region 2 (Post 820201) 95/06/30. KINGSLEY, O.D. Tennessee Valley Authority 3pp 84620 298-84620 301

9507240284 Submits RAJ re TVA organization topical repts, rev 8. Requests response by 950618. HEBDON, J. 95/07/20. KINGSLEY, O.D. Tennessee Valley Authority 4pp 84779 350-84779 363

9507280058 Responds to 950720 ltr requesting addl info on revised nuclear organization topical repts. CARRIER, P.P. Tennessee Valley Authority 95/07/24. Document Control Branch (Document Control Desk) 3pp 84675 148-84675 156

Q. Inspection reports, IE Bulletins & correspondence

9507120124 Forwards inap. repts 50-327/95-14 & 50-328/95-14 on 950507-0603 Violations noted w/ul not be sub to EA due to fact that licensee efforts in correcting violations meet criteria specified. LESSER, M.S. Region 2 (Post 820201) 95/06/26. KINGSLEY, O.D. Tennessee Valley Authority 3pp 84576 015-84576 036

9507120129 Inap. repts 50-327/95-14 & 50-328/95-14 on 950507-0603 No violations noted. Major areas inspected: plant operations, maintenance, surveillance, observations, on-site engineering, plant support & licensee event report database. SHAFFER, S.M., LESSER, M.S. Region 2 (Post 820201) 95/06/26 17pp 84576 016-84576 035

9507080134 Forwards response to NRC 950602 ltr re violations noted in inap. repts 50-327/95-13 & 50-328/95-13. Corrective actions mgt has placed addl emphasis on Arrow-Hart condition. ADNEY, R.J. Tennessee Valley Authority 95/06/29. Document Control Branch (Document Control Desk) 4pp 84600 351-84600 354

9507060147 Forwards response to NRC 950601 R re violations noted in insp repts 50-327/95-12 & 50-328/95-12 Corrective actions placed permanent placards on T-handlers for containment sump isolation valves to prevent manual operation
ADNEY,R J Tennessee Valley Authority 95/06/29 Document Control Branch (Document Control Desk) 6pp 84800 355-84800 360

9507140253 Ack receipt of 950629 response to violations noted in insp repts 50-327/95-13 & 50-328/95-13
CASTO,C A Region 2 (Post 820201) 95/07/06 KINGSLEY,O D Tennessee Valley Authority 3pp 84737 345-84737 347

9507240352 Ack receipt of 950629 responses to violations noted in insp repts 50-327/95-12 & 50-328/95-12
LESSER,M S Region 2 (Post 820201) 95/07/17 KINGSLEY,O D Tennessee Valley Authority 3pp 84824 293-84824 295

R. Periodic operating reports & related correspondence

9507230139 Monthly operating repts for June 1995 for Sequoyah Nuclear Plant Units 1 & 2 W/950714
HOLLICKONT,J J SHELL,R H Tennessee Valley Authority 95/06/30 11pp 84806 340-84806 350

9507140298 Forwards 10CFR50.46 annual rpt for plant Rpt of 1995 provided to return on current plant
SHELL,R H Tennessee Valley Authority 95/07/12 Document Control Branch (Document Control Desk) 4pp 84798 105-84798 106

S. Reportable occurrences, LERs & related correspondence

9507170134 LER 95-006-00 on 950605 determined that WGA (which monitors hydrogen concentrations) being operated incorrectly Caused by design limitations Alarm logic will be reconfigured to ensure TS compliance W/950705 R
GILLEY,S D, ADNEY,R J Tennessee Valley Authority 95/07/05 6pp 84876 237-84876 244

9507240277 Forwards LER re automatic reactor trip that occurred as result of 10-to SG level During process of establishing clearance for manual activity on radiation monitor, assistant unit operator opened wrong breaker
ADNEY,R J Tennessee Valley Authority 95/07/18 Document Control Branch (Document Control Desk) 2pp 84821 084-84821 089

9507240283 LER 95-006-00 on 950623 reactor trip occurred as result of 10-to SG level Caused by personnel error Standing order issued to Operators personnel & appropriate disciplinary action taken
PROFFITT,J W Tennessee Valley Authority 95/07/18 4pp 84821 085-84821 090

9507270133 Forwards LER re auxiliary bldg crane interlocks & physical stops defeated to facilitate replacement of spent fuel pool fuel storage racks
ADNEY,R J Tennessee Valley Authority 95/07/18 Document Control Branch (Document Control Desk) 2pp 84867 332-84867 340

9507270151 LER 95-007-00 on 951230 auxiliary bldg crane interlocks & physical stops defeated to facilitate replacement of spent fuel pool fuel storage racks Caused by incorrect site interpretation of scope Corrected condition by rev of TS SR
BAJARSZEWSKI,J Tennessee Valley Authority 95/07/18 7pp 84887 334-84887 340

9507280110 Forwards LER 95-09 re rod position indicating sys was more than 12 steps different from demand position indicators for control rods in control banks C & D
ADNEY,R J Tennessee Valley Authority 95/07/24 Document Control Branch (Document Control Desk) 2pp 84874 338-84874 342

9507280114 LER 95-009-00 on 950624 rod position indication was out of step w/ demand position indication sys Caused by gap between actual rod position & RPI response TS was entered & shift operations supervisor was notified
GILLEY,S D Tennessee Valley Authority 95/07/24 5pp 84874 338-84874 342

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507120045 Confirms 950619 action between C Kelley & D Thompson re meeting to discuss three sites new physical security plans, scheduled for 950705-06 in Knoxville, TN
JAUDON,J P 95/06/27 MEDFORD,M Tennessee Valley Authority 6pp 84573 057-84573 062

9507210002 Revised EIPs including rev 19 to EIP-1, rev 12 to EIP-4, rev 14 to EIP-7, rev 12 to EIP-8, rev 7 to EIP-10, rev 7 to EIP-12, rev 8 to EIP-17, rev 6 to EIP-18, rev 6 to EIP-22 & rev 6 to EIP-23 W/950712 R
CARRIER,P P Tennessee Valley Authority 95/07/12 21pp 84818 001-84818 210

9507230127 Ack receipt of 950405 R forwarding Rev 35 to plant Physical Security Plan NRC review of changes found most to be consistent w/provisions of 10CFR50.54(a) End outlines items needing clarification End withheld per 10CFR73.21
COLLINS,D M Region 2 (Post 820201) 95/07/13 KINGSLEY,O D Tennessee Valley Authority 3pp 84811 347-84811 349

9507250114 Revised Central Emergency Control Ctr (CECC) EIPs including rev 2 to CECC-EIP-2, rev 17 to CECC-EIP-3, rev 16 to CECC-EIP-4 & rev 20 to CECC-EIP-5 W/950720 R
CARRIER,P P Tennessee Valley Authority 95/07/20 48pp 84828 001-84828 048

9507280273 Forwards safety evaluation re emergency action plan correction to NUREG emergency action levels
LABARGE,D E 95/07/28 KINGSLEY,O D Tennessee Valley Authority 2pp 84888 164-84888 171

9507280277 Safety evaluation accepting proposed EAL changes for plant Units 1 & 2
95/07/28 6pp 84886 165-84886 171

H. General correspondence

9507060216 Forwards Rev 6 to Topical Rpt TVA-NPODB-A, "TVA Nuclear Organization Description," incorporating organizational changes announced through 950501
CARRIER,P P Tennessee Valley Authority 95/06/29 Document Control Branch (Document Control Desk) 2pp 84596 258-84596 310

9507060222 Rev 6 to "TVA Nuclear Organization Description"
Tennessee Valley Authority TVA-NPODB-A R04 95/06/29 60pp 84599 260-84599 310

P. Operating license stage documents & correspondence

9507030338 Informs that NRC intend to exercise discretion not to enforce compliance w/required actions in TS 3.7.2.1, action a/or period of 72 h, per 941108 request.
EBNETER,S D Region 2 (Post 820201) 94/11/08 KINGSLEY,O D Tennessee Valley Authority 6pp 84512 257-84512 261

9507050227 Provides response to GL 95-06, "Circumferential Cracking of SG Tubes"
SHELL,R H Tennessee Valley Authority 95/06/27 Document Control Branch (Document Control Desk) 9pp 84558 315-84558 350

9506280052 Rev 1 to NRC Administrative Ltr 94-12 to all NRC licensees re access to NRC bulletin board sys
GRIMES,B K 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84519 259-84519 268

9507050358 Application for amend to licenses DPR-77 & DPR-79, consisting of TS Change 94-14 re personnel unlock open during core alterations
SHELL,R H Tennessee Valley Authority 95/06/29 Document Control Branch (Document Control Desk) 3pp 84563 306-84563 312

9507050371 Proposed tech specs, allowing containment personnel unlock doors to be open during fuel movement & core alterations
Tennessee Valley Authority 95/06/29 11pp 84563 300-84563 312

9507050191 Forwards "Sequoyah Nuclear Plant Individual Plant Evaluation Of External Events" June 1995
SHELL,R H Tennessee Valley Authority 95/06/29 Document Control Branch (Document Control Desk) 3pp 84571 001-84571 352

9507060195 "Sequoyah Nuclear Plant Individual Plant Evaluation Of External Events"
Tennessee Valley Authority 95/06/30 35pp 84571 004-84571 362

9507060391 Forwards amends 205 & 195 to licenses DPR-77 & DPR-79 & SE Amend revises action statements to eliminate starting of emergency diesel generators
LABARGE,D E 95/06/29 KINGSLEY,O D Tennessee Valley Authority 3pp 84538 290-84538 300

9507060396 Amends 205 & 195 to licenses DPR-77 & DPR-79 respectively, revising action statements to eliminate starting of emergency diesel generators
HERDON,F J 95/06/29 14pp 84538 285-84538 296

9507060397 Safety evaluation supporting amends 205 & 195 to licenses DPR-77 & DPR-79 respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/06/29 3pp 84538 287-84538 300

9507170006 Discusses NRC 950612 R re announcing NRC meeting w/atl scheduled for 950719 to discuss methods for implementation of problem identification & corrective action programs at all facilities.
JAUDON,J P Region 2 (Post 820201) 95/06/30 KINGSLEY,O D Tennessee Valley Authority 6pp 84860 296-84860 301

9507240324 Submits RAI re TVA organization topical rpt, rev 6 Requests response by 950618
HERDON,F J 95/07/20 KINGSLEY,O D Tennessee Valley Authority 4pp 84778 350-84778 363

9507280058 Responds to 950720 R requesting add info on revised nuclear organization topical rpt.
CARRIER,P P Tennessee Valley Authority 95/07/24 Document Control Branch (Document Control Desk) 3pp 84875 148-84875 156

G. Inspection reports, R. Bulletins & correspondence

9507120124 Forwards insp repts 50-327/95-14 & 50-328/95-14 on 950507-0603 Violations noted will not be sub to EA due to fact that licensee efforts in correcting violations meet criteria specified
LESSER,M S Region 2 (Post 820201) 95/06/26 KINGSLEY,O D Tennessee Valley Authority 3pp 84576 015-84576 038

9507120129 Insp repts 50-327/95-14 & 50-328/95-14 on 950507-0603 No violations noted Major areas inspected plant operations, maint observations, surveillance observations onsite engineering plant support & licensee event rpt closeout.
SHAEFFER,G M, LESSER,M S Region 2 (Post 820201) 95/06/26 17pp 84576 018-84576 035

9507060134 Forwards response to NRC 950602 R re violations noted in insp repts 50-327/95-13 & 50-328/95-13 Corrective actions: rpt has placed addl emphasis on Arrow-Hart condition
ADNEY,R J Tennessee Valley Authority 95/06/29 Document Control Branch (Document Control Desk) 4pp 84800 351-84800 354

9507060147 Forwards response to NRC 950601 R re violations noted in insp repts 50-327/95-12 & 50-328/95-12 Corrective actions: placed permanent placards on T-handlers for containment sump isolation valves to prevent manual operation
ADNEY,R J Tennessee Valley Authority 95/06/29 Document Control Branch (Document Control Desk) 6pp 84800 355-84800 360

9507140253 Ack receipt of 950629 response to violations noted in insp repts 50-327/95-13 & 50-328/95-13
CASTO,C A Region 2 (Post 820201) 95/07/06 KINGSLEY,O D Tennessee Valley Authority 3pp 84737 345-84737 347

72 DOCKETED ITEMS

9507248352 Ack receipt of 950629 response to violations noted in snap repts 50-327/95-12 & 50-328/95-12.
LESSER,M.S. Region 2 (Post 820201). 95/07/17 KINGSLEY,D.D. Tennessee Valley Authority. 3pp. 84824-293-84824-296

R. Periodic operating reports & related correspondence

9507218139 Monthly operating repts for June 1995 for Sequoyah Nuclear Plant Units 1 & 2.W/950714 by
MOLLOMON,T.J., SHELL,R.H. Tennessee Valley Authority 95/06/30 11pp. 84808-340-84808-350.

9507180283 Forwards 10CFR50.48 annual repts for plant.Repts of 1995 provided to remain on current plant.
SHELL,R.H. Tennessee Valley Authority. 95/07/12 Document Control Branch (Document Control Desk) 4pp. 84785-105-84785-108.

S. Reportable occurrences, LERs & related correspondence

9507070202 Forwards LER 95-008 re automatic turbine & reactor trip resulting from activation of main generator stator OW failure circuit.Rept submitted per 10CFR50.79(a)(2)(iv) as event that resulted in automatic activation of ESFs & RPS.
ADNEY,R.J. Tennessee Valley Authority. 95/06/30. Document Control Branch (Document Control Desk) 2pp. 84586-255-84586-261

-9507070207 LER 95-009-00 on 950531,turbine tripped followed by reactor trip as result of activation of main generator stator OW failure circuit.Event will be reviewed w/operations personnel,assessing site operating philosophy.
PROFFITT,J.W., ADNEY,R.J. Tennessee Valley Authority. 95/08/30. 5pp. 84586-257-84586-261.

9507110139 LER 95-004-00 on 950525,observed that containment purge air inboard isolation valve may not have sufficient clearance for actuator proper function during LOCA.Cause by personnel error Clearance deficiency corrected W/950703 by.
PROFFITT,J.W., ADNEY,R.J. Tennessee Valley Authority. 95/07/03 5pp. 84688-352-84688-359

9507240329 LER 95-005-00 on 950620,closure of 2A-A SI pumps (8P) suction valve placed unit in LOO 3 0.3.Labels will be placed on sub valves indicating that closure of valves at power will render inoperative ECCS inoperable W/950720 by
PROFFITT,J.W., ADNEY,R.J. Tennessee Valley Authority 95/07/20. 5pp. 84692-013-84692-020

DOCKET 50-329 MIDLAND PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9506280882 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29 Consolidated Edison Co. of New York, Inc. 10pp. 84518-259-84518-266

DOCKET 50-330 MIDLAND PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9506280882 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29 Consolidated Edison Co. of New York, Inc. 10pp. 84518-259-84518-266

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

9507220399 Forwards Emergency Response Data Sys implementation documents & Data Point Library updates for plants.
DENPSEY,K.C. Incident Response Branch. 95/02/27. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 84631-332-84631-332

9507240414 Provides further info re resolution of concern for Thermo- Lag fire barrier mat at DAEC,including integrated Thermo- Lag resolution schedule response to GL 92-08.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/06/30 RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001) 6pp. 84682-222-84682-227

9507200188 Revised EPIP,including Rev 96 to EPIP index,Rev 20 to EPIP 1.2,Rev 12 to EPIP 2.1,Rev 3 to EPIP 2.3,Rev 0 to App 1 to EPIP form,Rev 58 to CP1P index,Rev 17 to CP1P 1.3,Rev 10 to CP1P 1.4 & Rev 9 to CP1P 2.2.
HENDERSON,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/07/05. 161pp. 84779-001-84779-161

9507200188 Forwards Rev 17 to "DAEC Emergency Plan" & proprietary Rev 45 to emergency telephone book.Emergency telephone book withheld.
HENDERSON,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/07/17. Document Control Branch (Document Control Desk) 2pp. 84835-001-84835-029

-9507200184 Rev 17 to "DAEC Emergency Plan"
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/07/10. 227pp. 84835-003-84835-229.

9507200379 Summary of 950618 meeting w/IES,WPPSS & CP&L in Rockville,MD to address proposed test of Dammed fire barriers including test configurations for dummy modules,schedules & test details.List of participants,et al,et al.
KELLY,G.B. 95/07/20 . 30pp. 84831-217-84831-246.

P. Operating license stage documents & correspondence

9507100196 Forwards DAEC response to request for add info on IFE
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/06/26 RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001) 2pp. 84655-001-84655-004

-9507100197 Response to NRC RAJ re IFE
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/06/26 860pp. 84655-003-84655-304

9506280882 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518-259-84518-266

9507250302 Forwards trip repts of 950523-25 visit to DAEC
NEBUDA,D.T. Army, Dept. of Corps of Engineers 95/06/29 YOUNG,F. NRC - No Deleted Affiliation Given 1p. 84836-233-84836-235

-9507250305 Trip repts of 950523-25 visit to DAEC re const details & standoff calculations.
NEBUDA,D.T. Army, Dept. of Corps of Engineers 95/06/29 Army, Dept. of Corps of Engineers 2pp. 84835-234-84835-235

9507108414 Provides further info re resolution of concern for Thermo- Lag fire barrier mat at DAEC,including integrated Thermo- Lag resolution schedule, response to GL 92-08.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/06/30 RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001) 6pp. 84682-222-84682-227

9507200379 Summary of 950618 meeting w/IES,WPPSS & CP&L in Rockville,MD to address proposed test of Dammed fire barriers including test configurations for dummy modules,schedules & test details.List of participants,et al,et al.
KELLY,G.B. 95/07/20 . 30pp. 84831-217-84831-246

9507218289 Application for amend to License DPR-48,consisting of Request for TS Change (RTS-285),eliminating inappropriate condition surveillance in Sections 4.5 & 4.6 & clarifying requirements re spent & new fuel storage in Section 5.5.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/07/21 RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001) 4pp. 84902-316-84902-318.

-9507218289 Proposed tech specs,eliminating inappropriate condition surveillance in Sections 4.5 & 4.6,clarifying requirements governing spent & new fuel storage in Section 5.5.
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/07/21 11pp. 84902-308-84902-318

Q. Inspection reports, IE Bulletins & correspondence

9507090155 Forwards response to NRC ltr re violations noted in snap repts 50-331/95-05 on 950405-0608.Corrective actions, researched all three of instant violations of concern & determined actions performed correctly.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/06/26 Document Control Branch (Document Control Desk) 5pp. 84555-349-84555-353.

9507118023 Forwards snap repts 50-331/95-04 on 950501-26 No violations noted.
JORDAN,M.J. Region 3 (Post 820201) 95/07/11 LUJL IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 84843-075-84843-080

-9507118026 (snap repts 50-331/95-04 on 950501-26 No violations noted. Major areas inspected/design change & engineering support activities.
SMITH,J.D., LANGSTAFF,R.A., MENDEZ,R. Region 3 (Post 820201). 95/07/11 14pp. 84843-077-84843-090.

9507240294 Ack receipt of 950626 re informing NRC of steps taken to correct violations noted in snap repts 50-331/95-05.
LANSHURBY,R.D. Region 3 (Post 820201). 95/07/12. LUJL IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 1p. 84824-318-84824-318

9507240433 Forwards individual exam results for applicants taking June, 1995 initial license exam.W/o end
RING,M.A. Region 3 (Post 820201) 95/07/18. GANTRELL,J.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 84751-100-84751-101

9507240609 Forwards snap repts 50-331/OL-95-01 on 950626-29.These applicants passed all portions of exams.One applicant failed written portion of exam.Exam & answer key,facility comments, NRC resolution of comments & simulation facility repts,et al.
RING,M.A. Region 3 (Post 820201). 95/07/18. LUJL IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 2pp. 84751-192-84751-192

-9507240673 Exam repts 50-331/OL-95-01 on 950626-29 Exam results:three applicants passed all portions of exams.One applicant failed written portion of exam.
DOORNBOS,R., BURDICK,T. Region 3 (Post 820201). 95/07/17. 105pp. 84751-194-84751-302

9507200183 Forwards "ASME Section XI Summary Rept for DAEC Refueling Outage 13," addressing exams performed from 931014-950419. Second ten-yr interval extended to 951101 in accordance w/ 10CFR50.55a.info re augmented IPRs performed also incl.
YOUNG,K.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/07/18. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001) 2pp. 84874-212-84874-227

-9507200183 "ASME Section XI Summary Rept for DAEC Refueling Outage 13."
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/06/23. 114pp. 84874-214-84874-227

R. Periodic operating reports & related correspondence

950720048 Monthly operating report for June 1995 for Duane Arnold Energy Ctr/W 950714 J
WOODWARD R. VAN MIDDLESWORTH IES Utilities Inc. (formerly Iowa Electric Light & Power Co) 95/06/30 MILLER, H.J. Region 3 (Post 820201) 8pp 84827 351 84827 352

950724015 Forwards correction to annual radioactive waste release report for 1994 for DAEC, correcting Ar-41 & tritium values for 3rd & 4th calendar quarters (CQ) in table of gaseous effluents by CQ & updating table of gaseous effluents by release point
VAN MIDDLESWORTH IES Utilities Inc. (formerly Iowa Electric Light & Power Co) 95/07/13 MILLER, H.J. Region 3 (Post 820201) 1p 84824 248-84824 248

-950724017 Forwarded annual radioactive waste release report for Jan-Dec 1994 for DAEC - IES Utilities Inc. (formerly Iowa Electric Light & Power Co) 94/12/31 2pp 84824 247-84824 248

V. Operator Examinations

950724003 Forwards individual exam results for applicants taking June, 1995 initial license exam W/O and
RING, M.A. Region 3 (Post 820201) 95/07/18 CANTRELL, J.D. IES Utilities Inc. (formerly Iowa Electric Light & Power Co) 2pp 84751 190-84751 191

950724008 Forwards insp rept 50-331/OL-95-01 on 950626-29 Three applicants passed all portions of exams One applicant failed written portion of exam Exam & answer key facility comments, NRC resolution of comments & simulation facility rept and
RING, M.A. Region 3 (Post 820201) 95/07/18 LILL, IES Utilities Inc. (formerly Iowa Electric Light & Power Co) 2pp 84751 192-84751 302

-950724007 Exam rept 50-331/OL-95-01 on 950626-29 Exam results, three applicants passed all portions of exams One applicant failed written portion of exam
DOCKERT, R.R. Bureau of Edison Co BROWN, J.J. Wisconsin Public Service Corp 3pp 84919 021-84919 023

950721006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003
RING, M.A. Region 3 (Post 820201) 95/07/24 LACROIX, D.G. Consumers Power Co
EDISON CO BROWN, J.J. Wisconsin Public Service Corp 3pp 84919 021-84919 023

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

950710074 Rev 8 to EPP SAP-20, "Emergency Plan Assignments"
Power Authority of the State of New York (New York Power Authority) 95/06/29 11pp 84691 248-84691 258

950721005 Forwards insp rept 50-333/95-11 on 950614-0824 & MOV
COWGILL, C.J. Region 1 (Post 820201) 95/07/21 SALMON, H.P. Power Authority of the State of New York (New York Power Authority) 3pp 84902 319-84902 336

-950721007 Notice of violation from insp on 950514-0824 Violation noted on 950527, fire protection procedure 9.25, sprinkler nozzle air flow test, Rev 0, Section 8.1, was performed resulting in unanticipated water sprinkler discharge
Region 1 (Post 820201) 95/07/21 2pp 84902 322-84902 323

-950721008 Inspect 50-333/95-11 on 950514-0824 Violations noted Major areas inspected plant operations, maintenance, plant support, including emergency preparedness (EPP) drill & fire protection & QA/safety verification
COWGILL, C.J. Region 1 (Post 820201) 95/07/21 13pp 84902 324-84902 336

K. Utility Final Safety Analysis Report (FSAR) & appenda

950720081 "1995 Annual FSAR Update for JA FitzPatrick Nuclear Power Plant" W/
950721 J
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 95/07/21 570pp 84857 001-84858 206

P. Operating license stage documents & correspondence

950706054 Forwards amend 225 to license DPR-59 & SE Amend modifies operability & SRs for RV overfill protection instrumentation that isolates RV pump turbine & main turbine trips on high RV water level
CARPENTER, C.E. Project Directorate I-1 (PD1-1) (Post 841001) 95/06/19 CAHILL, W.J. New York State of App 84839 125-84839 144

-950706057 Amend 225 to license DPR-59, modifying operability & SRs for RV overfill protection instrumentation that isolates RV pump turbine & main turbine trips on high RV water level
MARSHALL, B. Project Directorate I-1 (PD1-1) (Post 841001) 95/06/19 9pp 84839 130-84839 139

-950706073 Safety evaluation supporting amend 225 to license DPR-59
Office of Nuclear Reactor Regulation (Post 841001) 95/06/19 5pp 84839 140-84839 144

950626092 Rev 1 to NRC Administrative Ltr 84-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84816 259-84816 268

9507060231 Forwards nonproprietary & proprietary versions of licensing topical rept: Application of Regional Escursion W/Flow-Based APRM Neutron Flux Scram Stability Solution (Option I-D) to JA FitzPatrick NPP. Proprietary version withheld
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 95/06/29 Document Control Branch (Document Control Desk) 8pp 84570 001-84570 040

-9507060231 Nonproprietary version of Application of Regional Escursion W/Flow-Based APRM Neutron Flux Scram Stability Solution (Option I-D) to JA FitzPatrick NPP
POST, J.S. General Electric Co GENE-437-044-0235 95/02/28 31pp 84570 010-84570 040

9507070114 Requests that NRC issue TS amend for power uprate on approx 951001 to be effective upon plant startup following refueling outage
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 95/06/29 Document Control Branch (Document Control Desk) 3pp 84824 144-84824 146

950707005 Requests NRC review & concurrence of exception to Reg Guide 1.97 requirements for transferring reactor probe isolation valve position indication
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 95/06/29 Document Control Branch (Document Control Desk) 12pp 84582 343-84582 344

9507140683 Forwards NYPA Assessment Panel charter & meeting minutes from 1993, 1994, 1995 to present, to be made public per guidelines in MC 0360
LAHNING, W.D. Region 1 (Post 820201) 95/07/05 CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 4pp 84850 001-84850 283

-9507140131 Informs that NYPA Assessment Panel revised charter based on current shutdown status of plant, reflecting development of restart action plan & obtaining restart approval per MC 0360 & Region 1 instruction 1470.1 Lists panel responsibilities
WONG, J.S., Y., MILLER, C.L. Region 1 (Post 820201) 95/05/13 COWGILL, C.J. Region 1 (Post 820201) 2pp 84850 005-84850 006

-9507140147 Informs of expansion of FitzPatrick Assessment Panel to include plant & assumes new title of NYPA Assessment Panel
HEHL, C.W. Region 1 (Post 820201) 95/01/11 COWGILL, C.J. Region 1 (Post 820201) 2pp 84850 007-84850 008

-9507140150 Summary of 930119 93-01 NYPA Assessment Panel meeting re NRC charter, expectations for current panel members & future activities
COWGILL, C.J. Region 1 (Post 820201) 93/01/29 NRC - No Detailed Attribution Given 15pp 84850 009-84850 022

-9507140106 Summary of 930204 93-02 NYPA Assessment Panel meeting re determination that corporate engineering team may be redirected to be broad-based assessment of activities at plant
COWGILL, C.J. Region 1 (Post 820201) 93/02/08 NRC - No Detailed Attribution Given 2pp 84850 029-84850 024

-9507140179 Summary of 930217 93-03 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants
COWGILL, C.J. Region 1 (Post 820201) 93/03/01 NRC - No Detailed Attribution Given 5pp 84850 025-84850 030

-9507140139 Summary of 930331 93-04 NYPA Assessment Panel meeting re NYPA presentation of FitzPatrick restart self-assessment, review of comment on plant PIP & plant restart process
ESELGROTH, P. Region 1 (Post 820201) 93/04/07 NRC - No Detailed Attribution Given 5pp 84850 031-84850 034

-9507140232 Summary of 930408 93-05 NYPA Assessment Panel meeting re FitzPatrick plant status, post startup status, Indian Point plant status & establishment of sub-committees
ESELGROTH, P. Region 1 (Post 820201) 93/04/14 NRC - No Detailed Attribution Given 11pp 84850 035-84850 046

-9507140234 Summary of 930415 93-06 NYPA Assessment Panel meeting re special team map of plant to be conducted between 930425 & 930507, status of FitzPatrick plant, status of Indian Point plant & development of restart issues list
ESELGROTH, P. Region 1 (Post 820201) 93/04/15 NRC - No Detailed Attribution Given 6pp 84850 048-84850 052

-9507140255 Summary of 930514 93-07 NYPA Assessment Panel meeting re status of FitzPatrick plant, status of Indian Point plant & review of NRC draft restart issues list
ESELGROTH, P. Region 1 (Post 820201) 93/05/14 NRC - No Detailed Attribution Given 32pp 84850 053-84850 084

-9507140272 Summary of 930520 93-08 NYPA Assessment Panel meeting re status of FitzPatrick plant, status of Indian Point plant, preliminary findings of special team map, changes to draft restart issues list & map support at Indian Point plant
COWGILL, C.J. Region 1 (Post 820201) 93/05/20 NRC - No Detailed Attribution Given 6pp 84850 085-84850 090

-9507140279 Summary of 930608 93-09 NYPA Assessment Panel meeting re correction to 93-08 meeting minutes, status & map status planning for FitzPatrick & Indian Point plants
COWGILL, C.J. Region 1 (Post 820201) 93/06/18 NRC - No Detailed Attribution Given 12pp 84850 091-84850 102

-9507140284 Summary of 930714 93-10 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, NYPA response to NRC questions & comments concerning PIP items & Indian Point restart action plan status
COWGILL, C.J. Region 1 (Post 820201) 93/07/14 NRC - No Detailed Attribution Given 7pp 84850 103-84850 110

-9507140282 Summary of 930804 93-11 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, logic functional deficiencies at FitzPatrick plant & need for changes to PIP as result of ST
COWGILL, C.J. Region 1 (Post 820201) 93/08/02 NRC - No Detailed Attribution Given 8pp 84850 111-84850 115

-9507140307 Summary of 930802 93-12 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, OMT planned for FitzPatrick plant, Indian Point restart issues checklist item IV 8 & how NRC should best assess this area
COWGILL, C.J. Region 1 (Post 820201) 93/08/28 NRC - No Detailed Attribution Given 8pp 84850 117-84850 124

74 DOCKETED ITEMS

- 9507140311 Summary of 931108 93-13 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants. OSTI all FitzPatrick plant proposed several ongoing issues for addition to restart state list & views on PIP & SIT causes. COWGILL,C.J. Region 1 (Post 820201) 93/11/23 NRC - No Detailed Affiliation Given 10pp 84650 125-84650 140
- 9507140319 Summary of 931123 93-14 NYPA Assessment Panel meeting re map plan at FitzPatrick for followup of items identified in IP3 SIT report. Status of FitzPatrick plant status/ timeline for selected PIP items & NRC restart items. COWGILL,C.J. Region 1 (Post 820201) 93/12/16 NRC - No Detailed Affiliation Given 10pp 84650 141-84650 150
- 9507140321 Summary of 931221 93-15 NYPA Assessment Panel meeting re impressions of results of PIP mtg meeting noted NYPA appears to be driven excessively by outside parties. Conditions at Indian Point plant. COWGILL,C.J. Region 1 (Post 820201) 94/03/04 NRC - No Detailed Affiliation Given 10pp 84650 151-84650 152
- 9507140324 Summary of 940124 94-01 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, proposed additions & mods to list of restart issues in restart action plan & expectations for NRC/NYPA mtg meeting. COWGILL,C.J. Region 1 (Post 820201) 94/03/05 NRC - No Detailed Affiliation Given 9pp 84650 153-84650 153
- 9507140330 Summary of 940301 94-02 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, Indian Point restart map follow-up tracking list & MOV program status at Indian Point plant. COWGILL,C.J. Region 1 (Post 820201) 94/04/04 NRC - No Detailed Affiliation Given 14pp 84650 163-84650 175
- 9507140342 Summary of 940324 94-03 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, review of INPO corporate evaluation of NYPA conducted in Dec 1993 & current map program expectations at plants. COWGILL,C.J. Region 1 (Post 820201) 94/05/03 NRC - No Detailed Affiliation Given 9pp 84650 177-84650 184
- 9507140348 Forwards INPO comments on review of NYPA corporate support & monitoring of Indian Point & FitzPatrick plants & discusses NRC workshop activity. WELLINGS,B.D. Region 1 (Post 820201) 95/07/05 NRC - No Detailed Affiliation Given 15pp 84650 185-84650 196
- 9507140352 Summary of 940524 94-04 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, restart action plan items for closure & licensee drawing upgrade program & record retention program. COWGILL,C.J. Region 1 (Post 820201) 94/05/03 NRC - No Detailed Affiliation Given 9pp 84650 189-84650 204
- 9507140358 Summary of 9407015 94-06 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants & draft NRC list to NYPA discussing restart & continuous improvement plan. COWGILL,C.J. Region 1 (Post 820201) 94/08/02 NRC - No Detailed Affiliation Given 4pp 84650 213-84650 215
- 9507140375 Summary of 940808 94-07 NYPA Assessment Panel meeting re MOV meeting between NRC & NYPA on 840818, status of FitzPatrick & Indian Point plants, status of DRSS core map program & open licensing actions at Indian Point plant. COWGILL,C.J. Region 1 (Post 820201) 94/08/21 NRC - No Detailed Affiliation Given 7pp 84650 217-84650 222
- 9507140383 Summary of 941003 94-08 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, schedule for closure of 59 Indian Point 3 restart action plan items & restart action plan item 211 02 for closure. COWGILL,C.J. Region 1 (Post 820201) 94/10/18 NRC - No Detailed Affiliation Given 4pp 84650 223-84650 228
- 9507140389 Summary of 941019 94-09 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, licensee annual EP partial participation exercise observed by NRC inspectors 941019 & proposed development of PERT chart. COWGILL,C.J. Region 1 (Post 820201) 94/11/01 NRC - No Detailed Affiliation Given 5pp 84650 229-84650 234
- 9507140393 Summary of 941117 94-11 NYPA Assessment Panel meeting re Indian Point plant readiness assessment team map to begin 950123 & review of manifest from NYPA Assessment Panel meeting 94-10 & open action list. COWGILL,C.J. Region 1 (Post 820201) 94/12/12 NRC - No Detailed Affiliation Given 3pp 84650 235-84650 236
- 9507140396 Summary of 941202 94-12 NYPA Assessment Panel meeting re NRC "road map" for Indian Point restart & power station, status of FitzPatrick & Indian Point plants & 941117 public meeting w/NYPA. COWGILL,C.J. Region 1 (Post 820201) 94/12/16 NRC - No Detailed Affiliation Given 4pp 84650 237-84650 240
- 9507140397 Summary of 941222 94-13 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, RATI map plan, restart items for closure & status of licensing status at Indian Point plant. COWGILL,C.J. Region 1 (Post 820201) 95/01/09 NRC - No Detailed Affiliation Given 4pp 84650 241-84650 244
- 9507140398 Summary of 950322 NYPA 95-05 Assessment Panel meeting re current plant status & NRC observation of station blackout test. COWGILL,C.J. Region 1 (Post 820201) 95/03/31 NRC - No Detailed Affiliation Given 4pp 84650 255-84650 258
- 9507140403 Summary of 950110 94-14 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, conclusion from T Martin tour of Indian Point plant on 950104-05, status of restart activities & licensing issues for Indian Point plant. COWGILL,C.J. Region 1 (Post 820201) 95/01/20 NRC - No Detailed Affiliation Given 5pp 84650 245-84650 250
- 9507140404 Summary of 950419 NYPA 95-06 Assessment Panel meeting re current plant status & problem identified by NRC w/two containment isolation valves in plant 15. COWGILL,C.J. Region 1 (Post 820201) 95/04/26 NRC - No Detailed Affiliation Given 4pp 84650 259-84650 272
- 9507140407 Summary of 950124 95-01 NYPA Assessment Panel meeting re C Cowgill visit to Indian Point plant during wk of 950118, review of minutes from NYPA Assessment Panel meeting 94-14 & review of open NYPA Assessment Panel action item list. COWGILL,C.J. Region 1 (Post 820201) 95/02/02 NRC - No Detailed Affiliation Given 4pp 84650 251-84650 254
- 9507140410 Summary of 950425 NYPA 95-07 Assessment Panel meeting to discuss restart assessment team map final meeting scheduled for 950427. COWGILL,C.J. Region 1 (Post 820201) 95/05/03 NRC - No Detailed Affiliation Given 2pp 84650 273-84650 274
- 9507140412 Summary of 950207 95-02 NYPA Assessment Panel meeting re review of minutes from NYPA Assessment Panel meeting 95-01 NRC restart action plan items for closure, status of RATI & Indian Point IPE. COWGILL,C.J. Region 1 (Post 820201) 95/02/17 NRC - No Detailed Affiliation Given 4pp 84650 265-84650 266
- 9507140414 Summary of 950516 NYPA 95-03 Assessment Panel meeting to discuss recent allegation received by plant & status of actions to address transcript from public meeting held on 950427. COWGILL,C.J. Region 1 (Post 820201) 95/05/01 NRC - No Detailed Affiliation Given 9pp 84650 275-84650 283
- 9507140418 Summary of 950223 95-03 NYPA Assessment Panel meeting re importance of tracking remaining restart action plan technical items, status of FitzPatrick & Indian Point plants & status of two remaining open restart issues. COWGILL,C.J. Region 1 (Post 820201) 95/03/07 NRC - No Detailed Affiliation Given 4pp 84650 257-84650 260
- 9507140424 Summary of 950309 95-04 NYPA Assessment Panel meeting re enforce ment panel discussion concerning auxiliary safety injection component cooling water pumps & status of FitzPatrick & Indian Point plants. COWGILL,C.J. Region 1 (Post 820201) 95/03/20 NRC - No Detailed Affiliation Given 4pp 84650 261-84650 264
- 9507120336 Forwards corrected amend 225 to license DPR-58. Notices that wrong page included in amend due to administrative error. CARPENTER,C.E. Project Directorate 1-1 (PD1-1) (Post 941001) 95/07/07 CAHILL,W.J. Power Authority of the State of New York (New York Power Authority) 3pp 84631 290-84631 294
- 9507120344 Corrected amend 225 to license DPR-58, including right page to license MARSHALL,B. Project Directorate 1-1 (PD1-1) (Post 941001) 95/06/19 2pp 84631 293-84631 294
- 9507120361 Forwards application for amend to license DPR-58. Amend would replace title-specific list of members on PORC w/more general statement of membership requirements. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority) 95/07/21 Document Control Branch (Document Control Desk) 2pp 84643 295-84643 328
- 9507120384 Application for amend to license DPR-58. Amend would replace title-specific list of members on PORC w/more general statement of membership requirements. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority) 95/07/21 20pp 84643 297-84643 316
- 9507120386 Proposed tech spec re replacement of title-specific list of PORC members w/more general statement of membership requirements. Power Authority of the State of New York (New York Power Authority) 95/07/21 12pp 84643 317-84643 328
- Q Inspection reports, IE Bulletins & correspondence
- 9507140395 Forwards map rept 50 333/95-80 on 950801-12 No violations noted. COWGILL,C.J. Region 1 (Post 820201) 95/08/29 SALMON,H.P. Power Authority of the State of New York (New York Power Authority) 4pp 84691 259-84691 279
- 9507140399 Map rept 50-333/95-80 on 950801-12 No violations noted. Major areas inspected effectiveness of unit processes for identifying, resolving & preventing issues that degrade quality of plant operations. COWGILL,C.J. Region 1 (Post 820201) 95/08/29 17pp 84691 263-84691 279
- 9507140395 Forwards NYPA Assessment Panel charters & meeting minutes, from 1983, 1984, 1995 to present, to be made public per guidelines in SAC 0390. LAMMING,W.D. Region 1 (Post 820201) 95/07/09 CAHILL,W.J. Power Authority of the State of New York (New York Power Authority) 4pp 84650 001-84650 283
- 9507140234 Summary of 930416 93-08 NYPA Assessment Panel meeting re special team map as plant to be conducted between 930426 & 930507 status of FitzPatrick plant, status of Indian Point plant & development of restart issues list. EISENGROTH,P. Region 1 (Post 820201) 93/04/16 NRC - No Detailed Affiliation Given 6pp 84630 046-84630 052
- 9507140272 Summary of 930520 93-08 NYPA Assessment Panel meeting re status of FitzPatrick plant, status of Indian Point plant, preliminary findings of special team map, changes to draft restart issues list & map support at Indian Point plant. COWGILL,C.J. Region 1 (Post 820201) 93/05/07 NRC - No Detailed Affiliation Given 3pp 84630 085-84630 080
- 9507140278 Summary of 930608 93-09 NYPA Assessment Panel meeting re correction to 93-08 meeting minutes status & map status planning for FitzPatrick & Indian Point plants. COWGILL,C.J. Region 1 (Post 820201) 93/06/18 NRC - No Detailed Affiliation Given 12pp 84630 091-84630 102
- 9507140397 Summary of 930902 93-12 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, OSTI planned for FitzPatrick plant, Indian Point restart issue checklist item IV-B & how NRC should best assess this area. COWGILL,C.J. Region 1 (Post 820201) 93/09/29 NRC - No Detailed Affiliation Given 4pp 84630 117-84630 124

-9507140311 Summary of 931109 93-13 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, OSTI at FitzPatrick plant, proposed several ongoing issues for addition to restart issue list & review on PIP & SIT clauses
COWGILL, C.J. Region 1 (Post 820201) 93/11/23 NRC - No Detailed Affiliation
Given 10pp 84650 125-84650 140

-9507140319 Summary of 931123 93-14 NYPA Assessment Panel meeting re insp plan at FitzPatrick for followup of items identified in IP3 SIT rep. status of FitzPatrick plant/insp plans/timeline for selected PIP items & NRC restart items
COWGILL, C.J. Region 1 (Post 820201) 93/12/16 NRC - No Detailed Affiliation
Given 10pp 84650 141-84650 150

-9507140320 Summary of 940301 94-02 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, Indian Point restart insp follow-up tracking list & MOV program status at Indian Point plant.
COWGILL, C.J. Region 1 (Post 820201) 94/04/04 NRC - No Detailed Affiliation
Given 14pp 84650 163-84650 176

-9507140342 Summary of 940324 94-03 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, review of INPO corporate evaluation of NYPA conducted in Dec 1993 & current insp program expectations at plants
COWGILL, C.J. Region 1 (Post 820201) 94/05/03 NRC - No Detailed Affiliation
Given 9pp 84650 177-84650 184

-9507140348 Forwards INPO comments on review of NYPA corporate support & monitoring of Indian Point & FitzPatrick plants & discusses NRC insp activity
WELLING, B.D. Region 1 (Post 820201) 95/07/05 NRC - No Detailed Affiliation
Given 15pp 84650 185-84650 198

-9507140352 Summary of 940524 94-04 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, restart action plan items for closure & licensee drawing upgrade program & record retention program
COWGILL, C.J. Region 1 (Post 820201) 94/06/03 NRC - No Detailed Affiliation
Given 5pp 84650 199-84650 204

-9507140378 Summary of 940908 94-07 NYPA Assessment Panel meeting re MOV meeting between NRC & NYPA on 940818, status of FitzPatrick & Indian Point plants, status of DRSG core insp program & open licensing actions at Indian Point plant.
COWGILL, C.J. Region 1 (Post 820201) 94/09/21 NRC - No Detailed Affiliation
Given 7pp 84650 217-84650 222

-9507140388 Summary of 941019 94-08 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, licensee annual EP panel participation exercise observed by NRC inspectors 941013 & proposed development of PERT chart
COWGILL, C.J. Region 1 (Post 820201) 94/11/01 NRC - No Detailed Affiliation
Given 5pp 84650 229-84650 234

-9507140393 Summary of 941117 94-11 NYPA Assessment Panel meeting re Indian Point plant readiness assessment team insp to begin 950123 & review of minutes from NYPA Assessment Panel meeting 94-10 & open action list
COWGILL, C.J. Region 1 (Post 820201) 94/12/12 NRC - No Detailed Affiliation
Given 3pp 84650 235-84650 236

-9507140397 Summary of 941222 94-12 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, RATI insp plan, restart items for closure & status of licensing issues at Indian Point plant.
COWGILL, C.J. Region 1 (Post 820201) 95/01/09 NRC - No Detailed Affiliation
Given 4pp 84650 241-84650 244

-9507140410 Summary of 950425 NYPA 95-07 Assessment Panel meeting to discuss restart assessment team insp exit meeting scheduled for 950427
COWGILL, C.J. Region 1 (Post 820201) 95/06/03 NRC - No Detailed Affiliation
Given 3pp 84650 273-84650 274

-9507140412 Summary of 950207 95-02 NYPA Assessment Panel meeting re review of minutes from NYPA Assessment Panel meeting 95-01, NRC restart action plan items for closure, status of RATI & Indian Point IPE
COWGILL, C.J. Region 1 (Post 820201) 95/02/17 NRC - No Detailed Affiliation
Given 4pp 84650 255-84650 256

9507170121 Discusses facility executive plant performance review (EPPR) performed on 950518, covering period 940821-950512 Areas reviewed & schedule & basis for NRC insps of facility planned for June 1995 - May 1996 end
COOPER, R.W. Region 1 (Post 820201) 95/07/10 CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 8pp 84755 174-84755 181

9507270192 Responds to insp rpt 90-333/95-10 of radiation protection activities.
SALMON, H.P. Power Authority of the State of New York (New York Power Authority) 95/07/20 COOPER, R.W. Region 1 (Post 820201) 7pp 84851 293-84851 298

9507310286 Forwards insp rpt 60-333/95-11 on 950514-0624 & NOV
COWGILL, C.J. Region 1 (Post 820201) 95/07/21 SALMON, H.P. Power Authority of the State of New York (New York Power Authority) 8pp 84902 319-84902 336

-9507310271 Notice of violation from insp on 950514-0624 Violation noted on 950527, fire protection procedure 3.28, sprinkler nozzle air flow test, Rev. 0, Section 8.1, was performed resulting in unintended water sprinkler discharge
Region 1 (Post 820201) 95/07/21 3pp 84902 322-84902 323

-9507310282 Insps rpt 60-333/95-11 on 950514-0624 Violations noted Major areas inspected plant operations, engineering, plant support, including emergency preparedness (EP), EP drill & fire protection & QA/safety verification
COWGILL, C.J. Region 1 (Post 820201) 95/07/21 13pp 84902 324-84902 339

R. Periodic operating reports & related correspondence

9507190329 Monthly operating rpt for June 1995 for JA FitzPatrick Nuclear Power Plant/W950715 R
FLAGGER, SALMON, H.P. Power Authority of the State of New York (New York Power Authority) 95/06/30 8pp 84795 355-84795 359

3. Reportable occurrences, LERs & related correspondence

9507270172 Forwards LER 95-011 re excessive leakage of primary containment isolation valves
SALMON, H.P. Power Authority of the State of New York (New York Power Authority) 95/06/26 Document Control Branch (Document Control Desk) 1p 84578 327-84578 331

-9507070179 LER 95-011-00 on 950631, leakage of primary containment isolation valves was exceeded Caused by 02-2ACV-38 & 02-2ACV-40 experiencing repeated difficulty in passing LLRT. Flushed seat on inboard isolation valves
COSTEDIO, J.J. Power Authority of the State of New York (New York Power Authority) 95/06/26 4pp 84578 328-84578 331

9507270187 Forwards LER 95-010 re TS required plant shutdown due to unidentified drywell leakage
SALMON, H.P. Power Authority of the State of New York (New York Power Authority) 95/06/28 Document Control Branch (Document Control Desk) 1p 84578 332-84578 339

-9507070189 LER 95-010-00 on 950630, TS required plant shutdown due to unidentified leakage into drywell Repacked valve 02-RWV-32B using current plant practice of repacking w/non-asbestos graphite
BROWNELL, G. Power Authority of the State of New York (New York Power Authority) 95/06/28 7pp 84578 333-84578 339

9507210322 Part 21 repl. re potential defect in Limtorque SWS/SB/SBC-00 actuators Condition dependent on individual licensee internal operating practices used when deciding MOV operable for safety related svcs
HYLTON, C.L. Limtorque Corp. 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 188-84815 198

DOCKET 60-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507120209 Forwards Emergency Response Data Sys implementation documents & Data Point Library updates for plants
DEMPSEY, K.C. Incident Response Branch 95/02/27 SAUL, K.L. Halliburton NUS Environmental Corp. 1p 84631 323-84631 332

9507250621 Comment supporting proposed generic license process for changes to security plans w/o prior NRC approval
THOMAS, G.S. Duquesne Light Co. 95/07/11 NRC - No Detailed Affiliation Given 1p 84787 040-84787 040

9507310185 Address that 950512 rev to plant Unit 1 & 2 physical security plan consistent w/provisions of 10CFR60.54(p) & acceptable
BRINKMAN, D.S. Project Directorate I-2 (PD1-2) Post 941001 95/07/18 CROSS, J.E. Duquesne Light Co. 4pp 84878 343-84878 346

9507310620 Expresses appreciation to licensee for hosting mtg attendees to NRC May 1995 US Fire Protection Practices training course
VARGAS 95/07/26 THOMAS, G.S. Duquesne Light Co. 3pp 84668 341-84668 343

H. General correspondence

9507210632 Comment supporting PR 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial
THOMAS, G.S. Duquesne Light Co. 95/07/11 Docking & Services Branch 1p 84798 059-84798 059

F. Operating license stage documents & correspondence

9507050284 Forwards amendments 168 & 70 to licenses DPR-65 & NPF-73 & SE Amendments 168 & 70 revise App A TSs by relocating requirements of RETS & solid radioactive TSs from App A to ODCM or to PCP in accordance w/GL 95-01 & NRC repl NUREG-1301
BRINKMAN, D.S. Project Directorate I-2 (PD1-2) Post 941001 95/06/12 CROSS, J.E. Duquesne Light Co. 4pp 84828 001-84828 118

-9507050286 Amends 168 & 70 to licenses DPR-65 & NPF-73, respectively, revising App A TSs by relocating requirements of RETS & solid radioactive TSs from App A TSs to ODCM or to PCP in accordance w/GL 95-01 & NRC repl NUREG-1301
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/06/12 106pp 84828 005-84828 112

-9507060288 Safety evaluation supporting amends 168 & 70 to licenses DPR-65 & NPF-73, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/06/12 6pp 84528 113-84528 118

9507250226 Provides revised no significant hazards evaluation for proposed TS change requests 212 & 78, revising quadrant power tilt rebar requirements
NOONAN, T.P. Duquesne Light Co. 95/06/23 Document Control Branch (Document Control Desk) 8pp 84870 209-84870 214

9507250272 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes," including safety assessment justifying continued operation, summary of insp plans developed & schedule for next planned insp
NOONAN, T.P. Duquesne Light Co. 95/06/23 Document Control Branch (Document Control Desk) 13pp 84570 241-84570 253

9507250287 Forwards amends 169 & 71 to licenses DPR-65 & NPF-73, respectively & SE Amends revise item 2 of TS 8.9.1.14 for units 1 & 2 to specify use of BASH methodology instead of earlier W methodology
BRINKMAN, D.S. Project Directorate I-2 (PD1-2) Post 941001 95/06/27 CROSS, J.E. Duquesne Light Co. 3pp 84685 251-84685 264

76 DOCKETED ITEMS

9507180396 Amends 189 & 71 to licenses DPR-66 & NPF-73, respectively, revising item 2 of TS 6.9.1.14, "Core Operating Limits Rept." for units 1 & 2, to specify use of BASM methodology instead of earlier W methodology.
STOLZ, J.F. Project Directorate I-2 (PD-1-2) Post 941001 95/06/27 8pp 84886.234-84886.262

9507180384 Safety evaluation supporting amends 189 & 71 to licenses DPR-66 & NPF-73, respectively.
"Office of Nuclear Reactor Regulation (Post 941001) 95/06/27 2pp 84886.293-84886.264

9507180382 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84818.259-84818.268

9507180365 Response to relief request of 950504, authorizing proposed alternative from repair until next entry into Mode 5, provided proposed temporary repair installed per 10CFR80.65a(3)(ii) for license DPR-66.
STOLZ, J.F. Project Directorate I-2 (PD-1-2) Post 941001 95/06/29 CROSS, J.E. Duquesne Light Co 4pp 84536.125-84536.131

9507180357 Safety evaluation approving proposed alternative from repair requirements of Section 30 of ASME Boiler & Pressure Vessel Code.
"Office of Nuclear Reactor Regulation (Post 941001) 95/06/29 3pp 84536.129-84536.131

9507180418 Forwards typed TS pages for issuance of amends in response to unit request for TS Changes 199 & 66, Rev 1 Units non-intent adjusted changes incorporated to ensure consistency w/ current format & content.
THOMAS, G.S. Duquesne Light Co 95/06/29 Document Control Branch (Document Control Desk) 2pp 84881.308-84881.350

9507180421 Proposed tech specs for TS Changes 199 & 66, Rev 1.
"Duquesne Light Co 95/06/29 41pp 84881.310-84881.350

9507180400 Forwards Beaver Valley Power Station Unit 1 Probabilistic Risk Assessment (PE of External Events Summary Rept.) per GL 88-20, Suppl 4.
THOMAS, G.S. Duquesne Light Co 95/06/30 Document Control Branch (Document Control Desk) 2pp 84837.001-84837.284

9507180403 Rev 0 to "Beaver Valley Power Station Unit 1 Probabilistic Risk Assessment (PE of External Events Summary Rept.)".
FREDERICK, K.J. ETZEL, F.W. Duquesne Light Co FLEMING, K.N. FLG, Inc (formerly Pickard, Lows & Garick, Inc) 95/06/30 282pp 84837.008-84837.284

9507180381 Application for amend to licenses DPR-66 & NPF-73, modifying criteria for boron dilution during isolated loop startup & isolation of primary grade water in Modes 4, 5 & 6.
THOMAS, G.S. Duquesne Light Co 95/07/10 Document Control Branch (Document Control Desk) 3pp 84783.052-84783.177

9507180339 Proposed tech specs modifying criteria for boron dilution during isolated loop startup & isolation of primary grade water in modes 4, 5 & 6.
"Duquesne Light Co 95/07/10 123pp 84783.056-84783.177

9507180368 Application for amend consisting of license change request 222, modifying RCS vent size required for overpressure protection operation.
THOMAS, G.S. Duquesne Light Co 95/07/11 Document Control Branch (Document Control Desk) 3pp 84773.303-84773.328

9507180371 Proposed tech specs modifying reactor coolant sys vent size required for overpressure protection operation.
"Duquesne Light Co 95/07/11 23pp 84773.306-84773.328

9507180377 Application for amends to licenses DPR-66 & NPF-73, consisting of proposed OI license change requests 221 & 90, respectively. Proposed change would modify LCO 3.8.1.1, "AC Sources - Operating" & associated SRS.
NOONAN, T.P. Duquesne Light Co 95/07/20 Document Control Branch (Document Control Desk) 3pp 84890.287-84890.342

9507180382 Proposed tech specs LCO 3.8.1.1, "AC Sources - Operating" & SRS.
"Duquesne Light Co 95/07/20 50pp 84890.290-84890.342

9507180281 Summary of 950401 meeting w/NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NUREG-1465 severe accident source term at operating reactors.
SCALET, D. 95/07/26 QUAY, T.R. 48pp 84888.143-84888.188

Q. Inspection reports, IE Bulletins & correspondence

9507030029 Forwards shop repts 50-334/95-09 & 50-412/95-09 on 950416-0803 & notice of violation.
LINVILLE, J.C. Region 1 (Post 820201) 95/06/29 CROSS, J.E. Duquesne Light Co 3pp 84807.001-84807.048

9507030032 Shop repts 50-334/95-09 & 50-412/95-09 on 950416-0803. Violations noted major areas inspected plant operations, maint & surveillance, engineering, plant support & SA/OV.
LAZARUS, W.J. Region 1 (Post 820201) 95/06/29 41pp 84807.004-84807.046

9507080372 Forwards response to GL 85-03, "Controlled Thermal Cracking of SG Tubes," including safety assessment justifying continued operation, summary of shop plans developed & schedule for next planned shop.
NOONAN, T.P. Duquesne Light Co 95/06/28 Document Control Branch (Document Control Desk) 13pp 84570.241-84570.253

R. Periodic operating reports & related correspondence

9507030326 "NPDES Discharge Monitoring Rept for May 1995" w/950821 tr.
NOONAN, T.P. Duquesne Light Co 95/05/31 31pp 84587.263-84587.293

9507140186 Monthly operating repts for June 1995 for Beaver Valley Power Station Unit 1 & 2 w/950708 tr.
JONES, D.T., NOONAN, T.P. Duquesne Light Co 95/06/30 10pp 84728.247-84728.266

S. Reportable occurrences, LERs & related correspondence

9507230322 Part 21 repts re potential defect in Limbique SWS/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when deciding MOY operable for safety related svcs.
MYLTON, C.L. Limbique Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84818.168-84818.198

DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507120073 Forwards Rev 17 of St Lucie Guard Training & Qualification Plan End with held.
SAGER, D.A. Florida Power & Light Co 95/07/06 Document Control Branch (Document Control Desk) 1p 84889.266-84889.266

9507120081 Forwards Rev 45 to St Lucie Physical Security Plan End withheld per 10CFR73.21.
SAGER, D.A. Florida Power & Light Co 95/07/06 Document Control Branch (Document Control Desk) 1p 84886.068-84886.068

9507180210 Rev 6 to EPP HP-204, "In-Plant Radiation & Contamination Surveys During Emergencies" w/950712 tr.
SAGER, D.A. Florida Power & Light Co 95/07/12 45pp 84785.285-84785.328

9507250808 Comment supporting proposed generic communication 10CFR50.54 re process for changes to security plans w/o prior NRC approval.
BOHLEKE, W.H. Florida Power & Light Co 95/07/13 Division of Freedom of Information & Publications Services (Post 940714) 1p 84787.009-84787.008

9507280096 Advised that 950705 rev 45 to physical security plan & rev 17 to training & qualification plan consistent w/provisions of 10CFR50.54(d) & acceptable.
COLLINS, D.M. Region 2 (Post 820201) 95/07/20 Florida Power & Light Co 3pp 84837.343-84837.345

G. Adjudicatory correspondence

9507080348 Ack receipt of 950502 petition under 10CFR2.206 requesting that pressurized-water reactors at listed plants be immediately shut down.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/06/26 DOHERTY, J.F. Affiliation Not Assigned 8pp 84886.127-84886.139

9507080354 Notice of receipt of petition for Director's Decision under 10CFR2.206. Discusses J.F. Doherty 950502 petition requesting that NRC take immediate action to shut down PWR & respect SG tubes at listed plants using point plus probe svcs.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/06/26 2pp 84886.136-84886.136

9507080385 Request for shut down & SG tube wrap for listed plants, CE PWRs. Believes that continued operation of plants health & safety hazard to nearby residents.
DOHERTY, J.F. Affiliation Not Assigned 95/05/02 Commissioners (Post 750118) 3pp 84859.137-84859.139

9507100145 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision 00-95-07 in listed docket has expired. Decision became final agency action on 950606 w/Certificate of No Review on 950630.
HOYLE, J.C. Office of the Secretary of the Commission #395.16862 95/06/29 SANCITO, T.J. Saponis, T.J. 2pp 84538.543-84538.544

H. General correspondence

9507100331 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
BOHLEKE, W.H. Florida Power & Light Co 95/07/10 HOYLE, J.C. Office of the Secretary of the Commission 1p 84738.057-84738.057

P. Operating license stage documents & correspondence

9507030218 Forwards recent change to plant safety policy re use of protective footwear. Plant policies governing safety hat & eye protection usage while on site also end.
SAGER, D.A. Florida Power & Light Co 95/08/22 Document Control Branch (Document Control Desk) 4pp 84556.357-84556.360

9507050059 Forwards June survey repts for beach at St Lucie Plant.
SAGER, D.A. Florida Power & Light Co 95/06/27 Document Control Branch (Document Control Desk) 2pp 84563.354-84563.356

9507100318 Comment opposing proposed GL "Relocation of Pressure Temp Limit Curves & Low Temp Overpressure Protection Sys Limits".
BOHLEKE, W.H. Florida Power & Light Co 95/08/27 Division of Freedom of Information & Publications Services (Post 940714) 2pp 84587.063-84587.063

9507280083 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84518.259-84518.268

9507070087 Forwards amends 139 & 78 to licenses DPR-67 & NPF-16 & safety evaluation. Amends incorporate line-item TS improvements to Spec 3/4.8.1, "Electrical Power Sys-AC Sources" & 4.8.1.2.2, "Electrical Power Sys Shutdown".
NORRIS, J.A. Project Directorate I-1 (PD-1-1) (Post 941001) 95/06/29 GOLDBERG, J.H. Florida Power & Light Co 2pp 84555.154-84555.154

9507070077 Amends 136 & 78 to licenses DPR-57 & NPF-15, respectively, revising TS 3/4 B.1, "Electrical Power Sys-AC Sources" & 4.1.2.2 "Electrical Power Sys-Shut-down", per NJREG-1366 & GLS 93-06 & 94-01
MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001) 95/06/29 2pp
94555 156-84555 184

9507070080 Safety evaluation supporting amends 136 & 78 to licenses DPR-57 & NPF-15 respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/06/29 10pp 84555 185-84555 194

9507180228 Informal audit of licensee USI A-46 program will be conducted during wk of 951205 to resolve remaining issues re USI A-46, Suppl 1 to GL 87-02 for facilities
NORMIS, J. CROTEAU, R.P. Project Directorate II-1 (PD2-1) (Post 941001) 95/07/17
GOLDBERG, J.H. Florida Power & Light Co 3pp 84768 219-84768 221

G. Inspection reports, IE Bulletin & correspondence

9507120186 Forwards insp repts 50-335/95-10 & 50-388/95-10 on 950430-0603 violations noted will not be satisfactory to EA due to fact that licensee efforts in identifying &/or correcting violations meet specified criteria
LANDIS, K.D. Region 2 (Post 820201) 95/06/23 GOLDBERG, J.H. Florida Power & Light Co 3pp 84575 312-84575 351

9507120188 Insp repts 50-333/95-10 & 50-388/95-10 on 950430-0603 No violations noted Major areas inspected operations review, maint observations, surveillance observations, engineering support, plant support & other areas
PREVATTE, R. LANDIS, K. Region 2 (Post 820201) 95/06/23 3pp 84578 316-84578 351

9507180181 Comments on proposed rule re "Review of NRC Insp Rept Content Format & Style"
BOHLKE, W.H. Florida Power & Light Co 95/06/27 MEYERS, D. Rules & Directives Review Branch (Post 920323) 3pp 84557 039-84557 044

9507120184 Forwards insp repts 50-335/95-11 & 50-388/95-11 on 950530-0602 No violations or deviations noted
BARR, K.P. Region 2 (Post 820201) 95/06/27 GOLDBERG, J.H. Florida Power & Light Co 3pp 84578 050-84578 063

9507120182 Insp repts 50-335/95-11 & 50-388/95-11 on 950530-0602 No violations noted Major areas inspected licensee RP program made to review implementation of revised 10CFR20 requirements
PARKER, J.A. PARKER, W.H. Region 2 (Post 820201) 95/06/28 11pp 84576 053-84576 063

9507180236 Acts 950827 response to notice of violation issued 950806, re activities conducted on St. Lucie facility
CASTO, C.A. Region 2 (Post 820201) 95/07/07 GOLDBERG, J.H. Florida Power & Light Co 3pp 84761 126-84761 128

R. Periodic operating reports & related correspondence

9507180341 Monthly operating repts for June 1995 for St. Lucie Units 1 & 2 W/950711 re
ROGERS, J.A. SAGER, F.A. Florida Power & Light Co 95/06/30 3pp 84789 348-84789 354

S. Reportable occurrences, LERs & related correspondence

9507110124 Special rept on 950606 1A BOC automatically tripped on high water picket temp Caused by misapplication of calibration test equipment for temp switch Temp switch replaced
SAGER, F.A. Florida Power & Light Co 95/07/06 Document Control Branch (Document Control Desk) 3pp 84695 120-84695 122

9507180222 PNO-9-95-099 on 950705, sport utility vehicle drove through owner controlled area & into discharge canal near beach head wall Caused by occupants looking for place to surf No threat to plant safety
SCHIN, R. Region 2 (Post 820201) 95/07/10 1p 84850 343-84850 343

9507180222 Part 21 rept re potential defect in Limestone SWS/SB/SBD-00 stations Condition dependent On individual licensee's internal operating practices used when declaring MOV operable for safety related work
HYLTON, C.L. Limestone Corp 95/07/12 Document Control Branch (Document Control Desk) 3pp 84615 169-84615 196

DOCKET 58-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507180230 Revised EIPs including Rev 185 to EIP 4000 procedure index Rev 1 to EIP 4404, "Notification & Communications" & rev 1 to EIP 4470, "Control Room Data Coordination"
Northeast Nuclear Energy Co 95/06/29 4pp 84784 217-84784 251

9507180273 Inform NRC that all annual emergency preparedness exercise for plant has been scheduled for 951005 Scope & objectives re exercise and
OPEKA, J.F., DEBARBA, E.A. Northeast Nuclear Energy Co OPEKA, J.F. Northeast Nuclear Service Co 95/07/07 Document Control Branch (Document Control Desk) 3pp 84780 287-84780 274

9507180178 Rev 18 to Millstone Emergency Plan
Northeast Nuclear Energy Co 95/07/07 20pp 84796 245-84796 281

9507240066 Forwards insp repts 50-245/95-20, 50-338/95-20 & 50-423/95-20 on 950426-0606 No violations noted
DURR, J.P. Region 1 (Post 820201) 95/07/17 OPEKA, J.F. Northeast Nuclear Energy Co 4pp 84751 336-84752 021

9507240084 Insp repts 50-245/95-20, 50-338/95-20 & 50-423/95-20 on 950426-0606 No violations noted Major areas inspected plant operations, radiological controls, maint, surveillance, security, outage activities & licensee self-assessment
NICHOLSON, L.E. Region 1 (Post 820201) 95/07/14 4pp 84751 339-84752 021

9507310156 Revised EIPs including change 1 to rev 4 to EIP form 4-00-1 & change 1 to rev 3 to EIP form 4-00-2
Northeast Nuclear Energy Co 95/07/20 3pp 84607 040-84607 048

9507180310 Rev 18 to Millstone Nuclear Power Station Emergency Plan
Northeast Nuclear Energy Co 95/07/31 4pp 84788 076-84788 078

G. Adjudicatory correspondence

9507060346 Ack receipt of 950502 petition under 10CFR2.206 requesting that pressurized-water reactors at listed plants be immediately shut down.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/06/28 DOHERTY, J.F. Attention Not Assigned 3pp 84559 127-84559 138

9507060354 Notice of receipt of petition for Director's Decision under 10CFR2.206 Discusses JF Doherty 950502 petition requesting that NRC take immediate action to shut down PWR & inspect SG tubes at listed plants using point plus probe sys.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/06/28 2pp 84559 135-84559 138

9507060366 Request for shut down & SG tube insp for listed plants, CE PWPs believes that continued operation of plants health & safety hazard to nearby residents.
DOHERTY, J.F. Attention Not Assigned 95/06/02 Commissioners (Post 750118) 3pp 84559 137-84559 139

9507100088 Inform that item provided by NRC regulation under which Commission may act to review Director's Decision DD-95-11 in docket has expired Decision became final on 950628 W/Certificate of Rev Served on 950630
HOYLE, J.C. Office of the Secretary of the Commission #395 16936 95/06/29 GAVENSKY, R. Attention Not Assigned 3pp 84559 308-84559 307

9507170405 Submits rebuttal to NNECO response to AJ Ross 10CFR2.206 petition re problems at Millstone Station w/regards to work control, logging control & procedure compliance
ROSS, A.J. Attention Not Assigned 95/07/11 RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 4pp 84796 006-84796 054

9504230091 Inform of establishment of special review group to review pertinent written documentation re allegations of harassment & intimidation at work
TAYLOR, M. Dir. of the Executive Director for Operations 92/04/06 ELLIS, W.B. Northeast Nuclear Energy Co 10pp 84796 049-84796 064

9507240189 Provides update on five 10CFR2.206 petitions submitted, dtd 941230 & 950102, 05, 08 & 17
ANDERSEN, J.W. Project Directorate I-3 (PD1-3) (Post 941001) 95/07/19 ROSS, A.J. Attention Not Assigned 2pp 84824 336-84824 337

H. General correspondence

9507060289 Responds to concerns raised to NRC following 950614 meeting at plant Purpose of meeting for NRC readiness assessment team insp to present findings re readiness for unit to restart plant following refueling outage
MCKEE, P.F. Project Directorate I-3 (PD1-3) (Post 941001) 95/06/29 MARUCCO, E. Attention Not Assigned 4pp 84531 258-84531 234

9507210041 Comments supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial
OPEKA, J.F. Northeast Utilities, 95/07/14 HOYLE, J.C. Office of the Secretary of the Commission 2pp 84738 115-84738 116

P. Operating license stage documents & correspondence

9507230335 Provides response to GL 95-08, "Circumferential Cracking of SG Tubes"
OPEKA, J.F. Connecticut Yankee Atomic Power Co OPEKA, J.F. Northeast Nuclear Energy Co OPEKA, J.F. Northeast Utilities Service Co 95/06/27 Document Control Branch (Document Control Desk) 30pp 84587 294-84587 323

9506280043 Rev 1 to NRC Administrative Ltr 94-12 to all NRC licensees re access to NRC bulletin board sys
GRANES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84518 259-84518 258

9507110218 Provides brief status of all activities re design, evaluation & operation of CREVS at Millstone Unit 2
OPEKA, J.F., BOAC, S.E. Northeast Nuclear Energy Co OPEKA, J.F. Northeast Utilities Service Co 95/07/03 Document Control Branch (Document Control Desk) 4pp 84695 059-84695 062

9507110148 Provides info re facility startup readiness as agreed during 950614 meeting w/NRC
OPEKA, J.F. Northeast Nuclear Energy Co OPEKA, J.F. Northeast Utilities Service Co 95/07/08 Document Control Branch (Document Control Desk) 3pp 84693 311-84693 345

9507140148 Application for amend to license DPR-55 Amend would increase allowable post accident in-leakage rate for GR
OPEKA, J.F., DEBARBA, E.A. Northeast Nuclear Energy Co OPEKA, J.F. Northeast Utilities Service Co 95/07/07 Document Control Branch (Document Control Desk) 3pp 84737 001-84737 224

9507140145 Proposed tech specs re increase in allowable post accident in-leakage rate for GR
Northeast Nuclear Energy Co 95/07/07 12pp 84797 009-84797 020

78 DOCKETED ITEMS

-9507140180 "Milestone II CR Operator Does from Milestone II LOCA"
MILLER,D.W., FLORY,C.A., CRANDALL,R.A. Northeast Utilities Service Co M2CRM2-01146-R2 R00 04/12/11 5pp 84737 021-84737 068

-9507140184 "MF-2 CR Operator Does from MF-1 MELB Accident."
MILLER,D.W., FLORY,C.A., CRANDALL,R.A. Northeast Utilities Service Co M2CRM2-01176-R2 R00 05/02/27 41pp 84737 088-84737 128

-9507140187 "Milestone II CR Operator Does from Milestone II LOCA (Low Wind Speed)"
MILLER,D.W., FLORY,C.A., CRANDALL,R.A. Northeast Utilities Service Co M2CRM2-01186-R2 R00 05/02/01 38pp 84737 130-84737 197

-9507140180 "MF-2 CR Operator Does from MF-2 LOCA (HWS)"
MILLER,D.W., FLORY,C.A., CRANDALL,R.A. Northeast Utilities Service Co M2CRM2-01164-R2 R00 06/02/08 56pp 84737 166-84737 224

9507140188 Documents 950620 meeting at plant re corrective actions taken concerning plant ESAS
WAGGINS,J.T. Region 1 (Post 820201) 06/07/10 OPEKA,J.F. Northeast Nuclear Energy Co 22pp 84675 181-84675 203

9507140189 Forwards attendance list & slides presented at series of meetings conducted on 950614 at plant
DURR,J.P. Region 1 (Post 820201) 06/07/14 OPEKA,J.F. Northeast Nuclear Energy Co 44pp 84758 065-84758 110

9507140188 Forwards results of NRC assessments re restart of Milestone, Unit 2 NRC agrees w/assessment that plant ready for restart based on extensive corrective actions & review of actions
MARTIN,T.T. Region 1 (Post 820201) 05/07/20 OPEKA,J.F. Northeast Nuclear Energy Co 3pp 84830 304-84830 351

Q. Inspection reports, IE Bulletins & correspondence

9507140185 Notification of significant licensee meeting 95-51 w/UL on 950628 to discuss plan to perform self-assessment in Sept 1995 as alternative to NRC SNRS Operational Performance esp
NICHOLSON,L. Region 1 (Post 820201) 05/06/22 Region 1 (Post 820201) 2pp 84458 040-84458 041

9507140189 Forwards response to NRC 950510 re violations noted in map repts 50-336/95-11 & 50-423/95-11 on 950326-23 & 27-30. Corrective actions returned all UV modules to vendor that implemented mods to correct original fabrication error
OPEKA,J.F. Northeast Nuclear Energy Co OPEKA,J.F. Northeast Utilities Service Co 95/06/27 Document Control Branch (Document Control Desk) 5pp 84559 354-84559 359

9507140188 Forwards response to NRC 950524 re re violation & proposed imposition of civil penalty of map repts 50-336/95-08. Corrective actions lowered threshold for initiating & evaluating conditions that could be adverse to quality
OPEKA,J.F. Northeast Nuclear Energy Co 95/06/27 Document Control Branch (Document Control Desk) 11pp 84692 228-84692 238

9507140184 Comment on proposed "Review of NRC Insp Rept Content, Format & Style"
OPEKA,J.F. Northeast Utilities Service Co OPEKA,J.F. Connecticut Yankee Atomic Power Co 95/06/28 MEYERS,D. Rules & Directives Review Branch (Post 820201) 10pp 84557 242-84557 251

9507140186 Discusses alternative to arc water sys operational performance map at Unit 2 Sides from conference held on 950628 at Region 1 site and
BLOUGH,A.R. Region 1 (Post 820201) 05/06/30 OPEKA,J.F. Northeast Nuclear Energy Co 31pp 84690 204-84690 294

9507140188 Forwards to NRC 950602 re re violations noted in map repts 50-336/95-19. Corrective actions based on info & discussion as listed in believed violation as stated to be incorrect
OPEKA,J.F., DEBARBA,E. Northeast Nuclear Energy Co OPEKA,J.F. Northeast Utilities Service Co 95/07/07 Document Control Branch (Document Control Desk) 7pp 84760 250-84760 265

9507140186 Forwards map repts 50-245/95-20,50-336/95-20 & 50-423/95-20 on 950426-0606 No violations noted
DURR,J.P. Region 1 (Post 820201) 06/07/17 OPEKA,J.F. Northeast Nuclear Energy Co 4pp 84751 338-84751 021

-9507140184 Insp repts 50-245/95-20,50-336/95-20 & 50-423/95-20 on 950426-0606 No violations noted. Major areas inspected: plant operations, radiological controls, maintenance, surveillance, security, outage activities & licensed self-assessment.
NICHOLSON,L. Region 1 (Post 820201) 06/07/14 43pp 84751 339-84751 021

9507140188 Forwards results of NRC assessments re restart of Milestone, Unit 2 NRC agrees w/assessment that plant ready for restart based on extensive corrective actions & review of actions
MARTIN,T.T. Region 1 (Post 820201) 05/07/20 OPEKA,J.F. Northeast Nuclear Energy Co 3pp 84830 304-84830 351

9507140187 Forwards insp repts 50-336/95-201 on 950608-12 & 0530-0609 No violations noted
SPESSARD,R.L. 06/07/21 OPEKA,J.F. Northeast Nuclear Energy Co 3pp 84655 196-84655 250

-9507140186 Insp repts 50-336/95-201 on 950608-12 & 0530-0609 No violations noted. Major areas inspected: restart planning, assessments, readiness reviews, outage & assessments
JACOBSON,J.B., NORRIN,D., GALLO,R.M. 05/07/20 48pp 84656 202-84656 250

R. Periodic operating reports & related correspondence

9507140189 Forwards monthly operating repts for June 1995 for Milestone Nuclear Power Station Units 1,2 & 3 Revs to Apr & May 1995 repts for Unit 1 also incl
MILLER,D.B. Northeast Nuclear Energy Co MILLER,D.B. Northeast Utilities Service Co 95/07/11 Document Control Branch (Document Control Desk) 1p 84763 309-84763 326

-9507140182 Monthly operating repts for June 1995 for Milestone Nuclear Power Station Units 1,2 & 3
NEWBURGH,G. Northeast Nuclear Energy Co 95/06/30 15pp 84763 310-84763 324

9507170402 Provides 1994 joint frequency distribution of wind distribution, wind speed & stability for Hedden Neck Plant & Milestone Nuclear Power Station
OPEKA,J.F. Connecticut Yankee Atomic Power Co OPEKA,J.F. Northeast Nuclear Energy Co OPEKA,J.F. Northeast Utilities Service Co 95/07/13 TCHLER,J. Brookhaven National Laboratory 8pp 84755 028-84755 063

S. Reportable occurrences, LARs & related correspondence

9507140186 Special repts re fire suppression sys for auxiliary bldg general area at elevation 145' inoperable for greater than 14 days due to plant mod not administratively complete. Fire watch established
MILLER,D.B. Northeast Nuclear Energy Co 95/06/30 Document Control Branch (Document Control Desk) 1p 84617 062-84617 068

9507140183 LER 95-023-00 on 950516, degradation of boric acid sys piping & fittings occurred due to periodic boric acid leaks from relief & other valves. Inleted repairs & replaced all degraded fittings & pipe within boric acid sys W/950630
LUTZ,P.J., MILLER,D.B. Northeast Nuclear Energy Co 95/06/30 4pp 84586 251-84586 254

9507110144 LER 95-012-01 on 950313, determined that RPS RCS low flow trip setting may not satisfy assumptions in SA. Caused by excessive component (transducer) drift & inadequate design review RCS flow transmitter recalibrated W/950706
LUTZ,P.J., MILLER,D.B. Northeast Nuclear Energy Co MILLER,D.B. Northeast Utilities Service Co 95/07/05 4pp 84686 348-84686 351

9507140182 LER 95-002-01 on 950125, confirmed assumption for original design basis re containment pump isolation valves non-condensable. Caused by inadequate engineering evaluation. Hole drilled through disc on line W/950707
LUTZ,P.J., MILLER,D.B. Northeast Nuclear Energy Co MILLER,D.B. Northeast Utilities Service Co 95/07/07 5pp 84758 001-84758 008

9507140182 LER 95-024-00 on 950614, surveillance frequency for fire detection instrumentation unit incorrect due to personnel error. Revised applicable surveillance procedure that changed frequency to required semi-annual interval W/950713
LUTZ,P.J., BROTHERS,M.H. Northeast Nuclear Energy Co 95/07/14 4pp 84786 141-84786 144

9507140186 LER 95-025-00 on 950617, fire watch not established in 45 inch esol cable vault for period of 1 h & two minutes due to personnel error. Continuous fire watch established at fire door T-45-28 W/950714
LUTZ,P.J., MILLER,D.B., BROTHERS,M.H. Northeast Nuclear Energy Co 95/07/14 4pp 84821 032-84821 035

9507140180 Forwards LER 94-020-01 re DG fuel oil supply being less than IEEE Std. Repts reflect completion of outstanding corrective action
MILLER,D.B. Northeast Nuclear Energy Co 95/07/18 Document Control Branch (Document Control Desk) 1p 84821 042-84821 045

-9507140182 LER 94-020-01 on 940722, determined that DG fuel oil supply less than IEEE Std. New fuel oil consumption calculation performed which determines length of time DG can be operated at full rated capacity & TS change submitted
LUTZ,P.J. Northeast Nuclear Energy Co 95/07/18 3pp 84821 043-84821 046

9507140182 Forwards LER 91-009-03, reflecting completion of outstanding corrective action per 10CFR50.73(a)(2)(i)
MILLER,D.B. Northeast Nuclear Energy Co 95/07/18 Document Control Branch (Document Control Desk) 1p 84821 103-84821 106

-9507140182 LER 91-009-03 on 910821, both EDGs declared inoperable. Caused by load swings due to condition buildup on relay contacts. Governor controls sys on 12U DG & 13U DG updated w/new electronic governor actuator controls
LUTZ,P.J. Northeast Nuclear Energy Co 95/07/18 3pp 84821 104-84821 108

9507140187 LER 95-027-00 on 950624, identified that fire damper not included in surveillance program due to administrative personnel error. TS surveillance for fire dampers, "Fire Damper Operability" (28185-1) revised W/950719
LUTZ,P.J., MILLER,D.B. Northeast Nuclear Energy Co 95/07/19 3pp 84821 100-84821 102

9507140183 LER 95-028-00 on 950620, discovered missed fire door surveillance due to administrative personnel error. Fire door inspected & added to surveillance procedure
LUTZ,P.J., MILLER,D.B. Northeast Nuclear Energy Co 95/07/19 3pp 84821 107-84821 109

9507140182 Special repts re fire alarm panel C20E being out of svc for greater than 14 days due to shunting meant required to locate & repair intermittent electrical ground. Electrical ground cleared & associated work completed
MILLER,D.B. Northeast Nuclear Energy Co 95/07/19 Document Control Branch (Document Control Desk) 1p 84824 139-84824 139

DOCKET #0-338 NORTH ANNA POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507130440 Revised EPIPs including Rev 2 to EPIP-106, rev 12 to EPIP-417, rev 13 to EPIP-503 rev 6 to EPIP-504 & rev 11 to EPIP-505 W/950706
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.) 95/07/08 78pp 84730 209-84730 260

9507130186 Advises that unit still in strong support of PR re move to emergency planning procedures. Unit encourages NRC efforts to solicit industry advice & recommendations in development of PR
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.) 95/07/13 Docketing & Services Branch 1p 84765 321-84765 321

9507210321 Summary of 950711 meeting w/atl re emergency plan staff assignment. List of attendees & slides and
ENGLE, L.B., BUCKLEY, B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/18
Project Directorate II-1 (PD2-1) (Post 941001). 15pp. 84754-074-84754-088.

P. Operating license stage documents & correspondence

9506280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/28. Consolidated Edison Co. of New York, Inc. 10pp. 84518-259-84518-268.

9507190181 Notification of 950725 meeting w/VEPC in Glen Allen, VA to discuss counter-
parts meeting.
BUCKLEY, B.C., ENGLE, L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/11.
MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 6pp. 84728-020-
84728-025.

9507180180 Advises NRC that it withdraws 930301 exemption request due to pending
issuance of rev to App J of 10CFR50.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/14. Document
Control Branch (Document Control Desk). 2pp. 84765-238-84765-239.

9507270094 Informs that VEPCO has implemented changes to fitness for duty program &
has provided required notification.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/29. Document
Control Branch (Document Control Desk). 2pp. 84851-332-84851-333.

Q. Inspection reports, IE Bulletins & correspondence

9507030144 Forwards safety assessment & insp plans for Gully & North Anna plants
per requirements of GL 95-03.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/27. Document
Control Branch (Document Control Desk). 12pp. 84555-329-84555-339.

9507110196 Summarizes 950606-07 NRC senior managers meeting to evaluate nuclear
safety performance of operating reactors & other nuclear licensees per 950131
SALP. Commands all for achieving high level of safety performance.
TAYLOR, J. Of the Executive Director for Operations. 95/07/06. O'HANLON, J.P.
Virginia Power (Virginia Electric & Power Co.). 3pp. 84587-096-84587-099.

9507130045 Forwards ISI program relief requests DOE-20, Rev 2 & DOE-26 for North
Anna Unit 1.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/10. Document
Control Branch (Document Control Desk). 10pp. 84898-016-84898-039.

9507240089 Forwards insp repts 50-338/95-11 & 50-339/95-11 on 950521-0617 &
notice of violation.
LANDIS, K.D. Region 2 (Post 820201). 95/07/13. O'HANLON, J.P. Virginia Power (Vir-
ginia Electric & Power Co.). 4pp. 84824-041-84824-042.

9507240087 Notice of violation from insp on 950521-0617. Violation noted: operator did
not remember that header for B train safeguards ventilation filter sys was de-ener-
gized.
Region 2 (Post 820201). 95/07/13. 3pp. 84824-041-84824-042.

9507240077 Insp repts 50-338/95-11 & 50-339/95-11 on 950521-0617. Violations
noted: Major areas inspected: plant status, plant operations, plant
observations, surveillance observations, on-site engineering, plant support & previous
insp items.
MCWHORTER, R., BELUSLE, G.A. Region 2 (Post 820201). 95/07/13. 10pp.
84824-043-84824-061.

R. Periodic operating reports & related correspondence

9507280101 Forwards monthly operating rept for June 1995 for North Anna Units 1 &
2. Corrected operating data page for May 1995 monthly operating rept for Unit 2 also
encl.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/07/13. Document
Control Branch (Document Control Desk). 1p. 84777-334-84777-346.

9507280095 Monthly operating repts for June 1995 for North Anna Power Station
Units 1 & 2.
STALL, J.A. Virginia Power (Virginia Electric & Power Co.). 95/06/30. 13pp.
84777-335-84777-347.

9507280099 Corrected page for monthly operating rept for May 1995 for North Anna
Power Station Unit 2.
STALL, J.A. Virginia Power (Virginia Electric & Power Co.). 95/06/31. 1p. 84777-346-
84777-349.

Y. Dry Cask Independent Spent Fuel Storage Installations

9507060078 Forwards "Notice of Consideration of Issuance of Materials License for
Storage of Spent Fuel & Notice of Opportunity for Hearing."
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/06/28.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84559-153-
84559-160.

9507060080 Notice of consideration of issuance of material license & proposed NSHC
determination & opportunity for hearing. Amend will authorize applicant to store spent
fuel in dry storage cask sys.
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/06/28. 6pp.
84559-155-84559-160.

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507130048 Revised EPIPs, including rev 2 to EPIP-1.06, rev 12 to EPIP-4.17, rev 13 to
EPIP-5.03, rev 6 to EPIP-5.04 & rev 11 to EPIP-5.05. W/950706 W.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/07/06. 78pp.
84730-203-84730-259.

9507180188 Advises that it still in strong support of PR re revs to emergency planning
procedures. Unit encourages NRC efforts to solicit industry advice & recommendations
in development of PR.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/07/13. Docketing &
Services Branch. 1p. 84765-321-84765-321.

9507210321 Summary of 950711 meeting w/atl re emergency plan staff
assignment. List of attendees & slides and
ENGLE, L.B., BUCKLEY, B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/18. Project Direc-
torate II-1 (PD2-1) (Post 941001). 15pp. 84754-074-84754-088.

P. Operating license stage documents & correspondence

9507260065 Discusses NRC approval of enforcement discretion to extend 72-h TS
action statement 3.7.1.2 a by 24 h to complete steam driven auxiliary feedwater pump
repair & post pump testing, per 940908 occurrence.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 94/09/11.
EBNETER, S.D. Region 2 (Post 820201). 3pp. 84516-161-84516-163.

9506280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to
NRC bulletin board sys.
GRIMES, B.K. 95/06/28. Consolidated Edison Co. of New York, Inc. 10pp.
84518-259-84518-268.

9507190181 Notification of 950725 meeting w/VEPC in Glen Allen, VA to discuss counter-
parts meeting.
BUCKLEY, B.C., ENGLE, L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/11.
MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 6pp. 84728-020-
84728-025.

9507180180 Advises NRC that it withdraws 930301 exemption request due to pending
issuance of rev to App J of 10CFR50.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/14. Document
Control Branch (Document Control Desk). 2pp. 84765-238-84765-239.

9507270094 Informs that VEPCO has implemented changes to fitness for duty program
& has provided required notification.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/29. Document
Control Branch (Document Control Desk). 2pp. 84851-332-84851-333.

Q. Inspection reports, IE Bulletins & correspondence

9507030144 Forwards safety assessment & insp plans for Gully & North Anna plants
per requirements of GL 95-03.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/27. Document
Control Branch (Document Control Desk). 12pp. 84555-329-84555-339.

9507140168 Forwards insp rept 50-339/95-10 on 950430-0603. No violations noted.
LANDIS, K.D. Region 2 (Post 820201). 95/06/29. O'HANLON, J.P. Virginia Power (Vir-
ginia Electric & Power Co.). 4pp. 84780-314-84780-343.

9507140172 Insp rept 50-339/95-10 on 950430-0603. No violations noted. Major areas
inspected: plant status & SG replacement.
TAYLOR, D.R., BELUSLE, G.A. Region 2 (Post 820201). 95/06/29. 28pp. 84780-315-
84780-343.

9507110196 Summarizes 950606-07 NRC senior managers meeting to evaluate nuclear
safety performance of operating reactors & other nuclear licensees per 950131
SALP. Commands all for achieving high level of safety performance.
TAYLOR, J. Of the Executive Director for Operations. 95/07/06. O'HANLON, J.P.
Virginia Power (Virginia Electric & Power Co.). 3pp. 84587-096-84587-099.

9507240089 Forwards insp repts 50-338/95-11 & 50-339/95-11 on 950521-0617 &
notice of violation.
LANDIS, K.D. Region 2 (Post 820201). 95/07/13. O'HANLON, J.P. Virginia Power (Vir-
ginia Electric & Power Co.). 4pp. 84824-041-84824-042.

9507240087 Notice of violation from insp on 950521-0617. Violation noted: operator did
not remember that header for B train safeguards ventilation filter sys was de-ener-
gized.
Region 2 (Post 820201). 95/07/13. 3pp. 84824-041-84824-042.

9507240077 Insp repts 50-338/95-11 & 50-339/95-11 on 950521-0617. Violations
noted: Major areas inspected: plant status, plant operations, plant
observations, surveillance observations, on-site engineering, plant support & previous
insp items.
MCWHORTER, R., BELUSLE, G.A. Region 2 (Post 820201). 95/07/13. 10pp.
84824-043-84824-061.

R. Periodic operating reports & related correspondence

9507280101 Forwards monthly operating rept for June 1995 for North Anna Units 1 &
2. Corrected operating data page for May 1995 monthly operating rept for Unit 2 also
encl.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/07/13. Document
Control Branch (Document Control Desk). 1p. 84777-334-84777-346.

9507280095 Monthly operating repts for June 1995 for North Anna Power Station
Units 1 & 2.
STALL, J.A. Virginia Power (Virginia Electric & Power Co.). 95/06/30. 13pp.
84777-335-84777-347.

80 DOCKETED ITEMS

-9507206009 Corrected page for monthly operating rept for May 1995 for North Anna Power Station Unit 2
STALL, J.A. Virginia Power (Virginia Electric & Power Co.), 95/05/31. 1p. 84777346. 84777346.

B. Reportable occurrences, UERs & related correspondence

9507248385 Forwards LER 95-002 re missed surveillance on individual rod position indication.
STALL, J.A. Virginia Power (Virginia Electric & Power Co.), 95/07/20. Document Control Branch (Document Control Desk). 1p. 84832021-84832025.

-9507248385 LER 95-002-000a 950708 missed surveillance on individual rod position indication due to personnel error. Returned both computer points D-H2 & D-H6 from calibr mode.
STALL, J.A. Virginia Power (Virginia Electric & Power Co.), 95/07/20. 4pp. 84832022-84832025.

Y. Dry Cask Independent Spent Fuel Storage Installations

9507068378 Forwards "Notice of Consideration of Issuance of Materials License for Storage of Spent Fuel & Notice of Opportunity for Hearing."
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards 95/06/28
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 2pp. 84559153-84559160.

-9507068378 Notice of consideration of issuance of material license & proposed NSHC determination & opportunity for hearing. Amend will authorize applicant to store spent fuel in dry storage cask test.
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards 95/06/28. 6pp. 84559155-84559160.

DOCKET 95-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507070444 Forwards response to NRC 950504 for re unresolved items & insp follow-up items noted in insp rept 50-341/95-04. Corrective actions EOP flowchart for hydrogen & oxygen control will be revised.
MCKEON, J.R. Detroit Edison Co. 95/07/03. Document Control Branch (Document Control Desk). 7pp. 84582355-84582361.

9507110617 Rev 25 to RERP Plan Implementing Procedure, "Emergency Notifications."
* Detroit Edison Co. 95/07/03. 21pp. 84894122-84894142.

9507208212 Ack receipt of 950602 for informing NRC of steps taken to correct violations noted in insp rept 50-341/95-04. Comments on concern re severity level of violation re EOPs & characterization of NRC concern re testing instrument rack.
AXELSON, W.L. Region 3 (Post 820201). 95/07/13. GIPSON, D.R. Detroit Edison Co. 2p. 84777357-84777358.

9507180483 Forwards Rev 12 to security personnel training & qualification plan Rev withheld.
GOODMAN, L.S. Detroit Edison Co. 95/07/14. Document Control Branch (Document Control Desk). 1p. 84776200-84776200.

9507280818 Comment supporting proposed generic communication re process for changes to security plans w/o prior NRC approval.
GOODMAN, L.S. Detroit Edison Co. 95/07/14. NRC - No Detailed Attention Given. 2pp. 84787031-84787032.

9507280819 Ack receipt of 950228 for forwarding Rev 25 to Firms 2 Physical Security Plan Rev to plan withheld from public disclosure per 10CFR73.21.
CREED, J.R. Region 3 (Post 820201). 95/07/20. GIPSON, D.R. Detroit Edison Co. 2pp. 84836348-84836348.

H. General correspondence

9507218019 Comment supporting PR 10CFR50 re changes to frequency requirements for emergency planning & preparedness exercises from annual to biennial.
GOODMAN, L.S. Detroit Edison Co. 95/07/13. Docketing & Services Branch. 2pp. 84738046-84738047.

9507178383 Comments to provide notice of transfer to NRC re proposed Corporate restructuring of Detroit Edison Co. as requested by T. Colburn.
GIPSON, D.R. Detroit Edison Co. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84776228-84776228.

P. Operating license stage documents & correspondence

9507210308 FOIA request for listed documents re Firms 2 including T&S Rept 94V70-13, "Metallurgical Analysis of Firms 2 LP 3 Eight Stage Turbine Bldg."
TRAPP, J. Attention Not Assigned. 94/12/02. Division of Freedom of Information & Publications Services (Post 840714). 2pp. 84797017-84797018.

9507210312 Partial response to FOIA request for records. App A records end & available in PDF.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/31. TRAPP, J. Attention Not Assigned. 2pp. 84797019-84797022.

-9507210313 Package consisting of affidavits for withholding info from disclosure per 10CFR2.790.
* Detroit Edison Co. 95/01/31. 32pp. 84797021-84797052.

9507218207 Eight partial response to FOIA request for documents. App M record end & available in PDF. App N records maintained in PDF. App O records withheld in part (ref FOIA Exemption 6). App P records withheld completely (ref FOIA Exemption 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/02. POWELL, R.A. Attention Not Assigned. 4pp. 84863124-84863139.

-9507218212 Forwards copy of Allegation File RII-85-A-0152-Firms W/O and FUNK, D.E. Region 3 (Post 820201). 90/01/18. BRADY, R.C. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 84883123-84883123.

9507050070 Ack receipt of 950508 submittal & inform that review will require more than 60 days to complete.
JOPCAN, M.J. Region 3 (Post 820201). 95/06/26. GIPSON, D.R. Detroit Edison Co. 1p. 84508180-84508180.

9508280602 Rev 1 to NRC Administrative Ltr 94-19 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518259-84518259.

9507130137 Ack receipt of 950411 for re main steam line radiation monitor setpoint changes for hydrogen chemistry for plant, Unit 2.
ROE, J.W. 95/07/07. GIPSON, D.R. Detroit Edison Co. 4pp. 84631345-84631348.

9507178183 Confirms completion of RWL instrumentation ref leg backdr mod at Firms 2 during fourth refueling outage.
GIPSON, D.R. Detroit Edison Co. 95/07/11. Document Control Branch (Document Control Desk). 3pp. 84755084-84755085.

9507240202 Forwards Change 9 to Rev 3 to "IST Program (Plan) for Pumps & Valves for Firms 2 Power Plant," incorporating changes as result of 950313 response to NOV 95008-03 noted in insp rept 50-341/95-02.
GIPSON, D.R. Detroit Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 2pp. 84810248-84810252.

-9507210204 Change 9 to Rev 3 to "IST Program (Plan) for Pumps & Valves for Firms 2 Power Plant."
WALD, J.L. SHEFFEL, B.J. Detroit Edison Co. 95/07/05. 15pp. 84810250-84810259.

G. Inspection reports, IE bulletins & correspondence

9507070444 Forwards response to NRC 950504 for re unresolved items & insp follow-up items noted in insp rept 50-341/95-04. Corrective actions EOP flowchart for hydrogen & oxygen control will be revised.
MCKEON, J.R. Detroit Edison Co. 95/07/03. Document Control Branch (Document Control Desk). 7pp. 84582355-84582361.

9507188126 Ack receipt of 950519 for informing NRC of steps taken to correct violations noted in insp rept 50-341/95-07.
PHILLIPS, M.P. Region 3 (Post 820201). 95/07/07. GIPSON, D.R. Detroit Edison Co. 1p. 84766314-84766314.

9507208057 Forwards insp rept 50-341/95-08 on 950418-0523 & NOV.
PHILLIPS, M.P. Region 3 (Post 820201). 95/07/12. GIPSON, D.R. Detroit Edison Co. 5pp. 84800001-84800003.

-9507280066 Notice of violation from insp on 950418-0523. Violation noted: accuracy affecting quality was not accomplished in accordance w/ prescribed procedure RP-AS1-01 in that team leader did not review checklists until Oct 1993.
* Region 2 (Post 820201). 95/07/12. 1p. 84800006-84800006.

-9507280062 Inspect rept 50-341/95-08 on 950418-0523. No violations noted. Major areas inspected: operations, maintenance, engineering, plant support & safety assessment.
PHILLIPS, M.P. Region 3 (Post 820201). 95/07/12. 27pp. 84800007-84800033.

9507180458 Forwards insp rept 50-341/95-200 on 950522-28. No violations noted.
SPRESSARD, J.L. 95/07/13. GIPSON, D.R. Detroit Edison Co. 5pp. 84726267-84726317.

-9507380171 Inspect rept 50-341/95-200 on 950522-28. No violations noted. Major areas inspected: EOP procedures & controls, mgmt initiatives to support EOP, adequacy of licensee followup to reported concerns & self-assessment.
GAUTAM, A.S., GALLO, R.M. 95/07/13. 16pp. 84725308-84725317.

9507200212 Ack receipt of 950602 for informing NRC of steps taken to correct violations noted in insp rept 50-341/95-04. Comments on concern re severity level of violation re EOPs & characterization of NRC concern re testing instrument rack.
AXELSON, W.L. Region 3 (Post 820201). 95/07/13. GIPSON, D.R. Detroit Edison Co. 2p. 84777357-84777358.

9507170360 Forwards revised pump relief requests PR-5, PR-7 & PR-8 for IST program for pumps & valves & new pump relief request PR-11 for BEON pumps, as result of insp 950407 response to insp follow-up item 95002-01.
GIPSON, D.R. Detroit Edison Co. 95/07/14. Document Control Branch (Document Control Desk). 13pp. 84773329-84773343.

9507218077 Forwards corrected insp rept 50-341/95-200 on 950522-28, replacing insp rept sent w/r did 950713 due to incorrect app A. No violations noted.
SPRESSARD, J.L. 95/07/17. GIPSON, D.R. Detroit Edison Co. 2pp. 84764062-84764061.

-9507218186 Email to Inspect Rept 50-341/95-200 on 950522-28, replacing App A w/ copy of NRC draft policy statement published in FR on 950208 entitled, "Freedom of Info In Nuclear Industry to Assess Safety Concerns W/O Fear of Retaliation."
GAUTAM, A.S., GALLO, R.M. 95/07/19. 11pp. 84784067-84784081.

9507240202 Forwards Change 9 to Rev 3 to "IST Program (Plan) for Pumps & Valves for Firms 2 Power Plant," incorporating changes as result of 950313 response to NOV 95008-03 noted in insp rept 50-341/95-02.
GIPSON, D.R. Detroit Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 2pp. 84810248-84810252.

R. Periodic operating reports & related correspondence

9507180330 Monthly operating rept for June 1995 for Firms Unit 2 W/ 950714 for STONE, B.J., GIPSON, D.R. Detroit Edison Co. 95/06/30. 4pp. 84788356-84788360.

8547250268 Comment on proposed generic communication, 10CFR50.54(g), "Process for Changes to Security Plans W/o Prior NRC Approval" Endorses NEI comments MOREY, D.N. Southern Nuclear Operating Co. 96/07/90 NRC - No Detailed Assessment Given 220-84788-200-84788-203

82 DOCKETED ITEMS

950710067 Memo dtd 950720, enclosing update of emergency phone list to Rev 2 of FNP-0-EP-8.1.W/950724.1r.
VANDERBYE, R.J., HUDSPETH, J.B. Southern Nuclear Operating Co. 95/07/24. 6pp. 84588-250-84588-315

950710068 Memo dtd 950728 re on-call schedule to Rev 2 of FNP-0-EP-8.1.W/950726.1r.
HILL, R.D., HUDSPETH, J.B. Southern Nuclear Operating Co. 95/07/28. 18pp. 84588-100-84588-124

P. Operating license stage documents & correspondence

950706065 Forwards Rev 31 to GO-M-7, "Southern Nuclear Operating Co. Farley Project Operations QA Policy Manual."
BROWN, W. Southern Nuclear Operating Co. 95/06/29. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84588-169-84588-205

950706068 Rev 31 to GO-M-7, "Southern Nuclear Operating Co. Farley Project Operations QA Policy Manual."
MCGOWAN, L.W., WOODWARD, J.D. Southern Nuclear Operating Co. 95/12/29. 18pp. 84588-169-84588-205

950706065 Forwards response to OL 95-03, "Circumferential Cracking in SG Tubes," including safety assessment & summary of insp plans for plant.
MOOREY, D. Southern Nuclear Operating Co. 95/06/26. Document Control Branch (Document Control Desk). 14pp. 84588-176-84588-189

950710063 Forwards Vols 1 & 2 to "IEEE JM Farley Nuclear Plant Units 1 & 2."
MOOREY, D. Southern Nuclear Operating Co. 95/06/28. Document Control Branch (Document Control Desk). 2pp. 84588-001-84588-210

950710064 "IEEE JM Farley Nuclear Plant Units 1 & 2." Vols 1 & 2.
Southern Nuclear Operating Co. 95/06/28. 571pp. 84588-004-84588-210

950712012 Confirms 950626 telcon w/Verrilli re insp meeting scheduled for 950716. Purpose of meeting to discuss status w/balance of plant equipment.
CHRISTENSEN, H. Region 2 (Post 820201). 95/06/28. MOOREY, D.N. Southern Nuclear Operating Co. 95/06/28. 84575-358-84575-360

950628062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRANES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84516-259-84516-258

9507210036 Return to reg meeting conducted at Region II Office on 950710 to discuss recent secondary sys problems at plant, including sodium intrusion, condenser tube leaks & feedwater control issues. List of attendees and.
VERFILLI, D.M. Region 2 (Post 820201). 95/07/11. MOOREY, D.N. Southern Nuclear Operating Co. 2pp. 84738-055-84738-056

9507210043 Advises NRC that unit Board of Directors has named CA Martin as Vice President of Southern Nuclear, effective 950612. In addition, Wm Stephens named as Assistant Secretary & Assistant Treasurer of unit.
MOOREY, D. Southern Nuclear Operating Co. 95/07/17. Document Control Branch (Document Control Desk). 1p. 84511-340-84511-340

9507240233 Forwards SE addressing concerns re performance testing of safety & relief valves for plant.
SIEGEL, G.L. 95/07/18. MOOREY, D.N. Southern Nuclear Operating Co. 4pp. 84531-326-84531-334

9507240237 Safety evaluation supporting performance testing of safety & relief valves for plant.
Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 3pp. 84531-330-84531-334

Q. Inspection reports, IE Bulletins & correspondence

9507080108 Inform of decision to leave whip restraints in place & to revised design documents to indicate that restraints not needed due to LBB analysis on surge lineup response to NRC Bulletin 95-011.
MOOREY, D. Southern Nuclear Operating Co. 95/06/26. Document Control Branch (Document Control Desk). 1p. 84561-187-84561-187

9507080288 Forwards response to OL 95-03, "Circumferential Cracking in SG Tubes," including safety assessment & summary of insp plans for plant.
MOOREY, D. Southern Nuclear Operating Co. 95/06/26. Document Control Branch (Document Control Desk). 14pp. 84588-176-84588-189

9507080870 Responds to request for addl info re responses to issues re electrical distribution sys functional insp degraded grid voltage unresolved item.
MOOREY, D. Southern Nuclear Operating Co. 95/06/28. Document Control Branch (Document Control Desk). 3pp. 84517-191-84517-193

9507250895 Comment on proposed "Review of NRC Insp Rept Content, Format & Style." Unit applauds NRC for undertaking endeavor to make insp rpt more effective tool for communicating w/homeregs & public.
MOOREY, D.N. Southern Nuclear Operating Co. 95/06/26. MEYERS, D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84787-007-84787-008

9507240245 Forwards insp repts 50-348/95-11 & 50-364/95-11 on 950515-0618 & MOV.
VERFILLI, D.M. Region 2 (Post 820201). 95/07/18. Southern Nuclear Operating Co. 2pp. 84785-184-84785-181

9507240272 Notice of violation from insp on 950515-0618. Violation noted: operators failed to record lowest loop temp from 11:45 a.m. until 12:10 p.m. during startup of Unit 2.
Region 2 (Post 820201). 95/07/18. 2pp. 84785-187-84785-188

9507240278 Insp repts 50-348/95-11 & 50-364/95-11 on 950515-0618. No violations noted. Major areas inspected: plant operations, safety sys verification, maint & surveillance, engineering & technical & plant support.
ROSS, T.M., SCOTT, J.A., BERNHARD, R.H. Region 2 (Post 820201). 95/07/18. 2pp. 84785-189-84785-191

R. Periodic operating reports & related correspondence

9507190327 Monthly operating repts for June 1995 for JM Farley Plant Units 1 & 2 W/950711.1r.
ALLISON, S.M., MOOREY, D. Southern Nuclear Operating Co. 95/06/30. 11pp. 84785-335-84785-345

S. Reportable occurrences, LERs & related correspondence

9507190019 PNO-8-95-040 on 950710, alloyed lead instrument which contained 45 mCi of Fe-55 & 5 mCi of Co-108 source was lost during shipment, Emery Worldwide freight & State of OH searched & surveyed & were unable to locate source.
JONES, A.R. Region 2 (Post 820201). 95/07/11. 1p. 84738-339-84738-339

9507170042 LER 95-005-00 on 950611, spurious MSIV closure resulted in reactor trip. Cause by water intrusion from room cooler leakage. Room cooler leak repaired. W/950711.1r.
HILL, R.D., MOOREY, D. Southern Nuclear Operating Co. 95/07/11. 4pp. 84738-091-84738-094

9507180222 Part 21 rept re potential defect in Limbique SMB/S8/S8D-00 actuators. Condition dependent on individual licensee's external operating practices used when declaring MOV operable for safety related svcs.
HYLTON, G.L. Limbique Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84515-040-84515-158

9507210068 PNO-11-95-040 updates 950710 event re loss of package containing alloyed lead instrument which contained 45 mCi Fe-55 & 5 mCi of Co-108 package located on 950712 at CA facility.
JONES, A.R. Region 2 (Post 820201). 95/07/13. 1p. 84738-211-84738-211

V. Operator Examinations

9507200248 Confirms arrangements made in 950628 telcon for administration of licensing exams at plant. Exam preparation vest scheduled for 951010. Written exams scheduled for 951023 & operating exams scheduled for 951024-27.
PEEBLES, T.A. Region 2 (Post 820201). 95/07/06. MOOREY, D.N. Southern Nuclear Operating Co. 6pp. 84779-350-84779-355

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507060224 Rev 6 to Emergency Response Procedure (ERP) ERP-101, "Classification of Emergencies." W/950626.1r.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/06/28. 22pp. 84527-330-84527-351

9507110048 Revised ERPs, including rev 12 to ERP-500, rev 10 to ERP-800, rev 7 to ERP-850, rev 13 to ERP-800 & revised index. W/950708.1r.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/07/06. 54pp. 84593-257-84593-310

9507180048 Rev 10 to "Nuclear Emergency Plan," for PSAPS Units 2 & 3 & LGS Units 1 & 2 W/950711.1r.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/07/11. 39pp. 84785-206-84785-244

F. Operating license stage documents & correspondence

9507060077 Forwards amends 90 & 54 to licenses NPF-38 & NPF-85, respectively & SE. Amends revise TS 4.7.1.3 requiring stated draining procedures for spray pond network piping.
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/01. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp. 84528-281-84528-308

9507060048 Amends 90 & 54 to licenses NPF-38 & NPF-85, respectively, changing TS 4.7.1.3 requiring stated draining of spray pond network piping.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/01. 8pp. 84516-170-84516-177

9507060066 Safety evaluation supporting amends 90 & 54 to licenses NPF-38 & NPF-85, respectively.
Office of Nuclear Reactor Regulation (Post 941001). 95/06/01. 3pp. 84516-178-84516-180

9507060111 Forwards amends 91 & 55 to licenses NPF-38 & NPF-85 & SE. Amends revise TS to permit operability requirement for feedwater/main turbine sys actuation instrumentation.
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/13. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp. 84528-281-84528-308

9507060321 Amends 91 & 55 to licenses NPF-38 & NPF-85, respectively, revising TS to permit operability requirement for feedwater/main turbine sys actuation instrumentation.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/13. 10pp. 84528-285-84528-304

9507060328 Safety evaluation supporting amends 91 & 55 to licenses NPF-38 & NPF-85, respectively.
Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 2pp. 84528-305-84528-308

9507060325 Forwards amends 92 & 58 to licenses NPF-38 & NPF-85, respectively & SE. Amends revise 125/250 Vdc Class 1E Battery Load Cycle Table from TS.
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/18. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp. 84516-127-84516-144

9507030032 Amends 92 & 55 to licenses NPF-39 & NPF-85, respectively, removing 125/250 Vdc Class E Battery Load Cycle Table from TS STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/19. 12pp. 84516:131-84516:142

9507030035 Safety evaluation supporting amends 92 & 56 to licenses NPF-39 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 2pp. 84516:143-84516:144

9507030042 Forwards amends 83 & 57 to licenses NPF-39 & NPF-85, respectively & safety evaluation. Amends relocate requirements of TS 3/4.8.4.1, "Primary Containment Penetration Conductor Overcurrent Protective Devices."
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/22. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84516:234-84516:252.

9507030048 Amends 83 & 57 to licenses NPF-39 & NPF-85, respectively, relocating requirements of TS 3/4.8.4.1, "Primary Containment Penetration Conductor Overcurrent Protective Devices," to UFSA & plant procedures.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/22. 12pp. 84516:237-84516:248

9507030051 Safety evaluation supporting amends 90 & 57 to licenses NPF-39 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 4pp. 84516:249-84516:252

9507030117 Forwards amends 95 & 59 to licenses NPF-39 & NPF-85, respectively & safety evaluation. Amends permit operation of Low Pressure Coolant Injection subsystem of RHR while subsystem aligned & operating in Shutdown Cooling Mode.
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/22. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84536:215-84536:232.

9507030121 Amends 95 & 59 to licenses NPF-39 & NPF-85, respectively, permitting operation of one Low Pressure Coolant Injection subsystem of RHR while subsystem aligned & operating in Shutdown Cooling Mode during Operational Conditions 4 & 5
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/22. 10pp. 84536:219-84536:228

9507030124 Safety evaluation supporting amends 95 & 59 to licenses NPF-39 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 3pp. 84536:229-84536:232

9507030283 Forwards Suppl. 4, "IPEEE for Severe Accident Vulnerabilities,"
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/26. Document Control Branch (Document Control Desk). 3pp. 84566:001-84566:296

9507030295 "Limerick Generating Station Units 1 & 2 IPEEE"
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/28. 291pp. 84566:006-84566:296

9506290882 Rev 1 to NRC Administrative Ltr 94-19 to all NRC licensees re access to NRC bulletin board sys
GRUBBS, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84516:259-84516:268

9507100838 Ack receipt of 941121 100FR50.54(a) submittal transmitting proposed changes to plant QA program description & licensee response to request for add info dtd 950406. Determines that changes to sub program acceptable
MODER, M.C. Region 1 (Post 820201). 95/06/29. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 84557:088-84557:089

9507200336 Request change to implementation dates for listed TS change request involving plant
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/03. Document Control Branch (Document Control Desk). 4pp. 84566:357-84566:359

9507170240 Notification of Significant Licensee Meeting 95-082 w/rel on 950717 to discuss review of sys disturbance on 950221, led to interruption of transmission lines & scram of Limerick Units 1 & 2
ANDERSON, C.J. Region 1 (Post 820201). 95/07/05. Region 1 (Post 820201). 1p. 84747:953-84747:954

9507200218 Forwards amends 97 & 61 to licenses NPF-39 & NPF-85 & SE. Amends modify TS Sections 3/4.9.1, 3/4.9.2, 3/4.9.11.1, 3/4.9.11.2 & associated Bases Sections 3/4.9 & 3/4.11 to permit use of "analytical approach" or "demonstrations."
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84873:202-84873:225

9507200224 Amends 97 & 61 to licenses NPF-39 & NPF-85, respectively, modify TS Sections 3/4.9.1, 3/4.9.2, 3/4.9.11.1, 3/4.9.11.2 & associated Bases Sections 3/4.9 & 3/4.11 to permit use of "analytical approach" or "demonstrations."
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. 16pp. 84873:206-84873:223

9507270226 Safety evaluation supporting amends 97 & 61 to licenses NPF-39 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 3pp. 84873:224-84873:226

9507270277 Forwards amends 96 & 62 to licenses NPF-39 & NPF-85 & SE. Amends revise TS SR 4.1.3.1.1a to delete requirement that SDV be determined operable by testing SDV vent & drain valves from configuration.
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84873:120-84873:133

9507270280 Amends 96 & 62 to licenses NPF-39 & NPF-85, respectively, revise TS SR 4.1.3.1.4a to delete requirement that SDV be determined operable by testing SDV vent & drain valves from configuration of less than or equal to 50% rod density.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. 6pp. 84873:123-84873:130

9507270292 Safety evaluation supporting amends 96 & 62 to licenses NPF-39 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 3pp. 84873:131-84873:133

9507270321 Forwards amends 96 & 60 to licenses NPF-39 & NPF-85 & SE. Amends make changes affecting Administrative Controls Sections of TSs
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84873:047-84873:051

9507270324 Amends 96 & 60 to licenses NPF-39 & NPF-85, respectively, make changes affecting Administrative Controls Section of TSs
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. 3pp. 84873:051-84873:054

9507270327 Safety evaluation supporting amends 96 & 60 to licenses NPF-39 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 7pp. 84873:085-84873:091

9507280013 Forwards amends to licenses NPF-39 & NPF-85 & safety evaluation. Amends 98 & 63 revise TS SR by adding optional screen interlock time test & revising TS SR for CR block & source range monitoring instrumentation
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84875:007-84875:034

9507280014 Amends 99 & 63 to licenses NPF-39 & NPF-85, respectively, revising TS SR by adding optional screen interlock time test & TS SR for control rod block & source range monitoring instrumentation
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. 20pp. 84875:011-84875:030

9507280015 Safety evaluation supporting amends 99 & 63 to licenses NPF-39 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 4pp. 84875:031-84875:034

Q. Inspection reports, IE Bulletins & correspondence

9507180285 Forwards SE authorizing licensee 950504 submittal of relief requests RR-12, RR-22 & RR-16 for plant in-service inspec program
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/28. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84727:018-84727:030

9507180286 Safety evaluation authorizing licensee 950504 submittal of relief requests RR-12, RR-22 & RR-16 for plant in-service inspec program
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/29. 9pp. 84727:022-84727:030

9507190180 Summaries 950506-07 NRC senior managers meeting to evaluate nuclear safety performance of operating reactors, fuel facilities & other nuclear licensees, per SAIP range. Commands util for achieving high level of safety performance
TAYLOR, J. Of the Executive Director for Operations. 95/07/08. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84587:068-84587:081

R. Periodic operating reports & related correspondence

9507170038 Monthly operating rept for June 1995 for Limerick Generating Station Units 1 & 2 W/950713 R
HENRICKS, D.R., GALLAGHER, M.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/30. 12pp. 84745:343-84745:354

S. Reportable occurrences, LERs & related correspondence

9507030048 Forwards LER 95-002 re automatic RPS actuation on both units resulted from offsite electrical transmission sys disturbance
BOYCE, R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/15. Document Control Branch (Document Control Desk). 1p. 84559:064-84559:071

9507030051 LER 95-002-01 on 950221 dual unit scram occurred due to offsite electrical transmission disturbance. Changed ground fault detection relay settings for LGS Units 1 & 2 main transformers to provide better coordination w/ sys equipment.
KANTNER, J.L. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/15. 7pp. 84559:065-84559:071

9507170083 Special report 950507 & 10, scope part detection sys (LPDS) channel sensor found to be not mounted on piping. Cause not yet determined. Sensor reattached to pipe & channel returned to operable status
BOYCE, R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84755:358-84755:359

9507200222 Part 21 rept re potential defect in Limerick SMB/SB/SBD-00 actuators. Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related avcs
MYLTON, C.L. Limerick Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:159-84815:196

V. Operator Examinations

9507180240 Advices NRC that listed operator licenses will no longer be necessary due to voluntary separation of operators from PECO
MACFARLAND, W.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/10. Document Control Branch (Document Control Desk). 1p. 84761:129-84761:129

DOCKET 80-583 LIMERICK GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507030224 Rev 6 to Emergency Response Procedure (ERP) ERP-101, "Classification of Emergencies." W/950628 R
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/26. 22pp. 84557:330-84557:351

84 DOCKETED ITEMS

950710045 Revised EPIPs, including rev 12 to ERP-500, rev 10 to ERP-500, rev 7 to ERP-550, rev 13 to ERP-500 & revised Index W/950708
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/07/08 54pp 84583 257-84583 310

950710048 Rev 10 to "Nuclear Emergency Plan," for PBAPS Units 2 & 3 & LGS Units 1 & 2 W/950711
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/07/11 39pp 84785 806-84785 244

P. Operating license stage documents & correspondence

950705077 Forwards amends 90 & 54 to licenses NPF-39 & NPF-85, respectively & SE Amends revise TS 4.7.1.3 requiring started draining procedures for spray pond net work piping
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 95/06/01 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 84518 186-84518 180

950705083 Amends 90 & 54 to licenses NPF-39 & NPF-85, respectively, changing TS 4.7.1.3 requiring started draining of spray pond network piping
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/06/01 8pp 84516 170-84516 177

950705088 Safety evaluation supporting amends 90 & 54 to licenses NPF-39 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/06/01 3pp 84516 178-84516 180

950705091 Forwards amends 91 & 55 to licenses NPF-39 & NPF-85 & SE Amends revise TS to permit operability requirement for feedwater/steam turbine sys actuation instrumentation
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 95/06/13 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 84528 291-84528 308

950705092 Amends 91 & 55 to licenses NPF-39 & NPF-85, respectively, revising TS to permit operability requirement for feedwater/steam turbine top sys actuation instrumentation
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/06/13 10pp 84528 295-84528 304

950705093 Safety evaluation supporting amends 91 & 55 to licenses NPF-39 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/06/13 2pp 84528 305-84528 306

950705095 Forwards amends 92 & 56 to licenses NPF-39 & NPF-85, respectively & SE Amends remove 125/250 Vdc Class 1E Battery Load Cycle Table from TS
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 95/06/19 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 84518 127-84518 144

950705098 Amends 92 & 56 to licenses NPF-39 & NPF-85, respectively, removing 125/250 Vdc Class 1E Battery Load Cycle Table from TS
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/06/19 12pp 84516 131-84516 142

950705099 Safety evaluation supporting amends 92 & 56 to licenses NPF-39 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/06/19 2pp 84516 143-84516 144

950705102 Forwards amends 93 & 57 to licenses NPF-39 & NPF-85, respectively & safety evaluation Amends relocate requirements of TS 3/4.8.4.1, "Primary Containment Penetration Conductor Overcurrent Protective Devices"
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 95/06/22 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp 84516 294-84516 292

950705103 Amends 93 & 57 to licenses NPF-39 & NPF-85, respectively, relocating requirements of TS 3/4.8.4.1, "Primary Containment Penetration Conductor Overcurrent Protective Devices," to UPSAR & plant procedures
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/06/22 12pp 84516 237-84516 248

950705104 Safety evaluation supporting amends 93 & 57 to licenses NPF-39 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/06/22 4pp 84516 249-84516 252

950705117 Forwards amends 95 & 59 to licenses NPF-39 & NPF-85, respectively & safety evaluation Amends permit operability of Low Pressure Coolant Injection subsystem of RHR while subsystem aligned & operating in Shutdown Cooling Mode
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 95/06/22 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 84528 218-84528 222

950705121 Amends 95 & 59 to licenses NPF-39 & NPF-85, respectively, permitting operability of one Low Pressure Coolant Injection subsystem of RHR while subsystem aligned & operating in Shutdown Cooling Mode during Operational Conditions 4 & 5
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/06/22 10pp 84538 218-84538 228

950705124 Safety evaluation supporting amends 95 & 59 to licenses NPF-39 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/06/22 3pp 84538 229-84538 232

950705109 Application for amend to license NPF-85, consisting of change request 95-07-2, extending AOT to allow adequate time to install isolation valves & cross-ties on ESW & RHRSW sys to facilitate future repairs or maint.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/06/23 Document Control Branch (Document Control Desk) 36pp 84580 231-84580 274

950705089 Proposed tech specs, consisting of change request 95-07-2, extending AOT to allow adequate time to install isolation valves & cross-ties on ESW & RHRSW sys to facilitate future repairs or maint.
* PECO Energy Co., (formerly Philadelphia Electric Co.) 95/06/23 7pp 84580 268-84580 274

950705083 Forwards Suppl 4 "IEEE for Severe Accident Vulnerabilities"
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/06/28 Document Control Branch (Document Control Desk) 3pp 84568 001-84568 286

950705085 "Limerick Generating Station Units 1 & 2 IEEE"
* PECO Energy Co., (formerly Philadelphia Electric Co.) 95/06/28 291pp 84568 005-84568 296

950705082 Rev 1 to NRC Administrative Ltr 94-12 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84518 258-84518 265

950710038 Ack receipt of 941121 10CFR50.64(a) submittal transmitting proposed changes to plant CA program description & licensee response to request for addl info dtd 850406. Determines that changes to sub program acceptable
MOORE, M.C. Region 1 (Post 820201) 95/06/29 SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.) 2pp 84587 086-84587 089

950705096 Requests change to implementation dates for listed TS change request involving plant
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/07/09 Document Control Branch (Document Control Desk) 3pp 84548 357-84548 369

950717028 Notification of Significant Licensee Meeting 95-062 w/ld on 950717 to discuss review of age disturbance on 950221, led to interruption of transmission lines & scram of Limerick Units 1 & 2
ANDERSON, C.J. Region 1 (Post 820201) 95/07/05 Region 1 (Post 820201) 1p 84747 353-84747 354

950727021 Forwards amends 97 & 61 to licenses NPF-39 & NPF-85 & SE Amends modify TS Sections 3.4.8.1.3.4.9.2.3.6.11.1.3.9.11.2 & associated Basis Sections 3/4.4.9 & 3/4.4.11 to permit use of "analytical approach" or "demonstrations"
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 95/07/18 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 84873 202-84873 226

950727024 Amends 97 & 61 to licenses NPF-39 & NPF-85, respectively, modify TS Sections 3.4.8.1.3.4.9.2.3.6.11.1.3.9.11.2 & associated Basis Sections 3/4.4.9 & 3/4.4.11 to permit use of "analytical approach" or "demonstrations"
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/07/18 16pp 84873 206-84873 223

950727026 Safety evaluation supporting amends 97 & 61 to licenses NPF-39 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/18 3pp 84873 224-84873 226

950727027 Forwards amends 98 & 62 to licenses NPF-39 & NPF-85 & SE Amends revise TS SR 4.1.3.1.1a to delete requirement that SDV be determined operable by testing SDV vent & drain valves from configuration
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 95/07/18 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp 84873 120-84873 133

950727029 Amends 98 & 62 to licenses NPF-39 & NPF-85, respectively, revise TS SR 4.1.3.1.1a to delete requirement that SDV be determined operable by testing SDV vent & drain valves from configuration of less than or equal to 90% rod density
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/07/18 8pp 84873 123-84873 130

950727030 Safety evaluation supporting amends 98 & 62 to licenses NPF-39 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/18 3pp 84873 131-84873 133

950727031 Forwards amends 98 & 60 to licenses NPF-39 & NPF-85 & SE Amends make changes affecting Administrative Controls Section of TS
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 95/07/18 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 84873 047-84873 091

950727034 Amends 98 & 60 to licenses NPF-39 & NPF-85, respectively, make changes affecting Administrative Controls Section of TS
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/07/18 34pp 84873 051-84873 084

950727037 Safety evaluation supporting amends 98 & 60 to licenses NPF-39 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/18 7pp 84873 095-84873 091

950728010 Forwards amends to licenses NPF-39 & NPF-85 & safety evaluation Amends 99 & 63 revise TS SR by adding optional scram insertion time test & revising TS SR for CR block & source range monitoring instrumentation
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 95/07/18 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 84875 007-84875 034

950728014 Amends 99 & 63 to licenses NPF-39 & NPF-85, respectively, revising TS SR by adding optional scram insertion time test & TS SR for control rod block & source range monitoring instrumentation
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/07/18 20pp 84875 011-84875 030

950728018 Safety evaluation supporting amends 99 & 63 to licenses NPF-39 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/18 4pp 84875 031-84875 034

Q. Inspection reports, IE Bulletins & correspondence

950705089 Application for amend to license NPF-85, consisting of change request 95-07-2, extending AOT to allow adequate time to install isolation valves & cross-ties on ESW & RHRSW sys to facilitate future repairs or maint.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/06/23 Document Control Branch (Document Control Desk) 36pp 84580 231-84580 274

950709090 Proposed tech specs, consisting of change request 95-07-2, extending AOT to allow adequate time to install isolation valves & cross-ties on ESW & FHR/RSW sys to facilitate future inspection or repair.
* PECO Energy Co., (formerly Philadelphia Electric Co.) 95/06/23 7pp 84580 258-84580 274

9507180255 Forwards SE authorizing licensee 950504 submittal of relief requests RR-12, RR-22 & RR-16 for plant insurance map program
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/06/29 HUNGER, D.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 84727 018-84727 030

9507180281 Safety evaluation authorizing licensee 940827 submittal of relief requests RR-12, RR-22 & RR-16 for plant insurance map program
* Office of Nuclear Reactor Regulation (Post 941001) 95/06/29 9pp 84727 022-84727 030

9507110188 Summaries 950606-07 NRC senior managers meeting to evaluate nuclear safety performance of operating reactors, fuel facilities & other matters licensee per SALP ratings Comments call for achieving high level of safety performance
TAYLOR, J. C. of the Executive Director for Operations 95/07/06 SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 84587 088-84587 061

R. Periodic operating reports & related correspondence

9507170038 Monthly operating repls for June 1995 for Limerick Generating Station Units 1 & 2 w/950713 tr
HENRICKS, D.A. GALLAGHER, M.P. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/06/30 12pp 84745 343-84745 354

S. Reportable occurrences, LERs & related correspondence

9507210822 Part 21 rpt re potential defect in Limerick SSB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related events
HYLTON, L. Limerick Corp. 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 163-84815 198

V. Operator Examinations

9507140246 Advises NRC that listed operator licenses will no longer be necessary due to voluntary separation of operators from PECO
MACFARLAND, W.G. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/07/10 Document Control Branch (Document Control Desk) 1p 84761 128-84761 129

DOCKET 90-354 HOPE CREEK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507100222 Forwards SALP Rept 50-354/89-89 for period 950620-950422
MARTIN, T.T. Region 1 (Post 820201) 95/06/29 ELIASON, L. Public Service Electric & Gas Co. of New Jersey 3pp 84692 164-84692 178

9507100233 SALP Rept 50-354/93-89 for period 950620-950422 Operators response to transients excellent particularly in light of challenges imposed by multiple automatic scrams
* Region 1 (Post 820201) 95/06/29 9pp 84692 169-84692 178

9507100236 Forwards Safety Insp Rept 50-354/95-09 on 950523-26 Violations noted KELLY, E.M. Region 1 (Post 820201) 95/06/30 ELIASON, L. Public Service Electric & Gas Co. of New Jersey 3pp 84690 332-84690 341

9507100238 Insp Rept 50-354/95-09 on 950523-26 Violations noted Major areas inspected comprehensive EOPs available to direct initiation & termination of venting KORONAB, E. KELLY, E.M. Region 1 (Post 820201) 95/06/30 7pp 84690 335-84690 341

9507210201 Revised EPIPs, including Rev 49 to table contents, Rev 16 to EPIP 1006, Rev 14 to EPIP 1007 & Rev 31 to EPIP 1013
* Public Service Electric & Gas Co. of New Jersey 95/07/13 106pp 84811 040-84811 148

9507280812 Forwards 950504 tr from JE Lamb, which transmits FEMA Region III final rpt for 941025 radiological emergency preparedness exercise
JOYNER, J.H. Region 1 (Post 820201) 95/07/19 ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 3pp 84630 216-84630 303

9507280817 Forwards final rpt for plant 941025 emergency preparedness exercise
LAMB, J.E. Federal Emergency Management Agency 95/06/04 SALUD Region 1 (Post 820201) 1p 84830 222-84830 222

9507280817 "Radiological Emergency Preparedness Exercise Evaluation Rept." on 941025
* Federal Emergency Management Agency 95/06/26 51pp 84830 228-84830 303

9507140146 Rev 42 to "Hope Creek Generating Station Event Classification Guide"
* Public Service Electric & Gas Co. of New Jersey 95/07/21 61pp 84736 282-84736 342

9507250861 Revised EPIPs, including rev 3 to EPIP 403, rev 4 to EPIP 501, rev 6 to EPIP 601, rev 15 to EPIP 602, rev 12 to EPIP 603, rev 3 to EPIP 604, rev 6 to EPIP 701 & rev 27 to EPIP TOC
* Public Service Electric & Gas Co. of New Jersey 95/07/26 147pp 84826 001-84826 147

9507250867 Revised EPIPs, including rev 13 to EPIP 601, rev 13 to EPIP 602, rev 9 to EPIP 908 & rev 19 to EPIP TOC
* Public Service Electric & Gas Co. of New Jersey 95/07/26 58pp 84826 047-84826 105

9507250861 Revised EPIPs, including rev 4 to EPIP 606, rev 5 to EPIP 607 & rev 14 to EPIP TOC
* Public Service Electric & Gas Co. of New Jersey 95/07/26 26pp 84827 325-84827 360

P. Operating license stage documents & correspondence

9507100847 Submits notification of completion of procedure changes & training of GL 94-02, "BWR Thermal Hydraulic Instabilities"
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey 95/06/27 Document Control Branch (Document Control Desk) 3pp 84692 137-84692 139

9507280862 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRINES, B.K. 95/06/29 Consolidated Edison Co. of New York, Inc 10pp 84816 259-84816 269

9507090984 Forwards amend 74 to license NPF-57 & safety evaluation Amend makes changes to TS 3/4.8.1, "AC Sources"
MCORAN, D.H. Project Directorate I-2 (PD1-2) Post 941001 95/06/29 ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 4pp 84659 140-84659 152

9507090990 Amend 74 to license NPF-57 rewording TS Section 3/4.8.1, "AC Sources"
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/06/29 5pp 84659 144-84659 148

9507090994 Safety evaluation supporting amend 74 to license NPF-57
* Office of Nuclear Reactor Regulation (Post 941001) 95/06/29 4pp 84659 142-84659 152

9507170030 Forwards re-typed TS pages for license change requests 94-06, 94-11 & 94-12
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey 95/07/10 Document Control Branch (Document Control Desk) 4pp 84772 941-84772 354

9507170032 Proposed re-typed TSs for license change requests 94-06, 94-11 & 94-12
* Public Service Electric & Gas Co. of New Jersey 95/07/10 10pp 84772 345-84772 354

9507180358 Comments on license change request 94-36, re license NPF-57 which proposed to remove currently specified response time testing for selected instruments & sensors from Hope Creek TS
TOSCHUK, W. New Jersey, State of 95/07/11 Document Control Branch (Document Control Desk) 2pp 84765 354-84765 355

9507210275 Summaries 950707 telcon w/members of licensee staff re request for enforcement discretion that would approve extension of allowed outage time for "A" train of CREPS at plant
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/07/16 ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 4pp 84764 160-84764 163

9507280153 Forwards License Change Request 94-07, consisting of additional clarifications to Tech Specs as discussed w/NRRI Project Manager & as indicated in Attachment 1 of tr
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey 95/07/24 Document Control Branch (Document Control Desk) 3pp 84675 220-84675 228

9507280159 Proposed tech specs re re-typed page affected by change
* Public Service Electric & Gas Co. of New Jersey 95/07/24 4pp 84675 220-84675 228

Q. Inspection reports, IE Bulletins & correspondence

9507100222 Forwards SALP Rept 50-354/93-89 for period 950620-950422
MARTIN, T.T. Region 1 (Post 820201) 95/06/29 ELIASON, L. Public Service Electric & Gas Co. of New Jersey 3pp 84692 164-84692 178

9507100233 SALP Rept 50-354/93-89 for period 950620-950422 Operators response to transients excellent particularly in light of challenges imposed by multiple automatic scrams
* Region 1 (Post 820201) 95/06/29 9pp 84692 169-84692 178

9507100236 Forwards Safety Insp Rept 50-354/95-09 on 950523-26 Violations noted KELLY, E.M. Region 1 (Post 820201) 95/06/30 ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 3pp 84690 332-84690 341

9507100238 Insp Rept 50-354/95-09 on 950523-26 Violations noted Major areas inspected comprehensive EOPs available to direct initiation & termination of venting KORONAB, E. KELLY, E.M. Region 1 (Post 820201) 95/06/30 7pp 84690 335-84690 341

9507120378 Discusses CI rpt 1-94-016 & forwards notice of violation
MARTIN, T.T. Region 1 (Post 820201) 95/06/30 ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 3pp 84675 343-84675 348

9507120384 Notice of violation from CI investigation at plant. Violation noted between 1986 & Jan 1991, W.J. Johnson, SRO at time, served dual role of NSS/STA & did not have either Professional Engineers license or bachelor degree in listed disciplines
* Region 1 (Post 820201) 95/06/30 1p 84675 343-84675 348

9507130866 Discusses NRC CI investigation 1-94-016 of alleged violation involving falsification of NRC form 994, which indicated that SRO had obtained BS in Mechanical Engineering when in fact SRO had not
MARTIN, T.T. Region 1 (Post 820201) 95/06/30 JOHNSON, W.J. Affirmation Not Assigned 3pp 84696 324-84696 329

9507130861 Notice of violation from investigation Violation noted on various shifts for extended & indeterminate period of time between 1986 & Jan 1991, served dual role of NSS/STA & did not have Professional Engineers license or degree
* Region 1 (Post 820201) 95/06/30 1p 84696 328-84696 329

9507170077 Notification of significant licensee meeting 95-56 w/att on 950608 to discuss NRC SALP for Hope Creek Generating Station for period between 950620 & 950422
WHITE, J.R. Region 1 (Post 820201) 95/07/11 Region 1 (Post 820201) 1p 84755 285-84755 287

9507200172 Forwards application for amends to license NPF-10 & NPF-15. Amends would revise SR associated w/TS 3/4.3.1 & TS 3/4.3.2, increasing surveillance interval to 120 days.
ROSENBLUM,R.M. Southern California Edison Co. 95/07/17 Document Control Branch (Document Control Desk). 8pp. 84798:001-84798:208

9507200175 Application for amends to license NPF-10 & NPF-15 Amends will revise SRs associated w/TSs 3/4.3.1 & 3/4.3.2
ROSENBLUM,R.M. Southern California Edison Co. 95/07/17, 18pp. 84798:003-84798:020

9507200178 Proposed tech specs re extension of surveillance interval re SRs of TSs 3/4.3.1 & 3/4.3.2.
Southern California Edison Co. 95/07/17 112pp. 84798:021-84798:132

9507200190 "RPS/ESFAS Extended Test Interval Evaluation for 120 Days Staggered Testing at SONGS Units 2 & 3."
FINNRCUM,D.J., JACKHURST,J. ASEA Brown Boveri, Inc. 08/010-AS96-C-002 R0. 95/11/03. 181pp. 84798:133-84798:283

9507200200 Suppl A,Calculation Change Notice 1 to Rev 0 to J-SEA-001, "Plant Protection Sys. Betaable Dns"
BOCKHORST,R.M., QUINN,J.L., CASTELLO,T. Southern California Edison Co. J-SEA-001 R00 94/02/08. 215pp. 84798:284-84798:115

9507200204 Calculation J-SEA-012, "NII Subchannel Amplifier,Analysis of Calibration Data."
BOCKHORST,R.M., QUINN,J.L., CASTELLO,T. Southern California Edison Co. J-SEA-012 R00 94/02/10. 91pp. 84799:116-84799:208

9507200357 Forwards amends 121 & 110 to license NPF-10 & NPF-15 & SE Amends revise TS 3/4.5.5 & associated bases by removing RV mail surveillance capsule withdrawal schedules IAW guidance in GL 91-01.
FIELDS,M.B. 95/07/17 RAY,H.B. Southern California Edison Co. 4pp. 84798:202-84798:227

9507200362 Amends 121 & 110 to license NPF-10 & NPF-15, respectively, revising TS 3/4.5.5 & associated bases by removing RV mail surveillance capsule withdrawal schedules IAW guidance in GL 91-01
FIELDS,M.B. 95/07/17 RAY,H.B. Southern California Edison Co. 4pp. 84798:205-84798:223

9507200386 Safety evaluation supporting amends 121 & 110 to license NPF-10 & NPF-15, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/07/17 4pp. 84798:224-84798:227

9507200397 Forwards amend applications 148 & 132 to license NPF-10 & NPF-15, respectively,contesting of proposed change number (PCN)-432 PCN-432 revises TS re radiation monitoring sys.
ROSENBLUM,R.M. Southern California Edison Co. 95/07/18. Document Control Branch (Document Control Desk). 3pp. 84836:184-84836:275

9507200398 Amend applications 148 & 132 to license NPF-10 & NPF-15, respectively,contesting of proposed change number (PCN)-432 PCN-432 revises TS re radiation monitoring sys.
ROSENBLUM,R.M. Southern California Edison Co. 95/07/18 12pp. 84836:187-84836:198

9507200409 Proposed tech specs re radiation monitoring sys.
Southern California Edison Co. 95/07/18. 77pp. 84836:199-84836:275

9507200481 Discusses NRC Event Assessment Panel review of event at plant involving inadequate controls of switchyard activities while plant was in mid-loop operation NRC concludes that event remains significant event
BATEMAN,W.H. 95/07/21. MARSH,W.C. Southern California Edison Co. 3pp. 84858:132-84858:134

G. Inspection reports, IE Bulletin & correspondence

9507180823 Ack receipt of corrective actions in response to notice of violation cited 950503
PERKINS,K.E. Region 4 (Post 820201). 95/06/28. RAY,H.B. Southern California Edison Co. 2pp. 84784:357-84784:358

9507090440 Forwards insp repts 50-361/95-12 & 50-362/95-12 on 950906-10 & 0605-09 & notice of violation
GWYNNE,T.P. Region 4 (Post 820201). 95/06/30 RAY,H.B. Southern California Edison Co. 3pp. 84508:062-84508:095

9507050219 Notice of violation from insp on 950305-10 & 060506. Violation noted:licensee did not initiate nonconformance rpt to investigate genaro ampications of finding that motor piston gear of MOV 3H/8300 reversed in operation.
Region 4 (Post 820201) 95/06/30. 2pp. 84508:067-84508:068

9507050445 Insp repts 50-361/95-12 & 50-362/95-12 on 950305-10 & 0605-09 Violations noted:Major areas inspected:engineering issues.
COLLINS,E.E. Region 4 (Post 820201). 95/06/29. 17pp. 84508:069-84508:085

9507180274 Forwards insp repts 50-361/95-07 & 50-362/95-07 on 850423-0803 & NOV.
BEACH,A.B. Region 4 (Post 820201). 95/07/03. RAY,H.B. Southern California Edison Co. 3pp. 84658:144-84658:152

9507180288 Notice of violation from insp on 850423-0803.Violation noted:950504 inspector identified that vendor instructions not followed in which plastic shipping plug was installed instead streamer plug being installed.
Region 4 (Post 820201). 95/07/03. 1p. 84658:149-84658:149

9507180297 Insp repts 50-361/95-07 & 50-362/95-07 on 850423-0803. Violations noted:Major areas inspected:operational safety verification,unit & surveillance observations,engineering & plant support observations.
WONG,H.J. Region 4 (Post 820201). 95/06/28. 30pp. 84508:150-84508:182

9507130110 Forwards insp repts 50-361/95-10 & 50-362/95-10 on 950603-12 & notice of violation.
GWYNNE,T.P. Region 4 (Post 820201). 95/07/06 RAY,H.B. Southern California Edison Co. 3pp. 84598:239-84598:245

9507130117 Notice of violation from insp on 950503-12.Violation noted:established measures did not assure that design bases was correctly translated into specifications,drawings,procedures & instructions.
Region 4 (Post 820201) 95/07/06. 8pp. 84598:233-84598:234

9507130123 Insp repts 50-361/95-10 & 50-362/95-10 on 950503-12 Violations noted:Major areas inspected followed up on unresolved item 361/9501-03 & 362/9501-03
COLLINS,E.E. Region 4 (Post 820201) 95/06/22 14pp. 84598:235-84598:248

9507170301 Responds to NRC 950507 wr re violations noted in insp repts 50-361/95-04 & 50-362/95-04 on 950312-0422.Corrective actions:personnel involved has been coached & aware of oversight
ROSENBLUM,R.M. Southern California Edison Co. 95/07/11. Document Control Branch (Document Control Desk). 8pp. 84775:353-84775:358

9507200334 Forwards insp repts 50-361/95-08 & 50-362/95-08 on 950625-30.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/07/17 RAY,H.B. Southern California Edison Co. 3pp. 84751:102-84751:120

9507240045 Insp repts 50-361/95-08 & 50-362/95-08 on 950625-30.No violations noted:Major areas inspected:emergency preparedness program
DEXTER,T.W. Region 4 (Post 820201) 95/07/12 14pp. 84751:107-84751:120

9507200123 Forwards special rpt re ISI of SG tubes at San Onofre Nuclear Generating Station.
MARSH,W.C. Southern California Edison Co. 95/07/16. Document Control Branch (Document Control Desk). 18pp. 84825:341-84825:358

9507250036 Responds to NRC 950522 wr re violations noted in insp repts 50-361/95-11 & 50-362/95-11 on 950522-26 Corrective actions: held mtg meetings w/safe managers
ROSENBLUM,R.M. Southern California Edison Co. 95/07/20. Document Control Branch (Document Control Desk) 3pp. 84826:359-84826:360

H. Periodic operating reports & related correspondence

9507210192 Monthly operating repts for June 1995 for SONGS,Units 2 & 3 W/850714 lr.
DARLING,J.L., MARSH,W.C. Southern California Edison Co. 95/06/30. 14pp. 84807:310-84807:323

I. Reportable occurrences, LERs & related correspondence

9507090169 Forwards LER 95-010 for out of tolerance condition identified during testing of pressurizer safety valve setpoints.
ROSENBLUM,R.M. Southern California Edison Co. 95/06/29. Document Control Branch (Document Control Desk) 1p. 84568:031-84568:032

9507090246 LER 95-010-00on 950530,pressurizer safety valve setpoints found to be out of tolerance due to setpoint drift.UJI assessing expansion of current TS tolerances to reduce future TS violations caused by setpoint drift.
KNEGER,R.W. Southern California Edison Co. 95/06/23 1p. 84568:032-84568:032

9507110128 LER 95-011-00on 950605,26 out of 44 drop tested fire dampers failed.Root cause of failures being investigated. Fire watch established for affected areas & dampers being repaired W/950705 lr.
KNEGER,R.W. Southern California Edison Co. 95/07/08. 2pp. 84862:307-84862:308

9507210322 Part 21 rpt re potential defect in Limitorque SMI/SS/SBD-00 actuators.Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related work.
HYLTON,L.C. Limitorque Corp. 95/07/12 Document Control Branch (Document Control Desk). 30pp. 84818:168-84818:198

9507260097 Part 21 rpt re MDR relay w/potentially damaged internal contact units
ROSENBLUM,R.M. Southern California Edison Co. 95/07/21 Document Control Branch (Document Control Desk). 3pp. 84868:029-84868:033

DOCKET 95-382 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9507090342 "City of San Juan Capistrano Emergency Response Plan."
San Juan Capistrano, CA. 95/05/31. 236pp. 84568:001-84568:258

9507120097 Revised table of contents for SONGS OERP.
Southern California Edison Co. 95/07/06. 3pp. 84851:259-84851:261

9507170186 Rev 8 to EHP 50123-XX-1.11.3, "Emergency Plan Training Program Description." W/950706 lr.
MARSH,W.C. Southern California Edison Co. 95/07/06. 23pp. 84747:315-84747:337

9507200013 Comment supporting proposed genaro communication 10CFR50.54 re process for changes to security plans w/o prior NRC approval
MARSH,W.C. Southern California Edison Co. 95/07/11 Division of Freedom of Information & Publications Services (Post 940714). 1p. 84787:023-84787:023

9507240034 Forwards insp repts 50-361/95-09 & 50-362/95-09 on 950626-30.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/07/17. RAY,H.B. Southern California Edison Co. 3pp. 84751:102-84751:120

9507240045 Insp repts 50-361/95-09 & 50-362/95-09 on 950626-30.No violations noted:Major areas inspected:emergency preparedness program
DEXTER,T.W. Region 4 (Post 820201). 95/07/12. 14pp. 84751:107-84751:120

9507270283 Advises that 950512 revs 4 & 5 to EHP 50123-VIII-1, "Recognition & Classification of Emergencies" acceptable
SCARANO,R.A. Region 4 (Post 820201) 95/07/21. RAY,H.B. Southern California Edison Co. 3pp. 84874:001-84874:006

88 DOCKETED ITEMS

9507310132 Forwards exemption from requirements of 10CFR73.55, requirements for physical protection against radiological sabotage, facilitating implementation of biometric access control sys
WEBBLUM, J. 05/07/21 RAY, H.B. Southern California Edison Co. App. 84783-302-84783-316

9507390141 Exemption from 10CFR73.55 requirements re issuance, storage & retrieval of picture badges for unescorted access persons
WEISS, S. 05/07/21. Southern California Edison Co. App. 84783-303-84783-310

9508010157 Environ assessment & finding of no significant impact re issuance of exemption from certain requirements of 10CFR73.55 physical protection.
WEISS, S.H. 05/07/13 App. 84783-311-84783-316

G. Adjudicatory correspondence

9504130883 Responds to 941123 for requesting assistance of FEMA in addressing petition for director's decision under 10CFR2.206 for SONGS. Petition concerns emergency plans & evacuation routes. Draft director's decision and
HEPLER, C.M. Federal Emergency Management Agency 05/03/22 SPESSARD, R.L. 3pp. 84710-311-84710-315

P. Operating license stage documents & correspondence

9507090245 Forwards notice of filing application in listed proceeding. A 95-05-048 re energy cost adjustment clause application (U 339-E) of SCE for filing w/CA Public Utilities Commission.
LOHMANN, J.K. Southern California Edison Co. 05/06/22 NGS, California, State of. 3pp. 84570-082-84570-114

9507090804 Summarizes 850613 meeting w/UT re utl plans for upcoming unit 3 refueling outage. List of attendees & presentation slides encl
BEACH, A.B. Region 4 (Post 820201). 05/06/25 RAY, H.B. Southern California Edison Co. 10pp. 84458-022-84458-039

9506280862 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 05/06/25. Consolidated Edison Co. of New York, Inc. 10pp. 84518-259-84518-265

9507190172 Submits Relief Request D-2-01 for NRC approval from requirement to perform immediate repairs per ASME Section XI (WA 4000). Request made using criteria in GL 90-05 for Class 3 moderate energy piping. Calculation encl.
MARSH, W.C. Southern California Edison Co. 05/07/13 Document Control Branch (Document Control Desk). 20pp. 84763-001-84763-051

9507190183 "Val Control Tank to 77 to Changing Pump Suction"
CASTELLO, T. Southern California Edison Co. M-1208-007-03A R00. 05/06/25 26pp. 84763-025-84763-051

9507200109 Transmits SONGS Units 2 & 3 annual rept for 1994 required by 10CFR50.45(g)(3)(i). "Acceptance Criteria for ECCS for Light Water Nuclear Power Reactors." LOCA margin summary also encl.
MARSH, W.C. Southern California Edison Co. 05/07/13 Document Control Branch (Document Control Desk). 5pp. 84806-338-84806-358

9507240225 Forwards amends 120 & 109 to licenses NPF-10 & NPF-15 & SE. Amends revise TS tables 2.2-1.3.3-1.3.3-3.3-4 & associated bases.
FIELDS, M.B. 05/07/14. RAY, H.B. Southern California Edison Co. App. 84778-255-84778-282

9507240230 Amends 120 & 109 to licenses NPF-10 & NPF-15, respectively, revising TS tables 2.2-1.3.3-1.3.3-3.3-4 & associated bases.
FIELDS, M.B. 05/07/14 20pp. 84778-259-84778-287

9507240236 Safety evaluation supporting amends 120 & 109 to licenses NPF-10 & NPF-15, respectively.
* Office of Nuclear Reactor Regulation (Post 841001). 05/07/14. App. 84778-288-84778-292

9507280102 Forwards 12th edition of integrated implementation schedule for SONGS Units 2 & 3.
MARSH, W.C. Southern California Edison Co. 05/07/17. Document Control Branch (Document Control Desk). 18pp. 84800-291-84800-343

9507200172 Forwards application for amends to licenses NPF-10 & NPF-15. Amends would revise SR associated w/TS 3/4.3.1 & TS 3/4.3.2, increasing surveillance interval to 120 days.
ROSENBLUM, R.M. Southern California Edison Co. 05/07/17 Document Control Branch (Document Control Desk). 2pp. 84796-001-84796-205

9507280176 Application for amends to licenses NPF-10 & NPF-15. Amends will revise SRs associated w/TSs 3/4.3.1 & 3/4.3.2.
ROSENBLUM, R.M. Southern California Edison Co. 05/07/17 18pp. 84796-003-84796-020

9507280178 Proposed tech specs re extension of surveillance interval to SRs of TSs 3/4.3.1 & 3/4.3.2.
* Southern California Edison Co. 05/07/17 112pp. 84796-021-84796-132

9507280190 "RPS/ESFAS Extended Test Interval Evaluation for 120 Days Staggered Testing at SONGS Units 2 & 3."
FINN, CUM, D.J., JACUTHURLE ASEA Brown Boveri, Inc. 08/01/0-A563-C-002 R0. 03/11/03. 131pp. 84798-133-84798-263

9507280200 Suppl A. Calculation Change Notice 1 to Rev 0 to J-SEA-001, "Plant Protection Sys Settable Drift"
BOCKHORST, R.M., QUINN, E.L., CASTELLO, T. Southern California Edison Co. J-SEA-001 R00. 04/02/08. 216pp. 84798-264-84798-115

9507280204 Calculation J-SEA-012, "TW Subchannel Amplifier Analysis of Calibration Data"
BOCKHORST, R.M., QUINN, E.L., CASTELLO, T. Southern California Edison Co. J-SEA-012 R00. 04/02/10. 51pp. 84798-116-84798-205

9507240357 Forwards amends 121 & 110 to licenses NPF-10 & NPF-15 & SE. Amends revise TS 3/4.5.8 & associated bases by removing RV mat surveillance capsule withdrawal schedules (AW guidance in GL 91-01)
FIELDS, M.B. 05/07/17 RAY, H.B. Southern California Edison Co. App. 84788-202-84788-227

9507240362 Amends 121 & 110 to licenses NPF-10 & NPF-15, respectively, revising TS 3/4.4.6 & associated bases by removing RV mat surveillance capsule withdrawal schedules (AW guidance in GL 91-01).
FIELDS, M.B. 05/07/17 RAY, H.B. Southern California Edison Co. App. 84785-205-84785-223

9507240386 Safety evaluation supporting amends 121 & 110 to licenses NPF-10 & NPF-15, respectively.
* Office of Nuclear Reactor Regulation (Post 841001). 05/07/17. App. 84788-224-84788-227

9507250387 Forwards amend applications 148 & 132 to licenses NPF-10 & NPF-15, respectively, consisting of proposed change number (PCN)-432 PCN-432 revises TS re radiation monitoring sys.
ROSENBLUM, R.M. Southern California Edison Co. 05/07/19. Document Control Branch (Document Control Desk). 3pp. 84836-184-84836-275

9507250388 Amend applications 148 & 132 to licenses NPF-10 & NPF-15, respectively, consisting of proposed change number (PCN)-429, PCN-432 revises TS re radiation monitoring sys.
ROSENBLUM, R.M. Southern California Edison Co. 05/07/19 12pp. 84836-187-84836-198

9507250389 Proposed tech specs re radiation monitoring sys.
* Southern California Edison Co. 05/07/19 77pp. 84836-189-84836-275

9507280191 Discusses NRC Event Assessment Panel review of event at plant involving inadequate controls of penitentiary activities while plant was in end-loop operation. NRC concludes that event remain significant event.
BATEMAN, W.H. 05/07/21 MARSH, W.C. Southern California Edison Co. 3pp. 84806-132-84806-134

Q. Inspection reports, EE Bulletin & correspondence

9507180033 Ack receipt of corrective actions in response to notice of violation dated 950503.
PERKINS, K.E. Region 4 (Post 820201). 05/06/26 RAY, H.B. Southern California Edison Co. 2pp. 84784-357-84784-358

9507250040 Forwards insp rept 50-361/95-12 & 50-362/95-12 on 950006-10 & 0605-09 & notice of violation.
GWYNNE, T.P. Region 4 (Post 820201). 05/06/30. RAY, H.B. Southern California Edison Co. 5pp. 84508-062-84508-065

9507250219 Notice of violation from insp on 950306-10 & 060509. Violation noted: licensee did not institute nonconformance re: to investigate generic implications of finding that motor person gas of MOV 3HVS300 reversed in orientation.
* Region 4 (Post 820201). 05/06/30. 2pp. 84508-067-84508-068

9507250045 Insp rept 50-361/95-12 & 50-362/95-12 on 950306-10 & 0605-09. Violations noted: Major areas inspected: engineering issues.
COLLINS, E. Region 4 (Post 820201). 05/06/29 17pp. 84508-066-84508-065

9507100228 Forwards insp rept 50-361/95-07 & 50-362/95-07 on 950423-0603 & MOV.
BEACH, A.S. Region 4 (Post 820201). 05/07/03 RAY, H.B. Southern California Edison Co. 5pp. 84568-144-84568-182

9507100297 Insp rept 50-361/95-07 & 50-362/95-07 on 950423-0603. Violations noted: Major areas inspected: operational safety verification, and surveillance observations, engineering & plant support observations.
WONG, H.J. Region 4 (Post 820201). 05/06/28 33pp. 84568-150-84568-182

9507130180 Forwards insp rept 50-361/95-10 & 50-362/95-10 on 950503-12 & notice of violation.
GWYNNE, T.P. Region 4 (Post 820201). 05/07/06. RAY, H.B. Southern California Edison Co. 5pp. 84586-228-84586-248

9507190128 Insp rept 50-361/95-10 & 50-362/95-10 on 950503-12. Violations noted: Major areas inspected: followup on unresolved item 951/9501-03 & 362/9501-03.
COLLINS, E.E. Region 4 (Post 820201). 05/06/22 14pp. 84586-238-84586-248

9507170801 Responds to NRC 950607 re re violations noted in insp rept 50-361/95-04 & 50-362/95-04 on 950312-0422. Corrective actions personnel involved has been coached & aware of oversight.
ROSENBLUM, R.M. Southern California Edison Co. 05/07/11. Document Control Branch (Document Control Desk). 5pp. 84775-383-84775-388

9507240084 Forwards insp rept 50-361/95-08 & 50-362/95-08 on 950626-30. No violations noted.
SCARANO, R.A. Region 4 (Post 820201). 05/07/17. RAY, H.B. Southern California Edison Co. 5pp. 84751-102-84751-122

9507240085 Insp rept 50-361/95-08 & 50-362/95-08 on 950626-30. No violations noted. Major areas inspected: emergency preparedness program.
DEXTER, T.W. Region 4 (Post 820201). 05/07/12 14pp. 84751-107-84751-120

9507250026 Responds to NRC 950622 re re violations noted in insp rept 50-361/95-11 & 50-362/95-11 on 950523-26. Corrective actions held mtg meetings w/size managers.
ROSENBLUM, R.M. Southern California Edison Co. 05/07/20. Document Control Branch (Document Control Desk). 3pp. 84836-358-84836-360

F. Periodic operating reports & related correspondence

9507210192 Monthly operating repts for June 1985 for SCAGS Units 2 & 3 W/950714 to
DARLING, J.L. MARSH, W.C. Southern California Edison Co 95/06/30 14pp
84807 310-84807 329

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 re: potential defect in Lintorque SMB/SB/SBD-00
actuators Condition dependent on individual licensee internal operating practices
used when declaring MOV operable for safety related svcs
HYLTON, C.L. Lintorque Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 168-84815 196

9507260097 Part 21 re: MDR relays w/potentially damaged external contact arms
ROSENBLUM, R.M. Southern California Edison Co 95/07/21 Document Control Branch (Document Control Desk) 5pp 84868 028-84868 033

DOCKET 80-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507100365 Rev 0 to FNP-0-ERP-6 2, "Plant Personnel Home Telephone Directory" W/
950707 to
HUDSPETH, J.B. Southern Nuclear Operating Co 95/07/07 105pp 84635 127-
84635 231

9507250858 Comment on proposed generic communication, 10CFR50.54(p), "Process
for Changes to Security Plans, W/ Prior NRC Approval" Endorses NEI comments
MOREY, D.N. Southern Nuclear Operating Co 95/07/10 NRC - No Detailed Affiliation
Given 2pp 84788 002-84788 003

9507310067 Memo did 950720, enclosing update of emergency phone list to, Rev 2 of
FNP-0-ERP-6 1 W/950724 to
VANDERBYE, R.J., HUDSPETH, J.B. Southern Nuclear Operating Co 95/07/24 66pp
84686 250-84686 315

9507310088 Memo did 950726 re on-call schedule, to Rev 2 of FNP-0-ERP-6 1 W/
950730 to
HILL, R.D., HUDSPETH, J.B. Southern Nuclear Operating Co 95/07/28 18pp
84803 109-84803 124

F. Operating license stage documents & correspondence

9507050365 Forwards Rev 31 to GO-447, "Southern Nuclear Operating Co, Farley
Project Operations CA Policy Manual"
BROWN, W. Southern Nuclear Operating Co 95/06/23 Office of Nuclear Reactor
Regulation (Post 941001) 1p 84558 168-84558 305

-9507050365 Rev 31 to GO-447, "Southern Nuclear Operating Co, Farley Project Operations
CA Policy Manual"
MCGOWAN, J.W., WOODARD, J.D. Southern Nuclear Operating Co 91/12/23 160pp
84558 168-84558 305

9507050365 Forwards response to GL 95-03, "Circumferential Cracking in SG Tubes,"
including safety assessment & summary of insp plans for plant
MOREY, D. Southern Nuclear Operating Co 95/06/26 Document Control Branch
(Document Control Desk) 14pp 84590 176-84590 189

9507100023 Forwards Vols 1 & 2 to "IEEE, JM Farley Nuclear Plant Units 1 & 2"
MOREY, D. Southern Nuclear Operating Co 95/06/28 Document Control Branch
(Document Control Desk) 3pp 84638 001-84638 210

-9507100024 "IEEE, JM Farley Nuclear Plant Unit 1 & Unit 2," Vols 1 & 2
Southern Nuclear Operating Co 95/06/28 571pp 84638 004-84638 210

9507120112 Confirms 950629 telecon w/Verrell re info meeting scheduled for
950710 Purpose of meeting to discuss issues w/balance of plant equipment.
CHRISTENSEN, J.H. Region 2 (Post 820201) 95/06/28 MOREY, D.N. Southern Nuclear
Operating Co 3pp 84575 358-84575 360

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to
NRC bulletin board sys
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp
84518 258-84518 288

9507210038 Refers to mgt meeting conducted at Region II Office on 950710 to discuss
recent secondary sys problems at plant, including sodium intrusion, condenser tube
leaks & feedwater control issues List of attendees encl
VERRELL, D.M. Region 2 (Post 820201) 95/07/11 MOREY, D.N. Southern Nuclear
Operating Co 2pp 84738 055-84738 056

9507210043 Advise NRC that all Board of Directors has named CA Martin as Vice
President of Southern Nuclear, effective 950612 In addition, WM Stephens named as
Assistant Secretary & Assistant Treasurer of SN
MOREY, D. Southern Nuclear Operating Co 95/07/17 Document Control Branch
(Document Control Desk) 1p 84811 340-84811 340

9507240293 Forwards SE addressing concerns re performance testing of safety & relief
valves for plant
SEGEL, S.L. 95/07/18 MOREY, D.N. Southern Nuclear Operating Co 4pp
84831 328-84831 334

-9507240297 Safety evaluation supporting performance testing of safety & relief valves
for plant.
Office of Nuclear Reactor Regulation (Post 941001) 95/07/18 5pp 84831 330-
84831 334

Q. Inspection reports, IE Bulletins & correspondence

9507050365 Forwards response to GL 95-03, "Circumferential Cracking in SG Tubes,"
including safety assessment & summary of insp plans for plant
MOREY, D. Southern Nuclear Operating Co 95/06/26 Document Control Branch
(Document Control Desk) 14pp 84590 176-84590 189

9507050070 Responds to request for addl info re responses to issues re electrical distribution
sys functional insp degraded and voltage unresolved with
MOREY, D. Southern Nuclear Operating Co 95/06/28 Document Control Branch
(Document Control Desk) 3pp 84617 151-84617 193

9507250085 Comment on proposed "Review of NRC Insp Rept Content, Format &
Style." and applauds NRC for undertaking endeavor to make insp repts more effective
tool for communicating w/licensees & public
MOREY, D.N. Southern Nuclear Operating Co 95/06/28 MEYERS, D. Division of
Freedom of Information & Publications Services (Post 940714) 2pp 84787 007-
84787 008

9507170182 Provides corrected copy of response to NRC 950808 ltr re violations noted
in insp repts 50-384/95-10 Corrective actions adjusted channel & coached individual involved
MOREY, D. Southern Nuclear Operating Co 95/07/07 Document Control Branch
(Document Control Desk) 3pp 84755 037-84755 041

9507260088 Forwards "ISI Rept Refueling 10, Interval 2, Period 2, Outage 1 JM Farley
Unit 2 Nuclear Generating Plant," vols 1 & 2
MOREY, D. Southern Nuclear Operating Co 95/07/17 Document Control Branch
(Document Control Desk) 1p 84545 001-84545 348

-9507260088 "ISI Rept Refueling 10, Interval 2, Period 2, Outage 1 JM Farley Unit 2 Nuclear
Generating Plant," vols 1 & 2
Southern Nuclear Operating Co 95/07/17 1,073pp 84848 002-84848 348

9507240265 Forwards insp repts 50-348/95-11 & 50-364/95-11 on 950515-0618 &
MOV
VERRELL, D.M. Region 2 (Post 820201) 95/07/18 Southern Nuclear Operating Co
3pp 84795 164-84795 191

-9507240272 Notice of violation from insp on 950515-0618 Violation noted operations
failed to record lowest loop temp from 11:45 a.m. until 12:10 p.m. during startup of Unit
2
Region 2 (Post 820201) 95/07/18 2pp 84795 167-84795 188

-9507240272 Insp repts 50-348/95-11 & 50-364/95-11 on 950515-0618 No violations
noted Major areas inspected plant operations, safety sys verification, maint &
surveillance, engineering & technical & plant support
ROSS, T.M., SCOTT, M.A., BERNHARD, R.H. Region 2 (Post 820201) 95/07/18
23pp 84795 168-84795 191

F. Periodic operating reports & related correspondence

9507190337 Monthly operating repts for June 1985 for JM Farley Plant Units 1 & 2 W/
950711 to
ALLISON, S.M., MOREY, D. Southern Nuclear Operating Co 95/06/30 11pp
84788 335-84788 345

S. Reportable occurrences, LERs & related correspondence

9507050081 LER 95-005-00 on 950601 loss of electro-hydraulic fluid resulted in manual
RTs repaired & selected welds on EH sys of 2A & 2B SCFP W/950629 to
HILL, R.D. MOREY, D. Southern Nuclear Operating Co 95/06/29 5pp 84578 228-
84578 230

9507170019 PNO-01-95-040 on 950710, alloyed tester instrument which contained 45 mCi
of Fe-55 & 5 mCi of Co-60 source was lost during shipment. Entire Worldwide Inflight
& Status of CH searched & surveyed & were unable to locate source
JONES, A.R. Region 2 (Post 820201) 95/07/11 1p 84860 338-84860 338

9507170175 LER 95-004-00 on 941205, reactor coolant pump bus undervoltage relays
dropout setpoints outside of operability tolerance Caused by investigation attributed to
relay setpoint. Changed test equipment W/950711 to
HILL, R.D. MOREY, D. Southern Nuclear Operating Co 95/07/11 5pp 84754 355-
84754 359

9507210022 Part 21 re: potential defect in Lintorque SMB/SB/SBD-00
actuators Condition dependent on individual licensee internal operating practices
used when declaring MOV operable for safety related svcs
HYLTON, C.L. Lintorque Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 168-84815 196

9507200060 PNO-01-95-040A updated 950710 event re loss of packages containing alloyed
tester instrument which contained 45 mCi Fe-55 & 5 mCi of Co-60 source
located on 950712 at CA facility
JONES, A.R. Region 2 (Post 820201) 95/07/11 1p 84736 211-84736 211

9507310215 LER 95-006-00 on 950622, determined that analysis of RCS dose equivalent
rod (DE) analysis not performed per TS SR 4.4.9 due cognitive personnel
error DEI analysis completed on 950622 & personnel retrained W/950719 to
HILL, R.D. MOREY, D. Southern Nuclear Operating Co 95/07/19 4pp 84802 028-
84802 031

9507310228 LER 95-007-00 on 950625, Unit 2 reactor tripped Caused by cognitive per
sonnel error Individuals involved coached concerning incident W/950725 to
HILL, R.D. MOREY, D. Southern Nuclear Operating Co 95/07/25 4pp 84802 032-
84802 036

90 DOCKETED ITEMS

V. Operator Examinations

9507200246 Confirms arrangements made in 950628 for administration of licensing exams at plant. Exam preparation visit scheduled for 951010. Written exams scheduled for 951023 & operating exams scheduled for 951024-27.
PEEBLES, T.A. Region 2 (Post 820201). 95/07/08. MOORE, D.N. Southern Nuclear Operating Co. 6pp. 84779-361-84779-366.

DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507080363 Discusses 950328 in responding to 941230 request for add info re use of Thermo-Lag 330-1 at plant.
JABBOUR, K.N. 95/06/29. BECKHAM, J.T. Georgia Power Co. 3pp. 84536-188-84536-190.

9507100326 Ask receipt of 950618 re forwarding scenario/controller package for plant 1986 emergency preparedness exercise. Submittals meet requirements for full participation exercise scheduled for 950823.
BARFK, P. Region 2 (Post 820201). 95/07/10. BECKHAM, J.T. Georgia Power Co. 3pp. 84530-240-84530-242.

9507260358 Comment on proposed generic communication, 10CFR50.64(b), "Process for Changes to Security Plans W/o Prior NRC Approval."
BECKHAM, J.T. Georgia Power Co. 95/07/10. NRC - No Detailed Addition Given. 2pp. 84786-200-84786-201.

9507260317 Forwards SALP repts 50-321/95-09 & 50-366/95-09 on 951128-950527. Plant performance remained superior in functional area of engineering.
BENNETT, S.D. Region 2 (Post 820201). 95/07/11. BECKHAM, J.T. Georgia Power Co. 5pp. 84738-033-84738-043.

9507210023 SALP repts 50-321/95-09 & 50-366/95-09 for 951128-950527
* Region 2 (Post 820201). 95/07/11. 6pp. 84738-038-84738-043.

9507270399 Rev 100 to El Hatch Nuclear Plant Units 1 & 2 fire hazards analysis update.
* Georgia Power Co. 95/07/31. 35pp. 84881-010-84881-048.

9507240366 Informs that add info has been discovered that shows violation did not occur per insp repts 50-321/95-09 & 50-366/95-09.
BECKHAM, J.T. Georgia Power Co. 95/07/18. Document Control Branch (Document Control Desk). 4pp. 84795-300-84795-316.

9507240360 "El Hatch Nuclear Plant EP 1988 Off-Hours Semi-Annual HP Exercise Summary Report for 950531."
MOTHEN, R.D. Georgia Power Co. 95/06/16. 13pp. 84795-304-84795-316.

9507280341 Revised EPPs, including rev 11 to 73EP-EP-073-03, "Offsite Emergency Notifications," & rev 11 to 73EP-EP-001-05, "Emergency Classification & Initial Actions." W/950725 re.
BECKHAM, J.T. Georgia Power Co. 95/07/25. 76pp. 84875-035-84875-110.

H. General correspondence

9507260174 Comment on "Review of NRC Insp Rept Content/Format & Style." Util feels that use of boilerplate phrases is often appropriate & that less boilerplate wording should be used.
BECKHAM, J.T. Georgia Power Co. 95/06/28. MEYERS, D. Division of Freedom of Information & Publications Services (Post 840714). 2pp. 84507-316-84507-317.

K. Unit 1 Final Safety Analysis Report (FSAR) & amendments

9507270387 Forwards quarterly FSAR & fire hazards analysis revs 130 & 100, respectively.
BECKHAM, J.T. Georgia Power Co. 95/07/14. Document Control Branch (Document Control Desk). 4pp. 84880-001-84880-048.

9507270388 Rev 130 to El Hatch Nuclear Plant Units 1 & 2 FSAR update.
* Georgia Power Co. 95/07/31. 389pp. 84880-005-84880-006.

P. Operating license stage documents & correspondence

9506290082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRUBBS, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518-269-84518-288.

9507080363 Discusses 950328 in responding to 941230 request for add info re use of Thermo-Lag 330-1 at plant.
JABBOUR, K.N. 95/06/29. BECKHAM, J.T. Georgia Power Co. 3pp. 84536-188-84536-190.

9507100326 Forwards core shroud stabilizer design submittal, providing analysis & conclusions supporting implementation of facility shroud repair. GE proprietary info also and GE proprietary info withheld per 10CFR2.750.
BECKHAM, J.T. Georgia Power Co. 95/07/03. Document Control Branch (Document Control Desk). 42pp. 84728-184-84728-284.

9507120286 Rev 0 to Design Spec 25A5718, "Shroud Repair Hardware."
TROVATO, J.L., SCHIRAG, M.R., AHMANN, R.J. General Electric Co. 95/05/17. 10pp. 84728-226-84728-235.

9507120286 Rev 1 to Code Design Spec 25A5717, "Shroud Stabilizers."
TROVATO, J.L., SCHIRAG, M.R., AHMANN, R.J. General Electric Co. 95/06/06. 6pp. 84728-236-84728-243.

9507120272 Rev 0 to "Safety Evaluation for Installation of Stabilizers on El Hatch Nuclear Plant Unit 2 Core Shroud."
SCHIRAG, M.R., FRIBES, J.G., KING, L.W. General Electric Co. GENE-911-00837-00590. 95/07/03. 24pp. 84728-244-84728-267.

9507120274 Rev 0 to Fabrication Spec 25A5719, "Fabrication of Shroud Stabilizer."
SCHIRAG, M.R., TROVATO, J.L., AHMANN, R.J. General Electric Co. 95/06/09. 11pp. 84728-258-84728-278.

9507120288 Rev 0 to Field Deposition Instruction (FDI) HT2-0121-12800. FDI documents design requirements & must required to install stabilizers for shroud horizontal welds.
TROVATO, J. General Electric Co. 95/06/19. 6pp. 84728-279-84728-284.

9507110336 Forwards SE approving code case N-416-1 as alternative to required 10-yr hydrostatic pressure test for class 1, 2 & 3, per 10CFR50.55a(3)(iv).
BERKOW, H.N. 95/07/05. BECKHAM, J.T. Georgia Power Co. 3pp. 84518-348-84518-353.

9507110331 Safety evaluation approving code case N-416-1 as alternative to required 10-yr hydrostatic pressure test for class 1, 2 & 3, per 10CFR50.55a(3)(iv).
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/05. 8pp. 84518-348-84518-353.

9507240138 Confirms that util recognizes & agrees w/definition of sensor contained in ANSI/ISA-987.05.1984, "Response Time Testing of Nuclear Safety-Related Instrument Channels in NPPs."
BECKHAM, J.T. Georgia Power Co. 95/07/18. Document Control Branch (Document Control Desk). 2pp. 84828-359-84828-360.

9507260199 Forwards SE re IPE on severe accident vulnerabilities. Based on review of IPE, NRC concludes that evaluation meets intent of GL 89-20.
JABBOUR, K.N. 95/07/18. BECKHAM, J.T. Georgia Power Co. 3pp. 84832-190-84832-192.

9507260201 Safety evaluation of plant IPE submittal. Util has met intent of GL 89-20.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 17pp. 84832-193-84832-192.

9507140441 "Technical Evaluation Rept on Individual Plant Exam Front End Analysis."
DARBY, J.L. Science & Engineering Associates, Inc. NRC-04-91-056. SEA 92-553-026-A-4. 95/06/29. NRC - No Detailed Addition Given. 57pp. 84832-193-84832-240.

9507140442 "Technical Evaluation Rept on Individual Plant Exam Back-End Analysis."
DARBY, J.L. Science & Engineering Associates, Inc. NRC-05-81-058. SCIE-NRC-228-94. 94/12/31. NRC - No Detailed Addition Given. 25pp. 84832-241-84832-264.

9507140448 "Technical Evaluation Rept on Individual Plant Exam Human Reliability Analysis."
HAAS, P.M. Concord Associates, Inc. NRC-04-91-058. CA/TR-94-019-27. 94/11/30. Division of Safety Issue Resolution (850717-941217). 65pp. 84832-265-84832-320.

9507280175 Forwards util comments in response to NRC Preliminary Accident Sequence Precursor Analysis of Loss of Shutdown Cooling.
BECKHAM, J.T. Georgia Power Co. 95/07/21. Document Control Branch (Document Control Desk). 4pp. 84875-228-84875-242.

9507310188 Forwards EA & FCHSI re 950118 application for amend involving increase of licensed core thermal power for Hatch, Units 1 & 2.
JABBOUR, K.N. 95/07/21. BECKHAM, J.T. Georgia Power Co. 3pp. 84879-331-84879-342.

9507310179 Environ assessment & finding of no significant impact re increase of licensed core thermal power for Hatch, Units 1 & 2.
* 95/07/21. 6pp. 84879-334-84879-342.

9507310208 Clarifies issues re IST program update process & informs that util proceeding w/update as listed.
BECKHAM, J.T. Georgia Power Co. 95/07/25. Document Control Branch (Document Control Desk). 2pp. 84903-310-84903-311.

Q. Inspection reports, NE Bulletin & correspondence

9507120831 Forwards insp repts 50-424/95-14, 50-425/95-14, 50-321/95-12 & 50-366/95-12 on 950515-0501. No violations noted.
MERSCHOFF, E.W. Region 2 (Post 820201). 95/06/22. WOODARD, J.D. Georgia Power Co. 4pp. 84574-264-84574-276.

9507120835 Insp repts 50-424/95-14, 50-425/95-14, 50-321/95-12 & 50-366/95-12 on 950515-0501. No violations noted. Major areas inspected effectiveness of licensee's quality concerns programs in addressing safety concerns.
ORLENJAK, R.V. Region 2 (Post 820201). 95/06/22. 9pp. 84574-266-84574-276.

9507120915 Forwards insp repts 50-321/95-08 & 50-366/95-08 on 950416-0527 & notice of violation.
ORLENJAK, R.V. Region 2 (Post 820201). 95/06/26. BECKHAM, J.T. Georgia Power Co. 4pp. 84574-172-84574-203.

9507120819 Notice of violation from insp on 950416-0527. Violation noted within procedures had not properly been implemented in that on 950411, operator placed jumper across terminals DD-1 to DD-2 in lieu of CGC-2 to CGC-1, resulting in scram.
* Region 2 (Post 820201). 95/06/26. 2pp. 84574-176-84574-177.

9507120823 Insp repts 50-321/95-08 & 50-366/95-08 on 950416-0527. Violations noted. Major areas inspected plant operations, maintenance, plant support activities & insp of open items.
HOLBROCK, S.L., CHRISTNOT, E.F., HAAG, R.C. Region 2 (Post 820201). 95/06/23. 26pp. 84574-178-84574-206.

9507110235 Submits response to violations noted in Insp Repts 50-321/95-02 & 50-366/95-02. Corrective actions: Procedure 531T-TET-003-05 revised to include run thru margin to account for switch repeatability.
BECKHAM, J.T. Georgia Power Co. 95/07/03. Document Control Branch (Document Control Desk). 18pp. 84594-315-84594-332.

9507170812 Confirms arrangements re 950726 mtg meeting at plant. Purpose of meeting to discuss SALP of plant during 951128-950527.
HAAG, R.C. Region 2 (Post 820201). 95/07/05. BECKHAM, J.T. Georgia Power Co. 3pp. 84880-324-84880-326.

9507210017 Forwards SALP repts 50-321/95-99 & 50-366/95-99 on 931128-950627. Plant performance remained superior in functional area of engineering. EBNETER, S.D. Region 2 (Post 820201) 95/07/11 BECKHAM, J.T. Georgia Power Co. Spp. 84738-033-84738-043.

9507210023 SALP repts 50-321/95-99 & 50-366/95-99 on 931128-950627
* Region 2 (Post 820201) 95/07/11 Spp. 84738-038-84738-043

9507210056 Informa that add info has been discovered that shows violation did not occur per insp repts 50-321/95-99 & 50-366/95-99
BECKHAM, J.T. Georgia Power Co. 95/07/18. Document Control Branch (Document Control Desk). Spp. 84795-300-84795-316.

9507210080 "E Hatch Nuclear Plant EP 1988 On-Hours Semi-Annual HP Exposed Summary Rept for 890531"
MOTHEA, R.D. Georgia Power Co. 95/08/18 13pp. 84795-304-84795-316.

9507310159 Response to NRC 950626 wr re violation noted in insp rpt 50-366/95-06. Corrective actions: disciplined involved individual & involved individual & supervisor counseled re needed conditional surveillance & consequences
BECKHAM, J.T. Georgia Power Co. 95/07/28. Document Control Branch (Document Control Desk). Spp. 84903-262-84903-268.

R. Periodic operating reports & related correspondence

9507100149 Monthly operating repts for June 1995 for Edwin I Hatch Nuclear Plant Units 1 & 2 W/950710 R
BEARD, R.M., BECKHAM, J.T. Georgia Power Co. 95/06/30 12pp. 84738-349-84738-354.

S. Reportable occurrences, LERs & related correspondence

9507090057 Forwards preliminary ASP analysis of operational events which occurred at plant on 940317, for review & comment. Comments should be provided within 30 days of receipt of R.
JABBOUR, K.N. 95/06/23. BECKHAM, J.T. Georgia Power Co. 14pp. 84531-321-84531-342.

DOCKET 58-988 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emergency & fire protection plans

9507050356 Rev 9 to procedure/work plan 1903 057, "Emergency Response Facility - EOF"
* Entergy Operations, Inc. 95/07/05. 89pp. 84588-020-84588-108.

9507120036 Discusses insp repts 50-313/95-16 & 50-368/95-16 on 950419-20 & forwards notice of violation
CALLAN, L.J. Region 4 (Post 820201) 95/07/06. YELVERTON, J.W. Entergy Operations, Inc. Spp. 84574-312-84574-316.

9507120046 Notice of violation from insp on 950419-20. Violation noted: unauthorized individual terminated for cause & had not had unescorted access revoked/gained unescorted access to protected area.
* Region 4 (Post 820201) 95/07/06. 2pp. 84574-317-84574-318.

9507200054 Rev 18 to EPP OP-1903.004, "Administration & Maint., EP & Implementing Procedures"
* Entergy Operations, Inc. 95/07/14. 17pp. 84800-034-84800-050.

9507250294 Comment on proposed generic ly re 10CFR50.54 "Process for Changes to Security Plans W/o Prior NRC Approval." Agrees w/ proposed clarification of language & w/provided concerning criteria in notice.
DWEASE, L.G. Entergy Operations, Inc. 95/07/14. NRC - No Detailed Affiliation Given. 2pp. 84788-204-84788-205.

9507260001 Forwards Rev 53 to ANO Industrial Security Plan. End withheld per 10CFR73.21.
MIMS, D.C. Entergy Operations, Inc. 95/07/19. Document Control Branch (Document Control Desk). Spp. 84871-341-84871-342.

P. Operating license stage documents & correspondence

9507070129 Provides suppl to TS change request re ANO Units 1 & 2 on control room ventilation. Typographical error was introduced on ANO-1 page 59a.
MIMS, D.C. Entergy Operations, Inc. 95/06/22. Document Control Branch (Document Control Desk). Spp. 84579-348-84579-358.

9507070129 Proposed tech specs re control room ventilation, correcting typographical error
* Entergy Operations, Inc. 95/08/22. 7pp. 84579-352-84579-358.

9507080434 Forwards response to GL 80-03, "Circumferential Cracking of SG Tubes."
MIMS, D.C. Entergy Operations, Inc. 95/06/27. Document Control Branch (Document Control Desk). 15pp. 84563-313-84563-327.

9506280052 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIFFIN, S.K. 95/08/28. Consolidated Edison Co. of New York, Inc. Wpp. 84518-259-84518-268.

9507200033 Notification of 950720 meeting w/EGI in Rockville, MD to discuss Alternatives to Disposition of Steam Generator Tubes w/Circumferential Crack Indicators.
KALMAN, G. 95/07/14. BECKHAM, J.T. Spp. 84738-340-84738-343.

9507200074 Discusses proposed changes to CL rate testing requirements in 10CFR50 App J. Requests meeting w/appropriate industry representatives to discuss alternative approaches & to develop plan to complete model TS before rule change date.
GRIFFIN, S.K. 95/07/18. BUSH, L.L. Westinghouse Operating Plants Owners Group 26pp. 84832-321-84832-357.

9507200326 Application for amend to license NPP-6, reducing CEA exercise frequency from at least once per 31 days to at least once per 92 days.
YELVERTON, J.W. Entergy Operations, Inc. 95/07/19. Document Control Branch (Document Control Desk). Spp. 84824-271-84824-282.

9507240326 Proposed tech specs, reducing CEA exercise frequency from at least once per 31 days to at least once per 92 days
* Entergy Operations, Inc. 95/07/19. Spp. 84824-280-84824-282.

9507270128 Discusses info re TS change request, closed 950519, re open containment artifacts during core alterations.
MIMS, D.C. Entergy Operations, Inc. 95/07/21. Document Control Branch (Document Control Desk). Spp. 84843-953-84843-954.

9507310291 Forwards summary of items that require rev or will no longer be implemented due to alternate controls. Submittal contains no new commitments.
MIMS, D.C. Entergy Operations, Inc. 95/07/28. Document Control Branch (Document Control Desk). Spp. 84903-901-84903-909.

Q. Inspection reports, R. Bulletins & correspondence

9507100345 Final response to FOIA request for info. App A & B records and B available in PDF.
POWELL, P.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/20. CHAPMAN, N. Bechtel Power Corp. Spp. 84723-336-84723-340.

9507160350 Informa of intention to implement TS expansion criteria during unscheduled SS tube stops.
STROGAN, J.R. Materials & Chemical Engineering Branch. 94/10/31. SHERON, B.W. Division of Engineering (Post 821004). Spp. 84723-329-84723-340.

9507030011 Forwards insp repts 50-313/95-19 & 50-368/95-19 on 950612-16. No violations noted.
GWHNN, T.P. Region 4 (Post 820201) 95/06/28. YELVERTON, J.W. Entergy Operations, Inc. Spp. 84488-066-84488-108.

9507030014 Insp repts 50-313/95-19 & 50-368/95-19 on 950612-19. No violations noted. Major areas inspected: performance review of licensee disposition of stored transmitters, transmitter calibration process & trending process.
POWERS, D.A. Region 4 (Post 820201) 95/06/25. 15pp. 84488-092-84488-105.

9507100026 Comments on proposed rule re. "Review of NRC (Insp Rept Content, Format & Style)"
* Entergy Operations, Inc. 95/06/23. MEYERS, D. Rules & Directives Review Branch (Post 820323). Spp. 84557-074-84557-078.

9507100021 Ack receipt of 950602 wr informing NRC of steps taken to correct violations noted in insp repts 50-313/95-03 & 50-368/95-03 on 950505.
BEACH, A.B. Region 4 (Post 820201) 95/06/30. YELVERTON, J.W. Entergy Operations, Inc. Spp. 84557-054-84557-082.

9507120036 Discusses insp repts 50-313/95-16 & 50-368/95-16 on 950419-20 & forwards notice of violation.
CALLAN, L.J. Region 4 (Post 820201) 95/07/06. YELVERTON, J.W. Entergy Operations, Inc. Spp. 84574-312-84574-316.

9507120046 Notice of violation from insp on 950419-20. Violation noted: unauthorized individual terminated for cause & who had not had unescorted access revoked/gained unescorted access to protected area.
* Region 4 (Post 820201) 95/07/06. 2pp. 84574-317-84574-318.

9507140084 Forwards insp repts 50-313/95-05 & 50-368/95-05 on 950614-0824 & notice of violation.
DYER, J.E. Region 4 (Post 820201) 95/07/07. YELVERTON, J.W. Entergy Operations, Inc. Spp. 84825-250-84825-274.

9507140071 Insp repts 50-313/95-05 & 50-368/95-05 on 950614-0824. Violations noted: Major areas inspected: event, operational safety verification, maint. & surveillance observations, onsite engineering, plant support activities & follow-up engineering.
HARRILL, P. Region 4 (Post 820201) 95/07/05. 18pp. 84825-257-84825-274.

9507170149 Forwards insp repts 50-313/95-17 & 50-368/95-17 on 950613-18. No violations noted. One unresolved item identified concerning practice of repeating up to 70 percent of questions from one biennial recertification exam.
GWHNN, T.P. Region 4 (Post 820201) 95/07/12. YELVERTON, J.W. Entergy Operations, Inc. Spp. 84747-189-84747-209.

9507170156 Insp repts 50-313/95-17 & 50-368/95-17 on 950613-18. No violations noted. Major areas inspected: licensee operator recertification program.
PELLET, J.L. Region 4 (Post 820201) 95/07/11. Spp. 84747-201-84747-209.

9507200417 Responds to NRC wr re violations noted in insp repts 50-313/95-04 & 50-368/95-04. Corrective actions: related job orders & revised procedures.
MIMS, D.C. Entergy Operations, Inc. 95/07/20. Document Control Branch (Document Control Desk). Spp. 84824-217-84824-221.

R. Periodic operating reports & related correspondence

9507100320 Monthly operating repts for June 1995 for ANO Unit 2 W/950714 R
WHITT, M.S., MIMS, D.C. Entergy Operations, Inc. 95/06/30. 7pp. 84788-321-84788-327.

S. Reportable occurrences, LERs & related correspondence

9507210032 Part 21 repts re potential defect in Limbique SA68/58/58D-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limbique Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815-169-84815-198.

92 DOCKETED ITEMS

9507190013 Special report 950605, electric fire pump F-8A declared inoperable Cause of degraded performance indeterminate at time but believed to be result of normal wear. Temp fire pump for backup fire suppression water supply installed. MMS&D C Energy Operations, Inc. 95/07/14 Document Control Branch (Document Control Desk) 2pp 84788 255-84788 255

V. Operator Examinations

9507170148 Forwards insp repts 50-312/95-17 & 50-368/95-17 on 950613-16 No violations noted One uncorrected item identified concerning practice of repeating up to 70 percent of questions from one historical requalification exam. GHYMAN, T.P. Region 4 (Post 820201) 95/07/12 YELVERTON, J.W. Energy Operations, Inc. 5pp 84747 196-84747 205

9507170156 Insp repts 50-312/95-17 & 50-368/95-17 on 950613-16 No violations noted Major areas inspected licensed operator requalification program. PELLET, J.L. Region 4 (Post 820201) 95/07/11 5pp 84747 201-84747 205

DOCKET 50-368 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507060528 Forwards plant operational safeguards response evaluation, per 10CFR73.21, to be withheld from public disclosure W/o encl. SPESSARD, R.L. 95/06/27 MCMEERIN, T.C. Duke Power Co. 2pp 84596 277-84596 275

9507070195 Forwards rev 1 to Duke Power Co Nuclear Security & Contingency Plan, per 10CFR50.54(g) End withheld. TUCKMAN, M.S. Duke Power Co. 95/06/27 Document Control Branch (Document Control Desk) 2pp 84622 343-84622 344

9507210144 Forwards public version of EPRs: RP/0/A/5700/01, RP/0/A/5700/02, RP/0/A/5700/03, RP/0/A/5700/04, RP/0/A/5700/10, RP/0/A/5700/14, RP/0/A/5700/15, RP/0/A/5700/16, RP/0/A/5700/18 & OP/0/A/5200/90 & Index, Pages 1 & 2 W/ 950713 release to MCMEERIN, T.C. Duke Power Co. 95/06/28 Document Control Branch (Document Control Desk) 3pp 84753 032-84753 338

9507210148 Public version of EPRs, including RP/0/A/5700/01, RP/0/A/5700/02, RP/0/A/5700/03, RP/0/A/5700/04, RP/0/A/5700/10, RP/0/A/5700/14, RP/0/A/5700/15, RP/0/A/5700/16, RP/0/A/5700/18 & OP/0/A/5200/90 & Index, Pages 1 & 2. DOLAN, B. Duke Power Co. 95/06/28 308pp 84753 035-84753 339

9507170014 Ack receipt of 950619 re forwarding scenario package for plant emergency exercise. Submittals meet requirements for partial participation exercise scheduled for 950805. BARLIK, P. Region 2 (Post 820201) 95/07/10 MCMEERIN, T.C. Duke Power Co. 3pp 84650 327-84650 329

K. Utility Final Safety Analysis Report (FSAR) & amendments

9507120006 "1994 McGuire Nuclear Station Final Safety Analysis Rept." W/950706 to MCMEERIN, T.C. Duke Power Co. 95/07/12 2,184pp 84705 001-84710 111

P. Operating license stage documents & correspondence

9507060149 Submits suppl info re 950203 proposed TS concerning 4 KV loss of voltage & degraded voltage conditions tables 3-3-3, 3-3-4, 3-3-5 & 4-2-2. MCMEERIN, T.C. Duke Power Co. 95/06/14 Document Control Branch (Document Control Desk) 6pp 84583 328-84583 341

9507060153 Proposed tech specs re 4 KV loss of voltage & degraded voltage conditions tables 3-3-3, 3-3-4, 3-3-5 & 4-2-2. Duke Power Co. 95/06/14 6pp 84583 334-84583 341

9507060156 Informs that addl audit not necessary to accept util use of revised CROV code. Proposed changes to Administrative Controls section of each plant TS must be submitted in order to include util use of revised code as methodology. BERKOW, J.H. 95/06/18 TUCKMAN, M.S. Duke Power Co. 4pp 84511 281-84511 284

9507050228 Discusses use of alternative pressure test requirement (Code Case N-416-1) for welded installation of valves 1N1-155. MCMEERIN, T.C. Duke Power Co. 95/06/19 Document Control Branch (Document Control Desk) 3pp 84569 345-84569 347

9507060158 Forwards rev 3 to "McGuire Unit 1 Cycle 10 Core Operating Limits Rept." CANADY, K.S. Duke Power Co. 95/06/26 Document Control Branch (Document Control Desk) 2pp 84517 048-84517 066

9507060159 Rev 3 to "McGuire Unit 1 Cycle 10 Core Operating Limits Rept." June 1995. GORTZ, D.E., RAY, C.L. OLARK, R.H. Duke Power Co. 95/06/26 6pp 84517 051-84517 055

9507060204 Forwards util response to GL 95-03 re circumferential cracking of SG tubes. TUCKMAN, M.S. Duke Power Co. 95/06/27 Document Control Branch (Document Control Desk) 14pp 84570 115-84570 128

9506290053 Rev 1 to NRC Administrative Ltr 84-13 to all NRC licensees re access to NRC bulletin board sys. GAMES, B.K. 95/06/29 Consolidated Edison Co. of New York, Inc. 10pp 84518 259-84518 258

9507060112 Application for amendments to licensee DPR-38, DPR-47, DPR-55, NPF-8, NPF-17, NPF-35 & NPF-52 re mgt positions authorized to approve such items as procedures & procedure changes, station mods, TS amendments & reportable events. TUCKMAN, M.S. Duke Power Co. 95/06/29 Document Control Branch (Document Control Desk) 5pp 84796 287-84796 352

9507240118 Proposed tech specs re mgt positions authorized to approve such items as procedures & procedure changes, station mods, TS amendments & reportable events. Duke Power Co. 95/06/29 5pp 84796 292-84796 295

9507240123 "DPC TR CA Program" Duke Power Co. 95/06/29 58pp 84796 297-84796 352

9507060283 Clarifies use of methodologies needed primarily for reanalysis of main steam lines in conjunction w/steam generator replacement. TUCKMAN, M.S. Duke Power Co. 95/06/30 Document Control Branch (Document Control Desk) 7pp 84617 058-84617 066

9507130044 Solicits an interpretation from NRC Office of General Counsel, clarifying Agreement State jurisdiction over onsite "disposal" of low activity sludges at NPP. BROWN, J.H. North Carolina, State of 95/07/09 BANGART, R.L. Office of State Programs (Post 911117) 2pp 84857 225-84857 230

9507130084 Informs NRC of intention to extend current committed date of 950718 for closure of GL 89-10 program to 950930. MCMEERIN, T.C. Duke Power Co. 95/07/08 Document Control Branch (Document Control Desk) 3pp 84692 359-84692 361

9507120325 Requests for addl info re seismic analysis methodology for McGuire Nuclear Station units 1 & 2 & Catawba Nuclear Station units 1 & 2. Requests response within 30 days. MARTIN, R.E. 95/07/06 TUCKMAN, M.S. Duke Power Co. 6pp 84631 305-84631 310

9507120621 Forwards comments on draft NPOES permit NO024352 for plant, MCMEERIN, T.C. Duke Power Co. 95/07/06 Document Control Branch (Document Control Desk) 14pp 84686 001-84686 014

9507120613 Confirms telcon between J Snyder & NRC staff on 950707 concerning mgt meeting to be conducted at Region III office to discuss recent emergency diesel generator turbo charger failure at plant. CRLENIAK, R.V. Region 2 (Post 820201) 95/07/11 MCMEERIN, T.C. Duke Power Co. 3pp 84796 016-84796 018

9507130086 Rev 3 to "MNS Selected Licensee Comments Manual" Rev changes standby shutdown sys testing requirements for standby makeup pump water supply boron concentration (BC) in storage pool w/ encl specified in COLR. CRANE, K.L. Duke Power Co. 95/07/13 6pp 84880 222-84880 230

9507120283 Forwards SE accepting licensee 940518 request for approval of proposed integrated surveillance program for plant reactor vessel mats to share surveillance data from plant. NERGES, V. 95/07/17 MCMEERIN, T.C. Duke Power Co. 3pp 84754 039-84754 045

9507120305 Safety evaluation accepting licensee request for approval of proposed integrated surveillance program for plant reactor vessel mats to share surveillance data from plant. Office of Nuclear Reactor Regulation (Post 941001) 95/07/17 5pp 84754 042-84754 048

9507240249 Notification of 950727-28 w/Duke Power, Catawba & McGuire Nuclear Stations to discuss staff's review of licensee's proposal for use of alternative seismic analysis methodologies developed. MARTIN, R.E. 95/07/20 BERKOW, J.H. 4pp 84824 298-84824 289

9507130073 Provides addl info re decay heat base for storage of higher enriched fuel in McGuire Nuclear Station, as discussed during 950717 telcon. Addl info requested on HXs not yet available. TUCKMAN, M.S. Duke Power Co. 95/07/21 Document Control Branch (Document Control Desk) 6pp 84903 316-84903 321

9507130034 RAJ re rev 1 to DPC-NE-3002, "FSAR Chapter 15 Sys Transients Analysis Methodology" for stated plants. MARTIN, R.E. 95/07/25 TUCKMAN, M.S. Duke Power Co. 6pp 84868 336-84868 340

Q. Inspection reports, 16. Bulletins & correspondence

9507060040 Forwards response to NRC 950518 re re violations noted in insp repts 50-369/95-10-01 & 50-370/95-10-01. Corrective actions container was inventoried to account for all documents. MCMEERIN, T.C. Duke Power Co. 95/06/15 Document Control Branch (Document Control Desk) 6pp 84558 348-84558 353

9507120133 Ack receipt of 950509 re informing NRC of steps taken to correct violations noted in insp repts 50-369/95-08 & 50-370/95-08 on 950510. CASTO, G.A. Region 2 (Post 820201) 95/06/21 MCMEERIN, T.C. Duke Power Co. 2pp 84578 001-84578 002

9507140329 Forwards insp repts 50-369/95-13 & 50-370/95-13 on 950430-0603 & notices of violation & deviation. CRLENIAK, R.V. Region 2 (Post 820201) 95/06/30 MCMEERIN, T.C. Duke Power Co. 3pp 84760 292-84760 213

9507140332 Notice of violation from insp on 950430-0603. Violation noted mod NSM-522B8 to CR ventilation/chilled water sys valves did not take into consideration effects of increased SW flows on sys reliability when valves fully open. Region 2 (Post 820201) 95/06/30 1p 84760 295-84760 295

9507140333 Notice of deviation from insp on 950430-0603. Deviation noted NRC/FERC dam insp conducted 941114-16 revealed that earthen berm did not extend entire length of dam, undermining approx 80 ft short of north end of dam. Region 2 (Post 820201) 95/06/30 1p 84760 298-84760 298

9507140335 Insp repts 50-369/95-13 & 50-370/95-13 on 950430-0603. Violation & deviation noted Major areas inspected plant operations, maint, engineering & plant support. MAXWELL, G.F., CRLENIAK, R.V. Region 2 (Post 820201) 95/06/30 17pp 84780 297-84780 313

9507170823 Adverses licensee of results of plant performance review & more recent reviews completed by NRC staff. Forwards NRC revised map plans for remainder of SALP period.
MERSCHOFF, E.W. Region 2 (Post 820201) 95/06/30 MCMEEKIN, T.C. Duke Power Co 3pp 84650 344-84650 348

9507170828 Discusses 950628 in which requested NRC to exercise discretion not to enforce compliance w/ action required in TS actions 3.8.1.1 f & 3.7.1.2 b for plant EBNETER, S.D. Region 2 (Post 820201) 95/06/30 MCMEEKIN, T.C. Duke Power Co 4pp 84650 348-84650 352

9507170886 Forwards response to NRC 950510 in re violations noted in map repts 50-369/95-06 & 50-370/95-06. Corrective actions corrected thrust calculations for 1CA0050 & 2CA0054.
MCMEEKIN, T.C. Duke Power Co 95/07/12 Document Control Branch (Document Control Desk) 3pp 84778 271-84778 273

9507170844 Forwards response to NRC 950620 in re violation & deviation noted in map repts 50-368/95-13 & 50-370/95-13 C/A. performed engineering tests & calculations immediately to characterize Train A YC chiller performance.
MCMEEKIN, T.C. Duke Power Co 95/07/19 Document Control Branch (Document Control Desk) 4pp 84875 358-84875 361

R. Periodic operating reports & related correspondence

9507208189 Forwards monthly operating rept for June 1995 & revised monthly operating rept for May 1995 for McGuire Nuclear Station.
WEBER, R.L. Duke Power Co 95/07/14 Document Control Branch (Document Control Desk) 2pp 84778 317-84778 329

9507208112 Monthly operating rept for June 1995 for McGuire Nuclear Station.
WILLIAMS, R.A. Duke Power Co 95/06/30 10pp 84779 318-84779 325

9507208184 Revised monthly operating rept for May 1995 for McGuire Nuclear Station.
Duke Power Co 95/05/31 1p 84779 329-84779 329

S. Reportable occurrences, LLRs & related correspondence

9507120042 PHO-8-95-038 on 950628 all four EDG had been declared inoperable. Caused by installation of inappropriate diffuser plate in EDG turbochargers. State of NC has been notified.
CARROLL, R. Region 2 (Post 820201) 95/06/28 1p 84575 058-84575 058

9507128038 PHO-8-95-038A update informing that all completed shutdown of Unit 1 IAW TS for inoperable EDG & mode to 2B EDG on 850628 EDG has been declared operable & licensee plans to complete repairs to 2A EDG & return to svc early on 950630.
CARROLL, R. Region 2 (Post 820201) 95/06/29 1p 84574 288-84574 290

9507118098 Part 21 rept re two failures of Model YTR 500 turbochargers supplied by ABB Turbo Systems Ltd. Failure of turbocharger renders associated EDG incapable of providing rated output. Seventeen hole jet assist wall plates replaced.
MCMEEKIN, T.C. Duke Power Co 95/07/08 Document Control Branch (Document Control Desk) 4pp 84682 047-84682 054

9507178325 Special rept 95-002 on 950612 turbocharger failed, as detected by excessive noise & vibration. Engine subsequently secured. Damaged components replaced & DG 2A returned to operable status.
MCMEEKIN, T.C. Duke Power Co 95/07/12 Document Control Branch (Document Control Desk) 3pp 84775 359-84775 361

9507103222 Part 21 rept re potential defect in Lindorque SWS/88/88D-00 actuators. Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related tests.
HYLTON, C.L. Lindorque Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 169-84815 195

DOCKET 80-370 WILLIAM B. NICOLLE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507080228 Forwards plant operational safeguards response evaluation, per 10CFR70.21 to be withheld from public disclosure w/o and
SPESARD, J.L. 95/06/27 MCMEEKIN, T.C. Duke Power Co 2pp 84595 277-84595 278

9507078183 Forwards rev 1 to Duke Power Co Nuclear Security & Contingency Plan per 10CFR50.54(a) and withheld.
TUCKMAN, M.S. Duke Power Co 95/06/27 Document Control Branch (Document Control Desk) 2pp 84622 343-84622 344

950718144 Forwards public version of EPIPs including RP/0/A/5700/01, RP/0/A/5700/02, RP/0/A/5700/03, RP/0/A/5700/04, RP/0/A/5700/10, RP/0/A/5700/14, RP/0/A/5700/15, RP/0/A/5700/16, RP/0/A/5700/18 & OP/0/A/6200/30 & Index, Pages 1 & 2 W/ 950719 release to
MCMEEKIN, T.C. Duke Power Co 95/06/28 Document Control Branch (Document Control Desk) 3pp 84753 032-84753 039

9507201148 Public version of EPIPs including RP/0/A/5700/01, RP/0/A/5700/02, RP/0/A/5700/03, RP/0/A/5700/04, RP/0/A/5700/10, RP/0/A/5700/14, RP/0/A/5700/15, RP/0/A/5700/16, RP/0/A/5700/18 & OP/0/A/6200/30 & Index, Pages 1 & 2.
DOLAN, B. Duke Power Co 95/06/28 30pp 84753 035-84753 039

9507170844 Ack receipt of 950819 in forwarding scenario package for plant emergency exercise. Submittals meet requirements for partial participation exercise scheduled for 950809.
BARR, K.P. Region 2 (Post 820201) 95/07/10 MCMEEKIN, T.C. Duke Power Co 3pp 84650 327-84650 329

K. Utility Final Safety Analysis Report (FSAR) & amendments

9507120886 "1994 McGuire Nuclear Station Final Safety Analysis Rept." W/950706 in
MCMEEKIN, T.C. Duke Power Co 95/01/12 2184pp 84705 001-84710 111

P. Operating license stage documents & correspondence

9507060140 Submits suppl info re 950208 proposed TS concerning 4 kV loss of voltage & degraded voltage conditions tables 3.3.3, 3.9.4.3.3.5 & 4.9-2.
MCMEEKIN, T.C. Duke Power Co 95/08/14 Document Control Branch (Document Control Desk) 6pp 84583 328-84583 341

9507060158 Proposed tech specs re 4 kV loss of voltage & degraded voltage conditions tables 3.3.3, 3.9.4.3.3.5 & 4.9-2.
Duke Power Co 95/06/14 6pp 84583 334-84583 341

9507060106 Informs that add audit not necessary to accept util use of revised CROV code. Proposed changes to Administrative Controls section of each plant TS must be submitted in order to include util use of revised code as methodology.
BERKOW, H.N. 95/06/18 TUCKMAN, M.S. Duke Power Co 4pp 84511 281-84511 284

9507060223 Discusses use of alternative pressure test requirement (Code Case N-418-1) for welded installation of Valve 118-158.
MCMEEKIN, T.C. Duke Power Co 95/08/19 Document Control Branch (Document Control Desk) 4pp 84589 345-84589 347

9507060294 Forwards util response to GL 95-03 re circumferential cracking of SG tubes.
TUCKMAN, M.S. Duke Power Co 95/06/27 Document Control Branch (Document Control Desk) 14pp 84570 115-84570 128

9506280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRANES, K. 95/06/28 Consolidated Edison Co of New York, Inc 10pp 84518 259-84518 268

9507060387 Forwards analyses & technical info supporting discretionary enforcement action.
MCMEEKIN, T.C. Duke Power Co 95/06/29 Document Control Branch (Document Control Desk) 7pp 84589 311-84589 323

9507060388 Proposed tech specs re discretionary enforcement for EDG turbocharger failures.
Duke Power Co 95/06/29 6pp 84589 318-84589 323

9507240112 Application for amendments to licensee DPR-36, DPR-47, DPR-65, NPF-9 NPF-17, NPF-35 & NPF-82 re mgmt positions authorized to approve such items as procedures & procedure changes, station mode, TS amendments & reportable events.
TUCKMAN, M.S. Duke Power Co 95/06/28 Document Control Branch (Document Control Desk) 5pp 84785 287-84785 352

9507240118 Proposed tech specs re mgmt positions authorized to approve such items as procedures & procedure changes, station mode, TS amendments & reportable events.
Duke Power Co 95/06/29 5pp 84786 292-84786 298

9507240123 "DPC TR QA Program"
Duke Power Co 95/06/29 6pp 84786 297-84786 302

9507060253 Clarifies use of methodologies needed primarily for reanalysis of main steam lines in conjunction w/steam generator replacement.
TUCKMAN, M.S. Duke Power Co 95/06/30 Document Control Branch (Document Control Desk) 7pp 84617 069-84617 096

9507100044 Solicits an interpretation from NRC Office of General Counsel, clarifying Agreement State jurisdiction over onsite "disposal" of low activity sludges at NPP.
BROWN, D.H. North Carolina, State of 95/07/03 BANGART, R.L. Office of State Programs (Post 911117) 2pp 84567 229-84567 230

9507100884 Informs NRC of intention to extend current committed date of 950718 for closure of GL 89-10 program to 850630.
MCMEEKIN, T.C. Duke Power Co 95/07/06 Document Control Branch (Document Control Desk) 3pp 84682 358-84682 361

9507120325 Requests for add info re seismic analysis methodology for McGuire Nuclear Station, units 1 & 2 & Catawba Nuclear Station, units 1 & 2. Requests response within 30 days.
MARTINE, J. 95/07/06 TUCKMAN, M.S. Duke Power Co 6pp 84631 305-84631 310

9507130021 Forwards comments on draft NPDES permit MC0024382 for plant.
MCMEEKIN, T.C. Duke Power Co 95/07/06 Document Control Branch (Document Control Desk) 14pp 84686 001-84686 014

9507200812 Confirms telcon between J Snyder & NRC staff on 950707 concerning mgmt meeting to be conducted at Region III office to discuss recent emergency diesel generator turbo charger failures at plant.
GULENIAK, R. Region 2 (Post 820201) 95/07/11 MCMEEKIN, T.C. Duke Power Co 4pp 84738 016-84738 018

9507300006 Rev 3 to "NWS Selected Licensee Commitments Manual" Rev changes standby shutdown sys testing requirements for standby makeup pump water supply boron concentration (BC) in storage pool then BC specified in COLR.
GRANES, K.L. Duke Power Co 95/07/13 3pp 84686 222-84686 230

9507240048 Notification of 950727-28 w/Duke Power, Catawba & McGuire Nuclear Stations to discuss staff's review of licensee's proposal for use of alternative seismic analysis methodologies developed.
MARTINE, J. 95/07/20 BERKOW, H.N. 4pp 84824 298-84824 299

9507280094 Forwards Rev 4 to MGR-0400-47, "McGuire Unit 2 Cycle 10 COLR" per TS 6.8.1.6 Rev updates Figure 2 to indicate max fully withdrawn position for control banks 231 SWD.
CANADY, K.S. Duke Power Co 95/07/20 Document Control Branch (Document Control Desk) 1p 84528 164-84528 168

94 DOCKETED ITEMS

9507250096 Rev 4 to "McGuire Unit 2 Cycle 10 OCLR"
GIBBY/SK Duke Power Co. MCEI-0400-47 R04 95/07/20 App 84828 185-84828 168

9507310871 Provides addl info re decay heat bases for storage of higher enriched fuel in McGuire Nuclear Station; discussed during 950717 telcon. Addl info requested on HGRs not yet available.
TUCKMAN/M.S. Duke Power Co. 95/07/21 Document Control Branch (Document Control Desk) App 84903 315-84903 321

9507310834 RAI re rev 1 to OPC-NE-3002, "FSAR Chapter 15 Sys Transient Analysis Methodology," for stated plants.
MARTIN/RE 95/07/25 TUCKMAN/M.S. Duke Power Co. App 84668 335-84668 340

Q. Inspection reports, IE Bulletins & correspondence

9507030040 Forwards response to NRC 950518 re re violations noted in insp repts 50-369/95-01 & 50-370/95-01. Corrective actions: container was inventoried to account for all documents.
MCMEIKIN/T.C. Duke Power Co. 95/06/15 Document Control Branch (Document Control Desk) App 84558 348-84558 353

9507120115 Ack receipt of 950609 re informing NRC of steps taken to correct violations noted in insp repts 50-369/95-01 & 50-370/95-01 on 950510.
CASTO/C.A. Region 2 (Post 820201) 95/06/21 MCMEIKIN/T.C. Duke Power Co. App 84576 001-84576 002

9507120205 Responds to lt of 950614, accepting delay in implementation schedule for plant until EOC-16 outage start Nov 1996 by IE Bulletin B0-04.
WERNER/L.A. 95/06/30 HAMPTON/L.W. Duke Power Co. App 84631 275-84631 280

9507140329 Forwards insp repts 50-369/95-13 & 50-370/95-13 on 950430-0603 & notices of violation & deviation.
ORLENIAK/R.V. Region 2 (Post 820201) 95/06/30 MCMEIKIN/T.C. Duke Power Co. App 84760 292-84760 313

9507140332 Notice of violation from insp on 950430-0603 Violation noted mod 16S14-52258 re CR ventilation/cooled water sys valves did not take into consideration effects of increased SIV flows on sys reliability when valves fully open.
Region 2 (Post 820201) 95/06/30 1p 84760 295-84760 295

9507140333 Notice of deviation from insp on 950430-0603 Deviation noted NRC/FERC dam insp conducted 941114-16 revealed that earthen berm did not extend entire length of dam, terminating approx 20 ft short of north end of dam.
Region 2 (Post 820201) 95/06/30 1p 84760 298-84760 298

9507140335 Insp repts 50-369/95-13 & 50-370/95-13 on 950430-0603 Violation & deviation noted. Major areas inspected: plant operations, maintenance & plant support.
MAXWELL/G.F. ORLENIAK/R.V. Region 2 (Post 820201) 95/06/30 17pp 84760 297-84760 313

9507170023 Advises licensee of results of plant performance review & more recent reviews completed by NRC staff. Forwards NRC revised insp plans for remainder of SAMP period.
MERSCHOFF/E.W. Region 2 (Post 820201) 95/06/30 MCMEIKIN/T.C. Duke Power Co. App 84650 344-84650 348

9507170028 Discusses 950628 re which requested NRC to discontinue discussion not to enforce compliance w/action required in TS actions 3.8.1.1 & 3.7.1.2 b for plant.
EBNETER/S.D. Region 2 (Post 820201) 95/06/30 MCMEIKIN/T.C. Duke Power Co. App 84650 349-84650 352

9507170035 Forwards responses to NRC 950510 re re violations noted in insp repts 50-369/95-06 & 50-370/95-06. Corrective actions: corrected thrust calculations for 1CA0050 & 2CA0054.
MCMEIKIN/T.C. Duke Power Co. 95/07/12 Document Control Branch (Document Control Desk) App 84776 271-84776 273

9507200044 Forwards responses on 950630 re re violation & deviation noted in insp repts 50-369/95-13 & 50-370/95-13. C/A performed engineering tests & calculations immediately to characterize Trip A YC chiller performance.
MCMEIKIN/T.C. Duke Power Co. 95/07/19 Document Control Branch (Document Control Desk) App 84875 958-84875 961

R. Periodic operating reports & related correspondence

9507200188 Forwards monthly operating repts for June 1995 & revised monthly operating repts for May 1995 for McGuire Nuclear Station.
WEBER/L.R. Duke Power Co. 95/07/14 Document Control Branch (Document Control Desk) App 84779 317-84779 329

9507200112 Monthly operating repts for June 1995 for McGuire Nuclear Station.
WILLIAMS/R.A. Duke Power Co. 95/06/30 10pp 84779 319-84779 328

9507200184 Revised monthly operating repts for May 1995 for McGuire Nuclear Station.
Duke Power Co. 95/06/31 1p 84779 329-84779 329

S. Reportable occurrences, LERs & related correspondence

9507120042 PNO-02-038 on 950628, all four EDG had been declared inoperable. Caused by installation of inappropriate diffuser plant in EDG turbochargers. State of NC has been notified.
CARROLL/R. Region 2 (Post 820201) 95/06/28 1p 84575 058-84575 058

9507120036 PNO-02-038A Update informing that all completed shutdown of Unit 1 IAW TS for inoperable EDG & mode to 2B EDG on 950629 EDG has been declared operable & licensee plans to complete repairs to 2A EDG & return to svc early on 950630.
CARROLL/R. Region 2 (Post 820201) 95/06/29 1p 84574 280-84574 280

9507180086 Part 21 re two failures of Model VTR 500 turbochargers supplied by ABB Turbo Systems Ltd. Failure of turbocharger renders associated EDG incapable of providing rated output. Seventeen hole jet assist wall plates replaced.
MCMEIKIN/T.C. Duke Power Co. 95/07/03 Document Control Branch (Document Control Desk) App 84882 047-84882 054

9507180322 Part 21 re potential defect in Lemarque SAG/SG/SGD-00 actuators. Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related sys.
HYLTON/C.L. Lemarque Corp. 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 163-84815 199

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507050004 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101.
VONK/M.J. Commonwealth Edison Co. 95/06/19 Document Control Branch (Document Control Desk) 20pp 84558 336-84558 355

9507070072 Revised EPIPs, including L2P index & Rev 55 to L2P-1920-1 "Augments top of Plant Staffing".
Commonwealth Edison Co. 95/06/19 27pp 84579 322-84579 348

9507200111 Forwards alt revised EP EALS.
VONK/M.J. Commonwealth Edison Co. 95/07/19 Document Control Branch (Document Control Desk) 20pp 84625 001-84625 200

9507250152 Rev 6 to EPIP L2P-1170-2, "Assembly & Accountability of Personnel," & revised index.
Commonwealth Edison Co. 95/07/18 18pp 84625 257-84625 274

9507260058 Submits supplementary response to Comm Ed 950608 response to NRC 950602 RAI re proposed use of Corporate EOP as interim EOP.
JOHNSON/I.M. Commonwealth Edison Co. 95/07/21 Office of Nuclear Reactor Regulation (Post 841001) App 84816 358-84816 357

P. Operating license stage documents & correspondence

9506250082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GENES/G.G. 95/06/29 Consolidated Edison Co. of New York, Inc. 10pp 84518 259-84518 266

9507060036 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NPSR-0111 "BWR Transient Analysis Methods". Release of info statement should not have been included in LTR since no proprietary info contained within LTR.
GENES/G.G. Commonwealth Edison Co. 95/06/30 Document Control Branch (Document Control Desk) 1p 84632 315-84632 315

9507060038 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NPSR-0111 "BWR Transient Analysis Methods". Release of info statement should not have been included in LTR since no proprietary info contained within LTR.
GENES/G.G. Commonwealth Edison Co. 95/06/30 Document Control Branch (Document Control Desk) 1p 84589 001-84589 257

9507070041 Forwards Rev 0 to Licensing Topical Rept (LTR) NPSR-0111, "BWR Transient Analysis Methods". Requests NRC approval of LTR by issuance of SER prior to June 1996.
GENES/G.G. Commonwealth Edison Co. 95/06/29 Document Control Branch (Document Control Desk) 1p 84589 002-84589 002

9507070033 "BWR Transient Analysis Methods".
FREEMAN/L.M. Commonwealth Edison Co. NPSR-0111 R00 95/06/29 20pp 84599 003-84599 257

9507120086 Ack receipt for 10CFR50.54(a) submitted 950517 incorporating changes in QA program description topical repts.
RING/M.A. Region 3 (Post 820201) 95/07/11 KODACH/T.J. Commonwealth Edison Co. App 84732 312-84732 313

9507200112 Requests that ref GE Ir repts be considered for Cost Beneficial Licensing Action. Mislocated fuel bundle event will most likely become most limiting event on upcoming cycles if cycle lengths increased.
GENES/G.G. Commonwealth Edison Co. 95/07/20 Document Control Branch (Document Control Desk) 2pp 84826 333-84826 334

9507200079 Summary of 950518 meeting w/IES, WPPSS & CP&L in Rockville, MD to address proposed unit tests of Damaged Line Burners including test configurations for dummy modules, schedules & test details. List of participants, et al. enclosed.
KELLY/S.B. 95/07/20 30pp 84831 217-84831 246

Q. Inspection reports, IE Bulletins & correspondence

9507180025 Comment on "NRC Insp Repts, Review of Contents, Format & Style." Quality factors should be applied to insps which mirror performance based regulatory goals.
FARRAR/D.L. Commonwealth Edison Co. 95/06/29 Document Control Branch (Document Control Desk) 11pp 84557 063-84557 073

9507180187 Forwards insp repts 50-373/95-04 & 50-374/95-04 on 950325-0511 & forwards notice of violation.
CLAYTON/B. Region 3 (Post 820201) 95/06/30 QUERO/J.R.E. Commonwealth Edison Co. App 84781 285-84781 317

9507180134 Notice of violation from insp on 950325-0511 Violation noted operating procedure was not appropriate to circumstances in that it did not fully specify all valves to be tagged out of svc when isolating CRD HCU.
Region 3 (Post 820201) 95/06/30 2pp 84781 288-84781 289

-9507180139 Insp repts 50-373/95-04 & 50-374/95-04 on 950325-0511 Violations noted major areas inspected plant operations, maint, engineering, plant support & licensee actions on previous insp findings
CLAYTON, B. Region 3 (Post 820201) 95/06/30 18pp 84781 300-84781 317

R. Periodic operating reports & related correspondence

9507070122 "Effluent & Waste Disposal Semi-Annual Rept (1994), from Jan-Jun 1994" W/940829 lr
RAY, D.J. Commonwealth Edison Co 94/06/30 26pp 84569 222-84568 247

9507190349 Monthly operating repts for June 1995 for LaSalle Generating Station Units 1 & 2 W/950712 lr
CALKINS, W.M., RAY, D.J. Commonwealth Edison Co 95/06/30 17pp 84785 333-84785 348

S. Reportable occurrences, LERs & related correspondence

9507060176 Special repton 950602, fire door 900 was inoperable for period greater than seven days
RAY, D.J. Commonwealth Edison Co 95/06/02 Document Control Branch (Document Control Desk) 1p 84561 188-84561 188

9507070096 LER 95-008-01 on 950315, flood protection features not as described in UFSAR due to control deficiencies Stationed operators in Unit 1 Division I & Division III CSCS-ECHS pump rooms as flood watches W/950630 lr
BLUTH, J., RAY, D.J. Commonwealth Edison Co 95/06/30 4pp 84578 303-84578 310

9507060373 Special repton 950607, Unit 1B DG started for monthly operability run & approx 10 seconds later, tripped due to operator error Equipment Operator-in-Training counseled & surveillance performed satisfactorily
RAY, D.J. Commonwealth Edison Co 95/07/07 Document Control Branch (Document Control Desk) 2pp 84631 355-84631 366

9507200076 LER 95-011-00 on 950621, noted that firewatch/compensatory measure logs showed that TS hourly fire watches frequently performed at intervals exceeding 1 hr. Caused by lack of mgt oversight. Security post orders revised W/950718 lr
VICKERS, R., RAY, D.J. Commonwealth Edison Co 95/07/18 5pp 84821 089-84821 093

V. Operator Examinations

9507180006 Informa that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003
RING, M.A. Region 3 (Post 820201) 95/07/24 LACROIX, D.G., HICED, D. Consumers Power Co. KANDAWR Cleveland Electric Illuminating Co 3pp 84919 021-84919 022

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507060304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101
VONCK, M.J. Commonwealth Edison Co 95/06/19 Document Control Branch (Document Control Desk) 20pp 84558 335-84558 355

9507070472 Revised EPIPs including LEP Index & Rev 95 to LEP-1320-1, "Augmentation of Plant Staffing"
Commonwealth Edison Co 95/06/19 27pp 84579 322-84578 348

9507250111 Forwards vtr revised EP EALs
VONCK, M.J. Commonwealth Edison Co 95/07/19 Document Control Branch (Document Control Desk) 20pp 84625 001-84625 200

9507260182 Rev 6 to EPP LEP-1170-2 "Assembly & Accountability of Personnel" & revised Index
Commonwealth Edison Co 95/07/19 18pp 84626 257-84626 274

9507260488 Submits supplementary responses to Con Ed 950806 responses to NRC 950802 RAI re proposed use of Corporate EOP as element EOP
JOHNSTON, M. Commonwealth Edison Co 95/07/21 Office of Nuclear Reactor Regulation (Post 841001) 2pp 84616 356-84616 367

P. Operating license stage documents & correspondence

9506260062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84516 259-84516 268

9507060334 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NPSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR
BENES, G.G. Commonwealth Edison Co 95/06/30 Document Control Branch (Document Control Desk) 1p 84632 315-84632 315

9507060338 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NPSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR
BENES, G.G. Commonwealth Edison Co 95/06/30 Document Control Branch (Document Control Desk) 1p 84599 001-84599 257

-9507070341 Forwards Rev 0 to Licensing Topical Rept (LTR) NPSR-0111, "BWR Transient Analysis Methods." Requests NRC approval of LTR by issuance of SER prior to June of 1996
BENES, G.G. Commonwealth Edison Co 95/06/26 Document Control Branch (Document Control Desk) 1p 84599 002-84599 002

-9507070353 "BWR Transient Analysis Methods"
FREEMAN, J.M. Commonwealth Edison Co NPSR-0111 R00 95/06/23 200pp 84599 003-84599 257

9507130298 Ack receipt for TOPR50 54(g) submittal dtd 950517, incorporating changes in QA program description topical repts
RING, M.A. Region 3 (Post 820201) 95/07/11 KOVACH, T.J. Commonwealth Edison Co 2pp 84732 312-84732 313

9507200114 Concludes that vtr 950505 submittal of core shroud insp results for LaSalle County Station Unit 2, each reflecting outage (L2RO6), adequately fulfills commitment in vtr initial response to GL 94-03
RECKLEY, W.D. 95/07/20 FARRAR, D.L. Commonwealth Edison Co 3pp 84822 353-84822 355

9507200412 Requests that ref GE tr repts be considered for Cost Beneficial Licensing Action. Requested fuel bundle event will meet likely become most limiting event on upcoming cycles if cycle lengths increased
BENES, G.G. Commonwealth Edison Co 95/07/20 Document Control Branch (Document Control Desk) 2pp 84829 333-84828 334

9507200779 Summary of 950619 meeting w/IES, WPPSS & CP&I in Rockville, MD to address proposed vtr tests of Darnett fire barriers including test configurations for dummy modules, schedules & test details. List of participants, of attend
KELLY, G.B. 95/07/20 30pp 84831 217-84831 296

Q. Inspection reports, IE Bulletins & correspondence

9507130425 Comment on "NRC Insp Repts, Review of Contents, Format & Style." Quality factors should be applied to repts which mirror performance based regulatory goals
FARRAR, D.L. Commonwealth Edison Co 95/06/29 Document Control Branch (Document Control Desk) 11pp 84557 083-84557 073

9507190127 Forwards insp repts 50-373/95-04 & 50-374/95-04 on 950325-0511 & forwards notice of violation
CLAYTON, B. Region 3 (Post 820201) 95/06/30 QUERIO, R.E. Commonwealth Edison Co 3pp 84781 295-84781 317

-9507180134 Notice of violation from insp on 950325-0511 Violation noted operating procedure was not appropriate to circumstances in that it did not fully specify all valves to be tagged out of service when isolating CRD HCU's
Region 3 (Post 820201) 95/06/30 2pp 84781 298-84781 299

-9507180138 Insp repts 50-373/95-04 & 50-374/95-04 on 950325-0511 Violations noted major areas inspected plant operations, maint, engineering, plant support & licensee actions on previous insp findings
CLAYTON, B. Region 3 (Post 820201) 95/06/30 18pp 84781 300-84781 317

9507200114 Concludes that vtr 950505 submittal of core shroud insp results for LaSalle County Station, Unit 2, each reflecting outage (L2RO6), adequately fulfills commitment in vtr initial response to GL 94-03
RECKLEY, W.D. 95/07/20 FARRAR, D.L. Commonwealth Edison Co 3pp 84822 353-84822 355

R. Periodic operating reports & related correspondence

9507070122 "Effluent & Waste Disposal Semi-Annual Rept (1994), from Jan-Jun 1994" W/940829 lr
RAY, D.J. Commonwealth Edison Co 94/06/30 26pp 84569 222-84568 247

9507190349 Monthly operating repts for June 1995 for LaSalle Generating Station Units 1 & 2 W/950712 lr
CALKINS, W.M., RAY, D.J. Commonwealth Edison Co 95/06/30 17pp 84785 333-84785 348

S. Reportable occurrences, LERs & related correspondence

9507200304 Special repton 950705, 2B DG tripped on loss of excitation due to fluctuations of VAR loading on grid
RAY, D.J. Commonwealth Edison Co 95/07/24 Document Control Branch (Document Control Desk) 1p 84878 166-84878 166

V. Operator Examinations

9507180006 Informa that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003
RING, M.A. Region 3 (Post 820201) 95/07/24 LACROIX, D.G., HICED, D. Consumers Power Co. KANDAWR Cleveland Electric Illuminating Co 3pp 84919 021-84919 022

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9507200065 Revised EPIPs including rev 8 to EP-008-020, "Emergency Preparedness Crisis & Exercises," & rev 14 change 3 to EP-002-050, "Offsite Dose Assessment" W/950721 lr
BURSKI, R. Entergy Operations, Inc 95/07/03 182pp 84854 160-84854 340

9507140035 Forwards insp repts 50-382/95-15 on 950813-16 No violations noted. Weakness noted re licensee response to fire, electrical design & maint provided for valves necessary for shutdown cooling. Actions taken re weaknesses noted in 950824 lr
CALLAN, L.J. Region 4 (Post 820201) 95/07/07 BARKHURST, R.F. Entergy Operations, Inc 5pp 84825 159-84825 191

96 DOCKETED ITEMS

9507140038 Insp rept 50-382/95-15 on 950613-16 No violations noted. Major areas inspected: procedures & representative records, interviews w/personnel & observations by inspectors.
HUEY, F.R., GWYN, L.T. Region 4 (Post 820201) 95/07/05 3pp 84625 158-84626 191

P. Operating license stage documents & correspondence

9507080442 Forwards amend 108 to license NPF-38 & safety evaluation. Amend changes App A T5s by increasing allowable maximum enrichment for spent fuel pool & containment temporary storage rack.
PATEL, C.P. 95/06/14 BARKHURST, R.P. Entergy Operations, Inc. 3pp 84540 004-84540 016

9507080449 Amend 108 to license NPF-38, changing App A T5s by increasing allowable maximum enrichment for spent fuel pool & containment temporary storage rack from 4.1 to 4.9 weight percent U-235 when fuel assemblies contain flood poisons.
PATEL, C.P. 95/06/14 3pp 84540 007-84540 011

9507080553 Safety evaluation supporting amend 108 to license NPF-38.
* Office of Nuclear Reactor Regulation (Post 941001) 95/06/14 3pp 84540 012-84540 016

9507050388 Forwards HP-CALC-93-004, "Control Room Outside Air Intake Radiation Monitor Setpoint Calculation".
BURSKI, R.F. Entergy Operations, Inc. 95/06/28 Document Control Branch (Document Control Desk) 3pp 84586 934-84586 351

9507060286 "Control Room Outside Air Intake Radiation Monitor Setpoint Calculation".
RAIMLY, E., SICARD, P.A. Entergy Operations, Inc. HP-CALC-93-004 93/06/20 7pp 84586 336-84586 351

9506280862 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29 Consolidated Edison Co. of New York, Inc. 10pp 84518 258-84518 288

9507080235 Forwards "Basement Monitoring Program Rept. 6," for May 1995.
BURSKI, R.F. Entergy Operations, Inc. 95/06/30 Document Control Branch (Document Control Desk) 3pp 84517 110-84517 115

9507080237 "Basement Monitoring Program Rept. 6".
* Entergy Operations, Inc. 95/06/31 3pp 84517 110-84517 115

9507180188 Forwards amend 109 to license NPF-38 & safety evaluation. Amend changes TS by revising Administrative Controls Section of TS for Waterford 3 by re moving functions under review & audit from TS & by relocating items in QA/M.
PATEL, C.P. 95/07/06 BARKHURST, R.P. Entergy Operations, Inc. 3pp 84886 307-84886 329

9507180211 Amend 109 to license NPF-38, changing TS by revising Administrative Controls Section of TS for Waterford 3 by re moving functions under review & audit from TS & by relocating items in QA/M.
PATEL, C.P. 95/07/06 18pp 84886 310-84886 324

9507180216 Safety evaluation supporting amend 109 to license NPF-38.
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/06 3pp 84886 325-84886 328

9507140104 Request add info needed to complete review re TS change request to use Combustion Engineering welded tube sleeves at station.
PATEL, C.P. 95/07/11 BARKHURST, R.P. Entergy Operations, Inc. 4pp 84882 286-84882 299

9507280251 Forwards EA & FONSI related to 951116 application for exemption. Proposed exemption would provide one-time interval extension for type A test from Sept 1995 to 1997 refueling outage.
PATEL, C.P. 95/07/14 BARKHURST, R.P. Entergy Operations, Inc. 3pp 84888 138-84888 142

9507280259 Environ assessment & finding of no significant impact re issuance of exemption from license NPF-38. Proposed action would provide one-time interval extension for type A test from Sept 1995 to 1997 refueling outage.
PATEL, C.P. 95/07/14 4pp 84888 139-84888 142

9507280182 Submits suppl info re TS Change Request NPF-38-150, replacing pages previously provided in Attachment B of TS Change Request NPF-38-150 dtd 9/02/14 to update TS consistent w/ revised regulations of 10CFR20 per conversation w/NRC.
BURSKI, R.F. Entergy Operations, Inc. 95/07/25 Document Control Branch (Document Control Desk) 3pp 84875 247-84875 255

9507280186 Proposed tech specs consistent w/ revised regulations of 10CFR20.
* Entergy Operations, Inc. 95/07/25 3pp 84875 250-84875 255

9507280184 Suppl to TS Change Request NPF-38-160 to License NPF-38, revising TS SRs 4.4.2, 4.4.2.2 & 4.7.1.1 to include as left setting requirement for pressurizer & main steam line code safety valves consistent w/ revised C-E STS (NUREG-1432).
BURSKI, R.F. Entergy Operations, Inc. 95/07/25 Document Control Branch (Document Control Desk) 3pp 84875 256-84875 263

9507280188 Proposed TS SRs incorporating as left setting requirement for pressurizer & main steam line code safety valves.
* Entergy Operations, Inc. 95/07/26 3pp 84875 259-84875 263

9507280189 TS Change Request NPF-38-168 to License NPF-38, modifying TS 3.5.2 to allow up to seven days to restore low pressure safety injection pump operability.
BARKHURST, R.P. Entergy Operations, Inc. 95/07/26 Document Control Branch (Document Control Desk) 3pp 84875 264-84875 278

9507280281 Proposed Tech Specs 3.5.2, allowing up to seven days to restore low pressure safety injection pump operability.
* Entergy Operations, Inc. 95/07/26 7pp 84875 272-84875 278

9507280283 TS Change Request NPF-38-167 to license NPF-38, incorporating provisions into TS 3.9.4, allowing containment PAL & equipment doors in containment bldg to be open under strict administrative controls during core alterations.
BARKHURST, R.P. Entergy Operations, Inc. 95/07/26 Document Control Branch (Document Control Desk) 15pp 84875 279-84875 300

9507280284 Proposed Tech Specs 3.9.4, allowing containment PAL & equipment doors in containment bldg to be open under strict administrative controls during core alterations or movement of irradiated fuel.
* Entergy Operations, Inc. 95/07/26 7pp 84875 284-84875 300

9507280287 TS Change Request NPF-38-169 to License NPF-38, modifying TS 3.8.1.1 & associated bases by extending EDG allowed outage time from 72 h to seven days w/ add once-per-refueling cycle 10 day ADT for maint purposes.
BARKHURST, R.P. Entergy Operations, Inc. 95/07/26 Document Control Branch (Document Control Desk) 3pp 84802 101-84802 114

9507280289 Proposed Tech Specs 3.8.1.1 & associated bases, extending EDG allowed outage time from 72 h to seven days w/ add once-per-refueling cycle 10 day ADT for maint purposes.
* Entergy Operations, Inc. 95/07/26 3pp 84802 110-84802 114

9507280229 TS Change Request NPF-38-170 to License NPF-38, modifying TS 3.6.1 to allow up to 24 h to restore safety injection tank (SIT) operability if SIT inoperable due to level &/or pressure outside prescribed limits.
BARKHURST, R.P. Entergy Operations, Inc. 95/07/26 Document Control Branch (Document Control Desk) 3pp 84802 115-84802 130

9507280248 Proposed Tech Specs 3.6.1 re safety injection tank operability.
* Entergy Operations, Inc. 95/07/26 3pp 84802 124-84802 130

9507310153 Application for amend to license NPF-38, requesting changes to Bases 3/4.2.2, depressurization & cooling sys, Bases 3/4.7.1.2, EPWS & Bases 3/4.8 electrical power sys.
BURSKI, R.F. Entergy Operations, Inc. 95/07/26 Document Control Branch (Document Control Desk) 3pp 84803 163-84803 173

9507310154 Proposed tech specs Bases 3/4.2.2, depressurization & cooling sys, Bases 3/4.7.1.2, EPWS & Bases 3/4.8 electrical power sys.
* Entergy Operations, Inc. 95/07/26 3pp 84803 168-84803 173

Q. Inspection reports, IE Bulletins & correspondence

9507120173 Notices of closure of investigation case numbers 4-92-031 & 4-94-16 re concern that QA records had been falsified.
BEACH, J.B. Region 4 (Post 820201) 95/03/13 BARKHURST, R.P. Entergy Operations, Inc. 3pp 84578 045-84578 049

9507310158 Discusses 950628 Public BALP meeting re results of BALP Cycle 15 assessment of NRC map rept 50-382/95-59.
DYER, J.L. Region 4 (Post 820201) 95/06/21 BARKHURST, R.P. Entergy Operations, Inc. 3pp 84843 129-84843 169

9507100828 Comments on proposed rule re, "Review of NRC Insp Rept Content, Format & Style".
* Entergy Operations, Inc. 95/06/29 MEYERS, D. Rules & Directives Review Branch (Post 820201) 3pp 84857 074-84857 078

9507070228 Submits response to violations noted in Insp Rept 50-382/95-04 Procedure UNT-005-D13 will be revised to provide guidance explaining purpose of compensatory measure of recording hourly containment fan cooler intake temps.
BURSKI, R.F. Entergy Operations, Inc. 95/07/05 Document Control Branch (Document Control Desk) 3pp 84818 333-84818 337

9507140035 Forwards insp rept 50-382/95-15 on 950613-16 No violations noted. Weakness noted re licensee response to fire, electrical design & maint provided for valves necessary for shutdown cooling. Actions taken re weakness noted in 950624.
CALLAN, L.J. Region 4 (Post 820201) 95/07/07 BARKHURST, R.P. Entergy Operations, Inc. 3pp 84625 183-84625 191

9507140038 Insp rept 50-382/95-15 on 950613-16 No violations noted. Major areas inspected: procedures & representative records, interviews w/personnel & observations by inspectors.
HUEY, F.R., GWYN, L.T. Region 4 (Post 820201) 95/07/05 3pp 84525 158-84525 181

9507170051 Forwards insp rept 50-382/95-05 on 950430-0610 & NOV improper storage of scaffold boards & health physics storage lockers in RAB had potential to prevent remote operation of PP valve & CCW valve.
DYER, J.L. Region 4 (Post 820201) 95/07/10 BARKHURST, R.P. Entergy Operations, Inc. 3pp 84758 234-84758 236

9507170055 Notice of violation from insp on 950430-0610 Violation noted mechanics failed to sufficiently lubricate motor-40- pump coupling on containment spray pump B.
* Region 4 (Post 820201) 95/07/10 2pp 84755 260-84755 261

9507170057 Insp rept 50-382/95-05 on 950430-0610 Violation noted Major areas inspected: plant status, operations, maintenance & surveillance observations, balance of plant, support activities, crane engineering & corrective action followup.
VANDENBURGH, C. Region 4 (Post 820201) 95/07/07 24pp 84755 262-84755 285

9507240005 Response to 950519 re insp 50-382/95-13 & NOV Determined that examples 3.4.5 & 3 of violation 952/9513-03 should not have been included in NOV & informed that review of corrective actions will be conducted during future insp.
GWYN, L.T. Region 4 (Post 820201) 95/07/14 BARKHURST, R.P. Entergy Operations, Inc. 3pp 84751 029-84751 033

9507310156 Response to BALP rept for period of 951031-950429 Licensee recognizes effort & resources expended in overall performance assessment process.
BARKHURST, R.P. Entergy Operations, Inc. 95/07/19 CALLAN, L.J. Region 4 (Post 820201) 8pp 84821 133-84821 229

R. Periodic operating reports & related correspondence

9507190031 Monthly operating rept for June 1995 for Waterford 3 W/950714 by FREEMAN, S., BURSKI, R.F. Entergy Operations, Inc. 95/08/30 7pp 84790 247-84790 253

S. Reportable occurrences, LERs & related correspondence

- 8507100358 Summary of operating reactors events meeting 95-10 on 950621 List of attendees, significant elements of discussed events & reactor stream statistics and CHAPPEE, J.E. 95/06/27. 6 PAGES, B.K. 25pp. 84588-285-84588-289
- 9507110123 Special Rept. SR-94-001-01 on 940628 & 0802, EDG A experienced normal failures due to worn mechanical governor parts. Mechanical governor & faulty relay replaced & procedure OP-009-02 "EDG" revised. KEUTER, D.R. Entergy Operations, Inc. 95/07/07. Document Control Branch (Document Control Desk). 5pp. 84695-001-84695-005
- 9507110182 LER 95-002-00 on 950610, C phase lightning arrester on substation transformer & RT occurred due to low departure from nucleate boiling ratio. Extinguished fire & placed plant in safe condition 95/07/07 for. VINCI, D.W., KEUTER, D.R. Entergy Operations, Inc. 95/07/07. 19pp. 84652-018-84652-037
- 9507110222 Part 21 repl re potential defect in Lindorqua SAG/SG/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Lindorqua Corp. 95/07/12. Document Control Branch (Document Control Desk). 9pp. 84815-169-84815-186
- 9507201117 PNO-IV-95-032 on 950720, offsite chemical release occurred at Koch Industries facility. Caused by flare extinguished & created airborne chemical health hazard. Resident inspector continues to monitor event. FORD, J.E., PNO, G. Region 4 (Post 820201). 95/07/20. 2pp. 84814-355-84814-356
- 9507280127 LER 95-003-00 on 950612, identified that as-found set pressures of valves outside of allowable tolerance. Cause believed to be due to inadequate control of variables in pre-installation process. Procedure revised. W/850721 for. HOFFMAN, J.G., KEUTER, D.R. Entergy Operations, Inc. 95/07/21. 8pp. 84832-031-84832-038

DOCKET 58-357 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

- 9507050247 Advances that 850214 Rev HH to physical security plan consistent w/provisions of 10CFR50.54(a) & acceptable for inclusion in plan. JOYNER, J.H. Region 1 (Post 820201). 95/06/21. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84570-274-84570-276
- 9507180082 Summarizes 950516 mtg meeting re upl upcoming full participation emergency preparedness exercise, corrective actions taken for area failures & action plan w/copy of meeting notice and. JOYNER, J.H. Region 1 (Post 820201). 95/07/07. BYRAM, R.G. Pennsylvania Power & Light Co. 5pp. 84785-245-84785-248
- 9507170334 Documents response to verbal questions from NRC on upl move of EOF to Northeast Division Headquarters. BYRAM, R.G. Pennsylvania Power & Light Co. 95/07/10. Document Control Branch (Document Control Desk). 2pp. 84772-368-84772-369

K. USRB Final Safety Analysis Report (FSAR) & amendments

- 9507070282 Corrections to Rev 48 to FSAR for Susquehanna SES Units 1 & 2. Pennsylvania Power & Light Co. 95/06/07. 151pp. 84822-120-84822-270

P. Operating license stage documents & correspondence

- 9507060044 Forwards amends 147 & 117 to licenses NPF-14 & NPF-22, respectively & SE-Amends delete from TS surveillance & operability requirements for chlorine detection & associated bases. POSLUSNY, C. Project Directorate I-2 (PD1-2) Post 941001. 95/06/19. BYRAM, R.G. Pennsylvania Power & Light Co. 8pp. 84518-145-84518-160
- 9507030056 Amends 147 & 117 to licenses NPF-14 & NPF-22, respectively, deleting from TS surveillance & operability requirements for chlorine detection & associated bases. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/19. 10pp. 84518-148-84518-157
- 9507060062 Safety evaluation supporting amends 147 & 117 to licenses NPF-14 & NPF-22, respectively. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 3pp. 84518-158-84518-160
- 9507070006 Forwards final SE which concludes that sys used to cool spent fuel storage pool adequate to prevent unacceptable challenges to safety related sys protecting health & safety of public. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/19. BYRAM, R.G. Pennsylvania Power & Light Co. 4pp. 84540-078-84540-190
- 9507070008 Final safety evaluation concluding that sys used to cool spent fuel storage pool adequate to prevent unacceptable challenges to safety related sys needed to protect health & safety of public during design basis accidents. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 10pp. 84540-082-84540-190

- 9506280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518-259-84518-268

- 9507170184 Forwards proprietary details re NDE concerns at SES for review & follow-up. End withheld per 10CFR2.790. COOPER, R.W. Region 1 (Post 820201). 95/07/08. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84747-369-84747-369

- 9507170237 Forwards latest approved rev to NPDES Permit PA-0047325. BYRAM, R.G. Pennsylvania Power & Light Co. 95/07/10. Document Control Branch (Document Control Desk). 41pp. 84747-248-84747-268

- 9507200278 Forwards correction of breechly notice which corrects plant Unit 2 re testing of three RHR sys valves in Table 3.5.3-1 application did 950605. POSLUSNY, C. Project Directorate I-2 (PD1-2) Post 941001. 95/07/10. BYRAM, R.G. Pennsylvania Power & Light Co. 2pp. 84750-348-84750-352

- 9507200278 Correction to FR 950705 notice. Notice should read Unit 2, rather than Unit 1. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/10. 2pp. 84750-351-84750-352

- 9507180399 Forwards amends 148 & 118 to licenses NPF-14 & NPF-22, respectively & SE-Amends remove from facility unit 1 & 2 TS, response time limit table 3.3.1-2.3.3.2-3 & 3.3.3-3. POSLUSNY, C. Project Directorate I-2 (PD1-2) Post 941001. 95/07/11. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84596-190-84596-220

- 9507180318 Amends 148 & 118 to licenses NPF-14 & NPF-22, respectively, removing from TS response time limit tables 3.3.1-2.3.3.2-3 & 3.3.3-3. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/11. 24pp. 84898-199-84898-216

- 9507180322 Safety evaluation supporting amends 148 & 118 to licenses NPF-14 & NPF-22, respectively. * Office of Nuclear Reactor Regulation (Post 941001). 95/07/11. 4pp. 84698-217-84698-221

- 9507210025 Forwards info received by NRC re concerns at plant & requests results of review & disposition of matter. W/6 and. COOPER, R.W. Region 1 (Post 820201). 95/07/14. BYRAM, R.G. Pennsylvania Power & Light Co. 4pp. 84738-051-84738-054

G. Inspection reports, IE Bulletins & correspondence

- 9507100396 Forwards Insp Repts 50-387/95-15 & 50-388/95-15 on 950612. 15 No safety concerns or violations noted. JOYNER, J.H. Region 1 (Post 820201). 95/07/03. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84692-021-84692-034

- 9507180387 Insp Repts 50-387/95-15 & 50-388/95-15 on 950612-15. No violations noted. Major areas inspected: radiological controls program including external dose monitoring, control of contamination & temporary shielding criteria. RAGLAND, R.C., BORES, R.J. Region 1 (Post 820201). 95/07/03. 11pp. 84692-024-84692-034

- 9507280111 Discusses 950606 ltr in response to NRC 950509 correspondence informs that NRC does not concur w/stated disagreement re deliberate nature of recipient conduct & only info concerning personnel nature can be withheld re NOV. JOYNER, J.H. Region 1 (Post 820201). 95/07/21. ZDANAVAGE, D.R. Attention Not Assigned. 2pp. 84831-014-84831-023

R. Periodic operating reports & related correspondence

- 9507190342 Monthly operating repts for June 1995 for SES Units 1 & 2. W/850714 ltr. BALL, R.S., BYRAM, R.G. Pennsylvania Power & Light Co. 95/06/30. 8pp. 84788-258-84788-267

- 9507260075 "Generator Quarterly Hazardous Waste Rept." for Susquehanna Steam Electric Station Units 1 & 2 for second quarter of 1995. W/850719 ltr. STANLEY, H.G., BILLES, T.D. Pennsylvania Power & Light Co. 95/06/30. 8pp. 84628-908-84628-908

S. Reportable occurrences, LERs & related correspondence

- 9507070478 LER 95-008-00 on 950602, reactor recirculation pump motor-generator set stops extended criteria of TS 4.4.1.1.2. Set stops reset below TS limits. W/850708 ltr. KICHLINGER, D., STANLEY, H.G. Pennsylvania Power & Light Co. 95/07/08. 6pp. 84678-344-84678-348

DOCKET 58-358 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

- 9507050247 Advances that 850214 Rev HH to physical security plan consistent w/provisions of 10CFR50.54(a) & acceptable for inclusion in plan. JOYNER, J.H. Region 1 (Post 820201). 95/06/21. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84570-274-84570-276

- 9507180002 Summarizes 950516 mtg meeting re upl upcoming full participation emergency preparedness exercise, corrective actions taken for area failures & action plan. W/copy of meeting notice and. JOYNER, J.H. Region 1 (Post 820201). 95/07/07. BYRAM, R.G. Pennsylvania Power & Light Co. 5pp. 84785-245-84785-248

- 9507170334 Documents response to verbal questions from NRC on upl move of EOF to Northeast Division Headquarters. BYRAM, R.G. Pennsylvania Power & Light Co. 95/07/10. Document Control Branch (Document Control Desk). 2pp. 84772-368-84772-369

K. USRB Final Safety Analysis Report (FSAR) & amendments

- 9507070282 Corrections to Rev 48 to FSAR for Susquehanna SES Units 1 & 2. Pennsylvania Power & Light Co. 95/06/07. 151pp. 84822-120-84822-270

98 DOCKETED ITEMS

P. Operating license stage documents & correspondence

9507038044 Forwards amends 147 & 117 to licenses NPF-14 & NPF-22, respectively & SE Amends delete from TS, surveillance & operability requirements for chlorine detection & associated bases.
POSILUSNY, C. Project Directorate 1-2 (PD1-2) Post 941001. 95/06/19. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84516:145-84516:160

9507038059 Amends 147 & 117 to licenses NPF-14 & NPF-22, respectively, deleting from TS, surveillance & operability requirements for chlorine detection & associated bases.
STOLZ, J.F. Project Directorate 1-2 (PD1-2) Post 941001. 95/06/19. 10pp. 84516:145-84516:157

9507038053 Safety evaluation supporting amends 147 & 117 to licenses NPF-14 & NPF-22, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 3pp. 84516:158-84516:160.

9507070065 Forwards final SE which concludes that sys used to cool spent fuel storage pool adequate to prevent unacceptable challenges to safety related sys protecting health & safety of public.
STOLZ, J.F. Project Directorate 1-2 (PD1-2) Post 941001. 95/06/19. BYRAM, R.G. Pennsylvania Power & Light Co. App. 84540:078-84540:190

9507070066 Final safety evaluation concluding that sys used to cool spent fuel storage pool adequate to prevent unacceptable challenges to safety related sys needed to protect health & safety of public during design basis accidents.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 10pp. 84540:082-84540:190

9506280042 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268

9507100184 Forwards proprietary details re NDE concerns at SSES for review & follow-up. Encl withheld per 10CFR2.790.
COOPER, R.W. Region 1 (Post 820201). 95/07/03. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84747:358-84747:360

9507100237 Forwards latest approved rev to NPDES Permit PA-0047325.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/07/10. Document Control Branch (Document Control Desk). 41pp. 84747:248-84747:286

9507200279 Forwards correction of biweekly notice which corrects plant Unit 2 re testing of three RHFR sys valves in Table 3.5.3-1 application (84 950505).
POSILUSNY, C. Project Directorate 1-2 (PD1-2) Post 941001. 95/07/10. BYRAM, R.G. Pennsylvania Power & Light Co. 2pp. 84750:348-84750:352

9507200274 Correction to FR 950705 notice. Notice should read Unit 2, rather than Unit 1.
STOLZ, J.F. Project Directorate 1-2 (PD1-2) Post 941001. 95/07/10. 2pp. 84750:351-84750:362

9507180089 Forwards amends 148 & 118 to licenses NPF-14 & NPF-22, respectively & SE Amends remove from facility unit 1 & 2 TS, response time limit table 3.3.1-2.3.3-2 & 3.3.3-3.
POSILUSNY, C. Project Directorate 1-2 (PD1-2) Post 941001. 95/07/11. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84686:190-84686:220

9507180118 Amends 148 & 118 to licenses NPF-14 & NPF-22, respectively, removing from TS response time limit tables 3.3.1-2.3.3-2 & 3.3.3-3.
STOLZ, J.F. Project Directorate 1-2 (PD1-2) Post 941001. 95/07/11. 2pp. 84686:215-84686:216

9507180322 Safety evaluation supporting amends 148 & 118 to licenses NPF-14 & NPF-22, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/11. 4pp. 84686:217-84686:220

9507210025 Forwards info received by NRC re concerns at plant & requests results of review & disposition of matter W/o and
COOPER, R.W. Region 1 (Post 820201). 95/07/14. BYRAM, R.G. Pennsylvania Power & Light Co. App. 84738:051-84738:054

Q. Inspection reports, IE Bulletins & correspondence

9507100895 Forwards Insp Repts 50-387/95-18 & 50-388/95-15 on 950612-15. No safety concerns or violations noted.
JOYNER, J.H. Region 1 (Post 820201). 95/07/09. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84682:021-84682:034

9507180387 Insp Repts 50-387/95-15 & 50-388/95-15 on 950612-15. No violations noted. Major areas inspected: radiological controls program, including external dose monitoring control of contamination & temporary shielding criteria.
RAGLAND, J.C., BOREAS, R.J. Region 1 (Post 820201). 95/07/09. 11pp. 84682:034-84682:044

9507280011 Discusses 950606 ltr in response to NRC 950509 correspondence. Informing that NRC does not concur w/ stated disagreement re deliberate nature of accident conduct & only info concerning personal nature can be withheld re NOV.
JOYNER, J.H. Region 1 (Post 820201). 95/07/21. ZDANAYAG, R. Affiliation Not Assigned. 2pp. 84831:014-84831:023

R. Periodic operating reports & related correspondence

9507140342 Monthly operating repts for June 1995 for SSES Units 1 & 2 W/950714 ltr.
BALL, R.B. BYRAM, R.G. Pennsylvania Power & Light Co. 95/06/30. 8pp. 84769:259-84769:267

9507280075 "Generator Quarterly Hazardous Waste Rept." for Susquehanna Steam Electric Station Units 1 & 2 for second quarter of 1995. W/950719 ltr.
STANLEY, H.G., BELLES, T.D. Pennsylvania Power & Light Co. 95/06/30. 8pp. 84628:303-84628:308

S. Reportable occurrences, LERs & related correspondence

9507110198 Forwards LER 95-008 shift average thermal power level for Unit 2 was exceeded by up to 4 MW during Unit 2 Cycle 7 operation as result of instrumentation problem.
STANLEY, H.G. Pennsylvania Power & Light Co. 95/07/07. Document Control Branch (Document Control Desk). 1p. 84682:012-84682:017

9507110204 LER 95-008-00 on 950608 shift average licensed core thermal power was exceeded. Caused by failed instrumentation drift. Repaired & recalibrated subject instrumentation.
WEHRY, R.R. Pennsylvania Power & Light Co. 95/07/07. 8pp. 84682:013-84682:017

9507280034 Forwards LER 94-005-01 Rept suppl LER 94-005-00 per 10CFR50.73a)(2)(ii)(A) in that TS required shutdown completed following failure of instrument line excess flow check valve during surveillance testing.
STANLEY, H.G. Pennsylvania Power & Light Co. 95/07/20. Document Control Branch (Document Control Desk). 1p. 84821:110-84821:113

9507280034 LER 94-005-01 on 940314, TS required shutdown completed due to failure of excess flow check valve during surveillance testing. Exact cause of failure could not be determined. Defective valve replaced.
WEHRY, R.R. Pennsylvania Power & Light Co. 95/07/20. 3pp. 84821:111-84821:113

DOCKET 88-899 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507120073 Forwards Rev 17 of St Lucie Guard Training & Qualification Plan. Encl withheld.
SAGER, D.A. Florida Power & Light Co. 95/07/06. Document Control Branch (Document Control Desk). 1p. 84696:358-84696:356

9507120081 Forwards Rev 45 to St Lucie Physical Security Plan. Encl withheld per 10CFR73.21.
SAGER, D.A. Florida Power & Light Co. 95/07/06. Document Control Branch (Document Control Desk). 1p. 84696:008-84696:008

9507180210 Rev 6 to EPIP HF-204, "In-Plant Radiation & Contamination Surveys During Emergencies." W/950712 ltr.
SAGER, D.A. Florida Power & Light Co. 95/07/12. 45pp. 84785:265-84785:329

9507260008 Comment supporting proposed gamma communication 10CFR50.54 re process for changes to security plans w/o prior NRC approval.
BOHLKE, W.H. Florida Power & Light Co. 95/07/13. Division of Freedom of Information & Publications Services (Post 840714). 1p. 84787:008-84787:009

9507280089 Advises that 950708 rev 45 to physical security plan & rev 17 to training & qualification plan consistent w/provisions of 10CFR50.54(g) & acceptable.
COLLINS, D.M. Region 2 (Post 820201). 95/07/20. Florida Power & Light Co. 3pp. 84837:343-84837:345

G. Adjudicatory correspondence

9507180145 Informing that time provided by NRC regulation within which Commission may act to review Director's Decision DD-95-07 in listed docket has expired. Decision became final agency action on 950606. W/Certificate of Sec. Served on 950630.
HOYLE, J.C. Office of the Secretary of the Commission. #395 16862. 95/06/29. SAVORITO, T.J. Saporito, T.J. 2pp. 84538:343-84538:344

H. General correspondence

9507210091 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
BOHLKE, W.H. Florida Power & Light Co. 95/07/10. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84786:057-84786:057

I. Affidavit correspondence

9507100184 Informing that time provided by NRC regulation within which Commission may act to review Director's decision DD-95-10 in docket has expired. Decision became final on 950620. W/Certificate of Sec. Served on 950630.
HOYLE, J.C. Office of the Secretary of the Commission. #395 16863. 95/06/29. JABLON, R.A. Spiegel & McChesney. 2pp. 84538:331-84538:332

P. Operating license stage documents & correspondence

9507090018 Forwards recent change to plant safety policy re use of protective footwear. Plant policies governing safety hat & eye protection usage while on site also encl.
SAGER, D.A. Florida Power & Light Co. 95/06/22. Document Control Branch (Document Control Desk). 4pp. 84555:357-84555:360

9507080068 Forwards done survey repl for beach at St Lucie Plant.
SAGER, D.A. Florida Power & Light Co. 95/06/27. Document Control Branch (Document Control Desk). 2pp. 84553:364-84553:355

9507110018 Comment opposing proposed GL "Relocation of Pressure Temp Limit Curves & Low Temp Overpressure Protection Sys Limits".
BOHLKE, W.H. Florida Power & Light Co. 95/06/27. Division of Freedom of Information & Publications Services (Post 840714). 2pp. 84557:052-84557:053

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268

9507070067 Forwards amends 135 & 78 to licenses DPR-67 & NPP-16 & safety evaluation. Amends incorporate new item TS improvements to Spec 3/4.6.1, "Electrical Power Sys-AC Sources," & 4.8.1.2.2, "Electrical Power Sys Shutdown." NORRIS, J.A. Project Directorate B-1 (PD2-1) (Post 941001) 95/06/29, GOLDBERG, J.H. Florida Power & Light Co. 2pp. 84555:164-84555:184.

-9507070077 Amends 135 & 78 to licenses DPR-67 & NPP-16, respectively, revising TS 3/4.6.1, "Electrical Power Sys-AC Sources," & 4.8.1.2.2, "Electrical Power Sys Shutdown," per NUREG-1366 & GLs 93-06 & 94-01. MATTHEWS, D.B. Project Directorate B-1 (PD2-1) (Post 941001) 95/06/29, 29pp. 84555:156-84555:184.

-9507070086 Safety evaluation supporting amends 135 & 78 to licenses DPR-67 & NPP-16, respectively. * Office of Nuclear Reactor Regulation (Post 941001) 95/06/29 10pp 84555:185-84555:194.

Q. Inspection reports, IE Bulletin & correspondence

9507060001 Forwards SE accepting second 10-yr interval inservice insp program plan 19 re installed component visual exams. Technical evaluation for INEL assistance also. NORRIS, J.A. Project Directorate B-1 (PD2-1) (Post 941001) 95/06/21, GOLDBERG, J.H. Florida Power & Light Co. 2pp. 84516:181-84516:188.

-9507060184 Safety evaluation accepting second 10-yr interval inservice insp program plan 19 re visual exam of installed components. Technical & re INEL assistance also. * Office of Nuclear Reactor Regulation (Post 941001) 95/06/21 8pp 84516:183-84516:188.

9507120104 Forwards insp repts 50-335/95-10 & 50-368/95-10 on 950430-0603. Violations noted will not be sub to EA due to fact that licensee efforts in clarifying &/or correcting violations meet specified criteria. LANDIS, K.D. Region 2 (Post 820201) 95/06/23, GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84575:312-84575:351.

-9507120115 Insp repts 50-335/95-10 & 50-368/95-10 on 950430-0603. No violations noted. Major areas inspected: operations review, recent observations, surveillance observations, engineering support, plant support & other areas. FRIEATTE, R., LANDIS, K.D. Region 2 (Post 820201) 95/06/23 35pp 84575:315-84575:351.

9507060404 Forwards response to violations noted in Insp Rept 50-368/95-05. Corrective actions: electrical maint replaced thermal overload heaters in 2A5 MCC w/Model 123F11eC & 2AA battery charger returned to svc on 950426. GOLDBERG, J.H. Florida Power & Light Co. 95/06/27, Document Control Branch (Document Control Desk) 4pp. 84593:328-84593:331.

9507100115 Comments on proposed rule re, "Review of NRC Insp Rept Content, Format & Style." BOHME, W.H. Florida Power & Light Co. 95/06/27, MEYERS, D. Rules & Directives Review Branch (Post 820323) 6pp. 84557:039-84557:044.

9507120184 Forwards insp repts 50-335/95-11 & 50-369/95-11 on 950630-0802. No violations or deviations noted. BARR, R.P. Region 2 (Post 820201) 95/06/27, GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84576:050-84576:063.

-9507120192 Insp repts 50-335/95-11 & 50-369/95-11 on 950630-0802. No violations noted. Major areas inspected: licensee RP programs made to review implementation of revised 10CFR29 requirements. PARKER, S.A., BARR, R.P. Region 2 (Post 820201) 95/06/28, 11pp 84576:053-84576:063.

9507100383 Forwards info requested by NRC 950609 for support NRC approval of unit evaluation of flow indications & subsequent ISI plans submitted by unit 950302. SAGER, J.A. Florida Power & Light Co. 95/07/07, Document Control Branch (Document Control Desk) 7pp. 84682:215-84682:221.

9507140230 Ack 950627 response to notice of violation issued 950605, re activities conducted on SI Lucas facility. CASTO, C.A. Region 2 (Post 820201) 95/07/07, GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84761:125-84761:126.

R. Periodic operating reports & related correspondence

9507190341 Monthly operating repts for June 1995 for SI Lucas Units 1 & 2. W/950711. ROGERS, J.A., SAGER, J.A. Florida Power & Light Co. 95/08/30 8pp. 84789:345-84789:354.

S. Reportable occurrences, LERs & related correspondence

9507170023 PNO-1145-038 on 950706, sport utility vehicle drove through owner controlled area & into discharge canal near beach head wall. Caused by occupants looking for place to surf. No threat to plant safety. SCHMIDT, R. Region 2 (Post 820201) 95/07/10, 1p. 84680:343-84680:345.

950710322 Part 21 rept re potential defect in Limerique SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when deciding MOV operable for safety related proc. HYLTON, C.L. Limerique Corp. 95/07/12, Document Control Branch (Document Control Desk) 30pp. 84616:169-84616:192.

DOCKET 90-380 WATTS BAR NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9507100026 Ltr contract, Mod 6, task order 9, providing incremental funding in listed amount to, "Technical Assistance for Watts Bar Pre-Operational & Start-Up Test, Test Procedure Review & Evaluation & Closure to Test Deficiencies." WIGGINS, E.J. Division of Contracts (Post 940714) 95/06/06, LOFF, R.A. PARAJUMBER, Inc. 2pp. 84727:001-84727:002.

9507100132 Ltr contract, Mod 7 to task order 17, providing incremental funding to, "Technical Assistance for Watts Bar Operational Readiness Evaluation." WIGGINS, E.J. Division of Contracts (Post 940714) NRC-05-93-028 95/06/06, LOFF, R.A. Paramount Supply Co. 2pp. 84686:345-84686:348.

9507100058 Discusses two issues inadequately addressed in Final Environ Statement, Suppl 1, re operation of Watts Bar NPP. MUELLER, J.H. Environmental Protection Agency 95/06/15, Rules & Directives Review Branch (Post 920323) 8pp. 84649:353-84649:359.

9507100442 Summarizes 950619 meeting w/utl in Atlanta, GA re motor-operated valve program status & work completion plan between hot functional test 2 & fuel loading. List of attendees & slides and. JAUDON, J.P. Region 2 (Post 820201) 95/06/21, KINGSLEY, O.D. Tennessee Valley Authority 39pp. 84567:180-84567:228.

9507100109 Summarizes 950615 meeting at Watts Bar site re changes to site corrective action program & plan for change-over from construction program to operations program. JAUDON, J.P. Region 2 (Post 820201) 95/06/21, KINGSLEY, O.D. Tennessee Valley Authority 10pp. 84567:263-84567:272.

9507060230 Notification of 950629 meeting w/utl in Rockville, MD to discuss technical issues re electrical separation requirements at Unit 1. TAM, P.S. 95/06/27, HEDDON, F.J. 3pp. 84530:182-84530:184.

9507060201 Requests add info needed to meet proposed fuel loading date of 950924. P/T term rept & accompanying Westinghouse Owners Group WCAP-14040. TAM, P.S. 95/06/27, KINGSLEY, O.D. Tennessee Valley Authority, 3pp. 84508:241-84508:245.

9507060239 Provides 60 day response to GL 95-03, "Circumferential Cracking of SG Tubes" for Watts Bar Unit 1. BARON, R.R. Tennessee Valley Authority, 95/06/27, Document Control Branch (Document Control Desk) 18pp. 84617:054-84617:078.

9507060073 Forwards "Reasonable Assurance Assessment Rept," providing results of assessment conducted in late Jan 1995 of plant readiness to load fuel & begin operations, per request. MEDFORD, M.C. Tennessee Valley Authority 95/06/28, Document Control Branch (Document Control Desk) 5pp. 84626:003-84626:302.

-9507060077 "Reasonable Assurance Assessment Rept." MEDFORD, M.C., BARON, R.R., SCHOFIELD, B.S. Tennessee Valley Authority, 95/06/28 65pp. 84626:008-84626:302.

9506280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, S.K. 95/06/29, Consolidated Edison Co of New York, Inc. 10pp. 84518:259-84518:268.

9507060080 Requests NRC authorization to waive requirements for testing pressurizer safety valves within six months of initial fuel load. ZEPHRIQUE, D.J. Tennessee Valley Authority 95/06/29, Document Control Branch (Document Control Desk) 3pp. 84599:353-84599:360.

9507060128 Summary of 950623 meeting w/utl representatives in Rockville, MD to discuss status needed actions & schedule of TS for unit 1. BUGGS, M. 95/06/29 8pp. 84636:163-84636:167.

9507100009 Discusses NRC 950612 for announcing NRC meeting w/utl scheduled for 950719 to discuss methods for implementation of problem identification & corrective action programs at utl facilities. JAUDON, J.P. Region 2 (Post 820201) 95/06/30, KINGSLEY, O.D. Tennessee Valley Authority, 8pp. 84680:296-84680:301.

9507070052 Summary of 950623 meeting w/TVA in Rockville, MD re Radiowave Management Sys of Watts Bar. List of participants and. BUGGS, M. 95/07/03, 4pp. 84636:122-84636:125.

9507100353 Ack receipt of 950522 ltr transmitting Fish & Wildlife Svc comments on plant draft EPP. CRUTCHFIELD, D.D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001) 95/07/09, WIGFORD, D.B. Interior, Dept. of, Fish & Wildlife Service, 8pp. 84618:276-84618:280.

9507100339 Summary of 950629 meeting w/TVA in Rockville, MD re electrical separation requirements at WBN Unit 1. BUGGS, M. 95/07/05, 8pp. 84687:184-84687:201.

9507100329 Requests that end Jim Taylor 950705 memo to chairman be classified as publicly available. TAM, P.S. 95/07/07, Document Control Branch (Document Control Desk) 1p. 84587:147-84587:148.

-9507100341 Forwards draft rept re licensing status of Watts Bar, Unit 1 & request of Browns Ferry, Unit 3. TAYLOR, J.H. Ofc of the Executive Director for Operations 95/07/06, THE CHAIRMAN, JACKSON, A., ROGERS, Commissioners (Post 750116) 48pp. 84687:148-84687:193.

9507100352 Forwards agenda for site audit of structures & civil engineering features, scheduled for 950719-19. Scope of audit limited to category I structures & related areas, such as equipment anchors in concrete & settlement of structures. TAM, P.S. 95/07/10, KINGSLEY, O.D. Tennessee Valley Authority, 4pp. 84625:336-84625:338.

100 DOCKETED ITEMS

9507210118 Informs of NRC plan to perform site structural audit on 950718-19 as part of efforts to assure that physical conditions of plant structures & related civil engineering features acceptable for operating license
TAMPS 95/07/10 KINGSLEY, O.D. Tennessee Valley Authority 4pp 84754 080-84754 083

9507210298 Notification of 950718-19 meeting w/TVA in Rockville MD to discuss open issues in final draft of Watts Bar Unit 1 TS
TAMPS 95/07/11 HERDON, F.J. 3pp 84668 391-84668 393

9507210364 Discusses status of plant MOV program developed in accordance w/recommendations & schedule of GL 88-10, "Safety-Related MOV Testing & Surveillance"
SCARBROUGH, T.G. 95/07/12 WESSMAN, R.H. 17pp 84726 280-84726 296

9507210396 Identifies tests & activities which demonstrated operability of WBS Unit 1 fuel handling & vessel servicing equipment
BARON, R.R. Tennessee Valley Authority 95/07/13 Document Control Branch (Document Control Desk) 6pp 84765 338-84765 345

9507210428 Notification of 950720 meeting w/TVA in Rockville, MD to discuss technical issues concerning Watts Bar Unit 1 P/T final methodology
TAMPS 95/07/13 HERDON, F.J. 3pp 84736 344-84736 348

9507210468 Supply info provided in response to 941202 R re RHR sys testing during hot functional testing End 2 summarizes new commitment made in submitted ZERINQUE, O.J. Tennessee Valley Authority 95/07/13 Document Control Branch (Document Control Desk) 6pp 84611 311-84611 314

9507210498 Forwards revised response to TVA 950712 R re GL 88-14. Revised response required since identified additional components that did not have local air sys filters as required by design
BARON, R.R. Tennessee Valley Authority 95/07/14 Document Control Branch (Document Control Desk) 10pp 84799 350-84799 359

9507210518 Provides final part of agreed three part response re status of safety issues at Watts Bar Unit 1 including update to summary tables shown in NRC final report as Tables 4.2.5.2, 4.2.7.2 & revised status of GS 70 provided in 950614 R
BARON, R.R. Tennessee Valley Authority 95/07/14 Document Control Branch (Document Control Desk) 28pp 84779 265-84779 292

9507210517 Summarizes 950707 reg meeting w/atl in Spring City, TN re Watts Bar plant status & associated on-going activities. List of attendees & headset info mail supplied by atl and
JAUDON, J.P. Region 2 (Post 820201) 95/07/17 KINGSLEY, O.D. Tennessee Valley Authority 41pp 84793 274-84793 314

9507210564 Describes changes in loose parts monitoring sys & associated changes to commitments provided in TVA 820226 & 1110 R's
BARON, R.R. Tennessee Valley Authority 95/07/18 Document Control Branch (Document Control Desk) 4pp 84827 357-84827 360

9507210598 Forwards minor news to RG 1.87 variables table provided in TVA 950421 R to NRC, as discussed in 950606 & 0706 telecons. Draft FSAR news to Table 7.5.2 also and FSAR will be amended to include changes in Amend 30
BARON, R.R. Tennessee Valley Authority 95/07/18 Document Control Branch (Document Control Desk) 18pp 84628 146-84628 163

9507210611 Followup to 950714 telecon to discuss apparent discrepancy in SER Supply
BARON, R.R. Tennessee Valley Authority 95/07/18 Document Control Branch (Document Control Desk) 2pp 84836 261-84836 262

9507210618 Summary of 950620 meeting w/atl re factual content of NRC draft rept on plant CA program List of attendees and
THADAM, M.C. Office of Nuclear Reactor Regulation (Post 941001) 95/07/18 Office of Nuclear Reactor Regulation (Post 941001) 12pp 84859 175-84859 301

9507210629 Forwards audit rept re issue of modeling of coupled internal concrete structures-nuclear steam supply sys raised by staff in review of Chapter 3 of plant FSAR, Amend 70
TAMPS 95/07/19 KINGSLEY, O.D. Tennessee Valley Authority 13pp 84764 082-84764 084

9507210638 Submits RAI re TVA organization topical rept w/ 6 Requests response by 950818
HERDON, F.J. 95/07/20 KINGSLEY, O.D. Tennessee Valley Authority 4pp 84778 350-84778 353

9507210612 Forwards nonproprietary WCAP-14420 & proprietary WCAP-14419, "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar," in response to NRC 950908 RAI on sub Proprietary WCAP-14419 withheld per 10CFR2.790
BARON, R.R. Tennessee Valley Authority 95/07/20 Document Control Branch (Document Control Desk) 9pp 84851 024-84851 072

9507210613 Nonproprietary "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar"
MOON, W.H., TULEY, C.R. Westinghouse Electric Corp. WCAP-14420 95/08/30 36pp 84851 027-84851 083

9507210614 Requests that proprietary WCAP-14419, "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar" be withheld from public disclosure per 10CFR2.790
LIPARULO, N.J. Westinghouse Electric Corp. 95/07/08 RUSSELL, W.T. Document Control Branch (Document Control Desk) 8pp 84851 064-84851 072

9507210618 Forwards response to NRC comments discussed in 950623 meeting in Rockville, MD re radiolysis eng. sys. FSAR Chapter 11
BARON, R.R. Tennessee Valley Authority 95/07/21 Document Control Branch (Document Control Desk) 26pp 84875 176-84875 203

9507210641 Disagrees that TVA action of not performing reanalysis of estimated PCT changes as stated in TVA 950508 R in compliance w/10CFR50.46 regulation & requests schedule for providing reanalysis or proposal to take other action
TAMPS 95/07/24 KINGSLEY, O.D. Tennessee Valley Authority 2pp 84874 201-84874 202

9507210653 Summary of 950719 meeting w/TVA in Rockville MD re open issues in final draft of Watts Bar Nuclear Plant Unit 1 TS
BUGG, M.T. 95/07/24 3pp 84874 198-84874 200

9507210656 Staff requirements memo re 950712 meeting in Rockville, MD on status of Watts Bar & Browns Ferry Unit 3
HOYLE, J.C. Office of the Secretary of the Commission 95/07/24 TAYLOR, J.M. Ofc of the Executive Director for Operations 1p 84844 045-84844 045

9507210658 Responds to 950720 R requesting addl info on revised nuclear organization topical rept
CARRIER, P.P. Tennessee Valley Authority 95/07/24 Document Control Branch (Document Control Desk) 9pp 84875 148-84875 156

9507210672 Submits addl info describing circuit breaker testing requirements in WBS info intended to resolve NRC issue re electrical separation
BARON, R.R. Tennessee Valley Authority 95/07/24 Document Control Branch (Document Control Desk) 6pp 84876 227-84876 234

9507210681 Informs that revised response to GL 88-14, "Instrument Air Sys Problems," has been reviewed & concludes that revised response does not change conclusion stated in 950726 R
TAMPS 95/07/27 KINGSLEY, O.D. Tennessee Valley Authority 2pp 84868 290-84868 291

D. NRC Draft/Final Environmental Statements, appals & correspondence

9507210625 Ack receipt of 950615 R commenting on Watts Bar Nuclear Plant FES appal project need & pollution prevention
CRITCHFIELD, D. 95/07/24 MUELLER, H.J. Environmental Protection Agency 3pp 84868 344-84868 346

E. NRC Safety Evaluation Report (SER), appals & correspondence

9507210627 Forwards SER, suppl 15 for plant & related notice of availability for comment
TAMPS 95/06/22 KINGSLEY, O.D. Tennessee Valley Authority 2pp 84531 001-84531 187

95072106315 Safety evaluation rept re operation of plant
Office of Nuclear Reactor Regulation (Post 941001) 95/06/22 185pp 84531 006-84531 187

9507210676 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF WATTS BAR NUCLEAR PLANT, UNITS 1 AND 2 Doctel Nos 50-390 And 50-391 (Tennessee Valley Authority)
TAMPS Division of Reactor Projects (I/N (DRPE) Post 941001) NUREG-0847 S15 95/06/30 189pp 84534 001-84534 189

F. Security, medical, emergency & fire protection plans

9507210645 Confirms 950618 telecon between C Kelley & D Thompson re meeting to discuss three tables new physical security plans scheduled for 950705-06 in Knoxville, TN
JAUDON, J.P. 95/06/27 MEDFORD, M. Tennessee Valley Authority 6pp 84575 057-84575 062

9507210646 Revised EPIP, including rev 8 to EPIP-1, rev 7 to EPIP-2, rev 10 to EPIP-3, rev 10 to EPIP-4, rev 7 to EPIP-5, rev 8 to EPIP-6, rev 5 to EPIP-7, rev 7 to EPIP-8, rev 3 to EPIP-9, rev 7 to EPIP-10 & rev 4 to EPIP-11 W/950706 R
PAVLECKO, J.L., BARON, R.R. Tennessee Valley Authority 95/07/06 400pp 84738 001-84738 037

9507210642 Revised EPIP, including rev 19 to EPIP-1, rev 12 to EPIP-2, rev 14 to EPIP-3, rev 12 to EPIP-4, rev 7 to EPIP-5, rev 7 to EPIP-6, rev 9 to EPIP-7, rev 9 to EPIP-8, rev 9 to EPIP-9, rev 9 to EPIP-10, rev 9 to EPIP-11 W/950712 R
CARRIER, P.P. Tennessee Valley Authority 95/07/12 210pp 84819 001-84819 210

9507210643 Ltr contract NRC-03-03-036, defining task order 52, to "Emergency Operating Procedures Insp for Plant"
WIGGINS, E.J. Division of Contracts (Post 940714) FM J-2012-5 95/07/12 COLINA, J. Science & Engineering Associates, Inc. 6pp 84843 016-84843 021

9507210644 Comment on proposed GL re 10CFR50.54(g), "Process for Changes to Security Plans W/o Prior NRC Approval" Agrees that proposed clarification of language in 10CFR50.54(g) & provided screening criteria appropriate
CARRIER, P.P. Tennessee Valley Authority 95/07/13 NRC - No Detailed Attribution Given 2pp 84783 048-84783 047

9507210645 Forwards map repts 50-390/95-39 & 50-391/95-39 on 950619-23 No violations noted
JAUDON, J.P. Region 2 (Post 820201) 95/07/18 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84785 192-84785 214

9507210646 Insp repts 50-390/95-39 & 50-391/95-39 on 950619-23 No violations noted. Major areas inspected operational fire protection programs, pre-operational test program, review of 10CFR50.55 rept & action on previous insp findings
MALLER, W.H., JULIAN, C.A. Region 2 (Post 820201) 95/07/18 20pp 84785 185-84785 214

9507210648 Informs that atl will conduct full-participation exercise at plant on 951006-07. atl will request exemption from requirement to conduct ageation pathway portion of exercise
TAMPS 95/07/19 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84784 354-84784 355

9507210649 Revised Central Emergency Control Cir (CECC) EPIP, including rev 2 to CECC-EPIP-2, rev 17 to CECC-EPIP-3, rev 18 to CECC-EPIP-4 & rev 20 to CECC-EPIP-5 W/950720 R
CARRIER, P.P. Tennessee Valley Authority 95/07/20 44pp 84826 001-84826 048

H. General correspondence

9507080216 Forwards Rev 6 to Topical Rept TVA-NPOC89-A, "TVA Nuclear Organization Description," incorporating organizational changes announced through 950601 CARLIER, P.P. Tennessee Valley Authority 95/06/28. Document Control Branch (Document Control Desk). 2pp. 84589:258-84589:310.

9507080223 Rev 6 to "TVA Nuclear Organization Description"
* Tennessee Valley Authority TVA-NPOC89-A R06 95/06/29 50pp. 84589:280-84589:310.

K. Utility Final Safety Analysis Report (FSAR) & amendments

9507260068 Provides draft Chapter 12 FSAR pages
BARON, R.R. Tennessee Valley Authority 95/07/18 Document Control Branch (Document Control Desk). 14pp. 84526:131-84526:144

Q. Inspection reports, IE Bulletin & correspondence

9507120089 Ack receipt of 950609 for informing NRC of steps taken to correct violations noted in insp repts 50-390/95-18 & 50-391/95-18
JAUDON, J.P. Region 2 (Post 820201). 95/06/21 KINGSLEY, O.D. Tennessee Valley Authority 3pp. 84575:270-84575:272

9507120128 Forwards insp rept 50-390/95-38 on 950622-38 No violations noted
JAUDON, J.P. Region 2 (Post 820201). 95/06/21 KINGSLEY, O.D. Tennessee Valley Authority 3pp. 84579:004-84579:013.

9507120127 Insp rept 50-390/95-38 on 950622-38 No violations noted Major areas inspected: made to DSVF CAP since acceptance by insp 89-12 & status of inspection follow-up from 84-09-03
GARLAND, E., FREDRICKSON, P. Region 2 (Post 820201). 95/06/19, 5pp. 84576:007-84576:013

9507120094 Forwards insp rept 50-390/95-30 & 50-391/95-30 on 950508-25 & notice of violation.
JAUDON, J.P. Region 2 (Post 820201). 95/06/22 KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84575:275-84575:288

9507120100 Notice of violation from insp on 950508-26 Violation noted: inadequate design control & seismic clamp bar resistance not installed per design.
* Region 2 (Post 820201). 95/06/22. 1p. 84576:263-84576:263.

9507120186 Insp repts 50-390/95-30 & 50-391/95-30 on 950508-26. Violations noted: Major areas inspected: implementation status of ESQ CAP
MCORE, R., MACDONALD, G., CHOU, R. Region 2 (Post 820201). 95/06/22 25pp. 84575:284-84575:308

9507120077 Forwards insp repts 50-390/95-34 & 50-391/95-34 on stated dates. No violations or deviations noted.
JAUDON, J.P. Region 2 (Post 820201). 95/06/23 Tennessee Valley Authority. 4pp. 84574:281-84574:311.

9507120044 Insp repts 50-390/95-34 & 50-391/95-34 on stated dates. No violations noted. Major areas inspected: drop items identified in 75% completion insp of RCP CAP.
GIBBS, J.D., FREDRICKSON, P. Region 2 (Post 820201). 95/06/21. 27pp. 84574:265-84574:311

9507060466 Forwards suppl SE accepting licensee 940325 for providing addl response to action 3 of bulletin 88-008, "Thermal Stress in RCS Piping," as applicable to plant TAMP, S. 95/06/26. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 84526:348-84526:350.

9507060459 Safety evaluation accepting licensee 940325 for providing response to action 3 of bulletin 88-008, "Thermal Stress in RCS Piping."
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/26 4pp. 84526:347-84526:350.

9507120086 Forwards insp repts 50-390/95-35 & 50-391/95-35 on 950515-0810. No violations or deviations noted.
JAUDON, J.P. Region 2 (Post 820201). 95/06/28 KINGSLEY, O.D. Tennessee Valley Authority 3pp. 84575:128-84575:145

9507120060 Insp repts 50-390/95-35 & 50-391/95-35 on 950515-0610. No violations noted. Major areas inspected: Employee Concerns Special Program CA, Instrument Line CAP, Cable Tray & Supports CAP, Hanger Update CAP & Conduits & Supports CAP
BRADY, J.B., CROWLEY, S.J., FREDRICKSON, P. Region 2 (Post 820201). 95/06/27. 14pp. 84578:136-84578:148.

9507120064 Discusses insp repts 50-390/94-21 & 50-391/94-21 on 840620-24/0705-08 & 0718-20 & notice of violation.
JAUDON, J.P. Region 2 (Post 820201). 95/06/28 KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84575:173-84575:179

9507120067 Notice of violation from insp on 940620-24/0705-08 & 0718-20. Violation noted: proper review for suitability for application & verification that purchased mail would meet procurement requirements had not been performed.
* Region 2 (Post 820201). 95/06/28. 3pp. 84575:177-84575:179

9507120095 Ack receipt of 950616 for informing NRC of steps taken to correct violations noted in insp repts 50-390/95-24 & 50-391/95-24 on 950518
JAUDON, J.P. Region 2 (Post 820201). 95/06/28 KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84575:308-84575:311

9507060173 Provides response to NRC 950631 for re violations noted in insp repts 50-390/95-27 & 50-391/95-27. Corrective actions reviewed each ref O-CON & addressed each
ZERLINGUE, O.J. Tennessee Valley Authority. 95/06/30 Document Control Branch (Document Control Desk) 6pp. 84617:221-84617:227.

9507140320 Forwards insp repts 50-390/95-37 & 50-391/95-37 on 950514-0810. No violations or deviations noted.
JAUDON, J.P. Region 2 (Post 820201). 95/07/03 KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84737:227-84737:278.

9507140326 Insp repts 50-390/95-37 & 50-391/95-37 on 950514-0610. No violations or deviations noted. Major areas inspected: preoperational test program implementation verification & preoperational test procedure review
VAN DOORN, K., JULIAN, C. Region 2 (Post 820201). 95/07/03. 47pp. 84737:232-84737:278

9507180358 Forwards response to NRC 950618 for re violations noted in insp repts 50-390/95-28-01 & 50-391/95-28-01. Corrective actions: drawings 1-47W610-31-1, Rev 15 & 1-47W611-31-1 Rev 15 have been revised to remove any ref to subject heaters
ZERLINGUE, O.J. Tennessee Valley Authority 95/07/11 Document Control Branch (Document Control Desk). 4pp. 84765:350-84765:353.

9507200156 Forwards insp repts 50-390/95-38 & 50-391/95-38 on 950521-0617 & NOV
JAUDON, J.P. Region 2 (Post 820201). 95/07/11 KINGSLEY, O.D. Tennessee Valley Authority 4pp. 84799:207-84799:266

9507200159 Notice of violation from insp on 950521-0617. Violation noted: activities affecting quality not accomplished in accordance w/ documented instructions or procedures in listed examples.
* Region 2 (Post 820201). 95/07/11. 2pp. 84799:211-84799:212

9507200163 Insp repts 50-390/95-38 & 50-391/95-38 on 950521-0617. Violations noted: Major areas inspected: containment cooling special program, control work activities, splice replacement program & review of closed design change notices.
WALTON, G.A., FREDRICKSON, P. Region 2 (Post 820201). 95/07/06. 52pp. 84798:218-84799:268.

9507200068 Ltr contract NRC-03-93-038, defining task order 52, to "Emergency Operating Procedures for Plant"
WIGGINS, E.J. Division of Contracts (Post 940714). FWH J-2012-3 95/07/12 CORNALL Science & Engineering Associates, Inc. 6pp. 84845:016-84845:021.

9507240256 Forwards insp repts 50-390/95-38 & 50-391/95-38 on 950619-23. No violations noted.
JAUDON, J.P. Region 2 (Post 820201). 95/07/18 KINGSLEY, O.D. Tennessee Valley Authority 3pp. 84795:192-84795:214.

9507240266 Insp repts 50-390/95-38 & 50-391/95-38 on 950619-23. No violations noted. Major areas inspected: operational fire protection program, pre-operational test program, review of 10CFR50.65 rept & action on previous insp findings
MILLER, W.H., JULIAN, C.A. Region 2 (Post 820201). 95/07/18. 20pp. 84795:195-84795:214

9507260088 Ack receipt of 950630 for informing NRC of steps taken to correct violations noted in insp repts 50-390/95-27 & 50-391/95-27
JAUDON, J.P. Region 2 (Post 820201). 95/07/18 KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84794:340-84794:342

9507240478 Forwards insp Repts 50-390/95-43 & 50-391/95-43 on 950619-30. No violations or deviations noted.
JAUDON, J.P. Region 2 (Post 820201). 95/07/19 KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84824:192-84824:213.

9507240482 Insp Repts 50-390/95-43 & 50-391/95-43 on 950619-30. No violations or deviations noted. Major areas inspected: review of status of applicant actions for implementation of station blackout rule of 10CFR50.63 at Watts Bar.
MERRIFIELD, J., JULIAN, C. Region 2 (Post 820201). 95/07/19. 19pp. 84824:195-84824:213.

9507260028 Forwards insp rept 50-390/95-22 on 950522-0809. No violations noted. Team noted deficiencies in implementation of main programs & procedures.
GALLOR, R.M. 95/07/19. KINGSLEY, O.D. Tennessee Valley Authority 3pp. 84868:180-84868:197.

9507260032 Insp rept 50-390/95-22 on 950522-0809 & 0905-09. No violations noted. Major areas inspected: implementation of main programs & engineering support to assist & assess adequacy to support plant operations.
MALLUR, S.K., NORKIND, P., GALLOR, R.M. 95/07/19. 18pp. 84856:169-84856:197.

9507260111 Responds to NRC 950622 for re violation noted in insp rept 50-390/95-30. Corrective actions: will conduct periodic training on proper installation of seismic clamp bars for auxiliary instrument modules
ZERLINGUE, O.J. Tennessee Valley Authority 95/07/24. Document Control Branch (Document Control Desk). 3pp. 84675:167-84675:171.

T. Hearing transcripts on non-emergency matters

9507280220 Transcript of 950712 public meeting in Rockville, MD re briefing on status of Watts Bar & Browns Ferry Unit 3. Pp 1-56. Supporting documentation and
* Commissioners (Post 750119). 95/07/12. 73pp. 84844:256-84844:327.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9507180026 Ltr contract, mod 6, task order 3, providing incremental funding in listed amount to "Technical Assistance for Watts Bar Pre-Operational & Start-Up Test, Test Procedure Review & Evaluation & Closure to Test Deficiencies."
WIGGINS, E.J. Division of Contracts (Post 940714). 95/06/05 LOF, R.A. PARAMETER, Inc. 2pp. 84727:001-84727:002.

9507180132 Ltr contract, Mod 7 to task order 17, providing incremental funding, to "Technical Assistance for Watts Bar Operational Readiness Evaluation"
WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-93-026. 95/06/05 LOF, R.A. Paramount Supply Co. 2pp. 84696:346-84696:346.

9507100060 Discusses two issues inadequately addressed in Final Environ Statement, Suppl 1, re operation of Watts Bar NPP.
MUELLER, L.J. Environmental Protection Agency. 95/06/15. Rules & Directives Review Branch (Post 820323). 4pp. 84648:353-84648:358.

102 DOCKETED ITEMS

950711042 Summarizes 950619 meeting w/utl in Atlanta, GA re motor-operated valve program status & work completion plan between hot functional test 2 & fuel loading list of attendees & slides and
JAUDON, J.P. Region 2 (Post 820201) 95/06/21 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84557 180-84557 228

9507110180 Summarizes 950615 meeting at Watts Bar site re changes to site corrective action program & plan for change-over from construction program to operations program
JAUDON, J.P. Region 2 (Post 820201) 95/06/21 KINGSLEY, O.D. Tennessee Valley Authority 10pp 84557 283-84557 272

950709073 Forwards "Reasonable Assurance Assessment Rept." providing results of assessment conducted in late Jan 1995 of plant readiness to load fuel & begin operations, per request.
MEDFORD, M.O. Tennessee Valley Authority 95/06/28 Document Control Branch (Document Control Desk) 5pp 84526 003-84527 302

950709077 "Reasonable Assurance Assessment Rept."
MEDFORD, M.O., BARON, R.R., SCHOFIELD, B.S. Tennessee Valley Authority 95/06/28 95pp 84526 008-84527 302

9506290462 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84518 259-84518 268

9507170406 Discusses NRC 950912 ltr announcing NRC meeting w/utl scheduled for 950719 to discuss methods for implementation of problem identification & corrective action programs at utl facilities
JAUDON, J.P. Region 2 (Post 820201) 95/06/30 KINGSLEY, O.D. Tennessee Valley Authority 6pp 84550 296-84550 301

9507118352 Ack receipt of 950522 ltr transmitting Fish & Wildlife Svc comments on plant draft EPP
CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001) 95/07/03 WINFORD, D.B. Interior, Dept. of, Fish & Wildlife Service 5pp 84616 279-84616 280

9507130480 Identifies tests & activities which demonstrated operability of WEIN Unit 1 fuel handling & vessel servicing equipment
BARON, R.R. Tennessee Valley Authority 95/07/10 Document Control Branch (Document Control Desk) 5pp 84766 338-84766 345

9507200499 Forwards revised response to TVA 900712 ltr re GL 26-14 Revised response requested since utl identified add'l components that did not have local air sys status as required by design
BARON, R.R. Tennessee Valley Authority 95/07/14 Document Control Branch (Document Control Desk) 10pp 84795 250-84795 358

9507200117 Summarizes 950707 mtg meeting w/utl in Spring City, TN re Watts Bar plant status & associated on-going activities. List of attendees & handout info mail supplied by utl and
JAUDON, J.P. Region 2 (Post 820201) 95/07/17 KINGSLEY, O.D. Tennessee Valley Authority 41pp 84793 274-84793 314

9507250464 Describes changes in loose parts monitoring sys & associated changes to constraints provided in TVA 820225 & 1110 ltrs
BARON, R.R. Tennessee Valley Authority 95/07/18 Document Control Branch (Document Control Desk) 4pp 84827 357-84827 360

9507250490 Forwards minor revs to RG 1.97 variables table provided in TVA 950421 ltr to NRC, as discussed in 950806 & 0706 telecons. Draft FSAR revs to Table 7.5-2 also and FSAR will be amended to include changes in Amend 90
BARON, R.R. Tennessee Valley Authority 95/07/18 Document Control Branch (Document Control Desk) 18pp 84828 146-84828 163

9507250311 Followup to 950714 telcon to discuss apparent discrepancy in SER Suppl 6
BARON, R.R. Tennessee Valley Authority 95/07/18 Document Control Branch (Document Control Desk) 2pp 84835 261-84835 262

9507240324 Submits RAI re TVA organization topical repl. rev 8 Requests response by 950918
HEBDON, J.J. 95/07/20 KINGSLEY, O.D. Tennessee Valley Authority 4pp 84778 350-84778 353

9507250312 Forwards nonproprietary WCAP-14420 & proprietary WCAP-14419, "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar" in response to NRC 950308 RAI on auto. Proprietary WCAP-14419 withheld per 10CFR2.790
BARON, R.R. Tennessee Valley Authority 95/07/20 Document Control Branch (Document Control Desk) 5pp 84851 024-84851 072

9507250313 Nonproprietary "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar"
MOOMAU, W.H., TULEY, C.R. Westinghouse Electric Corp WCAP-14420 95/06/30 3pp 84851 027-84851 063

9507250314 Requests that proprietary WCAP-14419, "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar" be withheld from public disclosure per 10CFR2.790
UPARUL, N.J. Westinghouse Electric Corp 95/07/06 RUSSELL, W.T. Document Control Branch (Document Control Desk) 5pp 84881 064-84881 072

9507260128 Forwards response to NRC comments discussed in 950623 meeting in Rockville, MD re radwaste mgmt sys. FSAR Chapter 11
BARON, R.R. Tennessee Valley Authority 95/07/21 Document Control Branch (Document Control Desk) 28pp 84875 178-84875 203

9507270385 Staff requirements memo re 950712 briefing in Rockville, MD on status of Watts Bar & Browns Ferry, Unit 3
HOYLE, J.C. Office of the Secretary of the Commission 95/07/24 TAYLOR, J.M. Ofc. of the Executive Director for Operations 1p 84844 045-84844 045

9507280458 Responds to 950720 ltr requesting add'l info on revised nuclear organization topical repl.
CARIER, P.P. Tennessee Valley Authority 95/07/24 Document Control Branch (Document Control Desk) 5pp 84875 148-84875 156

9507280172 Submits add'l info describing recut breaker testing requirements of WEIN ltr intended to resolve NRC issue re electrical separation
BARON, R.R. Tennessee Valley Authority 95/07/24 Document Control Branch (Document Control Desk) 8pp 84875 227-84875 234

9507310251 Inform that revised response to GL 99-14, "Instrument Air Sys Problems," has been reviewed & concludes that revised response does not change conclusion stated in 900726 ltr
TAM, P.S. 95/07/27 KINGSLEY, O.D. Tennessee Valley Authority 2pp 84868 280-84868 291

D. NRC Draft/Final Environmental Statements, supply & correspondence

9507310252 Ack receipt of 950615 ltr concerning on Watts Bar Nuclear Plant FES supply project need & pollution prevention
CRUTCHFIELD, D. 95/07/24 MUELLER, H.J. Environmental Protection Agency 3pp 84888 344-84888 348

E. NRC Safety Evaluation Report (SER), supply & correspondence

9507090297 Forwards SER, suppl 15 for plant & related notice of availability for comment
TAM, P.S. 95/06/22 KINGSLEY, O.D. Tennessee Valley Authority 2pp 84531 001-84531 187

9507090315 Safety evaluation repl re operation of plant
* Office of Nuclear Reactor Regulation (Post 941001) 95/06/22 185pp 84531 009-84531 187

9507120275 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF WATTS BAR NUCLEAR PLANT, UNITS 1 AND 2 Docket No. 50-390 And 50-391 (Tennessee Valley Authority)
TAM, P.S. Division of Reactor Projects Unit (DRPE) (Post 941001) NUREG-0647 \$15 95/06/30 185pp 84634 001-84634 189

F. Security, medical, emergency & fire protection plans

9507120445 Confirms 950619 telcon between C Kelley & D Thompson re meeting to discuss three sites new physical security plans scheduled for 950705-06 in Knoxville, TN
JAUDON, J.P. 95/06/27 MEDFORD, M. Tennessee Valley Authority 6pp 84575 057-84575 062

9507130186 Revised EPPs including rev 8 to EPP-1, rev 7 to EPP-2, rev 10 to EPP-3, rev 10 to EPP-4, rev 10 to EPP-5, rev 8 to EPP-6, rev 5 to EPP-7, rev 7 to EPP-8, rev 3 to EPP-9, rev 7 to EPP-10 & rev 4 to EPP-11 w/950706 ltr
PAVLECHKO, E.L., BARON, R.R. Tennessee Valley Authority 95/07/06 400pp 84735 001-84734 037

9507210402 Revised EPPs including rev 18 to EPP-1, rev 12 to EPP-6, rev 14 to EPP-7, rev 12 to EPP-8, rev 7 to EPP-10, rev 7 to EPP-12, rev 8 to EPP-17, rev 6 to EPP-18, rev 8 to EPP-22 & rev 6 to EPP-23 w/950712 ltr
CARIER, P.P. Tennessee Valley Authority 95/07/12 210pp 84813 001-84813 210

9507200498 Ltr contract NRC-03-95-035, defining task order 52, to "Emergency Operating Procedures Insp for Plant"
WIGGINS, E.J. Division of Contracts (Post 840714) RM J-2012-5 95/07/12 COLINA, J. Science & Engineering Associates, Inc 5pp 84845 016-84845 021

9507200494 Comment on proposed GL re 10CFR50.54(g), "Process for Changes to Security Plans W/o Prior NRC Approval." Agrees that proposed clarification of language in 10CFR50.54(g) & provided screening criteria appropriate
CARIER, P.P. Tennessee Valley Authority 95/07/13 NRC - No Detailed Affiliation Given 2pp 84795 045-84795 047

9507240255 Forwards insp repts 50-390/95-38 & 50-381/95-39 on 950619-23 No violations noted
JAUDON, J.P. Region 2 (Post 820201) 95/07/18 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84735 182-84735 214

9507240260 Insp repts 50-390/95-39 & 50-381/95-39 on 950619-23 No violations noted. Major areas inspected operational lra protection program, pre-operational test program, new of 10CFR50.55 repl & action on previous insp findings
MILLER, W.H. Region 2 (Post 820201) 95/07/18 20pp 84795 195-84795 214

9507260114 Revised Central Emergency Control Cr (CECC) EPPs including rev 2 to CECC-EPP-2, rev 17 to CECC-EPP-3, rev 18 to CECC-EPP-4 & rev 20 to CECC-EPP-5 w/950720 ltr
CARIER, P.P. Tennessee Valley Authority 95/07/20 48pp 84825 001-84825 046

H. General correspondence

9507060216 Forwards Rev 6 to Topical Rept TVA-NPOD89-A, "TVA Nuclear Organization Description," incorporating organizational changes announced through 950401
CARIER, P.P. Tennessee Valley Authority 95/06/29 Document Control Branch (Document Control Desk) 2pp 84538 258-84538 310

9507060222 Rev 6 to "TVA Nuclear Organization Description"
* Tennessee Valley Authority TVA-NPOD89-A R08 95/06/29 50pp 84599 250-84599 310

K. Utility Final Safety Analysis Report (FSAR) & amendments

9507250096 Provides draft Chapter 12 FSAR pages
BARON, R.R. Tennessee Valley Authority 95/07/18 Document Control Branch (Document Control Desk) 14pp 84828 131-84828 144

G. Inspection reports, IE bulletins & correspondence

9507120009 Ack receipt of 950609 for informing NRC of steps taken to correct violations noted in insp repts 50-390/95-18 & 50-391/95-18
JAUDON, J.P. Region 2 (Post 820201) 95/06/21 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84575 270-84575 272

9507120120 Forwards insp rept 50-390/95-36 on 950522-26 No violations noted
JAUDON, J.P. Region 2 (Post 820201) 95/06/21 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84578 004-84578 013

9507120127 Insp rept 50-390/95-36 on 950522-26 No violations noted Major areas inspected rev made to DBVP CAP since acceptance by insp 99-12 & status of inspector follow-up items 94-89-03
GIRARD, FREDRICKSON, P. Region 2 (Post 820201) 95/06/19 5pp 84579 007-84579 013

9507120094 Forwards insp rept 50-390/95-30 & 50-391/95-30 on 950509-26 & notice of violation
JAUDON, J.P. Region 2 (Post 820201) 95/06/22 KINGSLEY, O.D. Tennessee Valley Authority 4pp 84575 279-84575 308

9507120106 Insp repts 50-390/95-30 & 50-391/95-30 on 950509-26 Violations noted Major areas inspected implementation status of ESO CAP
MOORE, R. MACDONALD, G., CHOU, R. Region 2 (Post 820201) 95/06/22 25pp 84575 284-84575 308

9507120037 Forwards insp repts 50-390/95-34 & 50-391/95-34 on stated dates No violations or deviations noted
JAUDON, J.P. Region 2 (Post 820201) 95/06/23 Tennessee Valley Authority 4pp 84574 281-84574 211

9507120044 Insp repts 50-390/95-34 & 50-391/95-34 on stated date No violations noted Major areas inspected open items identified in 75% completion map of RFP CAP
GIBBS, R.D., FREDRICKSON, P. Region 2 (Post 820201) 95/06/21 27pp 84574 285-84574 311

9507120056 Forwards insp repts 50-390/95-35 & 50-391/95-35 on 950515-0610 No violations or deviations noted
JAUDON, J.P. Region 2 (Post 820201) 95/06/28 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84575 129-84575 145

9507120080 Insp repts 50-390/95-35 & 50-391/95-35 on 950515-0610 No violations noted Major areas inspected Employee Concerns Special Program CA/Instrument Line CAP Cable Tray & Supports CAP Hanger Update CAP & Conduits & Supports CAP BRADY, J.B., CROWLEY, B.R., FREDRICKSON, P. Region 2 (Post 820201) 95/06/27 14pp 84575 132-84575 145

9507120084 Documents insp repts 50-390/94-21 & 50-391/94-21 on 940620-24, 0705-08 & 0715-20 & notice of violation
JAUDON, J.P. Region 2 (Post 820201) 95/06/28 KINGSLEY, O.D. Tennessee Valley Authority 4pp 84575 173-84575 179

9507120096 Ack receipt of 950616 for informing NRC of steps taken to correct violations noted in insp repts 50-390/95-24 & 50-391/95-24 on 950519
JAUDON, J.P. Region 2 (Post 820201) 95/06/29 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84575 309-84575 317

9507060173 Provides response to NRC 950531 for re violations noted in insp repts 50-390/95-27 & 50-391/95-27 Corrective actions reviewed each ref ID-DCN & addressed each
ZERLINGUE, O.J. Tennessee Valley Authority 95/06/30 Document Control Branch (Document Control Desk) 6pp 84617 221-84617 227

9507140329 Forwards insp repts 50-390/95-37 & 50-391/95-37 on 950514-0610 No violations or deviations noted
JAUDON, J.P. Region 2 (Post 820201) 95/07/03 KINGSLEY, O.D. Tennessee Valley Authority 6pp 84737 227-84737 278

9507140326 Insp repts 50-390/95-37 & 50-391/95-37 on 950514-0610 No violations or deviations noted Major areas inspected preoperational test program implementation verification & preoperational test procedure review
VAN DOORNP, K., JULIAN, C. Region 2 (Post 820201) 95/07/03 47pp 84737 232-84737 278

9507140368 Forwards response to NRC 950619 for re violations noted in insp repts 50-390/95-28-01 & 50-391/95-28-01 Corrective actions drawings 1-47W810-31-f, Rev 15 & 1-47W811-31-1 Rev 15 have been revised to remove any ref to submittal headers
ZERLINGUE, O.J. Tennessee Valley Authority 95/07/11, Document Control Branch (Document Control Desk) 4pp 84765 350-84765 353

9507280156 Forwards insp repts 50-390/95-38 & 50-391/95-38 on 950521-0617 & NOV
JAUDON, J.P. Region 2 (Post 820201) 95/07/11 KINGSLEY, O.D. Tennessee Valley Authority 4pp 84739 207-84739 208

9507200159 Notice of violation from insp on 950521-0617 Violation noted economic affecting quality not accomplished in accordance w/ documented instructions or procedures in listed examples
* Region 2 (Post 820201) 95/07/11 2pp 84798 211-84798 212

9507200162 Insp repts 50-390/95-38 & 50-391/95-38 on 950521-0617 Violations noted Major areas inspected containment cooling special program, const work activities, splice replacement program & review of closed design change notices
WALTON, G.A., FREDRICKSON, P. Region 2 (Post 820201) 95/07/05 52pp 84798 213-84798 208

9507280080 For contract NRC-93-03-035, defining task order 52 to "Emergency Operating Procedures Insp for Plant."
WINGS, S.E.J. Division of Contracts (Post 940714) FIN J-2012-4 95/07/12 COLINA, L. Science & Engineering Associates Inc. 6pp 84845 018-84845 021

9507240255 Forwards insp repts 50-390/95-39 & 50-391/95-39 on 950619-23 No violations noted
JAUDON, J.P. Region 2 (Post 820201) 95/07/18 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84795 192-84795 214

9507240260 Insp repts 50-390/95-39 & 50-391/95-39 on 950619-23 No violations noted Major areas inspected operational fire protection program, pre-operational test program, review of 10CFR50.55 rept & action on previous insp findings
MILLER, W.H., JULIAN, G.A. Region 2 (Post 820201) 95/07/18 20pp 84795 195-84795 214

9507260085 Ack receipt of 950630 for informing NRC of steps taken to correct violations noted in insp repts 50-390/95-27 & 50-391/95-27
JAUDON, J.P. Region 2 (Post 820201) 95/07/18 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84784 340-84784 342

9507240476 Forwards Insp Repts 50-390/95-43 & 50-391/95-43 on 950619-30 No violations or deviations noted
JAUDON, J.P. Region 2 (Post 820201) 95/07/18 KINGSLEY, O.D. Tennessee Valley Authority 3pp 84824 192-84824 213

9507240482 Insp Repts 50-390/95-43 & 50-391/95-43 on 950619-30 No violations or deviations noted Major areas inspected review of status of applicant actions for implementation of station blackout rule of 10CFR50.63 at Watts Bar
MERRIFIELD, J. JULIAN, C. Region 2 (Post 820201) 95/07/18 18pp 84824 195-84824 213

T. Hearing transcripts on non-arbitrated matters

9507280220 Transcript of 950712 public meeting in Rockville, MD re briefing on status of Watts Bar & Browns Ferry Unit 3. Pp 1-56 Supporting documentation and
* Commissioners (Post 760119) 95/07/12 73pp 84844 256-84844 327

DOCKET 50-385 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507110109 Responds to 950329 request that actual plant medical emergency be credited as satisfying 1995 annual medical drill requirement Concludes that w/exception of processing of simulated contaminated victim, plant met requirements
BARR, K.P. Region 2 (Post 820201) 95/06/22 TAYLOR, G.J. South Carolina Electric & Gas Co 2pp 84557 319-84557 320

9507060095 Advises NRC that plant will install biometric hand reader sys at all entry & exit points in protected areas access facility during fourth quarter of 1995
TAYLOR, G.J. South Carolina Electric & Gas Co 95/06/29 Document Control Branch (Document Control Desk) 6pp 84619 321-84619 326

9507170018 Ack receipt of 950508 for which forwarded copies of scenario package for station radiological emergency exercises to be held on 950718 Submittal meets requirements for biennial exercise involving local govt.
BARR, K.P. Region 2 (Post 820201) 95/07/07 TAYLOR, G.J. Southern California Edison Co 2pp 84660 303-84660 304

H. General correspondence

9507060086 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control
TAYLOR, G.J. South Carolina Electric & Gas Co 95/06/13 Docketing & Services Branch 2pp 84608 177-84608 178

K. Utility Final Safety Analysis Report (FSAR) & amendments

9507140049 Forwards Amend 95-02 to FSAR for VC Summer Nuclear Station, per section w/Reply indicating that previously transmitted FSAR Amend 95-02 destroyed
FOWLER, R.M. South Carolina Electric & Gas Co 95/07/11 DEMBEEK, S. Project Directorate B-1 (PD-1) (Post 841001) 9pp 84884 001-84884 059

P. Operating license stage documents & correspondence

9507060093 Provides plant response to GL 95-03 re circumferential cracking of SG tubes
TAYLOR, G.J. South Carolina Electric & Gas Co 95/06/27 Document Control Branch (Document Control Desk) 6pp 84617 178-84617 185

9506280082 Rev 1 to NRC Administrative Ltr 84-13 to all NRC licensees re access to NRC bulletin board sys.
GRUBBS, J.K. 95/06/29 Consolidated Edison Co of New York, Inc. 10pp 84518 258-84518 266

9507060485 Forwards SE re relief requests for first ten-year interval inservice insp & Technical Evaluation Ltr Rept.
HEBDON, J.P. 95/06/29 TAYLOR, G.J. South Carolina Electric & Gas Co 1p 84638 317-84638 323

9507060405 Safety evaluation re first ten-year interval inservice insp, which is considered closed
* Office of Nuclear Reactor Regulation (Post 841001) 95/06/30 6pp 84599 318-84599 323

9507060421 Application for amend to license NPP-12, consisting of TS Change T8P 95002, reinserting TS 3/4.4.4 for pressurizer PORVs to follow guidance of GL 90-06.G1 70 & approved Westinghouse standardized TS
TAYLOR, G.J. South Carolina Electric & Gas Co 95/06/30 DEMBEEK, S. Document Control Branch (Document Control Desk) 3pp 84619 638-84619 054

9507060243 Proposed tech specs re PORVs & block valves
* South Carolina Electric & Gas Co 95/06/30 15pp 84619 029-84619 054

9507070410 Forwards "VC Summer Nuclear Station IPSEE Rept in Response to GL 88-20, Suppl 4," Vols 1-3
TAYLOR, G.J. South Carolina Electric & Gas Co 95/06/30 Document Control Branch (Document Control Desk) 12pp 84620 001-84620 119

104 DOCKETED ITEMS

9507070418 "YC Summer Nuclear Station IPEE Rept in Response to GL 88 20, Suppl 4," Vol 1-3
* South Carolina Electric & Gas Co 95/06/30 85pp 84820 013-84822 119

9507120083 Confirms telecon scheduled between R Fowkes & M Yarek on 950627 re info re: 950718 in Atlanta, GA per licensee request
CHRISTENSEN, H Region 2 (Post 820201) 95/06/30 TAYLOR, G J South Carolina Electric & Gas Co 3pp 84850 353-84850 955

Q. Inspection reports, IE Submittals & correspondence

9507120079 Forwards insp rept 50-395/95-10 on 950515-26 No violations noted
PEEBLES, T A Region 2 (Post 820201) 95/06/21 TAYLOR, G J South Carolina Electric & Gas Co 2pp 84575 241-84575 256

9507120084 Insp rept 50-395/95-10 on 950515-26 No violations noted Major areas inspected licensee operator qualification program/evaluation of how well reactor operators, SRCs & crews mastered training objectives
BALDWIN, R S, PEEBLES, T A Region 2 (Post 820201) 95/06/21 14pp 84575 243-84575 256

9507100415 Forwards Insp Rept 50-395/95-09 on 950501-31 & notice of violation
CHRISTENSEN, H Region 2 (Post 820201) 95/06/22 TAYLOR, G J South Carolina Electric & Gas Co 3pp 84692 042-84692 060

9507100419 Notice of violation from insp on 950601-31 Violation noted vol in containment spray additive tank discovered to be greater than 3,230 gallons
* Region 2 (Post 820201) 95/06/22 2pp 84692 045-84692 045

9507100424 Insp Rept 50-395/95-09 on 950601-31 Violations noted Major areas inspected operational safety verification/unit observations, surveillance observations, on-site engineering & followup on previous insp findings
MAAG, R C, FARINOLTZ, T R, CHRISTENSEN, H Region 2 (Post 820201) 95/06/22 14pp 84692 047-84692 060

9507100441 Comment on proposed "Review of NRC Insp Rept Content, Format & Style"
LAVIGNE, D A, South Carolina Electric & Gas Co 95/06/26 MEYERS, D Rules & Directives Review Branch (Post 820201) 95/06/26 84557 091-84557 095

9507090485 Forwards SE re: re: requests for first ten-year interval inservice insp & Technical Evaluation Ltr Rept
HESSON, P J 95/06/29 TAYLOR, G J South Carolina Electric & Gas Co 1p 84599 317-84599 323

9507090408 Safety evaluation re: first ten-year interval inservice insp, which is considered closed
* Office of Nuclear Reactor Regulation (Post 841001) 95/06/30 9pp 84539 316-84539 323

9507148214 Ack receipt of 950822 response to violations noted in insp rept 50-395/95-05
CHRISTENSEN, H Region 2 (Post 820201) 95/06/30 TAYLOR, G J South Carolina Electric & Gas Co 2pp 84737 353-84737 354

R. Periodic operating reports & related correspondence

9507190322 Monthly operating rept for June 1995 for YC Summer Nuclear Station W/
950713 re
MALTINAKO, J, TAYLOR, G J South Carolina Electric & Gas Co 95/06/30 5pp 84752 358-84752 360

S. Reportable occurrences, LBRs & related correspondence

9507120022 Part 21 rept re potential defect in Limotique 3M5/55/58D-00 actuators. Condition dependent on individual licensee's internal operating practices used when diagnosing MOV operable for safety related events
MYLTON, C L, Limotique Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 168-84815 186

V. Operator Examinations

9507120079 Forwards insp rept 50-395/95-10 on 950515-26 No violations noted
PEEBLES, T A Region 2 (Post 820201) 95/06/21 TAYLOR, G J South Carolina Electric & Gas Co 2pp 84575 241-84575 256

9507120088 Insp rept 50-395/95-10 on 950515-26 No violations noted Major areas inspected licensee operator qualification program/evaluation of how well reactor operators, SRCs & crews mastered training objectives
BALDWIN, R S, PEEBLES, T A Region 2 (Post 820201) 95/06/21 14pp 84575 243-84575 256

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507080214 Responds to NRC 950518 ltr re violations & proposed imposition of civil penalty noted in insp rept 50-397/94-34. Corrective actions fire protection program implementation procedure revised to reflect implementation procedure
PARRISH, J V Washington Public Power Supply System 95/06/20 UEBERMAN, J C of Enforcement (Post 870413) 14pp 84588 343-84588 366

9507080309 Revised EPIP, including rev 0 to EPIP-13.1 1A rev 21 to EPIP-13.10 Rev 8 to EPIP-13.12, rev 18 to EPIP-13.14 & rev 16 to EPIP-13.14.5 W/950628 ltr
PARRISH, J V Washington Public Power Supply System 95/06/28 73pp 84618 242-84618 320

9507060037 Forwards insp rept 50-397/95-18 on 950616-19 & notice of violation
GRIVN, T P Region 4 (Post 820201) 95/06/29 PARRISH, J V Washington Public Power Supply System 5pp 84508 029-84508 039

9507060220 Notice of violation from insp on 950515-19 Violation noted licensee used FP water sys to fill spray ponds, non-fire protection activity w/only one water source available
* Region 4 (Post 820201) 95/06/29 1p 84508 031-84508 031

9507080028 Insp rept 50-397/95-18 on 950515-19 Violations noted Major areas inspected implementation of FP program & followup of previously identified items
ANG, W P Region 4 (Post 820201) 95/06/23 8pp 84508 032-84508 039

9507200086 Forwards EA & FCHSI re 950301 application for exemption involving implementation of hand geometry biometric sys to control site access into protected area of WNP-2
CLIFFORD, J W 95/07/03 PARRISH, J V Washington Public Power Supply System 4pp 84752 394-84752 342

9507200012 Environ assessment & finding of no significant impact re implementation of hand geometry biometric sys to control site access into protected area of WNP-2 per 950301 application for exemption
MCKENNA, E M 95/07/03 5pp 84752 394-84752 342

9507120036 Forwards insp rept 50-397/95-15 on 950423-0603 & notice of violation Violation resulted in personnel not adhering to prevent fire following grinding operations
BEACH, A B Region 4 (Post 820201) 95/07/05 PARRISH, J V Washington Public Power Supply System 5pp 84574 319-84574 358

9507120049 Notice of violation from insp on 950423-0603 Violation noted work involving ignition sources not performed in controlled manner
* Region 4 (Post 820201) 95/07/05 1p 84574 324-84574 324

9507200088 Forwards exemption from certain requirements of 10CFR73.55 re issuance, storage & removal of badges for personnel granted unescorted access to protected area at facility
CLIFFORD, J W 95/07/17 PARRISH, J V Washington Public Power Supply System 3pp 84888 144-84888 151

9507200086 Exemption from requirements of 10CFR73.55 re issuance, storage & removal of badges for personnel granted unescorted access to protected area at facility
ROE, J W 95/07/17 Washington Public Power Supply System 5pp 84888 147-84888 151

9507200183 Forwards FEMA final drill rept for 950315 Oregon State Lab Drill & 950316 Washington State Lab Drill site-specific to plant/NO delinquencies or areas requiring corrective actions identified during drills
SCARANO, J A Region 4 (Post 820201) 95/07/21 PARRISH, J V Washington Public Power Supply System 4pp 84796 082-84796 125

9507090460 Forwards 950609 ltr from M Hepler transcribing FEMA Final Drill Rept No delinquencies or AICAs identified during 950315 & 16 drills
ESSIG, T H 95/06/23 MURRAY, B Region 4 (Post 820201) 2pp 84795 086-84795 087

9507090462 Forwards final rept for 950315 Oregon State Lab Drill & 950316 Washington State Lab Drill No delinquencies or AICAs noted
HEPLER, O M Federal Emergency Management Agency 95/06/09 SPESSARD, R L 1p 84795 087-84795 087

9507080085 "Oregon State Lab Drill Rept, Drill Date 950315"
* Federal Emergency Management Agency 95/05/31 15pp 84795 086-84795 103

9507080483 "Washington State Lab Drill Rept, Drill Date 950316"
* Federal Emergency Management Agency 95/05/31 22pp 84795 104-84795 125

9507110060 Informa of change to commitment re compensatory posting of vital area access doors per NRC concern raised in insp rept 50-395/95-33
PARRISH, J V Washington Public Power Supply System 95/07/25 Document Control Branch (Document Control Desk) 2pp 84803 281-84803 282

P. Operating license stage documents & correspondence

9507080181 Forwards "WNP-2 IPEE Main Rept"
PARRISH, J V Washington Public Power Supply System 95/06/26 Document Control Branch (Document Control Desk) 1p 84668 001-84668 206

9507080194 "WNP-2 IPEE Main Rept"
* Washington Public Power Supply System 95/06/26 208pp 84589 002-84589 206

9507070482 Forwards amend 139 to license NPF-21 & SE Amend consists of changes to TS in response to 950712 application
CLIFFORD, J W 95/06/26 PARRISH, J V Washington Public Power Supply System 4pp 84659 251-84659 261

9507070436 Amend 139 to license NPF-21, consisting of changes to TS in response to 950712 application
CLIFFORD, J W 95/06/26 23pp 84659 256-84659 277

9507070437 Safety evaluation supporting amend 139 to license NPF-21
* Office of Nuclear Reactor Regulation (Post 841001) 95/06/26 4pp 84589 278-84589 291

9508200082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re 95044 to NRC bulletin board sys
GRANES, B K 95/06/20 Consolidated Edison Co of New York, Inc 10pp 84518 259-84518 268

9507180434 Requests add info re facility nuclear power project request for approval to latest tornado design criteria
CLIFFORD, J W 95/07/13 PARRISH, J V Washington Public Power Supply System 3pp 84726 252-84726 254

9507270078 Summary of 950518 meeting w/IES, WPPSS & CP&L in Rockville, MD to address proposed 401 tests of Damall fire barriers including test configurations for dummy modules, schedules & test details List of participants, et al
KELLY, G B 95/07/20 30pp 84831 217-84831 248

Q. Inspection reports, IE Bulletins & correspondence

9507030214 Responds to NRC 950618 ltr re violations & proposed imposition of civil penalty noted in insp rept 50-397/94-34. Corrective actions: protective program implementation procedure revised to not hamper enforcement procedure. PARRISH, J.V. Washington Public Power Supply System. 95/06/20. LIEBERMAN, J. Dir of Enforcement (Post 870413). 14pp. 84568.343-84568.358

9507060027 Forwards insp rept 50-397/95-18 on 950515-18 & notice of violation GWYNN, T.P. Region 4 (Post 820201). 95/06/29. PARRISH, J.V. Washington Public Power Supply System. 5pp. 84508.026-84508.039

9507060028 Notice of violation from insp on 950515-18. Violation noted: licensee used FP water sys to fill spray pond/unburn protection cavity w/only one water source available. * Region 4 (Post 820201). 95/06/29. 1p. 84508.031-84508.031

9507060029 Insps rept 50-397/95-18 on 950515-18 Violations noted: Major areas inspected/implementation of FP programs & followup of previously identified items. ANG, W.P. Region 4 (Post 820201). 95/06/23. 8pp. 84508.032-84508.039

9507120089 Forwards insp rept 50-397/95-15 on 950428-0608 & notice of violation Violation resulted in personnel not adhering to prevent area following grinding operations. BEACH, A.B. Region 4 (Post 820201). 95/07/05. PARRISH, J.V. Washington Public Power Supply System. 5pp. 84574.319-84574.358

9507120043 Notice of violation from insp on 950428-0609. Violation noted: work involving ignition sources not performed in controlled manner. * Region 4 (Post 820201). 95/07/05. 1p. 84574.324-84574.324

9507120044 Insps rept 50-397/95-15 on 950428-0609. Violations noted: Major areas inspected/corrective action on previous insp findings, operational safety verification, surveillance program & relief program. CHAMBERLAND, D. Region 4 (Post 820201). 95/07/05. 34pp. 84574.325-84574.358

9507250023 Comment on "Review of NRC Insps Rept Content, Format & Style." NRC insps rept should provide balanced perspective, reflecting licensee strengths & positive aspects of programs & activities reviewed. PARRISH, J.V. Washington Public Power Supply System. 95/07/07. MEYER, S.D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84787.049-84787.044

9507240053 Responds to NRC 950618 ltr re violations noted in insp rept 50-397/95-03. Corrective actions: drawing revised to include piping type & Procedure extensively revised to correct error re influence adjustment ring setting on relief valve. PARRISH, J.V. Washington Public Power Supply System. 95/07/17. Document Control Branch (Document Control Desk). 10pp. 84624.222-84624.231

9507240089 Notification of significant licensee meeting w/utl on 950728 to discuss violations re operations, configuration rept & operability assessment: super insp rept 50-397/95-07. DYER, J.E. Region 4 (Post 820201). 95/07/19. Region 4 (Post 820201). 4pp. 84751.024-84751.028

9507290017 Forwards insp rept 50-397/95-18 on 950805-20 & notice of violation NRC concerned w/ generally low level of operations performance & lack of established improving trend. GWYNN, T.P. Region 4 (Post 820201). 95/07/26. PARRISH, J.V. Washington Public Power Supply System. 5pp. 84793.075-84793.097

9507290018 Notice of violation from insp on 950805-20. Violation noted: licensee did not maintain Plant Operations Committee approved procedure for shift & relief turnover that included shift & relief turnover checklist. * Region 4 (Post 820201). 95/07/20. 2pp. 84793.076-84793.079

9507290023 Insps rept 50-397/95-18 on 950805-20 Violations noted: Major areas inspected/control room operations during reactor startup. PELLET, J.L. Region 4 (Post 820201). 95/07/20. 18pp. 84793.080-84793.097

9507390123 Responds to NRC ltr re violations noted in insp rept 50-397/95-16 on 950622-25. Corrective actions: documented surveys of dose rates around barrel performed & series of messages held & mock-up training conducted. PARRISH, J.V. Washington Public Power Supply System. 95/07/20. Document Control Branch (Document Control Desk). 19pp. 84802.062-84802.100

9507310090 Informa of change to commitment re compensatory posting of vital area access doors per NRC concern raised in insp rept 50-395/95-33. PARRISH, J.V. Washington Public Power Supply System. 95/07/25. Document Control Branch (Document Control Desk). 2pp. 84803.261-84803.282

R. Periodic operating reports & related correspondence

9507140152 Monthly operating rept for June 1995 for WNP-2, W/950710 ltr. EMBREE, D.G., PARRISH, J.V. Washington Public Power Supply System. 95/06/30. 4pp. 84796.385-84796.396

S. Reportable occurrences, LERs & related correspondence

9507140493 LER 95-010-00 on 950609. NPCC DG declared inoperable due to discovery that TS test method incomplete. Caused by inadequate leading procedure Test procedure for NPCC DG reviewed & special test procedure written w/950707 ltr. HUSO, B.L., PARRISH, J.V. Washington Public Power Supply System. 95/07/07. 6pp. 84729.125-84729.129

9507140494 LER 95-009-00 on 950607. inadvertent MSRV closure occurred during surveillance test due to poor communication between test team. Determined that MSRV closure not valid because closure not triggered by plant conditions. W/950707 ltr. POLEY, C.J., PARRISH, J.V. Washington Public Power Supply System. 95/07/07. 5pp. 84729.130-84729.134

DOCKET 56-408 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507310054 Revised EPRPs, including rev 5 to PEP-001, rev 4 to PEP-100, rev 8/1 to PEP-101, rev 16 to PEP-102, rev 12 to PEP-103, rev 8 to PEP-215, rev 7 to PEP-218, rev 10/2 to PEP-301, rev 4/1 to PEP-362, rev 3 to PEP-370 & rev 6 to PEP-381 W/950724 ltr. ROBINSON, W.R. Carolina Power & Light Co. 95/07/24. 505pp. 84882.001-84882.141

H. General correspondence

9507290073 Informa that TD Wall has assumed position of manager, Regulatory Affairs at plant. ROBINSON, W.R. Carolina Power & Light Co. 95/07/21. Document Control Branch (Document Control Desk). 1p. 84875.165-84875.165

I. Financial information

9507120070 Confirms that \$34,196 was electronically transferred on 950629 for fees for listed invoices. ROGAR, R.E. Carolina Power & Light Co. 95/07/05. Document Control Branch (Document Control Desk). 1p. 84881.262-84881.262

F. Operating license stage documents & correspondence

9507110087 Confirms 950820 telcon between T Wall & DM Verrell re mgmt meeting to be held on 950717 to discuss status of initiatives at plant. VERRELL, D.M. Region 2 (Post 820201). 95/08/21. ROBINSON, W.R. Carolina Power & Light Co. 3pp. 84597.258-84597.260

9507060084 Forwards plant response to GL 95-03, "Circumstantial Cracking of SG Tubes." ROBINSON, W.R. Carolina Power & Light Co. 95/06/27. Document Control Branch (Document Control Desk). 7pp. 84583.347-84583.353

9506290052 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GAMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518.256-84518.268

9507060075 Forwards plant IPSEE final rept in response to GL 95-20, Suppl 4. ROBINSON, W.R. Carolina Power & Light Co. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84628.001-84628.003

9507060080 "Shearon Harris NPP IPSEE Final Rept." * Carolina Power & Light Co. 95/06/30. 43pp. 84628.003-84628.073

9507080403 Notification of 950714 meeting w/utl in Rockville, MD to discuss status of licensing activities. LEIN, B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/30. MATHEWS, J.B. Project Directorate II-1 (PD2-1) (Post 941001). 3pp. 84640.049-84640.050

9507110027 Withdraws 950820 request to revise TS 3/4.4.3, "SGs" to allow repair of degraded SG tubes by sleeving as alternative to removing tube from service by plugging. ROBINSON, W.R. Carolina Power & Light Co. 95/07/05. Document Control Branch (Document Control Desk). 1p. 84645.003-84645.006

9507190018 Provides suppl info re CP&L 950930 application for amend to license NPP-63, revising EDG SRs to address NRC questions communicated on 950510. ROBINSON, W.R. Carolina Power & Light Co. 95/07/06. Document Control Branch (Document Control Desk). 2pp. 84684.334-84684.337

9507130015 Proposed tech specs 4.8.1.1.2, revising EDG SRs. * Carolina Power & Light Co. 95/07/06. 2pp. 84684.338-84684.337

9507390186 Forwards notice of 950705 withdrawal of 950820 application for amend to license NPP-63, modifying TS 3/4.4.5, "Steam Generators." LEIN, B. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/12. ROBINSON, W.R. Carolina Power & Light Co. 2pp. 84729.016-84729.019

9507190198 Notice of 950705 withdrawal of 950820 application for amend to license NPP-63, modifying TS 3/4.4.5, "Steam Generators." LEIN, B. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/12. 2pp. 84729.018-84729.019

9507280210 Forwards technical info re area temp monitoring TS 3/4.7.12, as requested during telcon w/NRC re 941024 request for license amend re relocation of selected TS in accordance w/NUREG-1431. ROBINSON, W.R. Carolina Power & Light Co. 95/07/21. Document Control Branch (Document Control Desk). 5pp. 84578.312-84578.316

Q. Inspection reports, IE Bulletins & correspondence

9507110016 Responds to NRC 950606 ltr re violation noted in insp rept 50-400/95-08. Corrective actions: individual involved in incident cited received one on one training on Plant Administrative Procedure AP-002, Section 5.3.2.3. ROBINSON, W.R. Carolina Power & Light Co. 95/07/05. Document Control Branch (Document Control Desk). 3pp. 84895.067-84895.068

9507140308 Forwards insp rept 50-400/95-10 on 950807-0510 & notice of violation. VERRELL, D.M. Region 2 (Post 820201). 95/07/07. ROBINSON, W.R. Carolina Power & Light Co. 4pp. 84737.279-84737.284

9507140312 Notice of violation from insp on 950507-0610. Violation noted on 850824-25, containment isolation valve 1M5-02 inoperable for approx 30 h w/blown tube in hydraulic pump controls & actions required by TS 3.8.3 not performed. * Region 2 (Post 820201). 95/07/07. 2pp. 84737.289-84737.294

106 DOCKETED ITEMS

9507140315 Insp rept 50-400/95-10 on 950607-0610 Violations noted Major areas inspected operational safety, maintenance, engineering activities & plant support
ELMOO.S., ROBERTS.D., VERRELLI.D. Region 2 (Post 820201) 95/07/07 20pp
84737 285-84737 304

9507200114 Ack receipt of 950706 for informing NRC of steps taken to correct violations noted in insp rept 50-400/95-08 on 950605
VERRELLI.D. Region 2 (Post 820201) 95/07/13 ROBINSON.W.R. Carolina Power & Light Co App 84794 343-84794 345

R. Periodic operating reports & related correspondence

9507200032 Monthly operating rept for June 1995 for Shearon Hams NPP W/950713
ROGERS.S., ROBINSON.W.R. Carolina Power & Light Co 95/08/30 3pp 84779 182-84779 184

S. Reportable occurrences, LERs & related correspondence

9507210222 Part 21 rept re potential defect in Limbique SMD/58/58D-00
situation Condition dependent on individual licensee internal operating practices used when developing MOV available for safety related suits
HYLTON.C.L. Limbique Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84816 168-84816 169

DOCKET 50-407 UNIV. OF UTAH RESEARCH REACTOR

D. Inspection reports, IE Bulletin & correspondence

9507200219 Forwards final exam rept 50-407/OL-95-02, facility comments & NRC resolution of comments & exam & answer key re license to operate Univ of Utah reactor W/o end
RICHARDS.S.A. 95/07/17 SLAUGHTER.D.M. Utah, Univ of, Salt Lake City, UT 1p 84831 188-84831 188

V. Operator Examinations

9507200222 Forwards results for operator initial exam conducted at Univ of Utah on 850705 W/o end
RICHARDS.S.A. 95/07/17 SLAUGHTER.D.M. Utah, Univ of, Salt Lake City, UT 1p 84832 260-84832 260

9507200219 Forwards initial exam rept 50-407/OL-95-02, facility comments & NRC resolution of comments & exam & answer key re license to operate Univ of Utah reactor W/o end
RICHARDS.S.A. 95/07/17 SLAUGHTER.D.M. Utah, Univ of, Salt Lake City, UT 1p 84831 188-84831 188

DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

S. Reportable occurrences, LERs & related correspondence

9507200236 LER 95-002-00 on 950615, containment bldg basement fire hose station operability was lost. Unlabeled facility change to remove or disable auto-closure function of HPSW CB isolation valve W/950625
GREEN.W.R., BERG.W.L. Dairyland Power Cooperative 95/06/26 3pp 84862 306-84862 311

9507180030 LER 95-003-00 on 950626, CR was left unattended when CR operator was called to attend operators review committee meeting in other bldg. Plant manager met w/shift supervisor responsible & discussed violation W/950705
GREEN.W.R., BERG.W.L. Dairyland Power Cooperative 95/06/30 3pp 84771 303-84771 305

W. Decommissioning Stage Documents & Correspondence

9507200062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES.B.K. 88/06/29 Consolidated Edison Co of New York, Inc 10pp 84518 258-84518 258

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507200065 Submits emergency response data sys software changes
TERRY.C.D. Niagara Mohawk Power Corp 85/06/23 Document Control Branch (Document Control Desk) 2pp 84561 173-84561 174

9507200175 Rev 5 to EPP-EPP-08, "On-Site Dose Assessment & Protective Action Recommendation" W/950626
ABBOTT.J.R., DAHLBERG.J.A., MCCORMICK.M.J. Niagara Mohawk Power Corp 95/06/26 35pp 84617 225-84617 282

9507200062 Comment supporting proposed GL 94-XX, "Process for Changes to Security Plans W/O Prior NRC Approval"
MCCORMICK.M.J. Niagara Mohawk Power Corp 95/07/03 Division of Freedom of Information & Publications Services (Post 940714) 1p 84787 002-84787 002

H. General correspondence

9507210012 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness measures from annual to biennial
MCCORMICK.M.J. Niagara Mohawk Power Corp 95/06/30 Docketing & Services Branch 1p 84738 015-84738 015

9507200261 Responds to 950428 for re concerns on how situation developed in which licensee stored radioactive waste at basement room since 1981, NRC enforcement of regulations & industry storage of spent nuclear fuel
RUSSELL.W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/07/14 EWING.J.S. Affiliation Not Assigned App 84771 325-84771 351

9507200265 Requests consideration of end item from J Ewing
MCKUSK.B.A. Senate 95/05/19 RATHBUN.D.K. Office of Congressional Affairs (Post 911117) 5pp 84771 347-84771 351

P. Operating license stage documents & correspondence

9507050484 Concludes that all GL 89-14 (AS improvements) as identified in listed NMP correspondence, completed at facility
TERRY.C.D. Niagara Mohawk Power Corp 95/06/23 Document Control Branch (Document Control Desk) 2pp 84570 197-84570 198

9507050480 Transmits SE supporting conclusion that plant can be safely operated for current operating cycle of 17 months w/ two raw indications present on recirculation sys nozzles
EDISON.G.E. Project Directorate I-1 (PD1-1) (Post 941001) 95/06/28 SYLVIA.B.R. Niagara Mohawk Power Corp 3pp 84530 238-84530 243

9507050404 Safety evaluation supporting conclusion that plant can be safely operated for current operating cycle of 17 months w/ two raw indications present on recirculation sys nozzles
Office of Nuclear Reactor Regulation (Post 941001) 95/06/26 3pp 84530 241-84530 243

9507050212 Transmits clarification & corrections to SE which accompanied license amendment 66. Revisions minor & do not change conclusions
EDISON.G.E. Project Directorate I-1 (PD1-1) (Post 941001) 95/06/28 SYLVIA.B.R. Niagara Mohawk Power Corp 3pp 84539 187-84539 211

9507070099 Corrected pages for safety evaluation for plant re power upgrade for amendment 65
NRC - No Detailed Affiliation Given 95/06/26 21pp 84539 190-84539 211

9506200082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES.B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84518 258-84518 258

9507050297 Forwards "Nine Mile Point Nuclear Station - Unit 2 IPE for External Events (IPEE)" per GL 89-20, Suppl 4
TERRY.C.D. Niagara Mohawk Power Corp 95/06/30 Document Control Branch (Document Control Desk) 1p 84572 001-84572 025

9507050303 "Nine Mile Point Nuclear Station - Unit 2 IPE for External Events (IPEE)"
KIRCHNER.R.F., BRUCE.G.A., CUSHMAN.L.F. Niagara Mohawk Power Corp SAS-TR-95-001 95/06/30 36pp 84572 002-84572 025

9507050062 Responds to 950421 request from R Sylva, accepting change to QAP for plant re addition of functions of records mgmt, document control & QA administrative sys to QA organization, IAW 10CFR50.54
MOSES.M.C. Region 1 (Post 820201) 95/07/13 SYLVIA.B.R. Niagara Mohawk Power Corp 2pp 84793 139-84793 131

9507050099 Forwards mod of SPDES discharge permit NY-000-1015 for Nine Mile Point Nuclear Station Unit 1 & 2
MCCORMICK.M.J. Niagara Mohawk Power Corp 95/07/18 Document Control Branch (Document Control Desk) 3pp 84824 116-84824 120

G. Inspection reports, IE Bulletin & correspondence

9507060166 Provides results of ultrasonic insp of high pressure core spray nozzle safe-end extension weld during fourth refueling outage
TERRY.C.D. Niagara Mohawk Power Corp 95/06/23 Document Control Branch (Document Control Desk) 1p 84600 361-84600 361

9507060074 Ack receipt of 950615 for informing NRC of steps taken to correct violations noted in insp rept 50-220/95-10 & 50-410/95-10
JOYNER.J.H. Region 1 (Post 820201) 95/06/28 SYLVIA.B.R. Niagara Mohawk Power Corp 2pp 84507 047-84507 052

9507180314 Forwards insp rept 50-220/95-12 & 50-410/95-12 on 950423-0603 No violations noted
DOWELL.C.J. Region 1 (Post 820201) 95/06/28 SYLVIA.B.R. Niagara Mohawk Power Corp 3pp 84691 260-84691 263

9507060216 Insp rept 50-220/95-12 & 50-410/95-12 on 950423-0603 No violations noted Major areas inspected plant operations, maintenance, engineering, plant support, safety assessment, quality verification & previously open items
DOERFLEIN.L.T. Region 1 (Post 820201) 95/06/27 11pp 84661 283-84661 283

9507180348 Forwards MOV insp rept 50-220/95-11 & 50-410/95-11 on 950330-0909 & notice of violation
BLOUGH.J.A. Region 1 (Post 820201) 95/06/30 SYLVIA.B.R. Niagara Mohawk Power Corp 3pp 84662 339-84662 360

9507180362 Notice of violation from insp on 950530-0909 Violation noted-failed to adequately disposition condition adverse to quality in that two safety-related HPCS valves not properly identified as being susceptible to pressure locking
Region 1 (Post 820201) 95/06/30 1p 84662 339-84662 339

9507100377 Insp rept 50-220/95-11 & 50-410/95-11 on 950530-0630 Violations noted Major areas inspected MOV items opened during previous insps of GL 89-10 program & issues requiring resolution prior to program closure.
TRAPP.J.M. KELLY.E.M. Region 1 (Post 820201) 95/06/29 2pp 84662 337-84662 360

9507240280 Forwards insp repts 50-220/95-17 & 50-410/95-17 on 950626-29 No violations noted
JOYNER, J.H. Region 1 (Post 820201) 95/07/14 SYLVIA, B.R. Niagara Mohawk Power Corp 3pp 84824 302-84824 309

9507240286 Insp repts 50-220/95-17 & 50-410/95-17 on 950626-29 No violations noted Major areas inspected radiological environ monitoring program & meteorological monitoring program
PELUSO, L., GORES, R. Region 1 (Post 820201) 95/07/14 5pp 84824 305-84824 309

9507270250 Ack receipt of 950626 lr informing NRC of steps taken to correct violations noted in insp repts 50-220/95-03 & 50-410/95-03
CONWAY, J.T. Region 1 (Post 820201) 95/07/18 SYLVIA, B.R. Niagara Mohawk Power Corp 3pp 84843 335-84843 243

R. Periodic operating reports & related correspondence

9507140182 "Final SPDES Annual Biological Monitoring Rept" dtd June 1995 W/ 950710 lr
DAHLBERG, K.A. Niagara Mohawk Power Corp 94/12/31 68pp 84761 048-84761 115

9507250068 Monthly operating rept for June 1995 for Nine Mile Point Unit 2 W/950717 lr
CAROCCIO, C.J., DAHLBERG, K.A. Niagara Mohawk Power Corp 95/06/30 6pp 84828 917-84828 222

S. Reportable occurrences, LERs & related correspondence

9507090186 LER 95-006-00 on 950530, TS violation occurred because procedural requirement was not followed Locked open valve 2FR42 Y915 W/950628 lr
CONWAY, J.T., DAHLBERG, K.A. Niagara Mohawk Power Corp 95/06/28 6pp 84578 249-84578 254

9507090167 LER 95-006-00 on 950530, full reactor scram occurred due to turbine bearing vibration beyond allowable in connection w/startup of new low pressure turbine rotor. Placed plant in stable condition
CONWAY, J.T., DAHLBERG, K.A. Niagara Mohawk Power Corp 95/06/28 5pp 84579 255-84579 259

9507110186 LER 95-007-00 on 950605, manual scram initiated in anticipation of an automatic scram on high RP resulting from generator runback due to high temp. Caused by human error. Scram recovery actions performed W/950705 lr
DEAN, R., DAHLBERG, K.A. Niagara Mohawk Power Corp 95/07/05 6pp 84830 010-84830 015

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs
WYLLON, C.L. Limitorque Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 188-84815 198

DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507230021 Comment supporting proposed generic lr re process for changes to security plans w/o prior NRC approval
THOMAS, G.S. Duquesne Light Co 95/07/11 NRC - No Detailed Affiliation Given 1p 84787 040-84787 040

9507210186 Adresses that 950512 rev to plant Unit 1 & 2 physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable
BRINKMAN, D.S. Project Directorate I-2 (PD1-2) Post 941001 95/07/18, CROSS, J.E. Duquesne Light Co 4pp 84878 343-84878 348

9507310020 Expresses appreciation to licensee for hosting int attendees to NRC May 1995 US Fire Protection Practices training course
VARGAS, 95/07/25 THOMAS, G.S. Duquesne Light Co 3pp 84888 341-84888 343

H. General correspondence

9507210082 Comment supporting IIR 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial
THOMAS, G.S. Duquesne Light Co 95/07/11 Docketing & Services Branch 1p 84788 055-84788 056

P. Operating license stage documents & correspondence

9507090284 Forwards amends 188 & 70 to licenses DPR-66 & NPF-73 & SE Amends 189 & 70 revise App A TSs by relocating requirements of RETS & solid radwaste TSs from App A to ODCM or to PCP in accordance w/GL 89-01 & NRC rept NUREG-1301
BRINKMAN, D.S. Project Directorate I-2 (PD1-2) Post 941001 95/06/12 CROSS, J.E. Duquesne Light Co 4pp 84528 001-84528 118

9507090286 Amends 188 & 70 to licenses DPR-66 & NPF-73, respectively, revising App A TSs by relocating requirements of RETS & solid radwaste TSs from App A TSs to ODCM or to PCP in accordance w/GL 89-01 & NRC rept NUREG-1301
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/06/12 108pp 84528 005-84528 112

9507090288 Safety evaluation supporting Amends 188 & 70 to licenses DPR-66 & NPF-73, respectively
Office of Nuclear Reactor Regulation (Post 841001) 95/06/12 5pp 84528 113-84528 115

9507090288 Provides revised no significant hazards evaluation for proposed TS change requests 212 & 78, revoking quadrupole power limitation requirements
NOONAN, T.P. Duquesne Light Co 95/06/23 Document Control Branch (Document Control Desk) 6pp 84570 209-84570 214

9507090372 Forwards response to GL 85-03 "Circumferential Cracking of SG Tubes" including safety assessment justifying continued operation, summary of insp plans developed & schedule for next planned insp
NOONAN, T.P. Duquesne Light Co 95/06/23 Document Control Branch (Document Control Desk) 13pp 84570 241-84570 235

9507180287 Forwards amends 188 & 71 to licenses DPR-66 & NPF-73, respectively & SE Amends revise item 2 of TS 6.9.1.14 for units 1 & 2, to specify use of BASH methodology instead of earlier W methodology
BRINKMAN, D.S. Project Directorate I-2 (PD1-2) Post 941001 95/06/27 CROSS, J.E. Duquesne Light Co 3pp 84696 251-84696 264

9507180285 Amends 188 & 71 to licenses DPR-66 & NPF-73, respectively, revising item 2 of TS 6.9.1.14, "Core Operating Limits Rept," for units 1 & 2, to specify use of BASH methodology instead of earlier W methodology
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/06/27 4pp 84696 254-84696 262

9507180286 Safety evaluation supporting amends 188 & 71 to licenses DPR-66 & NPF-73, respectively
Office of Nuclear Reactor Regulation (Post 841001) 95/06/27 2pp 84696 263-84696 264

9506280062 Rev 1 to NRC Administrative Ltr 94-19 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84518 258-84518 258

9507100418 Forwards typed TS pages for issuance of amends in response to util request for TS Changes 199 & 66 Rev 1 Ltr non-intent additional changes incorporated to ensure consistency w/current format & content
THOMAS, G.S. Duquesne Light Co 95/06/29 Document Control Branch (Document Control Desk) 2pp 84891 308-84891 350

9507090421 Proposed tech specs for TS Changes 188 & 66, Rev 1
Duquesne Light Co 95/06/29 41pp 84891 310-84891 360

9507190831 Application for amend to licenses DPR-66 & NPF-73, modifying criteria for boron dilution during isolated loop startup & isolation of primary grade water in Modes 4.5 & 6
THOMAS, G.S. Duquesne Light Co 95/07/10 Document Control Branch (Document Control Desk) 3pp 84783 052-84783 177

9507190833 Proposed tech specs modifying criteria for boron dilution during isolated loop startup & isolation of primary grade water in modes 4.5 & 6
Duquesne Light Co 95/07/10 122pp 84783 055-84783 177

9507310177 Application for amends to licenses DPR-66 & NPF-73, consisting of proposed OL license change requests 221 & 90, respectively. Proposed change would modify LCO 3.8.1.1, "AG Sources - Operating" & associated SRs
NOONAN, T.P. Duquesne Light Co 95/07/20 Document Control Branch (Document Control Desk) 3pp 84880 287-84880 342

9507310182 Proposed tech specs LCO 3.8.1.1 "AG Sources - Operating" & SRs
Duquesne Light Co 95/07/20 53pp 84880 290-84880 342

Q. Inspection reports, EE Bulletin & correspondence

9507090028 Forwards insp repts 50-334/95-09 & 50-412/95-09 on 950418-0600 & notice of violation
LIVILLE, J.C. Region 1 (Post 820201) 95/06/23 CROSS, J.E. Duquesne Light Co 3pp 84507 601-84507 046

9507090033 Insp repts 50-334/95-09 & 50-412/95-09 on 950418-0600. Violations noted Major areas inspected plant operations, maint & surveillance, engineering, plant support & SA/QV
LAZARUS, W.J. Region 1 (Post 820201) 95/06/21 41pp 84507 004-84507 048

9507090372 Forwards response to GL 85-03 "Circumferential Cracking of SG Tubes," including safety assessment justifying continued operation, summary of insp plans developed & schedule for next planned insp
NOONAN, T.P. Duquesne Light Co 95/06/23 Document Control Branch (Document Control Desk) 13pp 84570 241-84570 235

R. Periodic operating reports & related correspondence

9507090325 "NPDES Discharge Monitoring Rept for May 1995" W/950621 lr
NOONAN, T.P. Duquesne Light Co 95/06/31 31pp 84587 253-84587 289

9507140186 Monthly operating repts for June 1995 for Beaver Valley Power Station Unit 1 & 2 W/950706 lr
JONES, D.T., NOONAN, T.P. Duquesne Light Co 95/06/30 10pp 84729 347-84729 358

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs
WYLLON, C.L. Limitorque Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 188-84815 188

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

108 DOCKETED ITEMS

9507180234 Forwards public version of revised EPIPs, including Retype 1 to RP/D/A/5000/06A, Retype 1 to RP/D/A/5000/06B, Retype 1 to RP/D/A/5000/06C, Retype 4 to RP/D/A/5000/20 & RP/D/A/5000/24 & Rev 4 to Site Directive 3.0.7 W/950716 release memo
REHN, D.L. Duke Power Co. 95/05/10 Document Control Branch (Document Control Desk) 2pp 84883 153-84883 358

-9507180237 Public version of revised EPIPs, including Retype 1 to RP/D/A/5000/06A, Retype 1 to RP/D/A/5000/06B, Retype 1 to RP/D/A/5000/06C, Retype 4 to RP/D/A/5000/20 & RP/D/A/5000/24 & Rev 4 to Site Directive 3.0.7
SMITH, S.R. Duke Power Co. 95/05/10 20pp 84883 153-84883 358

9507070185 Forwards rev 1 to Duke Power Co Nuclear Security & Contingency Plan, per 1DCFR80 5409 Encl withheld
TUCKMAN, M.S. Duke Power Co. 95/06/27 Document Control Branch (Document Control Desk) 2pp 84822 343-84822 344

9507280084 Forwards public version of EPIPs for plant W/950724 release memo
REHN, D.L. Duke Power Co. 95/07/06 Document Control Branch (Document Control Desk) 3pp 84844 202-84844 258

-9507280117 Public version of change 20 to EPIP RP/D/A/5000/02, change 20 to EPIP RP/D/A/5000/03, change 20 to EPIP RP/D/A/5000/04, change 20 to EPIP RP/D/A/5000/05 & change 7 to EPIP RP/D/A/5000/10
* Duke Power Co. 95/06/15 49pp 84844 207-84844 258

P. Operating license stage documents & correspondence

9507030105 Informs that addl audit not necessary to accept util use of revised DROW code Proposed changes to Administrative Controls section of each plant TS must be submitted in order to include util use of revised code as methodology
BERKOW, H.N. 95/06/19 TUCKMAN, M.S. Duke Power Co. 4pp 94511 281-84511 284

9507060060 Provides Unit 1 summary rept re B3D vs 610 Bobbin Probe comparison & analyst error assessment
REHN, D.L. Duke Power Co. 95/06/26 Document Control Branch (Document Control Desk) 4pp 84563 342-84563 345

9507060244 Forwards util responses to GL 95-03 re circumferential cracking of SG tubes
TUCKMAN, M.S. Duke Power Co. 95/06/27 Document Control Branch (Document Control Desk) 14pp 84570 115-84570 128

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84518 289-84518 288

9507240112 Application for amendments to licensee DPR-36, DPR-47, DPR-55, NPF-4, NPF-17, NPF-35 & NPF-52 re mgt positions authorized to approve such items as procedures & procedure changes, station mode, TS amendments & reportable events
TUCKMAN, M.S. Duke Power Co. 95/06/29 Document Control Branch (Document Control Desk) 5pp 84796 287-84796 352

-9507240118 Proposed tech specs re mgt positions authorized to approve such items as procedures & procedure changes, station mode, TS amendments & reportable events
* Duke Power Co. 95/06/29 5pp 84796 292-84796 295

-9507240123 "DPC TR CA Progress"
* Duke Power Co. 95/06/29 5pp 84796 297-84796 362

9507060253 Clarifies use of methodologies needed primarily for reanalysis of steam stream lines in conjunction w/steam generator replacement
TUCKMAN, M.S. Duke Power Co. 95/06/30 Document Control Branch (Document Control Desk) 7pp 84617 099-84617 099

9507100022 Advises of intent & need to utilize methodology changes in Rev 2 of TR BAW-10108P-A for upcoming cycle (10) of Catawba Nuclear Station, Unit 1
TUCKMAN, M.S. Duke Power Co. 95/06/30 Document Control Branch (Document Control Desk) 2pp 84695 008-84695 010

950710265 Forwards SE authorizing 931008 for requesting relief from ASME Boiler & Pressure Vessel Code, Section XI requirement to perform volumetric exam of reactor vessel nozzle-to-vessel welds
BERKOW, H.N. 95/07/03 REHN, D.L. Duke Power Co. 3pp 84618 285-84618 302

-950710288 Safety evaluation authorizing licensee request for relief 95-02
* Office of Nuclear Reactor Regulation (Post 841001) 95/07/03 3pp 84616 302-84616 302

9507130077 Forwards revised marked-up TS pages for 950617 proposed TS amend modifying requirements for fuel assemblies in design features section of TS in accordance w/GL 90-02, Suppl 1, per NRC request
REHN, D.L. Duke Power Co. 95/07/05 Document Control Branch (Document Control Desk) 4pp 84676 177-84676 182

-9507130141 Proposed tech specs, modifying requirements for fuel assemblies
* Duke Power Co. 95/07/05 3pp 84676 181-84676 183

9507130325 Requests for addl info re seismic analysis methodology for McGuire Nuclear Station, Units 1 & 2 & Catawba Nuclear Station, Units 1 & 2 Requests responses within 30 days
MARTIN, R.E. 95/07/09 TUCKMAN, M.S. Duke Power Co. 6pp 84831 305-84831 310

9507130131 Forwards "Catawba Unit 1 1995 Intern Plugging Criteria 90 Day Rept." dtd June 1995 Rept re detailed assessment of 630 vs 670 Bobbin probe comparison & analyst error, as committed to in TS amendments 130/124
REHN, D.L. Duke Power Co. 95/07/07 Document Control Branch (Document Control Desk) 1p 84732 214-84732 309

-9507130134 "Catawba Unit 1 1995 Intern Plugging Criteria 90 Day Rept."
* Westinghouse Electric Corp. 95/06/30 32pp 84732 215-84732 309

9507280086 Forwards NPDES supplemental info update to NPDES permit application, proposed reverts of NPDES permit & supplemental info, description of requested permit changes & marked up of existing permit showing changes
CARTER, J.S. Duke Power Co. 95/07/18 ELEANOR T.M. South Carolina, State of 85pp 84827 179-84827 254

9507280070 Contains 950718 telcon between Z Taylor & R Freudenberg re mgt meeting to be conducted at plant on 950901 Meeting requested to present self-assessment of plant performance
CRILENIAK, R.V. Region 2 (Post 820201) 95/07/19 REHN, D.L. Duke Power Co. 4pp 84794 333-84794 338

9507240249 Notification of 950727-26 w/Duke Power, Catawba & McGuire Nuclear Stations to discuss staff's review of licensee's proposal for use of alternative seismic analysis methodologies developed
MARTIN, R.E. 95/07/20 BERKOW, H.N. 4pp 84824 296-84824 299

9507270382 Forwards amends 131 & 125 to licensee NPF-35 & NPF-52 & safety evaluation Amends delete TS 3/4.3.4 & associated bases
MARTIN, R.E. 95/07/21 REHN, D.L. Duke Power Co. 3pp 84873 001-84873 017

-9507270398 Amends 131 & 125 to licensee NPF-35 & NPF-52, respectively, deleting TS 3/4.3.4 "Turbine Overspeed Protection," & associated bases
BERKOW, H.N. 95/07/21 3pp 84873 004-84873 012

-9507270388 Safety evaluation supporting amends 131 & 125 to licensee NPF-35 & NPF-52, respectively
* Office of Nuclear Reactor Regulation (Post 841001) 95/07/21 5pp 84873 013-84873 017

9507270338 Forwards amends 132 & 126 to licensee NPF-35 & NPF-52 & SE Amends relocate requirements for seismic instrumentation, meteorological instrumentation & loose-part detection sys & associated bases & SR from TS to selected comment manual
MARTIN, R.E. 95/07/24 REHN, D.L. Duke Power Co. 3pp 84873 227-84873 230

-9507270344 Amends 132 & 126 to licensee NPF-35 & NPF-52, respectively, relocating requirements for seismic instrumentation, meteorological instrumentation & loose-part detection sys & associated bases & SR from TS to selected licensee manual
BERKOW, H.N. 95/07/24 13pp 84873 230-84873 245

-9507270348 Safety evaluation supporting amends 132 & 126 to licensee NPF-35 & NPF-52, respectively
* 95/07/24 5pp 84873 245-84873 250

9507300034 RA re rev 1 to DPC-NE-3002 "PSAR Chapter 15 Sys Treatment Analysis Methodology," for started plants
MARTIN, R.E. 95/07/25 TUCKMAN, M.S. Duke Power Co. 6pp 84958 335-84958 340

Q. Inspection reports, RE Bulletins & correspondence

9507120090 Ack receipt of 950608 re informing NRC of steps taken to correct violations noted in insp repts 50-413/95-10 & 50-414/95-10
CRILENIAK, R.V. Region 2 (Post 820201) 95/06/29 REHN, D.L. Duke Power Co. 3pp 84575 273-84575 275

9507130086 Forwards Rev 0 to "ISI Special Rept for Pressure Testing Unit 1 Catawba 1995 Refueling Outage 5"
REHN, D.L. Duke Power Co. 95/06/29 Document Control Branch (Document Control Desk) 1p 84736 049-84736 066

-9507130089 Rev 0 to "ISI Special Rept for Pressure Testing Unit 1 Catawba 1995 Refueling Outage 5"
BOUGHMAN, J. Duke Power Co. 95/06/29 20pp 84736 050-84736 088

9507140284 Forwards request for info re integrated performance assessment process insp repts 50-413/95-14 & 50-414/95-14
MERSCHOFF, E.W. Region 2 (Post 820201) 95/06/29 REHN, D.L. Duke Power Co. 3pp 84751 118-84751 123

9507170027 Advises licensee of results of plant performance review & subsequent evaluations, Forwards SALP insp plans for next 6 months
MERSCHOFF, E.W. Region 2 (Post 820201) 95/06/30 REHN, D.L. Duke Power Co. 7pp 84850 336-84850 362

9507140239 Forwards insp repts 50-413/95-13 & 50-414/95-13 Violations noted
CRILENIAK, R.V. Region 2 (Post 820201) 95/07/06 REHN, D.L. Duke Power Co. 4pp 84737 320-84737 344

-9507140249 Insp repts 50-413/95-13 & 50-414/95-13 on 950614-0610 Violations noted, Major areas inspected plant operations, maintenance, engineering & plant support
FREUDENBERGER, BALMAIN, P.A., CARROLL, R.E. Region 2 (Post 820201) 95/07/06 19pp 84737 324-84737 344

9507130818 Responds to NRC 950609 for re violations noted in insp repts 50-413/95-12 & 50-414/95-12 on 950409-0513 Corrective actions Maintenance manager consulted re procedure use & adherence expectations
REHN, D.L. Duke Power Co. 95/07/07 Document Control Branch (Document Control Desk) 8pp 84854 338-84854 346

9507280036 Forwards insp repts 50-413/95-17 & 50-414/95-17 on 950626-30 No violations noted
CASTO, C.A. Region 2 (Post 820201) 95/07/13 REHN, D.L. Duke Power Co. 3pp 84800 344-84800 353

-9507280041 Insp repts 50-413/95-17 & 50-414/95-17 on 950626-30 No violations noted, Major areas inspected conducted to address licensee actions to address NRC Bulletin 90-001, suppl 1, loss of fill oil in transformers mgt by Rosemount
SALGADO, N. SHYMLUCK, M. Region 2 (Post 820201) 95/07/12 7pp 84800 347-84800 353

9507240311 Ack receipt of 950609 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-419/85-12 & 50-414/85-12
CRLENIAK R V Region 2 (Post 820201) 95/07/19 REHNOLD L Duke Power Co 3pp 84819 358-84819 358

R. Periodic operating reports & related correspondence

9507200113 Forwards monthly operating rept June 1985 & revised monthly operating rept for May 1985 for Catawba Nuclear Station
WEBER R L Duke Power Co 95/07/14 Document Control Branch (Document Control Desk) 3pp 84779 304-84779 316

-9507200118 Monthly operating rept for June 1985 for Catawba Nuclear Station
WILLIAMS R A Duke Power Co 95/06/30 10pp 84779 308-84779 315

-9507200196 Revised monthly operating rept for May 1985 for Catawba Nuclear Station
* Duke Power Co 95/05/31 1p 84779 316-84779 316

S. Reportable occurrences, LERs & related correspondence

9507070213 Special report 950523, Unit 1 Train A fuel handling ventilation filter heaters declared inoperable. Evaluation done to determine fault
REHNOLD L Duke Power Co 95/06/29 Document Control Branch (Document Control Desk) 2pp 84819 358-84819 359

9507180946 Special report 950608, Channel 13 was declared inoperable. Trending of bus voltage & background RMS evaluated to conclude channel was experiencing periodic failures. Corrective merit will be performed during 1EOCS outage
REHNOLD L Duke Power Co 95/07/11 Document Control Branch (Document Control Desk) 1p 84784 352-84784 362

9507180945 Special report 950615, Channel 4 was declared inoperable due to noise characteristic of healthy channel detected via vibration & loose parts monitoring sys. Corrective merit will be performed during 1EOCS outage
REHNOLD L Duke Power Co 95/07/12 Document Control Branch (Document Control Desk) 1p 84775 347-84775 347

9507200222 Part 21 rept re potential defect in Limbique SMB/SB-00 actuators. Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related sys
HYLTON G L Limbique Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84816 188-84816 198

9507200566 PNO-8-95-042 on 950719, licensee noticed altercation between two people at employees park. Guards found four individuals (aged 15 to 23) in controlled area. Licensee identified no evidence of damage or sabotage
WATKINS R Region 2 (Post 820201) 95/07/14 1p 84738 212-84738 212

V. Operator Examinations

9507180812 Ltr connect, defining task order 19, "Operator Licensing Exam - Catawba"
WIGGINS E J Division of Contracts (Post 840714) NRC-03-94-019 95/05/25
VOGLER M Sonalysts, Inc 3pp 84683 357-84683 358

DOCKET 58-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507180234 Forwards public version of revised EIPs, including Retype 1 to RP/O/A/5000/06A, Retype 1 to RP/O/A/5000/06B, Retype 1 to RP/O/A/5000/06C, Retype 4 to RP/O/A/5000/20 & RP/O/A/5000/24 & Rev 4 to Site Directive 307 W/950716 release memo
REHNOLD L Duke Power Co 95/05/10 Document Control Branch (Document Control Desk) 2pp 84883 153-84883 358

-9507180237 Public version of revised EIPs, including Retype 1 to RP/O/A/5000/06A, Retype 1 to RP/O/A/5000/06B, Retype 1 to RP/O/A/5000/06C, Retype 4 to RP/O/A/5000/20 & RP/O/A/5000/24 & Rev 4 to Site Directive 307
SMITH R Duke Power Co 95/05/01 204pp 84883 155-84883 368

9507180716 Forwards rev 1 to Duke Power Co Nuclear Security & Contingency Plan, per 10CFR80.64(p) Enci withheld
TUCKMAN M S Duke Power Co 95/06/27 Document Control Branch (Document Control Desk) 3pp 84822 349-84822 344

9507200094 Forwards public version of EIPs for plant W/950724 release memo
REHNOLD L Duke Power Co 95/07/06 Document Control Branch (Document Control Desk) 3pp 84844 202-84844 255

-9507200117 Public version of change 20 to EIP RP/O/A/5000/02, change 20 to EIP RP/O/A/5000/08, change 20 to EIP RP/O/A/5000/04, change 20 to EIP RP/O/A/5000/06 & change 7 to EIP RP/O/A/5000/10
* Duke Power Co 95/05/15 49pp 84844 207-84844 255

P. Operating license stage documents & correspondence

9507030186 Informs that add audit not necessary to accept use of revised CROV code. Proposed changes to Administrative Controls section of each plant TS must be submitted in order to include use of revised code as methodology
BERKOW J N 95/06/19 TUCKMAN M S Duke Power Co 4pp 84811 291-84811 294

9507050204 Forwards unit response to GL 95-03 re circumferential cracking of SG tubes
TUCKMAN M S Duke Power Co 95/06/27 Document Control Branch (Document Control Desk) 14pp 84570 115-84570 128

9506280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES B K 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84519 259-84519 288

9507240112 Application for amendments to licenses DPR-38, DPR-47, DPR-55, NPF-9, NPF-17, NPF-35 & NPF-52 re mgmt positions authorized to approve such items as procedures & procedure changes, station mods, TS amendments & reportable events
TUCKMAN M S Duke Power Co 95/06/29 Document Control Branch (Document Control Desk) 5pp 84796 287-84796 352

-9507240118 Proposed tech specs re mgmt positions authorized to approve such items as procedures & procedure changes, station mods, TS amendments & reportable events
* Duke Power Co 95/06/29 5pp 84796 282-84796 286

-9507240123 "DPC TR QA Program"
* Duke Power Co 95/06/29 58pp 84798 297-84798 352

9507060283 Clarifies use of methodologies needed primarily for reanalysis of main steam lines in conjunction w/steam generator replacement
TUCKMAN M S Duke Power Co 95/06/30 Document Control Branch (Document Control Desk) 7pp 84817 089-84817 096

9507110265 Forwards SE authorizing licensee 950516 ltr which requested relief from ASME Boiler & Pressure Vessel Code, Section XI requirement to perform VT-S visual exam for one of two RCS pressure spray valves
BERKOW J N 95/06/30 REHNOLD L Duke Power Co 3pp 84816 205-84816 311

-9507110270 Safety evaluation authorizing relief request 95-02 re valve internal visual exam requirement
* Office of Nuclear Reactor Regulation (Post 941001) 95/06/30 4pp 84815 308-84815 311

9507110265 Forwards SE authorizing 931006 ltr requesting relief from ASME Boiler & Pressure Vessel Code, Section XI requirement to perform volumetric exam of reactor vessel nozzle-to-vessel welds
BERKOW J N 95/07/03 REHNOLD L Duke Power Co 3pp 84816 295-84816 302

-9507110259 Safety evaluation authorizing licensee request for relief 93-02
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/03 5pp 84816 295-84816 302

9507130677 Forwards revised marked-up TS pages for 950617 proposed TS amend modifying requirements for fuel assemblies in design features section of TS in accordance w/SL 92-02, Suppl 1, per NRC request
REHNOLD L Duke Power Co 95/07/08 Document Control Branch (Document Control Desk) 4pp 84878 177-84878 182

-9507130141 Proposed tech specs, modifying requirements for fuel assemblies
* Duke Power Co 95/07/03 3pp 84876 131-84876 183

9507120326 Requests for add info re seismic analysis methodology for McGuire Nuclear Station, units 1 & 2 & Catawba Nuclear Station, units 1 & 2. Requests response within 30 days
MARTIN R E 95/07/08 TUCKMAN M S Duke Power Co 6pp 84831 305-84831 310

9507260096 Forwards NPOES supplemental info update to NPOES permit application, proposed revs of NPOES permit & supplemental info, description of requested permit changes & marked up of existing permit showing changes
CARTER J S Duke Power Co 95/07/19 ELAZER T M South Carolina, State of 8pp 84827 179-84827 254

9507260070 Confirms 950718 telcon between Z Taylor & R Freudenberger re mgmt meeting to be conducted at plant on 950801. Meeting requested to present self-assessment of plant performance
CRLENIAK R V Region 2 (Post 820201) 95/07/19 REHNOLD L Duke Power Co 4pp 84794 339-84794 338

9507240348 Notification of 950727-28 w/Duke Power, Catawba & McGuire Nuclear Stations to discuss staff's review of licensee's proposal for use of alternative seismic analysis methodologies developed
MARTIN R E 95/07/20 BERKOW J N 4pp 84824 298-84824 298

9507270052 Forwards amends 131 & 125 to licensee NPF-35 & NPF-52 & safety evaluation Amends delete TS 3/4 3 & 4 & associated bases
MARTIN R E 95/07/21 REHNOLD L Duke Power Co 3pp 84873 001-84873 017

-9507270080 Amends 131 & 125 to licensee NPF-35 & NPF-52 respectively, deleting TS 3/4 3 & 4, "Turbine Overspeed Protection," & associated bases
BERKOW J N 95/07/21 3pp 84873 004-84873 012

-9507270083 Safety evaluation supporting amends 131 & 125 to licensee NPF-35 & NPF-52 respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/21 5pp 84873 013-84873 017

9507270038 Forwards amends 132 & 126 to licensee NPF-35 & NPF-52 & SE. Amends relocate requirements for seismic instrumentation, meteorological instrumentation & loose-part detection sys & associated bases & SR from TS to selected commitment manual
MARTIN R E 95/07/24 REHNOLD L Duke Power Co 9pp 84873 227-84873 250

-9507270044 Amends 132 & 126 to licensee NPF-35 & NPF-52 respectively, relocating requirements for seismic instrumentation, meteorological instrumentation & loose-part detection sys & associated bases & SR from TS to selected licensee manual
BERKOW J N 95/07/24 18pp 84873 230-84873 245

-9507270046 Safety evaluation supporting amends 132 & 126 to licensee NPF-35 & NPF-52 respectively
* 95/07/24 5pp 84873 246-84873 250

110 DOCKETED ITEMS

Q. Inspection reports, IE Bulletins & correspondence

950720040 Ack receipt of 950606 lt informing NRC of steps taken to correct violations noted in insp repts 50-413/95-10 & 50-414/95-10
 CRENNIAK,R.V. Region 2 (Post 820201). 95/06/20. REHN,D.L. Duke Power Co. 3pp. 84575:273-84575:275

9507140204 Forwards request for info re integrated performance assessment process
 insp repts 50-413/95-14 & 50-414/95-14.
 MERSONOFF,E.W. Region 2 (Post 820201). 95/06/20. REHN,D.L. Duke Power Co. 6pp. 84781:119-84781:123.

9507170027 Advances license of results of plant performance review & subsequent evaluation
 Forwards SALP insp plans for next 6 months
 MERSONOFF,E.W. Region 2 (Post 820201). 95/06/30. REHN,D.L. Duke Power Co. 7pp. 84650:356-84650:362

950720029 Forwards insp repts 50-413/95-13 & 50-414/95-13 Violations noted
 CRENNIAK,R.V. Region 2 (Post 820201). 95/07/08. REHN,D.L. Duke Power Co. 4pp. 84737:320-84737:344.

9507140248 Insp repts 50-413/95-13 & 50-414/95-13 on 850614-0610. Violations noted.
 Major areas inspected: plant operations, maintenance, engineering & plant support.
 FREIDENBERGER, BALMAIN,P.A., CARROLL,J.E. Region 2 (Post 820201). 95/07/08. 18pp. 84737:324-84737:344

9507130018 Responds to NRC 950609 lt re violations noted in insp repts 50-413/95-12 & 50-414/95-12 on 950609-0613.
 Corrective actions: Maintenance manager consulted re procedure use & adherence expectations.
 REHN,D.L. Duke Power Co. 95/07/07. Document Control Branch (Document Control Desk). 6pp. 84684:338-84684:345

950720036 Forwards insp repts 50-413/95-17 & 50-414/95-17 on 950626-30. No violations noted.
 CASTO,C.A. Region 2 (Post 820201). 95/07/13. REHN,D.L. Duke Power Co. 3pp. 84800:344-84800:363.

950720041 Insp repts 50-413/95-17 & 50-414/95-17 on 950626-30. No violations noted.
 Major areas inspected: conducted to assess licensee actions to address NRC Bulletin 95-01, suppl 1, loss of oil in transformers mfg by Rosemount.
 SALGADO,N., SHYMLUCK,M. Region 2 (Post 820201). 95/07/12. 7pp. 84800:347-84800:353

950720031 Ack receipt of 950606 lt informing NRC of steps taken to correct violations noted in insp repts 50-413/95-12 & 50-414/95-12
 CRENNIAK,R.V. Region 2 (Post 820201). 95/07/19. REHN,D.L. Duke Power Co. 3pp. 84819:356-84819:368.

R. Periodic operating reports & related correspondence

9507200113 Forwards monthly operating rept June 1995 & revised monthly operating rept for May 1995 for Catawba Nuclear Station.
 WEBER,J.L. Duke Power Co. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84779:304-84779:316.

9507200116 Monthly operating rept for June 1995 for Catawba Nuclear Station.
 WILLIAMS,J.A. Duke Power Co. 95/06/30. 10pp. 84779:308-84779:316.

9507200118 Revised monthly operating rept for May 1995 for Catawba Nuclear Station.
 " Duke Power Co. 95/05/31. 1p. 84779:316-84779:318.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Umalogque SMS/SS/SBC-00 actuators.
 Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related svcs.
 HYLTON,C.L. Lumbago Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:199-84815:198.

9507210058 PNO-II-95-042 on 950713, licensee noticed altercation between two people at employee parking lot.
 Guards found four individuals (aged 15 to 23) in controlled area. Licensee identified no evidence of damage or sabotage.
 WATKINS,R. Region 2 (Post 820201). 95/07/14. 1p. 84738:212-84738:212.

V. Operator Examinations

9507100012 Lt contract defining last order 19, "Operator Licensing Exam - Catawba".
 WAGGINS,E.L. Division of Contracts (Post 940714) NRC-03-04-019. 95/05/25. VOGEL,A.M. Sorabets, Inc. 3pp. 84686:357-84686:359.

DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507110246 Revised EPPs including rev 3 to EPP-01-S-10-5, "Control Of Emergency Response Equipment & Facilities" & rev 9 to EPP-10-S-01-20, "Admin Of Thyroid Blocking Agents" W/950630 lt.
 HUTCHINSON,C.R. Emergency Operations, Inc. 95/06/13. 27pp. 84684:286-84684:314.

9507060342 Corrected lt forwarding objectives for Sept 1995 emergency preparedness exercise for GGNs Month of objectives for 1995 emergency preparedness exercise changed from Aug to Sept W/o and.
 HUTCHINSON,C.R. Emergency Operations, Inc. 95/06/14. Document Control Branch (Document Control Desk). 3pp. 84568:354-84568:356.

9507110187 Change 25-001-95 to "GGNs Emergency Plan" W/950630 lt.
 MORGAN,A.C., HUTCHINSON,C. Emergency Operations, Inc. 95/06/30. 10pp. 84682:345-84682:355.

9507110219 Forwards response to GNR-85-00086 re NRC review of Rev 27 to GGNs emergency plan. Evaluation of Tech Specs criteria completed.
 HUTCHINSON,C.R. Emergency Operations, Inc. 95/06/30. Document Control Branch (Document Control Desk). 7pp. 84685:092-84685:098.

9507170045 Forwards plant emergency preparedness scenario W/o and.
 HUTCHINSON,C.R. Emergency Operations, Inc. 95/07/11. Document Control Branch (Document Control Desk). 2pp. 84755:204-84755:205.

9507230054 Comment on proposed generic lt re 10CFR50.54 "Process for Changes to Security Plans W/o Prior NRC Approval". Agrees w/ proposed clarification of language & w/provided screening criteria in notice.
 DEWEASE,J.G. Emergency Operations, Inc. 95/07/14. NRC - No Detailed Action Given. 2pp. 84766:204-84766:205.

9507200121 Forwards listed documents in accordance w/NRC administrative lt 94-07 re site-specific & site emergency planning info.
 HUTCHINSON,C.R. Emergency Operations, Inc. 95/07/21. Incident Response Branch. 3pp. 84837:340-84837:342.

P. Operating license stage documents & correspondence

9507120001 Disputes 850621 rept meeting in Region II office re Graded QA & Engineering Change Process of Grand Gulf. List of attendees & agendas, and.
 CHRISTENSEN,H. Region 2 (Post 820201). 95/06/21. HUTCHINSON,C.R. Emergency Operations, Inc. 110pp. 84574:001-84574:110.

9507060210 Submits notification that vtl has completed actions necessary to satisfy commitments made re GL 89-10.
 HUTCHINSON,C.R. Emergency Operations, Inc. 95/06/28. Document Control Branch (Document Control Desk). 3pp. 84817:253-84817:255.

9506200032 Rev 1 to NRC Administrative Lt 94-13 to all NRC licensees re access to NRC bulletin board sys.
 GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

9507180280 Notification of meeting w/EWR/8 Owners Group in Rockville, MD to discuss sys required while handling irradiated fuel in containment.
 O'CONNOR,P.W. 95/07/11. BECKMAN,W.B. 7pp. 84739:330-84739:336.

9507170389 Inform of deletion of reporting requirement for summary startup rept for plant startup & power escalation to NRC.
 HUTCHINSON,C.R. Emergency Operations, Inc. 95/07/14. Document Control Branch (Document Control Desk). 3pp. 84776:274-84776:276.

9507200143 Application for amend to license NPF-26 proposing to recapture approx 2 1/2 yrs of low/no power operation by extending 40-yr operating license term from 220616 to 241101.
 HUTCHINSON,C.R. Emergency Operations, Inc. 95/07/21. Document Control Branch (Document Control Desk). 18pp. 84825:225-84825:243.

9507120281 Summary of 950601 meeting w/NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NUREG-1485 severe accident source term at operating reactors.
 SCALETT,J.D. 95/07/26. QUAY,T.R. 48pp. 84888:143-84888:198.

Q. Inspection reports, IE Bulletins & correspondence

9507100301 Forwards insp rept 50-416/95-09 on 850614-0610. No violations or deviations noted.
 CHRISTENSEN,H. Region 2 (Post 820201). 95/06/21. HUTCHINSON,C.R. Emergency Operations, Inc. 4pp. 84692:068-84692:110.

9507100384 Insp rept 50-416/95-09 on 950514-0610. No violations noted. Major areas inspected: plant operation, review of nonconformance rept, followup on on-site events, plant startup from refueling & maint & surveillance observations.
 TEDROW,J., HUGHES,C., CHRISTENSEN,H. Region 2 (Post 820201). 95/06/21. 14pp. 84682:087-84682:110.

9507120057 Forwards insp rept 50-416/95-09 on 950522-26. No violations noted.
 BARR,K.P. Region 2 (Post 820201). 95/06/21. HUTCHINSON,C.R. Emergency Operations, Inc. 4pp. 84875:148-84875:172.

9507120062 Insp repts 50-416/95-09 on 950522-26. No violations noted. Major areas inspected: organization of chemistry dept & redwater stripping unit, plant water chemistry & annual radioactive effluent release rept.
 CARRON,R.P., DECKER,T.R. Region 2 (Post 820201). 95/06/21. 23pp. 84575:150-84575:172.

9507060244 Responds to NRC 950326 lt re violations noted in insp rept 50-416/95-05. Corrective action/inspired sys operating instructions to address partial isolation of ADHRS following sys flushing.
 HUTCHINSON,C.R. Emergency Operations, Inc. 95/06/28. Document Control Branch (Document Control Desk). 3pp. 84617:116-84617:121.

9507110028 Comments on proposed rule re, "Review of NRC Insp Rept Content, Format & Style".
 Emergency Operations, Inc. 95/06/29. MEYERS,D. Rules & Directives Review Branch (Post 920323). 6pp. 84557:074-84557:078.

9507140018 Ack receipt of 950629 lt informing NRC of steps taken to correct violations noted in insp rept 50-416/95-06.
 CHRISTENSEN,H. Region 2 (Post 820201). 95/06/30. HUTCHINSON,C.R. Emergency Operations, Inc. 3pp. 84761:155-84761:157.

R. Periodic operating reports & related correspondence

9507180046 Monthly operating rept for June 1995 for Grand Gulf Nuclear Station Unit 1, W/950714 lt.
 LYN,B.D., HUTCHINSON,C. Emergency Operations, Inc. 95/06/30. 6pp. 84766:380-84766:384.

3. Reportable occurrences, LERs & related correspondence

9507118244 RO 95-002 on 850605, invalid failure of Division 13, HPCS EDG occurred. Surveillance procedures used for ECCS testing will be evaluated to provide alternate method for installing trip signals, thereby eliminating need for finger relays. HUTCHINSON, C.R. Emergency Operations, Inc. 95/06/30 Document Control Branch (Document Control Desk). 2pp. 84685:063-84685:064.

9507219322 Part 21 rept re potential defect in Lintrique SMB/SB/SBD-00 actuators. Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Lintrique Corp. 95/07/12 Document Control Branch (Document Control Desk). 30pp. 84615:189-84615:196

9507260042 LER 95-008-00 on 950523, TS violations occurred due to missed surveillance. Analyzed addl portions of original 950518 sample W/950721 tr. OWENS, J., HUTCHINSON, C.R. Emergency Operations, Inc. 95/07/21. 4pp. 84632:045-84632:048.

Y. Operator Examinations

9507260464 Informa that addresses of listed licensed operators at util have changed. HUTCHINSON, C.R. Emergency Operations, Inc. 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84624:180-84624:181.

DOCKET 50-457 GRAND GULF NUCLEAR STATION, UNIT 2

Q. Inspection reports, IE Bulletins & correspondence

9507118026 Comments on proposed rule re, "Revision of NRC Insp Rept Content, Format & Style".
* Emergency Operations, Inc. 95/06/26. MEYERS, D. Rules & Directives Review Branch (Post 920923). 5pp. 84557:074-84557:076.

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9507180230 Revised EPPs, including Rev 185 to EPP 4000 procedure index Rev 1 to EPP 4404, "Notification & Communications" & rev 1 to EPP 4470, "Control Room Data Coordination".
* Northeast Nuclear Energy Co. 95/06/29. 43pp. 84784:217-84784:261.

9507180233 Informa NRC that util amend emergency preparedness course for plant has been completed for 951005, scope & objectives re increase and. OPEKA, J.F., DEBARAJA, E.A. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Nuclear Service Co. 95/07/07. Document Control Branch (Document Control Desk). 8pp. 84789:257-84789:274.

9507148175 Rev 18 to Millstone Emergency Plan.
* Northeast Nuclear Energy Co. 95/07/07. 20pp. 84796:245-84796:261.

9507240080 Forwards insp repts 50-245/95-20, 50-336/95-20 & 50-423/95-20 on 950426-0606. No violations noted.
DURF, J.F. Region 1 (Post 820201). 95/07/17. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 84751:335-84751:341.

9507240084 Insp repts 50-245/95-20, 50-336/95-20 & 50-423/95-20 on 950426-0606. No violations noted. Major areas inspected: plant operations, radiological controls, waste surveillance, security, outage activities & licensee self-assessment.
NICHOLSON, L.E. Region 1 (Post 820201). 95/07/14. 43pp. 84751:339-84751:391.

9507318156 Revised EPPs, including change 1 to rev 4 to EPP form 4400-1 & change 1 to rev 3 to EPP form 4400-2.
* Northeast Nuclear Energy Co. 95/07/20. 5pp. 84807:040-84807:048.

9507180310 Rev 18 to Millstone Nuclear Power Station Emergency Plan.
* Northeast Nuclear Energy Co. 95/07/31. 4pp. 84786:076-84786:078.

G. Adjudicatory correspondence

9507180088 Informa that time provided by NRC regulation within which Commission may act to remove Director's Decision 90-55-11 in docket has expired. Decision became final on 950626. W/Certificate of Svcs. Signed on 950630.
HOYLE, J.C. Office of the Secretary of the Commission. #905 1886. 95/06/28. GAVENSKY, R. Affiliation Not Assigned. 2pp. 84536:305-84536:307.

9507180405 Submit rebuttal to NRC response to AJ Ross 10CFR2.206 petition re problems at Millstone Station w/regards to work control, lagging control & procedure compliance.
ROSS, A.J. Affiliation Not Assigned. 95/07/11. RUSS, E.L. W.T. Office of Nuclear Reactor Regulation (Post 841001). 43pp. 84786:006-84786:064.

9507260081 Informa of establishment of special review group to review pertinent written documentation re allegations of harassment & intimidation at util.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/04/08. ELLIS, W.B. Northeast Nuclear Energy Co. 10pp. 84786:048-84786:064.

9507240106 Provides update on five 10CFR2.206 petitions submitted, dtd 941230 & 950102, 05, 08 & 17.
ANDERSEN, J.W. Project Directorate I-3 (PD1-3) (Post 841001). 95/07/19. ROSS, A.J. Affiliation Not Assigned. 2pp. 84824:336-84824:337.

H. General correspondence

9507210041 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Nuclear Service Co. 95/07/14. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84738:115-84738:116.

P. Operating license stage documents & correspondence

9507030171 Application for amend to license NPF-49, relocating TS requirements for containment purge exhaust & supply valves from radiation monitoring instrumentation TS table to ESF actuation sys TS table.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Nuclear Service Co. 95/06/27. Document Control Branch (Document Control Desk). 7pp. 84588:321-84588:355.

9507030175 Proposed tech specs, relocating TS requirements for containment purge exhaust & supply valves from radiation monitoring instrumentation TS table to ESF actuation sys TS table.
* Northeast Nuclear Energy Co. 95/06/27. 27pp. 84588:328-84588:355.

9507030335 Provides response to GL 95-03, "Circumferential Cracking of SG Tubes".
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Nuclear Service Co. 95/06/27. Document Control Branch (Document Control Desk). 30pp. 84687:294-84687:323.

9508280862 Rev 1 to NRC Administrative Ltr BA-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:258-84518:268.

9507060284 Application for amend to license NPF-49, by incorporating changes to TS re 24-month fuel cycle plant sys surveillance extensions.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Nuclear Service Co. 95/06/29. Document Control Branch (Document Control Desk). 5pp. 84600:152-84600:206.

9507082277 Proposed tech specs re 24-month fuel cycle plant sys surveillance extensions.
* Northeast Nuclear Energy Co. 95/06/29. 50pp. 84600:157-84600:206.

9507140084 Advise NRC that plant Unit 3 has completed design basis review, analysis, verification, tests & steps per GL 89-10, Items A through H.
OPEKA, J.F., DEBARAJA, E.A. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Nuclear Service Co. 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84729:359-84729:360.

9507170828 Forwards amend 116 to license NPF-49 & safety evaluation. Amend re: TS to delete power range negative flux trip from Tables 2.2-1, 3.3-1, 4.3-1 & delete associated Basis Section 2.0.
ROONEY, V.L. Project Directorate I-3 (PD1-3) (Post 841001). 95/07/11. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 84571:345-84571:357.

9507170832 Amend 116 to license NPF-49, revising TS to delete power range negative flux trip from Tables 2.2-1, 3.3-1, 4.3-1 & delete associated Basis Section 2.0.
MCNEE, P.F. Project Directorate I-3 (PD1-3) (Post 841001). 95/07/11. 7pp. 84571:349-84571:355.

9507170036 Safety evaluation supporting amend 116 to license NPF-49.
* Office of Nuclear Reactor Regulation (Post 841001). 95/07/11. 2pp. 84571:356-84571:357.

9507170841 Forwards amend 117 to license NPF-49 & safety evaluation. Amend re: TS 3.10.5 to allow more than one control bank fully withdrawn from core simultaneously in order to conduct rod drop time response testing.
ROONEY, V.L. Project Directorate I-3 (PD1-3) (Post 841001). 95/07/11. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 84569:335-84569:348.

9507170843 Amend 117 to license NPF-49, revising TS 3.10.5 to allow more than one control bank fully withdrawn from core simultaneously in order to conduct rod drop time response testing.
MCNEE, P.F. Project Directorate I-3 (PD1-3) (Post 841001). 95/07/11. 7pp. 84569:339-84569:345.

9507170846 Safety evaluation supporting amend 117 to license NPF-49.
* Office of Nuclear Reactor Regulation (Post 841001). 95/07/11. 3pp. 84569:346-84569:348.

9507200985 Forwards corrected TS page 3/4 6-3, to amend 58 to license NPF-49, issued on 910125. TS page did not incorporate change made by amend 57.
ROONEY, V.L. Project Directorate I-3 (PD1-3) (Post 841001). 95/07/12. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 84738:353-84738:358.

9507200986 Application for amend to license NPF-49 re 24-month fuel cycle surveillance extensions for ECCS.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Nuclear Service Co. 95/07/14. Document Control Branch (Document Control Desk). 4pp. 84800:051-84800:055.

9507200987 Proposed tech specs re 24-month fuel cycle surveillance extensions for ECCS.
* Northeast Nuclear Energy Co. 95/07/14. 31pp. 84800:055-84800:085.

9507240151 Application for amend to license NPF-49, Amend would support 24-month fuel cycle surveillance extensions for Unit 3.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Nuclear Service Co. 95/07/17. Document Control Branch (Document Control Desk). 5pp. 84822:248-84822:309.

9507240154 Proposed tech specs re support for 24-month fuel cycle surveillance extensions for Unit 3.
* Northeast Nuclear Energy Co. 95/07/17. 57pp. 84822:253-84822:309.

9507240151 Application for amend to license NPF-49, Amend would support 24-month fuel cycle surveillance extensions for Unit 3.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Nuclear Service Co. 95/07/18. Document Control Branch (Document Control Desk). 5pp. 84822:310-84822:352.

112 DOCKETED ITEMS

9507248133 Proposed tech specs re support for 24-month fuel cycle surveillance extensions for Unit 3
* Northeast Nuclear Energy Co 95/07/18 3pp 84822 315-84822 352

9507250119 Forwards proprietary details re recently received info concerning activities at facility for review & follow-up. Encl withheld per 10CFR2790(a)
COOPER,R W Region 1 (Post 820201) 95/07/19 OPEKA,J F Northeast Nuclear Energy Co 3pp 84843 325-84843 331

9507278051 Provides correction to proposed rev to TS re containment purge exhaust & supply valves from radiation monitoring instrumentation TS table to ESF activation sys TS table
OPEKA,J F Northeast Nuclear Energy Co OPEKA,J F Northeast Nuclear Energy Co 95/07/21 Document Control Branch (Document Control Desk) 3pp 84851 334-84851 335

9507278057 Proposed tech specs converting from monitoring instrumentation TS table to ESF activation sys TS table
* Northeast Nuclear Energy Co * Northeast Nuclear Energy Co 95/07/21 3pp 84851 337 84851 338

9507280828 Requests withdrawal for use of alternative to ASME Boiler & Pressure Vessel Code Section III for Millstone Unit 3
OPEKA,J F Northeast Nuclear Energy Co OPEKA,J F Northeast Nuclear Energy Co 95/07/26 Document Control Branch (Document Control Desk) 3pp 84874 345-84874 347

9507310251 Summary of 950501 meeting w/NEI & six plant representatives in Rockville,MD re NEI proposed approach to feasibility of using NUREG-1465 severe accident source term in operating reactors
SCALF,T D 95/07/26 QUAY,T R 4pp 84888 143-84888 188

G. Inspection reports, NE Bulletins & correspondence

9507300618 Forwards insp repts 50-245/95-16 & 50-423/95-18 on 950410-14,24-28 & 9508-12 & notice of violation Violations involved poor planning of work & workers exceeding planned scope of work w/o correcting work package
MEYER,G W Region 1 (Post 820201) 95/06/23 OPEKA,J F Northeast Nuclear Energy Co 3pp 84488 120-84488 143

9507300820 Insp repts 50-245/95-16 & 50-423/95-18 on 950410-14,24-28 & 9508-12 Violations noted Major areas inspected maint, engineering & plant support
KENNY,T J, MEYER,G W Region 1 (Post 820201) 95/06/22 1pp 84488 125-84488 143

9507300168 Forwards response to NRC 950610 for re violations noted in insp repts 50-336/95-11 & 50-423/95-11 on 950320-23 & 27-30 Corrective actions submitted all UV modules to vendor that implemented mode to correct original fabrication error
OPEKA,J F Northeast Nuclear Energy Co OPEKA,J F Northeast Nuclear Energy Co 95/06/27 Document Control Branch (Document Control Desk) 3pp 84558 254-84558 259

9507310048 Comment on proposed "Review of NRC Insp Rept Content,Format & Style"
OPEKA,J F Northeast Nuclear Energy Co 95/06/29 MEYER,G D Rules & Directives Review Branch (Post 820201) 1pp 84557 243-84557 251

9507310238 Forwards safety insp repts 50-423/95-23 on 950605-16 No violations or deviations noted
MCODES,M C Region 1 (Post 820201) 95/06/30 OPEKA,J F Northeast Nuclear Energy Co 3pp 84682 179-84682 194

9507310241 Insp repts 50-423/95-23 on 950605-16 No violations or deviations noted Major areas inspected ISI program activities & QA activities
BEARDSLEE,C D, MCODES,M C Region 1 (Post 820201) 95/06/30 13pp 84682 162-84682 194

9507310884 Advises NRC that plant Unit 3 has completed design basis completeness analysis,verifications,tests & insps per GL 89-19 Items A through H
OPEKA,J F, DEBARBALE,A Northeast Nuclear Energy Co OPEKA,J F Northeast Nuclear Energy Co 95/07/07 Document Control Branch (Document Control Desk) 2pp 84729 335-84729 380

9507310025 Ask receipt of 950609 re informing NRC of steps taken to correct violations noted in insp repts 50-423/94-31
DURR,J P Region 1 (Post 820201) 95/07/17 OPEKA,J F Northeast Nuclear Energy Co 3pp 84751 052-84751 057

9507310888 Forwards insp repts 50-245/95-20,50-336/95-20 & 50-423/95-20 on 950426-0006 No violations noted Major areas inspected plant operations,radioactive controls,insp surveillance, security, outage activities & licensee self-assessment
DURR,J P Region 1 (Post 820201) 95/07/17 OPEKA,J F Northeast Nuclear Energy Co 4pp 84751 335-84752 021

9507310884 Insp repts 50-245/95-20,50-336/95-20 & 50-423/95-20 on 950426-0006 No violations noted Major areas inspected plant operations,radioactive controls,insp surveillance, security, outage activities & licensee self-assessment
NICHOLSON,L E Region 1 (Post 820201) 95/07/14 43pp 84751 339-84752 021

9507310296 Requests add info for proposed use of Code Case N-508-1 in shuttler stop program for Haddam Neck Plant & Millstone NPP,Units 1,2 & 3
MCQUEEN,P F Project Directorate I-4 (PD1-4) (Post 841001) 95/07/21 OPEKA,J F Connecticut Yankee Atomic Power Co 3pp 84816 343-84816 348

R. Periodic operating reports & related correspondence

9507280893 Forwards monthly operating repts for June 1995 for Millstone Nuclear Power Station Units 1,2 & 3 Revs to Apr & May 1995 repts for Unit 1 also encl
MILLER,D B Northeast Nuclear Energy Co MILLER,D B Northeast Nuclear Energy Co 95/07/11 Document Control Branch (Document Control Desk) 1p 84763 306-84763 336

9507280892 Monthly operating repts for June 1995 for Millstone Nuclear Power Station Units 1,2 & 3
NEWBURN,G Northeast Nuclear Energy Co 95/06/30 15pp 84763 310-84763 324

9507104003 Provides 1994 joint frequency distribution of wind distribution,wind speed & stability for Haddam Neck Plant & Millstone Nuclear Power Station
OPEKA,J F Connecticut Yankee Atomic Power Co 95/07/13 TROHLER,J Brookhaven National Laboratory 3pp 84755 028-84755 033

S. Reportable occurrences, LERs & related correspondence

9507058858 LER 95-012-00 on 950802,CR received containment break alarm Caused by flushing of small quantity of RCP tube of Performed action of restraining areas of main/W/950829 re
MCQUINN,ESS,R L, MILLER,D B Northeast Nuclear Energy Co 95/06/28 4pp 84559 020-84559 023

DOCKET 50-424 ALVIN W VOGTLE NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507088122 Revised EPIPs including rev 10 to EPIP-91308-C,rev 13 to EPIP-91208-C & rev 10 to EPIP-91401-C W/950829 re
BRADY,C BEASLEY,J B Georgia Power Co 95/06/13 53pp 84578 108-84578 159

9507120089 Forwards insp repts 50-424/95-15 & 50-425/95-15 on 950522-26 No violations noted
BARR,K P Region 2 (Post 820201) 95/06/20 MCCOY,C K Georgia Power Co 3pp 84575 180-84575 198

9507120075 Insp repts 50-424/95-15 & 50-425/95-15 on 950522-26 No violations noted Major areas inspected radioactive controls, radiological environmental monitoring & meteorological monitoring instrumentation
JONES,D W DECKER,T R Region 2 (Post 820201) 95/06/20 11pp 84575 183-84575 199

9507120554 Forwards EA & FONSI re application for exemption from certain requirements of 10CFR73.55, "Requirements for Physical Protection of License Activities in Nuclear Power Reactors Against Radiological Sabotage," plant,units 1 & 2
BERKOW,H N 95/07/06 MCCOY,C K Georgia Power Co 3pp 84573 332-84573 346

9507170387 Environ assessment & finding of no significant impact re proposed action IAW licensee application dtd 950214 for exemption for certain requirements of 10CFR73.55
BERKOW,H N 95/07/06 5pp 84573 342-84573 345

9507254256 Comment on proposed generic communication,10CFR50.54(a), "Process for Changes to Security Plans W/o Prior NRC Approval"
BECKHAM,J T Georgia Power Co 95/07/10 NRC - No Detailed Affiliation Given 2pp 84788 200-84788 201

9507180003 Revised EPIPs including rev 5 to VNS-EP-01,rev 3 to VNS-EP-02,rev 6 to VNS-EP-03,rev 7 to VNS-EP-04,rev 8 to VNS-EP-05,rev 4 to VNS-EP-07,rev 5 to VNS-EP-08,rev 10 to VNS-EP-11,rev 3 to VNS-EP-13 & rev 4 to VNS-EP-14
GREENE,T Southern Nuclear Operating Co 95/07/11 75pp 84780 001-84780 076

9507208311 Forwards exemption from certain requirements of 10CFR73.55 re assistance storage & retrieval of badges for personnel granted unescorted access to protected & vital areas on site
BERKOW,H N 95/07/12 MCCOY,C K Georgia Power Co 3pp 84753 001-84753 010

9507288221 Grants exemption from requirements of 10CFR73.55 re physical protection of licensed activities in nuclear power reactors against radiological sabotage
VARGAS,A Division of Reactor Projects I/II (ORPE) (Post 841001) 95/07/12 Georgia Power Co 7pp 84753 004-84753 010

G. Adjudicatory correspondence

9507180888 Forwards page 14 for insertion in 841104, "Vogtle Coordinating Group Evaluation,Conclusions & Recommendations"
YOUNG,M A Office of the General Counsel (Post 880701) #395 18888 95/06/28 BLOCH,P B CARPENTER,J H, MURPHY,T D Atomic Safety & Licensing Board Panel 2pp 84538 130-84538 131

9507100078 Informa that udl will be unable to complete exam of witness in 2 1/2 days of hearing scheduled for 940708-08 in Rockville
BLAKE,L Shaw, Pitman, Potts & Trowbridge #395 16868 95/06/28 BLOCH,P B, CARPENTER,J H, MURPHY,T D Atomic Safety & Licensing Board Panel 1p 84538 151-84538 151

9507188400 Georgia Power Company supplemental response to intervenor seventh re request for interrogatories * W/Certificate of Svc & svc list Related Correspondence
JOHNER,J E Georgia Power Co JOHNER,J E TroutmanSanders (formerly Troutman, Sanders, Lockman & Ashmore) #395 16875 95/06/30 Affiliation Not Assigned 5pp 84675 020-84675 024

9507188471 Intervenor motion to compel production of licensee notes of interview of Esler Doren * W/Certificate of Svc & svc list
KOPPEL,M D Affiliation Not Assigned KOPPEL,M D Kohn, Kohn & Collipetro, P C (formerly Kohn & Associates) #395 16876 95/06/30 Atomic Safety & Licensing Board Panel 10pp 84675 060-84675 070

9507220888 Intervenor motion to clarify record * Requests Board to clarify record to reflect that on 950517,exhibits identified in list of stipulated exhibits,were received into evidence W/Certificate of Svc
WILMOTH,M J Affiliation Not Assigned WILMOTH,M J Kohn, Kohn & Collipetro, P C (formerly Kohn & Associates) #395 16888 95/07/10 Atomic Safety & Licensing Board Panel 4pp 84813 230-84813 239

9507279123 Georgia Power Co response to intervenor motion to compel production of licensee notes of interview of Ester Deach * Intervenor motion should be denied W/ Certificate of Exclusion
LAMBERSKUE, Georgia Power Co LAMBERSKUE, Troutman/Sanders (formerly Troutman/Sanders, Lockman & Ashmore) #995 16899 95/07/17 Atomic Safety & Licensing Board Panel 12pp 84814 085-84814 080

H. General correspondence

9507089174 Comment on "Review of NRC Insp Rpt Content, Format & Style" Use feels that use of boilerplate phrases seldom appropriate & that less boilerplate wording should be used
BECKHAM, J.T. Georgia Power Co 95/06/28 MEYERS, D. Division of Freedom of Information & Publications Services (Post 940714) 2pp 84507 318-84507 317

P. Operating license stage documents & correspondence

9507198912 Second partial response to FOIA request for records App C records end & available in PCR
* Division of Freedom of Information & Publications Services (Post 940714) 95/02/08 SAMPORITO, T.J. Saporito, T.J. 2pp 84818 279-84818 329

9507080596 Forward response to GL 85-08, "Circumferential Cracking of SG Tubes," containing info as delineated in Items 1 & 2 on page 4 of sub GL
MCCOY, C.K. Georgia Power Co 95/06/27 Document Control Branch (Document Control Desk) 21pp 84587 324-84587 344

9507080665 Requests NRC to issue changed labels on TS Figures 3-4-2A & 3-4-2B as correction to figures in amendments 87 & 88
MCCOY, C.K. Georgia Power Co 95/06/28 Document Control Branch (Document Control Desk) 3pp 84817 188-84817 190

9508280882 Rev 1 to NRC Administrative Ltr B4-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/28 Consolidated Edison Co. of New York, Inc 10pp 84518 259-84518 266

9507110315 Forward corrected pages to amendments 87 & 88 for licensee NPF-68 & NPF-81 Revised pages including labeling of two pressure vs temp curves to replace pages 3/4 4-31 & 3/4 4-31a
WHEELER, L.L. 95/06/30 MCCOY, C.K. Georgia Power Co 5pp 84616 341-84616 345

9507110275 Forward amendments 88 & 89 to licensee NPF-68 & NPF-81 & safety evaluation Amendments relocate requirements of TS 3/4 3-4, turbine overspeed protection, to Section 16.3 of Vogtle FSAR
WHEELER, L.L. 95/07/03 MCCOY, C.K. Georgia Power Co 3pp 84616 312-84616 327

9507110283 Amends 88 & 89 to licensee NPF-68 & NPF-81, respectively, relocating requirements of TS 3/4 2-4, turbine overspeed protection, to Section 16.3 of Vogtle FSAR
BERKOW, H.N. 95/07/03 7pp 84819 315-84819 321

9507110364 Safety evaluation supporting amends 88 & 89 to licensee NPF-68 & NPF-81, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/03 8pp 84816 322-84816 327

9507140450 Submits suppl rev to Tech Specs Section 3.8.3.1, pp 3/4 5-15 re footnotes & bases extension
MCCOY, C.K. Georgia Power Co 95/07/06 Document Control Branch (Document Control Desk) 2pp 84780 052-84780 055

9507140461 Proposed Tech Specs Section 3.8.3.1, Page 3/4 5-15 re footnotes & bases & extension
* Georgia Power Co 95/07/06 2pp 84780 054-84780 055

9507140462 Forward request for addl info re control room radiological parameters used for analysis of fuel handling accident w/ personnel at risk
MCCOY, C.K. Georgia Power Co 95/07/06 Document Control Branch (Document Control Desk) 4pp 84780 038-84780 042

9507140485 Submits response to NRC staff interest, as expressed in 950626 telcon re plans for performance of general containment insp as specified in 10CFR80, App J
MCCOY, C.K. Georgia Power Co 95/07/06 Document Control Branch (Document Control Desk) 2pp 84780 037-84780 038

9507170274 Forward amendments 88 & 87 to licensee NPF-68 & NPF-81, respectively & SE Amends revise frequency of conducting leak testing of containment purge valves w/seals made of resilient mat from every 3 months to each refueling outage
WHEELER, L.L. 95/07/07 MCCOY, C.K. Georgia Power Co 3pp 84674 327-84674 340

9507170283 Amends 88 & 87 to licensee NPF-68 & NPF-81, respectively, revising frequency of conducting leak testing of containment purge valves w/seals made of resilient mat from every 3 months to each refueling outage
BERKOW, H.N. 95/07/07 8pp 84674 330-84674 337

9507170287 Safety evaluation supporting amends 88 & 87 to licensee NPF-68 & NPF-81, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/07 3pp 84674 338-84674 340

Q. Inspection reports, IE Bulletins & correspondence

9507120069 Forward insp repts 50-424/95-15 & 50-425/95-15 on 950522-26 No violations noted
BARFLK, P. Region 2 (Post 820201) 95/06/20 MCCOY, C.K. Georgia Power Co 3pp 84575 180-84575 193

9507120075 Insp repts 50-424/95-15 & 50-425/95-15 on 950522-26 No violations noted Major areas inspected radioactive controls, radiological environmental monitoring & meteorological monitoring instrumentation
JONES, D.W., DECKER, T.R. Region 2 (Post 820201) 95/06/20 11pp 84575 183-84575 193

9507120081 Forward insp repts 50-424/95-14, 50-425/95-14, 50-321/95-12 & 50-368/95-12 on 950515-0601 No violations noted
MERSCHOFF, E.W. Region 2 (Post 820201) 95/06/22 WOODARD, J.D. Georgia Power Co 4pp 84574 284-84574 276

9507120098 Insp repts 50-424/95-14, 50-425/95-14, 50-321/95-12 & 50-368/95-12 on 950515-0601 No violations noted Major areas inspected effectiveness of licensee quality control programs in addressing safety concerns
CRILENIAK, R.V. MERSCHOFF, E.W. Region 2 (Post 820201) 95/06/22 9pp 84574 285-84574 276

9507200087 Forward insp repts 50-424/95-16 & 50-425/95-16 on 950521-0617 No violations noted
CRILENIAK, R.V. Region 2 (Post 820201) 95/07/11 MCCOY, C.K. Georgia Power Co 3pp 84795 321-84795 336

9507200070 Insp repts 50-424/95-16 & 50-425/95-16 on 950521-0617 No violations noted Major areas inspected plant operations, surveillance, maint, plant support, onsite engineering & evaluation of licensee self-assessment capability
BONSER, R., HOPKINS, P.C., WIDMANN, M.T. Region 2 (Post 820201) 95/07/08 15pp 84795 324-84795 336

R. Periodic operating reports & related correspondence

9507140161 Monthly operating repts for June 1995 for Vogtle Electric Generating Plant Units 1 & 2 w/950708 tr
HOOPER, G.L. MCCOY, C.K. Georgia Power Co 95/06/30 12pp 84729 335-84729 348

S. Reportable occurrences, UGRs & related correspondence

9507180041 Special repton 950517, operators experienced difficulties w/excitation of generator in form of voltage swings when utilizing each of two voltage regulators
MCCOY, C.K. Georgia Power Co 95/06/16 Document Control Branch (Document Control Desk) 2pp 84784 353-84784 354

9507210322 Part 21 repts re potential defect in Limboreque SWS/SB/SBD-00 actuators. Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related event
HYLTON, C.L. Limboreque Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 180-84815 198

9507240064 Special repton 950517, operators experienced difficulties w/excitation of generator in form of voltage swings when utilizing each of two voltage regulators
MCCOY, C.K. Georgia Power Co 95/07/14 Document Control Branch (Document Control Desk) 2pp 84819 350-84819 351

T. Hearing transcripts on non-emergency matters

9507180082 Transcript of 950706 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear) Pp 8,242-8,447 Related documentation
* Atomic Safety & Licensing Board Panel 95/07/06 300pp 84667 051-84667 040

9507110030 Transcript of 950707 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear) Pp 8,448-8,657 Related documentation
* Atomic Safety & Licensing Board Panel 95/07/07 250pp 84689 001-84689 256

9507120084 Transcript of 950708 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear) Pp 8,588-8,799
* Atomic Safety & Licensing Board Panel 95/07/08 113pp 84699 235-84699 250

9507130009 Transcript of 950711 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear) Pp 8,800-8,999
* Atomic Safety & Licensing Board Panel 95/07/11 200pp 84790 001-84790 202

9507180241 Transcript of 950712 hearing in matter of GPC Vogtle Electric Generating Plant Units 1 & 2 re license amend (transfer to Southern Nuclear) Pp 9,000-9,182
* Atomic Safety & Licensing Board Panel 95/07/12 180pp 84792 022-84792 213

9507170010 Transcript of 950713 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear) Pp 9,190-9,390. Related documentation and
* Atomic Safety & Licensing Board Panel 95/07/13 205pp 84773 001-84773 205

9507180221 Transcript of 950714 hearing in Rockville, MD re facility Pp 9,391-9,584
* Atomic Safety & Licensing Board Panel 95/07/14 193pp 84775 001-84775 199

9507180173 Transcript of 950717 hearing in Rockville, MD re GPC, Vogtle Electric Generating Plant Units 1 & 2 license amend (transfer to Southern Nuclear) Pp 9,585-9,773
* Atomic Safety & Licensing Board Panel 95/07/17 204pp 84768 115-84768 316

9507200127 Transcript of 950718 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear) Pp 9,774-9,997 Related documentation and
* Atomic Safety & Licensing Board Panel 95/07/18 140pp 84792 141-84792 290

9507210080 Transcript of 950719 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear) Pp 9,998-10,113 Related documentation and
* Atomic Safety & Licensing Board Panel 95/07/19 247pp 84810 001-84810 247

9507240472 Transcript of 950720 hearing in Rockville, MD re plant Pp 10,114-10,211
* Atomic Safety & Licensing Board Panel 95/07/20 247pp 84822 001-84822 247

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

114 DOCKETED ITEMS

F. Security, medical, emergency & fire protection plans

9507060122 Revised EPIP's including rev 10 to EPIP-01308-C, rev 13 to EPIP-01203-C & rev 10 to EPIP-01401-C. W/950522-26. BRADY, C., BEASLEY, J.B. Georgia Power Co. 95/06/13. 5pp. 84573 108-84573:159

9507120869 Forwards insp repts 50-424/95-15 & 50-425/95-15 on 950522-26. No violations noted. BARR, K.P. Region 2 (Post 820201). 95/06/20. MCCOY, C.K. Georgia Power Co. 3pp. 84573:180-84573:193.

9507120875 Insp repts 50-424/95-15 & 50-425/95-15 on 950522-26. No violations noted. Major areas inspected: radioactive controls, radiological environmental monitoring & meteorological monitoring instrumentation. JONES, D.W. Region 2 (Post 820201). 95/06/20. 11pp. 84573:183-84573:193.

9507170354 Forwards EA & FONSI re application for exemption from certain requirements of 10CFR73.55, "Requirements for Physical Protection of License Activities in Nuclear Power Reactors Against Radiological Sabotage," plant units 1 & 2. BERKOW, H.N. 95/07/06. MCCOY, C.K. Georgia Power Co. 3pp. 84618:338-84618:348

9507170367 Environ assessment & finding of no significant impact re proposed action IAW license application dtd 950214 for exemption from certain requirements of 10CFR73.55. BERKOW, H.N. 95/07/06. 5pp. 84618:342-84618:346

9507250256 Comment on proposed generic communication, 10CFR50.54(g), "Process for Changes to Security Plans W/o Prior NRC Approval." BECKHAM, J.T. Georgia Power Co. 95/07/10. NRC - No Detailed Affiliation Given. 2pp. 84782:200-84782:201

9507190003 Revised EPIP's including rev 5 to VNS-EP-01, rev 3 to VNS-EP-02, rev 6 to VNS-EP-03, rev 7 to VNS-EP-04, rev 8 to VNS-EP-05, rev 4 to VNS-EP-07, rev 5 to VNS-EP-09, rev 10 to VNS-EP-11, rev 3 to VNS-EP-13 & rev 4 to VNS-EP-14. GREENE, T. Southern Nuclear Operating Co. 95/07/11. 75pp. 84780:001-84780:076.

9507200311 Forwards exemption from certain requirements of 10CFR73.55 re radioactive storage & retrieval of badges for personnel granted unescorted access to protected & vital areas on site. BERKOW, H.N. 95/07/12. MCCOY, C.K. Georgia Power Co. 3pp. 84753:001-84753:010

9507200321 Grants exemption from requirements of 10CFR73.55 re physical protection of licensed activities in nuclear power reactors against radiological sabotage. VARGA, S.A. Division of Reactor Projects I/II (DRPE) (Post 947001). 95/07/12. Georgia Power Co. 7pp. 84753:004-84753:010

G. Adjudicatory correspondence

9507190068 Forwards page 14 for inclusion in 941104, "Vogtle Coordinating Group Evaluation/Comments & Recommendations." YOUNG, M.A. Office of the General Counsel (Post 860701). #395 16869. 95/06/28. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 2pp. 84638:120-84638:121.

9507190078 Informal that did not will be unable to complete exam of witness in 2 1/2 days of hearing scheduled for 940708-08 in Rockville. BLAKE, E.L. Shaw, Pittman, Potts & Trowbridge. #395 16868. 95/06/28. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 1p. 84638:161-84638:161

9507190040 Georgia Power Company supplemental response to intervenor seventh request for emergency. W/Certificates of Evid & Evid Test/Related Correspondence. JOHNSON, J.E. Georgia Power Co. JOHNSON, J.E. Troutman/Sanders (formerly Troutman, Sanders, Lockman & Ashmore). #395 16875. 95/06/30. Admission Not Assigned. 3pp. 84675:020-84675:024

9507190071 Intervenor motion to compel production of licensee notes of interview of Elder Dean. W/Certificates of Evid & Evid Test. KOHN, H.M.D. Admission Not Assigned. KOHN, H.M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #395 16876. 95/06/30. Atomic Safety & Licensing Board Panel. 10pp. 84675:060-84675:070.

950720088 Intervenor motion to clarify record. Requests Board to clarify record to reflect that on 950517, exhibits identified in list of stipulated exhibits were received into evidence. W/Certificate of Evid. WILMOTH, M.J. Admission Not Assigned. WILMOTH, M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #395 16889. 95/07/10. Atomic Safety & Licensing Board Panel. 4pp. 84613:230-84613:233.

9507190123 Georgia Power Co response to intervenor motion to compel production of licensee notes of interview of Elder Dean. Intervenor motion should be denied. W/Certificates of Evid. LAMBERS, J.E. Georgia Power Co. LAMBERS, J.E. Troutman/Sanders (formerly Troutman, Sanders, Lockman & Ashmore). #395 16899. 95/07/17. Atomic Safety & Licensing Board Panel. 12pp. 84614:008-84614:020.

H. General correspondence

9507050174 Comment on "Review of NRC Insp Rept Content, Format & Style." UI feels that use of boilerplate phrases seldom appropriate & that less boilerplate wording should be used. BECKHAM, J.T. Georgia Power Co. 95/06/28. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84507:316-84507:317

P. Operating license stage documents & correspondence

9507190112 Second partial response to FOIA request for records App C records encl & available in PDR. Division of Freedom of Information & Publications Services (Post 940714). 95/07/06. Saporito, T.J. Saporito, T.J. 2pp. 84618:278-84618:320

9507030316 Forwards response to GL 95-02, "Circumferential Cracking of SG Tubes," containing info as delineated in Items 1 & 2 on page 4 of suby GL. MCCOY, C.K. Georgia Power Co. 95/06/27. Document Control Branch (Document Control Desk). 21pp. 84587:384-84587:344

9507060055 Requests NRC to issue changed labels on TS Figures 3.4-2A & 3.4-2B as correction to figures in amendments 87 & 88. MCCOY, C.K. Georgia Power Co. 95/06/28. Document Control Branch (Document Control Desk). 3pp. 84617:188-84617:190.

9506280052 Rev 1 to NRC Administrative Ltr 94-19 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84618:259-84618:268

9507110318 Forwards corrected pages to amendments 87 & 88 for licenses NPF-68 & NPF-81. Revised pages including labeling of two pressure vs temp curves, to replace pages 3/4 4-31 & 3/4 4-31a. WHEELER, L.L. 95/06/30. MCCOY, C.K. Georgia Power Co. 5pp. 84618:341-84618:345

9507110275 Forwards amendments 88 & 89 to licenses NPF-68 & NPF-81 & safety evaluation. Amends relocate requirements of TS 3/4.3.4, turbine overspeed protection to Section 16.3 of Vogtle FSAR. WHEELER, L.L. 95/07/03. MCCOY, C.K. Georgia Power Co. 3pp. 84618:312-84618:321

9507110283 Amends 88 & 89 to licenses NPF-68 & NPF-81, respectively, relocating requirements of TS 3/4.3.4, turbine overspeed protection, to Section 16.3 of Vogtle FSAR. BERKOW, H.N. 95/07/03. 7pp. 84618:315-84618:321

9507110284 Safety evaluation supporting amends 88 & 89 to licenses NPF-68 & NPF-81, respectively. Office of Nuclear Reactor Regulation (Post 941001). 95/07/03. 4pp. 84618:322-84618:327

9507140458 Submits suppl rev to Tech Specs Section 3.8.3.1, pp 3/4 8-15 re footnotes & bases expansion. MCCOY, C.K. Georgia Power Co. 95/07/06. Document Control Branch (Document Control Desk). 2pp. 84760:052-84760:055

9507140461 Proposed Tech Specs Section 3.8.3.1, Page 3/4 8-15 re footnotes & bases expansion. Georgia Power Co. 95/07/06. 2pp. 84760:054-84760:055

9507140462 Forwards request for add info re control room radiological parameters used for analysis of fuel handling accident w/ personnel at risk. MCCOY, C.K. Georgia Power Co. 95/07/06. Document Control Branch (Document Control Desk). 4pp. 84760:059-84760:062

9507170274 Forwards amendments 89 & 87 to licenses NPF-68 & NPF-81, respectively & SE. Amends revise frequency of conducting leak testing of containment purge valves w/seals made of resilient mat from every 3 months to each relieving outage. WHEELER, L.L. 95/07/07. MCCOY, C.K. Georgia Power Co. 3pp. 84674:327-84674:340

9507170283 Amends 89 & 87 to licenses NPF-68 & NPF-81, respectively, revising frequency of conducting leak testing of containment purge valves w/seals made of resilient mat from every 3 months to each relieving outage. BERKOW, H.N. 95/07/07. 3pp. 84674:330-84674:337

9507170287 Safety evaluation supporting amendments 89 & 87 to licenses NPF-68 & NPF-81, respectively. Office of Nuclear Reactor Regulation (Post 941001). 95/07/07. 3pp. 84674:338-84674:340

G. Inspection reports, NE Bulletins & correspondence

9507120869 Forwards insp repts 50-424/95-15 & 50-425/95-15 on 950522-26. No violations noted. BARR, K.P. Region 2 (Post 820201). 95/06/20. MCCOY, C.K. Georgia Power Co. 3pp. 84573:180-84573:193

9507120875 Insp repts 50-424/95-15 & 50-425/95-15 on 950522-26. No violations noted. Major areas inspected: radioactive controls, radiological environmental monitoring & meteorological monitoring instrumentation. JONES, D.W., DECKER, T.R. Region 2 (Post 820201). 95/06/20. 11pp. 84573:183-84573:193.

9507120881 Forwards insp repts 50-424/95-14, 50-425/95-14, 50-321/95-12 & 50-388/95-12 on 950515-0601. No violations noted. MERSCHOFF, E.W. Region 2 (Post 820201). 95/06/22. WOODARD, J.D. Georgia Power Co. 4pp. 84674:254-84674:276

9507120885 Insp repts 50-424/95-14, 50-425/95-14, 50-321/95-12 & 50-388/95-12 on 950515-0601. No violations noted. Major areas inspected: effectiveness of licensee quality assurance programs in addressing safety concerns. CRILENIAK, R.V., MERSCHOFF, E.W. Region 2 (Post 820201). 95/06/22. 9pp. 84674:268-84674:276

9507070299 Forwards "Vogtle Electric Generating Plant Unit 2 ISI Final Rept Fourth Main/Relieving Outage (Period 2/Interval 1)." MCCOY, C.K. Georgia Power Co. 95/06/26. Document Control Branch (Document Control Desk). 3pp. 84623:001-84624:143

9507070402 "Vogtle Electric Generating Plant Unit 2 ISI Final Rept Fourth Main/Relieving Outage (Period 2/Interval 1)." Southern Nuclear Operating Co. 95/06/26. 50pp. 84623:004-84624:143

9507260657 Forwards insp repts 50-424/95-18 & 50-425/95-18 on 950521. 0617 No violations noted. CRILENIAK, R.V. Region 2 (Post 820201). 95/07/11. MCCOY, C.K. Georgia Power Co. 3pp. 84794:321-84794:338

8507200078 Insp repts 50-424/95-18 & 50-425/95-16 on 950521-0617 No violations noted Major areas inspected plant operations, surveillance, maintenance, support, on-site engineering & evaluation of licensee self-assessment capability
BONSER, B.R., HOPKINS, P.C., WIDMANN, M.T. Region 2 (Post 820201) 95/07/06 15pp 84785 324-84795 336

R. Periodic operating reports & related correspondence

9507140181 Monthly operating repts for June 1995 for Vogtle Electric Generating Plant Units 1 & 2 W/950708 re
MOOPER, G.L., MCCOY, C.K. Georgia Power Co 95/06/30 12pp 84728 335-84729 346

S. Reportable occurrences, LERs & related correspondence

9507060155 Special Rept 2-95-3 on 950507, three non-vital DGSA failures occurred due to malfunctioning automatic fire extinction limiter Malfunctioning automatic fire extinction limiter removed from service
MCCOY, C.K. Georgia Power Co 95/06/29 Document Control Branch (Document Control Desk) 2pp 84573 359-84573 360

9507210322 Part 21 repts re potential defect in Limitorque SMB/5B/5BD-00 actuators Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related events
MYLTON, C.L. Limitorque Corp 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 168-84815 198

9507290059 LER 95-005-00 on 950627, incorrect train identification resulted in missed TS surveillance test Caused by cognitive personnel error on part of USS Counselor USS on importance of accuracy in identifying components W/950721 re
SHENBAUM, M., MCCOY, C.K. Georgia Power Co 95/07/21 5pp 84883 157-84883 161

T. Hearing transcripts on non-environmental matters

9507100063 Transcript of 950706 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear) Pp 8,242-8,447 Related documentation
* Atomic Safety & Licensing Board Panel 95/07/06 300pp 84887 051-84888 040

9507110090 Transcript of 950707 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear) Pp 8,448-8,687 Related documentation
* Atomic Safety & Licensing Board Panel 95/07/07 256pp 84893 001-84893 256

9507120084 Transcript of 950708 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear) Pp 8,688-8,799
* Atomic Safety & Licensing Board Panel 95/07/08 113pp 84899 235-84899 350

9507130001 Transcript of 950711 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear) Pp 8,800-8,969
* Atomic Safety & Licensing Board Panel 95/07/11 200pp 84730 001-84730 202

9507130241 Transcript of 950712 hearing in matter of GPC Vogtle Electric Generating Plant Units 1 & 2 re license amend (transfer to Southern Nuclear) Pp 9,000-9,139
* Atomic Safety & Licensing Board Panel 95/07/12 188pp 84732 022-84732 219

9507170010 Transcript of 950713 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear) Pp 8,180-8,380 Related documentation and
* Atomic Safety & Licensing Board Panel 95/07/13 205pp 84779 001-84779 205

9507180221 Transcript of 950714 hearing in Rockville, MD re facility Pp 9,391-9,584
* Atomic Safety & Licensing Board Panel 95/07/14 193pp 84779 001-84779 199

9507190173 Transcript of 950717 hearing in Rockville, MD re GPC Vogtle Electric Generating Plant Units 1 & 2 license amend (transfer to Southern Nuclear) Pp 9,585-9,773
* Atomic Safety & Licensing Board Panel 95/07/17 204pp 84768 115-84768 318

9507200137 Transcript of 950718 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear) Pp 9,774-9,897 Related documentation and
* Atomic Safety & Licensing Board Panel 95/07/18 140pp 84792 141-84792 280

9507200089 Transcript of 950719 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear) Pp 9,898-10,113 Related documentation and
* Atomic Safety & Licensing Board Panel 95/07/19 247pp 84810 001-84810 247

9507240472 Transcript of 950720 hearing in Rockville, MD re plant Pp 10,114-10,311
* Atomic Safety & Licensing Board Panel 95/07/20 247pp 84822 001-84822 247

DOCKET 59-437 BELLEFONTE NUCLEAR PLANT

A. Application/construction stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc. 10pp 84518 259-84518 258

DOCKET 80-436 BELLEFONTE NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9507060093 Provides response to NRC GL 95-03, "Circumferential Cracking of SG Tubes"
KAZANAS, N.C. Tennessee Valley Authority 95/06/27 Document Control Branch (Document Control Desk) 4pp 84599 324-84599 327

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc. 10pp 84518 259-84518 258

9507240524 Submits RAI re TVA organization topical repts rev 6 Requests response by 950818
HEBDON, F.J. 95/07/20 KINGSLEY, C.D. Tennessee Valley Authority 4pp 84778 350-84778 353

9507290068 Responds to 950720 ltr requesting addl info on revised nuclear organization topical repts
CARNER, P.P. Tennessee Valley Authority 95/07/24 Document Control Branch (Document Control Desk) 4pp 84875 148-84875 156

F. Security, medical, emergency & fire protection plans

9507290084 Comment on proposed GL re 10CFR50.54(p) "Process for Changes to Security Plans W/o Prior NRC Approval" Agrees that proposed clarification of language in 10CFR50.54(p) & provided screening criteria appropriate
CARNER, P.P. Tennessee Valley Authority 95/07/13 NRC - No Detailed Affiliation Given 2pp 84799 046-84799 047

M. General correspondence

9507060216 Forwards Rev 6 to Topical Rept TVA-NPODB-A, "TVA Nuclear Organization Description," incorporating organizational changes announced through 950601
CARNER, P.P. Tennessee Valley Authority 95/06/29 Document Control Branch (Document Control Desk) 2pp 84599 258-84599 310

9507290222 Rev 6 to "TVA Nuclear Organization Description"
* Tennessee Valley Authority TVA-NPODB-A R06 95/06/29 50pp 84599 260-84599 310

DOCKET 58-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9507060093 Provides response to NRC GL 95-03, "Circumferential Cracking of SG Tubes"
KAZANAS, N.C. Tennessee Valley Authority 95/06/27 Document Control Branch (Document Control Desk) 4pp 84599 324-84599 327

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc. 10pp 84518 259-84518 258

9507240524 Submits RAI re TVA organization topical repts rev 6 Requests response by 950818
HEBDON, F.J. 95/07/20 KINGSLEY, C.D. Tennessee Valley Authority 4pp 84778 350-84778 353

9507290068 Responds to 950720 ltr requesting addl info on revised nuclear organization topical repts
CARNER, P.P. Tennessee Valley Authority 95/07/24 Document Control Branch (Document Control Desk) 4pp 84875 148-84875 156

F. Security, medical, emergency & fire protection plans

9507290084 Comment on proposed GL re 10CFR50.54(p) "Process for Changes to Security Plans W/o Prior NRC Approval" Agrees that proposed clarification of language in 10CFR50.54(p) & provided screening criteria appropriate
CARNER, P.P. Tennessee Valley Authority 95/07/13 NRC - No Detailed Affiliation Given 2pp 84799 046-84799 047

H. General correspondence

9507060216 Forwards Rev 6 to Topical Rept TVA-NPODB-A, "TVA Nuclear Organization Description," incorporating organizational changes announced through 950601
CARNER, P.P. Tennessee Valley Authority 95/06/29 Document Control Branch (Document Control Desk) 2pp 84599 258-84599 310

9507290222 Rev 6 to "TVA Nuclear Organization Description"
* Tennessee Valley Authority TVA-NPODB-A R06 95/06/29 50pp 84599 260-84599 310

DOCKET 58-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507060446 Submits update to response to followup RAI re GL 92-06, "Thermo-Lag 330-1 Fire Barrier," dtd 941215
SHELTON, D.C. Centeneor Energy 95/06/26 Document Control Branch (Document Control Desk) 2pp 84570 182-84570 183

P. Operating license stage documents & correspondence

9507110286 Forwards amend 89 to license NPP-58 & SE Amend replaces in its entirety, current TS w/set of TS based on NUREG-1434, "Improved BWR-8 TS"
HOPKINS, J.B. 95/06/23 SHELTON, D.C. Centeneor Service Co 3pp 84583 001-84583 238

9507110382 Amend 89 to license NPP-58, replacing in its entirety, current TS w/set of TS based on NUREG-1434, "Improved BWR-8 TS"
HOPKINS, J.B. 95/06/23 3pp 84583 004-84583 008

9507110385 Notice of issuance of amend 89 to license NPP-58 Amend replaces in its entirety, current TS w/set of TS based on NUREG-1434, "Improved BWR-8 TS"
HOPKINS, J.B. 95/06/23 2pp 84583 007-84583 008

116 DOCKETED ITEMS

9507118310 Safety evaluation supporting amend 68 to license NPP-68.
* Office of Nuclear Reactor Regulation (Post 941001) 95/06/23 1,322pp 84563-008-84563-238

9507060291 Forwards amend 70 to license NPP-58 & SE Amend revises TS 6.3.1 to make consistent w/current requirements of 10CFR55, deletes TS 6.4.1 & allows operators middle manager to hold plant senior reactor operator license in lieu of OM.
HOPKINS, J.B. 95/06/27. SHELTON, D.C. Centenor Energy Co. 3pp. 84540-066-84540-077

9507060291 Amend 70 to license NPP-58, revising TS 6.3.1 to make consistent w/current requirements of 10CFR55, deletes TS 6.4.1 & allows an operations middle manager to hold plant senior reactor operator license in lieu of OM.
HOPKINS, J.B. 95/06/27 5pp 84540-071-84540-075

9507060300 Safety evaluation supporting amend 70 to license NPP-58.
* Office of Nuclear Reactor Regulation (Post 941001) 95/06/27 2pp. 84540-078-84540-077

9507060448 Submit update to response to followup RAI re GL 82-08, "Thermo-Lag 350-1 Fire Barriers," dated 841215.
SHELTON, D.C. Centenor Energy 95/06/28 Document Control Branch (Document Control Desk) 2pp 84570-182-84570-183

9507200052 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518-258-84518-268

9507070287 Application for amends to Licenses NPP-56, reflecting one time extension of performance intervals for certain TS surveillance requirements.
SHELTON, D.C. Centenor Energy 95/06/30 Document Control Branch (Document Control Desk) 7pp 84619-323-84619-332

9507070287 Proposed tech specs re surveillance test interval extension request.
* Centenor Energy 95/06/30 3pp. 84619-339-84619-332

9507190260 Notification of meeting w/BNR/5 Owners Group in Rockville, MD to discuss sys required while handling irradiated fuel in containment.
O'CONNOR, P.W. 95/07/11 BECKER, W.B. 7pp 84739-330-84739-336

9507240430 Forwards SE accepting application of GE methodology at plant, per 951015 ltr.
HOPKINS, J.B. 95/07/18 SHELTON, D.C. Centenor Energy 3pp. 84785-181-84785-189

9507240434 Safety evaluation accepting application of GE methodology at plant, per 951015 ltr.
* Office of Nuclear Reactor Regulation (Post 941001) 95/07/18 5pp 84788-164-84788-165

9507270882 Provides addl info requested during 950706 telcon re essential maint to be performed on Perry Nuclear Power Plant s/w water & circulating water sys.
SHELTON, D.C. Centenor Energy 95/07/21 UNDERWOOD, J. Ohio, State of 5pp 84851-300-84851-307

9507280071 Responds to 950629 ltr requesting info re liquid radioactive effluent releases by plant.
HOYLE, J.C. Office of the Secretary of the Commission 95/07/24. GARNES, S. Affiliation Not Assigned. 3pp. 84845-007-84845-015

9507280076 Requests listed info re radioactive liquid waste, per agreement w/B Hll during 950627 telcon.
GARNES, S. Affiliation Not Assigned. 95/06/29 HILL, B. NRC - No Detailed Affiliation Given. HOYLE, J. Office of the Secretary of the Commission 1p. 84845-016-84845-015

9507310281 Summary of 950601 meeting w/NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NUREG-1465 severe accident source term at operating reactors.
SCALETTL, D. 95/07/28. QUAY, T.R. 4pp. 84888-143-84888-158

Q. Inspection reports, IE Bulletins & correspondence

9507340284 Forwards insp rpt 50-440/95-06 on 950411-0526. No violations noted.
LANIGSBURY, R.D. Region 3 (Post 820201) 95/07/12 SHELTON, D.C. Centenor Energy 3pp. 84795-125-84795-147

9507340287 Insp rpt 50-440/95-05 on 950411-0526. No violations noted. Major areas inspected: operations, engineering, maint & plant support.
LANIGSBURY, R.D. Region 3 (Post 820201) 95/07/14 20pp 84795-129-84795-147

R. Periodic operating reports & related correspondence

9507200449 Forwards quarterly self-monitoring rpts for plant sanitary waste sys for months of Mar, Apr & May. Results from quarterly isotope analysis & industrial wastewater questionnaire also incl.
SHELTON, D.C. Centenor Energy 95/06/15. LONG, G. Lake County, OH 1p 84577-001-84577-030

9507300287 "Industrial Pretreatment Quarterly Self-Monitoring Results" for Mar 1995.
* Centenor Energy 95/03/18 1p. 84577-002-84577-002

9507300275 "Industrial Pretreatment Quarterly Self-Monitoring Results" for Apr 1995.
* Centenor Energy 95/04/18 1p. 84577-003-84577-003

9507300281 "Industrial Pretreatment Quarterly Self-Monitoring Results" for May 1995.
* Centenor Energy 95/05/18 1p. 84577-004-84577-004

9507190299 Results of analysis for gamma emitting isotopes in one liquid sample collected on 950601.
GROB, B. Teledyne Isotopes Midwest Laboratory. 95/06/05 25pp. 84577-006-84577-030

9507060439 Forwards "PNPP Simulator Four Yr Test Rpt," describing performance testing conducted from June 1991 - June 1995, including discussion of uncorrected simulator performance test failures & schedule for correcting failures.
SHELTON, D.C. Centenor Energy 95/06/28 Document Control Branch (Document Control Desk) 1p 84570-169-84570-178

9507060444 "PNPP Simulator Four Yr Test Rpt".
* Centenor Energy 95/06/30 8pp 84570-170-84570-178

9507200029 Monthly operating rpt for June 1995 for Perry NPP W/860714 ltr.
NEUMAN, G.M. SHELTON, D.C. Centenor Energy 95/06/30 8pp. 84779-330-84779-335

V. Operator Examinations

9507060281 Forwards amend 70 to license NPP-58 & SE Amend revises TS 6.3.1 to make consistent w/current requirements of 10CFR55, deletes TS 6.4.1 & allows operations middle manager to hold plant senior reactor operator license in lieu of OM.
HOPKINS, J.B. 95/06/27 SHELTON, D.C. Centenor Energy Co. 3pp. 84540-066-84540-077

9507060285 Amend 70 to license NPP-58, revising TS 6.3.1 to make consistent w/current requirements of 10CFR55, deletes TS 6.4.1 & allows an operations middle manager to hold plant senior reactor operator license in lieu of OM.
HOPKINS, J.B. 95/06/27 5pp. 84540-071-84540-075

9507060380 Safety evaluation supporting amend 70 to license NPP-58.
* Office of Nuclear Reactor Regulation (Post 941001) 95/06/27 2pp. 84540-078-84540-077

9507310086 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING, M.A. Region 3 (Post 820201) 95/07/24. LACROIX, D.G. Consumers Power Co 3pp. 84819-021-84819-023

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9507200052 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc. 10pp 84518-258-84518-268

9507270082 Provides addl info requested during 950706 telcon re essential maint to be performed on Perry Nuclear Power Plant s/w water & circulating water sys.
SHELTON, D.C. Centenor Energy 95/07/21 UNDERWOOD, J. Ohio, State of 5pp 84851-300-84851-307

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507250088 Final response to FOIA request for records App A & B & releasable portions of App C documents encl & available in PDR App C documents partially withheld (ref FOIA Exemption 7).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 95/02/09 JACKSON, D. Affiliation Not Assigned. 5pp. 84797-116-84797-271

9507280125 "Alleged False Statements by Licensee Personnel Made During EP Drill".
WALSH, R.J., WHITE, C.W. Office of Investigations (Pre 880201) 95/06/26 7pp 84797-130-84797-136

9507260084 Comment on proposed GL re 10CFR50.54(p). "Process for Changes to Security Plans w/o Prior NRC Approval." Agrees that proposed clarification of language in 10CFR50.54(p) & provided screening criteria appropriate.
GARNER, P.P. Tennessee Valley Authority 95/07/13 NRC - No Detailed Affiliation Given. 2pp. 84793-046-84793-047

H. General correspondence

9507210041 Comment supporting proposed rule 10CFR59 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
OPEKA, J.F. Northeast Utilities 95/07/14. HOYLE, J.C. Office of the Secretary of the Commission 2pp. 84738-115-84738-116

P. Operating license stage documents & correspondence

9507250088 Final response to FOIA request for records App A & B & releasable portions of App C documents encl & available in PDR App C documents partially withheld (ref FOIA Exemption 7).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 95/02/09 JACKSON, D. Affiliation Not Assigned. 5pp. 84797-116-84797-271

9507250118 Discusses NDE allegations re reactor safety program & practices poor & lead backscatter B not being used for radiography shots.
CERNEA, G. Region 1 (Post 820201) 82/10/13. Region 1 (Post 820201) 2pp. 84797-121-84797-122

9507250113 Discusses allegations of weld deficiencies in reactor coolant loop piping at facility.
CHRISTOPHER, R. Office of Investigations (Pre 880201) 82/09/08. Office of Investigations (Pre 880201) 1p. 84797-123-84797-123

9507030235 Provides response to GL 95-03, "Circumferential Cracking of SG Tubes."
OPEKA, J.F. Connecticut Yankee Atomic Power Co. 95/06/27. Document Control Branch (Document Control Desk) 30pp. 84587-294-84587-323

9507250082 Rev 1 to NRC Administrative Ltr 84-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES,B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp
84518-258-84518-258

9507310052 Forwards LAR 85-03 to license NPF-85,proposing change to TS to relocate Table 3.4-1, "RCS PIVs" from TS 3.4.6.2, "RCS Operational Leakage" to Technical Requirements Manual
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO) 95/07/24 Document Control Branch (Document Control Desk) 2pp. 84903-190-84903-205

9507310055 LAR 85-03 to license NPF-85,relating Table 3.4-1, "RCS PIVs" from TS 3.4.6.2, "RCS Operational Leakage" to Technical Requirements Manual
DRAWHIDGE,B.L. North Atlantic Energy Service Corp. (NAESCO) 95/07/24 4pp
84903-192-84903-198

9507310057 Proposed tech spec,relating Table 3.4-1, "RCS PIVs" from TS 3.4.6.2, "RCS Operational Leakage" to Technical Requirements Manual
North Atlantic Energy Service Corp. (NAESCO) 95/07/24 10pp. 84903-195-84903-205

G. Inspection reports, IE bulletins & correspondence

9507250088 Final response to FOIA request for records App A & B & releasable portions of App C documents and B available in PDR App C documents partially withheld (ref FOIA Exemption 7)
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 840714) 95/02/08 JACKSON,D. Affiliation Not Assigned 5pp. 84797-116-84797-271

9507250115 "Alleged Improper Renewal of Walker Qualification/Possible Discrimination by Pullman-Higgins"
NORTON,L.J., WHITE,C.W. Office of Investigations (Pre 880201) 85/05/09 3pp
84797-124-84797-126

9507250121 "Alleged Illegal Weld Repair"
MATAKAS,R.A., WHITE,C.W. Office of Investigations (Pre 880201) 85/05/09 3pp
84797-127-84797-128

9507250125 "Alleged False Statements by Licensee Personnel Made During EP Drill"
WALSH,R.J., WHITE,C.W. Office of Investigations (Pre 880201) 85/06/26 7pp
84797-130-84797-138

9507250128 "Suspected Mail False Statement by Licensee Official"
WALSH,R.J. Office of Investigations (Pre 880201) 87/11/04 5pp. 84797-137-84797-141

9507250130 "Safety Concerns in Control Room"
WALSH,R.J., WHITE,C.W. Office of Investigations (Post 880201) 90/02/12 3pp
84797-142-84797-144

9507250132 Closure Case 1-92-005R re auxiliary operators falsely recording insp & surveillance activities
LETTIS,B.R. Office of Investigations (Post 880201) 93/02/26 MARTIN,T.T. Region 1 (Post 880201) 1p. 84797-145-84797-145

9507250136 Discussed non-specific allegations re Pullman Higgins QA/QC inspectors at facility
MATAKAS,R.A. Office of Investigations (Pre 880201) 82/09/27 GALLO,R.M. Region 1 (Post 880201) 2pp. 84797-146-84797-147

9507250138 "Alleged Falsification of OC Insp Documents"
MATAKAS,R.A., WHITE,C.W., HAYES,B.B. Office of Investigations (Pre 880201) 85/06/18 36pp. 84797-215-84797-252

9507250144 "Suspected Mail False Statement by Licensee Official"
WALSH,R.J., WHITE,C.W. Office of Investigations (Post 880201) 90/04/04 6pp. 84797-269-84797-271

9507300083 Forwards insp rept 50-443/95-04 on 850403-0515 Violation identified Adequacy of licensee evaluation of violation & any subsequent corrective actions identified as unresolved non-verified steps taken to correct previous violation.
DURR,J.P. Region 1 (Post 820201) 95/06/23 FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO) 3pp. 84488-008-84488-021

9507300085 Insp rept 50-443/95-04 on 850403-0515 Violations noted, Major areas inspected plant operations,main,engineering support,plant support & SAV/QV.
ROGGE,L. Region 1 (Post 820201) 95/06/21 11pp. 84488-011-84488-021

9507110048 Comment on proposed "Review of NRC Insp Rept Content,Format & Style"
OPEKA,J.F. Northeast Utilities Service Co. 95/06/28 MEYERS,D. Rules & Directives Review Branch (Post 920323) 10pp. 84567-242-84567-251

H. Periodic operating reports & related correspondence

9507280041 Monthly operating rept for June 1995 for Seabrook Station Unit 1.W/
850714 lr.
HARDONE,P.E., FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO) FEIGENBAUM,T.C. Northeast Utilities Service Co 95/06/30 5pp. 84828-336-84828-339

I. Reportable occurrences, LERs & related correspondence

9507110228 Forwards LER 95-001 re inadequate overtemperature delta T & overpower delta T channel calibr
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO) 95/07/07 Document Control Branch (Document Control Desk) 2pp. 84930-025-84930-030

9507110232 LER 95-001-000n 950604,overtemperature Delta T & overpower Delta T channel calibr inadequate Verified proper overlap & performed continuity checks of above sections of wiring.
PESCHEL,J.M. North Atlantic Energy Service Corp. (NAESCO) 95/07/07 3pp. 84930-026-84930-030

9507240021 LER 95-002-00-0n 950618,thermal reactor trip initiated after power lost to both turbine EHC pumps Caused by inadequate design for 13.5 kV non-safety related transformer Trip circuit transformers replaced W/950710 lr.
PESCHEL,J.M., FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO) FEIGENBAUM,T.C. Northeast Utilities Service Co. 95/07/10 7pp. 84821-070-84821-075

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9507250099 Final response to FOIA request for records App A & B & releasable portions of App C documents and B available in PDR App C documents partially withheld (ref FOIA Exemption 7)
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 840714) 95/02/08 JACKSON,D. Affiliation Not Assigned 5pp. 84797-116-84797-271

9507250110 Discussed NDE allegations re radiation safety program & practices poor & lead backscatter B not being used for radiography shots
CERNEA,C. Region 1 (Post 880201) 82/10/13 Region 1 (Post 880201) 2pp. 84797-121-84797-122

9507250082 Rev 1 to NRC Administrative Ltr 84-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES,B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp
84518-259-84518-266

F. Security, medical, emergency & fire protection plans

9507260084 Comment on proposed GL re 10CFR50.54(j), "Process for Changes to Security Plans W/o Prior NRC Approval" Agrees that proposed clarification of language in 10CFR50.54(j) & provided screening criteria appropriate
GARDER,P.P. Tennessee Valley Authority. 95/07/13 NRC - No Detailed Affiliation Given 2pp. 84793-046-84793-047

G. Inspection reports, IE bulletins & correspondence

9507250099 Final response to FOIA request for records App A & B & releasable portions of App C documents and B available in PDR App C documents partially withheld (ref FOIA Exemption 7)
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 840714) 95/02/08 JACKSON,D. Affiliation Not Assigned 5pp. 84797-116-84797-271

9507250121 "Alleged Illegal Weld Repair"
MATAKAS,R.A., WHITE,C.W. Office of Investigations (Pre 880201) 85/05/09 3pp
84797-127-84797-128

9507250128 "Suspected Mail False Statement by Licensee Official"
WALSH,R.J. Office of Investigations (Pre 880201) 87/11/04 5pp. 84797-137-84797-141

9507250144 "Suspected Mail False Statement by Licensee Official"
WALSH,R.J., WHITE,C.W. Office of Investigations (Post 880201) 90/04/04 6pp. 84797-269-84797-271

DOCKET 50-448 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507060083 Rev 22 to Comanche Peak Steam Electric Station Emergency Plan W/
950629 lr.
TERRY,C.L., MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric) 95/06/29 22pp. 84570-277-84570-298

9507110094 Informs that request for extension to respond to NRC 850617 RAI on uel 950624 response to GL 95-06 re Thermo-Lag fire barrier mail received & installed at facility discussed w/ TJ Polich & granted on 860707.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric) 95/07/07 Document Control Branch (Document Control Desk) 3pp. 84688-027-84688-028

9507120088 Forwards Rev 23 of Comanche Peak Physical Security Plan,End withheld
TERRY,C.L., WOODLAND,R. Texas Utilities Electric Co. (TU Electric) 95/07/07 Document Control Branch (Document Control Desk) 2pp. 84688-357-84688-358

9507250001 Comment supporting proposed GL "Process for Changes to Security Plan Without Prior NRC Approval"
MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric) 95/07/07 Division of Freedom of Information & Publications Services (Post 840714) 1p. 84797-001-84797-001

9507170285 Revised emergency plan procedures (EPPs)including Revs 222, 223,224 & 225 to procedure indexes,Rev 12 to EPP-303,rev to EPP-204,Rev 9 to EPP-205,Rev 11 to EPP-206,Rev 9 to EPP-308 & Rev 122 & 123 to form index W/950712 lr.
BELECKIS,R.A., WOODLAND,R. Texas Utilities Electric Co. (TU Electric) 95/07/12 29pp. 84773-274-84773-302

H. General correspondence

9507140250 Advises NRC of address change as listed Author still remains counsel of record for TU Electric.
EDGAR,G.L. Morgan, Lewis & Bockius 95/07/07 CHOLK,B.J. Office of the Secretary of the Commission 1p. 84729-332-84729-332

118 DOCKETED ITEMS

P. Operating license stage documents & correspondence

9507060357 Informs that proposed changes in attachment 3, considered to be withdrawn re 950623 request to revise applicable portions of plant Units 1 & 2 TS. POLICH, T.J. 95/06/22 TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 84516252-84516264.

9507070136 Forwards Rev 20 to "Technical Requirements Manual". TERRY, C.L. WOODLAND, D.R. Texas Utilities Electric Co. (TU Electric). 95/06/29 Document Control Branch (Document Control Desk). 6pp. 84643001-84643102.

-9507070141 Rev 20 to "Technical Requirements Manual". * Texas Utilities Electric Co. (TU Electric). 95/06/30. 9pp. 84643007-84643102.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRAMES, B.K. 95/06/29 Consolidated Edison Co. of New York, Inc. 10pp. 84516250-84516268.

9507100894 Informs that request for extension to respond to NRC 950517 RAI on unit 950224 response to GL 92-08 re Thermo-Lag fire barrier mail received & installed at facility discussed w/ T.J. Polich & granted on 950707. TERRY, C.L., WALKER, R.D. Texas Utilities Electric Co. (TU Electric). 95/07/07 Document Control Branch (Document Control Desk). 3pp. 84592357-84592369.

Q. Inspection reports, IE Bulletin & correspondence

9507060113 Responds to NRC 950510 ltr re violations noted in insp repts 50-445/95-08 & 50-446/95-08 on 950410-13 Corrective actions, survey data of SG platform was analyzed & compared to affected individual electronic dosimeter readings. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 95/06/29 Document Control Branch (Document Control Desk). 4pp. 84592356-84592360.

9507310813 Forwards insp repts 50-445/95-11 & 50-446/95-11 on 950507-0617. No violations noted. DYER, J.E. Region 4 (Post 820201). 95/07/25. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 84643045-84643074.

-9507310817 Insp repts 50-445/95-11 & 50-446/95-11 on 950507-0617. No violations noted. Major areas inspected: plant operations, maint & onsite engineering, surveillance observations, plant support, engineering & maint followup. KIRSCH, D.F. Region 4 (Post 820201). 95/07/24. 24pp. 84643050-84643074.

R. Periodic operating reports & related correspondence

9507200019 Monthly operating repts for June 1995 for CPSES Units 1 & 2. W/950714 R. SROIS, E., TERRY, C.L., WOODLAND, D.R. Texas Utilities Electric Co. (TU Electric). 95/06/30. 3pp. 84759333-84759341.

S. Reportable occurrences, LERs & related correspondence

9507170027 Forwards LER 95-003 re loss of both condensate & both FW pumps due to failure of non-safety related inverter resulting in manual RT. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 95/07/11 Document Control Branch (Document Control Desk). 1p. 84759024-84759030.

-9507170024 LER 95-003-00 on 950611, both condensate & both FW pumps lost due to failed non-safety related inverter resulting in manual RT. Task Team established to investigate event & cause. FLORES, R. Texas Utilities Electric Co. (TU Electric). 95/07/11. 6pp. 84759025-84759030.

9507180146 Forwards LER 95-004 re allowed outage time exceeded for turbine driven APW pump which tripped on overspeed. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 95/07/14. WOODLAND, D.R. Document Control Branch (Document Control Desk). 2pp. 84764001-84764006.

-9507180153 LER 95-004-00 on 950614, allowed outage time was exceeded on turbine driven APW pump which tripped on overspeed. Caused by governor failure to control turbine speed. Notice of enforcement discretion requested & granted. FLORES, R. Texas Utilities Electric Co. (TU Electric). 95/07/14. 7pp. 84764003-84764009.

V. Operator Examinations

9507180091 Responds to 950530 ltr re proposed alternative requalification program for licensed SRO at plant. NRC concurs w/ alternative proposed. List of training areas to be completed prior to returning to licensed duties included. GWYNANT, P. Region 4 (Post 820201). 95/07/17. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 84768344-84768347.

DOCKET 95-444 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507050252 Rev 22 to Comanche Peak Steam Electric Station Emergency Plan. W/950623 ltr. TERRY, C.L., MARSHALL, J.S. Texas Utilities Electric Co. (TU Electric). 95/06/29. 22pp. 84570277-84570296.

9507120066 Forwards Rev 23 of Comanche Peak Physical Security Plan. End withheld. TERRY, C.L., WOODLAND, D.R. Texas Utilities Electric Co. (TU Electric). 95/07/07 Document Control Branch (Document Control Desk). 2pp. 84568357-84568358.

9507250061 Comment supporting proposed GL "Process for Changes to Security Plan Without Prior NRC Approval." MARSHALL, J.S. Texas Utilities Electric Co. (TU Electric). 95/07/07. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84787001-84787001.

9507170285 Revised emergency plan procedures (EPPs) including Revs 222, 223, 224 & 225 to procedure indexes. Rev 12 to EPP-203, rev to EPP-204, Rev 8 to EPP-205, Rev 11 to EPP-206, Rev 9 to EPP-309 & Rev 122 & 123 to form index W/950712 ltr. BELECOS, R.A., WOODLAND, D.R. Texas Utilities Electric Co. (TU Electric). 95/07/12. 22pp. 84773374-84773392.

H. General correspondence

9507148250 Advises NRC of address change as noted. Author still remains counsel of record for TU Electric. EDGAR, G.L. Morgan, Lewis & Bockius. 95/07/07. CHALK, S.J. Office of the Secretary of the Commission. 1p. 84728332-84728332.

P. Operating license stage documents & correspondence

9507060357 Informs that proposed changes in attachment 3, considered to be withdrawn re 950623 request to revise applicable portions of plant Units 1 & 2 TS. POLICH, T.J. 95/06/22 TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 84516252-84516264.

9507070136 Forwards Rev 20 to "Technical Requirements Manual." TERRY, C.L., WOODLAND, D.R. Texas Utilities Electric Co. (TU Electric). 95/06/29 Document Control Branch (Document Control Desk). 6pp. 84643001-84643102.

-9507070141 Rev 20 to "Technical Requirements Manual". * Texas Utilities Electric Co. (TU Electric). 95/06/30. 9pp. 84643007-84643102.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRAMES, B.K. 95/06/29 Consolidated Edison Co. of New York, Inc. 10pp. 84516250-84516268.

Q. Inspection reports, IE Bulletins & correspondence

9507060113 Responds to NRC 950510 ltr re violations noted in insp repts 50-445/95-08 & 50-446/95-08 on 950410-13 Corrective actions, survey data of SG platform was analyzed & compared to affected individual electronic dosimeter readings. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 95/06/29. Document Control Branch (Document Control Desk). 4pp. 84592356-84592360.

9507310813 Forwards insp repts 50-445/95-11 & 50-446/95-11 on 950507-0617. No violations noted. DYER, J.E. Region 4 (Post 820201). 95/07/25. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 84643045-84643074.

-9507310817 Insp repts 50-445/95-11 & 50-446/95-11 on 950507-0617. No violations noted. Major areas inspected: plant operations, maint & onsite engineering, surveillance observations, plant support, engineering & maint followup. KIRSCH, D.F. Region 4 (Post 820201). 95/07/24. 24pp. 84643050-84643074.

R. Periodic operating reports & related correspondence

9507200019 Monthly operating repts for June 1995 for CPSES Units 1 & 2. W/950714 R. SROIS, E., TERRY, C.L., WOODLAND, D.R. Texas Utilities Electric Co. (TU Electric). 95/06/30. 3pp. 84759333-84759341.

V. Operator Examinations

9507180091 Responds to 950530 ltr re proposed alternative requalification program for licensed SRO at plant. NRC concurs w/ alternative proposed. List of training areas to be completed prior to returning to licensed duties included. GWYNANT, P. Region 4 (Post 820201). 95/07/17. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 84768344-84768347.

DOCKET 95N-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507050304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101. VONK, M.J. Commonwealth Edison Co. 95/06/19 Document Control Branch (Document Control Desk). 20pp. 84558336-84558355.

9507260175 Revised EPIPs, including rev 41 to B2P 800-A1 & rev 36 to B2P 800-A4/W/ EPIP index. * Commonwealth Edison Co. 95/07/05. 22pp. 84837267-84837306.

9507210157 Forwards proprietary response to concerns noted in NRC 950623 ltr re change in contract administration for Research program from Burns Fire Protection Group to Richardson-Estes, Inc. End withheld per 10CFR 2.290(a). JOHNSON, L.M. Commonwealth Edison Co. 95/07/10. MILLER, H.J. Region 3 (Post 820201). 1p. 84811350-84811350.

9507280111 Forwards unclassified EPIPs. VONK, M.J. Commonwealth Edison Co. 95/07/19 Document Control Branch (Document Control Desk). 20pp. 84825001-84825200.

9507240458 Submits supplementary response to Comm Ed 950606 response to NRC 950602 RAI re proposed use of Corporate EOF as interim EOF. JOHNSON, L.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84816358-84816357.

P. Operating license stage documents & correspondence

9507030259 Forwards request for addl info re pending license amendments to revise plants TSs related to SG tube voltage-based repair criteria.
LYNCH, M.D. 95/06/22 FARRAR, D.L. Commonwealth Edison Co 12pp 84512 154-84512 165

9507030271 Provides util response to GL 95-03, "Circumferential Cracking of SG Tubes".
VONCK, M.J. Commonwealth Edison Co 95/06/27 Document Control Branch (Document Control Desk) 13pp 84560 190-84560 202

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRAMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84516 259-84516 266

9507070025 Requests that results of review & disposition of register re activities at Byron Nuclear Station be provided within ten days of date of ltr.
GRANT, G.E. Region 3 (Post 820201) 95/06/29 GRAESSER, K. Commonwealth Edison Co 1p 84530 114-84530 115

9507100132 Forwards response to NRC 950531 RAI re Comm Ed proposed TS amend to increase interim plugging criteria for Byron & Braidwood Unit 1 SGs. Proprietary Westinghouse rep WNEP-9124, "Program TRANSLO" also encl RAI withheld.
SACCOMANDO, D.M. Commonwealth Edison Co 95/06/30 Office of Nuclear Reactor Regulation (Post 941001) 52pp 84548 301-84548 352

9507100174 Extends first 10-yr insp interval for Byron Unit 1 IST program from current end date of 950915 to new end date of 960630.
PONTICUS, H.D. Commonwealth Edison Co 95/07/05 Document Control Branch (Document Control Desk) 3pp 84592 161-84592 163

9507101012 Application for amend to license NPF-37 NPF-68 NPF-72 & NPF-77 increasing interim plugging criteria for hot-leg tube intersections w/outside diameter stress corrosion cracking from 1.0 volt to 3.0 volt.
PONTICUS, H.D. Commonwealth Edison Co 95/07/07 Document Control Branch (Document Control Desk) 29pp 84594 001-84594 102

9507101111 Proposed tech spec supplementing 3.0 volt bobbin coil probe, voltage based, SG TSP alternative plugging criteria limit for outside diameter stress corrosion cracking indications at hot-leg TSP intersections.
Commonwealth Edison Co 95/07/07 61pp 84594 040-84594 102

9507130266 Ack receipt for 10CFR50.54(a) submittal dtd 950517, incorporating changes in QA program description topical rept.
RING, M.A. Region 3 (Post 820201) 95/07/11 KOVACH, T.J. Commonwealth Edison Co 2pp 84732 312-84732 313

9507180407 Notification of 950720 meeting w/util in Rockville, MD to discuss recent events at foreign nuclear power plants re potential degradation of steam generator internal structures.
LYNCH, M.D. 95/07/19 CAPRA, J.A. 4pp 84725 347-84725 250

9507240023 Provides correct ltr numbers to 950220 correspondence re presentation materials entitled "Steam Generator Tube Alternate Plugging Criteria w/Tube Expansion".
LIPARULO, N.J. Westinghouse Electric Corp 95/07/14 Document Control Branch (Document Control Desk) 1p 84881 325-84881 325

9507310135 Forwards response to NRC 950522 RAI re proposed revs to TS related to alternate plugging criteria for Byron Unit 1 & Braidwood Unit 1.
SACCOMANDO, D.M. Commonwealth Edison Co 95/07/21 Document Control Branch (Document Control Desk) 33pp 84908 125-84908 162

9507310160 Responds to RAI re application for amendments to license NPF-37, NPF-68, NPF-72 & NPF-77, increasing interim plugging criteria value for Braidwood & Byron Station Unit 1 SGs from 1.0 volt to 3.0 volts.
SACCOMANDO, D.M. Commonwealth Edison Co 95/07/21 Office of Nuclear Reactor Regulation (Post 941001) 27pp 84884 081-84884 256

9507310182 "Indications Restrained From Burst (IRBs) Summary Leak Test Rept".
Commonwealth Edison Co 95/07/31 129pp 84894 118-84894 256

Q. Inspection reports, IE Bulletins & correspondence

9507080017 Forwards revised semi-annual insp plan for plant dtd 950907.
MILLER, L.F. Region 3 (Post 820201) 95/06/27 GRAESSER, K. Commonwealth Edison Co 2pp 84516 099-84516 100

9507080168 Requests NRC approval to move start date of mid-cycle SG insp outage from no later than 950815 to no later than 951027.
SACCOMANDO, D.M. Commonwealth Edison Co 95/06/28 Office of Nuclear Reactor Regulation (Post 941001) 21pp 84570 334-84570 354

9507130825 Comment on "NRC Insp Repts, Review of Contents, Format & Style" Quality factors should be applied to insps which mirror performance based regulatory goals.
FARRAR, D.L. Commonwealth Edison Co 95/06/29 Document Control Branch (Document Control Desk) 11pp 84557 069-84557 072

9507100164 Extends first 10-yr insp interval for Byron Unit 1 IST program from current end date of 950915 to new end date of 960630.
PONTICUS, H.D. Commonwealth Edison Co 95/07/05 Document Control Branch (Document Control Desk) 2pp 84592 118-84592 116

9507140174 Extends first 10-yr insp interval for Byron Unit 1 IST program from current end date of 950915 to new end date of 960630.
PONTICUS, H.D. Commonwealth Edison Co 95/07/05 Document Control Branch (Document Control Desk) 3pp 84592 161-84592 163

9507240038 Forwards insp repts 50-454/95-06 & 50-455/95-06 on 950619-26 No violations noted. Major areas inspected licensed operator requalification program.
GRANT, G.E. Region 3 (Post 820201) 95/07/14 GRAESSER, K. Commonwealth Edison Co 3pp 84751 122-84751 132

9507240043 Insp repts 50-454/95-06 & 50-455/95-06 on 950619-26 No violations noted. Major areas inspected licensed operator requalification program.
GRANT, G.E. Region 3 (Post 820201) 95/07/12 8pp 84751 125-84751 132

9507280276 Forwards SE accepting licensee 950528 request for delay in scheduled mid-cycle SG tube insp for plant Unit 1.
LYNCH, M.D. 95/07/20 FARRAR, D.L. Commonwealth Edison Co 3pp 84888 167-84888 163

9507280282 Safety evaluation accepting licensee 950528 request for delay in scheduled mid-cycle SG tube insp for plant Unit 1.
Office of Nuclear Reactor Regulation (Post 941001) 95/07/20 4pp 84888 160-84888 163

R. Periodic operating reports & related correspondence

9507080317 Forwards "Semi-Annual Radiological Effluent Release Rept." for period of Jul-Dec 1994.
SCHWARTZ, G.K. Commonwealth Edison Co 95/06/24 MARTIN, J.B. Region 3 (Post 820201) 4pp 84870 308-84870 333

9507070108 "Radioactive Effluent Release Rept." for Jul-Dec 1994 for Byron Nuclear Power Station.
Commonwealth Edison Co 94/12/31 25pp 84570 309-84570 309

9507080289 Monthly operating rept for Apr 1995 for Byron Nuclear Power Station W/ 950808 ltr.
VOGL, J., KOFRONK, L. Commonwealth Edison Co 95/04/30 13pp 84617 344-84617 367

9507100361 Monthly operating rept for June 1995 for Byron Generating Station Units 1 & 2 W/ 950707 ltr.
VOGL, J., KOFRONK, L. Commonwealth Edison Co 95/06/30 14pp 84790 205-84790 218

V. Operator Examinations

9507240039 Forwards insp repts 50-454/95-06 & 50-455/95-06 on 950619-26 Requalification program effective overall & contains several significant strengths in areas of exam repts & administration.
GRANT, G.E. Region 3 (Post 820201) 95/07/14 GRAESSER, K. Commonwealth Edison Co 3pp 84751 122-84751 132

9507240043 Insp repts 50-454/95-06 & 50-455/95-06 on 950619-26 No violations noted. Major areas inspected licensed operator requalification program.
GRANT, G.E. Region 3 (Post 820201) 95/07/12 8pp 84751 125-84751 132

9507240068 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING, M.A. Region 3 (Post 820201) 95/07/24 LACROIX, D.G. Consumers Power Co 3pp 84919 021-84919 023

DOCKET STN-50-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507050304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101.
VONCK, M.J. Commonwealth Edison Co 95/06/19 Document Control Branch (Document Control Desk) 20pp 84558 336-84558 355

9507280178 Revised EPPs, including rev 41 to B2P 600-A1 & rev 36 to B2P 600-A4 W/ EPP index.
Commonwealth Edison Co 95/07/05 22pp 84837 287-84837 308

9507290167 Forwards proprietary responses to concerns noted in NRC 950629 ltr re changes in contract administration for firewatch program from Burns Fire Protection Group to Richardson-Estes, Inc. Encl withheld per 10CFR2.790(a).
JOHNSON, I.M. Commonwealth Edison Co 95/07/10 MILLER, H.J. Region 3 (Post 820201) 1p 84911 350-84911 350

9507280111 Forwards util revised EP EALs.
VONCK, M.J. Commonwealth Edison Co 95/07/19 Document Control Branch (Document Control Desk) 20pp 84825 001-84825 200

9507240488 Submits supplementary response to Comm Ed 950606 response to NRC 950602 RAI re proposed use of Corporate EOP as interim EOP.
JOHNSON, I.M. Commonwealth Edison Co 95/07/21 Office of Nuclear Reactor Regulation (Post 941001) 2pp 84816 355-84816 357

P. Operating license stage documents & correspondence

9507030230 Forwards request for addl info re pending license amendments to reuse plants TSs related to SG tube voltage-based repair criteria.
LYNCH, M.D. 95/06/22 FARRAR, D.L. Commonwealth Edison Co 12pp 84512 154-84512 165

9507030273 Provides util response to GL 95-03, "Circumferential Cracking of SG Tubes".
VONCK, M.J. Commonwealth Edison Co 95/06/27 Document Control Branch (Document Control Desk) 13pp 84560 190-84560 202

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRAMES, B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84516 259-84516 266

120 DOCKETED ITEMS

950707025 Requests that results of review & disposition of matter re activities at Byron Nuclear Station be provided within ten days of date of R.
GRANT, G.E. Region 3 (Post 820201). 95/06/29. GRAESSER, K. Commonwealth Edison Co. 1p. 84530:114-84530:115.

950710163 Application for amend to licenses NPF-37, NPF-55, NPF-72 & NPF-77, increasing interim plugging criteria for hot-leg tube intersections w/outside diameter stress corrosion cracking from 1.0 volt to 3.0 volt.
PONTIUS, H.D. Commonwealth Edison Co. 95/07/07. Document Control Branch (Document Control Desk). 38pp. 84694:001-84694:102.

950710111 Proposed tech spec implementing 3.0 volt bobbin coil probe, voltage based, SG TSP alternative plugging criteria limit for outside diameter stress corrosion cracking indicators at hot-leg TSP intersections.
* Commonwealth Edison Co. 95/07/07. 61pp. 84694:040-84694:102.

950710286 Ack receipt for 10CFR50.54(a) submittal did 950517, incorporating changes in QA program description topical rept.
RING, M.A. Region 3 (Post 820201). 95/07/11. KOVACH, T.J. Commonwealth Edison Co. 2pp. 84732:312-84732:313.

950710467 Notification of 950720 meeting w/utl in Rockville, MD to discuss recent events at foreign nuclear power plants re potential degradation of steam generator internal structures.
LYNCH, M.D. 95/07/13. CAPRA, R.A. 4pp. 84725:347-84725:350.

950710023 Provides correct file numbers to 850220 correspondence re presentation materials entitled, "Steam Generator Tube Alternative Plugging Criteria w/Tube Expansion."
LIPARULO, N.J. Westinghouse Electric Corp. 95/07/14. Document Control Branch (Document Control Desk). 1p. 84691:325-84691:325.

950710190 Response to RAI re application for amend to licenses NPF-37, NPF-55, NPF-72 & NPF-77, increasing interim plugging criteria value for Bradwood & Byron Station Unit 1 SGs from 1.0 volt to 3.0 volts.
SACCOMANDO, D.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 27pp. 84894:061-84894:255.

Q. Inspection reports, E Bulletins & correspondence

950705017 Forwards revised semi-annual insp plan for plant did 950607.
MILLER, L.F. Region 3 (Post 820201). 95/06/27. GRAESSER, K. Commonwealth Edison Co. 2pp. 84518:089-84518:100.

950710025 Comment on "NRC Insp Repts, Review of Contents, Format & Style." Quality factors should be applied to items which monitor performance based regulatory goals.
FARRARD, L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84587:063-84587:073.

950710044 Forwards insp rept 50-454/95-06 & 50-455/95-06 on 950619-26. Requalification program effective overall & contains several significant strengths in areas of exam staff & administration.
GRANT, G.E. Region 3 (Post 820201). 95/07/14. GRAESSER, K. Commonwealth Edison Co. 3pp. 84751:122-84751:132.

950710043 Insp rept 50-454/95-06 & 50-455/95-06 on 950619-26. No violations noted. Major areas inspected licensed operator requalification program.
EHRHARDT, J., LENHARTZ, J., BURDICK, T. Region 3 (Post 820201). 95/07/12. 8pp. 84751:125-84751:132.

R. Periodic operating reports & related correspondence

950708017 Forwards "Semi-Annual Radiological Effluent Release Rept." for period of Jul-Dec 1994.
SCHWARTZ, G.K. Commonwealth Edison Co. 95/02/24. MARTIN, J.B. Region 2 (Post 820201). 4pp. 84570:205-84570:233.

950707010 "Radioactive Effluent Release Rept." for Jul-Dec 1994 for Byron Nuclear Power Station.
* Commonwealth Edison Co. 94/12/31. 25pp. 84570:306-84570:333.

950706029 Monthly operating rept for Apr 1995 for Byron Nuclear Power Station, W/ 950508 tr.
VOGL, J., KOFFRON, K.L. Commonwealth Edison Co. 95/04/30. 13pp. 84517:944-84517:957.

950710051 Monthly operating rept for June 1995 for Byron Generating Station Units 1 & 2. W/950707 tr.
VOGL, J., KOFFRON, K.L. Commonwealth Edison Co. 95/06/30. 14pp. 84790:205-84790:218.

V. Operator Examinations

950710039 Forwards insp rept 50-454/95-06 & 50-455/95-06 on 950619-26. Requalification program effective overall & contains several significant strengths in areas of exam staff & administration.
GRANT, G.E. Region 3 (Post 820201). 95/07/14. GRAESSER, K. Commonwealth Edison Co. 3pp. 84751:122-84751:132.

950710043 Insp rept 50-454/95-06 & 50-455/95-06 on 950619-26. No violations noted. Major areas inspected licensed operator requalification program.
EHRHARDT, J. Region 3 (Post 820201). 95/07/12. 8pp. 84751:125-84751:132.

950710006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. CHASENSKY, T.M., SCHMIDT, T.L. Commonwealth Edison Co. 3pp. 84919:021-84919:023.

DOCKET STN-50-456 BRADWOOD STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

950708084 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101.
VONK, M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84558:335-84558:335.

950710085 Revised EPIPs including rev 0 to SGZP 1000-4A1 rev 1 to SGZP 2000-14 rev 1 to SGZP 2000-14A1 rev 1 to SGZP 2000-14A2 rev 1 to SGZP 2000-14A3 rev 1 to SGZP 2000-20 rev 1 to SGZP 2000-20A1 rev 1 to SGZP 2000-20A2 & rev 1 to SGZP 2000-20A5.
* Commonwealth Edison Co. 95/07/18. 24pp. 84688:316-84688:339.

950710111 Forwards ubl revised EP EALs.
VONK, M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 20pp. 84688:001-84688:200.

950710485 Submits supplementary response to Comm Ed 950806 response to NRC 950602 RAI re proposed use of Corporate EOF as interim EOF.
JOHNSON, M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84616:355-84616:357.

950710075 Forwards EA & FONSI related to 950522 request for exemption. Exemption would allow use of hand geometry biometric sys to control unescorted access into protected areas of plant in conjunction w/photograph identification badges.
ASSA, R.R. 95/07/21. FARRARD, L. Commonwealth Edison Co. 3pp. 84688:039-84688:046.

950710088 EA & FONSI re issuance of exemption from requirements of regulations to licenses NPF-72 & NPF-77. Requested exemptions would allow implementation of hand geometry biometric sys of site access control in conjunction w/identification badges.
ASSA, R.R. 95/07/21. 6pp. 84688:041-84688:046.

P. Operating license stage documents & correspondence

950708050 Forwards request for add into re pending license amends to retest plants T&E related to SG tube voltage-based repair criteria.
LYNCH, M.D. 95/06/22. FARRARD, L. Commonwealth Edison Co. 12pp. 84612:154-84612:165.

950708073 Provides utl response to GL 95-03, "Concurrent Cracking of SG Tubes."
VONK, M.J. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 13pp. 84680:160-84680:202.

950708088 Concludes that containment cooling status can be determined through alternative means to direct reading of containment sump water temp for licenses NPF-72 & NPF-77 re implementation of RG 1.87 rev 2. Forwards supporting SE.
ASSA, R.R. 95/06/27. FARRARD, L. Commonwealth Edison Co. 3pp. 84589:321-84589:338.

950708100 Safety evaluation supporting conclusion that containment cooling status can be determined through alternative means to direct reading of containment sump water temp for licenses NPF-72 & NPF-77 re implementation of RG 1.87 rev 2.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/27. 3pp. 84589:334-84589:336.

950708082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRAESSER, K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

950710132 Forwards response to NRC 950531 RAI re Comm Ed proposed TS amend to increase interim plugging criteria for Byron & Bradwood Unit 1 SGs. Proprietary Westinghouse rept WNEP-9124, "Program TRAFILO," also encl. Rept withheld.
SACCOMANDO, D.M. Commonwealth Edison Co. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 52pp. 84549:301-84549:352.

950710183 Application for amend to licenses NPF-37, NPF-55, NPF-72 & NPF-77, increasing interim plugging criteria for hot-leg tube intersections w/outside diameter stress corrosion cracking from 1.0 volt to 3.0 volt.
PONTIUS, H.D. Commonwealth Edison Co. 95/07/07. Document Control Branch (Document Control Desk). 38pp. 84694:001-84694:102.

950710111 Proposed tech spec implementing 3.0 volt bobbin coil probe, voltage based, SG TSP alternative plugging criteria limit for outside diameter stress corrosion cracking indicators at hot-leg TSP intersections.
* Commonwealth Edison Co. 95/07/07. 61pp. 84694:040-84694:102.

950710286 Ack receipt for 10CFR50.54(a) submittal did 950517, incorporating changes in QA program description topical rept.
RING, M.A. Region 3 (Post 820201). 95/07/11. KOVACH, T.J. Commonwealth Edison Co. 2pp. 84732:312-84732:313.

950710084 Forwards errata sheet for proprietary Rev 3 to WCAP-14046 & errata sheet for nonproprietary Rev 3 to WCAP-14047, correcting typos on Page 4-139. Proprietary Rev 3 to WCAP-14046 withheld.
PONTIUS, H.D. Commonwealth Edison Co. 95/07/12. Document Control Branch (Document Control Desk). 2pp. 84975:047-84975:048.

950710042 Nonproprietary errata to Rev 3 to WCAP-14047, "Bradwood Unit 1 Technical Support for Cycle 5 Steam Generator Interim Plugging Criteria," correcting Page 4-139 figure title.
* Westinghouse Electric Corp. WCAP-14047 R03 ERR. 95/03/31. 1p. 84975:049-84975:049.

9507180192 Informs that Commission has issued and exemption from requirements of 10CFR50.50, "Acceptance Criteria for Fracture Prevention for Light-Water Nuclear Power Reactors for Normal Operation," related to 941130 request. ASSA,R.R. 95/07/13 FARRAR,D.L. Commonwealth Edison Co 4pp 84725316-84725327

9507180208 Exemption from requirements of 10CFR50.50, "Acceptance Criteria for Fracture Prevention for Light-Water Nuclear Power Reactors for Normal Operation," ROW,J.W. 95/07/13 Commonwealth Edison Co 6pp 84725322-84725327

9507180407 Notification of 950720 meeting w/utl in Rockville,MD to discuss recent events at foreign nuclear power plants re potential degradation of steam generator internal structures. LYNCH,M.D. 95/07/13 CAPRA,R.A. App 84725347-84725350

9507240023 Provides correct Mr numbers to 950220 correspondence re presentation materials entitled, "Steam Generator Tube Alternate Plugging Criteria w/Tube Expansion." LIPARULO,N.J. Westinghouse Electric Corp. 95/07/14 Document Control Branch (Document Control Desk). 1p. 84831325-84831325

9507310135 Forwards response to NRC 950522 RAJ re proposed revs to TS related to alternate plugging criteria for Byron Unit 1 & Braidwood Unit 1. SACCOMANDO,D.M. Commonwealth Edison Co 95/07/21. Document Control Branch (Document Control Desk). 3pp. 84803125-84803162

9507310160 Responds to RAJ re application for amends to licenses NPF-37,NPF-38,NPF-72 & NPF-77, increasing minimum plugging criteria value for Braidwood & Byron Station Unit 1 SGs from 1.0 volt to 3.0 volts. SACCOMANDO,D.M. Commonwealth Edison Co 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 27pp. 84894091-84894256

9507270256 Forwards Amends 64 & 64 to Licenses NPF-72 & NPF-77 & safety evaluation Amends reveals Figure 3.4-4a, "Nominal PORV Pressure Relief Setpoint Versus RCS Temp for Cold Overpressure Protection Sys." ASSA,R.R. 95/07/24 FARRAR,D.L. Commonwealth Edison Co 3pp. 84873165-84873179

9507270257 Amends 64 & 64 to Licenses NPF-72 & NPF-77, respectively, revising Figure 3.4-4a, "Nominal PORV Pressure Relief Setpoint Versus RCS Temp for Cold Overpressure Protection Sys." ASSA,R.R. 95/07/24, 7pp. 84873165-84873174

9507270258 Safety evaluation supporting amends 64 & 64 to Licenses NPF-72 & NPF-77, respectively. 95/07/24 6pp 84873175-84873179

9507310128 Documents info provided to NRC in 950717 telecon re Okonite tape splices. SACCOMANDO,D.M. Commonwealth Edison Co 95/07/25. Document Control Branch (Document Control Desk). 1p. 84803265-84803265

Q. Inspection reports, RE Bulletins & correspondence

9507190620 Notices of results of insp planning portion of Mar 1995 plant performance review. AXELSON,W.L. Region 3 (Post 820201). 95/05/06 KAUF,K. Commonwealth Edison Co. 4pp 84711040-84711043

9507190622 Ack receipt of 950502 re informing NRC of steps taken to correct violations noted in insp rept 50-456/95-06 & 50-457/95-06 MILLER,L.F. Region 3 (Post 820201). 95/06/21. KAUF,K. Commonwealth Edison Co 2pp. 84530006-84530007

9507190623 Forwards insp rept 50-456/95-06 & 50-457/95-06 on 950418-0531. Violations noted but not cited. MILLER,L.F. Region 3 (Post 820201). 95/06/23 KAUF,K. Commonwealth Edison Co. 2pp. 84530040-84530060

9507070616 Insp rept 50-456/95-06 & 50-457/95-06 on 950418-0531. Violations noted but not cited. Major areas inspected: operations, engineering, maintenance, plant support & safety assessment. MILLER,L.F. Region 3 (Post 820201). 95/06/21. 19pp. 84530042-84530060

950706047 Forwards revised Insp Plan for plant. MILLER,L.F. Region 3 (Post 820201). 95/06/27. KAUF,K. Commonwealth Edison Co. 2pp. 84506069-84506090

9507110025 Comment on "NRC Insp Repts, Review of Contents, Format & Style." Quality factors should be applied to maps which mirror performance based regulatory goals. FARRAR,D.L. Commonwealth Edison Co 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84557063-84557073

9507180126 Forwards safety evaluation related to loss of B6-oil in Rosemount transmitters. NRC Bulletin 80-01, supplied confirmed to requested actions. ASSA,R.R. 95/07/25 FARRAR,D.L. Commonwealth Edison Co. 2pp. 84879306-84879326

9507310125 Safety evaluation accepting licensee response to NRC Bulletin 80-01 re loss of B6-oil in Rosemount transmitters. 95/07/25. 2pp. 84879308-84879308

9506230367 "Technical Evaluation Report/Evaluation of Utility Response to Suppl 1 to NRC Bulletin 80-01, Braidwood-1/2." UDY,A.C. Idaho National Engineering Laboratory. FNH L-1695. INEL-95/0268. 95/06/30 NRC - No Detailed Action Given. 17pp. 84879310-84879328

R. Periodic operating reports & related correspondence

9507190155 Monthly operating rept for June 1995 for Braidwood Nuclear Power Station, Units 1 & 2. W/950707 for STANCAK,P., COLET,T., TULON,T.J. Commonwealth Edison Co. 95/06/30. 9pp 84896034-84896043

V. Operator Examinations

9507310005 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003. RING,M.A. Region 3 (Post 820201). 95/07/24. LACROIX,D.G. Consumers Power Co. CHERNICK,A.J., LABRISA,L.J. Commonwealth Edison Co 3pp 84919021-84919023

DOCKET STN-58-457 BRAIDWOOD STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507050394 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101. VONK,M.J. Commonwealth Edison Co 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84558336-84558335

9507310095 Revised EPIPs including rev 0 to BwZP 1000-4A1, rev 1 to BwZP 2000-14, rev 1 to BwZP 2000-14A1, rev 1 to BwZP 2000-14A2, rev 1 to BwZP 2000-14A3, rev 1 to BwZP 2000-20, rev 1 to BwZP 2000-20A1, rev 1 to BwZP 2000-20A2 & rev 1 to BwZP 2000-20A3. * Commonwealth Edison Co. 95/07/18. 24pp. 84856316-84856333

9507250111 Forwards old revised EP EALs. VONK,M.J. Commonwealth Edison Co 95/07/19. Document Control Branch (Document Control Desk). 20pp. 84825001-84825000

9507240488 Submits supplementary response to Comm Ed 950636 response to NRC 950602 RAJ re proposed use of Corporate EOP to interim EOP. JOHNSON,L.M. Commonwealth Edison Co 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84816056-84816057

9507240475 Forwards EA & FONSI related to 950522 request for exemption. Exemption would allow use of hand geometry biometric sys to control unescorted access into protected areas of plant in conjunction w/photograph identification badges. ASSA,R.R. 95/07/21 FARRAR,D.L. Commonwealth Edison Co 3pp. 84899039-84899046

9507280285 EA & FONSI re issuance of exemption from requirements of regulations to licenses NPF-72 & NPF-77. Requested exemptions would allow implementation of hand geometry biometric sys of sec access control in conjunction w/identification badges. ASSA,R.R. 95/07/21 5pp 84898041-84898046

F. Operating license stage documents & correspondence

9507090258 Forwards request for add info re pending license amends to revise plants TSs related to SG tube voltage-based repair criteria. LYNCH,M.D. 95/06/22. FARRAR,D.L. Commonwealth Edison Co 12pp 84812164-84812165

9507090273 Provides utl response to GL 95-03, "Circumferential Cracking of SG Tubes." VONK,M.J. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 12pp. 84558190-84558202

9507090288 Concludes that containment cooling status can be determined through alternative means to direct reading of containment sump water temp for licenses NPF-72 & NPF-77 re implementation of RG 1.97 rev 2. Forwards supporting SE. ASSA,R.R. 95/06/27. FARRAR,D.L. Commonwealth Edison Co 3pp 84529331-84529336

9507090180 Safety evaluation supporting conclusion that containment cooling status can be determined through alternative means to direct reading of containment sump water temp for licenses NPF-72 & NPF-77 re implementation of RG 1.97 rev 2. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/27 3pp 84529334-84529336

9506280052 Rev 1 to NRC Administrative Ltr 84-10 to all NRC licensees re access to NRC bulletin board sys. GRIMES,B.K. 95/06/29 Consolidated Edison Co of New York, Inc. 10pp 84518258-84518269

9507110182 Application for amend to licenses NPF-37,NPF-66,NPF-72 & NPF-77, increasing minimum plugging criteria for hot-leg tube intersections w/outside diameter stress corrosion cracking from 1.0 volt to 3.0 volt. PONTIUS,H.D. Commonwealth Edison Co. 95/07/07. Document Control Branch (Document Control Desk). 3pp. 84894061-84894102

9507110111 Proposed tech spec supplementing 3.0 volt bobbin coil probe, voltage based, SG TSP alternative plugging criteria limit for outside diameter stress corrosion cracking indications at hot-leg TSP intersections. * Commonwealth Edison Co. 95/07/07. 81pp. 84694040-84694102

9507120328 Responds to 950206 inquiry re whether or not staff exceeded authority by assuming operation control of recovery actions for plant events on 951004 & 940405. Concludes that potential safety significance of events warranted staff actions. TAYLOR,J.M. Ofc of the Executive Director for Operations 95/07/10 COLVIN,J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 4pp. 84831274-84831277

9507130286 Ack receipt for 10CFR50.54(a) submitted dtd 950517, incorporating changes in QA program description topical rept. RING,M.A. Region 3 (Post 820201). 95/07/11. KOVACH,T.J. Commonwealth Edison Co. 3pp. 84732212-84732213

9507190407 Notification of 950720 meeting w/utl in Rockville,MD to discuss recent events at foreign nuclear power plants re potential degradation of steam generator internal structures. LYNCH,M.D. 95/07/13. CAPRA,R.A. App 84725347-84725350

122 DOCKETED ITEMS

950720023 Provides correct file numbers to 950220 correspondence re presentation materials entitled, "Steam Generator Tube Alternate Plugging Criteria w/Tube Expansion." LIPARULO, J.J. Westinghouse Electric Corp. 85/07/14. Document Control Branch (Document Control Desk). 1p. 84831:325-84831:325.

9507310160 Responds to RAI re application for amendments to licensee NPF-37, NPF-95, NPF-72 & NPF-77, decreasing internal plugging criteria value for Bradwood & Byron Station Unit 1 SGs from 1.0 volt to 3.0 volts. SACCOMANDO, D.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 27pp. 84894:091-84894:256.

9507270256 Forwards Amends 64 & 64 to Licensees NPF-72 & NPF-77 & safety evaluation Amends revises Figure 3.4-4a. "Nominal PORV Pressure Relief Setpoint Versus RCS Temp for Cold Overpressure Protection Sys." ASSA, R.R. 95/07/24. FARRAR, D.L. Commonwealth Edison Co. 3pp. 84873:165-84873:179.

9507270257 Amends 64 & 64 to Licensees NPF-72 & NPF-77, respectively, revising Figure 3.4-4a. "Nominal PORV Pressure Relief Setpoint Versus RCS Temp for Cold Overpressure Protection Sys." ASSA, R.R. 95/07/24. 7pp. 84873:165-84873:174.

9507270259 Safety evaluation supporting amends 64 & 64 to Licensees NPF-72 & NPF-77, respectively. 95/07/24. 5pp. 84873:175-84873:179.

9507210138 Documents info provided to NRC in 950717 telcon re Okonko tape splice. SACCOMANDO, D.M. Commonwealth Edison Co. 95/07/25. Document Control Branch (Document Control Desk). 1p. 84803:268-84803:268.

G. Inspection reports, IE Bulletins & correspondence

9507190020 Notices of results of insp planning portion of Mar 1996 plant performance review. AXELSON, W.L. Region 3 (Post 820201). 95/06/08. KAUP, K. Commonwealth Edison Co. 4pp. 84711:045-84711:049.

9507070002 Ack receipt of 950602 re informing NRC of steps taken to correct violations noted in insp repts 50-456/95-08 & 50-457/95-08. MILLER, L.F. Region 3 (Post 820201). 95/06/21. KAUP, K. Commonwealth Edison Co. 2pp. 84530:006-84530:007.

9507070011 Forwards insp repts 50-456/95-08 & 50-457/95-08 on 950418-0531. Violations noted but not cited. MILLER, L.F. Region 3 (Post 820201). 95/06/23. KAUP, K. Commonwealth Edison Co. 2pp. 84530:040-84530:060.

9507070016 Insps repts 50-456/95-08 & 50-457/95-08 on 950418-0531. Violations noted but not cited. Major areas inspected: operations, engineering, maintenance, plant support & safety assessment. MILLER, L.F. Region 3 (Post 820201). 95/06/21. 19pp. 84530:042-84530:060.

9507050047 Forwards revised Insps Plan for plant. MILLER, L.F. Region 3 (Post 820201). 95/06/27. KAUP, K. Commonwealth Edison Co. 2pp. 84509:089-84509:090.

9507110025 Comment on "NRC Insps Repts, Review of Contents, Format & Style." Quality factors should be applied to repts which mirror performance based regulatory goals. FARRAR, D.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84567:093-84567:079.

9507310126 Forwards safety evaluation related to loss of full-in Rosemount transmitters. NRC Bulletin 90-01, suppl. USI conformed to requested actions. ASSA, R.R. 95/07/25. FARRAR, D.L. Commonwealth Edison Co. 2pp. 84878:308-84878:326.

9507310136 Safety evaluation accepting licensee response to NRC Bulletin 90-01 re loss of full-in Rosemount transmitters. 95/07/25. 2pp. 84878:308-84878:308.

9506230387 "Technical Evaluation Rept/Evaluation of Utility Response to Suppl 1 to NRC Bulletin 90-01, Bradwood-1/2." UDY, A.C. Idaho National Engineering Laboratory, FIN L-1895. INEL-95/0268. 95/06/30. NRC - No Detailed Affixation Given. 17pp. 84579:310-84579:326.

R. Periodic operating reports & related correspondence

9507130156 Monthly operating repts for June 1996 for Bradwood Nuclear Power Station, Units 1 & 2 w/950707 tr. STANCZAK, P., COLE, T., TULON, T.J. Commonwealth Edison Co. 95/06/30. 9pp. 84596:034-84596:043.

V. Operator Examinations

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003. RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. CHERRICK, A.J., LASPIS, A.J. Commonwealth Edison Co. 3pp. 84919:021-84919:023.

DOCKET 50-458 RIVER BEND STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507130460 Informs that pending resolution of 950525 submittal of 10CFR50.50 change, requesting exception to physical security plan, C/A commitments per violation 50-458/9505-01 to modify backup power supply for security eye placed on hold. FISICARO, J.J. Entergy Operations, Inc. 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84662:304-84662:305.

9507200280 Forwards exemption from certain requirements of 10CFR73.55 re issuance, storage & retrieval of badges for contractors granted unescorted access to protected areas of site. WIGGINTON, D.L. 95/07/07. MCGAHA, J.R. Entergy Operations, Inc. 2pp. 84752:209-84752:216.

9507200287 Exemption granted from requirements of 10CFR73.55(d)(5) re returning of picture badges upon exit from protected area of individuals not employed by licensee ROE, L.W. 95/07/07. Entergy Operations, Inc. 7pp. 84752:212-84752:218.

9507260132 Forwards partially deleted insp repts 50-456/95-21 on 950710-14. No violations noted. SCARANO, R.A. Region 4 (Post 820201). 95/07/21. MCGAHA, J.R. Entergy Operations, Inc. 7pp. 84793:334-84793:342.

9507260137 Partially deleted insp repts 50-456/95-21 on 950710-14 (ref 10CFR73.21). No violations noted. Major areas inspected: security program including VA barriers, detection aids, PA detection aids, alarm stations, records & repts. OEXTER, T.W. Region 4 (Post 820201). 95/07/17. 2pp. 84793:341-84793:342.

G. Adjudicatory correspondence

9507270008 Joint motion to extend hearing date & amend scheduling order. Requests that rehearing schedule & hearing schedule be revised w/Certificate of Svc. WETTERHAHN, J.A., PEMBROKE, J.D. Gulf States Utilities Co. WETTERHAHN, J.A. Winsten & Severn #395 16901. 95/07/17. Atomic Safety & Licensing Board Panel. 6pp. 84814:046-84814:051.

I. Financial information

9507120271 Provides info re financial arrangements for River Bend Station. GALLAHER, F.F. Entergy Operations, Inc. 95/07/07. ADENSAM, E.G. Division of Reactor Projects - II, IV, V (Post 901215). 12pp. 84896:341-84896:352.

J. Insurance & indemnity information

9507060046 Forwards certificate of insurance verifying property policy for protection against insurance losses due to nuclear accidents for plant. FISICARO, J.J. Entergy Operations, Inc. 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84618:329-84618:331.

P. Operating license stage documents & correspondence

9507070072 Requests that draft repts, "Metallurgical Evaluation of Feedwater Nozzle to Safe-End Weld from River Bend Station, Unit 1," be placed in docket file & PDR. WIGGINTON, D.L. 95/06/25. 2pp. 84535:125-84535:133.

9507070074 Draft, "Metallurgical Evaluation of Feedwater Nozzle to Safe-End Weld from River Bend Station, Unit 1." CZAJKOWSKI, C.J., BOWERMAN, B.S., ROBERTS, S.T.C. Brookhaven National Laboratory. 95/06/31. 8pp. 84582:128-84582:133.

9507030023 Informs that will not conduct core shroud insps during next refueling outage, RF-8, scheduled to begin on 950105, as stated in unit 840524 response to GL 94-03 based on listed info. FISICARO, J.J. Entergy Operations, Inc. 95/06/27. Document Control Branch (Document Control Desk). 2pp. 84558:390-84558:391.

9506280052 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:258-84518:268.

9507070199 Forwards "IEEE River Bend Station." MCGAHA, J.R. Entergy Operations, Inc. 95/06/30. Document Control Branch (Document Control Desk). 4pp. 84558:001-84558:167.

9507070201 "Individual Plant Exam of External Events for River Bend Station." Entergy Operations, Inc. 95/06/30. 163pp. 84558:005-84558:167.

9507100016 Application for amend to license NPF-47. Amend will implement TSs based on NUREG-1434, "Improved TSs, Rev 0." MCGAHA, J.R. Entergy Operations, Inc. 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84662:012-84662:112.

9507100019 Proposed tech specs reflecting implementation of TSs based on NUREG-1434, "Improved TSs, Rev 0." Entergy Operations, Inc. 95/06/30. 1,153pp. 84646:017-84646:112.

9507100007 Notification of 950711 meeting w/all to discuss progress of long term performance improvement program. DYER, J.E. Region 4 (Post 820201). 95/07/05. Region 4 (Post 820201). 5pp. 84557:015-84557:020.

9507140423 Forwards draft repts "Metallurgical Evaluation of Feedwater Nozzle to Safe-End Weld from River Bend Station, Unit 1." WIGGINTON, D.L. 95/07/05. MCGAHA, J.R. Entergy Operations, Inc. 3pp. 84862:105-84862:133.

9507190250 Notification of meeting w/BWR/6 Owners Group in Rockville, MD to discuss sys required while handling irradiated fuel in containment. O'CONNOR, P.W. 95/07/11. BECKER, W.B. 7pp. 84738:330-84738:336.

9507140065 Informs that change to TS Bases Section 3.6.1.10, acceptable. Changes to amend 90 extend ACTION times of leakage control sys. WIGGINTON, D.L. 95/07/12. MCGAHA, J.R. Entergy Operations, Inc. 3pp. 84662:140-84662:144.

9507140068 Corrected tech spec pages B 3/4 6-3 & B 3/4 5-4 extending ACTION times of leakage control sys. NRC - No Detailed Affixation Given. 95/07/12. 2pp. 84662:143-84662:144.

950720039 Submits into re LAR-93-14 conversion to TS based on NUREG-1434, "Improved TS, Rev 0."
FISICARO, J.J. Entergy Operations, Inc. 95/07/14. Document Control Branch (Document Control Desk). 4pp. 848043001-84807052.

950720040 Proposed tech specs based on NUREG-1434
Entergy Operations, Inc. 95/07/14. 1400pp. 84804005-84807052.

9507190274 Acknowledges withdrawal of 950630 LAR-94-10, "Change To TS 3/4.11.2, GASEOUS EFFLUENTS," & completion of effort under TAC M80667.
WIGGINTON, D.L. 95/07/17. MOGAHA, J.R. Entergy Operations, Inc. 4pp. 84786317-84786319.

9507240446 Notification of 950721 meeting w/utl in Rockville, MD to discuss Licensing Activities & Actions & Proposed Licensee Positions on Ongoing Reviews.
WIGGINTON, D.L. 95/07/20. BECKNER, W. 4pp. 84786174-84786177.

9507200063 Summarizes 950711 meeting w/utl re plant performance since Gulf States Unit 1 & Entergy merger of 940101, to show extent to which performance margins have been restored & update on progress of plant LTRP.
DYER, J.E. Region 4 (Post 820201). 95/07/20. MOGAHA, J.R. Entergy Operations, Inc. 10pp. 84793141-84793227.

9507310280 Forwards ahead 82 to license NFF-47 & safety evaluation. Amend review Attachment 3 to license NFF-47 to remove certain license conditions pertaining to Division 1 & 2 TDI EDG.
WIGGINTON, D.L. 95/07/25. MOGAHA, J.R. Entergy Operations, Inc. 3pp. 84886317-84886327.

9507310284 Amend 82 to license NFF-47, revising attachment 3 to license NFF-47 to remove certain license conditions pertaining to Division 1 & 2 TDI EDG.
WIGGINTON, D.L. 95/07/25. 4pp. 84886320-84886329.

9507310278 Safety evaluation supporting amend 82 to license NFF-47.
95/07/25. 4pp. 84886324-84886327.

G. Inspection reports, in Bulletin & correspondence

9507030334 Informs that utl will not conduct core shroud insp during next refueling outage RFF-6, scheduled to begin on 940106, as stated in utl 940624 responses to GL 94-03, based on listed info.
FISICARO, J.J. Entergy Operations, Inc. 95/06/27. Document Control Branch (Document Control Desk). 2pp. 84558380-84558381.

9507050169 Forwards insp rept 50-456/95-20 on 950605-09. No violations noted.
SCARANO, R.A. Region 4 (Post 820201). 95/06/28. MOGAHA, J.R. Entergy Operations, Inc. 12pp. 84507286-84507314.

9507050171 Insp rept 50-456/95-20 on 950605-09. No violations noted. Major areas inspected: radiation protection program w/ focused view on ALARA program.
MURRAY, B. Region 4 (Post 820201). 95/06/27. 12pp. 84507303-84507314.

9507190308 Comments on proposed rule re, "Review of NRC Insp Rept Content, Format & Style."
Entergy Operations, Inc. 95/06/28. MCGOVER, D. Rules & Descriptive Review Branch (Post 920225). 6pp. 84557074-84557078.

9507060044 Responds to NRC ltr re violations noted in insp rept 50-456/95-03 on 950328-0506. Corrective actions noted returned to an acceptable configuration. Long term corrective actions discussed in LER 95-004-01. (d) 950628.
FISICARO, J.J. Entergy Operations, Inc. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84518327-84518328.

9507190076 Forwards insp rept 50-456/95-10 on 950320-0421 & notice of violation.
GWHYN, T.P. Region 4 (Post 820201). 95/07/08. MOGAHA, J.R. Entergy Operations, Inc. 6pp. 84596055-84596110.

9507130079 Notice of violation from insp on 950320-0421. Violation noted: established measures did not correctly translate design of RCICs into calculation G13.18.12.4, Rev 2, "SBO Analysis Auxiliary Bldg."
Region 1 (Post 820201). 95/07/08. 3pp. 84596061-84596069.

9507180084 Insp rept 50-456/95-10 on 950320-0421. Violations noted. Major areas inspected: RCIC, emergency diesel generators, control room & inadequate RWCS mod.
COLLINS, E.E., BROCKMAN, K. Region 4 (Post 820201). 95/06/30. 4pp. 84588084-84588110.

9507120096 Forwards insp rept 50-456/95-18 on 950606-09. No violations noted.
SCARANO, R.A. Region 4 (Post 820201). 95/07/08. MOGAHA, J.R. Entergy Operations, Inc. 3pp. 84596144-84596158.

9507130089 Insp rept 50-456/95-19 on 950605-09. No violations noted. Major areas inspected: radiological environ monitoring program.
MURRAY, B. Region 4 (Post 820201). 95/06/28. 10pp. 84596149-84596158.

9507120089 Informs that pending resolution of 950625 submittal of 10CFR90.90 change requesting exception to physical security plan, C/A comment per violation 50-456/9506-01 to modify backup power supply for security sys placed on hold.
FISICARO, J.J. Entergy Operations, Inc. 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84576304-84576305.

9507140011 Ack receipt of 950630 ltr informing NRC of steps taken to correct violations noted in insp rept 50-456/95-03.
DYER, J.E. Region 4 (Post 820201). 95/07/11. MOGAHA, J.R. Entergy Operations, Inc. 3pp. 84793354-84793360.

9507170065 Forwards response to NRC ltr re violations noted in insp rept 50-456/95-16 on 950606-12. Corrective actions noted: each utl background investigation and providers verbally & in writing on 950610 w/directions.
FISICARO, J.J. Entergy Operations, Inc. 95/07/13. Document Control Branch (Document Control Desk). 7pp. 84776280-84776286.

9507240032 Forwards insp rept 50-456/95-04 on 950607-0817 & notice of violation. Violation of NRC concern because operators discovered low pressure core spray sys venting procedure to be inadequate w/o procedure.
DYER, J.E. Region 4 (Post 820201). 95/07/19. MOGAHA, J.R. Entergy Operations, Inc. 6pp. 84751006-84751009.

9507240042 Expresses gratitude for doing line job addressing comments & crafting coverletter message. Concurs in repl as written.
PERKINS, K.E. Region 4 (Post 820201). 95/07/17. SMITH, W.F. Region 4 (Post 820201). 1p. 84751072-84751072.

9507240044 Notice of violation from insp on 950507-0617. Violation noted: 950525 operators found Procedure SPO-0032, "Low Pressure Core Spray," Rev 10, Section 4.2, inadequate for filling & venting sys.
Region 4 (Post 820201). 95/07/18. 1p. 84751073-84751073.

9507240047 Insp rept 50-456/95-04 on 950607-0817. Violations noted. Major areas inspected: licensee actions in response to events, plant operations, maint & surveillance activities, onsite engineering, plant support activities & followup.
VANDENBURGH, C. Region 4 (Post 820201). 95/07/12. 26pp. 84751074-84751099.

9507260182 Forwards partially deleted insp rept 50-456/95-21 on 950710-14. No violations noted.
SCARANO, R.A. Region 4 (Post 820201). 95/07/21. MOGAHA, J.R. Entergy Operations, Inc. 7pp. 84793334-84793342.

9507260137 Partially deleted insp rept 50-456/95-21 on 950710-14. (rd 10CFR73.21) No violations noted. Major areas inspected: security program including VA barriers, detection aids, PA detection aids, alarm stations, records & repls.
DEXTER, T.W. Region 4 (Post 820201). 95/07/17. 2pp. 84793341-84793342.

R. Periodic operating reports & related correspondence

9507190336 Monthly operating rept for June 1995 for River Bend Station Unit 1 W/ 950712 ltr.
BOLKE, T.J., FISICARO, J.J. Entergy Operations, Inc. 95/06/30. 6pp. 84790241-84790246.

S. Reportable occurrences, LERs & related correspondence

9507090269 LER 95-004-01 on 950419. Auxiliary bldg door was determined inoperable due to failure of latching mechanism. Immediately restored secondary containment door to acceptable configuration W/950628 ltr.
GATES, T.W., FISICARO, J.J. Entergy Operations, Inc. 95/06/28. 5pp. 84596166-84596170.

9507210322 Part 21 rept re potential defect in Lincolnton 8M/58/58D-00 actuators. Condition dependent on individual licensee's internal operating practices used when determining ACV operators for safety related svcs.
HYLTON, C.L. Lincolnton Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815169-84815196.

U. Congressional/Executive Correspondence

9506290433 Responds to 950518 ltr to Chairman Selin that expressed concern over NRC handling of allegations re mistreatment of whistleblowers.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/16. WYDEN, R. House of Rep. 7pp. 84796070-84796081.

9507200535 Expresses concern re NRC handling of allegations that whistleblowers being mistreated & questions recent NRC initiatives & repls addressing issues re STP/River Bend Nuclear Station & NRC Region IV.
WYDEN, R. House of Rep. 95/05/18. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 4pp. 84796077-84796081.

DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1

A. Application/construction stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GARMES, B.K. 95/06/28. Consolidated Edison Co of New York, Inc. 10pp. 84518259-84518268.

G. Adjudicatory correspondence

9507180183 Submits licensee quarterly status rept re deferred plant project in accordance w/950104 MOU. Informs of no change to status since 950215 ltr to Licensing Board.
REYNOLDS, N.S. Washington Public Power Supply System, REYNOLDS, N.S. Winston & Strawn, #395 16885. 95/07/06. BLOCH, P.S., SCHINK, O.R. Atomic Safety & Licensing Board Panel. 2pp. 84575085-84575086.

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507030247 Rev 5 to EPP RA-15, "Predictive Release Rates."
Whelan Power Co. 95/06/18. 31p. 84561057-84561088.

9507170056 Ack receipt of 950609 ltr & accepts results of investigation conducted re security concern at plant. Requests retention of review documentation for min of one yr from date of ltr.
CREED, J.R. Region 3 (Post 820201). 95/07/03. COOK, J. Binns Power Co. 2pp. 84567254-84567256.

9507170062 Responds to ltr of 950603 re implementation of access authorization program at plant & concludes that concern not substantiated. Forwards investigation summary & requests withholding from public disclosure. W/o encl.
COOK, J.R. Binns Power Co. 95/06/09. MARTIN, J.S. Region 3 (Post 820201). 1p. 84567256-84567256.

124 DOCKETED ITEMS

9507248429 Forwards insp rept 50-461/95-08 on 950518-0824 & NOV CLAYTON,B Region 3 (Post 820201) 95/07/14 COOK,J Illinois Power Co 3pp 84824:146-84824:168

-9507248432 Notice of violation from insp on 950518-0824. Violation noted did not perform required functional testing of safe shutdown path emergency lighting * Region 3 (Post 820201) 95/07/14, 2pp, 84824:149-84824:150

I. Financial information

9507250449 "Illinois Corp 1994 Annual Rept." W/950623 fr PHARES,R.F. Illinois Power Co. 94/12/31, 26pp 84806:305-84806:348

P. Operating license stage documents & correspondence

9507250452 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES,B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84518:259-84518:268

9507250453 Notification of meeting w/BWR/6 Owners Group in Rockville,MD to discuss safe shutdown path emergency lighting in containment O'CONNOR,P.W. 95/07/11, BECKER,W.B. 7pp 84739:330-84739:336

9507250454 Provides addl info re IPE of Clinton Power Station PICKETT,D.V. 95/07/21 PHARES,R.F. Illinois Power Co 14pp 84823:187-84823:200

Q. Inspection reports, IE Bulletins & correspondence

9507250455 Forwards insp rept 50-461/95-08 on 950404-0513. Non-cited violation re rod measuring event noted CLAYTON,B Region 3 (Post 820201) 95/06/22 COOK,J Illinois Power Co 2pp 84530:093-84530:113

-9507250456 Insp rept 50-461/95-08 on 950404-0513. Non-cited violation noted Major areas inspected license actions on previous insp findings, operations, maint, engineering & plant support. CLAYTON,B Region 3 (Post 820201) 95/07/22, 19pp, 84530:085-84530:118

9507250457 Forwards ISI rept for activities performed at plant from 93:12:10 to 95:04:29, including fifth refueling outage. PHARES,R.F. Illinois Power Co. 95/07/10, Document Control Branch (Document Control Desk), 1p, 84746:001-84746:133

-9507250458 "ISI Summary Rept." for Clinton Power Station, dtd 950621 KORNEMAND,E. * WEISS,R.A. Illinois Power Co. 95/06/21 13pp 84746:002-84746:133

9507250459 Responses to NRC ltr re violations noted in insp rept 50-461/95-03. Corrective actions: FPS DG shaft & bearing repaired & inboard & outboard HPCS DG seals replaced clearly marked to show normal standby oil level band. COOK,J.G. Illinois Power Co. 95/07/13, Document Control Branch (Document Control Desk), 10pp, 84769:283-84769:292

9507250460 Forwards insp rept 50-461/95-09 on 950518-0824 & NOV CLAYTON,B Region 3 (Post 820201) 95/07/14 COOK,J Illinois Power Co 3pp 84824:146-84824:168

-9507250462 Notice of violation from insp on 950518-0824. Violation noted did not perform required functional testing of safe shutdown path emergency lighting. * Region 3 (Post 820201) 95/07/14, 2pp, 84824:149-84824:150

-9507250463 Insp rept 50-461/95-09 on 950518-0824. Violations noted Major areas inspected previous insp findings, operations, maint, engineering & plant support. CLAYTON,B Region 3 (Post 820201) 95/07/14, 18pp, 84824:151-84824:168

R. Periodic operating reports & related correspondence

9507250464 Forwards monthly operating rept for June 1995 for Clinton Power Station, Unit 1. Lists corrections made to Apr & May 1995 gross thermal energy generated numbers due to calculation error. PHARES,R.F. Illinois Power Co. 95/07/13, Document Control Branch (Document Control Desk), 1p, 84790:264-84790:268

-9507250467 Monthly operating rept for June 1995 for Clinton Power Station, Unit 1. HOLLON,M.C. Illinois Power Co. 95/06/30, 4pp, 84790:265-84790:268

S. Reportable occurrences, LERs & related correspondence

9507250468 Follow-up to 10CFR21 Inform Rept 21-55-016 re Elger Inverter PWM drive logic card (J4) failure Elger performed Addl testing of cards in CRS & developing schedule for evaluating test results. Update will be provided by 950827. COOK,J.G. Illinois Power Co. 95/07/12, Document Control Branch (Document Control Desk), 1p, 84784:024-84784:024

9507250469 Part 21 rept re potential defect in Linotype SMS/SB/SBD-00 solutions. Condition dependent on individual licensee internal operating practices used when deciding MOV operable for safety related prcs. HYLTON,C.L. Linotype Corp. 95/07/12, Document Control Branch (Document Control Desk), 90pp, 84815:198-84815:199

9507250470 Forwards LER 90-003-01 re 13 Rosemount transmitters being inoperable due to loose housing covers & broken neck seal. LER revised to update info provided including licensee contact C/A & next work document numbers. COOK,J.G. Illinois Power Co. 95/07/13, Document Control Branch (Document Control Desk), 1p, 84786:133-84786:140

-9507250471 LER 90-003-01 on 900212, 13 Rosemount transmitters determined to be inoperable due to loose covers & broken neck seal. Completed two performances of PM task to verify housing cover torque & neck seal integrity. SOLANO,J.R. Illinois Power Co. 95/07/13, 7pp, 84786:134-84786:140

V. Operator Examinations

9507250472 Inform NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951008. RAYGALLA, Region 3 (Post 820201) 95/07/24, LACROIX,D.G. Consumers Power Co. DASHFELT, J.F. Union Electric Co. THOMPSON,D.P. Illinois Power Co. 3pp, 84918:021-84918:023

DOCKET 5TH-80-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

9507250473 Forwards suppl response to NRC 941229 follow-up to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers" & rept from NUCON Int'l, Inc, "Pyrolysis Gas Chromatography Analysis of 5 Thermo-Lag Fire Barrier Samples" HAGAN,R.C. Wolf Creek Nuclear Operating Corp. 95/06/27 Document Control Branch (Document Control Desk), 8pp, 84556:107-84556:176

-9507250474 "Pyrolysis Gas Chromatography Analysis of 5 Thermo-Lag Fire Barrier Samples" FREEMAN,W.P., KELLER,T.S. Nucon, Inc. 95/05/03, 81pp, 84556:115-84556:176

9507250475 Comment supporting proposed generic fire process for changes to security plans w/o prior NRC approval. CARRNS,N.S. Wolf Creek Nuclear Operating Corp. 95/07/13 NRC - No Detailed Affiliation Given 1p 84787:021-84787:021

9507250476 Forwards Rev 25 to plant Physical Security Plan, Safeguards Contingency Plan & Security Training & Qualification Plan, Encl withheld MAYNARD,D.L. Wolf Creek Nuclear Operating Corp. 95/07/17 Document Control Branch (Document Control Desk), 2pp, 84914:344-84914:345

9507250477 Forwards Page 3-30 of Rev 25 to physical security plan, transmitted by 950707 re Page 3-30 inadvertently omitted. W/o encl MAYNARD,D.L. Wolf Creek Nuclear Operating Corp. 95/07/21 Document Control Branch (Document Control Desk), 1p, 84903:270-84903:270

P. Operating license stage documents & correspondence

9507250478 Forwards suppl response to NRC 941229 follow-up to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers" & rept from NUCON Int'l, Inc, "Pyrolysis Gas Chromatography Analysis of 5 Thermo-Lag Fire Barrier Samples" HAGAN,R.C. Wolf Creek Nuclear Operating Corp. 95/06/27 Document Control Branch (Document Control Desk), 8pp, 84556:107-84556:176

-9507250479 "Pyrolysis Gas Chromatography Analysis of 5 Thermo-Lag Fire Barrier Samples" FREEMAN,W.P., KELLER,T.S. Nucon, Inc. 95/05/03, 81pp, 84556:115-84556:176

9507250480 Forwards final response to GL 85-20, suppl 4, entitled "Wolf Creek Generating Station IPEEE" HAGAN,R.C. Wolf Creek Nuclear Operating Corp. 95/06/27, Document Control Branch (Document Control Desk), 2pp, 84564:001-84564:009

-9507250481 "Wolf Creek Generating Station IPEEE" Wolf Creek Nuclear Operating Corp. 95/06/30 371pp, 84564:003-84564:009

9507250482 Submits proposed change to operational QA program for review & approval. Change provides alternative method for complying w/requirement to review procedures biennially. HAGAN,R.C. Wolf Creek Nuclear Operating Corp. 95/06/26 Document Control Branch (Document Control Desk), 7pp, 84517:101-84517:107

9507250483 Forwards request for addl info re util submittal of individual plant exam pertaining to external event analysis & human reliability analysis. Response requested within 60 days of receipt. STONE,J.C. 95/06/28 CARRNS,N.S. Wolf Creek Nuclear Operating Corp. 16pp 84559:205-84559:221

9507250484 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES,B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp 84518:259-84518:268

9507250485 Inform NRC that proposed change to util operational QA program submitted by fr WM 95-0073 on 950427 reviewed. Advises that program be withdrawn due to re-naming question & other considerations. GWYNNE,T.P. Region 4 (Post 820201) 95/07/05 CARRNS,N.S. Wolf Creek Nuclear Operating Corp. 3pp, 84873:094-84873:098

9507250486 Inform NRC that plant withdrawing proposed change to operational QA program re method & content of housekeeping rept. JOHANNES,R.N. Wolf Creek Nuclear Operating Corp. 95/07/07 Document Control Branch (Document Control Desk), 1p, 84761:040-84761:040

9507250487 Forwards correction to request for rev to Tech Specs, to implement Cycle 6 nuclear & core thermal-hydraulic design methodologies. HAGAN,R.C. Wolf Creek Nuclear Operating Corp. 95/07/13, Document Control Branch (Document Control Desk), 3pp, 84778:261-84778:265

9507250488 Ack receipt of 950519 ltr in response to 950522 ltr requesting addl info re motor-operated valve testing. Inform NRC closing review of GL 95-10 program because revised testing successfully implements intent of testing. GWYNNE,T.P. Region 4 (Post 820201) 95/07/21, CARRNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp, 84843:154-84843:173

9507250489 Application for amend to license NPF-42, revising TS 4.0.5, "SRs for ISI & Testing Program" to allow implementation of relief request w/o prior NRC approval, upon finding ASME Code requirement impractical because of prohibitive cost rates. HAGAN,R.C. Wolf Creek Nuclear Operating Corp. 95/07/25 Document Control Branch (Document Control Desk), 12pp, 84873:344-84873:357

9507310038 Proposed TS 4.0.5a & associated basic section 3/4.4.10, allowing implementation of relief request w/o prior NRC approval upon finding ASME Code requirement impractical because of prohibitive dose rates or limitations in design.
* Wolf Creek Nuclear Operating Corp. 95/07/25. 2pp. 84875358-84875357.

G. Inspection reports, IE Bulletins & correspondence

9507050110 Responds to NRC ltr re violations noted in insp rept 50-482/95-01. Corrective actions started "B" condenser vacuum pump & evaluated tripping of "C" condenser vacuum pump.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 95/06/21. Document Control Branch (Document Control Desk). 8pp. 84583358-84583361.

9507050002 Forwards insp rept 50-482/95-11 on 950423-0503. No violations noted.
BEACH,A.B. Region 4 (Post 820201). 95/06/27. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 8pp. 84587340-84587349.

9507050084 Insp rept 50-482/95-11 on 950423-0503. No violations noted. Major areas inspected: plant status, operational safety verification, maint & surveillance observations, onsite engineering & plant support.
KIRSCH,D.F. Region 4 (Post 820201). 95/06/16. 16pp. 84507345-84507350.

9507050072 Announces integrated assessment team insp at plant scheduled for periods 950628-0901 & 11-15. Requests that all provide info listed on attachment to ltr to Region IV c/o by 950814.
GWYNN,T.F. Region 4 (Post 820201). 95/06/29. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 6pp. 84508188-84508193.

9507050051 Forwards insp rept 50-482/95-07 on 950424-28 & 0508-12 & notice of violation.
GWYNN,T.F. Region 4 (Post 820201). 95/06/30. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 6pp. 84509001-84509070.

9507050059 Notice of violation from insp on 950424-28 & 0508-12. Violation noted: SE for change in operation of fuel oil transfer sys for EDG did not address agitation of fuel oil storage tank by continuous recirculation of fuel oil.
* Region 4 (Post 820201). 95/06/30. 2pp. 84509007-84509008.

9507050063 Insp rept 50-482/95-07 on 950424-28 & 0508-12. Violations noted: Major areas inspected: reviews & engineering, design engineering, ability to identify, evaluate & resolve problems & safety evaluations.
KIRSCH,D.F. COLLINS,E.E. Region 4 (Post 820201). 95/06/16. 62pp. 84509009-84509070.

9507100002 Ack receipt of 950621 ltr informing NRC of steps taken to correct violations noted in insp rept 50-482/95-05.
BEACH,A.B. Region 4 (Post 820201). 95/06/30. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 84557300-84557312.

9507100048 Ack receipt of 950614 ltr informing NRC of steps taken to correct violations noted in insp rept 50-482/95-06 on 950519.
GWYNN,T.F. Region 4 (Post 820201). 95/07/03. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84557231-84557241.

9507140089 Informs NRC that plant withdrawing proposed change to operational QA program re method & content of housekeeping logs.
JOHANNES,R.N. Wolf Creek Nuclear Operating Corp. 95/07/07. Document Control Branch (Document Control Desk). 1p. 84781040-84781040.

9507240002 Forwards insp rept 50-482/95-15 on 950628-30. No violations noted.
SCARANO,J.A. Region 4 (Post 820201). 95/07/18. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 84751007-84751023.

9507240086 Insp rept 50-482/95-15 on 950628-30. No violations noted. Major areas inspected: response implementation of revised 10CFR20 in accordance w/ temporary instruction 2515/123.
MURRAY,B. Region 4 (Post 820201). 95/07/18. 13pp. 84751011-84751023.

9507280015 Forwards insp rept 50-482/95-14 on 950628-30. No violations noted.
GWYNN,T.F. Region 4 (Post 820201). 95/07/20. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84793054-84793072.

9507280016 Insp rept 50-482/95-14 on 950628-30. No violations noted. Major areas inspected: actions on previous waf findings & licensee event rept.
POWERS,D.A. Region 4 (Post 820201). 95/07/20. 14pp. 84793059-84793072.

9507300036 Application for amend to license NPF-42, revising TS 4.0.5, "SRs for ISI & Testing Program" to allow implementation of relief request w/o prior NRC approval upon finding ASME Code requirement impractical because of prohibitive dose rates.
HAGAN,R.C. Wolf Creek Nuclear Operating Corp. 95/07/25. Document Control Branch (Document Control Desk). 12pp. 84875344-84875357.

H. Periodic operating reports & related correspondence

9507201051 Monthly operating rept for June 1995 for Wolf Creek Station. W/950711 ltr.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 95/06/30. 7pp. 84808339-84808339.

9507240048 Forwards plant semi-annual PFD program performance data rept for 950101-0630.
JOHANNES,R.N. Wolf Creek Nuclear Operating Corp. 95/07/14. Document Control Branch (Document Control Desk). 4pp. 84824347-84824350.

I. Reportable occurrences, IERs & related correspondence

9507060001 Forwards review & comment of preliminary ASP analysis of operational event, occurred at Wolf Creek on 940917.
STONE,J. 95/06/20. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 12pp. 84508322-84508347.

9507060118 Special rept 95-001 on 950531, output breaker for "B" EDG tripped during performance of routine monthly testing. BGA replaced & EDG B was evaluated & determined to be operable.
HAGAN,R.C. Wolf Creek Nuclear Operating Corp. 95/06/28. Document Control Branch (Document Control Desk). 3pp. 84570355-84570357.

9507310104 Forwards comments on NRC preliminary accident sequence precursor analysis of drain down event at WCCS on 940917. "Human Interactions Evaluation: Failure to Isolate Incongruent Valve Alignment During Shutdown" rept by NUS stop and CARNS,N.S. Wolf Creek Nuclear Operating Corp. 95/07/21. Document Control Branch (Document Control Desk). 4pp. 84903079-84903108.

9507310108 "Human Interactions Evaluation: Failure to Isolate Incongruent Valve Alignment During Shutdown."
GUILICH,M.D. NUS Corp. 95/07/31. 26pp. 84903083-84903108.

DOCKET STN-50-463 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507050433 Revised EIPs, including Rev 12 to EIP-ZZ-00010, Rev 10 to EIP-ZZ-PRO20, Rev 18 to EIP-ZZ-00101, Rev 13 to EIP-ZZ-00102, Rev 1 to EIP-ZZ-00200, Rev 22 to EIP-ZZ-00201, Rev 8 to EIP-ZZ-00220 & Rev 17 to EIP-ZZ-00230.
NEVELS,G.L., SUDNAK,P., CRAWFORD,S.J. Union Electric Co. 95/06/22. 285pp. 84587082-84587083.

9507070142 Submits follow-up response re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
SCHNELLD,F. Union Electric Co. 95/06/26. Document Control Branch (Document Control Desk). 10pp. 84522308-84522318.

9507060196 Revised EIPs, including Rev 13 to EIP-ZZ-00212 & Rev 17 to EIP-ZZ-01211.
SUDNAK,P.J. Union Electric Co. 95/06/30. 27pp. 84589307-84589335.

9507070084 Forwards Rev 19 to "Radiological Emergency Response Plan (RERP)" in addition to minor editing, rev includes changes to call out EOP organization at alert classification & to reflect remodeling TSC.
SCHNELLD,F. Union Electric Co. 95/07/05. Document Control Branch (Document Control Desk). 3pp. 84618001-84618040.

9507070070 Rev 18 to "Radiological Emergency Response Plan (RERP)."
* Union Electric Co. 95/06/30. 207pp. 84618004-84618040.

9507120102 Temporary change notice 95-0656 to EIP-ZZ-00213, Rev 11, "Technical Assessment."
* Union Electric Co. 95/07/05. 3pp. 84681256-84681258.

9507210059 Revised EIPs, including rev 11 to EIP-ZZ-00211 & rev 13 to EIP-ZZ-00223.
SUDNAK,P. Union Electric Co. 95/07/17. 56pp. 84811245-84811310.

9507250149 Forwards details of NRC concern to be addressed by all re security issue at plant Unit 1. End withheld per 10CFR2.720.
CREED,J.R. Region 3 (Post 820201). 95/07/20. SCHNELLD,F. Union Electric Co. 2pp. 84628246-84628247.

P. Operating license stage documents & correspondence

9507060215 Notification of 950712 meeting w/ all in Rockville, MD to review licensing status for plant w/ NRC projects & technical staff.
WHARTON,L.R. 95/06/22. MARCUS,G.H. 4pp. 84528351-84528354.

9507060129 Application for amend to license NPF-30. Amend would revise TSs to implement recommendations of GL 93-05 re reduction of SRs for testing during power operation.
SCHNELLD,F. Union Electric Co. 95/06/23. Document Control Branch (Document Control Desk). 5pp. 84555254-84555327.

9507030141 Proposed tech spec re implementation of recommendations of GL 93-05.
* Union Electric Co. 95/06/23. 38pp. 84655288-84655327.

9507060062 Application for amend to license NPF-30 removing list of containment isolation valves, removing allowed outage time for component CW motor operated containment penetration check valves as isolation devices.
SCHNELLD,F. Union Electric Co. 95/06/26. Document Control Branch (Document Control Desk). 3pp. 84579015-84579059.

9507060067 Proposed rev to TS 3/4.8 to remove list of containment isolation valves, removing allowed outage time for CCW motor operated containment isolation valves & allowing use of containment penetration check valves as isolation devices.
* Union Electric Co. 95/06/26. 40pp. 84579018-84579058.

9507070142 Submits follow-up response re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
SCHNELLD,F. Union Electric Co. 95/06/26. Document Control Branch (Document Control Desk). 10pp. 84622309-84622318.

9507060193 Provides response to NRC GL 93-03, "Circumstances Causing of SG Tubes."
SCHNELLD,F. Union Electric Co. 95/06/27. Document Control Branch (Document Control Desk). 9pp. 84617284-84617282.

9507060062 Rev 1 to NRC Administrative Ltr 84-13 to all NRC licensees re access to NRC bulletin board sys.
GAMES,S.K. 95/06/28. Consolidated Edison Co. of New York, Inc. 10pp. 84518288-84518288.

9507060249 Forwards addl info supporting changes to TS 2.2.1 re optimization of over-power delta-T reactor trip, requested by 950417 ltr.
SCHNELLD,F. Union Electric Co. 95/06/30. Document Control Branch (Document Control Desk). 10pp. 84617079-84617089.

9507060280 Forwards "Callaway Plant IPREP" in response to GL 88-20, Suppl 4. Exam did not identify any plant-specific vulnerabilities.
SCHNELLD,F. Union Electric Co. 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84581129-84581167.

126 DOCKETED ITEMS

950708252 "Callaway Plant IPEEE."

* Union Electric Co. 95/06/30. 390pp. 84561-142-84562:167.

9507190186 Forwards amend 100 to license NPF-30 & safety evaluation. Amend revises TS 3/4.6.1.2 to address min required storage vol of emergency fuel oil storage & day tanks. WHARTON, L.R. 95/07/08. SCHNELLD, F. Union Electric Co. 3pp. 84532:179-84532:189.

9507190178 Amend 100 to license NPF-30, revising TS 3/4.6.1.1 & TS 3/4.6.1.2 to address min required storage vol of emergency fuel oil storage & day tanks. WHARTON, L.R. 95/07/08. 3pp. 84532:182-84532:189.

9507190177 Safety evaluation supporting amend 100 to license NPF-30. * Office of Nuclear Reactor Regulation (Post 941001). 95/07/08. 3pp. 84532:187-84532:189.

9507210220 Responds to GL 88-20, submitted for NRC review, Callaway individual plant exam & associated documentation. WHARTON, L.R. 95/07/18. SCHNELLD, F. Union Electric Co. 12pp. 84764:047-84764:058.

9507240411 Forwards amend 101 to license NPF-30 & safety evaluation. Amend revises TS 4.2.2.2.4.2.2.4 & 5.9.19, informs that changes incorporate penalty in COLR to account for heat flux increases greater than 2% between measurements. WHARTON, L.R. 95/07/20. SCHNELLD, F. Union Electric Co. 3pp. 84823:174-84823:185.

9507240414 Amend 101 to license NPF-30, revising TS 4.2.2.2.4.2.2.4 & 5.9.19, informs that changes incorporate penalty in COLR to account for heat flux increases greater than 2% between measurements. WHARTON, L.R. 95/07/20. 3pp. 84823:177-84823:182.

9507240419 Safety evaluation supporting amend 101 to license NPF-30. * Office of Nuclear Reactor Regulation (Post 941001). 95/07/20. 4pp. 84823:183-84823:195.

C. Inspection reports, E. Bulletins & correspondence

9507080689 Forwards response to NRC 950590 in re violations noted in insp rept 50-483/95-06 on 950312-0429. Corrective actions, crane operator supervisor made each operator aware of current plant conditions prior to next containment entry. SCHNELLD, F. Union Electric Co. 95/06/26. Document Control Branch (Document Control Desk) 3pp. 84537:352-84537:356.

9507080907 Forwards insp rept 50-483/95-09 on 950605-09. No violations noted. RING, M.A. Region 3 (Post 820201). 95/06/29. SCHNELLD, F. Union Electric Co. 2pp. 84516:011-84516:016.

9507080909 Inspect 50-483/95-09 on 950605-09. No violations noted. Major areas inspected: licensed operator qualification program to include review of training administrative procedures & exam mat. OSTERHOLTZ, C., BURDICK, T. Region 3 (Post 820201). 95/06/29. 7pp. 84516:013-84516:019.

9507190267 Ack receipt of 950626 in re informing NRC of steps taken to correct violations noted in insp rept 50-483/95-06. FARBER, M.J. Region 3 (Post 820201). 95/07/11. SCHNELLD, F. Union Electric Co. 2pp. 84711:049-84711:050.

F. Periodic operating reports & related correspondence

9507190214 Monthly operating rept for June 1995 for Callaway Plant Unit 1 W/950708. R. HOLMES, M.A., AFFOLTER, R.D. Union Electric Co. 95/06/20. 3pp. 84896:100-84896:105.

G. Reportable occurrences, LEIRs & related correspondence

9507080117 LER 95-004-01 on 950606, reactor trip automatically initiated due to low flow of RCS & subsequent trips of pumps. Caused by lines info on one set of transmission lines. Limb removed W/950623 in re. BONO, H.D. Union Electric Co. AFFOLTER, R.D. Northeast Nuclear Energy Co. 95/06/23. 3pp. 84553:059-84553:063.

9507210322 Part 21 rept re potential defect in Limerique SWS/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when deciding MOV operable for safety related svcs. MYLTON, C.L. Limerique Corp. 95/07/12. Document Control Branch (Document Control Desk) 30pp. 84813:165-84813:195.

V. Operator Examinations

9507080007 Forwards insp rept 50-483/95-09 on 950605-09. No violations noted. RING, M.A. Region 3 (Post 820201). 95/06/29. SCHNELLD, F. Union Electric Co. 2pp. 84516:011-84516:019.

9507080808 Inspect 50-483/95-09 on 950605-09. No violations noted. Major areas inspected: licensed operator qualification program to include review of training administrative procedures & exam mat. OSTERHOLTZ, C., BURDICK, T. Region 3 (Post 820201). 95/06/29. 7pp. 84516:013-84516:019.

9507210094 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003. RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. DAMPF, J.F. Union Electric Co. THOMPSON, D.P. Hanes Power Co. 3pp. 84819:021-84819:023.

DOCKET 574-50-498 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507190412 Second partial response to FOIA request for records. App C records end & available in PDR. * Division of Freedom of Information & Publications Services (Post 940714). 95/02/08. Saporito, T.J. Saporito, T.J. 2pp. 84918:279-84918:289.

9508040283 Informs of unit position re circumstances surrounding revocation of individual unescorted access to plant. Review confirms that decision in sub case consistent w/prior unit access authorization decisions. W/unsanitized attachments. HALL, D.P. Houston Lighting & Power Co. 92/08/14. Document Control Branch (Document Control Desk) 15pp. 84918:258-84918:324.

9507310332 Twenty-third partial response to FOIA request for documents. Forwards documents listed in App AAA being. Documents being placed in PDR. App B & CCG being released in part (ref FOIA exemption 7C). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/10. LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 84872:035-84872:110.

9507310251 Discusses alleged termination for reporting security concerns to security mgr. WILLIAMSON, E.L. Ofc of Investigations (Post 820201). 93/01/20. MILHOAN, J.L. Region 4 (Post 820201). 2pp. 84872:105-84872:106.

9507070157 Submits list of changes & Rev 2A of unit physical security plan. End with-hold. GROTH, J.F. Houston Lighting & Power Co. 95/06/29. Document Control Branch (Document Control Desk) 2pp. 84522:341-84522:342.

9507310148 Revised EPIP, including rev 3 to EPIP DERP01-ZV-EF10, rev 2 to EPIP DERP01-ZV-EF23 & add change 95-0128 to rev 1 to EPIP DERP01-ZV-EF25. W/950724 in re. MARTIN, L.E. Houston Lighting & Power Co. 95/07/24. 45pp. 84892:390-84892:394.

H. General correspondence

9507200003 Discusses NRC request, under FOIA, for copies of 930629. Demands for info issued to recipient & Houston Lighting & Power Co. & for copies of responses. GRAY, J.R. Ofc of Enforcement (Post 870413). 95/07/17. BALCOM, R. Affiliation Not Assigned. 4pp. 84725:008-84725:009.

P. Operating license stage documents & correspondence

9507240327 FOIA request for documents re matters involving Houston Lighting & Power & plant Unit 1 & 2. LARL, R.G. Affiliation Not Assigned. 94/11/22. KAMMERER, C. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84833:001-84833:001.

9507240365 Final response to FOIA request for documents. Forwards records listed in App A already available in PDR & records listed in App B being made available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/17. LARL, R.G. Affiliation Not Assigned. 3pp. 84833:002-84833:009.

9507240430 Twenty-second response to FOIA request for documents. Forwards App YY records being partially withheld & App ZZ records being completely withheld (ref FOIA Exemptions 4 & 5). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/21. LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge. 8pp. 84833:010-84833:230.

9507270177 Partially deleted in re which transmits documents requested by NRC 920601 in re O. Tacum 920610 subpoenas issued to O. by NRC Inspector General. HALL, D.P. Houston Lighting & Power Co. 92/06/18. NORTON, L.J. Ofc of the Inspector General (Post 890417). 20pp. 84833:022-84833:230.

9507190312 Second partial response to FOIA request for records. App C records end & available in PDR. * Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. Saporito, T.J. Saporito, T.J. 2pp. 84918:279-84918:289.

9508310122 Responds to concerns raised in NRC 920604 in re alleged discrimination against former contract employee. Effective programs, such as SPEAKOUT & station problems rept process, isolate resolution of safety concerns. HALL, D.P. Houston Lighting & Power Co. 92/08/21. MILHOAN, J.L. Region 4 (Post 820201). 4pp. 84918:294-84918:297.

9507190314 Informs that Region IV will consider all T. Saporito allegations in accordance w/Manual Chapter 0517, "Mgt. of Allegations," including allegations raised in 2,206 petition re STP. MARTIN, R.D. Region 4 (Post 820201). 92/03/09. MURLEY, T.E. Ofc of Nuclear Reactor Regulation, Director (Post 870411). 1p. 84918:290-84918:293.

9507190316 Discusses status of upgrades to STP employee concerns program. GOTTLE, W.T. Houston Lighting & Power Co. 94/02/11. CALLAN, L.J. Region 4 (Post 820201). 3pp. 84918:325-84918:329.

9507250044 Twenty-first partial response to FOIA request for records. App UU & VV documents available in PDR. App WW documents partially withheld (ref FOIA Exemption 6). App XX documents completely withheld (ref FOIA Exemption 7). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge. 8pp. 84833:231-84833:253.

9507250047 Requests review of transcript of interview of alleged re potential safety concerns. WISE, J. Region 4 (Post 820201). 93/05/11. JOHNSON, B. Region 4 (Post 820201). 3pp. 84833:240-84833:242.

- 8507250851 Inform of review of transcript taken in Bay City on 9/04/12. No nuclear safety or technical issues identified.
JOHNSON, W.D. Region 4 (Post 820201). 93/05/12. WISE, R. Region 4 (Post 820201). 1p. 84833.243-84833.243
- 8507250855 Advise of review of transcript of interview of contract employee (No nuclear safety or technical concerns identified).
WISE, R. Region 4 (Post 820201). 93/05/19. WILLIAMS, E.L. Ofc of Investigations (Post 820201). 1p. 84833.244-84833.244
- 8507250862 Requests investigation of DD Draft actions re STP.
Affiliation Not Assigned. 93/06/21. WILLIAMS, D. Ofc of the Inspector General (Post 820417). 1p. 84833.245-84833.245
- 8507250864 Forwards allegation of safety issues re STP for review.
NORTON, L.J. Ofc of the Inspector General (Post 820417). 93/06/03. TAYLOR, J.M. Ofc of the Executive Director for Operations. App. 84833.246-84833.246
- 8507250867 Advise of allegation re asbestos abatement work that was occurring at STP.
BEACH, B. Region 4 (Post 820201). 93/06/30. SATY, G.A. Labor, Dept. of Occupational Safety & Health Admin. App. 84833.250-84833.253
- 9507280127 Twenty-fourth partial response to FOIA request for records. Releaseable portions of App DDD records and available in PDR. App DDD records partially withheld & App EEE records completely withheld (ref FOIA Exemptions 4, 5 & 6).
POWELL, J.A. Division of Freedom of Information & Publications Services (Post 840714). 95/02/09. LAWRENCE, J.W. Affiliation Not Assigned. App. 84871.330-84871.335
- 8507280131 Advise of complaints of delinquencies at plant for inquiry.
Commissioners (Post 750119). 88/10/28. Commissioners (Post 750119). 1p. 84871.334-84871.334
- 8507280135 Requests monitoring info re reported errors at plant. Response from EG Adelman shows misunderstanding of concerns.
Affiliation Not Assigned. 93/06/16. THE CHAIRMAN Commissioners (Post 750119). 1p. 84871.335-84871.335
- 9507300318 Forwards response to GL 85-03, "Circumferential Cracking of SG Tubes".
CLOWNSGERT, T.H. Houston Lighting & Power Co. 95/06/27. Document Control Branch (Document Control Desk). 13pp. 84561.107-84561.119
- 8508280862 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, S.K. 95/08/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518.258-84518.268
- 8507050867 Forwards Unit 1 summary rept of test results taken during startup & power ascension.
CLOWNSGERT, T.H. Houston Lighting & Power Co. 95/08/29. Document Control Branch (Document Control Desk). 7pp. 84561.124-84561.133
- 9507120126 Notification of 950712 meeting w/utl in Rockville, MD to update staff on licensee probabilistic safety assessment.
ALEXON, T.W. 95/07/06. BECKNER, W.D. App. 84812.357-84812.360
- 9507120133 Notification of 950718 meeting w/utl in Rockville, MD to update staff on licensee initiative for conversion to improved standard T6.
ALEXON, T.W. 95/07/06. BECKNER, W.D. App. 84831.323-84831.328
- 9507120860 Forwards amends 76 & 65 to licensee NPF-76 & NPF-80, respectively & SE Amends modify TSs 3/4.3.4.1 & 3/4.3.3.7 by relocation to technical requirements manual.
ALEXON, T.W. 95/07/08. COTTLE, W.T. Houston Lighting & Power Co. 3pp. 84525.318-84525.335
- 8507120866 Amends 76 & 65 to licensee NPF-76 & NPF-80, respectively, modifying (by relocation to TS Requirements Manual) TS 3/4.3.3.7 & TS 3/4.3.4.1.
ALEXON, T.W. 95/07/06. App. 84525.321-84525.331
- 9507120871 Safety evaluation supporting amends 76 & 65 to licensee NPF-76 & NPF-80, respectively.
Office of Nuclear Reactor Regulation (Post 941001). 95/07/06. App. 84825.332-84825.335
- 9507280886 Forwards SE accepting licensee 950901 revised position addressing compliance of STP w/10CFR50.63, "Loss of All Alternating Current Power".
ALEXON, T.W. 95/07/24. COTTLE, W.T. Houston Lighting & Power Co. 3pp. 84556.276-84556.292
- 9507280871 Safety evaluation accepting licensee revised position addressing compliance of STP w/10CFR50.63, "Loss of All Alternating Current Power".
95/07/24. 14pp. 84556.276-84556.292
- 9507310272 Forwards amends 77 & 66 to licensee NPF-76 & NPF-80 & safety evaluation. Amends revise tables associated w/TS 3/4.3.3.5, remove shutdown sys. to eliminate requirements for core exit thermocouples.
ALEXON, T.W. 95/07/24. COTTLE, W.T. Houston Lighting & Power Co. 3pp. 84566.296-84566.316
- 9507310275 Amends 77 & 66 to licensee NPF-76 & NPF-80, respectively, revising tables associated w/TS 3/4.3.3.5, remove shutdown sys. to eliminate requirement for core exit thermocouples.
ALEXON, T.W. 95/07/24. 15pp. 84566.299-84566.319
- 9507310277 Safety evaluation supporting amends 77 & 66 to licensee NPF-76 & NPF-80, respectively.
95/07/24. 3pp. 84566.314-84566.318
- 9507280274 Forwards amends 76 & 67 to licensee NPF-76 & NPF-80, respectively & safety evaluation. Amends revise TSs 3/4.2.2 & 3/4.2.1 by relaxing int setting tolerances of pressurizer safety valves from plus or minus 1% to plus or minus 2%.
ALEXON, T.W. 95/07/25. COTTLE, W.T. Houston Lighting & Power Co. 3pp. 84866.047-84866.062
- 9507280278 Amends 76 & 67 to licensee NPF-76 & NPF-80, respectively, revising TSs 3/4.2.2 & 3/4.2.1 by relaxing int setting tolerances of pressurizer safety valves from plus or minus 1% to plus or minus 2%.
ALEXON, T.W. 95/07/25. App. 84866.050-84866.058
- 9507280290 Safety evaluation supporting amends 76 & 67 to licensee NPF-76 & NPF-80, respectively.
95/07/25. App. 84866.059-84866.062
- 9507310804 Discusses closure of two investigations conducted by NRC OI re activities at plant. Lists case numbers 4-94-002 & 4-94-052, included in investigations.
CALLAN, L.J. Region 4 (Post 820201). 95/07/25. COTTLE, W.T. Houston Lighting & Power Co. App. 84843.027-84843.030
- O. Inspection reports, NE Bulletins & correspondence**
- 9507190312 Second partial response to FOIA request for records App C records and available in PDR.
Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. SAPIRO, T.J. Sapiro, T.J. 2pp. 84818.270-84818.279
- 8508482003 Inform of utl position re circumstances surrounding revocation of individual's unescorted access to plant. Review confirms that decision in utl case consistent w/ prior utl access authorization decisions w/ unescorted access.
HALL, D.P. Houston Lighting & Power Co. 92/08/14. Document Control Branch (Document Control Desk). 15pp. 84818.289-84818.324
- 9507310232 Twenty-third partial response to FOIA request for documents. Forwards documents listed in App AAA being. Documents being placed in PDR Apps B88 & C00 being released in part (ref FOIA exemption 7C).
POWELL, J.A. Division of Freedom of Information & Publications Services (Post 840714). 95/02/10. LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge 6pp. 84872.038-84872.116
- 9507310243 Requests Commission approval to issue and order re administrative subpoena issued by staff.
FITZGERALD, J.A. Assistant General Counsel for Adjudications & Operations. SECY-90-025. 90/01/23. 6pp. 84872.046-84872.104
- 9507310251 Discusses alleged termination for reporting security concerns to security staff.
WILLIAMS, E.L. Ofc of Investigations (Post 820201). 93/01/20. MILLIGAN, J.L. Region 4 (Post 820201). 3pp. 84872.105-84872.106
- 9507310274 Partially withheld memo re review of allegation involving plant.
MURLEY, T.E. Ofc of Nuclear Reactor Regulation, Director (Post 870411). 95/12/16. WILLIAMS, D.L. Ofc of the Inspector General (Post 820417). 10pp. 84872.107-84872.116
- 9507030805 Forwards insp repts 50-488/95-11 & 50-489/95-11 on 950622-25. No violations noted.
GWYNNE, T.P. Region 4 (Post 820201). 95/06/28. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 84588.241-84588.255
- 9507030809 Insp repts 50-488/95-11 & 50-489/95-11 on 950622-25. No violations noted. Major areas inspected: plant operations, maintenance, engineering, plant support, and overview. Plant status & safety evaluation program.
COLLINS, E.E. Region 4 (Post 820201). 95/06/22. 10pp. 84588.246-84588.256
- 9507030821 Responds to certain questions raised in 950615 & 20 hrs re enforcement conference applicable in determining whether violations occurred. Advises that Enforcement Manual (NUREG/BR-0185) Section 5.3 clarifies matter.
LIEBERMAN, J. Ofc of Enforcement (Post 870413). 95/06/29. GARTH, S.T. Affiliation Not Assigned. 2pp. 84488.168-84488.167
- 9507050186 Discusses 950616 meeting w/utl in Arlington, TX re apparent violations of 10CFR50.7 concerning Recommended Decision & Order issued by administrative law judge in Dept of Labor proceeding w/utl.
CALLAN, L.J. Region 4 (Post 820201). 95/07/30. COTTLE, W.T. Houston Lighting & Power Co. 47pp. 84507.154-84507.200
- 9507100238 Forwards Insp Repts 50-488/95-15 & 50-489/95-15 on 950605-08. Violations noted.
GWYNNE, T.P. Region 4 (Post 820201). 95/07/06. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 84590.243-84590.261
- 9507100242 Insp Repts 50-488/95-15 & 50-489/95-15 on 950605-08. Violations noted. Major areas inspected: licensee surveillance procedures & records.
POWERS, D.A. Region 4 (Post 820201). 95/07/01. 15pp. 84590.247-84590.261
- 9507140085 Forwards ISI Summary Rept for South TX Project Unit 1 8th. Refueling outage re welds, SG tubing & component supports.
CLOWNSGERT, T.H. Houston Lighting & Power Co. 95/07/11. Document Control Branch (Document Control Desk). 2pp. 84748.134-84748.138
- 9507140089 "WROG ISI Summary Rept for Welds, SG Tubes & Component Supports of South TX Project Electric Generating Station Unit 1."
BEVERLY, J.L., HANING, J.L., THIMMARAJU, S. Houston Lighting & Power Co. 95/07/05. 247pp. 84748.136-84748.218
- 9507170312 Forwards Unit 1 8th refueling outage ISI summary rept for sys pressure tests.
CLOWNSGERT, T.H. Houston Lighting & Power Co. 95/07/11. Document Control Branch (Document Control Desk). 3pp. 84776.233-84776.248
- 9507170317 "WROG ISI Summary Rept for Sys Pressure Tests (Class 1 & 2)."
PATRAKAP, THIMMARAJU, S., THIMMARAJU, S.E. Houston Lighting & Power Co. 95/06/29. 14pp. 84776.236-84776.248
- 9507280882 Responds to request from FOIA for copies of 950929 demands for info & responses re decision NRC made on enforcement action of cases. NRC intend to respond to FOIA request & release documents 10 days from its date.
GRAY, J.R. Ofc of Enforcement (Post 870413). 95/07/17. COTTLE, W.T. Houston Lighting & Power Co. App. 84723.002-84723.005
- 9507270286 Submits comments on statements made by representatives of NRC & Houston Lighting & Power Co at enforcement conference on 950618.
GUTTERMAN, M. Morgan, Lewis & Bockius. 95/07/21. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 103pp. 84872.117-84872.221

128 DOCKETED ITEMS

A. Periodic operating reports & related correspondence

9507190348 Monthly operating report for June 1995 for STP Electric Generating Station Units 1 & 2 W/950712 Ir. HALL, D.P. Houston Lighting & Power Co. 05/06/95 14pp. 84818:245-84818:255.

C. Reportable occurrences, LERs & related correspondence

9807218322 Part 21 report re potential defect in Linotype SAM/SG/SGD-00 actuators. Condition dependent on individual licensee's internal operating practices used when deciding MOV operable for safety related svcs. HYLTON, L. Linotype Corp. 05/07/12 Document Control Branch (Document Control Desk) 30pp. 84818:168-84818:198.

D. Congressional/Executive Correspondence

950629443 Responds to 950518 re to Chairman Selin that expressed concern over NRC handling of allegations re mistreatment of whistleblowers. TAYLOR, J.M. Ofc of the Executive Director for Operations 05/06/18 WYDEN, R. House of Rep 7pp. 84795:070-84795:081.

9507280376 Expresses concern re NRC handling of allegations that whistleblowers being mistreated & questions recent NRC initiatives & steps addressing issues re STP Power Band Nuclear Station & NRC Region IV. WYDEN, R. House of Rep. 05/06/18 THE CHAIRMAN, SELIN, Commissioners (Post 750119) App. 84795:077-84795:081.

DOCKET STN-59-499 SOUTH TEXAS PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507190312 Second partial response to FOIA request for records App C records encl & available in PDR. * Division of Freedom of Information & Publications Services (Post 940714). 05/02/06 SAVORITO, T.J. Sapientia, T.J. 2pp. 84918:279-84918:328.

9506090303 Informs of unit position re circumstances surrounding revocation of individual unescorted access to plant. Review confirms that decision in solid case consistent w/ prior unit access authorization decisions w/ unescorted attachments. HALL, D.P. Houston Lighting & Power Co. 02/08/14 Document Control Branch (Document Control Desk) 16pp. 84918:298-84918:324.

9507318232 Twenty-third partial response to FOIA request for documents. Forwards documents listed in App AAA being documents being placed in PDR. Apps 9503 & 000 being released in part (re FOIA exemption 7C). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 05/02/10 LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge 5pp. 84872:038-84872:116.

9507319251 Discusses alleged termination for reporting security concerns to security mgr. WILLIAMSON, E.L. Ofc of Investigations (Post 880201). 05/01/20 MILHOAN, J.L. Region 4 (Post 820201) 2pp. 84872:105-84872:106.

9507071817 Submits list of changes & Rev 2A of unit physical security plan. Encl withheld. GROTH, J.F. Houston Lighting & Power Co. 05/06/29 Document Control Branch (Document Control Desk) 2pp. 84822:341-84822:342.

9507218148 Revised EPIF including rev 3 to EPIF DERP01-ZV-EF10, rev 2 to EPIF DERP01-ZV-EF23 & field change 95-0199 to rev 1 to EPIF DERP01-ZV-EF25.W/ 950724 Ir. MARTIN, L. Houston Lighting & Power Co. 05/07/24 45pp. 84822:290-84822:334.

H. General correspondence

9507208083 Discusses NRC request under FOIA for copies of 950329 Demands for info issued to recipient & Houston Lighting & Power Co & for copies of responses. GRAY, J.R. Ofc of Enforcement (Post 870413). 05/07/17 BALOOM, R. Affiliation Not Assigned. 4pp. 84729:006-84729:008.

I. Operating license stage documents & correspondence

9507240357 FOIA request for documents re matters involving Houston Lighting & Power 3 plant Units 1 & 2. LARUE, G. Affiliation Not Assigned. 04/11/22 KAMMERER, B.C. Division of Freedom of Information & Publications Services (Post 940714) 1p. 84833:001-84833:001.

9507240365 Final response to FOIA request for documents. Forwards records listed in App A already available in PDR & records listed in App B being made available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 05/01/17 LARUE, G. Affiliation Not Assigned. 3pp. 84833:002-84833:003.

9507240430 Twenty-second response to FOIA request for documents. Forwards App YY records being partially withheld & App ZZ records being completely withheld (re FOIA Exemptions 4 & 9). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 05/01/31 LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge 9pp. 84833:010-84833:230.

9507227171 Partially deleted Ir which transmits documents requested by NRC 920801 Ir & D Tecum 920610 subpoena issued to unit by NRC Inspector General. HALL, D.P. Houston Lighting & Power Co. 02/06/18 NORTON, L.J. Office of the Inspector General (Post 890417). 202pp. 84833:022-84833:230.

9507190812 Second partial response to FOIA request for records App C records encl & available in PDR. * Division of Freedom of Information & Publications Services (Post 940714). 05/02/06 SAVORITO, T.J. Sapientia, T.J. 2pp. 84918:276-84918:328.

9208318122 Responds to concerns raised in NRC 920804 Ir re alleged discrimination against former contract employee Effective programs such as SPEAKOUT & station problem report process, facilitate resolution of safety concerns. HALL, D.P. Houston Lighting & Power Co. 02/06/21. MILHOAN, J.L. Region 4 (Post 820201) App. 84818:284-84818:297.

9507198314 Informs that Region IV will consider all T Sapientia allegations in accordance with Manual Chapter 0517, "Mgt of Allegations," including allegations raised in 2,206 petition re STP. MARTIN, R.D. Region 4 (Post 820201). 02/03/09 MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p. 84918:290-84918:293.

9507198318 Discusses status of upgrades to STP employee concerns program. COTTLE, W.T. Houston Lighting & Power Co. 04/02/11 CALLAN, L.J. Region 4 (Post 820201) 5pp. 84918:325-84918:329.

9507250844 Twenty-first partial response to FOIA request for records. App UU & VV documents available in PDR. App WW documents partially withheld (re FOIA Exemption 6). App XX documents completely withheld (re FOIA Exemption 7). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 05/02/06 LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge 6pp. 84833:231-84833:253.

9507250847 Requests review of transcript of interview of aliaer re potential safety concerns. WISE, R. Region 4 (Post 820201) 03/05/11 JOHNSON, B. Region 4 (Post 820201) 3pp. 84833:240-84833:242.

9507250851 Informs of review of transcript taken in Bay City on 920412. No nuclear safety or technical issues identified. JOHNSON, W.D. Region 4 (Post 820201) 03/05/12 WISE, R. Region 4 (Post 820201) 1p. 84833:243-84833:243.

9507250855 Advises of review of transcript of interview of contract employee. No nuclear safety or technical concerns identified. WISE, R. Region 4 (Post 820201). 03/05/12 WILLIAMSON, E.L. Ofc of Investigations (Post 890201) 1p. 84833:244-84833:244.

9507250862 Requests investigation of DD Unfall actions re STP. * Affiliation Not Assigned. 03/08/21 WILLIAMS, D. Office of the Inspector General (Post 890417) 1p. 84833:245-84833:245.

9507250864 Forwards allegation of safety issues re STP for review. NORTON, L.J. Office of the Inspector General (Post 890417). 03/09/08 TAYLOR, J.M. Ofc of the Executive Director for Operations 4pp. 84833:246-84833:249.

9507250867 Advises of allegation re asbestos abatement work that was occurring at STP. BEACH, A.B. Region 4 (Post 820201) 03/06/30. BATY, G.A. Labor, Dept. of Occupational Safety & Health Admin App. 84833:250-84833:253.

9507250877 Twenty-fourth partial response to FOIA request for records. Releaseable portions of App DDD records and & available in PDR. App DDD records partially withheld & App EEE records completely withheld (re FOIA Exemptions 4, 5 & 9). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 05/02/09 LAWRENCE, J.W. Affiliation Not Assigned. 4pp. 84871:330-84871:335.

9507280131 Advises of complaints of deficiencies at plant for inquiry. * Commissioners (Post 750119). 06/10/26 Commissioners (Post 750119) 1p. 84871:334-84871:334.

9507280135 Requests monitoring info re reported errors at plant. Response Ir from EG Admstrs shows misunderstanding of concerns. * Affiliation Not Assigned. 03/08/16 THE CHAIRMAN Commissioners (Post 750119) 1p. 84871:335-84871:335.

9507030318 Forwards response to GL 95-05, "Circumferential Cracking of SG Tubes." CLONINGER, T.H. Houston Lighting & Power Co. 05/06/27 Document Control Branch (Document Control Desk) 13pp. 84851:107-84851:113.

9506280862 Rev 1 to NRC Administrative Ltr 94-18 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 05/06/29 Consolidated Edison Co. of New York, Inc. 10pp. 84518:258-84518:268.

9507180133 Notification of 950717 meeting w/unit in Rockville, MD to update staff on licensee probabilistic safety assessment. ALEXON, T.W. 05/07/08 BECKNER, W.D. 4pp. 84612:357-84612:360.

9507180133 Notification of 950718 meeting w/unit in Rockville, MD to update staff on licensee initiative for conversion to improved standard TS. ALEXON, T.W. 05/07/08 BECKNER, W.D. 4pp. 84611:363-84611:365.

9507180369 Forwards amends 76 & 85 to licensee NFF-76 & NFF-80, respectively & SE Amends modify TSs 3/4.2.4.1 & 3/4.3.3.7 by relocation to technical requirements manual. ALEXON, T.W. 05/07/08 COTTLE, W.T. Houston Lighting & Power Co 3pp. 84623:318-84623:335.

9507128386 Amends 76 & 85 to licensee NFF-76 & NFF-80, respectively, modifying (by relocation) to TS Requirements Manual TS 3/4.3.3.7 & TS 3/4.2.4.1. ALEXON, T.W. 05/07/08 5pp. 84625:321-84625:331.

9507128371 Safety evaluation supporting amends 76 & 85 to licensee NFF-76 & NFF-80, respectively. * Office of Nuclear Reactor Regulation (Post 841001). 05/07/08 App. 84825:332-84825:335.

9507280265 Forwards SE accepting licensee 950301 revised position addressing compliance of STP w/10CFR50.53, "Loss of All Alternating Current Power." ALEXON, T.W. 05/07/24 COTTLE, W.T. Houston Lighting & Power Co 3pp. 84958:276-84958:282.

8507010272 Forwards amends 77 & 85 to licenses NPF-76 & NPF-80 & safety evaluation/amends revise tables associated w/TS 3/4.3.3.5, remote shutdown sys, to eliminate requirements for core exit thermocouples
ALEXON,T.W. 95/07/24 COTTLE,W.T. Houston Lighting & Power Co. 3pp 84868:299-84868:316

-8507010275 Amends 77 & 85 to licenses NPF-76 & NPF-80, respectively, revising tables associated w/TS 3/4.3.3.5, remote shutdown sys, to eliminate requirement for core exit thermocouples.
ALEXON,T.W. 95/07/24, 15pp. 84868:299-84868:313

-8507010277 Safety evaluation supporting amends 77 & 85 to licenses NPF-76 & NPF-80, respectively.
95/07/24, 3pp. 84868:314-84868:316

8507010274 Forwards amends 76 & 87 to licenses NPF-76 & NPF-80, respectively & safety evaluation/amends revise TSs 3.4.2.2 & 3.7.1.1 by relaxing lift setting tolerances of pressurizer safety valves from plus or minus 1% to plus or minus 2%.
ALEXON,T.W. 95/07/25 COTTLE,W.T. Houston Lighting & Power Co. 3pp 84868:047-84868:062

-8507010278 Amends 76 & 87 to licenses NPF-76 & NPF-80, respectively, revising TSs 3.4.2.2 & 3.7.1.1 by relaxing lift setting tolerances of pressurizer safety valves from plus or minus 1% to plus or minus 2%.
ALEXON,T.W. 95/07/25, 3pp. 84868:050-84868:058

-8507010280 Safety evaluation supporting amends 76 & 87 to licenses NPF-76 & NPF-80, respectively.
95/07/25, 3pp. 84868:059-84868:062

8507010404 Discusses closure of two investigations conducted by NRC of re activities at plant. Lists case numbers 4-84-002 & 4-84-052, included in investigations GALLAN,L.I. Region 4 (Post 820201). 85/07/25 COTTLE,W.T. Houston Lighting & Power Co. 4pp 84843:027-84843:030

Q. Inspection reports, IE Bulletins & correspondence

8507010312 Second partial response to FOIA request for records App C records end & available in PDF.
* Division of Freedom of Information & Publications Services (Post 840714) 95/02/06. SAPIRITO,T.J. Saporta, T.J. 2pp 84818:279-84818:282

-8507010323 Informs of still position re circumstances surrounding revocation of individual unescorted access to plant. Review confirms that decision in sub case considered w/ prior unescorted access authorization decisions w/ unescorted attachments.
HALL,D.P. Houston Lighting & Power Co. 92/08/14, Document Control Branch (Document Control Desk). 16pp. 84915:238-84915:244

8507010322 Twenty-third partial response to FOIA request for documents. Forwards documents listed in App AAA being Documents being placed in PDF. Apps B05 & C00 being released in part (ref FOIA exemption 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 840714) 85/02/10. LAWRENCE,J.W. Shaw, Patricia, Post & Trowbridge 5pp 84872:038-84872:116

-8507010343 Requests Commission approval to issue and order re administrative subpoenas issued by staff.
FITZGERALD,J.A. Assistant General Counsel for Adjudications & Opinions. SECY-80-025 90/01/23, 67pp. 84872:049-84872:104

-8507010351 Discusses alleged termination for reporting security concerns to security mgr.
WILLIAMSON,E.L. Ofc of Investigations (Post 850201). 93/01/20. MILLIGAN,J.L. Region 4 (Post 820201). 2pp. 84872:105-84872:106

-8507010374 Partially withheld memo re review of allegation involving plant.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/12/18. WILLIAMS,D.L. Office of the Inspector General (Post 890417). 10pp. 84872:107-84872:116

8507010385 Forwards insp repts 50-488/95-11 & 50-488/95-11 on 850622-25 No violations noted.
GWYNNE,T.P. Region 4 (Post 820201). 85/06/26 COTTLE,W.T. Houston Lighting & Power Co. 3pp. 84882:241-84882:255

-8507010389 Insp repts 50-488/95-11 & 50-488/95-11 on 850622-25 No violations noted. Major areas inspected: plant operations, maintenance, engineering, plant support, major overviews, plant status & safety evaluation program.
COLLINS,E.E. Region 4 (Post 820201). 95/06/22 10pp. 84488:246-84488:256

8507010381 Responds to certain questions raised in 850615 & 20 ltr re enforcement conference applicability in determining whether violations occurred. Advises that Enforcement Manual (NUREG/BR-0195) Section 5.3 clarifies matter.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/06/29 GARTHUS T. Affiliation Not Assigned. 2pp. 84488:166-84488:167

8507010388 Discusses 850616 meeting w/alt in Arlington, TX re apparent violations of 10CFR50.54 concerning Recommended Decision & Order issued by administrative law judge in Dept of Labor proceeding w/and
CALLAN,L.I. Region 4 (Post 820201). 85/06/30, COTTLE,W.T. Houston Lighting & Power Co. 47pp. 84507:154-84507:200

8507010398 Forwards insp Repts 50-488/95-15 & 50-488/95-15 on 850605-08. Violations noted.
GWYNNE,T.P. Region 4 (Post 820201). 95/07/08, COTTLE,W.T. Houston Lighting & Power Co. 3pp. 84890:342-84890:361

-8507010392 Insp Repts 50-488/95-15 & 50-488/95-15 on 850605-09. Violations noted. Major areas inspected: license surveillance procedures & records.
POWERS,D.A. Region 4 (Post 820201). 95/07/01 15pp. 84890:347-84890:361

8507010390 Responds to request from FOIA for copies of 930626, demands for info & responses re decision NRC made on enforcement action of cases. NRC intend to respond to FOIA request & release documents, 10 days from fr date.
GRAY,J.R. Ofc of Enforcement (Post 870413) 95/07/17 COTTLE,W.T. Houston Lighting & Power Co. 4pp. 84729:002-84729:006

8507010396 Submits comments on statements made by representatives of NRC & Houston Lighting & Power Co at enforcement conference on 930616.
GUTTERMAN,A.H. Morgan, Lewis & Bockius 95/07/21 LIEBERMAN,J. Ofc of Enforcement (Post 870413) 165pp. 84872:117-84872:221

R. Periodic operating reports & related correspondence

8507010340 Monthly operating repts for June 1985 for STP Electric Generating Station Units 1 & 2 w/950712 ltr.
HILLER,L. BERGENDAHLE,D.M., GROTH,J.F. Houston Lighting & Power Co. 95/06/30 14pp. 84769:245-84769:258

S. Reportable occurrences, LERs & related correspondence

8507010322 Part 21 rept re potential defect in Lantique SSB/SB/SBD-00 actuators. Condition dependent on individual licensee internal operating practices used when declaring MOV operable for safety related event.
MYLTON,C.L. Lantique Corp. 85/07/12, Document Control Branch (Document Control Desk). 30pp. 84818:169-84818:188

8507010320 Forwards for review & comment copy of preliminary AEP analyses of operational condition that was discovered at plant. NRC request complete review & to provide comments within 30 days of 950717 ltr.
ALEXON,T.W. 95/07/17 COTTLE,W.T. Houston Lighting & Power Co. 14pp. 84859:346-84859:361

8507010376 Forwards suppl 1 to Rev to LER 84-005 re inadvertent test-mode starts of standby DGs attributed to electronic noise, including results of fiber optic board failure analysis performed by util & outside experts.
MYERS,L.W. Houston Lighting & Power Co. 95/07/18 Document Control Branch (Document Control Desk) 2pp. 84832:003-84832:012

-8507010481 LER 84-005-04 on 840607, inadvertent test-mode starts of standby DGs occurred. Noise suppression devices installed to reduce susceptibility of mechanism start due to electronic noise & fiber optic boards replaced.
HEAD,S. Houston Lighting & Power Co. 95/07/19, 3pp. 84832:005-84832:012

U. Congressional/Executive Correspondence

8506290433 Responds to 950518 ltr to Chairman Selin that expressed concern over NRC handling of allegations re misstatement of whistleblowers.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 85/06/18, WYDEN,R. House of Rep. 7pp. 84796:070-84796:081

-8507010375 Expresses concern re NRC handling of allegations that whistleblowers being misreated & questions recent NRC initiatives & repts addressing issues re STP River Bend Nuclear Station & NRC Region IV.
WYDEN,R. House of Rep. 95/05/18, THE CHAIRMAN, SELIN,J. Commissioners (Post 750119) 4pp. 84796:077-84796:081

DOCKET 5TH-50-388 WPPSS NUCLEAR PROJECT, UNIT 3

A. Application/construction stage documents & correspondence

8506290482 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
BRUNES,B.K. 95/06/29 Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268

DOCKET 5TH-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8507010381 Forwards "1986 Emergency Preparedness Exercise" tentatively scheduled for 850412.
SIMPSON,B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/02/09, CALLAN,J. Region 4 (Post 820201) 1p. 84731:001-84732:021

-8507010384 "1986 Emergency Preparedness Exercise."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/12, 384pp. 84731:002-84732:021

8507010384 Rev 16 to PVNGS emergency plan w/850623 ltr.
SIMPSON,B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/23, 108pp. 84558:001-84558:106

8507010385 Forwards rev 11 to security training & qualification plan, per 10CFR50.54(a)(2). End withheld.
SIMPSON,B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/29, Document Control Branch (Document Control Desk) 1p. 84598:355-84598:358

8507010388 Informs of changes incorporated into physical security plan to include administrative controls previously described in Section 6.0 of PVNGS TS. End withheld.
SIMPSON,B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/29, Document Control Branch (Document Control Desk) 2pp. 84822:309-84822:340

8507010391 Forwards public version of revised EPP including Rev 19 to EPP-3, Rev 20 to EPP-4, Rev 16 to EPP-13, Rev 9 to EPP-15 & Rev 8 to EPP-33.
KRAMER,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/07, Document Control Branch (Document Control Desk) 1p. 84844:073-84844:074

-8507010393 Informs that end documents may be made publicly available.
KAMMERER,C.G. Division of Freedom of Information & Publications Services (Post 840714). 95/07/24, Office of Information Resources Management (Post 890202). 1p. 84844:074-84844:074

130 DOCKETED ITEMS

-5507280121 Public version of revised EPPs, including Rev 19 to EPP-3, Rev 20 to EPP-4, Rev 16 to EPP-13, Rev 9 to EPP-15 & Rev 8 to EPP-33
PLOGGIA, M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/05/20. 127pp. 84844-075-84844-201

M. Antitrust correspondence

9507140288 Forwards notice of revocation of plan by Central & Southwest Corp filed by US Bankruptcy Court for Western District of TX Austin Div, AZPS, for AZPS & on behalf of PVNGS participants, notifying of termination of merger agreement.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/07/06. Document Control Branch (Document Control Desk). 5pp. 84761-144-84761-148

P. Operating license stage documents & correspondence

9507038049 Confirms participation as member of headquarters response organization for exercise w/ plant on 950412 & submit team training schedule in preparation for exercise.
BROCKMAN, J.E. Incident Response Branch 95/04/08. NRC - No Detailed Affiliation Given. 4pp. 84512-347-84512-350.

9507030913 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes."
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/27. Document Control Branch (Document Control Desk). 18pp. 84589-001-84589-018.

9507090975 Inform that review of proposed changes to facility quality assurance program description has been completed. QA program description as changed by 950410 submitted pursuant to meet requirements of 10CFR50, app B & acceptable.
GWYN, T.P. Region 4 (Post 820201). 95/06/28. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84486-232-84486-236.

9506280982 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC Bulletin board sys.
GRIMES, S.K. 95/06/28. Consolidated Edison Co. of New York, Inc. 10pp. 84518-259-84518-266.

9507080228 Forwards "PVNGS IEEE," for NRC GL 89-20, Suppl 4.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84589-110-84589-206

-9507060231 "PVNGS IEEE."
Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/30. 18pp. 84589-113-84589-308

9507148102 Advise NRC that plant has completed actions re safety-related MOV testing & surveillance for Unit 1 per GL 89-10. Actions that remain to be addressed listed.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/07/02. Document Control Branch (Document Control Desk). 2pp. 84729-357-84729-358

9507140188 Application for amendments to licenses NPF-41, NPF-51 & NPF-74. Amendments would provide lamp method to respond to sustained degraded switchyard voltage.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/07/02. Document Control Branch (Document Control Desk). 16pp. 84761-1001-84761-1022.

-9507140181 Proposed tech specs re lamp method to respond to sustained degraded switchyard voltage.
Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/07/03. 6pp. 84761-017-84761-022.

9507140201 Provide addl info for re requested amend to TS Section 3.4.7.1.3. Original uncertainty for condensate storage tank indicated level did not address all of uncertainties & error terms.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/07/06. Document Control Branch (Document Control Desk). 1p. 84761-117-84761-117.

9507180988 Forwards amends 94.82 & 65 to licenses NPF-41, NPF-51 & NPF-74, respectively, & SEAmends change max CST indicated level from 25 feet to 29.6 feet & change TS 3.7.1.3 from "with a level" to "with an indicated level."
THOMAS, C.R. 95/07/06. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84598-221-84598-239.

-9507180321 Amends 94.82 & 65 to licenses NPF-41, NPF-51 & NPF-74, respectively, changing max CST indicated level from 25 feet to 29.6 feet & changing TS 3.7.1.3 from "with a level" to "with an indicated level."
THOMAS, C.R. 95/07/06. 12pp. 84598-225-84598-239

-9507180327 Safety evaluation supporting amends 94.82 & 65 to licenses NPF-41, NPF-51 & NPF-74, respectively.
Office of Nuclear Reactor Regulation (Post 941001). 95/07/06. 3pp. 84698-237-84698-239.

9507210915 Forwards amends 95.83 & 86 to licenses NPF-41, NPF-51 & NPF-74, respectively, & SEAmends implement recommendations of GL 93-07 to revise TS section 6.0, "Administrative Controls."
THOMAS, C.R. 95/07/07. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84754-001-84754-073

-9507210928 Amends 95.83 & 86 to licenses NPF-41, NPF-51 & NPF-74, respectively, implementing recommendations of GL 93-07 to revise TS section 6.0, "Administrative Controls."
THOMAS, C.R. 95/07/07. 63pp. 84754-005-84754-067.

-9507210934 Safety evaluation supporting amends 95.83 & 86 to licenses NPF-41, NPF-51 & NPF-74, respectively.
Office of Nuclear Reactor Regulation (Post 941001). 95/07/07. 6pp. 84754-068-84754-078

9507300333 Forwards SE accepting IRL 940328 re re technical justification for containment high-range radiation monitor calibr methodology.
HOLLAND, E.E. Office of Nuclear Reactor Regulation (Post 941001). 95/07/20. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 3pp. 84879-351-84879-355

-9507310235 Safety evaluation accepting IRL 940328 re re technical justification for containment high-range radiation monitor calibr methodology.
Office of Nuclear Reactor Regulation (Post 941001). 95/07/20. 2pp. 84879-354-84879-355

9507280179 Responds to proposals conveyed in 950406 re concerning facility graded quality assurance initiative of commercial grade items. Staff was unable to make judgment on various factors but will arrange meetings to risk ranking process.
HOLLAND, E.E. 95/07/24. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84888-114-84888-121.

Q. Inspection reports, IE Bulletin & correspondence

9507090807 Forwards insp repts 50-528/95-10, 50-529/95-10 & 50-530/95-10 & notice of violation. Violation of concern since licensee had opportunities to identify degraded condition of valve through trending of motor operator diagnosed testing data.
SEACHA, B. Region 4 (Post 820201). 95/06/27. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84486-051-84486-087

-9507090808 Notice of violation from insp on 950409-0520. Violation noted. Unit 2 reactor coolant sys boronmeter used to determine RCS boron concentration for compliance w/ TS & not properly cal'd.
Region 4 (Post 820201). 95/06/27. 2pp. 84489-056-84489-057.

-9507090910 Insp repts 50-528/95-10, 50-529/95-10 & 50-530/95-10 on 950409-0520. Violations noted. Major areas inspected: response to plant events, operational safety, maint & surveillance activities, onsite engineering & employee concerns program.
WONG, H. Region 4 (Post 820201). 95/06/18. 31pp. 84488-058-84488-087.

9507110801 Comment on proposed "Review of NRC Insp Rept Content, Format & Style." Insp detail should be brief & not previous repts by section or at min. IRL number.
GRABO, B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/27. MEYERS, D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84557-001-84557-002

9507180488 Ack receipt of 950805 re informing NRC of steps taken to correct violations noted in insp repts 50-528/95-04, 50-529/95-04 & 50-530/95-04.
PERKINS, K.E. Region 4 (Post 820201). 95/06/28. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 84766-283-84766-284.

9507090806 Ack receipt of 950601 re informing NRC of steps taken to correct violations noted in insp repts 50-528/95-04, 50-529/95-04 & 50-530/95-04.
SCARANO, R.A. Region 4 (Post 820201). 95/06/29. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84488-042-84488-050.

9507140894 Requests 90 day extension of time for plant to respond to MOV re NRC insp repts 50-528/95-11, 50-529/95-11 & 50-530/95-11.
Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/07/07. Document Control Branch (Document Control Desk). 1p. 84761-041-84761-041

9507170188 Responds to 950506 Decision & Order of Remand issued by Secretary of Labor re alleged discrimination complaint received by OOL Wage & Hour Div in Phoenix, AZ on 921022 from employee of AZPS PVNGS. Subj Decision & Order of Remand encl.
GALLAN, L.J. Region 4 (Post 820201). 95/07/11. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 20pp. 84747-210-84747-228.

9507280348 Forwards Insp Repts 50-528/95-13, 50-529/95-13 & 50-530/95-13 on 950619-23. Violations noted.
GWYN, T.P. Region 4 (Post 820201). 95/07/21. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84842-151-84842-160.

-9507280182 Insp Repts 50-528/95-13, 50-529/95-13 & 50-530/95-13 on 950619-23. Violations noted. Major areas inspected: initial condition & followup on previous insp findings.
COLLINS, E.E. Region 4 (Post 820201). 95/07/12. 6pp. 84842-156-84842-160.

R. Periodic operating reports & related correspondence

9507180335 Forwards monthly operating repts for June 1995 for PVNGS Units 1, 2 & 3 & revised page 8 to monthly operating rpt for May 1995 for PVNGS Unit 2, correcting gross electrical energy generated (GWEH) to read 984,800.
LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/07/19. Document Control Branch (Document Control Desk). 1p. 84763-267-84763-285

-9507190335 Monthly operating repts for June 1995 for PVNGS Unit 1, 2 & 3.
FULTON, J.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/30. 16pp. 84763-268-84763-283.

-9507190334 Revised page 6 to monthly operating rpt for May 1995 for PVNGS Unit 2.
FULTON, J.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/31. 2pp. 84763-264-84763-285.

S. Reportable occurrences, LERs & related correspondence

9507050375 Forwards LER 95-008 re RT on low SG water level following degradation of MFV flow.
LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/05/27. Document Control Branch (Document Control Desk). 1p. 84559-024-84559-030

-8507080377 LER 95-008-00 on 950530,RT following degradation NFW flow occurred due to isolation valve L3508/10137 closed.Landed wire on terminal block for spool-rod & verified that all wire connections on terminal board secure.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/27 5pp. 84558-028-84558-030.

9507180205 Forwards issued LER suppl npts for Palo Verde Units 1 & 2
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/28 Document Control Branch (Document Control Desk) 1p. 84558-308-84558-361

-8507100218 LER 94-006-02 on 940618,determined that GPC channel D,Delta-T power signal could no longer be adjusted per TS requirements.Corrected by loop 2 hot leg temp RTD fluctuations. Channel calibrated & declared operable
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/28 5pp. 84558-306-84558-313

-8507180218 LER 94-008-01 on 941021,identified that actual flow rate on spray pond pumps may be exceeding design flow rates.Caused by oversized orifices in spray pond return lines. Administrative controls established to counter condition
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/28 5pp. 84558-314-84558-322

-8507180221 LER 94-007-01 on 941103,identified that thermal overload protection for CP refusing isolation valves not being tested per TS SR 4.8.4.2.1 Caused by inadequate procedures. Post maintenance test procedure revised
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/28 5pp. 84558-323-84558-327

-8507180223 LER 94-009-01 on 941116,determined that isolation valve could not isolate 10CFR50,App R related requirement. Caused by personnel error.Procedure changes implemented which eliminate reliance on isolation valve during shutdown.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/28 5pp. 84558-326-84558-336

-8507180226 LER 94-010-01 on 950409,identified that close torque switch contact bar for shutdown cooling system isolation valve misaligned.Caused by torque loads experienced by operator during unscrewing of valve disk.Compression springs replaced
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/28 5pp. 84558-336-84558-343

-8507180227 LER 94-004-02 on 941006,Train A declared inoperable due to projection of test results indicated battery banks did not meet 90% criteria of TS SR 4.8.2.1.8.Caused by loss of positive active mail Proposed TS strand submitted
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/28 12pp. 84558-344-84558-358

-8507180228 LER 94-008-01 on 940928,identified that preventive maintenance task for calibrating barometer overdue.Caused by personnel error.Procedure revised to address condition
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/28 5pp. 84558-358-84558-361

V. Operator Examinations

9507170126 Discusses NRC requirements of licensee for NRC to perform scheduled licensed operator exams during week of 951023 at plant.
GWYNNE,T.P. Region 4 (Post 820201). 95/07/12 STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 5pp. 84755-122-84755-129

DOCKET 95N-50-829 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507130091 Forwards "1995 Emergency Preparedness Exercise" tentatively scheduled for 950412.
BIEIJUNG,H.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/07/06 CALLAN,L. Region 4 (Post 820201). 1p. 84731-001-84732-021

-8507130124 "1995 Emergency Preparedness Exercise."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/04/12 36pp. 84731-002-84732-021

9507030334 Rev 16 to PVNGS emergency plan,W/950623 tr.
SIMPSON,B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/23 106pp. 84558-001-84558-105

9507060126 Forwards rev 11 to security training & qualification plan, per 10CFR50.54(p)(2).Encl withheld.
SIMPSON,B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/28 Document Control Branch (Document Control Desk) 1p. 84588-385-84588-395

9507070889 Informs of changes incorporated into physical security plan to include administrative controls previously described in Section 6.0 of PVNGS TS.Encl withheld.
SIMPSON,B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/28 Document Control Branch (Document Control Desk) 2pp. 84622-338-84622-340

9507280181 Forwards public version of revised EPIPs,including Rev 16 to EPIP-3,Rev 20 to EPIP-4,Rev 16 to EPIP-13,Rev 9 to EPIP-15 & Rev 8 to EPIP-33
KRAINKA,K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/07/07 Document Control Branch (Document Control Desk) 1p. 84844-073-84844-201

-8507280189 Informs that encl documents may be made publicly available.
KAMMERER,C.C. Division of Freedom of Information & Publications Services (Post 840714). 95/07/24 Office of Information Resources Management (Post 890205). 1p. 84844-074-84844-074

-8507280181 Public version of revised EPIPs,including Rev 16 to EPIP-3, Rev 20 to EPIP-4,Rev 16 to EPIP-13,Rev 9 to EPIP-15 & Rev 8 to EPIP-33.
PLOGGA,M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/20 127pp. 84844-075-84844-201

B. Antitrust correspondence

9507140268 Forwards notice of invocation of plan by Central & Southwest Corp filed by US Bankruptcy Court for Western District of TX,Austin Div,AZPS,for AZPS & on behalf of PVNGS participants,notifying of termination of merger agreement
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/07/06 Document Control Branch (Document Control Desk) 5pp. 84781-146-84781-148

P. Operating Reactor stage documents & correspondence

9507030449 Confirms participation as member of headquarters response organization for exercise w/phant on 950412 & submits team training schedule in preparation for exercise.
BROCKMAN,K.E. Incident Response Branch, 95/04/06 NRC - No Detailed Attention Given. 8pp. 84512-347-84512-350

9507030513 Forwards response to GL 95-03. "Circumferential Cracking of SG Tubes"
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/27 Document Control Branch (Document Control Desk) 18pp. 84589-001-84589-018

9507030775 Informs that review of proposed changes to facility quality assurance program description has been completed.QA program description as changed by 950419 submittal continues to meet requirements of 10CFR50,app B & acceptable
GWYNNE,T.P. Region 4 (Post 820201). 95/06/28 STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 5pp. 84488-232-84488-235

9506280052 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC Bulletin Board sys.
GRIMES,B.K. 95/06/29 Consolidated Edison Co of New York, Inc 10pp. 84618-256-84618-266

9507060228 Forwards "PVNGS IPEEE," for NRC GL 95-20,Suppl 4
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/30 Document Control Branch (Document Control Desk) 3pp. 84589-110-84589-308

-8507060231 "PVNGS IPEEE"
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/30 194pp. 84589-113-84589-308

9507140188 Application for amends to licenses NPF-41,NPF-51 & NPF-74. Amends would provide temp method to respond to sustained degraded switchyard voltage
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/07/03 Document Control Branch (Document Control Desk) 18pp. 84761-001-84761-022

-8507140181 Proposed tech spec re temp method to respond to sustained degraded switchyard voltage
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/07/03 6pp. 84761-017-84761-022

9507140121 Forwards "Palo Verde Nuclear Generating Station Unit 2 SG Eddy Current Exam U2M5 2nd Midcycle Outage Sept 1994."
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/07/06 Document Control Branch (Document Control Desk) 1p. 84760-075-84760-256

-8507140128 "PVNGS Unit 2 SG Eddy Current Exam U2M5 2nd Midcycle Outage, Sept 1994."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/05/24 184pp. 84760-075-84760-256

9507140301 Provides add info for ref requested amend to TS Section 3.4.7.1.3 Original uncertainty for condensate storage tank indicated level did not address all of uncertainties & error terms.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/07/06 Document Control Branch (Document Control Desk) 1p. 84761-117-84761-117

9507180308 Forwards amends 84.82 & 65 to licenses NPF-41,NPF-51 & NPF-74, respectively & SE.Amends change min CST indicated level from 25 feet to 29.5 feet & change TS 3.7.1.3 from "with a level" to "with an indicated level."
THOMAS,C.R. 95/07/06 STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 4pp. 84686-221-84686-239

-8507180321 Amends 84.82 & 65 to licenses NPF-41,NPF-51 & NPF-74, respectively,changing min CST indicated level from 25 feet to 29.5 feet & changing TS 3.7.1.3 from "with a level" to "with an indicated level"
THOMAS,C.R. 95/07/06 12pp. 84686-225-84686-236

-8507180327 Safety evaluation supporting amends 84.82 & 65 to licenses NPF-41,NPF-51 & NPF-74, respectively
* Office of Nuclear Reactor Regulation (Post 841001). 95/07/06 5pp. 84686-237-84686-239

9507160215 Forwards amends 95.80 & 86 to licenses NPF-41,NPF-51 & NPF-74, respectively & SE.Amends implement recommendations of GL 93-07 to revise TS section 6.0 "Administrative Controls."
THOMAS,C.R. 95/07/07 STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 4pp. 84754-001-84754-073

-8507210320 Amends 95.80 & 86 to licenses NPF-41,NPF-51 & NPF-74, respectively,implementing recommendations of GL 93-07 to revise TS section 6.0 "Administrative Controls."
THOMAS,C.R. 95/07/07 83pp. 84754-005-84754-087

-8507210324 Safety evaluation supporting amends 95.83 & 86 to licenses NPF-41,NPF-51 & NPF-74, respectively
* Office of Nuclear Reactor Regulation (Post 841001). 95/07/07 6pp. 84754-088-84754-073

132 DOCKETED ITEMS

9507100233 Forwards SE accepting uil 940329 for re technical justification for containment high-range radiation monitor calibr methodology.
HOLLAND, E. Office of Nuclear Reactor Regulation (Post 941001). 95/07/20 STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 3pp. 84879:351-84879:355.

9507100238 Safety evaluation accepting uil 940329 for re technical justification for containment high-range radiation monitor calibr methodology.
Office of Nuclear Reactor Regulation (Post 941001). 95/07/20. 2pp. 84879:354-84879:355.

9507290170 Responds to proposals conveyed in 950406 for concerning facility graded quality assurance initiative of commercial grade items Staff was unable to make judgement on ranking factors but will arrange meetings to seek ranking process.
HOLLAND, E. 95/07/24. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 3pp. 84888:114-84888:121.

C. Inspection reports, E. Bulletins & correspondence

9507090407 Forwards insp repts 50-528/95-10, 50-529/95-10 & 50-530/95-10 & notice of violation. Violation of concern since licensee had opportunities to identify degraded condition of valve through trending of motor operator diagnostic testing data.
BEACH, A.B. Region 4 (Post 820201). 95/08/27. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 84488:051-84488:057

9507090408 Notice of violation from insp on 950409-0520. Violation noted: Unit 2 reactor coolant sys boronmeter used to determine RCS boron concentration for compliance w/TS & not properly calibr.
Region 4 (Post 820201). 95/08/27. 2pp. 84488:058-84488:057

9507090410 Insp repts 50-528/95-10, 50-529/95-10 & 50-530/95-10 on 950409-0520. Violations noted: Major areas inspected: response to plant events, operational safety, insul & surveillance activities, on-site engineering & Employee Concerns Program.
WONG, H. Region 4 (Post 820201). 95/08/16. 31pp. 84488:058-84488:087

9507110081 Comment on proposed "Review of NRC Insp Rept Content, Format & Style." Insp detail should be brief & ref previous rept by section or at min in RIR number.
GRABO, B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 3p. 95/08/27. MEYER, S.D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84557:001-84557:002.

9507090419 Forwards "Palo Verde Nuclear Generating Station Unit 2 ISI Rept Fifth Retesting Outage."
KRAHMER, A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/08/28. Document Control Branch (Document Control Desk). 2pp. 84565:257-84565:312

9507090415 "PVNGS Unit 2 ISI Rept Fifth Retesting Outage."
Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/08/27. 53pp. 84565:259-84565:312.

9507180489 Ack receipt of 950609 re informing NRC of steps taken to correct violations noted in insp repts 50-528/95-08, 50-529/95-08 & 50-530/95-08.
PERKINS, K.E. Region 4 (Post 820201). 95/08/28. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 84788:289-84788:294

9507090408 Ack receipt of 950601 re informing NRC of steps taken to correct violations noted in insp repts 50-528/95-04, 50-529/95-04 & 50-530/95-04.
SCARABO, R.A. Region 4 (Post 820201). 95/08/28. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84488:042-84488:050.

9507180412 Ack receipt of 950524 re informing NRC of steps taken to correct violations noted in insp repts 50-528/95-08.
PERKINS, K.E. Region 4 (Post 820201). 95/08/28. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 84788:289-84788:291.

9507140094 Requests 30 day extension of time for plant to respond to NOV re NRC insp repts 50-528/95-11, 50-529/95-11 & 50-530/95-11.
Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/07/07. Document Control Branch (Document Control Desk). 1p. 84761:041-84761:041.

9507170155 Responds to 950509 Decision & Order of Remand issued by Secretary of Labor re alleged discrimination complaint received by DOL Wage & Hour Div in Phoenix, AZ on 921022 from employee of AZPS PVNGS. Subj Decision & Order of Remand encl.
CALLAN, J. Region 4 (Post 820201). 95/07/11. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 20pp. 84747:210-84747:229

9507280140 Forwards insp Repts 50-528/95-13, 50-529/95-13 & 50-530/95-13 on 950619-23. Violations noted.
GWYNETH, P. Region 4 (Post 820201). 95/07/21. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84842:151-84842:160.

9507280152 Insp Repts 50-528/95-13, 50-529/95-13 & 50-530/95-13 on 950619-23. Violations noted: Major areas inspected: staff condition & followup on previous insp findings.
COLLINS, E.E. Region 4 (Post 820201). 95/07/12. 5pp. 84842:156-84842:180

F. Periodic operating reports & related correspondence

9507180425 Forwards monthly operating repts for June 1995 for PVNGS Units 1, 2 & 3 & revised page 6 to monthly operating rept for May 1995 for PVNGS Unit 2, correcting gross electrical energy generated (MWH) to read 84,800.
LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/13. Document Control Branch (Document Control Desk). 1p. 84765:257-84765:255

9507180436 Monthly operating repts for June 1995 for PVNGS Unit 1, 2 & 3.
FULTON, J.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/08/30. 18pp. 84788:268-84788:283.

9507180438 Revised page 6 to monthly operating rept for May 1995 for PVNGS Unit 2.
FULTON, J.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/31. 2pp. 84783:284-84783:285.

S. Reportable occurrences, LERs & related correspondence

9507100265 Forwards latest LER suppl repts for Palo Verde Units 1 & 2.
LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/08/28. Document Control Branch (Document Control Desk). 1p. 84565:305-84565:361

9507100227 LER 94-004-02 on 941009. Then A declared inoperable due to projection of lost results indicated battery banks did not meet 90% criteria of TS SR 4.8.2.1.4. Caused by loss of positive active maint. Proposed TS amend submitted.
GRABO, B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/08/28. 12pp. 84565:344-84565:355.

9507100229 LER 94-006-01 on 940929. Identified that preventive maintenance task for calibrating boronmeter overdue. Caused by personnel error. Procedure revised to address condition.
GRABO, B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/08/28. 6pp. 84565:358-84565:361.

9507110110 LER 95-009-00 on 950613. TS LCO 3.0.3 entered following loss of both inputs of essential GW sys & both hydrogen recombiners. Caused by spurious actuations due to broken SDG speed probe connector. Connector replaced w/950708 w/ GRABO, B.A., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/06. 7pp. 84630:003-84630:009

V. Operator Examinations

9507170198 Discusses NRC requirements of licensee for NRC to perform scheduled licensed operator exams during week of 951023 at plant.
GWYNETH, P. Region 4 (Post 820201). 95/07/12. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84755:122-84755:126

DOCKET 8TH-88-538 PALO VERDE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9507130061 Forwards "1995 Emergency Preparedness Exercise" tentatively scheduled for 950412.
EHLING, H.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/08/09. CALLAN, J. Region 4 (Post 820201). 1p. 84781:201-84781:201.

9507130124 "1995 Emergency Preparedness Exercise"
Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/04/12. 384pp. 84731:002-84731:021.

9507090434 Rev 18 to PVNGS emergency plan w/950622 re SMPSON, S.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/23. 106pp. 84556:001-84556:106

9507090425 Forwards rev 11 to security training & qualification plan, per 10CFR50.54(g)(2). Encl withheld.
SIMPSON, S.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/23. Document Control Branch (Document Control Desk). 1p. 84588:269-84588:268.

9507070089 Inform of changes incorporated into physical security plan to include administrative controls previously described in Section 8.0 of PVNGS TS Encl withheld.
SIMPSON, S.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/29. Document Control Branch (Document Control Desk). 3pp. 84622:338-84622:340.

9507280101 Forwards public version of revised EPIP, including Rev 18 to EPIP-3, Rev 20 to EPIP-4, Rev 18 to EPIP-13, Rev 9 to EPIP-15 & Rev 8 to EPIP-33.
KRAHMER, A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/07/07. Document Control Branch (Document Control Desk). 1p. 84844:073-84844:201.

9507280109 Inform that encl documents may be made publicly available.
KAMMERER, R.C. Division of Freedom of Information & Publications Services (Post 940714). 95/07/24. Office of Information Resources Management (Post 950205). 1p. 84844:074-84844:074.

9507280121 Public version of revised EPIP, including Rev 18 to EPIP-3, Rev 20 to EPIP-4, Rev 18 to EPIP-13, Rev 9 to EPIP-15 & Rev 8 to EPIP-33.
PLOGGIA, M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/20. 127pp. 84844:073-84844:201

M. Antitrust correspondence

9507140268 Forwards notice of revocation of plan by Central & Southwest Corp filed by US Bankruptcy Court for Western District of TX, Austin, TX, AZPS, for AZPS & on behalf of PVNGS participants, notifying of termination of merger agreement.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/07/06. Document Control Branch (Document Control Desk). 5pp. 84781:144-84781:148

P. Operating license status documents & correspondence

9507090449 Confirms participation as member of headquarters response organization for exercise w/ plant on 950412 & submits team training schedule in preparation for exercise.
BROCKMANN, K.E. Incident Response Branch. 95/04/08. NRC - No Detailed Answer Given. 4pp. 84512:347-84512:350

9507030313 Forwards response to GL 95-06, "Circumferential Cracking of SG Tubes."
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/06/27. Document Control Branch (Document Control Desk). 18pp. 84589:001-84589:018.

9507180078 Informs that review of proposed changes to facility quality assurance program description has been completed. QA program description as changed by 950410 submitted continues to meet requirements of 10CFR50, app B & acceptable. GUYNN, T.P. Region 4 (Post 820201). 95/06/28. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 84488232-84488238.

9507200062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co of New York, Inc. 10pp. 84518258-84518268.

9507200228 Forwards "PVNGS IPEEE" for NRC GL 88-20, Supp 4. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/03. Document Control Branch (Document Control Desk). 3pp. 84589110-84589306.

-9507200231 "PVNGS IPEEE."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/30 19pp. 84589113-84589208.

9507140198 Application for amends to licenses NPF-41, NPF-51 & NPF-74. Amends would provide temp method to respond to sustained degraded switched voltage. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/03. Document Control Branch (Document Control Desk). 16pp. 84761001-84761022.

-9507140191 Proposed tech specs re temp method to respond to sustained degraded switched voltage.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/03. 8pp. 84761017-84761022.

9507140281 Provides addl info for ref requested amend to TS Section 3.4.7.1.3 Original uncertainty for condensate storage tank indicated level did not address all of uncertainties & error terms. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/06. Document Control Branch (Document Control Desk). 1p. 84761117-84761117.

9507180388 Forwards amends 94.82 & 65 to licenses NPF-41, NPF-51 & NPF-74, respectively & SE Amends change from CST indicated level from 28 feet to 29.5 feet & change TS 3.7.1.3 from "with a level" to "with an indicated level". THOMAS, C.R. 95/07/06. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84686221-84686238.

-9507180321 Amends 94.82 & 65 to licenses NPF-41, NPF-51 & NPF-74, respectively changing from CST indicated level from 28 feet to 29.5 feet & changing TS 3.7.1.3 from "with a level" to "with an indicated level". THOMAS, C.R. 95/07/06. 12pp. 84686225-84686236.

-9507180327 Safety evaluation supporting amends 94.82 & 65 to licenses NPF-41, NPF-51 & NPF-74, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/06. 3pp. 84686237-84686238.

9507200015 Forwards amends 95.83 & 66 to licenses NPF-41, NPF-51 & NPF-74, respectively & SE Amends implement recommendations of GL 93-07 to revise TS section 6.0, "Administrative Controls". THOMAS, C.R. 95/07/07. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84754001-84754073.

-9507200020 Amends 95.83 & 66 to licenses NPF-41, NPF-51 & NPF-74, respectively implementing recommendations of GL 93-07 to revise TS section 6.0, "Administrative Controls". THOMAS, C.R. 95/07/07. 83pp. 84754005-84754067.

-9507200024 Safety evaluation supporting amends 95.83 & 66 to licenses NPF-41, NPF-51 & NPF-74, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/07. 8pp. 84754068-84754073.

9507180393 Forwards SE accepting WJ 940329 re technical justification for containment high-range radiation monitor calibrator methodology. HOLIAN, J.E. Office of Nuclear Reactor Regulation (Post 941001). 95/07/20. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 84878351-84878355.

-9507180396 Safety evaluation accepting WJ 940329 re technical justification for containment high-range radiation monitor calibrator methodology.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/20. 2pp. 84878354-84878356.

9507200170 Responds to proposals conveyed in 950406 re competing facility graded quality assurance extensive of commercial grade items. Still was unable to make judgement on ranking factors but will arrange meetings re rank ranking process. HOLIAN, J.E. 95/07/24. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 84888114-84888121.

G. Inspection reports, IE Bulletins & correspondence

9507080807 Forwards insp repts 50-528/95-10, 50-529/95-10 & 50-530/95-10 & notes of violation. Violation of concern since licensees had opportunities to identify degraded condition of valve through trending of motor operator diagnostic testing data. BEACH, A.B. Region 4 (Post 820201). 95/06/27. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 84488061-84488067.

-9507080810 Insp repts 50-528/95-10, 50-529/95-10 & 50-530/95-10 on 950408-0520. Violations noted. Major areas inspected: response to plant events, operational safety, maintenance & surveillance activities, on-site engineering & Employee Concomit Program. WONG, H. Region 4 (Post 820201). 96/06/16. 31pp. 84488058-84488087.

9507180801 Comment on proposed "Review of NRC Insp Rept Content, Format & Style." Insp detail should be brief & not previous report by section or at new IR number. GRABO, B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/27. MEYERS, D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84587001-84587002.

9507180489 Ack receipt of 950609 re informing NRC of steps taken to correct violations noted in insp repts 50-528/95-06, 50-529/95-04 & 50-530/95-04. PERKINS, K.E. Region 4 (Post 820201). 95/06/28. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 84758283-84758284.

9507200005 Ack receipt of 880601 re informing NRC of steps taken to correct violations noted in insp repts 50-528/95-04, 50-529/95-04 & 50-530/95-04. SCARANO, J.A. Region 4 (Post 820201). 95/06/29. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84488042-84488050.

9507140094 Requests 30 day extension of time for plant to respond to NCV re NRC insp repts 50-528/95-11, 50-529/95-11 & 50-530/95-11.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/07. Document Control Branch (Document Control Desk). 1p. 84761041-84761041.

9507170185 Responds to 950509 Decision & Order of Remand issued by Secretary of Labor re alleged discrimination complaint received by DOL Wage & Hour Div in Phoenix, AZ on 921022 from employees of AZPS PVNGS. Subj Decision & Order of Remand encl. CALLAN, J. Region 4 (Post 820201). 95/07/11. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 20pp. 84747210-84747229.

9507200148 Forwards Insp Repts 50-528/95-13, 50-529/95-13 & 50-530/95-13 on 950618-23. Violations noted. Major areas inspected: mail condition & follow-up on previous insp findings. GUYNN, T.P. Region 4 (Post 820201). 95/07/21. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84842151-84842160.

-9507200152 Insp Repts 50-528/95-13, 50-529/95-13 & 50-530/95-13 on 950618-23. Violations noted. Major areas inspected: mail condition & follow-up on previous insp findings. COLLINS, E.E. Region 4 (Post 820201). 95/07/12. 8pp. 84842156-84842160.

R. Periodic operating reports & related correspondence

9507180335 Forwards monthly operating repts for June 1995 for PVNGS Units 1, 2 & 3 & revised page 9 to monthly operating rpt for May 1995 for PVNGS Unit 2, correcting gross electrical energy generated (MWhr) to read 994,600. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/13. Document Control Branch (Document Control Desk). 1p. 84763267-84763268.

-9507180338 Monthly operating repts for June 1995 for PVNGS Unit 1, 2 & 3. FULTON, J. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/30. 16pp. 84763268-84763268.

V. Operator Examinations

9507170139 Discusses NRC requirements of licensees for NRC to perform scheduled licensed operator exams during week of 951023 at plant. GUYNN, T.P. Region 4 (Post 820201). 95/07/12. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84756122-84756128.

DOCKET 80-837 CLINCH RIVER BREEDER REACTOR

A. Application/construction stage documents & correspondence

9507200062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co of New York, Inc. 10pp. 84518259-84518268.

DOCKET 52-001 GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.

9507180372 Summary of 950627 meeting re response to questions on proposed design certification rules for ABWR & Sys 60+ designs. WILLSON, J.N. Standardization Project Directorate (POST) (Post 941001). 95/07/13. QUAY, T.R. Standardization Project Directorate (POST) (Post 941001). 8pp. 84727010-84727017.

9507170189 Informs of changes to sys test per request of JN Fox. NEGUS, P.T. General Electric Co. 95/07/12. Document Control Branch (Document Control Desk). 2pp. 84755118-84755119.

DOCKET 52-083 SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.

9507180381 Advises that Sys 60+ design control document (DCD) recorded on compact disk & forwarded to S. Magruder. All DCD updates issued through 950324 contained in bulky electronic copy. BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN, C.B. ASEA Brown Boveri, Inc. 95/07/06. Document Control Branch (Document Control Desk). 1p. 84888320-84888320.

9507180372 Summary of 950627 meeting re response to questions on proposed design certification rules for ABWR & Sys 60+ designs. WILLSON, J.N. Standardization Project Directorate (POST) (Post 941001). 95/07/13. QUAY, T.R. Standardization Project Directorate (POST) (Post 941001). 8pp. 84727010-84727017.

DOCKET 52-003 AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.

9507070294 Forwards proprietary Vote 14V of WCAP-14252, "AP600 Low Pressure Integral Sys Test at Oregon State Univ Final Data Rept." Rept withheld from public disclosure per 10CFR2.780. LIPARULO, N.J. Westinghouse Electric Corp. 95/06/13. QUAY, T.R. Document Control Branch (Document Control Desk). 4pp. 84728001-84728011.

134 DOCKETED ITEMS

-9507070295 Requests that proprietary Vols I-IV of WCAP-14252, "AP600 Low-Pressure Integral Sys Test at Oregon State Univ Final Data Rept" be withheld from public disclosure per 10CFR2.790
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/13 QUAY,T.R. Document Control Branch (Document Control Desk) 7pp. 84728:005-84728:011

9507130172 Forwards W rept WCAP-14383, "W GOTHIC Code Description & Validation," (nonproprietary) & W rept WCAP-14382, "W GOTHIC Code Description & Validation," (proprietary) Proprietary W rept WCAP-14382 withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/20 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:065

-9507130176 Requests that W rept WCAP-14382, "W GOTHIC Code Description & Validation," be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/20 QUAY,T.R. Document Control Branch (Document Control Desk) 7pp. 84735:059-84735:065

-9507130182 W nonproprietary rept WCAP-14383, "W GOTHIC Code Description & Validation," (nonproprietary) & W rept WCAP-14382, "W GOTHIC Code Description & Validation," (proprietary) Proprietary W rept WCAP-14382 withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/20 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:065

9507130225 Summary of 950510 meeting w/representatives of W in Monroeville,PA to address issues re AP600 reactor vessel internals List of attendees & table of specific issues discussed encl.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/22 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

9507130387 Forwards info requested on LBB bounding analysis curve for 4 inch diameter ADS line
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/26 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

9507130396 Forwards proprietary Rev 0 to PXS-GSR-100, "AP600 LOFTTRAN-AP & LOFTTR 2-AP Final Verification & Validation Rept," for June 1995 Rept withheld (ref 10CFR2.790).
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/27 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

-9507130396 Requests proprietary Rev 0 to PXS-GSR-100, "AP600 LOFTTRAN-AP & LOFTTR 2-AP Final Verification & Validation Rept," for June 1995,be withheld (ref 10CFR2.790).
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/27 QUAY,T.R. Document Control Branch (Document Control Desk) 7pp. 84735:059-84735:109

9507130400 Forwards list of questions provided to Westinghouse to support 950522 telcon. Questions related to defining & assessing nsl important tasks for AP600 human factors engineering program.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/28 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

9507130428 Summary of 950113 meeting w/atl in Rockville,MD to discuss regulatory treatment of non-safety RHRS for ubl AP600 design.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/29 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

9507130446 Forwards comments on results of completion of task 4 of AP600 passive sys thermal hydraulic uncertainty evaluation. Requests comments within 2 wks of receipt of R.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/29 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

9507130463 Forwards proposed draft/markups of SSAR Section 16.4 & Subsection 16.9.5. Encl 1 submitted as proposed response to letter AP600 draft safety evaluation rept Chapter 18 open items
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/30 QUAY,T.R. Document Control Branch (Document Control Desk) 37pp. 84735:059-84735:109

9507130484 Forwards proprietary draft Rev 0, "OR State Univ Test Analysis Rept," for June 1995. Proprietary draft rept withheld (ref 10CFR2.790).
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/30 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

-9507130484 Requests for proprietary draft Rev 0 to "OR State Univ Test Analysis Rept," to be withheld (ref 10CFR2.790).
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/30 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

9507130484 Forwards Rev 4 of AP600 SSAR, closing many DGER open items. Verification of items closed by transmittal will be provided by separate cover. SSAR contains proprietary info. Proprietary info withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/30 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

-9507130484 Requests that proprietary portion of Rev 4 of SSAR be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/30 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

-9507130487 Nonproprietary portion of Rev 4 of SSAR.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/30, 10pp. 84735:059-84735:109

9507130491 Inform of proposed resolutions & where appropriate staff positions on key technical issues pertaining to Westinghouse AP600 standardized passive reactor design certification.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/30 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

9507130504 Forwards proprietary "Notrup Preliminary Validation Rept For SPES-2 Tests"
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/07 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

-9507130512 Requests that "AP600 Notrup Preliminary Validation Rept For SPES-2 Tests" be withheld.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/07 QUAY,T.R. Document Control Branch (Document Control Desk) 7pp. 84735:059-84735:109

9507130509 Notification of 950710-11 meeting w/Westinghouse in Monroeville,PA to discuss status of AP600 intersystem LOCA analyses, Adverse Sys Interactions analyses, & reactor sys branch DGER open items
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/07 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

9507130546 Submits understanding of agreements discussed during 950214-17 meeting
QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001) 95/07/07 LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 84735:059-84735:109

9507130578 Forwards proprietary preliminary marked up sections of SSAR Chapter 15 (Accident Analyses). Encl withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/10 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

-9507130583 Requests that preliminary marked up sections of SSAR Chapter 15 (Accident Analyses) be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/10 QUAY,T.R. Document Control Branch (Document Control Desk) 7pp. 84735:059-84735:109

9507130588 Forwards proprietary "NOTRUMP Preliminary Validation Rept for OSU Tests" Encl withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/11 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

-9507130588 Requests that proprietary "NOTRUMP Preliminary Validation Rept for OSU Tests" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/11 QUAY,T.R. Document Control Branch (Document Control Desk) 7pp. 84735:059-84735:109

9507130622 Forwards proprietary WCAP-14425, "Evaluation of AP600 Conformance to Inter-Sys LOCA Acceptance Criteria," per discussions held at 950327,0425 & 0710 meetings w/NRC. Rept withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/13 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

-9507130624 Requests that proprietary WCAP-14425, "Evaluation of AP600 Conformance to Inter-Sys LOCA Acceptance Criteria," be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/13 QUAY,T.R. Document Control Branch (Document Control Desk) 7pp. 84735:059-84735:109

9507130648 Notification of 950713 meeting w/Westinghouse in Rockville, MD to perform follow-up audit of AP600 design re pipe break & leak before break. Agenda encl.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/13 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

9507130656 Forwards Rev 4 to "AP600 PRA." Encl contains PRA sensitivity & importance analyses, RTNRS focused PRA sensitivity study, low power & shutdown PRA, winds, floods & other external events evaluation & updated results chapter.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/14 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

-9507130656 Requests that Rev 4 to "AP600 PRA" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/14 QUAY,T.R. Document Control Branch (Document Control Desk) 7pp. 84735:059-84735:109

9507130683 Forwards rept reviewed by contractor of reliability of important valves in GE & W advance passive LWR designs. Requests that licensee review & identify by R any proprietary info contained in rept by 950831 W/O encl.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/14 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

9507130683 Notification of 950727 meeting w/Westinghouse in Rockville, MD to review general methodology & basis for demonstrating AP600 thermal-hydraulic reliability, computer code applicability & specific staff issues. Agenda encl.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/14 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

9507130683 Forwards nonproprietary WCAP-14308, "AP600 LOFTTRAN-AP & LOFTTR2-AP Final Verification & Validation Rept."
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/19 QUAY,T.R. Document Control Branch (Document Control Desk) 1p. 84735:059-84735:109

-9507130683 Nonproprietary "AP600 LOFTTRAN-AP & LOFTTR2-AP Final Verification & Validation Rept."
LIPARULO,N.J. Westinghouse Electric Corp. WCAP-14308 R00. 95/07/19 180pp. 84735:059-84735:109

9507130683 Provides results of AP600 LBLOCA calculations using WCOBRA/TRAC computer code.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/20 QUAY,T.R. Document Control Branch (Document Control Desk) 73pp. 84735:059-84735:109

9507130683 Forwards Rev 6 to "Simplified Passive Advanced Light Water Reactor Plant Program, AP600 Probabilistic Risk Assessment."
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/21 QUAY,T.R. Document Control Branch (Document Control Desk) 5pp. 84735:059-84735:109

-9507130683 "Simplified Passive Advanced Light Water Reactor Plant Program, AP600 Probabilistic Risk Assessment"
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/21, 204pp. 84735:059-84735:109

9507130683 Forwards proprietary errata & revised pages for "Final Data Rept for ADS Phase B1 Tests" (WCAP-14324), transmitted via 950413 by Revised electronic copy of test data included in WCAP-14324 also encl. Encl withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/24 QUAY,T.R. Document Control Branch (Document Control Desk) 4pp. 84735:059-84735:109

-9507130683 Requests that proprietary errata & amended pages for "Final Data Rept for ADS Phase B1 Tests" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/24 QUAY,T.R. Document Control Branch (Document Control Desk) 7pp. 84735:059-84735:109

950719053 Informa that listed materials contain no info considered to be proprietary LIPARULO,N.J. Westinghouse Electric Corp 95/07/24 QUAY,T.R. Document Control Branch (Document Control Desk) 2pp 84803 214-84803 315

9507270234 Submits notice of 950727 meeting w/Westinghouse in Rockville,MD to review proposed license path to closure for issues associated w/plasma CCS program approach
COYNE,K.A. 95/07/25 QUAY,T.R. 4pp 84843 332-84843 336

9507280143 Summary of 950412-13 meeting w/Westinghouse re status of open issues re internally-generated noises/noises generated by natural phenomena,externally-generated noises,pipe breaks outside of containment,et al
NINH,S.D. 95/07/25 4pp 84842 300-84842 343

9507280288 Discusses status of AP600 draft safety evaluation report open items re element 7 of human factors engineering program review model
HUFFMAN,W.C. 95/07/25 LIPARULO,N.J. Westinghouse Electric Corp 18pp 84845 094-84845 051

9507280289 Discusses completion of commitments made during 950628 senior mgt meeting on AP600
QUAY,T.R. 95/07/25 LIPARULO,N.J. Westinghouse Electric Corp 8pp 84856 354-84856 381

DOCKET 93-004 GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.

9507280213 Submits GE perspective on 950619 mgt video conference w/GE & EPRI at GE facility in San Jose,CA & NRC & DOE & DOE facility in Germantown,MD Video aids used at San Jose facility end
QUINN,J.E. General Electric Co 95/06/20 QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001) 15pp 84561 025-84561 058

9507280275 Responds to 950511 ltr re revised schedule for review of SBWR Technology Program
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001) 95/06/21 QUINN,J.E. General Electric Co 8pp 84508 354-84508 366

9507280310 Provides authorization for Energy Research Foundation to release PANDA RELAPS/MODS deck to NRC
QUINN,J.E. General Electric Co 95/06/20 QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001) 1p 84561 131-84561 181

9507270054 Responds to ltr of 950421 denying request that document, "Audit Report APP 95-3 Quality Assurance Audit of SBWR Panthers Test Program by Svc & Projects Quality 950206-08" be withheld from public disclosure per 10CFR2.790
SCALET,T.D. Standardization Project Directorate (PDST) (Post 941001) 95/06/29 QUINN,J.E. General Electric Co 3pp 84559 328-84559 330

9507280034 Forwards pre-test analysis for PANTHERS-IC tests
QUINN,J.E. General Electric Co 95/07/05 QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001) 1p 84649 277-84649 298

-9507280038 "Pre-Test Analysis for PANTHERS-IC Tests"
General Electric Co 95/07/05 22pp 84649 279-84649 298

9507280040 Forwards proprietary analysis report re PANTHERS-PCC
QUINN,J.E. General Electric Co 95/07/06 QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001) 7pp 84892 130-84892 136

9507280062 Forwards responses to open items noted in NRC 950328 ltr re summary of 950308 & 09 meetings covering GIRAFFE/helium test conditions & beam/GIRAFFE facility characterization tests & GIRAFFE/non-condensable gas measurements
QUINN,J.E. General Electric Co 95/07/11 QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001) 17pp 84676 160-84676 178

9507280146 Forwards revised response to request for add info re SBWR design - sys integral testing at GIRAFFE test facility
QUINN,J.E. General Electric Co 95/07/13 QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001) 3pp 84783 381-84783 393

9507280183 Forwards Rev 1 to 25A5677, "GIRAFFE Helium Test Spec Legend or Description of Groups"
QUINN,J.E. General Electric Co 95/07/14 QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001) 1p 84783 308-84783 337

-9507280170 Rev 1 to 25A5677, "GIRAFFE Helium Test Specification Legend or Description of Groups"
FORTINLA, HERZOGUM, AHMANN,R. General Electric Co 95/05/10 32pp 84783 307-84783 237

9507280245 Forwards proprietary Rev 0 to TOGE110-107, "GIRAFFE Heat Removal Performance Tests, Test Plan & Procedures" Proprietary and withheld (ref 10CFR2.790)
QUINN,J.E. General Electric Co 95/07/14 QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001) 6pp 84765 271-84765 276

9507280062 Ask receipt of 950527 ltr responding to NRC request for clarification of charges for two jobs on invoice 1041653-95 NRC would like to receive copy of draft of SBWR ITACS developed by LUMI
QUINN,J.E. General Electric Co FRI L-1867 95/07/14 TREMPER,L. License Fee & Debt Collection Branch (Post 950827) 1p 84768 354-84768 354

9507210277 Provides changes to thermal/hydraulic data report of Panthers PCC Tests
QUINN,J.E. General Electric Co 95/07/19 Document Control Branch (Document Control Desk) QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001) 5pp 84821 231-84821 235

9507240249 Forwards NUREG/CR-6166, "Valve Reliability for Passive ALWR" which is revised by contractor of reliability of important valves in GE & Westinghouse ALWR Requests report be reviewed by 950831 W/o end
JACKSON,D.T. Standardization Project Directorate (PDST) (Post 941001) 95/07/16 QUINN,J.E. General Electric Co 2pp 84784 352-84784 263

9507280077 Advises that GE reviewing and to ref ltr to determine any add proprietary materials that GE has made to support design certification for SBWR Preliminary test of GE proprietary submittals for 1995 end
QUINN,J.E. General Electric Co 95/07/19 QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001) 2pp 84836 352-84836 259

9507280272 Informa of withdrawal of GE PANDA audit report & associated affidavit
QUINN,J.E. General Electric Co 95/07/20 QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001) 1p 84821 230-84821 230

9507210276 Forwards proprietary document ALPHA-509, "PANDA Steady-State Tests S1 Through S9 PCC Performance Apparent Test Results, satisfying item 6 of attachment to GE 950510 ltr Document withheld per 10CFR2.790
QUINN,J.E. General Electric Co 95/07/20 QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001) 5pp 84797 339-84797 349

9507210280 Informa of withdrawal of GE GIRAFFE Audit Report & associated affidavit
QUINN,J.E. General Electric Co 95/07/20 Document Control Branch (Document Control Desk) QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001) 1p 84821 236-84821 236

9507210282 Informa of withdrawal of GE presentation charts from 950109 meeting w/ NRC staff
QUINN,J.E. General Electric Co 95/07/20 Document Control Branch (Document Control Desk) QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001) 1p 84821 239-84821 239

9507210317 Informa of withdrawal of GE PANTHERS Audit Report & Associated affidavit
QUINN,J.E. General Electric Co 95/07/20 Document Control Branch (Document Control Desk) QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001) 1p 84821 240-84821 240

9507280178 Forwards updated status of test documentation submittals
QUINN,J.E. General Electric Co 95/07/24 QUAY,T.E. Document Control Branch (Document Control Desk) 4pp 84875 243-84875 246

9507280174 Forwards updated status of TRACG analysis deliverables
QUINN,J.E. General Electric Co 95/07/25 QUAY,T.E. Document Control Branch (Document Control Desk) 2pp 84875 237-84875 238

9507280095 Confirms that NRC may re SBWR testing activities at PANTHERS test facility in Pacifically will be conducted on 950718-21 ltr will review QA program & controls implemented during design, procurement & construction testing
WILSON,J.H. Standardization Project Directorate (PDST) (Post 941001) 95/07/11 QUINN,J.E. General Electric Co 4pp 84728 354-84728 357

DOCKET DOCKET UNKNOWN

9507280206 Requests add info re AEC terminated licenses SNM-625 & 31-00072-02 Facilities identified as having used licensed mat but show no record of final radiological survey
KINNEMAN,J.D. Region 1 (Post 820201) 95/06/26 RYAN,R. Rosalind Polytechnic Institute, Troy, NY 15pp 84507 323-84507 338

9507270104 Requests info re timing & circumstances of sale of Fort Street site to FIC by BP relevant to NRC determination of what actions should be taken re site
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940406) 95/07/13 ELLMAN,W. 4pp 84861 308-84861 311

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-002 BABCOCK & WILCOX CO., LYNNBURG, VA

9507210246 Forwards application for renewal of license SNM-0042
OLSEN,J.F. Babcock & Wilcox Co 95/07/14 PERSON,R.C. Licensing Branch 4pp 84817 001-84818 060

-9507210251 Application for renewal of license SNM-0042
Babcock & Wilcox Co 95/07/12 44pp 84817 005-84818 060

9507280066 Discusses actions being pursued in response to violation of nuclear criticality safety limit in low level dissolver associated w/U recovery operation Formal root cause/incident investigation sys should be implemented by 941107
OLSEN,J.F. Babcock & Wilcox Co 94/11/01 EBNETER,S.D. Region 2 (Post 820201) 2pp 84815 315-84815 318

9507280014 Forwards thirteenth & final quarterly update of response to NRC ltr re violations noted in insp report 70-0027/86-18 Corrective actions B&W intends to eliminate all sources of contamination from licensed tanks into recycled water sys
LEE,T.D. Babcock & Wilcox Co 94/12/06 STORR,J.P. Document Control Branch (Document Control Desk) 17pp 84816 256-84816 274

9507280060 Discusses add corrective actions listed in ref ltr in reply to NOV Target date of 941201 not met due to delay of restarting recovery operations than completed on 941212
OLSEN,J.F. Babcock & Wilcox Co 94/12/12 Region 2 (Post 820201) 1p 84777 349-84777 348

9507210008 Forwards comments re NRC Window request/notification of shipment to MA Institute of Technology
FOSTER,R.L. Babcock & Wilcox Co 95/06/06 BENNINGTON,G. Transportation Branch (Post 950207) MASHNYKE,D. NRC - No Detailed Attribution Given 2pp 84738 016-84738 011

9507280085 Informa that completion of procedure incorporating list of info contained in decommissioning files re safe & effective decommissioning of facility, as well as requirement to review & update list every two yrs, occurred on 950802
OLSEN,J.F. Babcock & Wilcox Co 95/06/19 Region 2 (Post 820201) 1p 84668 321-84668 322

136 DOCKETED ITEMS

9507050220 Forwards response to NRC ltr re violations noted in insp rept 70-0027/95-12. Corrective actions amended PFD practices to assure that review of presumptive positive drug test results performed by medical review officer.
CONNER, J.A. Babcock & Wilcox Co. 95/06/26 Document Control Branch (Document Control Desk) App 84570.209-84570.206

9507120047 Forwards insp rept 70-0027/95-11 on 950506-12 One violation noted NOV had been issued on 950520
COLLINS, D.M. Region 2 (Post 820201) 95/06/26 CONNER, J.A. Babcock & Wilcox Co. 2pp 84575.053-84575.056

-9507120053 Insp rept 70-0027/95-11 on 950506-12 Violation noted Major areas inspected portion of licensee nuclear criticality safety program re U recovery area.
ELLIOTT, J.P. HARMON, C. JONES, T. Region 2 (Post 820201) 95/06/26 22pp 84575.055-84575.086

9507080084 Forwards amend 71 to license SNM-42 & SER Amend authorizes organizational changes
PERSON, R.C. Licensing Branch 95/06/27 OLSEN, A.F. Babcock & Wilcox Co. 1p 84618.333-84618.345

-9507080086 Amend 71 to license SNM-42, authorizing organizational changes
PERSON, R.C. Division of Fuel Cycle Safety & Safeguards (Post 820201) 95/06/27 11pp 84618.334-84618.344

-9507080087 SER supporting amend 71 to license SNM-42
* NRC - No Detailed Affiliation Given 95/06/27 1p 84618.343-84618.345

9507120184 Confirms 950606 telcon between DC Ward & DM Collins re meeting to discuss plans & schedules for processing mail under Project Sapphire & insp activities for project. Meeting scheduled for 950720
COLLINS, D.M. Region 2 (Post 820201) 95/06/27 CONNER, J.A. Babcock & Wilcox Co. 2pp 84676.356-84676.357

9507190044 Informs that handouts provided to NRC at 950611 meeting on B&W Nuclear Technologies SG tube repair method to be withheld from public disclosure, per 10CFR 790.019 Section 103(b) of Atomic Energy Act & 950529 request
DEMBEK, S. 95/06/30 TAYLOR, J.H. Babcock & Wilcox Co. App 84728.180-84728.183

9507120376 Informs that on 950703 JP Stolt retired from post snc BS Mallett appointed to position of Director, Div of Radiation Safety & Safeguards
COLLINS, D.M. Region 2 (Post 820201) 95/07/07 CONNER, J.A. Babcock & Wilcox Co. 1p 84675.358-84675.359

9507130243 Ack receipt of 950626 ltr in response to violations noted in insp rept 70-0027/95-12
COLLINS, D.M. Region 2 (Post 820201) 95/07/07 CONNER, J.A. Babcock & Wilcox Co. 2pp 84732.310-84732.311

9507170011 Confirms telcon setting listed 1996 windows for shipment of new fuel from B&W in Lynchburg, VA, to Univ of Missouri research reactor at Columbia, MO
HULTSCH, J.A. Mission, Univ. of Columbia, MO 95/07/11 BENNINGTON, G. Office of Nuclear Material Safety & Safeguards 2pp 84850.322-84850.323

9507200046 Forwards insp rept 70-0027/95-13 on 950612-16 No violations noted
BARR, K.P. Region 2 (Post 820201) 95/07/12 CONNER, J.A. Babcock & Wilcox Co. 2pp 84815.281-84815.284

-9507200048 Insp rept 70-0027/95-13 on 950612-16 No violations noted Major areas inspected IP, evaluation of coordination of emergency planning w/ offsite support agencies & emergency plan & implementing procedures
KREHL, L. BARR, K.P. Region 2 (Post 820201) 95/07/10 6pp 84815.292-84815.299

-9507200048 Provides info details & scope of Mt Athos Site Emergency Plan
HUGHES, J.H. Babcock & Wilcox Co. 95/06/16 Region 2 (Post 820201) 4pp 84818.291-84818.294

9507200108 Forwards response to NRC questions/comments did 950612. Revised re-approval application incorporating changes will be sent to NRC by end of wk.
OLSEN, A.F. Babcock & Wilcox Co. 95/07/12 FLACKED, Licensing Branch 23pp 84763.286-84763.306

9507200489 Responds to violation noted in insp rept 70-0027/95-10 Corrective actions change control sys revised, all originators & safety evaluators trained in revs & drawing control procedure w/ plant-wide applicability implemented
CONNER, J.A. Babcock & Wilcox Co. 95/07/20 Document Control Branch (Document Control Desk) App 84824.140-84824.145

DOCKET 70-0036 COMBUSTION ENGINEERING, INC., HEMATITE, MO

9507250281 Forwards insp rept 70-0036/95-201 on 950612-16 & notice of violation
THIG, P. Operations Branch 95/07/12 JUNKRANS, S.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) 2pp 84838.329-84838.345

-9507250294 Insp rept 70-0036/95-201 on 950612-16 Violations noted Major areas inspected chemical process safety related to handling of licensed mail, including system of hazard identification & assessment, process safety info & operating procedures
STOUT, D.E. SMITH, G.A. TROSKOSKI, W.M. Operations Branch 95/07/11 13pp 84838.331-84838.343

-9507250296 Notice of violation from insp on 950612-16 Violation noted operability of R-2 steam line shutoff valves & calibr of R-1, R-2 & R-3 inlet pressure switches not conducted at least every six months
* Operations Branch 95/07/12 2pp 84838.344-84838.345

9507190138 Provides addl info re Hematite burst site well
MICHELSEN, M.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) MICHELSEN, M.A. ABB Atom, Inc. (formerly ASEA Atom, Inc.) 95/07/14 PERSON, R.C. Licensing Branch 3pp 84788.325-84788.327

DOCKET 70-0113 PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA

9507100084 Forwards insp rept 50-005/95-01 & 70-0113/95-01 on 950409-14 No violations noted
JOYNER, J.H. Region 1 (Post 820201) 95/06/26 SHIRLEY, D.A. Pennsylvania State Univ., Harrisburg, PA. 2pp 84838.381-84838.385

-9507100080 Insp rept 50-005/95-01 & 70-0113/95-01 on 950409-14 No violations noted Major areas inspected reactor operations, health physics program emergency preparedness, mgmt oversight & use of special nuclear fuel
DRAGOUN, T. Region 1 (Post 820201) 95/06/26 7pp 84838.353-84838.359

DOCKET 70-0131 CLEVITE CORP., CLEVELAND, OH

9507300188 Partial response to FOIA requests for documents App A records already available in PDR
FOWELL, R.A. Division of Freedom of Information & Publications Services (Post 840714) 95/02/21 MORIANO, D. Affiliation Not Assigned App 84872.012-84872.013

DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

9507080087 Requests that NRC formally release for unrestricted use at earliest possible date Apollo OIC Bldg grounds
SCHARLAT, D.K. Babcock & Wilcox Co. 95/06/26 PERSON, R.C. Division of Fuel Cycle Safety & Safeguards (Post 820201) 1p 84617.359-84617.359

9507200067 Requests technical assistance in reviewing B&W 950626 request for release of Apollo OIC Bldg grounds for unrestricted use
PERSON, R.C. Licensing Branch 95/07/10 WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 2pp 84824.033-84824.034

9507200151 Responds to 950628 ltr, expressing concern re incompleteness of NRC characterization of sludge ash lagoon at facility contaminated w/ enriched U
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/07/14 KOSSAK, R.N. 3pp 84875.217-84875.219

9507200052 Notification of licensee meeting 95-09 w/ut on 950803 to review findings of latest NRC insp of decommissioning of former B&W facility in Apollo & operations at Parks Township facility
FAGLAND, R. BOESSE, R. Region 1 (Post 820201) 95/07/17 Region 1 (Post 820201) 2pp 84824.354-84824.354

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

9507200118 "NPDES Discharge Monitoring Rept for June 1994" W/940714 ltr
MAXIN, A.M. Nuclear Fuel Services, Inc. 94/06/30 CROWNOVER, S. Tennessee State of 8pp 84824.249-84824.250

9507200446 "NPDES Discharge Monitoring Rept for Sept 1994" W/941018 ltr
MAXIN, A.M. Nuclear Fuel Services, Inc. 94/09/30 CROWNOVER, S. Tennessee State of 12pp 84824.252-84824.263

9507200448 "Storm Water Monitoring Rept for Yr 95/1001-940830" W/941031 ltr
MAXIN, A.M. Nuclear Fuel Services, Inc. 94/09/30 CROWNOVER, S. Tennessee State of 8pp 84824.159-84824.174

9507200321 "NPDES Discharge Monitoring Rept for Oct 1994" W/941115 ltr
MAXIN, A.M. Nuclear Fuel Services, Inc. 94/10/31 CROWNOVER, S. Tennessee State of 8pp 84824.261-84824.270

9507270271 Forwards pages from L Petrie re file of Cl as in Sept 1993 & pages of SCALE-PC output file, which per L Petrie indicates corrected library
WEBER, M.F. Nuclear Fuel Services, Inc. 95/03/17 JONES, T. Office of Nuclear Material Safety & Safeguards 10pp 84873.134-84873.143

9507200202 Forwards corrected 950524 ltr ack receipt of 950510 response to NOV Ltr listed rept number as 70-0027/95-02 instead of 70-0143/95-02
COLLINS, D.M. Region 2 (Post 820201) 95/06/19 FERGUSON, D. Nuclear Fuel Services, Inc. 2pp 84576.075-84576.077

9507080138 Informs that licensee may suspend annual audit of Health & Human Svcs certified lab, in response to 950524 ltr requesting clarification of 10CFR25 requirement
PERSON, R.C. Licensing Branch 95/05/22 MAXIN, A.M. Nuclear Fuel Services, Inc. 1p 84618.352-84618.352

9507080132 Summary of 950606 meeting w/NFS in Erwin, TN re new emergency plan
COX, T.H. Licensing Branch 95/06/26 PERSON, R.C. Licensing Branch 6pp 84818.348-84818.351

9507080142 Forwards summary of 950606 meeting w/NFS in Erwin, TN re new emergency plan
PERSON, R.C. Licensing Branch 95/06/26 MAXIN, A.M. Nuclear Fuel Services, Inc. 1p 84618.353-84618.353

9507200088 Quarterly "RFI & Intern Measures (IM) Progress Rept." W/ 950707 ltr
MAXIN, A.M. Nuclear Fuel Services, Inc. 95/06/30 FARMER, G.A. Environmental Protection Agency TIESLER, T. Tennessee State of 32pp 84829.169-84829.200

9507130179 Revised response to violations noted in Insp Rept 70-0143/95-02 Corrective actions all involved personnel completed & safety deficiency rept written to Foreman of individuals
MAXIN, A.M. Nuclear Fuel Services, Inc. 95/07/08 Document Control Branch (Document Control Desk) App 84881.228-84881.231

9507120367 Informs that on 950703, JP Stolt retired from post snc BS Mallett appointed to position of Director, Div of Radiation Safety & Safeguards
COLLINS, D.M. Region 2 (Post 820201) 95/07/07 FERGUSON, D. Nuclear Fuel Services, Inc. 1p 84675.358-84675.359

9507130076 Forwards quarterly RFI & intern measures progress rept. Next quarterly RFI/intern measures progress rept will be submitted by 951005
MAXIN, A.M. Nuclear Fuel Services, Inc. 95/07/07 FARMER, G.A. Environmental Protection Agency TIESLER, T. Tennessee State of 32pp, 84881.331-84881.352

9507120368 Forwards revised pages as 1995 annual update to Part II of license SNM-124, per condition 5-67, renewing chapters 9, 10, 12, 14 & 15
MAXIN, A.M. Nuclear Fuel Services, Inc. 95/07/09 PERSON, R.C. Licensing Branch 180pp 84670.149-84670.328

950720289 Informa that since NFS currently possesses no category 1A radwaste not subject to 10CFR26.71 requirements to submit PFD performance report for period ending 9/30/90. No radon screenings performed during period.
MAXIMA M. Nuclear Fuel Services, Inc. 95/07/17. PIERSON R.C. Licensing Branch. 1p. 84807 331-84807 331

DOCKET 70-094 BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA

9507070232 Forwards detector's decision under 10CFR2.206 re sections (Q & X) of re-operations petition dtd 940105 & FR notice.
PAPERELLO C.J. Office of Nuclear Material Safety & Safeguards. 95/06/26. AMENO P.J. Citizens Action for Safe Environment. BOLOGNA J. Kala Valley Coalition to Save Our Children. 2pp. 84619 273-84619 313

9507070246 Director's Decision DO-95-12 under 10CFR2.206, advising that no further action warranted re sections (Q & X) of Citizen for Safe Environ & Kala Valley Coalition to Save Our Children petition dtd 940105.
PAPERELLO C.J. Office of Nuclear Material Safety & Safeguards. 95/06/26. 11pp. 84619 275-84619 283

9507070258 FR notice of director's decision under 10CFR2.206 re (Sections Q & X) referred to EDO by ASLB in initial director's decision dtd 950103.
PAPERELLO C.J. Office of Nuclear Material Safety & Safeguards. 95/06/26. 4pp. 84619 284-84619 289

9507070276 Forwards ASLB initial decision dtd 950103, releasing concerns raised by Citizens Action for Safe Environ & Kala Valley Coalition to Save Our Children to EDO for consideration as requests for action under 10CFR2.206.
GOLDBERG J.M. Deputy Assistant General Counsel for Enforcement. 95/01/31. BERNEOUR M. Office of Nuclear Material Safety & Safeguards. 24pp. 84619 290-84619 313

9507103223 Provides response to comments re B&W Parks facility characterization plan.
YOUNG D.B. Babcock & Wilcox Co. 95/06/29. BALDASSARE F. Pennsylvania. Commonwealth of. 3pp. 84695 024-84695 026

9507103519 Responds to 950530 fr providing comments on Shallow Land disposal area remediation proposal & other supporting documents.
ROSENTHAL P.R. Babcock & Wilcox Co. 95/06/30. ASTWOOD H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 84688 067-84688 057

9507270389 Notification of licensee meeting w/B&W on 950725 to discuss NRC comments & add info request on licensee remediation proposal, characterization report & work license & ARCO plan to perform in summer to meet info requests.
Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/13. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 83pp. 84672 285-84672 347

9507200226 Responds to 950413 fr requesting release of soil pile F under Option 2 release criteria of 1981 BTP, disposal or on-site storage of thorium or U from past operations.
PIERSON R.C. Licensing Branch. 95/07/17. SGARLATA D.K. Babcock & Wilcox Co. 1p. 84615 352-84615 353

9507240952 Notification of licensee meeting 95-59 w/rel on 950803 to review findings of latest NRC insp of decommissioning of former B&W facility in Apollo & operators at Parks Township facility.
RAGLAND R. BORES R. Region 1 (Post 820201). 95/07/17. Region 1 (Post 820201). 2pp. 84824 354-84824 354

9507280128 Forwards copies of Repts from B&W, ARCO & ORAU w/o end.
ASTWOOD H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/18. ENEMINGER T. Oak Ridge Associated Universities. 1p. 84675 172-84675 172

9507280289 Responds to 950413 fr re Parks SLDA financial assurance.
ROSENTHAL P.R. Babcock & Wilcox Co. 95/07/20. LAMASTRA J.A. Licensing Branch. 3pp. 84635 238-84635 240

9507270177 Forwards NUREG-1065 by Congressman Murtha Oic.
PAPERELLO C.J. Office of Nuclear Material Safety & Safeguards. 95/07/25. AMENO P.J. Citizens Association for Sound Energy. 1p. 84672 222-84672 224

DOCKET 70-0687 CMTICHEM, INC., TUXEDO, NY

9507180306 Forwards supplementary info requested in NRC 950608 fr re licensee proposed method for developing bedrock release criteria, including proposed bedrock sampling plan.
MCGOVERN J.J. Cmtichem, Inc. 95/07/12. WEBER M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 84784 068-84784 096

DOCKET 70-0724 GENERAL ATOMICS, SAN DIEGO, CA

9507120168 Forwards "GA Hot Cell Facility Decommissioning Plan".
ASMUSSEN K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/07/06. PIERSON R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 84670 061-84670 148

9507120194 "GA Hot Cell Facility Decommissioning Plan".
SILLS J.M., NICOLAYEFF V., BRAMBLETTE G.C. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). PC-000423 R01. 95/06/23. 148pp. 84670 003-84670 148

9507280886 Forwards "Confirmatory Survey for Phase II of SVA Decommissioning Project for General Atomics in San Diego, CA".
ADAMS W.C. Oak Ridge Associated Universities. 95/06/28. CHANEY D. Walnut Creek Field Div. R4 (Post 940404). 1p. 84842 104-84842 148

9507280906 "Confirmatory Survey for Phase II of SVA Decommissioning Project, General Atomics, San Diego, CA." dtd June 1995.
ADAMS W.C., ABELQUISTE W., LAUDENMAN J. Oak Ridge Associated Universities. 95/06/28. 48pp. 84842 105-84842 143

9507130074 Forwards insp rpt 70-0734/95-03 on 950612-16. No violations or deviations noted. Matters re installation of gaseous effluent sampling sys demonstrate need for diligence in technical design & installation of effluent sampling sys.
SCARANO R. Region 4 (Post 820201). 95/07/06. EDWARDS J. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 3pp. 84596 043-84596 054

9507130094 Insps rpt 70-0734/95-03 on 950612-16 & 21. No violations noted. Major areas inspected: radioactive waste mgmt, environmental protection, low-level radioactive waste storage & disposal, & transportation of radioactive mmt.
WENSLAWSKI F.A. Region 4 (Post 820201). 95/07/06. 84596 046-84596 054

9507120168 Forwards GA hot cell facility decommissioning plan for approval per 950626 taken for approval w/o end.
ASMUSSEN K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/07/06. KAPLAN B. California. State of. 2pp. 84681 329-84681 330

9507200212 Forwards amend 31 to license SNM-896 & SERL amend details Group 6 Labs as authorized places of use.
PIERSON R.C. Licensing Branch. 95/07/18. ASMUSSEN K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 2pp. 84809 083-84809 279

9507210213 Amend 31 to license SNM-896 for General Atomics, releasing Group 6 Labs for unrestricted use.
PIERSON R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/07/18. 16pp. 84809 085-84809 100

9507210214 SER supporting amend 31 to license SNM-896.
NRC - No Detailed Action Given. 95/07/18. 21pp. 84809 101-84809 235

9507090220 Informa that ORAU results indicate that licensee has satisfactorily decommissioned Building 2, Group 6 laboratories.
WENSLAWSKI F.A. Walnut Creek Field Div. R4 (Post 940404). 95/05/16. PIERSON R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 84809 236-84809 279

9507280066 Requests technical assistance in reviewing listed project re General Atomics Hot Cell facility decommissioning plan.
PIERSON R.C. Licensing Branch. 95/07/25. WEBER M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 84676 147-84676 147

DOCKET 70-0734 GENERAL ELECTRIC CO., PLEASANTON, CA

9507140018 Submits advance notification of listed import shipment per requirements of Annex I to convention on physical protection of nuclear material.
KIRKLAND M.W. General Electric Co. 95/06/16. BENNINGTON G. Office of Nuclear Material Safety & Safeguards. 2pp. 84625 117-84625 118

9507130156 Informa of review of self-guarantee financial assurance submittal docs. Items dtd 950323. Subj documents found in compliance w/criteria in 10CFR30 App C, "Criteria Re Use of Financial Tests & Self-Guarantees for Decommissioning".
WEBER M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/10. SCHINDLER W.H. General Electric Co. 1p. 84735 090-84735 090

DOCKET 70-0482 COLUMBIA UNIV., NEW YORK, NY

9507190280 Second partial response to FOIA request for records Apps B & C records and is available in PDF.
Division of Freedom of Information & Publications Services (Post 940714). 95/02/08. STANTON M. Allocation Not Assigned. 3pp. 84739 173-84739 232

9409090087 Responds to 940902 fr from N. Wetherston to AG Hewitt re potential wrongdoing by NY officials & concerns per 940820 telegram sent at Columbia Univ. No future contamination has been found in two horses.
MARTIN T.Y. Region 1 (Post 820201). 94/06/20. MARTINEZ C.L. New York NY. 14pp. 84739 219-84739 232

DOCKET 70-0925 CHARRON CORP., OKLAHOMA CITY, OK

9507280157 Authorizes backfill of South Yard area, based on listed submittals from licensee & Oak Ridge Inst for Science & Education.
WEBER M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/07. LARSON J. Charron Corp. 2pp. 84637 251-84637 252

DOCKET 70-1180 COMBUSTION ENGINEERING, INC., WINDSOR, CT

9507100703 Responds to 950404 submittal, including update on remaining action items from 950309 fr Action items sent to C-E Windsor by DOE FUSRAP Insps.
KOPCHIK J.D. Energy, Dept. of. 95/06/16. CONANT J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CONANT J.F. ASEA Brown Boveri, Inc. 3pp. 84688 357-84688 358

9507250283 Responds to 950625 fr requesting acceleration of cleanup of C-E site in Windsor, CT. Site characterization planned to begin in FY97 subj to availability of appropriate funds.
GRUJELLY T.P. Energy, Dept. of. 95/06/22. DODD C.J., LIEBERMAN J. Senate. 4pp. 84636 244-84636 247

9507070159 Application for amend to license SNM-1067, changing complete listing of effluent pipes.
MICHELSEN M.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). MICHELSEN M.A. ASEA Brown Boveri, Inc. 95/06/30. PIERSON R.C. Licensing Branch. 10pp. 84822 319-84822 326

9507100136 Forwards revised application for renewal of license SNM-1067.
MICHELSEN M.A. ASEA Brown Boveri, Inc. MICHELSEN M.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/06/30. PIERSON R.C. Licensing Branch. 3pp. 84822 336-84822 345

9507100136 Renewed application for renewal of license SNM-1067 for Windsor Lab.
ASEA Brown Boveri, Inc. 95/06/30. 84822 338-84822 345

138 DOCKETED ITEMS

9507170117 Forwards insp rept 70-1100/95-02 on 950523-0602. No violations noted. Licensee staff continued to maintain effective control of access to & activities within facility to protect workers.
JOYNER, J.M. Region 1 (Post 820201). 95/07/07. CONANT, J. ABE Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 84747-230-84747-245.

9507170120 Insp rept 70-1100/95-02 on 950523-0602. No violations noted. Major areas inspected: activities associated w/ decontamination & decommissioning of former nuclear fuel mg facility & actions taken re U contamination in power sys.
MOGUE, J., BORES, R. Region 1 (Post 820201). 95/07/07. 11pp. 84747-233-84747-243.

9507170124 Responds to NRC request re discrepancy info re 831118 Combustion Engineering. It & verbal info re sewage digester waste from former on-site sewage treatment facility.
MICHELSEN, J.A. ASEA Brown Boveri, Inc. 95/03/10. JOYNER, J. Region 1 (Post 820201). 3pp. 84747-244-84747-245.

9507260108 Responds to 950408 re re production issues concerning special nuclear mail from former AEC contracts & concludes that all mail on Windsor site sub to NRC licensing & regulatory jurisdiction, except mail in GO-CO activity.
HEDL, C.W. Region 1 (Post 820201). 95/07/17. CONANT, J. ABE Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 84793-265-84793-267.

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

9507180284 "Semi-Annual Effluent Rept." for Jan-June 1994 W/940823 re WINDLOW, T.P. General Electric Co. 94/06/30. 2pp. 84756-108-84756-110.

9507180312 Semi-annual effluent rept for Jan-Dec 1994 W/950221 re KLAPPROTH, J.F. General Electric Co. 94/12/31. ELMETER, S.D. Region 2 (Post 820201). 2pp. 84755-259-84755-260.

9507120045 Forwards insp rept 70-1113/95-05 on 950522-25. No violations or deviations identified.
COLLINS, D.M. Region 2 (Post 820201). 95/06/20. KIPP, C.P. General Electric Co. 2pp. 84575-267-84575-268.

9507120127 Insp rept 70-1113/95-05 on 950522-26. No violations noted. Major areas inspected: overview of HP activities including radiation protection training, audits & appropriate internal & external controls.
PHARR, E.B., MCALPINE, E.J. Region 2 (Post 820201). 95/06/20. 3pp. 84575-259-84575-264.

9507030306 Forwards three proprietary coverage drawings in response to NRC 950615 request for info. Drawings withheld per 10CFR2.790(d).
KLAPPROTH, J.F. General Electric Co. 95/06/23. MCDANIEL, K.K. Licensing Branch. 2pp. 84625-001-84625-002.

9507060127 Summary of 950614 meeting w/GE re plans to accelerate & relocate approx 70,000 cubic ft of CaF₂ from seven branches located at site northwest storage area to on-site, above ground, covered storage facility.
MCDANIEL, K. Licensing Branch. 95/06/26. PIERSON, R.C. Licensing Branch. 16pp. 84619-001-84619-016.

9507060221 Twp rept of 950615-16 visit to GE, Wilmington, NC to discuss status of dry conversion process & license renewal application. GE attendees and ELMETER, S.D. Division of Fuel Cycle Safety & Safeguards (Post 830207). 95/06/30. PIERSON, R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 84619-021-84619-022.

9507200228 Forwards PAI re GE 950504 re re final status survey & release plan for Northwest CaF₂ storage area.
MCDANIEL, K. Licensing Branch. 95/07/06. KLAPPROTH, J.F. General Electric Co. 4pp. 84619-230-84619-233.

9507120082 Inform that on 950703 JP Sloth retired from govt svc. BS Mallett appointed to position of Director, Div of Radiation Safety & Safeguards.
COLLINS, D.M. Region 2 (Post 820201). 95/07/07. KIPP, C.P. General Electric Co. 1p. 84675-357-84675-357.

9507030165 Inform of review of self-guaranteed financial assurance submittal documents dated 950323. Sub documents found in compliance w/criteria in 10CFR30 App C, "Criteria for Use of Financial Tests & Self-Guarantees for Decommissioning."
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (94/05/94-06/03). 95/07/10. SCHINDLER, W.H. General Electric Co. 1p. 84736-090-84736-090.

9507210346 Forwards revised physical inventory summary rept for period 950619-950704 reflecting changes to SED limit recommended by NRC during insp 70-1113/95-01. Encl withheld per 10CFR2.790(d).
KLAPPROTH, J.F. General Electric Co. 95/07/12. PIERSON, R. Licensing Branch. 1p. 84798-957-84798-957.

9507200128 Submits notification of 950608 meeting w/GE in Rockville, MD to discuss status of GE dry conversion process & license renewal application.
* Licensing Branch. 95/07/17. Licensing Branch. 1p. 84773-358-84773-358.

DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9507240305 "Gaseous Effluent Discharges from Jan-June 1994." W/940829 re GOODWIN, W.L. Westinghouse Electric Corp. 94/06/30. 3pp. 84824-320-84824-322.

9507180316 Gaseous effluent discharges & liquid effluent discharges monitoring rept for Jan-Dec 1994 W/950213 re GOODWIN, W.L. General Electric Co. 94/12/31. 3pp. 84785-356-84785-358.

9507280111 Requests extension of time to respond to insp rept 70-1151/95-02 until 950605.
GOODWIN, W.L. Westinghouse Electric Corp. 95/04/19. COLLINS, D.M. Region 2 (Post 820201). 2pp. 84618-311-84618-312.

9507200186 Ack receipt of 950420 re re insp of W facility radiation protection program by B Pomer on 950324.
GOODWIN, W.L. Westinghouse Electric Corp. 95/04/27. COLLINS, D.M. Region 2 (Post 820201). 1p. 84795-317-84795-317.

9507180106 Forwards response to questions & comments from NRC review of license application & subsequent telecons.
WILLIAMS, R.A. Westinghouse Electric Corp. 95/06/28. KEEGAN, E. Licensing Branch. 11pp. 84692-281-84692-291.

9507060306 Forwards amend 27 to license SNM-1107 & safeguards evaluation rept. Amend incorporates changes to FNMCP.
PIERSON, R.C. Licensing Branch. 95/06/30. WILLIAMS, R.A. Westinghouse Electric Corp. 2pp. 84619-020-84619-020.

9507060307 Amend 27 to license SNM-1107 for Westinghouse, incorporating changes to FNMCP.
PIERSON, R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/06/29. 7pp. 84619-022-84619-028.

9507060309 Safeguards evaluation rept supporting amend 27 to license SNM-1107.
* NRC - No Detailed Attention Given. 95/06/30. 2pp. 84619-029-84619-030.

9507180117 Forwards proprietary quarterly changes to FNMCP. Encl withheld per 10CFR2.790(d).
SANDERS, C.F. Westinghouse Electric Corp. 95/06/30. PIERSON, R. Licensing Branch. 1p. 84692-129-84692-129.

9507120342 Inform that on 950703 JP Sloth retired from govt svc. BS Mallett appointed to position of Director, Div of Radiation Safety & Safeguards.
COLLINS, D.M. Region 2 (Post 820201). 95/07/07. FCI, J.A. Westinghouse Electric Corp. 1p. 84675-342-84675-342.

9507200147 Forwards environ assessment & FONSI prepared to support renewal of license SNM-1107.
KEEGAN, E. Licensing Branch. 95/07/12. WILLIAMS, R.A. Westinghouse Electric Corp. 1p. 84616-280-84616-310.

9507200153 Finding of no significant impact re renewal of main license SNM-1107.
PIERSON, R.C. Licensing Branch. 95/07/12. 2pp. 84618-281-84618-310.

9507240454 Provides suppl to 950505 response re NRC 950607 re concerning violations noted in insp rept 70-1151/95-02. Corrective actions, 81-01 reporting criteria will continue to be implemented at Columbia Fuel Fabrication facility.
FCI, J.A. Westinghouse Electric Corp. 95/07/13. COLLINS, D.M. Region 2 (Post 820201). 4pp. 84624-175-84624-179.

9507200129 Forwards Amend 28 to License SNM-1107, adding Condition S-5 re site emergency plan.
PIERSON, R.C. Licensing Branch. 95/07/14. WILLIAMS, R.A. Westinghouse Electric Corp. 1p. 84779-195-84779-205.

9507200141 Amend 28 to SNM-1151 for Westinghouse, adding condition S-5 re emergency plan.
PIERSON, R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/07/14. 7pp. 84779-196-84779-202.

9507200148 SER accepting changes & concludes of no decrease in effectiveness of SEP & will have no adverse impact on public health, safety or environ.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/14. 3pp. 84779-203-84779-205.

9507240972 Forwards insp rept 70-1151/95-04 on 950625-30. No violations noted.
COLLINS, D.M. Region 2 (Post 820201). 95/07/18. FCI, J.A. Westinghouse Electric Corp. 2pp. 84751-312-84751-321.

9507240974 Insp rept 70-1151/95-04 on 950625-30. No violations noted. Major areas inspected: radiation protection program involving review of health physics activities.
PHARR, E.B., MCALPINE, E.J. Region 2 (Post 820201). 95/07/19. 2pp. 84751-314-84751-321.

9507200134 Forwards insp rept 70-1151/95-04 on 950625-30. No violations noted.
COLLINS, D.M. Region 2 (Post 820201). 95/07/19. FCI, J.A. Westinghouse Electric Corp. 2pp. 84626-201-84626-210.

9507200844 Forwards amend 29 to license SNM-1107 & safety evaluation. Amend authorizes use of calcium fluoride (CaF₂) in brick-making applications.
PIERSON, R.C. Licensing Branch. 95/07/25. WILLIAMS, R.A. Westinghouse Electric Corp. 1p. 84675-148-84675-148.

9507200806 Amend 29 to license SNM-1107 for Westinghouse Electric Corp. Amend authorizes use of calcium fluoride in brick-making applications.
PIERSON, R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/07/25. 7pp. 84675-137-84675-143.

9507200051 Safety evaluation approving amend 29 to license SNM-1107 re use of calcium fluoride in brick-making applications.
* Office of Nuclear Material Safety & Safeguards. 95/07/25. 3pp. 84675-144-84675-148.

DOCKET 70-1201 B&W FUEL CO., LYNCHBURG, VA

9507180280 "Semi-Annual Gaseous Effluent Rept." for period 940701-950101 W/950228 re KNAPP, K.S. B&W Fuel Co. 95/01/01. 2pp. 84786-111-84786-112.

9507060371 Submits procedure for requesting revs to fundamental nuclear mail control plan. Future correspondence should be addressed to RC Person.
LAMASTRA, J.A. Licensing Branch. 95/06/30. KNAPP, K.S. B&W Fuel Co. 1p. 84618-241-84618-241.

9507120343 Inform of change in Region II Div of Radiation Safety & Safeguards. On 950703 JP Sloth retired from govt service. BS Mallett appointed to position of Director, Div of Radiation Safety & Safeguards.
COLLINS, D.M. Region 2 (Post 820201). 95/07/07. GARR, C.W. Babcock & Wilcox Co. 1p. 84675-297-84675-297.

9507170448 Informa of retirement of JP Stehr & appointment of BG Mallett to Director of Region 2, Division of Radiation Safety & Safeguards
COLLINS, D.M. Region 2 (Post 620201) 95/07/07. GARR, C.W. BSW Fuel Co. 2pp. 84851:001-84851:002

9507200127 Forwards Amend 22 to license SHM-1185, incorporating operational changes associated w/accepting equipment from all entities of licensee.
PIERSON, R.C. Licensing Branch 95/07/10. KNAPP, K.S. BSW Fuel Co. 1p. 84800:301-84800:308

-9507200132 Amend 22 to SHM-1186 for BSW Fuel Co., accepting equipment from all entities of BSW nuclear technology
PIERSON, R.C. Division of Fuel Cycle Safety & Safeguards (Post 900207) 95/07/10 5pp. 84800:302-84800:306

-9507200133 SER recommending approval of application
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/10. 2pp. 84800:307-84800:308

DOCKET 70-1252 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9507200119 Informa of rev 1 to licensee 950534 for notifying of shipment of Uranium hexafluoride, isotope from Netherlands to arrive in Richland, WA on 950616.
* Edlow International Co. 95/05/04. BENNINGTON, G. Division of Safeguards & Transportation (97D413-830206). 1p. 84516:084-84516:084

9507200228 Notices of shipment of Uranium hexafluoride, isotope from Moscow, Russia to arrive in Piketon, OH on 950617.
* Edlow International Co. 95/05/24. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 84516:109-84516:108

9507200218 Notices of shipment of Uranium hexafluoride, isotope from Ekaterinburg, Russia to arrive in Piketon, OH on 950622-23
* Edlow International Co. 95/05/26. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 84516:101-84516:101

9507200311 Notification of upcoming shipment of U hexafluoride, isotope, gross weight 79.934 kg, enrichment less than 4.10% enriched in twenty-two 308 cylinders & PSPs from Russia to Piketon, Ohio.
CONDREY, D. Edlow International Co. 95/05/05. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 84516:068-84516:065

9507200328 Submits list of delivery dates which applies to shipments made during second quarter of 1995 in accordance w/requirements of Convention on Physical Protection of Nuclear Material.
CONDREY, D. Edlow International Co. 95/05/30. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 84825:147-84825:147

DOCKET 70-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA

9507130108 Discusses shipment of radioactive waste mail sent to commercial LLRW disposal site operated by US Ecology, Inc. near Richland, WA. Inp of shipment H-200 reported listed violation of US Ecology Radioactive Waste License WH-1019-2.
FORCHANI, E.W. Washington, State of. 95/02/22. WEAVER, J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 84739:112-84739:119

9507210077 Responds to 950616 re to Chairman Sehn re var to consultants at Siemens Power Corp. & expresses concerns about possible rev of 10CFR70.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/06. HASTINGS, R. House of Rep. 1p. 84739:089-84739:093

-9507210119 Discusses 950412 var w/consultants of Siemens Power Corp. in Richland, WA & expresses concerns re possible rev of 10CFR70.
HASTINGS, R. House of Rep. 95/06/16. THE CHAIRMAN, SELIN, J. Commissioners (Post 750110). 2pp. 84739:091-84739:093

9507200448 Forwards revised pages describing revs to special fuels bldg HVAC exhaust license & to license renewal application.
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/06/22. PIERSON, R.C. Licensing Branch. 4pp. 84819:228-84819:231

9507200512 Forwards responses to NRC 950526 RAJ re dry conversion expansion fire protection.
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/06/23. PIERSON, R.C. Licensing Branch. 2pp. 84881:107-84881:136

9507200578 Informa that no deficiencies identified re decommissioning funding plan, Amend 1 to Standby Trust Agreement signed & end.
PIERSON, R.C. Licensing Branch. 95/06/26. MAAS, L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 3pp. 84619:093-84619:095

9507200593 Forwards termination of standby trust agreement w/Siemens Power Corp.
PIERSON, R.C. Licensing Branch. 95/06/30. RADTKE, M. Affiliation Not Assigned. 3pp. 84617:175-84617:177

9507100878 Responds to NRC 950606 for re violation noted in insp rpt 70-1257/95-03. Corrective actions: attached minor container lids to specific containers & returning given to traffic & warehousing personnel on preparation & sign-off of documents.
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/07/07. Document Control Branch (Document Control Desk). 4pp. 84895:084-84895:086

9507200620 Requests technical assistance in reviewing Siemens Power Corp sewage treatment plant sludge analysis.
PIERSON, R.C. Licensing Branch. 95/07/07. COMBS, J. Operations Branch. 2pp. 84615:349-84615:349

9507200663 Informa that NRC unable to return copies of rev 1 of decommissioning funding plan submitted on 950322 because copies part of public record in docket. Re: Replacement copies sent in 950421 re placed in file w/rev change.
ADAMS, M.T. Licensing Branch. 95/07/07. MAAS, L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 84824:032-84824:032

9507190182 Informa that two pages of "ALARA Rept." for 1992 were proprietary. Therefore, Siemens Power Corp agrees that these two pages are removed, document may be put in FOR.
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/07/12. PIERSON, R.C. Licensing Branch. 1p. 84759:342-84759:342

9507200400 Ask receipt of 950707 for informing NRC of steps taken to correct violations noted in insp rpt 70-1257/95-03 on 950808.
WENSLAWSKI, J.A. Walnut Creek Field Ofc, R4 (Post 840404). 95/07/18. MAAS, L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 84783:118-84783:123

9507270236 Discusses NRC concerns re amount of time indicated as necessary to complete accident analyses for Chapter 15 of license re renewal of license. NRC provides and circulates & safety commitments & remaining info required to renew.
TOKAR, M. Licensing Branch. 95/07/19. MAAS, L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 84874:158-84874:157

DOCKET 70-1426 TRANSNUCLEAR, INC., FALLS CHURCH, VA

9507140037 Submits advance notification for import shipment of nuclear mail from countries that not party to convention on physical protection on nuclear mail.
GEORGE, M. Transnuclear, Inc. 95/05/31. COOK, J. NRC - No Detailed Affiliation Given. 3pp. 84625:182-84625:184

9507140032 Submits advance notification for export shipment of "half" cylinders in HCl overpacks as special nuclear mail of low strategic significance.
GEORGE, M. Transnuclear, Inc. 95/05/01. BENNINGTON, G. NRC - No Detailed Affiliation Given. 2pp. 84625:151-84625:152

DOCKET 70-2872 RS HOLDING, INC., CLEVELAND, OH

9507130158 Informa of review of self-guarantee financial assurance submittal documents did 950323. Sub documents found in compliance w/criteria in 10CFR30 App C, "Criteria for Use of Financial Tests & Self-Guarantees for Decommissioning."
WEBER, M.P. Low-Level Waste & Decommissioning Projects Branch (NNS 95 340403). 95/07/10. SCHINDLER, W.H. General Electric Co. 1p. 84739:080-84739:080

DOCKET 70-2910 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9507250180 Provides response to NRC 950619 for re violations noted in insp rpt 70-2910/95-01 & 70-2926/95-01. Corrective actions: completed SSP-12.12 attachment for training documentation acquired QA manager approval on 1995 training records.
ZERINQUE, O.J. Tennessee Valley Authority. 95/07/18. Document Control Branch (Document Control Desk). 5pp. 84826:252-84826:258

DOCKET 70-3020 NUCLEAR ASSURANCE CORP., NORCROSS, GA

9507140020 Requests approval of spent fuel route between VC Summer Nuclear Generating Station near Jenkinsville, SC & to US/Canadian border at Alexandria Bay, NY (AW recent telecons & 950519 fax).
SHELTON, T.A. Nuclear Assurance Corp. 95/05/22. BENNINGTON, G. NRC - No Detailed Affiliation Given. 3pp. 84625:119-84625:123

DOCKET 70-3070 LOUISIANA ENERGY SERVICES, WASHINGTON, DC

9507200183 Summary of 950620 meeting w/NRC & US Enrichment Corp to discuss onsite safety, safeguards & quality oversight organization.
* NRC - No Detailed Affiliation Given. 95/06/20. NRC - No Detailed Affiliation Given. 17pp. 84779:152-84779:178

9507100052 NRC reply to proposed findings of fact & conclusions of law filed by intervenor Citizens Against Nuclear Trash, applicants LA Energy Svcs, LP & State of LA re contentions B, J, K & Q w/Certificate of Svc.
BACHMANN, R.G., HOLLER, E.J. Office of the General Counsel (Post 950701). #395 16856. 95/06/26. 31pp. 84538:000-84538:035

9507100046 Applicant reply to proposed findings of fact & conclusions of law filed by intervenor Citizens Against Nuclear Trash, NRC & State of LA re contentions B, J, K, L, R, K & Q w/Certificate of Svc.
MCGARRY, J.M. Louisiana Energy Services. MCGARRY, J.M. Winston & Strawn. #395 16856. 95/06/26. 56pp. 84538:036-84538:101

9507100067 Citizens Against Nuclear Trash proposed reply findings of fact & conclusions of law re contention J.3 * Informa that construction permit/operating license application for Oak Ridge Enrichment Co. denied w/Certificate of Svc.
CURRAN, D., WALKER, N.M. Citizens Against Nuclear Trash. CURRAN, D. Harmon, Curran, Gallagher & Speilberg (formerly Harmon, Curran & Tousey). #395 16856. 95/06/26. 28pp. 84538:102-84538:129

9507100060 Citizens Against Nuclear Trash proposed reply findings of fact & conclusions of law re contention Q. Intervenor qualifications of Louisiana Energy Svcs * Request for approval of construction permit/denied w/Certificate of Svc.
WALKER, N.M. Citizens Against Nuclear Trash. WALKER, N.M. Sierra Club Legal Defense Fund, Inc. #395 16856. 95/06/26. 23pp. 84538:152-84538:174

9507100067 Citizens Against Nuclear Trash reply findings & conclusions of law re contentions J.4 & K. and no action * Informa that applicant request for approval of construction permit/operating license application/denied w/Certificate of Svc.
WALKER, N.M. Citizens Against Nuclear Trash. WALKER, N.M. Sierra Club Legal Defense Fund, Inc. #395 16857. 95/06/26. 18pp. 84538:268-84538:285

9507100160 Citizens Against Nuclear Trash proposed reply findings of fact & conclusions of law re contentions B & J.3. w/Certificate of Svc.
CURRAN, D., WALKER, N.M. Citizens Against Nuclear Trash. CURRAN, D. Harmon, Curran, Gallagher & Speilberg (formerly Harmon, Curran & Tousey). #395 16850. 95/06/26. 28pp. 84539:052-84539:080

140 DOCKETED ITEMS

9507180682 Inform of incorrect citation on page 2 of Citizens Against Nuclear Trash Proposed Reply Findings of fact & Conclusions of Law re contentious B & J, 2/20/95. Correct citation stated W/Certificates of Src. CURRAN D. Citizens Against Nuclear Trash CURRAN D. Harmon, Curran, Gallagher & Spillberg (formerly Harmon Curran & Touley) #395 15882 95/07/06 MOORE, T.S., COLE, R.F., SHONJ, J. Atomic Safety & Licensing Board Panel 2pp 84675-058-84675-059

9507280202 Summary of 950706 meeting w/NRC & US Enrichment Corp to discuss areas of apparent agreement & understanding
* NRC - No Detailed Affiliation Given 95/07/06 NRC - No Detailed Affiliation Given
8pp 84739 342-84739 346

DOCKET 70-3074 COLUMBIA UNIV., NEW YORK, NY

9507280402 FOIA request for all records & correspondence re 940520 tritium waste spill in engineering service bldg on Columbia Univ campus & 940508 review of two documents in Tennessee, TN
STANTON, M Affiliation Not Assigned 94/10/03 ABRAHAM K. Director of Freedom of Information & Publications Services (Post 840714) 1p 84723 341-84723 341

9507180405 First partial response to FOIA request for records App A records enclosed & available in FDR
PUGH, N.L. Division of Freedom of Information & Publications Services (Post 940714) 95/01/24 STANTON, M Affiliation Not Assigned 2pp 84723 342-84723 343

9507190208 Second partial response to FOIA request for records Apps B & C records and & available in FDR
* Division of Freedom of Information & Publications Services (Post 940714) 95/02/06 STANTON, M Affiliation Not Assigned 8pp 84739 178-84739 232

DOCKET 70-3087 SCIENTIFIC ECOLOGY GROUP, OAK RIDGE, TN

9507070102 Inform that licensee license application to possess SNM should include environ rept containing info described in 10CFR51.45 in response to 950606 by requesting categorical determination
FRENCH, R.C. Licensing Branch 95/06/28 COLE, L.W. Scientific Ecology Group, Inc 18pp 84582 311-84582 329

DOCKET 70-7001 U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)

9507280189 Summary of 950629 meeting w/NRC & US Enrichment Corp to discuss onsite safety, safeguards & quality oversight organization
* NRC - No Detailed Affiliation Given 95/06/29 NRC - No Detailed Affiliation Given
17pp 84779 182-84779 178

9507070475 Submit correction of Page 4-3-25 of Paducah gaseous diffusion plant certification application of 950424
RIFAKES, G.P. United States Enrichment Corp (USEC) 95/06/23 PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards 2pp 84619 245-84619 246

9507030183 Summary of 950622 meeting w/US Enrichment Corp re configuration incl issues re certification application List of attendees and
* Enrichment Branch 95/06/28 Enrichment Branch App 84561 143-84561 146

9507030156 Summary of 950622 meeting w/US Enrichment Corp re QA issues related to certification application List of attendees and
* Enrichment Branch 95/06/28 Enrichment Branch App 84561 147-84561 150

9507030157 Notification of listed meetings w/US Enrichment Corp in listed locations re listed topics
* NRC - No Detailed Affiliation Given 95/06/28 NRC - No Detailed Affiliation Given
2pp 84560 358-84560 359

9507030180 Forwards NRC staff position/guidance on each issue re certification application
HICKEY, J.W. Enrichment Branch 95/06/28 WOOLLEY, R.L. United States Enrichment Corp (USEC) 6pp 84561 153-84561 158

9507070095 Notification of listed meetings to be held in Rockville, MD to discuss certification of gaseous diffusion plants at Paducah, KY & Portsmouth, OH
SAWYER, C. Enrichment Branch GUARRATANA, A. Technology Assessment Branch 95/06/30 NRC - No Detailed Affiliation Given 2pp 84555 195-84555 197

9507180151 Summary of 950706 meeting w/NRC re application schedule
* U.S. Ecology, Inc (Formerly Nuclear Engineering, Inc) 95/07/06 U.S. Ecology, Inc (Formerly Nuclear Engineering, Inc) 6pp 84692 153-84692 160

9507180341 Summary of 950615 public meeting w/US Enrichment Corp re certification application
* NRC - No Detailed Affiliation Given 95/07/06 NRC - No Detailed Affiliation Given
1p 84668 319-84668 319

9507200282 Summary of 950706 meeting w/NRC & US Enrichment Corp to discuss areas of apparent agreement & understanding
* NRC - No Detailed Affiliation Given 95/07/06 NRC - No Detailed Affiliation Given
8pp 84739 342-84739 346

9507120228 Summary of 950627 meeting w/US Enrichment Corp re environ issues related to certification application
* NRC - No Detailed Affiliation Given 95/07/10 NRC - No Detailed Affiliation Given
3pp 84661 225-84661 227

9507120283 Submits notification of 950711, 12 & 13 meetings w/USEC in Rockville, MD re resubmission of application for certification of diffusion plants
* NRC - No Detailed Affiliation Given 95/07/10 NRC - No Detailed Affiliation Given
2pp 84698 359-84698 360

9507120310 Summary of 950613 meeting w/DOE in Germantown, MD re shared site issues
* Enrichment Branch 95/07/10 Enrichment Branch 6pp 84676 321-84676 326

9507120382 Summary of 950707 meeting w/US Enrichment Corp re mail control & accountability Proprietary handouts & summary of meeting discussion and Handouts & summary of meeting discussion withheld per 10CFR2.730
PHAM, T.N. NRC - No Detailed Affiliation Given 95/07/11 NRC - No Detailed Affiliation Given 2pp 84728 285-84728 286

9507180314 Summary of 950714 meeting w/US Enrichment Corp re comments on quality assurance plans Summary & list of items and
* CORN, M. NRC - No Detailed Affiliation Given 95/07/14 NRC - No Detailed Affiliation Given 4pp 84595 155-84595 158

9507210258 Notification of 950719, 21 & 2601 meetings w/US Enrichment Corp to discuss highly specific technical matters & to respond to specific questions & issues arising from resubmission process
* NRC - No Detailed Affiliation Given 95/07/17 NRC - No Detailed Affiliation Given
2pp 84764 157-84764 159

9507240802 Notification of 950725, 27 & 31 meeting w/US Enrichment Corp in Rockville, MD to discuss transition from DOE operational safety requirements to NRC technical safety requirements, HCU suspension & status review
* NRC - No Detailed Affiliation Given 95/07/21 NRC - No Detailed Affiliation Given
2pp 84828 351-84828 352

9507301344 Notification of 950726-27 & 950731 meetings w/USEC in Rockville, MD to discuss transition from DOE operational safety requirements to NRC technical safety requirements & physical security plan follow up
SAWYER, C. CORN, M. NRC - No Detailed Affiliation Given 95/07/25 NRC - No Detailed Affiliation Given 2pp 84579 329-84579 330

9507280173 Submits notice of 950726-31 meeting in Rockville, MD re resubmitting application for certification of gaseous diffusion plants at Paducah, KY & Portsmouth, OH
* Licensing Branch 95/07/25 Licensing Branch 2pp 84875 235-84875 236

DOCKET 70-7002 U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION PLANT)

9507070475 Submit correction of Page 4-3-25 of Paducah gaseous diffusion plant certification application of 950424
RIFAKES, G.P. United States Enrichment Corp (USEC) 95/06/23 PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards 2pp 84619 245-84619 246

9507030153 Summary of 950622 meeting w/US Enrichment Corp re configuration incl issues re certification application List of attendees and
* Enrichment Branch 95/06/28 Enrichment Branch App 84561 143-84561 146

9507030156 Summary of 950622 meeting w/US Enrichment Corp re QA issues related to certification application List of attendees and
* Enrichment Branch 95/06/28 Enrichment Branch App 84561 147-84561 150

9507030157 Notification of listed meetings w/US Enrichment Corp in listed locations re listed topics
* NRC - No Detailed Affiliation Given 95/06/28 NRC - No Detailed Affiliation Given
2pp 84560 358-84560 359

9507030180 Forwards NRC staff position/guidance on each issue re certification application
HICKEY, J.W. Enrichment Branch 95/06/28 WOOLLEY, R.L. United States Enrichment Corp (USEC) 6pp 84561 153-84561 158

9507070095 Notification of listed meetings to be held in Rockville, MD to discuss certification of gaseous diffusion plants at Paducah, KY & Portsmouth, OH
SAWYER, C. Enrichment Branch GUARRATANA, A. Technology Assessment Branch 95/06/30 NRC - No Detailed Affiliation Given 2pp 84555 195-84555 197

9507180151 Summary of 950706 meeting w/NRC re application schedule
* U.S. Ecology, Inc (Formerly Nuclear Engineering, Inc) 95/07/06 U.S. Ecology, Inc (Formerly Nuclear Engineering, Inc) 6pp 84692 153-84692 160

9507180341 Summary of 950615 public meeting w/US Enrichment Corp re certification application
* NRC - No Detailed Affiliation Given 95/07/06 NRC - No Detailed Affiliation Given
1p 84668 319-84668 319

9507180388 Forwards ltr & observation repl 70-7002/95-03 on 950404-950609
SHEAR, G.L. Region 3 (Post 820201) 95/07/06 JACKSON, J.D. Energy, Dept of 2pp 84711 253-84711 254

9507180405 Discusses observation repl 70-7002/95-03 on 950404-0609. Improvement noted in identification of nonconformances by plant staff. Some operational occurrences indicative of need for ongoing control over safety significant evolutions
SHEAR, G.L. Region 3 (Post 820201) 95/07/13 RIFAKES, G. United States Enrichment Corp (USEC) 2pp 84711 253-84711 254

9507180409 Insp repl 70-7002/95-03 on 950404-0609. No violations noted. Major areas inspected plant operators, maint/mtrl condn, engineering, mgt controls & other support
COLE, R. BROWN, F.D., SHEAR, G.L. Region 3 (Post 820201) 95/07/06 13pp 84711 253-84711 267

9507120228 Summary of 950627 meeting w/US Enrichment Corp re environ issues related to certification application
* NRC - No Detailed Affiliation Given 95/07/10 NRC - No Detailed Affiliation Given
3pp 84661 225-84661 227

9507120283 Submits notification of 950711, 12 & 13 meetings w/USEC in Rockville, MD re resubmission of application for certification of diffusion plants
* NRC - No Detailed Affiliation Given 95/07/10 NRC - No Detailed Affiliation Given
2pp 84698 359-84698 360

9507120310 Summary of 950613 meeting w/DOE in Germantown, MD re shared site issues
* Enrichment Branch 95/07/10 Enrichment Branch 6pp 84676 321-84676 326

9507120382 Summary of 950707 meeting w/US Enrichment Corp re mail control & accountability. Proprietary handouts & summary of meeting discussion and handouts & summary of meeting discussion withheld per 10CFR2.790.
PHAM, T.N. NRC - No Detailed Affiliation Given. 95/07/11 NRC - No Detailed Affiliation Given. 2pp. 84728:285-84728:286.

9507180314 Summary of 950714 meeting w/US Enrichment Corp re comments on quality assurance plans. Summary & list of items, encl.
HOFMANN, NRC - No Detailed Affiliation Given. 95/07/14, NRC - No Detailed Affiliation Given. 4pp. 84886:186-84886:189

9507200258 Notification of 950719, 31 & 0801 meetings w/US Enrichment Corp to discuss highly specific technical matters & to respond to specific questions & issues arising from resubmission process.
* NRC - No Detailed Affiliation Given. 95/07/17 NRC - No Detailed Affiliation Given. 2pp. 84784:157-84784:158.

9507240301 Notification of 950728, 27 & 31 meeting w/US Enrichment Corp in Rockville, MD to discuss transition from DOE operational safety requirements to NRC technical safety requirements. HEU release & HEU suspension & status review.
* NRC - No Detailed Affiliation Given. 95/07/21 NRC - No Detailed Affiliation Given. 2pp. 84829:351-84829:352.

9507310144 Notification of 950728-27 & 950731 meetings w/USEC in Rockville, MD to discuss transition from DOE operational safety requirements to NRC technical safety requirements & physical security plan follow up.
SAWYER, C. MORRIS, NRC - No Detailed Affiliation Given. 95/07/25, NRC - No Detailed Affiliation Given. 2pp. 84879:329-84879:330.

9507280173 Submits notice of 950726-31 meeting in Rockville, MD re resubmission application for certification of gaseous diffusion plants at Paducah, KY & Portsmouth, OH.
* Licensing Branch. 95/07/28, Licensing Branch. 2pp. 84875:215-84875:238

DOCKET DOCKET UNKNOWN

9507110343 Forwards "QA Program for Packaging Uses in Transport of Radioactive Mail." Fee paid.
WHEELER, P.A. Pensacola Testing Laboratories, Inc. 95/06/08, BEAR, R.L. Source Containment & Devices Branch (Post 911213). 1p. 84894:228-84894:278

-9507110244 Rev 0 to PTL-TRA-QA-1, "QA Program for Packaging Uses in Transport of Radioactive Mail."
* Pensacola Testing Laboratories, Inc. 95/01/31, 49pp. 84894:228-84894:278

9507120240 Requests NRC to review and Japanese package design certificate J/37/AF-95, Rev 1, for HT-V fuel assembly shipping container.
BOYLE, J.L. Transportation, Dept. of. 95/06/20, CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 400pp. 84812:001-84812:012.

9507120171 Forwards "QA Program for NRC Reciprocity Application in Accordance W/ 10CFR71 QA Program for Industrial Radiography Licensees."
CHAUVIN, L.H. Affiliation Not Assigned. 95/07/06, JANKOVICH, J. NRC - No Detailed Affiliation Given. 1p. 84881:243-84881:245.

-84881:20174 "QA Program for NRC Reciprocity Application in Accordance W/ 10CFR71 QA Program for Industrial Radiography Licensees."
* Affiliation Not Assigned. 95/07/06, 3pp. 84881:243-84881:245.

9507130144 Forwards QA program approval for radioactive mail package: 0620, Rev 0.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/11, CHAUVIN, L.H. 1p. 84748:358-84748:359.

-9507130147 QA program approval for radioactive mail package: 0620, Rev 0.
JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/07/11, 1p. 84748:358-84748:359.

9507200893 Forwards QA Program for shipment of 238 Plutonium-Beryllium neutron source using Model DOT 6M packaging from Univ to DOE/LANL in Los Alamos, NM.
MAINWARING, D.A. Indiana State Univ., Terre Haute, IN. 95/07/17, BEAR, R.L. Source Containment & Devices Branch (Post 911213). 1p. 84851:312-84851:314.

-9507200893 "10CFR71 QA Program for Shipment of 238 Plutonium-Beryllium Neutron Source."
MAINWARING, D.A. Indiana State Univ., Terre Haute, IN. 95/07/17, 3pp. 84851:313-84851:314

9507280102 Forwards QA program approval for radioactive mail package: 0622, Rev 0.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/27, MAINWARING, D.A. Indiana State Univ., Terre Haute, IN. 1p. 84874:334-84874:335

-9507280106 QA program approval for radioactive mail package: 0622, Rev 0.
JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/07/27, 1p. 84874:335-84874:335.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-8914 NORTHWEST AIRLINES, INC.

9507270128 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
REGISTER, J.A. Northwest Airlines, Inc. 95/07/22, Document Control Branch (Document Control Desk). 4pp. 84843:355-84843:358

DOCKET 71-0893 HUNTINGTON TESTING

9507060336 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
MAY, C.W. Huntington Testing. 95/06/26, Document Control Branch (Document Control Desk). 4pp. 84570:152-84570:155.

DOCKET 71-0097 NONDESTRUCTIVE INSPECTION SERVICE

9507130189 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
HAULDRENE, E. Nondestructive Inspection Service. 95/07/10, Document Control Branch (Document Control Desk). 4pp. 84736:080-84736:083

DOCKET 71-0193 TWIN CITY TESTING CORP.

9507030193 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
FITTERER, D.C. Affiliation Not Assigned. 95/06/26, Document Control Branch (Document Control Desk). 4pp. 84581:026-84581:030

DOCKET 71-0111 MATERIAL TESTING LABORATORY OF VIRGINIA, INC.

9507070231 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
LOFSONG, P.H. Materials Testing Laboratory, Inc. 95/06/27, Document Control Branch (Document Control Desk). 5pp. 84622:304-84622:308

DOCKET 71-0119 INGERSOLL-RAND CO.

9507110221 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
PARSONS, E.J. Ingersoll-Rand Co. 95/07/05, Document Control Branch (Document Control Desk). 4pp. 84895:087-84895:090

DOCKET 71-0135 BABCOCK & WILCOX CO.

9507250303 Informs that facility address for licensee as shown on QA program approval 0135, Rev 5 has changed.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/21, SGARLATA, D. Babcock & Wilcox Co. 1p. 84835:237-84835:237

DOCKET 71-0148 MIDWEST INSPECTION SERVICE

9507110212 Advises that QA program approval for radioactive mail package: 0148 expires on 950731. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be notified.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/10, PASCHEN, D. Midwest Inspection Service, Inc. 1p. 84665:069-84665:069.

DOCKET 71-0167 FROENLING & ROBERTSON, INC.

9507280324 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
BRODY, W.W. Froehling & Robertson, Inc. 95/06/26, Document Control Branch (Document Control Desk). 4pp. 84570:237-84570:240

DOCKET 71-0185 X-R-I TESTING OF MICHIGAN

9507300083 "Encl to NRC Bulletin 95-01, "QA Program for Transportation of Radioactive Mail."
RECHAGEL, NRC - No Detailed Affiliation Given. 95/06/25, 4pp. 84488:237-84488:240.

DOCKET 71-0172 EMPIRE STEEL CASTINGS, INC.

9507200892 Requests termination of QA program for radioactive mail packages approval 0172, as requested by Vendor also in process of terminating NRC license 37-02448-01.
GAUMER, G.R. Empire Steel Castings, Inc. 95/07/13, NRC - No Detailed Affiliation Given. 2pp. 84816:313-84816:314.

9507240089 Informs of termination of QA program approval 0172, as requested by 950713.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/21, GAUMER, G.R. Empire Steel Castings, Inc. 1p. 84829:350-84829:350

DOCKET 71-0185 FBF, INC.

9507190195 Responds to NRC Bulletin 95-001 re violations noted in snap rept. Corrective action orders will be placed only w/vendors & list shall be kept current by qualifying vendors prior to placing orders.
HOLLOWAY, FBF, Inc. 95/06/26, BEAR, R.L. Source Containment & Devices Branch (Post 911213). 1p. 84786:354-84786:356

9507110225 Advises that QA program approval for radioactive mail package: 0185 expires on 950631. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be notified.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/10, STRINGFIELD, H. FBF, Inc. 1p. 84685:062-84685:062.

9507200837 Discusses NRC Insp Rept 71-0185/95-201 & notice of violations. Corrective actions taken to address notice of violation acceptable & no add info required.
BEAR, R.L. Source Containment & Devices Branch (Post 911213). 95/07/18, STRINGFIELD, H. FBF, Inc. 1p. 84815:252-84815:252

9507280328 Requests renewal of QA program approval certificate 0185, which expires 950831.
STRINGFIELD, H. FBF, Inc. 95/07/18, JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 1p. 84848:356-84848:356

142 DOCKETED ITEMS

DOCKET 71-0282 DAYTON X-RAY CO.

9507210052 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
SMALL, C.N. Dayton X-Ray Co. 95/07/15. Document Control Branch (Document Control Desk). App. 84808:357-84808:360.

DOCKET 71-0288 ASTROTECH, INC.

9507210172 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
LIND, D.B. Astrotech, Inc. 95/07/07. Document Control Branch (Document Control Desk). App. 84578:333-84578:336.

DOCKET 71-0310 GENERAL TESTING & INSPECTION CO.

9507200129 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
KRUEGER, J.E. General Testing & Inspection Co. 95/07/10. Document Control Branch (Document Control Desk). App. 84779:290-84779:297.

DOCKET 71-0325 INDUSTRIAL NDT SERVICES DIV. (INDUSTRIAL HEAT TREATING)

9507200050 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
THOMPSON, J.M. Industrial NDT Co. 95/06/28. Document Control Branch (Document Control Desk). App. 84811:336-84811:339.

DOCKET 71-0348 PUBLIC SERVICE CO. OF COLORADO

9507250288 Requests that NRC review & approve proposed rev to plant "ISPS Operational Quality Program" & change to QA program re radioactive mail packages 0346.
FISHER, M.J. Public Service Co. of Colorado. 95/07/19. Office of Nuclear Material Safety & Safeguards. App. 84835:331-84835:354.

DOCKET 71-0352 NILES STEEL TANK CO.

9507050331 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
WOOD, R.H. Niles Steel Tank. 95/06/27. Document Control Branch (Document Control Desk). App. 84568:357-84568:360.

DOCKET 71-0378 WISCONSIN ELECTRIC POWER CO.

9507100222 Advises that QA program approval for radioactive mail package 0378 expires on 950731. Renewal must be requested within 30 days of expiration. If renewal not obtained, NRC should be notified.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/10. FAX, C.W. Wisconsin Electric Power Co. 1p. 84895:086-84895:088.

DOCKET 71-0401 RELIANCE TESTING CO.

9507200067 Requests that radiographer license 0401 be terminated as soon as possible. Mails license terminated on 941115 & Reliance Testing in bankruptcy.
MANGIONE, J.N. Affiliation Not Assigned. 95/07/03. JANKOVICH, J. NRC - No Detailed Affiliation Given. 1p. 84815:243-84815:245.

9507240056 Informs of termination of QA program approval 0401 as requested by 950703.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/21. MANGIONE, J.N. Affiliation Not Assigned. 1p. 84828:353-84828:355.

DOCKET 71-0431 TRUTOM (U.S.), LTD.

9507250285 Requests to cancel QA manual Certificate 0431 immediately.
SORIANO, R. Trutom (U.S.), Ltd. 95/07/12. COSTELLO, F.M. Region 1 (Post 820201). App. 84835:248-84835:252.

9507270144 Advises that QA program approval for radioactive mail package 0431 hereby terminated. Authority to use COCs 9032, 9033, 9035, 9107, 9143 & 9147 under provisions of 10CFR 71.12 also terminated.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/24. SORIANO, R. Trutom (U.S.), Ltd. 1p. 84874:088-84874:088.

DOCKET 71-0461 ATLANTIC RESEARCH CORP.

9507190095 Advises licensee that QA program approval 0461 terminated per 950324 request. COC 9029 also terminated.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/14. GROVE, M.W. Atlantic Research Corp. 1p. 84788:354-84788:354.

DOCKET 71-0485 SOUTHWEST X-RAY CORP.

9507120167 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
MCINTIRE, M. Southwest X-Ray. 95/07/08. Document Control Branch (Document Control Desk). App. 84851:238-84851:241.

DOCKET 71-0524 RADIATION STERILIZERS, INC.

9507190185 Responds to 950112 re Sterigenics International User fee dispute.
CYR, K.D. Office of the General Counsel (Post 880701). 95/07/10. LESSY, R.P. Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld). App. 84769:335-84769:341.

-9507190185 Discusses info re Sterigenics International user fee dispute.
TAYLOR, J.T. Ofc of the Executive Director for Operations. 95/07/10. LESSY, R.P. Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld). App. 84769:337-84769:341.

9507210181 Forwards QA program approval for radioactive mail package 0524, Rev. 4.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/20. SMITH, M.A. Sterigenics International (formerly Radiation Sterilizers, Inc.). 1p. 84807:336-84807:336.

-9507210186 QA program approval for radioactive mail package 0524, Rev. 4.
JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/07/20. 1p. 84807:336-84807:336.

DOCKET 71-0532 WESTERN X-RAY

9507120188 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
PETERS, J. Western X-Ray, Inc. 95/07/05. Document Control Branch (Document Control Desk). App. 84851:245-84851:248.

DOCKET 71-0539 ARROW NDE CO., INC.

9507200138 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
FISHER, R.G. Arrow NDE Co., Inc. 95/01/13. Document Control Branch (Document Control Desk). App. 84836:357-84836:360.

DOCKET 71-0562 OLD DOMINION FABRICATORS

9507130161 Notifies that had staff been aware of licensee mail license termination, staff would have terminated licensee QA program approval at that time. In response to 950626 memo.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/11. WEISS, D. License Fee & Debt Collection Branch (Post 890827). 1p. 84876:236-84876:238.

9507190037 Advises licensee that QA program approval 0552 terminated per 941114 request.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/14. MARTIN, R.M. Old Dominion Fabricators. 1p. 84788:353-84788:353.

DOCKET 71-0576 SENIOR ENGINEERING CO.

9507100358 Forwards completed form re NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
STILES, G.L. Affiliation Not Assigned. 95/07/08. COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). App. 84892:236-84892:238.

9507130127 Forwards completed form mailed on 950317 & certified return receipt. Responding to NRC Bulletin 95-001.
STILES, G.L. Senior Engineering Co. (formerly Southwestern Engineering Co.). 95/07/03. COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). App. 84878:185-84878:194.

DOCKET 71-0583 MINNESOTA VALLEY ENGINEERING, INC.

9507130164 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
MARETT, R.A. Minnesota Valley Engineering. 95/07/10. Document Control Branch (Document Control Desk). App. 84735:046-84735:049.

DOCKET 71-0600 SHAFER VALVE CO.

9507120282 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
Shaffer Valve Co. 95/01/13. Document Control Branch (Document Control Desk). App. 84868:355-84868:358.

DOCKET 71-0601 CARRIER CORP.

9507100258 Advises that QA Section would have terminated Carrier Corp QA Program Approval had Section been aware of licensee's license termination.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/27. WEISS, D. License Fee & Debt Collection Branch (Post 890827). 1p. 84903:290-84903:292.

-9507100260 Forwards 950706 lr from Carrier Corp stating that on 950216 company requested cancellation of NY mails license. Requests response by 950731.
WEISS, D. License Fee & Debt Collection Branch (Post 890827). 95/07/24. JANKOVICH, J. Source Containment & Devices Branch (Post 911213). 1p. 84803:281-84803:291.

-9507100265 Informs NRC that Carrier Corp, Syracuse, NY has discontinued possession of radioactive mails & elected not to renew license 2283-0183.
VENTRESCA, R.D. Carrier Corp. 95/07/08. License Fee & Debt Collection Branch (Post 890827). App. 84803:282-84803:285.

DOCKET 71-0615 ALONSO & CARUS IRON WORKS, INC.

9507100238 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
Alonso & Carus Iron Works, Inc. 95/06/28. Document Control Branch (Document Control Desk). App. 84895:071-84895:074.

DOCKET 71-0637 WESTERN STRESS, INC.

9507130146 Forwards QA program approval for radioactive mail package 0637, Rev 2. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/07/11 HUFFMAN, M.R. Western Stress, Inc. 1p 84736 082-84736 083

-9507130180 QA program approval for radioactive mail package 0637, Rev 2. JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/07/11 1p 84736 089-84736 089

DOCKET 71-0642 RTS TECHNOLOGY, INC.

9507130186 Forwards RAI re 950608 application requesting amend to QA program approval 0642. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/07/11 MUNRO, J.J. RTS Technology, Inc. 2pp 84736 084-84736 085

9507130189 Responds to 950711 re application for amend to QA program approval for radioactive mail package 0642, to authorize design & fabrication of radioactive material packages. MUNRO, J.J. RTS Technology, Inc. 95/07/11 JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 3pp 84874 024-84874 032

DOCKET 71-0644 PACIFIC COAST TESTING SERVICE, INC.

9507130227 Advises that QA Section would have terminated Pacific Coast Testing Svcs. QA Program Approval had Section been aware of licensee's status; license termination. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/07/27 WEISS, D. License Fee & Debt Collection Branch (Post 890627) 1p 84902 357-84902 360

-9507130231 Forwards 950707 ltr from Consen Insp Inc requesting that QA Program Approval 0644 be terminated concurrent w/Consen acquisition of Pacific Coast Testing Svcs. WEISS, D. License Fee & Debt Collection Branch (Post 890627) 95/07/24 JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 1p 84902 358-84902 358

-9507130237 Requests that certificate 0644 be terminated & that Consen Insp, Inc. be released from liability of fees as indicated in Invoice AMO 5283-95 in response to 950707 correspondence. SLACK, R.J. Consen Inspection 95/07/07 WEISS, D. License Fee & Debt Collection Branch (Post 890627) 2pp 84802 359-84802 359

DOCKET 71-0656 PROFESSIONAL WELDING ASSOCIATES, INC.

9507060125 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail." MILLER, J. Professional Welding Associates, Inc. 95/06/28 Document Control Branch (Document Control Desk) 4pp 84565 358-84565 359

DOCKET 71-0661 TRI STATE ASSOCIATES, INC.

9507060221 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail." DURN, J.A. Tri State Associates, Inc. 95/06/26 Document Control Branch (Document Control Desk) 4pp 84561 318-84561 361

DOCKET 71-0678 PACTED, INC.

9507130227 Notifies NRC of licensee new address. * Packaging Technology, Inc. 95/07/11 NRC - No Detailed Action Given 1p 84896 075-84896 075

9507130262 Informs that facility address for licensee as shown on QA program approval 0678, Rev 0 has changed. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/07/21 BARNES, S. Desert Industrial X-Ray, Inc. 1p 84835 296-84835 295

DOCKET 71-0682 TAK INSPECTION

9507130229 Advises that QA program approval for radioactive mail package 0682 expires on 950331 Renewal must be requested within 30 days of expiration if renewal not desired, NRC should be notified. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/07/10 KAIN, K.S. TAK Inspection 1p 84896 061-84896 061

DOCKET 71-0701 NDT SPECIALISTS, INC.

9507060274 Advises that licensee QA program does not meet certain requirements of 10CFR19. Subpart H Forwards copy of RD 710, "Establishing QA Programs for Packaging Used in Transport of Radioactive Mail" w/o end. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/06/23 SCHNEIDER, L.J. NDT Specialists, Inc. 1p 84536 242-84536 249

9507130201 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail." SCHNEIDER, L.J. NDT Specialists, Inc. 95/07/05 Document Control Branch (Document Control Desk) 4pp 84795 001-84795 004

DOCKET 71-0789 NORDON INTERNATIONAL, INC.

9507130228 Advises that QA program approval for radioactive mail package 0703 expires on 950731 Renewal must be requested within 30 days of expiration if renewal not desired, NRC should be notified. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/07/10 GRAY, P.A. Nordor International, Inc. 1p 84895 091-84895 091

9507130629 Forwards QA program approval for radioactive mail packages 0703, Rev 2. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/07/13 STRLING, J. Nordor International, Inc. 1p 84776 303-84776 304

-9507170331 QA program approval for radioactive mail package 0703, Rev 2. JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/07/13 1p 84776 304-84776 304

DOCKET 71-0786 S.K. MCBRYDE, INC.

9507130231 Advises that QA program approval for radioactive mail package 0706 expires on 950831 Renewal must be requested within 30 days of expiration if renewal not desired, NRC should be notified. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/07/10 BUCHANAN, J.E. S.K. McBryde, Inc. 1p 84885 080-84885 080

DOCKET 71-0721 QUALITY SYSTEMS INC., LTD.

9507060309 Forwards response to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail." LANGRISH, J. OSI Inspection, Inc. 95/06/26 COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729) 4pp 84561 031-84561 034

DOCKET 71-0723 BASIN SERVICES, INC.

9507130154 Notifies that had staff been aware of licensee's mail license termination, staff would have terminated licensee's QA program approval at that time, in response to 850628 memo. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/07/11 WEISS, D. License Fee & Debt Collection Branch (Post 890627) 1p 84736 091-84736 091

9507130041 Advises licensee that QA program approval 0723 terminated per 821119 termination of mail license CDC number 9007, 9036 & 9056 also terminated. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/07/14 BOAN, J.W. Basin Services, Inc. 1p 84788 352-84788 352

DOCKET 71-0738 VERMONT NONDESTRUCTIVE TESTING, INC.

9507060036 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail." Vermont Nondestructive Testing, Inc. 95/06/26 Document Control Branch (Document Control Desk) 4pp 84561 311-84561 320

-9507060042 Informs licensee that NRC has not received reply to NRC Bulletin 95-001 mailed to licensee on 850113. COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/06/21 BRICK, R.F. Vermont Nondestructive Testing, Inc. 3pp 84561 315-84561 317

-9507060043 "VT Nondestructive Testing QA Program for Industrial Radiography Source Package Transportation." Vermont Nondestructive Testing, Inc. 95/06/26 3pp 84561 318-84561 320

DOCKET 71-0748 CURTIS INSPECTION SERVICES, INC.

9507060225 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail." KELLY, J.F. Curtis Inspection Services, Inc. 95/06/28 Document Control Branch (Document Control Desk) 4pp 84561 354-84561 357

DOCKET 71-0770 RUST REMEDIAL SERVICES

9507100877 Forwards QA program approval for radioactive mail packages 0770, Rev 2. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/07/05 TREADWAY, S. 1p 84892 299-84892 299

-9507100881 QA program approval for radioactive mail package 0770, Rev 2. JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/07/05 1p 84892 240-84892 240

DOCKET 71-0780 WESTERN INDUSTRIAL X-RAY

9507130223 Responds to NRC Bulletin 95-001 "QA Program for Transportation of Radioactive Mail." WICKS, L. Western Industrial X-Ray, Inc. 95/06/30 Document Control Branch (Document Control Desk) 3pp 84595 053-84595 055

DOCKET 71-0783 NORTHWEST INSPECTION & TESTING SERVICES

9507170223 Forwards completed questionnaire on QA program for transportation materials. SHAMMEL, W.H. Northwest Inspection & Testing Services, Inc. 95/07/10 COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 84773 344-84773 348

DOCKET 71-0787 LAFAYETTE TESTING SERVICES

9507060180 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail." GORMES, J.W. Affiliation Not Assigned 95/07/19 Document Control Branch (Document Control Desk) 4pp 84842 181-84842 184

9507270144 Adverses that QA program approval for radioactive mail package 0431 hereby terminated Authority to use COCs 9032, 9033, 9035, 9107, 9143 & 9147 under provisions of 10CFR71.12 also terminated
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/07/24
SORIANO, R. Triton (U.S.), Ltd 1p 84874 088-84874 088

DOCKET 71-9033 MODEL: 660, 668A, 668AE, 668E, 668DE, 668R, AMERSHAM

9507130088 Requests registration as user of models IR-50, IR-100, 671R-100, IR-50 & C-1
660, 660A, 660AE, 660E & 660DE QA program and
MATTHEWS, L. 95/04/28 BAER, R.L. Source Containment & Devices Branch (Post 911213) 1p 84884 355-84884 355

9507130130 "10CFR71 QA Program for Industrial Radiography Licenses"
95/04/28 App 84884 355-84884 355

9507110979 Application for renewal of COC 9033 for model 660 Type B device
ROUGHAN, C. Amersham Corp 95/06/28 CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 910729) 1p 84895 146-84895 146

9507130892 Requests registration as user of models 660, 660, 500 SU, 650, 771R-100, IR-50 & C-1
TAYLOR, R. K.O. Steel, Inc. 95/07/06 BAER, R.L. Source Containment & Devices Branch (Post 911213) 5pp 84876 184-84876 188

9507140092 Requests registration as user of model TECH OP3 660 gamma radiography exposure device, COC USA/9033/BU
GOWAT, M.R. Affiliation Not Assigned 95/07/07 MCCORD, D.E. Office of Nuclear Material Safety & Safeguards 1p 84786 953-84786 356

9507210158 Requests registration as user of COCs USA/9032/BU, USA/9033/BU & USA/9156/BU for Amersham 650 package, Amersham 660A package & Industrial Nuclear IR-50 package, respectively
MINNETTER, Minnesota Valley Engineering 95/07/10 Office of Nuclear Material Safety & Safeguards 1p 84911 345-84911 348

9507210348 Requests registration as user of Amersham Corp Models 650 & 660 "B" packages USA/9032 B & USA/9033/B (U) shipping container & GAMMA Ray projector
ENGLER, S.L. Sun Ray Testing International, Inc. 95/07/12 MACDONALD, C.E. Transportation Branch (Post 910207) 13pp 84821 243-84821 264

9507180205 Requests registration as user of models 6717-B, AI 500 SU, 650, 660, 660A, 660AE, 660E, 660DE, 660E, 660C-1, SPEC
2-T, 20, 20A, 50, 50A, 100, 100A, 200, 200A, IR-50 & SPEC-150
LANIER, N.P. Technical Welding Laboratories, Inc. 95/07/13 Office of Nuclear Material Safety & Safeguards 1p 84785 181-84785 181

9507190109 Requests registration as user of model 660/660, 650, 650/650, 6717-B, AI-100 IR-50, C-1 & 420
MAGNOLIA, C. Glitch Field Services/NDE, Inc. (formerly Industrial Inspection Industries, Inc. 95/07/13 BAER, R.L. Source Containment & Devices Branch (Post 911213) 2pp 84788 349-84788 351

9507190218 Adverses that licensee has been removed as user of COC numbers 6717, 9032, 9033, 9035, 9038, 9107, 9141, 9143 & 9147 per 950614 & 0711 request
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards 95/07/14 HUFFMAN, M.R. Western Stress, Inc. 1p 84788 355-84788 355

9507190226 Adverses that licensee has been removed as user of COC numbers 6717, 9033, 9150 & 9157 in accordance w/ 40CFR173.471, per 950428 request
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards 95/07/14 MATTHEWS, L. Affiliation Not Assigned 1p 84785 331-84785 331

9507200042 Requests registration as user of COC USA/9032/BU for Amersham Model 650 & COC USA/9033/BU for Amersham Model 660B
THOMPSON, J.M. Industrial MDT Co. 95/07/17 BAER, R.L. Source Containment & Devices Branch (Post 911213) 1p 84875 157-84875 158

9507200288 Forward correct Type B package identification number for packages used by NDE, Inc. per 950720 telcon
COFER, P. Affiliation Not Assigned 95/07/20 ZIEGLER, P. NRC - No Detailed Affiliation Given 1p 84845 350-84845 352

9507200308 Requests registration as user of models 660, 660A, 660AE, 660E, 660DE & 660E
COFER, P. Affiliation Not Assigned 95/07/20 ZIEGLER, P. Office of Nuclear Material Safety & Safeguards 1p 84845 351-84845 351

9507200307 Requests registration as user of Type B packages 4518, B1132 & B 137
COFER, P. Affiliation Not Assigned 95/07/12 Office of Nuclear Material Safety & Safeguards 1p 84845 352-84845 352

9507270144 Adverses that QA program approval for radioactive mail package 0431 hereby terminated Authority to use COCs 9032, 9033, 9035, 9107, 9143 & 9147 under provisions of 10CFR71.12 also terminated
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/07/24 SORIANO, R. Triton (U.S.), Ltd 1p 84874 088-84874 088

DOCKET 71-9833 MODEL: 660 & 660E, AMERSHAM CORP.

9507130082 Requests registration as user of models 660, 660, 500 SU, 650, 771R-100, IR-50 & C-1
TAYLOR, R. K.O. Steel, Inc. 95/07/06 BAER, R.L. Source Containment & Devices Branch (Post 911213) 5pp 84876 184-84876 188

9507140092 Requests registration as user of models 6717-B, AI 500 SU, 650, 660, 660A, 660AE, 660E, 660DE, 660E, 660C-1, SPEC
2-T, 20, 20A, 50, 50A, 100, 100A, 200, 200A, IR-50 & SPEC-150
LANIER, N.P. Technical Welding Laboratories, Inc. 95/07/13 Office of Nuclear Material Safety & Safeguards 1p 84785 181-84785 181

9507190109 Requests registration as user of model 660/660, 650, 650/650, 6717-B, AI-100 IR-50 C-1 & 420
MAGNOLIA, C. Glitch Field Services/NDE, Inc. (formerly Industrial Inspection Industries, Inc. 95/07/13 BAER, R.L. Source Containment & Devices Branch (Post 911213) 2pp 84788 349-84788 351

9507190016 Adverses that licensee has been removed as user of COC numbers 6717, 9032, 9033, 9035, 9038, 9107, 9141, 9143 & 9147 per 950614 & 0711 request
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards 95/07/14 HUFFMAN, M.R. Western Stress, Inc. 1p 84788 355-84788 355

9507200042 Application for amend to QA program approval for COC 9035 re Amersham models 650, 660E, 660A, 660AE, 660E & 660DE
BUCHANAN, J.E. S.K. McBryde, Inc. 95/07/17 BAER, R.L. Source Containment & Devices Branch (Post 911213) 1p 84836 354-84836 354

9507270144 Adverses that QA program approval for radioactive mail package 0431 hereby terminated Authority to use COCs 9032, 9033, 9035, 9107, 9143 & 9147 under provisions of 10CFR71.12 also terminated
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/07/24 SORIANO, R. Triton (U.S.), Ltd 1p 84874 088-84874 088

DOCKET 71-9036 MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.

9507130082 Requests registration as user of models 660, 660, 500 SU, 650, 771R-100, IR-50 & C-1
TAYLOR, R. K.O. Steel, Inc. 95/07/06 BAER, R.L. Source Containment & Devices Branch (Post 911213) 5pp 84876 184-84876 188

9507180205 Requests registration as user of models 6717-B, AI 500 SU, 650, 660, 660A, 660AE, 660E, 660DE, 660E, 660C-1, SPEC
2-T, 20, 20A, 50, 50A, 100, 100A, 200, 200A, IR-50 & SPEC-150
LANIER, N.P. Technical Welding Laboratories, Inc. 95/07/13 Office of Nuclear Material Safety & Safeguards 1p 84785 181-84785 181

9507190108 Requests registration as user of model 660/660, 650, 650/650, 6717-B, AI-100 IR-50, C-1 & 420
MAGNOLIA, C. Glitch Field Services/NDE, Inc. (formerly Industrial Inspection Industries, Inc. 95/07/13 BAER, R.L. Source Containment & Devices Branch (Post 911213) 2pp 84788 349-84788 351

9507190441 Adverses licensee that QA program approval 0723 terminated per 921116 termination of mail license COC numbers 9007, 9038 & 9036 also terminated
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/07/14 BOAN, J.W. Bean Services, Inc. 1p 84788 352-84788 352

DOCKET 71-9039 MODEL: 716, AMERSHAM CORP.

9507190018 Adverses that licensee has been removed as user of COC numbers 6717, 9032, 9033, 9035, 9038, 9107, 9141, 9143 & 9147 per 950614 & 0711 request
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards 95/07/14 HUFFMAN, M.R. Western Stress, Inc. 1p 84788 355-84788 355

DOCKET 71-9086 MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,

9507180205 Requests registration as user of models 6717-B, AI 500 SU, 650, 660, 660A, 660AE, 660E, 660DE, 660E, 660C-1, SPEC
2-T, 20, 20A, 50, 50A, 100, 100A, 200, 200A, IR-50 & SPEC-150
LANIER, N.P. Technical Welding Laboratories, Inc. 95/07/13 Office of Nuclear Material Safety & Safeguards 1p 84785 181-84785 181

9507190441 Adverses licensee that QA program approval 0723 terminated per 921116 termination of mail license COC numbers 9007, 9038 & 9036 also terminated
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/07/14 BOAN, J.W. Bean Services, Inc. 1p 84788 352-84788 352

DOCKET 71-9187 MODEL: 771, AMERSHAM CORP.

9507130082 Requests registration as user of models 660, 660, 500 SU, 650, 771R-100, IR-50 & C-1
TAYLOR, R. K.O. Steel, Inc. 95/07/06 BAER, R.L. Source Containment & Devices Branch (Post 911213) 5pp 84876 184-84876 188

9507190018 Adverses that licensee has been removed as user of COC numbers 6717, 9032, 9033, 9035, 9038, 9107, 9141, 9143 & 9147 per 950614 & 0711 request
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards 95/07/14 HUFFMAN, M.R. Western Stress, Inc. 1p 84788 355-84788 355

9507270144 Adverses that QA program approval for radioactive mail package 0431 hereby terminated Authority to use COCs 9032, 9033, 9035, 9107, 9143 & 9147 under provisions of 10CFR71.12 also terminated
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/07/24 SORIANO, R. Triton (U.S.), Ltd 1p 84874 088-84874 088

DOCKET 71-9126 MODEL: 20, 20A, 50, & 50A, AMERSHAM CORP.

9507180205 Requests registration as user of models 6717-B, AI 500 SU, 650, 660, 660A, 660AE, 660E, 660DE, 660E, 660C-1, SPEC
2-T, 20, 20A, 50, 50A, 100, 100A, 200, 200A, IR-50 & SPEC-150
LANIER, N.P. Technical Welding Laboratories, Inc. 95/07/13 Office of Nuclear Material Safety & Safeguards 1p 84785 181-84785 181

DOCKET 71-9127 MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.

9507180205 Requests registration as user of models 6717-B, AI 500 SU, 650, 660, 660A, 660AE, 660E, 660DE, 660E, 660C-1, SPEC
2-T, 20, 20A, 50, 50A, 100, 100A, 200, 200A, IR-50 & SPEC-150
LANIER, N.P. Technical Welding Laboratories, Inc. 95/07/13 Office of Nuclear Material Safety & Safeguards 1p 84785 181-84785 181

-950710081 Certificate of compliance 9260, rev C, for model Trojan pressurizer package.
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/06/29. 3pp. 84890303-84890305

-950710028 SER concluding that Trojan Pressurizer package meets requirements of 10CFR71.
* Office of Nuclear Material Safety & Safeguards. 95/06/29. 9pp. 84890306-84890313

DOCKET 71-4261 MODEL: HI-STAR 100, HOLTEC INTERNATIONAL

9507080273 Forwards nonproprietary & proprietary versions of Rev 2 to next HI-951251, "10CFR71 SAR for Packaging for 'Storage, Transport & Repository Cask Sys.'" consisting of updated mail for shielding calculations. Proprietary kept withheld.
SOLER, A.J. Holtec International. 95/06/21. HAUGHNEY, C. Division of Industrial & Medical Nuclear Safety (Post 870729). 13pp. 84570041-84570081.

-9507080275 Nonproprietary Rev 2 to "10CFR71 SAR for Packaging for Holtec Int'l Storage, Transport & Repository Cask Sys (HI-STAR 100 Cask Sys)"
* Holtec International. HI-951251 R02. 95/06/21. 27pp. 84570064-84570081

DOCKET 71-4263 MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.

9507210308 Requests registration as user of COC USA/9263/EU for SPEC-150 gamma radiography exposure device.
SPROCK, S.O. Attention Not Assigned. 95/05/19. McDONALD, C.E. Office of Nuclear Material Safety & Safeguards. 2pp. 84796336-84796360.

9507080205 Requests registration as user of models 6717-BAL 500 SU, 654,600,600AE,600BE,600CE,600DE,600E,600F,600G,600H,600I,600J,600K,600L,600M,600N,600O,600P,600Q,600R,600S,600T,600U,600V,600W,600X,600Y,600Z,600AA,600AB,600AC,600AD,600AE,600AF,600AG,600AH,600AI,600AJ,600AK,600AL,600AM,600AN,600AO,600AP,600AQ,600AR,600AS,600AT,600AU,600AV,600AW,600AX,600AY,600AZ,600BA,600BB,600BC,600BD,600BE,600BF,600BG,600BH,600BI,600BJ,600BK,600BL,600BM,600BN,600BO,600BP,600BQ,600BR,600BS,600BT,600BU,600BV,600BW,600BX,600BY,600BZ,600CA,600CB,600CC,600CD,600CE,600CF,600CG,600CH,600CI,600CJ,600CK,600CL,600CM,600CN,600CO,600CP,600CQ,600CR,600CS,600CT,600CU,600CV,600CW,600CX,600CY,600CZ,600DA,600DB,600DC,600DD,600DE,600DF,600DG,600DH,600DI,600DJ,600DK,600DL,600DM,600DN,600DO,600DP,600DQ,600DR,600DS,600DT,600DU,600DV,600DW,600DX,600DY,600DZ,600EA,600EB,600EC,600ED,600EE,600EF,600EG,600EH,600EI,600EJ,600EK,600EL,600EM,600EN,600EO,600EP,600EQ,600ER,600ES,600ET,600EU,600EV,600EW,600EX,600EY,600EZ,600FA,600FB,600FC,600FD,600FE,600FF,600FG,600FH,600FI,600FJ,600FK,600FL,600FM,600FN,600FO,600FP,600FQ,600FR,600FS,600FT,600FU,600FV,600FW,600FX,600FY,600FZ,600GA,600GB,600GC,600GD,600GE,600GF,600GG,600GH,600GI,600GJ,600GK,600GL,600GM,600GN,600GO,600GP,600GQ,600GR,600GS,600GT,600GU,600GV,600GW,600GX,600GY,600GZ,600HA,600HB,600HC,600HD,600HE,600HF,600HG,600HH,600HI,600HJ,600HK,600HL,600HM,600HN,600HO,600HP,600HQ,600HR,600HS,600HT,600HU,600HV,600HW,600HX,600HY,600HZ,600IA,600IB,600IC,600ID,600IE,600IF,600IG,600IH,600II,600IJ,600IK,600IL,600IM,600IN,600IO,600IP,600IQ,600IR,600IS,600IT,600IU,600IV,600IW,600IX,600IY,600IZ,600JA,600JB,600JC,600JD,600JE,600JF,600JG,600JH,600JI,600JJ,600JK,600JL,600JM,600JN,600JO,600JP,600JQ,600JR,600JS,600JT,600JU,600JV,600JW,600JX,600JY,600JZ,600KA,600KB,600KC,600KD,600KE,600KF,600KG,600KH,600KI,600KJ,600KK,600KL,600KM,600KN,600KO,600KP,600KQ,600KR,600KS,600KT,600KU,600KV,600KW,600KX,600KY,600KZ,600LA,600LB,600LC,600LD,600LE,600LF,600LG,600LH,600LI,600LJ,600LK,600LL,600LM,600LN,600LO,600LP,600LQ,600LR,600LS,600LT,600LU,600LV,600LW,600LX,600LY,600LZ,600MA,600MB,600MC,600MD,600ME,600MF,600MG,600MH,600MI,600MJ,600MK,600ML,600MM,600MN,600MO,600MP,600MQ,600MR,600MS,600MT,600MU,600MV,600MW,600MX,600MY,600MZ,600NA,600NB,600NC,600ND,600NE,600NF,600NG,600NH,600NI,600NJ,600NK,600NL,600NM,600NN,600NO,600NP,600NQ,600NR,600NS,600NT,600NU,600NV,600NW,600NX,600NY,600NZ,600OA,600OB,600OC,600OD,600OE,600OF,600OG,600OH,600OI,600OJ,600OK,600OL,600OM,600ON,600OO,600OP,600OQ,600OR,600OS,600OT,600OU,600OV,600OW,600OX,600OY,600OZ,600PA,600PB,600PC,600PD,600PE,600PF,600PG,600PH,600PI,600PJ,600PK,600PL,600PM,600PN,600PO,600PP,600PQ,600PR,600PS,600PT,600PU,600PV,600PW,600PX,600PY,600PZ,600QA,600QB,600QC,600QD,600QE,600QF,600QG,600QH,600QI,600QJ,600QK,600QL,600QM,600QN,600QO,600QP,600QQ,600QR,600QS,600QT,600QU,600QV,600QW,600QX,600QY,600QZ,600RA,600RB,600RC,600RD,600RE,600RF,600RG,600RH,600RI,600RJ,600RK,600RL,600RM,600RN,600RO,600RP,600RQ,600RR,600RS,600RT,600RU,600RV,600RW,600RX,600RY,600RZ,600SA,600SB,600SC,600SD,600SE,600SF,600SG,600SH,600SI,600SJ,600SK,600SL,600SM,600SN,600SO,600SP,600SQ,600SR,600SS,600ST,600SU,600SV,600SW,600SX,600SY,600SZ,600TA,600TB,600TC,600TD,600TE,600TF,600TG,600TH,600TI,600TJ,600TK,600TL,600TM,600TN,600TO,600TP,600TQ,600TR,600TS,600TT,600TU,600TV,600TW,600TX,600TY,600TZ,600UA,600UB,600UC,600UD,600UE,600UF,600UG,600UH,600UI,600UJ,600UK,600UL,600UM,600UN,600UO,600UP,600UQ,600UR,600US,600UT,600UU,600UV,600UW,600UX,600UY,600UZ,600VA,600VB,600VC,600VD,600VE,600VF,600VG,600VH,600VI,600VJ,600VK,600VL,600VM,600VN,600VO,600VP,600VQ,600VR,600VS,600VT,600VU,600VV,600VW,600VX,600VY,600VZ,600WA,600WB,600WC,600WD,600WE,600WF,600WG,600WH,600WI,600WJ,600WK,600WL,600WM,600WN,600WO,600WP,600WQ,600WR,600WS,600WT,600WU,600WV,600WW,600WX,600WY,600WZ,600XA,600XB,600XC,600XD,600XE,600XF,600XG,600XH,600XI,600XJ,600XK,600XL,600XM,600XN,600XO,600XP,600XQ,600XR,600XS,600XT,600XU,600XV,600XW,600XX,600XY,600XZ,600YA,600YB,600YC,600YD,600YE,600YF,600YG,600YH,600YI,600YJ,600YK,600YL,600YM,600YN,600YO,600YP,600YQ,600YR,600YS,600YT,600YU,600YV,600YW,600YX,600YY,600YZ,600ZA,600ZB,600ZC,600ZD,600ZE,600ZF,600ZG,600ZH,600ZI,600ZJ,600ZK,600ZL,600ZM,600ZN,600ZO,600ZP,600ZQ,600ZR,600ZS,600ZT,600ZU,600ZV,600ZW,600ZX,600ZY,600ZZ

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-0001 GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1388

9507100155 Inform of review of self-guarantee financial assurance submitted documents did 950323. Subj documents found in compliance w/criteria in 10CFR30 App C, "Criteria for Use of Financial Tests & Self-Guarantees for Decommissioning."
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (RMSS 940403). 95/07/10. SCHWILDER, W.H. General Electric Co. 1p. 84736050-84736090

DOCKET 72-0004 OCONEE ISFSI, 50-268, 50-270 & 50-267

9507080154 Forwards facility changes for 1994.
HAMPTON, J.W. Duke Power Co. 95/06/30. Document Control Branch (Document Control Desk). 6pp. 84573365-84573329

9507120829 Forwards cover page of 1994 update to FSAR for Oconee ISFSI.
HAMPTON, J.W. Duke Power Co. 95/06/30. Office of Nuclear Material Safety & Safeguards. 3pp. 84681300-84681322

9507200004 Forwards CAL issued to VECTRA Technologies re standardized NUHOMS-24P dry shielded casks & transfer casks used w/ISFSI.
WHEAT, L.A. 95/07/13. HAMPTON, J.W. Duke Power Co. 3pp. 84739347-84739352

DOCKET 72-0005 ISFSI POINT BEACH GEN LIC/VSC-24, 50-206 & 50-301

9507080073 Forwards snap repts 50-268/95-06 & 50-301/95-06 on 950605-0616. No violations noted.
FARBER, M.J. Region 3 (Post 820201). 95/07/10. LINK, R. Wisconsin Electric Power Co. 2pp. 84780344-84780357

-9507180074 Snap repts 50-268/95-06 & 50-301/95-06 on 950605-0616. No violations noted. Major areas inspected: operations, engineering, plant & plant support.
FARBER, M.J. Region 3 (Post 820201). 95/07/10. 12pp. 84780348-84780357

9507280134 Inform that NRC continues to believe that requirement applicable for licensees that propose to store spent nuclear fuel in ISFSI under license issued in Subpart K of 10CFR72.
HANSSEN, A.G. 95/07/14. LINK, R.E. Wisconsin Electric Power Co. 4pp. 84752330-84752333

9507280125 Discusses ISFSI preoperational testing & forwards summary of results of load testing of MSB transfer cask.
LINK, R.E. Wisconsin Electric Power Co. 95/07/21. Document Control Branch (Document Control Desk). 3pp. 84875173-84875175

DOCKET 72-0807 ISFSI PALISADES GEN LIC/VSC-24, 50-255

9507180101 Both partial response to FOIA request for documents. App H documents and placed in PDR. Releaseable portions of records identified in App I also and sent FOIA Exemption 4.
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/07/10. GLITZENSTEIN, E. Attention Not Assigned. 6pp. 84723118-84723235

-9507180116 Inform that author attended NRC prebrief for B. Bernero on Palisades dry cask storage pads as result of R. Landsman to be Chairman. Sub EDO briefing scheduled for 940903. Supporting documentation and.
HSAIA, H. Plant Systems Branch. 94/03/01. MARSH, L.B. Division of Radiation Safety & Safeguards (Post 921004). 17pp. 84723126-84723141

-9507180128 Trip rept of 940406 site visit to audit licensee analysis on ISFSI storage pad.
HSAIA, H. Probabilistic Safety Assessment Branch. 94/04/08. MARSH, L.B. Project Directorate B-3. 5pp. 84723142-84723146

-9507180141 Forwards highlight of plant dry cask storage.
BAGCHI, G. Civil Engineering & Geosciences Branch. 94/04/12. HSAIA, H. Probabilistic Safety Assessment Branch. 2pp. 84723148-84723149

-9507180145 Confirms discussion re ISFSI audit at plant, including response spectrum & scope stability. Licensee currently taking necessary steps to address seismic issues re ISFSI raised by NRC.
HSAIA, H. Probabilistic Safety Assessment Branch. 94/04/13. LANDSMAN, R.B. Region 3 (Post 820201). 1p. 84723150-84723150

-9507180155 Inform that there will be conference call w/ plant on 950506 to discuss preliminary conclusions from NRC independent assessment of dry cask storage pad & licensee assessment.
HSAIA, H. Probabilistic Safety Assessment Branch. 94/05/04. BAGCHI, G. Civil Engineering & Geosciences Branch. ZWOLINSKI, J.A. Division of Reactor Projects - I/R (Post 870411). MARSH, L.B. Project Directorate I-1. 1p. 84723151-84723151

-9507180164 Inform that there will be conference call today w/ Region III & licensee to discuss preliminary results from ISFSI pad analysis.
HSAIA, H. Probabilistic Safety Assessment Branch. 94/05/06. OLSHAN, L.N. Project Directorate I-2. REAMER, W.C. Office of the General Counsel (Post 950701). BEECHER, W.M. Office of Public Affairs (Pre 870413). 1p. 84723152-84723152

-9507180175 Inform that there will be conference call on 940512 w/ Region III & licensee to discuss preliminary results from ISFSI pad analysis.
HSAIA, H. Probabilistic Safety Assessment Branch. 94/05/09. ZWOLINSKI, J.A. Division of Reactor Projects - I/R (Post 870411). MARSH, L.B. Project Directorate I-1. OLSHAN, L.N. Project Directorate I-2. 2pp. 84723153-84723154

-9507180191 Forwards mail on dry cask storage facility which were sent to util on 940510.
SMEDLEY, D. Sargent & Lundy, Inc. 94/05/12. KROPP, W. Region 3 (Post 820201). 22pp. 84723155-84723176

-9507180197 Forwards pages from App A1 to EA-FC-884-046-A1, Rev 6, "Seismic Evaluation of Dry Cask Storage Facility," which was sent to util on 940509.
SMEDLEY, D. Sargent & Lundy, Inc. 94/05/11. KROPP, W. Region 3 (Post 820201). 53pp. 84723177-84723229

-9507180202 Inform of arrangement made to have bridge number for plant ISFSI public meeting on 940518 in Rockville, MD to discuss plant restart issues. Portions of and partially deleted.
HSAIA, H. Probabilistic Safety Assessment Branch. 94/05/12. ZWOLINSKI, J.A. Division of Reactor Projects - I/R (Post 870411). MARSH, L.B. Project Directorate I-1. DEAN, W.M. Office of the Executive Director for Operations. 6pp. 84723230-84723235

9507210286 FOIA request for records authored by Dr R. Landsman since 1989 re spent fuel or dry cask storage.
WILLIAMS, O.G. JRA Associates. 94/12/14. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84797005-84797005

9507210288 Final response to FOIA request for records. App A records and & available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. WILLIAMS, O.G. JRA Associates. 2pp. 84797006-84797016

-9507210303 Forwards comments on draft info notice re dry cask storage, including short paragraph from Dr R. Landsman about dynamic analyses of pad & foundation.
GREENMAN, E.G. Region 3 (Post 820201). 94/12/13. PAPERWELL, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 7pp. 84797010-84797016

9507250176 Forwards proprietary Sargent & Lundy Corp (SLC) rept EMF-64-180, "Temp Criteria for Quenching of Fuel in Dry Storage," & its from SLC to CPC which resolves various CPC comments on sub rept. Rept withheld per 10CFR2.790(b).
HAAS, K.M. Consumers Power Co. 95/07/17. Document Control Branch (Document Control Desk). 1p. 84828251-84828251

DOCKET 72-0006 CALVERT CLIFFS ISFSI, 50-317 & 50-318

9507200289 Forwards CAL issued to VECTRA Technologies, Inc. CAL identifies actions to be taken as result of NRC snap findings during snap of Reactor Job/operation contractor for VECTRA.
MCDONALD, E.G. Project Directorate I-1 (PDI-1) (Post 841601). 95/07/14. DEATON, R.E. Baltimore Gas & Electric Co. 2pp. 84771329-84771334

DOCKET 72-0809 FORT ST. VRAIN ISFSI, 50-267

9507190045 Discusses info re amend to license 5044-2504 for ISFSI which would permit repowering Fort St Vrain site w/natural gas-fired combustion turbines & heat recovery SSG.
FISHER, M.J. Public Service Co. of Colorado. 95/07/12. STURZ, F.C. Source Containment & Devices Branch (Post 811213). 2pp. 84763359-84763360

9507250288 Requests that NRC review & approve proposed rev to plant "ISFSI Operational Quality Program" & change to QA program re radioactive mail packages 0346.
FISHER, M.J. Public Service Co. of Colorado. 95/07/19. Office of Nuclear Material Safety & Safeguards. 2pp. 84835331-84835354

-9507250299 "ISFSI Operational Quality Program."
* Public Service Co. of Colorado. 95/07/13. 21pp. 84835332-84835354

9507270258 Forwards proposed amend to ISFSI TS. Changes involve membership of ISFSI Safety Review Committee & reflect organization util will use for long term operation & maint of ISFSI as described in util 950719 1p.
CRAWFORD, A.C. Public Service Co. of Colorado. 95/07/21. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 84919009-84919020

-9507310282 Application for amend to license 5044-2604 renewing TS re membership of ISFSI Safety Review Committee, reflecting organization util will use for long term operation & maint of ISFSI & deleting ref to FSU 10CFR80 PDL.
CRAWFORD, A.C. Public Service Co. of Colorado. 95/07/21. 3pp. 84919011-84919013

148 DOCKETED ITEMS

-850611152 Proposed tech spec. involving membership of ISFSI Safety Review Committee, reflecting organization that will use for long term operation & intent of ISFSI & deleting ref to FSU 10CFR50 PQL.
* Public Service Co. of Colorado. 95/07/21 7pp. 84519:014-84519:020.

DOCKET 72-0010 PRAIRIE ISLAND ISFSI, 50-282 & 50-306

9507030138 Responds to petition of 950605, denying request for immediate suspension of plant FOLs because no safety issues warranting action could be identified.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 841001). 95/06/19.
GUNTHER, P.V. Nuclear Information & Resource Service 31pp. 84518:259-84518:322

-8507030138 Notice of receipt of petition for Director's Decision under 10CFR2 206 submitted on 950605. Requests immediate suspension of plant FOLs until steam or pressure boundary exams & SA of irradiated fuel retrievability plan can be completed.
MIRAGLIA, F.J. Office of Nuclear Reactor Regulation (Post 841001). 95/06/19. 4pp. 84518:300-84518:304

9507070015 Forwards map repts 50-282/95-06-50-306/95-06 & 72-0010/95-06 on 950325-0515 Nonrated violation noted.
KROPP, W.J. Region 3 (Post 820201). 95/06/27. WATZLE, Northern States Power Co. 6pp. 84530:010-84530:039.

-8507070029 Map repts 50-282/95-06-50-306/95-06 & 72-0010/95-06 on 950325-0515. Nonrated violation noted. Major areas inspected. Inspectee follow-up on previously identified items, operational safety violations & ISFSI.
KROPP, W.J. Region 3 (Post 820201). 95/06/27. 25pp. 84530:015-84530:039.

9507100156 Forwards map repts 50-282/95-02-50-306/95-02 & 72-0010/95-02 on 950124-0511 & NOV GREENMAN, E.G. Region 3 (Post 820201). 95/06/30. WATZLE, Northern States Power Co. 7pp. 84763:257-84763:305.

-8507090161 Notice of violation from map on 950124-0511 Violation noted: cash handling, loading & unloading activities not prescribed by approved procedures of type appropriate to circumstances as evidence.
* Region 3 (Post 820201). 95/06/30. 2pp. 84783:274-84783:275

-8507100166 Map repts 50-282/95-02-50-306/95-02 & 72-0010/95-02 on 950124-0511. Violations noted: Major areas inspected: cash handling, loading, unloading, refueling & surveillance procedures.
KROPP, W.J. Region 3 (Post 820201). 95/06/30. 30pp. 84783:276-84783:305.

9507200347 Responds to 950521 re re concerns raised w/respect to NRC response to 10CFR2.208 petition requesting certain actions including immediate suspension of plant Units 1 & 2 operating licenses held by NSP.
HANNON, J.N. 95/07/12. BJORALT, S.J. Affiliation Not Assigned 5pp. 84752:181-84752:208.

-8507200355 Requests immediate action & response re issues raised by Prairie Island Coalition Against Nuclear Storage & NRS in 950605 Mr. Petition filing under 10CFR2 206.
BJORALT, S.J. 95/06/21. THE CHAIRMAN, SELIN, Commissioners (Post 750119). 3pp. 84752:189-84752:208

9507200356 Responds to Prairie Island Coalition Against Nuclear Storage analysis which expresses concern that dry cask storage facility at Prairie Island are vulnerable to man-transportable anti-tank ground warfare weapons.
HANNON, J.N. 95/07/12. CROCKER, G. 2pp. 84896:240-84896:241

DOCKET 72-0011 RANCHO SECO ISFSI, 50-312

9507140340 Forwards amend 0 to physical protection plan & rev 0 to training & qualification plan for Rancho Seco ISFSI. Encs withheld per 10CFR73 21.
FEDERER, S.J. Sacramento Municipal Utility District. 95/05/08. WEISS, S. Document Control Branch (Document Control Desk) 3pp. 84760:094-84760:095.

9507170073 Forwards proposed "Rancho Seco ISFSI Decommissioning Plan." Plan outlines strategy for decommissioning ISFSI & expands upon Section 9.5 of ISFSI SAR.
FEDERER, S.J. Sacramento Municipal Utility District. 95/06/27. Document Control Branch (Document Control Desk). 1p. 84747:079-84747:156

-8507170073 Proposed "Rancho Seco ISFSI Decommissioning Plan."
* Sacramento Municipal Utility District. 95/06/27. 7pp. 84747:080-84747:155.

DOCKET 72-0014 ISFSI DAVIS BESSIE GEN LIC/NUHOMS, 50-349

9507130153 Provides notification for first storage of spent nuclear fuel per 10CFR72.212(b)(1)(i). Fuel storage activities currently scheduled to commence on 951002.
STETZ, J.P. Centenor Energy. 95/06/30. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 1p. 84736:098-84736:098.

DOCKET 72-0015 ISFSI OYSTER CREEK GEN LIC/NUHOMS, 50-218

9507200084 Forwards CAL issued 950707 to VECTRA Technologies, Inc. concerning map of NUHOMS-24P sys. for license reference.
DROMERICK, A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/07/14.
BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 84782:351-84782:357.

DOCKET 72-0016 YEMCO - NORTH ANNA ISFSI - 50-339 & 50-339

9507060978 Forwards "Notice of Consideration of Issuance of Materials License for Storage of Spent Fuel & Notice of Opportunity for Hearing."
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/06/26.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 2pp. 84889:153-84889:160

-8507060980 Notice of consideration of issuance of materials license & proposed NSHC demonstration & opportunity for hearing. Amend will authorize applicant to store spent fuel in dry storage cask sys.
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/06/26. 6pp. 84550:155-84550:160.

DOCKET 72-0018 PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306

9507060974 Responds to 950601 re stating you want not invited to 950605 meeting held at NRC headquarters w/summary of discussions at meeting and SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards. 95/06/21.
WURST, J. Minnesota. State of 2pp. 84540:052-84540:053

9507060986 Summary of 950605 meeting w/summary in Rockville, MD re progress in selecting site for second ISFSI needed to be built.
SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards. 95/06/21.
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 3pp. 84540:054-84540:057

DOCKET 72-1002 MODEL: MAC 8/T, NUCLEAR ASSURANCE CORP.

9507070189 Responds to telcon on 950626 re info to facilitate thermal review which focuses on heat flow in cask basket.
STURZ, F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/28.
TJERSLAND, G. Nuclear Assurance Corp. 1p. 84555:195-84555:195

DOCKET 72-1004 MODEL: STANDARDIZED NUHOMS SYSTEM

9507070473 Forwards add info as part of map of VECTRA/RANOR on 950620-23 info provided for review as directed by T. Mullis.
RODGERS, D.E. Vectra Technologies, Inc. 95/06/30. BAER, R. NRC - No Detailed Affiliation Given. 43pp. 84579:252-84579:304

9507100335 Issues CAL using actions NRC understand VECTRA Technologies, Inc. will take re safety concerns noted in map of RANOR, Inc. on 950620-23.
PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 95/07/07.
FRANCIS, C. Vectra Technologies, Inc. 4pp. 84684:333-84684:336.

9507120090 Informs that "EAR for Standardized NUHOMS Horizontal Module Storage Sys. for irradiated Fuel/NUH-003, Rev 3A, Vol II, Proprietary Support." will be withheld from public docket.
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/07/10. AXLINE, J. Vectra Technologies, Inc. 2pp. 84689:351-84689:352

DOCKET 72-1007 MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES

9507060385 Forwards questions re SNC VSC-24 cask certificate amend re 950619 NRC telcon w/Sierra Nuclear Corp.
STURZ, F.C. Office of Nuclear Material Safety & Safeguards. 95/06/26.
THOMPSON, T.C. Sierra Nuclear, Inc. 4pp. 84540:064-84540:067.

DOCKET 72-1008 MODEL: H-STAR SYSTEM, HOLTEC INTERNATIONAL

9507060253 Forwards nonproprietary & proprietary versions of Rev 2 to "10CFR72 Typical SAR for Holtec Int'l Storage, Transport & Repository Cask Sys." consisting of updated map for shielding calculations. Proprietary version of map withheld.
SOLER, A.J. Holtec International. 95/06/21. KAUFMANN, C. Division of Industrial & Medical Nuclear Safety (Post 870729). 13pp. 84590:270-84590:315.

-8507060257 Nonproprietary Rev 2 "10CFR72 Typical SAR for Holtec Int'l Storage, Transport & Repository Cask Sys. (H-STAR 100 Cask Sys.)."
* Holtec International H-941194 R02. 95/06/21. 33pp. 84590:283-84590:315

DOCKET 72-1009 DOE-MPC-21P FOR PWR FUEL, APPL FOR CERT OF COMPLIANCE

9507070499 Requests pre-application technical exchange meeting be held to discuss proprietary features & design details under consideration for implementation of Multi-Purpose Cask sys. design.
HOPPER, J.P. Westinghouse Electric Corp. 95/06/13. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 11pp. 84619:335-84619:348.

9507100363 Forwards meeting announcement for proprietary MPC preliminary consultation meeting to be held between NRC, DOE & Westinghouse on 950628.
TRAVERS, W.D. NRC - No Detailed Affiliation Given. 95/06/15. Nevada. State of. 6pp. 84692:111-84692:117.

9507070466 Informs that DOE, through contractor TRW Environ Safety Sys. Inc. entered into fixed-price contract w/Westinghouse to develop designs for certain components of Multi-Purpose Cask based sys.
WILLIAMS, J.R. Energy, Dept. of. 95/06/16. TRAVERS, W. Office of Nuclear Material Safety & Safeguards. 3pp. 84619:242-84619:244.

9507100368 Forwards minutes from 950608 technical exchange between NRC, DOE & Westinghouse on Multi-Purpose Cask preliminary design.
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/07/14.
MILNER, R. Energy, Dept. of. 74pp. 84789:247-84789:320.

DOCKET 72-1012 DOE-MPC-24P FOR BWR FUEL

9507100303 Forwards meeting announcement for proprietary MPC preliminary consultation meeting to be held between NRC, DOE & Westinghouse on 950628.
TRAVERS, W.D. NRC - No Detailed Affiliation Given. 95/06/15. Nevada. State of. 6pp. 84692:111-84692:117.

NONDOCKETED ITEMS

100FTH COMMISSION MEETING RECORDS

- 950706004 Staff requirements memo re 950622 Affirmation/discussion & vote.
HOYLE,J.C. Office of the Secretary of the Commission. M950622A. 95/06/22. TAYLOR,J.M. Dir. of the Executive Director for Operations. STORER,G.R. Office of International Programs (Post 91117). GORDON,J.F. Office of Commission Appellate Adjudication (Post 910701). 4pp. 84531:355-84531:359.
- 950706005 Staff requirements memo re plans to develop guidance on use of expert elicitation in HLW performance assessments.
HOYLE,J.C. Office of the Secretary of the Commission. M950621B. 95/06/27. TAYLOR,J.M. Dir. of the Executive Director for Operations. 2pp. 84535:154-84535:155.
- 950706022 Staff requirements memo re SECY-95-153, "Licensing Support Sys Senior Mgt Team Recommendations on Decision of Licensing Support Sys."
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/28. TAYLOR,J.M. Dir. of the Executive Director for Operations. 1p. 84535:274-84535:274.
- 950706029 Staff requirements memo re SECY-95-158, "Rept to Congress on Abnormal Occurrences for Jan-Mar 1995."
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/20. TAYLOR,J.M. Dir. of the Executive Director for Operations. 1p. 84535:275-84535:275.
- 950706023 Staff requirements memo re SECY-95-129, Staff Requirements CONGD-84-003, "Improving NRC Control Over & Licensee Accountability for Generally & Specifically Licensed Devices."
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/20. TAYLOR,J.M. Dir. of the Executive Director for Operations. 1p. 84535:275-84535:275.
- 950706036 Staff requirements memo re results of senior mgt review of operating reactors, fuel facilities & related activities.
HOYLE,J.C. Office of the Secretary of the Commission. M950622A. 95/06/30. TAYLOR,J.M. Dir. of the Executive Director for Operations. 1p. 84540:061-84540:061.
- 950707043 Staff requirements memo re SECY-95-088, "Pre-Proposal Draft Environ. Stds for Mgt/Storage & Disposal of Low-Level Radiowaste."
HOYLE,J.C. Office of the Secretary of the Commission. FACA. 95/05/31. TAYLOR,J.M. Dir. of the Executive Director for Operations. 7pp. 84558:293-84558:300.
- 950710024 Staff requirements memo re SECY-95-064, "Assessment of NRC Enforcement Programs Proposed Rev to General Statement of Policy & Procedure for NRC Enforcement Actions & Removal of Policy from 10CFR2 App C."
BATES,J.L. Office of the Secretary of the Commission. 95/06/16. TAYLOR,J.M. Dir. of the Executive Director for Operations. 3pp. 84587:001-84587:003.
- 950710036 Staff requirements memo re SECY-95-114, "Implementation of Redesignated Material Licensing Process." Commission approved sub w/ comments.
BATES,J.L. Office of the Secretary of the Commission. 95/06/19. TAYLOR,J.W. Dir. of the Executive Director for Operations. 3pp. 84587:018-84587:021.
- 950710082 Transcript of 950622 public meeting in Rockville, MD re briefing on results of senior management review of operating reactors, fuel facilities, & related activities. Pp 1-73. Supporting documentation encl.
* Commissioners (Post 750119). 95/06/22. 93pp. 84612:245-84612:335.
- 9507100118 Staff requirements memo re Commissioners approval of "Final Policy Statement on Adequacy & Competibility of Agreement State Programs." (SECY-95-112) & final "Statement of Principles & Policy for Agreement State Program."
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/29. TAYLOR,J.M. Dir. of the Executive Director for Operations. 3pp. 84634:090-84634:092.
- 9507140103 Transcript of 950622 public meeting in Rockville, MD re Affirmation/Discussion & vote. Pp 1-6.
* Commissioners (Post 750119). 95/06/22. 9pp. 84652:245-84652:254.
- 9507140111 Transcript of 950621 public meeting in Rockville, MD re briefing on NRC use of expert elicitation in HLW performance assessments. Pp 1-38. Supporting documentation encl.
* Commissioners (Post 750119). 95/06/21. 61pp. 84662:193-84662:244.
- 9507200273 Staff requirements memo re SECY-95-104, "Safetyguards for Spent Nuclear Fuel or High-Level Radiowaste - 10CFR Parts 60, 72.73 & 76." Commission (w/Chairman & Commissioners Rogers & Jackson agreeing) approved publication of proposed rule.
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/28. TAYLOR,J.M. Dir. of the Executive Director for Operations. 2pp. 84750:353-84750:354.
- 9507200279 Revised staff requirements memo re SECY-95-104, "Safetyguards for Spent Nuclear Fuel or High-Level Radiowaste, 10CFR Parts 60, 72.73 & 76." Commission (w/Chairman & Commissioners Rogers & Jackson agreeing) approved publication in FR.
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/30. TAYLOR,J.M. Dir. of the Executive Director for Operations. 2pp. 84750:355-84750:356.
- 9507200283 Staff requirements memo re SECY-95-061, "Need for Backfit Rule for Metals Licenses." Commission opposed staff recommendation not to amend generally backfit rule to metals licenses at present time.
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/29. TAYLOR,J.M. Dir. of the Executive Director for Operations. 1p. 84759:357-84759:357.
- 9507200288 Staff requirements memo re SECY-95-089, "Revised Abnormal Occurrence Reporting Criteria." Commission (w/Chairman & Commissioners Rogers & de Planque agreeing) approved publication of proposed rev to policy statement on AO.
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/29. TAYLOR,J.M. Dir. of the Executive Director for Operations. CYR,K.D. Office of the General Counsel (Post 890701). 3app. 84752:282-84752:288.
- 9507200111 Staff requirements memo re SECY-95-135, "Changes to Performance Indicator Program." Commission has directed staff not to proceed w/proposed changes to performance indicator program at time.
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/29. TAYLOR,J.M. Dir. of the Executive Director for Operations. 1p. 84753:358-84753:359.
- 9507201113 Proposes that Commission withhold action on SECY-95-135 until after staff provides briefing that provides detailed discussion of issues, alternatives & schedules.
ROGERS,K.C. Commissioners (Post 750119). 95/06/27. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84753:359-84753:359.
- 950720121 Disapproves staff proposed changes in SECY-95-135, "Changes to Performance Indicator Program." & related internal reallocation of resources. Recommends that search & retrieval capabilities of SCSS be maintained for LER data base.
JACKSON,S.A. Commissioners (Post 750119). 95/06/20. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84753:360-84753:360.
- 950720126 Staff requirements memo re SECY-95-132, "Policy & Technical Issues Associated w/Regulatory Treatment of Non-Safety Sys (RTNSS) in Passive Plant Designs." Commission has approved recommendations contained in paper.
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/28. TAYLOR,J.M. Dir. of the Executive Director for Operations. 1p. 84754:304-84754:304.
- 950720130 Staff requirements memo re SECY-95-126, "Options to Improve & Standardize Evaluation & Approval of Sealed Sources & Devices Mfg in Agreement States." Commission has approved staff recommendation to adopt Option 2.
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/28. TAYLOR,J.M. Dir. of the Executive Director for Operations. 1p. 84754:305-84754:305.
- 950720148 Staff requirements memo re SECY-95-019, "Clarification of Assessment Requirements for Spent Casks & Performance Objectives - Final Rulemaking." Commission disapproved issuance of proposed final rule.
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/28. TAYLOR,J.M. Dir. of the Executive Director for Operations. 2pp. 84754:314-84754:315.
- 950720217 Staff requirements memo re SECY-95-026, "Regulatory Analysis Guidelines of NRC." Commission approves issuance of NUREG/BR-0068, rev 2, for staff implementation, w/exception of listed items.
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/30. TAYLOR,J.M. Dir. of the Executive Director for Operations. 2pp. 84754:111-84754:112.
- 950720226 Staff requirements memo re SECY-95-151, "Alternative Approaches for FC Facility Regulation." Commission approves staff recommendation to continue dialogue w/all major interested parties re improvement of FC facility regulation.
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/28. TAYLOR,J.M. Dir. of the Executive Director for Operations. 1p. 84754:113-84754:114.
- 950720230 Staff requirements memo re SECY-95-047, staff analysis & recommendations on migration matrix performance evaluation program. Commission approves staff proposal to implement program.
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/27. TAYLOR,J.M. Dir. of the Executive Director for Operations. 2pp. 84754:115-84754:115.
- 950720236 Staff requirements memo re SECY-95-149, "Communication & Mgt Resolution of Inappropriate Regulatory Actions by NRC Staff." Advises that Commission has not objected to issuance of policy re communications between NRC & industry.
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/28. TAYLOR,J.M. Dir. of the Executive Director for Operations. 6pp. 84754:149-84754:154.
- 950720237 Staff requirements memo re SECY-95-152, "Land Ownership Requirements for LLW Sites." Commission approves publication of proposed notice in FR.
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/30. TAYLOR,J.M. Dir. of the Executive Director for Operations. 1p. 84754:117-84754:117.
- 950720240 Staff requirements memo re SECY-95-140, "Final Rule: 10CFR19 & 20 Radiation Protection Requirements Amended Definitions & Criteria." Advises that Commission offers no objection to issuance of sub final rule.
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/23. TAYLOR,J.M. Dir. of the Executive Director for Operations. CYR,K.D. Office of the General Counsel (Post 890701). 2pp. 84764:155-84764:155.
- 9507240130 Staff requirements memo re SECY-95-125, "Final Policy Statement on Use of Probabilistic Risk Assessment Methods in Nuclear Regulatory Activities."
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/30. TAYLOR,J.M. Dir. of the Executive Director for Operations. 2pp. 84776:247-84776:248.
- 9507240200 Staff requirements memo re SECY-95-129, "Proposed Rulemaking for Reporting Equipment Reliability Data."
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/28. TAYLOR,J.M. Dir. of the Executive Director for Operations. 2pp. 84776:250-84776:251.
- 9507240208 Staff requirements memo re SECY-95-156, "Review of Previously Approved Remediation Plans."
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/28. TAYLOR,J.M. Dir. of the Executive Director for Operations. 1p. 84776:254-84776:254.
- 9507200805 Staff requirements memo re 950712 briefing in Rockville, MD on status of Watts Bar & Browns Ferry, Unit 3.
HOYLE,J.C. Office of the Secretary of the Commission. M950712. 95/07/24. TAYLOR,J.M. Dir. of the Executive Director for Operations. 1p. 84844:045-84844:045.

ACRW ADVISORY COMMITTEE ON NUCLEAR WASTE

- 9507070458 Discusses regulatory issues in LLW disposal performance assessments.
STEINLINDER,M.J. Advisory Committee on Nuclear Waste. 95/06/28. THE CHAIRMAN, SEUL,I. Commissioners (Post 750119). 4pp. 84578:352-84578:355.
- 9507100327 "NRC ACRW to Meet 950728-29."
* Office of Public Affairs (Post 91117). 95/07/07. 2pp. 84692:312-84692:313.
- 9507200222 Forwards rept from ACRW commenting on regulatory issues re NRC performance assessment program for low-level radwaste.
* Office of Public Affairs (Post 91117). 95/07/11. 1p. 84815:219-84815:223.

150 NONDOCKETED ITEMS

950727008 "ACNW Elects PW Pomeroy, Chairman & BJ Gamick, Vice-President."
Office of Public Affairs (Post 911117). 95/07/26 2pp. 84867-240-84867-241.

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

9507090151 Requests ACRS review of generic LR titled "Voltage-Based Repair Criteria for Westinghouse Steam Generator Tubes." w/ supporting mail
SHERIDAN, B. 95/04/06. LARSON, J. ACRS - Advisory Committee on Reactor Safeguards. 162pp. 84511-048-84511-205.

9507090483 Responds to 950515 re comments of Advisory Committee on proposed final GL 95-30, "Voltage-Based Repair Criteria for Westinghouse SG Tubes Affected by Outside Diameter Stress Corrosion Cracking."
TAYLOR, J.M. Of the Executive Director for Operations. 95/06/14. KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 84512-934-84512-935.

9507180246 Transcript of 950713 423rd meeting of ACRS in Rockville, MD. Pp 1-265 Related documentation and
ACRS - Advisory Committee on Reactor Safeguards. 95/07/13 315pp. 84780-001-84780-315

9507180248 Transcript of 950714 423rd meeting of ACRS in Rockville, MD. Pp 266-412 Related documentation and
ACRS - Advisory Committee on Reactor Safeguards. 95/07/14 200pp. 84783-022-84783-221.

9507180252 Transcript of 950712 meeting of ACRS Technical Training Subcommittee in Rockville, MD Pp 1-216 Related documentation and
ACRS - Advisory Committee on Reactor Safeguards. 95/07/12. 250pp. 84781-001-84781-250.

9507210243 Revised transcript of ACRS Reactor Fuels Subcommittee meeting in Rockville, MD Pp 1-188 Related documentation and
ACRS - Advisory Committee on Reactor Safeguards. 95/05/03. 320pp. 84808-001-84808-320

9507270058 "NRC Names Three Professors in Engineering Programs to ACRS."
Office of Public Affairs (Post 911117). 95/07/26 3pp. 84874-112-84874-114.

ADVISORY NRC ADVISORY COMMITTEE

9507070459 Discusses regulatory issues in LLW disposal performance assessment
STUJER, J.M. Advisory Committee on Nuclear Waste. 95/06/26. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 4pp. 84576-352-84576-355.

9507120037 "NRC ACNW to Meet 950726-28."
Office of Public Affairs (Post 911117). 95/07/07 2pp. 84582-312-84582-313.

9507210222 Forwards rpt from ACNW commenting on regulatory issues re NRC performance assessment program for low-level radioactive
Office of Public Affairs (Post 911117). 95/07/11. 1p. 84815-219-84815-220.

9507270088 "ACNW Elects PW Pomeroy, Chairman & BJ Gamick, Vice-President."
Office of Public Affairs (Post 911117). 95/07/26 2pp. 84867-240-84867-241

COMMISSION NRC COMMISSIONERS

9507090211 Summarizes I Sein 950516 meeting w/representatives from Energy Fuels Nuclear, Inc. to discuss Omnibus Budget Reconciliation Act of 1990 issues, including NRC new approach to fees
MCCORMELL, K.I. Commissioners (Post 750119). 95/06/15. Commissioners (Post 750119). 1p. 84516-186-84516-188

9507090217 Forwards rpt on nondisclosure of safeguards info for Jan-Mar 1995, per Atomic Energy Act of 1954, section 147. Rpt describes two occasions of withholding safeguards info from public.
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 95/06/09. GOREA, President of U.S. & Executive Offices GINGRICH, N. House of Rep., Speaker of the House 7pp. 84516-187-84516-203.

9507090238 Informs of concerns re misleading info if SAMP rpt financial info on utility performance used for review by securities corporations
ROGERS, K.C. Commissioners (Post 750119). 95/06/13. FABER, A. FABER, A. 1p. 84516-185-84516-185.

9507090243 Forwards summary rpt on regulatory reversion in response to phase II of NRC Performance Review.
ROGERS, K.C. Commissioners (Post 750119). 95/06/15. President of U.S. & Executive Offices 21pp. 84516-213-84516-233.

9507090279 Affirmation vote, approving in part & disapproving in part w/ comments, SECY-95-060, "Final Rule Revising 10CFR110, 'Import & Export of Radioactive'"
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 95/06/25. HOYLE, J.C. Office of the Secretary of the Commission. 3pp. 84530-220-84530-222.

9507090281 Notation vote, approving in part & disapproving in part w/ comments, SECY-95-094, "Assessment of NRC Enforcement Program, Proposed Rev to General Statement of Policy & Procedure for NRC Enforcement Actions & Removal of Policy."
ROGERS, K.C. Commissioners (Post 750119). 95/06/24. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84528-356-84528-356.

9507090482 Affirmation vote, approving in part & disapproving in part w/ comments, SECY-95-060, "Final Rule Revising 10CFR110, 'Import & Export of Radioactive'"
DE PLAMQUE, E.G. Commissioners (Post 750119). 95/06/02. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84528-357-84528-357.

9507090410 Submits suggestion to change definition of radioactive materials in HR 951, "Clean Water Amendment of 1995." Current definition restricts exemption for AEA materials provided by Federal Water Pollution Control Act to materials at plants licensed by NRC.
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). OCS 95/06/20 Senate, Environment & Public Works 2pp. 84528-307-84528-308

9507090416 Affirmation vote, not participating, SECY-95-060, "Final Rule Revising 10CFR110, 'Import & Export of Radioactive'"
JACKSON, S.A. Commissioners (Post 750119). 95/06/07. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84528-356-84528-358.

9507090420 Notation vote, approving in part & disapproving in part w/ comments, SECY-95-094, "Assessment of NRC Enforcement Program, Proposed Rev to General Statement of Policy & Procedure for NRC Enforcement Actions & Removal of Policy."
JACKSON, S.A. Commissioners (Post 750119). 95/06/12. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84529-359-84529-360

9507090433 Notation vote, approving w/ comments, SECY-95-114, "Implementation of Redesignated Materials Licensing Process."
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 95/06/02. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84528-337-84528-337

9507090435 Notation vote, approving w/ comments, SECY-95-114, "Implementation of Redesignated Materials Licensing Process."
ROGERS, K.C. Commissioners (Post 750119). 95/06/30. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84528-338-84528-338.

9507090442 Notation vote, approving w/ comments, SECY-95-114, "Implementation of Redesignated Materials Licensing Process."
DE PLAMQUE, E.G. Commissioners (Post 750119). 95/06/05. HOYLE, J.C. Office of the Secretary of the Commission. 3pp. 84528-340-84528-342.

9507090446 Affirmation vote, approving, SECY-95-060, "Final Rule Revising 10CFR110, 'Import & Export of Radioactive'"
ROGERS, K.C. Commissioners (Post 750119). 95/03/27. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84528-345-84528-345.

9507090448 Affirmation vote, approving w/ comments, SECY-95-128, "Final Rulemaking Package for 10CFR50.36, 'TS'"
JACKSON, S.A. Commissioners (Post 750119). 95/06/15. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84528-344-84528-344

9507090457 Informs of appointment of MR Knapp as representative of NRC on Interagency Steering Committee on Radiation Sides & CJ Pomeroy as alternate. Also informs of committee scope expansion re federal radiation protection sides.
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 95/06/21. GIBBONS, J.H. President of U.S. & Executive Offices. 1p. 84536-133-84536-133.

9507090459 Ack receipt of 950412 re: & agreed to high Czech language version of bilateral agreement between NRC & state office for nuclear safety Agreement and
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 95/05/18. STUJER, J. Czech & Slovak Federal Republic (CSFR) (formerly Czechoslovakia) 19pp. 84536-134-84536-153.

9507090465 Discusses progress made over past four yrs between NRC & Czech office re Czech nuclear program. Requests signature at end of Czech version of cooperation agreement.
STUJER, J. Czech & Slovak Federal Republic (CSFR) (formerly Czechoslovakia). 95/04/12. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 1p. 84536-153-84536-153

9507090467 Responds to 950525 re urging NRC to reassess rule on protection of nuclear power plants against malicious use of vehicles.
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 95/05/21. LEVENTHAL, P. Nuclear Control Institute. 3pp. 84577-351-84577-355.

9507090471 Discusses NRC rule on "Protecting Against Malicious Use of Vehicles at Nuclear Power Plants." and need to reassess key element of this rule in wake of Oklahoma City bombing
LEVENTHAL, P. Nuclear Control Institute. 95/05/25. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 2pp. 84577-353-84577-355.

9507090474 Responds to 950608 SPM re reactor vendors sponsoring modular high temp gas-cooled reactor & power reactor innovative small module advanced reactor designs. DOE may initiate licensing interactions w/NRC in 1996
TAYLOR, J.M. Of the Executive Director for Operations. 95/06/26. THE CHAIRMAN, SELIN, J. ROGERS, K.C. Commissioners (Post 750119). 3pp. 84536-168-84536-172

9507090475 Notation vote, approving w/ comments, SECY-95-128, "Final Rulemaking Package for 10CFR50.36."
DE PLAMQUE, E.G. Commissioners (Post 750119). 95/06/16. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84536-233-84536-233

9507090476 Notation vote, approving, SECY-95-128, "Final Rulemaking Package for 10CFR50.36."
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 95/06/09. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84536-234-84536-234

9507090477 Notation vote, approving w/ comments, SECY-95-128, "Final Rulemaking Package for 10CFR50.36."
ROGERS, K.C. Commissioners (Post 750119). 95/06/14. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84536-235-84536-235

9507090483 SECY-95-164 Weekly info rpt for wk ending 950518.
BLAHU, J.L. Assistant for Operations (Post 950205). 95/06/22. 25pp. 84539-236-84539-260

9507090484 SECY-95-168 Weekly info rpt for wk ending 950523.
BLAHU, J.L. Assistant for Operations (Post 950205). 95/06/28. 24pp. 84539-212-84539-235

9507090485 Notation vote, approving & disapproving w/ comments, SECY-95-064, "Assessment of NRC Enforcement Program, Proposed Rev to General Statement of Policy & Procedure for NRC EA & Removal of Policy From 10CFR2.App C"
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 95/06/05. HOYLE, J.C. Office of the Secretary of the Commission. 3pp. 84558-231-84558-232.

9507100225 Notation vote, approving w/ comments, SECY-95-114, "Implementation of Redesignated Materials Licensing Process."
JACKSON, S.A. Commissioners (Post 750119). 95/05/16. HOYLE, J.C. Office of the Secretary of the Commission. 3pp. 84528-357-84528-358.

5507100283 Notation vote approving in part & disapproving in part w/ comments, SECY-95-043, "Assessment of NRC Enforcement Program Proposed Rev to General Statement of Policy & Procedure for NRC Enforcement Action & Removal of Policy from 10CFR2." DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/08. HOYLE, J.C. Office of the Secretary of the Commission. 5pp. 84586352-84586356

5507100381 Notation vote not participating in SECY-95-043, final rule on "Classification of Decommissioning Funding Assurance Requirements." JACKSON, S.A. Commissioners (Post 750119). 95/06/21. Office of the Secretary of the Commission. 1p. 84587004-84587004

5507100118 Notation vote approving & disapproving in parts w/ comments SECY-95-043, "Final Rule on 'Classification of Decommissioning Funding Assurance Requirements'" DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/20. HOYLE, J.C. Office of the Secretary of the Commission. 4pp. 84586354-84586357

5507101028 Notation vote approving w/o comments, SECY-95-043, "Final Rule on 'Classification of Decommissioning Funding Assurance Requirements'" ROGERS, K.C. Commissioners (Post 750119). 95/06/21. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84586358-84586358

5507101037 Notation vote approving w/o comments, SECY-95-043, "Final Rule on 'Classification of Decommissioning Funding Assurance Requirements'" THE CHAIRMAN, SELIN, Commissioners (Post 750119). 95/06/21. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84586359-84586359

5507101043 Congratulates JB Martin on retirement from federal employment & expresses appreciation for his to NRC. THE CHAIRMAN, SELIN, Commissioners (Post 750119). 95/06/28. MARTIN, J.B. Region 3 (Post 82921). 1p. 84586360-84586360

5507101048 Discusses safety concerns re provisions in 950612 staff draft of S.343 relating Congressional proposals on comprehensive regulatory reform. THE CHAIRMAN, SELIN, Commissioners (Post 750119). 95/06/26. DOLE, B. Senate. GRASSLEY, C.E. HATCH, C.G. Senate, Judiciary. 18pp. 84587011-84587028

5507101073 Nominates OR Stoller & RW Cooper for Senior Executives Association Distinguished Executive Award. THE CHAIRMAN, SELIN, Commissioners (Post 750119). 95/06/28. BONGSARO, C.A. Senior Executives Association/Professional Development League. 11pp. 84587029-84587040

5507101077 Announces tenth annual Executive Excellence Awards Program. Nomination for category of Executive Achievement & Distinguished Executive Award should be received by 950702. BONGSARO, C.A. Senior Executives Association/Professional Development League. 95/06/24. THE CHAIRMAN, SELIN, Commissioners (Post 750119). 1p. 84587040-84587040

5507102023 Forwards NRC "Report to Congress on Abnormal Occurrences" for events at licensed nuclear facilities during fourth quarter of CY94 which addresses four AO at NRC-licensed facilities. THE CHAIRMAN, SELIN, Commissioners (Post 750119). 95/06/30. GINGRICH, L. House of Rep., Speaker of the House. GORE, A.J. Senate. 43pp. 84587207-84587247

5507102046 Notation vote disapproving w/ comments, SECY-95-133, Proposed Rulemaking re 10CFR20, "Constraining Data to Individual Members of Public from Air Emissions of NRC Licensee Other Than Power Reactors." DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/15. HOYLE, J.C. Office of the Secretary of the Commission. 36pp. 84587102-84587135

5507102048 Opposes Committee proposed reduction which would cause NRC to close CHA/RA Agency Federally Funded Research & Development Ctr as well as eliminate critical staff within agency/urges restoration of reduction proposed in HR 1905. THE CHAIRMAN, SELIN, Commissioners (Post 750119). 95/06/23. LIVINGSTON, R. MYERS, J.T. House of Rep., Appropriations. 8pp. 84587311-84587318

5507102022 Corrects record re one matter mentioned in 950124 re re schedule for resumption of patent release rule & regulatory guidance. MCCONNELL, K. Commissioners (Post 750119). 95/06/17. MARCUS, C.E. California, Univ. of, Los Angeles, Medical School. 1p. 84587333-84587333

5507102031 Forwards minutes from CRPOD members w/Chairperson Jackson to introduce Jackson to CRPOD members & discuss mission, objectives & goals. HARDING, C.M. Conference of Radiation Control Program Directors, Inc. 95/07/05. LOHAUS, P. Office of State Programs (Post 911117). 2pp. 84588357-84588358

5507102054 Expresses appreciation for leadership in radiation protection, especially during tenure as Commissioner of NRC. MCGURNEY, R.E. Conference of Radiation Control Program Directors, Inc. 95/06/29. DE PLANQUE, E.G. Commissioners (Post 750119). 1p. 84588141-84588142

5507102057 Expresses appreciation for leadership as Chairman of NRC. HARDING, C.M. Conference of Radiation Control Program Directors, Inc. 95/06/27. THE CHAIRMAN, SELIN, Commissioners (Post 750119). 1p. 84588142-84588142

5507102067 Notation vote approving SECY-95-104, "Safeguards for Spent Fuel or High-Level Radioactive 10CFR60.72.73 & 75." w/ listed comments. JACKSON, S.A. Commissioners (Post 750119). 95/06/19. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84588362-84588363

5507102082 Notation vote re SECY-95-104, "Safeguards for Spent Fuel or High-Level Radioactive 10CFR60.72.73 & 75." Commissioner not participating. DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/28. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84588364-84588364

5507102089 Notation vote approving SECY-95-104, "Safeguards for Spent Fuel or High-Level Radioactive 10CFR60.72.73 & 75." w/ listed comments. ROGERS, K.C. Commissioners (Post 750119). 95/06/14. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84588365-84588365

5507102092 Notation vote approving SECY-95-104, "Safeguards for Spent Fuel or High-Level Radioactive 10CFR60.72.73 & 75." w/ listed comments. THE CHAIRMAN, SELIN, Commissioners (Post 750119). 95/06/18. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84588366-84588366

5507102095 Notation vote re SECY-95-063, "Revised AO Reporting Criteria." Commissioner not participating. JACKSON, S.A. Commissioners (Post 750119). 95/06/22. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84588367-84588367

5507102221 SECY-95-173 Weekly info rept for wk ending 950630. BLAHA, J.L. Assistant for Operations (Post 890205). 95/07/06. 17pp. 84739284-84739301

5507102227 Notation vote approving SECY-95-063, "Revised AO Reporting Criteria." w/ listed comments. DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/14. HOYLE, J.C. Office of the Secretary of the Commission. 5pp. 84739307-84739311

5507102042 Notation vote approving SECY-95-063, "Revised AO Reporting Criteria." w/ listed comments. ROGERS, K.C. Commissioners (Post 750119). 95/06/28. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84739322-84739322

5507102044 Notation vote approving SECY-95-063, "Revised AO Reporting Criteria." w/ listed comments. THE CHAIRMAN, SELIN, Commissioners (Post 750119). 95/06/31. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84739323-84739324

5507102046 Notation vote approving SECY-95-061, "Need for Backfit Rule for Mails Licenses." w/ listed comments. THE CHAIRMAN, SELIN, Commissioners (Post 750119). 95/06/06. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84739320-84739320

5507102050 Notation vote approving SECY-95-061, "Need for Backfit Rule for Mails Licenses." w/ listed comments. ROGERS, K.C. Commissioners (Post 750119). 95/06/27. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84739321-84739321

5507102054 Notation vote approving SECY-95-061, "Need for Backfit Rule for Mails Licenses." w/ listed comments. DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/22. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84739322-84739323

5507102056 Notation vote approving SECY-95-061, "Need for Backfit Rule for Mails Licenses." JACKSON, S.A. Commissioners (Post 750119). 95/06/22. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84739324-84739324

5507200145 Affirmation Vote disapproving SECY-95-019, "Classification of Assessment Requirements For Site, Status & Performance Objectives-Final Rulemaking." w/ listed comments. THE CHAIRMAN, SELIN, Commissioners (Post 750119). 95/06/06. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84777354-84777355

5507200165 Affirmation Vote disapproving w/ comments, SECY-95-019, "Classification of Assessment Requirements For Site, Status & Performance Objectives-Final Rulemaking." ROGERS, K.C. Commissioners (Post 750119). 95/06/29. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84816324-84816325

5507200162 Affirmation Vote disapproving w/ comments, SECY-95-019, "Classification of Assessment Requirements For Site, Status & Performance Objectives-Final Rulemaking." DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/02. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84816322-84816323

5507200174 Notation Vote approving w/ comments SECY-95-129, "Proposed Rulemaking For Reporting Equipment Reliability Data." JACKSON, S.A. Commissioners (Post 750119). 95/06/21. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84816320-84816321

5507200187 Notation vote approving & disapproving w/ comments, SECY-95-112, "Final Policy Statement on Adequacy & Compatibility of Agreement State Programs." THE CHAIRMAN, SELIN, Commissioners (Post 750119). 95/06/19. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84816343-84816343

5507200201 Notation Vote disapproving w/ comments SECY-95-129, "Proposed Rulemaking For Reporting Equipment Reliability Data." DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/20. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84816341-84816342

5507200205 Notation vote, disapproving w/ comments, SECY-95-155, "Review of Previously Approved Reclamation Plans." JACKSON, S.A. Commissioners (Post 750119). 95/06/26. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84816329-84816330

5507200208 Notation Vote approving w/ comments SECY-95-126, "Final Policy Statement on Use of PRA Methods in Nuclear Regulatory Activities." JACKSON, S.A. Commissioners (Post 750119). 95/06/21. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84816359-84816362

5507200209 Notation vote, disapproving w/ comments, SECY-95-155, "Review of Previously Approved Reclamation Plans." DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/23. HOYLE, J.C. Office of the Secretary of the Commission. 5pp. 84816334-84816338

5507200217 Notation vote, disapproving w/ comments, SECY-95-155, "Review of Previously Approved Reclamation Plans." THE CHAIRMAN, SELIN, Commissioners (Post 750119). 95/06/27. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84816359-84816359

5507200216 Notation vote approving w/ comments SECY-95-112, "Final Policy Statement on Adequacy & Compatibility of Agreement State Programs." JACKSON, S.A. Commissioners (Post 750119). 95/06/21. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84816360-84816361

5507200228 Notation vote, disapproving w/ comments, SECY-95-155, "Review of Previously Approved Reclamation Plans." ROGERS, K.C. Commissioners (Post 750119). 95/06/29. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84816365-84816365

152 NONDOCKETED ITEMS

- 9507200221 Notation Vote in part approving & in part disapproving w/comments SECY-95-115, "Final Statement of Principles & Policy For Agreement State Program" & "Procedures For Suspension & Termination Of Agreement State Program." THE CHAIRMAN, SELINJ. Commissioners (Post 750119). 95/06/19. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84815354-84815354.
- 9507200225 Notation vote, approving SECY-95-152, "Land Ownership Requirements for LLW Sites." DE PLANQUEE.E.G. Commissioners (Post 750119). 95/06/28. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84815353-84815353.
- 9507200228 Notation vote, approving SECY-95-152, "Land Ownership Requirements for LLW Sites." JACKSON.S.A. Commissioners (Post 750119). 95/06/21. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84815351-84815351.
- 9507200231 Notation vote, approving SECY-95-152, "Land Ownership Requirements for LLW Sites." THE CHAIRMAN, SELINJ. Commissioners (Post 750119). 95/06/29. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84815251-84815251.
- 9507200233 Notation Vote in part approving & in part disapproving w/comments SECY-95-112, "Final Policy Statement on Adequacy & Compatibility Of Agreement State Programs." ROGERS.K.C. Commissioners (Post 750119). 95/06/26. HOYLEJ.C. Office of the Secretary of the Commission. 3pp. 84815351-84815353.
- 9507200234 Notation vote, approving w/comments SECY-95-129, "Proposed Rulemaking For Reporting Equipment Reliability Data." THE CHAIRMAN, SELINJ. Commissioners (Post 750119). 95/06/22. HOYLEJ.C. Office of the Secretary of the Commission. 3pp. 84815295-84815300.
- 9507200238 Notation Vote in part approving & in part disapproving w/comments SECY-95-115 "Final Statement of Principles & Policy For Agreement State Program" & "Procedures For Suspension & Termination Of Agreement State Program." DE PLANQUEE.E.G. Commissioners (Post 750119). 95/06/14. HOYLEJ.C. Office of the Secretary of the Commission. 4pp. 84815344-84815347.
- 9507200240 Notation vote, approving & disapproving w/comments SECY-95-112, "Final Policy Statement on Adequacy & Compatibility Of Agreement State Programs." DE PLANQUEE.E.G. Commissioners (Post 750119). 95/06/16. HOYLEJ.C. Office of the Secretary of the Commission. 3pp. 84815337-84815343.
- 9507200244 Inform that Commission has approved publication of revised draft policy statement w/changes reflected in attachment. HOYLEJ.C. Office of the Secretary of the Commission. 94/06/30. TAYLORJ.M. Dir. of the Executive Director for Operations. 2pp. 84815342-84815343.
- 9507200246 Notation vote response sheet approving SECY-95-152, "Land Ownership Requirements for Low-Level Waste Sites." ROGERS.K.C. Commissioners (Post 750119). 95/06/30. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84815250-84815250.
- 9507200247 Notation Vote approving w/comments SECY-95-115, "Final Statement of Principles & Policy For Agreement State Program" & "Procedures For Suspension & Termination Of Agreement State Program." JACKSON.S.A. Commissioners (Post 750119). 95/06/21. HOYLEJ.C. Office of the Secretary of the Commission. 2pp. 84815248-84815249.
- 9507200248 Notation vote, approving w/comments SECY-95-125, "Final Policy Statement on Use of PRA Methods in Nuclear Regulatory Activities." ROGERS.K.C. Commissioners (Post 750119). 95/06/22. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84815247-84815247.
- 9507200252 Affirmation Vote not participating re SECY-95-019, "Clarification of Assessment Requirements for Spent Casks & Performance Objectives - Final Rulemaking." JACKSON.S.A. Commissioners (Post 750119). 95/06/26. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84777320-84777320.
- 9507200253 Notation vote response sheet approving w/comments SECY-95-151, "Alternative Approaches for Fuel Cycle Facility Regulation." DE PLANQUEE.E.G. Commissioners (Post 750119). 95/06/23. HOYLEJ.C. Office of the Secretary of the Commission. 3pp. 84815244-84815246.
- 9507200257 Notation vote response sheet approving w/comments SECY-95-151, "Alternative Approaches for Fuel Cycle Facility Regulation." ROGERS.K.C. Commissioners (Post 750119). 95/06/27. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84790301-84790301.
- 9507200260 Notation Vote approving w/comments SECY-95-129, "Proposed Rulemaking For Reporting Equipment Reliability Data." ROGERS.K.C. Commissioners (Post 750119). 95/06/22. HOYLEJ.C. Office of the Secretary of the Commission. 3pp. 84803359-84803360.
- 9507200267 Notation Vote approving w/comments SECY-95-125, "Final Policy Statement on Use of PRA Methods in Nuclear Regulatory Activities." DE PLANQUEE.E.G. Commissioners (Post 750119). 95/06/29. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84811355-84811355.
- 9507200268 Notation vote response sheet approving w/comments SECY-95-151, "Alternative Approaches for Fuel Cycle Facility Regulation." JACKSON.S.A. Commissioners (Post 750119). 95/06/22. HOYLEJ.C. Office of the Secretary of the Commission. 2pp. 84811353-84811354.
- 9507200278 Notation Vote approving w/comments SECY-95-115, "Final Statement of Principles & Policy For Agreement State Program" & "Procedures For Suspension & Termination Of Agreement State Program." ROGERS.K.C. Commissioners (Post 750119). 95/06/26. Office of the Secretary of the Commission. 5pp. 84816275-84816279.
- 9507200360 Notation Vote response sheet approving SECY-95-151, "Alternative Approaches for Fuel Cycle Facility Regulation." THE CHAIRMAN, SELINJ. Commissioners (Post 750119). 95/06/27. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84800357-84800357.
- 9507200395 Notation vote response sheet approving SECY-95-028, "Issuance of Regulatory Analysis Guidelines of US NRC." THE CHAIRMAN, SELINJ. Commissioners (Post 750119). 95/02/27. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84792380-84792380.
- 9507200368 Notation vote response sheet approving w/comments SECY-95-028, "Issuance of Regulatory Analysis Guidelines of US NRC." ROGERS.K.C. Commissioners (Post 750119). 95/06/27. HOYLEJ.C. Office of the Secretary of the Commission. 2pp. 84792358-84792359.
- 9507200371 Notation vote response sheet approving w/comments SECY-95-028, "Issuance of Regulatory Analysis Guidelines of US NRC." DE PLANQUEE.E.G. Commissioners (Post 750119). 95/06/22. HOYLEJ.C. Office of the Secretary of the Commission. 3pp. 84792344-84792351.
- 9507200375 Notation vote response sheet approving w/comments SECY-95-028, "Issuance of Regulatory Analysis Guidelines of US NRC." JACKSON.S.A. Commissioners (Post 750119). 95/06/21. HOYLEJ.C. Office of the Secretary of the Commission. 2pp. 84792342-84792343.
- 9507200374 Notation vote response sheet approving w/comments SECY-95-047, "Staff Analysis & Recommendations on Integrated Melt Performance Evaluation Program." THE CHAIRMAN, SELINJ. Commissioners (Post 750119). 95/06/19. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84722341-84722341.
- 9507200376 Notation vote response sheet approving w/comments SECY-95-047, "Staff Analysis & Recommendations on Integrated Melt Performance Evaluation Program." ROGERS.K.C. Commissioners (Post 750119). 95/06/21. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84792340-84792340.
- 9507200377 Notation vote response sheet approving w/comments SECY-95-047, "Staff Analysis & Recommendations on Integrated Melt Performance Evaluation Program." DE PLANQUEE.E.G. Office of Nuclear Reactor Regulation, Director (951125-870411). 95/06/14. HOYLEJ.C. Office of the Secretary of the Commission. 3pp. 84792337-84792338.
- 9507200378 Notation vote response sheet approving w/comments SECY-95-047, "Staff Analysis & Recommendations on Integrated Melt Performance Evaluation Program." JACKSON.S.A. Commissioners (Post 750119). 95/06/12. HOYLEJ.C. Office of the Secretary of the Commission. 2pp. 84790302-84790303.
- 9507210053 Notation vote approving SECY-95-132, "Policy & Technical Issues Associated W/Regulatory Treatment of Non-Safety Sys (RTNBS) in Passive Plant Designs." w/o comments JACKSON.S.A. Commissioners (Post 750119). 95/06/22. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84753345-84753345.
- 9507210061 Discusses into re Congressional proposals on comprehensive regulatory reform. THE CHAIRMAN, SELINJ. Commissioners (Post 750119). CCS 95/06/26. HATCH.O.G. Senate Judiciary DOLE.B. Senate MURKOWSKI.F. Senate, Energy & Natural Resources. 18pp. 84809330-84809348.
- 9507210065 Notation vote approving SECY-95-132, "Policy & Technical Issues Associated W/Regulatory Treatment of Non-Safety Sys (RTNBS) in Passive Plant Designs." w/o comments DE PLANQUEE.E.G. Commissioners (Post 750119). 95/06/23. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84753344-84753344.
- 9507210068 Notation vote approving SECY-95-132, "Policy & Technical Issues Associated W/Regulatory Treatment of Non-Safety Sys (RTNBS) in Passive Plant Designs." w/o comments ROGERS.K.C. Commissioners (Post 750119). 95/06/21. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84753345-84753345.
- 9507210069 Notation vote approving SECY-95-132, "Policy & Technical Issues Associated W/Regulatory Treatment of Non-Safety Sys (RTNBS) in Passive Plant Designs." w/o comments THE CHAIRMAN, SELINJ. Commissioners (Post 750119). 95/06/19. HOYLEJ.C. Office of the Secretary of the Commission. 2pp. 84753346-84753347.
- 9507210065 Notation vote not participating in SECY-95-136, "Options to Improve & Standardize Evaluation & Approval of Sealed Sources & Devices Mfg in Agreement States." w/o comments JACKSON.S.A. Commissioners (Post 750119). 95/06/30. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84753346-84753346.
- 9507210068 Notation vote approving SECY-95-136, "Options to Improve & Standardize Evaluation & Approval of Sealed Sources & Devices Mfg in Agreement States." w/o comment DE PLANQUEE.E.G. Commissioners (Post 750119). 95/06/22. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84753342-84753342.
- 9507210069 Notation vote approving SECY-95-136, "Options to Improve & Standardize Evaluation & Approval of Sealed Sources & Devices Mfg in Agreement States." w/o comments ROGERS.K.C. Commissioners (Post 750119). 95/06/30. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84753340-84753340.
- 9507210105 Notation vote approving SECY-95-136, "Options to Improve & Standardize Evaluation & Approval of Sealed Sources & Devices Mfg in Agreement States." THE CHAIRMAN, SELINJ. Commissioners (Post 750119). 95/06/28. HOYLEJ.C. Office of the Secretary of the Commission. 1p. 84753341-84753341.
- 9507210112 Inform that FY96 Energy & Water Development Appropriations Bill (HR 1909) would appropriate \$473.3 million to NRC-- \$52.5 million less than \$525.8 million that was requested in President's Budget. THE CHAIRMAN, SELINJ. Commissioners (Post 750119). CCS 95/06/23. LIVINGSTON.B., MYERS.J.T. Senate Appropriations. 4pp. 84811322-84811328.
- 9507210124 Forwards NRC report on nondisclosure of safeguards info for quarter beginning 950101 & ending 950331. THE CHAIRMAN, SELINJ. Commissioners (Post 750119). 95/06/09. GINGRICH.N. House of Rep. 6pp. 84811315-84811321.
- 9507210175 Submits NRC report on nondisclosure of safeguards info for quarter beginning 950101 & ending 950331. Report describes two occasions during period when NRC withheld from public disclosure safeguards info re security at power plants. THE CHAIRMAN, SELINJ. Commissioners (Post 750119). CCS 95/06/09. GORE.A. Senate. 6pp. 84797347-84797353.

9507120332 Informal Commissioner de Planque item ending as of 950630, Comments on potentially far-reaching research which began under auspices of Joint Coordinating Committee on Radiation Effects Research.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 95/07/07
OTTOQUE, T. Energy, Dept. of. 1p. 847712032-847712032.

9507240084 Final response to FOIA request for records App D records and a available in PDR App E & F records withheld in entirety (not FOIA Exemption 5)
POWELL, J.E. Division of Freedom of Information & Publications Services (Post 940714). 95/02/08 FIDELL, E.R. Affiliation Not Assigned. 8pp. 84787053-84787082

9507240071 Forwards H.R. 102-1018, conference report to accompany H.R. 778, "Energy Policy Act of 1992."
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 82/10/21 THE CHAIRMAN, SELIN, J. ROBERTS, K.C. Commissioners (Post 750119). 3pp. 84797071-84797073.

9507240077 Forwards status summaries of major legislative proposals introduced in 102nd Congress which were of interest to NRC.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 82/12/07. THE CHAIRMAN, SELIN, J. ROBERTS, K.C. Commissioners (Post 750119). 3pp. 84797074-84797076.

9507240081 Forwards analysis summarizing whistleblower protection provisions contained in H.R. 778.
PARLER, W.C. Office of the General Counsel (Post 860701). 82/05/15. THE CHAIRMAN, SELIN, J. ROBERTS, K.C. Commissioners (Post 750119). 3pp. 84797077-84797079

9507240083 Forwards OGC analysis summarizing major provisions of H.R. 778, "Energy Policy Act of 1992."
PARLER, W.C. Office of the General Counsel (Post 860701). 82/10/26. THE CHAIRMAN, SELIN, J. ROBERTS, K.C. Commissioners (Post 750119). 3pp. 84797080-84797082.

9507240232 SECY-85-178 Weekly info report for wk. ending 950707
BLAHM, J.L. Assistant for Operations (Post 860208). 85/07/12. 13pp. 84778299-84778305.

9507280071 Summaries activities to date involving implementation of revised severe accident source term at operating reactors.
TAYLOR, J.M. Dir. of the Executive Director for Operations 85/07/21. THE CHAIRMAN, JACKSON, S.A., ROBERTS, K.C. Commissioners (Post 750119). 3pp. 84837277-84837278

9507280231 Notation vote approving w/comments SECY-85-128, "Final Policy Statement on use of Probabilistic Risk Assessment Methods in Nuclear Regulatory Activities."
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 95/06/19. HOYLE, J.C. Office of the Secretary of the Commission. 3pp. 84845029-84845031.

9507280240 SECY-85-158 Weekly info report for wk. ending 950714
BLAHM, J.L. Assistant for Operations (Post 860208). 95/07/19. 17pp. 84844326-84844344

9507280288 Responses to 950508 H.R. GAO report, "Nuclear Regulation Slow Progress in Identifying & Cleaning Up Low-level Contaminated Sites." & site decommissioning rule plan program, which addresses 31 contaminated sites.
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 95/06/22. GLENN, J. Senate. 11pp. 84845076-84845122.

9507130122 Discusses NRC assistance in Agreement State site decommissioning rule planning in 29 Agreement States, per 840319 & 0824 memoranda NRC dialogue w/ Agreement States on problems contaminated site remediation should continue.
TAYLOR, J.M. Dir. of the Executive Director for Operations. 85/05/19. THE CHAIRMAN, SELIN, J. ROBERTS, K.C. Commissioners (Post 750119). 3pp. 84845108-84845119

9507280286 Forwards GAO report entitled, "Nuclear Regulation Slow Progress in Identifying & Cleaning Up Low-level Contaminated Sites."
GLENN, J. Senate. 85/06/08. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 3pp. 84845120-84845122

9507280295 Submits comments on S. 945, "Info Technology Mgt Reform Act of 1995."
Forwards detailed summary of concerns about prescriptive nature of bill provisions.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 85/07/19
COHEN, W.S. Senate. 10pp. 84856233-84856245.

9507280299 Requests comments on S. 945 Info Technology Mgt Reform Act, addressing problems associated w/procurement & mgt of federal info technology.
COHEN, W.S. Senate. 85/06/29. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 2pp. 84856344-84856345.

9507280382 Ack receipt of 950528 H.R. commanding Chairman I Solin for work in opening nuclear safety dialogue w/India.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 95/07/19. GOPA-LAKSHMINATHAN India. 1p. 84845129-84845126.

9507280300 Expresses appreciation for interest & efforts to initiate relationship between NRC & Government of India.
GOPA-LAKSHMINATHAN India. 95/06/29. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 1p. 84845124-84845124.

9507280386 Forwards NRC "Reply to Congress on Abnormal Occurrences," for events at licensed nuclear facilities for first quarter of CY88 Report addresses one AO at NRC-licensed facility which involved medical brachytherapy misadministration.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 95/07/19
GORE, J.A. Senate, President of the Senate. GREGG, RICHMOND House of Rep., Speaker of the House. 2pp. 84856307-84856332.

CONTRACT NRC CONTRACTS AND MODIFICATIONS

9507120047 Contract, "Switching Svcs for Walnut Creek Field O/c" awarded to Pacific Bell Telephone Co.
FRANK, E.E. Pacific Bell. WIGGINS, E.J. NRC - No Detailed Affiliation Given. FIN C-4020. 95/06/09. 56pp. 84862240-84862255.

9507120053 Ltr contract NRC-93-93-194, Mod 8 to task order 1, deleting essential personnel currently listed for successful performance of task order & replacing w/9 Miller to "Customer Support Desk."
MATTIA, M.J. Division of Contracts (Post 940714). NRC-93-93-194. 95/06/09
CASSON, D. Global Management Systems, Inc. 1p. 84862256-84862256

9507120064 Ltr contract NRC-93-93-193, Mod 5 to task order 1, increasing task order ceiling to "AESD Nonsector Events Enterprise Database Development" to "Application Development Platform/ Client-Server Computing."
MATTIA, M.J. Division of Contracts (Post 940714). FIN E-8285. NRC-93-93-193. 95/05/21. JONES, N. 2pp. 84862258-84862258

9507120076 Mod 12, replacing first option yr of contract, providing add funding & increasing ceiling amount, & extending period of performance to "Nuclear Document Sys Processing & User Support Svcs."
SHRIVASTAVA, S. Anzac, Inc. MATTIA, M.J. Division of Contracts (Post 940714). 95/05/21. 2pp. 84862259-84862300.

9507120080 Mod 8, adding 4th add nationwide pages to "Antine & Mant for NRC Owned Papers/Skypages to include Direct Ind Antine."
POWELL, J.E. FirstPage. MATTIA, M.J. Division of Contracts (Post 940714). FIN E-1050. 95/06/16. 4pp. 84862301-84862304.

9507120087 Mod 7, removing name & address of contractor, to "Antine & Mant for NRC Owned Papers/Skypages to include Direct Ind Antine."
POWELL, J.E. MATTIA, M.J. Division of Contracts (Post 940714). 95/06/16. 8pp. 84862304-84862304

9507140040 Mod 7, incorporating one add Safety Aspects of Industrial Radiography Course to be presented three times during FY95, defining mod 8, providing add incremental funding, to "Safety Aspects of Industrial Radiography Course."
PRICE, J.K. Amersham Corp. MATTIA, M.J. Division of Contracts (Post 940714). NRC-25-84-304. 95/05/24. 4pp. 84862334-84862337

9507140044 Mod 1, allowing for add 167 hours for completion of course manual & all instructional aids to present Health Physics Course & revising Paragraph 4, to task order 14, "Training in Health Physics & Radiation Protection."
MATTIA, M.J. Division of Contracts (Post 940714). NRC-25-91-292. 95/06/08
HOLBERT, A. International Technology Corp. 2pp. 84862338-84862339.

9507170203 Contract, "Foodservice Operator for Two White Flint North Cafeterias," awarded to Armark Corp.
GLEASON, M. Armark (subs. of Alkono, Inc.). WIGGINS, E.J. Division of Contracts (Post 940714). NRC-10-95-147. 95/06/08. 8pp. 84873281-84873338.

9507170205 Contract, "Photographic Svcs" awarded to Photocraft, Inc.
ECALON, R. Photocraft Custom Lab, Inc. WIGGINS, E.J. Division of Contracts (Post 940714). NRC-10-85-151. 95/05/23. 6pp. 84873213-84873290.

9507170247 Mod 3, providing contractor new remittance address, to "Upgrade of Hewlett Packard 2800A Laser Printers."
MATTIA, M.J. Division of Contracts (Post 940714). 95/05/24. 1p. 84869334-84869334

9507170258 Mod 3, obligating FY95 funds in listed amount to "Software Maint & Sys Support for Public Document Room Bibliographic Retrieval Sys."
SULLIVAN, D.E. Zonar Corp. MATTIA, M.J. Division of Contracts (Post 940714). 95/06/08. 2pp. 84871358-84871359.

9507170288 Forwards fully executed copy of mod 14 under contract NRC-93-94-185 re proposed engineering change will be handled as separate action under contract based on discussions held on 950615.
MATTIA, M.J. Division of Contracts (Post 940714). NRC-93-94-185. 95/06/20. CLARY, J.R. Affiliation Not Assigned. 1p. 84873352-84873354.

9507170288 Mod 14, obligating FY95 funds in listed amount to "Replace Electronic Infrastructure Software Hardware & Personal Computer Support (Refresh PCs)." Affiliation Not Assigned. MATTIA, M.J. Division of Contracts (Post 940714). FIN J-1006-0. FIN W-6201. 95/06/19. 2pp. 84873355-84873354

9507170348 Mod 1, obligating 950103 as effective date of contract & reflecting actual delivery times/dates for equipment & applicable warranty periods, to "Purchase of Microcomputer-Based Multimedia Training Sys."
WALLACE, D. Small Business Administration. WALLACE, D. Computer Technology Services, Inc. WIGGINS, E.J. Division of Contracts (Post 940714). 95/05/13. 2pp. 84869353-84869354.

9507170373 Contract, "Telephone Operator Support," awarded to SEA & Kevin Co., Inc.
ORSHO, S.C. Small Business Administration. ALLEN, D.W. MATTIA, M.J. Division of Contracts (Post 940714). 95/06/09. 51pp. 84873382-84873421.

9507170388 Contract, "Mainframe Data Communications & Tele-Communications Analysis Support," awarded to SEA & Pulsar Data Systems, Inc.
ADAMS, D. Small Business Administration. DAVIS, W.W. Pulsar Data Systems, Inc. MATTIA, M.J. Division of Contracts (Post 940714). FIN C-1430. 95/06/09. 42pp. 84871309-84871344

9507180084 Contract, "Purchase of ALARA Scanner Track for Salt Ustazonic Sys," awarded to Virginia Corp of Richmond.
PERRINGER, M.M. Virginia Corp. of Richmond. WIGGINS, E.J. Division of Contracts (Post 940714). 95/06/02. 11pp. 84711295-84711295.

9507180089 Ltr contract, defining task order 22, "Refresher Training at Technical Co., Chattanooga, TN."
WIGGINS, E.J. Division of Contracts (Post 940714). NRC-93-84-035. 95/05/25. VOGL, A.M. Sonalysts, Inc. 4pp. 84711356-84711356.

9507180012 Ltr contract, defining task order 19, "Operator Licensing Exam - Calibration."
WIGGINS, E.J. Division of Contracts (Post 940714). NRC-93-84-019. 95/05/25. VOGL, A.M. Sonalysts, Inc. 4pp. 84869357-84869358.

9507180016 Mod 05, modifying contract to reflect no-cost termination settlement agreement & to terminate contract, including task order 2, to "Publication Technical Editing & Database Assistance for TS Improvement Program."
TG Bauer Associates, Inc. WIGGINS, E.J. Division of Contracts (Post 940714). 95/05/30. 2pp. 84869354-84869355.

154 NONDOCKETED ITEMS

9507180021 Ltr contract, Mod 5 to task order 23, increasing level of effort in task order in accordance w/technical proposal dtd 950503 & statement of work, to "Shut Down Risk Support"
WIGGINS, E.J. Division of Contracts (Post 940714) NRC-03-03-031 95/06/08.
AFABLES, SCIENTECH, Inc. 2pp. 84686.352-84686.353.

9507180025 Ltr contract, defining task order 73, "Follow-Up to SWSCPI - Crystal River."
WIGGINS, E.J. Division of Contracts (Post 940714) NRC-03-03-028 95/06/12.
LOFY, R.A. PARAMETER, Inc. 2pp. 84686.350-84686.351

9507180028 Ltr contract, Mod 6, task order 9, providing incremental funding in listed amount to, "Technical Assistance for Waste Bar Pre-Operational & Start-Up Test, Test Procedure Review & Evaluation & Closure to Test Deficiencies"
WIGGINS, E.J. Division of Contracts (Post 940714) FIN J-2081-5. 95/06/05.
LOFY, R.A. PARAMETER, Inc. 2pp. 84727.001-84727.002.

9507180132 Ltr contract, Mod 7 to task order 17, providing incremental funding, to "Technical Assistance for Waste Bar Operational Readiness Evaluation"
WIGGINS, E.J. Division of Contracts (Post 940714) NRC-03-03-026. 95/06/05.
LOFY, R.A. PARAMETER Supply Co. 2pp. 84686.345-84686.348

9507180160 Ltr contract, Mod 4 to task order 5, increasing ceiling & extending period of performance to 960306, to "Independent Assessment of Direct Containment Heating Research"
MACE, M. Division of Contracts (Post 940714) NRC-04-02-045 95/06/01, KHATIB-RAHBAR Energy Research Group, Inc. 3pp. 84686.342-84686.344.

9507180180 Mod 11, changing project officer for contract, to "Improved Radiation Embrittlement Correlations"
* Modeling & Computer Services, MACE, M. Division of Contracts (Post 940714). 95/06/06. 2pp. 84686.340-84686.341

9507180179 Mod 2, extending period of performance from 951030 to 960331, all no add cost to gov't, to "Phase II FY93 Demonstration of Continuous Vanadium & Vanadic Ion Analysis"
* Omni Tech International, Ltd. MACE, M. Division of Contracts (Post 940714) 95/06/12. 3pp. 84686.330-84686.332

9507180188 Forwards mod 2 to grant NRC-G-04-84-057.
MACE, M. Division of Contracts (Post 940714) NRC-G-04-84-057 95/06/07.
NEY, W.R. National Council on Radiation Protection & Measurements. 1p. 84727.031-84727.033

-9507180090 Mod 2, providing incremental funds in stated amount to, "Formulation of Recommendations on Radiation Protection & Measurements Re Technology Base Need To Address Safety of Operations Involving Ionizing Radiation"
MACE, M. Division of Contracts (Post 940714) 95/06/07. 2pp. 84727.032-84727.033.

9507180204 Forwards mod 1 to contract NRC-04-95-038
MACE, M. Division of Contracts (Post 940714) NRC-04-95-038. 95/06/08.
NEUMANN, Arizona, Univ. of, Tucson, AZ. 1p. 84686.304-84686.306

-9507180206 Mod 1, increasing funds in stated amount, "Testing & Evaluation of Groundwater Flow & Transport Models."
* Arizona, Univ. of, Tucson, AZ. MACE, M. Division of Contracts (Post 940714). 95/06/07. 2pp. 84686.305-84686.306

9507180215 Forwards mod 1 to contract NRC-04-95-041.
MACE, M. Division of Contracts (Post 940714) NRC-04-95-041. 95/06/08.
BASSETT, A. Arizona, Univ. of, Tucson, AZ. 1p. 84686.301-84686.303

-9507180226 Mod 1, increasing funding in stated amount to "Field Studies At Apache Leap Tuff Site."
* Arizona, Univ. of, Tucson, AZ. MACE, M. Division of Contracts (Post 940714). 95/06/08. 2pp. 84686.302-84686.303

9507180235 Grant: "NRC Participation in SMART-13 Conference in Brazil in Aug 1995," awarded to SMART 13 Conference Secretariat.
PERAL, J.D. MACE, M. Division of Contracts (Post 940714). 95/06/02. 2pp. 84727.003-84727.004

9507180236 Grant: "Scientific Basis for Nuclear Waste Mgt" awarded to Southwest Research Institute.
BALLANCE, J.B. Southwest Research Institute. MACE, M. Division of Contracts (Post 940714). 95/05/28. 2pp. 84727.005-84727.006.

9507180254 Ltr contract, Mod 2, task order 25, deobligating FY95 funds in listed amount to, "ASB/CE GENP-293, Supply to LOCA Methods," under contract NRC-03-90-027.
WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-90-027. FIN L-1315-5. 85/06/12. KOMORIYA, H. International Technical Services, Inc. 3pp. 84726.358-84726.360.

9507180282 Contract: "Safeguards Support for Uranium-Administrative Assistance," awarded to Operations Research Technology, Inc.
DREKOW, G. Small Business Administration. * Operations Research Technology, Inc. MACE, M. Division of Contracts (Post 940714). FIN J-6104 95/06/08. 30pp. 84718.315-84718.344.

9507180315 Mod 3, exercising first option year (AW) section 1.7, increasing contract ceiling & obligating amount by stated amounts to "Data Entry/Processing FBI Cards/Criminal History File"
* Kentro & Associates, Inc. WIGGINS, E.J. Division of Contracts (Post 940714). FIN D-2495. 95/06/81. 2pp. 84718.345-84718.346

9507180332 Mod 11, exercising option year, extending period of performance by one add year & providing incremental funding in stated amount to "Cooperative Agreement - Merril & Ostrom of LPDRs"
KILLIAN, M. Sacramento, CA. MACE, M. Division of Contracts (Post 940714). FIN D-2410-5. 95/06/13. 3pp. 84726.351-84726.353.

9507180388 Mod 3, increasing contract ceiling by listed amount & providing incremental funding in stated amount, to "Implement & Maintain Third Party Payment Sys."
* WIGGINS, E. Division of Contracts (Post 940714) FIN L-1558. 95/06/15. 3pp. 84718.347-84718.349

9507180352 Mod 16, extending period of performance to cover second option quantity of svc & provisions which allow govt to extend contract for add option period, to "Financial Svcs"
* Small Business Administration WIGGINS, E.J. Division of Contracts (Post 940714) FIN L-2460. 95/06/08. 3pp. 84725.275-84725.279

9507180368 Contract: "Support of Development of Regulations Reactors & Mgt" awarded to ICF Inc.
BAILEY, P.E. ICF, Inc. MACE, M. Division of Contracts (Post 940714) FIN W-6294. FIN W-6295 95/06/30. 130pp. 84725.148-84725.274

9507180378 Mod 3, revising sections b, c, g & h of contract to reflect tested procedural & administrative changes to "Div of Contract Administrative Support Svcs & Closeout Operation"
* Small Business Administration BYRD, N.G., WIGGINS, E.J. Division of Contracts (Post 940714). 95/06/06. 90pp. 84726.255-84726.259.

9507180389 Final response to FOIA request for info Nonproprietary version of proposal requested enclosed & available in PDF.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/20. ROSS, S. Science & Engineering Associates, Inc. 2pp. 84739.348-84739.354.

-9507180143 Contract: "Elimination of Requirements Marginal to Safety" awarded to Scientific Inc.
KNIGHT, D.A. SCIENTECH, Inc. MACE, M. Division of Contracts (Post 940714) 84/09/25. 35pp. 84739.087-84739.124.

9507180258 Contract: "Relocation & Storage of TNP Simulator & Westinghouse Dummy Fuel Assembly & Control Rod Cluster Training Aid," awarded to Pulsar Electronics Corp.
CAMPELLO, L.L. Pulsar Electronics Corp. MACE, M. Division of Contracts (Post 940714) 95/05/30. 71pp. 84726.012-84726.030.

9507180259 Mod 1, changing project officer authorized representative from H Pappas to MJ Kerlin, to "Switchboard/Receptionist Svcs for Region 3 Ctr"
* WIGGINS, E.J. Division of Contracts (Post 940714). 95/06/12. 2pp. 84727.356-84727.359

9507180261 Mod 2, changing project officer authorized representative from H Pappas to MJ Kerlin, to "Local Telephone Svc for Region 3 Ctr"
* WIGGINS, E.J. Division of Contracts (Post 940714). 95/06/15. 2pp. 84727.356-84727.357

9507180176 Contract: "Experimental Model Analysis for Seismic Response Assessment of Underground Facilities," awarded to AAC Int.
SUN, X. MACE, M. Division of Contracts (Post 940714) FIN W-6481. 95/07/08. 20pp. 84754.094-84754.119

9507180184 Ltr contract, Mod 2, to task order 31, increasing level of effort by sixteen senior staff level hrs in order to prepare for board review meetings, to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE, M. Division of Contracts (Post 940714) NRC-04-91-069. 95/07/11. HAAS, P. Concord Associates, Inc. 2pp. 84754.100-84754.101

9507180190 Ltr contract, Mod 2 to task order 26, increasing level of effort by sixteen senior staff level hrs in order to prepare for review board meetings, to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE, M. Division of Contracts (Post 940714) NRC-04-91-069. 95/07/11. HAAS, P. Concord Associates, Inc. 2pp. 84754.102-84754.103

9507180185 Contract: "Advanced Digital Man-Machine Interface Analysis," awarded to Ryan Nuclear, Inc.
RYAN, J.L. MACE, M. Division of Contracts (Post 940714) FIN W-5471. 95/06/28. 20pp. 84754.114-84754.133

9507180197 Contract: "Technical Assistance in Resolving Generic Safety Issues," awarded to Science & Engineering Associates, Inc.
ZIGLER, G.L. Science & Engineering Associates, Inc. MACE, M. Division of Contracts (Post 940714). FIN W-6325. 95/05/03. 35pp. 84754.134-84754.169

9507180198 Ltr contract, Mod 2 to task order 39, increasing level of effort by sixteen senior staff level hrs in order to prepare for review board meetings, to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE, M. Division of Contracts (Post 940714) NRC-04-91-069. 95/07/11. HAAS, P. Concord Associates, Inc. 2pp. 84754.104-84754.105.

9507180207 Ltr contract, Mod 2 to task order 30, increasing level of effort by sixteen senior staff level hrs in order to prepare for review board meetings, to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE, M. Division of Contracts (Post 940714) NRC-04-91-069. 95/07/11. HAAS, P. Concord Associates, Inc. 2pp. 84754.106-84754.107.

9507180208 Ltr contract, defining task order 4, "Form Automation Agency Implementation."
MATTIA, J. Division of Contracts (Post 940714). NRC-03-03-225. FIN S-6173. 95/06/20. MESLER, C. Adytech, Inc. 3pp. 84754.170-84754.174

9507180211 Ltr contract, Mod 2 to task order 32, increasing level of effort sixteen senior staff level hrs in order to prepare for review board meetings, to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE, M. Division of Contracts (Post 940714) NRC-04-91-069. 95/07/11. HAAS, P. Concord Associates, Inc. 2pp. 84754.108-84754.109.

9507180218 Ltr contract, defining task order 1, "Technical Assistance in Prioritization of Generic Safety Issues"
MACE, M. Division of Contracts (Post 940714). NRC-04-95-047. FIN W-6326. 95/06/20. COLINIA, J. Science & Engineering Associates, Inc. 4pp. 84771.363-84771.366

9507180216 Ltr contract, Mod 2 to task order 33, replacing level of effort & travel needed for one period trip to discuss review findings re IPE review board meetings, to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE, M. Division of Contracts (Post 940714) NRC-04-91-069. 95/07/11. HAAS, P. Concord Associates, Inc. 1p. 84754.110-84754.110.

9507210267 Ltr contract NRC-02-95-002,defining task order 3, to "Perform Financial Assurance Reviews of U Recovery Licensees."
MACE,M. Division of Contracts (Post 940714). FIN J-8054. NRC-02-95-002. 95/07/12. HALL,A.D. ICF, Inc. 4pp. 84764.145-84764.148

9507210274 Ltr contract NRC-04-91-089,Mod 2 to task order 43, replacing level of effort & travel needed for one-person trip to NRC to discuss review findings & conclusions, to "IPE Reviews-Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-089. 95/07/11. HAAS,P. Concord Associates, Inc. 1p. 84764.153-84764.159

9507210281 Ltr contract NRC-04-91-089,Mod 2 to task order 25, increasing level of effort by 16 senior staff level hours to prepare for review board meetings & improve draft TERS, to "IPE Reviews-Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-089. FIN L-1834. 95/07/11. HAAS,P. Concord Associates, Inc. 2pp. 84764.164-84764.165

9507210289 Ltr contract NRC-03-93-036,Mod 1 to task order 46, increasing number of professional hours by 40 to allow contractor to participate in follow-up trip at site, to "Emergency Operating Procedures Map at Plant."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-036. FIN J-2015-5. 95/07/06. COLINAJ. Science & Engineering Associates, Inc. 6pp. 84764.166-84764.171

9507210294 Ltr contract NRC-04-91-089,Mod 2 to task order 15, increasing level of effort by 16 senior staff level hours in order to prepare for review board meetings & improve draft TERS, to "IPE Reviews-Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-089. FIN L-1834. 95/07/11. HAAS,P. Concord Associates, Inc. 2pp. 84764.172-84764.173

9507210299 Ltr contract NRC-03-93-036,Mod 1 to task order 34, replacing level of effort & travel for one person trip to NRC to discuss review findings & conclusions, to "Individual Plant Exam Reviews-Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-089. 95/07/11. HAAS,P. Concord Associates, Inc. 1p. 84764.174-84764.175

9507210311 Ltr contract NRC-04-91-089,Mod 2 to task order 35, replacing level of effort & travel needed for one person trip to NRC to discuss review findings & conclusions, to "Individual Plant Exam Reviews-Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-089. 95/07/11. HAAS,P. Concord Associates, Inc. 1p. 84764.175-84764.175

9507210314 Ltr contract NRC-04-91-089,Mod 2 to task order 44, replacing level of effort & travel needed for one person trip to NRC to discuss review findings & conclusions, to "IPE Reviews-Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-089. 95/07/12. HAAS,P. Concord Associates, Inc. 1p. 84764.176-84764.176

9507210318 Ltr contract NRC-04-91-089,Mod 2 to task order 35, replacing level of effort & travel for one person trip to NRC to discuss review findings & conclusions, to "Individual Plant Exam Reviews-Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-089. 95/07/11. HAAS,P. Concord Associates, Inc. 1p. 84764.177-84764.177

9507210321 Ltr contract NRC-04-91-089,Mod 2 to task order 40, replacing level of effort & travel for one person trip to NRC to discuss review findings & conclusions, to "Individual Plant Exam Reviews-Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-089. 95/07/11. HAAS,P. Concord Associates, Inc. 1p. 84764.178-84764.178

9507210325 Ltr contract NRC-04-91-089,Mod 2 to task order 45, replacing level of effort & travel for one person trip to NRC to discuss review findings & conclusions, to "Individual Plant Exam Reviews-Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-089. 95/07/11. HAAS,P. Concord Associates, Inc. 1p. 84764.179-84764.179

9507210326 Ltr contract NRC-04-91-089,Mod 2 to task order 39, replacing level of effort & travel for one person trip to NRC to discuss review findings & conclusions, to "Individual Plant Exam Reviews-Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-089. 95/07/10. HAAS,P. Concord Associates, Inc. 1p. 84764.180-84764.180

9507210330 Ltr contract NRC-04-91-089,Mod 2 to task order 38, replacing level of effort & travel for one person trip to NRC to discuss review findings & conclusions, to "Individual Plant Exam Reviews-Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-089. 95/07/10. HAAS,P. Concord Associates, Inc. 1p. 84764.181-84764.181

9507210336 Ltr contract NRC-04-91-089,Mod 2 to task order 41, replacing level of effort & travel for one person trip to NRC to discuss review findings & conclusions, to "Individual Plant Exam Reviews-Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-089. 95/07/10. HAAS,P. Concord Associates, Inc. 1p. 84764.182-84764.182

9507210338 Ltr contract NRC-04-91-089,Mod 2 to task order 2, extending period of performance, to "Refine Controller Cost Or Resource Database Sys, Improve Functionality & Rep of Current Budget Sys."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-04-91-089. 95/06/29. COX,D. Cox & Associates, P.C. 1p. 84764.183-84764.183

9507210340 Ltr contract NRC-04-91-089,Mod 1 to task order 26, extending period of performance, to "Heat Exchanger Performance Prediction & Nondestructive Exam."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-04-91-089. 95/07/07. VOGELA, Sonalysts, Inc. 2pp. 84764.184-84764.185

9507210342 Ltr contract NRC-04-91-089,Mod 1 to task order 23, extending period of performance, to "Update NRC Inspector CRR Self-Study Question."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-04-91-089. 95/07/07. VOGELA, Sonalysts, Inc. 2pp. 84764.186-84764.187

9507210344 Ltr contract NRC-04-91-089,Mod 1 to task order 4, defining task order 4, to "Participate in Financial Assurance Workshops."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-089. 95/07/10. HALL,A.D. ICF, Inc. 4pp. 84764.188-84764.191

9507210347 Ltr contract NRC-04-91-089,Mod 2 to task order 37, increasing level of effort by sixteen senior staff level hours, to "Individual Plant Exam Reviews-Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-089. 95/07/12. HAAS,P. Concord Associates, Inc. 2pp. 84764.192-84764.193

9507210350 Ltr contract NRC-04-91-089,Mod 1 to task order 2, providing incremental funding in listed amount, to "Unit Sys Support."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-04-91-089. 95/06/22. LUN,B. GEAC, Inc. 2pp. 84844.345-84844.345

9507210357 Ltr contract NRC-02-95-002,defining task order 6, to "Financial Assurance Rulemaking re Extension B of App A to 10 CFR 40 U Recovery Facilities."
MACE,M. Division of Contracts (Post 940714). FIN J-8054. NRC-02-95-002. 95/07/14. HALL,A.D. ICF, Inc. 4pp. 84844.345-84844.348

9507210363 Ltr contract NRC-02-95-002,defining task order 5, to "Review of Existing Financial Assurance Guidance."
MACE,M. Division of Contracts (Post 940714). FIN J-8054. NRC-02-95-002. 95/07/14. HALL,A.D. ICF, Inc. 4pp. 84844.349-84844.352

9507210367 Ltr contract NRC-02-95-002,defining task order 19, increasing obligated amount & task order ceiling amount & extending expiration date of sub task order, to "Emergency Operating Procedures Map at Plant."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN L-2515. NRC-02-95-002. 95/07/17. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 84844.353-84844.357

9507210370 Ltr contract NRC-03-93-036,defining task order 51, to "Technical Approach for Human Factor Info Sys Repl Generation."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2015-5. NRC-03-93-036. 95/07/06. COLINAJ. Science & Engineering Associates, Inc. 6pp. 84845.001-84845.006

9507210376 Ltr contract NRC-10-95-146,Mod 1, revising interagency agreement, to "Optical Character Recognition of Text & Scanning of Images."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-95-146. 95/07/12. HURST,F. Justice, Dept. of. 2pp. 84844.358-84844.358

9507210380 Ltr contract NRC-03-93-036,defining task order 62, to "Emergency Operating Procedures Map for Plant."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2012-5. NRC-03-93-036. 95/07/12. COLINAJ. Science & Engineering Associates, Inc. 6pp. 84845.015-84845.021

9507210388 Ltr contract NRC-04-91-089,Mod 2 to task order 46, replacing level of effort & travel needed for one person trip to NRC Headquarters to present review findings & conclusions, to "IPE Reviews-Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-089. 95/07/11. HAAS,P. Concord Associates, Inc. 1p. 84845.022-84845.022

9507210393 Ltr contract NRC-03-93-036,Mod 1 to task order 6, providing add funding in listed amount, to "NRR Allegations Mgt Sys Re-Engineering Project."
MATTIA,M.J. Division of Contracts (Post 940714). FIN J-22475. NRC-03-93-036. 95/07/20. JONES,N. Allocation Not Assigned. 2pp. 84845.123-84845.124

9507210398 Ltr contract NRC-03-93-036,Mod 2 to task order 2, increasing ceiling & obligated amount as result of cost overrun, to "FY95 Regulatory Info Conference Support."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2057-5. NRC-03-93-036. 95/07/19. PERRY,Y. Allocation Not Assigned. 2pp. 84845.125-84845.125

9507210407 Ltr contract NRC-03-93-036,confirming verbal authorization provided on 950530 to commence work under sub task order w/ listed ceiling amount, to "Emergency Operating Procedures Map for Plant."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2012-6. NRC-03-93-036. 95/07/06. COLINAJ. Science & Engineering Associates, Inc. 6pp. 84845.023-84845.028

9507210411 Ltr contract NRC-03-93-036,Mod 5 to task order 1, providing add funding in listed amount, to "AECOM Nonreactor Events Enterprise Database Development."
MATTIA,M.J. Division of Contracts (Post 940714). FIN E-8385. NRC-03-93-036. 95/07/20. JONES,N. Allocation Not Assigned. 2pp. 84845.127-84845.129

9507210416 Ltr contract NRC-03-93-036,Mod 2 to task order 8, providing add funds in listed amount, to "Enterprise Client-Server Mgmt, Database Administration & Operational Support."
MATTIA,M.J. Division of Contracts (Post 940714). FIN B-8166. NRC-03-93-036. 95/07/20. JONES,N. Allocation Not Assigned. 2pp. 84845.129-84845.130

FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES

9507180101 Sixth partial response to FOIA request for documents App M documents end & placed in PCR, releasable portions of records identified in App I also end (re: FOIA Exemption 6).
FOWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/10. GLITZENSTEIN,E. Allocation Not Assigned. GLITZENSTEIN,E. Don't Waste Michigan. 5pp. 84723.119-84723.235

9507180118 Informs that author attended NMSB prebail for E Bernero on Palisades dry cask storage pads as result of R. Landman Jr to Chairman Selin EDO briefing scheduled for 8/4/93. Supporting documentation encl.
HSA,A.H. Plant Systems Branch. 84/03/01. MARSH,L.B. Division of Radiation Safety & Sequestration (Post 921004). 17pp. 84723.125-84723.141

9507180122 The rept of 940405 see visit to audit licensee analysis on ISFSI storage pad.
HSA,A.H. Probabilistic Safety Assessment Branch. 84/04/06. MARSH,L.B. Project Directorate 31-3. 5pp. 84723.142-84723.146

9507180133 Informs that NRC & consultants working for plant soil boring data which will be due on 8/4/95 before proceeding w/ independent analysis.
HSA,A.H. Probabilistic Safety Assessment Branch. 84/04/12. CRANE,P.G. Office of the General Counsel (Post 850701). BAILEY,H.A. Office for Analysis & Evaluation of Operational Data, Director LANDSMAN,R.B. Region 3 (Post 920201). 1p. 84723.147-84723.147

9507180141 Forwards highlights of plant dry cask storage.
BAGCHI,G. Civil Engineering & Geosciences Branch. 84/04/12. HSA,A.H. Probabilistic Safety Assessment Branch. 2pp. 84723.148-84723.148

- 8507180358 Certificate of disposition of material mells procured 5/10/85 or possessed by licensee under license 34-08761-02 have been transferred to Industrial Nuclear Inc. CATALANO Bush Wellman, Inc. 74/08/13. 1p. 84725-128-84725-128.
- 8507180362 Informa that radioactive waste to Industrial Nuclear Inc. in Columbus, OH for storage under license 34-08761-02. Certificate of disposition of mells end. SWEENEY, J.R. Bush Wellman, Inc. 74/10/28. SINGER, B. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 84725-128-84725-130.
- 8507180365 Certificate of disposition of radioactive byproduct mells have been procured 5/10/85 or possessed by licensee. SWEENEY, J.R. Affiliation Not Assigned 74/10/28. 1p. 84725-131-84725-131.
- 8507180371 Safety map on 651005 of license 34-08761-01 map findings: no items of noncompliance found. Rept compiled sheet & related info end. * Atomic Energy Commission (Pre 750118). * Affiliation Not Assigned 65/10/03. 7pp. 84725-132-84725-138.
- 8507180375 Safety map on 650710 of license 34-08761-01 map findings: no items of noncompliance found. Rept of map end. SCHULTZ, W.H. Atomic Energy Commission (Pre 750118). * Affiliation Not Assigned 65/07/10. 3pp. 84725-139-84725-146.
- 8507180377 United Amend 4 to license 34-08761-01 for Bush Wellman Co. revoking Condition 15 re authorized users. BRINKMAN, R.E. Atomic Energy Commission (Pre 750118). 65/04/20. 1p. 84725-147-84725-147.
- 8507180383 FOIA request for records re opinion from OGC on applicability of 92 T9a for non-TS type map. CHAPMAN, J.K. Bechtel Power Corp. 84/12/01. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84723-305-84723-305.
- 9507180385 Final response to FOIA request for info. App A & B records end & available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/20. CHAPMAN, J.K. Bechtel Power Corp. 3pp. 84723-306-84723-340.
- 8507180390 Informa of intention to implement TS expansion crews during unscheduled 92 tube maps. STROSHNER, J.R. Materials & Chemical Engineering Branch. 94/10/31. SHERON, B.W. Division of Engineering (Post 821004). 2pp. 84723-330-84723-340.
- 8507180402 FOIA request for all records & correspondence re 940520 internal waste spill in engineering building bldg on Columbia Univ campus & 940609 review of two apartments in Teaneck, NJ. STANTON, M. Affiliation Not Assigned. 94/10/03. ABRAHAM, K. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84723-341-84723-341.
- 8507180406 First partial response to FOIA request for records. App A records analyzed & available in PDR. PUGH, N.L. Division of Freedom of Information & Publications Services (Post 940714). 95/01/24. STANTON, M. Affiliation Not Assigned. 2pp. 84723-342-84723-343.
- 9507180416 FOIA request for contractual attachments & delivery orders identified to #PSLTEMP0622 awarded to SRA. CAMERON, G. Affiliation Not Assigned. 95/01/05. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84723-344-84723-344.
- 8507180425 Final response to FOIA request for info. App A documents enclosed & available in PDR. PUGH, N.L. Division of Freedom of Information & Publications Services (Post 940714). 95/01/24. CAMERON, G. Affiliation Not Assigned. 2pp. 84723-345-84723-346.
- 8507180436 FOIA request for scientific technical proposal submitted in response to RFP RS-RES-94-045 & Contract NRC-94-045. ROSS, B. Science & Engineering Associates, Inc. 94/10/27. MAHNE, D. Division of Contracts & Property Management (850205-940714). 1p. 84739-047-84739-047.
- 9507180463 Final response to FOIA request for info. Nonproprietary version of proposal requested enclosed & available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/20. ROSS, B. Science & Engineering Associates, Inc. 2pp. 84739-048-84739-124.
- 8507180495 "Elimination of Requirements Marginal to Safety," proposal in response to RFP RS-RES-94-045. * SCIENTECH, Inc. RS-RES-94-045. 94/02/14. 28pp. 84739-050-84739-079.
- 8507180499 "Elimination of Requirements Marginal to Safety," best & final offer proposal in response to RFP RS-RES-94-045. * SCIENTECH, Inc. RS-RES-94-045. 94/08/18. 5pp. 84739-080-84739-086.
- 9507180503 Contract "Elimination of Requirements Marginal to Safety" awarded to Sciencetech, Inc. KNIGHT, D.A. SCIENTECH, Inc. MAGE, M.H. Division of Contracts (Post 940714). 84/09/29. 36pp. 84739-087-84739-124.
- 9507180508 FOIA request for list of State of NM mail licensees transferred to NRC on 650601. DAFKE, J.F. Affiliation Not Assigned. 84/11/23. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 84739-125-84739-127.
- 8507180510 Final response to FOIA request for records. App A records end & available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/12. DAFKE, J.F. Affiliation Not Assigned. 2pp. 84739-128-84739-170.
- 9507180514 Advises that United Nuclear uses trucks to move tailings to mine area for mine fill but in near future plans to replace trucks w/ pipeline and separation sys. Related documentation end. DORENFELD, M.H. Orloff Mineral Services Corp. (subs. of Orloff Corp.). 86/04/10. KEMP, E. Emmerson Kemp & Associates, Inc. 41pp. 84739-130-84739-170.
- 9507180520 Second partial response to FOIA request for records. App B & C records end & available in PDR. * Division of Freedom of Information & Publications Services (Post 940714). 95/02/08. STANTON, M. Affiliation Not Assigned. 3pp. 84739-179-84739-232.
- 8409280857 Response to 940902 ltr from N. Witherspoon to AG. Hovea: re potential wrongdoing by NY officials & concerns per 940520 theorem spill at Columbia Univ. No theorem contamination has been found in two homes. MARTIN, T.T. Region 1 (Post 820201). 94/09/20. MARTINEZ, C.J. New York, NY. 14pp. 84739-219-84739-232.
- 9507180528 FOIA request for listed info re Cardiovascular Associates PC of Kingsport. ROGEE, H. Affiliation Not Assigned. 94/12/28. Region 2 (Post 820201). 1p. 84739-171-84739-171.
- 9507180529 Final response to FOIA request for records. App A records end & available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/31. ROGEE, H. Affiliation Not Assigned. 2pp. 84739-172-84739-177.
- 9507180532 Second partial response to FOIA request for records. App C records end & available in PDR. * Division of Freedom of Information & Publications Services (Post 940714). 95/02/08. SAVORITO, T.J. Saporito, T.J. 2pp. 84818-279-84818-289.
- 8206318122 Response to concerns raised in NRC 920604 ltr re alleged discrimination against former contract employee. Effective programs, such as SPEAKOUT & station problem rpt process, facilitate resolution of safety concerns. HALL, D.P. Houston Lighting & Power Co. ST-HL-AE-4556. 92/06/21. MILMOHAN, J.L. Region 4 (Post 820201). 4pp. 84818-294-84818-297.
- 8507180534 Informa that Region IV will consider all T. Saporito allegations in accordance w/ Manual Chapter 0517, "Mgt of Allegations," including allegations raised in 2,205 petition re STP. MARTIN, J.D. Region 4 (Post 820201). 2,205. 92/03/08. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 84818-290-84818-293.
- 9507180536 Discusses status of upgrades to STP employee concerns program. COTTLE, W.T. Houston Lighting & Power Co. ST-HL-AE-4556. 94/02/11. CALLAN, L.J. Region 4 (Post 820201). 5pp. 84818-325-84818-329.
- 8506402083 Informa of ubi position re circumstances surrounding revocation of individual unescorted access to plant. Review confirms that decision in sub case consistent w/ prior ubi access authorization decisions w/ unescorted attachments. HALL, D.P. Houston Lighting & Power Co. 92/08/14. Document Control Branch (Document Control Desk). 14pp. 84818-296-84818-324.
- 8507180538 FOIA request for list of businesses that use or store radiological mells or instruments in Fortson Fire Protection District. ZUNDELM, M. Missouri, State of. 94/12/30. Region 3 (Post 820201). 1p. 84739-043-84739-043.
- 9507180539 Final response to FOIA request for records. App A records end & available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/31. ZUNDELM, M. Missouri, State of. 2pp. 84739-044-84739-046.
- 8507180542 Package consisting of list of businesses that use or store radiological mells or instruments in Fortson Fire Protection District. * NRC - No Detailed Affiliation Given. 95/01/31. 1p. 84739-046-84739-046.
- 8507180552 FOIA request for records re application or history of 10CFR2.103(a), including comments. COLKITT, M.L. Affiliation Not Assigned. 95/01/09. BROWN, N. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84761-159-84761-159.
- 9507180553 Final response to FOIA request for records. App B records end & App A & B records available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/08. COLKITT, M.L. Affiliation Not Assigned. 3pp. 84761-160-84761-258.
- 8406050229 Denies 840306 application for amend to License 29-06780-06, authorizing use of Sr-90 plaque applicators for original research in treatment of malignant skin lesions. Proposed treatment not demonstrated safe & effective. MURLEY, T.E. Region 1 (Post 820201). 103203. 85/07/25. DOENER, G.A. Radiology Ultrasound Nuclear Consultants, P.A., Freehold, NJ. 2pp. 84761-207-84761-208.
- 8612110365 Informa that 850314 application for license to distribute Licenses & source heads to persons generally licensed under 10CFR2.1.5 denied for listed reasons, including failure of device to meet requirements of 10CFR2.1.5(a). KEPLER, J.G. Region 3 (Post 820201). 85/07/29. SAVIN, R.J. U.N.I., Inc. 2pp. 84761-197-84761-198.
- 8612120366 Advises that 850314 application for license to use radioactive mells for well logging & tracer studies in oil & gas wells denied due to licensee possession & use of well logging source prior to receipt of NRC license. KEPLER, J.G. Region 3 (Post 820201). 80567. 86/05/13. SETTLES, A.P. Part-Master, Inc. 2pp. 84761-209-84761-208.
- 8702270341 Denies request for exemption from requirements of 10CFR20.501 re acquiring external surfaces of radioactive metal packages for contamination per 840822 application for amend to License 15-00295-10. CUNNINGHAM, R.E. Division of Fuel Cycle & Material Safety (Pre 870413). 18035. 84/11/28. AUGUSTINE, R.J. Health & Human Services, Dept. of. 2pp. 84761-196-84761-196.
- 8906020009 Notifies that 890120 application for license to use sealed sources & devices for industrial radiography denied. Applicant lacks general requirement for receipt of specific license per 10CFR20.33(a)(3). MARTIN, J.D. Region 4 (Post 820201). 86/05/24. SAGER, J.L. Sager X-Ray Co. App. 84761-208-84761-212.
- 8901208247 Discusses denial of license application, ltr 90-00156/87-01 on 870720 & investigation conducted during Oct & Nov 1987 to determine whether radioactive mells possessed prior to receiving NRC license. Rept synopsis & 10CFR2 & 30 end. MARTIN, J.D. Region 4 (Post 820201). EA-88-245. 89/01/10. GAZALSKI, R. Well Logging, Inc. 97pp. 84761-219-84761-219.

158 NONDOCKETED ITEMS

-8904130327 Denies request to be exempt from requirements of 10CFR35.60(b) re labeling of syringe containing radiopharmaceuticals or syringe radiation shield labeling assures prescribed radiopharmaceutical delivered to correct patient. RUSSELL, W.T. Region 1 (Post 820201). 10/8/86. 88/04/22. DRUM, D.E. Brigham & Women's Hosp., Boston, MA. 2pp. 84761193-84761194.

-8905160217 Advises that 850531 application for license to distribute irradiated gemstones to persons exempt from licensing, per 10CFR32.11, denied. Hearing may be requested within 20 days of its date to determine whether application properly denied. CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 89/05/07. ASHBAUGH, C.E. Nuclear Theory & Technologies. 8pp. 84761200-84761202.

-8918770175 Concurs on end of daying Radiation Safety Svcs request to perform R&D activities at temporary job sites. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 90/10/01. DAVIS, A.B. Region 3 (Post 820201). 3pp. 84761219-84761248.

-8412000197 Concurs in issuance of end detail & demand for info to be issued to Gordon Houston Svcs, Inc. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 94/12/05. CALLAN, L.J. Region 4 (Post 820201). 7pp. 84761258-84761263.

-8907300299 Discusses Policy & Guidance Directive FC 83-11, Rev. 1, "Delinquency Unit & Telephone Calls to Mail License Applicants." CUNNINGHAM, R.E. Division of Fuel Cycle & Material Safety (Pre 870413). 85/09/02. Region 1 (Post 820201). 3pp. 84761163-84761165.

-8507280386 Discusses Policy & Guidance Directive FC 83-11, "Followup on Telephone & Delinquency Unit to Mail License Applicants." CUNNINGHAM, R.E. Division of Fuel Cycle & Material Safety (Pre 870413). 83/09/28. Region 1 (Post 820201). 15pp. 84761166-84761182.

-8507280324 Notices of denial of 830801 application for renewal of license 30-29697-01E, authorizing distribution of luminous nightgowns or weapons containing luminous substances. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 84/09/20. MCHEVY, B. Insensitive Weapons, Inc. 8pp. 84761249-84761254.

8907200336 Seventh panel response to FOIA request for records App J/K & releasable portions of App L records available in PDR. App L documents partially withheld (ref FOIA Exemption B). POWELL, J.L.A. Division of Freedom of Information & Publications Services (Post 840714). 89/01/31. FIDELLER, Affiliation Not Assigned. 5pp. 84761255-84761318.

-8907070156 Advises that agreements do not restrict employees from contacting NRC re potential safety issues per 890427 request. ORFZIO, L.T. E.R. Squibb & Sons, Inc. (subs. of Squibb Corp.). 89/06/07. STELLO, V. Ofc of the Executive Director for Operations. 1p. 84761290-84761290.

-8907180467 Informs that current & previous agreements examined, per 890427. No restrictive clauses found. CRENSHAW, J.L. Multicord, Inc. 89/07/10. STELLO, V. Ofc of the Executive Director for Operations. 1p. 84761292-84761292.

-8907240385 Forwards NRC guidance for its received in response to NRC 890427. It re settlement agreements. No comments on guidance to be used if and should identify existence of restrictive language in settlement agreements for declassification matter. CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 89/06/22. CRUTCHFIELD, D. Associate Director for Special Projects (890101-900602). 13pp. 84761263-84761275.

-8907280052 Advises that 3M has no employment agreement containing provision which restricts employee right to provide info to NRC per 890427. ROWLEY, S.J. Minnesota Mining & Manufacturing Co. (3M Co.). 89/07/17. STELLO, V. Ofc of the Executive Director for Operations. 1p. 84761293-84761294.

-8908170145 Forwards responses received in response to V Stello 890427. It re settlement agreements. No restrictive language in settlement agreements for declassification matter. CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 89/08/08. CRUTCHFIELD, D. Associate Director for Special Projects (890101-900602). 1p. 84761275-84761289.

-8908170182 Responds to NRC 890427 request for info re vendor policy on notification of NRC of employee potential safety issues. No settlement agreements identified which restrict ability of employees to provide info re safety issues to NRC. DORUFF, M.A. Amersham Corp. 89/07/18. STELLO, V. Ofc of the Executive Director for Operations. 1p. 84761291-84761291.

-8908170185 Responds to 890427. It re clauses in employee contracts which restrict employee from providing safety info to NRC. Radiation Code & QC Manual contains explicit statement re responsibilities for reporting defects & safety violations. SCHUTZ, D.F. Teledyne Isotopes. 89/07/18. STELLO, V. Ofc of the Executive Director for Operations. 1p. 84761295-84761306.

-8908170188 "Radiation Safety Code & QC Manual." Teledyne Isotopes. 89/08/31. 3pp. 84761299-84761306.

-8912070880 Forwards anonymous letter & newscipping re settlement agreements for appropriate handling. NEWBURN, J.W. Office of Public Affairs (Pre 870413). 89/11/07. HAYES, B. Office of Investigations (Pre 860201). 3pp. 84761307-84761309.

-8907200348 Comments on final rule on prohibiting agreements restricting info to Commission. LIEBERMAN, J. NRC - No Detailed Affiliation Given. 89/12/07. KENNEDY, B. NRC - No Detailed Affiliation Given. 3pp. 84761310-84761312.

-8907280380 Advises of review of potentially restrictive language in each agreement which would be unacceptable under proposed rule. CHANDLER, L.J. Deputy General Counsel for Hearings, Enforcement & Administration (Post 890425). 89/06/31. ROWLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 84761313-84761317.

-8907200353 Discusses safety issues identified by individuals who were parties to restrictive settlement agreements. EBNETER, S.D. Region 2 (Post 820201). 80/06/25. NRC - No Detailed Affiliation Given. 1p. 84761319-84761318.

9507210224 FOIA request for info re stated byproduct mail licensees, including Indiana Univ. license 13-02752-03. CORCORAN, K. Affiliation Not Assigned. 94/07/27. MARTIN, J.B. Region 3 (Post 820201). 2pp. 84869001-84869002.

8907210227 Final response to FOIA request for info. Forwards App A & B info which will be in PDR. App B info partially withheld (ref FOIA exemption B). POWELL, J.L.A. Division of Freedom of Information & Publications Services (Post 840714). 85/01/20. CORCORAN, K. Affiliation Not Assigned. 9pp. 84869003-84869012.

-8907210251 Advises of appointment of license 13-02752-01 for use of radioscopes. Requests visit on 870325. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 57/03/15. SHEA, E.J. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869012-84869012.

-8907210222 Forwards IR for license 13-02752-01. No noncompliances noted. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 57/04/22. MANN, M.M. Atomic Energy Commission (Pre 750119). 1p. 84869013-84869013.

-8907210253 Insp rept for license 13-02752-01 on 570325. No noncompliances noted. Major areas inspected work measurement. Atomic Energy Commission (Pre 750119). 57/04/22. 2pp. 84869014-84869015.

-8907210254 Advises of resp of license 13-02752-01 on 590318-20. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 59/06/11. SHEA, E.J. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869015-84869016.

-8907210273 Forwards IR for license 13-02752-02 & 03 & license 3-5254. Two non-compliances noted re license 13-02752-03. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 59/06/11. PRICE, H.L. Atomic Energy Commission (Pre 750119). 2pp. 84869017-84869018.

-8907210279 Insp rept of license 13-02752-02 & 03 & license 3-5254 on 590519. Non-compliance noted for license 13-02752-03. Possessed 52 mCi Co-60 in excess of allowable limit & I-131 procured from ORNL not preassayed. CATINEAU, L.W. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 59/05/20. 8pp. 84869019-84869027.

-8907210286 Advises of noncompliances found during 590519 insp of license 13-02752-02 & 03. Including possession 52 mCi Co-60 in excess of allowed limit. MASON, J.R. Atomic Energy Commission (Pre 750119). 59/05/08. CAMPBELL, J.A. Indiana Univ. Medical Center, Indianapolis, IN. 2pp. 84869028-84869029.

-8907210287 Ack receipt of 590623. It re corrective actions taken in response to 590608. It re insp of license 13-02752-02 & 03. MASON, J.R. Atomic Energy Commission (Pre 750119). 59/10/08. CAMPBELL, J.A. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869030-84869030.

-8907210290 Responds to 590608. It re pharma assay of I-131 & advises of discontinuation of human use of radiopharmaceuticals obtained from ORNL. CAMPBELL, J.A. Indiana Univ. Medical Center, Indianapolis, IN. 89/09/23. MASON, J.R. Atomic Energy Commission (Pre 750119). 1p. 84869031-84869031.

-8907210293 Advises of R. Jezek visit to facility during wk of 890411 to discuss byproduct mail program. May 1989 insp of program. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 80/04/05. CAMPBELL, J.A. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869032-84869032.

-8907210305 Discusses attempted resp of license 13-02752-03 & 04 on 600413. Facility should be contacted during May to schedule resp. JEZIK, R.M. Atomic Energy Commission (Pre 750119). 80/04/22. Atomic Energy Commission (Pre 750119). 1p. 84869033-84869033.

-8907210308 Ack A. McCree rept of radiation levels in vicinity of facility teletherapy unit. Radiation levels acceptable. Rept end. SMITH, D.A. Atomic Energy Commission (Pre 750119). 60/04/24. CAMPBELL, J.A. LOVE, J. Indiana Univ. Medical Center, Indianapolis, IN. 8pp. 84869034-84869038.

-8907210261 Informs of insp of radioactive mail activities scheduled for wk of 890619. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 80/09/12. CAMPBELL, J.A. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869040-84869040.

-8907210263 Forwards resp rept for license 13-02752-03 & 04. One noncompliance noted. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 80/11/29. PRICE, H.L. Atomic Energy Commission (Pre 750119). 1p. 84869041-84869041.

-8907210271 Insp rept of license 13-02752-03 & 04 on 800922-23. Noncompliance noted: exceeding possession limit of Co-60 was by 52 mCi & failing to certify quality & assay of isotopes used in humans. JEZIK, R.M. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 80/10/14. 10pp. 84869042-84869051.

-8907210275 Discusses rept of leaking Sr-90 eye applicator w/no sign of contamination. Matter will be reviewed during next resp. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 61/01/12. WARNER, D.E. Atomic Energy Commission (Pre 750119). 1p. 84869052-84869052.

-8907210279 Forwards 610112 memo reporting leaking Sr-90 eye applicator. Matter will be reviewed during next resp. WARNER, D.E. Atomic Energy Commission (Pre 750119). 61/02/17. ROGERS, L.R. Atomic Energy Commission (Pre 750119). 1p. 84869053-84869053.

-8907210281 Discusses 800822-23 insp of license 13-02752-03 & 04. Noncompliance noted: first license stated, including possession of two Tracerlab applicators. MASON, J.R. Atomic Energy Commission (Pre 750119). 61/03/15. SHEA, E.J. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869054-84869054.

-8907210285 Responds to 610322 inquiry re use of stated matts, including I-131. Request for radioscopes should be submitted as complete research protocol, including listed info. BOWYER, J.E. Atomic Energy Commission (Pre 750119). 61/05/14. CAMPBELL, J.A. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869055-84869055.

-8807240281 Forwards insp findings & licensee ask for license 13-02752-08. No non-compliance noted.
SCHULTZ, W.H. Atomic Energy Commission (Pre 750119). 64/06/03. PHILLIPS, R.W. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869-006-84869-006.

-8807240282 Safety insp on 840514 of license 13-02752-08. Insp findings: no non-compliance noted.
* Atomic Energy Commission (Pre 750119). * Indiana Univ. Medical Center, Indianapolis, IN. 64/05/14. 1p. 84869-057-84869-057.

-8807240289 Forwards safety insp of licensee 13-02752-03 & 04 & requests corrective steps to be taken for listed non-compliance.
HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 84/06/05. CAMPBELL, J.A. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869-058-84869-058.

-8807240307 Safety insp on 840402 & 0514 of licensee 13-02752-09. Insp findings: Sr-90 applicator leak tested by unauthorized individual; waste survey records uninitiated & leak test records uninitiated.
SCHULTZ, W.H. Atomic Energy Commission (Pre 750119). * Indiana Univ. Medical Center, Indianapolis, IN. 84/06/05. 1p. 84869-059-84869-059.

-8807240308 Safety insp on 840402 & 0514 of licensee 13-02752-04. Insp findings: hypodermic shell was not used by or under supervision of J.D. Campbell.
SCHULTZ, W.H. Atomic Energy Commission (Pre 750119). * Indiana Univ. Medical Center, Indianapolis, IN. 84/06/05. 1p. 84869-060-84869-060.

-8807240391 Forwards safety insp of licensee 13-02752-06 & requests corrective actions for noted non-compliance. Insp concerned licensee 03 & 04 as well.
HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 84/06/05. BONNER, J.F. Indiana Univ. Medical Center, Indianapolis, IN. 2pp. 84869-081-84869-082.

-8807240396 Safety insp on 840521 of licensee 13-02752-05. Insp findings: possession & use of I-192 & I-125 w/o license authorization.
SCHULTZ, W.H. Atomic Energy Commission (Pre 750119). * Indiana Univ., School of Medicine, Indianapolis, IN. 84/05/21. 2pp. 84869-063-84869-060.

-8807240404 Ack receipt of stated info informing of corrective actions to non-compliance noted in 840605 re re licensee 13-02752-03, 04 & 05.
HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 84/07/01. BONNER, J.F. Indiana Univ. School of Medicine, Indianapolis, IN. 2pp. 84869-091-84869-092.

-8807240410 Responds to 840605 re re non-compliance under NRC licensee. Corrective actions: radiology committee members counseled & purchase orders to be spot checked.
BONNER, J.F. Indiana Univ. Medical Center, Indianapolis, IN. 84/06/18. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 1p. 84869-093-84869-093.

-8807240413 Provides add info re non-compliance discussed in 840605 re. Corrective actions: I-192 will be held for decay & application to amend license re use of I-125 will be requested.
BONNER, J.F. Indiana Univ. Medical Center, Indianapolis, IN. 84/06/18. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 2pp. 84869-094-84869-095.

-8807240415 Advises that application to amend license 13-02752-05 has been issued for possession of I-192.
BONNER, J.F. Indiana Univ. Medical Center, Indianapolis, IN. 84/06/25. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 1p. 84869-096-84869-096.

-8807240416 Ack receipt of 840610 re informing of corrective actions re non-compliance noted in 840605 re.
HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 84/07/01. CAMPBELL, J.A. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869-097-84869-097.

-8807240425 Responds to 840605 re re non-compliance. Corrective actions: application to perform leak test failed 840609 & application adding Mafco as user mailed after 840614 insp.
CAMPBELL, J.A. Indiana Univ. Medical Center, Indianapolis, IN. 84/06/10. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 1p. 84869-098-84869-098.

-8807240426 Safety insp on 880608 of licensee 13-02752-03. Insp findings: no non-compliance noted.
* Atomic Energy Commission (Pre 750119). * Indiana Univ. Medical Center, Indianapolis, IN. 88/06/08. 3pp. 84869-099-84869-107.

-8807250188 Advises that application to cover type 382 teletherapy source for unit Bed under license 13-02752-04.
CAMPBELL, J.A. Indiana Univ. Medical Center, Indianapolis, IN. 88/06/16. HUETER, L.J. Atomic Energy Commission (Pre 750119). 1p. 84869-106-84869-106.

-8807250191 "Regulations & Recommendations for Clinical Use of Radiotopes at Indiana Univ. Medical Ctr., Indianapolis, IN."
REESE, L.C. Indiana Univ. Medical Center, Indianapolis, IN. 87/01/16. 64pp. 84869-108-84869-188.

-8807250185 Forwards safety insp of non-compliance noted in insp of licensee 13-02752-04. Confirms 880619 re re submitted application to correct matters.
GRIER, B.H. Atomic Energy Commission (Pre 750119). 88/06/20. SMITH, D. Indiana Univ. Medical Center, Indianapolis, IN. 2pp. 84869-187-84869-188.

-8807250198 Safety insp on 880608 of licensee 13-02752-04. Insp findings: teletherapy unit contained unauthorized Co-60 sealed source in type 382 old unit teletherapy capsule.
HUETER, L.J. Atomic Energy Commission (Pre 750119). * Indiana Univ. Medical Center, Indianapolis, IN. 88/06/20. 3pp. 84869-189-84869-197.

-8807250187 Forwards safety insp of non-compliance noted during insp of licensee 13-02752-03. Corrective actions requested, in writing.
GRIER, B.H. Atomic Energy Commission (Pre 750119). 88/06/22. MAHONEY, J. Indiana Univ., School of Medicine, Indianapolis, IN. 2pp. 84869-196-84869-199.

-8807250196 Safety insp on 880607 of licensee 13-02752-03. Insp findings: inventory of Pb-210 exceeds authorized limit & mail & animal incineration ash residue not surveyed prior to disposal.
HUETER, L.J. Atomic Energy Commission (Pre 750119). * Indiana Univ., School of Medicine, Indianapolis, IN. 88/06/22. 10pp. 84869-200-84869-209.

-8807250201 Ack receipt of 880610 re informing of steps taken to correct non-compliance noted in 880622 re re licensee 13-02752-05.
GRIER, B.H. Atomic Energy Commission (Pre 750119). 88/06/16. MAHONEY, J. Indiana Univ., School of Medicine, Indianapolis, IN. 2pp. 84869-210-84869-211.

-8807250204 Responds to 880622 re re non-compliance of activities under 13-02752-05. Corrective actions: inventory of Pb-210 reduced to authorized limit & ash residue monitoring process being explored.
MAHONEY, J. Indiana Univ. Medical Center, Indianapolis, IN. 88/06/10. GRIER, B.H. Atomic Energy Commission (Pre 750119). 1p. 84869-212-84869-212.

-8807250215 Forwards safety insp of non-compliance noted during insp of licensee 13-02752-07. Corrective actions requested, in writing.
GRIER, B.H. Atomic Energy Commission (Pre 750119). 88/11/28. MUHLER, J. Indiana Univ., School of Dentistry, Indianapolis, IN. 2pp. 84869-213-84869-214.

-8807250217 Safety insp on 881120 of licensee 13-02752-07. Insp findings: inventory of Co-137 exceeds allowable limit.
HUETER, L.J. Atomic Energy Commission (Pre 750119). * Indiana Univ., School of Dentistry, Indianapolis, IN. 88/11/28. 3pp. 84869-215-84869-222.

-8807250218 Ack receipt of 881121 re informing of corrective actions to non-compliance noted in 881120 re re licensee 13-02752-07.
GRIER, B.H. Atomic Energy Commission (Pre 750119). 88/12/24. MUHLER, J. Indiana Univ., School of Dentistry, Indianapolis, IN. 2pp. 84869-223-84869-224.

-8807250222 Responds to 881129 re re non-compliance noted under licensee 13-02752-07. Corrective actions: Co-137 limit within acceptable licensee requirements.
MUHLER, J. Indiana Univ., School of Dentistry, Indianapolis, IN. 88/12/17. GRIER, B.H. Atomic Energy Commission (Pre 750119). 1p. 84869-225-84869-225.

-8807250223 Ack receipt of 700903 re & requests that revised procedure should be submitted for evaluation.
LOW, L.D. Atomic Energy Commission (Pre 750119). 70/09/10. IRVIN, G.W. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869-264-84869-264.

-8807250224 Responds to 700907 re, advising of preparation of radiation safety procedure manuals & internal problems.
PERRY, J. Indiana Univ., School of Medicine, Indianapolis, IN. 70/06/09. LOW, L.D. Atomic Energy Commission (Pre 750119). 1p. 84869-265-84869-265.

-8807250236 Discusses 700907 re from IN Univ. Medical Ctr re problems in collecting info to submit license applications.
LOW, L.D. Atomic Energy Commission (Pre 750119). 70/06/02. ROY, G. Atomic Energy Commission (Pre 750119). 1p. 84869-266-84869-266.

-8807250235 Advises that application submitted to change procedure noted during 700421-23 insp of licensee 13-02752-03 has not been received.
LOW, L.D. Atomic Energy Commission (Pre 750119). 70/06/07. IRVIN, G.W. Indiana Univ. Medical Center, Indianapolis, IN. 2pp. 84869-267-84869-268.

-8807250238 Ack receipt of 700625 re informing of corrective actions taken to correct non-compliance noted in 700612 re.
GRIER, B.H. Atomic Energy Commission (Pre 750119). 70/07/02. IRVIN, G.W. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869-269-84869-269.

-8807250255 Responds to 700612 re re non-compliance noted in insp of licensee 13-02752-03 on 700421-23. Corrective actions: work area survey records will be maintained & approved users maintaining current records.
IRVIN, G.W. Indiana Univ. Medical Center, Indianapolis, IN. 70/06/25. GRIER, B.H. Atomic Energy Commission (Pre 750119). 3pp. 84869-270-84869-272.

-8807250257 Safety insp on 700421-23 of licensee 13-02752-03. Insp findings: work area survey records not maintained & radioactive waste incineration disposal records not maintained.
* Atomic Energy Commission (Pre 750119). * Indiana Univ. Medical Center, Indianapolis, IN. 70/06/12. 30pp. 84869-273-84869-302.

-8807250261 "Radiation Safety Manual (Non-Human Use of Radiotopes)"
PERRY, J. REESE, L. Indiana Univ., School of Medicine, Indianapolis, IN. 70/10/13. 70pp. 84869-303-84870-018.

-8807250267 License 13-00694-01 for Veterans Admin Hosp.
MAASON, J.R. Atomic Energy Commission (Pre 750119). 68/06/20. 1p. 84870-019-84870-019.

-8807250271 Amend 1 to license 13-00694-03 for Veterans Admin Hosp.
MAASON, J.R. Atomic Energy Commission (Pre 750119). 68/07/22. 1p. 84870-020-84870-020.

-8807250272 Amend 2 to license 13-00694-03 for Veterans Admin Hosp.
MAASON, J.R. Atomic Energy Commission (Pre 750119). 68/08/10. 1p. 84870-021-84870-021.

-8807250276 Inform that Condition 14 of license 13-00694-03 incorrect. Licensee supercedes 13-00694-02.
ORTENDAH, L.A. Atomic Energy Commission (Pre 750119). 68/12/16. BLAH, M.D. Atomic Energy Commission (Pre 750119). 1p. 84870-022-84870-022.

-8807250277 Amend 3 to license 13-00694-03 for Veterans Admin Hosp.
* Atomic Energy Commission (Pre 750119). 69/01/06. 1p. 84870-023-84870-023.

-8807250238 Amend 4 to license 13-00694-03 for Veterans Admin Hosp.
MAASON, J.R. Atomic Energy Commission (Pre 750119). 68/07/07. 1p. 84870-024-84870-024.

-8807250247 Amend 5 to license 13-00694-03 for Veterans Admin Hosp.
MAASON, J.R. Atomic Energy Commission (Pre 750119). 68/06/07. 1p. 84870-025-84870-025.

-8807250283 Inform of insp of licensee 13-00694-03 & 04, to be scheduled during wk of 880411.
HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 88/04/06. OLIVER, L. Affiliation Not Assigned. 2pp. 84870-026-84870-027.

160 NONDOCKETED ITEMS

- 5587259254 Amend 6 to license 13-00694-03 for Veterans Admin Hosp
MASON, J.R. Atomic Energy Commission (Pre 750119) 60/05/27 3pp 84870 026-84870 030
- 5587259255 Forwards insp rpt of licenses 13-00694-03 & 04 Two noncompliances noted re maintenance of records & mail incineration
HAGEMAN, R.C. Atomic Energy Commission (Pre 750119) 60/06/02 PRICE, H.L. Atomic Energy Commission (Pre 750119) 2pp 84870 031-84870 032
- 5587259256 Insp rpt of licenses 13-00694-03 & 04 on 600413 Noncompliances noted Major areas inspected byproduct mail program
HAGEMAN, R.C. Atomic Energy Commission (Pre 750119) 60/05/01 10pp 84870 035-84870 042
- 5587259258 Discusses insp of licenses 13-00694-03 & 04 on 600413 & requests corrective actions to listed noncompliances re mail incineration & record mgmt.
MASON, J.R. Atomic Energy Commission (Pre 750119) 60/08/28 MANDELLE, A.M. Affiliation Not Assigned 2pp 84870 043-84870 044
- 5587259270 Amend 7 to license 13-00694-03 for Veterans Admin Hosp
MASON, J.R. Atomic Energy Commission (Pre 750119) 60/11/10 1p 84870 045-84870 045
- 5587260273 Requests supply of listed AEC forms 3-5
OLIVER, L. Affiliation Not Assigned 5225/172 60/11/25 Atomic Energy Commission (Pre 750119) 1p 84870 046-84870 046
- 5587260275 Amend 8 to license 13-00694-03 for Veterans Admin Hosp
MASON, J.R. Atomic Energy Commission (Pre 750119) 61/04/17 2pp 84870 047-84870 048
- 5587260288 Responds to 610216 memo re licensee disposal of non-detectable quantities of byproduct mail via normal refuse collections.
ROGERS, L.R. Atomic Energy Commission (Pre 750119) 61/03/31 LOW, L.D. Atomic Energy Commission (Pre 750119) 2pp 84870 049-84870 050
- 5587260293 Responds to 600826 ltr re 600413 insp of licenses 13-00694-03 & 04 Corrective actions-decayed mail will not be disposed until procedure initiated & incinerator mod being investigated
HARVEY, V.K. Affiliation Not Assigned 60/08/28 MASON, J.R. Atomic Energy Commission (Pre 750119) 1p 84870 051-84870 051
- 5587270272 Ask receipt of 610606 application requesting amend to license 13-00694-03 to include Co-57 Application unnecessary
BOWYER, J.E. Atomic Energy Commission (Pre 750119) 61/06/16 OLIVER, L. Affiliation Not Assigned 1p 84870 052-84870 052
- 5587270276 Amend 9 to license 13-00694-03 for Veterans Admin Hosp
MASON, J.R. Atomic Energy Commission (Pre 750119) 61/12/12 1p 84870 053-84870 053
- 5587270278 Amend 10 to license 13-00694-03 for Veterans Admin Hosp
MASON, J.R. Atomic Energy Commission (Pre 750119) 62/01/02 2pp 84870 054-84870 055
- 5587270280 Amend 11 to license 13-00694-03 for Veterans Admin Hosp
BOWYER, J.E. Atomic Energy Commission (Pre 750119) 62/02/18 1p 84870 056-84870 056
- 5587270282 Amend 12 to license 13-00694-03 for Veterans Admin Hosp
BOWYER, J.E. Atomic Energy Commission (Pre 750119) 62/06/03 1p 84870 057-84870 057
- 5587270283 Amend 13 to license 13-00694-03 for Veterans Admin Hosp
BUCHANAN, C.R. Atomic Energy Commission (Pre 750119) 63/06/20 1p 84870 058-84870 058
- 5587270284 Forwards insp findings & corrective ask for license 13-00694-03 No non-compliances noted
SCHULTZ, W.H. Atomic Energy Commission (Pre 750119) 64/01/30 OLIVER, L. Affiliation Not Assigned 1p 84870 059-84870 059
- 5587270287 Safety insp on 640121 of license 13-00694-03 insp findings no non-compliances noted
Atomic Energy Commission (Pre 750119) * Affiliation Not Assigned 64/01/21 3pp 84870 060-84870 062
- 5587270289 Responds to 640122 ltr re disposal by incineration of solid wastes coming in contact w/radioactive matter survey fails to reveal licensed mail presence & survey results maintained compliance established
BOWYER, J.E. Atomic Energy Commission (Pre 750119) 64/02/20 OLIVER, L. Affiliation Not Assigned 1p 84870 063-84870 063
- 5587270337 Discusses 640806 rpt of fire in lab at license 13-00694-03 facility involving Co-137 & Rb-86 No personnel contamination reported investigation scheduled for 640909
ROY, G.W. Atomic Energy Commission (Pre 750119) 64/09/08 Atomic Energy Commission (Pre 750119) 1p 84870 070-84870 070
- 5587270343 Discusses rpt of 640906 fire at license 13-00694-03 facility involving Co-137 & Rb-86 No personnel contamination reported
ALLAN, J.M. Atomic Energy Commission (Pre 750119) 64/09/08 Atomic Energy Commission (Pre 750119) 1p 84870 071-84870 071
- 5587270346 Inform of 640906 fire at license facility involving Co-137 & Rb-86 Contamination limited to room where fire started.
COUPAL, J.J. Affiliation Not Assigned 64/09/08 Atomic Energy Commission (Pre 750119) 2pp 84870 072-84870 073
- 5587270348 Forwards telegram informing of 640906 fire at license 13-00694-03 facility
ROEDER, J.R. Atomic Energy Commission (Pre 750119) 64/09/18 PAGE, R.G. Atomic Energy Commission (Pre 750119) 1p 84870 074-84870 074
- 5587270351 Forwards rpt of investigation re fire at license 13-00694-03 facility No personnel exposures or noncompliances noted
HAGEMAN, R.C. Atomic Energy Commission (Pre 750119) 64/08/21 PAGE, R.G. Atomic Energy Commission (Pre 750119) 1p 84870 075-84870 075
- 5587270354 Investigation rpt of license 13-00694-03 on 640908-09 Major areas investigated fire involving less than 30 mCi Cs-137 resulting in loss of facilities for more than one day
ROY, G.W. Atomic Energy Commission (Pre 750119) 64/09/22 7pp 84870 076-84870 082
- 5587310014 Inform that no EA appropriate due to no noncompliances noted during 640908-09 investigation of fire in lab concerning Co-137
HANDLER, R. Atomic Energy Commission (Pre 750119) 64/09/25 Atomic Energy Commission (Pre 750119) 1p 84870 083-84870 083
- 5587310019 Ask receipt of 641006 ltr informing of fire at facility & exposure of employees to radioactive mail Names of exposed employees deleted from ltr before included as public record
PRICE, R.R. Atomic Energy Commission (Pre 750119) 64/10/23 ROWAN, J.R. Affiliation Not Assigned 1p 84870 084-84870 084
- 5587310021 Amend 14 to license 13-00694-03 for Veterans Admin Hosp
BOWYER, J.E. Atomic Energy Commission (Pre 750119) 65/07/08 4pp 84870 085-84870 086
- 5587310024 Amend 15 to license 13-00694-03 for Veterans Admin Hosp
BOWYER, J.E. Atomic Energy Commission (Pre 750119) 65/07/09 1p 84870 086-84870 086
- 5587310030 Discusses telcon w/L Oliver, authorized user on license 13-00694-03, re incineration of licensed mail
ROY, G.W. Atomic Energy Commission (Pre 750119) 65/11/03 Atomic Energy Commission (Pre 750119) 2pp 84870 089-84870 081
- 5587310032 Amend 16 to license 13-00694-03 for Veterans Admin Hosp
BOWYER, J.E. Atomic Energy Commission (Pre 750119) 65/11/15 1p 84870 082-84870 082
- 5587310046 Amend 17 to license 13-00694-03 for Veterans Admin Hosp
BUCHANAN, C.R. Atomic Energy Commission (Pre 750119) 65/03/30 5pp 84870 083-84870 148
- 5587310060 Amend 18 to license 13-00694-03 for Veterans Admin Hosp
BOWYER, J.E. Atomic Energy Commission (Pre 750119) 67/06/30 1p 84870 149-84870 149
- 5587310084 Application for amend to license 13-00694-03 authorizing use of Tc-99m to be obtained as molybdenum-technetium generator
DRATZ, H.M. Affiliation Not Assigned 583/111E 68/06/20 Atomic Energy Commission (Pre 750119) 2pp 84870 150-84870 151
- 5587310082 Amend 19 to license 13-00694-03 for Veterans Admin Hosp
BOWYER, J.E. Atomic Energy Commission (Pre 750119) 68/07/02 1p 84870 152-84870 152
- 5587310085 Discusses telcon w/L Oliver, user on license 13-00694-03, re scheduling reserp 2 of license Reserp will be scheduled for Sept or later
HUETER, J.J. Atomic Energy Commission (Pre 750119) 68/07/31 Atomic Energy Commission (Pre 750119) 1p 84870 153-84870 153
- 5587310087 "Manual on Procedures for Research & Educ Program"
Affiliation Not Assigned 68/10/31 41pp 84870 154-84870 198
- 5587310072 Application for amend to license 13-00694-03, authorizing use of G-51 labelled red cells in spleen scanning
DRATZ, H.M. Affiliation Not Assigned 583/111E 68/11/22 BOWYER, J.E. Atomic Energy Commission (Pre 750119) 1p 84870 156-84870 159
- 5587310075 Forwards safety insp of license 13-00694-03 Noncompliances noted
GRIER, B. Atomic Energy Commission (Pre 750119) 68/12/06 DRATZ, H.M. Affiliation Not Assigned 3pp 84870 200-84870 202
- 5587310078 Safety insp on 681121 of license 13-00694-03 insp findings Co-51 used for purpose of spleen scans although license condition limits use as stated
Atomic Energy Commission (Pre 750119) * 68/11/21 14pp 84870 203-84870 216
- 5587310080 Amend 20 to license 13-00694-03 for Veterans Admin Hosp
BOWYER, J.E. Atomic Energy Commission (Pre 750119) 68/12/11 1p 84870 217-84870 217
- 5587310083 Application for amend to license 13-00694-03 authorizing L Oliver & F Miskin to use listed mail
DRATZ, H.M. Affiliation Not Assigned 68/03/10 13pp 84870 218-84870 228
- 5587310084 Amend 21 to license 13-00694-03 for Veterans Admin Hosp
BOWYER, J.E. Atomic Energy Commission (Pre 750119) 69/04/01 1p 84870 229-84870 229
- 5587310083 Advises of need for submittal of listed items in order to support application for broad specific byproduct mail license including OC procedure description
BOWYER, J.E. Atomic Energy Commission (Pre 750119) 69/04/16 DRATZ, H.M. Affiliation Not Assigned 2pp 84870 230-84870 231
- 5587310086 Forwards add info in support of application for broad specific byproduct mail license including info re pathologist & hematologist
DRATZ, H.M. Affiliation Not Assigned 69/05/09 BOWYER, J.E. Atomic Energy Commission (Pre 750119) 3pp 84870 232-84870 240
- 5587310100 Application for amend to license 13-00694-03, deleting L Oliver & adding F Miskin as user
DRATZ, H.M. Affiliation Not Assigned 68/06/28 Atomic Energy Commission (Pre 750119) 2pp 84870 241-84870 242
- 5587310108 Forwards add info in support of application to amend license 13-00694-03 to allow use of Tc-99m
MISHKIN, F.S. Affiliation Not Assigned 68/07/07 BOWYER, J.E. Atomic Energy Commission (Pre 750119) 2pp 84870 243-84870 244

- 866730197 Application for amend to license 13-00694-03 authorizing tested metal for use in medical research diagnosis & therapy. DRATZ, H.M. Affiliation Not Assigned. 69/02/11. 47pp. 84870-245-84870-291.
- 866730111 Amend 22 to license 13-00694-03 for Veterans Admin Hosp. BOWYER, J.E. Atomic Energy Commission (Pre 750118). 69/08/11. 5pp. 84870-292-84870-296.
- 866730114 Application for amend to license 13-00694-03 authorizing use of Tc-99m. HALE, J.F. Affiliation Not Assigned. 70/07/06. Atomic Energy Commission (Pre 750118). 11pp. 84870-297-84870-307.
- 866730118 Advise that protocol for use of Tc-99m for lung scans should be supported w/whole body dosage calculations & stated info called for in medical licensing guide. BOWYER, J.E. Atomic Energy Commission (Pre 750118). 70/07/28. HALE, J.F. Affiliation Not Assigned. 1p. 84870-308-84870-308.
- 866730123 Amend 23 to license 13-00694-03 for Veterans Admin Hosp. BOWYER, J.E. Atomic Energy Commission (Pre 750118). 70/08/17. 1p. 84870-309-84870-309.
- 866730124 Amend 24 to license 13-00694-03 for Veterans Admin Hosp. BOWYER, J.E. Atomic Energy Commission (Pre 750118). 70/10/26. 1p. 84870-310-84870-310.
- 866730128 Partially deleted "Procedures & Regulations for Indiana Univ - Purdue Univ. at Indianapolis & Associated Facilities." * Indiana Univ. Purdue Univ. at Indianapolis, Indianapolis, IN. 73/06/30. 58pp. 84870-311-84870-308.
- 866730133 Repts on 640908 fire in facility lab involving tracer quantities of Co-137. Caused by safety deviations. Preventative steps taken. Info deleted. POWELL, R.A. Affiliation Not Assigned. 84/10/06. Atomic Energy Commission (Pre 750118). 4pp. 84871-009-84871-013.
- 866730136 Repts on 640908 fire in facility lab involving Co-137. Contamination was limited. COUPAL, J.J. Affiliation Not Assigned. 84/05/06. Atomic Energy Commission (Pre 750118). 2pp. 84871-014-84871-015.
- 866730140 Responses to 700728 Rr re whole body dosage calculations. Calculations submitted. Info deleted. HALE, J.F. Affiliation Not Assigned. 70/08/08. BOWYER, J.E. Atomic Energy Commission (Pre 750118). 7pp. 84871-016-84871-128.
- 8667210284 FOIA request for documents filed w/NRC re compliance w/any regulations dealing w/safety, safe operations & environ concerns. STEVENSON, V.L. Affiliation Not Assigned. 95/01/21. Division of Freedom of Information & Publications Services (Post 840714). 1p. 84797-001-84797-001.
- 8667210286 Final response to FOIA request for records. App A records available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 840714). 95/02/09. STEVENSON, V.L. Affiliation Not Assigned. 3pp. 84797-002-84797-004.
- 8667210296 FOIA request for records authored by Dr R Landsman since 1989 re spent fuel or dry cask storage. WILLIAMS, O.G. JFA Associates. 94/12/14. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 840714). 1p. 84797-006-84797-006.
- 8667210298 Final response to FOIA request for records. App A records end & available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 840714). 95/02/09. WILLIAMS, O.G. JFA Associates. 2pp. 84797-008-84797-016.
- 8667210303 Forwards comments on draft into notice re dry cask storage, including short paragraph from Dr R Landsman about dynamic analysis of pad & foundation. GREENMALE, E.G. Region 3 (Post 820201). 94/12/13. PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 7pp. 84797-010-84797-016.
- 8667210308 FOIA request for tested documents re Fema 2, including TES Rpt 84770-13, "Metallurgical Analysis of Fema 2 LP 3 Eight Stage Turbine Body." TRAPP, J. Affiliation Not Assigned. 84/12/02. Division of Freedom of Information & Publications Services (Post 840714). 2pp. 84797-017-84797-018.
- 8667210512 Partial response to FOIA request for records. App A records end & available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 840714). 95/01/31. TRAPP, J. Affiliation Not Assigned. 2pp. 84797-019-84797-052.
- 8667210518 Package consisting of affidavits for withholding info from disclosures per 10CFR2.780. * Detroit Edison Co. 95/01/31. 32pp. 84797-021-84797-052.
- 8667240554 Final response to FOIA request for records. App D records end & available in PDR. App E & F records withheld in entirety (ref FOIA Exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 840714). 95/02/09. FIDELLE, R. Affiliation Not Assigned. 5pp. 84797-053-84797-082.
- 8667240071 Forwards H.R. 102-1016, conference rpt to accompany H.R. 776. "Energy Policy Act of 1992." RATHBUND, J.K. Office of Congressional Affairs (Post 811117). 92/10/21. THE CHAIRMAN, SELINU, ROGERS, K.C. Commissioners (Post 750118). 3pp. 84797-071-84797-073.
- 8667240077 Forwards status summaries of major legislative proposals introduced in 102nd Congress which were of interest to NRC. RATHBUND, J.K. Office of Congressional Affairs (Post 811117). 92/12/07. THE CHAIRMAN, SELINU, ROGERS, K.C. Commissioners (Post 750118). 3pp. 84797-074-84797-076.
- 8667240081 Forwards analysis authorizing whetstoneblower protections provisions contained in H.R. 776. PARLER, W.C. Office of the General Counsel (Post 860701). 92/05/15. THE CHAIRMAN, SELINU, ROGERS, K.C. Commissioners (Post 750118). 3pp. 84797-077-84797-079.
- 8667240093 Forwards OGC analysis summarizing major provisions of H.R. 776. "Energy Policy Act of 1992." PARLER, W.C. Office of the General Counsel (Post 860701). 92/10/26. THE CHAIRMAN, SELINU, ROGERS, K.C. Commissioners (Post 750118). 3pp. 84797-080-84797-082.
- 8667240037 FOIA request for documents re matters involving Houston Lighting & Power & plant Units 1 & 2. LARUE, G. Affiliation Not Assigned. 84/11/22. KAMMERER, C. Division of Freedom of Information & Publications Services (Post 840714). 1p. 84833-001-84833-001.
- 8667240086 Final response to FOIA request for documents. Forwards records listed in App A already available in PDR & records listed in App B being made available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 840714). 95/01/17. LARUE, G. Affiliation Not Assigned. 3pp. 84833-002-84833-009.
- 8667240087 FOIA request for documents re Chestnut Hill Hosp. CROSS, C. Affiliation Not Assigned. 94/07/07. Division of Freedom of Information & Publications Services (Post 840714). 2pp. 84797-083-84797-084.
- 8667240422 Fourth partial response to FOIA request for documents. Records in App G end & being made available for PDR. App H records completely withheld (ref FOIA exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 840714). 95/01/31. CROSS, C. Affiliation Not Assigned. 6pp. 84797-085-84797-090.
- 8667240431 Extracted page from draft violation T of NCV. * NRC - No Detailed Affiliation Given. 93/04/29. 2pp. 84797-089-84797-080.
- 8667240430 Twenty second response to FOIA request for documents. Forwards App YY records being partially withheld & App ZZ records being completely withheld (ref FOIA Exemptions 4 & 5). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 840714). 95/01/31. LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge. 3pp. 84833-010-84833-020.
- 8667240471 Partially deleted to which transmits documents requested by NRC 920801 re B & D Team 920810 subpoenas issued to tell by NRC Inspector General. HALL, D.P. Houston Lighting & Power Co. 92/08/18. NORTON, L.J. Office of the Inspector General (Post 890417). 202pp. 84833-022-84833-230.
- 8667250044 Twenty-first partial response to FOIA request for records. App UU & VV documents available in PDR. App WW documents partially withheld (ref FOIA exemption 5). App XX documents completely withheld (ref FOIA exemption 7). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 840714). 95/02/09. LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge. 3pp. 84833-021-84833-253.
- 8667250047 Requests review of transcript of interview of alleged re potential safety concerns. WISER, R. Region 4 (Post 820201). 93/05/11. JOHNSON, B. Region 4 (Post 820201). 3pp. 84833-240-84833-242.
- 8667250051 Inform of review of transcript taken in Bay City on 930412. No nuclear safety or technical issues identified. JOHNSON, B. Region 4 (Post 820201). 93/05/12. WISER, R. Region 4 (Post 820201). 1p. 84833-243-84833-243.
- 8667250055 Advice of review of transcript of interview of contract employee. No nuclear safety or technical concerns identified. WISER, R. Region 4 (Post 820201). 93/05/13. WILLIAMS, L. Ofc of Investigations (Post 890201). 1p. 84833-244-84833-244.
- 8667250082 Requests investigation of DD Dnsull actions re STP. * Affiliation Not Assigned. 93/08/21. WILLIAMS, D. Office of the Inspector General (Post 890417). 1p. 84833-245-84833-245.
- 8667250084 Forwards allegation of safety issues re STP for review. NORTON, L.J. Office of the Inspector General (Post 880417). 93/08/03. TAYLOR, J.M. Ofc of the Executive Director for Operations. 4pp. 84833-246-84833-246.
- 8667250087 Advise of allegation re asbestos abatement work that was occurring at STP. BEACH, S.B. Region 4 (Post 820201). 93/05/30. SATY, G.A. Labor, Dept. of Occupational Safety & Health Admin. 4pp. 84833-250-84833-253.
- 8667250086 FOIA request for end listed Ofc of Investigations case repts. JACKSON, D. Affiliation Not Assigned. 94/10/27. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 840714). 2pp. 84797-114-84797-115.
- 8667250099 Final response to FOIA request for records. App A & B & releasable portions of App C documents end & available in PDR. App C documents partially withheld (ref FOIA exemption 7). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 840714). 95/02/09. JACKSON, D. Affiliation Not Assigned. 5pp. 84797-116-84797-271.
- 8667250110 Discusses NDE allegations re radiation safety program & practices poor & lead backscatterer B not being used for radiography shots. CERNIE, A.C. Region 1 (Post 820201). 92/10/13. Region 1 (Post 820201). 2pp. 84797-121-84797-122.
- 8667250115 Discusses allegations of weld deficiencies in reactor coolant loop piping at facility. CHRISTOPHER, R. Office of Investigations (Pre 860201). 92/08/09. Office of Investigations (Pre 860201). 1p. 84797-123-84797-123.
- 8667250119 "Alleged Improper Personnel of Welder Qualification, Possible Discrimination by Pullman-Harris." NORTON, L.J., WHITE, C.W. Office of Investigations (Pre 880201). 96/05/09. 3pp. 84797-124-84797-126.
- 8667250121 "Alleged Illegal Weld Repair." MATAKAS, R.A., WHITE, C.W. Office of Investigations (Pre 880201). 96/05/09. 3pp. 84797-127-84797-129.

162 NONDOCKETED ITEMS

-5507250125 "Alleged False Statements by Licensee Personnel Made During EP Out"
WALSH, R.J., WHITE, G.W. Office of Investigations (Pre 880201) 86/08/25 7pp
84797 130-84797 136

-5507250128 "Suspected Mail False Statement by Licensee Official"
WALSH, R.J. Office of Investigations (Pre 880201) 87/11/04 5pp 84797 137-
84797 141

-5507250130 "Safety Concerns in Control Room"
WALSH, R.J., WHITE, G.W. Office of Investigations (Post 880201) 90/02/12 3pp
84797 142-84797 144

-5507250132 Closed Case 1-82-005R re auxiliary operators falsely recording insp & surveillance activities.
LETTIS, R. Office of Investigations (Post 880201) 83/02/26 MARTIN, T.T. Region 1
(Post 880201) 1p 84797 145-84797 146

-5507250136 Discusses non-specific allegations re Pulitan Higgins QA/QC inspectors at facility.
MATKAS, R.A. Office of Investigations (Pre 880201) 82/09/27 GALLO, R.M. Region 1
(Post 880201) 2pp 84797 146-84797 147

-5507250139 "Alleged Falsification of QC Insp Documents"
MATKAS, R.A., WHITE, G.W., HAYES, B.B. Office of Investigations (Pre 880201) 86/
06/19 3pp 84797 215-84797 252

-5507250144 "Suspected Mail False Statement by Licensee Official"
WALSH, R.J., WHITE, G.W. Office of Investigations (Post 880201) 80/04/04 6pp
84797 253-84797 271

5507250240 Appeals denial of FOIA request for records re Sequoyah Fuels Corp application to amend to license to allow changes in mgmt structure.
CURRAN, D. Harmon, Curran, Gallagher & Spillberg (formerly Harmon, Curran & Tousey) 84/12/22 TAYLOR, J.M. Ofo of the Executive Director for Operations 2pp
84833 254-84833 255

5507250246 Responds to appeal of denial of FOIA request for documents cited in e-mail message of 840820 from J. Shepherd to M. Vazquez. Appeal granted.
THOMPSON, J.H. Dep. Exec. Dir. for Nuc. Mat. Safety, Safeguards & Operations Support (Post 880206) 95/02/08 CURRAN, D. Harmon, Curran, Gallagher & Spillberg (formerly Harmon, Curran & Tousey) 1p 84833 256-84833 258

-5507250251 Inform of review of NACE position & section 4 of IR deal w/mgt issues at SFC in light of amend request.
SHEPHERD, J.C. NRC - No Detailed Affiliation Given 94/08/20 VASQUEZ, G.M. NRC - No Detailed Affiliation Given 1p 84833 257-84833 266

5507250261 FOIA request for list of all existing legal support svcs contracts.
DUNITHAN, L. Affiliation Not Assigned 95/01/20 POWELL, R. Division of Freedom of Information & Publications Services (Post 840714) 1p 84833 267-84833 267

5507250265 Final response to FOIA request for records App A record end & available in PDR.
POWELL, R. Division of Freedom of Information & Publications Services (Post 840714) 95/02/08 DUNITHAN, L. Affiliation Not Assigned 2pp 84833 268-84833 270

-5507250267 Package consisting of list of legal svcs contracts.
* NRC - No Detailed Affiliation Given 95/02/09 1p 84833 270-84833 270

5507250275 FOIA request for documents re allegations from 1993 or 1994 that nrc nuclear assessment dept lacked sufficient independence in making personnel selections or NRC investigation of NACs independence in personnel selection.
CALVERT, M.S. Carolina Power & Light Co 94/12/22 Division of Freedom of Information & Publications Services (Post 840714) 2pp 84871 129-84871 130

5507250279 Final response to FOIA request for records App A records end & available in PDR. Releasable portions of App B records also end & available in PDR. App B records partially withheld (ref FOIA Exemption 5).
POWELL, R. Division of Freedom of Information & Publications Services (Post 840714) 95/02/08 CALVERT, M.S. Carolina Power & Light Co 4pp 84871 131-84871 145

-5507250281 Discusses allegation RII-83-0153 re site VP has power to make personnel selection for nuclear assessment dept. Insp conducted on 831208-15 to assess adequacy of plant nuclear assessment department. Memo partially deleted.
CHRISTENSEN, H. Region 2 (Post 820201) 94/04/14 DENBRANDA, O. Region 2 (Post 820201) 7pp 84871 136-84871 141

-5507250284 Discusses 900806 conversation w/R. Priebe expressing concerns re independence of nuclear assessment dept. Except from Insp Repts 50-325/89-85 & 50-324/89-88 end W/o end Lr partially deleted.
URRY, B. Region 2 (Post 820201) 94/07/07 Affiliation Not Assigned 2pp 84871 142-84871 143

-5507250285 Discusses 900806 conversation w/R. Priebe expressing concern re independence of nuclear assessment dept. Except from Insp Repts 50-325/89-85 & 50-324/89-88 end W/o end Lr partially deleted.
URRY, B. Region 2 (Post 820201) 94/07/07 Affiliation Not Assigned 3pp 84871 144-84871 145

5507250288 FOIA request for notes about radioactive accidents in research & unrel tests & hoops occurring in US from 1969-1984.
ECHEGARAY, P.L. Affiliation Not Assigned 96/01/10 Division of Freedom of Information & Publications Services (Post 840714) 1p 84871 248-84871 248

5507250297 Final response to FOIA request for records App A records end & available in PDR.
POWELL, R. Division of Freedom of Information & Publications Services (Post 840714) 95/02/21 ECHEGARAY, P. Affiliation Not Assigned 2pp 84871 247-84871 324

-5507250303 Package consisting of events notifications & list of research & unrel tests & hoops events.
* NRC - No Detailed Affiliation Given 95/02/21 7pp 84871 249-84871 324

5507250316 Advises that all future correspondence re FOIA 93-642 should be forwarded to listed address.
LAWRENCE, J.W. Affiliation Not Assigned 94/06/18 PAPPAS, C. Division of Freedom of Information & Publications Services (Post 840714) 2pp 84871 325-84871 329

5507250327 Twenty-fourth partial response to FOIA request for records. Releasable portions of App DDD records end & available in PDR. App DDD records partially withheld & App EEE records completely withheld (ref FOIA Exemptions 4, 5 & 6).
POWELL, R. Division of Freedom of Information & Publications Services (Post 840714) 95/02/09 LAWRENCE, J.W. Affiliation Not Assigned 4pp 84871 330-84871 335

-5507250333 Advises of complaints of deficiencies at plant for inquiry.
* Commissioners (Post 750119) 86/10/28 Commissioners (Post 750119) 1p 84871 334-84871 334

-5507250335 Requests monitoring info re reported errors at plant. Response fr from EG Admstr shows misunderstanding of concerns.
* Affiliation Not Assigned 93/08/16 THE CHAIRMAN Commissioners (Post 750119) 1p 84871 336-84871 336

5507310118 FOIA request for documents re most recent license on file for PP Stewick, MD. License 87-21243-01.
MICHAUD, L. Affiliation Not Assigned 84/12/19 POWELL, R. Division of Freedom of Information & Publications Services (Post 840714) 1p 84872 006-84872 006

5507310127 Final response to FOIA request for documents. Records in App A being made available in PDR.
POWELL, R. Division of Freedom of Information & Publications Services (Post 840714) 95/02/08 MICHAUD, L. Affiliation Not Assigned 2pp 84872 001-84872 004

-5507310129 Mails licensing package for license 87-21243-01 for PP Stewick, MD.
GLENN, J.E. Region 1 (Post 820201) 83/01/28 2pp 84872 003-84872 004

5507310152 FOIA request for documents re NRC investigation into building collapse on 930315.
PITTS, C.J. Affiliation Not Assigned 94/11/26 NRC - No Detailed Affiliation Given 1p 84911 001-84911 001

5507310157 Final response to FOIA request for documents. Records in App A end & being made available in PDR.
POWELL, R. Division of Freedom of Information & Publications Services (Post 840714) 95/02/15 PITTS, C.J. Affiliation Not Assigned 2pp 84911 002-84911 010

-5507310248 Record of telcon w/J. Feeney.
COURTMAN, S. NRC - No Detailed Affiliation Given 95/03/25 2pp 84911 009-84911 010

5507310183 FOIA request for documents re application to NRC oic from Twin Rivers in Quincy, MA.
MARTIN, W.J. Affiliation Not Assigned 95/01/02 NRC - No Detailed Affiliation Given 1p 84872 006-84872 006

5507310184 FOIA request for documents re NRC files concerning 540 East 105th Street site.
MORANO, D.J. Affiliation Not Assigned 94/10/27 POWELL, R. Division of Freedom of Information & Publications Services (Post 840714) 1p 84872 011-84872 011

5507310185 Final response to FOIA request for documents. Records in App A end & being made available in PDR.
* Division of Freedom of Information & Publications Services (Post 840714) 95/02/17 MARTIN, W.J. Affiliation Not Assigned 2pp 84872 007-84872 010

-5507310171 Requests that present Procter & Gamble med license, 20-1110-01, be transferred to Twin Rivers Technologies, Inc. at listed address. Purchase of entire facility completed on 941118.
ANGELICO, P. 94/11/29 Region 1 (Post 820201) 1p 84872 009-84872 009

-5507310175 Confirms concurrence of request by Twin Rivers Technologies, Inc. to transfer present Procter & Gamble med license 20-1110-01 to organization at listed address. Final sale of entire facility completed on 941118.
HOPFER, G. Procter & Gamble Co 94/11/29 Region 1 (Post 820201) 1p 84872 010-84872 010

5507310186 Partial response to FOIA request for documents. App A records already available in PDR.
POWELL, R. Division of Freedom of Information & Publications Services (Post 840714) 95/02/21 MORANO, D. Affiliation Not Assigned 2pp 84872 012-84872 013

5507310206 FOIA request for documents re CFO 1994 Annual Rept. Agency Inspector General & Independent Public Accountant most recent issued repts & CFO financial statements under contract for such.
FARMER, W.L. Affiliation Not Assigned 94/12/08 QUINN, W.E. Division of Freedom of Information & Publications Services (Post 840714) 2pp 84868 387-84868 358

5507310207 Eight partial response to FOIA request for documents. App M record end & available in PDR. App H records maintained in PDR. App Q records withheld in part (ref FOIA Exemption 5). App P records withheld completely (ref FOIA Exemption 5).
POWELL, R. Division of Freedom of Information & Publications Services (Post 840714) 95/03/02 FICELLER, Affiliation Not Assigned 8pp 84883 124-84883 138

-5507310209 Notices that due to emergency in assigned attorney family, it is not possible to complete review for OGC analysis of settlement agreements until 880830.
CHANDLER, L.J. Deputy General Counsel for Hearings, Enforcement & Administration (Post 880423) 88/08/24 MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 84883 132-84883 132

-5507310212 Forwards copy of Allegation File RII-85-A-0159-Facts W/o end.
PUNK, D.E. Region 3 (Post 820201) 90/01/18 BRADY, R.C. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 84883 133-84883 133

-5507310216 Forwards Recommended Order of Dismissal, Stipulation of Dismissal & Settlement Agreement & Full & Final Release re J. Sides DOL case W/o end.
BROWN, W.L. Region 4 (Post 820201) 90/01/25 CRUTCHFIELD, D. Associate Director for Special Projects (890101-900602) 2pp 84883 134-84883 135

-5507310218 Partially withheld memo forwarding Commission Order W/o end.
HOEFLING, D. NRC - No Detailed Affiliation Given 90/02/09 BROWN, W.L. Region 4 (Post 820201) DICK, G., QUAY, T. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp 84883 136-84883 138

9507310208 Final response to FOIA request for documents Requested records available through listed public distribution programs
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 95/02/21 FARMER, W.L. Affiliation Not Assigned 2pp 84888 359-84888 380

9507310218 FOIA request for documents re proposal from Dec 1981 award of contract NRC-38-82-288
WESTER, N. Affiliation Not Assigned NRC-38-82-288 94/11/14 POOLE, M.J. Division of Freedom of Information & Publications Services (Post 940714) 1p 84872 014-84872 014

9507310222 FOIA request for documents re all depositions in possession of NRC taken in diesel generator phase of discovery re licensing amend proceeding
WILMOTH, M.J. National Whistleblower Center 95/01/17 Division of Freedom of Information & Publications Services (Post 940714) 3pp 84872 032-84872 034

9507310280 Fourth final response to FOIA request for documents. No add records subject to request located
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 95/03/01 STANTON, M. Affiliation Not Assigned 1p 84883 122-84883 122

9507310232 Twenty-third partial response to FOIA request for documents. Forwards documents listed in App AAA being Documents being placed in PDR Apps BBB & CCC being released in part (rel FOIA exemption 7C)
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 95/02/10 LAWRENCE, J.W. Shaw, Polman, Potts & Trowbridge 5pp 84872 038-84872 119

-9507310240 SECY-90-025 Requests Commission approval to issue and order re administrative subpoenas issued by staff
RITZGER, J.A. Assistant General Counsel for Adjudications & Opinions 30/01/23 67pp 84872 049-84872 104

-9507310251 Discusses alleged termination for reporting security concerns to security mgr.
WILLIAMSON, E.L. Ofc of Investigations (Post 950201) 95/01/20 MILHOAN, J.L. Region 4 (Post 920201) 2pp 84872 105-84872 106

-9507310274 Partially withheld memo re review of allegation involving plant
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 95/12/16 WILLIAMS, D.L. Office of the Inspector General (Post 890417) 10pp 84872 107-84872 116

9507310235 Final response to FOIA request for documents Nonproprietary version of proposals being made available for public use
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 95/02/22 WESTER, N. Affiliation Not Assigned 1p 84872 015-84872 031

-9507310248 Partially withheld paper entitled "NRC Effective Communication Media Training Workshop, Technical & Mgt Proposal"
CommCore, Inc 91/04/30 8pp 84872 016-84872 023

-9507310255 Expresses appreciation for opportunity to clarify outstanding issues re proposal, "Effective Communication Media Training Workshop" Ltr partially deleted
BERG, K.E. CommCore, Inc 91/11/11 TAYLOR, S. Division of Contracts & Property Management (950206-940714) 6pp 84872 024-84872 031

9507310244 FOIA request for documents re remediation of sewer sys on or near NPPs
LENHART, T.E. Northeast Ohio Regional Sewer District 95/01/27 Division of Freedom of Information & Publications Services (Post 940714) 1p 84883 140-84883 140

9507310249 Final response to FOIA request for documents Forwards Apps B & C records. Records being made available in PDR App A records already available in PDR W/o stated app C records
BROWN, M. Division of Freedom of Information & Publications Services (Post 940714) 95/03/06 LENHART, T.E. Northeast Ohio Regional Sewer District 4pp 84883 142-84883 152

-9507310257 Forwards copy of staff response to J. Garcia 931201 questions re sewer releases from power reactor licenses
BLAHU, J. Assistant for Operations (Post 950205) 94/01/21 OLSON, P. General Accounting Office 7pp 84883 148-84883 152

9507310282 Fourth partial response to FOIA request for documents Records in App D & E will be made available in PDR App F records will be withheld in entirety or in part (rel FOIA Exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 95/02/10 KATZ, D. Citizens Awareness Network 5pp 84883 078-84883 121

-9507310289 Partially withheld notice of violation & proposed imposition of civil penalty from map on 950913-15 Violation noted on 950822 drywell & degraded barriers of 4KV switchgear room were not positioned to positively control access to areas
DAVIS, A.B. Region 3 (Post 920201) EA-89-185 95/11/29 91pp 84883 091-84883 121

9507310286 First partial response to FOIA request for documents Forwards records listed in App A App B records already available in PDR W/o stated records
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 95/02/21 WILMOTH, M.J. National Whistleblower Center 3pp 84872 035-84872 037

9507310280 FOIA request for documents re NRC response to Exhibit 43 of Ofc of Mgt & Budget Circular A-11 for FY85
PLEVOCK, J.M. 95/02/13 POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 1p 84883 153-84883 153

9507310284 First final response to FOIA request for documents Records in App A and B being made available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 95/03/07 PLEVOCK, J.M. 2pp 84888 154-84888 159

-9508048180 Agency-wide summary report on obligations for Info Technology NRC
95/02/06 1p 84883 156-84883 156

9508010183 FOIA request for documents re monitoring of radiation &/or detection of radionuclides at publicly owned wastewater treatment plants by nuclear power licensees
LENHART, T.E. Northeast Ohio Regional Sewer District 95/01/27 Division of Freedom of Information & Publications Services (Post 940714) 1p 84883 141-84883 141

GEN TEC IS GENERIC TECHNICAL ISSUES

9436110028 Presents NMSS resolution of Issue Number B-64 "Decommissioning of Reactors" of Generic Issue Mgt Control Sys GSI originally documented as Task B-64 in NUREG-0471, "Generic Task Problem Description (Categories B.C. & D.)"
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards 94/08/26 TAYLOR, J.M. Ofc of the Executive Director for Operations 1p 84852 299-84852 299

9507300881 Forwards prioritization evaluation of GI 171 & approves RES/DET taking appropriate actions to resolve issue, to be monitored by GIMCS Also forward to regions, other offices, ACRS & PDR for comment. GIMCS info to be received within 8 wks
MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217) 95/08/16 SHADOL, C. Division of Engineering Technology (Post 941217) 11pp 84512 338-84512 348

9507300139 Forwards safety evaluation addressing BWRG 900402 response to GI 86-18, "Request for Action to Resolution of Unresolved Safety Issue A-47 'Safety Implementation of Control Sys in LWR NPPs Per 10CFR50.54(f)'"
HALL, R. GL-89-19 95/05/21 HORN, G.R. Nebraska Public Power District 4pp 84516 189-84516 184

-9507300157 Safety evaluation re response to GI 89-19, "Request for Action to Resolution of Unresolved Safety Issue A-47 'Safety Implementation of Control Sys in LWR NPPs Per 10CFR50.54(f)'"
Office of Nuclear Reactor Regulation (Post 941001) GL-89-19 95/06/21 2pp 84516 189-84516 194

9507300875 Forwards safety evaluation in response to GL-90-06 which provides resolution of GI-70 "Power Operated Relief Valve & Block Valve Reliability" & GI-84, "Add Low Temp Overpressure Protection for LWR"
JOHNSON, L.R. Project Directorate II-1 (PD-1) (Post 941001) YAC M77352 95/06/21 MECHERY, R.C. Rochester Gas & Electric Corp 3pp 84540 032-84540 042

9507300341 Application for amendment to license NFF-12 consisting of TS Change TSP 950002, revising TS 3.4.4.4 for pressurizer PORVs to follow guidance of GL 89-06, GI 70 & approved Westinghouse standardized TSPs
TAYLOR, G.J. South Carolina Electric & Gas Co FC-95-0167 95/06/30 DEMBEK, S. Document Control Branch (Document Control Desk) 3pp 84619 036-84619 054

9507300361 Requests extension of commitment date for submitting USI A-46 seismic evaluation report to 950629 USI committed by 920914 in response to Suppl 1 to GL 87-02 to submit report by 950930
BARTON, L.J. General Public Utilities Corp - GPU Service Corp C821-95-2155 95/06/30 Document Control Branch (Document Control Desk) 2pp 84617 099-84617 109

9507300365 Forwards "IFE for External Events (IFEE) Submittal Final Rept." as committed in 921018 in External events portion of USI A-46, "Shutdown DHR Requirements" submitted in IFEE per GL 88-20 & considered resolved
ANDERSON, R.A. Carolina Power & Light Co BSEP 95-0314 95/08/30 Document Control Branch (Document Control Desk) 3pp 84593 001-84594 108

9507300184 Forwards "HB Robinson Steam Electric Plant (HRSSEP) Unit 2 IFE for External Events Submittal Final Rept., HRSSEP Unit 2 USI A-46 Seismic Evaluation Rept Final Rept." & "HRSSEP Unit 2 USI A-46 Relay Evaluation Rept Final Rept." per GL 89-30
KRACH, R.M. Carolina Power & Light Co RNP-RA/95-0123 95/06/30 Document Control Branch (Document Control Desk) 5pp 84640 001-84642 175

-9507300187 52212-R-002 ROD "HB Robinson Steam Electric Plant Unit 2 USI A-46 Seismic Evaluation Rept Final Rept."
EGE, Inc 95/06/22 136pp 84641 007-84641 263

-9507300174 Rev 0 to "HB Robinson Steam Electric Plant Unit 2 USI A-46 Relay Evaluation Rept Final Rept."
Carolina Power & Light Co * EGE, Inc 95/06/30 276pp 84641 284-84642 175

9507300828 Informs that audit of license USI A-46 program will be conducted during wk of 951206 to resolve remaining issues re USI A-46, Suppl 1 to GL 87-02 for facilities
NORMAN, J. Project Directorate II-1 (PD-1) (Post 941001) YAC M88303 95/07/17 GOLDBERG, J.H. Florida Power & Light Co 3pp 84789 216-84789 221

9507200139 Provides final part of agreed three part response re status of safety status at Watts Bar Unit 1, including updates to summary tables shown in NRC final report as Tables 4.2.6, 2.6.2 & 7.2 & ranges status of GSI 70 provided in 950614 ltr
BARON, R.R. Tennessee Valley Authority 95/07/14 Document Control Branch (Document Control Desk) 2pp 84778 285-84778 292

9507300238 Forwards CROR combined packages for proposed resolution of GI 70 & GI 94 to expedite concurrence informs that packages combined at the stage of GI resolution because it was considered desirable to issue single GI to nuclear industry
SPENCER, T.P. Advanced Reactor & Generic Issues Branch (870413-910629) 95/12/07 GILLESPIE, P.P. Program Management, Policy Development & Analysis Staff (Post 870411) JORDAN, L.L. Committee to Review Generic Requirements PARLER, W.C. Office of the General Counsel (Post 950701) 3pp 84552 351-84552 263

9507310287 Suppl previous responses to GL 89-19 requesting action re resolution of USI A-47, "Safety Implementation of Control Sys in LWR NPPs"
SALAS, P. Tennessee Valley Authority GL-89-19 95/07/26 Document Control Branch (Document Control Desk) 4pp 84902 953-84902 256

IEI INSPECTION AND ENFORCEMENT

9508030151 Requests ACRS review of generic ltr titled "Voltage-Based Rept Criteria for Westinghouse Steam Generator Tubes" w/ supporting mail
SHERON, B. 95/04/06 LARKINS, J. ACRS - Advisory Committee on Reactor Safeguards 162pp 84511 048-84511 209

164 NONDOCKETED ITEMS

9507060000 EN-95-044 on 950628, notice of proposed imposition of civil penalty in amount of \$13,000 issued to licensee Action based on problem involving initial failure by QIS to file for reciprocity while working in Pennsylvania, Non-Agreement. MAMISH, N., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-95-046. 95/06/23. 1p. 84507095-84507138

9507060106 EN-95-045 on 950628, notice of violation issued to F. Papale, unlicensed radiographer/field supervisor formerly employed by Quality Insp Svcs, Inc. Action based on finding that individual deliberately provided inaccurate info to NRC. MAMISH, N., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-95-020. 95/06/23. 1p. 84507138-84507138

9507060127 Comment on proposed GL 95-32 re relocating of prestress temp limit curves & low temp overpressurization protection limits. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 80FR28905 00001 95/06/21. NRC - No Detailed Attention Given. 2pp. 84507271-84507272

9507060190 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail." TAYLOR, K.O. Steel, Inc. 95B-95-001. 95/06/22. Document Control Branch (Document Control Desk). 8pp. 84507350-84507355

9507060192 EN-95-046 order prohibiting involvement in NRC-licensed activities for 10 yrs & requiring certain notification to NRC issued to J.W. Zurek, former employee of Cambridge Assoc. in Holland, MI. DELMEDICO, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-95-022. 95/06/27. 1p. 84507276-84507276

9507060193 EN-95-025A Commission notified of intent of OE to issue NOV & proposed imposition of civil penalty in amount of \$750 to licensee Action based on severity level III violation re failure to maintain security over license mail. DELMEDICO, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 95/06/16. 1p. 84507282-84507282

9507060198 EN-95-041 on 950615, notice of proposed imposition of civil penalty in amount of \$5,000 issued to licensee Action based on violation involving release for unauthorized use of scrap metal from dismantled U mail at Mopac, UT in excess of limits. MAMISH, N., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-94-117. 95/06/12. 1p. 84507287-84507287

9507060199 EN-95-042 on 950615, notice of proposed imposition of civil penalty in amount of \$250 issued to licensee Action based on violation re failure to maintain surveillance of or secure from unauthorized removal two soil moisture/density gauges. BURGES, B.L., CALDWELL, J. Region 3 (Post 820201). EA-95-092. 95/06/12. 1p. 84507319-84507319

9507060196 EN-95-043 on 950612, preliminary order & notice of termination of license to be issued to licensee Action based on finding that licensee, through president, deliberately violated NRC requirements. MAMISH, N., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-94-240. 95/06/12. 1p. 84507322-84507322

9507060061 PNC-IV-95-031 on 950629, Troder Mode 3411B moisture density gauge, containing Co-137 & Am-241 sealed sources had been stolen. No equipment has been found & licensee continuing investigation w/assistance from Albuquerque Police Dept. BROWN, R.A., HOWELL, L.L. Region 4 (Post 820201). 95/07/03. 1p. 84516001-84516001

9507110004 PNC-IV-95-037 on 950626, A charging pump relief valve lifted while operating at 2% reactor power. Investigation into failure of mechanism underway. NRC notified & licensee issued press release. VERRELL, D. Region 2 (Post 820201). 95/06/27. 1p. 84557015-84557015

9507110006 PNC-IV-95-035 on 950630, incident involving internal contamination of 32 yr old female researcher, 4 months pregnant reported. Detectable radioactivity confirmed, annual limit on intake not exceeded. Incident under investigation. JOHNSON, J.M., SHANKMAN, S.F. Region 1 (Post 820201). 95/07/03. 2pp. 84557261-84557262

9507120009 PNC-IV-95-038 update informing that all completed shutdown of Unit 1 IAW TS for inoperable EDG & mode to 2B EDG on 950629 EDG has been declared operable & licensee plans to complete repairs to 2A EDG & return to svc early on 950630. CARROLL, R. Region 2 (Post 820201). 95/06/29. 1p. 84574290-84574290

9507120042 PNC-IV-95-036 on 950628, all four EDG had been declared inoperable. Caused by installation of inappropriate diffuser plant in EDG turbochargers. State of NC has been notified. CARROLL, R. Region 2 (Post 820201). 95/06/28. 1p. 84575066-84575066

9507120057 EN-95-047 on 950705, notice of proposed imposition of civil penalty in amount of \$50,000 issued to licensee Action based on violations indicative of weaknesses in corrective action. BEALL, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-95-070. 95/06/29. 1p. 84582314-84582314

9507170018 PNC-IV-95-032 on 950711, inadvertent disposal of licensed 250 mCi Co-137 source. Suspected that compensator installed in electronics associated w/Chomart model ASR-4 pipe density gauge. Chomart notified licensee to investigate & make rep. PRANGE, B., WENSLAWSKI, F. Walnut Creek Field Ofc, R4 (Post 940404). 95/07/12. 1p. 84580339-84580339

9507170019 PNC-IV-95-040 on 950710, alloyed tester instrument which contained 45 mCi of Fe-55 & 5 mCi of Co-108 source was lost during shipment. Entry Worldwide freight & State of OH attached & surveyed & were unable to locate source. JONES, A.R. Region 2 (Post 820201). 95/07/11. 1p. 84580339-84580339

9507170022 PNC-IV-95-039 on 950709, report utility vehicle drove through owner controlled area & into discharge canal near beach head wall. Caused by occupants looking for place to surf. No threat to plant safety. SCHENK, R. Region 2 (Post 820201). 95/07/10. 1p. 84580343-84580343

9507190011 PNC-IV-95-035 on 950703, licensee discovered theft of moisture-density gauge from field site near Columbus, IN. Licensee notified Indiana State Police & State Dept of Health. WIEDENMANN, D., HOLT, B.J. Region 3 (Post 820201). 95/07/03. 1p. 84711019-84711019

9507190022 PNC-IV-95-036 on 950705, contractor found contaminated soil & drainage tile during excavation. Licensee intends to remove all contaminated portions of drain tile & all soil w/measurable contamination. MADERA, J.L., CALDWELL, J. Region 2 (Post 820201). 95/07/07. 1p. 84711044-84711044

9507200219 Forwards documents associated w/proposed bulletin & draft reg guide re potential plugging of emergency core cooling suction strainers by debris in BWRs. SHAPIRO, J.W. 95/07/19. Document Control Branch (Document Control Desk). 1pp. 84781001-84782140

9507210006 PNC-IV-95-025A on 950714, contaminated water cooler identified during licensee investigation of incident involving internal contamination of researcher. All water coolers surveyed & radiation found in reservoir of one cooler. State informed. JOHNSON, J.M., SHANKMAN, S.F. Region 1 (Post 820201). 95/07/17. 2pp. 84738091-84738092

9507210006 PNC-IV-95-040A update 950710 event re loss of package containing alloyed tester instrument which contained 45 mCi Fe-55 & 5 mCi of Co-108 package located on 950712 at CA facility. JONES, A.R. Region 2 (Post 820201). 95/07/13. 1p. 84738211-84738211

9507210006 PNC-IV-95-042 on 950713, licensee noticed altercation between two people at employee parking lot. Four individuals (aged 15 to 23) in controlled area. Licensee identified no evidence of damage or sabotage. WATKINS, R. Region 2 (Post 820201). 95/07/14. 1p. 84738212-84738212

9507210007 PNC-IV-95-037 on 950713, brachytherapy implant, containing two Co-137 sealed sources, became dislodged during treatment of patient for vaginal cancer, administering dose to patient thighs in range of 28 to 370 cGy. State of OH notified. WIEDENMANN, D.G. Region 3 (Post 820201). 95/07/13. 1p. 84751328-84751328

9507210013 Provides compilation of background mail relevant to proposed Suppl 7 to GL 89-10 re valve mispositioning in pressurized water reactors. KUGLER, A.J., GL-89-10. 95/07/17. Document Control Branch (Document Control Desk). 1p. 84778228-84778228

9507250017 Comment supporting proposed generic communication 10CFR50.54 re process for changes to security plans w/o prior NRC approval. Tipton, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 80FR18255 00013. 95/07/14. Division of Freedom of Information & Publications Service (Post 940714). 2pp. 84787029-84787030

9507260183 PNC-IV-95-043 on 950718, facility declared NOUE due to reactor coolant leakage rate of approx 36 gpm Unit presently in cold shutdown & plans to make repairs underway. CARROLL, R. Region 2 (Post 820201). 95/07/18. 1p. 84793349-84793349

9507270117 PNC-IV-95-039 on 950720, offsite chemical releases occurred at Koch Industries facility. Caused by flare extinguished & created airborne chemical health hazard. Resident inspector continues to monitor event. FORDE, P.K. Region 4 (Post 820201). 95/07/20. 2pp. 84814355-84814355

MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

9507300321 Provides status of 2,205 petition re Thermo-Lag. Staff will respond to petition after completion of two actions: chemical testing & analysis of Thermo-Lag distillates. GAMBERONI, M. NRC - No Detailed Attention Given. 2 205. 95/06/16. NRC - No Detailed Attention Given. 1p. 84508321-84508321

9507300136 Forwards consolidated list of NRC & industry-related standards for digital hardware & software. RULAND, W.H. Region 1 (Post 820201). GL-95-02. 95/07/19. Document Control Branch (Document Control Desk). 4pp. 84793344-84793347

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

8410110026 Presents NRCSS resolution of Issue Number 8-64, "Decommissioning of Reactors," of General Issue Mgt Control Sys. GSI originally documented as Task 8-64 in NUREG-0471, "General Task Problem Descriptors (Categories B, C & D)." BERNESE, J.M. Office of Nuclear Material Safety & Safeguards. 84/08/26. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 84582299-84582299

9502170013 SECY-95-028 Requests Commission approval to issue "Regulatory Analysis Guidelines of US NRC," NUREG/BR-0058, Rev 2, for staff implementation. TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/02/07. 8pp. 84772028-84772107

9504170025 SECY-95-083 Provides Commission w/review of draft AO reporting online requested in 950221 SRM, on SECY-94-275. TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/04/05. 8pp. 84772189-84772233

9506190027 SECY-95-138 Requests approval of final draft of "Rept to Congress on AOs Jan-Mar 1995." TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/05/31. 31pp. 84577291-84577335

9507060021 Responds to certain questions raised in 950615 & 20 ltr re enforcement conference applicability in determining whether violations occurred. Advises that Enforcement Manual (NUREG/BR-0196), Section E.3 clarifies matter. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 95/06/29. GARTH, S.T. Attention Not Assigned. 2pp. 84488186-84488187

9507060081 Forwards protozoon evaluation of G 171 & approves RES/DET taking appropriate actions to resolve issues to be monitored by GIMOS. Also forward to regions, other offices, ACRS & PDR for comment. GIMOS info to be received within 5 wks. MORRISON, D.J. Office of Nuclear Regulatory Research (Post 941217). 95/06/16. SHALC, D. Division of Engineering Technology (Post 941217). 11pp. 84512336-84512346

9507030135 Response to petition of 950605, denying request for immediate suspension of plant FOIs because no safety issues warranting action could be identified. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) GL-85-03 95/06/19 GUNTER, P.Y. Nuclear Information & Resource Service 31pp 84518 268-84518 322

9507030330 Comment supporting Draft Regt NUREG-1516, "Mgt of Radioactive Waste Safety Program at Medical Facilities." Forwards suggestions for improving draft. BENDON, M.F. Boston Univ. Medical Center, Boston, MA 60FR8289 00002 95/06/07 Division of Freedom of Information & Publications Services (Post 940714) 7pp 84506 042-84506 048

9507030136 Forwards safety evaluation addressing BWR/ROG 900402 response to GL 89-19, "Request for Action re Resolution of Unresolved Safety Issue A-47 'Safety Implication of Control Sys in LWR NPPs'." Per 10CFR50.64(f). HALL, J.R. GL-89-19 95/06/21 HORN, G.R. Nebraska Public Power District 4pp 84516 185-84516 194

9507030157 Safety evaluation re response to GL 89-19, "Request for Action re Resolution of Unresolved Safety Issue A-47 'Safety Implication of Control Sys in LWR NPPs'." Per 10CFR50.64(f). "Sited upgrade unapproved." Office of Nuclear Reactor Regulation (Post 941001) GL-89-19 95/06/21 2pp 84518 185-84518 194

9507030284 Forwards amends 188 & 70 to licenses DPR-68 & NPF-73 & SE Amends 188 & 70 revise App A T9s by relocating requirements of RETS & solid radioactive TSs from App A to ODCM or to PCP in accordance w/ GL 89-01 & NRC rept NUREG-1301. BRINKMAN, D.S. Project Directorate I-2 (PD1-2) Post 941001 TAC M88770 95/06/12 CROSS, J.E. Duquesne Light Co 4pp 84528 001-84528 118

9507030285 Amends 188 & 70 to licenses DPR-68 & NPF-73, respectively, revising App A T9s by relocating requirements of RETS & solid radioactive TSs from App A T9s to ODCM or to PCP in accordance w/ GL 89-01 & NRC rept NUREG-1301. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 NPF-73 A 078 95/06/12 108pp 84528 005-84528 112

9507030297 Forwards SER, suppl 15 for plant & related notice of availability for comment. TAMPS TAC M83561 95/06/22 KINGSLEY, O.D. Tennessee Valley Authority 2pp 84531 001-84531 187

9507030315 Safety evaluation rept re operation of plant. Office of Nuclear Reactor Regulation (Post 941001) 95/06/22 185pp 84531 003 84531 187

9507030428 Forwards "Port Beach Nuclear Plant IPE of External Events for Severe Accident Vulnerabilities" per GL 88-20, Suppl 4 & NUREG-1407. LINK, B. Wisconsin Electric Power Co VPRPD-95-056 95/06/30 Document Control Branch (Document Control Desk) 2pp 84582 001-84582 125

9507030485 Concludes that containment cooling status can be determined through alternative means to direct reading of containment sump water temp for licenses NPF-72 & NPF-77 re implementation of RG 1.97, rev 2. Forwards supporting SE. ASSA, R. TAC M84028 95/06/27 FAIRFAX, L. Commonwealth Edison Co 3pp 84539 331-84539 330

9507030486 Safety evaluation supporting conclusion that containment cooling status can be determined through alternative means to direct reading of containment sump water temp for licenses NPF-72 & NPF-77 re implementation of RG 1.97, rev 2. Office of Nuclear Reactor Regulation (Post 941001) GL-82 33 95/06/27 3pp 84539 334-84539 336

9507030507 NUREG/BR-0307 BASICS FOR THE NRC TRAVELER 1985 Edition. Office of the Controller (Post 950205) 95/07/06 34pp 84539 272-84539 266

9507030525 NUREG/CR-6256 V01 ER Errata to "Field Lysimeter Investigations Low-Level Waste Data Base Development Program Lysimeter Test Results for Fiscal Years 1985-1989," relating listed word corrections for Pages 16, 21 & 31. MCCORMICK, J.W., ROGERS, R.D., FENDLEY, R.W. Idaho National Engineering Laboratory FIN A-8678 WEL-95/0073 95/06/30 Division of Regulatory Applications (Post 941217) 2pp 84577 356-84577 357

9507030513 NUREG/CR-6330 RESULTS OF REGULATORY IMPACT SURVEY OF INDUSTRIAL AND MEDICAL MATERIALS LICENSEES OF THE OFFICE OF NUCLEAR MATERIALS SAFETY AND SAFEGUARDS. LACH, D., MELBER, B., BRICHOUX, J. Battelle Human Affairs Research Centers FIN J-5039 PNL-10648 95/06/30 Division of Industrial & Medical Nuclear Safety (Post 970729) 100pp 84533 007-84533 099

9507030519 Forwards FIN for STS, rev 1, "Availability," for review. GRIMES, C.J. 95/06/27 MEYER, D.L. Division of Freedom of Information & Publications Services (Post 940714) 2pp 84539 355-84539 359

9507030532 Notice of availability of five acts of improved STS, Rev O that had been issued on 920929. GRIMES, C.J. 95/06/27 3pp 84539 357-84539 359

9507030531 NUREG/CR-6336 AN OVERVIEW OF INSTABILITY AND FINGERING DURING IMMISCIBLE FLUID FLOW IN POROUS AND FRACTURED MEDIA. CHERUB, T., BUCHHEIM, N., NEUMAN, S.P. Arizona, Univ. of Tucson, AZ FIN L-1283 95/04/30 Division of Risk Analysis & Operations (840428-980720) 137pp 84532 043-84532 180

9507030535 NUREG/CR-6354 EFFECT ON AGING ON PWR CHEMICAL AND VOLUME CONTROL SYSTEM. GROVE, E.J., TRAVIS, R.J. Brookhaven National Laboratory FIN A-3270 BNL-NUREG-52410 95/06/30 Division of Engineering Technology (Post 941217) 198pp 84532 181-84532 006

9507030541 NUREG-1528 LESSONS LEARNED FROM EARLY IMPLEMENTATION OF THE MAINTENANCE RULE AT NINE NUCLEAR POWER PLANTS. PETRONIO, C.D., CORREIA, R.P., BLACK, S.C. Office of Nuclear Reactor Regulation (Post 941001) 95/06/30 44pp 84532 001-84532 042

9507030546 Ask receipt of 950502 petition under 10CFR2.206 requesting that pressurized-water reactors at listed plants be immediately shut down. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/06/28 OCHERTY, J.F. Affiliation Not Assigned 6pp 84559 127-84559 136

9507030590 NUREG-0750 V41 R01 INDEXES TO NUCLEAR REGULATORY COMMISSION ISSUANCES January-March 1995. Division of Freedom of Information & Publications Services (Post 940714) 95/06/30 34pp 84533 306-84533 340

9507030551 NUREG-1478 R01 NON-POWER REACTOR OPERATOR LICENSING EXAMINER STANDARDS. Office of Nuclear Reactor Regulation (Post 941001) 95/06/30 172pp 84533 100-84533 271

9507030557 Forwards amends 138 & 78 to licenses DPR-67 & NPF-16 & safety evaluation. Amends incorporate line-item TS improvements to Spec 3/4.8.1, "Electrical Power Sys-AC Sources," & 4.8.1.2.2, "Electrical Power Sys Shutdown." NORRIS, J.A. Project Directorate I-1 (PD2-1) (Post 941001) TAC M82016 95/06/29 GOLDBERG, J.H. Florida Power & Light Co 2pp 84555 154-84555 194

9507030577 Amends 138 & 78 to licenses DPR-67 & NPF-16, respectively, revising TS 3/4.8.1, "Electrical Power Sys-AC Sources," & 4.8.1.2.2, "Electrical Power Sys Shutdown," per NUREG-1386 & GLs 93-05 & 94-01. MATTHEWS, D.B. Project Directorate I-1 (PD2-1) (Post 941001) NPF-16 A 078 95/06/29 23pp 84555 156-84555 184

9507030580 Safety evaluation supporting amends 138 & 78 to licenses DPR-67 & NPF-16, respectively. Office of Nuclear Reactor Regulation (Post 941001) GL-89-05 95/06/29 10pp 84555 185-84555 194

9507030596 Application for amend to license NPF-47 Amend will statement TSs based on NUREG-1434 "Improved TSs, Rev O." MCGAHAN, J.R. Energy Operations, Inc. REEXEC-95-112 95/06/30 Document Control Branch (Document Control Desk) 3pp 84546 012-84546 112

9507030616 Proposed tech specs reflecting implementation of TSs based on NUREG-1434, "Improved TSs, Rev O." Energy Operations, Inc. 95/06/30 1,193pp 84546 017-84546 112

9507030628 Request for OMB review & supporting statement re NRC Form 327 "SNM Physical Inventory Summary Rept" & NUREG/BR-0093, "Instructions & Guidance for Completing Physical Inventory Summary Repts." Estimated respondent burden is 38 h. CRANFORD, G.F. Office of Information Resources Management (Post 950205) OMB 9150-0139 95/06/28 9pp 84567 022-84567 080

9507030633 Forwards NRC "Rept to Congress on Abnormal Occurrences" for events at licensed nuclear facilities during fourth quarter of CY94 which addresses four AO at NRC-licensed facilities. THE CHAIRMAN, BELIN, J. Commissioners (Post 750119) 95/06/30 GINGRICH, N. House of Rep., Speaker of the House (GORE, J.) Senate 43pp 84567 207-84567 247

9507030635 Forwards amend 69 to license NPF-58 & SE Amend replaces in its entirety, current TS w/ set of TS based on NUREG-1434, "Improved BWR-6 TS." HOPKINS, J.B. TAC M88400 95/06/23 SHELTON, D.C. Centenor Service Co 3pp 84569 001-84569 238

9507030636 Amend 69 to license NPF-58, replacing in its entirety, current TS w/ set of TS based on NUREG-1434, "Improved BWR-6 TS." HOPKINS, J.B. 95/06/23 3pp 84569 004-84569 006

9507030637 Notice of issuance of amend 69 to license NPF-58 Amend replaces in its entirety, current TS w/ set of TS based on NUREG-1434, "Improved BWR-6 TS." HOPKINS, J.B. 95/06/23 2pp 84569 007-84569 006

9507030646 NUREG/BR-0553 R02 NRC REGULATIONS HANDBOOK. LESARJAT, Division of Freedom of Information & Publications Services (Post 940714) 95/06/30 400pp 84635 001-84635 048

9507030651 NUREG/CR-6357 AGING OF TURBINE DRIVES FOR SAFETY-RELATED COMPLEX IN NUCLEAR POWER PLANTS. COX, D.F. Oak Ridge National Laboratory FIN 9-0628 ORNL-6713 95/06/30 Division of Engineering Technology (Post 941217) 64pp 84634 295-84634 351

9507030659 NUREG/CR-6307 SUMMARY OF COMMENTS RECEIVED AT WORKSHOP ON USE OF A SITE SPECIFIC ADVISORY BOARD (SSAB) TO FACILITATE PUBLIC PARTICIPATION IN DECOMMISSIONING CASES. CAPLIN, J., PAGE, G., SMITH, D. Advanced Systems Technology, Inc. FIN J-6039 95/06/30 Division of Regulatory Applications (Post 941217) 116pp 84634 190-84634 254

9507030675 NUREG-0847 515 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF WATTS BAR NUCLEAR PLANT, UNITS 1 AND 2, Docket Nos. 80-390 And 90-391 (Tennessee Valley Authority). TAMPS Division of Reactor Projects I/II (DRPE) Post 941001 95/06/30 188pp 84634 001-84634 189

9507030687 NUREG/CR-6144 V08 P2 EVALUATION OF POTENTIAL SEVERE ACCIDENTS DURING LOW POWER AND SHUTDOWN OPERATIONS AT SURRY, UNIT 1. Evaluation of Severe Accident Risk During Mid-Loop Operations Appendices. JOY, L., LILIC, C., MEYNOTIN, L. Brookhaven National Laboratory FIN L-1690 BNL-NUREG-52399 95/05/31 Division of Systems Technology (Post 941217) 276pp 84633 084-84633 327

9507030690 NUREG-0750 V41 R04 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR APRIL 1995 Pages 245-319. Division of Freedom of Information & Publications Services (Post 940714) 95/06/30 63pp 84633 001-84633 089

9507030690 Discusses PVRC meetings in Milwaukee, WI on 950905-07 re cyclic life & environmental effects for NPPs Meeting agendas & handouts and FAIR, J.R. 95/06/27 WESSMAN, R.H. 184pp 84632 015-84632 178

9507030701 Discusses Rev B to TS change request 95-18 Request originally submitted to NRC on 940929 Rev reflects incorporation of NRC review comments re plant conversion to improved TSs per NUREG-1433. HUNGER, G.A. PECC Energy Co, (formerly Philadelphia Electric Co) 95/07/07 Document Control Branch (Document Control Desk) 3pp 84775 348-84775 360

166 NONDOCKETED ITEMS

9507170128 NUREG/CR-5114 V133 E. Emission to Vols 1 & 2, adding "Auxiliary Analysis in Support of" to titles on cover pages & bibliographic data sheets so that each new title is same as that listed for "New Report Title." Corrections for pages listed for Vol 3.
MEYER, P.D. Battelle Memorial Institute, Pacific Northwest Laboratory, TALBOTT, A.E., GELHAR, J.E. Massachusetts Institute of Technology, Cambridge, MA. FIN L-2466, PNL-4842. 95/05/31. Division of Regulatory Applications (870413-941217). 2pp. 84671301-84671302.

9507200148 Forwards final EPRI rept, "Inside Surface Ultrasonic Technique Capabilities as Demonstrated for Insp of PW Nozzles," demonstrating ultrasonic exam techniques as replacement to NUREG-0679 liquid penetrant exam.
TREMBLAY, L.A. Vermont Yankee Nuclear Power Corp. BYV 85-78. 95/07/14. Document Control Branch (Document Control Desk). 1p. 84773208-84773253.

9507200286 NUREG-1266 V08 NRC SAFETY RESEARCH IN SUPPORT OF REGULATION - FY 1994.
Office of Nuclear Regulatory Research (Post 941217). 95/06/30. 100pp. 84750001-84750091.

9507200213 NUREG/CR-6184 SEPARATE EFFECTS TESTING AND ANALYSES TO INVESTIGATE LINER TEARING OF THE 1:16-SCALE REINFORCED CONCRETE CONTAINMENT BUILDING.
SPLETZER, B.L., LAMBERT, J.D., BERGMAN, V.L. Sandia National Laboratories, FIN A-1817, SAND92-1720. 95/05/31. Division of Engineering Technology (Post 941217). 250pp. 84748001-84748284.

9507200219 Forwards documents associated w/proposed bulletin & draft reg guide re potential plugging of emergency core cooling system strainers by debris in BWRs.
SHAPAK, R.J.W. 85/07/19. Document Control Branch (Document Control Desk). 18pp. 84791001-84791240.

9507200223 Draft rev 2 to reg guide 01.062, "Water Sources for Long-Term Recirculation Cooling Following LOCA." NUREG/CR-6224 encl.
Office of Nuclear Regulatory Research (850720-941217). 95/07/31. 848pp. 84791020-84791240.

9507200222 NUREG/CR-6313 V01 ROBUST, ACCURATE, AND NON-CONTACTING VIBRATION MEASUREMENT SYSTEMS. Summary of Comparison Measurements of The Robust Laser Interferometer And Typical Accelerometer Systems.
GOODENOW, T.C., SHIPMAN, R.L., HOLLAND, H.M. Epoch Engineering, Inc. FIN W-6317. 95/06/30. Division of Engineering Technology (Post 941217). 74pp. 84749285-84749297.

9507200236 NUREG/CR-6313 V02 ROBUST, ACCURATE, AND NON-CONTACTING VIBRATION MEASUREMENT SYSTEMS. Supplemental Appendices Presenting Comparison Measurements of The Robust Laser Interferometer And Typical Accelerometer Systems.
GOODENOW, T.C., SHIPMAN, R.L., HOLLAND, H.M. Epoch Engineering, Inc. FIN W-6317. 95/06/30. Division of Engineering Technology (Post 941217). 200pp. 84750092-84750290.

9507200363 Forwards "Rept to Congress on AOCs" for events at licensed nuclear facilities during fourth quarter of CY94 w/o encl.
RATHEBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 95/06/30. SHAFER, D. House of Rep. FAIRCLOTH, L. Senate, Environment & Public Works. 2pp. 84800354-84800358.

9507210016 Discusses 950710 telcon re arrangements made for administration of 8 operating exams at plant scheduled for wk of 951113 & operating tests scheduled for wk of 951127.

MEYER, G.W. Region 1 (Post 820201). 95/07/13. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 84738030-84738032.

9507210031 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
SCHULKE, W.H. Florida Power & Light Co. L-95-189. 95/07/10. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84736057-84736057.

9507210183 Forwards rept reviewed by contractor of reliability of important valves in GE & W advance passive LWR designs. Requests that licensee review & identify by 10 any proprietary info contained in rept by 950831 W/o encl.
JACKSON, D.T. Standardization Project Directorate (POST) (Post 941001). 95/07/14. LIPARULO, N.J. Westinghouse Electric Corp. 3pp. 84764067-84764069.

9507210217 Staff requirements memo re SECY-95-028, "Regulatory Analysis Guidelines of NRC." Commission approves issuance of NUREG/BR-0066, rev 2, for staff implementation w/exception of listed items.
HOYLE, J.C. Office of the Secretary of the Commission. 95/06/30. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 84764111-84764112.

9507210229 Submits info re LAR-93-14 conversion to TS based on NUREG-1434, "Improved TS, rev 0."
FERGUSON, J.L. Entergy Operations, Inc. REG-41698. 95/07/14. Document Control Branch (Document Control Desk). 4pp. 84804001-84804052.

9507210248 Proposed tech spec based on NUREG-1434.
Entergy Operations, Inc. 95/07/14. 1400pp. 84804005-84807052.

9507210166 Responds to 950412 public comments opposing draft NUREG/BR-0198, "Responsiveness to Public."
WEBER, S.H. 95/07/16. MORGAN, J.Z. Affiliation Not Assigned. 2pp. 84778238-84778240.

9507240174 Forwards Nuclear Melt Volume 8, Number 2 of 1993 AEOD Annual Rept which presents review of events & concerns during 1993 associated w/use of 8-cement melt in nonreactor applications. W/o rept.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/07/17. THE CHAIRMAN, JACKSON, S.A., ROGERS, K.C. Commissioners (Post 750119). 1p. 84754359-84754360.

9507240233 Forwards SE addressing concerns re performance testing of safety & relief valves for plant.
SIEGEL, B.L. TAG NB4886. 95/07/16. MOREY, D.N. Southern Nuclear Operating Co. 4pp. 84831325-84831334.

9507240237 Safety evaluation supporting performance testing of safety & relief valves for plant.
Office of Nuclear Reactor Regulation (Post 941001). 95/07/16. 5pp. 84831330-84831334.

9507240280 Forwards NUREG/CR-6188, "Valve Reliability for Passive ALWR" which is revised by contractor of reliability of important valves in GE 3 Westinghouse ALWR. Requests rept be reviewed by 950831 W/o encl.
JACKSON, D.T. Standardization Project Directorate (POST) (Post 941001). 95/07/16. QUINN, J.E. General Electric Co. 2pp. 84764352-84764353.

9507250185 Application for amendments to licenses DPR-42 & DPR-50, revising plant radiological effluent TS & other sections re radiological controls to conform to NUREG-1431, 1432 TS, Westinghouse plants, Rev 1 & GL 88-01.
WADLEY, M.D. Northern States Power Co. GL-89-01. 95/07/17. Document Control Branch (Document Control Desk). 17pp. 84825201-84825240.

9507250190 Proposed tech specs, revising plant radiological effluent TS & other sections re radiological controls to conform to NUREG-1431, 1432 TS, Westinghouse plants, Rev 1 & GL 88-01.
Northern States Power Co. GL-89-01. 95/07/17. 122pp. 84825216-84825240.

9507260090 NUREG-0750 V01 N05 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR MAY 1995. Pages 921-980.
Division of Freedom of Information & Publications Services (Post 940714). 95/07/31. 68pp. 84831050-84831117.

9507250296 NUREG-0090 V18 N01 REPORT TO CONGRESS ON ABNORMAL OCCURRENCES, January-March 1995.
Office for Analysis & Evaluation of Operational Data, Director. 95/07/31. 25pp. 84831118-84831141.

9507250299 NUREG-1000 GENERAL STATEMENT OF POLICY AND PROCEDURE FOR NRC ENFORCEMENT ACTIONS. Enforcement Policy.
Ofc of Enforcement (Post 870413). 95/07/31. 35pp. 84831142-84831180.

9507260169 NUREG/BR-0177 N95-1 SEALED SOURCE AND DEVICE NEWSLETTER, Number 95-1.
NRC - No Detailed Affiliation Given. 95/06/30. 5pp. 84831181-84831185.

9507260218 Forwards initial exam rept 50-407/OL-95-02, facility comments & NRC resolution of comments & exam & answer key re license to operate Unit of Utah reactor. W/o encl.
RICHARDS, S.A. 95/07/17. SLAUGHTER, D.M. Utah, Univ. of, Salt Lake City, UT. 1p. 84831186-84831188.

9507260228 Forwards initial exam rept 50-284/OL-95-01, facility comments & NRC resolution of comments and exam & answer key re license to operate Idaho State Univ reactor. W/o encl.
RICHARDS, S.A. 95/07/20. GALLAGHER, M.C. Idaho State Univ., Pocatello, ID. 1p. 84831187-84831187.

9507260292 Ack receipt of 950501 re providing comments on NUREG/BR-0198. Submits response to comments.
THADANI, M.C. 95/07/24. RUTHERFORD, R.K. Affiliation Not Assigned. 4pp. 84816334-84816337.

9507260296 Ack receipt of 950410 re re draft rept NUREG/BR-0198. Forwards response to comments.
THADANI, M.C. 95/07/24. HATT, S.L. Ohio Citizens for Responsible Energy. 5pp. 84816338-84816342.

9507260402 Application for amendments to licenses DPR-44 & DPR-56, proposing overall conversion of current PBAPS TS to improved TS as contained in NUREG-1433, 1432 TS, GE Plants, BWR/4.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/21. Document Control Branch (Document Control Desk). 5pp. 84875111-84875135.

9507260564 Proposed tech spec, proposing overall conversion of current PBAPS TS to improved TS as contained in NUREG-1433, 1432 TS, GE Plants, BWR/4.
PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/21. 25pp. 84875116-84875135.

9507260184 Suppl to TS Change Request NPP-35-160 to License NPP-36, revising TS 3.4.2.1, 4.4.2.2 & 4.7.1.1 to include as left adding requirement for pressurizer & main steam line code safety valves consistent w/revised C-E STS (NUREG-1432).
BURKHOF, J. Entergy Operations, Inc. W3P1-95-0121. 95/07/25. Document Control Branch (Document Control Desk). 3pp. 84876258-84876263.

9507260218 Forwards technical info re area temp monitoring TS (3/4.7.12), as requested during telcon w/NRC re 941024 request for license amend re relocation of selected TS in accordance w/NUREG-1431.
ROBINSON, W.R. Carolina Power & Light Co. HNP-95-051. 95/07/21. Document Control Branch (Document Control Desk). 3pp. 84875312-84875316.

9507260308 Forwards NRC "Rept to Congress on Abnormal Occurrences," for events at licensed nuclear facilities for first quarter of CY95. Rept addresses one AO at NRC-licensed facility which involved medical brachytherapy misadministration.
THE CHAIRMAN, JACKSON, S.A., Commissioners (Post 750119). 95/07/19. GORE, A.J. Senate, President of the Senate. GINGRICH, J. House of Rep., Speaker of the House. 2pp. 84885307-84885332.

9507310189 Forwards listed mail re raised low-level radwaste, including list, low-level rept & NUREG/CR-5938, per request.
CARPENTER, C.E. Project Directorate 1-1 (PD1-1) (Post 941001). 95/06/27. GAGNE, C. Affiliation Not Assigned. 25pp. 84885172-84885289.

9507310281 Summary of 950601 meeting w/NRC & six plant representatives in Rockville, MD re NRC proposed approach to feasibility of using NUREG-1466 severe accident source term at operating reactors.
SCALFET, J.D. 95/07/28. QUAY, T.R. 46pp. 84886143-84886188.

ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

9503290185 Summary of 950216-17 meeting of RES contractor & personnel, consultants & industry representatives re methodology & criteria for seismic qualification of equipment in ALWPs by use of experience data.
KENNEDY, J.M. Structural & Geological Engineering Branch (Post 941217) 95/03/21 MURPHY, A.J. Structural & Geological Engineering Branch (Post 941217) 61pp 84552 900-84552 360

9504130682 Responds to 941123 re requesting assistance of FEMA in addressing petition for director's decision under 10CFR2.206 for SONGS Petition concerns emergency plans & evacuation routes (Draft director's decision and)
HEPLER, O.M. Federal Emergency Management Agency 2.206 95/03/22 SPESSARD, R.L. 3pp 84710 311-84710 313

9508090199 Trip rpt of 950516 & 17 visit to Omega Point Laboratories, San Antonio, TX to witness 1 hr fire endurance test conducted for Peak Seals, Inc.
SINGHA, G.L. 95/05/25 MCCracken, C.E. 6pp 84710 285-84710 310

9507140090 Rev 0 to Test Plan CTP-1199, "One Hour Fire Test 3M Interim Fire Wnd"
BROWN, R. GL-85-10 95/05/04 20pp 84710 291-84710 310

9507030147 Documents conclusions of staff review of Public Citizen Rept "Roll of Dice - NRC Efforts to Renew Nuclear Reactor Licenses"
NEWBERRY, S.F. License Renewal & Environmental Review Project Directorate (POLR) (Post 941001) 95/06/15 CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001) 6pp 84511 285-84511 338

9507030158 "Roll of Dice NRC Efforts to Renew Nuclear Reactor Licenses."
RICO, J. GRYNBERG, M. Public Citizen's Critical Mass Energy Project 95/04/30 44pp 84511 291-84511 339

9507030164 Forwards monthly replicating status of 10CFR2.206 petition as of end of May 1995 Attachment 1 gives status of petition before OGC of Nuclear Mkt Safety & Safeguards, NRC & Enforcement. Encl withheld
ZIMMERMAN, R.P. Associate Director for Projects (ADPR) (Post 941001) 2.206 95/05/25 TAYLOR, J.M. OGC of the Executive Director for Operations 22pp 84537 329-84537 361

9507030181 Forwards Commission biweekly notice of applications & amends to operating license involving NRC published in 950623 FR. W/o encl
ROSS, S.L. W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/06/16 FAIRCLOTH, L. Senate 2pp 84512 279-84512 260

9507030288 Discusses classification of low enriched U as enriched commercial grade U. Suggests that meeting be held to discuss technical matters that must be considered in responding to requests & to develop unified position on classification.
OSTER, J.K. Transportation, Dept of 95/05/31 HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729) 2pp 84512 254-84512 256

9507030297 Provides status of 2.206 petition dtd 941026 Upon completion of two actions chemical testing & analysis of Thermo-Lag materials for nuclear industry staff will respond to petition
GAMBERONI, M. 2.206 95/06/16 BENJAMIN, R. Affiliation Not Assigned 1p 84512 262-84512 262

9507030311 Provides status of 2.206 petition dtd 941114 Upon completion of two actions chemical testing & analysis of Thermo-Lag materials staff will respond to petition
GAMBERONI, M. 2.206 95/06/16 DEBOLT, B. Affiliation Not Assigned 1p 84509 352-84509 352

9507060258 Forwards comments on draft rev to technical repair guide for Lemtorque model 5485-00 actuator in response to 950301 re
SCARF, BROUGH, T.G. 95/04/17 VARRA, V. 5pp 84516 209-84516 212

9507060263 Responds to 950516 re re constituent concerns re NRC intent to revise process for licensing operators of nuclear power plants.
TAYLOR, J.M. OGC of the Executive Director for Operations 95/06/22 CRAIG, L.E. Senate 2pp 84540 043-84540 047

9507060266 Informs that NRC considering transferring development & administration of item given to licensed reactor operators & SRO to utilities
CRAIG, L.E. Senate 95/06/18 RATHBUND, D. Office of Congressional Affairs (Post 911117) 3pp 84540 045-84540 047

9507060319 Forwards FRN for STS, rev 1, "Availability," for review
GRIMES, C.I. 95/06/27 MEYER, D.L. Division of Information & Publications Services (Post 940714) 2pp 84539 355-84539 358

9507060322 Notice of availability of five sets of improved STS, Rev 0 that had been issued on 920929
GRIMES, C.I. 95/06/27 3pp 84539 357-84539 358

9507060408 Responds to 950630 re requesting that Pirata Island Coalition Against Nuclear Storage & Nuclear Info & Resources Svc be placed on env list
CARPENTER, C.A. 2.206 95/06/30 BJORAL, T.S.J. Affiliation Not Assigned. 2pp 84539 324-84539 325

9507070882 Forwards latest Performance Indicator Rept containing data through Mar 1995
MAYS, S.E. Division of Safety Programs (Post 970413) 95/06/30 SHELTON, J. Information & Records Management Branch (Post 890827) 1p 84564 901-84564 121

9507070905 "Performance Indicators for Operating Commercial Nuclear Power Reactors Data through Mar 1995," Parts I & II
Office for Analysis & Evaluation of Operational Data, Director 95/06/30 48pp 84554 002-84554 121

9507070975 Ack receipt of 950530 re & expresses appreciation of quick response. Lists questions re safety re
BLANCH, P.M. Affiliation Not Assigned 95/06/05 ZWOLINSKI, J.A. Division of Reactor Projects I/II (DRPE) (Post 941001) 1p 84559 301-84559 327

9507070986 Discusses events leading up to PM Blanch resignation from Northern Util. stat re discovery of undetectable failure of Rosemount pressure transmitters.
BLANCH, P.M. Affiliation Not Assigned 95/06/05 ZWOLINSKI, J.A. Division of Reactor Projects I/II (DRPE) (Post 941001) 3pp 84559 302-84559 304

9507070989 Forwards brief summary of events which led up to PM Blanch present position & copy of recent resume. Lists most critical facts that were omitted.
BLANCH, P.M. Affiliation Not Assigned 95/06/05 LIEBERMAN, J. OGC of Enticement (Post 870413) 15pp 84559 305-84559 319

9507070996 Lists questions re D Cooper 950605 re
BLANCH, P.M. Affiliation Not Assigned 95/06/13 ZWOLINSKI, J.A. Division of Reactor Projects I/II (DRPE) (Post 941001) 7pp 84559 320-84559 327

9507071010 Submits name of NRC representative, R. Hogan for annual training on emergency response.
JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director 95/06/20 BLANCH, P.M. Assistant for Operations (Post 890205) 1p 84559 248-84559 248

9507100097 Summary of 950622 meeting w/staff members from OGC of General Counsel & OGC of Enforcement to discuss item 9 from "Action Plan Resulting From Lessons Learned Rept & NMSS Review of OGC Rept on Sequoyah Fuels Corp 921117, Accident."
MCANALE, K. Licensing Branch 95/06/30 PIERSON, R.C. Licensing Branch 3pp 84559 262-84559 264

9507100125 Request for OMB review & supporting statement re NRC Form 927, "SNM Physical Inventory Summary Rept" & NUREG/BR-0096, "Instructions & Guidance for Completing Physical Inventory Summary Repts." Estimated respondent burden is 88 h.
CRANFORD, G.F. Office of Information Resources Management (Post 890205) OMB 3150-0139 95/06/28 3pp 84567 022-84567 030

9507100129 Request for OMB review & supporting statement re 10CFR72, "Licensing Requirements for Independent Storage of Spent Nuclear Fuel & High-Level Radioactive Waste." Estimated respondent burden is 21 454 h.
CRANFORD, G.F. Office of Information Resources Management (Post 890205) OMB 3150-0132 95/06/28 33pp 84568 290-84568 322

9507100146 Informs that time provided within which Commission may act to renew director's decision DD-95-08 has expired. Decision became final agency action on 950619 w/ Certificate of Svc. Served on 950630.
HOYLE, J.C. Office of the Secretary of the Commission 3395 16869 2.206 95/06/26 SAPHORIO, T.J. Secretary, T.J. 2pp 84568 348-84568 348

9507100206 Forwards response to Hirsch providing info on type of reactor in Cuba & status re 950814 re
RATHBUND, D. Office of Congressional Affairs (Post 911117) CCS 95/06/29 FEINSTEIN, D. Senate 1p 84796 001-84796 006

9507180127 Responds to re of 950806 to Senator Feinstein re completion of rePP in Cuba. Informs that US maintains concerns re Jucagua plant but cannot monitor or advise Cuban govt on const or operation due to US laws prohibiting contact w/Cuba.
STOBER, G.R. Office of International Programs (Post 911117) CCS 95/06/29 HIRSCH, V.L. Affiliation Not Assigned 1p 84796 002-84796 002

9507280357 Forwards 950606 inquiry from V.L. Hirsch re nuclear power plant in Cuba for review & consideration.
FEINSTEIN, D. Senate CCS 95/06/14 RATHBUND, D. Office of Congressional Affairs (Post 911117) 2pp 84796 008-84796 003

9507100258 Sunshine FR notice re matters to be considered during open & closed NRC meetings during wks of 950703, 10, 17 & 24 in Rockville, MD.
HILL, W.M. Office of the Secretary of the Commission 95/06/30 2pp 84587 031-84587 032

9507100356 Summary of operating reactors events meeting 95-10 on 950621 List of attendees, significant elements of discussed events & reactor scrap statistics and
CHAFFEE, E. OREN-95-010 95/06/27 GRIMES, B.K. 25pp 84589 263-84589 268

9507110047 Ack receipt of 950605 FEMA re transmitting two deficiencies to State of MI re 950509 emergency preparedness exercise at plant.
GREED, J.R. Region 3 (Post 820201) 95/07/05 FITZPATRICK, E. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.) 4pp 84557 084-84557 087

9507110057 Ack receipt of 950505 FEMA re transmitting FEMA evaluation reft for 950728 & 940601 emergency preparedness exercises at plant.
GREED, J.R. Region 3 (Post 820201) 95/07/05 TUETKEN, R. Commonwealth Edison Co 2pp 84567 088-84567 199

9508020126 Forwards final reft for 930728 & 940601, plume exposure pathway exercise at offsite radiological emergency response plans site-specific to station no deficiencies noted.
HEPLER, O.M. Federal Emergency Management Agency 95/05/05 SPESSARD, R.L. 2pp 84557 101-84557 102

9506020128 "Radiological Emergency Preparedness Exercise Evaluation Rept," exercise date 930728 & 940601, draft reft date 950118
Federal Emergency Management Agency 95/04/17 87pp 84567 103-84567 189

9507110277 Notification of 950706 meeting w/NMA in Rockville, MD to discuss final rule, "Timeliness in Decommissioning of Nucle Facilities"
FLEGEL, M. Division of Waste Management (NMSS 940403) 95/06/26 Division of Waste Management (NMSS 940403) 1p 84567 142-84567 142

9507120199 Appoints RJ Barrett & FJ Congel to positions of SIRM & IT Council Representative w/K Brodman departure to Region IV.
JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director 95/07/09 CRANFORD, G.F. Office of Information Resources Management (Post 890205) 1p 84631 331-84631 331

9507120311 Forwards reft from M Gunderson re relocation to Tappahannock, VA as result of A. Gunderson being fired from job because of voting concern over safety issues at work place.
BLANCH, P.M. Affiliation Not Assigned 95/07/04 ZWOLINSKI, J.A. Office of Nuclear Reactor Regulation (Post 941001) 6pp 84631 295-84631 300

9507130023 Notices that stakeholders in Agreement Status who wish to contact NRC may direct correspondence to R. Bangart at listed address.
WIRGONA, J.E. Energy, Dept of 95/06/30 WORKS, D. Affiliation Not Assigned 1p 84606 157-84606 157

168 NONDOCKETED ITEMS

9507140860 Trp rept of 950420 wpt to Omega Point Labs, San Antonio, TX re 1-hour fire endurance test for Peak Seals, Inc.
MADDEN, P.M. TAC 362809 95/06/01 MODRACKEN, C.E. 5pp 84862 148-84862 162

9507140861 Rev 0 to Test Plan CTP-1188, "One Hour Fire Endurance Test 3M Interam Fire Wrap"
BROWN, R. GL-88-10 85/04/04 5pp 84862 154-84862 162

9507140247 Responds to 950427 & 0508 ltr to Chairman I Selin re NRC regulations that require use of automatic securing mechanisms on radioactive exposure devices
TAYLOR, J.M. Oic of the Executive Director for Operations 95/06/08
LIVINGSTON, R.L. House of Rep 8pp 84834 093-84834 130

9507216288 Forwards copies of correspondence re NRC regulations that mandate use of source position indicators on radiographic exposure devices
LIVINGSTON, R.L. House of Rep 95/04/27 THE CHAIRMAN, SELIN, I Commissioners (Post 750119) 15pp 84834 101-84834 118

9507216284 Requests that I Selin rel to 950427 ltr re NRC regulations that mandate use of automatic locking mechanisms on radiographic exposure devices
LIVINGSTON, R.L. House of Rep 95/05/06 THE CHAIRMAN, SELIN, I Commissioners (Post 750119) 1p 84834 119-84834 130

9507170219 Expresses appreciation to licensee for hosting international attendees to NRC, May 1995 Fire Protection Practices training course NRC implementing long-term direct assistance program for nuclear power reactor regulators
CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 841001) 95/07/07 BERHENG, R. Affiliation Not Assigned 3pp 84673 352-84673 357

9507170241 Responds to 940504 ltr re comments on proposed App J rule NRC processing comments according to NRC procedures for responses to & resolution of public comments. NRC responses included in end document, "Public Comment Resolution"
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 841001) 95/07/07 REYBLATT, Z. Affiliation Not Assigned 35pp 84670 328-84670 969

9507170250 Summary of 950627 meeting workshop in St. Louis, MO on draft result based rule rule map procedure Viewgraphs & transcript end
CORREIA, R.P. 95/07/10 BLACK, S. 83pp 84672 001-84672 310

9507170254 Transcript of 950627 meeting rule public workshop in St. Louis, MO re work order NRC-255 P. 1-224
* NRC - No Detailed Affiliation Given 95/06/27 224pp 84672 084-84672 910

9507170370 Forwards documents associated w/proposed suppl 7 to GL-89-10 re valve responding in PWRs
KUGLER, A.J. Office of Nuclear Reactor Regulation (Post 841001) GL-89-10 95/07/17 Document Control Branch (Document Control Desk) 31pp 84773 349-84773 359

9507180807 Forwards list of generic communications under development by NRC staff list includes bulletin, GL-89-10 & administrative ltr reported through 950630
CHAPPEL, A.E. 95/07/10 LARHETTE, J.P. Institute of Nuclear Power Operators 10pp 84712 001-84712 010

9507180843 Responds to 950615 ltr re constituents concerns about intent to revise process for licensing operators at NPPs. Informants that revised exam process will ensure applicants demonstrate knowledge, skills & abilities to carry out responsibilities
TAYLOR, J.M. Oic of the Executive Director for Operations 95/07/05 LIEBERMAN, J.I. Senate 2pp 84727 007-84727 009

9507180857 Requests update of NRC action on behalf of constituent, I Kingsleyne transfer of operator licensing exams from NRC to power plants
LIEBERMAN, J.I. Senate 95/06/15 TAYLOR, J.M. Oic of the Executive Director for Operations, 1p 84727 009-84727 009

9507180279 Request for DMS review & supporting statement re 10CFR50, "Domestic Licensing of Production & Utilization Facilities" Estimated respondent burden is 6,064,780 h
CRANFORD, G.F. Office of Information Resources Management (Post 890205) DMS 3150-0011 95/07/10 17pp 84696 272-84696 288

9507190029 Forwards FEMA correspondence dtd 950530 & FEMA evaluation rept for 931116 emergency preparedness exercise at Kingsleyne Nuclear Power Plant
CREED, J.R. Region 3 (Post 820201) 95/07/10 MARCH, M.L. Wisconsin Public Service Corp. 2pp 84711 120-84711 225

9507060298 Forwards final rept for 931116 full-participation plume exposure pathway exercise of offsite radiological emergency response plans
HEPLER, O.M. Federal Emergency Management Agency 95/05/30 SPESARD, R.L. 2pp 84711 122-84711 123

9507060194 "Radiological Emergency Preparedness Exercise Evaluation Rept."
* Federal Emergency Management Agency 95/04/17 102pp 84711 124-84711 225

9507190888 Responds to 950612 ltr to Chairman Selin re request that NRC respond to recommendation contained in 950506 resolution adopted by DRCOP concerning shipment of radioactive waste by air
PAPPELLO, C.J. Office of Nuclear Material Safety & Safeguards 95/06/30 HARDING, C.M. Conference of Radiation Control Program Directors, Inc. 2pp 84739 302-84739 303

9507180115 Responds to concerns expressed in 950616 ltr re status of complaint filed by TM Benanno against employer & licensee for possible safety violations & employee retaliation
TAYLOR, J.M. Oic of the Executive Director for Operations 95/07/11 LIEBERMAN, J.I. Senate 3pp 84739 306-84739 329

9507200128 Requests status rept surrounding complaint filed by TM Benanno against licensee for possible safety violations & employee retaliation
LIEBERMAN, J.I. Senate 95/05/18 TAYLOR, J.M. Oic of the Executive Director for Operations 21pp 84739 309-84739 329

9507190118 Informing that NRC in process of developing for NPPs, "Format & Content for Application for Licensing of NPPs" & "Std Review Plan & Acceptance Criteria for Applications for Licensing of NPPs."
GRIMES, B.K. 95/07/07 Affiliation Not Assigned 29pp 84728 093-84728 121

9507200319 Updates 950410 ltr which informed that Bauer was performing unsatisfactorily under contract w/NRC & that cure notice was issued to contractor on 950631
TAYLOR, J.M. Oic of the Executive Director for Operations CCS 95/06/07 MORELLA, C.A. House of Rep 1p 84792 335-84792 336

9507200320 Forwards cover sheet to begin negotiations which describe NRC organization, responsibilities & operational response to re establishment of P English district oic in Harrisburg, PA
RATHBUN, D.K. Office of Congressional Affairs (Post 911117) CCS 95/06/13 ENGLISH, P. House of Rep 4pp 84792 352-84792 357

9507200372 Requests any aid & support NRC can supply to newly elected administration of P English PA District 21 oic established in Jan 1995
ENGLISH, P. House of Rep CCS 95/06/13 NRC - No Detailed Affiliation Given 1p 84792 356-84792 357

9507200381 Forwards I Selin responses to questions transmitted in 950523 ltr for record of 950616 Committee hearing re NRC licensing activities w/respect to DOE civilian nuclear waste disposal program
RATHBUN, D.K. Office of Congressional Affairs (Post 911117) CCS 95/06/21 MURKOWSKI, J.H. Senate, Energy & Natural Resources 44pp 84800 236-84800 285

9507200383 Expresses thanks for appearing before Committee on 950516 to give testimony re NRC licensing activities w/respect to DOE civilian nuclear waste disposal program. Questions for record end
MURKOWSKI, J.H. Senate, Energy & Natural Resources CCS 95/05/23 THE CHAIRMAN, SELIN, I Commissioners (Post 750119) 6pp 84800 279-84800 285

9507210089 Forwards NRC response to 950526 survey on delinquent receivables owed to Federal Govt.
TAYLOR, J.M. Oic of the Executive Director for Operations CCS 95/06/06 MALONEY, C.B. House of Rep 12pp 84809 302-84809 317

9507210093 Requests NRC participation in survey that CS Maloney conducting to assess total amount of delinquent receivables owed to Govt of US. Also requests answers to listed questions by 950605
MALONEY, C.B. House of Rep CCS 95/05/26 TAYLOR, J.M. NRC - No Detailed Affiliation Given 3pp 84809 314-84809 317

9507200178 Forwards NRC rept on nondisclosure of safeguards info for quarter beginning 950101 & ending 950331 required by Section 147 of Atomic Energy Act of 1954
RATHBUN, D.K. Office of Congressional Affairs (Post 911117) 95/06/12 FAIRCLOTH, L. Senate, Environment & Public Works 6pp 84797 354-84797 360

9507200188 Submits NRC rept on nondisclosure of safeguards info for quarter beginning 950101. Rept describes two occasions during period when NRC withheld from public disclosure safeguards info re security at nuclear power plants
RATHBUN, D.K. Office of Congressional Affairs (Post 911117) CCS 95/06/12 SCHAEFER, D. House of Rep, Energy & Commerce 6pp 84807 324-84807 330

9507240060 Forwards details re activities at Prine Island NPP. Encl withheld (re 10CFR2.790)
CREED, J.R. Region 3 (Post 820201) 95/07/10 BAILEY, L.L. Federal Emergency Management Agency 1p 84751 125-84751 135

9507240158 Forwards list of CBLA topics to be placed in PDR which includes plant remediation description of CBLA topic & date of submitter re 950413 request for access to info in database
LEEDS, E.J. Coast Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/07/18 MIBRO, E.V. Coast Beneficial Licensing Actions Staff (CBLA) (Post 941001) 12pp 84786 178-84786 189

9507240288 Forwards Commission broadly notice of applications & awards to operating licenses involving NSIC, published in 950621 FR
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 841001) 95/07/17 FAIRCLOTH, L. Senate, Environment & Public Works 2pp 84778 252-84778 253

9507240334 Forwards 950327 FEMA correspondence, transmitting findings for offsite EP aspects of plant exercise conducted on 930323. No deficiencies identified
CREED, J.R. Region 3 (Post 820201) 95/07/14 DONNELLY, P.M. Consumers Power Co. 2pp 84794 229-84794 310

9507240345 Forwards final exercise rept of 930323 exercise of radiological emergency preparedness. No deficiencies noted. Ten areas requiring CA identified
HEPLER, O.M. Federal Emergency Management Agency 95/09/27 SPESARD, R.L. 2pp 84794 227-84794 229

9507240348 Final rept, "Radiological Emergency Preparedness Exercise Evaluation Rept," conducted on 930323
* Federal Emergency Management Agency 95/03/09 84pp 84794 229-84794 310

9507260153 Forwards FEMA final drill rept for 950315 Oregon State Lab Drill & 950716 Washington State Lab Drill site-specific to plant. No deficiencies or areas requiring corrective actions identified during drills
SGARAND, R.A. Region 4 (Post 820201) 95/07/21 PARRISH, J.V. Washington Public Power Supply System 4pp 84795 082-84795 125

9507080480 Forwards 950608 ltr from M Hapler transmitting FEMA Final Drill Rept. No deficiencies or ARCA's identified during 950315 & 16 drills.
ESSIG, T.H. 95/06/23 MURRAY, B. Region 4 (Post 820201) 2pp 84795 086-84795 087

9507080482 Forwards final rept for 950315 Oregon State Lab Drill & 950316 Washington State Lab Drill. No deficiencies or ARCA's noted
HEPLER, O.M. Federal Emergency Management Agency 95/09/09 SPESARD, R.L. 1p 84795 067-84795 067

9507080485 "Oregon State Lab Drill Rept, Drill Date 950315"
* Federal Emergency Management Agency 95/05/31 15pp 84795 084-84795 103

9507080483 "Washington State Lab Drill Rept, Drill Date 950315"
* Federal Emergency Management Agency 95/05/31 22pp 84795 104-84795 125

9507280178 Trip report of 950811-13 visit to Tahoe City, CA to attend meeting of Ridge and Discovery Global Experiments Theoretical Institute in faulting & magnetism at and ocean ridge
JACUFFIE,S.M. Engineering & Geosciences Branch (NMSS 940403). 95/07/18. 6ELLM,J. Engineering & Geosciences Branch (NMSS 940403). 2pp. 84897.285-84897.286

9507280183 Forwards M. Thagard comments on subtask 8 report & requests that and comments be reflected in final version of sub report W/O and
BYRNE,M.R. Performance Assessment & Hydrology Branch (NMSS 940403). 95/07/14. SALE,M. Oak Ridge National Laboratory. 2pp. 84863.048-84863.049.

9507280187 Inform of addition of 950821 request to purchase new automatic TLD reader for NRC Direct Radiation Monitoring Network to NRR FY96 budget supply request.
RUSSELL,W.T. 95/07/24. MARTIN,T.T. Region 1 (Post 820201). 4pp. 84848.353-84848.360

9507280191 Requests NRR funding for purchase of new automatic TLD reader for NRC Direct Radiation Monitoring Network.
MARTIN,T.T. Region 1 (Post 820201). 95/08/21. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84845.937-84845.960.

9507280194 Forwards NRR input for Apr-June 1996, USAID-USNRC IAA quarterly report.
NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (POLR) (Post 941001). 95/07/20. MILLHOAN,J.L. Dep. Exec. Dir. for Nuc. Reactor Reg. Regional Operations & Research (Post 930209). 10pp. 84848.324-84848.342

9507280197 Trip report of 950516-17 DOE third workshop on expert elicitation for Probabilistic Volcanic Hazard Assessment. List of attendees and
TRAPP,J.S. Engineering & Geosciences Branch (NMSS 940403). KOTRA,J.P. Performance Assessment & Hydrology Branch (NMSS 940403). 95/07/19. BELL,M.L. Engineering & Geosciences Branch (NMSS 940403). AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 4pp. 84894.341-84894.357.

9507280193 Forwards & discusses engineering evaluation, "Operating Events w/inappropriate Bypass or Defeat of ESFs."
ROSSI,C.E. Office for Analysis & Evaluation of Operational Data, Director. AEOO/E95-01. 95/07/19. GRIMES,B.K. HOLAHAN,G.M. BOGER,B.A. 2pp. 84844.001-84844.029.

9507280202 "Engineering Evaluation, Operating Events w/inappropriate Bypass or Defeat of ESFs, July 1995."
KAUFMAN,J.V. Office for Analysis & Evaluation of Operational Data, Director. AEOO/E95-01. 95/07/31. 27pp. 84844.009-84844.039.

9507280205 Advises that final confirmatory survey report being prepared by Oak Ridge Institute for Science & Education (ORISE) re BW Apollo site remediation project. Report will be forwarded to recipient after completion.
TAYLOR,J.M. Dir. of the Executive Director for Operations. 95/07/18. MURTHA,J.P. House of Rep. 3pp. 84872.957-84872.959.

9507280208 Expresses interest in obtaining copy of CATHARE code & further enhance comparison in area of thermal hydraulics.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/07/10. LIVOLANT,M. France. 2pp. 84844.030-84844.031

9507280209 Discusses possibilities for JAERI to run limited number of test of JAERI interest in exchange for use of thermal hydraulic computer codes.
HODGES,M.W. Office of Nuclear Regulatory Research (Post 941217). 95/07/10. MURAO,Y. Japan. 4pp. 84844.049-84844.048.

9507280216 Notifies that for FY95 NRC identified three priority issues that need submission of detailed work plan from Academy of Science for approval.
KING,T.L. Division of Systems Technology (Post 941217). 95/07/13. BOLSHOV,L.A. Russia. 2pp. 84844.050-84844.051.

9507280217 Forwards OIC of Inspector General report entitled, "Observations on NRC Document Processing & Local PDR Program."
BARCH,T.L. Office of the Inspector General (Post 890417). 95/07/07. TAYLOR,J.M. OIC of the Executive Director for Operations. 4pp. 84844.052-84844.067.

9507280218 OIG/95A-15 Audit Report OIG/95A-15, "Observations on NRC Document Processing & Local PDR Program."
Office of the Inspector General (Post 890417). 95/07/07. 17pp. 84844.063-84844.067.

9507280219 Forwards summary of 950706 meeting re final rule on timelines in decommissioning of nuclear facilities.
HOLCHAK,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/24. SWEENEY,K. 3pp. 84874.199-84874.140

9507280218 Forwards 950504 letter from JE Lumb, which transmits FEMA Region III final report for 941025 radiological emergency preparedness exercise.
JOYNER,J.M. Region 1 (Post 820201). 95/07/19. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84830.216-84830.203.

9507280217 Forwards final report for plant 941025 emergency preparedness exercise.
LAMB,J.E. Federal Emergency Management Agency. 95/06/04. SIK,D. Region 1 (Post 820201). 1p. 84830.222-84830.222.

9507280218 "Radiological Emergency Preparedness Exercise Evaluation Report" on 941025
Federal Emergency Management Agency. 95/03/28. 81pp. 84830.223-84830.309.

9507280186 Forwards draft Chapter 18, "Other License Considerations," of F&C & SRP documents to NRR licensees for comments & availability of draft application format & content guidance/review plan & acceptance criteria.
GRIMES,B.K. 95/07/12. Affiliation Not Assigned. 25pp. 84859.324-84859.345

9507280195 Notice of availability of draft application format/content guidance/review plan & acceptance criteria for non-power reactors.
WEISS,S.H. 95/07/12. 1p. 84859.345-84859.345

9507280187 "Approaches to Upgrading Procedures in NRR." final report.
BARNES,V. DONOHOO,D. MOORE,C. Battelle Memorial Institute, Pacific Northwest Laboratory. PN L-1827. 94/08/31. Office of Nuclear Regulatory Research (860720-941217). 47pp. 84852.026-84852.074.

9507280222 Forwards Commission biweekly notice of applications & amendments to operating licenses involving NSIC, published in FR on 950705
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/07/21. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. 3pp. 84845.082-84845.089

9507301189 Forwards listed mail re needed low-level radioactive waste, including low-level report & NUREG/CR-5939, per request.
CARPENTER,C.E. Project Directorate 1-1 (PD1-1) (Post 941001). 95/08/27. GAGNE,C. Affiliation Not Assigned. 25pp. 84865.172-84865.289

PR PROPOSED RULE

950600149 Forwards final regulatory analysis & FR notice re new to final rule nuclear power plant license renewal, 10CFR54
MATE,J.J. Assistant Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/05/24. SCIACCA,F. Science & Engineering Associates, Inc. 1p. 84226.079-84226.140

9507280227 Forwards revised reduced documents re Regulatory History (AE23-1) for proposed rule to amend 10CFR30 & 35, "Departures from Mfg Instructions, Elimination of Recordkeeping Requirements," Vols 1 & 2.
POODINE,J.M. Medical, Academic & Commercial Use Safety Branch. AE23-1.004. 95/05/15. LANHAM,D.H. Document Control Branch (Document Control Desk). 1p. 84525.001-84527.163

9507300642 Redacted Vols 1 & 2 to "Supporting Data for Proposed Rule to Amend 10CFR30 & 35, 'Departures from Mfg Instructions, Elimination of Recordkeeping Requirements.'"
NRC - No Detailed Affiliation Given. AE23-1.005. 95/06/15. 52pp. 84528.002-84527.163.

9507080035 Comment on "Environ Qualification of Electric Equipment." Endorses NEI comments.
BOHLKE,W.H. Florida Power & Light Co. 60FR22010.00003. 95/06/16. Office of Administration, Director (Post 940714). 1p. 84508.056-84508.056.

9507080044 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control. Endorses NEI comments.
CARNER,P.P. Tennessee Valley Authority. 60FR24803.00022. 95/06/08. HOYLE,W.C. Office of the Secretary of the Commission. 1p. 84508.057-84508.067.

9507080062 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 60FR24803.00021. 95/06/16. Docketing & Services Branch. 2pp. 84508.181-84508.182.

9507080069 Comment on NRC map reports. Considers that reports should detail all violations, including non-critical violations & so-called "minor" violations.
RUFERT,C. Affiliation Not Assigned. 60FR28180.00001. 95/06/15. MEYERS,D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84508.183-84508.189

9507080089 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
TUCKERMAN,J.S. Duke Power Co. 60FR24803.00018. 95/06/09. Docketing & Services Branch. 2pp. 84508.170-84509.171.

9507080095 Comment on content, format & style of NRC map reports. Map reports should provide realistic, balanced discussion of licensee performance.
KRISSEL,G. Wisconsin Electric Power Co. 60FR28180.00002. 95/06/22. MEYERS,D. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 84508.174-84508.176

9507080096 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
TAYLOR,G.J. South Carolina Electric & Gas Co. 60FR24803.00019. 95/06/13. Docketing & Services Branch. 2pp. 84508.177-84508.178

9507080071 Comments on proposed rule 10CFR60 re disposal of HLW in geologic repositories.
JOHNSBURD,J.H. Environmental Coalition on Nuclear Power. 60FR15180.00009. 95/06/20. Office of the Secretary of the Commission. 4pp. 84508.181-84508.185.

9507080079 Comment supporting proposed rule 10CFR73 re NRC initiative to eliminate requirement to post security of primary containment entrance during refueling & major maintenance.
BOULETTE,E.T. Boston Edison Co. 60FR24803.00020. 95/05/14. Docketing & Services Branch. 1p. 84507.054-84507.054.

9507080078 Comment on proposed rule 10CFR2 re submission of PRM. Association fully supports NRC proposed changes to rulemaking petition process.
LAWSON,J.L. 60FR15678.00012. 95/06/29. Docketing & Services Branch. 2pp. 84507.055-84507.067

9507080167 Comment recommending listed environ quality documents to be revised by NRC in connection w/questions re "Environ Qualifications of Electric Equipment."
TPTON,L.T. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR22010.00002. 95/06/15. MEYER,D.L. Office of Administration, Director (Post 940714). 14pp. 84507.139-84507.153.

9507080166 Comment opposing proposed change in State Cooperative Agreement program re NRC intention to reduce scope of work.
SCHELL,R.J. Maine, State of. 60FR18428.00019. 95/06/16. NRC - No Detailed Affiliation Given. 2pp. 84507.291-84507.292.

9507080174 Comment on "Review of NRC Insp. Report Content/Format & Style." Utilizes that use of boilerplate phrases seldom appropriate & that less boilerplate wording should be used.
BECKHAM,J.T. Georgia Power Co. 60FR28180.00004. 95/06/28. MEYER,D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84507.316-84507.317.

170 NONDOCKETED ITEMS

9507060014 Comment on "Review of NRC Insp Rept Content, Format & Style." Urges rev of writing style & content so report short as possible.
RAOQ.P.S. Affiliation Not Assigned. 60FR28180 00064. 95/05/26. MEYERS.D. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 84583091-84583093.

9507080123 Forwards worksheets in support of final rule scheduled for publication in FR in near future.
HOLLOWAY.C.J. Office of the Controller (Post 890205). AF07-2 019. 95/06/20. LANHAM.D.H. Document Control Branch (Document Control Desk). 1p. 84534001-84535263.

-9507080129 "Fee Worksheets for 10CFR170 & 171: Final Rule FY95."
Office of the Controller (Post 890205). 95/06/20. 616pp. 84534002-84535253.

9507070171 Comment supporting proposed rule 10CFR90 re disposal of high-level radioactive wastes in geologic repositories; design basis events.
KRIEGER.G.M. Wisconsin Electric Power Co. 60FR15180 00006. 95/06/16. Docketing & Services Branch. 1p. 84530131-84530131.

9507070185 Comment opposing proposed rule 10CFR90 re disposal of high level radioactive wastes in geologic repositories.
LEWIS.M.I. Affiliation Not Assigned. 60FR15180 00010. 95/06/20. Docketing & Services Branch. 2pp. 84530132-84530133.

9507110001 Comment on proposed "Review of NRC Insp Rept Content, Format & Style." Insp detail should be brief & not previous report by section or at risk IR number.
GRABOZ.B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 60FR28180 00008. 95/06/27. MEYERS.D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84587001-84587002.

9507110006 Comments on proposed rule re, "Review of NRC Insp Rept Content, Format & Style."
MASSE.P.X. Affiliation Not Assigned. 60FR28180 00011. 95/06/26. MEYERS.D. Rules & Directives Review Branch (Post 920323). 3pp. 84587021-84587023.

9507110013 Comments on proposed rule re, "Review of NRC Insp Rept Content, Format & Style."
BOHLKE.W.H. Florida Power & Light Co. 60FR28180 00008. 95/06/27. MEYERS.D. Rules & Directives Review Branch (Post 920323). 6pp. 84587039-84587044.

9507110014 Comment on "Review of NRC Insp Rept Content, Format & Style." Insp reports frequently not appropriately focused on safety issues.
WILSON.K.R. Florida Power Corp. 60FR28180 00015. 95/06/29. MEYERS.D. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 84587045-84587049.

9507100017 Comment on "Review of NRC Insp Rept Content, Format & Style." Insp reports could possibly have more positive tone, especially when licensee completed Insp w/no violations, comments & suggestions.
KOSMIDER.M.D. Allied-Signal Corp. 60FR28180 00014. 95/06/26. MEYERS.D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84587050-84587051.

9507100025 Comment on "NRC Insp Repts, Review of Contents, Format & Style." Quality factors should be applied to Insp which mirror performance based regulatory goals.
FARRAR.D.L. Commonwealth Edison Co. 60FR28180 00013. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84587063-84587073.

9507110028 Comments on proposed rule re, "Review of NRC Insp Rept Content, Format & Style."
Entergy Operations, Inc. 60FR28180 00008. 95/06/29. MEYERS.D. Rules & Directives Review Branch (Post 920323). 5pp. 84587074-84587078.

9507110041 Comment on proposed "Review of NRC Insp Rept Content, Format & Style."
LAVIGNED.A. South Carolina Electric & Gas Co. 60FR28180 00007. 95/06/29. MEYERS.D. Rules & Directives Review Branch (Post 920323). 6pp. 84587081-84587086.

9507110049 Comment on proposed "Review of NRC Insp Rept Content, Format & Style."
OPEKA.J.F. Northeast Utilities Service Co. OPEKA.J.F. Connecticut Yankee Atomic Power Co. 60FR28180 00006. 95/06/29. MEYERS.D. Rules & Directives Review Branch (Post 920323). 10pp. 84587082-84587091.

9507110117 Forwards regulatory history documents re final rule on "Interim Storage of Spent Fuel in ISFSR Site-Specific License to Qualified Applicants."
REAMER.C.W. Office of the General Counsel (Post 890701). AE64-2 001. 95/06/30. Document Control Branch (Document Control Desk). 12pp. 84630031-84630212.

-9506120871 Forwards page of updated info on draft final rule concerning number of SF assemblies currently in dry storage. NRCSS completed review of final rule & offers no comments.
BLAHNA.J.A. Ofc of the Executive Director for Operations. AE64-2 009. 94/04/13. TREBY.S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. 2pp. 84630136-84630219.

-9507110131 Discusses review & disposition of final rule.
LESAR.M.T. Division of Freedom of Information & Publications Services (Post 940714). AE64-2 003. 95/04/10. REAMER.C.W. Office of the General Counsel (Post 890701). 3pp. 84630079-84630185.

-9485120071 Forwards page of updated info on draft final rule concerning number of SF assemblies currently in dry storage. NRCSS completed review of final rule & offers no comments.
BLAHNA.J.A. Ofc of the Executive Director for Operations. AE64-2 009. 94/04/13. TREBY.S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. 2pp. 84630186-84630219.

-9507110131 Discusses review & disposition of final rule.
LESAR.M.T. Division of Freedom of Information & Publications Services (Post 940714). AE64-2 003. 95/04/10. REAMER.C.W. Office of the General Counsel (Post 890701). 3pp. 84630079-84630185.

9507110127 Comment supporting review of NRC Insp Rept Content, Format & Style.
HEATT.S.L. Ohio Citizens for Responsible Energy. 60FR28180 00012. 95/06/29. NRC - No Detailed Affiliation Given. 1p. 84587324-84587324.

9507170244 Forwards double-spaced copy & single-spaced copy of FRN for final rule change to 10CFR50.36, "Tech Specs." Proposed ltr to Congress for OK. Rushbush signature also encl. Double-spaced copy of FRN for final rule change to 10CFR50.36 withheld.
GRIMES.B.K. 50FR48180. 95/07/10. MEYER.D.L. Division of Freedom of Information & Publications Services (Post 940714). 27pp. 84756001-84756027.

9507280115 Forwards regulatory history package re final rev of fee schedule: 100% fee recovery, FY95.
HOLLOWAY.C.J. Office of the Controller (Post 890205). AF07-2 001. 95/07/17. Document Control Branch (Document Control Desk). 4pp. 84788001-84788114.

-9507130019 Informs that EDO signed final rule that would establish fees necessary to recover approximately 100% of NRC FY budget on 950612. Recommends that info be provided to members of staff most likely to come in contact w/licensees.
SCROGGINS.R.M. Office of the Controller (Post 890205). 60FR32219. 95/06/15. BANGART.R.L. Office of State Programs (Post 911117). 3pp. 84788058-84788063.

-9507280135 Requests update of estimate of collection from Part 170 fees by classes of licensee.
HOLLOWAY.C.J. Office of the Controller (Post 890205). AF07-2 002. 95/06/05. DANDOLIS.D.B. License Fee & Debt Collection Branch (Post 890827). 1p. 84788004-84788004.

-9507280140 Transmits responses to ABB-CE comments on fees for design certification.
CRONKETT.S.F. Office of the General Counsel (Post 890701). AF07-2 003. 95/06/17. HOLLOWAY.C.J. Office of the Controller (Post 890205). 4pp. 84788006-84788008.

-9507280149 Provides estimated collections per 10CFR170 for FY95 in responses to 950505 request.
DANDOLIS.D.B. License Fee & Debt Collection Branch (Post 890827). AF07-2 004. 95/06/18. HOLLOWAY.C.J. Office of the Controller (Post 890205). 2pp. 84788009-84788010.

-9507280180 Discusses resolution of public comments re proposed fee rule for FY 1995.
TAYLOR.J.M. Ofc of the Executive Director for Operations. AF07-2 005. 95/06/25. THE CHAIRMAN, SELIN, L. ROGERS, K.C. Commissioners (Post 750119). 30pp. 84788011-84788040.

-9507280171 Forwards, for concurrence, final rule on 100% fee recovery for FY95.
SCROGGINS.R.M. Office of the Controller (Post 890205). AF07-2 005. 95/06/26. ROTHCHILD.T. Office of the General Counsel (Post 890701). NORDY.P.G. Office of Administration, Director (Post 940714). 18pp. 84788041-84788053.

-9507280185 Responds to request for comment & concurrence on final rule entitled "Revision of Fee Schedule: 100 Percent Fee Recovery, FY95."
SHELTON.B.J. Information & Records Management Branch (Post 890827). AF07-2 007. 95/05/31. LESAR.M.T. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84788054-84788054.

-9507280211 Forwards draft announcement of final amendments to Parts 170 & 171 for FY 1995.
INGRAM.F.L. Office of Public Affairs (Post 911117). AF07-2 008. 95/06/01. HOLLOWAY.C.J. Office of the Controller (Post 890205). 2pp. 84788055-84788056.

-9507280224 Concurs, sub, to comments provided, on final rule amending licensing, Insp & annual fees charged to applicants & licensees. Marked copy of final rule presenting additional editorial comments encl.
MEYER.D.L. Division of Freedom of Information & Publications Services (Post 940714). AF07-2 009. 95/06/05. SCROGGINS.R.M. Office of the Controller (Post 890205). 106pp. 84788057-84788077.

-9507280227 Transmits draft revised PA on changes to licensing, Insp & annual fees charged to licensees & applicants, per request.
INGRAM.F.L. Office of Public Affairs (Post 911117). AF07-2 010. 95/06/05. HOLLOWAY.C.J. Office of the Controller (Post 890205). 2pp. 84788059-84788059.

-9507280229 Forwards Final Notice of Rulemaking amending fee regulations to recover 100 percent of FY 1995 budget for signatures.
SCROGGINS.R.M. Office of the Controller (Post 890205). AF07-2 011. 95/06/09. TAYLOR.J.M. Ofc of the Executive Director for Operations. 192pp. 84788080-84788091.

-9507280232 Forwards final notice of rulemaking 100 percent recovery for FY 1995 for action.
HOLLOWAY.C.J. Office of the Controller (Post 890205). AF07-2 012. 95/06/12. MEYER.D.L. Division of Freedom of Information & Publications Services (Post 940714). 190pp. 84788092-84788095.

-9507280243 Forwards final rule re 100 percent fee recovery for FY95 for info & approvals use. W/o encl.
FURCHES.L.L. Office of the Controller (Post 890205). AF07-2 013. 95/06/13. BANGART.R.L. Office of State Programs (Post 911117). 1p. 84788052-84788052.

-9507280251 Requests external & internal distribution of FY 1995 final revisions to 10CFR 170 & 171.
HOLLOWAY.C.J. Office of the Controller (Post 890205). AF07-2 014. 95/06/14. SCHNEIDER.L.L. Office of Administration, Director (Post 940714). 8pp. 84788053-84788056.

-9507280281 Discusses 100 percent fee recovery for FY 1995.
SCROGGINS.R.M. Office of the Controller (Post 890205). AF07-2 016. 95/06/15. MYERS.J.T. House of Rep., Appropriations. 1p. 84788064-84788064.

-9507280286 Discusses 100 percent fee recovery for FY 1995.
RATHBUND.K. Office of Congressional Affairs (Post 911117). AF07-2 017. 95/06/15. DOMENICKO.V. Senate, Appropriations. KASICH.J.R. SCHAEFER.D. House of Rep. 5pp. 84788065-84788069.

-9507280284 Discusses final revisions to 10CFR170 & 171 re license, Insp & annual fees for FY 1995. FRN encl.
SCROGGINS.R.M. Office of the Controller (Post 890205). AF07-2 018. 95/06/19. 3pp. 84788070-84788109.

-9507200302 Discusses items to be corrected in Federal Register Notice re final rule on 100% fee recovery
HOLLOWAY,C.J. Office of the Controller (Post 890205) AF07-2 020 95/05/22
MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714) 2pp 84768 110-84768 111

-9507200308 Discusses final rule re 100 percent fee recovery FY 1995
HOLLOWAY,C.J. Office of the Controller (Post 890205) AF07-2 021 95/05/28
MOOSCAR,J.J. Region 1 (Post 820201) BENQIT,G.G. Region 2 (Post 820201)
LITTLE,J.P. Region 3 (Post 820201) 1p 84768 112-84768 112

-9507200313 Discusses regulatory history procedures for revision of fee schedules 100 percent fee recovery FY 1995
GOLDEN,B. Division of Freedom of Information & Publications Services (Post 940714) AF07-2 022 95/07/12 HOLLOWAY,C.J. Office of the Controller (Post 890205) 2pp 84768 113-84768 114

-9507200316 Requests update of estimate of collection from Part 170 fees by classes of licensees
HOLLOWAY,C.J. Office of the Controller (Post 890205) AF07-2 002 95/05/05
DANDOS,D.B. License Fee & Debt Collection Branch (Post 890205) 1p 84768 004-84768 004

-9507200340 Transmits responses to ABB-CE comments on fees for design certification
CROCKETT,S.F. Office of the General Counsel (Post 860701) AF07-2 009 95/05/17
HOLLOWAY,C.J. Office of the Controller (Post 890205) 4pp 84768 005-84768 008

-9507200343 Provides estimated collections per 10CFR170 for FY95 in response to 950505 request
DANDOS,D.B. License Fee & Debt Collection Branch (Post 890205) AF07-2 004 95/05/18
HOLLOWAY,C.J. Office of the Controller (Post 890205) 2pp 84768 009-84768 010

-9507200348 Discusses resolution of public comments re proposed fee rule for FY 1995
TAYLOR,J.M. Ofc of the Executive Director for Operations AF07-2 005 95/05/26
THE CHAIRMAN, SEN. J. ROBERTS, K.G. Commissioners (Post 750119) 30pp 84768 011-84768 040

-9507200371 Forwards, for concurrence, final rule on 100% fee recovery for FY95
SCROGGINS,R.M. Office of the Controller (Post 890205) AF07-2 008 95/05/28
ROTHSCHILD,T. Office of the General Counsel (Post 860701) NOFFY,P.G. Office of Administration, Director (Post 940714) 18pp 84768 041-84768 235

-9507200385 Responds to request for comment & concurrence on final rule entitled "Revision of Fee Schedules, 100 Percent Fee Recovery, FY95"
SHELTON,B.J. Information & Records Management Branch (Post 890627) AF07-2 007 95/05/31
LESAR,M. Division of Freedom of Information & Publications Services (Post 940714) 1p 84768 234-84768 234

-9507200311 Forwards draft announcement of final amendments to Parts 170 & 171 for FY 1995
INGRAM,J.F. Office of Public Affairs (Post 911117) AF07-2 006 95/06/01
HOLLOWAY,C.J. Office of the Controller (Post 890205) 2pp 84768 238-84768 261

-9507200324 Concurs,sub to comments provided, on final rule amending licensing,up & annual fees charged to applicants & licensees. Marked copy of final rule presenting additional editorial comments and
MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714) AF07-2 008 95/06/06
SCROGGINS,R.M. Office of the Controller (Post 890205) 10pp 84768 252-84768 277

-9507200327 Transmits draft/revised FA on changes to licensing,up & annual fees charged to licensees & applicants, per request
INGRAM,J.F. Office of Public Affairs (Post 911117) AF07-2 010 95/06/08
HOLLOWAY,C.J. Office of the Controller (Post 890205) 2pp 84768 028-84768 029

-9507200329 Forwards Final Notice of Rulemaking amending fee regulations to recover 100 percent of FY 1995 budget for signature
SCROGGINS,R.M. Office of the Controller (Post 890205) AF07-2 011 95/06/09
TAYLOR,J.M. Ofc of the Executive Director for Operations 19pp 84767 030-84767 221

-9507200332 Forwards final notice of rulemaking 100 percent recovery for FY 1995 for action
HOLLOWAY,C.J. Office of the Controller (Post 890205) AF07-2 012 95/06/12
MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714) 19pp 84767 222-84768 051

-9507200348 Forwards final rule re 100 percent fee recovery for FY95 for info & appropriate use W/o end
FUNCHES,J.L. Office of the Controller (Post 890205) AF07-2 013 95/06/13
BANGART,R.L. Office of State Programs (Post 911117) 1p 84768 052-84768 052

-9507200359 Requests external & internal distribution of FY 1995 final revisions to 10CFR 170 & 171
HOLLOWAY,C.J. Office of the Controller (Post 890205) AF07-2 014 95/06/14
SCHNEIDER,L.L. Office of Administration, Director (Post 940714) 5pp 84768 053-84768 058

-9507200361 Discusses 100 percent fee recovery for FY 1995
SCROGGINS,R.M. Office of the Controller (Post 890205) AF07-2 016 95/06/15
MYERS,J.T. House of Rep., Appropriations 1p 84768 064-84768 064

-9507200368 Discusses 100 percent fee recovery for FY 1995
RATHBUND,K. Office of Congressional Affairs (Post 911117) AF07-2 017 95/06/15
DOMENIC,P.V. Senate, Appropriations KASCH,J.R., SCHAEFER,D. House of Rep 5pp 84768 065-84768 068

-9507200364 Discusses final revisions to 10CFR170 & 171 re license,up & annual fees for FY 1995 FRN end
SCROGGINS,R.M. Office of the Controller (Post 890205) AF07-2 018 95/06/19 3pp 84768 070-84768 109

-9507200302 Discusses items to be corrected in Federal Register Notice re final rule on 100% fee recovery
HOLLOWAY,C.J. Office of the Controller (Post 890205) AF07-2 020 95/05/22
MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714) 2pp 84768 110-84768 111

-9507200308 Discusses final rule re 100 percent fee recovery FY 1995
HOLLOWAY,C.J. Office of the Controller (Post 890205) AF07-2 021 95/05/28
MOOSCAR,J.J. Region 1 (Post 820201) BENQIT,G.G. Region 2 (Post 820201)
LITTLE,J.P. Region 3 (Post 820201) 1p 84768 112-84768 112

-9507200313 Discusses regulatory history procedures for revision of fee schedules 100 percent fee recovery FY 1995
GOLDEN,B. Division of Freedom of Information & Publications Services (Post 940714) AF07-2 022 95/07/12 HOLLOWAY,C.J. Office of the Controller (Post 890205) 2pp 84768 113-84768 114

9507200299 Forwards policy statement 10CFR2, "Policy & Procedure for Enforcement Actions, Removal"
RATHBUND,K. Office of Congressional Affairs (Post 911117) CCS 95/05/27
FAIRCLOTH,L. Senate, Environment & Public Works SCHAEFER,D. House of Rep., Energy & Commerce 4pp 84800 109-84800 234

-9507200380 Policy statement 10CFR2, "Policy & Procedure for Enforcement Actions, Removal"
HOYLE,J.C. Office of the Secretary of the Commission CCS 95/06/23 5pp 84800 113-84800 117

-9507200309 Policy statement, "Rev of NRC Enforcement Policy"
HOYLE,J.C. Office of the Secretary of the Commission CCS 95/06/23 115pp 84800 116-84800 234

9507200376 Forwards final rule 10CFR72, "Emergency Planning Licensing Requirements for Independent Spent Fuel Storage Facilities (ISFS) & Monitored Retrievable Storage Facilities (MRS)"
RATHBUND,K. Office of Congressional Affairs (Post 911117) CCS 95/05/20
SCHAEFER,D. House of Rep FAIRCLOTH,L. Senate, Environment & Public Works 2pp 84793 304-84793 380

-9507200380 Final Rule 10CFR72, "Emergency Planning Licensing Requirements for Independent Spent Fuel Storage Facilities (ISFS) & Monitored Retrievable Storage Facilities (MRS)"
BATES,A.L. Office of the Secretary of the Commission CCS 95/06/16 54pp 84790 306-84790 380

9507210801 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial
Energy Operations, Inc. 80FR19002 00016 95/07/14 Docketing & Services Branch 2pp 84738 001-84738 002

9507210806 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial
MARSHALL,J.S. Texas Utilities Electric Co (TU Electric) 80FR19002 00008 95/06/29 Docketing & Services Branch 2pp 84738 006-84738 009

9507210812 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial
SCOROMACK,M.J. Niagara Mohawk Power Corp. 80FR19002 00009 95/06/30 Docketing & Services Branch 1p 84738 013-84738 015

9507210818 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial
SCHMITT,J.F. Nuclear Energy Institute (Nuclear Energy Institute) 80FR19002 00010 95/07/10 HOYLE,J.C. Office of the Secretary of the Commission, 2pp 84738 044-84738 045

9507210819 Comment supporting PR 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial
GOODMAN,J.S. Detroit Edison Co. 80FR19002 00015 95/07/13 Docketing & Services Branch 2pp 84738 046-84738 047

9507210831 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial
SCHULKE,W.H. Florida Power & Light Co. 80FR19002 00011 95/07/19 HOYLE,J.C. Office of the Secretary of the Commission 1p 84738 057-84738 057

9507210832 Comment supporting PR 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial
THOMAS,G.S. Doggett Light Co. 80FR19002 00019 95/07/11 Docketing & Services Branch 1p 84738 058-84738 058

9507210837 Comment supporting PR 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial
WYNNIE,C.F. Pennsylvania, Commonwealth of 80FR19002 00014 95/07/12 HOYLE,J.C. Office of the Secretary of the Commission 2pp 84738 063-84738 064

9507210841 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial
OPEKA,J.F. Northwest Utilities 80FR19002 00012 95/07/14 HOYLE,J.C. Office of the Secretary of the Commission 2pp 84738 115-84738 116

9507210846 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial
TUCKERMAN,J.S. Duke Power Co. 80FR19002 00007 95/06/27 Docketing & Services Branch 1p 84738 130-84738 130

9507210852 Forwards final rules 10CFR170 & 171, "Rev of Fee Schedules: 100% Fee Recovery, FY95"
RATHBUND,K. Office of Congressional Affairs (Post 911117) CCS 95/06/15
FAIRCLOTH,L. Senate, Environment & Public Works SCHAEFER,D. House of Rep DOMENIC,P.V. Senate, Appropriations 18pp 84807 053-84807 237

9507200216 Comment opposing proposed rule 10CFR34 & 150 re licensees for radiographic & radiation safety requirements for radiographic operations
SPELL,W.H. Louisiana, State of 95FR849 00085 95/06/07 TAYLOR,J.M. Ofc of the Executive Director for Operations 2pp 84751 329-84751 330

172 NONDOCKETED ITEMS

9507240228 Comment supporting proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations.
DORIAN, H.V. Non Destructive Testing Corp. 80FR9429 00088. 95/06/15. THE CHAIRMAN, SEBULL, Commissioners (Post 950119). 2pp. 84751331-84751332.

9507240285 Comment opposing proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations.
HAGEN, J.R. North Carolina, State of. 80FR9429 00087. 95/06/23. TAYLOR, J. Dir. of the Executive Director for Operations. 2pp. 84751333-84751334.

9507250803 Comment on proposed "Review of NRC Insp Rept Content, Format & Style." Insp rept should be formatted to reduce technical detail for normal operations & produce concise rept that more clearly identifies issues & strengths.
KLAPPROTH, J.F. General Electric Co. 80FR28180 00018. 95/07/07. MEYERS, D. Division of Freedom of Information & Publications Services (Post 840714). 2pp. 84787003-84787004.

9507280905 Comment on proposed "Review of NRC Insp Rept Content, Format & Style." Util applicants NRC for undertaking endeavor to make insp rept more effective tool for communicating w/licenses & public.
MONEY, D.N. Southern Nuclear Operating Co. 80FR28180 00017. 95/06/28. MEYERS, D. Division of Freedom of Information & Publications Services (Post 840714). 2pp. 84787007-84787008.

9507280907 Comment on "Review of NRC Insp Rept Content, Format & Style." Supports NRC rept that clearly communicate to licensees & public balanced assessment of licensee radiation protection performance.
SMITH, L.R. 80FR28180 00018. 95/06/29. MEYERS, D. Division of Freedom of Information & Publications Services (Post 840714). 7pp. 84787010-84787017.

9507280908 Comment on proposed "Review of NRC Insp Rept Content, Format & Style."
STENGER, D.F. Winston & Strawn. 80FR28180 00021. 95/07/08. Division of Freedom of Information & Publications Services (Post 840714). 3pp. 84787019-84787020.

9507280911 Comment on proposed generic communication, 10CFR50.54(p), "Process for Changes to Security Plans w/o Prior NRC Approval." Supports proposed clarification & endorse NRC comments.
ROGAN, R.E. Carolina Power & Light Co. 80FR31326 00018. 95/07/14. NRC - No Detailed Affiliation Given. 1p. 84787022-84787022.

9507280915 Comment on proposed "Review of NRC Insp Rept Content, Format & Style."
STETZ, J.P. Centar Energy. 80FR28180 00020. 95/06/29. MEYERS, D. Division of Freedom of Information & Publications Services (Post 840714). 4pp. 84787025-84787028.

9507280919 Comment on proposed "Review of NRC Insp Rept Content, Format & Style."
HUNGER, G.A. PECO Energy Co. (formerly Philadelphia Electric Co.). 80FR28180 00019. 95/06/29. MEYERS, D. Division of Freedom of Information & Publications Services (Post 840714). 7pp. 84787033-84787039.

9507280925 Comment on "Review of NRC Insp Rept Content, Format & Style." NRC Insp rept should provide balanced perspective, reflecting licensee strengths & positive aspects of programs & activities reviewed.
PARRUSH, L.V. Washington Public Power Supply System. 80FR28180 00024. 95/07/07. MEYERS, D. Division of Freedom of Information & Publications Services (Post 840714). 2pp. 84787043-84787044.

9507280937 Comment on proposed "Review of NRC Insp Rept Content, Format & Style." UN believes that rept writers should be required to clearly articulate safety significance of each finding.
THAYER, J. Yankee Atomic Electric Co. 80FR28180 00022. 95/07/13. MEYERS, D. NRC - No Detailed Affiliation Given. 10pp. 84787140-84787148.

9507280919 Summary of 950705 meeting to discuss rulemaking pertaining to shutdown operation of Nuclear Power Plants. Slides end.
LYON, W.C. TAC M7770. 95/07/19. JONES, R.C. 5pp. 84842290-84842294.

PRESS RELEASES

9507070071 "NRC Reviews Enforcement Policy & Removes It From Code of Federal Regulations."
Office of Public Affairs (Post 911117). 95/07/05. 2pp. 84838178-84838179.

9507100204 "NRC Staff Proposes to Fine Vermont Yankee Nuclear Power Corp \$50,000 for Alleged Violation of NRC Requirements."
Office of Public Affairs (Post 911117). 95/07/06. 2pp. 84839001-84839002.

9507120327 "NRC ACHN to Meet 950726-28."
Office of Public Affairs (Post 911117). 95/07/07. 2pp. 84862312-84862313.

9507180121 "NRC Withdraws Advance Notice of Rulemaking on Private Ownership of Land for Waste Disposal."
Office of Public Affairs (Post 911117). 95/07/16. 2pp. 84790268-84790270.

9507230222 Forwards rept from ACHN commenting on regulatory issues re NRC performance assessment programs for low-level radioactive waste.
Office of Public Affairs (Post 911117). 95/07/11. 1p. 84816219-84816223.

9507240233 "NRC Imposes New Requirements on Exports & Imports of Radwaste."
Office of Public Affairs (Post 911117). 95/07/20. 2pp. 84816224-84816225.

9507260190 "NRC Proposes Revis to General Requirements for Decommissioning Nuclear Power Plants."
Office of Public Affairs (Post 911117). 95/07/21. 4pp. 84848347-84848350.

9507270068 "NRC Names Three Professors in Engineering Programs to ACRS."
Office of Public Affairs (Post 911117). 95/07/25. 3pp. 84874112-84874114.

9507270069 "NRC Appoints New Assistant to Director of Public Affairs & Other PA Officers."
Office of Public Affairs (Post 911117). 95/07/25. 1p. 84874115-84874115.

9507270061 "NRC Announces Regulations on Decommissioning Funding for Nuclear Reactor Licensees."
Office of Public Affairs (Post 911117). 95/07/26. 2pp. 84871259-84871260.

9507270066 "ACHN Elects PW Pomeroy Chairman & BJ Gamick Vice-President."
Office of Public Affairs (Post 911117). 95/07/25. 2pp. 84867240-84867241.

PRM PETITION FOR RULEMAKING

9507060083 Comment on petition for rulemaking PRM-50-81 re amending existing fire protection requirements.
Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 80FR28784 00001. 95/06/20. Docking & Services Branch. 7p. 84568051-84568051.

PROJ PROJECTS - PREDOCKET LICENSING

9507050182 Summary of 950615 meeting w/representatives of WOG LCM/LR Working Group in Rockville, MD to discuss status of WOG LCM/LR program. List of attendees & presentation mail discussed at meeting end.
HOFFMAN, S.T. License Renewal & Environmental Review Project Directorate (POLR) (Post 941001). 95/06/23. License Renewal & Environmental Review Project Directorate (POLR) (Post 941001). 2pp. 84528233-84528235.

9507050187 Notification of 950713 pre-application exchange between NRC, DOE & W in Rockville, MD to discuss CA for multi-purpose converter program.
EASTON, E.P. Office of Nuclear Material Safety & Safeguards. 95/06/29. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 4pp. 84370180-84370183.

9507050212 Forwards responses to NRC comments transmitted on 950626. Responses also transmitted to M. Scheffer of LLM, as w/ previous submittals.
TJERSLAND, G.T. Nuclear Assurance Corp. 95/07/25. STURZ, F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 10pp. 84568206-84568214.

9507060085 Forwards questions re SNC VSC-24 cask certificate amend re 950619 NRC action w/Serra Nuclear Corp.
STURZ, F.C. Division of Nuclear Material Safety & Safeguards. 95/06/28. THOMPSON, T.C. Sierra Nuclear, Inc. 4pp. 84540064-84540067.

9507070108 Responses to telcon on 950626 re info to facilitate thermal review which focuses on heat flow in cask basket.
STURZ, F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/28. TJERSLAND, G.T. Nuclear Assurance Corp. 1p. 84568195-84568195.

9507070173 Forwards add info as part of Insp of VECTRA/RAHOR on 950620-23. Info provided for review as directed by T. Meade.
RODGERS, D.E. Vectra Technologies, Inc. DER-66-084. 95/06/30. BAER, R. NRC - No Detailed Affiliation Given. 43pp. 84578282-84578294.

9507100182 Forwards Rev 2 to Facility Description WYNS-FD-001, "High-Level Waste Solidification Facilities."
ROWLAND, T.J. Energy, Dept. of. 95/06/27. COFFORT, G.C. NRC - No Detailed Affiliation Given. 1p. 84864203-84864204.

9507100128 WYNS-FD-001 R02 Rev 2 to facility description, "High-Level Waste Solidification Facilities."
SKALLERN, G.G., CAMERON, F.W., DEMETER, D.L. West Valley Nuclear Services Co., Inc. 95/04/24. 100pp. 84664204-84664204.

9507100338 Issues CAL listing actions NRC understand VECTRA Technologies, Inc. will take re safety concerns noted in Insp of Rahr, Inc. on 950620-23.
PAPERWELL, G.J. Office of Nuclear Material Safety & Safeguards, CAL. 95/07/07. FRANCESCHI, V. Vectra Technologies, Inc. 4pp. 84894330-84894336.

9507180294 Provides rev to responses to info re B&W Owners Group GL Rendell 1-circuit program demonstration of impact of aging effects for reactor coolant sys piping TR BAW-2243.
CHONENBERGER, D.K. Babcock & Wilcox Operating Plants Owners Group. OG-1826. 95/07/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 68pp. 84790214-84790253.

9507180113 Forwards supplemental responses to NRC open items did 950626 re topical SAR, Rev 3 for NAC scorable transport cask for use at RPSI.
TJERSLAND, G.T. Nuclear Assurance Corp. 95/07/06. STURZ, F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 10pp. 84781287-84781284.

9507180188 Clarifies nature of recent NRC/industry technical interactions w/respect to industry intent to petition for ALWR EP rulemaking.
RAGIN, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/06/23. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84796306-84796307.

9507180372 Summary of 950627 meeting re response to questions on proposed design certification rules for ALWR & Sys 60-4 designs.
WILSON, J.N. Standardization Project Directorate (POST) (Post 941001). 95/07/13. QUAY, T.R. Standardization Project Directorate (POST) (Post 941001). 8pp. 84727010-84727017.

9507180122 Expresses apologies for incorrect conversion of peak clad temp in degrees centigrade. Attached replaces previous facsimile.
TJERSLAND, G.T. Nuclear Assurance Corp. 95/07/14. STURZ, F.C. NRC - No Detailed Affiliation Given. 1p. 84796357-84796358.

9507180127 Advises NRC that NAC has completed & filed in listed values on table re surface emissivity for metals utilized in thermal analysis.
TJERSLAND, G.T. Nuclear Assurance Corp. 95/07/14. STURZ, F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 84786358-84786360.

9507180130 Forwards minutes from 950606 technical exchange between NRC, DOE & Westinghouse on Multi-Purpose Converter preliminary design.
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/07/14. MILLER, J. Energy, Dept. of. 7pp. 84786247-84786250.

9507180146 Forwards West Valley Demonstration Project weekly activities rept did 950711.
ROWLAND, T.J. Energy, Dept. of. 95/07/11. MCINTOSH, T.W. Energy, Dept. of. 7pp. 84786328-84786334.

9507190174 Forwards West Valley Demonstration Project response to NRC request for add on waste form qualification program for solidification of THORPEX wash liquid w/ Type V Portland cement
ROWLAND, T.J. Energy, Dept. of 95/08/30 COMFORT, G.C. NRC - No Detailed Affiliation Given 8pp 84766 344-84768 351

9507190196 Forwards annual long term test repts for sludge wash cement-waste form including test results on requested add on
ROWLAND, T.J. Energy, Dept. of 95/07/13 COMFORT, G.C. NRC - No Detailed Affiliation Given 74pp 84766 225-84768 296

9507190206 WVNS-SAR-003 R02 Rev 2 of "SAR for Validation Sys Operations & HLM Interim Storage"
CAMERON, F.W., LAWRENCE, R.E., HUMPHREY, R.A. West Valley Nuclear Services Co., Inc. 95/06/26 963pp 84801 001-84809 225

9507190212 Forwards Rev 5 to WVNS-POP-005, "Process Control Plan for Cement Solidification of Decontaminated Thorpe Wash Liquid Using Portland Type V Cement" & Rev 6 to WVNS-TR-70-025, "Waste Form Qualification Rept WVDP"
ROWLAND, T.J. Energy, Dept. of 95/07/12 COMFORT, G.C. NRC - No Detailed Affiliation Given 1p 84768 102-84769 216

-9507190222 "Process Control Plan for Cement Solidification of Decontaminated Thorpe Wash Liquid Using Portland Type V Cement"
LEWANDOWSKI, R., FUSNER, R.J., MESS, D.C. West Valley Nuclear Services Co., Inc. 95/06/30 44pp 84769 103-84769 145

-9507190231 WVNS-TR-70-025 R02 "Waste Form Qualification Rept WVDP Stabilized Thorpe Wash Cement/Waste"
KELLY, S., MESS, D.C., FUSNER, R.J. West Valley Nuclear Services Co., Inc. 95/06/30 73pp 84769 146-84769 218

9507190211 Adverses that DOE review of NRC Preapplication SER indicates no info that DOE wishes to continue to protect as Asplid Technology
FRANKS, S.S. Energy, Dept. of 95/07/17 Document Control Branch (Document Control Desk) 1p 84811 335-84811 335

9507190246 Forwards DOE report summarizing environ protection programs at West Valley Demonstration Project for CY94
ROWLAND, T.J. Energy, Dept. of 94/12/31 NRC - No Detailed Affiliation Given 1p 84820 001-84821 031

-9507190252 "West Valley Demonstration Project Site Environ Rept for CY94"
Energy, Dept. of 94/12/31 394pp 84820 002-84821 031

9507190269 Forwards West Valley Nuclear Svcs response to first RAI, as well as repts to qualification repts & POP re cement stabilization of decontaminated THORPEX wash liquid
LEWIS, R.J. Engineering & Geosciences Branch (NMS 940403) FIN A-3175 95/07/19 BOWERMAN, B. Brookhaven National Laboratory 1p 84854 033-84854 156

9507190222 Forwards SE on "Topical Safety Analysis Rept for NAC Storable Transport Cask for Use as Independent Spent Fuel Storage Installation," rev 3 NRC concludes that repts issued NAC needs to revise & resubmit.
STURZ, F.C. Office of Nuclear Material Safety & Safeguards 95/07/17 TIERLAND, G. Nuclear Assurance Corp 2pp 84832 073-84832 158

-9507190238 "Spent Fuel Storage Safety Evaluation Rept re Topical Safety Analysis Rept of Nuclear Assurance Corp Storable Transport Cask (NAC-STC)"
95/07/31 85pp 84832 078-84832 159

9507190280 Submits responses to comments on environ assessment for const & operation of contaminated soil consolidation area at West Valley Demonstration Project.
PROVENCER, R. Energy, Dept. of 95/07/21 NRC - No Detailed Affiliation Given 15pp 84853 056-84853 072

9507190279 Summary of 950714 meeting w/Nuclear Energy Inst in Rockville, MD to discuss schedule for license development of industry guideline for implementing license renewal rule.
HOFFMAN, S.T. 95/07/25 14pp 84883 338-84883 341

9507190281 Summary of 950601 meeting w/NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NUREG-1465 severe accident source term at operating reactors
SCALET, D. 95/07/26 QUAY, T.R. 46pp 84888 143-84888 136

FT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

9507190139 Part 21 repts re several incidents of instrument drift in excess of specified limits for Rosemount pressure transmitter Model 1154S19 Other licensees advised to be alert to differences in pressure indication
SAUNDERS, R.F. Virginia Power (Virginia Electric & Power Co.) 95-015 95/06/27 Document Control Branch (Document Control Desk) 4pp 84555 354-84555 357

9507190075 Part 21 repts re discovery that repts used to determine svc life of various Agastal GP series relays erroneous. Caused by utilization of electrical characteristics of relay bottom main relays replaced & use of repts discontinued.
TERRY, C.D. Niagara Mohawk Power Corp NMP1L 0955 95/06/23 Document Control Branch (Document Control Desk) 3pp 84559 015-84559 017

9507190477 Part 21 repts re potential defect on Class 1E type CVE-1 relay style 1326D67A01 & 1326D67A02. Defect consists of incorrectly rated telcon relay used as V1 & V2. Design changed to volts rated telcon relay.
DAHL, C.A., GIBBOLINI, J. ASEA Brown Boveri, Inc. 95/06/28 Office of Nuclear Reactor Regulation (Post 941001) 1p 84573 338-84573 358

9507190998 Part 21 repts re two failures of Model VTR 500 turbochargers supplied by ABB Turbo Systems Ltd. Failure of turbocharger renders associated EDG incapable of providing rated output. Governor hold re asset well plates replaced.
MCNEIL, T.C. Duke Power Co. 95/07/03 Document Control Branch (Document Control Desk) 8pp 84562 047-84562 034

9507190218 Part 21 reprocessing of ANSYS Class error repts 95-37 through 95-42 & GTCCS Program Rept Form 95-14. Listed former customers not notified because of unknown current addresses. Error notices sent to other former customers.
ANDREWS, S.J. Boeing Computer Services Co. (div of Boeing Co.) 95/07/05 Document Control Branch (Document Control Desk) 12pp 84575 269-84575 300

9507190122 Part 21 repts re potential defect in SMB/SB/SBD-00 motor operated valve actuators
HYLTON, G. Limitorque Corp 95/07/13 NRC - No Detailed Affiliation Given 1p 84944 268-84944 293

9507190358 Follow-up to 10CFR21 interim Rept 21-85-010 re Elgar Inverter PWM drive logic card (M4) failure Elgar performed add testing of cards at CPS & developing schedule for evaluating test results. Updates will be provided by 950927.
COOK, J.G. Illinois Power Co. U-602486 95/07/12 Document Control Branch (Document Control Desk) 1p 84784 024-84784 024

9507190213 Forwards error notices that Boeing received from former software suppliers. Listed former customers not notified due to unknown addresses. Error notices sent to other former customers.
ANDREWS, S.J. Boeing Co. G-1151-SJA-95-2 95/07/11 Document Control Branch (Document Control Desk) 34pp 84784 269-84784 322

9507190328 Part 21 repts re malfunction of 957 automatic exposure controller & 650 projector. Amersham determined that 957 controller malfunction due to improperly grounded component. Corrective action per Part 21 reporting applicable.
HOLLANDER, W.D. Hamacon Steel Castings Co. 95/06/28 HOLT, B.J. Region 3 (Post 922021) 4pp 84771 308-84771 309

9507190252 Potential Part 21 repts re model 869 drive cable that pulled off drive cable based on results of testing. No substantial safety hazard exists w/equipment & therefore not reportable under 10CFR21.21.
ROUGHAN, C. Amersham Corp. 95/07/12 Document Control Branch (Document Control Desk) 2pp 84790 271-84790 272

9507190264 Part 21 repts re 14 inch air-operated butterfly valve, used as SW outlet valve. AOV-4561 supplied by Fisher Controls Co. On 950418, found that valve actuated opposite from required configuration. Actuator lever reinstalled.
MCREEDY, R.C. Rochester Gas & Electric Corp. 95/07/14 JOHNSON, A.R. Project D retractor I-1 (FD-1) (Post 941001) 4pp 84815 158-84815 161

9507190385 Part 21 repts re Oct 1992 rev to Instruction Manual 4205 in which incorrect process O-ring for use w/1152 high differential pressure transmitters (Model 1152R) inadvertently specified. Flowed instruction manual on hold.
VAN BLOUW, M.L. Rosemount, Inc. 95/07/12 NRC - No Detailed Affiliation Given 4pp 84815 165-84815 168

9507190222 Part 21 repts re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee external operating practices used when declaring MOV operable for safety related svcs.
HYLTON, G. Limitorque Corp. 95/07/12 Document Control Branch (Document Control Desk) 30pp 84815 169-84815 199

9507190228 Part 21 repts re Limitorque Corp discovering possibility of outside clutch tripper wedged against actuator housing. Condition could potentially be reportable depending on operating practices of licensee.
HYLTON, G. Limitorque Corp. 95/07/12 Document Control Branch (Document Control Desk) 14pp 84815 202-84815 215

9507190097 Part 21 repts re MDR relays w/potentially damaged internal contact arms.
ROSENBLUM, R.M. Southern California Edison Co. 95/07/21 Document Control Branch (Document Control Desk) 5pp 84838 029-84838 033

9507190084 Part 21 repts re high failure rates of dc/dc converter added to std N-2AO-V2H analog output converter module. Caused by abnormal power draw by converter. Rosemount converter being designed.
KEIFER, J.T. Foxboro Corp. 95/07/07 NRC - No Detailed Affiliation Given 3pp 84855 001-84855 003

QA999 QUALITY ASSURANCE INSPECTIONS

9507190282 Notification of 950914 meeting w/Rosemount, Inc. in Eden Prairie, MN to discuss recent info on Rosemount Transmitter performance & stall closure of loss of B-04 issue.
WERNICKE, J.S. 95/06/29 BOGER, B.A. 3pp 84587 143-84587 148

9507190098 Informs that NRC reviewed licensee 950222 response to notice of nonconformance transmitted by 950131 re w/NRC repts 9500764/94-01.
GALL, O.R.M. 95/07/07 BOWLES, K.G. Sandvik Special Metals Corp. 1p 84596 001-84596 001

9507190102 Forwards map repts 99900271/95-02 on 950405-07 & notice of nonconformance.
GALL, O.R.M. 95/07/05 BLOUNT, M.V. Rosemount, Inc. 2pp 84596 154-84596 184

-9507190185 Notice of nonconformance from map on 950405-07 Nonconformance noted measures established by Rosemount to control certain nonconforming steel did not prevent inadvertent use.
95/07/05 1p 84596 151-84596 151

-9507190114 Insp repts 99900271/95-02 on 950405-07 Nonconformance noted. Major areas inspected summary of insp findings, violations, nonconformances, status of previous insp findings & background.
ALEXANDER, S.D., ATHAVALES, V., OWALINAG, C. 95/07/05 23pp 84596 162-84596 184

9507190113 Forwards Director's Decision DD-95-13 under 10CFR2.208, denying 951121 petition requesting that Rosemount Nuclear Instrument, Inc. immediately inform users of safety-related transmitters, per 10CFR21.07, of shelf-life limitation. Request denied.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) DD-95-13 95/07/06 BLANCH, P.M. Affiliation Not Assigned 2pp 84597 317-84597 333

-9507190126 Director's Decision DD-95-13 under 10CFR2.208 re Rosemount Nuclear Instruments, Inc. immediately informing users of safety-related transmitters, per 10CFR21.07, of shelf-life limitation. Request denied.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) DD-95-13 95/07/05 4pp 84597 319-84597 326

174 NONDOCKETED ITEMS

9507130128 Notice of issuance of Director's Decision DO-95-13 under 10CFR2.206 re Rosemount Nuclear Instruments, Inc. immediately informing all users of safety-related transmitters per 10CFR21.1 of shelf-life limitations Request denied
AKERS, J. GL-88-02. 95/06/29. SPESSARD, R.L. Cardinal Industrial Products Corp. 3pp. 84586:352-84586:353.

9507130132 Ack receipt of 950530 ltr re NRC reply to licensee response to notice of nonconformance for insp rept 95001078/94-01 on 950130. Requests telecon w/ licensee on 950706 to further discuss concerns identified in ltr.
AKERS, J. GL-88-02. 95/06/29. SPESSARD, R.L. Cardinal Industrial Products Corp. 3pp. 84586:352-84586:354.

9507140034 Forwards insp rept 9500406/95-01 on 950117-19 No violations noted.
GALLO, R.M. 95/07/07. SPESSARD, R.L. General Electric Co. 2pp. 84730:345-84730:353.

9507140044 Insp rept 9500406/95-01 on 950117-19. No violations or deviations/non-compliance noted. Major areas inspected: policy, procedure & practice re QA, Quality Control & supervisory review of test data records & other documents re quality.
ALEXANDER, S.D., CVALINA, G.C., GALLO, R.M. 95/07/07. 7pp. 84730:347-84730:353.

9507140044 Forwards insp rept 9501117/95-01 on 950208-09 & NCV. Inspector found no instances in which other practices or records not in accordance w/10CFR21.
GALLO, R.M. 95/07/07. FISHER, S.K. OVEGOOD, Inc. 2pp. 84730:276-84730:291.

9507140052 Notice of violation from insp on 950208-09. Violation noted: effective rev of licensee QA manual, Procedure 10, Rev 00, dated 8/7/82, would not ensure evaluation & reporting in accordance w/10CFR21.21.
95/07/07. 2pp. 84730:290-84730:291.

9507140054 Insp rept 9501117/95-01 on 950208-09. Violation noted: Major areas inspected: licensee records & sys of record keeping & review of QA manual.
ALEXANDER, S.D., CVALINA, G.C., GALLO, R.M. 95/07/07. 10pp. 84730:292-84730:299.

9507170088 Forwards insp rept 9500113/95-01 on 950612-13. No violations or non-compliance noted.
GALLO, R.M. 95/07/10. PERRY, C.L. ITT Barton 1p. 84747:338-84747:346.

9507170182 Insp rept 9500113/95-01 on 950612-15. No violations or non-compliance noted. Major areas inspected: implementation of selected portions of ITT Barton QA program for supplying safety-grade components.
WILSON, R.C., CVALINA, G.C., GALLO, R.M. 95/07/10. 8pp. 84747:339-84747:346.

9507200061 Confirms telecon w/ G. Capina re vendor request for extension of time to respond to notice of violation & demand for info re insp rept 9500362/90-01. Vendor must respond by 950821.
FLEMMER, Affiliation Not Assigned. 95/07/12. SPESSARD, R.L. 1p. 84777:325-84777:329.

9507200236 Resubmits 950631 response to NRC 950505 ltr re nonconformance noted in insp rept 9501164/95-01 per NRC 950714 telecon request.
WILLIAMS, J.A. Whittier Industries, Ltd. dba Whittier Steel Smp (formerly Whittier Corp.). 95/07/14. Document Control Branch (Document Control Desk). 1p. 84786:357-84786:359.

9507260062 Ack receipt of 950531 response to Notice of Nonconformance forwarded w/NRC Insp Rept 9501164/95-01. Concludes that licensee planned actions appear responsive to concerns expressed in NRC notice.
CVALINA, G.C. 95/07/18. DEISENROTH, C.W. Affiliation Not Assigned. 1p. 84793:041-84793:041.

9507260067 Confirms upcoming NRC insp on 950919-22 as discussed during 950628 telecon between H. McCullough & D. Brower. Insp to review selected criteria of 10CFR50. App R, QA program for procurement, mfg & supply of nuclear safety related items.
CVALINA, G.C. 95/07/19. CARLSON, J.C. Affiliation Not Assigned. 1p. 84793:048-84793:048.

9507260068 Ack receipt of 950425 response to NRC 950322 ltr & Notice of Nonconformance resulted from NRC insp in Feb of 1995 at licensee facilities in Rock Hill, South Carolina. Finds response partially responsive to NRC concerns.
GALLO, R.M. 95/07/19. BLACKWELL, W. Affiliation Not Assigned. 2pp. 84793:049-84793:050.

9507260022 Discusses Nov 1989-Aug 1992 OI investigation of Energy Steel & Supply Co & forwards notice of violation.
SPESSARD, R.L. EA-88-074. 95/07/19. MITCHELL, M.R. Energy Steel & Supply Co. 2pp. 84794:013-84794:016.

9507260038 Notice of violation from investigation on Nov 1989-Aug 1992. Violations noted: Energy Steel & Supply Co failed to perform deviation or inform licensee or purchaser who could cause violation to be performed.
EA-88-074. 95/07/19. 2pp. 84794:016-84794:016.

9507260047 Ack receipt of 950522 ltr that requested add info re 940331 response to Notice of Nonconformance resulting from NRC insp.
GALLO, R.M. 95/07/19. GEORGE, E.A. 1p. 84793:132-84793:132.

9507280166 Submits results of inquiries into handling & disposition of surplus metal from cancelled Black Fox project (belonging to consortium to Divisor of portion of metal that American Heavy Trading purchased from Public Svc of OK).
GALLO, R.M. 95/07/19. HANCOCK, Affiliation Not Assigned. LANDS, A.H. Affiliation Not Assigned. 2pp. 84837:223-84837:276.

REG CERT REGISTRY CERTIFICATE

9506072205 Informs that device Model SHR-14 & SHR-15 acceptable per info in 850420 & 1113 submittals. Amends SHR-14 per request & not SHR-9 but rather stated three new catalog sheets. Informs that new source model designation of Ane-244 is AMCDG.
BAGGETT, S. NRC - No Detailed Affiliation Given. NR-285-D-111-G. 95/11/25. HOLT, D. File Corp. 1p. 84882:358-84882:358.

REGDO REGULATORY GUIDES

9507090100 Ack receipt of 941114 ltr & submittal responses & suggestions concerning safety-related signposts for NPPs.
BROWN, B. Affiliation Not Assigned. 95/06/07. CHIRAS, A.L.M. 5pp. 84809:297-84809:301.

9507090084 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101.
YONKAL, J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84558:335-84558:355.

9507090048 Forwards safety evaluation re plant conformance to Reg Guide RG-1.97 for condensate storage tank water level monitoring instrumentation which identified subsequent to 871020 SER.
GAMBERONI, TAC M91113. 95/06/21. HAAS, K.M. Consumers Power Co. 2pp. 84533:328-84533:330.

9507090088 Concludes that containment cooling status can be determined through alternative means to direct reading of containment sump water temp for licensee NPP-72 & NPP-77 re implementation of RG 1.97, rev 2. Forwards supporting SE.
ASSA, R.R. GL-82-32. 95/06/27. FAIRFAR, D.L. Commonwealth Edison Co. 3pp. 84633:291-84633:296.

9507090108 Safety evaluation supporting conclusion that containment cooling status can be determined through alternative means to direct reading of containment sump water temp for licensee NPP-72 & NPP-77 re implementation of RG 1.97, rev 2.
Office of Nuclear Reactor Regulation (Post 941001). GL-82-33. 95/06/27. 3pp. 84533:334-84533:336.

9507090274 Advises that licensee QA program does not meet certain requirements of 10CFR71. Subpart H Forwards copy of RG 7.10, "Establishing QA Programs for Packaging Used in Transport of Radioactive Material" w/o and JANKOVICH, J.P. Source Containment & Device Branch (Post 911213). 95/06/23. SCHNEIDER, L.J. NDT Specialists, Inc. 1p. 84536:249-84536:249.

9507070088 Application for amendments to licensee DPR-35 & DPR-46, revising TS for EDG hot sequence loading test relaxation per Reg Guide 1.108, Rev 1.
SMYKINT, W. Commonwealth Edison Co. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 13pp. 84522:271-84522:286.

9507070085 Requests NRC review & concurrence of exception to Reg Guide 1.97 requirements for transferring shock probe isolation valve position indication.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). JPN-95-039. 95/06/29. Document Control Branch (Document Control Desk). 12pp. 84682:342-84682:354.

9507100184 "For comment" issue of draft reg guide, task DG-1040, "Time Response Design Criteria for Safety-Related Operator Actions".
Office of Nuclear Regulatory Research (Post 941217). 95/06/30. 14pp. 84586:323-84586:337.

9507140088 Forwards SE that authorizes licensee to use code Case N-522 and code Case N-522 published in future rev of RG 1.147.
MARSHALL, Project Directorate I-1 (PDI-1) (Post 941001). TAC M91158. 95/07/07. MECREDDY, R.C. Rochester Gas & Electric Corp. 3pp. 84710:335-84710:340.

9507170065 Forwards LER 95-007 re noncompliance w/EDG T8A.
SCHWARTZ, G.K. Commonwealth Edison Co. 95/07/11. Document Control Branch (Document Control Desk). 1p. 84733:035-84733:042.

9507170101 LER 95-007-00 on 950612. EDG TS was in compliance due to personnel error. Performed testing on five plant EDGs which deviated from requirement of RG 1.104 & has been verified to meet adjacent test requirement.
FANNING, G. Commonwealth Edison Co. 95/07/11. 8pp. 84733:036-84733:042.

9507180201 Informs that NRC releasing draft reg guide DG-1043, which proposes Rev 2 to reg guide 1.148, "NPP Simulation Facilities for Use in Operator License Exams".
W/o reg guide. COLLINS, P. 95/07/13. 2pp. 84728:175-84728:179.

9507200218 Forwards documents associated w/proposed bulletin & draft reg guide re potential plugging of emergency core cooling suction strainers by debris in BWRs.
SHAPAKER, J.W. 95/07/19. Document Control Branch (Document Control Desk). 18pp. 84791:001-84791:140.

9507200223 Draft rev 2 to reg guide 01.082, "Water Sources for Long-Term Recirculation Cooling Following LOCA". NUREG CR-6224 and
Office of Nuclear Regulatory Research (950720-941217). 95/07/31. 84pp. 84791:020-84791:140.

9507260315 Reg guide 01.161, "Evaluation of Reactor Pressure Vessels W/Chassy Upper Shell Energy Less Than 50 Ft-Lb".
Office of Nuclear Regulatory Research (Post 941217). 95/06/30. 37pp. 84752:242-84752:281.

9507260346 "For comment" issue of draft rev 2 to reg guide 01.148, "Nuclear Power Plant Simulation Facilities For Use in Operator License Exams".
Office of Nuclear Regulatory Research (950720-941217). 95/06/30. 8pp. 84752:343-84752:350.

9507280090 Forwards minor revs to RG 1.97 variables table provided in TYA 950421 ltr to NRC, as discussed in 950606 & 0706 telecons. Draft FSAR revs to Table 7.5.2 also and FSAR will be amended to include changes in Appendix 90.
BARON, R. Tennessee Valley Authority TAC M77530. 95/07/18. Document Control Branch (Document Control Desk). 18pp. 84828:146-84828:153.

9507280202 "For comment" issue of draft rev 2 to reg guide 01.082, "Water Sources for Long-Term Recirculation Cooling Following Loss-of-Coolant Accident".
Office of Nuclear Regulatory Research (950720-941217). 95/07/31. 43pp. 84686:063-84686:102.

REVIEW GRP NRC RESEARCH REVIEW GROUPS

9507030187 Notices of 950705 shutdown rule meeting w/Nuclear Energy Inst in Rockville,MD to discuss shutdown rulemaking
KALMAN,G. 95/06/20. BECKNER,W.D. 3pp. 84512-129-84512-131.

9507050033 Comment on petition for rulemaking PFM-50-61 re amending existing fire protection requirements
Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council), 60FR29784 00001. 95/06/20. Docking & Services Branch 1p. 84508-051-84508-051

9507050187 Comment recommending listed environ quality documents to be revised by NRC in connection w/questions re "Environ Qualifications of Electric Equipment"
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 60FR22010 00002. 95/06/18. MEYER,D.L. Office of Administration, Director (Post 840714) 14pp. 84507-129-84507-133.

9507080084 Forwards slides being used for NRC presentation at NEI industry workshop on implementation of final rule.
THADANJA, 95/06/22. TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 4pp. 84536-156-84536-159

9507090116 Discusses 950505 app to which highlighted several topics of discussion from 950323 meeting on SG rule
SHERON,B. 95/06/16. MARIONA, Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 3pp. 84536-160-84536-162

9507090186 Responds to 950615 re requesting clarification of allowable variance that should be applied to cable barrier sys centerline cable grouping & cable spacing.
CUNNINGHAM,L.J. 95/06/22. MOORE,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 2pp. 84532-353-84532-354.

9507090232 Forwards suggested changes re finalty provisions in proposed design criteria
BISHOP,R.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/05/11. MALSCH,M.G. Office of the General Counsel (Post 860701). 42pp. 84538-145-84538-186

9507090271 Summarizes participation in NEI Emergency Planning Info Forum held on 950607-09 in Bethesda,MD Summary of questions (from participants) & slides and ESSG.T.H. 95/06/26. MILLER,C.L. 16pp. 84539-301-84539-316

9507090379 Notification of 950717 meeting w/EPR/NEI/industry to discuss status of current efforts involving steam generator integrity.Meeting originally scheduled for 950718.
REED,T.A. 95/06/12. STROSMIDER,J. 4pp. 84540-061-84540-054

9507100182 Notification of 950627 CRGR meeting 275 in Rockville,MD. Agenda listed.
JORDAN,E.L. Committee to Review Generic Requirements 95/05/19. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation (Post 841001). MURPHY,J.A. Office of Nuclear Regulatory Research (860720-841217). MERSCHOFF,E.W. Region 2 (Post 820201) 2pp. 84562-323-84562-324.

9507100244 Correction to notification of 950627 CRGR meeting 275.
JORDAN,E.L. Committee to Review Generic Requirements. 95/05/19. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation (Post 841001). MURPHY,J.A. Office of Nuclear Regulatory Research (860720-841217). MERSCHOFF,E.W. Region 2 (Post 820201). 2pp. 84567-032-84567-034.

9507100283 Forwards draft table of contents for industry guideline for implementing 10CFR54 license renewal rule & list of potential implementation guideline issues.its agreed during 950622 meeting w/NRC.
WALTERS,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/07/05. NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (POLR) (Post 841001) 4pp. 84582-069-84582-082.

9507110118 Documents EL Jordan participation in 950607-09 NEI emergency planning forum.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/06/29. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 84617-001-84617-008.

9507110121 Comment supporting proposed GL "Relocation of Pressure Temp Limit Curves & Low Temp Overpressure Protection Sys Limits."
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR22805 00005. 95/07/09. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 84557-321-84557-323.

9507180217 Notification of 950714 meeting w/NEI in Rockville,MD to discuss major activities & schedule for staff review of NEI guideline for implementing 10CFR54.
HOFFMAN,S.T. License Renewal & Environmental Review Project Directorate (POLR) (Post 841001) 95/06/30. NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (POLR) (Post 841001). 2pp. 84587-203-84587-204.

9507180226 Notification of 950720 meeting w/NEI in Rockville,MD to discuss major activities & schedule for staff review of NEI guideline for implementing 10CFR54.
HOFFMAN,S.T. License Renewal & Environmental Review Project Directorate (POLR) (Post 841001) 95/06/30. NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (POLR) (Post 841001). 2pp. 84587-203-84587-204.

9507180243 Notification of 950714 meeting w/NEI in Rockville,MD to discuss issues associated w/steam generator rule regulatory guide.Meeting rescheduled.
REED,T.A. 95/06/22. STROSMIDER,J. 2pp. 84587-250-84587-251.

9507180258 Responds to 950305 inquiry re whether or not staff exceeded authority by assuming operation control of recovery actions for plant events on 901004 & 840405.Concludes that potential safety significance of events warranted staff actions.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/07/10. COLVIN,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 4pp. 84631-274-84631-277.

9507180258 Responds to 950614 memo which requested CRGR to endorse w/o formal review,Suppl 5 to GL 88-20, "Individual Plant Exam of External Events for Severe Accident Vulnerabilities."
JORDAN,E.L. Committee to Review Generic Requirements. GL-88-20 95/06/29. MORRISON,D.L. Office of Nuclear Reactor Regulation (Post 841001). 1p. 84625-251-84625-261.

9507180271 Summary of 950622 meeting w/NEI in Rockville,MD to discuss NEI proposed implementation guideline for license renewal rule.Attendees list,presentation materials,draft RG table of contents & preliminary list of topics and.
HOFFMAN,S.T. License Renewal & Environmental Review Project Directorate (POLR) (Post 841001) 95/06/29. License Renewal & Environmental Review Project Directorate (POLR) (Post 841001) 14pp. 84632-001-84632-014.

9507180288 Clarifies nature of recent NRC/industry technical interactions w/respect to industry intent to petition for ALWR EP rulemaking.
RASHIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/06/23. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 841001) 2pp. 84765-300-84765-301

9507180446 Notification of 950711 meeting w/NSSS Owners Groups & NEI in Rockville,MD to discuss STS improvements & related issues.
GRIMES,C.J. 95/07/08. GRIMES,B.K. 3pp. 84726-243-84726-245.

9507180133 Expresses appreciation for 950622 meeting to discuss status of industry guideline for implementing requirements of 10CFR54 license renewal rule.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/07/11. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 841001). 1p. 84786-356-84786-356.

9507200219 Forwards documents associated w/proposed bulletin & draft reg guide re potential plugging of emergency core cooling suction strainers by debris in BWRs.
SHAPAKER,L.W. 95/07/19. Document Control Branch (Document Control Desk). 19pp. 84791-001-84792-140.

9507200223 Draft rev 2 to reg guide 01.082, "Water Sources for Long-Term Reactor Island Cooling Following LOCA" NUREG CR-6224 end.
Office of Nuclear Regulatory Research (860720-841217) 95/07/31. 848pp. 84791-020-84792-140

9507200818 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
SCHMITT,L.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR18002 00010. 95/07/16. HOYLE,J.C. Office of the Secretary of the Commission 2pp. 84738-044-84738-045.

9507200336 Notification of CRGR Meeting 276 on 950627 in Rockville,MD to discuss GL 88-10,Suppl 7, "Consideration of Valve Mispositioning in PWRs" & proposed GL on pressure locking & thermal binding of gate valves.
JORDAN,E.L. Committee to Review Generic Requirements. GL-88-10. 95/07/12. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation (Post 841001). MURPHY,J.A. Office of Nuclear Regulatory Research (Post 841217). RUTBERG,J. Office of the General Counsel (Post 860701) 2pp. 84821-241-84821-242.

9507200697 Forwards comments on EPR TR-103226, "EPR MOV Performance Prediction Program-Methods to Address Rate-of-Loading in Torque Switch Controlled MOVs" for response Staff intends to prepare SER to address Topical Rept by Dec 1995.
WESSMAN,R.H. 95/07/17. CALLAWAY,R.C. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 3pp. 84794-356-84794-358

9507240185 Provides completion of background mail relevant to proposed Suppl 7 to GL 88-10 re valve mispositioning in pressurized water reactors.
KUSLER,A.J. GL-88-10. 95/07/17. Document Control Branch (Document Control Desk). 1p. 84778-228-84778-238.

9507240188 Provides results & conclusions from evaluation of insp findings using TI 2515/128, "Evaluation of On-Line Maint."
THADANJA, 95/07/14. TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 3pp. 84778-243-84778-248.

9507240240 Notification of 950720 meeting w/NEI in Rockville,MD to discuss major activities & schedule for staff review of NEI guideline for implementing license renewal rule 10CFR54. Notification rescheduled to change time & room location.
HOFFMAN,S.T. License Renewal & Environmental Review Project Directorate (POLR) (Post 841001) 95/06/30. NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (POLR) (Post 841001). 1p. 84778-309-84778-309.

9507240245 Summary of 950913 meeting w/NEI in Rockville,MD re proposed rev to industry guidance NUMARC 93-01, List of attendees encl.
CORREIA,J.R. 95/07/17. BLACK,S.C. 15pp. 84778-310-84778-324.

9507250017 Comment supporting proposed generic communication 10CFR50.54 re process for changes to security plans w/o prior NRC approval.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 60FR1328 00013. 95/07/14. Division of Freedom of Information & Publications Services (Post 840714). 2pp. 84787-029-84787-030.

9507260174 Responds to 950629 re re needs of using Sys 21 fastener thread gaging equipment vs using Sys 22 equipment to measure fastener thread gaging parameters.
THADANJA,C. 95/07/18. RASHIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 2pp. 84537-309-84537-310

9507260218 Notification of 950603 forthcoming technical meeting w/NEI & industry to discuss issues assoc w/SG rule reg guide.
REED,T.A. 95/07/25. STROSMIDER,J. 2pp. 84546-354-84546-355

9507260271 Discusses 950607 re proposing discussions of voluntary approach to provide industry reliability & availability data to NRC using revised NRC SSPs.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/07/12. COLVIN,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 2pp. 84632-356-84632-359.

9507270288 Summary of 950518 meeting w/NEI in Rockville,MD re industry concerns on accident mgt described in 950412 lr from NEI & staff perspective on matters List of attendees encl.
PALLAR,L. 95/07/20. HOLAHAN,G.M. 5pp. 84844-068-84844-072

9507270304 Forwards summary notes from 950613 meeting w/Nuclear Energy Inst (NEI),Fuel Cycle Facilities Forum (FCFF),NRC & EPA in Rockville,MD on decommissioning status.End summary notes revised to respond to comments by NEI & FCFF.
WEBER,J.F. Low-Level Waste & Decommissioning Projects Branch (NLWS 940403) 95/06/30. KILLAR,F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 13pp. 84874-120-84874-137.

176 NONDOCKETED ITEMS

9507280230 Notification of 950728 meeting w/NEI to discuss proposed changes to industry guidelines for implementation of main rule 10CFR50.55.
CORREIA, R. P. 95/07/17. BLACK, S. D. 1p. 84888:122-84888:122.

9507280258 Forwards CRGR combined packages for proposed resolution of GI 70 & GI 94 to expedite concurrence. Informa that packages combined at this stage of GI resolution because it was considered desirable to issue single GI to nuclear industry. SPEIS, T. P. Advanced Reactor & Generic Issues Branch (870413-910629). 68/12/07 GILLESPIE, P. Program Management, Policy Development & Analysis Staff (Post 870411) JORDAN, E. L. Committee to Review Generic Requirements. PARLER, W. C. Office of the General Counsel (Post 860701) 3pp. 84852:281-84852:283.

9507280262 Requests 30-day extension to due date for public comments re generic for addressing testing of safety-related logic circuits.
MARRON, A. Nuclear Energy Institute (Formerly Nuclear Mgmt. & Resources Council) 95/07/08. GARG, H. C. 1p. 84888:143-84888:143

9507280278 Forwards safety evaluation re emergency action plan conversion to NUBAFRC emergency action levels.
LABARGE, D. E. TAC 160776 95/07/25. KINGSLEY, D. D. Tennessee Valley Authority 2pp. 84862:164-84862:171.

9507280295 Provides follow-up on 950623 telcon re use of electronic sys, specifically RULENET pilot project, as means of early discussion on fire protection position for rule-making.
THADANI, A. C. 95/07/26. TRITON, T. Nuclear Energy Institute (Formerly Nuclear Mgmt. & Resources Council). 6pp. 84862:103-84862:107.

9507281134 Notification of 950617 meeting w/NEI in Rockville, MD to discuss industry-related activities associated w/FRA Implementation Plan & coordination between industry & NRC on FRA Implementation Plan activities.
HILTZ, T. G. 95/07/29. BUTCHER, E. J. 2pp. 84879:327-84879:328

9507281078 Notification of 950601 meeting w/NEI in Bethesda, MD re proposed shut-down operation rule.
LYON, W. C. 95/07/25. JONES, R. C. 2pp. 84879:360-84879:361.

9507281078 Summary of 950714 meeting w/Nuclear Energy Inst in Rockville, MD to discuss schedule for licensee development of industry guideline for implementing license renewal rule.
HOFFMAN, S. T. 95/07/25. 14pp. 84863:328-84863:341.

9507280281 Summary of 950601 meeting w/NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NUREG-1465 severe accident source term at operating reactors.
SCALETTLID, 95/07/29. QUAY, T. R. 4pp. 84888:143-84888:148.

SECY POSITION PAPERS BEFORE THE COMMISSION

9502180158 SECY-95-019 Requests Commission approval to publish amendments to 10CFR60 re clarification of assessment requirements of siting criteria for high level waste repository.
TAYLOR, J. M. Of the Executive Director for Operations. 95/01/27. 83pp. 84772:108-84772:164.

9502178213 SECY-95-025 Requests Commission approval to issue "Regulatory Analysis Guidelines of US NRC." NUREG/BR-0058, Rev 2, for staff implementation.
TAYLOR, J. M. Of the Executive Director for Operations. 95/02/07. 82pp. 84772:025-84772:107.

950218225 SECY-95-080 Requests Commission approval of notice of final RM to amend import & export regulations in 10CFR110 re radioactive.
STOIBER, C. R. Office of International Programs (Post 911117) 95/03/13. 62pp. 84578:001-84578:062.

9502182090 SECY-95-061 Requests that Commission perform review of pros & cons of developing backfit rule for plants licenses & to provide recommendation re matter.
TAYLOR, J. M. Of the Executive Director for Operations. 95/03/14. 4pp. 84772:165-84772:168.

9504148228 SECY-95-084 Provides Commission w/staff action plan to address recommendations of assessment of NRC Enforcement Program & to obtain Commission approval to revise NRC Enforcement policy.
TAYLOR, J. M. Of the Executive Director for Operations. 95/04/06. 410pp. 84590:220-84591:273.

9504170296 SECY-95-089 Provides Commission w/rev of draft AQ reporting criteria requested in 950221 SRM, on SECY-94-275.
TAYLOR, J. M. Of the Executive Director for Operations. 95/04/06. 64pp. 84772:183-84772:223.

9505180094 SECY-95-104 Requests Commission approval to publish amendments to 10CFR50, 72.73 & 75 for public comment.
TAYLOR, J. M. Of the Executive Director for Operations. 95/04/28. 58pp. 84772:234-84772:286.

9505180105 SECY-95-114 Requests Commission approval of policy changes resulting from staff plan to prototype test & implement new state licensing process.
TAYLOR, J. M. Of the Executive Director for Operations. 95/05/03. 35pp. 84577:144-84577:177.

9506020112 SECY-95-125 Requests Commission approval to publish final rule change to 10CFR30.35, "TS."
TAYLOR, J. M. Of the Executive Director for Operations. 95/05/19. 84pp. 84577:211-84577:290.

9506020132 SECY-95-129 Requests Commission approval for publication of FR notice of proposed rulemaking re reporting equipment reliability data.
TAYLOR, J. M. Of the Executive Director for Operations. 95/05/19. 89pp. 84795:148-84795:247.

9506020153 SECY-95-126 Requests Commission approval to publish final policy statement on use of probabilistic risk assessment methods in nuclear regulatory activities.
TAYLOR, J. M. Of the Executive Director for Operations. 95/05/18. 44pp. 84795:248-84795:296.

9506130803 SECY-95-139 Responds to SRM-COM-94-003 of 941018 re improvement of NRC control over & licensee accountability for generally & specifically licensed devices used under 10CFR31.5.
TAYLOR, J. M. Of the Executive Director for Operations. 95/05/31. 11pp. 84577:200-84577:210.

9506130811 SECY-95-136 Requests Commission approval of recommended option to improve & standardize evaluation & approval of sealed source & device designs manufactured in Agreement States.
TAYLOR, J. M. Of the Executive Director for Operations. 95/05/30. 22pp. 84772:001-84772:022.

9506180287 SECY-95-138 Requests approval of final draft of "Rept to Congress on AOC, Jan-Mar 1995."
TAYLOR, J. M. Of the Executive Director for Operations. 95/05/31. 31pp. 84577:291-84577:325.

9506180294 SECY-95-140 Informs Commission of intent to issue final rule amending 10CFR19 & 20 by reversing criteria for radiation protection training/review definitions of "Member of public," "Occupational dose," & "Public dose."
TAYLOR, J. M. Of the Executive Director for Operations. 95/06/01. 48pp. 84779:001-84779:049.

9506180295 SECY-95-135 Provides Commission w/info on anticipated changes in performance indicator program & related internal reallocation of resources.
TAYLOR, J. M. Of the Executive Director for Operations. 95/05/26. 3pp. 84772:023-84772:025.

9506200630 SECY-95-149 Informs Commission of intention to issue NRC policy on communications between NRC & licensees & to implement procedure for managing resolution of concerns re perceived inappropriate regulatory action by NRC.
TAYLOR, J. M. Of the Executive Director for Operations. 95/06/06. 12pp. 84776:050-84776:061.

9506200635 SECY-95-151 Requests Commission consent for revised approach to upgrading regulation of fuel cycle facilities.
TAYLOR, J. M. Of the Executive Director for Operations. 95/06/12. 21pp. 84795:094-84795:114.

9506200644 SECY-95-152 Provides NRC recommendations on whether to proceed w/ generic rule change to modify 10CFR61 to allow private land ownership of LLW disposal site.
TAYLOR, J. M. Of the Executive Director for Operations. 95/06/13. 39pp. 84776:062-84776:096.

9506200652 SECY-95-153 Informs Commission of status of L56 to respond to staff requirements memo dtd 950505 & to provide L56 Senior Mgt Team recommendations on future direction of L56.
TAYLOR, J. M. Of the Executive Director for Operations. 95/06/14. 25pp. 84577:338-84577:350.

9507080183 SECY-95-160 Informs Commission of status of final 10CFR51 rulemaking, "Environ Review for Renewal of NPP CL," & to provide draft FR notice, including proposed final regulatory language & statement of consideration.
TAYLOR, J. M. Of the Executive Director for Operations. 95/06/19. 120pp. 84578:005-84578:174.

9507080225 SECY-95-152 Informs Commission of staff plans for proposed rulemaking to address issues related to disposal of radioactive waste into sanitary sewers & potential for recontamination of that waste once released.
TAYLOR, J. M. Of the Executive Director for Operations. 95/06/20. 22pp. 84577:178-84577:199.

9507080279 SECY-95-150 Informs Commission of status of Convention on Nuclear Safety & potential obligations & commitments that may be incurred by NRC following signature ratification.
TAYLOR, J. M., STOIBER, C. R. Of the Executive Director for Operations. 95/06/06. 24pp. 84536:250-84536:273.

9507080286 SECY-95-164 Weekly info rept for wk ending 950616.
BLAHA, J. L. Assistant for Operations (Post 890205). 95/06/22. 25pp. 84539:226-84539:260.

9507080292 SECY-95-165 Weekly info rept for wk ending 950623.
BLAHA, J. L. Assistant for Operations (Post 890205). 95/06/28. 24pp. 84539:212-84539:235.

9507180221 SECY-95-173 Weekly info rept for wk ending 950630.
BLAHA, J. L. Assistant for Operations (Post 890205). 95/07/06. 17pp. 84736:284-84736:301.

9507200180 SECY-95-171 Submits Legislation Rept - 1995 - 5.
CORDES, J. F. Solicitor (Post 860701) 95/06/30. 62pp. 84834:028-84834:089.

9507200199 SECY-95-172 Informs of proposed resolutions & where appropriate staff positions on key technical issues pertaining to Westinghouse AP600 standardized passive reactor design certification.
TAYLOR, J. M. Of the Executive Director for Operations. 95/06/30. 33pp. 84798:115-84798:147.

9507210246 SECY-95-155 Request Commission approval of staff plan to review certain previously approved U mail findings reclamation plans for major design deficiencies.
TAYLOR, J. M. Of the Executive Director for Operations. 95/06/14. 27pp. 84784:118-84784:144.

9507240232 SECY-95-178 Weekly info rept for wk ending 950707.
BLAHA, J. L. Assistant for Operations (Post 890205). 95/07/12. 13pp. 84778:293-84778:305.

9507280240 SECY-95-188 Weekly info rept for wk ending 950714.
BLAHA, J. L. Assistant for Operations (Post 890205). 95/07/19. 17pp. 84844:326-84844:344.

9507310232 Twenty-third partial response to FOIA request for documents. Forwards documents listed in App AAA being Documents being placed in PCR Apps BBB & CCC being released in part (ref FOIA exemption 7C)
POWELL, J.A. Division of Freedom of Information & Publications Services (Post 846714) 85/02/10 LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge Spp 84672 038-84672 116

-9507310243 SECY-90-025 Requests Commission approval to issue and order re administrative subpoena issued by staff
FITZGERALD, J.A. Assistant General Counsel for Adjudications & Options 90/01/23 67pp 84672 046-84672 104

STATE PROG STATE PROGRAMS

9506280171 Expresses deep concern over recent reciprocity licensing action taken by Region IV Requests that NRC retract reciprocity licensing or provide Division w/documents confirming exclusive federal jurisdiction for project
SINCLAIR, W. Utah, State of 95/06/05 CALLAN, L.J. Region 4 (Post 820201) 2pp 84508 202-84508 203

9506280180 Forwards copies of documents from Mes re Grover site decommissioning, decommissioning & reclamation
WEAVER, K.L. Colorado, State of 87/01/22 GARCIA, P. Uranium Recovery Field Ofc, R4 1p 84378 001-84377 223

9507030861 Informs that technical exchange scheduled for 950781 to engage in further discussions about characterization of pneumatic pathways at Yucca Mountain
GREEVES, J.T. Division of Waste Management (NMS 940403) HLWR 95/06/23 LOUX, R. Nevada, State of Spp 84559 072-84559 076

9507831163 Submits deficiencies & comments as result of review & discussions during 950614 meeting re B Koh & Associates 950428 response to State of OH 950330 notice of deficiency re on license 941205 request to implement closure plan
PARKER, J.L. Ohio, State of 95/06/20 KOH, E. B Koh & Associates, Inc 16pp 84580 305-84580 320

9507134272 Responds to 950501 re requesting that NRC provide info re two recent issues associated w/schedule at plant operated by Boston Edison Co
TAYLOR, J.M. Ofc of the Executive Director for Operations 85/06/21 KERRY, J.F. Massachusetts, Commonwealth of Spp 84512 227-84512 247

9507030322 Forwards comments on draft BTP on disposition of G-137 contaminated emission control dust & other incident-related matl
NOSENCHUK, N.M. New York, State of 85/06/22 LAHS, W. Division of Waste Management (NMS 940403) Spp 84581 128-84581 132

9507050888 EN 95-044 on 950625, notice of proposed imposition of civil penalty in amount of \$13,000 issued to licensee. Action based on problem involving willful failure by OIS to file for reciprocity while working in Pennsylvania, Non-Agreement
MAHESH, N. LIEBERMAN, J. Ofc of Enforcement (Post 870413) EA-95-048 95/06/23 1p 84507 095-84507 095

9507080158 Comments opposing proposed change in State Cooperative Agreement program re NRC attention to reduce scope of work
SCHELLER, J. Maine, State of 50FR18429 00018 95/06/16 NRC - No Detailed Affiliation Given Spp 84507 291-84507 292

9507060337 Provides copy of minutes from 950612 meetings re groundwater quality issues at Allen Minerals U mill (spills facility near Moab, UT)
SINGLAIR, W.J. Utah, State of 95/06/26 HOLDEN, J. High-Level Waste & Uranium Recovery Projects Branch (NMS 940403) 12pp 84570 215-84570 225

9507050305 Extends invitation to share info concerning remediation of Sequoyah Fuels facility located near Gore, OK
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMS 940403) 95/06/21 SCOTT, G. Oklahoma, State of Spp 84570 227-84570 230

9507060888 Forwards Discharge Monitoring Rept for Hope Creek Generating Station for May 1995
REDDEN, M.N.E. Public Service Electric & Gas Co. of New Jersey 95/06/22 CORPORALES, G. New Jersey, State of Spp 84600 262-84600 264

9507060888 Responds to NRC 950614 re re violations noted in insp rpt 1500036/85-02 Corrective actions radiographers assistant awarded upon due date of next quarterly audit & log containing names of radiographers & assistants compiled
MCCANN, F.L. Affiliation Not Assigned 95/06/26 Document Control Branch (Document Control Desk) Spp 84617 172-84617 174

9507060230 Informs that Sequoyah Fuels Corp in Gore, OK produced ammonium nitrate solution that has been applied as N fertilizer to lands used for production of forage crops
HEBERT, M.A. Environmental Protection Agency 95/06/21 CURRY, B. Oklahoma, State of 1p 84617 069-84617 069

9507060254 Forwards amend 225 to license DPR-58 & SE Amend modifies operability & SRs for RV overfill protection instrumentation that releases FW pump turbine & high turbine trips on high RV water level
CARPENTER, C.E. Project Directorate I-1 (PD1-1) (Post 941001) TAC M91679 95/06/19 GAILL, W.J. New York, State of Spp 84539 126-84539 144

-9507060267 Amend 225 to license DPR-58, modifying operability & SRs for RV overfill protection instrumentation that releases FW pump turbine & high turbine trips on high RV water level
MARSH, L.B. Project Directorate I-1 (PD1-1) (Post 941001) 95/06/19 Spp 84539 130-84539 139

9507060364 Accepts proposal made in 950607 re re accident notifications Advises that Div of Planning & Analysis will be working w/licensee in order to implement agreement
PEPPER, A.J. Illinois, State of 95/06/22 KOSMIDER, M.D. Allied-Signal Corp 1p 84617 358-84617 358

9507060374 Responds to 950601 re stating you were not invited to 950606 meeting held at NRC headquarters w/all Summary of discussions at meeting encl
SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards 95/06/21 WURST, J. Minnesota, State of Spp 84540 062-84540 063

9507070482 Ack receipt of encl it did 950519 forwarding B Marcyuk & Z Marcyuk 950508 re expressing concerns re storage of radioactive matl at Sheldahl Metallurgical Corp
SMITH, L.R. New Jersey, State of 95/06/27 ANDREWS, R.E. House of Rep 3pp 84619 225-84619 227

9507100802 NRC reply to proposed findings of fact & conclusions of law filed by intervenor Citizens Against Nuclear Trash, applicant LA Energy Svcs, LP & State of LA re containers B.J.K. & Q * W/Certificate of Svc
BACHMANN, R.G. MOLLER, E.J. Office of the General Counsel (Post 850701) #395 18959 ML 95/06/26 31pp 84538 036-84538 035

9507100886 Applicant reply to proposed findings of fact & conclusions of law filed by intervenor Citizens Against Nuclear Trash, NRC & State of LA re containers B.J.K. & Q * W/Certificate of Svc
MCGARRY, J.M. Louisiana Energy Services MCGARRY, J.M. Weston & Strawn #395 16955 ML 95/06/26 66pp 84538 036-84538 101

9507100303 Forwards meeting announcement for proprietary NRC presubmittal consultation meeting to be held between NRC, DOE & Westinghouse on 950628
TRAVERS, W.D. NRC - No Detailed Affiliation Given 95/06/15 Nevada, State of Spp 84682 111-84682 117

9507110812 Comments on proposed rule re "Review of NRC Insp Rept Content, Format & Style"
ORTOGGER, T.W. Illinois, State of 80FR28180 00010 95/06/29 MEYER, D. Rules & Decisions Review Branch (Post 920322) 7pp 84567 032-84567 038

9507110044 Solicits an interpretation from NRC Office of General Counsel, clarifying Agreement State jurisdiction, over crane "disposal" of low activity sludges at HEP
BROWN, D.H. North Carolina, State of 95/07/03 BANGART, R.L. Office of State Programs (Post 911117) 2pp 84567 259-84567 259

9507110085 Forwards Vols I, II, III & IV of draft "Remedial Investigation & Feasibility Study at Sheldahl Metallurgical Corp Site in Cambridge, OH" w/four overviews
SMITH, L.R. PTI Services Inc 95/06/29 ACKMAN, O. Ohio, State of 2pp 84700 001-84704 328

9507110265 Responds to memo of 950414 re requesting ERDS training for state personnel in forms of plans to offer training to "States" that have the old ERDS & the upgraded ERDS Plans to provide in depth training in early 1996
JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director 95/07/06 MARTIN, T.T. Region 1 (Post 820201) 1p 84617 045-84617 045

9507110322 Provides response to comments re B&W Parks facility characterization plan
YOUNG, D.B. Babcock & Wilcox Co 95/06/29 BALDASSARE, P. Pennsylvania, Commonwealth of Spp 84585 024-84585 028

9507110338 Forwards OH EPA comments on draft work plan for remedial investigation & feasibility study at Sheldahl Metallurgical Corp site in Cambridge, OH, dtd 950219
BLAIR, B.J. Ohio, State of 95/06/18 EVES, C. & Sheldahl Metallurgical Corp LEE P. Foote Mineral Co 13pp 84684 208-84684 227

9507120006 Forwards copies of only active G-distribution licenses in State of ME in response to All Agreement States Re (89-06-065)
SEELEY, S.W. Maine, State of 89-06-065 95/07/05 LOHAUS, P. Office of State Programs (Post 911117) Spp 84574 116-84574 120

9507120034 Advances of departmental reorganization in Ohio, effective 950701 Bureau of Radiation Protection table of organization and
SIMPSON, R.L. Ohio, State of 95/06/30 BANGART, R. Office of State Programs (Post 911117) Spp 84574 277-84574 279

9507120048 Discusses investigation rpt 2-92-027R performed by OH in April 1995, concluding that, between June 1980 & Nov 1994, licensee performed radiographic work in Virginia & deliberately withheld notification from NRC
STONER, J.P. Region 2 (Post 820201) EA-95-101 95/06/27 SHELTON, J.L. 54pp 84575 001-84575 055

9507120141 Expresses appreciation for recent invitation to travel to Washington to meet w/United Nuclear personnel & consultants
TRUILL, L.D. New Mexico, State of 95/06/26 HOLDEN, J. High-Level Waste & Uranium Recovery Projects Branch (NMS 940403) 2pp 84681 251-84681 252

9507120149 Informs that MI Sykes no longer employed by Columbia County MI Hugo replacing MI Sykes
MOYLAN, C. Oregon, State of 95/06/26 NRC - No Detailed Affiliation Given 1p 84681 280-84681 280

9507120164 Forwards workplan outlining field work to be performed in vicinity of Church Rock Superfund site to determine if radon naturally occurring in alluvial soils at Church Rock Superfund site, McKinley County, NM
TRUILL, L.D. New Mexico, State of 95/07/06 GHODES, S. Environmental Protection Agency Spp 84584 233-84584 235

9507120168 Forwards GA hot cell facility decommissioning plan for approval, per 950628 telcon for approval w/o encl
SMITH, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co) CAL-2426 95/07/06 KAPLAN, B. California, State of 2pp 84681 323-84681 330

9507120221 Forwards copies of two active G-distribution licenses in Florida
PASSETT, L.W. Florida, State of 95/07/06 LOHAUS, P.H. Document Control Branch (Document Control Desk) 15pp 84576 148-84576 162

9507120237 Forwards "North Carolina Regulations for Protection Against Radiation Adopted by NC Radiation Protection Commission," per 940419-22 NRC review
BROWN, D.H. North Carolina, State of 95/07/07 BANGART, R.L. Document Control Branch (Document Control Desk) 1p 84579 163-84579 216

-9507120242 "North Carolina Regulations for Protection Against Radiation" Suppl 1 to 930731 regulations
North Carolina, State of 95/05/01 54pp 84576 164-84576 216

178 NONDOCKETED ITEMS

9507130908 Notifies listed candidates to attend one-week course entitled, "Medical Use of Radioisotopes for State Regulatory Personnel" on 950614-18. Applications for listed candidates and EASTWOLD, P.D. Minn. State of 95/06/29 BOLLING, J. Office of State Programs (Post 911117). 7pp. 84597308-84597312

9507130909 Forwards State Agreements Program info including change of address & procedures for incoming mail. BANGART, R.L. Office of State Programs (Post 911117). SP-95-106 95/06/27. General 3pp. 84596317-84596320.

9507130914 Expresses appreciation for comments on forthcoming changes in NRC policy on Funding of Agreement State training/travel & technical assistance upon receipt of 950613 1p. BANGART, R.L. Office of State Programs (Post 911117). 95/06/28. BELSHIE, S.K. California, State of. 4pp. 84596321-84596327.

9507130915 Submits actions taken by Office of State Programs & Analysis & Evaluation of Operational Data in response to recommendations issued by General Accounting Office re event reporting in Agreement States Program. BANGART, R.L. Office of State Programs (Post 911117). 95/07/06. THOMPSON, J.L. Dep Exec Dir for Nuc. Waste Safety, Safeguards & Operations Support (Post 990205). 8pp. 84596328-84596335.

9507130916 Informs that 1995 All Agreement States meeting will be held on 951030-1101 in Chicago, IL. Requests that specific topics & persons from staff to participate in panel discussions or presentations be identified. BANGART, R.L. Office of State Programs (Post 911117). 95/06/19. PAPERELLO, C.J. Office of Nuclear Material Safety & Safeguards JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 3pp. 84596336-84596338

9507130918 Confirms invitation to attend meeting on 950711 at Rockville, MD to discuss plan of upcoming sealed source & device workshop. LOHAUS, P.H. Office of State Programs (Post 911117). 95/06/30. HAMTER, F. Texas, State of. 4pp. 84597334-84597337

9507130919 Forwards addendum to State of NY rept on release of H-3 at Columbia Univ on 940520. Addendum addresses discrepancy identified on radioactive disposal forms provided as appendix to rept. COLLINS, K. New York, State of. 95/06/20. BANGART, R. Office of State Programs (Post 911117). 4pp. 84596339-84596342

9507130911 Forwards amended regulation, "Emergency Planning Licensing Requirements for ISFSI & MRS Facilities." Final rule to become effective 950920. BANGART, R.L. Office of State Programs (Post 911117). SP-95-111. 95/06/28. General 15pp. 84596343-84596357.

9507130922 Forwards State Agreements Program info including list of students selected to attend August "Safety Aspects of Industrial Radiography Course" to be held 950807-11. Student instructions & course registration form. LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-106. 95/06/23. General 7pp. 84596349-84596355

9507130923 Notifies that stakeholders in Agreement States who wish to contact NRC may direct correspondence to R. Bangart at listed address. VIRGONA, J.E. Energy, Dept. of. 95/06/30. WORKS, S.D. Affiliation Not Assigned. 1p. 84596357-84596357.

9507130926 Notifies State of OH intent to send RR Goodwin to attend 95D Evaluation Workshop on 950611-13 at NRC Headquarters in Rockville, MD. HOWARD, M. Ohio, State of. 95/06/26. LOHAUS, P.H. Office of State Programs (Post 911117). 1p. 84596358-84596359

9507130927 Responds to 950516 re forthcoming changes in policy funding of State of FL radiation control program. HUNTER, R.G. Florida, State of. 95/06/28. BANGART, R.L. Office of State Programs (Post 911117). 2pp. 84596356-84596357

9507130928 Forwards State Agreements Program info including one copy each of listed 95D aya indices, W/O and LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-102. 95/06/23. General 3pp. 84596312-84596314.

9507130930 Forwards technical info including sealed source & device registry certificates for addition into catalogues. LOHAUS, P.H. Office of State Programs (Post 911117). TX-634-D-152-B. 95/06/23. General 4pp. 84596358-84596366.

9507130935 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 101A. Certificate: MD-105-D-101-B. Maryland, State of. MD-105-D-101-B. 95/06/06. 7pp. 84596362-84596368

9507130937 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for calibration & gauging gamma source. Certificate: CA-406-S-122-B. WESLEY, D., KAPTEL, R.R. California, State of. CA-406-S-122-B. 95/05/31. 12pp. 84596369-84596380.

9507130939 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 5030. Certificate: TX-624-D-152-B. Texas, State of. TX-624-D-152-B. 95/06/01. 7pp. 84596381-84596387

9507130940 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Radioactive Device for model MAP-3 Series. Certificate: WA-453-D-102-B. Washington, State of. WA-453-D-102-B. 95/05/01. 9pp. 84596388-84596396

9507130941 Forwards minutes from CRCPD members w/Chairperson Jackson to introduce Jackson to CRCPD members & discuss mission, objectives & goals. HARDIN, C. Conference of Radiation Control Program Directors, Inc. 95/07/05. LOHAUS, P. Office of State Programs (Post 911117). 2pp. 84596397-84596398.

9507130943 Discusses proposed interim guidelines for disposition of Cs-137 contaminated furnace dust. RINAWAY, K. New York, State of. 95/06/21. LOHAUS, P.H. Office of State Programs (Post 911117). 1p. 84594001-84594001.

9507130946 Transmits replacement pages to "Positions, Reselection & Recommendations - Dynamic Document." HARDIN, C.M. Conference of Radiation Control Program Directors, Inc. 95/06/30. Conference of Radiation Control Program Directors, Inc. 6pp. 84597281-84597285.

9507130958 Forwards potential questions re license application for proposed LLW disposal facility in Hudspeth County re waste stream issues. FREDERICK, D. Henry, Kelly & Lowens (formerly Henry, Kelly, Bunch & Hase & Henry & Kelly) 95/07/03. ROGERS, A. Texas, State of. 9pp. 84597286-84597294.

9507130961 Expresses appreciation for opportunity to comment on subject application & participate in review of request AEOD programmatic interest & expertise related to regulations associated w/event reporting analysis. JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/06/26. BANGART, R.L. Office of State Programs (Post 911117). 1p. 84596399-84596400

9507130968 Discusses review of regulations in support of Massachusetts application for agreement under section 274b as requested in 950614 memo. JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/06/26. BANGART, R. Office of State Programs (Post 911117). 1p. 84596401-84596402.

9507130962 Provides response to 940408 in which requested legal opinion re New York obligation to perform sealed source & device evaluations & to provide certificates for inclusion in nationwide registry. BANGART, R.L. Office of State Programs (Post 911117). 95/07/06. HARRISMAN, W.A. New York, State of. 6pp. 84597295-84597304

9507130963 Forwards Agreement State licensee wrongdoing awareness workshop agenda to be held on 950718-19 & directions to Omni International Hotel & Rg Russell Federal Building. BANGART, R.L. Office of State Programs (Post 911117). SP-95-110 95/06/26. General 15pp. 84596397-84596311.

9507130967 Forwards Sealed Source & Device Registry Certificates for addition to catalogues. LOHAUS, P.H. Office of State Programs (Post 911117). CA-406-S-155-S. 95/07/03. General 3pp. 84597001-84597003

9507130968 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model LeadStar | Certificate: CA-173-D-101-S. WESLEY, D. California, State of. CA-173-D-101-S. 95/06/08. 11pp. 84596304-84596314

9507130925 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models 331-1 & 331-2. Certificate: CA-406-S-155-S. California, State of. CA-406-S-155-S. 95/12/15. 6pp. 84597019-84597020.

9507130944 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model BFH-85. Certificate: CA-406-S-155-S. California, State of. CA-406-S-155-S. 95/06/06. 5pp. 84597021-84597025

9507130930 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models NES-296, NES-297 & NES-298. Certificate: MA-476-S-181-S. SAVASTANO, A. Massachusetts, Commonwealth of. MA-476-S-181-S. 95/06/16. 10pp. 84596325-84596335

9507130953 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for models 105-106 & 107. Certificate: CA-471-D-101-B. California, State of. CA-471-D-101-B. 97/03/23. 5pp. 84597036-84597042.

9507130957 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models NES-290 & NES-293. Certificate: MA-476-S-181-S. Massachusetts, Commonwealth of. MA-476-S-181-S. 95/06/02. 4pp. 84596343-84596345

9507130945 Ack receipt of 950516 re forthcoming changes in policy funding of Agreement State training, travel & technical assistance. Staff assessing impacts of cost reimbursement decision & plans to present views to Commission. BANGART, R.L. Office of State Programs (Post 911117). 95/06/19. KUCHARSKI, W.A. Louisiana, State of. 6pp. 84597305-84597310.

9507130952 Ack receipt of 950516 re forthcoming changes to policy on funding Agreement State training, travel & technical assistance. Staff assessing impacts of cost reimbursement decision on program & plans to present views to Commission. BANGART, R.L. Office of State Programs (Post 911117). 95/06/18. STRONG, T.R. Washington, State of. 4pp. 84597311-84597316.

9507130964 Submits comments re forthcoming change in policy concerning fees for Agreement State training, travel & technical assistance. Expresses concern that decision made without consulting Agreement State partners. STRONG, T.R. Washington, State of. 95/05/18. THOMPSON, H. Dep Exec Dir for Nuc. Waste Safety, Safeguards & Operations Support (Post 990205). 2pp. 84597316-84597318

9507130964 Expresses appreciation for leadership in radiation protection, especially during tenure as Commissioner of NRC. MCBURNEY, R.E. Conference of Radiation Control Program Directors, Inc. 95/06/28. DE PLANQUE, E.G. Commissioners (Post 750116). 1p. 84598141-84598142

9507130955 Informs that plans approved for listed individuals to meet w/SA Jackson for introduction to CRCPD, per 950612 Wilson. Resumes of listed individuals and. HARDIN, C. Conference of Radiation Control Program Directors, Inc. 95/06/26. SHOENMAKER, J. Conference of Radiation Control Program Directors, Inc. 7pp. 84596319-84596323.

9507130966 Forwards draft licensing module on gamma stereotactic radiosurgery, for review & comment. LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-113 95/06/29. General 30pp. 84598002-84598031.

9507130968 Forwards request for contact within NRC to facilitate parallel process for releasing between NRC & CRCPD Working Group. BANGART, R.L. Office of State Programs (Post 911117). 95/06/19. MORRISON, D.L. NRC - No Detailed Affiliation Given. 4pp. 84596148-84596154

9507130970 Forwards quarterly RRI & interim measures progress rept. Next quarterly RRI/interim measures progress rept will be submitted by 951006. MAXIN, A.M. Nuclear Fuel Services, Inc. 21G-95-0093. 95/07/07. FARMER, G.A. Environmental Protection Agency TIESLEY, T. Tennessee, State of. 32pp. 84591331-84591362.

9507130872 Inform of 841205-08 review visit w/ Iowa Dept of Public Health personnel in Des Moines, IA & exit meeting on 941209 w/ listed attendees Selected program elements & indicators reviewed during visit.
LYNCH, J. Region 3 (Post 820201) 95/01/27 LOHAUS, P. Office of State Programs (Post 911117) 11pp 84596 032-84596 042

9507130880 Inform of routine review visit of Div of Radiation Control & Emergency Mgt, Arkansas Dept of Health, conducted in Little Rock etc. Subj discussed included reorganization of mfgs program & operation
BLANTON, R.L. Office of State Programs (Post 911117) 84/04/14 LOHAUS, P. H. Office of State Programs (Post 911117) 2pp 84596 111-84596 143

9507130887 Forwards requested info on Arkansas Agreement State Programs annual statistical updates for period of 950101-1231
KELLEY, R. Arkansas, State of SP-95-006 94/02/01 SCHWARTZ, S.A. Office of State Programs (Post 911117) 7pp 84596 197-84596 143

9507130891 Transmits of State Agreements Program info SP-95-004 re announcement for 940814-15 course entitled "Medical Use of Radionuclides for State Regulatory Personnel"
LOHAUS, P.H. Office of State Programs (Post 911117) SP-95-004 95/06/07 General 14pp 84596 330-84596 343

9507130895 Announces that annual All Agreement States meeting will be held 95030-1101 in Chicago, IL. Solicits suggestions for topics & speakers
LOHAUS, P.H. Office of State Programs (Post 911117) SP-95-006 95/06/16 General 2pp 84596 358-84596 359

9507130896 Forwards to re 950725 joint NRC/NMMA U recovery meeting. Registration form for person to attend meeting should be returned no later than 950710
LOHAUS, P.H. Office of State Programs (Post 911117) SP-95-100 95/07/03 General 8pp 84596 155-84596 188

9507130897 Confirms receipt of SSD transmittal SP-95-006 & informs that items 22-43, MA-0476-S-343-S through MA-0476-S-354-S. References 950823 telecon between L. Belling & K. Allen, informing K. Allen of missing certificates in SP-95-107
ALLEN, K. Illinois, State of SP-95-006 95/06/20 BOLLING, L. Office of State Programs (Post 911117) 1p 84595 360-84595 380

9507130900 Ack receipt of 950501 ltr to RL Bangart re forthcoming changes in NRC policy on funding of Agreement State training, travel & technical assistance
BANGART, R.L. Office of State Programs (Post 911117) 95/06/19 NELSON, D.H. Utah, State of 3pp 84606 159-84606 175

9507130911 Notices of 950911-12 Seated Source & Device evaluation workshop to be held in Rockville, MD
LOHAUS, P.H. Office of State Programs (Post 911117) SP-95-007 95/06/19 General 3pp 84606 176-84606 176

9507130910 Ack receipt of 950419 ltr to RL Bangart re forthcoming changes in NRC policy on funding of Agreement State training, travel & technical assistance
BANGART, R.L. Office of State Programs (Post 911117) 95/06/19 SWEENEY, J.E. New York, State of 3pp 84606 194-84606 203

9507130912 Ack receipt of 950519 ltr to RL Bangart re forthcoming changes in NRC policy on funding of Agreement State training, travel & technical assistance
BANGART, R.L. Office of State Programs (Post 911117) 95/06/19 HOFFMAN, R.J. Utah, State of 3pp 84606 344-84606 351

9507130916 Notices of position of Utah Radiation Control Board re state training, travel & technical assistance
HOFFMAN, R.J. Utah, State of 95/06/19 BANGART, R.L. Office of State Programs (Post 911117) 1p 84606 347-84606 351

9507130920 Ack receipt of 950525 ltr to RL Bangart re forthcoming changes in NRC policy on funding of Agreement State training, travel & technical assistance
BANGART, R.L. Office of State Programs (Post 911117) 95/06/19 HILL, T.E. Georgia, State of 2pp 84606 179-84606 186

9507130925 Responds to H. Rehms ltr re forthcoming changes in NRC policy on funding of Agreement State training, travel & technical assistance
HILL, T.E. Georgia, State of 95/06/25 BANGART, R.L. Office of State Programs (Post 911117) 3pp 84606 182-84606 186

9507130933 Forwards draft minutes, final report & draft to transcribing final results which needed to complete pilot program for Integrated Multi Performance Evaluation Program for Performance Agreement States
SCHNEIDER, J.C. Office of State Programs (Post 911117) 95/07/03 THOMPSON, J.H. NRC - No Detailed Affiliation Given BANGART, R.L. Office of State Programs (Post 911117) PAPERELLO, C. Office of Nuclear Material Safety & Safeguards 7pp 84597 301-84597 290

9507130936 "Integrated Multi Performance Evaluation Program Review of UT Agreement State Program," on 940613-14
Office of State Programs (Post 911117) 84/06/13 11pp 84597 009-84597 119

9507130938 "Integrated Multi Performance Evaluation Program Review of IL Agreement State Program," on 940719-22
Office of State Programs (Post 911117) 84/07/19 7pp 84597 120-84597 197

9507130939 "Integrated Multi Performance Evaluation Program Review of NH Agreement State Program," on 940815-19
Office of State Programs (Post 911117) 84/08/15 83pp 84597 198-84597 230

9507130940 Discusses shipment of radioactive waste mail sent to commercial LLRW disposal site operated by US Ecology, Inc. near Richland, WA. Insp. of shipment H-200 requested inspection of US Ecology Radioactive Waste License WH-019-2
POPDHAM, J.W. Washington, State of 95/02/22 WEAVER, L. Sempra Power Corp. (formerly Sempra Nuclear Power Corp., Advanced Nuclear Fuel) 2pp 84736 112-84736 113

9507140174 Requests asbestos evaluation of Anne Arundel County property adjacent to DLA Suspected asbestos contamination from transport panels which were broken off in ground w/potential remaining both above & below grade
WELLS, P.K. RUST Environmental & Infrastructure, Inc. (formerly SEG Donohue) 95/07/07 MCGUIRE, J.E. Maryland, State of 2pp 84738 350-84738 351

9507170018 PNC-IV-95-032 on 950711, inadvertent disposal of licensed 250 uCi Cs-137 source. Suspected that compensator installed in electronics associated w/Ormat model ASP-4 pipe density gauge Ormat notified licensee to investigate & make report
PRANGE, S., WENSLAWSKI, F. Walnut Creek Field Ofc, RA (Post 940404) 95/07/12 1p 84650 338-84650 338

9507180049 Georgia Institute of Technology clarification of response to Commissioner order issuing housekeeping stay * Georgia Tech agrees to remove nuclear fuel to off-site location W/Consent of Svc
DUNN, D.R., GUILDAY, P. Georgia Institute of Technology, Atlanta, GA DUNN, D.R. Georgia, State of 9395 16890 RIEN 85/07/12 5pp 84675 036-84675 040

9507180055 Comments on license change request 84-35, re license NFF-57 which proposed to remove currently specified response time testing for selected instruments & sensors from Hope Creek TS
TOSCH, K.W. New Jersey, State of 95/07/11 Document Control Branch (Document Control Desk) 2pp 84765 354-84765 355

9507180073 Discusses insp report 150-00026/95-01 on 950217-0517 & forwards notice of violation
SCARANO, R.A. Region 4 (Post 820201) 95/07/17 JOHNSON, L. Affiliation Not Assigned 6pp 84768 320-84768 329

9507180085 Notice of violation from insp on 950217 & 0517 Violation noted failed to report activities conducted using hydrochloric material in Douglas, WV on 19 occasions between 950530-1215
Region 4 (Post 820201) 95/07/17 4pp 84768 326-84768 329

9507190182 "Comprehensive Annual Financial Rept." for year ended 941231
Greely, CO 94/12/31 NRC - No Detailed Affiliation Given 23pp 84727 084-84727 267

9507200115 Forwards regulatory history package re final rev of fee schedules 100% fee recovery, FY95
HOLLOWAY, C.J. Office of the Controller (Post 950205) AF07-2 001 95/07/17 Document Control Branch (Document Control Desk) 4pp 84768 001-84768 114

9507200043 Forwards final rule re 100 percent fee recovery for FY95 for info & appropriate use W/O and
HOLLOWAY, C.J. Office of the Controller (Post 950205) AF07-2 013 95/06/13 BANGART, R.L. Office of State Programs (Post 911117) 1p 84768 052-84768 052

9507200122 FOIA request for list of businesses that use or store radiological materials or instruments in Fenelon Fire Protection District
ZUNDEL, M. Missouri, State of 94/12/30 Region 3 (Post 820201) 1p 84739 043-84739 043

9507200125 Final response to FOIA request for records App A records and 5 available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 95/01/31 ZUNDEL, M. Missouri, State of 2pp 84739 044-84739 046

9507200216 Discusses issues raised in meeting w/utl & Dept of Environ Quality on 941217 re wastewater land application permit 603 Details what PER needs to do to remedy concerns noted
CHANCELLOR, R.A. Wyoming, State of 94/01/16 KEARNEY, B. Power Resources Corp 4pp 84966 263-84966 265

9507200241 Outlines approach on listed key issues, as follow-up to discussions in 950619-21 meeting w/NRC in Casper, WY re American Nuclear Gas Hts project.
CHANCELLOR, R.A. Wyoming, State of 95/07/10 HOLLOWAY, C.J. High-Level Waste & Uranium Recovery Projects Branch (NMS 940403) 3pp 84777 331-84777 333

9507200367 Inform that Power Resources, Inc. permit rev to incorporate satellite 2/Wastewater Land Application Facility into Operations Plan for permit 603 has been reviewed by LOO & WOD staffs
SHAFER, R. Wyoming, State of 94/03/11 KEARNEY, B. Uranium Recovery Field Ofc, RA 3pp 84966 257-84966 259

9507200337 Responds to 950519 ltr written on behalf of constituent H. Witter of Insp Specialists, Inc. re fee charged for NRC insp
TAYLOR, J.M. Ofc of the Executive Director for Operations CCS 95/06/27 BREAUX, J. Seneca 1p 84782 281-84782 334

9507200336 Responds to 950503 ltr addressed to I. Sehn re invoice NRC0574-95 assessed for 951228 insp of licensed activities conducted at Federal facilities within FLOR & CA. 10CFR15, 19.30 & 150 and
SCROGGINS, R.M. Office of the Controller (Post 850205) CCS 95/06/19 WITTER, H.W. Inspection Specialists, Inc 45pp 84782 282-84782 338

9507200340 Expresses concerns re insp conducted at constituent H. Witter of Insp Specialists, Inc. facility in Maricao, LA. Requests that NRC investigate and info sent to J. Breaux & provide report
BREAUX, J. Seneca CCS 95/05/19 RATHBUN, D.K. Office of Congressional Affairs (Post 911117) 2pp 84782 327-84782 328

9507200342 Protests actions of NRC re insp on 951228
WITTER, H. Inspection Specialists, Inc. CCS 95/05/03 THE CHAIRMAN, SEN. J. Commissioners (Post 750119) 4pp 84782 328-84782 334

9507200343 Responds to 940228 request to hold meeting on outstanding issues of 940116 ltr from R. Chancellor & 940216 ltr to S. Morris. No meeting will be scheduled
SHAFER, R. Wyoming, State of 94/03/11 KEARNEY, B. Uranium Recovery Field Ofc, RA 3pp 84966 310-84966 311

9507200388 Forwards responses to audit observer inquiries submitted by State of NV prior to June Audit YMA-APP-95-12 of US Geological Survey
HORTON, D.G. Energy, Dept. of HLWR 95/07/11 LOUX, R.R. Nevada, State of 2pp 84815 162-84815 164

9507200395 Ack receipt of 950826 ltr informing NRC of steps taken to correct violations noted in insp report 15000036/95-052 on 950614
PASCIAK, W.J. Region 1 (Post 820201) 95/07/19 MCCANN, F.L. Rhode Island, State of 1p 84738 004-84738 007

180 NONDOCKETED ITEMS

9507210014 Responds to NRC 950614 re re violations noted in insp rept 15000036/95-002 on 950614 Corrective actions radiographer assistant audited upon due date of next quarterly audit to bring up into full compliance
MCCANN, L. Rhode Island, State of 95/06/26 Document Control Branch (Document Control Desk) 3pp 84738 005-84738 007

9507210034 Confirms 950710 telcon re predecisional enforcement conference scheduled on 950719 to discuss results of investigation of facility licensed activities
COLLINS, D.M. Region 2 (Post 820201) EA-95-101 95/07/11 SHELTON, J.L. Tascos Inc 3pp 84738 069-84738 060

9507210087 Comment supporting PR 10CFR80 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial
WYNN, G.F. Pennsylvania, Commonwealth of 80PR19002 00014 95/07/12 HOYLE, J.C. Office of the Secretary of the Commission 3pp 84738 063-84738 064

9507210079 Forwards requested site characterization study 8.3.1.17.4.3 re Yucca Mountain site quarterly meeting
BROOKS, J. Energy Dept. of HLWR 88/07/18 HOLONICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 2pp 84834 131-84834 296

9507210025 "Preliminary Evaluation of Bare Mountain Fault Zone, Tarrant County, Texas"
ANDERSON, L.W., KUNGER, R.E. Colorado, State of 95/07/18 20pp 84834 133-84834 165

9507210029 "Late Customer Ship Rate Estimates for Death Valley & Furnace Creek Faults, Death Valley, CA"
KUNGER, R.E., PIETY, L.A. Colorado, State of 95/07/18 45pp 84834 165-84834 296

9507210102 Responds to 940131 re concerning requested mechanical integrity tests conducted in A/B Wellfields Requests that wells L-24 & L-50, which did not pass testing be plugged & abandoned as soon as possible
MENNING, J. Wyoming, State of 84/02/14 KEARNEY, B. Power Resources Corp 1p 84836 327-84836 327

9507210117 Informs that review has been completed for initial monitoring of F Wellfield Requests that licensee submit test data details progression of mining for first eight wellfield patterns
MENNING, J. Wyoming, State of 84/01/21 KEARNEY, B. Power Resources Corp 2pp 84836 328-84836 329

9507210135 Informs that Power Resources, Inc permit revision request to reduce baseline sampling requirements of permit 603 has been reviewed by LQD & WQD staffs Receipt of its grants PFR permission to change operations plan as submitted
SHAFFER, R. Wyoming, State of 94/02/08 KEARNEY, B. Power Resources Corp 1p 84836 330-84836 330

9507210167 Responds to 950511 re written on behalf of constituent H. Water of Insp Specialists, Inc re fee charged for NRC insp rpt 10CFR150.20
TAYLOR, J.M. Ofc of the Executive Director for Operations CCS 95/06/27 LIVINGSTON, R.L. House of Rep 1p 84819 228-84819 346

9507210173 Forwards from H. Water of Insp Specialists, Inc re unannounced insp of facility Requests any info &/or assistance NRC could provide w/regard to matter
LIVINGSTON, R.L. House of Rep CCS 95/05/11 THE CHAIRMAN, SELINI Communications (Post 760119) 2pp 84819 328-84819 346

9507210241 Informs that Power Resources, Inc permit revision request to change number of casing volumes require to be removed from monitoring wells before water quality samples collected for permit 603 has been reviewed
SHAFFER, R. Wyoming, State of 84/02/28 KEARNEY, B. Uranium Recovery Field Ofc, R4 1p 84836 346-84836 346

9507210247 Discusses info concerning ground water quality issue of well M-63
SHAFFER, R. Wyoming, State of 84/02/16 MORZENT, S.P. Uranium Recovery Field Ofc, R4 2pp 84836 347-84836 348

9507210216 Comment opposing proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations
SPELL, W.H. Louisiana, State of 56FR3429 00086 95/06/07 TAYLOR, J.M. Ofc of the Executive Director for Operations 2pp 84751 329-84751 330

9507210238 Comment opposing proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations
HADDEN, J.R. North Carolina, State of 55FR9429 00087 95/05/23 TAYLOR, J.M. Ofc of the Executive Director for Operations 2pp 84751 333-84751 334

9507210253 Forwards NRC Readiness Assessment Team insp rpt & 950619 NRC IR which modified plant CAL & articulated NRC base for supporting conclusion that plant 3, ready to restart, as follows to response re
CORRELLA, N.F. Project Directorate I-1 (PD1-1) (Post 941001) CAL 95/07/14 GRUSKIND, New York, State of 2pp 84784 194-84784 351

9507210262 Comments on LBL 950418 submittal of license change request 94-26 re containment pressure/vacuum relief valves
TOGCH, K.W. New Jersey, State of 95/07/20 Document Control Branch (Document Control Desk) 2pp 84824 300-84824 301

9507210316 "NPDES Discharge Monitoring Rept for June 1994" W/840714 re
MAXIN, A.M. Nuclear Fuel Services, Inc 21G-94-0112 94/06/30 CROWNOVER, S. Tennessee, State of 3pp 84824 248-84824 260

9507210321 "NPDES Discharge Monitoring Rept for Oct 1994" W/841118 re
MAXIN, A.M. Nuclear Fuel Services, Inc 21G-94-0176 94/10/31 CROWNOVER, S. Tennessee, State of 3pp 84824 261-84824 270

9507210363 Forwards SC Radioactive Waste Transport Permit 0059-32-05, effective until 951231
AULTY, V.R. South Carolina, State of 94/12/19 KAISER, S.J. General Electric Co 2pp 84824 106-84824 107

9507210435 "NPDES Discharge Monitoring Rept for Sept 1994" W/941013 re
MAXIN, A.M. Nuclear Fuel Services, Inc 21G-94-0158 94/09/30 CROWNOVER, S. Tennessee, State of 12pp 84824 232-84824 243

9507210448 "Storm Water Monitoring Rept for Yr 931001-940300" W/841031 re
MAXIN, A.M. Nuclear Fuel Services, Inc 21G-94-0171 94/09/30 CROWNOVER, S. Tennessee, State of 3pp 84824 166-84824 174

9507210041 "NPDES Second Quarter 1995 Rept on Discharge Monitoring at Diablo Canyon Power Plant" W/950720 re
FLUMMOTO, W.H. Pacific Gas & Electric Co DCL-95-155 95/06/30 BRIGGS, R.W. California, State of 100pp 84829 148-84829 243

9507210069 Forwards NPDES supplemental info update to NPDES permit application/proposed rewrite of NPDES permit & supplemental info, description of requested permit changes & marked up of existing permit showing changes
CARTER, J.S. Duke Power Co 95/07/19 ELIZABETH, T.M. South Carolina, State of 85pp 84827 179-84827 264

9507210075 "Generator Quarterly Hazardous Waste Rept." for Susquehanna Steam Electric Station Units 1 & 2 for second quarter of 1995 W/950719 re
STANLEY, H.G., BELLES, T.D. Pennsylvania Power & Light Co 95/06/30 3pp 84828 303-84828 308

9507210098 Quarterly "RFI & Interim Measures (IM) Progress Rept" W/ 950707 re
MAXIN, A.M. Nuclear Fuel Services, Inc 21G-95-0092 95/06/30 FARMER, G.A. Environmental Protection Agency TRESLERT, Tennessee, State of 32pp 84828 168-84828 200

9507210128 Expresses appreciation for recent invitation to travel to Washington to meet w/UNG personnel & consultants
TRUM, L.O.D.M. New Mexico, State of 95/07/19 HOLONICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p 84825 369-84825 369

9507210288 Informs that plan reflects intentions rather than existing conditions, intended outcomes rather than actual procedures & apparently oral understandings rather than written commitments, per 950426 re & proposed emergency plan
CONNELLY, R.M. Ohio, State of 95/06/23 CESAR, D. Advanced Medical Systems, Inc 57pp 84836 001-84836 067

9507210283 Forwards minutes from 950619-21 into met & meetings w/Wyoming Dept of Environ Quality re NRC comments on American Nuclear Corp Reclamation Plan for Gas Hills, WY site & Dept of Environ Quality plans for completing site reclamation
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/07/21 MCQUEEN, M. Wyoming, State of 30pp 84836 128-84836 157

9507210307 Confirms recent discussion re review of radiation control program scheduled for 950815-17
WOODRUFF, R.L. Region 2 (Post 820201) 95/07/13 VOLPE, J.A. Kentucky Commonwealth of 1p 84799 135-84799 135

9507210305 Forwards settlement agreement which specifies terms discussed between R. Felt & N. Marsh on 950720 re civil penalty proposed in NOV & proposed imposition of civil penalties due 950628
LIEBERMAN, J. Ofc of Enforcement (Post 970413) EA-95-046 95/07/21 SISON, J.E. Quality Inspection Services, Inc 1p 84813 013-84813 016

9507210307 Confirms recent discussion re review of radiation control program scheduled for 950815-17
WOODRUFF, R.L. Region 2 (Post 820201) 95/07/13 VOLPE, J.A. Kentucky Commonwealth of 1p 84799 135-84799 135

9507210305 Forwards settlement agreement which specifies terms discussed between R. Felt & N. Marsh on 950720 re civil penalty proposed in NOV & proposed imposition of civil penalties due 950628
LIEBERMAN, J. Ofc of Enforcement (Post 970413) EA-95-046 95/07/21 SISON, J.E. Quality Inspection Services, Inc 1p 84813 013-84813 016

9507210307 Confirms recent discussion re review of radiation control program scheduled for 950815-17
WOODRUFF, R.L. Region 2 (Post 820201) 95/07/13 VOLPE, J.A. Kentucky Commonwealth of 1p 84799 135-84799 135

9507210305 Forwards settlement agreement which specifies terms discussed between R. Felt & N. Marsh on 950720 re civil penalty proposed in NOV & proposed imposition of civil penalties due 950628
LIEBERMAN, J. Ofc of Enforcement (Post 970413) EA-95-046 95/07/21 SISON, J.E. Quality Inspection Services, Inc 1p 84813 013-84813 016

9507210307 Confirms recent discussion re review of radiation control program scheduled for 950815-17
WOODRUFF, R.L. Region 2 (Post 820201) 95/07/13 VOLPE, J.A. Kentucky Commonwealth of 1p 84799 135-84799 135

9507210305 Forwards settlement agreement which specifies terms discussed between R. Felt & N. Marsh on 950720 re civil penalty proposed in NOV & proposed imposition of civil penalties due 950628
LIEBERMAN, J. Ofc of Enforcement (Post 970413) EA-95-046 95/07/21 SISON, J.E. Quality Inspection Services, Inc 1p 84813 013-84813 016

9507210307 Confirms recent discussion re review of radiation control program scheduled for 950815-17
WOODRUFF, R.L. Region 2 (Post 820201) 95/07/13 VOLPE, J.A. Kentucky Commonwealth of 1p 84799 135-84799 135

9507210305 Forwards settlement agreement which specifies terms discussed between R. Felt & N. Marsh on 950720 re civil penalty proposed in NOV & proposed imposition of civil penalties due 950628
LIEBERMAN, J. Ofc of Enforcement (Post 970413) EA-95-046 95/07/21 SISON, J.E. Quality Inspection Services, Inc 1p 84813 013-84813 016

9507210307 Confirms recent discussion re review of radiation control program scheduled for 950815-17
WOODRUFF, R.L. Region 2 (Post 820201) 95/07/13 VOLPE, J.A. Kentucky Commonwealth of 1p 84799 135-84799 135

9507210305 Forwards settlement agreement which specifies terms discussed between R. Felt & N. Marsh on 950720 re civil penalty proposed in NOV & proposed imposition of civil penalties due 950628
LIEBERMAN, J. Ofc of Enforcement (Post 970413) EA-95-046 95/07/21 SISON, J.E. Quality Inspection Services, Inc 1p 84813 013-84813 016

9507210307 Confirms recent discussion re review of radiation control program scheduled for 950815-17
WOODRUFF, R.L. Region 2 (Post 820201) 95/07/13 VOLPE, J.A. Kentucky Commonwealth of 1p 84799 135-84799 135

9507210305 Forwards settlement agreement which specifies terms discussed between R. Felt & N. Marsh on 950720 re civil penalty proposed in NOV & proposed imposition of civil penalties due 950628
LIEBERMAN, J. Ofc of Enforcement (Post 970413) EA-95-046 95/07/21 SISON, J.E. Quality Inspection Services, Inc 1p 84813 013-84813 016

9507210307 Confirms recent discussion re review of radiation control program scheduled for 950815-17
WOODRUFF, R.L. Region 2 (Post 820201) 95/07/13 VOLPE, J.A. Kentucky Commonwealth of 1p 84799 135-84799 135

9507210305 Forwards settlement agreement which specifies terms discussed between R. Felt & N. Marsh on 950720 re civil penalty proposed in NOV & proposed imposition of civil penalties due 950628
LIEBERMAN, J. Ofc of Enforcement (Post 970413) EA-95-046 95/07/21 SISON, J.E. Quality Inspection Services, Inc 1p 84813 013-84813 016

950727002 Responds to 950631 re providing comments on NRC draft rept. "Responsiveness to Public" did Mar 1995. Agrees that comment period for NRC rulemaking should be longer than 30 days in most circumstances.
BANGART, R.L. Office of State Programs (Post 911117). 95/07/20. FRAZEE, T.C. Washington, State of. 6pp. 84814:154-84814:159

950727007 Forwards list of students from States selected to attend 950614-18 Medical Uses of Radionuclides Courses. Notifies certain States that nominees could not be accommodated to attend course at present time.
LOHAUS, P.H. Office of State Programs (Post 911117). 5P-95-117 95/07/14. General. 14pp. 84814:180-84814:173

950727008 Forwards 930630 ltr to C Kammerer from L Anderson, 931027 memo to J Sumner from R Blanton, 940331 ltr to W Sinclair from R Bangart, FRN re "State of Utah" & 950505 ltr to W Sinclair from R Bangart as result of 950706 telcon.
BANGART, R.L. Office of State Programs (Post 911117). 95/07/07. MANCINI, A. Yankee Atomic Electric Co. 2pp. 84814:210-84814:244

950727008 Forwards recorded copy of executed Restrictive Covenants between Envirocare of UT & UT Dept of Environmental Quality. Action completes necessary steps to bring State of UT & NRC into complete agreement on land ownership/control issue.
ANDERSON, L.F. Utah, State of. 93/06/30. KAMMERER, C.C. Office of State Programs (Post 911117). 11pp. 84814:212-84814:244.

950727004 Forwards D-2.3 Agreement State Program Rept Procedures & Handbook, which describes responsibilities & procedures for preparation & review of repts documenting review of Agreement State radiation control program.
LOHAUS, P.H. Office of State Programs (Post 911117). 95/07/10. GORDON, C.Z. Region 1 (Post 820201). WOODRUFF, R.L. Region 2 (Post 820201). LYNCH, J.L. Region 3 (Post 820201). 9pp. 84814:265-84814:333

950727010 Rev C to "Handbook for Agreement States Review Repts."
Office of State Programs (Post 911117). 34/07/05 5pp. 84814:275-84814:333.

950727004 Responds to 950428 ltr to A Rogers, requesting info re capability of staff to evaluate performance assessment submitted as part of application for facility to be located near Santa Blanca.
HEBBS, M. Texas, State of. 95/07/11. BANGART, R.L. Office of State Programs (Post 911117). 5pp. 84814:334-84814:338.

950727006 Forwards staff rept on results of 941003-04 review visit to radioactive waste program.
BLANTON, R.L. Office of State Programs (Post 911117). 95/07/14. RICE, J.R. North Dakota, State of. 2pp. 84815:001-84815:004.

950727008 Informs that State of NC intends to send BJ Hollman to sealed source & device evaluation workshop, slot funded by NRC. Requests that slot also be reserved for JM Eaddy. State of NC will fund second slot.
HADEN, J.R. North Carolina, State of. 95/07/06. LOHAUS, P.H. Office of State Programs (Post 911117). 1p. 84814:354-84814:354.

950727002 Provides addl info requested during 950705 telcon re essential mains to be performed on Perry Nuclear Power Plant, inc water & circulating water sys.
SHELTON, D.G. Conformer Energy. P.Y.CEI/OEPA-022 95/07/21. UNDERWOOD, M. Ohio, State of. 5pp. 84851:300-84851:307.

950727015 Forwards sealed source & device registry certificates for addition to catalogue.
LOHAUS, P.H. Office of State Programs (Post 911117). CD-376-D-101-G. 95/07/14. General. 3pp. 84815:025-84815:137.

950727015 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Gas Chromatograph for model BKHC. Certificate: CO-376-D-101-G.
MONELL, M.J., MATTSON, C.E. Colorado, State of. CO-376-D-101-G. 94/02/15. 11pp. 84815:038-84815:043

950727016 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Gas Chromatography Detector Cell for model IBIRZ-53 (type 1) Certificate: CO-376-S-102-S.
MONELL, M.J., MATTSON, C.E. Colorado, State of. CO-376-S-102-S. 94/02/15. 7pp. 84815:044-84815:050.

950727017 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Gamma Source for Gauging & Calibration for model 193 Certificate: CA-406-S-126-S.
California, State of. CA-406-S-126-S. 95/06/26. 7pp. 84815:051-84815:058

950727019 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Beta Sources for Thickness Gauges for model TCB-1. Certificate: CA-406-S-128-S.
California, State of. CA-406-S-128-S. 95/06/21. 7pp. 84815:059-84815:065.

950727018 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of UV Emitting Light Source for model P/N T 4217-1. Certificate: NR-448-S-801-S.
RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-448-S-801-S. 95/06/07. 6pp. 84815:066-84815:070.

950727020 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of G-Level Tester for model T4217-1. Certificate: NR-470-D-801-E.
RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-470-D-801-E. 95/06/07. 4pp. 84815:071-84815:074.

950727020 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Moisture Gauge for model 300690. Certificate: NR-590-D-807-S.
RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-590-D-807-S. 95/06/01. 6pp. 84815:075-84815:077.

950727021 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Raffle Night Sight for models MR-331,332,335, 337,338,353,354,361,365 & 372. Certificate: NR-0830-D-801-E.
RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-0830-D-801-E. 95/05/11. 4pp. 84815:088-84815:091.

950727021 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Electron Capture Detector in Ohio Fuel Detector for model PD2F & PD2G. Certificate: NR-8032-D-801-S.
RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8032-D-801-S. 95/06/07. 6pp. 84815:092-84815:099.

950727021 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Density Gauge Source for model G.Certificate: NR-8033-S-801-S.
RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8033-S-801-S. 95/06/02. 6pp. 84815:100-84815:104

950727022 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Radiography Source Assembly for model MOD 1. Certificate: NR-8033-S-802-S.
RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8033-S-802-S. 95/06/05. 6pp. 84815:105-84815:110

950727023 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Beta Gauge for model JTI AT1-P Scanning Head. Certificate: NR-8034-D-801-S.
RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8034-D-801-S. 95/06/02. 10pp. 84815:111-84815:120

950727023 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Undersea Water Level Gauge for model P/N 0000400-1. Certificate: NR-8035-D-801-S.
RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8035-D-801-S. 95/06/07. 6pp. 84815:121-84815:127.

950727012 Responds to 950425 ltr providing comments on NRC draft rept. "Responsiveness to Public" did Mar 1995. Evaluation of elaboration of funding for Agreement State training has not been completed & comments will be part of evaluation.
BANGART, R.L. Office of State Programs (Post 911117). 95/07/20. QUILLIN, R.M. Colorado, State of. 6pp. 84815:138-84815:143

950727013 Ack receipt of 950626 ltr to Chairman Setn providing comments on changes in NRC policy on funding of Agreement State training, travel & technical assistance.
BANGART, R.L. Office of State Programs (Post 911117). 95/07/20. FLATER, D.A. Iowa, State of. 2pp. 84814:357-84814:358.

950727014 Forwards NRC final fee schedule for FY95 did 950619.
LOHAUS, P.H. Office of State Programs (Post 911117). 9P-95-112. 95/07/11. General. 6pp. 84815:144-84815:150

950727015 Forwards final minutes of Mgt Review Board mtg on 941220.
SCHNEIDER, K.N. Office of State Programs (Post 911117). 95/07/12. THOMPSON, H. NRC - No Detailed Affiliation Given. BANGART, R. Office of State Programs (Post 911117). PAPERELLI, C. Office of Nuclear Material Safety & Safeguards. 7pp. 84815:151-84815:157

950727008 Forwards draft chapter 15, "Financial Qualifications" of "Format & Content for Applications for Licensing of Non-Power Reactors" & "Safety Analysis Rept Review Plan & Acceptance Criteria for Non-Power Reactors" W/o and ADAMS.A. 95/07/19. RUPERT, C. Affiliation Not Assigned. 2pp. 84844:043-84844:044.

950728005 Responds to NRC 941226 ltr concerning deficiencies noted in map of program re performance of SSD product evaluations. Comments address assigned specifically qualified staff member to performance of SSD product evaluation.
BROWN, D.H. North Carolina, State of. 95/07/17. BANGART, R.L. Office of State Programs (Post 911117). 8pp. 84830:352-84830:359.

950728006 Notices that All Agreement States meeting will be held on 951030-1101 in Chicago, IL. Requests ideas for meeting by 950818.
RATLIFF, R.A. Organization of Agreement States. 95/07/19. General. 2pp. 84831:001-84831:002.

950728002 Discusses Agreement State Regulatory Programs. OAS provides vehicle for Agreement States to interact on common issues that affect individual states or all 28 Agreement States.
RATLIFF, R.A. Organization of Agreement States. 95/07/19. MYERS, J. House of Rep., Appropriations. 3pp. 84831:026-84831:028

950711002 Responds to request for name of one individual to attend Sealed Source & Device Workshop to be held 950811-13 in Rockville, MD.
COLLINS, S.C. Illinois, State of. 9P-95-087. 95/07/21. BANGART, R.L. Document Control Branch (Document Control Desk). 1p. 84843:022-84843:022.

950713010 NPDES discharge monitoring rpt for June 1995 for Hope Creek Generating Station W/860721 ltr.
LABALA, P.R., NIJKA, REDDEMANN, R. Public Service Electric & Gas Co. of New Jersey. 95/06/30. CORPORALE, G. New Jersey, State of. 23pp. 84888:340-84888:361

TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

950703017 Forwards nonproprietary & proprietary versions of licensing topical rept. "Thermal Hydraulic Stability Methods for BWRs." Proprietary rept withheld per 10CFR2.790.
EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). EBELING-KONING ASEA Brown Boveri, Inc. NRBWR-95-079. 95/06/19. 6pp. 84560:087-84560:186.

9507030112 CENPD-234-NP Nonproprietary "Thermal-Hydraulic Stability Methods for BWRs."
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) ASEA Brown Boveri, Inc. 95/05/31. 6pp. 84560:093-84560:159.

950703015 Informs that NRC staff found WOG action plan to be acceptable, pending receipt & review of WCAP-12244 rev 3 re Westinghouse Alloy 600 tube seal.
STROSHOLDER, J. 95/06/20. 9480908. 7pp. 84509:302-84509:320

950703017 Informs that most Westinghouse unit PM & some GE & B&W unit PM will be receiving license correspondence re disposition of Westinghouse alloy 600 mechanical tube plugs for steam generators.
STROSHOLDER, J. 95/02/02. 1p. 84509:308-84509:320.

950703018 Forwards 950602 Moon minutes re results of staff EPG analyses.
ULSES, T.P. 95/06/16. JONES, B. 2pp. 84518:323-84518:351

182 NONDOCKETED ITEMS

- 9507000286 Adverses that copyright clearances for references supporting US DOE response to NRC staff comments on topical rept, "Evaluation of Potentially Adverse Condition Evidence for Extreme Erosion During Quaternary Period" has been acquired. BROOKHOLM, J. Energy, Dept. of 95/08/12. BELL, M. J. Division of Waste Management (NRCSS 940403). 1 pp. 84512-263-84512-278.
- 9507000231 Forwards nonproprietary & proprietary versions of licensing topical rept, "Application of Regional Excursion W/Flow-Based APRM Neutron Flux Scram" Stability Solution (Option 10) to JA FitzPatrick NPP." Proprietary version withheld. CAHILL, L. J. Power Authority of the State of New York (New York Power Authority). JPN-85-032. 95/06/28. Document Control Branch (Document Control Desk). 6 pp. 84570001-84570040.
- 9507000236 GENE-637-044-0295 Nonproprietary version of "Application of Regional Excursion W/Flow-Based APRM Neutron Flux Scram" Stability Solution (Option 10) to JA FitzPatrick NPP." POST, J. S. General Electric Co. 95/02/28. 31 pp. 84570010-84570040.
- 9507000348 Transmits proprietary WCAP-1433-P & non-proprietary WCAP-1433-AP entitled "PRA of PFS & ESFAS Tests Times and Completion Times." NEWTON, R. A. Westinghouse Operating Plants Owners Group. OG-95-51. 95/06/20. Document Control Branch (Document Control Desk). 2 pp. 84569-138-84569-269.
- 9507000353 Requests that WCAP-14333, "Probabilistic Risk Analysis of RPS & ESFAS Test Times," be withheld. LIPARULO, N. J. Westinghouse Electric Corp. CAW-95-840. 95/06/20. RUSSELL, W. T. Office of Nuclear Reactor Regulation (Post 941001). 6 pp. 84569-138-84569-269.
- 9507000448 Submits SG tube alloy 800TT mechanical plug action plan clarification. LIPARULO, N. J. Westinghouse Electric Corp. NTD-NRC-95-4480. 95/06/21. Document Control Branch (Document Control Desk). 3 pp. 84570-179-84570-181.
- 9507000512 Requests for add info re BWR0G results of ongoing test program being conducted by BWR0G in support of owners group efforts to resolve BWR ECCS potential scram clogging issue. LYNN, M. D. 95/06/22. SCHARRO, R. Pennsylvania Power & Light Co. 13 pp. 84579-001-84579-013.
- 9507000571 Confirms that NRC staff concurs w/scope of sys interactions tests. QUAY, T. R. Standardization Project Directorate (POST) (Post 941001). 95/06/14. QUINN, J. E. General Electric Co. 4 pp. 84540-021-84540-024.
- 9507000581 Requests add info needed to meet proposed fuel loading date of 950924 re P/T test rept & accompanying Westinghouse Owners Group WCAP-14040. TALUP, S. TAC 859048. 95/06/27. KINGSLEY, O. D. Tennessee Valley Authority. 5 pp. 84530-241-84530-245.
- 9507000626 Forwards Rev 6 to Topical Rept TVA-NPOD69-A, "TVA Nuclear Organization Description," incorporating organizational changes announced through 950501. CARPER, P. P. Tennessee Valley Authority. 95/06/28. Document Control Branch (Document Control Desk). 2 pp. 84539-256-84539-310.
- 9507000622 TVA-NPOD69-A R06 Rev 6 to "TVA Nuclear Organization Description." Tennessee Valley Authority. 95/06/28. 50 pp. 84539-256-84539-310.
- 9507000638 Forwards FRN for STS July 1, "Availability," for review. GRIMES, C. I. 95/06/27. MEYER, D. L. Division of Information & Publications Services (Post 94714). 2 pp. 84539-356-84539-358.
- 9507000632 Notice of availability of five sets of improved STS Rev O that had been issued on 920829. GRIMES, C. I. 95/06/27. 3 pp. 84539-357-84539-358.
- 9507000633 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NPSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR. BENES, G. G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1 p. 84532-315-84532-315.
- 9507000635 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NPSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR. BENES, G. G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1 p. 84539-001-84539-002.
- 9507000641 Forwards Rev 0 to Licensing Topical Rept (LTR) NPSR-0111, "BWR Transient Analysis Methods." Requests NRC approval of LTR by issuance of SER prior to June of 1996. BENES, G. G. Commonwealth Edison Co. 95/06/28. Document Control Branch (Document Control Desk). 1 p. 84539-002-84539-002.
- 9507000652 NPSR-0111 R00 "BWR Transient Analysis Methods." FREEMAN, J. M. Commonwealth Edison Co. 95/06/23. 200 pp. 84599-003-84599-257.
- 9507000656 Notification of 950714 meeting w/B&W in Rockville, MD to discuss testing & results that provide data base for B&W corrosion & development of corrosion. HUANG, T. L. 95/06/21. JONES, R. C. 2 pp. 84565-196-84565-198.
- 9507000678 Notification of 950717 meeting w/EPR/NEI/industry to discuss status of current efforts involving steam generator integrity. Meeting originally scheduled for 950718. REED, T. A. 95/06/12. STROGNER, J. 4 pp. 84540-051-84540-054.
- 9507000628 Notification of 950710 meeting w/BWR0G in Rockville, MD to discuss implementation of enhanced option 1-A & proposed TS. HUANG, T. L. Office of Nuclear Reactor Regulation (Post 941001). 95/06/21. JONES, R. C. Office of Nuclear Reactor Regulation (Post 941001). 2 pp. 84568-262-84568-263.
- 9507000702 Requests that draft rept, "Metallographic Evaluation of Feedwater Nozzle to Safe-End Weld from River Bend Station, Unit 1," be placed in docket file & PDR. WIGGINTON, D. L. 95/06/26. 2 pp. 84555-128-84555-133.
- 9507000708 Provides proprietary suppl info re GE Licensing Topical Rept MEDC-32410P, "Nuclear Measurement Analysis & Control Power Range Neutron Monitor Reactor Plus Option III Stability Trip Function." End withheld. REIGEL, D. W. General Electric Co. MPR-090-95. 95/06/26. JABBOUR, K. NRC - No Detailed Attribution Given. 6 pp. 84522-303-84522-308.
- 9507000724 Forwards proprietary Vols IV of WCAP-14252, "AP600 Low-Pressure Integral Sys Test at Oregon State Univ Final Data Rept." Rept withheld from public disclosure per 10CFR2.790. LIPARULO, N. J. Westinghouse Electric Corp. NTD-NRC-95-4480. 95/06/13. QUAY, T. R. Document Control Branch (Document Control Desk). 4 pp. 84728-001-84728-011.
- 9507000725 Requests that proprietary Vols I-IV of WCAP-14252, "AP600 Low-Pressure Integral Sys Test at Oregon State Univ Final Data Rept" be withheld from public disclosure per 10CFR2.790. LIPARULO, N. J. Westinghouse Electric Corp. AW-95-829. 95/06/13. QUAY, T. R. Document Control Branch (Document Control Desk). 7 pp. 84728-005-84728-011.
- 9507000726 Forwards response to NRC 950113 RAI re BWR0G Topical Rept NEDC-32264, Rev 1, "Application of Probabilistic Safety Assessment to GL 69-10 Implementation" & addl section (Section 4.0) to NEDC-32264 in response to NRC concerns. PINELLURA, B. W. Owners Group. GL-69-10. 95/06/02. THADANILAC. 10 pp. 84513-205-84513-214.
- 9507000736 Forwards licensing TR suppl CENPD-293-P-RAI Mined, "BWR ECCS Evaluation Model: Response To Request For Addl Info On Suppl 1 to Code Description & Qualification." Rept withheld. KOWING, D. B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). KOWING, D. B. ASEA Brown Boveri, Inc. NPBWR-95-086. 95/06/28. Document Control Branch (Document Control Desk). 6 pp. 84622-297-84622-302.
- 9507000734 Forwards proprietary preliminary responses to requests for addl info re WCAP-12045-P-End withheld. LIPARULO, N. J. Westinghouse Electric Corp. NTD-NRC-95-4480. 95/06/29. Document Control Branch (Document Control Desk). 2 pp. 84682-127-84682-128.
- 9507110022 Adverses of intent & need to utilize methodology changes in Rev 2 of TR BAW-10169A for upcoming cycle (19) of Catawba Nuclear Station, Unit 1. TUCKMAN, M. S. Duke Power Co. 95/06/30. Document Control Branch (Document Control Desk). 2 pp. 84695-009-84695-010.
- 9507110146 Informs that resubmittal of responses to request for addl info re topical rept CENPD-900-P, "Reference Safety Rept for BWR Reload Fuel" have not been received w/Responses due by 950714. JONES, R. C. 95/06/29. EBEUNG-KOHING, ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1 p. 84567-202-84567-202.
- 9507110172 Notification of 950710 meeting w/BWR0G in Rockville, MD to discuss implementation of enhanced option 1-A & proposed TS. HUANG, T. L. Office of Nuclear Reactor Regulation (Post 941001). 95/06/21. JONES, R. C. Office of Nuclear Reactor Regulation (Post 941001). 2 pp. 84516-275-84516-275.
- 9507110228 Notification of 950721 meeting w/ind in Rockville, MD to discuss BG&E submittal plans for 1995, including "topical" (sys) rept submittal schedule, NRC review schedule & other license renewal issues. REYNOLDS, S. A. License Renewal & Environmental Review Project Directorate (PDR) (Post 941001). 95/06/30. NEWBERRY, S. F. License Renewal & Environmental Review Project Directorate (PDR) (Post 941001). 2 pp. 84587-248-84587-248.
- 9507110288 Notification of 950707 meeting w/industry in Rockville, MD to provide NRC technical staff overview of accident management related changes to EPG Rev 4 & rationale for changes. PALLA, R. L. 95/06/29. BERLINGER, C. H. 3 pp. 84587-139-84587-141.
- 9507110288 Forwards proprietary response to addl info to support review of Topical Rept WCAP-13360, Response withheld per 10CFR2.790. LIPARULO, N. J. Westinghouse Electric Corp. NTD-NRC-95-4480. 95/06/30. JONES, R. C. 2 pp. 84728-022-84728-031.
- 9507110293 Requests that proprietary response to addl info to support review of Topical Rept WCAP-13360, be withheld, per 10CFR2.790. LIPARULO, N. J. Westinghouse Electric Corp. AW-95-854. 95/06/30. JONES, R. C. 6 pp. 84728-324-84728-331.
- 9507130236 Responds to 941123 ltr which notifies NRC of organizational changes affecting sys & projects quality organization. Changes should be reflected in next rev to NEDC-11209-04A. BLACK, S. C. 95/07/03. SICKP W General Electric Co. 1 p. 84631-354-84631-354.
- 9507130272 Notification of 950711 meeting w/WPOG, CSOG & BWOOG in Rockville, MD to discuss topics of interest including OCRM penetration into schedule. Portions of meeting proprietary in nature. CARPENTER, C. E. Project Directorate I-1 (PD-1) (Post 941001). 95/06/29. MARSHALL, B. Project Directorate I-1 (PD-1) (Post 941001). 2 pp. 84531-352-84531-353.
- 9507140107 Forwards Licensing Topical Rept NEDC-32485, "BWR0G Reactor Stability Detect & Suppress Solutions Licensing Basis Methodology & Reload Applications" for review & approval. PINELLURA, B. W. Owners Group. BWR0G 95057. 95/06/28. JONES, R. C. 2 pp. 84634-100-84634-210.
- 9507140196 NEDC-32485 "BWR0G Reactor Stability Detect & Suppress Solutions Licensing Basis Methodology & Reload Applications." LEH, H. M. Electric Co. LEHMAN, C. R. Pennsylvania Power & Light Co. LEHRMANCO, M. P. Yankee Atomic Electric Co. 95/06/31. 107 pp. 84634-102-84634-210.
- 9507170430 Forwards Generic Technical Rept WCAP-14422, "License Renewal Evaluation Aging Mgt for Reactor Coolant Sys Supports." NEWTON, R. A. Westinghouse Operating Plants Owners Group. OG-95-57. 95/07/13. 3 pp. 84773-206-84773-273.
- 9507170412 WCAP-14422 "License Renewal Evaluation Aging Mgt for Reactor Coolant Sys Supports." MEYER, T. A., LAPAY, W. S., YANG, C. Y. Westinghouse Electric Corp. 95/07/31. 6 pp. 84773-209-84773-273.

9507180895 Notification of 950719 meeting w/BWRVIP in Rockville, MD to discuss topics of interest including summaries from Technical committees & 1995/1996 BWRVIP program plan. Portions of meeting will be proprietary in nature.
CARPENTER, C.E. Project Directorate I-1 (PD-1) (Post 941001). 95/07/11.
MARSH, L.B. Project Directorate I-1 (PD-1) (Post 941001). 2pp. 84896/847-84899/349

9507180994 Forwards errata sheet for proprietary Rev 3 to WCAP-14046 & errata sheet for nonproprietary Rev 3 to WCAP-14047, correcting typos on Page 4-139 Proprietary Rev 3 to WCAP-14046 withheld.
POHLYOUS, H.D. Commonwealth Edison Co. 95/07/12. Document Control Branch (Document Control Desk). 2pp. 84875/047-84875/049

9507180943 WCAP-14047 R03 ERR Nonproprietary errata to Rev 3 to WCAP-14047, "Grandwood Unit 1 Technical Support for Cycle 5 Steam Generator Internal Plugging Outlets," correcting Page 4-139 Figure 100.
* Westinghouse Electric Corp. 95/09/31. 1p. 84875 049-84875/049

9507180130 Forwards add info requested following 950611 meeting w/NRC re unresolved items from Oct 1993 sys based M/C map repts 50-315/93-12 & 50-216/93-12.
FITZPATRICK, Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) AEP/NRC-118412. 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84785/001-84785/269

9507180149 Requests that proprietary WCAP-13901, "Westinghouse Seismic Methodology for Protection Sys. D/C Unit 2" be withheld from public disclosure per 10CFR2.780.
LIPARULO, N.J. Westinghouse Electric Corp. CAW-95-830. 95/06/26. RUSSELL, W. Document Control Branch (Document Control Desk). 18pp. 84785/067-84785/085

9507180151 WCAP-7306 "RPS Diversity in Westinghouse PWRs"
BURNETT, T.W., DORRICO, J.W., RISHER, D.H. Westinghouse Electric Corp. 68/04/30. 100pp. 84785/006-84785/259

9507180194 Forwards summary of Westinghouse best-estimate LOCA methodology.
LIPARULO, N.J. Westinghouse Electric Corp. NTD-NRC-95-4505. 95/07/12. Document Control Branch (Document Control Desk). 2pp. 84785/257-84785/258

9507180222 Forwards proprietary WCAP-14425, "Evaluation of AP600 Conformance to Inter-Sys LOCA Acceptance Criteria," per discussions held at 950327, 0425 & 0710 meetings w/NRC Rept withheld per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. NTD-NRC-95-4506. 95/07/13. QUAY, T.R. Document Control Branch (Document Control Desk). 4pp. 84786/260-84786/270

9507180224 Requests that proprietary WCAP-14425, "Evaluation of AP600 Conformance to Inter-Sys LOCA Acceptance Criteria" be withheld from public disclosure per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. AW-95-991. 95/07/13. QUAY, T.R. Document Control Branch (Document Control Desk). 7pp. 84785/264-84785/270

9507180254 Forwards proprietary licensing TR (LTR) suppl. CENPD-283-P-RAI & non-proprietary LTR suppl. CENPD-283-P-RAI titled, "BWR ECCS Evaluation Model Response to RAI on Code Sensitivity for SVEA-96 Fuel." Proprietary suppl. withheld.
EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) EBELING-KONING ASEA Brown Boveri, Inc. NFBWR-95-087. 95/07/07. 8pp. 84761/330-84761/381

9507180257 CENPD-283-P-RAI Nonproprietary "BWR ECCS Evaluation Model Response to RAI on Code Sensitivity for SVEA-96 Fuel"
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. TAC M88126. 95/08/30. 26pp. 84761/330-84761/381

9507180273 Forwards proprietary & nonproprietary licensing TR (LTR) suppl. CENPD-283-P-RAI & CENPD-283-P-RAI respectively, titled, "Fuel Rod Design Methods for BWRs Response to RAI." Proprietary LTR suppl. CENPD-283-P-RAI withheld.
EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) EBELING-KONING ASEA Brown Boveri, Inc. NFBWR-95-091. 95/07/13. 2pp. 84776/306-84776/337

9507180276 CENPD-283-P-RAI Nonproprietary "Fuel Rod Design Methods for BWRs Response to RAI."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. TAC M88188. 95/07/31. 51pp. 84776/307-84776/337

9507180385 Requests add info re WCAP-14040, "Methodology Used to Develop Cold Overpressure Mitigating Sys Setpoints & RCS Heatup & Cooldown Limit Curves."
GRIMES, C.J. 95/07/11. NEWTON, R.A. Westinghouse Electric Corp. 10pp. 84725/351-84725/360

9507180437 Notification of cancelled 950711 meeting w/Westinghouse Owners Group, C.E. Owners Group & B&W Owners Group in Rockville, MD to discuss CRD mechanism penetration map schedule.
CARPENTER, C.E. Project Directorate I-1 (PD-1) (Post 941001). 95/07/07.
MARSH, L.B. Project Directorate I-1 (PD-1) (Post 941001). 2pp. 84711/354-84711/355

9507180444 Notification of 950718 meeting w/Westinghouse in Rockville, MD to discuss best estimate LOCA evaluation model.
ORR, F.R. 95/07/07. JONES, R.C. 2pp. 84725/329-84725/329

9507180448 Notification of 950711 meeting w/KSSS Owners Group & NEI in Rockville, MD to discuss STS improvements & related issues.
GRIMES, C.J. 95/07/06. GRIMES, B.K. 3pp. 84726/245-84726/245

9507180466 Summary of 950606 meeting w/W to topical rept WCAP 13390, "W Dynamic Rod Worth Measurements Technique."
CHATTERTON, M.S. 95/07/11. JONES, R.C. 2pp. 84739/304-84739/305

9507180475 Revised notification of 950720 meeting w/Westinghouse Owners Group in Bethesda, MD to discuss issue re relocation of RCS P/T limits (WCAP-14040).
HAROLD, J.F. Project Directorate I-1 (PD-1) (Post 941001). 95/07/13. MARSH, L.B. Project Directorate I-1 (PD-1) (Post 941001). 2pp. 84727/360-84727/362

9507180507 Forwards summary that will be presented at 23rd Water Reactor Safety Meeting during Generic Issue - BWR ECCS Strainer Blockage session Paper entitled, "Regulatory Perspective on BWR ECCS Strainer Blockage Issue."
ELLIS, J.R. 95/07/14. MONTELEONE, S. Brookhaven National Laboratory. 4pp. 84726/174-84726/177

9507180506 Summary of 950622 meeting w/members of Boiling Water Reactor Vessel & Internals Project in Charlotte, NC to discuss status of ongoing programs re reactor vessel & internals integrity issues w/ list of attendees & handout.
CARPENTER, C.E. Project Directorate I-1 (PD-1) (Post 941001). 95/07/13. Project Directorate I-1 (PD-1) (Post 941001). 12pp. 84727/344-84727/355

9507180511 Summarizes 950801 meeting w/B&W Vessel Working Group in Rockville, MD to present fracture toughness data to demonstrate alternative method for determining steel ref temp for Linde 80 welds w/ attendance list & handout.
MODONALDO, G. Project Directorate I-1 (PD-1) (Post 941001). 95/07/11. STROSNICK, J.R. 76pp. 84727/288-84727/343

9507180575 Notification of 950720 meeting w/Westinghouse Owners Group in Bethesda, MD to discuss Topical Report 14040.
HAROLD, J.F. Project Directorate I-1 (PD-1) (Post 941001). 95/07/11. MARSH, L.B. Project Directorate I-1 (PD-1) (Post 941001). 2pp. 84738/337-84738/339

9507180225 Forwards non-proprietary Licensing Topical Repts Suppl. CENPD-283-P-RAI & proprietary CENPD-283-P-RAI, "ABB Seismic/LOCA Evaluation Methodology for Boiling Water Fuel Response." Proprietary rept withheld per 10CFR2.790.
EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) NFBWR-95-082. 95/07/17. 6pp. 84831/247-84831/268

9507180228 CENPD-283-P-RAI Non-proprietary Licensing Topical Repts Suppl. CENPD-283-P-RAI titled, "ABB Seismic/LOCA Evaluation Methodology for Boiling Water Fuel Response to Request for Add'l Info."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). TAC M88669. 95/07/17. 16pp. 84831/254-84831/268

9507180278 Informs of plans to reduce or eliminate TR BAW-10168 review efforts for FY98.
TAYLOR, J.H. Babcock & Wilcox Co. JHT-95-65. 95/07/08. THADAN, A.C. NRC. No Detailed Affiliation Given. 2pp. 84821/236-84821/237

9507180413 Forwards Addendum 4 to WCAP-12245, Rev 3, entitled, "Addendum 4 to SG Tube Plug Integrity Summary Rept." dated May 1995 w/o add.
LIPARULO, N.J. Westinghouse Electric Corp. NTD-NRC-95-4508. 95/07/13. Document Control Branch (Document Control Desk). 2pp. 84822/357-84822/358

9507180472 Responds to 950614 IR & affidavit requesting that NRC withhold from public disclosure EPRI owned proprietary info contained in listed computer software & rept.
SHERON, B.W. 95/07/18. KENNY, A. Electric Power Research Institute. 3pp. 84778/241-84778/242

9507180483 Forwards SE accepting use of enhanced computer codes re topical rept. NUSCO-152, addendum 4, "Physics Methodology for PWR Flooded Design."
ROONEY, V.L. Project Directorate I-3 (PD-3) (Post 941001). TAC M81815. 95/07/18. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 84778/340-84778/345

9507180482 Safety evaluation accepting use of enhanced computer codes re topical rept. NUSCO-152, addendum 4, "Physics Methodology for PWR Flooded Design."
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 6pp. 84778/344-84778/348

9507180474 Transmits response to request for add'l info re WCAP-14040, rev 1, "Methodology Used to Develop Cold Pressure Mitigating Sys Setpoints & RCS Heatup & Cooldown Limit Curves."
BUSH, L. Westinghouse Operating Plants Owners Group. OG-95-061. 95/07/18. Document Control Branch (Document Control Desk). 23pp. 84824/063-84824/065

9507180493 Forwards nonproprietary WCAP-14308, "AP500 LOFT/TRAN-AP & LOFT/TRAN-AP Final Verification & Validation Rept."
LIPARULO, N.J. Westinghouse Electric Corp. NTD-NRC-95-4512. 95/07/19. QUAY, T.R. Document Control Branch (Document Control Desk). 1p. 84827/001-84827/176

9507180588 WCAP-14308 R03 Nonproprietary "AP500 LOFT/TRAN-AP & LOFT/TRAN-AP Final Verification & Validation Rept."
* Westinghouse Electric Corp. 95/07/31. 180pp. 84827/002-84827/176

9507250130 Application for amendments to licenses DPR-53 & DPR-59, revising TS 5.2.1 to allow use of test fuel assemblies & requests temporary action from requirements of 10CFR50.46, 10CFR50.44 & 10CFR50. App K for CENEP Unit 1.
DENTON, R.E. Baltimore Gas & Electric Co. 95/07/13. Document Control Branch (Document Control Desk). 3pp. 84827/265-84827/266

9507250156 CEN 425-P R03-AP Nonproprietary "GER for use of Advanced Zirconium-Based Cladding Metals in Core Fuel, Unit 1 Batch R Lead Fuel Assemblies."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. 95/06/31. 40pp. 84827/225-84827/226

9507180412 Forwards nonproprietary WCAP-14420 & proprietary WCAP-14419, "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar," in response to NRC 950908 RAI on sub Proprietary WCAP-14419 withheld per 10CFR2.790.
BARNHART, R. Tennessee Valley Authority. TAC M81682. 95/07/20. Document Control Branch (Document Control Desk). 3pp. 84851/024-84851/072

9507250153 WCAP-14420 Nonproprietary "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar."
MOON, M.W., TULEY, G.R. Westinghouse Electric Corp. 95/06/30. 36pp. 84851/027-84851/083

9507250154 Requests that proprietary WCAP-14419, "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar" be withheld from public disclosure per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. CAW-95-848. 95/07/06. RUSSELL, W.T. Document Control Branch (Document Control Desk). 3pp. 84851/064-84851/072

9507250225 Forwards nonproprietary rev 3 of BAW-10064-A & proprietary rev 3 of TR BAW-10064-A both entitled, "Program To Determine In-Reactor Performance Of BWR Fuel - Cladding Creep Collapse." BAW-10064-A withheld.
TAYLOR, J.H. Babcock & Wilcox Co. JHT-95-66. 95/07/16. Document Control Branch (Document Control Desk). 1p. 85045/027-85045/07

184 NONDOCKETED ITEMS

9507260038 BAW-10064-A RCG "Program To Determine In-Reactor Performance Of BWR Fuel Cladding Creep Collapse."
MILLET, MITCHELL, MEYER, G. Babcock & Wilcox Co. 95/07/01. 184pp. 95045228-85045167.

9507260045 Forwards proprietary preliminary response to requests for add info re WCAP-12945-P, "Westinghouse Code Qualification Document for Best Estimate LOCA Analysis." End withheld per 10CFR2.790.
LIPARULON, J. Westinghouse Electric Corp. NTD-NRC-95-4511. 95/07/19. Document Control Branch (Document Control Desk). 2pp. 84871343-84871344.

9507260061 Forwards calculation VBS-R395-2 Rev 0 & ten pages of details per NRC 950720 request.
NETZEL, R.J. Sergeant & Lundy, Inc. 95/07/21. YOUNG, F.L. 1p. 84854159-84854158.

9507260297 Notification of 950727 meeting w/EPRI/Terry Turbine Users Group in Kansas City, MO to discuss NRC concerns about Terry Turbine reliability.
MCCRACKEN, C.E. 95/07/20. HOLAHAN, G.M. 1pp. 84816326-84816328.

9507270169 LER 95-011-00 on 950222, inconsistency between WCAP-11634 analysis used for postulated steam line break outside containment & updated FSAR was discovered due to inadequate design review. W/950721 tr.
PASTVAM, J. WARREN, C.C. Public Service Electric & Gas Co. of New Jersey. 95/07/21. 84867341-84867342.

9507270068 Forwards proprietary emails & revised pages for "Final Data Report for AD6 Phase B1 Tests" (WCAP-14324), transmitted via 950413 tr. Revised electronic copy of test data included in WCAP-14324 also sent. Ends withheld per 10CFR2.790.
LIPARULON, J. Westinghouse Electric Corp. NTD-NRC-95-4516. 95/07/24. QUAY, T.R. Document Control Branch (Document Control Desk). 4pp. 84871345-84871355.

9507270288 Summary of 950707 meeting w/BWR Owners Group re accident mgt activities. List of attendees & copy of presentation mailed and.
PALLAR, L. 95/07/20. HOLAHAN, G.M. 1pp. 84842269-84842287.

9507270042 Forwards nonproprietary TR BAW-10183-A, "Fuel Rod Gas Pressure Criterion (FRPGC)" & proprietary TR BAW-10183-P, "FRPGC." Proprietary TR BAW-10183-P-A withheld.
TAYLOR, J.H. Babcock & Wilcox Co. JHT/95-73. 95/07/24. Document Control Branch (Document Control Desk). 1p. 84873289-84873293.

9507270046 BAW-10183-A Nonproprietary "Fuel Rod Gas Pressure Criterion (FRPGC)."
WESLEY, D.A., FARNSWORTH, D.A., MEYER, G.A. BAW Fuel Co. 95/07/31. 72pp. 84873289-84873296.

9507280038 Notification of corrected 950727 meeting w/EPRI/Terry Turbine Users Group in Kansas City, MO to discuss NRC concerns about Terry Turbine reliability.
MCCRACKEN, C.E. 95/07/21. HOLAHAN, G.M. 2pp. 84842288-84842289.

9507280009 Forwards info requested by GE Nuclear Energy on 950720 re staff ATWS/stability EPF calculations.
ULSES, T.P. 95/07/25. 2pp. 84868106-84868113.

9507310278 Expresses appreciation for providing needed info re TRACG analysis.
DALE, J.E. General Electric Co. 95/07/20. ULSES, T.P. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 84888110-84888113.

9507310834 RAI re rev 1 to DPG-NE-3002, "FSAR Chapter 15 Sys Transient Analysis Methodology," for stated plants.
MARTIN, R.E. TAC M88946. 95/07/25. TUCKMAN, M.S. Duke Power Co. 8pp. 84888335-84888340.

9507310190 Discusses 950628 conference call w/BAW & utility to discuss UM 950612 tr to NRC re topical rept BAW-2228.
GRUNDORF, L.L. 95/07/21. MARCUS, G.H. 4pp. 84879347-84879350.

9507310195 TS Change 182 to License DPR-38, modifying TS 3.12.B by adding exception to permit once per cycle 10 day remedial action time for repair purposes consistent w/CE NPSD-286. TS change is proposed.
FRIZZLE, C.D. Maine Yankee Atomic Power Co. MNA-95-03. 95/07/24. Document Control Branch (Document Control Desk). 6pp. 84903035-84903043.

9507310199 Summary of 950718 meeting w/EPRI/ATP in Rockville, MD re implementation of RPY traps as required by 10CFR50.55a(g)(4) (b)(A), "Augmented Excess of Reactor Vessel."
BATTIGE, C.K. 95/07/25. STROSHEDER, J.R. 81pp. 84898091-84898142.

9507310277 Notification of 950419 meeting w/EPRI in Rockville, MD to discuss basic & implementation of EPRI TR-10350 guidance for engineering design change process.
BLACK, S.C. 95/04/06. SPESSARD, R.L. 3pp. 84908292-84908296.

9507310244 L-2023-B-1 R00 Technical R1 rept, "Assessment of Safety-Related Pumps & Valves not Included in Section 20.1ST Program."
DIBASIO, A., GROVE, E., TRAVIS, R. Brookhaven National Laboratory. FIN L-2023. 95/05/09. Office of Nuclear Regulatory Research (Post 941217). 32pp. 84902225-84902256.

WASTE MGT NUCLEAR WASTE MANAGEMENT

9508200180 Forwards copies of documents from West re Grover site decontamination, decommissioning & reclamation.
WEAVER, K.L. Colorado, State of. 87/01/22. GARCIA, P. Uranium Recovery Field Ok. RA. 1p. 84376001-84377223.

9508220199 Response to 950505 tr to Chairman Selin re NRC efforts to develop workable & environmentally sound policy to facilitate disposal of incident-generated mixed waste from waste producing facilities.
TAYLOR, J.M. Dir. of the Executive Director for Operations. CCS. 95/06/06. TANNER, J. House of Rep. 8pp. 84798066-84798068.

9507200066 Comments NRC efforts to develop workable & environmentally sound policy to facilitate disposal of low-level mixed waste at EPA-permitted hazardous waste landfills.
TANNER, J. House of Rep. CCS. 95/05/05. THE CHAIRMAN, SELIN, Commissioners (Post 750119). 2pp. 84798067-84798068.

9507260041 Advises NRC that EPA has completed review of PR 10CFR60 re disposal of high-level radwaste in geologic repositories. EPA has no comments.
SAMERSON, R.E. Environmental Protection Agency. 95/06/20. WELLS, R.A. Division of Waste Management (NMSS 940403). 1p. 84561182-84561182.

9507260061 Informal technical exchange scheduled for 950731 to engage in further discussions about characterization of pneumatic pathways at Yucca Mountain.
GRIEVE, J.T. Division of Waste Management (NMSS 940403). HLWR. 95/06/23. LOUX, R.R. Nevada, State of. 8pp. 84559072-84559076.

9507260063 Advises that NRC has completed review of addendum to application for permit for Cameo Power Plant, 845510. NRC concludes that concerns re application have been resolved.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/26. VIRGONA, J.E. Energy, Dept. of. 2pp. 84561171-84561172.

9507260068 Advises that NRC has concluded that specification changes proposed in Project Interface Document (PID) 06-S-40 acceptable.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/26. SENAR, R.F. Energy, Dept. of. 4pp. 84561175-84561178.

9507260074 Trip rept of 950623-25 visit Lakewood, OR UMTRA Title I site re observation of seepage from cell.
ROM, D. Engineering & Geosciences Branch (NMSS 940403). 95/06/26. NATARAJA, M.S. Engineering & Geosciences Branch (NMSS 940403). 2pp. 84561179-84561180.

9507260190 Forwards "Draft BTP on Disposition of Cs-137 Contaminated Emission Control Dust & Other Incident-Related Matter."
LAHS, W.R. Division of Waste Management (NMSS 940403). 95/06/19. KENNEDY, T. Association of State & Territorial Solid Waste Management Officials (ASTSWMO). 2pp. 84561001-84561025.

9507260196 Informal that data acquired from Boneholes NRG-4, NRG-6, NRG-7A & ONC-1 sent to WH Ford on 950616 in accordance w/NRC verbal request for pneumatic pressure data. Subj data provided to State of NV under separate cover.
BROCCUM, S.J. Energy, Dept. of. HLWR. 95/06/23. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84559033-84559034.

9507260204 Forwards Rev 2C to Design Analysis BABEAD000-01717-0200-00003, "Exploratory Studies Facility (ESF) Layout Calculation." Design analysis part of ESF Title I Main Draft design (Design Package 8A).
BROCCUM, S.J. Energy, Dept. of. HLWR. 95/06/23. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 84559035-84559063.

9507260207 BABEAD000-01717-0200 Rev 2C to BABEAD000-01717-0200-00003, "Exploratory Studies Facility Layout Calculation."
KENNEDY, W.R. Energy, Dept. of. HLWR. 95/06/23. 25pp. 84559039-84559063.

9507260208 Advises that copyright clearances for references supporting US DOE responses to NRC staff comments on topical rept, "Evaluation of Potentially Adverse Condition Evidence for Extreme Erosion During Calumetary Period" has been acquired.
BROCCUM, S.J. Energy, Dept. of. 95/06/12. BELL, M.J. Division of Waste Management (NMSS 940403). 16pp. 84512263-84512278.

9507260202 Forwards documents received by DOE 950424 tr re entry of DOE-related documents into Central Files.
LEFEVRE, J. Division of Waste Management (NMSS 940403). 95/06/19. GREENE, T. NRC - No Detailed Affiliation Given. 1p. 84512278-84512278.

9507260200 Forwards document, "Hold on Tunnel Boring Machine Operation to Prevent Potential Loss of Data..." explaining NRC view that DOE should determine when to release hold point at geologic contact between stated units.
ALSTIN, J.H. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 95/05/06. GRIEVE, J.T. Division of Waste Management (NMSS 940403). 12pp. 84559115-84559126.

9507260205 Forwards comments on draft BTP on disposition of Cs-137 contaminated emission control dust & other incident-related matter.
ROSENCHUCK, N.H. New York, State of. 95/06/22. LAHS, W. Division of Waste Management (NMSS 940403). 5pp. 84561128-84561132.

9507260206 Forwards documents received from DOE to be placed into AD/ RUDS & NUDDS Sys.
DELLIGATTI, M. Division of Waste Management (NMSS 940403). HLWR. 95/06/26. RIDLEY, S. NRC - No Detailed Affiliation Given. 1p. 84806197-84806283.

9507260208 TPP 82-12 R03 Rev 3 to Test Planning Package 92-12, "Hydrochemistry Tests in Exploratory Studies Facility." W/Document Action Requests 0035A & 0037A.
OLIVER, R., HAYES, L., JONES, S. Energy, Dept. of. HLWR. 94/12/23. 24pp. 84806188-84806211.

9507260208 "Surface-Based Geophysical Testing." tr rept.
MAJER, E.L. Lawrence Berkeley Laboratory. HLWR. 95/04/30. 72pp. 84806212-84806283.

9507260206 Forwards proposed mode to Canonsburg, PA UMTRA project site completion rept (CR) & two signed certification summaries. CR mode in response to NRC 950605 tr.
ABRAMS, M.F. Energy, Dept. of. 95/06/29. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 37pp. 84565313-84565349.

9507260207 Forwards Dept of Energy Environ Assessment of Remedial Action at Maybell, CO UMI tailings site.
WOODWORTH, L.A. Energy, Dept. of. 95/06/22. NRC - No Detailed Affiliation Given. 8pp. 84570180-84570186.

9507260207 Provides record of surveillance VMP-SR-95-027 to verify that consolidated Non-Bonehole sampling in exploratory studies facility & sample mgt facility in accordance w/requirements.
SPENCE, R.E. Energy, Dept. of. HLWR. 95/06/29. HAYES, L.R. Interior, Dept. of. Geological Survey. 6pp. 84866239-84866244.

950700251 Informs that surveillance YMP-95-033 verified procedural compliance re requirements of test planning package 92-09 & subsequently determined importance of evaluation pertaining to Phase 1 of project.
SPENCER, R.E. Energy, Dept. of HLWR 95/06/28. HAYES, L.R. Interior, Dept. of Geological Survey 6pp. 84588245-84588250.

950700284 Trip rpt of 950001-07 visit to Managua & Leon areas, Nicaragua re June 1995 eruption of Cerro Negro volcano.
HILL, B.E., CONNOR, C.B., MCKAGUE, J.L. Center for Nuclear Waste Regulatory Analyses, HLWR 95/06/23 Center for Nuclear Waste Regulatory Analyses 7pp. 84588171-84588177

950700199 Informs that staff has verified corrective action to CAR YM-93-088 & determined results to be satisfactory.
SPENCER, R.E. Energy, Dept. of HLWR 95/06/28. SPRAUL, J.G. NRC - No Detailed Attribution Given. 32pp. 84588188-84588226.

950700283 Forwards Vols 1 & 2 of "Grand Junction, CO Process Site Draft Completion Rpt" & "Final Audit Rpt of Remedial Action Const at UMTRA Project Grand Junction, CO Processing Site." Ends with hold.
PAPE, J.M. Energy, Dept. of, 95/06/30. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84588316-84588318.

950700307 Notification of 950711 meeting w/DOE & NRC in Washington & Las Vegas, NV to discuss items of mutual interest re QA.
GARCIA, A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR 95/06/28. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84578349-84578351

950700373 Advises that performance-based audit YMA-95-08, "Activities to Support Systematic Drilling Program for First & Second Boreholes" has been rescheduled.
HORTON, D.G. Energy, Dept. of HLWR 95/06/28. COSTIN, L.S. Sandia National Laboratories 1p. 84588227-84588228.

950700383 Requests that corrective action to be taken & implemented to correct deficiency in audit YMA-95-13.
SPENCER, R.E. Energy, Dept. of HLWR 95/06/28. SPRAUL, J.G. NRC - No Detailed Attribution Given. 2pp. 84588196-84588197

950700387 Forwards "Oic of Civilian Radiowaste Mgt Oic of QA Audit Plan for Audit HQ-ARC-95-09 of Yucca Mountain Site Characterization Oic, Las Vegas, NV," for 950724-28.
HORTON, D.G. Energy, Dept. of HLWR 95/06/28. Energy, Dept. of 2pp. 84588180-84588185.

950700393 "Oic Civilian Radiowaste Mgt Oic of QA Audit Plan for Audit HQ-ARC-95-09 of Yucca Mountain Site Characterization Oic, Las Vegas, NV," for 950724-28.
LENTZ, F.H., HORTON, D.G. Energy, Dept. of HLWR 95/06/28. 4pp. 84588182-84588185.

950700424 Requests that two copies of tested USGS administrative notes be sent to MJ Bell for use in on-going review of fault characteristics in Yucca Mountain area being conducted by CHWRA & NRC.
BELL, M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR 95/07/06. BROOKMAN, J. Energy, Dept. of, 2pp. 84578358-84578357.

950700427 Forwards to rpt entitled, "Evaluation of Important Radionuclides for Performance Assessment" to fulfill Intermediate Milestone 20-5702-723-640.
BAGAR, G. Center for Nuclear Waste Regulatory Analyses, NRC-02-93-005. HLWR 95/06/25. MCCARTIN, T.J. Performance Assessment & Hydrology Branch (NMSS 940403). 1p. 84588279-84588307.

950700423 "Evaluation of Important Radionuclides for Performance Assessment."
JAZZEMBA, M.S., PICKETT, D.A. Center for Nuclear Waste Regulatory Analyses, NRC-02-93-005. HLWR 95/05/31. Division of Waste Management (NMSS 940403). 31pp. 84588277-84588307.

950700436 Forwards paper entitled, "Quasi-Steady State Model for Coupled Liquid Vapor & Heat Transport Application to Proposed Yucca Mountain HLW Repository," in fulfillment of Intermediate Milestone 20-5702-723-630.
BAGAR, G. Center for Nuclear Waste Regulatory Analyses, NRC-02-93-005. HLWR 95/05/18. MCCARTIN, T.J. Performance Assessment & Hydrology Branch (NMSS 940403). 1p. 84588235-84588275.

950700438 "Quasi-Steady State Model for Coupled Liquid Vapor & Heat Transport Application to Proposed Yucca Mountain HLW Repository."
WALTON, J.G. Texas Univ. of El Paso, TX. LICHNER, P.C. Center for Nuclear Waste Regulatory Analyses, HLWR 95/05/18. NRC - No Detailed Attribution Given. 40pp. 84588236-84588275.

950700476 Informs of review of completion review rpt (CRR) for Canonburg site, per request. Processes that end NRC evaluation be added to CRR.
BELL, M.J. Engineering & Geosciences Branch (NMSS 940403). 95/06/28. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 845882349-845882350.

950700888 Advises that review of intermediate milestone 5702-723-606 completed. Determined that deliverable both adequate & consistent w/technical direction & requirements met.
MCCARTIN, T.J. Division of Waste Management (NMSS 940403). HLWR 95/07/06. BAGAR, G. Center for Nuclear Waste Regulatory Analyses. 1p. 84588308-84588308.

950700894 Forwards documents re Yuba City, AZ UMTRA Project site completion rpt, including responses to NRC, Navajo Nation & Hopi Tribe comments, corrected page changes & covers & DOE certification summary.
EDGE, R. Energy, Dept. of, 95/06/22. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 152pp. 84588113-84588276.

950700898 Forwards summary & memoranda presented at Nov 1992 expert judgement workshop for review & evaluation of reference for inclusion in background or regulatory framework sections of draft staff technical position being prepared on topic.
AUSTIN, J. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR 95/06/27. REAMER, C.W. Office of the General Counsel (Post 980701). 10pp. 84588308-84588324.

950700888 Forwards status of volcanism program & plans for issue resolution, DOE volcanism schedule for FY98 & FY99, table of volcanism activities & schedule for re-mission of FY95 through mid-FY97 & status of items requested by NRC.
BROOKMAN, J. Energy, Dept. of HLWR 95/06/28. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 10pp. 84588336-84588353.

950701095 Informs that staff has evaluated amended response to CAR YM-95-028 & determined response satisfactory.
SPENCER, R.E. Energy, Dept. of HLWR 95/07/06. FOUST, L.O. TRW Environmental Safety Systems, Inc. 35pp. 845882055-845882089.

950701087 Informs that staff evaluated response to Corrective Action Request YMA-95-042 resulting from Yucca Mountain QA Div Audit YMA-95-09 of USGS Response determined to be satisfactory.
SPENCER, R.E. Energy, Dept. of HLWR 95/07/06. HAYES, L.R. Interior, Dept. of Geological Survey 7pp. 84578254-84578260.

950701027 Informs of evaluation of response to unsatisfactory verification of Corrective Action Request YMA-94-050 resulting from Yucca Mountain QA Div Audit YMA-94-06 of USGS Response determined to be satisfactory.
SPENCER, R.E. Energy, Dept. of HLWR 95/07/06. HAYES, L.R. Interior, Dept. of Geological Survey 15pp. 845882090-845882104.

950701208 Trip rpt of 950530-0502 visit to Baltimore, MD re 1995 Spring Meeting Of American Geophysical Union.
FERRILL, D.A., EASTZOG, L.A., MURPHY, W. Center for Nuclear Waste Regulatory Analyses, HLWR 95/07/07. Center for Nuclear Waste Regulatory Analyses 7pp. 845881322-845881328.

950701201 Forwards "Tech Specs for Fault Displacement Module."
BACA, R.G. Center for Nuclear Waste Regulatory Analyses, NRC-02-93-005. HLWR 95/06/15. MCCARTIN, T.J. Performance Assessment & Hydrology Branch (NMSS 940403). 1p. 845887320-845887356.

950701204 "Tech Specs for Fault Displacement Module."
STREWALT, G.L., MCDUFFEE, M., MANTUPEL, R.D. Center for Nuclear Waste Regulatory Analyses, NRC-02-93-005. HLWR 95/06/30. NRC - No Detailed Attribution Given. 34pp. 845887321-845887356.

950701207 Forwards paper entitled, "Quasi-Steady State Model for Coupled Liquid Vapor & Heat Transport Application to Proposed Yucca Mountain HLW Repository."
BACA, R.G. Center for Nuclear Waste Regulatory Analyses, NRC-02-93-005. HLWR 95/05/27. MCCARTIN, T.J. Performance Assessment & Hydrology Branch (NMSS 940403). 1p. 84729061-84729102.

950701204 Summary of 950314-16 meeting w/representatives of U industry in Denver, CO re issues within U industry.
HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/04/26. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 274pp. 845887011-845887257.

950701085 Forwards Rev 0 to "Site Observational Work Plan for UMTRA Project Site at Falls City, TX."
METZLER, D. Energy, Dept. of, 95/07/07. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84734038-84734058.

950701083 Rev 0 to DOE/AL/82350-157, "Site Observational Work Plan for UMTRA Project Site at Falls City, TX."
Jacobs Engineering Group, Inc. 95/06/30. 383pp. 84734040-84734058.

950701088 Notification of 950720 meeting w/DOE in Washington, DC & Las Vegas, NV to discuss technical issues re substantially complete containment.
GARCIA, A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR 95/07/07. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 845882324-845882325.

950701088 Clarifies NRC position on future review of study plans & emphasizes importance to DOE of addressing open items currently identified in response to DOE 950818 W.
HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR 95/07/07. MILNER, R.A. Energy, Dept. of, 5pp. 84588327-84588331.

950701018 Forwards minutes of 950523 NRC/Nye County, NV meeting in Rockville, MD re Nye County pneumatic pathways concerns.
HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR 95/07/06. MILNER, R.A. Energy, Dept. of, 2pp. 84588332-84588349.

950701012 Summary of 950523 NRC/Nye County, NV meeting in Rockville, MD re Nye County pneumatic pathways concerns.
BROOKMAN, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR 95/05/29. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 84588334-84588349.

950701014 Forwards minutes of 940822 bi-monthly mtg meeting between NRC & DOE held by videoconference at DOE headquarters in Washington, DC & DOE sites in Las Vegas, NV re DOE contractor assignment in progress.
HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR 95/07/12. MILNER, R.A. Energy, Dept. of, 31pp. 84729135-84729165.

950701022 Forwards minutes of 950411 bi-monthly mtg meeting between NRC & DOE in Rockville, MD re status of multi-purpose canister program, which targets 1998 for completion of regulatory reviews.
HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR 95/06/28. MILNER, R.A. Energy, Dept. of, 32pp. 84729241-84729277.

186 NONDOCKETED ITEMS

9507140400 Forwards minutes of 941206 mtg meeting between NRC & DOE held by video-telcon in Washington, DC & Las Vegas, NV re isolation demonstration strategy. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/07/12. MILNER, R.A. Energy, Dept. of. 30pp. 84729-211-84729-240.

9507140408 Forwards minutes of 950117 mtg meeting between NRC & DOE held by video-telcon in Washington, DC & Las Vegas, NV re isolation demonstration strategy. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/07/12. MILNER, R.A. Energy, Dept. of. 45pp. 84729-166-84729-210.

9507140427 Forwards Project Interface Document (PID) 06-S-42.PID modifies type of completion equipment required at disposal cell as outlined in Spec Section 02200 of subcontract documents for Falls, CO remedial action plan. ARP, S.J. Energy, Dept. of. 95/07/10. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84790-060-84790-062.

9507140438 Responds to proposal sent in 950125 requesting that NRC (along w/ other well-known and organizations) co-fund innovative project recently sanctioned by membership of IWR/ESHA. NEEL, R.B. Performance Assessment & Hydrology Branch (NMSS 940403). 95/04/27. MITCHELL, N.G. United Kingdom. 2pp. 84729-333-84729-334.

9507140454 Forwards "Review of Probabilistic Seismic Hazard & Fault Displacement Analyses at Non-Reactor Sites." MCKAGUE, H.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/30. JUSTUS, P.S. Engineering & Geosciences Branch (NMSS 940403). 1p. 84760-017-84760-093.

9507140455 "Review of Probabilistic Seismic Hazard & Fault Displacement Analyses at Non-Reactor Sites." TAJIMA, F. HOFMANN, R.B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/30. NRC - No Detailed Affiliation Given. 10pp. 84760-015-84760-033.

9507140456 Informs of review & concurrence on Commission paper (CP), recommending withdrawal of ANPR on land ownership requirements for LLW sites. Suggests that linked statement be considered substitute for statement on pp 2 of CP. PAPERBELL, C.J. Office of Nuclear Material Safety & Safeguards. 95/05/24. MARRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 2pp. 84760-056-84760-057.

9507140459 Forwards Gold Basin road realignment grids for area on processing site where relocated road proposed to be constructed. ARP, S.J. Energy, Dept. of. 95/07/10. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84760-043-84760-051.

9507140467 Forwards "DOE OCRM Oic of QA Audit Rept of Reynolds Electrical & Engineering Co., Inc. Las Vegas, NV Audit YM-ARP-85-10 on 950605-08." HORTON, D.G. Energy, Dept. of. HLWR. 95/07/07. KOSS, D.L. Reynolds Electrical & Engineering Co., Inc. 2pp. 84729-107-84729-119.

9507140468 YM-ARP-85-10 "DOE OCRM Oic of QA Audit Rept of Reynolds Electrical & Engineering Co., Inc. Las Vegas, NV Audit YM-ARP-85-10 on 950605-08." HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 10pp. 84729-109-84729-119.

9507170289 Forwards not-readily-available ref list cited in Site Characterization Progress Rept 11. BROCKMAN, S.J. Energy, Dept. of. HLWR. 95/06/01. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 7pp. 84754-316-84754-322.

9507180182 Informs of deferral of regulatory oversight to EPA for West Lake Landfill in Bridgton, ME. WIEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/16. SANDERSON, M. Environmental Protection Agency. 3pp. 84765-302-84765-304.

9507180256 Forwards design analysis entitled, "Determination of Importance Evaluation for Subsurface Exploratory Studies Facility." Analysis third in series part of Exploratory Studies Facility. Title II design package. BROCKMAN, S.J. Energy, Dept. of. HLWR. 95/07/10. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84778-097-84778-227.

9507180278 SAB000000-01717-22 Rev 05B of evaluation SAB000000-01717-2200-00005. "Determination of Importance Evaluation for Subsurface Exploratory Studies Facility." Energy, Dept. of. 95/06/23. 129pp. 84778-100-84778-227.

9507180465 Forwards revised calculation re utilization of site-specific test results for radon flux. Revised calculation indicates min frost barrier thickness of 5 feet required. ARP, S.J. Energy, Dept. of. 95/07/10. GILLEN, D. NRC - No Detailed Affiliation Given. 2pp. 84778-278-84778-336.

9507190404 05-570-13-01 R01 "UNTRA-RIFLE, Embankment Design Radon Barrier Evaluation." Monahan-Krusen Co., Inc. 95/06/20. 57pp. 84788-280-84788-336.

9507180467 Forwards Study Plan 8.3.1.17.4.12 Rev 1 for Yucca Mountain site. BROCKMAN, S.J. Energy, Dept. of. HLWR. 95/07/08. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84790-001-84790-175.

9507180495 Study Plan for study 8.3.1.17.4.12, "Tectonic Models & Synthesis." Rev 1. Interior, Dept. of. Geological Survey. HLWR. 95/06/08. 173pp. 84789-004-84789-175.

9507200110 Forwards issuance of Surveillance Record YMP-SR-95-021 resulting from Yucca Mountain QA Div Surveillance of Civilian Radioactive Mgt Sys Mgt & Operating Contractor. SPENCER, E. Energy, Dept. of. HLWR. 95/07/13. FOUST, L.D. TRW Environmental Safety Systems, Inc. 5pp. 84790-279-84790-283.

9507200117 Forwards issuance of Surveillance Record YMP-SR-95-038 resulting from Yucca Mountain QA Div Surveillance of Yucca Mountain Site Characterization Oic US Geological Survey & Civilian Radioactive Mgt Sys Mgt & Operating Contractor. SPENCER, E. Energy, Dept. of. HLWR. 95/07/12. FOUST, L.D. TRW Environmental Safety Systems, Inc. 8pp. 84790-273-84790-276.

9507200223 Evaluates Amended Response to Corrective Action Request YM-95-041 resulting from Yucca Mountain QA Div Audit YM-ARP-95-09 of US Geological Survey. SPENCER, E. Energy, Dept. of. HLWR. 95/07/12. HAYES, L.R. Interior, Dept. of. Geological Survey. 6pp. 84790-284-84790-289.

9507200245 Forwards status of corrective action requests issued by OCRM Oic of QA as of 950630. HORTON, D.G. Energy, Dept. of. HLWR. 95/07/14. SPRAY, J.G. NRC - No Detailed Affiliation Given. 11pp. 84790-290-84790-300.

9507200282 Forwards responses to audit observer inquiries submitted by State of NV prior to June Audit YM-ARP-95-12 of US Geological Survey. HORTON, D.G. Energy, Dept. of. HLWR. 95/07/11. LOUX, R.R. Nevada, State of. 2pp. 84815-162-84815-164.

9507200284 Requests listed into to NRC. Correspondence prepared in response to action item from US DOE/NRC mtg meeting W/o end. HORTON, D.G. Energy, Dept. of. HLWR. 95/07/11. MILNER, R.A. Energy, Dept. of. 2pp. 84815-164-84815-164.

9507210071 Submits NRC staff comments & questions on Site Characterization Progress Rept Number 11. Staff comments concerns potential for ash fall at site. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/07/18. MILNER, R.A. Energy, Dept. of. 12pp. 84815-226-84815-237.

9507210079 Forwards requested site characterization study 8.3.1.17.4.3 re Yucca Mountain site geology faulting. BROCKMAN, S.J. Energy, Dept. of. HLWR. 95/07/18. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84815-198-84815-201.

9507210082 Advises that study plan 8.3.1.17.4.3 being maintained in Div of Waste Mgt & is available for review. OELLIGATTI, M. NRC - No Detailed Affiliation Given. 95/07/20. FREDLEY, S. NRC - No Detailed Affiliation Given. 1p. 84815-201-84815-201.

9507250025 "Preliminary Evaluation of Bare Mountain Fault Zone, Terrells Canyon, Nye County, NV." ANDERSON, L.W., KLINGER, R.E. Colorado, State of. 95/07/18. 20pp. 84834-193-84834-195.

9507250028 "Lake Customary Slip Rate Estimates for Death Valley & Furnace Creek Faults, Death Valley, CA." KLINGER, R.E., PIETY, L.A. Colorado, State of. 95/07/18. 45pp. 84834-160-84834-236.

9507210158 Requests Branch support in review of draft Completion Rept for Falls City, TX UMI tailings site. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/07/03. AUSTIN, J. Performance Assessment & Hydrology Branch (NMSS 940403). 2pp. 84807-233-84807-234.

9507210185 Responds to 950426 concerning Oic responsible for assuring worker safety & health during exploratory studies facility test. MILNER, R.A. Energy, Dept. of. HLWR. 95/06/31. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84815-216-84815-218.

9507210287 Forwards CNWRA 95-012, "Experimental Scale-Model Study of Seismic Response of Underground Opening in Jointed Rock Mass." SAGAR, B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/27. RANDALL, J.D. Division of Regulatory Applications (Post 941217). 1p. 84818-081-84818-275.

9507210300 CNWRA 95-012 "Experimental Scale-Model Study of Seismic Response of Underground Opening in Jointed Rock Mass." KANA, D.D., FOX, D.J., HEBUNG, S. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/30. Division of Regulatory Applications (Post 941217). 134pp. 84818-082-84818-275.

9507210304 Forwards CNWRA 95-014, "Review of Empirical Thermodynamic Data for Uranium Silicates Minerals & Experimental Plan." SAGAR, B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/26. RANDALL, J.D. Division of Regulatory Applications (Post 941217). 1p. 84821-046-84821-069.

9507210308 CNWRA 95-014 "Review of Empirical Thermodynamic Data for Uranium Silicates Minerals & Experimental Plan." MURPHY, M.M. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/30. Division of Regulatory Applications (Post 941217). 22pp. 84821-047-84821-069.

9507240287 Advises that QA Audit YM-ARP-95-17 of Kiewit/Parsons Brinkerhoff scheduled to be conducted w/ 950607-11 rescheduled for w/ 951113-17. HORTON, D.G. Energy, Dept. of. HLWR. 95/07/18. KOSS, D.L. Reynolds Electrical & Engineering Co., Inc. 2pp. 84832-001-84832-002.

9507240384 Trip rept of 950604-07 visit to Lake Tahoe, NV re 35th US Symposium on Rock Mechanics. GHOSH, A., CHOWDHURY, A.M., SAGAR, B. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/07/07. Center for Nuclear Waste Regulatory Analyses. 48pp. 84831-290-84831-324.

9507240405 Trip rept of 950619-23 visit to Rockville, MD re presentation re SEISM 1.1 Computer Code At ACNW meeting of 950621 & discussion w/ P. Justus re current & future seismic-related work. HOFMANN, R.B., MCKAGUE, H.L., SAGAR, B. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/06/30. Center for Nuclear Waste Regulatory Analyses. 4pp. 84821-114-84821-117.

9507240425 Trip repl of 850517-18 visit to Yucca Mountain & Crater Flat re surface based & underground site characterization activities
STAMATAKOS, J., CHEN, R., FERRILL, J.A. Center for Nuclear Waste Regulatory Analyses HLWR 85/07/27. Center for Nuclear Waste Regulatory Analyses 11pp. 84831:299-84831:279.

9507280198 Trip repl of 850430-0505 visit to Las Vegas, NV re Sixth Annual Int HLW Mtg Conference & Exposition
MILLAS, M.P., MCKAGUE, H.L., SAGAR, B. Center for Nuclear Waste Regulatory Analyses HLWR 85/07/02. Center for Nuclear Waste Regulatory Analyses 10pp. 84831:350-84831:350

9507280036 Advises NRC that Kato Valley Water Pollution Control Authority concerned about incompleteness of characterization of Authority lagoon. NRC requested to complete characterization.
KOSSAK, R.N. Kato Valley, PA. 85/06/26 WEBER, M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 1p. 84836:355-84836:355

9507280039 Forwards rev 0 to draft DOE/AL/62550-194, "Comment & Response Document for Proposed Ground Water Protection Strategy..." & rev 2 to DOE/AL/62550-158, "Proposed Ground Water Protection Strategy for U Mill Tailings Site..."
PARK, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 95/07/21. FROLEY, S. Document Control Branch (Document Control Desk) 2pp. 84839:155-84839:284.

9507280043 DOE/AL/62550-194 R00 Draft: "Comment & Response Document for Proposed Ground Water Protection Strategy for U Mill Tailings Site at Green River, UT."
Energy, Dept. of 95/07/31 14pp. 84839:018-84839:031

9507280044 DOE/AL/62550-189 R02 Draft: "Proposed Ground Water Protection Strategy for U Mill Tailings Site at Green River, UT."
Energy, Dept. of 95/07/31 253pp. 84839:032-84839:284

9507280047 Advises that author branch has reviewed intermediate milestone M 20-5702-542-510 for CNWRA intermediate milestone acceptable. Discussion provided & comments sent.
INTERANTEC, G. Engineering & Geosciences Branch (NMSS 940403), HLWR, 95/07/17. MEEHAN, D. Contract Administration Branch 1 (Post 900803) 4pp. 84868:025-84868:025.

9507280055 Notification of 950731 videoconference w/DOE in Washington, DC & Las Vegas, NV re technical exchange on unsaturated zone pneumatic pathways.
GARCIA, A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), HLWR 95/07/21. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 3pp. 84868:036-84868:038.

9507280061 Forwards transcripts of two briefings recently conducted on use of expert evaluation in high-level waste program W/o ends.
AUSTIN, J.H. Performance Assessment & Hydrology Branch (NMSS 940403), HLWR, 95/07/21. BROCCUM, S.J. Energy, Dept. of 2pp. 84868:034-84868:035.

9507270156 Submits followup responses to RMI Bureau 950110 lt responding to M Loomis 941215 lt to 1. Set re NRC review of reclamation plans for U recovery sites.
PAPERILLO, C.J. Office of Nuclear Material Safety & Safeguards 95/07/14. LOOMIS, M. Wyoming Mining Association 7pp. 84872:251-84873:265

9507270155 Forwards Rev 1 to YMP/92-110, "Waste Package Implementation Plan," for Yucca Mountain site characterization project.
BROCCUM, S.J. Energy, Dept. of HLWR, 95/07/24. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 2pp. 84867:242-84867:216.

9507270157 Rev 1 to YMP/92-110, "Waste Package Implementation Plan," re Yucca Mountain site characterization project.
REFOGLE, J.M., SPENCER, R.E., NELSON, R.M. Energy, Dept. of. 94/12/08 73pp. 84867:244-84867:316.

9507270158 Informs that next two meetings of Inter-Agency Steering Committee on Radiation Site Risk Harmonization Subcommittee on 950802 & 23 in Washington, DC to resolve issues noted in White Paper on risk harmonization.
WEBER, M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403), 95/07/20. Affiliation Not Assigned. 10pp. 84874:145-84874:154.

9507270159 Forwards evaluation of radiological section for Carlsburg completion report.
BELL, M.J. Engineering & Geosciences Branch (NMSS 940403), 95/07/21. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 4pp. 84874:141-84874:144.

9507270154 Forwards summary notes from 850613 meeting w/Nuclear Energy Inst (NEI), Fuel Cycle Facilities Forum (FCFF), NRC & EPA in Rockville, MD on decommissioning issues. Encl summary notes revised to respond to comments by NEI & FCFF.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403), 95/06/30. KILLAR, F.M. Nuclear Energy Institute (Formerly Nuclear Mgmt & Resources Council), 11pp. 84874:120-84874:137

9507270160 Submits request for add info in order to ensure NRC, dissemination based on complete & accurate info.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403), 95/07/13. PULSIFER, H.A. Affiliation Not Assigned, 4pp. 84874:115-84874:119

9507270161 Responds to 850608 lt re termination of US NRC low-level radioactive topcal report review program.
BELL, M.J. Division of Waste Management (NMSS 940403), 95/07/10. WOMACK, L.F. Pacific Gas & Electric Co. 3pp. 84871:359-84871:358.

9507280051 Forwards report entitled, "CNWRA Regional Hydrogeology Geographic Info Sys Database," re data collected hydro-geologic processes of Death Valley region.
SAGAR, B. Center for Nuclear Waste Regulatory Analyses, NRC-02-93-005, 85/04/30 HLWR, 95/04/27. RANDALL, J.D. Office of Nuclear Regulatory Research (Post 941217) 1p. 84863:194-84863:251.

9507280054 CNWRA 95-008 "CNWRA Regional Hydrogeology Geographic Info Sys Database," dtd Apr 1985.
Center for Nuclear Waste Regulatory Analyses, NRC-02-93-005, 85/04/30 NRC - No Detailed Affiliation Given. 70pp. 84863:195-84863:261

9507280057 Forwards intermediate milestone 20-5704-177-501, "Field Testing Study Plan for Apache Leap Tuff Site, CNWRA Data Needs."
SAGAR, B. Center for Nuclear Waste Regulatory Analyses NRC-02-93-005, HLWR 95/07/05. RANDALL, J.D. Office of Nuclear Regulatory Research (850720-841217) 1p. 84863:177-84863:193.

9507280058 "Field Testing Study Plan for Apache Leap Tuff Site, CNWRA Data Needs," dtd July 1995.
BAGTZOGLU, A.C., TURNER, D.R., LIGHTNER, P.C. Center for Nuclear Waste Regulatory Analyses NRC-02-93-005, HLWR 95/07/31 NRC - No Detailed Affiliation Given 18pp. 84863:178-84863:193

9507280059 Forwards "DOE OCRM/Cic of QA Audit Rept of Yucca Mountain Site Characterization Site Las Vegas, NV Audit Number YM-APP-95-13 on 950619-23."
HORTON, D.G. Energy, Dept. of HLWR, 95/07/21. BARNES, W.E. Energy, Dept. of 2pp. 84863:272-84863:282

9507280033 YM-APP-95-13 "DOE OCRM/Cic of QA Audit Rept of Yucca Mountain Site Characterization Site Las Vegas, NV Audit Number YM-APP-95-13 on 950619-23."
KRATZINGER, F.J., HORTON, D.G. Energy, Dept. of HLWR 95/07/20 10pp. 84863:274-84863:283.

9507310125 Forwards repl of OCRM Surveillance HQ-SRP-95-02 on 950260 of M&O QA program & implementation activities re M&O QA organization review of Multi-Purpose Contractor contractor QA program.
CLARK, R.W. Energy, Dept. of HLWR 95/07/25. ROBERTSON, R.L. TRW Environmental Safety Systems, Inc. 6pp. 84863:268-84863:271.

9507310144 Informs of acceptance of LBL's QAR & description implementation matrix.
SPENCER, R.E. Energy, Dept. of HLWR 95/07/24. BOOVARSSON, B.S. Lawrence Berkeley Laboratory. 1p. 84863:262-84863:262

9507310158 Forwards DOE responses to NRC comments & asks questions re Study Plan 9.5.1.8.5.1 (Characterization of Volcanic Features).
BROCCUM, S.J. Energy, Dept. of HLWR, 95/07/27. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 3pp. 84864:005-84864:046.

95080919180 Rev 0 to technical procedure NWM-USGS-GCP/29, "Thermoluminescence Dating."
VIDMANN, B.L., PETERMAN, Z.E., MAAT, P. Interior, Dept. of Geological Survey HLWR 95/07/20. 11pp. 84814:038-84814:048.

9507310151 Requests portions of samples obtained from Pena Blanca, Mexico natural analogue study location.
BROCCUM, S.J. Energy, Dept. of HLWR, 95/07/27. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 3pp. 84863:263-84863:265.

EXPORT, IMPORT AND REPORT LICENSES

9507300198 Responds to request of 850608, informing of amend of export license consent w/provisions of Atomic Energy Act of 1954.
BUSICKER, R. State, Dept. of, 95/06/16. STORBER, C.R. Office of International Programs (Post 911117), 1p. 84512:132-84512:132.

9507300210 Confirms that items listed in attachments in Note 108 will be held subject to Agreement upon their entry into territorial jurisdiction of Japan & that proposed recipients authorized persons in Japan.
Japan 95/03/28. U.S. Embassy, 6pp. 84512:124-84512:128

9507300216 Informs that Cic of Arms Control & Nonproliferation has received prior consent for exports of Australian origin mail to Japan.
Energy, Dept. of 95/06/19. WRIGHT, B. Office of International Programs (Post 911117), 1p. 84512:150-84512:150

9507300224 Forwards license application covering proposed export of reloaded fuel assemblies by Westinghouse Electric Corp to Mushashin Units 1 & 2 located in Taiwan.
MCDONOUGH, E.F. Westinghouse Electric Corp. EFM-95-0066 85/06/12. HAUBER, D.D. Assistant Director for Exports, Security & Safety Cooperation, 1p. 84512:122-84512:123.

9507300228 Application for license to export U oxide pellets encapsulated in sealed fuel rods & assembled into completed fuel assemblies to Taiwan.
MCDONOUGH, E.F. Westinghouse Electric Corp EFM-95-0066 85/06/12 1p. 84512:123-84512:123.

9507300225 Submits correction to authorization of 950625, adding intermediate consignee of FBFC, Romera/France & authorization by EURATOM to receive & possess mail per Agreement for Cooperation of 600725 re exportation of 1,560 kgs of U.
DE BLOK, M. European Communities, Commission of. 95/06/19. DEBOLT, Energy, Dept. of. 1p. 84512:151-84512:151.

9507300237 Forwards application to export U as U hexafluoride to Japan for use as reloaded fuel in Sendai Nuclear Power Station, Unit 2 owned by Kyushu Electric Power Co. Inc.
RISK, R.H. Edlow International Co. 95/05/21. WRIGHT, B. Office of International Programs (Post 911117), 1p. 84512:152-84512:153

9507300243 Application for license to export 8,937 kg of U as U hexafluoride to Japan.
RISK, R.H. Edlow International Co. KUK-101 95/06/21. 1p. 84512:153-84512:153.

9507300251 Confirms that items listed in attachment in Note 113, dtd 950302, will be held subject to Agreement upon arrival into territorial jurisdiction of Japan & that proposed recipients authorized persons in Japan.
Japan 85/03/28 U.S. Embassy, 4pp. 84512:118-84512:121

9507300258 Application for license to export 865 kgs of U, containing 20,806 kg U-235, to Japan.
Edlow International Co. 95/03/02. 1p. 84512:117-84512:121.

188 NONDOCKETED ITEMS

9507030252 Forwards application to export U as U hexafluoride to Japan for use as reprocessed fuel in Mihama Power Station, owned by Kansai Electric Power Co. Inc. FISK, R.H. Edlow International Co. 95/06/21 WRIGHT, B.L. Office of International Programs (Post 911117) 1p 84509 358-84509 360

9507030256 Application for license to export 14,762 kg of U as U hexafluoride to Japan FISK, R.H. Edlow International Co. KUK-100 95/06/21 2pp 84509 358-84509 360

9507030263 Recommends that license be issued only to provisions noted in 950511 for which requested views of Executive Branch as to whether issuance of export license (AW) application meets applicable criteria of Atomic Energy Act of 1954. MCGOLDRICK, F. Senate 95/06/18 STOMBER, C.R. Office of International Programs (Post 911117) 1p 84509 357-84509 357

9507030269 Confirms that items listed in attachments in Note 245 will be held subject to Agreement upon entry into territorial jurisdiction of Japan & that proposed recipients authorized persons in Japan. Japan 95/05/23 U.S. Embassy Spp 84512 112-84512 116

9507030275 Confirms that items listed in attachments in Note 138 will be held subject to agreement upon their entry into territorial jurisdiction of Japan & that proposed recipients authorized persons in Japan. Japan 95/03/22 U.S. Embassy Spp 84512 248-84512 253

9507030288 Confirms that items listed in attachments in Note 152 will be held subject to Agreement upon their entry into territorial jurisdiction of Japan & that proposed recipients authorized persons in Japan. Japan 95/04/03 U.S. Embassy Spp 84511 340-84511 347

9507030303 Responds to amended export application, informing that OIC of Arms Control & Nonproliferation has received prior consent for exports of Australian origin fuel to France Agreement allows exports for conversion & enrichment up to 20% U-235. Energy, Dept. of 95/06/19 NRC - No Detailed Affiliation Given 1p 84509 353-84509 353

9507030304 Responds to export applications, informs that OIC of Arms Control & Nonproliferation has received prior consent for exports of Australian origin fuel to Japan Agreement allows exports for conversion & enrichment up to 20% U-235. Energy, Dept. of 95/06/18 NRC - No Detailed Affiliation Given 1p 84512 255-84512 255

9507030335 Forwards reply listing all NRC export cases completed, received or pending during May 1995. HAUBER, R.D. Office of International Programs (Post 911117) 95/06/22 DELABARRE, R. State, Dept. of 7pp 84536 001-84536 013

9507030388 Application for license to export 22,709 kgs enriched U hexafluoride (UF6) to Japan. Mitsui & Co. (USA), Inc. MIBK-F3-R17 95/06/21 1p 84526 336-84526 336

9507030390 Forwards two applications for export of low-enriched Uranium to Japan W/o and HAUBER, R.D. Office of International Programs (Post 911117) 95/06/22 DELABARRE, R. State, Dept. of 1p 84536 355-84536 355

9507030395 Forwards application for export license XSNM-2885, recently received by NRC for export to Taiwan of low-enriched U in form of pellets contained in completed fuel assemblies for use as reprocessed fuel in Mian-Shan Units 1 & 2. HAUBER, R.D. Office of International Programs (Post 911117) 95/06/22 DELABARRE, R. State, Dept. of 1p 84536 008-84536 008

9507030408 Submits Rev 1 advance notification of listed export shipment per requirements from implementation of convention of physical protection of nuclear material. HOLDEN, D.W. General Electric Co. SPN-51665-F 95/06/01 BENNINGTON, G. Office of Nuclear Material Safety & Safeguards 2pp 84516 006-84516 006

9507030415 Submits notification of listed shipment per requirements of 10CFR73.73 to Japan. ASAM, K. Affiliation Not Assigned 95/05/15 BENNINGTON, G. Office of Nuclear Material Safety & Safeguards 3pp 84516 094-84516 096

9507030421 License for Mitsubishi Atomic Corp to export 839.0 kgs of U-235 contained in 13 735.0 kgs U-enriched to 4.95 w/o max, as U hexafluoride (UF6) to Japan. HAUBER, R.D. Assistant Director for Export, Security & Safety Cooperation JUS72 95/02/24 2pp 84516 067-84516 068

9507030422 Submits advance notification of listed export shipment per requirements from implementation of convention of physical protection of nuclear material. SHIROTA, Y. Mitsui & Co. (USA), Inc. JPN-51623-F 95/05/02 BENNINGTON, G. Office of Nuclear Material Safety & Safeguards 2pp 84516 110-84516 111

9507030423 Provides advance notification of export shipment of special nuclear material of low strategic significance in form of 17,841 kgs U-235 to Spain. HOLDEN, D.W. General Electric Co. SPN-51665-F 95/05/28 BENNINGTON, G. Office of Nuclear Material Safety & Safeguards 2pp 84516 112-84516 112

9507030425 Forwards application for license to export nuclear material & equipment. FISK, R.H. Edlow International Co. 95/06/22 WRIGHT, B.L. Office of International Programs (Post 911117) 1p 84509 191-84509 192

9507030426 Application for license to export 329,640 kg of Natural Uranium as UF6. FISK, R.H. Edlow International Co. UR-LIC-1 95/06/27 1p 84536 192-84536 192

9507030426 Forwards 950511 & 0616 memo from NRC Div of Fuel Cycle Safety & Safeguards containing info requested to assist DOE in responding to Tenedat request for add info re Shinkai alloy proposed export to Tenedat of Natural U. HAUBER, R.D. Office of International Programs (Post 911117) 95/06/22 DELABARRE, R. State, Dept. of 1p 84536 068-84536 128

9507030428 Responds to 950511 memo from G. Comfort to BL Wright re IAEA standards. SVES, C.S. Shinkai alloy Metallurgical Corp. 95/06/01 WRIGHT, B.L. Office of International Programs (Post 911117) 11pp 84509 113-84509 125

9507030447 Responds to customer request for add shipment. HOLDEN, D.W. General Electric Co. 95/05/25 BENNINGTON, G. NRC - No Detailed Affiliation Given 1p 84516 114-84516 114

9507030452 Forwards revised notification of shipments to Spain re change in vessel name W/o and HOLDEN, D.W. General Electric Co. 95/05/06 BENNINGTON, G. NRC - No Detailed Affiliation Given 1p 84516 115-84516 115

9507030456 Provides advance notice of export shipment of special nuclear material to Spain. HOLDEN, D.W. General Electric Co. SPN-51665-F 95/05/23 BENNINGTON, G. NRC - No Detailed Affiliation Given 2pp 84516 116-84516 117

9507030456 Forwards application for shipment of 250,000 milligrams of enriched U-235 to Belgium. BOYD, L.W. Energy, Dept. of 95/06/14 WRIGHT, B.L. Office of International Programs (Post 911117) 1p 84540 001-84540 003

9507030459 Application for license to export 250,000 mg U-235 to Belgium. BOYD, L.W. Energy, Dept. of 95/06/14 1p 84540 003-84540 003

9507030459 Forwards application for export license to export low-enriched U metal for use in program European Community certified metal for U accountancy measurement. HAUBER, R.D. Office of International Programs (Post 911117) 95/06/22 DEDIKT, Energy, Dept. of 1p 84536 192-84536 192

9507030459 Forwards request from applicant re amend to export license application XSNM-2887 W/o and HAUBER, R.D. Office of International Programs (Post 911117) 95/06/22 DELABARRE, R. State, Dept. of 1p 84536 268-84536 269

9507030462 Forwards application for export license to export low-enriched U for use as reprocessed fuel for Fukushima I in Japan. HAUBER, R.D. Office of International Programs (Post 911117) 95/06/22 DELABARRE, R. State, Dept. of 1p 84536 290-84536 290

9507030465 Submits corrections to application XSNM-2887 including changes to columns 9 & 17 as listed. SVEJKOVSKY, J. Mitsui & Co., Ltd. 95/06/25 WRIGHT, B.L. Office of International Programs (Post 911117) 2pp 84539 249-84539 250

9507030466 Forwards reply listing NRC export cases completed, received or pending during month of June 1995. HAUBER, R.D. Office of International Programs (Post 911117) 95/07/05 DELABARRE, R. Energy, Dept. of 7pp 84584 219-84584 260

9507101467 Forwards application for export license for export of natural U as UF6 for enrichment in United Kingdom & return to US for use in US commercial power reactors W/o and HAUBER, R.D. Office of International Programs (Post 911117) 95/07/05 DEDIKT, Energy, Dept. of 1p 84517 010-84517 010

9507140006 Forwards revised advance notice of one 3.95 cylinder to France Receiver address & departing date changed W/o and HOLDEN, D.W. General Electric Co. 95/05/16 BENNINGTON, G. Office of Nuclear Material Safety & Safeguards 1p 84525 059-84525 059

9507140018 Submits advance notice of export shipment of special nuclear material of low strategic significance (category III) to Tokyo, Japan. HOLDEN, D.W. General Electric Co. JPN-51680-F 95/05/31 BENNINGTON, G. NRC - No Detailed Affiliation Given HOLDEN, D.W. General Electric Co. 2pp 84525 059-84525 059

9507140013 Submits notice of export of 59,435 kgs U-235 contained in 1,503 kgs of UF6 to France Rev 1. HOLDEN, D.W. General Electric Co. 95/05/16 BENNINGTON, G. Office of Nuclear Material Safety & Safeguards 2pp 84525 087-84525 088

9507140017 Submits rev 1 to advance notification of shipment of SNM of low strategic significance to France. HOLDEN, D.W. General Electric Co. FRA-51682-F 95/07/10 BENNINGTON, G. Office of Nuclear Material Safety & Safeguards 1p 84525 116-84525 116

9507140018 Submits advance notification of listed import shipment per requirements of Annex I to convention on physical protection of nuclear material. KIRKLAND, M.W. General Electric Co. 95/06/15 BENNINGTON, G. Office of Nuclear Material Safety & Safeguards 2pp 84525 117-84525 118

9507140022 Confirms that UO2 for K-7-9 both shipment arrived at JNF on 950706 as scheduled in good condition. SVEJKOVSKY, J. Mitsui & Co. (USA), Inc. 95/07/10 BENNINGTON, G. NRC - No Detailed Affiliation Given HOLDEN, D.W., BRECHTLEIN General Electric Co. 1p 84525 124-84525 124

9507140027 Submits Rev 2, advance notification of export shipment of special nuclear material of low strategic significance, not to exceed 122.79 kg U-235, to Spain. HOLDEN, D.W. General Electric Co. SPN-51665-F 95/05/06 BENNINGTON, G. Office of Nuclear Material Safety & Safeguards 2pp 84525 145-84525 145

9507140030 Forwards revisions of three powder shipments to Spain due to change in vessel, UOY & arrival date in Cadiz, Spain W/o and HOLDEN, D.W. General Electric Co. 95/05/26 BENNINGTON, G. NRC - No Detailed Affiliation Given 1p 84525 146-84525 146

9507140041 Submits advance notification of listed import shipment per requirements from implementation of convention of physical protection of nuclear material. HENRI, W. 95/06/08 BENNINGTON, G. Office of Nuclear Material Safety & Safeguards 2pp 84525 149-84525 150

9507140048 Forwards copy of export license for low enriched UF6 shipment. SAITO, A. Mitsubishi America Corp. 95/05/19 BENNINGTON, G. NRC - No Detailed Affiliation Given 1p 84525 278-84525 280

9507140047 License for Mitsubishi America Corp to export 1,371 Kg U-235 containing in 36,537 kg U enriched to 4.45 w/o max in form of U hexafluoride and uranium dioxide to Japan. HAUBER, R.D. Office of International Programs (Post 911117) JUS77 95/06/15 2pp 84525 279-84525 290

9507140113 Forwards copy of export license for low enriched UF₆ shipment w/o end
SAITO,A. Affiliation Not Assigned 95/06/19 BENNINGTON,G NRC - No Detailed At-
tention Given 1p 84825 261-84825 281

9507260802 License for Urenco, Inc to export 500,000 kg of natural U as UF₆ to Nether-
lands & United Kingdom
HAUBER,B D Office of International Programs (Post 911117) 95/06/19 1p
84816 329-84816 330

9507260893 Amended application,rewriting ultimate end-use statement contained in Box
11 of 950622 application to read as stated Phrase 'EURATOM' removed from state-
ment
THRELFALL,S P Urenco, Inc 795-7 95/07/07 WRIGHT,B Office of International
Programs (Post 911117) 1p 84816 348-84816 348

9507260904 Certifies that terms & conditions of Add Agreement for Cooperation will
apply to materials mentioned in XSDU-8740 & that URENCO facilities in Netherlands &
England authorized by EURATOM to receive & possess mat
GOPPEL,M EURATOM Supply Agency 95/07/17 WRIGHT,B Office of International
Programs (Post 911117) DEERCKT Energy, Dept of 1p 84816 350-84816 350

9507260906 Confirms that transfer of rights of XSDU-8740 will be subject to all terms &
conditions of Agreement for Cooperation concerning Civil Uses of Atomic Energy be-
tween Govt of Canada & Govt of US
LAIDLAW,W A Canada Atomic Energy Control Board SG-2179 95/07/18
WRIGHT,B L Office of International Programs (Post 911117) DEERCKT Energy, Dept.
of 1p 84816 351-84816 351

 

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABBOTT, R.B.	9507060093	50-220 S	ANDERSON, C.J.	9507240088*	50-277 Q	AXELSON, W.L.	9507120094	50-315 Q
ABBOTT, R.B.	9507060175	50-220 F	ANDERSON, C.J.	9507270307	50-277 P	AXELSON, W.L.	9507190020	50-456 Q
ABBOTT, R.B.	9507190332	50-220 R	ANDERSON, L.F.	9507270040*	STATE PRO G	AXELSON, W.L.	9507200212	50-341 Q
ABELQUIST, E.W.	9507260008*	70-734	ANDERSON, L.W.	9507290025*	WASTE MGT	BACAR, G.	9507070427	WASTE MGT
ABRAMS, M.F.	9507060216	40-6500	ANDERSON, M.L.	9507210145	50-305 R	BACAR, G.	9507070436	WASTE MGT
ADAMS, A.	9507060133	50-146 S	ANDERSON, R.A.	9507060388	50-324 P	BACAR, G.	9507120301	WASTE MGT
ADAMS, A.	9507200164	50-274 P	ANDERSON, R.O.	9507060319	50-282 P	BACAR, G.	9507120307	WASTE MGT
ADAMS, A.	9507270303	STATE PRO G	ANDERSON, R.O.	9507050193	50-283 F	BACHMAN, R.G.	9507100062	70-3070
ADAMS, A.	9507310213	50-62 P	ANDERSON, R.O.	9507070332	50-283 F	BAER, R.L.	9507200237	71-185
ADAMS, M.T.	9507240363	70-1257	ANDERSON, R.O.	9507100259	50-282 Q	BAGCHI, G.	9507180141*	50-255 Y
ADAMS, O.	9507170388	CONTRACT	ANDERSON, R.O.	9507110326	50-282 R	BAGGETT, S.	9507070206*	REG. CERT
ADAMS, T.S.	9507060166	40-8724	ANDERSON, R.O.	9507170138	50-282 S	BAGGETT, S.	9507270223*	STATE PRO G
ADAMS, W.C.	9507190111*	50-72 W	ANDERSON, R.O.	9507180189	50-283 S	BAGGETT, S.L.	9507270185*	STATE PRO G
ADAMS, W.C.	9507290006	70-734	ANDERSON, R.O.	9507180063	50-282 Q	BAGGETT, S.L.	9507270200*	STATE PRO G
ADAMS, W.C.	9507290008*	70-734	ANDERSON, R.O.	9507200042	50-283 R	BAGGETT, S.L.	9507270205*	STATE PRO G
ADNEY, R.J.	9507060134	50-327 Q	ANDERSON, R.O.	9507240036	50-282 S	BAGGETT, S.L.	9507270213*	STATE PRO G
ADNEY, R.J.	9507060147	50-327 Q	ANDERSON, R.O.	9507240046	50-282 S	BAGGETT, S.L.	9507270215*	STATE PRO G
ADNEY, R.J.	9507070202	50-328 S	ANDERSON, R.O.	9507250082	50-306 S	BAGGETT, S.L.	9507270219*	STATE PRO G
ADNEY, R.J.	9507110120	50-328 S	ANDREWS, S.J.	9507120216	PT21	BAGGETT, S.L.	9507270232*	STATE PRO G
ADNEY, R.J.	9507110134	50-327 S	ANDREWS, S.J.	9507160213	PT21	BAGGETT, S.L.	9507270237*	STATE PRO G
ADNEY, R.J.	9507240277	50-327 S	ANG, W.P.	9507060028*	50-397 Q	BAGTZOGLOU, A.	9507120156	WASTE MGT
ADNEY, R.J.	9507240329	50-328 S	ANGELICO, P.	9507310171*	FOIA	BAGTZOGLOU, A.C.	9507260090*	WASTE MGT
ADNEY, R.J.	9507270133	50-327 S	ANGUS, M.J.	9507110094	50-275 F	BAHR, J.M.	9507260128	50-247 S
ADNEY, R.J.	9507290110	50-327 S	ANGUS, M.J.	9507260014	50-275 F	BAILEY, M.	9507180025*	50-285 Q
ADNOLTER, R.D.	9507060117	50-483 S	ANUSKIEWICZ, R.	9507160323*	FOIA	BAILEY, J.E.	9507180093	CONTRACT
ADNOLTER, R.D.	9507110214	50-483 R	ANUSKIEWICZ, R.	9507160323*	FOIA	BAILEY, S.J.	9507190343	50-309 R
ADNOLTER, R.D.	9507190170*	52-4	ARCHITZBLER, E.	9507060220	52-3	BAJARSZEWSKI, J.	9507270151*	50-327 S
ADNOLTER, R.D.	9507120268*	50-386 P	ARNOLD, W.M.	9507120211	71-6234	BAKER, K.	9507260087	40-8902
ADNOLTER, R.D.	9507120268*	50-386 P	ARR, S.J.	9507140427	WASTE MGT	BALDWIN, R.S.	9507120088*	50-386 Q
ADNOLTER, R.D.	9507120274*	50-386 P	ARR, S.J.	9507140427	WASTE MGT	BALL, R.S.	9507190342	50-387 R
AKERS, S.	9507190132	Q4999	ARR, S.J.	9507190005	WASTE MGT	BALLANCE, J.B.	9507160236	CONTRACT
ALEXANDER, S.D.	9507190114*	Q4999	ASAMUK, K.	9507060015	XPORTLIC	BALLINGER, P.L.	9507140184*	50-296 R
ALEXANDER, S.D.	9507140040*	Q4999	ASHUSSENKE, E.	9507120168	70-734	BALMAIN, P.A.	9507140248*	50-413 Q
ALEXANDER, S.D.	9507140058*	Q4999	ASHUSSENKE, E.	9507120168	70-734	BANGART, R.L.	9507270012	STATE PRO G
ALEXON, T.	9507290278*	50-488 P	ASSA, R.L.	9507060069	50-456 P	BANGART, R.L.	9507190003	STATE PRO G
ALEXON, T.W.	9507120130	50-488 P	ASSA, R.L.	9507190192	50-456 P	BANGART, R.L.	9507190004	STATE PRO G
ALEXON, T.W.	9507120133	50-488 P	ASSA, R.L.	9507270256	50-456 P	BANGART, R.L.	9507190005	STATE PRO G
ALEXON, T.W.	9507120133	50-488 P	ASSA, R.L.	9507270257*	50-456 P	BANGART, R.L.	9507190006	STATE PRO G
ALEXON, T.W.	9507120368*	50-488 P	ASSA, R.L.	9507280276	50-456 F	BANGART, R.L.	9507190011	STATE PRO G
ALEXON, T.W.	9507290200	50-488 Q	ASSA, R.L.	9507280285*	50-456 F	BANGART, R.L.	9507190042	STATE PRO G
ALEXON, T.W.	9507290286	50-488 P	ASSA, R.L.	9507310126	50-456 Q	BANGART, R.L.	9507190043	STATE PRO G
ALEXON, T.W.	9507290274	50-488 P	ASTWOOD, H.	9507280120	70-384	BANGART, R.L.	9507190048	STATE PRO G
ALEXON, T.W.	9507310272	50-488 P	ATHAVALE, S.V.	9507130114*	Q4999	BANGART, R.L.	9507190052	STATE PRO G
ALEXON, T.W.	9507310275*	50-488 P	AUSTIN, J.H.	9507100208	WASTE MGT	BANGART, R.L.	9507190066	STATE PRO G
ALLAN, J.M.	9507270343*	FOIA	AUSTIN, J.H.	9507090300	WASTE MGT	BANGART, R.L.	9507190100	STATE PRO G
ALLEN, D.W.	9507170373	CONTRACT	AUSTIN, J.H.	9507120206	40-8857	BANGART, R.L.	9507190106	STATE PRO G
ALLEN, J.	9507190047	STATE PRO G	AUSTIN, J.H.	9507250183	40-8857	BANGART, R.L.	9507190112	STATE PRO G
ALLISON, S.M.	9507190327	50-348 R	AUSTIN, J.H.	9507250313	40-8452	BANGART, R.L.	9507190120	STATE PRO G
ANDERSEN, J.W.	9507060298*	50-245 P	AUSTIN, J.H.	9507260026	40-8857	BANGART, R.L.	9507270009	STATE PRO G
ANDERSEN, J.W.	9507060331	50-245 P	AUSTIN, J.H.	9507260101	WASTE MGT	BANGART, R.L.	9507270009	STATE PRO G
ANDERSEN, J.W.	9507200105	50-245 P	AUSTIN, J.H.	9507270266	40-8971	BANGART, R.L.	9507270023	STATE PRO G
ANDERSEN, J.W.	9507200286	50-245 S	AUSTIN, J.H.	9507280037	40-8981	BANGART, R.L.	9507270038	STATE PRO G
ANDERSEN, J.W.	9507240109	50-245 G	AUSTIN, S.W.	9507110065*	50-290	BANGART, R.L.	9507270126	STATE PRO G
ANDERSEN, J.W.	9507240234	50-245 P	AUTRY, V.R.	9507240383	STATE PRO G	BANGART, R.L.	9507270134	STATE PRO G
ANDERSEN, J.W.	9507270262	50-245 P	AVERSAL, L.	9507070127	50-354 S	BARCHI, T.J.	9507270367	CONG
ANDERSEN, J.W.	9507270311	50-245 F	AVERSAL, L.	9507120295	50-354 S	BARGER, J.W.	9507180386	40-7387
ANDERSON, C.J.	9507190251	50-277 Q	AVERSAL, L.	9507180105	50-354 S	BARKHURST, R.P.	9507210180	50-382 Q
ANDERSON, C.J.	9507170240	50-252 P	AXELSON, W.L.	9507280106	50-384 S	BARKHURST, R.P.	9507290199	50-382 P
ANDERSON, C.J.	9507190017	50-277 P				BARKHURST, R.P.	9507290203	50-382 P

192 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
BARKHURST, R.P.	9507280207	50-382	P	BECKHAM, J.T.	9507310205	50-321	P	BOCKHORST, R.M.	9507200204*	50-361	P
BARKHURST, R.P.	9507280223	50-382	P	BECKNER, W.D.	9507070086	50-299	P	BOGER, B.	9507280180	50-156	V
BARNES, V.	9507280157	ORG		BEGGS, G.C.	9507100147	27-48		BOGER, B.A.	9507060261	50-5	V
BARON, R.R.	950708077*	50-390	A	BEHRINGER, T.J.	9507110163*	50-254	P	BOGER, S.A.	9507060377	50-156	V
BARON, R.R.	9507080729	50-390	A	BELECKUS, R.A.	9507170286	50-445	F	BOHLKE, W.H.	9507050038	PR	
BARON, R.R.	9507130106	50-390	F	BEISLE, G.A.	9507120078*	50-280	Q	BOHLKE, W.H.	9507110018	50-251	Q
BARON, R.R.	9507180360	50-390	A	BEISLE, G.A.	9507140172*	50-339	Q	BOHLKE, W.H.	9507110019	50-335	P
BARON, R.R.	9507200069	50-390	A	BEISLE, G.A.	9507240377*	50-338	Q	BOHLKE, W.H.	9507190048	50-250	P
BARON, R.R.	9507200150	50-390	A	BELL, M.J.	9507050183	40-4681		BOHLKE, W.H.	9507210031	50-335	H
BARON, R.R.	9507250068	50-390	K	BELL, M.J.	9507070424	WASTE MGT		BOHLKE, W.H.	9507250006	50-335	F
BARON, R.R.	9507250084	50-390	A	BELL, M.J.	9507070476	WASTE MGT		BOLD, G.L.	9507120128	50-302	K
BARON, R.R.	9507250090	50-390	A	BELL, M.J.	9507270389	WASTE MGT		BOULET, J.	9507150339	50-458	R
BARON, R.R.	9507250311	50-390	A	BELL, M.J.	9507270408	WASTE MGT		BOLLEWER, G.P.	9507100100	40-8027	
BARON, R.R.	9507250312	50-390	A	BELLES, T.D.	9507250075	50-367	R	BONNER, J.F.	9507240410*	FOIA	
BARON, R.R.	9507280128	50-390	A	BENES, G.G.	9507060338	50-237	P	BONNER, J.F.	9507240413*	FOIA	
BARON, R.R.	9507280172	50-390	A	BENES, G.G.	9507070341*	50-237	P	BONNER, J.F.	9507240415*	FOIA	
BARR, K.P.	9507120183*	50-259	Q	BENES, G.G.	9507250012	50-234	P	BONNO, H.D.	9507080117	50-483	S
BARR, K.P.	9507110109	50-395	F	BEJAMIN, J.A.	9507310299	50-272	S	BONOSARO, C.A.	9507110177*	COMMISSION	N
BARR, K.P.	9507120057	50-418	Q	BERG, K.E.	9507310255	FOIA		BONNER, S.R.	9507200070*	50-424	C
BARR, K.P.	9507120059	50-424	Q	BERG, W.L.	9507120136	50-409	S	BORER, R.	9507200028*	50-3	Q
BARR, K.P.	9507120184	50-395	Q	BERG, W.L.	9507190030	50-409	S	BORER, R.	9507170120*	70-1100	
BARR, K.P.	9507120189	50-259	Q	BERGENDAH, L.D.M.	9507190049	50-498	R	BORER, R.	9507240052	70-135	
BARR, K.P.	9507140229	50-351	Q	BERGMAN, V.L.	9507200213	NUREG		BORER, R.	9507240211*	50-29	
BARR, K.P.	9507140258	50-290	Q	BERGES, B.W.	9507110321	50-295	R	BORER, R.	9507240288*	50-220	
BARR, K.P.	9507140281	50-259	Q	BERKOW, H.N.	9507090106	50-269	P	BORER, R.J.	9507100397*	50-387	Q
BARR, K.P.	9507140337	50-251	F	BERKOW, H.N.	9507110256	50-415	P	BORTZ, D.E.	9507080168*	50-369	P
BARR, K.P.	9507170009	50-250	F	BERKOW, H.N.	9507110283	50-414	P	BOUGHMAN, J.	9507130069*	50-413	C
BARR, K.P.	9507170014	50-399	F	BERKOW, H.N.	9507110283*	50-424	P	BOULETTE, E.T.	9507050078	50-293	P
BARR, K.P.	9507170016	50-395	F	BERKOW, H.N.	9507110326	50-321	P	BOULETTE, E.T.	9507170375	50-288	P
BARR, K.P.	9507170017	50-259	F	BERKOW, H.N.	9507120322	50-287	Q	BOULETTE, E.T.	9507190045	50-293	S
BARR, K.P.	9507170020	50-321	F	BERKOW, H.N.	9507170283*	50-424	P	BOULETTE, E.T.	9507190052	50-293	S
BARR, K.P.	9507200046	70-27		BERKOW, H.N.	9507170354*	50-424	F	BOULETTE, E.T.	9507200074	50-293	P
BARR, K.P.	9507200048*	70-27		BERKOW, H.N.	9507170367*	50-424	F	BOULETTE, E.T.	9507270203	50-293	P
BARR, K.P.	9507200195	50-250	Q	BERKOW, H.N.	9507200311	50-424	P	BOULETTE, E.T.	9507280072	50-293	P
BARR, K.P.	9507280120	50-289	Q	BERKOW, H.N.	9507270284*	50-413	P	BOURASSA, M.D.	9507070468	50-155	
BARTON, J.J.	9507050013	50-219	P	BERKOW, H.N.	9507270360*	50-413	P	BOURASSA, M.D.	9507110247*	50-155	S
BARTON, J.J.	9507050017*	50-219	P	BERNARD, J.A.	9507080137	50-20	V	BOURASSA, M.D.	9507180063*	50-155	P
BARTON, J.J.	9507080381	50-219	P	BERNERO, R.M.	9507100175*	FOIA		BOWERMAN, S.S.	9507070074*	50-488	
BARTON, J.J.	9507110153	50-218	S	BERNERO, R.M.	9507110026	GEN TEC I	S	BOWLING, M.L.	9507080127	18E	
BARTON, J.J.	9507120331	50-218	K	BERNERO, R.M.	9507080197*	FOIA		BOWLING, M.L.	9507130049	50-308	F
BARTON, J.J.	9507130157	50-219	F	BERNERO, R.M.	9507200324*	FOIA		BOWLING, M.L.	9507180186	50-280	R
BARTON, J.J.	9507200024	50-219	P	BERNHARD, J.H.	9507240278*	50-348	Q	BOWLING, M.L.	9507200101	50-308	R
BARTON, J.J.	9507240104	50-219	R	BERSON, S.A.	9507170411	50-282	P	BOWYER, J.E.	9507310124*	FOIA	
BARTON, J.J.	9507250038	50-219	Q	BEVERLY, J.R.L.	9507140023	50-438	Q	BOWYER, J.E.	9507240286*	FOIA	
BASSETT, C.H.	9507120224*	50-160	Q	BHATIA, R.S.	9507180107*	50-271	Q	BOWYER, J.E.	9507270272*	FOIA	
BASSETT, C.H.	9507120340*	50-42	Q	BIELING, H.F.	9507130061	50-428	F	BOWYER, J.E.	9507270280*	FOIA	
BATEMAN, W.H.	9507120147	50-275	Q	BISHOP, J.W.	9507080232	REVIEW GR	P	BOWYER, J.E.	9507270282*	FOIA	
BATEMAN, W.H.	9507280191	50-361	P	BISSETT, P.	9507100368*	50-271	Q	BOWYER, J.E.	9507270283*	FOIA	
BATES, A.L.	9507100224	10CFR		BJORALT, S.J.	9507090135	50-282	Q	BOWYER, J.E.	9507310021*	FOIA	
BATES, A.L.	9507100256	10CFR		BJORALT, S.J.	9507090182*	50-282	G	BOWYER, J.E.	9507310024*	FOIA	
BATES, A.L.	9507200390*	PR		BJORALT, S.J.	9507200355*	50-282	G	BOWYER, J.E.	9507310032*	FOIA	
BATTING, C.K.	9507310199	TOPREP		BLACK, S.C.	9507060341	NUREG		BOWYER, J.E.	9507310060*	FOIA	
BAXTER, A.M.	9507280218*	50-89	F	BLACK, S.C.	9507130256	TOPREP		BOWYER, J.E.	9507310082*	FOIA	
BAXTER, J.	9507170397	50-10	S	BLACK, S.C.	9507310257*	TOPREP		BOWYER, J.E.	9507310080*	FOIA	
BEACH, A.B.	9507030004	50-381	P	BLAHA, J.	9507310257*	FOIA		BOWYER, J.E.	9507310084*	FOIA	
BEACH, A.B.	9507030007	50-528	Q	BLAHA, J.A.	9405120071*	PR		BOWYER, J.E.	9507310089*	FOIA	
BEACH, A.B.	9507050002	50-482	Q	BLAHA, J.L.	9507050288	COMMISSION		BOWYER, J.E.	9507310111*	FOIA	
BEACH, A.B.	9507100027	50-285	Q	BLAHA, J.L.	9507060282	COMMISSION		BOWYER, J.E.	9507310118*	FOIA	
BEACH, A.B.	9507100278	50-381	Q	BLAHA, J.L.	9507180221	COMMISSION		BOWYER, J.E.	9507310123*	FOIA	
BEACH, A.B.	9507110002	50-482	Q	BLAHA, J.L.	9507240332	COMMISSION		BOYCE, R.W.	9507030046	50-352	S
BEACH, A.B.	9507110008	50-298	Q	BLAHA, J.L.	9507280240	COMMISSION		BOYD, R.W.	9507170003	50-352	S
BEACH, A.B.	9507110021	50-313	Q	BLAIR, J.L.	9507110338	40-8948		BOYD, L.W.	9507080258	XPORTUC	
BEACH, A.B.	9507120083	50-397	Q	BLAKE, E.L.	9507100078	50-424	Q	BOYD, L.W.	9507080890*	71-****	
BEACH, A.B.	9507120170	50-382	Q	BLANCH, P.	9507120311	ORG		BOYLE, R.	9507120340	71-3027	
BEACH, A.B.	9507250067*	50-498	P	BLANCH, P.M.	9507070075	ORG					
BEALL, J.	9507120337	50-271	Q	BLANCH, P.M.	9507070086*	ORG					
BEARD, P.M.	9507080281	50-302	P	BLANCH, P.M.	9507070090*	ORG					
BEARD, P.M.	9507120118	50-302	P	BLANCH, P.M.	9507070096*	ORG					
BEARD, P.M.	9507120154	50-302	P	BLANTON, R.L.	9507130080	STATE PRO G					
BEARD, P.M.	9507170238	50-302	F	BLANTON, R.L.	9507270005	STATE PRO G					
BEARD, R.M.	9507140149	50-321	R	BLANTON, R.L.	9507270011*	STATE PRO G					
BEARDSLEE, G.D.	9507100241*	50-423	Q	BLANTON, R.L.	9507270050	STATE PRO G					
BEASLEY, J.B.	9507080182	50-424	F	BLIND, A.A.	9507140138	50-316	R				
BEAVER, J.	9507130149	50-289	F	BLIND, A.A.	9507140142	50-315	R				
BECHHOEFER, C.	9507180008	50-160	G	BLIND, A.A.	9507310172	50-315	S				
BECKHAM, J.T.	9507090032	50-321	P	BLOCKEY-O'BRYEN	9507110051	50-160	G				
BECKHAM, J.T.	9507090174	50-321	H	BLOCKEY-O'BRYEN	9507270165	50-160	G				
BECKHAM, J.T.	9507110235	50-321	Q	BLOWE, G.S.	9507180348*	FOIA					
BECKHAM, J.T.	9507120252	50-366	P	BLOUGH, A.R.	9507100345	50-220	Q				
BECKHAM, J.T.	9507140148	50-321	R	BLOUGH, A.R.	9507100406	50-338	Q				
BECKHAM, J.T.	9507210046	50-321	S	BLOUGH, A.R.	9507140008	50-271	Q				
BECKHAM, J.T.	9507240058	50-321	Q	BLOUGH, A.R.	9507140012*	50-271	Q				
BECKHAM, J.T.	9507240139	50-395	P	BLUBAUGH, R.E.	9507120300	40-3483					
BECKHAM, J.T.	9507250258	50-321	F	BLUBAUGH, R.E.	9507140451	40-3483					
BECKHAM, J.T.	9507270397	50-321	K	BLUBAUGH, R.E.	9507140453	40-3483					
BECKHAM, J.T.	9507280041	50-321	F	BLUBAUGH, R.E.	9507180196	40-3483					
BECKHAM, J.T.	9507280175	50-398	P	BLUBAUGH, R.E.	9507280177	40-3453					
BECKHAM, J.T.	9507310158	50-398	Q	BOCKHORST, R.M.	9507200300*	50-361	P				

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BROCKMAN, K	9507130084*	50-456 Q	CAHILL, W. J.	9507270064*	50-333 P	CATALANO	9507180353*	FOIA
BROCKMAN, K. E.	9507030048	50-528 P	CAHILL, W. J.	9507310178	50-286 P	CATALANO, J. A.	9507180285*	FOIA
BROCCUM, S. J.	9507030185	WASTE MGT	CAHILL, W. J.	9507310180*	50-286 P	CATALANO, J. A.	9507180292*	FOIA
BROCCUM, S. J.	9507030204	WASTE MGT	CAIN, C. L.	9507170067*	40-6981	CATALANO, J. A.	9507180313*	FOIA
BROCCUM, S. J.	9507030299	WASTE MGT	CAIN, C. L.	9507170108*	40-8502	CATALANO, J. A.	9507180337*	FOIA
BROCCUM, S. J.	9507100668	WASTE MGT	CAIN, C. L.	9507170142	40-8857	CATALANO, J. A.	9507180347*	FOIA
BROCCUM, S. J.	9507170266	WASTE MGT	CAIN, C. L.	9507280078	40-8943	CATINEAULT, W.	9507210279*	FOIA
BROCCUM, S. J.	9507180258	WASTE MGT	CAIN, C. L.	9507280181	40-8502	CERNE, A. C.	9507250110*	50-443 P
BROCCUM, S. J.	9507180087	WASTE MGT	CALDWELL, J.	9507050180	1&E	CHAFFEE, A. E.	9507100358	50-382 S
BROCCUM, S. J.	9507210078	WASTE MGT	CALDWELL, J.	9507180022	1&E	CHAFFEE, A. E.	9507180007	ORG
BROCCUM, S. J.	9507270155	WASTE MGT	CALFAJ	9507190052	50-293 S	CHAMBERLAN, D. D.	9507180048*	50-397 Q
BROCCUM, S. J.	9507310150	WASTE MGT	CALLAN, L. J.	9507050108	50-498 Q	CHANCELLOR, R. A.	9507200214	40-8857
BROCCUM, S. J.	9507310151	WASTE MGT	CALLAN, L. J.	9507120058	50-313 Q	CHANCELLOR, R. A.	9507200241*	40-4492
BROOKS, O.	9507210109	71-8283	CALLAN, L. J.	9507120365	40-3453	CHANDLER, L. J.	9507200350*	FOIA
BROOKS, P. P.	9507130121*	WASTE MGT	CALLAN, L. J.	9507140035	50-382 Q	CHANDLER, L. J.	9507310209*	FOIA
BROTHERS, M. H.	9507280062	50-336 S	CALLAN, L. J.	9507170155	50-529 Q	CHAPMAN, C. R.	9507180343	FOIA
BROTHERS, M. H.	9507280366	50-336 S	CALLAN, L. J.	9507280140	50-286 P	CHAPPELL, N. G.	9507050188	71-6248
BROUGHTON, T. C.	9507180020	50-289 P	CALLAN, L. J.	9507310004	50-498 P	CHAPPELL, C. R.	9507050188	71-6533
BROUGHTON, T. C.	9507190146	50-289 P	CALLOWAY, A. A.	9507050106	50-265 P	CHAPPELL, C. R.	9507100362	71-6259
BROUGHTON, T. G.	9507310064	50-289 P	CALVERT, J. A.	9507100294*	50-247 Q	CHAPPELL, C. R.	9507100366*	71-6259
BROUGHTON, T. G.	9507310086	50-289 P	CALVERT, J. M. S.	9507270235	50-324 Q	CHAPPELL, C. R.	9507100101*	71-6259
BROUGHTON, T. G.	9507310090*	50-289 P	CAMERON, F. X.	9507050108	50-498 P	CHAPPELL, C. R.	9507100178	71-6259
BROWN, B.	9507080100	REG. GO.	CAMERON, G. D.	9507180416	FOIA	CHAPPELL, C. R.	9507100181*	71-6260
BROWN, D. H.	9507110044	50-389 P	CAMPBELL, L.	9507180258	50-344 P	CHAPPELL, C. R.	9507110200	71-5857
BROWN, D. H.	9507120237	STATE PRO. G	CAMPBELL, J. A.	9507210290*	FOIA	CHAPPELL, C. R.	9507110201*	71-5857
BROWN, D. H.	9507280006	STATE PRO. G	CAMPBELL, J. A.	9507240423*	FOIA	CHAPPELL, C. R.	9507110206	71-5657
BROWN, F. D.	9507180049*	70-7002	CAMPBELL, J. A.	9507250189*	FOIA	CHAPPELL, C. R.	9507110238	71-6226
BROWN, R.	9507310348	FOIA	CAMPBELL, J. W.	9507120250*	50-155 P	CHAPPELL, C. R.	9507110241	71-6001
BROWN, R.	9507140068*	ORG	CAMPITELLA, T.	9507140132	40-6940	CHAPPELL, C. R.	9507180445	71-6226
BROWN, R.	9507140080*	ORG	CAMPITELLA, T.	9507190189	40-6940	CHAPPELL, C. R.	9507180449*	71-6226
BROWN, R. A.	9507080001	1&E	CAMPITELLA, T.	9507310156	40-9027	CHAPPELL, C. R.	9507180018	71-6717
BROWN, S. W.	9507270261	50-16 W	CANADY, K. S.	9507080180	50-393 P	CHAPPELL, C. R.	9507180021	71-6717
BROWN, W.	9507050285	50-346 P	CANADY, K. S.	9507250064	50-370 P	CHAPPELL, C. R.	9507180026	71-6717
BROWN, W. L.	9507310215*	FOIA	CANDREY, D.	9507080011	70-1252	CHATTERTON, M. S.	9507180189	TOPREP
BROWNELL, G.	9507070169*	50-332 S	CANDREY, J.	9507240014	50-295 P	CHAUDARD, M.	9507140361	50-286 F
BRUCE, G. A.	9507080009*	50-410 P	CANNON, R. L.	9507190023	50-289 P	CHAUDARD, M. A.	9507100124	50-286 F
BRYANT, B. C.	9507190019*	50-389 P	CARLIN, J.	9507120259	MURREG	CHAUDHARY, S. K.	9507050119*	50-271 Q
BUCKLEY, B. C.	9507050194	50-413 P	CARRA, R. A.	9507140124*	50-315 P	CHAUWILL, H.	9507120171	71-6444
BUCHANAN, C. R.	9507270263*	FOIA	CARRA, R. A.	9507190024	50-254 Q	CHEN, G.	9507080031	MURREG
BUCHANAN, C. R.	9507310046*	FOIA	CARRER, P. P.	9507050044	PR	CHEN, R.	9507240425	WASTE MGT
BUCHANAN, J. E.	9507280062	71-9035	CARRER, P. P.	9507080216	50-259 P	CHOU, R.	9507120106*	50-390 Q
BUCKLEY, B. C.	9507060062	50-302 P	CARRER, P. P.	9507210002	50-259 P	CHOWHURY, A. H.	9507240364	WASTE MGT
BUCKLEY, B. C.	9507110019	50-390 P	CARRER, P. P.	9507280114	50-259 P	CHRISTENSEN, H.	9507100301	50-415 Q
BUCKLEY, B. C.	9507190181	50-390 P	CARRER, P. P.	9507280004	50-259 P	CHRISTENSEN, H.	9507100304*	50-415 Q
BUCKLEY, B. C.	9507190210	50-390 P	CARRER, P. P.	9507280056	50-259 P	CHRISTENSEN, H.	9507100415	50-396 Q
BUCKLEY, B. C.	9507210031	50-390 P	CARLSON, J. P.	9507100189*	50-315 S	CHRISTENSEN, H.	9507100424*	50-396 Q
BUCKLEY, B. C.	9507280006*	50-309 P	CARNS, N. E.	9507050110	50-482 Q	CHRISTENSEN, H.	9507120001	50-416 P
BUDNITZ, R. J.	9507140442*	50-321 P	CARNS, N. E.	9507280010	50-482 Q	CHRISTENSEN, H.	9507120112	50-349 P
BUEGG, M.	9507110039	50-390 P	CARNS, N. E.	9507310104	50-482 Q	CHRISTENSEN, H.	9507140214	50-396 Q
BUEGG, M. T.	9507270253	50-390 P	CARROCCO, C. J.	9507250069	50-410 P	CHRISTENSEN, H.	9507140318	50-416 Q
BUEGG, M.	9507060128	50-390 P	CARPENTER, C. A.	9507060084	50-282 P	CHRISTENSEN, H.	9507170039	50-396 P
BUEGG, M.	9507070053	50-390 P	CARPENTER, C. A.	9507060067	50-155 P	CHRISTENSEN, H.	9507270251*	50-324 Q
BURDICK, T.	9507060007*	50-392 Q	CARPENTER, C. A.	9507060181	50-155 P	CHRISTENSEN, H.	9507110113	50-280 Q
BURDICK, T.	9507150025*	50-285 Q	CARPENTER, C. A.	9507060005	ORG	CHRISTENSEN, H.	9507180028	50-281 Q
BURDICK, T.	9507240043*	50-434 Q	CARPENTER, C. A.	9507120119	50-315 Q	CHRISTENSEN, H.	9507180029*	50-321 Q
BURDICK, T.	9507240073*	50-431 V	CARPENTER, C. E.	9507080254	50-333 P	CHRISTENSEN, H.	9507250113*	50-443 Q
BURDICK, T. M.	9507280024	50-315 V	CARPENTER, C. E.	9507120336	50-333 P	CHALKOWSKI, M.	9507180349	50-373 P
BURDICK, T. M.	9507280031*	50-315 V	CARPENTER, C. E.	9507180273	TOPREP	CLARK, R. H.	9507080186*	50-389 P
BURGESS, S. L.	9507050180	1&E	CARPENTER, C. E.	9507180026	TOPREP	CLARK, R. W.	9507310125	WASTE MGT
BURGESS, S. D.	9507190015*	50-286 Q	CARPENTER, C. E.	9507180437	TOPREP	CLAYTON, S.	9507070024	50-461 Q
BURNETT, T. W.	9507180181*	50-316 Q	CARPENTER, C. E.	9507190308	TOPREP	CLAYTON, S.	9507070034*	50-461 Q
BURNETT, T. W.	9507140012*	50-271 Q	CARPENTER, C. E.	9507310188	ORG	CLAYTON, S.	9507180127	50-373 Q
BURSK, L. A.	9507080086	50-382 P	CARRON, R. P.	9507120362*	50-416 Q	CLAYTON, S.	9507180158	50-373 Q
BURSK, L. F.	9507080035	50-382 P	CARRON, R. W.	9507190354	50-10 Q	CLAYTON, S.	9507240429	50-461 Q
BURSK, L. F.	9507070099	50-382 Q	CARROLL, G.	9507100061	50-160 Q	CLAYTON, S.	9507240437*	50-461 Q
BURSK, L. F.	9507190321	50-382 P	CARROLL, G.	9507190037	50-160 Q	CLIFFORD, J. W.	9507070482	50-367 P
BURSK, L. F.	9507270055	50-382 P	CARROLL, G.	9507270118*	50-160 Q	CLIFFORD, J. W.	9507070455*	50-367 P
BURSK, L. F.	9507280182	50-382 P	CARROLL, G.	9507120036	50-369 S	CLIFFORD, J. W.	9507180424	50-367 P
BURSK, L. F.	9507280194	50-382 P	CARROLL, G.	9507120042	50-369 S	CLIFFORD, J. W.	9507200308	50-367 P
BURSK, L. F.	9507310153	50-382 P	CARROLL, G.	9507140249*	50-413 Q	CLIFFORD, J. W.	9507280263	50-367 P
BUSH, L.	9507240374	TOPREP	CARROLL, G.	9507190037	50-160 Q	CLOWING, T. H.	9507030318	50-498 P
BUSICK, E. R.	9507030196	XPORTUC	CARROLL, G.	9507270059	50-413 P	CLOWING, T. H.	9507050057	50-498 P
BUSSONE, G. F.	9507140143	50-316 R	CASHWELL, R. J.	9507070463	50-156 V	CLOWING, T. H.	9507140055	50-498 Q
BUSSONE, G. F.	9507140142	50-315 R	CASHWELL, R. J.	9507270075	50-158 F	CLOWING, T. H.	9507170312	50-498 Q
BUTLID, J.	9507070098	50-373 S	CASSANO, R. F.	9507240116	40-6940	CLOVIS, R. D.	9507100250	50-284 R
BYRAM, R. G.	9507170227	50-387 P	CASSANO, R. F.	9507270052	40-6940	COFER, P.	9507280269	71-6033
BYRAM, R. G.	9507170334	50-387 P	CASTELLO, T.	9507180183*	50-362 P	COFER, P.	9507280306*	71-6033
BYRAM, R. G.	9507180342	50-387 P	CASTELLO, T.	9507200000*	50-361 P	COFER, P.	9507280307*	71-6033
BYRD, N. G.	9507180378	CONTRACT	CASTELLO, T.	9507200004*	50-361 P	COHEN, W. S.	9507280299*	ORGANIZATION
BYRNE, M. R.	9507280183	ORG	CASTO, C. A.	9507180009	50-259 Q	COLE, T.	9507190156	50-456 R
BYRON, P. M.	9507140185*	50-324 P	CASTO, C. A.	9507190026	50-269 P	COLEMAN, D. E.	9507180332	50-220 R
CAHILL, W. J.	9507050221	50-333 P	CASTO, C. A.	9507190113	50-369 P	COLKITT, M. L.	9507200262	FOIA
CAHILL, W. J.	9507080004	50-333 P	CASTO, C. A.	9507140230	50-335 Q	COLLINS, D. M.	9507180047	70-27
CAHILL, W. J.	9507070114	50-333 P	CASTO, C. A.	9507140241	50-321 Q	COLLINS, D. M.	9507120061	50-261 Q
CAHILL, W. J.	9507070485	50-333 P	CASTO, C. A.	9507140253	50-327 Q	COLLINS, D. M.	9507180063*	70-27
CAHILL, W. J.	9507110240	50-286 P	CASTO, C. A.	9507170002	50-259 Q	COLLINS, D. M.	9507120086	70-1113
CAHILL, W. J.	9507280081	50-333 K	CASTO, C. A.	9507200036	50-413 Q	COLLINS, D. M.	9507120087	50-180 Q
CAHILL, W. J.	9507270061	50-333 P	CASTO, C. A.	9507240380	50-269 Q	COLLINS, D. M.	9507120104	70-27

194 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
COLLINS,D.M.	9507120202	70-143	CONGILL,C.J.	9507140352*	50-286	CUNNINGHAM,R.E.	9507180217*	FOIA
COLLINS,D.M.	9507120210	50-180	CONGILL,C.J.	9507140358*	50-286	CUNNINGHAM,R.E.	9507170145*	FOIA
COLLINS,D.M.	9507120209	50-82	CONGILL,C.J.	9507140363*	50-286	CUNNINGHAM,R.E.	9507200296*	FOIA
COLLINS,D.M.	9507120243	70-1201	CONGILL,C.J.	9507140368*	50-286	CUNNINGHAM,R.E.	9507200306*	FOIA
COLLINS,D.M.	9507120257	70-143	CONGILL,C.J.	9507140378*	50-286	CUNNINGHAM,R.E.	9507100067	70-3070
COLLINS,D.M.	9507120282	70-1113	CONGILL,C.J.	9507140383*	50-286	CUNNINGHAM,R.E.	9507100067	70-3070
COLLINS,D.M.	9507120275	70-27	CONGILL,C.J.	9507140389*	50-286	CUNNINGHAM,R.E.	9507100160	70-3070
COLLINS,D.M.	9507120282	70-1151	CONGILL,C.J.	9507140390*	50-286	CUNNINGHAM,R.E.	9507100160	70-3070
COLLINS,D.M.	9507120283	70-27	CONGILL,C.J.	9507140395*	50-286	CUNNINGHAM,R.E.	9507190055	40-8027
COLLINS,D.M.	9507170045	70-1201	CONGILL,C.J.	9507140397*	50-286	CUNNINGHAM,R.E.	9507190062	70-3070
COLLINS,D.M.	9507210094	STATE PRO G	CONGILL,C.J.	9507140398*	50-286	CUNNINGHAM,R.E.	9507180082	70-3070
COLLINS,D.M.	9507210127	50-327	CONGILL,C.J.	9507140403*	50-286	CUNNINGHAM,R.E.	9507180117	40-8027
COLLINS,D.M.	9507240072	70-1151	CONGILL,C.J.	9507140404*	50-286	CUNNINGHAM,R.E.	9507200290	40-8027
COLLINS,D.M.	9507250134	70-1151	CONGILL,C.J.	9507140407*	50-286	CUNNINGHAM,R.E.	9507270005	40-8027
COLLINS,D.M.	9507290068	50-335	CONGILL,C.J.	9507140410*	50-286	CUNNINGHAM,R.E.	9507270062	40-8027
COLLINS,E.	9507050045*	50-361	CONGILL,C.J.	9507140412*	50-286	CUNNINGHAM,R.E.	9507270068*	40-8027
COLLINS,E.E.	9507050069*	50-486	CONGILL,C.J.	9507140414*	50-286	CUNNINGHAM,R.E.	9507270068*	40-8027
COLLINS,E.E.	9507050089*	50-482	CONGILL,C.J.	9507140419*	50-286	CUNNINGHAM,R.E.	9507050303*	50-410
COLLINS,E.E.	9507130084*	50-459	CONGILL,C.J.	9507140424*	50-286	CUNNINGHAM,R.E.	9507130114*	CA899
COLLINS,E.E.	9507130129*	50-361	CONGILL,C.J.	9507240187	50-317	CUNNINGHAM,R.E.	9507140040*	CA996
COLLINS,E.E.	9507260152*	50-528	CONGILL,C.J.	9507270250	50-220	CUNNINGHAM,R.E.	9507140056*	CA899
COLLINS,F.	9507130021	REGGO	CONGILL,C.J.	9507310286	50-333	CUNNINGHAM,R.E.	9507170102*	CA899
COLLINS,F.	9507130010	STATE PRO G	CONGILL,C.J.	9507310283*	50-333	CUNNINGHAM,R.E.	9507250002	CA899
COLLINS,S.C.	9507210002	STATE PRO G	CONGILL,C.J.	9507190048	70-7002	CUNNINGHAM,R.E.	9507260007	CA899
COMFORT,G.C.	9507240372	40-7102	COX,D.F.	9507120251	NUREG	CUNNINGHAM,R.E.	9507190048	50-295
COMET,A.M.	9507180118	50-180	COX,T.H.	9507060132	70-143	CUNNINGHAM,R.E.	9507180155	71-524
CONDREY,D.	9507140028	70-1252	COYNE,K.A.	9507270234	52-3	CUNNINGHAM,R.E.	9507070074*	50-456
CONER,J.A.	9507050020	70-27	CRAFT,F.R.	9507070296	40-8909	CUNNINGHAM,R.E.	9507080096	50-213
CONER,J.A.	9507060013	NUREG	CRAFT,F.R.	9507140339	40-8909	CUNNINGHAM,R.E.	9507130174	50-213
CONCELLAN.	9507140225*	50-286	CRAIG,K.	9507310161*	40-8027	CUNNINGHAM,R.E.	9507170127	50-213
CONCELLAN,F.	9507200167	50-286	CRAIG,L.E.	9507060265*	ORG	CUNNINGHAM,R.E.	9507190319	50-213
CONCELLAN,F.	9507210123	50-286	CRANDALL,R.A.	9507140150*	50-336	CUNNINGHAM,R.E.	9507250082	50-213
CONCELLAN,F.	9507240258	50-286	CRANDALL,R.A.	9507140154*	50-336	CUNNINGHAM,R.E.	9507060159	50-410
CONNELLY,R.M.	9507250280	STATE PRO G	CRANDALL,R.A.	9507140157*	50-336	CUNNINGHAM,R.E.	9507060167	50-410
CONNER,J.A.	9507240409	70-27	CRANDALL,R.A.	9507140160*	50-336	CUNNINGHAM,R.E.	9507060175	50-220
CONOR,C.E.	9507090284	WASTE MGT	CRANE,K.L.	9507310086	50-388	CUNNINGHAM,R.E.	9507110106	50-410
CONTE,R.J.	9507170172	50-293	CRANFORD,G.F.	9507100126	ORG	CUNNINGHAM,R.E.	9507140182	50-410
CONTE,R.J.	9507210059*	50-271	CRANFORD,G.F.	9507100126	ORG	CUNNINGHAM,R.E.	9507250069	50-410
CONWAY,J.T.	9507060159	50-410	CRANFORD,G.F.	9507180279	ORG	CUNNINGHAM,R.E.	9507070477	PT21
CONWAY,J.T.	9507060167	50-410	CRANFORD,G.F.	9507310256	50-267	CUNNINGHAM,R.E.	9507120041	50-285
COOK,J.B.	9507110062*	50-461	CRAWFORD,A.C.	9507310252*	50-287	CUNNINGHAM,R.E.	9507310278*	TOPREP
COOK,J.B.	9507170386	50-461	CRAWFORD,S.J.	9507050423	50-483	CUNNINGHAM,R.E.	9507110011	50-139
COOK,J.B.	9507190101	50-461	CREED,J.R.	9507090136	50-155	CUNNINGHAM,R.E.	9507100125*	PROJ
COOK,J.B.	9507190156	50-461	CREED,J.R.	9507110037	50-315	CUNNINGHAM,R.E.	9507190206	PROJ
COOL,C.A.	9507050042*	71-738	CREED,J.R.	9507110049	50-10	CUNNINGHAM,R.E.	9507200143*	PR
COOPER,P.G.	9507190315	40-8657	CREED,J.R.	9507110065	50-481	CUNNINGHAM,R.E.	9507250065	50-302
COOPER,R.W.	9507100002	50-286	CREED,J.R.	9507110067	50-295	CUNNINGHAM,R.E.	9507140441*	50-321
COOPER,R.W.	9507140014	50-293	CREED,J.R.	9507190029	50-305	CUNNINGHAM,R.E.	9507190106	FOIA
COOPER,R.W.	9507170121	50-338	CREED,J.R.	9507190082	50-282	CUNNINGHAM,R.E.	9507210182	50-361
COOPER,R.W.	9507170184	50-387	CREED,J.R.	9507240050	50-282	CUNNINGHAM,R.E.	9507060081	40-7580
COOPER,R.W.	9507170194	50-347	CREED,J.R.	9507250147	50-155	CUNNINGHAM,R.E.	9507060180	40-7580
COOPER,R.W.	9507210025	50-367	CREED,J.R.	9507250148	50-483	CUNNINGHAM,R.E.	9507200242	40-7580
COOPER,R.W.	9507210047	50-272	CREED,J.R.	9507260013	50-341	CUNNINGHAM,R.E.	9507310268*	50-263
COOPER,R.W.	9507240055	50-277	CREED,J.R.	9507260034	50-155	CUNNINGHAM,R.E.	9507170388	CONTRACT
COOPER,R.W.	9507270212	50-423	CREED,J.R.	9507260066	50-254	CUNNINGHAM,R.E.	9507170169*	50-244
CORCORAN,K.	9507210224	FOIA	CRENSHAW,J.L.	9507180487*	FOIA	CUNNINGHAM,R.E.	9507070018*	40-8778
CORDES,J.F.	9507200180	SECY	CRILENAK,R.Y.	9507210013	50-969	CUNNINGHAM,R.E.	9507080025	XPORTUC
CORDELL,R.	9507240046	REVIEW GR P	CRILENAK,R.Y.	9507120015	50-321	CUNNINGHAM,R.E.	9507110118	COMMISSION
CORDELL,R.P.	9507060041	NUREG	CRILENAK,R.Y.	9507120035*	50-321	CUNNINGHAM,R.E.	9507200377	COMMISSION
CORDELL,R.P.	9507170280	ORG	CRILENAK,R.Y.	9507120071	50-299	CUNNINGHAM,R.E.	9507060152	COMMISSION
CORDELL,R.P.	9507250230	REVIEW GR P	CRILENAK,R.Y.	9507120082*	50-299	CUNNINGHAM,R.E.	9507050402	COMMISSION
COSTEDIO,J.J.	9507070179*	50-333	CRILENAK,R.Y.	9507120090	50-413	CUNNINGHAM,R.E.	9507080442	COMMISSION
COTTELL,W.T.	9507190318*	50-488	CRILENAK,R.Y.	9507140239	50-413	CUNNINGHAM,R.E.	9507100293	COMMISSION
COPAL,J.J.	9507270346*	FOIA	CRILENAK,R.Y.	9507140216	50-286	CUNNINGHAM,R.E.	9507110260	COMMISSION
COPAL,J.J.	9507310139*	FOIA	CRILENAK,R.Y.	9507140239	50-386	CUNNINGHAM,R.E.	9507180192	COMMISSION
COURTMANES.	9506020249*	FOIA	CRILENAK,R.Y.	9507140335*	50-388	CUNNINGHAM,R.E.	9507190227	COMMISSION
COWAN,J.	9507030088	50-325	CRILENAK,R.Y.	9507200027	50-288	CUNNINGHAM,R.E.	9507190254	COMMISSION
COWGILL,C.J.	9507030012	50-286	CRILENAK,R.Y.	9507200034*	50-288	CUNNINGHAM,R.E.	9507200182	COMMISSION
COWGILL,C.J.	9507050081	50-286	CRILENAK,R.Y.	9507200067	50-424	CUNNINGHAM,R.E.	9507200201	COMMISSION
COWGILL,C.J.	9507050084*	50-286	CRILENAK,R.Y.	9507240311	50-413	CUNNINGHAM,R.E.	9507200209	COMMISSION
COWGILL,C.J.	9507100305	50-333	CRILENAK,R.Y.	9507250070	50-413	CUNNINGHAM,R.E.	9507200225	COMMISSION
COWGILL,C.J.	9507100309*	50-333	CROCKETT,S.F.	9507200140*	PR	CUNNINGHAM,R.E.	9507200238	COMMISSION
COWGILL,C.J.	9507100314	50-220	CROCKETT,S.F.	9507120294	FOIA	CUNNINGHAM,R.E.	9507200240	COMMISSION
COWGILL,C.J.	9507140018	50-247	CROSS,C.	9507240407	FOIA	CUNNINGHAM,R.E.	9507200253	COMMISSION
COWGILL,C.J.	9507140159*	50-286	CROTEAU,R.P.	9507060032	50-250	CUNNINGHAM,R.E.	9507200267	COMMISSION
COWGILL,C.J.	9507140166*	50-286	CROTEAU,R.P.	9507190228	50-250	CUNNINGHAM,R.E.	9507200871	COMMISSION
COWGILL,C.J.	9507140179*	50-286	CROWLEY,B.R.	9507120080*	50-310	CUNNINGHAM,R.E.	9507210048	COMMISSION
COWGILL,C.J.	9507140272*	50-286	CRUSE,C.H.	9507110254	50-317	CUNNINGHAM,R.E.	9507210058	COMMISSION
COWGILL,C.J.	9507140278*	50-286	CRUSE,C.H.	9507110259	50-318	CUNNINGHAM,R.E.	9507110106	50-410
COWGILL,C.J.	9507140284*	50-286	CRUSE,C.H.	9507200152	50-317	CUNNINGHAM,R.E.	9507140073	50-245
COWGILL,C.J.	9507140292*	50-286	CRUSE,C.H.	9507210134	50-317	CUNNINGHAM,R.E.	9507140079	50-245
COWGILL,C.J.	9507140307*	50-286	CRUTCHFIELD,D.	9507090275	52-4	CUNNINGHAM,R.E.	9507140078	50-336
COWGILL,C.J.	9507140311*	50-286	CRUTCHFIELD,D.	9507110253	50-380	CUNNINGHAM,R.E.	9507140084	50-423
COWGILL,C.J.	9507140319*	50-286	CRUTCHFIELD,D.	9507170219	ORG	CUNNINGHAM,R.E.	9507140094	50-423
COWGILL,C.J.	9507140321*	50-286	CRUTCHFIELD,D.	9507310025	50-380	CUNNINGHAM,R.E.	9507140094	50-423
COWGILL,C.J.	9507140324*	50-286	CUNNINGHAM,L.I.	9507090156	REVIEW GR P	CUNNINGHAM,R.E.	9507140140	50-336
COWGILL,C.J.	9507140330*	50-286	CUNNINGHAM,R.E.	9507270341*	FOIA	CUNNINGHAM,R.E.	9507140140	50-336
COWGILL,C.J.	9507140342*	50-286	CUNNINGHAM,R.E.	9507240355*	FOIA	CUNNINGHAM,R.E.	9507140155	50-213

196 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
FRIZZLE, C.D.	9507310208	50-369	P	GLEASON, J.P.	9507270127	50-160	G	GWYNN, T.P.	9507300085	50-488	Q
FUJIMOTO, W.H.	9507300098	50-276	P	GLEASON, M.	9507170203	CONTRACT		GWYNN, T.P.	9507300027	50-387	Q
FUJIMOTO, W.H.	9507080407	50-275	P	GLENN, J.	9506080015*	COMMISSION		GWYNN, T.P.	9507300040	50-361	Q
FUJIMOTO, W.H.	9507070135	50-275	P	GLINN, J.E.	9507310129*	FOIA		GWYNN, T.P.	9507300051	50-482	Q
FUJIMOTO, W.H.	9507070140*	50-275	P	GLINSKI, R.L.	9507060016*	40-8946		GWYNN, T.P.	9507300073	50-482	Q
FUJIMOTO, W.H.	9507110074	50-275	P	GLINSKI, R.L.	9507080024*	40-7327		GWYNN, T.P.	9507100238	50-488	Q
FUJIMOTO, W.H.	9507120014	50-275	F	GLIERSEN, W.B.	9507120024*	50-160	Q	GWYNN, T.P.	9507110048	50-482	Q
FUJIMOTO, W.H.	9507120076	50-275	F	GOODMAN, A.V.	9507270021	STATE PRO G		GWYNN, T.P.	9507120052	50-482	P
FUJIMOTO, W.H.	9507250041	50-275	R	GOWIT, M.R.	9507210082	71-8083		GWYNN, T.P.	9507130078	50-488	Q
FUJIMOTO, W.H.	9507290087	50-275	R	GOLDBERG, J.H.	9507090404	50-388	Q	GWYNN, T.P.	9507130110	50-381	Q
FUJIMOTO, W.H.	9507250080	50-275	Q	GOLDBERG, J.R.	9507070275*	70-384		GWYNN, T.P.	9507140038*	50-382	Q
FULLER, J.J.	9507130179*	50-213	Q	GOLDEN, S.	9507200013*	PR		GWYNN, T.P.	9507170130	50-328	V
FULTON, J.D.	9507130358*	50-526	R	GOOD, B.A.	9507080125	50-146	R	GWYNN, T.P.	9507170149	50-313	Q
FULTON, J.D.	9507130329*	50-526	R	GOODEN, A.	9507120193*	50-288	Q	GWYNN, T.P.	9507130001	50-448	V
FUNCHES, J.L.	9507200243	PR		GOODENOW, T.G.	9507200222	NUREG		GWYNN, T.P.	9507240005	50-382	Q
FUNK, D.E.	9507310212*	50-341	P	GOODENOW, T.G.	9507200236	NUREG		GWYNN, T.P.	9507260015	50-482	Q
FUSSNER, R.J.	9507190222*	PROJ		GOODMAN, L.S.	9507180463	50-341	F	GWYNN, T.P.	9507260017	50-387	Q
FUSSNER, R.J.	9507190231*	PROJ		GOODMAN, L.S.	9507210019	50-341	H	GWYNN, T.P.	9507260149	50-528	Q
GALLAGHER, M.P.	9507170038	50-352	R	GOODMAN, L.S.	9507250018	50-341	F	GWYNN, T.P.	9507310047	50-482	Q
GALLAGHER, F.F.	9507120271	50-453	I	GOODWIN, W.L.	9507180316	70-1151		HAAG, R.C.	9507170013	50-321	Q
GALLO, R.	9507280009	QA899		GOODWIN, W.L.	9507200108	70-1151		HAAG, R.C.	9507100424*	50-386	Q
GALLO, R.M.	9507130086	QA899		GOODWIN, W.L.	9507200111	70-1151		HAAG, R.C.	9507120023*	50-321	Q
GALLO, R.M.	9507130102	QA899		GOODWIN, W.L.	9507240305	70-1151		HAAG, R.C.	9507260070*	50-424	Q
GALLO, R.M.	9507130114*	QA899		GOPALAKRISHNAN	9507280308*	COMMISSION		HAAS, K.M.	9507050119	50-256	P
GALLO, R.M.	9507140034	QA899		GOPPEL, M.	9507280304	XPORTLIC		HAAS, K.M.	9507050368	50-256	P
GALLO, R.M.	9507140040*	QA899		GORDAN, D.J.	9507080200	50-346	F	HAAS, K.M.	9507110249	50-255	P
GALLO, R.M.	9507140047	QA899		GORNES, J.W.	9507280180	71-787		HAAS, K.M.	9507250016	50-256	V
GALLO, R.M.	9507140058*	QA899		GRABO, B.A.	9507050377*	50-526	S	HAAS, K.M.	9507260178	50-255	Y
GALLO, R.M.	9507170086	QA899		GRABO, B.A.	9507100218*	50-526	S	HAAS, P.M.	9507140445*	50-321	P
GALLO, R.M.	9507170102*	QA899		GRABO, B.A.	9507100218*	50-526	S	HADEN, J.R.	9507240025	PR	
GALLO, R.M.	9507180171*	50-341	Q	GRABO, B.A.	9507100221*	50-526	S	HADEN, J.R.	9507270054	STATE PRO G	
GALLO, R.M.	9507210108*	50-341	Q	GRABO, B.A.	9507100229*	50-526	S	HAGAN, J.J.	9507050032	PR	
GALLO, R.M.	9507280067	QA899		GRABO, B.A.	9507100229*	50-526	S	HAGAN, J.J.	9507100047	50-354	P
GALLO, R.M.	9507280185	QA899		GRABO, B.A.	9507100227*	50-526	S	HAGAN, J.J.	9507170020	50-354	P
GALLO, R.M.	9507290250	50-380	Q	GRABO, B.A.	9507100229*	50-526	S	HAGAN, J.J.	9507180008	50-272	P
GALLO, R.M.	9507280252*	50-390	Q	GRABO, B.A.	9507110001	50-526	D	HAGAN, J.J.	9507280007	50-272	P
GALLO, R.M.	9507290250*	50-396	Q	GRABO, B.A.	9507110110	50-526	S	HAGAN, J.J.	9507280153	50-354	P
GAMBERONI, M.	9507080307	ORG		GRANT, G.E.	9507070026	50-454	P	HAGAN, R.C.	9507030329	50-482	P
GAMBERONI, M.	9507080311	ORG		GRANT, G.E.	9507110029	50-282	V	HAGAN, R.C.	9507050324	50-482	P
GAMBERONI, M.	9507090321	MISC		GRANT, G.E.	9507240038	50-454	Q	HAGAN, R.C.	9507080118	50-482	S
GAMBERONI, M.	9507080048	50-255	P	GRANT, J.M.	9507110031	50-29	W	HAGAN, R.C.	9507080224	50-482	P
GAMBERONI, M.	9507080103	50-255	P	GRAY, E.H.	9507140012	50-271	Q	HAGAN, R.C.	9507170407	50-482	P
GAMBERONI, M.	9507070115	50-255	P	GRAY, J.R.	9507190135	50-302	T	HAGAN, R.C.	9507310036	50-482	P
GAMBERONI, M.	9507130267	50-255	P	GRAY, J.R.	9507200002	50-498	Q	HAGEMAN, R.C.	9507210231*	FOIA	
GANNES, S.	9507280075*	50-346	P	GRAY, J.R.	9507200003	50-496	H	HAGEMAN, R.C.	9507210232*	FOIA	
GARCIA, A.	9507070307	WASTE MGT		GREEN, W.R.	9507120136	50-409	S	HAGEMAN, R.C.	9507210234*	FOIA	
GARCIA, A.	9507130082	WASTE MGT		GREEN, W.R.	9507180030	50-409	S	HAGEMAN, R.C.	9507210273*	FOIA	
GARCIA, A.	9507260095	WASTE MGT		GREEN, T.	9507180003	50-424	F	HAGEMAN, R.C.	9507210279*	FOIA	
GARNER, L.W.	9507120078	50-280	Q	GREENMAN, E.G.	9507180156	50-282	Q	HAGEMAN, R.C.	9507210283*	FOIA	
GARNETT, P.	9507090134	50-248	S	GREENMAN, E.G.	9507210303*	50-285	Y	HAGEMAN, R.C.	9507240261*	FOIA	
GARROU, A.L.	9507120298	50-251	S	GREEVES, J.T.	9507030061	WASTE MGT		HAGEMAN, R.C.	9507240263*	FOIA	
GARVEY, C.G.	9507280278*	50-308	H	GREGG, R.D.	9507050145	40-286		HAGEMAN, R.C.	9507240271*	FOIA	
GATES, T.W.	9507080299	50-458	S	GRIER, B.	9507030075	FOIA		HAGEMAN, R.C.	9507240275*	FOIA	
GATES, W.G.	9507100069	50-285	P	GRIER, B.H.	9507250195*	FOIA		HAGEMAN, R.C.	9507240299*	FOIA	
GATES, W.G.	9507100065*	50-285	P	GRIER, B.H.	9507250197*	FOIA		HAGEMAN, R.C.	9507240404*	FOIA	
GATES, W.G.	9507100090	50-285	P	GRIER, B.H.	9507250201*	FOIA		HAGEMAN, R.C.	9507240419*	FOIA	
GATES, W.G.	9507100094*	50-285	P	GRIER, B.H.	9507250215*	FOIA		HAGEMAN, R.C.	9507260252*	FOIA	
GATES, W.G.	9507100107	50-285	P	GRIER, B.H.	9507250218*	FOIA		HAGEMAN, R.C.	9507260258*	FOIA	
GATES, W.G.	9507210252	50-285	P	GRIER, B.H.	9507250235*	FOIA		HAGEMAN, R.C.	9507260264*	FOIA	
GATES, W.G.	9507210255*	50-285	P	GRIMES, S.K.	9506290082	50-3	P	HAGEMAN, R.C.	9507270351*	FOIA	
GAUL, W.	9507140262	40-341		GRIMES, S.K.	9507170244	PR		HAGEMAN, R.C.	9507240361*	FOIA	
GAUMER, G.R.	9507200022	71-172		GRIMES, S.K.	9507180118	ORG		HAILE, J.F.	9507310114*	FOIA	
GAUTAM, A.S.	9507180171*	50-341	Q	GRIMES, S.K.	9507280145	ORG		HAILE, J.F.	9507310140*	FOIA	
GAUTAM, A.S.	9507210106*	50-341	Q	GRIMES, C.I.	9507080318	ORG		HALL, D.P.	9507310122*	50-498	P
GELMAN, M.E.	9507170125	NUREG		GRIMES, C.I.	9507080322*	ORG		HALL, D.P.	9507270171*	50-498	P
GEORGE, M.	9507140032	70-1426		GRIMES, C.I.	9507180385	TOPREP		HALL, D.P.	9508040203*	50-498	Q
GEORGE, M.	9507140037	70-1426		GRIMES, C.I.	9507180446	TOPREP		HALL, J.R.	9507050136	50-296	P
GESCHWENDER, J.	9507080074*	50-285	S	GRIMES, C.I.	9507200274	50-285	P	HALL, J.R.	9507110252	50-296	P
GHOSEA, A.	9507240384	WASTE MGT		GROB, B.	9507100280*	50-440	F	HALL, J.R.	9507120348	50-296	P
GHRATANA, A.	9507070095	70-7001		GROTH, J.F.	9507070157	50-498	F	HALL, J.R.	9507120350*	50-296	P
GIBBS, R.D.	9507120044*	50-380	Q	GROTH, J.F.	9507180540	50-498	R	HALL, J.R.	9507180330	50-296	P
GIBBY, S.K.	9507250086*	50-370	Q	GROVE, E.	9507310244	TOPREP		HALL, J.R.	9507180341*	50-296	P
GIBSON, A.	9507200207	50-288	Q	GROVE, E.J.	9507080335	NUREG		HALL, J.R.	9507190257	50-296	P
GIBSON, A.	9507200258	50-288	Q	GRUMBLY, T.P.	9507250283	70-1100	Q	HALL, J.R.	9507110212*	50-311	S
GIERBOLINI, J.	9507070477	PT21		GRUNDUM, L.L.	9507310190	50-287	Q	HALL, J.R.	9507190322	50-296	P
GILLEN, D.M.	9507110333	40-8681		GRYNBERG, M.	9507030150*	ORG		HAMPTON, J.W.	9507030258	50-269	P
GILLEN, D.M.	9507260083	40-4482		GUILDAY, P.	9507180049	50-160	G	HAMPTON, J.W.	9507080081	50-269	K
GILLEY, S.D.	9507110134	50-327	S	GUILDAY, P.	9507180049	50-160	G	HAMPTON, J.W.	9507080154	50-269	K
GILLEY, S.D.	9507280114*	50-327	S	GUMBLE, F.	9507030087	50-286	S	HAMPTON, J.W.	9507110086	50-269	R
GILMELLO, J.J.	9507070422	40-7102		GUNDUM, L.L.	9507030264	50-346	P	HAMPTON, J.W.	9507110101	50-269	R
GIPSON, D.R.	9507170183	50-341	P	GUNDUM, L.L.	9507180480	50-346	P	HAMPTON, J.W.	9507120029	50-269	Y
GIPSON, D.R.	9507170380	50-341	Q	GUNDUM, L.L.	9507240132*	50-346	P	HAMPTON, J.W.	9507120132	50-269	Y
GIPSON, D.R.	9507170383	50-16	H	GUNDUM, L.L.	9507240132*	50-346	P	HAMPTON, J.W.	9507140447	50-269	F
GIPSON, D.R.	9507190390	50-341	P	GUNTER, P.A.	9507030182*	50-282	G	HAMPTON, J.W.	9507170088	50-269	P
GIPSON, D.R.	9507210202	50-341	P	GUTTERMAN, A.H.	9507270206	50-496	Q	HAMPTON, J.W.	9507170136	50-269	F
GIRARD, E.	9507120127*	50-386	Q	GUZMAN, J.G.	9507190015*	50-586	Q	HAMPTON, J.W.	9507200100	50-269	F
GLEASON, J.P.	9507100100	40-8027		GWYNN, T.P.	9507030011	50-313	P	HAMPTON, J.W.	9507240031	50-269	P
GLEASON, J.P.	9507180031	40-8681		GWYNN, T.P.	9507090075	50-528	P				

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HAMPTON, J. W.	9507250106	50-27D Q	HICKLE, B. J.	9507250089	50-302 S	HOLONCH, J. J.	9507110332	40-8805
HANDLER, R.	9507310014*	FOIA	HICKMAN, J. B.	9507120396	50-315 P	HOLONCH, J. J.	9507120314	WASTE MGT
HANNING, J. L.	9507140089*	50-488 Q	HICKMAN, J. B.	9507120388*	50-315 P	HOLONCH, J. J.	9507120088	WASTE MGT
HANNON, J. N.	9507180305	50-262 Y	HICKMAN, J. B.	9507140143	50-315 P	HOLONCH, J. J.	9507120119	WASTE MGT
HANNON, J. N.	9507190251*	50-263 P	HICKMAN, J. B.	9507180442	50-315 P	HOLONCH, J. J.	9507140194	WASTE MGT
HANNON, J. N.	9507200347	50-282 G	HICKMAN, J. B.	9507180451*	50-315 P	HOLONCH, J. J.	9507140223	WASTE MGT
HANNON, J. N.	9507210049*	50-155 P	HICKMAN, J. B.	9507280213	50-80 F	HOLONCH, J. J.	9507140400	WASTE MGT
HANSEN, A. G.	9507110178	50-268 P	HICKS, G. D.	9507140431	50-284 H	HOLONCH, J. J.	9507140408	WASTE MGT
HANSEN, A. G.	9507120126	50-266 P	HILAND, P. L.	9507180094*	50-284 Q	HOLONCH, J. J.	9507210071	WASTE MGT
HANSEN, A. G.	9507120131*	50-266 P	HILAND, P. L.	9507180097	50-284 Q	HOLONCH, J. J.	9507250186	40-8868
HANSEN, A. G.	9507180214	50-266 P	HILAND, P. L.	9507240301	50-237 Q	HOLONCH, J. J.	9507280206	40-299
HANSEN, A. G.	9507200134	50-264 Y	HILDEBRAND, J. E.	9507300290	50-146 P	HOLONCH, J. J.	9507280209	40-1341
HANSEN, J.	9507280031*	50-315 V	HILDEBRAND, J. E.	9507300298*	50-146 P	HOLONCH, J. J.	9507280258*	40-8902
HARDIN, C.	9507190021	COMMISSION	HILDEBRAND, J. E.	9507210333	40-8857	HOLONCH, J. J.	9507280275	40-1182
HARDIN, C.	9507190055	STATE PRO G	HILL, B. E.	9507080294	WASTE MGT	HOLONCH, J. J.	9507280279	40-8859
HARDIN, C. M.	9507120036	STATE PRO G	HILL, L. M.	9507030067	50-256 S	HOLONCH, J. J.	9507280298	40-8888
HARDIN, C. M.	9507120057*	COMMISSION	HILL, L. M.	9507170026	50-256 S	HOLONCH, J. J.	9507280300*	40-8888
HARMON, C.	9507120053*	70-27	HILL, L. M.	9507190025	50-256 P	HOLONCH, J. J.	9507280317	40-8881
HARMON, P. E.	9507120062*	50-262 Q	HILL, R. D.	9507030061	50-364 S	HOLONCH, J. J.	9507280350	40-8102
HARMON, P. E.	9507200034*	50-258 Q	HILL, R. D.	9507170042	50-364 S	HOLONCH, J. J.	9507280354	40-8904
HAROLD, J. F.	9507180175	TOPREP	HILL, R. D.	9507170175	50-364 S	HOLONCH, J. J.	9507270088	40-299
HAROLD, J. F.	9507200075	TOPREP	HILL, R. D.	9507310009	50-364 S	HOLONCH, J. J.	9507270073*	40-299
HARRELL, P.	9507140871*	50-313 Q	HILL, R. D.	9507310216	50-364 S	HOLONCH, J. J.	9507270076	40-8906
HARRELL, P. H.	9507310041*	50-298 Q	HILL, R. D.	9507310228	50-364 S	HOLONCH, J. J.	9507270080*	40-8906
HARRISON, D.	9507310143	50-245 S	HILL, R. L.	9507190340	50-488 R	HOLONCH, J. J.	9507270088	ORG
HARRISON, D.	9507310158	50-245 S	HILL, T. E.	9507120125*	STATE PRO G	HOLT, B. J.	9507180011	186
HARRISON, F.	9507190352*	50-324	HILL, W. J.	9507100363	50-289 P	HOLT, B. J.	9507240017	40-8905
HARRISON, F.	9507190353*	50-324	HILL, W. J.	9507100388*	50-289 P	HOLT, B. J.	9507110335	40-8907
HARVEY, V. K.	9507290283*	FOIA	HILL, W. J.	9507140233	50-289 S	HOLT, B. J.	9507140422	40-4492
HASTINGS, D.	9507210112*	70-1257	HILL, W. M.	9507100258	ORG	HOPPER, G. L.	9507140161	50-424 R
HATT, R. P.	9507060313	NUREG	HILT, T. G.	9507310131	REVIEW GR P	HOPKINS, D. R.	9507180331*	FOIA
HAUBER, R. D.	9507060325	XPORTLUC	HINANT, C. S.	9507180032	50-261 Q	HOPKINS, J. B.	9507060221	50-440 P
HAUBER, R. D.	9507060338	XPORTLUC	HINANT, C. S.	9507210026	50-261 Q	HOPKINS, J. B.	9507060238*	50-440 P
HAUBER, R. D.	9507060390	XPORTLUC	HINANT, C. S.	9507210029	50-261 Q	HOPKINS, J. B.	9507110296	50-440 P
HAUBER, R. D.	9507060395	XPORTLUC	HINANT, C. S.	9507280036	50-261 Q	HOPKINS, J. B.	9507110302*	50-440 P
HAUBER, R. D.	9507060021*	XPORTLUC	HLOPAK, W. J.	9507120203	40-341 ORG	HOPKINS, J. B.	9507110305*	50-440 P
HAUBER, R. D.	9507060285	XPORTLUC	HODGES, M. W.	9507270036	FOIA	HOPKINS, J. B.	9507240420	50-440 P
HAUBER, R. D.	9507060290	XPORTLUC	HODGES, M. W.	9507310218*	FOIA	HOPKINS, J. B.	9507280070*	50-424 Q
HAUBER, R. D.	9507060302	XPORTLUC	HOFFMAN, J. J.	9507130116*	STATE PRO G	HOPPER, G.	9507310175*	FOIA
HAUBER, R. D.	9507070300	XPORTLUC	HOFFMAN, J. J.	9507090182	PROJ	HOPPER, J. P.	9507070499	72-1009
HAUBER, R. D.	9507110147	XPORTLUC	HOFFMAN, J. T.	9507110217	REVIEW GR P	HORN, R.	9507080080	50-298 P
HAUBER, R. D.	9507140097*	XPORTLUC	HOFFMAN, J. T.	9507110226	REVIEW GR P	HORN, R.	9507100294	50-298 P
HAUBER, R. D.	9507280302	XPORTLUC	HOFFMAN, J. T.	9507130271	REVIEW GR P	HORN, R.	9507190112	50-298 P
HAUBER, R. D.	9507130184	71-47	HOFFMAN, J. T.	9507240240	REVIEW GR P	HORN, R.	9507200142	50-298 P
HAUBER, R. D.	9507300138*	50-443 Q	HOFFMAN, J. T.	9507310279	PROJ	HORN, R.	9507190314	70-7001
HAYES, L.	9507030340*	WASTE MGT	HOFFPAUER, J. G.	9507250127	50-382 S	HORN, M.	9507310144	70-7001
HAYES, L.	9507240451*	50-428 S	HOFFPAUER, J. G.	9507140455*	WASTE MGT	HORTON, D. G.	9507070372	WASTE MGT
HEDON, F. J.	9507060385*	50-327 P	HOFFPAUER, J. G.	9507240455*	WASTE MGT	HORTON, D. G.	9507070387	WASTE MGT
HEDON, F. J.	9507060405	50-368 P	HOGGER, C.	9507210163	27-47	HORTON, D. G.	9507070389*	WASTE MGT
HEDON, F. J.	9507240214*	50-229 P	HOGGER, C.	9507250264	40-8906	HORTON, D. G.	9507140467	WASTE MGT
HEDON, F. J.	9507240324	50-256 P	HOGGER, C.	9507250268	27-47	HORTON, D. G.	9507140469*	WASTE MGT
HEBERT, J. R.	9507060178	50-309 S	HOLDEN, D. L.	9507120023*	50-321 Q	HORTON, D. G.	9507280245	WASTE MGT
HEBERT, J. R.	9507180218	50-308 F	HOLDEN, D. L.	9507060047	XPORTLUC	HORTON, D. G.	9507280262	WASTE MGT
HEBERT, J. R.	9507190343	50-308 R	HOLDEN, D. L.	9507060052	XPORTLUC	HORTON, D. G.	9507280384*	WASTE MGT
HEBERT, J. R.	9507240290	50-308 Q	HOLDEN, D. L.	9507140008	XPORTLUC	HORTON, D. G.	9507240267	WASTE MGT
HEBERT, M. A.	9507080230	40-8027	HOLDEN, D. L.	9507140010	XPORTLUC	HORTON, D. G.	9507310029	WASTE MGT
HECHT, J. G.	9507180260	FOIA	HOLDEN, D. L.	9507140017	XPORTLUC	HORTON, D. G.	9507310039*	WASTE MGT
HEHL, C. W.	9507080180	40-8833	HOLDEN, D. L.	9507140030	XPORTLUC	HOUSTON, B. L.	9507100294	50-298 F
HEHL, C. W.	9507140147*	50-285 P	HOLDEN, D. L.	9507060055	XPORTLUC	HOWARD, M.	9507130025	STATE PRO G
HEHL, C. W.	9507240046	40-195	HOLDEN, D. L.	9507060059	XPORTLUC	HOWELL, L. L.	9507060001	186
HEHL, C. W.	9507280108	70-1100	HOLDEN, D. L.	9507060023	XPORTLUC	HOYLE, J. C.	9507060034	10CFR
HEHL, C. W.	9507140031	XPORTLUC	HOLDEN, D. L.	9507140013	XPORTLUC	HOYLE, J. C.	9507060050	10CFR
HELLER, R.	9507190329	50-272 R	HOLDEN, D. L.	9507140027	XPORTLUC	HOYLE, J. C.	9507060282	10CFR
HELLER, R.	9507190337	50-211 R	HOLLAND, R. M.	9507280170	50-428 P	HOYLE, J. C.	9507060289	10CFR
HELLSTROM, G. W.	9507110311	40-8989	HOLLAND, R. M.	9507310230	50-428 P	HOYLE, J. C.	9507060292	10CFR
HELLSTROM, G. W.	9507120307	40-8989	HOLLAND, R. M.	9507280222	NUREG	HOYLE, J. C.	9507080368	10CFR
HELLSTROM, G. W.	9507200021	40-8989	HOLLAND, R. M.	9507280226	NUREG	HOYLE, J. C.	9507070423	10CFR
HELLSTROM, G. W.	9507030122	40-2344	HOLLAND, P. G.	9507110316	50-10 W	HOYLE, J. C.	9507100073	40-8027
HELLSTROM, L.	9507200158	50-331 F	HOLLAND, P. G.	9507190354	50-10 R	HOYLE, J. C.	9507100098	50-213
HELLSTROM, L.	9507200168	50-331 F	HOLLAND, P. G.	9507270103	50-10 R	HOYLE, J. C.	9507110014	50-389 M
HEMPER, C. R.	9507170038	50-252 R	HOLLANDER, W. D.	9507180328	PT21	HOYLE, J. C.	9507110142	50-295 G
HEMPER, C. R.	9504130082	50-381 G	HOLLER, J.	9507180328	70-3070	HOYLE, J. C.	9507110145	50-260 G
HEMPER, C. R.	9504130145*	50-155 F	HOLLOWAY, J. J.	9507190185	71-185	HOYLE, J. C.	9507110148	ORG
HEMPER, C. R.	9506020120*	50-295 F	HOLLOWAY, J. J.	9507210136	50-327 R	HOYLE, J. C.	9507120118	10CFR
HEMPER, C. R.	9507050398*	50-305 F	HOLLOWAY, J. J.	9507180347*	50-461 R	HOYLE, J. C.	9507200244*	COMMISSION
HEMPER, C. R.	9507060302*	50-254 F	HOLLOWAY, C. J.	9507060123	PR	HOYLE, J. C.	9507200273	10CFR
HEMPER, C. R.	9507060452*	50-397 F	HOLLOWAY, C. J.	9507200115	PR	HOYLE, J. C.	9507200279	10CFR
HEMPER, C. R.	9507060382	50-289 P	HOLLOWAY, C. J.	9507200135*	PR	HOYLE, J. C.	9507200283	10CFR
HEMPER, C. R.	9507060385*	50-289 P	HOLLOWAY, C. J.	9507200232*	PR	HOYLE, J. C.	9507200286	10CFR
HEMPER, C. R.	9507310241	50-289 P	HOLLOWAY, C. J.	9507200251*	PR	HOYLE, J. C.	9507200300*	PR
HERNAN, J. T.	9507110164	50-258 R	HOLLOWAY, C. J.	9507200302*	PR	HOYLE, J. C.	9507200306*	PR
HERNAN, J. T.	9507170122*	50-213 P	HOLLOWAY, C. J.	9507200306*	PR	HOYLE, J. C.	9507210111	10CFR
HERNAN, J. T.	9507180170*	52-4	HOLMES, M. A.	9507110214	50-483 R	HOYLE, J. C.	9507210126	10CFR
HERNAN, J. T.	9507130148	50-289 R	HOLONCH, J. J.	9507210156	WASTE MGT	HOYLE, J. C.	9507210130	10CFR
HERNAN, J. T.	9507110127	PR	HOLONCH, J. J.	9507280210	40-8902	HOYLE, J. C.	9507210156	10CFR
HERNAN, J. T.	9507270045	STATE PRO G	HOLONCH, J. J.	9507030083	WASTE MGT	HOYLE, J. C.	9507210217	10CFR
HICKLEY, J. W.	9507030180	70-7001	HOLONCH, J. J.	9507030086	WASTE MGT	HOYLE, J. C.	9507210220	10CFR
HICKLE, B. J.	9507070119	50-302 S	HOLONCH, J. J.	9507110030	40-8907	HOYLE, J. C.	9507210230	10CFR

198 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HOYLE, J.C.	9507210285	10CFR	JABBOUR, K.N.	9507280186	50-321 P	JAUDON, J.P.	9507120098	50-390 Q
HOYLE, J.C.	9507210287	10CFR	JABBOUR, K.N.	9507270274	50-321 P	JAUDON, J.P.	9507120120	50-390 Q
HOYLE, J.C.	9507210240	10CFR	JABBOUR, K.N.	9507310186	50-321 P	JAUDON, J.P.	9507140820	50-390 Q
HOYLE, J.C.	9507240190	10CFR	JACKSON, D.T.	9507250095	FOIA	JAUDON, J.P.	9507170006	50-259 P
HOYLE, J.C.	9507240200	10CFR	JACKSON, D.T.	9507190240	52-3	JAUDON, J.P.	9507200156	50-390 Q
HOYLE, J.C.	9507270110	50-160 G	JACKSON, D.T.	9507210183	52-3	JAUDON, J.P.	9507240255	50-390 Q
HOYLE, J.C.	9507270305	50-296 P	JACKSON, D.T.	9507240269	52-4	JAUDON, J.P.	9507240476	50-390 Q
HOYLE, J.C.	9507280071	50-348 P	JACKSON, S.A.	9507060416	COMMISSIO N	JAUDON, J.P.	9507260085	50-390 Q
HOYLE, J.C.	9507240208	10CFR	JACKSON, S.A.	9507060426	COMMISSIO N	JAUDON, J.P.	9507260117	50-390 A
HSA, A.H.	9507180116*	50-255 Y	JACKSON, S.A.	9507060448	COMMISSIO N	JEFFREY, W.J.	9507200018	50-277 R
HSA, A.H.	9507180122*	50-255 Y	JACKSON, S.A.	9507100225	COMMISSIO N	JENKINS, R.B.	9507260004*	50-155 P
HSA, A.H.	9507180132*	50-255 P	JACKSON, S.A.	9507100361	COMMISSIO N	JEZIK, R.M.	9507210305*	FOIA
HSA, A.H.	9507180145*	50-255 Y	JACKSON, S.A.	9507180187	COMMISSIO N	JEZIK, R.M.	9507240271*	FOIA
HSA, A.H.	9507180188*	50-255 Y	JACKSON, S.A.	9507180205	COMMISSIO N	JEZIK, R.M.	9507260054*	FOIA
HSA, A.H.	9507180164*	50-255 Y	JACKSON, S.A.	9507190256	COMMISSIO N	JO, J.	9507120287	50-290 P
HSA, A.H.	9507180175*	50-255 Y	JACKSON, S.A.	9507200174	COMMISSIO N	JOHANNES, R.N.	9507140085	50-482 P
HSA, A.H.	9507190802*	50-255 Y	JACKSON, S.A.	9507200205	COMMISSIO N	JOHANNES, R.N.	9507240048	50-482 R
HSA, A.H.	9507210300*	WASTE MGT	JACKSON, S.A.	9507200206	COMMISSIO N	JOHANSEN, J.M.	9507110088	50-10 M&E
HUANG, T.L.	9507080386	TOPREP	JACKSON, S.A.	9507200218	COMMISSIO N	JOHANSEN, J.M.	9507210036	50-244 P
HUANG, T.L.	9507070028	TOPREP	JACKSON, S.A.	9507200228	COMMISSIO N	JOHNSON, A.R.	9507060258	50-244 P
HUANG, T.L.	9507110172	TOPREP	JACKSON, S.A.	9507200247	COMMISSIO N	JOHNSON, A.R.	9507210157	50-454 P
HUANG, T.L.	9507100285	50-348 F	JACKSON, S.A.	9507200253	COMMISSIO N	JOHNSON, A.R.	9507240458	50-10 P
HUANG, T.L.	9507310089	50-348 F	JACKSON, S.A.	9507200268	COMMISSIO N	JOHNSON, A.R.	9507070180	50-281 P
HUANG, T.L.	9507310087	50-348 F	JACKSON, S.A.	9507200273	COMMISSIO N	JOHNSON, A.R.	9507070189	40-8724 P
HUANG, T.L.	9507220195*	FOIA	JACKSON, S.A.	9507200279	COMMISSIO N	JOHNSON, T.C.	9507270078	40-8724 P
HUETER, L.J.	9507250198*	FOIA	JACKSON, S.A.	9507210080	COMMISSIO N	JOHNSON, T.C.	9507370189	40-1550 P
HUETER, L.J.	9507250217*	FOIA	JACKSON, S.A.	9507210095	COMMISSIO N	JOHNSON, T.C.	9507120059	50-250 P
HUETER, L.J.	9507310065*	FOIA	JACKSON, S.A.	9507210121*	10CFR	JOHNSON, T.C.	9507100303	50-295 P
HUEY, F.R.	9507140039*	50-382 Q	JACKSON, S.A.	9507210132	COMMISSIO N	JOHNSON, W.D.	9507250051*	50-486 P
HUFFMAN, W.C.	9507060235	52-3	JACKSON, S.A.	9507280289	COMMISSIO N	JOHNSON, W.D.	9507050071	PR
HUFFMAN, W.C.	9507060280	52-3	JACKSON, S.A.	9507280302	COMMISSIO N	JOHNSON, W.D.	9507120401	50-155 G
HUFFMAN, W.C.	9507170309	52-3	JACKSON, S.A.	9507280308	COMMISSIO N	JOHNSON, W.D.	9507120401	50-155 G
HUFFMAN, W.C.	9507240428	52-3	JACKSON, S.A.	9507280309	COMMISSIO N	JOHNSON, W.D.	9507120401	50-155 G
HUFFMAN, W.C.	9507280288	52-3	JACKSON, S.A.	9507180010	50-268 Q	JOHNSON, W.D.	9507120401	50-155 G
HUGHES, D.E.	9507030180*	50-130 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUGHES, J.H.	9507200080*	70-27	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUGHES, J.H.	9507060313	NURIO	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUGHES, J.H.	9507100304*	50-418 Q	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUGHES, J.H.	9507140083	50-387 S	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HULTSCH, R.A.	9507170011	70-27	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUMPHREY, R.A.	9507190206	PROJ	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUMPHREY, R.A.	9507140488*	WASTE MGT	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNGER, G.A.	9507030076	50-277 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNGER, G.A.	9507030089	50-353 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNGER, G.A.	9507050196	50-277 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNGER, G.A.	9507050154	50-277 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNGER, G.A.	9507050203	50-352 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNGER, G.A.	9507050224	50-352 F	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNGER, G.A.	9507110045	50-352 F	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNGER, G.A.	9507170001	50-277 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNGER, G.A.	9507170057	50-277 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNGER, G.A.	9507170363	50-277 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNGER, G.A.	9507170491	50-276 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNGER, G.A.	9507180048	50-277 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNGER, G.A.	9507200120	50-277 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNGER, G.A.	9507250018	PR	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNGER, G.A.	9507250235	50-382 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNGER, G.A.	9507290042	50-277 Q	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNGER, G.A.	9507290088	50-277 Q	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNTER, A.A.	9507340039	50-282 S	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNTER, A.A.	9507240048	50-282 S	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNTER, A.A.	9507250102*	50-306 S	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUNTER, A.A.	9507190027	STATE PROJ	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507110157	50-416 F	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507110219	50-416 F	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507190345	50-416 R	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507050342	50-416 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507060210	50-416 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507080244	50-416 Q	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507110244	50-416 S	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507110245	50-416 F	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507170045	50-416 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507170399	50-416 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507240464	50-416 Y	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507250042	50-416 B	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507250143	50-416 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507250121	50-416 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507170122	PT21	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507210222	50-213 P	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507210222	PT21	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507200211*	PR	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507200227*	PR	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507200448	50-180 G	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507260047	WASTE MGT	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
HUTCHINSON, C.	9507260258*	FOIA	JACKSON, S.A.	9507280333*	40-3382 Q	JOHNSON, W.D.	9507120401	50-155 G
JABBOUR, K.N.	9507090057	50-368 S	JAUDON, J.P.	9507120084	50-390 Q	JULIAN, C.	9507140326*	50-390 Q
JABBOUR, K.N.	9507090393	50-321 P	JAUDON, J.P.	9507120084	50-390 Q	JULIAN, C.	9507240482*	50-390 Q
JABBOUR, K.N.	9507240408	50-321 P	JAUDON, J.P.	9507120094	50-390 Q	JULIAN, C.	9507240482*	50-390 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
KALMAN, G	9507030187	REVIEW GR P	KNOWLTON, K	9507190107*	40-672	LASALA, P R	9507310130	50-354 R
KALMAN, G	9507200033	50-358 P	KOBYLARZ, S F	9507180173*	50-259 O	LAUDMAN, M J	9507260008*	70-734 Q
KAMMERER, L C	9507260103*	50-526 F	KOPRON, K L	9507080249	50-454 R	LAUGHLIN, J	9507310088*	50-277 Q
KANA, D B	9507210306*	WASTE MGT	KOPRON, K L	9507180351	50-454 R	LAUTENBERG, F R	9507210028*	50-219 H
KANTNER, J L	9507030051*	50-352 S	KORHUM, D	9507180071	50-424 G	LAVERNE, D A	9507110041	50-395 Q
KAPEL, S R	9507130037*	STATE PRO G	KORHUM, D	9507180071	50-424 G	LAWRENCE, J W	9507260116	FOIA
KARSTEN, K R	9507210066	71-9150	KORHUM, D	9507070388	TOPREP	LAWRENCE, J E	9507190208	PROJ
KAUFFMAN, J V	9507270202*	ORG	KORHUM, D	9507070388	TOPREP	LAWSON, R L	9507050073	PR
KAZANAS, N C	9507080383	50-438 A	KOPOTIC, J D	9507100108	70-1100	LAZARUS, W J	9507030033*	50-334 Q
KEARNEY, W F	9507100231	40-8857	KORNEMAN, D E	9507140157*	50-481 Q	LAZARUS, W J	9507140007*	50-308 Q
KEARNEY, W F	9507180368	40-8857	KOROMAS, E	9507100236*	50-354 Q	LAZARUS, W J	9507140062*	50-244 Q
KEARNEY, W F	9507200362	40-8857	KOROMAS, E	9507100328*	50-245 Q	LEH	9507140118*	TOPREP
KEARNEY, W F	9507200272	40-8857	KOSAMBER, J D	9507110017	PR	LEH	9507080403	50-400 P
KEARNEY, W F	9507200319	40-8857	KOSSAK, N	9507280038	WASTE MGT	LEH	9507180188	50-400 P
KEARNEY, W F	9507200330	40-8857	KOTRAJ, P	9507270047	ORG	LEH	9507180190*	50-400 P
KEARNEY, W F	9507200382	40-8857	KOUDELKA, M B	9507120054	50-266 R	LEBAMON, L	9507080088	50-218 S
KEARNEY, W F	9507210084	40-8857	KRAMER, A K	9507050180	50-528 Q	LEDoux, M R	9507100112	TOPREP
KEARNEY, W F	9507210178	40-8857	KRAMER, A K	9507280101	50-528 F	LEDoux, M R	9507100123*	27-48
KEARNEY, W F	9507210196	40-8857	KRAUTZINGER, J J	9507310033*	WASTE MGT	LEE, M T	9507170030	50-256 F
KEARNEY, W F	9507210208	40-8857	KREH, J L	9507200048*	70-27	LEE, P E	9507100316	40-7987
KEARNEY, W F	9507210215	40-8857	KRICHER, M	9507050082	50-261 P	LEE, T D	9507200014	70-27
KEARNEY, W F	9507210254	40-8857	KRICHER, M	9507080093	50-261 P	LEEDS, E J	9507240158	ORG
KEEGAN, E	9507200147	70-1154	KRICHER, M	9507080106	50-261 P	LEFEVRE, H	9507080303*	WASTE MGT
KEIPER, J T	9507260064	50-213	KRICHER, M	9507080151	50-261 P	LEFRANCQ, M P	9507140118*	TOPREP
KELLERT, A	9507240040*	50-250 P S	KRICHER, M	9507080324	50-261 P	LEHMANN, C R	9507140118*	TOPREP
KELLEY, T S	9507030322*	50-482	KRICHER, M	9507070154	50-261 P	LEITCH, G M	9507180011	50-308 Q
KELLEY, L C	9507250065	50-302	KRICHER, M	9507100398	50-261 P	LEITCH, G M	9507250126	50-308 Q
KELLEY, R	9507130087*	STATE PRO G	KRICHER, M	9507130158	50-261 P	LEITCH, G M	9507250074*	50-308 P
KELLOGG, P J	9507120032*	50-261	KRICHER, M	9507210029	50-261 P	LEMAHAN, J J	9507120024*	50-180 Q
KELLOGG, P J	9507200255*	50-261	KRICHER, M	9507250070	50-261 P	LENNHART, T E	9507310242	FOIA
KELLY, E M	9507100325	50-354 Q	KRIEGER, R W	9507030048*	50-361 S	LENNHART, T E	9508010180	FOIA
KELLY, E M	9507100336*	50-354 Q	KRIEGER, R W	9507110130	50-361 S	LENNHART, T J	9507240043*	50-454 Q
KELLY, E M	9507100331	50-345	KRIEGER, R W	9507030025	PR	LENTZ, H	9507070383*	WASTE MGT
KELLY, E M	9507100338*	50-345	KRIEGER, R W	9507070171	PR	LENN, M C	9507050141*	50-277 P
KELLY, E M	9507100377*	50-220	KRIEGER, R W	9507120021	50-268 K	LENN, M T	9507110131*	PR
KELLY, E M	9507240270	50-299	KRIEGER, R W	9507250004	50-268 P	LENN, M T	9507120246	MUREG
KELLY, E M	9507240276*	50-299	KRIEGER, R W	9507250112	50-268 P	LESSER, M C	9507120012	50-259 Q
KELLY, E M	9507280007	50-308	KRIEGER, R W	9507080012	50-255 Q	LESSER, M C	9507120024*	50-259 Q
KELLY, E M	9507280009*	50-308	KRIEGER, R W	9507070010	50-255 Q	LESSER, M C	9507120026	50-259 Q
KELLY, E M	9507270379	50-324	KRIEGER, R W	9507070019	50-255 Q	LESSER, M C	9507120124	50-327 Q
KELLY, F	9507050025	71-749	KRIEGER, R W	9507070028*	50-282 Q	LESSER, M S	9507120128*	50-327 Q
KELLY, J	9507190231*	PROJ	KRIEGER, R W	9507070032*	50-255 Q	LESSER, M S	9507120145	50-326 Q
KENNEDY, R M	9507260186	ORG	KRIEGER, R W	9507180038	50-345 Q	LESSER, M S	9507210022	50-259 Q
KENNEDY, M	9507130182*	50-3	KRIEGER, R W	9507180044*	50-345 Q	LESSER, M S	9507240052	50-327 Q
KENNEDY, W R	9507030207*	WASTE MGT	KRIEGER, R W	9507180168*	50-282 Q	LETTES, B R	9507250132*	50-443 Q
KENNY, T J	9507030020*	50-345 Q	KRUEGER, R E	9507200129	71-319	LEVINTHAL, P	9507080111*	COMMISSION
KERPER, J G	9507110385*	FOIA	KRUEGER, R E	9507100284	50-296 F	LEVINE, J M	9507080075	50-528
KERPER, J G	9507120008*	FOIA	KUGLER, A J	9507170070	ORG	LEVINE, J M	9507100208	50-528
KERRY, J F	9507210114*	50-280 H	KUGLER, A J	9507240136	M&E	LEVINE, J M	9507110110	50-528
KEUTER, D R	9507110123	50-282 S	KUZO, G B	9507140301*	50-258 Q	LEVINE, J M	9507180035	50-528 H
KEUTER, D R	9507110182	50-282 S	LABARGE, D E	9507080031	50-327 P	LEWIS, W	9507120187	50-326 S
KEUTER, D R	9507280187	50-385	LABARGE, D E	9507280079	50-327 P	LEWIS, W	9507190350	50-324 H
KHILNER, D	9507070479	50-387	LACH, D	9507080013	MUREG	LEWANDOWSKI, J	9507190222*	PROJ
KHETZMARK, K	9507200151*	50-271	LACH, D	9507110001	50-344 P	LEWIS, M J	9507070185	PR
KILIAN, R M	9507180032	CONTRACT	LAHS, W R	9507030180	WASTE MGT	LEWIS, R J	9507260198	PROJ
KIM, T J	9507120317	50-283 P	LAIDLAW, W A	9507280006	XPORTUC	LICHTNER, P C	9507070438*	WASTE MGT
KIM, T J	9507120321*	50-283 P	LAMASTRAJIA, L	9507050071	70-1201	LICHTNER, P C	9507280090*	WASTE MGT
KIM, T J	9507190246	50-283 P	LAMB, J E	9507280017*	50-272 F	LIEBERMAN, J	9507080021	50-498 Q
KING, L W	9507120372*	50-386	LAMBERS, J E	9507270129	50-424 G	LIEBERMAN, J	9507080090	M&E
KING, T L	9507270316	ORG	LAMBERS, J E	9507270129	50-424 G	LIEBERMAN, J	9507050108	M&E
KINNEMAN, J D	9507100036	40-872	LAMBERT, L D	9507200213	MUREG	LIEBERMAN, J	9507050182	M&E
KINNEMAN, J D	9507050126	40-7354	LANDIS, K D	9507180118*	50-335 Q	LIEBERMAN, J	9507050143	M&E
KINNEMAN, J D	9507050208	70-*****	LANDIS, K D	9507130058	50-260 Q	LIEBERMAN, J	9507050189	40-3453
KINNEMAN, J D	9507070014	40-878	LANDIS, K D	9507130058*	50-260 Q	LIEBERMAN, J	9507050189	M&E
KINNEMAN, J D	9507100064	40-872	LANDIS, K D	9507120072	50-260 Q	LIEBERMAN, J	9507120337	50-271 Q
KINNEMAN, J D	9507170212	40-*****	LANDIS, K D	9507120108	50-525 Q	LIEBERMAN, J	9507130171	50-318 Q
KINNEMAN, J D	9507180014	40-2283	LANDIS, K D	9507120143	50-260 Q	LIEBERMAN, J	9507180247*	FOIA
KINNEY, C	9507100273*	50-282	LANDIS, K D	9507140149	50-339 Q	LIEBERMAN, J	9507200345*	FOIA
KIRKNER, R F	9507080303*	50-410	LANDIS, K D	9507210040	50-302 P	LIEBERMAN, J	9507260096	STATE PRO G
KIRKLAND, M W	9507140018	70-754	LANDIS, K D	9507210053	50-302 Q	LIEBERMAN, J	9507260102*	STATE PRO G
KIRSCH, D F	9507080004*	50-482	LANDIS, K D	9507240068	50-338 Q	LIEBERMAN, J	9507180057*	ORG
KIRSCH, D F	9507080063*	50-482	LANDIS, K D	9507260083	50-302 Q	LIEBERMAN, J	9507200128*	ORG
KIRSCH, D F	9507310017*	50-445	LANDIS, K D	9507260099	50-302 Q	LEITCH, G M	9507260075	50-306 P
KLAPPROTH, J F	9507080306	70-1113	LANDIS, K D	9507250124	50-302 Q	LIAROTH, D F	9507100401*	50-277 Q
KLAPPROTH, J F	9507120257	71-4986	LANDIS, K D	9507250125	50-302 Q	LIAROTH, D F	9507120257	50-280 P
KLAPPROTH, J F	9507180812	70-1113	LANDIS, K D	9507260100	50-302 Q	LINS, D	9507190346	50-418 R
KLAPPROTH, J F	9507210346	70-1113	LANDIS, K D	9507090200	71-721	LIND, D B	9507120172	71-280
KLAPPROTH, J F	9507260003	PR	LANDIS, K D	9507310025*	50-381 Q	LIND, J S	9507250074	40-8027
KLUM, J R	9507100100	40-8027	LANDIS, K D	9507180025	71-6717	LINDQUIST, S A	9507080068	50-288 S
KLUM, J R	9507250025*	WASTE MGT	LANDIS, K D	9507240284	50-440 Q	LINKS	9507050428	50-298 P
KLINGER, R E	9507250029*	WASTE MGT	LANDIS, K D	9507240287*	50-440 Q	LINKS	9507180010	50-296 Q
KLAPP, J S	9507130067	71-9251	LANDIS, K D	9507240296	50-331 Q	LINKS	9507280125	50-256 Y
KLAPP, J S	9507130072*	71-9251	LANDIS, K D	9507140087	50-272 P	LINKS, J C	9507030028	50-334 Q
KLAPP, J S	9507180280	70-1201	LANDIS, K D	9507180083	50-286 P	LINKS, J C	9507140004	50-309 Q
KLAPP, J S	9507240477	71-9251	LANDIS, K D	9507170412*	TOPREP	LINKS, J C	9507140058	50-244 Q
KNIGHT, D A	9507190103*	FOIA	LAM, R G	9507240037	50-438 P	LINKS, J C	9507210049	50-271 Q
KNOBEL, L M	9507080178	50-309	LARSEN, C	9507050038*	50-271 Q	LIPARULO, N	9507240018	TOPREP
KNOCER	9507060204	40-8943	LASALA, P R	9507080040*	50-354 R	LIPARULO, N	9507050276	52-3

200 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LIPARULO, N.J.	9507050279	52-3	LYONS, P.J.L.	9507050150	40-259	MARSHALL, J.S.	9507210006	PR
LIPARULO, N.J.	9507050353	TOPREP	MAAT, P.	9507050109	WASTE MGT	MARSHALL, J.S.	9507250061	50-445 F
LIPARULO, N.J.	9507050367	52-3	MACDONALD, G.	9507120108	50-360 Q	MARTIN, L.E.	9507210149	50-488 F
LIPARULO, N.J.	9507050445	TOPREP	MACE, M.	9507180180	CONTRACT	MARTIN, R.D.	9507250009	FOIA
LIPARULO, N.J.	9507050453	52-3	MACE, M.	9507180180	CONTRACT	MARTIN, R.D.	9507250247	FOIA
LIPARULO, N.J.	9507070284	52-3	MACE, M.	9507180189	CONTRACT	MARTIN, R.D.	9507190314	50-498 P
LIPARULO, N.J.	9507070285	52-3	MACE, M.	9507180204	CONTRACT	MARTIN, R.E.	9507120325	50-368 P
LIPARULO, N.J.	9507100154	52-3	MACE, M.	9507180206	CONTRACT	MARTIN, R.E.	9507240249	50-368 P
LIPARULO, N.J.	9507100165	52-3	MACE, M.	9507180215	CONTRACT	MARTIN, R.E.	9507270238	50-413 P
LIPARULO, N.J.	9507100384	TOPREP	MACE, M.	9507180225	CONTRACT	MARTIN, R.E.	9507270352	50-413 P
LIPARULO, N.J.	9507110286	TOPREP	MACE, M.	9507180236	CONTRACT	MARTIN, R.E.	9507310034	50-369 P
LIPARULO, N.J.	9507110293	TOPREP	MACE, M.	9507180332	CONTRACT	MARTIN, T.T.	9409280057	70-682
LIPARULO, N.J.	9507120204	52-3	MACE, M.	9507180363	CONTRACT	MARTIN, T.T.	9507300019	50-3 Q
LIPARULO, N.J.	9507120212	52-3	MACE, M.	9507180390	CONTRACT	MARTIN, T.T.	9507100222	50-354 Q
LIPARULO, N.J.	9507130066	52-3	MACE, M.	9507210184	CONTRACT	MARTIN, T.T.	9507120373	50-371 Q
LIPARULO, N.J.	9507130080	52-3	MACE, M.	9507210190	CONTRACT	MARTIN, T.T.	9507120378	50-354 Q
LIPARULO, N.J.	9507130078	52-3	MACE, M.	9507210195	CONTRACT	MARTIN, T.T.	9507130096	50-354 Q
LIPARULO, N.J.	9507130083	52-3	MACE, M.	9507210207	CONTRACT	MARTIN, T.T.	9507170129	50-317 Q
LIPARULO, N.J.	9507130172	52-3	MACE, M.	9507210211	CONTRACT	MARTIN, T.T.	9507170281	50-272 P
LIPARULO, N.J.	9507130176	52-3	MACE, M.	9507210218	CONTRACT	MARTIN, T.T.	9507260191	ORG
LIPARULO, N.J.	9507180105	52-3	MACE, M.	9507210274	CONTRACT	MARTIN, T.T.	9507280008	50-336 P
LIPARULO, N.J.	9507180140	50-315 Q	MACE, M.	9507210291	CONTRACT	MARTIN, T.T.	9507280047	50-354 Q
LIPARULO, N.J.	9507180184	TOPREP	MACE, M.	9507210294	CONTRACT	MARTIN, T.T.	9507310163	FOIA
LIPARULO, N.J.	9507180222	52-3	MACE, M.	9507210299	CONTRACT	MASON, M.T.	9507200144	50-344 P
LIPARULO, N.J.	9507180224	52-3	MACE, M.	9507210311	CONTRACT	MASON, D.	9507190316	50-280 R
LIPARULO, N.J.	9507190188	52-3	MACE, M.	9507210314	CONTRACT	MASON, J.R.	9507210285	FOIA
LIPARULO, N.J.	9507190184	52-3	MACE, M.	9507210318	CONTRACT	MASON, J.R.	9507210287	FOIA
LIPARULO, N.J.	9507240023	50-454 F	MACE, M.	9507210321	CONTRACT	MASON, J.R.	9507240281	FOIA
LIPARULO, N.J.	9507250043	52-3	MACE, M.	9507210325	CONTRACT	MASON, J.R.	9507250267	FOIA
LIPARULO, N.J.	9507250314	50-380 A	MACE, M.	9507210326	CONTRACT	MASON, J.R.	9507250271	FOIA
LIPARULO, N.J.	9507260045	TOPREP	MACE, M.	9507210330	CONTRACT	MASON, J.R.	9507250272	FOIA
LIPARULO, N.J.	9507260055	52-3	MACE, M.	9507210336	CONTRACT	MASON, J.R.	9507250230	FOIA
LIPARULO, N.J.	9507270022	52-3	MACE, M.	9507210347	CONTRACT	MASON, J.R.	9507260247	FOIA
LIPARULO, N.J.	9507270368	52-3	MACE, M.	9507280096	CONTRACT	MASON, J.R.	9507260254	FOIA
LIPARULO, N.J.	9507270371	52-3	MACE, M.	9507180178	CONTRACT	MASON, J.R.	9507260268	FOIA
LIPARULO, N.J.	9507310053	52-3	MACE, M.H.	9507180220	CONTRACT	MASON, J.R.	9507260270	FOIA
UPPY, D.L.	9507210154	50-285 R	MACE, M.H.	9507180303	CONTRACT	MASON, J.R.	9507260275	FOIA
U.T.	9507050170	50-285 P	MACE, M.H.	9507190103	FOIA	MASON, J.R.	9507270278	FOIA
U.T.	9507050175	50-285 P	MACE, M.H.	9507210178	CONTRACT	MASON, J.R.	9507270278	FOIA
U.T.	9507240378	50-285 P	MACE, M.H.	9507210195	CONTRACT	MASSE, F.X.	9507110003	PR
U.T.	9507270295	50-285 P	MACE, M.H.	9507210197	CONTRACT	MATAKAS, R.A.	9507250121	50-443 Q
U.T.	9507270332	50-285 P	MACE, M.H.	9507210215	CONTRACT	MATAKAS, R.A.	9507250136	50-443 Q
U.T.	9507210173	STATE PRO G	MACE, M.H.	9507210267	CONTRACT	MATAKAS, R.A.	9507250139	50-443 Q
U.T.	9507210208	ORG	MACE, M.H.	9507210284	CONTRACT	MATE, J.	9507060148	PR
U.T.	9507210264	ORG	MACE, M.H.	9507280057	CONTRACT	MATTHEWS, D.B.	9507070077	50-335 P
LLOYD, B.	9507060148	50-155 H	MACE, M.H.	9507280063	CONTRACT	MATTHEWS, D.B.	9507110020	50-280 P
COGAN, M.	9507260074	71-6717	MACE, M.H.	9507280067	CONTRACT	MATTHEWS, D.B.	9507140127	50-280 P
LOHAUS, P.	9507270014	STATE PRO G	MACE, M.H.	9507140340	50-352 V	MATTHEWS, D.B.	9507190216	50-280 P
LOHAUS, P.	9507270020	STATE PRO G	MACE, M.H.	9507100409	50-258 Q	MATTHEWS, D.B.	9507240096	50-280 Q
LOHAUS, P.H.	9507130008	STATE PRO G	MACE, M.H.	9507110083	50-258 S	MATTHEWS, D.B.	9507190099	71-6717
LOHAUS, P.H.	9507130022	STATE PRO G	MACHON, R.D.	9507170084	50-236 S	MATTIA, M.J.	9507210342	CONTRACT
LOHAUS, P.H.	9507130028	STATE PRO G	MACHON, R.D.	9507180157	50-258 Q	MATTIA, M.J.	9507120353	CONTRACT
LOHAUS, P.H.	9507130030	STATE PRO G	MACHON, R.D.	9507140050	ORG	MATTIA, M.J.	9507120354	CONTRACT
LOHAUS, P.H.	9507130047	STATE PRO G	MACHON, R.D.	9507190022	ME	MATTIA, M.J.	9507120374	CONTRACT
LOHAUS, P.H.	9507130066	STATE PRO G	MACHON, R.D.	9507190108	71-6717	MATTIA, M.J.	9507120380	CONTRACT
LOHAUS, P.H.	9507130081	STATE PRO G	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507130017	CONTRACT
LOHAUS, P.H.	9507130085	STATE PRO G	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507140060	CONTRACT
LOHAUS, P.H.	9507130088	STATE PRO G	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507140064	CONTRACT
LOHAUS, P.H.	9507130101	STATE PRO G	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507170247	CONTRACT
LOHAUS, P.H.	9507270027	STATE PRO G	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507170258	CONTRACT
LOHAUS, P.H.	9507270043	STATE PRO G	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507170258	CONTRACT
LOHAUS, P.H.	9507270115	STATE PRO G	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507170333	CONTRACT
LOHAUS, P.H.	9507270142	STATE PRO G	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507170373	CONTRACT
LOHAUS, P.H.	9507050245	50-391 P	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507170388	CONTRACT
LOHMANN, J.K.	9507140301	50-259 Q	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507180258	50-344 P
LOW, W.T.	9507070231	71-111	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507210309	CONTRACT
LORSON, P.H.	9507250230	FOIA	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507210340	CONTRACT
LOW, D.	9507250233	FOIA	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507220020	CONTRACT
LOW, D.	9507250235	FOIA	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507280138	CONTRACT
LUPA, G.	9507070385	50-249 S	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LUSTER, D.R.	9507120381	50-77 W	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LUTZ, P.J.	9507060333	50-336 S	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LUTZ, P.J.	9507110144	50-336 S	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LUTZ, P.J.	9507140216	50-336 S	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LUTZ, P.J.	9507200062	50-336 S	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LUTZ, P.J.	9507200386	50-336 S	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LUTZ, P.J.	9507210162	50-336 S	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LUTZ, P.J.	9507240287	50-336 S	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LUTZ, P.J.	9507240312	50-336 S	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LUTZ, P.J.	9507240323	50-336 S	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LYNCH, J.	9507130073	STATE PRO G	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LYNCH, M.D.	9507030250	50-454 P	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LYNCH, M.D.	9507050112	TOPREP	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LYNCH, M.D.	9507180407	50-454 P	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LYNCH, M.D.	9507280270	50-454 Q	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LYON, W.C.	9507310276	REVIEW GR P	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LYON, W.C.	9507280118	PR	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
LYONS, D.W.	9507200121	50-354 R	MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT
			MACHON, R.D.	9507250204	FOIA	MATTIA, M.J.	9507290161	CONTRACT

202 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		
MUELLER, J.H.	9507180254	60-268	P	OLIVER, L.J.	9507180323	50-293	R	PAPER, J.M.	9507070283	WASTE MGT
MUELLER, J.H.	9507180283	60-298		OLMSTEAD, W.J.	9507180396*	FOIA		PAPERELLO, C.J.	9507270177	70-364
MUELLER, J.H.	9507280217	60-298	P	OLSEN, A.F.	9507100385	70-27		PAPERELLO, C.J.	9507070232	70-364
MUELLER, J.H.	9507250222*	FOIA		OLSEN, A.F.	9507200380	70-27		PAPERELLO, C.J.	9507070348*	70-364
MUNRO, J.J.	9507270019	71-642		OLSEN, A.F.	9507200386	70-27		PAPERELLO, C.J.	9507070358*	70-364
MURKOWSKI, F.H.	9507200283*	ORG		OLSEN, A.F.	9507200106	70-27		PAPERELLO, C.J.	9507110336	72-1004
MURLEY, T.E.	9507180283*	FOIA		OLSEN, A.F.	95072210246	70-27		PAPERELLO, C.J.	9507120278	50-282
MURLEY, T.E.	9507310274*	50-498	Q	OLSEN, C.	9507180316	50-280	R	PAPERELLO, C.J.	9507140466	WASTE MGT
MURPHY, W.	9507120156	WASTE MGT		OLSEN, H.O.	9507210134	50-317	R	PAPERELLO, C.J.	9507190058	ORG
MURPHY, W.M.	9507210306*	WASTE MGT		OLSHAN, L.H.	9507180282	50-272	P	PAPERELLO, C.J.	9507270136	WASTE MGT
MURRAY, B.	9507050171*	50-458	Q	OLSHAN, L.H.	9507200297	50-272	P	PARK, J.	9507260039	WASTE MGT
MURRAY, B.	9507130089*	50-458	Q	OLSHAN, L.H.	9507200323	50-272	P	PARK, J.R.	9507110327	40-8843
MURRAY, B.	9507240066*	60-482	Q	OLSHAN, L.H.	9507210108	50-272	P	PARKER, B.A.	9507120192*	50-495
MUTH, D.W.	9507110254	50-317	S	OLWA, J.M.	9507070448	40-7102	Q	PARKER, B.A.	9507080153	40-8724
MUTH, D.W.	9507200152	50-317	S	ONORATO, H.	9507190128	50-272	Q	PARKERT, .	9507140233	50-263
MYERS, L.W.	9507240479	50-489	S	OPEKA, J.F.	9507030169	50-338	Q	PARLER, W.C.	9507240091*	FOIA
MYSER, R.	9507030183	50-150	P	OPEKA, J.F.	9507030189	50-338	Q	PARLER, W.C.	9507240093*	FOIA
NARDONE, P.E.	9507250061	50-443	R	OPEKA, J.F.	9507030171	50-423	P	PARRISH, J.V.	9507030214	50-397
NATARAJA, M.	9507310012*	40-8064		OPEKA, J.F.	9507030171	50-423	P	PARRISH, J.V.	9507030191	50-397
NEBUCA, D.T.	9507250297	50-259	F	OPEKA, J.F.	9507030335	50-213	P	PARRISH, J.V.	9507060309	50-397
NEBUCA, D.T.	9507250301*	50-259	F	OPEKA, J.F.	9507030335	50-213	P	PARRISH, J.V.	9507140152	50-397
NEBUCA, D.T.	9507250302	50-331	P	OPEKA, J.F.	9507030335	50-213	P	PARRISH, J.V.	9507140463	50-397
NEBUCA, D.T.	9507250305*	50-331	P	OPEKA, J.F.	9507060347	50-213	S	PARRISH, J.V.	9507140468	50-397
NEBUCA, D.T.	9507250306	50-275	P	OPEKA, J.F.	9507060347	50-213	S	PARRISH, J.V.	9507240053	50-397
NEBUCA, D.T.	9507250310*	50-275	P	OPEKA, J.F.	9507060452	50-213	Q	PARRISH, J.V.	9507250023	50-397
NEL, R.B.	9507140439	WASTE MGT		OPEKA, J.F.	9507060452	50-213	Q	PARRISH, J.V.	9507290129	50-397
NELSON, R.A.	9507170139	50-213	F	OPEKA, J.F.	9507060455	50-245	H	PARRISH, J.V.	9507310060	50-397
NELSON, M.A.	9507130149	50-288	F	OPEKA, J.F.	9507060455	50-245	H	PARSONS, M.J.	9507110221	71-119
NELSON, R.A.	9507270017	40-8948		OPEKA, J.F.	9507060268	50-423	P	PASCAK, W.J.	9507210005	STATE PROG
NELSON, R.A.	9507270174	40-8948		OPEKA, J.F.	9507060268	50-423	P	PASSETTI, W.	9507120221	STATE PROG
NELSON, R.A.	9507270286	40-8948		OPEKA, J.F.	9507100059	50-338	Q	PASTVA, M.J.	9507110224*	50-272
NELSON, R.A.	9507270310	40-7102		OPEKA, J.F.	9507110048	50-245	Q	PASTVA, M.J.	9507260136*	50-272
NELSON, R.A.	9507270323	40-8948		OPEKA, J.F.	9507110048	50-245	Q	PASTVA, M.J.	9507290142	50-272
NELSON, R.A.	9507270187*	WASTE MGT		OPEKA, J.F.	9507110146	50-338	P	PASTVA, M.J.	9507290220	50-272
NERSES, V.	9507210203	50-323	P	OPEKA, J.F.	9507110146	50-338	P	PASTVA, M.J.	9507270169	50-272
NETZEL, R.J.	9507260061	TOPREP		OPEKA, J.F.	9507110216	50-338	P	PATEL, C.P.	9507060042	50-382
NETZEL, R.J.	9507260069	50-440	R	OPEKA, J.F.	9507110216	50-338	P	PATEL, C.P.	9507060048*	50-382
NETZEL, R.J.	9507060331	MURREG		OPEKA, J.F.	9507140073	50-245	F	PATEL, C.P.	9507140104	50-382
NETZEL, R.J.	9507060423	50-483	F	OPEKA, J.F.	9507140073	50-245	F	PATEL, C.P.	9507180199	50-382
NETZEL, R.J.	9507060447	ORG		OPEKA, J.F.	9507140078	50-338	Q	PATEL, C.P.	9507180211*	50-382
NEWBERRY, S.F.	9507260184	ORG		OPEKA, J.F.	9507140078	50-338	Q	PATEL, C.P.	9507290251	50-382
NEWBERRY, S.F.	9507260012*	50-245	R	OPEKA, J.F.	9507140084	50-423	P	PATEL, C.P.	9507290256*	50-382
NEWBERRY, S.F.	9507260086*	50-245	R	OPEKA, J.F.	9507140084	50-423	P	PATNAIK, A.P.	9507170317*	50-496
NEWBERRY, S.F.	9507260088*	50-245	R	OPEKA, J.F.	9507140140	50-338	P	PATTERSON, C.A.	9507140185*	50-324
NEWBERRY, S.F.	9507260180*	50-320	P	OPEKA, J.F.	9507140140	50-338	P	PATTERSON, C.A.	9507060103	50-286
NEWTON, R.A.	9507050348	TOPREP		OPEKA, J.F.	9507170402	50-213	R	PATTERSON, T.L.	9507060066	50-286
NEWTON, R.A.	9507170410	TOPREP		OPEKA, J.F.	9507170402	50-213	R	PATTERSON, T.L.	9507060068	50-286
NEWTON, R.A.	9507060229	50-324	F	OPEKA, J.F.	9507170402	50-213	R	PATTERSON, T.L.	9507060071	50-286
NEY, R.W.	9507060211	40-8948		OPEKA, J.F.	9507200068	50-423	P	PATTERSON, T.L.	9507100262	50-286
NEYMOTH, L.	9507120287	50-280	S	OPEKA, J.F.	9507200068	50-423	P	PATTERSON, T.L.	9507100391	50-286
NICHOLSON, L.	9507030005	50-338	Q	OPEKA, J.F.	9507200138	50-245	P	PATTERSON, T.L.	9507170384	50-286
NICHOLSON, L.E.	9507100246*	50-213	Q	OPEKA, J.F.	9507200138	50-245	P	PATTERSON, T.L.	9507180056	50-286
NICHOLSON, L.E.	9507240084*	50-245	Q	OPEKA, J.F.	9507210041	50-213	H	PATTERSON, T.L.	9507210154	50-286
NICK, J.	9507240211*	50-29	Q	OPEKA, J.F.	9507210265	50-245	K	PATTERSON, T.L.	9507210210	50-286
NICKLES, R.C.	9507060105	50-255	F	OPEKA, J.F.	9507210265	50-245	K	PATTERSON, T.L.	9507290274	50-286
NIDOLAYEFF, V.	9507120194*	70-734		OPEKA, J.F.	9507240131	50-423	P	PATTERSON, T.L.	9507270025	50-286
NIDOLAYEFF, V.	9507290143	50-3	Q	OPEKA, J.F.	9507240131	50-423	P	PATTERSON, T.L.	9507310088	50-286
NOBLE, J.D.	9507060026*	50-3	Q	OPEKA, J.F.	9507240143	50-245	P	PAULSON, C.A.	9507030118	40-5544
NOBLE, J.D.	9507170120*	70-1100		OPEKA, J.F.	9507240143	50-245	P	PAULSON, C.A.	9507270081	40-5544
NOONAN, T.P.	9507060325	50-334	R	OPEKA, J.F.	9507240151	50-423	P	PAUSTMAN, H.H.	9507200042	50-263
NOONAN, T.P.	9507060226	50-334	P	OPEKA, J.F.	9507240151	50-423	P	PAVLECHKOV, F.L.	9507130108	50-390
NOONAN, T.P.	9507060372	50-334	P	OPEKA, J.F.	9507240330	50-213	P	PEARCEL, W.	9507120107	50-254
NOONAN, T.P.	9507140156	50-334	R	OPEKA, J.F.	9507240330	50-213	P	PEARCEL, W.	9507190334	50-254
NOONAN, T.P.	9507310177	50-334	P	OPEKA, J.F.	9507270051	50-423	P	PEEBLES, T.A.	9507120030	50-261
NOONAN, T.P.	9507280290*	50-334	Q	OPEKA, J.F.	9507270051	50-423	P	PEEBLES, T.A.	9507120079	50-261
NORRIS, D.P.	9507280252*	50-380	Q	OPEKA, J.F.	9507280027	50-245	V	PEEBLES, T.A.	9507130088*	50-386
NORRIS, D.P.	9507180228	50-250	P	OPEKA, J.F.	9507280027	50-245	V	PEEBLES, T.A.	9507200249	50-448
NORRIS, J.A.	9507060101	50-388	Q	OPEKA, J.F.	9507290029	50-423	P	PEEBLES, T.A.	9507200250	50-448
NORRIS, J.A.	9507070057	50-335	P	OPEKA, J.F.	9507290029	50-423	P	PEEBLES, T.A.	9507200256*	50-251
NORRIS, J.A.	9507210199	40-7706		OPEKA, J.F.	9507290034	50-213	P	PEGG, W.D.	9507190015*	50-256
NORTON, L.J.	9507250064*	50-488	P	OPEKA, J.F.	9507290034	50-213	P	PELLET, J.L.	9507170158*	50-313
NORTON, L.J.	9507250118*	50-443	Q	OPEKA, J.F.	9507290034*	50-281	Q	PELLET, J.L.	9507290223*	50-387
NORRICHUCK, N.H.	9507060325	WASTE MGT		ORLANDO, T.	9507190325	50-288	R	PELUSO, L.	9507240286*	50-230
NORRICHUCK, N.H.	9507190130	50-364	R	ORLANDO, T.	9507190325	50-244	R	PENROCK, J.D.	9507270086	50-428
O'DONNOR, P.W.	9507180380	50-416	P	ORLANDO, T.	9507190325	50-29	W	PENROCK, J.D.	9507270086	50-428
ORR, F.R.	9507030144	50-280	Q	ORR, F.R.	9507180444	TOPREP		PENDERGAST, J.M.	9507060102*	50-341
ORR, F.R.	9507130045	50-338	Q	ORTON, T.W.	9507180444	STATE PROG		PEPPER, A.J.	9507060364	40-3292
ORR, F.R.	9507190178	50-280	P	ORTON, T.W.	9507250278*	FOIA		PERKINS, K.E.	9507130033	50-361
ORR, F.R.	9507180180	50-280	P	OSTER, H.T.	9507030268	50-483	Q	PERKINS, K.E.	9507180142	50-529
ORR, F.R.	9507270094	50-280	P	OSTER, H.T.	9507030268	50-483	Q	PERKINS, K.E.	9507180458	50-529
OWENS, J.	9507250042	50-416	S	OWENS, J.	9507250042	50-416	S	PERKINS, K.E.	9507240042*	50-438
PAGE, G.W.	9507130154	40-9022	P	PAGE, G.W.	9507130154	40-9022	P	PERRY, M.	9507250224*	FOIA
PALLA, J.L.	9507110288	TOPREP		PALLA, J.L.	9507110288	TOPREP		PERRY, M.	9507250261*	FOIA
PALLA, J.L.	9507270380	REVIEW GR P		PALLA, J.L.	9507270380	REVIEW GR P		PERSINGER, J.M.	9507180004	CONTRACT
PALLA, J.L.	9507270380	TOPREP		PALLA, J.L.	9507270380	TOPREP		PERSON, L.S.	9507270362	40-8778
PALLA, J.L.	9507180123*	50-213	P	PALLA, J.L.	9507180123*	50-213	P	PERSON, L.S.	9507110232*	50-443
PALLA, J.L.	9507180123*	50-213	P	PALLA, J.L.	9507180123*	50-213	P	PERSON, L.S.	9507240021	50-443

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PETERMAN, L E	9509010100*	WASTE MGT	POWELL, R A	9507190086	FOIA	RAMLY, S	9507050395*	50-382 P
PETERS, J	9507120180	71-332	POWELL, R A	9507180110	FOIA	RANKER, W H	9507120192*	50-325 O
PETRONI, C D	9507080341	MUREG	POWELL, R A	9507180285	30-33416	RANKIN, W H	9507140232*	50-261 O
PHAM, T N	9507120332	70-7001	POWELL, R A	9507200125	FOIA	RANKIN, W H	9507140283*	50-280 O
PHARES, R F	9507050048	50-461 I	POWELL, R A	9507200295	FOIA	RANKIN, W H	9507140301*	50-259 Q
PHARES, R F	9507140182	50-461 Q	POWELL, R A	9507200339	50-320 P	RANKIN, W H	9507200199*	50-250 Q
PHARES, R F	9507180345	50-461 R	POWELL, R A	9507210227	FOIA	RAO, P S	9507080014	PR
PHARR, E B	9507120137*	70-1113	POWELL, R A	9507210283	50-280 P	RAPISARDI, J J	9507100054	40-8948
PHARR, E B	9507240074*	70-1151	POWELL, R A	9507210288	50-255 Y	RAPISARDI, J J	9507100054	40-8948
PHILIPS, M P	9507180115	50-135 Q	POWELL, R A	9507210312	50-341 P	RAPISARDI, J J	9507100054	40-8948
PHILLIPS, M P	9507180121*	50-155 Q	POWELL, R A	9507240054	FOIA	RASIN, W H	9507180155	PROJ
PHILLIPS, M P	9507180126	50-341 O	POWELL, R A	9507240365	50-498 P	RATHBUND, K	9507100026	ORG
PHILLIPS, M P	9507180131	50-283 Q	POWELL, R A	9507240422	FOIA	RATHBUND, K	9507200269*	PR
PHILLIPS, M P	9507180136*	50-283 Q	POWELL, R A	9507240430	50-498 P	RATHBUND, K	9507200290	PR
PHILLIPS, M P	9507180177	50-184 Q	POWELL, R A	9507250044	50-498 P	RATHBUND, K	9507200368	MUREG
PHILLIPS, M P	9507200057	50-341 Q	POWELL, R A	9507250066	50-443 P	RATHBUND, K	9507200370	ORG
PHILLIPS, M P	9507200062*	50-341 Q	POWELL, R A	9507250065	FOIA	RATHBUND, K	9507200375	PR
PHILLIPS, R	9507190329	50-372 R	POWELL, R A	9507270239	50-324 Q	RATHBUND, K	9507200381	ORG
PHILLIPS, R	9507190337	50-311 R	POWELL, R A	9507280097	FOIA	RATHBUND, K	9507210170	ORG
PHILLIPS, R	9507030027	PR	POWELL, R A	9507280127	50-498 P	RATHBUND, K	9507210168	ORG
PICK, G	9507270117	50-362 S	POWELL, R A	9507310127	FOIA	RATHBUND, K	9507210262	PR
PICKETT, D A	9507070433*	WASTE MGT	POWELL, R A	9507310157	FOIA	RATHBUND, K	9507280071*	FOIA
PICKETT, D V	9507110184*	50-265 P	POWELL, R A	9507310159	40-648	RATHBUND, K	9507280077*	FOIA
PICKETT, D V	9507284082	50-481 P	POWELL, R A	9507310207	50-341 P	RATLIFF, R A	9507280006	STATE PRO G
PIERSON, R	9507240387	70-105	POWELL, R A	9507310208	FOIA	RATLIFF, R A	9507280022	STATE PRO G
PIERSON, R C	9507080094	70-57	POWELL, R A	9507310230	FOIA	RAY, C L	9507080168*	50-568 P
PIERSON, R C	9507080095*	70-57	POWELL, R A	9507310232	50-498 Q	RAY, D J	9507080176	50-573 S
PIERSON, R C	9507080138	70-143	POWELL, R A	9507310235	FOIA	RAY, D J	9507070096	50-573 S
PIERSON, R C	9507080142	70-143	POWELL, R A	9507310284	FOIA	RAY, D J	9507070122	50-573 R
PIERSON, R C	9507080206	70-1151	POWERS, D A	9507080014*	50-313 Q	RAY, D J	9507100073	50-573 S
PIERSON, R C	9507080207*	70-1151	POWERS, D A	9507100342*	50-498 Q	RAY, D J	9507100040	50-573 R
PIERSON, R C	9507080363	70-1257	POWERS, D A	9507300019*	50-482 Q	RAY, D J	9507300076	50-573 S
PIERSON, R C	9507180375	70-1257	FRANCOIS	9507170018	ME	RAY, D J	9507280104	50-574 S
PIERSON, R C	9507070102	70-3087	PREVATER	9507120115*	50-335 Q	RAZY, J	9507280215*	50-59 F
PIERSON, R C	9507200127	70-1201	PRICE, J K	9507310019*	FOIA	REANER, C W	9507110117	PR
PIERSON, R C	9507200132*	70-1201	PROFFIT, J W	9507140488	CONTRACT	RECKLEY, W D	9507140114*	50-295 P
PIERSON, R C	9507120139	70-1151	PROFFIT, J W	9507070207*	50-328	RECKLEY, W D	9507240114	50-374 P
PIERSON, R C	9507200141*	70-1151	PROFFIT, J W	9507110120	50-328	REDD, MANN, M E	9507200121	50-354 R
PIERSON, R C	9507200153*	70-1151	PROFFIT, J W	9507240289	50-327	REDD, MANN, M E	9507080335	50-354 R
PIERSON, R C	9507200226	70-364	PROFFIT, J W	9507240329	50-328	REDD, MANN, M E	9507080340*	50-354 R
PIERSON, R C	9507200236	70-1257	PROVENCHER, R	9507270190	PROJ	REDD, MANN, M E	9507070127	50-354 S
PIERSON, R C	9507210212	70-734	PUGH, N L	9507180253	50-257 W	REDD, MANN, M E	9507120255	50-354 S
PIERSON, R C	9507210213*	70-734	PUGH, N L	9507180406	70-3074	REDD, MANN, M E	9507180406	50-354 S
PIERSON, R C	9507280044	70-1151	PUGH, N L	9507180425	FOIA	REDD, MANN, M E	9507280058	50-354 S
PIERSON, R C	9507280050*	70-1151	PULSIFER, R M	9507080255	50-254 P	REDD, MANN, M E	9507280166	50-354 S
PIERSON, R C	9507280056	70-734	PULSIFER, R M	9507110294	50-254 P	REDD, MANN, M E	9507210120	50-354 S
PIET, P L	9507100078	50-237 P	PULSIFER, R M	9507310046	50-254 P	REDD, MANN, M E	9507310130	50-354 R
PIET, P L	9507100117	50-237 P	PULSIFER, R M	9507310051*	50-254 F	REDEKAR, S J	9507110045	50-312 C
PIET, P L	9507240468	50-237 P	QUAY, T R	9507080171	TOPREP	REDEKAR, S J	9507170073	50-312 Y
PIET, P L	9507280231	50-237 P	QUAY, T R	9507170345	52-4	REDEKAR, S J	9507140340	50-312 F
PIET, P L	9507280262	50-248 F	QUAY, T R	9507280289	52-3	REED, C A	9507180284	FOIA
PIET, P L	9507250025*	WASTE MGT	QUINN, J E	9507110033*	50-344 Q	REED, T A	9507080379	REVIEW GR P
PIET, P L	9507270078	TOPREP	QUINN, J E	9507110031	50-344 P	REED, T A	9507102243	REVIEW GR P
PIET, P L	9507140107	TOPREP	QUINN, J E	9507310201	50-344 S	REED, T A	9507260216	REVIEW GR P
PITTSBURGH, L	9507270052	50-267 W	QUINN, J E	9507310168*	50-382 S	RESE, J	9507250281*	FOIA
PITTSBURGH, L	9507270119	50-267 W	QUINN, J E	9507200200*	50-381 P	RESE, J C	9507250191*	FOIA
PITTSBURGH, L	9507270181	50-267 W	QUINN, J E	9507200204*	50-381 P	RESE, J C	9507270129	71-16
PITTSBURGH, L	9507310152	FOIA	QUINN, J E	9507300219	52-4	REHMANN, M R	9507200023	40-8024
PITTSBURGH, L	9507310290	FOIA	QUINN, J E	9507300310	52-4	REHN, D L	9507050060	50-415 P
PLOGGIA, M	9507280121*	50-528 F	QUINN, J E	9507100034	52-4	REHN, D L	9507070213	50-415 S
PLUNKETT, T F	9507080182	50-250 P	QUINN, J E	9507100040	52-4	REHN, D L	9507150018	50-415 Q
PLUNKETT, T F	9507240025	50-250 P	QUINN, J E	9507130082	52-4	REHN, D L	9507150077	50-415 P
PLUNKETT, T F	9507310192	50-250 P	QUINN, J E	9507180148	52-4	REHN, D L	9507150086	50-415 Q
PLUNKETT, T F	9507310198	50-250 P	QUINN, J E	9507180163	52-4	REHN, D L	9507150131	50-415 P
PLUNKETT, T F	9507310219	50-250 P	QUINN, J E	9507180245	52-4	REHN, D L	9507180045	50-415 S
PLUNKETT, T F	9507310224	50-250 P	QUINN, J E	9507190002	52-4	REHN, D L	9507180046	50-415 S
PLUNKETT, T F	9507310247	50-250 P	QUINN, J E	9507210272	52-4	REHN, D L	9507180224	50-415 F
POLLICH, J	9507080387	50-445 P	QUINN, J E	9507210277	52-4	REHN, D L	9507280094	50-415 F
POLLARD, R D	9507240288*	50-219 F	QUINN, J E	9507210280	52-4	REID, C A	9507050355	50-271 P
PONTIUS, H D	9507100168	50-464 Q	QUINN, J E	9507210282	52-4	REID, D A	9507170387	50-271 P
PONTIUS, H D	9507100174	50-464 F	QUINN, J E	9507210317	52-4	REID, D W	9507070303	TOPREP
PONTIUS, H D	9507110103	50-464 P	QUINN, J E	9507280021	52-4	REILLY, F K	9507140279	40-341
PONTIUS, H D	9507180094	50-468 F	QUINN, J E	9507280174	52-4	REISENWEAVER, D	9507310181*	40-8027
POOL, M J	9507180241	FOIA	QUINN, J E	9507280178	52-4	REIMAGEL	9507030083	71-186
POSLUSNY, C	9507080044	50-367 P	QUINN, J E	9507050082	50-247 P	REIMAGEL	9507270187*	WASTE MGT
POSLUSNY, C	9507080049	50-367 P	QUINN, J E	9507050086	50-247 P	REINHOF, F M	9507180100*	40-872
POSLUSNY, C	9507200270	50-367 P	QUINN, J E	9507050088	50-247 P	REINHOF, F M	9507180107*	40-872
POST, J S	9507050238*	50-323 P	QUINN, J E	9507060162	50-247 P	REYNOLDS, N S	9507180103	50-460 Q
POTTER, M	9507100086*	50-254 P	QUINN, J E	9507060168	50-247 P	REYNOLDS, N S	9507180103	50-460 Q
POTTER, M	9507100086*	50-254 P	QUINN, J E	9507100257	50-247 P	REYNOLDS, S A	9507110228	TOPREP
POTTER, M	9507100078*	50-254 P	QUINN, J E	9507110159	50-247 P	RICCO, J	9507030180*	ORG
POTTS, M W	9507280090	40-8027	QUINN, J E	9507240085	50-247 Q	RICH, T W	9507270185*	STATE PRO G
POWELL, J E	9507120380	CONTRACT	QUINN, J E	9507260126	50-247 P	RICH, T W	9507270200*	STATE PRO G
POWELL, J E	9507130017	CONTRACT	RAGHAVAN, L	9507030314	50-302 P	RICH, T W	9507270205*	STATE PRO G
POWELL, P A	9507180345	50-388 Q	RAGHAVAN, L	9507050114	50-302 Q	RICH, T W	9507270213*	STATE PRO G
POWELL, R	9507180101	50-285 Y	RAGLAND, R	9507240052	70-135	RICH, T W	9507270215*	STATE PRO G
POWELL, R	9507310252	FOIA	RAGLAND, R	9507100397*	50-277 Q	RICH, T W	9507270222*	STATE PRO G
POWELL, R	9507310259	FOIA	RAINEY, G R	9507200015	50-277 R	RICH, T W		

204 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
RICH, T.W.	9507270232*	STATE PRO G	ROONEY, V.L.	9507170029	50-423 P	SANTO, A.	9507140080	XPORTLIC
RICH, T.W.	9507270237*	STATE PRO G	ROONEY, V.L.	9507170041	50-423 P	SANTO, A.	9507140113	XPORTLIC
RICHARDS, S.A.	9507260202	50-407 V	ROONEY, V.L.	9507200363	50-423 P	SALAS, P.	9507070284	50-259 F
RICHARDS, S.A.	9507260204	50-284 V	ROONEY, V.L.	9507240319	50-213 P	SALAS, P.	9507070314	50-259 P
RICHARDS, S.A.	9507260219	50-407 V	ROSE, C.N.	9507150263	30-33416	SALAS, P.	9507170065	50-259 P
RICHARDS, S.A.	9507260228	50-284 V	ROSENBLUM, R.M.	9507090189	50-361 S	SALAS, P.	9507210035	50-259 R
RICHARDS, S.A.	9507260243	50-151 V	ROSENBLUM, R.M.	9507170301	50-361 Q	SALAS, P.	9507210178	50-259 P
RICHARDS, W.J.	9507090189*	50-160 P	ROSENBLUM, R.M.	9507200172	50-361 P	SALAS, P.	9507250062	50-260 R
RICKER, J.	9507100275*	50-282 Q	ROSENBLUM, R.M.	9507200176*	50-361 P	SALAS, P.	9507310287	50-259 P
RICKET, A.	9507070553*	50-237 P	ROSENBLUM, R.M.	9507250036	50-361 Q	SALGADO, N.	9507120010*	50-259 Q
RIFKA, J.D.	9507190225	CONTRACT	ROSENBLUM, R.M.	9507250037	50-361 P	SALGADO, N.	9507200041*	50-413 Q
RIFKA, G.P.	9507070475	70-7001	ROSENBLUM, R.M.	9507250038*	50-361 P	SALMON, H.P.	9507070172	50-233 S
RIMAWI, K.	9507130033	STATE PRO G	ROSENBLUM, R.M.	9507260037	50-361 S	SALMON, H.P.	9507070187	50-233 S
RINALDI, F.	9507090225	50-352 P	ROSENTHAL, P.J.	9507110019	70-364	SALMON, H.P.	9507160329	50-332 R
RINALDI, F.	9507090277	50-352 P	ROSENTHAL, P.J.	9507250269	70-364	SALMON, H.P.	9507270182	50-332 Q
RINALDI, F.	9507090242	50-352 P	ROSE, A.J.	9507170406	50-245 G	SANDERS, C.F.	9507100117	70-1151
RINALDI, F.	9507090311	50-352 P	ROSE, E.	9507190056	FOIA	SANDERS, C.F.	9507090241	WASTE MGT
RINALDI, F.	9507090117	50-352 P	ROSE, T.M.	9507240276*	50-348 Q	SANTO, A.	9507170168*	50-244 Q
RINALDI, F.	9507270210	50-352 P	ROTH, C.E.	9507270183	ORG	SANTO, A.	9507090139	50-250 S
RINALDI, F.	9507270277	50-352 P	ROTH, J.	9507250294*	70-36	SAVASTANO, A.	9507130259	STATE PRO G
RINALDI, F.	9507270281	50-352 P	ROTHERT, W.C.	9507090348	50-292 R	SAWYER, C.	9507070095	70-7001
RINALDI, F.	9507280013	50-352 P	ROTHERT, W.C.	9507260050	50-292 R	SAWYER, C.	9507310144	70-7001
RINK, J.A.	9507090307	50-483 Q	ROUGHAN, C.	9507110070	71-9033	SCADE, S.E.	9507110218	50-330 P
RINK, J.A.	9507130265	30-135 W	ROUGHAN, C.	9507110071	71-9036	SCADE, S.E.	9507110216	50-330 P
RINK, J.A.	9507130265	30-110 W	ROUGHAN, C.	9507120153	71-9032	SCALET, D.	9507070054	52-4
RINK, J.A.	9507140041	50-256 Q	ROUGHAN, C.	9507180252	PT21	SCALET, D.	9507310281	50-334 P
RINK, J.A.	9507140043	50-315 V	ROW, J.W.	9507180200*	50-456 P	SCARANO, R.A.	9507130074	70-734
RINK, J.A.	9507180019	50-295 Q	ROWAN, J.R.	9507310133*	FOIA	SCARANO, R.A.	9507090008	50-529 Q
RINK, J.A.	9507240333	50-331 V	ROWLAND, T.J.	9507180132	PROJ	SCARANO, R.A.	9507090199	50-455 Q
RINK, J.A.	9507240369	50-331 V	ROWLAND, T.J.	9507180140	PROJ	SCARANO, R.A.	9507110073	50-344 Q
RINK, J.A.	9507310006	50-132 V	ROWLAND, T.J.	9507180174	PROJ	SCARANO, R.A.	9507130090	50-458 Q
RINK, J.A.	9507180181*	50-312 Q	ROWLAND, T.J.	9507180190	PROJ	SCARANO, R.A.	9507130109	50-275 Q
RITZMAN, R.	9507250059	50-354 S	ROWLAND, T.J.	9507190212	PROJ	SCARANO, R.A.	9507140045	40-6222
RITZMAN, R.	9507310120	50-354 S	ROWLAND, T.J.	9507250045	PROJ	SCARANO, R.A.	9507170091	40-6861
ROBERTS, D.	9507140815*	50-400 Q	ROWLEY, S.J.	9507260052*	FOIA	SCARANO, R.A.	9507170100	40-6502
ROBERTS, H.R.	9507100118	40-9881	ROY, G.	9507270054*	FOIA	SCARANO, R.A.	9507190078	STATE PRO G
ROBERTS, T.C.	9507070074*	50-438 P	ROY, G.W.	9507270037*	FOIA	SCARANO, R.A.	9507190102	50-712 W
ROBINSON, W.R.	9507090094	50-400 P	ROY, G.W.	9507310130*	FOIA	SCARANO, R.A.	9507240001	50-312 Q
ROBINSON, W.R.	9507090075	50-400 Q	RUBIN, S.	9507240032*	50-269 Q	SCARANO, R.A.	9507240002	50-482 Q
ROBINSON, W.R.	9507110015	50-400 Q	RULAND, W.H.	9507090019	50-271 Q	SCARANO, R.A.	9507240034	50-341 Q
ROBINSON, W.R.	9507110027	50-400 P	RULAND, W.H.	9507100232	50-247 Q	SCARANO, R.A.	9507260132	50-458 Q
ROBINSON, W.R.	9507130013	50-400 P	RULAND, W.H.	9507100233	50-247 Q	SCARANO, R.A.	9507260133	50-397 F
ROBINSON, W.R.	9507200092	50-400 R	RULAND, W.H.	9507180102	50-271 Q	SCARANO, R.A.	9507270293	50-205 F
ROBINSON, W.R.	9507290073	50-400 H	RULAND, W.H.	9507180107*	50-271 Q	SCARANO, R.A.	9507310011	40-6084
ROBINSON, W.R.	9507290210	50-400 P	RULAND, W.H.	9507260105	50-272 Q	SCARANO, R.A.	9507310138	50-261 R
ROBINSON, W.R.	9507310056	50-400 F	RULAND, W.H.	9507290112*	50-272 Q	SCARANO, R.A.	9507090250	ORG
RODGERS, D.E.	9507070473	72-1004	RULAND, W.H.	9507290135	NSC	SCARANO, R.A.	9507190364	50-390 A
ROE, J.W.	9507130137	50-341 P	RUPERT, C.	9507050056	PR	SCHAFNER, H.W.	9507180272*	FOIA
ROE, J.W.	9507180436*	50-295 P	RUPERT, W.M.	9507200011	40-7604	SCHAFNER, H.W.	9507190286*	FOIA
ROE, J.W.	9507190220*	50-268 P	RUSSELL, W.	9507090076	50-247 G	SCHAFNER, H.W.	9507180294*	FOIA
ROE, J.W.	9507190222*	50-298 P	RUSSELL, W.T.	9504130327*	FOIA	SCHAFNER, H.W.	9507180303*	FOIA
ROE, J.W.	9507200257*	50-486 F	RUSSELL, W.T.	9507090135	50-282 G	SCHAFNER, H.W.	9507180307*	FOIA
ROE, J.W.	9507280255*	50-397 F	RUSSELL, W.T.	9507090181	ORG	SCHAFNER, H.W.	9507180311*	FOIA
ROEDER, J.R.	9507270349*	FOIA	RUSSELL, W.T.	9507090276*	50-254 P	SCHAFNER, H.W.	9507180328*	FOIA
ROGAN, R.E.	9507120070	50-261 I	RUSSELL, W.T.	9507090345	50-254 P	SCHAFNER, H.W.	9507180340*	FOIA
ROGAN, R.E.	9507250011	50-324 F	RUSSELL, W.T.	9507090354*	50-256 Q	SCHALL, R.J.	9507090158	PR
ROGERS, J.A.	9507190341	50-335 R	RUSSELL, W.T.	9507130113	QA989	SCHERMAN, S.L.	9507110058	40-6481
ROGERS, K.C.	9507080238	COMMISSION	RUSSELL, W.T.	9507130125	QA989	SCHERMAN, S.L.	9507210097	40-6481
ROGERS, K.C.	9507080243	COMMISSION	RUSSELL, W.T.	9507130126	QA989	SCHN, R.	9507170022	50-395 S
ROGERS, K.C.	9507090321	COMMISSION	RUSSELL, W.T.	9507170281	ORG	SCHMITT, J.F.	9507210018	PR
ROGERS, K.C.	9507090436	COMMISSION	RUSSELL, W.T.	9507200281	50-282 H	SCHNEIDER, J.F.	9507090374	50-282 Y
ROGERS, K.C.	9507090444	COMMISSION	RUSSELL, W.T.	9507240206	ORG	SCHNEIDER, J.F.	9507090396	50-282 Y
ROGERS, K.C.	9507090177	COMMISSION	RUSSELL, W.T.	9507280187	ORG	SCHNEIDER, K.N.	9507130133	STATE PRO G
ROGERS, K.C.	9507110128	COMMISSION	RUSSELL, W.T.	9507300232	ORG	SCHNEIDER, K.N.	9507270152	STATE PRO G
ROGERS, K.C.	9507190196	COMMISSION	RYAN, J.C.	9507090037	50-186 P	SCHNEIDER, L.J.	9507180201	71-701
ROGERS, K.C.	9507190242	COMMISSION	RYAN, J.L.	9507210186	CONTRACT	SCHNELL, D.F.	9507090058	50-483 Q
ROGERS, K.C.	9507190250	COMMISSION	RYLEY, M.E.	9507190319	50-213 R	SCHNELL, D.F.	9507090129	50-483 P
ROGERS, K.C.	9507200165	COMMISSION	SACCOMANDO, D.M.	9507090165	50-454 Q	SCHNELL, D.F.	9507090082	50-483 P
ROGERS, K.C.	9507200285	COMMISSION	SACCOMANDO, D.M.	9507100132	50-454 P	SCHNELL, D.F.	9507090193	50-483 P
ROGERS, K.C.	9507200333	COMMISSION	SACCOMANDO, D.M.	9507310136	50-454 P	SCHNELL, D.F.	9507090240	50-483 P
ROGERS, K.C.	9507200246	COMMISSION	SACCOMANDO, D.M.	9507310139	50-456 P	SCHNELL, D.F.	9507090255	50-483 P
ROGERS, K.C.	9507200257	COMMISSION	SAGAR, B.	9507310180	50-484 P	SCHNELL, D.F.	9507090142	50-483 F
ROGERS, K.C.	9507200350	COMMISSION	SAGAR, B.	9507310297	WASTE MGT	SCHNELL, D.F.	9507090364	50-483 A
ROGERS, K.C.	9507200376	COMMISSION	SAGAR, B.	9507310304	WASTE MGT	SCHOFFEL, B.S.	9507090077*	50-390 Q
ROGERS, K.C.	9507200376	COMMISSION	SAGAR, B.	9507310384	WASTE MGT	SCHOLZ, J.	9507260112*	50-272 A
ROGERS, K.C.	9507200399	COMMISSION	SAGAR, B.	9507340406	WASTE MGT	SCHRAG, M.R.	9507120256*	50-386 P
ROGERS, K.C.	9507200376	COMMISSION	SAGAR, B.	9507250189	WASTE MGT	SCHRAG, M.R.	9507120258*	50-386 P
ROGERS, K.C.	9507210096	COMMISSION	SAGAR, B.	9507280081	WASTE MGT	SCHRAG, M.R.	9507120272*	50-386 P
ROGERS, K.C.	9507210099	COMMISSION	SAGAR, B.	9507280087	WASTE MGT	SCHRAG, M.R.	9507120274*	50-386 P
ROGERS, K.C.	9507210113*	NOFR	SAGER, D.A.	9507090219	50-336 P	SCHRAGE, J.L.	9507030145	50-254 P
ROGERS, L.H.	9507280280*	FOIA	SAGER, D.A.	9507090069	50-336 P	SCHRAGE, J.L.	9507090255	50-285 P
ROGERS, L.H.	9507080295	MURG	SAGER, D.A.	9507100383	50-336 Q	SCHRAGE, J.L.	9507100057	50-254 P
ROGERS, S.	9507200332	50-400 R	SAGER, D.A.	9507110124	50-336 F	SCHRAGE, J.L.	9507110155	50-254 P
ROGGE, J.	9507090008*	50-443 Q	SAGER, D.A.	9507120073	50-336 F	SCHRAGE, J.L.	9507170004	50-254 P
ROGGE, J.	9507090067	50-299 Q	SAGER, D.A.	9507120081	50-336 F	SCHRAGE, J.L.	9507170007	50-254 P
ROGGE, J.	9507090105*	50-219 Q	SAGER, D.A.	9507180210	50-336 F	SCHRAGE, J.L.	9507170114	50-237 P
ROGGE, J.	9507100328*	WASTE MGT	SAGER, F.A.	9507190341	50-336 R	SCHRAGE, J.L.	9507240401	50-237 P
ROMA, D.	9507090074	WASTE MGT	SAGSTETTER, M.	9507200151*	50-271 P	SCHULTZ, W.H.	9507180775*	FOIA

206 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
STOUT, D.E.	9507250294*	70-36	TAYLOR, J.M.	9507250648	SECY	THE CHAIRMAN	9507210081	COMMISSION
STRAITON, L.	9507120083*	50-291	TAYLOR, J.M.	9507250652	SECY	THE CHAIRMAN	9507210089	COMMISSION
STRONG, F.D.H.	9507250623	71-185	TAYLOR, J.M.	9507250653	50-458	THE CHAIRMAN	9507210105	COMMISSION
STRONG, T.R.	9507130084*	STATE PRO G	TAYLOR, J.M.	9507060085	ACRS	THE CHAIRMAN	9507210112	COMMISSION
STROSHIDER, J.	9507060160	TOPREP	TAYLOR, J.M.	9507060272	50-293	THE CHAIRMAN	9507210124	COMMISSION
STROSHIDER, J.R.	9507060173*	TOPREP	TAYLOR, J.M.	9507060268	50-286	THE CHAIRMAN	9507210176	COMMISSION
STROSHIDER, J.R.	9507190850*	50-368	TAYLOR, J.M.	9507050277	50-298	THE CHAIRMAN	9507210332	COMMISSION
STULLER, J.	9507060045*	COMMISSION	TAYLOR, J.M.	9507060300	50-233	THE CHAIRMAN	9507280221	COMMISSION
STURZ, F.	9507060385	72-1007	TAYLOR, J.M.	9507060405	50-237	THE CHAIRMAN	9507290288	COMMISSION
STURZ, F.C.	9507070108	72-1002	TAYLOR, J.M.	9507060144	COMMISSION	THE CHAIRMAN	9507290296	COMMISSION
STURZ, F.C.	9507290222	PROJ	TAYLOR, J.M.	9507060183	SECY	THE CHAIRMAN	9507290302	COMMISSION
SUDNAK, P.	9507060423	50-483	TAYLOR, J.M.	9507060225	SECY	THE CHAIRMAN	9507290308	COMMISSION
SUDNAK, P.	9507210086	50-483	TAYLOR, J.M.	9507060263	ORG	THE CHAIRMAN	9507290317	50-325
SUDNAK, P.J.	9507060186	50-483	TAYLOR, J.M.	9507060278	SECY	THE CHAIRMAN	9507180308	50-528
SULLIVAN, D.E.	9507170258	CONTRACT	TAYLOR, J.M.	9507120279	50-297	THE CHAIRMAN	9507180321*	50-528
SUMMERS, J.C.	9507110168	50-272	TAYLOR, J.M.	9507120328	50-296	THOMAS, C.R.	9507210315	50-528
SUMMERS, J.C.	9507110207	50-311	TAYLOR, J.M.	9507130182*	COMMISSION	THOMAS, C.R.	9507210320*	50-528
SUMMERS, J.C.	9507110215	50-272	TAYLOR, J.M.	9507140227	ORG	THOMAS, G.D.	9507050285	50-282
SUMMERS, J.C.	9507190329	50-272	TAYLOR, J.M.	9507180043	ORG	THOMAS, G.S.	9507100400	50-334
SUMMERS, J.C.	9507190337	50-311	TAYLOR, J.M.	9507180115	ORG	THOMAS, G.S.	9507100418	50-334
SUMMERS, J.C.	9507260134	50-272	TAYLOR, J.M.	9507200180*	PR	THOMAS, G.S.	9507170388	50-334
SUMMERS, J.C.	9507260142	50-272	TAYLOR, J.M.	9507200191	52-3	THOMAS, G.S.	9507190031	50-334
SUMMERS, J.C.	9507260220	50-272	TAYLOR, J.M.	9507200370	ORG	THOMAS, G.S.	9507210032	50-334
SUN, X.	9507210176	CONTRACT	TAYLOR, J.M.	9507200377	STATE PRO G	THOMAS, G.S.	9507250021	50-334
SUPPES, R.L.	9507120034	STATE PRO G	TAYLOR, J.M.	9507210089	ORG	THOMAS, G.S.	9507270317*	50-498
SVARNEY, N.	9507100085*	50-254	TAYLOR, J.M.	9507210107	50-293	THOMPSON, J.L.	9507290248	40-8027
SVARNEY, R.	9507100070*	50-254	TAYLOR, J.M.	9507210157	STATE PRO G	THOMPSON, J.M.	9507210050	71-225
SVETIKOVSKY, J.	9507070125	XPORTLIC	TAYLOR, J.M.	9507210249	SECY	THOMPSON, J.M.	9507290062	71-8062
SVETIKOVSKY, J.	9507140022	XPORTLIC	TAYLOR, J.M.	9507240174	NUREG	THOMSON, F.J.	9507170377	50-272
SWENEY, R.	9507180344*	FOIA	TAYLOR, J.M.	9507260171	COMMISSION	THRELFALL, P.	9507280303	XPORTLIC
SWENEY, R.	9507180365*	FOIA	TAYLOR, J.M.	9507280271	REVIEW GR P	THMARAJ, S.	9507140069*	50-498
SYLVIA, B.R.	9507060202	50-220	TAYLOR, J.M.	9507280272	50-308	THMARAJ, S.	9507170317*	50-498
SYLVIA, B.R.	9507070195	50-220	TAYLOR, J.M.	9507270245	ORG	TRAF, P.	9507250297	70-36
TAJMA, F.	9507140455*	WASTE MGT	TAYLOR, J.M.	9507190158*	71-524	TRAF, P.	9507210048	50-321
TALBOTT, M.E.	9507170125	NUREG	TAYLOR, J.M.	9507050130	FILE	TRIFONT, E.	9507050107	PR
TAM, P.S.	9507060230	50-390	TAYLOR, J.M.	9507190092	71-9006	TRIFONT, E.	9507110121	REVIEW GR P
TAM, P.S.	9507050297	50-390	TAYLOR, J.M.	9507100094	50-415	TRIFONT, E.	9507180133	REVIEW GR P
TAM, P.S.	9507060446	50-390	TAYLOR, J.M.	9507070056	50-220	TRIFONT, E.	9507250017	REVIEW GR P
TAM, P.S.	9507060231	50-380	TAYLOR, J.M.	9507060065	50-410	TJERSLAND, G.	9507180122	PROJ
TAM, P.S.	9507110328	50-286	TAYLOR, J.M.	9507060075	50-220	TJERSLAND, G.T.	9507050212	PROJ
TAM, P.S.	9507120275	50-380	TAYLOR, J.M.	9507050458	50-410	TJERSLAND, G.T.	9507140119	PROJ
TAM, P.S.	9507120352	50-380	TAYLOR, J.M.	9507060146	50-410	TJERSLAND, G.T.	9507190127*	PROJ
TAM, P.S.	9507170250	50-380	TAYLOR, J.M.	9507060270	50-220	TJERSLAND, G.T.	9507120081	50-281
TAM, P.S.	9507200028	50-380	TAYLOR, J.M.	9507080297	50-410	TJERSLAND, G.T.	9507270236	70-1257
TAM, P.S.	9507210118	50-390	TAYLOR, J.M.	9507210094	50-220	TJERSLAND, G.T.	9507180366	60-364
TAM, P.S.	9507210128	50-390	TAYLOR, J.M.	9507050252	50-445	TJERSLAND, G.T.	9507240262	50-272
TAM, P.S.	9507240350	50-390	TAYLOR, J.M.	9507060133	50-445	TRAF, P.	9507310043	60-165
TAM, P.S.	9507270241	50-390	TAYLOR, J.M.	9507070136	50-445	TRAF, P.	9507210089	60-341
TAM, P.S.	9507310261	50-390	TAYLOR, J.M.	9507110094	50-445	TRAF, P.	9507100377*	50-220
TAM, P.S.	9507310261	50-390	TAYLOR, J.M.	9507120088	50-445	TRAF, P.	9507240276*	50-293
TANIGUCHI, M.	9507060331	NUREG	TAYLOR, J.M.	9507170027	50-445	TRAF, P.	9507270047	ORG
TANNER, J.	9507200368*	WASTE MGT	TAYLOR, J.M.	9507180144	50-445	TRAF, P.	9507060378	50-338
TAYLOR, D.R.	9507140172*	50-338	TAYLOR, J.M.	9507200019	50-445	TRAF, P.	9507060380*	50-338
TAYLOR, G.J.	9507060066	50-396	TAYLOR, J.M.	9507060064	REVIEW GR P	TRAF, P.	9507100093	72-1009
TAYLOR, G.J.	9507060063	50-396	TAYLOR, J.M.	9507240186	REVIEW GR P	TRAF, P.	9507120200	70-1004
TAYLOR, G.J.	9507060035	50-395	TAYLOR, J.M.	9507280174	REVIEW GR P	TRAF, P.	9507190130	72-1008
TAYLOR, G.J.	9507060241	50-396	TAYLOR, J.M.	9507280205	REVIEW GR P	TRAF, P.	9507310244	TOPREP
TAYLOR, G.J.	9507070410	50-396	TAYLOR, J.M.	9507280282	NUREG	TRAF, P.	9507060386	NUREG
TAYLOR, G.J.	9507180322	50-396	TAYLOR, J.M.	9507280295	NUREG	TRAF, P.	9507110080	40-.....
TAYLOR, J.	9507110180	50-352	TAYLOR, J.M.	9507280215	50-890	TRAF, P.	9507030128	50-271
TAYLOR, J.	9507110186	50-305	TAYLOR, J.M.	9507250037	50-29	TRAF, P.	9507050319	50-271
TAYLOR, J.	9507110191	50-348	TAYLOR, J.M.	9507050217	COMMISSION	TRAF, P.	9507060143	50-271
TAYLOR, J.	9507110196	50-338	TAYLOR, J.M.	9507050379	COMMISSION	TRAF, P.	9507180203	50-271
TAYLOR, J.	9507110234*	50-296	TAYLOR, J.M.	9507050410	COMMISSION	TRAF, P.	9507200148	50-271
TAYLOR, J.M.	9507210278	TOPREP	TAYLOR, J.M.	9507050433	COMMISSION	TRAF, P.	9507280147	50-271
TAYLOR, J.M.	9507260025	TOPREP	TAYLOR, J.M.	9507060027	COMMISSION	TRAF, P.	9507280246	50-225
TAYLOR, J.M.	9507270402	TOPREP	TAYLOR, J.M.	9507060038	COMMISSION	TRAF, P.	9507250294	70-36
TAYLOR, J.M.	9507280091*	50-246	TAYLOR, J.M.	9507060101	COMMISSION	TRAF, P.	9507270320	50-309
TAYLOR, J.M.	9507210158	SECY	TAYLOR, J.M.	9507060156	COMMISSION	TRAF, P.	9507120053	70-27
TAYLOR, J.M.	9507210213	SECY	TAYLOR, J.M.	9507070428	COMMISSION	TRAF, P.	9507120288*	50-366
TAYLOR, J.M.	9507270306	SECY	TAYLOR, J.M.	9507110137	COMMISSION	TRAF, P.	9507120286*	50-366
TAYLOR, J.M.	9507140226	SECY	TAYLOR, J.M.	9507110149	COMMISSION	TRAF, P.	9507120286*	50-366
TAYLOR, J.M.	9507170245	SECY	TAYLOR, J.M.	9507110168	COMMISSION	TRAF, P.	9507120274*	50-368
TAYLOR, J.M.	9507180004	SECY	TAYLOR, J.M.	9507110173	COMMISSION	TRAF, P.	9507120141	40-8507
TAYLOR, J.M.	9507180128	SECY	TAYLOR, J.M.	9507110239	COMMISSION	TRAF, P.	9507180184	40-8507
TAYLOR, J.M.	9506420112	SECY	TAYLOR, J.M.	9507120086	COMMISSION	TRAF, P.	9507250129	40-8907
TAYLOR, J.M.	9506420132	SECY	TAYLOR, J.M.	9507180202	COMMISSION	TRAF, P.	9507070358*	50-237
TAYLOR, J.M.	9506420182	SECY	TAYLOR, J.M.	9507180244	COMMISSION	TRAF, P.	9507060141*	50-277
TAYLOR, J.M.	9506130003	SECY	TAYLOR, J.M.	9507180246	COMMISSION	TRAF, P.	9507120178*	50-226
TAYLOR, J.M.	9506130081	SECY	TAYLOR, J.M.	9507200145	COMMISSION	TRAF, P.	9507200124	50-226
TAYLOR, J.M.	9506180287	SECY	TAYLOR, J.M.	9507200187	COMMISSION	TUCKMAN, M.S.	9507050088	PR
TAYLOR, J.M.	9506190294	SECY	TAYLOR, J.M.	9507200217	COMMISSION	TUCKMAN, M.S.	9507050204	50-289
TAYLOR, J.M.	9506190308	SECY	TAYLOR, J.M.	9507200221	COMMISSION	TUCKMAN, M.S.	9507060253	50-389
TAYLOR, J.M.	9506210077	70-1257	TAYLOR, J.M.	9507200231	COMMISSION	TUCKMAN, M.S.	9507070186	50-289
TAYLOR, J.M.	9506220129	WASTE MGT	TAYLOR, J.M.	9507200234	COMMISSION	TUCKMAN, M.S.	9507110022	50-413
TAYLOR, J.M.	9506230332	50-219	TAYLOR, J.M.	9507200280	COMMISSION	TUCKMAN, M.S.	9507210045	PR
TAYLOR, J.M.	9506230630	SECY	TAYLOR, J.M.	9507200285	COMMISSION	TUCKMAN, M.S.	9507280112	50-389
TAYLOR, J.M.	9506230635	SECY	TAYLOR, J.M.	9507200374	COMMISSION	TUCKMAN, M.S.	9507310071	50-389

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
TULEY, G R	9507250313	50-390 A	WALTON, J C	9507070438	WASTE MGT	WHITE, J R	9507210061	50-272 Q
TULON, L J	9507130156	50-458 R	WANCZYK, R J	9507170389	50-271 S	WHITNEY, M A	9507110159	50-247 S
TURK, S E	9507100055	50-160 G	WANCZYK, R J	9507190344	50-271 R	WHITT, D C	9507190317	50-313 R
TURK, S E	9507100072	50-160 G	WANCZYK, R J	9507250054	50-271 S	WHITT, M S	9507190320	50-398 R
TURK, S E	9507100108	40-8681	WANG, J A	9507240186	50-213 P	WHITTIER, G D	9507030064	50-309 P
TURK, S E	9507180047	50-160 B	WARNER, D E	9507240278	FOIA	WBLIN, C	9507120259	NURRG
TURNER, O R	9507250090	WASTE MGT	WARREN, C C	9507270169	50-272 S	WICHERS, D L	9507030174	40-8502
TURNER, J	9507140158	50-318 R	WASONG, A J	9507130186	50-277 S	WICHERS, D L	9507030182	40-8502
TURNER, J	9507140142	50-315 R	WASONG, A J	9507280031	50-277 S	WICKS, L	9507110223	71-780
TURTLE, H	9507270301	40-2377	WATKINS, R	9507210086	50-413 S	WIDAY, J A	9507190528	50-244 R
UDY, A C	9506230387	50-458 Q	WATTS, R J	9507120068	50-244 F	WIDMANN, L L	9508010100	WASTE MGT
ULEEST, P	9507090180	TOPREP	WATTS, R J	9507210007	50-244 F	WIDMANN, M T	9507200070	50-424 Q
ULEEST, P	9507280006	TOPREP	WATTS, R J	9507310255	50-244 F	WIDEMAN, D	9507190011	18E
URY, C B	9507270254	50-324 Q	WEAVER, K L	9506200180	WASTE MGT	WIDEMAN, D G	9507240087	18E
URY, C B	9507270255	50-324 Q	WEBB, H	9507270271	70-143	WIEN, S L A	9507120205	50-269 Q
VAN DOORN, P K	9507140326	50-390 Q	WEBB, M K	9507310132	50-208 F	WIENS, L A	9507140072	50-269 P
VAN MIDDLESWORTH	9507260048	50-331 R	WEBER, G A	9507310172	50-315 S	WIENS, L A	9507200004	50-269 Y
VAN SLOUN, M L	9507200386	PT21	WEBER, M	9507270081	WASTE MGT	WIENS, L A	9507240451	50-269 P
VANDALE, M T	9507200188	71-9176	WEBER, M F	9507090182	40-8022	WIGGINS, E J	9507180021	CONTRACT
VANDENBURGH, C	9507170087	50-382 Q	WEBER, M F	9507090305	40-8027	WIGGINS, E	9507170346	CONTRACT
VANDENBURGH, C	9507240047	50-458	WEBER, M F	9507090316	40-8027	WIGGINS, E	9507180338	CONTRACT
VANDERBYE, R J	9507310087	50-348 F	WEBER, M F	9507120037	40-8778	WIGGINS, E J	9507200004	CONTRACT
VANMIDDLESWORTH	9507240215	50-331 R	WEBER, M F	9507120305	40-8778	WIGGINS, E J	9507170206	CONTRACT
VARGA, S A	9507310020	50-324 F	WEBER, M F	9507130155	50-18	WIGGINS, E J	9507180004	CONTRACT
VARGA, S A	9507140133	50-280 P	WEBER, M F	9507180182	WASTE MGT	WIGGINS, E J	9507180009	CONTRACT
VARGA, S A	9507180277	50-278 P	WEBER, M F	9507250266	40-8938	WIGGINS, E J	9507180012	50-413 V
VARGA, S A	9507200301	50-272 P	WEBER, M F	9507280157	70-025	WIGGINS, E J	9507180016	CONTRACT
VARGA, S A	9507200321	50-424 F	WEBER, M F	9507270104	70-144	WIGGINS, E J	9507180025	50-302 Q
VASQUEZ, G M	9507140049	40-8622	WEBER, M F	9507270130	50-267 W	WIGGINS, E J	9507180026	50-380 A
VENTRESCAR, D	9507310245	71-601	WEBER, M F	9507270141	40-8027	WIGGINS, E J	9507180132	50-380 A
VERNETSCH, W	9507070459	50-83 S	WEBER, M F	9507270143	40-8027	WIGGINS, E J	9507180251	CONTRACT
VERNETSCH, W G	9507100115	50-83 S	WEBER, M F	9507270316	40-8027	WIGGINS, E J	9507180315	CONTRACT
VERNETSCH, W G	9507240449	50-83 F	WEBER, M F	9507300394	WASTE MGT	WIGGINS, E J	9507180352	CONTRACT
VERNETSCH, W G	9507270221	50-83 P	WEBER, M F	9507300403	WASTE MGT	WIGGINS, E J	9507180378	CONTRACT
VERRELLD	9507110006	50-261 S	WEBER, M F	9507300451	70-135	WIGGINS, E J	9507190259	CONTRACT
VERRELLD	9507140315	50-400 Q	WEBER, M J	9507270112	40-8027	WIGGINS, E J	9507210289	CONTRACT
VERRELLD, M	9507110097	50-400 P	WEBER, R L	9507300044	50-363 R	WIGGINS, E J	9507210338	CONTRACT
VERRELLD, M	9507110108	50-361 P	WEBER, R L	9507300109	50-368 R	WIGGINS, E J	9507280070	CONTRACT
VERRELLD, M	9507120089	50-324 Q	WEBER, R L	9507300110	50-413 R	WIGGINS, E J	9507280074	CONTRACT
VERRELLD, M	9507140178	50-324 Q	WEBER, R R	9507110204	50-388 S	WIGGINS, E J	9507280080	50-380 Q
VERRELLD, M	9507140221	50-281 Q	WEHRY, R R	9507240348	50-388 S	WIGGINS, E J	9507280150	CONTRACT
VERRELLD, M	9507140308	50-400 Q	WEIS, K T L	9507310185	27-43	WIGGINS, E J	9507280157	50-361 F
VERRELLD, M	9507210080	50-348 P	WEISS, D	9507310231	71-644	WIGGINS, E J	9507180261	CONTRACT
VERRELLD, M	9507240285	50-348 Q	WEISS, D	9507310240	71-601	WIGGINS, J T	9507140002	50-218 Q
VERRELLD, M	9507240278	50-348 Q	WEISS, R A	9507140467	50-461 Q	WIGGINS, J T	9507140131	50-286 P
VERRELLD, M	9507240354	50-281 Q	WEISS, S	9507310441	50-206 F	WIGGINS, J T	9507180088	50-336 P
VERRELLD, M	9507240380	50-281 Q	WEISS, S H	9507180180	50-133 F	WIGGINS, M E J	9507120347	CONTRACT
VERRELLD, M	9507280086	50-281 Q	WEISS, S H	9507240188	50-320 H	WIGGINTON, D L	9507070072	50-458 P
VERRELLD, M	9507280113	50-281 Q	WEISS, S H	9507240348	50-312 W	WIGGINTON, D L	9507140086	50-458 P
VERRELLD, M	9507280114	50-400 Q	WEISS, S H	9507280135	ORG	WIGGINTON, D L	9507140423	50-458 P
VERRELLD, M	9507280127	50-281 Q	WEISS, S H	9507310221	40-82 F	WIGGINTON, D L	9507190274	50-458 P
VERRELLD, M	9507280146	50-324 Q	WEISS, S H	9508010187	40-308 F	WIGGINTON, D L	9507200290	50-458 P
VICKERS, R	9507240076	50-373 S	WELLING, B D	9507140348	40-288 P	WIGGINTON, D L	9507240440	50-458 P
VICK, M	9507100273	50-282 Q	WELLS, P K	9507140174	40-341	WIGGINTON, D L	9507310260	50-458 P
VINCENT, R A	9507080006	50-255 P	WENSLAWSKI, F	9507170018	18E	WIGGINTON, D L	9507310264	50-458 P
VINCENT, R A	9507110040	50-255 F	WENSLAWSKI, F A	9507080220	70-734	WILCOXEN, J G	9507180055	40-8027
VINCO, W	9507110182	50-382 S	WENSLAWSKI, F A	9507130094	70-734	WILCOXEN, J G	9507180055	40-8027
VINGONA, J E	9507130023	STATE PRO G	WENSLAWSKI, F A	9507260040	70-1257	WILCOXEN, J G	9507180117	40-8027
VOGL, J	9507080248	50-454 R	WERMEL, J S	9507110282	Q4899	WILCOXEN, J G	9507180117	40-8027
VOGL, J	9507180361	50-454 R	WERT, L D	9507120024	50-259 Q	WILCOXEN, J G	9507270068	40-8027
VONK, M J	9507080273	50-285 P	WESLEY, D	9507130097	STATE PRO G	WILCOXEN, J G	9507270088	40-8027
VONK, M J	9507080304	50-10 F	WESLEY, D	9507130218	STATE PRO G	WILKINSON, T S	9507190072	71-9251
VONK, M J	9507280111	50-10 F	WESLEY, D A	9507270405	TOPREP	WILKEL, V	9507200104	50-289 S
VUNBACO, F J	9507100042	40-872	WESTMAN, H	9507240097	REVIEW GR P	WILLIAMS, A L	9507140187	40-341
WADLEY, M D	9507080373	50-282 P	WESTER, N	9507310210	FOIA	WILLIAMS, A L	9507110321	50-255 R
WADLEY, M D	9507250185	50-282 P	WETTERHANN, M J	9507270066	50-458 Q	WILLIAMS, F J	9507140117	50-247 F
WALD, J J	9507210204	50-341 P	WETTERHANN, M J	9507270088	50-458 G	WILLIAMS, J	9507080107	50-249 S
WALDEN, J	9507190326	50-244 R	WETZEL, B A	9507030212	50-363 P	WILLIAMS, J A	9507200225	Q4899
WALKER, N M	9507100067	70-3070	WETZEL, B A	9507110274	50-282 P	WILLIAMS, J F	9507240192	50-253 P
WALKER, N M	9507100067	70-3070	WETZEL, J L	9507110272	50-282 P	WILLIAMS, J G	9507080179	50-113 P
WALKER, N M	9507100060	70-3070	WHARTON, L R	9507080215	50-483 P	WILLIAMS, J G	9507120041	50-113 P
WALKER, N M	9507100060	70-3070	WHARTON, L R	9507130185	50-483 P	WILLIAMS, J R	9507070468	75-1006
WALKER, N M	9507100067	70-3070	WHARTON, L R	9507130178	50-483 P	WILLIAMS, O G	9507210286	50-255 Y
WALKER, N M	9507100087	70-3070	WHARTON, L R	9507210220	50-483 P	WILLIAMS, R A	9507100108	70-1151
WALKER, N M	9507100180	70-3070	WHARTON, L R	9507240411	50-483 P	WILLIAMS, R A	9507200044	50-289 R
WALKER, N M	9507100180	70-3070	WHARTON, L R	9507240414	50-483 P	WILLIAMS, R A	9507200112	50-369 R
WALKER, R D	9507110084	50-445 P	WHEELER, L L	9507110275	50-424 P	WILLIAMS, R A	9507200118	50-413 R
WALKER, T	9507100259	50-220 Q	WHEELER, L L	9507110315	50-424 P	WILLIAMSON, E L	9507310251	50-426 Q
WALLACE, D	9507170346	CONTRACT	WHEELER, L L	9507170274	50-424 P	WILMOTH, M J	9507270080	50-424 G
WALLACE, D	9507170346	CONTRACT	WHEELER, P A	9507110343	71-1444	WILMOTH, M J	9507270080	50-424 G
WALLACE, J E	9507170346	50-286 S	WHITE, C W	9507250118	50-443 Q	WILMOTH, M J	9507310222	FOIA
WALLACE, J E	9507180344	50-271 R	WHITE, C W	9507250121	50-443 Q	WILSON, J F	9507080438	50-289 F
WALSH, R J	9507280128	50-443 Q	WHITE, C W	9507250125	50-443 Q	WILSON, J H	9507180006	53-4
WALSH, R J	9507250128	50-443 Q	WHITE, C W	9507250130	50-443 Q	WILSON, J N	9507180372	53-1
WALSH, R J	9507250130	50-443 Q	WHITE, C W	9507250139	50-443 Q	WILSON, K R	9507110014	50-302 Q
WALSH, R J	9507250144	50-443 Q	WHITE, C W	9507250144	50-443 Q	WILSON, R C	9507170102	Q4899
WALSH, R J	9507100283	REVIEW GR P	WHITE, J R	9507090002	50-272 Q	WILSON, T P	9507180284	70-1113
WALTON, G A	9507250163	50-390 Q	WHITE, J R	9507170177	50-354 Q	WISER	9507250047	50-486 P

206 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
WISE, R.	9507250065*	50-486	P	WOODLAND, R.	9507200019	50-445	R	YOUNG, D.E.	9507120298	50-251	S
WISEMAN, G.	9507170005*	50-259	O	WOODRUF, R.L.	9507260077	STATE PRO G		YOUNG, K.D.	9507280133	50-331	Q
WITTER, H.	9507200342*	STATE PRO G		WOODWARD, R.	9507250048	50-331	R	YOUNG, M.A.	9507100068	50-434	G
WOLF, G.M.	9507190333	50-346	R	WOODWORTH, L.A.	9507050457	WASTE MGT		ZARZAR, I.	9507070140*	50-251	P
WONG, H.	9507030016*	50-428	Q	WOOSTER, K.A.	9507270053	50-155	F	ZERINQUE, O.J.	9507080090	50-390	A
WONG, H.J.	9507100297*	50-391	O	WOOSTER, K.A.	9507270100	50-155	F	ZERINQUE, O.J.	9507080173	50-390	Q
WOOD, J.K.	9507180079	50-346	R	WRIGHT, F.M.	9507140232*	50-251	O	ZERINQUE, O.J.	9507190358	50-390	Q
WOOD, J.K.	9507190333	50-346	R	WYDEN, R.	9507200375*	50-458	U	ZERINQUE, O.J.	9507210068	50-390	A
WOOD, J.K.	9507240097	50-346	P	WYMER, S.L.	9507270124	50-255	F	ZERINQUE, O.J.	9507250180	70-2810	
WOOD, R.H.	9507050331	71-452		WYNNE, G.F.	9507210037	PR		ZERINQUE, O.J.	9507280111	50-390	Q
WOODARD, J.D.	9507060288*	50-346	P	YANDELL, L.A.	9507310007*	50-285	Q	ZIEGLER, R.S.	9507080177	40-8902	
WOODHEAD, C.P.	9507180099	50-180	G	YANG, C.Y.	9507170412*	TOPREP		ZIEGLER, R.S.	9507110024	40-8902	
WOODLAND, R.	9507070136	50-445	P	YATES, C.Y.	9507180172	50-133	P	ZIGLER, G.L.	9507210197	CONTRACT	
WOODLAND, R.	9507120089	50-445	F	YELVERTON, J.W.	9507240326	50-386	P	ZIMMERMAN, R.P.	9507030158	ORG	
WOODLAND, R.	9507170285	50-445	F	YOUNG, D.B.	9507110322	70-384		ZUNDELL, M.	9507200122	FOIA	

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY			
ABB Atom, Inc. (formerly ASEA Atom, Inc. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.)	9507180138	70-38	9507060228	50-528	P			
	9507030107	TOPREP		9507060231*	50-528	P		
	9507080112*	TOPREP		9507060231*	50-528	P		
	9507070153	70-1100		9507060231*	50-528	P		
	9507070388	TOPREP		9507070069	50-528	F		
	9507100136	70-1100		9507070069	50-528	F		
	9507100381	52-2		9507100205	50-528	S		
	9507180354	TOPREP		9507100205	50-528	S		
	9507180357*	TOPREP		9507100215*	50-528	S		
	9507180373	TOPREP		9507100216*	50-528	S		
	9507180378*	TOPREP		9507100221*	50-528	S		
	9507190136	70-38		9507100223*	50-528	S		
	9507210225	TOPREP		9507100226*	50-528	S		
	9507210228*	TOPREP		9507100227*	50-528	S		
ASEA Brown Boveri, Inc.	9507250156*	50-317	P	9507100228*	50-528	S		
	9507030107	TOPREP	9507110001	50-528	CC			
	9507030112*	TOPREP	9507110001	50-528	CC			
	9507070153	70-1100	9507110001	50-528	CC			
	9507070388	TOPREP	9507110110	50-528	S			
	9507070477	PT21	9507130081	50-528	F			
	9507100136	70-1100	9507130124*	50-528	F			
	9507100139*	70-1100	9507140084	50-528	CC			
	9507100381	52-2	9507140094	50-528	CC			
	9507170124*	70-1100	9507140094	50-528	CC			
	9507180354	TOPREP	9507140102	50-528	P			
	9507180357*	TOPREP	9507140121	50-528	P			
	9507180373	TOPREP	9507140128*	50-528	P			
	9507180378*	TOPREP	9507140188	50-528	P			
9507200180*	50-381	P	9507140188	50-528	P			
Advanced Systems Technology, Inc. Aerostat Operations, Inc.	9507250188*	50-317	P	9507140188	50-528	P		
	9507120289	NUREG	9507140191*	50-528	P			
	9507120173	50-228	R	9507140191*	50-528	P		
	9507120178*	50-228	H	9507140191*	50-528	P		
	9507200124	50-228	H	9507140201	50-528	P		
	9507110017	PR	9507140201	50-528	P			
	9507110228	71-815	9507140208	50-528	M			
	9507100112	27-48	9507140208	50-528	M			
	9507100123*	27-48	9507190335	50-528	R			
	9507310185	27-48	9507190335*	50-528	R			
	9507310188*	27-48	9507190338*	50-528	R			
	9507310290*	27-48	9507190338*	50-528	R			
	9507180137*	50-318	9507190338*	50-528	R			
	9507290049	45-4482	9507280101	50-528	F			
8908170162*	FOIA	9507280101	50-528	F				
American Electric Power Service Corp. American Nuclear Corp. Amersham Corp.	9507110070	71-8033	Arizona, State of Arizona, Univ. of, Tucson, AZ	9507280101	50-528	F		
	9507110071	71-8036		9507280121*	50-528	F		
	9507120153	71-8032		9507270021	STATE PRO	G		
	9507120159*	71-8032		9507080178	50-113	P		
	9507140460	CONTRACT		9507080331	NUREG			
	9507180282	PT21		9507120241	50-113	P		
	9507110068	71-8150		9507120245*	50-113	P		
	9507120110	40-341		9507120253*	50-113	P		
	9507120374	CONTRACT		9507120277*	50-113	P		
	9507030313	50-528		P	9507180206*	CONTRACT		
	Amersham Holdings, Inc. Anne Arundel County, MD Anasco, Inc. Arizona Public Service Co. (formerly Arizona Nuclear Power Project)	9507030313		50-528	P	9507180220*	CONTRACT	G
		9507030313		50-528	P	9507180220*	CONTRACT	G
		9507030334		50-528	F	9507170203	CONTRACT	F
		9507050160		50-528	Q	9507250297	50-259	F
9507050166*		50-528	Q	9507250297	50-259	F		
9507050275		50-528	S	9507250301*	50-259	F		
9507050377*		50-528	S	9507250302	50-331	P		
9507080126		50-528	F	9507250305*	50-331	P		
9507080126		50-528	F	9507250306	50-275	P		
9507080126		50-528	F	9507250306	50-275	P		
9507080128		50-528	F	9507250310*	50-275	P		
9507080228		50-528	P	9507250136	71-839			
9507080228		50-528	P	9507120172	71-280			
9507080228		50-528	P					

210 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Atlantic Richfield Co. (ARCO)	9507050177	40-8902		9507050179*	40-8902
	9507110024	40-8902		9507050182*	40-8902
	9507110025*	40-8902		9507140132	40-8940
	9507280067	40-8902	Cabot Corp.	9507180189	40-8940
Atlas Corp.	9507120300	40-3453		9507250074	40-9027
	9507140451	40-3453		9507310168	40-9027
	9507140452*	40-3453	California, State of	9507130037*	STATE PRO G
	9507140453	40-3453		9507130218*	STATE PRO G
	9507180198	40-3453		9507130225*	STATE PRO G
	9507290177	40-3453		9507130244*	STATE PRO G
B&W Fuel Co.	9507130067	71-8231		9507130283*	STATE PRO G
	9507130072*	71-8231		9507270172*	STATE PRO G
	9507180280	70-1201		9507270178*	STATE PRO G
	9507240471	71-8231	Canada Atomic Energy Control Board	9507280005	EXPORTAC
	9507270402*	TOPREP	Carolina Power & Light Co.	9507060068	50-325 S
B. Koh & Associates, Inc.	9507030188	40-8721		9507030072*	50-325 S
BP America, Inc.	9507110090	40-8721		9507050064	50-400 P
BP Chemicals International	9507280011	40-7804		9507050092	50-281 P
BWR Owners Group	9507070078	TOPREP		9507080075	50-400 P
	9507140107	TOPREP		9507080090*	50-400 P
Babcock & Wilcox Co.	9507050220	70-27		9507080083	50-261 P
	9507080357	70-135		9507080108	50-261 P
	9507100388	70-27		9507080151	50-261 Q
	9507110318	70-364		9507080223	50-324 F
	9507110322	70-364		9507080324	50-261 F
	9507200014	70-27		9507080327*	50-261 P
	9507200050*	70-27		9507080386	50-324 P
	9507200080	70-27		9507080388	50-324 P
	9507200086	70-27		9507080395*	50-324 P
	9507200106	70-27		9507080395*	50-324 P
	9507210008	70-27		9507070154	50-261 P
	9507210246	70-27		9507070160*	50-261 P
	9507210281*	70-27		9507070174*	50-261 P
	9507210278	TOPREP		9507100389	50-261 F
	9507240409	70-27		9507110015	50-400 Q
	9507250259	70-364		9507110027	50-400 P
	9507260025	TOPREP		9507120070	50-261 I
	9507260030*	TOPREP		9507120070	50-261 I
	9507270402	TOPREP		9507120187	50-325 S
Babcock & Wilcox Operating Plants Owners	9507120294	PROJ		9507130013	50-400 P
Group				9507130015*	50-400 P
Baltimore Gas & Electric Co.	9507080211	50-317 P		9507130158	50-281 P
	9507070152	50-317 P		9507140431	50-324 Q
	9507110254	50-317 S		9507180032	50-261 R
	9507110309	50-316 S		9507190350	50-324 R
	9507110313*	50-316 P		9507190352*	50-324 R
	9507200152	50-317 S		9507190353*	50-324 R
	9507200181	50-317 P		9507190353*	50-324 R
	9507210134	50-317 R		9507200032	50-400 R
	9507240444	50-316 P		9507210003	50-324 P
	9507250150	50-317 P		9507210026	50-261 Q
	9507250150	50-317 P		9507210029	50-261 P
	9507250156*	50-317 P		9507210033*	50-261 P
	9507250156*	50-317 P		9507250011	50-324 F
	9507310046	50-317 P		9507250070	50-261 F
Battelle Human Affairs Research Centers	9507080313	NUREG		9507250073*	50-261 F
Battelle Memorial Institute, Pacific	9507080313	NUREG		9507250077*	50-261 F
Northwest Laboratory				9507270235	50-324 F
	9507170125	NUREG		9507280038	50-261 Q
	9507280167	ORG		9507280073	50-400 N
Bechtel Power Corp.	9507180343	FOIA		9507280210	50-400 P
Bearing Co.	9507180213	PT21		9507310056	50-400 F
Bearing Computer Services Co. (div. of	9507120216	PT21	Center Corp.	9507310245*	71-601 W
Bearing Co.)			Catholic Univ. of America, Washington, D	9507120281	50-77
Boston Edison Co.	9507050076	50-293 H	Center for Nuclear Waste Regulatory	9507060284	WASTE MGT
	9507060348	50-293 R			
	9507120283	50-293 R			
	9507170378	50-293 P			
	9507170379*	50-293 P			
	9507170382*	50-293 P			
	9507190045	50-293 S			
	9507190052	50-293 S			
	9507190323	50-293 S			
	9507200074	50-293 P			
	9507200078*	50-293 P			
	9507260050	50-293 P			
	9507270203	50-293 P			
	9507280072	50-293 P			
Boston Univ. Medical Center, Boston, MA	9507060030	NUREG			
Brazil	9507180225	CONTRACT			
Brookhaven National Laboratory	9507080335	NUREG			
	9507070074*	50-458 P			
	9507120287	50-280 P			
	9507310244	TOPREP			
Brush Wellman, Inc.	9507180352*	FOIA			
	9507180362*	FOIA			
Burns International Security Services, Inc.	9507050285	50-282 Q			
COGEMA, Inc.	9507090174	40-8502			
			Center Energy	9507280084*	WASTE MGT
				9507280087	WASTE MGT
				9507280090*	WASTE MGT
				9508210043	50-440 R

212 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9507250111	50-10		9507180033*	50-155
	9507250111	50-10		9507180441	50-155
	9507250111	50-10		9507180462	50-155
	9507250111	50-10		9507180406	50-155
	9507250111	50-10		9507210291	50-155
	9507250111	50-10		9507250016	50-255
	9507250111	50-10		9507250176	50-255
	9507250111	50-10		9507250003	50-155
	9507250141	50-10		9507250004*	50-155
	9507250146	50-237		9507270033	50-155
	9507250152	50-373		9507270124	50-255
	9507250152	50-373		9507270190	50-155
	9507250186*	50-237		9507310113	50-155
	9507260175	50-454	Curtis Inspection Services, Inc.	9507060025	71-749
	9507260291	50-237	Czech & Slovak Federal Republic (CSFR)	9507060045*	COMMISSIO
	9507260244	50-295	(formerly Czechoslovakia)		
	9507260252	50-249	Dairyland Power Cooperative	9507120136	50-400
	9507260286*	50-249		9507150030	50-400
	9507270103	50-10	Dayton X-Ray Co.	9507210052	71-252
	9507270103	50-10	Defense, Dept. of, Defense Logistics	9507140273	40-341
	9507270103	50-10			
	9507270106*	50-10	Agency		
	9507270106*	50-10	Detroit Edison Co.	9507060098	50-341
	9507270106*	50-10		9507060102*	50-341
	9507270106*	50-10		9507070464	50-341
	9507270176	50-249		9507110517	50-341
	9507270184*	50-249			
	9507280104	50-304		9507170193	50-341
	9507310065	50-456		9507170890	50-341
	9507310136	50-454		9507170893	50-18
	9507310136	50-454		9507170893	50-18
	9507310136	50-454		9507180463	50-341
	9507310136	50-456			
	9507310160	50-454		9507180330	50-341
	9507310160	50-454		9507210015	50-341
	9507310160	50-454		9507210202	50-341
	9507310160	50-454		9507210204*	50-341
	9507310160	50-454		9507210313*	50-341
	9507310162*	50-454			
	9507170345	CONTRACT	Duke Power Co.	9507250018	50-341
	9507310237*	71-644		9507030040	50-369
	9507140445*	50-321		9507030258	50-266
	9507130031	COMMISSIO		9507050058	PR
				9507050060	50-413
Computer Technology Services, Inc.					
Consent Inspection					
Concord Associates, Inc.					
Conference of Radiation Control Program					
Directors, Inc.					
	9507180036	STATE PRO		9507060140	50-369
	9507180054	COMMISSIO		9507060140	50-369
	9507180055	STATE PRO		9507060153*	50-369
	9507180057*	COMMISSIO		9507060153*	50-369
				9507050204	50-266
Connecticut Yankee Atomic Power Co.					
	9507090325	50-213		9507050204	50-266
	9507090452	50-213		9507050204	50-266
	9507090466	50-213		9507050204	50-266
	9507090494	50-213		9507050204	50-266
	9507110048	50-245		9507050204	50-266
	9507130174	50-213		9507050204	50-266
	9507130179*	50-213		9507050225	50-369
	9507140229	50-213		9507060091	50-269
	9507170127	50-213		9507060154	50-269
	9507170132*	50-213		9507060154	50-269
	9507170402	50-213		9507060154	50-269
	9507190119	50-213		9507060154	50-269
	9507190123*	50-213		9507060190	50-369
	9507190519	50-213		9507060186*	50-369
	9507240330	50-213		9507060283	50-369
	9507250082	50-213		9507060253	50-369
	9507260034	50-213		9507060283	50-369
	9507050062	50-247		9507060283	50-369
	9507060435	50-247		9507060367	50-370
	9507060162	50-247		9507060388*	50-370
	9507060188	50-247		9507070165	50-269
	9507100237	50-247		9507070185	50-269
	9507110159	50-247		9507070185	50-269
	9507240065	50-247		9507070185	50-269
	9507260128	50-247		9507070165	50-269
	9507060241	50-155		9507070165	50-269
	9507060006	50-255		9507070165	50-269
	9507060078	50-155		9507070213	50-413
	9507060105	50-255		9507110022	50-413
	9507260119	50-255		9507110084	50-369
	9507060066	50-255		9507110084	50-369
	9507060073*	50-255		9507110086	50-269
	9507070468	50-155		9507110086	50-269
	9507110040	50-255		9507110086	50-269
	9507110246	50-155		9507110089	50-369
	9507110247*	50-155		9507110101	50-269
	9507110248	50-265		9507110101	50-269
	9507110250*	50-255		9507110101	50-269
	9507110321	50-255		9507120029	50-269
	9507120295	50-281		9507120029	50-269
	9507120401	50-155		9507120029	50-269
	9507130032	50-155		9507120029	50-269
	9507170030	50-255		9507120035	50-369
	9507180080	50-155		9507120132	50-267

214 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9507240267	WASTE MGT		9507280206*	50-382
	9507280045	PROJ		9507280223	50-382
	9507280053*	PROJ		9507280242*	50-382
	9507280283	70-1100		9507310153	50-382
	9507280043*	WASTE MGT		9507310154*	50-382
	9507280044*	WASTE MGT		9507310221	50-313
	9507280155	WASTE MGT	Environment of Utah, Inc.	9507310227	40-8968
	9507280167*	WASTE MGT		9507280021	40-8968
	9507280190	PROJ	Environment, Inc.	9507310311	40-8968
	9507310029	WASTE MGT	Environmental Coalition on Nuclear Power	9507050071	PR
	9507310033*	WASTE MGT	Environmental Protection Agency	9507030041	WASTE MGT
	9507310125	WASTE MGT		9507080230	40-8027
	9507310146	WASTE MGT		9507100060	50-380
	9507310150	WASTE MGT		9507100151	50-283
	9507310151	WASTE MGT		9507280080	40-8027
Energy Operations, Inc.	9507030034	50-458		9507280103*	40-8027
	9507030189	50-458	Epoch Engineering, Inc.	9507280222	MUREG
	9507030201*	50-458		9507280226	MUREG
	9507030342	50-418	European Communities, Commission of	9507030225	XPORTLIC
	9507030350	50-313	EEB, Inc.	9507180195	71-185
	9507050058	50-313		9507280225	71-185
	9507050063	50-313	Federal Emergency Management Agency	9504130082	50-381
	9507050080	50-382		9504130145*	50-155
	9507050088*	50-382		9504130148*	50-155
	9507050434	50-313		9505220275*	50-272
	9507050044	50-458		9506020120*	50-295
	9507050048	50-458		9506020126*	50-295
	9507060161	50-313		9507050298*	50-305
	9507060210	50-418		9507050302*	50-254
	9507060235	50-382		9507050482*	50-387
	9507060237*	50-382		9507050483*	50-387
	9507060244	50-418		9507050085*	50-387
	9507060268	50-458		9507050164*	50-305
	9507070120	50-313		9507250079*	50-254
	9507070120	50-313		9507280017*	50-272
	9507070129*	50-313	Ferrimatic, Inc.	9507180128	40-8852
	9507070129*	50-313	FirstPage	9507120380	CONTRACT
	9507070296	50-382	Florida Power & Light Co.	9507030218	50-335
	9507100018	50-458		9507050035	PR
	9507100019*	50-458		9507050088	50-335
	9507110028	50-382		9507050069	50-335
	9507110123	50-382		9507050152	50-250
	9507110157	50-418		9507050404	50-389
	9507110162	50-382		9507100383	50-389
	9507110219	50-418		9507110013	50-251
	9507110244	50-418		9507110013	50-389
	9507110245	50-418		9507110019	50-335
	9507120271	50-458		9507110019	50-335
	9507120400	50-458		9507110124	50-335
	9507170045	50-418		9507120073	50-335
	9507170065	50-458		9507120073	50-335
	9507170088	50-418		9507120081	50-335
	9507190013	50-313		9507120081	50-335
	9507190013	50-313		9507180210	50-335
	9507190317	50-313		9507180048	50-250
	9507190320	50-382		9507190048	50-250
	9507190331	50-458		9507190070*	50-250
	9507190348	50-418		9507190070*	50-250
	9507200064	50-313		9507190541	50-335
	9507200054	50-313		9507210081	50-335
	9507210001	PR		9507240025	50-250
	9507210180	50-382		9507250006	50-335
	9507210229	50-458		9507250089	50-302
	9507210248*	50-458		9507310192	50-250
	9507240326	50-388		9507310192	50-250
	9507240328*	50-388		9507310193*	50-250
	9507240417	50-313		9507310193*	50-250
	9507240464	50-418		9507310198	50-250
	9507280042	50-418		9507310198	50-250
	9507280127	50-382		9507310200*	50-250
	9507280143	50-418		9507310200*	50-250
	9507280284	50-313		9507310219	50-250
	9507280284	50-313		9507310219	50-250
	9507280284	50-313		9507310220*	50-250
	9507280001	50-313		9507310220*	50-250
	9507280001	50-313		9507310224	50-250
	9507280121	50-418		9507310224	50-250
	9507270096	50-382		9507310225*	50-250
	9507270128	50-313		9507310225*	50-250
	9507280182	50-382		9507310234	50-250
	9507280186*	50-382		9507310234	50-250
	9507280194	50-382		9507310235*	50-250
	9507280195*	50-382		9507310235*	50-250
	9507280199	50-382		9507310247	50-250
	9507280201*	50-382		9507310247	50-250
	9507280203	50-382		9507310249*	50-250
	9507280204*	50-382		9507310250*	50-250
	9507280207	50-382	Florida Power Corp.	9507080281	50-302

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9507070119	50-302		9507180020	50-289
	9507070471	50-302		9507180146	50-289
	9507100410	50-302		9507180149	50-289
	9507110014	50-302		9507180149	50-289
	9507120118	50-302		9507180157	50-219
	9507120128	50-302		9507200024	50-219
	9507120154	50-302		9507240104	50-219
	9507120157	50-302		9507250035	50-219
	9507140170	50-302		9507310064	50-289
	9507170289	50-302		9507310073	50-289
	9507250059	50-302		9507310089	50-289
	9507250085	50-302		9507310090	50-289
Florida, State of	9507120221	STATE PRO	General Testing & Inspection Co.	9507200129	71-319
Florida, Univ. of, Gainesville, FL	9507130027	STATE PRO	Georgia Institute of Technology, Atlanta, GA	9507180049	50-160
	9507070489	50-83			
	9507100115	50-83	Georgia Power Co	9507300062	50-321
	9507240488	50-83		9507300516	50-424
	9507270221	50-83		9507050174	50-321
Foots Mineral Co	9507100316	40-7397		9507050174	50-321
Foxboro Corp	9507280064	50-213		9507050086	50-424
Froehling & Robertson, Inc.	9507050324	71-157		9507060066	50-424
General Atomics (formerly GA Technologies, Inc./General Atomics Co.)	9507120168	70-734		9507060122	50-424
	9507120188	70-734		9507060155	50-425
	9507120194	70-734		9507070399	50-425
	9507280212	50-89		9507110235	50-321
	9507280214	50-89		9507120282	50-386
	9507280219	50-89		9507140149	50-321
General Electric Co	9507030213	52-4		9507140181	50-424
	9507030306	70-1113		9507140181	50-424
	9507030310	52-4		9507140456	50-424
	9507050141	50-277		9507140488	50-424
	9507050235	50-333		9507140481	50-424
	9507080005	XPORTLIC		9507140482	50-424
	9507080023	XPORTLIC		9507140482	50-424
	9507080047	XPORTLIC		9507140485	50-424
	9507080052	XPORTLIC		9507180040	50-424
	9507080055	XPORTLIC		9507180040	50-424
	9507070203	TOPREP		9507180041	50-424
	9507100034	52-4		9507210046	50-321
	9507100238	52-4		9507240056	50-321
	9507100340	52-4		9507240060	50-321
	9507120287	71-4988		9507240084	50-424
	9507120289	50-386		9507240138	50-386
	9507120289	50-386		9507250256	50-321
	9507120272	50-386		9507270123	50-424
	9507120274	50-386		9507270287	50-321
	9507120283	71-4986		9507270386	50-321
	9507120289	50-386		9507270386	50-321
	9507130062	52-4		9507270386	50-321
	9507140008	XPORTLIC		9507270386	50-321
	9507140010	XPORTLIC		9507270386	50-321
	9507140013	XPORTLIC		9507270386	50-321
	9507140017	XPORTLIC		9507270386	50-321
	9507140018	70-764		9507270386	50-321
	9507140027	XPORTLIC		9507270386	50-321
	9507140030	XPORTLIC		9507270386	50-321
	9507140119	TOPREP		9507270386	50-321
	9507170139	52-4	Georgia, State of	9507130125	STATE PRO
	9507180148	52-4		9507180049	50-160
	9507180163	52-4	Georgene Against Nuclear Energy	9507100061	50-160
	9507180170	52-4		9507180087	50-160
	9507180245	52-4		9507270118	50-160
	9507180264	70-1113	Gillich Field Services/NDE, Inc.	9507180109	71-8717
	9507180312	70-1113	(formerly Industrial Inspection)		
	9507180315	70-1151	Grealey, CO	9507180162	STATE PRO
	9507190062	52-4	Gulf States Utilities Co	9507270086	50-458
	9507210272	52-4	Hamm, Curran, Gallagher & Spetberg	9507100067	70-3670
	9507210276	52-4	(formerly Hamm, Curran & Tausley)		
	9507210277	52-4		9507100160	70-3670
	9507210280	52-4			
	9507210282	52-4		9507180062	70-3670
	9507210317	52-4		9507250240	40-8027
	9507210346	70-1113		9507270056	40-8027
	9507250003	PR		9507270062	40-8027
	9507250071	52-4		9507270068	40-8027
	9507280174	52-4	Hamm Steel Castings Co	9507180328	PT21
	9507280178	52-4	Henry, Kelly & Lowery (formerly Henry, Kelly, Bunch & Hess & Henry & Kelly)	9507180038	STATE PRO
General Public Utilities Corp. - GPU	9507310278	TOPREP	Holzer International	9507050253	72-1006
	9507050013	50-219		9507050257	72-1006
Genack Corp	9507050017	50-219		9507050273	71-9261
	9507050020	50-219		9507050278	71-9261
	9507050436	50-289	Horseshoe Mining Co	9507070296	40-8903
	9507050361	50-219		9507140239	40-8903
	9507110153	50-219	House of Rep	9507050211	40-8948
	9507120331	50-219		9507200366	WASTE MGT
	9507120338	50-219		9507200372	OPG
	9507120339	50-219		9507200375	50-458
				9507210083	OPG

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Morrison-Knudsen Co., Inc.	9507270206	50-488	Q		9507030635	50-213	P
NDT Specialists, Inc.	9507190006*	WASTE MGT			9507060247	50-213	S
NUS Corp	9507180201	71-701			9507050368	50-423	S
National Whistleblower Center	9507310105*	50-482	S		9507050456	50-245	H
	9507310222	FOIA			9507060264	50-423	P
Native Americans for a Clean Environment	9507180068	40-8027			9507060277*	50-423	P
	9507180117	40-8027			9507060296	50-336	S
	9507270068*	40-8027			9507080339	50-336	S
Nebraska Public Power District	9507050259	50-288	P		9507100088	50-336	Q
	9507060060	50-288	P		9507110144	50-336	S
	9507080063*	50-288	P		9507110146	50-336	P
	9507080217	50-288	P		9507110216	50-336	P
	9507080248	50-288	P		9507140073	50-245	F
	9507080248	50-288	P		9507140073	50-245	F
	9507100264	50-288	P		9507140078	50-336	Q
	9507140164	50-288	R		9507140084	50-423	P
	9507140184*	50-288	R		9507140140	50-336	P
	9507140195*	50-288	R		9507140146*	50-336	P
	9507140203*	50-288	R		9507140168	50-213	P
	9507140207*	50-288	R				
	9507140211*	50-288	R		9507140168*	50-213	P
	9507180254	50-288	P		9507140175	50-245	F
	9507180258*	50-288	P		9507140175	50-245	F
	9507180262	50-288	Q		9507140175	50-245	F
	9507180268*	50-288	Q		9507140216	50-336	S
	9507190112	50-288	Q		9507170402	50-213	R
	9507200142	50-288	P		9507180236	50-245	F
	9507200146*	50-288	P		9507180238	50-245	F
	9507280217	50-288	P		9507180239	50-245	P
New Jersey State of	9507070422	40-7102			9507180239*	50-245	P
	9507180356	50-354	P		9507180316	50-245	F
New Mexico, State of	9507240262	50-272	P		9507200012*	50-245	R
	9507120141	40-8507			9507200012*	50-245	R
	9507120164	40-8507			9507200082	50-336	S
	9507250129	40-8507			9507200086	50-423	P
New York, State of	9507090325	WASTE MGT			9507200096	50-245	R
	9507190010	STATE PRO	G		9507200096*	50-245	R
	9507190033	STATE PRO	G		9507200097*	50-423	P
Niagara Mohawk Power Corp	9507090068	50-220	T		9507200096*	50-245	R
	9507090065	50-410	T		9507200138	50-245	P
	9507090075	50-220	G		9507200386	50-336	S
	9507090458	50-410	G		9507210190	50-336	S
	9507090883	50-220	G		9507210192*	50-336	S
	9507090146	50-410	G		9507210385	50-245	K
	9507090158	50-410	G		9507210398*	50-245	K
	9507090167	50-410	G		9507240131	50-423	P
	9507090175	50-220	G		9507240133*	50-423	P
	9507090176	50-220	G		9507240143	50-245	P
	9507090202	50-220	G		9507240148*	50-245	P
	9507090202	50-220	G		9507240151	50-423	P
	9507090270	50-220	G		9507240154*	50-423	P
	9507090275*	50-220	G		9507240297	50-336	S
	9507090297	50-410	K		9507240302	50-336	S
	9507090303*	50-410	K		9507240312*	50-336	S
	9507090186	50-220	K		9507240323	50-336	S
	9507070198*	50-220	K		9507240402	50-336	S
	9507110106	50-410	P		9507270061	50-423	P
	9507140182	50-410	P		9507270067*	50-423	P
	9507190332	50-220	P		9507280027	50-245	V
	9507210004	50-220	P		9507280028	50-423	P
	9507210012	50-220	H		9507310143	50-245	S
	9507210012	50-220	H		9507310155	50-245	S
	9507240389	50-220	H		9507310158	50-245	S
	9507250002	50-220	F		9507310242	FOIA	
	9507250068	50-410	F		9508010193	FOIA	
Niles Steel Tank	9507050331	71-352		Northeast Ohio Regional Sewer District			
Non Destructive Testing Corp	9507240228	PR					
Nondestructive Inspection Service	9507130189	71-97		Northeast Utilities	9507060266	50-423	P
North Atlanta Energy Service Corp	9507110228	50-443	S		9507210041	50-213	H
(NAESCO)					9507210266	50-245	K
	9507110232*	50-443	S		9507340330	50-213	P
	9507240021	50-443	S		9507370051	50-423	P
	9507250061	50-443	P		9507270057*	50-423	P
	9507310052	50-443	P		9507280027	50-245	V
	9507310055*	50-443	P		9507280028	50-423	P
	9507310055*	50-443	P		9507290084	50-213	P
	9507310055*	50-443	P		9507300189	50-336	Q
North Carolina, State of	9507310057*	50-443	P		9507300189	50-336	Q
	9507110044	50-989	P		9507300171	50-423	P
	9507120237	STATE PRO	G		9507300395	50-213	P
	9507120242*	STATE PRO	G		9507300395	50-213	P
	9507240236	PR			9507300395	50-213	P
	9507270054	STATE PRO	G		9507300395	50-213	P
Northeast Nuclear Energy Co	9507280006	STATE PRO	G		9507300395	50-213	P
	9507090117	50-483	G		9507300395	50-213	P
	9507090168	50-336	Q		9507300395	50-213	P
	9507090168	50-336	Q		9507300395	50-213	P
	9507090171	50-423	P		9507300395	50-213	P
	9507090175*	50-423	P		9507300395	50-213	P
	9507090395	50-213	P		9507300395	50-213	P
	9507090395	50-213	P		9507300395	50-213	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9507140073	50-245	(formerly ERC Environmental & Energy S Ohio Citizens for Responsible Energy Ohio State Univ., Columbus, OH	9507110127	PR
	9507140078	50-399		9507060183	50-150
	9507140084	50-423		9507060185*	50-150
	9507140140	50-398		9507060182	40-8724
	9507140150*	50-398			
	9507140154*	50-396		9507110338	40-8848
	9507140155	50-219		9507120034	STATE PRO
	9507140187*	50-395		9507130026	STATE PRO
	9507140189*	50-395		9507250028	STATE PRO
	9507140218	50-395	Omaha Public Power District	9507050103	50-285
	9507170402	50-219		9507060109*	50-285
	9507190293	50-245		9507060066	50-285
	9507200066	50-423		9507060068	50-285
	9507200089	50-245		9507060071	50-285
	9507200138	50-245		9507060074*	50-285
	9507240021	50-443		9507100068	50-285
	9507240131	50-423		9507110071*	50-285
	9507240143	50-245		9507110085*	50-285
	9507240151	50-423		9507110090	50-285
	9507250061	50-443		9507100094*	50-285
Northern States Power Co.	9507030919	50-282		9507100107	50-285
	9507060183	50-282		9507100110*	50-285
	9507060373	50-282		9507100230*	50-285
	9507060973	50-282		9507100232	50-285
	9507070332	50-282		9507100391	50-285
	9507100269	50-282		9507100393*	50-285
	9507100273*	50-282		9507110384	50-285
	9507100385	50-282		9507110056	50-285
	9507100388*	50-282		9507180143*	50-285
	9507100990*	50-282		9507210154	50-285
	9507110326	50-282		9507210216	50-285
	9507110326	50-282		9507210252	50-285
	9507140233	50-282		9507210255*	50-285
	9507170138	50-282		9507210257*	50-285
	9507180169	50-282		9507250274	50-285
	9507180199	50-282		9507270025	50-285
	9507190063	50-282		9507270026*	50-285
	9507190083	50-282		9507310028	50-285
	9507200042	50-282	Omni Tech International, Ltd. Operators Research Technology, Inc.	9507180179	CONTRACT
	9507240036	50-282		9507180302	CONTRACT
	9507240048	50-282		9507120149	STATE PRO
	9507250092	50-306	Oregon, State of	9507280006	STATE PRO
	9507250102*	50-306	Organization of Agreement States	9507280022	STATE PRO
	9507250185	50-282	Orillont Mineral Services Corp. (subs. of Orillont Corp.)	9507190114*	FOIA
	9507250185	50-282			
	9507250190*	50-282			
	9507250190*	50-282			
	9507270129	71-16			
	9507170283	71-783			
Northwest Airlines, Inc.					
Northwest Inspection & Testing Services, Inc.					
Nuclear Assurance Corp.	9507060212	PROJ		9507030046	50-352
	9507140020	70-3020		9507090051*	50-352
	9507180119	PROJ		9507090078	50-277
	9507190122	PROJ		9507030076	50-277
	9507190127*	PROJ		9507030089	50-353
				9507030090*	50-353
				9507030270*	50-277
				9507030281*	50-277
				9507050138	50-277
Nuclear Containers, Inc.	9507120211	71-8204		9507050136	50-277
Nuclear Control Institute	9507080111*	COMMISSIO		9507050154	50-277
Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council)	9507050033	PRM		9507050203	50-352
	9507080107	PR		9507050203	50-352
				9507050205*	50-352
	9507060252	REVIEW GR		9507050205*	50-352
	9507100283	REVIEW GR		9507050214	50-277
	9507110121	REVIEW GR		9507050224	50-352
	9507180188	PROJ		9507050224	50-352
	9507180133	REVIEW GR		9507110045	50-352
	9507210015	PR		9507130186	50-277
	9507250017	REVIEW GR		9507140240	50-352
	9507250262	REVIEW GR		9507170001	50-277
	9507310161*	40-8027		9507170003	50-352
	9507120179	70-143		9507170038	50-352
	9507120388	70-143		9507170057	50-277
	9507130070	70-143		9507170363	50-277
	9507120250	70-143		9507170369	50-277
	9507240318	70-143		9507170401	50-278
	9507240321	70-143		9507180046	50-277
	9507240435	70-143			
	9507240448	70-143		9507200015	50-277
	9507250098	70-143		9507200015	50-277
	9507270271	70-143		9507200120	50-277
	9507030162*	50-282		9507250019	PR
Nuclear Information & Resource Service				9507260235	50-352
Nuclear Metals, Inc.	9507100042*	40-872		9507260031	50-277
Nucor, Inc.	9507090832*	60-482		9507260042	50-277
	9507240040*	50-250		9507260042	50-277
OHM Corp.	9507120203	40-341		9507280054*	50-277
Oak Ridge Associated Universities	9507190111*	50-72		9507280054*	50-277
	9507260006	70-734		9507280068	50-277
	9507260008*	70-734		9507280068	50-277
	9507120251	NUREG		9507310185	40-277
	9507190173*	50-259		9507100403*	50-334
Oak Ridge National Laboratory					
Ocean Environmental & Energy Services Co					

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Garrick, Inc. PTI Services, Inc.	9507060218 9507060227 9507060233* 9507110085	40-8848 40-8848 40-8848 40-8848		9507200330 9507200352 9507210038* 9507210084 9507210178	40-8857 40-8857 40-8857 40-8857 40-8857
	9507110087* 9507110340 9507110341 9507110342* 9507120347	40-8848 40-8848 40-8848 40-8848 CONTRACT		9507210195 9507210208 9507210219 9507240341* 9507310254	40-8857 40-8857 40-8857 40-8857 40-8857
Pacific Bell					
Pacific Gas & Electric Co.	9507030086 9507030102* 9507060407 9507080407 9507070135	50-275 50-275 50-275 50-275 50-275	P P P P P	Power Resources, Inc. (Formerly Sparklin City Nuclear Corp.)	9507190315 40-8857
	9507070135 9507070140* 9507070140* 9507070149* 9507070149*	50-275 50-275 50-275 50-275 50-275	P P P P P		9507200288 9507200316 9507200322* 40-8857 40-8857
	9507110074 9507110083* 9507110086 9507110086 9507120014	50-275 50-344 50-275 50-275 50-275	P O F F F	Procter & Gamble Co. Professional Welding Associates, Inc. Public Citizen's Official News Energy Project	9507210323 9507310175* 9507080125 9507080150* 40-8857 FOIA 71-666 ORG
	9507120014 9507120014 9507120076 9507250014 9507250041 9507250041	50-275 50-275 50-275 50-275 50-275 50-275	F F F F R R	Public Service Co. of Colorado	9507060185 9507190049 9507250288 9507250290* 9507310256 50-267 50-267 50-267 50-267 50-267 Y Y Y Y Y
	9507250067 9507250067 9507250080 9507110287 9507070282	50-275 50-275 50-275 71-475 50-387	R R Q K K	Public Service Electric & Gas Co. of New Jersey	9507030057 50-272 O
Packaging Technology, Inc. Pennsylvania Power & Light Co.	9507070479 9507110196 9507110204* 9507110212* 9507140118*	50-387 50-389 50-389 50-311 TOPREP	S S S S S		9507050052 9507060058 9507060040* PR 50-354 50-354 R R
	9507170237 9507170237 9507170334 9507170334 9507170334 9507180342	50-387 50-387 50-387 50-387 50-387 50-387	P P F F F R		9507070127 9507100047 9507110198 9507110207 9507110215 50-354 50-354 50-272 50-311 50-272 S S S S
	9507190342 9507240334 9507240345* 9507250075 9507250075	50-387 50-388 50-388 50-387 50-387	R S S R R		9507170377 9507190009 9507190105 9507190124 9507190126 50-272 50-272 50-272 50-272 50-272 P P S T Q
Pennsylvania State Univ., University Park, PA Pennsylvania, Commonwealth of Pentacola Testing Laboratories, Inc.	9507120152 9507210037 9507110343 9507110344*	50-6 PR 71-***** 71-*****	S S S S		9507190328 9507190337 9507300121 9507210201 9507210201 50-272 50-272 50-272 50-272 50-272 R R R R F F F F
Photocraft Custom Lab, Inc. Plasma Resources, Ltd. Portland General Electric Co.	9507170258 9507100423 9507110301 9507310201	CONTRACT 40-8848 50-344 50-344			9507210210 9507250061 9507250081 9507250081 9507250087 50-272 50-272 50-272 50-272 50-272 F F F F F
Power Authority of the State of New York (New York Power Authority)	9507030087 9507050231 9507060041 9507070114 9507070172	50-286 50-333 50-286 50-333 50-333	S P P P S		9507260037 9507260067 9507260091 9507260091 9507260091 50-272 50-272 50-272 50-272 50-272 P F F F F
	9507070178* 9507070187 9507070189* 9507070465 9507100074	50-333 50-333 50-333 50-333 50-333	S S S P F		9507260037 9507260059 9507260134 9507260138* 9507260142 50-272 50-384 50-272 50-272 50-272 S S S S S
	9507100124 9507110240 9507140351 9507170026 9507180487	50-286 50-286 50-286 50-286 50-286	F P F S F		9507260220 9507270158 9507280153 9507280159* 9507280156 50-272 50-272 50-354 50-354 50-354 S S S P S
	9507190326 9507190328 9507260081 9507270081 9507270084*	50-286 50-333 50-333 50-333 50-333	R R K P P	Pulse Electronics Corp. Pulse Data Systems, Inc.	9507310120 9507310130 9507310269 9507190254 9507170386 50-354 50-354 50-272 50-344 CONTRACT
	9507270088* 9507270182 9507310178 9507310180* 9507310181*	50-333 50-333 50-286 50-286 50-286	P Q P P P	QSL Inspection, Inc. Quality Inspection Services, Inc. Quincy Mining Co. R&B Co. RTS Technology, Inc.	9507030200 9507250102* 9507240460 9507030122 9507270019 71-721 STATE PRO 40-8608 40-2384 71-442
Power Resource Corp.	9507100231 9507180289 9507200292 9507200272	40-8857 40-8857 40-8857 40-8857		RUST Environment & Infrastructure, Inc. (Formerly SEC Donohue)	9507140174 40-341 9507140187 40-341 9507140228 40-9022

220 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Radioactive Waste Management Associates	9507140236*	40-9022			9507070410	50-386	P
	9507190100*	40-672			9507070415*	50-386	P
	9507190107*	40-672			9507110041	50-386	O
Rhode Island, State of	9507210014*	STATE PRO	G		9507140099	50-385	K
Rio Algom Mining Corp.	9507140061	40-8084			9507190022	50-385	R
Rochester Gas & Electric Corp.	9507060195	50-344	F	South Carolina, State of	9507240383	STATE PRO	G
	9507060210	50-344	P	Southern California Edison Co.	9507030188	50-361	S
	9507120000	50-344	S		9507030246*	50-361	S
	9507120055	50-344	F		9507030245	50-361	S
	9507170157	50-344	Q		9507110130	50-361	S
	9507170188*	50-344	Q		9507120097	50-208	F
	9507190326	50-344	R		9507120097	50-208	F
	9507200239	50-344	P		9507170188	50-208	F
	9507200254	50-344	S		9507170301	50-361	Q
	9507210007	50-344	F		9507170301	50-361	Q
	9507250159	50-344	P		9507190172	50-362	P
	9507310225	50-344	F		9507190183*	50-362	P
Rockmount, Inc.	9507290095	PT21			9507200102	50-361	P
S.K. McBryde, Inc.	9507280062	71-9035			9507200102	50-361	P
SCIENTECH, Inc.	9507190095*	FOIA			9507200103	50-361	P
	9507190099*	FOIA			9507200172	50-361	P
	9507190103*	FOIA			9507200172	50-361	P
SENEC Consultants, Ltd.	9507280181*	40-9453			9507200172*	50-361	P
	9507280184*	40-9453			9507200178*	50-361	P
Sacramento Municipal Utility District	9507110345	50-312	Q		9507200178*	50-361	P
	9507140340	50-312	F		9507200178*	50-361	P
	9507170073	50-312	Y		9507200200*	50-361	P
	9507170073	50-312	Y		9507200204*	50-361	P
	9507170078*	50-312	Y		9507210182	50-361	R
	9507170078*	50-312	Y				
Sacramento, CA	9507180332	CONTRACT			9507250018	50-206	F
San Juan Capistrano, CA	9507030342	50-206	F		9507250018	50-206	F
Sandia National Laboratories	9507200213	MURKIN			9507250018	50-206	F
Sargent & Lundy, Inc.	9507180181*	50-265	Y		9507250036	50-361	O
	9507180187*	50-265	Y		9507250122	50-361	O
	9507260061	TOPREP			9507250307	50-361	P
Saxon Nuclear Experimental Corp.	9507090290	50-146	P		9507250307	50-361	P
	9507090298*	50-146	P		9507250308*	50-361	P
	9507090291*	50-146	P		9507250308*	50-361	P
	9507090125	50-146	R		9507250309*	50-361	P
	9507060130*	50-146	R		9507250309*	50-361	P
Science & Engineering Associates, Inc.	9507140441*	50-321	P		9507250309*	50-361	P
	9507140442*	50-321	P		9507260087	50-381	Q
	9507190088	FOIA		Southern Nuclear Operating Co.	9507030108	50-346	Q
	9507210197	CONTRACT			9507030255	50-346	P
					9507050255	50-346	P
Senate	9508080015*	COMMISSIO	N		9507050265*	50-346	P
	9507090263	XPORTLIC			9507060070	50-346	O
	9507090296*	ORG			9507060070	50-346	O
	9507180067*	ORG			9507060081	50-364	O
	9507200128*	ORG			9507070402*	50-425	O
	9507200255*	50-220	H		9507100023	50-346	P
	9507200340*	STATE PRO	G		9507100023	50-346	P
	9507200357*	ORG			9507100024*	50-346	P
	9507210098*	50-219	H		9507100024*	50-346	P
	9507210114*	50-238	H		9507100265	50-346	P
	9507260278*	50-309	H		9507170042	50-348	S
	9507280299*	COMMISSIO	N		9507170175	50-384	S
Senate, Energy & Natural Resources	9507200353*	ORG			9507170182	50-384	S
Senior Engineering Co. (formerly	9507130127	71-579			9507190003	50-424	S
Southeastern Engineering Co.)					9507190327	50-348	S
Senior Executives Association/Profession	9507110177*	COMMISSIO	N		9507210043	50-348	P
al Development League					9507250005	50-384	O
Sequoyah Fuels Corp.	9507140341	40-8027			9507250005	50-384	O
Shuler Valve Co.	9507120282	71-800			9507250268	50-348	F
Shaw, Pittman, Fotts & Trowbridge	9507100079	50-424	G		9507250268	50-348	O
Sheldahl Metallurgical Corp.	9507080028*	XPORTLIC			9507260092*	50-384	O
	9507100054	40-8648			9507310069	50-348	F
	9507110308	40-8648			9507310087	50-348	F
Siemens Power Corp., formerly Siemens	9507080312	70-1257			9507310215	50-384	S
Nuclear Power Corp., Advanced Nuclear					9507310228	50-384	S
	9507070446	70-1257		Southwest Research Institute	9507180236	CONTRACT	
	9507110076	70-1257		Southwest X-Ray	9507120167	71-495	X
	9507120139	71-9248		State, Dept. of	9507090198	XPORTLIC	
	9507190162	70-1257		Sun Ray Testing International, Inc.	9507210343	71-9035	CONTRACT
Sierra Club Legal Defense Fund, Inc.	9507100067	70-3070		TG Bauer Associates, Inc.	9507180016		
	9507100080	70-3070					
	9507100087	70-3070		TRI State Associates, Inc.	9507050031	71-659	
	9507100160	70-3070		Technical Welding Laboratories, Inc.	9507180205	71-6717	
	9507170346	CONTRACT		Teletype Isotopes	8308170155*	FOIA	
Small Business Administration	9507170373	CONTRACT			8308170159*	FOIA	
	9507170388	CONTRACT		Teletype Isotopes Midwest Laboratory	9507100290*	50-440	R
	9507180302	CONTRACT					
	9507180362	CONTRACT		Tennessee Valley Authority	9507050044	PR	
	9507180375	CONTRACT			9507050227	50-327	P
South Carolina Electric & Gas Co.	9507050068	50-395	H		9507050369	50-327	P
	9507080033	50-395	P		9507050368	50-327	P
	9507080035	50-395	F		9507050371*	50-327	P
	9507080241	50-395	P		9507080073	50-380	A
	9507080243*	50-395	P		9507080073	50-380	A
					9507080077*	50-380	A

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Vermont Yankee Nuclear Power Corp.	9507050043*	71-738		9507100165*	52-3
	9507030126	50-271	P	9507100584	TOPREP
	9507030127*	50-271	P	9507110288	TOPREP
	9507050319	50-271	Q	9507110298*	TOPREP
	9507050338*	50-271	Q	9507120204	52-3
	9507050355	50-271	P	9507120212*	52-3
	9507060143	50-271	R	9507130058	52-3
	9507060150*	50-271	R	9507130060*	52-3
	9507170389	50-271	S	9507130070	52-3
	9507170387	50-271	P	9507130083*	52-3
	9507180203	50-271	F	9507130134*	50-413
	9507190344	50-271	P	9507130172	52-3
	9507200148	50-271	P	9507130176*	52-3
	9507250054	50-271	S	9507130182*	52-3
	9507280147	50-271	P	9507170412*	TOPREP
Virginia Corp. of Richmond Virginia Power (Virginia Electric & Power Co.)	9507280158*	50-271	P	9507180105	52-3
	9507180004	CONTRACT		9507180113*	52-3
	9507030139	50-280	S	9507180140*	50-318
	9507030139	50-280	S	9507180151*	50-319
	9507030144	50-280	Q	9507180194	TOPREP
	9507030144	50-280	Q	9507180222	52-3
	9507030055	50-339	P	9507180224*	52-3
	9507050127	ME		9507190156	52-3
	9507110115	50-280	S	9507190194*	52-3
	9507130045	50-338	Q	9507200108	70-1151
	9507130049	50-338	F	9507200111	70-1151
	9507130028	50-281	S	9507240013	TOPREP
	9507180175	50-280	P	9507240023	50-454
	9507180175	50-280	P	9507240305	70-1151
	Westinghouse Operating Plants Owners Group	9507180178*	50-280	P	9507240454
9507180178*		50-280	P	9507250043	52-3
9507180168		50-280	F	9507250050*	52-3
9507180168		50-280	F	9507250313*	50-390
9507180168		50-280	F	9507250314*	50-390
9507180190		50-280	P	9507260045	TOPREP
9507180190		50-280	P	9507260055	52-3
9507190315		50-280	R	9507260063*	52-3
9507200055*		50-338	R	9507270022	52-3
9507200059*		50-338	R	9507270058	52-3
9507200101		50-338	R	9507270371*	52-3
9507200101		50-338	R	9507310053	52-3
9507240065		50-339	G	9508100342*	50-456
9507240065*		50-339	G	9507050348	TOPREP
Washington Public Power Supply System		9507270034	50-280	P	9507170410
	9507270034	50-280	P	9507240374	TOPREP
	9507270034	50-280	P	9507200235	QA898
	9507270067	50-280	P	9507180065	40-8027
	9507270067	50-280	P	9507180117	40-8027
	9507270070*	50-280	P	9507270068*	40-8027
	9507270070*	50-280	P	9507100066	70-3070
	9507030214	50-397	F	9507180109	50-480
	9507050181	50-397	F	9507250038	PR
	9507050184*	50-397	F	9507270086	50-458
	9507060309	50-397	F	9507050095	PR
	9507140152	50-397	G	9507050383	50-296
	9507140463	50-397	G	9507050383	50-296
	9507180103	50-480	G	9507050387*	50-296
	Washington, State of	9507240053	50-397	Q	9507050387*
9507250023		50-397	Q	9507050387*	50-296
9507280123		50-397	Q	9507050397	50-296
9507310060		50-397	Q	9507050397	50-296
9507130040*		STATE PROJ	G	9507050407*	50-296
9507130084*		STATE PROJ	G	9507050407*	50-296
9507130180		70-1257		9507050409	50-296
9507110011		50-139	H	9507050409	50-296
9507100054		40-8948		9507050417*	50-296
9507100125*		PROJ		9507050417*	50-296
9507190208		PROJ		9507050428	50-296
9507180222*		PROJ		9507050428	50-296
9507180231*		PROJ		9507050431*	50-296
9507110223		71-780		9507050431*	50-296
9507120180		71-632		9507070171	PR
Westinghouse Electric Corp.	9507030224	XPORTUC		9507120021	50-268
	9507030230*	XPORTUC		9507120021	50-268
	9507050276	52-3		9507120054	50-268
	9507050279*	52-3		9507120054	50-268
	9507050353*	TOPREP		9507180010	50-268
	9507050367	52-3		9507240285	50-268
	9507050445	TOPREP		9507240285	50-268
	9507050453	52-3		9507250004	50-268
	9507070284	52-3		9507250112	50-268
	9507070285*	52-3		9507250112	50-268
	9507070489	72-1009		9507250171*	50-268
	9507100108	70-1151		9507280125	50-268
	9507100117	70-1151		9507300148	50-305
	9507100154	52-3		9507050361	50-305
	Westinghouse Electric Corp.	9507030224	XPORTUC		9507120021
9507030230*		XPORTUC		9507120021	50-268
9507050276		52-3		9507120054	50-268
9507050279*		52-3		9507120054	50-268
9507050353*		TOPREP		9507180010	50-268
9507050367		52-3		9507240285	50-268
9507050445		TOPREP		9507240285	50-268
9507050453		52-3		9507250004	50-268
9507070284		52-3		9507250112	50-268
9507070285*		52-3		9507250112	50-268
9507070489		72-1009		9507250171*	50-268
9507100108		70-1151		9507280125	50-268
9507100117		70-1151		9507300148	50-305
9507100154		52-3		9507050361	50-305
Westinghouse Electric Corp.		9507030224	XPORTUC		9507120021
	9507030230*	XPORTUC		9507120021	50-268
	9507050276	52-3		9507120054	50-268
	9507050279*	52-3		9507120054	50-268
	9507050353*	TOPREP		9507180010	50-268
	9507050367	52-3		9507240285	50-268
	9507050445	TOPREP		9507240285	50-268
	9507050453	52-3		9507250004	50-268
	9507070284	52-3		9507250112	50-268
	9507070285*	52-3		9507250112	50-268
	9507070489	72-1009		9507250171*	50-268
	9507100108	70-1151		9507280125	50-268
	9507100117	70-1151		9507300148	50-305
	9507100154	52-3		9507050361	50-305
	Westinghouse Electric Corp.	9507030224	XPORTUC		9507120021
9507030230*		XPORTUC		9507120021	50-268
9507050276		52-3		9507120054	50-268
9507050279*		52-3		9507120054	50-268
9507050353*		TOPREP		9507180010	50-268
9507050367		52-3		9507240285	50-268
9507050445		TOPREP		9507240285	50-268
9507050453		52-3		9507250004	50-268
9507070284		52-3		9507250112	50-268
9507070285*		52-3		9507250112	50-268
9507070489		72-1009		9507250171*	50-268
9507100108		70-1151		9507280125	50-268
9507100117		70-1151		9507300148	50-305
9507100154		52-3		9507050361	50-305
Westinghouse Electric Corp.		9507030224	XPORTUC		9507120021
	9507030230*	XPORTUC		9507120021	50-268
	9507050276	52-3		9507120054	50-268
	9507050279*	52-3		9507120054	50-268
	9507050353*	TOPREP		9507180010	50-268
	9507050367	52-3		9507240285	50-268
	9507050445	TOPREP		9507240285	50-268
	9507050453	52-3		9507250004	50-268
	9507070284	52-3		9507250112	50-268
	9507070285*	52-3		9507250112	50-268
	9507070489	72-1009		9507250171*	50-268
	9507100108	70-1151		9507280125	50-268
	9507100117	70-1151		9507300148	50-305
	9507100154	52-3		9507050361	50-305
	Westinghouse Electric Corp.	9507030224	XPORTUC		9507120021
9507030230*		XPORTUC		9507120021	50-268
9507050276		52-3		9507120054	50-268
9507050279*		52-3		9507120054	50-268
9507050353*		TOPREP		9507180010	50-268
9507050367		52-3		9507240285	50-268
9507050445		TOPREP		9507240285	50-268
9507050453		52-3		9507250004	50-268
9507070284		52-3		9507250112	50-268
9507070285*		52-3		9507250112	50-268
9507070489		72-1009		9507250171*	50-268
9507100108		70-1151		9507280125	50-268
9507100117		70-1151		9507300148	50-305
9507100154		52-3		9507050361	50-305
Westinghouse Electric Corp.		9507030224	XPORTUC		9507120021
	9507030230*	XPORTUC		9507120021	50-268
	9507050276	52-3		9507120054	50-268
	9507050279*	52-3		9507120054	50-268
	9507050353*	TOPREP		9507180010	50-268
	9507050367	52-3		9507240285	50-268
	9507050445	TOPREP		9507240285	50-268
	9507050453	52-3		9507250004	50-268
	9507070284	52-3		9507250112	50-268
	9507070285*	52-3		9507250112	50-268
	9507070489	72-1009		9507250171*	50-268
	9507100108	70-1151		9507280125	50-268
	9507100117	70-1151		9507300148	50-305
	9507100154	52-3		9507050361	50-305
	Westinghouse Electric Corp.	9507030224	XPORTUC		9507120021
9507030230*		XPORTUC		9507120021	50-268
9507050276		52-3		9507120054	50-268
9507050279*		52-3		9507120054	50-268
9507050353*		TOPREP		9507180010	50-268
9507050367		52-3		9507240285	50-268
9507050445		TOPREP		9507240285	50-268
9507050453		52-3		9507250004	50-268
9507070284		52-3		9507250112	50-268
9507070285*		52-3		9507250112	50-268
9507070489		72-1009		9507250171*	50-268
9507100108		70-1151		9507280125	50-268
9507100117		70-1151		9507300148	50-305
9507100154		52-3		9507050361	50-305
Westinghouse Electric Corp.		9507030224	XPORTUC		9507120021
	9507030230*	XPORTUC		9507120021	50-268
	9507050276	52-3		9507120054	50-268
	9507050279*	52-3		9507120054	50-268
	9507050353*	TOPREP		9507180010	50-268
	9507050367	52-3		9507240285	50-268
	9507050445	TOPREP		9507240285	50-268
	9507050453	52-3		9507250004	50-268
	9507070284	52-3		9507250112	50-268
	9507070285*	52-3		9507250112	50-268
	9507070489	72-1009		9507250171*	50-268
	9507100108	70-1151		9507280125	50-268
	9507100117	70-1151		9507300148	50-305
	9507100154	52-3		9507050361	50-305
	Westinghouse Electric Corp.	9507030224	XPORTUC		9507120021
9507030230*		XPORTUC		9507120021	50-268
9507050276		52-3		9507120054	50-268
9507050279*		52-3		9507120054	50-268
9507050353*		TOPREP		9507180010	50-268
9507050367		52-3		9507240285	50-268
9507050445		TOPREP		9507240285	50-268
9507050453		52-3		9507250004	50-268
9507070284		52-3		9507250112	50-268
9					

CORPORATE SOURCE INDEX 223

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Wisconsin Univ. of Madison, WI	9507110230	50-305	Wyoming, State of	9507310104	50-482 S
	9507210146	50-305		9507310149	50-482 F
	9507240397	50-305		9507190324	40-8857
	9507070463	50-156		9507200214	40-8857
	9507270075	50-156		9507200241	40-4892
Wolf Creek Nuclear Operating Corp.	9507090329	50-482		9507200307	40-8857
	9507050110	50-482		9507200318	40-8857
	9507050324	50-482		9507210102	40-8857
	9507050340*	50-482		9507210117	40-8857
	9507060118	50-482		9507210135	40-8857
	9507060224	50-482	Yankee Atomic Electric Co.	9507210241	40-8857
	9507140086	50-482		9507210247	40-8857
	9507170407	50-482		9507190331	50-29 W
	9507200215	50-482		9507140118*	TOPREP
	9507210151	50-482		9507170082	50-29 K
	9507240048	50-482	Zaner Corp.	9507180468	50-29 F
	9507250010	50-482		9507200188	71-3176
	9507310036	50-482		9507250057	50-29 O
	9507310058*	50-482		9507170258	CONTRACT

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
06-570-13-01 R01	9507190008*	WASTE MGT		NUREG/CR-8256 V01 ER	9507060296	NUREG	NEL-95/0073
09-010-A583-C-002 R0	9507200190*	50-361	P	NUREG/CR-8307	9507120258	NUREG	
52212-R-002 R00	9507070167*	50-361	P	NUREG/CR-8308	9507060331	NUREG	
82A085 R01	9507310161*	40-8027		NUREG/CR-8313 V01	9507200222	NUREG	
9388-84-DQ R00	9507110189*	50-254	P	NUREG/CR-8313 V02	9507200238	NUREG	
BAB000000-01717-22	9507180278*	WASTE MGT		NUREG/CR-8330	9507060319	NUREG	PNL-10548
BAB000000-01717-0200	9507030207*	WASTE MGT	HLWA	CIG/95A-15	9507270374*	ORIG	
BAN-10084-A R03	9507280030*	TOPREP		PC-000423 R01	9507120194*	70-734	
BAN-10183-A	9507270405*	TOPREP		QA-82-18	9507180137*	50-315	Q
CA/TR-94-019-27	9507140445*	50-321	P	SAS-TR-95-001	9507060303*	50-410	P
CEN 425-P R03-NP	9507250156*	50-317	P	SCIE-NRC-226-94	9507140442*	50-321	P
CENPD-283-NP-RAI	9507180367*	TOPREP	TAC M85126	SEA 92-853-025-A:4	9507140441*	50-321	P
CENPD-285-NP-RAI	9507180378*	TOPREP	TAC M90188	SECY-90-023	9507310243*	50-496	Q
CENPD-288-NP-RAI	9507210228*	TOPREP	TAC M89663	SECY-93-019	9502150158	SECY	
CENPD-294-NP	9507030112*	TOPREP		SECY-95-026	9502170213	SECY	
CNMWA 95-009	9507280084*	WASTE MGT		SECY-95-080	9503270225	SECY	
CNMWA 95-012	9507210800*	WASTE MGT		SECY-95-081	9503270308	SECY	
CNMWA 95-014	9507210906*	WASTE MGT	HLWR	SECY-95-083	9504170295	SECY	
DOE/AL/62350-188 R02	9507280044*	WASTE MGT		SECY-95-084	9504140226	SECY	
DOE/AL/62350-184 R00	9507030141*	WASTE MGT		SECY-95-104	9505150004	SECY	
EA-GRP-SEP-95-01 R00	9507250304*	50-155	P	SECY-95-114	9505150105	SECY	
GENE-637-044-0285	9507030235*	50-333	P	SECY-95-126	9509020152	SECY	
GENE-771-111-0686 R0	9507180065*	50-254	P	SECY-95-128	9509020112	SECY	
GENE-771-113-0686 R0	9507180070*	50-254	P	SECY-95-129	9509020132	SECY	
GENE-771-89-0984 R04	9507030141*	50-277	P	SECY-95-135	9505190005	SECY	
GENE-B11-00637-009R0	9507120272*	50-388	P	SECY-95-136	9506130091	SECY	
HL-941184 R02	9507050257*	72-1004		SECY-95-138	9506130287	SECY	
HL-951291 R02	9507050275*	71-9261		SECY-95-139	9506130303	SECY	
HP-CALC-63-004	9507050396*	50-382	P	SECY-95-140	9506130294	SECY	
INEL-95/0268	9506230387*	50-456	Q	SECY-95-148	9506230530	SECY	
J-55A-001 R00	9507200200*	50-361	P	SECY-95-150	9507060279	SECY	
J-55A-012 R00	9507200204*	50-361	P	SECY-95-151	9506230535	SECY	
J-2023-8-1 R00	9507310244	TOPREP		SECY-95-152	9506230548	SECY	
M-1208-007-03A R00	9507190183*	50-362	P	SECY-95-153	9506230552	SECY	
M2CRM2-01156-R2 R00	9507140157*	50-336	P	SECY-95-155	9507210248	SECY	
M2CRM2HA-01164-R2 R0	9507140160*	50-336	P	SECY-95-160	9507060183	SECY	
M2CRM2-01146-R2 R00	9507140150*	50-336	P	SECY-95-162	9507060225	SECY	
M2CRM2SLB-01178-R2 R0	9507140164*	50-336	P	SECY-95-164	9507060258	COMMISSIO	N
MCEI-0400-47 R04	9507250086*	60-370	P	SECY-95-168	9507060292	COMMISSIO	N
NEDO-32485	9507140115*	TOPREP		SECY-95-171	9507200190	SECY	
NFSR-0111 R00	9507070353*	50-237	P	SECY-95-172	9507200181	52-3	
NUREG-0090 V18 R01	9507250296	NUREG		SECY-95-173	9507190221	COMMISSIO	N
NUREG-0750 V41 R01	9507060350	NUREG		SECY-95-178	9507240232	COMMISSIO	N
NUREG-0750 V41 R04	9507120280	NUREG		SECY-95-186	9507280240	COMMISSIO	N
NUREG-0750 V41 R05	9507250289	NUREG		TPF 92-12 R03	9507030340*	WASTE MGT	HLWR
NUREG-0847 S15	9507120275	50-380	E	TR 099 R02	9507310073*	50-258	P
NUREG-1289 V09	9507200206	NUREG		TYA-NPOD89-A R06	9507060222*	50-258	H
NUREG-1478 R01	9507060351	NUREG		WCAP-14047 R03 EWR	9508100342*	50-458	P
NUREG-1526	9507060341	NUREG		WCAP-14308 R00	9507280060*	52-3	
NUREG-1600	9507250289	NUREG		WCAP-14383 R00	9507130182*	52-3	
NUREG/BR-0663 R03	9507120245	NUREG		WCAP-14420	9507250313*	50-330	A
NUREG/BR-0177 N85-1	9507260168	NUREG		WCAP-14422	9507170412*	TOPREP	
NUREG/BR-0207	9507060287	NUREG		WCAP-7306	9507180151*	50-315	Q
NUREG/CR-8857	9507120251	NUREG	ORNL-8713	WVNS-FD-001 R02	9507100125*	PROJ	
NUREG/CR-8864	9507060335	NUREG	BNL-NUREG-52410	WVNS-SAR-003 R02	9507190208	PROJ	
NUREG/CR-6114 V183 E	9507170125	NUREG	PNL-8842	WVNS-TR-70-025 R00	9507190231*	PROJ	
NUREG/CR-6144 V06 P2	9507120267	50-280	P	YIA-APP-95-10	9507140468*	WASTE MGT	HLWR
NUREG/CR-6184	9507200213	NUREG	BNL-NJWEG-82398	YIA-APP-95-13	9507310033*	WASTE MGT	HLWR
			SAND82-1720				

 

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document, the date issued, and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8211040338	9507180241	85/01/12	FOIA	9507030150	9507030147	95/06/15	ORG
8606050229	9507200295	95/02/06	FOIA	9507030154	9507030145	95/06/27	50-254 P
8612110305	9507200295	95/02/06	FOIA	9507030162	9507030135	95/06/19	50-282 G
8612120008	9507200295	95/02/06	FOIA	9507030173	9507030165	95/06/20	TOPREP
8707270341	9507200295	95/02/06	FOIA	9507030175	9507030171	95/06/27	50-423 P
8806020006	9507200295	95/02/06	FOIA	9507030178	9507030174	95/06/18	40-8502
8806070205	9507200295	95/02/06	REG CERT	9507030182	9507030174	95/06/18	40-8502
8901200247	9507200295	95/02/06	FOIA	9507030185	9507030183	95/06/14	50-150 P
8904190327	9507200295	95/02/06	FOIA	9507030207	9507030204	95/06/23	WASTE MGT
8907070150	9507200339	95/01/31	FOIA	9507030220	9507210212	95/07/18	70-734
8907160487	9507200339	95/01/31	FOIA	9507030230	9507030224	95/06/12	XPORTLUC
8907240353	9507200339	95/01/31	FOIA	9507030236	9507030251	95/03/25	XPORTLUC
8907260052	9507200339	95/01/31	FOIA	9507030243	9507030237	95/06/21	XPORTLUC
8906150217	9507200339	95/01/31	FOIA	9507030246	9507030188	95/06/23	50-381
8906170145	9507200339	95/01/31	FOIA	9507030254	9507030253	95/06/21	XPORTLUC
8906170182	9507200339	95/01/31	FOIA	9507030270	9507030256	95/06/07	50-277 P
8906170183	9507200339	95/01/31	FOIA	9507030281	9507030256	95/06/07	50-277 P
8906170189	9507200339	95/01/31	FOIA	9507030286	9507030280	95/06/23	50-148 P
8912070180	9507200339	95/01/31	50-320 P	9507030291	9507030280	95/06/23	50-148 P
9010170173	9507200295	95/02/06	FOIA	9507030302	9507030256	95/06/12	WASTE MGT
9204280081	9507170405	86/07/11	50-245 G	9507030332	9507030328	95/06/27	50-852 P
9206310122	9507190312	95/02/06	50-436 P	9507030340	9507030336	95/06/25	WASTE MGT
9310060296	9507200105	95/07/12	50-245 P	9507030343	9507030336	95/06/28	WASTE MGT
9405120071	9507170117	95/06/30	FR	9507030344	9507030302	95/06/27	50-482 Q
9408280067	9507190280	95/02/06	70-882	9507030347	9507030313	95/06/25	50-219 Q
9412080197	9507200295	95/02/06	FOIA	9507030350	9507030307	95/06/25	50-387 P
9504130145	9507200304	95/07/14	50-156 F	9507030352	9507030306	95/06/25	71-738
9504130149	9507200304	95/07/14	50-156 F	9507030353	9507030306	95/06/25	71-738
9505220275	9507200312	95/07/18	50-272 F	9507030354	9507030306	95/06/30	50-361 Q
9509080120	9507110057	95/07/03	50-286 F	9507030358	9507030307	95/06/30	50-482 Q
9509080126	9507110057	95/07/03	50-286 F	9507030363	9507030307	95/06/30	50-482 Q
9509080135	9507200295	95/06/22	COMMISSO	9507030363	9507030307	95/06/30	50-332 Q
9509230387	9507310126	95/07/25	50-456 Q	9507030363	9507030307	95/06/30	50-332 Q
9509230418	9507270314	95/07/25	STATE PRO	9507030364	9507030307	95/06/30	50-332 Q
9507030006	9507030003	95/06/23	50-443 Q	9507030366	9507030307	95/06/30	50-332 Q
9507030009	9507030007	95/06/27	50-526 Q	9507030366	9507030307	95/06/30	50-332 Q
9507030010	9507030007	95/06/27	50-526 Q	9507030366	9507030307	95/06/30	50-332 Q
9507030014	9507030011	95/06/28	50-313 Q	9507030366	9507030307	95/06/30	50-332 Q
9507030017	9507030016	95/06/23	50-245 Q	9507030366	9507030307	95/06/30	50-332 Q
9507030020	9507030016	95/06/23	50-245 Q	9507030366	9507030307	95/06/30	50-332 Q
9507030026	9507030016	95/06/23	50-3 Q	9507030366	9507030307	95/06/30	50-332 Q
9507030032	9507030025	95/06/19	50-352 P	9507030366	9507030307	95/06/30	50-332 Q
9507030033	9507030025	95/06/23	50-354 Q	9507030366	9507030307	95/06/30	50-332 Q
9507030035	9507030025	95/06/19	50-352 Q	9507030366	9507030307	95/06/30	50-332 Q
9507030042	9507030027	95/06/18	FR	9507030366	9507030307	95/06/30	50-332 Q
9507030050	9507030044	95/06/19	50-387 P	9507030366	9507030307	95/06/30	50-332 Q
9507030051	9507030044	95/06/19	50-382 P	9507030366	9507030307	95/06/30	50-332 Q
9507030053	9507030044	95/06/19	50-387 P	9507030366	9507030307	95/06/30	50-332 Q
9507030072	9507030068	95/06/22	50-325 S	9507030366	9507030307	95/06/30	50-332 Q
9507030086	9507030078	95/06/18	50-247 G	9507030366	9507030307	95/06/30	50-332 Q
9507030087	9507030077	95/06/22	50-230 P	9507030366	9507030307	95/06/30	50-332 Q
9507030088	9507030088	95/06/23	50-230 P	9507030366	9507030307	95/06/30	50-332 Q
9507030089	9507030085	95/06/28	50-486 Q	9507030366	9507030307	95/06/30	50-332 Q
9507030102	9507030098	95/06/23	50-275 F	9507030366	9507030307	95/06/30	50-332 Q
9507030109	9507030105	95/06/23	50-345 F	9507030366	9507030307	95/06/30	50-332 Q
9507030110	9507030105	95/06/23	50-345 F	9507030366	9507030307	95/06/30	50-332 Q
9507030112	9507030107	95/06/19	TOPREP	9507030366	9507030307	95/06/30	50-332 Q
9507030127	9507030128	95/06/22	50-271 F	9507030366	9507030307	95/06/30	50-332 Q
9507030136	9507030136	95/06/19	50-282 G	9507030366	9507030307	95/06/30	50-332 Q
9507030141	9507030128	95/06/23	50-483 P	9507030366	9507030307	95/06/30	50-332 Q
				9507030366	9507030307	95/06/30	50-332 Q

228 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9507050275	9507050273	95/06/21	71-9251	9507060314	9507060304	95/06/23	50-237 P
9507050276	9507050276	95/06/27	50-3	9507060322	9507060319	95/06/27	ORG
9507050282	9507050283	95/06/08	50-277 P	9507060323	9507060304	95/06/23	50-237 P
9507050286	9507050284	95/06/12	50-334 P	9507060324	9507060324	95/06/22	50-261 Q
9507050288	9507050284	95/06/12	50-334 P	9507060342	9507060337	95/06/23	50-244 Q
9507050298	9507190029	95/07/10	50-305 F	9507060346	9507060337	95/06/23	50-244 Q
9507050302	9507290069	95/07/14	50-254 F	9507060354	9507060345	95/06/28	50-235 P
9507050315	9507050327	95/06/22	50-380 E	9507060357	9507060356	95/06/29	50-334 P
9507050317	9507050310	95/06/23	40-9027 P	9507060355	9507060345	95/06/28	50-285 P
9507050321	9507060311	95/06/13	50-352 P	9507060372	9507060369	95/06/30	50-235 P
9507060328	9507050311	95/06/13	50-352 P	9507060390	9507060378	95/06/28	50-338 Y
9507060338	9507050319	95/06/30	50-271 Q	9507060398	9507060387	95/06/28	50-370 P
9507060340	9507050334	95/06/27	50-482 P	9507060390	9507060384	95/06/29	50-354 P
9507060353	9507060348	95/06/20	TOPREP	9507060394	9507060384	95/06/29	50-354 P
9507060363	9507050359	95/06/29	50-313 Q	9507060395	9507060391	95/06/29	50-327 P
9507050371	9507050368	95/06/29	50-327 P	9507060396	9507060386	95/06/30	50-324 P
9507050377	9507050375	95/06/27	50-628 S	9507060397	9507060391	95/06/28	50-327 P
9507050387	9507050383	95/06/02	50-266 P	9507060406	9507060405	95/06/29	50-395 P
9507050388	9507050381	95/06/26	50-220 P	9507070008	9507070005	95/06/19	50-387 P
9507050393	9507050382	95/06/26	50-289 P	9507070009	9507060212	95/06/26	50-410 P
9507050396	9507060386	95/06/28	50-382 P	9507070016	9507070011	95/06/23	50-496 Q
9507050399	9507060384	95/06/24	50-282 P	9507070018	9507070014	95/06/28	40-8778
9507050404	9507050400	95/06/28	50-410 P	9507070021	9507070019	95/06/27	50-253 Q
9507050407	9507050387	95/06/29	50-266 F	9507070029	9507070010	95/06/27	50-282 Q
9507050417	9507050409	95/06/29	50-266 F	9507070032	9507070018	95/06/27	50-285 Q
9507050424	9507050416	95/06/26	50-235 P	9507070034	9507070024	95/06/22	50-461 Q
9507050425	9507060420	95/06/08	50-277 P	9507070035	9507070022	95/06/30	ORG
9507050429	9507050420	95/06/08	50-277 P	9507070074	9507070072	95/06/26	50-468 P
9507050431	9507050428	95/06/30	50-266 P	9507070077	9507070057	95/06/29	50-835 P
9507050444	9507050439	95/06/28	50-440 R	9507070080	9507070067	95/06/29	50-338 P
9507050459	9507050456	95/06/26	50-390 Q	9507070086	9507070078	95/06/05	ORG
9507050480	9507260153	95/07/21	50-387 F	9507070090	9507070075	95/06/05	ORG
9507050482	9507260163	95/07/21	50-397 F	9507070091	9507070085	95/06/30	50-296 P
9507050483	9507260153	95/07/21	50-397 F	9507070096	9507070075	95/06/05	ORG
9507050496	9507060007	95/06/29	50-483 Q	9507070100	9507060317	95/02/24	50-484 R
9507060016	9507060013	95/06/26	40-8948	9507070129	9507070120	95/06/22	50-313 P
9507060021	9507060015	95/06/15	XPORTLIC	9507070140	9507070136	95/06/29	50-275 P
9507060024	9507060019	95/06/27	40-7387	9507070141	9507070136	95/06/29	50-443 P
9507060028	9507060026	95/06/27	XPORTLIC	9507070149	9507070135	95/06/29	50-275 P
9507060030	9507060025	95/06/27	XPORTLIC	9507070160	9507070164	95/06/30	50-261 P
9507060036	9507060032	95/06/23	50-250 P	9507070167	9507070154	95/06/30	50-261 P
9507060040	9507060038	95/06/22	50-254 P	9507070174	9507070154	95/06/30	50-281 P
9507060045	9507060039	95/06/19	COMMMSIO	9507070179	9507070172	95/06/26	50-333 P
9507060049	9507060042	95/06/14	50-382 P	9507070181	9507070175	95/06/30	50-315 P
9507060052	9507060042	95/06/14	50-382 P	9507070189	9507070187	95/06/28	50-333 P
9507060055	9507060048	95/06/21	50-235 P	9507070196	9507070195	95/06/29	50-220 K
9507060063	9507060060	95/06/28	50-238 P	9507070207	9507070202	95/06/30	50-338 S
9507060072	9507060067	95/06/23	50-155 P	9507070248	9507070232	95/06/28	70-384 P
9507060074	9507060071	95/06/30	50-235 S	9507070258	9507070232	95/06/28	70-364 P
9507060077	9507060073	95/06/28	50-340 A	9507070271	9507070267	95/06/30	50-440 P
9507060080	9507060075	95/06/30	50-400 P	9507070275	9507070232	95/06/26	70-384 P
9507060086	9507260153	95/07/21	50-387 F	9507070280	9507070289	95/06/30	50-296 P
9507060087	9507060082	95/06/26	50-483 P	9507070285	9507070294	95/06/13	50-3
9507060088	9507060078	95/06/21	50-244 P	9507070319	9507070314	95/06/30	50-280 P
9507060095	9507060084	95/06/27	70-27	9507070341	9507060336	95/06/30	50-237 P
9507060097	9507060084	95/06/27	70-27	9507070363	9507060338	95/06/30	50-237 P
9507060100	9507060089	95/06/27	50-458 P	9507070368	9507070351	95/06/26	50-249 P
9507060102	9507060090	95/06/30	50-341 P	9507070370	9507070364	95/07/05	50-483 P
9507060109	9507060103	95/06/27	50-255 P	9507070383	9507070367	95/06/29	WASTE MGT
9507060111	9507060101	95/06/21	COMMMSIO	9507070402	9507070368	95/06/26	50-425 Q
9507060121	9507060117	95/06/22	50-352 P	9507070415	9507070410	95/06/30	50-396 P
9507060124	9507060117	95/06/22	50-352 P	9507070423	9507070427	95/05/26	WASTE MGT
9507060129	9507060123	95/06/20	PR	9507070435	9507070432	95/06/28	50-397 P
9507060130	9507060125	95/06/28	50-148 R	9507070437	9507070432	95/06/28	50-397 P
9507060130	9507060143	95/06/30	50-271 R	9507070438	9507070436	95/06/18	WASTE MGT
9507060144	9507190029	95/07/10	50-305 F	9507070451	9507070448	95/06/28	40-7102
9507060146	9507060160	95/06/26	50-386 H	9507100010	9507100004	95/06/28	50-5
9507060148	9507060161	95/06/27	50-135 H	9507100019	9507100016	95/06/30	50-458 P
9507060155	9507060161	95/06/29	50-327 P	9507100024	9507100023	95/06/28	50-348 P
9507060207	9507060206	95/06/30	70-1151	9507100031	9507100027	95/06/30	50-285 Q
9507060209	9507060206	95/06/30	70-1151	9507100038	9507100034	95/07/05	52-4
9507060222	9507060216	95/06/29	50-259 H	9507100042	9507100035	95/06/28	40-672
9507060231	9507060226	95/06/30	50-628 P	9507100046	9507100045	95/06/19	50-264 P
9507060233	9507060227	95/06/23	40-8948	9507100070	9507100057	95/06/19	50-254 P
9507060237	9507060226	95/06/30	50-382 P	9507100071	9507100069	95/06/26	50-285 P
9507060243	9507060241	95/06/30	50-335 P	9507100081	9507100077	95/07/05	71-770 P
9507060252	9507060250	95/06/30	50-483 P	9507100082	9507100079	95/06/28	50-237 P
9507060260	9507060256	95/06/14	XPORTLIC	9507100085	9507100086	95/06/26	50-285 P
9507060268	9507060263	95/06/22	ORG	9507100094	9507100090	95/06/27	50-285 P
9507060287	9507060284	95/06/19	50-333 P	9507100098	9507100092	95/06/28	71-9259
9507060273	9507060254	95/06/19	50-333 P	9507100101	9507100082	95/06/29	71-9259 P
9507060275	9507060270	95/06/30	50-250 Q	9507100107	9507100107	95/06/26	50-285 P
9507060276	9507060265	95/06/28	50-254 P	9507100115	9507070459	95/06/30	50-3
9507060277	9507060268	95/06/29	50-428 P	9507100123	9507100112	95/06/28	27-48
9507060286	9507060281	95/06/27	50-440 P	9507100125	9507100122	95/06/27	PROJ
9507060300	9507060291	95/06/27	50-440 P	9507100127	9507100208	95/06/29	ORG
9507060303	9507060297	95/06/30	50-410 P	9507100139	9507100136	95/06/30	70-1100

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 229

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9507100165	9507100164	95/06/20	50-3	9507120019	9507120015	95/06/28	50-321 Q
9507100161	9507100176	95/06/25	71-9260	9507120020	9507120012	95/06/28	50-259 Q
9507100162	9507100177	95/06/26	50-237 P	9507120021	9507120015	95/06/28	50-321 Q
9507100163	9507100169	95/06/30	50-315 S	9507120022	9507120012	95/06/28	50-259 Q
9507100197	9507100166	95/06/26	50-331 P	9507120032	9507120030	95/06/29	50-261 Q
9507100215	9507100205	95/06/28	50-528 S	9507120035	9507120031	95/06/22	50-321 Q
9507100218	9507100205	95/06/28	50-528 S	9507120043	9507120039	95/07/06	50-397 Q
9507100221	9507100205	95/06/28	50-528 S	9507120044	9507120047	95/06/23	50-390 Q
9507100223	9507100205	95/06/28	50-528 S	9507120048	9507120038	95/07/06	50-313 Q
9507100226	9507100205	95/06/28	50-528 S	9507120049	9507120039	95/07/05	50-397 Q
9507100227	9507100205	95/06/28	50-528 S	9507120053	9507120047	95/06/28	70-27
9507100228	9507100178	95/06/29	71-9260	9507120059	9507120058	95/06/22	50-259 Q
9507100229	9507100205	95/06/28	50-528 S	9507120060	9507120058	95/06/28	50-390 Q
9507100230	9507100090	95/06/27	50-285 P	9507120061	9507120051	95/06/22	50-261 Q
9507100233	9507100222	95/06/28	50-954 Q	9507120062	9507120057	95/06/21	50-416 Q
9507100234	9507100232	95/07/03	50-247 Q	9507120063	9507120051	95/06/22	50-261 Q
9507100236	9507100236	95/06/30	50-354 Q	9507120067	9507120094	95/06/28	50-390 Q
9507100241	9507100236	95/06/30	50-423 Q	9507120075	9507120099	95/06/20	50-424 Q
9507100242	9507100236	95/07/03	50-498 Q	9507120077	9507120071	95/06/21	50-259 Q
9507100245	9507100243	95/07/03	50-213 Q	9507120078	9507120072	95/06/29	50-290 Q
9507100259	9507100256	95/07/03	50-220 Q	9507120082	9507120071	95/06/21	50-269 Q
9507100267	9506210049	95/06/15	50-440 Q	9507120088	9507120079	95/06/21	50-325 Q
9507100273	9507100289	95/07/06	50-282 Q	9507120100	9507120084	95/06/22	50-390 Q
9507100275	9506210049	95/06/15	50-440 Q	9507120106	9507120084	95/06/22	50-390 Q
9507100281	9506210049	95/06/15	50-440 Q	9507120115	9507120108	95/06/23	50-335 Q
9507100286	9507100278	95/07/03	50-361 Q	9507120122	9507120119	95/07/05	50-315 Q
9507100290	9506210049	95/06/15	50-440 Q	9507120127	9507120120	95/06/21	50-390 Q
9507100291	9507100277	95/06/30	50-296 P	9507120129	9507120124	95/06/26	50-327 Q
9507100297	9507100278	95/07/03	50-361 Q	9507120131	9507120128	95/07/05	50-366 Q
9507100298	9507100277	95/06/30	50-296 P	9507120137	9507120085	95/06/20	70-1113
9507100304	9507100301	95/06/21	50-416 Q	9507120138	9507120126	95/07/05	50-268 P
9507100309	9507100305	95/06/28	50-333 Q	9507120151	9507120147	95/07/06	50-275 Q
9507100318	9507100318	95/06/28	50-220 Q	9507120157	9507120154	95/07/06	50-302 Q
9507100326	9507100324	95/06/30	50-219 Q	9507120159	9507120153	95/06/23	71-9032
9507100328	9507100321	95/06/29	50-245 Q	9507120174	9507120171	95/07/06	71-9032
9507100335	9507100319	95/06/26	50-275 P	9507120175	9507120169	95/07/06	50-275 P
9507100339	9507100331	95/06/29	50-277 Q	9507120178	9507120173	95/07/01	50-228 P
9507100362	9507100345	95/06/30	50-220 Q	9507120182	9507120184	95/06/27	50-366 Q
9507100377	9507100345	95/06/30	50-220 Q	9507120193	9507120188	95/06/23	50-259 Q
9507100380	9507100319	95/06/26	50-275 P	9507120194	9507120188	95/07/06	70-734
9507100386	9507100385	95/07/05	50-263 P	9507120212	9507120204	95/07/07	52-3
9507100390	9507100385	95/07/05	50-263 P	9507120217	9507120210	95/06/21	50-160 Q
9507100393	9507100381	95/06/30	50-266 P	9507120224	9507120210	95/06/21	50-160 Q
9507100395	9507100392	95/07/03	50-271 Q	9507120242	9507120237	95/07/07	STATE PRO
9507100397	9507100396	95/07/03	50-387 Q	9507120245	9507120241	95/06/28	50-113 Q
9507100401	9507100396	95/07/03	50-277 Q	9507120253	9507120241	95/06/28	50-113 P
9507100403	9507100400	95/06/30	50-334 Q	9507120266	9507120263	95/07/09	50-366 P
9507100419	9507100415	95/06/22	50-395 Q	9507120266	9507120262	95/07/09	50-366 P
9507100421	9507100418	95/06/28	50-334 Q	9507120272	9507120262	95/07/09	50-366 P
9507100424	9507100415	95/06/22	50-395 Q	9507120277	9507120241	95/06/28	50-113 P
9507100429	9507100424	95/06/28	40-8902 F	9507120285	9507120257	95/06/27	71-4985 P
9507100432	9507100435	95/06/30	50-344 Q	9507120288	9507120232	95/07/03	50-366 P
9507100437	9507100435	95/06/29	40-8948 S	9507120304	9507120301	95/06/15	WASTE MGT
9507100438	9507100435	95/07/07	50-260 S	9507120305	9507120302	95/06/28	40-6774
9507101111	9507101109	95/07/07	50-454 P	9507120306	9507120302	95/06/28	40-6774
9507101131	9507101107	95/06/30	50-277 P	9507120321	9507120317	95/07/06	50-253 Q
9507101151	9507101141	95/06/13	50-277 P	9507120324	9507120322	95/07/06	50-257 Q
9507101155	9507101141	95/06/13	50-277 P	9507120336	9507120331	95/06/19	50-219 Q
9507101177	9507101173	95/06/28	COMMISSIO N	9507120339	9507120331	95/06/19	50-219 Q
9507101184	9507101175	95/07/03	50-265 P	9507120340	9507120330	95/07/07	50-462 Q
9507101193	9507101188	95/07/06	50-254 P	9507120344	9507120336	95/07/07	50-339 P
9507101201	9507101200	95/07/07	71-5957 P	9507120350	9507120348	95/07/06	50-166 P
9507101204	9507101199	95/07/07	50-385 S	9507120351	9507120342	95/06/21	50-344 P
9507101212	9507101207	95/07/07	50-311 S	9507120366	9507120360	95/07/06	50-488 P
9507101224	9507101215	95/07/06	50-272 S	9507120371	9507120360	95/07/06	50-488 P
9507101232	9507101229	95/07/07	50-443 Q	9507120377	9507120373	95/07/08	50-271 Q
9507101247	9507101245	95/07/03	50-155 S	9507120381	9507120375	95/07/06	50-275 Q
9507101250	9507101249	95/07/05	50-255 P	9507120383	9507120375	95/07/06	50-275 Q
9507101259	9507101255	95/07/03	50-413 P	9507120384	9507120378	95/06/30	50-354 Q
9507101270	9507101263	95/06/30	50-414 P	9507120387	9507120385	95/06/15	40-3453 P
9507101274	9507101272	95/07/03	50-282 P	9507120388	9507120386	95/07/06	50-315 P
9507101275	9507101272	95/07/03	50-282 P	9507120390	9507120389	95/07/10	50-268 P
9507101289	9507101275	95/07/03	50-424 P	9507120391	9507120388	95/07/06	50-318 P
9507101284	9507101273	95/07/03	50-424 P	9507120397	9507120396	95/07/03	50-256 Q
9507101293	9507101288	95/06/30	TOPPER	9507130015	9507130013	95/07/06	50-400 P
9507101302	9507101290	95/06/23	50-440 P	9507130019	9507130015	95/07/17	PR
9507101305	9507101290	95/06/23	50-440 P	9507130025	9507130020	95/06/23	STATE PRO
9507101310	9507101299	95/06/23	50-440 P	9507130037	9507130030	95/06/23	STATE PRO
9507101313	9507101303	95/07/05	50-318 P	9507130039	9507130030	95/06/23	STATE PRO
9507101320	9507101318	95/06/29	50-280 P	9507130040	9507130030	95/06/23	STATE PRO
9507101325	9507101318	95/06/29	50-280 P	9507130045	9507130041	95/06/28	STATE PRO
9507101331	9507101329	95/07/05	50-321 P	9507130049	9507130051	95/07/07	WASTE MGT
9507101334	9507101329	95/07/07	50-296 P	9507130057	9507130054	95/06/28	COMMISSIO N
9507101342	9507101341	95/06/30	40-8948 S	9507130060	9507130058	95/07/11	52-3
9507101344	9507101343	95/06/08	71-9032	9507130061	9507130058	95/06/30	50-354 Q
9507120010	9507120009	95/06/27	50-259 Q	9507130064	9507130052	95/06/18	STATE PRO

230 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9507130072	9507130087	95/07/07	71-8231	9507140232	9507140226	95/06/30	50-281 Q
9507130079	9507130076	95/07/08	50-458 Q	9507140234	9507140083	95/07/05	50-286 P
9507130083	9507130078	95/07/10	52-3	9507140238	9507140228	95/07/07	40-8022
9507130084	9507130076	95/07/08	50-458 Q	9507140248	9507140233	95/07/08	50-413 P
9507130087	9507130080	94/04/14	STATE PRO G	9507140255	9507140083	95/07/05	50-286 P
9507130089	9507130086	95/06/29	50-413 Q	9507140263	9507140259	95/06/30	50-280 P
9507130093	9507130090	95/07/08	50-458 Q	9507140272	9507140083	95/07/05	50-286 P
9507130094	9507130074	95/07/05	70-734	9507140278	9507140083	95/07/05	50-286 P
9507130105	9507130102	95/07/05	QA889	9507140284	9507140083	95/07/05	50-286 P
9507130111	9507130109	95/07/07	50-275 Q	9507140292	9507140083	95/07/05	50-286 P
9507130114	9507130102	95/07/05	QA889	9507140294	9507140281	95/07/08	50-289 Q
9507130115	9507130109	95/07/07	50-275 Q	9507140301	9507140281	95/07/08	50-289 Q
9507130118	9507130112	95/06/19	STATE PRO G	9507140307	9507140083	95/07/05	50-286 P
9507130117	9507130110	95/07/08	50-381 Q	9507140311	9507140083	95/07/05	50-286 P
9507130121	9507130119	95/07/08	WASTE MGT	9507140312	9507140083	95/07/07	50-400 Q
9507130122	9507280288	95/06/22	COMMISSIO N	9507140315	9507140308	95/07/07	50-400 Q
9507130123	9507130110	95/07/06	50-361 Q	9507140319	9507140083	95/07/05	50-286 P
9507130124	9507130091	95/02/09	50-528 Q	9507140321	9507140083	95/07/05	50-286 P
9507130125	9507130120	95/06/19	STATE PRO G	9507140324	9507140083	95/07/05	50-286 P
9507130126	9507130113	95/07/05	QA889	9507140326	9507140320	95/07/03	50-390 Q
9507130128	9507130113	95/07/05	QA889	9507140330	9507140083	95/07/05	50-286 P
9507130130	9507130089	95/04/28	71-6717	9507140332	9507140329	95/06/30	50-368 P
9507130134	9507130131	95/07/07	50-413 P	9507140333	9507140329	95/06/30	50-368 P
9507130138	9507130133	95/07/03	STATE PRO G	9507140335	9507140329	95/06/30	50-368 P
9507130139	9507130123	95/07/03	STATE PRO G	9507140342	9507140083	95/07/05	50-286 P
9507130139	9507130133	95/07/03	STATE PRO G	9507140348	9507140083	95/07/05	50-286 P
9507130141	9507130077	95/07/05	50-413 P	9507140352	9507140083	95/07/05	50-286 P
9507130147	9507130144	95/07/11	71-*****	9507140358	9507140083	95/07/05	50-286 P
9507130150	9507130148	95/07/11	71-837	9507140363	9507140083	95/07/05	50-286 P
9507130175	9507130185	95/07/08	50-483 P	9507140368	9507140083	95/07/05	50-286 P
9507130176	9507130172	95/06/20	52-3	9507140375	9507140083	95/07/05	50-286 P
9507130177	9507130165	95/07/06	50-483 P	9507140383	9507140083	95/07/05	50-286 P
9507130179	9507130174	95/07/06	50-213 Q	9507140389	9507140083	95/07/05	50-286 P
9507130182	9507130172	95/06/20	52-3	9507140393	9507140083	95/07/05	50-286 P
9507130218	9507130047	95/07/03	STATE PRO G	9507140395	9507140083	95/07/05	50-286 P
9507130226	9507130047	95/07/03	STATE PRO G	9507140397	9507140083	95/07/05	50-286 P
9507130244	9507130047	95/07/03	STATE PRO G	9507140398	9507140083	95/07/05	50-286 P
9507130250	9507130047	95/07/03	STATE PRO G	9507140403	9507140083	95/07/05	50-286 P
9507130253	9507130047	95/07/03	STATE PRO G	9507140404	9507140083	95/07/05	50-286 P
9507130257	9507130047	95/07/03	STATE PRO G	9507140407	9507140083	95/07/05	50-286 P
9507140006	9507140004	95/07/07	50-309 Q	9507140410	9507140083	95/07/05	50-286 P
9507140007	9507140004	95/07/07	50-306 Q	9507140412	9507140083	95/07/05	50-286 P
9507140012	9507140009	95/07/07	50-271 Q	9507140414	9507140083	95/07/05	50-286 P
9507140021	9507140018	95/07/07	50-247 Q	9507140419	9507140083	95/07/05	50-286 P
9507140036	9507140035	95/07/07	50-382 Q	9507140424	9507140083	95/07/05	50-286 P
9507140040	9507140034	95/07/07	QA889	9507140441	9507260196	95/07/18	50-321 P
9507140049	9507140045	95/07/10	40-8622	9507140442	9507260196	95/07/18	50-321 P
9507140052	9507140047	95/07/07	QA889	9507140445	9507260196	95/07/18	50-321 P
9507140056	9507140047	95/07/07	QA889	9507140448	9507140447	95/07/06	50-289 P
9507140062	9507140058	95/07/07	50-244 Q	9507140452	9507140481	95/07/12	40-8863
9507140066	9507140050	95/05/01	ORG	9507140455	9507140454	95/06/21	WASTE MGT
9507140067	9507140064	95/07/07	50-313 Q	9507140461	9507140488	95/07/08	50-424 P
9507140068	9507140065	95/07/11	50-498 Q	9507140468	9507140487	95/07/07	WASTE MGT
9507140071	9507140064	95/07/07	50-313 Q	9507170005	9507170002	95/07/07	50-259 P
9507140080	9506090198	95/05/25	ORG	9507170012	9507170009	95/07/06	50-280 P
9507140081	9507140068	95/07/07	50-244 P	9507170032	9507170029	95/07/11	50-423 P
9507140087	9507140080	95/06/19	XPCRTUC	9507170034	9507170027	95/07/11	50-443 P
9507140088	9507140085	95/07/12	50-458 P	9507170036	9507170029	95/07/11	50-423 P
9507140114	9507140108	95/05/19	50-286 P	9507170043	9507170041	95/07/11	50-423 P
9507140116	9507140107	95/06/28	TOPREP	9507170046	9507170041	95/07/11	50-423 P
9507140120	9507140117	95/07/11	50-247 P	9507170056	9507170051	95/07/10	50-382 P
9507140128	9507140121	95/07/05	50-529 P	9507170067	9507170051	95/07/10	50-382 P
9507140131	9507140083	95/07/05	50-286 P	9507170078	9507170073	95/06/27	50-312 P
9507140133	9507140127	95/07/07	50-280 P	9507170082	9507170085	95/07/10	50-259 P
9507140144	9507140143	95/07/06	50-316 P	9507170087	9507170081	95/07/11	40-8861
9507140145	9507140140	95/07/07	50-338 P	9507170101	9507170085	95/07/11	50-285 S
9507140147	9507140083	95/07/05	50-286 P	9507170102	9507170086	95/07/10	QA889
9507140150	9507140140	95/07/07	50-338 P	9507170109	9507170100	95/07/10	40-8502
9507140154	9507140140	95/07/07	50-338 P	9507170120	9507170117	95/07/07	70-1100
9507140157	9507140140	95/07/07	50-338 P	9507170124	9507170117	95/07/07	70-1100
9507140159	9507140083	95/07/05	50-286 P	9507170132	9507170127	95/07/07	50-213 P
9507140160	9507140140	95/07/07	50-338 P	9507170133	9507170129	95/07/10	50-317 P
9507140163	9507140135	95/07/07	50-213 P	9507170156	9507170149	95/07/12	50-313 P
9507140166	9507140083	95/07/05	50-286 P	9507170169	9507170167	95/07/10	50-244 P
9507140167	9507140152	95/07/10	50-481 Q	9507170254	9507170250	95/07/10	ORG
9507140172	9507140169	95/06/29	50-339 Q	9507170263	9507170274	95/07/07	50-424 P
9507140179	9507140083	95/07/05	50-286 P	9507170267	9507170274	95/07/07	50-424 P
9507140184	9507140184	95/07/10	50-290 P	9507170297	9507170295	95/07/13	71-619 P
9507140185	9507140178	95/06/29	50-324 Q	9507170317	9507170312	95/07/11	50-488 P
9507140191	9507140188	95/07/03	50-529 P	9507170329	9507170320	95/07/10	50-354 P
9507140195	9507140184	95/07/10	50-296 P	9507170331	9507170329	95/07/13	71-702 CONTRACT
9507140199	9507140083	95/07/05	50-286 P	9507170333	9507170329	95/06/20	50-424 P
9507140203	9507140184	95/07/10	50-296 P	9507170367	9507170354	95/07/06	50-334 P
9507140207	9507140184	95/07/10	50-296 P	9507170371	9507170368	95/07/11	50-293 P
9507140211	9507140184	95/07/10	50-296 P	9507170379	9507170375	95/07/13	50-293 P
9507140212	9507140083	95/07/05	50-286 P	9507170382	9507170410	95/07/13	50-293 P
9507140228	9507140083	95/07/05	50-286 P	9507170412	9507170410	95/07/13	TOPREP

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 231

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9507180053	9507180050	95/07/10	50-185 S	9507180041	9507180330	95/07/11	50-286 P
9507180057	9507180043	95/07/05	ORG	9507180042	9507180264	95/01/20	FOIA
9507180074	9507180073	95/07/10	50-286 O	9507180044	9507180264	95/01/20	FOIA
9507180084	9507180082	95/07/11	50-315 O	9507180046	9507180330	95/07/11	50-286 P
9507180089	9507180087	95/07/06	50-254 O	9507180047	9507180264	95/01/20	FOIA
9507180098	9507180097	95/07/06	50-254 O	9507180049	9507180264	95/01/20	FOIA
9507180107	9507180102	95/07/12	50-371 O	9507180050	9507180330	95/01/20	50-286 O
9507180113	9507180105	95/07/14	52-3	9507180051	9507180264	95/01/20	FOIA
9507180116	9507180101	95/01/10	50-255 Y	9507180053	9507180264	95/01/20	FOIA
9507180121	9507180115	95/07/07	50-165 Q	9507180057	9507180264	95/07/07	TOPREP
9507180122	9507180101	95/01/10	50-255 Y	9507180062	9507180264	95/01/20	FOIA
9507180123	9507180047	95/07/07	50-180 O	9507180065	9507180264	95/01/20	FOIA
9507180133	9507180101	95/01/10	50-255 P	9507180071	9507180264	95/01/20	FOIA
9507180134	9507180127	95/06/30	50-373 Q	9507180075	9507180264	95/01/20	FOIA
9507180136	9507180131	95/07/07	50-263 Q	9507180076	9507180264	95/07/13	TOPREP
9507180137	9507180130	95/07/07	50-315 Q	9507180077	9507180264	95/01/20	FOIA
9507180139	9507180127	95/06/30	50-373 Q	9507180088	9507180435	95/07/12	50-235 P
9507180140	9507180130	95/07/07	50-315 Q	9507180089	9507180445	95/07/13	71-9228
9507180141	9507180101	95/01/10	50-255 Y	9507180091	9507180445	95/07/12	50-315 P
9507180143	9507180056	95/07/11	50-285 Q	9507180096	9507180442	95/07/12	50-315 P
9507180145	9507180101	95/01/10	50-255 Y	9507180098	9507180005	95/07/10	WASTE MGT
9507180151	9507180139	95/07/07	50-315 Q	9507180015	9507180010	95/07/13	50-286 O
9507180153	9507180146	95/07/14	50-445 S	9507180025	9507180018	95/07/14	50-286 O
9507180155	9507180101	95/01/10	50-235 Y	9507180033	9507180031	95/07/10	50-334 P
9507180161	9507180158	95/08/30	50-282 Q	9507180048	9507180038	95/07/06	70-7002
9507180164	9507180101	95/01/10	50-255 Y	9507180048	9507180038	95/07/06	70-7002
9507180166	9507180156	95/06/30	50-282 Q	9507180070	9507180048	95/07/14	50-286 O
9507180170	9507180163	95/07/14	52-4	9507180085	9507180078	95/07/17	STATE PRO
9507180171	9507180158	95/07/13	50-341 Q	9507180089	9507180168	95/08/07	CONTRACT
9507180173	9507180167	95/07/14	50-288 Q	9507180095	9507180087	95/07/06	WASTE MGT
9507180175	9507180101	95/01/10	50-255 Y	9507180096	9507180089	95/01/20	FOIA
9507180178	9507180176	95/07/14	50-280 P	9507180099	9507180089	95/01/20	FOIA
9507180180	9507180172	95/07/07	50-139 P	9507180100	9507180081	95/06/30	40-672
9507180183	9507030019	95/08/28	50-3	9507180103	9507180089	95/01/20	FOIA
9507180185	9507180172	95/07/07	50-139 P	9507180107	9507180091	95/06/30	40-672
9507180191	9507180101	95/01/10	50-255 Y	9507180111	9507180102	95/07/17	50-72 W
9507180197	9507180101	95/01/10	50-255 Y	9507180114	9507180101	95/01/12	FOIA
9507180200	9507180192	95/07/13	50-456 P	9507180123	9507180118	95/06/25	50-213 P
9507180202	9507180101	95/01/10	50-255 Y	9507180127	9507180122	95/07/14	PROJ
9507180206	9507180204	95/06/08	CONTRACT	9507180143	9507180135	95/07/14	50-302 T
9507180211	9507180193	95/07/06	50-382 P	9507180148	9507180136	95/07/14	50-302 T
9507180213	9507180193	95/07/06	50-382 P	9507180150	9507180136	95/07/14	50-302 T
9507180220	9507180215	95/08/08	CONTRACT	9507180151	9507180136	95/07/14	50-302 T
9507180224	9507180222	95/07/13	52-3	9507180158	9507180155	95/07/10	71-624
9507180235	9507180233	95/07/11	50-245 P	9507180160	9507180166	95/07/13	50-481 S
9507180237	9507180234	95/05/10	50-418 F	9507180183	9507180172	95/07/18	50-362 P
9507180247	9507180241	95/01/12	FOIA	9507180190	9507180188	95/07/12	50-400 P
9507180259	9507180254	95/07/14	50-298 P	9507180194	9507180186	95/06/30	52-3
9507180261	9507180255	95/06/29	50-352 Q	9507180197	9507180186	95/06/30	52-3
9507180265	9507180253	95/07/14	50-298 Q	9507180209	9507180204	95/07/12	50-244 Q
9507180270	9507180254	95/01/20	FOIA	9507180216	9507180210	95/07/11	50-280 P
9507180272	9507180254	95/01/20	FOIA	9507180220	9507180214	95/07/18	50-266 P
9507180275	9507180254	95/01/20	FOIA	9507180222	9507180212	95/07/12	PROJ
9507180276	9507180254	95/01/20	FOIA	9507180223	9507180210	95/07/11	50-280 P
9507180277	9507180257	95/07/10	50-270 P	9507180231	9507180212	95/07/12	PROJ
9507180278	9507180256	95/07/10	WASTE MGT	9507180251	9507180246	95/07/12	50-263 P
9507180283	9507180254	95/01/20	FOIA	9507180255	9507180246	95/07/12	50-263 P
9507180284	9507180254	95/01/20	FOIA	9507180262	9507180257	95/07/17	50-286 P
9507180286	9507180254	95/01/20	FOIA	9507180263	9507180257	95/07/17	50-286 P
9507180288	9507180252	95/06/27	50-272 P	9507180314	9507180312	95/02/06	50-436 P
9507180289	9507180254	95/01/20	FOIA	9507180316	9507180312	95/02/06	50-436 P
9507180292	9507180254	95/01/20	FOIA	9507180333	9507180335	95/07/13	50-528 P
9507180294	9507180254	95/01/20	FOIA	9507180335	9507180335	95/07/13	50-528 P
9507180295	9507180287	95/06/27	50-334 P	9507180347	9507180345	95/07/13	50-461 P
9507180296	9507180291	95/07/07	50-277 P	9507180352	9507180350	95/07/12	50-324 P
9507180297	9507180294	95/01/20	FOIA	9507180353	9507180350	95/07/12	50-324 P
9507180298	9507180297	95/06/27	50-334 P	9507200012	9507200003	95/07/11	50-245 P
9507180300	9507180284	95/01/20	FOIA	9507200031	9507200027	95/07/12	50-289 P
9507180303	9507180284	95/01/20	FOIA	9507200034	9507200027	95/07/12	50-289 P
9507180304	9507180284	95/01/20	FOIA	9507200035	9507200101	95/07/13	50-338 P
9507180307	9507180284	95/01/20	FOIA	9507200039	9507200101	95/07/13	50-338 P
9507180311	9507180284	95/01/20	FOIA	9507200041	9507200036	95/07/13	50-413 P
9507180313	9507180284	95/01/20	FOIA	9507200046	9507200046	95/07/12	70-27
9507180316	9507180309	95/07/11	50-387 P	9507200050	9507200046	95/07/12	70-27
9507180320	9507180284	95/01/20	FOIA	9507200059	9507200057	95/07/12	50-341 Q
9507180321	9507180306	95/07/06	50-428 P	9507200062	9507200057	95/07/12	50-341 Q
9507180322	9507180309	95/07/11	50-387 P	9507200070	9507200067	95/07/11	50-424 P
9507180323	9507180254	95/01/20	FOIA	9507200078	9507200074	95/07/14	50-289 P
9507180325	9507180254	95/01/20	FOIA	9507200086	9507200083	95/07/11	50-245 P
9507180326	9507180254	95/01/20	FOIA	9507200097	9507200088	95/07/14	50-423 P
9507180327	9507180308	95/07/06	50-428 P	9507200098	9507200083	95/07/11	50-245 P
9507180331	9507180284	95/01/20	FOIA	9507200104	9507200100	95/07/13	50-289 P
9507180333	9507180284	95/01/20	FOIA	9507200112	9507200109	95/07/14	50-389 P
9507180335	9507180284	95/01/20	FOIA	9507200115	9507200113	95/07/14	50-413 P
9507180337	9507180284	95/01/20	FOIA	9507200128	9507200125	95/01/21	FOIA
9507180339	9507180284	95/01/20	FOIA	9507200128	9507180115	95/07/11	ORG
9507180340	9507180284	95/01/20	FOIA	9507200132	9507200127	95/07/10	70-1201

232 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9507200133	9507200127	95/07/10	70-1201	9507210138	9507210133	95/07/10	50-220 P
9507200135	9507200115	95/07/17	PR	9507210142	9507210140	95/06/29	50-278 P
9507200140	9507200115	95/07/17	PR	9507210148	9507210144	95/06/28	50-369 F
9507200141	9507200139	95/07/14	70-1151	9507210173	9507210167	95/06/27	STATE PRO G
9507200143	9507200115	95/07/17	PR	9507210182	9507210180	95/07/18	50-336 S
9507200146	9507200142	95/07/14	50-298 P	9507210186	9507210181	95/07/20	71-524
9507200149	9507200139	95/07/14	70-1151	9507210191	9507210187	95/07/18	50-295 P
9507200151	9507200148	95/07/14	50-271 P	9507210194	9507210187	95/07/18	50-295 P
9507200153	9507200147	95/07/12	70-1151	9507210204	9507210202	95/07/18	50-341 P
9507200159	9507200156	95/07/11	50-360 Q	9507210205	9507210203	95/07/17	50-323 P
9507200160	9507200116	95/07/17	PR	9507210206	9507140247	95/08/09	ORG
9507200169	9507200156	95/07/11	50-390 Q	9507210213	9507210212	95/07/18	70-734
9507200164	9507200158	95/07/17	50-331 F	9507210214	9507210212	95/07/18	70-734
9507200171	9507200116	95/07/17	PR	9507210226	9507210225	95/07/17	TOPREP
9507200176	9507200172	95/07/17	50-361 P	9507210231	9507210227	95/01/20	FOIA
9507200179	9507200172	95/07/17	50-361 P	9507210232	9507210227	95/01/20	FOIA
9507200184	9507200189	95/07/14	50-369 R	9507210233	9507210227	95/01/20	FOIA
9507200185	9507200172	95/07/17	PR	9507210234	9507210227	95/01/20	FOIA
9507200190	9507200172	95/07/17	50-361 P	9507210248	9507210239	95/07/14	50-468 P
9507200196	9507200113	95/07/14	50-413 R	9507210251	9507210246	95/07/14	70-27
9507200199	9507200196	95/07/12	50-230 Q	9507210255	9507210252	95/07/11	50-286 P
9507200200	9507200172	95/07/17	50-361 P	9507210257	9507210252	95/07/11	50-286 P
9507200204	9507200172	95/07/17	50-361 P	9507210264	9507140247	95/08/09	ORG
9507200211	9507200116	95/07/17	PR	9507210266	9507210265	95/06/30	50-245 K
9507200223	9507200219	95/07/19	REVIEW GR P	9507210273	9507210227	95/01/20	FOIA
9507200224	9507200115	95/07/17	PR	9507210279	9507210227	95/01/20	FOIA
9507200227	9507200115	95/07/17	PR	9507210286	9507210227	95/01/20	FOIA
9507200229	9507200115	95/07/17	PR	9507210287	9507210227	95/01/20	FOIA
9507200232	9507200115	95/07/17	PR	9507210290	9507210227	95/01/20	FOIA
9507200243	9507200115	95/07/17	PR	9507210293	9507210227	95/01/20	FOIA
9507200244	9507200240	95/06/16	COMMISSION N	9507210300	9507210297	95/06/27	WASTE MGT Y
9507200251	9507200115	95/07/17	PR	9507210303	9507210298	95/02/06	50-255
9507200256	9507200250	95/07/12	50-281 Q	9507210305	9507210227	95/01/20	FOIA
9507200266	9507200261	95/07/14	50-220 H	9507210306	9507210304	95/06/29	WASTE MGT
9507200274	9507200270	95/07/10	50-387 P	9507210308	9507210227	95/01/20	FOIA
9507200281	9507200115	95/07/17	PR	9507210313	9507210312	95/01/31	50-341 P
9507200287	9507200280	95/07/07	50-468 F	9507210320	9507210315	95/07/07	50-526 P
9507200288	9507200115	95/07/17	PR	9507210324	9507210315	95/07/07	50-526 P
9507200294	9507200115	95/07/17	PR	9507210326	9507210315	95/07/07	50-526 P
9507200296	9507200295	95/02/08	FOIA	9507210330	9507210325	95/07/13	50-482 Q
9507200300	9507200290	95/06/27	PR	9507210342	9507210332	95/07/13	50-230
9507200301	9507200287	95/07/05	50-272 P	9507210343	9507210332	95/07/13	50-488 Q
9507200302	9507200115	95/07/17	PR	9507210344	9507210332	95/07/13	50-484 Q
9507200303	9507200295	95/02/08	FOIA	9507210345	9507210332	95/07/13	50-488 Q
9507200308	9507200115	95/07/17	PR	9507210347	9507210332	95/07/13	50-381 Q
9507200309	9507200290	95/06/27	PR	9507210348	9507210332	95/07/13	50-488 Q
9507200312	9507200306	95/07/08	50-397 F	9507210350	9507210356	95/07/18	50-321 Q
9507200313	9507200115	95/07/17	PR	9507210355	9507210355	95/07/17	50-277 Q
9507200321	9507200311	95/07/12	50-424 F	9507210357	9507210354	95/02/06	FOIA
9507200322	9507200319	94/04/13	40-6887	9507210373	9507210368	95/07/18	50-331 Y
9507200324	9507200296	95/02/08	FOIA	9507210374	9507210372	95/07/18	70-1151
9507200327	9507200323	95/06/20	50-272 P	9507210377	9507210354	95/02/08	FOIA
9507200331	9507200323	95/06/20	50-272 P	9507210383	9507210382	95/07/20	71-821
9507200336	9507200317	95/06/27	STATE PRO G	9507210384	9507210380	95/07/17	50-246 Q
9507200340	9507200317	95/06/27	STATE PRO G	9507210385	9507210384	95/02/08	FOIA
9507200342	9507200317	95/06/27	STATE PRO G	9507210386	9507210384	95/02/08	FOIA
9507200345	9507200339	95/01/31	FOIA	9507210387	9507210386	95/02/08	FOIA
9507200350	9507200339	95/01/31	FOIA	9507210388	9507210386	95/02/08	FOIA
9507200353	9507200339	95/01/31	FOIA	9507210389	9507210386	95/02/08	FOIA
9507200356	9507200347	95/07/12	50-282 G	9507210390	9507210386	95/02/08	FOIA
9507200367	9507100208	95/06/28	ORG	9507210391	9507210386	95/02/08	FOIA
9507200368	9506220199	95/06/08	WASTE MGT	9507210392	9507210386	95/02/08	FOIA
9507200372	9507200370	95/06/13	ORG	9507210393	9507210386	95/02/08	FOIA
9507200373	9506220433	95/06/16	50-458 U	9507210394	9507210386	95/02/08	FOIA
9507200380	9507200378	95/06/20	PR	9507210395	9507210386	95/02/08	FOIA
9507200383	9507200381	95/06/21	ORG	9507210396	9507210386	95/02/08	FOIA
9507200384	9507200382	95/07/11	WASTE MGT	9507210397	9507210386	95/02/08	FOIA
9507210014	9507210006	95/07/19	STATE PRO G	9507210398	9507210386	95/02/08	FOIA
9507210023	9507210017	95/07/11	50-321 Q	9507210399	9507210386	95/02/08	FOIA
9507210033	9507210023	95/07/17	50-281 P	9507210400	9507210386	95/02/08	FOIA
9507210039	9507210027	94/01/31	40-6887	9507210401	9507210386	95/02/08	FOIA
9507210054	9507210049	95/07/14	50-271 Q	9507210402	9507210386	95/02/08	FOIA
9507210055	9507210050	95/07/12	50-248 P	9507210403	9507210386	95/02/08	FOIA
9507210057	9507210047	95/07/14	50-272 Q	9507210404	9507210386	95/02/08	FOIA
9507210059	9507210049	95/07/14	50-271 Q	9507210405	9507210386	95/02/08	FOIA
9507210061	9507210047	95/07/14	50-272 Q	9507210406	9507210386	95/02/08	FOIA
9507210082	9507210076	95/07/18	WASTE MGT	9507210407	9507210386	95/02/08	FOIA
9507210083	9507210089	95/06/06	ORG	9507210408	9507210386	95/02/08	FOIA
9507210086	9506220332	95/06/08	50-219 H	9507210409	9507210386	95/02/08	FOIA
9507210106	9507210077	95/07/17	50-341 Q	9507210410	9507210386	95/02/08	FOIA
9507210113	9507210111	95/06/29	10CFR	9507210411	9507210386	95/02/08	FOIA
9507210114	9507210107	95/06/21	50-233 H	9507210412	9507210386	95/02/08	FOIA
9507210115	9507210106	95/07/06	50-272 P	9507210413	9507210386	95/02/08	FOIA
9507210119	9506210077	95/06/08	70-1257	9507210414	9507210386	95/02/08	FOIA
9507210121	9507210111	95/06/28	10CFR	9507210415	9507210386	95/02/08	FOIA
9507210122	9507210106	95/07/05	50-272 P	9507210416	9507210386	95/02/08	FOIA
9507210125	9507210123	95/07/10	50-286 P	9507210417	9507210386	95/02/08	FOIA

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 233

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9507240288	9507210227	95/01/20	FOIA	9507250225	9507210227	95/01/20	FOIA
9507240291	9507210227	95/01/20	FOIA	9507250226	9507210227	95/01/20	FOIA
9507240292	9507210227	95/01/20	FOIA	9507250225	9507210227	95/01/20	FOIA
9507240293	9507210227	95/01/20	FOIA	9507250227	9507210227	95/01/20	FOIA
9507240307	9507210227	95/01/20	FOIA	9507250228	9507250210	95/07/20	40-8902
9507240309	9507210227	95/01/20	FOIA	9507250231	9507210227	95/01/20	FOIA
9507240312	9507210227	95/07/19	50-306 S	9507250236	9507250264	95/07/12	40-8935
9507240315	9507210227	95/07/19	50-290 Q	9507250237	9507210227	95/01/20	FOIA
9507240317	9507210227	95/07/19	50-331 R	9507250238	9507250264	95/07/12	40-8935
9507240322	9507210227	95/07/18	50-213 P	9507250271	9507210227	95/01/20	FOIA
9507240329	9507240328	95/07/19	50-366 P	9507250272	9507210227	95/01/20	FOIA
9507240341	9507240330	94/03/04	40-8857	9507250273	9507210227	95/01/20	FOIA
9507240345	9507240334	95/07/20	50-388 S	9507250277	9507210227	95/01/20	FOIA
9507240348	9507240338	95/07/19	50-312 W	9507250280	9507250286	95/07/19	50-267 Y
9507240349	9507240338	95/07/19	50-312 W	9507250294	9507250291	95/07/12	70-36
9507240358	9507240354	95/07/17	50-261 Q	9507250295	9507250291	95/07/12	70-36
9507240360	9507240354	95/07/17	50-261 Q	9507250296	9507250296	95/07/12	40-8989
9507240362	9507240357	95/07/17	50-361 P	9507250297	9507250297	95/06/29	50-255 F
9507240368	9507240357	95/07/17	50-361 P	9507250298	9507250298	95/07/19	50-185 P
9507240371	9507240359	95/07/19	50-336 Q	9507250305	9507250302	95/06/29	50-331 P
9507240377	9507240359	95/07/19	50-336 Q	9507250306	9507250307	95/07/19	50-361 P
9507240382	9507240380	95/07/14	50-289 Q	9507250307	9507250307	95/07/19	50-361 P
9507240391	9507210227	95/01/20	FOIA	9507250310	9507250306	94/06/28	50-275 P
9507240393	9507240385	95/07/20	50-339 S	9507250311	9507250312	95/07/20	50-360 A
9507240396	9507210227	95/01/20	FOIA	9507250314	9507250312	95/07/20	50-360 A
9507240404	9507210227	95/01/20	FOIA	9507250316	9507250306	95/06/28	70-734
9507240406	9507240401	95/07/19	50-227 P	9507250317	9507250315	95/07/20	50-482 Q
9507240410	9507210227	95/01/20	FOIA	9507250318	9507250317	95/07/20	50-367 Q
9507240413	9507210227	95/01/20	FOIA	9507250323	9507250317	95/07/20	50-367 Q
9507240414	9507240411	95/07/20	50-483 P	9507250326	9507250326	95/07/18	40-8957
9507240415	9507210227	95/01/20	FOIA	9507250330	9507250325	95/07/18	TOPREP
9507240418	9507240411	95/07/20	50-483 P	9507250331	9507250324	95/07/21	50-315 V
9507240419	9507210227	95/01/20	FOIA	9507250332	9507250323	95/07/20	40-8382
9507240423	9507210227	95/01/20	FOIA	9507250333	9507250322	95/07/19	GASB8
9507240424	9507240420	95/07/18	50-440 P	9507250343	9507250343	95/07/21	WASTE MGT
9507240426	9507210227	95/01/20	FOIA	9507250344	9507250339	95/07/21	WASTE MGT
9507240431	9507240422	95/01/31	FOIA	9507250345	9507250355	95/07/21	52-3
9507240432	9507240429	95/07/14	50-481 Q	9507250346	9507250376	95/07/20	50-300 F
9507240437	9507240429	95/07/14	50-481 Q	9507250347	9507250380	95/07/14	50-254 F
9507240474	9507240466	95/07/20	50-237 P	9507250348	9507250389	95/07/17	50-364 Q
9507240481	9507240479	95/07/18	50-489 S	9507250349	9507250389	95/07/21	STATE PRO G
9507240482	9507240476	95/07/18	50-580 Q	9507250350	9507250390	95/04/20	40-8027
9507250025	9507210078	95/07/18	WASTE MGT	9507250351	9507250390	95/07/19	50-272 Q
9507250028	9507210078	95/07/18	WASTE MGT	9507250352	9507250390	95/07/19	50-272 Q
9507250047	9507250044	95/02/06	50-486 P	9507250353	9507250390	95/07/14	50-269 Q
9507250050	9507250043	95/07/19	52-3	9507250354	9507250390	95/07/21	50-456 Q
9507250051	9507250044	95/02/06	50-486 P	9507250355	9507250390	95/07/14	50-272 Q
9507250053	9507250045	94/12/31	PROJ	9507250356	9507250390	95/07/24	50-286 Q
9507250055	9507250044	95/02/06	50-486 P	9507250357	9507250390	95/07/21	50-528 Q
9507250062	9507250044	95/02/06	50-486 P	9507250358	9507250390	95/07/24	ORG
9507250064	9507250044	95/02/06	50-486 P	9507250359	9507250390	95/07/18	50-521 P
9507250067	9507250044	95/02/06	50-486 P	9507250360	9507210227	95/01/20	FOIA
9507250073	9507250070	95/07/21	50-281 F	9507250361	9507250322	95/07/17	PROJ
9507250077	9507250070	95/07/21	50-281 F	9507250362	9507210227	95/01/20	FOIA
9507250096	9507250094	95/07/20	50-370 P	9507250363	9507250243	95/02/06	40-8027
9507250102	9507250092	95/07/19	50-306 S	9507250364	9507210227	95/01/20	FOIA
9507250110	9507250098	95/02/09	50-443 P	9507250365	9507210227	95/01/20	FOIA
9507250113	9507250098	95/02/09	50-443 P	9507250366	9507210227	95/01/20	FOIA
9507250119	9507250098	95/02/09	50-443 Q	9507250367	9507210227	95/01/20	FOIA
9507250121	9507250098	95/02/09	50-443 Q	9507250368	9507250262	94/07/06	50-249 P
9507250125	9507250099	95/02/09	50-443 Q	9507250369	9507250265	95/02/09	FOIA
9507250128	9507250099	95/02/09	50-443 Q	9507250370	9507210227	95/01/20	FOIA
9507250130	9507250099	95/02/09	50-443 Q	9507250371	9507210227	95/01/20	FOIA
9507250132	9507250099	95/02/09	50-443 Q	9507250372	9507210227	95/01/20	FOIA
9507250136	9507250099	95/02/09	50-443 Q	9507250373	9507210227	95/01/20	FOIA
9507250139	9507250099	95/02/09	50-443 Q	9507250374	9507210227	95/01/20	FOIA
9507250144	9507250099	95/02/09	50-443 Q	9507250375	9507210227	95/01/20	FOIA
9507250156	9507250150	95/07/13	50-317 P	9507250376	9507210227	95/01/20	FOIA
9507250158	9507250150	95/07/13	50-317 P	9507250377	9507250249	95/07/20	71-8003
9507250168	9507250146	95/07/21	50-237 S	9507250378	9507250249	95/07/20	71-8003
9507250171	9507250112	95/07/19	50-296 P	9507250379	9507270005	95/07/14	STATE PRO G
9507250180	9507210227	95/01/20	FOIA	9507250380	9507270005	95/07/20	50-285 G
9507250181	9507250185	95/07/17	50-282 P	9507250381	9507270006	95/07/07	STATE PRO G
9507250186	9507210227	95/01/20	FOIA	9507250382	9507270006	95/07/21	50-423
9507250196	9507210227	95/01/20	FOIA	9507250383	9507270006	95/07/17	40-8027
9507250198	9507210227	95/01/20	FOIA	9507250384	9507270007	95/07/20	50-290 P
9507250199	9507210227	95/01/20	FOIA	9507250385	9507270008	95/07/21	40-858
9507250201	9507210227	95/01/20	FOIA	9507250386	9507270008	95/07/17	40-8027
9507250202	9507210227	95/01/20	FOIA	9507250387	9507270008	95/07/21	50-333 P
9507250203	9507210227	95/01/20	FOIA	9507250388	9507270008	95/07/21	50-333 P
9507250204	9507210227	95/01/20	FOIA	9507250389	9507270008	95/07/17	71-8003
9507250205	9507210227	95/01/20	FOIA	9507250390	9507270008	95/07/17	50-180 G
9507250206	9507210227	95/01/20	FOIA	9507250391	9507270008	95/07/17	50-267 W
9507250207	9507210227	95/01/20	FOIA	9507250392	9507270008	95/07/17	50-267 W
9507250208	9507210227	95/01/20	FOIA	9507250393	9507270008	95/07/17	50-267 W
9507250209	9507210227	95/01/20	FOIA	9507250394	9507270008	95/07/17	50-267 W
9507250210	9507210227	95/01/20	FOIA	9507250395	9507270008	95/07/17	50-267 W
9507250211	9507210227	95/01/20	FOIA	9507250396	9507270008	95/07/17	50-267 W
9507250212	9507210227	95/01/20	FOIA	9507250397	9507270008	95/07/17	50-267 W
9507250213	9507210227	95/01/20	FOIA	9507250398	9507270008	95/07/17	50-267 W
9507250214	9507210227	95/01/20	FOIA	9507250399	9507270008	95/07/17	50-267 W
9507250215	9507210227	95/01/20	FOIA	9507250400	9507270008	95/07/17	50-267 W
9507250216	9507210227	95/01/20	FOIA	9507250401	9507270008	95/07/17	50-267 W
9507250217	9507210227	95/01/20	FOIA	9507250402	9507270008	95/07/17	50-267 W
9507250218	9507210227	95/01/20	FOIA	9507250403	9507270008	95/07/17	50-267 W
9507250219	9507210227	95/01/20	FOIA	9507250404	9507270008	95/07/17	50-267 W
9507250220	9507210227	95/01/20	FOIA	9507250405	9507270008	95/07/17	50-267 W
9507250221	9507210227	95/01/20	FOIA	9507250406	9507270008	95/07/17	50-267 W
9507250222	9507210227	95/01/20	FOIA	9507250407	9507270008	95/07/17	50-267 W
9507250223	9507210227	95/01/20	FOIA	9507250408	9507270008	95/07/17	50-267 W
9507250224	9507210227	95/01/20	FOIA	9507250409	9507270008	95/07/17	50-267 W
9507250225	9507210227	95/01/20	FOIA	9507250410	9507270008	95/07/17	50-267 W
9507250226	9507210227	95/01/20	FOIA	9507250411	9507270008	95/07/17	50-267 W
9507250227	9507210227	95/01/20	FOIA	9507250412	9507270008	95/07/17	50-267 W
9507250228	9507210227	95/01/20	FOIA	9507250413	9507270008	95/07/17	50-267 W
9507250229	9507210227	95/01/20	FOIA	9507250414	9507270008	95/07/17	50-267 W
9507250230	9507210227	95/01/20	FOIA	9507250415	9507270008	95/07/17	50-267 W
9507250231	9507210227	95/01/20	FOIA	9507250416	9507270008	95/07/17	50-267 W
9507250232	9507210227	95/01/20	FOIA				

234 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9507270150	9507270043	95/07/10	STATE PRO G	9507280158	9507280147	95/07/25	50-271 P
9507270151	9507270133	95/07/10	50-327 S	9507280159	9507280153	95/07/24	50-354 P
9507270159	9507270115	95/07/14	STATE PRO G	9507280181	9507280177	95/07/24	40-3459
9507270160	9507270115	95/07/14	STATE PRO G	9507280184	9507280177	95/07/24	40-3453
9507270167	9507270155	95/07/24	WASTE MGT	9507280196	9507280182	95/07/25	50-382 P
9507270171	9507240430	95/01/31	50-488 P	9507280185	9507280184	95/07/25	50-382 P
9507270172	9507270115	95/07/14	STATE PRO G	9507280201	9507280199	95/07/26	50-382 P
9507270178	9507270115	95/07/14	STATE PRO G	9507280204	9507280203	95/07/26	50-382 P
9507270184	9507270176	95/07/24	50-248 S	9507280209	9507280207	95/07/26	50-382 P
9507270185	9507270115	95/07/14	STATE PRO G	9507280214	9507280212	95/07/14	50-69 F
9507270200	9507270115	95/07/14	STATE PRO G	9507280218	9507280212	95/07/14	50-69 F
9507270202	9507270183	95/07/19	ORG	9507280242	9507280233	95/07/26	50-382 P
9507270205	9507270115	95/07/14	STATE PRO G	9507280252	9507280250	95/07/19	50-380 Q
9507270219	9507270115	95/07/14	STATE PRO G	9507280259	9507280251	95/07/21	50-382 P
9507270215	9507270115	95/07/14	STATE PRO G	9507280260	9507280257	95/07/14	50-386 Q
9507270219	9507270115	95/07/14	STATE PRO G	9507280265	9507280263	95/07/17	50-397 F
9507270223	9507270115	95/07/14	STATE PRO G	9507280271	9507280266	95/07/24	50-498 F
9507270224	9507270218	95/07/18	50-352 P	9507280277	9507280273	95/07/26	50-327 F
9507270226	9507270218	95/07/18	50-352 P	9507280278	9507280274	95/07/25	50-498 F
9507270232	9507270115	95/07/14	STATE PRO G	9507280280	9507280274	95/07/25	50-498 F
9507270237	9507270115	95/07/14	STATE PRO G	9507280282	9507280270	95/07/20	50-454 Q
9507270244	9507270236	95/07/24	50-419 P	9507280284	9507280276	95/07/26	50-295 F
9507270248	9507270236	95/07/24	50-419 P	9507280285	9507280276	95/07/21	50-456 F
9507270251	9507270239	95/02/09	50-324 Q	9507280286	9507280278	95/07/26	50-295 F
9507270254	9507270239	95/02/09	50-324 Q	9507280291	9507280287	95/07/25	50-277 F
9507270255	9507270239	95/02/09	50-324 Q	9507280293	9507280287	95/07/25	50-277 F
9507270259	9507270256	95/07/24	50-456 P	9507280299	9507280296	95/07/18	50-295 F
9507270265	9507270256	95/07/24	50-456 P	9507280306	9507280302	95/07/19	50-295 F
9507270267	9507270262	95/07/24	50-245 P	9507310005	9507310001	95/07/25	50-295 F
9507270270	9507270249	95/07/10	50-278 P	9507310007	9507310001	95/07/25	50-295 F
9507270272	9507270227	95/01/20	FOIA	9507310012	9507310011	95/07/25	40-5084
9507270275	9507270249	95/07/10	50-278 P	9507310014	9507210227	95/01/20	FOIA
9507270276	9507270227	95/01/20	FOIA	9507310017	9507310013	95/07/25	50-445 Q
9507270278	9507270227	95/01/20	FOIA	9507310019	9507210227	95/01/20	FOIA
9507270280	9507270227	95/01/20	FOIA	9507310021	9507210227	95/01/20	FOIA
9507270282	9507270227	95/01/20	FOIA	9507310024	9507210227	95/01/20	FOIA
9507270283	9507270227	95/01/20	FOIA	9507310028	9507310023	95/07/11	50-391 Q
9507270284	9507270227	95/01/20	FOIA	9507310030	9507210227	95/01/20	FOIA
9507270287	9507270227	95/01/20	FOIA	9507310032	9507210227	95/01/20	FOIA
9507270290	9507270277	95/07/18	50-352 P	9507310033	9507310029	95/07/21	WASTE MGT
9507270293	9507270227	95/01/20	FOIA	9507310037	9507310035	95/07/25	50-298 Q
9507270297	9507270296	95/07/21	50-285 P	9507310038	9507310036	95/07/25	50-482 Q
9507270300	9507270296	95/07/21	50-285 P	9507310041	9507310035	95/07/25	50-298 Q
9507270302	9507270277	95/07/18	50-352 P	9507310046	9507210227	95/01/20	FOIA
9507270314	9507270311	95/07/24	50-245 P	9507310048	9507310043	95/07/26	50-195 P
9507270317	9507270311	95/07/24	50-245 P	9507310050	9507210227	95/01/20	FOIA
9507270324	9507270321	95/07/18	50-352 P	9507310051	9507310045	95/07/25	50-254 F
9507270325	9507270320	95/07/18	50-352 P	9507310054	9507210227	95/01/20	FOIA
9507270327	9507270321	95/07/18	50-352 P	9507310055	9507310052	95/07/24	50-443 P
9507270328	9507270320	95/07/24	50-309 P	9507310057	9507310052	95/07/24	50-443 P
9507270337	9507270327	95/01/20	FOIA	9507310062	9507210227	95/01/20	FOIA
9507270343	9507270327	95/01/20	FOIA	9507310065	9507210227	95/01/20	FOIA
9507270346	9507270327	95/01/20	FOIA	9507310068	9507310058	95/07/21	50-277 Q
9507270348	9507270327	95/01/20	FOIA	9507310067	9507210227	95/01/20	FOIA
9507270351	9507270327	95/01/20	FOIA	9507310072	9507210227	95/01/20	FOIA
9507270354	9507270327	95/01/20	FOIA	9507310073	9507310054	95/07/20	50-289 P
9507270358	9507270332	95/07/21	50-285 P	9507310075	9507210227	95/01/20	FOIA
9507270360	9507270352	95/07/21	50-413 P	9507310078	9507210227	95/01/20	FOIA
9507270363	9507270352	95/07/21	50-413 P	9507310079	9507310074	95/07/27	50-271 P
9507270364	9507270332	95/07/21	50-285 P	9507310080	9507210227	95/01/20	FOIA
9507270371	9507270368	95/07/24	50-3	9507310083	9507210227	95/01/20	FOIA
9507270374	9507270367	95/07/07	ORG	9507310084	9507210227	95/01/20	FOIA
9507270386	9507270367	95/07/14	50-321 K	9507310089	9507310068	95/07/24	50-288 P
9507270389	9507270367	95/07/14	50-321 K	9507310093	9507210227	95/01/20	FOIA
9507270405	9507270402	95/07/24	TOPREP	9507310099	9507210227	95/01/20	FOIA
9507280009	9507280007	95/07/18	50-309 Q	9507310100	9507210227	95/01/20	FOIA
9507280014	9507280013	95/07/18	50-352 P	9507310103	9507210227	95/01/20	FOIA
9507280015	9507280013	95/07/18	50-352 P	9507310105	9507310104	95/07/26	50-482 S
9507280017	9507280012	95/07/19	50-272 F	9507310107	9507210227	95/01/20	FOIA
9507280050	9507280044	95/07/25	70-1151	9507310111	9507210227	95/01/20	FOIA
9507280051	9507280044	95/07/25	70-1151	9507310114	9507210227	95/01/20	FOIA
9507280054	9507280042	95/07/21	50-277 P	9507310119	9507210227	95/01/20	FOIA
9507280061	9507280047	95/07/20	50-354 Q	9507310123	9507210227	95/01/20	FOIA
9507280075	9507280071	95/07/24	50-346 F	9507310124	9507210227	95/01/20	FOIA
9507280084	9507280081	95/04/27	WASTE MGT	9507310128	9507210227	95/01/20	FOIA
9507280090	9507280087	95/07/06	WASTE MGT	9507310129	9507310127	95/02/08	FOIA
9507280103	9507280087	95/02/21	FOIA	9507310133	9507210227	95/01/20	FOIA
9507280106	9507280102	95/07/27	71-****	9507310135	9507310126	95/07/25	50-456 Q
9507280109	9507280101	95/07/07	60-626 F	9507310139	9507210227	95/01/20	FOIA
9507280114	9507280110	95/07/24	50-327 S	9507310140	9507210227	95/01/20	FOIA
9507280117	9507280094	95/07/06	50-413 F	9507310141	9507310132	95/07/21	50-206 P
9507280121	9507280101	95/07/07	50-628 F	9507310154	9507310153	95/07/28	50-382 P
9507280131	9507280127	95/02/09	50-488 P	9507310158	9507310158	95/07/24	40-9027
9507280135	9507280127	95/02/09	50-488 P	9507310162	9507310160	95/07/31	50-454 P
9507280138	9507280133	95/07/18	50-331 Q	9507310171	9507210165	95/02/17	FOIA
9507280166	9507280146	95/07/12	ORG	9507310173	9507310168	95/07/21	50-321 P
				9507310175	9507310166	95/02/17	FOIA

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 235

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9507310180	9507310178	95/07/21	50-286 P	9507310246	9507310235	95/02/22	FOIA
9507310181	9507310178	95/07/21	50-286 P	9507310247	9507310247	95/07/26	50-260 P
9507310182	9507310177	95/07/20	50-334 P	9507310251	9507310232	95/02/10	50-498 Q
9507310188	9507310185	95/07/11	27-48	9507310255	9507310225	95/02/22	FOIA
9507310190	9507310182	95/07/26	50-250 P	9507310257	9507310249	95/03/06	FOIA
9507310197	9507310185	95/07/24	50-308 P	9507310262	9507310258	95/07/21	50-267 Y
9507310200	9507310186	95/07/26	50-230 P	9507310264	9507310280	95/07/26	50-458 P
9507310204	9507310203	95/07/24	50-309 P	9507310267	9507310241	95/07/24	50-269 P
9507310206	9507310207	95/08/02	FOIA	9507310268	9507310252	95/08/10	50-263 Q
9507310212	9507310207	95/08/02	50-341 P	9507310270	9507310260	95/07/26	50-455 P
9507310215	9507310207	95/03/02	FOIA	9507310271	9507310286	95/07/21	50-333 Q
9507310218	9507310207	95/03/02	FOIA	9507310274	9507310232	95/02/10	50-468 Q
9507310220	9507310213	95/07/26	50-250 P	9507310275	9507310272	95/07/24	50-496 P
9507310221	9507310213	95/07/21	50-62 P	9507310277	9507310272	95/07/24	50-496 P
9507310223	9507310213	95/07/21	50-62 P	9507310278	9507280309	95/07/26	TOPREP
9507310226	9507310224	95/07/26	50-260 P	9507310283	9507310286	95/07/21	50-333 Q
9507310231	9507310227	95/07/27	71-644	9507310289	9507310288	95/07/21	50-331 P
9507310236	9507310234	95/07/26	50-260 P	9507310290	9507310155	95/07/11	27-48
9507310237	9507310227	95/07/27	71-644	9508010100	9507310150	95/07/27	WASTE MGT
9507310238	9507310233	95/07/20	50-828 P	9508010162	9507310258	95/07/21	50-267 Y
9507310240	9507310236	95/07/27	71-601	9508010187	9507310132	95/07/21	50-206 F
9507310243	9507310232	95/02/10	50-486 Q	9508010190	9507310284	95/03/07	FOIA
9507310245	9507310236	95/07/27	71-601	95080201249	9507310157	95/02/15	FOIA
9507310246	9507310241	95/07/24	50-286 P	9508040209	9507190312	95/02/06	50-498 Q
				9508100342	9507180094	95/07/12	50-456 P

APPENDIX A

DEFINITIONS OF DOCKET 50 CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit.
2. General Information submitted with construction permit application.
3. Amendments and changes submitted by applicants and licensees.
4. NRC questions, requests for additional information, and applicant responses.
5. Early site review.
6. Correspondence and documents relating to unresolved design and construction issues.
7. Meeting announcements and summaries of meeting discussions on issues of item 6.
8. Correspondence regarding the utility Preliminary Safety Analysis Report (PSAR).
9. Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.).
10. Construction Permit, amendments, and correspondence relating to the construction permit and related orders issued by the Office of Nuclear Reactor Regulation (NRR show cause and modifications) not involving the Atomic Safety Licensing and Appeal Board.
11. Scheduling of license application submission or review.
12. Environmental review information (other environmental documents are filed in Categories C, D, P, or R).
13. Seismic qualification review teams (SQRT) reports and related correspondence.
14. Application for operating license.
15. General Information submitted with operating license application.
16. Amendments and changes submitted by applicants and licensees.
17. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and the Updated Final Safety Analysis Report (USAR).
18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; *not covered by an IE Bulletin.*

DEFINITIONS OF DOCKET 50 CATEGORIES

19. Safety Evaluation Reports (SERs) on specific generic issues.	21. Backup technical documents (e.g., topical reports) submitted in support of the application.
	22. Proposed equipment failure/instructions.
20. Reports of site visits.	23. NRC's changes in internal organizational structure.

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORTS (PSAR) AND AMENDMENTS

- All related correspondence is filed in Category A.
1. Preliminary Safety Analysis Report (PSAR) submitted by utility (formerly called Hazards Summary Report or Safety Analysis Report).	2. Amendments and changes to the PSAR.
	3. Transmittal and acknowledgment letters.
	4. Certificates of service to the PSAR.

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS AND CORRESPONDENCE

1. Environmental Report (ER) submitted by the utility.	6. Federal Register notices citing the availability of items 1 and 2.
2. Amendments and supplements to the ER.	7. Correspondence relating to the review of ER.
3. Transmittal and acknowledgment letters.	8. Meeting announcements or reports of meetings where the primary subject of discussion is the ER.
4. Information on scheduling of submittal or review of ER.	9. Correspondence relating to certification of pollution control devices.
5. NRC questions, requests for additional information, and applicant responses.	NOTE: Other environmental documents are filed in Categories A, D, P, or R.

DEFINITIONS OF DOCKET 50 CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE

1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by NRC. 2. Supplements to the DES and FES. 3. Correspondence relating to the DES and FES. 4. Comments from other Federal, State, and local government agencies; organizations; and interested individuals. 5. Transmittal and acknowledgment letters. 6. Documents related to NRC review of environmental issues or of the ER obtained for purposes of writing the environmental statements.	7. Backup technical documents submitted in connection with above. 8. Federal Register notices citing availability of items 1 and 2. 9. Reports of site visits to obtain information for the DES or FES. 10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES. NOTE: Other environmental documents and correspondence are filed in Categories A, C, P, or R.
-

E. NRC SAFETY EVALUATION REPORTS (SER), SUPPLEMENTS AND CORRESPONDENCE

1. Formal Safety Evaluation Report (SER) prepared by NRC (formerly called NRC-AEC Hazard Analysis Report) in review of PSAR. 2. Supplements to the SER. 3. Correspondence relating to the SER and supplements. 4. Federal Register notices citing availability of items 1 and 2. 5. Information on scheduling of SER submittals and review.	6. Requests for additional information for use in preparing SER; responses to such requests. 7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER. 8. Transmittal and acknowledgment letters. NOTE: Other documents dealing with specific safety-related issues are filed in Categories A, P, or W, depending on the phase of the licensing process.

DEFINITIONS OF DOCKET 50 CATEGORIES

F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

All plans in this category are individual submissions. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in this category.

1. Fire Hazard Protection Plans and surveys. 2. Plant evacuation correspondence. 3. Safeguards Contingency Plans. 4. Health Physics Program and its review. 5. Emergency Plans.	6. Correspondence relating to aforementioned plans. 7. Supplements, changes, and revisions to plans. 8. Correspondence and documentation relating to Appendix R of 10 CFR Part 50 (fire protection), guard training, emergency response centers, and emergency preparedness. 9. Transmittal and acknowledgment letters. 10. Meeting announcements and reports of meetings where the primary subject of discussion is related to the aforementioned plans and topics covered in item 8.

G. LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in Category T. Show-cause orders and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) (not before the Board) are filed in Categories A and P. Exhibits for proceedings (Hearings) are available only on microfiche (1984 to present) in the PDR, but upon request paper files are available to the PDR from the Docketing and Service Branch, Office of the Secretary.

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents. 2. Federal Register notices regarding hearings. 3. Requests to make appearances at hearings.	4. Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings. 5. Transmittal of supporting documents (e.g., SER, FES) to the Boards. 6. Correspondence to and from intervenors. 7. Board orders and decisions. 8. Petitions for Commission action. 9. Legal filings and Commission orders and decisions resulting from item 8.

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

DEFINITIONS OF DOCKET 50 CATEGORIES

H. GENERAL CORRESPONDENCE

This category includes documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

1. Change of address notifications (external only). 2. Changes in structure of organization (external only). 3. Changes in service lists. 4. NRC requests to applicants for additional copies of documents. 5. Correspondence from the public requesting information about the facility and NRC responses. 6. Correspondence on strictly administrative matters.	7. Letters of support, concern, or opposition to the facility. 8. Correspondence regarding the Local Public Document Rooms (LPDRs). 9. Professional qualification statements not pertaining to the hearing process. 10. Constituent, organizational, or utility correspondence forwarded by Congressman to NRC for response. 11. Resolutions passed by State and local governing bodies (e.g., town councils).

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

I. FINANCIAL INFORMATION

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership.	2. Separately submitted financial information and related correspondence. 3. Transcripts and testimony before State commissions pertinent to financial information requested by NRC.

J. INSURANCE AND INDEMNITY INFORMATION

1. Indemnity agreements and amendments. 2. Endorsements of insurance policies.	3. Other correspondence regarding indemnity and insurance matters.

DEFINITIONS OF DOCKET 50 CATEGORIES

K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR), UPDATED FINAL SAFETY ANALYSIS REPORTS (USAR), AND AMENDMENTS

1. Final Safety Analysis Report (FSAR), (formerly called Final Hazards Summary Report), submitted by the utility. 2. Updated Final Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility. 3. Amendments and changes to the FSAR and USAR.	4. Federal Register notices citing availability of the FSAR and amendments. 5. Transmittal and acknowledgment letters. 6. Certificates of service to the FSAR and USAR. NOTE: All related correspondence falls in Category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in Category F.
-

L. LIMITED WORK AUTHORIZATIONS (LWA) AND RELATED CORRESPONDENCE

This category is limited to documents pertaining to Limited Work Authorizations (LWAs) whereby applicants can carry out limited site preparation and construction prior to the granting of a Construction Permit.

1. Limited Work Authorizations (LWAs) and amendments
 2. Correspondence pertaining to work performed under LWAs.
-

M. ANTITRUST REVIEWS AND ANTITRUST CORRESPONDENCE

1. Documents submitted as part of the application for a Construction Permit and Operating License entitled "Information Requested by the Attorney General for Antitrust Review". 2. Correspondence where the primary topic of discus-	sion is antitrust matters. 3. All antitrust proceeding documents, except for hearing transcripts, testimony, and briefings, which are filed in Category N.
-

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

This category contains word-for-word transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence falls in Category M.

DEFINITIONS OF DOCKET 50 CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews.

ings, relating to both facility license applications and safety-related matters.

1. ACRS reports relating to facility license applications.
2. Announcement of ACRS meetings relating to facility license applications, including description of meeting agendas.
3. Statements and written testimony of ACRS members or presented by individuals at ACRS proceed-

4. Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications.

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS file category.

P. OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Application/Construction Stage (Category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

1. Operating license, amendments, proposed amendments, changes, and related correspondence.
2. Show-cause and modification orders issued by NRR (not before the Board) for the operating license.
3. Technical specifications and changes.
4. Backup technical documents (e.g., topical reports) submitted in support of items 1 and 2.
5. Federal Register notices citing availability of item 1 and the FSAR.
6. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Final Safety Analysis Report (USAR).

7. All general technical correspondence, meeting announcements or meeting summaries relating to Technical Specifications, the Operating License or technical issues arising after the issuance of the Operating License.

8. Correspondence regarding codes (e.g., American Society of Mechanical Engineers), regulations, laws, or changes in policy that may affect plant operation or bear on the Operating License.

9. Information on the Standard Review Plan (STP).

10. Results of surveys or tests conducted in accordance with the Technical Specifications (not periodic reports, which fall in Category R).

11. Correspondence relating to NRC's Systematic Evaluation Program (SEP).

DEFINITIONS OF DOCKET 50 CATEGORIES

12. Owner's group meeting announcements and reports.	19. Start-up test reports.
13. Quality assurance information.	20. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; <i>not covered by an IE Bulletin.</i>
14. Environmental matters (technical).	21. SERs on specific generic issues.
15. Seismic qualification review team (SQRT) reports and related correspondence.	22. Proposed equipment failure/instructions.
16. Emergency core cooling system documents.	23. Inservice testing (not inspections).
17. Radioactive waste information excluding onsite storage of low-level waste, filed in Category X, and independent spent fuel installations of high-level waste, filed in Category Y.	24. Reports of site visits.
18. Correspondence regarding expansion of spent fuel storage pool.	25. Application to voluntarily surrender license, dismantle, and dispose of component parts.
	26. Changes in NRC's internal organizational structure.
-

Q. INSPECTION REPORTS, RESPONSE TO BULLETINS, CIRCULARS AND INFORMATION NOTICES, CIVIL PENALTIES, AND RELATED CORRESPONDENCE

1. Inspection reports.	7. Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (ENs).
2. Responses to IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars (not published since 1981) and Information Notices.	8. Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in Category S.
3. Responses by applicant to IE correspondence.	9. Health physics inspections/appraisals.
4. Applicant's determination of proprietary nature of Inspection Reports.	10. Emergency preparedness inspections/appraisals.
5. Letters concerning areas of noncompliance.	11. Inspections and related correspondence from the International Atomic Energy Agency.
6. Pre-service and in-service inspections and procedures.	12. Systematic Assessment of Licensee Performance (SALP).

DEFINITIONS OF DOCKET 50 CATEGORIES

13. Construction Appraisal Team/Construction Assessment Team (CAT) reports.

A. Integrated Design Inspection (IDI) reports.

B. Independent Design Verification Program (IDVP) reports. | 15. Performance Appraisal Team (PAT) reports.

16. Licensee/Vendor interface inspections.

17. Correspondence relating to items 12, 13, 14, 15 and 16. |
|---|--|
- NOTE: For IE Bulletins and Information Notices, see I&E file series.
-

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category includes periodic reports of a routine nature.

1. Monthly, semiannual, or annual operating reports (other than financial) for construction and operating stages.

2. Periodic environmental monitoring, effluent testing, or similar reports.

3. Periodic personnel exposure reports. | 4. Periodic nonconformance reports (issued pursuant to Board orders).

5. Operational Logbooks on Environmental Data, Radiological Data, operating log on plant systems core, plant status summary sheets.

6. Correspondence or other documents relating to the items listed. |
|---|--|
-

S. REPORTABLE OCCURRENCES, PNOs, PNSs, AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable, or nonroutine occurrences or events. These include:

1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called Incident Reports, Abnormal Occurrence Reports and Reportable Occurrences).

2. Potential or possible reportable Deficiency Reports and related correspondence.

3. Individual Personnel Exposure Reports. | 4. Construction Deficiency Reports submitted under 10 CFR 50.55(e).

5. Preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNSs).

6. Environmental Technical Specifications Violation Reports and Environmental Event Reports.

7. Part 21 Reports of Defects and Noncompliance.

8. Correspondence or other documents relating to items 1-7. |
|---|--|

DEFINITIONS OF DOCKET 50 CATEGORIES

NOTE: For PNOs and PNSs, see I&E file series.

T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains all word-for-word transcripts, testimony, and briefings, except for congressional matters (Category V), and antitrust matters (Category N).

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts.
2. Testimony and statements submitted to ASLB and ASLAB.
3. Commission meeting transcripts.

4. NRC staff briefings to the Commission.
5. Statements and written testimony submitted at Commission meeting or hearings.
6. Transcripts of utility briefs to NRC staff.
7. Corrections to above items.

NOTE: Transcripts on specific dockets are also filed on ACRS and 9.21 files series.

U. CONGRESSIONAL/EXECUTIVE CORRESPONDENCE

1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches.
2. Information supplied for the record of Congressional hearings.
3. Correspondence to and from Congress and the Executive Branch on other than constituent response matters.

4. Correspondence to or from State Legislative bodies.

NOTE: This category contains correspondence on substantive matters. Routine responses to constituent inquiries are filed in Category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

1. Information bearing on licensing operators and shift engineers.
2. Power plant examination summary sheet.
3. Correspondence pertaining to operator examinations.

DEFINITIONS OF DOCKET 50 CATEGORIES

W. DECOMMISSIONING DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Operating License Stage (Category P) file for general technical items from the order for termination of the operating license onward.

1. Order granting authority to dismantle/decommission.
2. Technical documents submitted, such as: Decommissioning Plan, Dismantling Plan, Environmental

Report on Dismantling, Safety Analysis Report on Decommissioning.

3. Documents relating to disposal of radioactive material and decontamination of the site.
 4. Other correspondence relating to decommissioning.
 5. All documentation relating to the ongoing operation of the plant, formerly filed in Category P.
-

X. ONSITE STORAGE OF LOW-LEVEL WASTE

1. License application, license, proposed amendments and amendments to store low-level waste at a commercial reactor.
2. All related correspondence and reports.

NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) license or Docket-30 number associated with the Docket-50 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSI)

1. License applications, licenses, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)

2. All related correspondence and reports to the above.

NOTE: These documents will have an NMSS license and/or a Docket-72 number. For these installations on a reactor site, the associated Docket-50 number also has been identified.

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

10 CFR—Commission Meeting Records

Contains documentation pertaining to open and closed Commission meetings.

1. Sunshine Act Federal Register notices.
2. Full, written explanation of closed meetings.
3. Certification by the General Counsel on closed meetings.
4. Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings.

5. Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10 CFR Part 9, the Sunshine Act, and Commission policies.

6. Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.

7. Staff Requirements Memoranda for open meetings; memoranda of record; record of votes of Commissioners on items under consideration at meetings.
-

ACRS—Advisory Committee on Reactor Safeguards

This category contains documents pertaining to safety-related areas reviewed by ACRS. ACRS serves as an independent advisory committee to the Commission.

1. ACRS reports relating to safety-related matters.
2. Announcements of ACRS meetings relating to safety-related matters, including description of meeting agendas.
3. Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety-related matters.
4. Statements and written testimony of ACRS members or presented by individuals at ACRS proceed-

ings related to both facility license applications and safety-related matters.

5. Minutes of ACRS subcommittee and full committee meetings relating to both facility license application and safety-related matters.
6. ACRS consultant reports, comments and related correspondence relating to both facility license applications and safety-related matters.
7. Technical correspondence, and memoranda to and from ACRS pertaining to safety-related matters.
8. General correspondence and related material about ACRS, but not authored by ACRS or its consultants.

DEFINITIONS OF NONDOCKETED CATEGORIES

NOTE: For Docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 series.

ADVCM - NRC Advisory Committees

This category contains documentation pertaining to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards. Documents in this category include:

1. Charters of each advisory committee.
 2. Meeting announcements; description of meeting agenda.
 3. Minutes and verbatim transcripts of committee meetings.
 4. Committee-generated reports, memoranda, and correspondence that are publicly available.
 5. Committee-related correspondence.
-

COMMISSION - NRC Commissioner Correspondence

Contains documentation pertaining to the daily conduct of Commission business in the Office of the Commission.

1. Incoming and outgoing Commission-level correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures to the aforementioned.
2. Travel vouchers, telephone logs and official appointment calendars of participating Commissioner (placed in the PDR at the discretion of individual Commissioners).
3. Speeches, interviews, and testimony given by Commissioners at meetings, symposia, and Congressional hearings.
4. Weekly Information Reports (SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices.

NOTE: For transcripts of Commission meetings, see 10 CFR 9.7. For all other staff papers with a SECY series designation prepared for Commission review, see SECY file category.

CONTRACT - NRC Contracts and Modifications

Contains documentation pertaining to AEC and NRC contracts, grants, and Interagency Agreements.

DEFINITIONS OF NONDOCKETED CATEGORIES

1. Notification of contracts and grant execution, specifying contract number; project title; contractor name; contract type; funding and period of performance.	2. Contractual documents and modifications to contracts.
-

FOIA—Freedom of Information Act Requests and Appeals

Contains requests for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA), or denial.

1. Requests made under the FOIA for NRC records (each is assigned a sequential identification number based on the year that the request is made, so that 89-100 refers to the 100th FOIA request made in 1989).

2. Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request, and appeal of a denial.

3. Records or portions thereof released in response to FOIA requests made under FOIA appeals.
-

GEN TECH IS—Generic Technical Issues

Contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR).

1. Draft reports of action plans to accomplish generic tasks in the NRR program.
2. Correspondence with industry and within NRC dis-

cussing methodologies, analyses, the program and technical aspects of issues.

3. Meeting notifications and minutes.
 4. Interim findings and status reports on generic tasks addressing related aspects of Generic Technical Issues.
-

I&E—Inspection and Enforcement Issuances

Contains bulletins, circulars and information notices that are issued by the NRC Office responsible for Inspection and Enforcement. These issuances describe some event that has occurred at a facility that may require some follow-up action by the licensee. Also included in this category are draft bulletins and information notices (I&E Misc), Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards

Events or Unusual Occurrences (PNSs), and Notifications of Significant Enforcement Actions (ENs).

1. I&E Circulars, which describe an event at a licensed facility and are informational in nature (discontinued in 1981).
2. I&E Information Notices, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.
3. I&E Bulletins, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of that event.

DEFINITIONS OF NONDOCKETED CATEGORIES

4. Draft I&E Bulletins and Information Notices which are being considered for issuance, and related comments and evaluations. 5. Preliminary Notifications of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest. 6. Preliminary Notifications of Safeguards Events or	Unusual Occurrences (PNSs), which provide early notice of events of possible safety significance. 7. Notification of Significant Enforcement Actions (ENs), which provide information on a Notice of Violation and Proposed Imposition of Civil Penalties. NOTE: For utility responses to such issuances and related correspondence, see Categories Q and S of file.
-

MISC—Public Document Miscellaneous

Contains documents about topics not included in the scope of the other non-docketed categories.

NUREG—Staff and Contractor Formal Reports, Conference Proceedings, Brochures, and Related Correspondence

Formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other Governmental entities, and the public are published in the NUREG series.

1. Results of licensing studies of specific plants or facilities preliminary to licensing actions. 2. Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry. 3. Action and review plans, as well as guidance, for meeting NRC requirements. 4. Task force reports on specific topics. 5. Proceeding of conferences and workshops.	6. Management and program analysis reports. 7. Statistical analyses that are of interest to the staff, the industry, and the public. 8. Administrative reports that are of interest to the staff, the industry, and the public. 9. Correspondence from industry, government, and the public commenting on reports. 10. Internal NRC memoranda summarizing meetings or discussions pertaining to the contents of the reports. NOTE: NUREG reports on specific plants or facilities are filed in Docket 50 Categories A, P, E, or D.

DEFINITIONS OF NONDOCKETED CATEGORIES

ORG—Organization File

Contains correspondence with professional organizations, Government agencies, and associations with which NRC is in contact; records other than Regulatory Guides that pertain to NRC's activities in standards development; records pertaining to specific NRC offices; and emergency petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on some issue.

1. Meeting summaries and technical correspondence between NRC and professional associations and international bodies, such as the Atomic Industrial Forum and the International Atomic Energy Agency.
2. Correspondence between NRC's Office of Nuclear Regulatory Research and other Government

agencies in which both parties have joint regulatory responsibility; e.g., EPA has authority to control all radioactive pollutants emitted into the air.

3. Internal memoranda, correspondence between NRC and Congress, and other technical correspondence dealing with the role and activities of the Office of Nuclear Regulatory Research in developing standards.

NOTE: For Regulatory Guides and comments on Regulatory Guides issued by the NRC Office of Nuclear Regulatory Research, see the REGGD file category. For petitions for rulemaking filed by the public to amend, rescind or change an NRC regulation, see the PRM file category.

PR—Proposed Rule

Contains records dealing with NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive; a staff proposal; or as a result of a Commission determination that sufficient grounds exist for it to proceed with a petition for change in an NRC regulation (PRM) filed by an outside party or person.

1. Federal Register notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved.
2. Text of the Proposed Rule (PR).
3. Draft and generic proposed rules and Federal Register notices (PR Misc.).

4. Comments, statements, information, opinions, or arguments on the proposed change to a part of the Code of Federal Regulations, Title 10.
5. Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR.

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

PRM—Petition for Rulemaking

Contains records dealing with petitions filed with the Commission by an outside party to issue, amend or rescind an NRC regulation.

1. Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation.

2. Federal Register notice of the filing of the petition.

3. Correspondence between NRC and the Petitioner relevant to the status and substance of the petition.

4. Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM.

5. Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes.

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a Proposed Rule, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

PROJ—Projects

Contains records pertaining to two classes of projects: (1) commercial nuclear power plants for which NRC has full licensing responsibilities; and (2) Government-owned reactors for which NRC provides technical expertise and occasional review. Both classes are identified with a "P" prefix, followed by a series of numbers.

1. "Pre-docketed" commercial nuclear power plants

These files contain all documentation up until the time that the NRC considers the application and the Safety Analysis Report (PSAR) is submitted by the utility complete enough for staff review. The unit is then assigned a docket number and the file transferred to the Docket-50 series category.

The documents are grouped together in categories, designated by alphabetic characters. These are the same categories as those used for the Docket-50 series.

A. Application/Construction Stage

1. Application submitted by the utility.

2. Meeting notices, summaries and correspondence discussing the completeness and adequacy of the Preliminary Safety Analysis Report (PSAR).

3. Applicant Quality Assurance Manual.

4. Early site review information.

5. Backup technical documents submitted in support of the application.

6. Early site visits.

B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

1. PSAR submitted by the utility.

2. Amendments and change to the PSAR.

3. Transmittal and acknowledgment letters.

DEFINITIONS OF NONDOCKETED CATEGORIES

G. Adjudicatory Correspondence

1. Motions, briefs, orders, etc., pertaining to pre-hearing conferences, if any.

2. Notices of deviations.

3. Follow-up correspondence resolving deviations cited.

M. Antitrust Correspondence

1. Submittals and related materials pertaining to the antitrust review.

2. Government-owned reactors

Q. Inspection Reports

1. Inspection reports of the applicant quality assurance program.

Meeting summaries and technical correspondence between NRC and other Government technical people relating to test reactors, critical experiments, and Department of Defense (DOD) reactors on U.S. Naval ships and other sites.

PT 21 – 10 CFR Part 21 Deficiency Reports

Deficiency reports submitted in compliance with Part 21 of Title 10 of the Code of Federal Regulations.

1. Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.

2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.

3. NRC inspection reports of defects cited.

4. Correspondence specifying appropriate follow-up actions taken by the Agency.

QA 999 – Quality Assurance Inspections

Contains inspection reports of vendor licensee interface from vendor's view, vendor products, vendor programs including equipment environmental qualification testing, and follow-up correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of both nuclear components, or supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, PSAR and FSAR submitted by utilities for specific facilities, and vendor QA Topical Reports.

1. NRC inspection reports of vendor facilities that cover the design, fabrication and testing of components for use in nuclear facilities and vendor/licensee interface.

2. Notices of deviation.

3. Vendor corrective actions and other follow-up correspondence associated with resolution of inspection findings.

NOTE: For vendor licensee interface inspection from licensee's view, see Docket 50 Category Q.

DEFINITIONS OF NONDOCKETED CATEGORIES

REGGD—Regulatory Guides

Contains new and revised Regulatory Guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of the NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

1. Federal Register notices announcing the issuance and availability of a proposed Regulatory Guide.
2. Revised or newly issued Regulatory Guides.
3. NRC value/impact assessment.

4. Comments submitted by the nuclear industry and interested members of the public regarding a proposed Regulatory Guide.

5. Summary of meetings held in the NRC to discuss proposed Regulatory Guides.

NOTE: For documentation pertaining to other work products and activities of the NRC Office of Nuclear Regulatory Research, which is responsible for standards development, see the Organization (ORG) file category. Industry codes and standards cited in Regulatory Guides are available for reference use only in the NRC Library.

RES—Research and Technical Assistance Reports

Contains reports, generally interim, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission.

1. *Technical letter reports* provide information on the technical aspects of work by contractors or other government agencies and their contractors. These letter reports may consist of transmittal letters with interim or final informal reports attached, or the technical information may be incorporated in the body of the letter. The form and frequency of reporting is specified in the Contract Statement of Work.

- a. Interim technical letter reports provide information on the technical aspects of the work at various stages and form a basis for development of the formal reports required by the contract. Interim technical letter reports may include, but are not limited to, informal (interim) progress reports, "quick-look" reports, data reports, project descriptions, pretest

predictions, model verifications, experiment safety analyses, experiment operating procedures, facility certification reports, and test results.

b. Final technical letter reports are prepared to record the results of contract work that comprises review and evaluation of the work of others or work to be used by the staff in the licensing and regulation process. These technical letter reports are not followed by a formal report.

2. *Formal technical reports*, which may be periodic progress reports on long-term projects or final reports, are published in the NUREG/CR series. These reports are final products of research, original investigations, or significant compilations of information, or they may be progress reports.

3. *Research Information Letters (RILs)* summarize research information for staff use. They are prepared in the NRC Office of Nuclear Regulatory Research (RES).

DEFINITIONS OF NONDOCKETED CATEGORIES

4. *Conference Proceedings* report the information presented at conferences sponsored or co-sponsored by NRC. Sponsorship or co-sponsorship by NRC requires that the subjects covered be of interest and value to NRC.

NOTE: For final reports of research conducted by contractors and conference proceedings, see NUREG reports series file. See also the WMRES file for research reports on disposal of high level waste.

REVIEW GRP—Research Review Groups

Contains records pertaining to the activities of internal and external Research Review Groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results; possible reorientation of research projects; new research projects; and priorities within the technical areas covered by the Research Preview Group.

1. Agendas for quarterly Review Group meetings.
2. Summary minutes of Review Group meetings representing views expressed, including dissenting views.

3. Research plans and predicted results of major experiments and presentations by research contractors.

4. Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies.

5. Internal memoranda relating to topics under discussion.

6. Correspondence related to items 1 through 5.
-

RM — Rulemakings

Contains records pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration.

1. Designations of the presiding officer and any special directions for the conduct of the hearing.
2. Notifications of Hearing Board meetings.

3. Petitions, motions, testimony, and statements submitted by parties to the hearings.

4. Hearing Board orders and rulings.

5. Technical reports submitted as evidence in the proceedings.

6. Reports, if any, of the special Board to the Commission regarding the subject proceeding.
-

SECY—Staff Papers (Generally Referred to as SECY Papers) Before the Commission

Includes staff papers prepared for the information or approval of the Commission. They are assigned a SECY report series code.

1. Policy Issue Papers are used to present matters relating to policy formulation.

DEFINITIONS OF NONDOCKETED CATEGORIES

2. Rulemaking Issue Papers are used to present rulemaking activities of the Commission.
3. Adjudicatory Issue Papers are used to present matters relating to the granting, suspending, revoking or amending of licenses, or construction permits for nuclear power plants, and activities in which the Commission has an interest.
4. Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provide general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication.

These categories of staff papers may be issued as one of the following: (a) a Commission Meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper which does not require interactive discussion among the Commissioners in a Commission meeting, but by law must be voted upon by the Commissioners in

the presence of each other; (c) a Notation Vote paper which does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a Negative Consent paper which contains issues which the Commission would like brought to its attention before action is taken but which do not require the formality of a Commission vote, and (e) Information Papers which provide information to the Commission and do not call for any action by the Commission.

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence file.

STATE PROG—State Programs

Contains records that pertain to the Commission's relations with State Governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing and siting.

1. Correspondence between and among NRC Office of Governmental and Public Affairs and State officials, mostly State liaison officers and radiation control management health officials, regarding:
 - a. Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance.
 - b. NRC review of Agreement State radiation control program.

- c. Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and in other areas.

2. Agendas, reports, and transcripts of regional workshops and training programs on current matters of policy and regulations, i.e., decommissioning and radioactive waste disposal.
3. State Legislative Reports (discontinued as of December 1984).
4. Agreement State Licensing Statistics Reports (discontinued as of December 1984).

NOTE: For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects series file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

TOPREP—Topical and Vendor Reports and Correspondence

Contains Topical Reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket-specific and documents generated by vendor-related Owner's Groups are also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers and other vendors.
2. Revisions, modifications, and amendments to Topical Reports.

3. Correspondence between NRC and vendors pertaining to the review of submittals.
4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria.
5. Vendor-related Owner's Group meeting announcements, agendas, summaries, reports, and correspondence.

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the docket series.

WASH—AEC-Issued Formal Reports and Correspondence

Formal reports that were issued by the U.S. Atomic Energy Commission (AEC) Headquarters staff which carry the WASH series code and correspondence pertaining to those reports. The WASH series, which consisted of

administrative, scientific, and technical reports, ended in 1975 but correspondence is occasionally generated which refers to WASH reports. Post-1975 NRC-issued formal reports carry the NUREG series designation.

WM—Waste Management Documents

Contains records dealing with the activities of the NRC Division of High-Level Waste Management. Each topic has been assigned a unique number, prefixed by the letters "WM." Documents in these files include:

1. NRC and DOE precicensing activities regarding the disposal of high-level waste in geologic repositories, pursuant to the Nuclear Waste Policy Act of 1982.
 - a. Technical high-level waste site precicensing documentation.
2. NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, pursuant to the Uranium Mill Tailings Radiation Control Act of 1978.
 - b. Meeting agendas, minutes, and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories.
 - c. Briefings by DOE on research being conducted on nuclear waste management.

DEFINITIONS OF NONDOCKETED CATEGORIES

3. Correspondence and comments between NRC and the Environmental Protection Agency (EPA) pertaining to the high-level waste standard.

5. Correspondence from citizens and other non-government organizations for the above items.

4. NRC topical report reviews and associated correspondence.

NOTE: For contractor research on waste management activities, see the WMRES category.

WMRES—Waste Management and Research Reports

Contains interim and final reports, and correspondence between NRC and its contractors regarding precicensing activities in the area of high-level disposal in geologic repositories, including:

1. Periodic contractor progress reports.

3. Draft and final reports submitted for NRC review or information.

2. Trip reports.

4. Correspondence between NRC staff and contractors related to technical questions or issues to be resolved.

XPORTLIC—Export and Import Licenses

Contains records relating to the issuance of licenses to export or import nuclear facilities and materials.

5. Correspondence to and from foreign governments, international organizations, and members of the public.

1. License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components, or reactor materials.

6. Hearing records and decisions.

2. Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment.

7. Memoranda from the office of the Secretary to the Executive Director for Operations (EDO) regarding the Commission decision on issuance of a proposed license.

3. Commission letters requesting Executive Branch (e.g., U.S. Department of State) views.

8. Licenses, license amendments, and license renewals for types specified in item 1.

4. Review and findings of the Executive Branch on whether issuance of a license would be inimical to the common defense and security of the United States.

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see the 10 CFR 9.21 and SECY-series files.

BIBLIOGRAPHIC DATA SHEET

(See instructions on the reverse)

1. REPORT NUMBER
(Assigned by NRC, Add Vol.,
Supp., Rev., and Addendum Num-
bers, if any.)

NUREG-0540
Vol. 17, No. 7

2. TITLE AND SUBTITLE

Title List of Documents Made Publicly Available
July 1-31, 1995

3. DATE REPORT PUBLISHED

MONTH	YEAR
September	1995

4. FIN OR GRANT NUMBER

5. AUTHOR(S)

6. TYPE OF REPORT

Monthly

7. PERIOD COVERED (Inclusive Dates)

8. PERFORMING ORGANIZATION - NAME AND ADDRESS (If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; if contractor, provide name and mailing address.)

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

9. SPONSORING ORGANIZATION - NAME AND ADDRESS (If NRC, type "Same as above"; if contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)

Same as 8, above.

10. SUPPLEMENTARY NOTES

11. ABSTRACT (200 words or less)

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference of Enclosures to Principal Documents.

12. KEY WORDS/DESCRIPTORS (List words or phrases that will assist researchers in locating the report.)

title list

13. AVAILABILITY STATEMENT

Unlimited

14. SECURITY CLASSIFICATION

(This Page)

Unclassified

(This Report)

Unclassified

15. NUMBER OF PAGES

16. PRICE