State Waste Discharge Permit Application

Hydrotest, Maintenance and Construction Discharges

Date Published
November 1995

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

United States
Department of Energy

P.O. Box 550
Richland, Washington 99352

Approved for Public Release

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

 

DISCLAIMER

**Portions of this document may be illegible
in electronic image products. Images are
produced from the best available original
document.**

Department of Energy
Richland Operations Office
P.O. Box 550
Richland, Washington 99352

NOV 07 1995

96-PCA-014

Mr. Steve M. Alexander
Nuclear Waste Program
State of Washington
Department of Ecology
1315 West Fourth Avenue
Kennewick, Washington 99336-6018

Dear Mr. Alexander:

**CATEGORICAL STATE WASTE DISCHARGE PERMIT APPLICATION FOR HYDROTEST,
MAINTENANCE, AND CONSTRUCTION DISCHARGES**

Enclosed is the "State Waste Discharge Permit Application for Hydrotest, Construction, and Maintenance Discharges," DOE/RL-95-93, Revision 0, (Enclosure 1), and the corresponding "State Environmental Policy Act Environmental Checklist" (Enclosure 2). On February 9, 1995, the State of Washington Department of Ecology (Ecology) approved the "Plan and Schedule for Disposition and Regulatory Compliance for Miscellaneous Streams," DOE/RL-93-94, Revision 1, dated December 1994 (Plan and Schedule). Submittal of the permit application to Ecology fulfills a commitment (Activity 6-2.3), due November 30, 1995, established in the Plan and Schedule.

Should you have any questions, or require additional information, please contact Mr. R. N. Krekel, of my staff, on 376-4264, or Ms. Kristi J. Lueck, Westinghouse Hanford Company, on 372-3652.

Sincerely,

James E. Rasmussen, Director
Environmental Assurance, Permits
and Policy Division

EAP:RNK

Enclosures

cc w/o encl:
A. DiLiberto, WHC
D. Dougherty, Ecology
E. Flores, PNL
D. Flyckt, WHC
R. Jim, YIN
T. Logan, BHI
J. Luke, WHC
D. Powaukee, NPT
J. Wilkinson, CTUIR

FOREWORD

On December 23, 1991, the U.S. Department of Energy, Richland Operations Office (RL) and the Washington State Department of Ecology (Ecology) agreed to adhere to the provisions of Department of Ecology Consent Order No. DE 91NM-177 (216 Consent Order) (Ecology and U.S. DOE 1991). The 216 Consent Order lists regulatory milestones for liquid effluent streams at the Hanford Site and requires compliance with the permitting requirements of Washington Administrative Code (WAC) 173-216 (*State Waste Discharge Permit Program*) or WAC 173-218 (*Washington Underground Injection Control Program*) where applicable.

Hanford Site liquid effluent streams discharging to the soil column have been categorized in the 216 Consent Order as follows:

- Phase I Streams
- Phase II Streams
- Miscellaneous Streams.

Phase I and Phase II Streams were initially addressed in two reports: *Plan and Schedule to Discontinue Disposal of Contaminated Liquids into the Soil Column at the Hanford Site* (DOE-065), and *Annual Status of the Report of the Plan and Schedule to Discontinue Disposal of Contaminated Liquids into the Soil Column at the Hanford Site* (WHC 1988). The actions recommended for the Phase I & II streams in the two reports were incorporated in the *Hanford Federal Facility Agreement and Consent Order* (Tri-Party Agreement) (Ecology, et al. 1994). Miscellaneous Streams are those liquid effluent streams discharged to the ground that are not categorized as Phase I or Phase II Streams.

Miscellaneous Streams discharging to the soil column on the Hanford Site are subject to the requirements of several milestones identified in the 216 Consent Order. The *Plan and Schedule for Disposition and Regulatory Compliance for Miscellaneous Streams* (DOE/RL-93-94, Rev. 1) provides a plan and schedule for the disposition of Miscellaneous Streams to satisfy one of the 216 Consent Order requirements. The options for disposition of the Miscellaneous Streams have been selected based on demonstrating compliance with the Tri-Party Agreement, 216 Consent Order, WAC 173-216, WAC 173-218, and RCW 90.48.

The *Plan and Schedule for Disposition and Regulatory Compliance for Miscellaneous Streams* (DOE/RL-93-94, Rev. 1) states that 'From the qualitative inventory, a categorical WAC 173-216 permit application will be submitted for hydrotest, maintenance and construction waste water.' Waste water from these activities are not discharged to engineered structures. As stated in the plan and schedule, an engineered structure is defined as a man-made structure that aids in infiltration of fluids into the soil. This document constitutes the Categorical State Waste Discharge Permit application for hydrotest,

- 1 maintenance and construction discharges throughout the Hanford Site. This categorical
- 2 permit application form was prepared and approved by Ecology.

CONTENTS

1		
2		
3		
4	FOREWORD	iii
5		
6	GLOSSARY	vii
7	METRIC CONVERSION CHART	viii
8		
9	PERMIT APPLICATION	Application-1
10		
11	REFERENCES	.2-1
12		
13	APPENDICES	App-i
14	APPENDIX A GENERAL INFORMATION	App A-i
15	APPENDIX B IDENTIFY WASTE STREAMS	App B-i
16	APPENDIX C SOURCE / WASTEWATER DESCRIPTION	App C-i
17		

1
2
3
4
5
6

This page intentionally left blank.

GLOSSARY

1		
2		
3		
4	DOE-RL	U.S. Department of Energy, Richland Operations Office
5	Ecology	Washington State Department of Ecology
6	ERT	Electric Resistance Tomography
7	gal	gallons
8	gpd	gallons per day
9	gpm	gallons per minute
10	GWQC	Ground Water Quality Criteria
11	HTB	Hydraulic Test Bed
12	LEMIS	liquid effluent monitoring information system
13	lpd	liters per day
14	lpm	liters per minute
15	mg/L	milligrams per liter
16	PAHs	polycyclic aromatic hydrocarbons
17	PBBs	polybrominated biphenyls
18	PCBs	polychlorinated biphenyls
19	RCW	Revised Code of Washington
20	SWDP	State Waste Discharge Permit
21	ug/L	micrograms per liter
22	WAC	Washington Administrative Code

METRIC CONVERSION CHART**INTO METRIC UNITS****OUT OF METRIC UNITS**

If you know	Multiply by	To get	If you know	Multiply by	To get
Length			Length		
inches	2.54	centimeters	centimeters	0.393	inches
feet	0.3048	meters	meters	3.2808	feet
yards	0.914	meters	meters	1.09	yards
miles	1.609	kilometers	kilometers	0.62	miles
Area			Area		
square feet	0.092	square meters	square meters	10.7639	square feet
square yards	0.836	square meters	square meters	1.20	square yards
square miles	2.59	square kilometers	square kilometers	0.39	square miles
acres	0.404	hectares	hectares	2.471	acres
Mass (weight)			Mass (weight)		
ounces	28.35	grams	grams	0.0352	ounces
pounds	0.453	kilograms	kilograms	2.2046	pounds
short ton	0.907	metric ton	metric ton	1.10	short ton
Volume			Volume		
fluid ounces	29.57	milliliters	milliliters	0.03	fluid ounces
quarts	0.95	liters	liters	1.057	quarts
gallons	3.79	liters	liters	0.26	gallons
cubic feet	0.03	cubic meters	cubic meters	35.3147	cubic feet
cubic yards	0.76	cubic meters	cubic meters	1.308	cubic yards
Temperature			Temperature		
Fahrenheit	subtract 32 then multiply by 5/9ths	Celsius	Celsius	multiply by 9/5ths, then add 32	Fahrenheit

Source: Lindeburg 1990.

PERMIT APPLICATION

This section presents the Categorical State Waste Discharge Permit application (SWDP) for the Hydrotest, Maintenance and Construction Discharges on the Hanford Site.

ORGANIZATION

The Washington Administrative Code (WAC) 173-216 Categorical SWDP application form for the Hydrotest, Maintenance and Construction Discharges is presented in this section. Information required by the SWDP application is provided on the form when adequate space is available. Otherwise, information is provided in the appendices as noted on the completed form. The appendices follow the format of the SWDP application and are designed to supplement the SWDP application form. The questions in the appendices are worded as the questions on the SWDP application form, and are highlighted in bold letters which are underlined.

STATE WASTE DISCHARGE PERMIT APPLICATION FORM

The following pages contain the SWDP application for the Hydrotest, Maintenance and Construction Discharges.

1
2
3
4
5
6

This page intentionally left blank.

CATEGORICAL STATE WASTE DISCHARGE PERMIT APPLICATION FOR INDUSTRIAL DISCHARGES TO LAND - HANFORD SPECIFIC

FOR STATE USE ONLY

Date Application
ReceivedDate Fee
PaidApplication/
Permit NumberDate Application
AcceptedFacility
NumberTemporary Permit
Effective DateTemporary Permit
Expiration Date

This application is for a waste discharge permit as required in accordance with provisions of Chapter 90.48 RCW and Chapter 173-216 WAC. Additional information may be required. Information previously submitted and applicable to this application should be referenced in the appropriate section.

GENERAL INFORMATION

1. Company Name: U. S. Department of Energy, Richland Operations Office2. Unified Business Identification Number (UBI#): 91-05651593. Mailing Address: P.O. Box 550

Street

Richland, Washington99352

City/State

Zip

4. Facility Location: Hanford Site

Street or Other Description

See Appenidx A

City/State

5. Person to contact who is familiar with the information contained in this application:

R. N. Krekel U.S. DOE, Permits and Compliance Assessment (509) 376-4264

Name

Title

Telephone

6. Check One: ☐ Permit Renewal ☒ Existing Unpermitted Discharge☒ Proposed DischargeAnticipated date of discharge: N/A

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and/or imprisonment for knowing violations.

James E. Rasmussen
Signature*

11/7/95
Date

Director Environmental Assurance,
Permits and Policy Division

Title

J. E. Rasmussen
Printed Name

*Applications must be signed as follows: A municipal, state, federal, or other public facility, by either a principal executive officer or ranking elected official.

Ecology is an equal opportunity agency. If you have special accommodation needs, contact the Nuclear Waste Program at (509) 735-7581 (voice) or (509) 736-3039 (TDD).

IDENTIFY WASTE STREAMS

1. On an attached sheet, briefly describe the types of discharges included in this categorical permit application. **See Appendix B, Item 1**
2. List each waste stream included in this catagorical permit application and assign each waste stream an identification number.

ID No.	Process	Waste Stream Name/Location	B/C/S Process	Estimated Quantity
		See Appendix B, Item 2		

*B = Batch, C = Continuous, S = Seasonal

SOURCE/WASTEWATER DESCRIPTION

3. On an attached sheet, briefly describe all source water used to generate waste streams. Also describe concentrations measured, analytical methods, and detection limits. Explain instances where constituent levels exceed ground water criteria. **See Appendix C, Item 3**
4. Provide additional process knowledge that could effect constituent concentrations.

See Appendix C, Item 4

REFERENCES

- DOE-RL, 1987, *Plan and Schedule to Discontinue Disposal of Contaminated Liquids into the Soil Column at the Hanford Site*, DOE-065, Response to Congressional Request, U.S. Department of Energy, Richland Operations Office, Richland, Washington.
- DOE-RL, 1994, *Plan and Schedule for Disposition and Regulatory Compliance for Miscellaneous Streams (September 1992)*, DOE/RL-93-94, Rev. 1, Department of Energy, Richland Operations, Richland, Washington.
- Ecology, 1995, *Guidance on Sampling and Data Analysis Methods*, Washington Department of Ecology, Toxic Cleanup Program, Olympia, Washington.
- Ecology, EPA, and DOE, 1994, *Hanford Federal Facility Agreement and Consent Order*, 89-10, Rev. 3, Washington Department of Ecology, U.S. Environmental Protection Agency, an U.S. Department of Energy, Olympia Washington.
- Ecology and US DOE, 1991, *Consent Order No. DE 91NM-177*, Washington Department of Ecology, U.S. Department of Energy, Olympia Washington.
- WHC, 1988, *Annual Status Report of the Plan and Schedule to Discontinue Disposal of Contaminated Liquids into the Soil Column at the Hanford Site*, WHC-EP-0196-1, Westinghouse Hanford Company, Richland, Washington.
- WHC, 1993, *Data Validation Procedures for Chemical Analyses*, WHC-SD-EN-SPP-002, Rev. 2, Westinghouse Hanford Company, Richland, Washington.
- Water Pollution Control*, Revised Code of Washington, Chapter 90.48 et seq., Olympia, Washington.
- WAC 173-200, *Water Quality Standards for Groundwater of the State of Washington*, Washington State Department of Ecology, Olympia, Washington.
- WAC 173-216, *State Waste Discharge Program*, Washington State Department of Ecology, Olympia, Washington.
- WAC 173-218, *State Underground Injection Control Regulations*, Washington State Department of Ecology, Olympia, Washington.

1
2
3
4
5
6

This page intentionally left blank.

APPENDICES

1
2
3
4
5
6

This page intentionally left blank.

APPENDIX A
GENERAL INFORMATION

1
2
3
4
5
6

This page intentionally left blank.

CONTENTS

Hanford Site Description	A-1

FIGURES

Figure A-1. General Hanford Site Map.	A-2

1
2
3
4
5
6

This page intentionally left blank.

HANFORD SITE DESCRIPTION

This section briefly describes the Hanford Site and provides a general overview.

THE HANFORD SITE

The Hanford Site covers approximately 1,450 square kilometers (560 square miles) of semiarid land that is owned by the U.S. Government and managed by the U.S. Department of Energy, Richland Operations Office (DOE-RL). The Hanford Site is located northwest of the city of Richland, Washington (Figure A-1). The city of Richland adjoins the southeastern most portion of the Hanford Site boundary and is the nearest population center.

Activities on the Hanford Site are centralized in numerically designated areas. The 100 Areas, located along the Columbia River, contain deactivated reactors. The processing units are in the 200 Areas, which are on a plateau approximately 11 kilometers (7 miles) from the Columbia River. The 300 Area, located adjacent to and north of Richland, contains research and development laboratories. The 400 Area, 8 kilometers (5 miles) northwest of the 300 Area, contains the Fast Flux Test Facility previously used for testing liquid metal reactor systems. The 600 Area covers all locations not specifically given an area designation. Adjacent to the north of Richland, the 1100 Area contains offices associated with administration, maintenance, transportation, and materials procurement and distribution. The 3000 Area, located at the north end of Richland, contains offices and maintenance shops. Additional administrative offices are located in the 700 Area in downtown Richland.

The applicability of this categorical permit application is limited to activities conducted by DOE-RL and its contractors on the Hanford Site, and excludes activities conducted by others on lands covered by leases, use permits, easements and other agreements whereby land is used by parties other than DOE-RL. For example, the categorical permit application does not cover activities on state owned or leased lands, lands owned by the Bonneville Power Administration, lands leased to the Washington Public Power Supply System, US Ecology and the Ashe Substation or similarly leased lands not under the management of DOE-RL.

T850621

Figure A-1. General Hanford Site Map.

APPENDIX B

IDENTIFY WASTE STREAMS

1
2
3
4
5
6

This page intentionally left blank.

CONTENTS

ITEM 1,
ON AN ATTACHED SHEET, BRIEFLY DESCRIBE THE TYPES OF DISCHARGES
INCLUDED IN THIS CATEGORICAL PERMIT APPLICATION B-1

1.0 HYDROTEST	B-1
1.1 Discharges Related to Testing of a System or Component	B-1
1.2 Development Testing	B-3
2.0 MAINTENANCE ACTIVITIES	B-4
2.1 Drainage Activities	B-4
2.2 Flushing Activities	B-4
3.0 CONSTRUCTION DISCHARGES	B-4
3.1 Concrete Curing	B-4
3.2 Pressure Washing	B-5

ITEM 2,
LIST EACH WASTE STREAM INCLUDED IN THIS CATEGORICAL PERMIT
APPLICATION AND ASSIGN EACH WASTE STREAM AN IDENTIFICATION
NUMBER B-5

TABLES

Table 3-1. Waste Streams Included in this Categorical Permit Application. B-6

FIGURES

Figure B-1. Categories and Associated Processes. B-2

1
2
3
4
5
6

This page intentionally left blank.

ITEM 1.**On an attached sheet, briefly describe the types of discharges included in this categorical permit application.**

As defined in the plan and schedule, discharges must meet the following parameters to be covered under this categorical WAC 173-216 permit application.

- <38 lpm (10 gpm) averaged annually
- <569 lpm (150 gpm) instantaneously
- Meet WAC 173-200 Ground Water Quality Criteria (GWQC). Discharges that are expected to have a contaminant that exceeds the GWQC solely because the source water has a contaminant that exceeds one or more of the GWQC, as identified in Section 5.0 of Appendix C, would be deemed to meet the GWQC.

The waste water discharges have been subdivided into process-related activities and are described in Sections 1.0 through 3.0. Waste water generated from hydrotest, maintenance, or construction processes not described in these sections are included in this permit application if the permit parameters listed above are met. The source water used in these activities are either raw Columbia River water, potable water, groundwater, or demineralized water. Detailed source water descriptions are provided in Section 4.0 of Appendix C.

1.0 HYDROTEST

In this permit application, discharges would include activities related to hydrotesting of a system or component and development testing. A flowchart of the categories and associated processes is provided as Figure B-1. Examples of hydrotesting processes are provided below.

1.1 Discharges Related to Testing of a System or Component

These discharges are normally from pressure tests or other system certification procedures. Hydrotesting is the process of testing the integrity of systems or components (i.e., tank or pipes) under specific pressure conditions. This is accomplished by filling the tanks or pipes with raw or potable water and applying hydrostatic pressure on the tank or pipe and then, with all valves or clamps closed off, observing whether there is a drop in the measured pressure in the tank or pipe. A drop in pressure indicates a weakness in the pipe or tank walls. This process can also be applied to valves and fittings to determine their

Figure B-1. Categories and Associated Processes

1 susceptibility to leaks and spills. When the testing is complete, the valve or clamp is
2 opened and water is allowed to discharge to the soil column.
3

4 Hydrotesting is usually done as part of acceptance testing during construction of a
5 new facility, but can also be done during routine integrity testing, upgrading,
6 troubleshooting, or repairing of an existing system. Examples of different types of standard
7 testing practices include but are not limited to: acceptance testing, qualification testing,
8 preoperational testing, operational testing, and production/process testing.
9

10 1.2 Development Testing

11
12 Development testing is performed to provide or develop design information,
13 concepts, or criteria. Development testing may also be performed to calculate and verify
14 design, safety, or reliability concepts or criteria. It may also be performed to develop
15 performance characteristics through the use of mock-ups or test facilities, for studies and
16 research activities, and for the development of engineering specification requirements and
17 specific design objectives or the resolution of engineering or technological issues. These
18 discharges are typically of potable or raw Columbia River water, groundwater or
19 demineralized water that may have some specific material added. Examples of development
20 testing are tracer studies and experimental discharges as described below.
21

- 22 • **Tracer Studies.** Tracer studies are used to determine the routing of piping systems.
23 It is often necessary to perform tracer studies when performing water balance studies,
24 mapping flow systems, and verifying drawings or existing flow maps. Typically,
25 these studies are performed by flooding a system with water and adding some sort of
26 marker (either a dye, or anion such as bromide, or chloride). Positive pressure is
27 applied to the system, and samples are taken at various locations considered
28 downstream. If sample analysis results are positive the location is verified.
29
- 30 • **Other Experimental Discharges.** This category may include other discharges related
31 to experimentation or research. For example, experimental discharges from Electrical
32 Resistance Tomography (ERT) and the Hydraulic Test Bed may be included. The
33 purpose of the ERT research is to detect leaks in underground tanks by injecting raw
34 or potable water with a sodium chloride tracer into the ground and measuring the
35 electrical resistance between the electrodes. A second example is the Hydraulic Test
36 Bed test which evaluated retrieval technologies from simulants consisting of bentonite
37 and kaolin solutions. Water generated from these tests contained a high solids content
38 and were not acceptable for discharge to existing sewer systems. This water was
39 discharged directly to the ground and allowed to evaporate or percolate.

2.0 MAINTENANCE ACTIVITIES

Often, maintenance activities require water discharges. These discharges are normally performed on a routine basis, and may consist of potable or raw water from the Columbia River or potable water from groundwater wells. Examples of maintenance discharges are described below.

2.1 Drainage Activities

During maintenance activities, various filter basins, sumps etc. require draining. Examples of draining activities include:

- **Pipe System and Reservoir Drainage.** Periodically, reservoirs and pipe systems that hold water need to be drained in order to perform maintenance activities such as sealing repairs, upgrading a section of pipe, replacement of valves or other components, or rerouting of flow. This source water may be either raw water, groundwater or potable water.

2.2 Flushing Activities

Flushing is the process of washing dirt and construction debris from the inside of piping during/after construction or maintenance. This process requires only enough water to wash the debris from the inside of the piping. Water used for this process is visually monitored for cleanliness. Flushing is complete when the water visually appears clean. Raw water, groundwater or potable water is used for this process and is not allowed to come in contact with potentially dangerous waste constituents during flushing activities.

Flushing is also performed to disinfect potable water lines. Disinfection of potable water lines kills bacteria present inside the piping system. During disinfection activities, the water lines are filled with chlorinated water for up to two days, then after sample analysis shows no bacteria are present, the water is discharged to the ground. Disinfection is preceded by flushing so only clean water is discharged. Disinfection may be performed during maintenance and construction activities.

Table 3-1. Waste Streams Included in this Categorical Permit Application

ID No.	Process	Waste Stream Name/Location	B/C/S* Process	Estimated Quantity per discharge (liters)	Estimated Quantity per discharge (gallons)
1.0	Hydrotest	Hydrotest Discharges	B	22,740-20,000,000	6,000-5,290,000

APPENDIX C

SOURCE / WASTEWATER DESCRIPTION

1
2
3
4
5
6

This page intentionally left blank.

CONTENTS

ITEM 3,
ON AN ATTACHED SHEET, BRIEFLY DESCRIBE ALL SOURCE WATER USED TO
GENERATE WASTE STREAMS. ALSO DESCRIBE CONCENTRATIONS MEASURED,
ANALYTICAL METHODS, AND DETECTION LIMITS. EXPLAIN INSTANCES
WHERE CONSTITUENT LEVELS EXCEED GROUNDWATER CRITERIA. C-1

4.0 SOURCE WATER DESCRIPTIONS C-1
     4.1 Raw Water from the Columbia River C-1
     4.2 Potable Water from the Columbia River C-1
     4.3 Potable Water from Groundwater (Well Water) C-1
     4.4 Demineralized water C-2

5.0 ANALYTICAL RESULTS C-2
     5.1 Columbia River Raw Water Data C-3
     5.2 Columbia River Potable Water Data C-4
     5.3 400 Area Potable Water Data C-4
     5.4 400 Area Raw Water Data C-5

ITEM 4,
PROVIDE ADDITIONAL PROCESS KNOWLEDGE THAT COULD EFFECT
CONSTITUENT CONCENTRATIONS. C-25

6.0 ADDITIONAL PROCESS KNOWLEDGE C-25

TABLES

Table 5-1. Columbia River Raw Water Data Summary Table C-6
 Table 5-2. Columbia River Potable Water Data Summary Table C-11
 Table 5-3. 400 Area Potable Water Data Summary Table. C-16
 Table 5-4. 400 Area Raw Water Data Summary Table C-21
 Table 6-1. Examples of Processes Effecting Constituent Concentrations C-25

1
2
3
4
5
6

This page intentionally left blank.

ITEM 3.

On an attached sheet, briefly describe all source water used to generate waste streams. Also describe concentrations measured, analytical methods, and detection limits. Explain instances where constituent levels exceed ground water criteria.

4.0 SOURCE WATER DESCRIPTIONS

There are four types of source water possible for waste streams on the Hanford Site. These types include raw water from the Columbia River, potable water from the Columbia River and from groundwater, and demineralized water. These source water types are described below.

4.1 Raw Water from the Columbia River

Raw water from the Columbia River is pumped from the 100-B, 100-D, 100-K or 300 Areas. This water has been filtered through a coarse screen but has not been treated. Data for the raw water from the Columbia River is provided in Table 5-1.

4.2 Potable Water from the Columbia River

Raw water from the Columbia River is converted into potable water through conventional water treatment facilities. Conventional water treatment facilities are located in the 100-N, 200, and 300 Areas as well as in the City of Richland. Data for potable water from the Columbia River is provided in Table 5-2.

4.3 Potable Water from Groundwater (Well Water)

Groundwater is used as a source water in the 400 Area, the Patrol Training Academy, the Yakima Barricade and the areas supplied by the Richland Municipal System. In the 400 Area, three deep wells (one lead and two backup) supply water to three storage tanks. Prior to entering the storage tanks the water is chlorinated with a 12.5% sodium hypochlorite solution. Sodium hypochlorite is used to maintain the chlorine concentration in the water system between 0.4 and 1.0 parts per million. Storage tank water is used as supply water for sanitary water pumps that pump the water throughout the 400 Area for domestic and process use. Data for 400 Area raw groundwater and potable groundwater are provided in Tables 5-3 and 5-4 respectively.

The City of Richland uses groundwater as a source approximately 30% of the time. Chlorine is added to the water before the water enters the distribution system. No data is provided on this source water because this water is used throughout the city of Richland.

4.4 Demineralized water

Demineralized water is generated by filtration followed by a mixed bed ion exchange. The filter is used to remove particulates from the water. An activated carbon filter may also be used, which would remove any organic constituents from the water. An ion exchange column is used as a final step to remove contaminants in solution. The resin for the ion exchange column is selected based on the contaminant which is to be removed. Demineralized water is used to verify that the discharge pumps are working correctly. Because demineralized water is treated potable water, no data is provided for this source water.

5.0 ANALYTICAL RESULTS

The data presented and discussed in the following sections were derived from the Hanford Site's Liquid Effluent Monitoring Information System (LEMIS). LEMIS is a database operated by DOE-RL which contains data in accordance with sampling and analysis plans on numerous streams. The applicable LEMIS data obtained from samples taken between 1992-1994 were compared to WAC 173-200 GWQC in a series of tables. The analytical results for raw water from the Columbia River, potable water, groundwater from the 400 Area and potable water derived from groundwater in the 400 Area are summarized in Tables 5-1, 5-2, 5-3, and 5-4, respectively. Additional supporting data are provided as Attachments 1 through 4. The supporting data includes the original data from LEMIS sorted by water type and includes all analytes sampled, methods, qualifiers and results.

The analytical summary Tables 5-1 through 5-4 are formatted to present the following information:

• Analyte	• Analytical method
• Units	• WAC 173-200 GWQC
• PQL	• Average concentration

Analytes are presented in Tables 5-1 through 5-4 in the same order as the WAC 173-200 GWQC. Data are presented for analytes that correspond with the GWQC. If more than one analytical method was used to analyze samples for a particular analyte, each of these methods is reported and the results were averaged. Particular analytes have been combined in the summary tables to allow comparison to the WAC 173-200 GWQC as discussed in the table footnotes.

To eliminate reporting a range of detection limits recorded over the span of the analyses, the practical quantitation limits (PQLs) are provided in the tables for the WAC 173-200 GWQC. PQLs were obtained from previously approved permits and from the document titled "Guidance on Sampling and Data Analysis Methods" (Ecology, 1995). If more than one method was used, both PQLs are provided in the table. PQLs are "NA" or

not available if the analyte and the applicable method were not in the "Guidance on Sampling and Data Analysis Methods" document or previous permits.

A description of the qualifiers is provided in the *Data Validation Procedures for Chemical Analyses* (WHC 1993). The average concentrations found in the summary tables are based on the total data set with the exception of samples qualified with an 'R', 'W' or for organic data, a 'B'. Attachments 1 through 4 of this permit application provide information on the complete data set. Average concentration values in the summary tables were calculated as follows:

- measurements with a 'U' qualifier were established as zero
- measurements qualified with a 'UJ' equal half of the PQL
- remaining measurements were summed as the value of the reported concentration.

The following sections explain instances where the average concentration exceeds the GWQC for each summary table.

5.1 Columbia River Raw Water Data

The summary of the Columbia River raw water analytical data is presented in Table 5-1. More detailed supporting data is provided in Attachment 1. The analytes where the average concentration exceeded WAC 173-200 GWQC include:

• Aldrin	• Arsenic
• Benzo[A]pyrene	• Bis(2-chloroethyl)ether
• 3,3-Dichlorobenzidine	• 1,3-Dichloropropene
• 3,3-Dimethylbenzidine	• 2,4-Dinitrotoluene
• 2,6-Dinitrotoluene	• Heptachlor Epoxide
• Hexachlorobenzene	• N-Nitrosodiethylamine
• N-Nitrosodi-n-propylamine	• N-Nitrosopyrrolidine
• N-Nitrosodibutylamine	• PAHs
• PCBs	• o-Toluidine
• Toxaphene	• Vinyl Chloride

Average concentrations of aldrin and arsenic concentrations exceed the WAC 173-200 GWQC of 0.005 ug/L and 0.05 ug/L respectively. The average value of aldrin was 0.01 ug/L. The average arsenic concentration was 4.0 ug/L. The likely source of aldrin and arsenic is the Columbia River.

There are eighteen remaining constituents that exceed the WAC 173-200 GWQC. The majority of these samples were less than detection. However, there were a few samples qualified with 'UJ'. The 'UJ' qualifier indicates an estimated value. These values qualified with 'UJ' were calculated as one half of the PQL in the average. Because the PQL is greater

than the WAC 173-200 GWQC, average values of these constituents are most likely higher than actual values.

5.2 Columbia River Potable Water Data

The summary of the potable water analytical data is presented in Table 5-2 with additional supporting data provided in Attachment 2. The analytes for which the average concentrations exceed the WAC 173-200 GWQC include:

- Aldrin
- Arsenic
- Bis(2-ethylhexyl)phthalate
- Bromodichloromethane
- Chloroform

The average concentration of aldrin (0.017 ug/L) exceeds the WAC 173-200 GWQC of 0.005 ug/L. One measurable sample of aldrin was detected in the Plutonium Finishing Plant sanitary water.

Arsenic was detected in concentrations exceeding WAC 173-200 GWQC of 0.05 ug/L. The average concentration of arsenic is 1.76 ug/L. The likely source of arsenic is the Columbia River.

The average value of bis(2-ethylhexyl)phthalate is 10.69 ug/L. This value exceeded the corresponding WAC 173-200 GWQC of 6 ug/L. Bis(2-ethylhexyl)phthalate is a common contaminant from using plastic pipes to carry potable water.

The average concentration of bromodichloromethane was 1.64 ug/L. This concentration of bromodichloromethane exceeded the corresponding WAC 173-200 GWQC of 0.3 ug/L. The average concentration of chloroform detected is 37.21 ug/L, which exceeds the WAC 173-200 GWQC of 7 ug/L. Bromodichloromethane and chloroform are residual by-products of chlorinating the Columbia River water.

5.3 400 Area Potable Water Data

The summary of the 400 Area potable water analytical data is presented in Table 5-3. Additional supporting data is provided in Attachment 3. The analytes for which the average concentrations exceed WAC 173-200 GWQC include:

- Arsenic
- Bromodichloromethane

Arsenic was detected in three of four samples in concentrations exceeding WAC 173-200 GWQC. The average concentration of arsenic is 2.03 ug/L which exceeds the GWQC of 0.05 ug/L. The potential source of arsenic is the soil and/or the Columbia River.

1   The average concentration of bromodichloromethane was 0.75 ug/L, which is greater
2 than the WAC 173-200 GWQC (0.3 ug/L) and less than the PQL of 5 ug/L.
3 Bromodichloromethane is a known residual by-product of chlorination.
4

5   5.4 400 Area Raw Water Data

6
7   The summary of the 400 Area raw water analytical data is presented in Table 5-4.
8 Additional supporting data is provided in Attachment 4. For the one sample that was
9 analyzed, the analytes exceeding WAC 173-200 GWQC include:

- 10   •   pH   •   Coliform Total and Fecal
- 11   •   Arsenic
- 12
- 13

14   The one sample indicated a pH value of 8.7 which exceeds the range of acceptable pH
15 values defined by the WAC 173-200 GWQC (6.5-8.5). The pH value may be a result of
16 natural fluctuation in alkalinity.
17

18   One sample taken from the 400 Area raw water indicated a coliform total and fecal
19 value of 22. Coliform total and fecal contamination may result from the nearby sanitary
20 sewer system in the 400 Area.
21

22   Arsenic was detected at a concentration of 2.0 ug/L. This concentration exceeds the
23 WAC 173-200 GWQC of 0.05 ug/L.

Table 5-1. Columbia River Raw Water Data Summary Table

Analyte	Analytical Method	Units	WAC 173-200 Groundwater Quality Criteria	PQL ¹	Average Concentration
Primary Contaminants					
BARIUM	SW-846 6010	UG/L	1,000	NA	29.36
CADMIUM	SW-846 6010	UG/L	10	40	3.82
CHROMIUM	SW-846 6010	UG/L	50	NA	4.96
LEAD	SW-846 6010, 7421	UG/L	50	420, 10	5.96
MERCURY	SW-846 7470	UG/L	2	2	0.48
SELENIUM	SW-846 6010, 7740	UG/L	10	750, 20	3.4
SILVER	SW-846 6010	UG/L	50	70	17.38
FLUORIDE	EPA-600 300.0	MG/L	4	NA	0.11
NITRATE (AS N) ²	EPA-600, 300.0, 350.1, 350.3	MG/L	10	0.1	0.035
ENDRIN	SW-846 8080	UG/L	0.2	0.06	0.01
METHOXYCHLOR	SW-846 8080	UG/L	100	2	0.41
1,1,1-TRICHLOROETHANE	SW-846 8240	UG/L	200	5	0.22
2,4-D	SW-846 8150	UG/L	100	NA	ND
2,4,5-TP (SILVEX)	SW-846 8150	UG/L	10	2	0.41
COLIFORM TOTAL AND FECAL	SW-846 9131	TCOL	1/100	NA	ND
Secondary Contaminants					
COPPER	SW-846 6010	UG/L	1,000	60	15.87
IRON	SW-846 6010	UG/L	300	100	45.35
MANGANESE	SW-846 6010	UG/L	50	50	3.94
ZINC	SW-846 6010	UG/L	5,000	20	15.32
CHLORIDE	EPA-600 300.0	MG/L	250	1	1.06
SULFATE	EPA-600 300.0, 375.4	MG/L	250	10	9.72

Table 5-1. Columbia River Raw Water Data Summary Table

Analyte	Analytical Method	Units	WAC 173-200 Groundwater Quality Criteria	PQL ¹	Average Concentration
TOTAL DISSOLVED SOLIDS	EPA-600 160.1	MG/L	500	10	90.23
PH MEASUREMENT	SW-846 9040	PH	6.5-8.5	NA	8.26
Radionuclides					
TRITIUM	EP-20, TRITIUM	PCI/L	20,000	NA	ND
STRONTIUM-90	SR-89/90	PCI/L	8	NA	ND
TOTAL RADIUM	RADIUM TOTAL, EA-34	PCI/L	5	5	0.73
RADIUM-226	RC-30, GAMMA SCAN	PCI/L	3	1	0.50
Carcinogens					
ACRYLONITRILE	SW-846 8240	UG/L	0.07	NA	ND
ALDRIN	SW-846 8080	UG/L	0.005	0.04	0.01
ANILINE	SW-846 8270	UG/L	14	10	1.0
ARAMITE	SW-846 8270	UG/L	3	20	2.26
ARSENIC	SW-846 6010, 7060	UG/L	0.05	530, 15	4.0
BENZENE	SW-846 8240	UG/L	1	5	0.22
BENZIDINE	SW-846 8270	UG/L	0.0004	NA	ND
BENZO[A]PYRENE	SW-846 8270, 8310	UG/L	0.008	10, 0.2	0.94
BIS(2-CHLOROETHYL) ETHER	SW-846 8270	UG/L	0.07	10	0.97
BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	UG/L	6	10	4.30
BROMODICHLOROMETHANE	SW-846 8240	UG/L	0.3	5	0.28
BROMOFORM	SW-846 8240	UG/L	5	5	0.22
CARBAZOLE	SW-846 8270	UG/L	5	10	0.97
CARBON TETRACHLORIDE	SW-846 8240	UG/L	0.3	5	0.22
CHLORDANE	SW-846 8080	UG/L	0.06	0.14	0.03

Table 5-1. Columbia River Raw Water Data Summary Table

Analyte	Analytical Method	Units	WAC 173-200 Groundwater Quality Criteria	PQL ¹	Average Concentration
CHLOROFORM	SW-846 8240	UG/L	7	5	1.28
CHLORTHALONIL	SW-846 8080	UG/L	30	NA	ND
DIALATE (CIS OR TRANS)	SW-846 8270	UG/L	1	NA	ND
DDT ³	SW-846 8080	UG/L	0.3	NA	ND
1,2-DIBROMOETHANE	SW-846 8240	UG/L	0.001	NA	ND
1,4-DICHLOROENZENE	SW-846 8270	UG/L	4	10	1.13
3-3-DICHLOROENZIDINE	SW-846 8270	UG/L	0.2	20	1.94
1,1-DICHLOROETHANE	SW-846 8240	UG/L	1	5	0.22
1,2-DICHLOROETHANE	SW-846 8240	UG/L	0.5	5	0.22
1,2-DICHLOROPROPANE	SW-846 8240	UG/L	0.6	5	0.22
1,3-DICHLOROPROPENE ⁴	SW-846 8240	UG/L	0.2	NA	0.44
DICHLOROVOS	SW-846 8140	UG/L	0.3	NA	0.03
DIELDRIN	SW-846 8080	UG/L	0.005	0.02	0.003
3-3-DIMETHYLBENZIDINE	SW-846 8270	UG/L	0.007	10	1.0
2,4-DINITROTOLUENE	SW-846 8270	UG/L	0.1	10	0.97
2,6-DINITROTOLUENE	SW-846 8270	UG/L	0.1	10	0.97
1,4-DIOXANE	SW-846 8240	UG/L	7	10	0.48
EPICHLOROHYDRIN	SW-846 8240	UG/L	8	NA	ND
ETHYLACRYLATE	SW-846 8240	UG/L	2	NA	ND
1,2-DIBROMOETHANE	SW-846 8240	UG/L	0.001	NA	ND
FOLPET	SW-846 8080	UG/L	20	NA	ND
HEPTACHLOR	SW-846 8080	UG/L	0.02	0.03	0.004
HEPTACHLOR EPOXIDE	SW-846 8080	UG/L	0.009	0.8	0.12
HEXACHLOROENZENE	SW-846 8270	UG/L	0.05	10	0.97
HEXACHLOROHEXANE ⁵ (TECHNICAL)	SW-846 8080	UG/L	0.05	NA	0.006
LINDANE	SW-846 8080	UG/L	0.06	0.04	ND
METHYLENE CHLORIDE	SW-846 8240	UG/L	5	5	0.67

Table 5-1. Columbia River Raw Water Data Summary Table

Analyte	Analytical Method	Units	WAC 173-200 Groundwater Quality Criteria	PQL ¹	Average Concentration
MIREX	SW-846 8080	UG/L	0.05	NA	ND
N-NITROSODIETHYLAMINE	SW-846 8270	UG/L	0.0005	20	2.0
N-NITROSODIMETHYLAMINE	SW-846 8270	UG/L	0.002	NA	ND
N-NITROSODIPHYENYLAMINE	SW-846 8270	UG/L	17	10	0.97
N-NITROSODI-N-PROPYLAMINE	SW-846 8270	UG/L	0.01	10	0.97
N-NITROSOPYRROLIDINE	SW-846 8270	UG/L	0.04	40	4.0
N-NITROSODIBUTYLAMINE	SW-846 8270	UG/L	0.02	10	1.0
PAHs ⁶	SW-846 8270, 8310	UG/L	0.01	NA	16
PBBS	SW-846 8080	UG/L	0.01	NA	ND
PCBs ⁷	SW-846 8080	UG/L	0.01	NA	1.3
O-PHENYLENEDIAMINE	SW-846 8270	UG/L	0.005	NA	ND
O-TOLUIDINE	SW-846 8270	UG/L	0.2	10	1.0
TOXAPHENE	SW-846 8080	UG/L	0.08	2	0.64
2,4,6-TRICHLOROPHENOL	SW-846 8270	UG/L	4	10	0.97
VINYL CHLORIDE	SW-846 8240	UG/L	0.02	10	0.44

NA = Not Available

ND = Not Detected

1. PQLs were obtained from a document titled "Guidance on Sampling and Data Analysis Methods" Issued by the Washington State Department of Ecology Toxic Cleanup Program, January 1995 and approved WAC 173-216 Permits. In instances where there were two methods used and two applicable PQLs, both PQLs are listed in the table. For detailed information refer to the supporting data attached. "NA" indicated the method used to obtain the data did not match any of the methods in the document or permits, therefore, an applicable PQL value was not available.
2. NITRATE (AS N) is a summation of AMMONIA (AS N) and NITRATE AND NITRITE (AS N).
3. DDT (INCLUDES DDD AND DDE) is a summation of 4,4'-DDD, 4,4'-DDE and 4,4'-DDT.
4. 1,3-DICHLOROPROPENE (CIS & TRANS) is a summation of CIS-1,3-DICHLOROPROPENE and TRANS-1,3-DICHLOROPROPENE.
5. HEXACHLOROHEXANE (TECHNICAL) is the summation of the alpha, beta, gamma and delta forms of BHC.

6. PAH's is a summation of 1,4-NAPHTHOQUINONE, 2-CHLORONAPHTHALENE, 2-METHYLNAPHTHALENE, 2-NAPHTHYLAMINE, 3-METHYLCHOLANTHRENE, 7,12-DIMETHYLBENZ[A]ANTHRACENE, ACENAPHTHENE, ACENAPHTHYLENE, ANTHRACENE, BENZO[A]ANTHRACENE, BENZO[A]PYRENE, BENZO[B]FLUORANTHENE, BENZO[G,H,I]PERYLENE, BENZO[K]FLUORANTHENE, CHRYSENE, DIBENZO[A,H]ANTHRACENE, FLUORANTHENE, INDENO[1,2,3-CD]PYRENE, PHENANTHRENE, PYRENE, PYRIDINE.
7. PCB's (AROCHLOR SPECIES) is a summation of AROCHLOR 1016, AROCHLOR 1221, AROCHLOR 1232, AROCHLOR 1242, AROCHLOR 1248, AROCHLOR 1254, AROCHLOR 1260.

Table 5-2. Columbia River Potable Water Data Summary Table

Analyte	Analytical Method	Units	WAC 173-200 Groundwater Quality Criteria	PQL ¹	Average Concentration
Primary Contaminants					
BARIUM	SW-846 6010	UG/L	1,000	NA	28.88
CADMIUM	SW-846 6010	UG/L	10	40	1.89
CHROMIUM	SW-846 6010	UG/L	50	NA	6.13
LEAD	SW-846-6010 SW-846 7421	UG/L	50	420, 10	2.92
MERCURY	SW-846 7470	UG/L	2	2	0.10
SELENIUM	SW-846-6010 SW-846 7740	UG/L	10	750, 20	2.16
SILVER	SW-846 6010	UG/L	50	70	4.10
FLUORIDE	EPA-600 300.0	MG/L	4	NA	0.08
NITRATE (AS N) ²	EPA-600 300.0, 350.1, 350.2, 350.3	MG/L	10	0.1	0.03
ENDRIN	SW-846 8080	UG/L	0.2	0.06	ND
METHOXYCHLOR	SW-846 8080	UG/L	100	2	ND
1,1,1-TRICHLOROETHANE	SW-846 8240	UG/L	200	5	ND
2,4-D	SW-846 8150	UG/L	100	NA	0.067
2,4,5-TP (SILVEX)	SW-846 8150	UG/L	10	2	0.03
Secondary Contaminants					
COPPER	SW-846 6010	UG/L	1,000	60	6.64
IRON	SW-846 6010	UG/L	300	100	66.60
MANGANESE	SW-846 6010	UG/L	50	50	4.83
ZINC	SW-846 6010	UG/L	5,000	20	47.3
CHLORIDE	EPA-600 300.0	MG/L	250	1	3.54
SULFATE	EPA-600 300.0, 375.4	MG/L	250	10	17.6
TOTAL DISSOLVED SOLIDS	EPA-600 160.1	MG/L	500	10	90
PH MEASUREMENT	SW-846 9040	PH	6.5-8.5	NA	7.47

Table 5-2. Columbia River Potable Water Data Summary Table

Analyte	Analytical Method	Units	WAC 173-260 Groundwater Quality Criteria	PQL ¹	Average Concentration
Radionuclides					
TRITIUM	TRITIUM	PCI/L	20,000	NA	ND
STRONTIUM-90	SR-89/90	PCI/L	8	NA	ND
STRONTIUM-90	STRONTIUM-90	PCI/L	8	NA	ND
TOTAL RADIUM	RADIUM TOTAL	PCI/L	5	5	ND
RADIUM-226	GAMMA SCAN	PCI/L	3	1	ND
Carcinogens					
ACRYLONITRILE	SW-846 8240	UG/L	0.07	NA	ND
ALDRIN	SW-846 8080	UG/L	0.005	0.04	0.017
ANILINE	SW-846 8270	UG/L	14	10	ND
ARAMITE	SW-846 8270	UG/L	3	20	ND
ARSENIC	SW-846-6010 SW-846 7060	UG/L	0.05	530, 15	1.76
BENZENE	SW-846 8240	UG/L	1	5	0.07
BENZIDINE	SW-846 8270	UG/L	0.0004	NA	ND
BENZO[A]PYRENE	SW-846 8270	UG/L	0.008	10	ND
BIS(2-CHLOROETHYL) ETHER	SW-846 8270	UG/L	0.07	10	ND
BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	UG/L	6	10	10.69
BROMODICHLOROMETHANE	SW-846 8240	UG/L	0.3	5	1.64
BROMOFORM	SW-846 8240	UG/L	5	5	ND
CARBAZOLE	SW-846 8270	UG/L	5	10	ND
CARBON TETRACHLORIDE	SW-846 8240	UG/L	0.3	5	ND
CHLORDANE	SW-846 8080	UG/L	0.06	0.14	ND
CHLOROFORM	SW-846 8240	UG/L	7	5	37.21
CHLORTHALONIL	SW-846 8080	UG/L	30	NA	ND
DIALATE (CIS OR TRANS)	SW-846 8270	UG/L	1	NA	ND

Table 5-2. Columbia River Potable Water Data Summary Table

Analyte	Analytical Method	Units	WAC 173-200 Groundwater Quality Criteria	PQL ¹	Average Concentration
DDT ³	SW-846 8080	UG/L	0.3	NA	ND
1,2-DIBROMOETHANE	SW-846 8240	UG/L	0.001	NA	ND
1,4-DICHLOROBENZENE	SW-846 8270	UG/L	4	10	ND
3-3-DICHLOROBENZIDINE	SW-846 8270	UG/L	0.2	20	ND
1,1-DICHLOROETHANE	SW-846 8240	UG/L	1	5	ND
1,2-DICHLOROETHANE	SW-846 8240	UG/L	0.5	5	ND
1,2-DICHLOROPROPANE	SW-846 8240	UG/L	0.6	5	ND
1,3-DICHLOROPROPENE ⁴	SW-846 8240	UG/L	0.2	NA	ND
DICHLOROVOS	SW-846 8140	UG/L	0.3	NA	ND
DIELDRIN	SW-846 8080	UG/L	0.005	0.02	ND
3-3-DIMETHYLBENZIDINE	SW-846 8270	UG/L	0.007	10	ND
2,4-DINITROTOLUENE	SW-846 8270	UG/L	0.1	10	ND
2,6-DINITROTOLUENE	SW-846 8270	UG/L	0.1	10	ND
1,4-DIOXANE	SW-846 8240	UG/L	7	10	ND
EPICHLOROHYDRIN	SW-846 8240	UG/L	8	NA	ND
ETHYLACRYLATE	SW-846 8240	UG/L	2	NA	ND
DIBROMOETHANE	SW-846 8240	UG/L	0.001	NA	ND
FOLPET	SW-846 8080	UG/L	20	NA	ND
HEPTACHLOR	SW-846 8080	UG/L	0.02	0.03	ND
HEPTACHLOR EPOXIDE	SW-846 8080	UG/L	0.009	0.8	ND
HEXACHLOROBENZENE	SW-846 8270	UG/L	0.05	10	ND
HEXACHLOROHEXANE ⁵ (TECHNICAL)	SW-846 8080	UG/L	0.05	NA	ND
LINDANE	SW-846 8080	UG/L	0.06	0.04	ND
METHYLENE CHLORIDE	SW-846 8240	UG/L	5	5	0.54
MIREX	SW-846 8080	UG/L	0.05	NA	ND
N-NITROSODIETHYLAMINE	SW-846 8270	UG/L	0.0005	20	ND
N-NITROSODIMETHYLAMINE	SW-846 8270	UG/L	0.002	NA	ND

Table 5-2. Columbia River Potable Water Data Summary Table

Analyte	Analytical Method	Units	WAC 173-200 Groundwater Quality Criteria	PQL ¹	Average Concentration
N-NITROSODIPHYENYLAMINE	SW-846 8270	UG/L	17	10	ND
N-NITROSODI-N-PROPYLAMINE	SW-846 8270	UG/L	0.01	10	ND
N-NITROSOPYRROLIDINE	SW-846 8270	UG/L	0.04	40	ND
N-NITROSODIBUTYLAMINE	SW-846 8270	UG/L	0.02	10	ND
PAH ⁶	SW-846 8270	UG/L	0.01	NA	ND
PBBS	SW-846 8080	UG/L	0.01	NA	ND
PCBs ⁷	SW-846 8080	UG/L	0.01	NA	ND
1,4-PHENYLENEDIAMINE	SW-846 8270	UG/L	0.005	NA	ND
O-TOLUIDINE	SW-846 8270	UG/L	0.2	10	ND
TOXAPHENE	SW-846 8080	UG/L	0.08	2	ND
2,4,6-TRICHLOROPHENOL	SW-846 8270	UG/L	4	10	ND
VINYL CHLORIDE	SW-846 8240	UG/L	0.02	10	ND

NA = Not Available

ND = Not Detected

1. PQLs were obtained from a document titled "Guidance on Sampling and Data Analysis Methods" Issued by the Washington State Department of Ecology Toxic Cleanup Program, January 1995 and approved WAC 173-216 Permits. In instances where there were two methods used and two applicable PQLs, both PQLs are listed in the table. For detailed information refer to the supporting data attached. "NA" indicated the method used to obtain the data did not match any of the methods in the document or permits, therefore, an applicable PQL value was not available.
2. NITRATE (AS N) is a summation of AMMONIA (AS N) and NITRATE AND NITRITE (AS N).
3. DDT (INCLUDES DDD AND DDE) is a summation of 4,4'-DDD, 4,4'-DDE and 4,4'-DDT.
4. 1,3-DICHLOROPROPENE (CIS & TRANS) is a summation of CIS-1,3-DICHLOROPROPENE and TRANS-1,3-DICHLOROPROPENE.
5. HEXACHLOROHEXANE (TECHNICAL) is the summation of the alpha, beta, gamma and delta forms of BHC.
6. PAH's is a summation of 1,4-NAPHTHOQUINONE, 2-CHLORONAPHTHALENE, 2-METHYLNAPHTHALENE, 2-NAPHTHYLAMINE, 3-METHYLCHOLANTHRENE, 7,12-DIMETHYLBENZ[A]ANTHRACENE, ACENAPHTHENE, ACENAPHTHYLENE, ANTHRACENE, BENZO[A]ANTHRACENE, BENZO[A]PYRENE, BENZO[B]FLUORANTHENE, BENZO[G,H,I]PERYLENE, BENZO[K]FLUORANTHENE, CHRYSENE, DIBENZO[A,H]ANTHRACENE, FLUORANTHENE, INDENO[1,2,3-CD]PYRENE, PHENANTHRENE, PYRENE, PYRIDINE.

7. PCB's (AROCHLOR SPECIES) is a summation of AROCHLOR 1016, AROCHLOR 1221, AROCHLOR 1232, AROCHLOR 1242, AROCHLOR 1248, AROCHLOR 1254, AROCHLOR 1260.

Table 5-3. 400 Area Potable Water Data Summary Table

Analyte	Analytical Method	Units	WAC 173-280 Groundwater Quality Criteria	PQL ¹	Average Concentration
Primary Contaminants					
BARIUM	SW-846 6010	UG/L	1,000	NA	18.68
CADMIUM	SW-846 6010	UG/L	10	40	3.48
CHROMIUM	SW-846 6010	UG/L	50	NA	5.28
LEAD	SW-846 7421	UG/L	50	10	2.37
MERCURY	SW-846 7470	UG/L	2	2	0.1
SELENIUM	SW-846 7740	UG/L	10	20	2.15
SILVER	SW-846 6010	UG/L	50	70	5.93
FLUORIDE	EPA-600 300.0	MG/L	4	NA	0.18
NITRATE (AS N) ²	EPA-600, 300.0, 350.1, 350.3	MG/L	10	0.1	ND
ENDRIN	SW-846 8080	UG/L	0.2	0.06	ND
METHOXYCHLOR	SW-846 8080	UG/L	100	2	ND
1,1,1-TRICHLOROETHANE	SW-846 8240	UG/L	200	5	ND
2,4-D	SW-846 8150	UG/L	100	NA	ND
2,4,5-TP (SILVEX)	SW-846 8150	UG/L	10	2	ND
TOTAL COLIFORM BACTERIA	SM9221	TCOL	1/100	NA	ND
Secondary Contaminants					
COPPER	SW-846 6010	UG/L	1,000	60	6.3
IRON	SW-846 6010	UG/L	300	100	45.63
MANGANESE	SW-846 6010	UG/L	50	50	19.2
ZINC	SW-846 6010	UG/L	5,000	20	18.73
CHLORIDE	EPA-600 300.0	MG/L	250	1	11.45
SULFATE	EPA-600 300.0	MG/L	250	10	35.78
TOTAL DISSOLVED SOLIDS	EPA-600 160.1	MG/L	500	10	245

Table 5-3. 400 Area Potable Water Data Summary Table

Analyte	Analytical Method	Units	WAC 173-200 Groundwater Quality Criteria	PQL ¹	Average Concentration
PH MEASUREMENT	SW-846 9040	PH	6.5-8.5	NA	8.1
Radionuclides					
TRITIUM	TRITIUM	PCI/L	20,000	NA	6,728
STRONTIUM-90	SR-89/90	PCI/L	8	NA	ND
STRONTIUM-90	STRONTIUM-90	PCI/L	8	NA	ND
TOTAL RADIUM	RADIUM TOTAL	PCI/L	5	5	ND
RADIUM-226	RADIUM TOTAL	PCI/L	3	1	ND
Carcinogens					
ACRYLONITRILE	SW-846 8240	UG/L	0.07	NA	ND
ALDRIN	SW-846 8080	UG/L	0.005	0.04	ND
ANILINE	SW-846 8270	UG/L	14	10	ND
ARAMITE	SW-846 8270	UG/L	3	20	ND
ARSENIC	SW-846 7060	UG/L	0.05	15	2.03
BENZENE	SW-846 8240	UG/L	1	5	ND
BENZIDINE	SW-846 8270	UG/L	0.0004	NA	ND
BENZO[A]PYRENE	SW-846 8270	UG/L	0.008	10	ND
BIS(2-CHLOROETHYL) ETHER	SW-846 8270	UG/L	0.07	10	ND
BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	UG/L	6	10	ND
BROMODICHLOROMETHANE	SW-846 8240	UG/L	0.3	5	0.75
BROMOFORM	SW-846 8240	UG/L	5	5	0.75
CARBAZOLE	SW-846 8270	UG/L	5	10	ND
CARBON TETRACHLORIDE	SW-846 8240	UG/L	0.3	5	ND
CHLORDANE	SW-846 8080	UG/L	0.06	0.14	ND
CHLOROFORM	SW-846 8240	UG/L	7	5	ND
CHLORTHALONIL	SW-846 8080	UG/L	30	NA	ND

Table 5-3. 400 Area Potable Water Data Summary Table

Analyte	Analytical Method	Units	WAC 173-200 Groundwater Quality Criteria	PQL ¹	Average Concentration
DIALATE (CIS OR TRANS)	SW-846 8270	UG/L	1	NA	ND
DDT ³	SW-846 8080	UG/L	0.3	NA	ND
1,2-DIBROMOETHANE	SW-846 8240	UG/L	0.001	NA	ND
1,4-DICHLOROBENZENE	SW-846 8270	UG/L	4	10	ND
3,3-DICHLOROBENZIDINE	SW-846 8270	UG/L	0.2	20	ND
1,1-DICHLOROETHANE	SW-846 8240	UG/L	1	5	ND
1,2-DICHLOROETHANE	SW-846 8240	UG/L	0.5	5	ND
1,2-DICHLOROPROPANE	SW-846 8240	UG/L	0.6	5	ND
1,3-DICHLOROPROPENE ⁴	SW-846 8240	UG/L	0.2	NA	ND
DICHLOROVOS	SW-846 8140	UG/L	0.3	NA	ND
DIELDRIN	SW-846 8080	UG/L	0.005	0.02	ND
3,3-DIMETHYLBENZIDINE	SW-846 8270	UG/L	0.007	10	ND
2,4-DINITROTOLUENE	SW-846 8270	UG/L	0.1	10	ND
2,6-DINITROTOLUENE	SW-846 8270	UG/L	0.1	10	ND
1,4-DIOXANE	SW-846 8240	UG/L	7	10	ND
EPICHLOROHYDRIN	SW-846 8240	UG/L	8	NA	ND
ETHYLACRYLATE	SW-846 8240	UG/L	2	NA	ND
DIBROMOETHANE	SW-846 8240	UG/L	0.001	NA	ND
FOLPET	SW-846 8080	UG/L	20	NA	ND
HEPTACHLOR	SW-846 8080	UG/L	0.02	0.03	ND
HEPTACHLOR EPOXIDE	SW-846 8080	UG/L	0.009	0.8	ND
HEXACHLOROBENZENE	SW-846 8270	UG/L	0.05	10	ND
HEXACHLOROCYCLOHEXANE (ALPHA)	SW-846 8080	UG/L	0.001	0.03	ND
HEXACHLOROCYCLO-HEXANE (TECHNICAL) ⁵	SW-846 8080	UG/L	0.05	NA	ND
LINDANE	SW-846 8080	UG/L	0.06	0.04	ND
METHYLENE CHLORIDE	SW-846 8240	UG/L	5	5	ND

Table 5-3. 400 Area Potable Water Data Summary Table

Analyte	Analytical Method	Units	WAC 173-200 Groundwater Quality Criteria	PQL ¹	Average Concentration
MIREX	SW-846 8080	UG/L	0.05	NA	ND
N-NITROSODIETHYLAMINE	SW-846 8270	UG/L	0.0005	20	ND
N-NITROSODIMETHYLAMINE	SW-846 8270	UG/L	0.002	NA	ND
N-NITROSODIPHYENYLAMINE	SW-846 8270	UG/L	17	10	ND
N-NITROSODI-N-PROPYLAMINE	SW-846 8270	UG/L	0.01	10	ND
N-NITROSOPYRROLIDINE	SW-846 8270	UG/L	0.04	40	ND
N-NITROSODIBUTYLAMINE	SW-846 8270	UG/L	0.02	10	ND
PAH ⁶	SW-846 8270	UG/L	0.01	NA	ND
PBBS	SW-846 8080	UG/L	0.01	NA	ND
PCBs ⁷	SW-846 8080	UG/L	0.01	NA	ND
O-TOLUIDINE	SW-846 8270	UG/L	0.2	10	ND
TOXAPHENE	SW-846 8080	UG/L	0.08	2	ND
2,4,6-TRICHLOROPHENOL	SW-846 8270	UG/L	4	10	ND
VINYL CHLORIDE	SW-846 8240	UG/L	0.02	10	ND

NA = Not Available

ND = Not Detected

1. PQLs were obtained from a document titled "Guidance on Sampling and Data Analysis Methods" Issued by the Washington State Department of Ecology Toxic Cleanup Program, January 1995 and approved WAC 173-216 Permits. In instances where there were two methods used and two applicable PQLs, both PQLs are listed in the table. For detailed information refer to the supporting data attached. "NA" indicated the method used to obtain the data did not match any of the methods in the document or permits, therefore, an applicable PQL value was not available.
2. NITRATE (AS N) is a summation of AMMONIA (AS N) and NITRATE AND NITRITE (AS N).
3. DDT (INCLUDES DDD AND DDE) is a summation of 4,4'-DDD, 4,4'-DDE and 4,4'-DDT.
4. 1,3-DICHLOROPROPENE (CIS & TRANS) is a summation of CIS-1,3-DICHLOROPROPENE and TRANS-1,3-DICHLOROPROPENE.
5. HEXACHLOROCYCLOHEXANE (TECHNICAL) is the summation of the alpha, beta, gamma and delta forms of BHC.
6. PAH's is a summation of 1,4-NAPHTHOQUINONE, 2-CHLORONAPHTHALENE, 2-METHYLNAPHTHALENE, 2-NAPHTHYLAMINE, 3-METHYLCHOLANTHRENE, 7,12-DIMETHYLBENZ[A]ANTHRACENE, ACENAPHTHENE, ACENAPHTHYLENE, ANTHRACENE, BENZO[A]ANTHRACENE, BENZO[A]PYRENE, BENZO[B]FLUORANTHENE, BENZO[G,H,I]PERYLENE, BENZO[K]FLUORANTHENE, CHRYSENE,

DIBENZO[A,H]ANTHRACENE, FLUORANTHENE, INDENO[1,2,3-CD]PYRENE, PHENANTHRENE,
PYRENE, PYRIDINE.

7. PCB's (AROCHLOR SPECIES) is a summation of AROCHLOR 1016, AROCHLOR 1221, AROCHLOR 1232,
AROCHLOR 1242, AROCHLOR 1248, AROCHLOR 1254, AROCHLOR 1260.

Table 5-4. 400 Area Raw Water Data Summary Table

Analyte	Analytical Method	Units	WAC 173-200 Groundwater Quality Criteria	PQL ¹	Measured Concentration
Primary Contaminants					
BARIUM	SW-846 6010	UG/L	1,000	NA	28.6
CADMIUM	SW-846 6010	UG/L	10	40	4
CHROMIUM	SW-846 6010	UG/L	50	NA	7
LEAD	SW-846 7421	UG/L	50	10	6
MERCURY	SW-846 7470	UG/L	2	2	0.1
SELENIUM	SW-846 7740	UG/L	10	20	2
SILVER	SW-846 6010	UG/L	50	70	7
FLUORIDE	EPA-600 300.0	MG/L	4	NA	0.5
NITRATE (AS N) ²	EPA-600 350.3, 353.3	MG/L	10	0.10	0.23
ENDRIN	SW-846 8080	UG/L	0.2	0.06	ND
METHOXYCHLOR	SW-846 8080	UG/L	100	2	ND
1,1,1-TRICHLOROETHANE	SW-846 8240	UG/L	200	5	ND
2,4-D	SW-846 8150	UG/L	100	NA	ND
2,4,5-TP (SILVEX)	SW-846 8150	UG/L	10	2	ND
COLIFORM TOTAL AND FECAL	SM9221	TCOL	1/100	NA	22
Secondary Contaminants					
COPPER	SW-846 6010	UG/L	1,000	60	9
IRON	SW-846 6010	UG/L	300	100	28.7
MANGANESE	SW-846 6010	UG/L	50	50	6.6
ZINC	SW-846 6010	UG/L	5,000	20	64
CHLORIDE	EPA-600 300.0	MG/L	250	1	15.5
SULFATE	EPA-600 300.0	MG/L	250	10	47.6
TOTAL DISSOLVED SOLIDS	EPA-600 160.1	MG/L	500	10	333
PH MEASUREMENT	SW-846 9040	PH	6.5-8.5	NA	8.7

Table 5-4. 400 Area Raw Water Data Summary Table

Analyte	Analytical Method	Units	WAC 173-200 Groundwater Quality Criteria	PQL ¹	Measured Concentration
Radionuclides					
TRITIUM	TRITIUM	PCI/L	20,000	NA	7,670
STRONTIUM-90	SR-89/90	PCI/L	8	NA	ND
RADIUM-226	RADIUM TOTAL	PCI/L	3	1	ND
Carcinogens					
ALDRIN	SW-846 8080	UG/L	0.005	0.04	ND
ARSENIC	SW-846 7060	UG/L	0.05	15	2.0
BENZENE	SW-846 8240	UG/L	1	5	ND
BENZO[A]PYRENE	SW-846 8270	UG/L	0.008	10	ND
BIS(2-CHLOROETHYL) ETHER	SW-846 8270	UG/L	0.07	10	ND
BROMODICHLOROMETHANE	SW-846 8240	UG/L	0.3	5	ND
BROMOFORM	SW-846 8240	UG/L	5	5	1
CARBON TETRACHLORIDE	SW-846 8240	UG/L	0.3	5	ND
CHLORDANE	SW-846 8080	UG/L	0.06	0.14	ND
CHLOROFORM	SW-846 8240	UG/L	7	5	ND
DDT ³	SW-846 8080	UG/L	0.3	NA	ND
1,4-DICHLOROBENZENE	SW-846 8270	UG/L	4	10	ND
3-3-DICHLOROBENZIDINE	SW-846 8270	UG/L	0.2	20	ND
1,1-DICHLOROETHANE	SW-846 8240	UG/L	1	5	ND
1,2-DICHLOROETHANE	SW-846 8240	UG/L	0.5	5	ND
1,2-DICHLOROPROPANE	SW-846 8240	UG/L	0.6	5	ND
1,3-DICHLOROPROPENE ⁴	SW-846 8240	UG/L	0.2	NA	ND
DICHLOROVOS	SW-846 8140	UG/L	0.3	NA	ND
DIELDRIN	SW-846 8080	UG/L	0.005	0.02	ND
2,4-DINITROTOLUENE	SW-846 8270	UG/L	0.1	10	ND
2,6-DINITROTOLUENE	SW-846 8270	UG/L	0.1	10	ND
HEPTACHLOR	SW-846 8080	UG/L	0.02	0.03	ND

Table 5-4. 400 Area Raw Water Data Summary Table

Analyte	Analytical Method	Units	WAC 173-200 Groundwater Quality Criteria	PQL ¹	Measured Concentration
HEPTACHLOR EPOXIDE	SW-846 8080	UG/L	0.009	0.8	ND
HEXACHLOROBENZENE	SW-846 8270	UG/L	0.05	10	ND
HEXACHLOROCYCLOHEXANE (ALPHA)	SW-846-8080	UG/L	0.001	0.03	ND
HEXACHLOROCYCLOHEXANE (TECHNICAL) ⁵	SW-846-8080	UG/L	0.05	NA	ND
LINDANE	SW-846 8080	UG/L	0.06	NA	ND
METHYLENE CHLORIDE	SW-846 8240	UG/L	5	5	ND
N-NITROSODIPHYENYLAMINE	SW-846 8270	UG/L	17	10	ND
N-NITROSODI-N-PROPYLAMINE	SW-846 8270	UG/L	0.01	10	ND
PAHs ⁶	SW-846 8270	UG/L	0.01	NA	ND
PCBs ⁷	SW-846 8080	UG/L	0.01	NA	ND
TOXAPHENE	SW-846 8080	UG/L	0.08	2	ND
2,4,6-TRICHLOROPHENOL	SW-846 8270	UG/L	4	10	ND
VINYL CHLORIDE	SW-846 8240	UG/L	0.02	10	ND

NA = Not Available

ND = Not Detected

1. PQLs were obtained from a document titled "Guidance on Sampling and Data Analysis Methods" Issued by the Washington State Department of Ecology Toxic Cleanup Program, January 1995 and approved WAC 173-216 Permits. In instances where there were two methods used and two applicable PQLs, both PQLs are listed in the table. For detailed information refer to the supporting data attached. "NA" indicated the method used to obtain the data did not match any of the methods in the document or permits, therefore, an applicable PQL value was not available.
2. NITRATE (AS N) is a summation of AMMONIA (AS N) and NITRATE AND NITRITE (AS N).
3. DDT (INCLUDES DDD AND DDE) is a summation of 4,4'-DDD, 4,4'-DDE and 4,4'-DDT.
4. 1,3-DICHLOROPROPENE (CIS & TRANS) is a summation of CIS-1,3-DICHLOROPROPENE and TRANS-1,3-DICHLOROPROPENE.
5. HEXACHLOROCYCLOHEXANE (TECHNICAL) is the summation of the alpha, beta, gamma and delta forms of BHC.

6. PAH's is a summation of 1,4-NAPHTHOQUINONE, 2-CHLORONAPHTHALENE, 2-METHYLNAPHTHALENE, 2-NAPHTHYLAMINE, 3-METHYLCHOLANTHRENE, 7,12-DIMETHYLBENZ[A]ANTHRACENE, ACENAPHTHENE, ACENAPHTHYLENE, ANTHRACENE, BENZO[A]ANTHRACENE, BENZO[A]PYRENE, BENZO[B]FLUORANTHENE, BENZO[G,H,I]PERYLENE, BENZO[K]FLUORANTHENE, CHRYSENE, DIBENZO[A,H]ANTHRACENE, FLUORANTHENE, INDENO[1,2,3-CD]PYRENE, PHENANTHRENE, PYRENE, PYRIDINE.
7. PCB's (AROCHLOR SPECIES) is a summation of AROCHLOR 1016, AROCHLOR 1221, AROCHLOR 1232, AROCHLOR 1242, AROCHLOR 1248, AROCHLOR 1254, AROCHLOR 1260.

ITEM 4**Provide additional process knowledge that could effect constituent concentrations.****6.0 ADDITIONAL PROCESS KNOWLEDGE**

Detailed process descriptions and additive information are provided in Section 1.0 through 3.0, Appendix B. Detailed source water descriptions are provided in Section 4.0, Appendix C. Table 6-1 presents examples of how additives described in the process descriptions may effect the constituent concentrations. This table only presents examples. As processes change slightly, additives may also be modified. Also, there may be processes that are similar to the ones described in this permit application, however, additives are slightly different.

Table 6-1. Examples of Processes Effecting Constituent Concentrations

Category	Process	Additives	Potential Effects
Hydrotest	System or Component Testing	Dye	None
	Development Testing	Chloride, Bromide Fluoride or other anions	Concentrations of tracers proportional to amount added
Maintenance	Drainage	Sodium Metabisulfate Propylene Glycol	Insignificant
	Flushing	Chlorine	Chlorine residual may increase; Total suspended solids and Total dissolved solids could increase due to dirt and grit
Construction	Concrete Curing	Curing Agent	Insignificant
	Pressure Washing	Sodium Bicarbonate	Total suspended solids and Total dissolved solids may increase due to dirt, grit and/or surface coatings, Sodium Bicarbonate will increase total alkalinity.

ATTACHMENT 1

This page intentionally left blank.

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 1

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,1,1-TRICHLOROETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	UJ
182-D RESERVOIR	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 2

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	UJ
182-D RESERVOIR	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 3

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
T PLANT	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	1,1,2-TRICHLOROETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,1-DICHLOROETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	UJ
182-D RESERVOIR	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 4

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
T PLANT	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	1,1-DICHLOROETHENE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	UJ
182-D RESERVOIR	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
2724-W LAUNDRY	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
B PLANT	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
B PLANT	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
B PLANT	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
B PLANT	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 5

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
PUREX	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
PUREX	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
T PLANT	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
T PLANT	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
T PLANT	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
T PLANT	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	UJ
PUREX	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
T PLANT	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,2,4,5-TETRACHLORO BENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,2,4-TRICHLORO BENZENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	1,2,4-TRICHLORO BENZENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	1,2,4-TRICHLORO BENZENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	1,2,4-TRICHLORO BENZENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	1,2,4-TRICHLORO BENZENE	SW-846 8270	10.00	UG/L	UJ
PUREX	1,2,4-TRICHLORO BENZENE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	1,2,4-TRICHLORO BENZENE	SW-846 8270	10.00	UG/L	R

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 6

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
T PLANT	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
MISC STREAMS	1,2- DICHLOROETHENE (TOTAL)	SW-846 8240	5.00	UG/L	U
MISC STREAMS	1,2- DICHLOROETHENE (TOTAL)	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	1,2- DICHLOROETHENE (TOTAL)	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	UJ
UO3/U PLANT	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	UJ
UO3/U PLANT	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	UJ
182-D RESERVOIR	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
182-D RESERVOIR	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
182-D RESERVOIR	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
242-A EVAPORATOR	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
242-A EVAPORATOR	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
2724-W LAUNDRY	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 7

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
B PLANT	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
B PLANT	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
B PLANT	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
B PLANT	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
PUREX	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
PUREX	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
PUREX	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
T PLANT	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
T PLANT	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
T PLANT	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
T PLANT	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
UO3/U PLANT	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	UJ
182-D RESERVOIR	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 8

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
PUREX	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
T PLANT	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 9

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,2-DICHLOROETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
PUREX	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
PUREX	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
PUREX	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
T PLANT	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	1,2-DICHLOROPROPANE	SW-846 8240	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 10

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	UJ
PUREX	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	UJ
2724-W LAUNDRY	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	R
182-D RESERVOIR	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
T PLANT	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
PUREX	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 11

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
T PLANT	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	UJ
PUREX	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	UJ
2724-W LAUNDRY	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	R
182-D RESERVOIR	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
T PLANT	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	R

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 12

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
T PLANT	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
PUREX	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
182-D RESERVOIR	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
182-D RESERVOIR	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
242-A EVAPORATOR	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
242-A EVAPORATOR	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
2724-W LAUNDRY	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
282-E RESERVOIR	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
282-E RESERVOIR	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
282-E RESERVOIR	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
282-E RESERVOIR	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
282-E RESERVOIR	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
282-W RESERVOIR	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
282-W RESERVOIR	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
282-W RESERVOIR	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
282-W RESERVOIR	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
282-W RESERVOIR	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
B PLANT	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
B PLANT	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 13

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
B PLANT	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
PUREX	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
PUREX	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
PUREX	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
T PLANT	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
T PLANT	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
T PLANT	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
T PLANT	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
UO3/U PLANT	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
182-D RESERVOIR	1,4-DIOXANE	SW-846 8240	200.00	UG/L	UJ
UO3/U PLANT	1,4-DIOXANE	SW-846 8240	200.00	UG/L	UJ
UO3/U PLANT	1,4-DIOXANE	SW-846 8240	200.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	UJ
PUREX	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	UJ
2724-W LAUNDRY	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
B PLANT	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
B PLANT	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
B PLANT	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
B PLANT	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
PUREX	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
PUREX	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
PUREX	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
T PLANT	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	1,4-PHENYLENEDIAMINE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	1,4-PHENYLENEDIAMINE	SW-846 8270	50.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 14

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	1,4-PHENYLENEDIAMINE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	1,4-PHENYLENEDIAMINE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	1,4-PHENYLENEDIAMINE	SW-846 8270	50.00	UG/L	U
B PLANT	1,4-PHENYLENEDIAMINE	SW-846 8270	50.00	UG/L	U
B PLANT	1,4-PHENYLENEDIAMINE	SW-846 8270	50.00	UG/L	U
PUREX	1,4-PHENYLENEDIAMINE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	1,4-PHENYLENEDIAMINE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
T PLANT	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	UJ
PUREX	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	UJ
PUREX	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	UJ
2724-W LAUNDRY	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	R

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 15

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
T PLANT	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2,4,5-T	SW-846 8150	0.20	UG/L	UJ
242-A EVAPORATOR	2,4,5-T	SW-846 8150	0.20	UG/L	UJ
242-A EVAPORATOR	2,4,5-T	SW-846 8150	0.20	UG/L	UJ
282-E RESERVOIR	2,4,5-T	SW-846 8150	0.20	UG/L	UJ
282-E RESERVOIR	2,4,5-T	SW-846 8150	0.20	UG/L	UJ
282-E RESERVOIR	2,4,5-T	SW-846 8150	0.20	UG/L	UJ
282-W RESERVOIR	2,4,5-T	SW-846 8150	0.20	UG/L	UJ
282-W RESERVOIR	2,4,5-T	SW-846 8150	0.20	UG/L	UJ
282-W RESERVOIR	2,4,5-T	SW-846 8150	0.20	UG/L	UJ
B PLANT	2,4,5-T	SW-846 8150	0.20	UG/L	UJ
B PLANT	2,4,5-T	SW-846 8150	0.20	UG/L	UJ
PUREX	2,4,5-T	SW-846 8150	0.20	UG/L	UJ
UO3/U PLANT	2,4,5-T	SW-846 8150	0.20	UG/L	UJ
UO3/U PLANT	2,4,5-T	SW-846 8150	0.20	UG/L	UJ
UO3/U PLANT	2,4,5-T	SW-846 8150	0.20	UG/L	UJ
UO3/U PLANT	2,4,5-T	SW-846 8150	0.20	UG/L	UJ
182-D RESERVOIR	2,4,5-T	SW-846 8150	0.20	UG/L	U
182-D RESERVOIR	2,4,5-T	SW-846 8150	0.20	UG/L	U
182-D RESERVOIR	2,4,5-T	SW-846 8150	0.20	UG/L	U
2724-W LAUNDRY	2,4,5-T	SW-846 8150	0.20	UG/L	U
282-E RESERVOIR	2,4,5-T	SW-846 8150	0.20	UG/L	U
282-E RESERVOIR	2,4,5-T	SW-846 8150	0.20	UG/L	U
282-E RESERVOIR	2,4,5-T	SW-846 8150	0.20	UG/L	U
282-W RESERVOIR	2,4,5-T	SW-846 8150	0.20	UG/L	U
282-W RESERVOIR	2,4,5-T	SW-846 8150	0.20	UG/L	U
B PLANT	2,4,5-T	SW-846 8150	0.20	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 16

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	2,4,5-T	SW-846 8150	0.20	UG/L	U
PUREX	2,4,5-T	SW-846 8150	0.20	UG/L	U
PUREX	2,4,5-T	SW-846 8150	0.20	UG/L	U
PUREX	2,4,5-T	SW-846 8150	0.20	UG/L	U
UO3/U PLANT	2,4,5-T	SW-846 8150	0.51	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
182-D RESERVOIR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
242-A EVAPORATOR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
2724-W LAUNDRY	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
282-E RESERVOIR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
282-E RESERVOIR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
282-E RESERVOIR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
282-E RESERVOIR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
282-W RESERVOIR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
282-W RESERVOIR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
282-W RESERVOIR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
B PLANT	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
B PLANT	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
B PLANT	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
PUREX	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
PUREX	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
PUREX	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
PUREX	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
182-D RESERVOIR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	UJ
182-D RESERVOIR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	UJ
242-A EVAPORATOR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	UJ
282-E RESERVOIR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	UJ
282-E RESERVOIR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	UJ
282-W RESERVOIR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	UJ
282-W RESERVOIR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	UJ
282-W RESERVOIR	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	UJ
B PLANT	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	UJ
UO3/U PLANT	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	UJ
UO3/U PLANT	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	UJ
UO3/U PLANT	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	UJ
UO3/U PLANT	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	UJ
UO3/U PLANT	2,4,5-TP (SILVEX)	SW-846 8150	0.51	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
PUREX	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U

Page 17

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
T PLANT	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,4,5-TRICHLOROPHENOL	SW-846 8270	25.00	UG/L	U

[illegible]

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 18

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
PUREX	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	2,4-D	SW-846 8150	1.00	UG/L	U
182-D RESERVOIR	2,4-D	SW-846 8150	2.00	UG/L	UJ
182-D RESERVOIR	2,4-D	SW-846 8150	2.00	UG/L	UJ
242-A EVAPORATOR	2,4-D	SW-846 8150	2.00	UG/L	UJ
282-E RESERVOIR	2,4-D	SW-846 8150	2.00	UG/L	UJ
282-W RESERVOIR	2,4-D	SW-846 8150	2.00	UG/L	UJ
282-W RESERVOIR	2,4-D	SW-846 8150	2.00	UG/L	UJ
282-W RESERVOIR	2,4-D	SW-846 8150	2.00	UG/L	UJ
B PLANT	2,4-D	SW-846 8150	2.00	UG/L	UJ
UO3/U PLANT	2,4-D	SW-846 8150	2.00	UG/L	UJ
UO3/U PLANT	2,4-D	SW-846 8150	2.00	UG/L	UJ
UO3/U PLANT	2,4-D	SW-846 8150	2.00	UG/L	UJ
UO3/U PLANT	2,4-D	SW-846 8150	2.00	UG/L	UJ
182-D RESERVOIR	2,4-D	SW-846 8150	2.00	UG/L	U
182-D RESERVOIR	2,4-D	SW-846 8150	2.00	UG/L	U
242-A EVAPORATOR	2,4-D	SW-846 8150	2.00	UG/L	U
2724-W LAUNDRY	2,4-D	SW-846 8150	2.00	UG/L	U
282-E RESERVOIR	2,4-D	SW-846 8150	2.00	UG/L	U
282-E RESERVOIR	2,4-D	SW-846 8150	2.00	UG/L	U
282-E RESERVOIR	2,4-D	SW-846 8150	2.00	UG/L	U
282-E RESERVOIR	2,4-D	SW-846 8150	2.00	UG/L	U
282-W RESERVOIR	2,4-D	SW-846 8150	2.00	UG/L	U
282-W RESERVOIR	2,4-D	SW-846 8150	2.00	UG/L	U
282-W RESERVOIR	2,4-D	SW-846 8150	2.00	UG/L	U
B PLANT	2,4-D	SW-846 8150	2.00	UG/L	U
B PLANT	2,4-D	SW-846 8150	2.00	UG/L	U
B PLANT	2,4-D	SW-846 8150	2.00	UG/L	U
PUREX	2,4-D	SW-846 8150	2.00	UG/L	U
PUREX	2,4-D	SW-846 8150	2.00	UG/L	U
PUREX	2,4-D	SW-846 8150	2.00	UG/L	U
PUREX	2,4-D	SW-846 8150	2.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2,4-DB	SW-846 8150	2.00	UG/L	UJ
182-D RESERVOIR	2,4-DB	SW-846 8150	2.00	UG/L	UJ
242-A EVAPORATOR	2,4-DB	SW-846 8150	2.00	UG/L	UJ
242-A EVAPORATOR	2,4-DB	SW-846 8150	2.00	UG/L	UJ
2724-W LAUNDRY	2,4-DB	SW-846 8150	2.00	UG/L	UJ
282-E RESERVOIR	2,4-DB	SW-846 8150	2.00	UG/L	UJ
282-E RESERVOIR	2,4-DB	SW-846 8150	2.00	UG/L	UJ
282-E RESERVOIR	2,4-DB	SW-846 8150	2.00	UG/L	UJ
282-E RESERVOIR	2,4-DB	SW-846 8150	2.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 19

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	2,4-DB	SW-846 8150	2.00	UG/L	UJ
282-W RESERVOIR	2,4-DB	SW-846 8150	2.00	UG/L	UJ
282-W RESERVOIR	2,4-DB	SW-846 8150	2.00	UG/L	UJ
282-W RESERVOIR	2,4-DB	SW-846 8150	2.00	UG/L	UJ
B PLANT	2,4-DB	SW-846 8150	2.00	UG/L	UJ
UO3/U PLANT	2,4-DB	SW-846 8150	2.00	UG/L	UJ
UO3/U PLANT	2,4-DB	SW-846 8150	2.00	UG/L	UJ
UO3/U PLANT	2,4-DB	SW-846 8150	2.00	UG/L	UJ
UO3/U PLANT	2,4-DB	SW-846 8150	2.00	UG/L	UJ
182-D RESERVOIR	2,4-DB	SW-846 8150	2.00	UG/L	U
182-D RESERVOIR	2,4-DB	SW-846 8150	2.00	UG/L	U
282-E RESERVOIR	2,4-DB	SW-846 8150	2.00	UG/L	U
282-E RESERVOIR	2,4-DB	SW-846 8150	2.00	UG/L	U
282-W RESERVOIR	2,4-DB	SW-846 8150	2.00	UG/L	U
282-W RESERVOIR	2,4-DB	SW-846 8150	2.00	UG/L	U
B PLANT	2,4-DB	SW-846 8150	2.00	UG/L	U
B PLANT	2,4-DB	SW-846 8150	2.00	UG/L	U
B PLANT	2,4-DB	SW-846 8150	2.00	UG/L	U
PUREX	2,4-DB	SW-846 8150	2.00	UG/L	U
PUREX	2,4-DB	SW-846 8150	2.00	UG/L	U
PUREX	2,4-DB	SW-846 8150	2.00	UG/L	U
PUREX	2,4-DB	SW-846 8150	2.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
PUREX	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
T PLANT	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 20

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
PUREX	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
T PLANT	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	2,4-DINITROPHENOL	SW-846 8270	25.00	UG/L	U
182-D RESERVOIR	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	UJ
PUREX	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	UJ
2724-W LAUNDRY	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	R

Page 21

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
T PLANT	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U

[illegible]

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 22

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	UJ
PUREX	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
PUREX	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
T PLANT	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 23

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
B PLANT	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
B PLANT	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
B PLANT	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
B PLANT	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PUREX	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PUREX	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PUREX	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
T PLANT	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	UJ
PUREX	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	UJ
PUREX	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	UJ
2724-W LAUNDRY	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
B PLANT	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
B PLANT	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
B PLANT	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
B PLANT	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
PUREX	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
PUREX	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 24

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
T PLANT	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2-BUTANONE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	2-BUTANONE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	2-BUTANONE	SW-846 8240	10.00	UG/L	UJ
182-D RESERVOIR	2-BUTANONE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	2-BUTANONE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	2-BUTANONE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	2-BUTANONE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	2-BUTANONE	SW-846 8240	10.00	UG/L	U
2724-W LAUNDRY	2-BUTANONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	2-BUTANONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	2-BUTANONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	2-BUTANONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	2-BUTANONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	2-BUTANONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	2-BUTANONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	2-BUTANONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	2-BUTANONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	2-BUTANONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	2-BUTANONE	SW-846 8240	10.00	UG/L	U
B PLANT	2-BUTANONE	SW-846 8240	10.00	UG/L	U
B PLANT	2-BUTANONE	SW-846 8240	10.00	UG/L	U
B PLANT	2-BUTANONE	SW-846 8240	10.00	UG/L	U
B PLANT	2-BUTANONE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	2-BUTANONE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	2-BUTANONE	SW-846 8240	10.00	UG/L	U
PUREX	2-BUTANONE	SW-846 8240	10.00	UG/L	U
PUREX	2-BUTANONE	SW-846 8240	10.00	UG/L	U
PUREX	2-BUTANONE	SW-846 8240	10.00	UG/L	U
T PLANT	2-BUTANONE	SW-846 8240	10.00	UG/L	U
T PLANT	2-BUTANONE	SW-846 8240	10.00	UG/L	U
T PLANT	2-BUTANONE	SW-846 8240	10.00	UG/L	U
T PLANT	2-BUTANONE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	2-BUTANONE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	2-BUTANONE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	2-CHLORONAPHTALENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	2-CHLORONAPHTALENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2-CHLORONAPHTALENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2-CHLORONAPHTALENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-CHLORONAPHTALENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-CHLORONAPHTALENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 25

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
T PLANT	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	UJ
PUREX	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
PUREX	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 26

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
T PLANT	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2-HEXANONE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	2-HEXANONE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	2-HEXANONE	SW-846 8240	10.00	UG/L	UJ
182-D RESERVOIR	2-HEXANONE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	2-HEXANONE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	2-HEXANONE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	2-HEXANONE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	2-HEXANONE	SW-846 8240	10.00	UG/L	U
2724-W LAUNDRY	2-HEXANONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	2-HEXANONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	2-HEXANONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	2-HEXANONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	2-HEXANONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	2-HEXANONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	2-HEXANONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	2-HEXANONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	2-HEXANONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	2-HEXANONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	2-HEXANONE	SW-846 8240	10.00	UG/L	U
B PLANT	2-HEXANONE	SW-846 8240	10.00	UG/L	U
B PLANT	2-HEXANONE	SW-846 8240	10.00	UG/L	U
B PLANT	2-HEXANONE	SW-846 8240	10.00	UG/L	U
B PLANT	2-HEXANONE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	2-HEXANONE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	2-HEXANONE	SW-846 8240	10.00	UG/L	U
PUREX	2-HEXANONE	SW-846 8240	10.00	UG/L	U
PUREX	2-HEXANONE	SW-846 8240	10.00	UG/L	U
PUREX	2-HEXANONE	SW-846 8240	10.00	UG/L	U
T PLANT	2-HEXANONE	SW-846 8240	10.00	UG/L	U
T PLANT	2-HEXANONE	SW-846 8240	10.00	UG/L	U
T PLANT	2-HEXANONE	SW-846 8240	10.00	UG/L	U
T PLANT	2-HEXANONE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	2-HEXANONE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	2-HEXANONE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 27

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
T PLANT	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	UJ
PUREX	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
PUREX	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 28

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
T PLANT	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	UJ
PUREX	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
T PLANT	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	2-NITROANILINE	SW-846 8270	25.00	UG/L	U
182-D RESERVOIR	2-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	2-NITROANILINE	SW-846 8270	50.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	2-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	2-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	2-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
PUREX	2-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
2724-W LAUNDRY	2-NITROANILINE	SW-846 8270	50.00	UG/L	R
182-D RESERVOIR	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
T PLANT	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	2-NITROANILINE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2-NITROPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2-NITROPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2-NITROPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2-NITROPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2-NITROPHENOL	SW-846 8270	10.00	UG/L	UJ
PUREX	2-NITROPHENOL	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	2-NITROPHENOL	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 30

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
T PLANT	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	2-PICOLINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2-PICOLINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	2-PICOLINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2-PICOLINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	2-PICOLINE	SW-846 8270	10.00	UG/L	UJ
PUREX	2-PICOLINE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	2-PICOLINE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	2-PICOLINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2-PICOLINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	2-PICOLINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-PICOLINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-PICOLINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-PICOLINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-PICOLINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	2-PICOLINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-PICOLINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-PICOLINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-PICOLINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-PICOLINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	2-PICOLINE	SW-846 8270	10.00	UG/L	U
B PLANT	2-PICOLINE	SW-846 8270	10.00	UG/L	U
B PLANT	2-PICOLINE	SW-846 8270	10.00	UG/L	U
B PLANT	2-PICOLINE	SW-846 8270	10.00	UG/L	U
B PLANT	2-PICOLINE	SW-846 8270	10.00	UG/L	U
PUREX	2-PICOLINE	SW-846 8270	10.00	UG/L	U
PUREX	2-PICOLINE	SW-846 8270	10.00	UG/L	U
PUREX	2-PICOLINE	SW-846 8270	10.00	UG/L	U
T PLANT	2-PICOLINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-PICOLINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-PICOLINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-PICOLINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	2-PICOLINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	3-3-DICHLOROBENZIDINE	SW-846 8270	10.00	UG/L	U
2724-W LAUNDRY	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 31

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
PUREX	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
PUREX	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
PUREX	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
T PLANT	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
UO3/U-PLANT	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
182-D RESERVOIR	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	UJ
PUREX	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
PUREX	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
PUREX	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
PUREX	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 32

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
T PLANT	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
182-D RESERVOIR	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	UJ
PUREX	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	UJ
PUREX	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	UJ
2724-W LAUNDRY	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
B PLANT	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
B PLANT	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
B PLANT	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
B PLANT	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
PUREX	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
PUREX	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
PUREX	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
T PLANT	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	3-NITROANILINE	SW-846 8270	25.00	UG/L	U
182-D RESERVOIR	3-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	3-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	3-NITROANILINE	SW-846 8270	50.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 33

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	3-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	3-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	3-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
PUREX	3-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
2724-W LAUNDRY	3-NITROANILINE	SW-846 8270	50.00	UG/L	R
182-D RESERVOIR	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
T PLANT	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	3-NITROANILINE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	4,4'-DDD	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	4,4'-DDD	SW-846 8080	0.10	UG/L	UJ
282-E RESERVOIR	4,4'-DDD	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	4,4'-DDD	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	4,4'-DDD	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	4,4'-DDD	SW-846 8080	0.10	UG/L	UJ
B PLANT	4,4'-DDD	SW-846 8080	0.10	UG/L	UJ
PUREX	4,4'-DDD	SW-846 8080	0.10	UG/L	UJ
UO3/U PLANT	4,4'-DDD	SW-846 8080	0.10	UG/L	UJ
182-D RESERVOIR	4,4'-DDD	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	4,4'-DDD	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	4,4'-DDD	SW-846 8080	0.10	UG/L	U
242-A EVAPORATOR	4,4'-DDD	SW-846 8080	0.10	UG/L	U
242-A EVAPORATOR	4,4'-DDD	SW-846 8080	0.10	UG/L	U
2724-W LAUNDRY	4,4'-DDD	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	4,4'-DDD	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	4,4'-DDD	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	4,4'-DDD	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	4,4'-DDD	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	4,4'-DDD	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	4,4'-DDD	SW-846 8080	0.10	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 34

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	4,4'-DDD	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDD	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDD	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDD	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDD	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDD	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDD	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	4,4'-DDD	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	4,4'-DDD	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	4,4'-DDD	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	4,4'-DDD	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	4,4'-DDE	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	4,4'-DDE	SW-846 8080	0.10	UG/L	UJ
282-E RESERVOIR	4,4'-DDE	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	4,4'-DDE	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	4,4'-DDE	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	4,4'-DDE	SW-846 8080	0.10	UG/L	UJ
B PLANT	4,4'-DDE	SW-846 8080	0.10	UG/L	UJ
PUREX	4,4'-DDE	SW-846 8080	0.10	UG/L	UJ
UO3/U PLANT	4,4'-DDE	SW-846 8080	0.10	UG/L	UJ
182-D RESERVOIR	4,4'-DDE	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	4,4'-DDE	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	4,4'-DDE	SW-846 8080	0.10	UG/L	U
242-A EVAPORATOR	4,4'-DDE	SW-846 8080	0.10	UG/L	U
242-A EVAPORATOR	4,4'-DDE	SW-846 8080	0.10	UG/L	U
2724-W LAUNDRY	4,4'-DDE	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	4,4'-DDE	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	4,4'-DDE	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	4,4'-DDE	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	4,4'-DDE	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	4,4'-DDE	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	4,4'-DDE	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	4,4'-DDE	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDE	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDE	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDE	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDE	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDE	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDE	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	4,4'-DDE	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	4,4'-DDE	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	4,4'-DDE	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	4,4'-DDE	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	4,4'-DDT	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	4,4'-DDT	SW-846 8080	0.10	UG/L	UJ
182-D RESERVOIR	4,4'-DDT	SW-846 8080	0.10	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 35

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	4,4'-DDT	SW-846 8080	0.10	UG/L	UJ
282-E RESERVOIR	4,4'-DDT	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	4,4'-DDT	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	4,4'-DDT	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	4,4'-DDT	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	4,4'-DDT	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	4,4'-DDT	SW-846 8080	0.10	UG/L	UJ
B PLANT	4,4'-DDT	SW-846 8080	0.10	UG/L	UJ
B PLANT	4,4'-DDT	SW-846 8080	0.10	UG/L	UJ
PUREX	4,4'-DDT	SW-846 8080	0.10	UG/L	UJ
PUREX	4,4'-DDT	SW-846 8080	0.10	UG/L	UJ
UO3/U PLANT	4,4'-DDT	SW-846 8080	0.10	UG/L	UJ
182-D RESERVOIR	4,4'-DDT	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	4,4'-DDT	SW-846 8080	0.10	UG/L	U
242-A EVAPORATOR	4,4'-DDT	SW-846 8080	0.10	UG/L	U
2724-W LAUNDRY	4,4'-DDT	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	4,4'-DDT	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	4,4'-DDT	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	4,4'-DDT	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	4,4'-DDT	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	4,4'-DDT	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDT	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDT	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDT	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDT	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	4,4'-DDT	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	4,4'-DDT	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	4,4'-DDT	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	4,4'-DDT	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	25.00	UG/L	U
182-D RESERVOIR	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	UJ
PUREX	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	UJ
2724-W LAUNDRY	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	R
182-D RESERVOIR	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 36

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
T PLANT	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	UJ
PUREX	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
B PLANT	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
B PLANT	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
B PLANT	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
B PLANT	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
PUREX	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
PUREX	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
PUREX	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
T PLANT	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 37

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	UJ
PUREX	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	UJ
2724-W LAUNDRY	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
B PLANT	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
B PLANT	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
B PLANT	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
B PLANT	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
PUREX	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
PUREX	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
PUREX	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
T PLANT	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
PUREX	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U

Page 38

[illegible][illegible]

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 39

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	UJ
PUREX	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
PUREX	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
PUREX	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
PUREX	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
T PLANT	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	UJ
182-D RESERVOIR	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
2724-W LAUNDRY	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U

Page 40

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
B PLANT	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
B PLANT	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
B PLANT	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
B PLANT	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
PUREX	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
PUREX	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
PUREX	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
T PLANT	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
T PLANT	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
T PLANT	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
T PLANT	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U

[illegible]

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 41

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	4-NITROANILINE	SW-846 8270	25.00	UG/L	U
182-D RESERVOIR	4-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	4-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	4-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	4-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	4-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	4-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
PUREX	4-NITROANILINE	SW-846 8270	50.00	UG/L	UJ
2724-W LAUNDRY	4-NITROANILINE	SW-846 8270	50.00	UG/L	R
182-D RESERVOIR	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
T PLANT	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	4-NITROANILINE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	4-NITROPHENOL	SW-846 8270	25.00	UG/L	U
182-D RESERVOIR	4-NITROPHENOL	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	4-NITROPHENOL	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	4-NITROPHENOL	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	4-NITROPHENOL	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	4-NITROPHENOL	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	4-NITROPHENOL	SW-846 8270	50.00	UG/L	UJ
B PLANT	4-NITROPHENOL	SW-846 8270	50.00	UG/L	UJ
PUREX	4-NITROPHENOL	SW-846 8270	50.00	UG/L	UJ
T PLANT	4-NITROPHENOL	SW-846 8270	50.00	UG/L	UJ
2724-W LAUNDRY	4-NITROPHENOL	SW-846 8270	50.00	UG/L	R
182-D RESERVOIR	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 42

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	UJ
182-D RESERVOIR	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	UJ
182-D RESERVOIR	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	UJ
282-E RESERVOIR	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	UJ
282-E RESERVOIR	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	UJ
282-W RESERVOIR	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	UJ
PUREX	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	UJ
2724-W LAUNDRY	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	R
182-D RESERVOIR	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
242-A EVAPORATOR	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
242-A EVAPORATOR	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
282-E RESERVOIR	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
282-E RESERVOIR	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
282-E RESERVOIR	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
282-E RESERVOIR	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
282-W RESERVOIR	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
282-W RESERVOIR	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
282-W RESERVOIR	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
282-W RESERVOIR	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
B PLANT	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
B PLANT	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
B PLANT	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
B PLANT	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
PUREX	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
PUREX	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
PUREX	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
T PLANT	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
UO3/U PLANT	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
UO3/U PLANT	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
UO3/U PLANT	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
UO3/U PLANT	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 43

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	UJ
PUREX	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PUREX	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PUREX	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PUREX	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
T PLANT	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	UJ
PUREX	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	UJ
2724-W LAUNDRY	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	7,12-DIMETHYLBENZ(A)ANTHRACENE	SW-846 8270	20.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 44

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
B PLANT	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
B PLANT	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
B PLANT	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
B PLANT	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
PUREX	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
PUREX	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
PUREX	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
T PLANT	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	ACENAPHTHENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
PUREX	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
PUREX	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
PUREX	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
T PLANT	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	ACENAPHTHENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	ACENAPHTHENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	ACENAPHTHENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	ACENAPHTHENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	ACENAPHTHENE	SW-846 8270	10.00	UG/L	UJ
PUREX	ACENAPHTHENE	SW-846 8270	10.00	UG/L	UJ
MISC STREAMS	ACENAPHTHENE	SW-846 8310	18.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 45

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
B PLANT	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
B PLANT	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
B PLANT	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
B PLANT	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
PUREX	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
PUREX	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
PUREX	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
T PLANT	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	UJ
PUREX	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	UJ
MISC STREAMS	ACENAPHTHYLENE	SW-846 8310	23.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	ACETONE	SW-846 8240	5.00	UG/L	J
182-D RESERVOIR	ACETONE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	ACETONE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	ACETONE	SW-846 8240	10.00	UG/L	UJ
182-D RESERVOIR	ACETONE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	ACETONE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	ACETONE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	ACETONE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	ACETONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ACETONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ACETONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ACETONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ACETONE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ACETONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ACETONE	SW-846 8240	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 46

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	ACETONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ACETONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ACETONE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ACETONE	SW-846 8240	10.00	UG/L	U
B PLANT	ACETONE	SW-846 8240	10.00	UG/L	U
B PLANT	ACETONE	SW-846 8240	10.00	UG/L	U
B PLANT	ACETONE	SW-846 8240	10.00	UG/L	U
B PLANT	ACETONE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	ACETONE	SW-846 8240	10.00	UG/L	U
PUREX	ACETONE	SW-846 8240	10.00	UG/L	U
PUREX	ACETONE	SW-846 8240	10.00	UG/L	U
PUREX	ACETONE	SW-846 8240	10.00	UG/L	U
T PLANT	ACETONE	SW-846 8240	10.00	UG/L	U
T PLANT	ACETONE	SW-846 8240	10.00	UG/L	U
T PLANT	ACETONE	SW-846 8240	10.00	UG/L	U
T PLANT	ACETONE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	ACETONE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	ACETONE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	ACETONE	SW-846 8240	12.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	ACETONITRILE	SW-846 8240	100.00	UG/L	UJ
UO3/U PLANT	ACETONITRILE	SW-846 8240	100.00	UG/L	UJ
UO3/U PLANT	ACETONITRILE	SW-846 8240	100.00	UG/L	UJ
182-D RESERVOIR	ACETONITRILE	SW-846 8240	100.00	UG/L	U
182-D RESERVOIR	ACETONITRILE	SW-846 8240	100.00	UG/L	U
182-D RESERVOIR	ACETONITRILE	SW-846 8240	100.00	UG/L	U
242-A EVAPORATOR	ACETONITRILE	SW-846 8240	100.00	UG/L	U
242-A EVAPORATOR	ACETONITRILE	SW-846 8240	100.00	UG/L	U
2724-W LAUNDRY	ACETONITRILE	SW-846 8240	100.00	UG/L	U
282-E RESERVOIR	ACETONITRILE	SW-846 8240	100.00	UG/L	U
282-E RESERVOIR	ACETONITRILE	SW-846 8240	100.00	UG/L	U
282-E RESERVOIR	ACETONITRILE	SW-846 8240	100.00	UG/L	U
282-E RESERVOIR	ACETONITRILE	SW-846 8240	100.00	UG/L	U
282-E RESERVOIR	ACETONITRILE	SW-846 8240	100.00	UG/L	U
282-W RESERVOIR	ACETONITRILE	SW-846 8240	100.00	UG/L	U
282-W RESERVOIR	ACETONITRILE	SW-846 8240	100.00	UG/L	U
282-W RESERVOIR	ACETONITRILE	SW-846 8240	100.00	UG/L	U
282-W RESERVOIR	ACETONITRILE	SW-846 8240	100.00	UG/L	U
282-W RESERVOIR	ACETONITRILE	SW-846 8240	100.00	UG/L	U
B PLANT	ACETONITRILE	SW-846 8240	100.00	UG/L	U
B PLANT	ACETONITRILE	SW-846 8240	100.00	UG/L	U
B PLANT	ACETONITRILE	SW-846 8240	100.00	UG/L	U
B PLANT	ACETONITRILE	SW-846 8240	100.00	UG/L	U
PUREX	ACETONITRILE	SW-846 8240	100.00	UG/L	U
PUREX	ACETONITRILE	SW-846 8240	100.00	UG/L	U
PUREX	ACETONITRILE	SW-846 8240	100.00	UG/L	U
T PLANT	ACETONITRILE	SW-846 8240	100.00	UG/L	U
T PLANT	ACETONITRILE	SW-846 8240	100.00	UG/L	U
T PLANT	ACETONITRILE	SW-846 8240	100.00	UG/L	U
T PLANT	ACETONITRILE	SW-846 8240	100.00	UG/L	U

Page 47

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	ACETONITRILE	SW-846 8240	100.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	ACETOPHENONE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	ACETOPHENONE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	ACETOPHENONE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	ACETOPHENONE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	ACETOPHENONE	SW-846 8270	10.00	UG/L	UJ
PUREX	ACETOPHENONE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	ACETOPHENONE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
B PLANT	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
B PLANT	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
B PLANT	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
B PLANT	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
PUREX	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
PUREX	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
PUREX	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
T PLANT	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ACETOPHENONE	SW-846 8270	10.00	UG/L	U

[illegible]

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 48

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	ACROLEIN	SW-846 8240	100.00	UG/L	U
282-W RESERVOIR	ACROLEIN	SW-846 8240	100.00	UG/L	U
282-W RESERVOIR	ACROLEIN	SW-846 8240	100.00	UG/L	U
282-W RESERVOIR	ACROLEIN	SW-846 8240	100.00	UG/L	U
282-W RESERVOIR	ACROLEIN	SW-846 8240	100.00	UG/L	U
B PLANT	ACROLEIN	SW-846 8240	100.00	UG/L	U
B PLANT	ACROLEIN	SW-846 8240	100.00	UG/L	U
B PLANT	ACROLEIN	SW-846 8240	100.00	UG/L	U
B PLANT	ACROLEIN	SW-846 8240	100.00	UG/L	U
PUREX	ACROLEIN	SW-846 8240	100.00	UG/L	U
PUREX	ACROLEIN	SW-846 8240	100.00	UG/L	U
PUREX	ACROLEIN	SW-846 8240	100.00	UG/L	U
T PLANT	ACROLEIN	SW-846 8240	100.00	UG/L	U
T PLANT	ACROLEIN	SW-846 8240	100.00	UG/L	U
T PLANT	ACROLEIN	SW-846 8240	100.00	UG/L	U
T PLANT	ACROLEIN	SW-846 8240	100.00	UG/L	U
UO3/U PLANT	ACROLEIN	SW-846 8240	100.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	ACRYLONITRILE	SW-846 8240	200.00	UG/L	UJ
UO3/U PLANT	ACRYLONITRILE	SW-846 8240	200.00	UG/L	UJ
UO3/U PLANT	ACRYLONITRILE	SW-846 8240	200.00	UG/L	UJ
182-D RESERVOIR	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
182-D RESERVOIR	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
182-D RESERVOIR	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
242-A EVAPORATOR	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
242-A EVAPORATOR	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
2724-W LAUNDRY	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
282-E RESERVOIR	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
282-E RESERVOIR	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
282-E RESERVOIR	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
282-E RESERVOIR	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
282-E RESERVOIR	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
282-W RESERVOIR	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
282-W RESERVOIR	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
282-W RESERVOIR	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
282-W RESERVOIR	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
282-W RESERVOIR	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
B PLANT	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
B PLANT	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
B PLANT	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
B PLANT	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
PUREX	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
PUREX	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
PUREX	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
T PLANT	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
T PLANT	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
T PLANT	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
T PLANT	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
UO3/U PLANT	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 49

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	ALDRIN	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	ALDRIN	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	ALDRIN	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	ALDRIN	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	ALDRIN	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	ALDRIN	SW-846 8080	0.05	UG/L	U
2724-W LAUNDRY	ALDRIN	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	ALDRIN	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	ALDRIN	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	ALDRIN	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	ALDRIN	SW-846 8080	0.05	UG/L	U
B PLANT	ALDRIN	SW-846 8080	0.05	UG/L	U
B PLANT	ALDRIN	SW-846 8080	0.05	UG/L	U
B PLANT	ALDRIN	SW-846 8080	0.05	UG/L	U
PUREX	ALDRIN	SW-846 8080	0.05	UG/L	U
PUREX	ALDRIN	SW-846 8080	0.05	UG/L	U
PUREX	ALDRIN	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	ALDRIN	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	ALDRIN	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	ALDRIN	SW-846 8080	0.05	UG/L	UJ
282-E RESERVOIR	ALDRIN	SW-846 8080	0.05	UG/L	UJ
282-E RESERVOIR	ALDRIN	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	ALDRIN	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	ALDRIN	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	ALDRIN	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	ALDRIN	SW-846 8080	0.05	UG/L	UJ
B PLANT	ALDRIN	SW-846 8080	0.05	UG/L	UJ
PUREX	ALDRIN	SW-846 8080	0.05	UG/L	UJ
UO3/U PLANT	ALDRIN	SW-846 8080	0.05	UG/L	UJ
UO3/U PLANT	ALDRIN	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	ALDRIN	SW-846 8080	0.50	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	ALKALINITY	EPA-600 310.1	38.00	MG/L	J
UO3/U PLANT	ALKALINITY	EPA-600 310.1	52.00	MG/L	
182-D RESERVOIR	ALKALINITY	EPA-600 310.1	54.00	MG/L	
B PLANT	ALKALINITY	EPA-600 310.1	56.00	MG/L	
UO3/U PLANT	ALKALINITY	EPA-600 310.1	56.00	MG/L	
UO3/U PLANT	ALKALINITY	EPA-600 310.1	56.00	MG/L	
UO3/U PLANT	ALKALINITY	EPA-600 310.1	57.00	MG/L	
282-E RESERVOIR	ALKALINITY	EPA-600 310.1	58.00	MG/L	
282-E RESERVOIR	ALKALINITY	EPA-600 310.1	58.00	MG/L	
282-E RESERVOIR	ALKALINITY	EPA-600 310.1	58.00	MG/L	
UO3/U PLANT	ALKALINITY	EPA-600 310.1	58.00	MG/L	
282-E RESERVOIR	ALKALINITY	EPA-600 310.1	59.00	MG/L	
PUREX	ALKALINITY	EPA-600 310.1	59.00	MG/L	
242-A EVAPORATOR	ALKALINITY	EPA-600 310.1	60.00	MG/L	
282-W RESERVOIR	ALKALINITY	EPA-600 310.1	60.00	MG/L	
PUREX	ALKALINITY	EPA-600 310.1	60.00	MG/L	
282-E RESERVOIR	ALKALINITY	EPA-600 310.1	61.00	MG/L	
282-W RESERVOIR	ALKALINITY	EPA-600 310.1	61.00	MG/L	

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 50

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	ALKALINITY	EPA-600 310.1	61.00	MG/L	
182-D RESERVOIR	ALKALINITY	EPA-600 310.1	62.00	MG/L	
282-E RESERVOIR	ALKALINITY	EPA-600 310.1	62.00	MG/L	
B PLANT	ALKALINITY	EPA-600 310.1	62.00	MG/L	
182-D RESERVOIR	ALKALINITY	EPA-600 310.1	63.00	MG/L	
282-W RESERVOIR	ALKALINITY	EPA-600 310.1	63.00	MG/L	
282-E RESERVOIR	ALKALINITY	EPA-600 310.1	65.00	MG/L	
282-E RESERVOIR	ALKALINITY	EPA-600 310.1	67.00	MG/L	
282-W RESERVOIR	ALKALINITY	EPA-600 310.1	67.00	MG/L	
PUREX	ALKALINITY	EPA-600 310.1	67.00	MG/L	
242-A EVAPORATOR	ALKALINITY	EPA-600 310.1	68.00	MG/L	
282-W RESERVOIR	ALKALINITY	EPA-600 310.1	68.00	MG/L	
B PLANT	ALKALINITY	EPA-600 310.1	68.00	MG/L	
B PLANT	ALKALINITY	EPA-600 310.1	69.00	MG/L	
182-D RESERVOIR	ALKALINITY	EPA-600 310.1	70.00	MG/L	
282-W RESERVOIR	ALKALINITY	EPA-600 310.1	70.00	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	UJ
182-D RESERVOIR	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
2724-W LAUNDRY	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
B PLANT	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
B PLANT	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
B PLANT	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
B PLANT	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PUREX	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PUREX	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PUREX	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
T PLANT	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
T PLANT	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
T PLANT	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
T PLANT	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 51

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	UJ
PUREX	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
T PLANT	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	ALPHA-BHC	SW-846 8080	0.05	UG/L	UJ
242-A EVAPORATOR	ALPHA-BHC	SW-846 8080	0.05	UG/L	UJ
282-E RESERVOIR	ALPHA-BHC	SW-846 8080	0.05	UG/L	UJ
282-E RESERVOIR	ALPHA-BHC	SW-846 8080	0.05	UG/L	UJ
282-E RESERVOIR	ALPHA-BHC	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	ALPHA-BHC	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	ALPHA-BHC	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	ALPHA-BHC	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	ALPHA-BHC	SW-846 8080	0.05	UG/L	UJ
B PLANT	ALPHA-BHC	SW-846 8080	0.05	UG/L	UJ
PUREX	ALPHA-BHC	SW-846 8080	0.05	UG/L	UJ
UO3/U PLANT	ALPHA-BHC	SW-846 8080	0.05	UG/L	UJ
182-D RESERVOIR	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
2724-W LAUNDRY	ALPHA-BHC	SW-846 8080	0.05	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 52

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	ALPHA-BHC	SW-846 8080	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	UJ
282-E RESERVOIR	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	UJ
B PLANT	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	UJ
PUREX	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	UJ
PUREX	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	UJ
UO3/U PLANT	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	UJ
182-D RESERVOIR	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
2724-W LAUNDRY	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
B PLANT	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
B PLANT	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
B PLANT	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PUREX	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PUREX	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	ALPHA-CHLORDANE	SW-846 8080	0.50	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 53

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
T PLANT	ALUMINUM	SW-846 6010	20.90	UG/L	
PUREX	ALUMINUM	SW-846 6010	22.80	UG/L	
T PLANT	ALUMINUM	SW-846 6010	22.80	UG/L	
T PLANT	ALUMINUM	SW-846 6010	25.10	UG/L	U
UO3/U PLANT	ALUMINUM	SW-846 6010	49.00	UG/L	
T PLANT	ALUMINUM	SW-846 6010	560.00	UG/L	J

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	AMERICIUM-241	AMERICIUM-241	0.01	PCI/L	U
242-A EVAPORATOR	AMERICIUM-241	AMERICIUM-241	0.02	PCI/L	U
B PLANT	AMERICIUM-241	AMERICIUM-241	0.02	PCI/L	U
PUREX	AMERICIUM-241	AMERICIUM-241	0.02	PCI/L	J
242-A EVAPORATOR	AMERICIUM-241	AMERICIUM-241	0.03	PCI/L	UJ
PUREX	AMERICIUM-241	AMERICIUM-241	0.03	PCI/L	U
2724-W LAUNDRY	AMERICIUM-241	AMERICIUM-241	0.04	PCI/L	UJ
PUREX	AMERICIUM-241	AMERICIUM-241	0.04	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	AMMONIA (AS N)	EPA-600 350.1	0.05	MG/L	U
182-D RESERVOIR	AMMONIA (AS N)	EPA-600 350.1	0.05	MG/L	U
182-D RESERVOIR	AMMONIA (AS N)	EPA-600 350.1	0.05	MG/L	U
B PLANT	AMMONIA (AS N)	EPA-600 350.1	0.05	MG/L	U
B PLANT	AMMONIA (AS N)	EPA-600 350.1	0.05	MG/L	U
B PLANT	AMMONIA (AS N)	EPA-600 350.1	0.05	MG/L	U
182-D RESERVOIR	AMMONIA (AS N)	EPA-600 350.1	0.09	MG/L	
2724-W LAUNDRY	AMMONIA (AS N)	EPA-600 350.2	0.05	MG/L	U
B PLANT	AMMONIA (AS N)	EPA-600 350.2	0.07	MG/L	J
242-A EVAPORATOR	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
242-A EVAPORATOR	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
282-E RESERVOIR	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
282-E RESERVOIR	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
282-E RESERVOIR	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
282-E RESERVOIR	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
282-E RESERVOIR	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
282-E RESERVOIR	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
282-W RESERVOIR	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
282-W RESERVOIR	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
282-W RESERVOIR	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
282-W RESERVOIR	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
282-W RESERVOIR	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
MISC STREAMS	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
PUREX	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
PUREX	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
PUREX	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
PUREX	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
T PLANT	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
T PLANT	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
T PLANT	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
T PLANT	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
282-E RESERVOIR	AMMONIA (AS N)	EPA-600 350.3	0.12	MG/L	

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 54

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	ANILINE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	ANILINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	ANILINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	ANILINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ANILINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ANILINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ANILINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ANILINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ANILINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ANILINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ANILINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ANILINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ANILINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ANILINE	SW-846 8270	10.00	UG/L	U
B PLANT	ANILINE	SW-846 8270	10.00	UG/L	U
B PLANT	ANILINE	SW-846 8270	10.00	UG/L	U
B PLANT	ANILINE	SW-846 8270	10.00	UG/L	U
B PLANT	ANILINE	SW-846 8270	10.00	UG/L	U
PUREX	ANILINE	SW-846 8270	10.00	UG/L	U
PUREX	ANILINE	SW-846 8270	10.00	UG/L	U
PUREX	ANILINE	SW-846 8270	10.00	UG/L	U
T PLANT	ANILINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ANILINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ANILINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ANILINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ANILINE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	ANILINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	ANILINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	ANILINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	ANILINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	ANILINE	SW-846 8270	10.00	UG/L	UJ
PUREX	ANILINE	SW-846 8270	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	ANTHRACENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	ANTHRACENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	ANTHRACENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	ANTHRACENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 55

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	ANTHRACENE	SW-846 8270	10.00	UG/L	U
T PLANT	ANTHRACENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ANTHRACENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ANTHRACENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ANTHRACENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ANTHRACENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ANTHRACENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
PUREX	ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
MISC STREAMS	ANTHRACENE	SW-846 8310	6.60	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	ANTIMONY	SW-846 6010	2.40	UG/L	
182-D RESERVOIR	ANTIMONY	SW-846 6010	12.20	UG/L	
182-D RESERVOIR	ANTIMONY	SW-846 6010	12.20	UG/L	
242-A EVAPORATOR	ANTIMONY	SW-846 6010	12.20	UG/L	
282-W RESERVOIR	ANTIMONY	SW-846 6010	12.20	UG/L	
282-W RESERVOIR	ANTIMONY	SW-846 6010	12.20	UG/L	
PUREX	ANTIMONY	SW-846 6010	12.20	UG/L	
PUREX	ANTIMONY	SW-846 6010	12.90	UG/L	UJ
282-E RESERVOIR	ANTIMONY	SW-846 6010	12.90	UG/L	U
282-W RESERVOIR	ANTIMONY	SW-846 6010	12.90	UG/L	U
182-D RESERVOIR	ANTIMONY	SW-846 6010	12.90	UG/L	
242-A EVAPORATOR	ANTIMONY	SW-846 6010	12.90	UG/L	
282-E RESERVOIR	ANTIMONY	SW-846 6010	12.90	UG/L	
282-W RESERVOIR	ANTIMONY	SW-846 6010	12.90	UG/L	
282-W RESERVOIR	ANTIMONY	SW-846 6010	12.90	UG/L	
UO3/U PLANT	ANTIMONY	SW-846 6010	13.10	UG/L	
282-W RESERVOIR	ANTIMONY	SW-846 6010	13.90	UG/L	
282-E RESERVOIR	ANTIMONY	SW-846 6010	14.70	UG/L	UJ
282-W RESERVOIR	ANTIMONY	SW-846 6010	14.70	UG/L	UJ
282-E RESERVOIR	ANTIMONY	SW-846 6010	14.70	UG/L	
282-E RESERVOIR	ANTIMONY	SW-846 6010	14.70	UG/L	
PUREX	ANTIMONY	SW-846 6010	14.70	UG/L	
282-W RESERVOIR	ANTIMONY	SW-846 6010	17.30	UG/L	
2724-W LAUNDRY	ANTIMONY	SW-846 6010	17.90	UG/L	
282-E RESERVOIR	ANTIMONY	SW-846 6010	17.90	UG/L	
282-E RESERVOIR	ANTIMONY	SW-846 6010	17.90	UG/L	
UO3/U PLANT	ANTIMONY	SW-846 6010	17.90	UG/L	
182-D RESERVOIR	ANTIMONY	SW-846 6010	18.60	UG/L	
UO3/U PLANT	ANTIMONY	SW-846 6010	18.60	UG/L	
UO3/U PLANT	ANTIMONY	SW-846 6010	18.60	UG/L	
UO3/U PLANT	ANTIMONY	SW-846 6010	60.00	UG/L	
B PLANT	ANTIMONY	SW-846 7041	1.60	UG/L	
B PLANT	ANTIMONY	SW-846 7041	1.80	UG/L	

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 56

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	ANTIMONY	SW-846 7041	2.00	UG/L	
B PLANT	ANTIMONY	SW-846 7041	18.60	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	ARAMITE	SW-846 8270	50.00	UG/L	R
182-D RESERVOIR	ARAMITE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	ARAMITE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	ARAMITE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	ARAMITE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	ARAMITE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	ARAMITE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	ARAMITE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	ARAMITE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	ARAMITE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	ARAMITE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	ARAMITE	SW-846 8270	50.00	UG/L	U
B PLANT	ARAMITE	SW-846 8270	50.00	UG/L	U
B PLANT	ARAMITE	SW-846 8270	50.00	UG/L	U
B PLANT	ARAMITE	SW-846 8270	50.00	UG/L	U
B PLANT	ARAMITE	SW-846 8270	50.00	UG/L	U
PUREX	ARAMITE	SW-846 8270	50.00	UG/L	U
PUREX	ARAMITE	SW-846 8270	50.00	UG/L	U
PUREX	ARAMITE	SW-846 8270	50.00	UG/L	U
T PLANT	ARAMITE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	ARAMITE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	ARAMITE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	ARAMITE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	ARAMITE	SW-846 8270	50.00	UG/L	U
182-D RESERVOIR	ARAMITE	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	ARAMITE	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	ARAMITE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	ARAMITE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	ARAMITE	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	ARAMITE	SW-846 8270	50.00	UG/L	UJ
PUREX	ARAMITE	SW-846 8270	50.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	AROCHLOR 1016	SW-846 8080	0.97	UG/L	U
182-D RESERVOIR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
242-A EVAPORATOR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 57

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
182-D RESERVOIR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	UJ
182-D RESERVOIR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	UJ
182-D RESERVOIR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	UJ
242-A EVAPORATOR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	UJ
2724-W LAUNDRY	AROCHLOR 1016	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1016	SW-846 8080	1.00	UG/L	UJ
B PLANT	AROCHLOR 1016	SW-846 8080	1.00	UG/L	UJ
PUREX	AROCHLOR 1016	SW-846 8080	1.00	UG/L	UJ
PUREX	AROCHLOR 1016	SW-846 8080	1.00	UG/L	UJ
UO3/U PLANT	AROCHLOR 1016	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1016	SW-846 8080	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	AROCHLOR 1221	SW-846 8080	1.90	UG/L	U
182-D RESERVOIR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
182-D RESERVOIR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
242-A EVAPORATOR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
282-W RESERVOIR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
282-W RESERVOIR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
B PLANT	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
B PLANT	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
B PLANT	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
PUREX	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
PUREX	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
PUREX	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
UO3/U PLANT	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
UO3/U PLANT	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
UO3/U PLANT	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
182-D RESERVOIR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	UJ
182-D RESERVOIR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	UJ
242-A EVAPORATOR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	UJ
2724-W LAUNDRY	AROCHLOR 1221	SW-846 8080	2.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 58

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	AROCHLOR 1221	SW-846 8080	2.00	UG/L	UJ
B PLANT	AROCHLOR 1221	SW-846 8080	2.00	UG/L	UJ
PUREX	AROCHLOR 1221	SW-846 8080	2.00	UG/L	UJ
UO3/U PLANT	AROCHLOR 1221	SW-846 8080	2.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1221	SW-846 8080	20.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	AROCHLOR 1232	SW-846 8080	0.97	UG/L	U
182-D RESERVOIR	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
242-A EVAPORATOR	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
182-D RESERVOIR	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
182-D RESERVOIR	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
182-D RESERVOIR	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
242-A EVAPORATOR	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
2724-W LAUNDRY	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
B PLANT	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
PUREX	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
UO3/U PLANT	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
UO3/U PLANT	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
UO3/U PLANT	AROCHLOR 1232	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1232	SW-846 8080	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	AROCHLOR 1242	SW-846 8080	0.97	UG/L	U
182-D RESERVOIR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
242-A EVAPORATOR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 59

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
182-D RESERVOIR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	UJ
182-D RESERVOIR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	UJ
182-D RESERVOIR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	UJ
242-A EVAPORATOR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	UJ
2724-W LAUNDRY	AROCHLOR 1242	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1242	SW-846 8080	1.00	UG/L	UJ
B PLANT	AROCHLOR 1242	SW-846 8080	1.00	UG/L	UJ
PUREX	AROCHLOR 1242	SW-846 8080	1.00	UG/L	UJ
PUREX	AROCHLOR 1242	SW-846 8080	1.00	UG/L	UJ
UO3/U PLANT	AROCHLOR 1242	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1242	SW-846 8080	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	AROCHLOR 1248	SW-846 8080	0.97	UG/L	U
182-D RESERVOIR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
182-D RESERVOIR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
242-A EVAPORATOR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
182-D RESERVOIR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	UJ
182-D RESERVOIR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	UJ
242-A EVAPORATOR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	UJ
2724-W LAUNDRY	AROCHLOR 1248	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 60

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1248	SW-846 8080	1.00	UG/L	UJ
B PLANT	AROCHLOR 1248	SW-846 8080	1.00	UG/L	UJ
PUREX	AROCHLOR 1248	SW-846 8080	1.00	UG/L	UJ
UO3/U PLANT	AROCHLOR 1248	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1248	SW-846 8080	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	AROCHLOR 1254	SW-846 8080	0.97	UG/L	U
182-D RESERVOIR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
182-D RESERVOIR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
242-A EVAPORATOR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
182-D RESERVOIR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	UJ
182-D RESERVOIR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	UJ
242-A EVAPORATOR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	UJ
2724-W LAUNDRY	AROCHLOR 1254	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1254	SW-846 8080	1.00	UG/L	UJ
B PLANT	AROCHLOR 1254	SW-846 8080	1.00	UG/L	UJ
PUREX	AROCHLOR 1254	SW-846 8080	1.00	UG/L	UJ
UO3/U PLANT	AROCHLOR 1254	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1254	SW-846 8080	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	AROCHLOR 1260	SW-846 8080	0.97	UG/L	U
182-D RESERVOIR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	UJ
182-D RESERVOIR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	UJ
182-D RESERVOIR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	UJ
242-A EVAPORATOR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 61

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	AROCHLOR 1260	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	UJ
B PLANT	AROCHLOR 1260	SW-846 8080	1.00	UG/L	UJ
B PLANT	AROCHLOR 1260	SW-846 8080	1.00	UG/L	UJ
PUREX	AROCHLOR 1260	SW-846 8080	1.00	UG/L	UJ
PUREX	AROCHLOR 1260	SW-846 8080	1.00	UG/L	UJ
UO3/U PLANT	AROCHLOR 1260	SW-846 8080	1.00	UG/L	UJ
182-D RESERVOIR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
242-A EVAPORATOR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	AROCHLOR 1260	SW-846 8080	1.00	UG/L	J
282-W RESERVOIR	AROCHLOR 1260	SW-846 8080	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	ARSENIC	SW-846 6010	2.00	UG/L	
UO3/U PLANT	ARSENIC	SW-846 6010	2.60	UG/L	
UO3/U PLANT	ARSENIC	SW-846 6010	2.70	UG/L	
UO3/U PLANT	ARSENIC	SW-846 6010	3.50	UG/L	
UO3/U PLANT	ARSENIC	SW-846 6010	3.50	UG/L	
MISC STREAMS	ARSENIC	SW-846 6010	15.60	UG/L	
MISC STREAMS	ARSENIC	SW-846 6010	18.20	UG/L	
282-W RESERVOIR	ARSENIC	SW-846 7060	1.30	UG/L	W
PUREX	ARSENIC	SW-846 7060	1.30	UG/L	
182-D RESERVOIR	ARSENIC	SW-846 7060	1.50	UG/L	W
282-E RESERVOIR	ARSENIC	SW-846 7060	1.50	UG/L	
282-E RESERVOIR	ARSENIC	SW-846 7060	1.50	UG/L	
282-E RESERVOIR	ARSENIC	SW-846 7060	1.50	UG/L	
B PLANT	ARSENIC	SW-846 7060	1.50	UG/L	
PUREX	ARSENIC	SW-846 7060	1.50	UG/L	
282-W RESERVOIR	ARSENIC	SW-846 7060	1.50	UG/L	UJ
282-W RESERVOIR	ARSENIC	SW-846 7060	1.50	UG/L	UJ
182-D RESERVOIR	ARSENIC	SW-846 7060	1.60	UG/L	
282-E RESERVOIR	ARSENIC	SW-846 7060	1.70	UG/L	
PUREX	ARSENIC	SW-846 7060	1.70	UG/L	
B PLANT	ARSENIC	SW-846 7060	1.70	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 62

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	ARSENIC	SW-846 7060	2.10	UG/L	
242-A EVAPORATOR	ARSENIC	SW-846 7060	2.10	UG/L	
282-W RESERVOIR	ARSENIC	SW-846 7060	2.10	UG/L	
282-E RESERVOIR	ARSENIC	SW-846 7060	2.10	UG/L	UJ
282-W RESERVOIR	ARSENIC	SW-846 7060	2.20	UG/L	R
PUREX	ARSENIC	SW-846 7060	2.20	UG/L	W
242-A EVAPORATOR	ARSENIC	SW-846 7060	2.20	UG/L	
182-D RESERVOIR	ARSENIC	SW-846 7060	2.30	UG/L	
282-E RESERVOIR	ARSENIC	SW-846 7060	2.40	UG/L	UR
282-W RESERVOIR	ARSENIC	SW-846 7060	2.50	UG/L	R
B PLANT	ARSENIC	SW-846 7060	2.50	UG/L	
282-W RESERVOIR	ARSENIC	SW-846 7060	2.50	UG/L	UJ
2724-W LAUNDRY	ARSENIC	SW-846 7060	2.70	UG/L	W
282-W RESERVOIR	ARSENIC	SW-846 7060	2.80	UG/L	
B PLANT	ARSENIC	SW-846 7060	3.00	UG/L	W
282-E RESERVOIR	ARSENIC	SW-846 7060	3.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	AZINOPHOS-METHYL	SW-846 8140	0.48	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	BARIUM	SW-846 6010	9.80	UG/L	J
282-E RESERVOIR	BARIUM	SW-846 6010	23.60	UG/L	
182-D RESERVOIR	BARIUM	SW-846 6010	23.90	UG/L	
T PLANT	BARIUM	SW-846 6010	25.30	UG/L	
UO3/U PLANT	BARIUM	SW-846 6010	25.50	UG/L	
282-E RESERVOIR	BARIUM	SW-846 6010	25.90	UG/L	
UO3/U PLANT	BARIUM	SW-846 6010	26.00	UG/L	
2724-W LAUNDRY	BARIUM	SW-846 6010	26.30	UG/L	
282-E RESERVOIR	BARIUM	SW-846 6010	27.60	UG/L	
B PLANT	BARIUM	SW-846 6010	27.80	UG/L	
182-D RESERVOIR	BARIUM	SW-846 6010	28.10	UG/L	
282-E RESERVOIR	BARIUM	SW-846 6010	28.10	UG/L	J
PUREX	BARIUM	SW-846 6010	28.20	UG/L	
282-W RESERVOIR	BARIUM	SW-846 6010	28.60	UG/L	
UO3/U PLANT	BARIUM	SW-846 6010	28.70	UG/L	
UO3/U PLANT	BARIUM	SW-846 6010	28.90	UG/L	
282-W RESERVOIR	BARIUM	SW-846 6010	29.20	UG/L	
B PLANT	BARIUM	SW-846 6010	29.60	UG/L	
MISC STREAMS	BARIUM	SW-846 6010	29.70	UG/L	
182-D RESERVOIR	BARIUM	SW-846 6010	30.20	UG/L	
242-A EVAPORATOR	BARIUM	SW-846 6010	30.20	UG/L	
282-E RESERVOIR	BARIUM	SW-846 6010	30.20	UG/L	
PUREX	BARIUM	SW-846 6010	30.40	UG/L	
242-A EVAPORATOR	BARIUM	SW-846 6010	30.80	UG/L	
282-W RESERVOIR	BARIUM	SW-846 6010	30.60	UG/L	
282-W RESERVOIR	BARIUM	SW-846 6010	30.60	UG/L	
B PLANT	BARIUM	SW-846 6010	30.80	UG/L	
282-E RESERVOIR	BARIUM	SW-846 6010	30.80	UG/L	
PUREX	BARIUM	SW-846 6010	30.80	UG/L	

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 63

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
T PLANT	BARIUM	SW-846 6010	30.80	UG/L	
PUREX	BARIUM	SW-846 6010	30.90	UG/L	
UO3/U PLANT	BARIUM	SW-846 6010	31.10	UG/L	
MISC STREAMS	BARIUM	SW-846 6010	31.70	UG/L	
282-W RESERVOIR	BARIUM	SW-846 6010	32.10	UG/L	J
282-W RESERVOIR	BARIUM	SW-846 6010	32.30	UG/L	
282-E RESERVOIR	BARIUM	SW-846 6010	32.60	UG/L	
182-D RESERVOIR	BARIUM	SW-846 6010	33.10	UG/L	
282-W RESERVOIR	BARIUM	SW-846 6010	33.10	UG/L	J
282-W RESERVOIR	BARIUM	SW-846 6010	33.40	UG/L	
B PLANT	BARIUM	SW-846 6010	34.10	UG/L	
T PLANT	BARIUM	SW-846 6010	36.00	UG/L	
T PLANT	BARIUM	SW-846 6010	36.10	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	BENZENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	BENZENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	BENZENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	BENZENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	BENZENE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	BENZENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	BENZENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	BENZENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	BENZENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	BENZENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	BENZENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	BENZENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	BENZENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	BENZENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	BENZENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	BENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	BENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	BENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	BENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	BENZENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	BENZENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	BENZENE	SW-846 8240	5.00	UG/L	U
PUREX	BENZENE	SW-846 8240	5.00	UG/L	U
PUREX	BENZENE	SW-846 8240	5.00	UG/L	U
PUREX	BENZENE	SW-846 8240	5.00	UG/L	U
T PLANT	BENZENE	SW-846 8240	5.00	UG/L	U
T PLANT	BENZENE	SW-846 8240	5.00	UG/L	U
T PLANT	BENZENE	SW-846 8240	5.00	UG/L	U
T PLANT	BENZENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	BENZENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	BENZENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	BENZENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	BENZENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	BENZENE	SW-846 8240	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 64

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	BENZIDINE	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	BENZIDINE	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	BENZIDINE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	BENZIDINE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	BENZIDINE	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	BENZIDINE	SW-846 8270	50.00	UG/L	UJ
PUREX	BENZIDINE	SW-846 8270	50.00	UG/L	UJ
2724-W LAUNDRY	BENZIDINE	SW-846 8270	50.00	UG/L	R
182-D RESERVOIR	BENZIDINE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	BENZIDINE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	BENZIDINE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	BENZIDINE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	BENZIDINE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	BENZIDINE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	BENZIDINE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	BENZIDINE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	BENZIDINE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	BENZIDINE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	BENZIDINE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	BENZIDINE	SW-846 8270	50.00	UG/L	U
B PLANT	BENZIDINE	SW-846 8270	50.00	UG/L	U
B PLANT	BENZIDINE	SW-846 8270	50.00	UG/L	U
B PLANT	BENZIDINE	SW-846 8270	50.00	UG/L	U
B PLANT	BENZIDINE	SW-846 8270	50.00	UG/L	U
PUREX	BENZIDINE	SW-846 8270	50.00	UG/L	U
PUREX	BENZIDINE	SW-846 8270	50.00	UG/L	U
PUREX	BENZIDINE	SW-846 8270	50.00	UG/L	U
T PLANT	BENZIDINE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	BENZIDINE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	BENZIDINE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	BENZIDINE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	BENZIDINE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	BENZOIC ACID	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	BENZOIC ACID	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	BENZOIC ACID	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	BENZOIC ACID	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	BENZOIC ACID	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	BENZOIC ACID	SW-846 8270	50.00	UG/L	UJ
PUREX	BENZOIC ACID	SW-846 8270	50.00	UG/L	UJ
2724-W LAUNDRY	BENZOIC ACID	SW-846 8270	50.00	UG/L	R
182-D RESERVOIR	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	BENZOIC ACID	SW-846 8270	50.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 65

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
B PLANT	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
B PLANT	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
B PLANT	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
B PLANT	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
PUREX	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
PUREX	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
PUREX	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
T PLANT	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	BENZOIC ACID	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
T PLANT	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
PUREX	BENZO(A)ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
MISC STREAMS	BENZO(A)ANTHRACENE	SW-846 8310	0.13	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 66

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
T PLANT	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	UJ
PUREX	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	UJ
MISC STREAMS	BENZO[A]PYRENE	SW-846 8310	0.23	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 67

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
T PLANT	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
PUREX	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
MISC STREAMS	BENZO[B]FLUORANTHENE	SW-846 8310	0.18	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	UJ
PUREX	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
T PLANT	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 68

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
MISC STREAMS	BENZO[G,H,I]PERYLENE	SW-846 8310	0.76	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
T PLANT	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
PUREX	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
MISC STREAMS	BENZO[K]FLUORANTHENE	SW-846 8310	0.17	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	UJ
PUREX	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	UJ
2724-W LAUNDRY	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U

Page 69

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	BERYLLIUM	SW-846 6010	0.10	UG/L	
282-E RESERVOIR	BERYLLIUM	SW-846 6010	0.20	UG/L	U
PUREX	BERYLLIUM	SW-846 6010	0.20	UG/L	U
182-D RESERVOIR	BERYLLIUM	SW-846 6010	0.20	UG/L	
242-A EVAPORATOR	BERYLLIUM	SW-846 6010	0.20	UG/L	
282-E RESERVOIR	BERYLLIUM	SW-846 6010	0.20	UG/L	
282-W RESERVOIR	BERYLLIUM	SW-846 6010	0.20	UG/L	
282-W RESERVOIR	BERYLLIUM	SW-846 6010	0.20	UG/L	
282-W RESERVOIR	BERYLLIUM	SW-846 6010	0.22	UG/L	U
282-W RESERVOIR	BERYLLIUM	SW-846 6010	0.25	UG/L	U
282-W RESERVOIR	BERYLLIUM	SW-846 6010	0.30	UG/L	U
282-W RESERVOIR	BERYLLIUM	SW-846 6010	0.30	UG/L	U
182-D RESERVOIR	BERYLLIUM	SW-846 6010	0.30	UG/L	
182-D RESERVOIR	BERYLLIUM	SW-846 6010	0.30	UG/L	
182-D RESERVOIR	BERYLLIUM	SW-846 6010	0.30	UG/L	
242-A EVAPORATOR	BERYLLIUM	SW-846 6010	0.30	UG/L	
B PLANT	BERYLLIUM	SW-846 6010	0.30	UG/L	
PUREX	BERYLLIUM	SW-846 6010	0.30	UG/L	
UO3/U PLANT	BERYLLIUM	SW-846 6010	0.30	UG/L	
UO3/U PLANT	BERYLLIUM	SW-846 6010	0.30	UG/L	
282-W RESERVOIR	BERYLLIUM	SW-846 6010	0.40	UG/L	
282-W RESERVOIR	BERYLLIUM	SW-846 6010	0.40	UG/L	
2724-W LAUNDARY	BERYLLIUM	SW-846 6010	0.40	UG/L	
282-E RESERVOIR	BERYLLIUM	SW-846 6010	0.40	UG/L	
282-E RESERVOIR	BERYLLIUM	SW-846 6010	0.40	UG/L	
282-E RESERVOIR	BERYLLIUM	SW-846 6010	0.40	UG/L	
282-E RESERVOIR	BERYLLIUM	SW-846 6010	0.40	UG/L	
282-E RESERVOIR	BERYLLIUM	SW-846 6010	0.40	UG/L	U
282-E RESERVOIR	BERYLLIUM	SW-846 6010	0.40	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 70

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	BERYLLIUM	SW-846 6010	0.40	UG/L	
B PLANT	BERYLLIUM	SW-846 6010	0.40	UG/L	
PUREX	BERYLLIUM	SW-846 6010	0.40	UG/L	
PUREX	BERYLLIUM	SW-846 6010	0.40	UG/L	
UO3/U PLANT	BERYLLIUM	SW-846 6010	0.40	UG/L	
UO3/U PLANT	BERYLLIUM	SW-846 6010	1.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	BETA-BHC	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	BETA-BHC	SW-846 8080	0.05	UG/L	UJ
282-E RESERVOIR	BETA-BHC	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	BETA-BHC	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	BETA-BHC	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	BETA-BHC	SW-846 8080	0.05	UG/L	UJ
B PLANT	BETA-BHC	SW-846 8080	0.05	UG/L	UJ
PUREX	BETA-BHC	SW-846 8080	0.05	UG/L	UJ
UO3/U PLANT	BETA-BHC	SW-846 8080	0.05	UG/L	UJ
182-D RESERVOIR	BETA-BHC	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	BETA-BHC	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	BETA-BHC	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	BETA-BHC	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	BETA-BHC	SW-846 8080	0.05	UG/L	U
2724-W LAUNDRY	BETA-BHC	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	BETA-BHC	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	BETA-BHC	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	BETA-BHC	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	BETA-BHC	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	BETA-BHC	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	BETA-BHC	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	BETA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	BETA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	BETA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	BETA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	BETA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	BETA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	BETA-BHC	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	BETA-BHC	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	BETA-BHC	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	BETA-BHC	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	BETA-BHC	SW-846 8080	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	BIOCHEMICAL OXYGEN DEMAND (BOD)	EPA-600 405.1	2.00	MG/L	UJ
B PLANT	BIOCHEMICAL OXYGEN DEMAND (BOD)	EPA-600 405.1	24.00	MG/L	
B PLANT	BIOCHEMICAL OXYGEN DEMAND (BOD)	EPA-600 405.1	40.00	MG/L	
B PLANT	BIOCHEMICAL OXYGEN DEMAND (BOD)	EPA-600 405.1	58.00	MG/L	
242-A EVAPORATOR	BIOCHEMICAL OXYGEN DEMAND (BOD)	LAB SPECIFIC	0.00		
242-A EVAPORATOR	BIOCHEMICAL OXYGEN DEMAND (BOD)	LAB SPECIFIC	0.00		
MISC STREAMS	BIOCHEMICAL OXYGEN DEMAND (BOD)	LAB SPECIFIC	12.00	MG/L	
MISC STREAMS	BIOCHEMICAL OXYGEN DEMAND (BOD)	LAB SPECIFIC	50.00	MG/L	

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 71

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
MISC STREAMS	BIOCHEMICAL OXYGEN DEMAND (BOD)	LAB SPECIFIC	52.00	MG/L	
242-A EVAPORATOR	BIOCHEMICAL OXYGEN DEMAND (BOD)	LAB SPECIFIC	65.00	MG/L	
242-A EVAPORATOR	BIOCHEMICAL OXYGEN DEMAND (BOD)	LAB SPECIFIC	140.00	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	UJ
PUREX	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
T PLANT	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 72

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
T PLANT	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	UJ
PUREX	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	UJ
PUREX	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
T PLANT	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 73

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	3.00	UG/L	U
282-W RESERVOIR	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	3.00	UG/L	J
UO3/U PLANT	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	4.00	UG/L	J
282-E RESERVOIR	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	7.00	UG/L	UJ
2724-W LAUNDRY	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
T PLANT	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	UJ
PUREX	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	UJ
UO3/U PLANT	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	UJ
PUREX	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	20.00	UG/L	J
B PLANT	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	21.00	UG/L	B
UO3/U PLANT	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	37.00	UG/L	B
282-W RESERVOIR	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	41.00	UG/L	B

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	BOLSTAR (SUPROPHOS)	SW-846 8140	0.19	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
T PLANT	BORON	SW-846 6010	13.80	UG/L	U
T PLANT	BORON	SW-846 6010	16.00	UG/L	U
T PLANT	BORON	SW-846 6010	24.90	UG/L	U
T PLANT	BORON	SW-846 6010	42.30	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 74

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	BROMIDE	EPA-600 300.0	0.50	MG/L	U
242-A EVAPORATOR	BROMIDE	EPA-600 300.0	0.50	MG/L	U
B PLANT	BROMIDE	EPA-600 300.0	0.50	MG/L	U
B PLANT	BROMIDE	EPA-600 300.0	0.50	MG/L	U
B PLANT	BROMIDE	EPA-600 300.0	0.50	MG/L	U
B PLANT	BROMIDE	EPA-600 300.0	0.50	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	BROMODICHLOROMETHANE	SW-846 8240	2.00	UG/L	J
182-D RESERVOIR	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
PUREX	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
PUREX	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
PUREX	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	BROMODICHLOROMETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	BROMOFORM	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	BROMOFORM	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	BROMOFORM	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	BROMOFORM	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	BROMOFORM	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	BROMOFORM	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 75

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	BROMOFORM	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	BROMOFORM	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	BROMOFORM	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	BROMOFORM	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	BROMOFORM	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	BROMOFORM	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	BROMOFORM	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	BROMOFORM	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	BROMOFORM	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	BROMOFORM	SW-846 8240	5.00	UG/L	U
B PLANT	BROMOFORM	SW-846 8240	5.00	UG/L	U
B PLANT	BROMOFORM	SW-846 8240	5.00	UG/L	U
B PLANT	BROMOFORM	SW-846 8240	5.00	UG/L	U
B PLANT	BROMOFORM	SW-846 8240	5.00	UG/L	U
MISC STREAMS	BROMOFORM	SW-846 8240	5.00	UG/L	U
MISC STREAMS	BROMOFORM	SW-846 8240	5.00	UG/L	U
PUREX	BROMOFORM	SW-846 8240	5.00	UG/L	U
PUREX	BROMOFORM	SW-846 8240	5.00	UG/L	U
PUREX	BROMOFORM	SW-846 8240	5.00	UG/L	U
T PLANT	BROMOFORM	SW-846 8240	5.00	UG/L	U
T PLANT	BROMOFORM	SW-846 8240	5.00	UG/L	U
T PLANT	BROMOFORM	SW-846 8240	5.00	UG/L	U
T PLANT	BROMOFORM	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	BROMOFORM	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	BROMOFORM	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	BROMOFORM	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	BROMOFORM	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	BROMOFORM	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	BROMOMETHANE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	BROMOMETHANE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	BROMOMETHANE	SW-846 8240	10.00	UG/L	UJ
182-D RESERVOIR	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
2724-W LAUNDRY	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	BROMOMETHANE	SW-846 8240	10.00	UG/L	U

Page 76

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	BROMOMETHANE	SW-846 8240	10.00	UG/L	U

[illegible]

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 77

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	CADMIUM	SW-846 6010	0.80	UG/L	
B PLANT	CADMIUM	SW-846 6010	1.00	UG/L	U
PUREX	CADMIUM	SW-846 6010	1.10	UG/L	U
282-E RESERVOIR	CADMIUM	SW-846 6010	1.10	UG/L	
282-E RESERVOIR	CADMIUM	SW-846 6010	1.10	UG/L	
B PLANT	CADMIUM	SW-846 6010	1.10	UG/L	
T PLANT	CADMIUM	SW-846 6010	1.10	UG/L	
282-E RESERVOIR	CADMIUM	SW-846 6010	1.10	UG/L	UJ
282-W RESERVOIR	CADMIUM	SW-846 6010	1.10	UG/L	UJ
282-E RESERVOIR	CADMIUM	SW-846 6010	1.30	UG/L	U
182-D RESERVOIR	CADMIUM	SW-846 6010	1.30	UG/L	
242-A EVAPORATOR	CADMIUM	SW-846 6010	1.30	UG/L	
282-W RESERVOIR	CADMIUM	SW-846 6010	1.30	UG/L	
282-W RESERVOIR	CADMIUM	SW-846 6010	1.30	UG/L	
PUREX	CADMIUM	SW-846 6010	1.30	UG/L	
282-E RESERVOIR	CADMIUM	SW-846 6010	1.30	UG/L	UJ
182-D RESERVOIR	CADMIUM	SW-846 6010	1.40	UG/L	
B PLANT	CADMIUM	SW-846 6010	1.40	UG/L	
UO3/U PLANT	CADMIUM	SW-846 6010	1.40	UG/L	
UO3/U PLANT	CADMIUM	SW-846 6010	1.40	UG/L	
282-W RESERVOIR	CADMIUM	SW-846 6010	1.50	UG/L	U
2724-W LAUNDRY	CADMIUM	SW-846 6010	1.50	UG/L	
282-E RESERVOIR	CADMIUM	SW-846 6010	1.50	UG/L	
PUREX	CADMIUM	SW-846 6010	1.50	UG/L	
T PLANT	CADMIUM	SW-846 6010	1.50	UG/L	
UO3/U PLANT	CADMIUM	SW-846 6010	1.50	UG/L	
B PLANT	CADMIUM	SW-846 6010	1.60	UG/L	U
MISC STREAMS	CADMIUM	SW-846 6010	1.70	UG/L	U
182-D RESERVOIR	CADMIUM	SW-846 6010	1.70	UG/L	
182-D RESERVOIR	CADMIUM	SW-846 6010	1.70	UG/L	
242-A EVAPORATOR	CADMIUM	SW-846 6010	1.70	UG/L	
PUREX	CADMIUM	SW-846 6010	1.70	UG/L	
T PLANT	CADMIUM	SW-846 6010	1.70	UG/L	
282-W RESERVOIR	CADMIUM	SW-846 6010	1.70	UG/L	UJ
282-W RESERVOIR	CADMIUM	SW-846 6010	1.70	UG/L	UJ
282-E RESERVOIR	CADMIUM	SW-846 6010	1.80	UG/L	U
282-W RESERVOIR	CADMIUM	SW-846 6010	1.90	UG/L	J
MISC STREAMS	CADMIUM	SW-846 6010	2.10	UG/L	
UO3/U PLANT	CADMIUM	SW-846 6010	7.00	UG/L	
T PLANT	CADMIUM	SW-846 6010	8.40	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	CALCIUM	SW-846 6010	16,300.00	UG/L	
T PLANT	CALCIUM	SW-846 6010	17,500.00	UG/L	
PUREX	CALCIUM	SW-846 6010	19,000.00	UG/L	J
T PLANT	CALCIUM	SW-846 6010	19,100.00	UG/L	
MISC STREAMS	CALCIUM	SW-846 6010	19,900.00	UG/L	
T PLANT	CALCIUM	SW-846 6010	21,400.00	UG/L	
MISC STREAMS	CALCIUM	SW-846 6010	21,600.00	UG/L	
T PLANT	CALCIUM	SW-846 6010	22,000.00	UG/L	

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 78

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	CARBAZOLE	SW-846 8270	10.00	UG/L	U
2724-W LAUNDRY	CARBAZOLE	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	CARBAZOLE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	CARBAZOLE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	CARBAZOLE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	CARBAZOLE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	CARBAZOLE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	CARBAZOLE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	CARBAZOLE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	CARBAZOLE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	CARBAZOLE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	CARBAZOLE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	CARBAZOLE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	CARBAZOLE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	CARBAZOLE	SW-846 8270	20.00	UG/L	U
B PLANT	CARBAZOLE	SW-846 8270	20.00	UG/L	U
B PLANT	CARBAZOLE	SW-846 8270	20.00	UG/L	U
B PLANT	CARBAZOLE	SW-846 8270	20.00	UG/L	U
B PLANT	CARBAZOLE	SW-846 8270	20.00	UG/L	U
PUREX	CARBAZOLE	SW-846 8270	20.00	UG/L	U
PUREX	CARBAZOLE	SW-846 8270	20.00	UG/L	U
PUREX	CARBAZOLE	SW-846 8270	20.00	UG/L	U
T PLANT	CARBAZOLE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	CARBAZOLE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	CARBAZOLE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	CARBAZOLE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	CARBAZOLE	SW-846 8270	20.00	UG/L	U
182-D RESERVOIR	CARBAZOLE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	CARBAZOLE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	CARBAZOLE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	CARBAZOLE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	CARBAZOLE	SW-846 8270	20.00	UG/L	UJ
PUREX	CARBAZOLE	SW-846 8270	20.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	UJ
182-D RESERVOIR	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 79

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
B PLANT	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
B PLANT	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
B PLANT	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
B PLANT	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
PUREX	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
PUREX	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
PUREX	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
T PLANT	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
T PLANT	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
T PLANT	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
T PLANT	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	CARBON DISULFIDE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
B PLANT	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
B PLANT	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
B PLANT	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
B PLANT	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
PUREX	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
PUREX	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
PUREX	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
T PLANT	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
T PLANT	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
T PLANT	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
T PLANT	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 80

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	CARBON TETRACHLORIDE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	CARBON-14	CARBON-14	40.00	PCI/L	UJ
PUREX	CARBON-14	CARBON-14	40.00	PCI/L	U
PUREX	CARBON-14	CARBON-14	60.00	PCI/L	UJ
PUREX	CARBON-14	CARBON-14	60.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	CERIUM-144	GAMMA SCAN	30.00	PCI/L	U
2724-W LAUNDRY	CERIUM-144	GAMMA SCAN	50.00	PCI/L	U
B PLANT	CERIUM-144	GAMMA SCAN	50.00	PCI/L	U
PUREX	CERIUM-144	GAMMA SCAN	50.00	PCI/L	U
PUREX	CERIUM-144	GAMMA SCAN	50.00	PCI/L	U
T PLANT	CERIUM-144	GAMMA SCAN	50.00	PCI/L	U
T PLANT	CERIUM-144	GAMMA SCAN	50.00	PCI/L	U
B PLANT	CERIUM-144	GAMMA SCAN	60.00	PCI/L	U
PUREX	CERIUM-144	GAMMA SCAN	60.00	PCI/L	U
T PLANT	CERIUM-144	GAMMA SCAN	60.00	PCI/L	U
T PLANT	CERIUM-144	GAMMA SCAN	60.00	PCI/L	U
B PLANT	CERIUM-144	GAMMA SCAN	70.00	PCI/L	U
B PLANT	CERIUM-144	GAMMA SCAN	70.00	PCI/L	U
PUREX	CERIUM-144	GAMMA SCAN	70.00	PCI/L	U
242-A EVAPORATOR	CERIUM-144	RC-30	60.00	PCI/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	CESIUM-134	GAMMA SCAN	7.00	PCI/L	U
2724-W LAUNDRY	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
B PLANT	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
B PLANT	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
PUREX	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
PUREX	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
PUREX	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
PUREX	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
T PLANT	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
T PLANT	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
T PLANT	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
T PLANT	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
B PLANT	CESIUM-134	GAMMA SCAN	20.00	PCI/L	U
B PLANT	CESIUM-134	GAMMA SCAN	20.00	PCI/L	U
242-A EVAPORATOR	CESIUM-134	RC-30	10.00	PCI/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	CESIUM-137	GAMMA SCAN	6.00	PCI/L	U
2724-W LAUNDRY	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
B PLANT	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 81

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
B PLANT	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
B PLANT	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
PUREX	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
PUREX	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
PUREX	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
PUREX	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
T PLANT	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
T PLANT	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
T PLANT	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
T PLANT	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
242-A EVAPORATOR	CESIUM-137	RC-30	10.00	PCI/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	5.00	MG/L	U
UO3/U PLANT	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	5.00	MG/L	U
UO3/U PLANT	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	5.00	MG/L	U
182-D RESERVOIR	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	7.00	MG/L	
UO3/U PLANT	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	7.00	MG/L	
B PLANT	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	UJ
182-D RESERVOIR	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
182-D RESERVOIR	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
182-D RESERVOIR	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
242-A EVAPORATOR	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
242-A EVAPORATOR	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
282-E RESERVOIR	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
282-E RESERVOIR	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
282-E RESERVOIR	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
282-E RESERVOIR	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
282-E RESERVOIR	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
282-W RESERVOIR	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
282-W RESERVOIR	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
282-W RESERVOIR	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
282-W RESERVOIR	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
282-W RESERVOIR	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
B PLANT	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
B PLANT	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
B PLANT	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
PUREX	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
PUREX	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
PUREX	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
PUREX	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
UO3/U PLANT	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	50.00	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	CHLORDANE	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	CHLORDANE	SW-846 8080	0.50	UG/L	U
242-A EVAPORATOR	CHLORDANE	SW-846 8080	0.50	UG/L	U
242-A EVAPORATOR	CHLORDANE	SW-846 8080	0.50	UG/L	U
2724-W LAUNDRY	CHLORDANE	SW-846 8080	0.50	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 82

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	CHLORDANE	SW-846 8080	0.50	UG/L	U
282-E RESERVOIR	CHLORDANE	SW-846 8080	0.50	UG/L	U
282-E RESERVOIR	CHLORDANE	SW-846 8080	0.50	UG/L	U
282-W RESERVOIR	CHLORDANE	SW-846 8080	0.50	UG/L	U
282-W RESERVOIR	CHLORDANE	SW-846 8080	0.50	UG/L	U
B PLANT	CHLORDANE	SW-846 8080	0.50	UG/L	U
PUREX	CHLORDANE	SW-846 8080	0.50	UG/L	U
PUREX	CHLORDANE	SW-846 8080	0.50	UG/L	U
PUREX	CHLORDANE	SW-846 8080	0.50	UG/L	U
UO3/U PLANT	CHLORDANE	SW-846 8080	0.50	UG/L	U
UO3/U PLANT	CHLORDANE	SW-846 8080	0.50	UG/L	U
182-D RESERVOIR	CHLORDANE	SW-846 8080	0.50	UG/L	UJ
182-D RESERVOIR	CHLORDANE	SW-846 8080	0.50	UG/L	UJ
282-E RESERVOIR	CHLORDANE	SW-846 8080	0.50	UG/L	UJ
282-W RESERVOIR	CHLORDANE	SW-846 8080	0.50	UG/L	UJ
282-W RESERVOIR	CHLORDANE	SW-846 8080	0.50	UG/L	UJ
282-W RESERVOIR	CHLORDANE	SW-846 8080	0.50	UG/L	UJ
B PLANT	CHLORDANE	SW-846 8080	0.50	UG/L	UJ
B PLANT	CHLORDANE	SW-846 8080	0.50	UG/L	UJ
PUREX	CHLORDANE	SW-846 8080	0.50	UG/L	UJ
182-D RESERVOIR	CHLORDANE	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	CHLORDANE	SW-846 8080	1.00	UG/L	U
B PLANT	CHLORDANE	SW-846 8080	1.00	UG/L	UJ
UO3/U PLANT	CHLORDANE	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	CHLORDANE	SW-846 8080	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	CHLORIDE	EPA-600 300.0	0.80	MG/L	J
282-E RESERVOIR	CHLORIDE	EPA-600 300.0	0.80	MG/L	
282-E RESERVOIR	CHLORIDE	EPA-600 300.0	0.80	MG/L	
PUREX	CHLORIDE	EPA-600 300.0	0.80	MG/L	
182-D RESERVOIR	CHLORIDE	EPA-600 300.0	0.90	MG/L	
182-D RESERVOIR	CHLORIDE	EPA-600 300.0	0.90	MG/L	
282-E RESERVOIR	CHLORIDE	EPA-600 300.0	0.90	MG/L	
282-W RESERVOIR	CHLORIDE	EPA-600 300.0	0.90	MG/L	
282-W RESERVOIR	CHLORIDE	EPA-600 300.0	0.90	MG/L	
282-W RESERVOIR	CHLORIDE	EPA-600 300.0	0.90	MG/L	
B PLANT	CHLORIDE	EPA-600 300.0	0.90	MG/L	
MISC STREAMS	CHLORIDE	EPA-600 300.0	0.90	MG/L	
T PLANT	CHLORIDE	EPA-600 300.0	0.90	MG/L	
T PLANT	CHLORIDE	EPA-600 300.0	0.90	MG/L	
T PLANT	CHLORIDE	EPA-600 300.0	0.90	MG/L	
182-D RESERVOIR	CHLORIDE	EPA-600 300.0	1.00	MG/L	
182-D RESERVOIR	CHLORIDE	EPA-600 300.0	1.00	MG/L	
242-A EVAPORATOR	CHLORIDE	EPA-600 300.0	1.00	MG/L	
282-E RESERVOIR	CHLORIDE	EPA-600 300.0	1.00	MG/L	
282-E RESERVOIR	CHLORIDE	EPA-600 300.0	1.00	MG/L	
282-E RESERVOIR	CHLORIDE	EPA-600 300.0	1.00	MG/L	
282-W RESERVOIR	CHLORIDE	EPA-600 300.0	1.00	MG/L	
282-W RESERVOIR	CHLORIDE	EPA-600 300.0	1.00	MG/L	
B PLANT	CHLORIDE	EPA-600 300.0	1.00	MG/L	

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 83

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	CHLORIDE	EPA-600 300.0	1.00	MG/L	J
PUREX	CHLORIDE	EPA-600 300.0	1.00	MG/L	
T PLANT	CHLORIDE	EPA-600 300.0	1.00	MG/L	
B PLANT	CHLORIDE	EPA-600 300.0	1.10	MG/L	
282-W RESERVOIR	CHLORIDE	EPA-600 300.0	1.20	MG/L	
282-W RESERVOIR	CHLORIDE	EPA-600 300.0	1.20	MG/L	
PUREX	CHLORIDE	EPA-600 300.0	1.20	MG/L	
MISC STREAMS	CHLORIDE	EPA-600 300.0	1.30	MG/L	
B PLANT	CHLORIDE	EPA-600 300.0	1.40	MG/L	
2724-W LAUNDRY	CHLORIDE	EPA-600 300.0	3.40	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	CHLOROBENZENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	CHLOROBENZENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	CHLOROBENZENE	SW-846 8240	5.00	UG/L	UJ
182-D RESERVOIR	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
PUREX	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
PUREX	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
PUREX	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
T PLANT	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
T PLANT	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
T PLANT	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
T PLANT	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	CHLOROBENZENE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 84

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	UJ
PUREX	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
B PLANT	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
B PLANT	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
B PLANT	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
B PLANT	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
PUREX	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
PUREX	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
PUREX	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
T PLANT	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	CHLOROETHANE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	CHLOROETHANE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	CHLOROETHANE	SW-846 8240	10.00	UG/L	UJ
182-D RESERVOIR	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
2724-W LAUNDRY	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	CHLOROETHANE	SW-846 8240	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 85

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
PUREX	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
PUREX	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
PUREX	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	CHLOROETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	CHLOROFORM	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	CHLOROFORM	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	CHLOROFORM	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	CHLOROFORM	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	CHLOROFORM	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CHLOROFORM	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CHLOROFORM	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CHLOROFORM	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CHLOROFORM	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CHLOROFORM	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CHLOROFORM	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CHLOROFORM	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CHLOROFORM	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CHLOROFORM	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CHLOROFORM	SW-846 8240	5.00	UG/L	U
B PLANT	CHLOROFORM	SW-846 8240	5.00	UG/L	U
B PLANT	CHLOROFORM	SW-846 8240	5.00	UG/L	U
B PLANT	CHLOROFORM	SW-846 8240	5.00	UG/L	U
B PLANT	CHLOROFORM	SW-846 8240	5.00	UG/L	U
MISC STREAMS	CHLOROFORM	SW-846 8240	5.00	UG/L	U
MISC STREAMS	CHLOROFORM	SW-846 8240	5.00	UG/L	U
PUREX	CHLOROFORM	SW-846 8240	5.00	UG/L	U
PUREX	CHLOROFORM	SW-846 8240	5.00	UG/L	U
PUREX	CHLOROFORM	SW-846 8240	5.00	UG/L	U
T PLANT	CHLOROFORM	SW-846 8240	5.00	UG/L	U
T PLANT	CHLOROFORM	SW-846 8240	5.00	UG/L	U
T PLANT	CHLOROFORM	SW-846 8240	5.00	UG/L	U
T PLANT	CHLOROFORM	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	CHLOROFORM	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	CHLOROFORM	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	CHLOROFORM	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	CHLOROFORM	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	CHLOROFORM	SW-846 8240	10.00	UG/L	U
2724-W LAUNDRY	CHLOROFORM	SW-846 8240	36.00	UG/L	

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 86

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	CHLOROMETHANE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	CHLOROMETHANE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	CHLOROMETHANE	SW-846 8240	10.00	UG/L	UJ
182-D RESERVOIR	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
2724-W LAUNDRY	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	CHLORPYRIFOS	SW-846 8140	0.19	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	CHLORTHALONIL	SW-846 8080	0.50	UG/L	UJ
182-D RESERVOIR	CHLORTHALONIL	SW-846 8080	0.50	UG/L	UJ
242-A EVAPORATOR	CHLORTHALONIL	SW-846 8080	0.50	UG/L	UJ
2724-W LAUNDRY	CHLORTHALONIL	SW-846 8080	0.50	UG/L	UJ
282-E RESERVOIR	CHLORTHALONIL	SW-846 8080	0.50	UG/L	UJ
282-E RESERVOIR	CHLORTHALONIL	SW-846 8080	0.50	UG/L	UJ
282-E RESERVOIR	CHLORTHALONIL	SW-846 8080	0.50	UG/L	UJ
282-W RESERVOIR	CHLORTHALONIL	SW-846 8080	0.50	UG/L	UJ
282-W RESERVOIR	CHLORTHALONIL	SW-846 8080	0.50	UG/L	UJ
282-W RESERVOIR	CHLORTHALONIL	SW-846 8080	0.50	UG/L	UJ
282-W RESERVOIR	CHLORTHALONIL	SW-846 8080	0.50	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 87

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	CHLORTHALONIL	SW-846 8080	0.50	UG/L	UJ
B PLANT	CHLORTHALONIL	SW-846 8080	0.50	UG/L	UJ
PUREX	CHLORTHALONIL	SW-846 8080	0.50	UG/L	UJ
PUREX	CHLORTHALONIL	SW-846 8080	0.50	UG/L	UJ
UO3/U PLANT	CHLORTHALONIL	SW-846 8080	0.50	UG/L	UJ
UO3/U PLANT	CHLORTHALONIL	SW-846 8080	0.50	UG/L	UJ
182-D RESERVOIR	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
182-D RESERVOIR	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
242-A EVAPORATOR	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
282-E RESERVOIR	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
282-E RESERVOIR	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
282-E RESERVOIR	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
B PLANT	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
B PLANT	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
B PLANT	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
PUREX	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
PUREX	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
UO3/U PLANT	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
UO3/U PLANT	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
282-W RESERVOIR	CHLORTHALONIL	SW-846 8080	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	CHROMIUM	SW-846 6010	1.80	UG/L	
282-E RESERVOIR	CHROMIUM	SW-846 6010	1.80	UG/L	
B PLANT	CHROMIUM	SW-846 6010	1.80	UG/L	
PUREX	CHROMIUM	SW-846 6010	1.80	UG/L	
UO3/U PLANT	CHROMIUM	SW-846 6010	1.80	UG/L	UJ
282-W RESERVOIR	CHROMIUM	SW-846 6010	2.10	UG/L	U
182-D RESERVOIR	CHROMIUM	SW-846 6010	2.10	UG/L	
242-A EVAPORATOR	CHROMIUM	SW-846 6010	2.10	UG/L	
282-E RESERVOIR	CHROMIUM	SW-846 6010	2.10	UG/L	
282-W RESERVOIR	CHROMIUM	SW-846 6010	2.10	UG/L	
282-W RESERVOIR	CHROMIUM	SW-846 6010	2.10	UG/L	
282-W RESERVOIR	CHROMIUM	SW-846 6010	2.10	UG/L	
PUREX	CHROMIUM	SW-846 6010	2.10	UG/L	
282-E RESERVOIR	CHROMIUM	SW-846 6010	2.10	UG/L	UJ
2724-W LAUNDRY	CHROMIUM	SW-846 6010	2.20	UG/L	
UO3/U PLANT	CHROMIUM	SW-846 6010	2.20	UG/L	
282-E RESERVOIR	CHROMIUM	SW-846 6010	2.50	UG/L	U
182-D RESERVOIR	CHROMIUM	SW-846 6010	2.50	UG/L	
182-D RESERVOIR	CHROMIUM	SW-846 6010	2.50	UG/L	
242-A EVAPORATOR	CHROMIUM	SW-846 6010	2.50	UG/L	
282-E RESERVOIR	CHROMIUM	SW-846 6010	2.50	UG/L	
282-E RESERVOIR	CHROMIUM	SW-846 6010	2.50	UG/L	
B PLANT	CHROMIUM	SW-846 6010	2.50	UG/L	
MISC STREAMS	CHROMIUM	SW-846 6010	2.50	UG/L	
PUREX	CHROMIUM	SW-846 6010	2.50	UG/L	
282-W RESERVOIR	CHROMIUM	SW-846 6010	2.50	UG/L	N
282-W RESERVOIR	CHROMIUM	SW-846 6010	2.50	UG/L	UJ
282-W RESERVOIR	CHROMIUM	SW-846 6010	2.50	UG/L	UJ
282-W RESERVOIR	CHROMIUM	SW-846 6010	2.50	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 88

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	CHROMIUM	SW-846 6010	2.50	UG/L	UJ
MISC STREAMS	CHROMIUM	SW-846 6010	3.20	UG/L	
182-D RESERVOIR	CHROMIUM	SW-846 6010	3.30	UG/L	
B PLANT	CHROMIUM	SW-846 6010	3.30	UG/L	
UO3/U PLANT	CHROMIUM	SW-846 6010	3.30	UG/L	
UO3/U PLANT	CHROMIUM	SW-846 6010	3.30	UG/L	
UO3/U PLANT	CHROMIUM	SW-846 6010	9.00	UG/L	
B PLANT	CHROMIUM	SW-846 6010	49.30	UG/L	J

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	CHROMIUM, HEXAVALENT	SW-846 7196	10.00	UG/L	UJ
282-E RESERVOIR	CHROMIUM, HEXAVALENT	SW-846 7196	10.00	UG/L	UJ
282-W RESERVOIR	CHROMIUM, HEXAVALENT	SW-846 7196	10.00	UG/L	UJ
B PLANT	CHROMIUM, HEXAVALENT	SW-846 7196	10.00	UG/L	UJ
UO3/U PLANT	CHROMIUM, HEXAVALENT	SW-846 7196	10.00	UG/L	UJ
UO3/U PLANT	CHROMIUM, HEXAVALENT	SW-846 7196	10.00	UG/L	UJ
UO3/U PLANT	CHROMIUM, HEXAVALENT	SW-846 7196	10.00	UG/L	UJ
282-E RESERVOIR	CHROMIUM, HEXAVALENT	SW-846 7196	10.00	UG/L	R
282-W RESERVOIR	CHROMIUM, HEXAVALENT	SW-846 7196	10.00	UG/L	R
282-W RESERVOIR	CHROMIUM, HEXAVALENT	SW-846 7196	10.00	UG/L	UR
282-W RESERVOIR	CHROMIUM, HEXAVALENT	SW-846 7196	10.00	UG/L	UR
B PLANT	CHROMIUM, HEXAVALENT	SW-846 7196	20.00	UG/L	UJ
242-A EVAPORATOR	CHROMIUM, HEXAVALENT	SW-846 7196	20.00	UG/L	R
UO3/U PLANT	CHROMIUM, HEXAVALENT	SW-846 7196	20.00	UG/L	U
242-A EVAPORATOR	CHROMIUM, HEXAVALENT	SW-846 7196	50.00	UG/L	UJ
282-E RESERVOIR	CHROMIUM, HEXAVALENT	SW-846 7196	50.00	UG/L	UJ
282-E RESERVOIR	CHROMIUM, HEXAVALENT	SW-846 7196	50.00	UG/L	UJ
282-E RESERVOIR	CHROMIUM, HEXAVALENT	SW-846 7196	50.00	UG/L	UJ
282-W RESERVOIR	CHROMIUM, HEXAVALENT	SW-846 7196	50.00	UG/L	UJ
282-W RESERVOIR	CHROMIUM, HEXAVALENT	SW-846 7196	50.00	UG/L	UJ
282-W RESERVOIR	CHROMIUM, HEXAVALENT	SW-846 7196	50.00	UG/L	UJ
B PLANT	CHROMIUM, HEXAVALENT	SW-846 7196	50.00	UG/L	UJ
B PLANT	CHROMIUM, HEXAVALENT	SW-846 7196	50.00	UG/L	UJ
UO3/U PLANT	CHROMIUM, HEXAVALENT	SW-846 7196	50.00	UG/L	R
282-E RESERVOIR	CHROMIUM, HEXAVALENT	SW-846 7196	50.00	UG/L	J

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	CHROMIUM-51	GAMMA SCAN	100.00	PCI/L	U
B PLANT	CHROMIUM-51	GAMMA SCAN	100.00	PCI/L	U
T PLANT	CHROMIUM-51	RC-30	100.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	CHRYSENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	CHRYSENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	CHRYSENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	CHRYSENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	CHRYSENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	CHRYSENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	CHRYSENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 89

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	CHRYSENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	CHRYSENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	CHRYSENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	CHRYSENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	CHRYSENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	CHRYSENE	SW-846 8270	10.00	UG/L	U
B PLANT	CHRYSENE	SW-846 8270	10.00	UG/L	U
B PLANT	CHRYSENE	SW-846 8270	10.00	UG/L	U
B PLANT	CHRYSENE	SW-846 8270	10.00	UG/L	U
B PLANT	CHRYSENE	SW-846 8270	10.00	UG/L	U
PUREX	CHRYSENE	SW-846 8270	10.00	UG/L	U
PUREX	CHRYSENE	SW-846 8270	10.00	UG/L	U
PUREX	CHRYSENE	SW-846 8270	10.00	UG/L	U
T PLANT	CHRYSENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	CHRYSENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	CHRYSENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	CHRYSENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	CHRYSENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	CHRYSENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	CHRYSENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	CHRYSENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	CHRYSENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	CHRYSENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	CHRYSENE	SW-846 8270	10.00	UG/L	UJ
PUREX	CHRYSENE	SW-846 8270	10.00	UG/L	UJ
MISC STREAMS	CHRYSENE	SW-846 8310	1.50	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
B PLANT	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
B PLANT	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
B PLANT	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
B PLANT	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PUREX	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 90

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PUREX	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
T PLANT	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
T PLANT	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
T PLANT	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
T PLANT	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	CIS-1,3-DICHLOROPROPENE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	COBALT	SW-846 6010	1.50	UG/L	
282-E RESERVOIR	COBALT	SW-846 6010	1.50	UG/L	
282-E RESERVOIR	COBALT	SW-846 6010	1.50	UG/L	
B PLANT	COBALT	SW-846 6010	1.50	UG/L	
PUREX	COBALT	SW-846 6010	1.50	UG/L	
UO3/U PLANT	COBALT	SW-846 6010	1.50	UG/L	
B PLANT	COBALT	SW-846 6010	2.00	UG/L	
282-E RESERVOIR	COBALT	SW-846 6010	2.10	UG/L	UJ
282-W RESERVOIR	COBALT	SW-846 6010	2.10	UG/L	UJ
282-W RESERVOIR	COBALT	SW-846 6010	2.10	UG/L	UJ
282-E RESERVOIR	COBALT	SW-846 6010	2.10	UG/L	
282-E RESERVOIR	COBALT	SW-846 6010	2.10	UG/L	
B PLANT	COBALT	SW-846 6010	2.10	UG/L	
PUREX	COBALT	SW-846 6010	2.10	UG/L	
UO3/U PLANT	COBALT	SW-846 6010	2.40	UG/L	
282-E RESERVOIR	COBALT	SW-846 6010	2.60	UG/L	UJ
182-D RESERVOIR	COBALT	SW-846 6010	2.60	UG/L	
242-A EVAPORATOR	COBALT	SW-846 6010	2.60	UG/L	
282-E RESERVOIR	COBALT	SW-846 6010	2.60	UG/L	
282-W RESERVOIR	COBALT	SW-846 6010	2.60	UG/L	
282-W RESERVOIR	COBALT	SW-846 6010	2.60	UG/L	
282-W RESERVOIR	COBALT	SW-846 6010	2.60	UG/L	
PUREX	COBALT	SW-846 6010	2.60	UG/L	
282-W RESERVOIR	COBALT	SW-846 6010	2.90	UG/L	UJ
282-W RESERVOIR	COBALT	SW-846 6010	2.90	UG/L	UJ
182-D RESERVOIR	COBALT	SW-846 6010	2.90	UG/L	
182-D RESERVOIR	COBALT	SW-846 6010	2.90	UG/L	
182-D RESERVOIR	COBALT	SW-846 6010	2.90	UG/L	
242-A EVAPORATOR	COBALT	SW-846 6010	2.90	UG/L	
B PLANT	COBALT	SW-846 6010	2.90	UG/L	
PUREX	COBALT	SW-846 6010	2.90	UG/L	
UO3/U PLANT	COBALT	SW-846 6010	2.90	UG/L	
UO3/U PLANT	COBALT	SW-846 6010	2.90	UG/L	
UO3/U PLANT	COBALT	SW-846 6010	9.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	COBALT-58	GAMMA SCAN	9.00	PC/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 91

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	COBALT-58	GAMMA SCAN	10.00	PCI/L	U
B PLANT	COBALT-58	GAMMA SCAN	10.00	PCI/L	U
PUREX	COBALT-58	GAMMA SCAN	10.00	PCI/L	U
PUREX	COBALT-58	GAMMA SCAN	10.00	PCI/L	U
PUREX	COBALT-58	GAMMA SCAN	10.00	PCI/L	U
T PLANT	COBALT-58	GAMMA SCAN	10.00	PCI/L	U
T PLANT	COBALT-58	GAMMA SCAN	10.00	PCI/L	U
T PLANT	COBALT-58	GAMMA SCAN	10.00	PCI/L	U
B PLANT	COBALT-58	GAMMA SCAN	20.00	PCI/L	U
PUREX	COBALT-58	GAMMA SCAN	20.00	PCI/L	U
242-A EVAPORATOR	COBALT-58	RC-30	10.00	PCI/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	COBALT-60	GAMMA SCAN	10.00	PCI/L	U
B PLANT	COBALT-60	GAMMA SCAN	10.00	PCI/L	U
B PLANT	COBALT-60	GAMMA SCAN	10.00	PCI/L	U
B PLANT	COBALT-60	GAMMA SCAN	10.00	PCI/L	U
PUREX	COBALT-60	GAMMA SCAN	10.00	PCI/L	U
PUREX	COBALT-60	GAMMA SCAN	10.00	PCI/L	U
PUREX	COBALT-60	GAMMA SCAN	10.00	PCI/L	U
PUREX	COBALT-60	GAMMA SCAN	10.00	PCI/L	U
T PLANT	COBALT-60	GAMMA SCAN	10.00	PCI/L	U
T PLANT	COBALT-60	GAMMA SCAN	10.00	PCI/L	U
2724-W LAUNDRY	COBALT-60	GAMMA SCAN	20.00	PCI/L	U
B PLANT	COBALT-60	GAMMA SCAN	20.00	PCI/L	U
T PLANT	COBALT-60	GAMMA SCAN	20.00	PCI/L	U
T PLANT	COBALT-60	GAMMA SCAN	20.00	PCI/L	U
242-A EVAPORATOR	COBALT-60	RC-30	20.00	PCI/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
MISC STREAMS	COLIFORM TOTAL AND FECAL	SW-846 9131	1.00	TCOL	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	CONDUCTIVITY	EPA-600 120.1	120.00	UMHO	
UO3/U PLANT	CONDUCTIVITY	EPA-600 120.1	123.00	UMHO	
B PLANT	CONDUCTIVITY	EPA-600 120.1	125.00	UMHO	
UO3/U PLANT	CONDUCTIVITY	EPA-600 120.1	129.00	UMHO	
UO3/U PLANT	CONDUCTIVITY	EPA-600 120.1	134.00	UMHO	
UO3/U PLANT	CONDUCTIVITY	EPA-600 120.1	134.00	UMHO	
182-D RESERVOIR	CONDUCTIVITY	EPA-600 120.1	135.00	UMHO	
182-D RESERVOIR	CONDUCTIVITY	EPA-600 120.1	136.00	UMHO	
182-D RESERVOIR	CONDUCTIVITY	EPA-600 120.1	146.00	UMHO	
B PLANT	CONDUCTIVITY	EPA-600 120.1	147.00	UMHO	
MISC STREAMS	CONDUCTIVITY	EPA-600 120.1	150.00	UMHO	
B PLANT	CONDUCTIVITY	EPA-600 120.1	151.00	UMHO	
MISC STREAMS	CONDUCTIVITY	EPA-600 120.1	151.00	UMHO	
B PLANT	CONDUCTIVITY	EPA-600 120.1	152.00	UMHO	
182-D RESERVOIR	CONDUCTIVITY	EPA-600 120.1	160.00	UMHO	
282-E RESERVOIR	CONDUCTIVITY	SW-846 9050	130.00	UMHO	

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 92

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	CONDUCTIVITY	SW-846 9050	130.00	UMHO	
282-E RESERVOIR	CONDUCTIVITY	SW-846 9050	131.00	UMHO	
242-A EVAPORATOR	CONDUCTIVITY	SW-846 9050	134.00	UMHO	
282-W RESERVOIR	CONDUCTIVITY	SW-846 9050	134.00	UMHO	
PUREX	CONDUCTIVITY	SW-846 9050	135.00	UMHO	
282-E RESERVOIR	CONDUCTIVITY	SW-846 9050	136.00	UMHO	
282-W RESERVOIR	CONDUCTIVITY	SW-846 9050	137.00	UMHO	
282-E RESERVOIR	CONDUCTIVITY	SW-846 9050	139.00	UMHO	
282-E RESERVOIR	CONDUCTIVITY	SW-846 9050	139.00	UMHO	
PUREX	CONDUCTIVITY	SW-846 9050	140.00	UMHO	
282-W RESERVOIR	CONDUCTIVITY	SW-846 9050	143.00	UMHO	
282-W RESERVOIR	CONDUCTIVITY	SW-846 9050	146.00	UMHO	
282-W RESERVOIR	CONDUCTIVITY	SW-846 9050	151.00	UMHO	
242-A EVAPORATOR	CONDUCTIVITY	SW-846 9050	153.00	UMHO	
282-W RESERVOIR	CONDUCTIVITY	SW-846 9050	153.00	UMHO	
282-E RESERVOIR	CONDUCTIVITY	SW-846 9050	154.00	UMHO	
282-W RESERVOIR	CONDUCTIVITY	SW-846 9050	155.00	UMHO	
282-E RESERVOIR	CONDUCTIVITY	SW-846 9050	156.00	UMHO	
PUREX	CONDUCTIVITY	SW-846 9050	157.00	UMHO	
282-W RESERVOIR	CONDUCTIVITY	SW-846 9050	161.00	UMHO	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
MISC STREAMS	COPPER	SW-846 6010	1.60	UG/L	U
282-W RESERVOIR	COPPER	SW-846 6010	1.60	UG/L	
T PLANT	COPPER	SW-846 6010	1.70	UG/L	U
MISC STREAMS	COPPER	SW-846 6010	2.20	UG/L	U
2724-W LAUNDRY	COPPER	SW-846 6010	2.20	UG/L	
T PLANT	COPPER	SW-846 6010	2.20	UG/L	UJ
242-A EVAPORATOR	COPPER	SW-846 6010	2.40	UG/L	U
282-E RESERVOIR	COPPER	SW-846 6010	2.50	UG/L	U
282-W RESERVOIR	COPPER	SW-846 6010	2.50	UG/L	
282-W RESERVOIR	COPPER	SW-846 6010	2.50	UG/L	UJ
182-D RESERVOIR	COPPER	SW-846 6010	2.70	UG/L	UJ
282-W RESERVOIR	COPPER	SW-846 6010	3.10	UG/L	U
282-E RESERVOIR	COPPER	SW-846 6010	3.80	UG/L	
182-D RESERVOIR	COPPER	SW-846 6010	4.00	UG/L	U
T PLANT	COPPER	SW-846 6010	4.00	UG/L	U
282-E RESERVOIR	COPPER	SW-846 6010	4.20	UG/L	U
282-W RESERVOIR	COPPER	SW-846 6010	4.20	UG/L	U
282-E RESERVOIR	COPPER	SW-846 6010	4.30	UG/L	
182-D RESERVOIR	COPPER	SW-846 6010	4.40	UG/L	U
282-E RESERVOIR	COPPER	SW-846 6010	4.40	UG/L	U
282-E RESERVOIR	COPPER	SW-846 6010	4.50	UG/L	U
282-E RESERVOIR	COPPER	SW-846 6010	4.80	UG/L	U
282-E RESERVOIR	COPPER	SW-846 6010	4.80	UG/L	U
282-W RESERVOIR	COPPER	SW-846 6010	5.00	UG/L	J
B PLANT	COPPER	SW-846 6010	5.10	UG/L	
182-D RESERVOIR	COPPER	SW-846 6010	5.50	UG/L	U
T PLANT	COPPER	SW-846 6010	6.00	UG/L	
B PLANT	COPPER	SW-846 6010	6.00	UG/L	J
282-W RESERVOIR	COPPER	SW-846 6010	6.70	UG/L	

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 93

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	COPPER	SW-846 6010	8.00	UG/L	
B PLANT	COPPER	SW-846 6010	9.70	UG/L	
282-W RESERVOIR	COPPER	SW-846 6010	10.30	UG/L	
UO3/U PLANT	COPPER	SW-846 6010	11.50	UG/L	
UO3/U PLANT	COPPER	SW-846 6010	12.20	UG/L	U
B PLANT	COPPER	SW-846 6010	13.40	UG/L	U
UO3/U PLANT	COPPER	SW-846 6010	15.80	UG/L	
242-A EVAPORATOR	COPPER	SW-846 6010	17.00	UG/L	
UO3/U PLANT	COPPER	SW-846 6010	17.80	UG/L	J
PUREX	COPPER	SW-846 6010	57.10	UG/L	
PUREX	COPPER	SW-846 6010	106.00	UG/L	
PUREX	COPPER	SW-846 6010	124.00	UG/L	
PUREX	COPPER	SW-846 6010	141.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	COUMAPHOS	SW-846 8140	0.96	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	CYANIDE	EPA-600 335.2	10.00	UG/L	
B PLANT	CYANIDE	EPA-600 335.2	10.00	UG/L	
B PLANT	CYANIDE	EPA-600 335.2	10.00	UG/L	
PUREX	CYANIDE	EPA-600 335.2	10.00	UG/L	
PUREX	CYANIDE	EPA-600 335.2	10.00	UG/L	
PUREX	CYANIDE	EPA-600 335.2	20.00	UG/L	UJ
B PLANT	CYANIDE	EPA-600 335.2	20.00	UG/L	U
PUREX	CYANIDE	EPA-600 335.2	20.00	UG/L	U
182-D RESERVOIR	CYANIDE	SW-846 9010	10.00	UG/L	UJ
282-E RESERVOIR	CYANIDE	SW-846 9010	10.00	UG/L	UJ
282-E RESERVOIR	CYANIDE	SW-846 9010	10.00	UG/L	UJ
282-E RESERVOIR	CYANIDE	SW-846 9010	10.00	UG/L	R
182-D RESERVOIR	CYANIDE	SW-846 9010	10.00	UG/L	
182-D RESERVOIR	CYANIDE	SW-846 9010	10.00	UG/L	
242-A EVAPORATOR	CYANIDE	SW-846 9010	10.00	UG/L	
282-E RESERVOIR	CYANIDE	SW-846 9010	10.00	UG/L	
282-W RESERVOIR	CYANIDE	SW-846 9010	10.00	UG/L	
282-W RESERVOIR	CYANIDE	SW-846 9010	10.00	UG/L	
282-W RESERVOIR	CYANIDE	SW-846 9010	10.00	UG/L	
282-E RESERVOIR	CYANIDE	SW-846 9010	20.00	UG/L	UJ
182-D RESERVOIR	CYANIDE	SW-846 9010	20.00	UG/L	U
242-A EVAPORATOR	CYANIDE	SW-846 9010	20.00	UG/L	U
282-E RESERVOIR	CYANIDE	SW-846 9010	20.00	UG/L	U
282-E RESERVOIR	CYANIDE	SW-846 9010	20.00	UG/L	U
282-W RESERVOIR	CYANIDE	SW-846 9010	20.00	UG/L	U
282-E RESERVOIR	CYANIDE	SW-846 9010	40.00	UG/L	U
282-W RESERVOIR	CYANIDE	SW-846 9010	40.00	UG/L	U
282-W RESERVOIR	CYANIDE	SW-846 9010	40.00	UG/L	U
282-W RESERVOIR	CYANIDE	SW-846 9010	40.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 94

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	DALAPON	SW-846 8150	6.00	UG/L	UJ
182-D RESERVOIR	DALAPON	SW-846 8150	6.00	UG/L	UJ
242-A EVAPORATOR	DALAPON	SW-846 8150	6.00	UG/L	UJ
2724-W LAUNDRY	DALAPON	SW-846 8150	6.00	UG/L	UJ
282-E RESERVOIR	DALAPON	SW-846 8150	6.00	UG/L	UJ
282-W RESERVOIR	DALAPON	SW-846 8150	6.00	UG/L	UJ
282-W RESERVOIR	DALAPON	SW-846 8150	6.00	UG/L	UJ
282-W RESERVOIR	DALAPON	SW-846 8150	6.00	UG/L	UJ
B PLANT	DALAPON	SW-846 8150	6.00	UG/L	UJ
B PLANT	DALAPON	SW-846 8150	6.00	UG/L	UJ
PUREX	DALAPON	SW-846 8150	6.00	UG/L	UJ
UO3/U PLANT	DALAPON	SW-846 8150	6.00	UG/L	UJ
UO3/U PLANT	DALAPON	SW-846 8150	6.00	UG/L	UJ
UO3/U PLANT	DALAPON	SW-846 8150	6.00	UG/L	UJ
UO3/U PLANT	DALAPON	SW-846 8150	6.00	UG/L	UJ
182-D RESERVOIR	DALAPON	SW-846 8150	6.00	UG/L	U
182-D RESERVOIR	DALAPON	SW-846 8150	6.00	UG/L	U
242-A EVAPORATOR	DALAPON	SW-846 8150	6.00	UG/L	U
282-E RESERVOIR	DALAPON	SW-846 8150	6.00	UG/L	U
282-E RESERVOIR	DALAPON	SW-846 8150	6.00	UG/L	U
282-E RESERVOIR	DALAPON	SW-846 8150	6.00	UG/L	U
282-E RESERVOIR	DALAPON	SW-846 8150	6.00	UG/L	U
282-W RESERVOIR	DALAPON	SW-846 8150	6.00	UG/L	U
282-W RESERVOIR	DALAPON	SW-846 8150	6.00	UG/L	U
282-W RESERVOIR	DALAPON	SW-846 8150	6.00	UG/L	U
B PLANT	DALAPON	SW-846 8150	6.00	UG/L	U
B PLANT	DALAPON	SW-846 8150	6.00	UG/L	U
PUREX	DALAPON	SW-846 8150	6.00	UG/L	U
PUREX	DALAPON	SW-846 8150	6.00	UG/L	U
PUREX	DALAPON	SW-846 8150	6.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	DELTA-BHC	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	DELTA-BHC	SW-846 8080	0.05	UG/L	UJ
282-E RESERVOIR	DELTA-BHC	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	DELTA-BHC	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	DELTA-BHC	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	DELTA-BHC	SW-846 8080	0.05	UG/L	UJ
B PLANT	DELTA-BHC	SW-846 8080	0.05	UG/L	UJ
PUREX	DELTA-BHC	SW-846 8080	0.05	UG/L	UJ
PUREX	DELTA-BHC	SW-846 8080	0.05	UG/L	UJ
UO3/U PLANT	DELTA-BHC	SW-846 8080	0.05	UG/L	UJ
182-D RESERVOIR	DELTA-BHC	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	DELTA-BHC	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	DELTA-BHC	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	DELTA-BHC	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	DELTA-BHC	SW-846 8080	0.05	UG/L	U
2724-W LAUNDRY	DELTA-BHC	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	DELTA-BHC	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	DELTA-BHC	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	DELTA-BHC	SW-846 8080	0.05	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 95

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	DELTA-BHC	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	DELTA-BHC	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	DELTA-BHC	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	DELTA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	DELTA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	DELTA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	DELTA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	DELTA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	DELTA-BHC	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	DELTA-BHC	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	DELTA-BHC	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	DELTA-BHC	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	DELTA-BHC	SW-846 8080	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	DEMETON-S	SW-846 8140	0.19	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	DI-N-BUTYL PHTHALATE	SW-846 8270	2.00	UG/L	JB
182-D RESERVOIR	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
PUREX	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
T PLANT	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 96

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
PUREX	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
T PLANT	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	UJ
PUREX	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	UJ
2724-W LAUNDRY	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 97

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
B PLANT	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
B PLANT	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
B PLANT	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
B PLANT	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
PUREX	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
PUREX	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
PUREX	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
T PLANT	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	DIAZINON	SW-846 8140	0.19	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	DIBENZOFURAN	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	DIBENZOFURAN	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	DIBENZOFURAN	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	DIBENZOFURAN	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	DIBENZOFURAN	SW-846 8270	10.00	UG/L	UJ
PUREX	DIBENZOFURAN	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	DIBENZOFURAN	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
B PLANT	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
B PLANT	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
B PLANT	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
B PLANT	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
PUREX	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
PUREX	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
PUREX	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
T PLANT	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 98

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
T PLANT	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
PUREX	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	UJ
MISC STREAMS	DIBENZO[A,H]ANTHRACENE	SW-846 8310	0.30	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	UJ
182-D RESERVOIR	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 99

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
PUREX	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
PUREX	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
PUREX	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	DIBROMOCHLOROMETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PUREX	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PUREX	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PUREX	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 100

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
T PLANT	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
T PLANT	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	DICAMBA	SW-846 8150	0.20	UG/L	UJ
242-A EVAPORATOR	DICAMBA	SW-846 8150	0.20	UG/L	UJ
282-E RESERVOIR	DICAMBA	SW-846 8150	0.20	UG/L	UJ
282-W RESERVOIR	DICAMBA	SW-846 8150	0.20	UG/L	UJ
282-W RESERVOIR	DICAMBA	SW-846 8150	0.20	UG/L	UJ
282-W RESERVOIR	DICAMBA	SW-846 8150	0.20	UG/L	UJ
B PLANT	DICAMBA	SW-846 8150	0.20	UG/L	UJ
B PLANT	DICAMBA	SW-846 8150	0.20	UG/L	UJ
UO3/U PLANT	DICAMBA	SW-846 8150	0.20	UG/L	UJ
UO3/U PLANT	DICAMBA	SW-846 8150	0.20	UG/L	UJ
UO3/U PLANT	DICAMBA	SW-846 8150	0.20	UG/L	UJ
UO3/U PLANT	DICAMBA	SW-846 8150	0.20	UG/L	UJ
182-D RESERVOIR	DICAMBA	SW-846 8150	0.20	UG/L	U
182-D RESERVOIR	DICAMBA	SW-846 8150	0.20	UG/L	U
182-D RESERVOIR	DICAMBA	SW-846 8150	0.20	UG/L	U
242-A EVAPORATOR	DICAMBA	SW-846 8150	0.20	UG/L	U
2724-W LAUNDRY	DICAMBA	SW-846 8150	0.20	UG/L	U
282-E RESERVOIR	DICAMBA	SW-846 8150	0.20	UG/L	U
282-E RESERVOIR	DICAMBA	SW-846 8150	0.20	UG/L	U
282-E RESERVOIR	DICAMBA	SW-846 8150	0.20	UG/L	U
282-E RESERVOIR	DICAMBA	SW-846 8150	0.20	UG/L	U
282-W RESERVOIR	DICAMBA	SW-846 8150	0.20	UG/L	U
282-W RESERVOIR	DICAMBA	SW-846 8150	0.20	UG/L	U
282-W RESERVOIR	DICAMBA	SW-846 8150	0.20	UG/L	U
B PLANT	DICAMBA	SW-846 8150	0.20	UG/L	U
B PLANT	DICAMBA	SW-846 8150	0.20	UG/L	U
PUREX	DICAMBA	SW-846 8150	0.20	UG/L	U
PUREX	DICAMBA	SW-846 8150	0.20	UG/L	U
PUREX	DICAMBA	SW-846 8150	0.20	UG/L	U
PUREX	DICAMBA	SW-846 8150	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
T PLANT	DICHLORODIFLUOROMETHANE	SW-846 8240	2.00	UG/L	J
182-D RESERVOIR	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	UJ
182-D RESERVOIR	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
2724-W LAUNDRY	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 101

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	DICHLOROPROP	SW-846 8150	2.00	UG/L	UJ
242-A EVAPORATOR	DICHLOROPROP	SW-846 8150	2.00	UG/L	UJ
282-E RESERVOIR	DICHLOROPROP	SW-846 8150	2.00	UG/L	UJ
282-W RESERVOIR	DICHLOROPROP	SW-846 8150	2.00	UG/L	UJ
282-W RESERVOIR	DICHLOROPROP	SW-846 8150	2.00	UG/L	UJ
282-W RESERVOIR	DICHLOROPROP	SW-846 8150	2.00	UG/L	UJ
B PLANT	DICHLOROPROP	SW-846 8150	2.00	UG/L	UJ
PUREX	DICHLOROPROP	SW-846 8150	2.00	UG/L	UJ
UO3/U PLANT	DICHLOROPROP	SW-846 8150	2.00	UG/L	UJ
UO3/U PLANT	DICHLOROPROP	SW-846 8150	2.00	UG/L	UJ
UO3/U PLANT	DICHLOROPROP	SW-846 8150	2.00	UG/L	UJ
UO3/U PLANT	DICHLOROPROP	SW-846 8150	2.00	UG/L	UJ
182-D RESERVOIR	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
182-D RESERVOIR	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
182-D RESERVOIR	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
242-A EVAPORATOR	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
2724-W LAUNDRY	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
282-E RESERVOIR	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
282-E RESERVOIR	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
282-E RESERVOIR	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
282-E RESERVOIR	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
282-W RESERVOIR	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
282-W RESERVOIR	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
282-W RESERVOIR	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
B PLANT	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
B PLANT	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
B PLANT	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
PUREX	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
PUREX	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
PUREX	DICHLOROPROP	SW-846 8150	2.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 102

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	DICHLOROVOS	SW-846 8140	0.19	UG/L	U
242-A EVAPORATOR	DICHLOROVOS	SW-846 8140	0.50	UG/L	UJ
282-E RESERVOIR	DICHLOROVOS	SW-846 8140	0.50	UG/L	UJ
282-W RESERVOIR	DICHLOROVOS	SW-846 8140	0.50	UG/L	UJ
282-W RESERVOIR	DICHLOROVOS	SW-846 8140	0.50	UG/L	UJ
B PLANT	DICHLOROVOS	SW-846 8140	0.50	UG/L	UJ
PUREX	DICHLOROVOS	SW-846 8140	0.50	UG/L	UJ
PUREX	DICHLOROVOS	SW-846 8140	0.50	UG/L	UJ
282-W RESERVOIR	DICHLOROVOS	SW-846 8140	0.50	UG/L	R
282-W RESERVOIR	DICHLOROVOS	SW-846 8140	0.50	UG/L	R
B PLANT	DICHLOROVOS	SW-846 8140	0.50	UG/L	R
182-D RESERVOIR	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
182-D RESERVOIR	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
242-A EVAPORATOR	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
2724-W LAUNDRY	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
282-W RESERVOIR	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
282-W RESERVOIR	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
B PLANT	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
B PLANT	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
PUREX	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
PUREX	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
UO3/U PLANT	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
UO3/U PLANT	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
UO3/U PLANT	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
UO3/U PLANT	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
182-D RESERVOIR	DICHLOROVOS	SW-846 8140	0.50	UG/L	
182-D RESERVOIR	DICHLOROVOS	SW-846 8140	0.50	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	DIELDRIN	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	DIELDRIN	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	DIELDRIN	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	DIELDRIN	SW-846 8080	0.10	UG/L	U
242-A EVAPORATOR	DIELDRIN	SW-846 8080	0.10	UG/L	U
242-A EVAPORATOR	DIELDRIN	SW-846 8080	0.10	UG/L	U
2724-W LAUNDRY	DIELDRIN	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	DIELDRIN	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	DIELDRIN	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	DIELDRIN	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	DIELDRIN	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	DIELDRIN	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	DIELDRIN	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	DIELDRIN	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	DIELDRIN	SW-846 8080	0.10	UG/L	U
B PLANT	DIELDRIN	SW-846 8080	0.10	UG/L	U
B PLANT	DIELDRIN	SW-846 8080	0.10	UG/L	U
B PLANT	DIELDRIN	SW-846 8080	0.10	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 103

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	DIELDRIN	SW-846 8080	0.10	UG/L	U
PUREX	DIELDRIN	SW-846 8080	0.10	UG/L	U
PUREX	DIELDRIN	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	DIELDRIN	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	DIELDRIN	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	DIELDRIN	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	DIELDRIN	SW-846 8080	0.10	UG/L	UJ
282-E RESERVOIR	DIELDRIN	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	DIELDRIN	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	DIELDRIN	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	DIELDRIN	SW-846 8080	0.10	UG/L	UJ
B PLANT	DIELDRIN	SW-846 8080	0.10	UG/L	UJ
PUREX	DIELDRIN	SW-846 8080	0.10	UG/L	UJ
UO3/U PLANT	DIELDRIN	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	DIELDRIN	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	DIETHYL PHTHALATE	SW-846 8270	0.70	UG/L	J
182-D RESERVOIR	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
PUREX	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
T PLANT	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 104

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	DIMETHOATE	SW-846 8140	0.19	UG/L	U
182-D RESERVOIR	DIMETHOATE	SW-846 8140	2.00	UG/L	UJ
242-A EVAPORATOR	DIMETHOATE	SW-846 8140	2.00	UG/L	UJ
242-A EVAPORATOR	DIMETHOATE	SW-846 8140	2.00	UG/L	UJ
2724-W LAUNDRY	DIMETHOATE	SW-846 8140	2.00	UG/L	UJ
282-E RESERVOIR	DIMETHOATE	SW-846 8140	2.00	UG/L	UJ
282-W RESERVOIR	DIMETHOATE	SW-846 8140	2.00	UG/L	UJ
282-W RESERVOIR	DIMETHOATE	SW-846 8140	2.00	UG/L	UJ
282-W RESERVOIR	DIMETHOATE	SW-846 8140	2.00	UG/L	UJ
B PLANT	DIMETHOATE	SW-846 8140	2.00	UG/L	UJ
B PLANT	DIMETHOATE	SW-846 8140	2.00	UG/L	UJ
PUREX	DIMETHOATE	SW-846 8140	2.00	UG/L	UJ
PUREX	DIMETHOATE	SW-846 8140	2.00	UG/L	UJ
UO3/U PLANT	DIMETHOATE	SW-846 8140	2.00	UG/L	UJ
282-W RESERVOIR	DIMETHOATE	SW-846 8140	2.00	UG/L	R
282-W RESERVOIR	DIMETHOATE	SW-846 8140	2.00	UG/L	R
B PLANT	DIMETHOATE	SW-846 8140	2.00	UG/L	R
182-D RESERVOIR	DIMETHOATE	SW-846 8140	2.00	UG/L	U
182-D RESERVOIR	DIMETHOATE	SW-846 8140	2.00	UG/L	U
282-E RESERVOIR	DIMETHOATE	SW-846 8140	2.00	UG/L	U
282-E RESERVOIR	DIMETHOATE	SW-846 8140	2.00	UG/L	U
282-E RESERVOIR	DIMETHOATE	SW-846 8140	2.00	UG/L	U
282-E RESERVOIR	DIMETHOATE	SW-846 8140	2.00	UG/L	U
282-E RESERVOIR	DIMETHOATE	SW-846 8140	2.00	UG/L	U
282-E RESERVOIR	DIMETHOATE	SW-846 8140	2.00	UG/L	U
282-W RESERVOIR	DIMETHOATE	SW-846 8140	2.00	UG/L	U
B PLANT	DIMETHOATE	SW-846 8140	2.00	UG/L	U
PUREX	DIMETHOATE	SW-846 8140	2.00	UG/L	U
PUREX	DIMETHOATE	SW-846 8140	2.00	UG/L	U
UO3/U PLANT	DIMETHOATE	SW-846 8140	2.00	UG/L	U
UO3/U PLANT	DIMETHOATE	SW-846 8140	2.00	UG/L	U
UO3/U PLANT	DIMETHOATE	SW-846 8140	2.00	UG/L	U
182-D RESERVOIR	DIMETHOATE	SW-846 8140	2.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
PUREX	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 105

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
T PLANT	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	UJ
PUREX	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
T PLANT	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 106

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	DINOSEB	SW-846 8150	1.00	UG/L	UJ
282-E RESERVOIR	DINOSEB	SW-846 8150	1.00	UG/L	UJ
282-W RESERVOIR	DINOSEB	SW-846 8150	1.00	UG/L	UJ
282-W RESERVOIR	DINOSEB	SW-846 8150	1.00	UG/L	UJ
282-W RESERVOIR	DINOSEB	SW-846 8150	1.00	UG/L	UJ
UO3/U PLANT	DINOSEB	SW-846 8150	1.00	UG/L	UJ
282-E RESERVOIR	DINOSEB	SW-846 8150	1.00	UG/L	U
282-E RESERVOIR	DINOSEB	SW-846 8150	1.00	UG/L	U
B PLANT	DINOSEB	SW-846 8150	1.00	UG/L	U
PUREX	DINOSEB	SW-846 8150	1.00	UG/L	U
182-D RESERVOIR	DINOSEB	SW-846 8150	1.20	UG/L	UJ
242-A EVAPORATOR	DINOSEB	SW-846 8150	1.20	UG/L	UJ
2724-W LAUNDRY	DINOSEB	SW-846 8150	1.20	UG/L	UJ
282-E RESERVOIR	DINOSEB	SW-846 8150	1.20	UG/L	UJ
282-E RESERVOIR	DINOSEB	SW-846 8150	1.20	UG/L	UJ
282-W RESERVOIR	DINOSEB	SW-846 8150	1.20	UG/L	UJ
282-W RESERVOIR	DINOSEB	SW-846 8150	1.20	UG/L	UJ
B PLANT	DINOSEB	SW-846 8150	1.20	UG/L	UJ
B PLANT	DINOSEB	SW-846 8150	1.20	UG/L	UJ
UO3/U PLANT	DINOSEB	SW-846 8150	1.20	UG/L	UJ
UO3/U PLANT	DINOSEB	SW-846 8150	1.20	UG/L	UJ
UO3/U PLANT	DINOSEB	SW-846 8150	1.20	UG/L	UJ
182-D RESERVOIR	DINOSEB	SW-846 8150	1.20	UG/L	U
182-D RESERVOIR	DINOSEB	SW-846 8150	1.20	UG/L	U
242-A EVAPORATOR	DINOSEB	SW-846 8150	1.20	UG/L	U
282-E RESERVOIR	DINOSEB	SW-846 8150	1.20	UG/L	U
282-E RESERVOIR	DINOSEB	SW-846 8150	1.20	UG/L	U
282-W RESERVOIR	DINOSEB	SW-846 8150	1.20	UG/L	U
B PLANT	DINOSEB	SW-846 8150	1.20	UG/L	U
PUREX	DINOSEB	SW-846 8150	1.20	UG/L	U
PUREX	DINOSEB	SW-846 8150	1.20	UG/L	U
PUREX	DINOSEB	SW-846 8150	1.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	DISULFOTON	SW-846 8140	0.19	UG/L	U
182-D RESERVOIR	DISULFOTON	SW-846 8140	0.50	UG/L	UJ
242-A EVAPORATOR	DISULFOTON	SW-846 8140	0.50	UG/L	UJ
2724-W LAUNDRY	DISULFOTON	SW-846 8140	0.50	UG/L	UJ
282-E RESERVOIR	DISULFOTON	SW-846 8140	0.50	UG/L	UJ
282-W RESERVOIR	DISULFOTON	SW-846 8140	0.50	UG/L	UJ
282-W RESERVOIR	DISULFOTON	SW-846 8140	0.50	UG/L	UJ
282-W RESERVOIR	DISULFOTON	SW-846 8140	0.50	UG/L	UJ
B PLANT	DISULFOTON	SW-846 8140	0.50	UG/L	UJ
B PLANT	DISULFOTON	SW-846 8140	0.50	UG/L	UJ
PUREX	DISULFOTON	SW-846 8140	0.50	UG/L	UJ
PUREX	DISULFOTON	SW-846 8140	0.50	UG/L	UJ
UO3/U PLANT	DISULFOTON	SW-846 8140	0.50	UG/L	UJ
UO3/U PLANT	DISULFOTON	SW-846 8140	0.50	UG/L	UJ
UO3/U PLANT	DISULFOTON	SW-846 8140	0.50	UG/L	UJ
282-E RESERVOIR	DISULFOTON	SW-846 8140	0.50	UG/L	R
282-W RESERVOIR	DISULFOTON	SW-846 8140	0.50	UG/L	R

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 107

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	DISULFOTON	SW-846 8140	0.50	UG/L	R
B PLANT	DISULFOTON	SW-846 8140	0.50	UG/L	R
PUREX	DISULFOTON	SW-846 8140	0.50	UG/L	R
PUREX	DISULFOTON	SW-846 8140	0.50	UG/L	R
182-D RESERVOIR	DISULFOTON	SW-846 8140	0.50	UG/L	U
182-D RESERVOIR	DISULFOTON	SW-846 8140	0.50	UG/L	U
242-A EVAPORATOR	DISULFOTON	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	DISULFOTON	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	DISULFOTON	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	DISULFOTON	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	DISULFOTON	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	DISULFOTON	SW-846 8140	0.50	UG/L	U
282-W RESERVOIR	DISULFOTON	SW-846 8140	0.50	UG/L	U
B PLANT	DISULFOTON	SW-846 8140	0.50	UG/L	U
UO3/U PLANT	DISULFOTON	SW-846 8140	0.50	UG/L	U
182-D RESERVOIR	DISULFOTON	SW-846 8140	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	ENDOSULFAN I	SW-846 8080	0.05	UG/L	UJ
182-D RESERVOIR	ENDOSULFAN I	SW-846 8080	0.05	UG/L	UJ
282-E RESERVOIR	ENDOSULFAN I	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	ENDOSULFAN I	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	ENDOSULFAN I	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	ENDOSULFAN I	SW-846 8080	0.05	UG/L	UJ
B PLANT	ENDOSULFAN I	SW-846 8080	0.05	UG/L	UJ
PUREX	ENDOSULFAN I	SW-846 8080	0.05	UG/L	UJ
UO3/U PLANT	ENDOSULFAN I	SW-846 8080	0.05	UG/L	UJ
182-D RESERVOIR	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
2724-W LAUNDRY	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
B PLANT	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
B PLANT	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
B PLANT	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
PUREX	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
PUREX	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
PUREX	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	ENDOSULFAN I	SW-846 8080	0.50	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 108

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	ENDOSULFAN II	SW-846 8080	0.10	UG/L	UJ
282-E RESERVOIR	ENDOSULFAN II	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	ENDOSULFAN II	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	ENDOSULFAN II	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	ENDOSULFAN II	SW-846 8080	0.10	UG/L	UJ
B PLANT	ENDOSULFAN II	SW-846 8080	0.10	UG/L	UJ
PUREX	ENDOSULFAN II	SW-846 8080	0.10	UG/L	UJ
UO3/U PLANT	ENDOSULFAN II	SW-846 8080	0.10	UG/L	UJ
182-D RESERVOIR	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
242-A EVAPORATOR	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
242-A EVAPORATOR	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
2724-W LAUNDRY	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
B PLANT	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
B PLANT	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
B PLANT	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
PUREX	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
PUREX	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
PUREX	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	ENDOSULFAN II	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	UJ
282-E RESERVOIR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	UJ
282-E RESERVOIR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	UJ
B PLANT	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	UJ
PUREX	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	UJ
UO3/U PLANT	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	UJ
182-D RESERVOIR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
242-A EVAPORATOR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
242-A EVAPORATOR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
2724-W LAUNDRY	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 109

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
B PLANT	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
B PLANT	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
B PLANT	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
PUREX	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
PUREX	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
PUREX	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	ENDOSULFAN SULFATE	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	ENDRIN	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	ENDRIN	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	ENDRIN	SW-846 8080	0.10	UG/L	U
242-A EVAPORATOR	ENDRIN	SW-846 8080	0.10	UG/L	U
242-A EVAPORATOR	ENDRIN	SW-846 8080	0.10	UG/L	U
2724-W LAUNDRY	ENDRIN	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDRIN	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDRIN	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDRIN	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDRIN	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDRIN	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	ENDRIN	SW-846 8080	0.10	UG/L	U
B PLANT	ENDRIN	SW-846 8080	0.10	UG/L	U
B PLANT	ENDRIN	SW-846 8080	0.10	UG/L	U
B PLANT	ENDRIN	SW-846 8080	0.10	UG/L	U
PUREX	ENDRIN	SW-846 8080	0.10	UG/L	U
PUREX	ENDRIN	SW-846 8080	0.10	UG/L	U
PUREX	ENDRIN	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	ENDRIN	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	ENDRIN	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	ENDRIN	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	ENDRIN	SW-846 8080	0.10	UG/L	UJ
182-D RESERVOIR	ENDRIN	SW-846 8080	0.10	UG/L	UJ
282-E RESERVOIR	ENDRIN	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	ENDRIN	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	ENDRIN	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	ENDRIN	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	ENDRIN	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	ENDRIN	SW-846 8080	0.10	UG/L	UJ
B PLANT	ENDRIN	SW-846 8080	0.10	UG/L	UJ
PUREX	ENDRIN	SW-846 8080	0.10	UG/L	UJ
UO3/U PLANT	ENDRIN	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	ENDRIN	SW-846 8080	1.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 110

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
242-A EVAPORATOR	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
B PLANT	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
PUREX	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
242-A EVAPORATOR	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
2724-W LAUNDRY	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
B PLANT	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
B PLANT	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
B PLANT	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
PUREX	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
PUREX	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
PUREX	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	ENDRIN ALDEHYDE	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	ENDRIN KETONE	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	UJ
UO3/U PLANT	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	UJ
UO3/U PLANT	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	UJ
182-D RESERVOIR	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
182-D RESERVOIR	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
182-D RESERVOIR	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
242-A EVAPORATOR	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
242-A EVAPORATOR	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
2724-W LAUNDRY	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 111

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
B PLANT	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
B PLANT	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
B PLANT	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
B PLANT	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
PUREX	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
PUREX	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
PUREX	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
T PLANT	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
T PLANT	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
T PLANT	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
T PLANT	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
UO3/U PLANT	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	EPN	SW-846 8140	0.19	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	ETHOPROP	SW-846 8140	0.19	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	ETHYL BENZENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	ETHYL BENZENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	ETHYL BENZENE	SW-846 8240	5.00	UG/L	UJ
182-D RESERVOIR	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 112

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
MISC STREAMS	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
PUREX	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
PUREX	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
PUREX	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
T PLANT	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
T PLANT	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
T PLANT	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
T PLANT	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	ETHYL BENZENE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	UJ
182-D RESERVOIR	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
2724-W LAUNDRY	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
T PLANT	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
T PLANT	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
T PLANT	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
T PLANT	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	UJ
182-D RESERVOIR	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 113

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
2724-W LAUNDRY	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
T PLANT	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
T PLANT	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
T PLANT	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
T PLANT	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	UJ
PUREX	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	UJ
2724-W LAUNDRY	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
B PLANT	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
B PLANT	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
B PLANT	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 114

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
PUREX	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
PUREX	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
PUREX	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
T PLANT	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	EUROPIUM-152	GAMMA SCAN	10.00	PCI/L	U
2724-W LAUNDRY	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
B PLANT	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
B PLANT	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
PUREX	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
PUREX	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
PUREX	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
T PLANT	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
T PLANT	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
T PLANT	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
T PLANT	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
B PLANT	EUROPIUM-152	GAMMA SCAN	30.00	PCI/L	U
B PLANT	EUROPIUM-152	GAMMA SCAN	30.00	PCI/L	U
PUREX	EUROPIUM-152	GAMMA SCAN	30.00	PCI/L	U
242-A EVAPORATOR	EUROPIUM-152	RC-30	20.00	PCI/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	EUROPIUM-154	GAMMA SCAN	9.00	PCI/L	U
B PLANT	EUROPIUM-154	GAMMA SCAN	10.00	PCI/L	U
PUREX	EUROPIUM-154	GAMMA SCAN	10.00	PCI/L	U
PUREX	EUROPIUM-154	GAMMA SCAN	10.00	PCI/L	U
PUREX	EUROPIUM-154	GAMMA SCAN	10.00	PCI/L	U
T PLANT	EUROPIUM-154	GAMMA SCAN	10.00	PCI/L	U
T PLANT	EUROPIUM-154	GAMMA SCAN	10.00	PCI/L	U
2724-W LAUNDRY	EUROPIUM-154	GAMMA SCAN	20.00	PCI/L	U
B PLANT	EUROPIUM-154	GAMMA SCAN	20.00	PCI/L	U
B PLANT	EUROPIUM-154	GAMMA SCAN	20.00	PCI/L	U
B PLANT	EUROPIUM-154	GAMMA SCAN	20.00	PCI/L	U
PUREX	EUROPIUM-154	GAMMA SCAN	20.00	PCI/L	U
T PLANT	EUROPIUM-154	GAMMA SCAN	20.00	PCI/L	U
T PLANT	EUROPIUM-154	GAMMA SCAN	20.00	PCI/L	U
242-A EVAPORATOR	EUROPIUM-154	RC-30	10.00	PCI/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	EUROPIUM-155	GAMMA SCAN	20.00	PCI/L	U
2724-W LAUNDRY	EUROPIUM-155	GAMMA SCAN	30.00	PCI/L	U
B PLANT	EUROPIUM-155	GAMMA SCAN	30.00	PCI/L	U
PUREX	EUROPIUM-155	GAMMA SCAN	30.00	PCI/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 115

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	EUROPIUM-155	GAMMA SCAN	30.00	PCI/L	U
PUREX	EUROPIUM-155	GAMMA SCAN	30.00	PCI/L	U
PUREX	EUROPIUM-155	GAMMA SCAN	30.00	PCI/L	U
T PLANT	EUROPIUM-155	GAMMA SCAN	30.00	PCI/L	U
T PLANT	EUROPIUM-155	GAMMA SCAN	30.00	PCI/L	U
T PLANT	EUROPIUM-155	GAMMA SCAN	30.00	PCI/L	U
B PLANT	EUROPIUM-155	GAMMA SCAN	40.00	PCI/L	U
242-A EVAPORATOR	EUROPIUM-155	RC-30	30.00	PCI/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	FAMPHUR	SW-846 8140	0.48	UG/L	U
242-A EVAPORATOR	FAMPHUR	SW-846 8140	2.00	UG/L	UJ
2724-W LAUNDRY	FAMPHUR	SW-846 8140	2.00	UG/L	UJ
282-E RESERVOIR	FAMPHUR	SW-846 8140	2.00	UG/L	UJ
282-E RESERVOIR	FAMPHUR	SW-846 8140	2.00	UG/L	UJ
282-W RESERVOIR	FAMPHUR	SW-846 8140	2.00	UG/L	UJ
282-W RESERVOIR	FAMPHUR	SW-846 8140	2.00	UG/L	UJ
282-W RESERVOIR	FAMPHUR	SW-846 8140	2.00	UG/L	UJ
PUREX	FAMPHUR	SW-846 8140	2.00	UG/L	UJ
UO3/U PLANT	FAMPHUR	SW-846 8140	2.00	UG/L	UJ
282-W RESERVOIR	FAMPHUR	SW-846 8140	2.00	UG/L	R
282-W RESERVOIR	FAMPHUR	SW-846 8140	2.00	UG/L	R
B PLANT	FAMPHUR	SW-846 8140	2.00	UG/L	R
182-D RESERVOIR	FAMPHUR	SW-846 8140	2.00	UG/L	U
182-D RESERVOIR	FAMPHUR	SW-846 8140	2.00	UG/L	U
242-A EVAPORATOR	FAMPHUR	SW-846 8140	2.00	UG/L	U
282-E RESERVOIR	FAMPHUR	SW-846 8140	2.00	UG/L	U
282-E RESERVOIR	FAMPHUR	SW-846 8140	2.00	UG/L	U
282-E RESERVOIR	FAMPHUR	SW-846 8140	2.00	UG/L	U
282-E RESERVOIR	FAMPHUR	SW-846 8140	2.00	UG/L	U
282-E RESERVOIR	FAMPHUR	SW-846 8140	2.00	UG/L	U
282-W RESERVOIR	FAMPHUR	SW-846 8140	2.00	UG/L	U
B PLANT	FAMPHUR	SW-846 8140	2.00	UG/L	U
B PLANT	FAMPHUR	SW-846 8140	2.00	UG/L	U
B PLANT	FAMPHUR	SW-846 8140	2.00	UG/L	U
PUREX	FAMPHUR	SW-846 8140	2.00	UG/L	U
PUREX	FAMPHUR	SW-846 8140	2.00	UG/L	U
PUREX	FAMPHUR	SW-846 8140	2.00	UG/L	U
UO3/U PLANT	FAMPHUR	SW-846 8140	2.00	UG/L	U
UO3/U PLANT	FAMPHUR	SW-846 8140	2.00	UG/L	U
UO3/U PLANT	FAMPHUR	SW-846 8140	2.00	UG/L	U
182-D RESERVOIR	FAMPHUR	SW-846 8140	2.00	UG/L	
182-D RESERVOIR	FAMPHUR	SW-846 8140	2.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	FENSULFOTHION	SW-846 8140	0.19	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	FENTHION	SW-846 8140	0.19	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 116

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	FLUORANTHENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
T PLANT	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
PUREX	FLUORANTHENE	SW-846 8270	10.00	UG/L	UJ
MISC STREAMS	FLUORANTHENE	SW-846 8310	2.10	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	FLUORENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	FLUORENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	FLUORENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	FLUORENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	FLUORENE	SW-846 8270	10.00	UG/L	UJ
PUREX	FLUORENE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	FLUORENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	FLUORENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	FLUORENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	FLUORENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	FLUORENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	FLUORENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	FLUORENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	FLUORENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	FLUORENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	FLUORENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	FLUORENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 117

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	FLUORENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	FLUORENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	FLUORENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORENE	SW-846 8270	10.00	UG/L	U
PUREX	FLUORENE	SW-846 8270	10.00	UG/L	U
PUREX	FLUORENE	SW-846 8270	10.00	UG/L	U
PUREX	FLUORENE	SW-846 8270	10.00	UG/L	U
T PLANT	FLUORENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	FLUORENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	FLUORENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	FLUORENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	FLUORENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	FLUORENE	SW-846 8270	10.00	UG/L	U
MISC STREAMS	FLUORENE	SW-846 8310	2.10	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	FLUORIDE	EPA-600 300.0	0.10	MG/L	U
182-D RESERVOIR	FLUORIDE	EPA-600 300.0	0.10	MG/L	
182-D RESERVOIR	FLUORIDE	EPA-600 300.0	0.10	MG/L	
182-D RESERVOIR	FLUORIDE	EPA-600 300.0	0.10	MG/L	
242-A EVAPORATOR	FLUORIDE	EPA-600 300.0	0.10	MG/L	
242-A EVAPORATOR	FLUORIDE	EPA-600 300.0	0.10	MG/L	
282-E RESERVOIR	FLUORIDE	EPA-600 300.0	0.10	MG/L	
282-E RESERVOIR	FLUORIDE	EPA-600 300.0	0.10	MG/L	
282-E RESERVOIR	FLUORIDE	EPA-600 300.0	0.10	MG/L	
282-E RESERVOIR	FLUORIDE	EPA-600 300.0	0.10	MG/L	
282-E RESERVOIR	FLUORIDE	EPA-600 300.0	0.10	MG/L	
282-W RESERVOIR	FLUORIDE	EPA-600 300.0	0.10	MG/L	
282-W RESERVOIR	FLUORIDE	EPA-600 300.0	0.10	MG/L	
282-W RESERVOIR	FLUORIDE	EPA-600 300.0	0.10	MG/L	
B PLANT	FLUORIDE	EPA-600 300.0	0.10	MG/L	
B PLANT	FLUORIDE	EPA-600 300.0	0.10	MG/L	
MISC STREAMS	FLUORIDE	EPA-600 300.0	0.10	MG/L	
MISC STREAMS	FLUORIDE	EPA-600 300.0	0.10	MG/L	
PUREX	FLUORIDE	EPA-600 300.0	0.10	MG/L	
PUREX	FLUORIDE	EPA-600 300.0	0.10	MG/L	
PUREX	FLUORIDE	EPA-600 300.0	0.10	MG/L	
T PLANT	FLUORIDE	EPA-600 300.0	0.10	MG/L	
T PLANT	FLUORIDE	EPA-600 300.0	0.10	MG/L	
UO3/U PLANT	FLUORIDE	EPA-600 300.0	0.10	MG/L	
UO3/U PLANT	FLUORIDE	EPA-600 300.0	0.10	MG/L	
UO3/U PLANT	FLUORIDE	EPA-600 300.0	0.10	MG/L	
282-W RESERVOIR	FLUORIDE	EPA-600 300.0	0.10	MG/L	J
T PLANT	FLUORIDE	EPA-600 300.0	0.10	MG/L	J
T PLANT	FLUORIDE	EPA-600 300.0	0.10	MG/L	J
2724-W LAUNDRY	FLUORIDE	EPA-600 300.0	0.20	MG/L	
282-W RESERVOIR	FLUORIDE	EPA-600 300.0	0.20	MG/L	
282-W RESERVOIR	FLUORIDE	EPA-600 300.0	0.20	MG/L	

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 118

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	FLUORIDE	EPA-600 300.0	0.20	MG/L	
B PLANT	FLUORIDE	EPA-600 300.0	0.20	MG/L	
PUREX	FLUORIDE	EPA-600 300.0	0.20	MG/L	
UO3/U PLANT	FLUORIDE	EPA-600 300.0	0.20	MG/L	
UO3/U PLANT	FLUORIDE	EPA-600 300.0	0.50	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	FOLPET	SW-846 8080	1.00	UG/L	UJ
182-D RESERVOIR	FOLPET	SW-846 8080	1.00	UG/L	UJ
242-A EVAPORATOR	FOLPET	SW-846 8080	1.00	UG/L	UJ
2724-W LAUNDRY	FOLPET	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	FOLPET	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	FOLPET	SW-846 8080	1.00	UG/L	UJ
282-E RESERVOIR	FOLPET	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	FOLPET	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	FOLPET	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	FOLPET	SW-846 8080	1.00	UG/L	UJ
282-W RESERVOIR	FOLPET	SW-846 8080	1.00	UG/L	UJ
B PLANT	FOLPET	SW-846 8080	1.00	UG/L	UJ
B PLANT	FOLPET	SW-846 8080	1.00	UG/L	UJ
PUREX	FOLPET	SW-846 8080	1.00	UG/L	UJ
UO3/U PLANT	FOLPET	SW-846 8080	1.00	UG/L	UJ
182-D RESERVOIR	FOLPET	SW-846 8080	1.00	UG/L	U
182-D RESERVOIR	FOLPET	SW-846 8080	1.00	UG/L	U
242-A EVAPORATOR	FOLPET	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	FOLPET	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	FOLPET	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	FOLPET	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	FOLPET	SW-846 8080	1.00	UG/L	U
B PLANT	FOLPET	SW-846 8080	1.00	UG/L	U
PUREX	FOLPET	SW-846 8080	1.00	UG/L	U
PUREX	FOLPET	SW-846 8080	1.00	UG/L	U
PUREX	FOLPET	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	FOLPET	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	FOLPET	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	FOLPET	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	FOLPET	SW-846 8080	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	UJ
282-E RESERVOIR	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	UJ
B PLANT	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	UJ
PUREX	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	UJ
UO3/U PLANT	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	UJ
182-D RESERVOIR	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 119

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
2724-W LAUNDRY	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
B PLANT	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
B PLANT	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
B PLANT	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
PUREX	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
PUREX	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
PUREX	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	GAMMA-BHC (LINDANE)	SW-846 8080	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	UJ
282-E RESERVOIR	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	UJ
B PLANT	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	UJ
PUREX	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	UJ
UO3/U PLANT	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	UJ
182-D RESERVOIR	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
2724-W LAUNDRY	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
B PLANT	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
B PLANT	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
B PLANT	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PUREX	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PUREX	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PUREX	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U

Page 120

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	GAMMA-CHLORDANE	SW-846 8080	0.50	UG/L	U

[illegible]

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 121

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	0.00		
242-A EVAPORATOR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	0.00		
2724-W LAUNDRY	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	0.00		
B PLANT	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	0.00		
UO3/U PLANT	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	0.80	PC/I/L	U
UO3/U PLANT	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	1.20	PC/I/L	J
282-E RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	1.30	PC/I/L	U
182-D RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	UJ
242-A EVAPORATOR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	UJ
282-W RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	UJ
282-W RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	UJ
B PLANT	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	UJ
MISC STREAMS	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	UJ
MISC STREAMS	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	UJ
T PLANT	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	UJ
T PLANT	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	UJ
T PLANT	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	UJ
182-D RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
182-D RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
242-A EVAPORATOR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
2724-W LAUNDRY	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
282-E RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
282-E RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
282-E RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
282-E RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
282-W RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
282-W RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
282-W RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
282-W RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
B PLANT	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
B PLANT	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
PUREX	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
PUREX	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
PUREX	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
PUREX	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
UO3/U PLANT	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
UO3/U PLANT	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
B PLANT	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	J
UO3/U PLANT	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.10	PC/I/L	U
282-E RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.10	PC/I/L	J
282-W RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.30	PC/I/L	J
T PLANT	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.40	PC/I/L	J
282-E RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	3.70	PC/I/L	J
182-D RESERVOIR	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	10.00	PC/I/L	J

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	HEPTACHLOR	SW-846 8080	0.05	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 122

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
B PLANT	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
B PLANT	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
B PLANT	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
PUREX	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
PUREX	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
PUREX	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	HEPTACHLOR	SW-846 8080	0.05	UG/L	UJ
182-D RESERVOIR	HEPTACHLOR	SW-846 8080	0.05	UG/L	UJ
282-E RESERVOIR	HEPTACHLOR	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	HEPTACHLOR	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	HEPTACHLOR	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	HEPTACHLOR	SW-846 8080	0.05	UG/L	UJ
B PLANT	HEPTACHLOR	SW-846 8080	0.05	UG/L	UJ
PUREX	HEPTACHLOR	SW-846 8080	0.05	UG/L	UJ
UO3/U PLANT	HEPTACHLOR	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	HEPTACHLOR	SW-846 8080	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
242-A EVAPORATOR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
2724-W LAUNDRY	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
282-E RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
282-W RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
B PLANT	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
B PLANT	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
B PLANT	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
PUREX	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
PUREX	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
UO3/U PLANT	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 123

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
182-D RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	UJ
242-A EVAPORATOR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	UJ
282-E RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	UJ
B PLANT	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	UJ
PUREX	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	UJ
PUREX	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	UJ
UO3/U PLANT	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	UJ
282-W RESERVOIR	HEPTACHLOR EPOXIDE	SW-846 8080	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
T PLANT	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ
PUREX	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	HEXACHLOROBUTADIENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	HEXACHLOROBUTADIENE	SW-846 8270	10.00	UG/L	UJ

Page 124

[illegible][illegible]

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 125

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	HEXACHLOROCYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U
B PLANT	HEXACHLOROCYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U
B PLANT	HEXACHLOROCYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U
B PLANT	HEXACHLOROCYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U
PUREX	HEXACHLOROCYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U
PUREX	HEXACHLOROCYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U
PUREX	HEXACHLOROCYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U
T PLANT	HEXACHLOROCYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	HEXACHLOROCYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	HEXACHLOROCYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	HEXACHLOROCYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	HEXACHLOROCYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	HEXACHLOROCYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	UJ
PUREX	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
B PLANT	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
B PLANT	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
B PLANT	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
B PLANT	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
PUREX	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
PUREX	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
PUREX	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
T PLANT	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	UJ

Page 126

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	UJ
182-D RESERVOIR	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	UJ
282-E RESERVOIR	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	UJ
282-E RESERVOIR	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	UJ
282-W RESERVOIR	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	UJ
PUREX	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	UJ
2724-W LAUNDRY	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	R
182-D RESERVOIR	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
242-A EVAPORATOR	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
242-A EVAPORATOR	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
282-E RESERVOIR	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
282-E RESERVOIR	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
282-E RESERVOIR	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
282-E RESERVOIR	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
282-W RESERVOIR	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
282-W RESERVOIR	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
282-W RESERVOIR	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
282-W RESERVOIR	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
B PLANT	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
B PLANT	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
B PLANT	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
B PLANT	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
PUREX	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
PUREX	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
PUREX	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
T PLANT	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
UO3/U PLANT	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
UO3/U PLANT	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
UO3/U PLANT	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
UO3/U PLANT	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U

[illegible]

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 127

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
B PLANT	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
B PLANT	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
B PLANT	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
PUREX	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
PUREX	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
PUREX	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
T PLANT	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	UJ
PUREX	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
T PLANT	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
MISC STREAMS	INDENO[1,2,3-CD]PYRENE	SW-846 8310	0.43	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
MISC STREAMS	IRON	SW-846 6010	13.40	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 128

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
T PLANT	IRON	SW-846 6010	20.40	UG/L	UJ
T PLANT	IRON	SW-846 6010	24.00	UG/L	J
MISC STREAMS	IRON	SW-846 6010	30.00	UG/L	
UO3/U PLANT	IRON	SW-846 6010	32.90	UG/L	
T PLANT	IRON	SW-846 6010	81.30	UG/L	
T PLANT	IRON	SW-846 6010	94.60	UG/L	
PUREX	IRON	SW-846 6010	192.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	IRON-59	GAMMA SCAN	20.00	PC/L	U
T PLANT	IRON-59	GAMMA SCAN	20.00	PC/L	U
242-A EVAPORATOR	IRON-59	GAMMA SCAN	30.00	PC/L	U
B PLANT	IRON-59	GAMMA SCAN	30.00	PC/L	U
B PLANT	IRON-59	GAMMA SCAN	30.00	PC/L	U
PUREX	IRON-59	GAMMA SCAN	30.00	PC/L	U
PUREX	IRON-59	GAMMA SCAN	30.00	PC/L	U
PUREX	IRON-59	GAMMA SCAN	30.00	PC/L	U
T PLANT	IRON-59	GAMMA SCAN	30.00	PC/L	U
T PLANT	IRON-59	GAMMA SCAN	30.00	PC/L	U
T PLANT	IRON-59	GAMMA SCAN	30.00	PC/L	U
PUREX	IRON-59	GAMMA SCAN	40.00	PC/L	UJ
B PLANT	IRON-59	GAMMA SCAN	40.00	PC/L	U
B PLANT	IRON-59	GAMMA SCAN	40.00	PC/L	U
242-A EVAPORATOR	IRON-59	RC-30	20.00	PC/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	UJ
UO3/U PLANT	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	UJ
UO3/U PLANT	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	UJ
182-D RESERVOIR	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
182-D RESERVOIR	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
182-D RESERVOIR	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
242-A EVAPORATOR	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
242-A EVAPORATOR	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
2724-W LAUNDRY	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
282-E RESERVOIR	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
282-E RESERVOIR	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
282-E RESERVOIR	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
282-E RESERVOIR	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
282-E RESERVOIR	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
282-W RESERVOIR	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
282-W RESERVOIR	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
282-W RESERVOIR	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
282-W RESERVOIR	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
282-W RESERVOIR	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
B PLANT	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
B PLANT	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
B PLANT	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
B PLANT	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
PUREX	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 129

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
PUREX	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
T PLANT	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
T PLANT	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
T PLANT	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
T PLANT	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
UO3/U PLANT	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	ISODRIN	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	ISODRIN	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	ISODRIN	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	ISODRIN	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	ISODRIN	SW-846 8270	20.00	UG/L	UJ
PUREX	ISODRIN	SW-846 8270	20.00	UG/L	UJ
2724-W LAUNDRY	ISODRIN	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	ISODRIN	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	ISODRIN	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	ISODRIN	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	ISODRIN	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	ISODRIN	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	ISODRIN	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	ISODRIN	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	ISODRIN	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	ISODRIN	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	ISODRIN	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	ISODRIN	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	ISODRIN	SW-846 8270	20.00	UG/L	U
B PLANT	ISODRIN	SW-846 8270	20.00	UG/L	U
B PLANT	ISODRIN	SW-846 8270	20.00	UG/L	U
B PLANT	ISODRIN	SW-846 8270	20.00	UG/L	U
B PLANT	ISODRIN	SW-846 8270	20.00	UG/L	U
PUREX	ISODRIN	SW-846 8270	20.00	UG/L	U
PUREX	ISODRIN	SW-846 8270	20.00	UG/L	U
PUREX	ISODRIN	SW-846 8270	20.00	UG/L	U
T PLANT	ISODRIN	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	ISODRIN	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	ISODRIN	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	ISODRIN	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	ISODRIN	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	ISOPHORONE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	ISOPHORONE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	ISOPHORONE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	ISOPHORONE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	ISOPHORONE	SW-846 8270	10.00	UG/L	UJ
PUREX	ISOPHORONE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	ISOPHORONE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	ISOPHORONE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 130

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	ISOPHORONE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	ISOPHORONE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ISOPHORONE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ISOPHORONE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ISOPHORONE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ISOPHORONE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ISOPHORONE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ISOPHORONE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ISOPHORONE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ISOPHORONE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ISOPHORONE	SW-846 8270	10.00	UG/L	U
B PLANT	ISOPHORONE	SW-846 8270	10.00	UG/L	U
B PLANT	ISOPHORONE	SW-846 8270	10.00	UG/L	U
B PLANT	ISOPHORONE	SW-846 8270	10.00	UG/L	U
B PLANT	ISOPHORONE	SW-846 8270	10.00	UG/L	U
PUREX	ISOPHORONE	SW-846 8270	10.00	UG/L	U
PUREX	ISOPHORONE	SW-846 8270	10.00	UG/L	U
PUREX	ISOPHORONE	SW-846 8270	10.00	UG/L	U
T PLANT	ISOPHORONE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ISOPHORONE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ISOPHORONE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ISOPHORONE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ISOPHORONE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ISOPHORONE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	ISOSAFROLE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	ISOSAFROLE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	ISOSAFROLE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	ISOSAFROLE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	ISOSAFROLE	SW-846 8270	10.00	UG/L	UJ
PUREX	ISOSAFROLE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	ISOSAFROLE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
B PLANT	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
B PLANT	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
B PLANT	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
B PLANT	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
PUREX	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
PUREX	ISOSAFROLE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 131

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
T PLANT	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	ISOSAFROLE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	KEPONE	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	KEPONE	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	KEPONE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	KEPONE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	KEPONE	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	KEPONE	SW-846 8270	50.00	UG/L	UJ
PUREX	KEPONE	SW-846 8270	50.00	UG/L	UJ
2724-W LAUNDRY	KEPONE	SW-846 8270	50.00	UG/L	R
182-D RESERVOIR	KEPONE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	KEPONE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	KEPONE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	KEPONE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	KEPONE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	KEPONE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	KEPONE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	KEPONE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	KEPONE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	KEPONE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	KEPONE	SW-846 8270	50.00	UG/L	U
B PLANT	KEPONE	SW-846 8270	50.00	UG/L	U
B PLANT	KEPONE	SW-846 8270	50.00	UG/L	U
B PLANT	KEPONE	SW-846 8270	50.00	UG/L	U
B PLANT	KEPONE	SW-846 8270	50.00	UG/L	U
PUREX	KEPONE	SW-846 8270	50.00	UG/L	U
PUREX	KEPONE	SW-846 8270	50.00	UG/L	U
PUREX	KEPONE	SW-846 8270	50.00	UG/L	U
T PLANT	KEPONE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	KEPONE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	KEPONE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	KEPONE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	KEPONE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	LEAD	GAMMA SCAN	0.22	PC/L	UJ
2724-W LAUNDRY	LEAD	GAMMA SCAN	2.80	UG/L	
UO3/U PLANT	LEAD	SW-846 6010	1.70	UG/L	
UO3/U PLANT	LEAD	SW-846 6010	1.80	UG/L	
UO3/U PLANT	LEAD	SW-846 6010	1.90	UG/L	W
UO3/U PLANT	LEAD	SW-846 6010	2.00	UG/L	W
UO3/U PLANT	LEAD	SW-846 6010	2.20	UG/L	J
MISC STREAMS	LEAD	SW-846 6010	11.10	UG/L	
MISC STREAMS	LEAD	SW-846 6010	11.10	UG/L	

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 132

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	LEAD	SW-846 7421	1.40	UG/L	W
B PLANT	LEAD	SW-846 7421	1.50	UG/L	J
182-D RESERVOIR	LEAD	SW-846 7421	1.70	UG/L	W
282-E RESERVOIR	LEAD	SW-846 7421	1.70	UG/L	
282-E RESERVOIR	LEAD	SW-846 7421	1.70	UG/L	
282-E RESERVOIR	LEAD	SW-846 7421	1.80	UG/L	J
B PLANT	LEAD	SW-846 7421	1.90	UG/L	
282-W RESERVOIR	LEAD	SW-846 7421	1.90	UG/L	W
282-E RESERVOIR	LEAD	SW-846 7421	2.10	UG/L	
282-W RESERVOIR	LEAD	SW-846 7421	2.10	UG/L	J
242-A EVAPORATOR	LEAD	SW-846 7421	2.20	UG/L	W
282-W RESERVOIR	LEAD	SW-846 7421	2.20	UG/L	U
282-W RESERVOIR	LEAD	SW-846 7421	2.30	UG/L	J
182-D RESERVOIR	LEAD	SW-846 7421	2.50	UG/L	
282-E RESERVOIR	LEAD	SW-846 7421	2.50	UG/L	
282-W RESERVOIR	LEAD	SW-846 7421	2.50	UG/L	
282-W RESERVOIR	LEAD	SW-846 7421	2.50	UG/L	
T PLANT	LEAD	SW-846 7421	2.50	UG/L	J
282-E RESERVOIR	LEAD	SW-846 7421	2.50	UG/L	W
182-D RESERVOIR	LEAD	SW-846 7421	2.60	UG/L	W
282-W RESERVOIR	LEAD	SW-846 7421	2.70	UG/L	J
242-A EVAPORATOR	LEAD	SW-846 7421	2.80	UG/L	
PUREX	LEAD	SW-846 7421	3.00	UG/L	J
282-W RESERVOIR	LEAD	SW-846 7421	3.10	UG/L	W
282-E RESERVOIR	LEAD	SW-846 7421	4.00	UG/L	J
B PLANT	LEAD	SW-846 7421	6.80	UG/L	W
B PLANT	LEAD	SW-846 7421	8.20	UG/L	
182-D RESERVOIR	LEAD	SW-846 7421	8.50	UG/L	J
PUREX	LEAD	SW-846 7421	8.90	UG/L	
PUREX	LEAD	SW-846 7421	20.10	UG/L	U
PUREX	LEAD	SW-846 7421	37.20	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	MAGNESIUM	SW-846 6010	3,620.00	UG/L	
T PLANT	MAGNESIUM	SW-846 6010	4,030.00	UG/L	
T PLANT	MAGNESIUM	SW-846 6010	4,250.00	UG/L	
PUREX	MAGNESIUM	SW-846 6010	4,310.00	UG/L	
T PLANT	MAGNESIUM	SW-846 6010	4,460.00	UG/L	
MISC STREAMS	MAGNESIUM	SW-846 6010	4,520.00	UG/L	
MISC STREAMS	MAGNESIUM	SW-846 6010	4,620.00	UG/L	
T PLANT	MAGNESIUM	SW-846 6010	5,200.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	MALATHION	SW-846 8140	0.19	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
T PLANT	MANGANESE	SW-846 6010	1.10	UG/L	
MISC STREAMS	MANGANESE	SW-846 6010	1.70	UG/L	U
T PLANT	MANGANESE	SW-846 6010	2.00	UG/L	

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 133

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
MISC STREAMS	MANGANESE	SW-846 6010	2.50	UG/L	U
UO3/U PLANT	MANGANESE	SW-846 6010	4.00	UG/L	
T PLANT	MANGANESE	SW-846 6010	5.50	UG/L	
PUREX	MANGANESE	SW-846 6010	7.80	UG/L	
T PLANT	MANGANESE	SW-846 6010	16.40	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	MANGANESE-54	GAMMA SCAN	7.00	PC/L	U
2724-W LAUNDRY	MANGANESE-54	GAMMA SCAN	10.00	PC/L	U
B PLANT	MANGANESE-54	GAMMA SCAN	10.00	PC/L	U
B PLANT	MANGANESE-54	GAMMA SCAN	10.00	PC/L	U
PUREX	MANGANESE-54	GAMMA SCAN	10.00	PC/L	U
PUREX	MANGANESE-54	GAMMA SCAN	10.00	PC/L	U
PUREX	MANGANESE-54	GAMMA SCAN	10.00	PC/L	U
PUREX	MANGANESE-54	GAMMA SCAN	10.00	PC/L	U
T PLANT	MANGANESE-54	GAMMA SCAN	10.00	PC/L	U
T PLANT	MANGANESE-54	GAMMA SCAN	10.00	PC/L	U
T PLANT	MANGANESE-54	GAMMA SCAN	10.00	PC/L	U
242-A EVAPORATOR	MANGANESE-54	RC-30	10.00	PC/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	MCPA	SW-846 8150	20.00	UG/L	UJ
PUREX	MCPA	SW-846 8150	20.00	UG/L	UJ
182-D RESERVOIR	MCPA	SW-846 8150	200.00	UG/L	UJ
182-D RESERVOIR	MCPA	SW-846 8150	200.00	UG/L	UJ
182-D RESERVOIR	MCPA	SW-846 8150	200.00	UG/L	UJ
182-D RESERVOIR	MCPA	SW-846 8150	200.00	UG/L	UJ
242-A EVAPORATOR	MCPA	SW-846 8150	200.00	UG/L	UJ
282-E RESERVOIR	MCPA	SW-846 8150	200.00	UG/L	UJ
282-E RESERVOIR	MCPA	SW-846 8150	200.00	UG/L	UJ
282-E RESERVOIR	MCPA	SW-846 8150	200.00	UG/L	UJ
282-W RESERVOIR	MCPA	SW-846 8150	200.00	UG/L	UJ
282-W RESERVOIR	MCPA	SW-846 8150	200.00	UG/L	UJ
282-W RESERVOIR	MCPA	SW-846 8150	200.00	UG/L	UJ
282-W RESERVOIR	MCPA	SW-846 8150	200.00	UG/L	UJ
B PLANT	MCPA	SW-846 8150	200.00	UG/L	UJ
B PLANT	MCPA	SW-846 8150	200.00	UG/L	UJ
UO3/U PLANT	MCPA	SW-846 8150	200.00	UG/L	UJ
UO3/U PLANT	MCPA	SW-846 8150	200.00	UG/L	UJ
UO3/U PLANT	MCPA	SW-846 8150	200.00	UG/L	UJ
UO3/U PLANT	MCPA	SW-846 8150	200.00	UG/L	UJ
242-A EVAPORATOR	MCPA	SW-846 8150	200.00	UG/L	U
2724-W LAUNDRY	MCPA	SW-846 8150	200.00	UG/L	U
282-E RESERVOIR	MCPA	SW-846 8150	200.00	UG/L	U
282-E RESERVOIR	MCPA	SW-846 8150	200.00	UG/L	U
282-E RESERVOIR	MCPA	SW-846 8150	200.00	UG/L	U
282-W RESERVOIR	MCPA	SW-846 8150	200.00	UG/L	U
282-W RESERVOIR	MCPA	SW-846 8150	200.00	UG/L	U
B PLANT	MCPA	SW-846 8150	200.00	UG/L	U
B PLANT	MCPA	SW-846 8150	200.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 134

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	MCPA	SW-846 8150	200.00	UG/L	U
PUREX	MCPA	SW-846 8150	200.00	UG/L	U
PUREX	MCPA	SW-846 8150	200.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	MCPP	SW-846 8150	20.00	UG/L	UJ
PUREX	MCPP	SW-846 8150	20.00	UG/L	U
182-D RESERVOIR	MCPP	SW-846 8150	200.00	UG/L	UJ
182-D RESERVOIR	MCPP	SW-846 8150	200.00	UG/L	UJ
182-D RESERVOIR	MCPP	SW-846 8150	200.00	UG/L	UJ
242-A EVAPORATOR	MCPP	SW-846 8150	200.00	UG/L	UJ
282-E RESERVOIR	MCPP	SW-846 8150	200.00	UG/L	UJ
282-E RESERVOIR	MCPP	SW-846 8150	200.00	UG/L	UJ
282-W RESERVOIR	MCPP	SW-846 8150	200.00	UG/L	UJ
282-W RESERVOIR	MCPP	SW-846 8150	200.00	UG/L	UJ
282-W RESERVOIR	MCPP	SW-846 8150	200.00	UG/L	UJ
B PLANT	MCPP	SW-846 8150	200.00	UG/L	UJ
B PLANT	MCPP	SW-846 8150	200.00	UG/L	UJ
UO3/U PLANT	MCPP	SW-846 8150	200.00	UG/L	UJ
UO3/U PLANT	MCPP	SW-846 8150	200.00	UG/L	UJ
UO3/U PLANT	MCPP	SW-846 8150	200.00	UG/L	UJ
UO3/U PLANT	MCPP	SW-846 8150	200.00	UG/L	UJ
182-D RESERVOIR	MCPP	SW-846 8150	200.00	UG/L	U
242-A EVAPORATOR	MCPP	SW-846 8150	200.00	UG/L	U
2724-W LAUNDRY	MCPP	SW-846 8150	200.00	UG/L	U
282-E RESERVOIR	MCPP	SW-846 8150	200.00	UG/L	U
282-E RESERVOIR	MCPP	SW-846 8150	200.00	UG/L	U
282-E RESERVOIR	MCPP	SW-846 8150	200.00	UG/L	U
282-W RESERVOIR	MCPP	SW-846 8150	200.00	UG/L	U
282-W RESERVOIR	MCPP	SW-846 8150	200.00	UG/L	U
282-W RESERVOIR	MCPP	SW-846 8150	200.00	UG/L	U
B PLANT	MCPP	SW-846 8150	200.00	UG/L	U
B PLANT	MCPP	SW-846 8150	200.00	UG/L	U
PUREX	MCPP	SW-846 8150	200.00	UG/L	U
PUREX	MCPP	SW-846 8150	200.00	UG/L	U
PUREX	MCPP	SW-846 8150	200.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	
242-A EVAPORATOR	MERCURY	SW-846 7470	0.10	UG/L	
2724-W LAUNDRY	MERCURY	SW-846 7470	0.10	UG/L	
282-E RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	
282-E RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	
282-E RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	
282-W RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	
282-W RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	
282-W RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	
B PLANT	MERCURY	SW-846 7470	0.10	UG/L	
MISC STREAMS	MERCURY	SW-846 7470	0.10	UG/L	
MISC STREAMS	MERCURY	SW-846 7470	0.10	UG/L	

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 135

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	MERCURY	SW-846 7470	0.10	UG/L	
PUREX	MERCURY	SW-846 7470	0.10	UG/L	
T PLANT	MERCURY	SW-846 7470	0.10	UG/L	
T PLANT	MERCURY	SW-846 7470	0.10	UG/L	
UO3/U PLANT	MERCURY	SW-846 7470	0.10	UG/L	
UO3/U PLANT	MERCURY	SW-846 7470	0.10	UG/L	
UO3/U PLANT	MERCURY	SW-846 7470	0.10	UG/L	
UO3/U PLANT	MERCURY	SW-846 7470	0.10	UG/L	
UO3/U PLANT	MERCURY	SW-846 7470	0.10	UG/L	
182-D RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	UJ
182-D RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	UJ
182-D RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	UJ
242-A EVAPORATOR	MERCURY	SW-846 7470	0.10	UG/L	UJ
282-E RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	UJ
282-E RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	UJ
282-E RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	UJ
282-E RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	UJ
282-W RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	UJ
282-W RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	UJ
282-W RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	UJ
282-W RESERVOIR	MERCURY	SW-846 7470	0.10	UG/L	UJ
B PLANT	MERCURY	SW-846 7470	0.10	UG/L	UJ
B PLANT	MERCURY	SW-846 7470	0.10	UG/L	UJ
PUREX	MERCURY	SW-846 7470	0.10	UG/L	UJ
PUREX	MERCURY	SW-846 7470	0.10	UG/L	UJ
T PLANT	MERCURY	SW-846 7470	0.10	UG/L	UJ
T PLANT	MERCURY	SW-846 7470	0.10	UG/L	UJ
B PLANT	MERCURY	SW-846 7470	0.18	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	MERPHOS	SW-846 8140	0.19	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	UJ
UO3/U PLANT	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	UJ
UO3/U PLANT	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	UJ
182-D RESERVOIR	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
182-D RESERVOIR	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
182-D RESERVOIR	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
242-A EVAPORATOR	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
242-A EVAPORATOR	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
2724-W LAUNDRY	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
282-E RESERVOIR	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
282-E RESERVOIR	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
282-E RESERVOIR	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
282-E RESERVOIR	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
282-E RESERVOIR	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
282-W RESERVOIR	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
282-W RESERVOIR	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
282-W RESERVOIR	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 136

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
282-W RESERVOIR	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
B PLANT	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
B PLANT	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
B PLANT	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
B PLANT	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
PUREX	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
PUREX	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
PUREX	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
T PLANT	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
T PLANT	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
T PLANT	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
T PLANT	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
UO3/U PLANT	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	METHAPYRILENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	METHAPYRILENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	METHAPYRILENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	METHAPYRILENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	METHAPYRILENE	SW-846 8270	10.00	UG/L	UJ
PUREX	METHAPYRILENE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	METHAPYRILENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
B PLANT	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
B PLANT	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
B PLANT	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
B PLANT	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
PUREX	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
PUREX	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
PUREX	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
T PLANT	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	METHAPYRILENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	METHOXYCHLOR	SW-846 8080	0.05	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 137

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
182-D RESERVOIR	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
242-A EVAPORATOR	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
2724-W LAUNDRY	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
282-E RESERVOIR	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
282-E RESERVOIR	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
282-E RESERVOIR	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
282-W RESERVOIR	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
B PLANT	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
B PLANT	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
B PLANT	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
PUREX	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
PUREX	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
PUREX	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
UO3/U PLANT	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
UO3/U PLANT	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
UO3/U PLANT	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
182-D RESERVOIR	METHOXYCHLOR	SW-846 8080	0.50	UG/L	UJ
182-D RESERVOIR	METHOXYCHLOR	SW-846 8080	0.50	UG/L	UJ
242-A EVAPORATOR	METHOXYCHLOR	SW-846 8080	0.50	UG/L	UJ
282-E RESERVOIR	METHOXYCHLOR	SW-846 8080	0.50	UG/L	UJ
282-E RESERVOIR	METHOXYCHLOR	SW-846 8080	0.50	UG/L	UJ
282-E RESERVOIR	METHOXYCHLOR	SW-846 8080	0.50	UG/L	UJ
282-W RESERVOIR	METHOXYCHLOR	SW-846 8080	0.50	UG/L	UJ
282-W RESERVOIR	METHOXYCHLOR	SW-846 8080	0.50	UG/L	UJ
282-W RESERVOIR	METHOXYCHLOR	SW-846 8080	0.50	UG/L	UJ
282-W RESERVOIR	METHOXYCHLOR	SW-846 8080	0.50	UG/L	UJ
B PLANT	METHOXYCHLOR	SW-846 8080	0.50	UG/L	UJ
PUREX	METHOXYCHLOR	SW-846 8080	0.50	UG/L	UJ
UO3/U PLANT	METHOXYCHLOR	SW-846 8080	0.50	UG/L	UJ
282-W RESERVOIR	METHOXYCHLOR	SW-846 8080	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	METHYLENE CHLORIDE	SW-846 8240	1.00	UG/L	U
282-E RESERVOIR	METHYLENE CHLORIDE	SW-846 8240	1.00	UG/L	U
B PLANT	METHYLENE CHLORIDE	SW-846 8240	1.00	UG/L	U
T PLANT	METHYLENE CHLORIDE	SW-846 8240	1.00	UG/L	J
T PLANT	METHYLENE CHLORIDE	SW-846 8240	1.00	UG/L	J
282-E RESERVOIR	METHYLENE CHLORIDE	SW-846 8240	2.00	UG/L	BJ
282-W RESERVOIR	METHYLENE CHLORIDE	SW-846 8240	2.00	UG/L	U
PUREX	METHYLENE CHLORIDE	SW-846 8240	2.00	UG/L	J
PUREX	METHYLENE CHLORIDE	SW-846 8240	2.00	UG/L	J
282-E RESERVOIR	METHYLENE CHLORIDE	SW-846 8240	3.00	UG/L	J
282-E RESERVOIR	METHYLENE CHLORIDE	SW-846 8240	3.00	UG/L	J
282-W RESERVOIR	METHYLENE CHLORIDE	SW-846 8240	4.00	UG/L	J
182-D RESERVOIR	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 138

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
B PLANT	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
B PLANT	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
B PLANT	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
PUREX	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
T PLANT	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
T PLANT	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	METHYLENE CHLORIDE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	UJ
182-D RESERVOIR	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
2724-W LAUNDRY	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
T PLANT	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
T PLANT	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
T PLANT	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
T PLANT	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 139

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	UJ
PUREX	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
B PLANT	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
B PLANT	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
B PLANT	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
B PLANT	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
PUREX	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
PUREX	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
PUREX	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
T PLANT	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	MEVINPHOS	SW-846 8140	0.19	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	MIREX	SW-846 8080	0.10	UG/L	UJ
242-A EVAPORATOR	MIREX	SW-846 8080	0.10	UG/L	UJ
242-A EVAPORATOR	MIREX	SW-846 8080	0.10	UG/L	UJ
282-E RESERVOIR	MIREX	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	MIREX	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	MIREX	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	MIREX	SW-846 8080	0.10	UG/L	UJ
282-W RESERVOIR	MIREX	SW-846 8080	0.10	UG/L	UJ
B PLANT	MIREX	SW-846 8080	0.10	UG/L	UJ
B PLANT	MIREX	SW-846 8080	0.10	UG/L	UJ
PUREX	MIREX	SW-846 8080	0.10	UG/L	UJ
PUREX	MIREX	SW-846 8080	0.10	UG/L	UJ
UO3/U PLANT	MIREX	SW-846 8080	0.10	UG/L	UJ
182-D RESERVOIR	MIREX	SW-846 8080	0.10	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 140

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	MIREX	SW-846 8080	0.10	UG/L	U
182-D RESERVOIR	MIREX	SW-846 8080	0.10	UG/L	U
2724-W LAUNDRY	MIREX	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	MIREX	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	MIREX	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	MIREX	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	MIREX	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	MIREX	SW-846 8080	0.10	UG/L	U
282-E RESERVOIR	MIREX	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	MIREX	SW-846 8080	0.10	UG/L	U
B PLANT	MIREX	SW-846 8080	0.10	UG/L	U
B PLANT	MIREX	SW-846 8080	0.10	UG/L	U
PUREX	MIREX	SW-846 8080	0.10	UG/L	U
PUREX	MIREX	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	MIREX	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	MIREX	SW-846 8080	0.10	UG/L	U
UO3/U PLANT	MIREX	SW-846 8080	0.10	UG/L	U
282-W RESERVOIR	MIREX	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	MONOCROTOPHOS	SW-846 8140	0.96	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	UJ
PUREX	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	UJ
2724-W LAUNDRY	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
T PLANT	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 141

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	UJ
182-D RESERVOIR	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	UJ
182-D RESERVOIR	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	UJ
282-E RESERVOIR	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	UJ
282-E RESERVOIR	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	UJ
282-W RESERVOIR	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	UJ
PUREX	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	UJ
2724-W LAUNDRY	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	R
182-D RESERVOIR	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
242-A EVAPORATOR	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
242-A EVAPORATOR	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
282-E RESERVOIR	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
282-E RESERVOIR	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
282-E RESERVOIR	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
282-E RESERVOIR	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
282-W RESERVOIR	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
282-W RESERVOIR	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
282-W RESERVOIR	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
282-W RESERVOIR	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
B PLANT	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
B PLANT	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
B PLANT	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
B PLANT	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
PUREX	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
PUREX	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
PUREX	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
T PLANT	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
UO3/U PLANT	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
UO3/U PLANT	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
UO3/U PLANT	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
UO3/U PLANT	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 142

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
T PLANT	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	UJ
PUREX	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
T PLANT	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 143

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	UJ
PUREX	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
T PLANT	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
182-D RESERVOIR	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	UJ
PUREX	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	UJ
PUREX	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	UJ
242-A EVAPORATOR	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 144

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	UJ
2724-W LAUNDRY	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U
T PLANT	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
T PLANT	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	UJ

Page 145

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	UJ
PUREX	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	UJ
PUREX	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	UJ
2724-W LAUNDRY	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
T PLANT	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U

[illegible]

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 146

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
B PLANT	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
B PLANT	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
B PLANT	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
PUREX	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
PUREX	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
PUREX	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
T PLANT	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
UO3/U PLANT	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
UO3/U PLANT	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
UO3/U PLANT	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
UO3/U PLANT	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
182-D RESERVOIR	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	UJ
182-D RESERVOIR	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	UJ
182-D RESERVOIR	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	UJ
282-E RESERVOIR	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	UJ
282-E RESERVOIR	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	UJ
PUREX	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	NALED	SW-846 8140	0.48	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	NAPHTHALENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
T PLANT	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	NAPHTHALENE	SW-846 8270	10.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 147

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	NAPHTHALENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	NAPHTHALENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	NAPHTHALENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	NAPHTHALENE	SW-846 8270	10.00	UG/L	UJ
PUREX	NAPHTHALENE	SW-846 8270	10.00	UG/L	UJ
MISC STREAMS	NAPHTHALENE	SW-846 8310	18.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	NICKEL	SW-846 6010	3.40	UG/L	UJ
PUREX	NICKEL	SW-846 6010	3.40	UG/L	U
182-D RESERVOIR	NICKEL	SW-846 6010	3.40	UG/L	
242-A EVAPORATOR	NICKEL	SW-846 6010	3.40	UG/L	
282-E RESERVOIR	NICKEL	SW-846 6010	3.40	UG/L	
282-W RESERVOIR	NICKEL	SW-846 6010	3.40	UG/L	
282-W RESERVOIR	NICKEL	SW-846 6010	3.40	UG/L	
2724-W LAUNDRY	NICKEL	SW-846 6010	3.70	UG/L	
282-E RESERVOIR	NICKEL	SW-846 6010	3.70	UG/L	
282-E RESERVOIR	NICKEL	SW-846 6010	3.70	UG/L	
B PLANT	NICKEL	SW-846 6010	3.70	UG/L	
PUREX	NICKEL	SW-846 6010	3.70	UG/L	
UO3/U PLANT	NICKEL	SW-846 6010	3.70	UG/L	
182-D RESERVOIR	NICKEL	SW-846 6010	4.20	UG/L	
B PLANT	NICKEL	SW-846 6010	4.20	UG/L	
UO3/U PLANT	NICKEL	SW-846 6010	4.20	UG/L	
UO3/U PLANT	NICKEL	SW-846 6010	4.20	UG/L	
UO3/U PLANT	NICKEL	SW-846 6010	4.20	UG/L	
282-W RESERVOIR	NICKEL	SW-846 6010	4.40	UG/L	UJ
282-W RESERVOIR	NICKEL	SW-846 6010	4.40	UG/L	UJ
182-D RESERVOIR	NICKEL	SW-846 6010	4.40	UG/L	
182-D RESERVOIR	NICKEL	SW-846 6010	4.40	UG/L	
242-A EVAPORATOR	NICKEL	SW-846 6010	4.40	UG/L	
PUREX	NICKEL	SW-846 6010	4.40	UG/L	
B PLANT	NICKEL	SW-846 6010	4.70	UG/L	
282-W RESERVOIR	NICKEL	SW-846 6010	6.50	UG/L	UJ
282-W RESERVOIR	NICKEL	SW-846 6010	6.50	UG/L	UJ
282-E RESERVOIR	NICKEL	SW-846 6010	6.50	UG/L	
282-E RESERVOIR	NICKEL	SW-846 6010	6.50	UG/L	
B PLANT	NICKEL	SW-846 6010	6.50	UG/L	
PUREX	NICKEL	SW-846 6010	6.50	UG/L	
282-W RESERVOIR	NICKEL	SW-846 6010	7.00	UG/L	
282-E RESERVOIR	NICKEL	SW-846 6010	17.80	UG/L	J
UO3/U PLANT	NICKEL	SW-846 6010	20.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	NIOBIUM 94	GAMMA SCAN	6.00	PCI/L	U
2724-W LAUNDRY	NIOBIUM 94	GAMMA SCAN	9.00	PCI/L	U
B PLANT	NIOBIUM 94	GAMMA SCAN	10.00	PCI/L	U
B PLANT	NIOBIUM 94	GAMMA SCAN	10.00	PCI/L	U
PUREX	NIOBIUM 94	GAMMA SCAN	10.00	PCI/L	U
PUREX	NIOBIUM 94	GAMMA SCAN	10.00	PCI/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 148

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	NIOBIUM 94	GAMMA SCAN	10.00	PCI/L	U
PUREX	NIOBIUM 94	GAMMA SCAN	10.00	PCI/L	U
T PLANT	NIOBIUM 94	GAMMA SCAN	10.00	PCI/L	U
T PLANT	NIOBIUM 94	GAMMA SCAN	10.00	PCI/L	U
T PLANT	NIOBIUM 94	GAMMA SCAN	10.00	PCI/L	U
242-A EVAPORATOR	NIOBIUM 94	RC-30	10.00	PCI/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	NITROBENZENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	NITROBENZENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	NITROBENZENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	NITROBENZENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	NITROBENZENE	SW-846 8270	10.00	UG/L	UJ
PUREX	NITROBENZENE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	NITROBENZENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	NITROBENZENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	NITROBENZENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	NITROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	NITROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	NITROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	NITROBENZENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	NITROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	NITROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	NITROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	NITROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	NITROBENZENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	NITROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	NITROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	NITROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	NITROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	NITROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	NITROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	NITROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	NITROBENZENE	SW-846 8270	10.00	UG/L	U
T PLANT	NITROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	NITROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	NITROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	NITROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	NITROBENZENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	NITROBENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	NITROGEN IN NITRATE	EPA-600 300.0	0.10	MG/L	
182-D RESERVOIR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	UJ
242-A EVAPORATOR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	UJ
2724-W LAUNDRY	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	UJ
282-E RESERVOIR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	UJ
282-E RESERVOIR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	UJ
282-E RESERVOIR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	UJ
282-E RESERVOIR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 149

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	UJ
282-W RESERVOIR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	UJ
282-W RESERVOIR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	UJ
282-W RESERVOIR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	UJ
B PLANT	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	UJ
B PLANT	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	UJ
PUREX	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	UJ
PUREX	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	UJ
182-D RESERVOIR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	R
182-D RESERVOIR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	R
282-W RESERVOIR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	UR
282-W RESERVOIR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	UR
282-E RESERVOIR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	U
242-A EVAPORATOR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	J
282-E RESERVOIR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	J
282-W RESERVOIR	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	J
B PLANT	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	J
PUREX	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	J
PUREX	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	J
T PLANT	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	J
T PLANT	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	J
T PLANT	NITROGEN IN NITRATE	EPA-600 300.0	0.30	MG/L	J
T PLANT	NITROGEN IN NITRATE	EPA-600 300.0	0.30	MG/L	J

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.1	0.10	MG/L	U
282-W RESERVOIR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.1	0.25	MG/L	U
282-W RESERVOIR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.1	0.25	MG/L	U
282-W RESERVOIR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.1	0.25	MG/L	U
282-W RESERVOIR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.1	0.25	MG/L	U
282-W RESERVOIR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.1	0.25	MG/L	U
282-E RESERVOIR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.10	MG/L	U
282-E RESERVOIR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.10	MG/L	U
PUREX	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.10	MG/L	U
UO3/U PLANT	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.11	MG/L	J
UO3/U PLANT	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.24	MG/L	
242-A EVAPORATOR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	UJ
282-E RESERVOIR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	UJ
MISC STREAMS	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	UJ
182-D RESERVOIR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
182-D RESERVOIR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
182-D RESERVOIR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
242-A EVAPORATOR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
282-E RESERVOIR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
282-E RESERVOIR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
282-E RESERVOIR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
B PLANT	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
MISC STREAMS	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
MISC STREAMS	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
PUREX	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
PUREX	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 150

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
T PLANT	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
T PLANT	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
UO3/U PLANT	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
UO3/U PLANT	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
UO3/U PLANT	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
182-D RESERVOIR	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	
2724-W LAUNDRY	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	
T PLANT	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.29	MG/L	
T PLANT	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.38	MG/L	
B PLANT	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.3	0.10	MG/L	U
B PLANT	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.3	0.25	MG/L	U
B PLANT	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.3	0.25	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
242-A EVAPORATOR	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
242-A EVAPORATOR	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
2724-W LAUNDRY	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
282-E RESERVOIR	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
282-E RESERVOIR	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
282-E RESERVOIR	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
282-E RESERVOIR	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
282-W RESERVOIR	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
282-W RESERVOIR	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
282-W RESERVOIR	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
282-W RESERVOIR	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
B PLANT	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
B PLANT	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
B PLANT	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
PUREX	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
PUREX	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
PUREX	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
PUREX	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
T PLANT	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UJ
182-D RESERVOIR	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	R
182-D RESERVOIR	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	R
T PLANT	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	R
282-W RESERVOIR	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UR
282-W RESERVOIR	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	UR
182-D RESERVOIR	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	U
282-E RESERVOIR	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	U
T PLANT	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	U
T PLANT	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	J
B PLANT	NITROGEN IN NITRITE	EPA-600 300.0	0.20	MG/L	J

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	O,O,O-TRIETHYLPHOSPHOROTHIOATE	SW-846 8140	0.19	UG/L	U

Page 151

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	O-TOLUIDINE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PUREX	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PUREX	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PUREX	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
T PLANT	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	O-TOLUIDINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	O-TOLUIDINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	O-TOLUIDINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	O-TOLUIDINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	O-TOLUIDINE	SW-846 8270	10.00	UG/L	UJ
PUREX	O-TOLUIDINE	SW-846 8270	10.00	UG/L	UJ

[illegible]

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 152

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	PARATHION	SW-846 8140	0.19	UG/L	U
242-A EVAPORATOR	PARATHION	SW-846 8140	0.50	UG/L	UJ
2724-W LAUNDRY	PARATHION	SW-846 8140	0.50	UG/L	UJ
282-E RESERVOIR	PARATHION	SW-846 8140	0.50	UG/L	UJ
282-W RESERVOIR	PARATHION	SW-846 8140	0.50	UG/L	UJ
282-W RESERVOIR	PARATHION	SW-846 8140	0.50	UG/L	UJ
PUREX	PARATHION	SW-846 8140	0.50	UG/L	UJ
UO3/U PLANT	PARATHION	SW-846 8140	0.50	UG/L	UJ
282-W RESERVOIR	PARATHION	SW-846 8140	0.50	UG/L	R
282-W RESERVOIR	PARATHION	SW-846 8140	0.50	UG/L	R
B PLANT	PARATHION	SW-846 8140	0.50	UG/L	R
182-D RESERVOIR	PARATHION	SW-846 8140	0.50	UG/L	U
182-D RESERVOIR	PARATHION	SW-846 8140	0.50	UG/L	U
242-A EVAPORATOR	PARATHION	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	PARATHION	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	PARATHION	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	PARATHION	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	PARATHION	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	PARATHION	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	PARATHION	SW-846 8140	0.50	UG/L	U
282-W RESERVOIR	PARATHION	SW-846 8140	0.50	UG/L	U
282-W RESERVOIR	PARATHION	SW-846 8140	0.50	UG/L	U
B PLANT	PARATHION	SW-846 8140	0.50	UG/L	U
B PLANT	PARATHION	SW-846 8140	0.50	UG/L	U
B PLANT	PARATHION	SW-846 8140	0.50	UG/L	U
PUREX	PARATHION	SW-846 8140	0.50	UG/L	U
PUREX	PARATHION	SW-846 8140	0.50	UG/L	U
PUREX	PARATHION	SW-846 8140	0.50	UG/L	U
UO3/U PLANT	PARATHION	SW-846 8140	0.50	UG/L	U
UO3/U PLANT	PARATHION	SW-846 8140	0.50	UG/L	U
UO3/U PLANT	PARATHION	SW-846 8140	0.50	UG/L	U
182-D RESERVOIR	PARATHION	SW-846 8140	0.50	UG/L	
182-D RESERVOIR	PARATHION	SW-846 8140	0.50	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	PARATHION-METHYL	SW-846 8140	0.19	UG/L	U
242-A EVAPORATOR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	UJ
2724-W LAUNDRY	PARATHION-METHYL	SW-846 8140	1.00	UG/L	UJ
282-E RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	UJ
282-E RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	UJ
282-W RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	UJ
282-W RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	UJ
B PLANT	PARATHION-METHYL	SW-846 8140	1.00	UG/L	UJ
B PLANT	PARATHION-METHYL	SW-846 8140	1.00	UG/L	UJ
PUREX	PARATHION-METHYL	SW-846 8140	1.00	UG/L	UJ
PUREX	PARATHION-METHYL	SW-846 8140	1.00	UG/L	UJ
282-W RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	R
282-W RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	R
B PLANT	PARATHION-METHYL	SW-846 8140	1.00	UG/L	R
182-D RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
182-D RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
242-A EVAPORATOR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U

Page 153

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
282-E RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
282-E RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
282-E RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
282-E RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
282-W RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
282-W RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
282-W RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
B PLANT	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
PUREX	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
PUREX	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
UO3U PLANT	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
UO3U PLANT	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
UO3U PLANT	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
UO3U PLANT	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
182-D RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
182-D RESERVOIR	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
182-D RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
242-A EVAPORATOR	PBBS	SW-846 8080	1.00	UG/L	U
2724-W LAUNDRY	PBBS	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
B PLANT	PBBS	SW-846 8080	1.00	UG/L	U
B PLANT	PBBS	SW-846 8080	1.00	UG/L	U
PUREX	PBBS	SW-846 8080	1.00	UG/L	U
PUREX	PBBS	SW-846 8080	1.00	UG/L	U
PUREX	PBBS	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	PBBS	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	PBBS	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	R
182-D RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
182-D RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
242-A EVAPORATOR	PBBS	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
B PLANT	PBBS	SW-846 8080	1.00	UG/L	U
B PLANT	PBBS	SW-846 8080	1.00	UG/L	U
PUREX	PBBS	SW-846 8080	1.00	UG/L	U
PUREX	PBBS	SW-846 8080	1.00	UG/L	U
PUREX	PBBS	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	PBBS	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	PBBS	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
182-D RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
182-D RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
242-A EVAPORATOR	PBBS	SW-846 8080	1.00	UG/L	U
2724-W LAUNDRY	PBBS	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
282-E RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
282-W RESERVOIR	PBBS	SW-846 8080	1.00	UG/L	U
B PLANT	PBBS	SW-846 8080	1.00	UG/L	U
B PLANT	PBBS	SW-846 8080	1.00	UG/L	U
PUREX	PBBS	SW-846 8080	1.00	UG/L	U
PUREX	PBBS	SW-846 8080	1.00	UG/L	U
PUREX	PBBS	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	PBBS	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	PBBS	SW-846 8080	1.00	UG/L	U
UO3/U PLANT	PBBS	SW-846 8080	1.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 154

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	UJ
PUREX	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	UJ
2724-W LAUNDRY	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
B PLANT	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
B PLANT	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
B PLANT	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
B PLANT	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
PUREX	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
PUREX	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
PUREX	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
T PLANT	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	UJ
182-D RESERVOIR	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
2724-W LAUNDRY	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 155

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
PUREX	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
PUREX	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
PUREX	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	UJ
PUREX	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	UJ
2724-W LAUNDRY	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	R
182-D RESERVOIR	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
T PLANT	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	PENTACHLOROPHENOL	SW-846 8270	25.00	UG/L	U
182-D RESERVOIR	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 156

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	UJ
182-D RESERVOIR	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	UJ
PUREX	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	UJ
2724-W LAUNDRY	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	R
182-D RESERVOIR	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
242-A EVAPORATOR	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
T PLANT	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
UO3/U PLANT	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	PH MEASUREMENT	SW-846 9040	7.80	PH	J
T PLANT	PH MEASUREMENT	SW-846 9040	7.80	PH	J
242-A EVAPORATOR	PH MEASUREMENT	SW-846 9040	7.90	PH	J
282-E RESERVOIR	PH MEASUREMENT	SW-846 9040	7.90	PH	J
T PLANT	PH MEASUREMENT	SW-846 9040	7.90	PH	J
T PLANT	PH MEASUREMENT	SW-846 9040	7.90	PH	J
T PLANT	PH MEASUREMENT	SW-846 9040	8.00	PH	
182-D RESERVOIR	PH MEASUREMENT	SW-846 9040	8.00	PH	J
282-E RESERVOIR	PH MEASUREMENT	SW-846 9040	8.00	PH	J
282-E RESERVOIR	PH MEASUREMENT	SW-846 9040	8.00	PH	J
282-E RESERVOIR	PH MEASUREMENT	SW-846 9040	8.00	PH	J
282-W RESERVOIR	PH MEASUREMENT	SW-846 9040	8.00	PH	J
PUREX	PH MEASUREMENT	SW-846 9040	8.00	PH	J
282-W RESERVOIR	PH MEASUREMENT	SW-846 9040	8.10	PH	J
MISC STREAMS	PH MEASUREMENT	SW-846 9040	8.10	PH	J
182-D RESERVOIR	PH MEASUREMENT	SW-846 9040	8.20	PH	J
242-A EVAPORATOR	PH MEASUREMENT	SW-846 9040	8.20	PH	J
282-W RESERVOIR	PH MEASUREMENT	SW-846 9040	8.20	PH	J
B PLANT	PH MEASUREMENT	SW-846 9040	8.20	PH	J

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 157

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	PH MEASUREMENT	SW-846 9040	8.20	PH	J
PUREX	PH MEASUREMENT	SW-846 9040	8.20	PH	J
UO3/U PLANT	PH MEASUREMENT	SW-846 9040	8.30	PH	
282-E RESERVOIR	PH MEASUREMENT	SW-846 9040	8.30	PH	J
282-E RESERVOIR	PH MEASUREMENT	SW-846 9040	8.30	PH	J
282-E RESERVOIR	PH MEASUREMENT	SW-846 9040	8.30	PH	J
MISC STREAMS	PH MEASUREMENT	SW-846 9040	8.30	PH	J
182-D RESERVOIR	PH MEASUREMENT	SW-846 9040	8.40	PH	J
282-E RESERVOIR	PH MEASUREMENT	SW-846 9040	8.40	PH	J
282-W RESERVOIR	PH MEASUREMENT	SW-846 9040	8.40	PH	J
PUREX	PH MEASUREMENT	SW-846 9040	8.40	PH	J
UO3/U PLANT	PH MEASUREMENT	SW-846 9040	8.40	PH	J
UO3/U PLANT	PH MEASUREMENT	SW-846 9040	8.40	PH	J
282-W RESERVOIR	PH MEASUREMENT	SW-846 9040	8.50	PH	J
B PLANT	PH MEASUREMENT	SW-846 9040	8.50	PH	J
PUREX	PH MEASUREMENT	SW-846 9040	8.50	PH	J
UO3/U PLANT	PH MEASUREMENT	SW-846 9040	8.50	PH	J
282-W RESERVOIR	PH MEASUREMENT	SW-846 9040	8.60	PH	J
B PLANT	PH MEASUREMENT	SW-846 9040	8.60	PH	J
282-W RESERVOIR	PH MEASUREMENT	SW-846 9040	8.70	PH	J
UO3/U PLANT	PH MEASUREMENT	SW-846 9040	8.70	PH	J
182-D RESERVOIR	PH MEASUREMENT	SW-846 9040	9.40	PH	J

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	PHENACETIN	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	PHENACETIN	SW-846 8270	20.00	UG/L	UJ
182-D RESERVOIR	PHENACETIN	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	PHENACETIN	SW-846 8270	20.00	UG/L	UJ
282-E RESERVOIR	PHENACETIN	SW-846 8270	20.00	UG/L	UJ
PUREX	PHENACETIN	SW-846 8270	20.00	UG/L	UJ
2724-W LAUNDRY	PHENACETIN	SW-846 8270	20.00	UG/L	R
182-D RESERVOIR	PHENACETIN	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	PHENACETIN	SW-846 8270	20.00	UG/L	U
242-A EVAPORATOR	PHENACETIN	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	PHENACETIN	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	PHENACETIN	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	PHENACETIN	SW-846 8270	20.00	UG/L	U
282-E RESERVOIR	PHENACETIN	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	PHENACETIN	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	PHENACETIN	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	PHENACETIN	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	PHENACETIN	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	PHENACETIN	SW-846 8270	20.00	UG/L	U
282-W RESERVOIR	PHENACETIN	SW-846 8270	20.00	UG/L	U
B PLANT	PHENACETIN	SW-846 8270	20.00	UG/L	U
B PLANT	PHENACETIN	SW-846 8270	20.00	UG/L	U
B PLANT	PHENACETIN	SW-846 8270	20.00	UG/L	U
B PLANT	PHENACETIN	SW-846 8270	20.00	UG/L	U
PUREX	PHENACETIN	SW-846 8270	20.00	UG/L	U
PUREX	PHENACETIN	SW-846 8270	20.00	UG/L	U
PUREX	PHENACETIN	SW-846 8270	20.00	UG/L	U
T PLANT	PHENACETIN	SW-846 8270	20.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 158

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	PHENACETIN	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	PHENACETIN	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	PHENACETIN	SW-846 8270	20.00	UG/L	U
UO3/U PLANT	PHENACETIN	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	PHENANTHRENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
B PLANT	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
B PLANT	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
B PLANT	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
B PLANT	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
PUREX	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
PUREX	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
PUREX	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
T PLANT	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	PHENANTHRENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	PHENANTHRENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	PHENANTHRENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	PHENANTHRENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	PHENANTHRENE	SW-846 8270	10.00	UG/L	UJ
PUREX	PHENANTHRENE	SW-846 8270	10.00	UG/L	UJ
MISC STREAMS	PHENANTHRENE	SW-846 8310	6.40	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	PHENOL	SW-846 8270	5.00	UG/L	UJ
B PLANT	PHENOL	SW-846 8270	5.00	UG/L	UJ
242-A EVAPORATOR	PHENOL	SW-846 8270	5.00	UG/L	U
242-A EVAPORATOR	PHENOL	SW-846 8270	5.00	UG/L	U
B PLANT	PHENOL	SW-846 8270	5.00	UG/L	U
B PLANT	PHENOL	SW-846 8270	5.00	UG/L	U
182-D RESERVOIR	PHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	PHENOL	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	PHENOL	SW-846 8270	10.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 159

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	PHENOL	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	PHENOL	SW-846 8270	10.00	UG/L	UJ
PUREX	PHENOL	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	PHENOL	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	PHENOL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	PHENOL	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	PHENOL	SW-846 8270.	10.00	UG/L	U
282-E RESERVOIR	PHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PHENOL	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PHENOL	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	PHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	PHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	PHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	PHENOL	SW-846 8270	10.00	UG/L	U
PUREX	PHENOL	SW-846 8270	10.00	UG/L	U
PUREX	PHENOL	SW-846 8270	10.00	UG/L	U
PUREX	PHENOL	SW-846 8270	10.00	UG/L	U
T PLANT	PHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PHENOL	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PHENOL	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	PHENOL	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	PHENOL	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	PHENOL	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	PHENOL	SW-846 8270	50.00	UG/L	UJ
282-W RESERVOIR	PHENOL	SW-846 8270	50.00	UG/L	UJ
PUREX	PHENOL	SW-846 8270	50.00	UG/L	UJ
282-E RESERVOIR	PHENOL	SW-846 8270	50.00	UG/L	R
282-E RESERVOIR	PHENOL	SW-846 8270	50.00	UG/L	R
PUREX	PHENOL	SW-846 8270	50.00	UG/L	R
182-D RESERVOIR	PHENOL	SW-846 8270	50.00	UG/L	U
182-D RESERVOIR	PHENOL	SW-846 8270	50.00	UG/L	U
182-D RESERVOIR	PHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	PHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	PHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	PHENOL	SW-846 8270	50.00	UG/L	U
282-E RESERVOIR	PHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	PHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	PHENOL	SW-846 8270	50.00	UG/L	U
282-W RESERVOIR	PHENOL	SW-846 8270	50.00	UG/L	U
PUREX	PHENOL	SW-846 8270	50.00	UG/L	U
PUREX	PHENOL	SW-846 8270	50.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 160

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	PHORATE	SW-846 8140	0.19	UG/L	U
PUREX	PHORATE	SW-846 8140	0.20	UG/L	R
242-A EVAPORATOR	PHORATE	SW-846 8140	0.50	UG/L	UJ
2724-W LAUNDRY	PHORATE	SW-846 8140	0.50	UG/L	UJ
282-E RESERVOIR	PHORATE	SW-846 8140	0.50	UG/L	UJ
282-W RESERVOIR	PHORATE	SW-846 8140	0.50	UG/L	UJ
282-W RESERVOIR	PHORATE	SW-846 8140	0.50	UG/L	UJ
B PLANT	PHORATE	SW-846 8140	0.50	UG/L	UJ
PUREX	PHORATE	SW-846 8140	0.50	UG/L	UJ
282-E RESERVOIR	PHORATE	SW-846 8140	0.50	UG/L	R
282-W RESERVOIR	PHORATE	SW-846 8140	0.50	UG/L	R
282-W RESERVOIR	PHORATE	SW-846 8140	0.50	UG/L	R
B PLANT	PHORATE	SW-846 8140	0.50	UG/L	R
PUREX	PHORATE	SW-846 8140	0.50	UG/L	R
182-D RESERVOIR	PHORATE	SW-846 8140	0.50	UG/L	U
182-D RESERVOIR	PHORATE	SW-846 8140	0.50	UG/L	U
242-A EVAPORATOR	PHORATE	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	PHORATE	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	PHORATE	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	PHORATE	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	PHORATE	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	PHORATE	SW-846 8140	0.50	UG/L	U
282-W RESERVOIR	PHORATE	SW-846 8140	0.50	UG/L	U
282-W RESERVOIR	PHORATE	SW-846 8140	0.50	UG/L	U
B PLANT	PHORATE	SW-846 8140	0.50	UG/L	U
B PLANT	PHORATE	SW-846 8140	0.50	UG/L	U
PUREX	PHORATE	SW-846 8140	0.50	UG/L	U
UO3/U PLANT	PHORATE	SW-846 8140	0.50	UG/L	U
UO3/U PLANT	PHORATE	SW-846 8140	0.50	UG/L	U
UO3/U PLANT	PHORATE	SW-846 8140	0.50	UG/L	U
UO3/U PLANT	PHORATE	SW-846 8140	0.50	UG/L	U
182-D RESERVOIR	PHORATE	SW-846 8140	0.50	UG/L	
182-D RESERVOIR	PHORATE	SW-846 8140	0.50	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
T PLANT	PHOSPHATE	EPA-600 300.0	0.40	MG/L	UJ
2724-W LAUNDRY	PHOSPHATE	EPA-600 300.0	0.40	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U
242-A EVAPORATOR	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U
2724-W LAUNDRY	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U
B PLANT	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U
B PLANT	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U
B PLANT	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U
B PLANT	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U
MISC STREAMS	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U
MISC STREAMS	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U
UO3/U PLANT	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U
UO3/U PLANT	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 161

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U
UO3/U PLANT	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.06	MG/L	
UO3/U PLANT	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.10	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	PLUTONIUM-238	PLUTONIUM	0.02	PCI/L	UJ
PUREX	PLUTONIUM-238	PLUTONIUM	0.02	PCI/L	U
242-A EVAPORATOR	PLUTONIUM-238	PLUTONIUM	0.03	PCI/L	UJ
PUREX	PLUTONIUM-238	PLUTONIUM	0.03	PCI/L	U
PUREX	PLUTONIUM-238	PLUTONIUM	0.05	PCI/L	BJ
242-A EVAPORATOR	PLUTONIUM-238	PLUTONIUM	0.05	PCI/L	U
PUREX	PLUTONIUM-238	PLUTONIUM	0.07	PCI/L	U
B PLANT	PLUTONIUM-238	PLUTONIUM	0.20	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	PLUTONIUM-239/240	PLUTONIUM	0.01	PCI/L	UJ
2724-W LAUNDRY	PLUTONIUM-239/240	PLUTONIUM	0.01	PCI/L	UJ
PUREX	PLUTONIUM-239/240	PLUTONIUM	0.01	PCI/L	J
PUREX	PLUTONIUM-239/240	PLUTONIUM	0.02	PCI/L	U
PUREX	PLUTONIUM-239/240	PLUTONIUM	0.03	PCI/L	U
PUREX	PLUTONIUM-239/240	PLUTONIUM	0.05	PCI/L	U
242-A EVAPORATOR	PLUTONIUM-239/240	PLUTONIUM	0.05	PCI/L	U
B PLANT	PLUTONIUM-239/240	PLUTONIUM	0.09	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	PLUTONIUM-241	PLUTONIUM	0.04	PCI/L	UJ
PUREX	PLUTONIUM-241	PLUTONIUM	4.00	PCI/L	U
242-A EVAPORATOR	PLUTONIUM-241	PLUTONIUM	4.00	PCI/L	J
PUREX	PLUTONIUM-241	PLUTONIUM	5.00	PCI/L	UJ
PUREX	PLUTONIUM-241	PLUTONIUM	6.00	PCI/L	U
PUREX	PLUTONIUM-241	PLUTONIUM	9.00	PCI/L	U
242-A EVAPORATOR	PLUTONIUM-241	PLUTONIUM	20.00	PCI/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
T PLANT	POTASSIUM	SW-846 6010	725.00	UG/L	U
MISC STREAMS	POTASSIUM	SW-846 6010	733.00	UG/L	
T PLANT	POTASSIUM	SW-846 6010	759.00	UG/L	
T PLANT	POTASSIUM	SW-846 6010	835.00	UG/L	
T PLANT	POTASSIUM	SW-846 6010	835.00	UG/L	
PUREX	POTASSIUM	SW-846 6010	862.00	UG/L	
MISC STREAMS	POTASSIUM	SW-846 6010	878.00	UG/L	
UO3/U PLANT	POTASSIUM	SW-846 6010	1,340.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	POTASSIUM-40	GAMMA SCAN	80.00	PCI/L	U
T PLANT	POTASSIUM-40	GAMMA SCAN	100.00	PCI/L	U
T PLANT	POTASSIUM-40	GAMMA SCAN	100.00	PCI/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 162

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	POTASSIUM-40	GAMMA SCAN	130.00	PCI/L	
2724-W LAUNDRY	POTASSIUM-40	GAMMA SCAN	200.00	PCI/L	U
B PLANT	POTASSIUM-40	GAMMA SCAN	200.00	PCI/L	U
B PLANT	POTASSIUM-40	GAMMA SCAN	200.00	PCI/L	U
PUREX	POTASSIUM-40	GAMMA SCAN	200.00	PCI/L	U
PUREX	POTASSIUM-40	GAMMA SCAN	200.00	PCI/L	U
PUREX	POTASSIUM-40	GAMMA SCAN	200.00	PCI/L	U
T PLANT	POTASSIUM-40	GAMMA SCAN	200.00	PCI/L	U
B PLANT	POTASSIUM-40	GAMMA SCAN	300.00	PCI/L	U
PUREX	POTASSIUM-40	GAMMA SCAN	300.00	PCI/L	U
T PLANT	POTASSIUM-40	GAMMA SCAN	300.00	PCI/L	U
242-A EVAPORATOR	POTASSIUM-40	RC-30	100.00	PCI/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	PRONAMIDE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	PRONAMIDE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	PRONAMIDE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	PRONAMIDE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	PRONAMIDE	SW-846 8270	10.00	UG/L	UJ
PUREX	PRONAMIDE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	PRONAMIDE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	PRONAMIDE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	PRONAMIDE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	PRONAMIDE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PRONAMIDE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PRONAMIDE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PRONAMIDE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PRONAMIDE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PRONAMIDE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PRONAMIDE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PRONAMIDE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PRONAMIDE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PRONAMIDE	SW-846 8270	10.00	UG/L	U
B PLANT	PRONAMIDE	SW-846 8270	10.00	UG/L	U
B PLANT	PRONAMIDE	SW-846 8270	10.00	UG/L	U
B PLANT	PRONAMIDE	SW-846 8270	10.00	UG/L	U
B PLANT	PRONAMIDE	SW-846 8270	10.00	UG/L	U
PUREX	PRONAMIDE	SW-846 8270	10.00	UG/L	U
PUREX	PRONAMIDE	SW-846 8270	10.00	UG/L	U
PUREX	PRONAMIDE	SW-846 8270	10.00	UG/L	U
T PLANT	PRONAMIDE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PRONAMIDE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PRONAMIDE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PRONAMIDE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PRONAMIDE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	PROPIONITRILE	SW-846 8240	100.00	UG/L	UJ
UO3/U PLANT	PROPIONITRILE	SW-846 8240	100.00	UG/L	UJ
UO3/U PLANT	PROPIONITRILE	SW-846 8240	100.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 163

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
182-D RESERVOIR	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
182-D RESERVOIR	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
242-A EVAPORATOR	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
242-A EVAPORATOR	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
2724-W LAUNDRY	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
282-E RESERVOIR	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
282-E RESERVOIR	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
282-E RESERVOIR	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
282-E RESERVOIR	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
282-E RESERVOIR	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
282-W RESERVOIR	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
282-W RESERVOIR	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
282-W RESERVOIR	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
282-W RESERVOIR	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
282-W RESERVOIR	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
B PLANT	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
B PLANT	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
B PLANT	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
B PLANT	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
PUREX	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
PUREX	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
PUREX	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
T PLANT	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
T PLANT	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
T PLANT	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
T PLANT	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
UO3/U PLANT	PROPIONITRILE	SW-846 8240	100.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	UJ
UO3/U PLANT	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	UJ
UO3/U PLANT	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	UJ
182-D RESERVOIR	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
182-D RESERVOIR	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
182-D RESERVOIR	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
242-A EVAPORATOR	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
242-A EVAPORATOR	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
2724-W LAUNDRY	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
B PLANT	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
B PLANT	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 164

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
B PLANT	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
PUREX	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
PUREX	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
PUREX	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
T PLANT	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
T PLANT	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
T PLANT	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
T PLANT	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
UO3/U PLANT	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
2724-W LAUNDRY	PYRENE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	PYRENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	PYRENE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	PYRENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PYRENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PYRENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PYRENE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PYRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PYRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PYRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PYRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PYRENE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	PYRENE	SW-846 8270	10.00	UG/L	U
T PLANT	PYRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PYRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PYRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PYRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PYRENE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PYRENE	SW-846 8270	10.00	UG/L	U
182-D RESERVOIR	PYRENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	PYRENE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	PYRENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	PYRENE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	PYRENE	SW-846 8270	10.00	UG/L	UJ
PUREX	PYRENE	SW-846 8270	10.00	UG/L	UJ
MISC STREAMS	PYRENE	SW-846 8310	2.70	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	PYRIDINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	PYRIDINE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	PYRIDINE	SW-846 8270	10.00	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 165

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	PYRIDINE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	PYRIDINE	SW-846 8270	10.00	UG/L	UJ
PUREX	PYRIDINE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	PYRIDINE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	PYRIDINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	PYRIDINE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	PYRIDINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PYRIDINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PYRIDINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PYRIDINE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	PYRIDINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PYRIDINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PYRIDINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PYRIDINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PYRIDINE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	PYRIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	PYRIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	PYRIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	PYRIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	PYRIDINE	SW-846 8270	10.00	UG/L	U
PUREX	PYRIDINE	SW-846 8270	10.00	UG/L	U
PUREX	PYRIDINE	SW-846 8270	10.00	UG/L	U
PUREX	PYRIDINE	SW-846 8270	10.00	UG/L	U
T PLANT	PYRIDINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PYRIDINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PYRIDINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PYRIDINE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	PYRIDINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	RADIUM-226	GAMMA SCAN	10.00	PCI/L	U
B PLANT	RADIUM-226	GAMMA SCAN	20.00	PCI/L	U
B PLANT	RADIUM-226	GAMMA SCAN	20.00	PCI/L	U
B PLANT	RADIUM-226	GAMMA SCAN	20.00	PCI/L	U
PUREX	RADIUM-226	GAMMA SCAN	20.00	PCI/L	U
PUREX	RADIUM-226	GAMMA SCAN	20.00	PCI/L	U
PUREX	RADIUM-226	GAMMA SCAN	20.00	PCI/L	U
PUREX	RADIUM-226	GAMMA SCAN	20.00	PCI/L	U
T PLANT	RADIUM-226	GAMMA SCAN	20.00	PCI/L	U
T PLANT	RADIUM-226	GAMMA SCAN	20.00	PCI/L	U
2724-W LAUNDRY	RADIUM-226	GAMMA SCAN	30.00	PCI/L	U
B PLANT	RADIUM-226	GAMMA SCAN	30.00	PCI/L	U
T PLANT	RADIUM-226	GAMMA SCAN	30.00	PCI/L	U
T PLANT	RADIUM-226	GAMMA SCAN	40.00	PCI/L	U
242-A EVAPORATOR	RADIUM-226	RC-30	20.00	PCI/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	RADIUM-228	GAMMA SCAN	30.00	PCI/L	U
2724-W LAUNDRY	RADIUM-228	GAMMA SCAN	50.00	PCI/L	U
B PLANT	RADIUM-228	GAMMA SCAN	50.00	PCI/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 166

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	RADIUM-228	GAMMA SCAN	50.00	PCI/L	U
PUREX	RADIUM-228	GAMMA SCAN	50.00	PCI/L	U
T PLANT	RADIUM-228	GAMMA SCAN	50.00	PCI/L	U
PUREX	RADIUM-228	GAMMA SCAN	60.00	PCI/L	U
T PLANT	RADIUM-228	GAMMA SCAN	60.00	PCI/L	U
T PLANT	RADIUM-228	GAMMA SCAN	60.00	PCI/L	U
B PLANT	RADIUM-228	GAMMA SCAN	70.00	PCI/L	U
PUREX	RADIUM-228	GAMMA SCAN	90.00	PCI/L	U
242-A EVAPORATOR	RADIUM-228	RC-30	50.00	PCI/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	RONNEL	SW-846 8140	0.19	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	RUTHENIUM-103	GAMMA SCAN	10.00	PCI/L	U
2724-W LAUNDRY	RUTHENIUM-103	GAMMA SCAN	10.00	PCI/L	U
B PLANT	RUTHENIUM-103	GAMMA SCAN	10.00	PCI/L	U
PUREX	RUTHENIUM-103	GAMMA SCAN	10.00	PCI/L	U
PUREX	RUTHENIUM-103	GAMMA SCAN	10.00	PCI/L	U
T PLANT	RUTHENIUM-103	GAMMA SCAN	10.00	PCI/L	U
T PLANT	RUTHENIUM-103	GAMMA SCAN	10.00	PCI/L	U
B PLANT	RUTHENIUM-103	GAMMA SCAN	20.00	PCI/L	U
B PLANT	RUTHENIUM-103	GAMMA SCAN	20.00	PCI/L	U
B PLANT	RUTHENIUM-103	GAMMA SCAN	20.00	PCI/L	U
PUREX	RUTHENIUM-103	GAMMA SCAN	20.00	PCI/L	U
PUREX	RUTHENIUM-103	GAMMA SCAN	20.00	PCI/L	U
T PLANT	RUTHENIUM-103	GAMMA SCAN	20.00	PCI/L	U
T PLANT	RUTHENIUM-103	GAMMA SCAN	20.00	PCI/L	U
242-A EVAPORATOR	RUTHENIUM-103	RC-30	10.00	PCI/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	RUTHENIUM-106	GAMMA SCAN	50.00	PCI/L	U
2724-W LAUNDRY	RUTHENIUM-106	GAMMA SCAN	90.00	PCI/L	U
PUREX	RUTHENIUM-106	GAMMA SCAN	90.00	PCI/L	U
B PLANT	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U
B PLANT	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U
B PLANT	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U
B PLANT	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U
PUREX	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U
PUREX	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U
PUREX	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U
T PLANT	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U
T PLANT	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U
T PLANT	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U
T PLANT	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U
242-A EVAPORATOR	RUTHENIUM-106	RC-30	100.00	PCI/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 167

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	SAFROLE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	SAFROLE	SW-846 8270	10.00	UG/L	UJ
182-D RESERVOIR	SAFROLE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	SAFROLE	SW-846 8270	10.00	UG/L	UJ
282-E RESERVOIR	SAFROLE	SW-846 8270	10.00	UG/L	UJ
PUREX	SAFROLE	SW-846 8270	10.00	UG/L	UJ
2724-W LAUNDRY	SAFROLE	SW-846 8270	10.00	UG/L	R
182-D RESERVOIR	SAFROLE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	SAFROLE	SW-846 8270	10.00	UG/L	U
242-A EVAPORATOR	SAFROLE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	SAFROLE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	SAFROLE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	SAFROLE	SW-846 8270	10.00	UG/L	U
282-E RESERVOIR	SAFROLE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	SAFROLE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	SAFROLE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	SAFROLE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	SAFROLE	SW-846 8270	10.00	UG/L	U
282-W RESERVOIR	SAFROLE	SW-846 8270	10.00	UG/L	U
B PLANT	SAFROLE	SW-846 8270	10.00	UG/L	U
B PLANT	SAFROLE	SW-846 8270	10.00	UG/L	U
B PLANT	SAFROLE	SW-846 8270	10.00	UG/L	U
B PLANT	SAFROLE	SW-846 8270	10.00	UG/L	U
PUREX	SAFROLE	SW-846 8270	10.00	UG/L	U
PUREX	SAFROLE	SW-846 8270	10.00	UG/L	U
PUREX	SAFROLE	SW-846 8270	10.00	UG/L	U
T PLANT	SAFROLE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	SAFROLE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	SAFROLE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	SAFROLE	SW-846 8270	10.00	UG/L	U
UO3/U PLANT	SAFROLE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	SELENIUM	SW-846 6010	2.00	UG/L	
UO3/U PLANT	SELENIUM	SW-846 6010	2.80	UG/L	
UO3/U PLANT	SELENIUM	SW-846 6010	2.90	UG/L	
UO3/U PLANT	SELENIUM	SW-846 6010	2.90	UG/L	
UO3/U PLANT	SELENIUM	SW-846 6010	3.70	UG/L	
MISC STREAMS	SELENIUM	SW-846 6010	32.80	UG/L	R
MISC STREAMS	SELENIUM	SW-846 6010	32.80	UG/L	UJ
282-E RESERVOIR	SELENIUM	SW-846 7740	1.40	UG/L	R
182-D RESERVOIR	SELENIUM	SW-846 7740	1.40	UG/L	
282-E RESERVOIR	SELENIUM	SW-846 7740	1.40	UG/L	UJ
282-E RESERVOIR	SELENIUM	SW-846 7740	1.40	UG/L	UJ
B PLANT	SELENIUM	SW-846 7740	1.40	UG/L	UJ
PUREX	SELENIUM	SW-846 7740	1.40	UG/L	UJ
282-E RESERVOIR	SELENIUM	SW-846 7740	2.00	UG/L	J
282-E RESERVOIR	SELENIUM	SW-846 7740	2.30	UG/L	
B PLANT	SELENIUM	SW-846 7740	2.30	UG/L	
PUREX	SELENIUM	SW-846 7740	2.30	UG/L	
282-W RESERVOIR	SELENIUM	SW-846 7740	2.40	UG/L	+N

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 168

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	SELENIUM	SW-846 7740	2.40	UG/L	
282-E RESERVOIR	SELENIUM	SW-846 7740	2.40	UG/L	N
282-E RESERVOIR	SELENIUM	SW-846 7740	2.40	UG/L	UJ
282-W RESERVOIR	SELENIUM	SW-846 7740	2.70	UG/L	R
282-W RESERVOIR	SELENIUM	SW-846 7740	2.70	UG/L	R
282-E RESERVOIR	SELENIUM	SW-846 7740	2.70	UG/L	UR
242-A EVAPORATOR	SELENIUM	SW-846 7740	2.70	UG/L	WN
282-W RESERVOIR	SELENIUM	SW-846 7740	2.70	UG/L	J
B PLANT	SELENIUM	SW-846 7740	2.70	UG/L	UJ
PUREX	SELENIUM	SW-846 7740	2.70	UG/L	UJ
282-W RESERVOIR	SELENIUM	SW-846 7740	3.00	UG/L	J
PUREX	SELENIUM	SW-846 7740	3.10	UG/L	U
282-W RESERVOIR	SELENIUM	SW-846 7740	3.10	UG/L	
282-W RESERVOIR	SELENIUM	SW-846 7740	3.10	UG/L	UJ
B PLANT	SELENIUM	SW-846 7740	3.30	UG/L	
242-A EVAPORATOR	SELENIUM	SW-846 7740	3.30	UG/L	J
182-D RESERVOIR	SELENIUM	SW-846 7740	3.30	UG/L	UJ
282-W RESERVOIR	SELENIUM	SW-846 7740	3.40	UG/L	+
2724-W LAUNDRY	SELENIUM	SW-846 7740	3.50	UG/L	
182-D RESERVOIR	SELENIUM	SW-846 7740	4.10	UG/L	R

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	SILVER	SW-846 6010	2.10	UG/L	
MISC STREAMS	SILVER	SW-846 6010	2.10	UG/L	
182-D RESERVOIR	SILVER	SW-846 6010	2.10	UG/L	UJ
242-A EVAPORATOR	SILVER	SW-846 6010	2.10	UG/L	UJ
282-W RESERVOIR	SILVER	SW-846 6010	2.10	UG/L	UJ
282-W RESERVOIR	SILVER	SW-846 6010	2.10	UG/L	UJ
PUREX	SILVER	SW-846 6010	2.10	UG/L	UJ
MISC STREAMS	SILVER	SW-846 6010	2.30	UG/L	UJ
282-E RESERVOIR	SILVER	SW-846 6010	2.60	UG/L	U
182-D RESERVOIR	SILVER	SW-846 6010	2.60	UG/L	
242-A EVAPORATOR	SILVER	SW-846 6010	2.60	UG/L	
282-W RESERVOIR	SILVER	SW-846 6010	2.60	UG/L	
282-W RESERVOIR	SILVER	SW-846 6010	2.60	UG/L	
282-W RESERVOIR	SILVER	SW-846 6010	2.60	UG/L	
282-E RESERVOIR	SILVER	SW-846 6010	2.60	UG/L	UJ
PUREX	SILVER	SW-846 6010	2.60	UG/L	UJ
182-D RESERVOIR	SILVER	SW-846 6010	3.30	UG/L	
B PLANT	SILVER	SW-846 6010	3.30	UG/L	
UO3/U PLANT	SILVER	SW-846 6010	3.30	UG/L	
UO3/U PLANT	SILVER	SW-846 6010	3.30	UG/L	
2724-W LAUNDRY	SILVER	SW-846 6010	3.40	UG/L	
282-E RESERVOIR	SILVER	SW-846 6010	3.40	UG/L	
B PLANT	SILVER	SW-846 6010	3.40	UG/L	
PUREX	SILVER	SW-846 6010	3.40	UG/L	
282-E RESERVOIR	SILVER	SW-846 6010	3.40	UG/L	UJ
UO3/U PLANT	SILVER	SW-846 6010	3.40	UG/L	UJ
PUREX	SILVER	SW-846 6010	3.60	UG/L	
282-E RESERVOIR	SILVER	SW-846 6010	3.60	UG/L	UJ
282-E RESERVOIR	SILVER	SW-846 6010	3.60	UG/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 169

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	SILVER	SW-846 6010	3.60	UG/L	UJ
282-E RESERVOIR	SILVER	SW-846 6010	3.60	UG/L	UJ
282-W RESERVOIR	SILVER	SW-846 6010	3.60	UG/L	UJ
282-W RESERVOIR	SILVER	SW-846 6010	3.60	UG/L	UJ
B PLANT	SILVER	SW-846 6010	3.60	UG/L	UJ
B PLANT	SILVER	SW-846 6010	4.10	UG/L	
UO3/U PLANT	SILVER	SW-846 6010	4.10	UG/L	
UO3/U PLANT	SILVER	SW-846 6010	10.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	SODIUM	SW-846 6010	1,580.00	UG/L	
MISC STREAMS	SODIUM	SW-846 6010	2,220.00	UG/L	
T PLANT	SODIUM	SW-846 6010	2,270.00	UG/L	
MISC STREAMS	SODIUM	SW-846 6010	2,300.00	UG/L	J
T PLANT	SODIUM	SW-846 6010	2,500.00	UG/L	
T PLANT	SODIUM	SW-846 6010	2,550.00	UG/L	J
T PLANT	SODIUM	SW-846 6010	2,680.00	UG/L	
PUREX	SODIUM	SW-846 6010	2,690.00	UG/L	J

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	SODIUM-22	GAMMA SCAN	7.00	PCI/L	U
B PLANT	SODIUM-22	GAMMA SCAN	10.00	PCI/L	U
PUREX	SODIUM-22	GAMMA SCAN	10.00	PCI/L	U
PUREX	SODIUM-22	GAMMA SCAN	10.00	PCI/L	U
PUREX	SODIUM-22	GAMMA SCAN	10.00	PCI/L	U
T PLANT	SODIUM-22	GAMMA SCAN	10.00	PCI/L	U
T PLANT	SODIUM-22	GAMMA SCAN	10.00	PCI/L	U
T PLANT	SODIUM-22	GAMMA SCAN	10.00	PCI/L	U
B PLANT	SODIUM-22	GAMMA SCAN	20.00	PCI/L	U
242-A EVAPORATOR	SODIUM-22	RC-30	10.00	PCI/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	STIROPHOS (TETRACHLORVINPHOS)	SW-846 8140	0.48	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	STRONTIUM 89	SR-89/90	0.10	PCI/L	UJ
B PLANT	STRONTIUM 89	SR-89/90	0.20	PCI/L	U
PUREX	STRONTIUM 89	SR-89/90	0.20	PCI/L	U
2724-W LAUNDRY	STRONTIUM 89	SR-89/90	0.30	PCI/L	UJ
PUREX	STRONTIUM 89	SR-89/90	0.30	PCI/L	UJ
242-A EVAPORATOR	STRONTIUM 89	SR-89/90	0.40	PCI/L	UJ
B PLANT	STRONTIUM 89	SR-89/90	0.40	PCI/L	U
PUREX	STRONTIUM 89	SR-89/90	0.40	PCI/L	U
PUREX	STRONTIUM 89	SR-89/90	0.40	PCI/L	U
B PLANT	STRONTIUM 89	SR-89/90	0.50	PCI/L	UX
242-A EVAPORATOR	STRONTIUM 89	SR-89/90	0.50	PCI/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 170

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	STRONTIUM-90	SR-89/90	0.40	PC/L	UJ
B PLANT	STRONTIUM-90	SR-89/90	0.60	PC/L	U
PUREX	STRONTIUM-90	SR-89/90	0.60	PC/L	U
242-A EVAPORATOR	STRONTIUM-90	SR-89/90	0.80	PC/L	U
2724-W LAUNDRY	STRONTIUM-90	SR-89/90	0.90	PC/L	UJ
PUREX	STRONTIUM-90	SR-89/90	0.90	PC/L	UJ
B PLANT	STRONTIUM-90	SR-89/90	0.90	PC/L	U
PUREX	STRONTIUM-90	SR-89/90	0.90	PC/L	U
PUREX	STRONTIUM-90	SR-89/90	0.90	PC/L	U
B PLANT	STRONTIUM-90	SR-89/90	1.00	PC/L	UJ
B PLANT	STRONTIUM-90	SR-89/90	2.00	PC/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	STYRENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	STYRENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	STYRENE	SW-846 8240	5.00	UG/L	UJ
182-D RESERVOIR	STYRENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	STYRENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	STYRENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	STYRENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	STYRENE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	STYRENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	STYRENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	STYRENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	STYRENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	STYRENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	STYRENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	STYRENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	STYRENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	STYRENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	STYRENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	STYRENE	SW-846 8240	5.00	UG/L	U
B PLANT	STYRENE	SW-846 8240	5.00	UG/L	U
B PLANT	STYRENE	SW-846 8240	5.00	UG/L	U
B PLANT	STYRENE	SW-846 8240	5.00	UG/L	U
B PLANT	STYRENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	STYRENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	STYRENE	SW-846 8240	5.00	UG/L	U
PUREX	STYRENE	SW-846 8240	5.00	UG/L	U
PUREX	STYRENE	SW-846 8240	5.00	UG/L	U
PUREX	STYRENE	SW-846 8240	5.00	UG/L	U
T PLANT	STYRENE	SW-846 8240	5.00	UG/L	U
T PLANT	STYRENE	SW-846 8240	5.00	UG/L	U
T PLANT	STYRENE	SW-846 8240	5.00	UG/L	U
T PLANT	STYRENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	STYRENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	STYRENE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
T PLANT	SULFATE	EPA-600 300.0	7.00	MG/L	J

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 171

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	SULFATE	EPA-600 300.0	8.00	MG/L	
282-E RESERVOIR	SULFATE	EPA-600 300.0	8.00	MG/L	
UO3/U PLANT	SULFATE	EPA-600 300.0	8.00	MG/L	
UO3/U PLANT	SULFATE	EPA-600 300.0	8.00	MG/L	
UO3/U PLANT	SULFATE	EPA-600 300.0	8.00	MG/L	
182-D RESERVOIR	SULFATE	EPA-600 300.0	9.00	MG/L	
282-E RESERVOIR	SULFATE	EPA-600 300.0	9.00	MG/L	
282-E RESERVOIR	SULFATE	EPA-600 300.0	9.00	MG/L	
282-E RESERVOIR	SULFATE	EPA-600 300.0	9.00	MG/L	
282-W RESERVOIR	SULFATE	EPA-600 300.0	9.00	MG/L	
282-W RESERVOIR	SULFATE	EPA-600 300.0	9.00	MG/L	
282-W RESERVOIR	SULFATE	EPA-600 300.0	9.00	MG/L	
MISC STREAMS	SULFATE	EPA-600 300.0	9.00	MG/L	
T PLANT	SULFATE	EPA-600 300.0	9.00	MG/L	
T PLANT	SULFATE	EPA-600 300.0	9.00	MG/L	
UO3/U PLANT	SULFATE	EPA-600 300.0	9.00	MG/L	
T PLANT	SULFATE	EPA-600 300.0	9.00	MG/L	J
UO3/U PLANT	SULFATE	EPA-600 300.0	9.50	MG/L	
182-D RESERVOIR	SULFATE	EPA-600 300.0	10.00	MG/L	
182-D RESERVOIR	SULFATE	EPA-600 300.0	10.00	MG/L	
282-E RESERVOIR	SULFATE	EPA-600 300.0	10.00	MG/L	
282-W RESERVOIR	SULFATE	EPA-600 300.0	10.00	MG/L	
282-W RESERVOIR	SULFATE	EPA-600 300.0	10.00	MG/L	
MISC STREAMS	SULFATE	EPA-600 300.0	10.00	MG/L	
182-D RESERVOIR	SULFATE	EPA-600 300.0	11.00	MG/L	
282-E RESERVOIR	SULFATE	EPA-600 300.0	11.00	MG/L	
282-W RESERVOIR	SULFATE	EPA-600 300.0	11.00	MG/L	
282-W RESERVOIR	SULFATE	EPA-600 300.0	12.00	MG/L	
2724-W LAUNDRY	SULFATE	EPA-600 300.0	22.00	MG/L	
B PLANT	SULFATE	EPA-600 375.4	9.00	MG/L	
B PLANT	SULFATE	EPA-600 375.4	10.00	MG/L	
B PLANT	SULFATE	EPA-600 375.4	10.00	MG/L	
B PLANT	SULFATE	EPA-600 375.4	10.00	MG/L	J

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	SULFIDE	SW-846 9030	0.10	MG/L	U
282-E RESERVOIR	SULFIDE	SW-846 9030	1.00	MG/L	UJ
282-W RESERVOIR	SULFIDE	SW-846 9030	1.00	MG/L	UJ
B PLANT	SULFIDE	SW-846 9030	1.00	MG/L	UJ
T PLANT	SULFIDE	SW-846 9030	1.00	MG/L	UJ
182-D RESERVOIR	SULFIDE	SW-846 9030	1.00	MG/L	U
182-D RESERVOIR	SULFIDE	SW-846 9030	1.00	MG/L	U
182-D RESERVOIR	SULFIDE	SW-846 9030	1.00	MG/L	U
182-D RESERVOIR	SULFIDE	SW-846 9030	1.00	MG/L	U
242-A EVAPORATOR	SULFIDE	SW-846 9030	1.00	MG/L	U
242-A EVAPORATOR	SULFIDE	SW-846 9030	1.00	MG/L	U
282-E RESERVOIR	SULFIDE	SW-846 9030	1.00	MG/L	U
282-E RESERVOIR	SULFIDE	SW-846 9030	1.00	MG/L	U
282-E RESERVOIR	SULFIDE	SW-846 9030	1.00	MG/L	U
282-E RESERVOIR	SULFIDE	SW-846 9030	1.00	MG/L	U
282-W RESERVOIR	SULFIDE	SW-846 9030	1.00	MG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 172

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	SULFIDE	SW-846 9030	1.00	MG/L	U
282-W RESERVOIR	SULFIDE	SW-846 9030	1.00	MG/L	U
282-W RESERVOIR	SULFIDE	SW-846 9030	1.00	MG/L	U
B PLANT	SULFIDE	SW-846 9030	1.00	MG/L	U
B PLANT	SULFIDE	SW-846 9030	1.00	MG/L	U
B PLANT	SULFIDE	SW-846 9030	1.00	MG/L	U
PUREX	SULFIDE	SW-846 9030	1.00	MG/L	U
PUREX	SULFIDE	SW-846 9030	1.00	MG/L	U
PUREX	SULFIDE	SW-846 9030	1.00	MG/L	U
PUREX	SULFIDE	SW-846 9030	1.00	MG/L	U
T PLANT	SULFIDE	SW-846 9030	1.00	MG/L	U
T PLANT	SULFIDE	SW-846 9030	1.00	MG/L	U
T PLANT	SULFIDE	SW-846 9030	1.00	MG/L	U
UO3/U PLANT	SULFIDE	SW-846 9030	1.00	MG/L	U
UO3/U PLANT	SULFIDE	SW-846 9030	1.00	MG/L	U
UO3/U PLANT	SULFIDE	SW-846 9030	1.00	MG/L	U
UO3/U PLANT	SULFIDE	SW-846 9030	1.00	MG/L	U
282-E RESERVOIR	SULFIDE	SW-846 9030	1.00	MG/L	J

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	SULFOTEP	SW-846 8140	0.19	UG/L	U
242-A EVAPORATOR	SULFOTEP	SW-846 8140	0.50	UG/L	UJ
282-E RESERVOIR	SULFOTEP	SW-846 8140	0.50	UG/L	UJ
282-W RESERVOIR	SULFOTEP	SW-846 8140	0.50	UG/L	UJ
282-W RESERVOIR	SULFOTEP	SW-846 8140	0.50	UG/L	UJ
PUREX	SULFOTEP	SW-846 8140	0.50	UG/L	UJ
UO3/U PLANT	SULFOTEP	SW-846 8140	0.50	UG/L	UJ
282-W RESERVOIR	SULFOTEP	SW-846 8140	0.50	UG/L	R
282-W RESERVOIR	SULFOTEP	SW-846 8140	0.50	UG/L	R
B PLANT	SULFOTEP	SW-846 8140	0.50	UG/L	R
182-D RESERVOIR	SULFOTEP	SW-846 8140	0.50	UG/L	U
182-D RESERVOIR	SULFOTEP	SW-846 8140	0.50	UG/L	U
242-A EVAPORATOR	SULFOTEP	SW-846 8140	0.50	UG/L	U
2724-W LAUNDRY	SULFOTEP	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	SULFOTEP	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	SULFOTEP	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	SULFOTEP	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	SULFOTEP	SW-846 8140	0.50	UG/L	U
282-E RESERVOIR	SULFOTEP	SW-846 8140	0.50	UG/L	U
282-W RESERVOIR	SULFOTEP	SW-846 8140	0.50	UG/L	U
282-W RESERVOIR	SULFOTEP	SW-846 8140	0.50	UG/L	U
B PLANT	SULFOTEP	SW-846 8140	0.50	UG/L	U
B PLANT	SULFOTEP	SW-846 8140	0.50	UG/L	U
B PLANT	SULFOTEP	SW-846 8140	0.50	UG/L	U
PUREX	SULFOTEP	SW-846 8140	0.50	UG/L	U
PUREX	SULFOTEP	SW-846 8140	0.50	UG/L	U
PUREX	SULFOTEP	SW-846 8140	0.50	UG/L	U
UO3/U PLANT	SULFOTEP	SW-846 8140	0.50	UG/L	U
UO3/U PLANT	SULFOTEP	SW-846 8140	0.50	UG/L	U
UO3/U PLANT	SULFOTEP	SW-846 8140	0.50	UG/L	U
182-D RESERVOIR	SULFOTEP	SW-846 8140	0.50	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 173

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	SULFOTEP	SW-846 8140	0.50	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	UJ
182-D RESERVOIR	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
T PLANT	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
T PLANT	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
T PLANT	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
T PLANT	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	TETRACHLOROETHENE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	TETRAETHYLDITHIOPYROPHOSPHATE	SW-846 8140	0.19	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	THALLIUM	SW-846 6010	1.10	UG/L	UJ
UO3/U PLANT	THALLIUM	SW-846 6010	1.40	UG/L	UJ
UO3/U PLANT	THALLIUM	SW-846 6010	1.40	UG/L	UJ
PUREX	THALLIUM	SW-846 6010	1.50	UG/L	
UO3/U PLANT	THALLIUM	SW-846 6010	2.00	UG/L	W
UO3/U PLANT	THALLIUM	SW-846 6010	2.00	UG/L	
UO3/U PLANT	THALLIUM	SW-846 6010	2.20	UG/L	

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 174

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	THALLIUM	SW-846 6010	2.30	UG/L	
PUREX	THALLIUM	SW-846 6010	3.80	UG/L	W
282-E RESERVOIR	THALLIUM	SW-846 7841	0.90	UG/L	R
282-E RESERVOIR	THALLIUM	SW-846 7841	0.90	UG/L	W
282-W RESERVOIR	THALLIUM	SW-846 7841	1.10	UG/L	UJ
B PLANT	THALLIUM	SW-846 7841	1.10	UG/L	UJ
242-A EVAPORATOR	THALLIUM	SW-846 7841	1.10	UG/L	WN
182-D RESERVOIR	THALLIUM	SW-846 7841	1.20	UG/L	W
B PLANT	THALLIUM	SW-846 7841	1.20	UG/L	U
282-W RESERVOIR	THALLIUM	SW-846 7841	1.30	UG/L	R
182-D RESERVOIR	THALLIUM	SW-846 7841	1.50	UG/L	UJ
282-E RESERVOIR	THALLIUM	SW-846 7841	1.50	UG/L	UJ
282-W RESERVOIR	THALLIUM	SW-846 7841	1.50	UG/L	UJ
282-W RESERVOIR	THALLIUM	SW-846 7841	1.50	UG/L	UJ
282-E RESERVOIR	THALLIUM	SW-846 7841	1.50	UG/L	R
B PLANT	THALLIUM	SW-846 7841	1.50	UG/L	
2724-W LAUNDRY	THALLIUM	SW-846 7841	2.00	UG/L	UJ
282-E RESERVOIR	THALLIUM	SW-846 7841	2.30	UG/L	UJ
282-E RESERVOIR	THALLIUM	SW-846 7841	2.30	UG/L	UJ
282-W RESERVOIR	THALLIUM	SW-846 7841	2.30	UG/L	W
B PLANT	THALLIUM	SW-846 7841	2.70	UG/L	
282-E RESERVOIR	THALLIUM	SW-846 7841	3.00	UG/L	
282-W RESERVOIR	THALLIUM	SW-846 7841	3.80	UG/L	UR
182-D RESERVOIR	THALLIUM	SW-846 7841	3.80	UG/L	W
182-D RESERVOIR	THALLIUM	SW-846 7841	3.80	UG/L	W
282-W RESERVOIR	THALLIUM	SW-846 7841	3.80	UG/L	W
282-E RESERVOIR	THALLIUM	SW-846 7841	3.80	UG/L	
282-W RESERVOIR	THALLIUM	SW-846 7841	3.80	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	THIONAZIN	SW-846 8140	0.19	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	THORIUM-228	GAMMA SCAN	10.00	PCI/L	U
2724-W LAUNDRY	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
B PLANT	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
B PLANT	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
B PLANT	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
PUREX	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
PUREX	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
PUREX	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
T PLANT	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
T PLANT	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
T PLANT	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
T PLANT	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
B PLANT	THORIUM-228	GAMMA SCAN	30.00	PCI/L	U
PUREX	THORIUM-228	GAMMA SCAN	30.00	PCI/L	U
242-A EVAPORATOR	THORIUM-228	RC-30	20.00	PCI/L	UJ

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 175

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	THORIUM-232	GAMMA SCAN	30.00	PCI/L	U
B PLANT	THORIUM-232	GAMMA SCAN	50.00	PCI/L	U
B PLANT	THORIUM-232	GAMMA SCAN	50.00	PCI/L	U
PUREX	THORIUM-232	GAMMA SCAN	50.00	PCI/L	U
PUREX	THORIUM-232	GAMMA SCAN	50.00	PCI/L	U
T PLANT	THORIUM-232	GAMMA SCAN	50.00	PCI/L	U
T PLANT	THORIUM-232	GAMMA SCAN	50.00	PCI/L	U
B PLANT	THORIUM-232	GAMMA SCAN	60.00	PCI/L	U
PUREX	THORIUM-232	GAMMA SCAN	60.00	PCI/L	U
T PLANT	THORIUM-232	GAMMA SCAN	60.00	PCI/L	U
T PLANT	THORIUM-232	GAMMA SCAN	60.00	PCI/L	U
B PLANT	THORIUM-232	GAMMA SCAN	70.00	PCI/L	U
PUREX	THORIUM-232	GAMMA SCAN	90.00	PCI/L	U
242-A EVAPORATOR	THORIUM-232	RC-30	50.00	PCI/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	TIN	SW-846 6010	5.50	UG/L	UJ
282-E RESERVOIR	TIN	SW-846 6010	5.50	UG/L	U
282-W RESERVOIR	TIN	SW-846 6010	5.50	UG/L	U
282-W RESERVOIR	TIN	SW-846 6010	5.50	UG/L	U
182-D RESERVOIR	TIN	SW-846 6010	5.50	UG/L	
282-W RESERVOIR	TIN	SW-846 6010	5.50	UG/L	
282-W RESERVOIR	TIN	SW-846 6010	5.50	UG/L	
182-D RESERVOIR	TIN	SW-846 6010	6.70	UG/L	UJ
182-D RESERVOIR	TIN	SW-846 6010	6.70	UG/L	
282-W RESERVOIR	TIN	SW-846 6010	8.30	UG/L	UJ
282-W RESERVOIR	TIN	SW-846 6010	8.30	UG/L	UJ
182-D RESERVOIR	TIN	SW-846 6010	8.30	UG/L	
182-D RESERVOIR	TIN	SW-846 6010	8.30	UG/L	
PUREX	TIN	SW-846 6010	8.30	UG/L	
282-E RESERVOIR	TIN	SW-846 6010	12.60	UG/L	UJ
282-E RESERVOIR	TIN	SW-846 6010	12.60	UG/L	UJ
282-W RESERVOIR	TIN	SW-846 6010	12.60	UG/L	UJ
282-W RESERVOIR	TIN	SW-846 6010	12.60	UG/L	UJ
282-E RESERVOIR	TIN	SW-846 6010	12.60	UG/L	
282-E RESERVOIR	TIN	SW-846 6010	12.60	UG/L	
PUREX	TIN	SW-846 6010	12.60	UG/L	
2724-W LAUNDRY	TIN	SW-846 6010	617.00	UG/L	UJ
PUREX	TIN	SW-846 6010	617.00	UG/L	UJ
182-D RESERVOIR	TIN	SW-846 6010	617.00	UG/L	
282-E RESERVOIR	TIN	SW-846 6010	617.00	UG/L	
282-E RESERVOIR	TIN	SW-846 6010	617.00	UG/L	
PUREX	TIN	SW-846 6010	1,800.00	UG/L	
UO3/U PLANT	TIN	SW-846 7870	6.70	UG/L	
UO3/U PLANT	TIN	SW-846 7870	6.70	UG/L	
B PLANT	TIN	SW-846 7870	6.70	UG/L	J
UO3/U PLANT	TIN	SW-846 7870	13.00	UG/L	
UO3/U PLANT	TIN	SW-846 7870	100.00	UG/L	U
242-A EVAPORATOR	TIN	SW-846 7870	617.00	UG/L	UJ
B PLANT	TIN	SW-846 7870	617.00	UG/L	U
242-A EVAPORATOR	TIN	SW-846 7870	617.00	UG/L	

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 176

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	TIN	SW-846 7870	617.00	UG/L	
UO3/U PLANT	TIN	SW-846 7870	701.00	UG/L	
B PLANT	TIN	SW-846 7870	900.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
242-A EVAPORATOR	TIN 113	GAMMA SCAN	10.00	PCI/L	U
2724-W LAUNDRY	TIN 113	GAMMA SCAN	10.00	PCI/L	U
B PLANT	TIN 113	GAMMA SCAN	10.00	PCI/L	U
B PLANT	TIN 113	GAMMA SCAN	10.00	PCI/L	U
PUREX	TIN 113	GAMMA SCAN	10.00	PCI/L	U
PUREX	TIN 113	GAMMA SCAN	10.00	PCI/L	U
T PLANT	TIN 113	GAMMA SCAN	10.00	PCI/L	U
T PLANT	TIN 113	GAMMA SCAN	10.00	PCI/L	U
T PLANT	TIN 113	GAMMA SCAN	10.00	PCI/L	U
B PLANT	TIN 113	GAMMA SCAN	20.00	PCI/L	U
B PLANT	TIN 113	GAMMA SCAN	20.00	PCI/L	U
PUREX	TIN 113	GAMMA SCAN	20.00	PCI/L	U
PUREX	TIN 113	GAMMA SCAN	20.00	PCI/L	U
T PLANT	TIN 113	GAMMA SCAN	20.00	PCI/L	U
242-A EVAPORATOR	TIN 113	RC-30	10.00	PCI/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	TOKUTHION (PROTOTHIOFOS)	SW-846 8140	0.19	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	TOLUENE	SW-846 8240	1.00	UG/L	J
182-D RESERVOIR	TOLUENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	TOLUENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	TOLUENE	SW-846 8240	5.00	UG/L	UJ
182-D RESERVOIR	TOLUENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	TOLUENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	TOLUENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	TOLUENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	TOLUENE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	TOLUENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TOLUENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TOLUENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TOLUENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TOLUENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TOLUENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TOLUENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TOLUENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TOLUENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TOLUENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TOLUENE	SW-846 8240	5.00	UG/L	U
B PLANT	TOLUENE	SW-846 8240	5.00	UG/L	U
B PLANT	TOLUENE	SW-846 8240	5.00	UG/L	U
B PLANT	TOLUENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	TOLUENE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 177

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
MISC STREAMS	TOLUENE	SW-846 8240	5.00	UG/L	U
PUREX	TOLUENE	SW-846 8240	5.00	UG/L	U
PUREX	TOLUENE	SW-846 8240	5.00	UG/L	U
PUREX	TOLUENE	SW-846 8240	5.00	UG/L	U
T PLANT	TOLUENE	SW-846 8240	5.00	UG/L	U
T PLANT	TOLUENE	SW-846 8240	5.00	UG/L	U
T PLANT	TOLUENE	SW-846 8240	5.00	UG/L	U
T PLANT	TOLUENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	TOLUENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	TOLUENE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
T PLANT	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	54.00	MG/L	J
242-A EVAPORATOR	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	60.00	MG/L	
T PLANT	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	64.00	MG/L	J
T PLANT	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	66.00	MG/L	
UO3/U PLANT	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	66.00	MG/L	
PUREX	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	67.00	MG/L	
MISC STREAMS	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	72.00	MG/L	
B PLANT	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	76.00	MG/L	
B PLANT	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	78.00	MG/L	
PUREX	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	79.00	MG/L	
PUREX	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	87.00	MG/L	
UO3/U PLANT	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	89.00	MG/L	
UO3/U PLANT	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	94.00	MG/L	
MISC STREAMS	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	97.00	MG/L	
PUREX	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	100.00	MG/L	
B PLANT	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	101.00	MG/L	
UO3/U PLANT	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	101.00	MG/L	J
UO3/U PLANT	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	102.00	MG/L	
242-A EVAPORATOR	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	104.00	MG/L	
2724-W LAUNDRY	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	107.00	MG/L	
B PLANT	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	120.00	MG/L	J
T PLANT	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	201.00	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
T PLANT	TOTAL ORGANIC CARBON	SW-846 9060	1.00	MG/L	U
242-A EVAPORATOR	TOTAL ORGANIC CARBON	SW-846 9060	1.00	MG/L	
PUREX	TOTAL ORGANIC CARBON	SW-846 9060	1.00	MG/L	
282-E RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	1.10	MG/L	
B PLANT	TOTAL ORGANIC CARBON	SW-846 9060	1.20	MG/L	
B PLANT	TOTAL ORGANIC CARBON	SW-846 9060	1.20	MG/L	
PUREX	TOTAL ORGANIC CARBON	SW-846 9060	1.20	MG/L	
242-A EVAPORATOR	TOTAL ORGANIC CARBON	SW-846 9060	1.30	MG/L	
282-E RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	1.30	MG/L	
MISC STREAMS	TOTAL ORGANIC CARBON	SW-846 9060	1.30	MG/L	
T PLANT	TOTAL ORGANIC CARBON	SW-846 9060	1.30	MG/L	
282-E RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	1.40	MG/L	
282-W RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	1.40	MG/L	
282-W RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	1.40	MG/L	J

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 178

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	1.50	MG/L	
282-W RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	1.50	MG/L	
282-W RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	1.60	MG/L	
B PLANT	TOTAL ORGANIC CARBON	SW-846 9060	1.60	MG/L	
MISC STREAMS	TOTAL ORGANIC CARBON	SW-846 9060	1.70	MG/L	
282-E RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	1.80	MG/L	
282-W RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	1.80	MG/L	
T PLANT	TOTAL ORGANIC CARBON	SW-846 9060	1.80	MG/L	
282-E RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	1.90	MG/L	
282-W RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	1.90	MG/L	
282-W RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	1.90	MG/L	
PUREX	TOTAL ORGANIC CARBON	SW-846 9060	1.90	MG/L	
T PLANT	TOTAL ORGANIC CARBON	SW-846 9060	1.90	MG/L	
182-D RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	2.00	MG/L	
282-E RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	2.10	MG/L	
182-D RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	2.20	MG/L	
282-E RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	2.20	MG/L	
PUREX	TOTAL ORGANIC CARBON	SW-846 9060	2.40	MG/L	
B PLANT	TOTAL ORGANIC CARBON	SW-846 9060	2.80	MG/L	
182-D RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	3.90	MG/L	
2724-W LAUNDRY	TOTAL ORGANIC CARBON	SW-846 9060	5.10	MG/L	J
182-D RESERVOIR	TOTAL ORGANIC CARBON	SW-846 9060	20.70	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	0.01	MG/L	
282-W RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	0.01	MG/L	UJ
282-W RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	0.01	MG/L	U
282-E RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	0.01	MG/L	
282-W RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	0.02	MG/L	
282-W RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	0.02	MG/L	
282-E RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	0.02	MG/L	U
282-W RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	0.02	MG/L	U
282-E RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	0.02	MG/L	
282-E RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	0.04	MG/L	
282-W RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	0.04	MG/L	J
282-W RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	0.05	MG/L	
282-E RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	0.05	MG/L	
282-E RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	0.06	MG/L	
282-E RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	0.07	MG/L	
282-W RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	0.11	MG/L	J
242-A EVAPORATOR	TOTAL ORGANIC HALIDES	SW-846 9020T	5.00	UG/L	U
PUREX	TOTAL ORGANIC HALIDES	SW-846 9020T	5.00	UG/L	U
MISC STREAMS	TOTAL ORGANIC HALIDES	SW-846 9020T	6.40	UG/L	J
MISC STREAMS	TOTAL ORGANIC HALIDES	SW-846 9020T	7.30	UG/L	
T PLANT	TOTAL ORGANIC HALIDES	SW-846 9020T	8.20	UG/L	J
T PLANT	TOTAL ORGANIC HALIDES	SW-846 9020T	9.20	UG/L	
182-D RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	9.40	UG/L	
PUREX	TOTAL ORGANIC HALIDES	SW-846 9020T	10.00	UG/L	U
PUREX	TOTAL ORGANIC HALIDES	SW-846 9020T	13.70	UG/L	
182-D RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	17.20	UG/L	
242-A EVAPORATOR	TOTAL ORGANIC HALIDES	SW-846 9020T	20.00	UG/L	R

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 179

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
T PLANT	TOTAL ORGANIC HALIDES	SW-846 9020T	20.00	UG/L	U
T PLANT	TOTAL ORGANIC HALIDES	SW-846 9020T	20.60	UG/L	
PUREX	TOTAL ORGANIC HALIDES	SW-846 9020T	21.90	UG/L	
182-D RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	53.40	UG/L	J
182-D RESERVOIR	TOTAL ORGANIC HALIDES	SW-846 9020T	392.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
T PLANT	TOTAL RADIUM	EA-34	0.20	PCI/L	U
T PLANT	TOTAL RADIUM	EA-34	0.40	PCI/L	U
T PLANT	TOTAL RADIUM	EA-34	0.40	PCI/L	U
T PLANT	TOTAL RADIUM	EA-34	0.40	PCI/L	
PUREX	TOTAL RADIUM	RADIUM TOTAL	0.30	PCI/L	UJ
PUREX	TOTAL RADIUM	RADIUM TOTAL	0.40	PCI/L	U
PUREX	TOTAL RADIUM	RADIUM TOTAL	0.40	PCI/L	U
PUREX	TOTAL RADIUM	RADIUM TOTAL	0.40	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	5.00	MG/L	UJ
242-A EVAPORATOR	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	5.00	MG/L	U
B PLANT	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	5.00	MG/L	U
B PLANT	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	5.00	MG/L	U
B PLANT	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	5.00	MG/L	U
MISC STREAMS	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	5.00	MG/L	U
MISC STREAMS	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	5.00	MG/L	U
MISC STREAMS	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	5.00	MG/L	U
242-A EVAPORATOR	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	6.00	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	TOTAL URANIUM	EA-01C	0.52	PCI/L	
T PLANT	TOTAL URANIUM	EA-01C	0.18	UG/L	
T PLANT	TOTAL URANIUM	EA-01C	0.29	UG/L	
UO3/U PLANT	TOTAL URANIUM	EA-01C	0.31	UG/L	
T PLANT	TOTAL URANIUM	EA-01C	0.31	UG/L	
UO3/U PLANT	TOTAL URANIUM	EA-01C	0.45	UG/L	
UO3/U PLANT	TOTAL URANIUM	EA-01C	0.50	UG/L	
T PLANT	TOTAL URANIUM	EA-01C	0.56	UG/L	X
UO3/U PLANT	TOTAL URANIUM	EA-01C	0.56	UG/L	
2724-W LAUNDRY	TOTAL URANIUM	TOTAL URANIUM	0.18	UG/L	
PUREX	TOTAL URANIUM	TOTAL URANIUM	0.48	UG/L	X
PUREX	TOTAL URANIUM	TOTAL URANIUM	0.50	UG/L	
B PLANT	TOTAL URANIUM	TOTAL URANIUM	0.52	UG/L	
B PLANT	TOTAL URANIUM	TOTAL URANIUM	0.57	UG/L	
PUREX	TOTAL URANIUM	TOTAL URANIUM	0.61	UG/L	
B PLANT	TOTAL URANIUM	TOTAL URANIUM	0.63	UG/L	
PUREX	TOTAL URANIUM	TOTAL URANIUM	0.64	UG/L	J
B PLANT	TOTAL URANIUM	TOTAL URANIUM	0.77	UG/L	

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 180

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	TOXAPHENE	SW-846 8080	0.50	UG/L	U
UO3/U PLANT	TOXAPHENE	SW-846 8080	4.80	UG/L	U
182-D RESERVOIR	TOXAPHENE	SW-846 8080	5.00	UG/L	U
282-E RESERVOIR	TOXAPHENE	SW-846 8080	5.00	UG/L	U
282-E RESERVOIR	TOXAPHENE	SW-846 8080	5.00	UG/L	U
282-E RESERVOIR	TOXAPHENE	SW-846 8080	5.00	UG/L	U
282-W RESERVOIR	TOXAPHENE	SW-846 8080	5.00	UG/L	U
B PLANT	TOXAPHENE	SW-846 8080	5.00	UG/L	U
B PLANT	TOXAPHENE	SW-846 8080	5.00	UG/L	U
PUREX	TOXAPHENE	SW-846 8080	5.00	UG/L	U
UO3/U PLANT	TOXAPHENE	SW-846 8080	5.00	UG/L	U
UO3/U PLANT	TOXAPHENE	SW-846 8080	5.00	UG/L	U
182-D RESERVOIR	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
182-D RESERVOIR	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
182-D RESERVOIR	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
242-A EVAPORATOR	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
242-A EVAPORATOR	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
2724-W LAUNDRY	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
282-E RESERVOIR	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
282-E RESERVOIR	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
282-E RESERVOIR	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
282-W RESERVOIR	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
282-W RESERVOIR	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
282-W RESERVOIR	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
282-W RESERVOIR	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
B PLANT	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
B PLANT	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
PUREX	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
PUREX	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
PUREX	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
UO3/U PLANT	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
UO3/U PLANT	TOXAPHENE	SW-846 8080	5.00	UG/L	UJ
282-W RESERVOIR	TOXAPHENE	SW-846 8080	50.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	UJ
182-D RESERVOIR	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 181

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
T PLANT	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
T PLANT	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
T PLANT	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
T PLANT	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PUREX	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PUREX	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PUREX	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
T PLANT	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
T PLANT	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
T PLANT	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
T PLANT	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 182

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	UJ
UO3/U PLANT	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	UJ
UO3/U PLANT	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	UJ
182-D RESERVOIR	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
182-D RESERVOIR	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
182-D RESERVOIR	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
242-A EVAPORATOR	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
242-A EVAPORATOR	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
2724-W LAUNDRY	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
282-E RESERVOIR	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
282-W RESERVOIR	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
B PLANT	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
B PLANT	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
B PLANT	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
B PLANT	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
PUREX	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
PUREX	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
PUREX	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
T PLANT	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
T PLANT	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
T PLANT	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
T PLANT	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
UO3/U PLANT	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	UJ
182-D RESERVOIR	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 183

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
MISC STREAMS	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
T PLANT	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
T PLANT	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
T PLANT	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
T PLANT	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	TRICHLOROETHENE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	UJ
182-D RESERVOIR	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
2724-W LAUNDRY	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
T PLANT	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 184

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	TRICHLORONATE	SW-846 8140	0.19	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	TRITIUM	EP-20	200.00	PCI/L	U
UO3/U PLANT	TRITIUM	EP-20	200.00	PCI/L	U
UO3/U PLANT	TRITIUM	EP-20	200.00	PCI/L	U
UO3/U PLANT	TRITIUM	EP-20	243.00	PCI/L	U
PUREX	TRITIUM	TRITIUM	200.00	PCI/L	U
B PLANT	TRITIUM	TRITIUM	300.00	PCI/L	U
PUREX	TRITIUM	TRITIUM	300.00	PCI/L	U
PUREX	TRITIUM	TRITIUM	300.00	PCI/L	U
PUREX	TRITIUM	TRITIUM	300.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	URANIUM-233/234	ISOTOPIC	0.00		
PUREX	URANIUM-233/234	ISOTOPIC	0.00		
B PLANT	URANIUM-233/234	ISOTOPIC	0.19	PCI/L	J
PUREX	URANIUM-233/234	ISOTOPIC	0.21	PCI/L	
B PLANT	URANIUM-233/234	ISOTOPIC	0.22	PCI/L	J
B PLANT	URANIUM-233/234	ISOTOPIC	0.24	PCI/L	
B PLANT	URANIUM-233/234	ISOTOPIC	0.24	PCI/L	
PUREX	URANIUM-233/234	ISOTOPIC	0.24	PCI/L	
PUREX	URANIUM-233/234	ISOTOPIC	0.25	PCI/L	
PUREX	URANIUM-233/234	ISOTOPIC	0.48	PCI/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	URANIUM-235	ISOTOPIC	0.00		
PUREX	URANIUM-235	ISOTOPIC	0.00		
B PLANT	URANIUM-235	ISOTOPIC	0.08	PCI/L	U
PUREX	URANIUM-235	ISOTOPIC	0.08	PCI/L	U
B PLANT	URANIUM-235	ISOTOPIC	0.10	PCI/L	U
PUREX	URANIUM-235	ISOTOPIC	0.10	PCI/L	U
PUREX	URANIUM-235	ISOTOPIC	0.10	PCI/L	U
B PLANT	URANIUM-235	ISOTOPIC	0.20	PCI/L	U
B PLANT	URANIUM-235	ISOTOPIC	0.20	PCI/L	U
PUREX	URANIUM-235	ISOTOPIC	0.20	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	URANIUM-238	ISOTOPIC	0.00		
PUREX	URANIUM-238	ISOTOPIC	0.00		
B PLANT	URANIUM-238	ISOTOPIC	0.13	PCI/L	J
B PLANT	URANIUM-238	ISOTOPIC	0.13	PCI/L	J
B PLANT	URANIUM-238	ISOTOPIC	0.19	PCI/L	J
B PLANT	URANIUM-238	ISOTOPIC	0.20	PCI/L	
PUREX	URANIUM-238	ISOTOPIC	0.21	PCI/L	
PUREX	URANIUM-238	ISOTOPIC	0.23	PCI/L	
PUREX	URANIUM-238	ISOTOPIC	0.23	PCI/L	
PUREX	URANIUM-238	ISOTOPIC	0.26	PCI/L	

Page 185

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER	
182-D RESERVOIR	VANADIUM	SW-846 6010	2.10	UG/L		
B PLANT	VANADIUM	SW-846 6010	2.10	UG/L		
UO3/U PLANT	VANADIUM	SW-846 6010	2.10	UG/L		
UO3/U PLANT	VANADIUM	SW-846 6010	2.10	UG/L		
UO3/U PLANT	VANADIUM	SW-846 6010	2.10	UG/L		
282-W RESERVOIR	VANADIUM	SW-846 6010	2.20	UG/L	UJ	
PUREX	VANADIUM	SW-846 6010	2.20	UG/L	UJ	
282-E RESERVOIR	VANADIUM	SW-846 6010	2.20	UG/L		
282-E RESERVOIR	VANADIUM	SW-846 6010	2.20	UG/L		
282-E RESERVOIR	VANADIUM	SW-846 6010	2.20	UG/L		
B PLANT	VANADIUM	SW-846 6010	2.20	UG/L		
2724-W LAUNDRY	VANADIUM	SW-846 6010	2.30	UG/L		
282-E RESERVOIR	VANADIUM	SW-846 6010	2.30	UG/L		
282-E RESERVOIR	VANADIUM	SW-846 6010	2.30	UG/L		
B PLANT	VANADIUM	SW-846 6010	2.30	UG/L		
PUREX	VANADIUM	SW-846 6010	2.30	UG/L		
282-W RESERVOIR	VANADIUM	SW-846 6010	2.40	UG/L		UJ
182-D RESERVOIR	VANADIUM	SW-846 6010	2.40	UG/L		
182-D RESERVOIR	VANADIUM	SW-846 6010	2.40	UG/L		
242-A EVAPORATOR	VANADIUM	SW-846 6010	2.40	UG/L		
PUREX	VANADIUM	SW-846 6010	2.40	UG/L		
282-W RESERVOIR	VANADIUM	SW-846 6010	2.40	UG/L		N
B PLANT	VANADIUM	SW-846 6010	2.50	UG/L		
UO3/U PLANT	VANADIUM	SW-846 6010	2.50	UG/L		
282-W RESERVOIR	VANADIUM	SW-846 6010	3.50	UG/L		J
182-D RESERVOIR	VANADIUM	SW-846 6010	5.50	UG/L		
242-A EVAPORATOR	VANADIUM	SW-846 6010	5.50	UG/L		
282-E RESERVOIR	VANADIUM	SW-846 6010	5.50	UG/L		
282-E RESERVOIR	VANADIUM	SW-846 6010	5.50	UG/L		
282-W RESERVOIR	VANADIUM	SW-846 6010	5.50	UG/L		
282-W RESERVOIR	VANADIUM	SW-846 6010	5.50	UG/L		
282-W RESERVOIR	VANADIUM	SW-846 6010	5.50	UG/L		
PUREX	VANADIUM	SW-846 6010	5.50	UG/L		
UO3/U PLANT	VANADIUM	SW-846 6010	8.00	UG/L		

[illegible]

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 186

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-W RESERVOIR	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
B PLANT	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
B PLANT	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
B PLANT	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
B PLANT	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
PUREX	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
PUREX	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
PUREX	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
T PLANT	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
T PLANT	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
T PLANT	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
T PLANT	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	VINYL ACETATE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
242-A EVAPORATOR	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
2724-W LAUNDRY	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-E RESERVOIR	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
282-W RESERVOIR	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
B PLANT	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
B PLANT	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
B PLANT	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
B PLANT	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
MISC STREAMS	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PUREX	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PUREX	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PUREX	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
T PLANT	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
T PLANT	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
T PLANT	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
T PLANT	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
UO3/U PLANT	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 187

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
UO3/U PLANT	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
182-D RESERVOIR	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	UJ
UO3/U PLANT	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
182-D RESERVOIR	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	UJ
UO3/U PLANT	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	UJ
182-D RESERVOIR	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
182-D RESERVOIR	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
242-A EVAPORATOR	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
2724-W LAUNDRY	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
282-E RESERVOIR	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
282-W RESERVOIR	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
B PLANT	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
B PLANT	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
B PLANT	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
B PLANT	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
MISC STREAMS	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
MISC STREAMS	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
PUREX	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
PUREX	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
PUREX	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
T PLANT	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
T PLANT	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
T PLANT	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
T PLANT	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
UO3/U PLANT	XYLENE (TOTAL)	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
282-E RESERVOIR	ZINC	SW-846 6010	4.10	UG/L	
182-D RESERVOIR	ZINC	SW-846 6010	4.60	UG/L	UJ
UO3/U PLANT	ZINC	SW-846 6010	4.80	UG/L	
UO3/U PLANT	ZINC	SW-846 6010	4.80	UG/L	
T PLANT	ZINC	SW-846 6010	4.80	UG/L	J
282-W RESERVOIR	ZINC	SW-846 6010	4.90	UG/L	U
182-D RESERVOIR	ZINC	SW-846 6010	4.90	UG/L	
182-D RESERVOIR	ZINC	SW-846 6010	5.20	UG/L	J

SUPPORTING DATA: COLUMBIA RIVER RAW WATER

Page 188

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
MISC STREAMS	ZINC	SW-846 6010	5.60	UG/L	U
282-W RESERVOIR	ZINC	SW-846 6010	5.80	UG/L	
282-W RESERVOIR	ZINC	SW-846 6010	6.30	UG/L	U
UO3/U PLANT	ZINC	SW-846 6010	6.30	UG/L	J
282-E RESERVOIR	ZINC	SW-846 6010	7.10	UG/L	U
282-E RESERVOIR	ZINC	SW-846 6010	7.10	UG/L	
282-E RESERVOIR	ZINC	SW-846 6010	7.10	UG/L	
B PLANT	ZINC	SW-846 6010	7.10	UG/L	
282-W RESERVOIR	ZINC	SW-846 6010	7.10	UG/L	WJ
282-W RESERVOIR	ZINC	SW-846 6010	7.10	UG/L	WJ
B PLANT	ZINC	SW-846 6010	7.20	UG/L	U
UO3/U PLANT	ZINC	SW-846 6010	7.50	UG/L	
282-E RESERVOIR	ZINC	SW-846 6010	7.80	UG/L	U
242-A EVAPORATOR	ZINC	SW-846 6010	9.00	UG/L	
PUREX	ZINC	SW-846 6010	9.90	UG/L	U
B PLANT	ZINC	SW-846 6010	10.60	UG/L	
282-E RESERVOIR	ZINC	SW-846 6010	10.90	UG/L	U
T PLANT	ZINC	SW-846 6010	11.20	UG/L	
182-D RESERVOIR	ZINC	SW-846 6010	11.30	UG/L	U
B PLANT	ZINC	SW-846 6010	11.40	UG/L	J
282-E RESERVOIR	ZINC	SW-846 6010	12.10	UG/L	U
MISC STREAMS	ZINC	SW-846 6010	13.10	UG/L	
282-W RESERVOIR	ZINC	SW-846 6010	16.10	UG/L	
PUREX	ZINC	SW-846 6010	17.00	UG/L	U
UO3/U PLANT	ZINC	SW-846 6010	17.40	UG/L	
282-W RESERVOIR	ZINC	SW-846 6010	18.70	UG/L	U
T PLANT	ZINC	SW-846 6010	18.70	UG/L	U
242-A EVAPORATOR	ZINC	SW-846 6010	24.10	UG/L	U
PUREX	ZINC	SW-846 6010	39.60	UG/L	U
PUREX	ZINC	SW-846 6010	50.80	UG/L	J
T PLANT	ZINC	SW-846 6010	55.10	UG/L	
2724-W LAUNDRY	ZINC	SW-846 6010	57.10	UG/L	
282-W RESERVOIR	ZINC	SW-846 6010	277.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	ZINC-65	GAMMA SCAN	30.00	PCI/L	U
B PLANT	ZINC-65	GAMMA SCAN	30.00	PCI/L	U
T PLANT	ZINC-65	RC-30	30.00	PCI/L	U

ATTACHMENT 2

This page intentionally left blank.

Page 1

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
222S LAB	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PFP	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PFP	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PFP	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PFP	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PFP	1,1-DICHLOROETHANE	SW-846 8240	10.00	UG/L	U
PUREX	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 3

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	1,2-DICHLOROETHENE (TOTAL)	SW-846 8240	5.00	UG/L	U
PFP	1,2-DICHLOROETHENE (TOTAL)	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
222S LAB	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
B PLANT	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
B PLANT	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
B PLANT	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
B PLANT	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
PFP	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
PFP	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
PFP	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
PUREX	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
PUREX	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
PUREX	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
222S LAB	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PFP	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PFP	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PFP	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
222S LAB	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
222S LAB	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PFP	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PFP	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PFP	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PFP	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PFP	1,2-DICHLOROETHANE	SW-846 8240	10.00	UG/L	U
PUREX	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 4

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
PUREX	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
222S LAB	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
B PLANT	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
PFP	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
PFP	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
PFP	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
PFP	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
PFP	1,2-DICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
PUREX	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
PUREX	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
PUREX	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
222S LAB	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
PFP	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
PFP	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
PFP	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
222S LAB	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
222S LAB	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
PFP	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
PFP	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
PFP	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 5

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
222S LAB	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
222S LAB	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
B PLANT	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
B PLANT	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
B PLANT	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
B PLANT	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
PFP	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
PFP	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
PFP	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
PUREX	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
PUREX	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
PUREX	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
222S LAB	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
B PLANT	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
B PLANT	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
B PLANT	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
B PLANT	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
PFP	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
PFP	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
PFP	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
PUREX	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
PUREX	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
PUREX	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
PUREX	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	1,4-PHENYLENEDIAMINE	SW-846 8270	50.00	UG/L	U
B PLANT	1,4-PHENYLENEDIAMINE	SW-846 8270	50.00	UG/L	U
PFP	1,4-PHENYLENEDIAMINE	SW-846 8270	50.00	UG/L	U
PUREX	1,4-PHENYLENEDIAMINE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
222S LAB	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 6

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
222S LAB	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PFP	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PFP	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PFP	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2,4,5-T	SW-846 8150	0.20	UG/L	U
222S LAB	2,4,5-T	SW-846 8150	0.20	UG/L	U
B PLANT	2,4,5-T	SW-846 8150	0.20	UG/L	U
B PLANT	2,4,5-T	SW-846 8150	0.20	UG/L	U
B PLANT	2,4,5-T	SW-846 8150	0.20	UG/L	U
B PLANT	2,4,5-T	SW-846 8150	0.20	UG/L	U
PFP	2,4,5-T	SW-846 8150	0.20	UG/L	U
PFP	2,4,5-T	SW-846 8150	0.20	UG/L	U
PFP	2,4,5-T	SW-846 8150	0.20	UG/L	U
PFP	2,4,5-T	SW-846 8150	0.50	UG/L	U
PFP	2,4,5-T	SW-846 8150	1.00	UG/L	U
PUREX	2,4,5-T	SW-846 8150	0.20	UG/L	U
PUREX	2,4,5-T	SW-846 8150	0.20	UG/L	U
PUREX	2,4,5-T	SW-846 8150	0.20	UG/L	U
PUREX	2,4,5-T	SW-846 8150	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
222S LAB	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
B PLANT	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
B PLANT	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
B PLANT	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
B PLANT	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
PFP	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
PFP	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
PFP	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
PFP	2,4,5-TP (SILVEX)	SW-846 8150	0.50	UG/L	U
PFP	2,4,5-TP (SILVEX)	SW-846 8150	1.00	UG/L	U
PUREX	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
PUREX	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
PUREX	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
PUREX	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 7

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
222S LAB	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4,5-TRICHLOROPHENOL	SW-846 8270	25.00	UG/L	U
PFP	2,4,5-TRICHLOROPHENOL	SW-846 8270	26.00	UG/L	U
PUREX	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
222S LAB	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2,4-D	SW-846 8150	2.00	UG/L	U
222S LAB	2,4-D	SW-846 8150	2.00	UG/L	U
B PLANT	2,4-D	SW-846 8150	2.00	UG/L	U
B PLANT	2,4-D	SW-846 8150	2.00	UG/L	U
B PLANT	2,4-D	SW-846 8150	2.00	UG/L	U
B PLANT	2,4-D	SW-846 8150	2.00	UG/L	U
PFP	2,4-D	SW-846 8150	1.00	UG/L	U
PFP	2,4-D	SW-846 8150	2.00	UG/L	U
PFP	2,4-D	SW-846 8150	2.00	UG/L	U
PFP	2,4-D	SW-846 8150	2.00	UG/L	U
PFP	2,4-D	SW-846 8150	2.00	UG/L	U
PUREX	2,4-D	SW-846 8150	2.00	UG/L	U
PUREX	2,4-D	SW-846 8150	2.00	UG/L	U
PUREX	2,4-D	SW-846 8150	2.00	UG/L	U
PUREX	2,4-D	SW-846 8150	2.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2,4-DB	SW-846 8150	2.00	UG/L	U
222S LAB	2,4-DB	SW-846 8150	2.00	UG/L	U
B PLANT	2,4-DB	SW-846 8150	2.00	UG/L	U
B PLANT	2,4-DB	SW-846 8150	2.00	UG/L	U
B PLANT	2,4-DB	SW-846 8150	2.00	UG/L	U
B PLANT	2,4-DB	SW-846 8150	2.00	UG/L	U
PFP	2,4-DB	SW-846 8150	2.00	UG/L	U
PFP	2,4-DB	SW-846 8150	2.00	UG/L	U
PFP	2,4-DB	SW-846 8150	2.00	UG/L	U
PUREX	2,4-DB	SW-846 8150	2.00	UG/L	U
PUREX	2,4-DB	SW-846 8150	2.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 8

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	2,4-DB	SW-846 8150	2.00	UG/L	U
PUREX	2,4-DB	SW-846 8150	2.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
222S LAB	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
222S LAB	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
222S LAB	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
PFP	2,4-DINITROPHENOL	SW-846 8270	25.00	UG/L	U
PFP	2,4-DINITROPHENOL	SW-846 8270	26.00	UG/L	U
PFP	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
PFP	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
PFP	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
222S LAB	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
B PLANT	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 9

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PFP	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PFP	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PFP	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PFP	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PUREX	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
222S LAB	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
222S LAB	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
B PLANT	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
B PLANT	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
B PLANT	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
B PLANT	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PFP	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PFP	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PFP	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PFP	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PFP	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PUREX	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PUREX	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PUREX	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
PUREX	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
222S LAB	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
B PLANT	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
B PLANT	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
B PLANT	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
B PLANT	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
PFP	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
PFP	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
PFP	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
PUREX	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
PUREX	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
PUREX	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U
PUREX	2-ACETYLAMINOFLTIORENE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2-BUTANONE	SW-846 8240	10.00	UG/L	U
222S LAB	2-BUTANONE	SW-846 8240	10.00	UG/L	U
B PLANT	2-BUTANONE	SW-846 8240	10.00	UG/L	U

Page 10

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	2-BUTANONE	SW-846 8240	10.00	UG/L	U
B PLANT	2-BUTANONE	SW-846 8240	10.00	UG/L	U
B PLANT	2-BUTANONE	SW-846 8240	10.00	UG/L	U
PFP	2-BUTANONE	SW-846 8240	10.00	UG/L	U
PFP	2-BUTANONE	SW-846 8240	10.00	UG/L	U
PFP	2-BUTANONE	SW-846 8240	10.00	UG/L	U
PFP	2-BUTANONE	SW-846 8240	10.00	UG/L	U
PFP	2-BUTANONE	SW-846 8240	10.00	UG/L	U
PUREX	2-BUTANONE	SW-846 8240	10.00	UG/L	U
PUREX	2-BUTANONE	SW-846 8240	10.00	UG/L	U
PUREX	2-BUTANONE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
222S LAB	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
PFP	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
PFP	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
PFP	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
PFP	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
PFP	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
222S LAB	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2-HEXANONE	SW-846 8240	10.00	UG/L	U
222S LAB	2-HEXANONE	SW-846 8240	10.00	UG/L	U
B PLANT	2-HEXANONE	SW-846 8240	10.00	UG/L	U
B PLANT	2-HEXANONE	SW-846 8240	10.00	UG/L	U
B PLANT	2-HEXANONE	SW-846 8240	10.00	UG/L	U
B PLANT	2-HEXANONE	SW-846 8240	10.00	UG/L	U
PFP	2-HEXANONE	SW-846 8240	10.00	UG/L	U
PFP	2-HEXANONE	SW-846 8240	10.00	UG/L	U
PFP	2-HEXANONE	SW-846 8240	10.00	UG/L	U
PFP	2-HEXANONE	SW-846 8240	10.00	UG/L	U
PFP	2-HEXANONE	SW-846 8240	10.00	UG/L	U
PUREX	2-HEXANONE	SW-846 8240	10.00	UG/L	U
PUREX	2-HEXANONE	SW-846 8240	10.00	UG/L	U
PUREX	2-HEXANONE	SW-846 8240	10.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 11

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
222S LAB	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
PFP	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
PFP	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
PFP	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
PFP	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
PFP	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	2-METHYLNAPLTHALENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
222S LAB	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
222S LAB	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
222S LAB	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
PFP	2-NITROANILINE	SW-846 8270	25.00	UG/L	U
PFP	2-NITROANILINE	SW-846 8270	26.00	UG/L	U
PFP	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
PFP	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
PFP	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	2-NITROANILINE	SW-846 8270	50.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 12

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	2-NITROANILINE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
222S LAB	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
PFP	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	2-PICOLINE	SW-846 8270	10.00	UG/L	U
222S LAB	2-PICOLINE	SW-846 8270	10.00	UG/L	U
B PLANT	2-PICOLINE	SW-846 8270	10.00	UG/L	U
B PLANT	2-PICOLINE	SW-846 8270	10.00	UG/L	U
B PLANT	2-PICOLINE	SW-846 8270	10.00	UG/L	U
B PLANT	2-PICOLINE	SW-846 8270	10.00	UG/L	U
PFP	2-PICOLINE	SW-846 8270	10.00	UG/L	U
PFP	2-PICOLINE	SW-846 8270	10.00	UG/L	U
PFP	2-PICOLINE	SW-846 8270	10.00	UG/L	U
PUREX	2-PICOLINE	SW-846 8270	10.00	UG/L	U
PUREX	2-PICOLINE	SW-846 8270	10.00	UG/L	U
PUREX	2-PICOLINE	SW-846 8270	10.00	UG/L	U
PUREX	2-PICOLINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
222S LAB	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
PFP	3-3-DICHLOROBENZIDINE	SW-846 8270	10.00	UG/L	U
PFP	3-3-DICHLOROBENZIDINE	SW-846 8270	10.00	UG/L	U
PFP	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
PFP	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
PFP	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
PUREX	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
PUREX	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
PUREX	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
PUREX	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
222S LAB	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
PFP	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
PFP	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 13

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
PUREX	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
PUREX	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
PUREX	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
PUREX	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
222S LAB	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
B PLANT	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
B PLANT	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
B PLANT	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
B PLANT	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
PFP	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
PFP	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
PFP	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
PUREX	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
PUREX	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
PUREX	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
PUREX	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
222S LAB	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
PFP	3-NITROANILINE	SW-846 8270	25.00	UG/L	U
PFP	3-NITROANILINE	SW-846 8270	26.00	UG/L	U
PFP	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
PFP	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
PFP	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	3-NITROANILINE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	4,4'-DDD	SW-846 8080	0.10	UG/L	U
222S LAB	4,4'-DDD	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDD	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDD	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDD	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDD	SW-846 8080	0.10	UG/L	U
PFP	4,4'-DDD	SW-846 8080	0.10	UG/L	U
PFP	4,4'-DDD	SW-846 8080	0.10	UG/L	U
PFP	4,4'-DDD	SW-846 8080	0.10	UG/L	U
PFP	4,4'-DDD	SW-846 8080	0.10	UG/L	U
PFP	4,4'-DDD	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDD	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDD	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDD	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDD	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	4,4'-DDE	SW-846 8080	0.10	UG/L	U
222S LAB	4,4'-DDE	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDE	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDE	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDE	SW-846 8080	0.10	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 14

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIED
B PLANT	4,4'-DDE	SW-846 8080	0.10	UG/L	U
PFP	4,4'-DDE	SW-846 8080	0.10	UG/L	U
PFP	4,4'-DDE	SW-846 8080	0.10	UG/L	U
PFP	4,4'-DDE	SW-846 8080	0.10	UG/L	U
PFP	4,4'-DDE	SW-846 8080	0.10	UG/L	U
PFP	4,4'-DDE	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDE	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDE	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDE	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDE	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIED
222S LAB	4,4'-DDT	SW-846 8080	0.10	UG/L	U
222S LAB	4,4'-DDT	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDT	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDT	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDT	SW-846 8080	0.10	UG/L	U
B PLANT	4,4'-DDT	SW-846 8080	0.10	UG/L	U
PFP	4,4'-DDT	SW-846 8080	0.10	UG/L	U
PFP	4,4'-DDT	SW-846 8080	0.10	UG/L	U
PFP	4,4'-DDT	SW-846 8080	0.10	UG/L	U
PFP	4,4'-DDT	SW-846 8080	0.10	UG/L	U
PFP	4,4'-DDT	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDT	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDT	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDT	SW-846 8080	0.10	UG/L	U
PUREX	4,4'-DDT	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIED
222S LAB	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
222S LAB	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
PFP	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	25.00	UG/L	U
PFP	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	26.00	UG/L	U
PFP	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
PFP	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
PFP	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIED
222S LAB	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
222S LAB	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
B PLANT	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
B PLANT	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
B PLANT	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
B PLANT	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
PFP	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
PFP	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
PFP	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
PUREX	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
PUREX	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
PUREX	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
PUREX	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
222S LAB	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
B PLANT	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
B PLANT	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
B PLANT	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
B PLANT	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
B PLANT	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
PFP	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
PFP	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
PFP	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
PFP	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
PFP	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
PUREX	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
PUREX	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
PUREX	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
PUREX	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
222S LAB	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U
222S LAB	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U
B PLANT	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U
B PLANT	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U
B PLANT	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U
B PLANT	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U
PFP	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U
PFP	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U
PFP	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U
PFP	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U
PUREX	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U
PUREX	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U
PUREX	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U
PUREX	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U

[illegible]

SUPPORTING DATA: POTABLE WATER

Page 16

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
PUREX	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
PUREX	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
PUREX	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
222S LAB	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
B PLANT	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
B PLANT	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
B PLANT	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
PFP	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
PFP	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
PFP	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
PFP	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
PFP	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
PUREX	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
PUREX	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
PUREX	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
222S LAB	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PFP	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
PUREX	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
222S LAB	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
B PLANT	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
PFP	4-NITROANILINE	SW-846 8270	25.00	UG/L	U
PFP	4-NITROANILINE	SW-846 8270	26.00	UG/L	U
PFP	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
PFP	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
PFP	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
PUREX	4-NITROANILINE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
222S LAB	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 17

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
PFP	4-NITROPHENOL	SW-846 8270	25.00	UG/L	U
PFP	4-NITROPHENOL	SW-846 8270	26.00	UG/L	U
PFP	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
PFP	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
PFP	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
222S LAB	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
B PLANT	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
B PLANT	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
B PLANT	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
B PLANT	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
PFP	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
PFP	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
PFP	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
PUREX	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
PUREX	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
PUREX	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
PUREX	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
222S LAB	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PFP	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PFP	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PFP	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PUREX	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PUREX	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PUREX	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PUREX	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
222S LAB	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
B PLANT	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
B PLANT	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
B PLANT	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
B PLANT	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
PFP	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
PFP	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
PFP	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
PUREX	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
PUREX	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
PUREX	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U
PUREX	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
222S LAB	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 18

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
PFP	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
PFP	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
PFP	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
PFP	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
PFP	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
PUREX	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
PUREX	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
PUREX	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
PUREX	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
222S LAB	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
B PLANT	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
B PLANT	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
B PLANT	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
B PLANT	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
PFP	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
PFP	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
PFP	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
PFP	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
PFP	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
PUREX	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
PUREX	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
PUREX	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
PUREX	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ACETONE	SW-846 8240	10.00	UG/L	U
222S LAB	ACETONE	SW-846 8240	10.00	UG/L	U
B PLANT	ACETONE	SW-846 8240	10.00	UG/L	U
B PLANT	ACETONE	SW-846 8240	10.00	UG/L	U
B PLANT	ACETONE	SW-846 8240	10.00	UG/L	U
B PLANT	ACETONE	SW-846 8240	10.00	UG/L	U
PFP	ACETONE	SW-846 8240	8.00	UG/L	BJ
PFP	ACETONE	SW-846 8240	10.00	UG/L	J
PFP	ACETONE	SW-846 8240	10.00	UG/L	U
PFP	ACETONE	SW-846 8240	10.00	UG/L	U
PFP	ACETONE	SW-846 8240	10.00	UG/L	U
PUREX	ACETONE	SW-846 8240	10.00	UG/L	U
PUREX	ACETONE	SW-846 8240	10.00	UG/L	U
PUREX	ACETONE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ACETONITRILE	SW-846 8240	100.00	UG/L	U
222S LAB	ACETONITRILE	SW-846 8240	100.00	UG/L	U
B PLANT	ACETONITRILE	SW-846 8240	100.00	UG/L	U
B PLANT	ACETONITRILE	SW-846 8240	100.00	UG/L	U
B PLANT	ACETONITRILE	SW-846 8240	100.00	UG/L	U
B PLANT	ACETONITRILE	SW-846 8240	100.00	UG/L	U
PFP	ACETONITRILE	SW-846 8240	100.00	UG/L	U
PFP	ACETONITRILE	SW-846 8240	100.00	UG/L	U
PFP	ACETONITRILE	SW-846 8240	100.00	UG/L	U
PUREX	ACETONITRILE	SW-846 8240	100.00	UG/L	U
PUREX	ACETONITRILE	SW-846 8240	100.00	UG/L	U
PUREX	ACETONITRILE	SW-846 8240	100.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ACETOPHENONE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 19

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
B PLANT	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
B PLANT	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
B PLANT	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
B PLANT	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
PFP	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
PFP	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
PFP	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
PUREX	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
PUREX	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
PUREX	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
PUREX	ACETOPHENONE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ACROLEIN	SW-846 8240	100.00	UG/L	U
222S LAB	ACROLEIN	SW-846 8240	100.00	UG/L	U
B PLANT	ACROLEIN	SW-846 8240	100.00	UG/L	U
B PLANT	ACROLEIN	SW-846 8240	100.00	UG/L	U
B PLANT	ACROLEIN	SW-846 8240	100.00	UG/L	U
B PLANT	ACROLEIN	SW-846 8240	100.00	UG/L	U
B PLANT	ACROLEIN	SW-846 8240	100.00	UG/L	U
PFP	ACROLEIN	SW-846 8240	100.00	UG/L	U
PFP	ACROLEIN	SW-846 8240	100.00	UG/L	U
PFP	ACROLEIN	SW-846 8240	100.00	UG/L	U
PUREX	ACROLEIN	SW-846 8240	100.00	UG/L	U
PUREX	ACROLEIN	SW-846 8240	100.00	UG/L	U
PUREX	ACROLEIN	SW-846 8240	100.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
222S LAB	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
B PLANT	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
B PLANT	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
B PLANT	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
B PLANT	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
PFP	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
PFP	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
PFP	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
PUREX	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
PUREX	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
PUREX	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ALDRIN	SW-846 8080	0.05	UG/L	U
222S LAB	ALDRIN	SW-846 8080	0.05	UG/L	U
B PLANT	ALDRIN	SW-846 8080	0.05	UG/L	U
B PLANT	ALDRIN	SW-846 8080	0.05	UG/L	U
B PLANT	ALDRIN	SW-846 8080	0.05	UG/L	U
B PLANT	ALDRIN	SW-846 8080	0.05	UG/L	U
PFP	ALDRIN	SW-846 8080	0.05	UG/L	U
PFP	ALDRIN	SW-846 8080	0.05	UG/L	U
PFP	ALDRIN	SW-846 8080	0.05	UG/L	U
PFP	ALDRIN	SW-846 8080	0.05	UG/L	U
PFP	ALDRIN	SW-846 8080	0.26	UG/L	
PUREX	ALDRIN	SW-846 8080	0.05	UG/L	U
PUREX	ALDRIN	SW-846 8080	0.05	UG/L	U
PUREX	ALDRIN	SW-846 8080	0.05	UG/L	U
PUREX	ALDRIN	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ALKALINITY	EPA-600 310.1	38.00	MG/L	
222S LAB	ALKALINITY	EPA-600 310.1	49.00	MG/L	

SUPPORTING DATA: POTABLE WATER

Page 20

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	ALKALINITY	EPA-600 310.1	42.00	MG/L	
B PLANT	ALKALINITY	EPA-600 310.1	53.00	MG/L	
B PLANT	ALKALINITY	EPA-600 310.1	56.00	MG/L	
B PLANT	ALKALINITY	EPA-600 310.1	60.00	MG/L	
PFP	ALKALINITY	EPA-600 310.1	42.00	MG/L	
PFP	ALKALINITY	EPA-600 310.1	44.00	MG/L	
PFP	ALKALINITY	EPA-600 310.1	44.00	MG/L	
PFP	ALKALINITY	EPA-600 310.1	50.00	MG/L	
PFP	ALKALINITY	EPA-600 310.1	52.00	MG/L	
PUREX	ALKALINITY	EPA-600 310.1	42.00	MG/L	
PUREX	ALKALINITY	EPA-600 310.1	48.00	MG/L	
PUREX	ALKALINITY	EPA-600 310.1	49.00	MG/L	
PUREX	ALKALINITY	EPA-600 310.1	57.00	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
222S LAB	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
B PLANT	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
B PLANT	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
B PLANT	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
B PLANT	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PFP	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PFP	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PFP	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PUREX	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PUREX	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PUREX	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
222S LAB	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
222S LAB	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
PFP	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
PFP	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
PFP	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
PFP	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	ALPHA-BHC	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 21

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
B PLANT	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
B PLANT	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
B PLANT	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
B PLANT	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PFP	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PFP	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PFP	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PFP	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PFP	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PUREX	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PUREX	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PUREX	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PUREX	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	ALUMINUM	SW-846 6010	253.00	UG/L	
PFP	ALUMINUM	SW-846 6010	349.00	UG/L	
PUREX	ALUMINUM	SW-846 6010	45.40	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	AMERICIUM-241	AMERICIUM-241	0.03	PCI/L	U
222S LAB	AMERICIUM-241	AMERICIUM-241	0.04	PCI/L	U
B PLANT	AMERICIUM-241	AMERICIUM-241	0.02	PCI/L	U
PFP	AMERICIUM-241	AMERICIUM-241	0.01	PCI/L	J
PFP	AMERICIUM-241	AMERICIUM-241	0.04	PCI/L	U
PFP	AMERICIUM-241	AMERICIUM-241	0.05	PCI/L	U
PFP	AMERICIUM-241	AMERICIUM-241	2.64	PCI/L	R
PUREX	AMERICIUM-241	AMERICIUM-241	0.01	PCI/L	U
PUREX	AMERICIUM-241	AMERICIUM-241	0.02	PCI/L	U
PUREX	AMERICIUM-241	AMERICIUM-241	0.04	PCI/L	U
PUREX	AMERICIUM-241	AMERICIUM-241	0.05	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	AMMONIA (AS N)	EPA-600 350.1	0.05	MG/L	U
B PLANT	AMMONIA (AS N)	EPA-600 350.2	0.07	MG/L	
B PLANT	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
B PLANT	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
PUREX	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
PUREX	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
PUREX	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U
PUREX	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ANILINE	SW-846 8270	10.00	UG/L	U
222S LAB	ANILINE	SW-846 8270	10.00	UG/L	U
B PLANT	ANILINE	SW-846 8270	10.00	UG/L	U
B PLANT	ANILINE	SW-846 8270	10.00	UG/L	U
B PLANT	ANILINE	SW-846 8270	10.00	UG/L	U
B PLANT	ANILINE	SW-846 8270	10.00	UG/L	U
PFP	ANILINE	SW-846 8270	10.00	UG/L	U
PFP	ANILINE	SW-846 8270	10.00	UG/L	U
PFP	ANILINE	SW-846 8270	10.00	UG/L	U
PUREX	ANILINE	SW-846 8270	10.00	UG/L	U
PUREX	ANILINE	SW-846 8270	10.00	UG/L	U
PUREX	ANILINE	SW-846 8270	10.00	UG/L	U
PUREX	ANILINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ANTHRACENE	SW-846 8270	10.00	UG/L	U
222S LAB	ANTHRACENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 22

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	ANTHRACENE	SW-846 8270	10.00	UG/L	U
PFP	ANTHRACENE	SW-846 8270	10.00	UG/L	U
PFP	ANTHRACENE	SW-846 8270	10.00	UG/L	U
PFP	ANTHRACENE	SW-846 8270	10.00	UG/L	U
PFP	ANTHRACENE	SW-846 8270	10.00	UG/L	U
PFP	ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	ANTHRACENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ANTIMONY	SW-846 7041	2.40	UG/L	W
222S LAB	ANTIMONY	SW-846 7041	17.90	UG/L	
B PLANT	ANTIMONY	SW-846 7041	1.60	UG/L	
B PLANT	ANTIMONY	SW-846 7041	1.80	UG/L	
B PLANT	ANTIMONY	SW-846 7041	2.00	UG/L	
B PLANT	ANTIMONY	SW-846 7041	18.60	UG/L	
PFP	ANTIMONY	SW-846 6010	0.00	UG/L	
PFP	ANTIMONY	SW-846 6010	13.10	UG/L	N
PFP	ANTIMONY	SW-846 6010	15.70	UG/L	
PFP	ANTIMONY	SW-846 6010	18.60	UG/L	
PFP	ANTIMONY	SW-846 6010	57.00	UG/L	
PUREX	ANTIMONY	SW-846 6010	2.00	UG/L	
PUREX	ANTIMONY	SW-846 6010	12.20	UG/L	
PUREX	ANTIMONY	SW-846 6010	12.90	UG/L	
PUREX	ANTIMONY	SW-846 6010	14.70	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ARAMITE	SW-846 8270	50.00	UG/L	U
222S LAB	ARAMITE	SW-846 8270	50.00	UG/L	U
B PLANT	ARAMITE	SW-846 8270	50.00	UG/L	U
B PLANT	ARAMITE	SW-846 8270	50.00	UG/L	U
B PLANT	ARAMITE	SW-846 8270	50.00	UG/L	U
B PLANT	ARAMITE	SW-846 8270	50.00	UG/L	U
PFP	ARAMITE	SW-846 8270	50.00	UG/L	U
PFP	ARAMITE	SW-846 8270	50.00	UG/L	U
PFP	ARAMITE	SW-846 8270	50.00	UG/L	U
PUREX	ARAMITE	SW-846 8270	50.00	UG/L	U
PUREX	ARAMITE	SW-846 8270	50.00	UG/L	U
PUREX	ARAMITE	SW-846 8270	50.00	UG/L	U
PUREX	ARAMITE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
222S LAB	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U

Page 23

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
222S LAB	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
B PLANT	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
B PLANT	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
B PLANT	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
B PLANT	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
PFP	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
PFP	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
PFP	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
PFP	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
PFP	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
PUREX	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
PUREX	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
PUREX	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
PUREX	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
222S LAB	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
222S LAB	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U

[illegible]

SUPPORTING DATA: POTABLE WATER

Page 24

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
222S LAB	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
222S LAB	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
B PLANT	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
PFP	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
PUREX	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ARSENIC	SW-846 7060	2.10	UG/L	W
222S LAB	ARSENIC	SW-846 7060	2.70	UG/L	
B PLANT	ARSENIC	SW-846 7060	1.50	UG/L	
B PLANT	ARSENIC	SW-846 7060	1.70	UG/L	
B PLANT	ARSENIC	SW-846 7060	2.20	UG/L	
B PLANT	ARSENIC	SW-846 7060	3.50	UG/L	
PFP	ARSENIC	SW-846 6010	0.00	UG/L	
PFP	ARSENIC	SW-846 6010	0.00	UG/L	
PFP	ARSENIC	SW-846 7060	2.50	UG/L	
PFP	ARSENIC	SW-846 7060	2.80	UG/L	
PFP	ARSENIC	SW-846 7060	2.90	UG/L	
PUREX	ARSENIC	SW-846 7060	1.30	UG/L	
PUREX	ARSENIC	SW-846 7060	1.50	UG/L	
PUREX	ARSENIC	SW-846 7060	1.70	UG/L	
PUREX	ARSENIC	SW-846 7060	2.20	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	AZINOPHOS-METHYL	SW-846 8140	0.50	UG/L	U
PFP	AZINOPHOS-METHYL	SW-846 8140	1.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 25

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BARIUM	SW-846 6010	30.80	UG/L	
222S LAB	BARIUM	SW-846 6010	35.30	UG/L	
B PLANT	BARIUM	SW-846 6010	26.80	UG/L	
B PLANT	BARIUM	SW-846 6010	27.10	UG/L	
B PLANT	BARIUM	SW-846 6010	27.40	UG/L	
B PLANT	BARIUM	SW-846 6010	29.00	UG/L	
PFP	BARIUM	SW-846 6010	23.50	UG/L	
PFP	BARIUM	SW-846 6010	25.00	UG/L	
PFP	BARIUM	SW-846 6010	27.00	UG/L	
PFP	BARIUM	SW-846 6010	31.20	UG/L	
PFP	BARIUM	SW-846 6010	33.90	UG/L	
PUREX	BARIUM	SW-846 6010	27.30	UG/L	
PUREX	BARIUM	SW-846 6010	27.40	UG/L	
PUREX	BARIUM	SW-846 6010	30.60	UG/L	
PUREX	BARIUM	SW-846 6010	30.90	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BENZENE	SW-846 8240	5.00	UG/L	U
222S LAB	BENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	BENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	BENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	BENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	BENZENE	SW-846 8240	5.00	UG/L	U
PFP	BENZENE	SW-846 8240	1.00	UG/L	J
PFP	BENZENE	SW-846 8240	5.00	UG/L	U
PFP	BENZENE	SW-846 8240	5.00	UG/L	U
PFP	BENZENE	SW-846 8240	5.00	UG/L	U
PFP	BENZENE	SW-846 8240	10.00	UG/L	U
PUREX	BENZENE	SW-846 8240	5.00	UG/L	U
PUREX	BENZENE	SW-846 8240	5.00	UG/L	U
PUREX	BENZENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BENZIDINE	SW-846 8270	50.00	UG/L	U
222S LAB	BENZIDINE	SW-846 8270	50.00	UG/L	U
B PLANT	BENZIDINE	SW-846 8270	50.00	UG/L	U
B PLANT	BENZIDINE	SW-846 8270	50.00	UG/L	U
B PLANT	BENZIDINE	SW-846 8270	50.00	UG/L	U
B PLANT	BENZIDINE	SW-846 8270	50.00	UG/L	U
PFP	BENZIDINE	SW-846 8270	50.00	UG/L	U
PFP	BENZIDINE	SW-846 8270	50.00	UG/L	U
PFP	BENZIDINE	SW-846 8270	50.00	UG/L	U
PUREX	BENZIDINE	SW-846 8270	50.00	UG/L	U
PUREX	BENZIDINE	SW-846 8270	50.00	UG/L	U
PUREX	BENZIDINE	SW-846 8270	50.00	UG/L	U
PUREX	BENZIDINE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
222S LAB	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
B PLANT	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
B PLANT	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
B PLANT	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
B PLANT	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
PFP	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
PFP	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
PFP	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
PUREX	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
PUREX	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
PUREX	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
PUREX	BENZOIC ACID	SW-846 8270	50.00	UG/L	U

Page 26

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
222S LAB	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
222S LAB	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
222S LAB	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U

[illegible]

SUPPORTING DATA: POTABLE WATER

Page 27

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
222S LAB	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PFP	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U
222S LAB	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U
B PLANT	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U
B PLANT	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U
B PLANT	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U
B PLANT	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U
PFP	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U
PFP	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U
PFP	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U
PUREX	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U
PUREX	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U
PUREX	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U
PUREX	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BERYLLIUM	SW-846 6010	0.20	UG/L	
222S LAB	BERYLLIUM	SW-846 6010	0.40	UG/L	
B PLANT	BERYLLIUM	SW-846 6010	0.10	UG/L	
B PLANT	BERYLLIUM	SW-846 6010	0.30	UG/L	
B PLANT	BERYLLIUM	SW-846 6010	0.40	UG/L	
B PLANT	BERYLLIUM	SW-846 6010	0.40	UG/L	
PFP	BERYLLIUM	SW-846 6010	0.30	UG/L	
PFP	BERYLLIUM	SW-846 6010	0.30	UG/L	
PFP	BERYLLIUM	SW-846 6010	1.00	UG/L	
PFP	BERYLLIUM	SW-846 6010	1.00	UG/L	
PFP	BERYLLIUM	SW-846 6010	1.20	UG/L	
PUREX	BERYLLIUM	SW-846 6010	0.20	UG/L	
PUREX	BERYLLIUM	SW-846 6010	0.30	UG/L	
PUREX	BERYLLIUM	SW-846 6010	0.40	UG/L	
PUREX	BERYLLIUM	SW-846 6010	0.40	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BETA-BHC	SW-846 8080	0.05	UG/L	U
222S LAB	BETA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	BETA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	BETA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	BETA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	BETA-BHC	SW-846 8080	0.05	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 28

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	BETA-BHC	SW-846 8080	0.05	UG/L	U
PFP	BETA-BHC	SW-846 8080	0.05	UG/L	U
PFP	BETA-BHC	SW-846 8080	0.05	UG/L	U
PFP	BETA-BHC	SW-846 8080	0.05	UG/L	U
PFP	BETA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	BETA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	BETA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	BETA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	BETA-BHC	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	BIOCHEMICAL OXYGEN DEMAND (BOD)	EPA-600 405.1	4.00	MG/L	U
B PLANT	BIOCHEMICAL OXYGEN DEMAND (BOD)	EPA-600 405.1	41.00	MG/L	
B PLANT	BIOCHEMICAL OXYGEN DEMAND (BOD)	LAB SPECIFIC BOD	16.00	MG/L	
B PLANT	BIOCHEMICAL OXYGEN DEMAND (BOD)	LAB SPECIFIC BOD	74.00	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
222S LAB	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
222S LAB	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
222S LAB	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 29

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
222S LAB	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	0.60	UG/L	JB
PFP	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	98.00	UG/L	
PUREX	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	4.00	UG/L	BJ
PUREX	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	41.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	BOLSTAR (SUPROPHOS)	SW-846 8140	0.20	UG/L	U
PFP	BOLSTAR (SUPROPHOS)	SW-846 8140	0.40	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BORON	SW-846 6010	0.00	UG/L	
B PLANT	BORON	SW-846 6010	0.00	UG/L	
PFP	BORON	SW-846 6010	0.00	UG/L	
PFP	BORON	SW-846 6010	0.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	BROMIDE	EPA-600 300.0	0.50	MG/L	U
B PLANT	BROMIDE	EPA-600 300.0	0.50	MG/L	U
B PLANT	BROMIDE	EPA-600 300.0	0.50	MG/L	U
B PLANT	BROMIDE	EPA-600 300.0	1.00	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BROMODICHLOROMETHANE	SW-846 8240	1.00	UG/L	J
222S LAB	BROMODICHLOROMETHANE	SW-846 8240	2.00	UG/L	J
B PLANT	BROMODICHLOROMETHANE	SW-846 8240	1.00	UG/L	J
B PLANT	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
PFP	BROMODICHLOROMETHANE	SW-846 8240	2.00	UG/L	J
PFP	BROMODICHLOROMETHANE	SW-846 8240	2.00	UG/L	J
PFP	BROMODICHLOROMETHANE	SW-846 8240	2.00	UG/L	J
PFP	BROMODICHLOROMETHANE	SW-846 8240	3.00	UG/L	J
PFP	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	J
PUREX	BROMODICHLOROMETHANE	SW-846 8240	1.00	UG/L	J
PUREX	BROMODICHLOROMETHANE	SW-846 8240	2.00	UG/L	J
PUREX	BROMODICHLOROMETHANE	SW-846 8240	2.00	UG/L	J

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BROMOFORM	SW-846 8240	5.00	UG/L	U
222S LAB	BROMOFORM	SW-846 8240	5.00	UG/L	U
B PLANT	BROMOFORM	SW-846 8240	5.00	UG/L	U
B PLANT	BROMOFORM	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 30

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	BROMOFORM	SW-846 8240	5.00	UG/L	U
B PLANT	BROMOFORM	SW-846 8240	5.00	UG/L	U
PFP	BROMOFORM	SW-846 8240	5.00	UG/L	U
PFP	BROMOFORM	SW-846 8240	5.00	UG/L	U
PFP	BROMOFORM	SW-846 8240	5.00	UG/L	U
PFP	BROMOFORM	SW-846 8240	5.00	UG/L	U
PFP	BROMOFORM	SW-846 8240	10.00	UG/L	U
PUREX	BROMOFORM	SW-846 8240	5.00	UG/L	U
PUREX	BROMOFORM	SW-846 8240	5.00	UG/L	U
PUREX	BROMOFORM	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
222S LAB	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
PFP	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
PFP	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
PFP	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
PFP	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
PFP	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	BROMOMETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U
222S LAB	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U
B PLANT	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U
B PLANT	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U
B PLANT	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U
B PLANT	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U
PFP	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U
PFP	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U
PFP	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U
PFP	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U
PFP	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U
PUREX	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U
PUREX	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U
PUREX	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U
PUREX	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CADMIUM	SW-846 6010	1.30	UG/L	
222S LAB	CADMIUM	SW-846 6010	1.50	UG/L	
B PLANT	CADMIUM	SW-846 6010	1.00	UG/L	
B PLANT	CADMIUM	SW-846 6010	1.10	UG/L	
B PLANT	CADMIUM	SW-846 6010	1.40	UG/L	
B PLANT	CADMIUM	SW-846 6010	1.60	UG/L	
PFP	CADMIUM	SW-846 6010	0.80	UG/L	
PFP	CADMIUM	SW-846 6010	1.50	UG/L	
PFP	CADMIUM	SW-846 6010	1.60	UG/L	
PFP	CADMIUM	SW-846 6010	4.00	UG/L	
PFP	CADMIUM	SW-846 6010	7.00	UG/L	
PUREX	CADMIUM	SW-846 6010	1.10	UG/L	
PUREX	CADMIUM	SW-846 6010	1.30	UG/L	
PUREX	CADMIUM	SW-846 6010	1.50	UG/L	
PUREX	CADMIUM	SW-846 6010	1.70	UG/L	

SUPPORTING DATA: POTABLE WATER

Page 31

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	CALCIUM	SW-846 6010	19,300.00	UG/L	
PFP	CALCIUM	SW-846 6010	25,300.00	UG/L	
PUREX	CALCIUM	SW-846 6010	18,900.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CARBAZOLE	SW-846 8270	20.00	UG/L	U
222S LAB	CARBAZOLE	SW-846 8270	20.00	UG/L	U
B PLANT	CARBAZOLE	SW-846 8270	20.00	UG/L	U
B PLANT	CARBAZOLE	SW-846 8270	20.00	UG/L	U
B PLANT	CARBAZOLE	SW-846 8270	20.00	UG/L	U
B PLANT	CARBAZOLE	SW-846 8270	20.00	UG/L	U
PFP	CARBAZOLE	SW-846 8270	10.00	UG/L	U
PFP	CARBAZOLE	SW-846 8270	10.00	UG/L	U
PFP	CARBAZOLE	SW-846 8270	20.00	UG/L	U
PFP	CARBAZOLE	SW-846 8270	20.00	UG/L	U
PFP	CARBAZOLE	SW-846 8270	20.00	UG/L	U
PUREX	CARBAZOLE	SW-846 8270	20.00	UG/L	U
PUREX	CARBAZOLE	SW-846 8270	20.00	UG/L	U
PUREX	CARBAZOLE	SW-846 8270	20.00	UG/L	U
PUREX	CARBAZOLE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
222S LAB	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
B PLANT	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
B PLANT	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
B PLANT	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
B PLANT	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
PFP	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
PFP	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
PFP	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
PFP	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
PFP	CARBON DISULFIDE	SW-846 8240	10.00	UG/L	U
PUREX	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
PUREX	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
PUREX	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
222S LAB	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
B PLANT	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
B PLANT	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
B PLANT	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
B PLANT	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
PFP	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
PFP	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
PFP	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
PFP	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
PFP	CARBON TETRACHLORIDE	SW-846 8240	10.00	UG/L	U
PUREX	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
PUREX	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
PUREX	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	CARBON-14	CARBON-14	40.00	PCI/L	U
PUREX	CARBON-14	CARBON-14	40.00	PCI/L	U
PUREX	CARBON-14	CARBON-14	50.00	PCI/L	U
PUREX	CARBON-14	CARBON-14	50.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CERIUM-144	GAMMA SCAN	50.00	PCI/L	U

SUPPORTING DATA: POTABLE WATER

Page 32

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CERIUM-144	RC-30	50.00	PCI/L	U
B PLANT	CERIUM-144	GAMMA SCAN	50.00	PCI/L	U
B PLANT	CERIUM-144	GAMMA SCAN	60.00	PCI/L	U
B PLANT	CERIUM-144	GAMMA SCAN	60.00	PCI/L	U
B PLANT	CERIUM-144	GAMMA SCAN	70.00	PCI/L	U
PFP	CERIUM-144	GAMMA SCAN	21.90	PCI/L	U
PFP	CERIUM-144	GAMMA SCAN	50.00	PCI/L	U
PFP	CERIUM-144	GAMMA SCAN	50.00	PCI/L	U
PFP	CERIUM-144	RC-30	50.00	PCI/L	U
PUREX	CERIUM-144	GAMMA SCAN	40.00	PCI/L	U
PUREX	CERIUM-144	GAMMA SCAN	50.00	PCI/L	U
PUREX	CERIUM-144	GAMMA SCAN	60.00	PCI/L	U
PUREX	CERIUM-144	GAMMA SCAN	100.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
222S LAB	CESIUM-134	RC-30	10.00	PCI/L	U
B PLANT	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
B PLANT	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
B PLANT	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
B PLANT	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
PFP	CESIUM-134	GAMMA SCAN	3.38	PCI/L	U
PFP	CESIUM-134	GAMMA SCAN	6.00	PCI/L	U
PFP	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
PFP	CESIUM-134	RC-30	10.00	PCI/L	U
PUREX	CESIUM-134	GAMMA SCAN	9.00	PCI/L	U
PUREX	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
PUREX	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U
PUREX	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CESIUM-137	GAMMA SCAN	9.00	PCI/L	U
222S LAB	CESIUM-137	RC-30	10.00	PCI/L	U
B PLANT	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
B PLANT	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
B PLANT	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
PFP	CESIUM-137	CESIUM-137	10.00	PCI/L	U
PFP	CESIUM-137	GAMMA SCAN	3.65	PCI/L	U
PFP	CESIUM-137	GAMMA SCAN	7.00	PCI/L	U
PFP	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
PFP	CESIUM-137	RC-30	10.00	PCI/L	U
PUREX	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
PUREX	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
PUREX	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
PUREX	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
222S LAB	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
B PLANT	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	5.00	MG/L	U
B PLANT	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
B PLANT	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
PFP	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	5.00	MG/L	U
PFP	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	5.00	MG/L	U
PFP	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	5.00	MG/L	U
PFP	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
PFP	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
PUREX	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
PUREX	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U
PUREX	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U

SUPPORTING DATA: POTABLE WATER

Page 33

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CHLORDANE	SW-846 8080	0.50	UG/L	U
222S LAB	CHLORDANE	SW-846 8080	0.50	UG/L	U
B PLANT	CHLORDANE	SW-846 8080	0.50	UG/L	U
B PLANT	CHLORDANE	SW-846 8080	0.50	UG/L	U
B PLANT	CHLORDANE	SW-846 8080	0.50	UG/L	U
B PLANT	CHLORDANE	SW-846 8080	1.00	UG/L	U
PFP	CHLORDANE	SW-846 8080	0.50	UG/L	U
PFP	CHLORDANE	SW-846 8080	0.50	UG/L	U
PFP	CHLORDANE	SW-846 8080	1.00	UG/L	U
PUREX	CHLORDANE	SW-846 8080	0.50	UG/L	U
PUREX	CHLORDANE	SW-846 8080	0.50	UG/L	U
PUREX	CHLORDANE	SW-846 8080	0.50	UG/L	U
PUREX	CHLORDANE	SW-846 8080	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CHLORIDE	EPA-600 300.0	3.20	MG/L	U
222S LAB	CHLORIDE	EPA-600 300.0	5.60	MG/L	
B PLANT	CHLORIDE	EPA-600 300.0	3.20	MG/L	
B PLANT	CHLORIDE	EPA-600 300.0	3.30	MG/L	
B PLANT	CHLORIDE	EPA-600 300.0	4.10	MG/L	
B PLANT	CHLORIDE	EPA-600 300.0	4.30	MG/L	
PFP	CHLORIDE	EPA-600 300.0	0.25	MG/L	
PFP	CHLORIDE	EPA-600 300.0	3.30	MG/L	
PUREX	CHLORIDE	EPA-600 300.0	3.40	MG/L	
PUREX	CHLORIDE	EPA-600 300.0	3.60	MG/L	
PUREX	CHLORIDE	EPA-600 300.0	3.70	MG/L	
PUREX	CHLORIDE	EPA-600 300.0	4.80	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
222S LAB	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
PFP	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
PFP	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
PFP	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
PFP	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
PFP	CHLOROBENZENE	SW-846 8240	10.00	UG/L	U
PUREX	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
PUREX	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
PUREX	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
222S LAB	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
B PLANT	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
B PLANT	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
B PLANT	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
PFP	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
PFP	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
PFP	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
PUREX	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
PUREX	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
PUREX	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
PUREX	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 34

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
222S LAB	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
PFP	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
PFP	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
PFP	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
PFP	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
PFP	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
PUREX	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
PUREX	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
PUREX	CHLOROETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CHLOROFORM	SW-846 8240	29.00	UG/L	
222S LAB	CHLOROFORM	SW-846 8240	52.00	UG/L	
B PLANT	CHLOROFORM	SW-846 8240	8.00	UG/L	
B PLANT	CHLOROFORM	SW-846 8240	16.00	UG/L	
B PLANT	CHLOROFORM	SW-846 8240	19.00	UG/L	
B PLANT	CHLOROFORM	SW-846 8240	25.00	UG/L	
PFP	CHLOROFORM	SW-846 8240	24.00	UG/L	
PFP	CHLOROFORM	SW-846 8240	38.00	UG/L	
PFP	CHLOROFORM	SW-846 8240	41.00	UG/L	
PFP	CHLOROFORM	SW-846 8240	51.00	UG/L	
PFP	CHLOROFORM	SW-846 8240	57.00	UG/L	
PUREX	CHLOROFORM	SW-846 8240	37.00	UG/L	
PUREX	CHLOROFORM	SW-846 8240	58.00	UG/L	
PUREX	CHLOROFORM	SW-846 8240	66.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
222S LAB	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
PFP	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
PFP	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
PFP	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
PFP	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
PFP	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	CHLORPYRIFOS	SW-846 8140	0.20	UG/L	U
PFP	CHLORPYRIFOS	SW-846 8140	0.40	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
222S LAB	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
B PLANT	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
B PLANT	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
B PLANT	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
PFP	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
PFP	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
PFP	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 35

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
PUREX	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
PUREX	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
PUREX	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CHROMIUM	SW-846 6010	1.80	UG/L	N
222S LAB	CHROMIUM	SW-846 6010	2.20	UG/L	
B PLANT	CHROMIUM	SW-846 6010	1.80	UG/L	
B PLANT	CHROMIUM	SW-846 6010	2.50	UG/L	
B PLANT	CHROMIUM	SW-846 6010	3.30	UG/L	
B PLANT	CHROMIUM	SW-846 6010	44.90	UG/L	
PFP	CHROMIUM	SW-846 6010	2.20	UG/L	
PFP	CHROMIUM	SW-846 6010	3.30	UG/L	
PFP	CHROMIUM	SW-846 6010	5.10	UG/L	
PFP	CHROMIUM	SW-846 6010	7.00	UG/L	
PFP	CHROMIUM	SW-846 6010	9.00	UG/L	
PUREX	CHROMIUM	SW-846 6010	1.80	UG/L	
PUREX	CHROMIUM	SW-846 6010	2.10	UG/L	
PUREX	CHROMIUM	SW-846 6010	2.50	UG/L	
PUREX	CHROMIUM	SW-846 6010	2.50	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CHROMIUM, HEXAVALENT	SW-846 7196	10.00	UG/L	U
222S LAB	CHROMIUM, HEXAVALENT	SW-846 7196	10.00	UG/L	U
B PLANT	CHROMIUM, HEXAVALENT	SW-846 7196	0.02	MG/L	U
B PLANT	CHROMIUM, HEXAVALENT	SW-846 7196	0.05	MG/L	U
B PLANT	CHROMIUM, HEXAVALENT	SW-846 7196	0.05	MG/L	U
B PLANT	CHROMIUM, HEXAVALENT	SW-846 7196	10.00	UG/L	U
PFP	CHROMIUM, HEXAVALENT	SW-846 7196	0.02	MG/L	U
PFP	CHROMIUM, HEXAVALENT	SW-846 7196	0.05	MG/L	U
PFP	CHROMIUM, HEXAVALENT	SW-846 7196	10.00	UG/L	U
PFP	CHROMIUM, HEXAVALENT	SW-846 7196	10.00	UG/L	U
PFP	CHROMIUM, HEXAVALENT	SW-846 7196	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CHROMIUM-51	GAMMA SCAN	100.00	PCI/L	U
B PLANT	CHROMIUM-51	GAMMA SCAN	100.00	PCI/L	U
B PLANT	CHROMIUM-51	GAMMA SCAN	200.00	PCI/L	U
PFP	CHROMIUM-51	GAMMA SCAN	100.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CHRYSENE	SW-846 8270	10.00	UG/L	U
222S LAB	CHRYSENE	SW-846 8270	10.00	UG/L	U
B PLANT	CHRYSENE	SW-846 8270	10.00	UG/L	U
B PLANT	CHRYSENE	SW-846 8270	10.00	UG/L	U
B PLANT	CHRYSENE	SW-846 8270	10.00	UG/L	U
PFP	CHRYSENE	SW-846 8270	10.00	UG/L	U
PFP	CHRYSENE	SW-846 8270	10.00	UG/L	U
PFP	CHRYSENE	SW-846 8270	10.00	UG/L	U
PFP	CHRYSENE	SW-846 8270	10.00	UG/L	U
PFP	CHRYSENE	SW-846 8270	10.00	UG/L	U
PUREX	CHRYSENE	SW-846 8270	10.00	UG/L	U
PUREX	CHRYSENE	SW-846 8270	10.00	UG/L	U
PUREX	CHRYSENE	SW-846 8270	10.00	UG/L	U
PUREX	CHRYSENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
222S LAB	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 36

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
B PLANT	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
B PLANT	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
B PLANT	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PFP	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PFP	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PFP	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PFP	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PFP	CIS-1,3-DICHLOROPROPENE	SW-846 8240	10.00	UG/L	U
PUREX	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PUREX	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PUREX	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	COBALT	SW-846 6010	1.50	UG/L	
222S LAB	COBALT	SW-846 6010	2.60	UG/L	
B PLANT	COBALT	SW-846 6010	1.50	UG/L	
B PLANT	COBALT	SW-846 6010	2.00	UG/L	
B PLANT	COBALT	SW-846 6010	2.10	UG/L	
B PLANT	COBALT	SW-846 6010	2.90	UG/L	
PFP	COBALT	SW-846 6010	2.40	UG/L	
PFP	COBALT	SW-846 6010	2.50	UG/L	
PFP	COBALT	SW-846 6010	2.90	UG/L	
PFP	COBALT	SW-846 6010	8.00	UG/L	
PFP	COBALT	SW-846 6010	9.00	UG/L	
PUREX	COBALT	SW-846 6010	1.70	UG/L	
PUREX	COBALT	SW-846 6010	2.10	UG/L	
PUREX	COBALT	SW-846 6010	2.60	UG/L	
PUREX	COBALT	SW-846 6010	2.90	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	COBALT-58	RC-30	10.00	PCI/L	U
B PLANT	COBALT-58	GAMMA SCAN	10.00	PCI/L	U
B PLANT	COBALT-58	GAMMA SCAN	20.00	PCI/L	U
PFP	COBALT-58	GAMMA SCAN	4.53	PCI/L	U
PFP	COBALT-58	GAMMA SCAN	8.00	PCI/L	U
PFP	COBALT-58	RC-30	10.00	PCI/L	U
PUREX	COBALT-58	GAMMA SCAN	10.00	PCI/L	U
PUREX	COBALT-58	GAMMA SCAN	10.00	PCI/L	U
PUREX	COBALT-58	GAMMA SCAN	10.00	PCI/L	U
PUREX	COBALT-58	GAMMA SCAN	10.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	COBALT-60	GAMMA SCAN	10.00	PCI/L	U
222S LAB	COBALT-60	RC-30	10.00	PCI/L	U
B PLANT	COBALT-60	GAMMA SCAN	10.00	PCI/L	U
B PLANT	COBALT-60	GAMMA SCAN	10.00	PCI/L	U
B PLANT	COBALT-60	GAMMA SCAN	20.00	PCI/L	U
B PLANT	COBALT-60	GAMMA SCAN	20.00	PCI/L	U
PFP	COBALT-60	GAMMA SCAN	3.18	PCI/L	U
PFP	COBALT-60	GAMMA SCAN	6.00	PCI/L	U
PFP	COBALT-60	GAMMA SCAN	10.00	PCI/L	U
PFP	COBALT-60	RC-30	10.00	PCI/L	U
PUREX	COBALT-60	GAMMA SCAN	9.00	PCI/L	U
PUREX	COBALT-60	GAMMA SCAN	10.00	PCI/L	U
PUREX	COBALT-60	GAMMA SCAN	10.00	PCI/L	U
PUREX	COBALT-60	GAMMA SCAN	30.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CONDUCTIVITY	EPA-600 120.1	131.00	UMHO	
222S LAB	CONDUCTIVITY	EPA-600 120.1	149.00	UMHO	

SUPPORTING DATA: POTABLE WATER

Page 37

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	CONDUCTIVITY	EPA-600 120.1	131.00	UMHO	
B PLANT	CONDUCTIVITY	EPA-600 120.1	153.00	UMHO	
B PLANT	CONDUCTIVITY	EPA-600 120.1	156.00	UMHO	
B PLANT	CONDUCTIVITY	EPA-600 120.1	157.00	UMHO	
PFP	CONDUCTIVITY	EPA-600 120.1	142.00	UMHO	
PFP	CONDUCTIVITY	SW-846 9050	134.00	UMHO	
PFP	CONDUCTIVITY	SW-846 9050	140.00	UMHO	
PFP	CONDUCTIVITY	SW-846 9050	151.00	UMHO	
PFP	CONDUCTIVITY	SW-846 9050	159.00	UMHO	
PUREX	CONDUCTIVITY	SW-846 9050	137.00	UMHO	
PUREX	CONDUCTIVITY	SW-846 9050	143.00	UMHO	
PUREX	CONDUCTIVITY	SW-846 9050	150.00	UMHO	
PUREX	CONDUCTIVITY	SW-846 9050	163.00	UMHO	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	COPPER	SW-846 6010	8.00	UG/L	
222S LAB	COPPER	SW-846 6010	13.30	UG/L	
B PLANT	COPPER	SW-846 6010	2.20	UG/L	
B PLANT	COPPER	SW-846 6010	3.60	UG/L	
B PLANT	COPPER	SW-846 6010	5.00	UG/L	
B PLANT	COPPER	SW-846 6010	5.90	UG/L	
PFP	COPPER	SW-846 6010	3.40	UG/L	
PFP	COPPER	SW-846 6010	4.00	UG/L	
PFP	COPPER	SW-846 6010	8.00	UG/L	
PFP	COPPER	SW-846 6010	9.00	UG/L	
PFP	COPPER	SW-846 6010	11.80	UG/L	
PUREX	COPPER	SW-846 6010	2.50	UG/L	
PUREX	COPPER	SW-846 6010	6.70	UG/L	
PUREX	COPPER	SW-846 6010	8.10	UG/L	
PUREX	COPPER	SW-846 6010	8.10	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	COUMAPHOS	SW-846 8140	1.00	UG/L	U
PFP	COUMAPHOS	SW-846 8140	2.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	CYANIDE	EPA-600 335.2	10.00	UG/L	
222S LAB	CYANIDE	EPA-600 335.2	10.00	UG/L	
B PLANT	CYANIDE	EPA-600 335.2	0.02	MG/L	U
B PLANT	CYANIDE	EPA-600 335.2	10.00	UG/L	
B PLANT	CYANIDE	EPA-600 335.2	10.00	UG/L	
B PLANT	CYANIDE	EPA-600 335.2	10.00	UG/L	
PFP	CYANIDE	SW-846 6010	0.00	UG/L	
PFP	CYANIDE	SW-846 6010	0.00	UG/L	
PFP	CYANIDE	SW-846 6010	0.00	UG/L	
PFP	CYANIDE	SW-846 6010	0.00	UG/L	
PUREX	CYANIDE	EPA-600 335.2	0.02	MG/L	U
PUREX	CYANIDE	EPA-600 335.2	0.02	MG/L	U
PUREX	CYANIDE	EPA-600 335.2	10.00	UG/L	
PUREX	CYANIDE	SW-846 9010	10.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DALAPON	SW-846 8150	6.00	UG/L	U
222S LAB	DALAPON	SW-846 8150	6.00	UG/L	U
B PLANT	DALAPON	SW-846 8150	6.00	UG/L	U
B PLANT	DALAPON	SW-846 8150	6.00	UG/L	U
B PLANT	DALAPON	SW-846 8150	6.00	UG/L	U
B PLANT	DALAPON	SW-846 8150	6.00	UG/L	U
PFP	DALAPON	SW-846 8150	6.00	UG/L	U
PFP	DALAPON	SW-846 8150	6.00	UG/L	U
PFP	DALAPON	SW-846 8150	6.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 38

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	DALAPON	SW-846 8150	6.00	UG/L	U
PUREX	DALAPON	SW-846 8150	6.00	UG/L	U
PUREX	DALAPON	SW-846 8150	6.00	UG/L	U
PUREX	DALAPON	SW-846 8150	6.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DELTA-BHC	SW-846 8080	0.05	UG/L	U
222S LAB	DELTA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	DELTA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	DELTA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	DELTA-BHC	SW-846 8080	0.05	UG/L	U
B PLANT	DELTA-BHC	SW-846 8080	0.05	UG/L	U
PFP	DELTA-BHC	SW-846 8080	0.05	UG/L	U
PFP	DELTA-BHC	SW-846 8080	0.05	UG/L	U
PFP	DELTA-BHC	SW-846 8080	0.05	UG/L	U
PFP	DELTA-BHC	SW-846 8080	0.05	UG/L	U
PFP	DELTA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	DELTA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	DELTA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	DELTA-BHC	SW-846 8080	0.05	UG/L	U
PUREX	DELTA-BHC	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	DEMETON-S	SW-846 8140	0.20	UG/L	U
PFP	DEMETON-S	SW-846 8140	0.40	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
222S LAB	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DI-N-BUTYL PHTHALATE	SW-846 8270	0.70	UG/L	JB
PFP	DI-N-BUTYL PHTHALATE	SW-846 8270	0.90	UG/L	JB
PFP	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
222S LAB	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 39

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
222S LAB	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
B PLANT	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
B PLANT	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
B PLANT	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
PFP	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
PFP	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
PFP	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
PUREX	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
PUREX	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
PUREX	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
PUREX	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	DIAZINON	SW-846 8140	0.20	UG/L	U
PFP	DIAZINON	SW-846 8140	0.40	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
222S LAB	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
B PLANT	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
B PLANT	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
B PLANT	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
B PLANT	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
PFP	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
PFP	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
PFP	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
PFP	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
PFP	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
PUREX	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
PUREX	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
PUREX	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
PUREX	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
222S LAB	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
B PLANT	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PFP	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PFP	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PFP	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PFP	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PFP	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PFP	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
PUREX	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
222S LAB	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
PFP	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
PFP	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 40

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
PFP	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
PFP	DIBROMOCHLOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
PUREX	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
PUREX	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
222S LAB	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
B PLANT	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PFP	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PFP	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PFP	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PUREX	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PUREX	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
PUREX	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DICAMBA	SW-846 8150	0.20	UG/L	U
222S LAB	DICAMBA	SW-846 8150	0.20	UG/L	U
B PLANT	DICAMBA	SW-846 8150	0.20	UG/L	U
B PLANT	DICAMBA	SW-846 8150	0.20	UG/L	U
B PLANT	DICAMBA	SW-846 8150	0.20	UG/L	U
B PLANT	DICAMBA	SW-846 8150	0.20	UG/L	U
PFP	DICAMBA	SW-846 8150	0.20	UG/L	U
PFP	DICAMBA	SW-846 8150	0.20	UG/L	U
PFP	DICAMBA	SW-846 8150	0.20	UG/L	U
PUREX	DICAMBA	SW-846 8150	0.20	UG/L	U
PUREX	DICAMBA	SW-846 8150	0.20	UG/L	U
PUREX	DICAMBA	SW-846 8150	0.20	UG/L	U
PUREX	DICAMBA	SW-846 8150	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
222S LAB	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PFP	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PFP	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PFP	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
222S LAB	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
B PLANT	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
B PLANT	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
B PLANT	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
B PLANT	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
PFP	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
PFP	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
PFP	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
PUREX	DICHLOROPROP	SW-846 8150	2.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 41

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
PUREX	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
PUREX	DICHLOROPROP	SW-846 8150	2.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
222S LAB	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
B PLANT	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
B PLANT	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
B PLANT	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
B PLANT	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
PFP	DICHLOROVOS	SW-846 8140	0.20	UG/L	U
PFP	DICHLOROVOS	SW-846 8140	0.40	UG/L	U
PFP	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
PFP	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
PFP	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
PUREX	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
PUREX	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
PUREX	DICHLOROVOS	SW-846 8140	0.50	UG/L	U
PUREX	DICHLOROVOS	SW-846 8140	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DIELDRIN	SW-846 8080	0.10	UG/L	U
222S LAB	DIELDRIN	SW-846 8080	0.10	UG/L	U
B PLANT	DIELDRIN	SW-846 8080	0.10	UG/L	U
B PLANT	DIELDRIN	SW-846 8080	0.10	UG/L	U
B PLANT	DIELDRIN	SW-846 8080	0.10	UG/L	U
B PLANT	DIELDRIN	SW-846 8080	0.10	UG/L	U
PFP	DIELDRIN	SW-846 8080	0.10	UG/L	U
PFP	DIELDRIN	SW-846 8080	0.10	UG/L	U
PFP	DIELDRIN	SW-846 8080	0.10	UG/L	U
PFP	DIELDRIN	SW-846 8080	0.10	UG/L	U
PFP	DIELDRIN	SW-846 8080	0.10	UG/L	U
PUREX	DIELDRIN	SW-846 8080	0.10	UG/L	U
PUREX	DIELDRIN	SW-846 8080	0.10	UG/L	U
PUREX	DIELDRIN	SW-846 8080	0.10	UG/L	U
PUREX	DIELDRIN	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
222S LAB	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DIMETHOATE	SW-846 8140	2.00	UG/L	U
222S LAB	DIMETHOATE	SW-846 8140	2.00	UG/L	U
B PLANT	DIMETHOATE	SW-846 8140	2.00	UG/L	U
B PLANT	DIMETHOATE	SW-846 8140	2.00	UG/L	U
B PLANT	DIMETHOATE	SW-846 8140	2.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 42

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	DIMETHOATE	SW-846 8140	2.00	UG/L	U
PFP	DIMETHOATE	SW-846 8140	0.20	UG/L	U
PFP	DIMETHOATE	SW-846 8140	0.40	UG/L	U
PFP	DIMETHOATE	SW-846 8140	2.00	UG/L	U
PFP	DIMETHOATE	SW-846 8140	2.00	UG/L	U
PFP	DIMETHOATE	SW-846 8140	2.00	UG/L	U
PUREX	DIMETHOATE	SW-846 8140	2.00	UG/L	U
PUREX	DIMETHOATE	SW-846 8140	2.00	UG/L	U
PUREX	DIMETHOATE	SW-846 8140	2.00	UG/L	U
PUREX	DIMETHOATE	SW-846 8140	2.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
222S LAB	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
B PLANT	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PFP	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
PUREX	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
222S LAB	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
PFP	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
PFP	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
PFP	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DINOSEB	SW-846 8150	1.20	UG/L	U
222S LAB	DINOSEB	SW-846 8150	1.20	UG/L	U
B PLANT	DINOSEB	SW-846 8150	1.00	UG/L	U
B PLANT	DINOSEB	SW-846 8150	1.20	UG/L	U
B PLANT	DINOSEB	SW-846 8150	1.20	UG/L	U
B PLANT	DINOSEB	SW-846 8150	1.20	UG/L	U
PFP	DINOSEB	SW-846 8150	1.00	UG/L	U
PFP	DINOSEB	SW-846 8150	1.20	UG/L	U
PFP	DINOSEB	SW-846 8150	1.20	UG/L	U
PUREX	DINOSEB	SW-846 8150	1.00	UG/L	U
PUREX	DINOSEB	SW-846 8150	1.20	UG/L	U
PUREX	DINOSEB	SW-846 8150	1.20	UG/L	U
PUREX	DINOSEB	SW-846 8150	1.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	DISULFOTON	SW-846 8140	0.50	UG/L	U
222S LAB	DISULFOTON	SW-846 8140	0.50	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 43

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	DISULFOTON	SW-846 8140	0.50	UG/L	U
B PLANT	DISULFOTON	SW-846 8140	0.50	UG/L	U
B PLANT	DISULFOTON	SW-846 8140	0.50	UG/L	U
B PLANT	DISULFOTON	SW-846 8140	0.50	UG/L	U
PFP	DISULFOTON	SW-846 8140	0.20	UG/L	U
PFP	DISULFOTON	SW-846 8140	0.40	UG/L	U
PFP	DISULFOTON	SW-846 8140	0.50	UG/L	U
PFP	DISULFOTON	SW-846 8140	0.50	UG/L	U
PFP	DISULFOTON	SW-846 8140	0.50	UG/L	U
PUREX	DISULFOTON	SW-846 8140	0.50	UG/L	U
PUREX	DISULFOTON	SW-846 8140	0.50	UG/L	U
PUREX	DISULFOTON	SW-846 8140	0.50	UG/L	U
PUREX	DISULFOTON	SW-846 8140	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
222S LAB	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
B PLANT	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
B PLANT	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
B PLANT	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
B PLANT	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
PFP	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
PFP	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
PFP	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
PFP	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
PFP	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
PUREX	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
PUREX	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
PUREX	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
PUREX	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
222S LAB	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
B PLANT	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
B PLANT	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
B PLANT	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
B PLANT	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
PFP	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
PFP	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
PFP	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
PFP	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
PFP	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
PUREX	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
PUREX	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
PUREX	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
PUREX	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
222S LAB	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
B PLANT	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
B PLANT	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
B PLANT	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
B PLANT	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
PFP	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
PFP	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
PFP	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
PFP	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
PFP	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
PUREX	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
PUREX	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 44

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
PUREX	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ENDRIN	SW-846 8080	0.10	UG/L	U
222S LAB	ENDRIN	SW-846 8080	0.10	UG/L	U
B PLANT	ENDRIN	SW-846 8080	0.10	UG/L	U
B PLANT	ENDRIN	SW-846 8080	0.10	UG/L	U
B PLANT	ENDRIN	SW-846 8080	0.10	UG/L	U
B PLANT	ENDRIN	SW-846 8080	0.10	UG/L	U
PFP	ENDRIN	SW-846 8080	0.10	UG/L	U
PFP	ENDRIN	SW-846 8080	0.10	UG/L	U
PFP	ENDRIN	SW-846 8080	0.10	UG/L	U
PFP	ENDRIN	SW-846 8080	0.10	UG/L	U
PFP	ENDRIN	SW-846 8080	0.10	UG/L	U
PUREX	ENDRIN	SW-846 8080	0.10	UG/L	U
PUREX	ENDRIN	SW-846 8080	0.10	UG/L	U
PUREX	ENDRIN	SW-846 8080	0.10	UG/L	U
PUREX	ENDRIN	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
222S LAB	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
B PLANT	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
B PLANT	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
B PLANT	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
B PLANT	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
PFP	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
PFP	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
PFP	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
PFP	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
PUREX	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
PUREX	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
PUREX	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
PUREX	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	ENDRIN KETONE	SW-846 8080	0.10	UG/L	U
PFP	ENDRIN KETONE	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
222S LAB	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
B PLANT	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
B PLANT	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
B PLANT	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
B PLANT	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
PFP	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
PFP	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
PFP	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
PUREX	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
PUREX	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
PUREX	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	EPN	SW-846 8140	0.20	UG/L	U
PFP	EPN	SW-846 8140	0.40	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	ETHOPROP	SW-846 8140	0.20	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 45

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	ETHOPROP	SW-846 8140	0.40	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
222S LAB	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
B PLANT	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
PFP	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
PFP	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
PFP	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
PFP	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
PFP	ETHYL BENZENE	SW-846 8240	10.00	UG/L	U
PUREX	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
PUREX	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
PUREX	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
222S LAB	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
PFP	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
PFP	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
PFP	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
222S LAB	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
PFP	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
PFP	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
PFP	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
222S LAB	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
B PLANT	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
B PLANT	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
B PLANT	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
B PLANT	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
PFP	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
PFP	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
PFP	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
PUREX	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
PUREX	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
PUREX	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
PUREX	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 46

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
222S LAB	EUROPIUM-152	RC-30	20.00	PCI/L	U
B PLANT	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
B PLANT	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
B PLANT	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
B PLANT	EUROPIUM-152	GAMMA SCAN	30.00	PCI/L	U
PFP	EUROPIUM-152	GAMMA SCAN	17.50	PCI/L	U
PFP	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
PFP	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
PFP	EUROPIUM-152	RC-30	20.00	PCI/L	U
PUREX	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
PUREX	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
PUREX	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U
PUREX	EUROPIUM-152	GAMMA SCAN	50.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	EUROPIUM-154	GAMMA SCAN	10.00	PCI/L	U
222S LAB	EUROPIUM-154	RC-30	10.00	PCI/L	U
B PLANT	EUROPIUM-154	GAMMA SCAN	20.00	PCI/L	U
B PLANT	EUROPIUM-154	GAMMA SCAN	20.00	PCI/L	U
B PLANT	EUROPIUM-154	GAMMA SCAN	20.00	PCI/L	U
B PLANT	EUROPIUM-154	GAMMA SCAN	20.00	PCI/L	U
PFP	EUROPIUM-154	GAMMA SCAN	5.39	PCI/L	U
PFP	EUROPIUM-154	GAMMA SCAN	10.00	PCI/L	U
PFP	EUROPIUM-154	GAMMA SCAN	20.00	PCI/L	U
PFP	EUROPIUM-154	RC-30	10.00	PCI/L	U
PUREX	EUROPIUM-154	GAMMA SCAN	10.00	PCI/L	U
PUREX	EUROPIUM-154	GAMMA SCAN	10.00	PCI/L	U
PUREX	EUROPIUM-154	GAMMA SCAN	20.00	PCI/L	U
PUREX	EUROPIUM-154	GAMMA SCAN	30.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	EUROPIUM-155	RC-30	30.00	PCI/L	U
B PLANT	EUROPIUM-155	GAMMA SCAN	30.00	PCI/L	U
B PLANT	EUROPIUM-155	GAMMA SCAN	40.00	PCI/L	U
PFP	EUROPIUM-155	GAMMA SCAN	10.90	PCI/L	U
PFP	EUROPIUM-155	GAMMA SCAN	20.00	PCI/L	U
PFP	EUROPIUM-155	RC-30	30.00	PCI/L	U
PUREX	EUROPIUM-155	GAMMA SCAN	20.00	PCI/L	U
PUREX	EUROPIUM-155	GAMMA SCAN	30.00	PCI/L	U
PUREX	EUROPIUM-155	GAMMA SCAN	30.00	PCI/L	U
PUREX	EUROPIUM-155	GAMMA SCAN	60.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	FAMPHUR	SW-846 8140	2.00	UG/L	U
222S LAB	FAMPHUR	SW-846 8140	2.00	UG/L	U
B PLANT	FAMPHUR	SW-846 8140	2.00	UG/L	U
B PLANT	FAMPHUR	SW-846 8140	2.00	UG/L	U
B PLANT	FAMPHUR	SW-846 8140	2.00	UG/L	U
B PLANT	FAMPHUR	SW-846 8140	2.00	UG/L	U
PFP	FAMPHUR	SW-846 8140	0.50	UG/L	U
PFP	FAMPHUR	SW-846 8140	1.00	UG/L	U
PFP	FAMPHUR	SW-846 8140	2.00	UG/L	U
PFP	FAMPHUR	SW-846 8140	2.00	UG/L	U
PFP	FAMPHUR	SW-846 8140	2.00	UG/L	U
PUREX	FAMPHUR	SW-846 8140	2.00	UG/L	U
PUREX	FAMPHUR	SW-846 8140	2.00	UG/L	U
PUREX	FAMPHUR	SW-846 8140	2.00	UG/L	U
PUREX	FAMPHUR	SW-846 8140	2.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 47

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	FENSULFOTHION	SW-846 8140	0.20	UG/L	U
PFP	FENSULFOTHION	SW-846 8140	0.40	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	FENTHION	SW-846 8140	0.20	UG/L	U
PFP	FENTHION	SW-846 8140	0.40	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
222S LAB	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PFP	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PFP	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PFP	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PFP	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PFP	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
PUREX	FLUORANTHENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	FLUORENE	SW-846 8270	10.00	UG/L	U
222S LAB	FLUORENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORENE	SW-846 8270	10.00	UG/L	U
B PLANT	FLUORENE	SW-846 8270	10.00	UG/L	U
PFP	FLUORENE	SW-846 8270	10.00	UG/L	U
PFP	FLUORENE	SW-846 8270	10.00	UG/L	U
PFP	FLUORENE	SW-846 8270	10.00	UG/L	U
PFP	FLUORENE	SW-846 8270	10.00	UG/L	U
PFP	FLUORENE	SW-846 8270	10.00	UG/L	U
PFP	FLUORENE	SW-846 8270	10.00	UG/L	U
PUREX	FLUORENE	SW-846 8270	10.00	UG/L	U
PUREX	FLUORENE	SW-846 8270	10.00	UG/L	U
PUREX	FLUORENE	SW-846 8270	10.00	UG/L	U
PUREX	FLUORENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	FLUORIDE	EPA-600 300.0	0.10	MG/L	U
222S LAB	FLUORIDE	EPA-600 300.0	0.20	MG/L	
B PLANT	FLUORIDE	EPA-600 300.0	0.10	MG/L	
B PLANT	FLUORIDE	EPA-600 300.0	0.10	MG/L	
B PLANT	FLUORIDE	EPA-600 300.0	0.10	MG/L	U
B PLANT	FLUORIDE	EPA-600 300.0	0.30	MG/L	
PFP	FLUORIDE	EPA-600 300.0	0.50	MG/L	U
PFP	FLUORIDE	EPA-600 300.0	0.50	MG/L	U
PUREX	FLUORIDE	EPA-600 300.0	0.10	MG/L	
PUREX	FLUORIDE	EPA-600 300.0	0.10	MG/L	
PUREX	FLUORIDE	EPA-600 300.0	0.10	MG/L	
PUREX	FLUORIDE	EPA-600 300.0	0.10	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	FOLPET	SW-846 8080	1.00	UG/L	U
222S LAB	FOLPET	SW-846 8080	1.00	UG/L	U
B PLANT	FOLPET	SW-846 8080	1.00	UG/L	U
B PLANT	FOLPET	SW-846 8080	1.00	UG/L	U
B PLANT	FOLPET	SW-846 8080	1.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 48

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	FOLPET	SW-846 8080	1.00	UG/L	U
PFP	FOLPET	SW-846 8080	1.00	UG/L	U
PFP	FOLPET	SW-846 8080	1.00	UG/L	U
PUREX	FOLPET	SW-846 8080	1.00	UG/L	U
PUREX	FOLPET	SW-846 8080	1.00	UG/L	U
PUREX	FOLPET	SW-846 8080	1.00	UG/L	U
PUREX	FOLPET	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
222S LAB	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
B PLANT	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
B PLANT	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
B PLANT	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
B PLANT	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
PFP	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
PFP	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
PFP	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
PFP	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
PUREX	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
PUREX	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
PUREX	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
PUREX	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
222S LAB	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
B PLANT	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
B PLANT	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
B PLANT	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
B PLANT	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PFP	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PFP	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PFP	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PFP	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PFP	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PUREX	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PUREX	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PUREX	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
PUREX	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	GROSS ALPHA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	0.80	PC/I/L	U
222S LAB	GROSS ALPHA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
B PLANT	GROSS ALPHA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	0.90	PC/I/L	U
B PLANT	GROSS ALPHA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	1.00	PC/I/L	U
B PLANT	GROSS ALPHA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
B PLANT	GROSS ALPHA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
PFP	GROSS ALPHA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	1.00	PC/I/L	U
PFP	GROSS ALPHA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	1.00	PC/I/L	U
PFP	GROSS ALPHA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	1.63	PC/I/L	U
PFP	GROSS ALPHA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
PFP	GROSS ALPHA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
PUREX	GROSS ALPHA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	1.00	PC/I/L	U
PUREX	GROSS ALPHA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	1.00	PC/I/L	U
PUREX	GROSS ALPHA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	1.00	PC/I/L	U
PUREX	GROSS ALPHA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U
222S LAB	GROSS BETA ANALYSIS AT <60 PC/I/L	GROSS ALPHA & BETA	2.00	PC/I/L	U

SUPPORTING DATA: POTABLE WATER

Page 49

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	GROSS BETA ANALYSIS AT <60 PC/L	GROSS ALPHA & BETA	2.00	PC/L	U
B PLANT	GROSS BETA ANALYSIS AT <60 PC/L	GROSS ALPHA & BETA	2.00	PC/L	U
B PLANT	GROSS BETA ANALYSIS AT <60 PC/L	GROSS ALPHA & BETA	2.00	PC/L	U
B PLANT	GROSS BETA ANALYSIS AT <60 PC/L	GROSS ALPHA & BETA	3.90	PC/L	J
PFP	GROSS BETA ANALYSIS AT <60 PC/L	GROSS ALPHA & BETA	2.00	PC/L	U
PFP	GROSS BETA ANALYSIS AT <60 PC/L	GROSS ALPHA & BETA	2.00	PC/L	U
PFP	GROSS BETA ANALYSIS AT <60 PC/L	GROSS ALPHA & BETA	2.00	PC/L	U
PFP	GROSS BETA ANALYSIS AT <60 PC/L	GROSS ALPHA & BETA	2.00	PC/L	U
PFP	GROSS BETA ANALYSIS AT <60 PC/L	GROSS ALPHA & BETA	2.91	PC/L	U
PUREX	GROSS BETA ANALYSIS AT <60 PC/L	GROSS ALPHA & BETA	2.00	PC/L	U
PUREX	GROSS BETA ANALYSIS AT <60 PC/L	GROSS ALPHA & BETA	2.00	PC/L	U
PUREX	GROSS BETA ANALYSIS AT <60 PC/L	GROSS ALPHA & BETA	2.00	PC/L	U
PUREX	GROSS BETA ANALYSIS AT <60 PC/L	GROSS ALPHA & BETA	2.00	PC/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
222S LAB	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
B PLANT	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
B PLANT	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
B PLANT	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
B PLANT	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
PFP	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
PFP	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
PFP	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
PFP	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
PFP	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
PUREX	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
PUREX	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
PUREX	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
PUREX	HEPTACHLOR	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
222S LAB	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
B PLANT	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
B PLANT	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
B PLANT	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
B PLANT	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
PFP	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
PFP	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
PFP	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
PFP	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
PFP	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
PUREX	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
PUREX	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
PUREX	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
PUREX	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
222S LAB	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 51

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
PFP	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
PFP	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
PUREX	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
PUREX	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
PUREX	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
PUREX	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
222S LAB	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
B PLANT	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
B PLANT	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
B PLANT	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
B PLANT	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
PFP	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
PFP	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
PFP	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
PUREX	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
PUREX	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
PUREX	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
PUREX	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
222S LAB	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
PFP	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
PFP	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
PFP	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
PFP	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
PFP	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	IRON	SW-846 6010	21.70	UG/L	
PFP	IRON	SW-846 6010	47.10	UG/L	
PUREX	IRON	SW-846 6010	131.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	IRON-59	GAMMA SCAN	20.00	PCI/L	U
222S LAB	IRON-59	RC-30	30.00	PCI/L	U
B PLANT	IRON-59	GAMMA SCAN	30.00	PCI/L	U
B PLANT	IRON-59	GAMMA SCAN	30.00	PCI/L	U
B PLANT	IRON-59	GAMMA SCAN	30.00	PCI/L	U
B PLANT	IRON-59	GAMMA SCAN	30.00	PCI/L	U
PFP	IRON-59	GAMMA SCAN	20.00	PCI/L	U
PFP	IRON-59	RC-30	30.00	PCI/L	U
PUREX	IRON-59	GAMMA SCAN	20.00	PCI/L	U
PUREX	IRON-59	GAMMA SCAN	20.00	PCI/L	U
PUREX	IRON-59	GAMMA SCAN	30.00	PCI/L	U
PUREX	IRON-59	GAMMA SCAN	40.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 52

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
B PLANT	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
B PLANT	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
B PLANT	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
B PLANT	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
PFP	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
PFP	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
PFP	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
PUREX	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
PUREX	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
PUREX	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ISODRIN	SW-846 8270	20.00	UG/L	U
222S LAB	ISODRIN	SW-846 8270	20.00	UG/L	U
B PLANT	ISODRIN	SW-846 8270	20.00	UG/L	U
B PLANT	ISODRIN	SW-846 8270	20.00	UG/L	U
B PLANT	ISODRIN	SW-846 8270	20.00	UG/L	U
B PLANT	ISODRIN	SW-846 8270	20.00	UG/L	U
B PLANT	ISODRIN	SW-846 8270	20.00	UG/L	U
PFP	ISODRIN	SW-846 8270	20.00	UG/L	U
PFP	ISODRIN	SW-846 8270	20.00	UG/L	U
PFP	ISODRIN	SW-846 8270	20.00	UG/L	U
PUREX	ISODRIN	SW-846 8270	20.00	UG/L	U
PUREX	ISODRIN	SW-846 8270	20.00	UG/L	U
PUREX	ISODRIN	SW-846 8270	20.00	UG/L	U
PUREX	ISODRIN	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ISOPHORONE	SW-846 8270	10.00	UG/L	U
222S LAB	ISOPHORONE	SW-846 8270	10.00	UG/L	U
B PLANT	ISOPHORONE	SW-846 8270	10.00	UG/L	U
B PLANT	ISOPHORONE	SW-846 8270	10.00	UG/L	U
B PLANT	ISOPHORONE	SW-846 8270	10.00	UG/L	U
B PLANT	ISOPHORONE	SW-846 8270	10.00	UG/L	U
B PLANT	ISOPHORONE	SW-846 8270	10.00	UG/L	U
PFP	ISOPHORONE	SW-846 8270	10.00	UG/L	U
PFP	ISOPHORONE	SW-846 8270	10.00	UG/L	U
PFP	ISOPHORONE	SW-846 8270	10.00	UG/L	U
PFP	ISOPHORONE	SW-846 8270	10.00	UG/L	U
PFP	ISOPHORONE	SW-846 8270	10.00	UG/L	U
PUREX	ISOPHORONE	SW-846 8270	10.00	UG/L	U
PUREX	ISOPHORONE	SW-846 8270	10.00	UG/L	U
PUREX	ISOPHORONE	SW-846 8270	10.00	UG/L	U
PUREX	ISOPHORONE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
222S LAB	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
B PLANT	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
B PLANT	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
B PLANT	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
B PLANT	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
PFP	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
PFP	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
PFP	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
PUREX	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
PUREX	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
PUREX	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
PUREX	ISOSAFROLE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	KEPONE	SW-846 8270	50.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 53

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	KEPONE	SW-846 8270	50.00	UG/L	U
B PLANT	KEPONE	SW-846 8270	50.00	UG/L	U
B PLANT	KEPONE	SW-846 8270	50.00	UG/L	U
B PLANT	KEPONE	SW-846 8270	50.00	UG/L	U
B PLANT	KEPONE	SW-846 8270	50.00	UG/L	U
PFP	KEPONE	SW-846 8270	50.00	UG/L	U
PFP	KEPONE	SW-846 8270	50.00	UG/L	U
PFP	KEPONE	SW-846 8270	50.00	UG/L	U
PUREX	KEPONE	SW-846 8270	50.00	UG/L	U
PUREX	KEPONE	SW-846 8270	50.00	UG/L	U
PUREX	KEPONE	SW-846 8270	50.00	UG/L	U
PUREX	KEPONE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	LEAD	SW-846 7421	1.80	UG/L	N*
222S LAB	LEAD	SW-846 7421	2.70	UG/L	
B PLANT	LEAD	SW-846 7421	1.10	UG/L	
B PLANT	LEAD	SW-846 7421	1.40	UG/L	
B PLANT	LEAD	SW-846 7421	1.50	UG/L	
B PLANT	LEAD	SW-846 7421	2.20	UG/L	W
PFP	LEAD	SW-846 6010	0.00	UG/L	
PFP	LEAD	SW-846 7421	1.40	UG/L	W
PFP	LEAD	SW-846 7421	1.80	UG/L	W
PFP	LEAD	SW-846 7421	2.00	UG/L	
PFP	LEAD	SW-846 7421	10.90	UG/L	
PUREX	LEAD	SW-846 7421	2.40	UG/L	N*
PUREX	LEAD	SW-846 7421	2.50	UG/L	W
PUREX	LEAD	SW-846 7421	2.60	UG/L	
PUREX	LEAD	SW-846 7421	5.70	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	MAGNESIUM	SW-846 6010	4,340.00	UG/L	
PFP	MAGNESIUM	SW-846 6010	5,860.00	UG/L	
PUREX	MAGNESIUM	SW-846 6010	4,280.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	MALATHION	SW-846 8140	0.20	UG/L	U
PFP	MALATHION	SW-846 8140	0.40	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	MANGANESE	SW-846 6010	2.00	UG/L	
PFP	MANGANESE	SW-846 6010	4.00	UG/L	
PUREX	MANGANESE	SW-846 6010	8.50	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	MANGANESE-54	RC-30	10.00	PC/L	U
B PLANT	MANGANESE-54	GAMMA SCAN	10.00	PC/L	U
B PLANT	MANGANESE-54	GAMMA SCAN	10.00	PC/L	U
PFP	MANGANESE-54	RC-30	10.00	PC/L	U
PUREX	MANGANESE-54	GAMMA SCAN	9.00	PC/L	U
PUREX	MANGANESE-54	GAMMA SCAN	10.00	PC/L	U
PUREX	MANGANESE-54	GAMMA SCAN	10.00	PC/L	U
PUREX	MANGANESE-54	GAMMA SCAN	10.00	PC/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	MCPA	SW-846 8150	200.00	UG/L	U
222S LAB	MCPA	SW-846 8150	200.00	UG/L	U
B PLANT	MCPA	SW-846 8150	200.00	UG/L	U
B PLANT	MCPA	SW-846 8150	200.00	UG/L	U
B PLANT	MCPA	SW-846 8150	200.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 54

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	MCPA	SW-846 8150	200.00	UG/L	U
PFP	MCPA	SW-846 8150	200.00	UG/L	U
PFP	MCPA	SW-846 8150	200.00	UG/L	U
PFP	MCPA	SW-846 8150	200.00	UG/L	U
PUREX	MCPA	SW-846 8150	20.00	UG/L	U
PUREX	MCPA	SW-846 8150	200.00	UG/L	U
PUREX	MCPA	SW-846 8150	200.00	UG/L	U
PUREX	MCPA	SW-846 8150	200.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	MCPA	SW-846 8150	200.00	UG/L	U
222S LAB	MCPA	SW-846 8150	200.00	UG/L	U
B PLANT	MCPA	SW-846 8150	200.00	UG/L	U
B PLANT	MCPA	SW-846 8150	200.00	UG/L	U
B PLANT	MCPA	SW-846 8150	200.00	UG/L	U
B PLANT	MCPA	SW-846 8150	200.00	UG/L	U
PFP	MCPA	SW-846 8150	200.00	UG/L	U
PFP	MCPA	SW-846 8150	200.00	UG/L	U
PFP	MCPA	SW-846 8150	200.00	UG/L	U
PUREX	MCPA	SW-846 8150	20.00	UG/L	U
PUREX	MCPA	SW-846 8150	200.00	UG/L	U
PUREX	MCPA	SW-846 8150	200.00	UG/L	U
PUREX	MCPA	SW-846 8150	200.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	MERCURY	SW-846 7470	0.10	UG/L	N
222S LAB	MERCURY	SW-846 7470	0.10	UG/L	
B PLANT	MERCURY	SW-846 7470	0.10	UG/L	
B PLANT	MERCURY	SW-846 7470	0.10	UG/L	
B PLANT	MERCURY	SW-846 7470	0.10	UG/L	
B PLANT	MERCURY	SW-846 7470	0.10	UG/L	
PFP	MERCURY	SW-846 7470	0.10	UG/L	
PFP	MERCURY	SW-846 7470	0.10	UG/L	
PFP	MERCURY	SW-846 7470	0.10	UG/L	
PFP	MERCURY	SW-846 7470	0.10	UG/L	
PFP	MERCURY	SW-846 7470	0.10	UG/L	
PUREX	MERCURY	SW-846 7470	0.10	UG/L	
PUREX	MERCURY	SW-846 7470	0.10	UG/L	
PUREX	MERCURY	SW-846 7470	0.10	UG/L	
PUREX	MERCURY	SW-846 7470	0.10	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	MERPHOS	SW-846 8140	0.20	UG/L	U
PFP	MERPHOS	SW-846 8140	0.40	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
222S LAB	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
B PLANT	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
B PLANT	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
B PLANT	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
B PLANT	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
PFP	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
PFP	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
PFP	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
PUREX	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
PUREX	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
PUREX	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	METHAPYRILENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 55

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
B PLANT	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
B PLANT	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
B PLANT	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
B PLANT	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
PFP	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
PFP	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
PFP	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
PUREX	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
PUREX	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
PUREX	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
PUREX	METHAPYRILENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
222S LAB	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
B PLANT	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
B PLANT	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
B PLANT	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
B PLANT	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
B PLANT	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
PFP	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
PFP	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
PFP	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
PFP	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
PFP	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
PUREX	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
PUREX	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
PUREX	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
PUREX	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	METHYLENE CHLORIDE	SW-846 8240	1.00	UG/L	J
222S LAB	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
B PLANT	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
B PLANT	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
B PLANT	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
B PLANT	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
B PLANT	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
PFP	METHYLENE CHLORIDE	SW-846 8240	2.00	UG/L	J
PFP	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
PFP	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
PFP	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
PFP	METHYLENE CHLORIDE	SW-846 8240	10.00	UG/L	U
PUREX	METHYLENE CHLORIDE	SW-846 8240	1.00	UG/L	BJ
PUREX	METHYLENE CHLORIDE	SW-846 8240	2.00	UG/L	J
PUREX	METHYLENE CHLORIDE	SW-846 8240	2.00	UG/L	J

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
222S LAB	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
B PLANT	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
PFP	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
PFP	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
PFP	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
PUREX	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 56

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
222S LAB	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
B PLANT	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
B PLANT	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
B PLANT	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
B PLANT	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
PFP	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
PFP	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
PFP	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
PUREX	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
PUREX	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
PUREX	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
PUREX	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	MEVINPHOS	SW-846 8140	0.20	UG/L	U
PFP	MEVINPHOS	SW-846 8140	0.40	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	MIREX	SW-846 8080	0.10	UG/L	U
222S LAB	MIREX	SW-846 8080	0.10	UG/L	U
B PLANT	MIREX	SW-846 8080	0.10	UG/L	U
B PLANT	MIREX	SW-846 8080	0.10	UG/L	U
B PLANT	MIREX	SW-846 8080	0.10	UG/L	U
B PLANT	MIREX	SW-846 8080	0.10	UG/L	U
PFP	MIREX	SW-846 8080	0.10	UG/L	U
PFP	MIREX	SW-846 8080	0.10	UG/L	U
PFP	MIREX	SW-846 8080	0.10	UG/L	U
PUREX	MIREX	SW-846 8080	0.10	UG/L	U
PUREX	MIREX	SW-846 8080	0.10	UG/L	U
PUREX	MIREX	SW-846 8080	0.10	UG/L	U
PUREX	MIREX	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	MONOCROTOPHOS	SW-846 8140	2.00	UG/L	U
PFP	MONOCROTOPHOS	SW-846 8140	11.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
222S LAB	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
PFP	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
PFP	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
PFP	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
222S LAB	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
B PLANT	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
B PLANT	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
B PLANT	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
B PLANT	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
PFP	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
PFP	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 57

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
PUREX	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
PUREX	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
PUREX	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
PUREX	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
222S LAB	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
222S LAB	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
222S LAB	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
PFP	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
PFP	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
PFP	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
222S LAB	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U
PFP	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 58

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U
PFP	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIMETHYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	U
222S LAB	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	U
B PLANT	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	U
PFP	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	U
PUREX	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
222S LAB	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
B PLANT	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
PFP	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
PFP	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
PFP	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
PUREX	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
222S LAB	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
B PLANT	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
B PLANT	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
B PLANT	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
B PLANT	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
B PLANT	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
PFP	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
PFP	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
PFP	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
PUREX	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
PUREX	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
PUREX	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
PUREX	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	NALED	SW-846 8140	0.50	UG/L	U
PFP	NALED	SW-846 8140	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
222S LAB	NAPHTHALENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 59

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
B PLANT	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
PFP	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
PFP	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
PFP	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
PFP	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
PFP	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
PUREX	NAPHTHALENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	NICKEL	SW-846 6010	3.40	UG/L	
222S LAB	NICKEL	SW-846 6010	3.70	UG/L	
B PLANT	NICKEL	SW-846 6010	3.70	UG/L	
B PLANT	NICKEL	SW-846 6010	4.20	UG/L	
B PLANT	NICKEL	SW-846 6010	4.70	UG/L	
B PLANT	NICKEL	SW-846 6010	6.50	UG/L	
PFP	NICKEL	SW-846 6010	4.20	UG/L	
PFP	NICKEL	SW-846 6010	4.20	UG/L	
PFP	NICKEL	SW-846 6010	4.70	UG/L	
PFP	NICKEL	SW-846 6010	19.00	UG/L	
PFP	NICKEL	SW-846 6010	20.00	UG/L	
PUREX	NICKEL	SW-846 6010	3.40	UG/L	
PUREX	NICKEL	SW-846 6010	4.40	UG/L	
PUREX	NICKEL	SW-846 6010	5.40	UG/L	
PUREX	NICKEL	SW-846 6010	6.50	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	NIOBIUM 94	RC-30	10.00	PCI/L	U
B PLANT	NIOBIUM 94	GAMMA SCAN	10.00	PCI/L	U
B PLANT	NIOBIUM 94	GAMMA SCAN	10.00	PCI/L	U
PFP	NIOBIUM 94	RC-30	10.00	PCI/L	U
PUREX	NIOBIUM 94	GAMMA SCAN	8.00	PCI/L	U
PUREX	NIOBIUM 94	GAMMA SCAN	9.00	PCI/L	U
PUREX	NIOBIUM 94	GAMMA SCAN	9.00	PCI/L	U
PUREX	NIOBIUM 94	GAMMA SCAN	9.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	NITROBENZENE	SW-846 8270	10.00	UG/L	U
222S LAB	NITROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	NITROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	NITROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	NITROBENZENE	SW-846 8270	10.00	UG/L	U
B PLANT	NITROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	NITROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	NITROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	NITROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	NITROBENZENE	SW-846 8270	10.00	UG/L	U
PFP	NITROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	NITROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	NITROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	NITROBENZENE	SW-846 8270	10.00	UG/L	U
PUREX	NITROBENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	U
222S LAB	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	U

SUPPORTING DATA: POTABLE WATER

Page 60

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	
B PLANT	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	U
B PLANT	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	U
PFP	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	
PFP	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	
PFP	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	U
PUREX	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	
PUREX	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	U
PUREX	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	U
PUREX	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
222S LAB	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
B PLANT	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
B PLANT	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.3	0.10	MG/L	U
B PLANT	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.3	0.25	MG/L	U
B PLANT	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.3	0.25	MG/L	U
PFP	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
PFP	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.3	0.10	MG/L	U
PFP	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.3	0.14	MG/L	
PFP	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.3	0.20	MG/L	
PFP	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.3	0.25	MG/L	U
PUREX	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.10	MG/L	U
PUREX	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
PUREX	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
PUREX	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	U
222S LAB	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	U
B PLANT	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	U
B PLANT	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	U
B PLANT	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	U
B PLANT	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	U
PUREX	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	U
PUREX	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	U
PUREX	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	U
PUREX	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	O,O,O-TRIETHYLPHOSPHOROTHIOATE	SW-846 8140	0.20	UG/L	U
PFP	O,O,O-TRIETHYLPHOSPHOROTHIOATE	SW-846 8140	0.40	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
222S LAB	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PFP	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PFP	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PFP	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PUREX	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PUREX	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PUREX	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
PUREX	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	OIL & GREASE	SW-846 9070	5.00	MG/L	U

SUPPORTING DATA: POTABLE WATER

Page 61

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	OIL & GREASE	SW-846 9070	5.00	MG/L	U
B PLANT	OIL & GREASE	SW-846 9070	5.00	MG/L	U
B PLANT	OIL & GREASE	SW-846 9070	5.00	MG/L	U
B PLANT	OIL & GREASE	SW-846 9070	5.00	MG/L	U
B PLANT	OIL & GREASE	SW-846 9070	5.00	MG/L	U
PFP	OIL & GREASE	SW-846 9070	5.00	MG/L	U
PFP	OIL & GREASE	SW-846 9070	5.00	MG/L	U
PFP	OIL & GREASE	SW-846 9070	5.00	MG/L	U
PFP	OIL & GREASE	SW-846 9070	5.00	MG/L	U
PFP	OIL & GREASE	SW-846 9070	5.00	MG/L	U
PUREX	OIL & GREASE	SW-846 9070	5.00	MG/L	U
PUREX	OIL & GREASE	SW-846 9070	5.00	MG/L	U
PUREX	OIL & GREASE	SW-846 9070	5.00	MG/L	U
PUREX	OIL & GREASE	SW-846 9070	5.00	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PARATHION	SW-846 8140	0.50	UG/L	U
222S LAB	PARATHION	SW-846 8140	0.50	UG/L	U
B PLANT	PARATHION	SW-846 8140	0.50	UG/L	U
B PLANT	PARATHION	SW-846 8140	0.50	UG/L	U
B PLANT	PARATHION	SW-846 8140	0.50	UG/L	U
B PLANT	PARATHION	SW-846 8140	0.50	UG/L	U
PFP	PARATHION	SW-846 8140	0.20	UG/L	U
PFP	PARATHION	SW-846 8140	0.40	UG/L	U
PFP	PARATHION	SW-846 8140	0.50	UG/L	U
PFP	PARATHION	SW-846 8140	0.50	UG/L	U
PFP	PARATHION	SW-846 8140	0.50	UG/L	U
PUREX	PARATHION	SW-846 8140	0.50	UG/L	U
PUREX	PARATHION	SW-846 8140	0.50	UG/L	U
PUREX	PARATHION	SW-846 8140	0.50	UG/L	U
PUREX	PARATHION	SW-846 8140	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
222S LAB	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
B PLANT	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
B PLANT	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
B PLANT	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
B PLANT	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
PFP	PARATHION-METHYL	SW-846 8140	0.20	UG/L	U
PFP	PARATHION-METHYL	SW-846 8140	0.40	UG/L	U
PFP	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
PFP	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
PFP	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
PUREX	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
PUREX	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
PUREX	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
PUREX	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PBBS	SW-846 8080	1.00	UG/L	U
222S LAB	PBBS	SW-846 8080	1.00	UG/L	U
B PLANT	PBBS	SW-846 8080	1.00	UG/L	U
B PLANT	PBBS	SW-846 8080	1.00	UG/L	U
B PLANT	PBBS	SW-846 8080	1.00	UG/L	U
B PLANT	PBBS	SW-846 8080	1.00	UG/L	U
PFP	PBBS	SW-846 8080	1.00	UG/L	U
PFP	PBBS	SW-846 8080	1.00	UG/L	U
PFP	PBBS	SW-846 8080	1.00	UG/L	U
PUREX	PBBS	SW-846 8080	1.00	UG/L	U
PUREX	PBBS	SW-846 8080	1.00	UG/L	U
PUREX	PBBS	SW-846 8080	1.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 62

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	PBBS	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PENTACHLORO BENZENE	SW-846 8270	20.00	UG/L	U
222S LAB	PENTACHLORO BENZENE	SW-846 8270	20.00	UG/L	U
B PLANT	PENTACHLORO BENZENE	SW-846 8270	20.00	UG/L	U
B PLANT	PENTACHLORO BENZENE	SW-846 8270	20.00	UG/L	U
B PLANT	PENTACHLORO BENZENE	SW-846 8270	20.00	UG/L	U
B PLANT	PENTACHLORO BENZENE	SW-846 8270	20.00	UG/L	U
PFP	PENTACHLORO BENZENE	SW-846 8270	20.00	UG/L	U
PFP	PENTACHLORO BENZENE	SW-846 8270	20.00	UG/L	U
PFP	PENTACHLORO BENZENE	SW-846 8270	20.00	UG/L	U
PUREX	PENTACHLORO BENZENE	SW-846 8270	20.00	UG/L	U
PUREX	PENTACHLORO BENZENE	SW-846 8270	20.00	UG/L	U
PUREX	PENTACHLORO BENZENE	SW-846 8270	20.00	UG/L	U
PUREX	PENTACHLORO BENZENE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
222S LAB	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
PFP	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
PFP	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
PFP	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
PUREX	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
PUREX	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
PUREX	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
222S LAB	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
B PLANT	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
PFP	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
PFP	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
PFP	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
PUREX	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
222S LAB	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
B PLANT	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PFP	PENTACHLOROPHENOL	SW-846 8270	25.00	UG/L	U
PFP	PENTACHLOROPHENOL	SW-846 8270	26.00	UG/L	U
PFP	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PFP	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PFP	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
PUREX	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 63

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PH MEASUREMENT	SW-846 9040	7.20	PH	
222S LAB	PH MEASUREMENT	SW-846 9040	7.30	PH	
B PLANT	PH MEASUREMENT	SW-846 9040	8.00	PH	
B PLANT	PH MEASUREMENT	SW-846 9040	8.00	PH	
B PLANT	PH MEASUREMENT	SW-846 9040	8.00	PH	
B PLANT	PH MEASUREMENT	SW-846 9040	8.10	PH	
PFP	PH MEASUREMENT	SW-846 9040	6.90	PH	
PFP	PH MEASUREMENT	SW-846 9040	7.10	PH	
PFP	PH MEASUREMENT	SW-846 9040	7.30	PH	
PFP	PH MEASUREMENT	SW-846 9040	7.50	PH	
PFP	PH MEASUREMENT	SW-846 9040	7.50	PH	
PUREX	PH MEASUREMENT	SW-846 9040	7.10	PH	
PUREX	PH MEASUREMENT	SW-846 9040	7.20	PH	
PUREX	PH MEASUREMENT	SW-846 9040	7.40	PH	
PUREX	PH MEASUREMENT	SW-846 9040	7.50	PH	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PHENACETIN	SW-846 8270	20.00	UG/L	U
222S LAB	PHENACETIN	SW-846 8270	20.00	UG/L	U
B PLANT	PHENACETIN	SW-846 8270	20.00	UG/L	U
B PLANT	PHENACETIN	SW-846 8270	20.00	UG/L	U
B PLANT	PHENACETIN	SW-846 8270	20.00	UG/L	U
B PLANT	PHENACETIN	SW-846 8270	20.00	UG/L	U
PFP	PHENACETIN	SW-846 8270	20.00	UG/L	U
PFP	PHENACETIN	SW-846 8270	20.00	UG/L	U
PFP	PHENACETIN	SW-846 8270	20.00	UG/L	U
PUREX	PHENACETIN	SW-846 8270	20.00	UG/L	U
PUREX	PHENACETIN	SW-846 8270	20.00	UG/L	U
PUREX	PHENACETIN	SW-846 8270	20.00	UG/L	U
PUREX	PHENACETIN	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
222S LAB	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
B PLANT	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
B PLANT	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
B PLANT	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
B PLANT	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
PFP	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
PFP	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
PFP	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
PFP	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
PFP	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
PUREX	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
PUREX	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
PUREX	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
PUREX	PHENANTHRENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PHENOL	SW-846 8270	10.00	UG/L	U
222S LAB	PHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	PHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	PHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	PHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	PHENOL	SW-846 8270	10.00	UG/L	U
B PLANT	PHENOL	SW-846 9067	5.00	UG/L	U
B PLANT	PHENOL	SW-846 9067	5.00	UG/L	U
B PLANT	PHENOL	SW-846 9067	5.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 64

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	PHENOL	SW-846 9067	6.20	UG/L	
PFP	PHENOL	SW-846 8270	10.00	UG/L	U
PFP	PHENOL	SW-846 8270	10.00	UG/L	U
PFP	PHENOL	SW-846 8270	10.00	UG/L	U
PFP	PHENOL	SW-846 8270	10.00	UG/L	U
PFP	PHENOL	SW-846 8270	10.00	UG/L	U
PUREX	PHENOL	SW-846 8270	10.00	UG/L	U
PUREX	PHENOL	SW-846 8270	10.00	UG/L	U
PUREX	PHENOL	SW-846 8270	10.00	UG/L	U
PUREX	PHENOL	SW-846 8270	10.00	UG/L	U
PUREX	PHENOL	SW-846 9065	0.05	MG/L	U
PUREX	PHENOL	SW-846 9065	0.05	MG/L	U
PUREX	PHENOL	SW-846 9065	0.05	MG/L	U
PUREX	PHENOL	SW-846 9065	0.05	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PHORATE	SW-846 8140	0.50	UG/L	U
222S LAB	PHORATE	SW-846 8140	0.50	UG/L	U
B PLANT	PHORATE	SW-846 8140	0.50	UG/L	U
B PLANT	PHORATE	SW-846 8140	0.50	UG/L	U
B PLANT	PHORATE	SW-846 8140	0.50	UG/L	U
B PLANT	PHORATE	SW-846 8140	0.50	UG/L	U
PFP	PHORATE	SW-846 8140	0.20	UG/L	U
PFP	PHORATE	SW-846 8140	0.40	UG/L	U
PFP	PHORATE	SW-846 8140	0.50	UG/L	U
PFP	PHORATE	SW-846 8140	0.50	UG/L	U
PFP	PHORATE	SW-846 8140	0.50	UG/L	U
PUREX	PHORATE	SW-846 8140	0.50	UG/L	U
PUREX	PHORATE	SW-846 8140	0.50	UG/L	U
PUREX	PHORATE	SW-846 8140	0.50	UG/L	U
PUREX	PHORATE	SW-846 8140	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PHOSPHATE	EPA-600 300.0	0.40	MG/L	U
PFP	PHOSPHATE	EPA-600 300.0	0.25	MG/L	U
PFP	PHOSPHATE	EPA-600 300.0	0.25	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U
B PLANT	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U
B PLANT	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U
B PLANT	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	PLUTONIUM-238	PLUTONIUM	0.03	PCI/L	U
PFP	PLUTONIUM-238	PLUTONIUM	0.02	PCI/L	U
PFP	PLUTONIUM-238	PLUTONIUM	0.03	PCI/L	U
PFP	PLUTONIUM-238	PLUTONIUM	0.04	PCI/L	U
PFP	PLUTONIUM-238	PLUTONIUM	0.30	PCI/L	U
PFP	PLUTONIUM-238	PLUTONIUM	0.46	PCI/L	U
PUREX	PLUTONIUM-238	PLUTONIUM	0.02	PCI/L	U
PUREX	PLUTONIUM-238	PLUTONIUM	0.03	PCI/L	U
PUREX	PLUTONIUM-238	PLUTONIUM	0.03	PCI/L	U
PUREX	PLUTONIUM-238	PLUTONIUM	0.06	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	PLUTONIUM-239/240	PLUTONIUM	0.02	PCI/L	U
PFP	PLUTONIUM-239/240	PLUTONIUM	0.02	PCI/L	U
PFP	PLUTONIUM-239/240	PLUTONIUM	0.02	PCI/L	U
PFP	PLUTONIUM-239/240	PLUTONIUM	0.03	PCI/L	U
PFP	PLUTONIUM-239/240	PLUTONIUM	0.30	PCI/L	U

SUPPORTING DATA: POTABLE WATER

Page 65

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	PLUTONIUM-239/240	PLUTONIUM	0.46	PCI/L	U
PUREX	PLUTONIUM-239/240	PLUTONIUM	0.02	PCI/L	U
PUREX	PLUTONIUM-239/240	PLUTONIUM	0.02	PCI/L	U
PUREX	PLUTONIUM-239/240	PLUTONIUM	0.03	PCI/L	U
PUREX	PLUTONIUM-239/240	PLUTONIUM	0.03	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PLUTONIUM-241	PLUTONIUM-241	9.00	PCI/L	U
222S LAB	PLUTONIUM-241	PLUTONIUM-241	20.00	PCI/L	U
PFP	PLUTONIUM-241	PLUTONIUM	6.00	PCI/L	U
PFP	PLUTONIUM-241	PLUTONIUM	8.00	PCI/L	U
PFP	PLUTONIUM-241	PLUTONIUM	8.00	PCI/L	U
PFP	PLUTONIUM-241	PLUTONIUM	34.00	PCI/L	U
PFP	PLUTONIUM-241	PLUTONIUM	89.80	PCI/L	UJ
PUREX	PLUTONIUM-241	PLUTONIUM	4.00	PCI/L	U
PUREX	PLUTONIUM-241	PLUTONIUM	5.00	PCI/L	U
PUREX	PLUTONIUM-241	PLUTONIUM	8.00	PCI/L	U
PUREX	PLUTONIUM-241	PLUTONIUM	9.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	POTASSIUM	SW-846 6010	877.00	UG/L	
PFP	POTASSIUM	SW-846 6010	1,510.00	UG/L	
PUREX	POTASSIUM	SW-846 6010	799.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	POTASSIUM-40	GAMMA SCAN	100.00	PCI/L	U
222S LAB	POTASSIUM-40	RC-30	100.00	PCI/L	U
B PLANT	POTASSIUM-40	GAMMA SCAN	100.00	PCI/L	U
B PLANT	POTASSIUM-40	GAMMA SCAN	100.00	PCI/L	U
B PLANT	POTASSIUM-40	GAMMA SCAN	100.00	PCI/L	U
B PLANT	POTASSIUM-40	GAMMA SCAN	300.00	PCI/L	U
PFP	POTASSIUM-40	GAMMA SCAN	100.00	PCI/L	U
PFP	POTASSIUM-40	RC-30	200.00	PCI/L	U
PUREX	POTASSIUM-40	GAMMA SCAN	100.00	PCI/L	U
PUREX	POTASSIUM-40	GAMMA SCAN	100.00	PCI/L	U
PUREX	POTASSIUM-40	GAMMA SCAN	100.00	PCI/L	U
PUREX	POTASSIUM-40	GAMMA SCAN	100.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PRONAMIDE	SW-846 8270	10.00	UG/L	U
222S LAB	PRONAMIDE	SW-846 8270	10.00	UG/L	U
B PLANT	PRONAMIDE	SW-846 8270	10.00	UG/L	U
B PLANT	PRONAMIDE	SW-846 8270	10.00	UG/L	U
B PLANT	PRONAMIDE	SW-846 8270	10.00	UG/L	U
B PLANT	PRONAMIDE	SW-846 8270	10.00	UG/L	U
PFP	PRONAMIDE	SW-846 8270	10.00	UG/L	U
PFP	PRONAMIDE	SW-846 8270	10.00	UG/L	U
PFP	PRONAMIDE	SW-846 8270	10.00	UG/L	U
PUREX	PRONAMIDE	SW-846 8270	10.00	UG/L	U
PUREX	PRONAMIDE	SW-846 8270	10.00	UG/L	U
PUREX	PRONAMIDE	SW-846 8270	10.00	UG/L	U
PUREX	PRONAMIDE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
222S LAB	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
B PLANT	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
B PLANT	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
B PLANT	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
B PLANT	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
PFP	PROPIONITRILE	SW-846 8240	100.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 66

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
PFP	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
PUREX	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
PUREX	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
PUREX	PROPIONITRILE	SW-846 8240	100.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
222S LAB	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
B PLANT	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
B PLANT	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
B PLANT	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
B PLANT	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
PFP	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
PFP	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
PFP	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
PUREX	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
PUREX	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
PUREX	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PYRENE	SW-846 8270	10.00	UG/L	U
222S LAB	PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	PYRENE	SW-846 8270	10.00	UG/L	U
B PLANT	PYRENE	SW-846 8270	10.00	UG/L	U
PFP	PYRENE	SW-846 8270	10.00	UG/L	U
PFP	PYRENE	SW-846 8270	10.00	UG/L	U
PFP	PYRENE	SW-846 8270	10.00	UG/L	U
PFP	PYRENE	SW-846 8270	10.00	UG/L	U
PFP	PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	PYRENE	SW-846 8270	10.00	UG/L	U
PUREX	PYRENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	PYRIDINE	SW-846 8270	10.00	UG/L	U
222S LAB	PYRIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	PYRIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	PYRIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	PYRIDINE	SW-846 8270	10.00	UG/L	U
B PLANT	PYRIDINE	SW-846 8270	10.00	UG/L	U
PFP	PYRIDINE	SW-846 8270	10.00	UG/L	U
PFP	PYRIDINE	SW-846 8270	10.00	UG/L	U
PFP	PYRIDINE	SW-846 8270	10.00	UG/L	U
PUREX	PYRIDINE	SW-846 8270	10.00	UG/L	U
PUREX	PYRIDINE	SW-846 8270	10.00	UG/L	U
PUREX	PYRIDINE	SW-846 8270	10.00	UG/L	U
PUREX	PYRIDINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	RADIUM-226	GAMMA SCAN	20.00	PCI/L	U
222S LAB	RADIUM-226	RC-30	20.00	PCI/L	U
B PLANT	RADIUM-226	GAMMA SCAN	20.00	PCI/L	U
B PLANT	RADIUM-226	GAMMA SCAN	20.00	PCI/L	U
B PLANT	RADIUM-226	GAMMA SCAN	20.00	PCI/L	U
B PLANT	RADIUM-226	GAMMA SCAN	30.00	PCI/L	U
PFP	RADIUM-226	GAMMA SCAN	30.00	PCI/L	U
PFP	RADIUM-226	RC-30	30.00	PCI/L	U

SUPPORTING DATA: POTABLE WATER

Page 67

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	RADIUM-226	GAMMA SCAN	20.00	PCI/L	U
PUREX	RADIUM-226	GAMMA SCAN	20.00	PCI/L	U
PUREX	RADIUM-226	GAMMA SCAN	20.00	PCI/L	U
PUREX	RADIUM-226	GAMMA SCAN	30.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	RADIUM-228	RC-30	50.00	PCI/L	U
B PLANT	RADIUM-228	GAMMA SCAN	50.00	PCI/L	U
B PLANT	RADIUM-228	GAMMA SCAN	60.00	PCI/L	U
PFP	RADIUM-228	RC-30	50.00	PCI/L	U
PUREX	RADIUM-228	GAMMA SCAN	40.00	PCI/L	U
PUREX	RADIUM-228	GAMMA SCAN	40.00	PCI/L	U
PUREX	RADIUM-228	GAMMA SCAN	40.00	PCI/L	U
PUREX	RADIUM-228	GAMMA SCAN	50.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	RONNEL	SW-846 8140	0.20	UG/L	U
PFP	RONNEL	SW-846 8140	0.40	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	RUTHENIUM-103	GAMMA SCAN	10.00	PCI/L	U
222S LAB	RUTHENIUM-103	RC-30	20.00	PCI/L	U
B PLANT	RUTHENIUM-103	GAMMA SCAN	10.00	PCI/L	U
B PLANT	RUTHENIUM-103	GAMMA SCAN	10.00	PCI/L	U
B PLANT	RUTHENIUM-103	GAMMA SCAN	20.00	PCI/L	U
B PLANT	RUTHENIUM-103	GAMMA SCAN	20.00	PCI/L	U
PFP	RUTHENIUM-103	GAMMA SCAN	10.00	PCI/L	U
PFP	RUTHENIUM-103	RC-30	20.00	PCI/L	U
PUREX	RUTHENIUM-103	GAMMA SCAN	10.00	PCI/L	U
PUREX	RUTHENIUM-103	GAMMA SCAN	10.00	PCI/L	U
PUREX	RUTHENIUM-103	GAMMA SCAN	10.00	PCI/L	U
PUREX	RUTHENIUM-103	GAMMA SCAN	20.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	RUTHENIUM-106	GAMMA SCAN	90.00	PCI/L	U
222S LAB	RUTHENIUM-106	RC-30	100.00	PCI/L	U
B PLANT	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U
B PLANT	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U
B PLANT	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U
B PLANT	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U
PFP	RUTHENIUM-106	GAMMA SCAN	90.00	PCI/L	U
PFP	RUTHENIUM-106	RC-30	100.00	PCI/L	U
PUREX	RUTHENIUM-106	GAMMA SCAN	80.00	PCI/L	U
PUREX	RUTHENIUM-106	GAMMA SCAN	90.00	PCI/L	U
PUREX	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U
PUREX	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	SAFROLE	SW-846 8270	10.00	UG/L	U
222S LAB	SAFROLE	SW-846 8270	10.00	UG/L	U
B PLANT	SAFROLE	SW-846 8270	10.00	UG/L	U
B PLANT	SAFROLE	SW-846 8270	10.00	UG/L	U
B PLANT	SAFROLE	SW-846 8270	10.00	UG/L	U
B PLANT	SAFROLE	SW-846 8270	10.00	UG/L	U
PFP	SAFROLE	SW-846 8270	10.00	UG/L	U
PFP	SAFROLE	SW-846 8270	10.00	UG/L	U
PFP	SAFROLE	SW-846 8270	10.00	UG/L	U
PUREX	SAFROLE	SW-846 8270	10.00	UG/L	U
PUREX	SAFROLE	SW-846 8270	10.00	UG/L	U
PUREX	SAFROLE	SW-846 8270	10.00	UG/L	U
PUREX	SAFROLE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 68

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	SELENIUM	SW-846 7740	2.40	UG/L	S
222S LAB	SELENIUM	SW-846 7740	3.70	UG/L	
B PLANT	SELENIUM	SW-846 7740	1.40	UG/L	WN
B PLANT	SELENIUM	SW-846 7740	2.30	UG/L	
B PLANT	SELENIUM	SW-846 7740	2.70	UG/L	SN
B PLANT	SELENIUM	SW-846 7740	2.90	UG/L	W
PFP	SELENIUM	SW-846 6010	0.00	UG/L	
PFP	SELENIUM	SW-846 6010	0.00	UG/L	
PFP	SELENIUM	SW-846 7740	2.40	UG/L	N
PFP	SELENIUM	SW-846 7740	2.70	UG/L	
PFP	SELENIUM	SW-846 7740	3.30	UG/L	MWN
PUREX	SELENIUM	SW-846 7740	1.40	UG/L	WN
PUREX	SELENIUM	SW-846 7740	2.30	UG/L	
PUREX	SELENIUM	SW-846 7740	2.70	UG/L	WN
PUREX	SELENIUM	SW-846 7740	3.10	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	SILVER	SW-846 6010	2.60	UG/L	
222S LAB	SILVER	SW-846 6010	3.40	UG/L	
B PLANT	SILVER	SW-846 6010	3.30	UG/L	
B PLANT	SILVER	SW-846 6010	3.40	UG/L	
B PLANT	SILVER	SW-846 6010	3.60	UG/L	N
B PLANT	SILVER	SW-846 6010	4.10	UG/L	
PFP	SILVER	SW-846 6010	3.30	UG/L	
PFP	SILVER	SW-846 6010	4.10	UG/L	
PFP	SILVER	SW-846 6010	5.00	UG/L	
PFP	SILVER	SW-846 6010	7.00	UG/L	
PFP	SILVER	SW-846 6010	10.00	UG/L	
PUREX	SILVER	SW-846 6010	2.10	UG/L	
PUREX	SILVER	SW-846 6010	2.60	UG/L	
PUREX	SILVER	SW-846 6010	3.40	UG/L	
PUREX	SILVER	SW-846 6010	3.60	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	SODIUM	SW-846 6010	1,860.00	UG/L	
PFP	SODIUM	SW-846 6010	2,580.00	UG/L	
PUREX	SODIUM	SW-846 6010	2,640.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	SODIUM-22	RC-30	10.00	PCI/L	U
B PLANT	SODIUM-22	GAMMA SCAN	10.00	PCI/L	U
B PLANT	SODIUM-22	GAMMA SCAN	10.00	PCI/L	U
PUREX	SODIUM-22	GAMMA SCAN	9.00	PCI/L	U
PUREX	SODIUM-22	GAMMA SCAN	10.00	PCI/L	U
PUREX	SODIUM-22	GAMMA SCAN	10.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	STIOPHOS (TETRACHLORVINPHOS)	SW-846 8140	0.50	UG/L	U
PFP	STIOPHOS (TETRACHLORVINPHOS)	SW-846 8140	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	STRONTIUM 89	SR-89/90	0.40	PCI/L	UX
222S LAB	STRONTIUM 89	SR-89/90	0.50	PCI/L	U
B PLANT	STRONTIUM 89	SR-89/90	0.05	PCI/L	U
B PLANT	STRONTIUM 89	SR-89/90	0.20	PCI/L	
B PLANT	STRONTIUM 89	SR-89/90	0.50	PCI/L	U
B PLANT	STRONTIUM 89	SR-89/90	1.00	PCI/L	UX
PUREX	STRONTIUM 89	SR-89/90	0.20	PCI/L	U
PUREX	STRONTIUM 89	SR-89/90	0.30	PCI/L	U
PUREX	STRONTIUM 89	SR-89/90	0.30	PCI/L	U

SUPPORTING DATA: POTABLE WATER

Page 69

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	STRONTIUM 89	SR-89/90	0.40	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	STRONTIUM-90	SR-89/90	0.60	PCI/L	U
222S LAB	STRONTIUM-90	SR-89/90	1.00	PCI/L	U
B PLANT	STRONTIUM-90	SR-89/90	0.60	PCI/L	U
B PLANT	STRONTIUM-90	SR-89/90	1.00	PCI/L	U
B PLANT	STRONTIUM-90	SR-89/90	1.00	PCI/L	U
B PLANT	STRONTIUM-90	SR-89/90	2.00	PCI/L	U
PFP	STRONTIUM-90	SR-89/90	0.70	PCI/L	U
PFP	STRONTIUM-90	STRONTIUM-90	0.70	PCI/L	U
PFP	STRONTIUM-90	STRONTIUM-90	0.74	PCI/L	U
PFP	STRONTIUM-90	STRONTIUM-90	0.80	PCI/L	U
PFP	STRONTIUM-90	STRONTIUM-90	1.00	PCI/L	U
PUREX	STRONTIUM-90	SR-89/90	0.80	PCI/L	U
PUREX	STRONTIUM-90	SR-89/90	1.00	PCI/L	U
PUREX	STRONTIUM-90	SR-89/90	1.00	PCI/L	U
PUREX	STRONTIUM-90	SR-89/90	1.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	STYRENE	SW-846 8240	5.00	UG/L	U
222S LAB	STYRENE	SW-846 8240	5.00	UG/L	U
B PLANT	STYRENE	SW-846 8240	5.00	UG/L	U
B PLANT	STYRENE	SW-846 8240	5.00	UG/L	U
B PLANT	STYRENE	SW-846 8240	5.00	UG/L	U
B PLANT	STYRENE	SW-846 8240	5.00	UG/L	U
PFP	STYRENE	SW-846 8240	5.00	UG/L	U
PFP	STYRENE	SW-846 8240	5.00	UG/L	U
PFP	STYRENE	SW-846 8240	5.00	UG/L	U
PFP	STYRENE	SW-846 8240	5.00	UG/L	U
PFP	STYRENE	SW-846 8240	10.00	UG/L	U
PUREX	STYRENE	SW-846 8240	5.00	UG/L	U
PUREX	STYRENE	SW-846 8240	5.00	UG/L	U
PUREX	STYRENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	SULFATE	EPA-600 300.0	18.00	MG/L	
222S LAB	SULFATE	EPA-600 300.0	22.00	MG/L	
B PLANT	SULFATE	EPA-600 375.4	14.00	MG/L	
B PLANT	SULFATE	EPA-600 375.4	16.00	MG/L	
B PLANT	SULFATE	EPA-600 375.4	18.00	MG/L	
B PLANT	SULFATE	EPA-600 375.4	20.00	MG/L	
PFP	SULFATE	EPA-600 300.0	12.50	MG/L	
PFP	SULFATE	EPA-600 300.0	13.80	MG/L	
PFP	SULFATE	EPA-600 300.0	17.00	MG/L	
PFP	SULFATE	EPA-600 300.0	18.00	MG/L	
PFP	SULFATE	EPA-600 300.0	24.00	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	SULFIDE	SW-846 9030	1.00	MG/L	U
222S LAB	SULFIDE	SW-846 9030	1.00	MG/L	U
B PLANT	SULFIDE	SW-846 9030	1.00	MG/L	U
B PLANT	SULFIDE	SW-846 9030	1.00	MG/L	U
B PLANT	SULFIDE	SW-846 9030	1.00	MG/L	U
B PLANT	SULFIDE	SW-846 9030	1.00	MG/L	U
PFP	SULFIDE	SW-846 9030	0.10	MG/L	U
PFP	SULFIDE	SW-846 9030	0.10	MG/L	U
PFP	SULFIDE	SW-846 9030	1.00	MG/L	U
PFP	SULFIDE	SW-846 9030	1.00	MG/L	U
PFP	SULFIDE	SW-846 9030	1.00	MG/L	U
PUREX	SULFIDE	SW-846 9030	1.00	MG/L	U

SUPPORTING DATA: POTABLE WATER

Page 70

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	SULFIDE	SW-846 9030	1.00	MG/L	U
PUREX	SULFIDE	SW-846 9030	1.00	MG/L	U
PUREX	SULFIDE	SW-846 9030	1.00	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	SULFOTEP	SW-846 8140	0.50	UG/L	U
222S LAB	SULFOTEP	SW-846 8140	0.50	UG/L	U
B PLANT	SULFOTEP	SW-846 8140	0.50	UG/L	U
B PLANT	SULFOTEP	SW-846 8140	0.50	UG/L	U
B PLANT	SULFOTEP	SW-846 8140	0.50	UG/L	U
B PLANT	SULFOTEP	SW-846 8140	0.50	UG/L	U
PFP	SULFOTEP	SW-846 8140	0.20	UG/L	U
PFP	SULFOTEP	SW-846 8140	0.40	UG/L	U
PFP	SULFOTEP	SW-846 8140	0.50	UG/L	U
PFP	SULFOTEP	SW-846 8140	0.50	UG/L	U
PFP	SULFOTEP	SW-846 8140	0.50	UG/L	U
PUREX	SULFOTEP	SW-846 8140	0.50	UG/L	U
PUREX	SULFOTEP	SW-846 8140	0.50	UG/L	U
PUREX	SULFOTEP	SW-846 8140	0.50	UG/L	U
PUREX	SULFOTEP	SW-846 8140	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
222S LAB	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
PFP	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
PFP	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
PFP	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
PFP	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
PFP	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
PFP	TETRACHLOROETHENE	SW-846 8240	10.00	UG/L	U
PUREX	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	TETRAETHYLDITHIOPYROPHOSPHATE	SW-846 8140	0.20	UG/L	U
PFP	TETRAETHYLDITHIOPYROPHOSPHATE	SW-846 8140	0.40	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	THALLIUM	SW-846 7841	3.00	UG/L	WN
222S LAB	THALLIUM	SW-846 7841	4.90	UG/L	WN
B PLANT	THALLIUM	SW-846 7841	1.10	UG/L	
B PLANT	THALLIUM	SW-846 7841	1.10	UG/L	WN
B PLANT	THALLIUM	SW-846 7841	1.50	UG/L	W
B PLANT	THALLIUM	SW-846 7841	2.70	UG/L	
PFP	THALLIUM	SW-846 6010	0.00	UG/L	
PFP	THALLIUM	SW-846 6010	0.00	UG/L	
PFP	THALLIUM	SW-846 7841	1.40	UG/L	WN
PFP	THALLIUM	SW-846 7841	2.70	UG/L	W
PFP	THALLIUM	SW-846 7841	3.00	UG/L	WN
PUREX	THALLIUM	SW-846 6010	1.50	UG/L	
PUREX	THALLIUM	SW-846 7841	1.10	UG/L	
PUREX	THALLIUM	SW-846 7841	3.80	UG/L	W

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	THIONAZIN	SW-846 8140	0.20	UG/L	U
PFP	THIONAZIN	SW-846 8140	0.40	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 71

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	THORIUM-228	GAMMA SCAN	22.00	PCI/L	
222S LAB	THORIUM-228	RC-30	22.00	PCI/L	
B PLANT	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
B PLANT	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
B PLANT	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
B PLANT	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
PFP	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
PFP	THORIUM-228	RC-30	20.00	PCI/L	U
PUREX	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
PUREX	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
PUREX	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
PUREX	THORIUM-228	GAMMA SCAN	30.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	THORIUM-232	GAMMA SCAN	40.00	PCI/L	U
222S LAB	THORIUM-232	RC-30	50.00	PCI/L	U
B PLANT	THORIUM-232	GAMMA SCAN	50.00	PCI/L	U
B PLANT	THORIUM-232	GAMMA SCAN	50.00	PCI/L	U
B PLANT	THORIUM-232	GAMMA SCAN	60.00	PCI/L	U
B PLANT	THORIUM-232	GAMMA SCAN	60.00	PCI/L	U
PFP	THORIUM-232	GAMMA SCAN	40.00	PCI/L	U
PFP	THORIUM-232	RC-30	50.00	PCI/L	U
PUREX	THORIUM-232	GAMMA SCAN	40.00	PCI/L	U
PUREX	THORIUM-232	GAMMA SCAN	40.00	PCI/L	U
PUREX	THORIUM-232	GAMMA SCAN	40.00	PCI/L	U
PUREX	THORIUM-232	GAMMA SCAN	50.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	TIN	SW-846 7870	13.00	UG/L	
222S LAB	TIN	SW-846 7870	617.00	UG/L	
B PLANT	TIN	SW-846 7870	6.70	UG/L	
B PLANT	TIN	SW-846 7870	617.00	UG/L	
B PLANT	TIN	SW-846 7870	617.00	UG/L	
B PLANT	TIN	SW-846 7870	900.00	UG/L	
PFP	TIN	SW-846 7870	6.70	UG/L	
PFP	TIN	SW-846 7870	617.00	UG/L	
PFP	TIN	SW-846 7870	701.00	UG/L	
PUREX	TIN	SW-846 6010	8.30	UG/L	
PUREX	TIN	SW-846 6010	12.60	UG/L	
PUREX	TIN	SW-846 7870	617.00	UG/L	
PUREX	TIN	SW-846 7870	1,500.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	TIN 113	GAMMA SCAN	10.00	PCI/L	U
222S LAB	TIN 113	RC-30	10.00	PCI/L	U
B PLANT	TIN 113	GAMMA SCAN	10.00	PCI/L	U
B PLANT	TIN 113	GAMMA SCAN	10.00	PCI/L	U
B PLANT	TIN 113	GAMMA SCAN	10.00	PCI/L	U
B PLANT	TIN 113	GAMMA SCAN	20.00	PCI/L	U
PFP	TIN 113	GAMMA SCAN	10.00	PCI/L	U
PFP	TIN 113	RC-30	10.00	PCI/L	U
PUREX	TIN 113	GAMMA SCAN	10.00	PCI/L	U
PUREX	TIN 113	GAMMA SCAN	10.00	PCI/L	U
PUREX	TIN 113	GAMMA SCAN	10.00	PCI/L	U
PUREX	TIN 113	GAMMA SCAN	20.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	TOKUTHION (PROTOTHIOFOS)	SW-846 8140	0.20	UG/L	U
PFP	TOKUTHION (PROTOTHIOFOS)	SW-846 8140	0.40	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 72

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	TOLUENE	SW-846 8240	5.00	UG/L	U
222S LAB	TOLUENE	SW-846 8240	5.00	UG/L	U
B PLANT	TOLUENE	SW-846 8240	5.00	UG/L	U
B PLANT	TOLUENE	SW-846 8240	5.00	UG/L	U
B PLANT	TOLUENE	SW-846 8240	5.00	UG/L	U
B PLANT	TOLUENE	SW-846 8240	5.00	UG/L	U
PFP	TOLUENE	SW-846 8240	1.00	UG/L	J
PFP	TOLUENE	SW-846 8240	5.00	UG/L	U
PFP	TOLUENE	SW-846 8240	5.00	UG/L	U
PFP	TOLUENE	SW-846 8240	5.00	UG/L	U
PFP	TOLUENE	SW-846 8240	5.00	UG/L	U
PUREX	TOLUENE	SW-846 8240	5.00	UG/L	U
PUREX	TOLUENE	SW-846 8240	5.00	UG/L	U
PUREX	TOLUENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	78.00	MG/L	
222S LAB	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	84.00	MG/L	
B PLANT	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	75.00	MG/L	
B PLANT	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	82.00	MG/L	
B PLANT	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	101.00	MG/L	
B PLANT	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	135.00	MG/L	
PFP	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	72.00	MG/L	
PFP	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	77.00	MG/L	
PFP	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	84.00	MG/L	
PFP	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	87.00	MG/L	
PFP	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	92.00	MG/L	
PUREX	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	81.00	MG/L	
PUREX	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	86.00	MG/L	
PUREX	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	98.00	MG/L	
PUREX	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	114.00	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	TOTAL ORGANIC CARBON	SW-846 9060	1.40	MG/L	
222S LAB	TOTAL ORGANIC CARBON	SW-846 9060	1.40	MG/L	
B PLANT	TOTAL ORGANIC CARBON	SW-846 9060	0.91	MG/L	
B PLANT	TOTAL ORGANIC CARBON	SW-846 9060	1.20	MG/L	
B PLANT	TOTAL ORGANIC CARBON	SW-846 9060	1.40	MG/L	
B PLANT	TOTAL ORGANIC CARBON	SW-846 9060	1.70	MG/L	
PUREX	TOTAL ORGANIC CARBON	SW-846 9060	1.00	MG/L	U
PUREX	TOTAL ORGANIC CARBON	SW-846 9060	1.00	MG/L	U
PUREX	TOTAL ORGANIC CARBON	SW-846 9060	1.30	MG/L	
PUREX	TOTAL ORGANIC CARBON	SW-846 9060	1.60	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	TOTAL ORGANIC HALIDES	SW-846 9020T	122.00	UG/L	
PUREX	TOTAL ORGANIC HALIDES	SW-846 9020T	191.00	UG/L	
PUREX	TOTAL ORGANIC HALIDES	SW-846 9020T	261.00	UG/L	
PUREX	TOTAL ORGANIC HALIDES	SW-846 9020T	262.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	TOTAL RADIUM	RADIUM TOTAL	0.30	PCI/L	U
PUREX	TOTAL RADIUM	RADIUM TOTAL	0.40	PCI/L	U
PUREX	TOTAL RADIUM	RADIUM TOTAL	0.40	PCI/L	U
PUREX	TOTAL RADIUM	RADIUM TOTAL	0.40	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	5.00	MG/L	U
B PLANT	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	5.00	MG/L	U
B PLANT	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	5.00	MG/L	U
B PLANT	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	5.00	MG/L	U

SUPPORTING DATA: POTABLE WATER

Page 73

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	TOTAL URANIUM	TOTAL URANIUM	0.09	UG/L	U
222S LAB	TOTAL URANIUM	TOTAL URANIUM	0.60	UG/L	X
B PLANT	TOTAL URANIUM	TOTAL URANIUM	0.09	UG/L	U
B PLANT	TOTAL URANIUM	TOTAL URANIUM	0.14	UG/L	
B PLANT	TOTAL URANIUM	TOTAL URANIUM	0.18	UG/L	
B PLANT	TOTAL URANIUM	TOTAL URANIUM	0.47	UG/L	
PUREX	TOTAL URANIUM	TOTAL URANIUM	0.05	UG/L	U
PUREX	TOTAL URANIUM	TOTAL URANIUM	0.05	UG/L	U
PUREX	TOTAL URANIUM	TOTAL URANIUM	0.07	UG/L	JX
PUREX	TOTAL URANIUM	TOTAL URANIUM	0.07	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	TOXAPHENE	SW-846 8080	5.00	UG/L	U
222S LAB	TOXAPHENE	SW-846 8080	5.00	UG/L	U
B PLANT	TOXAPHENE	SW-846 8080	5.00	UG/L	U
B PLANT	TOXAPHENE	SW-846 8080	5.00	UG/L	U
B PLANT	TOXAPHENE	SW-846 8080	5.00	UG/L	U
B PLANT	TOXAPHENE	SW-846 8080	5.00	UG/L	U
PFP	TOXAPHENE	SW-846 8080	5.00	UG/L	U
PFP	TOXAPHENE	SW-846 8080	5.00	UG/L	U
PFP	TOXAPHENE	SW-846 8080	5.00	UG/L	U
PFP	TOXAPHENE	SW-846 8080	5.00	UG/L	U
PFP	TOXAPHENE	SW-846 8080	5.00	UG/L	U
PUREX	TOXAPHENE	SW-846 8080	5.00	UG/L	U
PUREX	TOXAPHENE	SW-846 8080	5.00	UG/L	U
PUREX	TOXAPHENE	SW-846 8080	5.00	UG/L	U
PUREX	TOXAPHENE	SW-846 8080	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
222S LAB	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PFP	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PFP	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PFP	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
222S LAB	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PFP	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PFP	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PFP	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PFP	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PFP	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	10.00	UG/L	U
PUREX	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PUREX	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
PUREX	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
222S LAB	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 74

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
B PLANT	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
B PLANT	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
B PLANT	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
PFP	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
PFP	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
PFP	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
PUREX	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
PUREX	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
PUREX	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
222S LAB	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
B PLANT	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PFP	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PFP	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PFP	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PFP	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PFP	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PFP	TRICHLOROETHENE	SW-846 8240	10.00	UG/L	U
PUREX	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
PUREX	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
222S LAB	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
B PLANT	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PFP	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PFP	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PFP	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
PUREX	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	TRICHLORONATE	SW-846 8140	0.20	UG/L	U
PFP	TRICHLORONATE	SW-846 8140	0.40	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PUREX	TRITIUM	TRITIUM	200.00	PCI/L	U
PUREX	TRITIUM	TRITIUM	300.00	PCI/L	U
PUREX	TRITIUM	TRITIUM	300.00	PCI/L	U
PUREX	TRITIUM	TRITIUM	300.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	URANIUM-233/234	ISOTOPIC URANIUM	0.03	PCI/L	J
B PLANT	URANIUM-233/234	ISOTOPIC URANIUM	0.10	PCI/L	U
B PLANT	URANIUM-233/234	ISOTOPIC URANIUM	0.20	PCI/L	U
B PLANT	URANIUM-233/234	ISOTOPIC URANIUM	0.28	PCI/L	U
PUREX	URANIUM-233/234	ISOTOPIC URANIUM	0.10	PCI/L	U
PUREX	URANIUM-233/234	URANIUM ISOTOPES	0.10	PCI/L	U
PUREX	URANIUM-233/234	URANIUM ISOTOPES	0.10	PCI/L	U
PUREX	URANIUM-233/234	URANIUM ISOTOPES	0.20	PCI/L	U

SUPPORTING DATA: POTABLE WATER

Page 75

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	URANIUM-235	ISOTOPIC URANIUM	0.02	PCI/L	U
B PLANT	URANIUM-235	ISOTOPIC URANIUM	0.10	PCI/L	U
B PLANT	URANIUM-235	ISOTOPIC URANIUM	0.20	PCI/L	U
B PLANT	URANIUM-235	ISOTOPIC URANIUM	0.20	PCI/L	U
PUREX	URANIUM-235	ISOTOPIC URANIUM	0.10	PCI/L	U
PUREX	URANIUM-235	URANIUM ISOTOPES	0.10	PCI/L	U
PUREX	URANIUM-235	URANIUM ISOTOPES	0.10	PCI/L	U
PUREX	URANIUM-235	URANIUM ISOTOPES	0.20	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
B PLANT	URANIUM-238	ISOTOPIC URANIUM	0.04	PCI/L	J
B PLANT	URANIUM-238	ISOTOPIC URANIUM	0.09	PCI/L	U
B PLANT	URANIUM-238	ISOTOPIC URANIUM	0.10	PCI/L	U
B PLANT	URANIUM-238	ISOTOPIC URANIUM	0.10	PCI/L	U
PUREX	URANIUM-238	ISOTOPIC URANIUM	0.10	PCI/L	U
PUREX	URANIUM-238	URANIUM ISOTOPES	0.09	PCI/L	U
PUREX	URANIUM-238	URANIUM ISOTOPES	0.09	PCI/L	U
PUREX	URANIUM-238	URANIUM ISOTOPES	0.10	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	VANADIUM	SW-846 6010	2.30	UG/L	
222S LAB	VANADIUM	SW-846 6010	7.50	UG/L	
B PLANT	VANADIUM	SW-846 6010	2.10	UG/L	
B PLANT	VANADIUM	SW-846 6010	2.20	UG/L	
B PLANT	VANADIUM	SW-846 6010	2.30	UG/L	
B PLANT	VANADIUM	SW-846 6010	2.50	UG/L	
PFP	VANADIUM	SW-846 6010	2.10	UG/L	
PFP	VANADIUM	SW-846 6010	2.60	UG/L	
PFP	VANADIUM	SW-846 6010	2.60	UG/L	
PFP	VANADIUM	SW-846 6010	7.00	UG/L	
PFP	VANADIUM	SW-846 6010	8.00	UG/L	
PUREX	VANADIUM	SW-846 6010	2.20	UG/L	
PUREX	VANADIUM	SW-846 6010	2.30	UG/L	
PUREX	VANADIUM	SW-846 6010	2.40	UG/L	
PUREX	VANADIUM	SW-846 6010	5.50	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
222S LAB	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
B PLANT	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
B PLANT	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
B PLANT	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
B PLANT	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
PFP	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
PFP	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
PFP	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
PFP	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
PUREX	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
PUREX	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
PUREX	VINYL ACETATE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
222S LAB	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
B PLANT	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
B PLANT	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
B PLANT	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
B PLANT	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PFP	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PFP	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PFP	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U

SUPPORTING DATA: POTABLE WATER

Page 76

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
PFP	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PFP	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PUREX	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PUREX	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
PUREX	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
222S LAB	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
B PLANT	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
B PLANT	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
B PLANT	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
B PLANT	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
B PLANT	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
PFP	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
PFP	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
PFP	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
PFP	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
PFP	XYLENE (TOTAL)	SW-846 8240	10.00	UG/L	U
PUREX	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
PUREX	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
PUREX	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ZINC	SW-846 6010	164.00	UG/L	
222S LAB	ZINC	SW-846 6010	255.00	UG/L	
B PLANT	ZINC	SW-846 6010	4.10	UG/L	
B PLANT	ZINC	SW-846 6010	4.70	UG/L	
B PLANT	ZINC	SW-846 6010	4.80	UG/L	
B PLANT	ZINC	SW-846 6010	7.10	UG/L	
PFP	ZINC	SW-846 6010	4.20	UG/L	
PFP	ZINC	SW-846 6010	7.00	UG/L	
PFP	ZINC	SW-846 6010	7.50	UG/L	
PFP	ZINC	SW-846 6010	13.70	UG/L	
PFP	ZINC	SW-846 6010	25.50	UG/L	
PUREX	ZINC	SW-846 6010	32.50	UG/L	
PUREX	ZINC	SW-846 6010	33.00	UG/L	
PUREX	ZINC	SW-846 6010	64.40	UG/L	
PUREX	ZINC	SW-846 6010	81.50	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
222S LAB	ZINC-65	GAMMA SCAN	20.00	PCI/L	U
B PLANT	ZINC-65	GAMMA SCAN	20.00	PCI/L	U
B PLANT	ZINC-65	GAMMA SCAN	20.00	PCI/L	U
PFP	ZINC-65	GAMMA SCAN	20.00	PCI/L	U

ATTACHMENT 3

This page intentionally left blank.

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 1

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,1,1-TRICHLOROETHANE	SW-846 8240	10.00	UG/L	U
400 AREA	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
400 AREA	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
400 AREA	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	10.00	UG/L	U
400 AREA	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
400 AREA	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
400 AREA	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,1,2-TRICHLOROETHANE	SW-846 8240	10.00	UG/L	U
400 AREA	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
400 AREA	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
400 AREA	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,1-DICHLOROETHANE	SW-846 8240	10.00	UG/L	U
400 AREA	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
400 AREA	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
400 AREA	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,1-DICHLOROETHENE	SW-846 8240	10.00	UG/L	U
400 AREA	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
400 AREA	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
400 AREA	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
400 AREA	1,2,3-TRICHLOROPROPANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,2,4,5-TETRACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	1,2,4,5-TETRACHLOROBENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,2- DICHLOROETHENE (TOTAL)	SW-846 8240	10.00	UG/L	U
400 AREA	1,2- DICHLOROETHENE (TOTAL)	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U
400 AREA	1,2-DIBROMO-3-CHLOROPROPANE	SW-846 8240	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
400 AREA	1,2-DIBROMOETHANE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 2

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,2-DICHLOROETHANE	SW-846 8240	10.00	UG/L	U
400 AREA	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
400 AREA	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
400 AREA	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,2-DICHLOROPROPANE	SW-846 8240	10.00	UG/L	U
400 AREA	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
400 AREA	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
400 AREA	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U
400 AREA	1,3,5-TRINITROBENZENE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U
400 AREA	1,3-DINITROBENZENE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U
400 AREA	1,4-DIOXANE	SW-846 8240	200.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U
400 AREA	1,4-NAPHTHOQUINONE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
400 AREA	1-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
400 AREA	2,3,4,6-TETRACHLOROPHENOL	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4,5-T	SW-846 8150	0.50	UG/L	U
400 AREA	2,4,5-T	SW-846 8150	0.50	UG/L	U
400 AREA	2,4,5-T	SW-846 8150	0.20	UG/L	U
400 AREA	2,4,5-T	SW-846 8150	0.20	UG/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 3

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4,5-TP (SILVEX)	SW-846 8150	0.50	UG/L	U
400 AREA	2,4,5-TP (SILVEX)	SW-846 8150	0.50	UG/L	U
400 AREA	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U
400 AREA	2,4,5-TP (SILVEX)	SW-846 8150	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4,5-TRICHLOROPHENOL	SW-846 8270	26.00	UG/L	U
400 AREA	2,4,5-TRICHLOROPHENOL	SW-846 8270	50.00	UG/L	U
400 AREA	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2,4,5-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4-D	SW-846 8150	1.00	UG/L	U
400 AREA	2,4-D	SW-846 8150	1.00	UG/L	U
400 AREA	2,4-D	SW-846 8150	2.00	UG/L	U
400 AREA	2,4-D	SW-846 8150	2.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4-DB	SW-846 8150	0.00	UG/L	
400 AREA	2,4-DB	SW-846 8150	2.00	UG/L	U
400 AREA	2,4-DB	SW-846 8150	2.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4-DINITROPHENOL	SW-846 8270	26.00	UG/L	U
400 AREA	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
400 AREA	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
400 AREA	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
400 AREA	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
400 AREA	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
400 AREA	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2,6-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 4

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
400 AREA	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
400 AREA	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
400 AREA	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-ACETYLAMINOFLUORENE	SW-846 8270	20.00	UG/L	U
400 AREA	2-ACETYLAMINOFLUORENE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-BUTANONE	SW-846 8240	10.00	UG/L	U
400 AREA	2-BUTANONE	SW-846 8240	10.00	UG/L	U
400 AREA	2-BUTANONE	SW-846 8240	10.00	UG/L	U
400 AREA	2-BUTANONE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
400 AREA	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
400 AREA	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U
400 AREA	2-CHLORONAPHTHALENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-HEXANONE	SW-846 8240	10.00	UG/L	U
400 AREA	2-HEXANONE	SW-846 8240	10.00	UG/L	U
400 AREA	2-HEXANONE	SW-846 8240	10.00	UG/L	U
400 AREA	2-HEXANONE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-METHYLNAPHTHALENE	SW-846 8270	10.00	UG/L	U
400 AREA	2-METHYLNAPHTHALENE	SW-846 8270	10.00	UG/L	U
400 AREA	2-METHYLNAPHTHALENE	SW-846 8270	10.00	UG/L	U
400 AREA	2-METHYLNAPHTHALENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U
400 AREA	2-NAPHTHYLAMINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-NITROANILINE	SW-846 8270	25.00	UG/L	U
400 AREA	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
400 AREA	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
400 AREA	2-NITROANILINE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 5

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-PICOLINE	SW-846 8270	10.00	UG/L	U
400 AREA	2-PICOLINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	3-3-DICHLOROBENZIDINE	SW-846 8270	10.00	UG/L	U
400 AREA	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
400 AREA	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
400 AREA	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U
400 AREA	3-3-DIMETHYLBENZIDINE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U
400 AREA	3-METHYLCHOLANTHRENE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	3-NITROANILINE	SW-846 8270	26.00	UG/L	U
400 AREA	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
400 AREA	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
400 AREA	3-NITROANILINE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4,4'-DDD	SW-846 8080	0.10	UG/L	U
400 AREA	4,4'-DDD	SW-846 8080	0.10	UG/L	U
400 AREA	4,4'-DDD	SW-846 8080	0.10	UG/L	U
400 AREA	4,4'-DDD	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4,4'-DDE	SW-846 8080	0.10	UG/L	U
400 AREA	4,4'-DDE	SW-846 8080	0.10	UG/L	U
400 AREA	4,4'-DDE	SW-846 8080	0.10	UG/L	U
400 AREA	4,4'-DDE	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4,4'-DDT	SW-846 8080	0.10	UG/L	U
400 AREA	4,4'-DDT	SW-846 8080	0.10	UG/L	U
400 AREA	4,4'-DDT	SW-846 8080	0.10	UG/L	U
400 AREA	4,4'-DDT	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	26.00	UG/L	U
400 AREA	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
400 AREA	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U
400 AREA	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U
400 AREA	4-AMINOBIIPHENYL	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 6

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
400 AREA	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
400 AREA	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U
400 AREA	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U
400 AREA	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U
400 AREA	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U
400 AREA	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
400 AREA	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
400 AREA	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
400 AREA	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
400 AREA	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
400 AREA	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
400 AREA	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-NITROANILINE	SW-846 8270	26.00	UG/L	U
400 AREA	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
400 AREA	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
400 AREA	4-NITROANILINE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-NITROPHENOL	SW-846 8270	26.00	UG/L	U
400 AREA	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
400 AREA	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
400 AREA	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U
400 AREA	4-NITROQUINOLINE-1-OXIDE	SW-846 8270	100.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
400 AREA	5-NITRO-O-TOLUIDINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 7

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	7,12-DIMETHYLBENZ[A]ANTHRACENE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
400 AREA	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
400 AREA	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
400 AREA	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
400 AREA	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
400 AREA	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
400 AREA	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ACETONE	SW-846 8240	10.00	UG/L	U
400 AREA	ACETONE	SW-846 8240	10.00	UG/L	U
400 AREA	ACETONE	SW-846 8240	10.00	UG/L	U
400 AREA	ACETONE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ACETONITRILE	SW-846 8240	100.00	UG/L	U
400 AREA	ACETONITRILE	SW-846 8240	100.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ACETOPHENONE	SW-846 8270	10.00	UG/L	U
400 AREA	ACETOPHENONE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ACROLEIN	SW-846 8240	100.00	UG/L	U
400 AREA	ACROLEIN	SW-846 8240	100.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U
400 AREA	ACRYLONITRILE	SW-846 8240	200.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ALDRIN	SW-846 8080	0.05	UG/L	U
400 AREA	ALDRIN	SW-846 8080	0.05	UG/L	U
400 AREA	ALDRIN	SW-846 8080	0.05	UG/L	U
400 AREA	ALDRIN	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ALKALINITY	EPA-600 310.1	140.00	MG/L	
400 AREA	ALKALINITY	EPA-600 310.1	130.00	MG/L	
400 AREA	ALKALINITY	EPA-600 310.1	140.00	MG/L	
400 AREA	ALKALINITY	EPA-600 310.1	141.00	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U
400 AREA	ALLYL CHLORIDE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U
400 AREA	ALPHA,ALPHA-DIMETHYLPHENETHYLAMINE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 8

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
400 AREA	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
400 AREA	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
400 AREA	ALPHA-BHC	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
400 AREA	ALPHA-CHLORDANE	SW-846 8080	0.50	UG/L	U
400 AREA	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U
400 AREA	ALPHA-CHLORDANE	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ALUMINUM	SW-846 6010	49.00	UG/L	
400 AREA	ALUMINUM	SW-846 6010	64.00	UG/L	
400 AREA	ALUMINUM	SW-846 6010	22.80	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AMMONIA (AS N)	EPA-600 350.1	0.05	MG/L	U
400 AREA	AMMONIA (AS N)	EPA-600 350.3	0.10	MG/L	U
400 AREA	AMMONIA (AS N)	EPA-600 350.3	0.10	MG/L	U
400 AREA	AMMONIA (AS N)	EPA-600 350.3	0.05	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ANILINE	SW-846 8270	10.00	UG/L	U
400 AREA	ANILINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ANTHRACENE	SW-846 8270	10.00	UG/L	U
400 AREA	ANTHRACENE	SW-846 8270	10.00	UG/L	U
400 AREA	ANTHRACENE	SW-846 8270	10.00	UG/L	U
400 AREA	ANTHRACENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ANTIMONY	SW-846 6010	60.00	UG/L	
400 AREA	ANTIMONY	SW-846 6010	57.00	UG/L	
400 AREA	ANTIMONY	SW-846 6010	18.60	UG/L	
400 AREA	ANTIMONY	SW-846 6010	17.90	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ARAMITE	SW-846 8270	50.00	UG/L	U
400 AREA	ARAMITE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
400 AREA	AROCHLOR 1016	SW-846 8080	0.50	UG/L	U
400 AREA	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U
400 AREA	AROCHLOR 1016	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
400 AREA	AROCHLOR 1221	SW-846 8080	0.50	UG/L	U
400 AREA	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U
400 AREA	AROCHLOR 1221	SW-846 8080	2.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
400 AREA	AROCHLOR 1232	SW-846 8080	0.50	UG/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 9

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U
400 AREA	AROCHLOR 1232	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
400 AREA	AROCHLOR 1242	SW-846 8080	0.50	UG/L	U
400 AREA	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U
400 AREA	AROCHLOR 1242	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
400 AREA	AROCHLOR 1248	SW-846 8080	0.50	UG/L	U
400 AREA	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U
400 AREA	AROCHLOR 1248	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
400 AREA	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
400 AREA	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
400 AREA	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
400 AREA	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
400 AREA	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
400 AREA	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ARSENIC	SW-846 7060	2.00	UG/L	W
400 AREA	ARSENIC	SW-846 7060	2.00	UG/L	
400 AREA	ARSENIC	SW-846 7060	17.50	UG/L	
400 AREA	ARSENIC	SW-846 7060	2.10	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AZINOPHOS-METHYL	SW-846 8140	0.50	UG/L	U
400 AREA	AZINOPHOS-METHYL	SW-846 8140	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BARIUM	SW-846 6010	18.70	UG/L	
400 AREA	BARIUM	SW-846 6010	20.50	UG/L	
400 AREA	BARIUM	SW-846 6010	16.40	UG/L	
400 AREA	BARIUM	SW-846 6010	19.10	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BENZENE	SW-846 8240	10.00	UG/L	U
400 AREA	BENZENE	SW-846 8240	5.00	UG/L	U
400 AREA	BENZENE	SW-846 8240	5.00	UG/L	U
400 AREA	BENZENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BENZIDINE	SW-846 8270	50.00	UG/L	U
400 AREA	BENZIDINE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
400 AREA	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
400 AREA	BENZOIC ACID	SW-846 8270	50.00	UG/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 10

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
400 AREA	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
400 AREA	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
400 AREA	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
400 AREA	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
400 AREA	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
400 AREA	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
400 AREA	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
400 AREA	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
400 AREA	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
400 AREA	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
400 AREA	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
400 AREA	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
400 AREA	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
400 AREA	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
400 AREA	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BENZYL ALCOHOL	SW-846 8270	10.00	UG/L	U
400 AREA	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U
400 AREA	BENZYL ALCOHOL	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BERYLLIUM	SW-846 6010	1.00	UG/L	
400 AREA	BERYLLIUM	SW-846 6010	1.00	UG/L	
400 AREA	BERYLLIUM	SW-846 6010	0.30	UG/L	
400 AREA	BERYLLIUM	SW-846 6010	0.40	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BETA-BHC	SW-846 8080	0.05	UG/L	U
400 AREA	BETA-BHC	SW-846 8080	0.05	UG/L	U
400 AREA	BETA-BHC	SW-846 8080	0.05	UG/L	U
400 AREA	BETA-BHC	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BIOCHEMICAL OXYGEN DEMAND (BOD)	EPA-600 405.1	2.00	MG/L	U
400 AREA	BIOCHEMICAL OXYGEN DEMAND (BOD)	EPA-600 405.1	2.00	MG/L	U
400 AREA	BIOCHEMICAL OXYGEN DEMAND (BOD)	LAB SPECIFIC BOD	18.00	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
400 AREA	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
400 AREA	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
400 AREA	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 11

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
400 AREA	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
400 AREA	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
400 AREA	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
400 AREA	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
400 AREA	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
400 AREA	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	2.00	UG/L	JB
400 AREA	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	2.00	UG/L	JB
400 AREA	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U
400 AREA	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BOLSTAR (SUPROPHOS)	SW-846 8140	0.20	UG/L	U
400 AREA	BOLSTAR (SUPROPHOS)	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BROMODICHLOROMETHANE	SW-846 8240	2.00	UG/L	J
400 AREA	BROMODICHLOROMETHANE	SW-846 8240	1.00	UG/L	J
400 AREA	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
400 AREA	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BROMOFORM	SW-846 8240	2.00	UG/L	J
400 AREA	BROMOFORM	SW-846 8240	5.00	UG/L	U
400 AREA	BROMOFORM	SW-846 8240	5.00	UG/L	U
400 AREA	BROMOFORM	SW-846 8240	1.00	UG/L	J

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
400 AREA	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
400 AREA	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
400 AREA	BROMOMETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U
400 AREA	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U
400 AREA	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U
400 AREA	BUTYL BENZYL PHTALATE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CADMIUM	SW-846 6010	7.00	UG/L	
400 AREA	CADMIUM	SW-846 6010	4.00	UG/L	
400 AREA	CADMIUM	SW-846 6010	1.40	UG/L	
400 AREA	CADMIUM	SW-846 6010	1.50	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CALCIUM	SW-846 6010	31,600.00	UG/L	
400 AREA	CALCIUM	SW-846 6010	32,200.00	UG/L	
400 AREA	CALCIUM	SW-846 6010	31,000.00	UG/L	

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 12

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CARBAZOLE	SW-846 8270	10.00	UG/L	U
400 AREA	CARBAZOLE	SW-846 8270	20.00	UG/L	U
400 AREA	CARBAZOLE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CARBON DISULFIDE	SW-846 8240	10.00	UG/L	U
400 AREA	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
400 AREA	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
400 AREA	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CARBON TETRACHLORIDE	SW-846 8240	10.00	UG/L	U
400 AREA	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
400 AREA	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
400 AREA	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CERIUM-144	GAMMA SCAN	16.00	PCI/L	U
400 AREA	CERIUM-144	GAMMA SCAN	21.70	PCI/L	U
400 AREA	CERIUM-144	GAMMA SCAN	70.00	PCI/L	U
400 AREA	CERIUM-144	GAMMA SCAN	50.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CESIUM-134	GAMMA SCAN	2.59	PCI/L	U
400 AREA	CESIUM-134	GAMMA SCAN	3.38	PCI/L	U
400 AREA	CESIUM-134	GAMMA SCAN	20.00	PCI/L	U
400 AREA	CESIUM-134	GAMMA SCAN	10.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CESIUM-137	GAMMA SCAN	2.56	PCI/L	U
400 AREA	CESIUM-137	GAMMA SCAN	3.60	PCI/L	U
400 AREA	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U
400 AREA	CESIUM-137	GAMMA SCAN	10.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	8.20	MG/L	
400 AREA	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	5.00	MG/L	U
400 AREA	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	5.00	MG/L	U
400 AREA	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	30.00	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHLORDANE	SW-846 8080	1.00	UG/L	U
400 AREA	CHLORDANE	SW-846 8080	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHLORIDE	EPA-600 300.0	12.60	MG/L	
400 AREA	CHLORIDE	EPA-600 300.0	11.10	MG/L	
400 AREA	CHLORIDE	EPA-600 300.0	10.70	MG/L	
400 AREA	CHLORIDE	EPA-600 300.0	11.40	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHLOROBENZENE	SW-846 8240	10.00	UG/L	U
400 AREA	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
400 AREA	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U
400 AREA	CHLOROBENZENE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 13

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U
400 AREA	CHLOROBENZILATE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
400 AREA	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
400 AREA	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
400 AREA	CHLOROETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHLOROFORM	SW-846 8240	10.00	UG/L	U
400 AREA	CHLOROFORM	SW-846 8240	5.00	UG/L	U
400 AREA	CHLOROFORM	SW-846 8240	5.00	UG/L	U
400 AREA	CHLOROFORM	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
400 AREA	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
400 AREA	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
400 AREA	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHLORPYRIFOS	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U
400 AREA	CHLORTHALONIL	SW-846 8080	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHROMIUM	SW-846 6010	9.00	UG/L	
400 AREA	CHROMIUM	SW-846 6010	7.00	UG/L	
400 AREA	CHROMIUM	SW-846 6010	3.30	UG/L	
400 AREA	CHROMIUM	SW-846 6010	1.80	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHROMIUM-51	GAMMA SCAN	200.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHRYSENE	SW-846 8270	10.00	UG/L	U
400 AREA	CHRYSENE	SW-846 8270	10.00	UG/L	U
400 AREA	CHRYSENE	SW-846 8270	10.00	UG/L	U
400 AREA	CHRYSENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CIS-1,3-DICHLOROPROPENE	SW-846 8240	10.00	UG/L	U
400 AREA	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
400 AREA	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
400 AREA	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	COBALT	SW-846 6010	9.00	UG/L	
400 AREA	COBALT	SW-846 6010	8.00	UG/L	
400 AREA	COBALT	SW-846 6010	2.90	UG/L	
400 AREA	COBALT	SW-846 6010	1.50	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	COBALT-58	GAMMA SCAN	5.33	PCI/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 14

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	COBALT-58	GAMMA SCAN	4.65	PCI/L	U
400 AREA	COBALT-58	GAMMA SCAN	10.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	COBALT-60	GAMMA SCAN	2.72	PCI/L	U
400 AREA	COBALT-60	GAMMA SCAN	3.30	PCI/L	U
400 AREA	COBALT-60	GAMMA SCAN	10.00	PCI/L	U
400 AREA	COBALT-60	GAMMA SCAN	10.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	COLIFORM TOTAL AND FECAL	LAB SPECIFIC	1.00	TCOL	U
400 AREA	COLIFORM TOTAL AND FECAL	LAB SPECIFIC	1.00	TCOL	U
400 AREA	COLIFORM TOTAL AND FECAL	SM9221	2.20	TCOL	U
400 AREA	COLIFORM TOTAL AND FECAL	SM9221	2.20	TCOL	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CONDUCTIVITY	SW-846 9050	349.00	UMHO	J
400 AREA	CONDUCTIVITY	SW-846 9050	381.00	UMHO	
400 AREA	CONDUCTIVITY	SW-846 9050	358.00	UMHO	
400 AREA	CONDUCTIVITY	SW-846 9050	316.00	UMHO	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	COPPER	SW-846 6010	8.00	UG/L	
400 AREA	COPPER	SW-846 6010	9.00	UG/L	
400 AREA	COPPER	SW-846 6010	5.40	UG/L	
400 AREA	COPPER	SW-846 6010	2.80	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	COUMAPHOS	SW-846 8140	1.00	UG/L	U
400 AREA	COUMAPHOS	SW-846 8140	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CYANIDE	SW-846 9010	10.00	UG/L	N
400 AREA	CYANIDE	SW-846 9010	10.00	UG/L	
400 AREA	CYANIDE	SW-846 9012	10.00	UG/L	
400 AREA	CYANIDE	SW-846 9012	10.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DALAPON	SW-846 8150	0.00	UG/L	U
400 AREA	DALAPON	SW-846 8150	6.00	UG/L	
400 AREA	DALAPON	SW-846 8150	6.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DELTA-BHC	SW-846 8080	0.05	UG/L	U
400 AREA	DELTA-BHC	SW-846 8080	0.05	UG/L	U
400 AREA	DELTA-BHC	SW-846 8080	0.05	UG/L	U
400 AREA	DELTA-BHC	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DEMETON OR SYSTOX	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DEMETON-S	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DI-N-BUTYL PHTHALATE	SW-846 8270	3.00	UG/L	JB
400 AREA	DI-N-BUTYL PHTHALATE	SW-846 8270	3.00	UG/L	JB

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 15

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DI-N-BUTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
400 AREA	DI-N-BUTYL PHTHALATE	SW-846 8270	3.00	UG/L	BJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
400 AREA	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
400 AREA	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
400 AREA	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U
400 AREA	DIALATE (CIS OR TRANS)	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIAZINON	SW-846 8140	0.20	UG/L	U
400 AREA	DIAZINON	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
400 AREA	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
400 AREA	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
400 AREA	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
400 AREA	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
400 AREA	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
400 AREA	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIBROMOCHLOROMETHANE	SW-846 8240	3.00	UG/L	J
400 AREA	DIBROMOCHLOROMETHANE	SW-846 8240	2.00	UG/L	J
400 AREA	DIBROMOCHLOROMETHANE	SW-846 8240	2.00	UG/L	J
400 AREA	DIBROMOCHLOROMETHANE	SW-846 8240	2.00	UG/L	J

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U
400 AREA	DIBROMOETHANE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DICAMBA	SW-846 8150	0.00	UG/L	
400 AREA	DICAMBA	SW-846 8150	0.20	UG/L	U
400 AREA	DICAMBA	SW-846 8150	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
400 AREA	DICHLORODIFLUOROMETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DICHLOROPROP	SW-846 8150	0.00	UG/L	
400 AREA	DICHLOROPROP	SW-846 8150	2.00	UG/L	U
400 AREA	DICHLOROPROP	SW-846 8150	2.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DICHLOROVOS	SW-846 8140	0.20	UG/L	U
400 AREA	DICHLOROVOS	SW-846 8140	0.20	UG/L	U
400 AREA	DICHLOROVOS	SW-846 8140	0.50	UG/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 16

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DICHLOROVOS	SW-846 8140	0.50	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIELDRIN	SW-846 8080	0.10	UG/L	U
400 AREA	DIELDRIN	SW-846 8080	0.10	UG/L	U
400 AREA	DIELDRIN	SW-846 8080	0.10	UG/L	U
400 AREA	DIELDRIN	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
400 AREA	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
400 AREA	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
400 AREA	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIMETHOATE	SW-846 8140	0.20	UG/L	U
400 AREA	DIMETHOATE	SW-846 8140	0.20	UG/L	U
400 AREA	DIMETHOATE	SW-846 8140	2.00	UG/L	U
400 AREA	DIMETHOATE	SW-846 8140	2.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
400 AREA	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
400 AREA	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
400 AREA	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	DIMETHYLAMINOAZOBENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DINOSEB	SW-846 8150	0.00	UG/L	
400 AREA	DINOSEB	SW-846 8150	1.20	UG/L	U
400 AREA	DINOSEB	SW-846 8150	1.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DISULFOTON	SW-846 8140	0.20	UG/L	U
400 AREA	DISULFOTON	SW-846 8140	0.50	UG/L	U
400 AREA	DISULFOTON	SW-846 8140	0.50	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
400 AREA	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
400 AREA	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
400 AREA	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
400 AREA	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
400 AREA	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
400 AREA	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
400 AREA	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
400 AREA	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U
400 AREA	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 17

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ENDRIN	SW-846 8080	0.10	UG/L	U
400 AREA	ENDRIN	SW-846 8080	0.10	UG/L	U
400 AREA	ENDRIN	SW-846 8080	0.10	UG/L	U
400 AREA	ENDRIN	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
400 AREA	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U
400 AREA	ENDRIN ALDEHYDE	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ENDRIN KETONE	SW-846 8080	0.10	UG/L	U
400 AREA	ENDRIN KETONE	SW-846 8080	0.10	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U
400 AREA	EPICHLOROHYDRIN	SW-846 8240	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	EPN	SW-846 8140	0.20	UG/L	U
400 AREA	EPN	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ETHOPROP	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ETHYL BENZENE	SW-846 8240	10.00	UG/L	U
400 AREA	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
400 AREA	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
400 AREA	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U
400 AREA	ETHYL METHACRYLATE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U
400 AREA	ETHYLACRYLATE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U
400 AREA	ETHYLMETHANESULFONATE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	EUROPIUM-152	GAMMA SCAN	12.20	PCI/L	U
400 AREA	EUROPIUM-152	GAMMA SCAN	16.30	PCI/L	U
400 AREA	EUROPIUM-152	GAMMA SCAN	30.00	PCI/L	U
400 AREA	EUROPIUM-152	GAMMA SCAN	20.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	EUROPIUM-154	GAMMA SCAN	3.74	PCI/L	U
400 AREA	EUROPIUM-154	GAMMA SCAN	5.31	PCI/L	U
400 AREA	EUROPIUM-154	GAMMA SCAN	20.00	PCI/L	U
400 AREA	EUROPIUM-154	GAMMA SCAN	20.00	PCI/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 18

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	EUROPIUM-155	GAMMA SCAN	7.57	PCI/L	U
400 AREA	EUROPIUM-155	GAMMA SCAN	10.60	PCI/L	U
400 AREA	EUROPIUM-155	GAMMA SCAN	30.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	FAMPHUR	SW-846 8140	0.50	UG/L	U
400 AREA	FAMPHUR	SW-846 8140	0.50	UG/L	U
400 AREA	FAMPHUR	SW-846 8140	2.00	UG/L	U
400 AREA	FAMPHUR	SW-846 8140	2.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	FENSULFOTHION	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	FENTHION	SW-846 8140	0.20	UG/L	U
400 AREA	FENTHION	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
400 AREA	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
400 AREA	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
400 AREA	FLUORANTHENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	FLUORENE	SW-846 8270	10.00	UG/L	U
400 AREA	FLUORENE	SW-846 8270	10.00	UG/L	U
400 AREA	FLUORENE	SW-846 8270	10.00	UG/L	U
400 AREA	FLUORENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	FLUORIDE	EPA-600 300.0	0.50	MG/L	U
400 AREA	FLUORIDE	EPA-600 300.0	0.50	MG/L	U
400 AREA	FLUORIDE	EPA-600 300.0	0.30	MG/L	
400 AREA	FLUORIDE	EPA-600 300.0	0.40	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	FOLPET	SW-846 8080	1.00	UG/L	U
400 AREA	FOLPET	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
400 AREA	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
400 AREA	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
400 AREA	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
400 AREA	GAMMA-CHLORDANE	SW-846 8080	0.50	UG/L	U
400 AREA	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U
400 AREA	GAMMA-CHLORDANE	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	GROSS ALPHA ANALYSIS AT <60 PCI/L	GROSS ALPHA & BETA	1.01	PCI/L	U
400 AREA	GROSS ALPHA ANALYSIS AT <60 PCI/L	GROSS ALPHA & BETA	1.53	PCI/L	U
400 AREA	GROSS ALPHA ANALYSIS AT <60 PCI/L	GROSS ALPHA & BETA	2.00	PCI/L	U
400 AREA	GROSS ALPHA ANALYSIS AT <60 PCI/L	GROSS ALPHA & BETA	2.00	PCI/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 19

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	GROSS BETA ANALYSIS AT <60 PC/L	GROSS ALPHA & BETA	6.14	PC/L	
400 AREA	GROSS BETA ANALYSIS AT <60 PC/L	GROSS ALPHA & BETA	5.97	PC/L	
400 AREA	GROSS BETA ANALYSIS AT <60 PC/L	GROSS ALPHA & BETA	5.60	PC/L	
400 AREA	GROSS BETA ANALYSIS AT <60 PC/L	GROSS ALPHA & BETA	5.60	PC/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
400 AREA	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
400 AREA	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
400 AREA	HEPTACHLOR	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
400 AREA	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
400 AREA	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
400 AREA	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	HEXACHLOROBENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	HEXACHLOROBUTADIENE	SW-846 8270	10.00	UG/L	U
400 AREA	HEXACHLOROBUTADIENE	SW-846 8270	10.00	UG/L	U
400 AREA	HEXACHLOROBUTADIENE	SW-846 8270	10.00	UG/L	U
400 AREA	HEXACHLOROBUTADIENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	HEXACHLOROCYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U
400 AREA	HEXACHLOROCYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U
400 AREA	HEXACHLOROCYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U
400 AREA	HEXACHLOROCYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
400 AREA	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
400 AREA	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U
400 AREA	HEXACHLOROETHANE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U
400 AREA	HEXACHLOROPHENE	SW-846 8270	100.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U
400 AREA	HEXACHLOROPROPENE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
400 AREA	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
400 AREA	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
400 AREA	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	IODINE-129	IODINE-129	2.00	PC/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 20

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	IODINE-129	IODINE-129	2.00	PCI/L	U
400 AREA	IODINE-129	IODINE-129	50.00	PCI/L	U
400 AREA	IODINE-129	IODINE-129	5.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	IRON	SW-846 6010	15.00	UG/L	
400 AREA	IRON	SW-846 6010	33.50	UG/L	
400 AREA	IRON	SW-846 6010	88.40	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	IRON-59	GAMMA SCAN	30.00	PCI/L	U
400 AREA	IRON-59	GAMMA SCAN	30.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U
400 AREA	ISOBUTYL ALCOHOL	SW-846 8240	200.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ISODRIN	SW-846 8270	20.00	UG/L	U
400 AREA	ISODRIN	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ISOPHORONE	SW-846 8270	10.00	UG/L	U
400 AREA	ISOPHORONE	SW-846 8270	10.00	UG/L	U
400 AREA	ISOPHORONE	SW-846 8270	10.00	UG/L	U
400 AREA	ISOPHORONE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ISOSAFROLE	SW-846 8270	10.00	UG/L	U
400 AREA	ISOSAFROLE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	KEPONE	SW-846 8270	50.00	UG/L	U
400 AREA	KEPONE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	LEAD	SW-846 7421	2.00	UG/L	NW
400 AREA	LEAD	SW-846 7421	2.00	UG/L	
400 AREA	LEAD	SW-846 7421	2.60	UG/L	
400 AREA	LEAD	SW-846 7421	2.50	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MAGNESIUM	SW-846 6010	9,100.00	UG/L	
400 AREA	MAGNESIUM	SW-846 6010	9,310.00	UG/L	
400 AREA	MAGNESIUM	SW-846 6010	8,910.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MALATHION	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MANGANESE	SW-846 6010	8.70	UG/L	
400 AREA	MANGANESE	SW-846 6010	2.00	UG/L	
400 AREA	MANGANESE	SW-846 6010	46.80	UG/L	E

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MANGANESE-54	GAMMA SCAN	10.00	PCI/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 21

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MCPA	SW-846 8150	0.00	UG/L	
400 AREA	MCPA	SW-846 8150	200.00	UG/L	U
400 AREA	MCPA	SW-846 8150	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MCPP	SW-846 8150	0.00	UG/L	
400 AREA	MCPP	SW-846 8150	200.00	UG/L	U
400 AREA	MCPP	SW-846 8150	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MERCURY	SW-846 7470	0.10	UG/L	
400 AREA	MERCURY	SW-846 7470	0.10	UG/L	
400 AREA	MERCURY	SW-846 7470	0.10	UG/L	
400 AREA	MERCURY	SW-846 7470	0.10	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MERPHOS	SW-846 8140	0.20	UG/L	U
400 AREA	MERPHOS	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U
400 AREA	METHACRYLONITRILE	SW-846 8240	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	METHAPYRILENE	SW-846 8270	10.00	UG/L	U
400 AREA	METHAPYRILENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
400 AREA	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
400 AREA	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
400 AREA	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	METHYLENE CHLORIDE	SW-846 8240	9.00	UG/L	JB
400 AREA	METHYLENE CHLORIDE	SW-846 8240	1.00	UG/L	JB
400 AREA	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U
400 AREA	METHYLENE CHLORIDE	SW-846 8240	2.00	UG/L	BJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U
400 AREA	METHYLMETHACRYLATE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U
400 AREA	METHYLMETHANESULFONATE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MEVINPHOS	SW-846 8140	0.20	UG/L	U
400 AREA	MEVINPHOS	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MIREX	SW-846 8080	0.10	UG/L	U
400 AREA	MIREX	SW-846 8080	0.10	UG/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 22

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MONOCROTOPHOS	SW-846 8140	1.00	UG/L	U
400 AREA	MONOCROTOPHOS	SW-846 8140	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U
400 AREA	N-NITROSO-METHYLETHYLAMINE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U
400 AREA	N-NITROSO-MORPHOLINE	SW-846 8270	1,000.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
400 AREA	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
400 AREA	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
400 AREA	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U
400 AREA	N-NITROSODIBUTYLAMINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U
400 AREA	N-NITROSODIETHYLAMINE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U
400 AREA	N-NITROSODIMETHYLAMINE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
400 AREA	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
400 AREA	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U
400 AREA	N-NITROSODIPHENYLAMINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U
400 AREA	N-NITROSOPIPERIDINE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U
400 AREA	N-NITROSOPYRROLIDINE	SW-846 8270	40.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	NALED	SW-846 8140	0.50	UG/L	U
400 AREA	NALED	SW-846 8140	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
400 AREA	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
400 AREA	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
400 AREA	NAPHTHALENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	NICKEL	SW-846 6010	20.00	UG/L	
400 AREA	NICKEL	SW-846 6010	19.00	UG/L	

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 23

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	NICKEL	SW-846 6010	4.20	UG/L	
400 AREA	NICKEL	SW-846 6010	3.70	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	NI0BIUM 94	GAMMA SCAN	10.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	NITROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	NITROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	NITROBENZENE	SW-846 8270	10.00	UG/L	U
400 AREA	NITROBENZENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	NITROGEN IN NITRATE	EPA-600 300.0	0.20	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
400 AREA	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.2	0.25	MG/L	U
400 AREA	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.3	0.10	MG/L	U
400 AREA	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.3	0.37	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	NITROGEN IN NITRITE	EPA-600 300.0	0.10	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	O,O,O-TRIETHYLPHOSPHOROTHIOATE	SW-846 8140	0.20	UG/L	U
400 AREA	O,O,O-TRIETHYLPHOSPHOROTHIOATE	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U
400 AREA	O-TOLUIDINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	OIL & GREASE	SW-846 9070	5.50	MG/L	
400 AREA	OIL & GREASE	SW-846 9070	5.00	MG/L	U
400 AREA	OIL & GREASE	SW-846 9070	5.00	MG/L	U
400 AREA	OIL & GREASE	SW-846 9070	5.00	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PARATHION	SW-846 8140	0.20	UG/L	U
400 AREA	PARATHION	SW-846 8140	0.20	UG/L	U
400 AREA	PARATHION	SW-846 8140	0.50	UG/L	U
400 AREA	PARATHION	SW-846 8140	0.50	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PARATHION-METHYL	SW-846 8140	0.20	UG/L	U
400 AREA	PARATHION-METHYL	SW-846 8140	0.20	UG/L	U
400 AREA	PARATHION-METHYL	SW-846 8140	1.00	UG/L	U
400 AREA	PARATHION-METHYL	SW-846 8140	1.00	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PBBS	SW-846 8080	1.00	UG/L	U
400 AREA	PBBS	SW-846 8080	1.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 24

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PENTACHLOROBENZENE	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U
400 AREA	PENTACHLOROETHANE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U
400 AREA	PENTACHLORONITROBENZENE	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PENTACHLOROPHENOL	SW-846 8270	26.00	UG/L	U
400 AREA	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
400 AREA	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
400 AREA	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PH MEASUREMENT	SW-846 9040	8.10	PH	
400 AREA	PH MEASUREMENT	SW-846 9040	7.90	PH	
400 AREA	PH MEASUREMENT	SW-846 9040	8.10	PH	
400 AREA	PH MEASUREMENT	SW-846 9040	8.10	PH	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PHENACETIN	SW-846 8270	20.00	UG/L	U
400 AREA	PHENACETIN	SW-846 8270	20.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
400 AREA	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
400 AREA	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
400 AREA	PHENANTHRENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	PHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	PHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	PHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	PHENOL	SW-846 9065	5.00	UG/L	U
400 AREA	PHENOL	SW-846 9065	5.00	UG/L	U
400 AREA	PHENOL	SW-846 9065	0.05	MG/L	U
400 AREA	PHENOL	SW-846 9065	0.05	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PHORATE	SW-846 8140	0.20	UG/L	U
400 AREA	PHORATE	SW-846 8140	0.20	UG/L	U
400 AREA	PHORATE	SW-846 8140	0.50	UG/L	U
400 AREA	PHORATE	SW-846 8140	0.50	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PHOSPHATE	EPA-600 300.0	0.25	MG/L	U
400 AREA	PHOSPHATE	EPA-600 300.0	0.25	MG/L	U
400 AREA	PHOSPHATE	EPA-600 300.0	0.40	MG/L	U
400 AREA	PHOSPHATE	EPA-600 300.0	0.40	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	
400 AREA	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.17	MG/L	

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 25

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U
400 AREA	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.05	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	POTASSIUM	SW-846 6010	7,040.00	UG/L	
400 AREA	POTASSIUM	SW-846 6010	6,840.00	UG/L	
400 AREA	POTASSIUM	SW-846 6010	7,000.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	POTASSIUM-40	GAMMA SCAN	300.00	PCI/L	U
400 AREA	POTASSIUM-40	GAMMA SCAN	100.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PRONAMIDE	SW-846 8270	10.00	UG/L	U
400 AREA	PRONAMIDE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PROPIONITRILE	SW-846 8240	100.00	UG/L	U
400 AREA	PROPIONITRILE	SW-846 8240	100.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U
400 AREA	PROPYLENE OXIDE	SW-846 8240	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PYRENE	SW-846 8270	10.00	UG/L	U
400 AREA	PYRENE	SW-846 8270	10.00	UG/L	U
400 AREA	PYRENE	SW-846 8270	10.00	UG/L	U
400 AREA	PYRENE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PYRIDINE	SW-846 8270	10.00	UG/L	U
400 AREA	PYRIDINE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	RADIUM-226	GAMMA SCAN	30.00	PCI/L	U
400 AREA	RADIUM-226	GAMMA SCAN	42.00	PCI/L	U
400 AREA	RADIUM-226	RADIUM TOTAL	0.36	PCI/L	U
400 AREA	RADIUM-226	RADIUM TOTAL	0.38	PCI/L	U
400 AREA	RADIUM-226	RADIUM TOTAL	0.90	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	RADIUM-228	GAMMA SCAN	50.00	PCI/L	U
400 AREA	RADIUM-228	RADIUM TOTAL	3.28	PCI/L	U
400 AREA	RADIUM-228	RADIUM TOTAL	2.84	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	RONNEL	SW-846 8140	0.20	UG/L	U
400 AREA	RONNEL	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	RUTHENIUM-103	GAMMA SCAN	20.00	PCI/L	U
400 AREA	RUTHENIUM-103	GAMMA SCAN	10.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 26

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	RUTHENIUM-106	GAMMA SCAN	100.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	SAFROLE	SW-846 8270	10.00	UG/L	U
400 AREA	SAFROLE	SW-846 8270	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	SELENIUM	SW-846 7740	2.00	UG/L	NW
400 AREA	SELENIUM	SW-846 7740	2.00	UG/L	
400 AREA	SELENIUM	SW-846 7740	14.50	UG/L	WN
400 AREA	SELENIUM	SW-846 7740	2.30	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	SILVER	SW-846 6010	10.00	UG/L	
400 AREA	SILVER	SW-846 6010	7.00	UG/L	
400 AREA	SILVER	SW-846 6010	3.30	UG/L	
400 AREA	SILVER	SW-846 6010	3.40	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	SODIUM	SW-846 6010	35,300.00	UG/L	
400 AREA	SODIUM	SW-846 6010	32,700.00	UG/L	
400 AREA	SODIUM	SW-846 6010	33,200.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	SODIUM-22	GAMMA SCAN	10.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	STIROPHOS (TETRACHLORVINPHOS)	SW-846 8140	0.50	UG/L	U
400 AREA	STIROPHOS (TETRACHLORVINPHOS)	SW-846 8140	0.50	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	STRONTIUM-90	SR-89/90	1.76	PCI/L	U
400 AREA	STRONTIUM-90	SR-89/90	1.20	PCI/L	U
400 AREA	STRONTIUM-90	SR-89/90	2.00	PCI/L	U
400 AREA	STRONTIUM-90	STRONTIUM-90	0.80	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	STYRENE	SW-846 8240	10.00	UG/L	U
400 AREA	STYRENE	SW-846 8240	5.00	UG/L	U
400 AREA	STYRENE	SW-846 8240	5.00	UG/L	U
400 AREA	STYRENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	SULFATE	EPA-600 300.0	37.20	MG/L	
400 AREA	SULFATE	EPA-600 300.0	35.90	MG/L	
400 AREA	SULFATE	EPA-600 300.0	36.00	MG/L	
400 AREA	SULFATE	EPA-600 300.0	34.00	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	SULFIDE	SW-846 9030	0.10	MG/L	U
400 AREA	SULFIDE	SW-846 9030	0.10	MG/L	U
400 AREA	SULFIDE	SW-846 9030	1.00	MG/L	U
400 AREA	SULFIDE	SW-846 9030	1.00	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	SULFOTEP	SW-846 8140	0.20	UG/L	U
400 AREA	SULFOTEP	SW-846 8140	0.50	UG/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 27

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	SULFOTEP	SW-846 8140	0.50	UG/L	UJ

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TETRACHLOROETHENE	SW-846 8240	10.00	UG/L	U
400 AREA	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
400 AREA	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
400 AREA	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TETRAETHYLDITHIOPYROPHOSPHATE	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	THALLIUM	SW-846 6010	0.00	UG/L	WN
400 AREA	THALLIUM	SW-846 6010	0.00	UG/L	
400 AREA	THALLIUM	SW-846 6010	2.70	UG/L	
400 AREA	THALLIUM	SW-846 7841	2.20	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	THIONAZIN	SW-846 8140	0.20	UG/L	U
400 AREA	THIONAZIN	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U
400 AREA	THORIUM-228	GAMMA SCAN	20.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	THORIUM-232	GAMMA SCAN	60.00	PCI/L	U
400 AREA	THORIUM-232	GAMMA SCAN	50.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TIN	SW-846 6010	6.70	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TIN 113	GAMMA SCAN	20.00	PCI/L	U
400 AREA	TIN 113	GAMMA SCAN	20.00	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOKUTHION (PROTOTHIOFOS)	SW-846 8140	0.20	UG/L	U
400 AREA	TOKUTHION (PROTOTHIOFOS)	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOLUENE	SW-846 8240	10.00	UG/L	U
400 AREA	TOLUENE	SW-846 8240	5.00	UG/L	U
400 AREA	TOLUENE	SW-846 8240	5.00	UG/L	U
400 AREA	TOLUENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	249.00	MG/L	
400 AREA	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	227.00	MG/L	
400 AREA	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	241.00	MG/L	
400 AREA	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	262.00	MG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOTAL INORGANIC CARBON	EPA-600 415.1T	29.40	MG/L	
400 AREA	TOTAL INORGANIC CARBON	EPA-600 415.1T	30.80	MG/L	

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 28

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOTAL ORGANIC CARBON	EPA-600 415.1	0.50	MG/L	U
400 AREA	TOTAL ORGANIC CARBON	EPA-600 415.1	0.50	MG/L	U
400 AREA	TOTAL ORGANIC CARBON	SW-846 9060	0.55	MG/L	
400 AREA	TOTAL ORGANIC CARBON	SW-846 9060	1.00	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOTAL ORGANIC HALIDES	SW-846 9020T	33.30	UG/L	
400 AREA	TOTAL ORGANIC HALIDES	SW-846 9020T	56.60	UG/L	
400 AREA	TOTAL ORGANIC HALIDES	SW-846 9020T	81.20	UG/L	
400 AREA	TOTAL ORGANIC HALIDES	SW-846 9020T	75.00	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOTAL RADIUM	RADIUM TOTAL	0.30	PCI/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	16.00	MG/L	
400 AREA	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	8.00	MG/L	
400 AREA	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	5.00	MG/L	U
400 AREA	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	5.00	MG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOTAL URANIUM	TOTAL URANIUM	0.02	UG/L	
400 AREA	TOTAL URANIUM	TOTAL URANIUM	0.09	UG/L	
400 AREA	TOTAL URANIUM	TOTAL URANIUM	0.08	UG/L	U
400 AREA	TOTAL URANIUM	TOTAL URANIUM	0.02	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOXAPHENE	SW-846 8080	5.00	UG/L	U
400 AREA	TOXAPHENE	SW-846 8080	1.00	UG/L	U
400 AREA	TOXAPHENE	SW-846 8080	5.00	UG/L	U
400 AREA	TOXAPHENE	SW-846 8080	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
400 AREA	TRANS-1,2-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	10.00	UG/L	U
400 AREA	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
400 AREA	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
400 AREA	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U
400 AREA	TRANS-1,4-DICHLORO-2-BUTENE	SW-846 8240	50.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TRICHLOROETHENE	SW-846 8240	10.00	UG/L	U
400 AREA	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
400 AREA	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
400 AREA	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U
400 AREA	TRICHLOROFLUOROMETHANE	SW-846 8240	10.00	UG/L	U

SUPPORTING DATA: 400 AREA POTABLE WATER

Page 29

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TRICHLORONATE	SW-846 8140	0.20	UG/L	U
400 AREA	TRICHLORONATE	SW-846 8140	0.20	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TRITIUM	TRITIUM	7,080.00	PCI/L	
400 AREA	TRITIUM	TRITIUM	8,030.00	PCI/L	
400 AREA	TRITIUM	TRITIUM	6,100.00	PCI/L	
400 AREA	TRITIUM	TRITIUM	5,700.00	PCI/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	VANADIUM	SW-846 6010	8.00	UG/L	
400 AREA	VANADIUM	SW-846 6010	7.00	UG/L	
400 AREA	VANADIUM	SW-846 6010	2.10	UG/L	
400 AREA	VANADIUM	SW-846 6010	2.30	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
400 AREA	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
400 AREA	VINYL ACETATE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
400 AREA	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
400 AREA	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
400 AREA	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	XYLENE (TOTAL)	SW-846 8240	10.00	UG/L	U
400 AREA	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
400 AREA	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
400 AREA	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ZINC	SW-846 6010	31.00	UG/L	
400 AREA	ZINC	SW-846 6010	28.40	UG/L	
400 AREA	ZINC	SW-846 6010	4.80	UG/L	
400 AREA	ZINC	SW-846 6010	10.70	UG/L	

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ZINC-65	GAMMA SCAN	30.00	PCI/L	U

ATTACHMENT 4

This page intentionally left blank.

SUPPORTING DATA: 400 AREA RAW WATER

Page 1

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,1,1-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,1,2,2-TETRACHLOROETHANE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,1,2-TRICHLOROETHANE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,1-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,1-DICHLOROETHENE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,2,4-TRICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,2- DICHLOROETHENE (TOTAL)	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,2-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,2-DICHLOROETHANE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,2-DICHLOROPROPANE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,3-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	1,4-DICHLOROBENZENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4,5-T	SW-846 8150	0.50	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4,5-TP (SILVEX)	SW-846 8150	0.50	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4,5-TRICHLOROPHENOL	SW-846 8270	50.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4,6-TRICHLOROPHENOL	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4-D	SW-846 8150	1.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4-DICHLOROPHENOL	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: 400 AREA RAW WATER

Page 2

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4-DIMETHYLPHENOL	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4-DINITROPHENOL	SW-846 8270	50.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,4-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2,6-DINITROTOLUENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-BUTANONE	SW-846 8240	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-CHLORONAPHTALENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-CHLOROPHENOL	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-HEXANONE	SW-846 8240	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-METHYLNAPHTHALENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-NITROANILINE	SW-846 8270	50.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	2-NITROPHENOL	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	3-3-DICHLOROBENZIDINE	SW-846 8270	20.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	3-NITROANILINE	SW-846 8270	50.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4,4'-DDD	SW-846 8080	0.10	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4,4'-DDE	SW-846 8080	0.10	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4,4'-DDT	SW-846 8080	0.10	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4,6-DINITRO-2-METHYLPHENOL	SW-846 8270	50.00	UG/L	U

SUPPORTING DATA: 400 AREA RAW WATER

Page 3

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-BROMOPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-CHLORO-3-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-CHLOROANILINE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-CHLOROPHENYL PHENYL ETHER	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-METHYL-2-PENTANONE	SW-846 8240	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-METHYLPHENOL	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-NITROANILINE	SW-846 8270	50.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	4-NITROPHENOL	SW-846 8270	50.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ACENAPHTHENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ACENAPHTHYLENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ACETONE	SW-846 8240	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ALDRIN	SW-846 8080	0.05	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ALKALINITY	EPA-600 310.1	170.00	MG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ALPHA-BHC	SW-846 8080	0.05	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ALPHA-CHLORDANE	SW-846 8080	0.50	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ALUMINUM	SW-846 6010	64.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AMMONIA (AS N)	EPA-600 350.3	0.10	MG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ANTHRACENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: 400 AREA RAW WATER

Page 4

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ANTIMONY	SW-846 6010	57.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AROCHLOR 1016	SW-846 8080	0.50	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AROCHLOR 1221	SW-846 8080	0.50	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AROCHLOR 1232	SW-846 8080	0.50	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AROCHLOR 1242	SW-846 8080	0.50	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AROCHLOR 1248	SW-846 8080	0.50	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AROCHLOR 1254	SW-846 8080	1.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AROCHLOR 1260	SW-846 8080	1.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ARSENIC	SW-846 7060	2.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	AZINOPHOS-METHYL	SW-846 8140	0.50	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BARIUM	SW-846 6010	28.60	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BENZENE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BENZOIC ACID	SW-846 8270	50.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BENZO[A]ANTHRACENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BENZO[A]PYRENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BENZO[B]FLUORANTHENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BENZO[G,H,I]PERYLENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BENZO[K]FLUORANTHENE	SW-846 8270	10.00	UG/L	U

SUPPORTING DATA: 400 AREA RAW WATER

Page 5

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BENZYL ALCOHOL	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BERYLLIUM	SW-846 6010	1.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BETA-BHC	SW-846 8080	0.05	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BIOCHEMICAL OXYGEN DEMAND (BOD)	EPA-600 405.1	2.00	MG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BIS(2-CHLOROETHOXY) METHANE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BIS(2-CHLOROETHYL) ETHER	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BIS(2-CHLOROISOPROPYL) ETHER	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BIS(2-ETHYLHEXYL) PHTHALATE	SW-846 8270	1.00	UG/L	JB
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BOLSTAR (SUPROPHOS)	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BROMODICHLOROMETHANE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BROMOFORM	SW-846 8240	1.00	UG/L	J
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BROMOMETHANE	SW-846 8240	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	BUTYL BENZYL PHTHALATE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CADMIUM	SW-846 6010	4.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CALCIUM	SW-846 6010	41,700.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CARBON DISULFIDE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CARBON TETRACHLORIDE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CERIUM-144	GAMMA SCAN	30.10	PCI/L	U

SUPPORTING DATA: 400 AREA RAW WATER

Page 6

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CESIUM-134	GAMMA SCAN	4.20	PCI/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CESIUM-137	GAMMA SCAN	4.60	PCI/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHEMICAL OXYGEN DEMAND	EPA-600 410.1	5.70	MG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHLORIDE	EPA-600 300.0	15.50	MG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHLORO BENZENE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHLOROETHANE	SW-846 8240	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHLOROFORM	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHLOROMETHANE	SW-846 8240	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHROMIUM	SW-846 6010	7.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CHRYSENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CIS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	COBALT	SW-846 6010	8.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	COBALT-58	GAMMA SCAN	5.90	PCI/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	COBALT-60	GAMMA SCAN	4.35	PCI/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	COLIFORM TOTAL AND FECAL	SM9221	22.00	TCOL	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CONDUCTIVITY	SW-846 9050	483.00	UMHO	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	COPPER	SW-846 6010	9.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	COUMAPHOS	SW-846 8140	1.00	UG/L	U

SUPPORTING DATA: 400 AREA RAW WATER

Page 7

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	CYANIDE	SW-846 9012	10.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DELTA-BHC	SW-846 8080	0.05	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DEMETON-S	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DI-N-BUTYL PHTHALATE	SW-846 8270	3.00	UG/L	JB
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DI-N-OCTYL PHTHALATE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIAZINON	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIBENZOFURAN	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIBENZO[A,H]ANTHRACENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIBROMOCHLOROMETHANE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DICHLOROVOS	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIELDRIN	SW-846 8080	0.10	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIMETHOATE	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DIMETHYL PHTHALATE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	DISULFOTON	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ENDOSULFAN I	SW-846 8080	0.05	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ENDOSULFAN II	SW-846 8080	0.10	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ENDOSULFAN SULFATE	SW-846 8080	0.10	UG/L	U

SUPPORTING DATA: 400 AREA RAW WATER

Page 8

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ENDRIN	SW-846 8080	0.10	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ENDRIN KETONE	SW-846 8080	0.10	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	EPN	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ETHOPROP	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ETHYL BENZENE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	EUROPIUM-152	GAMMA SCAN	21.10	PCI/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	EUROPIUM-154	GAMMA SCAN	7.54	PCI/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	EUROPIUM-155	GAMMA SCAN	15.10	PCI/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	FAMPHUR	SW-846 8140	0.50	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	FENSULFOTHION	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	FENTHION	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	FLUORANTHENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	FLUORENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	FLUORIDE	EPA-600 300.0	0.50	MG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	GAMMA-BHC (LINDANE)	SW-846 8080	0.05	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	GAMMA-CHLORDANE	SW-846 8080	0.50	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	GROSS ALPHA ANALYSIS AT <60 PCI/L	GROSS ALPHA & BETA	1.82	PCI/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	GROSS BETA ANALYSIS AT <60 PCI/L	GROSS ALPHA & BETA	13.00	PCI/L	

SUPPORTING DATA: 400 AREA RAW WATER

Page 9

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	HEPTACHLOR	SW-846 8080	0.05	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	HEPTACHLOR EPOXIDE	SW-846 8080	0.05	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	HEXACHLORO BENZENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	HEXACHLORO BUTADIENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	HEXACHLORO CYCLOPENTADIENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	HEXACHLORO ETHANE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	INDENO[1,2,3-CD]PYRENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	IODINE-129	IODINE-129	3.00	PCI/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	IRON	SW-846 6010	28.70	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ISOPHORONE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	LEAD	SW-846 7421	6.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MAGNESIUM	SW-846 6010	12,200.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MALATHION	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MANGANESE	SW-846 6010	6.60	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MERCURY	SW-846 7470	0.10	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MERPHOS	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	METHOXYCHLOR	SW-846 8080	0.50	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	METHYLENE CHLORIDE	SW-846 8240	5.00	UG/L	U

SUPPORTING DATA: 400 AREA RAW WATER

Page 10

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MEVINPHOS	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	MONOCROTOPHOS	SW-846 8140	1.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	N-NITROSODI-N-PROPYLAMINE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	N-NITROSODIPHYENYLAMINE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	NALED	SW-846 8140	0.50	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	NAPHTHALENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	NICKEL	SW-846 6010	19.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	NITROBENZENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	NITROGEN IN NITRATE AND NITRITE	EPA-600 353.3	0.23	MG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	O,O,O-TRIETHYLPHOSPHOROTHIOATE	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	OIL & GREASE	SW-846 9070	5.00	MG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PARATHION	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PARATHION-METHYL	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PENTACHLOROPHENOL	SW-846 8270	50.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PH MEASUREMENT	SW-846 9040	8.70	PH	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PHENANTHRENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PHENOL	SW-846 8270	10.00	UG/L	U
400 AREA	PHENOL	SW-846 9065	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PHORATE	SW-846 8140	0.20	UG/L	U

SUPPORTING DATA: 400 AREA RAW WATER

Page 11

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PHOSPHATE	EPA-600 300.0	0.30	MG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PHOSPHORUS, ALL FORMS	EPA-600 365.2	0.89	MG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	POTASSIUM	SW-846 6010	10,400.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	PYRENE	SW-846 8270	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	RADIUM-226	RADIUM TOTAL	0.38	PCI/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	RADIUM-228	RADIUM TOTAL	2.68	PCI/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	RONNEL	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	SELENIUM	SW-846 7740	2.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	SILVER	SW-846 6010	7.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	SODIUM	SW-846 6010	41,900.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	STIOPHOS (TETRACHLORVINPHOS)	SW-846 8140	0.50	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	STRONTIUM-90	SR-89/90	1.47	PCI/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	STYRENE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	SULFATE	EPA-600 300.0	47.60	MG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	SULFIDE	SW-846 9030	0.10	MG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TETRACHLOROETHENE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	THALLIUM	SW-846 6010	0.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	THIONAZIN	SW-846 8140	0.20	UG/L	U

SUPPORTING DATA: 400 AREA RAW WATER

Page 12

FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOKUTHION (PROTOTHIOFOS)	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOLUENE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOTAL DISSOLVED SOLIDS	EPA-600 160.1	333.00	MG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOTAL INORGANIC CARBON	EPA-600 415.1T	1.80	MG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOTAL ORGANIC CARBON	EPA-600 415.1	1.80	MG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOTAL ORGANIC HALIDES	SW-846 9020T	142.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOTAL SUSPENDED SOLIDS	EPA-600 160.2	5.00	MG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOTAL URANIUM	TOTAL URANIUM	0.22	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TOXAPHENE	SW-846 8080	1.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TRANS-1,3-DICHLOROPROPENE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TRICHLOROETHENE	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TRICHLORONATE	SW-846 8140	0.20	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	TRITIUM	TRITIUM	7,670.00	PCI/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	VANADIUM	SW-846 6010	7.00	UG/L	
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	VINYL ACETATE	SW-846 8240	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	VINYL CHLORIDE	SW-846 8240	10.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	XYLENE (TOTAL)	SW-846 8240	5.00	UG/L	U
FACILITY	ANALYTE	METHOD	RESULT	UNITS	QUALIFIER
400 AREA	ZINC	SW-846 6010	64.00	UG/L	

STATE ENVIRONMENTAL POLICY ACT (SEPA)
ENVIRONMENTAL CHECKLIST FORMS
FOR
HYDROTEST, MAINTENANCE, AND CONSTRUCTION DISCHARGES

November 1995

REVISION 0

**WASHINGTON ADMINISTRATIVE CODE
ENVIRONMENTAL CHECKLIST FORMS
[WAC 197-11-960]**

A. BACKGROUND

1. Name of proposed project, if applicable:

Hanford Site Hydrotest, Construction, and Maintenance Discharges. This project is a State Waste Discharge Permit Application to discharge hydrotest, construction, and construction waste water streams.

2. Name of applicants:

U.S. Department of Energy, Richland Operations Office (DOE-RL); and Westinghouse Hanford Company (WHC).

3. Address and phone number of applicants and contact persons:

U.S. Department of Energy
Richland Operations Office
Post Office Box 550
Richland, Washington 99352

Contact Persons:

J. E. Rasmussen, Director
Environmental Assurance, Permits,
and Policy Division
(509) 376-5441

4. Date checklist prepared:

October 1995

5. Agency requesting the checklist:

Washington State
Department of Ecology
1315 W. 4th Avenue
Kennewick, Washington 99336-6018

6. Proposed timing or schedule: (including phasing, if applicable):

Proposed actions are ongoing in accordance with the Ecology Consent Order, DE 91NM-177, (216 Consent Order). Future additions will be required to comply with the conditions stated in the Categorical WAC-173-216 Permit, when approved.

- 1 7. Do you have any plans for future additions, expansion, or further
2 activity related to or connected with this proposal? If yes, explain.
3

4 A Categorical WAC-173-216 State Waste Discharge Permit is being obtained
5 for hydrotest, construction, and maintenance discharges. Future waste
6 streams may be added if they meet all criteria in the categorical permit
7 prior to discharge.
8

- 9 8. List any environmental information you know about that has been prepared,
10 or will be prepared, directly related to this proposal.
11

12 General Hanford Site environmental information is found in *Hanford Site*
13 *National Environmental Policy Act (NEPA) Characterization*, PNL-6415,
14 Revision 7, Pacific Northwest Laboratory, 1995, Richland, Washington.
15

16 National Environmental Policy Act (NEPA) documentation for these actions
17 is generally covered by Categorical Exclusions (CX) as found in 10 Code
18 of federal Regulations 1021, Subpart D, Appendices A and B. Some of
19 these have been approved by DOE for site-wide use including: B1.3,
20 Routine Maintenance; B1.6, Installation/modification of retention tanks;
21 B1.15, Construction/modification of small-scale support buildings; and
22 B1.22, installation and modification of mobile office facilities.
23

- 24 9. Do you know whether applications are pending for government approvals of
25 other proposals directly affecting the property covered by your proposal?
26 If yes, explain.
27

28 No.
29

- 30 10. List any government approvals or permits that will be needed for your
31 proposal, if known.
32

33 A Categorical WAC-173-216 Permit will be required. See item 7 above.
34

- 35 11. Give brief, complete description of your proposal, including the proposed
36 uses and the size of the project and site. There are several questions
37 later in this checklist that ask you to describe certain aspects of your
38 proposal. You do not need to repeat those answers on this page.
39

40 This proposal is for discharge of hydrotest, maintenance and construction
41 waste water discharges throughout the Hanford site. These waters come
42 from four sources:
43

- 44 a. Raw untreated water from the Columbia River.
45
46 b. Potable water from the Columbia River. This is Columbia River water
47 converted into sanitary or potable water through a conventional
48 water treatment process.
49

- c. Potable water from groundwater. This is water pumped from deep wells and converted into sanitary or potable water through a conventional water treatment process.
- d. Demineralized water. This is sanitary water that is demineralized by passing over a filtration bed and through a mixed bed ion exchange column.

Examples of hydrotest discharges are from pressure tests or other system certification procedures. Such tests usually done as part of acceptance testing during construction of a new facility or as part of routine integrity testing, upgrading, troubleshooting, or repairing of an existing system. Development testing is performed to provide or develop design information concepts or criteria.

Example maintenance discharges that are normally performed on a routine basis would be drainage or flushing activities from basins, sumps, pumps, pipe systems, and reservoirs.

Construction discharges are classified as discharges taking place during the construction phase of a project. Example construction discharges include water used for concrete washing or curing and for the cleaning of concrete trucks. Pressure washing is the cleaning of parts or surfaces of rust, dirt, and grit prior to painting, welding, or bonding.

12. Location of the proposal. Give sufficient information for a person to understand the precise location of your proposed project, including a street address, if any, and section, township, and range, if known. If a proposal would occur over a range of area, provide the range or boundaries of the site(s). Provide a legal description, site plan, vicinity map, and topographic map, if reasonably available. While you should submit any plans required by the agency, you are not required to duplicate maps or detailed plans submitted with any permit applications related to this checklist.

The Hanford Site covers approximately 1,450 square kilometers (560 square miles) of semiarid land that is owned by the U.S. Government and managed by the U.S. Department of Energy, Richland Operations Office (DOE-RL). The Hanford Site is located northwest of the city of Richland, Washington. The city of Richland adjoins the southeastern most portion of the Hanford Site boundary and is the nearest population center.

Activities on the Hanford Site are centralized in numerically designated areas. The 100 Area, located along the Columbia River, contain deactivated reactors. The processing units are in the 200 Areas, which are on a plateau approximately 11 kilometers (7 miles) from the Columbia River. The 300 Area, located adjacent to and north of Richland, contains research and development laboratories. The 400 Area, 8 kilometers (5 miles) northwest of the 300 Area, contains the Fast Flux Test Facility previously used for testing liquid metal reactor systems. The 600 Area covers all locations not specifically given an area designation. Adjacent to the north of Richland, the 1100 Area contains offices associated with administration, maintenance, transportation, and materials procurement and distribution. The 3000 Area, located at the

north end of Richland, contains offices and maintenance shops.
Additional administrative offices are located in the 700 Area in downtown Richland.

The applicability of the State Waste Discharge Permit Application to discharge hydrotest, construction and maintenance waste water streams is limited to activities conducted by DOE-RL and its contractors on the Hanford Site, and excludes activities conducted by others on lands covered by leases, use permits, easements and other agreements whereby land is used by parties other than DOE-RL. For example, this application does not cover activities on state owned or leased lands, lands owned by the Bonneville Power Administration, lands leased to the Washington Public Power Supply System, US Ecology and the Ashe Substation or similarly leased lands not under the management of DOE-RL.

TO BE COMPLETED BY APPLICANT

EVALUATIONS FOR
AGENCY USE ONLY

B. ENVIRONMENTAL ELEMENTS

1. Earth

- a. General description of the site (circle one):
Flat, rolling, hilly, steep slopes, mountainous,
other _____.

Flat

- b. What is the steepest slope on the site
(approximate percent slope)?

The general slope of land on the Hanford site is generally less than 2 percent.

- c. What general types of soils are found on the site? (for example, clay, sandy gravel, peat, muck)? If you know the classification of agricultural soils, specify them and note any prime farmland.

There are 15 different types of soil on the Hanford Site. The vast majority of the soil where activities would take place is classified as sand to sandy loam. For detailed information about soils on the Hanford Site see *Hanford Site National Environmental Policy Act (NEPA) Characterization*, PNL-6415, Revision 7, Pacific Northwest Laboratory, 1995, Richland, Washington.

- d. Are there surface indications or history of unstable soils in the immediate vicinity? If so, describe.

Hanford Site soils are generally stable although sand is affected by blowing winds.

- e. Describe the purpose, type, and approximate quantities of any filling or grading proposed. Indicate source of fill.

Filling and grading ordinarily take place during construction activities but are not normally part of actual testing and water discharges.

- f. Could erosion occur as a result of clearing, construction, or use? If so, generally describe.

Due to the soil types and dry climate, erosion is not expected. Water discharges would soak into the soil at the place of discharge.

- g. About what percent of the site will be covered with impervious surfaces after project construction (for example, asphalt or buildings)?

Impervious surfaces are often constructed during construction projects but are not ordinarily part of actual testing and water discharges

- h. Proposed measures to reduce or control erosion, or other impacts to the earth, if any:

None

2. Air

- a. What types of emissions to the air would result from the proposal (i.e., dust, automobile, odors, industrial wood smoke) during construction and when the project is completed? If any, generally describe and give approx. quantities, if known.

Vehicles used in these activities would produce minor amounts of air emissions in the form of exhaust gases.

- b. Are there any off-site sources of emissions or odors that may affect your proposal? If so, generally describe.

No.

- c. Proposed measures to reduce or control emissions or other impacts to the air, if any?

None.

3. Water

a. Surface

- 1) Is there any surface water body on or in the immediate vicinity of the site (including year-round and seasonal streams, saltwater, lakes, ponds, wetlands)? If yes, describe type and provide names. If appropriate, state what stream or river it flows into.

The proposed actions would occur on the Hanford site but would not discharge into the Columbia River.

- 2) Will the project require any work over, in, or adjacent to (within 200 feet) the described waters? If yes, please describe and attach available plans.

Water discharges may rarely be called for in existing systems within 200 feet of the Columbia River. No plans are available for as yet unplanned hydrotest, maintenance, or construction activities that may arise in the future.

- 3) Estimate the amount of fill and dredge material that would be placed in or removed from surface water or wetlands and indicate the area of the site that would be affected. Indicate the source of fill material.

No fill or dredge material would be involved.

- 4) Will the proposal require surface water withdrawals or diversions? Give general description, purpose, and approximate quantities if known.

Water from the Columbia River and groundwater may be the source of some flushes for hydrotesting, construction, and maintenance discharges.

- 1 5) Does the proposal lie within a 100-year
2 floodplain? Note location on the site plan.

3
4 The proposed actions would not take place
5 within the 100 year floodplain.

- 6
7 6) Does the proposal involve any discharges of
8 waste materials to surface waters? If so,
9 describe the type of waste and anticipated
10 volume of discharge.

11
12 No discharge of waste materials to surface
13 waters would occur.

14 b. Ground

- 15 1) Will ground water be withdrawn, or will
16 water be discharged to ground water? Give
17 general description, purpose, and
18 approximate quantities if known.

19 By nature hydrotest, maintenance, and
20 construction discharges would release water
21 to the ground. The source of some of this
22 water may be from wells.

- 23 2) Describe waste material that will be
24 discharged into the ground from septic tanks
25 or other sources, if any (for example:
26 Domestic sewage; industrial, containing the
27 following chemicals...; agricultural; etc.).
28 Describe the general size of the system, the
29 number of such systems, the number of houses
30 to be served (if applicable), or the number
31 of animals or humans the system(s) are
32 expected to serve.

33 None.

34 c. Water Run-off (including storm water)

- 35 1) Describe the source of run-off (including
36 storm water) and method of collection and
37 disposal, if any (include quantities, if
38 known). Where will this water flow? Will
39 this water flow into other waters? If so,
40 describe.

41 There is no stormwater system for the
42 collection of the hydrotest, construction,
43 and maintenance discharges. Stormwater
44 generally seeps into the soil and evaporates
45 due to the dry climate.

2) Could waste materials enter ground or surface waters? If so, generally describe.

No.

d. Proposed measures to reduce or control surface, ground, and run-off water impacts, if any:

None.

4. Plants

a. Check or circle the types of vegetation found on the site.

- ☐ deciduous tree: alder, maple, aspen, other
- ☐ evergreen tree: fir, cedar, pine, other
- ☒ shrubs
- ☒ grass
- ☐ pasture
- ☐ crop or grain
- ☐ wet soil plants: cattail, buttercup,
- ☐ bulrush, skunk cabbage, other
- ☐ water plants: water lily, eelgrass, milfoil,
- ☐ other
- ☒ other types of vegetation

The Hanford Site contains plants typical of a desert with a shrub-steppe habitat. For detailed information about vegetation on the Hanford Site see *Hanford Site National Environmental Policy Act (NEPA) Characterization*, PNL-6415, Revision 7, Pacific Northwest Laboratory, 1995, Richland, Washington.

b. What kind and amount of vegetation will be removed or altered?

None.

c. List threatened or endangered species known to be on or near the site.

Each Hanford Site location would have biological resource surveys conducted before beginning. Activities would not take place if threatened or endangered species were determined to be present.

d. Proposed landscaping, use of native plants, or other measures to preserve or enhance vegetation on the site, if any:

No landscaping would be called for.

5. Animals

- a. Circle any birds and animals which have been observed on or near the site or are known to be on or near the site:

birds: hawk, heron, eagle, songbirds,
other:.....
mammals: deer, bear, elk, beaver,
other:.....
fish: bass, salmon, trout, herring, shellfish,
other:.....

Many species of birds and animals can be found on the Hanford Site. Due to the disturbed nature of the locations on the Hanford site where the proposed activities would take place, it is not expected that the discharges would adversely impact these species. For detailed information about animals on the Hanford Site see *Hanford Site National Environmental Policy Act (NEPA) Characterization*, PNL-6415, Revision 7, Pacific Northwest Laboratory, 1995, Richland, Washington.

- b. List any threatened or endangered species known to be on or near the site.

Of the two federal- and state-listed endangered species observed on the Hanford Facility, the bald eagle is a regular winter visitor, occurring along some areas on the Columbia River, and the peregrine falcon is an uncommon visitor. The state listed American white pelican is an uncommon seasonal resident along the Columbia River. No federal or state listed endangered species is likely to occur in the areas where hydrotest, maintenance and construction discharges would take place. However, ecological resource reviews would be conducted before tests would be allowed to begin.

- c. Is the site part of a migration route? If so, explain.

The Hanford Site and the adjacent Columbia River are part of the broad Pacific Flyway for waterfowl migration.

- d. Proposed measures to preserve or enhance wildlife, if any:

None.

6. Energy and Natural Resources

- a. What kinds of energy (electric, natural gas, oil, wood stove, solar) will be used to meet the completed project's energy needs? Describe whether it will be used for heating, manufacturing, etc.

None.

- b. Would your project affect the potential use of solar energy by adjacent properties? If so, generally describe.

No.

- c. What kinds of energy conservation features are included in the plans of this proposal? List other proposed measures to reduce or control energy impacts, if any:

Not applicable.

7. Environmental Health

- a. Are there any environmental health hazards, including exposure to toxic chemicals, risk of fire and explosion, spill, or hazardous waste, that could occur as a result of this proposal? If so, describe.

No.

- 1) Describe special emergency services that might be required.

Hanford Site security, fire response, and ambulance services are on call at all times in the event of an onsite emergency.

- 2) Proposed measures to reduce or control environmental health hazards, if any:

None.

b. Noise

- 1) What type of noise exists in the area which may affect your project (for example: traffic, equipment, operation, other)?

None.

- 1   2)   What types and levels of noise would be
2   created by or associated with the project on
3   a short-term or a long-term basis (for
4   example: traffic, construction, operation,
5   other)? Indicate what hours noise would
6   come from the site.

7
8   There could be minor noise from some water
9   discharging operations.

- 10   3)   Proposed measures to reduce or control noise
11   impacts, if any:

12   None.

13   8. Land and Shoreline Use

- 14   a.   What is the current use of the site and adjacent
15   properties?

16   Hydrotest, construction and maintenance water
17   discharges would be a normal part of Hanford
18   Facility Operations. Commercial activities on
19   the Hanford Facility include a nuclear power
20   plant and a State of Washington-administered
21   low-level burial area operated by US Ecology.
22   Public access to the Hanford Facility is limited.

- 23   b.   Has the site been used for agriculture? If so,
24   describe.

25   No portion of the Hanford Site has been used for
26   agricultural purposes since 1943.

- 27   c.   Describe any structures on the site.

28   Hanford site structures are many and varied,
29   although most are contained within fenced,
30   developed areas.

- 31   d.   Will any structures be demolished? If so, what?

32   No.

- 33   e.   What is the current zoning classification of the
34   site?

35   The Hanford Site is zoned by Benton County as an
36   Unclassified Use (U) district.

- 1 f. What is the current comprehensive plan
2 designation of the site?
3

4 The 1985 Benton County Comprehensive Land Use
5 Plan designates the Hanford Site as the "Hanford
6 Reservation." Under this designation, land on
7 the Site may be used for "activities nuclear in
8 nature." Non-nuclear activities are authorized
9 "if and when DOE approval for such activities is
10 obtained."
11

12 Future use of the Hanford Site is currently being
13 considered by the DOE, but final decisions are
14 not expected to be made until the year 2001.
15

- 16 g. If applicable, what is the current shoreline
17 master program designation of the site?
18

19 Not applicable.
20

- 21 h. Has any part of the site been classified as an
22 "environmentally sensitive" area? If so,
23 specify.
24

25 The Hanford site contains an area designated as
26 the Hanford Reach of the Columbia River. Under
27 Public Law 100-605, "Study of the Hanford Reach
28 of the Columbia River," the National Park Service
29 would be requested to review any activities which
30 might take place within this area.
31

- 32 i. Approximately how many people would reside or
33 work in the completed project?
34

35 Does not apply.
36

- 37 j. Approximately how many people would the completed
38 project displace?
39

40 Does not apply.
41

- 42 k. Proposed measures to avoid or reduce displacement
43 impacts, if any:
44

45 Does not apply.
46

- 47 l. Proposed measures to ensure the proposal is
48 compatible with existing and projected land uses
49 and plans, if any:
50

51 Does not apply. (Refer to answer to Checklist
52 Question B.8.f. and h)
53
54

1 9. Housing
2

- 3 a. Approximately how many units would be provided,
4 if any? Indicate whether high, middle, or low-
5 income housing.

6 None.
7

- 8 b. Approximately how many units, if any, would be
9 eliminated? Indicate whether high, middle, or
10 low-income housing.

11 None.
12

- 13 c. Proposed measures to reduce or control housing
14 impacts, if any:

15 None.
16

17 10. Aesthetics

- 18 a. What is the tallest height of any proposed
19 structure(s), not including antennas; what is the
20 principal exterior building material(s) proposed?

21 No new structures are proposed.
22

- 23 b. What views in the immediate vicinity would be
24 altered or obstructed?

25 None.
26

- 27 c. Proposed measures to reduce or control aesthetic
28 impacts, if any:

29 None.
30

31 11. Light and Glare

- 32 a. What type of light or glare will the proposal
33 produce? What time of day would it mainly occur?

34 None.
35

- 36 b. Could light or glare from the finished project be
37 a safety hazard or interfere with views?

38 No.
39

- 40 c. What existing off-site sources of light or glare
41 may affect your proposal?

42 None.
43

- 1 d. Proposed measures to reduce or control light and
2 glare impacts, if any:

3
4 None.

5
6 **12. Recreation**

- 7
8 a. What designated and informal recreational
9 opportunities are in the immediate vicinity?

10
11 The only recreational opportunities in the area
12 involve the Columbia River (e.g., boating, and
13 fishing).

- 14
15 b. Would the proposed project displace any existing
16 recreational uses? If so, describe.

17
18 No.

- 19
20 c. Proposed measures to reduce or control impacts on
21 recreation, including recreation opportunities to
22 be provided by the project or applicant, if any?

23
24 None.

25
26 **13. Historic and Cultural Preservation**

- 27
28 a. Are there any places or objects listed on, or
29 proposed for, national, state, or local
30 preservation registers known to be on or next to
31 the site? If so, generally describe.

32
33 The retired B Reactor has been placed on the
34 National Register of Historic Places, but would
35 not be disturbed by the proposed action. The
36 historic status of other Hanford Site structures
37 is in the process of being determined on a case-
38 by-case basis as the need arises. Cultural
39 reviews would be conducted each time before a
40 hydrotest would be conducted in order to protect
41 the resources. Additional information regarding
42 the cultural resources on the Hanford Site
43 environment can be found in *Hanford Site National*
44 *Environmental Policy Act (NEPA) Characterization*,
45 PNL-6415, Revision 7, Pacific Northwest
46 Laboratory, 1995, Richland, Washington.

- 47
48 b. Generally describe any landmarks or evidence of
49 historic, archaeological, scientific, or cultural
50 importance known to be on or next to the site.

51
52 Although the area adjacent to the Columbia River
53 has been found to be rich in cultural resources,
54 the proposed action would not effect undisturbed

1 areas. Additional information regarding this can
2 be found in *Hanford Site National Environmental*
3 *Policy Act (NEPA) Characterization*, PNL-6415,
4 Revision 7, Pacific Northwest Laboratory, 1995,
5 Richland, Washington.

- 7 c. Proposed measures to reduce or control impacts,
3 if any:

None.

14. Transportation

- a. Identify public streets and highways serving the
site, and describe proposed access to the
existing street system. Show on site plans, if
any.

Does not apply.

- b. Is site currently served by public transit? If
not, what is the approximate distance to the
nearest transit stop?

The Hanford Site is a controlled location and
public transportation is not allowed to the site.

- c. How many parking spaces would the completed
project have? How many would the project
eliminate?

None.

- d. Will the proposal require any new roads or
streets, or improvements to existing roads or
streets, not including driveways? If so,
generally describe (indicate whether public or
private).

No.

- e. Will the project use (or occur in the immediate
vicinity of) water, rail, or air transportation?
If so, generally describe.

No.

- f. How many vehicular trips per day would be
generated by the completed project? If known,
indicate when peak volumes would occur.

None.

- g. Proposed measures to reduce or control transportation impacts, if any:

None.

15. Public Services

- a. Would the project result in an increased need for public services (for example: fire protection, police protection, health care, schools, other)? If so, generally describe.

No.

- b. Proposed measures to reduce or control direct impacts on public services, if any:

None.

16. Utilities

- a. Circle utilities currently available at the site: electricity, natural gas, water, refuse service, telephone, sanitary sewer, septic system, other:

Currently the site uses electricity, water, refuse service, telephone, sanitary sewer, septic systems and other utilities.

- b. Describe the utilities that are proposed for the project, the utility providing the service, and the general construction activities on the site or in the immediate vicinity which might be needed.

None.

SIGNATURES

The above answers are true and complete to the best of my knowledge. We understand that the lead agency is relying on them to make its decision.

J. E. Rasmussen
J. E. Rasmussen, Director,
Environmental Assurance, Permits,
and Policy Division
U.S. Department of Energy
Richland Operations Office

11/7/95
Date