MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

operated for the UNITED STATES DEPARTMENT OF ENERGY

Contract No. DE-AC04-88-DP43495

P.O. BOX 3000 MIAMISBURG, OHIO 45343-0987 513-865-4020

EG&G MOUND APPLIED TECHNOLOGIES

10/88 - 12/88

CALORIMETRY SAMPLE
EXCHANGE ANALYSIS OF
DATA REPORT FOR

RECEIVED
OCT 11 1995
OSTI

MLM-MU-89-63-0002

**CALORIMETRY SAMPLE EXCHANGE
ANALYSIS OF DATA REPORT FOR
10/88 - 12/88**

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Prepared by

James E. Lyons
EGG-Mound

Reviewed by

David A. Rakel
EGG-Mound

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

The Calorimetry Exchange Program

The goals of the Calorimetry Sample Exchange Program are:

1. Discuss measurement differences
2. Review and improve analytical measurements and methods
3. Discuss new measurement capabilities
4. Provide data to DoE on measurement capabilities to evaluate shipper-receiver differences
5. Provide characterized or standard materials as necessary for exchange participants
6. Provide a measurement control program for plutonium analysis

A sample of PuO₂ powder is available at each participating site for NDA measurement, including either or both calorimetry and high-resolution gamma-ray spectroscopy, the elements which are typically combined to provide a calorimetric assay of plutonium. The facilities measure the sample as frequently and to the level of precision which they desire, and then submit the data to the Exchange for analysis. Statistical tests are used to evaluate the data and to determine if there are significant differences from accepted values for the exchange sample or from data previously reported by that facility. This information is presented, in the form of a quarterly report, intended for use by Exchange participants in measurement control programs, or to indicate when bias corrections may be appropriate. No attempt, however, has been made to standardize methods or frequency of data collection, calibration, or operating procedures. Direct comparisons between laboratories may, therefore, be misleading since data have not been collected to the same precision or for the same time periods.

A meeting of the participants of the Calorimetry Exchange is held annually at MRC-Mound. The purposes of this meeting are to discuss measurement differences, problems, and new measurement capabilities, and to determine the additional activities needed to fulfill the goals of the Exchange.

Decision Tree for Statistical Tests

TABLE OF CONTENTS

=====

1.	SUMMARY	1
2.	CALORIMETRY	3
3.	P-EFF	8
4.	$^{238}\text{Pu}/^{239}\text{Pu}$	13
5.	$^{240}\text{Pu}/^{239}\text{Pu}$	18
6.	$^{241}\text{Pu}/^{239}\text{Pu}$	23
8.	$^{241}\text{Am}/^{239}\text{Pu}$	28
9.	% ^{238}Pu	33
10.	% ^{239}Pu	38
11.	% ^{240}Pu	43
12.	% ^{241}Pu	48
14.	% ^{241}Am	53
15.	ACCEPTED VALUES AND CONSTANTS	58
16.	MAILING LIST	59

SUMMARY

=====

LAWRENCE LIVERMORE

=====

No significant difference from the accepted value was noted this quarter for power. Significant differences were noted for P-effective (-.09%), and 241 Am (-1.11%).

LOS ALAMOS

=====

No significant differences from the accepted values were noted this quarter for power and P-effective. A significant difference was noted for 241 Pu (-1.23%) this quarter.

MRC-MOUND

=====

No significant difference from the accepted value was noted for power this quarter. Significant differences from the accepted values were noted for P-effective (.24%) and 238 Pu (13.34%).

WESTINGHOUSE HANFORD

=====

No significant differences were noted from the accepted values for power or P-effective. A significant difference was noted for 241 Am (-3.83%) this quarter.

ROCKY FLATS

=====

Chemical Standards Lab: This quarter there was not any data received.
Analytical Labs: No significant difference from the accepted value was observed this quarter for P-effective. A significant difference was noted for power (.19%).

SAVANNAH RIVER

=====

This quarter there was not any data received.

SUMMARY TABLE

% DIFFERENCE FROM ACCEPTED VALUES FOR THE CALORIMETRY EXCHANGE SAMPLE

MEAS.	LIVERMORE	LOS ALAMOS	MOUND	HANFORD	ROCKY FLATS CSL AL	SAVANNAH RIVER	
=====	=====	=====	=====	=====	=====	=====	
POWER	.00	.09	-.06	.05	**	.19 *	**
P-EFF	-.08 *	.06	.24 *	.07	**	-.01	**
238/239 Pu	-.81	5.97	13.26 *	-.49	**	-.78	**
240/239 Pu	-.12	-1.49	-.72	1.89	**	-.46	**
241/239 Pu	-.21	-1.34 *	.25	.41	**	-.23	**
Am/239 Pu	-1.11 *	1.09	.12	-3.71 *	**	.00	**
% 238 Pu	-.76	6.08	13.34 *	-.56	**	-.79	**
% 239 Pu	.01	.09	.04	-.11	**	.02	**
% 240 Pu	-.10	-1.37	-.67	1.82	**	-.42	**
% 241 Pu	-.18	-1.23 *	.31	.30	**	-.24	**
% 241 Am	-1.11 *	1.18	.15	-3.83 *	**	.01	**

* A t-test indicates a significant difference from the accepted value for this measurement exists (95% confidence).

** No data was reported for this measurement.

RESULTS OF ANALYSIS OF CALORIMETRY DATA

REPORTING LABORATORY

	CSL	LLL	LANL	MAT	WMC	RFP	SRP
LAB MEAN (u)	---	.97591	.97676	.97536	.97642	.97771	---
OBS. STD DEV (mM)	---	1.3	1.6	.9	1.6	3.0	---
REP. STD DEV (mM)	---	4.9	---	2.0	1.6	2.4	---
NO. OF DATA PTS.	0	5	5	4	28	10	0

DIFFERENCE BETWEEN MEANS

=====

MEAN - ACCEPTED VALUE

(mM)	---	0.0	.9	-.5	.5	1.8*	---
(%)	---	0.00	.09	-.06	.05	.19*	---

MEAN - MEAN FOR LAST PERIOD

(mM)	---	-3.4*	-1.2	-.7	.8*	.6	---
(%)	---	-.35*	-.13	-.07	.09*	.07	---

* DIFFERENCE IS SIGNIFICANT AT THE 95% CONFIDENCE LEVEL

** OBSERVED VARIANCE IS SIGNIFICANTLY DIFFERENT FROM EXPECTED VARIANCE AT THE 95% CONFIDENCE LEVEL

*** NOT ENOUGH DATA REPORTED TO ASSESS SIGNIFICANCE OF DIFFERENCE

**** ACCEPTED VALUE= 0.9759 u

POWER DATA FOR 9/88 - 12/88 *

1.0020
 .9968
 .9916
 .9864
 .9812
 .9761
 .9709
 .9657
 .9605
 .9553
 .9501

POWER DATA (WATTS) **

Error (%)

2.67445
 2.14264
 1.61082
 1.079
 .547187
 .0153704
 -.516446
 -1.04826
 -1.58008
 -2.1119
 -2.64371

CSL LLL LA MAT WH RF SRP

* DATA DECAYED TO 1/1/89
 ** ACCEPTED VALUE= .9759 WATTS

MONTHLY MEANS FOR POWER DATA *

POWER DATA (WATTS) **

Error (%)

2.67445
2.14264
1.61082
1.079
.547187
.0153704
-.516446
-1.04826
-1.58008
-2.1119
-2.64371

7/88 8/88 9/88 10/88 11/88 12/88

* DATA DECAYED TO 1/1/89
** ACCEPTED VALUE= .9759 WATTS

CALORIMETRY POWER DATA

OBS	LAB	RAW DATA (WATTS)	DEC DATA * (WATTS)	UNCERT (%)	ERR ** (%)	MEASUREMENT DATE	INST ***
-----	-----	---------------------	-----------------------	---------------	---------------	---------------------	----------

1	LL	.97270	.97334	.50	-.26	11/12/1988	32
2	LL	.97565	.97615	.50	.03	11/23/1988	32
3	LL	.97621	.97656	.50	.07	12/ 5/1988	32
4	LL	.97621	.97643	.50	.05	12/15/1988	32
5	LL	.97705	.97708	.50	.12	12/30/1988	32

1	LA	.97630	.97736	---	.15	10/11/1988	K03
2	LA	.97610	.97698	---	.11	10/25/1988	K06
3	LA	.97590	.97670	---	.08	10/31/1988	K06
4	LA	.97790	.97861	---	.28	11/ 7/1988	K04
5	LA	.97380	.97415	---	-.18	12/ 5/1988	K02

1	MT	.97566	.97587	.21	-0.00	12/15/1988	111_P
2	MT	.97576	.97598	.19	.01	12/15/1988	111_E
3	MT	.97548	.97571	.30	-.02	12/14/1988	128_P
4	MT	.97408	.97431	.18	-.16	12/14/1988	128_E

* DATA DECAYED TO 1/1/1989
 ** ACCEPTED VALUE= .9759 WATTS
 *** LAB GENERATED INSTRUMENT ID

CALORIMETRY POWER DATA
(CONTINUED)

OBS	LAB	RAW DATA (WATTS)	DEC DATA * (WATTS)	UNCERT (%)	ERR ** (%)	MEASUREMENT DATE	INST ***
1	WH	.97660	.97776	.18	.19	10/ 3/1988	1
2	WH	.98060	.98175	.18	.60	10/ 4/1988	4
3	WH	.97450	.97563	.18	-.03	10/ 5/1988	3
4	WH	.97360	.97472	.18	-.12	10/ 6/1988	4
5	WH	.97540	.97647	.18	.06	10/10/1988	1
6	WH	.97480	.97582	.18	-.01	10/14/1988	2
7	WH	.97490	.97588	.18	-0.00	10/17/1988	3
8	WH	.97610	.97707	.18	.12	10/18/1988	1
9	WH	.97630	.97723	.18	.14	10/21/1988	4
10	WH	.97560	.97649	.18	.06	10/24/1988	2
11	WH	.97490	.97577	.18	-.01	10/25/1988	3
12	WH	.97470	.97554	.18	-.04	10/28/1988	1
13	WH	.97710	.97786	.24	.20	11/ 3/1988	4
14	WH	.97630	.97699	.24	.11	11/ 8/1988	3
15	WH	.97270	.97338	.24	-.26	11/ 9/1988	1
16	WH	.97220	.97281	.24	-.32	11/14/1988	4
17	WH	.97650	.97703	.24	.12	11/21/1988	3
18	WH	.97470	.97520	.24	-.07	11/23/1988	1
19	WH	.97890	.97934	.24	.35	11/28/1988	2
20	WH	.97820	.97860	.13	.28	12/ 1/1988	4
21	WH	.97650	.97683	.13	.10	12/ 6/1988	3
22	WH	.97520	.97552	.13	-.04	12/ 7/1988	2
23	WH	.97380	.97406	.13	-.19	12/12/1988	3
24	WH	.97720	.97744	.13	.16	12/13/1988	1
25	WH	.97590	.97612	.13	.02	12/15/1988	2
26	WH	.97560	.97575	.13	-.01	12/20/1988	3
27	WH	.97650	.97664	.13	.08	12/21/1988	4
28	WH	.97590	.97595	.13	.01	12/28/1988	2

1	RF	.97800	.97897	.25	.31	10/18/1988	MC3
2	RF	.97640	.97733	.25	.15	10/21/1988	RFC3-1
3	RF	.97210	.97300	.25	-.30	10/23/1988	RFC3-2
4	RF	.97740	.97816	.25	.23	11/ 3/1988	MC5
5	RF	.97710	.97785	.25	.20	11/ 4/1988	RFC7
6	RF	.98140	.98205	.25	.63	11/12/1988	MC3
7	RF	.97630	.97690	.25	.10	11/15/1988	RFC2
8	RF	.97430	.97481	.25	-.11	11/22/1988	MP1
9	RF	.97820	.97861	.25	.28	11/30/1988	MC2
10	RF	.97920	.97951	.25	.37	12/ 8/1988	MC1

* DATA DECAYED TO 1/1/1989
 ** ACCEPTED VALUE= .9759 WATTS
 *** LAB GENERATED INSTRUMENT ID

RESULTS OF ANALYSIS OF P-EFFECTIVE DATA

REPORTING LABORATORY

	CSL =====	LLL =====	LANL =====	MAT =====	WHC =====	RFP =====	SRP =====
LAB MEAN (mW/)	---	2.448	2.452	2.456	2.452	2.450	---
OBS. S DEV (mW/G)	---	.0029**	.0069	.0063**	.0152	.0156	---
REP. S DEV (mW/G)	---	.0017	.0155	.0045	.0157	.0141	---
# OF DATA POINTS	0	12	10	6	17	29	0

DIFFERENCE BETWEEN MEANS

=====

MEAN - ACCEPTED VALUE

(mW/G)	---	-.002*	.002	.006*	.002	-.000	---
(%)	---	-.08*	.06	.24*	.07	-.01	---

MEAN - MEAN FOR LAST PERIOD

(mW/G)	---	-.003*	-.001	-.000	-.001	.001	---
(%)	---	-.13*	-.05	-.01	-.05	.03	---

* DIFFERENCE IS SIGNIFICANT AT THE 95% CONFIDENCE LEVEL

** OBSERVED VARIANCE IS SIGNIFICANTLY DIFFERENT FROM EXPECTED VARIANCE AT THE 95% CONFIDENCE LEVEL

*** NOT ENOUGH DATA REPORTED TO ASSESS SIGNIFICANCE OF DIFFERENCE

**** ACCEPTED VALUE= .00245 mW/G

P-EFF FOR 9/88 - 12/88 *

* DATA DECAYED TO 1/1/89
** ACCEPTED VALUE= .00245 mW/G

** P-EFF (MM/G) **

Error (%)

6.12245
4.89796
3.67347
2.44898
1.22449
0
-1.22449
-2.44898
-3.67347
-4.89796
-6.12245

7/88	8/88	9/88	10/88	11/88	12/88
------	------	------	-------	-------	-------

```
* DATA DECAYED TO 1/1/89
** ACCEPTED VALUE= .00245 mW/G
```


OBS	LAB	ISOTOPIC DATA: P-EFFECTIVE				MEASUREMENT DATE	INST ***
		RAW DATA (mW/g)	DEC DATA * (mW/g)	UNCERT (%)	ERR ** (%)		
1	LL	2.4435	2.4462	.08	-.15	10/11/1988	MGA-2
2	LL	2.4442	2.4466	.07	-.14	10/20/1988	MGA-2
3	LL	2.4482	2.4504	.06	.01	10/27/1988	MGA-2
4	LL	2.4426	2.4446	.07	-.22	11/ 1/1988	MGA-2
5	LL	2.4493	2.4512	.08	.05	11/ 3/1988	MGA-2
6	LL	2.4432	2.4450	.08	-.20	11/ 7/1988	MGA-2
7	LL	2.4500	2.4518	.09	.07	11/ 7/1988	MGA-2
8	LL	2.4469	2.4480	.06	-.08	11/29/1988	MGA-2
9	LL	2.4469	2.4480	.06	-.08	11/29/1988	MGA-2
10	LL	2.4491	2.4502	.05	.01	11/29/1988	MGA-2
11	LL	2.4464	2.4473	.06	-.11	12/ 5/1988	MGA-2
12	LL	2.4469	2.4474	.08	-.11	12/16/1988	MGA-2

1	LA	2.4443	2.4473	.60	-.11	10/ 3/1988	M01
2	LA	2.4379	2.4404	.64	-.39	10/17/1988	M03
3	LA	2.4533	2.4555	.69	.23	10/26/1988	M01
4	LA	2.4423	2.4443	.66	-.23	11/ 1/1988	M03
5	LA	2.4549	2.4565	.65	.26	11/15/1988	M03
6	LA	2.4567	2.4580	.62	.33	11/21/1988	M01
7	LA	2.4446	2.4457	.66	-.17	11/28/1988	M03
8	LA	2.4490	2.4498	.55	-.01	12/ 6/1988	M01
9	LA	2.4624	2.4630	.70	.53	12/13/1988	M03
10	LA	2.4569	2.4573	.59	.30	12/21/1988	M01

1	MR	2.4547	2.4569	.19	.28	10/27/1988	70/40
2	MR	2.4554	2.4565	.17	.26	11/30/1988	70/40
3	MR	2.4542	2.4548	.18	.19	12/16/1988	70/40
4	MR	2.4602	2.4607	.19	.44	12/17/1988	70/40
5	MR	2.4524	2.4529	.20	.12	12/17/1988	70/40
6	MR	2.4531	2.4535	.18	.14	12/18/1988	70/40

* DATA DECAYED TO 1/1/1989
 ** ACCEPTED VALUE= 2.4500 mW/g
 *** LAB GENERATED INSTRUMENT ID

ISOTOPIC DATA: P-EFFECTIVE
(CONTINUED)

OBS	LAB	RAW DATA (mW/g)	DEC DATA * (mW/g)	UNCERT (%)	ERR ** (%)	MEASUREMENT DATE	INST ***
1	WH	2.4457	2.4486	.99	-.06	10/ 6/1988	627
2	WH	2.4563	2.4589	1.00	.37	10/13/1988	559
3	WH	2.4409	2.4433	.95	-.27	10/21/1988	1985
4	WH	2.4375	2.4398	1.00	-.42	10/26/1988	627
5	WH	2.5157	2.5177	1.19	2.76	10/31/1988	559
6	WH	2.4300	2.4320	.50	-.74	11/ 3/1988	559
7	WH	2.4579	2.4598	.53	.40	11/ 4/1988	559
8	WH	2.4349	2.4369	.51	-.53	11/ 4/1988	559
9	WH	2.4393	2.4411	.51	-.36	11/ 7/1988	559
10	WH	2.4386	2.4404	.51	-.39	11/10/1988	1985
11	WH	2.4621	2.4635	.53	.55	11/18/1988	562
12	WH	2.4509	2.4523	.52	.09	11/21/1988	1985
13	WH	2.4576	2.4584	.68	.34	12/ 8/1988	1985
14	WH	2.4706	2.4713	.69	.87	12/ 9/1988	627
15	WH	2.4632	2.4637	.64	.56	12/19/1988	1985
16	WH	2.4738	2.4741	.73	.98	12/22/1988	627
17	WH	2.4540	2.4541	.72	.17	12/28/1988	1985

1	RF	2.4474	2.4503	.63	.01	10/ 3/1988	2
2	RF	2.4542	2.4572	.81	.29	10/ 3/1988	1
3	RF	2.4384	2.4412	.61	-.36	10/ 7/1988	1
4	RF	2.4252	2.4281	.82	-.89	10/ 7/1988	2
5	RF	2.4589	2.4616	.44	.47	10/10/1988	2
6	RF	2.4548	2.4575	.49	.31	10/11/1988	1
7	RF	2.4282	2.4307	.51	-.79	10/17/1988	2
8	RF	2.4384	2.4408	.71	-.38	10/21/1988	1
9	RF	2.4123	2.4147	.55	-1.44	10/22/1988	2
10	RF	2.4197	2.4221	.58	-1.14	10/23/1988	1
11	RF	2.4641	2.4664	.42	.67	10/23/1988	2
12	RF	2.4387	2.4409	.57	-.37	10/25/1988	1
13	RF	2.4473	2.4493	.56	-.03	11/ 2/1988	1
14	RF	2.4660	2.4679	.62	.73	11/ 2/1988	2
15	RF	2.4627	2.4646	.44	.60	11/ 4/1988	2
16	RF	2.4391	2.4410	.50	-.37	11/ 7/1988	1
17	RF	2.4490	2.4509	.41	.03	11/ 7/1988	2
18	RF	2.4399	2.4417	.67	-.34	11/ 8/1988	1
19	RF	2.4732	2.4750	.67	1.02	11/ 8/1988	2
20	RF	2.4787	2.4803	.75	1.24	11/11/1988	1
21	RF	2.4186	2.4203	.60	-1.21	11/11/1988	2
22	RF	2.4637	2.4650	.92	.61	11/21/1988	1
23	RF	2.4535	2.4549	.62	.20	11/21/1988	2
24	RF	2.4410	2.4420	.68	-.33	11/30/1988	1
25	RF	2.4489	2.4499	.57	-0.00	11/30/1988	2
26	RF	2.4543	2.4552	.56	.21	12/ 6/1988	2
27	RF	2.4617	2.4625	.74	.51	12/ 6/1988	1
28	RF	2.4642	2.4650	.72	.61	12/ 9/1988	1
29	RF	2.4512	2.4519	.64	.08	12/ 9/1988	2

* DATA DECAYED TO 1/1/1989

** ACCEPTED VALUE= 2.4500 mW/g

RESULTS OF ANALYSIS OF 238 Pu/239 Pu DATA

REPORTING LABORATORY

	CSL	LLL	LANL	MAT	UHC	RFP	SRP
	=====	=====	=====	=====	=====	=====	=====
LAB MEAN (PPM)	---	100	107	114	101	100	---
OBS. S DEV (PPM)	---	2.56	11.90	14.04**	12.48	23.27	---
REP. S DEV (PPM)	---	2.32	12.31	6.46	13.04	21.09	---
# OF DATA POINTS	0	12	10	6	17	29	0

DIFFERENCE BETWEEN MEANS

=====

MEAN - ACCEPTED VALUE

(PPM)	---	-1	6	13*	-0	-1	---
(%)	---	- .81	5.97	13.26*	-.49	-.78	---

MEAN - MEAN FOR LAST PERIOD

(PPM)	---	-4*	4	-1	-5*	1	---
(%)	---	-4.43*	3.58	-.48	-5.47*	1.42	---

* DIFFERENCE IS SIGNIFICANT AT THE 95% CONFIDENCE LEVEL

** OBSERVED VARIANCE IS SIGNIFICANTLY DIFFERENT FROM EXPECTED VARIANCE AT THE 95% CONFIDENCE LEVEL

*** NOT ENOUGH DATA REPORTED TO ASSESS SIGNIFICANCE OF DIFFERENCE

***** ACCEPTED VALUE= 101.02 PPM

238 Pu/239 Pu FOR 9/88 - 12/88 *

* DATA DECAYED TO 1/1/89
 ** ACCEPTED VALUE= 101.02 PPM

MONTHLY MEANS FOR 238 Pu/239 Pu *

7/88 8/88 9/88 10/88 11/88 12/88

* DATA DECAYED TO 1/1/89
 ** ACCEPTED VALUE= 101.02 PPM

ISOTOPIC DATA: 238 Pu/239 Pu						
OBS LAB	RAW DATA	DEC DATA *	UNCERT	ERR **	MEASUREMENT	INST ***
	(ppm)	(ppm)	(%)	(%)	DATE	
1	LL	99.4	99.3	2.55	-1.74	10/11/1988 MGA-2
2	LL	98.4	98.2	2.29	-2.75	10/20/1988 MGA-2
3	LL	102.7	102.6	2.05	1.52	10/27/1988 MGA-2
4	LL	96.2	96.1	2.30	-4.86	11/ 1/1988 MGA-2
5	LL	102.7	102.6	2.81	1.55	11/ 3/1988 MGA-2
6	LL	96.2	96.1	2.86	-4.85	11/ 7/1988 MGA-2
7	LL	101.4	101.3	2.79	.26	11/ 7/1988 MGA-2
8	LL	99.5	99.4	2.21	-1.57	11/29/1988 MGA-2
9	LL	99.5	99.4	2.21	-1.57	11/29/1988 MGA-2
10	LL	103.8	103.7	1.76	2.67	11/29/1988 MGA-2
11	LL	101.6	101.6	2.07	.54	12/ 5/1988 MGA-2
12	LL	99.5	99.5	2.91	-1.54	12/16/1988 MGA-2

1	LA	109.2	109.0	10.63	7.86	10/ 3/1988 M01
2	LA	108.6	108.4	11.84	7.35	10/17/1988 M03
3	LA	107.9	107.8	12.42	6.68	10/26/1988 M01
4	LA	120.4	120.3	10.64	19.08	11/ 1/1988 M03
5	LA	110.8	110.6	11.50	9.53	11/15/1988 M03
6	LA	90.7	90.6	12.97	-10.27	11/21/1988 M01
7	LA	85.9	85.8	14.93	-15.03	11/28/1988 M03
8	LA	107.3	107.2	10.11	6.14	12/ 6/1988 M01
9	LA	117.1	117.0	11.60	15.83	12/13/1988 M03
10	LA	115.6	115.5	10.11	14.38	12/21/1988 M01

1	MR	115.0	114.8	5.80	13.68	10/27/1988 70/40
2	MR	113.0	112.9	5.20	11.78	11/30/1988 70/40
3	MR	114.0	114.0	5.30	12.81	12/16/1988 70/40
4	MR	123.0	123.0	5.80	21.72	12/17/1988 70/40
5	MR	107.0	107.0	6.90	5.89	12/17/1988 70/40
6	MR	115.0	115.0	5.30	13.80	12/18/1988 70/40

* DATA DECAYED TO 1/1/1989
 ** ACCEPTED VALUE= 101. ppm
 *** LAB GENERATED INSTRUMENT ID

ISOTOPIC DATA: 238 Pu/239 Pu

(CONTINUED)

OBS	LAB	RAW DATA (ppm)	DEC DATA * (ppm)	UNCERT (%)	ERR ** (%)	MEASUREMENT DATE	INST ***
1	WH	110.3	110.1	24.25	8.95	10/ 6/1988	627
2	WH	115.6	115.4	24.25	14.24	10/13/1988	559
3	WH	92.1	92.0	24.25	-8.98	10/21/1988	1985
4	WH	122.6	122.4	24.25	21.19	10/26/1988	627
5	WH	159.6	159.4	24.25	57.82	10/31/1988	559
6	WH	95.0	94.8	9.43	-6.11	11/ 3/1988	559
7	WH	113.6	113.5	9.43	12.34	11/ 4/1988	559
8	WH	88.9	88.8	9.43	-12.13	11/ 4/1988	559
9	WH	98.3	98.2	9.43	-2.77	11/ 7/1988	559
10	WH	103.7	103.6	9.43	2.53	11/10/1988	1985
11	WH	88.2	88.1	9.43	-12.81	11/18/1988	562
12	WH	107.1	107.0	9.43	5.88	11/21/1988	1985
13	WH	115.8	115.8	18.08	14.60	12/ 8/1988	1985
14	WH	116.1	116.0	18.08	14.86	12/ 9/1988	627
15	WH	92.4	92.3	18.08	-8.59	12/19/1988	1985
16	WH	136.1	136.1	18.08	34.74	12/22/1988	627
17	WH	135.6	135.6	18.08	34.24	12/28/1988	1985

=====

1	RF	120.0	119.8	19.80	18.56	10/ 3/1988	2
2	RF	93.0	92.8	34.39	-8.12	10/ 3/1988	1
3	RF	103.0	102.8	21.97	1.77	10/ 7/1988	1
4	RF	70.0	69.9	42.50	-30.84	10/ 7/1988	2
5	RF	107.0	106.8	14.10	5.73	10/10/1988	2
6	RF	114.0	113.8	16.90	12.65	10/11/1988	1
7	RF	58.0	57.9	33.49	-42.68	10/17/1988	2
8	RF	105.0	104.8	23.69	3.78	10/21/1988	1
9	RF	38.0	37.9	55.64	-62.44	10/22/1988	2
10	RF	65.0	64.9	33.86	-35.75	10/23/1988	1
11	RF	111.0	110.8	13.39	9.71	10/23/1988	2
12	RF	113.0	112.8	18.73	11.70	10/25/1988	1
13	RF	117.0	116.8	18.84	15.67	11/ 2/1988	1
14	RF	88.0	87.9	16.40	-13.00	11/ 2/1988	2
15	RF	123.0	122.8	13.23	21.61	11/ 4/1988	2
16	RF	94.0	93.9	20.67	-7.06	11/ 7/1988	1
17	RF	104.0	103.9	15.34	2.83	11/ 7/1988	2
18	RF	99.0	98.9	25.73	-2.11	11/ 8/1988	1
19	RF	139.0	138.8	16.34	37.44	11/ 8/1988	2
20	RF	158.0	157.8	19.62	56.23	11/11/1988	1
21	RF	67.0	66.9	30.13	-33.75	11/11/1988	2
22	RF	124.0	123.9	30.38	22.64	11/21/1988	1
23	RF	105.0	104.9	22.62	3.85	11/21/1988	2
24	RF	122.0	121.9	22.39	-20.68	11/30/1988	1
25	RF	88.0	87.9	23.93	-12.95	11/30/1988	2
26	RF	87.0	87.0	22.79	-13.93	12/ 6/1988	2
27	RF	115.0	114.9	25.41	13.78	12/ 6/1988	1
28	RF	124.0	123.9	22.95	22.69	12/ 9/1988	1
29	RF	119.0	118.9	21.13	17.74	12/ 9/1988	2

=====

* DATA DECAYED TO 1/1/1989

** ACCEPTED VALUE= 101 ppm

RESULTS OF ANALYSIS OF 240 Pu/239 Pu DATA

	REPORTING LABORATORY						
	CSL	LLL	LANL	MAT	WHC	RFP	SRP
	=====	=====	=====	=====	=====	=====	=====
LAB MEAN (PPM)	---	62095	61244	61721	63345	61882	---
OBS. S DEV (PPM)	---	284.27	2170.58	598.66	2943.95	1880.45	---
REP. S DEV (PPM)	---	223.92	3009.59	638.74	2940.35	1810.33	---
# OF DATA POINTS	0	12	10	6	17	29	0

DIFFERENCE BETWEEN MEANS

=====

MEAN - ACCEPTED VALUE

(PPM)	---	-73	-924	-447	1177	-286	---
(%)	---	-.12	-1.49	-.72	1.89	-.46	---

MEAN - MEAN FOR LAST PERIOD

(PPM)	---	-95*	-500	134	-0	-478	---
(%)	---	-.15*	-.82	.22	-0.00	-.77	---

* DIFFERENCE IS SIGNIFICANT AT THE 95% CONFIDENCE LEVEL

** OBSERVED VARIANCE IS SIGNIFICANTLY DIFFERENT FROM EXPECTED VARIANCE AT THE 95% CONFIDENCE LEVEL

*** NOT ENOUGH DATA REPORTED TO ASSESS SIGNIFICANCE OF DIFFERENCE

**** ACCEPTED VALUE= 62168 PPM

240 Pu/239 Pu FOR 9/88 - 12/88 *

* DATA DECAYED TO 1/1/89
** ACCEPTED VALUE= 62168 PPM

MONTHLY MEANS FOR 240 Pu/239 Pu *

240 Pu/239 Pu (PPM) **

7/88 8/88 9/88 10/88 11/88 12/88

* DATA DECAYED TO 1/1/89
 ** ACCEPTED VALUE= 62168 PPM

ISOTOPIC DATA: 240 Pu/239 Pu							
OBS	LAB	RAW DATA (ppm)	DEC DATA * (ppm)	UNCERT (%)	ERR ** (%)	MEASUREMENT DATE	INST ***
1	LL	61601.2	61600.1	.39	-.91	10/11/1988	MGA-2
2	LL	61880.2	61879.3	.36	-.46	10/20/1988	MGA-2
3	LL	62159.5	62158.7	.33	-.02	10/27/1988	MGA-2
4	LL	61649.0	61648.2	.36	-.84	11/ 1/1988	MGA-2
5	LL	62323.8	62323.0	.44	.25	11/ 3/1988	MGA-2
6	LL	61660.4	61659.7	.42	-.82	11/ 7/1988	MGA-2
7	LL	62229.7	62229.0	.42	.10	11/ 7/1988	MGA-2
8	LL	62328.8	62328.4	.34	.26	11/29/1988	MGA-2
9	LL	62328.8	62328.4	.34	.26	11/29/1988	MGA-2
10	LL	62361.0	62360.5	.29	.31	11/29/1988	MGA-2
11	LL	62107.9	62107.6	.32	-.10	12/ 5/1988	MGA-2
12	LL	62277.0	62276.7	.42	.17	12/16/1988	MGA-2

1	LA	60693.2	60692.0	4.70	-2.37	10/ 3/1988	M01
2	LA	58504.3	58503.4	5.29	-5.89	10/17/1988	M03
3	LA	62066.3	62065.4	5.21	-.16	10/26/1988	M01
4	LA	59314.9	59314.2	5.18	-4.59	11/ 1/1988	M03
5	LA	61583.3	61582.7	5.05	-.94	11/15/1988	M03
6	LA	66105.6	66105.0	4.57	6.33	11/21/1988	M01
7	LA	60889.2	60888.8	5.14	-2.06	11/28/1988	M03
8	LA	59967.9	59967.5	4.35	-3.54	12/ 6/1988	M01
9	LA	62393.0	62392.7	5.36	.36	12/13/1988	M03
10	LA	61522.4	61522.3	4.62	-1.04	12/21/1988	M01

1	MR	61947.0	61946.1	1.03	-.36	10/27/1988	70/40
2	MR	62261.0	62260.6	1.05	.15	11/30/1988	70/40
3	MR	61531.0	61530.8	1.03	-1.02	12/16/1988	70/40
4	MR	61771.0	61770.8	1.04	-.64	12/17/1988	70/40
5	MR	61890.0	61889.8	1.04	-.45	12/17/1988	70/40
6	MR	60996.0	60995.8	1.02	-1.89	12/18/1988	70/40

* DATA DECAYED TO 1/1/1989
 ** ACCEPTED VALUE= 62168. ppm
 *** LAB GENERATED INSTRUMENT ID

ISOTOPIC DATA: 240 Pu/239 Pu
(CONTINUED)

OBS	LAB	RAW DATA (ppm)	DEC DATA * (ppm)	UNCERT (%)	ERR ** (%)	MEASUREMENT DATE	INST ***
1	WH	62974.1	62972.9	7.10	1.29	10/ 6/1988	627
2	WH	62809.3	62808.2	7.10	1.03	10/13/1988	559
3	WH	63221.8	63220.9	7.10	1.69	10/21/1988	1985
4	WH	58542.2	58541.4	7.07	-5.83	10/26/1988	627
5	WH	70824.5	70823.5	7.16	13.92	10/31/1988	559
6	WH	59529.2	59528.4	4.09	-4.25	11/ 3/1988	559
7	WH	64359.9	64359.1	4.11	3.52	11/ 4/1988	559
8	WH	63192.6	63191.8	4.10	1.65	11/ 4/1988	559
9	WH	61391.0	61390.3	4.10	-1.25	11/ 7/1988	559
10	WH	61404.6	61403.9	4.10	-1.23	11/10/1988	1985
11	WH	67506.7	67506.1	4.12	8.59	11/18/1988	562
12	WH	62961.2	62960.7	4.10	1.28	11/21/1988	1985
13	WH	64799.9	64799.6	4.26	4.23	12/ 8/1988	1985
14	WH	67172.8	67172.5	4.27	8.05	12/ 9/1988	627
15	WH	66359.8	66359.6	4.27	6.74	12/19/1988	1985
16	WH	64304.6	64304.5	4.26	3.44	12/22/1988	627
17	WH	60326.5	60326.4	4.24	-2.96	12/28/1988	1985

1	RF	60276.0	60274.9	3.33	-3.05	10/ 3/1988	2
2	RF	64570.0	64568.8	3.58	3.86	10/ 3/1988	1
3	RF	59357.0	59355.9	3.28	-4.52	10/ 7/1988	1
4	RF	60682.0	60680.9	4.38	-2.39	10/ 7/1988	2
5	RF	64119.0	64117.9	2.49	3.14	10/10/1988	2
6	RF	61857.0	61855.9	2.35	-5.50	10/11/1988	1
7	RF	62850.0	62849.0	2.37	1.10	10/17/1988	2
8	RF	60392.0	60391.1	4.04	-2.86	10/21/1988	1
9	RF	61486.0	61485.1	2.53	-1.10	10/22/1988	2
10	RF	59954.0	59953.1	2.84	-3.56	10/23/1988	1
11	RF	65009.0	65008.0	2.34	4.57	10/23/1988	2
12	RF	59010.0	59009.2	3.03	-5.08	10/25/1988	1
13	RF	60398.0	60397.2	2.56	-2.85	11/ 2/1988	1
14	RF	68160.0	68159.1	4.37	9.64	11/ 2/1988	2
15	RF	63026.0	63025.2	2.34	1.38	11/ 4/1988	2
16	RF	60890.0	60889.3	2.44	-2.06	11/ 7/1988	1
17	RF	62030.0	62029.3	1.95	-2.22	11/ 7/1988	2
18	RF	60415.0	60414.3	3.38	-2.82	11/ 8/1988	1
19	RF	62207.0	62206.3	4.04	.06	11/ 8/1988	2
20	RF	62176.0	62175.3	3.14	.01	11/11/1988	1
21	RF	60097.0	60096.4	3.53	-3.33	11/11/1988	2
22	RF	62610.0	62609.5	3.88	.71	11/21/1988	1
23	RF	62541.0	62540.5	3.11	.60	11/21/1988	2
24	RF	58340.0	58339.6	3.13	-6.16	11/30/1988	1
25	RF	63328.0	63327.6	2.96	1.87	11/30/1988	2
26	RF	65054.0	65053.6	3.06	4.64	12/ 6/1988	2
27	RF	63076.0	63075.7	3.42	1.46	12/ 6/1988	1
28	RF	62541.0	62540.7	3.43	.60	12/ 9/1988	1
29	RF	60500.0	60499.7	2.98	-2.68	12/ 9/1988	2

* DATA DECAYED TO 1/1/1989

** ACCEPTED VALUE= 62168 ppm

RESULTS OF ANALYSIS OF 241 Pu/239 Pu DATA

	REPORTING LABORATORY						
	CSL	LLL	LANL	MAT	WHC	RFP	SRP
	-----	-----	-----	-----	-----	-----	-----
LAB MEAN (PPM)	---	2465	2437	2477	2480	2465	---
OBS. S DEV (PPM)	---	9.47**	35.81**	8.30	16.48	23.07	---
REP. S DEV (PPM)	---	5.74	9.14	7.43	15.30	30.95	---
# OF DATA POINTS	0	12	10	6	17	29	0

DIFFERENCE BETWEEN MEANS

MEAN - ACCEPTED VALUE

(PPM)	---	-5	-33*	6	10	-6	---
(%)	---	-.21	-1.34*	.25	.41	-.23	---

MEAN - MEAN FOR LAST PERIOD

(PPM)	---	-5*	-2	-0	10*	-5	---
(%)	---	-.19*	-.08	-.01	.39*	-.20	---

* DIFFERENCE IS SIGNIFICANT AT THE 95% CONFIDENCE LEVEL

** OBSERVED VARIANCE IS SIGNIFICANTLY DIFFERENT FROM EXPECTED VARIANCE AT THE 95% CONFIDENCE LEVEL

*** NOT ENOUGH DATA REPORTED TO ASSESS SIGNIFICANCE OF DIFFERENCE

**** ACCEPTED VALUE= 2470.3 PPM

241 Pu/239 Pu FOR 9/88 - 12/88 *

241 Pu/239 Pu (PPM) **

* DATA DECAYED TO 1/1/89

** ACCEPTED VALUE= 2470.3 PPM

241 Pu/239 Pu (PPM) **

7/88	8/88	9/88	10/88	11/88	12/88
------	------	------	-------	-------	-------

* DATA DECAYED TO 1/1/89

*** ACCEPTED VALUE= 2470.3 PPM

Error (%)

8.08404
6.4648
4.84557
3.22633
1.60709
-.0121443
-1.63138
-3.25062
-4.86985
-6.48909
-8.10833

ISOTOPIC DATA: 241 Pu/239 Pu							
OBS	LAB	RAW DATA (ppm)	DEC DATA * (ppm)	UNCERT (%)	ERR ** (%)	MEASUREMENT DATE	INST ***
1	LL	2490.9	2464.1	.25	-.25	10/11/1988	MGA-2
2	LL	2487.3	2463.5	.23	-.28	10/20/1988	MGA-2
3	LL	2483.8	2462.2	.21	-.33	10/27/1988	MGA-2
4	LL	2483.6	2463.7	.23	-.27	11/ 1/1988	MGA-2
5	LL	2493.7	2474.3	.28	.16	11/ 3/1988	MGA-2
6	LL	2485.8	2467.8	.27	-.10	11/ 7/1988	MGA-2
7	LL	2511.9	2493.7	.28	.95	11/ 7/1988	MGA-2
8	LL	2470.4	2459.6	.22	-.43	11/29/1988	MGA-2
9	LL	2470.4	2459.6	.22	-.43	11/29/1988	MGA-2
10	LL	2475.8	2465.0	.19	-.21	11/29/1988	MGA-2
11	LL	2467.8	2459.0	.21	-.46	12/ 5/1988	MGA-2
12	LL	2470.3	2465.1	.28	-.21	12/16/1988	MGA-2

1	LA	2468.7	2439.6	.37	-1.24	10/ 3/1988	M01
2	LA	2443.8	2419.3	.38	-2.06	10/17/1988	M03
3	LA	2457.3	2435.6	.39	-1.41	10/26/1988	M01
4	LA	2455.2	2435.5	.38	-1.41	11/ 1/1988	M03
5	LA	2425.7	2410.6	.38	-2.42	11/15/1988	M03
6	LA	2455.5	2442.2	.36	-1.14	11/21/1988	M01
7	LA	2450.9	2439.9	.38	-1.23	11/28/1988	M03
8	LA	2449.3	2440.9	.35	-1.19	12/ 6/1988	M01
9	LA	2448.3	2442.2	.41	-1.14	12/13/1988	M03
10	LA	2468.1	2464.5	.37	-.24	12/21/1988	M01

1	MR	2497.0	2475.3	.30	.20	10/27/1988	70/40
2	MR	2477.0	2466.5	.30	-.15	11/30/1988	70/40
3	MR	2483.0	2477.8	.30	.30	12/16/1988	70/40
4	MR	2482.0	2477.1	.30	.27	12/17/1988	70/40
5	MR	2482.0	2477.1	.30	.27	12/17/1988	70/40
6	MR	2490.0	2485.4	.30	.61	12/18/1988	70/40

* DATA DECAYED TO 1/1/1989
 ** ACCEPTED VALUE= 2470. ppm
 *** LAB GENERATED INSTRUMENT ID

ISOTOPIC DATA: 241 Pu/239 Pu

(CONTINUED)

OBS	LAB	RAW DATA (ppm)	DEC DATA * (ppm)	UNCERT (%)	ERR ** (%)	MEASUREMENT DATE	INST ***
1	WH	2485.5	2457.1	.99	-.53	10/ 6/1988	627
2	WH	2480.9	2454.8	.99	-.63	10/13/1988	559
3	WH	2525.3	2501.4	.99	1.26	10/21/1988	1985
4	WH	2509.9	2487.7	.99	.71	10/26/1988	627
5	WH	2481.9	2461.6	.99	-.35	10/31/1988	559
6	WH	2491.1	2471.7	.53	.06	11/ 3/1988	559
7	WH	2489.9	2470.9	.53	.02	11/ 4/1988	559
8	WH	2513.5	2494.4	.53	.97	11/ 4/1988	559
9	WH	2480.7	2462.7	.53	-.31	11/ 7/1988	559
10	WH	2513.5	2496.3	.53	1.05	11/10/1988	1985
11	WH	2488.8	2474.4	.53	.16	11/18/1988	562
12	WH	2498.2	2484.7	.51	.58	11/21/1988	1985
13	WH	2494.1	2486.2	.59	.64	12/ 8/1988	1985
14	WH	2476.4	2468.8	.59	-.06	12/ 9/1988	627
15	WH	2487.1	2482.9	.59	.51	12/19/1988	1985
16	WH	2504.7	2501.3	.59	1.26	12/22/1988	627
17	WH	2489.9	2488.6	.59	.74	12/28/1988	1985

1	RF	2496.0	2466.5	1.09	-.15	10/ 3/1988	2
2	RF	2499.0	2469.4	2.11	-.03	10/ 3/1988	1
3	RF	2462.0	2434.2	1.40	-1.46	10/ 7/1988	1
4	RF	2511.0	2482.6	1.92	.50	10/ 7/1988	2
5	RF	2498.0	2470.7	.80	.02	10/10/1988	2
6	RF	2513.0	2485.9	1.17	.63	10/11/1988	1
7	RF	2457.0	2432.4	1.09	-1.53	10/17/1988	2
8	RF	2469.0	2445.6	1.19	-1.00	10/21/1988	1
9	RF	2481.0	2457.8	1.45	-.51	10/22/1988	2
10	RF	2475.0	2452.2	1.40	-.73	10/23/1988	1
11	RF	2482.0	2459.1	1.01	-.45	10/23/1988	2
12	RF	2435.0	2413.2	1.37	-2.31	10/25/1988	1
13	RF	2491.0	2471.3	1.40	.04	11/ 2/1988	1
14	RF	2478.0	2458.4	.96	-.48	11/ 2/1988	2
15	RF	2502.0	2482.9	.84	.51	11/ 4/1988	2
16	RF	2521.0	2502.7	.99	1.31	11/ 7/1988	1
17	RF	2477.0	2459.1	1.09	-.46	11/ 7/1988	2
18	RF	2519.0	2501.1	1.55	1.25	11/ 8/1988	1
19	RF	2449.0	2431.6	1.60	-1.57	11/ 8/1988	2
20	RF	2515.0	2498.1	1.50	1.13	11/11/1988	1
21	RF	2454.0	2437.5	1.39	-1.33	11/11/1988	2
22	RF	2500.0	2486.5	1.69	.66	11/21/1988	1
23	RF	2506.0	2492.5	1.60	.90	11/21/1988	2
24	RF	2454.0	2443.6	1.63	-1.08	11/30/1988	1
25	RF	2486.0	2475.5	1.45	.21	11/30/1988	2
26	RF	2447.0	2438.6	1.54	-1.28	12/ 6/1988	2
27	RF	2452.0	2443.6	1.44	-1.08	12/ 6/1988	1
28	RF	2474.0	2466.5	1.47	-.15	12/ 9/1988	1
29	RF	2499.0	2491.4	1.29	.85	12/ 9/1988	2

* DATA DECAYED TO 1/1/1989

** ACCEPTED VALUE= 2470 ppm

RESULTS OF ANALYSIS OF 241 AM/239 PU DATA

REPORTING LABORATORY

	CSL =====	LLL =====	LANL =====	MAT =====	WHC =====	RFP =====	SRP =====
LAB MEAN (PPM)	---	1493	1526	1511	1453	1510	---
OBS. S DEV (PPM)	---	18.99**	37.86	4.49	63.36**	13.41	---
REP. S DEV (PPM)	---	4.77	45.48	7.56	30.24	19.90	---
# OF DATA POINTS	0	12	10	6	17	29	0

DIFFERENCE BETWEEN MEANS

=====

MEAN - ACCEPTED VALUE

(PPM)	---	-17*	16	2	-56*	0	---
(%)	---	-1.11*	1.09	.12	-3.71*	0.00	---

MEAN - MEAN FOR LAST PERIOD

(PPM)	---	-7*	-11	-3	6	-2	---
(%)	---	-.50*	-.73	-.17	.38	-.11	---

* DIFFERENCE IS SIGNIFICANT AT THE 95% CONFIDENCE LEVEL

** OBSERVED VARIANCE IS SIGNIFICANTLY DIFFERENT FROM EXPECTED VARIANCE AT THE 95% CONFIDENCE LEVEL

*** NOT ENOUGH DATA REPORTED TO ASSESS SIGNIFICANCE OF DIFFERENCE

**** ACCEPTED VALUE= 1509.5 PPM

241 Am/239 Pu FOR 9/88 - 12/88 *

241 Am/239 Pu (PPM) **

* DATA DECAYED TO 1/1/89
 ** ACCEPTED VALUE= 1509.7 PPM

MONTHLY MEANS FOR 241 Am/239 Pu *

7/88 8/88 9/88 10/88 11/88 12/88

* DATA DECAYED TO 1/1/89
 ** ACCEPTED VALUE= 1509.7 PPM

ISOTOPIC DATA: 241 Am/239 Pu

OBS	LAB	RAW DATA (ppm)	DEC DATA * (ppm)	UNCERT (%)	ERR ** (%)	MEASUREMENT DATE	INST ***
1	LL	1475.1	1501.5	.61	-.53	10/11/1988	MGA-2
2	LL	1475.5	1498.9	.31	-.70	10/20/1988	MGA-2
3	LL	1480.1	1501.3	.28	-.54	10/27/1988	MGA-2
4	LL	1480.5	1500.0	.30	-.63	11/ 1/1988	MGA-2
5	LL	1483.5	1502.5	.37	-.46	11/ 3/1988	MGA-2
6	LL	1485.8	1503.4	.36	-.40	11/ 7/1988	MGA-2
7	LL	1499.9	1517.8	.67	-.55	11/ 7/1988	MGA-2
8	LL	1477.2	1487.7	.28	-1.44	11/29/1988	MGA-2
9	LL	1477.2	1487.7	.28	-1.44	11/29/1988	MGA-2
10	LL	1475.1	1485.7	.25	-1.58	11/29/1988	MGA-2
11	LL	1471.6	1480.2	.27	-1.94	12/ 5/1988	MGA-2
12	LL	1479.2	1484.3	.36	-1.67	12/16/1988	MGA-2

1	LA	1472.4	1501.0	2.91	-.56	10/ 3/1988	M01
2	LA	1504.6	1528.6	2.32	1.26	10/17/1988	M03
3	LA	1506.4	1527.6	3.77	1.20	10/26/1988	M01
4	LA	1454.3	1473.7	3.39	-2.37	11/ 1/1988	M03
5	LA	1527.0	1541.7	3.22	2.13	11/15/1988	M03
6	LA	1458.6	1471.6	2.98	-2.51	11/21/1988	M01
7	LA	1581.1	1591.8	3.15	5.45	11/28/1988	M03
8	LA	1553.9	1562.1	2.61	3.49	12/ 6/1988	M01
9	LA	1532.6	1538.6	3.44	1.93	12/13/1988	M03
10	LA	1523.8	1527.3	2.83	1.18	12/21/1988	M01

1	MR	1489.0	1510.3	.50	.05	10/27/1988	70/40
2	MR	1493.0	1503.3	.50	-.41	11/30/1988	70/40
3	MR	1506.0	1511.1	.50	.11	12/16/1988	70/40
4	MR	1508.0	1512.8	.50	.22	12/17/1988	70/40
5	MR	1509.0	1513.8	.50	.29	12/17/1988	70/40
6	MR	1512.0	1516.5	.50	.46	12/18/1988	70/40

* DATA DECAYED TO 1/1/1989
 ** ACCEPTED VALUE= 1510. ppm
 *** LAB GENERATED INSTRUMENT ID

ISOTOPIC DATA: 241 Am/239 Pu

(CONTINUED)

OBS	LAB	RAW DATA (ppm)	DEC DATA * (ppm)	UNCERT (%)	ERR ** (%)	MEASUREMENT DATE	INST ***
1	WH	1387.1	1415.0	2.16	-6.26	10/ 6/1988	627
2	WH	1466.1	1491.7	2.16	-1.18	10/13/1988	559
3	WH	1421.3	1444.8	2.16	-4.29	10/21/1988	1985
4	WH	1430.8	1452.5	2.16	-3.78	10/26/1988	627
5	WH	1481.7	1501.5	2.16	-5.53	10/31/1988	559
6	WH	1456.3	1475.3	1.83	-2.27	11/ 3/1988	559
7	WH	1428.1	1446.8	1.83	-4.16	11/ 4/1988	559
8	WH	1383.1	1402.0	1.83	-7.12	11/ 4/1988	559
9	WH	1450.4	1468.0	1.83	-2.75	11/ 7/1988	559
10	WH	1416.7	1433.6	1.83	-5.03	11/10/1988	1985
11	WH	1464.2	1478.3	1.83	-2.06	11/18/1988	562
12	WH	1451.6	1464.8	1.83	-2.96	11/21/1988	1985
13	WH	1396.9	1404.7	2.54	-6.94	12/ 8/1988	1985
14	WH	1420.2	1427.6	2.54	-5.43	12/ 9/1988	627
15	WH	1500.8	1505.0	2.54	-3.30	12/19/1988	1985
16	WH	1467.2	1470.5	2.54	-2.59	12/22/1988	627
17	WH	1446.9	1448.2	2.54	-4.06	12/28/1988	1985

1	RF	1467.0	1496.0	1.49	-9.90	10/ 3/1988	2
2	RF	1489.0	1518.0	1.65	.56	10/ 3/1988	1
3	RF	1505.0	1532.3	1.37	1.51	10/ 7/1988	1
4	RF	1490.0	1517.8	1.91	.55	10/ 7/1988	2
5	RF	1482.0	1508.7	1.11	-0.05	10/10/1988	2
6	RF	1501.0	1527.6	1.08	1.20	10/11/1988	1
7	RF	1489.0	1513.1	1.04	.24	10/17/1988	2
8	RF	1453.0	1475.9	1.85	-2.22	10/21/1988	1
9	RF	1495.0	1517.7	1.14	.55	10/22/1988	2
10	RF	1494.0	1516.4	1.24	.45	10/23/1988	1
11	RF	1475.0	1497.4	1.12	-8.00	10/23/1988	2
12	RF	1473.0	1494.4	1.32	-1.00	10/25/1988	1
13	RF	1476.0	1495.3	1.16	-9.4	11/ 2/1988	1
14	RF	1478.0	1497.2	2.06	-8.1	11/ 2/1988	2
15	RF	1483.0	1501.7	1.09	-5.1	11/ 4/1988	2
16	RF	1493.0	1510.9	1.12	.09	11/ 7/1988	1
17	RF	1490.0	1507.6	.91	-1.13	11/ 7/1988	2
18	RF	1495.0	1512.6	1.52	.20	11/ 8/1988	1
19	RF	1536.0	1553.1	1.82	2.89	11/ 8/1988	2
20	RF	1494.0	1510.6	1.41	.07	11/11/1988	1
21	RF	1468.0	1484.2	1.51	-1.68	11/11/1988	2
22	RF	1504.0	1517.3	1.66	.51	11/21/1988	1
23	RF	1506.0	1519.3	1.40	.65	11/21/1988	2
24	RF	1477.0	1487.2	1.36	-1.48	11/30/1988	1
25	RF	1514.0	1524.3	1.36	.98	11/30/1988	2
26	RF	1500.0	1508.2	1.46	-0.08	12/ 6/1988	2
27	RF	1511.0	1519.2	1.51	.65	12/ 6/1988	1
28	RF	1512.0	1519.4	1.49	.65	12/ 9/1988	1
29	RF	1498.0	1505.4	1.32	-2.27	12/ 9/1988	2

* DATA DECAYED TO 1/1/1989

** ACCEPTED VALUE= 1510 ppm

RESULTS OF ANALYSIS OF % 238 Pu DATA

	REPORTING LABORATORY						
	CSL	LLL	LANL	MAT	WHC	RFP	SRP
	=====	=====	=====	=====	=====	=====	=====
LAB MEAN (Wt%)	---	.0094	.0100	.0107	.0094	.0094	---
OBS. S DEV (Wt%)	---	.0002	.0011	.0013**	.0012	.0022	---
REP. S DEV (Wt%)	---	.0002	.0012	.0006	.0012	.0020	---
# OF DATA POINTS	0	12	10	6	17	29	0

DIFFERENCE BETWEEN MEANS

=====

MEAN - ACCEPTED VALUE

(Wt%)	---	-.0001	.0006	.0013*	-.0001	-.0001	---
(%)	---	-.76	6.08	13.34*	-.56	-.79	---

MEAN - MEAN FOR LAST PERIOD

(Wt%)	---	-.0004*	.0004	-.0001	-.0005*	.0001	---
(%)	---	-4.41*	3.62	-.49	-5.46*	1.41	---

- * DIFFERENCE IS SIGNIFICANT AT THE 95% CONFIDENCE LEVEL
- ** OBSERVED VARIANCE IS SIGNIFICANTLY DIFFERENT FROM EXPECTED VARIANCE AT THE 95% CONFIDENCE LEVEL
- *** NOT ENOUGH DATA REPORTED TO ASSESS SIGNIFICANCE OF DIFFERENCE
- **** ACCEPTED VALUE= .00944 Wt%

238 Pu FOR 9/88 - 12/88 *

* DATA DECAYED TO 1/1/89

** ACCEPTED VALUE= .00944 WT%

238 Pu (WT%) **

Error (%)

84.5339
67.5847
50.6356
33.6864
16.7373
-2.21864
-17.161
-34.1102
-51.0593
-68.0085
-84.9576

	7/88	8/88	9/88	10/88	11/88	12/88
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						
31						
32						
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						
43						
44						
45						
46						
47						
48						
49						
50						
51						
52						
53						
54						
55						
56						
57						
58						
59						
60						
61						
62						
63						
64						
65						
66						
67						
68						
69						
70						
71						
72						
73						
74						
75						
76						
77						
78						
79						
80						
81						
82						
83						
84						
85						
86						
87						
88						
89						
90						
91						
92						
93						
94						
95						
96						
97						
98						
99						
100						

```
* DATA DECAYED TO 1/1/89
** ACCEPTED VALUE= .00944 WT%
```

ISOTOPIC DATA: % 238 Pu							
OBS	LAB	RAW DATA	DEC DATA *	UNCERT	ERR **	MEASUREMENT	INST ***
1	LL	.0093	.0093	2.55	-1.65	10/11/1988	MGA-2
2	LL	.0092	.0092	2.29	-2.69	10/20/1988	MGA-2
3	LL	.0096	.0096	2.05	1.56	10/27/1988	MGA-2
4	LL	.0090	.0090	2.30	-4.78	11/ 1/1988	MGA-2
5	LL	.0096	.0096	2.81	1.57	11/ 3/1988	MGA-2
6	LL	.0090	.0090	2.86	-4.77	11/ 7/1988	MGA-2
7	LL	.0095	.0095	2.79	.29	11/ 7/1988	MGA-2
8	LL	.0093	.0093	2.21	-1.55	11/29/1988	MGA-2
9	LL	.0093	.0093	2.21	-1.55	11/29/1988	MGA-2
10	LL	.0097	.0097	1.76	2.69	11/29/1988	MGA-2
11	LL	.0095	.0095	2.07	.59	12/ 5/1988	MGA-2
12	LL	.0093	.0093	2.91	-1.51	12/16/1988	MGA-2

1	LA	.0102	.0102	10.63	8.06	10/ 3/1988	M01
2	LA	.0102	.0102	11.85	7.77	10/17/1988	M03
3	LA	.0101	.0101	12.42	6.73	10/26/1988	M01
4	LA	.0113	.0113	10.64	19.44	11/ 1/1988	M03
5	LA	.0104	.0103	11.50	9.64	11/15/1988	M03
6	LA	.0084	.0084	12.97	-10.57	11/21/1988	M01
7	LA	.0080	.0080	14.93	-14.89	11/28/1988	M03
8	LA	.0101	.0100	10.11	6.40	12/ 6/1988	M01
9	LA	.0109	.0109	11.60	15.84	12/13/1988	M03
10	LA	.0108	.0108	10.11	14.49	12/21/1988	M01

1	MR	.0108	.0107	5.80	13.74	10/27/1988	70/40
2	MR	.0106	.0106	5.20	11.81	11/30/1988	70/40
3	MR	.0107	.0107	5.30	12.92	12/16/1988	70/40
4	MR	.0115	.0115	5.80	21.80	12/17/1988	70/40
5	MR	.0100	.0100	6.90	5.95	12/17/1988	70/40
6	MR	.0108	.0108	5.30	13.97	12/18/1988	70/40

* DATA DECAYED TO 1/1/1989
 ** ACCEPTED VALUE= .0094 %
 *** LAB GENERATED INSTRUMENT ID

ISOTOPIC DATA: % 238 Pu

(CONTINUED)

OBS	LAB	RAW DATA	DEC DATA *	UNCERT	ERR **	MEASUREMENT	INST ***
1	WH	.0103	.0103	24.25	8.91	10/ 6/1988	627
2	WH	.0108	.0108	24.25	14.21	10/13/1988	559
3	WH	.0086	.0086	24.25	-9.04	10/21/1988	1985
4	WH	.0115	.0115	24.25	21.64	10/26/1988	627
5	WH	.0148	.0148	24.25	56.59	10/31/1988	559
6	WH	.0089	.0089	9.43	-5.84	11/ 3/1988	559
7	WH	.0106	.0106	9.43	12.15	11/ 4/1988	559
8	WH	.0083	.0083	9.43	-12.18	11/ 4/1988	559
9	WH	.0092	.0092	9.43	-2.66	11/ 7/1988	559
10	WH	.0097	.0097	9.43	2.64	11/10/1988	1985
11	WH	.0082	.0082	9.43	-13.21	11/18/1988	562
12	WH	.0100	.0100	9.43	5.84	11/21/1988	1985
13	WH	.0108	.0108	18.08	14.35	12/ 8/1988	1985
14	WH	.0108	.0108	18.08	14.36	12/ 9/1988	627
15	WH	.0086	.0086	18.08	-8.92	12/19/1988	1985
16	WH	.0127	.0127	18.08	34.51	12/22/1988	627
17	WH	.0127	.0127	18.08	34.52	12/28/1988	1985

1	RF	.0112	.0112	19.80	18.79	10/ 3/1988	2
2	RF	.0087	.0087	34.39	-8.30	10/ 3/1988	1
3	RF	.0097	.0096	21.97	2.07	10/ 7/1988	1
4	RF	.0066	.0065	42.50	-30.72	10/ 7/1988	2
5	RF	.0100	.0100	14.10	5.56	10/10/1988	2
6	RF	.0107	.0106	16.90	12.70	10/11/1988	1
7	RF	.0054	.0054	33.49	-42.70	10/17/1988	2
8	RF	.0098	.0098	23.69	3.98	10/21/1988	1
9	RF	.0036	.0035	55.64	-62.41	10/22/1988	2
10	RF	.0061	.0061	33.86	-35.60	10/23/1988	1
11	RF	.0103	.0103	13.39	9.45	10/23/1988	2
12	RF	.0106	.0106	18.73	12.06	10/25/1988	1
13	RF	.0110	.0109	18.84	15.89	11/ 2/1988	1
14	RF	.0082	.0082	16.40	-13.47	11/ 2/1988	2
15	RF	.0115	.0115	13.23	21.53	11/ 4/1988	2
16	RF	.0088	.0088	20.67	-6.93	11/ 7/1988	1
17	RF	.0097	.0097	15.34	2.87	11/ 7/1988	2
18	RF	.0093	.0093	25.73	-1.93	11/ 8/1988	1
19	RF	.0130	.0130	16.34	37.46	11/ 8/1988	2
20	RF	.0148	.0148	19.62	56.25	11/11/1988	1
21	RF	.0063	.0063	30.13	-33.60	11/11/1988	2
22	RF	.0116	.0116	30.38	22.61	11/21/1988	1
23	RF	.0098	.0098	22.62	3.83	11/21/1988	2
24	RF	.0114	.0114	22.39	21.15	11/30/1988	1
25	RF	.0082	.0082	23.93	-13.02	11/30/1988	2
26	RF	.0081	.0081	22.79	-14.14	12/ 6/1988	2
27	RF	.0107	.0107	25.41	13.70	12/ 6/1988	1
28	RF	.0116	.0116	22.95	22.67	12/ 9/1988	1
29	RF	.0111	.0111	21.13	17.95	12/ 9/1988	2

* DATA DECAYED TO 1/1/1989

** ACCEPTED VALUE= .0094 %

*** LAB GENERATED INSTRUMENT ID

RESULTS OF ANALYSIS OF % 239 PU DATA

REPORTING LABORATORY

	CSL	LLL	LANL	MAT	WHC	RFP	SRP
	=====	=====	=====	=====	=====	=====	=====
LAB MEAN (Wt%)	---	93.8814	93.9574	93.9114	93.7670	93.8861	---
OBS. S DEV (Wt%)	---	.0271**	.1958	.0547	.2598	.1657	---
REP. S DEV (Wt%)	---	.0205	.2669	.0567	.2597	.1603	---
# OF DATA POINTS	0	12	10	6	17	29	0

DIFFERENCE BETWEEN MEANS

=====

MEAN - ACCEPTED VALUE

(Wt%)	---	.0114	.0874	.0414	-.1030	.0161	---
(%)	---	.01	.09	.04	-.11	.02	---

MEAN - MEAN FOR LAST PERIOD

(Wt%)	---	.0160*	.0436	-.0122	-.0010	.0423	---
(%)	---	.02*	.05	-.01	-.000	.05	---

* DIFFERENCE IS SIGNIFICANT AT THE 95% CONFIDENCE LEVEL

** OBSERVED VARIANCE IS SIGNIFICANTLY DIFFERENT FROM EXPECTED VARIANCE AT THE

95% CONFIDENCE LEVEL

*** NOT ENOUGH DATA REPORTED TO ASSESS SIGNIFICANCE OF DIFFERENCE

**** ACCEPTED VALUE= 93.87 Wt%

239 Pu FOR 9/88 - 12/88 *

* DATA DECAYED TO 1/1/89

** ACCEPTED VALUE= 93.87 WT%

MONTHLY MEANS FOR 239 Pu *

* DATA DECAYED TO 1/1/89
** ACCEPTED VALUE= 93.87 WT%

ISOTOPIC DATA: % 239 Pu							
OBS	LAB	RAW DATA	DEC DATA *	UNCERT	ERR **	MEASUREMENT	INST ***
1	LL	93.9228	93.9253	.02	.06	10/11/1988	MGA-2
2	LL	93.8985	93.9007	.02	.03	10/20/1988	MGA-2
3	LL	93.8737	93.8757	.02	.01	10/27/1988	MGA-2
4	LL	93.9195	93.9213	.02	.05	11/ 1/1988	MGA-2
5	LL	93.8583	93.8601	.03	-.01	11/ 3/1988	MGA-2
6	LL	93.9183	93.9199	.03	.05	11/ 7/1988	MGA-2
7	LL	93.8649	93.8666	.03	-0.00	11/ 7/1988	MGA-2
8	LL	93.8602	93.8612	.02	-.01	11/29/1988	MGA-2
9	LL	93.8602	93.8612	.02	-.01	11/29/1988	MGA-2
10	LL	93.8565	93.8575	.02	-.01	11/29/1988	MGA-2
11	LL	93.8798	93.8806	.02	.01	12/ 5/1988	MGA-2
12	LL	93.8648	93.8653	.03	-.01	12/16/1988	MGA-2

1	LA	94.0046	94.0073	.27	.15	10/ 3/1988	MO1
2	LA	94.2023	94.2046	.29	.36	10/17/1988	MO3
3	LA	93.8838	93.8859	.30	.02	10/26/1988	MO1
4	LA	94.1281	94.1299	.29	.28	11/ 1/1988	MO3
5	LA	93.9292	93.9306	.29	.06	11/15/1988	MO3
6	LA	93.5274	93.5286	.28	-.36	11/21/1988	MO1
7	LA	93.9903	93.9913	.30	.13	11/28/1988	MO3
8	LA	94.0709	94.0716	.25	.21	12/ 6/1988	MO1
9	LA	93.8544	93.8549	.32	-.02	12/13/1988	MO3
10	LA	93.9300	93.9304	.27	.06	12/21/1988	MO1

1	MR	93.8879	93.8899	.06	.02	10/27/1988	70/40
2	MR	93.8626	93.8635	.06	-.01	11/30/1988	70/40
3	MR	93.9298	93.9303	.06	.06	12/16/1988	70/40
4	MR	93.9056	93.9061	.06	.04	12/17/1988	70/40
5	MR	93.8964	93.8968	.06	.03	12/17/1988	70/40
6	MR	93.9755	93.9760	.06	.11	12/18/1988	70/40

* DATA DECAYED TO 1/1/1989
 ** ACCEPTED VALUE= 93.8700 %
 *** LAB GENERATED INSTRUMENT ID

ISOTOPIC DATA: % 239 Pu

(CONTINUED)

OBS	LAB	RAW DATA	DEC DATA *	UNCERT	ERR **	MEASUREMENT	INST ***
1	WH	93.8018	93.8044	.42	-.07	10/ 6/1988	627
2	WH	93.8153	93.8178	.42	-.06	10/13/1988	559
3	WH	93.7771	93.7793	.42	-.10	10/21/1988	1985
4	WH	94.1909	94.1929	.39	.34	10/26/1988	627
5	WH	93.1082	93.1101	.47	-.81	10/31/1988	559
6	WH	94.1071	94.1089	.23	.25	11/ 3/1988	559
7	WH	93.6778	93.6796	.25	-.20	11/ 4/1988	559
8	WH	93.7809	93.7827	.24	-.09	11/ 4/1988	559
9	WH	93.9424	93.9441	.24	.08	11/ 7/1988	559
10	WH	93.9396	93.9412	.24	.08	11/10/1988	1985
11	WH	93.4036	93.4049	.26	-.50	11/18/1988	562
12	WH	93.8011	93.8024	.24	-.07	11/21/1988	1985
13	WH	93.6385	93.6392	.26	-.25	12/ 8/1988	1985
14	WH	93.4315	93.4322	.27	-.47	12/ 9/1988	627
15	WH	93.5040	93.5044	.27	-.39	12/19/1988	1985
16	WH	93.6794	93.6797	.26	-.20	12/22/1988	627
17	WH	94.0328	94.0329	.24	.17	12/28/1988	1985

1	RF	94.0249	94.0277	.19	.17	10/ 3/1988	2
2	RF	93.6473	93.6501	.22	-.23	10/ 3/1988	1
3	RF	94.1111	94.1137	.18	.26	10/ 7/1988	1
4	RF	93.9920	93.9946	.25	.13	10/ 7/1988	2
5	RF	93.6859	93.6885	.15	-.19	10/10/1988	2
6	RF	93.8838	93.8863	.14	.02	10/11/1988	1
7	RF	93.8059	93.8081	.14	-.07	10/17/1988	2
8	RF	94.0184	94.0205	.23	.16	10/21/1988	1
9	RF	93.9262	93.9283	.15	.06	10/22/1988	2
10	RF	94.0602	94.0624	.16	.20	10/23/1988	1
11	RF	93.6086	93.6108	.14	-.28	10/23/1988	2
12	RF	94.1435	94.1456	.17	.29	10/25/1988	1
13	RF	94.0148	94.0166	.15	.16	11/ 2/1988	1
14	RF	93.3345	93.3363	.28	-.57	11/ 2/1988	2
15	RF	93.7806	93.7824	.14	-.09	11/ 4/1988	2
16	RF	93.9705	93.9722	.14	.11	11/ 7/1988	1
17	RF	93.8726	93.8742	.11	0.00	11/ 7/1988	2
18	RF	94.0124	94.0141	.19	.15	11/ 8/1988	1
19	RF	93.8563	93.8579	.24	-.01	11/ 8/1988	2
20	RF	93.8515	93.8531	.18	-.02	11/11/1988	1
21	RF	94.0492	94.0508	.20	.19	11/11/1988	2
22	RF	93.8175	93.8187	.23	-.05	11/21/1988	1
23	RF	93.8247	93.8260	.18	-.05	11/21/1988	2
24	RF	94.2007	94.2017	.17	.35	11/30/1988	1
25	RF	93.7584	93.7594	.18	-.12	11/30/1988	2
26	RF	93.6099	93.6106	.19	-.28	12/ 6/1988	2
27	RF	93.7813	93.7821	.20	-.09	12/ 6/1988	1
28	RF	93.8259	93.8266	.20	-.05	12/ 9/1988	1
29	RF	94.0049	94.0056	.17	.14	12/ 9/1988	2

* DATA DECAYED TO 1/1/1989

** ACCEPTED VALUE= 93.8700 %

*** LAB GENERATED INSTRUMENT ID

RESULTS OF ANALYSIS OF % 240 Pu DATA

	REPORTING LABORATORY						
	CSL =====	LLL =====	LANL =====	MAT =====	WHC =====	RFP =====	SRP =====
LAB MEAN (Wt%)	---	5.8540	5.7795	5.8206	5.9665	5.8352	---
OBS. S DEV (Wt%)	---	.0251	.1926	.0529	.2618	.1670	---
REP. S DEV (Wt%)	---	.0199	.2676	.0567	.2603	.1607	---
# OF DATA POINTS	0	12	10	6	17	29	0

DIFFERENCE BETWEEN MEANS

=====

MEAN - ACCEPTED VALUE

(Wt%)	---	-.0060	-.0805	-.0394	.1065	-.0248	---
(%)	---	-.10	-1.37	-.67	1.82	-.42	---

MEAN - MEAN FOR LAST PERIOD

(Wt%)	---	-.0080*	-.0437	.0118	.0005	-.0424	---
(%)	---	-.14*	-.76	.20	.01	-.73	---

- * DIFFERENCE IS SIGNIFICANT AT THE 95% CONFIDENCE LEVEL
- ** OBSERVED VARIANCE IS SIGNIFICANTLY DIFFERENT FROM EXPECTED VARIANCE AT THE 95% CONFIDENCE LEVEL
- *** NOT ENOUGH DATA REPORTED TO ASSESS SIGNIFICANCE OF DIFFERENCE
- **** ACCEPTED VALUE= 5.86 Wt%

240 Pu FOR 9/88 - 12/88 *

* DATA DECAYED TO 1/1/89
** ACCEPTED VALUE= 5.86 WT%

MONTHLY MEANS FOR 240 Pu *

7/88 8/88 9/88 10/88 11/88 12/88

* DATA DECAYED TO 1/1/89
 ** ACCEPTED VALUE= 5.86 WT%

ISOTOPIC DATA: % 240 Pu							
OBS	LAB	RAW DATA	DEC DATA *	UNCERT	ERR **	MEASUREMENT	INST ***
1	LL	5.8100	5.8101	.37	-.85	10/11/1988	MGA-2
2	LL	5.8348	5.8349	.34	-.43	10/20/1988	MGA-2
3	LL	5.8596	5.8596	.31	-.01	10/27/1988	MGA-2
4	LL	5.8143	5.8143	.34	-.78	11/ 1/1988	MGA-2
5	LL	5.8741	5.8742	.41	.24	11/ 3/1988	MGA-2
6	LL	5.8153	5.8153	.40	-.76	11/ 7/1988	MGA-2
7	LL	5.8657	5.8657	.40	.10	11/ 7/1988	MGA-2
8	LL	5.8747	5.8747	.32	.25	11/29/1988	MGA-2
9	LL	5.8747	5.8747	.32	.25	11/29/1988	MGA-2
10	LL	5.8775	5.8775	.27	.30	11/29/1988	MGA-2
11	LL	5.8551	5.8551	.30	-.08	12/ 5/1988	MGA-2
12	LL	5.8701	5.8701	.40	.17	12/16/1988	MGA-2

1	LA	5.7293	5.7294	4.43	-2.23	10/ 3/1988	M01
2	LA	5.5343	5.5344	4.99	-5.56	10/17/1988	M03
3	LA	5.8514	5.8515	4.90	-.15	10/26/1988	M01
4	LA	5.6066	5.6066	4.89	-4.32	11/ 1/1988	M03
5	LA	5.8087	5.8087	4.76	-.87	11/15/1988	M03
6	LA	6.2086	6.2086	4.29	5.95	11/21/1988	M01
7	LA	5.7470	5.7470	4.85	-1.93	11/28/1988	M03
8	LA	5.6649	5.6649	4.10	-3.33	12/ 6/1988	M01
9	LA	5.8804	5.8804	5.05	.35	12/13/1988	M03
10	LA	5.8030	5.8030	4.35	-.97	12/21/1988	M01

1	MR	5.8404	5.8405	.97	-.33	10/27/1988	70/40
2	MR	5.8685	5.8685	.99	.14	11/30/1988	70/40
3	MR	5.8038	5.8038	.97	-.96	12/16/1988	70/40
4	MR	5.8250	5.8250	.98	-.60	12/17/1988	70/40
5	MR	5.8356	5.8356	.98	-.42	12/17/1988	70/40
6	MR	5.7562	5.7562	.96	-1.77	12/18/1988	70/40

* DATA DECAYED TO 1/1/1989
 ** ACCEPTED VALUE= 5.8600 %
 *** LAB GENERATED INSTRUMENT ID

ISOTOPIC DATA: % 240 Pu

(CONTINUED)

OBS	LAB	RAW DATA	DEC DATA *	UNCERT	ERR **	MEASUREMENT	INST ***
1	WH	5.9318	5.9319	6.68	1.23	10/ 6/1988	627
2	WH	5.9172	5.9172	6.68	.98	10/13/1988	559
3	WH	5.9536	5.9537	6.68	1.60	10/21/1988	1985
4	WH	5.5373	5.5373	6.68	-5.51	10/26/1988	627
5	WH	6.6220	6.6220	6.68	13.00	10/31/1988	559
6	WH	5.6256	5.6256	3.86	-4.00	11/ 3/1988	559
7	WH	6.0544	6.0544	3.86	3.32	11/ 4/1988	559
8	WH	5.9511	5.9511	3.86	1.56	11/ 4/1988	559
9	WH	5.7914	5.7914	3.86	-1.17	11/ 7/1988	559
10	WH	5.7925	5.7925	3.86	-1.15	11/10/1988	1985
11	WH	6.3318	6.3318	3.86	8.05	11/18/1988	562
12	WH	5.9306	5.9306	3.86	1.20	11/21/1988	1985
13	WH	6.0932	6.0932	4.00	3.98	12/ 8/1988	1985
14	WH	6.3024	6.3024	4.00	7.55	12/ 9/1988	627
15	WH	6.2309	6.2309	4.00	6.33	12/19/1988	1985
16	WH	6.0493	6.0493	4.00	3.23	12/22/1988	627
17	WH	5.6964	5.6964	4.00	-2.79	12/28/1988	1985

1	RF	5.6912	5.6913	3.14	-2.88	10/ 3/1988	2
2	RF	6.0722	6.0722	3.36	3.62	10/ 3/1988	1
3	RF	5.6096	5.6096	3.10	-4.27	10/ 7/1988	1
4	RF	5.7275	5.7276	4.13	-2.26	10/ 7/1988	2
5	RF	6.0322	6.0323	2.34	2.94	10/10/1988	2
6	RF	5.8317	5.8318	2.21	-.48	10/11/1988	1
7	RF	5.9204	5.9205	2.23	1.03	10/17/1988	2
8	RF	5.7018	5.7018	3.81	-2.70	10/21/1988	1
9	RF	5.7993	5.7994	2.38	-1.03	10/22/1988	2
10	RF	5.6629	5.6630	2.68	-3.36	10/23/1988	1
11	RF	6.1109	6.1110	2.20	4.28	10/23/1988	2
12	RF	5.5787	5.5787	2.86	-4.80	10/25/1988	1
13	RF	5.7021	5.7021	2.41	-2.69	11/ 2/1988	1
14	RF	6.3883	6.3884	4.09	9.02	11/ 2/1988	2
15	RF	5.9354	5.9354	2.20	1.29	11/ 4/1988	2
16	RF	5.7458	5.7459	2.30	-1.95	11/ 7/1988	1
17	RF	5.8473	5.8474	1.84	-.22	11/ 7/1988	2
18	RF	5.7036	5.7036	3.19	-2.67	11/ 8/1988	1
19	RF	5.8630	5.8630	3.80	.05	11/ 8/1988	2
20	RF	5.8598	5.8598	2.96	-0.00	11/11/1988	1
21	RF	5.6758	5.6758	3.33	-3.14	11/11/1988	2
22	RF	5.8985	5.8986	3.65	.66	11/21/1988	1
23	RF	5.8925	5.8925	2.93	.55	11/21/1988	2
24	RF	5.5187	5.5187	2.96	-5.82	11/30/1988	1
25	RF	5.9624	5.9624	2.78	1.75	11/30/1988	2
26	RF	6.1152	6.1152	2.87	4.36	12/ 6/1988	2
27	RF	5.9401	5.9402	3.22	1.37	12/ 6/1988	1
28	RF	5.8926	5.8926	3.23	.56	12/ 9/1988	1
29	RF	5.7111	5.7111	2.81	-2.54	12/ 9/1988	2

* DATA DECAYED TO 1/1/1989

** ACCEPTED VALUE= 5.8600 %

*** LAB GENERATED INSTRUMENT ID

RESULTS OF ANALYSIS OF % 241 Pu DATA

REPORTING LABORATORY

	CSL =====	LLL =====	LANL =====	MAT =====	WHC =====	RFP =====	SRP =====
LAB MEAN (Wt%)	---	.2334	.2309	.2345	.2345	.2332	---
OBS. S DEV (Wt%)	---	.0009**	.0031**	.0009	.0016	.0022	---
REP. S DEV (Wt%)	---	.0005	.0011	.0007	.0016	.0030	---
# OF DATA POINTS	0	12	10	6	17	29	0

DIFFERENCE BETWEEN MEANS

=====

MEAN - ACCEPTED VALUE

(Wt%)	---	-.0004	-.0029*	.0007	.0007	-.0006	---
(%)	---	-.18	-1.23*	.31	.30	-.24	---

MEAN - MEAN FOR LAST PERIOD

(Wt%)	---	-.0004*	-.0001	-.0001	.0010*	-.0005	---
(%)	---	-.17*	-.03	-.02	.41*	-.22	---

* DIFFERENCE IS SIGNIFICANT AT THE 95% CONFIDENCE LEVEL

** OBSERVED VARIANCE IS SIGNIFICANTLY DIFFERENT FROM EXPECTED VARIANCE AT THE 95% CONFIDENCE LEVEL

*** NOT ENOUGH DATA REPORTED TO ASSESS SIGNIFICANCE OF DIFFERENCE

**** ACCEPTED VALUE= .2338 Wt%

241 Pu FOR 9/88 - 12/88 *

241 Pu (WT%) **

Error (%)

- 8.55432
- 6.84346
- 5.13259
- 3.42173
- 1.71086
- 5.32907E-157
- 1.71086
- 3.42173
- 5.13259
- 6.84346
- 8.55432

CSL LLL LA MAT WH RF SRP

* DATA DECAYED TO 1/1/89
 ** ACCEPTED VALUE= .2338 WT%

MONTHLY MEANS FOR 241 Pu *

* DATA DECAYED TO 1/1/89

** ACCEPTED VALUE= .2338 WT%

ISOTOPIIC DATA: % 241 Pu
OBS LAB RAW DATA DEC DATA * UNCERT ERR ** MEASUREMENT INST ***

1	LL	.2359	.2334	.25	-.18	10/11/1988	MGA-2
2	LL	.2355	.2333	.23	-.23	10/20/1988	MGA-2
3	LL	.2351	.2331	.21	-.31	10/27/1988	MGA-2
4	LL	.2352	.2333	.23	-.20	11/ 1/1988	MGA-2
5	LL	.2360	.2342	.28	.17	11/ 3/1988	MGA-2
6	LL	.2354	.2337	.27	-.04	11/ 7/1988	MGA-2
7	LL	.2378	.2360	.28	.96	11/ 7/1988	MGA-2
8	LL	.2338	.2328	.22	-.43	11/29/1988	MGA-2
9	LL	.2338	.2328	.22	-.43	11/29/1988	MGA-2
10	LL	.2343	.2333	.19	-.21	11/29/1988	MGA-2
11	LL	.2336	.2328	.21	-.43	12/ 5/1988	MGA-2
12	LL	.2338	.2333	.28	-.20	12/16/1988	MGA-2

1	LA	.2340	.2313	.46	-1.09	10/ 3/1988	M01
2	LA	.2321	.2298	.48	-1.70	10/17/1988	M03
3	LA	.2326	.2306	.49	-1.38	10/26/1988	M01
4	LA	.2330	.2312	.48	-1.12	11/ 1/1988	M03
5	LA	.2298	.2283	.48	-2.34	11/15/1988	M03
6	LA	.2316	.2303	.46	-1.48	11/21/1988	M01
7	LA	.2323	.2313	.48	-1.09	11/28/1988	M03
8	LA	.2323	.2315	.43	-.96	12/ 6/1988	M01
9	LA	.2317	.2311	.51	-1.14	12/13/1988	M03
10	LA	.2338	.2334	.46	-.16	12/21/1988	M01

1	MR	.2364	.2344	.31	.24	10/27/1988	70/40
2	MR	.2344	.2335	.31	-.15	11/30/1988	70/40
3	MR	.2352	.2347	.31	.38	12/16/1988	70/40
4	MR	.2350	.2346	.31	.33	12/17/1988	70/40
5	MR	.2350	.2345	.31	.32	12/17/1988	70/40
6	MR	.2360	.2355	.31	.74	12/18/1988	70/40

* DATA DECAYED TO 1/1/1989
** ACCEPTED VALUE= .2338 %
*** LAB GENERATED INSTRUMENT ID

ISOTOPIC DATA: % 241 Pu
(CONTINUED)

OBS	LAB	RAW DATA	DEC DATA *	UNCERT	ERR **	MEASUREMENT	INST ***
1	WH	.2351	.2324	1.07	-.59	10/ 6/1988	627
2	WH	.2347	.2322	1.07	-.67	10/13/1988	559
3	WH	.2388	.2365	1.07	1.17	10/21/1988	1985
4	WH	.2384	.2363	1.06	1.07	10/26/1988	627
5	WH	.2330	.2311	1.09	-1.15	10/31/1988	559
6	WH	.2364	.2346	.58	.32	11/ 3/1988	559
7	WH	.2352	.2334	.58	-.17	11/ 4/1988	559
8	WH	.2377	.2359	.58	.89	11/ 4/1988	559
9	WH	.2350	.2333	.58	-.21	11/ 7/1988	559
10	WH	.2381	.2365	.58	1.14	11/10/1988	1985
11	WH	.2344	.2331	.59	-.32	11/18/1988	562
12	WH	.2363	.2350	.57	.52	11/21/1988	1985
13	WH	.2355	.2348	.64	.41	12/ 8/1988	1985
14	WH	.2333	.2326	.65	-.51	12/ 9/1988	627
15	WH	.2345	.2341	.65	.13	12/19/1988	1985
16	WH	.2366	.2363	.64	1.07	12/22/1988	627
17	WH	.2361	.2360	.64	.93	12/28/1988	1985

1	RF	.2367	.2339	1.10	.03	10/ 3/1988	2
2	RF	.2360	.2332	2.12	-.26	10/ 3/1988	1
3	RF	.2336	.2310	1.41	-1.19	10/ 7/1988	1
4	RF	.2380	.2353	1.93	.65	10/ 7/1988	2
5	RF	.2360	.2334	.81	-.16	10/10/1988	2
6	RF	.2379	.2353	1.18	.66	10/11/1988	1
7	RF	.2324	.2301	1.10	-1.58	10/17/1988	2
8	RF	.2341	.2319	1.21	-.83	10/21/1988	1
9	RF	.2350	.2328	1.45	-.43	10/22/1988	2
10	RF	.2348	.2326	1.41	-.52	10/23/1988	1
11	RF	.2343	.2321	1.02	-.71	10/23/1988	2
12	RF	.2312	.2291	1.38	-2.01	10/25/1988	1
13	RF	.2362	.2343	1.40	.21	11/ 2/1988	1
14	RF	.2332	.2314	1.00	-1.03	11/ 2/1988	2
15	RF	.2366	.2348	.85	.43	11/ 4/1988	2
16	RF	.2389	.2372	1.00	1.44	11/ 7/1988	1
17	RF	.2345	.2328	1.09	-.44	11/ 7/1988	2
18	RF	.2388	.2371	1.56	1.42	11/ 8/1988	1
19	RF	.2318	.2301	1.61	-1.57	11/ 8/1988	2
20	RF	.2380	.2364	1.51	1.12	11/11/1988	1
21	RF	.2327	.2312	1.40	-1.12	11/11/1988	2
22	RF	.2365	.2352	1.70	.61	11/21/1988	1
23	RF	.2371	.2358	1.61	.86	11/21/1988	2
24	RF	.2331	.2321	1.64	-.72	11/21/1988	1
25	RF	.2350	.2340	1.46	.11	11/30/1988	2
26	RF	.2310	.2302	1.55	-1.54	12/ 6/1988	2
27	RF	.2319	.2311	1.45	-1.16	12/ 6/1988	1
28	RF	.2341	.2334	1.48	-.19	12/ 9/1988	1
29	RF	.2369	.2362	1.30	1.01	12/ 9/1988	2

* DATA DECAYED TO 1/1/1989
 ** ACCEPTED VALUE= .2338 %
 *** LAB GENERATED INSTRUMENT ID

RESULTS OF ANALYSIS OF % 241 Am DATA

REPORTING LABORATORY

	CSL	LLL	LANL	MAT	WHC	RFP	SRP
	=====	=====	=====	=====	=====	=====	=====
LAB MEAN (Wt%)	---	.1413	.1446	.1431	.1374	.1429	---
OBS. S DEV (Wt%)	---	.0018**	.0038	.0005	.0061**	.0013	---
REP. S DEV (Wt%)	---	.0005	.0043	.0007	.0029	.0019	---
# OF DATA POINTS	0	12	10	6	17	29	0

DIFFERENCE BETWEEN MEANS

=====

MEAN - ACCEPTED VALUE

(Wt%)	---	-.0016*	.0017	.0002	-.0055*	0.0000	---
(%)	---	-1.11*	1.18	.15	-3.83*	.01	---

MEAN - MEAN FOR LAST PERIOD

(Wt%)	---	-.0007*	-.0010	-.0003	.0005	-.0001	---
(%)	---	-.48*	-.67	-.18	.35	-.07	---

* DIFFERENCE IS SIGNIFICANT AT THE 95% CONFIDENCE LEVEL
 ** OBSERVED VARIANCE IS SIGNIFICANTLY DIFFERENT FROM EXPECTED VARIANCE AT THE 95% CONFIDENCE LEVEL
 *** NOT ENOUGH DATA REPORTED TO ASSESS SIGNIFICANCE OF DIFFERENCE
 **** ACCEPTED VALUE= .1429 Wt%

241 Am FOR 9/88 - 12/88 *

* DATA DECAYED TO 1/1/89

** ACCEPTED VALUE= .1429 WT% Pu

MONTHLY MEANS FOR 241 Am *

* DATA DECAYED TO 1/1/89

** ACCEPTED VALUE= .1429 WT% Pu

ISOTOPIC DATA: % 241 Am

OBS	LAB	RAW DATA	DEC DATA *	UNCERT	ERR **	MEASUREMENT	INST ***
1	LL	.1397	.1422	.61	-.48	10/11/1988	MGA-2
2	LL	.1397	.1419	.31	-.68	10/20/1988	MGA-2
3	LL	.1401	.1421	.28	-.55	10/27/1988	MGA-2
4	LL	.1402	.1421	.30	-.58	11/ 1/1988	MGA-2
5	LL	.1404	.1422	.37	-.48	11/ 3/1988	MGA-2
6	LL	.1407	.1424	.36	-.36	11/ 7/1988	MGA-2
7	LL	.1420	.1437	.67	.53	11/ 7/1988	MGA-2
8	LL	.1398	.1408	.28	-1.46	11/29/1988	MGA-2
9	LL	.1398	.1408	.28	-1.46	11/29/1988	MGA-2
10	LL	.1396	.1406	.25	-1.60	11/29/1988	MGA-2
11	LL	.1393	.1401	.27	-1.94	12/ 5/1988	MGA-2
12	LL	.1400	.1405	.36	-1.68	12/16/1988	MGA-2

1	LA	.1396	.1423	2.92	-.43	10/ 3/1988	M01
2	LA	.1429	.1452	2.34	1.62	10/17/1988	M03
3	LA	.1426	.1446	3.79	1.21	10/26/1988	M01
4	LA	.1380	.1399	3.41	-2.11	11/ 1/1988	M03
5	LA	.1446	.1460	3.24	2.19	11/15/1988	M03
6	LA	.1376	.1388	2.99	-2.88	11/21/1988	M01
7	LA	.1498	.1509	3.17	5.58	11/28/1988	M03
8	LA	.1474	.1482	2.62	3.70	12/ 6/1988	M01
9	LA	.1451	.1456	3.45	1.90	12/13/1988	M03
10	LA	.1443	.1447	2.84	1.23	12/21/1988	M01

1	MR	.1410	.1430	.50	.05	10/27/1988	70/40
2	MR	.1413	.1423	.50	-.43	11/30/1988	70/40
3	MR	.1426	.1431	.50	.16	12/16/1988	70/40
4	MR	.1428	.1433	.50	.25	12/17/1988	70/40
5	MR	.1429	.1433	.50	.30	12/17/1988	70/40
6	MR	.1433	.1437	.50	.57	12/18/1988	70/40

* DATA DECAYED TO 1/1/1989
 ** ACCEPTED VALUE= .1429 %
 *** LAB GENERATED INSTRUMENT ID

ISOTOPIC DATA: % 241 Am

(CONTINUED)

OBS	LAB	RAW DATA	DEC DATA *	UNCERT	ERR **	MEASUREMENT	INST ***
1	WH	.1312	.1338	2.20	-6.34	10/ 6/1988	627
2	WH	.1387	.1411	2.20	-1.24	10/13/1988	559
3	WH	.1344	.1366	2.20	-4.39	10/21/1988	1985
4	WH	.1359	.1380	2.19	-3.46	10/26/1988	627
5	WH	.1391	.1410	2.21	-1.34	10/31/1988	559
6	WH	.1382	.1400	1.85	-2.03	11/ 3/1988	559
7	WH	.1349	.1367	1.85	-4.36	11/ 4/1988	559
8	WH	.1308	.1326	1.85	-7.22	11/ 4/1988	559
9	WH	.1374	.1391	1.85	-2.68	11/ 7/1988	559
10	WH	.1342	.1358	1.85	-4.97	11/10/1988	1985
11	WH	.1379	.1392	1.85	-2.56	11/18/1988	562
12	WH	.1373	.1386	1.85	-3.04	11/21/1988	1985
13	WH	.1319	.1326	2.55	-7.18	12/ 8/1988	1985
14	WH	.1338	.1345	2.55	-5.88	12/ 9/1988	627
15	WH	.1415	.1419	2.55	-.70	12/19/1988	1985
16	WH	.1386	.1389	2.55	-2.79	12/22/1988	627
17	WH	.1372	.1373	2.55	-3.91	12/28/1988	1985

1	RF	.1391	.1418	1.50	-.74	10/ 3/1988	2
2	RF	.1406	.1434	1.66	.32	10/ 3/1988	1
3	RF	.1428	.1454	1.38	1.76	10/ 7/1988	1
4	RF	.1412	.1439	1.93	.68	10/ 7/1988	2
5	RF	.1400	.1425	1.12	-.25	10/10/1988	2
6	RF	.1421	.1446	1.09	1.20	10/11/1988	1
7	RF	.1408	.1431	1.05	.16	10/17/1988	2
8	RF	.1378	.1399	1.86	-2.08	10/21/1988	1
9	RF	.1416	.1438	1.15	.60	10/22/1988	2
10	RF	.1417	.1438	1.25	.65	10/23/1988	1
11	RF	.1392	.1414	1.13	-1.08	10/23/1988	2
12	RF	.1398	.1419	1.33	-.72	10/25/1988	1
13	RF	.1399	.1418	1.17	-.80	11/ 2/1988	1
14	RF	.1391	.1409	2.08	-1.39	11/ 2/1988	2
15	RF	.1402	.1420	1.10	-.62	11/ 4/1988	2
16	RF	.1415	.1432	1.13	.19	11/ 7/1988	1
17	RF	.1410	.1427	.92	-.13	11/ 7/1988	2
18	RF	.1417	.1434	1.53	.35	11/ 8/1988	1
19	RF	.1454	.1470	1.84	2.86	11/ 8/1988	2
20	RF	.1414	.1430	1.42	.04	11/11/1988	1
21	RF	.1392	.1408	1.52	-1.50	11/11/1988	2
22	RF	.1423	.1435	1.68	.45	11/21/1988	1
23	RF	.1425	.1437	1.41	.59	11/21/1988	2
24	RF	.1403	.1413	1.37	-1.14	11/30/1988	1
25	RF	.1431	.1441	1.37	.85	11/30/1988	2
26	RF	.1416	.1424	1.47	-.37	12/ 6/1988	2
27	RF	.1429	.1437	1.52	.54	12/ 6/1988	1
28	RF	.1431	.1438	1.50	.60	12/ 9/1988	1
29	RF	.1420	.1427	1.33	-.14	12/ 9/1988	2

* DATA DECAYED TO 1/1/1989

** ACCEPTED VALUE= .1429 %

*** LAB GENERATED INSTRUMENT ID

CALORIMETRY EXCHANGE SAMPLE ON 1/1/1989

ISOTOPE	PPM ISOTOPE / 239 Pu	% ISOTOPE / Pu	% UNCERTAINTY *
238 Pu	101.0	0.00944	0.6
239 Pu	1,000,000.	93.8676	0.003
240 Pu	62,168.	5.8600	0.06
241 Pu	2,470.3	0.2338	0.57
242 Pu	306.4	0.0291	5.0
241 Am	1,509.7	0.1429	0.4

Power = 0.9759 Watts +/- 0.02 %

P-effective = 2.450 mW/G +/- 0.02 %

* Uncertainties shown for Pu isotopes are one standard deviation, as found using the data reported by four labs which made the reference measurement on the sample in 1982.

CONSTANTS

ISOTOPE	DECAY FACTOR	POWER
238 Pu	2.163 E-5	0.56757
239 Pu	7.868 E-8	1.9288 E-3
240 Pu	2.892 E-7	7.0824 E-3
241 Pu	1.323 E-4	0.3412 E-2
242 Pu	5.043 E-9	0.1159 E-3
241 Am	4.377 E-6	0.11420

MAILING LIST

Dr. C. D. Bingham
Director
New Brunswick Laboratory
9800 South Cass Avenue
Argonne, Ill 60439

Mr. W.C. Johnson
U. S. Department of Energy
Richland Operations Office
P. O. Box 550
Richland, WA 99352

Bill Boyce
E. I. DuPont de Nemours & Co.
Savannah River Plant, 772-F
Aiken, S.C. 29801

Cloyd Denard
E. I. DuPont de Nemours & Co.
Savannah River Plant, 772-F
Aiken, S.C. 29801

John Clark
E. I. DuPont de Nemours & Co.
Savannah River Plant, 772-F
Aiken, S.C. 29801

Mr. Glenn A. Hammond
Richland Operations Office
Office of Safeguards and
Security
Washington, D.C. 20545

Don Jewell
Albuquerque Operations Office
P. O. Box 5400
Albuquerque, NM 87115

Aaron Goldman
Los Alamos Laboratory
P. O. Box 1663
Los Alamos, NM 87545

Linda Baker
E. I. DuPont de Nemours & Co.
Savannah River Plant, 772-F
Aiken, S.C. 29801

MAILING LIST

Thomas E. Sampson
Los Alamos Laboratory
P. O. Box 1663
Los Alamos, NM 87545

N. J. Roberts
Los Alamos Laboratory
P. O. Box 1663
Los Alamos, NM 87545

Bruce Erkkila
Los Alamos Laboratory
P. O. Box 1663
Los Alamos, NM 87545

Ron Blankenship
Los Alamos Laboratory
P.O. Box 1663, MS E-513
Los Alamos, NM 87545

Faye Hsue
Los Alamos Laboratory
P. O. Box 1663, MS E-508
Los Alamos, NM 87545

Robert S. Marshall
Los Alamos Laboratory
P. O. Box 1663, MS E-508
Los Alamos, NM 87545

Stephen Chin
Lawrence Livermore Laboratory
P. O. Box 808
Livermore, Ca 94550

Sharon Schumacher, L-347
Lawrence Livermore Laboratory
P. O. Box 808
Livermore, Ca 94550

Owen Kruger
Westinghouse Hanford Company
P. O. Box 800
Richland, WA 99352

Gary Kodman
Westinghouse Hanford Company
P. O. Box 800
Richland, WA 99352

D. A. Puryear
Westinghouse Hanford Company
P.O. Box 1970
MSIN T4-40
Richland, WA 99352

R. A. Hamilton
Westinghouse Hanford Company
P.O. Box 1970
MSIN T5-06
Richland, WA 99352

MAILING LIST

Chris Oertel
Rockwell International
Rocky Flats Plant
P. O. Box 464
Golden CO, 80401

J. G. Fleissner
Rockwell International
Rocky Flats Plant
P. O. Box 464
Golden CO, 80401

Jo Giacomoni
Rockwell International
Rocky Flats Plant
P. O. Box 464
Golden CO, 80401

Francis Haas
Rockwell International
Rocky Flats Plant
P. O. Box 464
Golden CO, 80401

Fred Lyons
Rockwell International
Rocky Flats Plant
P. O. Box 464
Golden CO, 80401

Jerald Zarret
Rockwell International
Rocky Flats Plant
P. O. Box 464
Golden CO, 80401

Jack McBride
Rockwell International
Rocky Flats Plant
P. O. Box 464
Golden CO, 80401

Randy Kawamoto
Rockwell International
Rocky Flats Plant
P. O. Box 464
Golden CO, 80401

Jim Bradshaw
Rockwell International
Rocky Flats Plant
P. O. Box 464, Bldg. T-750F
Golden CO, 80401

Ralph C. Nelson
Rockwell International
Rocky Flats Plant
P. O. Box 464
Golden CO, 80401