Title List of Documents Made Publicly Available

January 1-31, 1996

RECEIVED
APR 22 1996
OSTI

U.S. Nuclear Regulatory Commission

Office of Administration

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

dx

AVAILABILITY NOTICE

Availability of Reference Materials Cited In NRC Publications

Most documents cited in NRC publications will be available from one of the following sources:

1. The NRC Public Document Room, 2120 L Street, NW., Lower Level, Washington, DC 20555-0001
2. The Superintendent of Documents, U.S. Government Printing Office, P. O. Box 37082, Washington, DC 20402-9328
3. The National Technical Information Service, Springfield, VA 22161-0002

Although the listing that follows represents the majority of documents cited in NRC publications, it is not intended to be exhaustive.

Referenced documents available for inspection and copying for a fee from the NRC Public Document Room include NRC correspondence and internal NRC memoranda; NRC bulletins, circulars, information notices, inspection and investigation notices; licensee event reports; vendor reports and correspondence; Commission papers; and applicant and licensee documents and correspondence.

The following documents in the NUREG series are available for purchase from the Government Printing Office: formal NRC staff and contractor reports, NRC-sponsored conference proceedings, international agreement reports, grantee reports, and NRC booklets and brochures. Also available are regulatory guides, NRC regulations in the *Code of Federal Regulations*, and *Nuclear Regulatory Commission Issuances*.

Documents available from the National Technical Information Service include NUREG-series reports and technical reports prepared by other Federal agencies and reports prepared by the Atomic Energy Commission, forerunner agency to the Nuclear Regulatory Commission.

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions. *Federal Register* notices, Federal and State legislation, and congressional reports can usually be obtained from these libraries.

Documents such as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings are available for purchase from the organization sponsoring the publication cited.

Single copies of NRC draft reports are available free, to the extent of supply, upon written request to the Office of Administration, Distribution and Mail Services Section, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at the NRC Library, Two White Flint North, 11545 Rockville Pike, Rockville, MD 20852-2738, for use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from the American National Standards Institute, 1430 Broadway, New York, NY 10018-3308.

A year's subscription of this report consists of 12 monthly issues.

NUREG-0540
Vol. 18, No. 1

Title List of Documents Made Publicly Available

January 1-31, 1996

Date Published: March 1996

E. B. Morris, NRC Project Manager

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

CONTENTS

Preface	v
Arrangement of Items by Docket Number	ix
Alphabetic Arrangement of Docket Items by Facility Name	xv
Docketed Items	1
Low-Level Radwaste Disposal Sites — Docket 27	1
Domestic Licensing of Source Material — Docket 40	2
Domestic Licensing of Production and Utilization Facilities — Docket 50	8
Standardized Nuclear Power Plant Design — Docket 52	135
Domestic Licensing of Special Nuclear Material — Docket 70	137
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71	143
Licensing of Independent Spent Fuel Storage — Docket 72	148
Nondocketed Items	151
10 CFR — Commission Meeting Records	151
ACNW — Advisory Committee on Nuclear Waste	151
ACRS — Advisory Committee on Reactor Safeguards	151
ADVCM — NRC Advisory Committee	151
COMMISSION — NRC Commissioners	152
CONTRACT — NRC Contracts and Modifications	153
FOIA — Freedom of Information Act Requests and Releases	156
GEN TECH IS — Generic Technical Issues	170
I&E — Inspection and Enforcement	170
MISC — Public Document Room Miscellaneous	171
NUREG — NUREG Reports and Related Correspondence	171
ORG — Correspondence with Other Organizations	174
PR — Proposed Rule	177
PRESS — Press Releases	177
PRM — Petition for Rulemaking	178
PROJ — Projects—Predocket Licensing	178
PT21 — Noncompliance Reports and Related Correspondence	180
QA999 — Quality Assurance Inspections	180
REG CERT Registry Certificate	180
REGGD — Regulatory Guides	180
REVIEW GROUP — NRC Research Review Groups	181
SECY — Position Papers Before the Commission	182
SPEECHES — Speeches	182
STATE PROG — State Programs	182
TOPREP — Vendor Reports and Related Correspondence	186
WASTE MGT — Nuclear Waste Management	188
XPORTLIC — Export and Import Licenses	191
Personal Author Index	193
Corporate Source Index	209
Report Number Index	223
Cross Reference of Enclosures to Principal Documents	225
Appendix A — Definitions of Docket 50 Categories	A-1
Appendix B — Definitions of Nondocketed Categories	B-1

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR).

Duplicate copies may be obtained for a fee. Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System, which is accessible both at the PDR and remotely. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. Insofar as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are

- A. Application/construction stage documents and correspondence
- B. Utility Preliminary Safety Analysis Reports (PSAR), amendments
- C. Utility Environmental Reports (ER), amendments, and correspondence
- D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), supplements and correspondence
- E. NRC Safety Evaluation Reports (SER), supplements and correspondence
- F. Security, medical, emergency, and fire-protection plans
- G. Legal and adjudicatory correspondence

- H. General correspondence
- I. Financial information
- J. Insurance and indemnity information
- K. Utility Final Safety Analysis Reports (FSAR) and amendments
- L. Limited work authorizations (LWA) and related correspondence
- M. Antitrust reviews and antitrust correspondence
- N. Antitrust hearing transcripts, testimony, and briefings
- O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
- P. Operating license stage documents and correspondence
- Q. Inspection reports, IE Bulletins, Circulars and Information Notices, civil penalties, and related correspondence

- R. Periodic operating reports and related correspondence
- S. Reportable occurrences, PNOs, PNSs, and related correspondence
- T. Transcripts, testimony, and briefings on non-antitrust matters

- U. Congressional/executive correspondence
- V. Licensing of operators and related correspondence
- W. Decommissioning stage documents and correspondence
- X. Onsite storage of low-level waste
- Y. Independent spent fuel storage installations

that category were filed in the time period of the report.

The principal elements of the entries in the list are

(1) F. Operating license stage documents & correspondence

②	③
8907070172	Commends uttl for exemplary hospitality extended to visiting Soviet technical working group on 890608.

DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 89/06/27

CLARK, P.R. General Public Utilities Corp.—GPU Service Corp. 2 pp. 50442:181-50442:182

1. NRC/PDR Document category (see Appendix A).
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Author affiliation (NRC, corporate, agency, or nonindividual source).
6. Date of document described.
7. Recipient of the document.
8. Recipient affiliation (NRC or corporate).
9. Pages in this document.
10. This five-digit number is the NRC 48X microfiche designation.

11. The three-digit portion of this entry is the number of the frame on which this document starts.
12. This five-digit number is the microfiche on which this document ends.
13. The three-digit portion of this entry is the number of the frame on which this document ends.

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number or a formal report number, it will appear in the last line of the item following entry 5.

NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:

10CFR—Commission Meeting Records
 ACRS—Advisory Committee on Reactor Safeguards
 ADVCM—NRC Advisory Committees
 COMMISSION—NRC Commissioners
 CONTRACT—NRC Contracts and Modifications
 FOIA—Freedom of Information Act Requests and Releases
 GEN TECH IS—Generic Technical Issues
 IE—Inspection and Enforcement Issuances
 MISC—Public Document Room Miscellaneous
 NUREG—NRC-Issued Formal Reports and Related Correspondence
 ORG—Organizational File
 PR—Proposed Rules
 PRM—Petitions for Rulemaking
 PROJ—Projects
 PT21—10 CFR Part 21 Deficiency Reports

QA999—Quality Assurance Inspections
 REGGD—Regulatory Guides
 RES—Research and Technical Assistance Reports
 REVIEW GRP—Research Review Groups
 RM—Rulemakings
 SECY—Staff Position Papers Before the Commission
 STATE PROG—State Programs
 TOPREP—Vendor Topical Reports and Correspondence
 WASH—AEC-Issued Formal Reports and Correspondence
 WM—Waste Management Documents
 WMRES—Waste Management Contract Documents
 XPORTLIC—Exports and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are

- ① NUREG—NRC-Issued Formal Reports and Related Correspondence
 - ② ③ ④
 8910100307 NUREG/CR-5340 DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE TEST VI-2
 - ⑤ ⑥
 OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. Oak Ridge National Laboratory.
 - ⑦ ⑧ ⑨ ⑩ ⑪
 FIN B-0127. ORNL/TM-11105. 89/09/30. Division of Systems Research (Post 880717). 69 pp.
 - ⑫ ⑬ ⑭ ⑮
 51409:065-51409:134.

1. Nondocket category.

2. NRC/PDR Accession Number (year, month, day, and sequence number of item).

NONDOCKETED ITEMS (cont.)

3. NRC Report Number.
4. Title and description of information contained in the document.
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or other nonindividual source.
7. Contract or financial identification number (FIN), if any.
8. Secondary report number, if any.
9. Date of document described.
10. NRC organizational recipient (or sponsor).
11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
14. This five-digit number is the microfiche on which this document ends.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

NOTES:

1. The address for GPO is

Superintendent of Documents
U.S. Government Printing Office
P.O. Box 37082
Washington, DC 20013-7082

To place orders, send check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202-512-2249.

2. The address for NTIS is

National Technical Information Service
5285 Port Royal Road
Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 487-4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is

2120 L Street, NW.
Washington, DC 20555

The mailing address is

U.S. Nuclear Regulatory Commission
Public Document Room
Mail Stop LL-6
Washington, DC 20555

Telefacsimile

202/634-3343

Telephone

202/634-3273

To place orders for documents or to arrange for training on the computer system, write, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, are obtainable from the PDR.

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page	Docket	Name	Page
Low Level Radwaste Disposal Sites - Docket 27			40-8165	AMAX SPECIALTY METALS CORP., CLEVELAND, OH	6
27-047	COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	1	40-8452	BEAR CREEK URANIUM CO., CASPER, WY	5
27-048	LOUISVILLE, KY, U.S. ECOLOGY, INC.	1	40-8502	TOTAL MINERALS CORP., CASPER, WY	6
DOCKET	UNKNOWN	1	40-8584	KENNECOTT URANIUM CO., RAWLINS, WY	6
Domestic Licensing of Source Material - Docket 40			40-8681	UMETCO MINERALS CORP., BLANDING, UT	8
40-0017	DOW CHEMICAL U.S.A. (UNIT OF DOW CHEMICAL CO.),	2	40-8689	PLATEAU RESOURCES, LTD., LAKE POWELL, UT	6
40-0165	G.T.E. PRODUCTS CORP., TOWANDA, PA	2	40-8724	CHEMETRON CORP., PROVIDENCE, RI	7
40-0236	FROME INVESTMENT CO. (BROOKS & PERKINS CORP.) -	2	40-8767	LAKE CITY ARMY AMMUNITION PLANT, INDEPENDENCE, MO	7
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	2	40-8811	BRADY, L.W., MD, CHERRY HILL, NJ	7
40-0341	ANNE ARUNDEL COUNTY/CURTIS BAY, BALTIMORE, MD	2	40-8814	ARMY, DEPT. OF, YUMA, AZ	7
40-0501	ALCOA, CLEVELAND, OH	2	40-8833	MANLABS, INC., CAMBRIDGE, MA	7
40-1162	WESTERN NUCLEAR, INC., LAKEWOOD, CO	2	40-8857	POWER RESOURCES, INC., GLENROCK, WY	7
40-1341	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	3	40-8882	ATLANTIC RICHFIELD CO., GRANTS, NM	7
40-1650	WYMAN-GORDON CO., NORTH GRAFTON, MA	3	40-8883	HOMESTAKE MINING CO., GRANTS, NM	7
40-2263	WATERTOWN ARSENAL MALL, WATERTOWN, MA	3	40-8884	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	7
40-2259	PATHFINDER MINES CORP., RIVERTON, WY	3	40-8885	QUIVIRA MINING CO., GRANTS, NM	7
40-2384	RMI CO., ASHTABULA, OH	3	40-8886	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	7
40-3392	ALLIED-SIGNAL, INC., METROPOLIS, IL	3	40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	7
40-3453	ATLAS CORP., DENVER, CO	3	40-8948	SHIELDALLOY CORP., NEWFIELD, NJ	8
40-4482	AMERICAN NUCLEAR CORP., CASPER, WY	4	40-8964	RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	8
40-5001	AMAX ENVIRONMENTAL SERVICES, INC., GREENWICH, CT	4	40-8968	HYDRO RESOURCES, INC., DALLAS, TX	8
40-8500	ENERGY, DEPT. OF, CANONSBURG, PA	4	40-8971	U.S. ENERGY CORP., RIVERTON, WY	8
40-8563	MALLINCKRODT, INC., ST. LOUIS, MO	4	40-8980	HERITAGE MINERALS, INC., LAKEHURST, NJ	8
40-8822	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	4	40-8981	PATHFINDER MINES CORP., MILLS, WY	8
40-8840	CABOT CORP., BOYERTOWN, PA	4	40-8989	ENVIROCORE OF UTAH, INC., SALT LAKE CITY, UT	8
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	5	Domestic Licensing of Production and Utilization Facilities - Docket 50		
40-7387	FOOTE MINERAL CO., EXTON, PA	5	50-3	INDIAN POINT STATION, UNIT 1	9
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	5	50-5	PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	9
40-7604	BP CHEMICALS AMERICA, INC., LIMA, OH	5	50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	9
40-8027	SEQUOYAH FUELS CORP., GORE, OK	5	50-27	WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)	9
40-8102	EXXON CORP., HOUSTON, TX	6	50-29	YANKEE-ROWE NUCLEAR POWER STATION	9

Docket	Name	Page	Docket	Name	Page
50-54	ORNL CHEM	10	50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	28
50-73	GENERAL ELECTRIC NUCLEAR TEST REACTOR	10	50-261	H.B. ROBINSON PLANT, UNIT 2	29
50-89	GENERAL ATOMICS	10	50-263	MONTICELLO NUCLEAR GENERATING PLANT	30
50-116	IOWA STATE UNIV. RESEARCH REACTOR	11	50-265	QUAD-CITIES STATION, UNIT 2	31
50-123	UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA	11	50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	32
50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	11	50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	33
50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	12	50-268	OCOONEE NUCLEAR STATION, UNIT 1	34
50-155	BIG ROCK POINT NUCLEAR PLANT	12	50-270	OCOONEE NUCLEAR STATION, UNIT 2	36
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	12	50-271	VERMONT YANKEE NUCLEAR POWER STATION	37
50-163	GENERAL ATOMICS	13	50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	37
50-170	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	13	50-274	U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	39
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	13	50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	39
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	14	50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	40
50-193	RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	14	50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	41
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	14	50-280	SURRY POWER STATION, UNIT 1	43
50-213	HADDAM NECK PLANT	14	50-281	SURRY POWER STATION, UNIT 2	44
50-219	OYSTER CREEK NUCLEAR POWER PLANT	15	50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	45
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	17	50-284	IDAHO STATE UNIV. RESEARCH REACTOR	45
50-223	UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR	17	50-285	FORT CALHOUN STATION, UNIT 1	45
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	17	50-286	INDIAN POINT STATION, UNIT 3	47
50-238	NUCLEAR SHIP SAVANNAH	19	50-287	OCOONEE NUCLEAR STATION, UNIT 3	48
50-243	OREGON STATE UNIV. RESEARCH REACTOR	19	50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	48
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	19	50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	50
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	19	50-295	ZION NUCLEAR POWER STATION, UNIT 1	51
50-247	INDIAN POINT STATION, UNIT 2	21	50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	52
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	21	50-297	NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	53
50-250	TURKEY POINT PLANT, UNIT 3	23	50-298	COOPER NUCLEAR STATION	53
50-251	TURKEY POINT PLANT, UNIT 4	24	50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	54
50-262	UNIV. OF NEW MEXICO RESEARCH REACTOR	25	50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	55
50-254	QUAD-CITIES STATION, UNIT 1	25	50-304	ZION NUCLEAR POWER STATION, UNIT 2	56
50-255	PALISADES NUCLEAR PLANT	26	50-305	KEWAUNEE NUCLEAR POWER PLANT	57
50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	27	50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	58
			50-309	MAINE YANKEE ATOMIC POWER PLANT	59

Docket	Name	Page	Docket	Name	Page
50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	80	50-381	SAN ONOFRE NUCLEAR STATION, UNIT 2	87
50-312	RANCHO SECO NUCLEAR GENERATING STATION	81	50-382	SAN ONOFRE NUCLEAR STATION, UNIT 3	88
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	82	50-384	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	90
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	83	50-386	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	90
50-318	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	84	50-388	ARKANSAS NUCLEAR ONE, UNIT 2	91
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	84	50-389	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	92
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	85	50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	93
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	88	50-373	LASALLE COUNTY STATION, UNIT 1	94
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	87	50-374	LASALLE COUNTY STATION, UNIT 2	96
50-322	SHOREHAM NUCLEAR POWER STATION	88	50-382	WATERFORD GENERATING STATION, UNIT 3	96
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	88	50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	98
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	89	50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	99
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	70	50-389	ST. LUCIE PLANT, UNIT 2	99
50-326	UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR	71	50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	100
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	72	50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	102
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	73	50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	103
50-329	MIDLAND PLANT, UNIT 1	74	50-397	WPPSS NUCLEAR PROJECT, UNIT 2	104
50-330	MIDLAND PLANT, UNIT 2	74	50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	105
50-331	DUANE ARNOLD ENERGY CENTER	74	50-407	UNIV. OF UTAH RESEARCH REACTOR	106
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	75	50-409	LA CROSSE BOILING WATER REACTOR	106
50-334	BEAVER VALLEY POWER STATION, UNIT 1	76	50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	106
50-335	ST. LUCIE PLANT, UNIT 1	77	50-412	BEAVER VALLEY POWER STATION, UNIT 2	107
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	78	50-413	CATAWBA NUCLEAR STATION, UNIT 1	108
50-338	NORTH ANNA POWER STATION, UNIT 1	79	50-414	CATAWBA NUCLEAR STATION, UNIT 2	109
50-339	NORTH ANNA POWER STATION, UNIT 2	80	50-416	GRAND GULF NUCLEAR STATION, UNIT 1	111
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	81	50-417	GRAND GULF NUCLEAR STATION, UNIT 2	112
50-344	TROJAN NUCLEAR PLANT	82	50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	112
50-348	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	83	50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	113
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	84	50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	114
50-352	LIMERICK GENERATING STATION, UNIT 1	84	STN-50-437	FLOATING NUCLEAR PLANT	116
50-353	LIMERICK GENERATING STATION, UNIT 2	85	50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	116
50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	86	50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	116
			50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	117

Docket	Name	Page	Docket	Name	Page
50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	118	70-0135	BABCOCK & WILCOX CO., APOLLO, PA	138
50-443	SEABROOK NUCLEAR STATION, UNIT 1	118	70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	138
50-444	SEABROOK NUCLEAR STATION, UNIT 2	119	70-0384	BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	138
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	119	70-0687	CINTICHEM, INC., TUXEDO, NY	138
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	121	70-0734	GENERAL ATOMICS, SAN DIEGO, CA	139
STN-50-454	BYRON STATION, UNIT 1	122	70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	139
STN-50-455	BYRON STATION, UNIT 2	123	70-0893	FLORIDA INSTITUTE OF TECHNOLOGY, MELBOURNE, FL	139
STN-50-456	BRANDWOOD STATION, UNIT 1	124	70-0925	CIMARRON CORP., OKLAHOMA CITY, OK	139
STN-50-457	BRANDWOOD STATION, UNIT 2	125	70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	139
50-458	RIVER BEND STATION, UNIT 1	126	70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	139
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	127	70-1151	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	139
50-461	CLINTON POWER STATION, UNIT 1	127	70-1201	B&W FUEL CO., LYNCHBURG, VA	140
STN-50-482	WOLF CREEK GENERATING STATION	128	70-1252	EDLOW INTERNATIONAL CO., WASHINGTON, DC	140
STN-50-483	CALLAWAY PLANT, UNIT 1	129	70-1257	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	140
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	130	70-1426	TRANSNUCLEAR, INC., FALLS CHURCH, VA	140
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	131	70-2895	SPECTRO CHEM LABORATORIES, INC., FRANKLIN LAKES, NJ	141
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	132	70-2982	NEW JERSEY INSTITUTE OF TECHNOLOGY, NEWARK, NJ	141
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	132	70-3070	LOUISIANA ENERGY SERVICES, WASHINGTON, DC	141
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	133	70-3073	KERR-MCGEE CORP., OKLAHOMA CITY, OK	141
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	134	70-7001	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	141
50-537	CLINCH RIVER BREEDER REACTOR	135	70-7002	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION)	142
52-001	GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	135	DOCKET	UNKNOWN	142
52-002	SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	135	Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
52-003	AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	135	71-0017	RHODE ISLAND, STATE OF, ATOMIC ENERGY COMMISSION	143
52-004	GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	136	71-0051	HARRISON STEEL CASTINGS CO.	143
DOCKET	UNKNOWN	137	71-0103	TWIN CITY TESTING CORP.	143
Domestic Licensing of Special Nuclear Material - Docket 70			71-0115	B&W FUEL CO.	143
70-0008	BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	137	71-0121	NEUTRON PRODUCTS, INC.	144
70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	137	71-0122	J.L. SHEPHERD & ASSOCIATES	144
70-0036	COMBUSTION ENGINEERING, INC., HEMATITE, MO	138	71-0135	BABCOCK & WILCOX CO.	144
70-0133	OLEVITE CORP., CLEVELAND, OH	138	71-0139	TULSA GAMMA RAY, INC.	144
			71-0249	NUCLEAR FUEL SERVICES, INC.	144

Docket	Name	Page	Docket	Name	Page
71-0337	CALUMET TESTING SERVICES, INC.	144	71-9221	MODEL: NRBK-41, ENERGY, DEPT. OF	146
71-0392	BAKER TESTING SERVICES, INC.	144	71-9222	MODEL: 14-215, SCIENTIFIC ECOLOGY GROUP, INC.	146
71-0408	MISSOURI STEEL CASTINGS CO.	144	71-9225	MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	146
71-0553	HIGH MOUNTAIN INSPECTION SERVICES, INC.	144	71-9234	MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	146
71-0559	CRAMER & LINDELL ENGINEERS, INC.	144	71-9235	MODEL: NAC-STC, NUCLEAR ASSURANCE CORP.	146
71-0559	NON DESTRUCTIVE TESTING CORP.	144	71-9239	MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.	146
71-0563	EDWARDS PIPELINE TESTING, INC.	144	71-9248	MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	147
71-0587	ARIZONA NUCLEAR POWER PROJECT	144	71-9251	MODEL: BW-2801, B&W FUEL CO.	147
71-0589	MINNESOTA VALLEY ENGINEERING, INC.	144	71-9252	MODEL: 51032-2, B&W FUEL CO.	147
71-0585	MGS INSPECTION, INC.	144	71-9265	MODEL: NUHOMS-MP1B7, PACIFIC NUCLEAR	147
71-0589	STRUTHERS WELL CO.	145	71-9261	MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	147
71-0642	RTS TECHNOLOGY, INC.	145	71-9263	MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	147
71-0678	PACTEC, INC.	145	71-9266	MODEL: MSC-1, SIERRA NUCLEAR CORP.	147
71-0709	BASIN INDUSTRIAL X-RAY, INC.	145	71-9269	MODEL: 650L	147
71-0712	EMPIRE SOILS INVESTIGATIONS, INC.	145	DOCKET	UNKNOWN	147
71-0714	PROCESS TECHNOLOGY, INC.	145	Licensing of Independent Spent Fuel Storage - Docket 72		
71-0759	NATIONWIDE TESTING SERVICES, INC.	145	72-001	MORRIS OPERATIONS, ISFSI	148
71-0788	DOE	145	72-0002	SURRY ISFSI 50-280 & 50-281	148
71-0882	INDIANA STATE UNIVERSITY	145	72-0004	COONEE ISFSI, 50-269, 50-270 & 50-287	148
71-5086	MODEL: UNC-2800, UNITED NUCLEAR CORP.	145	72-0005	POINT BEACH ISFSI GEN LIC/VSC-24, 50-266 & 50-301	148
71-8208	MODEL: MODEL B, B&W FUEL CO.	145	72-0006	BRUNSWICK ISFSI, 50-324 & 50-325	148
71-8801	MODEL: CNS 8-120 A, CHEM-NUCLEAR SYSTEMS, INC.	145	72-0007	PALISADES ISFSI GEN LIC/VSC-24, 50-255	148
71-8717	MODEL: 6717-B, AMERSHAM CORP.	145	72-0008	CALVERT CLIFFS ISFSI, 50-317 & 50-318	148
71-8001	MODEL: IF-300, NUCLEAR PACKAGING, INC.	145	72-0009	FORT ST. VRAIN ISFSI, 50-287	148
71-8028	MODEL: 684 & 684E, AMERSHAM CORP.	145	72-0011	RANCHO SECO ISFSI, 50-312	148
71-8029	MODEL: 676 & 676E, AMERSHAM CORP.	145	72-0013	ISFSI ARKANSAS NUCLEAR GEN LIC/VSC-24, 50-313 & 50-388	148
71-8032	MODEL: 650, AMERSHAM CORP.	145	72-0014	ISFSI DAVIS BESSE GEN LIC/NUHOMS, 50-346	149
71-8033	MODEL: 680, 680A, 680AE, 680B, 680BE, 680E, AMERSHAM	145	72-0016	NORTH ANNA ISFSI - 50-338 & 50-339	149
71-8035	MODEL: 680 & 680E, AMERSHAM CORP.	146	72-0017	TROJAN ISFSI, 50-344	149
71-8036	MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	148	72-0019	MESCALERO ENVIRONMENTAL, INC. ISFSI	149
71-9156	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	146	72-1004	CASK: 24P	149
71-9157	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	146	72-1007	CASK: VSC-24	149
71-9159	MODEL: NUPAC 14/190H, L & M, LN-14-170H, L & M, NUPAC	146	72-1008	CASK: HI-STAR 100	150
71-9185	MODEL: OP-100, INDUSTRIAL NUCLEAR CO.	146	72-1009	CASK: DOE-MFC-21P	150
71-9187	MODEL: 865, AMERSHAM CORP.	146			
71-9196	MODEL: UX-30, NUCLEAR PACKAGING, INC.	146			
71-9203	MODEL: DHTF, B&W FUEL CO.	146			

 

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page	Name	Docket	Page
Low Level Radwaste Disposal Sites - Docket 27			PATHFINDER MINES CORP., RIVERTON, WY	40-2259	3
COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	27-047	1	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	4
LOUISVILLE, KY, U.S. ECOLOGY, INC.	27-048	1	PLATEAU RESOURCES, LTD., LAKE POWELL, UT	40-8698	6
Domestic Licensing of Source Material - Docket 40			POWER RESOURCES, INC., GLENROCK, WY	40-8857	7
ALCOA, CLEVELAND, OH	40-8501	2	QUIMRA MINING CO., GRANTS, NM	40-8905	7
ALLIED-SIGNAL, INC., METROPOLIS, IL	40-3392	3	RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	40-8964	8
AMAX ENVIRONMENTAL SERVICES, INC., GREENWICH, CT	40-5001	4	RMI CO., ASHTABULA, OH	40-2384	3
AMAX SPECIALTY METALS CORP., CLEVELAND, OH	40-8155	6	SEQUOYAH FUELS CORP., GORE, OK	40-8027	5
AMERICAN NUCLEAR CORP., CASPER, WY	40-4492	4	SHIELDALLOY CORP., NEWFIELD, NJ	40-8948	6
ANNE ARUNDEL COUNTY/CURTIS BAY, BALTIMORE, MD	40-0341	2	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	5
ARMY, DEPT. OF, YUMA, AZ	40-8814	7	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	40-8804	7
ATLANTIC RICHFIELD CO., GRANTS, NM	40-8902	7	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	40-1341	3
ATLAS CORP., DENVER, CO	40-3453	3	TOTAL MINERALS CORP., CASPER, WY	40-8502	6
BEAR CREEK URANIUM CO., CASPER, WY	40-8432	6	U.S. ENERGY CORP., RIVERTON, WY	40-8971	8
BP CHEMICALS AMERICA, INC., LIMA, OH	40-7604	5	UMETCO MINERALS CORP., BLANDING, UT	40-8661	6
BRADY, L.W., MD, CHERRY HILL, NJ	40-8811	7	UMETCO MINERALS CORP., RIVERTON, WY	40-0299	2
CABOT CORP., BOYERTOWN, PA	40-6940	4	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	40-8907	7
CHEMETRON CORP., PROVIDENCE, RI	40-8724	7	WATERTOWN ARSENAL MALL, WATERTOWN, MA	40-2253	3
DOW CHEMICAL U.S.A. (UNIT OF DOW CHEMICAL CO.),	40-0017	2	WESTERN NUCLEAR, INC., LAKEWOOD, CO	40-1162	2
ENERGY, DEPT. OF, CANONSBURG, PA	40-6500	4	WYMAN-GORDON CO., NORTH GRAFTON, MA	40-1650	3
ENVIROCORE OF UTAH, INC., SALT LAKE CITY, UT	40-8989	8	Domestic Licensing of Production and Utilization Facilities - Docket 50		
EXXON CORP., HOUSTON, TX	40-8102	6	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	113
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	5	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	114
FERRIET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	7	ARKANSAS NUCLEAR ONE, UNIT 1	50-313	62
FOOTE MINERAL CO., EXTON, PA	40-7397	5	ARKANSAS NUCLEAR ONE, UNIT 2	50-368	91
FROME INVESTMENT CO. (BROOKS & PERKINS CORP.) -	40-0235	2	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	50-170	13
G.T.E. PRODUCTS CORP., TOWANDA, PA	40-0185	2	BEAVER VALLEY POWER STATION, UNIT 1	50-334	76
HERITAGE MINERALS, INC., LAKEHURST, NJ	40-8980	6	BEAVER VALLEY POWER STATION, UNIT 2	50-412	107
HOMESTAKE MINING CO., GRANTS, NM	40-8903	7	BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	118
HYDRO RESOURCES, INC., DALLAS, TX	40-8968	8	BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	116
KENNECOTT URANIUM CO., RAWLINS, WY	40-8584	6	BIG ROCK POINT NUCLEAR PLANT	50-155	12
LAKE CITY ARMY AMMUNITION PLANT, INDEPENDENCE, MO	40-8767	7	BRAIDWOOD STATION, UNIT 1	STN-50-466	124
MALLINCKRODT, INC., ST. LOUIS, MO	40-6563	4	BRAIDWOOD STATION, UNIT 2	STN-50-457	125
MANLABS, INC., CAMBRIDGE, MA	40-8833	7	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	27
PATHFINDER MINES CORP., MILLS, WY	40-8861	6			

Name	Docket	Page	Name	Docket	Page
BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	28	GENERAL ATOMICS	50-163	13
BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	52	GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-73	10
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	70	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	12
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	69	GRAND GULF NUCLEAR STATION, UNIT 1	50-416	111
BYRON STATION, UNIT 1	STN-50-454	122	GRAND GULF NUCLEAR STATION, UNIT 2	50-417	112
BYRON STATION, UNIT 2	STN-50-455	123	H.B. ROBINSON PLANT, UNIT 2	50-261	29
CALLAWAY PLANT, UNIT 1	STN-50-483	129	HADDAM NECK PLANT	50-213	14
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	64	HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	86
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	65	HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	11
CATAWBA NUCLEAR STATION, UNIT 1	50-413	106	IDAHO STATE UNIV. RESEARCH REACTOR	50-284	45
CATAWBA NUCLEAR STATION, UNIT 2	50-414	109	INDIAN POINT STATION, UNIT 1	50-3	8
CINTICHEM	50-54	10	INDIAN POINT STATION, UNIT 2	50-247	21
CLINCH RIVER BREEDER REACTOR	50-537	135	INDIAN POINT STATION, UNIT 3	50-286	47
CLINTON POWER STATION, UNIT 1	50-461	127	IOWA STATE UNIV. RESEARCH REACTOR	50-116	11
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	119	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	75
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	121	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	84
COOPER NUCLEAR STATION	50-298	53	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	90
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	55	KEWAUNEE NUCLEAR POWER PLANT	50-305	57
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	83	LA CROSSE BOILING WATER REACTOR	50-409	106
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	39	LASALLE COUNTY STATION, UNIT 1	50-373	94
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	66	LASALLE COUNTY STATION, UNIT 2	50-374	96
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-316	63	LIMERICK GENERATING STATION, UNIT 1	50-352	84
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-318	64	LIMERICK GENERATING STATION, UNIT 2	50-353	85
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	9	MAINE YANKEE ATOMIC POWER PLANT	50-309	59
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	17	MIDLAND PLANT, UNIT 1	50-329	74
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	21	MIDLAND PLANT, UNIT 2	50-330	74
DUANE ARNOLD ENERGY CENTER	50-331	74	MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	19
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	67	MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	78
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	90	MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	112
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	81	MONTICELLO NUCLEAR GENERATING PLANT	50-263	30
FLOATING NUCLEAR PLANT	STN-50-437	116	NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	17
FORT CALHOUN STATION, UNIT 1	50-285	45	NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	106
FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	33	NORTH ANNA POWER STATION, UNIT 1	50-338	79
GENERAL ATOMICS	50-89	10	NORTH ANNA POWER STATION, UNIT 2	50-339	80
			NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	50-297	53
			NUCLEAR SHIP SAVANNAH	50-238	19
			OCONEE NUCLEAR STATION, UNIT 1	50-269	34

Name	Docket	Page	Name	Docket	Page
OCONEE NUCLEAR STATION, UNIT 2	50-270	35	SHOREHAM NUCLEAR POWER STATION	50-322	68
OCONEE NUCLEAR STATION, UNIT 3	50-287	48	SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	130
OREGON STATE UNIV. RESEARCH REACTOR	50-243	19	SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	131
OYSTER CREEK NUCLEAR POWER PLANT	50-219	15	ST. LUCIE PLANT, UNIT 1	50-336	77
PALISADES NUCLEAR PLANT	50-265	26	ST. LUCIE PLANT, UNIT 2	50-389	99
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	132	SURRY POWER STATION, UNIT 1	50-280	43
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	133	SURRY POWER STATION, UNIT 2	50-281	44
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	134	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	98
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	13	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	99
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	40	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	49
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	41	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	66
PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	50-6	9	TROJAN NUCLEAR PLANT	50-344	62
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	117	TURKEY POINT PLANT, UNIT 3	50-250	23
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	118	TURKEY POINT PLANT, UNIT 4	50-251	24
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	50	U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	50-274	39
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	32	UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR	50-326	71
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	54	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	14
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	46	UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA	50-123	11
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-308	58	UNIV. OF NEW MEXICO RESEARCH REACTOR	50-252	25
QUAD-CITIES STATION, UNIT 1	50-254	25	UNIV. OF UTAH RESEARCH REACTOR	50-407	106
QUAD-CITIES STATION, UNIT 2	50-285	31	UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR	50-223	17
RANCHO SECO NUCLEAR GENERATING STATION	50-312	61	VERMONT YANKEE NUCLEAR POWER STATION	50-271	37
RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	50-193	14	VIRGIL G. SUMMER NUCLEAR STATION, UNIT 1	50-385	103
RIVER BEND STATION, UNIT 1	50-458	126	WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)	50-27	9
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	19	WATERFORD GENERATING STATION, UNIT 3	50-382	96
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	37	WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	100
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	60	WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	102
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	14	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	92
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	87	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	93
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	88	WOLF CREEK GENERATING STATION	STN-50-492	128
SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	12	WPPSS NUCLEAR PROJECT, UNIT 1	50-480	127
SEABROOK NUCLEAR STATION, UNIT 1	50-443	118	WPPSS NUCLEAR PROJECT, UNIT 2	50-397	104
SEABROOK NUCLEAR STATION, UNIT 2	50-444	119	WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	132
SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	72	YANKEE-ROWE NUCLEAR POWER STATION	50-29	9
SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	73	ZION NUCLEAR POWER STATION, UNIT 1	50-295	51
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	106			

Name	Docket	Page	Name	Docket	Page
ZION NUCLEAR POWER STATION, UNIT 2	50-304	56	Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	52-003	135	ARIZONA NUCLEAR POWER PROJECT	71-0567	144
GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	52-001	135	B&W FUEL CO.	71-0115	143
GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	52-004	136	BABCOCK & WILCOX CO.	71-0136	144
SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	52-002	135	BAKER TESTING SERVICES, INC.	71-0392	144
Domestic Licensing of Special Nuclear Material - Docket 70			BASIN INDUSTRIAL X-RAY, INC.	71-0709	145
B&W FUEL CO., LYNCHBURG, VA	70-1201	140	CALUMET TESTING SERVICES, INC.	71-0337	144
BABCOCK & WILCOX CO., APOLLO, PA	70-0136	138	CRAMER & LINDELL ENGINEERS, INC.	71-0558	144
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	137	DOE	71-0788	145
BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	70-0364	138	EDWARDS PIPELINE TESTING, INC.	71-0563	144
BATTTELLE COLUMBUS DIV. (BATTTELLE MEMORIAL INSTITUTE),	70-0008	137	EMPIRE SOILS INVESTIGATIONS, INC.	71-0712	145
CIMARRON CORP., OKLAHOMA CITY, OK	70-0825	139	HARRISON STEEL CASTINGS CO.	71-0051	143
CINTICHEM, INC., TUXEDO, NY	70-0687	138	HIGH MOUNTAIN INSPECTION SERVICES, INC.	71-0553	144
CLEVITE CORP., CLEVELAND, OH	70-0133	138	INDIANA STATE UNIVERSITY	71-0882	145
COMBUSTION ENGINEERING, INC., HEMATITE, MO	70-0036	138	J.L. SHEPHERD & ASSOCIATES	71-0122	144
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	139	MINNESOTA VALLEY ENGINEERING, INC.	71-0583	144
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-1252	140	MISSOURI STEEL CASTINGS CO.	71-0408	144
FLORIDA INSTITUTE OF TECHNOLOGY, MELBOURNE, FL	70-0893	139	MODEL: 14-215, SCIENTIFIC ECOLOGY GROUP, INC.	71-9222	146
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	139	MODEL: 51032-2, B&W FUEL CO.	71-9252	147
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	139	MODEL: 850, AMERSHAM CORP.	71-9032	145
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	139	MODEL: 650L	71-9269	147
KERR-MOGEE CORP., OKLAHOMA CITY, OK	70-3073	141	MODEL: 680, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	71-9033	145
LOUISIANA ENERGY SERVICES, WASHINGTON, DC	70-3070	141	MODEL: 6717-B, AMERSHAM CORP.	71-6717	145
NEW JERSEY INSTITUTE OF TECHNOLOGY, NEWARK, NJ	70-2962	141	MODEL: 676 & 676E, AMERSHAM CORP.	71-9029	145
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	138	MODEL: 680 & 680E, AMERSHAM CORP.	71-8035	146
SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	70-1257	140	MODEL: 684 & 684E, AMERSHAM CORP.	71-8026	145
SPECTRO CHEM LABORATORIES, INC., FRANKLIN LAKES, NJ	70-2895	141	MODEL: 685, AMERSHAM CORP.	71-9187	146
TRANSNUCLEAR, INC., FALLS CHURCH, VA	70-1426	140	MODEL: BW-2901, B&W FUEL CO.	71-9251	147
U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	70-7001	141	MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	71-9036	146
U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION)	70-7002	142	MODEL: CNS 8-120 A, CHEM-NUCLEAR SYSTEMS, INC.	71-6601	145
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1151	138	MODEL: DHTF, B&W FUEL CO.	71-9203	146
			MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	71-9261	147
			MODEL: IF-300, NUCLEAR PACKAGING, INC.	71-8001	145
			MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	71-8157	146
			MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	71-8156	146
			MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.	71-9239	146
			MODEL: MODEL B, B&W FUEL CO.	71-6206	145
			MODEL: MSC-1, SIERRA NUCLEAR CORP.	71-9268	147

Name	Docket	Page	Name	Docket	Page
MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	71-8225	146	TWIN CITY TESTING CORP.	71-0103	143
MODEL: NAC-STD, NUCLEAR ASSURANCE CORP.	71-8235	146	Licensing of Independent Spent Fuel Storage - Docket 72		
MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	71-8234	146	BRUNSWICK ISFSI, 50-324 & 50-325	72-0008	148
MODEL: NRBK-41, ENERGY, DEPT. OF	71-8221	146	CALVERT CLIFFS ISFSI, 50-317 & 50-318	72-0008	148
MODEL: NUHOMS-MP187, PACIFIC NUCLEAR	71-8255	147	CASK: 24P	72-1004	149
MODEL: NUPAC 14/180H, L & M, LN-14-170H, L & M, NUPAC	71-8159	146	CASK: DOE-MPC-21P	72-1009	150
MODEL: OP-100, INDUSTRIAL NUCLEAR CO.	71-8185	146	CASK: HX-STAR 100	72-1008	150
MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	71-8248	147	CASK: VSC-24	72-1007	149
MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	71-8263	147	FORT ST. VRAIN ISFSI, 50-287	72-0009	148
MODEL: UNC-2800, UNITED NUCLEAR CORP.	71-5096	145	ISFSI ARKANSAS NUCLEAR GEN LIC/VSC-24, 50-313 & 50-368	72-0013	148
MODEL: UX-30, NUCLEAR PACKAGING, INC.	71-8196	146	ISFSI DAVIS BESSE GEN LIC/NUHOMS, 50-346	72-0014	149
MQS INSPECTION, INC.	71-0586	144	MESCALERO ENVIRONMENTAL, INC. ISFSI	72-0016	149
NATIONWIDE TESTING SERVICES, INC.	71-0759	145	MORRIS OPERATIONS, ISFSI	72-001	148
NEUTRON PRODUCTS, INC.	71-0121	144	NORTH ANNA ISFSI - 50-338 & 50-339	72-0016	149
NON DESTRUCTIVE TESTING CORP.	71-0559	144	OCONEE ISFSI, 50-269, 50-270 & 50-287	72-0004	148
NUCLEAR FUEL SERVICES, INC.	71-0249	144	PALISADES ISFSI GEN LIC/VSC-24, 50-255	72-0007	148
PACTEC, INC.	71-0878	145	POINT BEACH ISFSI GEN LIC/VSC-24, 50-286 & 50-301	72-0005	149
PROCESS TECHNOLOGY, INC.	71-0714	145	RANCHO SECO ISFSI, 50-312	72-0011	148
RHODE ISLAND, STATE OF, ATOMIC ENERGY COMMISSION	71-0017	143	SURRY ISFSI 50-280 & 50-281	72-0002	148
RTS TECHNOLOGY, INC.	71-0842	145	TROJAN ISFSI, 50-344	72-0017	149
STRUTHERS WELL CO.	71-0589	145	UNKNOWN	DOCKET	1
TULSA GAMMA RAY, INC.	71-0139	144	UNKNOWN	DOCKET	147
			UNKNOWN	DOCKET	137
			UNKNOWN	DOCKET	142

DOCKETED ITEMS

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-047 COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.

950120248 Responds to request for written estimate of cost of NRC staff review of license application for renewal of license number 16-18204-01. NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 05/01/04. BODE, B. U.S. Ecology, Inc. (Formerly Nuclear Engineering, Inc.). 3pp. 86670:351-86670:353.

950120252 Notifies that NRC staff initiated review of amend request dtd 950110. HARRIS, T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 05/01/16. HOUSE, W.B. Chem-Nuclear Systems, Inc. 2pp. 86670:354-86670:355.

DOCKET 27-048 LOUISVILLE, KY, U.S. ECOLOGY, INC.

9501202502 Forwards amend 20 to license WIS-1019-2 & 950429 (r from MJ Eisen to NRC) seeking approval of EMD consent as solidification media. CRAIG, J. American Ecology Corp. 05/05/10. HOGG, R. NRC - No Detailed Affiliation Given. 3pp. 86682:256-86682:260.

9501202171 Application for amend/renewing license 16-18204-01. LECOM, M.R. American Ecology Corp. 05/06/16. HOGG, R. NRC - No Detailed Affiliation Given. 15pp. 86682:254-86682:265.

9501202179 Forwards ROPs 8,7,10,12,14,30,37,38,46,48,54,63 & 70 for NRC review. WEISKITTEL, R. American Ecology Corp. 05/07/18. HOGG, R. NRC - No Detailed Affiliation Given. 3pp. 86682:262-86682:265.

-9501202168 Rev 3 to ROP 8, "Exposure Data Review & Reporting." American Ecology Corp. 05/07/14. 10pp. 86682:265-86682:274.

-9501202161 Rev 3 to ROP 7, "Internal Radiation Monitoring." American Ecology Corp. 05/07/14. 11pp. 86682:285-86682:295.

-9501202181 Rev 4 to ROP 10, "Dosimeter Calibration." American Ecology Corp. 05/07/14. 5pp. 86682:106-86682:114.

-9501202195 Rev 4 to ROP 14, "Respiratory Protection Equipment Issues, Maintenance & Cleaning." American Ecology Corp. 05/07/14. 13pp. 86682:116-86682:127.

-9501202197 Rev 3 to ROP 30, "Incoming Vehicles Survey." American Ecology Corp. 05/07/14. 10pp. 86682:128-86682:137.

-9501202200 Rev 3 to ROP 37, "Temporary Waste Storage Log." American Ecology Corp. 05/07/14. 5pp. 86682:138-86682:145.

-9501202204 Rev 2 to ROP 38, "Overpacking & Repairing Containers." American Ecology Corp. 05/07/14. 5pp. 86682:146-86682:150.

-9501202207 Rev 3 to ROP 48, "Air Monitoring." American Ecology Corp. 05/07/14. 11pp. 86682:151-86682:162.

-9501202210 Rev 3 to ROP 49, "Soil Monitoring." American Ecology Corp. 05/07/14. 7pp. 86682:163-86682:169.

-9501202214 Rev 3 to ROP 54, "Calibration & Check of Portable Instrumentation." American Ecology Corp. 05/07/14. 5pp. 86682:170-86682:173.

-9501202216 Rev 3 to ROP 63, "Notification of Events & Incidents." American Ecology Corp. 05/07/14. 5pp. 86682:174-86682:183.

-9501202219 Rev 2 to ROP 70, "Operation of Tanneled Gas Flow Proportional Counting Sys." American Ecology Corp. 05/07/14. 13pp. 86682:187-86682:205.

9501202211 Forwards revs to pages two & three of 1994 Richland facility utilization report reflecting corrected coordinates. BODE, B.C. U.S. Ecology, Inc. (Formerly Nuclear Engineering, Inc.). 05/07/28. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 86682:359-86682:360.

9501202218 Responds to 950716 submittal of revs to Richland Operational Procedures (informal) that procedures acceptable. ELSEN, M.J. Washington, State of. 05/08/06. WEISKITTEL, R. U.S. Ecology, Inc. (Formerly Nuclear Engineering, Inc.). 3pp. 86701:291-86701:293.

9501202228 Provides comments to 1994 Facility Utilization Rept submitted 950626 & 960726. ELSEN, M.J. Washington, State of. 05/08/10. BODE, B. U.S. Ecology, Inc. (Formerly Nuclear Engineering, Inc.). 1p. 86701:278-86701:278.

9501202183 Forwards software discs of rept of LLRW isotope (400P) for months of Jan, Apr, Aug & Sept 1994 covering waste received at facility. PALMER, A.J. American Ecology Corp. 05/08/15. ELSEN, M.J. Washington, State of. 1p. 86682:380-86682:380.

9501202196 Responds to 950810 (r from 1994 Richland Facility Utilization Rept. TALLMAN, D.A. U.S. Ecology, Inc. (Formerly Nuclear Engineering, Inc.). 05/08/16. ELSEN, M.J. Washington, State of. 17pp. 86682:336-86682:352.

9501202224 Forwards revised Richland operational procedures reflecting submitted changes. CRAIG, J. American Ecology Corp. 05/10/05. HOGG, R. NRC - No Detailed Affiliation Given. 5pp. 86682:177-86682:229.

9501222258 Forwards publication of notice of receipt of application for license renewal to dispose of low-level radwaste containing SNM & opportunity for hearing. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 05/01/10. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 940714). 1p. 86643:345-86643:351.

9501190160 Informs that NRC project officer for license 16-19204-01 will be T Harris, effective 950103. NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 05/01/03. PALMER, A.J. U.S. Ecology, Inc. (Formerly Nuclear Engineering, Inc.). 1p. 86626:302-86626:302.

DOCKET DOCKET UNKNOWN

9501180642 FOIA request for records re 40001874 permit/leasing & mfg requirements for Strontium use by NJ Zinc Co. CALVIN, L. Affiliation Not Assigned. 05/11/21. POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 86758:037-86758:038.

9501180643 Final response to FOIA request for records (40001874). App A info available in PCR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 05/12/21. CALVIN, L. Affiliation Not Assigned. 2pp. 86758:039-86758:040.

9501090123 Discusses insp of license 57B-1574 (4006041) on 951114-1207 & forwards NOV. WIEDEMANN, D.E. Region 3 (Post 820201). 05/12/22. JERKINS, W. 2pp. 86727:290-86727:293.

-9501180125 Notice of violation from insp of (4009041) on 951114-1207. Violations noted: two of four employees working w/ thoriated powder not given initial bioassay prior to working w/ thoriated powder. Region 3 (Post 820201). 05/12/22. 2pp. 86727:292-86727:293.

9501022225 Forwards insp rept 40-0995/95-01 for Frederick Mfg Corp on 951114. No violations noted. MCCORMICK-BARGE Region 3 (Post 820201). 05/12/27. VOSS, P. Affiliation Not Assigned. 2pp. 86678:001-86678:009.

-9501090227 Insp rept 40-0995/95-01 for Frederick Mfg Corp on 951114. No violations noted. Major areas inspected: review of former licensee activities to determine whether facilities adequately decontaminated prior to terminating license. KULZER, E., MCCANN, G.M., MCCORMICK-BARGE Region 3 (Post 820201). 05/12/27. 7pp. 86678:003-86678:009.

9501022240 Forwards insp rept 40-0995/95-02 for Jack Cooper Transport Co, Inc on 951118. No violations noted. MCCORMICK-BARGE Region 3 (Post 820201). 05/12/27. POTTER, C.C. Affiliation Not Assigned. 2pp. 86678:026-86678:035.

-9501022244 Insp rept 40-0995/95-02 for Jack Cooper Transport Co, Inc on 951118. No violations noted. Major areas inspected: review of former licensee activities to determine whether facilities adequately decontaminated prior to terminating license. KULZER, E., MCCANN, G.M., MCCORMICK-BARGE Region 3 (Post 820201). 05/12/27. 7pp. 86678:036-86678:035.

9501180075 Forwards insp rept 40-0995/95-03 on 951114. No violations noted. BARGER, J.W. Region 3 (Post 820201). 05/12/29. WILLIAMS, D. Kansas City, MO. 2pp. 86761:095-86761:102.

-9501180078 Insp rept 40-0995/95-03 on 951114. No violations noted. Major areas inspected: former licensee activities to determine if facility had been adequately decontaminated prior to terminating license. KULZER, E., MCCANN, G.M., BARGER, J.W. Region 3 (Post 820201). 05/12/29. 5pp. 86761:097-86761:102.

9501180014 Forwards insp rept 40-3762/95-01 on 951130. No violations noted. BARGER, J.W. Region 3 (Post 820201). 05/01/05. BOWMAN, P. 2pp. 86769:277-86769:284.

-9501180329 Insp rept 40-3762/95-01 on 951130. No violations noted. Major areas inspected: licensee activities to determine if facilities had been adequately decontaminated prior to terminating license. KULZER, E., MCCANN, G.M., BARGER, J.W. Region 3 (Post 820201). 05/01/05. 18pp. 86769:278-86769:294.

9501180334 Forwards insp rept 40-4458/95-01 on 951201-02 at Blue Rivers Career Program facility. Concludes that residual radioactive waste identified at facility from formerly licensed activities less than NRC release criteria. MCCORMICK-BARGE Region 3 (Post 820201). 05/01/05. HOBBS, R. 2pp. 86770:202-86770:222.

-9501180373 Insp rept 40-4458/95-01 on 951201-02. No violations noted. Major areas inspected: licensee surveys in facilities where former licensee activities took place: collected forty-five soil samples & seventy-five wipes & interviewed personnel. SNELL, W.G., MCCANN, G.M. Region 3 (Post 820201). 05/01/05. 19pp. 86770:204-86770:222.

9501180388 Responds to NRC 951222 (r from NOV for docket 40009041). Corrective actions: licensee will request licensee amend to remove requirement for continued bioassay unless individual exposed to airborne thorium level as stated. KAPLAN, L. Affiliation Not Assigned. 05/01/09. Document Control Branch (Document Control Desk). 2pp. 86782:253-86782:254.

9501180422 Forwards insp rept 40-0803/95-01 on 951129 & dtd 951228 telcon between E Kulzer & C Cook discussing results of insp & wipe test samples analyzed on 951218. No residual radiological contamination in areas of NRC culture found. MCCORMICK-BARGE Region 3 (Post 820201). 05/01/09. BAGWELL, B. Affiliation Not Assigned. 2pp. 86770:066-86770:074.

2 DOCKETED ITEMS

-960118439 Insp rept 40-0883/05-01 on 951120. No violations noted. Major areas inspected/checked activities to determine if facilities had been adequately decontaminated prior to terminating license.
KULZER, MCCORMICK, MCCORMICK-BARGE Region 3 (Post 820201). 96/01/09. 7pp. 86770069-86770074.

9601230128 Submits document for license files re docket 40-00863 & 999-00003, specifically Region III portion, informs that sub license files, SUB-023, C-6191 & C-3691, will be forwarded to Region I for evaluation of New York site.
MCCORMICK Region 3 (Post 820201). 96/01/11. NRC - No Detailed Affiliation Given. 1p. 86827168-86827169.

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0817 DOW CHEMICAL U.S.A. (UNIT OF DOW CHEMICAL CO.)

9601240138 Informs that licensee has accepted proposal from Envirocare of Utah to dispose of Min-Th slag in Midland & Bay City slag pits.
SCHORER, Dow Chemical Co. 95/12/08. PARROTT, J. NRC - No Detailed Affiliation Given. App. 96888170-86888187.

-9601240142 "Decommissioning Work Plan for Removal of Min-Th Slag from Dow Chemical Midland & Bay City, MI Sites & Disposal at Envirocare, Utah Disposal Facility Subject to Decommissioning Work Plan of Oct 1993."
Dow Chemical Co. 95/12/08. 23pp. 86888177-86888187.

DOCKET 40-0195 G.T.E. PRODUCTS CORP., TOWANDA, PA

9601230441 Informs that licensee holds two NRC licenses STB-281 & ST-07380-03.
DELEHANT, J.H. Chemam Systems, Inc. 96/01/02. Office of Nuclear Material Safety & Safeguards. 1p. 86848347-86848347.

DOCKET 40-0835 FROME INVESTMENT CO. (BROOKS & PERKINS CORP.)

9601040222 Informs that Remediation Plan, including Site Characterization Rept will be submitted by 960331.
REILLY, T.C. Affiliation Not Assigned. 95/11/30. JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 86759346-86759345.

9601040272 Informs that estimate of cost to dispose of sheet metal fragment referred to in earlier correspondence from NRC has not been received.
HAROUTYAN, Affiliation Not Assigned. 95/12/20. BUCKLEY, J. Division of Waste Management (NMSS 940403). 1p. 86759340-86759340.

9601240230 Accepts proposed approach to encapsulate magnesium-uranium sheet metal fragment in concrete & transport to Bannockburn, IL for disposal.
BUCKLEY, J.T. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/01/19. ELLMAN, W.M. 2pp. 86871005-86871006.

DOCKET 40-0299 UMETCO MINERALS CORP., RIVERTON, WY

9601030253 Forwards FR notice of intent to change reclamation milestone date in license SUA-648.
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/12/29. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 840714). 1p. 86730234-86730235.

-9601030258 FR notice of intent to change reclamation milestone date in license SUA-648.
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/12/29. 2pp. 86730235-86730235.

9601030259 Forwards amend 90 to license SUA-648 & TER, Amend extends milestone for placement of final radon barrier on heap leach impoundment from 951231 to 971231.
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/12/29. HAMRICK, J.S. UMETCO Minerals Corp. App. 86731275-86731282.

-9601030263 Amend 90 to license SUA-648 for Umetco Minerals Corp, extending milestone for placement of final radon barrier on heap leach impoundment from 951231 to 971231.
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/12/29. 14pp. 86731275-86731282.

9601188259 Requests that license condition 50 A be amended to recognize that radon barrier has been placed on inactive impoundment in 1995.
HAMRICK, J.S. UMETCO Minerals Corp. 96/01/04. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 86821328-86821328.

9601188244 Forwards FR notice announcing receipt of application from Umetco Minerals Corp to amend license condition 50 of license SUA-648.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/01/05. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 840714). 1p. 86821289-86821290.

-9601188217 Notice of receipt of Application from Umetco Minerals Corp to change site reclamation milestones in condition 50 of license SUA-648 for Gas Hills, WY U.M.I. 424.
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/01/05. 3pp. 86821294-86821296.

9601173339 Submits summary of 1995 Pin Flux Testing results, Rept entitled "1995 NE-SHAPS Pin Flux Measurement Program, East Gas Hills Millsite, Natrona County, WY" and.
LYONS, P.J. UMETCO Minerals Corp. 96/01/08. HOLONICH, J.J. MAQUE, M.W. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 86828309-86828310.

-9601170344 "1995 Neshaps Pin Flux Measurement Program, East Gas Hills Millsite, Natrona County, WY." W/one oversized drawing.
95/11/30. 40pp. 86828311-86828350.

9601300210 Forwards TER, concluding that licensee seismic design acceptable & seismic evaluation issue for Gas Hills site closed.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/01/24. GIECK, T.E. UMETCO Minerals Corp. 3pp. 86861167-86861169.

DOCKET 40-0941 ANNE ARUNDEL COUNTY/CURTIS BAY, BALTIMORE, MD

9601190238 Forwards "Soil & Ground Water Quality Assessment Rept." & building surveys for close-out of Anne Arundel County Property DNSC Curtis Bay Depot in Curtis Bay, MD.
REILLY, F.K. Defense, Dept. of Defense Logistics Agency. 95/12/28. ORLANDO, D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 86891001-86891021.

-9601190249 "Soil & Ground Water Quality Assessment Rept." & Final Status Building Surveys.
95/12/11. 1476pp. 86891002-86891021.

9601240070 Forwards soil surveys for all buildings on excess property for ultimate close-out of site.
REILLY, F.K. Defense, Dept. of Defense Logistics Agency. 96/01/18. ORLANDO, D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 86891001-86891066.

-9601240180 "Final Radiological Status Rept For Decommissioning Anne Arundel County Property Adjacent To Curtis Bay Depot, Curtis Bay, MD."
96/01/04. 35pp. 86891002-86891040.

-9601240126 "Curtis Bay Depot Final Status Survey Soil Packages." W/area onsite drawings.
SERALDI, W.C., SANDERS, D.P. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/12/11. 1013pp. 86891041-86891066.

9601240012 Forwards NRC assessment accepting 950928 request to complete remediation of former Defense Logistics Agency facility in Curtis Bay, MD w/o removing buried loading docks. NRC Policy & Guidance Directive PG-8-08 end.
ORLANDO, D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/01/05. REILLY, F.K. Defense, Dept. of Defense. 31pp. 86870268-86870268.

DOCKET 40-0581 ALCOA, CLEVELAND, OH

9601060082 Confirms conversations re importance that licensee begin plant expansion immediately & requested prompt finalization of unrestricted release for Alcoa Permanent Mold Property.
BOLLENBACHER, J. Aluminum Co. of America. 95/12/16. BUCKLEY, J.T. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 86758351-86758352.

9601230245 Ack receipt of 851215 ltr re prompt release of Cleveland works facility for unrestricted use. Tentative schedule for site release 960214.
BUCKLEY, J.T. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/01/11. BOLLENBACHER, J. Aluminum Co. of America. 3pp. 86843342-86843344.

DOCKET 40-1182 WESTERN NUCLEAR, INC., LAKEWOOD, CO

9601040023 Forwards "Radiological Verification Program."
BAKER, S.J. Western Nuclear, Inc. 95/12/15. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 86733016-86733180.

-9601040030 "Radiological Verification Program."
Shepherd Molar, Inc. 95/12/31. 180pp. 86733018-86733180.

9601230415 Forwards "Groundwater & Surface Water Monitoring Results, Second Quarter 1993" & "Review of Water Quality Sampling Analyses, Second Quarter 1993." W/o end.
BOGDEN, G. Western Nuclear, Inc. 95/08/19. PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 2pp.

9601160148 Forwards proposed field sampling work plan to collect additional soil samples at facility.
GRAVES, D.H. Canonic Environmental Services, Inc. 91/03/08. JACOBY, D. Uranium Recovery Field Ofc, R4. 1p. 86823256-86823304.

9202050565 Forwards archeological monitoring rept, prepared by Kell Consulting, Inc. in response to 910514 ltr.
COLLINS, R. Western Nuclear, Inc. 91/12/18. HALL, R. Uranium Recovery Field Ofc, R4. 1p. 86488104-86488104.

921050148 Forwards 1992 Annual Rept for Wyoming Dept. of Environ Quality/Land Quality Division, Permit 261-CW/end.
BAKER, S.J. Western Nuclear, Inc. 92/04/27. HALL, R. Uranium Recovery Field Ofc, R4. 1p. 83488008-83488008.

9601040235 Forwards radiation safety audit/ALARA rept conducted on 950828 at Western Nuclear, Inc.
BAKER, S.J. Western Nuclear, Inc. 95/11/30. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 86734355-86734360.

9601188208 Forwards FR notice announcing application from Western Nuclear Inc. to change site reclamation milestones in condition 75 of license SUA-56 for Split Rock, WY U.M.I. Site.
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/01/05. 4pp. 86821289-86821292.

-9601188204 Notice of receipt of application from Western Nuclear Inc. to change site reclamation milestones in condition 75 of license SUA-56 for Split Rock, WY U.M.I. Site.
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/01/05. 4pp. 86821289-86821292.

9501250059 Requests for NRC setting forth &/or agreeing w/reasons for Western Nuclear desire to acquire 150 acres of federal land administered by Bureau of Land Mgt (BLM) of DOI Proposed form to J Kelly/BLM in Lander, WY encl. SHAVER, J.W. Affiliation Not Assigned. 95/01/15. HOLDRICH, J.L. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 86879:255-86879:328.

DOCKET 40-1341 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9501180260 Notification of 950125 meeting w/TVA & DOE in Rockville, MD to discuss process of transfer of TVA Edgemont Title II U mill tailings disposal site to DOE for long-term care. MADUE, M.W. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/12/29. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 86826:262-86826:282.

9501179061 Concludes that licensee has completed reclamation & decommissioning at Edgemont SO₂ U Mill Tailings Remedial Action Project site. HOLDRICH, J.L. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/02. CARLIER, P. Tennessee Valley Authority. 5pp. 86797:357-86797:361.

DOCKET 40-3650 WYMAN-GORDON CO., NORTH GRAFTON, MA

9501246283 Provides results of groundwater sample analyses from Oct 1995 sampling of wells adjacent to Mt-Th disposal area. JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/17. NRC - No Detailed Affiliation Given. 2pp. 86871:207-86871:208.

DOCKET 40-2253 WATERTOWN ARSENAL MALL, WATERTOWN, MA

9501258241 Forwards license fee for Haynes Site/identified for followup as part of CHRS Terminated Site Review/W/O and. MCCORMACK, J.W. Region 3 (Post 820201). 95/01/17. BELLAMY, R. Region 1 (Post 820201). 1p. 86884:259-86884:259.

DOCKET 40-2259 PATHFINDER MINES CORP., RIVERTON, WY

9501165320 Forwards revised "Soil Cleanup Verification Survey & Sampling Plan for Lucky Mc Mill Tailings Site," for Dec 1995. HARDGROVE, T.W. Pathfinder Mines Corp. 95/01/12. GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 10pp. 86841:001-86841:057.

9501165324 "Soil Cleanup Verification Survey & Sampling Plan for Lucky Mc Lucky Mill Tailings Site." W/one oversize drawing. Affiliation Not Assigned. 95/12/31. 45pp. 86841:011-86841:057.

9501220079 Forwards Vol I of "Ground-Water Hydrology, Freshwater Injection & Tailings Seepage Collection Sys Near Tailings Reservoir 1." W/eight oversize drawings. HARDGROVE, T.W. Pathfinder Mines Corp. 95/01/15. GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 86810:001-86810:093.

9501220083 Vol I of "Ground-Water Hydrology, Freshwater Injection & Tailings Seepage Collection Sys Near Tailings Reservoir 1." W/eight oversize drawings. SANDERSON, E.W., HOFFMAN, G.L. Hydro-Engineering. 95/01/31. 94pp. 86810:002-86810:093.

DOCKET 48-2384 RMI CO., ASHTABULA, OH

9501250007 Forwards listed documents as requested. HENDERSON, J.W. RMI Co. 95/01/17. ULECKI, R. NRC - No Detailed Affiliation Given. 1p. 86863:179-86863:330.

9501250009 Bldg D&O radiological impacts for RMI EA. ZIMMERMAN, J.P. Affiliation Not Assigned. 2 R00. 93/04/09. 39pp. 86863:160-86863:216.

9501250011 Soil remediation radiological impacts for RMI EA. ZIMMERMAN, J.P. Affiliation Not Assigned. 3 R00. 93/04/09. 33pp. 86863:219-86863:251.

9501250014 Transportation impacts for RMI EA. MCCONNELL, Affiliation Not Assigned. 93/04/29. 45pp. 86863:252-86863:297.

9501250018 "Probabilities of Accidents Included in RMI EA." MCCONNELL, R.J. Affiliation Not Assigned. TO-4-S R00. 93/04/09. 12pp. 86863:298-86863:309.

9501250019 Accident impacts for RMI EA. ZIMMERMAN, J.P. Affiliation Not Assigned. 4 R00. 93/04/19. 24pp. 86863:310-86863:330.

9501040222 Fast sheet re City of Ashtabula property. RMI Co. 93/12/15. 2pp. 86730:359-86730:360.

9501040229 Solicits input from NRC as to whether soil washing technology as means to effectively remediate radioactively contaminated soils acceptable to ultimately allow full unrestricted use of site. HENDERSON, J.W. RMI Co. 95/12/15. ULECKI, R. NRC - No Detailed Affiliation Given. 13pp. 86754:346-86754:360.

9501230081 Responds to 951215 re re applicability of soil washing technology to remediate site. ULECKI, R.B. Office of Nuclear Material Safety & Safeguards. 95/01/10. HENDERSON, J.W. RMI Co. 95/01/30-86848:332.

9501250084 Provides NRC review comments on "Decommissioning Plan for RMI Titanium Co Extraction Plant, Ashtabula, OH." RDP-ESH-007 & "Site Characterization Report for RMI Titanium Co Extraction Plant." RDP-ESH-005. ULECKI, R.B. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/15. MARSH, E.P. RMI Co. 13pp. 86866:338-86866:350.

DOCKET 40-3382 ALLIED-SIGNAL, INC., METROPOLIS, IL

9501262228 Forwards Insp rept 40-3382/95-05 on 951127-1130 & notice of violation. SHEAR, G.L. Region 3 (Post 820201). 95/12/21. KOSMIDER, M. Allied-Signal Corp. 2pp. 86879:030-86879:021.

9501262236 Notice of violation from Insp on 951127-30. Violation noted: licensee failed to provide determination that five hired individuals were physically able to use respiratory protection equipment prior to initial respirators fitting. Region 3 (Post 820201). 95/12/21. 2pp. 86879:012-86879:013.

9501262241 Insp rept 40-3382/95-05 on 951127-30. No violations noted. Major areas inspected: operations review, emergency preparedness & radiation protection. FIEDOR, T.D., JACOBSON, J.M., KNECELY, J.R. Region 3 (Post 820201). 95/12/21. 3pp. 86879:014-86879:021.

9501262275 Responds to violations noted in Insp rept 40-3382/95-05. Corrective actions problem recognized & corrected in Oct 1995 & plant physician provided certification document for plant employees for record dtd 851129. KOSMIDER, M.D. Allied-Signal Corp. 95/01/05. Region 3 (Post 820201). 4pp. 86848:303-86848:306.

9501262211 Forwards Insp rept 40-3382/95-201 on 951211-15 & notice of violation. THOMP, Operations Branch. 95/01/17. KOSMIDER, M.D. Allied Chemical Corp. 2pp. 86860:029-86860:039.

9501262215 Insp rept 40-3382/95-201 on 951211-15. Violations noted: Major areas inspected: chemical hazard assessments, process safety info, operating procedures, detection & monitoring, training, maintenance & Insp & incident investigation. STOUT, D.E., THORNTON, W.J.M., ROTH, J. Operations Branch. 95/01/17. 13pp. 86860:025-86860:037.

9501262229 Notice of violation from Insp on 951211-15. Violation noted: failure to perform annual Insp/preventive maint for 10 of 24 UFB cylinder carts within allowed 15-month timeframe. Operations Branch. 95/01/17. 2pp. 86860:038-86860:039.

DOCKET 40-3453 ATLAS CORP., DENVER, CO

9501240223 Forwards "Faults, Fluids & Diagenesis: Rept on Reconnaissance Field Work on Faults at Outcrop in CO Plateau & Frontal Ranges of UT & Northern AZ, USA." OLICK, S. Woodward-Clyde Consultants, Inc. 95/01/15. JUSTUS, R. NRC - No Detailed Affiliation Given. 1p. 86860:191-86860:293.

9501240229 "Faults, Fluids & Diagenesis: Rept on Reconnaissance Field Work on Faults at Outcrop in CO Plateau & Frontal Ranges of UT & Northern AZ, USA." BURLEY, S.D., LEWIS, J., WALSH, J.J. Affiliation Not Assigned. 95/09/27. 93/08/31. 30pp. 86860:182-86860:293.

9501190057 Requests copy of DEIS re Atlas Minerals reclamation plans for Moab tailings pile. HARRIS, P. Affiliation Not Assigned. 95/12/09. FLUEGEL, M. Office of Nuclear Material Safety & Safeguards. 2pp. 86767:312-86767:313.

9501190135 Requests copy of Draft EIS & Final EIS for Atlas Corp U Mill Remediation. ZIMMERMAN, Affiliation Not Assigned. 95/12/06. FLUEGEL, M. Low-Level Waste & Uranium Recovery Projects Branch. 2pp. 86767:352-86767:353.

9501190136 Requests copy of Draft EIS & Final EIS for Atlas Corp U Mill Remediation near Moab, UT. O'NEILL, S. Affiliation Not Assigned. 95/12/10. MULLINGS, A. Division of Waste Management (NMSS 940403). 2pp. 86767:348-86767:349.

9501190132 Requests copy of EIS re Atlas Minerals in Moab Tailings Pile. BURNETT, J. Affiliation Not Assigned. 95/12/11. FLUEGEL, M. Low-Level Waste & Uranium Recovery Projects Branch. 2pp. 86767:350-86767:351.

9501190043 Requests copy of Atlas Minerals EIS. MCNAB, J.P. Affiliation Not Assigned. 95/12/12. FLUEGEL, M. Low-Level Waste & Uranium Recovery Projects Branch. 2pp. 86767:304-86767:305.

9501190052 Requests copy of Draft EIS & Final EIS for Atlas Corp U Mill Remediation near Moab, UT. MCNAB, J.P. Affiliation Not Assigned. 95/12/13. MULLINGS, A. Division of Waste Management (NMSS 940403). 2pp. 86767:308-86767:309.

9501190105 Requests copy of Draft EIS on Atlas Minerals Tailings Clean-Up outside Moab, UT. RUSSELL, S. Affiliation Not Assigned. 95/12/15. FLUEGEL, M. Uranium Recovery Branch (Post 901230). 2pp. 86767:338-86767:340.

9501190146 Requests copy of draft EIS, TER & Final EIS for Atlas Tailings Pile in Moab, UT. MENARD, P.J. Affiliation Not Assigned. 95/12/15. Division of Waste Management (NMSS 940403). 2pp. 86767:354-86767:355.

9501190074 Requests copy of EIS for Atlas Minerals U tailings pile, Moab, UT. WILLIGAN, J.D. Affiliation Not Assigned. 95/12/15. FLUEGEL, M. Office of Nuclear Material Safety & Safeguards. 2pp. 86767:324-86767:325.

9501190183 Requests copy of Draft EIS re Atlas Tailings Pile north of Moab, UT. COFFEY, C. Affiliation Not Assigned. 95/12/15. FLUEGEL, M. Uranium Recovery Branch (Post 901230). 2pp. 86767:335-86767:337.

9501190076 Requests copies of DEIS & FEIS re Atlas Corp U mill remediation in Moab, UT. OPARKA, L.E. Affiliation Not Assigned. 95/12/17. MULLINGS, A. Division of Waste Management (NMSS 940403). 2pp. 86767:326-86767:327.

9501190080 Requests copy of DEIS for Moab, UT, Atlas mill site tailings pond. SIMONSE, J. Affiliation Not Assigned. 95/12/18. FLUEGEL, M. Office of Nuclear Material Safety & Safeguards. 2pp. 86767:314-86767:315.

4 DOCKETED ITEMS

9601110961 Expresses concern re Atlas tailings pond reclamation on site. Requests copy of DEIS.
CHEN, C. Affiliation Not Assigned. 95/12/16. FUEGEL, M. Office of Nuclear Material Safety & Safeguards. 2pp. 96767:310-96767:317.

9601110976 Requests copy of new DEIS w/TER re Atlas Mine site remediation work.
LAWTON, M.D. Affiliation Not Assigned. 95/12/18. FUEGEL, M. Office of Nuclear Material Safety & Safeguards. 2pp. 96767:325-96767:329.

9601110987 Requests copy of upcoming EIS on Atlas U mine tailings reclamation project at Moab.
HOGG, D. Affiliation Not Assigned. 95/12/18. FUEGEL, M. NRC - No Detailed Affiliation Given. 2pp. 96767:332-96767:333.

9601110989 Requests copy of FEIS re reclamation of Atlas Minerals U tailings pile outside of Moab, UT.
BARTOLOMUCCI, J. Affiliation Not Assigned. 95/12/18. FUEGEL, M. Office of Nuclear Material Safety & Safeguards. 2pp. 96767:334-96767:335.

9601110964 Requests copies of DEIS & FEIS re proposed Atlas remediation work planned for Atlas mill in Moab, UT.
RATHBUN, G.R. Affiliation Not Assigned. 95/12/18. Division of Waste Management (NMSS 940403). 2pp. 96767:319-96767:319.

9601110967 Requests copy of DEIS for Atlas tailings site near Moab, UT.
CROGAN, A.M. Affiliation Not Assigned. 95/12/18. FUEGEL, M. Office of Nuclear Material Safety & Safeguards. 2pp. 96767:322-96767:323.

9601110915 Requests copies of Draft EIS & Final EIS re Atlas Minerals Remediation work in Moab, Grand County, UT as well as any other reports re Atlas Remediation work.
TABERER, J.F. Affiliation Not Assigned. 95/12/18. Division of Waste Management (NMSS 940403). 2pp. 96767:343-96767:344.

9601110934 Expresses concern re Atlas Corp cleanup of mill site in Moab, UT & requests copy of EIS report due to be released in Jan.
METZGER, R.K., THORNE-THORSEN Affiliation Not Assigned. 95/12/20. FUEGEL, M. Office of Nuclear Material Safety & Safeguards. 2pp. 96767:330-96767:331.

9601110910 Requests copy of environ impact statement on Atlas Minerals U Tailings Pile.
BRADFORD, D. Affiliation Not Assigned. 95/12/20. FUEGEL, M. Uranium Recovery Branch (Post 904230). 2pp. 96767:341-96767:342.

9601040040 Submits comments re Preliminary Draft TER.
HANEY, F. Utah, State of. 95/12/24. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 96767:338-96767:340.

9601110985 Requests copy of DEIS & FEIS re Atlas Corp U mill remediation in Moab, UT.
HARRISON, B. Affiliation Not Assigned. 95/12/31. MULLINGS, A. Division of Waste Management (NMSS 940403). 2pp. 96767:320-96767:321.

9601110976 Submits CAP review summarizing progress toward attaining ground water protection goals including discussion on dewatering wells (ALARA demonstration) sewage collection from the drains & natural evaporation.
BLUBAUGH, R. Atlas Corp. 96/01/04. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 30pp. 96764:025-96764:051.

9601110977 Advises that two urine samples taken during Nov 1995 had assay of 50.3 & 667 ug/L.
EDWARDS, D.L. Atlas Corp. 96/01/08. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 96800:201-96800:202.

9601259135 Informs that Mr. Poe will be transferring to be Superintendent of Theodore Roosevelt Natl Park in Medora, ND.
POE, R. Interior, Dept. of. 96/01/08. FUEGEL, M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 96867:341-96867:341.

9601249328 Responds to issues raised by NRC during 951215 meeting w/ Atlas Corp re report entitled, "Reflection Seismic Survey of Atlas Minerals Tailings Site Three Miles Northwest of Moab, UT." Addendum to subject report.
COONSLEY, L.W. Affiliation Not Assigned. 96/01/09. HOLONICH, J.J. Office of Nuclear Material Safety & Safeguards. 2pp. 96868:043-96868:101.

-960123332 Addendum to report entitled, "Reflection Seismic Survey of Atlas Minerals Tailings Site Three Miles Northwest of Moab, UT." dated Aug 1995.
Affiliation Not Assigned. 95-007 ADQ. 96/01/31. 5pp. 96868:046-96868:101.

9601110949 Requests copy of DEIS re late of Atlas tailings pile near Moab, UT.
D'CHALMERS Affiliation Not Assigned. 96/01/11. FUEGEL, M. Office of Nuclear Material Safety & Safeguards. 3pp. 96767:308-96767:307.

9601110954 Requests copy of DEIS on alternatives for Atlas tailings pond in Moab, UT.
GROSS, F. Affiliation Not Assigned. 96/01/11. FUEGEL, M. Office of Nuclear Material Safety & Safeguards. 3pp. 96767:310-96767:311.

9601110918 Requests Draft EIS, Final EIS & technical evaluation re Atlas Minerals Tailings Pond.
MERRELL, H.W. Affiliation Not Assigned. 96/01/11. Division of Waste Management (NMSS 940403). 2pp. 96767:345-96767:346.

9601260265 Forwards amend 28 to license SUA-917 & TER, Amend shows that placement of interim cover under license condition 55A(2) completed.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/01/22. BLUBAUGH, R. Atlas Corp. 7pp. 96868:088-96868:105.

-9601260267 Amend 28 to license SUA-917 for Atlas Corp, showing that placement of interim cover under license condition 55A(2) completed.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/01/22. 11pp. 96868:095-96868:105.

9601300171 Requests that LK Stone, DOI coordinator for licensees attend 960226 meeting in Moab, UT on Atlas reclamation.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/01/24. TAYLOR, W.R. Interior, Dept. of. 1p. 96861:035-96861:035.

DOCKET 40-4492 AMERICAN NUCLEAR CORP., CASPER, WY

9601190386 Discusses State of WY AML program plans, as part of AML Gen Hds reclamation, to remove approx 600,000 cubic yards of mine spoil pile located south-west of American Nuclear Corp mill site.
ECKERDT, D.A. American Nuclear Corp. 95/12/21. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 96821:274-96821:277.

DOCKET 40-5081 AMAX ENVIRONMENTAL SERVICES, INC., GREENWICH, CT

9601160086 Forwards amend 33 to license STA-583, extending expiration date to 960430.
KERR, G.W. Illinois, State of. 96/01/08. BANGART, R. Office of State Programs (Post 91117). 2pp. 96761:010-96761:033.

DOCKET 40-6300 ENERGY, DEPT. OF, CANONSBURG, PA

9601168106 Forwards DOE/ID/12584-240, "1995 Annual Insp of Burrell, PA, UMTRA Project Vicinity Property Disposal Site," for Dec 1995.
VIRGONA, J.E. Energy, Dept. of. 95/12/28. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 96839:001-96839:007.

-9601168105 "1995 Annual Insp of Burrell, PA, UMTRA Project Vicinity Property Disposal Site," w/one overview drawing.
GOODING, H.T.C. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). DOE/ID/12584-240. 95/12/18. 34pp. 96839:002-96839:007.

9601220554 Accepts Canonsburg long term surveillance & assist plan submitted by DOE in Oct 1995, based on listed commitments made by DOE re existing back erosion.
BELL, M.J. Engineering & Geosciences Branch (NMSS 940403). 96/01/04. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 96845:012-96845:012.

DOCKET 40-6363 MALLINGRODT, INC., ST. LOUIS, MO

9601308187 Summary of 951214 meeting w/Mallingrodt, Inc re decommissioning plans.
GASCON, C.E. Licensing Branch. 96/01/25. PIERSON, R.C. Licensing Branch. 3pp. 96861:155-96861:159.

DOCKET 40-6822 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

9601040185 Forwards annual land use survey as required by condition 21 of Source Mill License SUA-442.
HARDGROVE, T.W. Pathfinder Mines Corp. 95/12/11. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 96730:357-96730:358.

9601040189 Requests amend to license SUA-442 condition 41 to exempt licensee from conducting daily drum insps on weekends & company holidays.
HARDGROVE, T.W. Pathfinder Mines Corp. 95/12/13. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 96730:339-96730:339.

9601100017 Informs that add info required for full approval of license 951020 amend request which proposed discharge of surface aquifer water to existing industrial fresh-water pond & discharge of Area 2/3 effluent.
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/12/29. POYSEY, R.W. Pathfinder Mines Corp. 4pp. 96758:170-96758:173.

9601300382 Forwards "Annual Technical Evaluation of Embankment 5 Pathfinder Mines Corp, Shirley Basin Mine."
HARDGROVE, T.W. Pathfinder Mines Corp. 96/01/04. GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 96821:284-96821:273.

-9601300390 "Annual Technical Evaluation of Embankment 5 Pathfinder Mines Corp, Shirley Basin Mine."
HARDGROVE, T.W. Pathfinder Mines Corp. 95/12/13. 9pp. 96821:295-96821:273.

DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA

9601220029 Forwards "Decommissioning Cost Estimate for Boyertown, PA, Site."
CAMPELLETT, A.T. Cabot Corp. 96/01/16. CASSANO, R.F. Licensing Branch. 1p. 96851:001-96851:172.

-9601220035 Final "Decommissioning Cost Estimate for Boyertown, PA, Site."
NEELY, D.R. Scientific Ecology Group, Inc. 93/09/16. 170pp. 96851:002-96851:172.

9601160685 Requests for extension in providing responses to licensing questions contained in its dtd 951116.
HOLSOPPE, K.L. Cabot Corp. 95/12/21. CASSANO, R.F. Licensing Branch. 1p. 96808:325-96808:325.

9601160669 Forwards 1895 com & gross sample analysis performed by Environ Strategies Inc. Detailed map of sampling locations and also.
HOLSOPPE, K.L. Cabot Corp. 95/12/28. CASSANO, R.F. Licensing Branch. 4pp. 96808:321-96808:324.

9601260283 Responds to 951116 re requesting technical assistance reviewing Cabot Corp removal for license 5MB-920.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/01/04. PIERSON, R.C. Licensing Branch. 2pp. 96732:320-96732:321.

9601300199 Forwards original amend to Ltr of Credit (059-NEAMA-50054313) from Bank of Boston for Cabot Corp (Boyertown) dtd 960111. Requests that amend be incorporated into financial records for license 5MB-920.
PIERSON, R. Licensing Branch. 96/01/18. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 96861:160-96861:163.

-9501300204 Submits amend to Ltr of Credit I-089-NEMM-50054319 for Cabot Corp. Boyertown, PA.
* First National Bank of Boston. 95/10/30. Region 1 (Post 820201). 1p. 85981:162-85981:162.

-9501300207 Submits amend to Ltr of Credit I-089-NEMM-50054319 for Cabot Corp. Boyertown, PA. Notices that prefix I-031-LAOO included in ltr of credit I-031-LAOO-50054319 for internal identification purposes & subj to change.
* First National Bank of Boston. 95/01/11. Region 1 (Post 820201). 1p. 85981:163-85981:163.

9501300190 Forwards licensee decommissioning cost estimate for Boyertown, PA site. W/o encl.
PIERSON, R.C. Licensing Branch. 95/01/19. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85981:012-85981:012.

9501290238 Refers to telcon on 951208 between AT Campbell, K. Holtschell & S. Arredondo re use of thodum in building 24 at facility per general license in 10CFR40.22.
KONNEMAN, J.D. Region 1 (Post 820201). 95/01/23. LINDELL, J. Cabot Corp. 2pp. 85984:255-85984:255.

9501300232 Forwards RAJ re license renewal application did 940316.
CASSANO, R.F. Licensing Branch. 95/01/22. HOLSCOPPLE, K.L. Cabot Corp. 6pp. 85981:174-85981:179.

DOCKET 45-7102 SHELDOALLOY METALLURGICAL CORP., NEWFIELD, NJ

9501250088 Informs that licensee has scheduled meeting for 950131 at 8:30 p.m. at St. Rose of Lima Church.
RAGONET, F. Affiliation Not Assigned. 95/12/21. CONFORT, G.C. Licensing Branch. 2pp. 85987:329-85987:330.

DOCKET 45-7397 FOOTE MINERAL CO., EXTON, PA

9501290239 Informs that number of sites were identified as possible candidates for phase II of investigation re review of documentation concerning screening criteria used to determine sites surveyed & other offsite site situations.
MOODRICK-BARGE Region 3 (Post 820201). 95/12/21. LEE, P. Cyprus Coal Co. (subs. of Cyprus Minerals Co.). 2pp. 85979:022-85979:023.

9501290343 Responds to NRC 951221 request for info re Cambridge Info Project.
LEE, P.E. Foote Mineral Co. 95/01/22. MOODRICK-BARGE Region 3 (Post 820201). 2pp. 85983:304-85983:305.

DOCKET 45-7550 FANSTEEL, INC., NORTH CHICAGO, IL

9501300229 Ack receipt of 951024 ltr informing NRC of steps taken to correct violations noted in insp rpt 40-7550/95-01. Advises that NRC determined that violation C void & will not be withdrawn.
SCARANO, R.A. Region 4 (Post 820201). 95/12/01. HUNTER, L.J. Fansteel, Inc. 3pp. 85776:318-85776:323.

9501220341 Summarizes telcon of 950109 between R. Hogg & M. Tolar. Telcon was initiated to clarify intent of 951216 ltr.
PIERSON, R.C. Licensing Branch. 95/01/06. HUNTER, L.J. Fansteel, Inc. 3pp. 85943:296-85943:299.

9501300183 Forwards corrected copy of second page of 951208 ltr due to typo at top of page.
PIERSON, R.C. Licensing Branch. 95/01/23. HUGHES, L. Native Americans for a Clean Environment. 1p. 85981:017-85981:019.

-9501310148 Corrected ltr responding to 951108 request for clarification of regulatory basis for position that Fansteel, Inc. may use on-site disposal as planned assumption for preparing decommissioning funding plan. Ltr corrects typo on page 2.
PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 95/12/09. HUGHES, L. Native Americans for a Clean Environment. 2pp. 85981:019-85981:019.

DOCKET 45-7804 BP CHEMICALS AMERICA, INC., LIMA, OH

9501040254 Forwards responses to NRC comments did 951130 re revised sampling plan for verification of stabilized sludge & soil radioactivity levels, submitted by licensee on 950317.
RUPERT, W.M. BP Chemicals International. 95/12/05. NALLUSWAMI, S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 6pp. 85743:353-85743:358.

9501040296 Forwards add documents as required by NRC Reg Guide 3.85 for approval of decommissioning funding plan.
RUPERT, W.M. BP Chemicals International. 95/12/05. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 85758:329-85758:344.

-9501040302 Supports firm use of financial test to demonstrate assurance as specified in 10CFR40.
MESEL, R.R. BP Chemicals International. 95/11/21. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85758:330-85758:330.

-9501040308 Supports firm use of financial test to demonstrate financial assurance, as specified in 10CFR40.
BOWMAN, C.H. Standard Oil Co. of Indiana (see also AMOCO). 95/11/18. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 14pp. 85758:331-85758:344.

9501040294 Forwards revised "BP Chemicals, Inc. Lung Fluid Solubility Analysis Rpt on 951110." Rpt revised in response to NRC comments did 951130.
RUPERT, W.M. BP Chemicals International. 95/12/05. NALLUSWAMI, S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85758:215-85758:287.

-9501040288 Revised "BP Chemicals, Inc. Lung Fluid Solubility Analysis Rpt on 951110."
* BP Chemicals International. 95/12/05. 55pp. 85758:214-85758:267.

9501040273 Forwards listed key historical documents, per F. Talbot site visit of 951116. W/o encls.
RUPERT, W.M. BP Chemicals International. 95/12/05. VANDEGRIFT, R. Ohio, State of. 2pp. 85758:341-85758:342.

9501050001 Forwards Draft Summary Rpt of Final Release Survey Data- Thermal Oxidizer & Acrylic II Areas.
ADAMS, T.G. B. Koh & Associates, Inc. 95/12/18. NALLUSWAMI, S. NRC - No Detailed Affiliation Given. 25pp. 85761:313-85761:337.

9501040283 Informs of BP Chemicals, Inc. request that Standby Trust 73-0068-001 be amended in accordance w/Section 15 of Trust Agreement. Original Standby Trust Agreement amended Schedule A & amended Page 4 of Standby Trust Agreement encl.
ZUPKOVICH, D.A. Affiliation Not Assigned. 95/12/14. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 12pp. 85758:316-85758:327.

9501040278 Commits to perform add confirmatory survey activities at BP Chemicals, Inc. site in Lima, OH on 951218, per Request for Technical Assistance 95-3. Spending plan for effort encl.
VITKUS, T.J. Oak Ridge Associated Universities. 95/12/16. NALLUSWAMI, S. Division of Waste Management (NMSS 940403). 2pp. 85758:343-85758:344.

9501040285 Follow-up to 951203, submission of financial assurance documents for securing NRC approval of decommissioning funding plan.
RUPERT, W.M. BP Chemicals International. 95/12/15. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 12pp. 85743:359-85743:361.

-9501040258 Forwards chart showing corporate structure of branch of BP group.
RUTIGLIANO, B. BP Chemicals International. 95/12/15. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 85743:359-85743:361.

9501010186 Forwards draft environ assessment for BP Chemicals, Inc. mixed waste pond closure project license amend application.
NALLUSWAMI, S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/24. VANDEGRIFT, R. Ohio, State of. 1p. 85945:233-85945:250.

-9501010118 Draft environ assessment of licensee application for onsite disposal mixed waste pond closure project at BP Chemicals Plant Lima, OH.
* Division of Waste Management (NMSS 940403). 95/01/31. 53pp. 85945:234-85945:286.

DOCKET 40-6027 SEQUOYAH FUELS CORP., GORE, OK

9501240059 Forwards draft "RCRA Facility Investigation Rpt." for ucl. Also informs that draft Site Characterization will be submitted on or before 950202 radiological & non-RCRA chemical characterization studies.
ELLIS, J.H. Sequoyah Fuels Corp. 95/01/05. WEBER, M.F. NRC - No Detailed Affiliation Given. 1p. 85928:001-85928:022.

-9501240063 Draft "RCRA Facility Investigation Rpt." W/16 oversize drawings.
* Sequoyah Fuels Corp. 95/12/26. 2745pp. 85926:004-85926:022.

9501220345 Requests rev to env list to reflect current address as listed.
AXELRAD, M. Morgan, Lewis & Bockius. 95/10/30. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 1p. 85870:062-85870:062.

9501190153 Transcript of 951115 meeting in Gore, OK re EIS scoping. Pp 1-66.
* Commissioners (Post 750119). 95/11/15. 70pp. 85841:156-85841:226.

9501160374 Responds to motion for leave to file amended petition for review & brief & amended petition for review & request to file brief in matter of Sequoyah Fuels Corp. ELLIS, J.H. Sequoyah Fuels Corp. 95/12/11. EDMONDSON, D. Oklahoma, State of. 3pp. 85821:291-85821:293.

9501050147 Motion to amend protective order.* Requests Board amend Paragraph 7.a of Protective Order W/Certificate of Svc.
DUNCAN, S.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). DUNCAN, S.M. May & Valentine. #195 17384. 95/12/21. Atomic Safety & Licensing Board Panel. 6pp. 85727:204-85727:209.

9501050128 Notices of withdrawal of appearance as counsel for Sequoyah Fuels Corp. W/Certificate of Svc.
AXELRAD, M. Sequoyah Fuels Corp. AXELRAD, M. Morgan, Lewis & Bockius. #195 17390. 95/12/27. GLEASON, J.P. Atomic Safety & Licensing Board Panel. 4pp. 85725:345-85725:349.

9501050128 Notices of withdrawal of appearance as counsel for Sequoyah Fuels Corp. W/Certificate of Svc.
AXELRAD, M. Sequoyah Fuels Corp. AXELRAD, M. Morgan, Lewis & Bockius. #195 17391. 95/12/27. Docketing & Services Branch. 4pp. 85725:350-85725:354.

9501160041 Informs that w/completion of 1995 fertilizer application season SFC plans to discontinue application of treated ammoniacal nitrate fertilizer to all areas except plot designated as XVI.
ELLIS, J.H. Sequoyah Fuels Corp. 95/01/02. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 85872:264-85872:301.

-9501160044 "Ammonium Nitrate Fertilizer Program Evaluation RCRA Facility Investigation 1995 Update Rpt."
* Sequoyah Fuels Corp. 95/10/10. 33pp. 85787:286-85787:301.

9501200227 Informs that info submitted by licensee 951127 ltr & marked as proprietary will be withheld from public disclosure per 10CFR2.790.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/09. ELLIS, J.H. Sequoyah Fuels Corp. 6pp. 85871:065-85871:070.

9501180118 NRC Staff responses to motion to amend protective order.* Motion denied. W/Certificate of Svc.
MARCO, C.L. Office of the General Counsel (Post 850701). #195 17405. 95/01/25. Atomic Safety & Licensing Board Panel. 7pp. 85783:059-85783:073.

6 DOCKETED ITEMS

9601180159 Order (LSP-95-18).^{*} Inform that time within which Commission may rule on appeal for review of ASLR memorandum & order LSP-95-18, and 951023, extended until 960213. W/Certificate of Service on 960111.
HOYLE, J.C. Office of the Secretary of the Commission. #198 17415. 96/01/11. Office of the General Counsel (Post 960701). 5pp. 86733:102-86733:104.

9601240058 Forwards draft Resource Conservation & Recovery Act Facility Investigation report submitted by Sequoyah Fuels Corp to US EPA. W/C end.
HEBERT, M.A. Environmental Protection Agency. 96/01/17. HUGHES, L. Native Americans for a Clean Environment. 1p. 86871:290-86871:290.

9601250158 Memorandum & order (ruling on protective order motion).^{*} Denies General Atomic 951821 motion to amend protective order. W/Certificate of Service on 960118.
GLEASON, J.P., BOLLWERK, G.P., KLINE, J.R. Atomic Safety & Licensing Board Panel. #198 17423. 96/01/18. General Atomic (formerly SA Technologies, Inc./General Atomic Co.). 5pp. 86836:229-86836:243.

9601250179 Transcript of 960116 telecon.^{*} Pp 35-45.
^{*} Atomic Safety & Licensing Board Panel. #198 17423. 96/01/18. 10pp. 86836:148-86836:153.

9601250172 NRC Staff & General Atomic joint status report re settlement discussions & motion for mod. of schedule.^{*} NRC Staff requests that motion be granted. W/Certificate of Service.
DUNCAN, S.M. Atomic Safety & Licensing Board Panel. HDM.S.R. Office of the General Counsel (Post 960701). #198 17428. 96/01/22. 9pp. 86836:102-86836:110.

9601250291 Seventh partial response to FOIA request for records. Records identified in App J and available in PDR. App K records partially withheld & App L records withheld in entirety (rel FOIA Exemptions 4 & 5).
POWELL, J.R. Division of Freedom of Information & Publications Services (Post 940714). 96/01/22. HUGHES, L. Native Americans for a Clean Environment. 5pp. 86884:188-86884:261.

960603345 Forwards action plan resulting from lessons learned report & NMSS review of OIG report on Sequoyah Fuels Corp 921117 accident & recommendations not included in action plan.
BERNER, J.M. Office of Nuclear Material Safety & Safeguards. JORDAN, E.L. Office for Analysis & Evaluation of Operational Data. Director. 96/04/24. TAYLOR, J.M. Office of the Executive Director for Operations. 3pp. 86894:199-86894:201.

9601250173 Discusses conducting scoping meeting re decommissioning Sequoyah Fuels.
SHEPHERD, J.C. NRC - No Detailed Affiliation Given. 96/04/18. WEBER, M.F. NRC - No Detailed Affiliation Given. 1p. 86894:204-86894:204.

9601250118 Requests that end to in Sequoyah Fuels Corp & comments on 10CFR20 be put in final accord.
SHEPHERD, J.C. Office of Nuclear Material Safety & Safeguards. 96/06/05. VILLARREAL, C.R. Office of Nuclear Material Safety & Safeguards. 1p. 86894:205-86894:205.

9601301098 Forwards comments on license amend request to reflecting organization & related administrative changes.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/01/24. ELLIS, J.H. Sequoyah Fuels Corp. 4pp. 86895:351-86895:354.

DOCKET 40-8182 EXXON CORP., HOUSTON, TX

9601109052 FOIA request for records re Highlands Reclamation Project or Felder Reclamation Project.
STAZER, A.K. Affiliation Not Assigned. 96/12/08. POWELL, J.R. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 86757:312-86757:313.

9601109053 First partial response to FOIA request for records. Listing for Highland Reclamation Project end.
POWELL, J.R. Division of Freedom of Information & Publications Services (Post 940714). 96/01/02. STAZER, A.K. Affiliation Not Assigned. 1p. 86757:314-86757:316.

9601109054 List of publicly available documents for Highlands Reclamation Project.
^{*} NRC - No Detailed Affiliation Given. 96/01/02. 65pp. 86757:315-86757:319.

DOCKET 40-8185 AMAX SPECIALTY METALS CORP., CLEVELAND, OH

9601300213 Ack receipt of 950720 in response to NRC for of 941027, transmitting NOV. Forwards the 951017, 9720 & 9419 re corrective actions taken which will be examined during future insp.
MOLTER, S.L. Region 3 (Post 820201). 96/01/23. HOFFMAN, J.A. Affiliation Not Assigned. 2pp. 86902:190-86902:274.

9601300237 Inform of attempt to resolve NOV of 941027 w/aid of Affix List re completion of action plan due 941121.
HERZBERGER, T.V. Affiliation Not Assigned. 96/10/17. YOUNG, T.F. Region 3 (Post 820201). 13pp. 86902:192-86902:204.

9601300244 Inform of resolution to NOV of 941027 resulting from insp of plant on 940629.
HERZBERGER, T.V. Affiliation Not Assigned. 96/07/20. YOUNG, T.F. Region 3 (Post 820201). 1p. 86902:205-86902:205.

9601300248 Requests extension of completion dates in Action Plan for NOV of 941027.
HERZBERGER, T.V. Affiliation Not Assigned. 96/04/19. Region 3 (Post 820201). 11pp. 86902:206-86902:217.

9601300257 Rev D to "CSM Radiation Safety Program Manual."
^{*} Affiliation Not Assigned. 96/08/29. 6pp. 86902:218-86902:224.

DOCKET 40-8452 BEAR CREEK URANIUM CO., CASPER, WY

9606050952 Forwards Bear Creek U annual report on tailings water mgmt sys. for review.
CHASE, G. Bear Creek Uranium Co. 91/07/12. HALL, R.E. Uranium Recovery Field Ofc. 94. 2pp. 87045:183-87045:200.

9601230427 Effluent & environ monitoring data for past six months of 1995. W/960109 in.
CHASE, G. Union Pacific Resources Co. CHASE, G. Bear Creek Uranium Co. 96/12/31. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). ABRAMS, C. NRC - No Detailed Affiliation Given. 10pp. 86868:337-86868:352.

DOCKET 40-8582 TOTAL MINERALS CORP., CASPER, WY

9601180291 Forwards suppl info for renewal of license SUA-1341 for Wigney & Christensen Ranch sites.
WICHERS, D.L. COGEMA, Inc. 96/12/31. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 86837:001-86837:162.

9601180295 Suppl Data For Renewal Of License SUA-1231 for Wigney & Christensen Ranch Sites. W/Certificate of Service.
^{*} COGEMA, Inc. 96/12/31. 545pp. 86837:002-86837:182.

9601180273 Submits quarterly update of all monitor wells on excursion status.
VASELIN, J. COGEMA, Inc. 96/10/08. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 86774:234-86774:238.

9601180274 Notifies of removal of excursion status for monitor wells M2 & SSMS.
VASELIN, J. COGEMA, Inc. 96/12/07. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 86774:240-86774:242.

9601180272 Approves COGEMA restoration plan for Wigney Ranch Wellfield Units 4-8 as requested in 960308 in.
CHANCELLOR, R.A. Wyoming, State of. 96/12/14. WICHERS, D.L. COGEMA, Inc. 1p. 86774:332-86774:333.

9601180265 Grants another extension of 60 day requirement (originally due 950920) to COGEMA for presenting plan for restoration of excursion areas, as discussed at 950929 meeting.
CHANCELLOR, R.A. Wyoming, State of. 96/12/16. WICHERS, D.L. COGEMA, Inc. 1p. 86774:332-86774:332.

9601180264 Notifies that monitor well 4MN-15 removed from excursion status since well has not exceeded more than one UGL for at least five consecutive reads.
VASELIN, J. COGEMA, Inc. 96/12/21. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 86774:330-86774:331.

DOCKET 40-8584 KENNECOTT URANIUM CO., RAWLINS, WY

9601220015 Comment on proposed rule 10CFR20 re constraint level for air emissions of radionuclides. Supports reduction of 10CFR20 subpart I provided that radon & decay products excluded from calculated effective dose equivalent.
PAULSCH, O. Kennecott Corp. 96/01/04. Docketing & Services Branch. 5pp. 86818:074-86818:078.

DOCKET 40-8681 UNETCO MINERALS CORP., BLANDING, UT

9601250215 Forwards Vols I-IV of "Archaeological Excavations on White Mesa San Juan County, UT, 1979." in response to request from NRC project manager.
ABRAMS, C. NRC - No Detailed Affiliation Given. 96/12/23. NRC - No Detailed Affiliation Given. 1p. 86899:001-86899:141.

9601250218 Vols I-IV of "Archaeological Excavations on White Mesa San Juan County, UT, 1979."
CASHEN, L.A., BENSON, M.P., NELSON, A.S. Utah, State of. 80/06/30. 437pp. 86899:003-86899:075.

9601250219 "Archaeological Test Excavations on White Mesa San Juan County, Southeastern UT."
LINDSAY, L.W., OYKMAN, J.L., NELSON, A.S. Utah, State of. 78/05/31. 391pp. 86899:076-86899:102.

9601250220 "Add'l Archaeological Test Excavations & Inventory on White Mesa, San Juan County, Southeastern UT."
NELSON, A.S., MADSEN, D.B. Utah, State of. 79/01/31. 200pp. 86901:103-86901:141.

9601480335 Responds to request for extension of time to submit ground water discharge permit application for White Mesa mill.
OSTLER, E.A. Utah, State of. 96/01/08. REHMANN, M. Energy Fuels Nuclear, Inc. 1p. 86922:063-86922:063.

9601250265 Forwards Table 1.0, "1995 Intercontinental Energy Corp Shipments" & Table 2.0, "1995 Intercontinental Energy Corp Shipments by Date," showing amount of waste disposed on monthly basis as well as dates shipments received.
SCHERMAN, S. Energy Fuels Nuclear, Inc. 96/01/17. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 86773:322-86773:325.

DOCKET 40-8688 PLATEAU RESOURCES, LTD., LAKE POWELL, UT

9601030121 Forwards revised annual survey of land use of area of Shooting Canyon processing facility. W/Three overhead drawings.
MORRILL, V.W. Plateau Resources, Ltd. 96/12/20. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 86773:012-86773:013.

9601030176 Application for amend to License SUA-1371 for resumption of operations.
WEBBER, K. Affiliation Not Assigned. 96/12/21. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 86773:344-86773:351.

9601310004 "Effluent Monitoring Report for Reporting Period Jul-Dec 1995." W/960116 in.
MORRILL, V.W. Plateau Resources, Ltd. 96/12/31. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 10pp. 86868:340-86868:350.

DOCKET 40-8724 CHEMETRON CORP., PROVIDENCE, RI

9501040257 Forwards results of final radiological survey & sampling activities performed for Bldgs 3B,3C,17 & equipment & weld shop at McGean-Rohco, Inc. site. ADAMS, T.G. B. Koh & Associates, Inc. 95/12/07. JOHNSON, T.C. Office of Nuclear Material Safety & Safeguards. 10pp. 86733:151-86733:232.

9501040259 Forwards final radiological survey data package from Bldg 17 floor. Final radiological survey data package for Bldgs 3B, 3C, weld shop & Bldg 17 will be sent to NRC by 951211. ADAMS, T.G. Chemetron Corp. 95/12/01. JOHNSON, T. NRC - No Detailed Affiliation Given. 18pp. 86733:333-86733:351.

9501040285 Inform that NEORSO Southern Wastewater Treatment Plant Remediation Plan Schedule will be submitted on 950229. ADAMS, T.G. B. Koh & Associates, Inc. 95/12/12. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 86759:045-86759:045.

9501040283 Forwards list of tanks remaining in Bldg 17, as requested. LAIBERT, K. B. Koh & Associates, Inc. 95/12/22. JOHNSON, T. NRC - No Detailed Affiliation Given. 8pp. 86733:353-86733:358.

9501258001 Discusses survey data for McGean-Rohco Bldg 17 floor & provides survey data for remaining interior areas & equipment in Bldgs 3B, 3C, 17 & Weld Shop. JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/11. SARGENT, D.R. Chemetron Corp. 3pp. 86912:272-86912:276.

DOCKET 40-8767 LAKE CITY ARMY AMMUNITION PLANT, INDEPENDENCE, MO

9501160078 Forwards results of water samples taken 951107 at Lake City Army Ammunition Plant, Independence, MO & analyzed for presence of depleted uranium by US Army Center for Health Promotion & Preventive Medicine for license 9UC-1350. HAPLEY, S.R. Army, Dept. of. 95/12/26. SHEAR, G. Region 3 (Post 820201). 8pp. 86760:357-86760:362.

DOCKET 40-8811 BRADY, L.W., MD, CHERRY HILL, NJ

9501220217 Discusses telephone inquiry by R Gibson w/R Tobin re insp rept 40-8811/95-01. KINNEMAN, J.D. Region 1 (Post 820201). 95/01/11. BRADY, L.W. West Jersey Cancer Center at Voorhees, Voorhees, NJ. 2pp. 86823:064-86823:065.

DOCKET 40-8814 ARMY, DEPT. OF, YUMA, AZ

9501160247 Safety insp on 951113-14 & 20 of license 5A89-1411. Insp findings no violations observed. Verified steps taken to correct violations identified during last insp. * Walnut Creek Field Ofc. R4 (Post 940404). * Army, Dept. of, Yuma Proving Ground. 95/12/04. 1p. 86762:056-86762:058.

DOCKET 40-8833 MANLABS, INC., CAMBRIDGE, MA

9501220202 Discusses insp rept 40-8833/95-02 on 951214. No violations identified. KINNEMAN, J.D. Region 1 (Post 820201). 95/01/10. ESSEMAN, T.C. ManLabs, Inc. 1p. 86823:054-86823:054.

DOCKET 40-8857 POWER RESOURCES, INC., GLENROCK, WY

9501100239 Notifies that well M-9A, located in A-Wadfield at Highland U Project, went on excursion status on 951216. Licensee will sample well M-9A every seven days for UCL parameters & U. Ground water quality data for well M-9A from 950114 and. KEARNEY, W.F. Power Resources Corp. 95/12/22. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 86774:325-86774:329.

DOCKET 40-8902 ATLANTIC RICHFIELD CO., GRANTS, NM

9501030303 Inform that NRC staff considers licensee demonstrated compliance w/ 10CFR40, App A, Citation 8 (2) & (4) for main tailings impoundment radon flux measurements. GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/12/15. ZIEGLER, R.S. Atlantic Richfield Co. (ARCO). 1p. 86730:317-86730:317.

9501030069 Discusses acceptability of ARCO-Bluewater site for long-term custody. VIRGONA, J.E. Energy, Dept. of. 95/12/21. ZIEGLER, R.S. Atlantic Richfield Co. (ARCO). 2pp. 86730:325-86730:326.

9501030187 Requests exemption from requirement of RSO at Bluewater Mill Site. ZIEGLER, R.S. Atlantic Richfield Co. (ARCO). 95/12/28. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 86732:297-86732:297.

9501100257 Inform of completion of placement of final radon barrier & erosion protection on all disposal facilities at Bluewater Mill Site in accordance w/ license conditions 38.A & 38.B & MOU w/EPA (50FR85432-911025). ZIEGLER, R.S. Atlantic Richfield Co. (ARCO). 95/12/29. HOLONICH, J.J. Office of Nuclear Material Safety & Safeguards. 1p. 86829:283-86829:283.

9501280012 Inform NRC that ARCO no longer required to submit Corrective Action Program review for Bluewater Mill Site. ZIEGLER, R.S. Atlantic Richfield Co. (ARCO). 95/01/18. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 86867:349-86867:349.

DOCKET 40-8983 HOMESTAKE MINING CO., GRANTS, NM

9501180345 Forwards 1995 annual ALARA repl conducted on 951207. Future repls could be shorter & cover less mail. CRAFT, F.E. Homestake Mining Co. 95/01/08. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 86829:297-86829:300.

9501230435 Forwards 1995 annual TER for small & large tailings impoundments. Requests that large tailings impoundment be removed from annual technical evaluation since final stabilized configuration achieved. CRAFT, F.E. Homestake Mining Co. 95/01/15. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 86829:355-86829:361.

DOCKET 40-8984 SCHRO WESTERN MINING CO., SALT LAKE CITY, UT

9501190335 Forwards Amend 25 to license SUA-1472. Licensee requested to incorporate safety increase of 2.8% to account for inflation from July 1994 to July 1995. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/14. CROUCH, D.B. SCHRO Western Mining Co. 3pp. 86824:345-86824:352.

9501190339 Amend 25 to license SUA-1472 for Schro Western Mining Co. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/11. 8pp. 86824:348-86824:352.

DOCKET 40-8985 QUIVIRA MINING CO., GRANTS, NM

9501030285 Forwards Amend 34 to license SUA-1473 for Quivira Mining Company. GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/12/07. FERDINAND, B. Quivira Mining Co. 1p. 86731:293-86731:304.

9501030300 Amend 34 to license SUA-1473 for Quivira Mining Company, authorizing disposal of crushed yellowcake drums. GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/12/07. 11pp. 86731:294-86731:304.

9501040620 Submits monitoring & analytical info per Discharge Plan-71. LUTHIGER, P. Quivira Mining Co. 95/12/12. OHRBOM, R. New Mexico, State of. 3pp. 86730:341-86730:343.

9501160428 Inform that licensee operating 5 ion exchange columns to recover U from mine water. LUTHIGER, P. Quivira Mining Co. 95/01/02. HOLONICH, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 86823:305-86823:305.

9501310856 Forwards "Quivira Mining Co Ambrosia Lake Facility ALARA Review," for 1995. Summary reviews actions taken to maintain occupational exposures & effluent effluent exposures as low as reasonably achievable. LUTHIGER, P. Quivira Mining Co. 95/01/28. HOLONICH, J.J. Uranium Recovery Branch (Post 901230). 1p. 86861:338-86861:341.

9501310861 "Quivira Mining Co Ambrosia Lake Facility ALARA Review." * Quivira Mining Co. 95/12/31. 23pp. 86861:338-86861:361.

9501310183 Forwards groundwater monitoring rpt for period of 951031-1231, as required by Discharge Plan-905. LUTHIGER, P. Quivira Mining Co. 95/01/28. OHRBOM, R. New Mexico, State of. 3pp. 86861:335-86861:337.

DOCKET 40-8907 UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.)

9501040176 Forwards "Annual Review - 1995 Ground Water Corrective Action." Rpt contains number of conclusions & recommendations, meeting NRC & EPA consideration. VELASQUEZ, J.R. United Nuclear Corp. (subs. of UNC, Inc.). 95/12/29. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 86742:001-86742:008.

9501180477 "Annual Review - 1995 Ground Water Corrective Action." * Affiliation Not Assigned. 95/12/31. 43pp. 86742:003-86742:036.

9501050159 Submits requested calculated background for nitrate, TDS & sulfate in groundwater in Southwest Aluminum & Zone 3 using C-Q plots. BOSTICK, K.A. WARD, D.B. Jacobs Engineering Group, Inc. 95/12/15. GHOSSES, Environmental Protection Agency. 6pp. 86761:250-86761:212.

9501230432 Submits results of calculation of background for nitrate using C-Q plots. BOSTICK, K.A. WARD, D.B. Jacobs Engineering Group, Inc. 95/01/04. GHOSSES, Environmental Protection Agency. 8pp. 86862:353-86862:358.

9501190467 Forwards results of ALARA audit conducted on 951220. MORALES, E.M. United Nuclear Corp. (subs. of UNC, Inc.). 95/01/08. COLLINS, S.J. Region 4 (Post 820201). 8pp. 86860:348-86860:356.

9501190211 Forwards three copies of United Nuclear Corp Ground Water Corrective Action Plan Annual Repl w/o encl. DU PONT, S. 95/01/08. GHOSSES, Environmental Protection Agency. 2pp. 86825:300-86825:301.

9501310018 Application for amend to license SUA-1473, authorizing new target date for completion of groundwater corrective actions approved in groundwater corrective action plan. VELASQUEZ, J.R. United Nuclear Corp. (subs. of UNC, Inc.). 95/01/24. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 86842:351-86842:352.

DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

9501300329 Forwards application for renewal of license SUA-1534. PARK, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/30. FRIDLEY, S. Document Control Branch (Document Control Desk). 1p. 87017:001-87017:154.

9501300331 "Application for Renewal of US NRC Radioactive Source Materials License SUA-1534 for Crow Butte U Project Dawes County, NE." W/one reverse drawing. * Affiliation Not Assigned. 95/12/31. 51pp. 87017:003-87017:154.

8 DOCKETED ITEMS

9601090089 Forwards application for renewal of license SUA-1534. COLLINGS, S.P. Affiliation Not Assigned. 95/12/20. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85705314-85705328.

9601090090 Application for renewal of license SUA-1534. COLLINGS, S.P. Affiliation Not Assigned. 95/12/20. 14pp. 85705316-85705328.

9601180046 Forwards lab results for sample analysis for Crow Butte Resources, Inc. KNOX, R. Affiliation Not Assigned. 96/01/09. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 7pp. 85605314-85605320.

9601180047 Forwards amend 32 to license SUA-1534. Licensee requested to incorporate decrease of \$191,406 from previously approved surety amount of \$5,352,552. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/11. COLLINGS, S.P. Affiliation Not Assigned. 2pp. 85624322-85624344.

9601180049 Amend 32 to license SUA-1534 for Crow Butte Resources, Inc. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/11. 11pp. 85624334-85624344.

9601230022 Accepts licensee request to amend license SUA-1534 re evaporation pond on-site insp program, allowing weekly rather than daily measurement of underdrain levels. WELLS, R.A. Engineering & Geosciences Branch (NMSS 940403). 95/01/15. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85648335-85648335.

9601250267 Informs that Crow Butte Resource currently approved surety instrument in-revocable Standby Ltr of Credit 74504 issued by First Bank, NA in favor of State of NE being released effective 960325 by CO Nat Bank. COLLINGS, S.P. Affiliation Not Assigned. 96/01/19. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85673327-85673327.

9601800298 Submits notification for cessation of mining in Mine Unit 2 at Crow Butte Mine. Licensee ceased active mining in Mine Unit 2 during week of 960101 & proceeding to establish post mining ground water stability info. COLLINGS, S.P. 96/01/22. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85691200-85691200.

9601250291 Notification of 960150 meeting w/NRC & licensee in Rockville, MD to discuss ongoing & anticipated NRC reviews of licensee submittals. PARK, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/23. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85695355-85695355.

DOCKET 45-3545 SHIELDALLOY CORP., NEWFELD, NJ

9601180318 Forwards proposed text revs to section 6 of draft remedial investigation rept. SHIELDS, W.J. PTI Services, Inc. 95/12/07. ACKMAN, O. Ohio, State of. 250pp. 85616001-85616247.

9601180289 Responds to 850511 requesting support of workshops & Host State Technical Coordinating Committee meetings. GREVE, J.T. Division of Waste Management (NMSS 940403). 95/09/05. COLEMAN, J.A. Energy, Dept. of. 3pp. 85621325-85621327.

9601180341 Forwards comments on groundwater portion of remedial investigation rept for licensee Cambridge, OH site dtd 950708. ACKMAN, O. Ohio, State of. 95/09/20. VALENTI, J. Shieldalloy Metallurgical Corp. LEE, M. Foote Mineral Co. 7pp. 85622062-85622066.

9601180337 Informs that revised Phase II ecological risk assessment work plan for licensee Cambridge, OH site submitted on 950913 approved w/field mods. ACKMAN, O. Ohio, State of. 95/09/27. VALENTI, J. Shieldalloy Metallurgical Corp. 2pp. 85622064-85622065.

9601180370 Forwards table lists add isotopic thorium results for properties P2-05 & O-40 sampled during Phase II investigation in Cambridge, OH. TORRINI, R.E. Woodward-Clyde Consultants, Inc. 95/10/30. KENNEDY, J. Division of Waste Management (NMSS 940403). 2pp. 85620359-85620360.

9601180401 Solicits quotation from Envirocare for potential disposal of slags & related mail from Shieldalloy Metallurgical Corp Cambridge, OH site. EVES, C.S. Shieldalloy Metallurgical Corp. 95/10/30. RAFATIA, Envirocare of Utah, Inc. 18pp. 85617318-85617334.

9601180441 News flash entitled, "Recent Data from Beatty Used to Question Suitability of Ward Valley Site." NORRIS, C. Affiliation Not Assigned. 96/11/02. 14pp. 85614339-85614352.

9601180342 Forwards ltr from City of Cambridge Preliminary Coordinator accepting water for discharge of decon water, as discussed during 951115 weekly conference call. VALENTI, J.P. Shieldalloy Metallurgical Corp. 95/11/28. ACKMAN, O. Ohio, State of. 2pp. 85622068-85622070.

9601180315 Transcript of 951205 public info hearing meeting in Cambridge, OH re de-commissioning of Shieldalloy Facility. Pp 1-156. Certificate encl. * NRC - No Detailed Affiliation Given. 95/12/06. 156pp. 85615185-85615232.

9601180350 Forwards monthly progress rept for period Nov 1995 for Shieldalloy Metallurgical Corp site remedial investigation/feasibility study. VALENTI, J.P. Shieldalloy Metallurgical Corp. 95/12/08. ACKMAN, O. Ohio, State of. 5pp. 85620352-85620358.

9601180343 Forwards comments on Sections 1-5 of revised remedial investigation for licensee Cambridge, OH site dtd 951030. ACKMAN, O. Ohio, State of. 95/12/29. VALENTI, J. Shieldalloy Metallurgical Corp. LEE, M. Foote Mineral Co. 4pp. 85620335-85620338.

DOCKET 40-8964 RIO ALGON MINING CORP., OKLAHOMA CITY, OK

9601300179 Forwards TER of review of licensee request to use deep well injection at facility. Proposed operation not in conflict w/ any other deep well disposals performed by other licensed in-situ facilities. AUSTIN, J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 95/01/24. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 8pp. 85641353-85641355.

DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX

9601180229 Forwards request for add info re safety analysis review & emission review for Hydro Resources, Inc. for U solution Mining license application, Crownpoint, NM. GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/11. PELIZZANI, H.R. Inc. (Hydro Resources, Inc.). 12pp. 85612301-85612330.

DOCKET 40-8971 U.S. ENERGY CORP., RIVERTON, WY

9601180097 Requests NRC to complete plan review for licensee to promptly decommission site studies proposed. If do not result in viable in-situ leach operations. WEBBER, K.J. U.S. Energy Corp. 95/12/27. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2p. 85608330-85608330.

9601300215 Recommends that Plateau Resources Ltd file w/NRC amended license renewal application for license SUA-1371 for operation, because license SUA-1371 currently in timely renewal for extension of possession only status. PARK, J.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/24. WEBBER, K. U.S. Energy Corp. WEBBER, K. Crested Corp. 3pp. 85611164-85611166.

DOCKET 48-8980 HERITAGE MINERALS, INC., LAKEHURST, NJ

9601290258 Requests description & schedule for decommissioning of site by 960215, disposal of waste & request for termination of license within 30 days. BELLAMY, R.R. Region 1 (Post 920201). 95/01/24. THOMPSON, A.J. Shaw, Pittman, Potts & Trowbridge. 3pp. 85654176-85654180.

DOCKET 40-8981 PATHFINDER MINES CORP., MILLS, WY

9601180168 Forwards Pathfinder Mines Corp Annual Rept 621 for Ruth ISL project. Attached rept commensurate w/level of activity at site. W/revs over area draining. WICHERS, D.L. Pathfinder Mines Corp. 95/12/20. GURGEVICH, B. Wyoming, State of. 10pp. 85629264-85629293.

9601230353 Forwards annual update for North Butte & Ruth surety estimates. WICHERS, D.L. Pathfinder Mines Corp. 95/01/19. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 85648248-85648252.

DOCKET 40-8983 ENVIROCORE OF UTAH, INC., SALT LAKE CITY, UT

9601180485 Submits proposed trust agreement re surety trustee. SHELTON, J. Envirocare, Inc. 95/12/20. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85620313-85620315.

9601250124 Informs NRC that background level of Thorium-230 in GW-60 for 951010 re-sampling event less than lower limit of detection of 1.0 pCi/l. HELLSTROM, G.W. Envirocare, Inc. 95/01/18. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 85657339-85657340.

9601280286 Forwards FRN "Availability of Rev 1 to License Application Review Plan for Geologic Repository for Spent Nuclear Fuel & High-Level Radwaste - Draft Review Plan." HOLONICH, J.J. Uranium Recovery Branch (Post 901230). 95/01/17. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85698347-85698348.

9601300385 FRN "Availability of Rev 1 to License Application Review Plan for Geologic Repository for Spent Nuclear Fuel & High-Level Radwaste - Draft Review Plan." HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/17. 2pp. 85698348-85698349.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 66-3 INDIAN POINT STATION, UNIT 1

P. Operating license stage documents & correspondence

9601090193 Generic Ltr 96-01 to all holders of OLA or CPs for nuclear power reactors re testing of safety-related logic circuits. CRITCHFIELD, D. 96/01/30. Consolidated Edison Co. of New York, Inc. 8pp. 85627272-85627280.

9601190442 Suppl 7 to Generic Ltr 89-10 to all holders of OLAs (except licensees amended to possession only status) or CPs for nuclear power reactors re consideration of valve inspection in PWRs. CRITCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 85695011-85695015.

D. Inspection reports, IE Bulletins & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 85740:015-85740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 13pp. 85758:049-85758:061.

9512290259 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 9pp. 85768:041-85768:048.

9501048335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 85827:259-85827:271.

9501180558 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. . 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 85828:109-85828:120.

9501190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85955:001-85955:010.

9501260139 NRC Info Notice 95-007, "Slow Five Percent Scrub Insertion Times Caused By Vibration Diaphragms in Scrub Solenoid Pilot Valves." CRUTCHFIELD, D. . 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 85955:017-85955:023.

V. Operator Examinations

9501040136 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing exam schedule. CRUTCHFIELD, D. . 95/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 85778:001-85778:010.

DOCKET 95-5 PENNSYLVANIA STATE UNIV. RESEARCH REACTOR

R. Periodic operating reports & related correspondence

9512270039 "Fortieth Annual Progress Rpt Radiation Science & Engineering Ctr Jul 1994-June 1995." W/951220 tr. VOIT, M.H. Pennsylvania State Univ., Harrisburg, PA. 95/06/30. 54pp. 95785:153-95785:265.

DOCKET 95-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9501180211 Revised CEIPs including CEIP-2000 series table of contents, Rev 12 to CEIP 2001-01, Rev 9 to CEIP-2003-01, Rev 8 to CEIP 3004-01, Rev 8 to CEIP 3008-01, Rev 11 to CEIP 3101-01 & Rev 7 to CEIP 3151-1. * Commonwealth Edison Co. 95/12/08. 48pp. 85778:248-85778:293.

9501240022 Revised Corporate EPs (CEIP) including Rev 3 to CEIP-2011-01, Rev 1 to CEIP-2021-05, Rev 1 to CEIP-2021-06, Rev 1 to CEIP-2411-01 & Rev 2 to CEIP-2413-01. STOBACH, H.D.W. Commonwealth Edison Co. 95/12/07. 34pp. 85862:265-85862:295.

9501020187 Rev 5H to "Generating Stations Emergency Plan (GSEP) Site Annex Dresden Nuclear Power Station." * Commonwealth Edison Co. 95/12/18. 140pp. 85895:205-85895:245.

9501250293 Corrected Section 5 to Rev 5H to Generating Station Emergency Plan. * Commonwealth Edison Co. 95/12/31. 50pp. 85845:224-85845:213.

9501290244 Addendum that rev 5H to Dresden Nuclear Station Annex to Generating Stations Emergency Plan acceptable & does not decrease effectiveness of emergency planning. CREED, J.R. Region 3 (Post 89201). 95/01/22. PERRY, J.S. Commonwealth Edison Co. 2pp. 85854:281-85854:282.

9501290331 Submittal review of proposed revs to EALs & technical bases for Bridgwood, Byron, Dresden, LaSalle, Quad Cities & Zion NPPs, concluding that proposed changes acceptable & do not decrease effectiveness of licensee emergency planning. CREED, J.R. Region 3 (Post 89201). 95/01/22. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85856:330-85856:332.

D. Inspection reports, IE Bulletins & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 85740:015-85740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 13pp. 85758:049-85758:061.

9512290259 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 9pp. 85768:041-85768:048.

9501048335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 85827:259-85827:271.

9501180558 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. . 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 85828:109-85828:120.

9501190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85955:001-85955:010.

9501260139 NRC Info Notice 95-007, "Slow Five Percent Scrub Insertion Times Caused By Vibration Diaphragms in Scrub Solenoid Pilot Valves." CRUTCHFIELD, D. . 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 85955:017-85955:023.

R. Periodic operating reports & related correspondence

9501170141 Monthly operating rpts for Dec 1995 for Dresden Nuclear Power Station, W/950112 tr. CARPOLL, L.W., HOLLAND, P.G. Commonwealth Edison Co. 95/12/31. 21pp. 85784:001-85784:021.

9501190173 "1996 Rpt of Changes, Tests & Experiments For 10CFR50.59 for Dresden Nuclear Power Station." W/950112 tr. HOLLAND, P.G. Commonwealth Edison Co. 95/12/31. 200pp. 85828:053-85828:278.

V. Operator Examinations

9501040136 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing exam schedule. CRUTCHFIELD, D. . 95/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 85778:001-85778:010.

W. Decontamination Stage Documents & Correspondence

9501050193 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. . 95/01/10. Consolidated Edison Co. of New York, Inc. 5pp. 85827:272-85827:280.

9501190442 Suppl 7 to Generic Ltr 89-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 85955:011-85955:016.

DOCKET 95-27 WASHINGTON STATE UNIV. RESEARCH REACTOR (WTRRA)

P. Operating license stage documents & correspondence

9501180211 Ask 950814 tr re comments on Chapter 48 of draft "Format & Content for Applications for Licensing of Non-Power Reactors" & "Standard Review Plan & Acceptance Criteria for Applications for Licensing of Non-Power Reactors." ADAMS, A. . 95/01/03. TRIPARD, G. Washington State Univ., Pullman, WA. 9pp. 85858:259-85858:267.

DOCKET 95-29 YANKEE-ROWE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9501180313 Rev 4 to EPF AP-3400, "Emergency Preparedness Drills." * Yankee Atomic Electric Co. 95/01/30. 18pp. 85822:011-85822:030.

9501180312 Rev 28 to "Yankee Plant Devised Emergency Plan." * Yankee Atomic Electric Co. 95/01/12. 37pp. 85812:264-85812:300.

G. Adjudicatory correspondence

9501050485 Forwards Citizens Awareness Network & New England Coalition on Nuclear Pollution motion for leave to reply to licensee & NRC responses to petition to intervene & suppl petition to intervene. CURRIAN, D., BLOCK, J.M. Citizens Awareness Network. CURRIAN, D. New England Coalition on Nuclear Pollution. 95/12/24. Commissioners (Post 750119). 3pp. 85726:277-85726:279.

9501050485 Citizens Awareness Network & New England Coalition on Nuclear Pollution motion for leave to reply to licensee & NRC responses to petition to intervene & suppl petition to intervene. CURRIAN, D., BLOCK, J.M. Citizens Awareness Network. CURRIAN, D. New England Coalition on Nuclear Pollution. 95/12/24. Commissioners (Post 750119). 3pp. 85726:277-85726:279.

9501050485 Citizens Awareness Network & New England Coalition on Nuclear Pollution reply to licensee & NRC responses to petition to intervene & suppl petition to intervene. CURRIAN, D., BLOCK, J.M. Citizens Awareness Network. CURRIAN, D. New England Coalition on Nuclear Pollution. 95/12/24. Commissioners (Post 750119). 43pp. 85726:280-85726:322.

10 DOCKETED ITEMS

9601050134 Affidavit of M. Resnikoff re petitioner reply to licensee & NRC responses to petitioner contention in sub proceeding.
RESNIKOFF, M. Citizens Awareness Network. RESNIKOFF, M. New England Coalition on Nuclear Pollution. RESNIKOFF, M. Affiliation Not Assigned. 95/12/22. 1p. 86726:323-86726:324.

9601050140 Affidavit of W.W. Dougherty re petitioner reply to licensee & NRC responses to petitioner contention in sub proceeding.
DOUGHERTY, W.W. Citizens Awareness Network. DOUGHERTY, W.W. New England Coalition on Nuclear Pollution. DOUGHERTY, W.W. Affiliation Not Assigned. 95/12/22. 1p. 86726:324-86726:324.

9601050145 Affidavit of B. Biewald re petitioner reply to licensee & NRC responses to petitioner contention in sub proceeding.
BIEWALD, B. Citizens Awareness Network. BIEWALD, B. New England Coalition on Nuclear Pollution. BIEWALD, B. Affiliation Not Assigned. 95/12/22. 1p. 86726:325-86726:325.

9601050152 Affidavit of J.M. Block representing petitioners, Citizens Awareness Network & New England Coalition on Nuclear Pollution in sub proceeding. W/Certificate of Svc.
BLOCK, J.M. Citizens Awareness Network. BLOCK, J.M. New England Coalition on Nuclear Pollution. BLOCK, J.M. Affiliation Not Assigned. 95/12/22. 3pp. 86726:326-86726:328.

9601050156 NRC Staff response to Citizens Awareness Network & New England Coalition motion for leave to reply & NRC Staff motion to reply to new issues. Moves for leave to file further reply to new issues raised. W/Certificate of Svc.
HOLLER, E.J. Office of the General Counsel (Post 660701). #186 17392. 95/12/29. Commissioners (Post 750119). 5pp. 86726:341-86726:345.

9601050160 Forwards affidavits of W.W. Dougherty & B. Biewald in support of Citizens Awareness Network & New England Coalition on Nuclear Pollution reply to licensee & NRC staff responses to petition to intervene & supplemental petition to intervene.
CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tossy). #186 17403. 95/12/29. JULIANE. Docking & Services Branch. 1p. 86726:346-86726:347.

9601050166 Contingent motion of Yankee Atomic Electric Co. for leave to file further reply to Citizens Awareness Network & New England Coalition on Nuclear Pollution reply to licensee & NRC Staff responses. W/Certificate of Svc.
DIGNANT, G. Yankee Atomic Electric Co. DIGNANT, G. Rogers & Gray. #186 17402. 96/01/02. Atomic Safety & Licensing Board Panel. 3pp. 86726:348-86726:350.

9601050171 Licensee answer to "Citizens Awareness Network & New England Coalition on Nuclear Pollution Motion to Leave to Reply to Licensee & NRC Staff Responses to Petition to Intervene & Supplemental Petition to Intervene." W/Certificate of Svc.
DIGNANT, G. Yankee Atomic Electric Co. DIGNANT, G. Rogers & Gray. #186 17401. 96/01/02. Atomic Safety & Licensing Board Panel. 11pp. 86726:351-86726:362.

9601050180 Notice of appointment of adjudicatory employee & of communication covered by 10CFR2.781(c). Informing CH Fluor has been appointed as Commission Adjudicatory employee in matter. W/Certificate of Svc. Served on 960115.
HOYLE, J.C. Office of the Secretary of the Commission. #186 17418. 96/01/15. 5pp. 86726:363-86726:367.

9601050184 Memorandum & order (CU-96-01). Requests that Board act expeditiously w/issuing final initial decision by or about middle of Jul 1996. W/Certificate of Svc. Served on 960116.
HOYLE, J.C. Office of the Secretary of the Commission. #186 17417. 96/01/16. Office of the General Counsel (Post 660701). 14pp. 86726:368-86726:382.

9601050185 Establishment of ASLAP. W/Certificate of Svc. Served on 960118.
COTTER, S.P. Atomic Safety & Licensing Board Panel. #186 17424. 96/01/17. 4pp. 86726:383-86726:386.

9601050178 Forwards petitioners "Emergency Motion for Compliance w/ Circuit Court Opinion." for filing & docking.
BLOCK, J.M. Citizens Awareness Network. BLOCK, J.M. New England Coalition on Nuclear Pollution. #186 17425. 96/01/17. JULIANE. Docking & Services Branch. 1p. 86726:387-86726:387.

9601050186 Emergency motion for compliance w/circuit court opinion. Requests that Commission grant emergency motion & requested relief. W/Certificate of Svc.
BLOCK, J.M. Citizens Awareness Network. BLOCK, J.M. New England Coalition on Nuclear Pollution. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tossy). #186 17425. 96/01/17. Commissioners (Post 750119). 6pp. 86726:388-86726:393.

9601050193 Forwards CU-96-01 re referral of petition to intervene submitted by Citizens Awareness Network & New England Coalition on Nuclear Pollution. W/Certificate of Svc. Served on 960117.
HOYLE, J.C. Office of the Secretary of the Commission. #186 17422. 96/01/17. COTTER, S.P. Atomic Safety & Licensing Board Panel. 5pp. 86726:394-86726:398.

9601050176 Order (initial prehearing order). Ordered that 961226 & 960102 motions to file reply to new issues raised in 961224 reply of petitioners, granted. W/Certificate of Svc. Served on 960122.
BOLLWEK, G.P. Atomic Safety & Licensing Board Panel. #186 17422. 96/01/22. Yankee Atomic Electric Co. 5pp. 86726:399-86726:403.

9601050161 Order. Informing that Commission will take appropriate action if requirements have been found to be violated. W/Certificate of Svc. Served on 960123.
HOYLE, J.C. Office of the Secretary of the Commission. #186 17432. 96/01/23. Office of the General Counsel (Post 660701). 4pp. 86726:404-86726:407.

G. Inspection reports, IE Bulletins & correspondence

9612270372 NRC Info Notice 96-004, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 5pp. 86726:408-86726:412.

9612290128 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 13pp. 86726:413-86726:426.

9612290298 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 5pp. 86726:427-86726:431.

9601040385 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 670729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86727:254-86727:271.

9601190056 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/16. Consolidated Edison Co. of New York, Inc. 5pp. 86727:272-86727:276.

9601190386 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/26. Consolidated Edison Co. of New York, Inc. 10pp. 86727:277-86727:286.

9601260139 NRC Info Notice 96-007, "Slow Five Percent Scrub Insertion Times Caused By Vibration Diaphragms in Scrub Schematic Valves."
CRUTCHFIELD, D. 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86727:287-86727:293.

V. Operator Examinations

9601040134 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86726:432-86726:441.

W. Decommissioning Stage Documents & Correspondence

9601050158 Forwards Rev 26 to YOCAP-IA, "Yankee Atomic Electric Co. Operational QA Program." Rev addresses programmatic changes to QA program for plant.
CLARK, C.R. Yankee Atomic Electric Co. 95/12/28. Document Control Branch (Document Control Desk). 6pp. 86726:442-86726:448.

9601050161 Rev 26 to YOCAP-IA, "Yankee Atomic Electric Co. Operational QA Program."
PETERSON, W.K., CLARK, C.R., REDD, D.A. Yankee Atomic Electric Co. 95/12/21. 13pp. 86726:449-86726:462.

9601050183 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 5pp. 86727:294-86727:298.

9601050442 Suppl 7 to Generic Ltr 96-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 5pp. 86727:299-86727:303.

9601050222 Press release 96-14, "NRC Probable Conference Scheduled for Yankee Nuclear Power Station."
Office of Public Affairs (Post 911117). 96/01/25. 1p. 86726:463-86726:463.

DOCKET 96-64 CINCINNEM

F. Operating license stage documents & correspondence

9601050250 Forwards results of TLD direct radiation monitoring around facility for third quarter of 1995.
STUCKMEYER, R. Region 1 (Post 820201). 96/01/03. MC GOVERN, J.J. Cincinnati, Inc. 4pp. 86726:464-86726:467.

G. Inspection reports, IE Bulletins & correspondence

9601230065 Forwards Insp rpt 96-054/96-02 & 70-0687/96-02 on 961125-29. No violations noted.
WHITE, J.R. Region 1 (Post 820201). 96/01/12. MC GOVERN, J.J. Cincinnati, Inc. 2pp. 86727:119-86727:121.

9601230075 Insp rpt 96-054/96-02 & 70-0687/96-02 on 961125-29. No violations noted. Major areas inspected status of decommissioning, bedrock sampling, staffing & airborne effluent monitoring.
DRACON, T., WHITE, J.R. Region 1 (Post 820201). 96/01/04. 4pp. 86727:121-86727:124.

DOCKET 96-73 GENERAL ELECTRIC NUCLEAR TEST REACTOR

F. Security, medical, emergency & fire protection plans

9601170381 Confirms that changes to Validation Nuclear Ch Reactor Facilities radiological emergency plan acceptable & can be implemented w/o prior NRC approval.
MENDONCA, M.M. 96/01/03. CUNNINGHAM, G.E. General Electric Co. 3pp. 86726:468-86726:471.

DOCKET 96-89 GENERAL ATOMICCS

F. Security, medical, emergency & fire protection plans

9601300281 Concludes that changes to GA Radiological Contingency Plan maintains compliance w/10CFR50, Appendix E. Determines that changes do not decrease effectiveness of approved plan.
ADAMS, A., 96/01/22, ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.), 3pp. 86812254-86812265.

I. Financial information

9601190469 Submits response to request for add'l info on review of financial statements for decommissioning assurance.
ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.), 95/12/26, ADAMS, A., 2pp. 86817356-86817357.

P. Operating license stage documents & correspondence

9601190444 Withholds attachment to 951218 RAI providing add'l info on financial assurance documents. Licensees will submit revised attachment to more fully address questions re estimated total cost to decommission TRIGA reactors facility.
ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.), 95/12/21, ADAMS, A., 2p. 86820312-86820312.

9601190433 Responds to 951218 RAI submitted informing that licensees still required to provide info re method of providing funds for decommissioning per 10CFR50.75 requirement. Requests sub info & submittal of revised info by 960110.
ADAMS, A., 96/01/11, ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.), 4pp. 86823348-86823351.

9601290486 Forwards nonproprietary & proprietary add'l info on review of financial assurance documents in response to NRC 951023 & 960111 RAIs. Proprietary add'l info withheld per 10CFR2.780.
ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.), 96/01/22, ADAMS, A., 11pp. 86837126-86837136.

DOCKET 50-114 IOWA STATE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9601160137 Update 4 to "Emergency Plan."
* Iowa State Univ., Ames, IA, 95/12/31, 3pp. 86785282-86785321.

9601230263 Advises that 951220 Rev 3 to reactor security plan consistent w/provisions of 10CFR50.54(g) & acceptable.
CREED, J.R. Region 3 (Post 820201), 96/01/17, ADAMS, J. Iowa State Univ., Ames, IA, 2pp. 86848348-86848349.

Q. Inspection reports, IE Bulletins & correspondence

9601250410 Forwards initial exam rept 50-116/OL-95-01 conducted wk of 951113 & in accordance w/NUREG-1476, "NPP OL Examiner Sits," Rev 1 & administered to employees who applied for license to operate Univ Reactor. W/o encl.
WEISS, S.H., 95/12/06, BULLEN, D.S. Iowa State Univ., Ames, IA, 1p. 86831328-86831328.

V. Operator Examinations

9601230410 Forwards initial exam rept 50-116/OL-95-01 conducted wk of 951113 & in accordance w/NUREG-1476, "NPP OL Examiner Sits," Rev 1 & administered to employees who applied for license to operate Univ Reactor. W/o encl.
WEISS, S.H., 95/12/06, BULLEN, D.S. Iowa State Univ., Ames, IA, 1p. 86831328-86831328.

9601030388 Informs that licensee Operator Qualification Program meets review criteria for 10CFR55 & acceptable per 951106 submittal.
MICHAELS, T.E., 95/12/28, ADAMS, J.T. Iowa, Univ. of Iowa City, IA, 2pp. 86727307-86727309.

DOCKET 50-123 UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA

Q. Inspection reports, IE Bulletins & correspondence

9601310216 Forwards initial exam rept 50-123/96-01 administered during wk of 960101. W/o encl.
WEISS, S.H., 96/01/29, BOLON, A.E. Missouri, Univ. of Rolla, MO, 3pp. 86848173-86848173.

V. Operator Examinations

9601310216 Forwards results of Operator Initial Exam conducted 960103-04. W/o encl.
WEISS, S.H., 96/01/29, BOLON, A.E. Missouri, Univ. of Rolla, MO, 1p. 86848072-86848072.

9601310216 Forwards initial exam rept 50-123/96-01 administered during wk of 960101. W/o encl.
WEISS, S.H., 96/01/29, BOLON, A.E. Missouri, Univ. of Rolla, MO, 3pp. 86848173-86848173.

DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9601160301 Forwards insp rept 50-133/95-03 on 951206-07 & notice of violation. Violation involved discharge of contaminated water from radwaste sys that had not been filtered/treated & sampled prior to release into discharge canal.
SCARANO, H.A. Region 4 (Post 820201), 96/01/04, RUEGER, G.M. Pacific Gas & Electric Co., 6pp. 86768195-86768213.

9601160328 Insp rept 50-133/95-03 on 951206-07. Violations noted. Major areas inspected in-line process monitor sensitivity, mixed waste barrel storage, condition of SFP, site health physics activities & status of recent work on caisson sump pump.
SPITZBERG, B. Region 4 (Post 820201), 96/01/04, 11pp. 86768203-86768213.

P. Operating license stage documents & correspondence

9601030232 Forwards Rev 1 to "SAFSTOR Decommissioning Plan for Humboldt Bay Plant, Unit 3." End 1 identifies & describes plan changes.
WOMACK, L.F. Pacific Gas & Electric Co., 95/12/29, Document Control Branch (Document Control Desk), 12pp. 86731001-86731275.

9601030235 Rev 1 to "SAFSTOR Decommissioning Plan for Humboldt Bay Power Plant, Unit 3."
* Pacific Gas & Electric Co., 94/07/31, 263pp. 86731013-86731275.

9601950493 General Ltr 95-01 to all holders of OLS or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D., 96/01/10, Consolidated Edison Co. of New York, Inc., 3pp. 86827272-86827280.

9601190442 Suppl 7 to General Ltr 88-10 to all holders of OLS (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve repositioning in PWRs.
CRUTCHFIELD, D., 96/01/24, Consolidated Edison Co. of New York, Inc., 4pp. 86835011-86835016.

Q. Inspection reports, IE Bulletins & correspondence

9612270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp in Cables Equipment Important to Safety."
CRUTCHFIELD, D., 96/01/03, Consolidated Edison Co. of New York, Inc., 6pp. 86740015-86740023.

9601160301 Forwards insp rept 50-133/95-03 on 951206-07 & notice of violation. Violation involved discharge of contaminated water from radwaste sys that had not been filtered/treated & sampled prior to release into discharge canal.
SCARANO, H.A. Region 4 (Post 820201), 96/01/04, RUEGER, G.M. Pacific Gas & Electric Co., 6pp. 86768195-86768213.

9601160315 Notice of violation from insp on 951206-07. Violation noted: on 951127, licensee released into discharge canal approx 10 gallons of contaminated water from liquid radwaste sys that had not been filtered/treated or sampled.
* Region 4 (Post 820201), 96/01/04, 2pp. 86768201-86768202.

9601160328 Insp rept 50-133/95-03 on 951206-07. Violations noted. Major areas inspected in-line process monitor sensitivity, mixed waste barrel storage, condition of SFP, site health physics activities & status of recent work on caisson sump pump.
SPITZBERG, B. Region 4 (Post 820201), 96/01/04, 11pp. 86768203-86768213.

9612260328 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D., 96/01/05, Consolidated Edison Co. of New York, Inc., 13pp. 86758049-86758061.

9612290289 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D., 96/01/05, Consolidated Edison Co. of New York, Inc., 6pp. 86758041-86758048.

9601840335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 820729), 96/01/10, Consolidated Edison Co. of New York, Inc., 13pp. 86827259-86827271.

9601110358 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D., 96/01/18, Consolidated Edison Co. of New York, Inc., 6pp. 86826019-86826023.

9601190305 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD, D., 96/01/25, Consolidated Edison Co. of New York, Inc., 10pp. 86835001-86835010.

9601260139 NRC Info Notice 96-007, "Slow Five Percent Scram Insertion Times Caused By Vane Diaphragms in Scram Interlock Pilot Valves."
CRUTCHFIELD, D., 96/01/28, Consolidated Edison Co. of New York, Inc., 2pp. 86835017-86835023.

V. Operator Examinations

9601640138 NRC Administrative Ltr 96-01 to all holders of OLS or CPs for nuclear power reactors re operator licensing call exam schedule.
CRUTCHFIELD, D., 96/01/08, Consolidated Edison Co. of New York, Inc., 10pp. 86778001-86778010.

12 DOCKETED ITEMS

DOCKET 60-145 SEXTON NUCLEAR EXPERIMENTAL FACILITY

P. Operating license stage documents & correspondence

960100287 Responds to undated LR (C801-95-2035) re request for 951121 amendments that request under review/analysis of proposed no significant hazards consideration determination & opportunity for hearing to be published in FR on 960131.
ADAMS, A. 96/01/24. FORNOCLA, J.C. Sexton Nuclear Experimental Corp. 3pp. 86942045-86948543.

DOCKET 60-155 BIG ROCK POINT NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

960100075 Rev 189 to Vol 9A to "Site Emergency Plan Implementing Procedures." WOOSTER, K.C. Consumers Power Co. 95/12/14. 17pp. 86885288-86888304.

960100282 Forwards 951213 FEMA correspondence transmitting findings for offsite emergency preparedness aspects of exercise conducted 950822-23 at plant. Six areas requiring corrective action were identified.
CREED, J.R. Region 3 (Post 820201). 96/12/28. DONNELLY, P.M. Consumers Power Co. 2pp. 86753015-86755089.

960100288 Forwards final rept for 950822-23 ingestion exposure pathway exercise for plant. Six areas requiring corrective action were identified. One for State of MI, four for Chateaugay County & one for Emmet County.
BURKETT, A.M. Federal Emergency Management Agency. 96/12/13. MILLER, H.J. Region 3 (Post 820201). 1p. 86785017-86785017.

960100271 "Final Exercise Rept Big Rock Point Nuclear Power Plant." Federal Emergency Management Agency. 96/12/13. 52pp. 86785018-86785089.

960117002 Forwards SALP 19 Rept for plant covering period 940501 through 951125. MILLER, H.J. Region 3 (Post 820201). 96/01/06. DONNELLY, P.M. Consumers Power Co. 6pp. 86771078-86771087.

960117000 SALP rept 50-155/95-01 for 940501-951125.
* Region 3 (Post 820201). 96/01/06. 96771082-86771087.

960131807 Responds to weaknesses noted in Fire Protection Sys Accumulator Insp 50-155/95-11 & resin transfer from radwaste storage tank to HCs during 950822-1103. Corrective actions: planning & scheduling dept formed.
DONNELLY, P.M. Consumers Power Co. 96/01/22. Document Control Branch (Document Control Desk). 2pp. 86961333-86961334.

P. Operating license stage documents & correspondence

960100243 Responds to Interior Dept comments on Big Rock Point Nuclear Plant environmental Rept. agrees to concur w/ Dept of Interior recommendations.
DONNELLY, P.M. Consumers Power Co. 95/12/22. WEISS, S.H. 3pp. 86886353-86886359.

960100193 Generic LR 95-01 to all holders of OLS or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 86827272-86827282.

9601230156 Forwards amend 117 to license DPR-6 & safety evaluation. Amend removes prescriptive Type A containment leakage test rate frequency & adds reference to perform containment leakage rate tests.
TRAN, L.N. 96/01/16. DONNELLY, P.M. Consumers Power Co. 6pp. 86831242-86831255.

9601230163 Amend 117 to license DPR-6 removing prescriptive Type A containment leakage test rate frequency & adding reference to perform containment leakage rate tests in accordance w/ 10CFR50, App J.
TRAN, L.N. 96/01/16. 5pp. 86831247-86831251.

9601230164 Safety evaluation supporting amend 117 to license DPR-6.
* 96/01/16. 4pp. 86831252-86831255.

9601230264 Forwards one-time scheduler exemption from 10CFR50, App J re delay of end required Type A leak rate test per 951106 request.
TRAN, L.N. 96/01/16. DONNELLY, P.M. Consumers Power Co. 3pp. 86831256-86831264.

9601230273 One-time scheduler exemption from "approx equal time intervals" requirement of 10CFR50, App J, Section 11D.1(a) re Type A leak rate test.
RICE, J.W. 96/01/16. Consumers Power Co. 6pp. 86831258-86831264.

9601190442 Suppl 7 to Generic LR 89-10 to all holders of OLS (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in FWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86965011-86965016.

G. Inspection reports, E. Bulletin & correspondence

9512260372 NRC Info Notice 95-001, "Potential for High Foot-Accident Closed-Cycle Cooling Water Temp to Disturb Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 3pp. 86740045-86740023.

9512260129 NRC Info Notice 95-002, "Impossibility of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 13pp. 86765043-86765061.

9512260129 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86765041-86765048.

9601170028 Forwards SALP 19 Rept for plant covering period 940501 through 951125. MILLER, H.J. Region 3 (Post 820201). 96/01/06. DONNELLY, P.M. Consumers Power Co. 6pp. 86771078-86771087.

9601170030 SALP rept 50-155/95-01 for 940501-951125.
* Region 3 (Post 820201). 96/01/06. 96771082-86771087.

9601040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870723). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86927269-86927271.

9601110658 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/16. Consolidated Edison Co. of New York, Inc. 9pp. 86828109-86828120.

9601318087 Responds to weaknesses noted in Fire Protection Sys Accumulator Insp 50-155/95-11 & resin transfer from radwaste storage tank to HCs during 950822-1103. Corrective actions: planning & scheduling dept formed.
DONNELLY, P.M. Consumers Power Co. 96/01/22. Document Control Branch (Document Control Desk). 2pp. 86961333-86961334.

9601190808 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86965001-86965010.

9601260139 NRC Info Notice 95-007, "Slow Flow Percent Screen Insertion Times Caused by Viton Diaphragms in Screen Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86965017-86965023.

R. Periodic operating reports & related correspondence

9601160129 Monthly operating rept for Dec 1995 for Big Rock Point Nuclear Plant w/ 960103 LR.
JOHNSTON, J.R. DONNELLY, P.M. Consumers Power Co. 96/12/31. 5pp. 86886331-86886335.

V. Operator Examinations

9601040136 NRC Administrative Ltr 95-01 to all holders of OLS or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776001-86776010.

9601290184 Discusses arrangements for administration of licensing exams at US during wk of 960415. Staff will have opportunity to review exams in accordance w/ guidelines in Rev 7 of NUREG-1021, "Operator Licensing Examinee Site."
BURDICK, T.M. Region 3 (Post 820201). 96/01/16. DONNELLY, P.M. Consumers Power Co. 2pp. 86884199-86884200.

9601300822 Inform that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 960415.
BURDICK, T.M. Region 3 (Post 820201). 96/01/24. LACROIX, G. Consumers Power Co. CHASINSKY, T.M., SCHMIDT, T.L. Commonwealth Edison Co. 3pp. 86887003-86887005.

DOCKET 60-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9601140122 Georgia Against Nuclear Energy submits videotape of Natl TV Crew "Current Affair" breach of security at Georgia Tech Research Reactor. W/Certificate of Sec.
CARROLL, G. Georgia Against Nuclear Energy. #196 17405. 96/01/01. 6pp. 86783063-86783068.

9601170237 Forwards partially withheld insp rept 50-160/95-05 on 951205-07. No violations or deviations noted. Rept details withheld (ref 10CFR2.790).
MCALPINE, J. Region 2 (Post 820201). 96/01/04. KARIM, M.A. Georgia Institute of Technology, Atlanta, GA. 3pp. 86812100-86812103.

9601170242 Partially withheld insp rept 50-160/95-05 on 951205-07. No violations or deviations noted. Major areas inspected: reactor status, physical inventory, decontamination, & activities associated w/ NRC program. Details withheld (ref 10CFR2.790).
PHAM, T.N., CHUNG, L.D., ROTH, J. Operations Branch. 96/01/04. 1p. 86812103-86812103.

G. Adjudicatory correspondence

9601180149 Georgia Against Nuclear Energy motion for extension of deadline to answer Georgia Tech & NRC Staff discovery requests. W/Certificate of Sec.
CARROLL, G. Georgia Against Nuclear Energy. #196 17399. 95/12/22. Atomic Safety & Licensing Board Panel. 3pp. 86783066-86783068.

9601180122 Georgia Against Nuclear Energy submits videotape of Natl TV Crew "Current Affair" breach of security at Georgia Tech Research Reactor. W/Certificate of Sec.
CARROLL, G. Georgia Against Nuclear Energy. #196 17405. 96/01/01. 6pp. 86783063-86783068.

9601180178 Georgia Against Nuclear Energy motion for extension of deadline to answer Georgia Tech & NRC Staff discovery requests. Parties agreed deadline for disposition moved from 960112 to 0126. W/Certificate of Sec. Served on 960112.
CARROLL, G. Georgia Against Nuclear Energy. #196 17400. 96/01/22. Atomic Safety & Licensing Board Panel. 4pp. 86783111-86783114.

9501180144 Informs ASLB that time provided by NRC regulation within which Commission may act to review decision of ASLB in docket has expired on 951211.W/Certificate of Sec.Served on 950105.
HOYLE,J.C. Office of the Secretary of the Commission. #198 17410. 95/01/05. Atomic Safety & Licensing Board Panel. 3pp. 85783:093-85783:095.

9501180223 Informs ASLB that time provided by NRC regulation within which Commission may act to review decision of ASLB in docket,expired.W/Certificate of Sec.Served on 950105.
HOYLE,J.C. Office of the Secretary of the Commission. #198 17411. 95/01/05. Atomic Safety & Licensing Board Panel. 3pp. 85783:141-85783:143.

9501180420 Discusses P Blockley-O'Brien 10CFR2.205 position and the written to NRC & ASLB Judges re petition & Georgia Tech Neely Nuclear Research Reactor,radioactive contamination, violations & ALARA issue.
BLOCKLEY-O'BRIEN Affiliation Not Assigned. 95/01/10. Ofc of the Executive Director for Operations. 3pp. 85820:320-85820:325.

9501259161 Geoplane Against Nuclear Energy request permission to enter & inspect.* Discusses presence of fresh & spent fuel at Georgia Tech Research Reactor.W/Certificate of Sec.Related Correspondence.
CARROLL,G. Geoplane Against Nuclear Energy. #198 17420. 95/01/11. Atomic Safety & Licensing Board Panel. 4pp. 85838:089-85838:092.

9501260172 Geoplane Against Nuclear Energy updated responses to NRC interrogatories & request for production of documents & responses to Georgia Tech Discovery requests.* Related Correspondence.
CARROLL,G. Geoplane Against Nuclear Energy. #198 17419. 95/01/11. Georgia Institute of Technology, Atlanta, GA. 35pp. 85838:111-85838:145.

P. Operating license stage documents & correspondence

9501220168 Responds to GANE request for Commission review of Agreement w/State of Georgia re Licensing of Georgia Tech.
HILL,T.E. Georgia, State of. 95/12/06. NRC - No Detailed Affiliation Given. 4p. 85812:288-85812:290.

Q. Inspection reports, IE Bulletins & correspondence

9501170237 Forwards partially withheld insp rept 50-160/95-05 on 951205-07.No violations or deviations noted.Rept details withheld (ref 10CFR2.790).
MCALPINE,E.J. Region 2 (Post 620201). 95/01/04. KARAMURA, Georgia Institute of Technology, Atlanta, GA. 3pp. 85812:100-85812:103.

-9501170242 Partially withheld insp rept 50-160/95-05 on 951205-07.No violations or deviations noted.Major areas inspected:reactor status,physical inventory determinations & activities associated w/MCSA program.Details withheld (ref 10CFR2.790).
PHAM,T.N. OWG,L.D. ROTH,J. Operations Branch. 95/01/04. 4p. 85812:103-85812:108.

9501220274 Forwards results of operator initial examination conducted at GA Institute of Technology on 951113-16 & 951213.
WEISS,S.H. . 95/01/17. KARAMURA, Georgia Institute of Technology, Atlanta, GA. 2pp. 85890:001-85890:053.

-9501240217 Exam rept 50-160/OL-95-01 on 951113-14,16 & 1213.Exam results:two of four candidates passed written exams & two candidates failed section B only.All six candidates passed operating tests.
MENDONCA,M.M. . 95/01/17. 51pp. 85890:003-85890:053.

K. Operator Examinations

9501220274 Forwards results of operator initial examination conducted at GA Institute of Technology on 951113-16 & 951213. Results withheld.
WEISS,S.H. . 95/01/17. KARAMURA, Georgia Institute of Technology, Atlanta, GA. 1p. 85845:006-85845:008.

9501220274 Forwards results of operator initial examination conducted at GA Institute of Technology on 951113-16 & 951213.
WEISS,S.H. . 95/01/17. KARAMURA, Georgia Institute of Technology, Atlanta, GA. 2pp. 85890:001-85890:053.

-9501240217 Exam rept 50-160/OL-95-01 on 951113-14,16 & 1213.Exam results:two of four candidates passed written exams & two candidates failed section B only.All six candidates passed operating tests.
MENDONCA,M.M. . 95/01/17. 51pp. 85890:003-85890:053.

DOCKET 50-703 GENERAL ATOMICS

F. Security, medical, emergency & fire protection plans

9501300281 Concludes that changes to GA Radiological Contingency Plan maintains compliance w/10CFR50,Appendix E.Determines that changes do not decrease effectiveness of approved plan.
ADAMS,A. . 95/01/23. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 3pp. 85812:264-85812:268.

I. Financial Information

9501180488 Submits response to request for addl info on review of financial statements for decommissioning assurance.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/12/28. ADAMS,A. . 2pp. 85817:356-85817:357.

P. Operating license stage documents & correspondence

9501180484 Withdraws attachment to 951216 (reproviding addl info on financial assurance documents).Licensee will submit revised attachment to more fully address questions re estimated total cost to decommission TRIKA reactors facility.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/12/21. ADAMS,A. . 1p. 85820:312-85820:312.

9501180433 Responds to 951216 RAI submital.Informing that licensee still required to provide info re method of providing funds for decommissioning per 10CFR50.75 requirement.Requests addl info & submital of revised info by 950119.
ADAMS,A. . 95/01/11. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 4pp. 85823:346-85823:351.

9501290486 Forwards nonproprietary & proprietary addl info on review of financial assurance documents.In response to NRC 951023 & 950111 RAI's.Proprietary addl info withheld per 10CFR2.790.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/01/22. ADAMS,A. . 11pp. 85837:128-85837:136.

DOCKET 50-170 ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE

P. Operating license stage documents & correspondence

9501160078 Forwards comments & questions re review of draft application format,contain guidance,review plan & acceptance criteria for non-power reactors.
MOORE,M.L. Defense, Dept. of. 95/12/07. . 2pp. 85823:359-85823:360.

9501170824 Responds to AFFRI comments dtd 951207 re Chapter 11 of draft "Format & Content for Applications for Licensing of NPPs" & "SRP & Acceptance Criteria for Applications for the Licensing of NPPs." Analysis of comments end.
ADAMS,A. . 95/01/09. MOORE,M.L. Armed Forces Radiobiological Research Institute. 4pp. 85790:357-85790:360.

9501300284 Responds to AFFRI comments dtd 940807 re Chapters 5 & 14 of draft "Format & Content for Applications for Licensing of NPPs" & "SRP & Acceptance Criteria for Applications for the Licensing of NPPs." Analysis of comments end.
ADAMS,A. . 95/01/25. MOORE,M.L. Armed Forces Radiobiological Research Institute. 16pp. 85935:275-85935:292.

950130127 Responds to AFFRI comments re Chapters 2,3,4,7,10,13 & 16 of draft "Format & Content for Applications for Licensing of NPPs" & "SRP & Acceptance Criteria for Applications for the Licensing of NPPs." Analysis of comments end.
ADAMS,A. . 95/01/28. MOORE,M.L. Armed Forces Radiobiological Research Institute. 12pp. 85938:111-85938:122.

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

P. Operating license stage documents & correspondence

9501050193 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD,D. . 95/01/04. Consolidated Edison Co. of New York, Inc. 9pp. 85827:272-85827:280.

9501190442 Suppl 7 to Generic Ltr 95-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD,D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 85855:011-85855:016.

Q. Inspection reports, IE Bulletins & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD,D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 85740:015-85740:023.

9512280129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD,D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 85758:049-85758:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD,D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 85758:041-85758:048.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 97725). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 85827:259-85827:271.

9501100558 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD,D. . 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 85828:109-85828:120.

9501180306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Detectors at Nuclear Power Plants."
CRUTCHFIELD,D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85955:001-85955:010.

9501280139 NRC Info Notice 95-007, "Slow Five Percent Scrut Inertion Times Caused by Vilon Diaphragms in Scrut Solenoid Pilot Valves."
CRUTCHFIELD,D. . 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 85955:017-85955:023.

V. Operator Examinations

9501040139 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing and exam schedule.
CRUTCHFIELD,D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 85778:001-85778:010.

14 DOCKETED ITEMS

DOCKET 80-188 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

F. Security, medical, emergency & fire protection plans

9601250295 Discusses 950628 request for extension of approval of route for transporting spent fuel from Univ. of Missouri Research Reactor to Savannah River Plant, SC, regulatory requirements of 10CFR73.37 Approval for route and. HUGHNEY, C.J. Office of Nuclear Material Safety & Safeguards. 85/12/16. HULTSCH, R.A. Missouri, Univ. of Columbia, MO. 3pp. 66838:232-66838:234.

9601250310 Forwards 951220 revs to emergency plan as required by NRC memo & orders CLI-95-01, CLI-95-06, CLI-95-11 & CLI-95-17. MEYER, W.A., MCKIBBEN, J.C. Missouri, Univ. of Columbia, MO. 95/12/20. 2pp. 66838:338-66838:342.

9601250312 Revs to emergency plan. Missouri, Univ. of Columbia, MO. 95/12/20. 13pp. 66838:340-66838:352.

9601250317 Forwards 951221 revs to emergency plan, changing Section 6.3, "First Aid & Medical Facilities," page 16 & Section 6.4, "Decontamination Facilities," page 17 to reflect shower facilities mandated by Americans w/Disabilities Act. MEYER, W.A., MCKIBBEN, J.C. Missouri, Univ. of Columbia, MO. 95/12/21. 1p. 66838:352-66838:355.

9601250330 Revs to emergency plan, Section 6.3, "First Aid & Medical Facilities," page 16, Section 6.4, "Decontamination Facilities," page 17 & Section 6.1, "Training," page 18. Missouri, Univ. of Columbia, MO. 95/12/21. 3pp. 66838:353-66838:355.

9601310017 Submits errors in & questions about 951215 spent fuel route approval. HULTSCH, R.A. Missouri, Univ. of Columbia, MO. 95/01/24. COOK, J. NRC - No Detailed Action Given. 2pp. 66838:063-66838:063.

G. Inspection reports, IE Bulletins & correspondence

9601250446 Forwards Insp rept 30-30162/85-04 & 30-166/95-04 on 951101-27. No violations noted. PEDERSON, C. Region 3 (Post 820201). 95/12/27. BROUDER, G. Missouri, Univ. of Columbia, MO. 3pp. 66838:036-66838:048.

9601250449 Insp rept 30-30162/85-04 & 30-166/95-04 on 951101-27. No violations noted. Major areas inspected: actions taken by licensee in response to CAL issued on 951008. MITCHELL, M.W., KOZAK, T.J. Region 3 (Post 820201). 95/12/27. 3pp. 66838:049-66838:052.

9601190356 Ack receipt of 951130 lt informing NRC of steps taken to correct violations noted in Insp rept 30-166/95-04 on 951102. BARGER, L.W. Region 3 (Post 820201). 95/01/05. RHYNE, J.J. Missouri, Univ. of Columbia, MO. 1p. 66838:360-66838:360.

DOCKET 80-193 RHODE ISLAND & PROVIDENCE PLANTATIONS AEC

F. Operating license stage documents & correspondence

9601190119 Provides answers to 950803 re concerning rev of Rhode Island Nuclear Science Ctr T5 to combine Radiation Safety Committee & Reactor Utilization Committee into single committee called Nuclear & Reactor Safety Committee. TEHANT, T. Rhode Island, State of. 95/01/12. MENDONCA, M. 11pp. 66838:351-66838:361.

DOCKET 80-204 SAN ONOFRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9601300493 Forwards Rev 16 to security force training & qualification plan. Rev withheld per 10CFR50.54(g)(2). KRIEGER, R.W. Southern California Edison Co. 95/12/21. Document Control Branch (Document Control Desk). 1p. 66730:231-66730:231.

9601300499 Withdrews Revs 45 & 47 to physical security plan. KRIEGER, R.W. Southern California Edison Co. 95/12/22. Document Control Branch (Document Control Desk). 1p. 66731:360-66731:360.

9601160279 Withdrews Rev 15 to safeguards contingency plan. Unit will re-submit 10CFR50.54(g)(2) change request to NRC to clarify changes proposed in Rev 16 to safeguards contingency plan. KRIEGER, R.W. Southern California Edison Co. 95/01/10. Document Control Branch (Document Control Desk). 1p. 66821:306-66821:306.

9601230185 Rev 1 to ERP 8023-VIN-0.100, "Maintenance & Control Of Emergency Planning Documents." W/960117 lt. MARSH, W.C. Southern California Edison Co. 95/01/17. 13pp. 66859:299-66859:311.

9601260375 Addendum 1 to SONGS emergency plan adding pages to current plan (revised) formerly omitted from Rev 6.1. BERNESFORD, C., GANACHOL, Southern California Edison Co. 95/01/23. 4pp. 66887:345-66887:348.

P. Operating license stage documents & correspondence

9601680193 Generic Ltr 95-01 to all holders of OLS or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 5pp. 66727:272-66727:280.

9601190026 Forwards SE re plant Unit 1 SFP liner integrity rep based on licensee 950310 submittal. Issue opened in NRC Insp rept 50-206/84-23 & closed in Insp rept 50-206/95-24. SCARANO, J.A. Region 4 (Post 820201). 95/01/11. RAY, H.B. Southern California Edison Co. 4pp. 66806:070-66806:075.

9601190039 Forwards SE which finds review of SONGS 1 spent fuel pool evaluation rep acceptable. HEFMAN, R.A. 95/10/25. WEISS, E.H. 1p. 66808:074-66808:074.

9601190038 Safety evaluation accepting mat used in spent fuel pool liner plate when in contact w/poor quality water. 95/10/25. 2pp. 66808:075-66808:078.

9601190442 Suppl 7 to Generic Ltr 89-10 to all holders of OLS (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve repositioning in PWRs. CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 66865:011-66865:016.

Q. Inspection reports, IE Bulletins & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 66740:015-66740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 95/01/08. Consolidated Edison Co. of New York, Inc. 13pp. 66758:048-66758:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 9pp. 66758:041-66758:049.

9601190335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOGL, A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 66827:252-66827:271.

9601190028 Forwards SE re plant Unit 1 SFP liner integrity rep based on licensee 950310 submittal. Issue opened in NRC Insp rept 50-206/84-23 & closed in Insp rept 50-206/95-24. SCARANO, J.A. Region 4 (Post 820201). 95/01/11. RAY, H.B. Southern California Edison Co. 4pp. 66806:070-66806:075.

9601190058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 95/01/16. Consolidated Edison Co. of New York, Inc. 9pp. 66829:109-66829:120.

9601190396 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. 95/01/23. Consolidated Edison Co. of New York, Inc. 10pp. 66865:001-66865:010.

9601260139 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused By Vibration Disruptions in Scram Solenoid Pilot Valves." CRUTCHFIELD, D. 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 66868:017-66868:023.

V. Operator Examinations

9601040138 NRC Administrative Ltr 86-01 to all holders of OLS or CPs for nuclear power reactors re operator licensing test exam schedule. CRUTCHFIELD, D. 95/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 66778:304-66778:310.

DOCKET 80-213 HADDAM NECK PLANT

F. Security, medical, emergency & fire protection plans

9601190210 Revised ERPs including rev 19 to EPIP 1.5-21, rev 1 to EPIP 1.5-21B, rev 1 to EPIP 1.5-37D & rev 2 to EPIP 1.5-58. Connecticut Yankee Atomic Power Co. 95/12/29. 73pp. 66778:122-66778:194.

9601230237 Revised ERPs including Rev 29 to EPIP 1.5-1, "Emergency Assessment Using EAL Tables" & Rev 1 to EPIP 1.5-37G, "Protective Action Recommendations." Connecticut Yankee Atomic Power Co. 95/01/15. 39pp. 66868:001-66868:042.

H. General correspondence

9601250235 Notice of establishment of new Chief Nuclear Officer & functional organization, effective 960201. BUSCH, R.E. Connecticut Yankee Atomic Power Co. BUSCH, R.E. North Atlantic Energy Service Corp. NAESECO, BUSCH, R.E. Northeast Nuclear Energy Co. 95/01/17. Document Control Branch (Document Control Desk). 4pp. 66861:281-66861:284.

P. Operating license stage documents & correspondence

9601030004 Application for amend to license DFR-01, extending instrumentation surveillance from 18 month fuel cycle to 24 month fuel cycle. DACRMO, J.F. Northeast Nuclear Energy Co. 95/12/20. Document Control Branch (Document Control Desk). 6pp. 66869:001-66869:065.

9601030005 Proposed tech spec, extending instrumentation surveillance from 18 month fuel cycle to 24 month fuel cycle. Northeast Nuclear Energy Co. 95/12/20. 17pp. 66869:006-66869:185.

9601188188 Informing NRC that CYAPO & NNECO plan to submit response to NRC 961211 RAI re GL 85-03, "Circumferential Cracking of SG Tubes" on or before 960215.
DEBARBA, E.A., Connecticut Yankee Atomic Power Co. DEBARBA, E.A., Northeast Nuclear Energy Co. DEBARBA, E.A., Northeast Utilities Service Co. 96/01/02. Document Control Branch (Document Control Desk). 2pp. 66778:331-66778:332.

96011850183 Generic Ltr 85-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 66627:272-66627:280.

9601230418 Forwards EA & FONS re 960331 application for amend to delete TS Sections 1.3.8 & 1.3.9, revise TS Section 3/4.9.3 & 3/4.9.14, replace TS Sections 5.6.1.1 & 5.6.3 & add new TS Section 3/4.9.15.
WANG, A.B. 96/01/11. BUSCH, R.E. Northeast Utilities Service Co. 3pp. 66628:236-66628:244.

9601230490 Environ assessment & finding of no significant impact re proposed amend revising Haddam Neck TS.
MCKEE, P. 96/01/11. 5pp. 66629:240-66629:244.

9601230601 Application for amend to license DPR-61, revising action statement of LCO 3.7.12 to permit plant to remain in Modes 1,2,3 or 4 w/average water temp of ultimate heat sink greater than 90 F (but not greater than 95 F) for 12 h.
DACHMO, F.R. Connecticut Yankee Atomic Power Co. DACHMO, F.R. Northeast Utilities Service Co. 96/01/12. Document Control Branch (Document Control Desk). 24pp. 66632:336-66632:359.

9601230683 Proposed tech spec action statement of LCO 3.7.12, permitting plant to remain in Modes 1,2,3 or 4 w/average water temp of ultimate heat sink greater than 90 F (but not greater than 95 F) for 12 h.
Connecticut Yankee Atomic Power Co. 96/01/12. 10pp. 66632:350-66632:359.

9601230182 Forwards request for add info re USI A-48 at plant.
WANG, A.B. 96/01/17. BUSCH, R.E. Northeast Utilities Service Co. 7pp. 66631:290-66631:296.

9601230672 Forwards amend 167 to license DPR-61 & safety evaluation. Amend revises plant TS to provide one-time exception to TS 3.9.12, "Fuel Bldg Storage Air Cleaners Sys," to allow sys to be inoperable for limited duration.
WANG, A.B. 96/01/17. BUSCH, R.E. Northeast Utilities Service Co. 4pp. 66637:159-66637:162.

9601230683 Amend 167 to license DPR-61, revising plant TS to provide one-time exception to TS 3.9.12, "Fuel Bldg Storage Air Cleaners Sys," to allow sys to be inoperable for limited duration.
MCKEE, P. 96/01/17. 4pp. 66637:163-66637:166.

9601230684 Safety evaluation supporting amend 167 to license DPR-61.
96/01/17. 3pp. 66637:167-66637:169.

9601230675 Forwards amend 168 to license DPR-61 & safety evaluation. Amend revises TS to delete TS Sections 1.3.8 & 1.3.9, revise TS Sections 3/4.9.3 & 3/4.9.14, replace TS Sections 5.6.1.1 & 5.6.3 & add TS Section 3/4.9.15.
WANG, A.B. 96/01/22. BUSCH, R.E. Northeast Utilities Service Co. 4pp. 66632:267-66632:309.

9601230689 Amend 168 to license DPR-61, revising TS to delete sections 1.3.8 & 1.3.9, revise TSs 3/4.9.3 & 3/4.9.14, replacing TSs 5.6.1.1 & 5.6.3 & adding TS 07 4.9.15.
HERMAN, R.W. 96/01/22. 20pp. 66632:271-66632:290.

9601230682 Safety evaluation supporting amend 168 to license DPR-61.
96/01/22. 19pp. 66632:291-66632:309.

9601180442 Suppl 7 to Generic Ltr 85-10 to all holders of OIs (except licensees amend-aid to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 66655:011-66655:016.

Q. Inspection reports, IE Bulletins & correspondence

9612270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 6pp. 66740:315-66740:323.

9612290128 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indicators During Testing."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 12pp. 66752:340-66752:361.

9612290298 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 6pp. 66756:041-66756:048.

9601180338 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870725). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 66827:259-66827:271.

9601180424 Grants relief from inservice requirements at plant as requested. Requests plant continue maximizing examination coverage w/proven state-of-the-art volumetric examination techniques & equipment. LSE end.
MCKEE, P. 96/01/11. BUSCH, R.E. Northeast Utilities Service Co. 4pp. 66808:235-66808:245.

9601180431 SER re request for relief from inservice inspection requirements.
96/01/11. 7pp. 66808:236-66808:243.

9601230148 Provides response to violations noted in Insp Rept 60-219/85-25. Corrective actions: supervising control operator counseled in accordance w/ul disciplinary action policy.
DACHMO, F.R. Connecticut Yankee Atomic Power Co. DACHMO, F.R. Northeast Nuclear Energy Co. DACHMO, F.R. Northeast Utilities Service Co. 96/01/17. Document Control Branch (Document Control Desk). 5pp. 66898:333-66898:337.

9601110456 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Residual Vessel."
CRUTCHFIELD, D. 96/01/15. Consolidated Edison Co. of New York, Inc. 6pp. 66899:109-66899:120.

9601230351 Ack receipt of 960117 tr informing NRC of steps taken to correct violations noted in Insp Rept 60-219/85-25.
ROGGE, J.F. Region 1 (Post 820201). 96/01/23. BUSCH, R.E. Northeast Utilities Service Co. 2pp. 66898:333-66898:339.

9601230388 Responds to NRC 961212 tr re violations noted in Insp Rept 60-219/85-25 on 961035-1120. Corrective actions: reposition of valve SW-V-281.
DACHMO, F.R. Northeast Utilities Service Co. 96/01/17. Document Control Branch (Document Control Desk). 5pp. 66898:335-66898:339.

9601180306 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plant."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 66895:001-66895:010.

9601230139 NRC Info Notice 96-007, "Slow Five Percent Steam Isolation Times Caused By Vibration Disruptions in Steam Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 66895:017-66895:023.

R. Periodic operating reports & related correspondence

9601230016 Monthly operating rpt for Dec 1995 for Connecticut Yankee Haddam Neck Plant. W/960116 tr.
BRACHS, K.W. DACHMO, F.R. Connecticut Yankee Atomic Power Co. 96/12/31. 7pp. 66851:319-66851:325.

S. Reportable occurrences, LERs & related correspondence

9601220210 LER 95-022-000n 951215, identified potential that LPSI flow may be less than assumed design basis flow due to inaccurate resistance calculations. Immediate operability assessment performed. W/960116 tr.
FORREST, W.M. DACHMO, F.R. Connecticut Yankee Atomic Power Co. 96/01/15. 11pp. 66855:001-66855:012.

9601230026 LER 95-021-000n 951019, SW to fire water sys causes 6a valve was opened. Caused by personnel error. Counseled operator involved. W/960117 tr.
YOUNG, J.L. DACHMO, F.R. Connecticut Yankee Atomic Power Co. 96/01/17. 7pp. 66857:252-66857:258.

9601300182 LER 94-018-01:0n 940711, unusual RT initiated due to RCP motor oil leak. Caused by cracked PVC coupling on line leading from #3 RCP motor upper bearing oil reservoir to lift oil pump. Redesigning coupling & shimming supports. W/960124 tr.
CONNOLLY, M. DACHMO, F.R. Connecticut Yankee Atomic Power Co. 96/01/24. 10pp. 66847:226-66847:235.

9601300169 LER 95-023-000n 951229, determined that special rpt should have been issued due to changing injection flow which occurred after manual activation of SI sys during manual RT on 950727. Special rpt will be submitted. W/960124 tr.
YOUNG, J.L. DACHMO, F.R. Connecticut Yankee Atomic Power Co. 96/01/24. 5pp. 66847:349-66847:353.

V. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 66776:001-66776:010.

9601230146 Provides response to violations noted in Insp Rept 60-219/85-25. Corrective actions: supervising control operator counseled in accordance w/ul disciplinary action policy.
DACHMO, F.R. Connecticut Yankee Atomic Power Co. DACHMO, F.R. Northeast Nuclear Energy Co. DACHMO, F.R. Northeast Utilities Service Co. 96/01/17. Document Control Branch (Document Control Desk). 5pp. 66898:333-66898:337.

DOCKET 60-219 OYSTER CREEK NUCLEAR POWER PLANT

A. Security, nuclear, emergency & fire protection plans

960110225 Forwards Insp Rept 60-219/85-20 on 951101-02 & notice of violation. Violation involved procedural adherence.
KEBAG, R. Region 1 (Post 820201). 95/12/27. BARTON, J.L. General Public Utilities Corp. - GPU Service Corp. 3pp. 66760:080-66760:085.

9601110252 Notice of violation from Insp on 951101-02. Violation noted: found surveillance checks which had been completed w/o denoting number of items present as required by Procedure Step 8.3.2.3.
Region 1 (Post 820201). 96/12/27. 3pp. 66760:083-66760:084.

9601110255 Insp Rept 60-219/85-20 on 951101-02. Violations noted: Major areas inspected: abnormal, inc. participation emergency preparedness.
ECKER, L. KEBAG, R. Region 1 (Post 820201). 95/12/29. 11pp. 66760:085-66760:088.

16 DOCKETED ITEMS

860110295 Forwards "Oyster Creek IPE for External Events," in response to GL 86-20, Suppl 4, including Level 1 seismic PRA w/ evaluation of containment performance & fire analysis which utilizes std PRA techniques.
KEATON, R.W. General Public Utilities Corp. - GPU Service Corp. 95/12/29. Document Control Branch (Document Control Desk). 2pp. 86777:001-86778:128.

8601230324 Forwards detailed request for exemption from requirements of 10CFR50, App R, Section 11G & Rev 0 to Rept 102, "Oyster Creek Evaluation of Thermo-Lag Fire Barriers."
BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 95/12/29. Document Control Branch (Document Control Desk). 3pp. 86910:094-86910:285.

8601230325 "Oyster Creek Evaluation of Thermo-Lag Fire Barriers." W/ three overhead drawings.
BARBER, R.F. General Public Utilities Corp. - GPU Service Corp. 95/12/13. 257pp. 86910:130-86910:286.

8601300125 Rev 10 to 1000-PLN-1300.01, "GPU Emergency Plan for TMI & Oyster Creek Nuclear Station."
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 1000-PLN-1300.01 Rev. 95/01/04. 211pp. 86943:001-86943:211.

860109153 Forwards revised EPIPs including Rev 15 to EPIP-OC-06, Rev 14 to EPIP-OC-26 & informs that in st 951119 submitted EPIP-OC-27 incorrectly noted as Rev 9 instead of Rev 5 as noted in index & procedure.
ROCHE, M.B. General Public Utilities Corp. - GPU Service Corp. 96/01/12. Document Control Branch (Document Control Desk). 1p. 86824:155-86824:268.

8601158158 Revised EPIPs including Rev 15 to EPIP-OC-06, "Add Assistance & Notification" & Rev 14 to EPIP-OC-26, "TSC."
BLOUNT, T. General Public Utilities Corp. - GPU Service Corp. 96/01/11. 81pp. 86824:166-86824:268.

8601220353 Forwards Rev D to EPIP-OC-01, "Classification of Emergency Conditions," reflecting revs to EALs. Advises that NJ Dir of Emergency Mgt reviewed EALs & finds no issues w/ proposed EALs.
ROCHE, M.B. General Public Utilities Corp. - GPU Service Corp. 96/01/12. Document Control Branch (Document Control Desk). 4pp. 86834:209-86834:276.

8601220369 Rev D to EPIP-OC-01, "Classification of Emergency Conditions."
HAYS, R. General Public Utilities Corp. - GPU Service Corp. 96/01/30. 64pp. 86834:213-86834:276.

8601310338 Forwards response to NRC 851114 ltr re violation noted in insp rpt 50-219/85-20. Corrective actions mgt expectations reiterated to EP staff re procedure compliance & EP staff held discussions w/ facility coordinator re EP expectations.
ROCHE, M.B. General Public Utilities Corp. - GPU Service Corp. 96/01/26. Document Control Branch (Document Control Desk). 5pp. 86851:276-86851:280.

G. Adjudicatory correspondence

8601250217 Provides update on status of Section 2.208 petition dtd 950918 & staff "Task Action Plan for Spent Fuel Storage Pool Safety."
DROMERICK, A.W. 96/01/24. GURTER, P. Nuclear Information & Resource Service. 8pp. 86873:295-86873:292.

F. Operating license stage documents & correspondence

860110295 Forwards "Oyster Creek IPE for External Events," in response to GL 86-20, Suppl 4, including Level 1 seismic PRA w/ evaluation of containment performance & fire analysis which utilizes std PRA techniques.
KEATON, R.W. General Public Utilities Corp. - GPU Service Corp. 95/12/29. Document Control Branch (Document Control Desk). 2pp. 86777:001-86778:128.

8601110288 "Oyster Creek IPE for External Events."
CANAVAN, K., LANESE, L.C., BOND, G.R. General Public Utilities Corp. - GPU Service Corp. 96/12/01. 498pp. 86777:003-86778:128.

8601230324 Forwards detailed request for exemption from requirements of 10CFR50, App R, Section 11G & Rev 0 to Rept 102, "Oyster Creek Evaluation of Thermo-Lag Fire Barriers."
BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 95/12/29. Document Control Branch (Document Control Desk). 3pp. 86910:094-86910:285.

8601230325 "Oyster Creek Evaluation of Thermo-Lag Fire Barriers." W/ three overhead drawings.
BARBER, R.F. General Public Utilities Corp. - GPU Service Corp. 95/12/13. 257pp. 86910:130-86910:286.

860110184 Submits review of update to integrated schedule dtd 851213, revised 851220 & informs that projects in Category AEC are acceptable & in compliance w/ Long Range Planning Program.
DROMERICK, A.W. 96/01/03. LONG, R.L. General Public Utilities Corp. - GPU Service Corp. 4pp. 86768:217-86768:220.

8601190337 Informs that NJ Dept of Environ Protection Bureau of Nuclear Engineering reviewed all 851205 submittal of TS Change Request 231 re annual exposure data rpt data rev & has no comments.
TOSCH, K. New Jersey, State of. 96/01/09. Document Control Branch (Document Control Desk). 2pp. 86831:356-86831:359.

8601080183 Generic Ltr 96-01 to all holders of CLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

8601290064 First partial response to FOIA request for documents. Records in App A & B & releasable portions of App C and 5 available in PDF. App C records partially withheld (re: FOIA Exemption 6).
POOL, M.J. Division of Freedom of Information & Publications Services (Post 940714). 96/01/11. DEKOR, D. Affiliation Not Assigned. 9pp. 86886:008-86886:265.

8601290124 Top rpt of 750429 visit to Oyster Creek to delay action required by Final Environ Statement in removing untreated wood until after coming season.
BORES, R.J. Region I, IE (720101-810228). 76/05/28. Region I, IE (720101-810228). 16pp. 86886:208-86886:203.

8601290164 Forwards "Blue Sheet" number 78 dtd 750104 & endurance memo dtd 750426.
O'REILLY, J.P. Region I, IE (720101-810228). 76/03/16. DREHER, F.A. Region II, IE (720101-810228). 4pp. 86886:204-86886:207.

8601290170 Document findings of review of licensee environ monitoring program.
GALLIAC, O. Region I, IE (720101-810228). 73/04/28. STCHER, L.P. Region I, IE (720101-810228). 68pp. 86886:208-86886:265.

8601290252 Requests add info re 950811 proposal to reduce sampling of weld population in RWCU sys outside second isolation valve. Requests info within 30 days.
DROMERICK, A.W. 96/01/22. ROCHE, M.B. General Public Utilities Corp. - GPU Service Corp. 4pp. 86856:134-86856:137.

8601190442 Suppl 7 to Generic Ltr 89-10 to all holders of CLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve repositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86905:011-86905:016.

8601310894 Notification of 860124 meeting w/ all in Forked River, NJ to discuss licensing activities for Oyster Creek.
DROMERICK, A.W. 96/01/24. STOLZ, J.F. 4pp. 86941:189-86941:202.

G. Inspection reports, IE Bulletins & correspondence

860110235 Forwards insp rpt 50-219/85-20 on 951101-02 & notice of violation. Violation involved procedural adherence.
KEATON, R.W. Region 1 (Post 820201). 95/12/27. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 86760:030-86760:036.

860110252 Notice of violation from insp on 951101-02. Violation noted: found surveillance checklists which had been completed w/o denoting number of items present as required by Procedure Step 5.3.2.3.
Region 1 (Post 820201). 95/12/27. 2pp. 86760:053-86760:054.

860110255 (insp rpt 50-219/85-20 on 951101-02. Violations noted: Major areas inspected: 1. K/L participation emergency preparedness.
ECKERT, L., KEIMIG, R. Region 1 (Post 820201). 96/12/20. 11pp. 86760:065-86760:065.

8612270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:023.

9512290129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

9512290399 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/06. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:046.

9601040335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

860110058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/16. Consolidated Edison Co. of New York, Inc. 9pp. 86828:109-86828:120.

8601190366 NRC Info Notice 96-006, "Design & Testing Deficiencies of Torus-to-Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86905:001-86905:010.

8601268189 NRC Info Notice 96-007, "Slow Five Percent Scrub Insetion Times Caused by Vibration Disrupts in Scrub Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86905:017-86905:023.

8601310238 Forwards response to NRC 851114 ltr re violation noted in insp rpt 50-219/85-20. Corrective actions mgt expectations reiterated to EP staff re procedure compliance & EP staff held discussions w/ facility coordinator re EP expectations.
ROCHE, M.B. General Public Utilities Corp. - GPU Service Corp. 96/01/26. Document Control Branch (Document Control Desk). 5pp. 86851:276-86851:280.

H. Periodic operating reports & related correspondence

8601020293 Monthly operating rpt for Nov 1995 for Oyster Creek Nuclear Generating Station. W/ 951215 ltr.
EDELMAAN, P.G., ROCHE, M.B. General Public Utilities Corp. - GPU Service Corp. 95/11/30. 7pp. 86884:355-86884:361.

8601290059 Monthly operating rpt for Dec 1995 for Oyster Creek Nuclear Generating Station. W/ 960115 ltr.
EDELMAAN, P.G., ROCHE, M.B. General Public Utilities Corp. - GPU Service Corp. 96/12/31. 7pp. 86909:067-86909:069.

8601310243 "Oyster Creek Nuclear Generating Station Fish Kill Monitoring Rpt for Dec 1995." W/ 960113 ltr.
ROCHE, M.B. General Public Utilities Corp. - GPU Service Corp. 95/12/31. JANG, J. Region 1 (Post 820201). 20pp. 86901:208-86901:228.

S. Reportable occurrences, LERs & related correspondence

9501230218 LER 95-008-00 on 951218 reactor screen occurred on high RPV pressure due to main generator subleak. Repaired faulty temp control valve. NY 950115 tr. CRUTCHFIELD, D. 95/01/16. Consolidated Edison Co. of New York, Inc. 8pp. 88828:109-88828:120.

V. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam schedule. CRUTCHFIELD, D. 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 88776:001-88776:010.

9501230056 Informal that reactor & senior operator initial exams scheduled for week of 950429. MEYER, G.W. Region 1 (Post 820201). 95/01/16. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 88827:097-88827:098.

9501230056 Requests of mail normally provided for operator license exams, be provided for an isolation condenser tube failure event w/o fuel failure. CRUTCHFIELD, D. 95/01/23. ROCHER, M.B. General Public Utilities Corp. - GPU Service Corp. 4pp. 88807:155-88807:156.

DOCKET 95-229 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9501190438 Response to 950221 tr re issue 4 Rev 2 to Nine Mile Point Station physical security plan. Changes determined to be consistent w/10CFR 50.54(p) & acceptable. KEMIS, R.A. Region 1 (Post 820201). 95/12/12. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 88830:357-88830:358.

9501120228 Revised EPIPs including Rev 2 to EPIP-EPP-08 Rev 1 to EPIP-EPP-08 Rev 3 to EPIP-EPP-25 & Rev 3 to Emergency Plan Maint Procedure EPIP-EPP-02 W/ 951221 tr. JONES, J.D., RADEMACHER, N.L., MCCORMACK, M.J. Niagara Mohawk Power Corp. 95/12/21. 12pp. 88779:001-88779:128.

9501220351 Discusses results & conclusions of Operational Safeguards Response Evaluation conducted at by NRC at facility from 951023-25. CURRINGHAM, L.J. 95/12/29. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 88828:232-88828:234.

F. Operating license stage documents & correspondence

9501190342 Notification of 950104 meeting w/Niagara Mohawk Power Corp in Rochester, NY to discuss all plans for licensing actions. EDISON, G.E. 95/12/26. MARSH, L.B. 3pp. 88705:104-88705:107.

9501050193 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 88827:272-88827:280.

9501260183 Informal that scope of work associated w/GL 88-14, successfully completed. Guidance provided in GL 88-14 & associated industry documents will continue to be used, considering further enhancements to sys. TERRY, C.O. Niagara Mohawk Power Corp. 95/01/16. Document Control Branch (Document Control Desk). 2pp. 88888:338-88888:339.

9501300029 Forwards amend 158 to license DPR-63 & SEAmend revises TS 3.4.1 & associated bases section. EDISON, G.E. 95/01/22. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 88812:245-88812:258.

9501300040 Amend 168 to license DPR-63, revising TS 3.4.1 "Leakage Rate" & associated bases section. MARSH, L.B. 95/01/22. 5pp. 88812:252-88812:258.

9501300045 Safety evaluation supporting amend 158 to license DPR-63. 95/01/22. 8pp. 88812:257-88812:259.

9501190442 Suppl 7 to Generic Ltr 95-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors in consideration of value mispositioning in PWRs. CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 88855:011-88855:015.

Q. Inspection reports, IS Bulletins & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD, D. 95/01/09. Consolidated Edison Co. of New York, Inc. 8pp. 88740:015-88740:023.

9512280129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 88758:049-88758:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 6pp. 88758:041-88758:048.

9501040535 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870229). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 88827:259-88827:271.

9501150636 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 95/01/16. Consolidated Edison Co. of New York, Inc. 8pp. 88828:109-88828:120.

9501190388 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers of Nuclear Power Plants." CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 88805:001-88805:010.

9501260189 NRC Info Notice 95-007, "Slow Five Percent Scraper Insertion Times Caused By Viton Diaphragms in Scraper Solenoid Pilot Valves." CRUTCHFIELD, D. 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 88805:017-88805:023.

R. Periodic operating reports & related correspondence

9501230179 Monthly operating report for Dec 1995 for Nine Mile Point Nuclear Station Unit 1. W/950115 tr. COLEMAN, D.E., RADEMACHER, N.L. Niagara Mohawk Power Corp. 95/12/31. 5pp. 88848:226-88848:230.

S. Reportable occurrences, LERs & related correspondence

9501170255 LER 94-003-01 on 940406 missed Tech Spec surveillance discovered. Caused by inadequate management. Correcting preventive maint surveillance test database. W/950109 tr. ALDRICH, J.C., RADEMACHER, N.L. Niagara Mohawk Power Corp. 95/01/09. 7pp. 88810:088-88810:092.

9501260145 Special report 950104, #12 Containment H & O Monitors declared inoperable due to air leakage through failed pump diaphragm. Replaced original diaphragm w/new vendor recommended Nordel/Normex diaphragms. RADEMACHER, N.L. Niagara Mohawk Power Corp. 95/01/28. Document Control Branch (Document Control Desk). 2pp. 88888:331-88888:332.

V. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam schedule. CRUTCHFIELD, D. 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 88776:001-88776:010.

DOCKET 95-223 UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR

V. Operator Examinations

9501190140 Informal that written & operating exams scheduled for week of 950422 & requests that dated reference need be furnished 60 days prior to exam. DOYLE, P. 95/01/04. KEGEL, G. Massachusetts, Univ. of Lowell, MA (formerly Lowell Univ. of). 10pp. 88776:208-88776:217.

DOCKET 95-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9501160211 Revised CEPIPs including CEPIP-3000 series table of contents. Rev 13 to CEPIP 3001-01, Rev 8 to CEPIP-3009-01, Rev 5 to CEPIP 3004-01, Rev 6 to CEPIP 3006-01, Rev 11 to CEPIP 3101-01 & Rev 7 to CEPIP 3151-01. * Commonwealth Edison Co. 95/12/06. 48pp. 88776:248-88776:293.

9501240022 Revised Corporate EPIPs (CEPIPs) including Rev 3 to CEPIP-2011-01, Rev 1 to CEPIP-2021-05, Rev 1 to CEPIP-2021-04, Rev 1 to CEPIP-2411-01 & Rev 2 to CEPIP-2413-01. STORAUGH, D.W. Commonwealth Edison Co. 95/12/07. 94pp. 88882:265-88882:298.

9501200167 Rev 6h to "Generating Stations Emergency Plan (GSEP) Site Annex Dresden Nuclear Power Station." * Commonwealth Edison Co. 95/12/16. 148pp. 88895:205-88895:348.

9501230295 Corrected Section 5 to Rev 6h to Generating Station Emergency Plan. * Commonwealth Edison Co. 95/12/31. 90pp. 88845:224-88845:313.

9501160319 Forwards EA & FONSi re 951120 application for exemption allowing use of hand geometry biometric sys to control unescorted access into protected areas of Dresden station in conjunction w/photograph identification badges. STANG, J.F. 95/01/09. FARRAR, D.L. Commonwealth Edison Co. 2pp. 88740:309-88740:316.

9501050334 Environ assessment & finding of no significant impact re allowing use of hand geometry biometric sys to control unescorted access into protected areas of Dresden Station in conjunction w/photograph identification badges. DICK, G.F. 95/01/09. 8pp. 88740:311-88740:316.

9501190402 Forwards exemption from certain requirements of 10CFR73.55, requirements for physical protection of licensed activities in nuclear power reactors against radiological sabotage. STANG, J.F. 95/01/09. FARRAR, D.L. Commonwealth Edison Co. 2pp. 88810:261-88810:267.

9501190457 Exemption from certain requirements of 10CFR73.55 re issuance, storage & retrieval of picture badges for individuals who have been granted unescorted access into protected areas of Dresden Station. ADENSALE, E.G. 95/01/09. Commonwealth Edison Co. 5pp. 88870:263-88870:267.

18 DOCKETED ITEMS

9501290244 Advises that rev 5H to Dresden Nuclear Stations Annex to Generating Stations Emergency Plan acceptable & does not decrease effectiveness of emergency planning.
CREED, J.R. Region 3 (Post 820201). 95/01/22. PERRY, J.S. Commonwealth Edison Co. 2pp. 8554:261-8554:262.

9501290331 Submits review of proposed revs to EALs & technical bases for Braidwood, Byron, Dresden, LaSalle, Quad Cities & Zion NPPs, concluding that proposed changes acceptable & do not decrease effectiveness of licensee emergency planning.
CREED, J.R. Region 3 (Post 820201). 95/01/23. FARRAR, D.L. Commonwealth Edison Co. 3pp. 8585:320-8585:322.

P. Operating license status documents & correspondence

9501940180 Forwards amends 148, 140, 185 & 164 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively & safety evaluation. Amends upgrade plants TS to STS contained in NUREG-0123, per 830917 application for amend.
STANG, J.F. 95/12/27. FARRAR, D.L. Commonwealth Edison Co. 3pp. 86730:100-86730:168.

9501040175 Amends 148, 140, 185 & 164 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, reflecting TS upgrade to STS contained in NUREG-0123, per 830917 application.
STANG, J.F. 95/12/27. 3pp. 86730:103-86730:138.

9501040283 Safety evaluation supporting amends 148, 140, 185 & 164 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
STANG, J.F. 95/12/27. 3pp. 86730:139-86730:168.

9501830353 Forwards amends 147 & 141 to licenses DPR-19 & DPR-25, respectively & SE. Amends re partial implementation of request did 851114 & change only implementation date of previous TS Upgrade Program issued for util.
STANG, J.F. 95/12/29. FARRAR, D.L. Commonwealth Edison Co. 3pp. 86705:095-86705:109.

9501030345 Amends 147 & 141 to licenses DPR-19 & DPR-25, respectively, re partial implementation of request did 851114 & change only implementation date of previous TS Upgrade Program issued for util.
STANG, J.F. 95/12/29. 4pp. 86705:096-86705:101.

9501030349 Safety evaluation supporting amends 147 & 141 to licenses DPR-19 & DPR-25, respectively.
STANG, J.F. 95/12/29. 2pp. 86705:102-86705:109.

9501050168 Requests that for each site, 951114 amend request to Option B to 10CFR50, App J be effective upon issuance to be implemented no later than 850630.
PIET, P.L. Commonwealth Edison Co. 95/01/04. Document Control Branch (Document Control Desk). 1p. 86775:333-86775:333.

9501050193 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

9501050278 Forwards amends 148, 142, 169 & 165 to licenses DPR-19, DPR-25, DPR-29 & DPR-30 & safety evaluation. Amends revise TS to incorporate 10CFR50, App J, "Primary Reactor Containment Leakage Testing for Water Cooled Power Reactors," Option B.
STANG, J.F. 95/01/11. FARRAR, D.L. Commonwealth Edison Co. 3pp. 86824:060-86824:135.

9501050289 Amends 148 & 142 to licenses DPR-19 & DPR-25, respectively, revising TS to incorporate 10CFR50, App J, "Primary Reactor Containment Leakage Testing for Water Cooled Power Reactors," Option B.
STANG, J.F. 95/01/11. 3pp. 86824:063-86824:098.

9501050308 Safety evaluation supporting amends 148, 142, 169 & 165 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
STANG, J.F. 95/01/11. 4pp. 86824:099-86824:102.

9501050318 Amends 169 & 165 to licenses DPR-29 & DPR-30, respectively, revising TS to incorporate 10CFR50, App J, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors," Option B.
PULSIFER, R.M. 95/01/11. 3pp. 86824:103-86824:138.

9501050329 Submits plant specific EOCs evaluation changes, 30-day 10CFR50.48 retesting Dresden Units 2 & 3 LOCA model change summary.
RYBACE, Commonwealth Edison Co. 95/01/12. 6pp. 86822:056-86822:061.

9501230318 Forwards BAWI-2255 & BAWI-2256, providing electroslag weld initial re-lamp-on quality transition, USE & chemistry properties of electroslag welds for Dresden Units 2 & 3 & Quad Cities Units 1 & 2, per GL 92-01, Rev 1, Suppl 1.
SADCOMANDO, D.M. Commonwealth Edison Co. 95/01/17. Document Control Branch (Document Control Desk). 3pp. 86845:328-86845:329.

9501230319 "Evaluation of RTNDET, USE & Chemical Composition of Core Region Electroslag Welds for Dresden Units 2 & 3."
CAMPEL, C.A. Babcock & Wilcox Co. BAWI-2255. 95/01/16. 4pp. 86845:331-86845:360.

9501230321 "Evaluation of RTNDET, USE & Chemical Composition of Core Region Electroslag Welds for Quad Cities Units 1 & 2."
CAMPEL, C.A. Babcock & Wilcox Co. BAWI-2256. 95/01/15. 4pp. 86845:361-86845:390.

9501190442 Suppl 7 to Generic Ltr 89-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve repositioning in PWRs.
CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 9pp. 86965:011-86965:016.

9501290468 Requests answers to questions listed in end & other records & info on operator's FFD relevant to SRO testing positive for marijuana following physical exam taken on 950119 & reported by util on 950122.
GRANT, G.E. Region 3 (Post 820201). 95/01/24. PERRY, J.S. Commonwealth Edison Co. 3pp. 86937:323-86937:325.

Q. Inspection reports, IE Bulletins & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:023.

9501180182 Responds to NRC 951205 re re violations noted in insp rept 95-237/95-11 & 95-248/95-11. Corrective actions: HP Dept personnel dispatched to evaluate shipment. Recategorize HP Dept Shipping activities assigned to technical HP group.
PERRY, J.S. Commonwealth Edison Co. 95/01/04. LIEBERMAN, J. Dir of Enforcement (Post 870413). 6pp. 86821:282-86821:287.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:340-86758:361.

9512290259 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 5pp. 86758:341-86758:346.

9501180397 Informs that sufficient info provided by licensee to support that piping down stream of second containment isolation valve can be classified as non-safety-related & piping not classified for ISI purposes & not subj to testing.
STANG, J.F. 95/01/05. FARRAR, D.L. Commonwealth Edison Co. 3pp. 86775:232-86775:234.

9501840325 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, J.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:250-86827:271.

9501100458 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86826:109-86826:120.

9501050306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Turbine Driven at Nuclear Power Plants."
CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86965:001-86965:010.

9501290139 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused by Vilon Disphagma in Sorrel Solenoid Pilot Valves."
CRUTCHFIELD, D. 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86965:017-86965:023.

R. Periodic operating reports & related correspondence

9501170141 Monthly operating repts for Dec 1995 for Dresden Nuclear Power Station, W/9501121r.
CARROLLEW, HOLLAND, P.G. Commonwealth Edison Co. 95/12/31. 21pp. 85784:001-85784:021.

9501100123 "1995 Rept of Changes, Tests & Experiments Per 10CFR50.59 for Dresden Nuclear Power Station." W/9501121r.
HOLLAND, P.G. Commonwealth Edison Co. 95/12/31. 200pp. 85828:059-85828:278.

S. Reportable occurrences, LERs & related correspondence

9501050297 Final response to FOIA request for documents. App A documents end & also placed in PDR.
POMELLER, Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. KURTZ, E. 2pp. 86758:106-86758:154.

9501050247 Package consisting of event repts for 940413-17 for Grid plants & Region 1 morning repts for 940413-16.
NRC - No Detailed Affiliation Given. 95/12/21. 47pp. 86758:108-86758:164.

9501050217 Forwards LER-021-00. Engineering will revise procedure DAP 14-15 as necessary to address parameters that could affect core thermal power calculation.
HOLLAND, P.G. Commonwealth Edison Co. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 86787:102-86787:107.

9501180219 LER 95-021-00. 951208, max thermal power exceeded due to inadequate reed safety evaluation. Caused by personnel error. Engineering will revise procedure DAP 14-16 as necessary to address parameters that could affect core power calculation.
FEREN, T.S. Commonwealth Edison Co. 95/01/05. 4pp. 86787:104-86787:107.

9501250138 PNO-B-88-005 on 950119, SRO tested positive for controlled substance (marijuana) in random drug test. Individual's access suspended & individual entered licensee employee assistance program.
PLETTNEUE, BURCKLE, Region 3 (Post 820201). 95/01/24. 1p. 85968:360-85968:360.

V. Operator Examinations

9501840328 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing retest exam schedule.
CRUTCHFIELD, D. 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776:001-86776:010.

9501290468 Requests answers to questions listed in end & other records & info on operator's FFD relevant to SRO testing positive for marijuana following physical exam taken on 950119 & reported by util on 950122.
GRANT, G.E. Region 3 (Post 820201). 95/01/24. PERRY, J.S. Commonwealth Edison Co. 3pp. 86937:323-86937:325.

9501300922 Informa that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 950410.
BURDICK,T.H. Region 3 (Post 820201). 95/01/24. LACROIX,D.G. Consumers Power Co. BROWN,J.J. Wisconsin Public Service Corp. WALLACE,B.J. Commonwealth Edison Co. 3pp. 85857:003-85867:005.

DOCKET 50-238 NUCLEAR SHIP SAVANNAH

P. Operating license stage documents & correspondence

9501300208 Notices of 950715 scheduled expiration of License NS-1 for NS Savannah & provide guidance for preparation of renewal application. Reminds that reactor license renewal considered equivalent to relicensing & outlines requirements.
ADAMS,A. 95/01/28. LEVINE,Z. Transportation Dept. of Maritime Administration (formerly w/Dept. of Commerce). 5pp. 85868:047-85868:051.

DOCKET 50-243 OREGON STATE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9501300197 Approves changes to Oregon State Univ. TRIGA Reactor Emergency Response Plan submitted on 950922. Staff concludes that changes maintain compliance w/10CFR50, App E & does not decrease effectiveness of approved plan.
ADAMS,A. 95/01/28. ODD,B. Oregon State Univ., Corvallis, OR. 3pp. 85868:052-85868:054.

DOCKET 50-344 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9501300065 "RE Ginna Emergency Preparedness Exercise Manual: 1995 Plume Exposure Emergency Preparedness Exercise."
FOULLET,P.B. ZULAWSKI,J.M. Rochester Gas & Electric Corp. 95/12/05. 327pp. 85758:001-85758:227.

9501300448 Rev 15 to "Ginna Station Nuclear Emergency Response Plan."
* Rochester Gas & Electric Corp. 95/12/31. 18pp. 85767:122-85767:303.

9501300400 Forwards Rev K to security plan. Rev consists of App E to security plan outlining process for decontaminating containment vessel for approx 32 days beginning around day 6 of 1996 SG replacement outage. Rev withheld.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/01/15. Document Control Branch (Document Control Desk). 1p. 85855:040-85855:041.

G. Adjudicatory correspondence

9501300187 Ack receipt of 951219 ltr from J.E. Joiner responding to recipient 951102 correspondence re 951004 predecisional enforcement conference. Forwards copy of ltr & attachments.
GRAY,J.R. Dir. of Enforcement (Post 870413). 95/01/29. KOHN,J.M.D. Kohn, Kohn & Chapnick, P.C. (formerly Kohn & Associates). 2pp. 85807:001-85807:287.

9501300189 Forwards response which addresses MD Kohn accusations that GAP made "materially false & misleading statements" in 951004 Predecisional Enforcement Conference presentation.
JOHNSON,J.E. Troutman Sanders (formerly Troutman, Sanders, Lockman & Ashmore). 95/12/19. LIEBERMAN,J. Dir. of Enforcement (Post 870413). 10pp. 85807:003-85807:287.

P. Operating license stage documents & correspondence

9512184144 Forwards audit rpt re 951207-08 work at plant for SG replacement project.
MA,J.S. 95/12/12. BAGCHI,G. 5pp. 85813:022-85813:027.

9501300307 Forwards Rev 22 to "QA Program for Station Operation," incorporating organization related changes associated w/ restructuring of corporation.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/12/21. JOHNSON,A.R. 5pp. 85712:220-85712:230.

9501300050 Rev 22 to "QA Program for Station Operation."
* Rochester Gas & Electric Corp. 95/12/18. 5pp. 85712:228-85712:320.

9501300322 Responds to NRC 951211 RA re PTS assessment for plant reactor vessel.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/12/21. JOHNSON,A.R. 37pp. 85804:235-85804:254.

9501300008 Forwards revised ltr re 950525 application for amend to license for conversion to improved STBA per discussion w/ NRC.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/12/26. JOHNSON,A.R. 5pp. 85744:001-85744:037.

9501300010 Vols 1-VI to "RE Ginna Nuclear Power Plant Improved TSs."
* Rochester Gas & Electric Corp. 95/12/31. 3,670pp. 85744:008-85744:037.

9501300183 Generic Ltr 89-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD,D. 95/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 85827:272-85827:290.

9501300443 Suppl 7 to Generic Ltr 89-01 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of value repositioning in PWRs.
CRUTCHFIELD,D. 95/01/24. Consolidated Edison Co. of New York, Inc. 5pp. 85850:011-85850:016.

9501300300 Forwards application for amend to License DPR-15 reflecting changes re nuclear fuel cycle for NRC approval.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/01/26. JOHNSON,A.R. 2pp. 85851:167-85851:199.

9501300307 Application for amend to License DPR-15 incorporating changes necessary to reflect revised nuclear fuel loading.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/01/26. 4pp. 85851:189-85851:192.

9501300300 Proposed tech specs re nuclear fuel cycle for NRC approval.
* Rochester Gas & Electric Corp. 95/01/26. 7pp. 85851:183-85851:199.

Q. Inspection reports, E. Bulletin & correspondence

9501130290 Forwards insp rpt 50-244/95-20 on 951022-1202. No violations noted.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/12/29. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 85780:020-85780:039.

9501130222 Insp rpt 50-244/95-20 on 951022-1202. No violations noted. Major areas inspected: plant operations, main engineering & plant support.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/12/29. 17pp. 85780:023-85780:039.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD,D. 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 85740:018-85740:022.

9512280129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD,D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 85758:048-85758:061.

9512280258 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD,D. 95/01/05. Consolidated Edison Co. of New York, Inc. 6pp. 85758:041-85758:048.

9501300268 Ack receipt of Region 1 plant performance review for Ginna Station, dtd 951020.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/01/09. COOPER,R. Region 1 (Post 820201). 2pp. 85821:315-85821:319.

9501300335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL,G.A. Division of Industrial & Medical Nuclear Safety (Post 870728). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 85827:258-85827:271.

9501300358 Requests that Relief Requests VR-3, VR-9 & PR-9 of IST program for pumps & valves 1990-1991 Third 10-yr Interval, Rev 2 QA Manual App C be revised.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/01/12. JOHNSON,A.R. 5pp. 85873:063-85873:070.

9501130058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD,D. 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 85828:109-85828:120.

9501300006 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD,D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85805:001-85805:010.

9501300129 NRC Info Notice 95-007, "Slow Five Percent Steam Inertion Times Caused By Vilon Dehydration in Steam Solenoid Pilot Valves."
CRUTCHFIELD,D. 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 85805:017-85805:023.

FL. Periodic operating reports & related correspondence

9501250224 Monthly operating rpt for Dec 1995 for RE Ginna Nuclear Power Plant W/ 950108 ltr.
WALDEN,J. WIDAY,J.A. Rochester Gas & Electric Corp. 95/12/31. 5pp. 85713:006-85713:012.

V. Operator Examinations

9501300138 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing half exam schedule.
CRUTCHFIELD,D. 95/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 85776:001-85776:010.

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9501300227 Forwards insp rpt 50-245/95-35, 50-336/95-38 & 50-423/95-38 on 951004-1104 & notice of violation. Violation of concern because similar violation cited in Mar 1995 as result of eleven missed surveillances.
COOPER,R. Region 1 (Post 820201). 95/12/18. BUSCH,J.E. Northeast Utilities Service Co. 4pp. 85852:112-85852:165.

9501300254 Insp rpt 50-245/95-38, 50-336/95-38 & 50-423/95-38 on 951004-1104. Violations noted. Major areas inspected: plant operations, radiological controls, main surveillance, security, outage activities & licensee self-assessment.
DUNN,J.P. Region 1 (Post 820201). 95/12/14. 39pp. 85852:119-85852:158.

9501300356 Revised SPIs including Rev 168 to 4000 procedure index, Rev 1, Change 1 to EPOP 4411, Rev 1 to EPOP 4415 & Rev 1 to EPOP 4420.
* Northeast Nuclear Energy Co. 95/12/20. 34pp. 85817:222-85817:255.

9501300354 Rev 19 to Milestone Nuclear Power Station Emergency Plan.
* Northeast Nuclear Energy Co. 95/12/31. 35pp. 85784:009-85784:133.

20 DOCKETED ITEMS

8601180402 Provides response to weakness/concern noted in 851102 final rpt of operational safeguards response evaluation conducted from 850915-22.
MILLER,D.B. Northeast Nuclear Energy Co. 86/01/05. CUNNINGHAM,J.L. 2pp. 86774:380-86774:381.

860122223 Rev 1 to Emergency Plan Operating Procedure 4428G, "Protective Action Recommendations." W/Rav 173 to 4000 procedure index.
MACLEAN,E. Northeast Nuclear Energy Co. 86/01/10. 12pp. 86843:222-86843:233.

G. Adjudicatory correspondence

8601180170 Notice of reconstitution of Board. (Informs that Judge JP Gleason will be appointed Chairman of Licensing Board in place of Administrative Judge TS Moore.)
Certificate of Svc. Served on 860105.
COTTER,B.P. Atomic Safety & Licensing Board Panel. #196 17407. 86/01/05. 4pp. 86783:107-86783:110.

8601258167 Informs that time provided by NRC regulation within which Commission may act to review CD-85-23, expired.W/Certificate of Svc.
HOYLE,J.C. Office of the Secretary of the Commission. #196 17426. 86/01/19. ROSS,A.J. Affiliation Not Assigned. 2pp. 86836:100-86836:101.

H. General correspondence

8601360462 Responds to 951023 ltr on behalf of G. Galea, informing that review of article does not suggest that Northeast Utl violates requirements & that Northeast Utl has been requested to respond to said concerns in ltr dtd 851214.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 86/01/02. HADLEY,E.G. Hadley, E.G. 1p. 86810:153-86810:157.

8601180470 Requests on behalf of GJ Galea, that NRC take immediate action to prevent harassment by Northeast Utl/Discusses and Northeast Utl newsletter, alleging that it is being used in attempt to discredit GJ Galea.
HADLEY,E.G. Hadley, E.G. 95/10/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 86810:155-86810:157.

8601310236 Notice of establishment of new Chief Nuclear Officer & functional organization effective 860201.
BUSCH,R.E. Connecticut Yankee Atomic Power Co. BUSCH,R.E. North Atlantic Energy Service Corp. (NAESCO). BUSCH,R.E. Northeast Nuclear Energy Co. 86/01/17. Document Control Branch (Document Control Desk). 4pp. 86851:281-86851:284.

8601230458 Forwards general release given to recently terminated employee for signature before obtaining clearance from NRC.
BLANCHUP,M. Affiliation Not Assigned. 86/01/21. ZWOLINSKI,J.A. 5pp. 86870:021-86870:025.

8601250191 Informs of status of staff "Task Action Plan for SF Storage Pool Safety." Forwards IN 85-54, "Decay Heat Mgt Practices During Refueling Outages."
SHEA,J.W. 86/01/23. LOCHBAUM,D.A. PREVATTE,D.G. Affiliation Not Assigned. 2pp. 86867:242-86867:245.

F. Operating license stage documents & correspondence

8601020256 Withdraws requested exemptions for penetrations X-22,X-30f, X-34f & X-42 re 10CFR50, App J.
MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 85/12/27. Document Control Branch (Document Control Desk). 3p. 86701:297-86701:297.

8601040346 Submits plan for activities to determine extent to which problems similar to those encountered at plant w/regard to full-core offload exist at other plants & to re-examine effectiveness of existing process for staff oversight.
TAYLOR,J.M. Chg of the Executive Director for Operations. 85/12/28. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 86740:100-86740:102.

8601040227 Forwards amend 80 to license DPR-21 & SE/Amend modifies definition of Hot Shutdown & Cold Shutdown to specify that definitions not applicable during performance of inservice hydrostatic & leak test.
ANDERSON,J.W. 85/12/29. OPERA,J.F. Connecticut Yankee Atomic Power Co. 4pp. 86730:001-86730:021.

8601040443 Amend 80 to license DPR-21, modifying definition of Hot Shutdown & Cold Shutdown to specify that definitions not applicable during performance of inservice hydrostatic & leak test.
MCKEE,P.F. 85/12/29. 12pp. 86730:005-86730:017.

8601040246 Safety evaluation supporting amend 80 to license DPR-21.
* 85/12/29. 4pp. 86730:018-86730:021.

8601180024 Change 2 to rev 16 to CAP 1.0.
PALUCCA,R. Northeast Utilities. 86/01/05. 48pp. 86775:312-86775:350.

8601050193 Generic Ltr 85-01 to all holders of OLA or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD,D. 86/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 86827:272-86827:280.

8601220006 Forwards Rev 0 to 24A5183, "Suppl Reland Licensing Rpt for Milestone Point Nuclear Power Station Unit 1 Reland 15 Cycle 18."
DEBARSA,E.A. Northeast Nuclear Energy Co. 86/01/12. Document Control Branch (Document Control Desk). 2pp. 86834:277-86834:313.

8601220011 "Suppl Reland Licensing Rpt for Milestone Point Nuclear Power Station Unit 1 Reland 15 Cycle 18."
RASH,J.L. SAYOJA,P.J. General Electric Co. 24A5183 R00. 85/11/30. 35pp. 86834:276-86834:313.

8601258068 Forwards amend 82 to license DPR-21 & safety evaluation. Amend removes LOO & SR for loss-of-normal power trip function from Tables 3.2.2 & 4.2.1 & inserts new LOO 3.2.F & 4.2.F.
ANDERSON,J.W. 86/01/17. BUSCH,R.E. Northeast Utilities Service Co. 3pp. 86858:139-86858:170.

8601258064 Amend 82 to license DPR-21, removing LOO & SR for loss-of-normal power trip function from Tables 3.2.2 & 4.2.1 & inserts new LOO 3.2.F & SR 4.2.F.
MCKEE,P.F. 86/01/17. 13pp. 86858:141-86858:154.

8601258067 Safety evaluation supporting amend 82 to license DPR-21.
* 86/01/17. 16pp. 86858:155-86858:170.

8601258186 Forwards amends 81,193 & 195 to license DPR-21, DPR-65 & NPF-49, respectively, revising administrative controls section of TS to allow implementation of Station Qualified Reviewer Program.
MCKEE,P.F. 86/01/17. BUSCH,R.E. Northeast Utilities Service Co. 5pp. 86854:228-86854:277.

8601258182 Amends 81,193 & 125 to license DPR-21, DPR-65 & NPF-49, respectively, revising administrative controls section of TS to allow implementation of Station Qualified Reviewer Program for review & approval of selected procedures.
MCKEE,P.F. 86/01/17. 4pp. 86854:223-86854:273.

8601258116 Safety evaluation supporting amends 81,193 & 125 to license DPR-21, DPR-65 & NPF-49, respectively.
* 86/01/17. 4pp. 86854:274-86854:277.

8601080443 Suppl 7 to Generic Ltr 85-10 to all holders of OLA (except licensees accorded to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD,D. 86/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86855:011-86855:015.

G. Inspection reports, IS Submittals & correspondence

8601030237 Forwards insp repts 85-245/85-38,80-336/85-36 & 50-423/85-38 on 851004-1104 & notice of violation. Violation of concern because similar violation cited in Mar 1985 as result of eleven missed surveillance spots.
COOPER,J.W. Region 1 (Post 820201). 85/12/18. BUSCH,R.E. Northeast Utilities Service Co. 4pp. 86882:112-86882:156.

8601030248 Notice of violation from insp on 851004-1104. Violation noted: corrective actions taken at units 2 & 3 to preclude repetition of recurrent instances of missed TS surveillances inadequate.
* Region 1 (Post 820201). 85/12/18. 2pp. 86882:116-86882:137.

8601030254 Insp repts 50-245/85-38,80-336/85-36 & 50-423/85-38 on 851004-1104. Violations noted: Major areas inspected: plant operations, radiological controls, manual surveillance, security, outage activities & licensee self-assessment.
DURR,J.P. Region 1 (Post 820201). 85/12/14. 38pp. 86882:118-86882:156.

8601180204 Forwards core shroud insp results & rev 0 to GENE-523-A135-1295, "Evaluation of Milestone Unit 1 Core Shroud Indications (Refuel Outage 16)."
MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities. 85/12/28. Document Control Branch (Document Control Desk). 8pp. 86775:256-86775:311.

8601180205 "Evaluation of Milestone Unit 1 Core Shroud Indications (Refuel Outage 16)."
FAYNSHTEIN,K. General Electric Co. GENE-523-A135-1295. 85/12/31. 47pp. 86775:265-86775:311.

8512270372 NRC Info Notice 85-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD,D. 86/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:023.

8512280129 NRC Info Notice 85-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD,D. 86/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

8512280205 NRC Info Notice 85-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD,D. 86/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

8601040335 NRC Info Notice 85-004, "Incident Reporting Requirements for Radiography Licenses."
COOLIDGE,D. Division of Industrial & Medical Nuclear Safety (Post 570725). 86/01/30. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

8601230118 Responds to violations noted in insp repts 50-245/85-31, 80-336/85-31 & 50-423/85-31. Corrective actions: w/ water sys operational performance insp self-assessment will be completed by 860331.
MILLER,D.B. Northeast Nuclear Energy Co. 86/01/10. Document Control Branch (Document Control Desk). 10pp. 86859:189-86859:176.

8601110658 NRC Info Notice 85-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD,D. 86/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86828:109-86828:123.

8601050306 NRC Info Notice 85-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD,D. 86/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86855:001-86855:010.

8601250139 NRC Info Notice 85-007, "Slow Five Percent Scram Insertion Times Caused by Vilon Disruptors in Scram Solenoid Pilot Valves."
CRUTCHFIELD,D. 86/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86855:017-86855:023.

R. Periodic operating reports & related correspondence

8601230151 Monthly operating repts for Dec 1985 for Milestone Units 1-3. W/860111 ltr.
NEWBURGH,G. BORCHERT,R. MILLER,D.B. Northeast Nuclear Energy Co. 85/12/31. 19pp. 86832:055-86832:283.

G. Reportable occurrences, LERs & related correspondence

9601020905 LER 95-011-01 on 9/30/17, determined that during prior refueling outages SPPCS incapable of maintaining pool temp below 150 F under certain conditions. Operating procedures implemented. W/951227 tr. HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. 95/12/27. 6pp. 88705:159-88705:164.

9601030065 LER 95-026-00 on 9/12/04, snubber failed TG required 100% visual exam. Caused by rebuild activities performed on snubber during RFO14 refueling outage. Snubber replaced. W/951227 tr. HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/12/27. 3pp. 88892:327-88892:329.

9601164276 LER 95-032-00 on 9/12/06, while unit shutdowns for refueling, equipment from Group 2 & 3 isolations indicated reactor vessel level not decreasing. Cause undetermined. Event Review Team formed to evaluate event. W/960103 tr. HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. 96/01/03. 4pp. 88900:102-88900:105.

9601229055 Provides response to Ltr 961113, requesting assessment of individual radiation exposure in May 1979 while working on anchor bolt insps. MILLER,D.B. Northeast Nuclear Energy Co. 96/01/12. COOPER,FLW. Region 1 (Post 620201). 4pp. 88945:013-88945:016.

9601318107 LER 95-022-00 on 9/12/01, discovered obstruction in CIV check valve prohibited closure. Caused by lack of adequate Foreign Matter Exclusion control in previous outages. Removed parts from valve body. W/960118 tr. THOMAS,J.F., BOUCHARD,D.H. Northeast Nuclear Energy Co. BOUCHARD,D.H. Northeast Utilities Service Co. 96/01/19. 6pp. 88955:024-88955:028.

H. Operator Examinations

9601048138 NRC Administrative Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing exam schedule. CRUTCHFIELD,D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776:001-86776:010.

DOCKET 95-247 INDIAN POINT STATION, UNIT 2

K. Utility Final Safety Analysis Report (FSAR) & amendments

9601308048 Rev 13 to updated Final Safety Analysis Report for GENY. W/951221 tr. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/12/24. 85pp. 86957:001-86958:207.

P. Operating license stage documents & correspondence

9601180057 Informal that effective 960104, IF Hazid has been assigned project manager for facility. MARSH,L.B. 96/01/03. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 86906:109-86906:111.

9601220204 Resubmits Rev 13 to "QA Program" due to administrative error in 951215 submitted. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/01/06. Document Control Branch (Document Control Desk). 4pp. 86932:229-86932:235.

9601220212 Resubmitted Rev 13 to "QA Program." * Consolidated Edison Co. of New York, Inc. 96/12/31. 83pp. 86932:243-86932:335.

9601050193 General Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD,D. 96/01/10. Consolidated Edison Co. of New York, Inc. 6pp. 86827:272-86827:280.

9601308148 Submits response to GL 95-03, "Cruciform Cracking of SG Tubes." QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/01/12. Document Control Branch (Document Control Desk). 7pp. 86966:302-86966:308.

9601190442 Suppl 7 to General Ltr 96-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve repositioning in PWRs. CRUTCHFIELD,D. 96/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86955:014-86955:018.

Q. Inspection reports, IE Guidelines & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD,D. 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:016-86740:023.

9512280129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD,D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD,D. 96/01/06. Consolidated Edison Co. of New York, Inc. 6pp. 86758:041-86758:046.

9601040335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses." COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:269-86827:271.

9601230096 Ack receipt of 951018 tr informing NRC of steps taken to correct violation noted in Insp rpt 95-247/95-08. CORWILL,C.J. Region 1 (Post 820201). 96/01/18. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 9pp. 86927:163-86927:167.

9601190058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD,D. 96/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86822:109-86822:120.

9601190308 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plant." CRUTCHFIELD,D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86955:001-86955:030.

9601260139 NRC Info Notice 95-007, "Slow Five Percent Steam Insertion Times Caused By Vibration Disruptions in Steam Solenoid Pilot Valves." CRUTCHFIELD,D. 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86955:017-86955:023.

R. Periodic operating reports & related correspondence

9601190029 "10CFR50.59(b) Rept of Changes, Tests & Experiments for Period From Jan 1994 - June 1995." W/951229 tr. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/06/30. 57pp. 86781:239-86781:255.

9601020885 Monthly operating rpt for Nov 1995 for Indian Point Unit 2. W/951216 tr. REEDA,A. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/11/30. 6pp. 86933:354-86933:359.

9601260106 Monthly operating rpt for Dec 1995 for Indian Point Station Unit 2. W/960116 tr. REEDA,A. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/12/31. 6pp. 86933:355-86933:361.

S. Reportable occurrences, LERs & related correspondence

9601030082 LER 95-022-00 on 9/12/01, supply of N to isolation valve seal water sys was isolated. Caused by inadvertent closure of valve normally required to be open. Restored line-up N bottle bank through valve repositioning. W/961213 tr. DAHL,G. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/12/13. 5pp. 86930:322-86930:326.

9601180074 Special report 960102, portion of high pressure water fire protection sys inoperable. Caused by maint activity. Isolation effected on 960102, therefore no regulatory requirement for alternate sys tested. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/01/03. MARTIN,T.T. Region 1 (Post 620201). 2pp. 86822:069-86822:090.

9601178322 Special report 960104, high-pressure water fire protection sys was inoperable due to maint activity. Temporarily isolated portion of header from motor-driven fire pumps & diesel-driven fire pump. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/01/05. Document Control Branch (Document Control Desk). 2pp. 86767:358-86767:359.

V. Operator Examinations

9601048138 NRC Administrative Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing exam schedule. CRUTCHFIELD,D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776:001-86776:010.

DOCKET 95-248 DRESDEN NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9601162211 Revised CEPIPs, including CEPIP-3000 series table of contents, Rev 13 to CEPIP 3001-01, Rev 8 to CEPIP-3003-01, Rev 8 to CEPIP 3004-01, Rev 8 to CEPIP 3005-01, Rev 11 to CEPIP 3101-01 & Rev 7 to CEPIP 3151-1. * Commonwealth Edison Co. 95/12/08. 44pp. 86776:248-86776:293.

9601240022 Revised Corporate EPPs (CEPPs) including Rev 3 to CEPIP-2011-01, Rev 1 to CEPIP-2021-05, Rev 1 to CEPIP-2021-06, Rev 1 to CEPIP-2411-01 & Rev 2 to CEPIP-2413-01. STOBACH, C.W. Commonwealth Edison Co. 96/12/07. 34pp. 86952:268-86952:298.

9601200167 Rev 6h to "Generating Stations Emergency Plan (GSEP) Site Annex Dresden Nuclear Power Station." * Commonwealth Edison Co. 95/12/16. 145pp. 86953:305-86953:349.

9601230293 Corrected Section 5 to Rev 6h to Generating Station Emergency Plan. * Commonwealth Edison Co. 95/12/31. 90pp. 86945:224-86945:313.

9601050319 Forwards EA & FONSI re 951120 application for exemption allowing use of hand geometry biometric sys to control unescorted access into protected areas of Dresden station in conjunction w/photograph identification badges. STANG, J.F. 96/01/03. FARRAR,D.L. Commonwealth Edison Co. 2pp. 86740:309-86740:316.

9601050324 Environ assessment & finding of no significant impact re allowing use of hand geometry biometric sys to control unescorted access into protected areas of Dresden Station in conjunction w/photograph identification badges. DICK, G.F. 96/01/03. 6pp. 86740:311-86740:316.

9601190402 Forwards exemption from certain requirements of 10CFR73.55, requirements for physical protection of licensed activities in nuclear power reactors against radiological sabotage. STANG, J.F. 96/01/05. FARRAR,D.L. Commonwealth Edison Co. 2pp. 86910:261-86910:267.

9601190407 Exemption from certain requirements of 10CFR73.55 re issuance, storage & retrieval of picture badges for individuals who have been granted unescorted access into protected areas of Dresden Station. ADENBAUM,E.G. 96/01/05. Commonwealth Edison Co. 6pp. 86910:263-86910:267.

22 DOCKETED ITEMS

950120244 Advises that new EH to Dresden Nuclear Stations Annex to Generating Stations Emergency Plan acceptable & does not decrease effectiveness of emergency planning. CREEO, J.R. Region 3 (Post 820201). 06/01/22. PERRY, J.S. Commonwealth Edison Co. 3pp. 8688424-8688428.

950120231 Submits review of proposed revs to EALs & technical bases for Braidwood, Byron, Dresden, LaSalle, Quad Cities & Zion NPPs, concluding that proposed changes acceptable & do not decrease effectiveness of licensee emergency planning. CREEO, J.R. Region 3 (Post 820201). 05/01/23. FARRAR, D.L. Commonwealth Edison Co. 3pp. 8688430-8688432.

F. Operating license stage documents & correspondence

9501040160 Forwards amends 146, 140, 159 & 164 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively & safety evaluation Amends upgrade plants TS to STS contained in NUREG-0123, per 930917 application for amend. STANG, J.F. . 05/12/27. FARRAR, D.L. Commonwealth Edison Co. 3pp. 86730:100-86730:103.

9501040175 Amends 146, 140, 159 & 164 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, reflecting TS upgrade to STS contained in NUREG-0123, per 930917 application. STANG, J.F. . 05/12/27. 3pp. 86730:103-86730:106.

9501040180 Safety evaluation supporting amends 146, 140, 159 & 164 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively. . 05/12/27. 3pp. 86730:106-86730:109.

9501030338 Forwards amends 147 & 141 to licenses DPR-19 & DPR-25, respectively & SG Amends re partial implementation of request dtd 051114 & change only implementation date of previous TS Upgrade Programs issued for all. STANG, J.F. . 05/12/28. FARRAR, D.L. Commonwealth Edison Co. 3pp. 86706:086-86706:093.

9501030345 Amends 147 & 141 to licenses DPR-19 & DPR-25, respectively, re partial implementation of request dtd 051114 & change only implementation date of previous TS Upgrade Programs issued for all. STANG, J.F. . 05/12/28. 4pp. 86706:096-86706:101.

9501030349 Safety evaluation supporting amends 147 & 141 to licenses DPR-19 & DPR-25, respectively. . 05/12/28. 2pp. 86706:102-86706:103.

9501100188 Requests that for each site, 051114 amend request re Option B to 10CFR50, App J be effective upon issuance to be implemented no later than 060630. PIET, P.L. Commonwealth Edison Co. 06/01/04. Document Control Branch (Document Control Desk). 1p. 86778:233-86778:233.

9501030183 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. . 05/01/10. Consolidated Edison Co. of New York, Inc. 3pp. 86827:272-86827:280.

9501100278 Forwards amends 148, 142, 159 & 165 to licenses DPR-19, DPR-25, DPR-29 & DPR-30 & safety evaluation Amends revise TS to incorporate 10CFR50, App J, "Primary Reactor Containment Leakage Testing for Water Cooled Power Reactors," Option B. STANG, J.F. . 05/01/11. FARRAR, D.L. Commonwealth Edison Co. 3pp. 86824:080-86824:103.

9501100296 Amends 148 & 142 to licenses DPR-19 & DPR-25, respectively, revising TS to incorporate 10CFR50, App J, "Primary Reactor Containment Leakage Testing for Water Cooled Power Reactors," Option B. STANG, J.F. . 05/01/11. 3pp. 86824:093-86824:096.

9501100305 Safety evaluation supporting amends 148, 142, 159 & 165 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively. . 06/01/11. 4pp. 86824:099-86824:102.

9501100231 Informa of withdrawal of request for scheduler exemption from 10CFR50, App J, Type A last interval. RYBAK, B. Commonwealth Edison Co. 05/01/12. Document Control Branch (Document Control Desk). 3p. 86821:297-86821:297.

9501100329 Submits plant specific EOCs evaluation changes, 30-day 10CFR50.46 up/Unloading Dresden Units 2 & 3 LOCA model change summary. RYBAK, B. Commonwealth Edison Co. 05/01/12. 4pp. 86822:058-86822:061.

9501200316 Forwards BAW-2258 & BAW-2256, providing electroslag weld initial re/ lamp-nf ductility transition (ISE) & chemistry properties of electroslag welds for Dresden Units 2 & 3 & Quad Cities Units 1 & 2 per GL 92-01, Rev 1, Suppl 1. SACCOMANDO, D.M. Commonwealth Edison Co. 06/01/17. Document Control Branch (Document Control Desk). 3pp. 86845:056-86845:129.

9501200318 "Evaluation of RETNUT, USE & Chemical Composition of Core Region Electroslag Welds for Dresden Units 2 & 3." CAMPBELL, C.A. Babcock & Wilcox Co. BAW-2258. 06/01/15. 48pp. 86845:093-86845:090.

9501100442 Suppl 7 to Generic Ltr 89-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. . 06/01/24. Consolidated Edison Co. of New York, Inc. 5pp. 86953:011-86953:016.

9501200486 Requests answers to questions listed in end & other records & info on operator's FFD relevant to SRO testing positive for marijuana following physical exam taken on 060119 & reported by all on 060122. GRANT, G.E. Region 3 (Post 820201). 06/01/24. PERRY, J.S. Commonwealth Edison Co. 3pp. 86957:323-86957:325.

G. Inspection reports, IE Bulletins & correspondence

9501200372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD, D. . 06/01/03. Consolidated Edison Co. of New York, Inc. 3pp. 86740:015-86740:023.

9501100182 Responds to NRC 951205 re violations noted in insp rept 50-237/05-11 & 60-249/05-11. Corrective actioned HP Dept personnel dispatched to evaluate shipment. Reorganize HP Dept Shipping activities assigned to technical HP group. PERRY, J.S. Commonwealth Edison Co. 06/01/04. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 0pp. 86821:282-86821:287.

9512298129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. . 06/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

9512298289 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Validation as Result of Thermal Effects." CRUTCHFIELD, D. . 06/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

9501100397 Informa that sufficient info provided by licensee to support that piping down stream of second containment isolation valve can be classified as non-safety-related & piping not classified for ISI purposes & not subj to testing. STANG, J.F. . 06/01/05. FARRAR, D.L. Commonwealth Edison Co. 3pp. 86766:232-86766:234.

9501040235 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 06/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501100558 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. . 06/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86828:109-86828:120.

9501100206 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. . 06/01/26. Consolidated Edison Co. of New York, Inc. 10pp. 86825:001-86825:010.

9501200139 NRC Info Notice 95-007, "Slow Five Percent Sonar Insertion Times Caused by Vibration Diaphragms in Sonar Schematics Pilot Valves." CRUTCHFIELD, D. . 06/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86825:017-86825:023.

H. Periodic operating reports & related correspondence

9501100141 Monthly operating repts for Dec 1995 for Dresden Nuclear Power Station, W/950112 lr. CARROLL, W. HOLLAND, P.G. Commonwealth Edison Co. 05/12/31. 21pp. 86734:001-86734:021.

9501100173 "1995 Rept of Changes, Tests & Experiments Per 10CFR50.59 for Dresden Nuclear Power Station." W/950112 lr. HOLLAND, P.G. Commonwealth Edison Co. 05/12/31. 200pp. 86826:053-86826:278.

I. Reportable occurrences, LERs & related correspondence

9501050237 Final response to FOIA request for documents. App A documents incl & also placed in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 05/12/21. KURTZ, E. . 2pp. 86768:105-86768:104.

9501050247 Package consisting of event repts for 840413-17 for listed plants & Region 1 morning rpt for 840413-15. "NRC - No Detailed Attention Given. 05/12/21. 47pp. 86758:108-86758:154.

9501100157 LER 95-023-00 on 051219, improperly restrained cable was found in EOCs panel 903-33 due to inadequate mod package. Station Work Request 050110009 was written to restrain cable 80078 in panel 903-33. W/950119 lr. SCHIMMEL, HOLLAND, P.G. Commonwealth Edison Co. 06/01/16. 5pp. 86830:173-86830:177.

9501200186 PNO-18-05-005 on 050119, SRO tested positive for controlled substance (marijuana) in random drug test. Individual site access suspended & individual entered licensee employee assistance program. PLETTNER, E., BURDICK, T. Region 3 (Post 820201). 06/01/24. 1p. 86862:380-86862:380.

V. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing and exam schedule. CRUTCHFIELD, D. . 06/01/06. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:016.

9501200486 Requests answers to questions listed in end & other records & info on operator's FFD relevant to SRO testing positive for marijuana following physical exam taken on 060119 & reported by all on 060122. GRANT, G.E. Region 3 (Post 820201). 06/01/24. PERRY, J.S. Commonwealth Edison Co. 3pp. 86957:323-86957:325.

9501300022 Informa that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 060410. BURDICK, J.H. Region 3 (Post 820201). 06/01/24. LACROIX, D.G. Consumers Power Co. BROWN, J.J. Wisconsin Public Service Corp. WALLACE, B.J. Commonwealth Edison Co. 3pp. 86867:009-86867:006.

DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9601260068 FOIA request for all documents re request for investigation FBI-91-10 & safeguards info contained in any tape recording A Mosbaugh provided to NRC. KOHN, M.D., Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 05/03/80. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 86854048-86854049.

9601260082 FOIA request for records re request for investigation FBI-91-10. VEIRAE, F., Trostman & Sanders (formerly Trostman, Sanders, Lockman & Ashmore). 05/10/80. KAMMERER, C. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 86854061-86854065.

9601190239 Forwards insp repts 50-250/95-23 & 50-251/95-23 on 951211-15. No violations or deviations noted. BARR, K.P., Region 2 (Post 820201). 06/01/04. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 86811043-86811048.

9601190288 Insp repts 50-250/95-23 & 50-251/95-23 on 951211-15. No violations noted. Major areas inspected: emergency plan, emergency facilities, organization & mgt control independent & internal reviews/audits & training. BARTON, W.M., BARR, K.P., Region 2 (Post 820201). 06/01/04. 5pp. 86811045-86811049.

9601190334 Rev 29 to radiological emergency plan. HOVEY, R.J., Florida Power & Light Co. 05/01/89. 17pp. 86774217-86774230.

9601190897 Forwards insp repts 50-250/95-21 & 50-251/95-21 on 951211-15. No violations or deviations noted. FREDRICKSON, P., Region 2 (Post 820201). 06/01/11. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 86804258-86804261.

9601190111 Partially withheld insp repts 50-250/95-21 & 50-251/95-21 on 951211-15. No violations noted. Major areas inspected: various aspects of Physical Security Program for Power Reactors. Details withheld (ref 10CFR73.21). STRATTON, L., FREDRICKSON, P., Region 2 (Post 820201). 06/01/11. 1p. 86804261-86804261.

9601260011 Second partial response to FOIA request for records. App A & releasable portions of App B records and 2 materials in PDR. App B second partially withheld (ref FOIA Exemption 5). POOL, M.J., Division of Freedom of Information & Publications Services (Post 940714). 06/01/11. KOHN, M.D., Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 4pp. 86854056-86854060.

9601260019 Notices of case closing re alleged provision of Vogtle safeguards info to Turkey Point security officer. VORSE, J.Y., Oic of Investigations (Post 860201). 02/06/14. EBNETER, S.D., Region 2 (Post 820201). 3pp. 86854054-86854058.

9601260026 Discusses request for investigation FBI-91-10 re former employee A Mosbaugh currently in possession of safeguards info. VORSE, J.Y., Oic of Investigations (Post 860201). 02/06/17. EBNETER, S.D., Region 2 (Post 820201). 4pp. 86854057-86854060.

H. General correspondence

9601190046 Requests listed changes to official bio reflecting promotion of TP Plant Unit 3 to President Nuclear Div, effective 060301. HOVEY, R.J., Florida Power & Light Co. 05/12/27. Document Control Branch (Document Control Desk). 1p. 86808313-86808313.

P. Operating license stage documents & correspondence

9601038306 Forwards amends 161 & 175 to licenses DPR-31 & DPR-41, respectively & SE. Amends revise emergency diesel generator testing requirements to incorporate recommendations of Generic Letters 83-05 & 84-01. CROTEAU, R.P., 05/12/28. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 86705068-86705067.

9601030314 Amends 161 & 175 to licenses DPR-31 & DPR-41, respectively, revising emergency diesel generator testing requirements to incorporate recommendations of Generic Letters 83-05 & 84-01. MATTHEWS, D.B., 05/12/28. 12pp. 86705072-86705083.

9601030319 Safety evaluation supporting amends 161 & 175 to licenses DPR-31 & DPR-41, respectively. 05/12/28. 4pp. 86705084-86705087.

9601190025 Forwards document info received by Region II personnel from concerned individuals re allegations FBI-95-A-0147, FBI-95-A-0189 & FBI-95-A-0190, for review. Encl withheld (ref 10CFR2.780). MERESCHOFF, E.W., Region 2 (Post 820201). 06/01/02. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 86804387-86804391.

9601190447 Submits summary of public workshops to discuss GL 85-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves." FREDRICKSON, P., Region 2 (Post 820201). 06/01/03. GOLDBERG, J.H. Florida Power & Light Co. 127pp. 86806001-86806127.

9601030193 Genodo Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D., 06/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827280.

9601190442 Suppl 7 to Generic Ltr 85-10 to all holders of OLs (except licensees amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D., 06/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86855011-86855015.

9601308260 Inform that application dtd 951201 & affidavit CAW-95-890, "W RTDP Instruments Uncertainty Methodology for Turkey Points Units 3 & 4," will be withheld from public disclosure per 10CFR2.790(b)(5). CROTEAU, R.P., 06/01/25. UPARUDD, N.J., Westinghouse Electric Corp. 3pp. 86835330-86835332.

G. Inspection reports, IE Bulletin & correspondence

9601190034 Ack receipt of 951207 ltr informing NRC of steps taken to correct violations noted in insp repts 50-250/95-15 & 50-251/95-15. LANDIS, J.D., Region 2 (Post 820201). 05/12/15. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 86802356-86802358.

9512270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD, D., 06/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740015-86740023.

9601190188 Forwards "Turkey Point Unit 3 1995 Refueling Outage ISI Rept." HOVEY, R.J., Florida Power & Light Co. 05/01/03. Document Control Branch (Document Control Desk). 1p. 86774029-86774029.

9601110001 "Turkey Point Unit 3 1995 Refueling Outage ISI Rept." Florida Power & Light Co. 06/01/03. 268pp. 86774021-86774028.

9601190239 Forwards insp repts 50-250/95-23 & 50-251/95-23 on 951211-15. No violations or deviations noted. BARR, K.P., Region 2 (Post 820201). 06/01/04. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 86811043-86811048.

9601190288 Insp repts 50-250/95-23 & 50-251/95-23 on 951211-15. No violations noted. Major areas inspected: emergency plan, emergency facilities, organization & mgt control independent & internal reviews/audits & training. BARTON, W.M., BARR, K.P., Region 2 (Post 820201). 06/01/04. 5pp. 86811045-86811049.

9512290129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D., 06/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758048-86758061.

9512290289 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D., 06/01/05. Consolidated Edison Co. of New York, Inc. 6pp. 86758041-86758048.

9601042335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses." COOL, D.A., Division of Industrial & Medical Nuclear Safety (Post 870729). 06/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9601190097 Forwards insp repts 50-250/95-21 & 50-251/95-21 on 951211-15. No violations or deviations noted. FREDRICKSON, P., Region 2 (Post 820201). 06/01/11. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 86804258-86804261.

9601190111 Partially withheld insp repts 50-250/95-21 & 50-251/95-21 on 951211-15. No violations noted. Major areas inspected: various aspects of Physical Security Program for Power Reactors. Details withheld (ref 10CFR73.21). STRATTON, L., FREDRICKSON, P., Region 2 (Post 820201). 06/01/11. 1p. 86804261-86804261.

9601260067 Forwards rept summarizing results of SB tube ISI. HOVEY, R.J., Florida Power & Light Co. 06/01/17. EBNETER, S.D., Document Control Branch (Document Control Desk). 11pp. 86828241-86828251.

9601110056 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D., 06/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86828109-86828120.

9601190006 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D., 06/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86855001-86855010.

9601260139 NRC Info Notice 96-007, "Slow Five Percent Steam Injection Times Caused By Viton Diaphragms in Steam Solenoid Pilot Valves." CRUTCHFIELD, D., 06/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 86855017-86855023.

H. Periodic operating reports & related correspondence

9601260106 Monthly operating repts for Dec 1995 for Turkey Point Units 3 & 4. 12/01/96. HOVEY, R.J., Florida Power & Light Co. 05/12/31. 9pp. 86858141-86858149.

I. Reportable occurrences, LERs & related correspondence

9601300122 RO on 951221 & 29 38 EDC failed due to loose fitting on fuel oil priming pump suction line & loose fitting on discharge line. Loose fittings tightened & all fittings on fuel oil suction lines verified tight. HOVEY, R.J., Florida Power & Light Co. 06/01/19. EBNETER, S.D., Region 2 (Post 820201). 4pp. 86861104-86861107.

24 DOCKETED ITEMS

V. Operator Examinations

9601048138 NRC Administrative Ltr 96-01 to all holders of OLS or CPs for nuclear power reactors re operator licensing and exam schedule.
CRUTCHFIELD, D. . 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776001-86776010.

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

9601260008 FOIA request for all documents re request for investigation RII-01-10 & safeguards info contained in any tape recording A Mosbaugh provided to NRC.
KOHLM, D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 95/03/20. Division of Freedom of Information & Publications Services (Post 840714). 2pp. 86854048-86854049.

9601260082 FOIA request for records re request for investigation RII-01-10.
VERA, E.F. Troutman Sanders (formerly Troutman, Sanders, Lockman & Ashmore). 95/10/06. KAMMERER, D. Division of Freedom of Information & Publications Services (Post 840714). 2pp. 86854051-86854055.

9601190239 Forwards insp repts 50-250/95-23 & 50-251/95-23 on 951211-15. No violations or deviations noted.
BARR, K.P. Region 2 (Post 820201). 96/01/04. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 86811043-86811048.

-9601190238 Insp repts 50-250/95-23 & 50-251/95-23 on 951211-15. No violations noted. Major areas inspected: emergency plan, emergency facilities, organization & mgmt control, independent & internal reviews/audits & training.
BARTOR, W.M. Region 2 (Post 820201). 96/01/04. 5pp. 86811045-86811048.

9601150134 Rev 29 to radiological emergency plan. 960106 ltr.
HOVEY, R.J. Florida Power & Light Co. 96/01/08. 177pp. 86779127-86779130.

9601190697 Forwards insp repts 50-250/95-21 & 50-251/95-21 on 951211-15. No violations or deviations noted.
FREDRICKSON, P. Region 2 (Post 820201). 96/01/11. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 86804258-86804261.

-9601190111 Partially withheld insp repts 50-250/95-21 & 50-251/95-21 on 951211-15. No violations noted. Major areas inspected: various aspects of Physical Security Program for Power Reactors. Details withheld (ref 10CFR73.21).
STRATTON, L. Region 2 (Post 820201). 96/01/11. 1p. 86804261-86804261.

9601260011 Second partial response to FOIA request for records. App A & releasable portions of App B records and A available in PDR. App B record partially withheld (ref FOIA Exemption 5).
POOL, M.J. Division of Freedom of Information & Publications Services (Post 840714). 96/01/11. KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 4pp. 86854050-86854053.

-9601260010 Notice of case closing re alleged provision of Vogtle safeguards info to Turkey Point security officer.
VORSE, J.Y. Ofc of Investigations (Post 820201). 92/09/14. EBNETER, S.D. Region 2 (Post 820201). 3pp. 86854054-86854056.

-9601260026 Discusses request for investigation RII-01-10 re former employee A Mosbaugh currently in possession of safeguards info.
VORSE, J.Y. Ofc of Investigations (Post 820201). 92/08/17. EBNETER, S.D. Region 2 (Post 820201). 4pp. 86854057-86854060.

H. General correspondence

9601190045 Requeste listed changes to official bio reflecting promotion of TF Plant Unit to President Nuclear Div. office. 960301.
HOVEY, R.J. Florida Power & Light Co. 95/12/27. Document Control Branch (Document Control Desk). 1p. 86806213-86806213.

P. Operating license stage documents & correspondence

9601030306 Forwards amends 161 & 175 to licensee DPR-31 & CPR-41, respectively & SEAmends revise emergency diesel generator testing requirements to incorporate recommendations of Generic Letters 89-05 & 94-01.
CRUTEAU, R.P. . 95/12/28. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 86705068-86705069.

-9601030314 Amends 161 & 175 to licensee DPR-31 & CPR-41, respectively, revising emergency diesel generator testing requirements to incorporate recommendations of Generic Letters 89-05 & 94-01.
MATTHEWS, D.B. . 95/12/28. 12pp. 86706072-86706083.

-9601030319 Safety evaluation supporting amends 161 & 175 to licensee DPR-31 & CPR-41, respectively.
". 95/12/28. 4pp. 86705084-86705087.

9601190035 Forwards document info received by Region II personnel from concerned individuals re allegations RII-95-A-0147, RII-95-A-0389 & RII-95-A-0190 for review. Each withheld (ref 10CFR2.790).
MERSCOFF, E.W. Region 2 (Post 820201). 96/01/02. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 86804262-86804261.

9601190447 Submits summary of public workshops to discuss GL 95-07, "Pressure Locking & Thermal Finding of Safety-Related Power-Operated Gate Valves."
FREDRICKSON, P. Region 2 (Post 820201). 96/01/03. GOLDBERG, J.H. Florida Power & Light Co. 127pp. 86806001-86806127.

9601050193 Generic Ltr 96-01 to all holders of OLS or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. . 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827280.

9601030389 Inform NRC of change in plans w/respect to insp of Unit 4 SGs during Cycle 18 refueling outage currently scheduled to start in Mar 1996.
HOVEY, R.J. Florida Power & Light Co. 96/01/16. Document Control Branch (Document Control Desk). 8pp. 86806252-86806259.

9601190442 Suppl 7 to Generic Ltr 89-10 to all holders of OLS (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. . 96/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86806011-86806016.

9601300290 Inform that application dtd 951201 & affidavit CAW-95-890, "W RTOP Instruments Uncertainty Methodology for Turkey Points Units 3 & 4," will be withheld from public disclosure per 10CFR2.790(b)(5).
CRUTEAU, R.P. . 96/01/25. LIPARULO, N.J. Westinghouse Electric Corp. 3pp. 86828330-86828332.

G. Inspection reports, IE Bulletins & correspondence

9601190034 Ack receipt of 951207 ltr informing NRC of steps taken to correct violations noted in insp repts 50-250/95-15 & 50-251/95-15.
LANDIS, K.D. Region 2 (Post 820201). 95/12/16. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 86806256-86806258.

9512270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. . 96/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740015-86740023.

9601190239 Forwards insp repts 50-250/95-23 & 50-251/95-23 on 951211-15. No violations or deviations noted.
BARR, K.P. Region 2 (Post 820201). 96/01/04. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 86811043-86811048.

-9601190238 Insp repts 50-250/95-23 & 50-251/95-23 on 951211-15. No violations noted. Major areas inspected: emergency plan, emergency facilities, organization & mgmt control, independent & internal reviews/audits & training.
BARTOR, W.M. BARR, K.P. Region 2 (Post 820201). 96/01/04. 5pp. 86811045-86811048.

9512281129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. . 96/01/03. Consolidated Edison Co. of New York, Inc. 13pp. 86756049-86756051.

9512280239 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. . 96/01/06. Consolidated Edison Co. of New York, Inc. 6pp. 86756041-86756048.

9601048338 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870720). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9601190697 Forwards insp repts 50-250/95-21 & 50-251/95-21 on 951211-15. No violations or deviations noted.
FREDRICKSON, P. Region 2 (Post 820201). 96/01/11. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 86804258-86804261.

-9601190111 Partially withheld insp repts 50-250/95-21 & 50-251/95-21 on 951211-15. No violations noted. Major areas inspected: various aspects of Physical Security Program for Power Reactors. Details withheld (ref 10CFR73.21).
STRATTON, L. FREDRICKSON, P. Region 2 (Post 820201). 96/01/11. 1p. 86804261-86804261.

9601190488 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. . 96/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86826409-86826412.

9601190306 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD, D. . 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86806001-86806010.

9601260139 NRC Info Notice 96-007, "Slow Five Percent Steam Injection Time Caused by Vilon Diaphragms in Steam Solenoid Pilot Valves."
CRUTCHFIELD, D. . 96/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 86806017-86806025.

R. Periodic operating reports & related correspondence

9601260106 Monthly operating repts for Dec 1995 for Turkey Point Units 3 & 4. W/ 960112 ltr.
KNOX, J.E. HOVEY, R.J. Florida Power & Light Co. 95/12/31. 8pp. 86858141-86858149.

S. Reportable occurrences, LERs & related correspondence

9601220081 Special report 951215, 4A EDG failure occurred. Caused by faulty voltage regulator. Voltage regulator replaced.
HOVEY, R.J. Florida Power & Light Co. 96/01/12. EBNETER, S.D. Region 2 (Post 820201). 3pp. 86845021-86845023.

V. Operator Examinations

9601048138 NRC Administrative Ltr 96-01 to all holders of OLS or CPs for nuclear power reactors re operator licensing and exam schedule.
CRUTCHFIELD, D. . 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776001-86776010.

DOCKET 50-252 UNIV. OF NEW MEXICO RESEARCH REACTOR

R. Periodic operating reports & related correspondence

9501180325 Forwards 1995 annual report for facility to remedy oversight that annual report that should have been sent to NRC no later than 950930 not submitted, per TS Sec. 8.9.1.
BUSCH, J.D., RODERICK, J.F., New Mexico, Univ. of, Albuquerque, NM. 95/01/05. MEMPHIS, M.M., 1p. 88822029-88822031.

9501180328 "Report on Facility License R-102 Univ of NM Jul 1994 - June 1995."
RODERICK, J.F., New Mexico, Univ. of, Albuquerque, NM. 95/08/30. 2pp. 88822030-88822031.

DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9501180211 Revised CEIPs including CEIP-3000 series table of contents, Rev 13 to CEIP-3001-01, Rev 8 to CEIP-3003-01, Rev 8 to CEIP-3004-01, Rev 8 to CEIP-3005-01, Rev 11 to CEIP-3101-01 & Rev 7 to CEIP-3131-1.
* Commonwealth Edison Co. 95/12/08. 4pp. 88878248-88878253.

9501240222 Revised Corporate EPPs (CEIPs) including Rev 3 to CEIP-2011-01, Rev 1 to CEIP-2021-05, Rev 1 to CEIP-2021-06, Rev 1 to CEIP-2411-01 & Rev 2 to CEIP-2413-01.
STOBAUGH, D.W., Commonwealth Edison Co. 95/12/07. 34pp. 88882265-88882268.

9501180461 Rev 8 to "Common Ed Generating Stations Emergency Plan (GSEP) Site Annex Quad Cities Nuclear Power Station."
* Commonwealth Edison Co. 95/12/20. 5pp. 88817118-88817174.

9501180462 Informs that rev 81 of plant Annex to Generating Stations Emergency Plan acceptable & does not decrease effectiveness of emergency planning.
CREED, J.R., Region 3 (Post 820201). 95/01/03. KRAFT, E., Commonwealth Edison Co. 1p. 88760108-88760110.

9501180463 Revised EPPs including Rev 31 to CEP 0400-00, "On-Site Response Actions," Rev 8 to CEP 0400-01, "Plant Assembly" & Rev 8 to CEP 0400-02, "Plant Assembly Checklist."
* Commonwealth Edison Co. 95/01/03. 6pp. 88812112-88812118.

9501290226 Advises that rev 8J to Quad Cities Nuclear Station Annex to Generating Stations Emergency Plan acceptable & does not decrease effectiveness of emergency planning.
CREED, J.R., Region 3 (Post 820201). 95/01/22. KRAFT, E., Commonwealth Edison Co. 2pp. 88884251-88884252.

9501290331 Submits review of proposed revs to EALs & technical bases for Braidwood, Byron, Dresden, LaSalle, Quad Cities & Zion NPPs, concluding that proposed changes acceptable & do not decrease effectiveness of licensee emergency planning.
CREED, J.R., Region 3 (Post 820201). 95/01/23. FARRAR, D.L., Commonwealth Edison Co. 3pp. 88888328-88888332.

P. Operating license stage documents & correspondence

9501240160 Forwards amends 140,140,168 & 164 to licensee DPR-19, DPR-25, DPR-29 & DPR-30, respectively & safety evaluation Amends upgrade plants TS to STS contained in NUREG-0123, per 930917 application for amends.
STANG, J.F., 95/12/27. FARRAR, D.L., Commonwealth Edison Co. 3pp. 88730100-88730109.

9501240170 Amends 140,140,168 & 164 to licensee DPR-19, DPR-25, DPR-29 & DPR-30, respectively, reflecting TS upgrade to STS contained in NUREG-0123, per 930917 application.
STANG, J.F., 95/12/27. 3pp. 88730103-88730108.

9501240203 Safety evaluation supporting amends 140,140,168 & 164 to licensee DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
* 95/12/27. 3pp. 88730138-88730168.

9501180158 Requests that for each #4, 951114 amend request re Option B to 10CFR50, App J be effective upon issuance to be implemented no later than 950630.
FRET, J.L., Commonwealth Edison Co. 95/01/04. Document Control Branch (Document Control Desk). 1p. 88778332-88778333.

9501180465 Processes augmented exam plan of the reactor pressure vessel (RPV) shall weld at Quad Cities Station Unit 1.
RYBAK, B., Commonwealth Edison Co. 95/01/04. Document Control Branch (Document Control Desk). 2pp. 88822067-88822068.

9501050193 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D., 95/01/10. Consolidated Edison Co. of New York, Inc. 6pp. 88827272-88827280.

9501230317 Discusses 951211 public mtg meeting at NRC Region III re reliability & availability of safety equipment at plant. Attendance list & presentation slides and VHS.
HILAND, P.L., Region 3 (Post 820201). 95/01/10. KRAFT, E., Commonwealth Edison Co. 1pp. 88813001-88813001.

9501180278 Forwards amends 140,142,168 & 165 to licensee DPR-19, DPR-25, DPR-29 & DPR-30 & safety evaluation Amends revise TS to incorporate 10CFR50, App J, "Primary Reactor Containment Leakage Testing for Water Cooled Power Reactors," Option B.
STANG, J.F., 95/01/11. FARRAR, D.L., Commonwealth Edison Co. 3pp. 88824080-88824139.

9501180305 Safety evaluation supporting amends 140,142,168 & 165 to licensee DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
* 95/01/11. 4pp. 88824089-88824102.

9501180310 Amends 163 & 165 to licensee DPR-29 & DPR-30, respectively, revising TS to incorporate 10CFR50, App J, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors," Option B.
PULSIFER, R.M., 95/01/11. 5pp. 88824103-88824138.

9501230316 Forwards BAW-2256 & BAW-2259, providing electroslag weld initial re-inspection ductility transition, USE & chemistry properties of electroslag welds for Dresden Units 2 & 3 & Quad Cities Units 1 & 2, per GL 92-01, Rev 1, Suppl 1.
SACCOMANDO, D.M., Commonwealth Edison Co. 95/01/17. Document Control Branch (Document Control Desk). 5pp. 88845028-88845123.

9501230321 "Evaluation of RTNDT, USE & Chemical Composition of Core Region Electroslag Welds for Quad Cities Units 1 & 2."
CAMPEL, C.A., Babcock & Wilcox Co. BAW-2259. 95/01/16. 4pp. 88845081-88845123.

9501260333 Forwards SE re discrepancy of RPV internal seismic analysis. Revised seismic analysis w/corrected mass in seismic model will not change conclusions of staff previous SEA relative to core shroud repair hardware for plants.
PULSIFER, R.M., 95/01/23. FARRAR, D.L., Commonwealth Edison Co. 4pp. 88867103-88867112.

9501260355 Safety evaluation of core shroud seismic analysis discrepancy. Effect of internal discrepancy in model mass will not change conclusions of previous staff SE of plant core shroud repair.
* 95/01/23. 6pp. 88867107-88867112.

9501260442 Suppl 7 to Generic Ltr 89-10 to all holders of OLs (except licensee amended to possession only status) or CPs for nuclear power reactors re consideration of valve misoperation in PWRs.
CRUTCHFIELD, D., 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 88865011-88865018.

9501300003 "Quad Cities Nuclear Power Station Units 1 & 2 Secondary Containment Leak Test Summary." W/950124 ltr.
PEARCE, L.W., Commonwealth Edison Co. 95/01/24. MILLER, H.J., Region 3 (Post 820201). 3pp. 88861077-88861078.

9501300228 Reviews core shroud insp plan submitted by 951122 unit ltr, to be implemented in Feb 1996 during 14th refueling outage. Concludes that insp plan to utilize enhanced visual exam or UT adequate to support planned core shroud repair.
PULSIFER, R.M., 95/01/25. FARRAR, D.L., Commonwealth Edison Co. 4pp. 88848052-88848055.

Q. Inspection reports, IE Bulletins & correspondence

9501060230 Discusses insp repts 50-254/95-07 & 50-255/95-07 from insp on 950902-1018 & forwards notice of violation & proposed imposition of civil penalty in amount of \$50,000.
MILLER, H.J., Region 3 (Post 820201). 95/01/02. WALLACE, M.J., Commonwealth Edison Co. 5pp. 88755001-88755008.

9501060212 Notice of violation & proposed imposition of civil penalty in amount of \$50,000. Violated not failure to promptly correct potential for safety-related MOCs to trip on current overload.
* Region 3 (Post 820201). 95/01/02. 3pp. 88755006-88755008.

9512270373 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Tanks to Disable Equipment Important to Safety."
CRUTCHFIELD, D., 95/01/03. Consolidated Edison Co. of New York, Inc. 6pp. 88748015-88748023.

9501050057 Press Release 95-03, "NRC Staff Proposes \$50,000 Fine Against Commonwealth Edison Co for Violation of NRC Requirements at Quad Cities Station."
* Office of Public Affairs (Post 911117). 95/01/03. 2pp. 88766324-88766325.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Contradictory Indications During Testing."
CRUTCHFIELD, D., 95/01/05. Consolidated Edison Co. of New York, Inc. 15pp. 88768049-88768061.

9512290208 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D., 95/01/05. Consolidated Edison Co. of New York, Inc. 6pp. 88758041-88758048.

9501180225 Provides clarification re third ten yr interval insp plan relief request CR-16.
RYBAK, B., Commonwealth Edison Co. 95/01/08. Document Control Branch (Document Control Desk). 1p. 88781359-88781359.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOLE, A., Division of Industrial & Medical Nuclear Safety (Post 870728). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 88827259-88827271.

9501180468 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D., 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 88828109-88828120.

9501290408 Forwards insp repts 50-254/95-08 & 50-255/95-08 on 951019-1208. No violations noted. Adverse performance & mal condition problems identified. Concerned w/look of depth in initial root cause assessments.
HILAND, P.L., Region 3 (Post 820201). 95/01/18. KRAFT, E., Commonwealth Edison Co. 2pp. 88888295-88888317.

9501290481 Insp repts 50-254/95-09 & 50-255/95-09 on 951019-1208. No violations noted. Major areas inspected: operations, engineering, training, & plant support. Safety assessment & quality verification activities routinely evaluated.
HILAND, P.L., Region 3 (Post 820201). 95/01/18. 21pp. 88888297-88888317.

9501180306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Torpedo Dampers at Nuclear Power Plants."
CRUTCHFIELD, D., 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 88865001-88865010.

26 DOCKETED ITEMS

9601280235 NRC Info Notice 96-007, "Slow Five Percent Steam Injection Times Caused by Vibration Diaphragms in Steam Schenck Pict Valve." CRITCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 86855017-86855023.

R. Periodic operating reports & related correspondence

960120110 Monthly operating reports for Dec 1995 for Quad Cities Nuclear Power Station. MOORE, J. PEARCE, L.W. Commonwealth Edison Co. 96/12/31. 8pp. 86859150-86859156.

S. Reportable occurrences, LERs & related correspondence

9601180449 LER 95-006-00 on 951206 HPCS declared inoperable when HPCI limbless stop valve failed to open within acceptable range of IST program due to loose connections & failed limit switch contacts. Request for PM (Revised) W/960103 Jv. CHIRISSOTIMOS, N. PEARCE, L.W. Commonwealth Edison Co. 96/01/03. 3pp. 86800140-86800148.

V. Operator Examinations

9601030304 Advice that license OP-90902, docket 55-31894, Lt. Callery will not be maintained effective 951222. KRAFT, E.S. Commonwealth Edison Co. 96/12/27. Document Control Branch (Document Control Desk). 1p. 86790319-86790319.

9601040138 NRC Administrative Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing exam exam schedule. CRITCHFIELD, D. 96/01/06. Consolidated Edison Co. of New York, Inc. 10pp. 86778001-86778010.

9601200022 Informa that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 960410. BURDICK, T.H. Region 3 (Post 320201). 96/01/24. LACROIX, D.G. Consumers Power Co. 3pp. 86887003-86887005.

DOCKET 50-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9601030389 Rev 67 to emergency operations facility procedures index. Consumers Power Co. 96/12/27. 2pp. 86790259-86790260.

9601160136 Rev 4 to EPIP E-7.3, "Hydrogen Analysis Of Post Accident Samples." SULLIVAN, M. LEE, M.T., CLOCK, R.A. Consumers Power Co. 96/01/02. 13pp. 86800273-86800285.

9601170215 Forwards rev 15 to suitability, training & qualification plan. Plan withheld. SMEDLEY, R.W. Consumers Power Co. 96/01/04. Document Control Branch (Document Control Desk). 1p. 86812001-86812001.

9601170167 Rev 4 to Procedure E-15.2, "Communications Tests." BRUNET, J. Consumers Power Co. 96/01/05. 13pp. 86800220-86800232.

9601170189 Rev 14 to Procedure E-3, "Communications & Notifications." BRUNET, J. Consumers Power Co. 96/01/05. 17pp. 86800239-86800248.

9601170192 Rev 19 to Procedure E-2.1, "Emergency Actions/Responsibilities." BRUNET, J. Consumers Power Co. 96/01/05. 12pp. 86800250-86800261.

9601170199 Rev 4 to Procedure E-2.2, "Emergency Staff Augmentation." BRUNET, J. Consumers Power Co. 96/01/05. 7pp. 86800273-86800279.

9601170180 Rev 6 to Procedure E-4.1, "Technical Support Ctr Activation." BRUNET, J. Consumers Power Co. 96/01/10. 21pp. 86790339-86790356.

9601170184 Rev 7 to Procedure E-4.0, "Offsite Dose Calculation & Recommendations for Protective Actions." BRUNET, J. Consumers Power Co. 96/01/10. 17pp. 86800209-86800219.

9601200228 Rev 4 to Emergency Implementing Procedure E-14, "Medical Care/Treatment Of Contaminated/Injured Personnel." BRUNET, J.R., BROTT, N.K. Consumers Power Co. 96/01/10. 2pp. 86837289-86837290.

9601200119 Rev 7 to Emergency Implementing Procedure E-4.3, "BOF Activation." BROTT, N.K. Consumers Power Co. 96/01/10. 10pp. 86852261-86852266.

9601200125 Rev 5 to Emergency Implementing Procedure E-4.10, "Offsite Dose Calculation - Straight Line Gaussian (Radial Method)." BROTT, N.K. Consumers Power Co. 96/01/10. 13pp. 86845343-86845355.

9601200129 Rev 4 to Emergency Implementing Procedure E-6.9, "Automated Dose Assessment Program." Consumers Power Co. 96/01/10. 6pp. 86859185-86859193.

9601200133 Rev 3 to Emergency Implementing Procedure E-6, "Reentry." Consumers Power Co. 96/01/10. 6pp. 86846236-86846243.

9601200135 Rev 11 to Emergency Implementing Procedure E-4.2, "Operational Support Ctr Activation." BRUNET, J.R. Consumers Power Co. 96/01/10. 33pp. 86859194-86859223.

9601200153 Rev 7 to Emergency Implementing Procedure E-7.2, "Emergency Post Accident Analysis." LEE, M.T. Consumers Power Co. 96/01/10. 13pp. 86846337-86846350.

9601200256 Expired Temporary Change E-95-001 to Rev 12 to E-7.1, "Post Accident Sampling - PCS Liquid/Gas & Containment Air." Consumers Power Co. 96/01/22. 1p. 86802259-86802259.

9601200269 Rev 4 to Emergency Implementing Procedure E-4.9, "Automated Dose Assessment Program." Consumers Power Co. 96/01/25. 2pp. 86861182-86861183.

9601200294 Rev 11 to Emergency Implementing Procedure E-4.2, "Operational Support Ctr Activation." Consumers Power Co. 96/01/25. 3pp. 86861184-86861186.

G. Adjudicatory correspondence

9601200890 Advice receipt of petition dtd 951117 requesting that NRC prohibit loading of VSC-24 casks at any nuclear site until unloading procedures evaluated. Forwards "Receipt of Petition for Director's Decision Under 10CFR2.208." RUSSELL, W.T. 96/01/10. SHILLINGLAW, F. Affiliation Not Assigned. 7pp. 86852331-86852346.

9601240102 Notice of receipt of petition for directors decision under 10CFR2.208. RUSSELL, W.T. 96/01/10. 2pp. 86852349-86852349.

9512120508 Discusses unloading analysis. SHILLINGLAW, F. Affiliation Not Assigned. 95/11/17. RUSSELL NRC - No Detailed Affiliation Given. 1p. 86852341-86852341.

9601240178 Forwards copy of petition filed pursuant to 10CFR2.208, requesting that NRC prohibit loading of any VSC-24 casks pending further evaluation. W/draft ltr to petitioner & draft FR notice. GOLDBERG, J.R. Office of the General Counsel (Post 860701). 95/12/28. RUSSELL, W.T. 6pp. 86852342-86852346.

H. General correspondence

9601040248 Submits questions re shield lid used for MSB 1-10, changed from SAR design. SHILLINGLAW, F. Affiliation Not Assigned. 96/09/27. HANNOH NRC - No Detailed Affiliation Given. 12pp. 86758304-86758315.

9601200047 Responds to 951117 ltr to Haughey re transport & storage of spent fuel. Informa that licensee for MS Robinson plant did transport fuel from fuel pool to ISFSI using NUHOMS-07P cask inside K-300 transport cask. MARCUS, G.H. 95/12/27. SHILLINGLAW, F. Affiliation Not Assigned. 3pp. 86862036-86862042.

9601250038 Responds to JM Taylor 951109 speech to NEI re utility taking proactive role in providing guidance & oversight over fabrication activities of dry cask storage sys. SHILLINGLAW, F. Affiliation Not Assigned. 96/01/18. TAYLOR, J.M. Ofc of the Executive Director for Operations. 5pp. 86873352-86873358.

9512120508 Discusses unloading analysis. SHILLINGLAW, F. Affiliation Not Assigned. 95/11/17. RUSSELL NRC - No Detailed Affiliation Given. 1p. 86852341-86852341.

9601250004 Expresses concerns on behalf of Toledo Coalition for Safe Energy (TCSE) re TOED decision to load radioactive spent fuel rods into dry storage casks. TCSE 960105 ltr re dry cask storage at Davis Besse and. KAPTURE, M. House of Rep. 96/01/19. THE CHAIRMAN, GELIN, J. Commissioners (Post 750119). 3pp. 86873332-86873334.

9601100078 Responds to recipient 951102 ltr asking questions about Siemens Power Corp re EMF-94-102, "Temperature Criteria for Quenching of Fuel in Dry Storage." Concludes ltr in original & revised re commercial proprietary info. HANNOH, J.N. 96/01/24. SHILLINGLAW, F. Affiliation Not Assigned. 2pp. 86868056-86868057.

P. Operating license stage documents & correspondence

9601030235 Application for amend to license DPR-20, rewriting Electrical Power Sys sections of TS & bases to closely emulate STS. SMEDLEY, R.W. Consumers Power Co. 95/12/27. Document Control Branch (Document Control Desk). 22pp. 86732099-86732254.

9601090242 Proposed tech specs, rewriting Electrical Power Sys sections of TS & bases to closely emulate STS. Consumers Power Co. 96/12/27. 13pp. 86732115-86732254.

9601160233 Application for amend to license DPR-20, revising SDC requirements & bases for TS Section 3.1.9.3 prior to 1998 Refueling Outage. SMEDLEY, R.W. Consumers Power Co. 96/01/05. Document Control Branch (Document Control Desk). 6pp. 86787319-86787325.

9601160235 Proposed tech specs, revising SDC requirements & bases for TS Section 3.1.9.3 prior to 1998 Refueling Outage. Consumers Power Co. 96/01/05. 5pp. 86787325-86787325.

9601050193 Generic Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRITCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 5pp. 86827272-86827280.

9601200105 Application for amend to license DPR-20, requesting exemption from 10CFR50 App J TS change request concerning local leak test requirements for Emergency Escape Alldock in plant containment bldg. SMEDLEY, R.W. Consumers Power Co. 96/01/10. Document Control Branch (Document Control Desk). 14pp. 86859117-86859140.

9601200130 Proposed tech specs, requesting exemption from 10CFR50 App J & TS change request concerning local leak test requirements for Emergency Escape Alldock in plant containment bldg. Consumers Power Co. 96/01/10. 10pp. 86859131-86859140.

9601200229 Requests approval of change in reactor vessel surveillance coupon removal schedule. SMEDLEY, R.W. Consumers Power Co. 96/01/10. Document Control Branch (Document Control Desk). 13pp. 86860067-86860079.

9601220076 Forwards preliminary thermal annealing rethermal annealing operating plan, Section 1.3, "Equipment/Components & Structures Affected by Thermal Annealing."
SMEDLEY, R.W. Consumers Power Co. 96/01/12. Document Control Branch (Document Control Desk). 53pp. 88833212-88833224.

9601220099 Forwards preliminary thermal annealing rethermal annealing operating plan, Section 1.5, "Annealing Method, Instrumentation & Procedures."
SMEDLEY, R.W. Consumers Power Co. 96/01/12. Document Control Branch (Document Control Desk). 27pp. 88843065-88843111.

9601230152 Requests NRC approval for alternate snubber test program, as outlined in encl.
SMEDLEY, R.W. Consumers Power Co. 96/01/17. Document Control Branch (Document Control Desk). 5pp. 88850325-88850329.

9601230159 Requests approval of Code Case N-533 for use of alternative requirements of VT-2 visual exam for Class 1 insulated pressure retaining bolted connections.
SMEDLEY, R.W. Consumers Power Co. 96/01/18. Document Control Branch (Document Control Desk). 5pp. 88859232-88859236.

9601250074 Application for amend to license DPR-20, revising TS re primary coolant pump flywheel insp. Rev 1 to Structural Integrity Assoc. Inc. repl. SR-04-080, "Relocation of Reactor Coolant Pump Flywheel Insp Requirements" encl.
SMEDLEY, R.W. Consumers Power Co. 96/01/18. Document Control Branch (Document Control Desk). 5pp. 88871121-88871274.

-9601250076 Proposed tech specs re primary coolant pump flywheel insps.
* Consumers Power Co. 96/01/18. 7pp. 88871129-88871274.

9601250083 Application for amend to license DPR-20, revising TS to allow use of 10CFR60 App J Option B containment testing & use of warning light to identify certain high radiation areas, to suppl. 951211 administrative controls change request.
SMEDLEY, R.W. Consumers Power Co. 96/01/18. Document Control Branch (Document Control Desk). 6pp. 88883331-88883354.

-9601250086 Proposed tech specs allowing use of 10CFR60 App J Option B containment testing & use of warning light to identify certain high radiation areas.
* Consumers Power Co. 96/01/18. 18pp. 88883337-88883354.

9601290129 Notification of 960131 meeting w/ all in Rockville, MD to discuss licensing actions that will be requested by license for Rev. 1996 outage.
GAMBERONI, M. 96/01/22. HANWON, J. 4pp. 88893010-88893013.

9601190442 Suppl 7 to Genex Lic 88-10 to all holders of OLA (except licensees amended to possession only status) or CPs for nuclear power reactors re consideration of valve repositioning in FWTR.
CRITCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 88905011-88905016.

9601290313 Forwards Rev 0 to Engineering Analysis EA-TAM-95-05, "Radiological Consequences for Palisades Max Hypothetical Accident & Loss of Coolant Accident."
SMEDLEY, R.W. Consumers Power Co. 96/01/24. Document Control Branch (Document Control Desk). 2pp. 88930001-88930131.

-9601290317 "Radiological Consequences for Palisades Max Hypothetical Accident & Loss of Coolant Accident."
* Consumers Power Co. EA-TAM-95-05 Rev. 05/12/14. 12pp. 88930003-88930131.

9601310052 Grants CPCs & Siemens Power Corp request that repl. EAF-94-160, "Temp Criteria for Chenching of Fuel in Dry Storage," be withheld as proprietary on basis that info contained therein gives competitive advantage.
GAMBERONI, M. 96/01/24. SMEDLEY, R.W. Consumers Power Co. 4pp. 88968145-88968149.

G. Inspection reports, IS Bulletins & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRITCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 88740016-88740023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indicators During Testing."
CRITCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 88758049-88758061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRITCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 88758041-88758048.

9601040035 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
OCCOLA, Division of Industrial & Medical Nuclear Safety (Post 878720). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 88827259-88827271.

9601170168 Inform of 960429 insp of licensed operator requalification program at plant. Requests submission of written examinations & operating tests scheduled for week of insp by 960415.
BURDICK, T.M. Region 3 (Post 820201). 96/01/11. PALMSANO, T. Palisades Generating Co. 2pp. 88771355-88771359.

9601180055 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRITCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. 6pp. 88828109-88828123.

9601250074 Application for amend to license DPR-20, revising TS re primary coolant pump flywheel insp. Rev 1 to Structural Integrity Assoc. Inc. repl. SR-04-080, "Relocation of Reactor Coolant Pump Flywheel Insp Requirements" encl.
SMEDLEY, R.W. Consumers Power Co. 96/01/18. Document Control Branch (Document Control Desk). 5pp. 88871121-88871274.

-9601250076 Proposed tech specs re primary coolant pump flywheel insps.
* Consumers Power Co. 96/01/18. 7pp. 88871129-88871274.

9601180006 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRITCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 88965001-88965010.

9601290159 NRC Info Notice 96-007, "Slow Five Percent Scrut Invention Times Caused by Vibration Diaphragms in Scrut Solenoid Pilot Valves."
CRITCHFIELD, D. 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 88965017-88965023.

R. Periodic operating reports & related correspondence

9601160170 Monthly operating rept for Dec 1995 for Palisades Nuclear Plant. W/960108 to KOBATAKA, WILLIAMS, A.L. Consumers Power Co. 96/12/31. 5pp. 88773357-88773361.

S. Reports/accidents, UERs & related correspondence

9601220115 Responds to questions in NRC 951121 R re 950620 security access authorization incident.
SMEDLEY, R.W. Consumers Power Co. 96/01/15. Document Control Branch (Document Control Desk). 8pp. 88844349-88844358.

9601220137 Inform NRC of withdrawal of 940527 LER 94-012 commitment to update reactor protective sys FMEA to reflect mods performed to RPS & thermal margin monitor. New commitment listed.
SMEDLEY, R.W. Consumers Power Co. 96/01/15. Document Control Branch (Document Control Desk). 2pp. 88843355-88843358.

9601220201 Inform NRC that 940627 LER 94-012 commitment to modify thermal margin monitor to remove internal ground & reevaluate need for circuit isolation devices withdrawn.
SMEDLEY, R.W. Consumers Power Co. 96/01/15. Document Control Branch (Document Control Desk). 2pp. 88843357-88843358.

9601220287 LER 95-014-00 on 950118 POP of collection deficiencies created by FC-307 piping mod. Caused by inadequate DSD for sys & lack of review by experienced fire protection personnel. Updated design basis documentation. W/960115 to MATHEWS, C.M., SMEDLEY, R.W. Consumers Power Co. 96/01/15. 6pp. 88853013-88853016.

9601230108 Forwards LER 95-015-00 re App "R" results in spurious operation & damage to alternate shutdown MOVs. Ltr contains new commitments as submitted.
SMEDLEY, R.W. Consumers Power Co. 96/01/16. Document Control Branch (Document Control Desk). 3pp. 88848212-88848215.

-9601230131 LER 95-016-00 on 951219, determined up to treaty MOVs could become unavailable as result of App R fire scenario. Caused by original App R review not considering valve limit switch circuits could be routed in configuration. Valves repaired.
ENGLE, D. Consumers Power Co. 96/01/16. 4pp. 88848215-88848218.

9601230287 PNO-II-96-003 on 960116, 2,400 volt power sys automatically transferred from normal source to backup power source. Licensee commenced plant shutdown on 960117 & plans to make repairs in power cable.
KNOPP, W., FULLER, B. Region 3 (Post 820201). 96/01/18. 1p. 88846226-88846228.

9601260201 LER 95-018-00 on 951228, did not analyze primary coolant samples within 72 h. Caused by belief acceptability to save PCS samples for chloride analysis past 72 h. Counselled Chemistry Supervisor. W/960119 to FLENNER, P.D., SMEDLEY, R.W. Consumers Power Co. 96/01/19. 4pp. 88891310-88891313.

V. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OLA or CPs for nuclear power reactors re operator licensing not to be scheduled.
CRITCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 88778001-88778010.

9601170168 Inform of 960429 insp of licensed operator requalification program at plant. Requests submission of written examinations & operating tests scheduled for week of insp by 960415.
BURDICK, T.M. Region 3 (Post 820201). 96/01/11. PALMSANO, T. Palisades Generating Co. 2pp. 88771359-88771359.

9601300022 Inform that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 960410.
BURDICK, T.H. Region 3 (Post 820201). 96/01/24. LACROIX, D.G. Consumers Power Co. 3pp. 88867003-88867006.

Y. Dry Cask Independent Spent Fuel Storage Installations

9601230367 Submits questions re VSD-24 dry cask.
SHILLING, J.F. Attention Not Assigned. 96/01/15. KUGLER, D. 7pp. 88863319-88863324.

DOCKET 90-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9601230304 Revised central emergency control center EPIPs (CECC EPIPs), including Rev 16 to CECC EPIP-9, Rev 10 to CECC EPIP-22 & Rev 10 to CECC EPIP-23. W/960116 to MARKS, B.K., KITTIS, R.J., CARIER, P.P. Tennessee Valley Authority. 96/01/15. 93pp. 88860055-88860100.

28 DOCKETED ITEMS

9601260359 Forwards "Security Personnel Training & Qualification Plan," Rev 22 Plan withheld.
SALAS,P. Tennessee Valley Authority. 96/01/22. Document Control Branch (Document Control Desk). 2 pp. 66930342-66930343.

9601290475 Rev 13 to Central Emergency Control Cn-EPIC (CECC-EPIC) CECC-EPIC-6, "Dose Assessment Staff Activities During Nuclear Plant Radiological Emergencies." W/960124 W.
MARKS,B.K., MEDFORD,M.O., CARRIER,P.P. Tennessee Valley Authority. 96/01/24. 43pp. 66941304-66941346.

P. Operating license stage documents & correspondence

9601020084 Provides review & approval of technical basis for implementation of revised severe accident source term at plant.
SALAS,P. Tennessee Valley Authority. 95/12/22. Document Control Branch (Document Control Desk). 7pp. 66896001-66896107.

-9601020085 Proposed tech specs, increasing allowable MSRV leakage rate & requesting exemptions from 10CFR50, App J, Option A, Sections II.H.4.II.C.2 & II.C.3, App J, Option B & 10CFR100 & App A, Section VI (A).
* Tennessee Valley Authority. 95/12/22. 101pp. 66896008-66896107.

9601190052 Summarizes one-day public workshops conducted in Oct & Nov 1995, discussing GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves." List of meeting participants, staff & industry presentation handouts encl.
FREDERICKSON,P. Region 2 (Post 820201). 96/01/03. KINGSLEY,O.D. Tennessee Valley Authority. 123pp. 66904126-66904254.

9601160391 Provides periodic special rept for secondary containment integrated leak rate test required by TS 8.9.2.B.
SALAS,P. Tennessee Valley Authority. 96/01/05. Document Control Branch (Document Control Desk). 4pp. 66782249-66782252.

9601150193 Generic Ltr 96-01 to all holders of OLRs or CPs for nuclear power reactors on testing of safety-related logic circuits.
CRUTCHFIELD,D. . 96/01/10. Consolidated Edison Co. of New York, Inc. 8PP. 66927272-66927280.

9601170291 Suppl to TS Change Request 964 to Licensee DPR-33, DPR-62 & DPR-63, revising TS to implement 10CFR50, App J, Option B, performance based testing. Suppl incorporates word error to note in SR 4.7.A.2.g. Corrected TS encl.
SALAS,P. Tennessee Valley Authority. 96/01/10. Document Control Branch (Document Control Desk). 3pp. 66790253-66790314.

-9601170299 Proposed tech specs re implementation of 10CFR50, App J, Option B, performance based testing.
* Tennessee Valley Authority. 96/01/10. 80pp. 66790255-66790314.

9601190442 Suppl 7 to Generic Ltr 96-10 to all holders of OLRs (except licensees attended to possession only status) or CPs for nuclear power reactors re consideration of valve repositioning in PWRs.
CRUTCHFIELD,D. . 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 66935011-66935018.

Q. Inspection reports, IE Bulletins & correspondence

9601190050 Forwards 951213 order denying Stone & Webster Engineering Corp application for stay in Dept of Labor Case 93-ERA-044.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/12/27. KINGSLEY,O.D. Tennessee Valley Authority. 11pp. 66901326-66901336.

9601190209 Forwards 951213 Order denying application for stay in Dept of Labor Case 93-ERA-044.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/12/27. KELLY,R.E. Stone & Webster Engineering Corp. 10pp. 66905293-66905292.

9601190055 Forwards insp repts 50-259/95-63, 50-260/95-63 & 50-296/95-63 on 951211-15. No violations or deviations noted.
PEEBLES,T.A. Region 2 (Post 820201). 96/01/02. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 66903314-66903322.

-9601190060 Insp repts 50-259/95-63, 50-260/95-63 & 50-296/95-63 on 951211-15. No violations noted. Major areas inspected. Licensed operator requalification program during period 951211-15.
HOPPER,G.T., PEEBLES,T.A. Region 2 (Post 820201). 96/01/02. 7pp. 66903316-66903322.

9512279372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD,D. . 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 66740015-66740028.

9512290129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD,D. . 96/01/03. Consolidated Edison Co. of New York, Inc. 13pp. 66768049-66768061.

9512290295 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD,D. . 96/01/06. Consolidated Edison Co. of New York, Inc. 3pp. 66758041-66758048.

9601048538 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870725). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 66827259-66827274.

9601170326 Forwards response to NRC 951212 ltr re violations noted in insp repts 50-259/95-63, 50-260/95-63 & 50-296/95-63. Corrective actions: personnel unengaged valves & verified that valves operated as designed.
MACHON,R.D. Tennessee Valley Authority. 96/01/11. Document Control Branch (Document Control Desk). 6pp. 66912084-66912098.

9601170342 Forwards response to NRC 951215 ltr re violations noted in insp repts 50-259/95-63, 50-260/95-63 & 50-296/95-63 on 951002-1117. Corrective actions: revised subject DCA & corrected weld to comply w/drawing.
MACHON,R.D. Tennessee Valley Authority. 96/01/12. Document Control Branch (Document Control Desk). 7pp. 66912099-66912075.

9601100856 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD,D. . 96/01/16. Consolidated Edison Co. of New York, Inc. 9pp. 66929109-66929120.

9601190396 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD,D. . 96/01/26. Consolidated Edison Co. of New York, Inc. 10pp. 66935001-66935010.

9601200037 Responds to 960414 request from CE Murphy of Region II for up to date copy of all TVA PSI/ISI programs & subsequent TVA submissions of PSI/ISI repts for docketing. Concludes that TVA no longer required to submit PSI/ISI program repts.
HEBDON,F.J. . 96/01/25. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 66935259-66935260.

9601200139 NRC Info Notice 96-007, "Slow Five Percent Steam Inertion Times Caused by Viton Diaphragms in Steam Schematic Pilot Valves."
CRUTCHFIELD,D. . 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 66935017-66935023.

R. Periodic operating reports & related correspondence

9601190078 Forwards monthly operating repts for Dec 1995 for Browns Ferry Nuclear Plant for Units 1, 2 & 3 & Revised Nov 1995 repts for Unit 3.
SALAS,P. Tennessee Valley Authority. 96/01/12. Document Control Branch (Document Control Desk). 3pp. 66926346-66926361.

-9601190328 Monthly operating repts for Dec 1995 for Browns Ferry Nuclear Plant Units 1, 2 & 3.
SMITH,T.R. Tennessee Valley Authority. 95/12/31. 9pp. 66926351-66926360.

-9601190328 Revised monthly operating repts for Nov 1995 for Browns Ferry Nuclear Plant Unit 3.
SMITH,T.R. Tennessee Valley Authority. 95/11/30. 1p. 66926361-66926361.

V. Operator Examinations

9601190068 Forwards insp repts 50-259/95-63, 50-260/95-63 & 50-296/95-63 on 951211-15. No violations or deviations noted.
PEEBLES,T.A. Region 2 (Post 820201). 96/01/02. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 66903314-66903322.

-9601190060 Insp repts 50-259/95-63, 50-260/95-63 & 50-296/95-63 on 951211-15. No violations noted. Major areas inspected. Licensed operator requalification program during period 951211-15.
HOPPER,G.T. Region 2 (Post 820201). 96/01/02. 7pp. 66903316-66903322.

9601049139 NRC Administrative Ltr 96-01 to all holders of OLRs or CPs for nuclear power reactors re operator licensing new exam schedule.
CRUTCHFIELD,D. . 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 66778001-66778010.

DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9601230004 Revised central emergency control center EPIPs (CECC EPIPs) including Rev 16 to CECC EPIP-9, Rev 10 to CECC EPIP-22 & Rev 10 to CECC EPIP-23.W/ 960119 W.
MARKS,B.K., KITS,R.J., CARRIER,P.P. Tennessee Valley Authority. 96/01/16. 93pp. 66960096-66960180.

9601260369 Forwards "Security Personnel Training & Qualification Plan," Rev 22 Plan withheld.
SALAS,P. Tennessee Valley Authority. 96/01/22. Document Control Branch (Document Control Desk). 2 pp. 66930342-66930343.

9601290475 Rev 13 to Central Emergency Control Cn-EPIC (CECC-EPIC) CECC-EPIC-6, "Dose Assessment Staff Activities During Nuclear Plant Radiological Emergencies." W/960124 W.
MARKS,B.K., MEDFORD,M.O., CARRIER,P.P. Tennessee Valley Authority. 96/01/24. 43pp. 66941304-66941346.

P. Operating license stage documents & correspondence

9601020084 Provides review & approval of technical basis for implementation of revised severe accident source term at plant.
SALAS,P. Tennessee Valley Authority. 95/12/22. Document Control Branch (Document Control Desk). 7pp. 66896001-66896107.

-9601020085 Proposed tech specs, increasing allowable MSRV leakage rate & requesting exemptions from 10CFR50, App J, Option A, Sections II.H.4.II.C.2 & II.C.3, App J, Option B & 10CFR100 & App A, Section VI (A).
* Tennessee Valley Authority. 95/12/22. 101pp. 66896008-66896107.

9601190052 Summarizes one-day public workshops conducted in Oct & Nov 1995, discussing GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves." List of meeting participants, staff & industry presentation handouts encl.
FREDERICKSON,P. Region 2 (Post 820201). 96/01/03. KINGSLEY,O.D. Tennessee Valley Authority. 123pp. 66904126-66904254.

9501160391 Provides periodic special rept for secondary containment integrated leak rate test required by TS 6.9.2.8.
SALAS, P. Tennessee Valley Authority. 95/01/06. Document Control Branch (Document Control Desk). App. 85782:216-85782:252.

9501050393 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 85827:272-85827:280.

9501170281 Suppl to TS Change Request 354 to Licensees DPR-33, DPR-52 & DPR-65, revising TS to implement 10CFR50, App. J, Option B, performance based testing. Suppl incorporates word doc to note in SR 4.7.A.2.g. Corrected TS encl.
SALAS, P. Tennessee Valley Authority. 95/01/10. Document Control Branch (Document Control Desk). App. 85782:252-85782:314.

9501170286 Proposed tech specs re implementation of 10CFR50, App. J, Option B, performance based testing.
Tennessee Valley Authority. 95/01/10. 80pp. 85780:255-85780:314.

9501190442 Suppl 7 to Generic Ltr 95-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 85965:011-85965:016.

C. Inspection reports, IE Bulletins & correspondence

9501190050 Forwards 951213 order denying Stone & Webster Engineering Corp application for stay in Dept of Labor Case 93-ERA-044.
MERSCHOFF, E.W. Region 2 (Post 820201). 95/12/27. KINGSLEY, O.D. Tennessee Valley Authority. 11pp. 85803:328-85803:338.

9501190203 Forwards 951213 Order denying application for stay in Dept of Labor Case 93-ERA-044.
MERSCHOFF, E.W. Region 2 (Post 820201). 95/12/27. KELLY, R.E. Stone & Webster Engineering Corp. 10pp. 85805:253-85805:262.

9501190056 Forwards Insp repts 50-259/95-63, 50-260/95-63 & 50-296/95-63 on 951211-15. No violations or deviations noted.
PEEBLES, T.A. Region 2 (Post 820201). 95/01/02. KINGSLEY, O.D. Tennessee Valley Authority. App. 85803:314-85803:322.

9501190060 Insp repts 50-259/95-63, 50-260/95-63 & 50-296/95-63 on 951211-15. No violations noted. Major areas inspected: licensed operator requalification program during period 951211-15.
HOPFER, G.T., PEEBLES, T.A. Region 2 (Post 820201). 95/01/02. 7pp. 85803:316-85803:322.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 85740:015-85740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 85756:045-85756:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 85756:041-85756:049.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870725). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 85827:259-85827:271.

9501170326 Forwards response to NRC 951212 ltr re violations noted in Insp repts 50-258/95-57, 50-260/95-57 & 50-296/95-57 on 951002-1117. Corrective actions: personnel ungagged valves & verified that valves operated as designed.
MACHON, R.D. Tennessee Valley Authority. 95/01/11. Document Control Branch (Document Control Desk). App. 85812:094-85812:099.

9501170342 Forwards response to NRC 951215 ltr re violations noted in Insp repts 50-258/95-57, 50-260/95-57 & 50-296/95-57 on 951002-1117. Corrective actions: revised subject DCA & corrected weld to comply w/drawing.
MACHON, R.D. Tennessee Valley Authority. 95/01/12. Document Control Branch (Document Control Desk). App. 85812:069-85812:075.

9501110858 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 85826:106-85826:120.

9501180306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tomacco Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85965:001-85965:010.

9501300837 Responds to 950414 request from CE Murphy of Region 6 for up to date copy of all TVA PSI/ISI programs & subsequent TVA submissions of PSI/ISI repts for docketing. Concludes that TVA no longer required to submit PSI/ISI program repts.
HEEDON, F.J. 95/01/25. KINGSLEY, O.D. Tennessee Valley Authority. App. 85935:256-85935:262.

9501200138 NRC Info Notice 95-007, "Slow Five Percent Steam Insertion Times Caused By Vilon Disruptors in Steam Balance Pilot Valves."
CRUTCHFIELD, D. 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 85965:017-85965:023.

R. Periodic operating reports & related correspondence

9501190276 Forwards monthly operating repts for Dec 1995 for Browns Ferry Nuclear Plant for Units 1, 2 & 3 & Revised Nov 1995 rept for Unit 3.
SALAS, P. Tennessee Valley Authority. 95/01/12. Document Control Branch (Document Control Desk). App. 85826:348-85826:381.

9501190326 Monthly operating repts for Dec 1995 for Browns Ferry Nuclear Plant Units 1, 2 & 3.
SMITH, T.R. Tennessee Valley Authority. 95/12/31. App. 85826:351-85826:360.

S. Reportable occurrences, LERs & related correspondence

9501050237 Final response to FOIA request for documents. App A documents encl & also placed in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. KURTZ, E. App. 85759:108-85759:154.

9501050247 Package consisting of event repts for 940413-17 for listed plants & Region 1 morning rept for 940413-15.
NRC - No Detailed Attention Given. 95/12/21. 47pp. 85758:108-85758:154.

V. Operator Examinations

9501190056 Forwards Insp repts 50-259/95-63, 50-260/95-63 & 50-296/95-63 on 951211-15. No violations or deviations noted.
PEEBLES, T.A. Region 2 (Post 820201). 95/01/02. KINGSLEY, O.D. Tennessee Valley Authority. App. 85803:314-85803:322.

9501190060 Insp repts 50-258/95-63, 50-260/95-63 & 50-296/95-63 on 951211-15. No violations noted. Major areas inspected: licensed operator requalification program during period 951211-15.
HOPFER, G.T. Region 2 (Post 820201). 95/01/02. 7pp. 85803:316-85803:322.

9501640138 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing ref exam schedule.
CRUTCHFIELD, D. 95/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 85776:001-85776:010.

DOCKET 95-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9501030291 Revised EIPs including rev 7 to PEP-001, rev 3 to PEP-004, rev 1 to PEP-557 & rev 3 to PEP-005. W/951228 ltr.
KRICH, R.M. Carolina Power & Light Co. 95/12/28. 41pp. 85731:306-85731:345.

9501220064 Forwards Rev 30 to industrial security plan. Encl withheld (ref 10CFR73.21).
KRICH, R.M. Carolina Power & Light Co. 95/01/04. Document Control Branch (Document Control Desk). 1p. 85845:001-85845:001.

9501280180 Advises that 951108 rev 29 to industrial security plan consistent w/provisions of 10CFR81.64(p) & acceptable.
FREDRICKSON, P. Region 2 (Post 820201). 95/01/19. HERNANT, C.S. Carolina Power & Light Co. App. 85845:358-85845:360.

H. General correspondence

9501030047 Responds to 951117 ltr to Houghton re transport & storage of spent fuel. Informs that licensee for HB Robinson plant did transport fuel from fuel pool to ISFSR using HUGHES-47P container inside IF-300 transport cask.
MURPHY, G.H. 95/12/27. SHILLINGLAW, F. Attention Not Assigned. App. 85882:038-85882:042.

P. Operating license stage documents & correspondence

9501030220 Submits info to support NRC closure of review of GL 65-10, "Safety-Related Major-Operated Valve Testing & Surveillance Program," per NRC Bulletin 95-003.
KRICH, R.M. Carolina Power & Light Co. 95/12/28. Document Control Branch (Document Control Desk). 25pp. 85704:314-85704:338.

9501160238 Notices of rev to initial test cut-off level for mercurians. Actual implementation date for employing more stringent test cut-off level due to be provided by 950158 instead of by 951109.
WALZ, T.D. Carolina Power & Light Co. 95/01/03. Document Control Branch (Document Control Desk). 1p. 85778:321-85778:327.

9501160363 Summarizes one-day public workshops conducted in Oct & Nov 1995, discussing GL 95-07, "Pressure Loading & Thermal Handling of SR Power-Operated Gate Valves." List of participants, industry & staff presentation handouts encl.
FREDRICKSON, P. Region 2 (Post 820201). 95/01/03. HERNANT, C.S. Carolina Power & Light Co. 127pp. 85788:169-85788:254.

9501050193 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 85827:272-85827:280.

9501260351 Confirms 951222 telcon w/G Honnig re 950288 mgt meeting. Purpose of meeting to discuss status of engineering programs of each licensee site.
SHYMLOCK, M.B. Region 2 (Post 820201). 95/01/10. HABERMEYER, H.W. Carolina Power & Light Co. App. 85885:140-85885:143.

9501190442 Suppl 7 to Generic Ltr 95-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 85965:011-85965:016.

30 DOCKETED ITEMS

960130156 Forwards amend 167 to license DPR-23, safety evaluation. Amend changes TS to add allowance for rod insertion limits to be exceeded for time no greater than criteria established by axial power distribution methodology. MOZAFAR, J.L., 96/01/26. HINNANT, C.S. Carolina Power & Light Co. App. 86968073-86968084.

960130160 Amend 167 to license DPR-23, changing TS to add allowance for rod insertion limits to be exceeded for time no greater than criteria established by axial power distribution methodology. MATTHEWS, D.B., 96/01/26. App. 86968077-86968082.

960130164 Safety evaluation supporting amend 167 to license DPR-23. 96/01/26. App. 86968085-86968084.

G. Inspection reports, IE Bulletins & correspondence

9601180016 Forwards Insp rept 50-285/95-29 on 951022-1125. No violations or deviations noted. SHYMLUCK, M.B. Region 2 (Post 820201). 95/12/21. HINNANT, C.S. Carolina Power & Light Co. App. 86901129-86901132.

9601180028 Insp rept 50-281/95-29 on 951022-1125. No violations noted. Major areas inspected: plant operational activities, engineering efforts & plant support function. ORDERS, W.T., SHYMLUCK, M.B. Region 2 (Post 820201). 95/12/20. 20pp. 86901133-86901152.

9601090220 Submits info to support NRC closure of review of QL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance Program," per NRC Bulletin 89-003. KRICH, J.M. Carolina Power & Light Co. 96/12/28. Document Control Branch (Document Control Desk). 25pp. 86704314-86704338.

9601180037 Ack receipt of 951214 re informing NRC of steps taken to correct violations noted in Insp rept 50-281/95-27. SHYMLUCK, M.B. Region 2 (Post 820201). 95/12/29. HINNANT, C.S. Carolina Power & Light Co. App. 86903341-86903343.

9612270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD, D., 96/01/03. Consolidated Edison Co. of New York, Inc. App. 86740015-86740023.

9612280129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D., 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758061.

9612290229 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Violation as Result of Thermal Effects." CRUTCHFIELD, D., 96/01/05. Consolidated Edison Co. of New York, Inc. App. 86758041-86758048.

9601040335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses." COOL, J.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9601180058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D., 96/01/16. Consolidated Edison Co. of New York, Inc. App. 86829109-86829120.

9601180056 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants." CRUTCHFIELD, D., 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86965001-86965010.

9601260128 NRC Info Notice 96-007, "Slow Five Percent Steam Insertion Times Caused by Vibration Disruptions in Steam Solenoid Pilot Valves." CRUTCHFIELD, D., 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86965017-86965023.

H. Periodic operating reports & related correspondence

9601220219 Monthly operating rept for Dec 1995 for HB Robinson Steam Electric Plant Unit 2. W/960105 to. SCARBOROUGH, J., KRICH, J.M. Carolina Power & Light Co. 96/12/31. App. 86843325-86843328.

I. Reportable occurrences, LIRs & related correspondence

9601020285 LER 95-009-000n 951129, condition prohibited by Tech Specs occurred. Caused by failure to implement adequate procedures for maintaining operability of accumulator level transmitters. Level transmitter replaced. W/951229 to. GARRON, A.L., YOUNG, D.E. Carolina Power & Light Co. 95/12/29. 7pp. 86892290-86892295.

V. Operator Examinations

9601030212 Inform that HC Fletcher terminated employment w/facility, effective 951215. End withheld (not 10CFR2.790(a)(6)). KRICH, J.M. Carolina Power & Light Co. 95/12/28. Document Control Branch (Document Control Desk). 1p. 86730216-86730218.

9601040738 NRC Administrative Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing mail room schedule. CRUTCHFIELD, D., 96/01/09. Consolidated Edison Co. of New York, Inc. 13pp. 86775001-86775010.

DOCKET 50-283 MONTICELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

9601020234 Advises that 951216 rev 48 to physical security plan consistent w/provisions of 10CFR30.54(a) & acceptable. CREED, J.R. Region 3 (Post 820201). 95/12/27. ANDERSON, R.O. Northern States Power Co. App. 86701277-86701278.

9601050294 Forwards 951130 FEMA correspondence transmitting findings for offsite emergency preparedness aspects of 950220 accident at plant. CREED, J.R. Region 3 (Post 820201). 95/12/28. WATZLE, Northern States Power Co. App. 86759070-86759073.

9601050296 Forwards corrected final rept for 950220 plane exposure pathway exercise at plant. Four areas requiring corrective action were identified: one for State of MN & three for Sherburne County. BURKETT, M.M. Federal Emergency Management Agency. 95/11/30. MOLLER, N.J. Region 3 (Post 820201). 1p. 86755072-86755072.

9601050303 "Final Exercise Rept Monticello Nuclear Generating Plant." Federal Emergency Management Agency. 95/11/30. 62pp. 86755073-86755073.

9601180032 Revised EPIPs including rev 13 to A.2-102, rev 12 to A.2-103, rev 12 to A.2-104, rev 12 to A.2-105 & rev 68 to end. W/ 960103 to. ANDERSON, R.O. Northern States Power Co. 96/01/03. 57pp. 86778204-86778269.

9601300041 Rev 15 to "Emergency Plan." W/960123 to. ANDERSON, R.O. ANDERSON, R.O. Northern States Power Co. 96/01/16. 180pp. 86968009-869680278.

P. Operating license stage documents & correspondence

9601180251 Forwards SA accepting proposed change to safety classification of positive displacement charging pumps at plants to SR for pressure boundary only. GARDNER, R.N. Region 3 (Post 820201). 96/01/08. WATZLE, Northern States Power Co. App. 86768067-86768070.

9601050193 Generic Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D., 96/01/10. Consolidated Edison Co. of New York, Inc. App. 86827272-86827280.

9601170268 Forwards Rev 3 of NSPNAD-8608-A, "Qualification of Reactor Physics Methods for Application to Monticello." ANDERSON, R.O. Northern States Power Co. 96/01/10. Document Control Branch (Document Control Desk). 1p. 86812169-86812169.

9601170268 "Qualification of Reactor Physics Methods for Application to Monticello." DEAN, D.W., BONNEAU, G.A., MATS, L.P. Northern States Power Co. NSPNAD-8608-A Rev. 95/10/16. 32pp. 86812170-86812183.

9601170277 Forwards Rev 4 of NSPNAD-8608-A, "Relaxed Safety Evaluation Methods for Application to Monticello Nuclear Generating Plant." ANDERSON, R.O. Northern States Power Co. 96/01/10. Document Control Branch (Document Control Desk). 1p. 86809122-86809145.

9601170278 "Relaxed Safety Evaluation Methods for Application to Monticello Nuclear Generating Plant." DEAN, D.W., BONNEAU, G.A., MATS, L.P. Northern States Power Co. NSPNAD-8608-A Rev. 95/10/16. 222pp. 86809123-86809145.

9601220219 Forwards GENE-637-043-0295, "Application of 'Regional Exclusion w/ Flow-Biased APRM Neutron Flux Screen' Stability Solution (Option I-D) to Monticello Nuclear Power Plant (February 1995)." JAMERSON, C., 96/01/19. NRC - No Detailed Attribution Given. 1p. 86829294-86829295.

9601240091 "Application of 'Regional Exclusion w/Flow-Biased APRM Neutron Flux Screen' Stability Solution (Option I-D) to Monticello Nuclear Power Plant." POST, J.S. General Electric Co. GENE-637-043-0295. 95/02/28. 30pp. 86829296-86829295.

9601250111 Summary of 951212 meeting w/licensee re proposed closure of plants TS to ISTS. List of attendees & copy of overhead slides encl. WETZEL, B.A., 96/01/19. App. 86858102-86858108.

9601180442 Suppl 7 to Generic Ltr 96-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D., 96/01/24. Consolidated Edison Co. of New York, Inc. App. 86965011-86965016.

Q. Inspection reports, IE Bulletins & correspondence

9612270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD, D., 96/01/03. Consolidated Edison Co. of New York, Inc. App. 86740015-86740023.

9612280129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D., 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758061.

9612290229 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Violation as Result of Thermal Effects." CRUTCHFIELD, D., 96/01/05. Consolidated Edison Co. of New York, Inc. App. 86758041-86758048.

9601220112 Provides NRC details re upcoming 1996 refueling outage core shroud Insp. HILL, W.J. Northern States Power Co. 96/01/06. Document Control Branch (Document Control Desk). 2pp. 86844357-86844358.

960104035 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COLODIA, Division of Industrial & Medical Nuclear Safety (Post 570729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 96027258-96027271.

960119068 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 96025109-96025120.

960119068 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 96025001-96025010.

960126012 NRC Info Notice 96-007, "Slow Five Percent Scram Insertion Times Caused By Vibration Disruptions in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 96025017-96025023.

960130019 Responds to NRC 951225 for re violations noted in insp rept 50-263/95-11, Corrective action/hold card removed from RHR 74-2 on 961012 & valve opened & locked in open position & all locked valves outside inverted drywell verified locked.
HILL, W.J. Northern States Power Co. 96/01/29. Document Control Branch (Document Control Desk). 7pp. 96025110-96025115.

R. Periodic operating reports & related correspondence

960130025 Monthly operating rept for Dec 1995 for Monticello Nuclear Plant/W/ 960112 IR.
PAUSTIAN, H.H., ANDERSON, R.O. Northern States Power Co. 96/12/31. 5pp. 96012352-96012356.

S. Reportable occurrences, LERs & related correspondence

960105023 Final response to FOIA request for documents App A documents and also placed in FOR.
POWELL, J.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. KURTZ, E. 2pp. 96025106-96025104.

960106027 Package consisting of event rept for 940419-17 for listed plants & Region 1 meeting rept for 940419-15.
* NRC - No Detailed Affiliation Given. 96/12/21. 47pp. 96025108-96025114.

V. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of DLs or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 96025001-96025010.

960130022 Informa that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 960410.
BURDICK, J.H. Region 3 (Post 820201). 96/01/24. LACROIX, D.C. Consumers Power Co. GHEINICK, A.J., LASPISA, L.J. Commonwealth Edison Co. 3pp. 96027003-96027005.

DOCKET 58-255 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

960118021 Revised CEPPs including CEPP-3000 series table of contents, Rev 13 to CEPP-3001-01, Rev 6 to CEPP-3003-01, Rev 6 to CEPP-3004-01, Rev 6 to CEPP-3008-01, Rev 11 to CEPP-3101-01 & Rev 7 to CEPP-3151-1.
* Commonwealth Edison Co. 96/12/06. 4pp. 96025028-96025033.

960120022 Revised Corporate EPPs (CEPP) including Rev 3 to CEPP-2011-01, Rev 1 to CEPP-2021-05, Rev 1 to CEPP-2021-06, Rev 1 to CEPP-2411-01 & Rev 2 to CEPP-2413-01.
STOBAUGH, D.W. Commonwealth Edison Co. 96/12/07. 34pp. 96025265-96025296.

9601180461 Rev 6 to "Comm Ed Generating Stations Emergency Plan (GSEP) Site Annex Quad Cities Nuclear Power Station."
* Commonwealth Edison Co. 96/12/23. 5pp. 96017118-96017174.

9601190240 Informa that rev 61 of plant Annex to Generating Stations Emergency Plan acceptable & does not decrease effectiveness of emergency planning.
CREED, J.R. Region 3 (Post 820201). 96/01/09. KRAFT, E. Commonwealth Edison Co. 1p. 96025009-96025010.

9601170087 Revised EPPs including Rev 31 to CEP 0400-00, "On-Site Response Actions," Rev 8 to CEP 0400-01, "Plant Assembly" & Rev 5 to CEP 0400-01, "Plant Assembly Checklist."
* Commonwealth Edison Co. 96/01/03. 5pp. 96012112-96012116.

9601200226 Advises that rev 61 to Quad Cities Nuclear Station Annex to Generating Stations Emergency Plan acceptable & does not decrease effectiveness of emergency planning.
CREED, J.R. Region 3 (Post 820201). 96/01/22. KRAFT, E. Commonwealth Edison Co. 2pp. 96025251-96025252.

9601200331 Submits review of proposed revs to EALs & technical bases for Brookwood, Byron, Dresden, LaSalle, Quad Cities & Zion NPPs, concluding that proposed changes acceptable & do not decrease effectiveness of licensee emergency planning.
CREED, J.R. Region 3 (Post 820201). 96/01/23. FARRAR, D.L. Commonwealth Edison Co. 3pp. 96025320-96025322.

P. Operating license stage documents & correspondence

9601040188 Forwards amends 146,140,168 & 164 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, & safety evaluation Amends upgrade plants TS to STS contained in NUREG-0123, per 930917 application for amend.
STANG, J.F. 95/12/27. FARRAR, D.L. Commonwealth Edison Co. 3pp. 96025100-96025103.

9601040176 Amends 146,140,168 & 164 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, reflecting TS upgrade to STS contained in NUREG-0123, per 930917 application.
STANG, J.F. 95/12/27. 30pp. 96025103-96025130.

9601040203 Safety evaluation supporting amends 146,140,168 & 164 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
* 95/12/27. 31pp. 96025139-96025163.

9601180355 Requests that for each site, 961114 amend request re Option B to 10CFR50, App J be effective upon issuance to be implemented no later than 960830.
PIET, P.L. Commonwealth Edison Co. 96/01/04. Document Control Branch (Document Control Desk). 1p. 96025333-96025333.

9601180393 Generic Ltr 96-01 to all holders of DLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 6pp. 96027272-96027282.

9601230017 Discusses 951211 public mtg meeting at NRC Region III site re reliability & availability of safety equipment at plant. Attendance list & presentation slides and W/O agenda.
HILAND, P.L. Region 3 (Post 820201). 96/01/10. KRAFT, E. Commonwealth Edison Co. 1pp. 96025001-96025001.

9601180275 Forwards amends 145,142,169 & 165 to licenses DPR-19, DPR-25, DPR-29 & DPR-30 & safety evaluation Amends revise TS to incorporate 10CFR50, App J, "Primary Reactor Containment Leakage Testing for Water Cooled Power Reactors," Option B.
STANG, J.F. 96/01/11. FARRAR, D.L. Commonwealth Edison Co. 3pp. 96024060-96024063.

9601180305 Safety evaluation supporting amends 145,142,169 & 165 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
* 96/01/11. 4pp. 96024069-96024102.

9601180310 Amends 169 & 165 to licenses DPR-29 & DPR-30, respectively, revising TS to incorporate 10CFR50, App J, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors," Option B.
PULSFER, R.M. 96/01/11. 3pp. 96024103-96024135.

9601230009 Documents completion of Unit 2 RHRSW block project per GL 83-13.
KRAFT, E.S. Commonwealth Edison Co. 96/01/12. Document Control Branch (Document Control Desk). 1p. 96025280-96025291.

9601220057 Documents facility SBO diesel (SBO) project completion & transfer of operational jurisdiction to Operations Dept of facility SBO on 961228 as requested by NRC in 961218 IR.
KRAFT, E.S. Commonwealth Edison Co. 96/01/12. 1p. 96024359-96024359.

9601230019 Forwards BAW-2258 & BAW-2259, providing electroslag weld initial re-temper-diffusion transition, USE & chemistry properties of electroslag welds for Dresden Units 2, 3 & 4 and Quad Cities Units 1 & 2 per GL 92-01, Rev 1, Suppl 1.
SACCOMANDO, D.M. Commonwealth Edison Co. 96/01/17. Document Control Branch (Document Control Desk). 3pp. 96025028-96025129.

9601230021 "Evaluation of RTNUT, USE & Chemical Composition of Ore Region Electroslag Welds for Quad Cities Units 1 & 2."
CAMPELL, C.A. Babcock & Wilcox Co. BAW-2259. 96/01/15. 49pp. 96025061-96025129.

9601200033 Forwards SE re discrepancy of RPV internal seismic analysis, Revised seismic analysis w/corrected mass in seismic model will not change conclusions of staff previous SEs relative to core shroud repair hardware for plants.
PULSFER, R.M. 96/01/23. FARRAR, D.L. Commonwealth Edison Co. 4pp. 96027103-96027112.

9601200035 Safety evaluation of core shroud seismic analysis discrepancy, Effect of identified discrepancy in model mass will not change conclusions of previous staff SE of plant core shroud repair.
* 96/01/23. 3pp. 96027107-96027112.

9601190442 Suppl 7 to General Ltr 96-10 to all holders of DLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in EPPs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 5pp. 96025011-96025016.

9601200093 "Quad Cities Nuclear Power Station Units 1 & 2 Secondary Containment Leak Test Summary." W/960124 IR.
PEARCE, L.W. Commonwealth Edison Co. 96/01/24. MILLER, M.J. Region 3 (Post 820201). 3pp. 96025077-96025079.

Q. Inspection reports, IR & Bulletin & correspondence

9601050206 Discusses insp rept 50-254/95-07 & 50-295/95-07 from insp on 950902-1018 & forwards notice of violation & proposed imposition of civil penalty in amount of \$50,000.
MILLER, M.J. Region 3 (Post 820201). 96/01/02. WALLACE, M.L. Commonwealth Edison Co. 5pp. 96025001-96025008.

9601050222 Notice of violation & proposed imposition of civil penalty in amount of \$50,000. Violated notice/failure to promptly correct potential for safety-related NCCs to trip on current overload.
* Region 3 (Post 820201). 96/01/02. 3pp. 96025006-96025006.

32 DOCKETED ITEMS

951220372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:023.

9501050057 Press Release 95-03, "NRC Staff Proposes \$50,000 Fine Against Commonwealth Edison Co. for Violation of NRC Requirements at Quad Cities Station."
* Office of Public Affairs (Post 911117). 95/01/03. 2pp. 86768:324-86768:325.

951220129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

951220299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 6pp. 86758:041-86758:048.

9601184225 Provides clarification re third ten yr interval insp plan relief request CR-18.
RYBAK, B. Commonwealth Edison Co. 96/01/09. Document Control Branch (Document Control Desk). 1p. 86761:359-86761:359.

9601040338 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, G.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 18pp. 86827:250-86827:271.

960118058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/15. Consolidated Edison Co. of New York, Inc. 9pp. 86828:109-86828:120.

9601290409 Forwards insp repts 50-254/95-09 & 50-285/95-09 on 951018-1208. No violations noted. Adverse performance & main condition problems identified. Concerned w/loss of depth in initial root cause assessments.
HILAND, P.L. Region 3 (Post 820201). 96/01/18. KRAFT, E. Commonwealth Edison Co. 2pp. 86868:295-86868:317.

9601290481 Insp repts 50-254/95-09 & 50-285/95-09 on 951018-1208. No violations noted. Major areas inspected: operations, engineering, maint., & plant support. Safety assessment & quality verification activities routinely evaluated.
HILAND, P. Region 3 (Post 820201). 96/01/18. 21pp. 86868:297-86868:317.

9601190306 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86865:001-86865:010.

9601250139 NRC Info Notice 96-007, "Slow Five Percent Sorum Insertion Times Caused by Vilon Diaphragms in Sorum Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 86865:017-86865:023.

R. Periodic operating reports & related correspondence

9601290110 Monthly operating repts for Dec 1995 for Quad Cities Nuclear Power Station. W/960108 in:
MOORE, K., PEARCE, L.W. Commonwealth Edison Co. 95/12/31. 19pp. 86859:150-86859:188.

S. Reportable occurrences, LERs & related correspondence

9601050227 Final response to FOIA request for documents. App A documents end & also placed in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. KURTZ, E. 2pp. 86755:105-86755:154.

9601050247 Package consisting of event repts for 940413-17 for listed plants & Region I morning rpt for 940413-15.
* NRC - No Detailed Affiliation Given. 95/12/21. 47pp. 86758:108-86758:154.

V. Operator Examinations

9601030104 Advises that license OP-30502, docket 55-31884, LJ Caffery will not be maintained effective 951222.
KRAFT, E.S. Commonwealth Edison Co. 95/12/27. Document Control Branch (Document Control Desk). 1p. 86730:318-86730:318.

9601840158 NRC Administrative Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

9601300322 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 960410.
BURDICK, J.J. Region 3 (Post 820201). 96/01/24. LACROIX, D.G. Consumers Power Co. 3pp. 86897:203-86897:205.

DOCKET 58-256 PORT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9601050889 Forwards insp repts 50-256/95-13 & 50-301/95-13 on 951004-1116 & NOV.
FARBER, M.J. Region 3 (Post 820201). 95/12/28. LINK, R. Wisconsin Electric Power Co. 2pp. 86727:249-86727:258.

9601801014 Notice of violation from insp on 951004-1116. Violation noted on 951107. All other SG sys related testing on Unit 1 not suspended during Test CRT 3A.
"Safety Injection Activation w/ Loss of Engineered SGs AC Unit 2."
* Region 3 (Post 820201). 95/12/28. 1p. 86727:251-86727:251.

9601050124 Insp repts 50-256/95-13 & 50-301/95-13 on 951004-1116. Violations noted. Major areas inspected: operations, engineering, maint., plant support, SA & QV activities, nonroutine events & radiological controls.
FARBER, M.J. Region 3 (Post 820201). 95/12/28. 18pp. 86727:252-86727:269.

9601180336 Confirms 960117. Safeguards info meeting at Region III OLC in Lake. Purpose of meeting for staff to present security program improvement program & equipment update.
FARBER, M.J. Region 3 (Post 820201). 96/01/08. LINK, R. Wisconsin Electric Power Co. 1p. 86769:300-86769:302.

9601180343 Notification of significant licensee meeting w/UTD on 960117 to present security program improvement program & equipment update.
FARBER, M.J. Region 3 (Post 820201). 96/01/08. Region 3 (Post 820201). 2pp. 86769:301-86769:302.

G. Adjudicatory correspondence

9601240086 Ack receipt of petition dtd 951117 requesting that NRC prohibit loading of VSC-24 packs at any nuclear site until unloading procedures evaluated. Forwards "Receipt of Petition for Director's Decision Under 10CFR2.208."
RUSSELL, W.T. 96/01/18. SHILLINGLAW, F. Affiliation Not Assigned. 7pp. 86852:331-86852:340.

9601240102 Notice of receipt of petition for directors decision under 10CFR2.208.
RUSSELL, W.T. 96/01/18. 2pp. 86852:334-86852:340.

9601240108 Discusses unloading analysis.
SHILLINGLAW, F. Affiliation Not Assigned. 95/11/17. RUSSELL, W.T. - No Detailed Affiliation Given. 1p. 86852:341-86852:341.

9601240178 Forwards copy of petition filed pursuant to 10CFR2.208, requesting that NRC prohibit loading of any VSC-24 packs pending further evaluation. W/draft R to petitioner & draft FR notice.
GOLDBERG, J.R. Office of the General Counsel (Post 880701). 95/12/26. RUSSELL, W.T. 5pp. 86852:342-86852:348.

H. General correspondence

9604040249 Submits questions re shield lid used for MSB 1-10, changed from SAR design.
SHILLINGLAW, F. Affiliation Not Assigned. 95/09/27. HANNOH, NRC - No Detailed Affiliation Given. 12pp. 86758:304-86758:315.

9601310055 Responds to 951214 request for re-investigation of two security incidents at plant. Informs that the events properly classified & appropriate regulatory actions taken. Concludes security program adequate to protect public.
RUSSELL, W.T. 96/01/28. MERRITT, J.C. Citizens' Utility Board. 6pp. 86941:187-86941:188.

I. Operating license stage documents & correspondence

9601050183 Generic Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 86827:272-86827:280.

9601220362 Forwards repts to Section 1.8 of PSAR "QA Program." Section last submitted to NRC on 950407 & subsequently accepted in NRC Ltr dtd 950515.
KRIEGER, G.M. Wisconsin Electric Power Co. 96/01/18. Document Control Branch (Document Control Desk). 2pp. 86868:281-86868:288.

9601220384 Proposed repts to PSAR Section 1.8 "QA Program."
* Wisconsin Electric Power Co. 96/06/30. 6pp. 86868:283-86868:288.

9601230086 Forwards request for time relief from previously approved relief request VPR-4.
MAXFIELD, G.J. Wisconsin Electric Power Co. 96/01/18. Document Control Branch (Document Control Desk). 7pp. 86859:083-86859:089.

9601290223 Forwards Rev 1 to "Seismic Evaluation Rept." & Rev 1 to "Relay Evaluation Rept." for resolution of USI A-48, per GL 87-02.
LINK, B. Wisconsin Electric Power Co. 96/01/19. Document Control Branch (Document Control Desk). 4pp. 86897:001-86897:003.

9601290228 Rev 1 to "Seismic Evaluation Rept."
DYKSTRA, T.J. Wisconsin Electric Power Co. 96/01/16. 53pp. 86897:006-86897:059.

9601290229 Rev 1 to "Relay Evaluation Rept."
DYKSTRA, T.J. Wisconsin Electric Power Co. 96/01/16. 36pp. 86897:060-86897:093.

9601800442 Suppl 7 to Generic Ltr 88-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86865:011-86865:016.

9601290116 Forwards corrected pages to amendments 161 & 165 to licensees DPR-24 & DPR-24, respectively. Monthly testing requirement incorrectly inserted.
HANSEN, A.G. 96/01/24. LINK, R.E. Wolf Creek Nuclear Operating Corp. 2pp. 86867:207-86867:210.

9601290152 Corrected tech spec page 2 of 6 to amend 161 & 165 to licensees DPR-24 & DPR-27, respectively.
* 96/01/24. 2pp. 86867:208-86867:210.

G. Inspection reports, IE Bulletins & correspondence

9501050089 Forwards Insp repts 50-266/85-13 & 50-301/85-13 on 951004-1116 & NOV.
FARBER, M.J. Region 3 (Post 820201). 05/12/26. LINCOLN, Wisconsin Electric Power Co. 2pp. 86727:246-86727:269.

-9501050114 Notice of violation from Insp on 951004-1116. Violation noted on 95107, all other SGs retained testing on Unit 1 not suspended during Test CRT 2A. "Safety Injection Activation w/ Loss of Engineered SGs AC Unit 2."
* Region 3 (Post 820201). 05/12/26. 1p. 86727:251-86727:251.

-9501050134 Insp repts 50-266/85-13 & 50-301/85-13 on 951004-1116. Violations noted. Major areas inspected: operations, engineering, maintenance, support, SA & CV activities, emergency events & radiological controls.
FARBER, M.J. Region 3 (Post 820201). 05/12/26. 16pp. 86727:252-86727:269.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740:015-86740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86756:048-86756:061.

9512290255 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86756:041-86756:048.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 06/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501100120 Inform that corrective actions taken in regard to NOV from Insp repts 72-0005/85-254, acceptable & no addl info needed.
BAER, R.L. Source Containment & Devices Branch (Post 911213). 02/01/11. LINCOLN, Wisconsin Electric Power Co. 2pp. 86808:172-86808:173.

9501100088 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. . 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86826:109-86826:120.

9501290195 Forwards response to NRC 951115 for re violations noted in Insp repts 50-266/85-11 & 50-301/85-11. Corrective actions: will revise FSAR to remove 0.002 fouling factor statement.
LINCOLN, Wisconsin Electric Power Co. 95/01/19. Document Control Branch (Document Control Desk). 7pp. 86898:291-86898:297.

9501100306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86955:001-86955:010.

9501290455 Forwards response to NRC 951225 for re violations noted in Insp repts 50-266/85-13 & 50-301/85-13 on 951004-1116. Corrective actions: 951109 Operations Supervisors initiated condition repts.
LINCOLN, Wisconsin Electric Power Co. 95/01/25. Document Control Branch (Document Control Desk). 8pp. 86937:318-86937:322.

9501290139 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused by Vibration Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. . 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86955:017-86955:023.

R. Periodic operating reports & related correspondence

9501100130 Monthly operating repts for Dec 1995 for Point Beach Nuclear Plant. W/ 950106 re.
KOUDELKA, M.B., MAXFIELD, G.J. Wisconsin Electric Power Co. 95/12/31. 10pp. 86782:182-86782:171.

9501290302 Forwards fitness-for-duty performance data for period ending 951231.
MAXFIELD, G.J. Wisconsin Electric Power Co. 95/01/12. Document Control Branch (Document Control Desk). 3pp. 86843:315-86843:317.

V. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing test exam schedule.
CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

9501050022 Inform that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 950430.
BUDROCK, J. Region 2 (Post 820201). 95/01/24. LACROIX, D.G. Consumers Power Co. 2pp. 86887:003-86887:005.

Y. Dry Cask Independent Spent Fuel Storage Installations

9501100312 Forwards F Shillinglaw & LE Corner response re storage & transportation of high-level nuclear wastes.
CONNER, L.E. Wisconsin, State of. 95/11/27. LICKUS, R. Region 3 (Post 820201). 8pp. 86778:334-86778:339.

-9501100320 Submit questions re use of VSC-24 & MPC use in Wt.
SHILLINGLAW, F. Affiliation Not Assigned. 95/11/08. LEPROY NRC - No Detailed Affiliation Given. 8pp. 86778:337-86778:339.

9501230347 Submit questions re VSC-24 dry cask.
SHILLINGLAW, F. Affiliation Not Assigned. 95/01/15. KUGLER, C. . 7pp. 86888:318-86888:324.

DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9501170348 Rev 4 to "Decommissioning Fire Protection Plan."
* Public Service Co. of Colorado. 95/12/13. 38pp. 86784:134-86784:171.

G. Inspection reports, IE Bulletins & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740:015-86740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86756:048-86756:061.

9512290255 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86756:041-86756:048.

9501100224 Disputes any & all accusations made against RE Sawyer as outlined in NOV in IA 95-047. SEGE corrective action was to remove RE Sawyer from FSV project & forced resignation dtd 940815.
SAWYER, R.E. Affiliation Not Assigned. 95/01/08. Document Control Branch (Document Control Desk). 3pp. 86781:356-86781:359.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 06/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501100088 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. . 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86826:109-86826:120.

9501290250 Forwards Insp repts 50-267/85-05 on 951218-20. No violations noted.
SCARANO, J.A. Region 4 (Post 820201). 95/01/23. CRAWFORD, J.C. Public Service Co. of Colorado. 8pp. 86883:342-86883:350.

-9501290282 Insp repts 50-267/85-05 on 951218-20. No violations noted. Major areas inspected: plant status, operational safety, ventilation, radiological environment, monitoring programs & occupational exposure control.
SPITZBERG, D.B. Region 4 (Post 820201). 95/01/23. 14pp. 86883:347-86883:359.

9501100306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86955:001-86955:010.

9501290139 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused by Vibration Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. . 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86955:017-86955:023.

V. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing test exam schedule.
CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

W. Decommissioning Stage Documents & Correspondence

9501020020 Discusses 951215 meeting in Arlington, TX re current status of activities re decommissioning of facility.
SCARANO, J.A. Region 4 (Post 820201). 95/12/27. CRAWFORD, J.C. Public Service Co. of Colorado. 30pp. 86883:083-86883:112.

9501050193 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 8pp. 86827:272-86827:280.

9501290204 Summarizes 950117 FSV weekly call.
PITTLIG, J.C. NRC - No Detailed Affiliation Given. 95/01/17. NRC - No Detailed Affiliation Given. 3p. 86871:049-86871:049.

9501250032 Responds to NRC 951221 for re proposed revs to FSV Final Survey Plan submitted 951012.
BORST, F.J. Public Service Co. of Colorado. 95/01/16. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NARS 940403). 18pp. 86885:320-86885:337.

9501290011 Requests that EM Garcia be removed from list as contact for Region IV & that listed individual be added for correspondence re facility.
SCARANO, J.A. Region 4 (Post 820201). 95/01/19. STRONG, T. Washington, State of. 2pp. 86829:055-86829:055.

9501100442 Suppl 7 to Generic Ltr 95-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86955:011-86955:016.

34 DOCKETED ITEMS

T. Dry Cask Independent Spent Fuel Storage Installations

- 9601240261 Responds to NRC 951206 regarding DOE intends to pursue transfer of license granted to Fort St. Vrain (FSV) & contents. PAPERELLO, C. Office of Nuclear Material Safety & Safeguards. 96/01/17. LITTLE, J.E. Energy, Dept. of. 1p. 86871001-86871002.
- 9601240262 Inform NRC of DOE intention to become holder of License 5084-3704. LITTLE, J.E. Energy, Dept. of. 95/12/08. PAPERELLO, C. Office of Nuclear Material Safety & Safeguards. 1p. 86871003-86871002.

DOCKET 50-259 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

- 9601101384 Forwards public version of revised EPPs including Rev 95-09, Vol B to table of contents, Change 11 to HP/08/1009/16 & Chemistry Manual W/990109 releases memo. HAMPTON, J.W. Duke Power Co. 95/12/22. Document Control Branch (Document Control Desk). 2pp. 86789232-86789230.
- 9601101391 Public version of revised EPPs including Rev 95-09, Vol B to table of contents, Change 11 to HP/08/1009/16 & Chemistry Manual. FOSTER, W.W. Duke Power Co. 95/12/01. 27pp. 86789234-86789230.
- 9601100035 Forwards insp repts 50-269/95-26, 50-270/95-26 & 50-287/95-26 on 951127-1201. No violations identified. FREDRICKSON, P. Region 2 (Post 820201). 95/12/28. HAMPTON, J.W. Duke Power Co. 3pp. 86803295-86803303.
- 9601100039 Insp repts 50-269/95-26, 50-270/95-26 & 50-287/95-26 on 951127-1201. No violations noted. Major areas inspected: various aspects of physical security program for power reactors. STRATTON, L. Region 2 (Post 820201). 95/12/28. 6pp. 86803298-86803303.
- 9601260329 Inform that review of Rev 95-02 to Oconee Nuclear Site Emergency Plan completed. Review concluded that changes were satisfactory & met planning aids of 10CFR50.47(b) & requirements of App E to 10CFR50. BARPLICK, P. Region 2 (Post 820201). 96/01/10. HAMPTON, J.W. Duke Power Co. 2pp. 86803132-86803133.

P. Operating license status documents & correspondence

- 9601260166 Application for amendments to Licenses DPR-39, DPR-47 & DPR-65, revising secondary sys decay heat removal. HAMPTON, J.W. Duke Power Co. 95/12/07. Document Control Branch (Document Control Desk). 3pp. 86808253-86808280.
- 9601260168 Proposed tech specs re secondary sys decay heat removal. * Duke Power Co. 95/12/07. 28pp. 86808254-86808280.
- 9601190077 Confirms 951220 telecon re mtg meeting on 960201 to discuss self-assessment of plant performance. CRLENIAK, R.V. Region 2 (Post 820201). 95/12/21. HAMPTON, J.W. Duke Power Co. 4pp. 86804333-86804336.
- 9601200050 Forwards topical rept evaluation of Rev 1 to DPC-NE-9000-P, "Thermal-Hydraulic Transient Analysis Methodology." Rev 1 to sub) next acceptable for ref in licensing application to extent specified. TERPITS/NRC/95-4 also encl. MARTIN, R.E. 95/12/27. TUCKMAN, J.S. Duke Power Co. 6pp. 86802043-86802058.
- 9601200064 Topical rept evaluation of Rev 1 to DPC-NE-9000-P, "Thermal-Hydraulic Transient Analysis Methodology." Subj Rev 1 acceptable for ref in licensing application. * 95/12/27. 5pp. 86802048-86802052.
- 9601020074 "Technical Evaluation Thermal-Hydraulic Transient Analysis Methodology DPC-NE-9000, Rev 8 for DPC." ABRAMSON, R.S. KOMORIYA, H. International Technical Services, Inc. FIN L-1318. ITS/NRC/95-4. 95/12/27. NRC - No Detailed Attention Given. 4pp. 86802053-86802058.
- 9601090087 Forwards amends 213,213 & 210 to licenses DPR-39, DPR-47 & DPR-65, respectively & SE. Amends change TS 3.7.9 to provide for one-time extension of ACT from 72 h to 7 days for overhead EP path to be inoperable so that mods can be made. WRENS, L.A. 95/12/27. HAMPTON, J.W. Duke Power Co. 3pp. 86800221-86800234.
- 9601030101 Amends 213,213 & 210 to licenses DPR-39, DPR-47 & DPR-65, respectively, changing TS 3.7.9 to provide for one-time extension of ACT from 72 h to 7 days for overhead EP path to be inoperable so that mods can be performed. BERKOW, J.N. 95/12/27. 8pp. 86800224-86800231.
- 9601030106 Safety evaluation supporting amends 213,213 & 210 to licenses DPR-39, DPR-47 & DPR-65, respectively. * 95/12/27. 3pp. 86800232-86800234.
- 9601020066 Forwards "Oconee Nuclear Station IPSEE Submittal Rept." Rept complete w/one exception. Safety review being done in conjunction w/USI A-48 safety review has not been completed. HAMPTON, J.W. Duke Power Co. 95/12/28. Document Control Branch (Document Control Desk). 3pp. 86804001-86804037.
- 9601020062 "Oconee Nuclear Station IPSEE Submittal Rept." * Duke Power Co. 95/12/21. 33pp. 86804004-86804037.
- 9601020066 Forwards "Emergency Condenser Circulating Water Upgrade Oconee Nuclear Station." HAMPTON, J.W. Duke Power Co. 95/12/28. Document Control Branch (Document Control Desk). 3pp. 86802206-86802253.
- 9601020066 "Emergency Condenser Circulating Water Upgrade Oconee Nuclear Station." * Duke Power Co. 95/12/28. 45pp. 86802209-86802253.

9601030218 Summary of 951207 meeting w/USI re resolution on remaining questions concerning Keowee FRA/List of attendees. WRENS, L.A. 95/12/28. 4pp. 86803355-86803368.

9601101550 Forwards Rev 96 to "ODCM." TUCKMAN, J.S. Duke Power Co. 96/01/02. Document Control Branch (Document Control Desk). 2pp. 86785001-86785281.

960110154 Rev 96 to "ODCM." LOUCKS, J.E., OETERSON, G.L., GEDDIE, E.M. Duke Power Co. 96/01/01. 27pp. 96785003-96785281.

9601100227 Discusses revised completion dates re schedule installation & functional test of mod in air circuit breaker. HAMPTON, J.W. Duke Power Co. 96/01/03. Document Control Branch (Document Control Desk). 3pp. 86812340-86812344.

9601100051 Transmits summary of Oct & Nov 1995 one-day public workshops re GE 65-07, "Pressure Locking & Thermal Stranding of Safety-Related Power-Operated Gate Valves." FREDRICKSON, P. Region 2 (Post 820201). 96/01/03. HAMPTON, J.W. Duke Power Co. 127pp. 86804001-86804127.

9601050183 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 86827212-86827220.

9601201158 Forwards Rev 10 to "Corporate Process Control Program Manual." TUCKMAN, J.S. Duke Power Co. 96/01/10. Document Control Branch (Document Control Desk). 1p. 86803358-86803358.

9601220167 Rev 10 to "Corporate Process Control Program Manual." HAACK, E.J. Duke Power Co. 96/12/27. 20pp. 86803357-86803358.

9601200224 Forwards revs to "ONS Selected Licensee Commitments Manual" adding new sections 16.13-2, "Technical Review & Control Program" & 16.13-3, "Plant Operations Review Committee." HAMPTON, J.W. Duke Power Co. 96/01/15. Document Control Branch (Document Control Desk). 2pp. 86806334-86806344.

9601200231 Revs to "ONS Selected Licensee Commitments Manual" adding sections 16.13-2, "Technical Review & Control Program" & 16.13-3, "Plant Operations Review Committee." * Duke Power Co. 96/01/03. 3pp. 86806335-86806344.

9601200314 Forwards revs to "ONS Selected Licensee Commitments Manual" adding requirements for location of grounds on 125 volt dc vital I&C sys. HAMPTON, J.W. Duke Power Co. 96/01/16. Document Control Branch (Document Control Desk). 2pp. 86807166-86807178.

9601200318 Revs to "ONS Selected Licensee Commitments Manual" adding requirements for location of grounds on 125 volt dc vital I&C sys. PEELE, B.L. Duke Power Co. 96/01/04. 7pp. 86807168-86807178.

9601010007 Requests to know next step NRC will require of Vectra & Oconee NPP re casters. JOHNSTON, C.P. Toledo Coalition for Safe Energy. 96/01/16. HAUGHNEY, C. Office of Nuclear Material Safety & Safeguards. 1p. 86845253-86845253.

9601200339 Summary of 951213 meeting in Rockville, MD re electrical sys issues & Keowee FRA/List of attendees and. MILAND, P.D. 96/01/19. 50pp. 86807251-86807318.

9601030442 Suppl 7 to Generic Ltr 86-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve repositioning in PWRs. CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86808011-86808016.

G. Inspection reports, IE Bulletin & correspondence

- 9601090111 Forwards insp repts 50-269/95-24, 50-413/95-23, 50-414/95-23, 50-399/95-28, 50-370/95-28, 50-270/95-24 & 50-287/95-24 on 951113-17 & NOW. FREDRICKSON, P. Region 2 (Post 820201). 95/12/22. TUCKMAN, J.S. Duke Power Co. 6pp. 86801066-86801062.
- 9601100021 Notice of violation from insp on 951112-17. Violation noted: licensee allowed vendor to implement access authorization program after determining that vendor failed to assure that individuals were trustworthy & reliable, approx 11 months. * Region 2 (Post 820201). 95/12/22. 2pp. 86801072-86801073.
- 9601100031 Insp repts 50-269/95-24, 50-413/95-23, 50-414/95-23, 50-399/95-28, 50-370/95-28, 50-270/95-24 & 50-287/95-24 on 951113-17. Violations noted: Major areas inspected: licensee Access Authorization Program. THOMPSON, D. FREDRICKSON, P. Region 2 (Post 820201). 95/12/22. 6pp. 86801074-86801082.
- 9601100035 Forwards insp repts 50-269/95-26, 50-270/95-26 & 50-287/95-26 on 951127-1201. No violations identified. FREDRICKSON, P. Region 2 (Post 820201). 95/12/28. HAMPTON, J.W. Duke Power Co. 3pp. 86803295-86803303.
- 9601100039 Insp repts 50-269/95-26, 50-270/95-26 & 50-287/95-26 on 951127-1201. No violations noted. Major areas inspected: various aspects of physical security program for power reactors. STRATTON, L., FREDRICKSON, P. Region 2 (Post 820201). 95/12/28. 6pp. 86803298-86803303.
- 9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86780115-86780123.

9501190024 Forwards insp rept 50-269/95-31, 50-270/95-31 & 50-287/95-31 on 951211-15. No violations or deviations identified.
CASTO, C.A. Region 2 (Post 820201). 95/01/04. HAMPTON, J.W. Duke Power Co. 3pp. 86802347-86802355.

9501190027 Insp rept 50-269/95-31, 50-270/95-31 & 50-287/95-31 on 951211-15. No violations noted. Major areas inspected: design of engineering & technical support activities, design changes & plant needs.
SHERREATHER, N., CASTO, C. Region 2 (Post 820201). 95/01/04. 6pp. 86802350-86802359.

9512290128 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758041-86758048.

9501840335 NRC (Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOLE, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9501190058 Forwards insp rept 50-269/95-26, 50-270/95-26 & 50-287/95-26 on 951217-1201 & 1211-15. No violations or deviations noted. Major areas inspected: engineering.
CASTO, C.A. Region 2 (Post 820201). 95/01/10. HAMPTON, J.W. Duke Power Co. 2pp. 86803304-86803313.

9501190081 Insp rept 50-269/95-26, 50-270/95-26 & 50-287/95-26 on 951217-1201 & 1211-15. No violations or deviations noted. Major areas inspected: engineering.
FILLION, P., CASTO, C. Region 2 (Post 820201). 95/01/10. 8pp. 86803306-86803312.

9501260358 Forwards insp rept 50-269/95-27, 50-270/95-27 & 50-287/95-27 on stated date.
CRLENIAK, R.V. Region 2 (Post 820201). 95/01/11. HAMPTON, J.W. Duke Power Co. 3pp. 86883147-86883175.

9501260383 Notice of violation from insp on stated date. Violation noted: personnel using defective for portability did not recognize that condition existed after determining that one train of LP had been inoperable from 821212-951302.
* Region 2 (Post 820201). 95/01/11. 2pp. 86883180-86883181.

9501260386 Insp rept 50-269/95-27, 50-270/95-27 & 50-287/95-27 on stated date. Violations noted: Major areas inspected: plant operations, maint & surveillance testing, on-site engineering & plant support.
HARMON, P.E., CRLENIAK, R.V. Region 2 (Post 820201). 95/01/11. 24pp. 86883182-86883175.

9501260378 Forwards insp rept 50-269/95-32, 50-270/95-32 & 50-287/95-32 on 951218-21. No violations or deviations identified.
BARRICK, P. Region 2 (Post 820201). 95/01/16. HAMPTON, J.W. Duke Power Co. 2pp. 86882014-86882024.

9501260387 Insp rept 50-269/95-32, 50-270/95-32 & 50-287/95-32 on 951218-21. No violations noted. Major areas inspected: transportation of radioactive materials, radioactive effluent monitoring instrumentation & water chemistry.
JOHNS, D.W., BARRICK, P. Region 2 (Post 820201). 95/01/16. 7pp. 86882019-86882024.

9501110058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 4pp. 86882109-86882120.

9501260260 Forwards response to NRC 951222 letter re violations noted in insp rept 50-269/95-02, 50-270/95-02, 50-287/95-02, 50-370/95-02, 50-413/95-02 & 50-414/95-02. C/A completed audit of small local vendors.
TUCKERMAN, S. Duke Power Co. 95/01/22. Document Control Branch (Document Control Desk). 6pp. 86883319-86883323.

9501190308 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD, D. 95/01/26. Consolidated Edison Co. of New York, Inc. 10pp. 86865001-86865010.

9501260138 NRC Info Notice 95-007, "Slow Five Percent Scraper Insertion Times Caused By Viton Diaphragms in Sorum Solenoid Pilot Valves."
CRUTCHFIELD, D. 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86865017-86865023.

R. Periodic operating reports & related correspondence

9501190205 Forwards MOR for Dec 1995 for ONS & revised MOR for Nov 1995.
WESER, R.L. Duke Power Co. 95/01/16. Document Control Branch (Document Control Desk). 2pp. 86882315-86882330.

9501190212 Monthly operating rept for Dec 1995 for ONS.
WILLIAMS, R.A. Duke Power Co. 95/12/31. 16pp. 86882317-86882332.

9501190217 Revised monthly operating rept for Nov 1995 for ONS.
* Duke Power Co. 95/11/30. 1p. 86882333-86882333.

S. Reportable occurrences, LERs & related correspondence

9501260043 LER 95-005-000 on 951129, containment isolation valve was inoperable. Caused by improper gear ratio. Corrected gear ratio during refueling outage. W/951221 letter.
WILKIE, L.V., HAMPTON, J.W. Duke Power Co. 95/12/21. 2pp. 86883167-86883168.

V. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OUs or CPs for nuclear power reactors re operator licensing next exam schedule.
CRUTCHFIELD, D. 95/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 85775001-85775010.

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9501110184 Forwards public version of revised EPPs, including Rev 95-09, Vol B to table of contents, Change 11 to HP/D/B/1008/95 & Chemistry Manual. W/950109 release memo.
HAMPTON, J.W. Duke Power Co. 95/12/20. Document Control Branch (Document Control Desk). 2pp. 86759282-86759290.

9501110191 Public version of revised EPPs, including Rev 95-09, Vol B to table of contents, Change 11 to HP/D/B/1008/95 & Chemistry Manual.
FOSTER, W.W. Duke Power Co. 95/12/01. 27pp. 86759294-86759320.

9501190086 Forwards insp rept 50-269/95-28, 50-270/95-28 & 50-287/95-28 on 951217-1201. No violations identified.
FRIEDRICKSON, P. Region 2 (Post 820201). 95/12/28. HAMPTON, J.W. Duke Power Co. 3pp. 86803295-86803303.

9501190039 Insp rept 50-269/95-28, 50-270/95-28 & 50-287/95-28 on 951217-1201. No violations noted. Major areas inspected: various aspects of physical security programs for power reactors.
STRATTON, J. Region 2 (Post 820201). 95/12/26. 6pp. 86803298-86803303.

9501260339 Inform that review of Rev 95-02 to Oconee Nuclear Site Emergency Plan completed. Review concluded that changes were satisfactory & met planning stds of 10CFR50.47(b) & requirements of App E to 10CFR50.
BARRICK, P. Region 2 (Post 820201). 95/01/10. HAMPTON, J.W. Duke Power Co. 2pp. 86883132-86883133.

F. Operating license stage documents & correspondence

9501260358 Application for amendments to Licenses DPR-38, DPR-47 & DPR-55, revising secondary sys decay heat removal.
HAMPTON, J.W. Duke Power Co. 95/12/07. Document Control Branch (Document Control Desk). 3pp. 86883253-86883260.

9501260358 Proposed tech specs re secondary sys decay heat removal.
* Duke Power Co. 95/12/07. 26pp. 86883254-86883280.

9501190077 Confirms 951220 letter re mtg meeting on 950201 to discuss self-assessment of plant performance.
CRLENIAK, R.V. Region 2 (Post 820201). 95/12/21. HAMPTON, J.W. Duke Power Co. 4pp. 86882433-86882438.

9501260350 Forwards topical rept evaluation of Rev 1 to DPC-NE-3000-P, "Thermal-Hydraulic Transient Analysis Methodology." Rev 1 to sub rept acceptable for ref in licensing application to extend specified NER ITS/NRC/95-4 also end.
MARTIN, R.E. 95/12/27. TUCKERMAN, S. Duke Power Co. 5pp. 86882043-86882056.

9501260354 Topical rept evaluation of Rev 1 to DPC-NE-3000-P, "Thermal-Hydraulic Transient Analysis Methodology." Sub rept 1 acceptable for ref in licensing application.
* 95/12/27. 5pp. 86882048-86882052.

9501260074 "Technical Evaluation: Thermal-Hydraulic Transient Analysis Methodology, DPC-NE-3000, Rev 3 for DPC."
ABRAMSON, P.B., KOMORIYA, H. International Technical Services, Inc. FIN L-1319. ITS/NRC/95-4. 95/12/27. NRC - No Detailed Action Given. 4pp. 86882053-86882058.

9501090087 Forwards amends 213, 213 & 210 to licenses DPR-38, DPR-47 & DPR-55, respectively & 95-Amends change TS 3.7.8 to provide for one-time extension of AOT from 72 h to 7 days for overhead EP path to be inoperable so that mode can be made.
WIEG, L.A. 95/12/27. HAMPTON, J.W. Duke Power Co. 3pp. 86880221-86880234.

9501260301 Amends 213, 213 & 210 to licenses DPR-38, DPR-47 & DPR-55, respectively, changing TS 3.7.8 to provide for one-time extension of AOT from 72 h to 7 days for overhead EP path to be inoperable so that mode can be performed.
BERKOW, H.N. 95/12/27. 8pp. 86880224-86880231.

9501260306 Safety evaluation supporting amends 213, 213 & 210 to licenses DPR-38, DPR-47 & DPR-55, respectively.
* 95/12/27. 3pp. 86880232-86880234.

9501260358 Forwards "Oconee Nuclear Station (PSE) Submittal Rept." Rept complete w/one exception. Safety review being done in conjunction w/US A-49 safety review has not been completed.
HAMPTON, J.W. Duke Power Co. 95/12/28. Document Control Branch (Document Control Desk). 3pp. 86884004-86884037.

9501260362 "Oconee Nuclear Station (PSE) Submittal Rept."
* Duke Power Co. 95/12/21. 33pp. 86884004-86884037.

9501260296 Forwards "Emergency Condenser Circulating Water Upgrade Oconee Nuclear Station."
HAMPTON, J.W. Duke Power Co. 95/12/28. Document Control Branch (Document Control Desk). 3pp. 86882056-86882059.

9501260296 "Emergency Condenser Circulating Water Upgrade Oconee Nuclear Station."
* Duke Power Co. 95/12/28. 45pp. 86882059-86882063.

36 DOCKETED ITEMS

9601030238 Summary of 951207 meeting w/OTI re resolution on remaining questions concerning Keowee PRA w/ list of attendees.
WIENS, L.A. 96/12/29. 4pp. 86689335-86689358.

960119188 Forwards Rev 39 to "ODCM."
TUCKMAN, M.S. Duke Power Co. 96/01/02. Document Control Branch (Document Control Desk). 2pp. 86785001-86785021.

960119154 Rev 39 to "ODCM."
LOUCKS, L.E., GETERSON, G.R., GEDDIE, E.M. Duke Power Co. 96/01/01. 27pp. 86785003-86785021.

9601189227 Discusses revised completion dates re schedule installation & functional test of mod to air circuit breakers.
HAMPTON, J.W. Duke Power Co. 96/01/09. Document Control Branch (Document Control Desk). 5pp. 86812340-86812344.

9601180051 Transmits summary of Oct & Nov 1995 one-day public workshops re OL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
FREDRICKSON, P. Region 2 (Post 820201). 96/01/09. HAMPTON, J.W. Duke Power Co. 27pp. 86834301-86834327.

9601180386 Forwards rev 4 of "Oconee 2 Cycle 15, COOL, QA Condition 1."
CANDY, K.S. Duke Power Co. 96/01/09. Document Control Branch (Document Control Desk). 1p. 86782259-86782261.

9601188389 "Oconee 2 Cycle 15, COOL, QA Condition 1."
FORSTEN, J.D., MCCLAIN, L.D., ST. CLAIR, R.R. Duke Power Co. ONE-0400-S1 R04. 96/01/05. 6pp. 86782256-86782261.

9601180393 Generic Ltr 95-01 to all holders of OILs or OPA for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827280.

9601220159 Forwards Rev 10 to "Corporate Process Control Program Manual."
TUCKMAN, M.S. Duke Power Co. 96/01/10. Document Control Branch (Document Control Desk). 1p. 86833336-86833358.

9601220167 Rev 10 to "Corporate Process Control Program Manual."
HACK, E.J. Duke Power Co. 96/12/27. 20pp. 86833357-86833358.

9601220224 Forwards revs to "ONS Selected Licensee Commitments Manual," adding new sections 16.13-2, "Technical Review & Control Program" & 16.13-3, "Plant Operations Review Committee."
HAMPTON, J.W. Duke Power Co. 96/01/15. Document Control Branch (Document Control Desk). 2pp. 86806334-86806344.

9601220231 Revs to "ONS Selected Licensee Commitments Manual," adding sections 16.13-2, "Technical Review & Control Program" & 16.13-3, "Plant Operations Review Committee."
Duke Power Co. 96/01/03. 9pp. 86806338-86806344.

9601220314 Forwards revs to "ONS Selected Licensee Commitments Manual," adding requirements for location of grounds on 125 volt dc vital I&C sys.
HAMPTON, J.W. Duke Power Co. 96/01/16. Document Control Branch (Document Control Desk). 2pp. 86837168-86837178.

9601220318 Revs to "ONS Selected Licensee Commitments Manual," adding requirements for location of grounds on 125 volt dc vital I&C sys.
PEELE, B.L. Duke Power Co. 96/01/04. 11pp. 86837168-86837178.

9601310087 Requests to know next step NRC will require of Vectra & Oconee NPP re canisters.
JOHNSTON, C.F. Toledo Coalition for Safe Energy. 96/01/18. HAUGHNEY, C. Office of Nuclear Material Safety & Safeguards. 1p. 86945353-86945353.

9601268309 Summary of 961213 meeting in Rockville, MD re electrical sys issues & Keowee PRA. List of attendees encl.
MILANO, P.D. 96/01/19. 50pp. 86857251-86857216.

9601190442 Suppl 7 to Generic Ltr 89-10 to all holders of OILs (except licensees amended to possession only status) or OPA for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86865011-86865016.

G. Inspection reports, IE Bulletins & correspondence

9601180011 Forwards Insp repts 50-268/95-24, 50-413/95-23, 50-414/95-23, 50-368/95-28, 50-370/95-26, 50-270/95-24 & 50-287/95-24 on 951113-17 & NOV.
FREDRICKSON, P. Region 2 (Post 820201). 95/12/22. TUCKMAN, M.S. Duke Power Co. 6pp. 86801068-86801082.

9601190021 Notice of violation from Insp on 951113-17. Violation noted: Licensee allowed vendor to implement access authorization program after determining that vendor failed to ensure that individuals were trustworthy & reliable, approx 11 months.
Region 2 (Post 820201). 95/12/22. 2pp. 86801072-86801073.

9601190001 Insp repts 50-268/95-24, 50-413/95-23, 50-414/95-23, 50-368/95-28, 50-370/95-26, 50-270/95-24 & 50-287/95-24 on 951113-17. Violations noted: Major areas inspected: Licensee Access Authorization program, background investigation.
THOMPSON, D. Region 2 (Post 820201). 95/12/22. 9pp. 86801074-86801082.

9601180035 Forwards Insp repts 50-268/95-28, 50-270/95-28 & 50-287/95-28 on 951127-1201. No violations identified.
FREDRICKSON, P. Region 2 (Post 820201). 95/12/28. HAMPTON, J.W. Duke Power Co. 3pp. 86803298-86803303.

9601190039 Insp repts 50-268/95-28, 50-270/95-28 & 50-287/95-28 on 951127-1201. No violations noted. Major areas inspected: various aspects of physical security program for power reactors.
STRATTON, L., FREDRICKSON, P. Region 2 (Post 820201). 95/12/28. 5pp. 86803298-86803303.

9512270372 NRC Info Notice 95-004, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740015-86740023.

9601190024 Forwards Insp repts 50-268/95-31, 50-270/95-31 & 50-287/95-31 on 951211-15. No violations or deviations identified.
CASTO, C.A. Region 2 (Post 820201). 96/01/04. HAMPTON, J.W. Duke Power Co. 3pp. 86802347-86802355.

9601190027 Insp repts 50-268/95-31, 50-270/95-31 & 50-287/95-31 on 951211-15. No violations noted. Major areas inspected: adequacy of engineering & technical support activities, design changes & plant mode.
MERRIN, W.E., CASTO, C. Region 2 (Post 820201). 96/01/04. 6pp. 86802350-86802355.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indicators During Testing."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758048-86758061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 9pp. 86758041-86758048.

9601040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
OCCOLA, Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9601190085 Forwards Insp repts 50-268/95-26, 50-270/95-26 & 50-287/95-26 on 951127-1201 & 1211-15. No violations or deviations noted.
CASTO, C.A. Region 2 (Post 820201). 96/01/10. HAMPTON, J.W. Duke Power Co. 2pp. 86833304-86833313.

9601190051 Insp repts 50-268/95-26, 50-270/95-26 & 50-287/95-26 on 951127-1201 & 1211-15. No violations or deviations noted. Major areas inspected: engineering, FILLION, P. CASTO, C. Region 2 (Post 820201). 96/01/10. 9pp. 86833306-86833313.

9601260389 Forwards Insp repts 50-268/95-27, 50-270/95-27 & 50-287/95-27 on stated date.
CRILENIAK, R.V. Region 2 (Post 820201). 96/01/11. HAMPTON, J.W. Duke Power Co. 3pp. 86863147-86863175.

9601260393 Notice of violation from Insp on stated date. Violation noted: personnel using directive for reportability did not recognize that condition existed after determining that one train of LPI had been inoperable from 921212-931102.
Region 2 (Post 820201). 96/01/11. 2pp. 86863150-86863151.

9601260396 Insp repts 50-268/95-27, 50-270/95-27 & 50-287/95-27 on stated date. Violations noted: Major areas inspected: plant operations, maint & surveillance testing, onsite engineering & plant support.
HARRISON, P.E., CRILENIAK, R.V. Region 2 (Post 820201). 96/01/11. 24pp. 86863152-86863175.

9601268278 Forwards Insp repts 50-268/95-32, 50-270/95-32 & 50-287/95-32 on 951218-21. No violations or deviations identified.
BARR, J.C. Region 2 (Post 820201). 96/01/18. HAMPTON, J.W. Duke Power Co. 2pp. 86862016-86862024.

9601260387 Insp repts 50-268/95-32, 50-270/95-32 & 50-287/95-32 on 951218-21. No violations noted. Major areas inspected: transportation of radioactive material, radioactive effluent monitoring instrumentation & water chemistry.
JONES, D.W., BARR, J.C. Region 2 (Post 820201). 96/01/10. 7pp. 86862018-86862024.

9601110059 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86828109-86828120.

9601260280 Forwards response to NRC 951222 ltr re violations noted in Insp repts 50-268/95-02, 50-270/95-02, 50-287/95-02, 50-368/95-02, 50-370/95-02, 50-414/95-02, C/A: completed audit of small local vendors.
TUCKMAN, M.S. Duke Power Co. 96/01/22. Document Control Branch (Document Control Desk). 5pp. 86886318-86886323.

9601180306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86865001-86865010.

9601260138 NRC Info Notice 95-007, "Slow Five Percent Sorum Insertion Times Caused by Vison Disphagms in Sorum Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86865017-86865023.

H. Periodic operating reports & related correspondence

9601180285 Forwards MDR for Dec 1995 for ONS & revised MDR for Nov 1995.
WEBER, R.L. Duke Power Co. 96/01/15. Document Control Branch (Document Control Desk). 2pp. 86828316-86828333.

9601190013 Monthly operating repts for Dec 1995 for ONS.
WILLIAMS, R.A. Duke Power Co. 95/12/31. 16pp. 86828317-86828332.

9601190017 Revised monthly operating repts for Nov 1995 for ONS.
Duke Power Co. 95/11/30. 1p. 86828333-86828333.

V. Operator Examinations

9501048158 NRC Administrative Ltr 95-01 to all holders of OLA or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D. 95/01/09. Consolidated Edison Co. of New York, Inc. 9pp.
85776001-85776010.

DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9501040292 Change 140 to EPPs, including Dept instruction (DI) 95-01 to Rev 21 to OP 3510, DI 95-01 to Rev 9 to OP 3525, Apps B, C & D of Rev 28 to OP 3504, Rev 34 to OP 3508, Rev 26 to OP 3507, Rev 18 to OP 3508, Rev 2 to OP 3533 & Rev 1 to OP 3535.
* Vermont Yankee Nuclear Power Corp. 95/12/18. 131pp. 85754217-85754247.

9501102020 Ask receipt of 951129 for forwarding add info on State of NH Deficiency assessed by FEMA during plant 950913 exercise.
REAGAN, R.L. Region 1 (Post 820201). 95/12/20. NAWQA, J.M. New Hampshire, State of, 2pp. 85760048-85760050.

9501102030 Revised EPPs, including rev 15 to AP 3125, rev 18 to OP 3500, rev 17 to OP 3501, rev 29 to OP 3502, rev 31 to OP 3503 & rev 10 to OP 3631.
* Vermont Yankee Nuclear Power Corp. 95/01/11. 150pp. 85815301-85815314.

P. Operating license stage documents & correspondence

9501040381 Ltr contract, Mod 5 to task order 32, correcting "Mod 3" and 950626 to read "Mod 4." Increasing level of effort by adding 24 prof hrs & by increasing task order ceiling by amount listed in ltr.
MACE, M.H. Division of Contracts (Post 940714). NRC-04-91-085. 95/12/05. COLSA, J. Science & Engineering Associates, Inc. 2pp. 85740220-85740221.

9501030256 Forwards Rev 28 to YOGAP-4A, "Yankee Atomic Electric Co. Operational QA Program." Rev addresses programmatic changes to QA program for plant.
CLARK, C.R. Yankee Atomic Electric Co. 95/12/29. Document Control Branch (Document Control Desk). 9pp. 85708176-85708213.

9501030281 Rev 25 to YOGAP-4A, "Yankee Atomic Electric Co. Operational QA Program."
PETERSON, W.K., CLARK, C.R., REID, J.A. Yankee Atomic Electric Co. 95/12/21. 13pp. 85708182-85708213.

9501030307 Documents revised submittal date for USI A-46 effort from 951231 to 950331.
THAYER, J.K. Vermont Yankee Nuclear Power Corp. 95/12/29. Document Control Branch (Document Control Desk). 2pp. 85896360-85896361.

9501030382 Documents completion of MON program in accordance w/ requirements of 10 CFR 50.54.
THAYER, J.K. Vermont Yankee Nuclear Power Corp. 95/12/29. Document Control Branch (Document Control Desk). 2pp. 85764540-85764541.

9501030383 General Ltr 95-01 to all holders of OLA or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 85827273-85827280.

9501230398 Forwards Rev 1 to "VT Yankee Cycle 18 Core Performance Analysis Rept." Rept presents design info, calculational results & operating limits re operation of Cycle 18 of plant.
DUFFY, J.J. Vermont Yankee Nuclear Power Corp. 95/01/18. Document Control Branch (Document Control Desk). 1p. 85846190-85846206.

9501230397 "VT Yankee Cycle 18 Core Performance Analysis Rept."
SIFONEN, M.A., GAGGIAPOLITO, B., BERGERON, P.A. Vermont Yankee Nuclear Power Corp. VAEC-1808 R01. 95/01/29. 107pp. 85845194-85845206.

9501230402 Forwards SE approving rel request from requirements of ASME Code for repair of leak in SW piping at plant.
MCKEE, P.F. 95/01/17. REID, J.A. Vermont Yankee Nuclear Power Corp. 3pp. 85831322-85831327.

9501230407 SER approving rel request from ASME code repair requirements for ASME Code Class 3 piping.
* 95/01/17. 3pp. 85831328-85831327.

9501240368 Notification of 950125 meeting w/facility in Brattleboro, VT to discuss status of licensing actions currently under state review.
DORMAND, D.H. 95/01/18. HERMAN, R.W. 4pp. 85842347-85842350.

9501190442 Suppl 7 to General Ltr 95-01 to all holders of OLA (except licensees amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 85893011-85893018.

Q. Inspection reports, IE Bulletin & correspondence

9501102067 Forwards insp rept 95-271/95-25 on 951023-1109. Three noncritical violations identified & being corrected for accelerated enforcement action.
WIGGINS, J.T. Region 1 (Post 820201). 95/12/11. REID, J.A. Vermont Yankee Nuclear Power Corp. 4pp. 85750230-85750234.

9501102069 Insp rept 95-271/95-25 on 951023-1109. Three noncritical violations identified. Major areas inspected: licensees identified deficiencies in App R program & ongoing planned corrective actions to bring plant in compliance.
BHATTARAJ, S. Region 1 (Post 820201). 95/12/11. 5pp. 85760234-85760239.

9501200314 Submits response to violations noted in Insp Rept 95-271/95-23. Corrective actions: performed radiography of valves on 951105, verified closure capability & compliance w/requirements of Subsection 4.3.2.4(a) of OLA-10.
THAYER, J.K. Vermont Yankee Nuclear Power Corp. 95/12/29. Document Control Branch (Document Control Desk). 3pp. 85712348-85712350.

9501102068 Notification of significant licensee meeting 95-113 w/USI on 950111 in King of Prussia, PA re predecisional Enforcement Conference to discuss apparent violations of requirements of 10CFR50, App R, described in NRC insp rept 95-271/95-23.
CONTE, R.J. Region 1 (Post 820201). 95/12/29. Region 1 (Post 820201). 2pp. 85750102-85750103.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 85740015-85740022.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 85750049-85750061.

9512290289 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 6pp. 85750041-85750048.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licensees."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870720). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 85827269-85827271.

9501100147 Provides add info re subject discussed at predecisional enforcement conference on 950111 at NRC Region 1 o/c.
DUFFY, J.J. Vermont Yankee Nuclear Power Corp. 95/01/15. Document Control Branch (Document Control Desk). 7pp. 85822335-85822341.

9501100558 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 85828109-85828120.

9501100306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85865001-85865010.

9501200139 NRC Info Notice 95-007, "Slow Five Percent Screen Insertion Times Caused by Vibration Diaphragms in Solenoid Pilot Valves."
CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 85865017-85865023.

R. Periodic operating reports & related correspondence

9501030300 Forwards 1995 rept in accordance w/10CFR50.46(a)(3)(i) for plant & summary of transition from using GE SAFE/REFLOOD ECCS methodology to using NRC approved RELAP5/VA evaluation methodology.
THAYER, J.K. Vermont Yankee Nuclear Power Corp. 95/12/29. Document Control Branch (Document Control Desk). 2pp. 85730319-85730321.

9501170005 Monthly operating rept for Dec 1995 for Vermont Yankee Nuclear Power Station w/950110 ltr.
WALLIN, G.A., WANCZYK, R.J. Vermont Yankee Nuclear Power Corp. 95/12/31. 5pp. 85900340-85900345.

S. Reportable occurrences, LERs & related correspondence

9501100054 LER 95-021-00 on 951203 plant scram occurred due to turbine trip that resulted from high RWL caused by FW regulating valve failure. Repaired valves & retested satisfactory. W/951204 ltr.
WANCZYK, R.J. Vermont Yankee Nuclear Power Corp. 95/01/04. 7pp. 85767061-85767067.

V. Operator Examinations

9501040135 NRC Administrative Ltr 95-01 to all holders of OLA or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D. 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 85776001-85776010.

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9501100180 Revised EPPs, including Rev 47 to table of contents, Rev 38 to event classification guide attachments signature page & Rev 27 to Attachment 6 to designated communicator (CM1) communications log.
BANNER, G. Public Service Electric & Gas Co. of New Jersey. 95/01/03. 29pp. 85776325-85776353.

9501200478 Notification of 950207 meeting w/USI & BNL representatives in Rockville, MD to discuss Salem Appendix R issues.
OLSHAN, L.N. 95/01/24. STOLZ, J.F. 4pp. 85890137-85890140.

9501300009 Forwards BNL TER in response to triennial App R post-fire safe shutdown insp at plant on 950517-21 & 9730. Concludes that licensee does not satisfy requirements of Section 18.6 of App R to 10CFR50. Issue to be discussed at 950207 meeting.
OLSHAN, L.N. 95/01/25. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 85971021-85971071.

9501300016 "Fram TER Salem Nuclear Power Station."
SULLIVAN, K. Brookhaven National Laboratory. 95/11/30. 47pp. 85971025-85971071.

38 DOCKETED ITEMS

K. Utility Final Safety Analysis Report (FSAR) & amendments

950130014 Forwards interim rev 14 to updated FSAR for Salem Generating Station. Rev includes current cycle changes approved as of 951201.
SIMPSON, E.C. Public Service Electric & Gas Co. of New Jersey. 95/12/28. Document Control Branch (Document Control Desk). 12pp. 86700:001-86701:250.

950130015 Interim rev 14 to updated FSAR for Salem Generating Station Units 1 & 2.
Public Service Electric & Gas Co. of New Jersey. 95/12/28. 902pp. 86700:013-86701:250.

P. Opening license stage documents & correspondence

950130022 Notification of significant licensee meeting 95-101 w/utl on 951218 to address public questions & concerns re actions necessary for restart of plant.
NICHOLSON, L.E. Region 1 (Post 820201). 95/11/30. Region 1 (Post 820201). 2pp. 86683:113-86683:114.

950130018 Rev 1 to notification of significant licensee meeting 95-108 w/utl on 951218 in Camden Point, NJ (or NRC) to address public questions & concerns re actions necessary for safe restart of plant units.
NICHOLSON, L.E. Region 1 (Post 820201). 95/12/01. Region 1 (Post 820201). 2pp. 86683:043-86683:044.

950130007 Forwards attendance lists & slides presented at 951211 mtg meeting.
NICHOLSON, L.E. Region 1 (Post 820201). 95/12/27. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 27pp. 86760:313-86760:340.

950130023 Transmits response to NRC RAI re utl 941011 proposed change to LOO 3.4.4.4, "Pressurizer." Marked-up TS pages encl.
POWELL, R.A. Public Service Electric & Gas Co. of New Jersey. 95/12/28. Document Control Branch (Document Control Desk). 3pp. 86701:208-86701:207.

950130024 Proposed TS LOO 3.4.4.4, substituting equal to or greater than sign for word min.
Public Service Electric & Gas Co. of New Jersey. 95/12/28. 2pp. 86701:305-86701:307.

950130035 Forwards SE authorizing use of ASME Code Case N-532 for Salem Nuclear Generating Station & Hope Creek Generating Station.
STOLZ, J.F. 95/12/29. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 86705:096-86705:094.

950130044 SER approving use of ASME Code Case N-532 for Salem Nuclear Generating Station & Hope Creek Generating Station.
95/12/29. App. 86705:091-86705:094.

950130092 Ltr contract mod 5 to task order 41, extending period of performance of task order from 951224-961231 to "NPE Reviews for Back End Containment Performance & Source Term Analysis Internal Events Only Salem 1 & 2".
MADEIRA, S.L. SCIENTECH, Inc. 95/12/28. 86743:311-86743:312.

950130158 Application for amendments to licenses DPR-70 & DPR-75, representing changes to spec 3/4.4.2.5, "25-Volt DC Distribution - Operating."
STOLZ, J.F. Public Service Electric & Gas Co. of New Jersey. 95/01/04. Document Control Branch (Document Control Desk). 7pp. 86773:346-86773:356.

950130175 Proposed tech spec representing changes to spec 3/4.4.2.5, "25-Volt DC Distribution - Operating."
Public Service Electric & Gas Co. of New Jersey. 95/01/04. App. 86773:353-86773:356.

950130145 Responds to GL 91-08, resolution of generic issue A-30, "Adequacy of Safety-Related DC Power Supplies" at Salem Generating Station units 1 & 2.
STOLZ, J.F. Public Service Electric & Gas Co. of New Jersey. 95/01/04. Document Control Branch (Document Control Desk). 8pp. 86822:104-86822:109.

950130193 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

950130418 Responds to ltr dtd 951010 requesting approval of ASME Code Case N-523, "Mechanical Clamping Devices for Class 2 & 3 Piping." Request denied at this time & PSE&G should request relief from ASME Code as described in GL 90-05.
STOLZ, J.F. 95/01/11. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 86808:225-86808:228.

950130410 Application for amendments to licenses DPR-70, DPR-75 & NPF-57, revising TS Section 6.0 re administrative controls & replacing specific reg titles w/generic reg functional positions.
STOLZ, J.F. Public Service Electric & Gas Co. of New Jersey. 95/01/11. Document Control Branch (Document Control Desk). 14pp. 86824:267-86824:331.

950130414 Proposed Tech Spec Section 6.0 re administrative controls.
Public Service Electric & Gas Co. of New Jersey. 95/01/11. 51pp. 86824:261-86824:331.

950130442 Suppl 7 to Generic Ltr 95-10 to all holders of OIs (except licensee amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86850:111-86850:116.

950130082 Forwards amends 179 & 180 to licenses DPR-70 & DPR-75 & SE. Amends TS 3/4.4.4 re pressurizer heaters, adding phrase, "capable of being powered from electric power supply" to LOO & altering frequency of SR 4.4.4.2.
OLSHAN, L. 95/01/24. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 86935:261-86935:274.

950130084 Amends 179 & 180 to licenses DPR-70 & DPR-75, respectively, changing TS 3/4.4.4 re pressurizer heaters, adding phrase, "capable of being powered from emergency power supply" & altering frequency of SR 4.4.4.2.
STOLZ, J.F. 95/01/24. App. 86935:261-86935:271.

950130058 Safety evaluation supporting amends 179 & 180 to licenses DPR-70 & DPR-75, respectively.
95/01/24. App. 86935:272-86935:274.

950130009 Forwards BNL TER in response to triennial App R post-fire safe shutdown insp at plant on 950517-21 & 0719. Concludes that licensee does not satisfy requirements of Section III.G of App R to 10CFR50. Issue to be discussed at 950207 meeting.
OLSHAN, L. 95/01/25. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 86971:021-86971:071.

950130008 "Final TER Salem Nuclear Power Station."
SULLIVAN, K. Brookhaven National Laboratory. 95/11/30. 47pp. 86971:025-86971:071.

Q. Inspection reports, IE Bulletins & correspondence

950130010 Ack receipt of 951206 ltr informing NRC of steps taken to correct violations noted in insp repts 95-272/95-17 & 95-311/95-17.
NICHOLSON, L.E. Region 1 (Post 820201). 95/12/27. STOLZ, J.F. Public Service Electric & Gas Co. of New Jersey. 3pp. 86760:341-86760:352.

950130020 Ack receipt of 951115 ltr informing NRC of steps taken to correct violations noted in insp repts 95-272/95-02, 95-272/95-07, 95-272/95-30 & 95-311/95-02, 95-311/95-07 & 95-311/95-10.
NICHOLSON, L.E. Region 1 (Post 820201). 95/12/27. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 86760:001-86760:053.

950130039 Responds to NRC 950118 ltr re violations noted in insp repts 95-272/95-02, 95-272/95-07, 95-272/95-10 & 95-311/95-02, 95-311/95-07 & 95-311/95-10. Corrective actions CAP revised as described in cover ltr to attachment.
ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 95/11/15. LIEBERMAN, J. Region 1 (Post 820201). 6pp. 86760:004-86760:053.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:023.

9512280129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:048-86758:061.

9512280289 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

9501040338 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

950110058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 95/01/15. Consolidated Edison Co. of New York, Inc. 9pp. 86828:108-86828:120.

9501100305 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86850:001-86850:010.

950130009 Forwards BNL TER in response to triennial App R post-fire safe shutdown insp at plant on 950517-21 & 0719. Concludes that licensee does not satisfy requirements of Section III.G of App R to 10CFR50. Issue to be discussed at 950207 meeting.
OLSHAN, L. 95/01/25. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 86971:021-86971:071.

950130008 "Final TER Salem Nuclear Power Station."
SULLIVAN, K. Brookhaven National Laboratory. 95/11/30. 47pp. 86971:025-86971:071.

9501280139 NRC Info Notice 95-007, "Slow Fire Percent Screen Insertion Times Caused by Vibration Disruptions in Screen Solenoid Pilot Valves."
CRUTCHFIELD, D. 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86860:017-86860:023.

R. Periodic operating reports & related correspondence

950110195 Industrial process wastewater sludge rpt for Oct 1995 for Salem Generating Station. W/951220 ltr.
WARREN, C.G. Public Service Electric & Gas Co. of New Jersey. 95/10/31. CAPORALE, G. New Jersey State of 9pp. 86768:344-86768:352.

9501230189 Monthly operating rpt for Nov 1995 for Salem. W/951214 ltr.
PHILLIPS, R., HELLER, R., WARREN, C. Public Service Electric & Gas Co. of New Jersey. 95/11/30. App. 86858:250-86858:258.

950130039 Monthly operating rpt for Dec 1995 for Salem Generating Station Unit 1. W/950115 ltr.
PHILLIPS, R., HELLER, R., WARREN, C. Public Service Electric & Gas Co. of New Jersey. 95/12/31. App. 86828:351-86828:358.

S. Reportable occurrences, LERs & related correspondence

950130027 Final response to FOIA request for documents. App A documents encl & also placed in FDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. KURTZ, E. 2pp. 86768:108-86768:154.

-9601060247 Package consisting of event repts for 840413-17 for listed plants & Region 1 morning repts for 840413-15.
* NRC - No Detailed Affiliation Given. 95/12/21. 47pp. 86758:106-86758:154.

9601030012 Special Rept 95-001:an 951129, valid failure of 1B EDG identified during routine monthly surveillance test. Caused by malfunction of Woodward Electronic Governor control unit. Unit replaced & 1B EDG tested satisfactorily on 951214.
WARREN, C. Public Service Electric & Gas Co. of New Jersey. 95/12/27. Document Control Branch (Document Control Desk). 3pp. 86883:357-86883:359.

9601050016 Special Rept 95-020:an 951207, valid failure of 1A EDG identified approx 23 & 1/2 h into 24 h endurance surveillance test. Caused by lubricating oil leak at threaded piping nipple. Threaded nipple replaced.
WARREN, C. Public Service Electric & Gas Co. of New Jersey. 95/12/29. Document Control Branch (Document Control Desk). 4pp. 86761:357-86761:360.

9601230092 Forwards LER 95-029-00 re GE 55M control switch degradation. Attachment A submitted items represent commitments made.
WARREN, C. Public Service Electric & Gas Co. of New Jersey. 96/01/17. Document Control Branch (Document Control Desk). 2pp. 86842:349-86842:354.

-9601230182 LER 95-029-00:an 951218, 4 KV vital buses declared inoperable. Caused by inadequate initial design of GE type 55M switches by mfg. All suspect switches in 4 KV switchgear, vital & group buses replaced.
MORTARINO, M. Public Service Electric & Gas Co. of New Jersey. 96/01/18. 4pp. 86840:351-86840:354.

V. Operator Examinations

9601020288 Advises that status of listed licensed operators changed as stated per 10CFR50.74.
MCMAHON, J.F. Public Service Electric & Gas Co. of New Jersey. 95/12/27. Document Control Branch (Document Control Desk). 2pp. 86701:251-86701:252.

9601040138 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing ref exam schedule.
CRITCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

9601030233 Advises of licensed operator status changes per 10CFR50.74.
MCMAHON, J.F. Public Service Electric & Gas Co. of New Jersey. 96/01/25. MEYER, G.W. 2pp. 86961:253-86961:256.

DOCKET 50-274 U.S. GEOLOGICAL SURVEY RESEARCH REACTOR

R. Periodic operating reports & related correspondence

9601250027 "USGS TRIGA Reactor Annual Rept for Jan-Dec 1995." W/960115 Ltr. HELPER, F.G. Interior, Dept. of Geological Survey. 95/12/31. COLLINS, S.J. Region 4 (Post 920201). 3pp. 86878:344-86878:351.

B. Reportable occurrences, LERs & related correspondence

9601180029 RCon 960104, Shift-2 control rod stopped at 817 units. Operator went out on reactor bridge to check rod. After examining rod, operator shook barrel & rod fell into core. Reactor remains in shutdown condition.
HELPER, F.G. Interior, Dept. of Geological Survey. 96/01/11. Document Control Branch (Document Control Desk). 1p. 86822:079-86822:079.

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9601020284 Rev 19 to EPIP EP R-2, "Release of Airborne Radioactive Materials (Initial Assessment)" & Vol 3B table of contents.
ANGUS, M.J. Pacific Gas & Electric Co. 95/12/18. 13pp. 86882:301-86882:313.

9601190150 Forwards Rev 3 to Calculation 335-DC, "10CFR50 App R Emergency Lighting Communications."
FUKIMOTO, W.H. Pacific Gas & Electric Co. 95/01/11. Document Control Branch (Document Control Desk). 2pp. 86832:001-86832:128.

-9601190152 Rev 3 to Calculation 335-DC, "10CFR50 App R Emergency Lighting & Communications."
LEATHAM, R.D. Pacific Gas & Electric Co. 95/11/22. 125pp. 86832:003-86832:128.

9601280044 Discusses until 950629 request for deviation from certain technical requirements of App R to 10CFR50 for plant units 1 & 2. Advises that detection & suppression sufficient to protect against hazards be installed in order to comply.
BLOOM, S.D. 96/01/22. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 86893:251-86893:254.

P. Operating license stage documents & correspondence

9601030107 Discusses closeout of issues re 10CFR50.59 for plant units 1 & 2. NRC will not review changes discussed because staff position re issues not necessary.
RODD, J. Division of Reactor Projects - MW/V. Post 801216. 90/06/02. SHIFFER, J.D. Pacific Gas & Electric Co. 3pp. 86690:133-86690:135.

9601020197 Forwards corrected page 3/4 3-33 w/overleaf for document completeness to amend 103 & 102 to licenses DPR-80 & DPR-82, respectively. Error made by issuing page w/o correctly indicating change made in amends 102 & 101.
BLOOM, S.D. 95/12/21. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 86890:001-86890:008.

-9601020123 Corrected page 3/4 3-33 w/overleaf for document completeness to amend 103 & 102 to licenses DPR-80 & DPR-82, respectively. Error made by issuing page w/o correctly indicating change made in amends 102 & 101.
* 95/12/21. 1p. 86890:005-86890:008.

9601020001 Forwards application for amends to licenses DPR-80 & DPR-82, revising TSs 3/4.6.1.1, 3/4.6.1.2, 3/4.6.1.3, 3/4.6.1.4 & 3/4.6.1.5 & adding TS 6.6.4 to incorporate requirements of containment leakage rate testing program.
WOMACK, L.F. Pacific Gas & Electric Co. 95/12/27. Document Control Branch (Document Control Desk). 2pp. 86882:301-86882:308.

-9601020002 Application for amends to licenses DPR-80 & DPR-82, revising TSs 3/4.6.1.1, 3/4.6.1.2, 3/4.6.1.3, 3/4.6.1.4 & 3/4.6.1.5 & adding TS 6.6.4 to incorporate requirements of containment leakage rate testing program.
WOMACK, L.F. Pacific Gas & Electric Co. 95/12/27. 7pp. 86883:304-86883:310.

-9601020003 Proposed tech specs 8/4.6.1.1, 3/4.6.1.2, 3/4.6.1.3, 3/4.6.1.4 & 3/4.6.1.5 & 6.6.4 incorporating requirements of containment leakage rate testing program.
* Pacific Gas & Electric Co. 95/12/27. 26pp. 86883:311-86883:338.

9601030012 Forwards Rev 11 to "1ST Program Second Ten-Yr Interval Diablo Canyon Power Plant Units 1 & 2."
FUKIMOTO, W.H. Pacific Gas & Electric Co. 95/12/28. Document Control Branch (Document Control Desk). 8pp. 86892:189-86892:198.

-9601030013 Rev 11 to "1ST Program Second Ten-Yr Interval Diablo Canyon Power Plant Units 1 & 2."
SPENCER, D.W. Pacific Gas & Electric Co. 95/11/20. 125pp. 86891:184-86891:198.

9601050121 Notification of 960109 meeting w/US & W in Frederick, MD to discuss SG support plant issues.
BLOOM, S.D. 96/01/05. BATEMAN, W.H. 4pp. 86743:118-86743:121.

9601170160 Forwards amends 109 & 108 to licenses DPR-80 & DPR-82 & safety evaluation. Amends add one-time footcandle to TS related to DGFOSTS to permit existing storage tanks to be removed from site & to be replaced w/double walled tanks & piping.
BLOOM, S.D. 96/01/05. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 86790:215-86790:235.

-9601170163 Amends 109 & 108 to licenses DPR-80 & DPR-82, respectively, adding one-time footcandle to TS related to DGFOSTS to permit existing storage tanks to be removed from site & to be replaced w/double walled tanks & piping.
BLOOM, S.D. 96/01/05. 9pp. 86790:219-86790:227.

-9601170167 Safety evaluation supporting amends 109 & 108 to licenses DPR-80 & DPR-82, respectively.
* 96/01/05. 8pp. 86790:328-86790:335.

9601190159 Forwards Rept 420DC-95.1, "Sealing of FWSC Indicators in Deated SG Tubes Pooled During Diablo Canyon Unit 1 Seventh Refueling Outage."
RUEGER, G.M. Pacific Gas & Electric Co. 96/01/05. Document Control Branch (Document Control Desk). 2pp. 86766:257-86766:261.

-9601190162 "Sealing of FWSC Indicators in Deated SG Tubes Pooled During Diablo Canyon Unit 1 Seventh Refueling Outage."
KANG, J.H., ADAMSON, R.D. Affiliation Not Assigned. 420DC-95.1. 96/01/05. 43pp. 86768:270-86768:311.

9601190090 Forwards TER for review of Rev 12 re plant offsite dose calculation procedure.
BLOOM, S.D. 96/01/05. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 86820:110-86820:142.

-9601190095 "Evaluation of Diablo Canyon Plant Units 1 & 2 Offsite Dose Calculation Manual Rev 12."
MORFORD, N., AKERS, D.W. Idaho National Engineering Laboratory. FIN E-2064. INEL-95/0390. 95/08/31. 29pp. 86820:114-86820:142.

9601050183 General Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRITCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

9601190150 Forwards Rev 3 to Calculation 335-DC, "10CFR50 App R Emergency Lighting Communications."
FUKIMOTO, W.H. Pacific Gas & Electric Co. 96/01/11. Document Control Branch (Document Control Desk). 2pp. 86832:001-86832:128.

-9601190152 Rev 3 to Calculation 335-DC, "10CFR50 App R Emergency Lighting & Communications."
LEATHAM, R.D. Pacific Gas & Electric Co. 95/11/22. 125pp. 86832:003-86832:128.

9601230137 Forwards application for amend request 96-01 to licenses DPR-80 & DPR-82, respectively, relocating selected TS per Commission Final Policy Statement for relocation of current TS that do not meet any screening criteria for retention.
RUEGER, G.M. Pacific Gas & Electric Co. 96/01/17. Document Control Branch (Document Control Desk). 2pp. 86835:001-86835:147.

-9601230141 Application for amends to licenses DPR-80 & DPR-82, respectively, relocating selected TS per Commission Final Policy Statement for relocation of current TS that do not meet any screening criteria for retention.
RUEGER, G.M. Pacific Gas & Electric Co. 96/01/17. 13pp. 86835:003-86835:015.

-9601230145 Proposed tech specs, consisting of amend request 96-01, relocating selected TS per Commission Final Policy Statement for relocation of current TS that do not meet any screening criteria for retention.
* Pacific Gas & Electric Co. 96/01/17. 13pp. 86835:016-86835:147.

9601230184 Forwards LAR 96-02 to license DPR-80, revising TS 3/4.6.1.1, "Electrical Power Sys - AC Sources - Operating." Action Statement (a) to allow one-time extension of AOT for installation of new auxiliary transformer 1-1.
RUEGER, G.M. Pacific Gas & Electric Co. 96/01/18. Document Control Branch (Document Control Desk). 2pp. 86835:254-86835:259.

-9601230189 LAR 96-02 to license DPR-80, revising TS 3/4.6.1.1, "Electrical Power Sys - AC Sources - Operating." Action Statement (a) to allow one-time extension of AOT for installation of new auxiliary transformer 1-1.
RUEGER, G.M. Pacific Gas & Electric Co. 96/01/18. 8pp. 86835:256-86835:263.

40 DOCKETED ITEMS

-9501230193 Proposed TS 3/4.5.1.1, "Electrical Power Sys - AC Sources - Operating," Action Statement (allowing one-time extension of AOT for installation of new auxiliary transformer 1-1.
* Pacific Gas & Electric Co. 95/01/18. 6pp. 8859294-8859298.

9501230223 Notification of 950122 & 23 meetings w/PG&E in Avila Beach, CA to discuss plant responses to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
BLOOM, S.D. 95/01/18. BATEMAN, W.H. 4pp. 88631308-88631311.

9501250644 Discusses and 950628 request for deviation from certain technical requirements of App R to 10CFR50 for plant units 1 & 2. Advises that detection & suppression sufficient to protect against hazards be installed in order to comply.
BLOOM, S.D. 95/01/22. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 88633251-88633254.

9501190442 Suppl 7 to Generic Ltr 89-10 to all holders of OAs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 5pp. 88655011-88655016.

Q. Inspection reports, IE Bulletins & correspondence

9501040217 Forwards Insp repts 50-275/95-17 & 50-323/95-17 on 951021-951208. No violations noted.
DYER, J.E. Region 4 (Post 820201). 95/12/28. RUEGER, G.M. Pacific Gas & Electric Co. 6pp. 88697320-88697322.

-9501040279 Insp repts 50-275/95-17 & 50-323/95-17 on 951021-1208. No violations noted. Major areas inspected: causes, immediate responses & corrective actions for failure of Unit Auxiliary Transformer 1-1 on 951021.
WONG, J.L. Region 4 (Post 820201). 95/12/28. 27pp. 88697326-88697352.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 88740015-88740021.

9501102318 Notification of significant licensee meeting w/USR on 950112 re pre-dictional EG involving 951021 event.
DYER, J.E. Region 4 (Post 820201). 95/01/03. Region 4 (Post 820201). 6pp. 88760104-88760108.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 88788049-88788061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 88796041-88796048.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 88827259-88827271.

9501180422 Forwards Insp repts 50-275/95-18 & 50-323/95-18 on 951029-1208 & notice of violation. Violation involved failure of personnel to follow procedures.
DYER, J.E. Region 4 (Post 820201). 95/01/16. RUEGER, G.M. Pacific Gas & Electric Co. 5pp. 88811300-88811310.

-9501190425 Notice of violation from Insp on 951029-1208. Violation noted: operators failed to follow procedures when terminating reactor coolant sys draindown using Valve PCV-135 versus Valve HCV-183 as called for in Procedure OP A-2.3L.
* Region 4 (Post 820201). 95/01/13. 8pp. 88811315-88811318.

-9501190426 Insp repts 50-275/95-18 & 50-323/95-18 on 951029-1208. Violations noted: Major areas inspected: operational safety, verification, maintenance observations, surveillance observations, on-site engineering & plant support activities.
WONG, J.L. Region 4 (Post 820201). 95/01/12. 22pp. 88811317-88811318.

9501190558 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 88828109-88828120.

9501300184 Proposes to conduct self-assessment of engineering activities & programs & related controls for identifying, resolving & preventing problems at plant per Insp Procedure 40501 Assessment overview and.
ANGUS, M.J. Pacific Gas & Electric Co. 95/01/24. Document Control Branch (Document Control Desk). 26pp. 88842339-88842358.

9501190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 88865001-88865010.

9501300888 Forwards NOV & proposed imposition of civil penalty in amount of \$50,000 for violations noted in Insp repts 50-275/95-17 & 50-323/95-17. Enforcement conference conducted on 950112 to discuss violations surrounding 951021 event.
CALLAHAN, J. Region 4 (Post 820201). 95/01/25. RUEGER, G.M. Pacific Gas & Electric Co. 6pp. 88867185-88867193.

-9501300187 Notice of violation & proposed imposition of civil penalty in amount of \$50,000. Violations noted: operators returned equipment for Clearance CR50049276 w/ a removing or verifying removal of ground buggy installed on 12 kv bus D.
* Region 4 (Post 820201). 95/01/25. 8pp. 88867194-88867196.

9501250138 NRC Info Notice 95-007, "Slow Five Percent Sorbent Insertion Times Caused By Viton Diaphragms in Sorbent Solenoid Pilot Valves."
CRUTCHFIELD, D. 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 88895017-88895023.

9501250178 Press release 95-16, "NRC Staff Proposes \$50,000 Fine for Diablo Canyon."
* Office of Public Affairs (Post 511117). 95/01/26. 2pp. 8890294-8890295.

R. Periodic operating reports & related correspondence

9501110165 NPDES discharge monitoring repts for Nov 1995 for Saline Generating Station, W/951220 ly.
WARREN, C.C. Public Service Electric & Gas Co. of New Jersey. 95/11/30. CAPORALE, G. New Jersey, State of. 15pp. 88798314-88798332.

9501230212 Monthly operating repts for Dec 1995 for Diablo Canyon Power Plant Units 1 & 2. W/950116 ly.
EUBANK, T. MALONE, D. FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/12/31. 13pp. 88890040-88890052.

9501290454 "Fourth Quarter 1995 Rept on Discharge Monitoring at Diablo Canyon Power Plant." W/950119 ly.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/12/31. BRIGGS, R.W. California, State of. 107pp. 88934243-88934349.

S. Reportable occurrences, LERs & related correspondence

9501050237 Final response to FOIA request for documents. App A documents end & also placed in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. KURTZE, J. 2pp. 88788106-88788104.

-9501050247 Package consisting of event repts for 940413-17 for listed plants & Region 1 meeting repts for 940413-16.
* NRC - No Detailed Analysis Given. 95/12/21. 47pp. 88788108-88788154.

9501160272 LER 95-017-00 on 951213, manual reactor trip occurred. Caused by debris loading on circulating water sys traveling screens during period of high seas. Damaged traveling screens replaced. W/950110 ly.
BEHNKE, D.H. RUEGER, G.M. Pacific Gas & Electric Co. 95/01/10. 7pp. 88800096-88800102.

V. Operator Examinations

9501040126 NRC Administrative Ltr 95-01 to all holders of OAs or CPs for nuclear power reactors re operator licensing next exam schedule.
CRUTCHFIELD, D. 95/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 88778001-88778014.

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9501180436 Responds to 950820 ltr re changes to Peach Bottom physical security plan. Changes determined to be consistent with provisions of 10CFR50.54(a) & acceptable.
KEDARG, R.P. Region 1 (Post 820201). 95/12/12. HUNGER, G.A. PECO Energy Co. (formerly Philadelphia Electric Co.). 3pp. 88831083-88831085.

9501020013 Notification of significant licensee meeting 95-706 w/USR on 950119 to discuss SALP repts meeting covering 940501-951014.
PASCIAK, W.J. Region 1 (Post 820201). 95/12/20. Region 1 (Post 820201). 2pp. 88653047-88653048.

H. General correspondence

9501040259 Requests that RA Buricall be deleted from syc list & BW Gorman be added as Manager, Joint Owner/External Affairs Interface.
GORMAN, B.W. Public Service Electric & Gas Co. of New Jersey. 95/12/27. Document Control Branch (Document Control Desk). 1p. 88733369-88733369.

K. Utility Final Safety Analysis Report (FSAR) & amendments

9501020028 Forwards rev 13 to updated FSAR for Peach Bottom Atomic Power Station Units 2 & 3. Rev contains annual rev to OA program description submitted per 10CFR50.54(a)(3).
FETTERS, D.B. PECO Energy Co. (formerly Philadelphia Electric Co.). 95/12/27. Document Control Branch (Document Control Desk). 2pp. 88721148-88721150.

-9501020034 Rev 13 to updated FSAR for Peach Bottom Atomic Power Station Units 2 & 3.
* PECO Energy Co. (formerly Philadelphia Electric Co.). 95/07/31. 1,520pp. 88721148-88721220.

P. Operating license stage documents & correspondence

9501030041 Forwards notice of consideration of issuance of amend to facility OA, proposed NSHO determination & opportunity for hearings 951219 application for amend to change ventilation filter test program bypass.
SHEA, J.W. 95/12/21. HUNGER, G.A. PECO Energy Co. (formerly Philadelphia Electric Co.). 8pp. 88890283-88890294.

-9501030250 Notice of consideration of issuance of amend to license DPR-44 & DPR-86 & proposed NSHO determination & opportunity for hearings re 951219 application for amend to change ventilation filter test program bypass.
SHEA, J.W. 95/12/21. 8pp. 88890285-88890294.

9501180189 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827290.

9501180228 Submits info re alternative repair plan in accordance w/ 10CFR50.55a(a)(3).
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/10. Document Control Branch (Document Control Desk). 2pp. 86822358-86822358.

9501180378 Forwards amends 211 & 216 to licenses DPR-44 & DPR-56 & safety evaluation. Amends change min allowable control rod scram accumulator pressure & charging water header pressure from value of 955 psig to value of 940 psig.
SHEA, J.W. 95/01/11. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 86810139-86810170.

9501180381 Amends 211 & 216 to licenses DPR-44 & DPR-56, respectively, changing min allowable control rod scram accumulator pressure & charging water header pressure from value of 955 psig to value of 940 psig.
STOLZ, J.F. 95/01/11. 2pp. 86810142-86810167.

9501180384 Safety evaluation supporting amends 211 & 216 to licenses DPR-44 & DPR-56, respectively.
95/01/11. 3pp. 86810158-86810170.

9501180385 Forwards amends 212 & 217 to licenses DPR-44 & DPR-56 & SE. Amends change test pressure requirements for high pressure coolant injection sys & reactor core isolation cooling sys surveillance tests.
SHEA, J.W. 95/01/11. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 86808139-86808180.

9501180404 Amends 212 & 217 to licenses DPR-44 & DPR-56, respectively, changing test pressure requirements for high pressure coolant injection sys & reactor core isolation cooling sys surveillance tests.
STOLZ, J.F. 95/01/11. 16pp. 86808142-86808167.

9501180413 Safety evaluation supporting amends 212 & 217 to licenses DPR-44 & DPR-56, respectively.
95/01/11. 3pp. 86808158-86808180.

9501200182 Represents 1995 Annual Rept on SR Challenges for plant required by TMI Action Plan Item 4.1C3 & by TSE.
RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/11. Document Control Branch (Document Control Desk). 1p. 86894327-86894327.

950120058 Forwards 951205 Rr to assure that docket file correct because of administrative error which included Rr as end to NRC response ltr.
WAGGINS, J.T. Region 1 (Post 820201). 95/01/12. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 86827103-86827108.

9501180384 Forwards amends 213 & 218 to licenses DPR-44 & DPR-56 & safety evaluation. Amends change ventilation filter test program bypass & penetration leakage test acceptance criteria from less than 0.05 to less than 1.0 percent.
SHEA, J.W. 95/01/16. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 86824005-86824022.

9501180391 Amends 213 & 218 to licenses DPR-44 & DPR-56, respectively, changing ventilation filter test program bypass & penetration leakage test acceptance criteria from less than 0.05 percent to less than 1.0 percent.
STOLZ, J.F. 95/01/16. 10pp. 86824008-86824017.

9501180397 Safety evaluation supporting amends 213 & 218 to licenses DPR-44 & DPR-56, respectively.
95/01/16. 3pp. 86824018-86824022.

9501200232 Forwards revised bases to LCR 89-13 re implementation of main stack & vent stack radiation monitoring systems.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/16. Document Control Branch (Document Control Desk). 2pp. 86890053-86890066.

9501200235 Proposed tech spec base changes re implementation of main stack & vent stack radiation monitoring systems.
PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/16. 11pp. 86890059-86890068.

9501180442 Suppl 7 to Generic Ltr 89-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve repositioning in PWRs.
CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86895011-86895018.

G. Inspection reports, IE Bulletins & correspondence

9501020019 Notification of cancelled significant licensee meeting 95-105 w/atl on 951207 to discuss SALP mtg meeting covering period 940501-951014.
PASCIAK, W.J. Region 1 (Post 820201). 95/11/20. Region 1 (Post 820201). 2pp. 86863075-86863079.

9501020013 Notification of significant licensee meeting 95-105 w/atl on 950119 to discuss SALP mtg meeting covering 940501-951014.
PASCIAK, W.J. Region 1 (Post 820201). 95/12/20. Region 1 (Post 820201). 2pp. 86863047-86863048.

9512279373 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 5pp. 86745015-86745023.

9501180802 Responds to violations noted in insp repts 50-277/95-23 & 50-278/95-23. Corrective actions: performance enhancement process investigation performed.
RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/08. Document Control Branch (Document Control Desk). 4pp. 86783353-86783366.

9512299129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758048-86758061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Violation as Result of Thermal Effects."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 6pp. 86758041-86758048.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
DOLO, A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9501180558 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86829109-86829120.

9501250133 Forwards response to NRC 951212 Rr re violations noted in insp repts 50-277/95-23 & 50-278/95-23 on 951015-1125. Corrective actions: inspection of A3-123 process will be reinforced to station personnel by 950203.
RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/18. Document Control Branch (Document Control Desk). 3pp. 86862351-86862358.

9501290352 Discusses 950123 telcon between J Williams & D McClellan re arrangements for NRC to inspect licensed operator requalification program. Insp planned for wk of 950318.
MEYER, G.W. Region 1 (Post 820201). 95/01/24. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 86885258-86885268.

9501180306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dumpers at Nuclear Power Plants."
CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86855001-86855010.

9501250139 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused by Vison Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 86855017-86855023.

R. Periodic operating reports & related correspondence

9501230372 Forwards monthly operating repts for Dec 1995 for PBAPS, Units 2 & 3. Corrections to Peach Bottom Unit 3 reactor critical h for Aug 1995 & Oct 1995 attached to repts.
RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/15. Document Control Branch (Document Control Desk). 1p. 86863303-86863317.

9501230375 Monthly operating repts for Dec 1995 for PBAPS, Units 2 & 3.
HYDRICK, L.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/12/31. 14pp. 86863314-86863317.

V. Operator Examinations

9501020012 Notification of significant licensee meeting 95-110 w/atl on 951214 to discuss applicants performance during Aug 1995 initial operator exam.
PASCIAK, W.J. Region 1 (Post 820201). 95/12/13. Region 1 (Post 820201). 2pp. 86863045-86863048.

9501100227 Discusses 951214 mtg meeting re weak performance of operator license candidates during Aug 1995 operator license exam at Peach Bottom.
MEYER, G.W. Region 1 (Post 820201). 95/12/27. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 11pp. 86780057-86780067.

9501040138 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing next exam schedule.
CRUTCHFIELD, D. 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776001-86776010.

9501200180 Inform of individual exam results for applicants on initial retake exam conducted on 950118. Info considered to be "proprietary" in accordance w/10CFR2.790 & withheld.
MEYER, G.W. Region 1 (Post 820201). 95/01/22. STANKIEWICZ, J. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 86834010-86834011.

9501290362 Discusses 950123 telcon between J Williams & D McClellan re arrangements for NRC to inspect licensed operator requalification program. Insp planned for wk of 950318.
MEYER, G.W. Region 1 (Post 820201). 95/01/24. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 86885258-86885268.

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9501180436 Responds to 950920 Rr re changes to Peach Bottom physical security plan. Changes determined to be consistent with provisions of 10CFR50.54(p) & acceptable.
KEMIS, R.L. Region 1 (Post 820201). 95/12/12. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 86831063-86831065.

9501020013 Notification of significant licensee meeting 95-105 w/atl on 950119 to discuss SALP mtg meeting covering 940501-951014.
PASCIAK, W.J. Region 1 (Post 820201). 95/12/20. Region 1 (Post 820201). 2pp. 86863047-86863048.

H. General correspondence

9503048280 Requests that RA Burrows be deleted from sro Rr & BIV Gorman be added as Manager-Joint Owner/External Affairs Interface.
GORMAN, B.W. Public Service Electric & Gas Co. of New Jersey. 95/12/27. Document Control Branch (Document Control Desk). 1p. 86733358-86733358.

42 DOCKETED ITEMS

K. Utility Final Safety Analysis Report (FSAR) & amendments

960103026 Forwards rev 13 to Updated FSAR for Peach Bottom Atomic Power Station Units 2 & 3. Rev contains annual rev to QA program description submitted per 10CFR50.54(d)(3). FETTER, D.B. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/12/27. Document Control Branch (Document Control Desk). 2pp. 86721:148-86725:220.

960103034 Rev 13 to updated FSAR for Peach Bottom Atomic Power Station Units 2 & 3. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/07/31. 1,529pp. 86721:148-86725:220.

P. Operating license stage documents & correspondence

960103241 Forwards notice of consideration of issuance of amend to facility OL proposed NSHC determination & opportunity for hearings 951219 application for amend to change ventilation filter test program bypass. SHEA, J.W., 95/12/21. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/12/21. 1,529pp. 86721:148-86725:220.

960103050 Notice of consideration of issuance of amend to license DPR-44 & DPR-55 & proposed NSHC determination & opportunity for hearings 951219 application for amend to change ventilation filter test program bypass. SHEA, J.W., 95/12/21. 9pp. 86890:233-86890:294.

960103129 Provides NRC w/notice of completion of GL 89-10, "Safety Related Motor-Operated Valve Testing & Surveillance - 10CFR50.54(b)." HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/12/29. Document Control Branch (Document Control Desk). 2pp. 86794:228-86794:232.

960103039 "Peach Bottom Atomic Power Station, Unit 3 Cycle 11 Startup Rept." W/ 960111 R. RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/12/31. 58pp. 86791:241-86791:298.

960103093 Generic Ltr 88-01 to all holders of OLS or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D., 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

960103028 Submits info re alternative repair plan in accordance w/ 10CFR50.55(a)(3). HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 96/01/10. Document Control Branch (Document Control Desk). 2pp. 86822:358-86822:359.

960103075 Forwards amend 211 & 216 to licenses DPR-44 & DPR-55 & safety evaluation. Amend change min allowable control rod soran accumulator pressure & charging water heater pressure from value of 935 psig to value of 940 psig. SHEA, J.W., 96/01/11. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 96/01/11. 9pp. 86810:139-86810:170.

960103081 Amends 211 & 216 to licenses DPR-44 & DPR-55, respectively, changing min allowable control rod soran accumulator pressure & charging water heater pressure from value of 935 psig to value of 940 psig. STOLZ, J.F., 96/01/11. 2pp. 86812:142-86812:167.

960103034 Safety evaluation supporting amends 211 & 216 to licenses DPR-44 & DPR-55, respectively. 96/01/11. 9pp. 86810:168-86810:170.

960103095 Forwards amends 212 & 217 to licenses DPR-44 & DPR-55 & SE. Amend change test pressure requirements for high pressure coolant injection sys & reactor core isolation cooling sys surveillance tests. SHEA, J.W., 96/01/11. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 96/01/11. 9pp. 86806:138-86806:160.

960103404 Amends 212 & 217 to licenses DPR-44 & DPR-55, respectively, changing test pressure requirements for high pressure coolant injection sys & reactor core isolation cooling sys surveillance tests. STOLZ, J.F., 96/01/11. 3pp. 86808:142-86808:157.

960103413 Safety evaluation supporting amends 212 & 217 to licenses DPR-44 & DPR-55, respectively. 96/01/11. 9pp. 86808:158-86808:160.

960103012 Represents 1995 Annual Rept on SR Challenges for plant required by TMI Action Plan Item I.K.3 & by TSS. RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.), 96/01/11. Document Control Branch (Document Control Desk). 1p. 86894:327-86894:327.

960103086 Forwards 951205 ltr to assure that docket file correct because of administrative error which included ltr as end to NRC response ltr. WIGGINS, J.T. Region 1 (Post 820201). 96/01/12. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.), 96/01/12. 2pp. 86827:123-86827:106.

960103084 Forwards amends 215 & 216 to licenses DPR-44 & DPR-55 & safety evaluation. Amend change ventilation filter test program bypass & penetration leakage test acceptance criteria from less than 0.05 to less than 1.0 percent. SHEA, J.W., 96/01/16. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 96/01/16. 9pp. 86824:005-86824:022.

960103091 Amends 213 & 216 to licenses DPR-44 & DPR-55, respectively, changing ventilation filter test program bypass & penetration leakage test acceptance criteria from less than 0.05 percent to less than 1.0 percent. STOLZ, J.F., 96/01/16. 10pp. 86824:006-86824:017.

960103097 Safety evaluation supporting amends 213 & 216 to licenses DPR-44 & DPR-55, respectively. 96/01/16. 9pp. 86824:018-86824:022.

960103022 Forwards revised bases to LCR 93-13 re implementation of main stack & vent stack radiation monitoring systems. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 96/01/16. Document Control Branch (Document Control Desk). 2pp. 86890:053-86890:066.

960103025 Proposed tech spec base changes re implementation of main stack & vent stack radiation monitoring systems. PECO Energy Co., (formerly Philadelphia Electric Co.), 96/01/16. 11pp. 86890:056-86890:066.

960103042 Suppl 7 to Generic Ltr 89-10 to all holders of OLS (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D., 96/01/24. Consolidated Edison Co. of New York, Inc. 9pp. 86893:011-86893:016.

960103132 Responds to 940824 response to GL 84-03, "Intergranular of Core Shrouds in BWRs," & forwards staff evaluation of all 951109 shroud insp & analysis summary. SHEA, J.W., 96/01/29. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 96/01/29. 4pp. 86898:123-86898:134.

960103135 Safety evaluation approving util insp & evaluation methodology & finds util acceptable for operation of Unit 3 core shroud for duration of current operating cycle. 96/01/29. 9pp. 86898:127-86898:134.

Q. Inspection reports, IE batteries & correspondence

960103018 Notification of cancelled significant licensee meeting 95-105 w/utl on 951207 to discuss SALP mgt meeting covering period 940501-951014. PASCIAK, W.J. Region 1 (Post 820201). 95/11/29. Region 1 (Post 820201). 2pp. 86893:078-86893:079.

960103013 Notification of significant licensee meeting 95-105 w/utl on 960119 to discuss SALP mgt meeting covering period 940501-951014. PASCIAK, W.J. Region 1 (Post 820201). 95/12/20. Region 1 (Post 820201). 2pp. 86893:047-86893:048.

961203078 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D., 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:023.

960110202 Responds to violations noted in insp repts 90-277/95-23 & 50-278/95-23. Corrective actions performance enhancement process investigation performed. RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.), 96/01/03. Document Control Branch (Document Control Desk). 4pp. 86792:253-86792:259.

9612290129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indicators During Testing." CRUTCHFIELD, D., 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:048-86758:061.

9612290299 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Violation as Result of Thermal Effects." CRUTCHFIELD, D., 96/01/05. Consolidated Edison Co. of New York, Inc. 9pp. 86758:041-86758:048.

960103035 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses." COOLDA, Division of Industrial & Medical Nuclear Safety (Post 870723). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

960110290 Forwards "Peach Bottom Atomic Power Station Unit 3 ISI Summary Rept for 931115-951016 Periodic Insp." RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.), 96/01/12. Document Control Branch (Document Control Desk). 2pp. 86790:171-86790:251.

960110295 "Peach Bottom Atomic Power Station Unit 3 ISI Summary Rept for 931115-951016 Periodic Insp." PECO Energy Co., (formerly Philadelphia Electric Co.), 96/01/16. 7pp. 86790:173-86790:251.

960110298 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D., 96/01/16. Consolidated Edison Co. of New York, Inc. 9pp. 86828:108-86828:120.

9601250193 Forwards response to NRC 951212 ltr re violations noted in insp repts 50-277/95-28 & 50-278/95-28 on 961015-1125. Corrective actions mgt expectations of A2-123 process will be reinforced to station personnel by 960205. RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.), 96/01/19. Document Control Branch (Document Control Desk). 6pp. 86895:231-86895:238.

9601290362 Discusses 960123 telcon between J Williams & D McChesney re arrangements for NRC to inspect licensed operator requalification program. Insp planned for wt of 960316. MEYER, G.W. Region 1 (Post 820201). 96/01/24. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.), 96/01/24. 3pp. 86895:258-86895:260.

960110308 NRC Info Notice 96-006, "Design & Testing Deficiencies of Trained Damper at Nuclear Power Plants." CRUTCHFIELD, D., 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86895:007-86895:016.

9601260139 NRC Info Notice 96-007, "Slow Five Percent Soran Injection Times Caused By Vison Desphases in Soran Solenoid Pilot Valves." CRUTCHFIELD, D., 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86895:017-86895:023.

RL Periodic operating reports & related correspondence

9601230372 Forwards monthly operating repts for Dec 1995 for PBAPS, Units 2 & 3. Corrections to Peach Bottom Unit 3 reactor official h for Aug 1995 & Oct 1995 attached to repts. RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.), 96/01/15. Document Control Branch (Document Control Desk). 1p. 86892:203-86892:217.

8801230378 Monthly operating reports for Dec 1995 for PBAPS Units 2 & 3.
HYDRONIC L.P. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/12/31. 14pp.
8801230438-8801230437.

B. Reportable occurrences, LERs & related correspondence

8801020072 LER 85-007-01 on 951202, main turbine trip occurred caused by full reactor screen. Replaced mechanical trip solenoid valve terminal strip that caused initial ground. W/851228 R.
WASONG, A.J., EDWARDS, G.D. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/12/28. 4pp. 8801020072-8801020071.

V. Operator Examinations

8801020012 Notification of significant licensee meeting 95-110 w/initial on 951214 to discuss applicants performance during Aug 1995 operator license exam at Peach Bottom.
PASCIAK, W.J. Region 1 (Post 820201). 95/12/13. Region 1 (Post 820201). 2pp. 8801020012-8801020011.

8801110227 Discusses 951214 mtg meeting re weak performance of operator license candidates during Aug 1995 operator license exam at Peach Bottom.
MEYER, G.W. Region 1 (Post 820201). 95/12/27. 841TH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.), 11pp. 8801110227-8801110226.

8801040138 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 8801040138-8801040137.

8801260169 Inform of individual exam results for applicants on initial reactor exam conducted on 950118. Info considered to be "proprietary" in accordance w/10CFR2.790 & withheld.
MEYER, G.W. Region 1 (Post 820201). 96/01/22. STANKOVIC, J. PECO Energy Co., (formerly Philadelphia Electric Co.), 2pp. 8801260169-8801260168.

8801260352 Discusses 960123 telecon between J Williams & D McClellan re arrangements for NRC to inspect licensed operator requalification program. Insp planned for wk of 960318.
MEYER, G.W. Region 1 (Post 820201). 96/01/24. 841TH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.), 3pp. 8801260352-8801260351.

DOCKET 95-290 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801020287 Forwarded partially withheld insp repts 50-280/95-24 & 50-281/95-24 on 951031-1103. No violations or deviations noted. Details withheld (ref 10CFR2.790).
FREDRICKSON, P. Region 2 (Post 820201). 95/12/20. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 3pp. 8801020287-8801020286.

8801020272 Partially withheld insp repts 50-280/95-24 & 50-281/95-24 on 951031-1103. No violations or deviations noted. Major areas inspected: physical security program of power reactors, including audits & C/A. Details withheld (ref 10CFR2.790).
STANBERRY, W.W., FREDRICKSON, P. Region 2 (Post 820201). 95/12/20. 1p. 8801020272-8801020271.

8801250218 Submit protection against inadvertent use of vehicles at plants.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 96/01/22. Document Control Branch (Document Control Desk). 2pp. 8801250218-8801250217.

K. Unit Safety Analysis Report (FSAR) & amendments

8801260448 Forwarded rev 25 to updated FSAR & Operational QA Program TR.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 96/01/17. Document Control Branch (Document Control Desk). 3pp. 8801260448-8801260447.

8801260452 Rev 25 to Surry Power Station updated FSAR.
* Virginia Power (Virginia Electric & Power Co.), 96/01/17. 30pp. 8801260452-8801260451.

8801260465 Updated VER-1-5A "Operational QA Program TR."
* Virginia Power (Virginia Electric & Power Co.), 96/01/01. 100pp. 8801260465-8801260464.

P. Operating license stage documents & correspondence

8801260188 "Startup Physics Test Rept, Surry Unit 1, Cycle 14, W/850111 R.
CLEMENS, C.D., LAROE, C.B., PAUL, M.E. Virginia Power (Virginia Electric & Power Co.), NE-1055 R00. 96/12/20. EBNETER, S.D. Region 2 (Post 820201). 57pp. 8801260188-8801260187.

8801030082 Forwarded amendments 207 & 207 to licenses DPR-32 & DPR-37, respectively & safety evaluation. Amends revise reactor vessel pressure limits & associated low temperature overpressure protective sys setpoint.
BUCKLEY, B.C. 95/12/26. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 3pp. 8801030082-8801030081.

8801030190 Amends 207 & 207 to licenses DPR-32 & DPR-37, respectively, revise reactor vessel pressure limits & associated low temperature overpressure protective sys setpoint.
MATTHEWS, D.B. 95/12/26. 20pp. 8801030190-8801030189.

8801030135 Safety evaluation supporting amends 207 & 207 to licenses DPR-32 & DPR-37, respectively.
* 95/12/26. 8pp. 8801030135-8801030134.

8801030139 Notice of issuance of amends to licenses DPR-32 & DPR-37. Amends modify TS to revise reactor vessel pressure limit & associated low temperature overpressure protection sys setpoint.
* 95/12/26. 2pp. 8801030139-8801030138.

8801030283 Forwarded amends 206 & 206 to licenses DPR-32 & DPR-37, respectively. Amends establish new setpoint for steam generator high-level & provide more restrictive setting limits for certain reactor production sys. Also end.
BUCKLEY, B.C. 95/12/26. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 2pp. 8801030283-8801030282.

8801030275 Amends 206 & 206 to licenses DPR-32 & DPR-37, respectively, establishing new setpoint for steam generator high-level & providing more restrictive setting limits for certain reactor production sys/engineered safety features.
MATTHEWS, D.B. 95/12/26. 11pp. 8801030275-8801030274.

8801030278 Safety evaluation supporting amends 206 & 206 to licenses DPR-32 & DPR-37, respectively.
* 95/12/26. 8pp. 8801030278-8801030277.

8801030378 Discusses one-day public workshops in each region re GL 95-07, "Pressure Locking & Thermal Binding of Safety Related Power-Operated Gate Valves," conducted in Oct & Nov 1995. List of meeting participants & handouts, and.
FREDRICKSON, P. Region 2 (Post 820201). 96/01/03. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 127pp. 8801030378-8801030377.

8801050003 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 8801050003-8801050002.

8801260448 Forwarded rev 25 to updated FSAR & Operational QA Program TR.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 96/01/17. Document Control Branch (Document Control Desk). 3pp. 8801260448-8801260447.

8801260465 Updated VER-1-5A "Operational QA Program TR."
* Virginia Power (Virginia Electric & Power Co.), 96/01/01. 100pp. 8801260465-8801260464.

8801260448 Notification of 960123 meeting w/VEPCO in Rockville, MD to discuss current & future licensing issues.
BUCKLEY, B.C., ENGLE, E.B. 96/01/19. MATTHEWS, D.B. 3pp. 8801260448-8801260447.

8801260233 Confirms procedures for tracking low-level radiologically contaminated asbestos waste acceptable for maintaining compliance w/Natl Emissions Standards for hazardous air pollutants regulations.
HADDEN, A.W. Virginia Power (Virginia Electric & Power Co.), 96/01/23. DALEY, J. Region 3 (Post 820201). 6pp. 8801260233-8801260232.

8801060443 Suppl 7 to Generic Ltr 95-10 to all holders of OIs (except licenses amended to preclude only status) or CPs for nuclear power reactors re consideration of valve misoperation in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 8801060443-8801060442.

8801030231 Application for amends to licenses DPR-32 & DPR-37, eliminating surveillance requirements for certain reactor coolant liquid samples.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 96/01/30. Document Control Branch (Document Control Desk). 20pp. 8801030231-8801030230.

8801030235 Proposed tech specs re reactor coolant sys liquid sampling.
* Virginia Power (Virginia Electric & Power Co.), 96/01/30. 6pp. 8801030235-8801030234.

Q. Inspection reports, IE Bulletins & correspondence

8801020287 Forwarded partially withheld insp repts 50-280/95-24 & 50-281/95-24 on 951031-1103. No violations or deviations noted. Details withheld (ref 10CFR2.790).
FREDRICKSON, P. Region 2 (Post 820201). 95/12/20. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 3pp. 8801020287-8801020286.

8801020272 Partially withheld insp repts 50-280/95-24 & 50-281/95-24 on 951031-1103. No violations or deviations noted. Major areas inspected: physical security program of power reactors, including audits & C/A. Details withheld (ref 10CFR2.790).
STANBERRY, W.W., FREDRICKSON, P. Region 2 (Post 820201). 95/12/20. 1p. 8801020272-8801020271.

8801030048 Forwarded insp repts 50-280/95-22 & 50-281/95-22 & notice of violation.
BELISLE, G.A. Region 2 (Post 820201). 95/12/28. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 4pp. 8801030048-8801030047.

8801030047 Notice of violation from insp on 951105-1202. Violation noted: Units 1 & 2 semi-annual smoke detector functional tests had not been performed as required during period from 940525 to 950109.
* Region 2 (Post 820201). 95/12/28. 2pp. 8801030047-8801030046.

8801030048 Insp repts 50-280/95-22 & 50-281/95-22 on 951105-1202. Violations noted: Major areas inspected: plant status, operational safety verification, maint & surveillance insps, engineering review/plant support & self-assessment.
BRANCH, W.W., BELISLE, G.A. Region 2 (Post 820201). 95/12/28. 14pp. 8801030048-8801030047.

9512270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temperatures to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 8801030372-8801030371.

9512290325 NRC Info Notice 96-002, "Importance of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 8801030325-8801030324.

9512290325 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Violation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 3pp. 8801030325-8801030324.

44 DOCKETED ITEMS

980100335 NRC Info Notice 98-004, "Incident Reporting Requirements for Radiography Licenses."
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 98/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827258-86827271.

9801250280 Ack receipt of 981222 for Informing NRC of steps taken to correct violations noted in insp repts 50-280/95-20 & 50-281/95-20.
MERSCOFF, E.W. Region 2 (Post 820204). 98/01/11. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 86822025-86822027.

9801250185 Forwards "Form NIS-1 Owner Rpt for Inservice Insps." Rpt summary of exams performed during outage to partially satisfy requirements for ISI interval.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 98/01/17. Document Control Branch (Document Control Desk). 2pp. 86872148-86872328.

9801250186 "Form NIS-1 Owner Rpt for Inservice Insps." as required by provisions of ASME Code rules.
Virginia Power (Virginia Electric & Power Co.). 85/12/27. 178pp. 86872151-86872328.

9801100658 NRC Info Notice 98-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 98/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86828109-86828120.

9801100306 NRC Info Notice 98-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 98/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86828101-86828115.

9801250129 NRC Info Notice 98-007, "Show Five Percent Steam Inversion Times Caused by Vilon Diaphragms in Steam Solenoid Pilot Valves."
CRUTCHFIELD, D. 98/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86828107-86828122.

9801310242 Forwards response to violations noted in insp repts 50-280/95-22 & 50-281/95-22. Corrective actions/individuals involved w/two incidents consulted on insproprietate actions, causing missed surveillance.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/22. Document Control Branch (Document Control Desk). 6pp. 86828122-86828124.

R. Periodic operating reports & related correspondence

9801250075 Monthly operating repts for Dec 1995 for Sixty Power Station Units 1 & 2.
MASON, D., BRYANT, B.C. Virginia Power (Virginia Electric & Power Co.). 98/12/31. 18pp. 86828122-86828149.

V. Operator Examinations

9801040138 NRC Administrative Ltr 98-01 to all holders of OUs or CPs for nuclear power reactors re operator licensing half exam schedule.
CRUTCHFIELD, D. 98/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778001-86778010.

Y. Dry Cask Independent Spent Fuel Storage Installations

9801250358 Motion for 60 day extension of time to file Staff Rpt/W/ certificate of ant. SHERIDAN, J.L. Virginia, Commonwealth of. 98/12/21. 2pp. 86837306-86837307.

DOCKET 50-281 SURREY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9801020287 Forwards partially withheld insp repts 50-280/95-24 & 50-281/95-24 on 951031-1103. No violations or deviations noted. Details withheld (ref 10CFR2.790).
FREDRICKSON, P. Region 2 (Post 820201). 98/12/20. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 86701283-86701296.

9801020272 Partially withheld insp repts 50-280/95-24 & 50-281/95-24 on 951031-1103. No violations or deviations noted. Major areas inspected: physical security program of power reactors, including audits & C/A. Details withheld (ref 10CFR2.790).
STANBERRY, W.W. Region 2 (Post 820201). 98/12/20. 1p. 86701296-86701298.

9801250216 Submits protection against radioactive use of vehicles at plants.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/22. Document Control Branch (Document Control Desk). 2pp. 86872352-86872353.

K. Utility Final Safety Analysis Report (FSAR) & amendments

9801250048 Forwards rev 25 to updated FSAR & Operational QA Program TR.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/17. Document Control Branch (Document Control Desk). 3pp. 86828155-86828158.

9801250052 Rev 25 to Surrey Power Station updated FSAR.
Virginia Power (Virginia Electric & Power Co.). 98/01/17. 30pp. 86828158-86828190.

P. Operating license stage documents & correspondence

9801030092 Forwards amends 207 & 207 to licenses DPR-32 & DPR-37, respectively & safety evaluation. Amends revise reactor vessel pressure limit & associated low temperature overpressure protective sys setpoint.
BUCKLEY, B.C. 98/12/28. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 86828168-86828180.

9801030130 Amends 207 & 207 to licenses DPR-32 & DPR-37, respectively, revises reactor vessel pressure limit & associated low temperature overpressure protective sys setpoint.
MATTHEWS, D.B. 98/12/28. 20pp. 86828191-86828210.

9801030135 Safety evaluation supporting amends 207 & 207 to licenses DPR-32 & DPR-37, respectively.
98/12/28. 6pp. 86828211-86828216.

9801030159 Notice of issuance of amends to licenses DPR-32 & DPR-37. Amends modify TS to revise reactor vessel pressure limit & associated low temperature overpressure protective sys setpoint.
98/12/28. 2pp. 86828219-86828220.

9801030253 Forwards amends 206 & 206 to licenses DPR-32 & DPR-37, respectively. Amends establish new setpoint for steam generator high-level level & provide more restrictive setting limits for certain reactor protection sys. SE also encl.
BUCKLEY, B.C. 98/12/28. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 86705046-86705067.

9801030275 Amends 206 & 206 to licenses DPR-32 & DPR-37, respectively, establishing new setpoint for steam generator high-level level & providing more restrictive setting limits for certain reactor protection sys/engineered safety features.
MATTHEWS, D.B. 98/12/28. 11pp. 86705051-86705052.

9801030278 Safety evaluation supporting amends 206 & 206 to licenses DPR-32 & DPR-37, respectively.
98/12/28. 6pp. 86705053-86705057.

9801100379 Discusses non-day public workshops in each region re GE 95-07, "Pressure Locking & Thermal Binding of Safety Related Power-Operated Gate Valves," conducted in Oct & Nov 1995. List of meeting participants & handouts encl.
FREDRICKSON, P. Region 2 (Post 820201). 98/01/03. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 127pp. 86798255-86798257.

9801050183 Generic Ltr 98-01 to all holders of OUs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 98/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827280.

9801250048 Forwards rev 25 to updated FSAR & Operational QA Program TR.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/17. Document Control Branch (Document Control Desk). 3pp. 86828155-86828158.

9801250055 Updated VEP-1-5A "Operational QA Program TR."
Virginia Power (Virginia Electric & Power Co.). 98/01/01. 100pp. 86828181-86828184.

9801230243 Notification of 980129 meeting w/VEPCO in Rockville, MD to discuss current & future licensing issues.
BUCKLEY, B.C., ENGLE, L.B. 98/01/19. MATTHEWS, D.B. 3pp. 86831340-86831342.

9801230203 Confirms procedure for tracking low-level radiologically contaminated asbestos waste acceptable for maintaining compliance w/NEI Emissions Sds for hazardous air pollutants regulations.
HADDEN, J.W. Virginia Power (Virginia Electric & Power Co.). 98/01/23. DALEY, J. Region 3 (Post 820201). 6pp. 86828351-86828356.

9801250442 Suppl 7 to Generic Ltr 98-10 to all holders of OUs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in FWRA.
CRUTCHFIELD, D. 98/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86828351-86828356.

9801310281 Application for amends to licenses DPR-32 & DPR-37, eliminating surveillance requirement for certain reactor coolant liquid samples.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 98/01/30. Document Control Branch (Document Control Desk). 2pp. 86828357-86828358.

9801310235 Proposed tech specs re reactor coolant sys liquid sampling.
Virginia Power (Virginia Electric & Power Co.). 98/01/30. 6pp. 86828359-86828366.

Q. Inspection reports, IE Bulletins & correspondence

9801020287 Forwards partially withheld insp repts 50-280/95-24 & 50-281/95-24 on 951031-1103. No violations or deviations noted. Details withheld (ref 10CFR2.790).
FREDRICKSON, P. Region 2 (Post 820201). 98/12/20. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 86701283-86701296.

9801020272 Partially withheld insp repts 50-280/95-24 & 50-281/95-24 on 951031-1103. No violations or deviations noted. Major areas inspected: physical security program of power reactors, including audits & C/A. Details withheld (ref 10CFR2.790).
STANBERRY, W.W., FREDRICKSON, P. Region 2 (Post 820201). 98/12/20. 1p. 86701298-86701299.

9801250043 Forwards insp repts 50-280/95-22 & 50-281/95-22 & notice of violation.
BELUSLE, G.A. Region 2 (Post 820201). 98/12/29. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 86828369-86828377.

9801190047 Notice of violation from insp on 951005-1202. Violation noted: Units 1 & 2 semi-annual smoke detector functional tests had not been performed as required during period from 940525 to 960109.
Region 2 (Post 820201). 98/12/29. 2pp. 86828312-86828313.

9801250048 Insp repts 50-280/95-22 & 50-281/95-22 on 951005-1202. Violations noted: Major areas inspected: plant status, operational safety verification, maint & surveillance tests, engineering review, plant support & self-assessment.
BRANCH, M.W., BELUSLE, G.A. Region 2 (Post 820201). 98/12/28. 14pp. 86828314-86828327.

9812270372 NRC Info Notice 98-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 98/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740015-86740023.

9812280129 NRC Info Notice 98-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 98/01/05. Consolidated Edison Co. of New York, Inc. 12pp. 86758048-86758061.

951220299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 85758:041-85758:048.

951040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 85827:259-85827:271.

951250280 Ack receipt of 951222 to Informing NRC of steps taken to correct violations noted in Insp Repts 50-250/95-20 & 50-251/95-20. MERSCHOFF, E.W. Region 2 (Post 820201). 95/01/11. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85862:225-85862:227.

951110555 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 85828:109-85828:120.

951180306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Torpedo Damper at Nuclear Power Plants." CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85865:001-85865:010.

951250135 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused By Vibration Diaphragms in Scram Solenoid Pilot Valves." CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 85865:017-85865:023.

951250242 Forwards response to violations noted in Insp Repts 50-250/95-22 & 50-251/95-22. Corrective actions individuals involved w/two incidents contained on inappropriate actions, causing missed surveillances. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/25. Document Control Branch (Document Control Desk). 6pp. 85861:229-85861:234.

R. Periodic operating reports & related correspondence

951240070 Monthly operating reports for Dec 1995 for Sunny Power Station Units 1 & 2. W/950111. MASON, D. BRYANT, B.C. Virginia Power (Virginia Electric & Power Co.). 95/12/31. 16pp. 85862:332-85862:343.

V. Operator Examinations

951040135 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing ref exam schedule. CRUTCHFIELD, D. 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 85776:001-85776:010.

Y. Dry Cask Independent Spent Fuel Storage Installations

951250355 Motion for 60 day extension of time to file Staff Resp/W/ certificate of eva. SHERIDAN, A.L. Virginia, Commonwealth of. 65/12/21. 2pp. 85837:305-85837:307.

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

951020185 Rev/ed EPIPs including rev 15 to F3-20, rev 8 to F3-8, rev 14 to F3-13 & rev 7 to F3-25. W/951227. WADLEY, M.D. Northern States Power Co. 95/12/27. 7app. 85862:271-85862:344.

P. Operating license stage documents & correspondence

951030239 Requests relief from code requirements re block valves in series w/over-pressure protection devices. WADLEY, M.D. Northern States Power Co. 95/12/27. Document Control Branch (Document Control Desk). 6pp. 85732:255-85732:260.

951050004 Requests add info re plant Units 1 & 2 TS amend to include L* SG tube acceptance criteria. WETZEL, S.A. 95/01/03. ANDERSON, R.O. Northern States Power Co. 4pp. 85774:016-85774:019.

951050251 Forwards SA, accepting proposed change to safety classification of positive displacement charging pumps at plants to SR for pressure boundary only. GARDNER, R.N. Region 3 (Post 820201). 95/01/06. WATZLE, Northern States Power Co. 4pp. 85768:067-85768:070.

951050165 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 85827:272-85827:280.

951230209 Submits RAI re GL 95-02, "Circumferential Cracking of SG Tubes." WETZEL, S.A. 95/01/16. ANDERSON, R.O. Northern States Power Co. 5pp. 85831:300-85831:304.

951250111 Summary of 951212 meeting w/science re proposed conversion of plants TS to ISRS. List of attendees & copy of overhead slides sent. WETZEL, S.A. 95/01/19. 8pp. 85868:102-85868:108.

951300144 Requests NRC approval of alternatives to liquid penetrant testing requirements of 36-S18.4 of 1988 ASME B&PV Code for weld repairs listed. WADLEY, M.D. Northern States Power Co. 95/01/19. Document Control Branch (Document Control Desk). 14pp. 85859:335-85859:351.

951190442 Suppl 7 to Generic Ltr 89-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 85865:011-85865:016.

951250354 Confirms that meeting will be held on 950130 in Littleton, CO. Licensee staff will brief NRC staff on status of ongoing investigation. Inform that meeting will be closed to public. CREED, J.R. Region 3 (Post 820201). 95/01/25. WATZLE, Northern States Power Co. 1p. 85864:194-85864:194.

Q. Inspection reports, IE Bulletins & correspondence

9512275372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 85740:016-85740:023.

951228129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 85758:048-85758:061.

951250299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 85758:041-85758:048.

951040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/18. Consolidated Edison Co. of New York, Inc. 13pp. 85827:259-85827:271.

951110555 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 85828:109-85828:120.

951180306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Torpedo Damper at Nuclear Power Plants." CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85865:001-85865:010.

951250135 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused By Vibration Diaphragms in Scram Solenoid Pilot Valves." CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 85865:017-85865:023.

R. Periodic operating reports & related correspondence

951230129 Monthly operating reports for Dec 1995 for Prairie Island Nuclear Generating Plant. W/950105. DUGSTAD, D. WADLEY, M.D. Northern States Power Co. 85/12/31. 9pp. 85859:179-85859:187.

V. Operator Examinations

951040135 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing ref exam schedule. CRUTCHFIELD, D. 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 85776:001-85776:010.

951050378 Inform that written & operating exams scheduled for week of 950505, per bloom between M. Slaty & J. Lach. BURCKHART, M. Region 3 (Post 820201). 95/01/10. WATZLE, Northern States Power Co. 2pp. 85818:005-85818:006.

951300022 Inform that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 950410. BURCKHART, M. Region 3 (Post 820201). 95/01/24. LACROIX, G. Consumers Power Co. 3pp. 85867:003-85867:005.

DOCKET 50-284 IDAHO STATE UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

951030385 Forwards "Notice of Consideration of Application for Renewal of Facility License" re 951121 application for amend to license R-110 for licensee reactor AGN-201. MENDONCA, N.M. 95/12/26. LAWSON, J. Idaho State Univ., Pocatello, ID. 5pp. 85705:151-85705:158.

951030385 Notice of consideration of application of renewal of Facility License R-110 for reactor AGN-201. WEISS, S.H. 95/12/26. 5pp. 85705:154-85705:158.

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

951020250 Revised EPIPs including Rev 4 to EPIP-ECF-23 & Rev 3 to EPIP-RR-21A/EPIP-ECF-23 revised to incorporate new emergency response message sys & EPIP-RR-21A revised to remove 24-h staffing instruction. W/951222. PATTERSON, T.L. Omaha Public Power District. 95/12/22. 12pp. 85868:328-85868:337.

9501250139 NRC Info Notice 95-007, "Slow Five Percent Scrums Insertion Times Caused By Valve Diaphragms in Scrums Solenoid Pilot Valves." CRUTCHFIELD, D. . 95/01/20. Consolidated Edison Co. of New York, Inc. 7pp. 86955:017-86955:023.

R. Periodic operating reports & related correspondence

9501180285 Monthly operating rept for Dec 1995 for Fort Calhoun Station, W/950115 to LIPPY, D.L., PATTERSON, T.L. Omaha Public Power District. 95/12/31. 8pp. 86821:310-86821:317.

9501200281 Forwards "Fort Calhoun Station Performance Indicators Rept." for Dec 1995. PATTERSON, T.L. Omaha Public Power District. 95/01/24. Document Control Branch (Document Control Desk). 1p. 86906:225-86906:233.

9501200282 "Fort Calhoun Station Performance Indicators Rept." for Dec 1995. Omaha Public Power District. 95/12/31. 91pp. 86906:225-86906:333.

S. Reportable occurrences, LERs & related correspondence

9501101077 LER 95-008-05 on 951204, inadequate trisodium phosphate was in containment due to calculation error. Revised appropriate calculations for future operating cycles. W/950103 to LINDOUST, S.A., PATTERSON, T.L. Omaha Public Power District. 95/01/03. 8pp. 86785:335-86785:343.

V. Operator Examinations

9501040284 Forwards insp rept 50-285/95-13 on 951204-06. No violations noted. GWYNNE, T.P. Region 4 (Post 820201). 95/12/29. PATTERSON, T.L. Omaha Public Power District. 4pp. 86887:001-86887:018.

9501040287 Insp rept 50-285/95-13 on 951204-06. No violations noted. Major areas inspected/qualifications of applications for operator licenses at plant. TAPIA, J.I. Region 4 (Post 820201). 95/12/28. 51pp. 86897:006-86897:018.

9501040138 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing. Revised exam schedule. CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776:001-86776:010.

DOCKET 50-288 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9501180484 Revised EPIPs, including Rev 30 to EP-1, Rev 1 to IP-2300, Rev 2 to IP-2100, Rev 3 to IP-2302, Rev 4 to IP-1018 & Rev 23 to IP-3021. Power Authority of the State of New York (New York Power Authority). 95/12/19. 63pp. 86818:248-86818:330.

9501180404 Informs NRC of discrepancies re fire protection (these stations identified during fire protection USD consolidation process). HILL, L.M. Power Authority of the State of New York (New York Power Authority). 95/12/28. Document Control Branch (Document Control Desk). 4pp. 86768:258-86768:259.

9501180480 Revised EPIPs table of contents. Power Authority of the State of New York (New York Power Authority). 95/12/29. 6pp. 86820:226-86820:231.

9501200047 Revised EPIPs, including table contents, Rev 5 to IP-2001, Rev 2 to IP-2311, Rev 19 to IP-1011 & Rev 11 to IP-1027. Power Authority of the State of New York (New York Power Authority). 95/01/09. 61pp. 86860:294-86860:354.

9501170211 Submits objectives for Indian Point 3 full participation emergency preparedness exercise, scheduled to be conducted on 950410. Attachment II identifies commitment made as part of submittal. HILL, L.M. Power Authority of the State of New York (New York Power Authority). 95/01/10. Document Control Branch (Document Control Desk). 12pp. 86820:251-86820:262.

9501200504 Forwards revs to emergency plan (EP) including Rev 31 to Vol 1 of EP cover sheet & Index, Rev 27 to Section 4.0 of EP & revised EP procedures, including Rev 3 to IP-2205, Rev 3 to IP-2206 & Rev 1 to IP-2210. Power Authority of the State of New York (New York Power Authority). 95/01/23. MCINIGHT, J. NRC - No Detailed Affiliation Given. 2pp. 86941:085-86941:148.

9501300195 Revised Vol 1 of emergency plan, including Rev 31 to cover sheet, Rev 31 to Index & Rev 27 to Section 4. "Emergency Conditions." CHAUBARD, J.M. Power Authority of the State of New York (New York Power Authority). 95/01/19. 26pp. 86941:067-86941:094.

9501300196 Revised emergency plan procedures, including Rev 2 to "Isolating Conditions & EALS." Rev 3 to IP-2205, Rev 3 to IP-2209 & Rev 1 to IP-2210. CHAUBARD, J.M. Power Authority of the State of New York (New York Power Authority). 95/01/19. 52pp. 86941:095-86941:148.

P. Operating license stage documents & correspondence

9501020099 Notification of significant licensee meeting 95-103 w/whl on 951213 to discuss exceeding cold shutdown w/o all ESF equipment operable as required. COWGILL, C.J. Region 1 (Post 820201). 95/12/11. Region 1 (Post 820201). 3pp. 86903:080-86903:082.

9501180232 Requests that whl provide in writing status of performance improvement/corrective actions prior to restarting plant. MARTIN, T.T. Region 1 (Post 820201). 95/12/22. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 8pp. 86760:074-86760:079.

9501050193 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. . 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:286.

9501220045 Responds to NRC 951222 request for info re status of performance improvement & corrective actions prior to restarting facility. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 95/01/12. Document Control Branch (Document Control Desk). 2pp. 86858:225-86858:230.

9501220193 Responds to RAI re GL 95-03, "Circumferential Cracking of SG Tubes." CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 95/01/17. Document Control Branch (Document Control Desk). 10pp. 86852:274-86852:290.

9501300145 Informs NRC of extension of second ten year ISI Program interval & commitment ILRT interval by 28 months. Second ten year IST program interval extended 16 months to establish identical interval schedules for ISI & IST programs. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 95/01/22. Document Control Branch (Document Control Desk). 2pp. 86951:137-86951:138.

9501180442 Suppl 7 to Generic Ltr 95-10 to all holders of OLs (except licenses extended to possession only status) or CPs for nuclear power reactors re consolidation of valve mispositioning in PWRs. CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 9pp. 86955:011-86955:016.

Q. Inspection reports, IE Bulletins & correspondence

9501100082 Responds to NRC ltr re violations noted in insp rept 50-286/95-15. Corrective actions: lock door seals repaired & tested, valve positions corrected & new term procedure change provided restoration steps. HILL, L.M. Power Authority of the State of New York (New York Power Authority). 95/12/29. Document Control Branch (Document Control Desk). 14pp. 86764:344-86764:357.

9501110263 Forwards insp rept 50-286/95-16 on 951031-1204. No violations noted. COWGILL, C.J. Region 1 (Post 820201). 95/01/02. HILL, L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 86760:198-86760:228.

9501110268 Insp rept 50-286/95-16 on 951031-1204. No violations noted. Major areas inspected: plant operations, maintenance, engineering, plant support & safety management & quality verification. COWGILL, C.J. Region 1 (Post 820201). 95/01/02. 28pp. 86760:201-86760:228.

9501180384 Ack receipt of 951115 re informing NRC of steps taken to correct violations noted in insp rept 50-285/95-12 on 951016. COWGILL, C.J. Region 1 (Post 820201). 95/01/02. HILL, L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 86770:025-86770:040.

9501220372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:022.

9501050041 Press Release 95-01, "NRC Staff Proposes to Fine NYPA \$50,000 for Alleged Violations of NRC Requirements at Indian Point 3 Nuclear Power Plant." Office of Public Affairs (Post 911117). 95/01/09. 1p. 86768:322-86768:322.

95012200129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86768:048-86768:061.

9501220039 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 9pp. 86768:041-86768:048.

9501040035 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:269-86827:271.

9501110858 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. . 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86828:109-86828:120.

9501250167 Ack receipt of 951229 re informing NRC of steps taken to correct violations noted in insp rept 50-285/95-15. COWGILL, C.J. Region 1 (Post 820201). 95/01/22. HILL, L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 86954:015-86954:033.

9501300145 Informs NRC of extension of second ten year ISI Program interval & commitment ILRT interval by 28 months. Second ten year IST program interval extended 16 months to establish identical interval schedules for ISI & IST programs. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 95/01/22. Document Control Branch (Document Control Desk). 2pp. 86951:137-86951:138.

9501180306 NRC Info Notice 95-008, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86955:001-86955:010.

9501250150 NRC Info Notice 95-007, "Slow Five Percent Scrums Insertion Times Caused By Valve Diaphragms in Scrums Solenoid Pilot Valves." CRUTCHFIELD, D. . 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86955:017-86955:023.

48 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

9601260160 Monthly operating rpt for Dec 1995 for Indian Point Nuclear Power Plant Unit 3. W/50112 to. CRILAND, T., HILL, L.M. Power Authority of the State of New York (New York Power Authority). 95/12/31. 7pp. 86896092-86896097.

V. Operator Examinations

9601240138 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam schedule. CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778001-86778010.

9601230044 Informal of individual exam results for applicants on initial exam conducted 951211-14 at facility. W/o stated encls. MEYER, G.W. Region 1 (Post 820201). 96/01/16. SPOERRY, D. Power Authority of the State of New York (New York Power Authority). 2pp. 86827076-86827077.

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9601100884 Forward's public version of revised EPIPs including Rev 95-08, Vol B to table of contents. Change 11 to HP/0/B/1009/16 & Chemistry Manual. W/50108 release memo. HAMPTON, J.W. Duke Power Co. 95/12/20. Document Control Branch (Document Control Desk). 6pp. 86768282-86768290.

9601101081 Public version of revised EPIPs including Rev 95-08, Vol B to table of contents. Change 11 to HP/0/B/1009/16 & Chemistry Manual. FOSTER, W.W. Duke Power Co. 95/12/01. 27pp. 86759294-86759320.

9601100835 Forward's insp repts 50-269/95-23, 50-270/95-28 & 50-287/95-28 on 951127-1201. No violations identified. FREDRICKSON, P. Region 2 (Post 820201). 95/12/26. HAMPTON, J.W. Duke Power Co. 3pp. 86832295-86832303.

9601100835 Insp repts 50-269/95-23, 50-270/95-28 & 50-287/95-28 on 951127-1201. No violations noted. Major areas inspected: various aspects of physical security program for power reactors. STRATTON, L. Region 2 (Post 820201). 95/12/26. 6pp. 86832298-86832303.

9601260339 Informal that review of Rev 95-02 to Oconee Nuclear Site Emergency Plan completed. Reviewer concluded that changes were satisfactory & met planning aids of 10CFR50.47(b) & requirements of App E to 10CFR50. BARFKUP, P. Region 2 (Post 820201). 96/01/10. HAMPTON, J.W. Duke Power Co. 2pp. 86863132-86863133.

P. Operating license status documents & correspondence

9601260158 Application for amends to Licensee DPR-38, DPR-47 & DPR-55, revising secondary sys decay heat removal. HAMPTON, J.W. Duke Power Co. 95/12/07. Document Control Branch (Document Control Desk). 3pp. 86868253-86868258.

9601260158 Proposed tech spec re secondary sys decay heat removal. * Duke Power Co. 95/12/07. 28pp. 86868256-86868280.

9601190077 Confirms 951220 taken re mtg meeting on 960201 to discuss self-assessment of plant performance. CLENAK, R.V. Region 2 (Post 820201). 95/12/21. HAMPTON, J.W. Duke Power Co. 4pp. 86854333-86854336.

9601220050 Forward's topical eval of Rev 1 to DPC-NE-3000-P, "Thermal-Hydraulic Transient Analysis Methodology." Rev 1 to sub j repl acceptable for ref in licensing application to extend specified TFR (TS/NRC/95-4 also encl. MARTIN, R.E. 95/12/27. TUCKMAN, J.S. Duke Power Co. 5pp. 86882043-86882056.

9601220064 Topical eval of Rev 1 in DPC-NE-3000-P, "Thermal-Hydraulic Transient Analysis Methodology." Sub j Rev 1 acceptable for ref in licensing application. * 95/12/27. 8pp. 86882046-86882052.

9601220074 "Technical Evaluation: Thermal-Hydraulic Transient Analysis Methodology, DPC-NE-3000, Rev 3 for DPC." ABRAMSON, P.B., KOMORIYA, H. International Technical Services, Inc. FIN L-1315. TS/NRC/95-4. 85/12/27. NRC - No Detailed Action Given. 4pp. 86882063-86882068.

9601230087 Forward's amends 213, 213 & 210 to licensee DPR-38, DPR-47 & DPR-55, respectively. 3 SE Amends change TS 3.7.8 to provide for one-time extension of AOT from 72 h to 7 days for overhead EP path to be inoperable so that mode can be made. WIENS, L.A. 95/12/27. HAMPTON, J.W. Duke Power Co. 3pp. 86890221-86890234.

9601230191 Amends 213, 213 & 210 to licensee DPR-38, DPR-47 & DPR-55, respectively, changing TS 3.7.8 to provide for one-time extension of AOT from 72 h to 7 days for overhead EP path to be inoperable so that mode can be performed. BERKOW, H.L. 95/12/27. 8pp. 86890224-86890231.

9601230108 Safety evaluation supporting amends 213, 213 & 210 to licensee DPR-38, DPR-47 & DPR-55, respectively. * 95/12/27. 3pp. 86890232-86890234.

9601230058 Forward's "Oconee Nuclear Station (PSE) Submittal Rept." Rept complete w/o exception. Rept review being done in conjunction w/ US A-48 relay review has not been completed. HAMPTON, J.W. Duke Power Co. 95/12/28. Document Control Branch (Document Control Desk). 3pp. 86894001-86894037.

9601230062 "Oconee Nuclear Station (PSE) Submittal Rept." * Duke Power Co. 95/12/21. 334pp. 86894004-86894037.

9601230289 Forward's "Emergency Condenser Circulating Water Upgrade Oconee Nuclear Station." HAMPTON, J.W. Duke Power Co. 95/12/28. Document Control Branch (Document Control Desk). 3pp. 86886206-86886253.

9601230289 "Emergency Condenser Circulating Water Upgrade Oconee Nuclear Station." * Duke Power Co. 95/12/28. 45pp. 86886209-86886253.

9601230219 Summary of 951207 meeting w/ all re resolution on remaining questions concerning Keowee PRA. W/501 of attendees. WIENS, L.A. 95/12/28. 4pp. 86889358-86889359.

9601181150 Forward's Rev 39 to "ODCM." TUCKMAN, J.S. Duke Power Co. 96/01/02. Document Control Branch (Document Control Desk). 2pp. 86785001-86785021.

9601181154 Rev 39 to "ODCM." LOUCKS, L.E., OETERSON, G.R., GEDDIE, E.M. Duke Power Co. 96/01/01. 27pp. 86785003-86785031.

9601180227 Discusses revised completion dates re schedule installation & functional test of mod to air circuit breakers. HAMPTON, J.W. Duke Power Co. 96/01/03. Document Control Branch (Document Control Desk). 3pp. 86812340-86812344.

9601100851 Transmits summary of Oct & Nov 1995 one-day public workshops re GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves." FREDRICKSON, P. Region 2 (Post 820201). 96/01/03. HAMPTON, J.W. Duke Power Co. 127pp. 86804001-86804127.

9601050993 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 6pp. 86827272-86827280.

9601220189 Forward's Rev 10 to "Corporate Process Control Program Manual." TUCKMAN, J.S. Duke Power Co. 96/01/10. Document Control Branch (Document Control Desk). 1p. 86832336-86832336.

9601220187 Rev 10 to "Corporate Process Control Program Manual." HAACK, E.J. Duke Power Co. 95/12/27. 20pp. 86832337-86832356.

9601220224 Forward's revs to "ONS Selected Licensee Commitments Manual" adding new sections 15.13-2, "Technical Review & Control Program" & 15.13-3, "Plant Operations Review Committee." HAMPTON, J.W. Duke Power Co. 96/01/15. Document Control Branch (Document Control Desk). 2pp. 86808334-86808344.

9601220231 Revs to "ONS Selected Licensee Commitments Manual" adding sections 15.13-2, "Technical Review & Control Program" & 15.13-3, "Plant Operations Review Committee." * Duke Power Co. 96/01/03. 6pp. 86808336-86808344.

9601220314 Forward's revs to "ONS Selected Licensee Commitments Manual" adding requirements for location of grounds on 125 volt dc vital I&C sys. HAMPTON, J.W. Duke Power Co. 96/01/16. Document Control Branch (Document Control Desk). 2pp. 86837166-86837176.

9601220318 Revs to "ONS Selected Licensee Commitments Manual" adding requirements for location of grounds on 125 volt dc vital I&C sys. PEELE, S.L. Duke Power Co. 96/01/04. 11pp. 86837168-86837178.

9601310007 Requests to know next step NRC will require of Vectris & Oconee NPP re candidate. JOHNSON, C.F. Toledo Coalition for Safe Energy. 96/01/18. HAUGHNEY, C. Office of Nuclear Material Safety & Safeguards. 1p. 86845353-86845353.

9601220381 Forward's RAI to be completed to continue review of repl, Unit 3 Reactor Building Post-Inspection Sys Sixth Surveillance. MILANO, P.D. 96/01/19. HAMPTON, J.W. Duke Power Co. 5pp. 86828245-86828249.

9601220389 Summary of 951213 meeting in Rockville, MD re electrical sys issues & Keowee PRA. List of attendees encl. MILANO, P.D. 96/01/19. 60pp. 86857251-86857315.

9601190442 Suppl 7 to Generic Ltr 95-10 to all holders of OIs (except licensees amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86885011-86885016.

Q. Inspection reports, 15 Bulletins & correspondence

9601190011 Forward's insp repts 50-269/95-24, 50-413/95-23, 50-414/95-23, 50-365/95-26, 50-370/95-28, 50-270/95-24 & 50-287/95-24 on 951113-17 & NOV. FREDRICKSON, P. Region 2 (Post 820201). 95/12/22. TUCKMAN, J.S. Duke Power Co. 6pp. 86801068-86801082.

9601190821 Notice of violation from insp on 951113-17. Violation noted: Keowee allowed vendor to implement access authorization program after determining that vendor failed to assure that individuals were trustworthy & reliable, approx 11 months. * Region 2 (Post 820201). 95/12/22. 2pp. 86801072-86801073.

9601190031 Insp repts 50-269/95-24, 50-413/95-23, 50-414/95-23, 50-365/95-26, 50-370/95-28, 50-270/95-24 & 50-287/95-24 on 951113-17. Violations noted: Major areas inspected: Access Authorization program, background investigation. THOMPSON, D. Region 2 (Post 820201). 95/12/22. 9pp. 86801074-86801082.

9601190035 Forward's insp repts 50-269/95-24, 50-270/95-28 & 50-287/95-28 on 951127-1201. No violations identified. FREDRICKSON, P. Region 2 (Post 820201). 95/12/26. HAMPTON, J.W. Duke Power Co. 3pp. 86803296-86803303.

-9501190038 Insp repts 50-269/95-28, 50-270/95-28 & 50-287/95-28 on 95127-1201. No violations noted. Major areas inspected: various aspects of physical security program for power reactors.
STRAITON, L., FREDRICKSON, P., Region 2 (Post 820201). 95/12/28. 6pp. 85803:259-85803:303.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D., 95/01/03, Consolidated Edison Co. of New York, Inc. 10pp. 85740:015-85740:023.

9501190024 Forwards Insp repts 50-269/95-31, 50-270/95-31 & 50-287/95-31 on 951213-15. No violations or deviations identified.
CASTO, C.A., Region 2 (Post 820201). 95/01/04. HAMPTON, J.W., Duke Power Co. 3pp. 85802:347-85802:355.

-9501190027 Insp repts 50-269/95-31, 50-270/95-31 & 50-287/95-31 on 951213-15. No violations noted. Major areas inspected: status of engineering & technical support activities, design changes & plant mode.
MERRIVATH, R.N., CASTO, C., Region 2 (Post 820201). 95/01/04. 6pp. 85802:350-85802:355.

9512290128 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D., 95/01/05, Consolidated Edison Co. of New York, Inc. 13pp. 85758:049-85758:081.

9512290259 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D., 95/01/05, Consolidated Edison Co. of New York, Inc. 8pp. 85758:041-85758:046.

9501048335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COLODIA, Division of Industrial & Medical Nuclear Safety (Post 870728). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 85827:259-85827:271.

9501190055 Forwards Insp repts 50-269/95-26, 50-270/95-26 & 50-287/95-26 on 951217-1201 & 1211-15. No violations or deviations noted.
CASTO, C.A., Region 2 (Post 820201). 95/01/10. HAMPTON, J.W., Duke Power Co. 2pp. 85803:304-85803:313.

-9501190081 Insp repts 50-269/95-26, 50-270/95-26 & 50-287/95-26 on 951217-1201 & 1211-15. No violations or deviations noted. Major areas inspected: engineering.
FILLION, P., CASTO, C., Region 2 (Post 820201). 95/01/10. 6pp. 85803:309-85803:313.

9501260359 Forwards Insp repts 50-269/95-27, 50-270/95-27 & 50-287/95-27 on stated data.
CRILENIAK, R.V., Region 2 (Post 820201). 95/01/11. HAMPTON, J.W., Duke Power Co. 3pp. 85863:147-85863:175.

-9501260383 Notice of violation from Insp on stated data. Violation noted: personnel using directive for reportability did not recognize that condition existed after determining that one train of LPT had been inoperable from 821218-951102.
* Region 2 (Post 820201). 95/01/11. 2pp. 85863:150-85863:151.

-9501260388 Insp repts 50-269/95-27, 50-270/95-27 & 50-287/95-27 on stated data. Violations noted: Major areas inspected: plant operations, maint & surveillance testing, on-site engineering & plant support.
HARMON, P.E., CRILENIAK, R.V., Region 2 (Post 820201). 95/01/11. 24pp. 85863:152-85863:175.

9501260276 Forwards Insp repts 50-269/95-32, 50-270/95-32 & 50-287/95-32 on 951218-21. No violations or deviations identified.
BARR, K.P., Region 2 (Post 820201). 95/01/16. HAMPTON, J.W., Duke Power Co. 2pp. 85862:016-85862:024.

-9501260287 Insp repts 50-269/95-32, 50-270/95-32 & 50-287/95-32 on 951218-21. No violations noted. Major areas inspected: transportation of radioactive material, radioactive effluent monitoring instrumentation & water chemistry.
JONES, D.W., BARR, K.P., Region 2 (Post 820201). 95/01/10. 7pp. 85862:018-85862:024.

9501110055 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D., 95/01/18. Consolidated Edison Co. of New York, Inc. 6pp. 85828:100-85828:120.

9501260260 Forwards response to NRC 951222 ltr re violations noted in Insp repts 50-269/95-02, 50-270/95-02, 50-287/95-02, 50-369/95-02, 50-370/95-02, 50-413/95-02 & 50-414/95-02. C/A completed audit of small local vendors.
TUCKERMAN, S., Duke Power Co. 95/01/22. Document Control Branch (Document Control Desk). 6pp. 85865:319-85865:323.

9501190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Torpedo Dampers at Nuclear Power Plants."
CRUTCHFIELD, D., 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85865:004-85865:010.

9501260359 NRC Info Notice 95-007, "Slow Five Percent Sorum Insertion Times Caused by Viton Diaphragms in Sorum Solenoid Pilot Valves."
CRUTCHFIELD, D., 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 85865:017-85865:023.

R. Periodic operating reports & related correspondence

9501190205 Forwards MOR for Dec 1995 for ONS & revised MOR for Nov 1995.
WEBER, R.L., Duke Power Co. 95/01/16. Document Control Branch (Document Control Desk). 2pp. 85829:315-85829:333.

-9501190213 Monthly operating repts for Dec 1995 for ONS.
WILLIAMS, R.A., Duke Power Co. 95/12/31. 16pp. 85829:317-85829:332.

-9501190217 Revised monthly operating repts for Nov 1995 for ONS.
* Duke Power Co. 95/11/30. 1p. 85829:333-85829:333.

V. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing staff exam schedule.
CRUTCHFIELD, D., 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 85775:001-85775:010.

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9501308125 Rev 10 to 1000-PLN-1300-01, "GPU Emergency Plan for TMI & Oyster Creek Nuclear Station."
BROUGHTON, T.G., General Public Utilities Corp. - GPU Service Corp. 1000-PLN-1300-01 Rev. 95/01/04. 211pp. 85943:001-85943:211.

9501190411 Forwards SE denying all 950525 request for exemption from certain requirements of app R to 10CFR50.101 had not adequately demonstrated that special circumstances required by 10CFR50.12 to consider exemption present.
HERNAN, R.W., 95/01/08. KNUEBEL, J., General Public Utilities Corp. - GPU Service Corp. 4pp. 85773:332-85773:345.

-9501190419 Safety evaluation denying request for exemption from requirements of Appendix R to 10CFR50.
* 95/01/09. 10pp. 85773:336-85773:345.

9501308125 Revised EPIPs including table of contents, Rev 18 to EPP-TMI-03, "Emergency Notifications & Call Outs" & Rev 19 to EPIPs-TMI-05, "Aid Assistance & Notification."
* General Public Utilities Corp. - GPU Service Corp. 95/01/11. 67pp. 85896:290-85896:357.

9501260369 Forwards SE which finds that EALs revised by proposed Rev 4, meet requirements of 10CFR50.47 & App E to 10CFR50 for emergency classification & action level schemes per 951207 request.
KERNIG, R.R., Region 1 (Post 820201). 95/01/24. KNUEBEL, J., General Public Utilities Corp. - GPU Service Corp. 2pp. 85894:317-85894:322.

-9501260372 Safety evaluation concluding that proposed EAL Rev 4 to EPP-TMI-01 meets requirements of 10CFR50.47 & App E to 10CFR50 for emergency classification & action level schemes.
* Region 1 (Post 820201). 95/01/24. 2pp. 85894:319-85894:320.

HL General correspondence

9501020157 Forwards petition for rulemaking PPM-50-63 requesting NRC amend 10CFR50. Petition filed by PG Crane.
RATHBUN, D.K., Office of Congressional Affairs (Post 911117). 95/11/22. SCHAEFER, D., House of Rep., Energy & Commerce. FARLOTH, L., Senate, Environment & Public Works. 2pp. 85882:245-85882:301.

P. Operating license stage documents & correspondence

9501020015 Notification of significant licensee meeting 95-107 w/US on 951218 to discuss RCS drain line piping structural analysis exceeding allowable stress values in design code.
ESELGROTH, P.W., Region 1 (Post 820201). 95/12/05. Region 1 (Post 820201). 4pp. 85663:074-85663:077.

9501260182 "TMI-1 Cycle 11, Startup Rept." W/950117 ltr.
KNUEBEL, J., General Public Utilities Corp. - GPU Service Corp. 95/12/31. 29pp. 85859:312-85859:342.

9501190411 Forwards SE denying all 950525 request for exemption from certain requirements of app R to 10CFR50.101 had not adequately demonstrated that special circumstances required by 10CFR50.12 to consider exemption present.
HERNAN, R.W., 95/01/08. KNUEBEL, J., General Public Utilities Corp. - GPU Service Corp. 4pp. 85773:332-85773:345.

9501050183 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D., 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 85827:273-85827:280.

9501190442 Suppl 7 to Generic Ltr 95-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of value repositioning in PWRs.
CRUTCHFIELD, D., 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 85865:011-85865:016.

9501300090 Notification of 950225 meeting w/GPU in Middletown, PA to discuss current status of licensing activities at Three Mile Island Station Unit 1.
HERNAN, R.W., 95/01/25. STOLZ, J.F., 4pp. 85912:207-85912:210.

Q. Inspection reports, EE Bulletins & correspondence

9501170251 Forwards summary of 951218 predefactional enforcement conference held w/GPU to discuss apparent violations described in Insp Rept 50-289/95-18. Enforcement conference repts encl.
ESELGROTH, P.W., Region 1 (Post 820201). 95/12/27. MODES, M.C., Region 1 (Post 820201). 1p. 85771:295-85771:342.

-9501170253 Enforcement conference repts 50-289/95-18 on 951218. Areas discussed: two apparent violations noted in Insp Rept 50-289/95-18.
LOHMEIER, A., MODES, M.C., Region 1 (Post 820201). 95/12/27. 47pp. 85771:295-85771:342.

50 DOCKETED ITEMS

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 95740:015-95740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 95758:049-95758:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 9pp. 95758:041-95758:048.

950940335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 970729). 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 95827:259-95827:271.

9501190199 Forwards Form NIS-1, "Owner Data Report for ISI" & NIS-2 "Owner Data Report for Repairs or Replacements." Table 1 of NIS-1 provides abstract of exams performed. KNUBEL, J. General Public Utilities Corp. - GPU Service Corp. 95/01/11. Document Control Branch (Document Control Desk). 1p. 95832:127-95832:208.

-9501190216 "Form NIS-1 Owner Data Report for Inservice Insps." General Public Utilities Corp. - GPU Service Corp. 95/12/21. 80pp. 95832:128-95832:209.

9501240038 Responds to violation noted in insp rept 50-289/95-13 on 950906. Corrective action/inspector operator counseled & disciplined for failing to read & adhere to radiological postings. Radiography task procedure enhanced. KNUBEL, J. General Public Utilities Corp. - GPU Service Corp. 95/01/12. Document Control Branch (Document Control Desk). 4pp. 95871:075-95871:078.

9501190058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 95828:109-95828:120.

9501299338 Ack receipt of 950112 re informing NRC of steps taken to correct violations noted in insp rept 50-289/95-13. ESELSBOTH, P.W. Region 1 (Post 820201). 95/01/23. KNUBEL, J. General Public Utilities Corp. - GPU Service Corp. 2pp. 95883:348-95883:351.

9501290348 Discusses arrangements made for requalification program insp during wk of 950311 per 950122 telcon. Requests that written exams & operating tests scheduled for wk of insp be submitted by 950228. MEYER, G.W. Region 1 (Post 820201). 95/01/23. KNUBEL, J. General Public Utilities Corp. - GPU Service Corp. 2pp. 95884:359-95884:362.

9501190066 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 95895:001-95895:010.

9501260139 NRC Info Notice 95-007, "Slow Fire Percent Screen Insertion Times Caused by Vibration Diaphragms in Sensor Solenoid Pilot Valves." CRUTCHFIELD, D. 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 95895:017-95895:023.

R. Periodic operating reports & related correspondence

9501190184 Monthly operating rept for Dec 1995 for TMI Nuclear Station. W/950111 tr. HEYSEK, W.J. KNUBEL, J. General Public Utilities Corp. - GPU Service Corp. 95/12/31. 9pp. 95826:303-95826:308.

V. Operator Examinations

9501040132 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing exam schedule. CRUTCHFIELD, D. 95/01/08. Consolidated Edison Co. of New York, Inc. 7pp. 95776:001-95776:010.

9501290348 Discusses arrangements made for requalification program insp during wk of 950311 per 950122 telcon. Requests that written exams & operating tests scheduled for wk of insp be submitted by 950228. MEYER, G.W. Region 1 (Post 820201). 95/01/23. KNUBEL, J. General Public Utilities Corp. - GPU Service Corp. 2pp. 95884:359-95884:362.

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

A. Security, medical, emergency & fire protection plans

9501190155 Forwards insp rept 50-289/95-22 on 951008-1118, 1023-1103 & 1002-06. Several concerns involving staff evaluation of effects of elevated SSW inlet temp identified. CONTER, Region 1 (Post 820201). 95/01/04. BOULETTE, E.T. Boston Edison Co. 3pp. 95805:164-95805:234.

-9501190165 Insp rept 50-289/95-22 on 951008-1118. No violations noted. Major areas inspected: plant operations, maintenance & surveillance, engineering & plant support. CONTER, Region 1 (Post 820201). 95/01/04. 27pp. 95805:157-95805:213.

-9501190168 Insp rept 50-289/95-22 on 951002-06. No violations noted. Major areas inspected: fire protection program. HARRISON, L. RULAND, W.H. Region 1 (Post 820201). 95/12/29. 10pp. 95805:225-95805:234.

P. Operating license stage documents & correspondence

9501201273 Ltr contract, Mod 11 to Task Order 13, increasing level of effort by adding 32 professional hrs for continued performance of work & increasing task order ceiling by listed amounts. "IPE Reviews - Internal Events - Front End Only." MACE, M.H. Division of Contracts (Post 940714). FIN 8-5787. 95/12/07. COLNIA, Science & Engineering Associates, Inc. 2pp. 95862:204-95862:205.

9501020192 Forwards response to NRC RAI re internal event analysis in response to GL 88-20. BOULETTE, E.T. Boston Edison Co. 95/12/26. Document Control Branch (Document Control Desk). 62pp. 95863:302-95863:363.

9501060182 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 95827:272-95827:280.

9501260387 Ltr contract, mod 11 to task order 13, to "IPE Reviews - Internal Events - Front End Only (Paging)." MACE, M.H. Division of Contracts (Post 940714). FIN 8-6787. 95/01/15. COLNIA, Science & Engineering Associates, Inc. 2pp. 95861:339-95861:340.

9501260312 Forwards amend 165 to license DPR-35 & safety evaluation. Amend revises TS to convert current percentage-based screen time limits to notch-based limits in TS 3.3.C & updates bases for notch-based limits in TS 3/4.3.C. EATON, R.B. 95/01/23. BOULETTE, E.T. Boston Edison Co. 4pp. 95893:160-95893:197.

-9501260326 Amend 165 to license DPR-35, revising TS to convert current percentage-based screen time limits to notch-based limits in TS 3.3.C & updating bases for notch-based limits in TS 3/4.3.C. HARRISON, L. 95/01/23. 9pp. 95893:194-95893:197.

-9501260331 Safety evaluation supporting amend 165 to license DPR-35. 95/01/23. 9pp. 95893:198-95893:197.

9501190442 Suppl 7 to Generic Ltr 95-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 9pp. 95895:011-95895:016.

Q. Inspection reports, IE Bulletins & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 95740:015-95740:023.

9501190155 Forwards insp rept 50-289/95-22 on 951008-1118, 1023-1103 & 1002-06. Several concerns involving staff evaluation of effects of elevated SSW inlet temp identified. CONTER, Region 1 (Post 820201). 95/01/04. BOULETTE, E.T. Boston Edison Co. 3pp. 95805:164-95805:234.

-9501190160 Insp rept 50-289/95-22 on 951008-1118. No violations noted. Major areas inspected: plant operations, maintenance & surveillance, engineering & plant support. CONTER, Region 1 (Post 820201). 95/01/04. 27pp. 95805:157-95805:213.

-9501190167 Insp rept 50-289/95-22 on 951023-1103. No violations noted. Major areas inspected: review of selected plant models include design changes & field test notices & assessment of licensee resolution of vendor problems. CERNEA, C. MOORE, M.C. Region 1 (Post 820201). 95/12/01. 11pp. 95805:214-95805:224.

-9501190168 Insp rept 50-289/95-22 on 951002-06. No violations noted. Major areas inspected: fire protection program. HARRISON, L. RULAND, W.H. Region 1 (Post 820201). 95/12/29. 10pp. 95805:225-95805:234.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 95758:049-95758:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 9pp. 95758:041-95758:048.

950940335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 970729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 95827:259-95827:271.

9501190058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 95828:109-95828:120.

9501299165 Forwards exam rept 50-289/95-27OL on 951127-1201. Weaknesses noted re poor level of performance by both candidates that failed a training program. MEYER, G.W. Region 1 (Post 820201). 95/01/19. BOULETTE, E.T. Boston Edison Co. 3pp. 95883:201-95883:274.

-9501299166 Exam rept 50-289/95-27OL on 951127-1201. Exam results: one of three RSO applicants passed exam. Weaknesses during operating portion of exam noted. FLORENCE, MEYER, G.W. Region 1 (Post 820201). 95/01/19. 27pp. 95883:204-95883:274.

9501190308 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 95895:001-95895:010.

9601260139 NRC Info Notice 96-007, "Slow Five Percent Scram Insertion Times Caused by Vibration Displacement in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. . 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86963-017-86963-023.

R. Periodic operating reports & related correspondence

96012602039 "Pilgrim Unit 1 NPDES Discharge Monitoring Rept for Nov 1995." W/ 951219 lr.
SULLIVAN, T.A., OHEIM, H.V. Boston Edison Co. 95/11/30. 10pp. 86701-344-86701-352.

9601170188 Monthly operating rept for Dec 1995 for Pilgrim Nuclear Power Station/W/ 960112 lr.
CANNON, J.L., OLIVER, L.J. Boston Edison Co. 95/12/31. 7pp. 86806-355-86806-361.

9601260163 "NPDES Discharge Monitoring Rept for Dec 1995 for Pilgrim Nuclear Power Station." W/960119 lr.
SULLIVAN, T.A., OHEIM, H.V. Boston Edison Co. 95/12/31. 10pp. 86806-281-86806-292.

S. Reportable occurrences, LERs & related correspondence

9601160344 LER 95-011-000 on 951206, RCIC declared inoperable. Cause unknown. RCIC replaced w/identical inverter & returned to svc. W/960104 lr.
CANNON, J.L., BOULETTE, E.T. Boston Edison Co. 96/01/04. 4pp. 86800-116-86800-120.

9601160412 LER 95-012-000 on 951214, core thermal power exceeded Tech Spec limit due to omission in calculation. Caused by nonlicensed personnel error. Standing order issued. W/960115 lr.
CALFA, J.A., BOULETTE, E.T. Boston Edison Co. 96/01/15. 6pp. 86840-202-86840-208.

V. Operator Examinations

9601160297 (Formal) results of individual exam for applicants on initial exam conducted on 951122 & 27-1201.
MEYER, G.W. Region 1 (Post 820201). 96/01/04. ALEXANDER, J. Plymouth, MA. 2pp. 86786-193-86786-194.

9601160418 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing next exam schedule.
CRUTCHFIELD, D. . 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778-001-86778-010.

9601260185 Forwards exam rept 50-295/95-27OL on 951127-1201. Weaknesses noted re poor level of performance by both candidates that failed & training program.
MEYER, G.W. Region 1 (Post 820201). 96/01/18. BOULETTE, E.T. Boston Edison Co. 3pp. 86833-001-86833-024.

9601260193 Exam rept 50-293/95-27OL on 951127-1201. Exam results show of three RBO applicants passed exam. Weaknesses during operating portion of exam noted.
FLORES, D., MEYER, G.W. Region 1 (Post 820201). 96/01/18. 27pp. 86833-004-86833-274.

DOCKET 58-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506290045 Responds to petition filed 941103 per 10CFR2.206, denying request for re-assessment & withdrawal of new response team security plan & justification re reduction of armed guards & defense of plant per Director's Decision (DD-85-09).
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 841001). #186 15758. 95/05/28. RUTHERFORD, R.K. Affiliation Not Assigned. 3pp. 86941-150-86941-156.

9506090330 Notice of issuance of Director's Decision under 10CFR2.206 re plant.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 841001). 95/05/28. 2pp. 86941-158-86941-160.

9601160211 Revised CEPPs including CEPP-3000 series table of contents, Rev 13 to CEPP 3001-01, Rev 6 to CEPP-3003-01, Rev 8 to CEPP 3004-01, Rev 8 to CEPP 3009-01, Rev 11 to CEPP 3101-01 & Rev 7 to CEPP 3101-1.
* Commonwealth Edison Co. 95/12/06. 46pp. 86778-248-86778-293.

9601260328 Revised Corporate EIPs (CEPPs) including Rev 3 to CEPP-2011-01, Rev 1 to CEPP-2021-05, Rev 1 to CEPP-2021-06, Rev 1 to CEPP-2411-01 & Rev 2 to CEPP-2413-01.
STODOLAH, J.W. Commonwealth Edison Co. 95/12/07. 34pp. 86862-265-86862-296.

9601160373 "Rept of Analysis Exam & Comparison of Fifteen Samples of Fire Resistant Mat."
WHITE, E., WELCH, M.L., WISE, S.A. National Institute of Standards & Technology (formerly National Bureau of Standards). 95/02-96-001. 95/12/12. 14pp. 86740-133-86740-140.

9601160418 Revised Rev 3 to EPIP 330-1, "Classifications of GSEP Conditions."
* Commonwealth Edison Co. 95/12/14. 6pp. 86732-001-86732-002.

9601260256 Forwards insp rept 50-295/95-22 & 50-304/95-22 on 951106-22. Violations noted. Violations involved failure of licensee to take CA for identified deficiencies & failure to follow procedures.
GRANT, G. Region 3 (Post 820201). 95/12/27. TUETKEN, R. Commonwealth Edison Co. 4pp. 86879-056-86879-071.

9601028271 Insp rept 50-295/95-22 & 50-304/95-22 on 951106-22. Violations noted. Major areas inspected: fire protection, surveillance, equipment, impurities, control of combustibles, fire brigade training & drills & fire protection audits.
GARDNER, R.N. Region 3 (Post 820201). 95/12/18. 6pp. 86879-054-86879-071.

9601170223 Revised EPIP including Permanent Change Requests ER9506822 to Rev 9 to EPIP 330-1 & ER9504684 to Rev 3 to EPIP 330-2.
RUAREY, T., JOHNSON, L., LANES, L. Commonwealth Edison Co. 96/01/08. 33pp. 86782-305-86782-338.

9601160292 Discusses review of Rev 7J of plant annex to generating stations emergency plan.
CREED, J.R. Region 3 (Post 820201). 96/01/11. TUETKEN, R. Commonwealth Edison Co. 2pp. 86782-168-86782-169.

9601160325 Requests exemptions from Section II.G.2 of 10CFR50, App R, "Fire Protection Program for Nuclear Power Facilities Operating Prior to 790101," as applies to auxiliary bldg against & reactor containment.
HOLDEN, L.E. Commonwealth Edison Co. 96/01/11. Document Control Branch (Document Control Desk). 16pp. 86782-327-86782-342.

9601160335 Forwards enforcement conference rept 50-295/95-02 & 50-304/95-02 on 950108. No violations noted.
GRANT, G.E. Region 3 (Post 820201). 96/01/11. TUETKEN, R. Commonwealth Edison Co. 2pp. 86770-162-86770-169.

9601160345 Predecisional enforcement conference rept 50-295/95-02 & 50-304/95-02 on 960108. Major areas discussed: failure to take corrective actions for identified emergency lighting deficiencies & failure to follow procedures.
GARDNER, R.N. Region 3 (Post 820201). 96/01/10. 3pp. 86770-164-86770-169.

9601260300 Forwards insp rept 50-295/95-19 & 50-304/95-19 & NOV, GROBE, J.A. Region 3 (Post 820201). 96/01/19. TUETKEN, R. Commonwealth Edison Co. 3pp. 86902-142-86902-148.

9601260338 Notice of violation from insp rept 50-295/95-19 & 50-304/95-19. Violation noted during 951115 table top exercises, licensee failed to demonstrate ability to interpose armed response individuals.
* Region 3 (Post 820201). 96/01/19. 2pp. 86902-145-86902-145.

9601260330 Partially withheld insp rept 50-295/95-19 & 50-304/95-19 on 951113-22 (rel 10CFR73.21(d)(2)). Violations noted: major areas inspected: physical security program including such as, corrective actions & next support.
GROBE, J.A. Region 3 (Post 820201). 96/01/18. 2pp. 86902-147-86902-148.

9601260331 Submits review of proposed revs to EALs & technical bases for Braidwood, Byron, Dresden, LaSalle, Quad Cities & Zion NPPs, concluding that proposed changes acceptable & do not decrease effectiveness of licensee emergency planning.
CREED, J.R. Region 3 (Post 820201). 96/01/23. FARRAR, D.L. Commonwealth Edison Co. 3pp. 86886-320-86886-322.

G. Adjudicatory correspondence

9506290045 Responds to petition filed 941103 per 10CFR2.206, denying request for re-assessment & withdrawal of new response team security plan & justification re reduction of armed guards & defense of plant per Director's Decision (DD-85-09).
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 841001). #186 16758. 95/05/28. RUTHERFORD, R.K. Affiliation Not Assigned. 3pp. 86941-150-86941-156.

9506090330 Notice of issuance of Director's Decision under 10CFR2.206 re plant.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 841001). 95/05/28. 2pp. 86941-158-86941-160.

H. Operating license stage documents & correspondence

9601030153 Requests FFI publication of enclosed "Notice of Consideration of Issuance of Amendments to FOL & Opportunity for Hearing." Amends revise TS to incorporate guidance provided in NUREG, "STS, Westinghouse Plants," dtd Sept 1992.
SHIRAKI, C.Y. . 95/12/22. FARRAR, D.L. Commonwealth Edison Co. 2pp. 86690-031-86690-041.

9601160388 Notice of consideration of issuance of amendments to licensee DPR-38 & DPR-304 & proposed NSRC determination & opportunity for hearing. Amends represent full conversion from current TS to set of TS based on NUREG-1431, "STS, W Plants."
CAPRA, R.A. . 95/12/22. 6pp. 86690-033-86690-041.

9601030059 Discusses 950812 phone conversation w/CECO re potential for having to plug leaking tubes in SFP heat exchanger. NRC staff reviewed by dtd 950622 & concluded that issue does not require correction & could be handled w/CECO 10CFR50.69.
SHIRAKI, C.Y. . 95/12/27. FARRAR, D.L. Commonwealth Edison Co. 2pp. 86690-239-86690-240.

9601030227 Forwards exemption from requirements of 10CFR50, App J Option A & grants exemption to licensee DPR-38 & DPR-48, respectively.
SHIRAKI, C.Y. . 95/12/28. FARRAR, D.L. Commonwealth Edison Co. 2pp. 86693-149-86693-152.

9601160321 Exemption from requirements of 10CFR50, App J, Option A, Section II.C & II.D re containment leak rate testing.
MARCUS, G. . 95/12/28. Commonwealth Edison Co. 12pp. 86693-151-86693-162.

9601160373 Submits status of plant performance since April 1995 to.
TUETKEN, R.P. Commonwealth Edison Co. 96/01/05. Document Control Branch (Document Control Desk). 15pp. 86821-248-86821-260.

9601030193 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. . 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827-272-86827-280.

9601160350 Discusses 950831 submittal of third ten-year inservice testing program to NRC. Informa that licensee has satisfactorily addressed outstanding action items & no further submittals required.
SHIRAKI, C.Y. . 96/01/18. FARRAR, D.L. Commonwealth Edison Co. 2pp. 86808-229-86808-230.

52 DOCKETED ITEMS

9501190412 Suppl 7 to Generic Ltr 89-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 88655:011-88655:016.

Q. Inspection reports, IE BuReins & correspondence

9501022255 Forwards Insp repts 50-295/95-22 & 50-304/95-22 on 951109-22. Violations noted. Violations involved failure of licensee to take CA for identified deficiencies & failure to follow procedures.
GRANT, G. Region 3 (Post 820201). 95/12/27. TUETKEN, R. Commonwealth Edison Co. 4pp. 88675:099-88675:071.

9501020271 Insp repts 50-295/95-22 & 50-304/95-22 on 951109-22. Violations noted. Major areas inspected: fire protection, surveillance equipment, maintenance, control of combustibles, fire brigade training & drills & fire protection audits.
GARDNER, R. Region 3 (Post 820201). 95/12/19. 8pp. 88675:094-88675:071.

9501048144 Forwards response to NRC 951128 R re NOV & Proposed imposition of Civil Penalty for Licensee DFR-39 & DFR-48. Corrective actions informed w/ superintendents, general foremen & foremen policies re responding to concerns.
BRONK, J.C. Commonwealth Edison Co. 95/12/28. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 7pp. 88730:344-88730:350.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 88740:015-88740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 88755:049-88755:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 88755:041-88755:048.

9501180335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 88827:259-88827:271.

9501180335 Forwards enforcement conference repts 50-295/95-02 & 50-304/95-02 on 950108. No violations noted.
GRANT, G.E. Region 3 (Post 820201). 95/01/11. TUETKEN, R. Commonwealth Edison Co. 8pp. 88770:162-88770:169.

9501180335 Forwards enforcement conference repts 50-295/95-02 & 50-304/95-02 on 950108. Major areas discussed: failure to take corrective actions for identified emergency lighting deficiencies & failure to follow procedures.
GARDNER, R. Region 3 (Post 820201). 95/01/10. 8pp. 88770:164-88770:169.

9501220282 Responds to NRC 951215 R re violations noted in Insp repts 50-295/95-16 & 50-304/95-16. Corrective actions conducted: review of sys engineering to be reassured to sys during Unit 1 refueling outage & conducted caution card audit.
TUETKEN, R. Commonwealth Edison Co. 95/01/18. Document Control Branch (Document Control Desk). 7pp. 88843:301-88843:307.

9501110058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. . 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 88825:109-88825:120.

9501290300 Forwards Insp repts 50-295/95-19 & 50-304/95-19 & NOV.
GROBE, J.A. Region 3 (Post 820201). 95/01/19. TUETKEN, R. Commonwealth Edison Co. 3pp. 88902:142-88902:148.

9501290308 Notice of violation from Insp repts 50-295/95-19 & 50-304/95-19. Violation noted during 951115 table top exercises. Licensee failed to demonstrate ability to interpose armed response individuals.
Region 3 (Post 820201). 95/01/18. 2pp. 88902:145-88902:148.

9501290310 Partially withheld Insp repts 50-295/95-19 & 50-304/95-19 on 951115-22 (ref 10CFR72.14(c)(2)). Violations noted. Major areas inspected: physical security program including audits, corrective actions & mgmt support.
GROBE, J.A. Region 3 (Post 820201). 95/01/18. 2pp. 88902:147-88902:148.

9501190305 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dumpers at Nuclear Power Plants."
CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 88965:001-88965:010.

9501260139 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused by Viton Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. . 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 88965:017-88965:023.

R. Periodic operating reports & related correspondence

9501238258 Monthly operating repts for Dec 1995 for Zion Generating Station Units 1 & 2 W/950112 R.
CYGAN, J., SCHWARTZ, G.K. Commonwealth Edison Co. 95/12/31. 13pp. 88960:010-88960:022.

S. Reportable occurrences, LERs & related correspondence

9501050227 Final response to FOIA request for documents. App A documents end & also placed in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. KURTZ, E. . 2pp. 88758:108-88758:154.

9501050347 Package consisting of event repts for 940413-17 for listed plants & Region 1 morning repts for 940413-15.
* NRC - No Detailed Attribution Given. 95/12/21. 47pp. 88758:108-88758:154.

9501050807 Forwards two special repts for Zion Generating Station.
SCHWARTZ, G.K. Commonwealth Edison Co. 95/12/28. Document Control Branch (Document Control Desk). 1p. 88730:312-88730:315.

9501030029 Special repts 295-123-95-005. On 951208, 1B EDG tripped while at full load due to amphenol connector on TLO pressure transducer being disconnected. Checked all amphenol connectors for proper connection.
* Commonwealth Edison Co. 95/12/28. 1p. 88730:313-88730:313.

9501030011 Special repts 295-123-95-007. On 951211, 1B EDG tripped while at full load due to transducer which supplies pressure indication failed. Replaced TLO pressure transducer.
* Commonwealth Edison Co. 95/12/28. 2pp. 88730:314-88730:315.

9501180228 LER 95-024-000 on 951208, non-compliance of TS 4.19.1 resulted from inadequate reprocess. Removed both monitors from svc & initiated shift RC isotopic analyses. W/950105 R.
BAUMAN, R., SCHWARTZ, G.K. Commonwealth Edison Co. 95/01/05. 8pp. 88902:054-88902:068.

V. Operator Examinations

9501040136 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 88776:001-88776:010.

9501030022 Informa that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 950410.
BURDICK, J.L. Region 3 (Post 820201). 95/01/24. LACROIX, D.G. Consumers Power Co. 3pp. 88887:003-88887:005.

DOCKET 50-298 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9501230304 Revised central emergency control center EPIPs (CECC EPIP), including Rev 18 to CECC EPIP-8, Rev 10 to CECC EPIP-22 & Rev 10 to CECC EPIP-23. W/950116 R.
MARKS, B.K., KITTLE, R.J., CARRIER, P.P. Tennessee Valley Authority. 95/01/16. 83pp. 88850:088-88850:190.

9501260589 Forwards "Security Personnel Training & Qualification Plan," Rev 22. Plan withheld.
SALAS, P. Tennessee Valley Authority. 95/01/22. Document Control Branch (Document Control Desk). 2pp. 88830:342-88830:343.

9501280479 Rev 13 to Central Emergency Control Co-EPIP (CECC-EPIP) CECC-EPIP-6, "Dose Assessment Staff Activities During Nuclear Plant Radiological Emergencies," W/950124 R.
MARKS, B.K., MEDFORD, M.O., CARRIER, P.P. Tennessee Valley Authority. 95/01/24. 43pp. 88941:304-88941:346.

P. Operating license stage documents & correspondence

9501170257 Provides NRC w/status update on Watts Bar Nuclear Plant, Unit 1 & Browns Ferry Nuclear Plant, Unit 3.
KINGSLEY, O.D. Tennessee Valley Authority. 95/12/15. Document Control Branch (Document Control Desk). 8pp. 88812:088-88812:092.

9501030004 Provides review & approval of technical basis for implementation of revised severe accident source term at plant.
SALAS, P. Tennessee Valley Authority. 95/12/22. Document Control Branch (Document Control Desk). 7pp. 88886:001-88886:107.

9501180006 Proposed tech spec increasing allowable MSIV leakage rate & requesting exemptions from 10CFR50, App J, Option A, Sections 11H.4, 11C.2 & 11C.3. App J, Option B & 10CFR100 & App A, Section VI (A).
* Tennessee Valley Authority. 95/12/22. 101pp. 88886:006-88886:107.

9501190052 Summarizes one-day public workshops conducted in Oct & Nov 1995, discussing GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves." List of meeting participants, staff & industry presentation handouts encl.
FREDRICKSON, P. Region 2 (Post 820201). 95/01/03. KINGSLEY, O.D. Tennessee Valley Authority. 12pp. 88804:125-88804:254.

9501180331 Provides periodic special repts for secondary containment integrated leak rate test required by TS 6.9.2.5.
SALAS, P. Tennessee Valley Authority. 95/01/05. Document Control Branch (Document Control Desk). 4pp. 88782:249-88782:252.

9501050193 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. . 95/01/10. Consolidated Edison Co. of New York, Inc. 6pp. 88827:272-88827:280.

9501170291 Suppl to TS Change Request 384 to Licensee DFR-38, DFR-82 & DFR-68, revising TS to implement 10CFR50, App J, Option B, performance based testing. Suppl incorporates word doc to add in SR 4.7.A.2.g. Corrected TS encl.
SALAS, P. Tennessee Valley Authority. 95/01/10. Document Control Branch (Document Control Desk). 3pp. 88780:232-88780:314.

9501170298 Proposed tech spec re implementation of 10CFR50, App J, Option B, performance based testing.
* Tennessee Valley Authority. 95/01/10. 60pp. 88780:255-88780:314.

9501190442 Suppl 7 to Generic Ltr 89-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors in consideration of valve repositioning in PWRs.
CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86955:011-86955:016.

G. Inspection reports, IE Bulletin & correspondence

9501190059 Forwards 951213 order denying Stone & Webster Engineering Corp application for stay in Dept of Labor Case 95-ERA-044.
MERSCHOFF, E.W. Region 2 (Post 820201). 95/12/27. KINGSLEY, O.D. Tennessee Valley Authority. 11pp. 86801:329-86801:336.

9501190209 Forwards 951213 Order denying application for stay in Dept of Labor Case 95-ERA-044.
MERSCHOFF, E.W. Region 2 (Post 820201). 95/12/27. KELLY, R.E. Stone & Webster Engineering Corp. 10pp. 86805:253-86805:262.

9501190058 Forwards insp repts 60-259/95-63, 50-260/95-63 & 50-296/95-63 on 951211-15. No violations or deviations noted.
PEEBLES, T.A. Region 2 (Post 820201). 95/01/02. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 86803:314-86803:322.

9501190060 Insp repts 60-259/95-63, 50-260/95-63 & 50-296/95-63 on 951211-15. No violations noted. Major areas inspected: licensed operator requalification program during period 951211-15.
HOFFER, G.T., PEEBLES, T.A. Region 2 (Post 820201). 95/01/02. 7pp. 86803:316-86803:322.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740:015-86740:022.

9512290128 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

9512290229 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 5pp. 86758:041-86758:048.

9501190325 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOLDA, Division of Industrial & Medical Nuclear Safety (Post 870720). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501190328 Forwards response to NRC 951212 NRC re violations noted in insp repts 50-259/95-60, 50-260/95-63 & 50-296/95-63. Corrective actions: personnel ungagged valves & verified that valves operated as designed.
MACHON, R.D. Tennessee Valley Authority. 95/01/11. Document Control Branch (Document Control Desk). 6pp. 86912:094-86912:099.

9501190342 Forwards response to NRC 951215 NRC re violations noted in insp repts 60-259/95-60, 50-260/95-63 & 50-296/95-63 on 951002-1117. Corrective actions: revised subject DCA & corrected weld to comply w/drawing.
MACHON, R.D. Tennessee Valley Authority. 95/01/12. Document Control Branch (Document Control Desk). 7pp. 86912:099-86912:075.

9501190358 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. . 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86828:109-86828:120.

9501190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dumpers at Nuclear Power Plants."
CRUTCHFIELD, D. . 95/01/23. Consolidated Edison Co. of New York, Inc. 10pp. 86955:001-86955:010.

9501190037 Responds to 600414 request from CE Murphy of Region II for up to date copy of all TVA PSA/ISI programs & subsequent TVA submissions of PSA/ISI repts for docketing. Concludes that TVA no longer required to submit PSA/ISI program revs.
HEBDON, F.J. . 95/01/29. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 86835:258-86835:260.

9501290139 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused By Vison Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. . 95/01/29. Consolidated Edison Co. of New York, Inc. 7pp. 86955:017-86955:022.

H. Periodic operating reports & related correspondence

9501190275 Forwards monthly operating repts for Dec 1995 for Browns Ferry Nuclear Plant for Units 1, 2 & 3 & Revised Nov 1995 rept for Unit 3.
SALAS, F. Tennessee Valley Authority. 95/01/12. Document Control Branch (Document Control Desk). 3pp. 86826:348-86826:351.

9501190326 Monthly operating repts for Dec 1995 for Browns Ferry Nuclear Plant Units 1, 2 & 3.
SMITH, T.R. Tennessee Valley Authority. 95/12/31. 3pp. 86826:351-86826:360.

9501190328 Revised monthly operating rept for Nov 1995 for Browns Ferry Nuclear Plant Unit 3.
SMITH, T.R. Tennessee Valley Authority. 95/11/30. 1p. 86826:361-86826:361.

V. Operator Examinations

9501190058 Forwards insp repts 60-259/95-63, 50-260/95-63 & 50-296/95-63 on 951211-15. No violations or deviations noted.
PEEBLES, T.A. Region 2 (Post 820201). 95/01/02. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 86803:314-86803:322.

9501190060 Insp repts 60-259/95-63, 50-260/95-63 & 50-296/95-63 on 951211-15. No violations noted. Major areas inspected: licensed operator requalification program during period 951211-15.
HOFFER, G.T. Region 2 (Post 820201). 95/01/02. 7pp. 86803:316-86803:322.

9501040138 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing mail order schedule.
CRUTCHFIELD, D. . 95/01/06. Consolidated Edison Co. of New York, Inc. 10pp. 86776:001-86776:010.

DOCKET 50-297 NORTH CAROLINA STATE UNIV. PULSTAR REACTOR

F. Security, medical, emergency & fire protection plans

9501260279 Requests representative from NRC organization to participate & observe/ comment on annual emergency drill scheduled on 951221.
WICKS, G.D. North Carolina State Univ. Raleigh, NC. 95/12/04. MACALPINE, E. Region 2 (Post 820201). 1p. 86896:345-86896:346.

9501190421 Discusses changes to North Carolina State Univ PULSTAR Reactor Emergency Plan, submitted on 950915. Concludes that changes acceptable.
ADAMS, A. . 95/01/03. PEREZ, P.B. North Carolina State Univ. Raleigh, NC. 2pp. 86774:007-86774:009.

H. General correspondence

9501290443 Advises JG Gilligan named Dean of Engineering (Interim).
MAYO, C.W. North Carolina State Univ. Raleigh, NC. 95/01/16. NRC - No Detailed Action Given. 2pp. 86858:357-86858:358.

G. Inspection reports, IE Bulletin & correspondence

9501190070 Forwards insp rept 50-257/95-02 on 951205-06. No violations or deviations noted.
MACALPINE, E.J. Region 2 (Post 820201). 95/01/04. PEREZ, P.B. North Carolina State Univ. Raleigh, NC. 2pp. 86903:332-86903:340.

9501190074 Insp rept 50-297/95-02 on 951205-06. No violations noted. Major areas inspected: site review of licensee followup & corrective actions following problem noted w/ recently installed linear channel in research reactor console.
BASSETT, C.H., MACALPINE, E.J. Region 2 (Post 820201). 95/01/04. 7pp. 86903:334-86903:340.

V. Operator Examinations

9501190488 Concludes that North Carolina State Univ PULSTAR Operator Requalification Program is acceptable & requests that licensee begin implementation of sub program immediately.
ADAMS, A. . 95/01/03. PEREZ, P.B. North Carolina State Univ. Raleigh, NC. 3pp. 86776:235-86776:237.

DOCKET 50-298 COOPER NUCLEAR STATION

F. Security, medical, emergency & fire protection plans

9501020279 Rev 10 to EPP 5.7.24, "Medical (Radiological Contaminated Medical Emergency)." W/951227 tr.
HOUSTON, B.J., MUELLER, J.H. Nebraska Public Power District. 95/12/27. 13pp. 86952:349-86952:351.

9501290582 Rev 21 to EPP 5.7.17, "Dose Assessment." W/950122 tr.
HOUSTON, B.J., MUELLER, J.H. Nebraska Public Power District. 95/01/22. 25pp. 86952:197-86952:195.

P. Operating license stage documents & correspondence

9501050193 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. . 95/01/10. Consolidated Edison Co. of New York, Inc. 6pp. 86827:272-86827:280.

9501190442 Suppl 7 to Generic Ltr 89-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors in consideration of valve repositioning in PWRs.
CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86955:011-86955:016.

9501290030 Forwards corrected pages 30, 107, 109, 216a21, 216a22 & 231 to amend 173 & 174 to license DPR-48, respectively. Types noted.
HALL, J.R. . 95/01/24. HORN, G.R. Nebraska Public Power District. 3pp. 86990:161-86990:168.

9501290040 Corrected pages 30, 107 & 309 to amend 173 to license DPR-48. Types corrected.
". 95/01/24. 4pp. 86990:164-86990:165.

9501290415 Corrected pages 216a21, 216a22 & 231 to license DPR-48. Errors corrected.
". 95/01/24. 3pp. 86990:167-86990:169.

54 DOCKETED ITEMS

Q. Inspection reports, IE Bulletins & correspondence

951227322 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Tanks to Disable Equipment Important to Safety." CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740045-86740023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758051.

9512290229 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758041-86758043.

9501180488 Forwards response to violations noted in Insp Rept 50-268/95-15. Corrective actions and records document that standards have been made as required. MUELLER, J.H. Nebraska Public Power District. 95/01/08. Document Control Branch (Document Control Desk). 6pp. 86815333-86815335.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 670726). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9501250157 Forwards response to NRC 951215 for re violations noted in Insp Rept 50-268/95-15. Corrective actions and records document that standards have been made as required. MUELLER, J.H. Nebraska Public Power District. 95/01/16. Office of Enforcement (Post 870413). 6pp. 86852355-86852359.

9501180538 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. . 95/01/16. Consolidated Edison Co. of New York, Inc. 9pp. 86828106-86828120.

9501180306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86868001-86868010.

9501260139 NRC Info Notice 95-007, "Slow Five Percent Scraps Insertion Times Caused by Viton Diaphragms in Solenoid Pilot Valves." CRUTCHFIELD, D. . 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86868017-86868023.

R. Periodic operating reports & related correspondence

9501170008 Monthly operating report for Dec 1995 for Cooper Nuclear Station. W/950119. BAILINGER, P.L. HERRON, J.T. Nebraska Public Power District. 95/12/31. 6pp. 86900335-86900339.

S. Reportable occurrences, LERs & related correspondence

9501050237 Final response to FOIA request for documents. App A documents end & also placed in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. KURTZE, J. 2pp. 86758106-86758114.

9501050247 Package consisting of event reports for 950413-17 for listed plants & Region 1 morning report for 950413-15. NRC - No Detailed Affiliation Given. 95/12/21. 47pp. 86758106-86758154.

9501180358 LER 95-019-000a 951124, CR emergency filter sys (CRFES) was inoperable due to EDG being unavailable. Restored CRFES to operability. W/951229. VICTOR, W.R. HERRON, J.T. Nebraska Public Power District. 95/12/26. 6pp. 86890313-86890317.

9501180263 LER 95-021-000a 951209, RHR pump A tripped during SDC mode, due to spurious activation of either SDC Section High Pressure Switch or momentary loss of 16A-K28 or 18A-K58 logic relay. SDC returned to svc. W/950103. MOELLER, C.R. HERRON, J.T. Nebraska Public Power District. 95/01/03. 6pp. 86868017-86868011.

9501180343 LER 95-022-000a 951213, trip signal ESF loss of shutdown cooling during main activity occurred. Investigation of cause continuing. Shutdown cooling restored. W/950112. TAYLOR, C.C. HERRON, J.T. Nebraska Public Power District. 95/01/12. 6pp. 86830236-86830239.

9501190116 PWD-IV-95-004-on 950113, two licensed operators suspended w/o pay pending termination on 950119 due to gross misconduct for failure to correctly implement instructions from shift supervisor & knowingly withholding info from supervisor. RES, T. Region 4 (Post 820201). 95/01/16. 2pp. 86868058-86868059.

V. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors to operator licensing next exam schedule. CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778201-86778210.

DOCKET 58-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9501050088 Forwards Insp Repts 50-268/95-13 & 50-301/95-13 on 951004-1116 & NOV. FARBER, M.J. Region 3 (Post 820201). 95/12/26. LINK, R. Wisconsin Electric Power Co. 2pp. 86727249-86727259.

9501050114 Notice of violation from Insp on 951004-1116. Violation noted on 951107, all other S&S eye related testing on Unit 1 not suspended during Test CRT 3A. "Safety Injection Activation w/ Loss of Engineered S&S AC Unit 2." FARBER, M.J. Region 3 (Post 820201). 95/12/26. 1p. 86727251-86727251.

9501050124 Insp Repts 50-268/95-13 & 50-301/95-13 on 951004-1116. Violations noted. Major areas inspected: operations, engineering, maintenance, support, SA & QV activities, nonroutine events & radiological controls. FARBER, M.J. Region 3 (Post 820201). 95/12/26. 18pp. 86727252-86727269.

9501180338 Confirms 950117 Safeguards info meeting at Region III site in Littleton, IL. Purpose of meeting for staff to present security program improvement program & equipment updates. FARBER, M.J. Region 3 (Post 820201). 95/01/08. LINK, R. Wisconsin Electric Power Co. 1p. 86709300-86709302.

G. Adjudicatory correspondence

9501240080 Ack receipt of petition dtd 951117 requesting that NRC prohibit loading of VSC-24 cases at any nuclear site until unloading procedures are evaluated. Forwards "Receipt of Petition for Director's Decision Under 10CFR2.206." RUSSELL, W.T. . 95/01/18. SHILLINGLAW, F. Affiliation Not Assigned. 7pp. 86852331-86852346.

9501240108 Notice of receipt of petition for directors decision under 10CFR2.206. RUSSELL, W.T. . 95/01/18. 2pp. 86852334-86852340.

9512120588 Discusses unloading analysis. SHILLINGLAW, F. Affiliation Not Assigned. 95/11/17. RUSSELL, W.T. - No Detailed Affiliation Given. 1p. 86852341-86852341.

9501240178 Forwards copy of petition filed pursuant to 10CFR2.206, requesting that NRC prohibit loading of any VSC-24 cases pending further evaluation. W/ draft W to petitioner & draft FR notice. GOLDBERG, J.R. Office of the General Counsel (Post 850701). 95/12/26. RUSSELL, W.T. . 5pp. 86852342-86852346.

H. General correspondence

9501040348 Submits questions re shield lid used for MSR 1-10; changed from SAR design. SHILLINGLAW, F. Affiliation Not Assigned. 95/09/27. HANNON, NRC - No Detailed Affiliation Given. 12pp. 86758304-86758315.

9501100335 Responds to 951214 request for reinvestigation of two security incidents at plant. Inform that the events properly classified & appropriate regulatory actions taken. Concludes security program adequate to protect public. RUSSELL, W.T. . 95/01/26. MERRITT, D. Citizens' Utility Board. 6pp. 86941187-86941195.

P. Operating license stage documents & correspondence

9501050193 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. . 95/01/16. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827280.

9501200362 Forwards rev to Section 1.8 of FEAR "QA Program." Section test submitted to NRC on 950407 & subsequently accepted in NRC ltr dtd 950516. KRIBBS, J.M. Wisconsin Electric Power Co. 95/01/16. Document Control Branch (Document Control Desk). 2pp. 86889251-86889255.

9501200364 Proposed revs to FEAR Section 1.8 "QA Program." Wisconsin Electric Power Co. 95/06/30. 6pp. 86889263-86889266.

9501200366 Forwards request for time relief from previously approved relief request VHR-4. MAXFIELD, G.J. Wisconsin Electric Power Co. 95/01/16. Document Control Branch (Document Control Desk). 7pp. 86859083-86859086.

9501200223 Forwards Rev 1 to "Seismic Evaluation Rept" & Rev 1 to "Relay Evaluation Rept." for resolution of USI A-48, per GL 87-02. LINK, R. Wisconsin Electric Power Co. 95/01/16. Document Control Branch (Document Control Desk). 4pp. 86867001-86867003.

9501260226 Rev 1 to "Seismic Evaluation Rept." DYKSTRA, T.J. Wisconsin Electric Power Co. 95/01/16. 53pp. 86897006-86897059.

9501260228 Rev 1 to "Relay Evaluation Rept." DYKSTRA, T.J. Wisconsin Electric Power Co. 95/01/16. 356pp. 86897060-86897093.

9501190442 Suppl 7 to Generic Ltr 95-01 to all holders of OIs (except licensees amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86935011-86935016.

9501260118 Forwards corrected pages to amend 161 & 165 to licensees DPR-24 & DPR-24, respectively. Monthly testing requirement incorrectly inserted. HANSEN, A.G. . 95/01/24. LINK, R. Wolf Creek Nuclear Operating Corp. 2pp. 86867207-86867210.

9501260152 Corrected tech spec page 2 of 6 to amend 161 & 165 to licensees DPR-24 & DPR-27, respectively. . 95/01/24. 2pp. 86867205-86867210.

G. Inspection reports, IE Bulletins & correspondence

950105089 Forwards insp repts 95-256/95-13 & 95-301/95-13 on 951004-1116 & NOV. FARBER, M.J. Region 3 (Post 820201). 95/12/28. LINK, R. Wisconsin Electric Power Co. 2pp. 95727:249-95727:250.

9501050114 Notice of violation from insp on 951004-1116. Violation notation 951107, all other SG mgs related less on Unit 1 not suspended during Test CRT 3A. "Safety Injection Activation w/ Loss of Engineered SGs AC Unit 2." * Region 3 (Post 820201). 95/12/28. 1p. 95727:251-95727:251.

9501050124 Insp repts 95-256/95-13 & 95-301/95-13 on 951004-1116. Violations noted. Major areas inspected: operations, engineering, maint, plant support, SA & QV activities, nonroutine events & radiological controls. FARBER, M.J. Region 3 (Post 820201). 95/12/28. 18pp. 95727:252-95727:269.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 95740:016-95740:023.

9512280129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 95750:049-95750:061.

9512280299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 95750:041-95750:045.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870728). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 95827:253-95827:271.

9501180120 Informa that corrective actions taken in regard to NOV from insp rept 72-0005/95-204, acceptable & no add'l info needed. BAER, R.L. Source Containment & Devices Branch (Post 911213). 95/01/11. LINK, R.E. Wisconsin Electric Power Co. 2pp. 95806:172-95806:173.

9501190558 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 95825:109-95825:120.

9501280165 Forwards response to NRC 951115 re violations noted in insp repts 95-256/95-11 & 95-301/95-11. Corrective actions: will revise FSAR to remove 0.002 fueling factor statement. LINK, R. Wisconsin Electric Power Co. 95/01/19. Document Control Branch (Document Control Desk). 7pp. 95830:291-95830:297.

9501280304 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dispersal at Nuclear Power Plants." CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 95835:001-95835:010.

9501290458 Forwards response to NRC 951228 re violations noted in insp repts 95-256/95-11 & 95-301/95-11 on 951004-1116. Corrective actions: 951109 Operations Supervisors initiated condition rept. LINK, R. Wisconsin Electric Power Co. 95/01/25. Document Control Branch (Document Control Desk). 5pp. 95837:319-95837:322.

9501280139 NRC Info Notice 95-007, "Blow Five Percent Scraps Insertion Times Caused By Vitrification Diagrams in Scraps Solenoid Pilot Valves." CRUTCHFIELD, D. 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 95835:017-95835:023.

H. Periodic operating reports & related correspondence

9501390130 Monthly operating repts for Dec 1995 for Point Beach Nuclear Plant/W/ 950108 1p. KOUELKA, M.B., MAXFIELD, G.J. Wisconsin Electric Power Co. 95/12/31. 10pp. 95782:162-95782:171.

9501220302 Forwards fitness-for-duty performance data for period ending 951231. MAXFIELD, G.J. Wisconsin Electric Power Co. 95/01/12. Document Control Branch (Document Control Desk). 3pp. 95843:316-95843:317.

I. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam schedule. CRUTCHFIELD, D. 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 95778:001-95778:010.

9501300022 Informa that NRC plans to administer generic fundamentals exams section of written operator licensing exam on 950415. BURDICK, T.H. Region 3 (Post 820201). 95/01/24. LACROIX, D.G. Consumers Power Co. 3pp. 95887:003-95887:005.

J. Dry Cask Independent Spent Fuel Storage Installations

9501040312 Forwards F Shillinglaw & LE Corner response re storage & transportation of high-level nuclear wastes. CONNER, L.E. Wisconsin, State of. 95/11/27. LICKUS, R. Region 3 (Post 820201). 3pp. 95778:334-95778:339.

9501040330 Submits questions re use of VSC-24 & MPC use in VU. SHILLINGLAW, F. Attention Not Assigned. 95/11/09. LEROY NRC - No Detailed Answer Given. 3pp. 95778:337-95778:339.

9501230357 Submits questions re VSC-24 dry cask. SHILLINGLAW, F. Attention Not Assigned. 95/01/16. KUGLER, D. 7pp. 95889:316-95889:324.

DOCKET 95-042 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9501040319 Forwards comments by NRC on EPRI Tailored Collaboration Fire Modeling Tools methodology after review of submittal of 950608. Advises that no response needed if position not to use EPRI methodology remains. WUNDER, G. 95/12/28. BEARD, P.M. Florida Power Corp. 8pp. 95727:334-95727:341.

9501230149 Rev 33 to EPP EM-307, "Sampling & Analysis of RCS, RB Sump & Miscellaneous Waste Storage Tank Under Accident Conditions." * Florida Power Corp. 95/01/02. 65pp. 95831:173-95831:238.

P. Operating license stage documents & correspondence

9501020089 Forwards "Crystal River Unit 3 Seismic Evaluation Rpt for USI A-48," rev 0. BEARD, P.M. Florida Power Corp. 95/01/02. Document Control Branch (Document Control Desk). 2pp. 95833:001-95833:004.

9501020070 "Crystal River 3 Seismic Evaluation Rpt for USI A-48," rev 0. * Florida Power Corp. 95/01/02. 242pp. 95833:003-95833:244.

9501190044 Summarizes one-day public workshops conducted in Oct & Nov 1995, discussing GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves." List of meeting participants, staff & industry presentation handouts encl. FREDRICKSON, P. Region 2 (Post 820201). 95/01/05. BEARD, P.M. Florida Power Corp. 128pp. 95833:001-95833:127.

9501050193 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 6pp. 95827:272-95827:280.

9501180380 Requests approval to use ASME Section XI Code Cases 2142 & 2143 on RCS. BEARD, P.M. Florida Power Corp. 95/01/11. Document Control Branch (Document Control Desk). 2pp. 95782:282-95782:283.

9501220258 Requests for add'l info re makeup tank pressure curve. W/ list of questions to be discussed at meeting in Jan 1996. WUNDER, G.F. 95/01/11. BEARD, P.M. Florida Power Corp. 8pp. 95825:230-95825:242.

9501280302 Forwards nonproprietary & proprietary repts, presenting data obtained from master integrated RV surveillance program, capsule by testing of ionization, therapy & compact fracture specimens. Proprietary repts withheld. TAYLOR, J.H. Babcock & Wilcox Operating Plants Owners Group. 95/01/18. Document Control Branch (Document Control Desk). 10pp. 95834:067-95834:242.

9501280330 Nonproprietary "Test Results of Capsule TM2-LG1 BSWOG - Master Integrated Reactor Vessel Surveillance Program." DEAN, M.J., KING, S.O., YOON, K.K. Babcock & Wilcox Co. BAW-2253. 95/10/31. 7pp. 95834:077-95834:136.

9501280338 Nonproprietary "Test Results of Capsule CR3-LG2 BSWOG - Master Integrated Reactor Vessel Surveillance Program." DEAN, M.J., KING, S.O., YOON, K.K. Babcock & Wilcox Co. BAW-2254. 95/10/31. 5pp. 95834:107-95834:242.

9501300442 Suppl 7 to Generic Ltr 95-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 95835:011-95835:016.

9501380397 Notification of 950208 meeting w/ u/s in Rockville, MD to discuss makeup tank issues. WUNDER, G. 95/01/25. MATTHEWS, D.B. 3pp. 95848:049-95848:051.

Q. Inspection reports, IE Bulletins & correspondence

9501190078 Forwards insp rept 95-302/95-20 on 951105-1218. No violations noted. Non-cited violation was identified re failure to follow instructions resulting in sticking of wrong valve. LANDIS, J.D. Region 2 (Post 820201). 95/12/21. BEARD, P.M. Florida Power Corp. 5pp. 95802:279-95802:314.

9501190088 Insp rept 95-302/95-20 on 951105-1218. No violations noted. Major areas inspected: plant operations, surveillance, observations, maint, observation, plant support, LSA assessment on-site followup & in-ctrl review of written repts. BUTCHER, R. Region 2 (Post 820201). 95/12/21. 30pp. 95802:284-95802:314.

9501030211 Forwards evaluation results re insp rept 95-302/95-22. Rpt included review of unauthorized Make-Up Tank evolutions of 940904-05 & verified other Make-Up Tank info recently given to US. BEARD, P.M. Florida Power Corp. 95/12/27. NRC - No Detailed Answer Given. 8pp. 95705:336-95705:343.

9501050138 Provides updated action plan re NRC notice of violation & proposed imposition of civil penalty. BOLD, G.L. Florida Power Corp. 95/12/29. Document Control Branch (Document Control Desk). 4pp. 95784:299-95784:302.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 95740:015-95740:023.

66 DOCKETED ITEMS

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indicators During Testing."
CRUTCHFIELD, D., 95/01/05, Consolidated Edison Co. of New York, Inc. 13pp. 86758349-86758351.

9512290296 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Violation as Result of Thermal Effects."
CRUTCHFIELD, D., 95/01/05, Consolidated Edison Co. of New York, Inc. 8pp. 86758341-86758348.

951040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A., Division of Industrial & Medical Nuclear Safety (Post 970729), 95/01/10, Consolidated Edison Co. of New York, Inc. 13pp. 86827250-86827271.

950110056 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D., 95/01/18, Consolidated Edison Co. of New York, Inc. 8pp. 86828109-86828120.

9501180306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D., 95/01/25, Consolidated Edison Co. of New York, Inc. 10pp. 86963001-86963010.

9501260139 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused by Vibration Disrupts in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D., 95/01/26, Consolidated Edison Co. of New York, Inc. 7pp. 86965017-86965023.

R. Periodic operating reports & related correspondence

9501170132 Monthly operating report for Dec 1995 for Crystal River Unit 3.W/950108 ltr. DAO, T.V., BOLDY, G.L. Florida Power Corp. 95/12/31. 8pp. 86800346-86800350.

9501290276 Forwards six month Fitness-For-Duty program performance data for period 950701-1231 per 10CFR27.11(d).
KELLEY, L.C. Florida Power Corp. 95/01/18. Document Control Branch (Document Control Desk). 8pp. 86934250-86934257.

3. Reportable occurrences, LERs & related correspondence

9501050227 Final response to FOIA request for documents App A documents encl & also placed in PCR.
POWELL, R.A., Division of Freedom of Information & Publications Services (Post 940714), 95/12/21, KURTZE, J. 2pp. 86758106-86758114.

9501150247 Package consisting of event reports for 940415-17 for listed plants & Region 1 monitoring report for 940415-15.
* NRC - No Detailed Attribution Given. 95/12/21. 47pp. 86758108-86758114.

9501030042 LER 95-023-01 on 951027, inconsistent design assumptions identified. Caused by design analysis deficiency. Problem report issued documenting condition. W/951222 ltr.
FRIJOUF, J.A., HICKLE, B.J. Florida Power Corp. 95/12/22. 8pp. 86900296-86900304.

9501030051 LER 94-008-04 on 950115, ESAS bypass & automatic reset bistable setpoints nonconservative. Caused by personnel error. Adjusted VLP RP8, EPIC OTSG differential high pressure & shutdown bypass setpoints. W/951229 ltr.
FRIJOUF, J.A., HICKLE, B.J. Florida Power Corp. 95/12/29. 13pp. 86892309-86892320.

9501160271 LER 95-027-00 on 951208, leak found in underground BFW pump recirculation line. Caused by nearby excavation using power tools. Mechanical clamping device temporarily used to stop leak until repairs scheduled for 950223. W/950105 ltr.
CATCHPOLE, T.W., HICKLE, B.J. Florida Power Corp. 95/01/05. 11pp. 86900085-86900095.

9501170125 PNO-1-95-002 on 950108, feedwater s/s chlorides, sodium & conductivity were indicative of condenser tube leak, allowing seawater intrusion into secondary plant. Operator began power reduction.
LANDIS, K. Region 2 (Post 820201). 95/01/11. 1p. 86965020-86965020.

9501170031 LER 95-028-00 on 951213, operation was outside design basis due to personnel errors & inadequate documentation of borsated water storage tank vacuum breaker capacity. Installed replacement valves w/adequate capacity. W/950112 ltr.
CATCHPOLE, T.W., HICKLE, B.J. Florida Power Corp. 95/01/12. 10pp. 86910029-86910038.

V. Operator Examinations

9501180247 Inform that J.V. Campbell, reassigned & no longer requires license, effective 951231.
BOLDY, G.L. Florida Power Corp. 95/12/21. Document Control Branch (Document Control Desk). 1p. 86730200-86730200.

9501180238 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing rule exam schedule.
CRUTCHFIELD, D., 95/01/09, Consolidated Edison Co. of New York, Inc. 10pp. 86776004-86776010.

DOCKET 95-004 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506290035 Responds to petition filed 941103 per 10CFR2.206, denying request for re-assessment & withdrawal of new response team security plan & justification re reduction of armed guards & defense of plant per Director's Decision (DD-95-09).
RUSSELL, W.T., Office of Nuclear Reactor Regulation (Post 941001), #180 96758. 95/05/28. RUTHERFORD, R.K. Affidavit Not Assigned. 3pp. 86941150-86941159.

9506290035 Notice of Issuance of Director's Decision under 10CFR2.206 re plant.
RUSSELL, W.T., Office of Nuclear Reactor Regulation (Post 941001). 95/05/28. 2pp. 86941150-86941155.

9501160211 Revised CEPPs including CEPP-3000 series table of contents. Rev 12 to CEPP-3001-01, Rev 8 to CEPP-3003-01, Rev 6 to CEPP-3004-01, Rev 5 to CEPP-3005-01, Rev 11 to CEPP-3101-01 & Rev 7 to CEPP-3151-01.
* Commonwealth Edison Co. 95/12/06. 46pp. 86776246-86776253.

9501240022 Revised Corporate EPIPs (CEPPs) including Rev 3 to CEPP-2011-01, Rev 1 to CEPP-2021-03, Rev 1 to CEPP-2021-04, Rev 1 to CEPP-2411-01 & Rev 2 to CEPP-2413-01.
STOBAUGH, D.W., Commonwealth Edison Co. 95/12/07. 34pp. 86862285-86862290.

9501080378 "Rep of Analysis Exam & Comparison of Fifteen Samples of Fire Resistant Mark."
WHITE, E., WELCH, M.J., WISE, S.A., National Institute of Standards & Technology (formerly National Bureau of Standards). 93/02-95-001. 95/12/13. 14pp. 86740133-86740146.

9501090418 Revised Rev 3 to EPP 390-1, "Classifications of GSEP Conditions."
* Commonwealth Edison Co. 95/12/14. 8pp. 86732001-86732002.

9501020285 Forwards insp repts 50-295/95-22 & 50-304/95-22 on 951105-22. Violations noted. Violations involved failure of licensee to take CA for identified deficiencies & failure to follow procedures.
GRANT, G.E. Region 3 (Post 820201). 95/12/27. TUETKEN, R. Commonwealth Edison Co. 4pp. 86875059-86875071.

9501020271 Insp repts 50-295/95-22 & 50-304/95-22 on 951105-22. Violations noted. Major areas inspected: fire protection, surveillance, equipment, impairment, control of combustible, fire brigade training & drills & fire protection audits.
GARDNER, R.N. Region 3 (Post 820201). 95/12/19. 8pp. 86876064-86876071.

9501170229 Revised EPIPs including Permanent Change Requests EPP-503822 to Rev 9 to EPP-520-1 & EPP-504594 to Rev 3 to EPP-360-2.
FRANET, J., JOHNSON, R., LANES, J.L. Commonwealth Edison Co. 95/01/08. 33pp. 86793206-86793230.

9501150292 Discusses review of Rev 7J of plant annex to generating stations emergency plan.
CREED, J.R. Region 3 (Post 820201). 95/01/11. TUETKEN, R. Commonwealth Edison Co. 2pp. 86789188-86789189.

9501160325 Requests exemptions from Section III.2.2 of 10CFR50, App R, "Fire Protection Program for Nuclear Power Facilities Operating Prior to 790101," as applies to auxiliary bldg stairwell & reactor containment.
HOLDEN, L.E. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 16pp. 86782327-86782342.

9501160335 Forwards enforcement conference repts 50-295/95-02 & 50-304/95-02 on 950108. No violations noted.
GRANT, G.E. Region 3 (Post 820201). 95/01/11. TUETKEN, R. Commonwealth Edison Co. 2pp. 86770162-86770169.

9501160365 Predictional enforcement conference repts 50-295/95-02 & 50-304/95-02 on 950108. Major areas discussed: failure to take corrective actions for identified emergency fighting deficiencies & failure to follow procedures.
GARDNER, R.N. Region 3 (Post 820201). 95/01/10. 36pp. 86770164-86770192.

9501290306 Forwards insp repts 50-295/95-19 & 50-304/95-19 & NOV.
GROBE, J.A. Region 3 (Post 820201). 95/01/19. TUETKEN, R. Commonwealth Edison Co. 3pp. 86902142-86902148.

9501290308 Notice of violation from insp repts 50-295/95-19 & 50-304/95-19. Violation noted during 951118 table top exercise. Licensee failed to demonstrate ability to interpose armed response individuals.
* Region 3 (Post 820201). 95/01/19. 2pp. 86902145-86902148.

9501290319 Partially withheld insp repts 50-295/95-19 & 50-304/95-19 on 951119-22 (w/ 10CFR75.210(a)(2)). Violations noted: Major areas inspected: physical security program including audits, corrective actions & mgmt support.
GROBE, J.A. Region 3 (Post 820201). 95/01/19. 2pp. 86902147-86902148.

9501290331 Submits review of proposed revs to EALs & technical bases for Braidwood, Byron, Dresden, LaSalle, Quad Cities & Zion NPPs, concluding that proposed changes acceptable & do not decrease effectiveness of licensee emergency planning.
CREED, J.R. Region 3 (Post 820201). 95/01/23. FARRAR, D.L. Commonwealth Edison Co. 3pp. 86885320-86885322.

G. Adjudicatory correspondence

9506290035 Responds to petition filed 941103 per 10CFR2.206, denying request for re-assessment & withdrawal of new response team security plan & justification re reduction of armed guards & defense of plant per Director's Decision (DD-95-09).
RUSSELL, W.T., Office of Nuclear Reactor Regulation (Post 941001), #180 96758. 95/05/28. RUTHERFORD, R.K. Affidavit Not Assigned. 3pp. 86941150-86941159.

9506290035 Notice of Issuance of Director's Decision under 10CFR2.206 re plant.
RUSSELL, W.T., Office of Nuclear Reactor Regulation (Post 941001). 95/05/28. 2pp. 86941150-86941159.

F. Operating license stage documents & correspondence

9509030183 Requests FR publication of enclosed "Notice of Consideration of Issuance of Amendments to FOI & Opportunity for Hearing." Amends revise TS to incorporate guidance provided in NUREG, "75, Westinghouse Plants," dtd Sept 1992.
SHIRAKI, C.Y., 95/12/22. FARRAR, D.L. Commonwealth Edison Co. 2pp. 86900021-86900041.

9501000153 Notice of consideration of issuance of amendments to licenses DPR-39 & DPR-504 & proposed NRC determination & opportunity for hearing. Amends represent full conversion from current TS to set of TS based on NUREG-1431, "STSW Plants." CAPRA, R.A., 95/12/22, 9pp. 86890033-86890041.

9501030558 Discusses 950612 phone conversation w/CECO re potential for having to plug leaking tubes in SFP heat exchanger. NRC staff reviewed fr did 950622 & concluded that issue does not require concurrence & could be handled w/CECO 10CFR50.59. SHIRAKI, C.Y., 95/12/27, FARRAR, D.L. Commonwealth Edison Co. 2pp. 86890239-86890240.

9501030227 Forwards exemption from requirements of 10CFR50, App J Option A & grants exemption to licenses DPR-39 & DPR-48, respectively. SHIRAKI, C.Y., 95/12/28, FARRAR, D.L. Commonwealth Edison Co. 2pp. 86893149-86893162.

9501030231 Exemption from requirements of 10CFR50, App J, Option A, Section III.C & III.D re containment leak rate testing. MARCUS, G., 95/12/28, Commonwealth Edison Co. 12pp. 86893161-86893162.

9501100373 Submits status of plant performance since April 1995 fr. TUETKEN, R.P. Commonwealth Edison Co. 95/01/05, Document Control Branch (Document Control Desk). 15pp. 86821248-86821260.

9501050193 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D., 95/01/10, Consolidated Edison Co. of New York, Inc. 9pp. 86827278-86827290.

9501100380 Discusses 930831 submit of third ten-year inservice testing program to NRC. Informal that licensee has satisfactorily addressed outstanding action items & no further submissions required. SHIRAKI, C.Y., 95/01/16, FARRAR, D.L. Commonwealth Edison Co. 2pp. 86893229-86893230.

9501100442 Suppl 7 to Generic Ltr 95-10 to all holders of OIs (except licensee amend- ed to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PYRs. CRUTCHFIELD, D., 95/01/24, Consolidated Edison Co. of New York, Inc. 9pp. 86893011-86893016.

G. Inspection reports, IE Bulletins & correspondence

9501020285 Forwards insp repts 50-295/95-22 & 50-304/95-22 on 951106-22. Violations noted. Violations involved failure of licensee to taken CA for identified deficiencies & failure to follow procedures. GRANT, J.G. Region 3 (Post 820201), 95/12/27, TUETKEN, R. Commonwealth Edison Co. 4pp. 86879058-86879071.

9501030271 Insp repts 50-295/95-22 & 50-304/95-22 on 951106-22. Violations noted. Major areas inspected: fire protection, surveillance, equipment impairments, control of combustibles, fire brigade training & drills & fire protection audits. GARDNER, R.N. Region 3 (Post 820201), 95/12/19, 8pp. 86879064-86879071.

9501040164 Forwards response to NRC 951126 fr re NOV & Proposed Imposition of Civil Penalty for Licenses DPR-39 & DPR-48. Corrective actions reinforced w/ superintendents, general (common) & licensee policies re responding to concerns. BRONKS, J.O. Commonwealth Edison Co. 95/12/28, LIEBERMAN, J. Off of Enforcement (Post 870413), 7pp. 86790344-86790350.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD, D., 95/01/03, Consolidated Edison Co. of New York, Inc. 9pp. 86740015-86740023.

9501100213 Forwards "Zion Station Unit 2 Eddy Current Special Rept SG Activities Winter 1995, Refueling Outage 13." HOLDEME, Commonwealth Edison Co. 95/01/04, Document Control Branch (Document Control Desk). 1p. 86775195-86775253.

9501100215 "Zion Station Unit 2 Eddy Current Special Rept SG Activities Winter 1995, Refueling Outage 13." Commonwealth Edison Co. 95/01/04, 8pp. 86775198-86775255.

9512280129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D., 95/01/05, Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758061.

9512280290 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D., 95/01/05, Consolidated Edison Co. of New York, Inc. 6pp. 86758041-86758048.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." DOOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729), 95/01/10, Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9501100335 Forwards enforcement conference repts 50-295/95-02 & 50-304/95-02 on 950106. No violations noted. GRANT, J.G. Region 3 (Post 820201), 95/01/11, TUETKEN, R. Commonwealth Edison Co. 2pp. 86770162-86770169.

9501100365 Predecisional enforcement conference repts 50-295/95-02 & 50-304/95-02 on 950106. Major areas discussed: failure to take corrective actions for identified emergency lighting deficiencies & failure to follow procedures. GARDNER, R.N. Region 3 (Post 820201), 95/01/10, 3pp. 86770164-86770169.

9501200282 Response to NRC 951215 fr re violations noted in insp repts 50-295/95-18 & 50-304/95-18. Corrective actions conducted: review of sys remaining to be returned to svc during Unit 1 refueling outage & conducted caution card audit. TUETKEN, R.P. Commonwealth Edison Co. 95/01/18, Document Control Branch (Document Control Desk). 7pp. 86843301-86843307.

9501100558 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." GROBE, J.A. Region 3 (Post 820201), 95/01/19, Consolidated Edison Co. of New York, Inc. 9pp. 86828109-86828120.

9501200308 Forwards insp repts 50-295/95-19 & 50-304/95-19 & NOV. GROBE, J.A. Region 3 (Post 820201), 95/01/19, TUETKEN, R. Commonwealth Edison Co. 3pp. 86902142-86902148.

9501200369 Notice of violation from insp repts 50-295/95-19 & 50-304/95-19. Violation noted during 951116 table top exercises, licensee failed to demonstrate ability to interpose armed response individuals. * Region 3 (Post 820201), 95/01/19, 2pp. 86902145-86902148.

9501200390 Partially withheld insp repts 50-295/95-19 & 50-304/95-19 on 951130-22 (rel 10CFR73.21(c)(2)). Violations noted: Major areas inspected: physical security program including audits, corrective actions & inst support. GROBE, J.A. Region 3 (Post 820201), 95/01/19, 2pp. 86902147-86902148.

9501100306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Torus Dampers at Nuclear Power Plants." CRUTCHFIELD, D., 95/01/25, Consolidated Edison Co. of New York, Inc. 10pp. 86893001-86893010.

9501200139 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused By Vibration Discharges in Scram Solenoid Pilot Valves." CRUTCHFIELD, D., 95/01/28, Consolidated Edison Co. of New York, Inc. 7pp. 86905017-86905023.

R. Periodic operating reports & related correspondence

9501200209 Monthly operating repts for Dec 1995 for Zion Generating Station Units 1 & 2. W/950112 fr. GYSAN, J., SCHWARTZ, G.K. Commonwealth Edison Co. 95/12/31, 13pp. 86890010-86890022.

S. Reportable occurrences, LERs & related correspondence

9501050237 Final response to FOIA request for documents. App A documents sent & also placed in FOR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714), 95/12/21, KURTZ, E., 2pp. 86758106-86758114.

9501050247 Package consisting of event repts for 940413-17 for listed plants & Region 1 morning repts for 940413-15. * NRC - No Detailed Affidavit Given. 95/12/21, 47pp. 86758106-86758154.

9501170385 LER 95-005-00 on 951207, main turbine did not trip from main control board. Revised test procedure for turbine trips & evaluated revised frequency of test. W/950108 fr. WISLER, M., WEPRECHT, C., SCHWARTZ, G.K. Commonwealth Edison Co. 95/01/08, 7pp. 86890100-86890106.

9501200339 LER 95-005-00 on 951214, stroke timing of 2LCV-DT1008 during performance of PT-300-ST failed. Caused by cognitive error by licensed operator. Damaged individuals involved. W/950115 fr. SHELTON, H., SCHWARTZ, G.K. Commonwealth Edison Co. 95/01/15, 5pp. 86908283-86908287.

V. Operator Examinations

9501040136 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing retest exam schedule. CRUTCHFIELD, D., 95/01/09, Consolidated Edison Co. of New York, Inc. 10pp. 86776001-86776010.

9501000822 Inform that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 950410. BURDICK, T.H. Region 3 (Post 820201), 95/01/24, LACROIX, D.G. Consumers Power Co. 3pp. 86897008-86897008.

DOCKET 95-305 KEWAUNEE NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9501000836 Revised EPIPs, including EPIP Index, Rev AP to APPX-A-2, "Response Personnel Call List" & Rev AQ APPX-A-3, "Offsite Support Agency Telephone Numbers." W/950125 fr. MARCH, M.L. Wisconsin Public Service Corp. 95/01/25, 20pp. 86837341-86837350.

J. Insurance & indemnity information

9501200287 Forwards Endorsement 121 to NELA Policy NF-0204, Endorsement 104 to MAELU Policy NF-0071, Endorsement 24 to NELA Policy NF-0044 & MAELU Policy NF-0044 & Endorsement 18 to NELA Policy NF-0111 & MAELU Policy NF-0044. MARCH, M.L. Wisconsin Public Service Corp. 95/01/24, Document Control Branch (Document Control Desk). 7pp. 86837293-86837299.

P. Operating license stage documents & correspondence

9501100118 Forwards amend 123 to license DPR-43 & safety evaluation. Amend re-issues KPP TS 3.4 & eliminates inconsistency within TS 3.4. LAUFER, R.J., 95/01/05, MARCH, M.L. Wisconsin Public Service Corp. 3pp. 86758220-86758242.

58 DOCKETED ITEMS

960110030 Amend 123 to license DPR-43, modifying & clarifying operability requirements for MSSVs, APWS & CSTS, eliminating inconsistencies with TS 3.4 & providing basis for acceptable operation of APWS below 15% reactor power.
LAUFER, R.J. . 96/01/03. 13pp. 86768:223-86769:296.

960110032 Safety evaluation supporting amend 123 to license DPR-43.
* . 96/01/03. 7pp. 86768:235-86769:242.

960110042 Inform that NRC determined that MOV program & implementation acceptable & meets intent of GL 89-10 "Safety Related MOV Testing & Surveillance." NRC closing review of program.
JACOBSON, J.M. Region 3 (Post 820201). 96/01/04. MARCH, M.L. Wisconsin Public Service Corp. 2pp. 86761:055-86761:060.

960110095 Responds to 961006 & 961106 ltr./transmitting RAI re proposed amend to redefine pressure boundary for Westinghouse hybrid expansion joint SG tube sleeves at plant. Requests response within 30 days of receipt of ltr.
LAUFER, R.J. . 96/01/04. MARCH, M.L. Wisconsin Public Service Corp. 4pp. 86806:112-86806:115.

960110098 Forwards response to NRC 951130 ltr requesting addl info re proposed Tech Spec amend 135, redefining pressure boundary for Westinghouse hybrid expansion joint sleeves.
STEINHARDT, C.R. Wisconsin Public Service Corp. 96/01/06. Document Control Branch (Document Control Desk). 6pp. 86812:106-86812:111.

960105093 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. . 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

960110002 Forwards response to NRC 951205 RAI re GL 95-03, "Circumferential Cracking of SG Tubes."
STEINHARDT, C.R. Wisconsin Public Service Corp. 96/01/12. Document Control Branch (Document Control Desk). 5pp. 86782:185-86782:189.

960120067 Responds to RAI for proposed amend 136 to plant NPP TS re pressure boundary redefinition for HXJ sleeves.
STEINHARDT, C.R. Wisconsin Public Service Corp. 96/01/19. Document Control Branch (Document Control Desk). 14pp. 86839:090-86839:103.

960120150 Forwards correction to Amend 122 to license DPR-43. Typographical error was made in footnote for TS B3.1-10.
LAUFER, R.J. . 96/01/23. MARCH, M.L. Wisconsin Public Service Corp. 3pp. 86858:242-86858:245.

9601250174 Errata to Correction to Amend 122 for DPR-43. Typographical error made in footnote for TS B3.1-10.
* . 96/01/23. 1p. 86858:245-86858:245.

9601100442 Suppl 7 to Generic Ltr 96-01 to all holders of OIs (except licenses extended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. . 96/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86858:011-86858:016.

960130030 Responds to NRC 951219 ltr providing addl info to confirm util assessment of structural integrity of plant RPV per GL 92-01, Rev 1, Suppl 1.
STEINHARDT, C.R. Wisconsin Public Service Corp. 96/01/25. Document Control Branch (Document Control Desk). 6pp. 86861:200-86861:206.

G. Inspection reports, BE Bulletins & correspondence

9612270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. . 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:023.

9612281129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Isolation During Testing."
CRUTCHFIELD, D. . 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86756:040-86756:061.

9612290299 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. . 96/01/05. Consolidated Edison Co. of New York, Inc. 6pp. 86756:041-86756:048.

9601040315 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
DOOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870723). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9601100108 Inform of 960401 Insp of licensed operator requalification program at plant. Requests that staff furnish written exams & operating tests scheduled for wk of Insp to NRC by 960322.
BURDICK, T.M. Region 3 (Post 820201). 96/01/11. MARCH, M.L. Wisconsin Public Service Corp. 2pp. 86771:346-86771:347.

960110058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. . 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86826:109-86826:120.

9601100306 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD, D. . 96/01/23. Consolidated Edison Co. of New York, Inc. 10pp. 86865:001-86865:010.

9601200139 NRC Info Notice 96-007, "Slow Five Percent Scram Insertion Times Caused by Vilon Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. . 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86865:017-86865:023.

H. Periodic operating reports & related correspondence

960110008 Monthly operating rpt for Dec 1995 for Kewaunee Nuclear Power Plant W/960110 ltr.
ANDERSON, M.L. Wisconsin Public Service Corp. 96/12/31. 6pp. 86765:305-86765:309.

960109006 Forwards FPD program performance data for Kewaunee Nuclear Power Plant for six month ending period ending 951231.
MARCH, M.L. Wisconsin Public Service Corp. 96/01/25. Document Control Branch (Document Control Desk). 5pp. 86843:357-86843:361.

I. Reportable occurrences, LERs & related correspondence

9601050227 Final response to FOIA request for documents App A documents and also placed in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. KURTZE, J. 2pp. 86758:108-86758:154.

9601090247 Package consisting of event rpts for 940413-17 for Bated plant & Region I monitoring rpt for 940413-15.
* NRC - No Detailed Affiliation Given. 95/12/21. 47pp. 86758:108-86758:154.

960110000 LER 95-008-00/0n 951206A2 svc water pump supply breaker failed. Caused by failure of breaker hydraulic charging sys. Failed breaker replaced w/ spare breaker W/960106 ltr.
HARRINGTON, G.L. MARCH, M.L. Wisconsin Public Service Corp. 96/01/05. 10pp. 86768:344-86768:353.

V. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing test status schedule.
CRUTCHFIELD, D. . 96/01/06. Consolidated Edison Co. of New York, Inc. 10pp. 86776:001-86776:010.

9601100338 Inform that listed SRO has been reassigned to position that no longer requires license.
MARCH, M.L. Wisconsin Public Service Corp. 96/01/11. Document Control Branch (Document Control Desk). 1p. 86790:168-86790:168.

9601100106 Inform of 960401 Insp of licensed operator requalification program at plant. Requests that staff furnish written exams & operating tests scheduled for wk of Insp to NRC by 960322.
BURDICK, T.M. Region 3 (Post 820201). 96/01/11. MARCH, M.L. Wisconsin Public Service Corp. 2pp. 86771:346-86771:347.

9601300022 Inform that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 960410.
BURDICK, T.M. Region 3 (Post 820201). 96/01/24. LACROIX, D.G. Consumers Power Co. 6ELZERT, R.D. Cleveland Electric Manufacturing Co. WALKER, W.P. Northern States Power Co. 3pp. 86867:003-86867:005.

DOCKET 96-388 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9601201096 Revised EPIPs including rev 15 to F3-5.1, rev 9 to F3-5.1, rev 14 to F3-13 & rev 7 to F3-25.W/951227 ltr.
WADLEY, M.D. Northern States Power Co. 96/12/27. 74pp. 86822:271-86822:344.

P. Operating license stage documents & correspondence

9601030239 Requests relief from code requirements re block valves in series w/over-pressure protection devices.
WADLEY, M.D. Northern States Power Co. 96/12/27. Document Control Branch (Document Control Desk). 6pp. 86732:253-86732:260.

9601100066 Requests addl info re plant Units 1 & 2 TS amend to include 1" SG tube acceptance criteria.
WEITZEL, S.A. . 96/01/03. ANDERSON, R.O. Northern States Power Co. 4pp. 86774:016-86774:018.

9601100251 Forwards SA accepting proposed change to safety classification of positive displacement charging pumps at plants to SF for pressure boundary only.
GARDNER, R.N. Region 3 (Post 820201). 96/01/08. WATZLE, Northern States Power Co. 4pp. 86769:067-86769:070.

9601050193 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. . 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

9601200239 Submits RAI re GL 95-03, "Circumferential Cracking of SG Tubes."
WEITZEL, S.A. . 96/01/16. ANDERSON, R.O. Northern States Power Co. 5pp. 86831:300-86831:304.

9601250111 Summary of 951212 meeting w/ licensees re proposed conversion of plants TS to ISFS. List of attendees & copy of overhead slides incl.
WEITZEL, S.A. . 96/01/23. 8pp. 86858:102-86858:109.

9601300144 Requests NRC approval of alternatives to liquid penetrant testing requirements of N-518.4 of 1958 ASME B&PV Code for weld repairs listed.
WADLEY, M.D. Northern States Power Co. 96/01/19. Document Control Branch (Document Control Desk). 14pp. 86868:338-86868:351.

9501180442 Suppl 7 to Generic Ltr 88-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 5pp. 85855:011-85855:016.

9501290304 Confirms that meeting will be held on 950130 in Littleton. Licensee staff will brief NRC staff on status of ongoing investigation. Informa that meeting will be closed to public.
CHREED, J.R. Region 3 (Post 820201). 95/01/25. WATZLE. Northern States Power Co. 1p. 85854:104-85854:104.

G. Inspection reports, IE Bulletins & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 85740:015-85740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 85758:049-85758:051.

9512290209 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 85758:041-85758:048.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870728). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 85827:259-85827:271.

9501190608 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 85828:105-85828:120.

9501190308 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85855:001-85855:010.

9501260139 NRC Info Notice 95-007, "Slow Fire Percent Steam Injection Times Caused By Vitan Diaphragms in Service Solenoid Pilot Valves."
CRUTCHFIELD, D. 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 85855:017-85855:023.

H. Periodic operating reports & related correspondence

9501250129 Monthly operating reports for Dec 1995 for Prairie Island Nuclear Generating Plant.
BURDICK, J.M. Region 3 (Post 820201). 95/01/31. 9pp. 85859:179-85859:187.

I. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing not exam scheduled.
CRUTCHFIELD, D. 95/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 85776:001-85776:010.

9501160375 Informa that written & operating exams scheduled for week of 950505 per telecon between M. Kelly & J. Lash.
BURDICK, J.M. Region 3 (Post 820201). 95/01/10. WATZLE. Northern States Power Co. 2pp. 85816:005-85816:006.

9501300022 Informa that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 950410.
BURDICK, J.M. Region 3 (Post 820201). 95/01/24. LACROUX, G. Consumers Power Co. 2pp. 85857:003-85857:005.

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

G. Adjudicatory correspondence

9501350151 Informa J. Doherty that time provided by NRC regulation within which Commission may act to review Director Decisions in docket has expired. W/Certificates of Service on 950106.
HOYLE, J.C. Office of the Secretary of the Commission. #198 17408. 95/01/05. DOHERTY, J.F. Affiliation Not Assigned. 3pp. 85783:099-85783:101.

H. General correspondence

9501110277 Requests response to listed questions & concerns on SG tubes.
PERKINS, J. Affiliation Not Assigned. 95/01/03. BERRY, C. NRC - No Detailed Affiliation Given. 2pp. 85774:315-85774:316.

P. Operating license stage documents & correspondence

9501020298 Forwards rev 10 to "Maine Yankee Atomic Power Co Operational QA Program."
HEBERT, J.R. Maine Yankee Atomic Power Co. 95/12/21. Document Control Branch (Document Control Desk). 1p. 85859:270-85859:285.

9501020289 Rev 10 to "Maine Yankee Atomic Power Co Operational QA Program."
HAYWARD, R.M. Maine Yankee Atomic Power Co. 95/12/12. 6pp. 85859:271-85859:285.

9501050055 Forwards response to request from NRC during 951228 telecon re containment leakage at peak accident pressure & use of 2,700 MW reactor protective eye setpoints for 2,440 MW operation.
WHITTELL, G.D. Maine Yankee Atomic Power Co. 95/12/28. Document Control Branch (Document Control Desk). 7pp. 85754:331-85754:337.

9501050148 Press Release 95-004, "NRC Staff Issues Confirmatory Order, Demand for Info to Maine Yankee."
Office of Public Affairs (Post 911117). 95/01/03. 2pp. 85758:333-85758:334.

9501130021 Confirmatory order suspending authority for & limiting power operation & containment pressure (effective immediately) & demand for info.
RUSSELL, W.T. 95/01/03. Yankee Atomic Electric Co. 19pp. 85759:272-85759:291.

9501110182 Forwards confirmatory order suspending authority for & limiting power operation & containment pressure & demand for info issued in response to review of allegation that MYAP knowingly performed inadequate analyses to support awards.
RUSSELL, W.T. 95/01/03. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 4pp. 85758:224-85758:246.

9501130193 Confirmatory order suspending authority for & limiting power operation & containment pressure (effective immediately) & demand for info in the matter of MYAP.
RUSSELL, W.T. 95/01/03. Maine Yankee Atomic Power Co. 19pp. 85758:222-85758:245.

9501170037 Submits correction to info provided in 951222 re re power level associated w/Cycle 4 SLOCA transient. Power level should be correctly stated as "2,830 MWe plus 2% uncertainty."
HEBERT, J.R. Maine Yankee Atomic Power Co. 95/01/09. Document Control Branch (Document Control Desk). 1p. 85800:197-85800:197.

9501050193 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 85827:272-85827:280.

9501170051 Responds to 950103 confirmatory order suspending authority for limiting power operation & containment pressure (effective immediately) & demand for info. "Evaluation of Cycle 15 Operating Limits SLOCA Analysis." encl.
FRIZZLE, C.D. Maine Yankee Atomic Power Co. 95/01/10. Document Control Branch (Document Control Desk). 3pp. 85753:144-85753:154.

9501170045 "Maine Yankee Evaluation of Cycle 15 Operating Limits SLOCA Analysis at 2,440 MWe in Accordance w/NRC Confirmatory Order Dkt 950103."
Maine Yankee Atomic Power Co. 95/01/10. 5pp. 85753:148-85753:204.

9501170070 Rev 2 to "Assessment of RELAP5A Applications Supporting Maine Yankee Cycle 15 Operation."
Yankee Atomic Electric Co. 95/01/10. 100pp. 85753:205-85753:304.

9501230004 Application for amend to license DPR-38, consisting of change 193, revising TS section 4.2.1, "Fuel Assemblies."
FRIZZLE, C.D. Maine Yankee Atomic Power Co. 95/01/15. Document Control Branch (Document Control Desk). 3pp. 85859:054-85859:054.

9501230005 Proposed tech specs, consisting of change 193, revising TS Section 4.2.1, "Fuel Assemblies."
Maine Yankee Atomic Power Co. 95/01/15. 1p. 85859:054-85859:054.

9501190352 Forwards Rev 2 to YAPC-1907, "Maine Yankee Cycle 15 Core Performance Analysis."
HEBERT, J.R. Maine Yankee Atomic Power Co. 95/01/18. Document Control Branch (Document Control Desk). 2pp. 85848:001-85848:162.

9501190360 "Maine Yankee Cycle 15 Core Performance Analysis."
CROFTON, S.P., SOLANG, M., HARVEY, R.D. Maine Yankee Atomic Power Co. YAPC-1907 R02. 95/01/10. 187pp. 85848:003-85848:188.

9501230028 Submits follow-up response to DCHDR SE dkt 970105.
HEBERT, J.R. Maine Yankee Atomic Power Co. 95/01/13. Document Control Branch (Document Control Desk). 2pp. 85848:217-85848:218.

9501300175 Forwards response to Sections I through VI & VII of 950103 confirmatory order suspending authority for & limiting power operation & containment pressure (effective immediately) & demand for info.
FRIZZLE, C.D. Maine Yankee Atomic Power Co. 95/01/23. RUSSELL, W.T. 4pp. 85851:123-85851:138.

9501300178 Licensee response to Sections I-VI & VII of confirmatory order suspending authority for & limiting power operation & containment pressure (effective immediately) issued 950103.
FRIZZLE, C.D. Maine Yankee Atomic Power Co. 95/01/23. 8pp. 85851:129-85851:136.

9501180442 Suppl 7 to Generic Ltr 88-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 85855:011-85855:016.

G. Inspection reports, IE Bulletins & correspondence

9501030354 Forwards insp rept 50-309/95-24 on 951001-1113. No violations noted.
COOPER, R.W. Region 1 (Post 820201). 95/12/20. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 4pp. 85851:185-85851:222.

9501030355 Insp rept 50-309/95-24 on 951001-1113. No violations noted. Major areas inspected: operations, maintenance, engineering & plant support.
ROGGE, J.F. Region 1 (Post 820201). 95/12/15. 8pp. 85851:189-85851:222.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 85740:015-85740:023.

60 DOCKETED ITEMS

860113001 Confirmatory order suspending authority for & limiting power operation & containment pressure (effective immediately) & demand for info.
RUSSELL, W.T. . 86/01/03. Yankee Atomic Electric Co. 19pp. 86758:273-86758:291.

8612280129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. . 86/01/09. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

8612280299 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. . 86/01/06. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

8601178291 Responds to NRC 860882 for requesting 120 Vdc & 125 Vdc components voltage drop & coordination calculations by end of 1985, with completed & issued four of five calculations & will notify NRC when final calculation is complete.
HERBERT, J.P. Maine Yankee Atomic Power Co. 86/01/05. Document Control Branch (Document Control Desk). 1p. 86800:290-86800:293.

8601048335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870726). 86/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:258-86827:271.

860118058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. . 86/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86828:108-86828:120.

8601300175 Forwards response to Sections I through VI & VII of 860103 confirmatory order suspending authority for & limiting power operation & containment pressure (effective immediately) & demand for info.
FRIZZLE, C.D. Maine Yankee Atomic Power Co. 86/01/23. RUSSELL, W.T. . 4pp. 86861:125-86861:136.

8601300178 Licensee response to Sections I-VI & VII of confirmatory order suspending authority for & limiting power operation & containment pressure (effective immediately) issued 860103.
FRIZZLE, C.D. Maine Yankee Atomic Power Co. 86/01/23. 8pp. 86861:138-86861:145.

8601190308 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornados Compressors of Nuclear Power Plants."
CRUTCHFIELD, D. . 86/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86862:001-86862:010.

8601260158 NRC Info Notice 96-007, "Slow Five Percent Scram Insertion Times Caused by Vibration Disruptions in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. . 86/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86865:017-86865:023.

R. Periodic operating reports & related correspondence

8601230188 Monthly operating report for Dec 1985 for Maine Yankee, W/860112 tr.
BAILEY, S.J. HERBERT, J.R. Maine Yankee Atomic Power Co. 86/12/31. 8pp. 86850:337-86850:341.

S. Reportable occurrences, LERs & related correspondence

8601050237 Final response to FOIA request for documents App A documents end & also placed in FDR.
POWELL, J.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. KURTZ, E. . 2pp. 86758:106-86758:104.

8601050247 Package consisting of event reports for 940413-17 for listed plants & Region 1 morning report for 940413-15.
* NRC - No Detailed Analysis Given. 95/12/21. 47pp. 86758:108-86758:154.

U. Congressional/Executive Correspondence

8601240276 Responds to 851221 informing that Confirmatory Order & Demand for info issued to MYAP on 860103 which ordered station power reduced to 2,440 MW. Plant restarted after info received & NRC to conduct trip shortly after restart.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750118). 86/01/17. LONGLEY, J.B. House of Rep. 2pp. 86847:177-86847:180.

8601240288 Submits inquiry re reported delay in startup of MYAP plant in Wisconsin. Requests to be advised of opportunities to participate in public review that NRC has held out for planned investigation.
LONGLEY, J.B. House of Rep. 86/12/21. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750118). 1p. 86847:179-86847:181.

8601240289 Assessment of RELAP5YA Applications Supporting Maine Yankee Cycle 15 Operation-Rev 2.
* Maine Yankee Atomic Power Co. 86/01/10. 8pp. 86847:262-86847:260.

V. Operator Examinations

8601040138 NRC Administrative Ltr 86-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing null exam schedule.
CRUTCHFIELD, D. . 86/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86758:001-86758:010.

DOCKET 80-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8601160460 Revised ERPs including Rev 47 to table of contents, Rev 38 to event classification guide attachments signature page & Rev 27 to Attachment 6 to designated communication (CAF) communications log.
BARNETT, C. Public Service Electric & Gas Co. of New Jersey. 86/01/03. 28pp. 86770:325-86770:352.

8601280476 Notification of 860207 meeting w/atl & BNL representatives in Rockville, MD to discuss Salem Appendix R issues.
OLSHAN, L.N. . 96/01/24. STOLZ, J.F. . 4pp. 86880:137-86880:140.

8601280009 Forwards BNL TER in response to triennial App R post-fire safe shutdown trip at plant on 860517-21 & 0719. Concludes that licensee does not satisfy requirements of Section III of App R to 10CFR50. Issues to be discussed at 860207 meeting.
OLSHAN, L.N. . 96/01/25. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 86871:321-86871:371.

K. Utility Final Safety Analysis Report (FSAR) & amendments

8601030014 Forwards Interim rev 14 to updated FSAR for Salem Generating Station. Rev includes current cycle changes approved as of 851201.
SIMPSON, E.C. Public Service Electric & Gas Co. of New Jersey. 85/12/28. Document Control Branch (Document Control Desk). 12pp. 86700:001-86700:120.

8601030015 Interim rev 14 to updated FSAR for Salem Generating Station Units 1 & 2.
Public Service Electric & Gas Co. of New Jersey. 85/12/28. 602pp. 86700:013-86700:1250.

P. Operating license stage documents & correspondence

8601020028 Notification of significant licensee meeting 85-101 w/atl on 851218 to address public questions & concerns re actions necessary for restart of plant.
NICHOLSON, L.E. Region 1 (Post 820201). 95/11/30. Region 1 (Post 820201). 2pp. 86863:113-86863:114.

8601020010 Rev 1 to notification of significant licensee meeting 85-108 w/atl on 851218 in Camden Point, NJ for NRC to address public questions & concerns re actions necessary for safe restart of plant units.
NICHOLSON, L.E. Region 1 (Post 820201). 95/12/01. Region 1 (Post 820201). 2pp. 86863:043-86863:044.

8601160007 Forwards attendance lists & slides presented at 851211 mtg meeting.
NICHOLSON, L.E. Region 1 (Post 820201). 95/12/27. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 27pp. 86760:313-86760:340.

8601020035 Transmits response to NRC RAI re w/atl 841011 proposed changes to LCO 3.4.4.4, "Pressurizer." Marked-up TS pages encl.
POWELL, D.R. Public Service Electric & Gas Co. of New Jersey. 95/12/28. Document Control Branch (Document Control Desk). 3pp. 86701:303-86701:307.

8601020045 Proposed TS LCO 3.4.4.4, substituting equal to or greater than sign for word than.
Public Service Electric & Gas Co. of New Jersey. 95/12/28. 2pp. 86701:308-86701:307.

8601030035 Forwards SE authorizing use of ASME Code Case N-532 for Salem Nuclear Generating Station & Hope Creek Generating Station.
STOLZ, J.F. . 95/12/28. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 86705:088-86705:094.

8601030044 SER approving use of ASME Code Case N-532 for Salem Nuclear Generating Station & Hope Creek Generating Station.
* 95/12/28. 4pp. 86705:091-86705:094.

8601030082 Ltr contract, mod 5 to task order 41, extending period of performance of task order from 851224-861231 to, "TPE Reviews for Back End Containment Performance & Source Term Analysis Internal Events Only (Salem 1 & 2)."
MACE, M. Division of Contracts (Post 840714). NRC-04-01-085. 86/12/29. APABLE, S.L. SCIENTECH, Inc. 2pp. 86743:311-86743:312.

8601160156 Application for amendments to licensee DPR-70 & DPR-75, representing changes to spec 3/4.8.2.5, "28-Volt DC Distribution - Operating."
STOLZ, J.F. Public Service Electric & Gas Co. of New Jersey. 96/01/04. Document Control Branch (Document Control Desk). 7pp. 86773:348-86773:356.

8601160176 Proposed tech specs representing changes to spec 3/4.8.2.5, "28-Volt DC Distribution - Operating."
Public Service Electric & Gas Co. of New Jersey. 96/01/04. 4pp. 86773:359-86773:366.

8601160145 Responds to GL 81-08 resolution of generic issue A-30, "Adequacy of Safety-Related DC Power Supplies" at Salem Generating Station units 1 & 2.
STOLZ, J.F. Public Service Electric & Gas Co. of New Jersey. 86/01/04. Document Control Branch (Document Control Desk). 8pp. 86822:104-86822:109.

8601030183 General Ltr 86-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. . 86/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 86827:272-86827:280.

8601160439 Responds to Ltr dtd 851010 requesting approval of ASME Code Case N-523, "Mechanical Clamping Devices for Class 2 & 3 Piping." Request denied at this time & PSE&G should request relief from ASME Code as described in GL 85-05.
STOLZ, J.F. . 86/01/11. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 86808:225-86808:228.

8601160440 Application for amendments to Licensee DPR-70, DPR-75 & NPF-57, revising TS Section 8.0 re administrative controls & replacing specific mgmt titles w/generic mgmt functional positions.
STOLZ, J.F. Public Service Electric & Gas Co. of New Jersey. 86/01/11. Document Control Branch (Document Control Desk). 14pp. 86824:267-86824:331.

960110014 Proposed Tech Specs Section 6.0 re administrative controls.
Public Service Electric & Gas Co. of New Jersey. 96/01/11. 51pp. 86824-281-86824-331.

960110042 Suppl 7 to Generic Lr 89-10 to all holders of CLA (except licensees amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86865-011-86865-016.

960130052 Forwards amends 179 & 180 to licensees DPR-70 & DPR-75 & SE. Amends TS 3/4.4.4 re pressurizer heaters, adding phrase, "capable of being powered from electric power supply" to LOO & altering frequency of SR 4.4.4.2.
OLSHAN, L. 96/01/24. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 86835-261-86835-274.

960130054 Amends 179 & 180 to licensees DPR-70 & DPR-75, respectively, changing TS 3/4.4.4 re pressurizer heaters, adding phrase, "capable of being powered from emergency power supply" & altering frequency of SR 4.4.4.2.
STOLZ, J.P. 96/01/24. 3pp. 86835-261-86835-271.

960130056 Safety evaluation supporting amends 179 & 180 to licensees DPR-70 & DPR-75, respectively.
96/01/24. 3pp. 86835-272-86835-274.

960130060 Forwards BNL TER in response to Interim App R post-fire safe shutdown insp at plant on 960517-21 & 0719. Concludes that licensee does not satisfy requirements of Section III.G of App R to 10CFR50. Issues to be discussed at 960207 meeting.
OLSHAN, L. 96/01/25. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 86871-021-86871-071.

960130066 "Final TER Salem Nuclear Power Station."
SULLIVAN, K. Brookhaven National Laboratory. 95/11/30. 47pp. 86871-025-86871-071.

D. Inspection reports, NE Bulletin & correspondence

960140010 Ack receipt of 961209 re informing NRC of steps taken to correct violations noted in insp repts 96-272/95-17 & 96-311/95-17.
NICHOLSON, L.E. Region 1 (Post 820201). 95/12/27. STORZ, L.F. Public Service Electric & Gas Co. of New Jersey. 3pp. 86760-341-86760-352.

960140020 Ack receipt of 961115 re informing NRC of steps taken to correct violations noted in insp repts 96-272/95-02, 96-272/95-07, 96-272/95-10 & 96-311/95-02, 96-311/95-07 & 96-311/95-10.
NICHOLSON, L.E. Region 1 (Post 820201). 95/12/27. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 86760-341-86760-353.

960140030 Responds to NRC 95/016 re re violations noted in insp repts 96-272/95-02, 96-272/95-07, 96-272/95-10 & 96-311/95-02, 96-311/95-07 & 96-311/95-10. Corrective actions CAP revised as described in cover letter to attachment.
ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 95/11/15. LIEBERMAN, J. Region 1 (Post 820201). 8pp. 86760-341-86760-353.

9612270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740-015-86740-023.

9612290129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 13pp. 86758-049-86758-061.

9612290299 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758-041-86758-048.

960140035 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOLDA, Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827-259-86827-271.

960110058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/16. Consolidated Edison Co. of New York, Inc. 9pp. 86828-106-86828-120.

9601900308 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86865-001-86865-010.

960130060 Forwards BNL TER in response to Interim App R post-fire safe shutdown insp at plant on 960517-21 & 0719. Concludes that licensee does not satisfy requirements of Section III.G of App R to 10CFR50. Issues to be discussed at 960207 meeting.
OLSHAN, L. 96/01/25. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 86871-021-86871-071.

960130066 "Final TER Salem Nuclear Power Station."
SULLIVAN, K. Brookhaven National Laboratory. 95/11/30. 47pp. 86871-025-86871-071.

9601250138 NRC Info Notice 96-007, "Slow Five Percent Steam Insertion Times Caused by Viton Diaphragms in Steam Safety Relief Valves."
CRUTCHFIELD, D. 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86865-017-86865-023.

R. Periodic operating reports & related correspondence

960110135 (Industrial) process wastewater sumps reft for Oct 1995 for Salem Generating Station/W/851220 ft.
WARREN, C.C. Public Service Electric & Gas Co. of New Jersey. 95/10/31. CAPOALE, G. New Jersey, State of. 9pp. 86768-344-86768-352.

960110185 NPOES discharge monitoring refts for Nov 1995 for Salem Generating Station/W/851220 ft.
WARREN, C.C. Public Service Electric & Gas Co. of New Jersey. 95/11/30. CAPOALE, G. New Jersey, State of. 18pp. 86768-344-86768-352.

9601230151 Monthly operating reft for Nov 1995 for Salem Unit 2, W/851214 ft.
PHILLIPS, R., HELLER, J., WARREN, C. Public Service Electric & Gas Co. of New Jersey. 96/11/30. 6pp. 86848-235-86848-243.

9601100220 Monthly operating reft for Dec 1995 for Salem Generating Station/W/860115 ft.
HELLER, J., PHILLIPS, R., WARREN, C. Public Service Electric & Gas Co. of New Jersey. 96/12/31. 7pp. 86826-288-86826-294.

S. Reportable occurrences, LERs & related correspondence

9601050237 Final response to FOIA request for documents. App A documents end & also placed in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/12/21. KURTZ, E. 2pp. 86758-108-86758-154.

9601050247 Package consisting of event refts for 840413-17 for listed plants & Region I monitoring reft for 940413-15.
NRC - No Detailed Attribution Given. 95/12/21. 47pp. 86758-108-86758-154.

960105024 LER 95-008-0008 951215, Tech Spec 4.9.9 missed isolation testing discovered. Caused by lack of adequate controls to ensure all testing requirements addressed. Procedure 52JC-FT, Rld-0068(C) revised W/960115 ft.
GREENLEE, S., WARREN, C. Public Service Electric & Gas Co. of New Jersey. 96/01/15. 8pp. 86840-226-86840-231.

V. Operator Examinations

9601050248 Advises that status of listed licensed operators changed as started per 10CFR50.74.
MCMAHON, L.F. Public Service Electric & Gas Co. of New Jersey. 95/12/27. Document Control Branch (Document Control Desk). 2pp. 86701-281-86701-282.

9601050136 NRC Administrative Lr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing rule exam schedule.
CRUTCHFIELD, D. 96/01/06. Consolidated Edison Co. of New York, Inc. 10pp. 86778-001-86778-010.

9601200222 Advises of licensed operators status changes per 10CFR50.74.
MCMAHON, L.F. Public Service Electric & Gas Co. of New Jersey. 96/01/25. MEYER, G.W. 2pp. 86961-285-86961-286.

DOCKET 96-012 RANCHO SECO NUCLEAR GENERATING STATION

J. Insurance & Indemnity Information

9601200216 Provides nuclear liability endorsements for Rancho Seco Nuclear Generating Station.
DELEZENSKI, J. Sacramento Municipal Utility District. 96/01/23. Document Control Branch (Document Control Desk). 5pp. 86945-223-86945-227.

P. Operating license stage documents & correspondence

9601200382 Forwards Rev 7 of Section XVII, "Audits" of "Rancho Seco Quality Manual" describing current Rancho Seco QA program.
DELEZENSKI, J. Sacramento Municipal Utility District. 96/01/24. Document Control Branch (Document Control Desk). 2pp. 86937-246-86937-252.

9601200382 Rev 7 to Section XVII, "Audits" of "Rancho Seco Quality Manual," describing current Rancho Seco QA program.
Sacramento Municipal Utility District. 96/07/31. 5pp. 86937-246-86937-252.

Q. Inspection reports, NE Bulletin & correspondence

9612270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740-015-86740-023.

9612290129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 13pp. 86758-049-86758-061.

9612290299 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758-041-86758-048.

960140035 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOLDA, Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827-259-86827-271.

960110058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/16. Consolidated Edison Co. of New York, Inc. 9pp. 86828-106-86828-120.

9601250138 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/26. Consolidated Edison Co. of New York, Inc. 10pp. 86865-001-86865-010.

62 DOCKETED ITEMS

9501264133 NRC Info Notice 95-007, "Slow Five Percent Scrub Insertion Times Caused By Viton Diaphragms in Scrub Solenoid Pilot Valves." CRUTCHFIELD, D. . 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86855017-86855023.

V. Operator Examinations

9501845133 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing rail exam schedule. CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778001-86778010.

W. Decommissioning Stage Documents & Correspondence

9501850133 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. . 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827280.

9501300005 Forwards suppl to Proposed Amend 167, Rev 1 re new 10CFR20 implementation based on discussions w/NRC during site visit on 950118. DELZENESKI, J. Sacramento Municipal Utility District. 95/01/22. Document Control Branch (Document Control Desk). 2pp. 86801080-86801082.

-9501300007 Proposed permanently defuncted TS page D5-15, updating administrative controls D5.3.5, "LER." * Sacramento Municipal Utility District. 95/01/22. 1p. 86801082-86801082.

950180442 Suppl 7 to Generic Ltr 95-10 to all holders of OIs (except licensee amended to possession only status) or CPs for nuclear power reactors re consideration of valve repositioning in PWRs. CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86855011-86855016.

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

P. Security, medical, emergency & fire protection plans

9501028258 Submits info re manner in which basic emergency planning info disseminated to public within NRC plume exposure pathway emergency planning zone during 1995. MIKIS, D.C. Entergy Operations, Inc. 95/12/28. Document Control Branch (Document Control Desk). 3pp. 86865358-86865360.

9501170294 Forwards rev 35 to industrial security plan. Encl withheld. MIKIS, D.C. Entergy Operations, Inc. 95/01/10. Document Control Branch (Document Control Desk). 2pp. 86812104-86812105.

Q. Adjudicatory correspondence

9501240358 Acts receipt of petition dtd 951117 requesting that NRC prohibit loading of VSC-24 casks at any nuclear site until unloading procedures are evaluated. Forwards "Receipt of Petition for Director's Decision Under 10CFR2.206." RUSSELL, W.T. . 95/01/18. SHILLINGLAW, F. Affiliation Not Assigned. 7pp. 86852331-86852346.

-9501244192 Notice of receipt of petition for director's decision under 10CFR2.206. RUSSELL, W.T. . 95/01/18. 2pp. 86852344-86852346.

-951212558 Discusses unloading analysis. SHILLINGLAW, F. Affiliation Not Assigned. 95/11/17. RUSSELL NRC - No Detailed Affiliation Given. 1p. 86852341-86852341.

-9501244178 Forwards copy of petition filed pursuant to 10CFR2.206, requesting that NRC prohibit loading of any VSC-24 casks pending further evaluation. W/draft ltr to petitioner & draft FR notice. GOLDBERG, J.R. Office of the General Counsel (Post 868701). 95/12/28. RUSSELL, W.T. . 6pp. 86852342-86852348.

R. General correspondence

9501260217 Submits ltr re vulnerability of VSC-24 to terrorism, specifically to LAW. OELSNER, G. People's Action for Safe Environment. 95/12/10. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 6pp. 86886380-86886387.

9501040027 Comment on draft suppl to GL 83-11, "Licensee Qualification for Performing Safety Analysis." MIKIS, D.C. Entergy Operations, Inc. 95/12/16. Rules & Directives Review Branch (Post 820223). 4pp. 86882231-86882234.

P. Operating license stage documents & correspondence

9501130246 Revision 1 to notification of licensee meeting w/UEs on 950118 to discuss Entergy-wide engineering & maint initiatives. DYER, J.E. Region 4 (Post 820201). 95/01/03. Region 4 (Post 820201). 6pp. 86790164-86790171.

9501180246 Responds to NRC 951113 RAI re update of ISI/IST programs. DENEASE, J.S. Entergy Operations, Inc. 95/01/05. Document Control Branch (Document Control Desk). 6pp. 86774352-86774357.

9501050133 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. . 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827280.

950180442 Suppl 7 to Generic Ltr 95-10 to all holders of OIs (except licensee amended to possession only status) or CPs for nuclear power reactors re consideration of valve repositioning in PWRs. CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86855011-86855016.

9501260084 Responds to ltr dtd 951103 answering several questions re SF storage at ANOLR dtd 951103 encl. MARCUS, G.H. . 95/01/25. SHILLINGLAW, F. Wisconsin, State of. 5pp. 86890215-86890218.

9501260328 Requests temporary relief to allow non-code repair of piping as required by GL 90-05, "Guidance for Performing Temporary Non-Code Repair of ASME Code Class 1, 2 & 3 Piping." Justification for temporary repair of piping encl. MIKIS, D.C. Entergy Operations, Inc. 95/01/23. Document Control Branch (Document Control Desk). 7pp. 86897281-86897287.

Q. Inspection reports, IE Bulletin & correspondence

9501020323 Requests approval per 10CFR50.55a(3)(c) for use of ASME Code Case N-466-2, "Alternative Requirements for 10-Yr Sys Hydrostatic Testing for Class 1, 2 & 3 Sys, Section XI Div 1," by 950301. MIKIS, D.C. Entergy Operations, Inc. 95/12/28. Document Control Branch (Document Control Desk). 2pp. 86701334-86701337.

9501040314 Ack receipt of 951026 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/95-08 & 50-368/95-08. SWYNN, T.P. Region 4 (Post 820201). 95/12/29. YELVERTON, J.W. Entergy Operations, Inc. 4pp. 86898157-86898163.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 3pp. 86740015-86740023.

9512280129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758061.

9512280299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758041-86758048.

9501300246 Responds to NRC 951113 RAI re update of ISI/IST programs. DENEASE, J.S. Entergy Operations, Inc. 95/01/05. Document Control Branch (Document Control Desk). 6pp. 86774352-86774357.

9501040315 Ack receipt of 951215 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/95-08 & 50-368/95-08. DYER, J.E. Region 4 (Post 820201). 95/01/08. YELVERTON, J.W. Entergy Operations, Inc. 4pp. 86770058-86770063.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827258-86827271.

9501170835 Forwards insp repts 50-313/95-08 & 50-368/95-08 on 951026-1209 & notice of violation. DYER, J.E. Region 4 (Post 820201). 95/01/10. YELVERTON, J.W. Entergy Operations, Inc. 6pp. 86771095-86771110.

-9501170041 Notice of violation from insp on 951026-1209. Violation noted: licensee provided ability to interconnect two water lines at SCHE 2E-35A & 35B w/o temporary eye as temporary mod in accordance w/Procedure 1000.028. * Region 4 (Post 820201). 95/01/10. 2pp. 86771093-86771094.

-9501170050 Insp repts 50-313/95-08 & 50-368/95-08 on 951026-1209. Violations noted: Major areas inspected: operational safety verification, maint & surveillance observations & plant support activities. REIS, T. Region 4 (Post 820201). 95/01/10. 16pp. 86771095-86771110.

9501180528 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. . 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86825109-86825120.

9501090905 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants." CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86865301-86865310.

9501260133 NRC Info Notice 95-007, "Slow Five Percent Scrub Insertion Times Caused By Viton Diaphragms in Scrub Solenoid Pilot Valves." CRUTCHFIELD, D. . 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86855017-86855023.

R. Periodic operating reports & related correspondence

9501240446 Monthly operating rept for Dec 1995 for ANO-1-W/950116 ltr. WATT, M.S. MIKIS, D.C. Entergy Operations, Inc. 95/12/31. 7pp. 86871081-86871087.

V. Operator Examinations

9501840338 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing rail exam schedule. CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 16pp. 86778001-86778010.

DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8501250107 Notice of 950124 meeting w/ staff in Rockville, MD to discuss rev to license emergency plan to incorporate NUMARC emergency plan levels.
HICKMAN, J.B., 95/01/22. HANNON, J.N., 3pp. 85855:134-85855:117.

P. Operating license stage documents & correspondence

8501050184 Confirms mtg meeting on 950111 in Lisle, IL, to discuss activities in area of plant mtd condition & actions re human performance issues.
KROPP, W.J., Region 3 (Post 820201), 95/12/25. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.), 1p. 85794:330-85794:330.

8501100187 Informs that version of submitted info marked as proprietary (WCAP-14584) will be withheld from public disclosure per 10CFR2.790(b)(5) & Section 103(b) of AEA of 1954.
HICKMAN, J.B., 95/01/03. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.), FITZPATRICK, E. American Electric Power Service Corp. 3pp. 85788:221-85788:223.

8501180871 Forwards amend 205 to license DPR-58 & safety evaluation. Amend modifies TS to allow use of laser-welded sleeves to repair defective SG tubes.
HICKMAN, J.B., 95/01/04. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.), 3pp. 85773:204-85773:228.

-8501180874 Amend 205 to license DPR-58, modifying TS to allow use of laser-welded sleeves to repair defective SG tubes.
HICKMAN, J.B., 95/01/04, 10pp. 85773:207-85773:216.

-8501180877 Safety evaluation supporting amend 205 to license DPR-58.
*, 95/01/04, 11pp. 85773:217-85773:223.

8501170884 Forwards amends 208 & 190 to licenses DPR-58 & DPR-74, respectively & safety evaluation. Amends incorporate cycle & burnup dependent peaking factor penalty in COLR & add to TS appropriate reference to COLR.
HICKMAN, J.B., 95/01/04. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.), FITZPATRICK, E. American Electric Power Service Corp. 4pp. 85800:155-85800:172.

-8501170871 Amends 208 & 190 to licenses DPR-58 & DPR-74, respectively, incorporating cycle & burnup dependent peaking factor penalty in COLR & adding to TS appropriate reference to COLR.
HICKMAN, J.B., 95/01/04, 10pp. 85800:160-85800:169.

-8501170874 Safety evaluation supporting amends 208 & 190 to licenses DPR-58 & DPR-74, respectively.
*, 95/01/04, 3pp. 85800:170-85800:172.

8501050183 Generic LR 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic devices.
CRUTCHFIELD, D., 95/01/10. Consolidated Edison Co. of New York, Inc. 6pp. 85827:222-85827:230.

8501230301 Forwards special rept per criteria established by 12 PMF 8010 OSD, 001, "DCR".
NOBLE, D.L. American Electric Power Co., Inc. 95/01/10. Document Control Branch (Document Control Desk), 1p. 85850:309-85850:315.

-8501230305 Submits special rept re loss of radiological environ monitoring programs indicator for RIR farm.
NOBLE, D.L. American Electric Power Co., Inc. 95/01/08. Document Control Branch (Document Control Desk), 6pp. 85850:310-85850:315.

8501170289 Application for amends to licenses DPR-58 & DPR-74, modifying TS section 4.4.11 to eliminate SR demonstrating operability of emergency power supply for pressurizer PORVs & block valves.
FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.), 95/01/12. Document Control Branch (Document Control Desk), 6pp. 85812:002-85812:014.

-8501170294 Proposed tech specs, modifying TS section 4.4.11 to eliminate SR demonstrating operability of emergency power supply for pressurizer PORVs & block valves.
*, Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.), 95/01/12, 6pp. 85812:010-85812:014.

8501230295 Forwards response to add info re ASME Section XI relief for volumetric weld testing of selected RCS branch connection welds.
FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.), 95/01/19. Document Control Branch (Document Control Desk), 6pp. 85860:090-85860:097.

8501250139 Forwards SG-95-12-010, "DC Cook Unit 1 1995 Interim Plugging Criteria 90 Day Repl." for Dec 1995.
FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.), 95/01/19. Document Control Branch (Document Control Desk), 3pp. 85867:169-85867:249.

-8501250143 "DC Cook Unit 1 1995 Interim Plugging Criteria 90 Day Repl."
*, Westinghouse Electric Corp. SG-95-12-010, 95/12/31, 46pp. 85867:202-85867:249.

8501180442 Suppl 7 to Generic LR 95-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PMRs.
CRUTCHFIELD, D., 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 85850:011-85850:015.

Q. Inspection reports, IE Bulletins & correspondence

8502200372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp. to Disable Equipment Important to Safety."
CRUTCHFIELD, D., 95/01/03. Consolidated Edison Co. of New York, Inc. 6pp. 85740:015-85740:023.

9502290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D., 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 85750:049-85750:061.

9502290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D., 95/01/06. Consolidated Edison Co. of New York, Inc. 8pp. 85758:041-85758:048.

8501180896 Responds to unresolved item 95010-01 from insp rept 50-315/95-10 & 50-316/95-10 re preconditioning of EDG.
FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.), 95/01/05. Document Control Branch (Document Control Desk), 3pp. 85822:091-85822:093.

9501040535 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COLE, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729), 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 85827:259-85827:271.

9501180858 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D., 95/01/15. Consolidated Edison Co. of New York, Inc. 9pp. 85828:109-85828:120.

8501250181 Forwards "DC Cook Nuclear Plant Unit 1 Rept of Inservice Insps from 940330-851026."
SAMPSON, J.R. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.), 95/01/18. Document Control Branch (Document Control Desk), 2pp. 85825:023-85825:023.

-8501250195 "DC Cook Nuclear Plant Unit 1 Rept of Inservice Insps from 940330-851026."
*, Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.), 95/01/25, 20pp. 85825:025-85825:223.

8501230286 Forwards response to add info re ASME Section XI relief for volumetric weld testing of selected RCS branch connection welds.
FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.), 95/01/19. Document Control Branch (Document Control Desk), 6pp. 85860:090-85860:097.

9501180808 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D., 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85865:001-85865:010.

8501230212 Provides third 10-yr ISI plan & requests relief from ASME Section XI requirements. Add info in support of previous relief request submitted in 850728 re also wcd.
FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.), 95/01/25. Document Control Branch (Document Control Desk), 57pp. 85848:001-85848:067.

-8501230229 Vol I & II of "Third 10-Yr Interval Long-Term Inservice Exam Plan for Class 1, 2 & 3 Sys & Components for DC Cook Nuclear Plant Unit 1." final plan.
ANDERSON, J.R., JACOBS, B.M. Southwest Research Institute, 95/01/30, 127pp. 85848:058-85848:236.

-8501230232 Vol I & II of "Third 10-Yr Interval Long-Term Inservice Exam Plan for Class 1, 2 & 3 Sys & Components for DC Cook Nuclear Plant Unit 2." final plan.
ANDERSON, J.R., JACOBS, B.M. Southwest Research Institute, 95/01/30, 1400pp. 85852:237-85852:557.

9501250139 NRC Info Notice 95-007, "Slow Five Percent Boron Insertion Times Caused By Viton Diaphragms in Spring-Loaded Pilot Valves."
CRUTCHFIELD, D., 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 85860:017-85860:023.

R. Periodic operating reports & related correspondence

9501170218 Monthly operating rept for Dec 1995 for DC Cook Nuclear Plant Unit 1, W/ 950103 R.
JANISSE, J.D., RUSSO, M.E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.), 95/12/31, 6pp. 85800:180-85800:185.

S. Reportable occurrences, LSRs & related correspondence

8501180221 LER 95-012-000 on 951207, manual FT conservatively initiated due to increased main turbine vibration. Revised procedure for removing MSRs from svc. W/ 950108 R.
SCHOFF, P., BLIND, A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.), 95/01/06, 4pp. 85800:058-85800:062.

V. Operator Examinations

9501180438 NRC Administrative LR 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam exam schedule.
CRUTCHFIELD, D., 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 85775:001-85775:010.

8501300022 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 090410.
BURDICK, T.H. Region 3 (Post 820201), 95/01/24. LACROIX, G.G. Consumers Power Co. SIMPKINS, R.A. Center Energy. KOTOWSKI, L.M. Commonwealth Edison Co. 3pp. 85867:003-85867:005.

64 DOCKETED ITEMS

DOCKET 54-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9501250107 Notices of 950124 meeting w/atl in Rockville,MD to discuss rev to license emergency plan to incorporate NIMARC emergency plan levels.
HICKMAN,J.B. . 95/01/22. HANMON,J.N. . 3pp. 88858114-88858117.

F. Operating license stage documents & correspondence

9501050184 Confirms regt meeting on 950111 in Litchfield to discuss activities in area of plant staff condition & actions re human performance issues.
(ROPP,W.J. Region 3 (Post 820201). 95/12/25. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 85764330-85764332.

9501170054 Forwards amends 206 & 190 to licenses DPR-58 & DPR-74, respectively & safety evaluation. Amends incorporates cycle & burnup dependent peaking factor penalty in COLR & add to TS appropriate reference to COLR.
HICKMAN,J.B. . 95/01/04. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK,E. American Electric Power Service Corp. 4pp. 88800158-88800172.

9501170071 Amends 206 & 190 to licenses DPR-58 & DPR-74, respectively, incorporating cycle & burnup dependent peaking factor penalty in COLR & adding to TS appropriate reference to COLR.
HICKMAN,J.B. . 95/01/04. 10pp. 88800160-88800169.

9501170074 Safety evaluation supporting amends 206 & 190 to licenses DPR-58 & DPR-74, respectively.
HICKMAN,J.B. . 95/01/04. 3pp. 88800170-88800172.

9501050189 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD,D. . 95/01/16. Consolidated Edison Co. of New York, Inc. 9pp. 88827272-88827280.

9501230501 Forwards special rept per criteria established by 12 PMP 6010 OGD,001, "OCM."
NOBLE,D.L. American Electric Power Co., Inc. 95/01/10. Document Control Branch (Document Control Desk). 1p. 88850308-88850315.

9501230505 Submits special rept re loss of radiological environ monitoring program indicator milk farm.
NOBLE,D.L. American Electric Power Co., Inc. 95/01/08. Document Control Branch (Document Control Desk). 6pp. 88850310-88850315.

9501170229 Application for amends to licenses DPR-58 & DPR-74, modifying TS section 4.4.11 to eliminate SR demonstrating operability of emergency power supply for pressurizer PORVs & block valves.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/01/12. Document Control Branch (Document Control Desk). 6pp. 88812002-88812014.

9501170234 Proposed tech specs, modifying TS section 4.4.11 to eliminate SR demonstrating operability of emergency power supply for pressurizer PORVs & block valves.
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/01/12. 5pp. 88812010-88812014.

9501230594 Forwards response to add info re ASME Section XI relief for volumetric weld testing of selected RCS branch connection welds.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/01/18. Document Control Branch (Document Control Desk). 8pp. 88850090-88850097.

9501190442 Suppl 7 to Generic Ltr 95-10 to all holders of OLs (except licensee amends to possession only status) or CPs for nuclear power reactors re consideration of valve operation in PWRs.
CRUTCHFIELD,D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 88850311-88850316.

G. Inspection reports, IE Bulletins & correspondence

9512270272 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD,D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 88740015-88740023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD,D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 88768345-88768361.

9512290295 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD,D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 5pp. 88758341-88758348.

9501190096 Responds to unresolved item 95010-01 from insp rept 53-316/95-10 & 50-318/95-10 re preconditioning of RDG.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/01/05. Document Control Branch (Document Control Desk). 3pp. 88822091-88822093.

9501190335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870726). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 88827259-88827271.

9501110054 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD,D. . 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 88828109-88828120.

9501232896 Forwards response to add info re ASME Section XI relief for volumetric weld testing of selected RCS branch connection welds.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/01/18. Document Control Branch (Document Control Desk). 8pp. 88850090-88850097.

9501190908 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plant."
CRUTCHFIELD,D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 88950001-88950010.

9501310012 Provides third 70-yr ISI plan & requests relief from ASME Section XI requirements. Add info in support of previous relief request submitted in 950728 for also end.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/01/25. Document Control Branch (Document Control Desk). 57pp. 88948001-88948057.

9501110032 Vols I & II of "Third 10-Yr Interval Long-Term Inservice Exam Plan for Class 1,2 & 3 Sys & Components for DC Cook Nuclear Plant/Unit 2," final plan.
ANDERSON,A.R., JACOBS,B.M. Southwest Research Institute. 95/11/30. 1,400pp. 88952237-88952267.

9501230139 NRC Info Notice 95-007, "Slow Fire Percent Screen Insertion Times Caused By Vibration Disruptions in Screen Solenoid Pilot Valves."
CRUTCHFIELD,D. . 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 88950107-88950123.

H. Periodic operating reports & related correspondence

9501170205 Monthly operating rept for Dec 1995 for DC Cook Nuclear Plant Unit 2/W/ 950103 lr.
JANSSE,J.D., RUSSO,M.E. Indiana Michigan Power Co. 95/12/31. 6pp. 88800174-88800179.

V. Operator Examinations

9501040128 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing refit exam schedule.
CRUTCHFIELD,D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 88779301-88779310.

9501300822 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 950410.
BURDICK,T.H. Region 3 (Post 820201). 95/01/24. LACROCK,D.G. Consumers Power Co. CANTRELL,J.D. IES Utilities Inc. (formerly Iowa Electric Light & Power Co.). BERHARDT,R.R. Detroit Edison Co. 3pp. 88827003-88827005.

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9501110190 Forwards FEMA final rept for OCNPP radiological emergency preparedness exercise on 950918.
KELSO,R.R. Region 1 (Post 820201). 95/12/26. DENTON,J.E. Baltimore Gas & Electric Co. 2pp. 88768259-88768260.

9501110185 Forwards final rept for OCNPP radiological emergency preparedness exercise conducted on 950918.
LAMB,J.E. Federal Emergency Management Agency. 95/12/01. BORES,R. Region 1 (Post 820201). 1p. 88768271-88768271.

9512140228 "Final Exercise Rept" for Calvert Cliffs Nuclear Power Plant.
Federal Emergency Management Agency. 95/11/09. 46pp. 88768272-88768280.

9501090049 Press Release 95-02, "NRC Staff Proposes to Fine Baltimore Gas & Electric Co \$50,000 for Alleged Violation of Security Regulations at Calvert Cliffs Nuclear Power Plant."
Office of Public Affairs (Post 911117). 95/01/03. 2pp. 88768323-88768323.

9501290220 Discusses 951121 lr re response to 9501016 lr re violation of fire barrier requirements of 10CFR50, App R in that cork expansion joints had not been designed or tested as 3 h rated fire barrier penetration seals.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/01/22. DENTON,J.E. Baltimore Gas & Electric Co. 2pp. 88884240-88884245.

9501310826 Rev 22 to App E to Emergency Response Plan for Calvert Cliffs Nuclear Power Plant, "NUREG-0554 Cross Ref."
Baltimore Gas & Electric Co. 95/01/24. 43pp. 88945309-88945350.

G. Adjudicatory correspondence

9501180151 Informs J. Doherty that time provided by NRC regulation within which Commission may act to review Director Decision in docket has expired. W/Certificate of Service served on 950105.
HOYLE,J.C. Office of the Secretary of the Commission. #196 17409. 95/01/25. DOHERTY,J.F. Affiliation Not Assigned. 3pp. 88763099-88763101.

P. Operating license stage documents & correspondence

9501020145 Ltr contract, Mod 6 to task order 33, correcting Mod 4 did 950826 & increasing level of effort by adding 38 hrs for continued performance of work, "IFE Reviews - Internal Events - Front End Only."
MACE,M.H. Division of Contracts (Post 940734). NRC-04-93-088. 95/12/14. COLINA,I. Science & Engineering Associates, Inc. 2pp. 88882094-88882095.

9801020067 Summarizes 851206 meeting w/utl in Rockville, MD re proposed responses to RAI resulting from ongoing review of Calvert Cliffs Integrated Plant Assessment Methodology. W/meeting mths.
MOULTON, J.P., 95/12/22. Baltimore Gas & Electric Co. 2pp. 86882-006-86882-024.

9801040007 Forwards amend 209 to license DPR-53 & safety evaluation. Amend revises CC-1 TSE by extending certain 18-month instrument surveillance intervals by max of 39 days to 980331.
MCDONALD, D.G., 95/12/29. DENTON, R.E. Baltimore Gas & Electric Co. 4pp. 86730-050-86730-075.

9801040008 Amend 209 to license DPR-53, revising CC-1 TSE by extending certain 18-month instrument surveillance intervals by max of 39 days to 980331.
MARSH, L.B., 95/12/29. 17pp. 86730-054-86730-070.

9801040010 Safety evaluation supporting amend 209 to license DPR-53.
*, 95/12/29. 5pp. 86730-071-86730-075.

9801040227 Response to submitted dtd 850721 re updated PTS evaluation in accordance w/PTS Rule 10CFR50.61(a)(1) & forwards SE.
MCDONALD, D.G., 95/01/02. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 86727-350-86727-354.

9801040231 Safety evaluation approving updated PTS evaluation.
*, 95/01/02. 6pp. 86727-353-86727-358.

9801200150 Ltr contract mod 1 to task order 33, to "WFE Reviews - Internal Events - Front End Only (Calvert Cliffs)." MACE, M. Division of Contracts (Post 940714). 95/01/02. COLLINS, Science & Engineering Associates, Inc. 2pp. 86842-282-86842-283.

9801050193 Generic Ltr 85-01 to all holders of OIs or CPs for nuclear power reactors as testing of safety-related logic circuits.
CRITCHFIELD, D., 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827-272-86827-280.

9801050237 Forwards "Calvert Cliffs Nuclear Power Plant Integrated Plant Assessment Methodology," rev 1.
DENTON, R.E. Baltimore Gas & Electric Co. 95/01/11. Document Control Branch (Document Control Desk). 2pp. 86831-301-86831-302.

9801050247 "Calvert Cliffs Nuclear Power Plant Integrated Plant Assessment Methodology," rev 1.
*, Baltimore Gas & Electric Co. 95/01/11. 80pp. 86831-303-86831-302.

9801050129 Application for amend to licenses DPR-53 & DPR-59, adopting Option B of 10CFR50, App J to require Type A containment LRT to be performed on performance-based testing schedule.
DENTON, R.E. Baltimore Gas & Electric Co. 95/01/18. Document Control Branch (Document Control Desk). 13pp. 86822-287-86822-320.

9801050134 Proposed tech spec, adopting Option B of 10CFR50, App J to require Type A containment LRT to be performed on performance-based testing schedule.
*, Baltimore Gas & Electric Co. 95/01/16. 21pp. 86822-300-86822-320.

9801250333 Ack receipt of Rtr 851221 withdrawing application for amend to licenses DPR-53 & DPR-59, modifying TS 5.2.1 to allow use of cladding mths other than Zirloy or ZIRLO & forwards notice of withdrawal.
MCDONALD, D.G., 95/01/17. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 86867-060-86867-065.

9801250061 Notice of withdrawal of 850713 application for amend to license, modifying TS 5.2.1 to allow use of cladding mths other than Zirloy & ZIRLO.
MCDONALD, D.G., 95/01/17. 2pp. 86867-064-86867-065.

9801040442 Suppl 7 to Generic Ltr 85-10 to all holders of OIs (except licenses amend- ed to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRITCHFIELD, D., 95/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86855-011-86855-016.

D. Inspection reports, IR Bulletins & correspondence

9801030395 Forwards response to violations noted in Insp Repts 50-317/95-09 & 50-318/95-09. Corrective actions dtd withdrawn transceivers added to USFS.
DENTON, R.E. Baltimore Gas & Electric Co. 95/12/28. Document Control Branch (Document Control Desk). 3pp. 86730-243-86730-245.

9812270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRITCHFIELD, D., 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86742-015-86742-023.

9812280129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRITCHFIELD, D., 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758-048-86758-081.

9812280299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Violation as Result of Thermal Effects."
CRITCHFIELD, D., 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758-041-86758-048.

9801040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827-259-86827-271.

9801050058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRITCHFIELD, D., 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86822-109-86822-120.

9801250220 Discovers 851121 in response to 951018 in re violation of fire barrier requirements of 10CFR50, App R in that cork expansion joints had not been designed or tested as 3 h rated fire barrier penetration seals.
DOERFLEIN, L.T. Region 1 (Post 820201). 95/01/22. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 86864-240-86864-243.

9801250316 Ack receipt of 851226 in informing NRC of steps taken to correct violations noted in Insp rpt 50-317/95-09 & 50-318/95-09.
DOERFLEIN, L.T. Region 1 (Post 820201). 95/01/23. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 86864-229-86864-234.

9801250356 Forwards exam repts 50-317/95-110L & 50-318/95-110L on 951115-30. All applicants passed initial exam & were subsequently issued licenses.
MEYER, G.W. Region 1 (Post 820201). 95/01/23. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 86885-001-86885-215.

9801250389 Exam repts 50-317/95-110L & 50-318/95-110L on 951115-30. Exam results initial exam administered to three SRO instant applicants, three SRO upgrade applicants & two RO applicants. All applicants passed exam.
WILLIAMS, J.H., MEYER, G.W. Region 1 (Post 820201). 95/01/23. 21pp. 86885-004-86885-216.

9801050306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRITCHFIELD, D., 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86855-001-86855-010.

9801250189 NRC Info Notice 95-007, "Slow Five Percent Scrub Insertion Times Caused by Viton Diaphragms in Scrub Solenoid Pilot Valves."
CRITCHFIELD, D., 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86865-017-86865-023.

R. Periodic operating reports & related correspondence

9801050232 Forwards monthly operating repts for Dec 1995 for CCNPP Units 1 & 2 & rev to monthly operating rpt for Nov 1995 for CCNPP Unit 2, correcting calculation error in average daily power level.
CRITCHFIELD, D., 95/01/15. Document Control Branch (Document Control Desk). 1p. 86829-343-86829-350.

9801050235 Monthly operating repts for Dec 1995 for CCNPP Units 1 & 2.
OLSEN, H.O. Baltimore Gas & Electric Co. 95/12/31. 16pp. 86829-344-86829-359.

9801050238 Rev to monthly operating rpt for Nov 1995 for CCNPP Unit 2.
OLSEN, H.O. Baltimore Gas & Electric Co. 95/11/30. 1p. 86829-350-86829-360.

G. Reportable occurrences, UERs & related correspondence

9801050437 Final response to FOIA request for documents App A documents and 8 also placed in PDF.
FOWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. KURTZ, E., 2pp. 86768-105-86768-154.

9801050247 Package consisting of event repts for 940413-17 for listed plants & Region I morning rpt for 940413-15.
*, NRC - No Detailed Attribution Given. 95/12/21. 47pp. 86758-108-86758-164.

V. Operator Examinations

9801040338 NRC Administrative Ltr 85-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam schedule.
CRITCHFIELD, D., 95/01/02. Consolidated Edison Co. of New York, Inc. 10pp. 86776-001-86776-010.

9801250358 Forwards exam repts 50-317/95-110L & 50-318/95-110L on 951115-30. All applicants passed initial exam & were subsequently issued licenses.
MEYER, G.W. Region 1 (Post 820201). 95/01/23. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 86885-001-86885-216.

9801250389 Exam repts 50-317/95-110L & 50-318/95-110L on 951115-30. Exam results initial exam administered to three SRO instant applicants, three SRO upgrade applicants & two RO applicants. All applicants passed exam.
WILLIAMS, J.H., MEYER, G.W. Region 1 (Post 820201). 95/01/23. 21pp. 86885-004-86885-216.

Y. Dry Cask Independent Spent Fuel Storage Installations

9801030396 Forwards response to violations noted in Insp Repts 50-317/95-09 & 50-318/95-09. Corrective actions dtd withdrawn transceivers added to USFS.
DENTON, R.E. Baltimore Gas & Electric Co. 95/12/28. Document Control Branch (Document Control Desk). 3pp. 86730-243-86730-245.

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9801050180 Forwards FEMA final rpt for CCNPP radiological emergency preparedness exercise on 950919.
KRAMER, J.R. Region 1 (Post 820201). 95/12/28. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 86758-259-86758-320.

9801050185 Forwards final rpt for CCNPP radiological emergency preparedness exercise conducted on 950919.
LAMB, J.E. Federal Emergency Management Agency. 95/12/01. BORES, R. Region 1 (Post 820201). 1p. 86758-271-86758-271.

9512140229 "Final Exercise Rpt" for Calvert Cliffs Nuclear Power Plant.
*, Federal Emergency Management Agency. 95/11/09. 48pp. 86758-272-86758-320.

9801050049 Press Release 95-02, "NRC Staff Proposes to Fine Baltimore Gas & Electric Co \$50,000 for Alleged Violation of Security Regulations at Calvert Cliffs Nuclear Power Plant."
*, Office of Public Affairs (Post 911117). 95/01/03. 2pp. 86766-323-86766-323.

66 DOCKETED ITEMS

060120222 Discusses 051121 in response to 951018 in re violation of fire barrier requirements of 10CFR50, App R in that cork expansion joints had not been designed or tested as 3 h rated fire barrier penetration seals.
DOERFLEIN, L.T., Region 1 (Post 820201). 05/01/22. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 86842240-8684245.

060121005 Rev 22 to App E to Emergency Response Plan for Calvert Cliffs Nuclear Power Plant, "NUREG-0654 Cross Ref."
* Baltimore Gas & Electric Co. 05/01/24. 43pp. 86845309-86845350.

G. Adjudicatory correspondence

060120051 Informs J. Doherty that time provided by NRC regulation within which Commission may act to review Director Decision in docket has expired. W/Certificate of Service on 060106.
HOYLE, J.C., Office of the Secretary of the Commission. #398 17409. 06/01/06. DOHERTY, J.F. Affiliation Not Assigned. 3pp. 86783099-86783101.

F. Operating license stage documents & correspondence

0601020445 Ltr contract, Mod 8 to task order 33, correcting Mod 4 did 060828 & increasing level of effort by adding 16 hrs for continued performance of work to "IPE Reviews - Internal Events - Front End Only."
MACE, M.H., Division of Contracts (Post 840714). NRC-04-01-068. 05/12/14. COLINA, J. Science & Engineering Associates, Inc. 2pp. 86882094-86882095.

060102007 Summarizes 051206 meeting w/ staff in Rockville, MD re proposed response to RAJ resulting from ongoing review of Calvert Cliffs Integrated Plant Assessment Methodology. W/ meeting notes.
MCULTON, J.P., 05/12/22. Baltimore Gas & Electric Co. 20pp. 86882005-86882024.

0601040227 Response to substantial did 060721 as updated PTS evaluation in accordance w/ PTS Rule 10CFR50.51(b)(1) & 50.51(b)(2).
MCCONALD, D.G., 06/01/02. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 86727350-86727358.

-0601040251 Safety evaluation approving updated PTS evaluation.
*, 06/01/02. 3pp. 86727353-86727358.

0601240180 Ltr contract, Mod 1 to task order 33 to "IPE Reviews - Internal Events - Front End Only (Calvert Cliffs)."
MACE, M.H., Division of Contracts (Post 840714). 06/01/02. COLINA, J. Science & Engineering Associates, Inc. 2pp. 86842282-86842283.

0601050193 Generic Ltr 06-01 to all holders of OAs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D., 06/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827280.

0601190237 Forwards "Calvert Cliffs Nuclear Power Plant Integrated Plant Assessment Methodology," rev 1.
DENTON, R.E. Baltimore Gas & Electric Co. 06/01/11. Document Control Branch (Document Control Desk). 2pp. 86831001-86831002.

-0601190247 "Calvert Cliffs Nuclear Power Plant Integrated Plant Assessment Methodology," rev 1.
* Baltimore Gas & Electric Co. 06/01/11. 9pp. 86831003-86831002.

0601190248 Application for amendments to licenses DPR-53 & DPR-69, adopting Option B of 10CFR50, App J to require Type A containment LRT to be performed on performance-based testing schedule.
DENTON, R.E. Baltimore Gas & Electric Co. 06/01/16. Document Control Branch (Document Control Desk). 13pp. 86822287-86822320.

-0601190134 Proposed tech specs, adopting Option B of 10CFR50, App J to require Type A containment LRT to be performed on performance-based testing schedule.
* Baltimore Gas & Electric Co. 06/01/16. 21pp. 86822300-86822320.

0601230333 Ack receipt of ltr did 051221 withdrawing application for amend to licenses DPR-53 & DPR-69, modifying TS 5.2.1 to allow use of cladding rods other than Zircaloy or ZIRLO & forwards notice of withdrawal.
MCCONALD, D.G., 06/01/17. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 86867060-86867065.

-0601230361 Notice of withdrawal of 060713 application for amend to licenses, modifying TS 5.2.1 to allow use of cladding rods other than Zircaloy & ZIRLO.
MCCONALD, D.G., 06/01/17. 2pp. 86867064-86867065.

0601190442 Suppl 7 to Generic Ltr 06-10 to all holders of OAs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D., 06/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86853011-86853016.

G. Inspection reports, IE Bulletins & correspondence

0601030396 Forwards response to violations noted in Insp Repts 50-317/95-09 & 50-318/95-09. Corrective actions: add microwave transmitters added to ISFSI.
DENTON, R.E. Baltimore Gas & Electric Co. 05/12/26. Document Control Branch (Document Control Desk). 3pp. 86790243-86790245.

0512270072 NRC info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disrupt Equipment Important to Safety."
CRUTCHFIELD, D., 06/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740015-86740023.

0512290129 NRC info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D., 06/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86755049-86755061.

0512290229 NRC info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D., 06/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86755041-86755048.

0601040336 NRC info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COLODIA, Division of Industrial & Medical Nuclear Safety (Post 870720). 06/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

0601110058 NRC info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D., 06/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86828109-86828120.

0601290229 Discusses 051121 in response to 951018 in re violation of fire barrier requirements of 10CFR50, App R in that cork expansion joints had not been designed or tested as 3 h rated fire barrier penetration seals.
DOERFLEIN, L.T., Region 1 (Post 820201). 06/01/22. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 86842240-8684245.

0601290519 Ack receipt of 051225 in re informing NRC of steps taken to correct violations noted in Insp rpt 50-317/95-09 & 50-318/95-09.
DOERFLEIN, L.T., Region 1 (Post 820201). 06/01/23. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 86842240-8684234.

0601290358 Forwards exam repts 50-317/95-110L & 50-318/95-110L on 051115-30. All applicants passed initial exam & were subsequently issued licenses.
MEYER, G.W., Region 1 (Post 820201). 06/01/23. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 86845001-86845016.

-0601290359 Exam repts 50-317/95-110L & 50-318/95-110L on 051115-30. Exam results: initial exam administered to three SRO instant applicants, three SRO upgrade applicants & two RO applicants. All applicants passed exam.
WILLIAMS, L.H., Region 1 (Post 820201). 06/01/23. 21pp. 86845004-86845016.

0601190386 NRC info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D., 06/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86845001-86845010.

0601200139 NRC info Notice 96-007, "Slow Five Percent Scrub Insertion Times Caused by Vibration in Scrub Solenoid Pilot Valves."
CRUTCHFIELD, D., 06/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86845017-86845023.

R. Periodic operating reports & related correspondence

0601190232 Forwards monthly operating repts for Dec 1995 for CCNPP Units 1 & 2 & also placed in PDR.
POWELL, R.A., Division of Freedom of Information & Publications Services (Post 840714). 06/12/21. KURTZ, E. 2pp. 86758106-86758104.

-0601190235 Monthly operating repts for Dec 1995 for CCNPP Units 1 & 2.
OLSEN, H.O., Baltimore Gas & Electric Co. 05/12/31. 16pp. 86829344-86829359.

-0601190238 Rev to monthly operating rpt for Nov 1995 for CCNPP Unit 2.
OLSEN, H.O., Baltimore Gas & Electric Co. 05/11/30. 1p. 86829360-86829360.

S. Reportable occurrences, LERs & related correspondence

0601050337 Final response to FOIA request for documents. App A documents end & also placed in PDR.
POWELL, R.A., Division of Freedom of Information & Publications Services (Post 840714). 06/12/21. KURTZ, E. 2pp. 86758106-86758104.

-0601050347 Package consisting of event repts for 040413-17 for listed plants & Region 1 morning rpt for 040413-15.
* NRC - No Detailed Affiliation Given. 06/12/21. 47pp. 86758109-86758154.

V. Operator Examinations

0601040138 NRC Administrative Ltr 06-01 to all holders of OAs or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D., 06/01/06. Consolidated Edison Co. of New York, Inc. 10pp. 86776001-86776010.

0601290358 Forwards exam repts 50-317/95-110L & 50-318/95-110L on 051115-30. All applicants passed initial exam & were subsequently issued licenses.
MEYER, G.W., Region 1 (Post 820201). 06/01/23. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 86845001-86845016.

-0601290359 Exam repts 50-317/95-110L & 50-318/95-110L on 051115-30. Exam results: initial exam administered to three SRO instant applicants, three SRO upgrade applicants & two RO applicants. All applicants passed exam.
WILLIAMS, L.H., MEYER, G.W., Region 1 (Post 820201). 06/01/23. 21pp. 86845004-86845016.

Y. Dry Cask Independent Spent Fuel Storage Installations

0601030396 Forwards response to violations noted in Insp Repts 50-317/95-09 & 50-318/95-09. Corrective actions: add microwave transmitters added to ISFSI.
DENTON, R.E. Baltimore Gas & Electric Co. 05/12/26. Document Control Branch (Document Control Desk). 3pp. 86790243-86790245.

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

0601300128 Rev 10 to 1000-PLN-1300.01, "GPU Emergency Plan for TMI & Oyster Creek Nuclear Station."
BRUGHTON, T.G., General Public Utilities Corp. - GPU Service Corp. 1000-PLN-1300.01 R10. 06/01/04. 21pp. 86843001-86843021.

8601260120 Revised EPIPs including table of contents Rev 18 to EPIP-TM-03, "Emergency Notifications & Call Out" & Rev 19 to EPIP-TM-06, "Add Assistance & Notification."
* General Public Utilities Corp. - GPU Service Corp. 06/01/11. 67pp. 66868-290-66868-387.

8601260389 Forwards SE which finds that EALs as revised by proposed Rev 4 meet requirements of 10CFR50.47 & App E to 10CFR50 for emergency classification & action level schemes per 951207 request.
KEBAG, R.L. Region 1 (Post 820201). 06/01/24. KNUSEL, J. General Public Utilities Corp. - GPU Service Corp. 2pp. 66864-317-66864-320.

8601260372 Safety evaluation concluding that proposed EAL Rev 4 to EPIP-TM-01 meets requirements of 10CFR50.47 & App E to 10CFR50 for emergency classification & action level schemes.
* Region 1 (Post 820201). 06/01/24. 2pp. 66864-319-66864-320.

M. General correspondence

8601020157 Forwards petition for rulemaking FRM-50-83 requesting NRC amend 10CFR50. Petition filed by PG CARE, RATHBUND, K. Office of Congressional Affairs (Post 911117). 05/11/22. SCHAFER, D. House of Rep., Energy & Commerce. FAIRCLOTH, L. Senate, Environment & Public Works. 2pp. 66863-245-66863-301.

P. Operating license stage documents & correspondence

8601050183 Generic Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 06/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 66827-272-66827-280.

8601260302 Forwards nonproprietary & proprietary repts. presenting data obtained from master integrated RV surveillance program capsules by testing of tension, carry & compact fracture specimens. Proprietary repts withheld.
TAYLOR, J.H. Babcock & Wilcox Operating Plants Owners Group. 06/01/16. Document Control Branch (Document Control Desk). 10pp. 66834-067-66834-242.

8601260338 Nonproprietary "Test Results of Capsule TME-LG1 BAWOG - Master Integrated Reactor Vessel Surveillance Program."
DEVARAJU, J., KING, S.C., YODN, K.K. Babcock & Wilcox Co. BAW-2253. 06/10/31. 7pp. 66834-077-66834-156.

8601190442 Suppl 7 to Generic Ltr 95-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 06/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 66865-011-66865-016.

Q. Inspection reports, IE Bulletins & correspondence

8612270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 06/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 66740-015-66740-023.

8612290129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 06/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 66758-049-66758-061.

9512290229 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 06/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 66758-041-66758-046.

8601040335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, A. Division of Industrial & Medical Nuclear Safety (Post 870729). 06/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 66827-259-66827-271.

8601190558 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 06/01/16. Consolidated Edison Co. of New York, Inc. 9pp. 66825-106-66825-120.

8601190308 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dumpers at Nuclear Power Plants."
CRUTCHFIELD, D. 06/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 66865-001-66865-010.

8601260139 NRC Info Notice 96-007, "Slow Five Percent Scram Insertion Times Caused by Vibration Discharge in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. 06/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 66865-017-66865-023.

V. Operator Examination

8601040138 NRC Administrative Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing test exam schedule.
CRUTCHFIELD, D. 06/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 66776-001-66776-010.

DOCKET 50-321 EDWIN L. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8601260342 Confirms 860102 letter between C Brown & K Barr re 960207 mtg retesting of emergency response readiness program at plant.
SKINNER, P. Region 2 (Post 820201). 06/01/10. BECKHAM, J.T. Georgia Power Co. 3pp. 66863-134-66863-136.

8601260299 Forwards Insp repts 50-321/95-26 & 50-368/95-26 on 951001-1202 & notice of violation.
MERSCHOFF, E.W. Region 2 (Post 820201). 06/01/19. BECKHAM, J.T. Georgia Power Co. 6pp. 66863-039-66863-104.

8601260338 Notice of violation from Insp on 951001-1202. Violation noted: licensees failed to maintain in effect provisions of fire protection program.
* Region 2 (Post 820201). 06/01/19. 43pp. 66863-045-66863-104.

P. Operating license stage documents & correspondence

8601190299 Discusses one-day public workshops in each Region to discuss GL 95-07, "Pressure Locking & Thermal Binding of Safety Related Power-Operated Gate Valves," conducted in Oct & Nov 1995. List of meeting participants & handouts, and.
FREDRICKSON, P. Region 2 (Post 820201). 06/01/03. BECKHAM, J.T. Georgia Power Co. 127pp. 66801-153-66801-279.

8601050183 Generic Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 06/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 66827-272-66827-280.

8601260285 Confirms mtg meeting scheduled for 960220 in Birmingham, AL to discuss current Southern Nuclear Operating Co organization, engineering design & technical issues, plant status & major problems at plants per telecons w/ J Woodard.
SKINNER, P.H. Region 2 (Post 820201). 06/01/18. HAIRSTON, G. Georgia Power Co. 5pp. 66863-019-66863-023.

8601190442 Suppl 7 to Generic Ltr 95-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 06/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 66865-011-66865-016.

Q. Inspection reports, IE Bulletins & correspondence

8601100004 Responds to NRC 851206 ltr re violations noted in Insp repts 50-321/95-23. Corrective actions: PEO disciplined, operations personnel reviewed applicable fuel oil transfer procedures. Procedure rev w/ appropriate enhancements implemented.
BECKHAM, J.T. Georgia Power Co. 06/01/02. Document Control Branch (Document Control Desk). 3pp. 66764-358-66764-359.

8612270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 06/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 66740-015-66740-023.

8612290129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 06/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 66758-049-66758-061.

9512290229 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 06/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 66758-041-66758-046.

8601190033 Ack receipt of 860102 ltr informing NRC of steps taken to correct violations noted in Insp repts 50-321/95-23 & 50-368/95-26.
SKINNER, P.H. Region 2 (Post 820201). 06/01/06. BECKHAM, J.T. Georgia Power Co. 3pp. 66863-054-66863-056.

8601260303 Forwards Insp repts 50-321/95-25 & 50-368/95-25 on 951204-08. No violations noted.
FREDRICKSON, P. Region 2 (Post 820201). 06/01/05. BECKHAM, J.T. Georgia Power Co. 3pp. 66863-105-66863-119.

8601260308 Insp repts 50-321/95-25 & 50-368/95-25 on 951204-08. No violations noted. Major areas inspected: license completion of commitment to implement recommendations of GL 95-10, "SR Motor-Operated Valve Testing & Surveillance."
GIBSON, A.F. Region 2 (Post 820201). 06/01/05. 3pp. 66863-106-66863-118.

8601040335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, A. Division of Industrial & Medical Nuclear Safety (Post 870729). 06/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 66827-259-66827-271.

8601190605 Confirms plans to conduct Integrated Performance Assessment Team Insp at facility during period of 960311-22. Requests that some info listed in encl 2 be provided to NRC by 960216.
GIBSON, A.F. Region 2 (Post 820201). 06/01/19. BECKHAM, J.T. Georgia Power Co. 4pp. 66801-001-66801-006.

8601190605 Insp procedure 9605-01, "Integrated Performance Assessment Process."
* Region 2 (Post 820201). 06/01/10. 22pp. 66801-005-66801-026.

8601190605 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 06/01/19. Consolidated Edison Co. of New York, Inc. 9pp. 66825-106-66825-120.

8601260299 Forwards Insp repts 50-321/95-26 & 50-368/95-26 on 951001-1202 & notice of violation.
MERSCHOFF, E.W. Region 2 (Post 820201). 06/01/19. BECKHAM, J.T. Georgia Power Co. 6pp. 66863-039-66863-104.

8601260338 Notice of violation from Insp on 951001-1202. Violation noted: licensees failed to maintain in effect provisions of fire protection program.
* Region 2 (Post 820201). 06/01/19. 43pp. 66863-045-66863-104.

68 DOCKETED ITEMS

960110008 NRC Info Notice 96-008, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. . 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 96005:001-96005:010.

960110019 NRC Info Notice 96-007, "Slow Five Percent Scram Insertion Times Caused By Vison Diaphragms in Scram Solenoid Pilot Valves." CRUTCHFIELD, D. . 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 96005:017-96005:023.

R. Periodic operating reports & related correspondence

9601170212 Monthly operating reports for Dec 1995 for El Hach Nuclear Plant. W/960109 by. ROGERS, S.B., BECKHAM, L.T. Georgia Power Co. 96/12/31. 13pp. 96784:231-96784:243.

S. Reportable occurrences, LERs & related correspondence

9601160351 Special Rept 1-95-004 on 951215, emergency light 1R42-E125 declared inoperable for more than 14 days. Caused by result of broken battery terminal discovered during routine surveillance testing. Battery replaced. BECKHAM, L.T. Georgia Power Co. 96/01/09. Document Control Branch (Document Control Desk). 2pp. 96774:358-96774:359.

V. Operator Examinations

9601040136 NRC Administrative Ltr 96-01 to all holders of OUs or CPs for nuclear power reactors re operator licensing exam schedule. CRUTCHFIELD, D. . 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 96776:001-96776:010.

DOCKET 96-322 SHOREHAM NUCLEAR POWER STATION

Q. Inspection reports, IE Bulletins & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Fast-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. . 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 96740:015-96740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. . 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 96750:049-96750:061.

9512290229 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Violation as Result of Thermal Effects." CRUTCHFIELD, D. . 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 96756:041-96756:046.

9601040335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses." COOLIDGE, J.A. Division of Industrial & Medical Nuclear Safety (Post 670729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 96827:259-96827:271.

9601110058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. . 96/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 96828:109-96828:120.

9601100308 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. . 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 96005:001-96005:010.

9601100139 NRC Info Notice 96-007, "Slow Five Percent Scram Insertion Times Caused By Vison Diaphragms in Scram Solenoid Pilot Valves." CRUTCHFIELD, D. . 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 96005:017-96005:023.

V. Operator Examinations

9601040136 NRC Administrative Ltr 96-01 to all holders of OUs or CPs for nuclear power reactors re operator licensing exam schedule. CRUTCHFIELD, D. . 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 96776:001-96776:010.

W. Decommissioning Stage Documents & Correspondence

9601050192 Generic Ltr 96-01 to all holders of OUs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. . 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 96827:272-96827:280.

9601100442 Supp 7 to Generic Ltr 96-01 to all holders of OUs (except licensee attended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. . 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 96005:011-96005:016.

DOCKET 96-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9601020284 Rev 19 to EPF EP R-2, "Release of Airborne Radioactive Mists Initial Assessment" & Vol 2B table of contents. ANGUS, J.L. Pacific Gas & Electric Co. 96/12/18. 13pp. 96896:301-96896:313.

9601100150 Forwards Rev 3 to Calculation 335-DC, "10CFR50 App R Emergency Lighting Communications." FUJIMOTO, W.H. Pacific Gas & Electric Co. 96/01/11. Document Control Branch (Document Control Desk). 2pp. 96832:001-96832:126.

9601100152 Rev 3 to Calculation 335-DC, "10CFR50 App R Emergency Lighting & Communications." LEATHAM, R.D. Pacific Gas & Electric Co. 96/11/22. 125pp. 96832:003-96832:126.

9601260044 Discusses 961 950926 request for deviation from certain technical requirements of App R to 10CFR50 for plant units 1 & 2. Advises that detection & suppression sufficient to protect against hazards be installed in order to comply. BLOOM, S.D. . 96/01/22. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 96899:261-96899:264.

R. Operating license stage documents & correspondence

9601030107 Discusses close-out of issues re 10CFR50.59 for plant units 1 & 2. NRC will not review changes discussed because staff position re issues not necessary. ROOD, H. Division of Reactor Projects - M/W/V (Post 901216). 96/06/02. SHIFFER, J.D. Pacific Gas & Electric Co. 3pp. 96890:133-96890:135.

9601020117 Forwards corrected page 3/4 3-33 w/overleaf for document completeness to amend 103 & 102 to licenses DPR-60 & DPR-62, respectively. Error made by issuing page w/o correctly indicating change made in amend 102 & 101. BLOOM, S.D. . 96/12/21. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 96900:001-96900:003.

9601020226 Corrected page 3/4 3-33 w/overleaf for document completeness to amend 103 & 102 to licenses DPR-60 & DPR-62, respectively. Error made by issuing page w/o correctly indicating change made in amend 102 & 101. . 96/12/21. 7p. 96900:003-96900:006.

9601020001 Forwards application for amend to licenses DPR-60 & DPR-62, revising TSs 3/4.6.1.1, 3/4.6.1.2, 3/4.6.1.3, 3/4.6.1.6 & 3/4.6.3 & adding TS 6.8.4j to incorporate requirements of containment leakage rate testing program. WOMACK, L.F. Pacific Gas & Electric Co. 96/12/27. Document Control Branch (Document Control Desk). 3pp. 96888:301-96888:306.

9601020002 Application for amend to licenses DPR-60 & DPR-62, revising TSs 3/4.6.1.1, 3/4.6.1.2, 3/4.6.1.3, 3/4.6.1.6 & 3/4.6.3 & adding TS 6.8.4j to incorporate requirements of containment leakage rate testing program. WOMACK, L.F. Pacific Gas & Electric Co. 96/12/27. 7pp. 96888:304-96888:310.

9601020003 Proposed tech spec 3/4.6.1.1, 3/4.6.1.2, 3/4.6.1.3, 3/4.6.1.6 & 3/4.6.3 & 6.8.4j, incorporating requirements of containment leakage rate testing program. Pacific Gas & Electric Co. 96/12/27. 26pp. 96888:311-96888:336.

9601030012 Forwards Rev 11 to "IST Program Second Ten-Yr Interval Diablo Canyon Power Plant Units 1 & 2." FUJIMOTO, W.H. Pacific Gas & Electric Co. 96/12/29. Document Control Branch (Document Control Desk). 8pp. 96899:166-96899:173.

9601030013 Rev 11 to "IST Program Second Ten-Yr Interval Diablo Canyon Power Plant Units 1 & 2." SPENCER, D.W. Pacific Gas & Electric Co. 96/11/20. 125pp. 96899:164-96899:319.

9601040099 Forwards SE approving plant request for relief for temporary repair of MS generator instrumentation piping connection utilizing ASME Code Case N-323. BATEMAN, W.H. . 96/01/02. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 96740:115-96740:122.

9601100375 SER approving request for relief for temporary repair of MS generator instrumentation piping connection utilizing ASME Code Case N-323. Conclusion provided verbally to licensee on 950821 & non-code repair implemented on 950825. . 96/01/02. 4pp. 96740:119-96740:122.

9601050121 Notification of 960109 meeting w/atl & W in Rockville, MD to discuss SG support plate issues. BLOOM, S.D. . 96/01/03. BATEMAN, W.H. . 4pp. 96743:318-96743:321.

9601170180 Forwards amends 109 & 108 to licenses DPR-60 & DPR-62 & safety evaluation. Amends add one-time footnote to TS related to DGFOSTS to permit testing storage tanks to be removed from svc & to be replaced w/double walled tanks & piping. BLOOM, S.D. . 96/01/03. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 96790:315-96790:335.

9601170183 Amends 109 & 108 to licenses DPR-60 & DPR-62, respectively, adding one-time footnote to TS related to DGFOSTS to permit testing storage tanks to be removed from svc & to be replaced w/double walled tanks & piping. BLOOM, S.D. . 96/01/03. 9pp. 96790:319-96790:327.

9601170187 Safety evaluation supporting amends 109 & 108 to licenses DPR-60 & DPR-62, respectively. . 96/01/03. 8pp. 96790:328-96790:335.

9601100090 Forwards TER for review of Rev 12 re plant offsite dose calculation procedure. BLOOM, S.D. . 96/01/05. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 96820:110-96820:142.

9601100095 "Evaluation of Diablo Canyon Plant Units 1 & 2 Offsite Dose Calculation Manual, Rev 12." MORRIS, N., AKERS, D.W. Idaho National Engineering Laboratory. FIN E-2084. INEL-95/0360. 95/03/31. 29pp. 96820:114-96820:142.

9601050189 Generic Ltr 96-01 to all holders of OUs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. . 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 96827:272-96827:280.

9601100150 Forwards Rev 3 to Calculation 335-DC, "10CFR50 App R Emergency Lighting Communications."
FUJIMOTO, W.H. Pacific Gas & Electric Co. 96/01/11. Document Control Branch (Document Control Desk). 2pp. 86832001-86832126.

9601100152 Rev 3 to Calculation 335-DC, "10CFR50 App R Emergency Lighting & Communications."
LEATHAM, R.D. Pacific Gas & Electric Co. 96/01/12. 125pp. 86832003-86832126.

9601230137 Forwards application for amend request 96-01 to licensees DPR-80 & DPR-82, respectively, relocating selected TS per Commission Final Policy Statement for relocation of current TS that do not meet any screening criteria for retention.
RUEGER, G.M. Pacific Gas & Electric Co. 96/01/17. Document Control Branch (Document Control Desk). 2pp. 86835001-86835147.

9601230141 Application for amends to licensees DPR-80 & DPR-82, respectively, relocating selected TS per Commission Final Policy Statement for relocation of current TS that do not meet any screening criteria for retention.
RUEGER, G.M. Pacific Gas & Electric Co. 96/01/17. 13pp. 86835003-86835215.

9601230145 Proposed tech specs, consisting of amend request 96-01, relocating selected TS per Commission Final Policy Statement for relocation of current TS that do not meet any screening criteria for retention.
Pacific Gas & Electric Co. 96/01/17. 132pp. 86835016-86835147.

9601230223 Notification of 960122 & 23 meetings w/PA&E in Avila Beach, CA to discuss plant responses to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
BLOOM, S.D., 96/01/19. BATEMAN, W.H., App. 86831306-86831311.

9601260044 Discusses US 960928 request for deviation from certain technical requirements of App R to 10CFR50 for plant units 1 & 2. Advises that detection & suppression sufficient to protect against hazards be installed in order to comply.
BLOOM, S.D., 96/01/22. RUEGER, G.M. Pacific Gas & Electric Co. App. 86893281-86893294.

9601300442 Suppl 7 to Generic Ltr 96-10 to all holders of OLS (except licensees unamended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D., 96/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86893011-86893018.

9601310214 Discusses 951012 ltr requesting certain info contained in Attachment 2 of 950920 submitted to be withheld from public disclosure per 10CFR2.790. Determined said mail marked as proprietary & will be withheld from public disclosure.
BLOOM, S.D., 96/01/30. KEARNS, J.P. Affirmation Not Assigned. 3pp. 86846169-86846172.

G. Inspection reports, IE Bulletins & correspondence

9601040217 Forwards insp repts 50-275/95-17 & 50-323/95-17 on 951021-951206. No violations noted.
DYER, J.E. Region 4 (Post 820201). 95/12/28. RUEGER, G.M. Pacific Gas & Electric Co. 8pp. 86897320-86897352.

9601040219 Insp repts 50-275/95-17 & 50-323/95-17 on 951021-1206. No violations noted. Major areas inspected: immediate response & corrective actions for failure of Unit Auxiliary Transformer 1-1 on 951021.
WONG, H.J. Region 4 (Post 820201). 95/12/28. 27pp. 86897329-86897352.

9512200372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D., 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740015-86740023.

9512290120 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D., 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86798049-86798061.

9512290299 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D., 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86798041-86798048.

9601040335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/20. Consolidated Edison Co. of New York, Inc. 13pp. 86827256-86827271.

9601040422 Forwards insp repts 50-275/95-16 & 50-323/95-16 on 951029-1209 & notice of violation. Violation involved failure of personnel to follow procedures.
DYER, J.E. Region 4 (Post 820201). 96/01/18. RUEGER, G.M. Pacific Gas & Electric Co. 8pp. 86811180-86811219.

9601100428 Insp repts 50-275/95-16 & 50-323/95-16 on 951029-1209. Violations noted. Major areas inspected: operational safety verification, maintenance observations, surveillance observations, on-site engineering & plant support activities.
WONG, H.J. Region 4 (Post 820201). 96/01/12. 22pp. 86811197-86811219.

9601100453 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D., 96/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86828109-86828120.

9601300184 Proposes to conduct self-assessment of engineering activities & programs & related controls for identifying, coaching & preventing problems at plant per Insp Procedure 40601. Assessment overview encl.
ANBUS, M.J. Pacific Gas & Electric Co. 96/01/24. Document Control Branch (Document Control Desk). 26pp. 86842333-86842355.

9601300396 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Disrupter at Nuclear Power Plants."
CRUTCHFIELD, D., 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86853001-86853010.

9601300985 Forwards NOV & proposed imposition of civil penalty in amount of \$50,000 for violations noted in insp repts 50-275/95-17 & 50-323/95-17. Enforcement conference conducted on 960112 to discuss violations surrounding 951021 event.
CALLAN, J.L. Region 4 (Post 820201). 96/01/25. RUEGER, G.M. Pacific Gas & Electric Co. 8pp. 86887185-86887195.

9601300107 Notice of violation & proposed imposition of civil penalty in amount of \$50,000. Violations noted: operators returned equipment for Clearance CR00049276 w/ a removing or verifying removal of ground buggy installed on 12 lv bus D.
Region 4 (Post 820201). 96/01/25. 8pp. 86887191-86887195.

9601260139 NRC Info Notice 96-007, "Slow Five Percent Screen Insertion Times Caused By Vibration Disruptions in Screen Solenoid Pilot Valves."
CRUTCHFIELD, D., 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86893017-86893023.

R. Periodic operating reports & related correspondence

9601230212 Monthly operating repts for Dec 1995 for Diablo Canyon Power Plant Units 1 & 2. W/960116 ltr.
EUBANK, T., MALONE, D., FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/12/31. 13pp. 86893040-86893052.

9601290454 "Fourth Quarter 1995 Rept on Discharge Monitoring at Diablo Canyon Power Plant." W/960116 ltr.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/12/31. BRIGGS, R.W. California, State of. 107pp. 86894243-86894349.

V. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OLS or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D., 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778001-86778010.

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9601260361 Rev 11 to EPP OPER-042, "Emergency Facilities & Equipment."
FERGUSON, B. Carolina Power & Light Co. 95/11/29. 22pp. 86898230-86898251.

9601300330 Provides update to util request for exemption to 10CFR50, App R chd 950831 & add info re Thermo-Lag issues.
HICKS, G.D. Carolina Power & Light Co. 96/01/10. Document Control Branch (Document Control Desk). 8pp. 86782319-86782323.

9601260130 Address that 951019 Rev 22 to industrial security plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.
FREDRICKSON, P. Region 2 (Post 820201). 96/01/17. CAMPBELL, W.R. Carolina Power & Light Co. 3pp. 86898255-86898260.

H. General correspondence

9601200407 Responds to 951117 ltr to Haughey re transport & storage of spent fuel. Informes that licensee for HB Robinson plant did transport fuel from fuel pool to ISFSI using NUHOMS-07P container inside IF-300 transport cask.
MARCUS, G.H., 96/12/27. SHILLING, L.W. Affirmation Not Assigned. 3pp. 86882036-86882042.

P. Operating license stage documents & correspondence

9601180164 Informes that shipment 95-0225 has been cancelled.
HOLDER, D.B. Carolina Power & Light Co. 95/12/20. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 86783029-86783030.

9601300216 Notices of rev to initial test cut-off level for misdiagnosis. Actual implementation date for employing more stringent test cut-off level due to be provided by 960108 instead of by 951109.
WALT, T.D. Carolina Power & Light Co. 96/01/03. Document Control Branch (Document Control Desk). 1p. 86778321-86778321.

9601180454 Discusses one day public workshops in each Region re GL 95-07, "Pressure Locking & Thermal Binding of Safety Related Power Operated Gate Valves," conducted Oct & Nov 1995. List of meeting participants & handouts encl.
FREDRICKSON, P. Region 2 (Post 820201). 96/01/03. CAMPBELL, W.R. Carolina Power & Light Co. 132pp. 86789275-86800042.

9601050783 Generic Ltr 96-01 to all holders of OLS or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D., 96/01/30. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827280.

9601180330 Provides update to util request for exemption to 10CFR50, App R chd 950831 & add info re Thermo-Lag issues.
HICKS, G.D. Carolina Power & Light Co. 96/01/10. Document Control Branch (Document Control Desk). 8pp. 86782319-86782323.

9601290345 Confirms 961222 telcon w/3 Honors re 960125 mgt meeting. Purpose of meeting to discuss upcoming facility outage planning.
SHYLOCK, M.B. Region 2 (Post 820201). 96/01/18. CAMPBELL, W.R. Carolina Power & Light Co. 3pp. 86893137-86893143.

9601290381 Confirms 961222 telcon w/3 Honors re 960208 mgt meeting. Purpose of meeting to discuss status of engineering programs of each licensee site.
SHYLOCK, M.B. Region 2 (Post 820201). 96/01/10. HABERMEYER, H.V. Carolina Power & Light Co. 4pp. 86893140-86893143.

70 DOCKETED ITEMS

9501190333 Inform NRC of rev in schedule for completing Unit 2 core spray gun spargers or repair bracket seal weld application.
HICKS,G.D. Carolina Power & Light Co. 95/01/16. Document Control Branch (Document Control Desk). 1p. 85828351-85828351.

9501230027 Forwards SE approving use of provisions of ASME Code Case N-524 as alternative for exam of longitudinal welds in Class 1 & 2 piping.
MATTHEWS,D.B. 95/01/17. CAMPBELL,W.R. Carolina Power & Light Co. 2pp. 85831273-85831278.

9501230037 SEI approving use of provisions of ASME Code Case N-524 as alternative for exam requirements for longitudinal welds in Class 1 & 2 piping.
95/01/17. 4pp. 85831275-85831278.

9501240255 Approves 950817 request as supplemented 950110 to defer LP insp of Unit 2 feedwater nozzle blind until one refueling cycle. Deferral will allow licensee to complete qualification of enhanced UT nozzle exam technique.
TRIMBLE,D.C. 95/01/18. CAMPBELL,W.R. Carolina Power & Light Co. 7pp. 85841345-85841354.

9501290443 Suppl 7 to Generic Ltr 89-10 to all holders of OLs (except licensee amended to possession only status) or CPs for nuclear power reactors in consideration of valve mispositioning in PWRs.
CRUTCHFIELD,D. 95/01/24. Consolidated Edison Co. of New York, Inc. 5pp. 85855011-85855016.

9501310088 Forwards SE re 950518 requested relief from provisions of ASME BPFV Code, Section XI, requiring visual exam (VT-3) of interior surface of reactor pressure vessel support skirt. Staff approves request per 10CFR50.55(a)(16)(i).
MATTHEWS,D.B. 95/01/25. CAMPBELL,W.R. Carolina Power & Light Co. 2pp. 85858140-85858150.

9501310091 Safety evaluation supporting requested relief from ASME BPFV Code, Section XI, "Rules for Inservice Inspection of Nuclear Power Plant Components."
95/01/25. 5pp. 85858152-85858158.

Q. Inspection reports, IE Bulletins & correspondence

9501290007 Forwards insp repts 50-324/95-24 & 50-325/95-24 on 951104-1201 & notice of violation. Violation involved pump motor electric circuit breaker.
SHYMLUCK,M.B. Region 2 (Post 820201). 95/12/29. CAMPBELL,W.R. Carolina Power & Light Co. 8pp. 85801327-85801345.

9501290039 Notice of violation from insp on 951104-1201. Violation noted: "B" RHR pump was inoperative between 950921 & 951004 because pump motor had not been properly racked into position.
95/12/29. 2pp. 85801332-85801333.

9501290029 Insp repts 50-324/95-24 & 50-325/95-24 on 951104-1201. Violations noted: Major areas inspected: operations, maintenance & surveillance, engineering & plant support.
PATTERSON,C.A., SHYMLUCK,M.B. Region 2 (Post 820201). 95/12/29. 12pp. 85801334-85801345.

9512270872 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temperatures to Disable Equipment Important to Safety."
CRUTCHFIELD,D. 95/01/09. Consolidated Edison Co. of New York, Inc. 9pp. 85740015-85740023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD,D. 95/01/09. Consolidated Edison Co. of New York, Inc. 13pp. 85752040-85752058.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD,D. 95/01/09. Consolidated Edison Co. of New York, Inc. 8pp. 85752041-85752048.

9501290395 Forwards exam repts 50-324/95-302 & 50-325/95-302 on 951204-08.
PEEBLES,T.A. Region 2 (Post 820201). 95/01/05. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 85811109-85811113.

9501290409 Exam repts 50-324/95-302 & 50-325/95-302 on 951204-08. Exam results show out of four limited SROs passed exams.
PAYNE,D.C., PEEBLES,T.A. Region 2 (Post 820201). 95/01/05. 7pp. 85811112-85811113.

9501290435 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870720). 95/01/10. Consolidated Edison Co. of New York, Inc. 10pp. 85827253-85827271.

9501290371 Provides add info re insps of feedwater nozzles & spargers, in response to 951130 letters.
HICKS,G.D. Carolina Power & Light Co. 95/01/10. Document Control Branch (Document Control Desk). 5pp. 85782277-85782281.

9501290596 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD,D. 95/01/16. Consolidated Edison Co. of New York, Inc. 9pp. 85828109-85828120.

9501240255 Approves 950817 request as supplemented 950110 to defer LP insp of Unit 2 feedwater nozzle blind until one refueling cycle. Deferral will allow licensee to complete qualification of enhanced UT nozzle exam technique.
TRIMBLE,D.C. 95/01/18. CAMPBELL,W.R. Carolina Power & Light Co. 7pp. 85841345-85841354.

9501290294 Forwards exam repts 50-324/95-302 & 50-325/95-302 on 951215-21. No violations noted.
PEEBLES,T.A. Region 2 (Post 820201). 95/01/18. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 85858185-85858190.

9501290294 Exam repts 50-324/95-302 & 50-325/95-302 on 951215-21. No violations noted. Exam results: all seven candidates passed written & operating exams.
ABELLO,R.F., PEEBLES,T.A. Region 2 (Post 820201). 95/01/18. 10pp. 85858191-85858192.

9501230173 Responds to NRC 951228 ltr re violations noted in insp repts 50-324/95-24 & 50-325/95-24. Corrective actions: recalibrated methods used to ensure that 4KV breakers properly racked in & to revise site independent verification procedure.
CAMPBELL,W.R. Carolina Power & Light Co. 95/01/18. Document Control Branch (Document Control Desk). 2pp. 85848387-85848388.

9501290305 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Closures at Nuclear Power Plants."
CRUTCHFIELD,D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85855001-85855010.

9501290189 NRC Info Notice 95-007, "Slow Five Percent Steam Injection Times Caused By Viton Diaphragms in Steam Solenoid Pilot Valves."
CRUTCHFIELD,D. 95/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 85855017-85855023.

B. Periodic operating reports & related correspondence

9501230018 Monthly operating repts for Dec 1995 for Brunswick Steam Electric Plant/W/950119 ltr.
HARRISON,F., LOPROPRE,R. Carolina Power & Light Co. 95/12/31. 9pp. 85858041-85858050.

V. Operator Examinations

9501290332 Requests exemption from 10CFR55.35(a) re SRO license exam requirements. Applicant had taken exam & passed operating test but failed written portion. Seeks re-administration of written portion of test only.
CAMPBELL,W.R. Carolina Power & Light Co. 95/11/06. EBNETER,S.D., ABELLO,R.F. Region 2 (Post 820201). 2pp. 85740043-85740044.

9501290395 Forwards exam repts 50-324/95-302 & 50-325/95-302 on 951204-08.
PEEBLES,T.A. Region 2 (Post 820201). 95/01/05. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 85811109-85811113.

9501290409 Exam repts 50-324/95-302 & 50-325/95-302 on 951204-08. Exam results show out of four limited SROs passed exams.
PAYNE,D.C., PEEBLES,T.A. Region 2 (Post 820201). 95/01/05. 7pp. 85811112-85811113.

9501290435 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing rule exam schedule.
CRUTCHFIELD,D. 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 85752001-85752010.

9501290294 Forwards exam repts 50-324/95-302 & 50-325/95-302 on 951215-21. No violations noted.
PEEBLES,T.A. Region 2 (Post 820201). 95/01/18. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 85858185-85858190.

9501290294 Exam repts 50-324/95-302 & 50-325/95-302 on 951215-21. No violations noted. Exam results: all seven candidates passed written & operating exams.
ABELLO,R.F., PEEBLES,T.A. Region 2 (Post 820201). 95/01/18. 10pp. 85858191-85858192.

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9501290361 Rev 11 to EPP OPEP-04.2, "Emergency Facilities & Equipment."
PERGERSON,B. Carolina Power & Light Co. 95/11/29. 22pp. 85858230-85858251.

9501290330 Provides update to url request for exemption to 10CFR50, App R did 850831 & add info re Thermo-Lag issues.
HICKS,G.D. Carolina Power & Light Co. 95/01/10. Document Control Branch (Document Control Desk). 3pp. 85782239-85782242.

9501290130 Advises that 951019 Rev 22 to industrial security plan consistent w/provisions of 10CFR50.54(a) & acceptable for inclusion into plan.
FREDRICKSON,P. Region 2 (Post 820201). 95/01/17. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 85858358-85858362.

H. General correspondence

9501290347 Responds to 951117 ltr to Haughey re transport & storage of spent fuel. Inform that licensee for HB Robinson plant did transport fuel from test pool to ISFSI using NUHOMS-07P container inside IF-300 transport cask.
MARCUS,G.H. 95/12/27. SHILLINGLAW,F. Affirmation Not Assigned. 3pp. 85882038-85882042.

P. Operating license stage documents & correspondence

9501290218 Notices of rev to (initial) test cut-off level for marijuana. Actual implementation date for employing more stringent test cut-off level due to be provided by 951108.
WALTY,D. Carolina Power & Light Co. 95/01/03. Document Control Branch (Document Control Desk). 1p. 85778321-85778321.

9501290454 Discusses one day public workshops in each Region re GL 95-07, "Pre-stress Locking & Thermal Binding of Safety Related Power Operated Gate Valves," conducted Oct & Nov 1995. List of meeting participants & handouts, end.
FREDRICKSON,P. Region 2 (Post 820201). 95/01/03. CAMPBELL,W.R. Carolina Power & Light Co. 13pp. 85798275-85798042.

9501050193 General Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re loading of safety-related logic circuits.
CRUTCHFIELD, D., 95/01/10, Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

9501180330 Provides update to bill request for exemption to 10CFR50, App R and 500931 & add info re Thermo-Lag issues.
HICKS, D.D. Carolina Power & Light Co. 95/01/10, Document Control Branch (Document Control Desk). 9pp. 86822:140-86822:143.

9501280351 Confirms 951222 Wilson w/G Morris re 950208 mgt meeting. Purpose of meeting to discuss status of engineering programs of each licensee site.
SHYLOCK, M.B. Region 2 (Post 820201). 95/01/10, HABERMEYER, H.W. Carolina Power & Light Co. 4pp. 86823:140-86823:143.

9501280377 Forwards SE approving use of provisions of ASME Code Case N-524 as alternative for exam of longitudinal welds in Class 1 & 2 piping.
MATTHEWS, D.B., 95/01/17, CAMPBELL, W.R. Carolina Power & Light Co. 2pp. 86831:273-86831:276.

9501280377 SER approving use of provisions of ASME Code Case N-524 as alternative for exam requirements for longitudinal welds in Class 1 & 2 piping.
*, 95/01/17, App. 86831:275-86831:276.

9501198442 Suppl 7 to General Ltr 95-10 to all holders of OIs (except licensees amended to possession only status) or CPs for nuclear power reactors re consideration of value repositioning in PWRS.
CRUTCHFIELD, D., 95/01/24, Consolidated Edison Co. of New York, Inc. 9pp. 86865:011-86865:016.

9501310088 Forwards SE re 950516 requested relief from provisions of ASME BPV Code, Section XI, requiring visual exam (VT-3) of interior surface of reactor pressure vessel support skirt. Staff approves request per 10CFR50.65(a)(9)(v).
MATTHEWS, D.B., 95/01/25, CAMPBELL, W.R. Carolina Power & Light Co. 3pp. 86862:149-86862:156.

9501310091 Safety evaluation supporting requested relief from ASME BPV Code, Section XI, "Rules for Inservice Inspection of Nuclear Power Plant Components."
*, 95/01/25, App. 86862:152-86862:158.

G. Inspection reports, SE Bulletins & correspondence

9501190007 Forwards Insp repts 50-324/95-24 & 50-325/95-24 on 951104-1201 & notice of violation. Violation involved pump motor electric circuit breaker.
SHYLOCK, M.B. Region 2 (Post 820201). 95/12/29, CAMPBELL, W.R. Carolina Power & Light Co. 6pp. 86801:027-86801:045.

9501190020 Insp repts 50-324/95-24 & 50-325/95-24 on 951104-1201. Violations noted: Major areas inspected: operations, maint & surveillance, engineering & plant support.
PATTERSON, G.A., SHYLOCK, M.B. Region 2 (Post 820201). 95/12/29, 12pp. 86801:034-86801:045.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D., 95/01/03, Consolidated Edison Co. of New York, Inc. 9pp. 86740:016-86740:023.

9512290128 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D., 95/01/05, Consolidated Edison Co. of New York, Inc. 13pp. 86758:048-86758:061.

9512290298 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D., 95/01/05, Consolidated Edison Co. of New York, Inc. 3pp. 86758:041-86758:048.

9501190396 Forwards exam repts 50-324/95-302 & 50-325/95-302 on 951204-08.
PEEBLES, T.A. Region 2 (Post 820201). 95/01/05, CAMPBELL, W.R. Carolina Power & Light Co. 3pp. 86811:109-86811:139.

9501198409 Exam repts 50-324/95-302 & 50-325/95-302 on 951204-08. Exam results: three out of four limited SPCs passed exams.
PAYNE, D.C. Region 2 (Post 820201). 95/01/05, 7pp. 86811:112-86811:139.

9501040315 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870726). 95/01/10, Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501110058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D., 95/01/18, Consolidated Edison Co. of New York, Inc. 9pp. 86826:108-86826:120.

9501280284 Forwards exam repts 50-324/95-303 & 50-325/95-303 on 951215-21. No violations noted.
PEEBLES, T.A. Region 2 (Post 820201). 95/01/18, CAMPBELL, W.R. Carolina Power & Light Co. 3pp. 86811:109-86811:132.

9501280284 Exam repts 50-324/95-303 & 50-325/95-303 on 951215-21. No violations noted. Exam results: seven candidates passed written & operating exams.
AIELLO, R.F. Region 2 (Post 820201). 95/01/18, 10pp. 86811:109-86811:132.

9501290173 Responds to NRC 951229 three violations noted in insp repts 50-324/95-24 & 50-325/95-24. Corrective actions: evaluated methods used to ensure that 4KV breakers properly locked-in & to revise site independent verification procedure.
CAMPBELL, W.R. Carolina Power & Light Co. 95/01/18, Document Control Branch (Document Control Desk). 2pp. 86842:357-86842:358.

9501190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Computers at Nuclear Power Plants."
CRUTCHFIELD, D., 95/01/25, Consolidated Edison Co. of New York, Inc. 10pp. 86895:001-86895:010.

9501280139 NRC Info Notice 95-007, "Slow Five Percent Steam Insertion Times Caused By Vapor Discharges in Steam Solenoid Pilot Valves."
CRUTCHFIELD, D., 95/01/26, Consolidated Edison Co. of New York, Inc. 7pp. 86895:017-86895:023.

R. Periodic operating reports & related correspondence

9501230013 Monthly operating repts for Dec 1995 for Brunswick Steam Electric Plant.
HARRISON, L., LOPFRORE, R. Carolina Power & Light Co. 95/12/31, 9pp. 86858:041-86858:050.

S. Reportable occurrences, LERs & related correspondence

9501280349 LER 95-022-00 on 951220, HPCS discharge flow element gasket leaked. Caused by improperly installed gasket. Gasket & hydraulic actuator were replaced.
W/950119 to TABORS, S., LAFRIERE, R.P. Carolina Power & Light Co. 95/01/18, 9pp. 86810:307-86810:314.

V. Operator Examinations

9501040352 Requests exemption from 10CFR55.35(a) re SRO licensee exam requirements. Applicant had taken exam & passed operating test but failed written portion. Seeks re-administration of written portion of test only.
CAMPBELL, W.R. Carolina Power & Light Co. 95/11/08, EBNETER, S.D., AIELLO, R.F. Region 2 (Post 820201). 2pp. 86740:043-86740:044.

9501280394 Forwards exam repts 50-324/95-302 & 50-325/95-302 on 951204-08.
PEEBLES, T.A. Region 2 (Post 820201). 95/01/05, CAMPBELL, W.R. Carolina Power & Light Co. 3pp. 86811:109-86811:139.

9501190409 Exam repts 50-324/95-302 & 50-325/95-302 on 951204-08. Exam results: three out of four limited SPCs passed exams.
PAYNE, D.C., PEEBLES, T.A. Region 2 (Post 820201). 95/01/05, 7pp. 86811:112-86811:139.

9501190436 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam exam schedule.
CRUTCHFIELD, D., 95/01/09, Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

9501280284 Forwards exam repts 50-324/95-303 & 50-325/95-303 on 951215-21. No violations noted.
PEEBLES, T.A. Region 2 (Post 820201). 95/01/18, CAMPBELL, W.R. Carolina Power & Light Co. 3pp. 86811:109-86811:132.

9501280284 Exam repts 50-324/95-303 & 50-325/95-303 on 951215-21. No violations noted. Exam results: seven candidates passed written & operating exams.
AIELLO, R.F., PEEBLES, T.A. Region 2 (Post 820201). 95/01/18, 10pp. 86811:109-86811:132.

DOCKET 95-328 UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9501190340 Forwards Insp repts 50-328/95-01 on 951127-1201 & notice of violation. Violation involves failure to perform & maintain safety records of SE involving mod of reactor control console into re physical security plan in End 2 withheld.
GWYNNE, T.P. Region 4 (Post 820201). 95/01/11, CICERONE, J. California, Univ. of Irvine, CA. 4pp. 86811:088-86811:094.

9501190354 Insp repts 50-328/95-01 on 951127-1201. Violations noted. Major areas inspected: organization & mgt controls, SWA & accountability, qualifications & training, reviews & audits, logs & records, emergency preparedness & physical security.
MURRAY, B. Region 4 (Post 820201). 95/01/08, 23pp. 86811:075-86811:084.

G. Inspection reports, SE Bulletins & correspondence

9501190340 Forwards Insp repts 50-328/95-01 on 951127-1201 & notice of violation. Violation involves failure to perform & maintain safety records of SE involving mod of reactor control console into re physical security plan in End 2 withheld.
GWYNNE, T.P. Region 4 (Post 820201). 95/01/11, CICERONE, J. California, Univ. of Irvine, CA. 4pp. 86811:088-86811:094.

9501190348 Notice of violation from Insp on 951127-1201. Violation noted: licensee had not performed written SE providing bases for mod performed between 9402:07-9502:08 on wide range logarithmic & linear monitoring channels.
* Region 4 (Post 820201). 95/01/11, 2pp. 86811:075-86811:074.

9501190354 Insp repts 50-328/95-01 on 951127-1201. Violations noted. Major areas inspected: organization & mgt controls, SWA & accountability, qualifications & training, reviews & audits, logs & records, emergency preparedness & physical security.
MURRAY, B. Region 4 (Post 820201). 95/01/08, 23pp. 86811:075-86811:084.

9501280073 Forwards pages 14, 19 & 20 of Insp repts 50-328/95-01 & minor corrections to references on page 3.
GWYNNE, T.P. Region 4 (Post 820201). 95/01/24, CICERONE, J. California, Univ. of Irvine, CA. 3pp. 86887:116-86887:124.

9501190014 Pages 14, 19 & 20 & corrections to references on page 3 to Insp repts 50-328/95-01.
* Region 4 (Post 820201). 95/01/24, 3pp. 86887:121-86887:124.

72 DOCKETED ITEMS

DOCKET 60-327 SEQUOYAH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9501150130 Confirms 951222 telcon between TVA & NRC re addl Thermo-Log 330-1 testing being performed by TVA per GL 92-08. SHELL,R.H. Tennessee Valley Authority. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 95041:152-95041:153.

9501250304 Revised central emergency control center EPIPs (CECC EPIPs), including Rev 15 to CECC EPIP-9, Rev 10 to CECC EPIP-22 & Rev 10 to CECC EPIP-23.W/ 950116 R. MARKS,B.K. Tennessee Valley Authority. 95/01/18. 8pp. 95040:095-95040:150.

9501240079 Forwards Baseline Physical Security/Contingency Plan Rev 0. SHELL,R.H. Tennessee Valley Authority. 95/01/16. Document Control Branch (Document Control Desk). 4pp. 95040:355-95040:358.

9501250244 Advises that 951017 rev 38 to Physical Security Plan & Contingency Plan consistent w/provisions of 10CFR50.54 & acceptable. FREDRICKSON,P. Region 2 (Post 820201). 95/01/17. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 95072:358-95072:360.

9501300002 Revised EPIPs including Rev 9 to EPIP-17, "Emergency Equipment & Supplies" & Rev 2 to EPIP-18, "Radiological Emergency Preparedness Training & Data." W/950123 R. CATRON,J. SHELL,R.H. Tennessee Valley Authority. 95/01/23. 37pp. 95041:040-95041:075.

9501290479 Rev 13 to Central Emergency Control Ctr-EPIP (CECC-EPIP) CECC-EPIP-9, "Onsite Assessment Staff Activities During Nuclear Plant Radiological Emergencies." W/950124 R. MARKS,B.K. Tennessee Valley Authority. 95/01/24. 45pp. 95041:204-95041:246.

P. Operating license stage documents & correspondence

9501170181 Informs NRC of changes that will be incorporated into Basic section of Units 1 & 2 T9s. SHELL,R.H. Tennessee Valley Authority. 95/01/03. Document Control Branch (Document Control Desk). 3pp. 95012:075-95012:080.

9501170185 Proposed tech spec revising basic section 3/4.7.1.2 to indicate current operational functions of turbine-driven APW level control valves modified during Unit 1 Cycle 7 refueling outage. * Tennessee Valley Authority. 95/01/03. 2pp. 95012:075-95012:080.

9501190052 Summarizes one-day public workshops conducted in Oct & Nov 1995, discussing GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves." List of meeting participants, staff & industry presentation handouts encl. FREDRICKSON,P. Region 2 (Post 820201). 95/01/03. KINGSLEY,O.D. Tennessee Valley Authority. 12pp. 95040:128-95040:254.

9501180223 Application for amendments to licenses DPR-77 & DPR-79, revising TS change 95-22, extending radiation monitoring instrumentation surveillance period per GL 93-05. SHELL,R.H. Tennessee Valley Authority. 95/01/04. Document Control Branch (Document Control Desk). 4pp. 95072:172-95072:184.

9501180227 Proposed tech spec extending radiation monitoring instrumentation surveillance period per GL 93-05. * Tennessee Valley Authority. 95/01/04. 3pp. 95072:175-95072:184.

9501050193 Generic Ltr 95-01 to all holders of OLA or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD,D. 95/01/30. Consolidated Edison Co. of New York, Inc. 8pp. 95072:272-95072:280.

9501190130 Confirms 951222 telcon between TVA & NRC re addl Thermo-Log 330-1 testing being performed by TVA per GL 92-08. SHELL,R.H. Tennessee Valley Authority. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 95041:152-95041:153.

9501220182 Responds to NRC 951206 ltr re Secretary of Labor (SOL) decision & order of remand in case of R. Fedy vs TVA & potential violations of 10CFR50.7 being considered by NRC. Bases for TVA disagreement w/SOL decision encl. MEDFORD,M.O. Tennessee Valley Authority. 95/01/12. Document Control Branch (Document Control Desk). 17pp. 95043:112-95043:128.

9501180480 Summarizes 951211 meeting w/TVA to discuss results of SG trips conducted at facility during Cycle 7 refueling outage conducted during fall of 1995. List of attendees & TVA handout encl. LASARGE,D.E. 95/01/18. NRC - No Detailed Affiliation Given. 48pp. 95024:139-95024:184.

9501240089 Forwards revised TS pages B3/4 7-2a for units 1 & 2 BR-7 revised Section 3/4.7.1.2 to incorporate current operational functions of turbine-driven auxiliary feed-water level control valves. LASARGE,D.E. 95/01/18. KINGSLEY,O.D. Tennessee Valley Authority. 8pp. 95032:363-95032:367.

9501180442 Suppl 7 to Generic Ltr 95-01 to all holders of OLA (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD,D. 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 95055:011-95055:016.

Q. Inspection reports, R. Bulletin & correspondence

9501190103 Forwards Decision & Order of Remand, dtd 951029 re discrimination against R. Fedy. EBNETER,S.D. Region 2 (Post 820201). 95/12/03. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 95002:123-95002:133.

9512200372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD,D. 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 95040:015-95040:023.

9512200129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD,D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 95055:049-95055:061.

9512200299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD,D. 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 95055:041-95055:046.

9501190064 Discusses plant integrated performance assessment process phase IV - assessment of regulatory programs. Opportunities for improvement were especially evident for improving quality of insps repts & effectiveness of insps in listed areas. EBNETER,S.D. Region 2 (Post 820201). 95/01/05. RUSSELL,W.T. 11pp. 95002:332-95002:342.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOLDA, Division of Industrial & Medical Nuclear Safety (Post 970720). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 95027:259-95027:271.

9501190032 Forwards insp rept 50-327/95-24 & 50-328/95-24 on 951211-15. No violations or deficiencies noted. PEEBLES,T.A. Region 2 (Post 820201). 95/01/10. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 95040:301-95040:312.

9501190095 Insp repts 50-327/95-24 & 50-328/95-24 on 951211-15. No violations noted. Major areas inspected: verifying that licensee requalification program for RO & SRO ensures safe power plant operation. EBNETER,S.D., PEEBLES,T.A. Region 2 (Post 820201). 95/01/10. 7pp. 95040:305-95040:312.

9501220182 Responds to NRC 951206 ltr re Secretary of Labor (SOL) decision & order of remand in case of R. Fedy vs TVA & potential violations of 10CFR50.7 being considered by NRC. Bases for TVA disagreement w/SOL decision encl. MEDFORD,M.O. Tennessee Valley Authority. 95/01/12. Document Control Branch (Document Control Desk). 17pp. 95043:112-95043:128.

9501180256 Forwards insp repts 50-327/95-27 & 50-328/95-27 on 951211-16 & NOV. LESSER,M.S. Region 2 (Post 820201). 95/01/17. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 95053:001-95053:013.

9501240281 Notice of violation from insp on 951211-16. Violation noted: on 951210, licensee failed to follow procedure ADP-FL04, Rev 1. * Region 2 (Post 820201). 95/01/17. 1p. 95053:005-95053:005.

9501240293 Insp repts 50-327/95-27 & 50-328/95-27 on 951211-15. Violations noted. Major areas inspected: operations & engineering. SPARKS,S.E., LESSER,M.S. Region 2 (Post 820201). 95/01/17. 5pp. 95053:006-95053:013.

9501190069 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD,D. 95/01/18. Consolidated Edison Co. of New York, Inc. 3pp. 95055:109-95055:120.

9501180475 Responds to 950116 telcon in which DO KINGSLEY inquired about scheduling of pre-disciplinary enforcement conference on EA-95-959 involving potential discrimination against former TVA employee, W.F. Jodice. LIEBERMAN,J. Div of Enforcement (Post 870413). 95/01/19. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 95033:357-95033:360.

9501190305 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants." CRUTCHFIELD,D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 95055:001-95055:010.

9501300037 Responds to 950414 request from GE Murphy of Region II for up to date copy of all TVA PSI/ISI programs & subsequent TVA submissions of PSI/ISI repts for decision. Concludes that TVA no longer required to submit PSI/ISI program rems. HEBBON,F.J. 95/01/25. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 95055:255-95055:260.

9501260183 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused By Vitrin Diaphragms in Scram Solenoid Pilot Valves." CRUTCHFIELD,D. 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 95055:017-95055:023.

R. Periodic operating reports & related correspondence

9501220174 Monthly operating repts for Dec 1995 for SNF W/950116 R. HOLLOWAY,T.J., SHELL,R.H. Tennessee Valley Authority. 95/12/31. 13pp. 95052:314-95052:329.

S. Reportable occurrences, LERs & related correspondence

9501050237 Final response to FOIA request for documents App A documents encl & also placed in PDF. FOWELL,R.A. Division of Freedom of Information & Publications Services (Post 940734). 95/12/21. KURTZ,E. 2pp. 95055:100-95055:104.

9501050247 Package consisting of event repts for 940413-17 for listed plants & Region I morning rept for 940413-15. * NRC - No Detailed Affiliation Given. 95/12/21. 47pp. 95055:108-95055:154.

9501190407 LER 95-016-00 on 951204, failure to establish containment temp monitoring following trouble alarm on fire detector panel. Caused by operator error. Lesson learned issued for training & revised procedure W/950102 R. GILLEY,S.D., ADNEY,R.J. Tennessee Valley Authority. 95/01/02. 8pp. 95020:067-95020:074.

9601170044 LER 95-017-00 on 951208, manual RT initiated as result of failed air line to FW regulator valve that caused low SG level. Changed configurations on four valves by installing new tubing & fittings. W/960108 hr. PROFFITT, J.W., ADNEY, R.J. Tennessee Valley Authority. 96/01/08. 7pp. 88810:044-88810:050.

9601180005 Special rept 95-10 on 951127, alarm function for fire detection zone 277 bypassed, rendering fire detectors inoperable. Fire watch patrol was established within one hour of fire zone becoming inoperable. SHELL, R.H. Tennessee Valley Authority. 96/01/09. Document Control Branch (Document Control Desk). 3pp. 88822:074-88822:076.

9601230025 LER 95-018-00 on 951216, inoperability of C Okada sys for computer room resulted from inadequate design change. Established fire watch. W/960117 hr. PROFFITT, J.W., ADNEY, R.J. Tennessee Valley Authority. 96/01/17. 7pp. 88885:024-88885:030.

9601260327 LER 95-019-00 on 951225, manual reactor trip occurred as result of main generator exciter problems. Caused by field pole failure in main generator. Replaced exciter. W/960119 hr. GILLEY, S.D., ADNEY, R.J. Tennessee Valley Authority. 96/01/19. 6pp. 88810:289-88810:294.

V. Operator Examinations

9601040136 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing test exam schedule. CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 88776:001-88776:010.

9601190032 Forwards insp rept 50-327/95-24 & 50-328/95-24 on 951211-15. No violations or deviations noted. PEEBLES, T.A. Region 2 (Post 820201). 96/01/19. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 88804:301-88804:312.

9601190036 Insp rept 50-327/95-24 & 50-328/95-24 on 951211-15. No violations noted. Major areas inspected: verifying that licensee requalification program for RO & SRO ensures safe power plant operation. ERNSTES, M.E., PEEBLES, T.A. Region 2 (Post 820201). 96/01/10. 7pp. 88804:305-88804:312.

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9601190130 Confirms 951222 telcon between TVA & NRC re add Thermo-Lag 330-1 testing being performed by TVA per GL 92-08. SHELL, R.H. Tennessee Valley Authority. 96/01/12. Document Control Branch (Document Control Desk). 2pp. 88841:152-88841:153.

9601230034 Revised central emergency control center EPIPs (CECC EPIP), including Rev 13 to CECC EPIP-9, Rev 10 to CECC EPIP-22 & Rev 10 to CECC EPIP-23. W/960118 hr. MARKS, B.K. Tennessee Valley Authority. 96/01/18. 3pp. 88860:089-88860:190.

9601240079 Forwards Baseline Physical Security/Contingency Plan, Rev 0. SHELL, R.H. Tennessee Valley Authority. 96/01/16. Document Control Branch (Document Control Desk). 4pp. 88860:355-88860:358.

9601250244 Advises that 951017 rev 96 to Physical Security Plan & Contingency Plan consistent w/provisions of 10CFR50.54 & acceptable. FREDRICKSON, P. Region 2 (Post 820201). 96/01/17. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 88872:336-88872:339.

9601300002 Revised EPIP, including Rev 9 to EPIP-17, "Emergency Equipment & Supplies" & Rev 2 to EPIP-18, "Radiological Emergency Preparedness Training & Drills." W/960123 hr. CATRON, R.H. Tennessee Valley Authority. 96/01/23. 37pp. 88891:040-88891:076.

9601260479 Rev 13 to Central Emergency Control Ctr-EPIP (CECC-EPIP) CECC-EPIP-8, "Dose Assessment Staff Activities During Nuclear Plant Radiological Emergencies." W/960124 hr. MARKS, B.K. Tennessee Valley Authority. 96/01/24. 43pp. 88841:304-88841:348.

P. Operating license stage documents & correspondence

9601190114 Provides Rev 1 to Unit 2 Cycle 7 COLR to allow use of updated calculation method to perform heat flux hot channel factor surveillance. SHELL, R.H. Tennessee Valley Authority. 96/01/02. Document Control Branch (Document Control Desk). 3pp. 88787:219-88787:235.

9601190119 Rev 1 to "Sequoyah Nuclear Plant Unit 2 Cycle 7 COLR." Tennessee Valley Authority. 95/11/17. 14pp. 88787:222-88787:235.

9601170081 Informs NRC of changes that will be incorporated into Bases section of Units 1 & 2 TSC. SHELL, R.H. Tennessee Valley Authority. 96/01/03. Document Control Branch (Document Control Desk). 3pp. 88812:078-88812:080.

9601170185 Proposed tech specs revising bases section 3/4.7.1.2 to indicate current operational functions of turbine-driven AFW level control valves modified during Unit 1 Cycle 7 refueling outage. Tennessee Valley Authority. 96/01/03. 2pp. 88812:079-88812:080.

9601190052 Summarizes one-day public workshops conducted in Oct & Nov 1995, discussing GL 95-07, "Pressure Loading & Thermal Straining of SA Power-Operated Gate Valves." List of meeting participants, staff & industry presentation handouts encl. FREDRICKSON, P. Region 2 (Post 820201). 96/01/03. KINGSLEY, O.D. Tennessee Valley Authority. 12pp. 88804:128-88804:154.

9601190223 Application for amendments to license DPR-77 & DPR-79, revising TS change 95-22, extending radiation monitoring instrumentation surveillance period per GL 93-05. SHELL, R.H. Tennessee Valley Authority. 96/01/04. Document Control Branch (Document Control Desk). 4pp. 88782:172-88782:184.

9601190227 Proposed tech specs extending radiation monitoring instrumentation surveillance period per GL 93-05. Tennessee Valley Authority. 96/01/04. 5pp. 88782:175-88782:184.

9601050193 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re timing of safety-related logic circuits. CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 88827:272-88827:280.

9601190130 Confirms 951222 telcon between TVA & NRC re add Thermo-Lag 330-1 testing being performed by TVA per GL 92-08. SHELL, R.H. Tennessee Valley Authority. 96/01/12. Document Control Branch (Document Control Desk). 2pp. 88841:152-88841:153.

9601220183 Responds to NRC 951208 ltr re Secretary of Labor (SOL) decision & order of remand in case of R Frady vs TVA & potential violations of 10CFR50.7 being considered by NRC. Bases for TVA disagreement w/SOL decision encl. MEDFORD, M.O. Tennessee Valley Authority. 96/01/12. Document Control Branch (Document Control Desk). 17pp. 88843:112-88843:125.

9601240089 Forwards revised TS pages 93/4.7-2a for units 1 & 2. BR-7 revises Section 3/4.7.1.2 to incorporate current operational functions of turbine-driven auxiliary feed-water level control valves. LABARGE, D.E. 96/01/18. KINGSLEY, O.D. Tennessee Valley Authority. 6pp. 88839:352-88839:357.

9601190442 Suppl 7 to Generic Ltr 96-10 to all holders of OIs (except licensees exempted to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 88855:011-88855:016.

Q. Inspection reports, IE Bulletins & correspondence

9601190303 Forwards Decision & Order of Remand/dtd 951023 re discrimination against R Frady. ERNSTES, M.E. Region 2 (Post 820201). 95/12/08. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 88805:128-88805:163.

9601220372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 5pp. 88740:015-88740:023.

9601230128 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 88758:048-88758:061.

9601230289 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 5pp. 88758:041-88758:048.

9601190084 Discusses plant integrated performance assessment process phase IV - assessment of regulatory programs. Opportunities for improvement were especially evident for improving quality of insp rept & effectiveness of insps in listed areas. ERNSTES, M.E., PEEBLES, T.A. Region 2 (Post 820201). 96/01/08. RUSSELL, W.T. 11pp. 88802:332-88802:342.

9601040335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses." COOL, J.A. Director of Industrial & Medical Nuclear Safety (Post 870129). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 88827:259-88827:271.

9601190032 Forwards insp rept 50-327/95-24 & 50-328/95-24 on 951211-15. No violations or deviations noted. PEEBLES, T.A. Region 2 (Post 820201). 96/01/10. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 88804:301-88804:312.

9601190039 Insp rept 50-327/95-24 & 50-328/95-24 on 951211-15. No violations noted. Major areas inspected: verifying that licensee requalification program for RO & SRO ensures safe power plant operation. ERNSTES, M.E., PEEBLES, T.A. Region 2 (Post 820201). 96/01/10. 7pp. 88804:306-88804:312.

9601220182 Responds to NRC 951208 ltr re Secretary of Labor (SOL) decision & order of remand in case of R Frady vs TVA & potential violations of 10CFR50.7 being considered by NRC. Bases for TVA disagreement w/SOL decision encl. MEDFORD, M.O. Tennessee Valley Authority. 96/01/12. Document Control Branch (Document Control Desk). 17pp. 88843:112-88843:125.

9601260258 Forwards insp rept 50-327/95-27 & 50-328/95-27 on 951211-16 & NOV. LESSER, M.S. Region 2 (Post 820201). 96/01/17. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 88833:001-88833:013.

9601260281 Notice of violation from insp on 951211-16. Violation noted: on 951210, licensee failed to follow procedure AOP-R.04, Rev 1. Region 2 (Post 820201). 96/01/17. 1p. 88833:006-88833:006.

9601260283 Insp rept 50-327/95-27 & 50-328/95-27 on 951211-16. Violations noted: Major areas inspected: operations & engineering. SPARKS, S.E., LESSER, M.S. Region 2 (Post 820201). 96/01/17. 5pp. 88833:006-88833:013.

9601190358 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 5pp. 88826:109-88826:120.

9601190475 Responds to 960116 telcon in which OD Kingsley inquired about scheduling of predecisional and decisional conferences on EA-95-159 involving potential discrimination against former TVA employee, W.F. Jochar. LESSER, M.S. Office of Enforcement (Post 870413). 96/01/19. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 88833:357-88833:360.

74 DOCKETED ITEMS

9501190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85955:001-85955:010.

9501200007 Response to 500414 request from OE Murphy of Region II for up to date copy of all TVA PSM/ISI programs & subsequent TVA submissions of PSM/ISI revs for docketing. Concludes that TVA no longer required to submit PSM/ISI programs revs.
HEBON, F. J. . 95/01/25. KINGSLEY, D. D. Tennessee Valley Authority. 5pp. 85935:259-85935:260.

9501250139 NRC Info Notice 95-007, "Slow Five Percent Scrub Inertion Times Caused By Vilon Diaphragms in Scrub Solenoid Pilot Valves."
CRUTCHFIELD, D. . 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 85965:017-85965:023.

R. Periodic operating reports & related correspondence

9501230171 Monthly operating rept for Dec 1993 for SNF.W/950116 tr.
HOLLOWAY, J. L. SHELL, R. H. Tennessee Valley Authority. 95/12/31. 13pp. 85925:314-85925:320.

S. Reportable occurrences, UERs & related correspondence

9501550237 Final response to FOIA request for documents. App A documents and 3 also placed in PDR.
POWELL, R. A. Division of Freedom of Information & Publications Services (Post 940744). 95/12/21. KURTZ, E. . 2pp. 85755:106-85755:154.

9501550247 Package consisting of event rept for 940413-17 for listed plants & Region I morning rept for 940413-15.
* NRC - No Detailed Analysis Given. 95/12/21. 47pp. 85755:106-85755:154.

9501180605 Special rept 95-10 on 951127 alarm function for fire detection zone 277 bypassed, rendering fire detectors inoperable. Fire watch patrol was established within one hour of fire zone becoming inoperable.
SHELL, R. H. Tennessee Valley Authority. 95/01/09. Document Control Branch (Document Control Desk). 3pp. 85822:074-85822:076.

9501250136 LER 95-007-00 on 951221 JT w/AFW start & FW isolation was result of switchyard power circuit breaker failure. Caused by loss of condenser vacuum. CR staff promptly diagnosed plant conditions & shutdown unit. W/950118 tr.
BAURASZEWSKI, ADNEY, R. L. Tennessee Valley Authority. 95/01/15. 7pp. 85910:287-85910:293.

V. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing rail exam schedule.
CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 85775:001-85775:010.

9501190032 Forwards Insp rept 50-327/95-24 & 50-328/95-24 on 951211-15. No violations or deviations noted.
PEEBLES, T. A. Region 2 (Post 820201). 95/01/10. KINGSLEY, D. D. Tennessee Valley Authority. 4pp. 85904:301-85904:312.

9501180636 Insp rept 50-327/95-24 & 50-328/95-24 on 951211-15. No violations noted. Major areas inspected: verifying that licensee requalification program for RO & SRO ensures safe power plant operation.
ERINSTE, M. E. Region 2 (Post 820201). 95/01/10. 7pp. 85904:305-85904:312.

DOCKET 50-329 MIDLAND PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9501050193 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. . 95/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 85827:272-85827:280.

9501190442 Suppl 7 to Generic Ltr 95-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 85955:011-85955:016.

Q. Inspection reports, IE Bulletins & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 85740:015-85740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 85755:049-85755:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 85755:041-85755:048.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 85827:259-85827:271.

9501100656 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. . 95/01/18. Consolidated Edison Co. of New York, Inc. 6pp. 85825:109-85825:120.

9501190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85955:001-85955:010.

9501250139 NRC Info Notice 95-007, "Slow Five Percent Scrub Inertion Times Caused By Vilon Diaphragms in Scrub Solenoid Pilot Valves."
CRUTCHFIELD, D. . 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 85965:017-85965:023.

V. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing rail exam schedule.
CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 85775:001-85775:010.

DOCKET 50-330 INDIAN PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9501050193 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. . 95/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 85827:272-85827:280.

9501190442 Suppl 7 to Generic Ltr 95-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 85955:011-85955:016.

Q. Inspection reports, IE Bulletins & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 85740:015-85740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 85755:049-85755:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 85755:041-85755:048.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 85827:259-85827:271.

9501100656 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. . 95/01/18. Consolidated Edison Co. of New York, Inc. 6pp. 85825:109-85825:120.

9501190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85955:001-85955:010.

9501250139 NRC Info Notice 95-007, "Slow Five Percent Scrub Inertion Times Caused By Vilon Diaphragms in Scrub Solenoid Pilot Valves."
CRUTCHFIELD, D. . 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 85965:017-85965:023.

V. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing rail exam schedule.
CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 85775:001-85775:010.

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

9501180122 Advice of change in commitment to require health physics technician to accompany worker on initial entry into high radiation area in response to notice of violation & proposed imposition of civil penalty.
FRANZ, J. P. IES Utilities Inc., (formerly Iowa Electric Light & Power Co.). 95/12/22. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 2pp. 85782:359-85782:360.

9501170135 Rev 47 to corporate emergency response organization.
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co.). 95/01/02. 61pp. 85782:274-85782:334.

9601160128 Adresses that 950407 Rev 32 to physical security plan consistent w/provisions of 10CFR50.54(a) & acceptable.
CREED,J.R. Region 3 (Post 820201). 96/01/04. FRANZ,J.F. IES Utilities Inc. (formerly Iowa Electric Light & Power Co.). 2pp. 86958343-86958344.

9601168357 Adresses that 950816 rev 33 to physical security plan consistent w/provisions of 10CFR50.54(a) & acceptable.
CREED,J.R. Region 3 (Post 820201). 96/01/06. FRANZ,J.F. IES Utilities Inc. (formerly Iowa Electric Light & Power Co.). 2pp. 86782317-86782318.

9601230648 Forwards NRC exercise objectives tracking matrix.
FRANZ,J.F. IES Utilities Inc. (formerly Iowa Electric Light & Power Co.). 96/01/12. MILLER,H.J. Region 3 (Post 820201). 7pp. 86958073-86958078.

9601260200 Revised EPPs,including Rev 86 to EPP Index,Rev 17 to EPP-2.2,Rev 1 to EPP App 1, revised Corporate Plan Implementing Procedures,including Rev 18 to CIP-1.3,Rev 11 to CIP-1.4,Rev 1 to CIP App 1 & Rev 82 CIP Index.
* IES Utilities Inc. (formerly Iowa Electric Light & Power Co.). 96/01/12. 148pp. 86672301-86672314.

P. Operating license stage documents & correspondence

9601030001 Adresses that due to cost associated w/repairing feature resulting in simulator discrepancy compared w/tow training value,util has decided not to decortify & not repair feature.
FRANZ,J.F. IES Utilities Inc. (formerly Iowa Electric Light & Power Co.). 95/12/22. RUSSELL,W.T. 2pp. 86705258-86705259.

9601030082 Application for amend to license DPR-40,revizing TS Section 3.7, "Plant Containment Sys."
FRANZ,J.F. IES Utilities Inc. (formerly Iowa Electric Light & Power Co.). 96/12/22. RUSSELL,W.T. 2pp. 86682320-86682324.

-9601030093 Proposed tech spec 3.7, "Plant Containment Sys."
* IES Utilities Inc. (formerly Iowa Electric Light & Power Co.). 95/12/22. 27pp. 86696323-86696356.

9601050183 Generic Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD,D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827280.

9601238167 Application for amend to license DPR-49,consisting of Request for TS Change RTE-288,revizing vessel level setpoint at which RWCU sys isolates.
FRANZ,J.F. IES Utilities Inc. (formerly Iowa Electric Light & Power Co.). 96/01/18. RUSSELL,W.T. 2pp. 86652301-86652313.

-9601238172 Proposed tech spec,revizing RWCU isolation setpoint from reactor low level to reactor low-low level.
* IES Utilities Inc. (formerly Iowa Electric Light & Power Co.). 96/01/18. 8pp. 86652308-86652313.

9601198442 Suppl 7 to Generic Ltr 89-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve disposition in PWRs.
CRUTCHFIELD,D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86955011-86955018.

Q. Inspection reports, IE Bulletins & correspondence

9601160122 Adresses change in commitment to require health physics technician to accompany worker on initial entry into high radiation area in response to notice of violation & proposed imposition of civil penalty.
FRANZ,J.F. IES Utilities Inc. (formerly Iowa Electric Light & Power Co.). 95/12/22. UEBERMAN,J. Ofc of Enforcement (Post 870413). 2pp. 86782359-86782360.

9612270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD,D. 96/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740015-86740023.

9612290329 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD,D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758061.

9612280209 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD,D. 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758041-86758048.

9601040335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COLODIA, Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827258-86827271.

9601100556 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD,D. 96/01/16. Consolidated Edison Co. of New York, Inc. 5pp. 86829109-86829120.

9601100506 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD,D. 96/01/28. Consolidated Edison Co. of New York, Inc. 10pp. 86955001-86955010.

9601300035 Forwards Exam Rept 50-331/OL-96-01 on 960119,exam & answer key.No violations noted.
BURDICK,T.M. Region 3 (Post 820201). 96/01/25. LIJL IES Utilities Inc. (formerly Iowa Electric Light & Power Co.). 2pp. 86887006-86887007.

-9601300068 Exam rept 50-331/OL-96-01 on 960119,Exam results:one candidate successfully passed written re-exam,Operating license issued.
BURDICK,T.M. Region 3 (Post 820201). 96/01/25. 6pp. 86887008-86887007.

9601260139 NRC Info Notice 96-007, "Slow Fire Percent Screen Insertion Times Caused By Vilon Diaphragms in Screen Solenoid Pilot Valves."
CRUTCHFIELD,D. 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86955017-86955023.

R. Periodic operating reports & related correspondence

9601170232 Monthly operating rept for Dec 1995 for Duane Arnold Energy Ctr.W/ 860110 ltr.
WOODWARD,R. VANMIDDLESWORTH IES Utilities Inc. (formerly Iowa Electric Light & Power Co.). 95/12/31. MILLER,H.J. Region 3 (Post 820201). 6pp. 86800293-86800298.

S. Reportable occurrences, LERs & related correspondence

9601170016 LER 95-012-00 on 951212,HPCS turbine manually tripped following receipt of low flow alarm during testing,installed temporary instrumentation on HPCI turbine control sys. W/860111 ltr.
KLOTZ,B. MIDDLESWORTH,I.E. IES Utilities Inc. (formerly Iowa Electric Light & Power Co.). 96/01/11. MILLER,H.J. Region 3 (Post 820201). 5pp. 86958048-86958052.

9601230188 LER 95-013-00 on 951221,HPCI was inoperable due to water in HPCI turbine steam exhaust line.Performed detailed analysis of HPCI operability w/water in turbine exhaust line.W/860119 ltr.
KERR,L. MIDDLESWORTH,I.E. IES Utilities Inc. (formerly Iowa Electric Light & Power Co.). 96/01/19. 6pp. 86840219-86840224.

T. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing rail exam schedule.
CRUTCHFIELD,D. 96/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 86780001-86780010.

9601260178 Provides util w/individual exam results for applicant who took initial license exam on 960119.W/o anls.
BURDICK,T.M. Region 3 (Post 820201). 96/01/18. CANTRELL,J.D. IES Utilities Inc. (formerly Iowa Electric Light & Power Co.). 1p. 86864156-86864158.

9601300022 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 960410.
BURDICK,T.M. Region 3 (Post 820201). 96/01/24. LACROIX,D.G. HAAS,K.M. Consumers Power Co. SAWATZKE,B.J. Northern States Power Co. 3pp. 86887008-86887009.

9601300035 Forwards Exam Rept 50-331/OL-96-01 on 960119,exam & answer key.No violations noted.
BURDICK,T.M. Region 3 (Post 820201). 96/01/25. LIJL IES Utilities Inc. (formerly Iowa Electric Light & Power Co.). 2pp. 86887006-86887007.

-9601300068 Exam rept 50-331/OL-96-01 on 960119,Exam results:one candidate successfully passed written re-exam,Operating license issued.
BURDICK,T.M. Region 3 (Post 820201). 96/01/25. 6pp. 86887008-86887007.

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9601102684 Forwards SALP rept 50-333/95-99 for period 940410-951118.
MARTINI,T. Region 1 (Post 820201). 95/12/25. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 86760005-86760018.

-9601102614 SALP rept 50-333/95-99 for period 940410-951118.
* Region 1 (Post 820201). 95/12/25. 8pp. 86760009-86760018.

P. Operating license stage documents & correspondence

9601020068 Forwards amend 230 to license DPR-59 & safety evaluation. Amend modifies TS to extend surveillance test intervals for emergency src water sys to support 24-month operating cycles.
CARPENTER,C.E. 95/12/21. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 86701281-86701282.

-9601020094 Amend 230 to license DPR-59,modifying TS to extend surveillance test intervals for emergency src water sys to support 24-month operating cycles,Surveillance test interval extensions consistent w/GL 91-04.
MARSH,L.B. 95/12/21. 5pp. 86701255-86701258.

-9601020098 Safety evaluation supporting amend 230 to license DPR-59.
* 95/12/21. 8pp. 86701260-86701262.

9601050193 Generic Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD,D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827280.

9601160375 Requests exemption to allow use of low-pressure injection systems to achieve safe shutdown in six fire areas.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/01/12. Document Control Branch (Document Control Desk). 11pp. 86782268-86782278.

9601160413 Requests exemption from requirements of Section (I)C.1 of App J to 10CFR50 for 37 containment isolation valves to extend that periodic reverse direction testing of valves does not expose potential atmospheric leakage paths.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/01/12. Document Control Branch (Document Control Desk). 13pp. 86782231-86782243.

9601220185 Submits rpt in accordance w/10CFR26 App A, "Guidelines for Drug & Alcohol Testing Programs," Section 2.8, "QA & QC" requirements.
SALMON, J.P. Power Authority of the State of New York (New York Power Authority). 96/01/15. Document Control Branch (Document Control Desk). 3pp. 86845002-86845004.

9601199442 Suppl 7 to Generic Ltr 89-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors in consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86955011-86955016.

9601308293 Forwards application for amend to License DPR-59, permitting allowed out-of-service times for single inoperable EDGs to accommodate on-line maint of EDGs.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 96/01/25. Document Control Branch (Document Control Desk). 2pp. 86843283-86843317.

9601308295 Application for amend to License DPR-59, revising allowed out-of-service times for single inoperable EDGs to accommodate on-line maint of EDGs.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 96/01/25. 1p. 86843285-86843285.

9601308270 Proposed tech specs re EDGs surveillance testing.
Power Authority of the State of New York (New York Power Authority). 96/01/25. 32pp. 86843296-86843317.

Q. Inspection reports, IE Bulletins & correspondence

9601118204 Forwards SALP rpt 50-333/95-99 for period 940410-951118.
MARTIN, T.T. Region 1 (Post 820201). 95/12/28. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 86760005-86760018.

9601118214 SALP rpt 50-333/95-99 for period 940410-951118.
Region 1 (Post 820201). 95/12/28. 6pp. 86760009-86760038.

9612270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740015-86740023.

9612290329 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758061.

9612290299 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758041-86758048.

9601040335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9601190125 Notification of significant licensee meeting 96-02 w/ all on 960124 to discuss SALP Mtg Meeting covering period 940410-951118.
COAGLI, C.J. Region 1 (Post 820201). 96/01/11. Region 1 (Post 820201). 4pp. 86805200-86805203.

9601190055 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86828109-86828120.

9601190206 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86955001-86955010.

9601260139 NRC Info Notice 96-007, "Slow Rise Percent Scram Insertion Times Caused by Vibration Displacement in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86965017-86965022.

R. Periodic operating reports & related correspondence

9601190215 Monthly operating rpt for Dec 1995 for JA Fitzpatrick Nuclear Power Plant W/960115 L.
FLAUG, R., SALMON, J.P. Power Authority of the State of New York (New York Power Authority). 96/12/31. 6pp. 86828245-86828250.

S. Reportable occurrences, LERs & related correspondence

9601190222 LER 95-015-000n 961215, discovered omission of RWR seal purge flow from reactor heat balance. Caused by inadequacy in original plant design. Restricted plant output to 2434 MWt to maintain more than 1.4 MWt margin W/960112 Ltr.
BURCH, SALMON, J.P. Power Authority of the State of New York (New York Power Authority). 96/01/12. 4pp. 86810245-86810258.

V. Operator Examinations

9609040128 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing mail exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778001-86778010.

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9601190195 Forwards Rev 7 to "Emergency Preparedness Plan."
THOMAS, G.S. Duquesne Light Co. 96/01/08. Document Control Branch (Document Control Desk). 10pp. 86780001-86781088.

9601190195 Rev 7 to "Emergency Preparedness Plan."
Duquesne Light Co. 95/12/15. 442pp. 86780011-86781088.

9601308228 Forwards rev 27 to issue 4 of BVPs physical security plan. Plan withheld.
THOMAS, G.S. Duquesne Light Co. 96/01/23. Document Control Branch (Document Control Desk). 2pp. 86961038-86961039.

H. General correspondence

9601190195 Requests that NRC update NRC document mailing labels per attached ltr due to recent personnel reassignments at BVPs, Units 1 & 2.
THOMAS, G.S. Duquesne Light Co. 96/12/28. Document Control Branch (Document Control Desk). 2pp. 86778325-86778327.

P. Operating license stage documents & correspondence

960110226 Application for amends to License DPR-65 & NPF-73, consisting of change requests 230 & 100, modifying LCO titled, "Accident Monitoring Instrumentation" & associated SFRs for Unit 1 & 2.
THOMAS, G.S. Duquesne Light Co. 96/12/27. Document Control Branch (Document Control Desk). 3pp. 86774234-86774236.

960111825a Proposed tech specs, consisting of change requests 230 & 100, modifying LCO titled, "Accident Monitoring Instrumentation" & associated SFRs for Units 1 & 2.
Duquesne Light Co. 95/12/27. 12pp. 86774237-86774238.

9601190255 Forwards CR dose analysis titled, "SA of Common CR Doses From MSLB Outside of CNMT at U1 W/ Increased Primary-to-Secondary Leakage." In response to NRC RAI resulting from 960103 telcon re proposed OL Change Request 228 did 961207.
THOMAS, G.S. Duquesne Light Co. 96/01/04. Document Control Branch (Document Control Desk). 1p. 86808001-86808001.

9601190261 "SA of Common CR Doses From MSLB Outside of CNMT at U1 W/ Increased Primary-to-Secondary Leakage."
LAVIE, S.P., KAMMERDENER, G., IRELAND, J.M. Duquesne Light Co. ERS-SFL-95-008 RAO. 96/11/09. 12pp. 86808002-86808012.

9601190085 Forwards Issue 2, Rev 18 to "Beaver Valley Unit 1 Inservice Testing Program for Pumps & Valves."
THOMAS, G.S. Duquesne Light Co. 96/01/08. Document Control Branch (Document Control Desk). 6pp. 86818320-86818352.

9601190092 Issue 2, Rev 13 to "Beaver Valley Unit 1 Inservice Testing Program for Pumps & Valves."
Duquesne Light Co. 96/07/24. 227pp. 86818326-86818352.

9601090183 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 6pp. 86827272-86827280.

9601190229 Responds to RAI re three items in GL 95-03, "Circumferential Cracking of SG Tubes."
THOMAS, G.S. Duquesne Light Co. 96/01/10. Document Control Branch (Document Control Desk). 4pp. 86812357-86812360.

9601190184 Notice of significant licensee meeting 96-01 on 960122 in King of Prussia, PA to discuss station focus on operational needs, addressing site issues in early stages & mispositioned component followup actions.
ESELGROTH, P.W. Region 1 (Post 820201). 96/01/10. Region 1 (Post 820201). 2pp. 86811004-86811004.

9601190442 Suppl 7 to Generic Ltr 89-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors in consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86955011-86955016.

Q. Inspection reports, IE Bulletins & correspondence

9612270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740015-86740023.

9612290329 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758061.

9612290299 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758041-86758048.

9601040335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9501230251 Forwards "Steam Generator Tube Inservice Insp Rept." for BVPs. Insp completed during Unit 1 tenth refueling outage & Unit 2 fifth refueling outage. THOMAS, G.S., Duquesne Light Co. 95/01/12. Document Control Branch (Document Control Desk). 1p. 85835:145-85835:278.

9501230256 "Steam Generator Tube Inservice Insp Rept." for BVPs. Duquesne Light Co. 95/01/12. 13pp. 85835:145-85835:278.

9501110858 NRC Info Notice 95-006, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D., 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 85828:109-85828:126.

9501230165 Ack receipt of 951023 for informing NRC of steps taken to correct violations noted in insp repts 50-334/95-13 & 50-312/95-13. EISEL, GROT, P.W., Region 1 (Post 820201). 95/01/18. CROSS, J.E., Duquesne Light Co. 2pp. 85833:354-85833:357.

9501230353 Requests NRC review & acceptance of WCAP-14535, "Topical Rept on Reactor Coolant Pump Flywheel Insp Elimination." Rept and. THOMAS, G.S., Duquesne Light Co. 95/01/24. Document Control Branch (Document Control Desk). 3pp. 85837:001-85837:125.

9501230404 "Topical Rept on Reactor Coolant Pump Flywheel Insp Elimination." PRAGER, D.E., SWAMY, S.A., Westinghouse Electric Corp. WCAP-14535. 95/01/31. 12pp. 85837:004-85837:125.

9501180506 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D., 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85835:001-85835:012.

9501230139 NRC Info Notice 95-007, "Slow Five Percent Sorum Insertion Times Caused by Vilon Diaphragms in Sorum Solenoid Pilot Valves." CRUTCHFIELD, D., 95/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 85835:017-85835:022.

R. Periodic operating reports & related correspondence

9501028315 NPDES discharge monitoring rpt for Nov 1995 for BVPs. W/ 951220 lt. ORNDORF, D., NOONAN, T.P., Duquesne Light Co. 95/11/30. 33pp. 85836:267-85836:300.

9501180125 Monthly operating repts for Dec 1995 for Beaver Valley Power Station. W/ 950109 lt. JONES, G.T., NOONAN, T.P., Duquesne Light Co. 95/12/31. 8pp. 85782:350-85782:359.

S. Reportable occurrences, LERs & related correspondence

9501180090 LER 95-010-000n 951218, Train 6 River Water header was declared inoperable. Caused by flow assisted erosion of inner rubber wall. Unit was cooled to operational Mode 5 for rubber expansion joint replacement. W/ 950116 lt. NOONAN, T.P., Duquesne Light Co. 95/01/16. 8pp. 85828:125-85828:129.

9501225368 LER 95-011-000n 951218, missed source range surveillance occurred. Caused by lack of attention to detail by operations supervisors controlling plant shutdown procedure. Operations supervisors involved counseled. W/ 950118 lt. NOONAN, T.P., Duquesne Light Co. 95/01/19. 8pp. 85835:305-85835:312.

V. Operator Examinations

9501048138 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing next exam schedule. CRUTCHFIELD, D., 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 85776:001-85776:010.

DOCKET 90-335 ST. LUCIE PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9501230090 Forwards Rev 29 to "Radiological Emergency Plan for St Lucie Plant." Attachment 1 contains listing of pages w/ description of changes made to plan. SAGER, D.A., Florida Power & Light Co. 95/12/22. Document Control Branch (Document Control Desk). 20pp. 85835:001-85835:204.

9501020095 Rev 29 to "Radiological Emergency Plan for St Lucie Plant." GOLDBERG, J.A., Florida Power & Light Co. 95/12/15. 17pp. 85835:030-85835:204.

9501170415 Rev 29 to EPIP 31000225, "Classification of Emergencies." W/ 850106 lt. SAGER, D.A., Florida Power & Light Co. 95/01/06. 25pp. 85783:337-85783:361.

9501230381 EPIPs including Rev 29 to HP-90, Rev 20 to HP-202, Rev 12 to HP-203 & Rev 5 to HP-206. W/ 950112 lt. SAGER, D.A., Florida Power & Light Co. 95/01/12. 119pp. 85844:230-85844:348.

G. Adjudicatory correspondence

9501180151 Informs J Doherty that time provided by NRC regulation within which Commission may act to review Director Decision in docket has expired. W/ Certificate of Service on 950106. HOYLE, J.C., Office of the Secretary of the Commission. #198 17409. 95/01/06. DOHERTY, J.F., Affiliation Not Assigned. 3pp. 85783:099-85783:101.

P. Operating license stage documents & correspondence

9501166234 Forwards mails reviewed during Dec 1995 mgmt review meeting. W/o encl. SAGER, D.A., Florida Power & Light Co. 95/12/22. Document Control Branch (Document Control Desk). 1p. 85787:333-85787:333.

9501190025 Forwards document info received by Region 2 personnel from concerned individuals re allegations RH-95-A-0147, RH-95-A-0155 & RH-95-A-0159 for review. Encl withheld (ref 10CFR2.790). MERCHOFF, E.W., Region 2 (Post 820201). 95/01/02. GOLDBERG, J.H., Florida Power & Light Co. 5pp. 85804:237-85804:341.

9501180447 Submits summary of public workshops to discuss OL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves." FREDRICKSON, P., Region 2 (Post 820201). 95/01/03. GOLDBERG, J.H., Florida Power & Light Co. 127pp. 85806:001-85806:127.

9501180237 Application for amendments to licenses CFP-87 & NPP-16 revising TS 3.5.3 to rectify discrepancy for each St Lucie Unit & to provide assurance that admin controls for HPSP remain effective in lower operational modes. SAGER, D.A., Florida Power & Light Co. 95/01/04. Document Control Branch (Document Control Desk). 11pp. 85787:198-85787:213.

9501180240 Proposed tech specs rectifying discrepancy for each St Lucie Unit & providing assurance that admin controls for HPSP remain effective in lower operational modes. Florida Power & Light Co. 95/01/04. 5pp. 85787:208-85787:213.

9501220244 Forwards response to NRC 950913 RAI re Suppl 4 to OL 95-20, "IPE of External Events (PEEE)." & update on status & schedule for corrective actions noted in Table 4-3 of 081 941215 IPEE summary rpt. SAGER, D.A., Florida Power & Light Co. 95/01/09. Document Control Branch (Document Control Desk). 4pp. 85833:285-85833:335.

9501058183 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D., 95/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 85827:272-85827:280.

9501190442 Suppl 7 to Generic Ltr 95-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PNRs. CRUTCHFIELD, D., 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 85835:011-85835:016.

Q. Inspection reports, IE Bulletins & correspondence

9501190628 Ack receipt of 950919 lt informing NRC of steps taken to correct violations noted in insp repts 50-335/95-16 & 50-389/95-18 on 951127. LANDIS, K.D., Region 2 (Post 820201). 95/01/02. GOLDBERG, J.H., Florida Power & Light Co. 3pp. 85801:358-85801:358.

9501190082 Ack receipt of 951219 lt informing NRC of steps taken to correct violations noted in insp repts 50-335/95-20 & 50-389/95-20. LANDIS, K.D., Region 2 (Post 820201). 95/01/02. GOLDBERG, J.H., Florida Power & Light Co. 3pp. 85804:255-85804:257.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD, D., 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 85740:015-85740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D., 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 85758:048-85758:051.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D., 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 85758:041-85758:048.

9501190434 Forwards insp rpt 50-335/95-17 & 50-389/95-17 on 951204-15 & notice of violation. Violation of concern because example identified in which unqualified components installed in safety-related equipment. CASTO, C.A., Region 2 (Post 820201). 95/01/05. GOLDBERG, J.H., Florida Power & Light Co. 3pp. 85811:220-85811:225.

9501190450 Notice of violation from insp on 951204-45. Violation noted: activities affecting quality not prescribed by documented procedures. Region 2 (Post 820201). 95/01/05. 8pp. 85811:228-85811:224.

9501190460 Insp repts 50-335/95-17 & 50-389/95-17 on 951204-15. Violations noted: Major areas inspected/procedure engineering w/ focus on commercial grade dedication & item substitution of safety-related procurement items. MOORE, R., GIBBS, R., Region 2 (Post 820201). 95/01/05. 11pp. 85811:225-85811:235.

9501040358 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licensees." COO, D.A., Division of Industrial & Medical Nuclear Safety (Post 870728). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 85827:259-85827:271.

9501110058 NRC Info Notice 95-006, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D., 95/01/18. Consolidated Edison Co. of New York, Inc. 6pp. 85828:109-85828:120.

9501190306 NRC Info Notice 95-008, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D., 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85835:001-85835:010.

9501230139 NRC Info Notice 95-007, "Slow Five Percent Sorum Insertion Times Caused by Vilon Diaphragms in Sorum Solenoid Pilot Valves." CRUTCHFIELD, D., 95/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 85835:017-85835:023.

78 DOCKETED ITEMS

P. Periodic operating reports & related correspondence

9601240073 Monthly operating reports for Dec 1995 for St. Lucie Nuclear Power Plant Unit 1 & 2. WY960116. R. ROGERS, J.A., SAGER, D.A. Florida Power & Light Co. 96/12/31, 9pp. 86871:091-86871:099.

V. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing next exam schedule. CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86875:001-86875:010.

DOCKET 90-334 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9601030237 Forwards Insp repts 50-245/95-38, 50-335/95-38 & 50-423/95-38 on 961004-1104 & notice of violation. Violation of concern because similar violation cited in Mar 1995 as result of eleven missed surveillances. COOPER, R.W. Region 1 (Post 820201), 95/12/18. BUSCH, R.E. Northeast Utilities Service Co. 4pp. 86892:112-86892:158.

9601030254 Insp repts 50-245/95-38, 50-335/95-38 & 50-423/95-38 on 961004-1104. Violations noted: Major areas inspected: plant operations, radiological controls, maintenance surveillance, security, outage activities & licensee self-assessment. DURR, J.P. Region 1 (Post 820201), 95/12/14, 3pp. 86892:112-86892:158.

9601030266 Revised EPPs, including Rev 188 to 4000 procedure index, Rev 1, Change 1 to EPOP 4411, Rev 1 to EPOP 4411B & Rev 1 to EPOP 4428D. * Northeast Nuclear Energy Co. 95/12/20, 3pp. 86817:222-86817:255.

9601070154 Rev 19 to Milestone Nuclear Power Station Emergency Plan. * Northeast Nuclear Energy Co. 95/12/31, 3pp. 86784:099-86784:133.

9601080402 Provides response to weakness/concern noted in 961102 final rpt of operational safeguards response evaluation conducted from 860910-22. MILLER, D.B. Northeast Nuclear Energy Co. 96/01/05. CUNNINGHAM, L.J. 2pp. 86774:360-86774:361.

9601220223 Rev 1 to Emergency Plan Operating Procedure 4428B, "Protective Action Recommendations." W/Rev 170 to 4000 procedure index. MACLEAN, J. Northeast Nuclear Energy Co. 96/01/30, 12pp. 86843:222-86843:233.

G. Adjudicatory correspondence

9601060161 Informal J. Doherty that time provided by NRC regulation within which Commission may act to review Director Decision in docket has expired. W/ Certificate of Service on 960908. MOYLE, J.C. Office of the Secretary of the Commission, #196 17409. 96/01/05. DOHERTY, J.F. Affiliation Not Assigned. 3pp. 86783:069-86783:101.

H. General correspondence

9601030238 Notice of establishment of new Chief Nuclear Officer & functional organization, effective 960201. BUSCH, R.E. Connecticut Yankee Atomic Power Co. BUSCH, R.E. North Atlantic Energy Service Corp. (NAESCO). BUSCH, R.E. Northeast Nuclear Energy Co. 96/01/17. Document Control Branch (Document Control Desk). 4pp. 86861:281-86861:284.

9601230456 Forwards general release given to recently terminated employee for signature before obtaining clearance from NU. BLANCH, J.M. Affiliation Not Assigned. 96/01/21. ZWOLINSKI, J.A. 5pp. 86870:021-86870:025.

P. Operating license stage documents & correspondence

9601170476 Forwards "Milestone Unit 2 IPE for External Events," in response to GL 88-20, Supp. 4 & 5 in accordance w/ guidance in NUREG-1407. MILLER, D.B. Northeast Nuclear Energy Co. MILLER, D.B. Northeast Utilities Service Co. 96/12/28. Document Control Branch (Document Control Desk). 4pp. 86789:001-86789:023.

9601170162 "Milestone Unit 2 IPE for External Events." * Northeast Utilities Service Co. 95/12/30, 28pp. 86789:005-86789:273.

9601060169 Informal NRC that CYAPCO & NNECO plan to submit response to NRC 951211 RAI re GL 88-03, "Circumferential Cracking of SG Tubes" on or before 960216. DEBARBA, E.A. Connecticut Yankee Atomic Power Co. DEBARBA, E.A. Northeast Nuclear Energy Co. DEBARBA, E.A. Northeast Utilities Service Co. 96/01/02. Document Control Branch (Document Control Desk). 2pp. 86778:331-86778:332.

9601060224 Change 2 to rev 38 to QAP 1.0. PALUCA, R. Northeast Utilities. 96/01/05, 42pp. 86775:312-86775:340.

9601060417 Application for amend to license DPR-65, revising TS Sections 3.3.1.1, 3.3.2.1 & 3.7.1.6 & Tables 3.3-2, 3.3-3, 3.3-4 & 3.3-6 & bases re reactor protective & ESFAS instrumentation. DEBARBA, E.A. Northeast Nuclear Energy Co. DEBARBA, E.A. Northeast Utilities Service Co. 96/01/05. Document Control Branch (Document Control Desk). 8pp. 86782:189-86782:230.

9601060423 Proposed tech specs re reactor protective & ESFAS instrumentation. * Northeast Nuclear Energy Co. 96/01/05, 23pp. 86782:205-86782:230.

9601060483 Generic Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:273-86827:280.

9601180358 Forwards RAI re requests for AGT extensions for EDG Sys, LPSI Sys & CEDG joint application repts concerning these repts. Response requested within 45 days from receipt of this request. WISSING, G.S. 96/01/11. BUSCH, R.E. Northeast Utilities Service Co. 10pp. 86808:215-86808:224.

9601220263 Application for amend to license DPR-65, revising TS to allow use of performance-based containment leakage testing requirements described in 10CFR50, App J, Option B. DEBARBA, E.A. Northeast Nuclear Energy Co. DEBARBA, E.A. Northeast Utilities Service Co. 96/01/16. Document Control Branch (Document Control Desk). 10pp. 86804:314-86804:349.

9601220205 Proposed tech specs allowing use of performance-based containment leakage testing requirements described in 10CFR50, App J, Option B. * Northeast Nuclear Energy Co. 96/01/16, 21pp. 86804:325-86804:348.

9601250076 Forwards amend 184 to license DPR-65 & safety evaluation. Amend changes listed TS Sections, Tables & Base Sections. WISSING, G.S. 96/01/17. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 86858:171-86858:184.

9601250079 Amend 184 to license DPR-65, revising listed TS Sections, Tables & Base Sections. MCKEE, P.F. 96/01/17, 18pp. 86858:174-86858:180.

9601250082 Safety evaluation supporting amend 184 to license DPR-65. * 96/01/17, 4pp. 86858:190-86858:194.

9601250108 Forwards amends 91, 183 & 125 to license DPR-21, DPR-65 & NPF-49, respectively, revising administrative controls section of TS to allow implementation of Station Qualified Reviewer Program. MCKEE, P.F. 96/01/17. BUSCH, R.E. Northeast Utilities Service Co. 6pp. 86854:228-86854:277.

9601250112 Amends 91, 183 & 125 to license DPR-21, DPR-65 & NPF-49, respectively, revising administrative controls section of TS to allow implementation of Station Qualified Reviewer Program for review & approval of selected procedures. MCKEE, P.F. 96/01/17, 41pp. 86854:283-86854:273.

9601250136 Safety evaluation supporting amends 91, 183 & 125 to license DPR-21, DPR-65 & NPF-49, respectively. * 96/01/17, 4pp. 86854:274-86854:277.

9601250034 Forwards amend 186 to license DPR-65 & safety evaluation. Amend provides three changes to TS re pressurizer safety valves & main steam safety valves. WISSING, G.S. 96/01/18. BUSCH, R.E. Northeast Utilities Service Co. 4pp. 86859:118-86859:131.

9601250043 Amend 186 to license DPR-65, providing three changes to TS re pressurizer safety valves & main steam safety valves. MCKEE, P.F. 96/01/18, 6pp. 86859:122-86859:127.

9601250052 Safety evaluation supporting amend 186 to license DPR-65. * 96/01/18, 4pp. 86859:129-86859:131.

9601260282 Informal NRC of intent to convert plant TS to improved STS. MILLER, D.B. Northeast Nuclear Energy Co. MILLER, D.B. Northeast Utilities Service Co. 96/01/18. Document Control Branch (Document Control Desk). 2pp. 86864:333-86864:334.

9601260075 Forwards Rev 2 to Rept 03-0240-1367, "Preferred Safe Shutdown Paths for Milestone Unit 2." Rev 0 to MP2-SEL-RPT, "Seismic Evaluation Rept for Milestone Unit 2" & Rev 0 MP-RELAY-RPT, "USI-A-48 Relay Evaluation Rept for..." DEBARBA, E.A. Northeast Nuclear Energy Co. DEBARBA, E.A. Northeast Utilities Service Co. 96/01/22. Document Control Branch (Document Control Desk). 6pp. 86905:001-86905:224.

9601260085 "Preferred Safe Shutdown Paths for Milestone Unit 2," in response to NRC GL 87-02. * Northeast Nuclear Energy Co. 03-0240-1367 R02. 95/12/14, 102pp. 86905:008-86905:108.

9601260087 "USI-A-48 Relay Evaluation Rept for Milestone Unit 2," in response to GL 87-02. * Northeast Nuclear Energy Co. MP2-RELAY-RPT R00. 95/12/14, 48pp. 86905:109-86905:173.

9601260090 "Seismic Evaluation Rept for Milestone Unit 2," in response to GL 87-02. * Northeast Nuclear Energy Co. MP2-SEL-RPT R00. 95/12/14, 150pp. 86906:074-86906:224.

9601260335 Application for amend to license DPR-65, relocating containment isolation valve list, Table 3.8-2 from TS to technical requirements manual, in accordance w/ GL 91-05. DEBARBA, E.A. Northeast Nuclear Energy Co. DEBARBA, E.A. Northeast Utilities Service Co. 96/01/22. Document Control Branch (Document Control Desk). 8pp. 86906:316-86906:342.

9601260338 Proposed tech specs relocating containment isolation valve list, Table 3.8-2 from TS to technical requirements manual. * Northeast Nuclear Energy Co. 96/01/22, 18pp. 86906:325-86906:342.

9601260308 Forwards RAI re 961024 request for amend that would defer Insp of SG tubes until next refueling outage or no later than 971020. WISSING, G.S. 96/01/23. BUSCH, R.E. Northeast Utilities Service Co. 5pp. 86873:279-86873:277.

9601060442 Supp 7 to Generic Ltr 89-10 to all holders of OLs (except licensees amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86865:011-86865:016.

9601260053 Summary of 951205 meeting w/aff in Berlin, GT re PRA aspects of proposed amendments to facility OL of plant Unit 2 to extend ADT of EDGs, safety injection tanks & low pressure injection sys. w/attendees & questions for discussion. VISSING, G.S. . 96/01/24. 16pp. 86887:116-86887:135.

G. Inspection reports, IE Bulletins & correspondence

9601030237 Forwards insp repts 50-245/95-38, 50-336/95-38 & 50-423/96-38 on 951004-1104 & notice of violation. Violation of concern because similar violation cited in Mar 1995 as result of eleven missed surveillances. COOPER, R.W. Region 1 (Post 820201). 95/12/18. BUSCH, R.E. Northeast Utilities Service Co. 4pp. 86892:112-86892:158.

9601030246 Notice of violation from insp on 951004-1104. Violation noted: corrective actions taken at units 2 & 3 to preclude repetition of recurrent instances of missed TS surveillances inadequate. * Region 1 (Post 820201). 95/12/18. 8pp. 86892:116-86892:117.

9601030254 Insp repts 50-245/95-38, 50-336/95-38 & 50-423/96-38 on 951004-1104. Violations noted: major areas inspected: plant operations, radiological controls, waste surveillance, security, outage activities & licensee self-assessment. DURR, J.P. Region 1 (Post 820201). 95/12/14. 39pp. 86892:116-86892:158.

9601260372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD, D. . 96/01/09. Consolidated Edison Co. of New York, Inc. 8pp. 86740:015-86740:023.

9512260128 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. . 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86788:048-86788:061.

9512260299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. . 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86788:041-86788:048.

9601040335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870725). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9601260476 Provides update on current activities in progress to resolve issues w/spect resin tank remediation. MILLER, D.B. Northeast Nuclear Energy Co. MILLER, D.B. Northeast Utilities. 96/01/10. Document Control Branch (Document Control Desk). 2pp. 86851:338-86851:339.

9601260118 Responds to violations noted in insp repts 50-245/95-31, 50-336/95-31 & 50-423/96-31. Corrective actions: water sys operational performance insp self-assessment will be completed by 860331. MILLER, D.B. Northeast Nuclear Energy Co. 96/01/10. Document Control Branch (Document Control Desk). 10pp. 86858:188-86858:171.

9601130588 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. . 96/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86828:109-86828:120.

9601260299 Forwards RAI re 951024 request for amend that would defer insp of SG tubes until need refueling outage or no later than 871020. VISSING, G.S. . 96/01/23. BUSCH, R.E. Northeast Utilities Service Co. 5pp. 86873:273-86873:277.

9601190386 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dumpers at Nuclear Power Plants." CRUTCHFIELD, D. . 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86865:001-86865:010.

9601260139 NRC Info Notice 96-007, "Slow Five Percent Steam Insertion Times Caused by Valve Diaphragms in Steam Solenoid Pilot Valves." CRUTCHFIELD, D. . 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86865:017-86865:023.

R. Periodic operating reports & related correspondence

9601235161 Monthly operating repts for Dec 1995 for Millstone Units 1-3. W/960131 to. NEWBURN, G.L. BORCHERT, R. MILLER, D.B. Northeast Nuclear Energy Co. 95/12/31. 18pp. 86859:285-86859:283.

S. Reportable occurrences, LERs & related correspondence

9601030065 LER 95-044-00 on 951129, discovered surveillance period for containment air lock testing exceeded 25% extension. Caused by unclear TS surveillance requirements. Changed manual to clarify when to use 4.0.2 requirement. W/951228 to. LUTZ, P.J., MILLER, D.B. Northeast Nuclear Energy Co. 96/12/23. 4pp. 86892:163-86892:165.

9601260068 LER 95-045-00 on 951214, plant shutdown initiated due to indeterminate structural integrity of charging valve 2-CH-43E. Repaired valve. W/960112 to. LUTZ, P.J., MILLER, D.B. Northeast Nuclear Energy Co. 96/01/12. 6pp. 86868:298-86868:292.

V. Operator Examinations

9601040128 NRC Administrative Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing next exam schedule. CRUTCHFIELD, D. . 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776:901-86776:010.

9601260017 Notifies NRC re current status of RA concerning that Cox had not completed 1995 annual operating test in accordance w/ licensed operator qualification program because of corrective surgery during last quarter of 1995. MILLER, D.B. Northeast Nuclear Energy Co. 96/01/16. MARTIN, T.T. Region 1 (Post 820201). 1p. 86846:352-86846:352.

9601260188 Informs that SRO exam date currently scheduled for wk of 960220. MILLER, D.B. Northeast Nuclear Energy Co. MILLER, D.B. Northeast Utilities Service Co. 96/01/16. MARTIN, T.T. Region 1 (Post 820201). 1p. 86846:359-86846:358.

DOCKET 68-328 NORTH ANNA POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9601230255 Forwards Rev 9 to EPIP-4.06, "Personnel Monitoring & Decontamination" & Rev 16 to "NAPS Emergency Plan." CHANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 96/01/17. Document Control Branch (Document Control Desk). 6pp. 86844:001-86844:229.

9601230262 Rev 9 to EPIP-4.06, "Personnel Monitoring & Decontamination." * Virginia Power (Virginia Electric & Power Co.). 96/12/21. 8pp. 86844:007-86844:014.

9601230267 Rev 16 to "NAPS Emergency Plan." COLLINS, J.E. Virginia Power (Virginia Electric & Power Co.). 96/12/22. 125pp. 86844:015-86844:229.

9601260216 Submits protection against malicious use of vehicles at plants. CHANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 96/01/22. Document Control Branch (Document Control Desk). 2pp. 86872:352-86872:353.

K. Utility Final Safety Analysis Report (FSAR) & amendments

9601260240 Forwards Rev 29 to "UFSAR for North Anna Power Station Units 1 & 2" Rev 29 to Updated Amend 5 to Topical Rept VEP-1-5A, "Operational QA Program." CHANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 96/01/17. Document Control Branch (Document Control Desk). 3pp. 86898:054-86898:228.

9601260243 Rev 29 to "UFSAR for North Anna Power Station Units 1 & 2." * Virginia Power (Virginia Electric & Power Co.). 96/01/17. 74pp. 86898:057-86898:130.

9601260250 Rev 29 to Amend 5 to updated Topical Rept VEP-1-5A, "Operational QA Program." * Virginia Power (Virginia Electric & Power Co.). 96/01/17. 82pp. 86898:131-86898:229.

P. Operating license stage documents & correspondence

9601160379 Discusses one-day public workshops in each region re GL 95-07, "Pressure Loading & Thermal Binding of Safety Related Power-Operated Gate Valves," conducted in Oct & Nov 1995. List of meeting participants & handouts encl. FREDRICKSON, P. Region 2 (Post 820201). 96/01/08. CHANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 127pp. 86798:256-86798:020.

9601030193 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. . 96/01/10. Consolidated Edison Co. of New York, Inc. 3pp. 86827:272-86827:280.

9601260154 Documents deletion of previous licensing commitment to dry bump test inside recirculation spray nozzles. CHANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 96/01/17. Document Control Branch (Document Control Desk). 2pp. 86898:065-86898:058.

9601260248 Forwards Rev 29 to "UFSAR for North Anna Power Station Units 1 & 2" Rev 29 to Updated Amend 5 to Topical Rept VEP-1-5A, "Operational QA Program." CHANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 96/01/17. Document Control Branch (Document Control Desk). 3pp. 86898:054-86898:228.

9601260250 Rev 29 to Amend 5 to updated Topical Rept VEP-1-5A, "Operational QA Program." * Virginia Power (Virginia Electric & Power Co.). 96/01/17. 82pp. 86898:131-86898:229.

9601260243 Notification of 960129 meeting w/VEPCO in Rockville, MD to discuss current & future licensing issues. GUCKLEY, B.C., ENGLE, J.B. . 96/01/18. MATTHEWS, D.B. . 3pp. 86531:340-86531:342.

9601260213 Application for amendments to licenses NPF-4 & NPF-7, permitting use of 10CFR50 App J, Option B performance-based containment LRT. CHANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 96/01/23. Document Control Branch (Document Control Desk). 4pp. 86894:348-86894:358.

9601260214 Proposed tech spec, permitting use of 10CFR50 App J, Option B performance-based containment LRT. * Virginia Power (Virginia Electric & Power Co.). 96/01/23. 8pp. 86894:359-86894:358.

9601190442 Suppl 7 to Generic Ltr 95-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. . 96/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86865:011-86865:016.

G. Inspection reports, IE Bulletins & correspondence

9512260372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD, D. . 96/01/09. Consolidated Edison Co. of New York, Inc. 8pp. 86740:015-86740:023.

9512260128 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. . 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86788:048-86788:061.

80 DOCKETED ITEMS

9512260298 NRC info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

9501190228 Forwards response to NRC 951211 for re violations noted in insp repts 50-338/95-20 & 50-339/95-20 on 951022-1115. Corrective actions noted: Shift Supervisor closed & capped valve by operator that discovered mispositioned valve. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/09. Document Control Branch (Document Control Desk). 3pp. 86755:345-86755:350.

9501040335 NRC info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501190014 Forwards insp repts 50-338/95-22 & 50-339/95-22 on 951119-1216. No violations noted. BELSLE, G.A. Region 2 (Post 820201). 95/01/18. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 86801:083-86801:105.

9501190022 Insp repts 50-338/95-22 & 50-339/95-22 on 951119-1216. No violations noted. Major areas inspected: plant operations, maint, engineering & plant support activities. MCWHORTER, R., BELSLE, G.A. Region 2 (Post 820201). 95/01/09. 13pp. 86801:068-86801:105.

9501190058 NRC info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86828:109-86828:120.

9501260299 Ack receipt of 950109 for informing NRC of steps taken to correct violations noted in insp repts 50-338/95-20 & 50-339/95-20. BELSLE, G.A. Region 2 (Post 820201). 95/01/18. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 86801:354-86801:358.

9501190328 NRC info Notice 95-006, "Design & Testing Deficiencies of Tornado Dispersal at Nuclear Power Plants." CRUTCHFIELD, D. 95/01/23. Consolidated Edison Co. of New York, Inc. 10pp. 86850:001-86850:010.

9501260139 NRC info Notice 95-007, "Slow Five Percent Screen Insertion Times Caused By Vibration Clapnet in Screen Solenoid Pilot Valves." CRUTCHFIELD, D. 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86855:017-86855:023.

R. Periodic operating reports & related correspondence

9501170237 Monthly operating repts for Dec 1995 for North Anna Power Station, Units 1 & 2. STALL, J.A., BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/12/31. 12pp. 86787:348-86787:357.

9501260214 Submits annual statement verifying that each spillway gate operated at least once during twelve months preceding annual insp by FERC per 18CFR12.44(b)(2). Main dam's five spillway gates satisfactorily tested as specified on attached form. SAUNDERS, R.F. Virginia Power (Virginia Electric & Power Co.). 95/01/24. CRISP, R.W. Federal Energy Regulatory Commission. 5pp. 86837:284-86837:288.

V. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing and exam schedule. CRUTCHFIELD, D. 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776:001-86776:010.

Y. Dry Cask Independent Spent Fuel Storage Installations

9501260358 Motion for 60 day extension of time to file Staff Rept W/ certificate of ev. SHERIDAN, A.L. Virginia, Commonwealth of. 95/12/21. 2pp. 86937:305-86937:307.

9501260258 Forwards RAI re 950509 application requesting license for TSFBI at North Anna facility. LUSARDI, M. Office of Nuclear Material Safety & Safeguards. 95/01/23. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 86895:316-86895:318.

DOCKET 88-329 NORTH ANNA POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9501230258 Forwards Rev 8 to EPIP-4.06, "Personnel Monitoring & Decontamination" & Rev 18 to "NAPS Emergency Plan." O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/17. Document Control Branch (Document Control Desk). 8pp. 86844:001-86844:228.

9501230262 Rev 9 to EPIP-4.06, "Personnel Monitoring & Decontamination." Virginia Power (Virginia Electric & Power Co.). 95/12/21. 8pp. 86844:007-86844:214.

9501230267 Rev 18 to "NAPS Emergency Plan." COLLINS, J.E. Virginia Power (Virginia Electric & Power Co.). 95/12/28. 12pp. 86844:015-86844:229.

9501250218 Submits protection against misadvent use of vehicles at plants. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/22. Document Control Branch (Document Control Desk). 2pp. 86872:252-86872:253.

K. URSy Final Safety Analysis Report (FSAR) & amendments

9501260248 Forwards Rev 29 to "UFSAR for North Anna Power Station Units 1 & 2" Rev 29 to Updated Amend 5 to Topical Rept VEP-1-5A, "Operational QA Program." O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/17. Document Control Branch (Document Control Desk). 3pp. 86895:054-86895:229.

9501260243 Rev 29 to "UFSAR for North Anna Power Station Units 1 & 2." Virginia Power (Virginia Electric & Power Co.). 95/01/17. 74pp. 86895:057-86895:130.

P. Operating license stage documents & correspondence

9501190079 Discusses one-day public workshops in each region re GL 95-07, "Pressure Locking & Thermal Binding of Safety Related Power-Operated Gate Valves," conducted in Oct & Nov 1995. List of meeting participants & handouts, etc. FREDERICKSON, P. Region 2 (Post 820201). 95/01/05. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 12pp. 86795:255-86795:260.

9501060193 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 86827:272-86827:280.

9501260154 Documents deletion of previous licensing commitment to dry bump test inside recirculation spray pumps. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/17. Document Control Branch (Document Control Desk). 2pp. 86895:055-86895:056.

9501260240 Forwards Rev 29 to "UFSAR for North Anna Power Station Units 1 & 2" Rev 29 to Updated Amend 5 to Topical Rept VEP-1-5A, "Operational QA Program." O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/17. Document Control Branch (Document Control Desk). 3pp. 86895:054-86895:229.

9501260250 Rev 29 to Amend 5 to updated Topical Rept VEP-1-5A, "Operational QA Program." Virginia Power (Virginia Electric & Power Co.). 95/01/17. 92pp. 86895:131-86895:229.

9501230218 Requests that URS respond to questions delineated in Ltr in order to continue review of submittal dtd 951017 re proposed TS change to "SG Insp Scope Reduction." BUCKLEY, B.C. 95/01/16. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 86831:305-86831:307.

9501230243 Notification of 950128 meeting w/VEPCO in Rockville, MD to discuss current & future licensing issues. BUCKLEY, B.C. 95/01/19. MATTHEWS, D.B. 3pp. 86831:340-86831:342.

9501260213 Application for amendments to licenses NPF-4 & NPF-7, permitting use of 10CFR50 App J, Option B performance-based containment LTR. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/23. Document Control Branch (Document Control Desk). 4pp. 86894:345-86894:355.

9501260214 Proposed tech specs, permitting use of 10CFR50 App J, Option B performance-based containment LTR. Virginia Power (Virginia Electric & Power Co.). 95/01/23. 9pp. 86894:350-86894:358.

9501190442 Suppl 7 to Generic Ltr 89-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86895:317-86895:324.

Q. Inspection reports, IE Bulletins & correspondence

9512270072 NRC info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:023.

9512290129 NRC info Notice 95-002, "Isoperability of Power-Operated Relief Valves Masked by Downstream Indicators During Testing." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:048-86758:061.

9512290299 NRC info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 95/01/06. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

9501190238 Forwards response to NRC 951211 for re violations noted in insp repts 50-338/95-20 & 50-339/95-20 on 951022-1115. Corrective actions noted: Shift Supervisor closed & capped valve by operator that discovered mispositioned valve. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/09. Document Control Branch (Document Control Desk). 3pp. 86755:349-86755:350.

9501040335 NRC info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501190014 Forwards insp repts 50-338/95-22 & 50-339/95-22 on 951119-1216. No violations noted. BELSLE, G.A. Region 2 (Post 820201). 95/01/18. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 86801:083-86801:105.

9501190022 Insp repts 50-338/95-22 & 50-339/95-22 on 951119-1216. No violations noted. Major areas inspected: plant operations, maint, engineering & plant support activities. MCWHORTER, R., BELSLE, G.A. Region 2 (Post 820201). 95/01/09. 13pp. 86801:068-86801:105.

960123175 Forwards SE, approving relief request NDE-22 re evaluation of second ten-year interval ISI program plan for plant concerning Exam Category B-F, Item B5.70, SG Disassembly Metal Nozzle-to-Sale End Butt Welds. Technical for report also encl. MATTHEWS, D.B. 96/01/17. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 8pp. 86831283-86831285.

9601230176 SERP approving relief request NDE-22 re second ten-year interval ISI program plan for plant. 96/01/17. 2pp. 86831285-86831286.

9601230183 Technical for report on second ten-year interval ISI request for relief NDE-22 for plant. 96/01/17. 2pp. 86831287-86831288.

960119058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, G. 96/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86828109-86828120.

9601230216 Requests that all respond to questions delineated in letter in order to continue review of submittal and 951017 re proposed TS change to "SG Insp Scope Reduction." BUCKLEY, B.C. 96/01/16. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 3pp. 86831305-86831307.

9601260288 Ack receipt of 960109 re informing NRC of steps taken to correct violations noted in insp repts 50-338/95-30 & 50-339/95-20. BELLE, G.A. Region 2 (Post 620201). 96/01/18. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 3pp. 86861354-86861355.

9601198308 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dumpers at Nuclear Power Plants." CRUTCHFIELD, G. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86865001-86865010.

9601260139 NRC Info Notice 96-007, "Slow Five Percent Scraps Insertion Times Caused by Worn Diaphragms in Scraps Solenoid Pilot Valves." CRUTCHFIELD, G. 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86865017-86865022.

R. Periodic operating reports & related correspondence

9601170217 Monthly operating repts for Dec 1995 for North Anna Power Station, Units 1 & 2. STALL, J.A., BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/12/31. 12pp. 86787346-86787357.

9601260214 Submits annual statement verifying that each spillway gate operated at least once during twelve months preceding annual insp by FERC, per 18CFR12.4(a)(2). Main dam's five spillway gates satisfactorily tested as specified on attached form. SHUMBERS, R.F. Virginia Power (Virginia Electric & Power Co.). 96/01/24. CRISP, R.W. Federal Energy Regulatory Commission. 8pp. 86837284-86837288.

V. Operator Examinations

9601180138 NRC Administrative Letter 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing rail exam schedule. CRUTCHFIELD, G. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776004-86776010.

Y. Dry Cask Independent Spent Fuel Storage Installations

9601260366 Motion for 60 day extension of time to file Staff Rept. w/ certificate of svc. SHERRIDAN, A.L. Virginia, Commonwealth of. 96/12/21. 2pp. 86837305-86837307.

9601260238 Forwards RAI re 950529 application requesting license for RSPSI at North Anna facility. LUSARDI, M. Office of Nuclear Material Safety & Safeguards. 96/01/23. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.), 3pp. 86865316-86865318.

DOCKET 59-341 ENRICO FERRI ATOMIC POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9601180277 Inform that rev 38 to Fenn 11 plant emergency plan acceptable & does not decrease effectiveness of emergency planning. Rev 16 also includes other info updates & editorial changes. CREED, J.R. Region 3 (Post 620201). 95/12/27. GIPSON, D.R. Detroit Edison Co. 2pp. 86780072-86780073.

9601160133 Rev 10 to EPIP EP-545, "Protective Action Recommendations." SHELTON, D. Detroit Edison Co. 96/12/27. 23pp. 86806047-86806059.

9601160361 Forwards results of investigation re security concern at Fenn 2 facility, dtd 951228. GIPSON, D.R. Detroit Edison Co. 95/12/28. Document Control Branch (Document Control Desk). 2pp. 86790241-86790242.

9601198338 Discusses licensee written response to identified security concerns allegedly occurring between 950901 & 1024. CREED, J.R. Region 3 (Post 620201). 96/01/09. GIPSON, D.R. Detroit Edison Co. 2pp. 86816001-86816002.

9601230155 Rev 14 to RERP Plan Implementing Procedure EP-402, "Responsibilities of Recovery Organization." Detroit Edison Co. 96/01/10. 13pp. 86859237-86859249.

9601310111 Forwards Fenn 2 physical security plan rev 26, per 10CFR50.54(a)(2) Plan withheld. GOODMAN, L.S. Detroit Edison Co. 96/01/29. Document Control Branch (Document Control Desk). 1p. 86861332-86861332.

P. Operating license stage documents & correspondence

9601160006 Appeals 941229 denial of FOIA request for documents. KEEGAN, M.J. Affiliation Not Assigned. 95/01/03. C/o of the Executive Director for Operations. 1p. 86728001-86728012.

9601160018 Responds to 950103 appeal of 941229 denial of FOIA request for records re plant records identified as 1,2,3,9,10 & 11 encl. Portions of records identified as 4,5,6,7,8,12 & 13 withheld (rel FOIA exemption 4). THOMPSON, H.L. Dep Exec Dir for Nuc Mgmt Safety, Safeguards & Operations Support (Post 620205). 95/12/14. KEEGAN, M.J. Affiliation Not Assigned. 1p. 86728013-86728036.

9601030022 "Metalurgical Analysis of Fenn 2 LP8 Eighth Stage Turbine Blading," rev 1. SCHAEFER, J.E. Detroit Edison Co. 94/07-13 R01. 94/06/20. 41pp. 86728014-86728054.

9601030042 "Root Cause Analysis Rept for Main Turbine Generator 931225, Forced Outage." BLACK, J.D., CORPUS, R.L., FRONL, G. Detroit Edison Co. TMTB 0010-0901-21-1. 94/07/31. 62pp. 86728055-86728016.

9601030065 "Interim Status Rept Independent Root Cause Analysis Assessment of Detroit Edison Fenn 2 Turbine-Generator Event on 931225." SUMMY, J.S., CHIU, C. Detroit Edison Co. 94/07/26. 40pp. 86728119-86728158.

9601030061 Technical Rept P6842, "Failure Investigation on Fenn 2 LP L-1 Stage Blades." WANG, K.D. P6842. 94/09/27. 16pp. 86728157-86728172.

9601030088 "Large Steam Turbines Control & Sync." Detroit Edison Co. 94/06/09. 45pp. 86728173-86728217.

9601030111 "Nondestructive Exam LP1, LP2 & LP3 Turbine Rotor Disks Enrico Fenn Unit 2 Detroit Edison Co." Affiliation Not Assigned. 94/06/09. 19pp. 86728218-86728236.

9601160119 "Nondestructive Base Exam & Condition Assessment of GEC Alstom HP Rotor Enrico Fenn Unit 2 Turbine-Generator Station, Unit 2 Detroit Edison Co." Affiliation Not Assigned. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/08/27. 100pp. 86728237-86728267.

9601160123 Vols 1 & 2 to Topical Rept NEDC-32320D, "Enrico Fenn 2 Metall & Fuels Evaluation Final Rept." rev 1. General Electric Co. NEDC-32320D R01. 94/09/30. 200pp. 86728268-86728336.

9601230294 Exemption from 10CFR50, Appendix J, Section III.D.2(a) & III.D.3 re extent that Appendix J test interval for performing Type B & Type C tests may be extended until fall 1996 retesting outage on one-time only basis. ROE, J.W. 95/12/18. Detroit Edison Co. 5pp. 86828255-86828263.

9601050193 Generic Letter 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, G. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827280.

9601260135 Inform that will revamping original schedule to provide for hardware installation of monitoring sys during shift actual outage, per GL 94-02. GIPSON, D.R. Detroit Edison Co. 96/01/22. Document Control Branch (Document Control Desk). 4pp. 86866296-86866304.

9601160442 Suppl 7 to Generic Letter 68-10 to all holders of OIs (except licenses amended to permit only status) or CPs for nuclear power reactors re consideration of value mispositioning in PWRs. CRUTCHFIELD, G. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86865011-86865016.

9601260049 Instructs unit to modify proposed TS change as indicated in enclosure in order to be consistent w/AL 95-06, "Relocation of TS Administrative Controls Related to OA," dtd 951212. GOLDSBURN, T. 96/01/24. GIPSON, D.R. Detroit Edison Co. 5pp. 86862351-86862355.

9601360102 Notification of 960207 meeting w/DE in Rockville, MD to discuss corrective action plans for resolution of staff concerns w/licenses control at HVAC. COLBURN, T.G. 96/01/24. HANNON, J. 4pp. 86812260-86812263.

G. Inspection reports, IE Bulletins & correspondence

9512270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, G. 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740015-86740023.

9512290129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, G. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758061.

9512280290 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, G. 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758041-86758048.

9601110182 Forwards response to NRC 951206 re re violations noted in insp repts 50-341/95-13. Corrective action completed engineering design change package showing as-built configuration of refueling floor. GIPSON, D.R. Detroit Edison Co. 96/01/05. Document Control Branch (Document Control Desk). 7pp. 86767356-86767362.

9601040335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses." COOIL, A. Division of Industrial & Medical Nuclear Safety (Post 870728). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

82 DOCKETED ITEMS

9601170028 Ack receipt of 960105 ltr informing NRC of steps taken to correct violations noted in Insp rept 50-341/95-12.
JORDAN, J.L. Region 3 (Post 820201). 96/01/11. GIPSON, D.R. Detroit Edison Co. 1p. 86774356-86771059.

9601170078 Forwards response to NRC ltr re violations noted in Insp rept 50-341/95-12. Corrective actions Procedure 85268.001 has been revised to include sufficient level of detail to specify appropriate manner to perform test on charges.
MCKEON, R.L. Detroit Edison Co. 96/01/11. Document Control Branch (Document Control Desk). 14pp. 86784237-86784250.

9601110058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86828109-86828120.

9601290251 Forwards exam rept 50-341/OL-95-01 during wk of 951211. No violations noted.
BURDICK, T.M. Region 3 (Post 820201). 96/01/22. GIPSON, D.R. Detroit Edison Co. 2pp. 86884001-86884177.

9601290259 Exam rept 50-341/OL-95-01 on wk of 951211. Exam results two RO failed written exam. All other applicants passed all sections of exam.
BURDICK, T.M. Region 3 (Post 820201). 96/01/22. 17pp. 86884003-86884177.

9601290175 Forwards "Form 2 Self-Assessment Plan SWS Operational Performance Insp (SWSOP)," as follow-up to 950915 ltr & 951214 meeting. Functional area assessment checklist also encl.
GIPSON, D.R. Detroit Edison Co. 96/01/24. Document Control Branch (Document Control Desk). 2pp. 868836343-868836381.

9601290182 "Form 2 Self-Assessment Plan SWS Operational Performance Insp (SWSOP)."
SLOTTKE, R.J., O'CONNOR, W.T. Detroit Edison Co. 96/01/24. 17pp. 868836345-868836381.

9601190306 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plant."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86885001-86885010.

9601290139 NRC Info Notice 96-007, "Slow Five Percent Screen Insertion Times Caused By Vison Discrepancies in Screen Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86885017-86885023.

R. Periodic operating reports & related correspondence

9601170200 Monthly operating rept for Dec 1995 for Form 2, per Reg Guide 1.16.W/ 960112 ltr.
GILES, H.B., GOODMAN, L.S. Detroit Edison Co. 96/12/31. 4pp. 86812085-86812088.

S. Reportable occurrences, LERs & related correspondence

9601170022 Forwards LER 95-008 re nonconservative bias in heat balance methodology for calculating core thermal power.
MCKEON, R.L. Detroit Edison Co. 96/01/12. Document Control Branch (Document Control Desk). 2pp. 86890023-86890028.

9601170028 LER 95-008-0009 951213 balance methodology for calculating core thermal power nonconservatively certified. Caused by operating experience review of industry communication by another unit.
RICHES, K. Detroit Edison Co. 96/01/12. 4pp. 86890025-86890028.

9601290494 Special report 960109, debonded & damaged control air HVAC duct sealant found. Areas of debonded & damaged sealant repaired.
GIPSON, D.R. Detroit Edison Co. 96/01/23. Document Control Branch (Document Control Desk). 3pp. 868937326-868937328.

V. Operator Examinations

9601040136 NRC Administrative Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778001-86778010.

9601290251 Forwards exam rept 50-341/OL-95-01 during wk of 951211. No violations noted.
BURDICK, T.M. Region 3 (Post 820201). 96/01/22. GIPSON, D.R. Detroit Edison Co. 2pp. 86884001-86884177.

9601290259 Exam rept 50-341/OL-95-01 on wk of 951211. Exam results two RO failed written exam. All other applicants passed all sections of exam.
BURDICK, T.M. Region 3 (Post 820201). 96/01/22. 17pp. 86884003-86884177.

9601300622 Inform that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 960410.
BURDICK, T.M. Region 3 (Post 820201). 96/01/24. LACROIX, D.G., HAAK, K.M. Consumers Power Co. SAWATZKE, B.J. Northern States Power Co. 3pp. 86887003-86887005.

DOCKET 50-344 TROJAN NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9601020252 Rev 3 to EPIP 2, "Notifications."
Portland General Electric Co. 96/12/20. 12pp. 86896314-86896325.

9601170119 Revised EPIPs including Rev 3 to EPIP 2, "Notifications" & Rev 6 to EPIP 5, "Emergency Preparedness Test Program."
Florida Power & Light Co. 96/01/10. 38pp. 86784172-86784209.

9601250260 Revised EPIPs including table of contents, Rev 8 to EPIP 5, "Emergency Preparedness Test Program" & Rev 3 to EPIP 2, "Notifications." W/960124 ltr.
QUENNOZ, S.M. Portland General Electric Co. 96/01/24. 38pp. 86896277-86896315.

9601300243 Notification of 960205 meeting w/ubl in Rockville, MD to discuss physical protection, safeguards & security issues associated w/proposed EPIPs at plant.
KORAJKO, L., THARPE, V. Office of Nuclear Material Safety & Safeguards. 96/01/25. Office of Nuclear Material Safety & Safeguards. 2pp. 86901180-86901191.

H. General correspondence

9601250142 Requests that NRC update ltr list for correspondence to ubl as listed.
QUENNOZ, S.M. Portland General Electric Co. 96/01/11. Document Control Branch (Document Control Desk). 1p. 86846358-86846358.

J. Insurance & indemnity information

9601380039 Forwards amend to Indemnity Agreement E-78 for plant, pursuant to NRC approval of exemption from 10CFR140.11(a)(4) reducing primary financial protection required by ltr & granting exemption from industry retrospective rating plan.
MASNIK, M.T. 96/01/03. QUENNOZ, S.M. Portland General Electric Co. 3pp. 86806333-86806342.

P. Operating license stage documents & correspondence

9601020223 Forwards email to Nov 1995 update to PGE-1061, "Trojan Nuclear Plant Decommissioning Plan."
QUENNOZ, S.M. Portland General Electric Co. 96/12/27. Document Control Branch (Document Control Desk). 2pp. 86701308-86701313.

9601020228 Email to Nov 1995 update to "Trojan Nuclear Plant Decommissioning Plan."
Portland General Electric Co. PGE-1061. 95/11/30. 4pp. 86701310-86701313.

9601020229 Forwards email to Rev 3 of "Trojan Nuclear Plant Deceased SAR," including previously-issued page omitted from Rev 3 due to typographic error.
QUENNOZ, S.M. Portland General Electric Co. 96/12/27. Document Control Branch (Document Control Desk). 2pp. 86701287-86701290.

9601030050 Email to Rev 3 of "Trojan Nuclear Plant Deceased SAR."
Portland General Electric Co. 96/12/27. 2pp. 86701289-86701290.

9601050169 Generic Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 86827272-86827280.

9601290017 Responds to 960108 request forwarding plant EAGE & 951216 ltr sent to licensee. Inform that NRC unable to furnish copy of Decommissioning Plan as supplemented due to lack of copies & recommends obtaining copy from licensee. W/O encl.
MASNIK, M.T. 96/01/23. JINGER, K.A. Attention Not Assigned. 3pp. 86890170-86890172.

9601190442 Suppl 7 to Generic Ltr 96-10 to all holders of OLs (except licensee amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86895011-86895016.

9601290008 Responds to ltr dtd 960105 re progress that OR DOE has made in review of decommissioning plan for TNPNRC staff will summarize decommissioning plan review findings as presented in SE & Environ Review of 951218 at meeting in Feb 1996.
RUSSELL, W.T. 96/01/24. STEWART-SMITH Energy, Dept. of 3pp. 86898142-86898144.

Q. Inspection reports, SE Bulletins & correspondence

9512270272 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740015-86740023.

9601190253 Forwards Insp rept 50-344/95-13 on 951204-08. No violations noted.
SCARANO, R.A. Region 4 (Post 820201). 96/01/03. QUENNOZ, S.M. Portland General Electric Co. 4pp. 86780178-86780189.

9601110254 Insp rept 50-344/95-13 on 951204-08. No violations noted. Major areas inspected activities re completion of Large Component Removal Project, condition of spent fuel pool, annual medical BW & compliance w/Memo & Order CL 95-13.
SPITZER, D.B. Region 4 (Post 820201). 96/01/02. 7pp. 86782183-86780189.

9512290129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758061.

9512290299 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Violation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758041-86758046.

9601040635 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870728). 96/01/30. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9601190058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86828109-86828120.

9501190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD.D., 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86955:001-86955:010.

9501280139 NRC Info Notice 95-007, "Slow Five Percent Scrums Insertion Times Caused By Vibration Diaphragms in Scrums Solenoid Pilot Valves."
CRUTCHFIELD.D., 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86955:017-86955:023.

S. Reportable occurrences, LERs & related correspondence

9501290345 LER 95-001-00-on 951223, no person qualified to attend watch in CR present in CR as required by permanently delisted Tech Spec 5.1.2 & 5.2.2b. Caused by cognitive personnel error. Operator counseled/communication trained w/950122 tr. CHERNOFF, H.C., QUENNOZ, S.M. Portland General Electric Co. 95/01/22. 4pp. 86941:220-86941:223.

V. Operator Examinations

9501040135 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing mail exam schedule.
CRUTCHFIELD.D., 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776:001-86776:010.

Y. Dry Cask Independent Spent Fuel Storage Installations

9501220288 Notification of 950130 meeting w/POGE in Rockville, MD to discuss proposed application under 10CFR72 for ISFSI at Trojan facility.
NRC - No Detailed Affiliation Given. 95/01/18. NRC - No Detailed Affiliation Given. 3pp. 86843:306-86843:310.

9501300243 Notification of 950206 meeting w/utl in Rockville, MD to discuss physical protection, safeguards & security issues associated w/proposed ISFSI at plant.
KOKAJKO, L., THARPE, V. Office of Nuclear Material Safety & Safeguards. 95/01/25. Office of Nuclear Material Safety & Safeguards. 2pp. 86991:180-86991:181.

DOCKET 95-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9501030147 Forwards request for addl info on fire barrier penetrations installed in response to NRC requirements at plant. Response requested by 950229.
GUNDUM, L.L., 95/12/28. STETZ, J.P. Centarior Service Co. STETZ, J.P., Toledo Edison Co. 4pp. 86890:050-86890:053.

9501160295 Confirms Safeguards info meeting to be held on 950117 in Uls, IL to update Region III staff on progress w/new security computer sys.
LANESBURY, R. Region 3 (Post 820201). 95/01/09. STETZ, J.P. Centarior Service Co. STETZ, J.P., Toledo Edison Co. 1p. 86789:102-86789:102.

9501290359 Requests info re disposition of two FFD forwarded to backup lab. Info requested within 30 days of date of lr.
CREED, J.R. Region 3 (Post 820201). 95/01/23. STETZ, J.P. Centarior Service Co. STETZ, J.P., Toledo Edison Co. 2pp. 86894:182-86894:183.

H. General correspondence

9501280327 Expresses concerns re VECTRA NUHOMS-24P dry storage cask system proposed to be used for storage of spent nuclear fuel at DBNPS.
LODGE, T.J. Lodge, T.J. 95/12/05. PAPERILLO, C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 86887:332-86887:333.

9501280225 Expresses concerns re dry cask storage to be used at plant w/NUHOMS cask system.
JOHNSTON, C. Toledo Coalition for Safe Energy. 95/12/14. STETZ, J.P. Toledo Edison Co. 2pp. 86887:350-86887:351.

9501280299 Expresses concerns over dry cask storage at plant & requests that NRC release exemption from 30 day requirement between dry run & loading & explain why unloading procedure required for review & acceptance of CPC but not Davis Besse.
JOHNSTON, C. Toledo Coalition for Safe Energy. 95/12/18. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750118). 2pp. 86894:335-86894:336.

9501280004 Expresses concerns on behalf of Toledo Coalition for Safe Energy (TCSE) re TOED decision to load radioactive spent fuel rods into dry storage casks. TCSE 950105 re dry cask storage at Davis Besse and.
KAPRUL, M. House of Rep. 95/01/19. THE CHAIRMAN, SELINU, Commissioners (Post 750118). 3pp. 86873:332-86873:334.

9501300182 Notices of status of 951205 re TJ Lodge submitted on behalf of Toledo Coalition for Safe Energy, raising concerns re safety of VECTRA Technologies/NUHOMS cask system due to reduction in thickness of welds. FRM and.
PAPERILLO, C.J. Office of Nuclear Material Safety & Safeguards. 95/01/23. LODGE, T.J. Lodge, T.J. 1p. 86941:356-86941:356.

-9501300189 FR notice of receipt of petition for Director's Decision under 10CFR2.206 for NRC to immediately issue orders to prevent loading of spent nuclear fuel into VECTRA Technologies Inc. NUHOMS-24P dry shielded cask system.
PAPERILLO, C.J. Office of Nuclear Material Safety & Safeguards. 95/01/23. 2pp. 86941:357-86941:358.

P. Operating license change documents & correspondence

9501300047 Reiterates need for expeditious approval of exemption request & provides addl info re current circumstances in support of approval.
STETZ, J.P. Centarior Energy. 95/12/18. HAUSERNEY, C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 86938:306-86938:308.

9501230145 Comment on proposed suppl to GL 83-11, "Licensee Qualification for Performing Safety Analyses in Support of Licensing Actions."
STETZ, J.P. Centarior Energy. 95/01/08. Rules & Directives Review Branch (Post 920323). 2pp. 86827:176-86827:177.

9501050183 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD.D., 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

9501190442 Suppl 7 to Generic Ltr 95-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in FWPs.
CRUTCHFIELD.D., 95/01/24. Consolidated Edison Co. of New York, Inc. 9pp. 86855:011-86855:016.

9501290242 Requests that dated editorial clarifications be made to LAR 95-0017, submitted 951212, as discussed in LL Gundrum 950125 telcon w/TOED.
FREELIS, J.L. Toledo Edison Co. 95/01/25. GUNDUM, L.L. NRC - No Detailed Affiliation Given. 1p. 86937:340-86937:340.

Q. Inspection reports, IE, Submittals & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD.D., 95/01/09. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD.D., 95/01/05. Consolidated Edison Co. of New York, Inc. 18pp. 86755:049-86755:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD.D., 95/01/05. Consolidated Edison Co. of New York, Inc. 9pp. 86765:041-86765:049.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501110059 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD.D., 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86828:102-86828:120.

9501190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD.D., 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86955:001-86955:010.

9501280139 NRC Info Notice 95-007, "Slow Five Percent Scrums Insertion Times Caused By Vibration Diaphragms in Scrums Solenoid Pilot Valves."
CRUTCHFIELD.D., 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86955:017-86955:023.

FL. Periodic operating reports & related correspondence

9501180288 Monthly operating rpt for Dec 1995 for Davis-Besse Nuclear Power Station Unit 1. W/950112 tr.
WOLF, G.M., WOOD, J.K. Toledo Edison Co. 95/12/31. 5pp. 86821:320-86821:324.

U. Congressional/Executive Correspondence

9501250002 Informs of concern re action by NRC to expedite approval for Toledo Edison to dry cask high-level nuclear waste at Davis Besse NPP Generation facility.
LATOURTIE, E.C. Ohio, State of. 95/01/05. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750118). 1p. 86873:331-86873:331.

V. Operator Examinations

9501040135 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing mail exam schedule.
CRUTCHFIELD.D., 95/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 86776:001-86776:010.

9501280368 Discusses telcon between RA Simpkins & DR McNeil re arrangements for administration of licensing exams scheduled for 950818.
BURDICK, T.H. Region 3 (Post 820201). 95/01/12. STETZ, J.P. Centarior Service Co. STETZ, J.P., Toledo Edison Co. 3pp. 86883:175-86883:178.

9501300022 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 950410.
BURDICK, T.H. Region 3 (Post 820201). 95/01/24. LACROCK, D.G. Consumers Power Co. CANTRELL, L.D. IES Utilities Inc. (Formerly Iowa Electric Light & Power Co.). BERHARDT, R.R. Devco Edison Co. 3pp. 86887:003-86887:005.

Y. Dry Cask Independent Spent Fuel Storage Installations

9501110235 Provides rpt of dry run testing activities related to use of Standardized NUHOMS Sys for dry fuel storage at plant.
STETZ, J.P. Centarior Energy. 95/12/13. MILLER, H.J. Region 3 (Post 820201). 6pp. 86780:090-86780:101.

84 DOCKETED ITEMS

950128183 Forwards Engineering Change Notice NUH-03-4021-0-1 to Rev 0 to Drawing NUH-03-4021, "NUHOMS Dry Shielded Canister for PWR Fuel Shell Assembly," specifying min shell thickness requirements for plant canisters per 951221 telcon. TAYLOR, J. V. Tech. Services, Inc. 95/12/21. TANG, D. NRC - No Detailed Amendment Given. 5pp. 95034:326-95034:332.

950128124 Discusses telephone conversation re concerns re implementation of dry cask storage of high-level nuclear waste in ISFSI at Davis-Besse nuclear plant. Forwards letters from Lodge & Slatz (w/attachments) & press release. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 95/12/22. KAPUR, J.M. House of Rep., Appropriations. 5pp. 95032:064-95032:069.

950128131 Expresses concern re proposed by Toledo Edison to implement dry cask storage of high-level nuclear waste at Davis-Besse plant. Requests info re status of NRC decisions. Forwards IR request from Toledo Edison for Safe Energy. KAPUR, J.M. House of Rep., Appropriations. 95/12/15. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 3pp. 95032:079-95032:080.

DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9501180171 Revised EPIPs, including rev 19 to GO-EIP-102, "Emergency Communication Organization & Facilities," rev 18 to GO-EIP-114, "News Release Coordination & Distribution," & rev 22 to GO-EIP-118, "W/950115 Hr. AULIN, J.M. Southern Nuclear Operating Co. 95/12/29. 117pp. 95017:001-95017:117.

950128022 Submits review of rev 29 to plant Emergency Plan, concluding that changes satisfactory & met planning side of 10CFR50.47(b) & requirements of App E to 10CFR50. GARR, K.P. 95/01/19. MOREY, D.N. Southern Nuclear Operating Co. 2pp. 95033:014-95033:015.

H. General correspondence

950128012 Advises that JH Miller named Executive Vice President & Corporate Counsel effective 951204. MOREY, D. Southern Nuclear Operating Co. 95/01/04. Document Control Branch (Document Control Desk). 1p. 95037:307-95037:307.

F. Operating license stage documents & correspondence

950128048 Transmits meeting summary for Oct & Nov 1995 one-day public workshops re OL 95-07, "Pressure Loading & Thermal Binding of Safety-Related Power-Operated Gate Valves." FREDERICKSON, P. Region 2 (Post 820201). 95/01/03. MOREY, D.N. Southern Nuclear Operating Co. 127pp. 95033:125-95033:254.

9501170184 Provides correction to submittal concerning applicability of Spec 3.0.4 to one-time 30-day extension clause. MOREY, D. Southern Nuclear Operating Co. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 95030:282-95030:282.

9501178212 Proposed tech specs, correcting submittal concerning applicability of Spec 3.0.4 to one-time 30-day extension clause. * Southern Nuclear Operating Co. 95/01/05. 9pp. 95030:284-95030:292.

9501280193 General Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 6pp. 95037:272-95037:280.

9501180424 Requests deferral of 10-Yr updates of Units 1 & 2 ISI & inservice testing programs. Ten-year updates for units due on 971201. MOREY, D. Southern Nuclear Operating Co. 95/01/11. Document Control Branch (Document Control Desk). 27pp. 95037:109-95037:134.

9501180220 Submits request for use of alternative rules for post repair/replacement hydrostatic testing for ASME Class 1, 2 & 3 systems based on Code Case N-410-1. MOREY, D. Southern Nuclear Operating Co. 95/01/12. Document Control Branch (Document Control Desk). 9pp. 95012:331-95012:339.

9501280255 Confirms next meeting scheduled for 950220 in Birmingham, AL to discuss current Southern Nuclear Operating Co. organization, engineering design & technical support status & major problems at plants per telcons w/ J. Woodard. SKINNER, P.H. Region 2 (Post 820201). 95/01/18. HAIRSTON, G. Georgia Power Co. 5pp. 95033:019-95033:023.

9501180442 Suppl 7 to Generic Ltr 89-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 95035:017-95035:019.

G. Inspection reports, IE Bulletins & correspondence

9501180806 Forwards insp repts 50-348/95-19 & 50-364/95-19 on 951023-1125. No violations noted. SKINNER, P.H. Region 2 (Post 820201). 95/12/22. MOREY, D.N. Southern Nuclear Operating Co. 3pp. 95031:048-95031:055.

9501180013 Insp repts 50-348/95-19 & 50-364/95-19 on 951023-1125. No violations noted. Major areas inspected: plant operations, maint./surveillance, engineering/technical support, plant support/nonroutine events & follow-up of previous findings. ROSE, T.M., SCOTT, J.A., MILLER, J.M. Region 2 (Post 820201). 95/12/22. 17pp. 95031:049-95031:065.

9501180009 Ask receipt of 951219 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/95-19 & 50-364/95-19 on 951121. SKINNER, P.H. Region 2 (Post 820201). 95/12/26. MOREY, D.N. Southern Nuclear Operating Co. 2pp. 95031:354-95031:355.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 6pp. 95034:015-95034:023.

9512280129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 12pp. 95034:049-95034:061.

9512280259 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation on Result of Thermal Effects." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 6pp. 95034:041-95034:048.

950340325 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 10pp. 95037:259-95037:271.

9501180434 Requests deferral of 10-Yr updates of Units 1 & 2 ISI & inservice testing programs. Ten-year updates for units due on 971201. MOREY, D. Southern Nuclear Operating Co. 95/01/11. Document Control Branch (Document Control Desk). 27pp. 95037:109-95037:134.

9501110058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 6pp. 95034:109-95034:120.

9501180306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 95035:001-95035:010.

9501280139 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused By Vibration Disruptions in Scram Solenoid Pilot Valves." CRUTCHFIELD, D. 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 95035:017-95035:023.

J. Periodic operating reports & related correspondence

9501170115 Monthly operating repts for Dec 1995 for JM Farley Nuclear Plant Units 1 & 2. W/950111 Hr. ALLISON, S.M., MOREY, D. Southern Nuclear Operating Co. 95/12/31. 9pp. 95030:299-95030:307.

V. Operator Examinations

9503401135 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing exam schedule. CRUTCHFIELD, D. 95/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 95034:001-95034:010.

DOCKET 50-352 LINBROCK GENERATING STATION, UNIT 1

F. Operating license stage documents & correspondence

9501030043 Forwards correction notice to 951205 FR "Notice of Issuance of Amend to Facility OL" to licenses NPF-39 & NPF-85. Error involves "Amend No." section that should read "105 & 69." RINALDI, F.R. 95/12/27. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 95030:245-95030:248.

9501030070 Notice of correction to 951205 FR "Notice of Issuance of Amend to Facility OL" to licenses DFR-39 & DFR-85, respectively. Error involves "Amend No." section that should read "105 & 69." STOLZ, J.F. 95/12/27. 1p. 95030:248-95030:248.

9501110022 Notification of significant licensee meeting 95-111 w/ all on 950112 to discuss Linbrock focus on excellence program in response to recent plant events & NRC plant performance review. PASCIAN, W.J. Region 1 (Post 820201). 95/12/28. Region 1 (Post 820201). 2pp. 95030:199-95030:197.

9501180377 Responds to RAI re exam of reactor water cleanup sys welds. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/05. Document Control Branch (Document Control Desk). 2pp. 95032:284-95032:285.

9503401135 General Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 6pp. 95037:272-95037:280.

9501230468 Grants Relief Request FR-23 requesting use of ASME Code Case N-489-1, "Alternate Rules for 10-yr Hydrostatic Pressure Testing for Class 1, 2 & 3 Systems" w/ specific exception re need to apply 4 h hold time during pressure testing. STOLZ, J.F. 95/01/17. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 95031:332-95031:335.

9501230469 Safety evaluation supporting Relief Request FR-23 to license NPF-39. * 95/01/17. 9pp. 95031:335-95031:335.

9501280172 Notices NRC of implementation dates associated w/ recently issued Tech Specs Change Requests for plant. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/22. Document Control Branch (Document Control Desk). 2pp. 95034:359-95034:360.

950104422 Suppl 7 to Generic Ltr 89-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86855:011-86855:016.

9501290451 Forwards amend 105 to license NPF-39 & SE. Amend raises authorized max power level from 3,293 to 3,458 MWt & also approves changes to TSs to implement updated power operation.
RINALDI, F. . 95/01/24. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 86812:112-86812:137.

9501298483 Amend 105 to license NPF-39/raising authorized max power level from 3,293 to 3,458 MWt & also approves changes to TSs to implement updated power operation.
ZIMMERMAN, R.P. . 95/01/24. 32pp. 86812:115-86812:147.

9501290485 Safety evaluation supporting amend 105 to license NPF-39.
* . 95/01/24. 40pp. 86812:148-86812:187.

G. Inspection reports, IE Bulletin & correspondence

9501050091 Forwards SE accepting licensee plans to defer turbine rotor insp on plant main turbine until 950911.
RINALDI, F. . 95/01/02. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 86743:213-86743:217.

95011850108 Safety evaluation accepting licensee plans to defer turbine rotor insps on plant main turbine.
* . 95/01/02. 2pp. 86743:316-86743:317.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740:015-86740:023.

9512290123 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

9501170171 Reviews dates for first time-y ISI interval for LGS, Unit 1 to on or before 970201 upon successful completion of necessary pressure tests related to Relief Request FR-13.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/05. Document Control Branch (Document Control Desk). 1p. 86809:360-86809:360.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501110058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. . 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86828:109-86828:120.

9501280059 Forwards SE authorizing until 950925 request to delay updating second ISI & IST programs for facility. Concluded that code compliance will result in hardship or unusual difficulty w/o compensating increase in level of quality.
STOLZ, J.F. . 95/01/23. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 86853:265-86853:274.

9501290070 Safety evaluation authorizing until 950925 request to delay second ISI & IST programs for facility.
* . 95/01/23. 7pp. 86853:268-86853:274.

9501180306 NRC Info Notice 95-006, "Design & Testing Coefficients of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86865:001-86865:010.

9501280139 NRC Info Notice 95-007, "Slow Flow Percent Scram Insertion Times Caused By Viton Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. . 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86865:017-86865:023.

F. Periodic operating reports & related correspondence

9501020189 Forwards "Limerick Generating Station Units 1 & 2 Annual 10CFR50.69 & Commitment Flow Rpt for 940701 - 950630."
BOYCE, R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/12/29. Document Control Branch (Document Control Desk). 1p. 86888:337-86888:338.

9501020293 "Limerick Generating Station Units 1 & 2 Annual 10CFR50.69 & Commitment Flow Rpt 940701 - 950630."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/30. 24pp. 86888:338-86888:361.

9501250037 Monthly operating rpts for Dec 1995 for Limerick Generating Station Units 1 & 2 w/950111.
HENRICKS, D.R. GALLAGHER, J.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/12/31. 11pp. 86862:360-86862:360.

H. Reportable occurrences, LERs & related correspondence

9501020291 Forwards special rpts for two valid ESG test failures.
BOYCE, R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/12/28. Document Control Branch (Document Control Desk). 3pp. 86712:383-86712:386.

9501020293 Special report 951129, D14 EDG experienced pressurization of crankshaft during performance of surveillance test. Analysis continuing. Corrective actions to prevent recurrence will be developed & implemented as necessary.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/12/28. 1p. 86712:356-86712:355.

9501020297 Special report 951130, EDG D21 experienced pressurization of crankcase during performance of surveillance test. Analysis of failure continuing. Corrective actions to prevent recurrence will be developed & implemented as necessary.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/12/28. 1p. 86712:356-86712:355.

9501300205 LER 95-011-00: on 951227, ESF activation resulting from RWCU sys isolation. Caused by unexpected scotch failure of High B RWCU pump seal. Replaced pump seal. W/950125.
KANTNER, J.L. BOYCE, R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/25. 4pp. 86865:033-86865:035.

V. Operator Examinations

9501040189 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing rule exam schedule.
CRUTCHFIELD, D. . 95/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

DOCKET 50-383 LIMERICK GENERATING STATION, UNIT 2

F. Operating license stage documents & correspondence

9501030443 Forwards correction notice to 951206 FR "Notice of Issuance of Amend to Facility OI" to licenses NPF-39 & NPF-85. Error involves "Amend No." section that should read "05 & 63."
RINALDI, F. . 95/12/27. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 86890:245-86890:249.

9501030070 Notice of correction to 951206 FR "Notice of Issuance of Amend to Facility OI" to licenses DFR-38 & DFR-85, respectively. Error involves "Amend No." section that should read "05 & 63."
STOLZ, J.F. . 95/12/27. 1p. 86890:249-86890:249.

9501118262 Notification of significant licensee meeting 95-111 w/ntf on 950112 to discuss Limerick focus on excellence program in response to recent plant events & NRC plant performance review.
PASCIAK, W.J. Region 1 (Post 820201). 95/12/29. Region 1 (Post 820201). 2pp. 86760:186-86760:197.

9501180377 Response to RAI re exam of reactor water cleanup sys urids.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/05. Document Control Branch (Document Control Desk). 3pp. 86782:264-86782:265.

9501180189 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. . 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

9501290172 Notifies NRC of implementation dates associated w/recently issued Tech Specs Change Requests for plant.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/22. Document Control Branch (Document Control Desk). 2pp. 86904:359-86904:360.

9501300442 Suppl 7 to Generic Ltr 89-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86855:011-86855:016.

G. Inspection reports, IE Bulletin & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740:015-86740:023.

9512290123 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501110058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. . 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86828:109-86828:120.

9501280059 Forwards SE authorizing until 950925 request to delay updating second ISI & IST programs for facility. Concluded that code compliance will result in hardship or unusual difficulty w/o compensating increase in level of quality.
STOLZ, J.F. . 95/01/23. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 86853:265-86853:274.

9501290070 Safety evaluation authorizing until 950925 request to delay second ISI & IST programs for facility.
* . 95/01/23. 7pp. 86853:268-86853:274.

960100004 NRC Info Notice 96-008, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRITCHFIELD, D. . 05/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86955:001-86955:010.

960120038 NRC Info Notice 96-007, "Slow Five Percent Steam Insertion Times Caused By Vibration Disrupts in Steam Solenoid Pilot Valves."
CRITCHFIELD, D. . 05/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86955:017-86955:023.

R. Periodic operating reports & related correspondence

960120139 Forwards "Limerick Generating Station Units 1 & 2 Annual 10CFR50.69 & Commitment Rev Rept for 940701 - 950630."
BOYCE, R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 05/12/28. Document Control Branch (Document Control Desk). 1p. 86888:337-86888:381.

960120203 "Limerick Generating Station Units 1 & 2 Annual 10CFR50.69 & Commitment Rev Rept 940701 - 950630."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 05/06/30. 24pp. 86888:338-86888:381.

960120037 Monthly operating reports for Dec 1995 for Limerick Generating Station Units 1 & 2. 11/1/96/11/17.
HENRICKS, D.R., GALLAGHER, M.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 05/12/31. 11pp. 86888:350-86888:360.

G. Reportable occurrences, UERs & related correspondence

960120221 Forwards special reports for two valid ESG test failures.
BOYCE, R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 05/12/28. Document Control Branch (Document Control Desk). 2pp. 86712:353-86712:358.

960120297 Special report 951130, EDG D21 experienced pressurization of crankcase during performance of surveillance tests. Analysis of failure continuing. Corrective actions to prevent recurrence will be developed & implemented as necessary.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 05/12/28. 1p. 86712:358-86712:358.

V. Operator Examinations

960104159 NRC Administrative Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing ref exam schedule.
CRITCHFIELD, D. . 05/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9601170182 Provides info requested in 951215 ltr. Addl info will be provided at mtg meeting scheduled for 960118. Outage completion plan encl.
STORZ, L.F. Public Service Electric & Gas Co. of New Jersey. 05/01/12. Document Control Branch (Document Control Desk). 8pp. 86784:052-86784:058.

9601170169 Rev 0 to "Hope Creek RPO8 Outage Completion Plan."
REDDEMAN, H. Public Service Electric & Gas Co. of New Jersey. 05/11/26. 23pp. 86784:061-86784:063.

9601170172 Rev 0 to HC-SA-APZZ-005(Z), "Operational Readiness Self Assessment Program."
* Public Service Electric & Gas Co. of New Jersey. 05/12/19. 15pp. 86784:064-86784:098.

9601230406 Revised "Hope Creek Generating Station Event Classification Guide," including Rev 45 to table of contents, Rev 39 to attachments signature page, Rev 28 to Attachment 6, Rev 28 to Attachment 7 & Rev 25 to Attachment 8.
BANNER, C. Public Service Electric & Gas Co. of New Jersey. 05/01/13. 29pp. 86845:314-86845:342.

K. Utility Final Safety Analysis Report (FSAR) & amendments

9601030018 Forwards interim rev 7 to updated FSAR for Hope Creek Generating Station per corrective actions committed to in response to violations noted in insp rept 50-354/95-10.
SIMPSON, E.C. Public Service Electric & Gas Co. of New Jersey. 05/12/28. Document Control Branch (Document Control Desk). 14pp. 86702:001-86704:313.

9601030020 Interim rev 7 to updated FSAR for Hope Creek Generating Station.
* Public Service Electric & Gas Co. of New Jersey. 05/12/28. 1,027pp. 86702:015-86704:313.

P. Operating license stage documents & correspondence

9601020161 Ltr contract, Mod 6 to Task Order 57, increasing level of effort by adding 16 professional hrs for continued performance of work & increase task order calling by listed amount to "NRE Reviews - Internal Events - Front End Only."
MAGE, M.H. Division of Contracts (Post 940749). FRI 5-5757. 05/12/14. COLINA, Science & Engineering Associates, Inc. 2pp. 86862:240-86862:241.

9601020229 Application for amendment to license NPF-57, revising TS Definition 1.4 re channel calibr to ensure required testing methodology aligns w/ std industry methodology for instrument channels having T/C or RTD as sensors.
SIMPSON, E.C. Public Service Electric & Gas Co. of New Jersey. 05/12/28. Document Control Branch (Document Control Desk). 9pp. 86833:336-86833:347.

9601020231 Proposed TS Definition 1.4 re channel calibr.
* Public Service Electric & Gas Co. of New Jersey. 05/12/28. 3pp. 86833:345-86833:347.

9601030085 Forwards SE authorizing use of ASME Code Case N-632 for Salem Nuclear Generating Station & Hope Creek Generating Station.
STOLZ, J.F. . 05/12/28. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 86705:068-86705:094.

9601030344 SERT approving use of ASME Code Case N-632 for Salem Nuclear Generating Station & Hope Creek Generating Station.
* . 05/12/28. 4pp. 86705:091-86705:094.

9601050291 Forwards notice of consideration of issuance of amendment to license, proposed NSHC determination & opportunity for hearing to proposed change to plant TS 1.4, "Channel Calibrations."
JAFPE, D.H. . 05/01/02. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 86740:338-86740:347.

9601050295 Notice of consideration of issuance of amendment to license NPF-57 & proposed NSHC determination & opportunity for hearing. Amendment would change plant TS 1.4, "Channel Calibr." to define actions for channel calibr.
JAFPE, D.H. . 05/01/02. 9pp. 86740:338-86740:347.

9601050244 Advice that NJ Dept of Environmental Protection Bureau of Nuclear Engineering reviewed all 951007 License Change Request LCR 95-23 re rev of Surveillance Requirement 4.8.1.1.2 & has no comments.
TOSCH, L. New Jersey State of. 05/01/02. Document Control Branch (Document Control Desk). 2pp. 86731:380-86731:381.

9601050183 Generic Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRITCHFIELD, D. . 05/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

9601050139 Notification of significant licensee meeting 95-112 w/ all on 960118 to discuss Hope Creek method & basis for concluding adequate performance improvement.
NICHOLSON, L.E. Region 1 (Post 820201). 05/01/10. Region 1 (Post 820201). 2pp. 86806:321-86806:322.

9601050418 Response to ltr dated 951040 requesting approval of ASME Code Case N-632, "Mechanical Clamping Devices for Class 2 & 3 Piping." Request denied at this time & PSE&G should request relief from ASME Code as described in GL 90-05.
STOLZ, J.F. . 05/01/11. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 86806:225-86806:228.

9601050410 Application for amendments to Licenses DFR-70, DFR-76 & NPF-57, revising TS Section 6.0 re administrative controls & replacing specific mgt w/ generic mgt functional positions.
STORZ, L.F. Public Service Electric & Gas Co. of New Jersey. 05/01/11. Document Control Branch (Document Control Desk). 14pp. 86824:287-86824:331.

9601050414 Proposed Tech Spec Section 6.0 re administrative controls.
* Public Service Electric & Gas Co. of New Jersey. 05/01/11. 51pp. 86824:281-86824:331.

9601050442 Suppl 7 to Generic Ltr 95-10 to all holders of OLs (except licensees intended to possess only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRITCHFIELD, D. . 05/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86855:011-86855:016.

9601050305 Forwards amend 90 to license NPF-57 & SE. Amend changes plant TS 1.4, "Channel Calibr." to define actions required for channel calibr of instrument channels containing resistance temp detector or thermocouple sensors.
JAFPE, D.H. . 05/01/25. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 86835:333-86835:344.

9601050311 Amend 90 to license NPF-57, changing plant TS 1.4, "Channel Calibr." to define actions required for channel calibr of instrument channels containing resistance temp detector or thermocouple sensors.
STOLZ, J.F. . 05/01/25. 4pp. 86835:335-86835:339.

9601050314 Safety evaluation supporting amend 90 to license NPF-57.
* . 05/01/25. 5pp. 86835:340-86835:344.

Q. Inspection reports, IE Bulletins & correspondence

960102245 Extends corrective action completion date associated w/ 950911 response to violation noted in insp rept 50-354/95-10 from 951231 to end of current refueling outage, due to augmentation of plant staff refueling outage scope.
STORZ, L.F. Public Service Electric & Gas Co. of New Jersey. 05/12/28. Document Control Branch (Document Control Desk). 3pp. 86701:300-86701:302.

9601030019 Forwards interim rev 7 to updated FSAR for Hope Creek Generating Station per corrective actions committed to in response to violations noted in insp rept 50-354/95-10.
SIMPSON, E.C. Public Service Electric & Gas Co. of New Jersey. 05/12/28. Document Control Branch (Document Control Desk). 14pp. 86702:001-86704:313.

9601050062 Forwards revised response to NRC 950919 ltr re violations noted in insp rept 50-354/95-11. Corrective actions prepared test procedures & segments of circuits test satisfactorily.
STORZ, L.F. Public Service Electric & Gas Co. of New Jersey. 05/01/02. Document Control Branch (Document Control Desk). 14pp. 86763:344-86763:357.

9601050372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRITCHFIELD, D. . 05/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:016-86740:023.

9601050329 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indicators During Testing."
CRITCHFIELD, D. . 05/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

951220289 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 6pp. 95758:041-95759:040.

950104835 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOL, S.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 95827:259-95827:271.

950108167 Responds to NRC 951212 ltr re violations noted in insp rept 50-354/95-61 on 950825. Corrective actions performance indicator established & will be implemented to periodically assess fulfillment of procedure compliance. STORZ, L.F. Public Service Electric & Gas Co. of New Jersey. 95/01/11. LIEBERMAN, J. Ofc of Enforcement (Post 870483). 15pp. 95817:335-95817:352.

9501090136 Ack receipt of 951201 ltr informing NRC of steps taken to correct violations noted in insp rept 50-354/95-48. NICHOLSON, L.E. Region 1 (Post 820201). 95/01/11. STORZ, L.F. Public Service Electric & Gas Co. of New Jersey. 3pp. 95804:313-95804:325.

9501090141 Ack receipt of 950101 ltr informing NRC of steps taken to correct violations noted in insp rept 50-354/95-11. NICHOLSON, L.E. Region 1 (Post 820201). 95/01/11. STORZ, L.F. Public Service Electric & Gas Co. of New Jersey. 3pp. 95805:285-95805:291.

950110058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 95/01/16. Consolidated Edison Co. of New York, Inc. 9pp. 95828:109-95828:120.

9501230199 Ack receipt of B Summers message re (licensee review of technical content of proposed info notice. Content determined factual. HODGE, C.V. NRC - No Detailed Affiliation Given. 95/11/21. TRAPP, J.M. NRC - No Detailed Affiliation Given. 1p. 95828:118-95828:119.

9501230201 Advises that subj of facility info notice technically correct. Summers will discuss content of notice w/NU. HODGE, C.V. NRC - No Detailed Affiliation Given. 95/11/20. TRAPP, J.M. NRC - No Detailed Affiliation Given. 2pp. 95828:119-95828:120.

9501290373 Forwards exam rept 50-354/95-21 on 951219-21. All applicants passed initial exam & were issued licenses. MEYER, G.W. Region 1 (Post 820201). 95/01/23. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 95885:217-95885:245.

9501290378 Exam rept 50-354/95-21 on 951219-21. Exam successful applicants passed initial exams & were issued licenses. WALKERT, MEYER, G.W. Region 1 (Post 820201). 95/01/23. 12pp. 95885:220-95885:245.

9501090386 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tomco's Damper of Nuclear Power Plants." CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 95895:001-95895:010.

9501290258 Ack receipt of 950111 ltr & electronic transfer of \$100,000 in payment for civil penalty proposed by NRC in 951212 ltr. GRAY, J.R. Ofc of Enforcement (Post 870413). 95/01/25. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 1p. 95853:001-95853:001.

9501290139 NRC Info Notice 95-007, "Slow Fire Percent Steam Injection Times Caused by Viton Diaphragms in Solenoid Pilot Valves." CRUTCHFIELD, D. 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 95895:017-95895:023.

R. Periodic operating reports & related correspondence

9501290182 NPOES discharge monitoring rept for Dec 1995 for Hope Creek Generating Station. W/950122 ltr. REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/12/31. CORPORALE, G. New Jersey, State of. 2pp. 95904:323-95904:344.

9501090222 Forwards monthly operating rept for Dec 1995 for Hope Creek Generating Station Unit 1, including summary of changes, tests & experiments implemented during Dec 1995 per 10CFR10.396. REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/01/12. Document Control Branch (Document Control Desk). 1p. 95828:334-95828:347.

9501090228 Monthly operating rept for Dec 1995 for Hope Creek Generating Station Unit 1. LYONS, D.W. Public Service Electric & Gas Co. of New Jersey. 95/12/31. 13pp. 95828:336-95828:347.

S. Reportable occurrences, LERs & related correspondence

9501090992 Interim Part 21 rept failure of steam discharge vol drain valve 1B7FV-F011. Possible causes of failure include spring mis-adjustment, change in spring adjuster setting & spring relaxation. Further investigation ongoing. BARNES, M.E.C. Public Service Electric & Gas Co. of New Jersey. 95/12/26. Document Control Branch (Document Control Desk). 7pp. 95763:325-95763:332.

9501090327 LER 95-006-00 on 951128, as found values for safety relief valve R1 setpoints exceeded TS allowable limit. Caused by corrosion bonding of pilot disc to pilot seat. SRVs inspected & reestablished. W/951227 ltr. ONDERS, J. REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/12/29. 6pp. 95892:303-95892:308.

9501090971 Special Rept 95-06 on 951206 & 07.C EDG failure occurred due to faulty tachometer relay signal generator. Tachometer relay signal generator replaced on 951208.C EDG returned satisfactorily & declared operable on 951209. REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/01/02. Document Control Branch (Document Control Desk). 2pp. 95763:339-95763:339.

9501090065 LER 95-037-00 on 951204, both loops of safety auxiliary cooling sys inoperable. Caused by ineffective & unlikely implementation of corrective action program to design of safety auxiliary cooling sys. W/950103 ltr. LAMASTRA, D. REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/01/03. 6pp. 95787:075-95787:080.

9501090002 LER 95-039-00 on 951208, operation in excess of 100% rated core thermal power occurred due to core thermal power calculation methodology error. Calculations revised. W/950104 ltr. SCHMIDT, R. REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/01/04. 6pp. 95787:042-95787:046.

9501090004 LER 95-003-02 on 950217, condition prohibited by TS re noncompliance w/frequency/condition requirements of TSs. Comprehensive surveillance test procedure review performed. W/950104 ltr. DAVES, G. REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/01/04. 6pp. 95787:055-95787:060.

9501090112 LER 95-038-00 on 951127, failure to comply w/required action statement upon removal of failed snubber 1-P-8C-048-H042 on RHR shutdown cooling line identified. Root cause analysis will be completed. W/950108 ltr. DAVES, G. REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/01/08. 7pp. 95810:116-95810:122.

9501090003 LER 95-033-01 on 951114, TS surveillance requirement implementation deficiencies identified. Caused by procedural inadequacies. Procedures revised. W/950104 ltr. ZAMBUCCI, J. REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/01/11. 6pp. 95787:047-95787:054.

9501290014 LER 95-040-00 on 951216, EDG B inadvertently started due to improper removal from sync. Caused by lack of questioning attitude by Operations personnel. Addressed communications issues & made procedural revs. W/950117 ltr. SCHMIDT, R. REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/01/17. 6pp. 95840:335-95840:340.

9501290358 LER 95-041-00 on 951225, ESF start of 'D' SSWS pump & 'B' CREF fan occurred during performance of LOP/LOCA surveillance test. Caused by inadequate procedures. Reinforced expectations for responses to conditions. W/950125 ltr. KEPLER, L. REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/01/25. 6pp. 95841:224-95841:229.

V. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing exam schedule. CRUTCHFIELD, D. 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 95776:001-95776:010.

9501290053 Informs of individual exam results for applicants on initial exam conducted 951218-21 at facility. W/o sacs. MEYER, G.W. Region 1 (Post 820201). 95/01/17. MCMAHON, L.F. Public Service Electric & Gas Co. of New Jersey. 2pp. 95827:090-95827:091.

9501290373 Forwards exam rept 50-354/95-21 on 951219-21. All applicants passed initial exam & were issued licenses. MEYER, G.W. Region 1 (Post 820201). 95/01/23. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 95885:217-95885:245.

9501290378 Exam rept 50-354/95-21 on 951219-21. Exam successful applicants passed initial exams & were issued licenses. WALKERT, MEYER, G.W. Region 1 (Post 820201). 95/01/23. 12pp. 95885:220-95885:245.

DOCKET 95-351 SAN ONOFRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9501090413 Forwards Rev 15 to security force training & qualification plan. Rev withheld per 10CFR10.54(a)(2). KRUEGER, R.W. Southern California Edison Co. 95/12/21. Document Control Branch (Document Control Desk). 1p. 95730:231-95730:231.

9501090251 Forwards insp rept 50-361/95-25 & 50-362/95-25 on 951106-09 & NOV. Violations of concern due to seven zones being determined to be inadequate during testing activities. BRYANT, T.P. Region 4 (Post 820201). 95/12/22. RAY, J.B. Southern California Edison Co. 4pp. 95891:346-95891:353.

9501090258 Notice of violation from insp on 951106-09. Violations noted on 951107, tests of protected area detection sys identified seven separate protected area detection zones where attempted penetration of zones not detected. * Region 4 (Post 820201). 95/12/22. 2pp. 95891:350-95891:351.

9501090284 Partially deleted insp rept 50-361/95-25 & 50-362/95-25 on 951106-09 (ref 10CFR10.54(a)(2)). Violations noted. Major areas inspected: physical security program including protected area detection aids, access control & test & maint. MURRAY, B. Region 4 (Post 820201). 95/12/19. 2pp. 95891:352-95891:353.

9501090409 Withdrews Plans 46 & 47 to physical security plan. KRUEGER, R.W. Southern California Edison Co. 95/12/22. Document Control Branch (Document Control Desk). 1p. 95731:360-95731:360.

9501090279 Withdrews Rev 15 to adequate contingency plan. Will re-submit 10CFR10.54(a)(2) change request to NRC to clarify changes proposed in Rev 15 to adequate contingency plan. KRUEGER, R.W. Southern California Edison Co. 95/01/10. Document Control Branch (Document Control Desk). 1p. 95821:306-95821:306.

9501290185 Rev 1 to EPP 9023-VII-0, 100. "Maintenance & Control Of Emergency Planning Documents." W/950117 ltr. MARSH, W.C. Southern California Edison Co. 95/01/17. 13pp. 95859:290-95859:311.

88 DOCKETED ITEMS

9601200376 Addendum 1 to SONGS emergency plan, adding pages to current plan inadvertently omitted from Rev 6.1.
BERESFORD, C. CAMACHO, J. Southern California Edison Co. 96/01/23. 4pp. 8687245-8687248.

P. Operating license stage documents & correspondence

9601200439 Forwards amend applications 155 & 139 to licenses NPF-10 & NPF-15, respectively, consisting of Proposed TS Change Number (PCN)-455 PCN-455 defines license condition 2.C(25), "Integrated Implementation Schedule."
NUNN, D.E. Southern California Edison Co. 96/01/04. Document Control Branch (Document Control Desk). 2pp. 86787135-86787171.

9601186433 Amends applications 155 & 139 to licenses NPF-10 & NPF-15, respectively, consisting of Proposed TS Change Number 455, deleting license condition 2.C(25), "Integrated Implementation Schedule."
NUNN, D.E. Southern California Edison Co. 96/01/04. 43pp. 86787137-86787171.

9601160398 Documents that there were no instances in 1995 in which RCS specific activity for either unit exceeded TS limit.
MARSH, W.C. Southern California Edison Co. 96/01/09. Document Control Branch (Document Control Desk). 1p. 86782244-86782244.

9601050199 Generic Ltr 96-01 to all holders of OLS or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 86827272-86827280.

9601172723 Submits thirteenth edition of Integrated Implementation schedule for Units 1 & 2. End 2 provides current schedule A, B & C projects for SONGS 2 & 3 for Cycles 8 & 9.
MARSH, W.C. Southern California Edison Co. 96/01/11. Document Control Branch (Document Control Desk). 8pp. 86812015-86812023.

9601220345 Forwards monthly operating reports for Dec 1995 for SONGS Units 2 & 3 & Rev 28 to "SONGS, Units 2 & 3 ODCM."
MARSH, W.C. Southern California Edison Co. 96/01/15. Document Control Branch (Document Control Desk). 1p. 86833001-86833011.

9601220348 Rev 28 to "SONGS, Units 2 & 3 ODCM."
Southern California Edison Co. 96/12/21. 197pp. 86833015-86833021.

9601240244 Provides evaluation of list, "New Thread Failures" presented during 95/010 visit w/Chairman Jackson informs that staff unable to identify safety concern as age of Sys 21 aging or produce substantial increase in public health & safety.
SHERMAN, E.W. 96/01/22. JOHNSON, S.P. Attention Not Assigned. 12pp. 86838350-86838361.

9601190442 Suppl 7 to Generic Ltr 96-10 to all holders of OLS (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86855011-86855016.

Q. Inspection reports, IE Bulletins & correspondence

9601030251 Forwards Insp repts 50-381/95-25 & 50-382/95-25 on 951106-00 & NOV. Violation of concern due to seven zones being determined to be inadequate during testing activities.
GWYNNE, T.P. Region 4 (Post 820201). 95/12/22. RAY, H.B. Southern California Edison Co. 4pp. 86691348-86691353.

9601030258 Notice of violation from Insp on 951106-00. Violation noted on 951107, tests of protected area detection sys identified seven separate protected area detection zones where attempted penetration of zones not detected.
Region 4 (Post 820201). 95/12/22. 2pp. 86691350-86691351.

9601030264 Partially deleted Insp repts 50-381/95-25 & 50-382/95-25 on 951106-00 (ref 10CFR79.21). Violations noted. Major areas inspected: physical security program including protected area detection aids, access control & test & maint.
MURRAY, B. Region 4 (Post 820201). 95/12/19. 8pp. 86691352-86691363.

9601030273 Forwards Insp repts 50-381/95-25 & 50-382/95-25 on 951204-08. No violations noted. Insp consisted of selective exams of procedures & representative records, interviews w/personnel & observation of activities in progress.
GWYNNE, T.P. Region 4 (Post 820201). 95/12/28. RAY, H.B. Southern California Edison Co. 4pp. 86691317-86691323.

9601030217 Insp repts 50-381/95-25 & 50-382/95-25 on 951204-08. No violations noted. Major areas inspected: cold radiators mgt & radioactive waste transportation programs including audit & approval, changes & training & qualifications.
MURRAY, B. Region 4 (Post 820201). 95/12/27. 8pp. 86691325-86691335.

9512276972 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740015-86740023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 13pp. 86755045-86755061.

9512290298 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86755044-86755049.

9601178123 Forwards Insp repts 50-381/95-19 & 50-382/95-19 on 951127-1201. No violations noted.
GWYNNE, T.P. Region 4 (Post 820201). 96/01/05. RAY, H.B. Southern California Edison Co. 4pp. 86771123-86771128.

9601170130 Insp repts 50-381/95-19 & 50-382/95-19 on 951127-1201. No violations noted. Major areas inspected: licensed operator qualification program & qualifications of applicants for senior operator licenses at facility.
TAPIA, J.L. Region 4 (Post 820201). 96/01/04. 124pp. 86771133-86771156.

9601040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 570726). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9601180389 Insp repts 50-381/95-23 & 50-382/95-23 cancelled.
GWYNNE, T.P. Region 4 (Post 820201). 96/01/11. RAY, H.B. Southern California Edison Co. 4pp. 86811105-86811108.

9601220148 Forwards Insp repts 50-381/95-25 & 50-382/95-25 on 951119-1230. No violations noted.
DYER, J.E. Region 4 (Post 820201). 96/01/16. RAY, H.B. Southern California Edison Co. 3pp. 86812005-86812020.

9601220154 Insp repts 50-381/95-25 & 50-382/95-25 on 951119-1230. No violations noted. Major areas inspected: operational safety verification, maintenance & surveillance observations, engineering & plant support observations.
KIRSCH, D.F. Region 4 (Post 820201). 96/01/16. 12pp. 86812009-86812020.

9601100658 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86829109-86829120.

9601240008 Forwards Insp repts 50-381/95-26 & 50-382/95-26 on 951119-1201 & notice of violation. Violation involved failure to perform 10CFR50.59 safety evaluation for replacement of RCS gas vent flow-restricting device w/gate valve.
GWYNNE, T.P. Region 4 (Post 820201). 96/01/18. RAY, H.B. Southern California Edison Co. 5pp. 86829024-86829054.

9601240012 Notice of violation from Insp on 951119-1201. Violation noted: RCS gas vent flow-restricting device was replaced w/valve gate valve by Field Change Notice 80925M.
Region 4 (Post 820201). 96/01/18. 2pp. 86829029-86829030.

9601240015 Insp repts 50-381/95-26 & 50-382/95-26 on 951119-1201. Violations noted. Major areas inspected: engineering & technical support & 10CFR50.59 safety evaluations.
VANDENBURGH, C. Region 4 (Post 820201). 96/01/10. 24pp. 86829031-86829054.

9601180386 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86855001-86855010.

9601250139 NRC Info Notice 95-007, "Slow Five Percent Steam Insertion Times Caused By Viscous Diaphragms in Steam Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86865017-86865023.

R. Periodic operating reports & related correspondence

9601220345 Forwards monthly operating reports for Dec 1995 for SONGS Units 2 & 3 & Rev 28 to "SONGS, Units 2 & 3 ODCM."
MARSH, W.C. Southern California Edison Co. 96/01/15. Document Control Branch (Document Control Desk). 1p. 86833001-86833011.

9601220348 Monthly operating reports for Dec 1995 for SONGS Units 2 & 3.
WILLIAMS, C.E. Southern California Edison Co. 95/12/31. 13pp. 86833002-86833014.

9601220348 Rev 28 to "SONGS, Units 2 & 3 ODCM."
Southern California Edison Co. 96/12/21. 197pp. 86833015-86833021.

G. Reportable occurrences, LERs & related correspondence

9601020307 LER 95-018-00 on 951127, omission in high energy line break analysis occurred. Caused by original LFSAR Section 3.5A hypothesized high energy line break analysis completed by plant interim compensatory review initiated. W/951228 ltr.
KREIGER, R.W. Southern California Edison Co. 95/12/26. 4pp. 86795185-86795188.

9601060012 LER 95-017-00 on 951207, radio gas isolation sys monitor setpoint & prepare trip setpoint was less than 100 ppm, because personnel did not establish appropriate backup setpoint to envelope prepare trip link W/950103 ltr.
KREIGER, R.W. Southern California Edison Co. 96/01/03. 2pp. 86787006-86787007.

V. Operator Examinations

9601170123 Forwards Insp repts 50-381/95-19 & 50-382/95-19 on 951127-1201. No violations noted.
GWYNNE, T.P. Region 4 (Post 820201). 96/01/05. RAY, H.B. Southern California Edison Co. 4pp. 86771123-86771128.

9601170130 Insp repts 50-381/95-19 & 50-382/95-19 on 951127-1201. No violations noted. Major areas inspected: licensed operator qualification program & qualifications of applicants for senior operator licenses at facility.
TAPIA, J.L. Region 4 (Post 820201). 96/01/04. 124pp. 86771133-86771156.

9601040136 NRC Administrative Ltr 96-01 to all holders of OLS or CPs for nuclear power reactors re operator licensing not exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86775001-86775010.

DOCKET 90-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9601030443 Forwards Rev 15 to security force training & qualification plan. Rev withheld per 10CFR50.54(p)(2). KRIEGER, R.W. Southern California Edison Co. 95/12/21. Document Control Branch (Document Control Desk). 1p. 86730-231-86730-231.

9601030251 Forwards Insp repts 50-361/95-25 & 50-362/95-25 on 951106-09 & NOV. Violation of concern due to seven zones being determined to be inadequate during testing activities. GWYNNE, T.P. Region 4 (Post 820201). 95/12/22. RAY, H.B. Southern California Edison Co. App. 86691-348-86691-353.

9601030253 Notice of violation from Insp on 951106-09. Violation noted: on 951107, tests of protected area detection sys identified seven separate protected area detection zones where attempted penetration of zones not detected. * Region 4 (Post 820201). 95/12/22. App. 86691-350-86691-351.

9601030284 Partially deleted Insp repts 50-361/95-25 & 50-362/95-25 on 951106-09 (rel 10CFR73.21). Violations noted: Major areas inspected: physical security program including protected area detection aids, access control & test & maint. MURRAY, B. Region 4 (Post 820201). 95/12/18. App. 86691-352-86691-353.

9601030409 Withdrews Revs 46 & 47 to physical security plan. KRIEGER, R.W. Southern California Edison Co. 95/12/22. Document Control Branch (Document Control Desk). 1p. 86731-360-86731-360.

9601030276 Withdrews Rev 15 to safeguards contingency plan. Will re-submit 10CFR50.54(p)(2) change request to NRC to clarify changes proposed in Rev 15 to safeguards contingency plan. KRIEGER, R.W. Southern California Edison Co. 96/01/10. Document Control Branch (Document Control Desk). 1p. 86821-308-86821-308.

9601230185 Rev 1 to EPF S023-VII-0.106, "Maintenance & Control Of Emergency Planning Documents." W/960117 for MARSH, W.C. Southern California Edison Co. 96/01/17. 13pp. 86658-289-86658-211.

9601260375 Addendum 1 to SONGS emergency plan adding pages to current plan inadvertently omitted from Rev 6.1. BERESFORD, C. CAMACHO, L. Southern California Edison Co. 96/01/23. App. 86697-345-86697-348.

P. Operating license stage documents & correspondence

9601180430 Forwards amend applications 155 & 159 to licenses NPF-10 & NPF-15, respectively, consisting of Proposed TS Change Number (PCN) 455, PCN 455 de-letes license condition 2.C(26), "Integrated Implementation Schedule." MUNN, D.E. Southern California Edison Co. 96/01/04. Document Control Branch (Document Control Desk). 2pp. 86787-135-86787-179.

9601180433 Amends applications 155 & 159 to licenses NPF-10 & NPF-15, respectively, consisting of Proposed TS Change Number 455, deleting license condition 2.C(26), "Integrated Implementation Schedule." MUNN, D.E. Southern California Edison Co. 96/01/04. 43pp. 86787-137-86787-179.

9601180396 Documents that there were no instances in 1995 in which RCS specific activity for either unit exceeded TS limit. MARSH, W.C. Southern California Edison Co. 96/01/09. Document Control Branch (Document Control Desk). 1p. 86782-244-86782-244.

9601050193 General Ltr 96-01 to all holders of OLA or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 5pp. 86827-872-86827-880.

9601120278 Submits thirteenth edition of integrated implementation schedule for Units 1 & 2. Final 2 provides current schedule A, B & C projects for SONGS 2 & 3 for Cycles 8 & 9. MARSH, W.C. Southern California Edison Co. 96/01/11. Document Control Branch (Document Control Desk). App. 86812-015-86812-023.

9601220345 Forwards monthly operating repts for Dec 1995 for SONGS Units 2 & 3 & Rev 28 to "SONGS Units 2 & 3 ODCM." MARSH, W.C. Southern California Edison Co. 96/01/15. Document Control Branch (Document Control Desk). 1p. 86833-001-86833-211.

9601220348 Rev 28 to "SONGS Units 2 & 3 ODCM." Southern California Edison Co. 95/12/21. 197pp. 86833-015-86833-211.

9601260244 Provides evaluation of list, "New Thread Failures" presented during 95010 visit w/Chairman Jackson. Informes that staff unable to identify safety concern re use of Sys 21 gaging or produce substantial increase in public health & safety. SHERON, B.W. 96/01/22. JOHNSON, S.P. Affiliation Not Assigned. 12pp. 86835-350-86835-381.

9601180442 Suppl 7 to General Ltr 96-10 to all holders of OLs (except licenses attached to possession only status) or CPs for nuclear power reactors re consideration of valve malfunctioning in PWRs. CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 5pp. 86955-014-86955-016.

9601300226 Discusses 950713 ltr re request for relief from applicable requirements of Section XI of ASME Boiler & Pressure Vessel Code repair requirements for pin hole leak in moderate energy class 3 pipe at SONGS Unit 3. Forwards SE. BATEMAN, W.H. 96/01/24. RAY, H.B. Southern California Edison Co. App. 86912-237-86912-244.

9601300234 Safety evaluation supporting request for relief from ASME Code Class 3 Piping. 96/01/24. App. 86912-244-86912-244.

Q. Inspection reports, IE Bulletins & correspondence

9601030251 Forwards Insp repts 50-361/95-25 & 50-362/95-25 on 951106-09 & NOV. Violation of concern due to seven zones being determined to be inadequate during testing activities. GWYNNE, T.P. Region 4 (Post 820201). 95/12/22. RAY, H.B. Southern California Edison Co. App. 86691-348-86691-353.

9601030253 Notice of violation from Insp on 951106-09. Violation noted: on 951107, tests of protected area detection sys identified seven separate protected area detection zones where attempted penetration of zones not detected. * Region 4 (Post 820201). 95/12/22. App. 86691-350-86691-351.

9601030284 Partially deleted Insp repts 50-361/95-25 & 50-362/95-25 on 951106-09 (rel 10CFR73.21). Violations noted: Major areas inspected: physical security program including protected area detection aids, access control & test & maint. MURRAY, B. Region 4 (Post 820201). 95/12/18. App. 86691-352-86691-353.

9601030213 Forwards Insp repts 50-361/95-25 & 50-362/95-25 on 951204-08. No violations noted. Insp consisted of selective exams of procedures & representative records, interviews w/personnel & observation of activities in progress. GWYNNE, T.P. Region 4 (Post 820201). 96/01/28. RAY, H.B. Southern California Edison Co. App. 86691-317-86691-328.

9601030217 Insp repts 50-361/95-25 & 50-362/95-25 on 951204-08. No violations noted. Major areas inspected: solid radioactive material & radioactive waste transportation programs including audit & appraisal, changes & training & qualifications. MURRAY, B. Region 4 (Post 820201). 95/12/27. App. 86691-322-86691-329.

9512230372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. App. 86740-015-86740-023.

9512230129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758-048-86758-061.

9512230229 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. App. 86758-041-86758-048.

9601170123 Forwards Insp repts 50-361/95-19 & 50-362/95-19 on 951127-1201. No violations noted. GWYNNE, T.P. Region 4 (Post 820201). 96/01/06. RAY, H.B. Southern California Edison Co. App. 86771-129-86771-258.

9601170130 Insp repts 50-361/95-19 & 50-362/95-19 on 951127-1201. No violations noted. Major areas inspected: licensed operator qualification program & qualifications of applicants for senior operator licenses at facility. TAPIA, J.L. Region 4 (Post 820201). 96/01/04. 12pp. 86771-133-86771-255.

9601040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827-253-86827-271.

9601180389 Insp repts 50-361/95-22 & 50-362/95-22 cancelled. GWYNNE, T.P. Region 4 (Post 820201). 96/01/11. RAY, H.B. Southern California Edison Co. App. 86811-106-86811-108.

9601220148 Forwards Insp repts 50-361/95-26 & 50-362/95-26 on 951119-1230. No violations noted. DYER, J.E. Region 4 (Post 820201). 96/01/18. RAY, H.B. Southern California Edison Co. App. 86818-005-86818-020.

9601220154 Insp repts 50-361/95-26 & 50-362/95-26 on 951119-1230. No violations noted. Major areas inspected: operational safety verification, maintenance & surveillance observations, engineering & plant support observations. KIRSCH, D.P. Region 4 (Post 820201). 96/01/18. 12pp. 86818-009-86818-022.

9601110058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. App. 86828-108-86828-120.

9601240008 Forwards Insp repts 50-361/95-26 & 50-362/95-26 on 951115-1201 & notice of violation. Violation involved failure to perform 10CFR50.59 safety evaluation for replacement of RCS gas vent flow-restricting device w/gate valve. GWYNNE, T.P. Region 4 (Post 820201). 96/01/18. RAY, H.B. Southern California Edison Co. App. 86828-024-86828-064.

9601260012 Notice of violation from Insp on 951113-1201. Violation noted: RCS gas vent flow-restricting device was replaced w/office gate valve by Field Change Notice F04325M. * Region 4 (Post 820201). 96/01/18. App. 86828-029-86828-030.

9601260018 Insp repts 50-361/95-26 & 50-362/95-26 on 951113-1201. Violations noted: Major areas inspected: engineering & technical support & 10CFR50.59 safety evaluations. VANDENBURGH, J.C. Region 4 (Post 820201). 96/01/10. 24pp. 86828-031-86828-054.

9601180388 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. 96/01/23. Consolidated Edison Co. of New York, Inc. 10pp. 86885-001-86885-010.

9601260139 NRC Info Notice 95-007, "Slow Fibre Potentiometer Insertion Times Caused by Vison Diaphragms in Screen Bolonoid Pilot Valves." CRUTCHFIELD, D. 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86955-017-86955-023.

8. Periodic operation reports & related correspondence

9901220345 Forwards monthly operating exps for Dec 1996 for SONGS Units 2 & 3 &
Rev 28 to "SONGS Units 2 & 3 OCM."
MARSH,W.C. Southern California Edison Co. 96/01/15. Document Control Branch
Document Control Desk. 1a. 68633-001-96633-211.

-9501220348 Monthly operating repts for Dec 1995 for SONGS Units 2 & 3.
WILLIAMS, C.E. Southern California Edison Co. 85/12/31, 18pp. 88833,002-
88833,014.

V. Counter Examples

960178123 Forwards (asp rept: 50-351/95-19 & 50-352/95-19 on 951127- 1201.No
 violations noted.
 GIN/744.T.P. Region 4 (Post 820271). 96/01/05. RAY,H.B. Southern California Edison
 Co. Exp. 965771:128-55771-255.

--6601170130 Insp repts 50-381/95-19 & 50-382/95-19 on 851127-1201.No violations noted.Major areas inspected:licensed operator requalification program & qualifications of applicants for senior operator licenses at facility.
TAPIA,JJ,Releas 4 (Post 620201), 96/01/04, 1244cn, 86771-133-86771-256.

9601940158 NRC Administrative Ltr 96-01 to all holders of OLEs or CPEs for nuclear power stations re operator licensing rule exam schedule.
CAUTCHFIELD, D., 96/01/09, Consolidated Edison Co. of New York, Inc. 10pp.
96778-901-96778-010.

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

94-5380171 Revised EPIA including rev 13 to GO-EP-102, "Emergency Communica-
tion Organization & Facilities," rev 16 to GO-EP-114, "News Release Coordination &
Distribution," & rev 22 to GO-EP-116.W/960115 R.
ALLUM, M.J. Southern Nuclear Operating Co. 95/12/25. 117pp. 80817-001-
86817-117.

9641290262 Submit review of rev 29 to plant Emergency Plan, concluding that changes satisfactory & met planning stds of 10CFR50.47(b) & requirements of App E to 10CFR50.
BARR,K.P. , 66/01/19. MOREY,D.N. Southern Nuclear Operating Co. Zip: 80603-0114-88563715.

H. Demand correspondence

9501160012 Advises that JH Miller named Executive Vice President & Corporate Counsel effective 951204.
MORLEY D. Southern Nuclear Operating Co. 95/01/04. Document Control Branch (Document Control Desk). In 95787-907-95787-307.

F. Opening Science state documents & correspondence

9501150048 Transmits meeting summary for Oct & Nov 1995 one-day public workshops on GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
FREDRICKSON, P. Region 2 (Post 820201), 95/01/03. MOFFET, D.N. Southern Nuclear Operating Co. 12700. 85063; 188-56003-254.

560170124 Provides correction to submittal concerning applicability of Spec 3.0.4 to one-line 30-day extension clause.
MOFFET, D. Southern Nuclear Operating Co. 96/01/05. Document Control Branch (Document Control Desk). 2pp. 86600252-86800272.

* Southern Nuclear Operating Co. 98/01/005. See. 88500-254-88500-272.

991050193 Generic Ltr 89-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 98/01/10. Consolidated Edison Co. of New York, Inc. 9PP.
88927-272-868/17-280.

0901140434 Requests deferral of 10-Yr updates of Units 1 & 2 ISI & Inservice testing programs. Ten-year update for units due on 8/1/201.
MONEY, D. Southern Nuclear Operating Co. 09/01/11. Document Control Branch
(Document Control Dept.). 2700. 68787-105-68787-134.

9601960220 Submits request for use of alternative rules for post repair/replacement hydrostatic testing for ASME Class 1,2 & 3 vya based on Code Case N-415-1.
MURPHY, D. Southern Nuclear Operating Co. 86/01/12. Document Control Branch (Document Control Desk). Rev. 86R12-331-1,86R12-333

9601260265 Confirms mgt meeting scheduled for 960220 in Birmingham, AL to discuss current Southern Nuclear Operating Co organization, engineering design & technical compliance status & major problems at plant, per letters w/J Woodard.
SINKNER, P.H. Region 2 (Post 820201). 96/01/18. HAIRSTON, G. Georgia Power Co.
Enc. 960220-019, 960220-020

5901150442 Suppl 7 to Generic Ltr 89-10 to all holders of OLRs (except licensees amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 89/01/24, Consolidated Edison Co. of New York, Inc. 5pp
8903051111 89065114

2. Inspection reports, 12 Bulletin & correspondence

9601190008 Forward trap repts 50-048/95-19 & 50-354/95-19 on 551023. 1125.No
violations noted.
SKINNER,P.H., Region 2 (Post 820201). 95/12/22. MOORE,J.N., Southern Nuclear
Operating Co. Sns. 565001-048-86801-085.

-988139013 (resp cepts 50-348/95-19 & 50-384/95-19 on 951023-1125.No violations noted.Major areas inspected:plant operations, main/surveillance,engineering/technical support,plant support,nonroutine events & follow-up of previous findings.
ROSS,T.M., SCOTT,M.A., MILLER,M.M. Region 2 (Post 820201). 95/12/22. 17pp.
88801-048-55801-055.

9601190009 Ack receipt of 851219 re informing NRO of steps taken to correct violations noted in insp reports 80-346/88-16 & 80-384/85-16 on 851121.
SKAHMER,P.H. Region 2 (Post 820201). 85/12/28. MOREY,D.N. Southern Nuclear Operating Co. 2nd. 88801354-88801355.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
OMITFIELD, D., 98/01/03. Consolidated Edison Co. of New York, Inc. App.
86740-015-85740-023.

9612290129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D., 96/01/06. Consolidated Edison Co. of New York, Inc. 13pp.
96758049-88758061.

9512260299 NRC Info Notice 89-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. : 96/01/05. Consolidated Edison Co. of New York, Inc. Bpp. 86738-043-66758-048.

991040325 NRC Info Notice 99-004, "Incident Reporting Requirements for Radiography Licensees." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 99/01/10. Consolidated Edison Co. of New York, Inc. 1300. 888-27-2634-88827-271.

9801150434 Requests deferral of 10-Yr updates of Units 1 & 2 ISI & inservice testing programs. Ten-year update for units due on 9/12/01.
MOOREY, D. Southern Nuclear Operating Co. 88/09/13. Document Control Branch
(Document Control Desk). 27p. 86787-106-88787-134.

99-1110658 NRC Info Notice 99-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. / 99/01/16. Consolidated Edison Co. of New York, Inc. Bpp. 65628-109-88628-120.

8001136306 NRC Info Notice 98-006, "Design & Testing Deficiencies of Tornado
Dampers at Nuclear Power Plants."
CRUTCHFIELD, D., 98/01/25. Consolidated Edison Co. of New York, Inc. 10pp.
80065-001-88865-010.

9601260189 NRC Info Notice 96-007, "Slow Five Percent Sorum Insertion Times Caused By Viton Diaphragms in Sorum Solenoid Pilot Valves." CRUTCHFIELD, D., 96/01/28. Consolidated Edition Co. of New York, Inc. 7pp. 696050117-69605023.

B. Periodic operating reports & related correspondence

0001970115 Monthly operating reports for Dec 1995 for JM Farley Nuclear Plant Units 1 & 2/W/000111 ft.
ALLISON,S.M., MOREY,D. Southern Nuclear Operating Co. 06/12/01. Spp.
NR800-290-0000-207.

8. Reportable occurrences, LERs & related correspondence

980105027 Final response to FOIA request for documents App A documents esp'd & also placed in PDR.
POWELL, R. Division of Freedom of Information & Publications Services (Post 940740) 05/12/91 KLR77 E 200 60700-100-06750-154

* NBC - No Defined Attribution Given. 05/12/21, 47pp. 06758-208-06758-164.

V. Deceptor Examinations

9001040136 NRC Administrative Ltr 90-01 to all holders of OLS or CPE for nuclear power reactors re operator licensing and exam schedule.
CRUTCHFIELD, D. : 90/01/09. Consolidated Edison Co. of New York, Inc. 10pp
90776-0014-2776-010

BUCKET #D-365 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

F. Security, medical emergency & fire protection plans

9601250342 Continue 960302 taken between C Brown & K Barr re 960297 re meeting Purpose of meeting to discuss emergency preparedness program at plant. SKINNER, P. Region 2 (Post 620201). 96/01/10. BECKHAM, J.T. Georgia Power Co. Info 960601-134. 960601-135.

9601290299 Forwards Insp repts 50-321/95-28 & 60-368/95-28 on 961001- 1202 & notice of violation.
MERSCOFF, E.W. Region 2 (Post 320201). 96/01/19. BECKHAM, J.T. Georgia
Prison Cr. Inv. 96003-020-8602-104.

* Region 2 (Post 8/20/2011, 8/6/01/12, 43no. 88893-045-88893-104.

P. Operating license stage documents & correspondence

9601200228 Discusses one-day public workshops in each Region to discuss Of. 95-07, "Pressure Locking & Thermal Binding of Safety Related Power-Operated Gate Valves" conducted in Oct & Nov 1995. List of meeting participants & handouts, encl. FREDRICKSON, P., Region 2 (Post 620201). 96/01/03. BECKHAM, J.T. Georgia Power Co. 127pp. 9601153-9601278.

9601200183 Generic Ltr 95-01 to all holders of OLS or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D., 96/01/10. Consolidated Edison Co. of New York, Inc. 8PP. 96027-272-96027-280.

9601200268 Confirms next meeting scheduled for 960220 in Birmingham, AL to discuss current Southern Nuclear Operating Co. organization, engineering design & technical project status & major problems at plants, per letters w/J Woodard. SWANER, P.H., Region 2 (Post 620201). 96/01/18. HARRISON, G. Georgia Power Co. 6pp. 96023-79-96023-823.

9601200442 Suppl 7 to Generic Ltr 95-10 to all holders of OLS (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D., 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 96025-017-96025-019.

Q. Inspection reports, IE Bulletins & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D., 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 96740-016-96740-020.

9512290123 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D., 96/01/03. Consolidated Edison Co. of New York, Inc. 13pp. 96738-048-96738-061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D., 96/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 96738-041-96738-048.

9601190833 Ack receipt of 960102 ltr informing NRC of steps taken to correct violations noted in insp repts 95-321/95-23 & 95-386/95-23. SKINNER, P.H., Region 2 (Post 620201). 96/01/05. BECKHAM, J.T. Georgia Power Co. 3pp. 96023-254-96023-256.

9601200303 Forwards insp repts 95-321/95-23 & 95-386/95-23 on 951204-08. No violations noted. FREDRICKSON, P., Region 2 (Post 620201). 96/01/05. BECKHAM, J.T. Georgia Power Co. 3pp. 96023-108-96023-113.

9601200308 Insp repts 95-321/95-23 & 95-386/95-23 on 951204-08. No violations noted. Major areas inspected/discussed: completion of commitment to implement recommendations of Of. 95-10, "SR Motor-Operated Valve Testing & Surveillance." GUARIGLIA, F., FREDRICKSON, P., Region 2 (Post 620201). 96/01/03. 9pp. 96023-108-96023-116.

9601200336 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOL, D.A., Division of Industrial & Medical Nuclear Safety (Post 670729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 96027-259-96027-271.

9601190908 Confirms plans to conduct Integrated Performance Assessment Team insp at facility during period of 960311-22. Requests that come info listed in encl 2 be provided to NRC by 960216. GIBSON, L.A., Region 2 (Post 620201). 96/01/10. BECKHAM, J.T. Georgia Power Co. 4pp. 96001-001-96001-026.

9601190908 Insp procedure 9308-01, "Integrated Performance Assessment Procedure." Region 2 (Post 620201). 96/01/10. 22pp. 96001-005-96001-026.

9601190958 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D., 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 96028-109-96028-120.

9601200299 Forwards insp repts 95-321/95-23 & 95-386/95-23 on 961001-1202 & notice of violation. MERSCHOFF, E.W., Region 2 (Post 620201). 96/01/10. BECKHAM, J.T. Georgia Power Co. 9pp. 96023-039-96023-104.

9601200336 Notice of violation from insp on 95001-1202. Violation noted/discussed: failed to maintain in effect provisions of fire protection program. Region 2 (Post 620201). 96/01/10. 4pp. 96023-045-96023-104.

9601190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Torpedo Dampers at Nuclear Power Plants." CRUTCHFIELD, D., 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 96025-001-96025-010.

9601200133 NRC Info Notice 95-007, "Slow Five Percent Steam Inertion Times Caused By Vibration Diaphragms in Steam Solenoid Pilot Valves." CRUTCHFIELD, D., 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 96025-017-96025-023.

R. Periodic operating reports & related correspondence

9601179213 Monthly operating repts for Dec 1995 for G1 Hatch Nuclear Plant. W/960100 re. ROGER, S.B., BECKHAM, J.T. Georgia Power Co. 95/12/31. 13pp. 96784-261-96784-243.

S. Reportable occurrences, LERs & related correspondence

9601170126 PNO-4195-04100N 950823, alert declared due to primary coolant leakage greater than 50 gallons per minute. In addition, control rod 06-03 not fully inserted after scram & also lost all its power. BOLAND, A., Region 2 (Post 620201). 96/08/23. 2p. 96022-010-96022-010.

9601060237 LER 95-010-000N 951208, partial Group 1 PCIS isolation signal on MSL high radiation received due to component failure. Flow rate monitor replaced & new monitor & FCV controller verified to be functioning properly. W/960102 ltr. TIPP, S.B., BECKHAM, J.T. Georgia Power Co. 96/01/02. 5pp. 96782-251-96782-255.

V. Operator examinations

9601200136 NRC Administrative Ltr 95-01 to all holders of OLS or CPs for nuclear power reactors re operator licensing exam exam schedule. CRUTCHFIELD, D., 96/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 96776-001-96776-010.

DOCKET 95-365 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emergency & fire protection plans

9601200255 Submits info re manner in which basic emergency planning info disseminated to public within ANDD plane exposure pathway emergency planning zone during 1995. MIMS, D.C. Entergy Operations, Inc. 95/12/28. Document Control Branch (Document Control Desk). 9pp. 96023-358-96023-360.

9601170204 Forwards rev 35 to industrial security plan. Encl withheld. MIMS, D.C. Entergy Operations, Inc. 96/01/10. Document Control Branch (Document Control Desk). 2pp. 96012-104-96012-106.

G. Administrative correspondence

9601200080 Ack receipt of petition filed 951117 requesting that NRC prohibit loading of VSC-24 casks at any nuclear site until unloading procedures evaluated. Forwards "Receipt of Petition for Director's Decision Under 10CFR2.206." RUSSELL, W.T., 96/01/10. SHILLINGSLAW, F. Attention Not Assigned. 7pp. 96022-331-96022-346.

9601200102 Notice of receipt of petition for director's decision under 10CFR2.206. RUSSELL, W.T., 96/01/10. 2pp. 96022-334-96022-340.

9601200008 Discusses unloading analysis. SHILLINGSLAW, F. Attention Not Assigned. 95/11/17. RUSSELL NRC - No Detailed Attention Given. 1p. 96022-341-96022-341.

9601200176 Forwards copy of petition filed pursuant to 10CFR2.206, requesting that NRC prohibit loading of any VSC-24 casks pending further evaluation. W/draft ltr to petitioner & draft FR notice. GOLDBERG, J.R., Office of the General Counsel (Post 960701). 95/12/28. RUSSELL, W.T., 9pp. 96022-342-96022-346.

H. General correspondence

9601200217 Submits ltr re vulnerability of VSC-24 to terrorism, specifically to LAW. GELSHIER, G., People's Action for Safe Environment. 95/12/10. BERNERO, R.M., Office of Nuclear Material Safety & Safeguards. 9pp. 96023-060-96023-067.

9601040027 Comment on draft suppl to GL 93-11, "Licensee Qualification for Performing Safety Analyses." MIMS, D.C. Entergy Operations, Inc. 95/12/18. Rules & Directives Review Branch (Post 620823). 4pp. 96022-231-96022-234.

F. Operating license stage documents & correspondence

9601200255 Requests approval per 10CFR50.55a(3) for use of ASME Code Case N-533, "Alternative Requirements for VT-2 Visual Exam of Class 1 Insulated Pressure-Retaining Bolted Connections, Section XI, Div 1" by 950901. MIMS, D.C. Entergy Operations, Inc. 95/12/28. Document Control Branch (Document Control Desk). 9pp. 96701-298-96701-299.

9601170246 Revision 1 to notification of licensee meeting w/units on 960119 to discuss emergency-side engineering & maint initiatives. DYER, J.E., Region 4 (Post 620201). 96/01/03. Region 4 (Post 620201). 9pp. 96760-164-96760-171.

9601160248 Responds to NRC 951113 RAJ re update of ISI/IST programs. DEWEASE, J.G., Entergy Operations, Inc. 96/01/05. Document Control Branch (Document Control Desk). 6pp. 96774-352-96774-357.

9601060183 Generic Ltr 95-01 to all holders of OLS or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D., 96/01/10. Consolidated Edison Co. of New York, Inc. 9PP. 96027-272-96027-280.

9601200349 Notification of 960126 meeting w/Entergy Operations, Inc. in Rockville, MD to discuss probabilistic risk assessment basis for Unit 2 TS and request to extend AOT associated w/diesel generators & safety injection tanks. KALMAN, G., 96/01/17. BECKNER, W.D., 4pp. 96022-325-96022-329.

9601180442 Suppl 7 to Generic Ltr 95-20 to all holders of OLS (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D., 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 96025-011-96025-016.

92 DOCKETED ITEMS

950126004 Responds to Ir ad 951103 answering several questions re SF storage at ANS/LR and 951103 encl.
MARCUS, G.H., 95/01/25. SHILLINGLAW, F. Wisconsin, State of. 6pp. 86890:215-86890:219.

G. Inspection reports, IE Submittals & correspondence

950126023 Requests approval per 10CFR50.55a(h)(3) for use of ASME Code Case N-498-2, "Alternative Requirements for 15-Yr Sys Hydrostatic Testing for Class 1, 2 & 3 Sys, Section XI, Div 1", by 950301.
MIMS, D.C. Entergy Operations, Inc. 95/12/28. Document Control Branch (Document Control Desk). 2pp. 86701:234-86701:237.

950126034 Ack receipt of 951026 Ir informing NRC of steps taken to correct violations noted in insp repts 50-313/95-16 & 50-388/95-16.
GWYNN, T.P. Region 4 (Post 820201). 95/12/29. YELVERTON, J.W. Entergy Operations, Inc. 4pp. 86898:157-86898:163.

9501270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D., 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740:015-86740:023.

9501280129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D., 95/01/03. Consolidated Edison Co. of New York, Inc. 13pp. 86766:045-86766:061.

9501280295 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D., 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86768:041-86768:048.

9501280348 Responds to NRC 951113 RAI re update of IE/IST programs.
DEWEASE, J.G. Entergy Operations, Inc. 95/01/05. Document Control Branch (Document Control Desk). 8pp. 86774:252-86774:257.

9501280416 Ack receipt of 951215 Ir informing NRC of steps taken to correct violations noted in insp repts 50-313/95-08 & 50-388/95-08.
DYER, J.E. Region 4 (Post 820201). 95/01/08. YELVERTON, J.W. Entergy Operations, Inc. 4pp. 86770:058-86770:063.

9501280335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

950128035 Forwards (insp repts 50-313/95-09 & 50-388/95-09 on 951025-1209 & notice of violation.
DYER, J.E. Region 4 (Post 820201). 95/01/10. YELVERTON, J.W. Entergy Operations, Inc. 8pp. 86771:088-86771:110.

950128041 Notice of violation from insp on 951025-1209/Violation noted/enclosed provided ability to interconnect two water sides of SCHE 2E-35A & 35B w/o temporary sys as temporary mod in accordance w/Procedure 7000.023.
* Region 4 (Post 820201). 95/01/10. 2pp. 86771:089-86771:094.

950128050 Insp repts 50-313/95-09 & 50-388/95-09 on 951029-1209. Violations noted/Major areas inspected/operational safety verification, maintenance & surveillance observations & plant support activities.
REIS, F. Region 4 (Post 820201). 95/01/10. 16pp. 86771:305-86771:310.

950128058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D., 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86828:109-86828:120.

950128036 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tempest Detectors at Nuclear Power Plants."
CRUTCHFIELD, D., 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86850:011-86850:016.

9501280129 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused by Vibration Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D., 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86850:017-86850:023.

R. Periodic operating reports & related correspondence

9501230214 Monthly operating rpt for Dec 1995 for Arkansas Nuclear One Unit 2/W/ 950116 Ir.
WHITT, M.S., MIMS, D.C. Entergy Operations, Inc. 95/12/31. 7pp. 86848:315-86848:325.

V. Operator Examinations

9501280138 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing roll exam schedule.
CRUTCHFIELD, D., 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776:001-86776:010.

DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9501230244 Forwards "McGuire Emergency Plan, Section D," & McGuire Procedure RP/0/A/5700/00, "Classification Of Emergency."
MCMEEKIN, T.C. Duke Power Co. 95/12/27. Document Control Branch (Document Control Desk). 7pp. 86732:261-86732:264.

9501230245 "McGuire Emergency Plan Section D."
* Duke Power Co. 95/12/27. 7pp. 86732:265-86732:269.

9501230252 EPIP RP/0/A/5700/00, "Classification Of Emergency."
* Duke Power Co. 95/12/27. 8pp. 86732:244-86732:244.

P. Operating license stage documents & correspondence

950128217 Advises that examples of events will be included in next update of Nuclear Sys Directive 202 in response to conversations re 941102 & 951196 applications for amendments defining App B to emission protection plan.
TUCKMAN, M.S. Duke Power Co. 95/12/14. Document Control Branch (Document Control Desk). 2pp. 86781:316-86781:317.

9501280318 Notifies NRC staff of minor change to approved analysis methodology uses for FSAR Chapter 15 analyses to support plants.
TUCKMAN, M.S. Duke Power Co. 95/12/16. Document Control Branch (Document Control Desk). 3pp. 86890:356-86890:359.

9501280550 Forwards topical rpt evaluation of Rev 1 to DPC-NE-3000-P, "Thermal-Hydraulic Transient Analysis Methodology." Rev 1 to sub rpt acceptable for ref in licensing application to extend specified TER ITS/NRC/95-4 also encl.
MARTIN, J.E., 95/12/27. TUCKMAN, M.S. Duke Power Co. 8pp. 86852:043-86852:056.

9501280644 Topical rpt evaluation of Rev 1 to DPC-NE-3000-P, "Thermal-Hydraulic Transient Analysis Methodology." Subj Rev 1 acceptable for ref in licensing application.
* 95/12/27. 6pp. 86852:048-86852:052.

9501280774 "Technical Evaluation Thermal-Hydraulic Transient Analysis Methodology, DPC-NE-3000, Rev 3 for DPC."
ABRAMSON, P.B. International Technical Services, Inc. FIN L-1316. ITS/NRC/95-4. 95/12/27. NRC - No Detailed Action Given. 4pp. 86852:053-86852:056.

9501280776 Informs of completion of GL 95-10 requirements, including all initial testing & validation efforts to verify capability of safety-related MOVs to perform safety function &/or to operate under design-basis conditions.
MCMEEKIN, T.C. Duke Power Co. 95/12/28. Document Control Branch (Document Control Desk). 2pp. 86732:223-86732:224.

9501280766 Forwards SER of TR DPC-NE-3002, "FSAR Chapter 15 Sys Transient Analysis Methodology," which describes changes to DPC transient analysis methodology. Changes acceptable. Version of rpt is rev 1.
MARTIN, J.E., 95/12/28. TUCKMAN, M.S. Duke Power Co. 5pp. 86705:008-86705:029.

9501280204 Safety evaluation of Topical Rpt DPC-NE-3002, "FSAR Chapter 15 System Transient Analysis Methodology," rev 1.
* 95/12/28. 16pp. 86705:014-86705:029.

9501280150 Forwards Rev 99 to "ODCM."
TUCKMAN, M.S. Duke Power Co. 95/01/02. Document Control Branch (Document Control Desk). 4pp. 86785:001-86785:004.

9501280154 Rev 39 to "ODCM."
LUCKS, J.E. Duke Power Co. 95/01/01. 27pp. 86785:005-86785:261.

9501280039 Summarizes one-day public workshops conducted in Oct & Nov 1995 discussing GL 95-07, "Pressure Locking & Thermal Binding of SRI Power-Operated Gate Valves." List of meeting participants, staff & industry presentation handouts encl.
FREDRICKSON, P. Region 2 (Post 820201). 95/01/03. MCMEEKIN, T.C. Duke Power Co. 12pp. 86802:129-86802:254.

9501280048 Informs that review of request for confirmation of acceptability of listed schedule for Catawba Unit 2 Cycle 9 core design expected to be complete by 950329, as requested.
MARTIN, J.E., 95/01/04. TUCKMAN, M.S. Duke Power Co. 4pp. 86773:261-86773:264.

9501280246 Rev 6 to "McGuire Nuclear Station Selected Licensee Commitment Manual," adding clarity to Helon sys testing requirements.
CRANE, J.L. Duke Power Co. 95/01/04. 10pp. 86832:060-86832:069.

9501280193 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D., 95/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 86827:272-86827:280.

9501280158 Forwards Rev 10 to "Corporate Process Control Program Manual."
TUCKMAN, M.S. Duke Power Co. 95/01/10. Document Control Branch (Document Control Desk). 1p. 86833:305-86833:306.

9501280157 Rev 10 to "Corporate Process Control Program Manual."
HAACK, J.L. Duke Power Co. 95/12/27. 20pp. 86833:307-86833:356.

9501280435 Forwards amendments 162 & 144 to Licensee NPF-9 & NPF-17 & safety evaluation. Amendments revise TS requirements for LTQP sys & update heatup & cooldown curves for both units.
HERSE, V., 95/01/11. MCMEEKIN, T.C. Duke Power Co. 2pp. 86824:028-86824:030.

9501280435 Amendments 162 & 144 to Licensee NPF-9 & NPF-17, respectively, revising TS requirements for LTQP sys & update heatup & cooldown curves for both units.
WENGL, J.A., 95/01/11. 20pp. 86824:029-86824:048.

9501280443 Safety evaluation supporting amendments 162 & 144 to Licensee NPF-9 & NPF-17, respectively.
* 95/01/11. 6pp. 86824:049-86824:056.

9501280006 Submits RAI re scope of relief request, 95-GO-002, from "controls & interlocks" requirements of ASME Code, Section III.
BERKOWITZ, J.L. 95/01/18. TUCKMAN, M.S. Duke Power Co. 4pp. 86831:289-86831:292.

9501280328 Revised "McGuire Nuclear Station Selected Licensee Commitment Manual," effective pages.
CRANE, J.L. Duke Power Co. 95/01/19. 16pp. 86837:229-86837:244.

9601249332 Revised "McGuire Nuclear Station Selected Licensee Commitments Manual," effective pages.
CRANE, K.L. Duke Power Co. 96/01/18, 18pp. 86302344-86802359.

9601194442 Suppl 7 to Generic Ltr 88-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86865011-86865016.

Q. Inspection reports, IE Bulletins & correspondence

9601160011 Forwards insp repts 50-289/95-24, 50-413/95-23, 50-414/95-23, 50-389/95-28, 50-370/95-26, 50-270/95-24 & 50-267/95-24 on 951113-17 & NOV.
FRIDRICHSON, P. Region 2 (Post 820201). 96/12/22. TUCKMAN, M.S. Duke Power Co. 6pp. 86801068-86801082.

9601160021 Notice of violation from insp on 951113-17. Violation noted: licensee allowed vendor to implement access authorization program after determining that vendor failed to ensure that individuals were trustworthy & reliable; approx 11 months.
* Region 2 (Post 820201). 95/12/22. 2pp. 86801072-86801073.

9601160031 Insp repts 50-289/95-24, 50-413/95-23, 50-414/95-23, 50-389/95-28, 50-370/95-26, 50-270/95-24 & 50-267/95-24 on 951113-17. Violations noted: Major areas inspected: licensee Access Authorization program; background investigation.
THOMPSON, D. Region 2 (Post 820201). 95/12/22. 6pp. 86801074-86801082.

9601030117 Forwards SE re relief request from requirements of ASME Code, Section XI, 1968 Edition for section 10-yr ISI Program for visual exams of scrubbers per MCFR 50.55(g)(5)(ii).
WIENS, L.A. 96/12/28. MCMEIKEN, T.C. Duke Power Co. 4pp. 86705003-86705008.

9601030122 Safety evaluation approving relief request for scrubbers ISI.
* 95/12/28. 2pp. 86705007-86705008.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/08. Consolidated Edison Co. of New York, Inc. 6pp. 86740015-86740023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/08. Consolidated Edison Co. of New York, Inc. 13pp. 86750049-86750061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/08. Consolidated Edison Co. of New York, Inc. 6pp. 86750041-86750048.

9601160040 Forwards insp repts 50-389/95-27 & 50-370/95-30 on 951111-1216. No violations noted.
CRILENIAK, R.V. Region 2 (Post 820201). 96/01/08. MCMEIKEN, T.C. Duke Power Co. 3pp. 86801230-86801233.

9601160046 Insp repts 50-389/95-27 & 50-370/95-27 on 951111-1216. No violations noted. Major areas inspected: plant operations, maintenance & plant support.
MAXWELL, G.F., CRILENIAK, R.V. Region 2 (Post 820201). 96/01/08. 11pp. 86801233-86801243.

9601160181 Forwards insp repts 50-389/95-30 & 50-370/95-30 on 951216-22. No violations noted.
CHRISTENSEN, H. Region 2 (Post 820201). 96/01/08. MCMEIKEN, T.C. Duke Power Co. 2pp. 86805235-86805243.

9601160201 Insp repts 50-389/95-30 & 50-370/95-30 on 951216-22. No violations noted. Major areas inspected: reactor head vent valves on Unit 2 & observation of routine outage main activities on Unit 1.
LENNAKALLI, CHOU, R.C., CHRISTENSEN, H. Region 2 (Post 820201). 96/01/08. 7pp. 86805243-86805249.

9601040353 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870728). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9601110056 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. 6pp. 86828309-86828320.

9601250196 Submits info re MNS Unit 1 SGA Dec 1996 EOC-10 reheating outage F, 15-day & 12-month insp repts. Results encl.
MCMEIKEN, T.C. Duke Power Co. 96/01/16. Document Control Branch (Document Control Desk). 5pp. 86885262-86885319.

9601260060 Forwards response to NRC 951222 Ltr re violations noted in insp repts 50-289/95-02, 50-370/95-02, 50-368/95-02, 50-370/95-02, 50-413/95-02 & 50-414/95-02. C/Ps: completed audit of small local vendors.
TUCKMAN, M.S. Duke Power Co. 96/01/22. Document Control Branch (Document Control Desk). 6pp. 86895319-86895323.

9601160306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tomado Damper at Nuclear Power Plant."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86895001-86895010.

9601260139 NRC Info Notice 95-007, "Slow Fire Percent Steam Injection Times Caused By Valve Disproportion to Steam Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86895011-86895023.

R. Periodic operating reports & related correspondence

9601230068 Forwards annual Lake Normans environ summary rpt for 1994 & study between NC Wildlife Resources Commission & DPC entitled, "Summer Habitat Selection of Striped Bass in Lake Norman."
MCMEIKEN, T.C. Duke Power Co. 96/01/11. Document Control Branch (Document Control Desk). 1p. 86858250-86858255.

9601230084 "Summer Habitat Selection of Striped Bass in Lake Norman," final rpt.
HORN, S.V., FINKE, J. North Carolina, Suite of DEGA/D. Duke Power Co. 84/08/01. 21pp. 86858251-86858271.

9601230089 "Lake Norman 1994 Summary Maint Monitoring Program McGuire Nuclear Station NPDES N00024382."
* Duke Power Co. 94/12/31. 85pp. 86858272-86858358.

9601160258 Forwards monthly operating repts for McGuire Nuclear Station & revised monthly operating rpt for Nov 1995.
WEBER, R.L. Duke Power Co. 96/01/18. Document Control Branch (Document Control Desk). 1p. 86841130-86841151.

9601160270 Monthly operating repts for Dec 1995 for McGuire Nuclear Station.
WILLIAMS, R.A. Duke Power Co. 95/12/31. 12pp. 86841141-86841150.

9601160282 Revised monthly operating repts for Nov 1995 for McGuire Nuclear Station.
* Duke Power Co. 95/11/30. 1p. 86841151-86841151.

V. Operator Examinations

9601640136 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing call sign schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778010-86778012.

9601260329 Authorizes use to administer initial written licensing exams to applicants listed during wk of 960119.
PEEBLES, T.A. Region 2 (Post 820201). 96/01/11. LINDSAY, A. Duke Power Co. 2pp. 86882048-86882047.

DOCKET 95-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9601260244 Forwards "McGuire Emergency Plan Section D," & McGuire Procedures RP/IA/5700/00, "Classification Of Emergency."
MCMEIKEN, T.C. Duke Power Co. 95/12/27. Document Control Branch (Document Control Desk). 7pp. 86732261-86732304.

9601030249 "McGuire Emergency Plan Section D."
* Duke Power Co. 95/12/27. 75pp. 86732258-86732343.

9601030252 ERIP RP/IA/5700/00, "Classification Of Emergency."
* Duke Power Co. 95/12/27. 32pp. 86732344-86732314.

P. Operating license stage documents & correspondence

9601260217 Advises that examples of events will be included in next update of Nuclear Sys Directives 202 in response to conversations re 941102 & 951116 applications for amendments deleting App B to environ protection plan.
TUCKMAN, M.S. Duke Power Co. 95/12/14. Document Control Branch (Document Control Desk). 2pp. 86701310-86701317.

9601260316 Notifies NRC staff of minor change to approved analysis methodology used for FSAR Chapter 15 analyses to support plants.
TUCKMAN, M.S. Duke Power Co. 95/12/19. Document Control Branch (Document Control Desk). 3pp. 86880358-86880358.

9601260350 Forwards topical rpt evaluation of Rev 1 to DPC-NE-3000-P, "Thermal-Hydraulic Transient Analysis Methodology." Rev 1 to subj rpt acceptable for rel in licensing application to instant specified. IER ITS/NRC/95-4 also encl.
MARTIN, R.L. 96/12/27. TUCKMAN, M.S. Duke Power Co. 5pp. 86882043-86882058.

9601030084 Topical rpt evaluation of Rev 1 to DPC-NE-3000-P, "Thermal-Hydraulic Transient Analysis Methodology." Subj Rev 1 acceptable for rel in licensing application.
* 95/12/27. 5pp. 86882049-86882052.

9601030074 "Technical Evaluation: Thermal-Hydraulic Transient Analysis Methodology, DPC-NE-3000, Rev 3 for DPC."
ABRAMSON, P.B. International Technical Services, Inc. PIN L-1316. ITS/NRC/95-4. 95/12/27. NRC - No Detailed Affiliation Given. 4pp. 86882053-86882056.

9601030075 Inform of completion of GL 89-10 requirements, including all initial testing & validation efforts to verify capability of safety-related MOVs to perform safety function &/or to operate under design-basis conditions.
MCMEIKEN, T.C. Duke Power Co. 95/12/28. Document Control Branch (Document Control Desk). 2pp. 86780323-86780324.

9601260166 Forwards SER of TR DPC-NE-3002, "FSAR Chapter 15 Sys Transient Analysis Methodology," which describes changes to DPC transient analysis methodology. Changes acceptable. Version of rpt is rev 1.
MARTIN, R.L. 96/12/28. TUCKMAN, M.S. Duke Power Co. 5pp. 86705009-86705028.

9601030234 Safety evaluation of Topical Rpt DPC-NE-3002, "FSAR Chapter 15 System Transient Analysis Methodology," rev 1.
* 95/12/28. 15pp. 86705014-86705028.

94 DOCKETED ITEMS

960110180 Forwards Rev 39 to "DDCM."
TUCKMAN,M.S. Duke Power Co. 96/01/02. Document Control Branch (Document Control Desk). 8pp. 86785001-86785281.

-960110184 Rev 39 to "DDCM."
LOUCKS,L.E. Duke Power Co. 96/01/01. 279pp. 86785003-86785281.

960119003 Summarizes one-day public workshops conducted in Oct & Nov 1995, discussing GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves." List of meeting participants, staff & industry presentation handouts encl.
FREDRICKSON,P. Region 2 (Post 820201). 96/01/03. MCMEERIN,T.C. Duke Power Co. 125pp. 86802125-86802254.

960119006 Informs that review of request for confirmation of acceptability of listed schedule for Catawba Unit 2 Cycle 9 core design expected to be complete by 960329, not 961231 as requested.
MARTIN,P. 96/01/04. TUCKMAN,M.S. Duke Power Co. 4pp. 86779281-86779284.

960123248 Rev 8 to "McGuire Nuclear Station Selected Licensee Commitment Manual," adding clarity to Halsey test requirements.
CRANE,K.L. Duke Power Co. 96/01/04. 10pp. 86800090-86800099.

960125033 Generic Ltr 96-01 to all holders of OLRs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD,D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827280.

9601220158 Forwards Rev 10 to "Corporate Process Control Program Manual."
TUCKMAN,M.S. Duke Power Co. 96/01/10. Document Control Branch (Document Control Desk). 1p. 86833338-86833356.

-9601220167 Rev 10 to "Corporate Process Control Program Manual."
HACK,E.J. Duke Power Co. 96/01/27. 20pp. 86833357-86833358.

9601190435 Forwards amends 162 & 144 to licenses NPF-9 & NPF-17 & safety evaluation, amends TS requirements for LTCP sys & update backup & cooldown curves for both units.
HERSES,V. 96/01/11. MCMEERIN,T.C. Duke Power Co. 3pp. 86824026-86824056.

-9601190438 Amends 162 & 144 to licenses NPF-9 & NPF-17, respectively, revising TS requirements for LTCP sys & update backup & cooldown curves for both units.
WIKES,L.A. 96/01/11. 2pp. 86824059-86824060.

-9601190443 Safety evaluation supporting amends 162 & 144 to licenses NPF-9 & NPF-17, respectively.
96/01/11. 8pp. 86824061-86824066.

9601230009 Submits RAI re scope of relief request, 95-GO-002, from "controls & interlocks" requirements of ASME Code, Section III.
BERKOW,H.N. 96/01/16. TUCKMAN,M.S. Duke Power Co. 4pp. 86831260-86831272.

9601230325 Revised "McGuire Nuclear Station Selected Licensee Commitments Manual," effective pages.
CRANE,K.L. Duke Power Co. 96/01/19. 16pp. 86837229-86837244.

9601230322 Revised "McGuire Nuclear Station Selected Licensee Commitments Manual," effective pages.
CRANE,K.L. Duke Power Co. 96/01/19. 16pp. 86830344-86830359.

9601190442 Suppl 7 to Generic Ltr 96-10 to all holders of OLRs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD,D. 96/01/24. Consolidated Edison Co. of New York, Inc. 4pp. 86865011-86865016.

Q. Inspection reports, IE Bulletin & correspondence

9601190011 Forwards insp repts 50-369/95-24, 50-413/95-23, 50-414/95-23, 50-369/95-26, 50-370/95-25, 50-270/95-24 & 50-287/95-24 on 951113-17 & NOV.
FREDRICKSON,P. Region 2 (Post 820201). 96/12/22. TUCKMAN,M.S. Duke Power Co. 8pp. 86801088-86801092.

-9601190021 Notice of violation from insp on 951113-17. Violation noted: licensee allowed vendor to implement access authorization program after determining that vendor failed to assume that individuals were trustworthy & reliable, approx 11 months.
96/12/22. 2pp. 86801072-86801078.

-9601190031 Insp repts 50-269/95-24, 50-413/95-23, 50-414/95-23, 50-369/95-26, 50-370/95-26, 50-270/95-24 & 50-287/95-24 on 951113-17. Violations noted: Major areas inspected: licensee Access Authorization program, background investigation.
THOMPSON,D. Region 2 (Post 820201). 96/12/22. 9pp. 86801074-86801082.

9601030117 Forwards SE re relief request from requirements of ASME Code, Section XI, 1989 Edition for second 10-yr ISI Program for visual exams of snubbers, per 10CFR50.55(g)(5).
WIKES,L.A. 96/12/25. MCMEERIN,T.C. Duke Power Co. 4pp. 86795003-86795006.

-9601030122 Safety evaluation approving relief request for snubbers ISI.
96/12/28. 2pp. 86795007-86795008.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD,D. 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740015-86740023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Dominant Indicators During Testing."
CRUTCHFIELD,D. 96/01/06. Consolidated Edison Co. of New York, Inc. 13pp. 86738049-86738061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD,D. 96/01/06. Consolidated Edison Co. of New York, Inc. 6pp. 86758041-86758048.

9601190040 Forwards insp repts 50-369/95-27 & 50-370/95-30 on 951111-12. No violations noted.
CRLENIAK,R.V. Region 2 (Post 820201). 96/01/06. MCMEERIN,T.C. Duke Power Co. 3pp. 86801290-86801293.

-9601190046 Insp repts 50-369/95-27 & 50-370/95-27 on 951111-12. No violations noted. Major areas inspected: plant operations, maintenance, engineering & plant support.
MAJWELL,G.F. CRLENIAK,R.V. Region 2 (Post 820201). 96/01/06. 11pp. 86801293-86801293.

9601190151 Forwards insp repts 50-369/95-30 & 50-370/95-30 on 951218-22. No violations noted.
CHRISTENSEN,H. Region 2 (Post 820201). 96/01/06. MCMEERIN,T.C. Duke Power Co. 2pp. 86806238-86806243.

-9601190201 Insp repts 50-369/95-30 & 50-370/95-30 on 951218-22. No violations noted. Major areas inspected: reactor head vent valves on Unit 2 & observation of routine outage maintenance activities on Unit 1.
LENNAN,J.J., CHOU,R.O., CHRISTENSEN,H. Region 2 (Post 820201). 96/01/09. 7pp. 86806243-86806243.

9601040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827269-86827271.

9601100058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD,D. 96/01/16. Consolidated Edison Co. of New York, Inc. 4pp. 86828109-86828120.

9601260260 Forwards response to NRC 951222 ltr re violations noted in insp repts 50-259/95-02, 50-270/95-02, 50-287/95-02, 50-369/95-02, 50-370/95-02, 50-413/95-02 & 50-414/95-02. C/A completed audit of small local vendors.
TUCKMAN,M.S. Duke Power Co. 96/01/22. Document Control Branch (Document Control Desk). 8pp. 86885019-86885023.

9601190308 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dumpers at Nuclear Power Plants."
CRUTCHFIELD,D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86865001-86865010.

9601260133 NRC Info Notice 95-007, "Slow Fire Percent, Scram Insertion Times Caused By Vibration Diaphragms in Solenoid Pilot Valves."
CRUTCHFIELD,D. 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86895017-86895023.

R. Periodic operating reports & related correspondence

9601230059 Forwards annual Lake Norman environ summary repts for 1994 & study between NC Wildlife Resources Commission & DPC entitled, "Summer Habitat Selection of Striped Bass in Lake Norman."
MCMEERIN,T.C. Duke Power Co. 96/01/11. Document Control Branch (Document Control Desk). 1p. 86858250-86858256.

-9601230094 "Summer Habitat Selection of Striped Bass in Lake Norman," final repts.
HORN,S.V., FRANK,E.J. North Carolina, State of. DEGAN,D. Duke Power Co. 94/03/01. 21pp. 86858251-86858271.

-9601230099 "Lake Norman 1994 Summary Maint Monitoring Program McGuire Nuclear Station NPDES NC0024392."
96/12/31. 8pp. 86858272-86858280.

9601190256 Forwards monthly operating repts for McGuire Nuclear Station & revised monthly operating repts for Nov 1995.
WEBER,R.L. Duke Power Co. 96/01/16. Document Control Branch (Document Control Desk). 1p. 86841188-86841191.

-9601190219 Monthly operating repts for Dec 1995 for McGuire Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 96/12/31. 12pp. 86841141-86841160.

-9601190262 Revised monthly operating repts for Nov 1995 for McGuire Nuclear Station.
96/11/30. 1p. 86841151-86841151.

S. Reportable occurrences, LERs & related correspondence

9601190003 LER 95-004-00 on 951216, unusually initiated activation of both Unit 2 motor driven auxiliary feedwater pumps. Caused by loss of auxiliary steam to main feedwater pump turbine. Procedures revised W/960116 ltr.
FITZEL,L.W., MCMEERIN,T.C. Duke Power Co. 96/01/15. 7pp. 86810167-86810173.

V. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OLRs or CPs for nuclear power reactors re operator licensing rule exam schedule.
CRUTCHFIELD,D. 96/01/09. Consolidated Edison Co. of New York, Inc. 16pp. 86776001-86776010.

9601040328 Authorizes unit to administer initial written licensing exams to applicants listed during wk of 960115.
PEEBLES,J.A. Region 2 (Post 820201). 96/01/11. LINDSAY,A. Duke Power Co. 2pp. 86862045-86862047.

DOCKET 95-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510048234 Responds to followup to request for add info re GL-82-08, "Thermo-Lag 330-1 Fire Barriers" for plant units 1 & 2.
CALVO, J.A. 95/09/28. CAPRA, J.A. 3pp. 86893:061-86893:063.

9501060211 Revised CEIPs including CEIP-3000 series table of contents, Rev 13 to CEIP 3001-01, Rev 8 to CEIP-3003-01, Rev 4 to CEIP 3004-01, Rev 1 to CEIP 3005-01, Rev 11 to CEIP 3101-01 & Rev 7 to CEIP 3151-1.
Commonwealth Edison Co. 95/12/08. 48pp. 86778:249-86778:253.

9501240032 Revised Corporate EPIPs (CEIPs) including Rev 3 to CEIP-2011-01, Rev 1 to CEIP-2021-05, Rev 1 to CEIP-2021-06, Rev 1 to CEIP-2411-01 & Rev 2 to CEIP-2413-01.
STOBAUGH, D.W. Commonwealth Edison Co. 95/12/07. 34pp. 86882:265-86882:268.

9501020051 Revised EPIPs including LEP index & Rev 18 to LEP-1200-1, "Classification of GSEP Conditions."
Commonwealth Edison Co. 95/12/14. 101pp. 86893:169-86893:263.

9501020283 Supply response to violations noted in IRs 50-373/85-05 & 50-374/85-05, Corrective actions: lighting provided by App R lights installed to illuminate particular component.
QUERIO, R.E. Commonwealth Edison Co. 95/12/22. Document Control Branch (Document Control Desk). 24pp. 86712:321-86712:344.

9501060052 Inform that Rev 6F of plant Annex to Generating Stations Emergency Plan, acceptable & does not decrease effectiveness of emergency planning.
CHIED, J.R. Region 3 (Post 820201). 95/01/03. QUERIO, R.E. Commonwealth Edison Co. 2pp. 86761:091-86761:092.

9501230254 Rev 6g to "Generating Stations Emergency Plan (GSEP) Site Annex LaSalle County Nuclear Power Station." Section 5, adding note for clarification of EALS RAS & RUS for specific evolution of withdrawing TBP beyond shield position.
Commonwealth Edison Co. 95/01/11. 94pp. 86845:130-86845:223.

9501230435 Responds to violations noted in Insp repts 50-373/86-04 & 50-374/86-04 re spurious fire alarm activations during 1995. Alarm setting on detection sys was too sensitive. Sensitivity setting adjusted.
QUERIO, R.E. Commonwealth Edison Co. 95/01/18. Document Control Branch (Document Control Desk). 2pp. 86897:315-86897:317.

9501230331 Submits review of proposed revs to EALS & technical bases for Brookwood, Byron, Dresden, LaSalle, Quad Cities & Zion NPPs, concluding that proposed changes acceptable & do not decrease effectiveness of licensee emergency planning.
CHIED, J.R. Region 3 (Post 820201). 95/01/23. FARRAR, D.L. Commonwealth Edison Co. 3pp. 86896:220-86896:222.

P. Operating license stage documents & correspondence

9510040234 Responds to followup to request for add info re GL-82-08, "Thermo-Lag 330-1 Fire Barriers" for plant units 1 & 2.
CALVO, J.A. 95/09/28. CAPRA, J.A. 3pp. 86893:061-86893:063.

9501180155 Forwards "LaSalle Nuclear Power Station Course of Action Progress Rept" for improvement strategy for plant.
QUERIO, R.E. Commonwealth Edison Co. 95/12/22. 1p. 86814:270-86814:338.

9501180483 "LaSalle Nuclear Power Station Course of Action Progress Rept."
Commonwealth Edison Co. 95/12/22. 66pp. 86814:271-86814:338.

9501200096 Forwards amend 108 to license NPF-11 & safety evaluation. Amend re: safety/relief valve safety function fit setting allowable tolerance band.
LATTI, R.M. 95/01/03. FARRAR, D.L. Commonwealth Edison Co. 2pp. 86776:238-86776:247.

9501200101 Amend 108 to license NPF-11, re: safety/relief valve safety function fit setting allowable tolerance band.
LATTI, R.M. 95/01/03. 4pp. 86776:240-86776:243.

9501200104 Safety evaluation supporting amend 108 to license NPF-11.
95/01/03. 4pp. 86776:244-86776:247.

9501200023 Provides progress report on improvement strategy for plant. Detailed status of course of action transmitted in 951222 ft. To date, 61% of course of action completed. Remaining open items will be completed by end of 1996.
QUERIO, R.E. Commonwealth Edison Co. 95/01/03. RUSSELL, J. 15pp. 86764:306-86764:320.

9501200186 Requests that for each site, 951114 amend request re Option B to 10CFR50, App J be effective upon issuance to be implemented no later than 950630.
MET, P.L. Commonwealth Edison Co. 95/01/04. Document Control Branch (Document Control Desk). 1p. 86778:333-86778:333.

9501050185 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 86827:272-86827:280.

9501250125 Application for amendments to license NPF-11 & NPF-18, changing setpoints for Automatic Primary Containment Isolation on MSLL Tunnel Differential Temp High & delaying automatic isolation function on MSLL Tunnel Temp High.
BENES, G.B. Commonwealth Edison Co. 95/01/16. Document Control Branch (Document Control Desk). 15pp. 86887:250-86887:263.

9501250139 Proposed usch spec. changing setpoints for Automatic Primary Containment Isolation on MSLL Tunnel Differential Temp High & delaying automatic isolation function on MSLL Tunnel Temp High.
Commonwealth Edison Co. 95/01/16. 34pp. 86887:265-86887:298.

9501240089 Notice of change in NRC project mgr responsibility for plant from RM Latta to MD Lynch.
CAPRA, J.A. 95/01/19. FARRAR, D.L. Commonwealth Edison Co. 2pp. 86842:209-86842:210.

9501230184 Forwards suppl response to SER transmitted with dtd 970401. W/o encl.
QUERIO, R.E. Commonwealth Edison Co. 95/01/23. Document Control Branch (Document Control Desk). 2pp. 86896:359-86896:362.

9501060442 Suppl 7 to Generic Ltr 95-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWPs.
CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86885:011-86885:019.

Q. Inspection reports, IE Bulletins & correspondence

9501230198 Inform that IENS has hired 2 new Resident Inspectors to be placed at Brookwood & Clinton stations & that last Resident Inspector will report on 950102 & will go to LaSalle.
HONEY, N.T. Illinois, State of. 95/06/23. ILLINOIS, R. Region 3 (Post 820201). 2pp. 86823:010-86823:011.

9501020253 Supply response to violations noted in IRs 50-373/85-06 & 50-374/85-05, Corrective actions: lighting provided by App R lights installed to illuminate particular component.
QUERIO, R.E. Commonwealth Edison Co. 95/12/22. Document Control Branch (Document Control Desk). 24pp. 86712:321-86712:344.

9512300372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740:016-86740:022.

9512300129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

9512300239 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
OCCOLA, D. Division of Industrial & Medical Nuclear Safety (Post 870728). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501230313 Forwards suppl response to NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
QUERIO, R.E. Commonwealth Edison Co. 95/01/16. Document Control Branch (Document Control Desk). 2pp. 86843:324-86843:325.

9501180058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86828:109-86828:120.

9501230227 Submits 60 day response to Insp repts 50-373/85-06 & 50-374/85-06 re ventilation plans. Schedule for completion of activities encl.
QUERIO, R.E. Commonwealth Edison Co. 95/01/16. Document Control Branch (Document Control Desk). 8pp. 86872:346-86872:351.

9501230435 Responds to violations noted in Insp repts 50-373/85-04 & 50-374/85-04 re spurious fire alarm activations during 1995. Alarm setting on detection sys was too sensitive. Sensitivity setting adjusted.
QUERIO, R.E. Commonwealth Edison Co. 95/01/19. Document Control Branch (Document Control Desk). 2pp. 86897:316-86897:317.

9501180386 NRC Info Notice 95-006, "Design & Testing Deficiencies of Torpedo Damper at Nuclear Power Plants."
CRUTCHFIELD, D. 95/01/26. Consolidated Edison Co. of New York, Inc. 10pp. 86896:001-86896:010.

9501230139 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused by Vitrin Discharge in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86888:017-86888:022.

R. Periodic operating reports & related correspondence

9501180299 Monthly operating repts for Dec 1995 for LaSalle County Nuclear Power Station, W/950111 ft.
CALKOWSKI, J.L. RAY, D.J. Commonwealth Edison Co. 95/12/31. 17pp. 86821:329-86821:345.

S. Reportable occurrences, LERs & related correspondence

9501230231 Cancels LER 95-001-00 for facility. Licensees determined that LaSalle County Station not in condition prohibited by TS 3.4.3.2.
RAY, D.J. Commonwealth Edison Co. 95/01/23. Document Control Branch (Document Control Desk). 1p. 86887:354-86887:354.

V. Operator Examinations

9501040158 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D. 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

9501230022 Inform that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 950410.
BURDICK, T.H. Region 3 (Post 820201). 95/01/24. LACROIX, D.G. Consumers Power Co. SEIZERT, R.D. Cleveland Electric Manufacturing Co. WALKER, W.P. Northern States Power Co. 3pp. 86887:003-86887:006.

96 DOCKETED ITEMS

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510040234 Responds to followup to request for add info re GL-92-08, "Thermo-Lag 330-1 Fire Barriers" for plant units 1 & 2.
CALVO, J.A., 95/09/28, CAPRA, J.A., 4pp. 86893:081-86893:083.

9601160211 Revised CEIPs, including CEIP-3000 series table of contents, Rev 13 to CEIP-3001-01, Rev 8 to CEIP-3003-01, Rev 8 to CEIP-3004-01, Rev 8 to CEIP-3005-01, Rev 11 to CEIP-3101-01 & Rev 7 to CEIP-3151-1.
* Commonwealth Edison Co. 95/12/08. 48pp. 86776:248-86776:253.

9601200222 Revised Corporate EIPs (CEIPs) including Rev 8 to CEIP-2011-01, Rev 1 to CEIP-2021-03, Rev 1 to CEIP-2021-06, Rev 1 to CEIP-2411-01 & Rev 2 to CEIP-2413-01.
STOBAN, J.H., Commonwealth Edison Co. 95/12/07. 34pp. 86882:265-86882:268.

9601200551 Revised EIPs, including L2P Index & Rev 13 to L2P-1200-1, "Classification of GSEP Conditions."
* Commonwealth Edison Co. 95/12/14. 101pp. 86893:169-86893:269.

9601200285 Supply responses to violations noted in IIRs 50-373/95-05 & 50-374/95-06. Corrective action lighting provided by App R lights installed to illuminate particular component.
QUERRO, J.E. Commonwealth Edison Co. 95/12/22. Document Control Branch (Document Control Desk). 24pp. 86712:321-86712:344.

9601160052 Inform that Rev 6F of plant Annex to Generating Stations Emergency Plan, acceptable & does not decrease effectiveness of emergency planning.
CREED, J.R. Region 5 (Post 820201). 96/01/03. QUERRO, J.E. Commonwealth Edison Co. 2pp. 86761:391-86761:392.

9601230284 Rev 6F to "Generating Stations Emergency Plan (GSEP) Site Annex LaSalle County Nuclear Power Station," Section 8, adding note for clarification of EALs R43 & R44 for specific evolution of withdrawing NIP beyond shield position.
* Commonwealth Edison Co. 96/01/11. 84pp. 86845:130-86845:223.

9601290436 Responds to violations noted in IIRs 50-373/95-04 & 50-374/95-04 re spurious fire alarm activations during 1995. Alarm setting on detection sys was too sensitive. Sensitivity setting adjusted.
QUERRO, J.E. Commonwealth Edison Co. 96/01/19. Document Control Branch (Document Control Desk). 2pp. 86837:316-86837:317.

9601290331 Submits review of proposed revs to EALs & technical bases for Bradwood, Byron, Dresden, LaSalle, Quad Cities & Zion NPPs, concluding that proposed changes acceptable & do not decrease effectiveness of licensee emergency planning.
CREED, J.R. Region 5 (Post 820201). 96/01/23. FARRAR, D.L. Commonwealth Edison Co. 3pp. 86865:320-86865:322.

P. Operating license stage documents & correspondence

9510040234 Responds to followup to request for add info re GL-92-08, "Thermo-Lag 330-1 Fire Barriers" for plant units 1 & 2.
CALVO, J.A., 95/09/28. CAPRA, J.A., 2pp. 86893:081-86893:083.

9601160456 Forwards "LaSalle Nuclear Power Station Course of Action Progress Report" for improvement strategy for plant.
QUERRO, J.E. Commonwealth Edison Co. 95/12/22. 1p. 86814:270-86814:288.

9601160455 "LaSalle Nuclear Power Station Course of Action Progress Report."
* Commonwealth Edison Co. 95/12/22. 85pp. 86814:271-86814:338.

9601170023 Provides progress report on improvement strategy for plant. Detailed status of course of action transmitted in 951222 IIR. To date, 81% of course of action completed. Remaining open items will be completed by end of 1996.
QUERRO, J.E. Commonwealth Edison Co. 96/01/03. RUSSELL, J. 16pp. 86784:306-86784:320.

9601160168 Requests that for each site, 951114 amend request re Option B to 10CFR50. App J be effective upon issuance to be implemented no later than 960830.
PIET, P.L. Commonwealth Edison Co. 96/01/04. Document Control Branch (Document Control Desk). 1p. 86776:333-86776:333.

9601160168 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 86827:272-86827:282.

9601200125 Application for amends to license NPF-11 & NPF-18, changing setpoints for Automatic Primary Containment Isolation on HSL Tunnel Differential Temp High & deleting automatic isolation function on HSL Tunnel Temp High.
BENES, G.G. Commonwealth Edison Co. 96/01/18. Document Control Branch (Document Control Desk). 15pp. 86887:250-86887:265.

9601260130 Proposed tech specs, changing setpoints for Automatic Primary Containment Isolation on HSL Tunnel Differential Temp High & deleting automatic isolation function on HSL Tunnel Temp High.
* Commonwealth Edison Co. 96/01/18. 34pp. 86897:265-86897:265.

9601240999 Notices of change in NRC project mgt responsibility for plant from Rd Latta to MD Lynch.
CAPRA, J.A., 96/01/18. FARRAR, D.L. Commonwealth Edison Co. 2pp. 86842:209-86842:210.

9601290194 Forwards supply responses to GER transmitted w/IR dtd 870401. W/o encl.
QUERRO, J.E. Commonwealth Edison Co. 96/01/23. Document Control Branch (Document Control Desk). 2pp. 86905:339-86905:360.

9601190442 Supp 7 to Generic Ltr 95-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86865:011-86865:016.

Q. Inspection reports, IE Bulletins & correspondence

9601220166 Inform that (DNS has hired 2 new Resident Inspectors to be placed at Bradwood & Clinton stations & that first Resident Inspector will report on 960102 & will go to LaSalle.
HOWEY, N.T. Illinois, State of. 95/09/23. UCKUS, R. Region 3 (Post 820201). 2pp. 86823:010-86823:011.

9601200253 Supply responses to violations noted in IIRs 50-373/95-05 & 50-374/95-06. Corrective action lighting provided by App R lights installed to illuminate particular component.
QUERRO, J.E. Commonwealth Edison Co. 95/12/22. Document Control Branch (Document Control Desk). 24pp. 86712:321-86712:344.

952220372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740:015-86740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

9512290289 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Violation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

9601040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, J.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/18. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9601230113 Forwards supply responses to NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
QUERRO, J.E. Commonwealth Edison Co. 96/01/10. Document Control Branch (Document Control Desk). 2pp. 86843:324-86843:325.

9601110038 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86828:109-86828:120.

9601250227 Submits 60 day response to IIRs 50-373/95-09 & 50-374/95-09 re ventilation plan. Schedule for completion of activities encl.
QUERRO, J.E. Commonwealth Edison Co. 96/01/18. Document Control Branch (Document Control Desk). 8pp. 86872:346-86872:351.

9601290436 Responds to violations noted in IIRs 50-373/95-04 & 50-374/95-04 re spurious fire alarm activations during 1995. Alarm setting on detection sys was too sensitive. Sensitivity setting adjusted.
QUERRO, J.E. Commonwealth Edison Co. 96/01/19. Document Control Branch (Document Control Desk). 2pp. 86837:316-86837:317.

9601190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Compensator at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86865:001-86865:010.

9601250139 NRC Info Notice 95-007, "Slow Five Percent Screen Insertion Times Caused by Vibration Diaphragms in Screen Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 86865:017-86865:023.

R. Periodic operating reports & related correspondence

9601190299 Monthly operating reports for Dec 1995 for LaSalle County Nuclear Power Station. W/960111 IIR.
GALKOWSKI, M.J., RAY, D.J. Commonwealth Edison Co. 95/12/31. 17pp. 86821:329-86821:345.

S. Reportable occurrences, LERs & related correspondence

9601250229 R/O on 951220, operator unsuccessfully attempted to close ACB 2433, causing 2S DG to shutdown. Caused by bent arm. Arm positioned to correct state.
RAY, D.J. Commonwealth Edison Co. 96/01/18. Document Control Branch (Document Control Desk). 2pp. 86872:354-86872:355.

V. Operator Examinations

9601040139 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing natl exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776:001-86776:010.

9601030022 Inform that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 960410.
BURDICK, J.H. Region 3 (Post 820201). 96/01/24. LACROIX, D.G. Consumers Power Co. CHERNICK, A.J., LASPISA, L.J. Commonwealth Edison Co. 3pp. 86887:003-86887:005.

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9601049271 Forwards Insp rept 50-382/95-18 on 951113-17 & notice of violation. Violation of concern because it involved personnel not under approved continuous behavioral observation program for extended period.
GWYNNE, T.P. Region 4 (Post 820201). 05/12/29. BARKHURST, R.P. Entergy Operations, Inc. 5pp. 86898:001-86898:015.

9601040274 Notice of violation from Insp on 951113-17. Violation noted: eight individuals w/valid keycards not been under licensee continuous behavioral observation program for period of excess of 30 days.
Region 4 (Post 820201). 05/12/29. 2pp. 86898:006-86898:007.

9601040278 Insp rept 50-382/95-18 on 951113-17. Violations noted. Major areas inspected: access authorization program.
MURRAY, B. Region 4 (Post 820201). 05/12/29. 11pp. 86898:006-86898:018.

9601040424 Notification of 960117 licensee meeting w/ staff to discuss corrective actions & changes implemented to emergency planning program following 1995 exercise.
DYER, J.E. Region 4 (Post 820201). 06/01/03. Region 4 (Post 820201). 5pp. 86772:267-86772:271.

9601040553 Forwards FEMA final rept for 951108 Waterford 3 Steam Electric Station off-site remedial drill.
GWYNNE, T.P. Region 4 (Post 820201). 06/01/04. BARKHURST, R.P. Entergy Operations, Inc. 5pp. 86770:007-86770:022.

9601040556 Final rept, "Remedial Drill Rept for Waterford 3 Steam Electric Station." * Federal Emergency Management Agency. 05/11/30. 11pp. 86770:012-86770:022.

9601040582 Notification of licensee meeting w/ staff on 960118 to discuss corrective actions & changes implemented to emergency planning program following 1995 exercise.
DYER, J.E. Region 4 (Post 820201). 06/01/04. Region 4 (Post 820201). 5pp. 86766:164-86766:168.

9601040627 Responds to FEMA identified deficiencies at 960712 radiological emergency preparedness exercise. Results of 951108 remedial drill documented in end FEMA "Remedial Drill Rept for Waterford 3 SES" dtd 951130.
BARKHURST, R.P. Entergy Operations, Inc. 06/01/15. Document Control Branch (Document Control Desk). 2pp. 86784:344-86784:358.

9601040628 Forwards change 8 to rev 13 to physical security plan. Plan withheld.
BARKHURST, R.P. Entergy Operations, Inc. 06/01/15. Document Control Branch (Document Control Desk). 2pp. 86808:359-86808:359.

9601040632 Summarize 960116 meeting re overview of Waterford 3 emergency preparedness program. List of attendees & licensee presentation encl.
GWYNNE, T.P. Region 4 (Post 820201). 06/01/23. BARKHURST, R.P. Entergy Operations, Inc. 31pp. 86808:223-86808:267.

P. Operating license stage documents & correspondence

9601040646 Revision 1 to notification of licensee meeting w/ staff on 960119 to discuss emergency-side engineering & maintenance initiatives.
DYER, J.E. Region 4 (Post 820201). 06/01/03. Region 4 (Post 820201). 5pp. 86760:164-86760:171.

9601040648 Responds to NRC 951113 RAI re update of ISI/IST programs.
DEWEASE, J.G. Entergy Operations, Inc. 06/01/05. Document Control Branch (Document Control Desk). 6pp. 86774:352-86774:357.

9601040653 General Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 06/01/10. Consolidated Edison Co. of New York, Inc. 3pp. 86827:272-86827:280.

9601040655 Requests add info re proposed amend to essential services chilled water system TS.
PATEL, C.P. 06/01/16. BARKHURST, R.P. Entergy Operations, Inc. 4pp. 86808:231-86808:234.

9601040657 Forwards RAI's relating to internal event analysis in IPE, including accident sequence core damage frequency analysis, human reliability analysis & containment performance analysis. Requests written responses within 60 days.
PATEL, C.P. 06/01/22. BARKHURST, R.P. Entergy Operations, Inc. 26pp. 86867:213-86867:238.

9601040662 Suppl 7 to Generic Ltr 95-10 to all holders of OLs (except licensee mandated to possession only status) or CPs for nuclear power reactors re consideration of value misapplying in PWRs.
CRUTCHFIELD, D. 06/01/24. Consolidated Edison Co. of New York, Inc. 5pp. 86898:011-86898:016.

Q. Inspection reports, IE Bulletins & correspondence

9601040673 Requests approval per 10CFR50.55(a)(3) for use of ASME Code Case N-496-2, "Alternative Requirements for 30-Yr Sys Hydrostatic Testing for Class 1, 2 & 3 Sys Section XI/OW 1", by 860801.
MURRAY, B. Entergy Operations, Inc. 05/12/28. Document Control Branch (Document Control Desk). 2pp. 86791:334-86791:337.

9601040677 Forwards Insp rept 50-382/95-18 on 951113-17 & notice of violation. Violation of concern because it involved personnel not under approved continuous behavioral observation program for extended period.
GWYNNE, T.P. Region 4 (Post 820201). 06/12/29. BARKHURST, R.P. Entergy Operations, Inc. 5pp. 86898:001-86898:018.

9601040674 Notice of violation from Insp on 951113-17. Violation noted: eight individuals w/valid keycards not been under licensee continuous behavioral observation program for period of excess of 30 days.
Region 4 (Post 820201). 05/12/29. 2pp. 86898:006-86898:007.

9601040678 Insp rept 50-382/95-18 on 951113-17. Violations noted. Major areas inspected: access authorization program.
MURRAY, B. Region 4 (Post 820201). 05/12/29. 11pp. 86898:006-86898:018.

9612278372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 06/01/03. Consolidated Edison Co. of New York, Inc. 5pp. 86740:015-86740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indicators During Testing."
CRUTCHFIELD, D. 06/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:048-86758:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 06/01/05. Consolidated Edison Co. of New York, Inc. 6pp. 86758:041-86758:048.

9601040688 Responds to NRC 951113 RAI re update of ISI/IST programs.
DEWEASE, J.G. Entergy Operations, Inc. 06/01/05. Document Control Branch (Document Control Desk). 6pp. 86774:352-86774:357.

9601040695 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870728). 06/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9601220124 Forwards Insp rept 50-382/95-21 on 951127-1207 & forwards NOV. Violation concerns NRC because engineering staff failed to apply good engineering practices in determining elastomer swa temp for certain safety-related elastoid valves.
DYER, J.E. Region 4 (Post 820201). 06/01/15. BARKHURST, R.P. Entergy Operations, Inc. 5pp. 86818:312-86818:324.

9601220134 Notice of violation from Insp on 951127-1201. Violation noted: licensee failed to perform proper detailed engineering analysis of specific elements, elastoid valves in harsh environment to establish & maintain equipment qualification.
Region 4 (Post 820201). 06/01/16. 2pp. 86818:317-86818:318.

9601220137 Insp rept 50-382/95-21 on 951127-1207. Violations noted: Major areas inspected: special announced Insp of failure of containment isolation valves to properly operate.
HARRELL, P.H. Region 4 (Post 820201). 06/01/16. 7pp. 86818:318-86818:324.

9601220158 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 06/01/18. Consolidated Edison Co. of New York, Inc. 5pp. 86828:109-86828:120.

9601220157 Forwards Insp rept 50-382/95-10 on 951112-1230 & notice of violation.
DYER, J.E. Region 4 (Post 820201). 06/01/22. BARKHURST, R.P. Entergy Operations, Inc. 5pp. 86829:054-86829:063.

9601220157 Notice of violation from Insp on 951112-1230. Violation noted: licensee issued Operations Standing Instructions allowing continued plant operation w/ these dry CT fans inoperable at ambient dry bulb temp.
Region 4 (Post 820201). 06/01/22. 2pp. 86829:069-86829:070.

9601220158 Insp rept 50-382/95-10 on 951112-1230. Violations noted: Major areas inspected: onsite response to events, plant operations, maint observations & media engineering.
HARRELL, P.H. Region 4 (Post 820201). 06/01/16. 13pp. 86829:071-86829:083.

9601220157 Responds to violations noted in Insp rept 50-382/95-09 on 951013-25 re personnel failure to implement maint procedure. Corrective action: MATE lab installed limited use switch on equipment.
BARKHURST, R.P. Entergy Operations, Inc. 06/01/22. Document Control Branch (Document Control Desk). 6pp. 86873:338-86873:343.

9601220155 Ack receipt of 951220 ltr informing NRC of steps taken to correct violations noted in Insp rept 50-382/95-08 on 951122.
DYER, J.E. Region 4 (Post 820201). 06/01/22. BARKHURST, R.P. Entergy Operations, Inc. 4pp. 86894:345-86894:358.

9601220158 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 06/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86898:001-86898:010.

9601220159 NRC Info Notice 96-007, "Slow Five Percent Scram Insertion Times Caused by Worn Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. 06/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86898:017-86898:023.

R. Periodic operating reports & related correspondence

9601170203 Monthly operating rept for Dec 1995 for Waterford 3 SES. W/ 960118 R. FREEMAN, D.S. BARKHURST, R.P. Entergy Operations, Inc. 05/12/31. 7pp. 86808:345-86808:351.

S. Reportable occurrences, LERs & related correspondence

9601180167 LER 95-008-00 on 951207 failed to provide backup overcurrent protection due to personnel error. Installed backup overcurrent protection for circuits & tested two breakers. W/ 960108 R.
MATHIAS, G.E., KUETER, D.R. Entergy Operations, Inc. 06/01/08. 13pp. 86787:085-86787:101.

9601180117 LER 95-007-00 on 950525. SCW sys flow degradation occurred due to iron deposits settling on seats of individual room cooler chilled water manual throttle valves. Restored chilled water flow to established design conditions. W/ 960118 R.
LAQUE, J.M., KUETER, D.R. Entergy Operations, Inc. 06/01/18. 18pp. 86840:205-86840:224.

98 DOCKETED ITEMS

V. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing test exam schedule.
CRUTCHFIELD, D. . 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778001-86778010.

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

F. Security, Inevitable, emergency & fire protection plans

9601020015 Notification of significant licensee meeting 95-108 w/utl on 960104 re pre-decisional enforcement conference to discuss Secretary of Labor decision concerning security force member protected activity at plant.
PASCIAK, W.J. Region 1 (Post 820201). 96/12/11. Region 1 (Post 820201). 2pp. 86683072-86683073.

9601020025 Notification of significant licensee meeting 95-108 w/utl on 960104 to discuss Secretary of Labor decision re security force members protected activities at Susquehanna.
PASCIAK, W.J. Region 1 (Post 820201). 96/12/11. Region 1 (Post 820201). 3pp. 86683115-86683116.

9601020167 Forwards "Change 1 to SES Security Training & Qualification Plan." Plan withheld.
BYRAM, R.G. Pennsylvania Power & Light Co. 96/12/21. Document Control Branch (Document Control Desk). 1p. 86701255-86701256.

9601236157 Resubmits PP&L deviation & exemption requests from 10CFR73.56 & 10CFR73.57, respectively w/o licensee condition & associated proposed amendments re re-instatement of access authorization. Discussion of basis for proposed changes and.
BYRAM, R.G. Pennsylvania Power & Light Co. 96/01/17. Document Control Branch (Document Control Desk). 10pp. 86852291-86852300.

9601230006 Notification of 960125 meeting w/utl in Allentown, PA to discuss issues related to 10CFR50, App R & Susquehanna Safe Shutdown Analysis.
POSUSNY, C. . 96/01/16. STOLZ, J.F. . 4pp. 86831265-86831266.

P. Operating license stage documents & correspondence

9601360176 Forwards amendments 156 & 127 to licenses NFF-14 & NFF-22, respectively & SE Amends change TS that modify requirements in TS 4.4.4.3.a to have pH of reactor coolant measured every 72 hours.
POSUSNY, C. . 96/01/03. BYRAM, R.G. Pennsylvania Power & Light Co. 4pp. 86773248-86773253.

-9601168183 Amends 156 & 127 to licenses NFF-14 & NFF-22, respectively, changing TS that modify requirement in TS 4.4.4.3.a to have pH of reactor coolant measured every 72 hours.
STOLZ, J.F. . 96/01/03. 8pp. 86773253-86773259.

-9601560165 Safety evaluation supporting amends 156 & 127 to licenses NFF-14 & NFF-22, respectively.
* . 96/01/03. 8pp. 86773261-86773266.

9601170375 Forwards relief requests TRR-24 & TRR-21 in response to NRC questions re Units 1 & 2.
BYRAM, R.G. Pennsylvania Power & Light Co. 96/01/09. Document Control Branch (Document Control Desk). 12pp. 86806345-86806357.

9601060193 General Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. . 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827280.

9601230157 Resubmits PP&L deviation & exemption requests from 10CFR73.56 & 10CFR73.57, respectively w/o licensee condition & associated proposed amendments re re-instatement of access authorization. Discussion of basis for proposed changes and.
BYRAM, R.G. Pennsylvania Power & Light Co. 96/01/17. Document Control Branch (Document Control Desk). 10pp. 86852291-86852300.

9601230006 Notification of 960125 meeting w/utl in Allentown, PA to discuss issues related to 10CFR50, App R & Susquehanna Safe Shutdown Analysis.
POSUSNY, C. . 96/01/16. STOLZ, J.F. . 4pp. 86831265-86831266.

9601280211 Responds to RAI re request for approval of fuel TR PL-NF-90-001, Supp. 2, "Application of Reactor Analysis Methods for BWR Design & Analysis."
BYRAM, R.G. Pennsylvania Power & Light Co. 96/01/22. Document Control Branch (Document Control Desk). 4pp. 86894337-86894345.

9601180442 Suppl 7 to Generic Ltr 89-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. . 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86865011-86865016.

9601318219 Forwards proposed Amend 182 to License NFF-14, deleting relief valves from RHR sys.
BYRAM, R.G. Pennsylvania Power & Light Co. 96/01/25. Document Control Branch (Document Control Desk). 4pp. 86861327-86861312.

-9601310226 Proposed Amend 182 to License NFF-14, deleting relief valves from RHR sys.
BYRAM, R.G. Pennsylvania Power & Light Co. 96/01/25. 1p. 86861311-86861311.

-9601310226 Proposed Amend 182 to License NFF-14, deleting relief valves from RHR sys.
* Pennsylvania Power & Light Co. 96/01/25. 1p. 86861312-86861312.

G. Inspection reports, IE Bulletins & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. . 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740016-86740023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. . 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758061.

9512290239 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variations as Result of Thermal Effects."
CRUTCHFIELD, D. . 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758041-86758046.

9601040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOLD, A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827269-86827271.

9601230084 Inform of requalification program implemented for wk of 960212 which coincides w/regularly-scheduled requalification exam cycle. Requests written exams & operating tests planned for wk of 960122 be furnished.
MEYER, G.W. Region 1 (Post 820201). 96/01/12. BYRAM, R.G. Pennsylvania Power & Light Co. 2pp. 86827117-86827118.

9601140059 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. . 96/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86826109-86826120.

9601280341 Request that requirements of Section 4.8 of NUREG-0619 be deferred until BWR Owners Group generic submittal on issue is resolved.
BYRAM, R.G. Pennsylvania Power & Light Co. 96/01/22. Document Control Branch (Document Control Desk). 2pp. 86896358-86896357.

9601280357 Forwards Insp repts 50-387/95-24 & 50-386/95-24 on 95102-1216. No violations noted. Installation of temporary, non-safety related test equipment on safety related sys components w/o SE of NRC concern.
PASCIAK, W.J. Region 1 (Post 820201). 96/01/23. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 86884254-86884265.

-9601280357 Insp repts 50-387/95-24 & 50-386/95-24 on 95102-1216. No violations noted. Major areas inspected: operations/maint surveillance, engineering/technical support, support & safety assessment/quality verification.
PASCIAK, W.J. Region 1 (Post 820201). 96/01/23. 16pp. 86884287-86884305.

9601190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. . 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86895001-86895010.

9601280139 NRC Info Notice 95-007, "Slow Five Percent Scraps Insertion Times Caused by Vilon Diaphragms in Scraps Solenoid Port Valves."
CRUTCHFIELD, D. . 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86895017-86895023.

R. Periodic operating reports & related correspondence

9601230202 Monthly operating repts for Dec 1995 for Susquehanna Steam Electric Station Units 1 & 2 w/960115 IL.
BALL, R.S. BYRAM, R.G. Pennsylvania Power & Light Co. 96/12/21. 9pp. 86860001-86860004.

S. Reportable occurrences, IERs & related correspondence

9601060248 Discusses operating reactor event briefing 95-14 on 951213. List of after-action significant elements of discussed events, & reactor scram statistics for wk ending 951112, 19, 26, 1995 & 10.
CHAFFEE, A.E. . 95/12/28. CRUTCHFIELD, D. . 10pp. 86740317-86740325.

9601160428 LER 95-018-00 on 951118, thermally induced pressure loading of HPCI valve occurred under normal pressure of 3,000-7,000 psig. Damaged HPCI injection valve repaired w/960102 IL.
CODDINGTON, C.T., STANLEY, H.G. Pennsylvania Power & Light Co. 96/01/02. 5pp. 86890128-86890130.

9601160239 LER 95-014-00 on 951211, determined that double O-rings in flanges of TIP penetrations not tested in accordance w/ 10CFR50, App J due to inadequate LLRT procedures. Changes to TIP penetration LLRT procedures issued w/960130 IL.
CODDINGTON, C.T., STANLEY, H.G. Pennsylvania Power & Light Co. 96/01/10. 4pp. 86890081-86890084.

9601170097 LER 95-015-00 on 951211, non-conservancy in heat balance calculation caused impact on rated core thermal power. Created in-house technical basis for QTP calculation & conducted appropriate training w/960110 IL.
WEHRY, R.L., STANLEY, H.G. Pennsylvania Power & Light Co. 96/01/10. 5pp. 86810051-86810055.

V. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing test exam schedule.
CRUTCHFIELD, D. . 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778001-86778010.

9601230084 Inform of requalification program implemented for wk of 960212 which coincides w/regularly-scheduled requalification exam cycle. Requests written exams & operating tests planned for wk of 960122 be furnished.
MEYER, G.W. Region 1 (Post 820201). 96/01/12. BYRAM, R.G. Pennsylvania Power & Light Co. 2pp. 86827117-86827118.

9601230089 Inform that reactor & senior reactor operator initial exams scheduled for wk of 960415.
MEYER, G.W. Region 1 (Post 820201). 96/01/16. BYRAM, R.G. Pennsylvania Power & Light Co. 2pp. 86827109-86827111.

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9501020615 Notification of significant licensee meeting 95-109 w/att on 950104 re pre-accident enforcement conference to discuss Secretary of Labor decision concerning security force member protected activity at plant.
PASCIAK, W.J., Region 1 (Post 820201). 83/12/11. Region 1 (Post 820201). 2pp. 86833072-86833073.

9501020625 Notification of significant licensee meeting 95-109 w/att on 950104 to discuss Secretary of Labor decision re security force members protected activities at Susquehanna.
PASCIAK, W.J., Region 1 (Post 820201). 83/12/11. Region 1 (Post 820201). 3pp. 86833115-86833116.

9501020697 Forwards "Change 4 to SES Security Training & Qualification Plan." Plan withheld.
BYRAM, R.G., Pennsylvania Power & Light Co. 85/12/21. Document Control Branch (Document Control Desk). 1p. 86701265-86701266.

9501230157 Resubmits PP&L deviation & exemption requests from 10CFR73.55 & 10CFR73.57, respectively w/o license condition & associated proposed amendments re re-instatement of access authorization. Discussion of basis for proposed changes encl.
BYRAM, R.G., Pennsylvania Power & Light Co. 95/01/17. Document Control Branch (Document Control Desk). 10pp. 86852291-86852300.

9501230606 Notification of 950125 meeting w/att in Allentown, PA to discuss issues related to 10CFR50 App R & Susquehanna Safe Shutdown Analysis.
POSUSNY, C., 95/01/18. STOLZ, J.F., App. 86831265-86831266.

P. Operating license stage documents & correspondence

9501160175 Forwards amend 129 to license NPF-22 & safety evaluation. Amend revises Unit 2 TS to reestablish original operability requirements for neutron flux function.
POSUSNY, C., 95/01/03. BYRAM, R.G., Pennsylvania Power & Light Co. 3pp. 86776222-86776231.

9501160227 Amend 129 to license NPF-22, revising Unit 2 TS to reestablish original operability requirements for neutron flux function.
STOLZ, J.F., 95/01/03. App. 86776225-86776226.

9501160281 Safety evaluation supporting amend 129 to license NPF-22.
*, 95/01/03. App. 86776229-86776231.

9501160176 Forwards amend 158 & 127 to license NPF-14 & NPF-22, respectively & SE. Amend change TS that modify requirements in TS 4.4.4.3.a to have pH of reactor coolant measured every 72 hours.
POSUSNY, C., 95/01/03. BYRAM, R.G., Pennsylvania Power & Light Co. 4pp. 86773249-86773258.

9501160183 Amend 158 & 127 to license NPF-14 & NPF-22, respectively, changing TS that modify requirement in TS 4.4.4.3.a to have pH of reactor coolant measured every 72 hours.
STOLZ, J.F., 95/01/03. App. 86773255-86773260.

9501160183 Safety evaluation supporting amend 158 & 127 to license NPF-14 & NPF-22, respectively.
*, 95/01/03. App. 86773261-86773268.

9501170378 Forwards relief requests 1RR-24 & 2RR-21 in response to NRC questions re Units 1 & 2.
BYRAM, R.G., Pennsylvania Power & Light Co. 86/01/09. Document Control Branch (Document Control Desk). 12pp. 86808349-86808357.

9501050183 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D., 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86827272-86827280.

9501170040 Forwards application for amend to license NPF-22, eliminating need for entry into LOO 3.0.3 to perform EDG testing.
BYRAM, R.G., Pennsylvania Power & Light Co. 86/01/11. Document Control Branch (Document Control Desk). 1p. 86800314-86800320.

9501170042 Application for amend 150 to license NPF-22, precluding need for entry into LOO 3.0.3 to allow performance of certain EDG testing.
BYRAM, R.G., Pennsylvania Power & Light Co. 86/01/11. App. 86800316-86800319.

9501170044 Proposed tech spec, precluding need for entry into LOO 3.0.3 to allow performance of certain EDG testing.
*, Pennsylvania Power & Light Co. 86/01/11. App. 86800320-86800320.

9501230157 Resubmits PP&L deviation & exemption requests from 10CFR73.55 & 10CFR73.57, respectively w/o license condition & associated proposed amendments re re-instatement of access authorization. Discussion of basis for proposed changes encl.
BYRAM, R.G., Pennsylvania Power & Light Co. 95/01/17. Document Control Branch (Document Control Desk). 10pp. 86852291-86852300.

9501230606 Notification of 950125 meeting w/att in Allentown, PA to discuss issues related to 10CFR50 App R & Susquehanna Safe Shutdown Analysis.
POSUSNY, C., 95/01/18. STOLZ, J.F., App. 86831265-86831266.

9501260211 Response to RAI re request for approval of fuel TR PL-NF-90-001, Suppl 2, "Application of Reactor Analysis Methods for BWR Design & Analysis."
BYRAM, R.G., Pennsylvania Power & Light Co. 86/01/22. Document Control Branch (Document Control Desk). 8pp. 86894337-86894345.

9501190442 Suppl 7 to Generic Ltr 89-10 to all holders of OIs (except licensees unamended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D., 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86955011-86955016.

G. Inspection reports, IE Bulletins & correspondence

9512270072 NRC Info Notice 95-004, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D., 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740015-86740023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D., 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758048-86758061.

9512290289 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D., 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758041-86758048.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A., Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9501180278 Forwards "ISI Outage Summary Rept Susquehanna SES Unit 2 7th Refuel Outage."
BYRAM, R.G., Pennsylvania Power & Light Co. 95/01/11. Document Control Branch (Document Control Desk). 1p. 86813001-86814269.

9501180278 "ISI Outage Summary Rept Susquehanna SES Unit 2 7th Refuel Outage."
*, Pennsylvania Power & Light Co. 95/12/29. 632pp. 86813002-86814269.

9501230064 Informa of requalification program implemented for wk of 950212 which includes w/regularly-scheduled requalification exam cycle. Requests written exams & operating tests planned for wk of insp 950122 be furnished.
MEYER, G.W., Region 1 (Post 820201). 95/01/12. BYRAM, R.G., Pennsylvania Power & Light Co. 3pp. 86827117-86827118.

9501180388 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D., 95/01/16. Consolidated Edison Co. of New York, Inc. 8pp. 86828109-86828120.

9501260241 Request that requirements of Section 4.3 of NUREG-0619 be deferred until BWR Owners Group generic submittal on issue is resolved.
BYRAM, R.G., Pennsylvania Power & Light Co. 95/01/22. Document Control Branch (Document Control Desk). 2pp. 86855356-86855357.

9501230357 Forwards insp repts 50-387/95-24 & 50-388/95-24 on 951102-1216. No violations noted. Installation of temporary, non-safety related test equipment on safety related sys components w/o SE of NRC consent.
PASCIAK, W.J., Region 1 (Post 820201). 95/01/23. BYRAM, R.G., Pennsylvania Power & Light Co. 3pp. 86884284-86884305.

9501230381 Insp repts 50-387/95-24 & 50-388/95-24 on 951102-1216. No violations noted. Major areas inspected: operations, maintenance, surveillance, engineering/technical support, plant support & safety assessment/quality verification.
PASCIAK, W.J., Region 1 (Post 820201). 95/01/23. 10pp. 86884287-86884305.

9501180308 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD, D., 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86955001-86955010.

9501260139 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused by Worn Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D., 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86955017-86955023.

R. Periodic operating reports & related correspondence

9501230202 Monthly operating repts for Dec 1995 for Susquehanna Steam Electric Station Units 1 & 2 w/950115 by.
BALL, R.S., BYRAM, R.G., Pennsylvania Power & Light Co. 95/12/31. App. 86960001-86960002.

V. Operator Examinations

9501040135 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D., 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776001-86776010.

9501230064 Informa of requalification program implemented for wk of 950212 which includes w/regularly-scheduled requalification exam cycle. Requests written exams & operating tests planned for wk of insp 950122 be furnished.
MEYER, G.W., Region 1 (Post 820201). 95/01/12. BYRAM, R.G., Pennsylvania Power & Light Co. 3pp. 86827117-86827118.

9501230059 Informa that reactor & senior reactor operator initial exams scheduled for week of 950415.
MEYER, G.W., Region 1 (Post 820201). 95/01/16. BYRAM, R.G., Pennsylvania Power & Light Co. 3pp. 86827109-86827111.

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9501260006 Forwards Rev 28 to "Radiological Emergency Plan for St Lucie Plant." Attachment 1 contains listing of pages w/description of changes made to plan.
SAGER, D.A., Florida Power & Light Co. 95/12/20. Document Control Branch (Document Control Desk). 29pp. 86955001-86955204.

100 DOCKETED ITEMS

- 960120098 Rev 29 to "Radiological Emergency Plan for St. Lucie Plant." GOLDBERG, J.A. Florida Power & Light Co. 95/12/15. 176pp. 86895:098-86895:204.
- 9601170045 Rev 29 to EPIP 3100022E, "Classification of Emergencies." W/ 960105 Itr. SAGER, D.A. Florida Power & Light Co. 96/01/05. 25pp. 86788:337-86788:381.
- 9601200381 EPIPs including Rev 28 to HP-86, Rev 20 to HP-202, Rev 12 to HP-203 & Rev 9 to HP-205, W/ 960112 Itr. SAGER, D.A. Florida Power & Light Co. 96/01/12. 119pp. 86844:230-86844:348.

G. Adjudicatory correspondence

- 9608200359 Informa of Director's Decision (DD-85-10) denying request re enforcement actions against FPL, Forwarda Director's Decision DD-85-10. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). #196 18768. 95/05/26. JABLON, R.A. Spiegel & McDaniel. 1p. 86968:108-86968:161.
- 9402180053 Forwarda petition of FL Municipal Power Agency re declaration & enforcement of antitrust licensing conditions & to impose requirements by order, which is request for action per 10CFR2.206. POMPER, D.E. Spiegel & McDaniel. 93/07/02. O/o of the Executive Director for Operations. 1p. 86965:124-86965:161.

M. Antitrust correspondence

- 9608200359 Informa of Director's Decision (DD-85-10) denying request re enforcement actions against FPL, Forwarda Director's Decision DD-85-10. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). #196 18768. 95/05/26. JABLON, R.A. Spiegel & McDaniel. 1p. 86968:108-86968:161.
- 9402180053 Forwarda petition of FL Municipal Power Agency re declaration & enforcement of antitrust licensing conditions & to impose requirements by order, which is request for action per 10CFR2.206. POMPER, D.E. Spiegel & McDaniel. 93/07/02. O/o of the Executive Director for Operations. 1p. 86965:124-86965:161.

P. Operating license stage documents & correspondence

- 9601160234 Forwarda memos reviewed during Dec 1995 mgf review meeting. W/o encl. SAGER, D.A. Florida Power & Light Co. 95/12/29. Document Control Branch (Document Control Desk). 1p. 86787:313-86787:332.
- 9601160235 Forwarda document info received by Region II personnel from concerned individuals re allegations RII-95-A-0147, RII-95-A-0169 & RII-95-A-0180, for review. Encl withheld (w/ 10CFR2.290). MERSCHOFF, E.W. Region 2 (Post 820201). 95/01/02. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 86804:337-86804:341.
- 9601160447 Submita summary of public workshops to discuss GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves." FREDERICKSON, P. Region 2 (Post 820201). 96/01/03. GOLDBERG, J.H. Florida Power & Light Co. 127pp. 86806:001-86806:127.
- 9601160257 Application for amendments to licenses DPR-67 & NPP-16 revising TS 3.5.3 to rectify discrepancy for each St. Lucie Unit & to provide assurance that admin controls for HPSIP remain effective in lower operational modes. SAGER, D.A. Florida Power & Light Co. 96/01/04. Document Control Branch (Document Control Desk). 11pp. 86787:196-86787:213.
- 9601160240 Proposed Tech spec rectifying discrepancy for each St. Lucie Unit & providing assurance that admin controls for HPSIP remain effective in lower operational modes. Florida Power & Light Co. 96/01/04. 5pp. 86787:208-86787:213.

- 960122214 Forwarda response to NRC 950913 RAI re Suppl 4 to GL 88-20, "TPE of External Events (PTEE)" & update on status & schedule for corrective actions noted in Table 4-3 of uil 941215 PTEE summary rept. SAGER, D.A. Florida Power & Light Co. 96/01/09. Document Control Branch (Document Control Desk). 41pp. 86832:225-86832:335.

- 9601050193 Generate Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.
- 9601198443 Suppl 7 to Generate Ltr 96-10 to all holders of OIs (except licensee amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86863:011-86863:015.

Q. Inspection reports, IE Bulletins & correspondence

- 9601190028 Ack receipt of 950918 Itr informing NRC of steps taken to correct violations noted in insp rept 50-336/95-18 & 50-389/95-16 on 951127. LANDSKOLD, Region 2 (Post 820201). 96/01/02. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 86801:356-86801:358.
- 9601190882 Ack receipt of 951219 Itr informing NRC of steps taken to correct violations noted in insp rept 50-336/95-20 & 50-389/95-20. LANDSKOLD, Region 2 (Post 820201). 96/01/02. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 86804:255-86804:257.
- 9512200372 NRC Info Notice 96-004, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 8pp. 86740:015-86740:022.
- 9601180011 Response to violations noted in insp rept 50-389/95-21. Corrective actions/assurance order 2-95-11-129 removed on 951204. GOLDBERG, J.H. Florida Power & Light Co. 96/01/04. Document Control Branch (Document Control Desk). 6pp. 86787:313-86787:316.

- 9512290129 NRC Info Notice 96-002, "Openability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:062.

- 9512290299 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

- 9601160484 Forwarda insp rept 50-335/95-17 & 50-389/95-17 on 951204-15 & notice of violation/Violation of concern because example identified in which unqualified components installed in safety-related equipment. CASTO, C.A. Region 2 (Post 820201). 96/01/05. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 86811:220-86811:235.

- 9601180450 Notice of violation from insp on 951204-16/Violation noted; activities affecting quality not prescribed by documented procedures. Region 2 (Post 820201). 96/01/05. 2pp. 86811:223-86811:224.

- 9601180490 Insp rept 50-335/95-17 & 50-389/95-17 on 951204-15. Violations noted: Major areas inspected: procurement engineering w/focus on commercial grade dedication & item substitution of safety-related procurement items. MOORE, R. GIBBS, R. Region 2 (Post 820201). 96/01/05. 11pp. 86811:225-86811:235.

- 9601160335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:250-86827:271.

- 9601110058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86826:109-86826:120.

- 9601180306 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants." CRUTCHFIELD, D. 96/01/20. Consolidated Edison Co. of New York, Inc. 10pp. 86863:001-86863:010.

- 9601200133 NRC Info Notice 96-007, "Slow Five Percent Scram Insertion Times Caused by Vibration Diaphragms in Solenoid Solenoid Pilot Valves." CRUTCHFIELD, D. 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86965:017-86965:023.

R. Periodic operating reports & related correspondence

- 9601240073 Monthly operating rept for Dec 1995 for St. Lucie Nuclear Power Plant Units 1 & 2, W/ 960116 Itr. ROGERS, J.A. SAGER, D.A. Florida Power & Light Co. 95/12/31. 9pp. 86871:091-86871:092.

V. Operator Examinations

- 9603049153 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing ref exam schedule. CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

- 9502090439 Advice that revised rept, "Evacuation Time Estimates Within Plume Exposure Pathway Emergency Planning Zone" for plant dtd 940303, consistent w/ guidance of NUREG-094, FEMA-REP-1, rev 1 & have determined that plant ETE adequate. SPESSARD, J.L. Office of Nuclear Reactor Regulation (Post 941001). 95/02/01. KWATKOWSKI, D. Federal Emergency Management Agency. 2pp. 86863:162-86863:163.

- 9601190495 Forwarda insp rept 50-390/95-75 & 50-391/95-79 on 861113-47 & 1298. No violations or deviations identified. JALDON, J.P. Region 2 (Post 820201). 95/12/22. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 86801:108-86801:126.

- 9601190419 Insp rept 50-390/95-78 & 50-391/95-79 on 861113-17 & 1219. No violations identified. Major areas inspected: observation & evaluation of annual emergency preparedness exercises. SARTOR, W.M., JULIAN, C.A. Region 2 (Post 820201). 96/12/22. 20pp. 86801:108-86801:128.

- 9601230384 Revised central emergency control center EPIPs (CECC EPIP), including Rev 16 to CECC EPIP-9, Rev 10 to CECC EPIP-22 & Rev 10 to CECC EPIP-23, W/ 960116 Itr. MARKS, B.K. Tennessee Valley Authority. 96/01/16. 83pp. 86880:096-86880:180.

- 9601200473 Rev 13 to Central Emergency Control Ctr-EPIP (CECC-EPIP) CECC-EPIP-9, "Dose Assessment Staff Activities During Nuclear Plant Radiological Emergencies." W/ 960124 Itr. MARKS, B.K. Tennessee Valley Authority. 96/01/24. 43pp. 86841:304-86841:345.

H. General correspondence

- 9601160038 Ack receipt of ltr re licensing of Watts Bar NPP. Informa that before issuing full-power operating license, NRC will conduct insp to verify that const complete & meet safety requirements. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 95/12/20. CARROLL, J.M., MANLUCEK, L., COLLART, T. Attention Not Assigned. 6pp. 86808:077-86808:088.

-960106043 Discusses concerns re low energy operating license issued to Watts Bar NPP. CARROLL, M. Affiliation Not Assigned. 95/12/20. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86906:063-86906:063.

-960106045 Discusses concerns re low energy operating license for Watts Bar NPP. MANZIOCK, L. Affiliation Not Assigned. 95/12/20. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86906:064-86906:064.

-960106051 Discusses concerns re issuance of low energy operating license to Watts Bar NPP. DOLLAR, T. Affiliation Not Assigned. 95/12/20. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86906:065-86906:065.

-960106053 Discusses concerns re issuance of full operating license to Watts Bar NPP. WRIGHT, B. Affiliation Not Assigned. 95/12/20. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86906:066-86906:066.

-960106055 Discusses concerns re issuance of full operating license to Watts Bar NPP. STROUD, A. Affiliation Not Assigned. 95/12/20. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86906:067-86906:067.

-960106061 Discusses concerns re low energy operating license issued to Watts Bar NPP. LIVINGSTON, J.H. Affiliation Not Assigned. 95/11/26. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86906:068-86906:068.

960106065 Responds to ltr dtd 951109 & 951207 addressed to Chairman Jackson & 951107 ltr to Duncan re fear of retaliation from TVA. Observations re fear of retaliation are not consistent w/NRC trap results. Ltr stated above end. RUSSELL, W.T. 95/12/21. CONLEY, A.F. Affiliation Not Assigned. 4pp. 86906:069-86906:072.

-960106078 Forwards ltr dtd 951107 expressing concerns re history, reloading of fuel & starting of facility. CONLEY, A.F. Affiliation Not Assigned. 95/11/09. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86906:073-86906:073.

-960106084 Forwards ltr to Chairman Jackson & clippings from Knoxville News Sentinel re concerns w/OT. CONLEY, A.F. Affiliation Not Assigned. 95/12/07. HOYLE, J.C. Office of the Secretary of the Commission. 12pp. 86906:074-86906:085.

-960106088 Ask receipt of ltr dtd 951109 to Chairman Jackson re plant. HOYLE, J.C. Office of the Secretary of the Commission. 95/11/20. CONLEY, A.F. Affiliation Not Assigned. 1p. 86906:086-86906:086.

960106090 Responds to 951121 ltr expressing concerns that Watts Bar Unit 1 "is unsafe as employees of TVA continue to point out." RUSSELL, W.T. 95/12/23. ZINN, J.A. Affiliation Not Assigned. 4pp. 86740:346-86740:352.

-960106096 Requests denial of permit to TVA to start up Watts Bar Nuclear Plant. ZINN, J.A. Affiliation Not Assigned. 95/11/21. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86740:353-86740:353.

P. Operating license stage documents & correspondence

960107827 Provides NRC w/status update on Watts Bar Nuclear Plant Unit 1 & Browns Ferry Nuclear Plant Unit 3. KINGSLEY, O.D. Tennessee Valley Authority. 95/12/16. Document Control Branch (Document Control Desk). 6pp. 86812:069-86812:075.

960108018 Informs that licensee 951023 request to withhold end 1 of ltr from public disclosure per 10CFR2.790(a)(6) & (7), denied. TAMM, P.A. 95/12/28. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 86890:205-86890:207.

960108088 Informs that implementation of commitments in 950920 ltr re GL 93-04 has been completed. JENCKE, D.V. Tennessee Valley Authority. 95/12/28. Document Control Branch (Document Control Desk). 2pp. 86750:289-86750:290.

960108018 Responds to 951030 ltr transmitting ltr from constituent J. Honicker re allegations of safety violations at plant. Forwards copies of Honicker ltr on subject & concerning adequacy of decommissioning funds for use in reply. TAYLOR, J.M. Of the Executive Director for Operations. 95/01/02. CLEMENT, B. Congress (Joint & Rolling Committees, etc.). 1p. 86740:078-86740:078.

-960108026 Forwards ltr from constituent J. Honicker expressing concerns re safety of plant. Requests response to aid in reply to constituent. CLEMENT, B. Congress (Joint & Rolling Committees, etc.). 95/10/30. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1pp. 86740:084-86740:084.

960108053 Summarizes one-day public workshops conducted in Oct & Nov 1995, discussing GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves." List of meeting participants, staff & industry presentation handouts end. FREDRICKSON, P. Region 2 (Post 820201). 96/01/03. KINGSLEY, O.D. Tennessee Valley Authority. 12pp. 86804:126-86804:137.

960108057 Confirms 960105 telcon w/R Baron re 960122 mtg meeting. Purpose of meeting to discuss NRC & licensee assessment of recent performance & licensing readiness. JAUDON, J.P. Region 2 (Post 820201). 96/01/08. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 86806:312-86806:314.

960108059 General Ltr 95-01 to all holders of OLA or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

960108060 Forwards e-mail messages exchanged thru internet w/Tennessee Valley Energy Reform Coalition. TAMM, P.A. 96/01/11. 2pp. 86906:336-86906:337.

960122012 Responds to NRC 951206 ltr re Secretary of Labor (SOL) decision & order of remand in case of R. Brady vs TVA & potential violations of 10CFR50.7 being considered by NRC. Bases for TVA disagreement w/SOL decision end. MEDFORD, J.O. Tennessee Valley Authority. 96/01/12. Document Control Branch (Document Control Desk). 17pp. 86843:112-86843:128.

9601250021 Responds to 960112 ltr requesting add info concerning operational readiness for WBN's RMS plant staff has knowledge training & experience to operate & maintain RMS at high level reliability. SCALICE, J.A. Tennessee Valley Authority. 96/01/22. EBNETER, S.D. Document Control Branch (Document Control Desk). 22pp. 86843:320-86843:341.

960126042 Suppl 7 to General Ltr 95-10 to all holders of OLA (except licensee amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86906:011-86906:016.

960126089 Forwards suppl & detailed info re facility radiation monitoring sys assessment pre-fuel load & post-fuel load activities in response to NRC request. SCALICE, J.A. Tennessee Valley Authority. 96/01/29. EBNETER, S.D. Document Control Branch (Document Control Desk). 14pp. 86843:195-86843:209.

Q. Inspection reports, IE Bulletins & correspondence

9601260103 Forwards Decision & Order of Remand dtd 951023 re discrimination against R. Brady. EBNETER, S.D. Region 2 (Post 820201). 95/12/08. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 86805:128-86805:133.

9601260495 FOIA request for documents re insp repts 50-390/95-40 & 50-391/95-40. HONICKER, J. Affiliation Not Assigned. 95/12/12. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 21pp. 86840:015-86840:036.

960126065 Forwards insp repts 50-390/95-78 & 50-391/95-78 on 951105-1202. No violations noted. JAUDON, J.P. Region 2 (Post 820201). 95/12/20. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 86802:256-86802:278.

-960126071 Insp repts 50-390/95-78 & 50-391/95-78 on 951105-1202. No violations noted. Major areas inspected: plant operations, maintenance, surveillance observation, evaluation of licensee self-assessment capability. DOONAN, K., JULIAN, C.A. Region 2 (Post 820201). 95/12/23. 21pp. 86802:258-86802:278.

960126075 Forwards insp repts 50-390/95-78 & 50-391/95-78 on 951113-17 & 1219. No violations or deviations identified. JAUDON, J.P. Region 2 (Post 820201). 95/12/22. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 86801:106-86801:128.

-960126078 Insp repts 50-390/95-78 & 50-391/95-78 on 951113-17 & 1219. No violations identified. Major areas inspected: observation & evaluation of annual emergency preparedness exercise. GARTON, W.M., JULIAN, C.A. Region 2 (Post 820201). 95/12/22. 20pp. 86801:109-86801:128.

951227072 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temperatures to Disable Equipment Important to Safety." CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

9601040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 576725). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9601220182 Responds to NRC 951206 ltr re Secretary of Labor (SOL) decision & order of remand in case of R. Brady vs TVA & potential violations of 10CFR50.7 being considered by NRC. Bases for TVA disagreement w/SOL decision end. MEDFORD, J.O. Tennessee Valley Authority. 96/01/12. Document Control Branch (Document Control Desk). 17pp. 86843:112-86843:128.

960126088 Final responses to FOIA request for documents. Records in App A available in PDF. Division of Freedom of Information & Publications Services (Post 940714). 96/01/17. HONICKER, J. Affiliation Not Assigned. 2pp. 86840:040-86840:168.

9601180058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 96/01/16. Consolidated Edison Co. of New York, Inc. 9pp. 86828:109-86828:120.

9601180058 NRC Info Notice 95-005, "Design & Testing Deficiencies of Torpedo Damper at Nuclear Power Plants." CRUTCHFIELD, D. 96/01/23. Consolidated Edison Co. of New York, Inc. 10pp. 86806:001-86806:010.

960126007 Responds to 860414 request from CE Murphy of Region II for up to date copy of all TVA PSM/ISI programs & subsequent TVA submissions of PSM/ISI mms for docketing. Concludes that TVA no longer required to submit PSM/ISI program mms. HEDDOLF, J. 96/01/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 86802:258-86802:260.

102 DOCKETED ITEMS

9601250139 NRC Info Notice 96-007, "Slow Five Percent Steam Isolation Times Caused By Valve Diaphragms in Steam Solenoid Pilot Valves." CRUTCHFIELD, D. 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86953017-86955023.

R. Periodic operating reports & related correspondence

9601180291 Monthly operating rpt for Dec 1995 for Watts Bar Nuclear Plant Unit 1/W/ 66010910.
PARSCALE, L., KEOHED, V. Tennessee Valley Authority. 95/12/31. 7pp. 86812345-86812351.

9601250288 NPDES discharge monitoring rpts for Dec 1995 for Watts Bar Nuclear Plant W/66012210.
SCALICE, J.A., SHANKS, V.J. Tennessee Valley Authority. 95/12/31. 6pp. 86837268-86837275.

S. Reportable occurrences, LERs & related correspondence

9601190185 LER 95-002-00 on 951210 failed to comply w/TS for 480 volt shutdown board voltages which exceeded acceptance criteria. Caused by lack of self checking by performer. Consistent personnel involved W/95011210.
TOUCHSTONE, C.W., KEOHED, V. Tennessee Valley Authority. 96/01/12. 10pp. 86822130-86823139.

9601250283 PNO-11-95-003 on 960118 TVA attached info officially on Watts Bar Unit 1 reactor. Subsequent reactor physics tests planned to be monitored by NRC on 24 hr shift coverage basis.
JULIAN, G. Region 2 (Post 820201). 96/01/19. 1p. 86846225-86848225.

9601300170 Forwards LERs 95-003-00 & 95-004-00 re events which resulted in separate MPW isolations.
KHOED, V. Tennessee Valley Authority. 96/01/24. Document Control Branch (Document Control Desk). 2pp. 86947349-86947359.

9601300173 LER 95-003-00 on 951225 inadvertent MPW isolation inadvertently initiated resulting in FW short cycling due to personnel error. MPW reset. MPW long cycle operation re-established & SI 1-SI-99-201-A revised.
LEWELLYN, W. Tennessee Valley Authority. 96/01/24. 4pp. 86947351-86947354.

9601300174 LER 95-004-00 on 951225 inadvertent MPW isolation occurred resulting in FW short cycling due to personnel error. MPW isolation reset. MPW long cycle operation re-established & Surveillance Instruction 1-SI-99-201-A revised.
LEWELLYN, W. Tennessee Valley Authority. 96/01/24. 5pp. 86947355-86947359.

V. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OLRs or CPs for nuclear power reactors re operator licensing test exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776001-86776010.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9601190052 Summarizes one-day public workshops conducted in Oct & Nov 1995, discussing GL 95-07, "Pressure Loading & Thermal Binding of SRI Power-Operated Gate Valves." List of meeting participants, staff & industry presentation handouts encl.
FREDRICKSON, P. Region 2 (Post 820201). 96/01/03. KINGSLEY, O.D. Tennessee Valley Authority. 12pp. 86804128-86804254.

9601190107 Confirms 960106 balloon w/R Bacon re 960122 mtg meeting. Purpose of meeting to discuss NRC & licensee assessment of recent performance & licensing readiness.
JAUDON, J.P. Region 2 (Post 820201). 96/01/08. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 86805312-86805314.

960150193 Generic Ltr 96-01 to all holders of OLRs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827280.

9601220182 Responds to NRC 951209 ltr re Secretary of Labor (SOL) decision & order of removal in case of R. Brady vs TVA & potential violations of 10CFR50.7 being considered by NRC. Basis for TVA disagreement w/SOL decision encl.
MEDFORD, M.O. Tennessee Valley Authority. 96/01/12. Document Control Branch (Document Control Desk). 17pp. 86843112-86843129.

9601190442 Suppl 7 to Generic Ltr 95-10 to all holders of OLRs (except licensees amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86953011-86953018.

F. Security, medical, emergency & fire protection plans

9601190016 Forwards insp rpts 50-390/95-78 & 50-391/95-78 on 951113-17 & 1219. No violations or deviations identified.
JAUDON, J.P. Region 2 (Post 820201). 95/12/22. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 86801106-86801128.

9601190018 Insp rpts 50-390/95-78 & 50-391/95-78 on 951113-17 & 1219. No violations identified. Major areas inspected: observation & evaluation of annual emergency preparedness exercise.
SARTOR, W.M. Region 2 (Post 820201). 95/12/22. 20pp. 86801109-86801128.

9601230394 Revised central emergency control center EIPs (CECC EIPs), including Rev 15 to CECC EIP-3, Rev 10 to CECC EIP-2 & Rev 10 to CECC EIP-23. W/ 960118 ltr.
MARKS, B.K. Tennessee Valley Authority. 96/01/16. 93pp. 86850096-86860180.

9601290479 Rev 13 to Central Emergency Control Center EIPs (CECC EIPs) CECC EIP-3, "Dose Assessment, S&T Activities During Nuclear Plant Radiological Emergencies." W/960124 ltr.
MARKS, B.K. Tennessee Valley Authority. 96/01/24. 43pp. 86941304-86941340.

H. General correspondence

9601190039 Ack receipt of ltr re licensing of Watts Bar NPP. Inform that before issuing full-power operating license, NRC will conduct insp to verify that const complete & meets safety requirements.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750118). 95/12/20. CARROLL, M., MANZUCEK, L., DOLLAR, T. Affiliation Not Assigned. 6pp. 86806077-86806085.

9601190043 Discusses concerns re low energy operating license issued to Watts Bar NPP.
CARROLL, M. Affiliation Not Assigned. 95/12/20. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750118). 1p. 86806086-86806086.

9601190045 Discusses concerns re low energy operating license for Watts Bar NPP.
MANZUCEK, L. Affiliation Not Assigned. 95/12/20. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750118). 1p. 86806087-86806087.

9601190051 Discusses concerns re issuance of low energy operating license to Watts Bar NPP.
DOLLAR, T. Affiliation Not Assigned. 95/12/20. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750118). 1p. 86806088-86806088.

9601190053 Discusses concerns re issuance of full operating license to Watts Bar NPP.
WRIGHT, B. Affiliation Not Assigned. 95/12/20. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750118). 1p. 86806089-86806089.

9601190055 Discusses concerns re issuance of full operating license to Watts Bar NPP.
STRUDER, A. Affiliation Not Assigned. 95/12/20. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750118). 1p. 86806090-86806090.

9601190061 Discusses concerns re low energy operating license issued to Watts Bar NPP.
LIVINGSTON, J.H. Affiliation Not Assigned. 95/11/26. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750118). 1p. 86806091-86806091.

9601020065 Responds to ltr dtd 951109 & 951207 addressed to Chairman Jackson & 951107 ltr to Duncan re fear of retaliation from TVA. Observations re fear of retaliation are not consistent w/NRC insp results. Ltr stated above encl.
RUSSELL, W.T. 95/12/21. CONLEY, A.F. Affiliation Not Assigned. 4pp. 86806097-86806097.

9601020078 Forwards ltr dtd 951107 expressing concerns re history, reloading of fuel & starting of facility.
CONLEY, A.F. Affiliation Not Assigned. 95/11/09. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750118). 7pp. 86806098-86806098.

9601020084 Forwards ltr to Chairman Jackson & clippings from Knoxville News Sentinel re concerns w/UL.
CONLEY, A.F. Affiliation Not Assigned. 95/12/07. HOYLE, J.C. Office of the Secretary of the Commission. 13pp. 86806099-86806099.

9601020088 Ack receipt of ltr dtd 951109 to Chairman Jackson re plant.
HOYLE, J.C. Office of the Secretary of the Commission. 95/11/20. CONLEY, A.F. Affiliation Not Assigned. 1p. 86806100-86806100.

9601090290 Responds to 951121 ltr expressing concerns that Watts Bar Unit 1 "is undesirable employees of TVA continue to point out."
RUSSELL, W.T. 95/12/29. ZIMM, A. Affiliation Not Assigned. 4pp. 86740242-86740252.

9601090296 Requests denial of permit to TVA to start up Watts Bar Nuclear Plant.
ZIMM, A. Affiliation Not Assigned. 95/11/21. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750118). 1p. 86740253-86740253.

Q. Inspection reports, E. Ballistics & correspondence

9601190183 Forwards Decision & Order of Remand, dtd 951023 re discrimination against R. Brady.
BENNETT, S.D. Region 2 (Post 820201). 95/12/08. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 86805128-86805128.

9601240295 FOIA request for documents re insp rpts 50-390/95-40 & 50-391/95-40.
MCNICKE, J. Affiliation Not Assigned. 95/12/12. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750118). 21pp. 86840015-86840039.

9601190085 Forwards insp rpts 50-390/95-78 & 50-391/95-78 on 951105-1202. No violations noted.
JAUDON, J.P. Region 2 (Post 820201). 95/12/20. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 86802255-86802275.

9601190071 Insp rpts 50-390/95-78 & 50-391/95-78 on 951105-1202. No violations noted. Major areas inspected: plant operations, maintenance, surveillance observation, evaluation of licensee self-assessment capability.
DOORIN, P.K., JULIAN, C.A. Region 2 (Post 820201). 95/12/20. 21pp. 86802276-86802276.

9601190015 Forwards insp rpts 50-390/95-78 & 50-391/95-78 on 951113-17 & 1219. No violations or deviations identified.
JAUDON, J.P. Region 2 (Post 820201). 95/12/22. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 86801106-86801128.

9601190019 Insp rpts 50-390/95-78 & 50-391/95-78 on 951113-17 & 1219. No violations identified. Major areas inspected: observation & evaluation of annual emergency preparedness exercise.
SARTOR, W.M., JULIAN, C.A. Region 2 (Post 820201). 95/12/22. 20pp. 86801109-86801128.

9512278372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740015-86740023.

9512290125 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758041-86758048.

9512304335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." DOOLEY, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

951230782 Responds to NRC 951208 from Secretary of Labor (SOL) decision & order of remand in case of R. Brady vs TVA & potential violations of 10CFR50.7 being considered by NRC. Based on TVA disagreement w/SOL decision and MEDFORWARD, Tennessee Valley Authority. 95/01/12. Document Control Branch (Document Control Desk). 17pp. 86843112-86843128.

9512308296 Final response to FOIA request for documents/records in App A available in PDF. * Division of Freedom of Information & Publications Services (Post 860714). 95/01/17. HONICKER, J. Allocation Not Assigned. 2pp. 86840040-86840189.

951230855 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86828109-86828120.

951230936 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86863001-86863010.

951230937 Responds to 500414 Request from CE Murphy of Region II for up to date copy of all TVA PSI/ISI programs & subsequent TVA submissions of PSI/ISI revs for decisions. Concludes that TVA no longer required to submit PSI/ISI program revs. HESBORN, J. 95/01/25. KINGSLEY, C.D. Tennessee Valley Authority. 3pp. 86893269-86893280.

951230959 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused by Vibration Disruptions in Scram Solenoid Pilot Valves." CRUTCHFIELD, D. 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86895017-86895023.

R. Periodic operating reports & related correspondence

951230985 NPDES discharge monitoring rep for Dec 1995 for Watts Bar Nuclear Plant/W/95012212. SCALICE, J.A., SHANKS, V.J. Tennessee Valley Authority. 95/12/31. 8pp. 86837268-86837275.

V. Operator Examinations

951230985 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing next exam schedule. CRUTCHFIELD, D. 95/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 86778001-86778010.

DOCKET 50-346 VIRGIN, C. SUMMER NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

951230942 Forwards Insp rpt 50-385/95-19 on 951127-1201. No violations noted. DECKER, T.R. Region 2 (Post 820201). 95/12/27. TAYLOR, G.J. South Carolina Electric & Gas Co. 2pp. 86801294-86801307.

951230949 Insp rpt 50-385/95-19 on 951127-1201. No violations noted. Major areas inspected: areas of radioactive effluent monitoring instrumentation, meteorological monitoring, primary & secondary water chemistry & external radiation controls. JONES, D.W., WRIGHT, F.N., DECKER, T.R. Region 2 (Post 820201). 95/12/14. 12pp. 86801296-86801307.

951230945 Revised emergency plan procedures (EPP), including Change A to Rev 23 to EPP-001, Rev 5 to EPP-001.1, Rev 8 to EPP-010, Rev 13 to EPP-015, Rev 16 to EPP-021, Rev 10 to EPP-023 & Rev 4 to EPP-051. W/95010910. LIPPARDO, G.A. South Carolina Electric & Gas Co. 95/01/09. 152pp. 86781039-86781240.

H. General correspondence

951230963 Comment opposing petition for reforming PRM-80-83 re use of IG as insurance against nuclear accidents. TAYLOR, G.J. South Carolina Electric & Gas Co. 95/01/18. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 86827186-86827187.

P. Operating license stage documents & correspondence

951230985 Forwards amend 130 to license NPF-12 & safety evaluation. Amend re-issues TS to reflect changes to 10CFR20 & provide editorial changes to improve clarity of TS. DEMBEK, S. 95/12/28. TAYLOR, G.J. South Carolina Electric & Gas Co. 2pp. 86861325-86861349.

951230985 Amend 130 to license NPF-12, revising TS to reflect changes to 10CFR20 & provide editorial changes to improve clarity of TS. HESBORN, J. 95/12/29. 15pp. 86861326-86861343.

951230985 Safety evaluation supporting amend 130 to license NPF-12. 95/12/29. 8pp. 86861344-86861349.

951230985 Informing that NRC complies w/licenses 940519 & 950919 requests for concurrence w/conclusion that no action was necessary to meet licensing basis w/respect to BTP EICSS 16, "Application of Single-Failure Criterion to Manually..." DEMBEK, S. 95/01/03. TAYLOR, G.J. South Carolina Electric & Gas Co. 2pp. 86743298-86743300.

951230985 Summarizes one-day public workshops in each Region to discuss GL 85-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves." List of meeting participants and. FREDRICKSON, P. Region 2 (Post 820201). 95/01/03. TAYLOR, G.J. South Carolina Electric & Gas Co. 120pp. 86799148-86799274.

951230985 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 6pp. 86827272-86827280.

951230985 Forwards request for addl info related to individual Plant Exam for plant for internal events, including internal flooding. ZIMMERMAN, J.L. 95/01/11. TAYLOR, G.J. South Carolina Electric & Gas Co. 17pp. 86868082-86868106.

951230985 Requests NRC review & approval of RB tendon force predictions for upcoming 5th period RB tendon surveillance. Calculations generated for 5th period surveillance tendon force predictions and. TAYLOR, G.J. South Carolina Electric & Gas Co. 95/01/18. ZIMMERMAN, J.L. Document Control Branch (Document Control Desk). 2pp. 86861239-86861218.

951230985 "RB Tendon Hoop & Dome Loss Calculations for 5th Period Surveillance." KRAUSE, D. South Carolina Electric & Gas Co. DO03050-001 R00. 95/01/08. 25pp. 86861241-86861255.

951230985 "RB Vertical Tendon Force Loss & 5th Period Surveillance Acceptance Criteria Calculation." KRAUSE, D. South Carolina Electric & Gas Co. DO03050-002 R00. 95/01/08. 53pp. 86861256-86861318.

951230985 Comments on 10CFR28.FFD program in response to NRC request for comments as published in FR notice Vol 60, Number 231, Pages 61,777-61,778. TAYLOR, G.J. South Carolina Electric & Gas Co. 95/01/22. Document Control Branch (Document Control Desk). 2pp. 86837314-86837316.

951230985 Suppl 7 to Generic Ltr 95-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86895011-86895016.

Q. Inspection reports, IE Bulletins & correspondence

951230985 Forwards response to NRC re violations noted in Insp rpt 50-385/95-17. Corrective actions: mechanical adjustments to dampers within ventilation sys have been corrected. TAYLOR, G.J. South Carolina Electric & Gas Co. 95/12/20. Document Control Branch (Document Control Desk). 8pp. 86712345-86712347.

951230985 Forwards Insp rpt 50-385/95-16 on 951101-30. No violations or deviations identified. BELUSLE, G.A. Region 2 (Post 820201). 95/12/22. TAYLOR, G.J. South Carolina Electric & Gas Co. 2pp. 86801338-86801353.

951230985 Insp rpt 50-385/95-18 on 951101-30. No violations noted. Major areas inspected: plant operations, maintenance, on-site engineering & plant support. BONSER, B.R. Region 2 (Post 820201). 95/12/22. 13pp. 86801341-86801353.

951230985 Forwards Insp rpt 50-385/95-19 on 951127-1201. No violations noted. DECKER, T.R. Region 2 (Post 820201). 95/12/27. TAYLOR, G.J. South Carolina Electric & Gas Co. 2pp. 86801294-86801307.

951230985 Insp rpt 50-385/95-19 on 951127-1201. No violations noted. Major areas inspected: areas of radioactive effluent monitoring instrumentation, meteorological monitoring, primary & secondary water chemistry & external radiation controls. JONES, D.W., WRIGHT, F.N., DECKER, T.R. Region 2 (Post 820201). 95/12/14. 12pp. 86801296-86801307.

951230985 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740015-86740023.

951230985 Ack receipt of 951220 for informing NRC of steps taken to correct violations noted in Insp rpt 50-385/95-17. BELUSLE, G.A. Region 2 (Post 820201). 95/01/03. TAYLOR, G.J. South Carolina Electric & Gas Co. 3pp. 86804288-86804294.

951230985 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758061.

951230985 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758041-86758048.

104 DOCKETED ITEMS

9601040335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses,"
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729), 06/01/10.
Consolidated Edison Co. of New York, Inc. 13pp. 88827259-88827271.

960110058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel,"
CRITCHFIELD, D., 06/01/18. Consolidated Edison Co. of New York, Inc. 8pp.
88828109-88828120.

9601190306 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plant,"
CRITCHFIELD, D., 06/01/25. Consolidated Edison Co. of New York, Inc. 10pp.
88855001-88855010.

9601280139 NRC Info Notice 96-007, "Slow Five Percent Steam Inertion Times Caused By Valve Diaphragms in Steam Solenoid Pilot Valves,"
CRITCHFIELD, D., 06/01/26. Consolidated Edison Co. of New York, Inc. 7pp.
88855017-88855023.

R. Periodic operating reports & related correspondence

9601180025 Monthly operating report for Dec 1995 for VC Summer Nuclear Station, NW
960905 ft.
HALLWANGER, J.W., TAYLOR, G.J. South Carolina Electric & Gas Co. 05/12/31. 5pp.
88806259-88806272.

V. Operator Examinations

9601040138 NRC Administrative Letter 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing not exam schedule.
CRITCHFIELD, D., 06/01/08. Consolidated Edison Co. of New York, Inc. 10pp.
88776001-88776010.

DOCKET 96-397 WPPSS NUCLEAR PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9601100278 Rev 11 to EPIP 13.11.10, "Security Manager Duties,"
Washington Public Power Supply System, 06/01/02. 8pp. 88774306-88774315.

9601160022 Ack receipt of 960601 in response to NRC IR & NOV, dtd 960705. Violation which pertained to fire watch not being present during work involving ignition sources on 960524, discussed.
COLLINS, S.J. Region 4 (Post 820201). 06/01/02. PARRISH, J.V. Washington Public Power Supply System. 5pp. 88761001-88761013.

9601180428 Forwarded Rev 29 to Physical Security Plan, Encl withheld.
PARRISH, J.V. Washington Public Power Supply System. 06/01/06. Document Control Branch (Document Control Desk). 2pp. 88829277-88829278.

9601240084 Revised EPIP, including Rev 14 to EPIP 13.5.3, "Security Manager Responsibilities," Rev 6 to EPIP 13.10.5, "Operations Manager Duties" & Rev 3 to EPIP 13.11.6, "Licensing Manager Duties,"
Washington Public Power Supply System. 06/01/17. 16pp. 88893314-88893327.

H. General correspondence

9601180126 Informs that GO Smith became plant manager, effective 06/01/11. Smith was formerly plant General Manager, assigned position of Director/Engineer.
PARRISH, J.V. Washington Public Power Supply System. 06/01/11. Document Control Branch (Document Control Desk). 1p. 88822096-88822098.

P. Operating license stage documents & correspondence

9601020289 Informs NRC of changes to commitments pertaining to main procedure update program.
PARRISH, J.V. Washington Public Power Supply System. 05/12/22. Document Control Branch (Document Control Desk). 2pp. 88712351-88712352.

9601020127 Forwarded corrected page xvii w/overhead page for document completeness to amend 143 to license NPP-21. Error, administrative & involves changes made by amend 139 not included on page xvii.
CLIFFORD, J.W., 05/12/26. PARRISH, J.V. Washington Public Power Supply System. 4pp. 88682081-88682088.

9601180138 Corrected page xvii w/overhead page for document correctness to amend 143 to license NPP-21. Error, administrative & involves changes made by amend 139 not included on page xvii.
05/12/26. 1p. 88882065-88882066.

9601050448 Ltr contracted 4 to task order 44, extending period of performance of task order from 951226-951231 to "PPE Reviews for Back End Containment Performance & Source Term Analysis- Internal Events Only (NPP-21)"
WACEM, Division of Contracts (Post 840714). NRC-04-91-068. 05/12/29. APABLE, S.L. SCIENTECH, Inc. 2pp. 88748203-88748204.

9601050193 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRITCHFIELD, D., 06/01/10. Consolidated Edison Co. of New York, Inc. 8pp.
88827272-88827280.

9601220081 Discusses 951216 Oversight Panel meeting open to public in Arlington, TX re several areas of Supply Sys PES. Informs that next meeting scheduled for Feb 1996. Forwarded list of attendees & slides.
DYER, J.E. Region 4 (Post 820201). 06/01/12. PARRISH, J.V. Washington Public Power Supply System. 37pp. 88816133-88816139.

9601230189 Provides responses to GL 94-03, "Integrating Stress Corrosion Cracking of Core Shrouds in BWRs."
PARRISH, J.V. Washington Public Power Supply System. 06/01/15. Document Control Branch (Document Control Desk). 4pp. 88856255-88856262.

9601230231 Submits RAI re GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves," specifically requesting more detailed description & justification for proposed amended completion schedule by 960213.
CLIFFORD, J.W., 06/01/18. PARRISH, J.V. Washington Public Power Supply System. 4pp. 88831312-88831315.

9601290063 Application for amend to license NPP-21 re primary containment leakage testing.
PARRISH, J.V. Washington Public Power Supply System. 06/01/19. Document Control Branch (Document Control Desk). 8pp. 88902320-88902330.

9601290268 Proposed tech specs re primary containment leakage testing.
Washington Public Power Supply System. 06/01/19. 23pp. 88902328-88902330.

9601250112 Forwarded revised safety evaluation for approval of topical report FTS-131, "Applications Topical Report for BWR Design & Analysis," for plant.
CLIFFORD, J.W., 06/01/22. PARRISH, J.V. Washington Public Power Supply System. 3pp. 88856110-88856113.

9601250121 Revised safety evaluation re topical report WPPSS-FTS-131, "Applications Topical Report for Design & Analysis," for plant.
06/01/22. 1p. 88856113-88856113.

9601250231 Discusses 960927 request for extension of IGSCC exam of category C welds for WPPSS nuclear project 2.
CLIFFORD, J.W., 06/01/22. PARRISH, J.V. Washington Public Power Supply System. 4pp. 88872293-88872306.

9601180442 Suppl 7 to Generic Ltr 96-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRITCHFIELD, D., 06/01/24. Consolidated Edison Co. of New York, Inc. 8pp.
88855011-88855016.

9601250237 Forwarded SE accepting licensee 951010 request for staff review & proposed revision to tornado design criteria for plant.
CLIFFORD, J.W., 06/01/24. PARRISH, J.V. Washington Public Power Supply System. 3pp. 88873301-88873305.

9601250240 Safety evaluation accepting licensee 951010 request for staff review & approval of proposed rev to tornado design criteria for plant.
06/01/24. 2pp. 88873304-88873305.

9601210149 Determines that overhead slides marked as proprietary, presented at 951026 meeting will be withheld from public disclosure per request.
CLIFFORD, J.W., 06/01/30. EBELING-KONING ABE Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 4pp. 88848184-88848188.

G. Inspection reports, IE Bulletins & correspondence

9601040279 Ack receipt of 951212 ltr informing NRC of steps taken to correct violations noted in Insp rept 50-397/95-30.
GUYNN, T.P. Region 4 (Post 820201). 06/12/29. PARRISH, J.V. Washington Public Power Supply System. 4pp. 88898019-88898026.

9601160022 Ack receipt of 960601 in response to NRC IR & NOV, dtd 960705. Violation which pertained to fire watch not being present during work involving ignition sources on 960524, discussed.
COLLINS, S.J. Region 4 (Post 820201). 06/01/02. PARRISH, J.V. Washington Public Power Supply System. 5pp. 88761001-88761013.

9601220372 NRC Info Notice 96-001, "Potential for High Fuel-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety,"
CRITCHFIELD, D., 06/01/03. Consolidated Edison Co. of New York, Inc. 8pp.
88740045-88740053.

9601220129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing,"
CRITCHFIELD, D., 06/01/05. Consolidated Edison Co. of New York, Inc. 13pp.
88758049-88758061.

9601220299 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects,"
CRITCHFIELD, D., 06/01/05. Consolidated Edison Co. of New York, Inc. 8pp.
88758041-88758049.

9601040335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses,"
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729), 06/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 88827259-88827271.

9601230026 Ack receipt of 951213 ltr informing NRC of steps taken to correct violations noted in Insp rept 50-397/95-29.
DYER, J.E. Region 4 (Post 820201). 06/01/10. PARRISH, J.V. Washington Public Power Supply System. 3pp. 88827046-88827055.

960110058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel,"
CRITCHFIELD, D., 06/01/18. Consolidated Edison Co. of New York, Inc. 8pp.
88828109-88828120.

9601190306 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plant,"
CRITCHFIELD, D., 06/01/25. Consolidated Edison Co. of New York, Inc. 10pp.
88855001-88855010.

9601300167 Forwarded response to violation noted in Insp Rept 50-397/95-31. Corrective actions: equipment operator involved counseled on proper use of protective clothing & importance of adhering to requirements of radiation work permit.
PARRISH, J.V. Washington Public Power Supply System. 06/01/25. Document Control Branch (Document Control Desk). 3pp. 88961138-88961141.

960130090 Forwards Insp rept 50-397/95-32 conducted on 951211-15. Areas examined included administration of initial licensed operator retake exam & follow-up to previous concerns identified in Insp conducted in June 1995. GWYNNE,T.P. Region 4 (Post 820201). 96/01/25. PARRISH,J.V. Washington Public Power Supply System. 4pp. 86909:001-86909:123.

960130032 Insp rept 50-397/95-32 on 951211-15. Routine announced Insp of qualifications of applicant for operator license which included eligibility determination & administration of written exam & follow-up to previous concerns. TAPIA,J.I. Region 4 (Post 820201). 96/01/19. 11pp. 86909:005-86909:123.

960130013 NRC Info Notice 96-007, "Slow Five Percent Steam Insertion Times Caused By Vibration Diaphragms in Steam Solenoid Pilot Valves." CRUTCHFIELD,D. 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86909:017-86909:023.

R. Periodic operating reports & related correspondence

9601180110 Monthly operating rept for Dec 1995 for WNP-2/W/860111 Ir. EMBRETT,G.L. PARRISH,J.V. Washington Public Power Supply System. 86/12/31. 4pp. 86819:353-86819:358.

V. Operator Examinations

9601040136 NRC Administrative Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing nail exam schedule. CRUTCHFIELD,D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

960130032 Forwards Insp rept 50-397/95-32 conducted on 951211-15. Areas examined included administration of initial licensed operator retake exam & follow-up to previous concerns identified in Insp conducted in June 1995. GWYNNE,T.P. Region 4 (Post 820201). 96/01/25. PARRISH,J.V. Washington Public Power Supply System. 4pp. 86909:001-86909:123.

960130032 Insp rept 50-397/95-32 on 951211-15. Routine announced Insp of qualifications of applicant for operator license which included eligibility determination & administration of written exam & follow-up to previous concerns. TAPIA,J.I. Region 4 (Post 820201). 96/01/19. 11pp. 86909:005-86909:123.

DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9601058104 Revised EHPs, including Rev 16 to PEP-102, Rev 3 to PEP-407 & Rev 4 to PEP-405. W/951227 Ir. ROBINSON,W.R. Carolina Power & Light Co. 95/12/27. 42pp. 86784:257-86784:298.

960118067 Revises commitments re GL 85-08, "Thermo-Lag 330-1 Fire Barriers." ROBINSON,W.R. Carolina Power & Light Co. 95/12/27. Document Control Branch (Document Control Desk). 2pp. 86808:326-86808:327.

9601280295 Forwards Insp rept 50-400/95-20 on 951211-15. No violations noted. FREDRICKSON,P. Region 2 (Post 820201). 96/01/04. ROBINSON,W.R. Carolina Power & Light Co. 4pp. 86863:024-86863:033.

9601280297 Insp rept 50-400/95-20 on 951211-15. No violations noted. Major areas inspected: Security Program for Power Reactors, specifically, Mgt Support, Security Program Plans & Implementing Procedures & Audits. THOMPSON,D. FREDRICKSON,P. Region 2 (Post 820201). 96/01/04. 6pp. 86863:026-86863:033.

9601240324 Advises that 951005 Rev 9 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan. FREDRICKSON,P. Region 2 (Post 820201). 96/01/17. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 86871:009-86871:011.

H. General correspondence

960120047 Responds to 951117 Ir to Haughey re transport & storage of spent fuel. Informants that licensee for HS Robinson plant did transport fuel from fuel pool to BFB using NUHOMS-07P container inside IF-300 transport rack. MARCUS,G.H. 95/12/27. SHILLINGLAW,F. Attention Not Assigned. 3pp. 86862:038-86862:042.

P. Operating license stage documents & correspondence

960118067 Revises commitments re GL 85-08, "Thermo-Lag 330-1 Fire Barriers." ROBINSON,W.R. Carolina Power & Light Co. 95/12/27. Document Control Branch (Document Control Desk). 2pp. 86808:326-86808:327.

9601180216 Notices of rev to initial test cut-off level for marijuana. Actual implementation date for employing more stringent test cut-off level due to be provided by 960108 instead of by 951108. WALT,T.D. Carolina Power & Light Co. 96/01/03. Document Control Branch (Document Control Desk). 3p. 86778:321-86778:321.

9601180383 Summarizes one-day public workshops in Oct & Nov 1995 re GL 85-07, "Pressure Locking & Thermal Blocking of SR Power-Operated Gate Valves." List of participants, industry & staff presentation handouts encl. FREDRICKSON,P. Region 2 (Post 820201). 96/01/03. ROBINSON,W.R. Carolina Power & Light Co. 127pp. 86790:031-86790:147.

9601180030 Notices of 960111 mgt meeting re results of Harris facility Svo Water Self-Assessment & corrective actions taken. SHYMLOCK,M.B. Region 2 (Post 820201). 96/01/03. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 86805:304-86805:306.

9601050193 General Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD,D. 96/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 86827:272-86827:280.

9601240351 Confirms 951222 telcon w/G Harris re 960209 mgt meeting. Purpose of meeting to discuss status of engineering programs at each licensee site. SHYMLOCK,M.B. Region 2 (Post 820201). 96/01/10. HABERMEYER,H.W. Carolina Power & Light Co. 4pp. 86863:140-86863:143.

9601250379 Confirms mgt meeting scheduled for 960222 in Atlanta, GA to discuss status of Harris operations & maint programs per 960112 conversation between T Walt & M.B. Shymlock. SHYMLOCK,M.B. Region 2 (Post 820201). 96/01/17. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 86863:016-86863:018.

9601240253 Forwards SE accepting revised design basis & proposed FSAR changes re proposed administrative controls & postulated leak rates assumed in revised dose assessment associated w/post-LOCA accident analysis. LENO,B. 96/01/22. ROBINSON,W.R. Carolina Power & Light Co. 2pp. 86842:301-86842:308.

9601340258 SE re reactor auxiliary bldg emergency exhaust sys. Advises that 2 gph leak rate limit for ECCS equipment outside HAS emergency exhaust sys boundary reasonable & detectable. * 96/01/22. 9pp. 86842:303-86842:309.

9601180442 Supply 7 to General Ltr 89-10 to all holders of OLs (except licensee amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD,D. 96/01/24. Consolidated Edison Co. of New York, Inc. 5pp. 86909:011-86909:016.

9601300315 Informa of completion of review of IPE submitted for internal events & internal flooding. Forwards SERFER & summary of IPE submitted on internal events. Concludes that licensee met intent of GL 89-20. LENO,B. 96/01/28. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 86935:345-86935:351.

G. Inspection reports, IE Bulletins & correspondence

9601190023 Ask receipt of 951204 Ir informing NRC of steps taken to correct violations noted in Insp rept 50-400/95-15. SHYMLOCK,M.B. Region 2 (Post 820201). 95/12/28. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 86802:343-86802:346.

9512270372 NRC Info Notice 96-004, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD,D. 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:023.

9601260293 Forwards Insp rept 50-400/95-20 on 951211-15. No violations noted. FREDRICKSON,P. Region 2 (Post 820201). 96/01/04. ROBINSON,W.R. Carolina Power & Light Co. 4pp. 86863:024-86863:033.

9601260297 Insp rept 50-400/95-20 on 951211-15. No violations noted. Major areas inspected: Security Program for Power Reactors, specifically, Mgt Support, Security Program Plans & Implementing Procedures & Audits. THOMPSON,D. FREDRICKSON,P. Region 2 (Post 820201). 96/01/04. 6pp. 86863:026-86863:033.

9512290129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD,D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:051.

9512290229 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD,D. 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

9601190010 Forwards Insp rept 50-400/95-15 on 951115-1208 & notice of violation. Violation could have been prevented by more thorough review of plant TS. SHYMLOCK,M.B. Region 2 (Post 820201). 96/01/05. ROBINSON,W.R. Carolina Power & Light Co. 4pp. 86804:277-86804:300.

9601190012 Notice of violation from Insp on 951112-1209. Violation noted: licensee had not reported condition prohibited by TS which occurred on 951009. * Region 2 (Post 820201). 96/01/05. 2pp. 86804:281-86804:282.

9601190017 Insp rept 50-400/95-15 on 951112-1209. Violations noted. Major areas inspected: operations, maint, surveillance, engineering, plant support, review of licensee event recs & licensee action on previous Insp items. ROBERTS,D., SHYMLOCK,M. Region 2 (Post 820201). 96/01/05. 18pp. 86804:283-86804:300.

9601180335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses." COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 570729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9601180307 Forwards response to NRC 951211 Ir re violations noted in Insp rept 50-400/95-17. Corrective actions completed: engineering svc request & installed permanent switch position. ROBINSON,W.R. Carolina Power & Light Co. 96/01/10. Document Control Branch (Document Control Desk). 5pp. 86785:351-86785:355.

9601190358 Forwards "Incision Inspection Summary" for SHNPP. Rept covers inspections performed during Cycle 6 operations including Refueling outage 6. In fact Insp is internal. DONAHUE,J.W. Carolina Power & Light Co. 96/01/10. Document Control Branch (Document Control Desk). 2pp. 86825:001-86825:002.

9601190358 "Incision Inspection Summary" for SHNPP. * Carolina Power & Light Co. 96/01/12. 400pp. 86825:003-86825:052.

9601190058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD,D. 96/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86828:109-86828:120.

106 DOCKETED ITEMS

960123047 Forwards response to NRC 960106 re violations noted in Insp rept 50-407/95-01. Corrective actions reported failure to perform offsite power availability verification within one h in LER 95-013 and 950104.
ROBINSON, W.R. Carolina Power & Light Co. 96/01/19. Document Control Branch (Document Control Desk). 2pp. 86858:353-86858:380.

9601196306 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86858:001-86858:010.

9601260138 NRC Info Notice 96-007, "Slow Five Percent Screen Insertion Times Caused by Vibration Diaphragms in Screen Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86858:017-86858:023.

R. Periodic operating reports & related correspondence

9601179193 Monthly operating rept for Dec 1995 for SHNPP/W/960110 tr.
BOLUWALE, DONAHUE, J.W. Carolina Power & Light Co. 95/12/31. 4pp. 86812:061-86812:064.

S. Reportable occurrences, LERs & related correspondence

9601180065 LER 95-013-000a 951009, Tech Spec violation due to not performing off-site verification. Caused by cognitive personnel error. Individuals counseled. W/960104 tr.
HAMBY, M.R., DONAHUE, J.W. Carolina Power & Light Co. 96/01/04. 5pp. 86820:054-86820:059.

9601180152 LER 95-015-000a 951213, mod made to circuitry for motor drive APPs flow control valves. Caused by cognitive personnel error. Procedures revised. W/960111 tr.
FLEMING, C.W., DONAHUE, J.W. Carolina Power & Light Co. 96/01/11. 4pp. 86810:123-86810:128.

9601180381 LER 95-014-000a 960424, RHR sys components removed from service as directed during testing while required for operability. Caused by procedure inadequacies. Test will be revised to correct procedure by 960215. W/960112 tr.
VERILLUM, ROBINSON, W.R. Carolina Power & Light Co. 96/01/12. 4pp. 86820:063-86820:068.

V. Operator Examinations

96011849138 NRC Administrative Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing test exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

DOCKET 50-487 UNIV. OF UTAH RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9601300076 Forwards Insp rept 50-407/95-01 on 951211-1215. No violations noted. Attachment 2 re physical security plan withheld per 10CFR2.750.
GWYNNE, T.P. Region 4 (Post 820201). 96/01/25. RUSHFORTH, C.K. Utah, Univ. of, Salt Lake City, UT. 2pp. 86887:125-86887:143.

9601300084 Insp rept 50-407/95-01 on 951211-15. No violations noted. Major areas inspected: organization & management controls, qualifications & training, special nuclear fuel & accountability, reviews & audits, logs & records & procedures.
MURRAY, B. Region 4 (Post 820201). 96/01/25. 16pp. 86887:129-86887:143.

G. Inspection reports, IE Bulletins & correspondence

9601300076 Forwards Insp rept 50-407/95-01 on 951211-1215. No violations noted. Attachment 2 re physical security plan withheld per 10CFR2.750.
GWYNNE, T.P. Region 4 (Post 820201). 96/01/25. RUSHFORTH, C.K. Utah, Univ. of, Salt Lake City, UT. 2pp. 86887:125-86887:143.

9601300084 Insp rept 50-407/95-01 on 951211-15. No violations noted. Major areas inspected: organization & management controls, qualifications & training, special nuclear fuel & accountability, reviews & audits, logs & records & procedures.
MURRAY, B. Region 4 (Post 820201). 96/01/25. 16pp. 86887:129-86887:143.

DOCKET 50-409 LA CROSSE BORING WATER REACTOR

G. Inspection reports, IE Bulletins & correspondence

9512270872 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 5pp. 86740:015-86740:023.

9512290129 NRC Info Notice 96-002, "Isoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

9512290299 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 3pp. 86758:041-86758:046.

9601040335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870720). 96/01/10. Consolidated Edison Co. of New York, Inc. 18pp. 86827:258-86827:271.

960110055 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. 5pp. 86828:109-86828:120.

9601190396 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86858:001-86858:010.

9601260139 NRC Info Notice 96-007, "Slow Five Percent Screen Insertion Times Caused by Vibration Diaphragms in Screen Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86858:017-86858:023.

V. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing test exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

W. Declassification Stage Documents & Correspondence

9601050183 Generic Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

9601190442 Suppl 7 to Generic Ltr 96-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve dispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 5pp. 86858:011-86858:016.

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9601180490 Responds to 960921 tr re issue 4, Rev 2 to Nine Mile Point Station physical security plan. Changes determined to be consistent w/10CFR 50.54(p) & acceptable.
KEMM, R.R. Region 1 (Post 820201). 95/12/12. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 86830:357-86830:359.

9601110229 Revised EPPs including Rev 2 to EPP-EPP-05, Rev 1 to EPP-EPP-09, Rev 3 to EPP-EPP-25 & Rev 3 to Emergency Plan Maint Procedure EPP-EPP-02/W/951221 tr.
JONES, J.D., RADEMACHER, M.L., MCCORMICK, M.J. Niagara Mohawk Power Corp. 95/12/21. 125pp. 86778:001-86778:129.

9601220351 Discussion results & conclusions of Operational Safeguards Response Evaluation conducted at by NRC at facility from 951223-26.
CUNNINGHAM, L.J. 95/12/29. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 86826:232-86826:234.

P. Operating license stage documents & correspondence

9601030342 Notification of 960104 meeting w/Niagara Mohawk Power Corp in Rockville, MD to discuss old plans for licensing actions.
EDISON, G.E. 96/12/29. MARSH, L.B. 3pp. 86705:104-86705:107.

9601050183 Generic Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

9601260139 Transmittal application for amend to plant license NPF-69, revising TS 3/4.3.1, 3/4.3.2, 3/4.3.3 & 3/4.3.4.2.
ABBOTT, R.B. Niagara Mohawk Power Corp. 96/01/17. Document Control Branch (Document Control Desk). 2pp. 86892:109-86892:131.

9601260139 Application for amend to license NPF-69, representing revs to Specs 3/4.3.1, 3/4.3.2, 3/4.3.3 & 3/4.3.4.2 & associated bases to relocate response time limit tables from T5a to plant USAR.
ABBOTT, R.B. Niagara Mohawk Power Corp. 96/01/17. 2pp. 86892:109-86892:109.

9601260139 Proposed tech specs, representing revs to Specs 3/4.3.1, 3/4.3.2, 3/4.3.3 & 3/4.3.4.2 & associated bases to relocate response time limit tables from T5a to plant USAR.
Niagara Mohawk Power Corp. 96/01/17. 22pp. 86892:110-86892:151.

9601190442 Suppl 7 to Generic Ltr 96-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve dispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 5pp. 86858:011-86858:016.

9601300076 Forwards application for amend to License NPF-69, revising TS 3/4.3.3 re emergency core cooling sys actuation instrumentation.
ABBOTT, R.B. Niagara Mohawk Power Corp. 96/01/25. Document Control Branch (Document Control Desk). 2pp. 86891:063-86891:062.

9601300081 Application for amend to License NPF-69, revising TS Tables 3.3.3-1 & 4.3.3.1-1 re emergency core cooling sys actuation instrumentation.
ABBOTT, R.B. Niagara Mohawk Power Corp. 96/01/25. 1p. 86891:086-86891:086.

9601300082 Proposed Tech Spec Table 3.3.3-1 re emergency core cooling sys actuation instrumentation.
Niagara Mohawk Power Corp. 96/01/25. 7pp. 86891:086-86891:092.

Q. Inspection reports, IE Bulletins & correspondence

951227322 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 95740:015-95740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 95756:049-95756:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 9pp. 95758:041-95758:048.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 970729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 95827:259-95827:271.

9501100558 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 95828:109-95828:120.

9501100306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 95955:001-95955:010.

9501200139 NRC Info Notice 95-007, "Slow Five Percent Steam Insertion Times Caused by Vibration Diaphragms in Steam Solenoid Pilot Valves." CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 95955:017-95955:023.

R. Periodic operating reports & related correspondence

9501230234 Forwards monthly operating rpt for Dec 1995 for Nine Mile Point Nuclear Station Unit 2 & revised monthly operating rpt for Sept 1995. ABBOTT, R.B. Niagara Mohawk Power Corp. 95/01/12. Document Control Branch (Document Control Desk). 9pp. 95848:310-95848:316.

9501230240 Monthly operating rpt for Dec 1995 for Nine Mile Point Nuclear Station Unit 2. CAROCCIO, C.J. Niagara Mohawk Power Corp. 95/12/31. 4pp. 95848:312-95848:315.

9501230245 Revised monthly operating rpt for Sept 1995 for Nine Mile Point Nuclear Station Unit 2. * Niagara Mohawk Power Corp. 95/09/30. 1p. 95848:316-95848:316.

S. Reportable occurrences, LERs & related correspondence

9501170034 LER 95-012-003 on 951211, automatic actuation of standby gas treatment sys occurred because of inadequate corrective action for snow plugging of filter. Developed preventive maint action W/950109 lt. CONWAY, J.T., ABBOTT, R.B. Niagara Mohawk Power Corp. 95/01/09. 5pp. 95810:039-95810:043.

V. Operator Examinations

9501100138 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing ref exam schedule. CRUTCHFIELD, D. 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 95778:001-95778:010.

DOCKET 95-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9501160195 Forwards Rev 7 to "Emergency Preparedness Plan." THOMAS, G.S. Duquesne Light Co. 95/01/09. Document Control Branch (Document Control Desk). 13pp. 95780:001-95780:088.

9501160188 Rev 7 to "Emergency Preparedness Plan." * Duquesne Light Co. 95/12/18. 44pp. 95780:011-95780:086.

9501300126 Forwards rev 27 to issue 4 of BVPS physical security plan. Plan withheld. THOMAS, G.S. Duquesne Light Co. 95/01/23. Document Control Branch (Document Control Desk). 2pp. 95951:039-95951:039.

H. General correspondence

9501160192 Requests that NRC update NRC document labeling labels per attached list due to recent personnel reassignments at BVPS, Units 1 & 2. THOMAS, G.S. Duquesne Light Co. 95/12/26. Document Control Branch (Document Control Desk). 2pp. 95778:328-95778:327.

P. Operating license stage documents & correspondence

9501100093 Forwards issue 1, Rev 15 to "Beaver Valley Unit 2 Inservice Testing Program for Pumps & Valves." THOMAS, G.S. Duquesne Light Co. 95/12/28. Document Control Branch (Document Control Desk). 9pp. 95821:001-95821:242.

9501100108 issue 1, Rev 15 to "Beaver Valley Unit 2 Inservice Testing Program for Pumps & Valves." * Duquesne Light Co. 95/09/26. 23pp. 95821:007-95821:242.

9501112254 Application for amendments to licenses DPL-68 & NPP-73, consisting of change requests 230 & 100, modifying LCO titled, "Accident Monitoring Instrumentation" & associated SRs for Unit 1 & 2. THOMAS, G.S. Duquesne Light Co. 95/12/27. Document Control Branch (Document Control Desk). 9pp. 95774:294-95774:308.

9501110258 Proposed tech spec, consisting of change requests 230 & 100, modifying LCO titled, "Accident Monitoring Instrumentation" & associated SRs for Units 1 & 2. * Duquesne Light Co. 95/12/27. 12pp. 95774:297-95774:308.

9501030395 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 95827:272-95827:280.

9501100225 Responds to RAI re three leaks in GL 95-05, "Circumferential Cracking of SG Tubes." THOMAS, G.S. Duquesne Light Co. 95/01/10. Document Control Branch (Document Control Desk). 4pp. 95812:357-95812:369.

9501100154 Notice of significant licensee meeting 95-01 on 950122 in King of Prussia, PA to discuss station focus on operational needs, addressing site issues in early stages & mispositioned component followup actions. ESELGROTH, P.W. Region 1 (Post 820201). 95/01/10. Region 1 (Post 820201). 2pp. 95811:001-95811:004.

9501100442 Suppl 7 to Generic Ltr 95-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 95955:011-95955:018.

Q. Inspection reports, IE Bulletins & correspondence

951227322 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 95740:015-95740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 95756:049-95756:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 9pp. 95758:041-95758:048.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 970729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 95827:259-95827:271.

9501230231 Forwards "Steam Generator Tube Inservice Insp Rpt." for BVPS, Insp completed during Unit 1 tenth refueling outage & Unit 2 6th refueling outage. THOMAS, G.S. Duquesne Light Co. 95/01/12. Document Control Branch (Document Control Desk). 1p. 95835:148-95835:278.

9501230258 "Steam Generator Tube Inservice Insp Rpt." for BVPS. * Duquesne Light Co. 95/01/12. 130pp. 95835:149-95835:278.

9501100558 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 95828:109-95828:120.

9501200155 Ack receipt of 951023 re informing NRC of steps taken to correct violations noted in insp rpts 95-334/95-13 & 95-412/95-13. ESELGROTH, P.W. Region 1 (Post 820201). 95/01/18. CROSS, J.E. Duquesne Light Co. 2pp. 95835:354-95835:357.

9501200393 Requests NRC review & acceptance of WCAP-14535, "Topical Rpt on Reactor Coolant Pump Flywheel Insp Elimination." Rpt end. THOMAS, G.S. Duquesne Light Co. 95/01/24. Document Control Branch (Document Control Desk). 3pp. 95937:001-95937:125.

9501200404 "Topical Rpt on Reactor Coolant Pump Flywheel Insp Elimination." PRAGER, D.E., SWAMY, S.A. Westinghouse Electric Corp. WCAP-14535. 95/01/31. 123pp. 95937:004-95937:125.

9501100345 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 95955:001-95955:010.

9501200139 NRC Info Notice 95-007, "Slow Five Percent Steam Insertion Times Caused by Vibration Diaphragms in Steam Solenoid Pilot Valves." CRUTCHFIELD, D. 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 95955:017-95955:023.

R. Periodic operating reports & related correspondence

9501200315 NPDES discharge monitoring rpt for Nov 1995 for BVPS/W/ 951220 lt. ORNDORF, D., NOONAN, T.P. Duquesne Light Co. 95/11/30. 83pp. 95696:267-95696:300.

9501100126 Monthly operating rpts for Dec 1995 for Beaver Valley Power Station/W/ 950106 lt. JONES, D.T., NOONAN, T.P. Duquesne Light Co. 95/12/31. 9pp. 95782:350-95782:358.

108 DOCKETED ITEMS

V. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam schedule.
CRITCHFIELD, D. 96/01/06. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

DOCKET 60-419 CATAWBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9601040379 Forwards public version of revised EPIPs, including EPIPs index, Change 0 to RP/O/A/5000/06A, Change 0 to RP/O/A/5000/06B & Change 0 to RP/O/A/5000/06C.
MCCOLLUM, W.R. Duke Power Co. 95/12/20. Document Control Branch (Document Control Desk). 2pp. 86740:147-86740:219.

9601040382 Public version of revised EPIPs, including EPIPs index, Change 0 to RP/O/A/5000/06A, Change 0 to RP/O/A/5000/06B & Change 0 to RP/O/A/5000/06C.
PATRICK, J.E. Duke Power Co. 95/12/08. 86pp. 86740:151-86740:219.

9601040324 Forwards public version of rev 20 to EPIP OP/O/A/5200/21, "Operating Procedure for Post Accident Liquid Sampling Sys II-." W/960130 release memo.
MCCOLLUM, W.R. Duke Power Co. 96/01/11. Document Control Branch (Document Control Desk). 3pp. 86848:056-86848:159.

9601040325 Public version of Rev 20 to EPIP OP/O/A/5200/21, "Operating Procedure for Post Accident Liquid Sampling Sys II-." W/960130 release memo.
GREEN, J.C. Duke Power Co. 95/12/16. 100pp. 86848:060-86848:159.

F. Operating license stage documents & correspondence

9601020376 Notifies NRC staff of minor change to approved analysis methodology uses for FSAR Chapter 15 analyses to support plants.
TUCKMAN, J.S. Duke Power Co. 95/12/19. Document Control Branch (Document Control Desk). 3pp. 86690:356-86690:359.

9601020350 Forwards topical rept evaluation of Rev 1 to DPC-NE-3000-P, "Thermal-Hydraulic Transient Analysis Methodology." Rev 1 to sub rept acceptable for ref in licensing application to extend specified TFR (TS/NRC/95-4 also encl).
MARTIN, R.E. 95/12/27. TUCKMAN, J.S. Duke Power Co. 5pp. 86682:043-86682:056.

9601020364 Topical rept evaluation of Rev 1 to DPC-NE-3000-P, "Thermal-Hydraulic Transient Analysis Methodology." Sub rept acceptable for ref in licensing application.
". 95/12/27. 5pp. 86682:046-86682:052.

9601020374 "Technical Evaluation Thermal-Hydraulic Transient Analysis Methodology, DPC-NE-3000, Rev 3 for CPC."
ABRAMSON, P.B. International Technical Services, Inc. FIN L-1818. (TS/NRC/95-4, 95/12/27, NRC - No Detailed Action Given. App. 86682:053-86682:056.

9601030188 Forwards SER of TR DPC-NE-3002, "FSAR Chapter 15 Sys Transient Analysis Methodology," which describes changes to DPC transient analysis methodology. Changes acceptable. Version of rept in rev 1.
MARTIN, R.E. 95/12/28. TUCKMAN, J.S. Duke Power Co. 5pp. 86705:009-86705:029.

9601030294 Safety evaluation of Topical Rept DPC-NE-3002, "FSAR Chapter 15 System Transient Analysis Methodology," rev 1.
". 95/12/28. 15pp. 86705:014-86705:029.

9601030064 Forwards Rev 23 to "Catawba Nuclear Station Units 1 & 2 Pumps & Valve IST Program."
MCCOLLUM, W.R. Duke Power Co. 95/12/28. Document Control Branch (Document Control Desk). 4pp. 86783:066-86783:290.

9601030075 Rev 23 to "Catawba Nuclear Station Units 1 & 2 Pump & Valve IST Program."
MILLER, D.D. Duke Power Co. 95/12/28. 231pp. 86783:060-86783:290.

9601030022 Forwards amendments 140 & 134 to licenses NPF-35 & NPF-52, respectively & SEAs and change Updated Final Safety Analysis Rept.
MARTIN, R.E. 95/12/29. MCCOLLUM, W.R. Duke Power Co. 4pp. 86690:271-86690:282.

9601030024 Amendments 140 & 134 to licenses NPF-35 & NPF-52, respectively, changing Updated Final Safety Analysis Rept.
WIENS, L.A. 95/12/29. App. 86690:275-86690:278.

9601030026 Safety evaluation supporting amendments 140 & 134 to licenses NPF-35 & NPF-52, respectively.
". 95/12/29. 4pp. 86690:279-86690:282.

9601101059 Forwards Rev 39 to "ODCM."
TUCKMAN, J.S. Duke Power Co. 96/01/02. Document Control Branch (Document Control Desk). 2pp. 86785:001-86785:291.

9601101054 Rev 39 to "ODCM."
LOUGHS, L.E. Duke Power Co. 96/01/01. 279pp. 86785:003-86785:291.

9601100186 Forwards summary of public workshop to discuss GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
FREDRICKSON, P. Region 2 (Post 820201). 96/01/03. MCCOLLUM, W.R. Duke Power Co. 227pp. 86805:001-86805:127.

9601400006 Informs that review of request for confirmation of acceptability of listed schedule for Catawba Unit 2 Cycle B core design expected to be complete by 960328, per 951831 as requested.
MARTIN, R.E. 96/01/04. TUCKMAN, J.S. Duke Power Co. 4pp. 86773:261-86773:264.

9601400102 Confirms withdrawal of request for relief 95-03 & forwards Technical Position to close issue & identify weaknesses in 950511 submittal that should be addressed should similar circumstances be encountered in future.
BERKOW, H.N. 96/01/04. MCCOLLUM, W.R. Duke Power Co. 4pp. 86773:316-86773:331.

9601400118 "Technical Position by NRC ASME Code Repair Requirements Duke Power Co. et al. Permit."
". 96/01/04. 12pp. 86773:320-86773:331.

9601050189 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRITCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 8PP. 86827:278-86827:290.

9601220189 Forwards Rev 10 to "Corporate Process Control Program Manual."
TUCKMAN, J.S. Duke Power Co. 96/01/10. Document Control Branch (Document Control Desk). 1p. 86833:338-86833:359.

9601220187 Rev 10 to "Corporate Process Control Program Manual."
HACKER, L.J. Duke Power Co. 95/12/27. 20pp. 86833:337-86833:356.

9601230262 Application for amendments to licenses NPF-35 & NPF-52, removing process penetration M308 & containment isolation valves RN-428A & RN-428B from TS.
MCCOLLUM, W.R. Duke Power Co. 96/01/11. Document Control Branch (Document Control Desk). 5pp. 86848:297-86848:329.

9601230268 Proposed tech spec removing process penetration M308 & containment isolation valves RN-428A & 428B.
". Duke Power Co. 96/01/11. 22pp. 86848:302-86848:329.

9601280356 Confirms 960111 telcon between Z Taylor & R Carroll re rescheduling 960117 airt meeting to discuss status & results of performance improvement initiatives at plant.
ORLENIAK, R.V. Region 2 (Post 820201). 96/01/11. MCCOLLUM, W.R. Duke Power Co. 3pp. 86883:144-86883:146.

9601280276 Application for amendments to licenses NPF-35 & NPF-52, implementing performance-based containment leak rate testing requirement of 10CFR50 App J, Option B.
TUCKMAN, J.S. Duke Power Co. 96/01/12. Document Control Branch (Document Control Desk). 5pp. 86848:252-86848:270.

9601280261 Proposed tech spec re containment leak rate testing requirements of 10CFR50 App J, Option B.
". Duke Power Co. 96/01/12. 14pp. 86848:257-86848:270.

9601280337 Confirms conversation between J Lowery & H Carroll on 960118 re changing time of 960208 airt meeting to discuss status & results of performance improvement initiatives at plant. Meeting will be conducted on 960208.
ORLENIAK, R.V. Region 2 (Post 820201). 96/01/17. MCCOLLUM, W.R. Duke Power Co. 3pp. 86883:052-86883:054.

9601280309 Submits RAI re scope of relief request, 95-00-002, from "controls & interlocks" requirements of ASME Code, Section III.
BERKOW, H.N. 96/01/18. TUCKMAN, J.S. Duke Power Co. 4pp. 86831:269-86831:272.

9601280351 Forwards marked pages reflecting approved revs to TS 4.9.1.9 to incorporate anticipated revs to TRs DPC-NE-3000P-A & DPC-3002-A.
TUCKMAN, J.S. Duke Power Co. 96/01/19. Document Control Branch (Document Control Desk). 2pp. 86858:060-86858:062.

9601280353 Proposed tech spec, providing approved revs to TS 4.9.1.9 to incorporate anticipated revs to TRs DPC-NE-3000P-A & DPC-3002-A.
". Duke Power Co. 96/01/19. 1p. 86858:062-86858:062.

9601250079 Forwards amendments 141 & 135 to licenses NPF-35 & NPF-52, respectively & safety evaluation. Amendments revise TS Table 4.4-4 to allow RCS gross specific activity measurement method to be changed from degassed to non-degassed method.
MARTIN, R.E. 96/01/22. MCCOLLUM, W.R. Duke Power Co. 3pp. 86856:228-86856:238.

9601250088 Amendments 141 & 135 to licenses NPF-35 & NPF-52, respectively, revising TS table 4.4-4 to allow RCS gross specific activity measurement method to be changed from current degassed method to non-degassed or pressurized flush method.
BERKOW, H.N. 96/01/22. 6pp. 86858:231-86858:236.

9601250092 Safety evaluation supporting amendments 141 & 135 to licenses NPF-35 & NPF-52, respectively.
". 96/01/22. 2pp. 86856:237-86856:238.

9601260114 Forwards amendments 142 & 136 to licenses NPF-35 & NPF-52, respectively & safety evaluation. Amendments revise TS SR 4.2.5.2 to delete requirement to calibrate RCS flowrate measurement instrumentation within 7 days.
MARTIN, R.E. 96/01/23. MCCOLLUM, W.R. Duke Power Co. 3pp. 86867:195-86867:206.

9601260124 Amendments 142 & 136 to licenses NPF-35 & NPF-52, respectively, revising TS SR 4.2.5.2 to delete requirement to calibrate RCS flowrate measurement instrumentation within 7 days prior to performance of flow measurement.
WIENS, L.A. 96/01/23. 8pp. 86867:196-86867:203.

9601260126 Safety evaluation supporting amendments 142 & 136 to licenses NPF-35 & NPF-52, respectively.
". 96/01/23. 3pp. 86867:204-86867:208.

9601280442 Suppl 7 to Generic Ltr 95-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in WPRs.
CRITCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 9pp. 86865:014-86865:016.

9501300038 Inform that DPC would like to take level of standby nuclear SW pond from 572 feet to 574 feet to provide additional DW due to operational concerns. ESTRIDGE, J. Duke Power Co. 95/01/25. Army, Dept. of, Corps of Engineers. 10pp. 86961:002-86961:011.

G. Inspection reports, E. Bulletins & correspondence

9501130011 Forwards Insp rept 50-288/95-24, 50-413/95-23, 50-369/95-26, 50-370/95-25, 50-270/95-24 & 50-287/95-24 to 951113-17 & NOV. FREDRICKSON, P. Region 2 (Post 820201). 95/12/22. TUCKMAN, M.S. Duke Power Co. 6pp. 86901:085-86901:082.

9501180021 Notice of violation from Insp on 951113-17. Violation noted: licensee allowed vendor to implement access authorization program after determining that vendor failed to assure that individuals were trustworthy & reliable approx 11 months. * Region 2 (Post 820201). 95/12/22. 2pp. 86901:072-86901:073.

9501180031 Insp rept 50-288/95-24, 50-413/95-23, 50-369/95-26, 50-370/95-25, 50-270/95-24 & 50-287/95-24 on 951113-17. Violations noted: Major areas inspected: licensee Access Authorization Program. THOMPSON, D. FREDRICKSON, P. Region 2 (Post 820201). 95/12/22. 9pp. 86901:074-86901:082.

9512270072 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:048-86758:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

9501840035 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870726). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501250261 Ack receipt of 951204 & 21 hrs informing NRC of steps taken to correct violations noted in Insp rept 50-413/95-20 & 50-414/95-20. CHLENAK, R.V. Region 2 (Post 820201). 95/01/30. MCCOLLUM, W.R. Duke Power Co. 3pp. 86862:009-86862:011.

9501300117 Forwards SE approving proposed alternative to use snubber Insp programs specified in TS 3.4.7.5 in lieu of requirements of ASME Code, Section XI, 1999 Edition for ISI program to snubber Insp frequencies. BERKOW, J.N. 95/01/11. MCCOLLUM, W.R. Duke Power Co. 3pp. 86908:260-86908:264.

9501180125 Safety evaluation approving proposed alternative to requirements of ASME Code, 1999 Edition, Section XI, w/ regard to visual exam & functional testing of Code Class 1, 2 & 3 snubbers. * 95/01/11. 2pp. 86908:260-86908:264.

9501180156 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86926:109-86926:120.

9501280260 Forwards response to NRC 951222 its re violations noted in Insp rept 50-288/95-02, 50-270/95-02, 50-369/95-02, 50-370/95-02, 50-413/95-02 & 50-414/95-02. C/A: completed audit of small local vendors. TUCKMAN, M.S. Duke Power Co. 95/01/22. Document Control Branch (Document Control Desk). 5pp. 86885:319-86885:323.

9501180306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86965:001-86965:010.

9501280139 NRC Info Notice 95-007, "Slow Five Percent Scram Initiation Times Caused by Vibration Diaphragms in Scram Solenoid Pilot Valves." CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 86965:017-86965:023.

R. Periodic operating reports & related correspondence

9501180174 Forwards monthly operating rept for Dec 1995 & revised rept for Nov 1995. WEBER, R.L. Duke Power Co. 95/01/16. Document Control Branch (Document Control Desk). 2pp. 86822:345-86822:355.

9501180175 Monthly operating rept for Dec 1995 for Catawba Nuclear Station. WILLIAMS, R.A. Duke Power Co. 95/12/31. 11pp. 86822:344-86822:354.

9501180178 Monthly operating rept for Nov 1995 for Catawba Nuclear Station. * Duke Power Co. 95/11/30. 1p. 86822:355-86822:356.

S. Reportable occurrences, LERs & related correspondence

9501130125 Special rept on 951120, during periodic surveillance testing, LPMS Channel 5 declared inoperable. Caused by erratic Pumping Bias Voltage indications. Work request 85048485 initiated to perform corrective maint during Unit 1 Cycle 9. MCCOLLUM, W.R. Duke Power Co. 95/12/18. Document Control Branch (Document Control Desk). 1p. 86787:347-86787:347.

9501060237 Final response to FOIA request for documents. App A documents and also placed in FOR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. MURTZ, E. 2pp. 86785:106-86785:154.

9501050247 Package consisting of event repts for 840413-17 for listed plants & Region I morning rept for 840413-15. * NRC - No Detailed Affiliation Given. 95/12/21. 47pp. 86756:106-86756:154.

V. Operator Examinations

9501040135 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam schedule. CRUTCHFIELD, D. 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776:001-86776:010.

9501050257 Confirms arrangements for administration of licensing exams at plant scheduled for wk of 950422. PEARLES, T.A. Region 2 (Post 820201). 95/01/17. MCCOLLUM, W.R. Duke Power Co. 7pp. 86962:002-86962:008.

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9501040379 Forwards public version of revised EPIPs, including EPIPs Index, Change 0 to RP/O/A/5000/08A, Change 0 to RP/O/A/5000/08B & Change 0 to RP/O/A/5000/08C. MCCOLLUM, W.R. Duke Power Co. 95/12/20. Document Control Branch (Document Control Desk). 2pp. 86740:147-86740:159.

9501040382 Public version of revised EPIPs, including EPIPs Index, Change 0 to RP/O/A/5000/08A, Change 0 to RP/O/A/5000/08B & Change 0 to RP/O/A/5000/08C. PATRICK, J.E. Duke Power Co. 95/12/06. 6pp. 86740:151-86740:159.

950130224 Forwards public version of rev 20 to EPIPs OP/O/A/5200/21, "Operating Procedure for Post Accident Liquid Sampling Sys II-4." W/950130 release memo. MCCOLLUM, W.R. Duke Power Co. 95/01/11. Document Control Branch (Document Control Desk). 3pp. 86948:056-86948:159.

950130225 Public version of Rev 20 to EPIPs OP/O/A/5200/21, "Operating Procedure for Post Accident Liquid Sampling Sys II-4." GREEN, J.C. Duke Power Co. 95/12/18. 10pp. 86948:060-86948:159.

P. Operating license stage documents & correspondence

9501020316 Notifies NRC staff of minor change to approved analysis methodology used for FSAR Chapter 15 analyses to support plants. TUCKMAN, M.S. Duke Power Co. 95/12/19. Document Control Branch (Document Control Desk). 3pp. 86690:359-86690:359.

9501020359 Forwards topical rept evaluation of Rev 1 to DPC-NE-3000-P, "Thermal-Hydraulic Transient Analysis Methodology." Rev 1 to sub rept acceptable for ref in licensing application to extent specified. TERPITS/NRC/95-4 also encl. MARTIN, R.E. 95/12/27. TUCKMAN, M.S. Duke Power Co. 5pp. 86692:043-86692:056.

9501020364 Topical rept evaluation of Rev 1 to DPC-NE-3000-P, "Thermal-Hydraulic Transient Analysis Methodology." Subj Rev 1 acceptable for ref in licensing application. * 95/12/27. 5pp. 86692:043-86692:052.

9501020374 "Technical Evaluation Thermal-Hydraulic Transient Analysis Methodology, DPC-NE-3000, Rev 3 for DPC." ABRAMSON, P.B. International Technical Services, Inc. FIN L-1318. ITS/NRC/95-4. 95/12/27. NRC - No Detailed Affiliation Given. 4pp. 86692:053-86692:065.

9501030344 Forwards SER of TR DPC-NE-3002, "FSAR Chapter 15 Sys Transient Analysis Methodology," which describes changes to DPC transient analysis methodology. Changes acceptable. Version of rept is rev 1. MARTIN, R.E. 95/12/28. TUCKMAN, M.S. Duke Power Co. 6pp. 86705:009-86705:023.

9501030354 Safety evaluation of Topical Rept DPC-NE-3002, "FSAR Chapter 15 System Transient Analysis Methodology," rev 1. * 95/12/28. 15pp. 86705:014-86705:029.

9501050364 Forwards Rev 23 to "Catawba Nuclear Station Units 1 & 2 Pumps & Valve IST Program." MCCOLLUM, W.R. Duke Power Co. 95/12/28. Document Control Branch (Document Control Desk). 4pp. 86763:058-86763:290.

9501050375 Rev 23 to "Catawba Nuclear Station Units 1 & 2 Pump & Valve IST Program." MILLER, D.D. Duke Power Co. 95/12/28. 23pp. 86763:060-86763:290.

9501050622 Forwards amendments 140 & 134 to licenses NPF-35 & NPF-52, respectively & SE. Amends change Updated Final Safety Analysis Rept. MARTIN, R.E. 95/12/29. MCCOLLUM, W.R. Duke Power Co. 4pp. 86690:271-86690:292.

9501050624 Amends 140 & 134 to licenses NPF-35 & NPF-52, respectively, changing Updated Final Safety Analysis Rept. WILKINS, L.A. 95/12/29. 4pp. 86690:275-86690:278.

9501050625 Safety evaluation supporting amendments 140 & 134 to licenses NPF-35 & NPF-52, respectively. * 95/12/29. 4pp. 86690:279-86690:292.

950110150 Forwards Rev 38 to "OCOM." TUCKMAN, M.S. Duke Power Co. 95/01/02. Document Control Branch (Document Control Desk). 2pp. 86765:001-86765:261.

950110154 Rev 39 to "OCOM." LOUCKS, L.E. Duke Power Co. 95/01/01. 27pp. 86765:003-86765:251.

110 DOCKETED ITEMS

9601190115 Forwards summary of public workshop to discuss GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves." FREDRICKSON, P. Region 2 (Post 820201). 96/01/08. MCCOLLUM, W.R. Duke Power Co. 22pp. 86905-001-86905-127.

9601190008 Informs that review of request for confirmation of acceptability of dated schedule for Catawba Unit 2 Cycle 9 core design expected to be complete by 960329, not 951231 as requested. MARTIN, R.E. 96/01/04. TUCKMAN, M.S. Duke Power Co. 4pp. 86773-284-86773-284.

9601190102 Confirms withdrawal of request for relief 95-08 & forwards Technical Position to close issue & identify weaknesses in 950511 submittal that should be addressed should similar circumstances be encountered in future. BERKOW, H.N. 96/01/04. MCCOLLUM, W.R. Duke Power Co. 4pp. 86773-318-86773-331.

-9601190113 "Technical Position by NRC ASME Code Repair Requirements Duke Power Co. at Plant." * 96/01/04. 12pp. 86773-320-86773-331.

9601050183 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 6pp. 86827-272-86827-280.

9601200159 Forwards Rev 10 to "Corporate Process Control Program Manual." TUCKMAN, M.S. Duke Power Co. 96/01/10. Document Control Branch (Document Control Desk). 1p. 86833-335-86833-350.

-9601200167 Rev 10 to "Corporate Process Control Program Manual." HAACK, E.J. Duke Power Co. 96/12/27. 20pp. 86833-357-86833-359.

9601200262 Application for amendments to licenses NPF-35 & NPF-52, removing process penetration M308 & containment isolation valves RN-428A & RN-432B from TS. MCCOLLUM, W.R. Duke Power Co. 96/01/11. Document Control Branch (Document Control Desk). 5pp. 86848-297-86848-323.

-9601200268 Proposed tech specs removing process penetration M308 & containment isolation valves RN-428A & 432B. * Duke Power Co. 96/01/11. 26pp. 86848-302-86848-323.

9601200336 Confirms 960113 telcon between Z Taylor & R Carroll re rescheduling 960117 mtg meeting to discuss status & results of performance improvement initiatives at plant. CRILENIAK, R.V. Region 2 (Post 820201). 96/01/11. MCCOLLUM, W.R. Duke Power Co. 3pp. 86853-144-86853-146.

9601200276 Application for amendments to Licenses NPF-35 & NPF-52, implementing performance-based containment leak rate testing requirement of 10CFR50 App J, Option B. TUCKMAN, M.S. Duke Power Co. 96/01/12. Document Control Branch (Document Control Desk). 5pp. 86843-252-86843-270.

-9601200281 Proposed tech specs re containment leak rate testing requirements of 10CFR50 App J, Option B. * Duke Power Co. 96/01/12. 14pp. 86843-257-86843-270.

9601200337 Confirms conversation between J Lowery & R Carroll on 960118 re changing time of 960208 mtg meeting to discuss status & results of performance improvement initiatives at plant. Meeting will be conducted on 960208. CRILENIAK, R.V. Region 2 (Post 820201). 96/01/17. MCCOLLUM, W.R. Duke Power Co. 3pp. 86862-082-86862-084.

9601200009 Submits RAI re scope of relief request, 95-GO-002, from "controls & interlocks" requirements of ASME Code, Section III. BERKOW, H.N. 96/01/18. TUCKMAN, M.S. Duke Power Co. 4pp. 86831-289-86831-272.

9601200051 Forwards marked pages reflecting approved revs to TS 6.9.1.9 to incorporate anticipated revs to TRS DPC-NE-3000P-A & DPC-3002-A. TUCKMAN, M.S. Duke Power Co. 96/01/18. Document Control Branch (Document Control Desk). 2pp. 86859-080-86859-082.

-9601200055 Proposed tech specs providing approved revs to TS 6.9.1.9 to incorporate anticipated revs to TRS DPC-NE-3000P-A & DPC-3002-A. * Duke Power Co. 96/01/18. 3p. 86859-082-86859-082.

9601200073 Forwards amendments 141 & 135 to licenses NPF-35 & NPF-52, respectively & safety evaluation. Amends revise TS Table 4.4-4 to allow RCS gross specific activity measurement method to be changed from degassed to non-degassed method. MARTIN, R.E. 96/01/22. MCCOLLUM, W.R. Duke Power Co. 3pp. 86858-238-86858-238.

-9601200088 Amends 141 & 135 to licenses NPF-35 & NPF-52, respectively, revising TS table 4.4-4 to allow RCS gross specific activity measurement method to be changed from current degassed method to non-degassed, or pretreated solution method. BERKOW, H.N. 96/01/22. 6pp. 86858-231-86858-236.

-9601200082 Safety evaluation supporting amends 141 & 135 to licenses NPF-35 & NPF-52, respectively. * 96/01/22. 2pp. 86858-237-86858-238.

9601200114 Forwards amends 142 & 136 to licenses NPF-35 & NPF-52, respectively & safety evaluation. Amends revise TS SR 4.2.6.2 to delete requirement to calibrate RCS flowrate measurement instrumentation within 7 days. MARTIN, R.E. 96/01/23. MCCOLLUM, W.R. Duke Power Co. 3pp. 86867-195-86867-206.

-9601200124 Amends 142 & 136 to licenses NPF-35 & NPF-52, respectively, revising TS SR 4.2.6.2 to delete requirement to calibrate RCS flowrate measurement instrumentation within 7 days prior to performance of flow measurement. WENIS, L.A. 96/01/23. 6pp. 86867-198-86867-202.

-9601200129 Safety evaluation supporting amends 142 & 136 to licenses NPF-35 & NPF-52, respectively. * 96/01/23. 3pp. 86867-204-86867-206.

9601190442 Suppl 7 to Generic Ltr 95-10 to all holders of OIs (except licenses awarded to possessors only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86950-011-86950-016.

9601300039 Informs that OPC would like to raise level of standby nuclear SW pond from 572 feet to 574 feet to provide add GW due to operational concerns. ESTRIDGE, J. Duke Power Co. 96/01/25. Army, Dept. of, Corps of Engineers. 10pp. 86961-008-86961-011.

9601310103 Forwards SE re 940914 Request for Relief 94-02 from certain ASME Code requirements determined to be impractical to perform at plant during second 10-yr interval. BERKOW, H.N. 96/01/25. MCCOLLUM, W.R. Duke Power Co. 3pp. 86960-058-86960-071.

-9601310184 Safety evaluation granting request for Relief 94-02, per 10CFR50.55(a)(6)(i). * 96/01/25. 13pp. 86960-061-86960-071.

Q. Inspection reports, IE Bulletins & correspondence

9601190011 Forwards insp repts 50-268/95-24, 50-413/95-23, 50-414/95-23, 50-368/95-26, 50-370/95-28, 50-270/95-24 & 50-257/95-24 on 951113-17 & NCV. FREDRICKSON, P. Region 2 (Post 820201). 96/12/22. TUCKMAN, M.S. Duke Power Co. 6pp. 86801-066-86801-082.

-9601390021 Notice of violation from insp on 951113-17. Violation noted: licensee allowed vendor to implement access authorization program after determining that vendor failed to assure that individuals were trustworthy & reliable, approx 11 months. * Region 2 (Post 820201). 95/12/22. 2pp. 86801-072-86801-073.

-9601190001 Insp repts 50-268/95-24, 50-413/95-23, 50-414/95-23, 50-368/95-26, 50-370/95-28, 50-270/95-24 & 50-257/95-24 on 951113-17. Violations noted: Major areas inspected: licensee Access Authorization Program. THOMPSON, J. FREDRICKSON, P. Region 2 (Post 820201). 95/12/22. 3pp. 86801-074-86801-082.

9612770372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 6pp. 86742-015-86742-023.

9612990129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Marked by Downstream Indicators During Testing." CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86760-040-86760-061.

9612990129 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 6pp. 86758-041-86758-048.

9601840035 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827-259-86827-271.

9601200281 Ack receipt of 951204 & 21 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/95-23 & 50-414/95-23. CRILENIAK, R.V. Region 2 (Post 820201). 96/01/10. MCCOLLUM, W.R. Duke Power Co. 3pp. 86862-009-86862-011.

9601190054 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. 6pp. 86828-109-86828-120.

9601200250 Forwards response to NRC 951822 ltr re violations noted in insp repts 60-268/95-02, 50-270/95-02, 50-257/95-02, 60-368/95-28, 50-370/95-28, 50-413/95-02 & 50-414/95-02 C/A: completed audit of small local vendors. TUCKMAN, M.S. Duke Power Co. 96/01/22. Document Control Branch (Document Control Desk). 9pp. 86855-318-86855-323.

9601190036 NRC Info Notice 96-006, "Design & Testing Deficiencies of Torpedo Damper on Nuclear Power Plants." CRUTCHFIELD, D. 96/01/26. Consolidated Edison Co. of New York, Inc. 10pp. 86950-001-86950-010.

9601200139 NRC Info Notice 96-007, "Slow Five Percent Scrub Inertion Times Caused by Vibration Disruptions in Scrub Solenoid Pilot Valves." CRUTCHFIELD, D. 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86960-017-86960-023.

R. Periodic operating reports & related correspondence

9601190174 Forwards monthly operating rpt for Dec 1995 & revised rpt for Nov 1995. WEBER, R.L. Duke Power Co. 96/01/15. Document Control Branch (Document Control Desk). 2pp. 86822-342-86822-355.

-9601190176 Monthly operating repts for Dec 1995 for Catawba Nuclear Station. WILLIAMS, R.A. Duke Power Co. 96/12/31. 11pp. 86822-344-86822-354.

-9601190174 Monthly operating repts for Nov 1995 for Catawba Nuclear Station. * Duke Power Co. 96/11/30. 1p. 86822-355-86822-355.

G. Reportable occurrences, LERs & related correspondence

9601200237 Final response to FOIA request for documents. App A documents end & also placed in PDF. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. KURTZ, E. 2pp. 86786-106-86786-154.

9601050247 Package consisting of event repts for 960413-17 for listed plants & Region I morning rept for 960413-16.
* NRC - No Detailed Affiliation Given. 95/12/21. 47pp. 86758:106-86758:154.

9601238028 Special repton 951214, Unit 2 DG void failure occurred. Caused by fuel line fitting backing off from cylinder head connection, which resulted in fuel oil leakage. DG successfully started, run & declared operable on 951215.
MCCOLLUM, W.R. Duke Power Co. 96/01/12. Document Control Branch (Document Control Desk). 4pp. 86845:356-86845:359.

9601238102 LER 96-006-06 on 951215, missed TS surveillance for so offsite power sources. Caused by personnel error. Discussed rept expectations for attention to detail w/Operator at Controls. 96/01/16 ltr.
KIMBALL, D.P., MCCOLLUM, W.R. Duke Power Co. 96/01/15. 9pp. 86868:293-86868:301.

V. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776:001-86776:010.

9601268257 Confirms arrangements for administration of licensing exams at plant scheduled for wk of 960422.
PEEBLES, T.A. Region 2 (Post 820201). 96/01/17. MCCOLLUM, W.R. Duke Power Co. 7pp. 86862:002-86862:008.

DOCKET 96-4-16 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9601028302 Responds to NRC 951108 RAI re GL 92-06, "Thermo-Lag 330-1 Fire Barrier."
HUTCHINSON, C.R. Entergy Operations, Inc. 96/12/20. Document Control Branch (Document Control Desk). 3pp. 86701:294-86701:296.

9601160304 Forwards FEMA final rept for 950913 plan emergency preparedness exercise. No deficiencies noted.
GWYNNE, T.P. Region 4 (Post 820201). 96/01/04. HUTCHINSON, C.R. Entergy Operations, Inc. 6pp. 86768:214-86768:215.

9601160324 Forwards final rept for 950913, off-site Radiological Emergency Preparedness Exercise at plant in Fort Gibson, MO. No deficiencies noted.
YOUNG, R.L. Federal Emergency Management Agency. 95/12/11. CALLAN, L.J. NRC - No Detailed Affiliation Given. 1p. 86768:219-86768:219.

9601160332 "Final Exercise Rept/Grand Gulf Nuclear Station."
* Federal Emergency Management Agency. 95/12/08. 56pp. 86768:220-86768:273.

9601160334 Forwards insp rept 50-416/95-20 on 951204-08. No violations noted.
GWYNNE, T.P. Region 4 (Post 820201). 96/01/12. HUTCHINSON, C.R. Entergy Operations, Inc. 6pp. 86811:056-86811:057.

9601160338 Partially withheld insp rept 50-416/95-20 on 951204-08. No violations noted. Major areas inspected: support, rept effectiveness, security plans & procedures, testing & maint, compensatory measures & assessment add'l (rel 10CFR73.21).
MURRAY, B. Region 4 (Post 820201). 96/01/10. 3pp. 86811:065-86811:067.

P. Operating license stage documents & correspondence

9601030136 Trip rept of 951117 visit to GGNS to observe conduct of 6th meeting of GGNS' expert panel that discussed & reached agreement on certain elements of QA criteria for "procurement of low safety significance components."
PETROSINO, J.J. 95/12/18. BLACK, S.C. 68pp. 86893:090-86893:148.

9601020302 Responds to NRC 951108 RAI re GL 92-06, "Thermo-Lag 330-1 Fire Barrier."
HUTCHINSON, C.R. Entergy Operations, Inc. 95/12/20. Document Control Branch (Document Control Desk). 3pp. 86701:294-86701:296.

9601250047 Notification of 960104 meeting w/Unit in Rockville, MD to discuss NRC policy re requirement for defense in depth to mitigate consequences of fuel handling accident.
O'CONNOR, P.W. 95/12/28. BECKNER, W.D. 3pp. 86856:220-86856:223.

9601040022 Forwards revised summary of Grand Gulf Performance-Based Audit Meeting. Revision includes correct slides to licensee presentation.
DYER, J.E. Region 4 (Post 820201). 95/12/28. HUTCHINSON, C.R. Entergy Operations, Inc. 45pp. 86892:178-86892:230.

9601040038 Submits revised summary of Grand Gulf graded QA meeting held 951116 at Region IV site. Forwards correct slides in end 2 licensee presentation & list of attendees.
DYER, J.E. Region 4 (Post 820201). 95/12/29. HUTCHINSON, C.R. Entergy Operations, Inc. 107pp. 86898:060-86898:165.

9601160319 Notifies of transfer of beneficial interest in facility by equity investor.
TOY, T.M. Winthrop, Gilman, Putnam & Roberts. 95/12/29. Document Control Branch (Document Control Desk). 2pp. 86821:358-86821:359.

9601050331 Forwards comments & concerns on plant operational QA manual & technical requirements manual changes based on review of Unit 951108 ltr & 951116 meeting.
BECKNER, W.D. 96/01/09. HUTCHINSON, C.R. Entergy Operations, Inc. 6pp. 86749:292-86749:297.

9601160243 Discusses 951220 meeting re discussions about various screens that have occurred during last several months. Initiative to have external evaluation performed & actions to be taken to minimize recurrence. W/attendee list.
DYER, J.E. Region 4 (Post 820201). 96/01/03. HUTCHINSON, C.R. Entergy Operations, Inc. 49pp. 86768:112-86768:160.

9601130246 Revision 1 to notification of licensee meeting w/Unit on 960119 to discuss Emergency response engineering & maint initiatives.
DYER, J.E. Region 4 (Post 820201). 96/01/03. Region 4 (Post 820201). 6pp. 86768:184-86768:171.

9601160365 Discusses 951220 meeting related to providing Region IV personnel familiarization w/Unit department.
DYER, J.E. Region 4 (Post 820201). 96/01/03. HUTCHINSON, C.R. Entergy Operations, Inc. 107pp. 86768:103-86768:208.

9601160346 Notification of licensee meeting w/Unit on 960124 to discuss Engineering & Plant Support organizations successes, challenges & initiatives.
DYER, J.E. Region 4 (Post 820201). 96/01/03. Region 4 (Post 820201). 6pp. 86768:351-86768:355.

9601160248 Responds to NRC 951113 RAI re update of ISU/IST programs.
DEWEASE, J.G. Entergy Operations, Inc. 96/01/05. Document Control Branch (Document Control Desk). 6pp. 86774:352-86774:357.

9601050193 Generic Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 6pp. 86827:272-86827:280.

9601170262 Forwards final rev of Transition Implementation Plan used to identify & track activities associated w/transferring regional oversight responsibility for Units to Region IV site.
CALLAN, L.J. Region 4 (Post 820201). 96/01/11. RUSSELL, W.T. 3pp. 86768:209-86768:213.

9601170300 "Cellar & Grand Gulf Transition Implementation Plan, Rev 8."
* NRC - No Detailed Affiliation Given. 96/01/09. 36pp. 86752:064-86752:101.

9601230336 Advises that based on review of rev 14 of licensee operational QA manual submitted on 951215, manual continues to meet requirements of 10CFR50, App B & applicable.
GWYNNE, T.P. Region 4 (Post 820201). 96/01/18. HUTCHINSON, C.R. Entergy Operations, Inc. 6pp. 86827:070-86827:074.

9601160442 Suppl 7 to Generic Ltr 89-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86865:011-86865:016.

9601290063 Forwards draft guidance to clarify expectations re graded QA programs.
DONCHEW, J.M. 96/01/24. HUTCHINSON, C.R. Entergy Operations, Inc. 6pp. 86862:310-86862:340.

9601290073 "NRC Draft Evaluation Guide/Development of Graded Quality Assurance Programs," rev 2.
* 96/01/24. 33pp. 86862:317-86862:350.

Q. Inspection reports, IS Bulletin & correspondence

9601020323 Requests approval, per 10CFR50.55(a)(3), for use of ASME Code Case N-488-2, "Alternative Requirements for 10-Yr Sys Hydraulic Testing for Class 1, 2 & 3 Sys, Section XI, Div 1," by 960301.
MIMS, D.O. Entergy Operations, Inc. 95/12/28. Document Control Branch (Document Control Desk). 2pp. 86701:334-86701:337.

9612270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:023.

9512290129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86768:048-86768:061.

9512290299 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 9pp. 86768:041-86768:049.

9601160248 Responds to NRC 951113 RAI re update of ISU/IST programs.
DEWEASE, J.G. Entergy Operations, Inc. 96/01/05. Document Control Branch (Document Control Desk). 6pp. 86774:352-86774:357.

9601160255 Forwards insp rept 50-416/95-18 on 951022-1202. No violations noted.
DYER, J.E. Region 4 (Post 820201). 96/01/09. HUTCHINSON, C.R. Entergy Operations, Inc. 6pp. 86768:076-86768:093.

9601160260 Insp rept 50-416/95-18 on 951022-1202. No violations noted. Major areas inspected: onsite review of events, operational safety verification, maint & surveillance observations, onsite engineering & plant support activities.
HARRELL, P.N. Region 4 (Post 820201). 96/01/02. 13pp. 86768:081-86768:093.

9601040338 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COCH, O.A. Division of Industrial & Medical Nuclear Safety (Post 870725). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9601170012 Forwards insp rept 50-416/95-19 on 951211-15. No violations noted.
GWYNNE, T.P. Region 4 (Post 820201). 96/01/10. HUTCHINSON, C.R. Entergy Operations, Inc. 6pp. 86771:032-86771:045.

9601170014 Insp rept 50-416/95-19 on 951211-15. No violations noted. Major areas inspected: audits, upgrades, effectiveness of licensee controls, changes to organization, facilities & procedures.
MURRAY, B. Region 4 (Post 820201). 96/01/08. 9pp. 86771:037-86771:045.

112 DOCKETED ITEMS

9601190334 Forwards insp rept 50-416/95-20 on 951204-05. No violations noted. GUYNN, T.P., Region 4 (Post 820201). 96/01/12. HUTCHINSON, C.R. Energy Operations, Inc. 8pp. 86811:059-86811:067.

9601190338 Partially withheld insp rept 50-416/95-20 on 951204-05. No violations noted. Major areas inspected: right support, right effectiveness, security plans & procedures, testing & maint, compensatory measures & assessment, scheduled 10CFR73.21. MURRAY, B., Region 4 (Post 820201). 96/01/10. 8pp. 86811:065-86811:067.

9601110856 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D., 96/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86828:109-86828:120.

9601190306 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants." CRUTCHFIELD, D., 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86828:001-86828:010.

9601290374 Canceled insp Rept 50-416/95-15. GUYNN, T.P., Region 4 (Post 820201). 96/01/25. 8pp. 86828:328-86828:332.

9601260139 NRC Info Notice 96-007, "Slow Flow Percent Scram Insertion Times Caused By Valve Discrepancy in Scram Solenoid Pilot Valves." CRUTCHFIELD, D., 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86828:017-86828:022.

R. Periodic operating reports & related correspondence

9601220311 Monthly operating rept for Dec 1995 for Grand Gulf Nuclear Station Unit 1. W/960115 tr. LINDS, D., HUTCHINSON, C.R. Energy Operations, Inc. 96/12/31. 8pp. 86843:318-86843:323.

B. Reportable occurrences, LERs & related correspondence

9601290333 LER 96-001-00 on 951111, HPCS SDG started on valid initiation signal. Caused by incident weather in area of plant site. No corrective action necessary. W/960118 tr. OVERSILL, J., HUTCHINSON, C.R. Energy Operations, Inc. 96/01/16. 4pp. 86841:216-86841:219.

V. Operator Examinations

9601040139 NRC Administrative Ltr 96-01 to all holders of OUs or CPs for nuclear power reactors re operator licensing test exam schedule. CRUTCHFIELD, D., 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9601030159 Trip rept of 951117 visit to G2NS to observe conduct of 6th meeting of GNS expert panel that discussed & reached agreement on certain elements of QA criteria for "procurement of low safety significance components." PETROSINO, J.J., 96/12/19. BLACK, S.C., 8pp. 86853:080-86853:146.

9601250047 Notification of 960104 meeting w/UP in Rockville, MD to discuss NRC policy re requirement for defense in depth to mitigate consequences of fuel handling accident. O'DONNOLP, W., 96/12/29. BECKNER, W.D., 3pp. 86858:220-86858:223.

9601190243 Discusses 951220 meeting re discussions about various scrams that have occurred during last several months, initiative to have external evaluation performed & actions to be taken to minimize recurrence. W/attendee list. DYER, J.E., Region 4 (Post 820201). 96/01/03. HUTCHINSON, C.R. Energy Operations, Inc. 4pp. 86760:112-86760:160.

9601190065 Discusses 951220 meeting related to providing Region IV personnel familiarization w/maint department. DYER, J.E., Region 4 (Post 820201). 96/01/03. HUTCHINSON, C.R. Energy Operations, Inc. 10pp. 86761:103-86761:203.

9601179262 Forwards final rev of Transition Implementation Plan used to identify & track activities associated w/transferring regional oversight responsibility for unit to Region IV etc. CALLAN, J.J., Region 4 (Post 820201). 96/01/11. RUSSELL, W.T., 3pp. 86782:081-86782:101.

9601170309 "Callaway & Grand Gulf Transition Implementation Plan, Rev 8." * NRC - No Detailed Attribution Given. 96/01/09. 3pp. 86782:084-86782:101.

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9601180337 Forwards insp rept 50-245/95-38, 50-336/95-38 & 50-423/95-38 on 951004-1104 & notice of violation. Violation of concern because similar violation cited in Mar 1985 as result of eleven missed surveillances. COOPER, R.W., Region 1 (Post 820201). 95/12/10. BUSCH, R.E. Northeast Utilities Service Co. 4pp. 86822:112-86822:156.

9601090254 Insp rept 50-245/95-38, 50-336/95-38 & 50-423/95-38 on 951004-1104. Violations noted. Major areas inspected: plant operations, radiological controls, maint surveillance, security, outage activities & licensee self-assessment. DURR, J.P., Region 1 (Post 820201). 95/12/14. 3pp. 86822:118-86822:156.

9601180356 Revised EPIPs including Rev 169 to 4000 procedure index, Rev 1, Change 1 to EPOP 4411, Rev 1 to EPOP 4415 & Rev 1 to EPOP 4428D. * Northeast Nuclear Energy Co. 95/12/20. 34pp. 86817:222-86817:235.

9601179154 Rev 19 to Milestone Nuclear Power Station Emergency Plan. * Northeast Nuclear Energy Co. 95/12/31. 33pp. 86784:099-86784:133.

9601180402 Provides response to weakness/concern noted in 951102 final rept of operational safeguards response evaluation conducted from 950818-22. MILLER, D.S., Northeast Nuclear Energy Co. 96/01/05. CUNNINGHAM, L.J., 2pp. 86774:360-86774:361.

9601220222 Rev 1 to Emergency Plan Operating Procedure 4429G, "Protective Action Recommendations." W/Rev 170 to 4000 procedure index. MACLEAN, J., Northeast Nuclear Energy Co. 96/01/10. 12pp. 86843:222-86843:233.

H. General correspondence

9601310236 Notices of establishment of new Chief Nuclear Officer & functional organization, effective 960201. BUSCH, R.E., Connecticut Yankee Atomic Power Co. 96/01/17. Document Control Branch (Document Control Desk). 4pp. 86851:281-86851:284.

9601230456 Forwards general release given to recently terminated employee for signature before obtaining severance from NU. BLANCHET, M., Attention Not Assigned. 96/01/21. ZWOLINSKI, J.A., 5pp. 86870:021-86870:025.

F. Operating license stage documents & correspondence

9601020060 Provides NRC staff w/update to schedule for performing baseline testing of motor control air & rod control area air conditioning heat exchangers, per GL 95-13. DEBARBA, E.A., Northeast Nuclear Energy Co. DEBARBA, E.A. Northeast Utilities Service Co. 95/12/22. Document Control Branch (Document Control Desk). 2pp. 86761:266-86761:267.

9601030362 Forwards amend 124 to license NPF-49 & safety evaluation. Amend revises frequency of those SR for ECCSs that require surveillances to be performed at least once per 18 months to at least once per refueling interval. ROONEY, V.L., 95/12/28. BUSCH, R.E., KACHUR, J.M., Northeast Utilities Service Co. 4pp. 86705:030-86705:047.

9601030274 Amend 124 to license NPF-49, revising frequency of those SR for ECCSs that require surveillances to be performed at least once per 18 months to at least once per refueling interval. MCKEE, P.F., 96/12/28. 8pp. 86705:034-86705:039.

9601030280 Safety evaluation supporting amend 124 to license NPF-49. * 95/12/28. 8pp. 86705:040-86705:047.

9601030352 Forwards amend 122 to license NPF-49 & safety evaluation. Amend revises TS to extend interval for performance of selected surveillances to accommodate 24-month fuel cycle & changes definition for refueling interval. ROONEY, V.L., 95/12/28. BUSCH, R.E., Northeast Utilities Service Co. 4pp. 86705:108-86705:140.

9601030358 Amend 122 to license NPF-49, revising TS to extend interval for performance of selected surveillances to accommodate 24-month fuel cycle. * 95/12/28. 12pp. 86705:112-86705:123.

9601030362 Safety evaluation supporting amend 122 to license NPF-49. * 95/12/28. 17pp. 86705:124-86705:140.

9601040024 Forwards amend 123 to license NPF-49 & safety evaluation. Amend revises TS re plant air filtration & ventilation sys to extend surveillance frequencies from once per 18 months to once each refueling interval. ROONEY, V.L., 95/12/28. BUSCH, R.E., Northeast Utilities. 4pp. 86740:045-86740:076.

9601040028 Amend 123 to license NPF-49, revising TS re plant air filtration & ventilation sys to extend surveillance frequencies from once per 18 months to once each refueling interval. MCKEE, P.F., 95/12/28. 13pp. 86740:049-86740:061.

9601040031 Safety evaluation supporting amend 123 to license NPF-49. * 95/12/28. 14pp. 86740:062-86740:075.

9601180169 Informs NRC that CYAPCO & NNECO plan to submit response to NRC 951211 RAI re GL 95-08, "Circumferential Cracking of SG Tubes" on or before 960216. DEBARBA, E.A., Connecticut Yankee Atomic Power Co. DEBARBA, E.A. Northeast Nuclear Energy Co. DEBARBA, E.A. Northeast Utilities Service Co. 96/01/02. Document Control Branch (Document Control Desk). 2pp. 86778:331-86778:332.

9601180834 Change 2 to rev 18 to QAP 1.0. PAJUGA, R., Northeast Utilities. 96/01/05. 40pp. 86775:312-86775:360.

9601090193 Generic Ltr 96-01 to all holders of OUs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D., 96/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 86827:272-86827:280.

9601230083 Notification of 960130 meeting w/UP & Westinghouse Energy Sys in Rockville, MD to discuss instrumentation & controls 24-month surveillance extensions at 100%. GRIGGS, M., 96/01/17. MCKEE, P.F., 3pp. 86829:277-86829:278.

9601230195 Application for amend to license NPF-49, deleting license condition 5.C(4). DEBARBA, E.A., Northeast Nuclear Energy Co. DEBARBA, E.A. Northeast Utilities Service Co. 96/01/17. Document Control Branch (Document Control Desk). 8pp. 86859:343-86859:354.

9601230197 Proposed tech specs, deleting license condition 2.C(4). * Northeast Nuclear Energy Co. 96/01/17. 3pp. 86859:352-86859:354.

9601268108 Forwards amends 91,193 & 195 to licensees DPR-21, DPR-65 & NPF-48, respectively, safety evaluation. Amends revise administrative controls section of TS to allow implementation of Station Qualified Reviewer Program. MCKEE, P.F., 96/01/17. BUSCH, R.E. Northeast Utilities Service Co. 5pp. 86854:226-86854:277.

9601268112 Amends 91,193 & 195 to licensees DPR-21, DPR-65 & NPF-48, respectively, revising administrative controls section of TS to allow implementation of Station Qualified Reviewer Program for review & approval of selected procedures. MCKEE, P.F., 96/01/17. 4pp. 86854:233-86854:273.

9601268116 Safety evaluation supporting amends 91,193 & 126 to licensees DPR-21, DPR-65 & NPF-48, respectively. 96/01/17. 4pp. 86854:274-86854:277.

9601268442 Suppl 7 to Generic Lir 69-30 to all holders of OLs (except licensees amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D., 96/01/24. Consolidated Edison Co. of New York, Inc. 4pp. 86858:011-86858:016.

G. Inspection reports, IE Bulletins & correspondence

9601268237 Forwards insp repts 50-245/95-38, 50-336/95-38 & 50-423/95-38 on 951004-1104 & notices of violation. Violation of concerns because similar violation cited in Mar 1985 as result of eleven missed surveillances. COOPER, R.W. Region 1 (Post 820201). 95/12/18. BUSCH, R.E. Northeast Utilities Service Co. 4pp. 86882:112-86882:158.

9601268248 Notice of violation from insp on 951004-1104. Violation noted: corrective actions taken at units 2 & 3 to preclude repetition of recurrent instances of missed TS surveillances inadequate. * Region 1 (Post 820201). 95/12/18. 2pp. 86882:116-86882:117.

9601268254 Insp repts 50-245/95-38, 50-336/95-38 & 50-423/95-38 on 951004-1104. Violations noted: major areas inspected: plant operations, radiological controls, maintenance surveillance, security, outage activities & licensee self-assessment. DURR, J.P. Region 1 (Post 820201). 95/12/14. 3pp. 86882:118-86882:158.

9612278372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety." CRUTCHFIELD, D., 96/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86748:015-86748:023.

9612284129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D., 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

9612285288 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D., 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

9601268338 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses." COLO, A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9601268118 Response to violations noted in insp repts 50-245/95-31, 50-336/95-31 & 50-423/95-31. Corrective actions: water sys operational performance insp self-assessment will be completed by 960331. MILLER, D.B. Northeast Nuclear Energy Co. 96/01/10. Document Control Branch (Document Control Desk). 10pp. 86858:169-86858:178.

9601268027 Requests relief from requirements of 10CFR50.55(a) for performing required exams for certain Class 1 components per ASME Section XI for facility J81 programs Relief Requests R-20 & R-22 incl. DEBARBA, E.A. Northeast Nuclear Energy Co. DEBARBA, E.A. Northeast Utilities Service Co. 96/01/12. Document Control Branch (Document Control Desk). 18pp. 86843:141-86843:159.

9601110058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D., 96/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86826:106-86826:120.

9601190306 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornade Dampers at Nuclear Power Plants." CRUTCHFIELD, D., 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86885:001-86885:013.

9601268130 NRC Info Notice 96-007, "Slow Five Percent Scram Insertion Times Caused By Vibration Diaphragms in Scram Solenoid Pilot Valves." CRUTCHFIELD, D., 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86885:017-86885:023.

H. Periodic operating reports & related correspondence

9601268161 Monthly operating repts for Dec 1995 for Milestone Units 1-3. W/960111 Jr. NEWBURN, G., BORCHERT, L., MILLER, D.B. Northeast Nuclear Energy Co. 95/12/31. 13pp. 86859:263-86859:283.

I. Reportable occurrences, LERs & related correspondence

9601050308 LER 95-019-00 on 951201. Leaks found in 3/4 inch socket welds on C RCS Loop Flow Instrumentation line & RCS Seal Injection drain line. Caused by vibration induced fatigue at stress riser in weld. Welds & weld bosses removed. W/951222 Jr. MCGUINNESS, R.L., MILLER, D.B. Northeast Nuclear Energy Co. MILLER, D.B. Northeast Utilities Service Co. 95/12/22. 4pp. 86705:168-86705:172.

9601050300 LER 95-020-00 on 951202. Discovered leak on valve stem leak-off pipe for RHR supply from RCS Loop A. Inboard isolation valve. Caused by mechanical damage resulting from tensile overboard. Removed pipe & valve weld. W/951228 Jr. MCGUINNESS, R.L., MILLER, D.B. Northeast Nuclear Energy Co. MCGUINNESS, R.L. Northeast Utilities Service Co. 95/12/26. 6pp. 86768:345-86768:350.

9601190075 LER 95-021-00 on 951207. Loop stop valves on one loop opened w/o performing TS surveillance due to procedure inadequacy. UOI evaluated whether change needed to clarify TS. W/960118 Jr. MCGUINNESS, R.L., MILLER, D.B. Northeast Nuclear Energy Co. MILLER, D.B. Northeast Utilities Service Co. 96/01/05. 4pp. 86828:121-86828:124.

9601190406 LER 95-022-00 on 951214. EBF activation of AF eye occurred. Caused by failure of "C" 80 atmospheric dump valve to close. New piston rings will be installed & operator training will be conducted on event. W/960110 Jr. MCGUINNESS, R.L., MILLER, D.B. Northeast Nuclear Energy Co. 96/01/10. 6pp. 86840:190-86840:197.

V. Operator Examinations

9601190278 Inform of individual exam results for applicants on initial exam conducted on 951120 & 1126-1201 at facility. Forwards ES-601-2 power plant licensing exam results summary & summary of overall exam results. MEYER, G.W. Region 1 (Post 820201). 96/01/09. LAZAROV, D.A. Northeast Nuclear Energy Co. 2pp. 86788:152-86788:153.

9601040138 NRC Administrative Lir 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing natl exam schedule. CRUTCHFIELD, D., 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

DOCKET 96-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9601268008 FOIA request for all documents re request for investigation R8-91-40 & safeguards info contained in any tape recording A Moshbaugh provided to NRC. KORN, M.D. Korn, Kohn & Colapinto, P.C. (formerly Korn & Associates). 95/09/20. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 86854:048-86854:049.

9601268062 FOIA request for records re request for investigation R8-91-10. VEIRA, E.F. Troutman Sanders (formerly Troutman, Sanders, Lockman & Ashmore). 95/10/06. KAMMERER, C. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 86854:061-86854:062.

9601268012 Rev 7 to EPP 91301-C, "Emergency Exposure Guidelines." W/ 951228 Jr. BEASLEY, J.B. Georgia Power Co. 95/12/28. 10pp. 86883:345-86883:357.

9601110168 Forwards partially withheld insp repts 50-424/95-29 & 50-425/95-29 on 951127-1201 & NCRs. Details withheld (ref 10CFR73.21). FREDRICKSON, P. Region 2 (Post 820201). 95/12/29. MCCOY, C.K. Georgia Power Co. 4pp. 86768:338-86768:346.

9601110170 Notice of violation from insp on 951127-1201. Violation noted: during random review of testing & maint documents, four quarterly insp documents not retained & on 951014, unsecured & unattended safeguards info contained found. * Region 2 (Post 820201). 95/12/29. 2pp. 86768:337-86768:338.

9601110175 Partially withheld insp repts 50-424/95-29 & 50-425/95-29 on 951127-1201. Violations noted: major areas inspected: physical security program, including mgmt control & vital access control for personnel & vehicles. Details withheld. STANBERRY, W.W., FREDRICKSON, P. Region 2 (Post 820201). 95/12/29. 2pp. 86768:339-86768:340.

9601268028 Inform that plant Units 1 & 2 chosen for optional safeguards response evaluation program scheduled for wk of 960205-06. FREDRICKSON, P. Region 2 (Post 820201). 96/01/10. MCCOY, C.K. Georgia Power Co. 4pp. 86862:029-86862:031.

9601268031 Second partial response to FOIA request for records. App A & releasable portions of App B records and & available in PDF. App B record partially withheld (ref FOIA Exemption 5). POOL, J.L. Division of Freedom of Information & Publications Services (Post 940714). 96/01/11. KORN, M.D. Korn, Kohn & Colapinto, P.C. (formerly Korn & Associates). 4pp. 86854:060-86854:060.

9601268019 Notices of case closing re alleged provision of Vogtle safeguards info to Turkey Point security officer. VORSE, J.Y. Otc of Investigations (Post 880201). 92/09/14. EBNETER, S.D. Region 2 (Post 820201). 3pp. 86854:054-86854:056.

9601268026 Discusses request for investigation R8-91-10 re former employee A Moshbaugh currently in possession of safeguards info. VORSE, J.Y. Otc of Investigations (Post 860201). 92/08/17. EBNETER, S.D. Region 2 (Post 820201). 4pp. 86854:057-86854:060.

9601268073 Confirms mgmt meeting scheduled for 960226 in Atlanta, GA to discuss safeguards security issues that occurred within past eighteen months at plant per arrangements made between D Buzar & PH Skinner on 960116. SKINNER, P.H. Region 2 (Post 820201). 96/01/17. MCCOY, C.K. Georgia Power Co. 3pp. 86866:001-86866:003.

9601268172 Revised EPPs, including Rev 12 to B1401-C, "Assembly & Accountability" & Rev 18 to B1704-C, "Actions for Security During Radiological Emergency." W/ 960118 Jr. BEASLEY, J.B. Georgia Power Co. 96/01/18. 23pp. 86898:132-86898:154.

G. Adjudicatory correspondence

9601050135 Forwards corrected page 16 of "NRC Staff Proposed Findings of Fact & Conclusions of Law in Form of Initial Decision." dtd 951212 for insertion in Sing. YOUNG, M.A. Office of the General Counsel (Post 860701). #196 17383. 95/12/21. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.J. Atomic Safety & Licensing Board Panel. 1p. 86728:359-86728:360.

114 DOCKETED ITEMS

-9501050149 Corrected page 16 to "NRC Staff Proposed Findings of Fact & Conclusions of Law in Form of Initial Decision," correcting first full sentence.
* Office of the General Counsel (Post 860701). 9/12/21. 1p. 86726:350-86725:360.

9501050128 Georgia Power Co reply to intervenor & NRC Staff proposed findings of fact & conclusions of law. W/Concise of Svc.
LEWIS,D.R. Georgia Power Co. LEWIS,D.R. Shaw, Pitman, Potts & Townbridge. #196 17387. 9/12/22. 275pp. 86726:001-86726:275.

9501050296 Forwards listed evidentiary analysis for Board to provide to Oic of Secretary Board request.
YOUNG,M.A. Office of the General Counsel (Post 860701). #196 17388. 9/12/22. BLOCH,P.S., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 3pp. 86727:187-86727:198.

P. Operating license stage documents & correspondence

9501030087 Notification of 950111 & 0112 meetings w/utl in Waynesboro,GA to discuss general site & corporate orientation & review of site & corporate engineering activities that support plant operations.
WHEELER,L.L. 9/12/28. WIENS,L.A. 4pp. 86800:235-86800:236.

9501050058 Ltr contracted 4 to task order 42, extending period of performance of task order from 951225-961221 to "PPE Reviews for Back End Containment Performance & Source Term Analysis- Internal Events Only (Vogtle)."
MACE,M. Division of Contracts (Post 840714). NRC-04-81-088. 9/12/29. AFABLE,S.L. SCIENTECH, Inc. 2pp. 86743:209-86743:210.

9501190033 Summaries one-day public workshops conducted in Oct & Nov 1995, discussing GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves." List of meeting participants, staff & industry presentation handouts encl.
FREDRICKSON,P. Region 2 (Post 820201). 9/10/03. MCCOY,C.K. Georgia Power Co. 12pp. 86802:001-86802:127.

9501180429 Forwards "Notice of Consideration of Issuance of Amendments to Licenses & Opportunity for Hearing," related to 950501 application for amendments, revising TS to be consistent w/ provisions of NUREG-1431.
WHEELER,L.L. 9/10/04. MCCOY,C.K. Georgia Power Co. 3pp. 86810:153-86810:152.

-9501180437 Notice of consideration of issuance of amendments to licenses NPF-68 & NPF-84 & opportunity for hearing. Amendments would revise TS to be consistent w/ provisions of NUREG-1431, "Std TS W Plants."
WIENS,L.A. 9/10/04. 7pp. 86810:188-86810:192.

9501060153 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD,D. 9/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 86827:272-86827:280.

9501260310 Requests utl comply w/951221 ltr which required response to apparent violations re DOT case numbers 91-SRA-01 & 91-SRA-11.
BERNETT,S.D. Region 2 (Post 820201). 9/10/12. HAINSTON,W.S. Georgia Power Co. 4pp. 86822:032-86822:035.

9501260265 Confirms mgmt meeting scheduled for 950220 in Birmingham,AL to discuss current Southern Nuclear Operating Co organization, engineering design & technical investigation status & major problems at plants per telcon w/J Woodward.
SKINNER,P.H. Region 2 (Post 820201). 9/10/18. HAINSTON,G. Georgia Power Co. 5pp. 86833:018-86833:022.

9501180442 Suppl 7 to Generic Ltr 89-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve repositioning in PWRs.
CRUTCHFIELD,D. 9/10/24. Consolidated Edison Co. of New York, Inc. 6pp. 86865:011-86865:016.

9501290223 Forwards Rev 0 to "Vogtle Electric Generating Plant - Unit 1 Pressure & Temp Limits Rept" & Rev 0 to "Vogtle Electric Generating Plant - Unit 2 Pressure & Temp Limits Rept."
MCCOY,C.K. Georgia Power Co. 9/10/25. Document Control Branch (Document Control Desk). 3pp. 86896:217-86896:275.

-9501290222 "Vogtle Electric Generating Plant - Unit 1 Pressure & Temp Limits Rept" BAILEY,J.A. Georgia Power Co. 9/10/23. 31pp. 86896:220-86896:250.

-9501290226 Rev 0 to "Vogtle Electric Generating Plant - Unit 2 Pressure & Temp Limits Rept" BAILEY,J.A. Georgia Power Co. 9/10/23. 26pp. 86896:251-86896:275.

Q. Inspection reports, all Bulletin & correspondence

9501110158 Forwards partially withheld insp repts 50-424/95-29 & 50-425/95-29 on 951127-1201 & NOV6. Details withheld (w/ 10CFR73.21).
FREDRICKSON,P. Region 2 (Post 820201). 9/12/29. MCCOY,C.K. Georgia Power Co. 4pp. 86788:333-86788:340.

-9501130170 Notice of violation from insp on 951127-1201. Violation noted during random review of testing & maint documents, four quarterly insp documents not retained & on 951014, unsecured & unattended safeguards info container found.
* Region 2 (Post 820201). 9/12/29. 2pp. 86788:337-86788:338.

-9501130176 Partially withheld insp repts 50-424/95-29 & 50-425/95-29 on 951127-1201. Violations noted. Major areas inspected: physical security program, including mgmt control & vital access control for personnel & vehicles. Details withheld.
STANSBERRY,W.W., FREDRICKSON,P. Region 2 (Post 820201). 9/12/29. 2pp. 86788:339-86788:340.

9512270373 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD,D. 9/10/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740:015-86740:022.

9501190072 Ack receipt of 951222 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/95-27 & 50-425/95-27.
SKINNER,P.H. Region 2 (Post 820201). 9/10/04. MCCOY,C.K. Georgia Power Co. 3pp. 86803:357-86803:359.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indicators During Testing."
CRUTCHFIELD,D. 9/10/05. Consolidated Edison Co. of New York, Inc. 13pp. 86788:049-86788:061.

9512290298 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD,D. 9/10/05. Consolidated Edison Co. of New York, Inc. 3pp. 86788:041-86788:048.

9501040336 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870726). 9/10/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501260286 Forwards insp repts 50-424/95-28 & 50-425/95-28 on 951119-1215 & NOV.
SKINNER,P.H. Region 2 (Post 820201). 9/10/10. MCCOY,C.K. Georgia Power Co. 4pp. 86861:302-86861:322.

-9501260288 Notice of violation from insp on 951119-1215. Violation noted: licensee failed to transfer issue authorization or inst/equipment request number to secondary oil containers stored in predictive oil lab.
* Region 2 (Post 820201). 9/10/10. 2pp. 86861:307-86861:308.

-9501260274 Insp repts 50-424/95-28 & 50-425/95-28 on 951119-1215. Violations noted: Major areas inspected: plant operations, surveillance, maintenance engineering/equipment support & follow-up.
GULE,C.R., HOPKINS,P.G., WIDMANN,M.T. Region 2 (Post 820201). 9/10/10. 21pp. 86861:309-86861:329.

9501260273 Forwards exam repts 50-424/95-300 & 50-425/95-300 on 951211-15. Four candidates from facility passed for 100% pass rate.
PEEBLES,T.A. Region 2 (Post 820201). 9/10/11. MCCOY,C.K. Georgia Power Co. 3pp. 86861:001-86861:195.

-9501260282 Exam repts 50-424/95-300 & 50-425/95-300 on 951211-15. Exam results: seven out of eight candidates passed exam.
BALDWIN,R.S., PEEBLES,T.A. Region 2 (Post 820201). 9/10/11. 192pp. 86861:004-86861:195.

9501190059 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD,D. 9/10/16. Consolidated Edison Co. of New York, Inc. 8pp. 86825:109-86825:120.

9501160305 NRC Info Notice 95-006, "Design & Testing Deficiencies of Torpedo Catches at Nuclear Power Plants."
CRUTCHFIELD,D. 9/10/25. Consolidated Edison Co. of New York, Inc. 10pp. 86862:001-86862:010.

9501260129 NRC Info Notice 95-007, "Slow Five Percent Strain Insertion Times Caused by Vane Diaphragms in Strain Bolts and Pilot Valves."
CRUTCHFIELD,D. 9/10/26. Consolidated Edison Co. of New York, Inc. 7pp. 86985:017-86985:022.

9501290400 Forwards response to NRC ltr re violations noted in insp repts 50-424/95-29 & 50-425/95-29 on 951127-1201. Corrective actions: counseled all VEGP Document Control Dept administrative personnel.
MCCOY,C.K. Georgia Power Co. 9/10/26. Document Control Branch (Document Control Desk). 6pp. 86937:305-86937:313.

R. Periodic operating reports & related correspondence

9501170223 Monthly operating repts for Dec 1995 for Vogtle Electric Generating Plant, Units 1 & 2 w/ 10CFR73.21.
HOCOPER,G.L., MCCOY,C.K. Georgia Power Co. 9/12/91. 12pp. 86787:334-86787:345.

S. Reportable occurrences, LERs & related correspondence

9501180285 LER 95-007-00 on 951213: unit operated in condition prohibited by TS due to inadequate post-maintenance functional test. Caused by cognitive personnel errors. Personnel involved counseled w/ 950108 ltr.
SHIBAN,M., MCCOY,C.K. Georgia Power Co. 9/10/08. 4pp. 86800:112-86800:115.

V. Operator Examinations

9501040139 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing rail exam schedule.
CRUTCHFIELD,D. 9/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

9501260273 Forwards exam repts 50-424/95-300 & 50-425/95-300 on 951211-15. Four candidates from facility passed for 100% pass rate.
PEEBLES,T.A. Region 2 (Post 820201). 9/10/11. MCCOY,C.K. Georgia Power Co. 3pp. 86861:001-86861:195.

-9501260282 Exam repts 50-424/95-300 & 50-425/95-300 on 951211-15. Exam results: seven out of eight candidates passed exam.
BALDWIN,R.S., PEEBLES,T.A. Region 2 (Post 820201). 9/10/11. 192pp. 86861:004-86861:195.

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9501268008 FOIA request for all documents re request for investigation RM-91-10 & safeguards info contained in any type recording A Mosbaugh provided to NRC. KOHN, M.D., Kohn, Kohn & Colepinto, P.C. (formerly Kohn & Associates). 05/03/20. Division of Freedom of Information & Publications Services (Post 040714). 2pp. 06854048-06854049.

9501268009 FOIA request for records re request for investigation RM-91-10. VERA, E.F., Trustman/Bandera (formerly Trustman, Bandera, Lockman & Ashmore). 05/10/08. KAMMERER, J.C. Division of Freedom of Information & Publications Services (Post 040714). 2pp. 06854051-06854055.

9501268212 Rev 7 to EPIP 91301-C, "Emergency Exposure Guidelines." W/ 951228 Ir. BEASLEY, J.B. Georgia Power Co. 05/12/20. 10pp. 06853346-06853357.

9501110168 Forwards partially withheld insp repts 50-424/95-29 & 50-425/95-29 on 951127-1201 & NOV. Details withheld (ref 10CFR73.21). FREDRICKSON, P. Region 2 (Post 020201). 05/12/29. MCCOY, C.K. Georgia Power Co. App. 06768339-06768340.

9501110170 Notice of violation from insp on 951127-1201. Violation noted during random review of testing & maint documents, four quarterly insp documents not retained & on 951014, unsecured & unattended safeguards info container found. * Region 2 (Post 020201). 05/12/29. 2pp. 06768337-06768338.

9501110176 Partially withheld insp repts 50-424/95-29 & 50-425/95-29 on 951127-1201. Violations noted. Major areas inspected: physical security program, including sigt control & vital access control for personnel & vehicles. Details withheld. STANSBERRY, W.W. Region 2 (Post 020201). 05/12/29. 2pp. 06768339-06768340.

9501268268 Informs that plant Units 1 & 2 chosen for operational safeguards response evaluation program scheduled for wk of 060205-08. FREDRICKSON, P. Region 2 (Post 020201). 06/01/10. MCCOY, C.K. Georgia Power Co. App. 06852029-06852031.

9501268011 Second partial responses to FOIA request for records. App A & releasable portions of App B records encl & available in PDR. App B record partially withheld (ref FOIA Exemption B). POOL, J.L. Division of Freedom of Information & Publications Services (Post 040714). 05/01/16. KOHN, M.D., Kohn, Kohn & Colepinto, P.C. (formerly Kohn & Associates). App. 06854050-06854050.

9501268019 Notice of case closing re alleged provision of Vogtle safeguards info to Turkey Point security officer. VORSE, J.V. Ctr of Investigations (Post 060201). 02/09/14. EBNETER, S.D. Region 2 (Post 020201). App. 06854054-06854055.

9501268028 Discusses request for investigation RM-91-10 re former employee A Mosbaugh currently in possession of safeguards info. VORSE, J.V. Ctr of Investigations (Post 060201). 02/09/17. EBNETER, S.D. Region 2 (Post 020201). App. 06854057-06854060.

9501268078 Confirms mtg meeting scheduled for 060226 in Atlanta, GA to discuss various security issues that occurred within past eighteen months at plant, per arrangements made between D Barnett & PH Schaner on 060110. SKINNER, P.H. Region 2 (Post 020201). 06/01/17. MCCOY, C.K. Georgia Power Co. App. 06856001-06856003.

9501268172 Revised EPIPs, including Rev 12 to 91401-C, "Assembly & Accountability" & Rev 19 to 91704-C, "Actions for Security During Radiological Emergency." W/ 060118 Ir. BEASLEY, J.B. Georgia Power Co. 06/01/18. 23pp. 06856132-06856154.

G. Adjudicatory correspondence

9501050135 Forwards corrected page 16 of "NRC Staff Proposed Findings of Fact & Conclusions of Law in Form of Initial Decision," and 051212 for insertion in filing. YOUNG, J.A. Office of the General Counsel (Post 060701). #196 17366. 05/12/21. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 1p. 06726369-06726369.

9501105143 Corrected page 16 to "NRC Staff Proposed Findings of Fact & Conclusions of Law in Form of Initial Decision," correcting first full sentence. * Office of the General Counsel (Post 060701). 05/12/21. 1p. 06726369-06726369.

9501050139 Georgia Power Co reply to Intervenor & NRC Staff proposed findings of fact & conclusions of law. W/Certificate of Svc. LEWIS, G.R. Georgia Power Co. LEWIS, G.R., Shaw, Pittman, Potts & Trowbridge. #196 17367. 05/12/22. 27pp. 06726001-06726275.

9501050295 Forwards listed evidentiary mails for Board to provide to Ctr of Security per Board request. YOUNG, J.A. Office of the General Counsel (Post 060701). #196 17366. 05/12/22. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. App. 06727197-06727199.

P. Operating license stage documents & correspondence

9501030067 Notification of 060111 & 0112 meetings w/ staff in Waynesboro, GA to discuss general site & corporate orientation & review of site & corporate engineering activities that support plant operations. WHEELER, L.L. 05/12/29. WENS, J.A. 4pp. 06850235-06850238.

9501190088 Ltr contract, mod 4 to task order 42, extending period of performance of task order from 051225-061231 to 11/19/06 for Back End Containment Performance & Source Term Analysis Internal Events Only (Vogtle). MACE, M. Division of Contracts (Post 040714). NRC-04-91-006. 05/12/29. AFABLE, S.L. SCIENTECH, Inc. 2pp. 06743309-06743310.

9501190033 Summarizes one-day public workshops conducted in Oct & Nov 1995, discussing GL 95-07, "Pressure Loading & Thermal Binding of SFR Power-Operated Gate Valves." List of meeting participants, staff & industry presentation handouts encl. FREDRICKSON, P. Region 2 (Post 020201). 06/01/03. MCCOY, C.K. Georgia Power Co. 12pp. 06850201-06850217.

9501180429 Forwards "Notice of Consideration of Issuance of Amendments to Licenses & Opportunity for Hearing," related to 050501 application for amending TS to be consistent w/ provisions of NUREG-1431. WHEELER, L.L. 06/01/04. MCCOY, C.K. Georgia Power Co. 3pp. 06810193-06810192.

9501180437 Notice of consideration of issuance of amendments to licenses NPP-65 & NPP-64 & opportunity for hearing. Amendments would revise TS to be consistent w/ provisions of NUREG-1431, "SIS TS W Plants." WENS, J.A. 06/01/04. 7pp. 06810196-06810192.

9501050193 Generic Ltr 95-01 to all holders of CLs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 06/01/10. Consolidated Edison Co. of New York, Inc. 6pp. 06827272-06827280.

9501268010 Requests to comply w/ 051221 Ir which required responses to apparent violations to DCI case numbers 91-ERA-01 & 91-ERA-11. EBNETER, S.D. Region 2 (Post 020201). 06/01/12. HAIRSTON, W.G. Georgia Power Co. App. 06852032-06852035.

9501268025 Confirms mtg meeting scheduled for 060220 in Birmingham, AL to discuss current Southern Nuclear Operating Co organization, engineering design & technical support status & major problems at plants, per telecons w/ J Woodard. SKINNER, P.H. Region 2 (Post 020201). 06/01/15. HAIRSTON, W.G. Georgia Power Co. App. 06853018-06853023.

9501190442 Suppl 7 to Generic Ltr 89-10 to all holders of CLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. 06/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 06853011-06853018.

9501268023 Forwards Rev 0 to "Vogtle Electric Generating Plant - Unit 1 Pressure & Temp Limits Rept" & Rev 0 to "Vogtle Electric Generating Plant - Unit 2 Pressure & Temp Limits Rept." MCCOY, C.K. Georgia Power Co. 06/01/25. Document Control Branch (Document Control Desk). App. 06836217-06836275.

9501268026 Rev 0 to "Vogtle Electric Generating Plant - Unit 2 Pressure & Temp Limits Rept." BARLEY, J.A. Georgia Power Co. 06/01/23. 26pp. 06836251-06836276.

G. Inspection reports, IE Bulletin & correspondence

9501110168 Forwards partially withheld insp repts 50-424/95-29 & 50-425/95-29 on 951127-1201 & NOV. Details withheld (ref 10CFR73.21). FREDRICKSON, P. Region 2 (Post 020201). 05/12/29. MCCOY, C.K. Georgia Power Co. App. 06768339-06768340.

9501110170 Notice of violation from insp on 951127-1201. Violation noted during random review of testing & maint documents, four quarterly insp documents not retained & on 951014, unsecured & unattended safeguards info container found. * Region 2 (Post 020201). 05/12/29. 2pp. 06768337-06768338.

9501110176 Partially withheld insp repts 50-424/95-29 & 50-425/95-29 on 951127-1201. Violations noted. Major areas inspected: physical security program, including sigt control & vital access control for personnel & vehicles. Details withheld. STANSBERRY, W.W., FREDRICKSON, P. Region 2 (Post 020201). 05/12/29. 2pp. 06768339-06768340.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temperatures to Disable Equipment Important to Safety." CRUTCHFIELD, D. 06/01/03. Consolidated Edison Co. of New York, Inc. App. 06740015-06740023.

9501190072 Ack receipt of 051222 Ir informing NRC of steps taken to correct violations noted in insp repts 50-424/95-27 & 50-425/95-27. SKINNER, P.H. Region 2 (Post 020201). 06/01/04. MCCOY, C.K. Georgia Power Co. App. 06803367-06803369.

9512260128 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 06/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 06766049-06766061.

9512260298 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 06/01/05. Consolidated Edison Co. of New York, Inc. App. 06766041-06766045.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 070729). 06/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 06827259-06827271.

9501268026 Forwards insp repts 50-424/95-29 & 50-425/95-29 on 951118-1216 & NOV. SKINNER, P.H. Region 2 (Post 020201). 06/01/10. MCCOY, C.K. Georgia Power Co. App. 06851309-06851328.

9501268028 Notice of violation from insp on 951119-1216. Violation noted: licensee failed to transfer issue authorization or ref/equipment request number to secondary oil containers stored in predictive oil lab. * Region 2 (Post 020201). 06/01/10. App. 06851307-06851308.

9501268024 Insp repts 50-424/95-29 & 50-425/95-29 on 951119-1216. Violations noted: Major areas inspected: plant operations, surveillance, maintenance, engineering, plant support & follow-up. OGLE, C.R., FREDRICKSON, P., WIDJANJIT, Region 2 (Post 020201). 06/01/10. 2pp. 06851309-06851329.

116 DOCKETED ITEMS

9601260273 Forwards exam repts 50-424/95-300 & 50-425/95-300 on 951211-15. Four candidates from facility passed for 100% pass rate.
PEEBLES, T.A. Region 2 (Post 820201). 96/01/11. MCCOY, C.K. Georgia Power Co. 3pp. 86861:001-86861:185.

-9601260282 Exam repts 50-424/95-300 & 50-425/95-300 on 951211-15. Exam results given out of eight candidates passed exam.
BALDWIN, R.S. Region 2 (Post 820201). 96/01/11. 192pp. 86861:004-86861:195.

9601110058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86826:109-86826:120.

9601260111 Forwards rev 7 to "Inservice Insp Program" for VEGP-2.
MCCOY, C.K. Georgia Power Co. 96/01/22. Document Control Branch (Document Control Desk). 6pp. 86890:231-86890:235.

-9601260112 "Inservice Insp Program" for VEGP-2.
" Georgia Power Co. 96/01/22. 7pp. 86890:237-86890:238.

9601190308 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86865:001-86865:010.

9601260139 NRC Info Notice 96-007, "Slow Five Percent Scram Insertion Times Caused By Viton Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86865:017-86865:023.

9601260400 Forwards response to NRC ltr re violations noted in insp repts 50-424/95-29 & 50-425/95-29 on 951227-1201. Corrective actions completed all VEGP Document Control Dept administrative personnel.
MCCOY, C.K. Georgia Power Co. 96/01/26. Document Control Branch (Document Control Desk). 6pp. 86897:209-86897:213.

R. Periodic operating reports & related correspondence

9601170223 Monthly operating repts for Dec 1995 for Vogtle Electric Generating Plant, Units 1 & 2. 4/96/01/08.
HOOPER, G.L. MCCOY, C.K. Georgia Power Co. 95/12/31. 12pp. 86787:394-86787:345.

V. Operator Examinations

9601040136 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing mail exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776:001-86776:010.

9601260273 Forwards exam repts 50-424/95-300 & 50-425/95-300 on 951211-15. Four candidates from facility passed for 100% pass rate.
PEEBLES, T.A. Region 2 (Post 820201). 96/01/11. MCCOY, C.K. Georgia Power Co. 3pp. 86861:001-86861:185.

-9601260282 Exam repts 50-424/95-300 & 50-425/95-300 on 951211-15. Exam results given out of eight candidates passed exam.
BALDWIN, R.S. PEEBLES, T.A. Region 2 (Post 820201). 96/01/11. 192pp. 86861:004-86861:195.

DOCKET 5TH-50-437 FLOATING NUCLEAR PLANT

A. Application/construction stage documents & correspondence

9601050163 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

9601190442 Suppl 7 to Generic Ltr 96-10 to all holders of OIs (except licensees amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86865:011-86865:016.

Q. Inspection reports, IE Bulletins & correspondence

9512270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:023.

9512290129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

9512290299 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 9pp. 86758:041-86758:048.

9601040338 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licensees."
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9601110058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86826:109-86826:120.

9601190308 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86865:001-86865:010.

9601260139 NRC Info Notice 96-007, "Slow Five Percent Scram Insertion Times Caused By Viton Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86865:017-86865:023.

V. Operator Examinations

9601040136 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing mail exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776:001-86776:010.

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9601050163 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

9601190442 Suppl 7 to Generic Ltr 96-10 to all holders of OIs (except licensees amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86865:011-86865:016.

Q. Inspection reports, IE Bulletins & correspondence

9512270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:023.

9512290129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

9512290299 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 9pp. 86758:041-86758:048.

9601040338 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licensees."
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9601110058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86826:109-86826:120.

9601190308 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86865:001-86865:010.

9601300037 Responds to 800434 request from GE Murphy of Region II for up to date copy of all TVA PSA/ISI programs & subsequent TVA submissions of PSA/ISI repts for docketing. Concludes that TVA no longer required to submit PSA/ISI program repts.
HEEDON, F.J. 96/01/25. KINGSLLEY, O.D. Tennessee Valley Authority. 3pp. 86935:258-86935:260.

9601260139 NRC Info Notice 96-007, "Slow Five Percent Scram Insertion Times Caused By Viton Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86865:017-86865:023.

V. Operator Examinations

9601040136 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing mail exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776:001-86776:010.

DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9601050163 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

9601190442 Suppl 7 to Generic Ltr 96-10 to all holders of OIs (except licensees amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86865:011-86865:016.

Q. Inspection reports, IE Bulletin & correspondence

8512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 85740:015-85740:023.

8512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 85758:049-85758:051.

8512290399 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 85758:041-85758:048.

8501048335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 85/01/10. Consolidated Edison Co. of New York, Inc. 18pp. 85827:259-85827:271.

8501110058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. . 95/01/15. Consolidated Edison Co. of New York, Inc. 8pp. 85822:109-85822:120.

8501190308 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plant."
CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85955:001-85955:010.

8501300037 Responds to 850414 request from CE Murphy of Region II for up to date copy of all TVA PSI/ISI programs & subsequent TVA submissions of PSI/ISI revs for docketing. Concludes that TVA no longer required to submit PSI/ISI program revs.
HEBOON, F.J. . 95/01/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85935:235-85935:250.

8501260119 NRC Info Notice 95-007, "Slow Five Percent Solenoid Insertion Times Caused by Vibration Diaphragm in Solenoid Pilot Valves."
CRUTCHFIELD, D. . 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 85955:017-85955:023.

V. Operator Examinations

8501040138 NRC Administrative Ltr 95-01 to all holders of OAs or CPs for nuclear power reactors re operator licensing next exam schedule.
CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 85776:001-85776:010.

DOCKET 58-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8501190152 Forwards emergency public info calendar distributed through local counties to general public within PNPP 10 mile emergency planning zone, as requested by NRC Administrative Ltr 94-07.
SHELTON, D.C. Center for Energy. 95/01/15. Incident Response Branch. 57pp. 85897:001-85897:057.

G. Adjudicatory correspondence

8501190167 Order (LBP-95-17).^a Informs that time within which Commission may act on writ petition for review of LBP-95-17 extended until 950205.W/ Certificate of Service on 950103.
HOYLE, J.C. Office of the Secretary of the Commission. #106-17408. 95/01/05. Office of the General Counsel (Post 950701). 2pp. 85783:105-85783:108.

H. General correspondence

8501090295 Responds to 851113 ltr to Chairman Jackson, expressing concern about "Crack" found in bedrock at Perry plant site in 1975, which was filled w/concrete & allegedly kept secret.
RUSSELL, W.T. . 95/12/28. GANNES, S. Affiliation Not Assigned. 8pp. 85881:285-85881:293.

8501030222 Forwards insp repts 50-440/76-01 & 50-441/76-01 on 780211-13. No violations noted. Insp consisted of selective extra of procedures & representative records, observations & interviews w/personnel.
HUMPHRETT, D.M. Reactor Construction & Engineering Support Branch. R4. 76/03/15. COAN, R.W. Cleveland Electric Illuminating Co. 8pp. 85891:293-85891:294.

8501030228 Insp repts 50-440/76-01 & 50-441/76-01 on 780211-13. No violations noted. Major areas inspected: long-term monitoring program, radiation monitoring, analyses of Class A backfill, geological mapping of shale & filling through shale voids.
NARDUCCI, R. Region II, IE (720101-810228). 76/03/12. 4pp. 85891:295-85891:298.

8501030235 Requests that NRC immediately investigate & determine if crack in bedrock under Perry nuclear power plant in North Perry Village, OH & determine what safety hazards posed for plant & public, including increased risk of radioactive spill.
GANNES, S. Affiliation Not Assigned. 95/11/13. THE CHAIRMAN Commissioners (Post 750716). 1p. 85881:289-85881:290.

8501220075 Comment on PFM 50-54 re stockpiling \$1 for use as thyroid protectant in event of nuclear accident. Supports distribution of KI to public.
BIMBER, R.M. Affiliation Not Assigned. 95/01/03. Docketing & Service Branch. 7pp. 85823:001-85823:009.

P. Operating license stage documents & correspondence

8501020182 Forwards OH Edison's Suppl Application for License Transfer concerning Perry Nuclear Power Plant, Unit 1.
CHARNOFF, G. Shaw, Plimann, Potts & Trowbridge. CHARNOFF, G. Ohio Edison Co. 85/12/29. Document Control Branch (Document Control Desk). 3pp. 85885:259-85885:257.

8501020185 Suppl Application for License Transfer of 12.58% ownership interest in addition to 17.43% approved on 851220.
ALEXANDER, A.J. Ohio Edison Co. 85/12/28. 10pp. 85885:272-85885:287.

8501150188 Forwards Section 312 repts for Perry Nuclear Power Plant.
SHELTON, D.C. Center for Energy. 95/01/05. Ohio, State of. 19pp. 85784:064-85784:089.

8501050893 Generic Ltr 95-01 to all holders of OAs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. . 95/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 85827:272-85827:280.

8501170078 Application for amend to Scans NPF-58, requesting one-time surveillance interval extension to support current schedule for Refueling Outage 5, scheduled to begin 950187.
SHELTON, D.C. Center for Energy. 95/01/10. Document Control Branch (Document Control Desk). 8pp. 85784:281-85784:289.

8501170082 Proposed tech spec, requesting one-time surveillance interval extension to support current schedule for Refueling Outage 5, scheduled to begin 950127.
Center for Energy. 95/01/10. 8pp. 85784:290-85784:295.

8501200366 Forwards amend 77 to NPF-58 & SE. Amend revises TS to eliminate selected response time testing requirement as described in BWRQG topical repts NEDO-32291 & 2 to incorporate GL 03-08.
HOPKINS, J.B. . 95/01/11. SHELTON, D.C. Center for Energy. 8pp. 85912:056-85912:111.

8501200377 Amend 77 to license NPF-58, revising TS 2.2(2) to eliminate selected response time testing requirements as described in BWRQG topical repts NEDO-32291 & incorporating GL 03-08.
HOPKINS, J.B. . 95/01/11. 54pp. 85912:059-85912:102.

8501200399 Safety evaluation supporting amend 77 to license NPF-58.
* . 95/01/11. 8pp. 85912:103-85912:111.

8501190140 Application for amend to license NPF-58, revising TS requirements for drywell leak rate testing.
SHELTON, D.C. Center for Energy. 95/01/10. Document Control Branch (Document Control Desk). 20pp. 85822:105-85822:254.

8501190142 Proposed TS requirements for drywell leak rate testing.
* Center for Energy. 95/01/10. 40pp. 85822:215-85822:254.

8501240038 Corrects placement of double-pound sign (##) on page 3/4 3-59 on amend 75. Forwards corrected page.
HOPKINS, J.B. . 95/01/19. SHELTON, D.C. Cleveland Electric Illuminating Co. 2pp. 85852:327-85852:330.

8501250021 Correction to amend 75 of license NPF-58.
* . 95/01/19. 8pp. 85852:329-85852:330.

8501210208 Forwards amend 79 to license NPF-58 & safety evaluation. Amend changes TS to grant one-time extension of performance intervals for certain TS surveillance requirements.
HOPKINS, J.B. . 95/01/19. SHELTON, D.C. Cleveland Electric Illuminating Co. 8pp. 85852:335-85852:340.

8501290211 Amend 78 to license NPF-58, changing TS to grant one-time extension of performance intervals for certain TS surveillance requirements.
MARCUS, G.D. . 95/01/10. 7pp. 85955:095-85955:104.

8501290221 Safety evaluation supporting amend 78 to license NPF-58.
* . 95/01/19. 8pp. 85955:095-85955:100.

8501190442 Suppl 7 to Generic Ltr 89-10 to all holders of OAs (except licenses amended to possession only states) or CPs for nuclear power reactors re consideration of valve mispositioning in PNRA.
CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 85885:011-85885:018.

8501300012 Forwards add info to support 851102 LAR re fuel handling accident reanalysis in response to 850111 & 18 telcons w/ NRC. Requested commitment specific to opening of air lock penetrations included as add to form of OA condition.
SHELTON, D.C. Center for Energy. 95/01/25. Document Control Branch (Document Control Desk). 8pp. 85943:352-85943:358.

8501310244 Requests to update director final findings & orders for use of Calgon H-130M & C1-37. Chemicals used for zirconium mousset control at Perry Nuclear Power Plant.
SHELTON, D.C. Center for Energy. 95/01/28. NOVAK, P. Ohio, State of. 1p. 85951:207-85951:207.

Q. Inspection reports, IE Bulletin & correspondence

8512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 85740:015-85740:023.

8512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 85758:049-85758:051.

118 DOCKETED ITEMS

5512290299 NRC info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

9501040335 NRC info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870728). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501170034 Forwards response to NRC 951214 re re violations noted in insp rept 50-400/95-08. Corrective actions removed two operators responsible for event from licensed duties & have been counseled re improper actions. SHELTON, D.C. Center for Energy. 95/01/11. Document Control Branch (Document Control Desk). 3pp. 86800:321-86800:323.

9501190058 NRC info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. . 95/01/15. Consolidated Edison Co. of New York, Inc. 8pp. 86828:109-86828:120.

9501190006 NRC info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86965:001-86965:010.

9501260139 NRC info Notice 95-007, "Slow Five Percent Steam Inversion Times Caused By Vibration Diaphragms in Steam Solenoid Pilot Valves." CRUTCHFIELD, D. . 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86865:017-86865:023.

II. Periodic operating reports & related correspondence

9501190195 Monthly operating rept for Dec 1995 for Perry Nuclear Power Plant/W/ 950115 3p. NEUMAN, G.M., SHELTON, D.C. Center for Energy. 95/12/31. 6pp. 86828:309-86828:314.

S. Reportable occurrences, LERs & related correspondence

9501190037 Final response to FOIA request for documents. App A documents and A also placed in PDR. FOWELL, J.A., Division of Freedom of Information & Publications Services (Post 949714). 95/12/21. KURTZE, J. 2pp. 86758:308-86758:314.

-9501050247 Package consisting of event rept for 940413-17 for Isled plants & Region I morning rept for 940413-15. * NRC - No Detailed Affiliation Given. 95/12/21. 47pp. 86758:106-86758:154.

9501190196 Confirms 950107 telcon rept of unauthorized discharge due to leak in fire protection sys line made to State emergency response Commission. SHELTON, D.C. Center for Energy. 95/01/08. Ohio, State of. 2pp. 86778:329-86778:330.

9501190274 NPDES noncompliance notification re unauthorized leak noted at approx 2,300 gallons on 950111. Caused by leak in cooling basin. Leak will be evaluated for repair during plant outage scheduled to begin 950127. W/950115 tr. SHELTON, D.C. Center for Energy. 95/01/15. 2pp. 86822:358-86822:357.

V. Operator Examinations

9501190138 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing natl exam schedule. CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

9501300022 Inform that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 950410. BURDICK, T.A., Region 3 (Post 820201). 95/01/24. LACROIX, D.G. Consumers Power Co. 3pp. 86887:305-86887:308.

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9501190186 Forwards Section 312 rept for Perry Nuclear Power Plant. SHELTON, D.C. Center for Energy. 95/01/05. Ohio, State of. 18pp. 86768:004-86768:039.

9501190193 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 8pp. 86827:272-86827:280.

9501190442 Suppl 7 to Generic Ltr 95-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86965:011-86965:018.

H. General correspondence

9501090205 Response to 951113 ltr to Chairman Jackson, expressing concern about "Crack" found in bedrock at Perry plant site in 1975, which was filled w/ concrete & allegedly kept secret. RUSSELL, W.T. . 95/12/28. GANNIS, S. Affiliation Not Assigned. 8pp. 86891:265-86891:269.

-9501030222 Forwards insp rept 50-443/75-01 & 50-441/75-01 on 750211-13. No violations noted. Insp consisted of selective exam of procedures & representative records, observations & interviews w/personnel. HANCOCK, D.M. Reactor Construction & Engineering Support Branch, R4. 75/03/15. COAN, J.W. Cleveland Electric Illuminating Co. 2pp. 86891:293-86891:294.

-9501030226 Insp rept 50-440/75-01 & 50-441/75-01 on 750211-13. No violations noted. Major areas inspected: long-term monitoring program, radiation monitoring, analyses of Class A bedrock, geological mapping of site & filling charge shale voids. NAIDU, K.R. Region III, IE (720101-810228). 75/03/12. 4pp. 86891:295-86891:298.

-9501030233 Requests that NRC immediately investigate & determine if crack in bedrock under Perry nuclear power plant in North Perry Village, OH & determine what safety hazards posed for plant & public including increased risk of radioactive mail. GANNIS, S. Affiliation Not Assigned. 95/11/13. THE CHAIRMAN Commissioners (Post 750119). 1p. 86891:299-86891:299.

9501220072 Comment on PFM 50-64 re stockpiling KI for use as thyroid protectant in event of nuclear accident. Supports distribution of KI to public. BRADY, R.M. Affiliation Not Assigned. 95/01/03. Docketing & Services Branch. 7pp. 86823:004-86823:009.

P. Operating license stage documents & correspondence

9501310244 Requests to update director final findings & orders for use of Calgon H-130M & C1-37. Chemicals used for zebra mussel control at Perry Nuclear Power Plant. SHELTON, D.C. Center for Energy. 95/01/26. NOVAK, P. Ohio, State of. 1p. 86891:207-86891:207.

Q. Inspection reports, IE Bulletins & correspondence

9502270072 NRC info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 8pp. 86740:015-86740:022.

9502290139 NRC info Notice 95-002, "Unavailability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

9502290299 NRC info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

9501040335 NRC info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870728). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501190058 NRC info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. . 95/01/15. Consolidated Edison Co. of New York, Inc. 8pp. 86828:109-86828:120.

9501190006 NRC info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants." CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86965:001-86965:010.

9502260139 NRC info Notice 95-007, "Slow Five Percent Steam Inversion Times Caused By Vibration Diaphragms in Steam Solenoid Pilot Valves." CRUTCHFIELD, D. . 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86865:017-86865:023.

S. Reportable occurrences, LERs & related correspondence

9501190196 Confirms 950107 telcon rept of unauthorized discharge due to leak in fire protection sys line made to State emergency response Commission. SHELTON, D.C. Center for Energy. 95/01/08. Ohio, State of. 2pp. 86778:329-86778:330.

V. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing natl exam schedule. CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

DOCKET 95-443 SEABROOK NUCLEAR STATION, UNIT 1

H. General correspondence

9501310235 Notices of establishment of new Chief Nuclear Officer & functional organization effective 950201. BUSCH, R.E. Connecticut Yankee Atomic Power Co. 95/01/17. Document Control Branch (Document Control Desk). 4pp. 86891:281-86891:284.

P. Operating license stage documents & correspondence

9501190115 Expresses appreciation for TT Martin & staff taking time to meet w/Haynes & TC Folgerbaum on 950820 re off record engineering progress. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 95/09/29. Re 1 (Post 820201). 2pp. 86900:358-86900:359.

860100000 Forwards corrected pages 3/4 3-33,3/4 3-25,3/4 3-19 & 20 & 3/4 4-25 & 26 w/overleafs for completeness to amendments 45 & 46 to license NPF-55. Error involved TS pages w/o page & amend number.
DE AGAZIO, A.W., 05/12/21. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 8pp. 86882:025-86882:037.

-860102021 Corrected pages 3/4 3-33,3/4 3-25 & 3/4 3-19 & 20 w/overleafs for completeness of amendments 45 & 46 to license NPF-55.
*, 05/12/21. 8pp. 86882:025-86882:034.

-860102022 Corrected page 3/4 4-26 & 26 w/overleaf for completeness of amend 46 to license NPF-55. Error involved TS page w/o page & amend number.
*, 05/12/21. 2pp. 86882:025-86882:037.

8601050183 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D., 05/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 86827:272-86827:280.

8601100386 Forwards Rev 0 to "North Atlantic Energy Svcs Co./Seabrook Station GL 89-10/Design Basis Closure."
DRAWBRIDGE, B., North Atlantic Energy Service Corp. (NAESCO). 05/01/15. Document Control Branch (Document Control Desk). 2pp. 86822:110-86822:194.

-8601100394 Rev 0 to "North Atlantic Energy Svcs Co./Seabrook Station GL 89-10/Design Basis Closure."
BROWN, P.E. North Atlantic Energy Service Corp. (NAESCO). 05/01/12. 6pp. 86822:112-86822:191.

-8601100399 Forwards design basis closure rpt in response to requirements of GL 89-10 & suppl.
BRUCE, North Atlantic Energy Service Corp. (NAESCO). 05/01/15. Document Control Branch (Document Control Desk). 2pp. 86822:102-86822:194.

8601100442 Suppl 7 to Generic Ltr 89-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D., 05/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86750:045-86750:016.

8601200045 Requests that will identify & describe any application where RELAP5A relied upon for plant operation. Plant procedures required by plant TS that rely upon RELAP5A analyses for operator action should also be provided by 950229.
DE AGAZIO, A.W., 05/01/24. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. 86867:114-86867:117.

Q. Inspection reports, IE Bulletins & correspondence

8601100045 Forwards insp rpt 50-443/85-13 on 851003-1113. No violations noted. Insp findings based on observation of performance & independent evaluations of safety sys & quality records.
ROGGE, J.F. Region 1 (Post 820201). 05/12/28. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 86760:290-86760:212.

-8601100046 Insp rpt 50-443/85-13 on 851003-1113. No violations noted. Major areas inspected: plant operations, maintenance & plant support.
ROGGE, J.F. Region 1 (Post 820201). 05/12/28. 20pp. 86760:293-86760:312.

9512278372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D., 05/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:023.

9512299129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D., 05/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86750:045-86750:061.

9512299229 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D., 05/01/05. Consolidated Edison Co. of New York, Inc. 6pp. 86750:041-86750:048.

9501100335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 570729). 05/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:258-86827:271.

9501100558 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D., 05/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86825:109-86825:130.

8601200353 Forwards summary of in-office assessment performed from 860102-11 re insp rpt 50-443/85-13.
ROGGE, J.F. Region 1 (Post 820201). 05/01/23. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 20pp. 86864:264-86864:283.

8601100506 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD, D., 05/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86965:001-86965:010.

8601200139 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused by Vibration Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D., 05/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 86965:017-86965:023.

R. Periodic operating reports & related correspondence

8601170011 Monthly operating rpt for Dec 1995 for Seabrook Station Unit 1. W/860112 Ltr.
WARDONE, P.E., FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 05/12/31. 8pp. 86800:330-86800:334.

V. Operator Examinations

9501040130 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing mail exam schedule.
CRUTCHFIELD, D., 05/01/03. Consolidated Edison Co. of New York, Inc. 10pp. 86770:001-86770:010.

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

8601050183 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D., 05/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 86827:272-86827:280.

8601100442 Suppl 7 to Generic Ltr 89-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D., 05/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86965:011-86965:016.

Q. Inspection reports, IE Bulletins & correspondence

9512278372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D., 05/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:015-86740:023.

9512299129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D., 05/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86750:045-86750:061.

9512299229 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D., 05/01/05. Consolidated Edison Co. of New York, Inc. 6pp. 86750:041-86750:048.

9501100335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 570729). 05/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:258-86827:271.

9501100558 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D., 05/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86825:109-86825:130.

8601100506 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD, D., 05/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86965:001-86965:010.

8601200139 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused by Vibration Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D., 05/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 86965:017-86965:023.

V. Operator Examinations

9501040130 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing mail exam schedule.
CRUTCHFIELD, D., 05/01/03. Consolidated Edison Co. of New York, Inc. 10pp. 86770:001-86770:010.

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9501040373 "Report of Analysis Exam & Comparison of Fibers Samples of Fire Resistant Mat."
WHITE, E., WELCH, J.L., WISE, S.A. National Institute of Standards & Technology (formerly National Bureau of Standards). 03/02-05-001. 05/12/13. 14pp. 86740:133-86740:140.

8601100447 Submits suppl to 860227 ltr w/ respect to evaluations performed for IN 82-018, "Potential for Loss of Remote Shutdown Capability During CR Fire."
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 05/01/05. Document Control Branch (Document Control Desk). 3pp. 86770:244-86770:251.

8601100206 Revised emergency plan procedures (EPP) including PCN EPP-215-R1-1 to Rev 1 to EPP-215 & PCN EPP-304-R15-2 to Rev 13 to EPP-304. Revs 237 & 238 to procedure index & Rev 129 to form index. W/860105 Ltr.
NOL, BELL, G., TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 05/01/05. 14pp. 86770:263-86770:266.

8601100481 Forwards insp rpt 50-445/85-24 & 50-446/85-24 on 851205-08. No violations noted. Insp consisted of selective exams of procedures & representative records in response to w/personnel & observation of activities in progress.
GWYNNE, T.P. Region 4 (Post 820201). 05/01/05. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 8pp. 86770:244-86770:253.

-8601100481 Insp rpt 50-445/85-24 & 50-446/85-24 on 851205-08. No violations noted. Major areas inspected: licensee performance & capabilities during full-scale exercises of emergency plan & implementing procedures.
MURRAY, B. Region 4 (Post 820201). 05/12/27. 13pp. 86770:248-86770:263.

120 DOCKETED ITEMS

950117270 Ack receipt of 951216 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/95-21 & 50-445/95-27 on 951106.
GWYNNE,T.P. Region 4 (Post 820201). 95/01/10. TERRY,C.L. Texas Utilities Co. App. 86782-054-86782-060.

950117285 Responds to NRC 951106 ltr re violations noted in insp repts 50-445/95-21 & 50-445/95-27 on 950925-29. Corrective actions: steps of task 398, "Direct Site Evacuation," will be revised to provide relevant info in formulating evacuation routes.
TERRY,C.L. Texas Utilities Co. 95/12/15. Document Control Branch (Document Control Desk). 3pp. 86782-058-86782-060.

P. Operating license stage documents & correspondence

950103051 Responds to RAI on LAR 94-022 re spent fuel storage capacity increase.
TERRY,C.L., WOODLAND,D.R. Texas Utilities Electric Co. (TU Electric). 95/01/02. Document Control Branch (Document Control Desk). 2pp. 86784-336-86784-339.

950103057 Application for amendments to licenses NPF-87 & NPF-88, consisting of LAR 95-001 revising TS re wide range RCS Temp.-Th remote shutdown indication. Changes submitted on CPSES Unit 1 for administrative purposes only.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/01/05. Document Control Branch (Document Control Desk). 3pp. 86774-343-86774-351.

950116019 Proposed TS re wide range RCS Temp.-Th remote shutdown indication.
Texas Utilities Electric Co. (TU Electric). 95/01/08. 1p. 86774-351-86774-351.

950116022 Requests approval to use and ASME Code Case N-524 for exam of longitudinal welds in Class 1 & Class 2 piping.
TERRY,C.L., WOODLAND,D.R. Texas Utilities Electric Co. (TU Electric). 95/01/09. Document Control Branch (Document Control Desk). 4pp. 86776-322-86776-325.

950103053 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors as leading of safety-related logic circuits.
CRUTCHFIELD,D. 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86527-272-86527-280.

950103058 Forwards rev 1 to RXE-85-002, "CPSES Unit 1 Cycle 5 COLR" & rev 1 to RXE-84-004, "CPSES Unit 2 Cycle 2 COLR."
TERRY,C.L., WOODLAND,D.R. Texas Utilities Electric Co. (TU Electric). 95/01/11. Document Control Branch (Document Control Desk). 1p. 86782-262-86782-263.

950116030 "CPSES Unit 1 Cycle 5 COLR."
MAIER,S.M., CHOEW,S., MILLIGAN,M.R. Texas Utilities Electric Co. (TU Electric). RXE-85-002 R01. 95/01/05. 1pp. 86782-263-86782-263.

950116032 "CPSES Unit 2 Cycle 2 COLR."
MAIER,S.M., CHOEW,S., MILLIGAN,M.R. Texas Utilities Electric Co. (TU Electric). RXE-84-004 R01. 95/01/05. 1pp. 86782-263-86782-263.

950116025 Forwards "Notice of Consideration of Issuance of Amend to License/Proposed NSHC Determination & Opportunity for Hearing." Amend would change TS to revise requirements for min channels operable for wide range RCS temp.
POLCH,T.J. 95/01/11. TERRY,C.L. Texas Utilities Co. App. 86820-143-86820-153.

950116028 Notice of consideration of issuance of amendments to licenses NPF-87 & NPF-88 & proposed NSHC determination & opportunity for hearing. Amend would change TS to revise requirements for min channels operable for wide range RCS temp.
POLCH,T.J. 95/01/11. App. 86820-145-86820-153.

950123079 Provides response to request for addl info on GL 95-03, "Circumferential Cracking of SG Tubes."
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/01/18. Document Control Branch (Document Control Desk). 6pp. 86851-340-86851-345.

950126057 Requests for addl info re internal event analysis in IPE including accident sequence core damage frequency analysis, human reliability analysis & containment performance analysis. Requests response to RAI within 60 days.
POLCH,T.J. 95/01/23. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 21pp. 86867-065-86867-066.

9501260103 Requests addl info on CPSES LAR 94-024 testing of RPS & ESFAS testing in bypass. Requests response to RAI within 30 days.
POLCH,T.J. 95/01/23. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 86867-191-86867-194.

950116042 Suppl 7 to Generic Ltr 95-40 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PVRA.
CRUTCHFIELD,D. 95/01/24. Consolidated Edison Co. of New York, Inc. App. 86955-011-86955-016.

950123015 Forwards Rev 21 of "CPSES Units 1 & 2 Technical Requirements Manual."
TERRY,C.L., WOODLAND,D.R. Texas Utilities Electric Co. (TU Electric). 95/01/24. Document Control Branch (Document Control Desk). 14pp. 86837-199-86837-228.

950123021 Rev 21 of "CPSES Units 1 & 2 Technical Requirements Manual."
Texas Utilities Electric Co. (TU Electric). 95/01/24. 1pp. 86837-213-86837-228.

9501300127 Forwards proprietary rev 1 to WCAP-14098 & nonproprietary WCAP-14569, "Bypass Test Instrumentation..." in response to NRC 950123 ltr re LAR 94-024, add 941219. Proprietary Rev 1 to WCAP-14098 withheld per 10CFR2.790.
TERRY,C.L., WOODLAND,D.R. Texas Utilities Electric Co. (TU Electric). 95/01/25. Document Control Branch (Document Control Desk). 2pp. 86859-280-86859-280.

9501300130 Requests that proprietary Rev 1 to WCAP-14098, "Bypass Test Instrumentation for Comanche Peak Units 1 & 2" be withheld from public disclosure per 10CFR2.790.
UPARULO,J.L. Westinghouse Electric Corp. 95/01/26. RUSSELL,W.T. Document Control Branch (Document Control Desk). 9pp. 86859-282-86859-280.

9501300132 Nonproprietary "Bypass Test Instrumentation for Comanche Peak Units 1 & 2."
MILLER,R.B. Westinghouse Electric Corp. WCAP-14569. 95/01/31. 31pp. 86859-281-86859-320.

Q. Inspection reports, EE Bulletins & correspondence

950103073 Forwards safety evaluation of first 10-yr interval insp requests for relief for Comanche Peak Steam Electric Station, Units 1 & 2.
BECKNER,W.D. 95/12/28. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 86788-062-86788-074.

950103078 Safety evaluation approving relief request re first 10-yr interval inservice insp program plan.
" 95/12/28. 10pp. 86788-065-86788-074.

950103080 Forwards insp repts 50-445/95-28 & 50-446/95-28 on 951022-1125 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 95/12/29. TERRY,C.L. Texas Utilities Co. App. 86862-085-86862-110.

950103057 Notice of violation from insp on 951022-1125. Violation noted: corrective actions developed for 1992 Unit 1 upper feedwater preheater bypass penetration oversteering events not sufficiently comprehensive to preclude repetition.
" Region 4 (Post 820201). 95/12/29. 2pp. 86862-080-86862-091.

950103070 Insp repts 50-445/95-28 & 50-446/95-28 on 951022-1125. Violations noted: Major areas inspected: plant operations, maint, engineering, surveillance observation & plant support.
JOHNSON,W.D. Region 4 (Post 820201). 95/12/21. 13pp. 86862-082-86862-110.

951227872 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD,D. 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740-016-86740-023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indicators During Testing."
CRUTCHFIELD,D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86756-049-86756-061.

951229029 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD,D. 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86756-041-86756-045.

950110347 Submits suppl to add 950227 ltr w/ respect to evaluations performed for R 92-038, "Potential for Loss of Remote Shutdown Capability During CR Fns."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/01/06. Document Control Branch (Document Control Desk). 3pp. 86774-316-86774-321.

9501160252 Notification of 950116 licensee meeting w/ staff concerning potential violation of NRC regulations associated w/ violation against individual for contacting NRC.
GWYNNE,T.P. Region 4 (Post 820201). 95/01/05. Region 4 (Post 820201). 5pp. 86769-071-86769-075.

950116036 Forwards insp repts 50-445/95-24 & 50-446/95-24 on 951205-06. No violations noted. Insp consisted of selective exams of procedures & representative records, interviews w/ personnel & observation of activities in progress.
GWYNNE,T.P. Region 4 (Post 820201). 95/01/05. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 6pp. 86770-244-86770-263.

9501160401 Insp repts 50-445/95-24 & 50-446/95-24 on 951205-08. No violations noted. Major areas inspected: licensee performance & capabilities during full-scale extension of emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 95/12/27. 15pp. 86772-249-86772-263.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827-259-86827-271.

9501170270 Ack receipt of 951216 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/95-21 & 50-446/95-21 on 951106.
GWYNNE,T.P. Region 4 (Post 820201). 95/01/10. TERRY,C.L. Texas Utilities Co. App. 86782-054-86782-060.

950117288 Responds to NRC 951106 ltr re violations noted in insp repts 50-445/95-21 & 50-446/95-21 on 950925-29. Corrective actions: steps of task 398, "Direct Site Evacuation," will be revised to provide relevant info in formulating evacuation routes.
TERRY,C.L. Texas Utilities Co. 95/12/15. Document Control Branch (Document Control Desk). 3pp. 86782-058-86782-060.

9501110056 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD,D. 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86828-109-86828-120.

9501160386 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD,D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86865-001-86865-010.

950130044 Responds to NRC 951229 ltr re violations noted in insp repts 50-445/95-28 & 50-446/95-28 on 951022-1125. Corrective actions: engineering will periodically review temp data for plant upper FW bypass penetrations for period of one yr.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/01/25. Document Control Branch (Document Control Desk). 4pp. 86859-352-86859-353.

9501260139 NRC Info Notice 95-007, "Slow Five Percent Steam Inertion Times Caused By Vibration Diaphragms in Steam Solenoid Fast Valves."
CRUTCHFIELD,D. 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86955-017-86955-023.

R. Periodic operating reports & related correspondence

9501230812 Monthly operating repts for Dec 1995 for Comanche Peak Steam Electric Station, W/950115 ltr.
REBLE,B., MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 95/12/31. 8pp. 86860-362-86860-360.

S. Reportable occurrences, LERs & related correspondence

9601160076 PNO-IV-96-003a On 960117, Unit 1 received safety injection signal on main steam line low pressure signal. All of equipment failures/anomalies being investigated by licensee.
JOHNSON, W.D., GODY, A. Region 4 (Post 820201). 96/01/17. 1p. 86810:134-86810:114.

9601230295 PNO-IV-96-003a, updating preliminary notification issued 960117 re SI signal that occurred on 960117. Failed instrumentation channels repaired & main turbine stop valves related & no abnormalities identified.
JOHNSON, W.D., GODY, A. Region 4 (Post 820201). 96/01/22. 2pp. 86848:227-86848:228.

Y. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OLS or CPs for nuclear power reactors re operator licensing rule exam schedule.
CRUTCHFIELD, D. 96/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 86776:001-86776:010.

DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9601040373 "Test of Analysis Exam & Comparison of Fifteen Samples of Fire Resistant Mail."
WHITE, G. National Institute of Standards & Technology (formerly National Bureau of Standards). 93/02-95-001. 95/12/12. 4pp. 86740:133-86740:145.

9601102477 Submits reply to 960227 re w/ respect to evaluations performed for IN 96-018, "Potential for Loss of Remote Shutdown Capability During CA Fire."
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 96/01/05. Document Control Branch (Document Control Desk). 3pp. 86774:319-86774:321.

9601160208 Revised emergency plan procedures (EPP) including PCN EPP-215-R1-1 to Rev 1 to EPP-215 & PCN EPP-304-R13-2 to Rev 13 to EPP-304, Revs 237 & 238 to procedure index & Rev 129 to form index W/960105 re.
NIX, R., BELL, G., TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 96/01/05. 14pp. 86776:293-86776:306.

9601160385 Forwards insp repts 50-445/95-24 & 50-446/95-24 on 951205-08. No violations noted. Insp consisted of selective reviews of procedures & representative records, interviews w/ personnel & observation of activities in progress.
GWINN, T.P. Region 4 (Post 820201). 96/01/05. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 9pp. 86770:244-86770:253.

9601160401 Insp repts 50-445/95-24 & 50-446/95-24 on 951205-08. No violations noted. Major areas inspected: licensee performance & capabilities during full-scale exercises of emergency plan & implementing procedures.
MURRAY, B. Region 4 (Post 820201). 96/12/27. 19pp. 86772:249-86772:263.

9601170270 Ack receipt of 951215 re informing NRC of steps taken to correct violations noted in insp repts 50-445/95-21 & 50-446/95-21 on 951108.
GWINN, T.P. Region 4 (Post 820201). 96/01/10. TERRY, C.L. Texas Utilities Co. 4pp. 86782:054-86782:060.

9601170286 Responds to NRC 951108 re re violations noted in insp repts 50-445/95-21 & 50-446/95-21 on 950925-26. Corrective actions steps of task 388, "Direct Site Evacuation," will be revised to provide relevant info in formulating evacuation routes.
TERRY, C.L. Texas Utilities Co. 95/12/15. Document Control Branch (Document Control Desk). 3pp. 86782:056-86782:060.

P. Operating license stage documents & correspondence

9601050051 Responds to RAI on LAR 94-022 re spent fuel storage capacity increase.
TERRY, C.L., WOODLAND, R. Texas Utilities Electric Co. (TU Electric). 96/01/02. Document Control Branch (Document Control Desk). 2pp. 86764:338-86764:339.

9601160212 Requests that NRC exercise enforcement discretion to allow CPSES Unit 2 to continue to operate w/ normal wide range RCS Temp. (Temp)-Th remote shutdown indication for 1 of 4 loops inoperable.
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 96/01/04. Document Control Branch (Document Control Desk). 5pp. 86776:312-86776:317.

9601160187 Application for amendments to license NPF-47 & NPF-49, consisting of LAR 96-001 covering TS re wide range RCS Temp.-Th remote shutdown indication. Changes submitted on CPSES Unit 1 for administrative purposes only.
TERRY, C.L., WALKER, R.D. Texas Utilities Electric Co. (TU Electric). 96/01/05. Document Control Branch (Document Control Desk). 8pp. 86774:343-86774:351.

9601160199 Proposed TS re wide range RCS Temp.-Th remote shutdown indication.
Texas Utilities Electric Co. (TU Electric). 96/01/03. 1p. 86774:351-86774:351.

9601160202 Requests approval to use and ASME Code Case N-624 for exam of longitudinal welds in Class 1 & Class 2 piping.
TERRY, C.L., WOODLAND, R. Texas Utilities Electric Co. (TU Electric). 96/01/05. Document Control Branch (Document Control Desk). 4pp. 86776:322-86776:325.

9601160246 Requests that NRC exercise enforcement discretion to allow CPSES Unit 2 to continue to operate w/ normal wide range RCS Temp. (Temp)-Th remote shutdown indication for 1 of 4 loops inoperable.
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 96/01/05. Document Control Branch (Document Control Desk). 8pp. 86776:354-86776:360.

9601050183 Generic Ltr 96-01 to all holders of OLS or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

9601160388 Forwards rev 1 to RXE-95-002, "CPSES Unit 1 Cycle 5 COLR" & rev 1 to RXE-94-004, "CPSES Unit 2 Cycle 2 COLR."
TERRY, C.L., WOODLAND, R. Texas Utilities Electric Co. (TU Electric). 96/01/11. Document Control Branch (Document Control Desk). 1p. 86782:282-86782:286.

9601160372 "CPSES Unit 2 Cycle 2 COLR."
MAIER, S.M., CHOE, W.G., KULLGORE, J.R. Texas Utilities Electric Co. (TU Electric). RXE-94-004 R01. 96/01/05. 18pp. 86782:299-86782:315.

9601160489 Inform of NRC intention to exercise discretion not to enforce compliance w/ TS 3.3.9.2.1.a. for loop 1 wide range RCS temperature from 960107 until issuance of related exigent license amend.
BECKNER, W.D. 96/01/11. TERRY, C.L. Texas Utilities Co. 5pp. 86810:171-86810:175.

9601160259 Forwards, "Notice of Consideration of Issuance of Amend to License, Proposed NSHC Determination & Opportunity for Hearing." Amend would change TS to revise requirements for min channels operable for wide range RCS temp.
POUCHT, J.A. 96/01/11. TERRY, C.L. Texas Utilities Co. 3pp. 86820:143-86820:153.

9601160258 Notice of consideration of issuance of amendments to license NPF-97 & NPF-98 & proposed NSHC determination & opportunity for hearing. Amend would change TS to revise requirements for min channels operable for wide range RCS temp.
POUCHT, J.A. 96/01/11. 6pp. 86820:146-86820:153.

9601230079 Provides response to request for add info on Q1 95-03, "Circumferential Cracking of SG Tubes."
TERRY, C.L., WALKER, R.D. Texas Utilities Electric Co. (TU Electric). 96/01/16. Document Control Branch (Document Control Desk). 6pp. 86851:340-86851:345.

9601260057 Requests for add info re internal event analysis in IPE including accident sequences core damage frequency analysis, human reliability analysis & containment performance analysis. Requests response to RAI within 60 days.
POUCHT, J.A. 96/01/23. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 21pp. 86867:068-86867:086.

9601260603 Requests add info on CPSES LAR 94-024 testing of RPS & ESFAS testing in bypass. Requests response to RAI within 30 days.
POUCHT, J.A. 96/01/23. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 86867:191-86867:194.

9601160442 Suppl 7 to Generic Ltr 89-10 to all holders of OLS (except licensees amend- ed to possession only states) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86865:011-86865:016.

9601260316 Forwards Rev 21 of "CPSES Units 1 & 2 Technical Requirements Manual."
TERRY, C.L., WOODLAND, R. Texas Utilities Electric Co. (TU Electric). 96/01/24. Document Control Branch (Document Control Desk). 14pp. 86837:199-86837:228.

9601260321 Rev 21 of "CPSES Units 1 & 2 Technical Requirements Manual."
Texas Utilities Electric Co. (TU Electric). 96/01/24. 16pp. 86837:213-86837:226.

9601300127 Forwards proprietary rev 1 to WCAP-14096 & nonproprietary WCAP-14509, "Bypass Test Instrumentation..." in response to NRC 960123 re LAR 94-024, dtd 941218. Proprietary Rev 1 to WCAP-14096 withheld per 10CFR2.790.
TERRY, C.L., WOODLAND, R. Texas Utilities Electric Co. (TU Electric). 96/01/25. Document Control Branch (Document Control Desk). 2pp. 86859:220-86859:222.

9601300150 Requests that proprietary Rev 1 to WCAP-14096, "Bypass Test Instrumentation for Comanche Peak Units 1 & 2" be withheld from public disclosure per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 96/01/15. RUSSELL, W.T. Document Control Branch (Document Control Desk). 9pp. 86859:262-86859:270.

9601300132 Nonproprietary "Bypass Test Instrumentation for Comanche Peak Units 1 & 2."
MILLER, R.B. Westinghouse Electric Corp. WCAP-14509. 96/01/31. 31pp. 86859:291-86859:320.

Q. Inspection reports, RE Bulletins & correspondence

9601030373 Forwards safety evaluation of first 10-yr interval insp requests for relief for Comanche Peak Steam Electric Station, Units 1 & 2.
BECKNER, W.D. 95/12/28. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 86756:062-86756:074.

9601030379 Safety evaluation approving relief request re first 10-yr interval inservice insp program plan.
95/12/28. 10pp. 86756:065-86756:074.

9601030380 Forwards insp repts 50-445/95-28 & 50-446/95-28 on 951022-1125 & notice of violation.
DYER, L.E. Region 4 (Post 820201). 96/12/28. TERRY, C.L. Texas Utilities Co. 5pp. 86862:065-86862:110.

9601030367 Notice of violation from insp on 951022-1125. Violation noted: corrective actions developed for 1092 Unit 1 upper feedwater preheater bypass penetration overheating events not sufficiently comprehensive to preclude repetition.
Region 4 (Post 820201). 95/12/29. 2pp. 86862:090-86862:091.

9601030379 Insp repts 50-445/95-28 & 50-446/95-28 on 951022-1125. Violations noted: Major areas inspected: plant operations, maintenance, surveillance observation & plant support.
JOHNSON, W.D. Region 4 (Post 820201). 95/12/21. 19pp. 86862:082-86862:110.

9612220372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740:016-86740:123.

9612220329 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 13pp. 86756:049-86756:061.

122 DOCKETED ITEMS

951229299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 85758-041-85758-046.

9501110247 Submit a suppl to uil 950227 in w/respect to evaluations performed for IN 95-018, "Potential for Loss of Remote Shutdown Capability During CH Fire." TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 95/01/05. Document Control Branch (Document Control Desk). 8pp. 85774-219-85774-231.

9501168252 Notification of 950116 license meeting w/ulr concerning potential violation of NRC regulations associated w/retraining against individual for contacting NRC. GWYNNE, T.P. Region 4 (Post 820201). 95/01/05. Region 4 (Post 820201). 5pp. 85768-071-85768-075.

9501168335 Forwards insp repts 50-445/95-24 & 50-446/95-24 on 951205-06. No violations noted. Insp consisted of selective exams of procedures & representative records interviews w/personnel & observation of activities in progress. GWYNNE, T.P. Region 4 (Post 820201). 95/01/06. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 85770-244-85770-253.

9501160401 Insp repts 50-445/95-24 & 50-446/95-24 on 951205-06. No violations noted. Major areas inspected: licensee performance & capabilities during full-scale exercises of emergency plan & implementing procedures. MURRAY, B. Region 4 (Post 820201). 95/12/27. 15pp. 85770-240-85770-253.

9501048335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOL, B.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 85827-259-85827-271.

9501178278 Ask receipt of 951216 in informing NRC of steps taken to correct violations noted in insp repts 50-445/95-21 & 50-446/95-21 on 951108. GWYNNE, T.P. Region 4 (Post 820201). 95/01/10. TERRY, C.L. Texas Utilities Co. 4pp. 85782-054-85782-058.

9501170286 Responds to NRC 951105 in re violations noted in insp repts 50-445/95-21 & 50-446/95-21 on 950829-29. Corrective actions: steps of task 366, "Direct Site Evacuation," will be revised to provide relevant info in formulating evacuation routes. TERRY, C.L. Texas Utilities Co. 95/12/15. Document Control Branch (Document Control Desk). 3pp. 85782-056-85782-060.

9501118056 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. . 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 85825-109-85825-120.

9501190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants." CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85859-001-85859-012.

9501190844 Responds to NRC 951229 in re violation noted in insp repts 50-445/95-26 & 50-446/95-26 on 951022-1125. Corrective actions: engineering will periodically review temp data for plant upper FW bypass penetrations for period of one yr. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 95/01/25. Document Control Branch (Document Control Desk). 4pp. 85859-332-85859-335.

9501190335 NRC Info Notice 95-007, "Slow Five Percent Steam Insertion Times Caused By Viton Diaphragms in Steam Solenoid Pilot Valves." CRUTCHFIELD, D. . 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 85859-017-85859-023.

R. Periodic operating reports & related correspondence

9501230812 Monthly operating repts for Dec 1995 for Comanche Peak Steam Electric Station W/950115 JR. REBUELO, MARSHALL, J.S. Texas Utilities Electric Co. (TU Electric). 95/12/31. 8pp. 85850-352-85850-360.

S. Reportable occurrences, LERs & related correspondence

9501101058 LER 95-004-00 on 951205-ESFA was initiated due to failed MPV pump speed controller. Flow control & repaired MPV pump controller. W/950102 JR. FLORES, R. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 95/01/02. 7pp. 85786-321-85786-327.

V. Operator Examinations

9501048138 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing ref exam schedule. CRUTCHFIELD, D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 85778-001-85778-010.

DOCKET 50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9501180311 Revised CEPiPs including CEPiP-3000 series table of contents, Rev 13 to CEPiP 3001-01, Rev 5 to CEPiP 3003-01, Rev 6 to CEPiP 3004-01, Rev 8 to CEPiP 3005-01, Rev 11 to CEPiP 3101-01 & Rev 7 to CEPiP 3151-01. * Commonwealth Edison Co. 95/12/06. 48pp. 85778-248-85778-253.

9501240022 Revised Corporate EPiPs (CEPiPs) including Rev 3 to CEPiP-2011-01, Rev 1 to CEPiP-2021-05, Rev 1 to CEPiP-2021-06, Rev 1 to CEPiP-2411-01 & Rev 2 to CEPiP-2413-01. STOKAUGH, D.W. Commonwealth Edison Co. 95/12/07. 24pp. 85852-255-85852-258.

9501170114 Revised EPiPs including EPiP index & Rev 43 to BZP 800-A1, "Prioritized Call Listing for Staff Augmentation Purposes (Outside of Normal Working Hours)." * Commonwealth Edison Co. 95/12/26. 21pp. 85788-335-85788-355.

9501180389 Forwards exemption from requirements of 10CFR73.55 relating to issuance, storage & retrieval of picture badges for individuals granted unescorted access into protected areas of Byron site, per 951900 request. DICK, G.F. . 95/01/06. FARRAR, D.L. Commonwealth Edison Co. 2pp. 85830-179-85830-182.

9501188394 Exemption from certain requirements of 10CFR73.55 relating to issuance, storage & retrieval of picture badges for individuals granted unescorted access into protected areas of Byron site. ADENSAULE, G. . 95/01/05. Commonwealth Edison Co. 5pp. 85830-179-85830-182.

9501208331 Submit a review of proposed revs to EALS & technical bases for Brookwood, Byron, Dresden, LaBelle, Quad Cities & Zion NPPs, concluding that proposed changes acceptable & do not decrease effectiveness of licensee emergency planning. CREED, J.R. Region 3 (Post 820201). 95/01/23. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85832-320-85832-322.

P. Operating license stage documents & correspondence

9501058183 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. . 95/01/10. Consolidated Edison Co. of New York, Inc. 8pp. 85827-272-85827-280.

9501170082 Application for amendments to licensee NPF-97, NPF-68, NPF-72 & NPF-77 respectively, revising TS 3.3.1, "RT Sys Instrumentation," Table 3.3-1, Functional Unit 5, "Source Range, Neutron Flux," consistent w/improved STS. PONTIOUS, H.D. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 11pp. 85784-210-85784-238.

9501170083 Proposed tech spec, revising TS 3.3.1, "RT Sys Instrumentation," Table 3.3-1, Functional Unit 5, "Source Range, Neutron Flux," consistent w/improved STS. * Commonwealth Edison Co. 95/01/11. 16pp. 85784-221-85784-235.

9501220357 Notification of 950125 meeting w/ulr in Rockville, MD to discuss licensee program for replacement of steam generators at facilities. DICK, G.F. . 95/01/17. CAPRA, R.A. . 4pp. 85825-235-85825-238.

9501230311 Forwards non-proprietary Rev 0 to CEN-627-NP & proprietary Rev 0 to CEN-627-P. "Verification of Installation Process & Operating Performance of ABB CEN-627 SG Tube Sleeve for Use at Com Ed." Proprietary repts withheld (ref 10CFR2.790). SACCOMANDO, D. Commonwealth Edison Co. 95/01/17. Document Control Branch (Document Control Desk). 8pp. 85859-001-85859-033.

9501230313 Non-proprietary Rev 0 to CEN-627-NP, "Verification of Installation Process & Operating Performance of ABB CEN-627 SG Tube Sleeve for Use at Com Ed Byron & Brookwood Units 1 & 2." * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CEN-627-NP R00. 95/01/17. 31pp. 85859-009-85859-039.

9501230810 Notification of 950208 meeting w/ulr in Rockville, MD to discuss results of eddy current analysis & corresponding destructive metallurgical exam of circumferential cracks in ten SG tubes pulled from SG during Sept 1995 mid-yr. LYNCH, M.D. . 95/01/23. CAPRA, R.A. . 4pp. 85859-033-85859-039.

9501190442 Suppl 7 to Generic Ltr 95-10 to all holders of OLs (except licensee amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs. CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 85830-011-85830-016.

9501191055 Forwards Notice of Consideration of Issuance re 950111 application to remove certain TS requirements, applicable when one of two source range detectors inoperable greater than 48 hr. ASSA, R.R. . 95/01/26. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85858-035-85858-045.

9501191056 Notice of consideration of issuance of amendment to licensee NPF-97, NPF-68, NPF-72 & NPF-77 & proposed NSIC determination & opportunity for hearing. Amend would remove certain TS requirements when source range detector inoperable. ASSA, R.R. . 95/01/26. 8pp. 85858-038-85858-049.

Q. Inspection reports, IE Bulletins & correspondence

9501020332 Proposed to revise plant first ten-yr interval ISI program relief request 89-1 per 10CFR20.556 (g)(II). PONTIOUS, H.D. Commonwealth Edison Co. 95/12/29. Document Control Branch (Document Control Desk). 8pp. 85858-353-85858-360.

9501188150 Forwards updated ECT data from vendor D using Glenball Phe Point 300 IGZ conventional analysis not using axial view technique. PONTIOUS, H.D. Commonwealth Edison Co. 95/01/02. Document Control Branch (Document Control Desk). 4pp. 85786-359-85786-359.

9512278372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 85740-015-85740-023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 85788-049-85788-061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 5pp. 85788-041-85788-048.

9501190913 Forwards response to NRC 951207 in re violations noted in insp repts 50-454/95-09 & 50-455/95-09. Corrective actions reviewed results of most recent leakage testing surveillance to identify potential active sys leaks.
GRAESSER,K.L. Commonwealth Edison Co. 95/01/05. Document Control Branch (Document Control Desk). 5pp. 86787:308-86787:312.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501220119 Forwards suppl pulled tube eddy current insp results.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/01/16. Document Control Branch (Document Control Desk). 12pp. 85843:128-85843:140.

9501110058 NRC Info Notice 95-006, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD,D. 95/01/18. Consolidated Edison Co. of New York, Inc. 5pp. 85828:109-85828:120.

9501190388 NRC Info Notice 95-008, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD,D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85855:001-85855:010.

9501280139 NRC Info Notice 95-007, "Slow Five Percent Scrub Insertion Times Caused By Vlon Diaphragms in Scrub Solenoid Pilot Valves."
CRUTCHFIELD,D. 95/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 85855:017-85855:023.

R. Periodic operating reports & related correspondence

9501170129 Monthly operating repts for Dec 1995 for Byron Nuclear Power Station/W/ 950109 Ir.
VOGL,J., KOFFON,K.L. Commonwealth Edison Co. 95/12/31. 14pp. 85784:257-85784:260.

G. Reportable occurrences, LERs & related correspondence

9501220338 Part 21 rept re failure of MOV motor pinion gear ring by Uniontown at Byron Station. Replacement & insp activities initiated for potentially impacted populations of MOVs at Byron & Braidwood Stations.
GRAESSER,K.L. Commonwealth Edison Co. 95/01/18. Document Control Branch (Document Control Desk). 5pp. 85855:019-85855:023.

V. Operator Examinations

9501180938 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing ref exam schedule.
CRUTCHFIELD,D. 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 85776:001-85776:010.

9501300022 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 950410.
BURDICK,T.H. Region 3 (Post 820201). 95/01/24. LACROIX,D.G. Consumers Power Co. FALCHAK,J.F. Illinois Power Co. LOPEL,D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 85857:009-85857:005.

DOCKET 57H-58-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9501190211 Revised CEPPs, including CEPP-3000 series table of contents, Rev 13 to CEPP 3001-01, Rev 8 to CEPP 3003-01, Rev 8 to CEPP 3004-01, Rev 8 to CEPP 3005-01, Rev 11 to CEPP 3011-01 & Rev 7 to CEPP 3151-1.
* Commonwealth Edison Co. 95/12/06. 44pp. 85775:248-85775:293.

9501240022 Revised Corporate EPPs (CEPPs), including Rev 3 to CEPP-2011-01, Rev 1 to CEPP-2021-05, Rev 1 to CEPP-2021-06, Rev 1 to CEPP-2411-01 & Rev 2 to CEPP-2413-01.
STOBAUGH,D.W. Commonwealth Edison Co. 95/12/07. 34pp. 85852:255-85852:295.

9501170114 Revised EPPs, including EPP Index & Rev 43 to B2P 600-A1, "Prioritized Call Listing for Staff Augmentation Purposes (Outside of Normal Working Hours)."
* Commonwealth Edison Co. 95/12/23. 21pp. 85786:333-85786:355.

9501180363 Forwards exemption from requirements of 10CFR73.55, relating to issuance, storage & retrieval of picture badges for individual granted unrestricted access into protected area of Byron station 951106 request.
DICK,G.F. 95/01/05. FARRAR,D.L. Commonwealth Edison Co. 5pp. 85810:175-85810:182.

9501180384 Exemption from certain requirements of 10CFR73.55 relating to issuance, storage & retrieval of picture badges for individuals granted unrestricted access into protected areas of Byron site.
ADENSA,M.E., 95/01/06. Commonwealth Edison Co. 5pp. 85810:175-85810:182.

9501290331 Submits review of proposed revs to EALs & technical bases for Braidwood, Byron, Dresden, LaSalle, Quad Cities & Zion NPPs, concluding that proposed changes acceptable & do not decrease effectiveness of licensee emergency planning.
CRUED,J.F. Region 3 (Post 820201). 95/01/23. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85855:320-85855:322.

P. Operating license stage documents & correspondence

9501050193 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD,D. 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 85827:272-85827:290.

9501170082 Application for amendments to licenses NPP-37, NPP-65, NPP-72 & NPP-77, respectively, revising TS 3.3.1, "RT Sys Instrumentation," Table 2.3-1, Functional Unit 6, "Source Range/Neutron Flux," consistent w/ improved STS.
PONTIUS,H.D. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 11pp. 85784:210-85784:239.

9501170084 Proposed tech specs revising TS 3.3.1, "RT Sys Instrumentation," Table 2.3-1, Functional Unit 6, "Source Range/Neutron Flux," consistent w/ improved STS.
* Commonwealth Edison Co. 95/01/11. 15pp. 85784:221-85784:239.

9501230311 Forwards non-proliferity Rev 0 to GEN-627-NP & proprietary Rev 0 to GEN-627-P, "Verification of Installation Process & Operating Performance of ABB CENO SG Tube Slews for Use at Conam Ed." Proprietary repl withheld (9510CFR2730).
SACCOMANDO,D. Commonwealth Edison Co. 95/01/17. Document Control Branch (Document Control Desk). 5pp. 85855:001-85855:009.

9501230313 Non-proliferity Rev 0 to GEN-627-NP, "Verification of Installation Process & Operating Performance of ABB CENO SG Tube Slews for Use at Conam Ed Byron & Braidwood Units 1 & 2."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). GEN-627-NP R00. 95/01/17. 31pp. 85855:009-85855:039.

9501190442 Suppl 7 to Generic Ltr 95-30 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve repositioning in PWRs.
CRUTCHFIELD,D. 95/01/24. Consolidated Edison Co. of New York, Inc. 5pp. 85855:011-85855:016.

9501310155 Forwards Notice of Consideration of Issuance of Amendments to 950111 application to remove certain TS requirements, applicable when one of two source range detectors inoperable greater than 48 h.
ASSA,R.R. 95/01/26. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85855:035-85855:043.

9501310159 Notice of consideration of issuance of amend to licenses NPP-37, NPP-65, NPP-72 & NPP-77 & proposed NSIC determination & opportunity for hearing. Amend would remove certain TS requirements when source range detector inoperable.
ASSA,R.R. 95/01/26. 5pp. 85855:039-85855:046.

Q. Inspection reports, IE Bulletins & correspondence

9501220232 Proposed to revise plant first ten-yr interval ISI program relief request SF-1 per 10CFR29.55a (d)(5).
PONTIUS,H.D. Commonwealth Edison Co. 95/12/29. Document Control Branch (Document Control Desk). 5pp. 85855:255-85855:260.

9512270772 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD,D. 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 85740:015-85740:022.

9512290129 NRC Info Notice 95-002, "Isoperability of Power-Operated Relief Valves Masked by Downstream Indicators During Testing."
CRUTCHFIELD,D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 85759:049-85759:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD,D. 95/01/05. Consolidated Edison Co. of New York, Inc. 5pp. 85759:041-85759:048.

9501190093 Forwards response to NRC 951207 in re violations noted in insp repts 50-454/95-09 & 50-455/95-09. Corrective actions reviewed results of most recent leakage testing surveillance to identify potential active sys leaks.
GRAESSER,K.L. Commonwealth Edison Co. 95/01/05. Document Control Branch (Document Control Desk). 5pp. 85787:308-85787:312.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 85827:259-85827:271.

9501110058 NRC Info Notice 95-006, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD,D. 95/01/18. Consolidated Edison Co. of New York, Inc. 5pp. 85828:109-85828:120.

9501190388 NRC Info Notice 95-008, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD,D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 85855:001-85855:010.

9501280139 NRC Info Notice 95-007, "Slow Five Percent Scrub Insertion Times Caused By Vlon Diaphragms in Scrub Solenoid Pilot Valves."
CRUTCHFIELD,D. 95/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 85855:017-85855:023.

R. Periodic operating reports & related correspondence

9501170129 Monthly operating repts for Dec 1995 for Byron Nuclear Power Station/W/ 950109 Ir.
VOGL,J., KOFFON,K.L. Commonwealth Edison Co. 95/12/31. 14pp. 85784:257-85784:260.

S. Reportable occurrences, LERs & related correspondence

9501220338 Part 21 rept re failure of MOV motor pinion gear ring by Uniontown at Byron Station. Replacement & insp activities initiated for potentially impacted populations of MOVs at Byron & Braidwood Stations.
GRAESSER,K.L. Commonwealth Edison Co. 95/01/18. Document Control Branch (Document Control Desk). 5pp. 85855:019-85855:023.

124 DOCKETED ITEMS

V. Operator Examinations

9501040135 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D. 96/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

9501300022 Informa that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 950430.
BURDICK, T.H. Region 3 (Post 820201). 96/01/24. LACROUX, G. Consumers Power Co. PALCHAK, J.F. Black Power Co. LOPEZ, D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 86687:008-86687:005.

DOCKET STN-50-458 BRAIDWOOD STATION, UNIT 1

A. Security, medical, emergency & fire protection plans

9501160211 Revised CEIPs including CEIP-9000 series table of contents, Rev 13 to CEIP 3001-01, Rev 9 to CEIP-3003-01, Rev 8 to CEIP 3004-01, Rev 6 to CEIP 3006-01, Rev 11 to CEIP 3101-01 & Rev 7 to CEIP 3151-1.
Commonwealth Edison Co. 95/12/08. 45pp. 86776:245-86776:293.

9501240022 Revised Corporate EPIs (CEIPs) including Rev 5 to CEIP-2011-01, Rev 1 to CEIP-2021-05, Rev 1 to CEIP-2021-06, Rev 1 to CEIP-2411-01 & Rev 2 to CEIP-2413-01.
STOBAUGH, D.W. Commonwealth Edison Co. 95/12/07. 34pp. 86682:285-86682:298.

9501160021 Informa that Rev 3F of plant Annex to Generating Stations Emergency Plan, acceptable & does not decrease effectiveness of emergency planning.
CREED, J.R. Region 3 (Post 820201). 96/01/03. KAUP, K. Commonwealth Edison Co. 2pp. 86780:355-86780:355.

9501290331 Submits review of proposed revs to EALs & technical bases for Braidwood, Byron, Dresden, LaSalle, Quad Cities & Zion NPPs, concluding that proposed changes acceptable & do not decrease effectiveness of licensee emergency planning.
CREED, J.R. Region 3 (Post 820201). 96/01/23. FARRAR, D.L. Commonwealth Edison Co. 3pp. 86686:320-86686:322.

F. Operating license stage documents & correspondence

9501040370 Forwards SE denying approval of alternative frequency proposed in revised relief request VR-2 & accepting license use of VR-02 relief request at plant w/o obtaining addl authorization from NRC.
CAPRA, R.A. 95/12/29. FARRAR, D.L. Commonwealth Edison Co. 3pp. 86740:183-86740:192.

9501040378 Safety evaluation denying alternative frequency proposed in revised relief request VR-2 & accepting relief request for use at plant w/o obtaining addl authorization from NRC.
95/12/29. 7pp. 86740:126-86740:132.

9501160166 Forwards notice of withdrawal of application for amend to licensee NPF-72 & NPF-77. Proposed change would have modified facility TS to renew 1.0 volt interim plugging criteria for SG.
ASSA, R.R. 96/01/03. FARRAR, D.L. Commonwealth Edison Co. 2pp. 86776:218-86776:221.

9501160172 Notice of withdrawal of application for amend to licensee NPF-72 & NPF-77. Proposed amend would have modified facility TS to renew 1.0 volt interim plugging criteria for SG.
ASSA, R.R. 96/01/01. 2pp. 86776:220-86776:221.

9501050183 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

9501170082 Application for amends to licensee NPF-37, NPF-68, NPF-72 & NPF-77, respectively, revising TS 3.3.1, "RT Sys Instrumentation," Table 3.3-1, Functional Unit 6, "Source Range/Neutron Flx," consistent w/improved STS.
PORTIGUS, H.D. Commonwealth Edison Co. 96/01/11. Document Control Branch (Document Control Desk). 11pp. 86784:216-86784:238.

9501170088 Proposed tech specs, revising TS 3.3.1, "RT Sys Instrumentation," Table 3.3-1, Functional Unit 6, "Source Range/Neutron Flx," consistent w/improved STS.
Commonwealth Edison Co. 96/01/11. 16pp. 86784:221-86784:238.

9501200357 Notification of 950125 meeting w/ul in Rockville, MD to discuss licensee program for replacement of steam generators at facilities.
DICK, G.F. 96/01/17. CAPRA, R.A. 4pp. 86628:235-86628:238.

9501230311 Forwards non-proprietary Rev 0 to GEN-627-NP & proprietary Rev 0 to GEN-627-P, "Verification of Installation Process & Operating Performance of ABB GENO SG Tube Sleeve for Use at Com Ed." Proprietary rept withheld (ref 10CFR2.790).
SACCONI, M.D. Commonwealth Edison Co. 96/01/17. Document Control Branch (Document Control Desk). 5pp. 86659:001-86659:002.

9501230313 Non-proprietary Rev 0 to GEN-627-NP, "Verification of Installation Process & Operating Performance of ABB GENO SG Tube Sleeve for Use at Com Ed." Proprietary rept withheld (ref 10CFR2.790).
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). GEN-627-NP R00. 96/01/17. 31pp. 86659:009-86659:039.

9501260040 Notification of 950206 meeting w/ul in Rockville, MD to discuss results of eddy current analysis & corresponding destructive metallographic exam of circumferential cracks in ten SG tubes pulled from SG during Sept 1995 mid-cycle.
LYNCH, J.D. 96/01/23. CAPRA, R.A. 4pp. 86667:067-86667:090.

9501160442 Suppl 7 to Generic Ltr 88-10 to all holders of OLs (except licensee amend- ed to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86965:011-86965:016.

9501300217 Requests addl info re internal event analysis in IPE & response within 60 days of receipt of ltr.
ASSA, R.R. 96/01/28. FARRAR, D.L. Commonwealth Edison Co. 24pp. 86912:213-86912:236.

9501301015 Forwards Notice of Consideration of Issuance of Amends re 950111 applica- tion to remove certain TS requirements, applicable when one of two source range detectors inoperable greater than 48 hr.
ASSA, R.R. 96/01/26. FARRAR, D.L. Commonwealth Edison Co. 3pp. 86968:035-86968:045.

9501310158 Notice of consideration of issuance of amend to licensee NPF-37, NPF- 68, NPF-72 & NPF-77 & proposed NSHC determination & opportunity for hearing. Amend would remove certain TS requirements when source range detector in- operable.
ASSA, R.R. 96/01/26. 9pp. 86968:038-86968:046.

G. Inspection reports, IE Bulletins & correspondence

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740:015-86740:023.

9501170021 Forwards response to NRC 951208 ltr re violations noted in Insp repts 95- 456/95-15 & 95-457/95-15. Corrective actions: fuel handling personnel removed clear plastic face shield & bag of rags from area around fuel pool.
KAUP, K.L. Commonwealth Edison Co. 96/01/04. Document Control Branch (Docu- ment Control Desk). 6pp. 86800:324-86800:329.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

9512290206 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758:041-86758:048.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiog- raphy Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:265-86827:271.

9501110085 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86828:109-86828:120.

9501190386 NRC Info Notice 95-008, "Design & Testing Deficiencies of Tornado Dumpers at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86965:001-86965:010.

9501260139 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused by Vibration Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86965:017-86965:023.

R. Periodic operating reports & related correspondence

9501280304 Monthly operating repts for Dec 1995 for Braidwood Nuclear Power Station Units 1 & 2 w/950108 ltr.
PERSEY, C. TULON, T.J. Commonwealth Edison Co. 95/12/31. 10pp. 86843:271-86843:280.

S. Reportable occurrences, LERs & related correspondence

9501170311 LER 95-012-01 on 951005, method of makeup to VCT could not be supported through existing documentation. Caused by neg deficiency. Addl makeup to VCT via basic tank storage tank provided w/950105 ltr.
OLSON, J.L. TULON, T.J. Commonwealth Edison Co. 95/12/01. 7pp. 86810:093-86810:099.

9501050157 LER 95-017-00 on 951207, manual reactor trip inserted during rod control sys testing following receipt of argon failure alarm on S/D Bank E. Suspect failure de- tector card replaced in power cabinet for S/D Banks C/D & E w/950103 ltr.
OLSON, J.L. TULON, T.J. Commonwealth Edison Co. 96/01/06. 5pp. 86768:335-86768:339.

9501050231 LER 95-018-00 on 951207, manual reactor trip inserted during rod control sys testing following failure of Shutdown Rod D-2 to withdraw on demand. Fuse hold- ers cleaned & fuses replaced w/950103 ltr.
OLSON, J.L. TULON, T.J. Commonwealth Edison Co. 96/01/06. 5pp. 86768:340-86768:344.

9501160074 LER 95-010-00 on 951207, manual reactor trip initiated during rod drop test- ing due to failed testing relays. Reactor trip breakers opened w/950104 ltr.
PHILLIPS, J. TULON, T.J. Commonwealth Edison Co. 96/01/05. 5pp. 86767:061-86767:065.

9501200335 Part 21 rept re failure of MCW motor pinion gear mlg by Limitopex at Byron Station. Replacement & Insp activities initiated for potentially impacted popula- tions of MOWs at Byron & Braidwood Stations.
GRASSER, K.L. Commonwealth Edison Co. 96/01/16. Document Control Branch (Document Control Desk). 5pp. 86858:016-86858:023.

9501230060 LER 95-020-00 on 951223, TS 3.0.3 was entered due to testing two inoper- able power range detectors. Replaced & set power supply w/950118 ltr.
BERGMAN, B. TULON, T.J. Commonwealth Edison Co. 96/01/18. 5pp. 86848:207-86848:211.

V. Operator Examinations

9601160181 Informs that EG Roberts license no OP-30607-1 no longer requires operator license at plant.
KAUP,K.L. Commonwealth Edison Co. 96/01/02. Document Control Branch (Document Control Desk). 1p. 86778328-86778328.

9601049136 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing staff exam schedule.
CRUTCHFIELD,D. 96/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 86778001-86778010.

9601300022 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 960410.
BURDICK,T.H. Region 3 (Post 820201). 96/01/24. LACROUX,D.G. Consumers Power Co. CHASENSKY,T.M., SCHMIDT,T.L. Commonwealth Edison Co. 8pp. 86867903-86867906.

DOCKET 6TH-55-457 BRAIDWOOD STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9601160111 Revised CEPIPs including CEIP-3000 series table of contents, Rev 13 to CEIP 3001-01, Rev 8 to CEIP-3003-01, Rev 5 to CEIP 3004-01, Rev 3 to CEIP 3005-01, Rev 11 to CEIP 3101-01 & Rev 7 to CEIP 3151-01.
Commonwealth Edison Co. 96/12/04. 4pp. 86778248-86778253.

9601240022 Revised Corporate EPIPs (CEPIPs) including Rev 2 to CEIP-2011-01, Rev 1 to CEIP-2021-05, Rev 1 to CEIP-2021-06, Rev 1 to CEIP-2411-01 & Rev 2 to CEIP-2413-01.
STOBAUGH,D.W. Commonwealth Edison Co. 96/12/07. 5pp. 86862265-86862268.

9601160021 Informs that Rev 3F of plant Annex to Generating Stations Emergency Plan acceptable & does not decrease effectiveness of emergency planning.
CREED,J.R. Region 3 (Post 820201). 96/01/03. KAUP,K. Commonwealth Edison Co. 2pp. 86760358-86760358.

9601290331 Submits review of proposed new to EALs & technical bases for Braidwood, Byron, Dresden, LaSalle, Quad Cities & Zion NPPs, concluding that proposed changes acceptable & do not decrease effectiveness of licensee emergency planning.
CREED,J.R. Region 3 (Post 820201). 96/01/23. FARRAR,D.L. Commonwealth Edison Co. 3pp. 86868320-86868322.

P. Operating license stage documents & correspondence

9601160376 Forwards SE denying approval of alternative frequency proposed in revised relief request VR-2 & accepting licensee use of VR-02 relief request at plant w/o obtaining addl authorization from NRC.
CAFFA,R.A. 95/12/28. FARRAR,D.L. Commonwealth Edison Co. 3pp. 86740123-86740132.

9601160376 Safety evaluation denying alternative frequency proposed in revised relief request VR-2 & accepting relief request for use at plant w/o obtaining addl authorization from NRC.
95/12/29. 7pp. 86740138-86740132.

9601160186 Forwards notice of withdrawal of application for amend to licenses NPF-72 & NPF-77. Proposed change would have modified facility TS to renew 1.0 volt interin plugging criteria for SG.
ASSA,R.R. 96/01/03. FARRAR,D.L. Commonwealth Edison Co. 2pp. 86778218-86778221.

9601160172 Notice of withdrawal of application for amend to licenses NPF-72 & NPF-77. Proposed amend would have modified facility TS to renew 1.0 volt interin plugging criteria for SG.
ASSA,R.R. 96/01/01. 2pp. 86778220-86778221.

9601050193 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD,D. 96/01/10. Consolidated Edison Co. of New York, Inc. 6pp. 86827272-86827280.

9601170062 Application for amend to licenses NPF-57/NPF-66/NPF-72 & NPF-77 respectively, revising TS 3.3.1, "RT Sys Instrumentation," Table 3.3-1, Functional Unit 6, "Source Range/Neutron Flux," consistent w/improved STS.
PONTIQUAUD,D. Commonwealth Edison Co. 96/01/11. Document Control Branch (Document Control Desk). 11pp. 86764210-86764236.

9601170068 Proposed tech specs, revising TS 3.3.1, "RT Sys Instrumentation," Table 3.3-1, Functional Unit 6, "Source Range/Neutron Flux," consistent w/improved STS.
Commonwealth Edison Co. 96/01/11. 16pp. 86764221-86764236.

9601230311 Forwards non-proprietary Rev 0 to CEN-627-HP & proprietary Rev 0 to CEN-627-P. "Verification of Installation Process & Operating Performance of ABB CEN-627 SG Tube Sleeve for Use at Comm Ed." Proprietary rpt withheld (w/ 10CFR2.790).
SACCOMANNO,D. Commonwealth Edison Co. 96/01/17. Document Control Branch (Document Control Desk). 8pp. 86859001-86859038.

9601230319 Non-proprietary Rev 0 to CEN-627-HP. "Verification of Installation Process & Operating Performance of ABB CEN-627 SG Tube Sleeve for Use at Comm Ed Byron & Braidwood Units 1 & 2."
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CEN-627-HP R00. 96/01/17. 51pp. 86859002-86859038.

9601160442 Suppl 7 to Generic Ltr 96-10 to all holders of OIs (except licenses amend- ed to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD,D. 96/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86865011-86865016.

9601200217 Requests addl info re internal event analysis in IPE & response within 60 days of receipt of ltr.
ASSA,R.R. 96/01/28. FARRAR,D.L. Commonwealth Edison Co. 2pp. 86912213-86912238.

9601310165 Forwards Notice of Consideration of Issuance of Amend to 960111 application to remove certain TS requirements, applicable when one of two source range detectors inoperable greater than 48 h.
ASSA,R.R. 96/01/28. FARRAR,D.L. Commonwealth Edison Co. 3pp. 86868035-86868048.

9601310158 Notice of consideration of issuance of amend to licenses NPF-57/NPF-66/NPF-72 & NPF-77 & proposed NSHC determination & opportunity for hearing. Amend would remove certain TS requirements when source range detector inoperable.
ASSA,R.R. 96/01/28. 8pp. 86868038-86868048.

Q. Inspection reports, IE Bulletins & correspondence

9601220168 Informs that IDNS has hired 2 new Resident Inspectors to be placed at Braidwood & Clinton stations & that last Resident Inspector will report on 960102 & will go to LaSalle.
HOWEY,M.T. Kinok, State of. 95/08/23. LICKUS,R. Region 3 (Post 820201). 2pp. 86823010-86823011.

9601220372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD,D. 96/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86740015-86740023.

9601170021 Forwards response to NRC 951208 ltr re violations noted in insp rpts 50-456/95-15 & 50-457/95-16. Corrective actions: fuel handling personnel removed clear plastic face shield & bag of matts from area around fuel pool.
KAUP,K.L. Commonwealth Edison Co. 96/01/04. Document Control Branch (Document Control Desk). 6pp. 86860324-86860329.

9601220129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD,D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758061.

9601220228 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD,D. 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758041-86758048.

9601040315 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
DOOLAN,D. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9601160050 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD,D. 96/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86828109-86828120.

9601190308 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD,D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86865004-86865010.

9601260129 NRC Info Notice 96-007, "Slow Five Percent Scram Insertion Times Caused By Viton Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD,D. 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86865017-86865023.

R. Periodic operating reports & related correspondence

9601220304 Monthly operating rpts for Dec 1995 for Braidwood Nuclear Power Station Units 1 & 2 w/960108 ltr.
PERSHEY,O. TULON,T.J. Commonwealth Edison Co. 96/12/31. 10pp. 86843271-86843280.

S. Reportable occurrences, LERs & related correspondence

9601160376 LER 95-007-00 on 95121528 EDG inadvertently started due to personnel error while attempting to place control switch in full-to-lock position. Individual involved counseled on event w/960110 ltr.
OLSON,M. TULON,T.J. Commonwealth Edison Co. 96/01/10. 5pp. 86800121-86800125.

9601230336 Part 21 rpt re failure of MOV motor pinion gear mfg by Linforque at Byron Station. Replacement & insp activities initiated for potentially impacted populations of MOVs at Byron & Braidwood Stations.
GRAESSER,K.L. Commonwealth Edison Co. 96/01/18. Document Control Branch (Document Control Desk). 8pp. 86858010-86858023.

9601230219 PNO-II-96-004 on 960116, partial loss of offsite power experienced when breaker supplying two sys auxiliary transformers (SAT) tripped. Unusual event declared & will remain in status until SAT source of power to ESF buses.
JONES,D. MILLER,L. Region 3 (Post 820201). 96/01/19. 1p. 86848235-86848235.

V. Operator Examinations

9601160181 Informs that EG Roberts license no OP-30607-1 no longer requires operator license at plant.
KAUP,K.L. Commonwealth Edison Co. 96/01/02. Document Control Branch (Document Control Desk). 1p. 86778328-86778328.

9601040136 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing staff exam schedule.
CRUTCHFIELD,D. 96/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 86778001-86778010.

9601220185 Notification of 960207 meeting w/Entergy Operations Inc.in Arlington,TX re predecisional enforcement conference to discuss 10CFR50.7 & 50.5 issues.
DYER,J.E. Region 4 (Post 820201). 96/01/16. NRC - No Detailed Affiliation Given.
4pp. 86818:275-86818:278.

9601180065 NRC Info Notice 96-006, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD,D. . 96/01/18. Consolidated Edison Co. of New York, Inc. 10pp.
86828:109-86828:120.

9601180386 NRC Info Notice 96-006, "Design & Testing Deficiencies of Torpedo Damper at Nuclear Power Plants."
CRUTCHFIELD,D. . 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp.
86865:001-86865:010.

9601280139 NRC Info Notice 96-007, "Slow Five Percent Scrub Insertion Times Caused By Valve Discharges in Scrub Solenoid Pilot Valves."
CRUTCHFIELD,D. . 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp.
86865:017-86865:023.

B. Periodic operating reports & related correspondence

9601230188 Monthly operating rept for Dec 1995 for FBS,W/9601121r.
BOLKE,T.J., FISICARO,J.J. Entergy Operations, Inc. 96/12/31. 6pp. 86848:231-86848:238.

C. Reportable occurrences, LERs & related correspondence

9601050237 Final response to FOIA request for documents.App A documents and A also placed in PDR.
POMELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. KURTZE, . 96/01/21. 4pp. 86758:108-86758:154.

9601050247 Package consisting of event rept for 940413-17 for listed plants & Region I morning rept for 940413-15.
* NRC - No Detailed Affiliation Given. 95/12/21. 47pp. 86758:108-86758:154.

9601020287 LER 95-013-00-on 951130,reactor thermal power limit exceeded due to failure to consider required heat balance inputs.No recommended corrective actions since all new plant designs will be implemented as mode.W/9502271r.
LORFING,D., FISICARO,J.J. Entergy Operations, Inc. 95/12/27. 6pp. 86862:267-86862:268.

9601030978 LER 95-011-00-on 951215,RCIC div 1 isolation occurred due to failed transmitter.Faulty transmitter replaced.W/9601111r.
LORFING,D., FISICARO,J.J. Entergy Operations, Inc. 96/01/11. 4pp. 86820:059-86820:062.

9601230989 Special report 951204,Division I H analyzer discharge piping containment penetration check valve failed,causing containment penetration to be isolated rendering H analyzer inoperable.
FISICARO,J.J. Entergy Operations, Inc. 96/01/17. Document Control Branch (Document Control Desk). 2pp. 86851:348-86851:347.

9601240404 LER 95-012-00-on 951216,recirculation pump tripped.Caused by spurious activation of cavitation interlock.Recirculation pump cavitation loops recalibrated.W/ 9601181r.
LORFING,D., FISICARO,J.J. Entergy Operations, Inc. 96/01/18. 7pp. 86838:031-86838:037.

T. Hearing transcripts on non-entitled matters

9601280281 Forwards transcripts of interview w/Director of Nuclear Safety & immediate supervisor at River Bend Station,per 9601241r request.
GRAY,J.R. Ols of Enforcement (Post 870413). 96/01/28. REYNOLDS,N.S. Winston & Strawn. 1p. 86868:001-86868:002.

9601280274 Transcript of 850727 interview w/Director of Safety & immediate supervisor in St. Francisville,LA,pp 1-78.
* Ols of Enforcement (Post 870413). 95/07/27. 79pp. 86868:002-86868:081.

9601280228 Transcript of 851026 interview w/Director of Nuclear Safety & immediate supervisor in St. Francisville,LA,pp 1-31.
* Ols of Enforcement (Post 870413). 95/10/26. 61pp. 86868:082-86868:153.

9601280324 Transcript of 850721 interview w/Director of Nuclear Safety & immediate supervisor in St. Francisville,LA,pp 1-99.
* Ols of Enforcement (Post 870413). 95/07/21. 99pp. 86868:134-86868:232.

V. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing test exam schedule.
CRUTCHFIELD,D. . 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp.
86778:001-86778:010.

DOCKET 90-481 WPPSS NUCLEAR PROJECT, UNIT 1

A. Application/construction stage documents & correspondence

9601050183 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD,D. . 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp.
86827:272-86827:280.

9601050442 Suppl 7 to Generic Ltr 96-01 to all holders of OIs (except licensees amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD,D. . 96/01/24. Consolidated Edison Co. of New York, Inc. 9pp.
86865:011-86865:018.

G. Adjudicatory correspondence

9601180208 Submits licensee quarterly status rept re deferred WNP-1 project,Informs that no changes to status rept have occurred since 951004.
REYNOLDS,N.S. Winston & Strawn. #996 37414. 96/01/04. BLOCH,P.B. Atomic Safety & Licensing Board Panel. SCHINK,D.F. Texas A&M Univ., College Station, TX. 1p. 86783:137-86783:137.

V. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing test exam schedule.
CRUTCHFIELD,D. . 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp.
86778:001-86778:010.

DOCKET 90-481 CLINTON POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9601200118 Forwards rev 20 of "Physical Security Plan for Clinton Power Station,Unit 1." Plan withheld.
PHARES,R.F. Illinois Power Co. 95/12/14. Document Control Branch (Document Control Desk). 2pp. 86701:253-86701:264.

9601200238 Advises that 950522 rev 18 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 96/12/27. PHARES,R.F. Illinois Power Co. 2pp.
86701:279-86701:280.

9601180062 Informs that Rev 10 to plant emergency plan,acceptable & does not decrease effectiveness of emergency planning.
CREED,J.R. Region 3 (Post 820201). 96/01/03. CONNELL,W. Illinois Power Co. 2pp.
86761:090-86761:094.

9601180027 Advises that rev 20 to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 96/01/04. PHARES,R.F. Illinois Power Co. 2pp.
86808:311-86808:312.

9601200172 Forwards Rev 21 to physical security plan,Rev withheld per 10CFR73.21(c)(2).
PHARES,R.F. Illinois Power Co. 96/01/17. Document Control Branch (Document Control Desk). 2pp. 86861:038-86861:037.

9601200196 Rev 4 to HQ-01, "Headquarters Support Of Operation & Staffing." Including EPIPs status rept.
KRIEGER,D. Illinois Power Co. 96/01/18. 2pp. 86812:264-86812:268.

P. Operating license stage documents & correspondence

9601020220 Arrests that unit has completed baseline activities required to document design basis for operation of each GL 88-10 MOV at facility.
COOK,J.G. Illinois Power Co. 95/12/21. Document Control Branch (Document Control Desk). 2pp. 86701:314-86701:316.

9601050401 Ltr contract,Mod 4 to task order 43,extending period of performance of task order from 951228-961231 to "TPE Reviews for Back End Containment Performance & Source Term Analysis- Internal Events Only (Clinton)."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-058. 95/12/28. AFABLE,S.L. SCIENTECH, Inc. 2pp. 86743:307-86743:308.

9601180381 Forwards released NPDES permit for Clinton Power Station.
PHARES,R.F. Illinois Power Co. 96/01/09. Document Control Branch (Document Control Desk). 18pp. 86822:038-86822:202.

9601050183 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD,D. . 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp.
86827:272-86827:280.

9601190442 Suppl 7 to Generic Ltr 96-01 to all holders of OIs (except licensees amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD,D. . 96/01/24. Consolidated Edison Co. of New York, Inc. 9pp.
86865:011-86865:018.

G. Inspection reports, IE Bulletins & correspondence

9601220188 Informs that IDHS has hired 2 new Resident Inspectors to be placed at Blackwood & Clinton stations & that last Resident Inspector will rept on 960102 & will go to LeSalle.
HOWEY,M.T. Illinois, State of. 95/06/23. LICKUS,R. Region 3 (Post 820201). 2pp.
86825:010-86825:011.

9601180068 Forwards insp rept 90-481/95-14 on 951110-1216.No violations noted.
CLAYTON,B. Region 3 (Post 820201). 95/12/22. COOK,J. Illinois Power Co. 2pp.
86727:210-86727:222.

9601080068 Insp rept 90-481/95-14 on 951110-1216.No violations noted. Major areas inspected:operations,engineering,unit & plant support.
CLAYTON,B. Region 3 (Post 820201). 95/12/22. 10pp. 86727:213-86727:222.

9512270372 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD,D. . 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp.
86740:015-86740:023.

128 DOCKETED ITEMS

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indicators During Testing."
CRUTCHFIELD, D., 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D., 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758041-86758048.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9501100586 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D., 96/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86828109-86828120.

9501190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD, D., 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86965001-86965010.

9501280339 NRC Info Notice 95-007, "Slow Fire Percent Sensor Insertion Times Caused by Vibration Diaphragms in Sorbus Scientific Pilot Valves."
CRUTCHFIELD, D., 96/01/29. Consolidated Edison Co. of New York, Inc. 7pp. 86965017-86965022.

R. Periodic operating reports & related correspondence

9501229297 Monthly operating report for Dec 1995 for Clinton Power Station Unit 1/W/ 95011119.
DENMARK, W.E., PHARES, R.F. Illinois Power Co. 95/12/31. 5pp. 86868268-86868273.

S. Reportable occurrences, LERs & related correspondence

9501050237 Final response to FOIA request for documents. App A documents end & also placed in PDF.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. KURTZE, E. 2pp. 86768108-86768154.

9501170043 Package consisting of event reports for 940418-17 for Rotted plants & Region 1 morning report for 940418-16.
* NRC - No Detailed Action Taken. 95/12/21. 47pp. 86758106-86758164.

9501170043 Special report on 951205, determined facility may have been operated above rated power level authorized by license due to error in reactor heat balance. (H) will bias ORD system flow process computer point.
CONNELL, W. Illinois Power Co. 96/01/03. Document Control Branch (Document Control Desk). 4pp. 86764357-86764360.

9501280186 LER 95-008-00-00 951110, design program deficiency identified resulting in potentially erroneous indication & inoperable DH floor drain pump monitoring program. Programmable logic controller ladder logic revised. W/950125 R.
HENRIQUEZ, A., CONNELL, W. Illinois Power Co. 96/01/23. 7pp. 86947335-86947342.

V. Operator Examinations

9501040139 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing test exam schedule.
CRUTCHFIELD, D., 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86776001-86776010.

9501390022 Inform that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 950420.
BURDICK, J.H. Region 3 (Post 820201). 95/01/24. LACROIX, G.G. Consumers Power Co., SAUKINS, R.A. Center Energy, KOTCHINSKI, J.M. Commonwealth Edison Co. 3pp. 86887303-86887305.

DOCKET STN-90-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

9501180425 Forwards copy of FEMA final report for 950815-16. No deficiencies identified.
GAYNOR, T.P. Region 4 (Post 820201). 96/01/04. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 5pp. 86770075-86770129.

9512270035 Forwards final exercise report for 950815-16, "Ingestion Pathway Exercise of Offsite Radiological Emergency Plans for WCGS." No deficiencies identified during exercise. Inform that FEMA Region VII will monitor corrective actions status.
MULLER, J.A. Federal Emergency Management Agency. 95/11/08. CRUTCHFIELD, D., 2pp. 86770080-86770081.

9512270086 "Exercise Report Wolf Creek Generating Station."
MULLER, J.A. Federal Emergency Management Agency. 95/11/13. 48pp. 86770082-86770129.

9501290094 Provides info per 10CFR50.54(b)(2) re changes at Wolf Creek Generating Station which include facility modification, new construction & site access commitments.
MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 95/01/16. Document Control Branch (Document Control Desk). 3pp. 86851354-86851358.

P. Operating license stage documents & correspondence

9501020278 Application for amend to license NPF-42, revising TSs 3/4.6.1.1 & 3/4.6.1.3 to incorporate Option B of 10CFR50, App J.
MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 95/12/20. Document Control Branch (Document Control Desk). 13pp. 86882330-86882348.

9501020280 Proposed Tech specs 3/4.6.1.1 & 3/4.6.1.3 incorporating Option B of 10CFR50, App J.
* Wolf Creek Nuclear Operating Corp. 95/12/20. 6pp. 86882343-86882348.

9501260062 Forwards rev 1 to "Wolf Creek Generating Station Cycle 5 COLR."
MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 95/12/27. Document Control Branch (Document Control Desk). 2pp. 86712357-86712360.

9501020283 Rev 1 to "Wolf Creek Generating Station Cycle 8 COLR."
HOWARD, M.L. Wolf Creek Nuclear Operating Corp. 95/11/08. 2pp. 86712358-86712360.

9501020300 Transmits proposed KS Water Pollution Control Permit & authorization to discharge under NPDES permit for WCGS.
MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 95/12/29. Document Control Branch (Document Control Desk). 22pp. 86890327-86890348.

9501050850 Ltr contract, mod. 5 to task order 45, extending period of performance of task order from 951224-961231 to "WPE Reviewers for Back End Containment Performance & Source Term Analysis- Internal Events Only (Wolf Creek)."
MACE, M. Division of Contracts (Post 940714). NRC-64-91-088. 95/12/28. APABLE, S.L. SCIENTECH, Inc. 2pp. 86748305-86748308.

9501190394 Forwards response to NRC 951206 RAI re 950623 response to GL 85-03, "Circumferential Cracking of SG Tubes."
CARNS, N.S. Wolf Creek Nuclear Operating Corp. 96/01/09. Document Control Branch (Document Control Desk). 4pp. 86762245-86762249.

9501050189 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D., 96/01/12. Consolidated Edison Co. of New York, Inc. 6pp. 86827272-86827290.

9501190093 Forwards BE authorizing alternatives proposed in relief requests 2VR-4.2VR-6.2VR-2.2VR-3 & 2VR-4 per 10CFR50.55a(a)(3)(i) & authorized alternatives in 2VR-2 & 2VR-3 per 10CFR50.55a(a)(3)(ii).
BATEMAN, W.H., 96/01/10. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 4pp. 86820075-86820080.

9501190096 Safety evaluation authorizing alternatives proposed in relief requests 2VR-4.2VR-6.2VR-2.2VR-3 & 2VR-4 per 10CFR50.55a(a)(3)(i) & authorized alternatives in 2VR-2 & 2VR-3 per 10CFR50.55a(a)(3)(ii).
* 96/01/10. 31pp. 86820079-86820080.

9501190189 Forwards modified KS Water Pollution Control Permit KS-0079057 & Authorization to Discharge Under NPDES.
MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 96/01/11. Document Control Branch (Document Control Desk). 14pp. 86894347-86894380.

9501280076 Forwards amend 94 to license NPF-42 & safety evaluation. Amend would replace current fuel oil volume requirement in EDG day tank in TS 3.1.1.b.1 & 3.1.2.b.1 w/ fuel oil level requirement.
STONE, J.C., 96/01/19. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 4pp. 86867174-86867190.

9501280081 Amend 94 to license NPF-42, changing visual check requirement on fuel oil level in day tank w/ requirement to verify fuel oil transfer pump starts on low level in day tank standpipes.
STONE, J.C., 96/01/19. 3pp. 86867176-86867188.

9501280081 Safety evaluation supporting amend 94 to license NPF-42.
* 96/01/19. 4pp. 86867187-86867190.

9501260073 Notification of 950123 meeting w/ staff & Unicom in Rockville, MD to discuss NRC requirements associated w/ merger of Kansas City Power & Light & Unicom.
STONE, J.C., 96/01/22. BATEMAN, W.H., 4pp. 86867170-86867173.

9501190442 Suppl 7 to Generic Ltr 88-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D., 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 86865011-86865016.

Q. Inspection reports, IE Bulletins & correspondence

9501020283 Provides clarification of request for use of Code Case N-532, "Alternative Requirements to Repair & Replacement Documentation Requirements & Inservice Summary Report Preparation & Submission as Required by NWA-4000...."
MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 95/12/27. Document Control Branch (Document Control Desk). 6pp. 86701338-86701343.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D., 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86740015-86740023.

9501110251 Forwards response to NRC 951204 ltr re violations noted in insp rept 50-482/95-24, Corrective actions notified OR & Health Physics.
CARNS, N.S. Wolf Creek Nuclear Operating Corp. 96/01/03. Document Control Branch (Document Control Desk). 4pp. 86774322-86774325.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indicators During Testing."
CRUTCHFIELD, D., 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D., 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86758041-86758048.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9601170077 Responds to letter 960103 dealing w/NOV dtd 951204 re Insp Rept 50-482/95-24. Reply reviewed & found to be responsive to concerns. Ltr dtd 960103 encl. DIVER, J.E. Region 4 (Post 820201). 96/01/19. CARRIS, J.S. Wolf Creek Nuclear Operating Corp. 4pp. 96771:11-96771:18.

9601110058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 96/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 96828:109-96828:122.

9601220047 Forwards Insp rpt 50-482/95-25 on 951119-1230 & forwards NOV. Violation concerns NRC because use of "not applicable" markings altered intent of surveillance test procedure resulting in unexpected s/s operation. DIVER, J.E. Region 4 (Post 820201). 96/01/18. CARRIS, J.S. Wolf Creek Nuclear Operating Corp. 5pp. 96818:103-96818:127.

9601220100 Notice of violation from Insp on 951119-1230. Violation noted: operators failed to properly implement procedure STS ED-1008 by using w/numerous steps marked not applicable on procedure no longer stated in procedure. * Region 4 (Post 820201). 96/01/18. 2pp. 96818:108-96818:109.

9601220109 Insp rpt 50-482/95-25 on 951119-1230. Violations noted: Major areas inspected: plant status, operational safety verification, maintenance observations, surveillance observations, on-site engineering & plant support activities. JOHNSON, W.D. Region 4 (Post 820201). 96/01/10. 18pp. 96818:110-96818:127.

9601190398 NRC Info Notice 96-008, "Design & Testing Deficiencies of Tornado Dumpers at Nuclear Power Plants." CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 96865:001-96865:010.

9601260139 NRC Info Notice 96-007, "Slow Five Percent Scram Insertion Times Caused By Vibration Diaphragms in Scram Solenoid Pilot Valves." CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 7pp. 96865:017-96865:023.

R. Periodic operating reports & related correspondence

9601170009 Monthly operating rpt for Dec 1995 for Wolf Creek Generating Station/W/ 96011111. MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 95/12/31. 7pp. 96800:351-96800:357.

9601220058 Forwards revised pages for 1992, 1993 & 1994 annual radiological environ operating reports, correcting calculation used to determine deposition rate for area gardens. MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 96/01/18. Document Control Branch (Document Control Desk). 1p. 96845:024-96845:027.

9601220033 Revised page 34 of 1992 annual radiological environ operating rpt. * Wolf Creek Nuclear Operating Corp. 95/12/31. 1p. 96845:028-96845:025.

9601220057 Revised page 34 of 1993 annual radiological environ operating rpt. * Wolf Creek Nuclear Operating Corp. 95/12/31. 1p. 96845:028-96845:025.

9601220060 Revised page 37 of 1994 annual radiological environ operating rpt. * Wolf Creek Nuclear Operating Corp. 96/12/31. 1p. 96845:027-96845:027.

S. Reportable occurrences, LERs & related correspondence

9601300289 LER 95-007-00 on 951228, 55W supply fan B failed to start due to low control voltage. Caused by extensive run of control wiring. S/s configuration modified to install jumper. W/ 96012611. LINDSAY, W.J., MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 96/01/25. 6pp. 96858:172-96858:177.

9601310053 PNO-IV 95-005 on 960130, operators began controlled power shutdown because of decreasing circulating water level in pump house bays. Caused by icing on intake screens. Following scram 6 control rods failed to fully insert. POWERS, D., JOHNSON, W. Region 4 (Post 820201). 96/01/30. 2pp. 96866:167-96866:168.

V. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing next exam schedule. CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 96776:001-96776:010.

DOCKET 57M-60-483 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9601830038 Forwards rev 21B to physical security plan, Rev withheld per 30CFR73.21. SCHNELL, D.F. Union Electric Co. 96/12/21. Document Control Branch (Document Control Desk). 2pp. 96828:387-96828:395.

9601840221 Informal review of changes to Callaway Radiological Emergency Response Plan, Rev 18 & Change Notices 95-02, 95-03, & 95-04 has been delayed per 95078511. GWYNNE, T.P. Region 4 (Post 820201). 95/12/29. SCHNELL, D.F. Union Electric Co. 5pp. 96867:253-96867:257.

9601190331 Discusses Insp rpt 50-483/95-15 on 951127-1201 & forwards notice of violation. Violation involved failure to withdraw security badge for individual no longer authorized unescorted site access. GWYNNE, T.P. Region 4 (Post 820201). 95/12/29. SCHNELL, D.F. Union Electric Co. 4pp. 96811:050-96811:058.

9601190332 Notice of violation from Insp on 961127-1201. Violation noted: licensee failed to withdraw security badge for individual no longer authorized unescorted plant access. * Region 4 (Post 820201). 95/12/29. 3pp. 96811:056-96811:058.

9601250278 Rev 14 to EIP-22-00102, "Emergency Implementing Actions." CRAWFORD, S. Union Electric Co. 95/01/19. 14pp. 96904:345-96904:358.

9601290342 Submits review of changes to plant Radiological EH Plan, rev 10 & Change Notices 95-02, 95-03, & 95-04, concluding that changes acceptable & do not appear to degrade effectiveness of licensee emergency planning at plant. GWYNNE, T.P. Region 4 (Post 820201). 96/01/23. SCHNELL, D.F. Union Electric Co. 5pp. 96866:323-96866:327.

9601310009 Forwards four copies of Rev 23 of Callaway Plant Physical Security Plan. RANDOLPH, J.L. Union Electric Co. 96/01/25. Document Control Branch (Document Control Desk). 2pp. 96945:259-96945:260.

P. Operating license stage documents & correspondence

9601020168 Ltr contract, Mod 4 to task order 43, increasing level of effort by adding 16 professional hrs for continued performance of work to "IPE Reviews - Internal Events - Front End Only (Callaway)." MACE, M.H. Division of Contracts (Post 940714). FIN B-5767. 95/12/14. COUNAJ, Science & Engineering Associates, Inc. 9pp. 96828:206-96828:207.

9601030038 Forwards amend 107 to license NPF-30 & safety evaluation. Amend revises TS 6.5.1, 6.5.2 & TS 6.5.3 to relocate review & audit requirements of On-Site Review Committee & NSRB to OCA Manual. THOMAS, K.M. 95/12/28. SCHNELL, D.F. Union Electric Co. 3pp. 96892:249-96892:258.

9601030040 Amend 107 to license NPF-30, revising TS 6.5.1, TS 6.5.2 & TS 6.5.3 to relocate review & audit requirements of On-Site Review Committee & NSRB to OCA Manual. THOMAS, K.M. 95/12/28. 12pp. 96892:259-96892:263.

9601030041 Safety evaluation supporting amend 107 to license NPF-30. * 95/12/28. 5pp. 96892:264-96892:268.

9601050006 Ltr contract, Mod 4 to task order 44, extending period of performance from 951228-961231 to "IPE Reviews for Back End Containment Performance & Source Term Analysis-Internal Events Only (Callaway)." MACE, M.H. Division of Contracts (Post 940714). NRC-04-91-068. 95/12/28. AFABLE, S. SCIENTECH, Inc. 2pp. 96740:359-96740:360.

9601060058 Informa Commission of implementation of Amend 103 to facility operating license NPF-30. Changes issued to controlled TS holders & effective on 961204. PASSWATER, A.C. Union Electric Co. 96/01/02. Document Control Branch (Document Control Desk). 2pp. 96784:342-96784:343.

9601160084 Application for amend to license NPF-30, revising TS 3.9.4, "Containment Bldg Penetrations" & associated bases section to allow containment personnel atlock doors to be open during core alterations. SCHNELL, D.F. Union Electric Co. 96/01/02. Document Control Branch (Document Control Desk). 4pp. 96787:230-96787:233.

9601160087 Proposed Tech Specs 3.9.4, "Containment Bldg Penetrations" & associated bases section to allow containment personnel atlock doors to be open during core alterations. * Union Electric Co. 96/01/02. 24pp. 96787:240-96787:263.

9601300124 Informa NRC of implementation of amend 104 to license NPF-30, approving relocation of TS table 3.3-2 & 3.3-3 to chapter 16 of FSAR. PASSWATER, A.C. Union Electric Co. 96/01/02. Document Control Branch (Document Control Desk). 2pp. 96822:094-96822:095.

9601100153 Advises that amend 105 to license NPF-30, approving TS changes to TS 4.1.3.1, 2.4.4.3.2, 4.4.3.3, 4.5.2.1, 4.5.4.2 & TS Table 4.3-3 to implement recommendations of NRC GL 93-05 implemented. PASSWATER, A.C. Union Electric Co. 96/01/05. Document Control Branch (Document Control Desk). 2pp. 96785:212-96785:213.

9601060193 Generic Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits. CRUTCHFIELD, D. 96/01/16. Consolidated Edison Co. of New York, Inc. 9pp. 96827:272-96827:280.

9601170282 Forwards final rev of Transition Implementation Plan used to identify & track activities associated w/transferring regional oversight responsibility for units to Region IV. CALLAN, J.L. Region 4 (Post 820201). 96/01/11. RUSSELL, W.T. 3pp. 96782:061-96782:101.

9601170309 "Callaway & Grand Gulf Transition Implementation Plan, Rev 6." * NRC - No Detailed Action Given. 96/01/09. 3pp. 96782:064-96782:101.

9601170033 Forwards response to NRC 951201 RA re GL 95-03, "Circumferential Cracking of SG Tubes." SCHNELL, D.F. Union Electric Co. 96/01/12. Document Control Branch (Document Control Desk). 6pp. 96784:295-96784:305.

9601230184 Discusses Rev 16 of OCA submission by Ltr ULNRC-3288 dated 951116. Determines proposed changes consistent w/priorities submitted & approved changes except for "Insert A" on Page A-2, use of add employees to augment staff. GWYNNE, T.P. Region 4 (Post 820201). 96/01/16. SCHNELL, D.F. Union Electric Co. 5pp. 96818:097-96818:101.

9601230383 Requests add info re amend request dtd 950906 from UEC. W/lot of info needed. MCCracken, C.E. 96/01/19. BATEMAN, W.H. 2pp. 96828:244-96828:245.

9601250228 Forwards RAI re 950908 request to increase fuel enrichment at plant to 4.45 to 5.00 weight percent U-235 for fuel w/IFBA. THOMAS, K.M. 96/01/23. SCHNELL, D.F. Union Electric Co. 4pp. 96873:297-96873:300.

130 DOCKETED ITEMS

9501190442 Suppl 7 to Generic Ltr 88-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 8895011-8895016.

G. Inspection reports, (E) Guidelines & correspondence

9501190331 Discusses insp rept 50-483/95-15 on 951127-1201 & forwards notice of violation. Violation involved failure to withdraw security badge for individual no longer authorized unescorted site access.
GWYNNE, T.P. Region 4 (Post 820201). 95/12/29. SCHNELL, D.F. Union Electric Co. 4pp. 88811050-88811058.

9501190332 Notice of violation from insp on 951127-1201. Violation noted: licensees failed to withdraw security badge for individual no longer authorized unescorted plant access.
* Region 4 (Post 820201). 95/12/29. 3pp. 88811059-88811058.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 88740215-88740223.

9512280129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 88758049-88758061.

9512280229 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 6pp. 88758041-88758048.

9501190337 Forwards insp rept 50-483/95-17 on 951112-1223. No violations noted.
DYER, L.E. Region 4 (Post 820201). 95/01/07. SCHNELL, D.F. Union Electric Co. 4pp. 88762902-88762918.

9501190341 Insp rept 50-483/95-17 on 951112-1223. No violations noted. Major areas inspected: on-site response to events, operational safety verification, plant support activities, maint observations & NRR review of licensee submittals.
JOHNSON, W.D. Region 4 (Post 820201). 95/01/07. 7pp. 88762927-88762934.

9501190338 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 88827259-88827271.

9501190438 Forwards response to violations noted in Insp Rept 50-483/95-18. Corrective actions: control location for airborne exposure pathway consistent w/guidance provided in CDGAL.
SCHNELL, D.F. Union Electric Co. 95/01/10. Document Control Branch (Document Control Desk). 8pp. 88762190-88762196.

9501170910 Insp rept 50-413/95-14 cancelled.
GWYNNE, T.P. Region 4 (Post 820201). 95/01/10. SCHNELL, D.F. Union Electric Co. 4pp. 88771028-88771031.

9501190277 Ack receipt of 951215 ltr informing NRC of steps taken to correct violations noted in insp rept 50-483/95-12 on 951127.
GWYNNE, T.P. Region 4 (Post 820201). 95/01/10. SCHNELL, D.F. Union Electric Co. 4pp. 88800043-88800046.

9501190336 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. . 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 88828109-88828120.

9501190336 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 88962001-88962010.

9501250139 NRC Info Notice 95-007, "Slow Five Percent Screen Insertion Times Caused By Vibration Diaphragms in Screen Solenoid Pilot Valves."
CRUTCHFIELD, D. . 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 88965017-88965023.

H. Periodic operating reports & related correspondence

9501170188 Monthly operating rept for Dec 1995 for Callaway Unit 1. W/950105 ltr.
HOLMES, M.A. AFFOLTER, R.D. Union Electric Co. 25/12/31. 6pp. 88800308-88800313.

V. Operator Examinations

9501040133 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing half exam schedule.
CRUTCHFIELD, D. . 95/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 88776081-88776090.

DOCKET STN-50-494 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

9501029247 Rev 2 to OPG05-ZV-0001, "Emergency Response Exercise & Drills." W/951227 ltr.
SERRA, P.L. Houston Lighting & Power Co. 95/12/27. 30pp. 88898237-88898266.

9501040289 Ack receipt of 951023 rev 2 to plant Emergency Plan Implementing Procedure OEP01-ZV-0001, "Emergency Classification."
GWYNNE, T.P. Region 4 (Post 820201). 95/12/28. COTTLE, W.T. Houston Lighting & Power Co. 6pp. 88898027-88898031.

9501170312 Rev 17 to "STP Electric Generating Station Emergency Plan." W/950115 ltr.
SERRA, P.L. Houston Lighting & Power Co. 95/01/10. 410pp. 88807001-88808048.

9501230038 Advises that based on review of 951023 transmitted & end rev 2 to plant emergency plan implementing procedure OEP01-ZV-0001, "Emergency Classification." Listed changes determined to be acceptable. W/950127 ltr.
GWYNNE, T.P. Region 4 (Post 820201). 95/01/18. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 88827056-88827060.

P. Operating license stage documents & correspondence

9501200284 Submits request for relief from ASME Boiler & Pressure Vessel Code Section XI Pump Relief Request RFP-16 & Pump Relief Request RFP-18. One oversize drawing encl.
JORDAN, T.J. Houston Lighting & Power Co. 95/01/27. Document Control Branch (Document Control Desk). 11pp. 88773001-88773011.

9501180322 Provides add info re Proposed Special Test Exception 3.10.8.
LEAZAR, D.A. Houston Lighting & Power Co. 95/01/04. Document Control Branch (Document Control Desk). 18pp. 88787190-88787197.

9501200242 Provides add info re proposed special test exception 3.10.8.
LEAZAR, D.A. Houston Lighting & Power Co. 95/01/08. Document Control Branch (Document Control Desk). 3pp. 88776307-88776311.

9501050193 Generic Ltr 88-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. . 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 88827272-88827280.

9501190378 Notification of 950115 meeting w/licensee in Rockville, MD to discuss licensee control and action plan at plant.
ALEXON, T.W. . 95/01/16. BECKNER, W.D. . 4pp. 88824001-88824004.

9501190455 Synopsizes 951212 meeting w/HLP to discuss licensee application for proposed license amendment STE for SOG & essential cooling water system of sub-cooled & HLP meeting handouts encl.
ALEXON, T.W. . 95/01/16. NRC - No Detailed Attention Given. 50pp. 88823273-88823322.

9501200333 Notification of 950118 meeting w/HLP in Rockville, MD to discuss residual heat removal pump impellers at plant.
ALEXON, T.W. . 95/01/17. BECKNER, W.D. . 4pp. 88825225-88825229.

9501200013 Requests description of programmatic controls & how controls satisfy guidance in and be provided to support continued evaluation of Operations Quality Assurance Plan Change CA-005.
GWYNNE, T.P. Region 4 (Post 820201). 95/01/21. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 88826056-88826063.

9501200189 Forwards "Final Engineering Rept/Evaluation Of 1G RHR Pump Impeller Cracks."
THOMAS, S.E. Houston Lighting & Power Co. 95/01/22. Document Control Branch (Document Control Desk). 3pp. 88903001-88903004.

9501200173 "Final Engineering Rept/Evaluation Of RHR Pump Impeller Cracks."
HOUSE, J.D., HUYNH, O.K., COTTAM, J.B. Houston Lighting & Power Co. 95/01/08. 831pp. 88903003-88903028.

9501200215 Application for amend to license NPP-76, revising TB 3.4.5, modifying SG tube plugging criteria. Nonproprietary & proprietary versions of "W E-Series F" Qualification Rept." and Proprietary version of rept withheld per 10CFR2.790.
CLONINGER, T.H. Houston Lighting & Power Co. 95/01/22. Document Control Branch (Document Control Desk). 10pp. 88958058-88958065.

9501200218 Proposed tech spec 3.4.5, modifying SG tube plugging criteria to allow implementation of alternate SG tube plugging criteria for tube-to-tube sheet joints (intern as F).
* Houston Lighting & Power Co. 95/01/22. 7pp. 88958068-88958074.

9501200220 Nonproprietary "W E-Series F" Qualification Rept."
POLSTRA, E.B. Babcock & Wilcox Co. BAW-10203 R00. 25/02/22. 50pp. 88958075-88958125.

9501200233 Application for amend to license NPP-76, modifying SG tube plugging criteria in TB 3.4.5 & 3.4.6.2 per GL 95-05. Nonproprietary & proprietary "Tube Repair Criteria..." rept encl. Proprietary rept withheld per 10CFR2.790.
CLONINGER, T.H. Houston Lighting & Power Co. 95/01/22. Document Control Branch (Document Control Desk). 25pp. 88924125-88924132.

9501200235 Proposed tech spec 3.4.5 & 3.4.6.2 including associated Basis 3/4.4.5 & 3/4.4.6.2, allowing implementation of alternate SG tube plugging criteria for tube support plate/tube intersections.
* Houston Lighting & Power Co. 95/01/22. 10pp. 88924150-88924159.

9501200237 Nonproprietary "STP Tube Repair Criteria for ODSOC at Tube Support Plate."
FLECK, J.M. Babcock & Wilcox Co. BAW-10204 R02. 95/01/04. 227pp. 88924180-88924222.

9501200283 Forwards revised table to 950104 ltr, defining time for hydrogen analyzers & revised table to 950105 ltr, revising column heading STP PSA info re containment isolation also encl.
LEAZAR, D.A. Houston Lighting & Power Co. 95/01/23. Document Control Branch (Document Control Desk). 11pp. 88906345-88906353.

9501190442 Suppl 7 to Generic Ltr 88-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 6pp. 88950111-88950116.

9501260290 Responds to 950814 tr & requests that H&LP revise OQAP to be consistent w/addl info provided to NRC staff.
ALEXON,T.W. . 95/01/24. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 66993:211-66993:216.

9501290028 Discusses processes re staff review of graded QA programs & interactions w/licenses for purpose of developing regulatory guidance.
ALEXON,T.W. . 95/01/24. COTTLE,W.T. Houston Lighting & Power Co. 7pp. 66992:268-66992:276.

-9501290031 Rev 5 to NRR Draft Evaluation Guide, "Development of Graded Quality Assurance Programs."
* . 95/01/31. 36pp. 66992:293-66992:326.

G. Inspection reports, NE Bulletin & correspondence

9501302240 Forwards insp repts 50-498/95-30 & 50-499/95-30 on 951211-14. No violations noted.
GWYNNE,T.P. Region 4 (Post 820201). 95/12/29. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 66991:330-66991:346.

-9501302246 Insp repts 50-498/95-30 & 50-499/95-30 on 951211-14. No violations noted. Major areas inspected: SR program including program changes, planning & preparation, training & qualifications of personnel & external exposure controls.
MURRAY,E. Region 4 (Post 820201). 95/12/27. 11pp. 66991:335-66991:345.

9512273372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD,D. . 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 66740:015-66740:023.

9512290129 NRC Info Notice 95-002, "Importance of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD,D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 66758:049-66758:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD,D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 66758:041-66758:048.

950138440 Transmits corrected page 5 to 951213 insp rept 50-498/95-28 & 50-499/95-28.
GWYNNE,T.P. Region 4 (Post 820201). 95/01/09. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 66996:139-66996:136.

-9501380100 Corrected page 5 to insp repts 50-498/95-28 & 50-499/95-28.
* Region 4 (Post 820201). 95/01/09. 1p. 66996:139-66996:136.

9501403336 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 66827:259-66827:271.

9501110058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD,D. . 95/01/16. Consolidated Edison Co. of New York, Inc. 9pp. 66829:109-66829:120.

9501290384 Forwards insp repts 50-498/95-29 & 50-499/95-29 on 951119-1230 & violations.
DYER,J.E. Region 4 (Post 820201). 95/01/21. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 66996:268-66996:294.

-9501290443 Insp repts 50-498/95-29 & 50-499/95-29 on 951119-1230. Violations noted. Major areas inspected: routine announced insp of plant status, on-site followup of events, operational safety verification & maint & surveillance observations.
LOVELESS,D.P. Region 4 (Post 820201). 95/01/22. 22pp. 66996:273-66996:294.

9501390306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Damper at Nuclear Power Plants."
CRUTCHFIELD,D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 66965:001-66965:010.

9501260129 NRC Info Notice 95-007, "Slow Five Percent Steam Inertion Trips Caused By Viton Diaphragms in Steam Solenoid Pilot Valves."
CRUTCHFIELD,D. . 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 66965:017-66965:023.

H. Periodic operating reports & related correspondence

9501230073 Monthly operating repts for Dec 1995 for South Texas Project W/950115 tr.
HILL,R.L. MALLIN,F.H. Houston Lighting & Power Co. 95/12/31. 14pp. 66659:104-66659:115.

I. Reportable occurrences, LERs & related correspondence

9501168363 LER 95-012-000 on 950926 RHR pump impeller cracks occurred. Caused by improper mtg of impeller RHR pump impeller replaced. W/950109 tr.
SCHULKER,D. THOMAS,S.E. Houston Lighting & Power Co. 95/01/09. 6pp. 66767:027-66767:032.

9501230018 LER 95-013-000 on 951216 turbine trip & RT occurred due to main transformer lockout. Repaired grounded connection. W/950117 tr.
HEAD,S.M. MYERS,L.W. Houston Lighting & Power Co. 95/01/17. 6pp. 66840:341-66840:348.

V. Operator Examinations

9501340138 NRC AdmstrsBvtr Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing next exam schedule.
CRUTCHFIELD,D. . 95/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 66776:001-66776:010.

9501290284 Notifies NRC that listed SRO resigned & will no longer serve in position requiring license.
MARTIN,L.E. Houston Lighting & Power Co. 95/01/25. Document Control Branch (Document Control Desk). 2pp. 66997:291-66997:292.

DOCKET STN-52-499 SOUTH TEXAS PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9501020247 Rev 2 to OPGP05-ZV-0001, "Emergency Response Exercises & Drills." W/951227 tr.
SERRA,P.L. Houston Lighting & Power Co. 95/12/27. 30pp. 66996:237-66996:268.

9501048289 Ack receipt of 951023 rev 3 to plant Emergency Plan Implementing Procedures OERP01-ZV-0001, "Emergency Classification."
GWYNNE,T.P. Region 4 (Post 820201). 95/12/29. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 66996:027-66996:031.

9501179312 Rev 17 to "STP Electric Generating Station Emergency Plan." W/950115 tr.
SERRA,P.L. Houston Lighting & Power Co. 95/01/10. 410pp. 66997:001-66997:048.

9501230030 Advises that based on review of 951023 transmitted & wct rev 3 to plant emergency plan implementing procedures OERP01-ZV-0001, "Emergency Classification." Listed changes determined to be acceptable. W/e encl.
GWYNNE,T.P. Region 4 (Post 820201). 95/01/19. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 66997:058-66997:060.

P. Operating license stage documents & correspondence

9501029294 Submits request for relief from ASME Boiler & Pressure Vessel Code Section XI Pump Relief Request RR-15 & Pump Relief Request RR-18. One oversize drawing encl.
JORDAN,T.J. Houston Lighting & Power Co. 95/12/27. Document Control Branch (Document Control Desk). 11pp. 66773:001-66773:011.

9501160322 Provides addl info re Proposed Special Test Exception 3.10.8.
LEAZAR,D.A. Houston Lighting & Power Co. 95/01/04. Document Control Branch (Document Control Desk). 16pp. 66787:190-66787:197.

9501160342 Provides addl info re proposed special test exception 3.10.8.
LEAZAR,D.A. Houston Lighting & Power Co. 95/01/05. Document Control Branch (Document Control Desk). 6pp. 66783:307-66783:311.

9501050193 General Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD,D. . 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 66827:272-66827:280.

9501130076 Notification of 950115 meeting w/licenses in Rockville, MD to discuss license control rod action plan at plant.
ALEXON,T.W. . 95/01/16. BECKNER,W.D. . 4pp. 66826:001-66826:004.

9501190455 Summarizes 951212 meeting w/H&LP to discuss license application for proposed license amend re STE for SDG & essential cooling water system of addends & H&LP meeting handouts encl.
ALEXON,T.W. . 95/01/16. NRC - No Detailed Affiliation Given. 50pp. 66826:273-66826:322.

9501230333 Notification of 950118 meeting w/licenses in Rockville, MD to discuss residual heat removal pump impellers at plant.
ALEXON,T.W. . 95/01/17. BECKNER,W.D. . 4pp. 66826:226-66826:229.

9501260019 Requests description of programmatic controls & how controls satisfy guidance in end be provided to support continued evaluation of Operations Quality Assurance Plan Change OA-028.
GWYNNE,T.P. Region 4 (Post 820201). 95/01/21. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 66826:056-66826:063.

9501260166 Forwards "Final Engineering Rept. Evaluation Of 1C RHR Pump Impeller Checks."
THOMAS,S.E. Houston Lighting & Power Co. 95/01/22. Document Control Branch (Document Control Desk). 2pp. 66993:201-66993:206.

-9501260173 "Final Engineering Rept. Evaluation Of RHR Pump Impeller Checks."
HOUSE,K.D. HUYNH,K.K. COTTAM,J.B. Houston Lighting & Power Co. 95/01/09. 63pp. 66993:003-66993:062.

9501290293 Forwards revised table to 950104 tr. detailing item for hydrogen analyzers & revised table to 950109 tr. revising column heading STP PSA into re containment location also encl.
LEAZAR,D.A. Houston Lighting & Power Co. 95/01/23. Document Control Branch (Document Control Desk). 11pp. 66996:345-66996:355.

9501260290 Responds to 950814 tr & requests that H&LP revise OQAP to be consistent w/addl info provided to NRC staff.
ALEXON,T.W. . 95/01/24. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 66993:211-66993:216.

9501290028 Discusses processes re staff review of graded QA programs & interactions w/licenses for purpose of developing regulatory guidance.
ALEXON,T.W. . 95/01/24. COTTLE,W.T. Houston Lighting & Power Co. 7pp. 66992:268-66992:276.

-9501290031 Rev 5 to NRR Draft Evaluation Guide, "Development of Graded Quality Assurance Programs."
* . 95/01/31. 35pp. 66992:293-66992:326.

132 DOCKETED ITEMS

G. Inspection reports, IE Bulletins & correspondence

9501030240 Forwards insp rept 50-495/95-30 & 50-496/95-30 on 951211-14. No violations noted.
GWYNNE, T.P. Region 4 (Post 820201). 95/12/29. COTTLE, W.T. Houston Lighting & Power Co. 6pp. 86891:330-86891:345.

-9501030248 Insp rept 50-499/95-30 & 50-499/95-30 on 951211-14. No violations noted. Major areas inspected: RP program, including program changes, planning & preparation, training & qualifications of personnel & external exposure controls.
MURRAY, B. Region 4 (Post 820201). 95/12/27. 11pp. 86891:335-86891:345.

9512279372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86748:015-86748:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 9pp. 86768:041-86768:049.

9501040440 Transmits corrected page 5 in 951219 insp rept 50-496/95-28 & 50-496/95-28.
GWYNNE, T.P. Region 4 (Post 820201). 95/01/09. COTTLE, W.T. Houston Lighting & Power Co. 86896:133-86896:138.

-9501040440 Corrected page 5 to insp rept 50-496/95-28 & 50-496/95-28.
"Region 4 (Post 820201). 95/01/09. 1p. 86896:133-86896:138.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501100458 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86828:109-86828:120.

9501230185 Forwards response to NRC 951220 re re violations noted in insp rept 50-495/95-01 on 951008-1118. Corrective actions: utility supervisory oversight was increased in field.
MASSE, R.E. Houston Lighting & Power Co. 95/01/18. Document Control Branch (Document Control Desk). 7pp. 86850:330-86850:336.

9501230384 Forwards insp rept 50-498/95-28 & 50-498/95-28 on 951119-1230 & violations.
DYER, J.E. Region 4 (Post 820201). 95/01/23. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 86886:259-86886:264.

-9501230413 Insp rept 50-498/95-28 & 50-498/95-28 on 951119-1230. Violations noted: Major areas inspected: routine, unannounced insp of plant status, on-site followup of events, operational safety verification & maint & surveillance observations.
LOVELESS, D.P. Region 4 (Post 820201). 95/01/22. 22pp. 86886:273-86886:294.

9501190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86865:001-86865:010.

9501260139 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused By Viton Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86865:017-86865:023.

H. Periodic operating reports & related correspondence

9501230271 Monthly operating rept for Dec 1995 for South Texas Project. W/950115 to.
MILLER, L.L. MALLIN, F.H. Houston Lighting & Power Co. 95/12/31. 14pp. 86852:104-86852:119.

V. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing next exam schedule.
CRUTCHFIELD, D. 95/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

9501230264 Notifies NRC that listed SRO resigned & will no longer serve in position requiring license.
MARTIN, L.E. Houston Lighting & Power Co. 95/01/25. Document Control Branch (Document Control Desk). 2pp. 86897:291-86897:292.

DOCKET STN-50-608 WPPSS NUCLEAR PROJECT, UNIT 3

A. Applications/construction stage documents & correspondence

9501050193 Generic Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 95/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827:272-86827:280.

9501190442 Suppl 7 to Generic Ltr 95-01 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 95/01/24. Consolidated Edison Co. of New York, Inc. 9pp. 86895:011-86895:016.

G. Inspection reports, IE Bulletins & correspondence

9502270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 95/01/03. Consolidated Edison Co. of New York, Inc. 9pp. 86748:015-86748:023.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758:049-86758:061.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 95/01/05. Consolidated Edison Co. of New York, Inc. 9pp. 86768:041-86768:049.

9501040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827:259-86827:271.

9501100458 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86828:109-86828:120.

9501230384 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86865:001-86865:010.

9501260139 NRC Info Notice 95-007, "Slow Five Percent Scram Insertion Times Caused By Viton Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. 95/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 86865:017-86865:023.

V. Operator Examinations

9501040138 NRC Administrative Ltr 95-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing next exam schedule.
CRUTCHFIELD, D. 95/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 86778:001-86778:010.

DOCKET STN-50-528 FAHO VERDE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9501040224 Ack receipt of 951010 by which transmits Rev 39 to P/NRG physical security plan. Includes that submitted revision to plant physical security plan acceptable for inclusion into plan.
GWYNNE, T.P. Region 4 (Post 820201). 95/12/29. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 86887:358-86887:361.

9501040273 Forwards insp rept 50-528/95-22, 50-529/95-22 & 50-530/95-22 on 951127-1201. No violations noted.
GWYNNE, T.P. Region 4 (Post 820201). 95/01/04. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 86789:122-86789:145.

-9501040273 Insp rept 50-528/95-22, 50-529/95-22 & 50-530/95-22 on 951127-1201. No violations noted. Major areas inspected: operational status of emergency preparedness program including changes to emergency plan.
MURRAY, B. Region 4 (Post 820201). 95/12/29. 21pp. 86789:125-86789:146.

I. Financial information

9501190170 "Arizona Power Authority 37th Annual Rept."
LEWIS, J.M. Arizona Power Authority. 95/12/31. 34pp. 86811:005-86811:042.

P. Operating license stage documents & correspondence

9501040486 Comment on proposed suppl 1 to GL 83-11 & NRC questions re new or revised analysis methods. Ubl endorses comments submitted by NEI.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/20. Division of Freedom of Information & Publications Services (Post 840714). 5pp. 86892:277-86892:284.

9501020031 Discusses 951207 mtg meeting at Region IV oic in Arlington, TX re maint programs & initiatives at Palo Verde Nuclear Generating Station. List of attendees & license presentation incl.
DYER, J.E. Region 4 (Post 820201). 95/12/22. STEWART, W.L. Alabama Public Service Co. 6pp. 86863:117-86863:125.

9501020031 Requests add info re ull 950627 response to GL 95-01, "Circumstantial Cracking of SG Tubes," as info incomplete in certain areas. Requests response in 30 days.
THOMAS, C.R. 95/01/02. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 6pp. 86774:010-86774:016.

9501170315 Application for amendments to licenses NPP-41, NPP-51 & NPP-74, revising TS related to power uprate.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/01/03. Document Control Branch (Document Control Desk). 6pp. 86787:272-86787:285.

-9501170315 Proposed tech specs related to power uprate.
"Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/01/03. 26pp. 86787:331-86787:356.

9601050183 Generic Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. . 96/01/30. Consolidated Edison Co. of New York, Inc. 8pp. 86827-278-86827-280.

9601230242 Transmits revised page 5-1, which changes section 5.2.2 to include description of ruckled used for control element assemblies.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/01/17. Document Control Branch (Document Control Desk). 1p. 86848-307-86848-309.

-9601230246 Revised page 5-1 changing section 5.2.2 to include description of material used for control element assemblies.
Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/01/17. 2pp. 86848-308-86848-309.

9601194442 Suppl 7 to Generic Ltr 96-10 to all holders of OLs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. . 96/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86905-011-86905-016.

9601290034 Discusses processes re staff review of graded QA programs & interactions w/inspectors for purpose of developing regulatory guidance.
THOMAS, C.R. . 96/01/24. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 8pp. 86892-327-86892-308.

G. Inspection reports, IE Briefings & correspondence

9601830044 Discusses 850516 Recommended Decision & Order issued by DOL ALJ in case of electrical engineer formerly employed by Atlantic Group. Requests response.
CALLAN, L.L. Region 4 (Post 820201). 95/10/06. McLAUGHLIN, D. . 4pp. 86860-241-86860-244.

9601110186 Revises response to notice of deviation from insp repts 50-528/93-17/50-528/93-17 & 50-530/93-17.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/28. Document Control Branch (Document Control Desk). 12pp. 86774-276-86774-287.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Damage Equipment Important to Safety."
CRUTCHFIELD, D. . 96/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86742-019-86742-023.

9601180273 Forwards Insp repts 50-528/95-22, 50-528/95-22 & 50-530/95-22 on 951127-1201. No violations noted.
GWYNNE, T.P. Region 4 (Post 820201). 96/01/04. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 86768-122-86768-146.

-9601180276 Insp repts 50-528/95-22, 50-528/95-22 & 50-530/95-22 on 951127-1201. No violations noted. Major areas inspected: operational status of emergency procedures program including changes to emergency plan.
MURRAY, B. Region 4 (Post 820201). 95/12/28. 21pp. 86768-126-86768-146.

9512200128 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indicators During Testing."
CRUTCHFIELD, D. . 96/01/03. Consolidated Edison Co. of New York, Inc. 13pp. 86768-048-86768-061.

9512200260 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. . 96/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 86768-041-86768-048.

9601040335 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses."
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827-259-86827-271.

9601190486 Ack receipt of 951127 to Informing NRC of steps taken to correct violations noted in Insp repts 50-528/95-18, 50-528/95-20 & 50-530/95-18.
DYER, J.E. Region 4 (Post 820201). 96/01/10. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 86820-207-86820-215.

9601190471 Forwards Insp repts 50-528/95-21, 50-528/95-21 & 50-530/95-21 on 951109-1218. No violations noted.
DYER, J.E. Region 4 (Post 820201). 96/01/10. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 86811-251-86811-265.

-9601190477 Insp repts 50-528/95-21, 50-528/95-21 & 50-530/95-21 on 951109-1218. No violations noted. Major areas inspected: on-site response to plant events, operational safety, maintenance & surveillance activities, on-site engineering & plant support.
KORSCH, D.F. Region 4 (Post 820201). 96/01/10. 31pp. 86811-256-86811-288.

9601190483 Insp repts 50-528/95-05, 50-528/95-05 & 50-530/95-05 cancelled.
GWYNNE, T.P. Region 4 (Post 820201). 96/01/11. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 86811-100-86811-104.

9601110038 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. . 96/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86828-108-86828-120.

9601190306 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornade Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. . 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86905-001-86905-010.

9601260138 NRC Info Notice 96-007, "Slow Five Percent Scrub Insertion Times Caused by Worn Diaphragms in Scrub Solenoid Pilot Valves."
CRUTCHFIELD, D. . 96/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86895-017-86895-023.

R. Periodic operating reports & related correspondence

9601170195 Monthly operating repts for Dec 1995 for Palo Verde Nuclear Generating Station, W/96011111.
FULTON, J.D., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/31. 16pp. 86754-251-86754-266.

S. Reportable occurrences, LERs & related correspondence

9601280043 LER 95-012-00 on 951128, RT occurred caused by high water level in SG number 1. Sys walkdown performed. Work request written & work on solenoid valves completed on 951202.
GRABO, B.A., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/26. 8pp. 86890-305-86890-312.

9601190059 LER 95-013-00 on 951201, AFW sys was outside design basis of plant. Caused by design error. Performed assessment to demonstrate that existing condition does not pose risk to safety. Cause: W/951231.
GRABO, B.A., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/31. 7pp. 86787-098-86787-074.

9601190443 LER 95-014-00 on 951201, reactor tripped following degradation of main FW flow. Caused by malfunction of FWCS power supply. W/951201, transfer switch. W/951201 signed to "Normal" power supply. W/951201.
GRABO, B.A., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/01/09. 8pp. 86800-131-86800-139.

9601290285 LER 95-015-00 on 951220, MS isolation bypass valve manual actuator was found locked in non-neutral position. Caused by error in determining neutral position during manual operation. Verified all valves w/operators. W/960119.
GRABO, B.A., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/01/19. 13pp. 86910-331-86910-343.

V. Operator Examinations

9601040158 NRC Administrative Ltr 96-01 to all holders of OLs or CPs for nuclear power reactors re operator licensing mail exam schedule.
CRUTCHFIELD, D. . 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp. 86774-001-86774-010.

DOCKET 57N-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9601040224 Ack receipt of 951010 Ltr, which transmits Rev 39 to FWNGS physical security plan. Inform that submitted revision to plant physical security plan acceptable for inclusion into plan.
GWYNNE, T.P. Region 4 (Post 820201). 95/12/28. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 86867-259-86867-261.

9601180273 Forwards Insp repts 50-528/95-22, 50-528/95-22 & 50-530/95-22 on 951127-1201. No violations noted.
GWYNNE, T.P. Region 4 (Post 820201). 96/01/04. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 86768-122-86768-146.

-9601180276 Insp repts 50-528/95-22, 50-528/95-22 & 50-530/95-22 on 951127-1201. No violations noted. Major areas inspected: operational status of emergency procedures program including changes to emergency plan.
MURRAY, B. Region 4 (Post 820201). 95/12/28. 21pp. 86768-126-86768-146.

I. Financial Information

9601180178 "Arizona Power Authority 37th Annual Rept."
LEWIS, J.M. Arizona Power Authority. 95/12/31. 34pp. 86811-005-86811-042.

P. Operating license stage documents & correspondence

9601040048 Comment on proposed suppl 1 to GL 83-11 & NRC questions re new or revised analysis methods. Ltr endorses comments submitted by NEI.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/20. Division of Freedom of Information & Publications Services (Post 840714). 8pp. 86822-277-86822-284.

9601020031 Discusses 951207 mtg meeting at Region IV site in Arlington, TX re main programs & initiatives at Palo Verde Nuclear Generating Station. List of attendees & license presentation and.
DYER, J.E. Region 4 (Post 820201). 95/12/22. STEWART, W.L. Arizona Public Service Co. 6pp. 86803-117-86803-165.

9601040028 Forwards corrected page to amend 91 to license NPF-51. Amend deleted provisions of license NPF-51, relating to safe & licensee transactions added by amend 3 and 880815.
THOMAS, C.R. . 96/01/02. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 86740-099-86740-099.

-9601040033 Corrected page 3B to amend 91 to license NPF-61.
". 96/01/02. 1p. 86740-099-86740-099.

9601180208 Requests add info re oil 950827 response to GL 95-03, "Circumstantial Cracking of SG Tubes," as info incomplete in certain areas. Requests response in 30 days.
THOMAS, C.R. . 96/01/02. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 8pp. 86774-010-86774-015.

9601170015 Application for amends to license NPF-41, NPF-51 & NPF-74, revising TS related to power uprate.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/01/05. Document Control Branch (Document Control Desk). 6pp. 86787-272-86787-286.

134 DOCKETED ITEMS

9601170318 Proposed tech specs related to power uprate.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 06/01/05.
26pp. 86797:331-86797:358.

9601060180 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp.
86827:272-86827:280.

9601190324 Forwards nonproprietary CEN-426-NP Rev 1 & Proprietary CEN-426-P Rev 1 "Safety Analysis Report for Use of Advanced Zr Based Cladding Mail in PVNGS Unit 2 Batch J Demonstration Fuel Assemblies." CEN-426-P Rev 1 withheld.
SAILEY, J.A., STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/01/12. Document Control Branch (Document Control Desk). 10pp.
86832:210-86832:238.

9601190327 "Safety Analysis Report for Use of Advanced Zr Based Cladding Mail in PVNGS Unit 2 Batch J Demonstration Fuel Assemblies."
* ASB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CEN-426-NP Rev 1, 95/09/30. 17pp. 86832:221-86832:238.

9601230242 Transmits revised page 5-1, which changes section 5.2.2 to include description of material used for control element assemblies.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/01/17. Document Control Branch (Document Control Desk). 1p. 86848:307-86848:309.

9601230248 Revised page 5-1 changing section 5.2.2 to include description of material used for control element assemblies.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/01/17. 2pp. 86848:308-86848:309.

9601190442 Suppl 7 to Generic Ltr 96-10 to all holders of OIs (except licensees appended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. 96/01/24. Consolidated Edison Co. of New York, Inc. 6pp.
86865:011-86865:016.

9601250034 Discusses processes re staff review of graded QA programs & interactions w/licenses for purpose of developing regulatory guidance.
THOMAS, C.R. 96/01/24. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 6pp. 86832:227-86832:208.

G. Inspection reports, NRC Bulletin & correspondence

960303044 Discusses 850515 Recommended Decision & Order issued by DOL ALJ in case of electrical engineer formerly employed by Atlantic Group. Requests responses.
CALLAN, J. Region 4 (Post 820201). 96/10/08. McLAUGHLIN, D. 4pp. 86890:241-86890:244.

9601110189 Revises response to notice of deviation from insp repts 50-528/93-17, 50-528/93-17 & 50-530/93-17.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/12/25. Document Control Branch (Document Control Desk). 12pp. 86774:276-86774:282.

9612270373 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temps to Disable Equipment (Important to Safety)."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 9pp.
86740:015-86740:023.

9601160273 Forwards insp repts 50-528/95-22, 50-528/95-22 & 50-530/95-22 on 951127-1201. No violations noted.
GWYNNE, T.P. Region 4 (Post 820201). 96/01/04. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 86768:122-86768:148.

9601180273 Insp repts 50-528/95-22, 50-528/95-22 & 50-530/95-22 on 951127-1201. No violations noted. Major areas inspected: operational status of emergency preparedness program including changes to emergency plan.
MURRAY, B. Region 4 (Post 820201). 95/12/28. 21pp. 86769:126-86769:148.

9612290129 NRC Info Notice 96-002, "Importance of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp.
86768:049-86768:061.

9612290239 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 9pp.
86768:041-86768:048.

9601180062 Forwards SG evaluation for Unit 2 Relueling 5 insp results.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/01/05. Document Control Branch (Document Control Desk). 14pp. 86822:321-86822:334.

9601040335 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licenses."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870725). 96/01/10. Consolidated Edison Co. of New York, Inc. 12pp. 86827:259-86827:271.

9601180466 Ask receipt of 951127 re informing NRC of steps taken to correct violations noted in insp repts 50-528/95-16, 50-528/95-16 & 50-530/95-16.
DYER, J.E. Region 4 (Post 820201). 96/01/10. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 86820:207-86820:218.

9601190471 Forwards insp repts 50-528/95-21, 50-528/95-21 & 50-530/95-21 on 951105-1216. No violations noted.
DYER, J.E. Region 4 (Post 820201). 96/01/10. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 86811:251-86811:285.

9601190477 Insp repts 50-528/95-21, 50-528/95-21 & 50-530/95-21 on 951105-1216. No violations noted. Major areas inspected: on-site response to plant events, operational safety, maint & surveillance activities, on-site engineering & plant support.
KIRSCH, D.F. Region 4 (Post 820201). 96/01/10. 31pp. 86811:256-86811:285.

9601190383 Insp repts 50-528/95-05, 50-528/95-05 & 50-530/95-06 cancelled.
GWYNNE, T.P. Region 4 (Post 820201). 96/01/11. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 86811:100-86811:104.

9601190383 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp.
86828:109-86828:120.

9601190388 NRC Info Notice 96-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp.
86855:001-86855:010.

9601260129 NRC Info Notice 96-007, "Slow Five Percent Scram Insertion Times Caused By Vibration Diaphragms in Scram Solenoid Pilot Valves."
CRUTCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 7pp.
86855:017-86855:023.

R. Periodic operating reports & related correspondence

9601170185 Monthly operating repts for Dec 1995 for Palo Verde Nuclear Generating Station. W/960111 re.
FULTON, J.D., LEWIS, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/31. 16pp. 86764:251-86764:268.

V. Operator Examinations

9601040138 NRC Administrative Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D. 96/01/09. Consolidated Edison Co. of New York, Inc. 10pp.
86776:001-86776:010.

DOCKET 574-58-530 PALO VERDE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9601040224 Ask receipt of 951010 re which transmits Rev 39 to PVNGS physical security plan. Inform that submitted revision to plant physical security plan acceptable for inclusion into plan.
GWYNNE, T.P. Region 4 (Post 820201). 95/12/28. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 86897:358-86897:361.

9601160273 Forwards insp repts 50-528/95-22, 50-528/95-22 & 50-530/95-22 on 951127-1201. No violations noted.
GWYNNE, T.P. Region 4 (Post 820201). 96/01/04. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 86768:122-86768:148.

9601160273 Insp repts 50-528/95-22, 50-528/95-22 & 50-530/95-22 on 951127-1201. No violations noted. Major areas inspected: operational status of emergency preparedness program including changes to emergency plan.
MURRAY, B. Region 4 (Post 820201). 95/12/28. 21pp. 86769:126-86769:148.

L. Financial information

9601190170 "Arizona Power Authority 37th Annual Rept."
LEWIS, J.M. Arizona Power Authority. 96/12/31. 34pp. 86811:005-86811:042.

P. Operating license stage documents & correspondence

9601040406 Comment on proposed suppl 1 to GL 83-11 & NRC questions re new or revised analysis methods. Use endorses comments submitted by NEL.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/12/20. Division of Freedom of Information & Publications Services (Post 840714). 6pp. 86892:227-86892:234.

9601020031 Discusses 951207 rpt meeting at Region IV o/c in Arlington, TX re maint programs & initiatives at Palo Verde Nuclear Generating Station. List of attendees & licensee presentation sent.
DYER, J.E. Region 4 (Post 820201). 95/12/22. STEWART, W.L. Arizona Public Service Co. 6pp. 86663:117-86663:125.

9601160209 Requests add info re 950227 response to GL 95-03, "Circumferential Cracking of SG Tubes," as info incomplete in certain areas. Requests response in 30 days.
THOMAS, C.R. 96/01/02. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 6pp. 86774:010-86774:016.

9601170315 Application for amendments to licenses NPF-41, NPF-51 & NPF-74, revising TS related to power uprate.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/01/05. Document Control Branch (Document Control Desk). 5pp. 86797:272-86797:278.

9601170315 Proposed tech specs related to power uprate.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/01/05.
26pp. 86797:331-86797:358.

9601050466 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp.
86827:272-86827:280.

9601230242 Transmits revised page 5-1, which changes section 5.2.2 to include description of material used for control element assemblies.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/01/17. Document Control Branch (Document Control Desk). 1p. 86848:307-86848:309.

-9501230848 Revised page 5-1 changing section 5.2.2 to include description of material used for control element assemblies.
Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/01/17. 2pp. 86948208-86948209.

9501194442 Suppl 7 to Generic Ltr 89-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86965011-86965016.

9501290014 Discusses processes re staff review of graded QA programs & interactions w/licenses for purpose of developing regulatory guidance.
THOMAS, C.R. . 95/01/24. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 8pp. 86982327-86982330.

Q. Inspection reports, IE Bulletins & correspondence

9501090844 Discusses 850516 Recommended Decision & Order issued by DOE ALJ in case of electrical engineer formerly employed by Atlantic Group/Requests response.
CALLAN, L.J. Region 4 (Post 820201). 95/10/06. McLAUGHLIN, D. . 4pp. 86890241-86890244.

9501102999 Replies response to notice of deviation from Insp repts 50-529/93-17, 50-529/93-17 & 50-530/93-17.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/29. Document Control Branch (Document Control Desig). 12pp. 85774276-85774287.

9512270372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disrupt Equipment Important to Safety."
CRUTCHFIELD, D. . 95/01/23. Consolidated Edison Co. of New York, Inc. 9pp. 86740016-86740023.

9501190273 Forwards Insp repts 50-529/95-22, 50-529/95-22 & 50-530/95-22 on 951127-1201. No violations noted.
GWYNNE, T.P. Region 4 (Post 820201). 95/01/04. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 86769122-86769146.

-9501190273 Insp repts 50-529/95-22, 50-529/95-22 & 50-530/95-22 on 951127-1201. No violations noted. Major areas inspected: operational status of emergency preparedness program including changes to emergency plan.
MURRAY, S. Region 4 (Post 820201). 95/12/28. 21pp. 86789128-86789146.

9512290129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indicators During Testing."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 86758049-86758081.

9512290299 NRC Info Notice 95-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. . 95/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 86768041-86768046.

9501040338 NRC Info Notice 95-004, "Incident Reporting Requirements for Redography Licenses."
COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86827259-86827271.

9501180458 Ack receipt of 951127 to Informing NRC of steps taken to correct violations noted in Insp repts 50-529/95-18, 50-529/95-18 & 50-530/95-18.
DYER, J.E. Region 4 (Post 820201). 95/01/10. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 86820207-86820216.

9501190471 Forwards Insp repts 50-529/95-21, 50-529/95-21 & 50-530/95-21 on 951105-1216. No violations noted.
DYER, J.E. Region 4 (Post 820201). 95/01/10. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 86811251-86811265.

-9501190477 Insp repts 50-529/95-21, 50-529/95-21 & 50-530/95-21 on 951105-1216. No violations noted. Major areas inspected: on-site response to plant events; operational safety; maintenance activities; on-site engineering & plant support.
KIRSCH, D.F. Region 4 (Post 820201). 95/01/10. 31pp. 86811255-86811288.

9501180383 Insp repts 50-529/95-05, 50-529/95-05 & 50-530/95-05 cancelled.
GWYNNE, T.P. Region 4 (Post 820201). 95/01/11. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 86811100-86811104.

9501190558 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel."
CRUTCHFIELD, D. . 95/01/18. Consolidated Edison Co. of New York, Inc. 8pp. 86829109-86829120.

9501190558 NRC Info Notice 95-006, "Design & Testing Deficiencies of Tornado Dampers at Nuclear Power Plants."
CRUTCHFIELD, D. . 95/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 86835001-86835010.

9501280139 NRC Info Notice 95-007, "Slow Five Percent Steam Insertion Times Caused By Viton Diaphragms in Screen Solenoid Pilot Valves."
CRUTCHFIELD, D. . 95/01/28. Consolidated Edison Co. of New York, Inc. 7pp. 86835017-86835023.

R. Periodic operating reports & related correspondence

9501170185 Monthly operating repts for Dec 1995 for Palo Verde Nuclear Generating Station. W/950111 to:
FULTON, J.D. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/31. 16pp. 86784251-86784266.

S. Reportable occurrences, LERs & related correspondence

9501058237 Final response to FOIA request for documents. App A documents and 8 also placed in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. KURTZ, E. . 2pp. 86758106-86758154.

-9501050247 Package consisting of event repts for 940413-17 for listed plants & Region I morning rpt for 940413-15.
* NRC - No Detailed Attribution Given. 95/12/21. 47pp. 86758106-86758154.

V. Operator Examinations

9501190438 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D. . 95/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 86778001-86778010.

DOCKET 59-537 CLINCH RIVER BREEDER REACTOR

A. Application/construction stage documents & correspondence

9501190438 Generic Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re testing of safety-related logic circuits.
CRUTCHFIELD, D. . 95/01/30. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827280.

9501190442 Suppl 7 to Generic Ltr 89-10 to all holders of OIs (except licenses amended to possession only status) or CPs for nuclear power reactors re consideration of valve mispositioning in PWRs.
CRUTCHFIELD, D. . 95/01/24. Consolidated Edison Co. of New York, Inc. 8pp. 86965011-86965016.

V. Operator Examinations

9501190438 NRC Administrative Ltr 95-01 to all holders of OIs or CPs for nuclear power reactors re operator licensing exam schedule.
CRUTCHFIELD, D. . 95/01/08. Consolidated Edison Co. of New York, Inc. 10pp. 86778001-86778010.

DOCKET 62-001 GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.

9501060280 Forwards draft SRP for Tier 1 certified design mat & ITAC for design certification reviews per 10CFR152.
QUAY, T.R. . 95/12/21. MOORE, J.E. Assistant General Counsel for Hearings & Enforcement. BAGCHI, G., CALVO, J. . 17pp. 86754038-86754216.

9501170080 Forwards transcript of 951204 public meeting on Design Certification.
SCALETT, D. . 95/01/06. 2pp. 86778127-86778282.

-9501170184 Transcript of 951204 public meeting in Rockville, MD re Design Certification Rulemaking. Pp 1-162.
* NRC - No Detailed Attribution Given. 95/12/04. 163pp. 86778128-86778292.

DOCKET 62-002 SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.

9501050280 Forwards draft SRP for Tier 1 certified design mat & ITAC for design certification reviews per 10CFR152.
QUAY, T.R. . 95/12/21. MOORE, J.E. Assistant General Counsel for Hearings & Enforcement. BAGCHI, G., CALVO, J. . 17pp. 86754038-86754216.

9501290077 Discusses clarification of sys 80+ PRA results.
QUAY, T.R. . 95/01/24. BRINKMAN, C.B. ASB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 86835007-86835008.

9501170090 Forwards transcript of 951204 public meeting on Design Certification.
SCALETT, D. . 95/01/06. 2pp. 86778127-86778282.

-9501170184 Transcript of 951204 public meeting in Rockville, MD re Design Certification Rulemaking. Pp 1-162.
* NRC - No Detailed Attribution Given. 95/12/04. 163pp. 86778128-86778292.

DOCKET 62-083 AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.

9501040315 Forwards RAI in response to DSEI open items that cannot be closed given existing level of info in revised shutdown PRA to AP600. Response to questions & comments requested within 60 days.
JACKSON, D.T. . 95/11/08. UPARULON, N.J. Westinghouse Electric Corp. 8pp. 86730094-86730099.

9501180232 Forwards follow-up questions re MAAP4 analysis of AP600 PRA success criteria used to support thermal-hydraulic reliability review.
HUFFMAN, W.C. . 95/11/15. UPARULON, N.J. Westinghouse Electric Corp. 4pp. 86806310-86806313.

9501180311 Forwards RAI re AP600 PRA Human Reliability Analysis. Requests response within 60 days.
JACKSON, D.T. . 95/11/21. UPARULON, N.J. Westinghouse Electric Corp. 8pp. 86727342-86727349.

9501180248 Forwards questions re AP600 PRA success criteria used in low-power & shutdown risk assessment.
HUFFMAN, W.C. . 95/11/27. UPARULON, N.J. Westinghouse Electric Corp. 5pp. 86806314-86806318.

136 DOCKETED ITEMS

951201240 Discusses revised review schedule for AP600 design certification application.
TAYLOR, J.M. Of the Executive Director for Operations. 95/11/28. THE CHAIRMAN, JACKSON, S.A., ROGERS, J.C. Commissioners (Post 750118). 5pp. 88891:300-88891:304.

9501280278 Announces plans to sell defense-related portion of Electronic Systems business & another smaller business to be announced within two weeks.
* Westinghouse Electric Corp. 95/12/06. RUSSELL, W. NRC - No Detailed Affidavit Given. 1p. 88848:244-88848:245.

9501280281 Forwards nonproprietary & proprietary presentation materials from 951200 meeting on AP600 containment test & analysis program activities. Proprietary presentation materials withheld per 10CFR2.790.
MCINTYRE, B.A. Westinghouse Electric Corp. 95/12/11. QUAY, T.R. Document Control Branch (Document Control Desk). 4pp. 88768:001-88768:008.

9501280285 Requests that proprietary presentation materials from 951200 meeting on AP600 containment test & analysis program be withheld from public disclosure per 10CFR2.790.
MCINTYRE, B.A. Westinghouse Electric Corp. 95/12/11. QUAY, T.R. Document Control Branch (Document Control Desk). 4pp. 88768:006-88768:008.

9501280288 Forwards EPRI Rept RA-95-10, "GOTHIC Design Review/Final Rept."
KENNY, A. Electric Power Research Institute. 95/12/15. JACKSON, D.T. 1p. 88835:280-88835:280.

9501280290 "Gothic Design Review/Final Rept."
* Electric Power Research Institute. RA-95-10. 93/09/30. 60pp. 88835:281-88835:290.

9501280110 Forwards request for add info re June 1992 application for AP600 design certification & advises that add application will be withheld from public disclosure for 90 calendar days from date of 10CFR2.790, per request.
HUFFMAN, W.C. 95/12/15. LIPARULO, N.J. Westinghouse Electric Corp. 7pp. 88832:224-88832:229.

9501280091 Submits responses to RAI on AP600 Design Certificate program.
MCINTYRE, B.A. Westinghouse Electric Corp. 95/12/21. QUAY, T.R. Document Control Branch (Document Control Desk). 47pp. 88577:258-88577:264.

9501280007 Forwards RAI re AP600 PRA. Requests response within 30 days.
JACKSON, D.T. 95/12/22. LIPARULO, N.J. Westinghouse Electric Corp. 8pp. 88861:353-88861:358.

9501280107 Summary of 951205-07 AP600 design review meeting w/ Sciencetech, Inc. & W in Rockville, MD re design issues related to AP600 passive containment cooling system & WGOHIC computer code.
JACKSON, D.T. 95/12/27. 197pp. 88778:011-88778:207.

9501280117 Forwards RAI re AP600 WCOBRA/TRAC long term cooling analysis concerning June 1992 application for design certification of AP600. Concludes that following questions do not contain info sought to be withheld from public disclosure.
HUFFMAN, W.C. 95/12/28. LIPARULO, N.J. Westinghouse Electric Corp. 8pp. 88832:252-88832:257.

9501280328 Summary of 951216 meeting w/Westinghouse in Rockville, MD to discuss application of WCOBRA/TRAC long term cooling analysis.
SEBROSKY, J.M. 95/01/03. 4pp. 88748:393-88748:398.

9501280184 Forwards info provided to address NRC open issues related to AP600 steel containment. Draft rev of Subsection 3.2.2 of SSAR, draft rev of Chapter 42 of AP600 PRA & responses to NRC requests for add info also encl.
MCINTYRE, B.A. Westinghouse Electric Corp. 95/01/04. QUAY, T.R. Document Control Branch (Document Control Desk). 35pp. 88768:080-88768:162.

9501280114 Forwards proprietary Westinghouse responses to NRC requests for add info on AP600 design certification test program. Using of NRC requests for add info responded to in RAI contained in Attachment A. Encl withheld per 10CFR2.790(d).
MCINTYRE, B.A. Westinghouse Electric Corp. 95/01/04. QUAY, T.R. Document Control Branch (Document Control Desk). 8pp. 88822:255-88822:258.

9501280121 Requests that proprietary Westinghouse responses to NRC requests for add info on AP600 design certification test program be withheld (rel 10CFR2.790).
MCINTYRE, B.A. Westinghouse Electric Corp. 95/01/04. QUAY, T.R. Document Control Branch (Document Control Desk). 27pp. 88822:260-88822:266.

9501280385 Advises that info contained in presentation material will be withheld from public disclosure rel 10CFR2.790 per 951211 request.
JACKSON, D.T. 95/01/11. MCINTYRE, B.A. Westinghouse Electric Corp. 3pp. 88827:358-88827:360.

9501280359 Forwards draft of AP600 SSAR Subsection 3.2.4. Draft reflects recent passive autocatalytic recombiner performance data.
MCINTYRE, B.A. Westinghouse Electric Corp. 95/01/11. QUAY, T.R. Document Control Branch (Document Control Desk). 78pp. 88831:089-88831:241.

9501280449 Forwards Westinghouse responses to NRC requests for add info on AP600 design certification test program.
MCINTYRE, B.A. Westinghouse Electric Corp. 95/01/12. Document Control Branch (Document Control Desk). 47pp. 88917:175-88917:221.

9501280224 Forwards revised pages 1-3 & 1-4 to rev 1 of AP600 SPES-2 Test Analysis Rept.
MCINTYRE, B.A. Westinghouse Electric Corp. 95/01/15. Document Control Branch (Document Control Desk). 1p. 88848:344-88848:348.

9501280225 Revised pages 1-3 & 1-4 of Rev 1 to AP600 SPES-2 Test Analysis Rept.
* Westinghouse Electric Corp. 95/01/15. 2pp. 88848:345-88848:348.

9501280206 Informs that proprietary document, "AP600 CR Scale Unit Test Analysis Rept/Final Copy" removed from AP600 docket file & to be returned to WJAW 950518. Advise that other proprietary material identified in 950518 for under review.
HUFFMAN, W.C. 95/01/15. LIPARULO, N.J. Westinghouse Electric Corp. 3pp. 88831:297-88831:298.

9501280280 Notification of 950119 meeting w/Westinghouse in Rockville, MD to discuss shutdown risk & human reliability analysis & Westinghouse approach for issues associated w/AP600 PRA.
JACKSON, D.T. 95/01/17. QUAY, T.R. 3pp. 88827:355-88827:357.

9501280320 Submits comments re Westinghouse AP600 Core Makeup Task Level Instrument Test Data & Evaluation Rept.
HUFFMAN, W.C. 95/01/17. LIPARULO, N.J. Westinghouse Electric Corp. 2pp. 88828:220-88828:221.

9501280169 Notification of 950123-27 meeting w/Westinghouse in Rockville, MD to discuss problems w/PPIR testing program & other potential reactor eye testing concerns.
HUFFMAN, W.C. 95/01/17. QUAY, T.R. 4pp. 88831:270-88831:282.

9501280128 Submits Westinghouse responses to open items presented in NRC meeting meeting for add.
MCINTYRE, B.A. Westinghouse Electric Corp. 95/01/17. QUAY, T.R. Document Control Branch (Document Control Desk). 22pp. 88888:309-88888:330.

9501280287 Forwards comments on Westinghouse plan to resolve AP600 PRA MAAP4 success criteria issues.
QUAY, T.R. 95/01/18. LIPARULO, N.J. Westinghouse Electric Corp. 13pp. 88829:284-88829:296.

9501280463 Notification of 950124 & 950125 meeting w/W in Rockville, MD to discuss W progress & findings in RAI responses for AP600 NOTRUMP computer code.
HUFFMAN, W.C. 95/01/18. QUAY, T.R. 3pp. 88831:229-88831:231.

9501280201 Responds to NRC RAI on AP600 Design Certification Program.
MCINTYRE, B.A. Westinghouse Electric Corp. 95/01/19. Document Control Branch (Document Control Desk). 32pp. 88893:228-88893:259.

9501280284 Advises that info in Westinghouse Rept PCS-TER-060, "Large-Scale Test Data Evaluation May 1995," will be withheld from public disclosure rel 10CFR2.790 per 950515. 1p.
JACKSON, D.T. 95/01/22. LIPARULO, N.J. Westinghouse Electric Corp. 3pp. 88830:173-88830:175.

9501280185 Provides tables identifying key elements of AP600 WGOHIC PCS Design Basis Analysis approach.
MCINTYRE, B.A. Westinghouse Electric Corp. 95/01/23. QUAY, T.R. Document Control Branch (Document Control Desk). 16pp. 88888:340-88888:357.

9501280122 Provides document that describes Westinghouse position on resolution of in-vessel retention of molten core debris & related severe accident issues for AP600 Design Certification program.
MCINTYRE, B.A. Westinghouse Electric Corp. 95/01/23. QUAY, T.R. Document Control Branch (Document Control Desk). 3pp. 88888:307-88888:307.

9501280123 "Westinghouse Position on In-Vessel Retention of Molten Core Debris for AP600 for Jan 1996."
* Westinghouse Electric Corp. 95/01/23. 38pp. 88890:310-88890:347.

9501280483 Advises that info contained in EPRI Rept RA-95-10, "GOTHIC Design Review/Final Rept." (rel 950330) will be withheld from public disclosure rel 10CFR2.790 per 951215 request.
JACKSON, D.T. 95/01/23. KENNY, A. Electric Power Research Institute. 4pp. 88812:052-88812:055.

9501280229 Forwards responses to NRC RAI on AP600 design certification test program.
MCINTYRE, B.A. Westinghouse Electric Corp. 95/01/28. QUAY, T.R. Document Control Branch (Document Control Desk). 38pp. 88861:240-88861:275.

9501280230 Notification of 950201-0202 meeting w/Westinghouse in Rockville, MD to discuss PRA for AP600 design. Agenda encl.
SEBROSKY, J.M. 95/01/28. QUAY, T.R. 4pp. 88848:190-88848:193.

DOCKET 62-004 GE SIMPLIFIED SWR (SSWR) DESIGN, GENERAL ELECTRIC CO.

9501280034 Forwards proprietary PANTHERS/IC Apparent Test Results, Phase 1. Encl withheld.
QUINN, J.E. General Electric Co. 95/01/25. QUAY, T.R. 2pp. 88730:328-88730:337.

9501280441 Forwards proprietary info re SSWR - PANTHERS/IC apparent test results per 950724. Encl withheld rel 10CFR2.790.
QUINN, J.E. General Electric Co. 95/01/09. QUAY, T.R. 3pp. 88820:274-88820:276.

9501280455 Forwards proprietary responses to RAI re SSWR license TR NEDE-32177P (TRACG Qualification). Responses withheld per 10CFR2.790.
QUINN, J.E. General Electric Co. 95/01/09. QUAY, T.R. 7pp. 88820:278-88820:285.

9501280193 Forwards proprietary Rev 0 to Rept 40650-NUC 95-2516, "Post Test Calculations of PANDA PCG Steady-State Tests." In satisfaction of commitment in SSWR Test & Analysis Program Description (NEDE 32316P Rev 0, Aug 1995). Rept withheld.
QUINN, J.E. General Electric Co. 95/01/16. QUAY, T.R. 6pp. 88831:347-88831:352.

9501280385 Forwards listing of all test plans & test procedures for completed PANDA tests.
QUINN, J.E. General Electric Co. 95/01/17. QUAY, T.R. 2pp. 88849:001-88849:001.

9501280361 Rev 1 to ALPHA-410, "PANDA Steady-State Tests PCG Performance Test Plan & Procedures."
HUGGENBERGER, Paul Scherer Institute. 95/05/09. 111pp. 88849:003-88849:113.

9501280365 Rev 2 to ALPHA-410, "PANDA Steady-State Tests PCG Performance Test Plan & Procedures."
DREIER, Paul Scherer Institute. 95/05/15. 112pp. 88849:114-88849:225.

9501280370 Rev 1 to 25A5764, "PANDA Test Plan - Tests M3/M4 & M7."
TORBECK, J.E. General Electric Co. 95/09/16. 23pp. 88849:226-88849:248.

9501280373 Rev 0 to ALPHA-520, "PANDA Transient Tests M3 & M4 Integral Sys Test Procedure."
AUBERT, C. Paul Scherer Institute. 95/09/22. 28pp. 88849:249-88849:276.

9501280375 Rev 2 to 25A5764, "PANDA Test Plan - Tests M3/M4, M38/M4 & M7."
FORTNA, General Electric Co. 95/10/16. 25pp. 88849:277-88849:304.

-9901230378 Rev 2 to ALPHA-520, "PANDA Transient Tests M3A,M3B & M4 Integral Sys Test Procedure."
AUBERT,C. Paul Scherrer Institute. 95/10/24. 32pp. 88848308-88849336.

-9901230382 Rev 3 to 25A5754, "PANDA Test Plan M3,M3A,M3B,M4 & M7."
FORTIN,A. General Electric Co. 95/11/15. 28pp. 88848337-88850505.

-9901230388 Rev 0 to ALPHA-521, "PANDA Transient Tests M7 Integral Sys Test Procedure."
AUBERT,C. Paul Scherrer Institute. 95/11/14. 27pp. 88850008-88850032.

-9901230390 Rev 0 to 25A5755, "PANDA Test Plan - Tests M2,M10A & M10B."
WINGATE,G.A. General Electric Co. 95/11/21. 28pp. 88850033-88850060.

-9901230392 Rev 0 to ALPHA-527, "PANDA Transient Tests M2,M10A & M10B Integral Sys Test Procedure."
AUBERT,C. Paul Scherrer Institute. 95/11/24. 28pp. 88850061-88850088.

-9901230394 Rev 0 to 25A5758, "PANDA Test Plan - Test M8/B."
WINGATE,G.A. General Electric Co. 95/12/07. 28pp. 88850089-88850116.

-9901230396 Rev 0 to ALPHA-528, "PANDA Transient Tests M8/B Integral Sys Test Procedure."
AUBERT,C. Paul Scherrer Institute. 95/09/12. 32pp. 88850117-88850145.

-9901230401 Rev 0 to 25A5824, "PANDA Test Plan - Test M8."
WINGATE,G.A. General Electric Co. 95/12/12. 28pp. 88850146-88850174.

-9901230404 Rev 0 to ALPHA-528, "PANDA Transient Tests M9 Integral Sys Test Procedure."
AUBERT,C. Paul Scherrer Institute. 95/12/18. 27pp. 88850175-88850201.

9901230420 Requests withdrawal of proprietary version of TRAOG2V User's manual & associated affidavit.
QUINN,J.E. General Electric Co. 95/01/18. QUAY,T.E. - 2pp. 88872365-88872367.

9901230421 Ltr contract,definitizing task order 703, "Regulatory Analysis Supporting Development of Steam Generator Rule."
WEBBER,R.B. Division of Contracts (Post 940714). NRC-03-98-028. 96/01/19. KNIGHT,D. SCIENTECH, Inc. 2pp. 88912191-88912195.

-9901230430 Ltr contract,definitizing task order 308, "SEWR Sealing Evaluation."
WEBBER,R.B. Division of Contracts (Post 940714). NRC-03-95-028. 96/01/19. KNIGHT,D. SCIENTECH, Inc. 2pp. 88912196-88912198.

DOCKET DOCKET UNKNOWN

9901230451 Forwards Insp rept 70-0331/95-01 for Eagle-Picher Co on 951113.No violations observed.
MCCORMICK-BARGE Region 3 (Post 820201). 95/12/27. BENTZ,T. Eagle Picher Industries. 2pp. 88879050-88879052.

-9901230454 Insp rept 70-0331/95-01 for Eagle-Picher Co on 951113.No violations noted.Major areas inspected:review former licensee activities & to determine whether licensee adequately documented prior to terminating license.
KULZER,E. MCCANN,G.M. MCCORMICK-BARGE Region 3 (Post 820201). 95/12/27. 7pp. 88879052-88879058.

9901230472 Response to test scoping meeting re docket 70003065 in Dec 1995.
CHURCH,M.E. Affiliation Not Assigned. 96/01/10. ASTWOOD NRC - No Detailed Affiliation Given. 1p. 88871048-88871049.

9901230488 Second partial response to FOIA request App D records & releasable portions of App B records sent & available in FOIA App B records partially withheld (ref FOIA exemption B).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/01/16. DEKORD. Affiliation Not Assigned. 4pp. 88885266-88885313.

-9901230493 Authorizes shipment of Saxon reactor fuel followers in accordance w/ procedures described in application dtd 810503.
NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 61/06/15. AMTSBERG,H.C. Westinghouse Electric Corp. 1p. 88895273-88895273.

-9901230497 Authorizes shipment of Saxon reactor fuel element assemblies in accordance w/ procedures submitted in application dtd 810418.
NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 61/06/20. AMTSBERG,H.C. Westinghouse Electric Corp. 1p. 88895274-88895274.

-9901230498 Requests extension of expiration date authorizing shipment of Saxon reactor fuel followers & instrumental fuel assemblies.
TSCHIEGG,R.E. Westinghouse Electric Corp. 61/06/26. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 1p. 88895275-88895275.

-9901230499 Informs that expiration date of authorization for shipment of Saxon reactor fuel followers & assemblies under License SM-458, extended from 610916-620101.
NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 61/08/15. TSCHIEGG,R.E. Westinghouse Electric Corp. 1p. 88895276-88895276.

-9901230499 Requests extension of expiration date authorizing shipment of Saxon reactor fuel followers & instrumental fuel assemblies to Saxon Plant site.
AMTSBERG,H.C. Westinghouse Electric Corp. 61/12/19. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 3pp. 88895277-88895279.

-9901230497 Requests to change documents dtd 610530 to read "No Other Source or Special Nuclear Matl Will Accompany These Shipments," instead of "No Other Radioactive Matl Will Accompany The Shipments."
AMTSBERG,H.C. Westinghouse Electric Corp. 61/12/21. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 1p. 88895280-88895280.

-9901230472 Forwards application re Saxon shipping for review.
NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 61/12/25. LUKE,C.D. Atomic Energy Commission (Pre 750119). 1p. 88895281-88895281.

-9901230476 Requests extension of authorization to transport Saxon reactor fuel followers & instrumental fuel assemblies to reactor site Saxon PA.
AMTSBERG,H.C. Westinghouse Electric Corp. 62/03/07. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 1p. 88895282-88895282.

-9901230482 Requests extension of authorization to transport Saxon reactor fuel followers & instrumental fuel assemblies.
AMTSBERG,H.C. Westinghouse Electric Corp. 62/04/28. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 1p. 88895283-88895283.

-9901230487 Requests extension of authorization to transport Saxon reactor fuel followers & instrumental fuel assemblies.
NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 62/04/28. AMTSBERG,H.C. Westinghouse Electric Corp. 1p. 88895284-88895284.

-9901230488 Authorizes to transport Saxon reactor fuel followers & instrumental fuel assemblies as requested.
NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 62/05/01. AMTSBERG,H.C. Westinghouse Electric Corp. 1p. 88895285-88895285.

-9901230494 Requests description of scrap matl to be collected re application dtd 820726.
LUKE,C.D. Atomic Energy Commission (Pre 750119). 62/07/30. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 1p. 88895286-88895286.

-9901230497 Forwards docket & request by WEC-APD to permit fabrication of Saxon-supersat experiment fuel assemblies.
NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 62/12/11. LUKE,C.D. Atomic Energy Commission (Pre 750119). 1p. 88895287-88895287.

-9901230499 Requests to review application dtd 631118 from standpoint of nuclear safety.
LAYFIELD,R. Atomic Energy Commission (Pre 750119). 63/11/26. LUKE,C.D. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 1p. 88895288-88895288.

-9901230500 Authorizes shipment of Saxon 9X9 fuel assembly in accordance w/ procedures described in application dtd 631118.
LAYFIELD,R. Atomic Energy Commission (Pre 750119). 63/12/12. NUSSBAUMER,D. Westinghouse Electric Corp. 1p. 88895289-88895289.

-9901230503 Application for amend to License SM-458,pending review by AEC.
AMTSBERG,H.C. Westinghouse Electric Corp. 61/05/29. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 24pp. 88895290-88895313.

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0009 BATTILLE COLUMBUS DIV. (BATTILLE MEMORIAL INSTITUTE).

9901230487 Discusses close-out of license files SM-00519 & C-03374. Subject terminated licenses forwarded to Region III for follow-up as part of CRISE Terminated Sites Review because of lack of info re adequacy of site decontamination.
KULZER,E. MCCANN,G.M. MCCORMICK-BARGE Region 3 (Post 820201). 96/01/18. Region 3 (Post 820201). 1p. 88894202-88894202.

DOCKET 70-0427 BABCOCK & WILCOX CO., LYNCHBURG, VA

9901230462 Forwards info re NRC window shipments to Univ of MD.
CAMPLIN,W. Babcock & Wilcox Co. 95/12/15. BENNINGTON,G. NRC - No Detailed Affiliation Given. TOBIN,B. Region 2 (Post 820201). 3pp. 88845356-88845358.

9901230493 Responds to 951117 ltr,expressing concern re lack of regulatory basis for NRC to conduct chemical safety trips at facility & financial burden that trips would place upon licensee.
PAPERBELL,C.J. Office of Nuclear Material Safety & Safeguards. 95/12/27. CONNER,J.A. Babcock & Wilcox Co. 2pp. 88790300-88790301.

9901230497 Forwards fitness for duty program rept for period Jul-Dec 1995.
DAVIS,W.H. Babcock & Wilcox Co. 96/01/02. PIERSON,R. Licensing Branch. 2pp. 88891068-88891069.

9901230498 Forwards partially withheld insp rept 70-0027/95-205 on 951204-05.Violation noted.Rept details withheld (ref 10CFR2.790).
TING,P. Operations Branch. 96/01/05. CONNER,J.A. Babcock & Wilcox Co. 3pp. 88790307-88790310.

-9901230492 Partially withheld insp rept 70-0027/95-205 on 951204-08. Violation noted.Major areas inspected:instrument monitoring, process monitoring,measurement sys & control & alarm restoration.Details withheld (ref 10CFR2.790).
LIGHT,G.S., WHALEY,D.L. ROTH,J. Operations Branch. 96/01/04. 1p. 88790310-88790310.

9901230494 Forwards insp rept 70-0027/95-24 on 951215-16.No violations noted.
MCALPINE,E.J. Region 2 (Post 820201). 96/01/09. CONNER,J.A. Babcock & Wilcox Co. 3pp. 88804270-88804270.

-9901230492 Insp rept 70-0027/95-24 on 951215-15.No violations noted. Major areas inspected:fitness for duty (FFD) Program & to verify corrective actions to prior FFD violation.
TOBIN,W.J., MCALPINE,E.J. Region 2 (Post 820201). 96/01/09. 4pp. 88804271-88804276.

9901230499 Notification of 960201 meeting w/Babcock & Wilcox Co Naval Nuclear Fuel Div in Rockville,MD to discuss Integrated Safety Analysis Program.
* NRC - No Detailed Affiliation Given. 96/01/18. NRC - No Detailed Affiliation Given. 1p. 88848265-88848265.

9901230492 Requests that NRC approve listed addition to Chapter 1 of license renewal application,drawings and.
CLERK,J.F. Babcock & Wilcox Co. 96/01/22. PIERSON,R.C. Licensing Branch. 18pp. 88856148-88856169.

138 DOCKETED ITEMS

DOCKET 70-0034 COMBUSTION ENGINEERING, INC., HEMATITE, MO

- 9601090148 Documents discussions of licensing aspects of plant improvement projects discussed during 951107 meeting. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/12/12. PIERSON,R.C. Licensing Branch. 3pp. 96730-303-96730-306.
- 960110230 Ask receipt of 951211 for informing NRC of steps taken to correct violations noted in Insp rept 70-0036/95-04 on 951127. SHEAR,G.L. Region 3 (Post 820201). 96/01/04. PAGE,R.J. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 96760-072-96760-072.
- 9601220279 Notification of significant licensee meeting w/with on 960126 to discuss concerns re licensee's criticality safety program as discussed in Insp Rept 70-0036/95-04 did 950712 & demand for info did 950825. TING,P. Operations Branch. 96/01/18. Operations Branch. 2pp. 96643-299-96643-300.
- 9601220329 Responds to 951212 in which contains discussion of licensing aspects of plant improvement projects planning for Hematite facility. PIERSON,R.C. Licensing Branch. 96/01/19. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 96643-011-96643-011.
- 9601310872 Forwards pages to Licensee SNM-83 revised to include current criticality calculation methodology for complex sys. SCALE-PO version 4.1 modular code sys. ESKIDGE,H.E. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). ESKIDGE,H.E. ASEA Brown Boveri, Inc. 96/01/26. PIERSON,R.C. Licensing Branch. 3pp. 96643-356-96643-358.

DOCKET 70-0133 CLEVITE CORP., CLEVELAND, OH

- 9601090580 Forwards Insp rept 70-0133/95-02 on 951025.No violations noted.Insp consisted of independent radiological surveys, observation of characterization activities & interviews w/personnel. MCCORMICK,BARGE Region 3 (Post 820201). 95/12/25. PIERSON,R.C. Licensing Branch. 2pp. 96692-157-96692-161.
- 9601300102 Insp rept 70-0133/95-02 on 951025.No violations noted.Major areas inspected:survey progress & recently identified contaminated areas.Inspector conducted independent radiation surveys on selected areas reclassified as affected. SNELL,W. HOUSE,L. MCCORMICK-BARGE Region 3 (Post 820201). 95/12/28. 3pp. 96692-159-96692-161.

DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

- 9601200212 Forwards final radiological survey results for Apollo decommissioning project inside server area.Survey results clearly indicate area meets NRC requirements for free release for unrestricted use. HARTJENS,B.L. Babcock & Wilcox Co. 92/09/28. McDANIEL,K.J. Fuel Cycle Safety Branch (970729-930206). 5pp. 96904-270-96904-272.
- 9601050021 FOIA request for documents re 920812 rept issued by NRC entitled, "Environ Assessment for Decommissioning of Babcock & Wilcox Apollo Site." REEVES,K.G. Affiliation Not Assigned. 96/10/12. Division of Freedom of Information & Publications Services (Post 940714). 1p. 96759-095-96759-099.
- 9601050025 Final response to FOIA request for documents.App A documents already available in PDF.App A list also identifies each ref in 920812 rept & explanation of ref availability. GRIMBLEY,C. Division of Freedom of Information & Publications Services (Post 940714). 95/12/15. REEVES,K.G. Affiliation Not Assigned. 7pp. 96759-091-96759-109.
- 9601060027 Package consisting of pages from B&W Apollo environ assessment rept. * NRC - No Detailed Affiliation Given. 92/08/12. 12pp. 96759-099-96759-109.
- 9601160243 Forwards results of TLD direct radiation monitoring around facility for third quarter of 1995. STRUCKMEYER,R. Region 1 (Post 820201). 96/01/03. CEPICKA,J.J. Babcock & Wilcox Co. 4pp. 96769-054-96769-057.
- 9601230007 Requests technical assistance in reviewing Final Status Survey Rept for Decommissioning of Apollo Fuel Conversion Facility. PIERSON,R.C. Licensing Branch. 96/01/04. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NWS 940403). 2pp. 96643-293-96643-294.

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

- 9601220012 Forwards Rev 0 to "Emergency Plan," including response to questions in 950628 & comments on emergency plan from off-site response organizations w/ exception of comments from State of TN. MAXIM,A.M. Nuclear Fuel Services, Inc. 95/12/15. PIERSON,R.C. Licensing Branch. 2pp. 96643-001-96643-157.
- 9601220016 Rev 0 to "Emergency Plan." NPS,N.D.R. Nuclear Fuel Services, Inc. 95/10/02. 341pp. 96643-027-96643-157.
- 9601160416 Provides quarterly RCRA Facility Investigation & Interim Measures Progress Repts. MAXIM,A.M. Nuclear Fuel Services, Inc. 95/01/04. FARMER,G.A. Region 4 (Post 820201). 25pp. 96617-284-96617-315.
- 9601200558 Forwards Insp rept 70-0143/95-07 on 951204-08.No violations or deviations noted. MCALPINE,J. Region 2 (Post 820201). 96/01/04. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. 96803-348-96803-353.
- 9601180054 Insp rept 70-0143/95-07 on 951204-08.No violations noted. Major areas inspected:Physical Security Plan & procedures for protection of SNM of Moderate Strategic Significance. TOBIN,W.J. MCALPINE,J. Region 2 (Post 820201). 95/01/04. 4pp. 96803-350-96803-353.

9601220017 Notification of 960111 meeting w/Nuclear Fuel Services,Inc in Rockville,MD to discuss NPS license conditions & capability to conduct work for LATA. * NRC - No Detailed Affiliation Given. 95/01/04. NRC - No Detailed Affiliation Given. 1p. 96643-006-96643-008.

9601250012 Advice that licensee possesses no category 1A mail & not subj to random screening requirements of 10CFR28.71. MAXIM,A.M. Nuclear Fuel Services, Inc. 96/01/12. PIERSON,R.C. Licensing Branch. 1p. 96673-337-96673-337.

9601220325 Summary of 951208 & 07 meeting w/Nuclear Fuel Svcs re open licensing actions. COX,T.H. Licensing Branch. 96/01/17. PIERSON,R.C. Licensing Branch. 3pp. 96643-334-96643-341.

9601230460 Forwards proprietary Rev 0 to "Fundamental Nuclear Med Control Plan for Limited HED Processing Activities," including Rocky Flats UNH conversion project.Plan withheld (ref 10CFR2.780(d)). MAXIM,A.M. Nuclear Fuel Services, Inc. 96/01/18. PIERSON,R.C. Licensing Branch. 1p. 96674-352-96674-352.

9601220331 Notification of 960130-31 meeting w/Nuclear Fuel Services, Inc in Erwin,TN for orientation visit for pending upgrade & discussion of physical protection plan changes.Meeting closed to public. * NRC - No Detailed Affiliation Given. 96/01/19. NRC - No Detailed Affiliation Given. 1p. 96643-010-96643-010.

9601300245 Forwards amend 25 to license SNM-124 & SER.Amend grants one-time exemption from requirements of 10CFR70.22(g)(3)(ii) re conducting next biennial emergency exercise involving outside support agencies & delays certain audits. BRACH,E.W. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/01/19. MAXIM,A.M. Nuclear Fuel Services, Inc. 3pp. 96696-337-96696-339.

9601300247 Amend 25 to license SNM-124 for Nuclear Fuel Svcs Inc, granting extensions to conduct biennial emergency exercise & certain audits. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/01/19. 13pp. 96696-340-96696-357.

9601300249 SER supporting amend 25 to license SNM-124. * NRC - No Detailed Affiliation Given. 96/01/19. 2pp. 96696-358-96696-359.

9601300185 Trip rept of 951205-07 visit to NPS,Erwin,TN to discuss proposed upgrade of physical protection to meeting Category 1 requirements under 10CFR73.45 & 10CFR73.46. GASKIN,C.E. Licensing Branch. 96/01/23. PIERSON,R.C. Licensing Branch. 6pp. 96661-149-96661-154.

9601300230 Summary of 960111 meeting w/NFS,Los Alamos Technical Assoc (LATA) & Safe Shm of CO (SSOCLATA) concern that NFS would not be prohibited by pending conditions from conducting work under contract w/SSOCLATA. COX,T. Licensing Branch. 96/01/23. PIERSON,R.C. Licensing Branch. 4pp. 96661-170-96661-173.

DOCKET 70-0364 BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA

- 9601310185 Forwards Rev 0 of "Parks Facilities Decommissioning Plan" for review & approval. SGARLATA,D.K. Babcock & Wilcox Co. 96/01/26. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 96945-027-96945-163.
- 9601310184 Rev 0 of "Parks Facilities Decommissioning Plan." * Babcock & Wilcox Co. 96/01/26. 135pp. 96945-029-96945-163.
- 9601160243 Forwards results of TLD direct radiation monitoring around facility for third quarter of 1995. STRUCKMEYER,R. Region 1 (Post 820201). 96/01/03. CEPICKA,J.J. Babcock & Wilcox Co. 4pp. 96769-054-96769-057.
- 9601170164 Submits follow-up to discussion held during meeting on 951126 between B&W & NRC re procedure for remediating multiple radionuclides w/different guideline values as presently exists at B&W Parks facility site. SGARLATA,M.A. Babcock & Wilcox Co. 96/01/11. LAMASTRA,M.A. Division of Fuel Cycle Safety & Safeguards (Post 930207). 3pp. 96906-352-96906-354.
- 9601220324 Requests technical assistance in reviewing B&W,Parks Township Operational Facility multiple radionuclides issue. PIERSON,R.C. Licensing Branch. 96/01/19. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NWS 940403). 1p. 96643-330-96643-333.
- 9601310087 Forwards documents re Americus-241 at B&W Township,Also, informs that results of characterization surveys will be forwarded as soon as licensee provides documents. LAMASTRA,P.J. Licensing Branch. 96/01/24. AMENHO,P.J. Pennsylvania, Commonwealth of. 1p. 96945-354-96945-354.
- 9601210043 Submits decommissioning plan for Parks Township site. CEPICKA,J.J. Babcock & Wilcox Co. 96/01/26. NRC - No Detailed Affiliation Given. 1p. 96945-355-96945-355.

DOCKET 70-0467 CHITCHEM, INC., TUXEDO, NY

- 9601180250 Forwards results of TLD direct radiation monitoring around facility for third quarter of 1995. STRUCKMEYER,R. Region 1 (Post 820201). 96/01/03. MC GOVERN,J.J. Chitchem, Inc. 4pp. 96769-063-96769-066.
- 9601230085 Forwards Insp rept 50-054/95-02 & 70-0687/95-02 on 951128-29.No violations noted. WHITE,J.R. Region 1 (Post 820201). 96/01/12. MCGOVERN,J.J. Chitchem, Inc. 2pp. 96827-119-96827-124.

-9601230075 Insp rept 50-054/95-02 & 70-0687/95-02 on 951128-29. No violations noted. Major areas inspected: status of decommissioning, backhoe sampling, starting & airborne effluent monitoring.
DRAGOUN, T., WHITE, J.R. Region 1 (Post 820201). 96/01/04. 4pp. 86827:121-86827:124.

DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA

9601038482 Forwards proprietary labor cost data in support of NRC approval of revised decommissioning plan for GA's hot cell facility per CL Pledge request during 950908 & 07 visit to GA. Proprietary data withheld per 10CFR2.790.
ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/12/16. GASKIN, G.E. Licensing Branch. 2pp. 86730:232-86730:233.

9601305185 Informs that NRC has suspended review of 950513 submittal entitled, "Review of Status of Criticality Safety & Possibility of Criticality Accidents..." because of omission or discontinuance of operations at facility.
GASKIN, G.E. Licensing Branch. 96/01/23. ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 1p. 86861:015-86861:015.

DOCKET 70-0954 GENERAL ELECTRIC CO., PLEASANTON, CA

9601850038 Final response to FOIA request for documents. App A record end & placed in PDR. App B documents already available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. FREEBURG, K. Affiliation Not Assigned. 14pp. 86759:112-86759:127.

-9204030380 Forwards semiannual rept on routine financial assurance exemptions in response to 911024 memo on topic.
HICKEY, J.W. Fuel Cycle Safety Branch (870729-930206). 92/02/12. AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 2pp. 86759:128-86759:127.

DOCKET 78-0893 FLORIDA INSTITUTE OF TECHNOLOGY, MELBOURNE, FL

9601050832 FOIA request for info re compliance, transportation, storage & disposal for Florida Inst of Technology site with respect to possession or use of radioactive mths.
FREEBURG, K.R. Affiliation Not Assigned. 95/11/20. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 86759:120-86759:111.

9601050036 Final response to FOIA request for documents. App A record end & placed in PDR. App B documents already available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. FREEBURG, K. Affiliation Not Assigned. 14pp. 86759:112-86759:127.

-9204030289 Forwards semiannual rept on routine financial assurance exemptions in response to 911024 memo on topic.
HICKEY, J.W. Fuel Cycle Safety Branch (870729-930206). 92/02/12. AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 2pp. 86759:128-86759:127.

DOCKET 70-0925 CHARRON CORP., OKLAHOMA CITY, OK

9601040236 Forwards draft rept, "Confirmatory Survey of Phase I Unaffected Areas Kerr-McGee Corp./Charron Facility Crescent, OK."
ABELQUIST, E.W. Oak Ridge Associated Universities. 95/12/07. FAUVER, D. Division of Waste Management (NMSS 940403). 1p. 86759:288-86759:303.

-9601040248 Draft rept, "Confirmatory Survey of Phase I Unaffected Areas Kerr-McGee Corp./Charron Facility Crescent, OK."
PAYNE, J.L. Oak Ridge Associated Universities. FM A-9076. 95/12/06. Division of Waste Management (NMSS 940403). 36pp. 86759:289-86759:303.

9601040285 Forwards "Confirmatory Survey for South U Yard Remediation Kerr-McGee Corp./Charron Facility Crescent, OK" final rept. Draft rept revised as requested.
ABELQUIST, E.W. Oak Ridge Associated Universities. 95/12/20. FAUVER, D. Division of Waste Management (NMSS 940403). 1p. 86759:302-86759:304.

-9601040286 "Confirmatory Survey for South U Yard Remediation Kerr-McGee Corp./Charron Facility Crescent, OK" final rept.
ABELQUIST, E.W. Oak Ridge Associated Universities. FM A-9076. 95/11/28. Division of Waste Management (NMSS 940403). 40pp. 86759:303-86759:344.

DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT

9601189398 Forwards insp rept 70-1100/95-001 on 951113-16. No violations noted.
TING, P. Operations Branch. 95/12/13. CORNANT, J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 86821:279-86821:280.

-9601180483 Insp rept 70-1100/95-001 on 951113-16. No violations noted. Major areas inspected: facility decommissioning status & limited activities associated w/maintaining operations within constraints of mths license.
LIGHT, C.S., WHALEY, D.L., ROTH, J. Operations Branch. 95/12/13. 1p. 86821:280-86821:280.

9601226212 Notification of 950118 meeting w/O-E in Rockville, MD to discuss plan to use byproduct material in Bldg 17.
* NRC - No Detailed Affiliation Given. 96/01/16. NRC - No Detailed Affiliation Given. 1p. 86845:007-86845:007.

9601306177 Notification of cancellation of 960118 meeting w/O-E in Rockville, MD to discuss O-E plan to use byproduct material in Bldg 17.
TOKAR, M. NRC - No Detailed Affiliation Given. 96/01/16. NRC - No Detailed Affiliation Given. 1p. 86861:001-86861:001.

9601290048 Provides status of compliance w/OSHA regulations 29 10CFR1910.119 as requested in T York lr dtd 951226.
SHARKEY, R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY, R.W. ASEA Brown Boveri, Inc. 96/01/25. TING, P. Operations Branch. 2pp. 86832:357-86832:358.

9601300235 Notification of 950207 meeting w/O-E in Rockville, MD to discuss O-E plan to use byproduct material in Bldg 17.
* NRC - No Detailed Affiliation Given. 96/01/26. NRC - No Detailed Affiliation Given. 1p. 86861:033-86861:033.

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

9601308179 Informs that due to holiday vacations, inclement weather & late delivery of samples, completion of SRD analysis will be delayed beyond 30-day requirement but not to exceed 45 days.
WINSLOW, T.P. General Electric Co. 95/12/21. JOY, D.R. Licensing Branch. 1p. 86730:302-86730:302.

9601050838 Final response to FOIA request for documents. App A record end & placed in PDR. App B documents already available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. FREEBURG, K. Affiliation Not Assigned. 14pp. 86759:112-86759:127.

-9204030289 Forwards semiannual rept on routine financial assurance exemptions in response to 911024 memo on topic.
HICKEY, J.W. Fuel Cycle Safety Branch (870729-930206). 92/02/12. AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 2pp. 86759:128-86759:127.

9601190081 Forwards insp rept 70-1113/95-11 on 951204-06. No violations noted.
MCALPINE, E.J. Region 2 (Post 820201). 95/12/27. KIPP, G.P. General Electric Co. 2pp. 86810:001-86810:017.

-9601190083 Insp rept 70-1113/95-11 on 951204-06. No violations noted. Major areas inspected: radioactive waste mgmt including radioactive liquid & airborne effluent releases & controls, environmental protection & mgmt & previously identified isms items.
GLERSEN, J.S., MCALPINE, E.J. Region 2 (Post 820201). 95/12/21. 14pp. 86810:003-86810:017.

9601220289 Forwards request for add info re proposed final status survey & release plan.
PIERSON, R.C. Licensing Branch. 96/01/05. REDA, R. General Electric Co. 4pp. 86843:311-86843:314.

9601160338 Advises NRC of organizational changes.
REDA, R.J. General Electric Co. 96/01/10. PIERSON, R.C. Licensing Branch. 1p. 86821:281-86821:281.

9601220011 Application for Rev 52 to license SHM-1097, authorizing transfer of test quantities of hydrolytic acid potentially containing trace amounts of U to several vendors for evaluation of mill w/regrd to potential usefulness.
REDA, R.J. General Electric Co. 96/01/16. PIERSON, R.C. Licensing Branch. 8pp. 86850:344-86850:351.

9601220284 Notification of 960120 meeting w/General Electric in Rockville, MD to discuss necessity of developing Environmental Assessment to renew license.
* NRC - No Detailed Affiliation Given. 96/01/16. NRC - No Detailed Affiliation Given. 1p. 86845:005-86845:005.

9601240140 Forwards revised "Final Status Survey & Release Plan for Northwest Cal2 Storage Area at GE Nuclear Energy Production Facility Wilmington, NC."
REDA, R.J. General Electric Co. 96/01/18. PIERSON, R.C. Licensing Branch. 2pp. 86868:198-86868:203.

-9601240151 Revised "Final Status Survey & Release Plan for Northwest Cal2 Storage Area at GE Nuclear Energy Production Facility Wilmington, NC."
* General Electric Co. 96/01/18. 69pp. 86868:200-86868:269.

9601300098 Requests that exemption request to FMCP per 10CFR2.790 be withheld from public disclosure. End withheld.
REDA, R.J. General Electric Co. 96/01/24. PIERSON, R.C. Licensing Branch. 1p. 86861:101-86861:101.

DOCKET 70-1161 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9601850436 Final response to FOIA request for documents. App A record end & placed in PDR. App B documents already available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. FREEBURG, K. Affiliation Not Assigned. 14pp. 86759:112-86759:127.

-9204030289 Forwards semiannual rept on routine financial assurance exemptions in response to 911024 memo on topic.
HICKEY, J.W. Fuel Cycle Safety Branch (870729-930206). 92/02/12. AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 2pp. 86759:128-86759:127.

9601090183 Provides CSE summary & leak tree info for UP6 Cylinder Washing sys.
SANDERS, C.F. Westinghouse Electric Corp. 95/12/22. KERRAN, J. Licensing Branch. 17pp. 86704:339-86704:355.

9601180293 Forwards proprietary changes to fundamental nuclear fuel control plan. Attached pages provide explanation of & justification for changes submitted. End withheld (cf 10CFR2.790(d)).
SANDERS, C.F. Westinghouse Electric Corp. 96/01/08. PIERSON, R. Licensing Branch. 1p. 86820:295-86820:296.

9601290312 Forwards insp rept 70-1161/95-10 on 951211-16. No violations or deficiencies identified.
MCALPINE, E.J. Region 2 (Post 820201). 96/01/12. FIC, J.A. Westinghouse Electric Corp. 2pp. 86861:333-86861:341.

-9601290315 Insp rept 70-1161/95-10 on 951211-16. No violations noted. Major areas inspected: review of HF activities including radiation protection audits & exposure, external & internal exposure controls & radioactive mth controls.
TESTA, E.D., MCALPINE, E.J. Region 2 (Post 820201). 96/01/12. 10pp. 86861:332-86861:341.

140 DOCKETED ITEMS

9601268322 Forwards insp rept 70-1151/95-09 on 951127-1201 & 11-15.No violations or deviations identified.
MCALPINE,E.J. Region 2 (Post 820201). 96/01/12. FCI,J.A. Westinghouse Electric Corp. 2pp. 86862-036-66862-045.

-9601268328 Insp rept 70-1151/95-09 on 951127-1201 & 11-15.No violations noted.Major areas inspected:review of adequacy of licensee investigations & corrective actions for two safety related incidents.
KASHICK,D.A., MCALPINE,E.J. Region 2 (Post 820201). 96/01/12. 6pp. 86862-036-66862-045.

DOCKET 79-1201 B&W FUEL CO., LYNCHBURG, VA

9601260038 Final response to FOIA request for documents.App A record encl & placed in PDL.App B documents already available in PDL.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/21. FREEBURN,K. Attention Not Assigned. 14pp. 86759-112-86759-127.

-9601260020 Forwards semiannual rept on routine financial assurance exemptions in response to 911024 memo on topic.
HICKEY,J.W. Fuel Cycle Safety Branch (970729-930206). 92/02/12. AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 2pp. 86759-128-86759-127.

9601230028 Forwards amend 24 to license SNM-1166 & SER,including categorical exclusion determination.Amend incorporates revt to FNMCP.
PIERSON,R.C. Licensing Branch. 95/12/28. KNAPP,K.S. B&W Fuel Co. 2pp. 86851-326-86851-333.

-9601230032 Amend 24 to SNM-1166 for B&W Fuel Co,incorporating revt to FNMCP.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/12/28. 4pp. 86851-329-86851-331.

-9601230033 Safeguards evaluation rept supporting amend 24 to license SNM-1166.
* NRC - No Detailed Affiliation Given. 95/12/28. 2pp. 86851-332-86851-333.

9601230030 Submits notice of 960117 meeting w/B&W Fuel Co in Lynchburg, VA to discuss licensing issues & tour plant.
TODARM,L. Licensing Branch. 96/01/04. Licensing Branch. 1p. 86848-354-86848-354.

9601230033 Forwards add info required to complete application for operation of SERF-4 facility.
KNAPP,K.S. FRAMMACHE, 96/01/16. PIERSON,R. Licensing Branch. 6pp. 86850-316-86850-324.

9601220010 Approves 951207 requests for extension until end of first quarter 1996 to respond to 900927 in Alaska requests response for RAI by 960432.
LAMASTRA,M.A. Licensing Branch. 96/01/18. KNAPP,K.S. B&W Fuel Co. 1p. 86848-308-86848-308.

9601390180 Informs that amend to license SNM-1166 required to approve name change to Frammache Cogeneration Fuel Unit ref to license 951215 tr.
LAMASTRA,M. Licensing Branch. 96/01/23. KNAPP,K.S. B&W Fuel Co. 1p. 86859-380-86859-382.

DOCKET 70-1252 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9601180211 Submits notification of upcoming import shipment of UFS contained in twenty-three 30B cylinders & PSPs from Russia, IAW Convention on Physical Protection of Nuclear Material & 870328 final rule.
CANDREY,D. Edlow International Co. 95/09/22. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 86760-040-86760-040.

9601180216 Submits notification of upcoming import shipment of UFS contained in three 30B cylinders & PSPs from Russia,IAW Convention on Physical Protection of Nuclear Material & 870328 final rule.
CANDREY,D. Edlow International Co. 95/09/22. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 86760-045-86760-045.

9601180151 Submits notification of upcoming shipment of U headfluoride non-fissile from England to Kentucky,UFS contained in four cylinders.
* Edlow International Co. 95/10/10. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 86761-218-86761-218.

9601180241 Submits notification of upcoming import shipment of UFS contained in sixteen 30B cylinders & PSPs,IAW Convention on Physical Protection of Nuclear Material & 870328 final rule.
CANDREY,D. Edlow International Co. 95/10/18. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 86762-111-86762-111.

9601180018 Submits advance notification of upcoming shipment of UFS, non-fissile contained in six cylinders per requirements from implementation of convention of physical protection of nuclear material & NRC final rule of 870328.
* Edlow International Co. 95/10/25. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 86760-359-86760-359.

9601180034 Submits advance notification of import of UFS,non-fissile, contained in six cylinders,from Thamesport,England to Paducah,KY for delivery directly to Martin Marietta.
* Edlow International Co. 95/11/01. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 86772-250-86772-250.

9601180281 Notices of 951112-1228 shipment of UFS contained in six cylinders from Thamesport,England to Paducah,KY for delivery directly to Martin Marietta.
* Edlow International Co. 95/11/06. BENNINGTON,G. NRC - No Detailed Affiliation Given. 1p. 86772-004-86772-004.

9601180229 Notices of 951119-1205 shipment of UFS contained in five cylinders from Thamesport,England to Paducah,KY for delivery directly to Martin Marietta.
* Edlow International Co. 95/11/17. BENNINGTON,G. NRC - No Detailed Affiliation Given. 1p. 86772-002-86772-002.

9601180280 Notices of 951119-1205 shipment of UFS contained in one cylinder from Thamesport,England to Paducah,KY for delivery directly to Martin Marietta.
* Edlow International Co. 95/11/17. BENNINGTON,G. NRC - No Detailed Affiliation Given. 1p. 86772-003-86772-003.

9601260147 Submits Rev 2 notification of upcoming shipment of UFS to Columbia,SC contained in 12 cylinders & PSP.
AUMULLER,J.N. Edlow International Co. 95/11/20. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 86863-353-86863-353.

9601180017 Submits advance notification of upcoming shipment of metal cladding contained in one type B(U) package,per requirements from implementation of convention of physical protection of nuclear material & NRC final rule of 870328.
CANDREY,D. Edlow International Co. 95/11/22. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 86760-354-86760-354.

9601180023 Forwards list of deliveries made during Oct 1995.List provided in accordance w/requirements of convention on physical protection of nuclear material.
CANDREY,D. Edlow International Co. 95/12/28. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 86761-014-86761-014.

DOCKET 79-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA

9601040034 Requests NRC to authorize const on updates needed to enclose Lagoon U recovery process equipment.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/12/28. PIERSON,R.C. Licensing Branch. 6pp. 86752-351-86752-356.

9601050035 Forwards revised pp 43,44,46,67,68,69 & 70 of "Siemens Power Corp - Nuclear Div Emergency Assessment Resource Manual".
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/12/20. Office of Nuclear Material Safety & Safeguards. 1p. 86764-310-86764-317.

-9601050040 Revised pp 43,44,46,67,68,69 & 70 of "Siemens Power Corp Emergency Assessment Resource Manual".
Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/08/31. 7pp. 86764-311-86764-317.

9601230030 Responds to 951116 tr concerning Emergency Assessment Resource Manual Rev.
ADAMS,M. Licensing Branch. 95/12/28. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 86848-351-86848-351.

9601230040 Forwards amend 35 to license SNM-1227 & SER,Amend allows possession & use of enriched U containing amounts of TRU elements at no more than specified in ASTM Spec C896-80.
PIERSON,R.C. Licensing Branch. 95/12/26. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 86859-364-86859-372.

-9601230045 Amend 35 to license SNM-1227 for Siemens Power Corp,allowing possession & use of enriched U containing amounts of TRU elements at no more than specified in ASTM Spec C896-80.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930807). 95/12/26. 6pp. 86859-368-86859-370.

-9601230050 SER supporting amend 35 to license SNM-1227.
* NRC - No Detailed Affiliation Given. 95/12/28. 2pp. 86859-371-86859-372.

9601230050 Trip rept of 951218-19 visit to Siemens Power Corp to discuss nuclear off-safety issues associated w/renewal of license SNM-1227.
KLASKY,M. HOGG,R. Licensing Branch. 96/01/02. PIERSON,R.C. Licensing Branch. 3pp. 86848-350-86848-352.

9601180355 Forwards insp rept 70-1257/95-07 from insp conducted on 951211-15.Areas inspected included routine,unannounced insp of fire protection & main & surveillance testing.
SCARANO,R.A. Region 4 (Post 820201). 96/01/06. FEMRITE,B.N. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 3pp. 86770-223-86770-225.

-9601180387 Insp rept 70-1257/95-07 on 951211-15.No violations noted. Major areas inspected:routine,unannounced insp of fire protection & main & surveillance testing.
WENSLAWSKI,J.A. Region 4 (Post 820201). 96/01/08. 10pp. 86770-228-86770-236.

9601180459 Approves subject topical rept,EMF-1, "OAP for Nuclear Fuels & Services," Rev 28 submitted 951018.
BLACK,S.C. 96/01/16. POWERS,C.M. Siemens Corp. 2pp. 86820-173-86820-174.

9601300181 Informs of review of 951220 tr re Lagoon U Recovery (LUR) const,Agrees that activities performed in LUR facility authorized under current license & no amend or const authorization necessary.
ADAMS,M. Licensing Branch. 96/01/25. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 86851-034-86851-034.

9601300184 Ack receipt of 951220 revt to emergency assessment resource manual,correcting error in emergency response planning guide level 3 concentrations for hydrogen fluoride.
ADAMS,M. Licensing Branch. 96/01/25. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 86851-035-86851-036.

DOCKET 70-1426 TRANSNUCLEAR, INC., FALLS CHURCH, VA

9601260136 Informs of import shipment of 140 model BU-D drums AF RQ "Radioactive Mat,Fissile,NOS 7 UN2318," U Dioxide UO2 pellets from countries not party to Convention on Physical Protection of Nuclear Material.
GEORGE,M. Transnuclear, Inc. 95/11/22. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 86863-359-86863-360.

9601260157 Submits revised advance notification for import shipment of seven model 30B cylinders inside overpacks containing UFS, fissile to Portsmouth,VA.
MC LAUGHLIN,J. Transnuclear, Inc. 95/11/22. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 3pp. 86854-004-86854-009.

-9601260184 Submits advance notification for import shipment of seven model 30B cylinders inside overpacks containing UFS,fissile.
MC LAUGHLIN,J. Transnuclear, Inc. 95/11/10. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 3pp. 86854-007-86854-009.

DOCKET 70-2855 SPECTRO CHEM LABORATORIES, INC., FRANKLIN LAKES, NJ

960130059 Informs that license SNM-1855 has been retired & forwards its dtd 950902 & certificate of disposition of materials.
COSTELLO F.M., Region 1 (Post 820201). 95/01/24. VAN DIEN, Spectro-Chem Laboratories, Inc. 9pp. 86857:106-86857:117.

DOCKET 70-2962 NEW JERSEY INSTITUTE OF TECHNOLOGY, NEWARK, NJ

9601196384 Safety Insp on 951128 of license SNM-1880/Insp findings: no violations noted.
GIBSON, R., Region 1 (Post 820201). * New Jersey Institute of Technology, Newark, NJ. 95/12/20. 1p. 8691:1098-8691:1096.

DOCKET 70-3078 LOUISIANA ENERGY SERVICES, WASHINGTON, DC

9601028248 FOIA request for documents re Louisiana Energy Svcs facility & proposed legislation that would make disposal of depleted U tails generated by private business federal responsibility.
CURRAN, D., Hammon, Caman, Gallagher & Spitzberg (formerly Hammon, Caman & Touhey), CURRAN, D., Citizens Against Nuclear Trash, 95/06/21. Division of Freedom of Information & Publications Services (Post 840714). 4pp. 86855:178-86855:192.

9601928273 Second partial final response to FOIA request for documents. App A documents end & placed in PDR.

* Division of Freedom of Information & Publications Services (Post 840714). 95/12/13. CURRAN, D., Hammon, Caman, Gallagher & Spitzberg (formerly Hammon, Caman & Touhey), CURRAN, D., Citizens Against Nuclear Trash, 2pp. 86855:178-86855:192.

-9601020309 Testimony of WH Arnold, President of Louisiana Energy Svcs, for Senate Energy Committee to present views of licensee on STS/Mails on licensing of private enrichment facilities end.
ARNOLD, W.H., Louisiana Energy Services, 95/06/13. 15pp. 86855:178-86855:192.

9601238412 Application for amend to License SNM-1889/revising organization chart as necessary.
LUX, L., Ken-McGee Corp. 95/01/16. FAUVERD, Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 9pp. 86858:334-86858:336.

DOCKET 70-3073 KERR-MCGEE CORP., OKLAHOMA CITY, OK

9601110249 Ack receipt of 951213 re informing NRC of steps taken to correct violations noted in Insp rpt 70-3073/25-01.
SCAFARNO, R.A., Region 4 (Post 820201). 95/01/03. LARSEN, S.J., Ken-McGee Corp. 3pp. 86760:172-86760:177.

9601228228 Forwards NRC comments on "Cushing, OK Refinery Site, Site Decommissioning Plan," dtd Apr 1994.
FAUVERD, Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/11. LUX, L., Ken-McGee Corp. 18pp. 86843:234-86843:251.

DOCKET 70-7001 U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)

9601050248 Forwards documents requested by NRC in 951004 & 18 ltr on US Enrichment Corp 950915 submitted of Rev 1 to application for COG for Paducah Gaseous Diffusion Plant w/one oversize drawing.
WOOLLEY, R.L., United States Enrichment Corp. (USEC). 95/12/08. HICKEY, J.W., Enrichment Branch. 6pp. 86836:153-86836:158.

-9601050252 "Compliance Plan for Melt Emission Stds for Hazardous Air Pollutants for Airborne Radioisotopes Paducah Gaseous Diffusion Plant Paducah, KY."
* Martin Marietta Energy Systems, Inc. 95/01/31. 54pp. 86838:185-86838:242.

-9601050256 "Environ Assessment for Privatization of US Enrichment Corp (USEC) & FORNS for privatization of USEC."
* United States Enrichment Corp. (USEC). USEC/EA-95001. 95/03/31. 106pp. 86832:243-86832:349.

9601228044 Comment on certification of Paducah Gaseous Diffusion Plant. More details outlining circumstances involved in 6 or 7 level earthquake should be included.
RHODES, G., Affiliation Not Assigned. 95/11/14. PAPERIELLO, G., Document Control Branch (Document Control Desk). 1p. 86815:123-86815:128.

9601230021 Forwards FR notice of application for certification of gaseous diffusion enrichment plants.
HICKEY, J.W., Enrichment Branch. 95/11/14. Affiliation Not Assigned. 6pp. 86846:295-86846:300.

9601250129 Comments on accuracy & clarity of documents USEC submitted in Sept for NRC certification to operate Portsmouth & Paducah U enrichment facilities.
CEER, Labor, Dept. of. 95/11/24. CHEN, Y., Division of Fuel Cycle Safety & Safeguards (Post 930207). 4pp. 86836:001-86836:004.

9601164144 Summary of 951205 meeting w/NRC in Paducah, KY re certification of Paducah gaseous diffusion plant.
ADAMS, J., NRC - No Detailed Affiliation Given. 95/12/05. NRC - No Detailed Affiliation Given. 21pp. 86806:236-86806:308.

9601260182 Comments on USEC application for certification of plant.
FORDE, S., Central Interstate Low-Level Radioactive Waste Compact Commission. 95/12/19. Rules & Records Review Branch (Post 920203). 6pp. 86854:034-86854:041.

9601026172 Forwards responses to NRC questions/comments from 951025 & 1216 ltr. End provides status of response to Group A & B questions/comments.
WOOLLEY, R.L., United States Enrichment Corp. (USEC). 95/12/22. HICKEY, J.W., Enrichment Branch. 23pp. 86858:268-86858:300.

9601238320 Forwards add info on storage of DOE mtrls in cascade bldg at Paducah & Portsmouth gaseous diffusion plants.
PARKS, J.W., Energy, Dept. of. 95/12/22. EYCK, E.T., Division of Fuel Cycle Safety & Safeguards (Post 930207). 40pp. 86858:102-86858:147.

9601030076 Expresses opposition re certification of Paducah Gaseous Diffusion Plant.
COOTS, L., Affiliation Not Assigned. 95/12/28. PAPERIELLO, G., Office of Nuclear Material Safety & Safeguards. 1p. 85730:322-85730:322.

9601220112 Comment opposing licensing of Paducah Gaseous Diffusion Plant.
WHITEHEAD, C., Affiliation Not Assigned. 95/12/28. PAPERIELLO, G., Document Control Branch (Document Control Desk). 1p. 86816:223-86816:223.

9601840269 Forwards proprietary responses to NRC questions/comments on fundamental nuclear waste control plan. Responses withheld (rel 10CFR2.790(d)(1) & 8.170(d)(4)).
WOOLLEY, R.L., United States Enrichment Corp. (USEC). 95/01/03. HICKEY, J.W., Enrichment Branch. 9pp. 86893:315-86893:322.

9601180038 Forwards responses to NRC questions/comments from 951218 ltr re rev 1 to application for certificate of compliance for Paducah Gaseous Diffusion Plant.
WOOLLEY, R.L., United States Enrichment Corp. (USEC). 95/01/05. HICKEY, J.W., Enrichment Branch. 24pp. 86785:322-86785:345.

9601220093 Comment opposing NRC certification of Paducah Gaseous Diffusion Plant.
LAMBS, R., Affiliation Not Assigned. 95/01/05. PAPERIELLO, G., Office of Nuclear Material Safety & Safeguards. 13pp. 86818:232-86818:244.

9601170238 Provides documents requested by several ltr on USEC's rev 1 of 950915 application for certificate of compliance for Paducah Gaseous Diffusion Plant.
WOOLLEY, R.L., United States Enrichment Corp. (USEC). 95/01/30. HICKEY, J.W., Enrichment Branch. 22pp. 86812:024-86812:068.

9601170328 Responses to NRC questions/comments on "Group A & B," sections of rev 1 to 950915 application for COG for Portsmouth Gaseous Diffusion Plant.
WOOLLEY, R.L., United States Enrichment Corp. (USEC). 95/01/11. HICKEY, J.W., Enrichment Branch. 23pp. 86811:005-86811:057.

-9601170332 Responses to various NRC questions/comments of "Group A & B," sections of USEC's rev 1 of 950915 application for COG for Paducah Gaseous Diffusion Plant.
WOOLLEY, R.L., United States Enrichment Corp. (USEC). 95/01/11. HICKEY, J.W., Enrichment Branch. 23pp. 86811:338-86811:367.

9601180031 Submits revised notice of 960118 meeting w/USEC in Rockville, MD to review licensee application for certification of gaseous diffusion plants at Paducah, KY & Portsmouth, OH.
* NRC - No Detailed Affiliation Given. 95/01/11. NRC - No Detailed Affiliation Given. 2pp. 86822:060-86822:061.

9601180128 Notification of 950117 & 18 meeting w/US Enrichment Corp in Rockville, MD to discuss responses to NRC comments on accident analysis section of application.
* NRC - No Detailed Affiliation Given. 95/01/11. NRC - No Detailed Affiliation Given. 2pp. 86808:174-86808:175.

9601180169 Responds to 951211, expressing concern of NRC staff questions re worker protection & accident analysis in connection w/US Enrichment Corp application for certification of gaseous diffusion plants.
PAPERIELLO, G., Office of Nuclear Material Safety & Safeguards. 95/01/11. PAPERIELLO, G.P., United States Enrichment Corp. (USEC). 3pp. 86817:353-86817:356.

9601230160 Notification of 950124 meeting w/NRC staff & USEC in Rockville, MD to discuss Tech Spec requirements for application for certification of gaseous diffusion plants.
* NRC - No Detailed Affiliation Given. 95/01/17. NRC - No Detailed Affiliation Given. 2pp. 86859:253-86859:254.

9601228181 Responses to NRC questions/comments on Group A & B sections of Rev 1 of 950915 application for COG for Paducah Gaseous Diffusion Plant.
WOOLLEY, R.L., United States Enrichment Corp. (USEC). 95/01/18. HICKEY, J.W., Enrichment Branch. 70pp. 86834:140-86834:205.

9601248270 Expresses appreciation for allowing Kazakistani safeguards delegation to visit with effs on 951202.
SHERM, T.S., Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/18. O'HANLON, J.P., Virginia Power (Virginia Electric & Power Co.). 2pp. 86842:315-86842:316.

9601240514 Forwards DOE-prepared responses to NRC questions/comments on Paducah gaseous diffusion plant compliance plan. Responses to questions/comments 1.G.1.1.G.4.b & 2.C2/X2.2 will be submitted at later date.
WOOLLEY, R.L., United States Enrichment Corp. (USEC). 95/01/19. HICKEY, J.W., Enrichment Branch. 4pp. 86852:182-86852:234.

-9601240516 "Resolutions to NRC Comments on DOE Compliance Plan for Paducah Gaseous Diffusion Plant."
* United States Enrichment Corp. (USEC). 95/01/17. 89pp. 86862:198-86862:284.

9601240320 Forwards responses to NRC questions/comments from 951218 ltr. Responses to remaining questions/comments will be submitted at later date.
WOOLLEY, R.L., United States Enrichment Corp. (USEC). 95/01/18. HICKEY, J.W., Enrichment Branch. 17pp. 86862:299-86862:315.

9601250043 Forwards proprietary DOE-prepared responses to NRC questions/comments on compliance plan for Paducah gaseous diffusion plant. Plan withheld (rel 10CFR2.790(d)(1)).
WOOLLEY, R.L., United States Enrichment Corp. (USEC). 95/01/19. HICKEY, J.W., Enrichment Branch. 4pp. 86867:319-86867:322.

9601240116 Forwards proprietary Paducah Gaseous Diffusion Plant Procedures CP2-SS-NM9902, CP2-SS-NM9903, CP2-SS-NM9904, CP2-SS-NM9905, CP2-SS-NM9906, CP2-SS-NM9907, CP2-SS-NM9908 & CP2-SS-NM9909. Procedures withheld (rel 10CFR2.790(d)(1)).
WOOLLEY, R.L., United States Enrichment Corp. (USEC). 95/01/22. HICKEY, J.W., Enrichment Branch. 2pp. 86874:353-86874:355.

9601240265 Notification of 950130 meeting in Rockville, MD to discuss status of review of US Enrichment Corp application for certification of gaseous diffusion plants at Paducah, KY & Portsmouth, OH that was resubmitted on 950915.
* NRC - No Detailed Affiliation Given. 95/01/22. NRC - No Detailed Affiliation Given. 2pp. 86842:313-86842:314.

142 DOCKETED ITEMS

9601254339 Notification of 960130 revised meeting w/NRC, DOE & US Enrichment Corp to discuss status of review.
* NRC - No Detailed Affiliation Given. 96/01/25. NRC - No Detailed Affiliation Given. 2pp. 86838250-86838251.

9601308222 Forwards joint "US Enrichment Corp & DOE Resolution of Shared Site Issues at Gaseous Diffusion Plants." End addresses remaining "shared site issues." RIFAKES, G.P. United States Enrichment Corp. (USEC). 96/01/25. PAPERELLO, G. Office of Nuclear Material Safety & Safeguards. 4pp. 86843241-86843251.

9601308227 "US Enrichment Corp & DOE Resolution of Shared Site Issues at Gaseous Diffusion Plants." PARKS, J.W. Energy, Dept. of RIFAKES, G.P. United States Enrichment Corp. (USEC). 96/01/24. 7pp. 86843245-86843251.

9601310078 Forwards responses to NRC question/comments from 951106 fr. WOOLLEY, R.L. United States Enrichment Corp. (USEC). 96/01/30. HICKEY, J.W. Enrichment Branch. 22pp. 86845287-86845308.

DOCKET 70-7902 U.S. ENRICHMENT CORP. (PORTSMOUTH) GASEOUS DIFFUSION

9601110142 Forwards documents listed in ead in response to NRC questions/comments dtd 961004 & 18 on US Enrichment Corp Rev 1 (960915) application for COC for Portsmouth Gaseous Diffusion Plant.
WOOLLEY, R.L. United States Enrichment Corp. (USEC). 96/12/08. HICKEY, J.W. Enrichment Branch. 3pp. 86791001-86791031.

9601110145 "Compliance Plan for Non-Emission State for Hazardous Air Pollutants." KIRKERMUE, CLINT, J.W. Martin Marietta Energy Systems, Inc. 82/08/31. 39pp. 86791004-86791031.

9601230021 Forwards FH notice of application for certification of gaseous diffusion enrichment plants.
HICKEY, J.W. Enrichment Branch. 96/11/14. Affiliation Not Assigned. 8pp. 86842255-86842260.

9601250126 Comments on accuracy & clarity of documents USEC submitted in Sept for NRC certification to operate Portsmouth & Paducah U enrichment facilities.
CEE, R. Labor, Dept. of. 95/11/24. CHEN, Y. Division of Fuel Cycle Safety & Safeguards (Post 930207). 4pp. 86838201-86838204.

9601260192 Comments on USEC application for certification of plant.
FORD, E.S. Central Interstate Low-Level Radioactive Waste Compact Commission. 96/12/19. Rules & Directives Review Branch (Post 820323). 5pp. 86854034-86854041.

9601020024 Submits comments on NRC certification of Paducah Gaseous Diffusion Plant.
DONHAM, M. HANSON, K. Affiliation Not Assigned. 95/12/22. PAPERELLO, G. Office of Nuclear Material Safety & Safeguards. 8pp. 86879215-86879235.

9601020028 "Damages & Losses from Future Near Miss Earthquakes Central US Earthquake Intensity Scale for Pre-Earthquake Planning 'CUES' (Pronounced: "Q-Size")." & related map.
* Federal Emergency Management Agency. 94/11/30. 36pp. 86879234-86879238.

9601020025 Forwards status of responses to Group A & B questions & comments.
WOOLLEY, R.L. United States Enrichment Corp. (USEC). 96/12/22. HICKEY, J.W. U. Enrichment Branch. 13pp. 86832345-86832357.

9601230320 Forwards add info on storage of DOE waste in cascade bldgs at Paducah & Portsmouth gaseous diffusion plants.
PARKS, J.W. Energy, Dept. of. 95/12/22. EYCKLEY, Division of Fuel Cycle Safety & Safeguards (Post 930207). 40pp. 86868102-86868147.

9601229144 Responds to 10CFR76 & plan for achieving compliance w/NRC regulations at Portsmouth Gaseous Diffusion Plant.
SHEARER, V.M. Affiliation Not Assigned. 95/12/28. HICKEY, J.W. Enrichment Branch. 2pp. 86843359-86843360.

9601259144 Comments on plan for achieving compliance w/NRC regulations at Portsmouth Gaseous Diffusion Plant. Containers located within radiological areas should still have some indication as to whether container is full, partially full or empty.
SHEARER, V.M. Affiliation Not Assigned. 95/12/28. HICKEY, J.W. Enrichment Branch. 3pp. 86838278-86838279.

9601048256 Forwards proprietary responses to NRC questions/comments on fundamental nuclear waste control plan. End provides status of response to Group A & B questions/comments. Responses withheld (ref 10CFR2.790(a)(1) & 9.17(a)(4)).
WOOLLEY, R.L. United States Enrichment Corp. (USEC). 96/01/09. HICKEY, J.W. Enrichment Branch. 7pp. 86891323-86891329.

9601160838 Forwards responses to NRC questions/comments from 951216 fr re rev 1 to application for certificate of compliance for Portsmouth Gaseous Diffusion Plant.
WOOLLEY, R.L. United States Enrichment Corp. (USEC). 96/01/06. HICKEY, J.W. Enrichment Branch. 26pp. 86782135-86782161.

9601170272 Provides documents requested by several frs on USEC's rev 1 of 960915 application for certificate of compliance for Portsmouth Gaseous Diffusion Plant.
WOOLLEY, R.L. United States Enrichment Corp. (USEC). 96/01/10. HICKEY, J.W. Enrichment Branch. 46pp. 86812119-86812166.

9601170285 Forwards proprietary responses to NRC question/comment on fundamental nuclear waste control plan. End provides status of response to Group A & B questions/comments. End withheld (ref 10CFR2.790(a)(1) & 9.17(a)(4)).
WOOLLEY, R.L. United States Enrichment Corp. (USEC). 96/01/11. HICKEY, J.W. Enrichment Branch. 8pp. 86820268-86820275.

9601170329 Responds to NRC questions/comments on "Group A & B." sections of rev 1 to 960915 application for COC for Portsmouth Gaseous Diffusion Plant.
WOOLLEY, R.L. United States Enrichment Corp. (USEC). 96/01/11. HICKEY, J.W. Enrichment Branch. 26pp. 86811300-86811357.

9601170332 Responds to various NRC question/comments of "Group A & B." sections of USEC's rev 1 of 960915 application for COC for Paducah Gaseous Diffusion Plant.
WOOLLEY, R.L. United States Enrichment Corp. (USEC). 96/01/11. HICKEY, J.W. Enrichment Branch. 23pp. 86811333-86811357.

9601180051 Submits revised notice of 960119 meeting w/USEC in Rockville, MD to review license application for certification of gaseous diffusion plants at Paducah, KY & Portsmouth, OH.
* NRC - No Detailed Affiliation Given. 96/01/11. NRC - No Detailed Affiliation Given. 2pp. 86822060-86822061.

9601180128 Notification of 960117 & 18 meeting w/US Enrichment Corp in Rockville, MD to discuss responses to NRC comments on accident analysis section of application.
* NRC - No Detailed Affiliation Given. 96/01/11. NRC - No Detailed Affiliation Given. 2pp. 86808174-86808175.

9601180169 Responds to fr dtd 951211, expressing concern of NRC staff questions re worker protection & accident analysis in connection w/US Enrichment Corp application for certification of gaseous diffusion plants.
PAPERELLO, G. Office of Nuclear Material Safety & Safeguards. 96/01/11. RIFAKES, G.P. United States Enrichment Corp. (USEC). 3pp. 86817353-86817355.

9601230160 Notification of 960124 meeting w/NRC staff & USEC in Rockville, MD to discuss Tech Spec requirements for application for certification of gaseous diffusion plants.
* NRC - No Detailed Affiliation Given. 96/01/17. NRC - No Detailed Affiliation Given. 2pp. 86859263-86859264.

9601230179 Forwards responses to NRC questions/comments on Group A & B sections from rev 1 of 960915 application for COC for Portsmouth Gaseous Diffusion Plant.
WOOLLEY, R.L. United States Enrichment Corp. (USEC). 96/01/18. HICKEY, J.W. Enrichment Branch. 70pp. 86843157-86843221.

9601240270 Expresses appreciation for allowing Kazakhstan safeguards delegation to visit site on 951202.
SHERRE, S. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/01/18. O'HANLON, L.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 86842315-86842318.

9601240319 Forwards responses to NRC questions/comments from 951216 fr. Responses to remaining questions/comments will be submitted at later date.
WOOLLEY, R.L. United States Enrichment Corp. (USEC). 96/01/19. HICKEY, J.W. Enrichment Branch. 18pp. 86862315-86862331.

9601240321 Forwards DOE prepared responses to NRC questions/comments on DOE compliance plan for Portsmouth gaseous diffusion plant. Responses to questions/comments 1.6.b & 2.C2/X2.2 will be submitted at later date.
WOOLLEY, R.L. United States Enrichment Corp. (USEC). 96/01/18. HICKEY, J.W. Enrichment Branch. 4pp. 86862055-86862140.

9601240333 "Resolutions to NRC Comments on DOE Compliance Plan for Portsmouth Gaseous Diffusion Plant."
* United States Enrichment Corp. (USEC). 96/01/17. 60pp. 86862069-86862140.

9601250059 Forwards proprietary DOE prepared responses to NRC questions/comments on compliance plan for Portsmouth gaseous diffusion plant. Plan withheld (ref 10CFR2.790(a)(1)).
WOOLLEY, R.L. United States Enrichment Corp. (USEC). 96/01/18. HICKEY, J.W. Enrichment Branch. 4pp. 86887315-86887318.

9601240265 Notification of 960130 meeting in Rockville, MD to discuss status of review of US Enrichment Corp application for certification of gaseous diffusion plants at Paducah, KY & Portsmouth, OH that was resubmitted on 960915.
* NRC - No Detailed Affiliation Given. 96/01/22. NRC - No Detailed Affiliation Given. 2pp. 86842313-86842314.

9601260319 Notification of 960130 revised meeting w/NRC, DOE & US Enrichment Corp to discuss status of review.
* NRC - No Detailed Affiliation Given. 96/01/25. NRC - No Detailed Affiliation Given. 2pp. 86838350-86838351.

9601308222 Forwards joint "US Enrichment Corp & DOE Resolution of Shared Site Issues at Gaseous Diffusion Plants." End addresses remaining "shared site issues." RIFAKES, G.P. United States Enrichment Corp. (USEC). 96/01/25. PAPERELLO, G. Office of Nuclear Material Safety & Safeguards. 4pp. 86843241-86843251.

9601300227 "US Enrichment Corp & DOE Resolution of Shared Site Issues at Gaseous Diffusion Plants." PARKS, J.W. Energy, Dept. of RIFAKES, G.P. United States Enrichment Corp. (USEC). 96/01/24. 7pp. 86843245-86843251.

9601310079 Forwards responses to NRC question/comments from 951106 fr. WOOLLEY, R.L. United States Enrichment Corp. (USEC). 96/01/30. HICKEY, J.W. Enrichment Branch. 22pp. 86845287-86845308.

DOCKET DOCKET UNKNOWN

9601260194 Forwards SAR for docket 71000031 for TN 6-4 package.
BOYLE, R. Transportation, Dept. of. 95/11/07. TRAVERS, W. Office of Nuclear Material Safety & Safeguards. 10pp. 86838201-86841064.

9601260203 Safety Analysis Rept For docket 71000031 for TN 6-4 package.
* Power Reactor & Nuclear Fuel Development Corp. PNC-2/8385 92-005. 92/05/31. 78pp. 86839011-86841064.

9601260247 Informs that for dockets 71000270 & 72001016, license pursuing development of Universal MPC Sys.
LEE, W.J. NAC International Corp. (formerly Nuclear Assurance Corp.). 95/11/09. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 1p. 86867358-86867359.

9601260446 Forwards QA program & organization chart for docket 71000037 as required by 10CFR71 for review & approval. Fee paid.
ROE, W. Affiliation Not Assigned. 96/01/04. BAER, R.L. Office of Nuclear Material Safety & Safeguards. 1p. 86820314-86820319.

-6681180451 For docket 71000837, "10CFR71 Quality Insp Svcs Program for Industrial Radiography Licenses."
* Affiliation Not Assigned. 98/01/04. 5pp. 88820315-88820319.

9601180396 Forwards QA Program Approval for docket 71000837 for radioactive material package 0837, rev 0.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 96/01/08. PCE, W.S. KCF, Inc. 1p. 88808307-88808308.

-968120398 QA program approval for docket 7100837 for radioactive material package 0837, rev 0.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 96/01/05. 1p. 88808308-88808309.

9601180406 Forwards QA program approval for docket 7100839 for radioactive material package 0839, rev 0.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 96/01/05. MONTRELO, Metal-Electro Alloys, Inc., a/k/a Electro-Alloys, Inc. (formerly Abex Corp.). 1p. 88808309-88808310.

-968120418 QA program approval for docket 7100839 for radioactive material package 0839, rev 0.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 96/01/05. 1p. 88808310-88808310.

9601180417 Forwards for docket 71000839, "10CFR71 QA Program for Industrial Radiography Licenses." W/5240.00 check enclosed.
ROBERTS, E.E. Pacific Testing Laboratory. 96/01/08. JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88816260-88816261.

-968120422 For docket 71000839, "10CFR71 QA Program for Industrial Radiography Licenses."
* Pacific Testing Laboratory. 96/01/08. 2pp. 88815350-88815351.

9601180401 Forwards for docket 7100839, "10CFR71 QA Program for Industrial Radiography Licenses."
ROBERTS, E.E. Pacific Testing Laboratory. 96/01/31. JANKOVICH, J.P. RECD. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88831353-88831357.

-9681204091 Forwards for docket 7100839, "10CFR71 QA Program for Industrial Radiography Licenses."
ROBERTS, E.E. Pacific Testing Laboratory. 96/01/08. JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88831354-88831357.

9601180321 Forwards QA program approval for docket 71000839 for radioactive mail package 0839, rev 0.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/16. MAY, M. Decade Testing, Inc. 1p. 88822027-88822028.

-968120322 QA program approval for docket 71000839 for radioactive mail package 0839, rev 0.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/16. 1p. 88822028-88822028.

9601180396 Forwards for docket 71000839, "10CFR71 QA Program for Industrial Radiography Licenses."
MAY, M. Decade Testing, Inc. 96/01/16. REID, D. NRC - No Detailed Affiliation Given. 1p. 88820332-88820334.

-968120340 For Docket 71000839, "10CFR71 QA Program for Industrial Radiography Licenses."
* Decade Testing, Inc. 96/01/16. 2pp. 88820333-88820334.

9601180304 Forwards QA program approval for docket 71000839 for radioactive material package 0839, rev 0.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 96/01/16. ROBERTS, E.E. Pacific Testing Laboratory. 1p. 88820357-88820358.

-968120367 QA program approval for docket 71000839 for radioactive material package 0839, rev 0.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 96/01/16. 1p. 88820359-88820359.

9601180372 Forwards for docket 71000839, "10CFR71 QA Program for Industrial Radiography Licenses."
MAY, M. Decade Testing, Inc. 96/01/16. REID, D. NRC - No Detailed Affiliation Given. 1p. 88821243-88821245.

-968120362 For docket 71000839, "10CFR71 QA Program for Industrial Radiography Licenses."
* Decade Testing, Inc. 96/01/16. 2pp. 88821244-88821245.

9601240116 Forwards "10CFR71 QA Program..." for docket 71000840 per telcon. Fee paid.
BOYKIN, S.A. Affiliation Not Assigned. 96/01/16. JANKOVICH, J.P. NRC - No Detailed Affiliation Given. 1p. 88871043-88871047.

-9681240124 "10CFR71 QA Program..." for docket 71000840.
BOYKIN, S.A. Affiliation Not Assigned. 96/01/16. 4pp. 88871044-88871047.

960120004 Forwards "10CFR71 QA Program..." for docket 71000841 for approval. Fee paid.
GALLEGOS, M. Affiliation Not Assigned. 96/01/17. JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88882218-88882223.

-9681220067 "10CFR71 QA Program..." for docket 71000841.
* Affiliation Not Assigned. 96/01/17. 4pp. 88882220-88882223.

960120190 Forwards QA Program Approval for docket 71000840 for Radioactive Mail Package 0840, rev 0.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/17. BOYKIN, S.A. Affiliation Not Assigned. 1p. 88848333-88848334.

-9681230188 QA program approval for docket 71000840 for radioactive mail package 0840, rev 0.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/17. 1p. 88848334-88848334.

9681230801 Forwards QA program approval for docket 71000841 for radioactive mail package 0841, rev 0.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/16. GALLEGOS, M. 1p. 88882342-88882343.

-9681238002 QA program approval for docket 71000841 for radioactive mail package 0841, rev 0.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/16. 1p. 88882343-88882343.

9681240107 Requests registration as user of model 650B for 71000842. Fee paid.
COUCH, O. Parhandle NDT & Inspection, Inc. 96/01/18. JANKOVICH, J.P. NRC - No Detailed Affiliation Given. 14pp. 88870273-88870295.

9681240220 Requests registration for docket 71000842 as user of 650B cameras. Amend fee of \$320.00 paid & forwards QA program.
COUCH, O. Parhandle NDT & Inspection, Inc. 96/01/18. JANKOVICH, J.P. NRC - No Detailed Affiliation Given. 1p. 87051028-87051032.

-9681240210 For docket 71000842, "10CFR Part QA Program for Industrial Radiography Licenses."
THOMPSON, J.A. Parhandle NDT & Inspection, Inc. 95/07/07. 3pp. 87051030-87051032.

9601290280 Requests registration for docket 71000842 as user of model 650B cameras. Amend fee of \$320.00 paid & forwards QA program.
COUCH, O. Parhandle NDT & Inspection, Inc. 96/01/18. JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88837280-88837283.

-9681290208 For docket 71000842 10CFR part QA program for industrial radiography licenses.
* Parhandle NDT & Inspection, Inc. 96/01/18. 3pp. 88837251-88837253.

9601290180 Forwards QA program approval for docket 71000842 for radioactive mail package 0842, rev 0.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/24. COUCH, O. Parhandle NDT & Inspection, Inc. 1p. 88837280-88837284.

-9681280182 QA program approval for docket 71000842 for radioactive mail package 0842, rev 0.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/24. 1p. 88837244-88837244.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0017 RHODE ISLAND, STATE OF, ATOMIC ENERGY COMMISSION

9601180385 Application for renewal of QA program for radioactive mail package 0017.
SHIMONEAU, W. Rhode Island, State of. 96/01/08. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 1p. 88821347-88821348.

-9681180308 QA program approval for radioactive mail package 0017, Rev 3.
MADDON, C.E. Transportation Branch (Post 930207). 91/02/14. 1p. 88821348-88821348.

DOCKET 71-0051 HARRISON STEEL CASTINGS CO.

9601180425 Application for amend/replacing current Approval No 9051, Rev 3, which expires 960430.
HOLLANDER, W.D. Harrison Steel Castings Co. 96/01/03. Office of Nuclear Material Safety & Safeguards. 1p. 88820306-88820311.

-9681190841 Rev 1 to SOP 40010071, "Packaging & Transportation of Radioactive Mail."
* Harrison Steel Castings Co. 96/01/03. 5pp. 88820307-88820311.

9601290501 Application for renewal of QA program approval for radioactive mail package 0051, Rev 1 of SOP 40010071, "Packaging & Transportation of Radioactive Mail" and Fee and w/960103 submit.
HOLLANDER, W.D. Harrison Steel Castings Co. 96/01/20. Office of Nuclear Material Safety & Safeguards. 1p. 88837334-88837335.

DOCKET 71-0103 TWIN CITY TESTING CORP.

9601180487 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
FITTERER, J.D. Affiliation Not Assigned. 96/01/16. Document Control Branch (Document Control Desk). 4pp. 88820301-88820304.

DOCKET 71-0115 B&W FUEL CO.

9601050189 Application for renewal of certificate of compliance 9203 for model DHTT shipping container, reflecting name change as listed.
KNAPP, K.S. Affiliation Not Assigned. 96/12/20. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 1p. 88864308-88864309.

9601180359 Informa that amend should be requested to QA program indicating change of address & other changes that may have been made since QA program was approved.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 96/01/11. KNAPP, K.S. FRAMATOME. 1p. 88817389-88817389.

144 DOCKETED ITEMS

DOCKET 71-0121 NEUTRON PRODUCTS, INC.

9601240238 Forwards QA program approval for radioactive material package 0121, rev 6.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 96/01/22.
TURNKANS, M.M. Neutron Products, Inc. 1p. 9601240238-9601240238.

-9601240239 QA program approval for radioactive material package 0121, Rev 6.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 96/01/22.
1p. 9601240239-9601240239.

DOCKET 71-0122 J.L. SHEPHERD & ASSOCIATES

9601250119 Requests renewal of QA program for radioactive material package 0122.
SHEPHERD, J.L. Shepherd & Associates. 96/01/19. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 4pp. 9601250119-9601250119.

9601250248 Forwards QA program approval for radioactive material package 0122, Rev 6.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/24.
SHEPHERD, J.L. Shepherd & Associates. 1p. 9601250248-9601250248.

-9601250249 QA program approval for radioactive material package 0122, Rev 6.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/24. 1p.
9601250249-9601250249.

DOCKET 71-0135 BABCOCK & WILCOX CO.

9601380126 Forwards QA program approval for radioactive material package 0135, Rev 6.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 96/12/29.
SGARALATA, D.K. Babcock & Wilcox Co. 1p. 9601380126-9601380126.

-9601380127 QA program approval for radioactive material package 0135, Rev 6.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 96/12/29.
1p. 9601380127-9601380127.

DOCKET 71-0138 TULSA GAMMA RAY, INC.

9601390266 Forwards QA program approval for radioactive material package 0138, Rev 4.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/12/29. MOSS, J.
Tulsa Gamma Ray, Inc. 1p. 9601390266-9601390266.

-9601390267 QA program approval for radioactive material package 0138, Rev 4.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/12/29. 1p.
9601390267-9601390267.

DOCKET 71-0249 NUCLEAR FUEL SERVICES, INC.

9601230442 Application for renewal of certificate of compliance 0249 w/ no changes. Withdrawn. Submittal made on 951120 in response to recommendation by D Field in 951201 telcon.
MAXIN, A.M. Nuclear Fuel Services, Inc. 96/12/13. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 4pp. 9601230442-9601230442.

9601300191 Forwards QA program approval for radioactive material package 0249, Rev 6.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/26.
MAXIN, A.M. Nuclear Fuel Services, Inc. 1p. 9601300191-9601300191.

-9601300192 QA program approval for radioactive material package 0249, Rev 6.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/26. 1p.
9601300192-9601300192.

DOCKET 71-0337 CALUMET TESTING SERVICES, INC.

9601310035 Application for renewal of QA program approval for radioactive material package 0337. Fee paid.
KEILMAN, T.J. Calumet Testing Services, Inc. 96/01/19. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 1p. 9601310035-9601310035.

-9601310036 "Transportation QA Program for Calumet Testing Services, Inc."
VIDMAR, R.J. KEILMAN, T.J. Calumet Testing Services, Inc. 96/01/19. 6pp.
9601310036-9601310036.

DOCKET 71-0392 BAKER TESTING SERVICES, INC.

9601249113 Application for renewal of QA program approval for radioactive material package 0392. Fee paid.
PALMER, D.M. Baker Testing Services, Inc. 96/01/16. JANKOVICH, J.P. NRC - No Detailed Affiliation Given. 1p. 9601249113-9601249113.

DOCKET 71-0408 MISSOURI STEEL CASTINGS CO.

9601301094 Advises that QA program approval for radioactive material package 0408 expires on 960331. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be notified.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/29.
GUTHRIE, D. 1p. 9601301094-9601301094.

DOCKET 71-0553 HIGH MOUNTAIN INSPECTION SERVICES, INC.

9601250206 Informs that High Mountain Insp. Service, Inc. application for NRC QA program approval did not meet any subsequent associated documents may be placed in NRC FOR.
PARKER, P.L. High Mountain Inspection Services, Inc. 96/01/24. O'CONNOR, S. NRC - No Detailed Affiliation Given. 1p. 9601250206-9601250206.

-9601250207 Application for NRC QA program approval for radioactive material package 0553. Fee paid.
FRASER, B.R. High Mountain Inspection Services, Inc. 96/01/06. 6pp. 9601250207-9601250207.

9601310199 Forwards QA program approval for Radioactive Mail Package: 0553, Rev 2.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/29.
FRASER, B.R. High Mountain Inspection Services, Inc. 1p. 9601310199-9601310199.

-9601310202 QA program approval for radioactive material package 0553, Rev 2.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/29. 1p.
9601310202-9601310202.

DOCKET 71-0558 CRAMER & LINDELL ENGINEERS, INC.

9601180406 Requests renewal of QA program for radioactive material package 0558, as of 960131.
ORLOSKY, D.M. Cramer & Lindell Engineers, Inc. 96/01/30. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 2pp. 9601180406-9601180406.

9601260248 Forwards QA program approval for radioactive material package 0558, Rev 2.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/24.
ORLOSKY, D.M. Cramer & Lindell Engineers, Inc. 1p. 9601260248-9601260248.

-9601260249 QA program approval for radioactive material package 0558, Rev 2.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/24. 1p.
9601260249-9601260249.

DOCKET 71-0559 NON DESTRUCTIVE TESTING CORP.

9601180602 Application for renewal of QA program approval for radioactive material package 0559. Fee paid.
LAWS, A.C. Non Destructive Testing Corp. 96/12/28. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 1p. 9601180602-9601180602.

9601260251 Forwards QA program approval for radioactive material package 0559, Rev 2.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/24.
LAWS, A.C. Non Destructive Testing Corp. 1p. 9601260251-9601260251.

-9601260252 QA program approval for radioactive material package 0559, Rev 2.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/24. 1p.
9601260252-9601260252.

DOCKET 71-0563 EDWARDS PIPELINE TESTING, INC.

9601040262 Application for renewal of QA program approval for radioactive material package 0563.
LAKE, A.B. Edwards Pipeline Testing, Inc. 96/12/12. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 1p. 9601040262-9601040262.

9601230367 Forwards QA program approval for radioactive material package 0563, Rev 2.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/16.
LAKE, A.B. Edwards Pipeline Testing, Inc. 1p. 9601230367-9601230367.

-9601230371 QA program approval for radioactive material package 0563, Rev 2.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/16. 1p.
9601230371-9601230371.

9601300196 Forwards QA program approval for radioactive material package 0563, Rev 2. Fee issued to correct typo in 960116 in, stating that rev 1, instead of Rev 2.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/26.
LAKE, A.B. Edwards Pipeline Testing, Inc. 1p. 9601300196-9601300196.

-9601310002 QA program approval for radioactive material package 0563, Rev 2.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 96/01/26.
1p. 9601310002-9601310002.

DOCKET 71-0567 ARIZONA NUCLEAR POWER PROJECT

9601310194 Advises that QA program approval for radioactive material package 0567 expires on 960331. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be notified.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 96/01/29.
O'CONNOR, S. Arizona Nuclear Power Project. 1p. 9601310194-9601310194.

DOCKET 71-0583 MINNESOTA VALLEY ENGINEERING, INC.

9601300139 Application for renewal of QA program approval for radioactive material package 0583. Fee paid.
MINNETTE, R. Minnesota Valley Engineering. 96/01/12. BAER, R.L. Office of Nuclear Material Safety & Safeguards. 1p. 9601300139-9601300139.

DOCKET 71-0585 MQB INSPECTION, INC.

9601310193 Advises that QA program approval for radioactive material package 0585 expires on 960331. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be notified.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 96/01/29.
BAINFIELD, L. MQB Inspection, Inc. (formerly Magnetix Corp.). 1p. 9601310193-9601310193.

DOCKET 71-0589 STRUTHERS WELL CO.

860120180 Advises that QA program approval for radioactive mail package 0589 expires on 860331. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be notified.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 96/01/29.
MCELROY, F.J. Affiliation Not Assigned. 1p. 86861322-86861322.

DOCKET 71-0642 RTE TECHNOLOGY, INC.

860123025 Forwards QA program approval for radioactive material package 0642, rev 6, W/5240.00 check for unmet fee.
READER, D.B. CIS-US, Inc. (formerly CIS Pharmaceuticals, Inc.). 96/01/16.
MATULA, T. Source Containment & Devices Branch (Post 911213). 1p. 86848353-86848362.

-860123027 QA program approval for radioactive mail package 0642, Rev 6.
* Source Containment & Devices Branch (Post 911213). 96/01/16. 4pp. 86848354-86848362.

860131013 Forwards QA program approval for radioactive mail package 0642, rev 4.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 96/01/29.
READER, D.B. CIS-US, Inc. (formerly CIS Pharmaceuticals, Inc.). 1p. 86861316-86861317.

-860131015 QA program approval for radioactive mail package 0642, Rev 4.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 96/01/29.
1p. 86861317-86861317.

DOCKET 71-0678 PACTEC, INC.

860125063 Discusses pre-application review of design process for Multi-Purpose Container sys at Pactec, Inc. & forwards observations for Multi-Purpose Container SE process.
BAER, R.L. Source Containment & Devices Branch (Post 911213). 96/01/17.
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 4pp. 86854356-86854358.

DOCKET 71-0709 BASIN INDUSTRIAL X-RAY, INC.

860118001 Notifies that QA program approval for radioactive mail package 0709 expired on 851231.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/11.
SPENCER, R.W. Basin Industrial X-Ray, Inc. 1p. 86822071-86822071.

DOCKET 71-0712 EMPIRE SOILS INVESTIGATIONS, INC.

8601300128 Application for renewal of QA program approval for radioactive mail package 0712. Fee paid.
KOWELL, P. Empire Soils Investigations, Inc. 96/01/19. JANKOVICH, J.P. NRC - No Detailed Affiliation Given. 1p. 86861393-86861393.

DOCKET 71-0744 PROCESS TECHNOLOGY, INC.

860130180 Advises that QA program approval for radioactive mail package 0744 expires on 860331. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be notified.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/29.
SHAPIRO, P.D. Process Technology, Inc. 1p. 86861318-86861318.

DOCKET 71-0768 NATIONWIDE TESTING SERVICES, INC.

860128028 Responds to NRC Bulletin 85-001, "QA Program for Transportation of Radioactive Mail."
HONEY, G.M. Nationwide Testing Services, Inc. 96/01/28. Document Control Branch (Document Control Desk). 4pp. 86897300-86897303.

DOCKET 71-0788 DOE

8601350158 Forwards Rev 3 to DOE/RW-0333P, "US DOE Of Civilian Radioactive Mgt. QA Requirements & Description for Civilian Radioactive Mgt. Program."
MILNER, R.A. Energy, Dept. of. 95/08/10. HICLONCH, J.L. Repository Licensing & Quality Assurance Project Directories (Post 861120). 1p. 86764318-86764327.

-860135016 Rev 3 to DOE/RW-0333P, "US DOE Of Civilian Radioactive Mgt. QA Requirements & Description for Civilian Radioactive Mgt. Program."
HORTON, D.G., DREYFUS, D.A. Energy, Dept. of. DOE/RW-0333P R03. 96/07/05. 5pp. 86764319-86764327.

860118002 Advises that amendment to QA program approval 0788 should be submitted to reflect QA commitments.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/11.
MILNER, R.A. Energy, Dept. of. 1p. 86822073-86822073.

DOCKET 71-0862 INDIANA STATE UNIVERSITY

860118002 Notifies that QA program approval for radioactive mail package 0822 expired on 851231.
JANKOVICH, J.P. Office of Nuclear Material Safety & Safeguards. 96/01/11.
MANWARING, D. Indiana State Univ., Terre Haute, IN. 1p. 86822072-86822072.

DOCKET 71-0888 MODEL: UNC-2000, UNITED NUCLEAR CORP.

860123030 Requests registration as user of NRC COD USA/5086/B(UF for Model UNC-2000, Type B(UF shipping container).
BEEFO, A.R. Energy, Dept. of. 96/01/17. CHAPPELL, C.R. Transportation Branch (Post 930207). 1p. 86870372-86870372.

DOCKET 71-0208 MODEL: MODEL B, B&W FUEL CO.

8601250256 Informs NRC of official name change to Framatome Technologies, Inc. for B&W.
TAYLOR, J.H. Babcock & Wilcox Co. 96/01/15. TAYLOR, J.H. Ofc of the Executive Director for Operations. 1p. 86912283-86912283.

8601240241 Forwards certificate of compliance 6206, rev 20, for model B package.
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 96/01/22.
KNAPP, J.C. B&W Fuel Co. 1p. 86870340-86870347.

-8601240243 Certificate of compliance 6206, rev 20, for model B package.
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 96/01/22. 7pp. 86870341-86870347.

DOCKET 71-0801 MODEL: CMS 4-120 A, CHEM-NUCLEAR SYSTEMS, INC.

860131065 Advises that Certificate of Compliance 6601, expires on 860225. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be notified.
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 96/01/29.
KINTNER, S. Chem-Nuclear Systems, Inc. 1p. 86861320-86861320.

DOCKET 71-0717 MODEL: 6717-B, AMERSHAM CORP.

8601180284 Forwards QA program & organization chart as required by 10CFR71 for review & approval. Fee paid.
ROE, W. Affiliation Not Assigned. 96/01/04. BAER, R.L. Office of Nuclear Material Safety & Safeguards. 2pp. 86824354-86824360.

-8601180303 "10CFR71 Quality Insp Svcs Program for Industrial Radiography U-235."
* Affiliation Not Assigned. 96/01/04. 5pp. 86824355-86824360.

8601230347 Notification of registration as user of certificates of compliance 6717, 9032 & 9033, in response to 960104 request.
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 96/01/19. ROE, W.S. Affiliation Not Assigned. 1p. 86870353-86870353.

DOCKET 71-0901 MODEL: IF-300, NUCLEAR PACKAGING, INC.

8601020047 Responds to 951117 ltr to Haughey re transport & storage of spent fuel. Informs that licensee for HB Robinson plant did transport fuel from fuel pool to IBFSI using NUCOMS-07P container inside IF-300 transport cask.
MARCUS, G.H. 95/12/27. BRILLING, L.W.F. Affiliation Not Assigned. 5pp. 86862338-86862342.

DOCKET 71-0925 MODEL: 664 & 664E, AMERSHAM CORP.

8601030048 Forwards drawing R88490, Section 2.1 of application revised, Sections 7 & 8 revised & activity of source transported in 664 given as output curves as determined in accordance w/ ANSI N432.
OKVIST, E. Amersham Corp. 95/12/25. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 52pp. 86838305-86838356.

DOCKET 71-0929 MODEL: 676 & 676E, AMERSHAM CORP.

8601240325 Submits add info NRC requested for Model 676 package by ltr dtd 850821. Licensee answered questions in same order as in ltr.
ROUGHAN, C. Amersham Corp. 96/01/19. WHITE, S. Division of Industrial & Medical Nuclear Safety (Post 870729). 31pp. 86871012-86871041.

DOCKET 71-0932 MODEL: 650, AMERSHAM CORP.

8601180284 Forwards QA program & organization chart as required by 10CFR71 for review & approval. Fee paid.
ROE, W. Affiliation Not Assigned. 96/01/04. BAER, R.L. Office of Nuclear Material Safety & Safeguards. 2pp. 86824354-86824360.

-8601180303 "10CFR71 Quality Insp Svcs Program for Industrial Radiography U-235."
* Affiliation Not Assigned. 96/01/04. 5pp. 86824355-86824360.

8601230347 Notification of registration as user of certificates of compliance 6717, 9032 & 9033, in response to 960104 request.
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 96/01/19. ROE, W.S. Affiliation Not Assigned. 1p. 86870353-86870353.

8601230389 Notification of registration as user of certificates of compliance 9032, 9033 & 9036, in response to 960102 request.
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 96/01/19.
BUCHER, C. Great Lakes Testing, Inc. 1p. 86870362-86870362.

DOCKET 71-0933 MODEL: 660, 660A, 660AE, 660E, 660EE, 660E, AMERSHAM

8601180281 Requests registration as user of Type B packaging by COCA 6033 & 6035.
SPERRE, J.G. Western States, Inc. 96/01/03. Office of Nuclear Material Safety & Safeguards. 2pp. 86826280-86826281.

8601180284 Forwards QA program & organization chart as required by 10CFR71 for review & approval. Fee paid.
ROE, W. Affiliation Not Assigned. 96/01/04. BAER, R.L. Office of Nuclear Material Safety & Safeguards. 2pp. 86824354-86824360.

-8601180303 "10CFR71 Quality Insp Svcs Program for Industrial Radiography U-235."
* Affiliation Not Assigned. 96/01/04. 5pp. 86824355-86824360.

146 DOCKETED ITEMS

9601240107 Requests registration as user of model 6505 for 71000542. Fee paid. COUCH, C. Parhandle NDT & Inspection, Inc. 96/01/18. JANKOVICH, L. NRC - No Detailed Affiliation Given. 14pp. 96070:273-96070:285.

9601230347 Notification of registration as user of certificate of compliance 6717, 9032 & 9033 in response to 960104 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 96/01/19. RCE, W.S. Affiliation Not Assigned. 1p. 96070:033-96070:053.

9601230382 Notification of registration as user of certificate of compliance 9033 in response to 951121 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 96/01/19. LIND, D.B. Affiliation Not Assigned. 1p. 96070:054-96070:054.

9601230359 Notification of registration as user of certificate of compliance 9033 & 9035 in response to 960103 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 96/01/19. SPEESE, J.G. Western Stress, Inc. 1p. 96070:071-96070:071.

9601230389 Notification of registration as user of certificate of compliance 9032, 9033 & 9289 in response to 960102 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 96/01/19. BUCHER, C. Great Lakes Testing, Inc. 1p. 96070:082-96070:082.

DOCKET 71-9836 MODEL: 660 & 68ME, AMERSHAM CORP.

9601190261 Requests registration as user of Type B packaging by COCs 9033 & 9035. SPEESE, J.G. Western Stress, Inc. 96/01/03. Office of Nuclear Material Safety & Safeguards. 2pp. 96068:290-96068:291.

9601230359 Notification of registration as user of certificate of compliance 9033 & 9035 in response to 960103 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 96/01/19. SPEESE, J.G. Western Stress, Inc. 1p. 96070:071-96070:071.

9601230489 Requests registration as user of models 660, IR-100 & 650L. BOHNSACK, F.A. Braun Interloc Engineering, Inc. (formerly Braun Engineering Testing, Inc.) 96/01/25. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 96037:329-96037:333.

DOCKET 71-9834 MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.

9601300029 Requests registration as user of model C-1. JOHNSTON, W.M. Global X-Ray & Testing Corp. 96/01/20. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 96061:117-96061:117.

9601290229 Requests registration as user of two new Type B packages: USA/9263/BU & USA/9036/BU. MCSRYDE, S.K. S.K. McRyde, Inc. 96/01/23. CHAPPELL, T.R. Source Containment & Devices Branch (Post 911213). 1p. 96037:339-96037:339.

DOCKET 71-9156 MODEL: IR-50, INDUSTRIAL NUCLEAR CO.

9601220016 Requests registration as user of models IR-50 source changer, IR-100 exposure device & OP-100 shipping drum. DENNIS, J.E. Vital Inspection Professionals, Inc. 96/01/08. MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards. 1p. 96069:224-96069:224.

DOCKET 71-9157 MODEL: IR-190, INDUSTRIAL NUCLEAR CO.

9601300014 Requests registration as user of certificate of compliance 9157 for Industrial Nuclear Company IR-190 gamma radiography exposure device. HEATH, R. Western Industrial X-Ray, Inc. 95/12/03. Office of Nuclear Material Safety & Safeguards. 1p. 96071:120-96071:120.

9601220016 Requests registration as user of models IR-50 source changer, IR-100 exposure device & OP-100 shipping drum. DENNIS, J.E. Vital Inspection Professionals, Inc. 96/01/08. MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards. 1p. 96069:224-96069:224.

9601250257 Requests registration as user of Industrial Nuclear Co exposure device, model IR-100. BOYTON, S.A. Affiliation Not Assigned. 96/01/17. CHAPPELL, R. NRC - No Detailed Affiliation Given. 1p. 96073:313-96073:315.

9601230489 Requests registration as user of models 660, IR-100 & 650L. BOHNSACK, F.A. Braun Interloc Engineering, Inc. (formerly Braun Engineering Testing, Inc.) 96/01/25. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 96037:329-96037:333.

DOCKET 71-9159 MODEL: NUPAC 14/1700L, L & M, LN-14-1700L, L & M, NUPAC

9601300043 Requests registration as user of models NUPAC 14/1700L, NUPAC 14/1700M, NUPAC 14/1700LN, LN-14-1700M & LN-14-1700LN shipping casks. LEFERE, J.C. Power Authority of the State of New York (New York Power Authority). 96/01/18. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 96061:123-96061:124.

DOCKET 71-9185 MODEL: OP-100, INDUSTRIAL NUCLEAR CO.

9601220016 Requests registration as user of models IR-50 source changer, IR-100 exposure device & OP-100 shipping drum. DENNIS, J.E. Vital Inspection Professionals, Inc. 96/01/08. MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards. 1p. 96069:224-96069:224.

DOCKET 71-9187 MODEL: 445, AMERSHAM CORP.

9601300017 Requests registration as user of model 665. JOHNSTON, W.M. Global X-Ray & Testing Corp. 96/01/20. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 96061:109-96061:109.

DOCKET 71-9196 MODEL: UX-30, NUCLEAR PACKAGING, INC.

9601188249 Forwards proprietary & nonproprietary versions of Rev 11 of UX-30 SAR, reflecting rev of form spec NRP12 & corresponding safety analysis drawings. Proprietary version of Rev 11 of UX-30 SAR withheld per 10CFR2.780. ROLLINS, J. Vectra Technologies, Inc. 96/01/12. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 3pp. 96039:039-96039:040.

9601188249 Nonproprietary application for Rev 11 to COC 9195, authorizing shipment of radioactive mail in NuPac UX-30 packaging. Vectra Technologies, Inc. 96/01/12. App. 96039:041-96039:048.

9601250122 Forwards add info requested re 10CFR21 rept on possible defects in Model UX-30 package under NRC COC 9195. ARNOLD, W.M. Nuclear Containers, Inc. 96/01/22. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 1pp. 96064:342-96064:350.

DOCKET 71-9208 MODEL: DHTF, BAW FUEL CO.

9601030189 Application for renewal of certificate of compliance 9203 for model DHTF shipping container, reflecting name change as listed. KNAPP, J.S. Affiliation Not Assigned. 95/12/20. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 1p. 96064:309-96064:309.

DOCKET 71-9221 MODEL: HNBK-41, ENERGY, DEPT. OF

9601190304 Advises that 961102 application for renewal of certificate of compliance 9221 for model HNBK-41 package considered timely filed. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 96/01/16. ENGEL, W.P. Energy, Dept. of. 1p. 96021:348-96021:348.

DOCKET 71-9222 MODEL: 14-215, SCIENTIFIC ECOLOGY GROUP, INC.

9601240046 Notification of registration as user of certificate of compliance 9222 in response to 951213 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 96/01/19. BELKE, R.L. Nebraska Public Power District. 1p. 96071:060-96071:060.

DOCKET 71-9225 MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.

9601280229 Requests authorization to transport 25 high enriched U Metal Test Reactor fuel elements from Georgia Institute of Technology Research Reactor. TIERLAND, G.T. NAC International Corp. (formerly Nuclear Assurance Corp.). 96/12/08. Office of Nuclear Material Safety & Safeguards. 3pp. 96066:340-96066:343.

DOCKET 71-9234 MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.

9601188281 Requests extension of date of expiration for authorization Model NCI-21PF-1 packages w/g between 911130 & 941001, having serial numbers 487 through 619, but excluding 487A & 488A. ARNOLD, W.M. Nuclear Containers, Inc. 96/01/04. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 96021:307-96021:308.

9601280174 Responds to 960114 request for amend of certificate of compliance 9234 for Model NCI-21PF-1 package. WILLIAMS, D.T. Office of Nuclear Material Safety & Safeguards. 96/01/11. ARNOLD, W.M. Nuclear Containers, Inc. 1p. 96048:358-96048:358.

9601230334 Requests extension of COC 9234 from 960131 until 970131 in order to allow continued usage of affected overpack until discussed testing & safety analysis reports can be completed. ARNOLD, W.M. Nuclear Containers, Inc. 96/01/18. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 96070:047-96070:048.

DOCKET 71-9285 MODEL: NAC-STC, NUCLEAR ASSURANCE CORP.

9601188249 Responds to Ir dtd 950925 requesting more specific info on NAC STC dual purpose, SF storage & transport cask & other dual purpose casks currently under review by Commission & forwards Ir dtd 951002 & Ir of request dtd 950925. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/10/19. OVERLAND, C.A. Affiliation Not Assigned. 2pp. 96066:325-96066:328.

9601188280 Requests staff to provide answers to questions re specific info on dual purpose casks in and to Ir dtd 950925. HAYDEN, B. Office of Public Affairs (Post 911117). 96/10/02. KNAPP, J.M. Office of Nuclear Material Safety & Safeguards. 1p. 96066:327-96066:327.

9601188270 Requests more specific info on NAC Overpack cask that has been permitted particularly type & number of each type of assemblies it is designed to hold & size & weight of empty cask & info re two applications in pipeline. OVERLAND, C.A. Affiliation Not Assigned. 95/09/25. HAYDEN, B. Office of Public Affairs (Post 911117). 1p. 96066:328-96066:328.

DOCKET 71-9239 MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.

9601180108 Discusses condition 6 in certificate of compliance 9239, rev 3, for model MCC-3, MCC-4 & MCC-5 packages, specifying that fuel assemblies enriched to greater than 4.65% by weight in U-235 isotope be shipped in MCC packages. WHITE, B.H. NRC - No Detailed Affiliation Given. 95/12/22. CHAPPELL, R. NRC - No Detailed Affiliation Given. 1p. 96058:075-96058:075.

DOCKET 71-9146 MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.

9801230147 Forwards CDC 8248, rev 7 for Models SP-1 & SP-2. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 96/01/16. EDGAR, L.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel). tp. 86858224-86858231.

-9801230152 Certificate of compliance 9248, rev 7 for Models SP-1 & SP-2. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 96/01/16. 7pp. 86858225-86858231.

DOCKET 71-4251 MODEL: BW-2601, BAW FUEL CO.

9801250256 Informa NRC of official name change to Framatome Technologies, Inc for BAW. TAYLOR, J.H. Babcock & Wilcox Co. 96/01/15. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 86912283-86912283.

DOCKET 71-9252 MODEL: 51032-S, BAW FUEL CO.

9801250256 Informa NRC of official name change to Framatome Technologies, Inc for BAW. TAYLOR, J.H. Babcock & Wilcox Co. 96/01/15. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 86912283-86912283.

DOCKET 71-9253 MODEL: NUMOMS-MP187, PACIFIC NUCLEAR

9801180249 Responds to ltr dtd 950925 requesting more specific info on NAC STC dual purpose SF storage & transport cask & other dual purpose casks currently under review by Commission & forwards ltr dtd 951002 & ltr of request dtd 950925. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/10/19. OVERLAND, C.A. Affiliation Not Assigned. 2pp. 86806325-86806328.

-9801180260 Requests staff to provide answers to questions re specific info on dual purpose casks in and ltr dtd 950925. HAYDEN, B. Office of Public Affairs (Post 911117). 95/10/02. KNAPP, M. Office of Nuclear Material Safety & Safeguards. 1p. 86806327-86806327.

-9801180270 Requests more specific info on NAC STC, Inc cask that has been permitted particularly type & number of each type of assemblies it is designed to hold & size & weight of empty cask & info re two applications in pipeline. OVERLAND, C.A. Affiliation Not Assigned. 95/09/25. HAYDEN, B. Office of Public Affairs (Post 911117). 1p. 86806328-86806328.

DOCKET 71-9254 MODEL: HI-STAR 180, HOLTEC INTERNATIONAL

9801180249 Responds to ltr dtd 950925 requesting more specific info on NAC STC dual purpose SF storage & transport cask & other dual purpose casks currently under review by Commission & forwards ltr dtd 951002 & ltr of request dtd 950925. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/10/19. OVERLAND, C.A. Affiliation Not Assigned. 2pp. 86806325-86806328.

-9801180260 Requests staff to provide answers to questions re specific info on dual purpose casks in and ltr dtd 950925. HAYDEN, B. Office of Public Affairs (Post 911117). 95/10/02. KNAPP, M. Office of Nuclear Material Safety & Safeguards. 1p. 86806327-86806327.

-9801180270 Requests more specific info on NAC STC, Inc cask that has been permitted particularly type & number of each type of assemblies it is designed to hold & size & weight of empty cask & info re two applications in pipeline. OVERLAND, C.A. Affiliation Not Assigned. 95/09/25. HAYDEN, B. Office of Public Affairs (Post 911117). 1p. 86806328-86806328.

DOCKET 71-9255 MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.

9801250140 Requests registration as user of three SPEC model 150 exposure devices, CDC number 8263. KANIK, T.K. Inspection. 96/01/10. Office of Nuclear Material Safety & Safeguards. 1p. 86867342-86867342.

9801250282 Requests registration as user of Source Production & Equipment Co., Inc. Model SPEC-150 under terms of Certificate of Compliance 9263. GREEBAKE, K. Code Services, Inc. 96/01/17. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 86873226-86873226.

9801250229 Requests registration as user of two new Type B packages: USA/8263/BAJ & USA/9096/BAJ. MCBRYDE, S.K. S.K. McBryde, Inc. 96/01/23. CHAPPELL, C.R. Source Containment & Devices Branch (Post 911213). 1p. 86837339-86837339.

DOCKET 71-9258 MODEL: MSC-1, SIERRA NUCLEAR CORP.

9801110149 Forwards proprietary Rev 0 to SNC-95-715AR, "SAR for TransStar Shipping Cask Sys" & application for withholding proprietary info from public disclosure. Rev 0 to SNC-95-715AR withheld. THOMPSON, T.C. Sierra Nuclear, Inc. 95/12/20. STURZ, F.C. Office of Nuclear Material Safety & Safeguards. 3pp. 86774281-86774283.

-9801110153 Requests that proprietary Rev 0 to SNC-95-715AR, "SAR for TransStar Shipping Cask Sys" be withheld from public disclosure per 10CFR2.790. MCSHERRY, A.J. Sierra Nuclear, Inc. 95/12/20. Document Control Branch (Document Control Desk). 3pp. 86774281-86774283.

9801281121 Transmits proprietary TransStar Shipping Cask drawings of sys components for use in reviewing SAR. Drawings withheld. THOMPSON, T.C. Sierra Nuclear, Inc. 96/01/12. KOKA, R.O. Office of Nuclear Material Safety & Safeguards. 3pp. 86824122-86824124.

9801250204 Informa of acceptance of 951220 application for review & approval of Safety Analysis Report for TransStar Shipping Cask Sys. KOKA, R.O. Office of Nuclear Material Safety & Safeguards. 96/01/17. THOMPSON, T.C. Sierra Nuclear, Inc. 1p. 86848360-86848360.

DOCKET 71-9259 MODEL: 650L

9801110234 Requests registration as user of model 650L. Errata to Rev 5 to QC Procedure OCP 203, "Radiographic Operating & Emergency Procedures" encl. DOYLE, R.H. Liberty Technologies (formerly Liberty Technology Center, Inc.). 96/01/02. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 86774249-86774275.

-9801110245 Errata to Rev 5 to QC Procedure 203, "Radiographic Operating & Emergency Procedures," adding operating guidelines Model 650L source exchange. DOYLE, R.H. Liberty Technologies (formerly Liberty Technology Center, Inc.). 96/01/03. 7pp. 86774250-86774275.

9801248069 Requests registration as user of Amersham Corp model 650L under terms of certificate of compliance 9269. GIBSON, H. H & G Inspection Co., Inc. 96/01/04. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 86871119-86871119.

9801250233 Requests registration as user of Model 650L for package USA/8263/BAJ. RAGLAND, N. Affiliation Not Assigned. 96/01/05. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 86826286-86826287.

9801240006 Requests registration as user of Amersham Corp model 650L source change, under terms of certificate of compliance 9269. CAUSEY, C. Trinity Industries, Inc. 96/01/06. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 86871119-86871119.

9801250256 Requests registration as user of Model 650L package USA/8263/BAJ, per terms of CDC 9269. SCHUEPFL, Affiliation Not Assigned. 96/01/11. MACDONALD, C.E. Transportation Branch (Post 930207). 2pp. 86826284-86826285.

9801180304 Requests registration as secondary user of NRC approved Type B package. THORNTON, J.T. Professional Service Industries, Inc. (formerly PTL-Inspectorate, Inc. & Philab). 96/01/12. BAER, F.L. Transportation Branch (Post 930207). 1p. 86826277-86826278.

9801250042 Requests registration as user of model 650L. GRAY, L.A. Longview Inspection, Inc. 96/01/17. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 86861121-86861122.

9801250340 Notification of registration as user of CDC 9269 in response to 980102 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 96/01/19. DOYLE, R.H. Liberty Technologies (formerly Liberty Technology Center, Inc.). 1p. 86870049-86870049.

9801250382 Notification of registration as user of certificate of compliance 9269 in response to 951221 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 96/01/18. ELONGREIN, A. Mobile Inspection Service, Inc. 1p. 86870073-86870073.

9801250369 Notification of registration as user of certificate of compliance 9032.9033 & 9269 in response to 980102 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 96/01/19. BUCHER, C. Great Lakes Testing, Inc. 1p. 86870082-86870082.

9801240044 Notification of registration as user of certificate of compliance 9269 in response to 980105 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 96/01/19. RAGLAND, N. Affiliation Not Assigned. 1p. 86871079-86871079.

9801240059 Notification of registration as user of certificate of compliance 9269 in response to 980119 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 96/01/19. THORNTON, J.T. Professional Service Industries, Inc. (formerly PTL-Inspectorate, Inc. & Philab). 1p. 86871089-86871089.

9801240051 Notification of registration as user of certificate of compliance 9269 in response to 980119 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 96/01/19. SCHUEPFL, J. 1p. 86871089-86871089.

9801250015 Requests registration as user of model 650L. JOHNSON, W.M. Global X-Ray & Testing Corp. 96/01/20. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 86861108-86861108.

9801250489 Requests registration as user of models 650/IR-100 & 650L. BOHNSACK, F.A. Braun Intertec Engineering, Inc. (formerly Braun Engineering Testing, Inc.). 96/01/25. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 86897329-86897333.

9801250493 Requests registration as user of model 650/BAJ. SPELTON, J.L. Tesco, Inc. 96/01/25. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 2pp. 86894258-86894259.

9801250025 Requests registration as user of model 650L source changer. HOPKINS, D.M. Affiliation Not Assigned. 96/01/25. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 86894118-86894119.

9801250032 Requests registration as user of model 650L. TAYLOR, J. NOT Laboratory. 96/01/25. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 86861120-86861120.

DOCKET DOCKET UNKNOWN

9801250287 Informa that for docket 71002270 & 72001015, licensee pursuing development of Universal MPC Sys. LEE, W.J. NAC International Corp. (formerly Nuclear Assurance Corp.). 95/11/09. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 1p. 86887356-86887356.

148 DOCKETED ITEMS

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-001 MORRIS OPERATIONS, ISFSI

9601250199 Forwards rev to NEDO-21326, "SAR." Annual summary of GEMO activities 1994.
DENRO, L.L. General Electric Co. 95/11/02. MOGINTY, T.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 86896:003-86896:025.

-9601258204 Revised "SAR."
* General Electric Co. NEDO-21326. 95/07/31. 23pp. 86896:003-86896:025.

DOCKET 72-002 SURRY ISFSI 50-280 & 50-281

9601290366 Motion for 60 day extension of time to file Staff Rept/W/ certificate of env. SHERIDAN, A.L. Virginia, Commonwealth of. 95/12/21. 2pp. 86937:306-86937:307.

DOCKET 72-004 OCONEE ISFSI, 50-289, 50-270 & 50-287

9601300007 Requests to know next step NRC will require of Vectra & Oconee NPP re outstg.
JOHNSTON, C.F. Toledo Coalition for Safe Energy. 96/01/16. HAUGHNEY, C. Office of Nuclear Material Safety & Safeguards. 1p. 86945:353-86945:353.

DOCKET 72-006 POINT BEACH ISFSI GEN LIC/VSC-24, 50-286 & 50-301

9601040246 Submits questions re shield lid used for MSB 1-10, changed from SAR design.
SHILLINGLAW, F. Affiliation Not Assigned. 95/09/27. HANNON NRC - No Detailed Affiliation Given. 12pp. 86758:304-86758:315.

9601160312 Forwards F Shillinglaw & LE Conner response re storage & transportation of high-level nuclear wastes.
CONNER, L.E. Wisconsin, State of. 95/11/27. LICKUS, R. Region 3 (Post 820201). 3pp. 86778:334-86778:339.

-9601168320 Submits questions re use of VSC-24 & MPC use in W.
SHILLINGLAW, F. Affiliation Not Assigned. 95/11/08. LEROY NRC - No Detailed Affiliation Given. 2pp. 86778:337-86778:339.

9601180120 Informa that corrective actions taken in regard to NOV from insp rept 72-0005/95-204, acceptable & no addl info needed.
BAER, R.L. Source Containment & Devices Branch (Post 811213). 96/01/11. LUK, R.E. Wisconsin Electric Power Co. 2pp. 86806:172-86806:173.

9601230387 Submits questions re VSC-24 dry cask.
SHILLINGLAW, F. Affiliation Not Assigned. 96/01/15. KUGLER, D. 7pp. 86868:315-86868:324.

9601240580 Ackn receipt of petition dtd 951117 requesting that NRC prohibit loading of VSC-24 casks at any nuclear site until unloading procedures evaluated. Forwards "Receipt of Petition for Director's Decision Under 10CFR2.208."
RUSSELL, W.T. 96/01/16. SHILLINGLAW, F. Affiliation Not Assigned. 7pp. 86852:331-86852:346.

-9601240102 Notice of receipt of petition for directors decision under 10CFR2.208.
RUSSELL, W.T. 96/01/16. 2pp. 86852:334-86852:340.

-9512120508 Discusses unloading analysis.
SHILLINGLAW, F. Affiliation Not Assigned. 95/11/17. RUSSELL NRC - No Detailed Affiliation Given. 1p. 86852:341-86852:341.

-9601240178 Forwards copy of petition filed pursuant to 10CFR2.208, requesting that NRC prohibit loading of any VSC-24 casks pending further evaluation. W/draft to petitioner & draft FR notice.
GOLDBERG, J.R. Office of the General Counsel (Post 860701). 95/12/28. RUSSELL, W.T. 5pp. 86852:342-86852:346.

9601300065 Responds to 951214 request for reinvestigation of two security incidents at plant. Informa that the events properly classified & appropriate regulatory actions taken. Concludes security program adequate to protect public.
RUSSELL, W.T. 96/01/26. MERRITT, D. Citizens' Utility Board. 6pp. 86941:187-86941:195.

DOCKET 72-006 BRUNSWICK ISFSI, 50-324 & 50-325

9601020047 Responds to 951117 to Haughney re transport & storage of spent fuel. Informa that licensee for HB Robinson plant did transport fuel from fuel pool to ISFSI using NUHOMS-07P container inside IF-300 transport cask.
MARCUS, G.H. 95/12/27. SHILLINGLAW, F. Affiliation Not Assigned. 3pp. 86882:035-86882:042.

DOCKET 72-007 PALISADES ISFSI GEN LIC/VSC-24, 50-256

9601040248 Submits questions re shield lid used for MSB 1-10, changed from SAR design.
SHILLINGLAW, F. Affiliation Not Assigned. 95/09/27. HANNON NRC - No Detailed Affiliation Given. 12pp. 86758:304-86758:315.

9601020047 Responds to 951117 to Haughney re transport & storage of spent fuel. Informa that licensee for HB Robinson plant did transport fuel from fuel pool to ISFSI using NUHOMS-07P container inside IF-300 transport cask.
MARCUS, G.H. 95/12/27. SHILLINGLAW, F. Affiliation Not Assigned. 3pp. 86882:035-86882:042.

9601230387 Submits questions re VSC-24 dry cask.
SHILLINGLAW, F. Affiliation Not Assigned. 96/01/15. KUGLER, D. 7pp. 86868:315-86868:324.

9601240580 Responds to JM Taylor 951109 speech to NEI re utls taking proactive role in providing guidance & oversight over fabrication activities of dry cask storage sys.
SHILLINGLAW, F. Affiliation Not Assigned. 96/01/16. TAYLOR, J.M. Ofc of the Executive Director for Operations. 5pp. 86873:352-86873:358.

9601240580 Ackn receipt of petition dtd 951117 requesting that NRC prohibit loading of VSC-24 casks at any nuclear site until unloading procedures evaluated. Forwards "Receipt of Petition for Director's Decision Under 10CFR2.208."
RUSSELL, W.T. 96/01/16. SHILLINGLAW, F. Affiliation Not Assigned. 7pp. 86852:331-86852:346.

-9601240102 Notice of receipt of petition for directors decision under 10CFR2.208.
RUSSELL, W.T. 96/01/16. 2pp. 86852:334-86852:340.

-9512120508 Discusses unloading analysis.
SHILLINGLAW, F. Affiliation Not Assigned. 95/11/17. RUSSELL NRC - No Detailed Affiliation Given. 1p. 86852:341-86852:341.

-9601240178 Forwards copy of petition filed pursuant to 10CFR2.208, requesting that NRC prohibit loading of any VSC-24 casks pending further evaluation. W/draft to petitioner & draft FR notice.
GOLDBERG, J.R. Office of the General Counsel (Post 860701). 95/12/28. RUSSELL, W.T. 5pp. 86852:342-86852:346.

9601300084 Expresses concerns on behalf of Toledo Coalition for Safe Energy (TCSE) re TOED decision to load radioactive spent fuel rods into dry storage casks. TOSE 960105 re re dry cask storage at Davis Besse encl.
KAPUR, M. House of Rep. 96/01/19. THE CHAIRMAN, SEN. J. Commissioners (Post 750119). 3pp. 86873:332-86873:334.

DOCKET 72-008 CALVERT CLIFFS ISFSI, 50-317 & 50-318

9601030286 Forwards response to violations noted in Insp Repts 50-317/95-09 & 50-318/95-29. Corrective actions/issd recommendations transcribed added to ISFSI.
DENTON, R.E. Baltimore Gas & Electric Co. 95/12/28. Document Control Branch (Document Control Desk). 3pp. 86730:245-86730:248.

DOCKET 72-009 FORT ST. VRAIN ISFSI, 50-267

9601020020 Discusses 951216 meeting in Arlington, TX re current status of activities re decommissioning of facility.
SCARANO, R.A. Region 4 (Post 820201). 95/12/27. CRAWFORD, A.C. Public Service Co. of Colorado. 3pp. 86863:083-86863:112.

9601240261 Responds to NRC 951208 for, stating DOE intends to pursue transfer of license granted to Fort St Vrain ISFSI & contents.
PAPERELLO, C. Office of Nuclear Material Safety & Safeguards. 96/01/17. LYTLE, J.E. Energy, Dept. of. 1p. 86871:001-86871:002.

-9601240264 Informa NRC of DOE intention to become holder of License 8NM-2504.
LYTLE, J.E. Energy, Dept. of. 95/12/08. PAPERELLO, C. Office of Nuclear Material Safety & Safeguards. 1p. 86871:002-86871:002.

DOCKET 72-011 RANCHO SECO ISFSI, 50-312

9601182489 Responds to IR dtd 950925 requesting more specific info on NAC STC deal purpose, SF storage & transport cask & other deal purpose casks currently under review by Commission & forwards IR dtd 951002 & IR of request dtd 950925.
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/10/18. OVERLAND, C.A. Affiliation Not Assigned. 2pp. 86806:325-86806:328.

-9601180280 Requests staff to provide answers to questions re specific info on deal purpose casks in seal IR dtd 950925.
HAYDEN, B. Office of Public Affairs (Post 811177). 95/10/02. KNAPP, M. Office of Nuclear Material Safety & Safeguards. 1p. 86806:327-86806:327.

-9601180270 Requests more specific info on NAC STC deal that has been permitted. Particular type & number of each type of assemblies it is designed to hold & size & weight of empty cask & info re two applications in pipeline.
OVERLAND, C.A. Affiliation Not Assigned. 95/09/25. HAYDEN, B. Office of Public Affairs (Post 811177). 1p. 86806:328-86806:328.

DOCKET 72-013 ISFSI ARKANSAS NUCLEAR GEN LIC/VSC-24, 50-313 & 50-368

9601260317 Submits to re vulnerability of VSC-24 to terrorism, specifically to LAW.
OELSNER, G. People's Action for Safe Environment. 95/12/10. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 6pp. 86896:050-86896:067.

9601240580 Ackn receipt of petition dtd 951117 requesting that NRC prohibit loading of VSC-24 casks at any nuclear site until unloading procedures evaluated. Forwards "Receipt of Petition for Director's Decision Under 10CFR2.208."
RUSSELL, W.T. 96/01/16. SHILLINGLAW, F. Affiliation Not Assigned. 7pp. 86852:331-86852:346.

-9601240102 Notice of receipt of petition for directors decision under 10CFR2.208.
RUSSELL, W.T. 96/01/16. 2pp. 86852:334-86852:340.

-9512120508 Discusses unloading analysis.
SHILLINGLAW, F. Affiliation Not Assigned. 95/11/17. RUSSELL NRC - No Detailed Affiliation Given. 1p. 86852:341-86852:341.

-9601240178 Forwards copy of petition filed pursuant to 10CFR2.208, requesting that NRC prohibit loading of any VSC-24 casks pending further evaluation. W/draft to petitioner & draft FR notice.
GOLDBERG, J.R. Office of the General Counsel (Post 860701). 95/12/28. RUSSELL, W.T. 5pp. 86852:342-86852:346.

9601290084 Responds to IR dtd 951103 answering several questions re SF storage at ANO. IR dtd 951103 encl.
MARCUS, G.H. 96/01/26. SHILLINGLAW, F. Wisconsin, State of. 5pp. 86890:215-86890:219.

DOCKET 72-0014 ISFS: DAVIS BESSE GEN LIC/NUHOMS, 50-346

9601268227 Expresses concerns re VECTRA NUHOMS-24P dry storage casks proposed to be used for storage of spent nuclear fuel at DBNPS. LODGET, J. Lodge, T.J. 95/12/05. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 86887352-86887353.

960110238 Provides rept of dry run testing activities related to use of Standardized NUHOMS Sys for dry fuel storage at plant. STETZ, J.P. Center for Energy. 95/12/13. MILLER, H.J. Region 3 (Post 820201). 6pp. 86762086-86762101.

9601260225 Expresses concerns re dry cask storage to be used at plant w/NUHOMS casks. JOHNSTON, C. Toledo Coalition for Safe Energy. 95/12/14. STETZ, Toledo Edison Co. 2pp. 86887350-86887351.

9601300587 Reiterates need for expeditious approval of exemption request & provides add info re current circumstances in support of approval. STETZ, J.P. Center for Energy. 95/12/15. HAUGHNEY, C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 86887356-86887359.

9601260209 Expresses concerns over dry cask storage at plant & requests that NRC refuse exemption from 30 day requirement between dry run & loading & explain why unloading procedure required for review & acceptance of CPC but not Davis Besse. JOHNSTON, C. Toledo Coalition for Safe Energy. 95/12/18. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 2pp. 86884335-86884336.

9601260193 Forwards Engineering Change Notice NUH-03-4021-0-1 to Rev 0 to Drawing NUH-03-4021, "NUHOMS Dry Shielded Container for PWR Fuel Shell Assembly," specifying min shell thickness requirements for plant casks per 951221 telcon. TAYLOR, M. Vectra Technologies, Inc. 95/12/21. TANG, D. NRC - No Detailed Affiliation Given. 5pp. 86884332-86884332.

9601020124 Discusses telephone conversation re concerns re implementation of dry cask storage of high-level nuclear waste in ISFSI at Davis-Besse nuclear plant. Forwards letters from Lodge & Stetz (w/attachments) & press release. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 95/12/22. KAPTURE, M. House of Rep., Appropriations. 3pp. 86882064-86882069.

9601020131 Expresses concern re proposal by Toledo Edison to implement dry cask storage of high-level nuclear waste at Davis-Besse plant. Requests info re status of NRC decisions. Forwards letter received from Toledo Coalition for Safe Energy. KAPTURE, M. House of Rep., Appropriations. 95/12/15. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 3pp. 86882075-86882080.

9601250802 Informs of concern re action by NRC to expedite approval for Toledo Edison to dry cask high-level nuclear waste at Davis Besse NPP Generation facility. LATOURETTE, S.C. Ohio, State of. 96/01/05. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86873331-86873331.

9601250804 Expresses concerns on behalf of Toledo Coalition for Safe Energy (TCSE) re TOED decision to load radioactive spent fuel rods into dry storage casks. TCSE 960105 re dry cask storage at Davis Besse end. KAPTURE, M. House of Rep. 96/01/18. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 3pp. 86873332-86873334.

9601300182 Notifies of status of 951205 re TJ Lodge submitted on behalf of Toledo Coalition for Safe Energy, raising concerns re safety of VECTRA Technologies/NUHOMS casks due to reduction in thickness of welds. PFN encl. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 96/01/23. LODGET, J. Lodge, T.J. 1p. 86891356-86891356.

9601300885 FR notice of receipt of petition for Director's Decision under 10CFR2.206 for NRC to immediately issue orders to prevent loading of spent nuclear fuel into VECTRA Technologies Inc NUHOMS-24P dry shielded casks. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 96/01/23. 2pp. 86891357-86891360.

DOCKET 72-0038 NORTH ANNA ISFSI - 50-338 & 50-339

9601260366 Motion for 60 day extension of time to file Staff Rep/W/ certificate of auct. SHERIDAN, A.L. Virginia, Commonwealth of. 95/12/21. 2pp. 86897306-86897307.

9601260353 Forwards RAI re 950509 application, requesting license for ISFSI at North Anna facility. LUSARDI, M. Office of Nuclear Material Safety & Safeguards. 96/01/23. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 86893316-86893318.

DOCKET 72-0017 TROJAN ISFSI, 50-344

9601228278 Notification of 960130 meeting w/POGE in Rockville, MD to discuss proposed application under 10CFR172 for ISFSI at Trojan facility. NRC - No Detailed Affiliation Given. 96/01/18. NRC - No Detailed Affiliation Given. 3pp. 86843306-86843310.

9601308243 Notification of 960206 meeting w/USF in Rockville, MD to discuss physical protection/safeguards & security issues associated w/proposed ISFSI at plant. KOKAJKO, L. THARPE, V. Office of Nuclear Material Safety & Safeguards. 96/01/25. Office of Nuclear Material Safety & Safeguards. 2pp. 86891180-86891181.

DOCKET 72-0070 MESCALERO ENVIRONMENTAL, INC. ISFSI

9601180023 Responds to 951113 in which requested reimbursement for Mescalero Apache Tribe tourist info obtained from POR as part of meeting summary re Mescalero Spent Fuel Storage Project. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 96/01/05. HUGHES, L. Native Americans for a Clean Environment. 1p. 86890589-86890591.

9601180059 Requests that NRC reimburse PM Coons account based on 63 pages of irrelevant info sent to NACE. HUGHES, L. Native Americans for a Clean Environment. 95/11/13. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 86890590-86890591.

DOCKET 72-1004 CASK: 24P

9601260227 Expresses concerns re VECTRA NUHOMS-24P dry storage casks proposed to be used for storage of spent nuclear fuel at DBNPS. LODGET, J. Lodge, T.J. 95/12/05. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 86887352-86887353.

9601260225 Expresses concerns re dry cask storage to be used at plant w/NUHOMS casks. JOHNSTON, C. Toledo Coalition for Safe Energy. 95/12/14. STETZ, Toledo Edison Co. 2pp. 86887350-86887351.

9601260209 Expresses concerns over dry cask storage at plant & requests that NRC refuse exemption from 30 day requirement between dry run & loading & explain why unloading procedure required for review & acceptance of CPC but not Davis Besse. JOHNSTON, C. Toledo Coalition for Safe Energy. 95/12/18. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 2pp. 86884335-86884336.

9601260193 Forwards Engineering Change Notice NUH-03-4021-0-1 to Rev 0 to Drawing NUH-03-4021, "NUHOMS Dry Shielded Container for PWR Fuel Shell Assembly," specifying min shell thickness requirements for plant casks per 951221 telcon. TAYLOR, M. Vectra Technologies, Inc. 95/12/21. TANG, D. NRC - No Detailed Affiliation Given. 5pp. 86884332-86884332.

9601020124 Discusses telephone conversation re concerns re implementation of dry cask storage of high-level nuclear waste in ISFSI at Davis-Besse nuclear plant. Forwards letters from Lodge & Stetz (w/attachments) & press release. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 95/12/22. KAPTURE, M. House of Rep., Appropriations. 3pp. 86882064-86882069.

9601020131 Expresses concern re proposal by Toledo Edison to implement dry cask storage of high-level nuclear waste at Davis-Besse plant. Requests info re status of NRC decisions. Forwards letter received from Toledo Coalition for Safe Energy. KAPTURE, M. House of Rep., Appropriations. 95/12/15. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 3pp. 86882075-86882080.

9601260417 Responds to 951117 re to Haughney re transport & storage of spent fuel. Informs that licensee for HB Robinson plant did transport fuel from fuel pool to ISFSI using NUHOMS-07P cask inside IF-300 transport cask. MARCUS, G.H. 95/12/27. SHILLINGLAW, F. Affiliation Not Assigned. 3pp. 86882036-86882042.

9601250802 Informs of concern re action by NRC to expedite approval for Toledo Edison to dry cask high-level nuclear waste at Davis Besse NPP Generation facility. LATOURETTE, S.C. Ohio, State of. 96/01/05. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86873331-86873331.

9601260122 Documents confirmation by NRC (via 960111 telcon) re NUHOMS HSM concrete temps-related SER specs. ROLLINS, J.D. Vectra Technologies, Inc. 96/01/11. Vectra Technologies, Inc. 1p. 86884356-86884356.

9601310007 Requests to know next step NRC will require of Vectra & Coconee NPP re casks. JOHNSTON, C.F. Toledo Coalition for Safe Energy. 96/01/18. HAUGHNEY, C.J. Office of Nuclear Material Safety & Safeguards. 1p. 86845363-86845363.

9601250804 Expresses concerns on behalf of Toledo Coalition for Safe Energy (TCSE) re TOED decision to load radioactive spent fuel rods into dry storage casks. TCSE 960105 re dry cask storage at Davis Besse end. KAPTURE, M. House of Rep. 96/01/18. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 3pp. 86873332-86873334.

9601300182 Notifies of status of 951205 re TJ Lodge submitted on behalf of Toledo Coalition for Safe Energy, raising concerns re safety of VECTRA Technologies/NUHOMS casks due to reduction in thickness of welds. PFN encl. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 96/01/23. LODGET, J. Lodge, T.J. 1p. 86891356-86891356.

9601300885 FR notice of receipt of petition for Director's Decision under 10CFR2.206 for NRC to immediately issue orders to prevent loading of spent nuclear fuel into VECTRA Technologies Inc NUHOMS-24P dry shielded casks. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 96/01/23. 2pp. 86891357-86891360.

DOCKET 72-1087 CASK: VSC-24

9601260217 Submits re vulnerability of VSC-24 to terrorism, specifically to LAW. OELBER, G. People's Action for Safe Environment. 95/12/10. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 3pp. 86895000-86895007.

9601180120 Informs that corrective actions taken in regard to NCV from insp rept 72-0005/95-204 acceptable & no add info needed. BAER, R.L. Source Containment & Devices Branch (Post 911213). 96/01/11. LINK, E.E. Wisconsin Electric Power Co. 2pp. 86898172-86898173.

9601260387 Submits questions re VSC-24 dry cask. SHILLINGLAW, F. Affiliation Not Assigned. 96/01/15. KUGLER, D. 7pp. 86898318-86898324.

9601260028 Responds to JM Taylor 951109 speech to NEI re utility taking proactive role in providing guidance & oversight over fabrication activities of dry cask storage sys. SHILLINGLAW, F. Affiliation Not Assigned. 96/01/18. TAYLOR, J.M. Dir of the Executive Director for Operations. 5pp. 86873352-86873358.

9601240080 Ack receipt of petition did 951117 requesting that NRC prohibit loading of VSC-24 casks at any nuclear site until unloading procedures enacted. Forwards "Report of Petition for Director's Decision Under 10CFR2.206." RUSSELL, W.T. 96/01/19. SHILLINGLAW, F. Affiliation Not Assigned. 7pp. 86852331-86852346.

9601240102 Notice of receipt of petition for director's decision under 10CFR2.206. RUSSELL, W.T. 96/01/19. 2pp. 86852334-86852346.

150 DOCKETED ITEMS

-9512120508 Discusses unloading analysis.
SHILLINGLAW,F. Affiliation Not Assigned. 95/11/17. RUSSELL NRC - No Detailed
Affiliation Given. 1p. 86852341-86852341.

-9501248173 Forwards copy of petition filed pursuant to 10CFR2.206, requesting that
NRC prohibit loading of any VSC-24 casks pending further evaluation.W/draft to
petitioner & draft FR notice.
GOLDBERG,J.R. Office of the General Counsel (Post 650701). 95/12/28.
RUSSELL,W.T. . 5pp. 86862342-86862348.

9501250004 Expresses concerns on behalf of Toledo Coalition for Safe Energy (TCSE)
re TOED decision to load radioactive spent fuel rods into dry storage casks.TCSE
950105 ltr re dry cask storage at Davis Beese end.
KAPTUR,M. House of Rep. 95/01/19. THE CHAIRMAN Commissioners (Post
750110). 9pp. 86872328-86872334.

9501290034 Responds to ltr dtd 951103 answering several questions re SF storage at
ANL.Ltr dtd 951103 end.
MARCUS,G.H. . 95/01/25. SHILLINGLAW,F. Wisconsin, State of. 5pp. 86890215-
86890218.

DOCKET 72-1808 CASK: HI-STAR 100

9501180248 Responds to ltr dtd 950825 requesting more specific info on NAC STC dual
purpose.SF storage & transport cask & other dual purpose casks currently under
review by Commission & forwards ltr dtd 951002 & ltr of request dtd 950825.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/10/19.
OVERLAND,C.A. Affiliation Not Assigned. 2pp. 86806325-86806328.

-9501180260 Requests staff to provide answers to questions re specific info on dual
purpose casks in encl for dtd 950825.
HAYDEN,B. Office of Public Affairs (Post 911117). 95/10/02. KNAFF,M. Office of Nu-
clear Material Safety & Safeguards. 1p. 86806327-86806327.

-9501180270 Requests more specific info on NAC STC dual purpose cask that has been permit-
ted particularly type & number of each type of assemblies it is designed to hold & size
& weight of empty cask & info re two applications in pipeline.
OVERLAND,C.A. Affiliation Not Assigned. 95/09/25. HAYDEN,B. Office of Public Af-
fairs (Post 911117). 1p. 86806328-86806328.

DOCKET 72-1809 CASK: DOE-MPC-21P

9501190808 Forwards summary of meeting w/DOE on 951207 & associated
attachments.Informs that meeting discussed SF storage & transportation activities of
concern to DOE & G.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/12/21.
MILNER,R. Energy, Dept. of. 5pp. 86808175-86808171.

9501250356 Forwards Multi-Purpose Canister sys pre-application design process review.
BAER,R.L. Source Containment & Devices Branch (Post 911213). 95/01/17.
HAELSOGL,T. Packaging Technology, Inc. 6pp. 86870074-86870078.

152 NONDOCKETED ITEMS

9601230409 Final response to FOIA request. Forwards app A info which will be available in PDR.
* Division of Freedom of Information & Publications Services (Post 960744). 06/01/17. ROSE, G.H. Institute for Nuclear Education, Inc. App. 86840302-86840311.

9601230413 Expresses alarm by ACMU deliberations to NRC re training & experience of authorized user to allow exemptions to support J. Advice of ACMU opposed.
ISKANDRIAN, A.S., WACKERS, F.J. Affiliation Not Assigned. 05/05/22. POLLYCOVE, M. NRC - No Detailed Affiliation Given. App. 86840304-86840311.

9601290010 Final response to FOIA request for records. Records identified in App B available in PDR & records identified in App A being made available in PDR & incl. KAMMERER, C.C. Division of Freedom of Information & Publications Services (Post 960714). 06/01/11. LYON, J.K. Committee to Bridge the Gap. App. 86873307-86873326.

9607100095 Forwards Executive Director of Operations 940722 ltr responding to ACNW 840603 ltr re rpt on subj of NRC staff performance assessment capability in LLW program.
GRUGNOLI, G.N. Advisory Committee on Nuclear Waste. FACA. 04/08/02. POMEROY, P.W., GARRICK, B. Advisory Committee on Nuclear Waste. App. 86873314-86873315.

9607100102 Responds to 940603 ltr from ACNW to Chairman re results of ACNW 940922 review of staff LLW performance assessment program.
TAYLOR, J.M. Ofc of the Executive Director for Operations. FACA. 04/07/20. STEINLER, M.J. Advisory Committee on Nuclear Waste. App. 86873314-86873322.

9607100111 Forwards agenda & schedule for presentations at LLW performance assessment workshop on 041115-17.
GRUGNOLI, G.N. Advisory Committee on Nuclear Waste. FACA. 04/12/08. GARRICK, B.J. Advisory Committee on Nuclear Waste. App. 86873323-86873326.

9601300087 Transcript of ACNW 81st meeting on 060125 in Rockville, MD. Pp 173-216. Certificate of rec. incl.
* Advisory Committee on Nuclear Waste. 06/01/25. 04pp. 86842236-86842232.

9601300089 Transcript of ACNW 81st meeting on 060125 in Rockville, MD. Pp 217-284. Certificate of rec. incl.
* Advisory Committee on Nuclear Waste. 06/01/25. 70pp. 86842232-86842232.

9601300183 Transcript of ACNW 81st meeting on 060124 in Rockville, MD. Pp 1-172.
* Advisory Committee on Nuclear Waste. 06/01/24. 247pp. 86842207-86842247.

COMMISSION NRC COMMISSIONERS

9612270292 Responds to 951027 memo re 10CFR50.59, "Changes, Tests & Experiments." Staff agrees w/ view that reevaluation of staff review process would be beneficial & that staff evaluation process can be improved.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 05/12/16. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 22pp. 86848181-86848202.

9601020124 Discusses telephone conversation re concerns re implementation of dry cask storage of high-level nuclear waste at Davis-Besse nuclear plant. Forwards letters from Lodge & Seitz (w/attachments) & press release.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 06/12/22. KAPTOR, J.M. House of Rep., Appropriations. App. 86852054-86852060.

9601020131 Expresses concern re proposal by Toledo Edison to implement dry cask storage of high-level nuclear waste at Davis-Besse plant. Requests info re status of NRC decisions. Forwards ltr received from Toledo Edison for Safe Energy.
KAPTOR, J.M. House of Rep., Appropriations. 05/12/15. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). App. 86882078-86882080.

9601030144 SECY-95-302 Weekly info rpt for wk ending 051215.
BLAHAK, J.L. Assistant for Operations (Post 860203). 05/12/21. 16pp. 86893064-86893078.

9601030165 Forwards analysis of NHI enforcement history & staff action plan for issues identified as result of evaluating recent NHI & MIT ingestion events as follow up to 951121 memo.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 05/12/27. THE CHAIRMAN, JACKSON, S.A., ROGERS, K.C. Commissioners (Post 750119). 1p. 86743322-86743343.

9601030192 Forwards analysis of enforcement history of NHI which had been done to determine if actions conformed to agency enforcement guidance & policy. Actions & repts considered, comments on documents reviewed & observations incl.
LIEBERMAN, J. Ofc of Enforcement (Post 870413). 05/12/08. TAYLOR, J.M. Ofc of the Executive Director for Operations. 11pp. 86743323-86743333.

9601030195 Identifies & assigns responsibility for generic & licensee specific actions for IT reft findings which require followup resulting from investigation of incident as documented in NUREG-1535.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 05/12/28. JORDAN, M.L. Office for Analysis & Evaluation of Operational Data, Director. PAPERELLO, C.J. Office of Nuclear Material Safety & Safeguards. MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 10pp. 86743334-86743343.

9601100167 Responds to 951108 ltr expressing concern re rule on protection of NFP against misadvent vehicles use. Informes of staff determination that new vehicle control resources adequate to provide enhanced level of protection desired.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 05/12/20. HIRSCH, D. Committee to Bridge the Gap. App. 86768247-86768250.

9601100219 Discusses 940601 rule on protection of NFP against misadvent use of vehicles.
HIRSCH, D. Committee to Bridge the Gap. 05/11/06. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). App. 86768249-86768250.

9601160018 SECY-95-306 Weekly info rpt for wk ending 051222.
BLAHAK, J.L. Assistant for Operations (Post 860203). 05/12/27. 19pp. 86773229-86773248.

9601160039 Ack receipt of ltr re licensing of Watts Bar NPP. Informes that before issuing full-power operating license, NRC will conduct insps to verify that meet complete & meet safety requirements.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 05/12/20. CARROLL, M., MANZLICK, L., DOLLAR, T. Affiliation Not Assigned. App. 86806077-86806088.

9601160043 Discusses concerns re low energy operating license issued to Watts Bar NPP.
CARROLL, M. Affiliation Not Assigned. 05/12/20. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86806083-86806083.

9601160045 Discusses concerns re low energy operating license for Watts Bar NPP.
MANZLICK, L. Affiliation Not Assigned. 05/12/20. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86806084-86806084.

9601160051 Discusses concerns re issuance of low energy operating license to Watts Bar NPP.
DOLLAR, T. Affiliation Not Assigned. 05/12/20. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86806085-86806085.

9601160053 Discusses concerns re issuance of full operating license to Watts Bar NPP.
WRIGHT, B. Affiliation Not Assigned. 05/12/20. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86806086-86806086.

9601160059 Discusses concerns re issuance of full operating license to Watts Bar NPP.
STROUD, A. Affiliation Not Assigned. 05/12/20. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86806087-86806087.

9601160061 Discusses concerns re low energy operating license issued to Watts Bar NPP.
LIVINGSTON, L.H. Affiliation Not Assigned. 05/11/26. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86806088-86806088.

9601160049 Forwards brief biographical sketch & ltr dtd 051128 re 960412 special session of 11th KAIF/KNS Annual Conference & accepts invitation to participate in 960412 luncheon.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 05/12/28. LEE, K.S. Korea, Republic of (South Korea). App. 86773285-86773290.

9601160080 Ack receipt of fax dtd 051122 & thanks Chairman Jackson for accepting invitation to speak at special breakfast meeting on 060412 & requests copy of presentation paper & brief curriculum vitae no later than 060215.
LEE, K.S. Korea, Republic of (South Korea). 05/11/28. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). App. 86773289-86773290.

9601160154 Offers appointment on Nuclear Safety Research Review Committee.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 05/12/20. MITCHELL, G. Georgia Institute of Technology, Atlanta, GA. 1p. 86774001-86774002.

9601160206 Notices of Commission disapproval of Mitchell as member of NSRRG advanced instrumentation & controls expertise & approval of Mitchell or Hazle to NSRRG in area of human factors.
BATES, A.L. Office of the Secretary of the Commission. 05/08/11. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 86774002-86774002.

9601160294 Ack receipt of 051204 ltr & tentative itinerary. Advises that Ofc of Int Programs will finalize arrangements for visit.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 05/12/28. LIM, Y.K. Korea Institute of Nuclear Safety. 1p. 86774003-86774003.

9601160352 Apologizes for late response to ltr. Forwards suggested itinerary for consideration re Apr 1998 visit to Korea.
LIM, Y.K. Korea Institute of Nuclear Safety. 05/12/04. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). App. 86774004-86774006.

9601160097 Ack receipt of ltr dtd 051205 informing Commission of Commonwealth of PA intent to seek full Agreement to regulate certain by-product, source & SRM in addition to disposal of LLW. ltr dtd 051205 incl.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 06/01/04. RIDGET, Pennsylvania, Commonwealth of. 1p. 86806246-86806247.

9601160187 Informes Commission of Commonwealth of PA intent to become an "Agreement State" per an agreement entered w/ NRC under Section 274 of AEA & seeks authority to regulate certain by-product, source & special mail & disposal of LLW.
RIDGET, Pennsylvania, Commonwealth of. 05/12/08. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86806247-86806247.

9601160289 Forwards summary of actions taken by NRC in response to recommendations re NRC which were in repts issued by BAO.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 05/01/03. HATFIELD, M.O. Senate, Appropriations. LIVINGSTON, B. House of Rep., Appropriations. STEVENS, T. Senate, Governmental Affairs. 18pp. 86810223-86810241.

9601160386 Ack receipt of 051214 ltr which extended invitation to attend 29th JAIF Annual Meeting & to make presentation to assembly on 060417.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 06/01/04. MUKAI, B.T. Japan. 1p. 86810219-86810222.

9601160369 Informes that Japan Atomic Industrial Forum will hold 25th JAIF Annual Conference from 060417-19 & extends invitation to Chairman Jackson to deliver speech.
MUKAI, B.T. Japan. 05/12/14. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). App. 86810220-86810222.

9601160430 Submits FY95 Procurement Preference Program goals & Procurement Award Achievements per 040829 request from E Bowes.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 06/01/02. LADER, P. Small Business Administration. App. 86810198-86810210.

-9801185438 Requests submission of FY95 procurement goals by 9/4/95. Informs that policy of having GSA establish goals for number of schedule awards will continue in FY95. Guidance on goal setting under procurement preference programs sent. BOWLES, E.B. Small Business Administration. 9/4/95. THE CHAIRMAN, SELMA, Commissioners (Post 750119). App. 88810:201-88810:203.

-9801185442 Forwards for signature to SBA reporting NRC achievements for FY95 against goals submitted on 9/4/95 per SBA request. TAYLOR, J.M. Of the Executive Director for Operations. 9/5/12/21. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 88810:207-88810:207.

-9801185453 Responds to 940629 for to Chairman Selma re "Guidance on Goal Setting Under Procurement Preference Programs." Submits NRC goals established based upon FY95 budget request to Congress. MILLER, N.L. Of the Small & Disadvantaged Business Utilization & CNA Rights. 9/4/95. DUMAR, R.S. Small Business Administration. App. 88810:208-88810:210.

9801185452 Responds to 951025 for on behalf of G. Galatis, informing that review of article does not support that Northeast Unit violates requirements & that Northeast Unit has been requested to respond to sub concerns in its old 951214. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 98/01/02. HADLEY, E.C. Hadley, E.C. 1p. 88810:183-88810:187.

-9801185470 Requests on behalf of GJ Galatis, that NRC take immediate action to prevent reentry of Northeast Unit. Discusses and Northeast Unit newsletter, advising that it is being used in attempt to discredit GJ Galatis. HADLEY, E.C. Hadley, E.C. 95/10/23. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). App. 88810:185-88810:187.

9801185001 Ack receipt of 951121 for & informs that it & articles forwarded to NRC for consideration. Encourages discussion of approach to nondestructive techniques for assessing RV embrittlement w/d Member of NRC. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 98/01/02. VISWANATHAN, R. CARTER, R. Electric Power Research Institute. App. 88810:242-88810:240.

-9801185004 Discusses mechanical test technique, known as small punch test, developed by EPRI that enables direct & practically nondestructive determination of metal embrittlement in form of FATT & fracture toughness of in-service steel component. VISWANATHAN, R. Electric Power Research Institute. 95/11/21. CARTER, R. Commissioners (Post 750119). 17pp. 88810:244-88810:263.

9801185025 Discusses streamlining of Mgt Control Program & evaluation of mgt control & financial mgt sys, informing that objectives of Integrity Act achieved for FY95 w/ reasonable assurance. Forwards supporting documentation w/o encls. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 98/01/03. CLINTON, B. President of U.S. & Executive Offices. App. 88823:323-88823:347.

-9801185033 Discusses streamlining of Mgt Control Program & evaluation of mgt control & financial mgt sys, informing that objectives of Integrity Act achieved for FY95 w/ reasonable assurance. Forwards supporting documentation w/o encls. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 98/01/03. GINGRICH, W. House of Rep., Speaker of the House. App. 88823:332-88823:333.

-9801185035 Discusses streamlining of Mgt Control Program & evaluation of mgt control & financial mgt sys, informing that objectives of Integrity Act achieved for FY95 w/ reasonable assurance. Forwards supporting documentation w/o encls. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 98/01/03. GORE, A. Senate, President of the Senate. App. 88823:334-88823:335.

-9801185036 Discusses streamlining of Mgt Control Program & evaluation of mgt control & financial mgt sys, informing that objectives of Integrity Act achieved for FY95 w/ reasonable assurance. Forwards supporting documentation w/o encls. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 98/01/03. STEVENS, T. Senate, Governmental Affairs. App. 88823:336-88823:337.

-9801185037 Discusses streamlining of Mgt Control Program & evaluation of mgt control & financial mgt sys, informing that objectives of Integrity Act achieved for FY95 w/ reasonable assurance. Forwards supporting documentation w/o encls. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 98/01/03. CLINGER, W.F. House of Rep. App. 88823:338-88823:339.

-9801185038 Discusses streamlining of Mgt Control Program & evaluation of mgt control & financial mgt sys, informing that objectives of Integrity Act achieved for FY95 w/ reasonable assurance. Forwards supporting documentation w/o encls. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 98/01/03. DOMENICI, P.V. House of Rep., Appropriations. App. 88823:340-88823:341.

-9801185039 Discusses streamlining of Mgt Control Program & evaluation of mgt control & financial mgt sys, informing that objectives of Integrity Act achieved for FY95 w/ reasonable assurance. Forwards supporting documentation w/o encls. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 98/01/03. MYERS, J.T. House of Rep., Appropriations. App. 88823:342-88823:343.

-9801185039 Discusses streamlining of Mgt Control Program & evaluation of mgt control & financial mgt sys, informing that objectives of Integrity Act achieved for FY95 w/ reasonable assurance. Forwards supporting documentation w/o encls. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 98/01/03. FAIRCLOTH, L. House of Rep., Environment & Public Works. App. 88823:344-88823:345.

-9801185072 Discusses streamlining of Mgt Control Program & evaluation of mgt control & financial mgt sys, informing that objectives of Integrity Act achieved for FY95 w/ reasonable assurance. Forwards supporting documentation w/o encls. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 98/01/03. SCHAEFER, D. House of Rep., Energy & Commerce. App. 88823:346-88823:347.

9801230281 SECY-88-006 Weekly info rept for wk ending 951220. BLAHA, J.L. Assistant for Operations (Post 890205). 96/01/04. App. 88823:253-88823:254.

9801240248 Forwards SECY-95-265 & attachment describing NRC position on generic applicability of process used to establish relative risk significance of SSCs for implementation of next rule. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 98/01/16. BAYNE, P. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 88842:316-88842:332.

-9801240250 Provides industry perspective on generic applicability process used to establish risk-significant SSCs re main rule implementation & forwards detailed explanation of rationale. BAYNE, P. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/11/10. JACKSON, S.A. Commissioners (Post 750119). App. 88842:323-88842:332.

9801240282 "NRC Moves Into 21st Century - Developing Cohesive, Publicly Acceptable Regulatory Framework for Decommissioning," by SA Jackson to Second Annual Nuclear Decisionmakers Forum Lansdowne Executive Conference Ctr Lansdowne, VA 951213. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 95/12/13. App. 88862:338-88862:348.

9801240279 Responds to 951221 for informing that Confirmatory Order & Demand for info issued to MYAP on 980109 which ordered station power reduced to 2,440 MWUPM restarted after info received & NRC to conduct insp shortly after restart. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). CCS. 96/01/17. LONGLEY, J.B. House of Rep. App. 88847:177-88847:180.

-9801240289 Submits inquiry re reported delay in startup of MYAP plant in Wisconsin. Requests to be advised of acceptable table & opportunities for public review that NRC has laid out for planned investigation. LONGLEY, J.B. House of Rep. 95/12/21. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 88847:179-88847:181.

-9801240289 "Assessment of RELAP5YA Applications Supporting Maine Yankee Cycle 15 Operation-Rev 2." Maine Yankee Atomic Power Co. 96/01/10. 99pp. 88847:262-88847:360.

9801250270 SECY-95-012 Weekly info rept for wk ending 950112. BLAHA, J.L. Assistant for Operations (Post 890205). 98/01/18. 23pp.

9801260088 Requests that DOS review decision to withdraw from OECD Nuclear Energy Agency par Interim. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 96/01/18. SPERO, J.E. State, Dept. of. App. 88823:244-88823:247.

-9801260088 Discusses dept intentions re future of US participation in OECD NEA. SPERO, J.E. State, Dept. of. 96/01/18. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). CURTIS, C. Energy, Dept. of. App. 88823:246-88823:247.

9801319176 Requests Kentucky continued participation in NRC State Liaison Officer program. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 96/01/22. PATTON, P.E. Kentucky, Commonwealth of. 1p. 88838:055-88838:055.

CONTRACT NRC CONTRACTS AND MODIFICATIONS

9801028148 Ltr contract, Mod 6 to task order 35, correcting Mod 4 dtd 950626 & increasing level of effort by adding 16 hrs for continued performance of work to "IPE Reviews - Internal Events - Front End Only." MACE, M.H. Division of Contracts (Post 940714). NRC-04-91-086. FIN B-5787. 95/12/14. COLINAJ, Science & Engineering Associates, Inc. App. 88882:204-88882:205.

9801028181 Ltr contract, Mod 4 to task order 45, increasing level of effort by adding 24 professional hrs for continued performance of work to "IPE Reviews - Internal Events - Front End Only." MACE, M.H. Division of Contracts (Post 940714). NRC-04-91-086. FIN B-5787. 95/12/14. COLINAJ, Science & Engineering Associates, Inc. App. 88882:204-88882:205.

9801028188 Ltr contract, Mod 4 to task order 43, increasing level of effort by adding 16 professional hrs for continued performance of work to "IPE Reviews - Internal Events - Front End Only, (Callaway)." MACE, M.H. Division of Contracts (Post 940714). FIN B-5787. NRC-04-91-086. 95/12/14. COLINAJ, Science & Engineering Associates, Inc. App. 88882:206-88882:207.

9801028188 Ltr contract, Mod 5 to Task Order 38, increasing level of effort by adding 16 professional hrs for continued performance of work & increases task order ceiling by listed amount to "IPE Reviews - Internal Events - Front End Only." MACE, M.H. Division of Contracts (Post 940714). FIN B-5787. NRC-04-91-086. 95/12/14. COLINAJ, Science & Engineering Associates, Inc. App. 88882:208-88882:209.

9801028181 Ltr contract, Mod 6 to Task Order 37, increasing level of effort by adding 16 professional hrs for continued performance of work & increases task order ceiling by listed amount to "IPE Reviews - Internal Events - Front End Only." MACE, M.H. Division of Contracts (Post 940714). FIN B-5787. NRC-04-91-086. 95/12/14. COLINAJ, Science & Engineering Associates, Inc. App. 88882:210-88882:211.

9801028173 Ltr contract, Mod 11 to Task Order 13, increasing level of effort by adding 32 professional hrs for continued performance of work & increases task order ceiling by listed amount to "IPE Reviews - Internal Events - Front End Only." MACE, M.H. Division of Contracts (Post 940714). FIN B-5787. NRC-04-91-086. 95/12/07. COLINAJ, Science & Engineering Associates, Inc. App. 88882:204-88882:205.

9801030094 Ltr contract, Mod 3, adding incremental funding to task order 2. MACE, M.H. Division of Contracts (Post 940714). NRC-02-95-002. 95/12/28. HALL, A.D. ICF, Inc. App. 88890:186-88890:187.

9801040381 Ltr contract, Mod 5 to task order 32, correcting "Mod 3" dtd 950626 to read "Mod 4," increasing level of effort by adding 24 prof hrs & by increasing task order ceiling by amount listed in tr. MACE, M.H. Division of Contracts (Post 940714). NRC-04-91-086. FIN B-5787. 95/12/05. COLINAJ, Science & Engineering Associates, Inc. App. 88740:220-88740:221.

9801050004 Ltr contract, Mod 5 to task order 4, extending period of performance to 980331 to "Ex-Vessel Debris Coolability Phenomenological Assessment," to Contract NRC-04-92-048. MACE, M.H. Division of Contracts (Post 940714). NRC-04-92-048. 95/12/28. KHATIB-RAHBAR Energy Research, Inc. App. 88740:257-88740:258.

9801050004 Ltr contract, Mod 4 to task order 44, extending period of performance from 951225-961231 to "IPE Reviews for Back End Containment Performance & Source Term Analysis-Internal Events Only (Callaway)." MACE, M.H. Division of Contracts (Post 940714). NRC-04-91-086. 95/12/29. AFABLE, S. SCIENTECH, Inc. App. 88740:259-88740:260.

154 NONDOCKETED ITEMS

9601050010 Ltr contract, Mod 3 to task order 47, extending period of performance from 951224 to 961231, to "IPE Reviews for Back End Containment Performance & Source Term Analysis - Internal Events Only," to Contract NRC-04-91-068. AFABLE, S. SCIENTECH, Inc. 2pp. 86743301-86743302.

9601050046 Ltr contract, Mod 4 to task order 46, extending period of performance of task order from 951226-961231 to "IPE Reviews for Back End Containment Performance & Source Term Analysis - Internal Events Only (WMP-2)." MACE, M. Division of Contracts (Post 940714). NRC-04-91-068. 95/12/29. AFABLE, S. SCIENTECH, Inc. 2pp. 86743303-86743304.

9601050059 Ltr contract, Mod 5 to task order 45, extending period of performance of task order from 951224-961231 to "IPE Reviews for Back End Containment Performance & Source Term Analysis - Internal Events Only (WMP-2)." MACE, M. Division of Contracts (Post 940714). NRC-04-91-068. 95/12/29. AFABLE, S. SCIENTECH, Inc. 2pp. 86743305-86743306.

9601050061 Ltr contract, Mod 4 to task order 43, extending period of performance of task order from 951226-961231 to "IPE Reviews for Back End Containment Performance & Source Term Analysis - Internal Events Only (WMP-2)." MACE, M. Division of Contracts (Post 940714). NRC-04-91-068. 95/12/29. AFABLE, S. SCIENTECH, Inc. 2pp. 86743307-86743308.

9601050068 Ltr contract, Mod 4 to task order 42, extending period of performance of task order from 951226-961231 to "IPE Reviews for Back End Containment Performance & Source Term Analysis - Internal Events Only (WMP-2)." MACE, M. Division of Contracts (Post 940714). NRC-04-91-068. 95/12/29. AFABLE, S. SCIENTECH, Inc. 2pp. 86743309-86743310.

9601050082 Ltr contract, Mod 6 to task order 41, extending period of performance of task order from 951224-961231 to "IPE Reviews for Back End Containment Performance & Source Term Analysis - Internal Events Only (WMP-2)." MACE, M. Division of Contracts (Post 940714). NRC-04-91-068. 95/12/29. AFABLE, S. SCIENTECH, Inc. 2pp. 86743311-86743312.

9601240001 Mod 1, extending period of performance for 30 days at no addl cost or obligation to govt. SUNE, J. MACE, M. Division of Contracts (Post 940714). 96/01/22. 3pp. 86842269-86842271.

9601240021 Mod 14 to task order 3, extending period of performance & increasing task order ceiling to "Agency Upgrade of Technology for Office Site (AUTOS) Office Plans, Integration & Implementation." UN, R. T. CECEC, Inc. MATTIA, M. J. Division of Contracts (Post 940714). FIN L-1794. 95/12/29. 2pp. 86842282-86842284.

9601240022 Mod 2, extending period of performance of contract at no addl cost to NRC in order to complete work under Section C.1, to "Completion of Strainer Blockage Study & Technical Assistance for Resolving Strainer Blockage Issue." COLINA, J. R. Science & Engineering Associates, Inc. MACE, M. H. Division of Contracts (Post 940714). FIN W-6452. 96/01/11. 5pp. 86842285-86842288.

9601240033 Ltr contract, confirming authorization to commence work under task order 5, effective 960103 & establishing temporary ceiling for listed amount, pending delimitation of sub task order to "Incident Investigation Team Training." MATTIA, M. J. Division of Contracts (Post 940714). NRC-26-94-262. FIN E-7015. 95/09/29. CONGER, D. S. Conger & Elise, Inc. 3pp. 86841239-86841247.

9601240067 Ltr contract, Mod 2 to task order 2, correcting typo error in fixed fee amount stated in Mod 1 to read as listed amount. WIGGINS, E. J. Division of Contracts (Post 940714). NRC-03-94-035. 95/11/22. VOGEL, A. M. Sonalysts, Inc. 1p. 86842289-86842290.

9601240095 Mod 4, extending period of performance, to NRC-G-04-93-037. * North Carolina, Univ. of Chapel Hill, NC. WIGGINS, E. J. Division of Contracts (Post 940714). NRC-G-04-93-037. 95/12/06. 1p. 86842295-86842296.

9601240096 Mod 10, extending period of performance, to NRC-10-87-445. LEBENS, F. California Polytechnic State Univ., San Luis Obispo, CA. MACE, M. Division of Contracts (Post 940714). FIN D-24165. 95/11/30. 3pp. 86839359-86839360.

9601240097 Mod 6, exercising option two IAW subsection 3.7 option to extend term of contract, to "Technical Assistance in Support of NRR Programs & Activities Pertaining to Licensee Performance & Quality Evaluation." COLINA, J. R. Science & Engineering Associates, Inc. WIGGINS, E. J. Division of Contracts (Post 940714). 96/01/02. 2pp. 86842297-86842298.

9601240098 Mod 8 to NRC-04-93-036. NEELY, D. R. Scientific Ecology Group, Inc. NEARSE, S. D. Division of Contracts (Post 940714). 95/11/16. 1p. 86842299-86842300.

9601240100 Ltr contract, Mod 6 to task order 5, correcting mathematical error reflected in Mod 5 to sub task order, at 951205 & deleting paragraph 2 of task order 3, at 941207 & substituting listed paragraph. MATTIA, M. J. Division of Contracts (Post 940714). NRC-26-94-262. FIN E-8220. 96/01/11. HOGG, A. L. Affiliation Not Assigned. 3pp. 86843001-86843003.

9601240104 Mod 18, replacing "Attachment 11 White Flint North Parking Procedures" incorporated into contract under Mod 12 w/ revised date of 961215, to "Commercial Facilities Mtg Svc." GLCHRIST, J. R. Affiliation Not Assigned. FIELDS, J. A. Division of Contracts (Post 940714). 96/01/08. 17pp. 86842187-86842203.

9601240106 Mod 17 to NRC-10-94-141. GLCHRIST, J. R. Affiliation Not Assigned. FIELDS, J. A. Division of Contracts (Post 940714). 95/12/26. 2pp. 86843005-86843006.

9601240108 Mod 2 to NRC-04-93-045. * Arizona, Univ. of Tucson, AZ. MACE, M. H. Division of Contracts (Post 940714). FIN W-6151. 95/11/29. 2pp. 86843007-86843008.

9601240109 Ltr contract, Mod 5 to task order 3, providing addl insp for performance course for NRC at Region III IAW SCOV. MATTIA, M. J. Division of Contracts (Post 940714). NRC-26-94-262. FIN E-8220. 95/12/08. HOGG, A. L. Affiliation Not Assigned. 4pp. 86843009-86843012.

9601240111 Mod 1, exercising option yr one IAW Section L8 FAR 62.217-4, entitled, "Option to Extend Term of Contract," to "On-Call Transportation Svc for NRC Senior Staff." * Affiliation Not Assigned. WIGGINS, E. J. Division of Contracts (Post 940714). 96/01/17. 2pp. 86843013-86843014.

9601240112 Ltr contract, Mod 10 to task order 8, subcontracting funds to NRC-03-93-028. WIGGINS, E. J. Division of Contracts (Post 940714). FIN J-2081. NRC-03-93-028. 95/11/29. LOFY, R. A. PARAMETER, Inc. 2pp. 86842298-86842297.

9601240114 Mod 5, increasing total obligated amount & extending period of performance, to NRC-10-80-148. SUSAN, P. Affiliation Not Assigned. WIGGINS, E. J. Division of Contracts (Post 940714). FIN D-2416. 95/11/29. 4pp. 86842211-86842214.

9601240115 Mod 9 to NRC-04-94-079. JONES, D. California, Univ. of Santa Barbara, CA. MACE, M. H. Division of Contracts (Post 940714). FIN W-6360. 96/01/11. 2pp. 86843015-86843018.

9601240117 Mod 3 to NRC-93-95-175. * Small Business Administration. * Data Computer Corp. of America. MATTIA, M. J. Division of Contracts (Post 940714). 95/12/22. 2pp. 86843017-86843018.

9601240129 Mod 11 to NRC-94-99-168. KCHNUT, J. J. Portland State Univ., Portland, OR. WIGGINS, E. J. Division of Contracts (Post 940714). 95/12/04. 3pp. 86843019-86843021.

9601240121 Mod 4 to contract NRC-04-95-038. NEUMAN, S. Arizona, Univ. of Tucson, AZ. MACE, M. H. Division of Contracts (Post 940714). 96/01/05. 2pp. 86843022-86843023.

9601240122 Mod 9 to NRC-91-82-241. * Small Business Administration. * US Robotics, Inc. WIGGINS, E. J. Division of Contracts (Post 940714). FIN L-1372. 95/12/05. 1p. 86842215-86842216.

9601240125 Mod 9, extending period of performance to 960225 at no addl cost to Govt per 961219 request to "Insulation Facility Demolition/Work." * Science Ecology Group, Inc. NEARSE, S. D. Division of Contracts (Post 940714). 96/01/02. 2pp. 86843024-86843025.

9601240127 Mod 10 to NRC-04-92-037. MACE, M. H. Science Applications International Corp. (formerly Science Applications, Inc.). * Division of Contracts (Post 940714). FIN L-1552. 95/12/27. 2pp. 86843026-86843027.

9601240128 Mod 2 to grant NRC-G-04-93-093. MALLET, J. E. California, Univ. of Los Angeles, CA. WIGGINS, E. J. Division of Contracts (Post 940714). FIN G-6112. 95/11/15. 1p. 86843028-86843029.

9601240130 Ltr contract, Mod 1 to task order 7, to NRC-26-91-292. MATTIA, M. J. Division of Contracts (Post 940714). FIN L-1583-3. NRC-26-91-292. 96/01/02. DUCES, International Technology Corp. 2pp. 86842268-86842269.

9601240131 Mod 3 to contract NRC-21-95-297. GROSS, J. R. Neal R. Gross & Co., Inc. WIGGINS, E. J. Division of Contracts (Post 940714). 96/01/11. 2pp. 86843029-86843030.

9601240132 Mod 7 to contract NRC-10-82-158. WIGGINS, E. J. Science Applications International Corp. (formerly Science Applications, Inc.). WIGGINS, E. J. Division of Contracts (Post 940714). 95/12/13. 2pp. 86842218-86842217.

9601240134 Mod 13 to contract NRC-28-92-206. WILSON, P. Small Business Administration. WIGGINS, E. J. Division of Contracts (Post 940714). 96/01/05. 2pp. 86843031-86843032.

9601240135 Ltr contract, Mod 1 to task order 8, to contract NRC-02-95-003. WIGGINS, E. J. Division of Contracts (Post 940714). NRC-02-95-003. FIN J-1521. 95/12/13. GREEN, S. Science Applications International Corp. (formerly Science Applications, Inc.). 3pp. 86842235-86842237.

9601240136 Ltr contract, Mod 1 to task order 8, to contract NRC-26-91-292. MATTIA, M. J. Division of Contracts (Post 940714). FIN L-1583-3. NRC-26-91-292. 96/01/02. DUCES, International Technology Corp. 2pp. 86842270-86842271.

9601240137 Mod 10 to NRC-93-93-258. * GTI Corp. WIGGINS, E. J. Division of Contracts (Post 940714). 95/12/05. 2pp. 86842218-86842219.

9601240139 Mod 4 to NRC-04-94-077. * Boston College, Chestnut Hill, MA. MACE, M. H. Division of Contracts (Post 940714). FIN W-6370. 95/12/27. 2pp. 86843033-86843034.

9601240141 Ltr contract, Mod 1 to task order 10, to NRC-26-91-292. MATTIA, M. J. Division of Contracts (Post 940714). FIN L-1583-3. NRC-26-91-292. 96/01/04. DUCES, International Technology Corp. 2pp. 86842272-86842273.

9601240143 Mod 2 to contract NRC-04-94-085. DAHL, S. Micro Analysis & Design, Inc. MACE, M. H. Division of Contracts (Post 940714). 95/12/08. 3pp. 86843035-86843037.

9601240144 Mod 1 to contract NRC-04-96-048. MAYO, D. California, Univ. of Santa Barbara, CA. MACE, M. H. Division of Contracts (Post 940714). 96/01/05. 2pp. 86843038-86843039.

9601240145 Mod 30 to NRC-10-85-854. KELLEY, W. Government Printing Office. WIGGINS, E. J. Division of Contracts (Post 940714). FIN D-1872-4. 95/11/30. 3pp. 86842220-86842222.

9601240147 Mod 19 to NRC-09-92-202. FRANKLINE, Affiliation Not Assigned. WIGGINS, E. J. Division of Contracts (Post 940714). FIN L-2480. 95/12/11. 2pp. 86843040-86843041.

9601240149 Mod 5 to NRC-93-92-135. * McGraw-Hill Publications Co. MATTIA, M. J. Division of Contracts (Post 940714). FIN D-1879. 95/12/22. 6pp. 86843042-86843047.

9501240149 Ltr contract/mod 1 to task order 5 to NRC-25-91-292.
MATTIA,M.J. Division of Contracts (Post 940714). FIN L-1583-3. NRC-25-91-292. 95/01/02. DUCE,S. International Technology Corp. 2pp. 88842274-88842275.

9501240150 Ltr contract/mod 2 to task order 48 to contract NRC-04-91-068.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. FIN G-5787. 95/12/21. COLINA,I. Science & Engineering Associates, Inc. 1p. 88843049-88843048.

9501240152 Mod 4 to contract NRC-04-91-040.
MAYO,D. California, Univ. of Santa Barbara, CA. MACE,M.H. Division of Contracts (Post 940714). 95/01/03. 2pp. 88843049-88843050.

9501240153 Mod 9 to NRC-04-91-040.
KILLOREN,R. Pennsylvania State Univ., Harrisburg, PA. MACE,M.H. Division of Contracts (Post 940714). 95/12/05. 3pp. 88842223-88842225.

9501240154 Ltr contract/mod 1 to task order 11 to NRC-25-91-292.
MATTIA,M.J. Division of Contracts (Post 940714). FIN L-1583-3. NRC-25-91-292. 95/01/04. DUCE,S. International Technology Corp. 2pp. 88842276-88842277.

9501240155 Mod 4 to grant NRC-G-04-92-120.
National Council on Radiation Protection & Measurements. WIGGINS,E. Division of Contracts (Post 940714). FIN G-2598. 95/01/05. 2pp. 88843051-88843052.

9501240156 Mod 1 to NRC-31-85-249.
Southwestern Bell Telephone Co. WIGGINS,E.J. Division of Contracts (Post 940714). FIN C-4020. 95/12/22. 1p. 88843053-88843054.

9501240157 Mod 3 to contract NRC-04-91-041.
WHEELER,J.T. Arizona, Univ. of Tucson, AZ. MACE,M.H. Division of Contracts (Post 940714). 95/01/05. 2pp. 88843055-88843056.

9501240159 Mod 3 to NRC-04-91-038.
Arizona, Univ. of Tucson, AZ. MACE,M.H. Division of Contracts (Post 940714). 95/12/05. 2pp. 88843057-88843058.

9501240160 Ltr contract/mod 7 to task order 2 to "Unit Sys Support."
MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1000. NRC-33-93-189. 95/12/28. LIN,B. CEDEC, Inc. 2pp. 88842278-88842279.

9501240163 Ltr contract/mod 16 to task order 4 to "Agency Upgrade of Technology for On Site Plans, Integration & Implementation Network Mgt & Administration."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-178. FIN L-1954. 95/12/18. LIN,B.T. CEDEC, Inc. 4pp. 88843059-88843062.

9501240164 Mod 1 to NRC-02-95-009.
Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). 95/12/11. 2pp. 88842220-88842221.

9501240165 Mod 8 to contract NRC-04-91-047.
Bettelle Memorial Institute, Columbus Laboratories. MACE,M.H. Division of Contracts (Post 940714). 95/01/05. 2pp. 88843063-88843064.

9501240166 Ltr contract/mod 8 to task order 1 to "Transmission/Internet Protocol (TCP/IP) Implementation."
MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1000. NRC-33-93-189. 95/12/28. LIN,B. CEDEC, Inc. 2pp. 88842280-88842281.

9501240167 Mod 4 to grant NRC-G-04-91-048.
Walding Research Council. WIGGINS,E.J. Division of Contracts (Post 940714). FIN G-6140. 95/01/05. 1p. 88843065-88843065.

9501240168 Mod 2 to NRC-33-95-187.
MATTIA,M.J. Division of Contracts (Post 940714). FIN D-3415. 95/12/22. 2pp. 88843066-88843067.

9501240169 Mod 9 to NRC-33-94-197.
DEASY,B.J. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1048. 95/12/27. 2pp. 88843068-88843069.

9501240170 Mod 8 to NRC-10-85-178.
ZIRK,S.D. Nevada, Univ. of Reno, NV. WIGGINS,E. Division of Contracts (Post 940714). FIN D-2415. 95/12/04. 3pp. 88842226-88842230.

9501240173 Ltr contract/mod 4 to task order 3 to contract NRC-95-94-262.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-25-94-262. 95/10/06. HOGG,A.L. Affiliation Not Assigned. 2pp. 88843070-88843071.

9501240174 Mod 6 to grant NRC-G-04-91-096.
Missouri, Univ. of Florio, MO. WIGGINS,E.J. Division of Contracts (Post 940714). FIN G-1898. 95/12/18. 1p. 88843072-88843072.

9501240175 Mod 9 to NRC-10-92-170.
Small Business Administration. Dynamics Concepts, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-1926. 95/11/21. 2pp. 88842073-88842074.

9501240178 Mod 5 to contract NRC-04-91-041 for William Letts & Assoc. Inc.
Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). FIN L-2211. 95/12/26. 2pp. 88842221-88842222.

9501240179 Mod 2 to grant NRC-G-04-91-091.
Pennsylvania State Univ., Harrisburg, PA. WIGGINS,E. Division of Contracts (Post 940714). 95/12/05. 1p. 88843075-88843075.

9501240180 Ltr contract/mod 1 to task order 33 to "IPE Reviews - Internal Events - Front End Only (Correct Only)."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/01/02. COLINA,I. Science & Engineering Associates, Inc. 2pp. 88842282-88842283.

9501240183 Mod 4 to NRC-10-95-128.
KELLY,E. Hamer & Co. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2412. 95/12/04. 2pp. 88843076-88843077.

9501240185 Contract NRC-94-95-302. "NRC Strategic Assessment & Rebaselining," awarded to Public Strategic Group.
ARMAJIAN,B. Affiliation Not Assigned. HALMAN,E.L. Division of Contracts (Post 940714). 95/12/18. 112pp. 88841227-88841238.

9501240184 Mod 4 to grant NRC-04-91-117.
National Academy of Sciences. WIGGINS,E. Division of Contracts (Post 940714). 95/12/04. 1p. 88843078-88843078.

9501240185 Mod 6 to NRC-33-94-173.
HOYT,J. Data General Corp. MATTIA,M.J. Division of Contracts (Post 940714). FIN B-3683. 95/12/12. 2pp. 88843079-88843080.

9501240187 Mod 5 to NRC-03-94-062.
LOHMEYER,National Academy of Sciences. WEARSE,S.D. Division of Contracts (Post 940714). 95/12/26. 2pp. 88843081-88843082.

9501240189 Mod 1 to NRC-04-95-052.
LYON,R.H. Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). 95/12/04. 2pp. 88842233-88842234.

9501240191 Ltr contract/mod 1 to task order 4 to NRC-25-94-263.
MATTIA,M.J. Division of Contracts (Post 940714). FIN J-5124. NRC-25-94-263. 95/12/11. CONGER,D.S. Conger & Eisea, Inc. 3pp. 88842264-88842266.

9501240192 Mod 2 to NRC-30-95-231.
DAVIS,J. Small Business Administration. GRAY,J. Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-5311. 95/01/16. 2pp. 88843083-88843084.

9501240193 NRC-10-96-150. "Bldg Alterations & Evaluation Structural Study-OWFN Garage."
KELLY,E.T. WIGGINS,E.J. Division of Contracts (Post 940714). 95/11/30. 27pp. 88842160-88842168.

9501240195 Mod 9 to NRC-04-93-064.
KINGH,T.D. SCIENTECH, Inc. MACE,M.H. Division of Contracts (Post 940714). 95/12/07. 2pp. 88842235-88842242.

9501240196 Mod 2 to NRC-33-95-261.
SWIRCHAK,J. Bernard Hodas Advertising. WIGGINS,E.J. Division of Contracts (Post 940714). FIN A-8405. 95/01/11. 3pp. 88842200-88842208.

9501240199 Ltr contract/mod 5 to task order 3 to NRC-04-93-058.
MACE,M.H. Division of Contracts (Post 940714). NRC-04-93-058. 95/12/18. COHEN,S. Cohen, L.A. 2pp. 88842287-88842288.

9501240200 Mod 3 to NRC-04-94-077.
MCKENZIE,P. Boston College, Chestnut Hill, MA. MACE,M.H. Division of Contracts (Post 940714). 95/12/18. 2pp. 88842236-88842238.

9501240202 Ltr contract/mod 19 to task order 10 to NRC-04-93-051.
MACE,M.H. Division of Contracts (Post 940714). FIN L-1782. NRC-04-93-051. 95/12/13. COLINA,I. Science & Engineering Associates, Inc. 2pp. 88842289-88842290.

9501240203 Mod 14 to NRC-33-95-191.
KATHAL,J. MATTIA,M.J. Division of Contracts (Post 940714). 95/01/19. 2pp. 88842234-88842236.

9501240206 Mod 2 to NRC-04-95-048.
California, Univ. of Santa Barbara, CA. MACE,M.H. Division of Contracts (Post 940714). 95/01/13. 2pp. 88842243-88842244.

9501240207 NRC-04-95-042. "Data Distribution Algorithm Extensions for Reactor Simulations."
LEBRONCK,L.M. WIGGINS,E.J. Division of Contracts (Post 940714). NRC-04-95-042. 95/12/19. 23pp. 88842187-88842189.

9501240208 Mod 5 to NRC-04-94-043.
California, Univ. of Santa Barbara, CA. MACE,M.H. Division of Contracts (Post 940714). 95/01/18. 2pp. 88842245-88842246.

9501240209 Mod 4 to NRC-33-95-178.
IGLESAS,D. Polar Data Systems, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 95/01/19. 2pp. 88842291-88842292.

9501240212 Mod 4 to NRC-03-95-035.
Sonalyte, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2072-6. 95/12/04. 2pp. 88842293-88842294.

9501240213 Mod 12 to NRC-33-95-238.
O'BRIEN,D. Hope College, Holland, MI. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2416. 95/12/15. 5pp. 88842295-88842297.

9501240214 NRC-10-96-154. "Bldg Alterations-NRC Cade & Employee Store."
GRAHAM,V.B. Small Business Administration. TUKEVAM, WEBBER,R. Division of Contracts (Post 940714). 95/12/07. 5pp. 88842001-88842002.

9501240215 Mod 4 to NRC-35-94-281.
Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). FIN A-8400. 95/01/05. 2pp. 88842247-88842248.

9501240216 Mod 8 to NRC-04-90-073.
Radiation Safety Associates, Inc. MACE,M.H. Division of Contracts (Post 940714). FIN D-2060. 95/11/28. 1p. 88842317-88842317.

9501240218 Contract "Editorial Support Svcs," awarded to EAS, Inc.
HOLLINGWORTH,J. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2412. 95/12/26. 43pp. 88842051-88842055.

9501240222 Mod 7 to contract NRC-33-93-186 for CEDEC, Inc.
Small Business Administration. LIN,B.T. Affiliation Not Assigned. MATTIA,M.J. Division of Contracts (Post 940714). 95/12/26. 2pp. 88842249-88842250.

9501240225 Contract "Operation of Garner Valley Downhole Seismographic Array & Analysis of Recorded Data," awarded to Univ. of CA-Santa Barbara.
RIVERA,V.N. California, Univ. of Santa Barbara, CA. FIN W-6412. 95/12/20. 41pp. 88842096-88842106.

9501240247 Mod 2 to NRC-06-94-202.
COLO,J. WIGGINS,E.J. Division of Contracts (Post 940714). 95/11/26. 3pp. 88842293-88842300.

-7902270245 In accordance w/781216 application/Mail/Byproduct License 20-02215-01 for Boston Univ Medical Center is amended to authorize use of H-3 in a Packard Model 2357 gas chromatograph.
VACCA,P.C. Radiolopes Licensing Branch (Pm 790601). 79/01/28. 1p. 67062:001-67062:001.

-7907130652 IE Insp Findings & Licensee Ack dtd 790501 of License 20-02215-01 Insp findings no noncompliance noted.
* Region I, IE (720101-810228). 79/05/01. 1p. 00880:119-00880:119.

-7908130074 Discusses IE Insp of License 20-02215-01 on 790828. No noncompliance noted. Major areas inspected: procedures re representative records, interviews w/ personnel & observations by inspector.
MCCUNTOCK,R.W. Region I, IE (720101-810228). 79/05/14. EGDHL,R.H. Boston Univ. Medical Center, Boston, MA. 1p. 00551:001-00551:001.

-7911230060 Ack receipt of 791004 final report re accidental film badge exposure.
MCCUNTOCK,R.D. Region I, IE (720101-810228). 79/10/26. SPIRA,J. Boston Univ. Medical Center, Boston, MA. 1p. 02106:021-02106:023.

-8010280212 Ack receipt of 800828 letter informing NRC of steps taken to correct violations noted in IE Insp of License 20-02215-01 on 800506-07.
SMITH,G.H. Fuel Facility & Materials Safety Branch, RI. 80/09/28. ABERCROMBIE,S. Boston Univ. Medical Center, Boston, MA. 1p. 03663:122-03663:130.

-8010290216 Ack receipt of 800710 letter informing NRC of steps taken to correct violations noted in IE Insp of License 20-02215-01 on 800506-07.
SMITH,G.H. Fuel Facility & Materials Safety Branch, RI. 80/08/15. ABERCROMBIE,S. Boston Univ. Medical Center, Boston, MA. 2pp. 03663:123-03663:128.

-8010290218 Discusses IE Insp of License 20-02215-01 on 800506-07 & forwards notice of violation.
SMITH,G.H. Fuel Facility & Materials Safety Branch, RI. 80/08/05. ABERCROMBIE,S. Boston Univ. Medical Center, Boston, MA. 2pp. 03663:130-03663:138.

-8010290222 Responds to NRC 800818 letter re violations noted in IE Insp of License 20-02215-01 on 800506-07. Corrective actions: incineration amend will be submitted as part of license renewal.
ABERCROMBIE,J. Boston Univ. Medical Center, Boston, MA. 80/08/28. SMITH,G.H. Fuel Facility & Materials Safety Branch, RI. 3pp. 03663:129-03663:134.

-8010290226 Responds to NRC 800805 letter re violations noted in IE Insp of License 20-02215-01 on 800506-07. Corrective actions: second incinerator has been added & new radiation supervisor has been appointed in nuclear medicine dept.
ABERCROMBIE,J. Boston Univ. Medical Center, Boston, MA. 80/07/10. SMITH,G.H. Fuel Facility & Materials Safety Branch, RI. 3pp. 03663:127-03663:135.

-8010290231 Notice of violation from Insp on 800506-07. Noncompliance noted: GM survey meter was available in nuclear medicine & personnel did not use protective gloves when injecting radiopharmaceuticals.
* Region I, IE (720101-810228). 80/08/05. 2pp. 03663:136-03663:139.

-8101180193 Application for renewal of Mail/Byproduct License 20-02215-01 authorizing individuals designated by radiolopes committee to use or supervise use of by-product mail in Groups I-VI, I-131, P-32, Au-198, Xe-133, Co-60 & C-14.
EGDAHL,R. Boston Univ. Medical Center, Boston, MA. 08012. 80/11/25. 45pp. 67062:001-67062:001.

-8101280392 Confirms telcon re application for renewal of License 20-02215-01.
EVDOKIMOFF,V.N. Boston Univ. Medical Center, Boston, MA. 2590. 80/11/24. VACCA,P.C. Materials Licensing Branch. 1p. 67062:001-67062:001.

-8109060048 Ack receipt of application for renewal of Mail/Byproduct License 20-02215-01. License will not expire until final action taken by NRC.
LAMAISTRA,J.A. Materials Licensing Branch. 08012. 80/12/15. Boston Univ. Medical Center, Boston, MA. 1p. 67062:001-67062:001.

-8103290845 Ack receipt of 810123 letter informing NRC of steps taken to correct violations noted in IE Insp Rept 30-01845/80-02 on 801121.
KINNEMAN,J.D. Fuel Facility & Materials Safety Branch, RI. 81/02/23. ABERCROMBIE,S. Univ. Hosp. Boston, MA. 1p. 65185:216-65185:219.

-8103290851 Responds to NRC 801222 letter re violations noted in IE Insp Rept 30-01845/80-02 on 801121. Corrective actions: test results for Mo-99 breakthrough on generator elution will be recorded w/ elution yield on daily sheets.
ABERCROMBIE,J. Univ. Hosp. Boston, MA. 81/01/23. KINNEMAN,J.D. Fuel Facility & Materials Safety Branch, RI. 1p. 65185:219-65185:219.

-8107140238 Discusses IE Insp Rept 30-01845/80-02 on 801121 & forwards notice of violation.
KINNEMAN,J.D. Fuel Facility & Materials Safety Branch, RI. 80/12/22. ABERCROMBIE,S. Boston Univ. Medical Center, Boston, MA. 2pp. 08030:168-08030:171.

-8107140239 Notice of violation from Insp on 801121. Noncompliance noted: failure to maintain records of Mo-99 tests conducted on 801103, 12 & 18.
KINNEMAN,J.D. Fuel Facility & Materials Safety Branch, RI. 80/12/18. 1p. 08030:171-08030:171.

-8300170273 Discusses IE Insp of License 20-02215-01 & 20-12129-02 on 830512. No noncompliance noted. Major areas inspected: selective records of procedures & representative records, interviews w/ personnel & inspector measurements.
MARTIN,T.T. Div of Engineering & Technical Programs, RI. 83/06/13. SIEGELMAN,J. Boston Univ. Medical Center, Boston, MA. 2pp. 18878:255-18878:256.

-8407304844 Amend 38 to License 20-02215-01 for Boston Univ Medical Ctr. authorizing possession & use of Co-137.
JOHANSEN,J.M. Region 1 (Post 820201). 84/07/16. 2pp. 25850:154-25850:162.

-8407304848 Forwards Amend 38 to License 20-02215-01.
JOHANSEN,J.M. Div of Engineering & Technical Programs, RI. 02388. 84/07/16. BURROWS,B.A. Boston Univ. Medical Center, Boston, MA. 1p. 25850:156-25850:156.

-8508040859 Amend 39 to License 20-02215-01 for Boston Univ Medical Ctr. amending license in entirety.
FRIEDMAN,J.F. Region 1 (Post 820201). 85/02/20. 6pp. 28993:280-28993:287.

-8508040859 Forwards Amend 39 to License 20-02215-01. Add info required re receipt of radwaste for disposal by incineration.
FRIEDMAN,J.F. Region 1 (Post 820201). 03195. 85/02/20. EVDOKIMOFF,V. Boston Univ. Medical Center, Boston, MA. 3pp. 28993:288-28993:287.

-8508040873 Application for amend to License 20-02215-01, adding Adco Svcs, Inc as licensed radwaste disposal svc & adding A Green & P Yarnick to radiation committee.
EVDOKIMOFF,V. Boston Univ. Medical Center, Boston, MA. 03195. 84/12/03. 30pp. 28183:288-28183:287.

-8510284447 Amend 40 to License 20-02215-01 for Boston Univ Medical Ctr. amending items 8-9 re possession & use of licensed mail.
JOHANSEN,J.M. Region 1 (Post 820201). 85/09/07. 3pp. 33185:043-33185:048.

-8510284448 Forwards Amend 40 to License 20-02215-01.
JOHANSEN,J.M. Region 1 (Post 820201). 03954. 85/08/07. EVDOKIMOFF,V. Boston Univ. Medical Center, Boston, MA. 2pp. 33185:041-33185:042.

-8510280852 Application for amend to License 20-02215-01, deleting G Knuths from & adding P Pich to radiolopes committee & authorizing use of ionization chamber check source P Pich curriculum vitae and Fee paid.
EVDOKIMOFF,V.N. Boston Univ. Medical Center, Boston, MA. 03954. 85/08/07. Region 1 (Post 820201). 18pp. 33185:043-33185:048.

-8508180079 "Prescribed Procedures for Measurement of Radioactivity in Drinking Water."
KRIEGER,K.L. WHITTAKER,E.L. Environmental Protection Agency. 80/08/31. 8pp. 38628:164-38628:208.

-8507110028 "Procedures for Calibration of Radiation Survey Instruments."
SPIRA,J. Boston Univ. Medical Center, Boston, MA. 79/10/03. 5pp. 38667:239-38667:239.

-8507300499 "Linear Instructions."
* Atomic Products Corp. 83/06/20. 8pp. 37830:130-37830:208.

-8508120835 Notification of Significant Licensee Meeting 85-096 on 850514 in Region I etc to discuss findings of Insp 20-01845/88-01.
COURTNEY,CHES. Region 1 (Post 820201). 86/06/08. Region 1 (Post 820201). 3pp. 37493:238-37493:239.

-8703178238 Discusses results of reviews of technical assistance requests re applications concerning Licenses 33-03178-05 & 20-02215-01. Basis for determination that licensees activities noncommercial discussed.
MYERS,J.H. NRC - No Detailed Affiliation Given. 85/07/25. NRC - No Detailed Affiliation Given. 1p. 40042:149-40042:149.

-8705080189 Discusses Safety Insp 30-01845/87-01 on 870105. No violations noted. Steps taken to correct violations noted in 861003 letter verified. Corrective actions re items A & D3 will be examined during future Insp.
WHITE,J.R. Region 1 (Post 820201). 87/04/30. SANDSON,J. Boston Univ. Medical Center, Boston, MA. 2pp. 40882:070-40882:071.

-8710060236 Amend 41 to License 20-02215-01 for Boston Univ Medical Ctr. amending license in entirety.
THOMPSON,T.K. Region 1 (Post 820201). 87/05/12. 5pp. 42924:111-42924:137.

-8710060246 Forwards Amend 41 to License 20-02215-01. NRC will not consider suggested calibration procedure adequate for surveys intended to meet regulatory requirements in 10CFR20. W/o end.
THOMPSON,T.K. Region 1 (Post 820201). 107062. 87/08/15. EGDHL,R.H. Boston Univ. Medical Center, Boston, MA. 2pp. 42924:116-42924:117.

-8710060257 Application for amend to License 20-02215-01, deleting & adding listed individuals from radiolopes committee. Supporting documentation and Fee paid.
EGDAHL,R.H. Boston Univ. Medical Center, Boston, MA. 107062. 87/03/28. Region 1 (Post 820201). 11pp. 42924:116-42924:137.

-8801280032 Corrected Amend 41 to License 20-02215-01 for Boston Univ Medical Ctr. amending license in entirety.
GLENN,J.E. Region 1 (Post 820201). 87/07/18. 5pp. 44157:153-44157:158.

-8801280047 Forwards Corrected Amend 41 to License 20-02215-01. Spelling of Harrison in item E & conflict between Conditions 11 & 12A corrected, as requested by radiation safety officer during 870803 telcon.
THOMPSON,T.K. Region 1 (Post 820201). 107062. 87/07/18. EGDHL,R.H. Boston Univ. Medical Center, Boston, MA. 1p. 44157:156-44157:156.

-8804140384 Amend 42 to License 20-02215-01 for Boston Univ Medical Ctr. amending license in entirety.
GLENN,J.E. Region 1 (Post 820201). 87/09/10. 5pp. 45164:045-45164:055.

-8804140387 Forwards Amend 42 to License 20-02215-01.
GLENN,J.E. Region 1 (Post 820201). 107589. 87/09/10. EGDHL,R.H. Boston Univ. Medical Center, Boston, MA. 2pp. 45164:050-45164:051.

-8804140388 Application for amend to License 20-02215-01, increasing possession limit from 2,000 mCi to 6 Ci in Subitem 5E & adding & deleting listed locations. Fee paid.
EGDAHL,R.H. Boston Univ. Medical Center, Boston, MA. 107589. 87/07/21. Region 1 (Post 820201). 3pp. 45184:052-45184:055.

-9006220124 Mats licensing package for Amend 43 to License 20-02215-01 for Boston Univ Medical Ctr. Control 106585.
JOUSTRA,J.A. Region 1 (Post 820201). 106585. 89/08/08. 4pp. 54247:268-54247:268.

-9006220136 Mats licensing package for License 20-02215-03 for Boston Univ Medical Ctr. Control 110442.
JOUSTRA,J.A. Region 1 (Post 820201). 110442. 89/05/30. 2pp. 54238:338-54238:338.

-9009180240 Discusses Insps 30-01845/80-01 & 30-31070/80-01 on 900708. No violations noted. NRC understands that nuclear medicine technician misunderstood form & did not fill out form to properly describe event.
KINNEMAN,J.D. Region 1 (Post 820201). 80/05/23. GHOBARIAN,A. Boston Univ. Medical Center, Boston, MA. 41pp. 55178:001-55178:002.

158 NONDOCKETED ITEMS

- 601020106 Mails licensing package for Amend 44 to License 20-02215-01 for Boston Univ Medical Ctr, Control 111582. COSTELLO, J.M. Region 1 (Post 820201). 111582. 01/05/22. 5pp. 65995-201-55995-211.
- 601020224 Mails licensing package for corrected Amend 44 to License 20-02215-01 for Boston Univ Medical Ctr, Control 108593. ULLRICH, E. Region 1 (Post 820201). 108593. 01/07/22. 5pp. 58152-355-58152-360.
- 601020335 Mails licensing package for amend 46 to license 20-02215-01 for Boston Univ Medical Ctr, Control 114854. JOHNSON, J.M. Region 1 (Post 820201). 114854. 01/05/27. 5pp. 60161-067-60161-080.
- 601020442 Mails licensing package for amend 45 to license 20-02215-01 for Boston University Medical Ctr, Control 112964. JOHNSON, J.M. Region 1 (Post 820201). 112964. 01/05/27. 5pp. 60804-159-60804-189.
- 6010204182 Safety insp on 011107 & 1203-04 of licenses 20-02215-01 & 20-02215-03. Insp findings: licensee revoked authorization of user until after retraining & commitments from user to not repeat incident. COURTEMANCHES, S. Region 1 (Post 820201). * Boston Univ. Medical Center, Boston, MA. 01/12/04. 2pp. 61054-283-61054-284.
- 6010204188 Mails licensing package for amend 1 to license 20-02215-03 for Boston Univ Medical Ctr, Control 115041. DWYER, J.P. Region 1 (Post 820201). 115041. 01/10/18. 3pp. 61537-221-61537-227.
- 6011168397 Advises that generic dose assessment for incinerator ash disposal at 10CFR20, App B Table II limits will be conducted per 921001 & 05 technical assistance requests. Proposes to run RESRAD or other code for exposure scenarios. AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 02/11/04. GLEN, J.E. Medical, Academic & Commercial Use Safety Branch. 3pp. 71551-186-71551-188.
- 6011770144 Informs that during past few months radioactive packages addressed to c/o have been delivered to various other addresses in medical cty receiving docks. BUCKLEY, K.S. Boston Univ. Medical Center, Boston, MA. MLER-R1-84-085. 04/12/02. 2pp. 72382-161-72382-161.
- 601020087 Responds to 040110 ltr expressing concern about cardiologists who perform fluoroscopy & wear over-the-collar badges to monitor x-ray exposures, then receive nuclear medicine exposures. PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729). 04/02/25. EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. MLER-R1-82-085. 02/06/28. Region 1 (Post 820201). 5pp.
- 601020102 Submits followup to telcon re self-shielded Co-137 patient cell irradiator that malfunctioned on 020615 caused by malfunctioning chamber air solenoid. Compressor & source driver solenoid replaced. Related documentation encl. EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. MLER-R1-82-085. 02/06/28. Region 1 (Post 820201). 5pp.
- 601020122 Insp repts 00-01845/95-01 & 30-31070/95-01 on 050306-08. No violations noted. Major areas inspected: organization & scope of program, training, retraining & instructions to workers, equipment, materials & radiation surveys. MCKINLEY, R.W., JOHNSON, J. Region 1 (Post 820201). 30-31070/95-01. 05/08/23. 21pp.
- 601020141 Insp repts 30-31070/81-01 on 011204. No violations noted. Major areas inspected: scope of program, internal audits or insps, radiological protection procedures, materials, personnel radiation protection & transportation. COURTEMANCHES, S. SHANBAKY, M.M. Region 1 (Post 820201). 02/03/17. 7pp.
- 601020149 Insp repts 30-01845/90-01 & 30-31070/90-01 on 000709-10. No noncompliance noted. Major areas inspected: organization, insp history, scope of program, internal audits or insps, training, retraining & instruction to workers & materials. Region 1 (Post 820201). 00/07/09. 28pp.
- 601020166 Requests that end document be reviewed carefully to ensure that all conditions understood. Informs that end license expires at end of listed date. Advises that licensee conduct program involving byproduct materials until license terminated. W/o encl. SHAFER, S.W. Region 1 (Post 820201). 116607. 04/07/28. CHOBANIAN, A. Boston Univ. Medical Center, Boston, MA. 3pp.
- 601020163 Submits further info requested re renewal of Co-137 irradiator license 20-02215-03. EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 116607. 04/07/21. SHAFER, S.W. Region 1 (Post 820201). 31pp.
- 601020165 Ack receipt of application for renewal of malle license 20-02215-03. Application deemed timely filed & license will not expire until final action taken by Region 1 oia. VILLAR, S. Region 1 (Post 820201). 116607. 04/06/06. EVDOKIMOFF, V.N. Boston Univ. Medical Center, Boston, MA. 1p.
- 601020177 Application for amending license 20-02215-03. No change to radiolabel safety program re self-shielded irradiator license. CHOBANIAN, A. Boston Univ. Medical Center, Boston, MA. 04/06/16. 1p.
- 601020184 Requests that end document be reviewed carefully to be sure all conditions understood. Informs that license expires at end of listed date. Licensee must conduct program involving byproduct materials until license terminated. W/o encl. COURTEMANCHES, S. Region 1 (Post 820201). 116602. 03/11/12. EVDOKIMOFF, V.N. Boston Univ. Medical Center, Boston, MA. 7pp.
- 601020189 Forwards amend 1 to license 20-02215-03. Requests that document be carefully reviewed to be sure all conditions understood. Advises that licensee must conduct program involving licensed radioactive malle. W/o encl. DWYER, J.P. Region 1 (Post 820201). 115041. 01/10/18. EVDOKIMOFF, V.N. Boston Univ. Medical Center, Boston, MA. 2pp.
- 601020188 Application for amend to license 20-02215-03, authorizing increase of use of GammaCell 40 to include irradiation of human blood or tissue from patients. EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 115041. 01/07/25. 1p.
- 601020190 Furnishes add info for licensing cesium irradiator in response to recent telcon. EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 110442. 08/04/78. JOUSTRA, J. Region 1 (Post 820201). 1p.

- 601020201 Discusses NRC 890119 request for separate license for AECL GammaCell 40 irradiator previously covered under broad medical license 20-02215-01. Licensee already paid fee for sub license. EGDAN, R.H. Boston Univ. Medical Center, Boston, MA. 110442. 08/03/08. Region 1 (Post 820201). 0pp.
- 601020257 Corrected amend 37 to license 20-02215-01 for Boston Univ Medical Ctr authorizing use of listed malle. GLEN, J.E. Region 1 (Post 820201). 03/07/07. 6pp.
- 601020281 Amend 35 to license 20-02215-01 for Boston Univ Medical Ctr, adding subitem 8.2.7.2.2 & 8.2 & amending condition 10 to read as listed. JERMAN, P.C. Region 1 (Post 820201). 02/06/13. 1p.
- 601020288 Amend 34 to license 20-02215-01 for Boston Univ Medical Ctr, amending condition 23 to read as listed. * Radiotopes Licensing Branch (Pre 780501). 78/12/04. 1p.
- 601020279 Amend 33 to license 20-02215-01 for Boston Univ Medical Ctr, amending conditions 18 & 24 to read as listed. WADE, L. Radiotopes Licensing Branch (Pre 780501). 78/10/13. 1p.
- 601020274 Amend 32 to license 20-02215-01 for Boston Univ Medical Ctr, amending condition 23 to read as listed. WADE, L. Radiotopes Licensing Branch (Pre 780501). 78/04/20. 1p.
- 601020281 Amend 31 to license 20-02215-01 for Boston Univ Medical Ctr, amending conditions to read as listed. WADE, L. Radiotopes Licensing Branch (Pre 780501). 77/11/21. 5pp.
- 601020284 Amend 30 to license 20-02215-01 for Boston Univ Medical Ctr, amending subitem 8.P to read as listed. BOWYER, J.E. Radiotopes Licensing Branch (Pre 780501). 76/11/22. 3p.
- 601020295 Amend 29 to license 20-02215-01 for Boston Univ Medical Ctr, amending subitem 8.L to read as listed. * Radiotopes Licensing Branch (Pre 780501). 78/08/17. 1p.
- 601020298 Amend 28 to license 20-02215-01 for Boston Univ Medical Ctr, amending condition 10 to read as listed. WADE, L. Materials Licensing Branch. 75/11/08. 1p.
- 601020298 Amend 27 to license 20-02215-01 for Boston Univ Medical Ctr, amending conditions to read as listed. * Materials Licensing Branch. 75/09/25. 5pp.
- 601020296 Amend 26 to license 20-02215-01 for Boston Univ Medical Ctr, amending subitem 8.A to read as listed. * Materials Licensing Branch. 75/02/08. 2pp.
- 601020301 Amend 25 to license 20-02215-01 for Boston Univ Medical Ctr, amending subitem 8.A to read as listed. * Materials Licensing Branch. 74/11/14. 1p.
- 601020309 Amend 24 to license 20-02215-01 for Boston Univ Medical Ctr, amending condition 10 to read as listed. BOWYER, J.E. Materials Licensing Branch. 74/10/06. 1p.
- 601020304 Amend 23 to license 20-02215-01 for Boston Univ Medical Ctr, amending condition 10 to read as listed. * Materials Licensing Branch. 74/09/26. 1p.
- 601020308 Amend 22 to license 20-02215-01 for Boston Univ Medical Ctr, amending condition 26 to read as listed. WADE, L. Materials Licensing Branch. 74/08/14. 1p.
- 601020313 Amend 21 to license 20-02215-01 for Boston Univ Medical Ctr, amending conditions to read as listed. * Materials Licensing Branch. 74/07/11. 6pp.
- 601020318 Amend 20 to license 20-02215-01 for Boston Univ Medical Ctr, amending subitem 8.A to read as listed. BOWYER, J.E. Materials Licensing Branch. 74/04/04. 1p.
- 601020321 Amend 19 to license 20-02215-01 for Boston Univ Medical Ctr, amending item 2 to read as listed. BOWYER, J.E. Materials Licensing Branch. 74/01/04. 7pp.
- 601020318 Amend 17 to license 20-02215-01 for Boston Univ Medical Ctr, adding 300 mCi of Xe-133 gas, authorizing use for medical research, diagnosis & therapy. BOWYER, J.E. Atomic Energy Commission (Pre 750119). 67/12/15. 1p.
- 601020349 Amend 16 to license 20-02215-01 for Boston Univ Medical Ctr, amending item 8.A to read as listed. BOWYER, J.E. Atomic Energy Commission (Pre 750119). 67/07/10. 1p.
- 601020351 Amend 15 to license 20-02215-01 for Boston Univ Medical Ctr, amending condition 20 to read as listed. BOWYER, J.E. Atomic Energy Commission (Pre 750119). 67/06/09. 1p.
- 601020359 Amend 14 to license 20-02215-01 for Boston Univ Medical Ctr, amending subitem 8.A to read as listed. BOWYER, J.E. Atomic Energy Commission (Pre 750119). 68/10/14. 1p.
- 601020357 Amend 13 to license 20-02215-01 for Boston Univ Medical Ctr, amending subitem 8.A to read as listed. BOWYER, J.E. Atomic Energy Commission (Pre 750119). 68/07/08. 1p.
- 601020359 Amend 12 to license 20-02215-01 for Boston Univ Medical Ctr, amending condition 20 & subitem 8.A to read as listed. BOWYER, J.E. Atomic Energy Commission (Pre 750119). 68/06/07. 1p.
- 601020361 Amend 11 to license 20-02215-01 for Boston Univ Medical Ctr, authorizing use of listed malle for medical research, diagnosis & therapy. BOWYER, J.E. Atomic Energy Commission (Pre 750119). 68/03/08. 4pp.

- 9801030084 Amend 10 to license 20-02215-01 for Boston Univ Medical Ctr, adding listed mail to authorize use for medical research, diagnosis & therapy & condition 21 to read as listed.
BOWYER, J.E. Atomic Energy Commission (Pre 750118). 65/12/28. 1p.
- 9801030074 Amend 6 to license 20-02215-01 for Boston Univ Medical Ctr, adding listed mail to authorize research on lab animals.
BOWYER, J.E. Atomic Energy Commission (Pre 750118). 65/05/12. 1p.
- 9801030074 Amend 6 to license 20-02215-01 for Boston Univ Medical Ctr, adding listed mail to authorize use for medical research, diagnosis & therapy.
BOWYER, J.E. Atomic Energy Commission (Pre 750118). 64/12/31. 1p.
- 9801030082 Amend 7 to license 20-02215-01 for Boston Univ Medical Ctr, adding listed mail to authorize use for interstitial treatment of cancer.
BOWYER, J.E. Atomic Energy Commission (Pre 750118). 64/07/17. 1p.
- 9801030085 Amend 5 to license 20-02215-01 for Boston Univ Medical Ctr, amending condition 18 to read as listed.
BOWYER, J.E. Atomic Energy Commission (Pre 750118). 63/08/06. 1p.
- 9801030083 Amend 4 to license 20-02215-01 for Boston Univ Medical Ctr, adding condition 18 to read as listed.
BOWYER, J.E. Atomic Energy Commission (Pre 750118). 63/05/20. 1p.
- 9801030087 Amend 3 to license 20-02215-01 for Boston Univ Medical Ctr, amending condition 18 to read as listed.
MASON, J.R. Atomic Energy Commission (Pre 750118). 61/04/21. 4pp.
- 9801030189 Amend 2 to license 20-02215-01 for Boston Univ Medical Ctr, amending item 3 to add symbol (802) below license number & item 4 to extend expiration date from 630331 to 640331.
MASON, J.R. Atomic Energy Commission (Pre 750118). 59/02/06. 1p.
- 9801030109 Amend 1 to license 20-02215-01 for Boston Univ Medical Ctr, adding listed mail to authorize use for listed reasons.
* Atomic Energy Commission (Pre 750118). 57/04/30. 1p.
- 9801030112 Amend 2 to license 20-02215-01 for Massachusetts Memorial Hospital, authorizing use of listed mail for listed reasons.
* Atomic Energy Commission (Pre 750118). 57/03/20. 2pp.
- 9801030145 Informs that licensee 740423 request to add 42 mCi of I-131 for M Feldman to license 20-02215-01 unclear.
BOWYER, J.E. Materials Licensing Branch. 74/05/17. SPIRA, J. Boston Univ. Medical Center, Boston, MA. 1p.
- 9801030189 Discusses license amend request & forwards amend for license 20-02215-01. Requests that document be carefully reviewed to be sure that all conditions incorporated & fully implemented into amend. W/o stated end.
COSTELLO, J.M. Region 1 (Post 820201). 12/543. 65/04/25. EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 1p.
- 9801030156 Application for amend to license 20-02215-01, replacing Wotiz w/R Cohen as Chairman of Boston Univ Medical Ctr Radioscope Committee.
EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 95/02/13. 2pp.
- 9801030159 Discusses license amend request for approval of survey method used to demonstrate that ash from incinerators does not contain radioactive mat. Forwards amended license. W/o stated end.
BROWN, K.D. Region 1 (Post 820201). 118364. 95/02/18. EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 1p.
- 9801030165 Responds to 940906 re requesting further info re ash analysis to determine whether ash radioactive or nonradioactive. Contacted outside lab in analyzing environ samples for radioactivity.
EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 118364. 94/11/22. BROWN, K. Region 1 (Post 820201). 2pp.
- 9801030177 A-002B "Determination of Tdram in Soil."
SIGMAN, W.B., CHAMBERS, J.T., WESTMORELAND, J. Affiliation Not Assigned. 82/11/01. 6pp.
- 9801030182 A-002B R01 Rev 1 to, "Determination of C-14 in Soil."
SIGMAN, W.B., THANKAR, A.H., WESTMORELAND, J. Affiliation Not Assigned. 93/08/31. 12pp.
- 9801030186 "Eastern Environ Radiation Facility Radiochemistry Procedures Manual."
LIEBERMAN, R. Environmental Protection Agency. 84/09/30. 11pp.
- 9801030196 Submits list of add info needed to continue review of license 940624 amend request to license 20-02215-01.
BROWN, K.D. Region 1 (Post 820201). 118364. 94/09/06. EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 2pp.
- 9801030207 Responds to 940406 re requesting add info re radioactive incineration on broad medical license 20-02215-01.
EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 118364. 94/08/24. BROWN, K. Region 1 (Post 820201). 12pp.
- 9801030209 Responds to 930810 memo requesting assistance on review of EPA application for renewal of license 32-14045-04 re incineration of tritium & C-14. Considers that license can be issued sub to listed conditions.
GLENY, J.E. Medical, Academic & Commercial Use Safety Branch. 93/08/30. COLLINS, D.M. Region 2 (Post 820201). 3pp.
- 9801030214 Requests add info to continue review of license amend request in item 21 930617 & 1214.
MANN, D.G. Region 1 (Post 820201). 118364. 94/04/08. EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 2pp.
- 9801030219 Application for amend to license 20-02215-01, authorizing disposal or storage of ash residues generated at listed addresses. Forwards.
EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 117842. 93/12/14. 2pp.
- 9801030221 Submits add info re amend for radioactive incinerator for licensees at listed address. Requests that ash handling procedures be considered under 10CFR20.302.
EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 93/06/17. MANN, D. Region 1 (Post 820201). 4pp.

- 9801030223 Submits add info re license amend for radioactive incinerator for license 20-02215-01.
EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 93/06/17. MANN, D. Region 1 (Post 820201). 2pp.
- 9801030225 Forwards amended license authorizing incineration of waste from two closely affiliated institutions. W/o stated end.
BROWN, K.D. Region 1 (Post 820201). 117811. 94/08/24. EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 1p.
- 9801030226 Informs that licensees 931210 request for amend to license 20-02215-01 mail to amend fee of listed amount.
BROWN, K.D. License Fee & Debt Collection Branch (Post 820201). 94/01/12. HAGOPRIAN, H.D. Boston Univ. Medical Center, Boston, MA. 1p.
- 9801030234 Forwards amend fee in listed amount to receive radiowaste for incineration from affiliated institutions.
EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 117811. 94/09/13. BROWN, K. Region 1 (Post 820201). 1p.
- 9801030272 Forwards amend 48 to license 20-02215-01. Requests that document be carefully reviewed to be sure that all conditions understood. W/o stated end.
MANN, D.G. Region 1 (Post 820201). 117842. 89/07/22. EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 2pp.
- 9801030279 Application for amend to license 20-02215-01, authorizing radioactive incineration.
EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 117842. 93/02/19. 27pp.
- 9801030282 Forwards amend 47 to license 20-02215-01. Requests that document be carefully reviewed to be sure that all conditions understood. W/o stated end.
THOMPSON, T.K. Region 1 (Post 820201). 116741. 82/10/29. WOTIZ, H. Boston Univ. Medical Center, Boston, MA. 2pp.
- 9801030288 Submits add info needed for completion of review of amend request to license 20-02215-01 in response to 820908 lt.
WOTIZ, H. Boston Univ. Medical Center, Boston, MA. 116741. 82/09/16. THOMPSON, T. Region 1 (Post 820201). 1p.
- 9801030292 Requests add info in order to continue review of requested amend to license 20-02215-01. Is ref to request in item 820527.
THOMPSON, T.K. Region 1 (Post 820201). 116741. 82/09/08. WOTIZ, H. Boston Univ. Medical Center, Boston, MA. 2pp.
- 9801030307 Application for amend to license 20-02215-01, authorizing retraining requirement as listed & correcting spelling of last name of Wotiz to Wotiz.
WOTIZ, H. Boston Univ. Medical Center, Boston, MA. 116741. 82/05/27. 3pp.
- 9801030310 Forwards amend 46 to license 20-02215-01. Requests that document be carefully reviewed to be sure that all conditions understood. W/o stated end.
JOHANSEN, J.M. Region 1 (Post 820201). 114864. 91/06/27. WOTIZ, H. Boston Univ. Medical Center, Boston, MA. 2pp.
- 9801030320 Application for amend to license 20-02215-01, authorizing removal of nuclear medicine dept & replacement of Radioscope Committee Chairman.
EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 91/05/02. 6pp.
- 9801030332 Forwards amend 45 to license 20-02215-01. Requests that document be carefully reviewed to be sure that all conditions understood. W/o stated end.
JOHANSEN, J.M. Region 1 (Post 820201). 112934. 91/06/27. EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 2pp.
- 9801030336 Confirms recent taken re July 1990 amend of license 20-02215-01. Licensee understands that five listed items reflect changes agreed upon.
EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 112934. 91/05/22. STAMBAUGH, J. Region 1 (Post 820201). 3pp.
- 9801030341 Application for amend to license 20-02215-01, authorizing change to item 8.26 to read as listed & correction to decrease possession limit for any byproduct mail w/atomic numbers 3-63 to 800 mCi of each radionuclide.
EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 91/01/10. 5pp.
- 9801030345 Discusses 900726 re requesting exemption from requirements of decommissioning rule. Request will be considered as amend to license 20-02215-01.
MESSIER, J. License Fee & Debt Collection Branch (Post 820201). 90/09/04. WILLIAMS, S.A. Boston Univ. Medical Center, Boston, MA. 1p.
- 9801030351 Forwards corrective amend 44 for license 20-02215-01, W/ 900620 telcon, correcting item 8.6 to read as listed. W/o stated end.
ULLRICH, E. Region 1 (Post 820201). 106595. 90/07/22. EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 1p.
- 9801030357 Forwards amend 44 to license 20-02215-01. Requests that document be carefully reviewed to be sure that all conditions understood. W/o stated end.
COSTELLO, J.M. Region 1 (Post 820201). 111682. 90/06/22. McNARY, W. Boston Univ. Medical Center, Boston, MA. 3pp.
- 9801030365 Discusses 921204 re re amend to license 20-02215-01. Amend fee of listed amount required as specified in 10CFR170.
MESSIER, J. License Fee & Debt Collection Branch (Post 820201). 90/01/28. McNARY, W. Boston Univ. Medical Center, Boston, MA. 1p.
- 9801030371 Provides add info to update renewal request while renewal application being reviewed under license 20-02215-01.
McNARY, W. Boston Univ. Medical Center, Boston, MA. 111682. 89/12/04. Region 1 (Post 820201). 1p.
- 9801030377 Forwards renewal of license 20-02215-01. Requests that document be carefully reviewed to be sure that all conditions understood. W/o stated end.
JOUSTRA, J.A. Region 1 (Post 820201). 108595. 89/06/09. EGDAHL, R.H. Boston Univ. Medical Center, Boston, MA. 2pp.
- 9801030394 Provides add info re license 20-02215-01 in response to recent telcon. Requests that possession limits be changed as listed.
EVDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 89/04/18. JOUSTRA, J. Region 1 (Post 820201). 2pp.

160 NONDOCKETED ITEMS

- 960183447 Requests add info in order to continue review of renewal request for license 20-02215-01. 106595. 03/01/19. EGDahl,R.H. Boston Univ. Medical Center, Boston, MA. 3pp.
- 960183441 Ask receipt of application for renewal of license 20-02215-01. License will not expire until final action taken by Region 1 etc. 106595. 05/05/06. EGDahl,R. Boston Univ. Medical Center, Boston, MA. 1p.
- 960183448 Ask receipt of check for renewal fee for listed amount. Informs that add fee required as specified in fee Categories 7B & 3E of 10CFR170. JACKSON,G. Division of Accounting & Finance (570413-990204). 03/04/05. McNary,W. Boston Univ. Medical Center, Boston, MA. 1p.
- 9601840013 Forwards renewal of license 20-02215-01 & license fee for listed amount. McNary,W. Boston Univ. Medical Center, Boston, MA. 03/03/11. Region 1 (Post 820201). 1p.
- 9601840015 Application for amend/renewing license 20-02215-01. EGDahl,R. Boston Univ. Medical Center, Boston, MA. 03/03/11. 7pp.
- 9601840028 Discusses 880311 application for renewal of license 20-02215-01. Informs that add fee in listed amount required as specified in fee Categories 7B & 3E of 10CFR170. JACKSON,G. Office of Administration & Resources Management (570413-990204). 03/04/05. McNary,W. Boston Univ. Medical Center, Boston, MA. 1p.
- 9601840067 "Quality Mgt Program." * Boston Univ. Medical Center, Boston, MA. 03/03/06. 32pp.
- 9601840068 Insp rept 90-01845/22-01 on 821120-1201. No violations noted. Major areas inspected: training, retaining & instruments to workers, radiological protection procedures & administration. * Region 1 (Post 820201). 03/01/24. 13pp.
- 9601840068 Insp rept 90-01845/22-01 on 831116-19. Violations noted & fr issued. Major areas inspected: organization, insp history, scope of program, internal audits or trips & training, retaining & instructions to workers. JOHANSEN,J. Region 1 (Post 820201). 03/12/13. 32pp.
- 9601840118 Forwards 1-125 seed technical data sheets. LYMAN,F. Med-Physics, Inc. (subs. of Hoffman-La Roche, Inc.). 02/12/30. MCKINLEY,R. Region 1 (Post 820201). 14pp.
- 9601840124 Insp rept 90-01845/21-01 on 911107-1203. Violations noted & fr issued. Major areas inspected: organization, insp history, scope of program, internal audits or trips, training, retaining & instructions to workers. COURTEMANCHES,S. SHANGAKY,M. Region 1 (Post 820201). 02/03/17. 20pp.
- 9601840158 Informs of 800824 misadministration of radiopharm. Patient given 21.1 mCi To-99m To-99 instead of MDP for bone study. Caused by personnel mislabeling syringe & selecting wrong vial from dosage cart. Personnel retrained. EVDOKIMOFF,V. Boston Univ. Medical Center, Boston, MA. MLEP-R1-80-098. 00/07/16. ULLRICH,B. Region 1 (Post 820201). 6pp.
- 9601840172 Forwards misadministration rept that licensee had recently been informed of. EVDOKIMOFF,V. Boston Univ. Medical Center, Boston, MA. 00/05/29. Region 1 (Post 820201). 5pp.
- 9601840201 Insp rept 90-01845/27-01 on 870105. No violations noted. Major areas inspected: organization, licensee internal audits, training & qualification of personnel, radiation protection procedures, storage of materials, facilities & instruments. * Region 1 (Post 820201). 07/04/23. 12pp.
- 9601840208 Discusses info re State of MA licensees. MCGRATH,J.B. NRC - No Detailed Affiliation Given. 05/04/17. NRC - No Detailed Affiliation Given. 1p.
- 9601840225 Submits info re Associated Press Article on State of MA licensees. DWYER,J.P. NRC - No Detailed Affiliation Given. 05/04/17. NRC - No Detailed Affiliation Given. 6pp.
- 9601840238 Provides followup on 860919 letter re licensee authorization to use radiotopes in research at Solomon Ctr Health Bldg. Requests that NRC provide written confirmation describing procedures to be followed under listed circumstances. FREY,S.H. Boston Univ. Medical Center, Boston, MA. 03/03/19. GLENN,J. Region 1 (Post 820201). 12pp.
- 9601840304 Forwards order which amends certain medical licensees to require listed info effective immediately. BURCKS,W.J. Office of Nuclear Material Safety & Safeguards. 79/03/12. Boston Univ. Medical Center, Boston, MA. 1p.
- 9601840310 Order modifying licensees (effective immediately) Amends certain medical licensees to require certain records be kept, performance of Mo-99 breakthrough tests & establishment of written procedures & training for performing tests. BURCKS,W.J. Office of Nuclear Material Safety & Safeguards. 79/03/12. Affiliation Not Assigned. 7pp.
- 9601840328 Notices of recorded whole body over-exposure indicated by reading of film badge. During transfer of patient from litter to treatment table badge fell in vicinity of Co-60 unit. SPRAJ,J. Boston Univ. Medical Center, Boston, MA. 79/10/04. Region 1, IE (720101-810228). 2pp.
- 9601840331 Recommends that licensee submit procedures for calibr survey instruments for customers. Procedures should include listed info. LAMASTRA,M.A. Radiotopes Licensing Branch (Pre 790501). 78/08/26. SPRAJ,J. Boston Univ. Medical Center, Boston, MA. 2pp.
- 9601840333 Informs that licensee will not be able to furnish bracket number. Medic Alert Co will not release any info confirming number & requests that NRC provide written request to receive info. EVDOKIMOFF,V. Boston Univ. Medical Center, Boston, MA. 79/04/03. GLENN,J. Region 1, IE (720101-810228). 1p.
- 9601840342 Furnishes add info on recently submitted license amend to release listed info. Lists instructions for patient to follow upon travel away from home. EVDOKIMOFF,V. Boston Univ. Medical Center, Boston, MA. 79/10/05. WADEL. Radiotopes Licensing Branch (Pre 790501). 1p.
- 9601840350 Application for amend to license 20-02215-01, authorizing discharge of patient with radiotopes from libron w/ six seeds of I-131 lodged in patient. EVDOKIMOFF,V. Boston Univ. Medical Center, Boston, MA. 78/09/22. 4pp.
- 9601840357 Forwards rept & corrective actions taken re radioactive source found in package sent by Physics Lab which turned out to be small source of I-131 inadvertently included in package. EVDOKIMOFF,V. Boston Univ. Medical Center, Boston, MA. 77/08/12. O'REILLY,J.P. Region 1, IE (720101-810228). 3pp.
- 9601840382 Expresses appreciation for 770612 fr which forwarded final rept re ones-theorized transfer of licensed mail. MCCINTOCK,R.O. Region 1, IE (720101-810228). 77/06/25. EVDOKIMOFF,V. Boston Univ. Medical Center, Boston, MA. 1p.
- 9601840371 Discusses 770531 letter re submission of new procedures to NRC Radiotopes Licensing Branch. O'REILLY,J.P. Region 1, IE (720101-810228). 77/06/08. ROY,S. Boston Univ. Medical Center, Boston, MA. 2pp.
- 9601840378 Reports incident of exposure due to airborne contamination. IAW 10CFR20.405. Investigation of incident showed that cause of over-exposure probably ingestion from contamination of work area. GRAHAM,D.E. Boston Univ. Medical Center, Boston, MA. 77/01/17. O'REILLY,J.P. Region 1, IE (720101-810228). 1p.
- 9601840386 Forwards rept on Co-60 dosimetry requested in 760809 mailgram. SETJEMAN,J. Boston Univ. Medical Center, Boston, MA. 76/06/01. Office of Inspection & Enforcement (750101-801210). 4pp.
- 9601840389 Forwards amend 36 to license 20-02215-01. Requests that amend be reviewed for correctness. JERMAN,P.C. Region 1 (Post 820201). 02/06/13. EVDOKIMOFF,V. Boston Univ. Medical Center, Boston, MA. 1p.
- 9601840392 Expresses appreciation for 790828 fr recommending that procedures for calibr survey instruments for hospes affiliated w/ institution be submitted for placement in file. Forwards subj procedures. SPRAJ,J. Boston Univ. Medical Center, Boston, MA. 79/10/03. LAMASTRA,M.A. Radiotopes Licensing Branch. 2pp.
- 9601840393 Submits listed info re 781206 fr. EVDOKIMOFF,V. Boston Univ. Medical Center, Boston, MA. 78/12/18. NRC - No Detailed Affiliation Given. 1p.
- 9601840394 Application for amend to license 20-02215-01, authorizing listed changes in Radiotopes Committee. EVDOKIMOFF,V. Boston Univ. Medical Center, Boston, MA. 78/11/03. 7pp.
- 9601840397 Application for amend to license 20-02215-01, authorizing addition of M. Sullivan as member of Radiotopes Committee. BURROWS,B.A. Boston Univ. Medical Center, Boston, MA. 78/03/15. 9pp.
- 9601840398 Discusses 770810 fr re renewal of license 20-02215-01. Forwards form 313 that corrects omissions & possession limits from previous 313 submitted on 77/07/15 & listed add info. BURROWS,B.A. Boston Univ. Medical Center, Boston, MA. 03/219. 77/10/25. LAMASTRA,M. NRC - No Detailed Affiliation Given. 7pp.
- 9601840443 "Nursing Procedures Manual, Radiative Implantation Practices & Procedures." * Boston Univ. Medical Center, Boston, MA. 77/08/13. 6pp.
- 9601840447 Requests add info in order to continue review of 770716 application for renewal of license 20-02215-01. LAMASTRA,M.A. Radiotopes Licensing Branch (Pre 790501). 77/08/10. BURROWS,B.A. Boston Univ. Medical Center, Boston, MA. 4pp.
- 9601840458 Application for license, authorizing use of listed mail. EGDahl,R. Boston Univ. Medical Center, Boston, MA. 77/07/16. 3pp.
- 9601840459 Application for amend/renewing license 20-02215-01. EGDahl,R.H. Boston Univ. Medical Center, Boston, MA. 77/07/16. 1p.
- 9601840464 "Radiation Protection Program." * Boston Univ. Medical Center, Boston, MA. 05/11/21. 56pp.
- 9601840474 Forwards draft documents re licensee radiation protection program, for official review. Documents intended to form basis of reapplication by facility for Broad Medical License. GENNA,S. Boston Univ. Medical Center, Boston, MA. 77/05/31. LAMASTRA,M.A. Radiotopes Licensing Branch (Pre 790501). 4pp.
- 9601840488 Expresses appreciation for 780903 fr & enc. Forwards second sheet of second fr, 760910 fr to McClinck & O'Reilly reply of 780822, indicating that matters under review would be examined during subsequent insp of program. BURROWS,B.A. Beth Israel Medical Center, New York, NY. 77/01/08. WADEL. Radiotopes Licensing Branch (Pre 790501). 1p.
- 9601840476 Responds to NRC 760712 fr re violations noted in insp rept on 760609 & 22. Corrective actions/infract corrected BAW licensee regulations & licensee continuing education program to insure max compliance w/ facility RP program rules. EGDahl,R.H. Boston Univ. Medical Center, Boston, MA. 76/07/26. O'REILLY,J.P. Region 1, IE (720101-810228). 2pp.
- 9601840498 Submits policies governing monitoring of radioactive iodine incorporated into licensee RP program rules & regulations. BURROWS,B.A. Boston Univ. Medical Center, Boston, MA. 78/07/28. Radiotopes Licensing Branch (Pre 790501). 2pp.

-960105201 Informs that DE Graham appointed to position of RP Officer at Navy. Submits professional experience of Graham.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 76/07/26. Radiotopes Licensing Branch (Pre 760501). 1p.

-960105205 Submits requested info in response to 760923 Ir.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 76/08/10. MOCLINTOCK, R.O. Region I, IE (720101-810228). 2pp.

-960105210 Expresses appreciation for informing NRC of corrective & preventive actions documented in response to correspondence. Actions will be examined during subsequent insp of licensed program.
O'REILLY, J.P. Region I, IE (720101-810228). 76/09/22. EGDAHL, R.H. Boston Univ. Medical Center, Boston, MA. 1pp.

-960105214 Application for amend to license 20-02215-01, authorizing increase of possession limit of Tl-201 from 2 Ci to 4 Ci.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 76/11/03. 1p.

-960105217 Informs that licensee authorized to use up to 300 mCi of P-32 for research, diagnosis & therapy in ref to request to amend license 20-02215-01.
PSOMAS, P.P. Radiotopes Licensing Branch (Pre 760501). 76/10/20. Boston Univ. Medical Center, Boston, MA. 1p.

-960105218 Application for amend to license 20-02215-01, authorizing use of 500-1000 uCi of P-32 in localization of ocular melanomas.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 76/10/05. 1p.

-960105220 Informs that NRC cannot determine that DE Graham has sufficient training & experience to serve as RP Officer for program of site authorized by byproduct mail license in response to 760728 Ir.
WADEL, Radiotopes Licensing Branch (Pre 760501). 76/09/02. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 2pp.

-960105221 Application for amend to license 20-02215-01, authorizing increase in possession limit of I-131 from 200 mCi to 400 mCi.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 76/05/23. 1p.

-960105222 Application for amend to license 20-02215-01, authorizing change of condition 25 of NRC Broad Medical License 20-02215-01 for locations of byproduct mail possession & use.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 76/09/05. 2pp.

-960105223 Application for amend to license 20-02215-01, authorizing increase to possession limits for listed isotopes.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 75/08/13. 1p.

-960105224 Requests that AEC refer to 74-024 Ir wherein listed addition to item 6 of license 20-02215-01 & increase in possession limit of S-35 to 30 mCi requested.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 75/01/14. WADEL, Atomic Energy Commission (Pre 750118). 1p.

-960105226 Application for amend to license 20-02215-01, authorizing addition of listed mail to item 6 & change of possession limit of Co-137 from 10 mCi to 15 mCi to accommodate possession of Co-137 stds.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 74/10/24. 1p.

-960105228 Expresses appreciation for amend to condition 10 of license 20-02215-01 which permits delivery in add location. Forwards 740716 Ir to Dir of Dept of Navy.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 74/10/03. WADEL, Atomic Energy Commission (Pre 750118). 23pp.

-960105229 Amend 21 to license 20-02215-01 for Boston Univ Medical Ctr, amending license in entirety to read as listed.
* Atomic Energy Commission (Pre 750118). 74/07/11. 8pp.

-960105249 Discusses radiotopes program of Naval Blood Research Lab in Chelsea, MA.
DOWLING, J.H. Navy, Dept. of 74/07/24. WADEL, Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

-960105253 Forwards Ir by expression of Collins in hope to expedite addition of another delivery address as explained in Burrow 740507 Ir to Collins.
SHORE, H. Boston Univ. Medical Center, Boston, MA. 74/07/02. WADEL, Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

-960105259 Application for amend to license 20-02215-01, authorizing addition to item 1 (b) to read as listed.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 74/05/07. 21pp.

-960105264 Safety Insp on 681001 of license 20-02215-01, Insp findings: no items of noncompliance found.
CONER, G. Atomic Energy Commission (Pre 750118). * Boston Univ. Medical Center, Boston, MA. 68/10/01. 8pp.

-960105268 Insp rept 30-01845/75-02 on 781117. No violations noted. Major areas inspected: receipt & transfer of mail, personnel protection external & internal, posting of notices & other license conditions.
GLENN, J.E., MOCLINTOCK, R.O. Region I, IE (720101-810228). 78/11/27. 10pp.

-960105272 Discusses Insp repts 30-00223/78-01 & 30-01845/78-01 on 780306. No items of noncompliance observed.
MOCLINTOCK, R.O. Region I, IE (720101-810228). 78/03/27. EGDAHL, R.H. Boston Univ. Medical Center, Boston, MA. 2pp.

-960105282 Discusses Insp repts 30-00223/77-02 & 30-01845/77-02 on 770814. No items of noncompliance observed.
MOCLINTOCK, R.O. Region I, IE (720101-810228). 77/10/18. EGDAHL, R.H. Boston Univ. Medical Center, Boston, MA. 2pp.

-960105287 Discusses Genes request for unofficial review of documentation prepared as result of audit of RP program. Requests 30 day extension of time for preparation of sub documentation.
EGDAHL, R.H. Boston Univ. Medical Center, Boston, MA. 77/06/10. WADEL, Radiotopes Licensing Branch (Pre 760501). 3pp.

-960105292 Ack receipt of 770415 Ir informing NRC of steps taken to correct violations noted in Insp rept 30-01845/77-01.
O'REILLY, J.P. Region I, IE (720101-810228). 77/06/06. EGDAHL, R.H. Boston Univ. Medical Center, Boston, MA. 1p.

-960105293 Responds to NRC 770328 Ir re violations noted in Insp rept 30-01845/77-01. Corrective actions: lab in question under surveillance, I-125 labeling being monitored & individuals performing iodination monitored 24 h after each procedure.
EGDAHL, R.H. Boston Univ. Medical Center, Boston, MA. 77/04/15. O'REILLY, J.P. Region I, IE (720101-810228). 2pp.

-960105302 Informs that recent Insp of facility resulted in numerous items of noncompliance.
SNYDER, G.L. Region I, IE (720101-810228). 77/03/30. ELLIIS, W.P. Office of Inspection & Enforcement (750101-801210). 1p.

-960105305 Discusses Insp rept 30-01845/77-01 on 770127 & forwards notice of violation re activities not conducted in full compliance w/NRC requirements.
O'REILLY, J.P. Region I, IE (720101-810228). 77/03/29. EGDAHL, R.H. Boston Univ. Medical Center, Boston, MA. 3pp.

-960105309 Notice of violation from Insp on 770127-0302. Violation noted: one individual working in restricted area during CY78, exposed to I-125 in excess of limits specified.
* Region I, IE (720101-810228). 77/03/29. 7pp.

-960105311 Informs that Insp of facility on 770127-0302 resulted in nine infractions. Licensee committed to complete review of RP program & completely new license application.
MOCLINTOCK, R.O. Region I, IE (720101-810228). 77/03/29. Region I, IE (720101-810228). 1p.

-960105315 Discusses 770304 telecon re implementation of RP program. Understands that licensee have taken or will take listed actions w/regards to matters discussed.
O'REILLY, J.P. Region I, IE (720101-810228). 77/03/04. EGDAHL, R.H. Boston Univ. Medical Center, Boston, MA. 2pp.

-960105328 Confirms 770302 meeting to be held between listed individuals at facility to discuss results of Insp to be conducted on 770301-02 & past enforcement history including Insp conducted on 770127.
O'REILLY, J.P. Region I, IE (720101-810228). 77/02/24. EGDAHL, R.H. Boston Univ. Medical Center, Boston, MA. 2pp.

-960105333 Insp rept 30-01845/77-01 on 770127-0302. Noncompliance items noted: Major areas inspected: organization, licensee audits, training & instructions, mail, facilities & instruments.
MOCLINTOCK, R.O. Region I, IE (720101-810228). 77/03/02. 6pp.

-960105334 Confirms 760830 telecon requesting postponement of answer to 760823 Ir received on 760823, until 760910.
GRAHAM, D.E. Boston Univ. Medical Center, Boston, MA. 76/08/31. MOCLINTOCK, R.O. Region I, IE (720101-810228). 2pp.

-960110084 Ack receipt of 760728 Ir informing NRC of steps taken to correct violations noted in Insp rept 30-01845/76-01.
MOCLINTOCK, R.O. Region I, IE (720101-810228). 76/08/23. EGDAHL, R.H. Boston Univ. Medical Center, Boston, MA. 2pp.

-960110085 Ack receipt of 760706 Ir containing procedures followed during use of I-125 & I-131 at facility. NRC understands that licensee plans to submit procedures to Dir of Fuel Cycle & Mail Safety.
MOCLINTOCK, R.O. Region I, IE (720101-810228). 76/07/16. GRAHAM, D.E. Boston Univ. Medical Center, Boston, MA. 1p.

-960110087 Reviews and policy at facility in ref to monitoring use of I-125 & I-131. Submits itemized policy.
GRAHAM, D.E. Boston Univ. Medical Center, Boston, MA. 76/07/06. KIRKMAN, J.D. Region I, IE (720101-810228). 1p.

-960110088 Discusses Insp rept 30-01845/76-01 on 760609 & 22 & forwards notice of violation. Certain activities were not conducted in full compliance w/NRC requirements.
O'REILLY, J.P. Region I, IE (720101-810228). 76/07/12. EGDAHL, R.H. Boston Univ. Medical Center, Boston, MA. 2pp.

-960110098 Notice of violation from Insp on 760609 & 22. Violation noted: licensee failed to make evaluations necessary to assure compliance w/ 10CFR20.103, 10CFR20.403 & 10CFR20.405.
* Region I, IE (720101-810228). 76/07/12. 2pp.

-960110099 Insp rept 30-01845/76-01 on 760609. Noncompliance items noted: Major areas inspected: organization, licensee audits, training & instructions & mail, facilities & instruments.
* Region I, IE (720101-810228). 76/06/09. 14pp.

-960110097 Amend 24 reinspection of Insp rept 30-01845/76-01 on 760609 & 22. Identified problems due to inexperience of RSO & lack of mgmt control to insure implementation of effective radiation safety program.
KIRKMAN, J.D., MOCLINTOCK, R.O. Region I, IE (720101-810228). 76/06/09. 8pp.

-960110091 Discusses Insp rept 30-01845/75-01 on 750710. No items of noncompliance observed.
NELSON, P.R. Region I, IE (720101-810228). 76/07/25. EGDAHL, R.H. Boston Univ. Medical Center, Boston, MA. 2pp.

-960110093 Reinspection of Insp rept 30-01845/75-01 on 750710. No noncompliance noted. Major areas inspected: scope, training, observations & use of iodine.
SMITH, R. Region I, IE (720101-810228). 75/07/12. 6pp.

-960110099 Ack receipt of 760325 Ir informing NRC of steps taken to correct violations noted in Insp rept for license 20-02215-01.
O'REILLY, J.P. Region I, IE (720101-810228). 75/04/09. EGDAHL, R.H. Boston Univ. Medical Center, Boston, MA. 1p.

162 NONDOCKETED ITEMS

-960110042 Responds to NRC 760131 re violations noted in insp rpt on 741217-38. Corrective actions: flow in all hoods used for lodination were measured w/velometer & hoods w/ separate ducts, avoiding any potential baffling problems. EGDAHL, R.H. Boston Univ. Medical Center, Boston, MA. 76/03/26. O'REILLY, J.P. Region I, IE (720101-810228). 3pp.

-960110045 Requests that NRC replace 750307 by w/750331 in. Inform of licensee intention to enforce closer & more constant contact w/all involved w/ radiologists, which should have been inserted in response to violation 1. EGDAHL, R.H. Boston Univ. Medical Center, Boston, MA. 76/03/31. O'REILLY, J.P. Region I, IE (720101-810228). 1p.

-960110056 Responds to NRC request per 10CFR20.405 for 30 day response to "overexposure." Exposure of individual unauthorized & due to self-injection, not airborne concentration. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 76/03/06. MCQUINTOCK, R.O. Region I, IE (720101-810228). 1p.

-960110059 Requests that license 20-02215-01 be placed on special list due to 741217-16 insp that revealed listed problems. EPSTEIN, E. Region I, IE (720101-810228). 74/12/24. Region I, IE (720101-810228). 1p.

-960110063 Discusses investigation conducted on 741217-16 of activities authorized by license 20-02215-01 & forwards NOV. O'REILLY, J.P. Region I, IE (720101-810228). 75/01/31. EGDAHL, R.H. Boston Univ. Medical Center, Boston, MA. 2pp.

-960110070 Notice of violation from investigation conducted on 741217-16. Violation noted: individual exposed to I-125 by injection in amount corresponding to exposure in excess of applicable limit in air. * Region I, IE (720101-810228). 75/01/31. 2pp.

-960110089 Investigation rpt 30-01845/74-01 on 741217-16. No noncompliance noted. Major areas investigated: allegations re uptake of approx two uCi of I-125 in thyroid of individual. EPSTEIN, E. MCQUINTOCK, R.O. Region I, IE (720101-810228). 75/01/26. 5pp.

-960110085 Ack receipt of 710901 for informing NRC of steps taken to correct violations noted in 710729 rpt. O'REILLY, J.P. Region I, IE (720101-810228). 71/06/23. GRACEY, J.S. Boston Univ. Medical Center, Boston, MA. 2pp.

-960110091 Responds to NRC 710729 rpt re activities which appeared to be in non-compliance w/AEC requirements. Corrective actions: evaluations now being made to determine radiation dose to hands of individuals during To-99m. GRACEY, J.S. Boston Univ. Medical Center, Boston, MA. 71/09/01. O'REILLY, J.P. Region I, IE (720101-810228). 1p.

-960110098 Discusses insp rpt for license 20-02215-01 on 710615 & forwards notice of noncompliance items. O'REILLY, J.P. Region I, IE (720101-810228). 71/07/29. ROHRBAUGH, L. Boston Univ. Medical Center, Boston, MA. 1p.

-960110101 Notice of noncompliance w/AEC regulations. Areas of noncompliance: no evaluations made to determine radiation dose to hands of individuals daily during To-99m pericardial catheters from 400 mCi To-99m generators. * Region I, IE (720101-810228). 71/07/29. 1p.

-960110102 Discusses reinspection of licensed program which showed that isotope used range from research to clinical. Clinical uses generally limited to diagnostic procedures & research uses limited to max of small mCi amounts. MEYER, R.J. Region I, IE (720101-810228). 71/06/24. NELSON, P.R. Boston Univ. Medical Center, Boston, MA. 1p.

-960110109 Amend 18, reinspection of insp rpt 30-01845/71-01 on 710615. Noncompliance & safety items noted. Major areas inspected: scope of licensee program, organization, administrative control & use of mail. MEYER, R.J., NELSON, P.R. Region I, IE (720101-810228). 71/07/06. 10pp.

-960110108 Rev 10-80 to, "Radiation Protection Program." * Boston Univ. Medical Center, Boston, MA. 95/11/21. 21pp.

-960110102 Safety insp on 660301 of license 20-02215-01. Insp findings: no item of noncompliance found. BRANDKAMP, F.N. Atomic Energy Commission (Pre 750119). * Boston Univ. Medical Center, Boston, MA. 66/03/01. 1p.

-960110099 Inform of 531021 misadministration of radiopharm. Patient inadvertently administered gated blood pool study. Caused by technologist error. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 63/12/30. Region I (Post 620201). 3pp.

-960110090 Advises that compliance insp rpt of license 20-02215-01 should have been sent to RG Page for handling instead of being handled under 582 procedure, due to large number of significant items of noncompliance found during sub insp. PAGE, R.G. Atomic Energy Commission (Pre 750119). 66/03/18. PRICE, E.R. Atomic Energy Commission (Pre 750119). 1p.

-960110083 Safety insp on 660329 of license 20-02215-01. Insp findings: rooms or areas not properly posted to indicate presence of high radiation area. 10CFR20.203(c)(1). * Atomic Energy Commission (Pre 750119). * Boston Univ. Medical Center, Boston, MA. 66/03/28. 1p.

-960110088 Provides opportunity for licensee to advise NRC in writing of position re items of noncompliance noted w/respect to activities authorized under listed license. KIRKMAN, R.W. Atomic Energy Commission (Pre 750119). 66/05/08. ROHRBAUGH, L.H. Boston Univ. Medical Center, Boston, MA. 2pp.

-960110093 Reinspection of safety insp on 660330-31 of license 20-02215-01. Insp findings: individuals working in or frequenting restricted areas have not been instructed in applicable provisions of Commission regulations & license. BRANDKAMP, F.N. Atomic Energy Commission (Pre 750119). * Boston Univ. Medical Center, Boston, MA. 66/05/04. 2pp.

-9601100127 Responds to 660306 for advising licensee of several instances of non-compliance w/requirements of AEC byproduct mail license & closing in end repl several instances re license 20-02215-01 & 20-02215-02. ROHRBAUGH, L.H. Boston Univ. Medical Center, Boston, MA. 66/05/25. KIRKMAN, R.W. Atomic Energy Commission (Pre 750119). 4pp.

-960110041 Responds to AEC 660306 for re items of noncompliance listed on form AEC-632. Corrective actions: incineration of wastes terminated & corrective measures were taken. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 66/05/13. KIRKMAN, R.W. Atomic Energy Commission (Pre 750119). 15pp.

-960110047 Safety insp on 630909 of license 20-02215-01. Insp findings: records of receipt, transfer, disposal, export or inventory of licensed mail were not properly maintained per 10CFR20.41. * Atomic Energy Commission (Pre 750119). * Boston Univ. Medical Center, Boston, MA. 63/07/09. 1p.

-960110054 Application for amend to license 20-02215-05, authorizing addition of I-132 for interstitial treatment of carcinoma for M. Feldman. SPIRA, J. Boston Univ. Medical Center, Boston, MA. 74/04/22. 2pp.

-960110083 Discusses ref control 40541 & application for renewal of byproduct mail license 20-02215-01, dtd 731121. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 74/06/18. COLLINS, D.M. Materials Licensing Branch. 2pp.

-960110071 Discusses 731121 application for renewal of byproduct mail license 20-02215-01 & 740429 re. Inform that licensee should submit info requested by item d of 740319 in support of sub application. COLLINS, D.M. Materials Licensing Branch. 74/05/30. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 1p.

-960110073 Requests that AEC reinstate possession limit of 200 mCi of I-132 in inventory excluded on AEC application for renewal of Broad Mail License 20-02215-01. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 74/06/24. BOWYER, J. Materials Licensing Branch. 1p.

-960110077 Discusses ref control 40544 & 731121 application for renewal of byproduct mail license 20-02215-01. Submits listed info per request. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 74/04/29. COLLINS, D.M. Materials Licensing Branch. 6pp.

-960110082 Discusses 731121 application for renewal of byproduct mail license 20-02215-01. Inform that sub application should be supported w/listed info. COLLINS, D.M. Materials Licensing Branch. 74/03/18. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 3pp.

-960110098 Inform that licensee application for renewal of byproduct mail license 20-02215-01 should be supported w/up-to-date info as listed. Unsigned, undated application encl. * Atomic Energy Commission (Pre 750119). 73/03/31. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 8pp.

-960110020 Requests 3 month extension of reapplication for Broad Medical License due to amount of new info & add data needed from users & administrative cross checking. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 73/07/24. BOWYER, J.E. Materials Licensing Branch. 1p.

-960110023 Application for amend to license 20-02215-01, authorizing increase to possession limit of N-63 to 45 mCi. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 74/03/05. 1p.

-960110027 Application for amend to license 20-02215-01, authorizing increase to possession of N-63 to 2 Ci per shipment. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 74/03/04. 1p.

-960110024 Inform that procedures that licensee will establish to assure pharmaceutical quality, purity, identity & nonpyrogenicity in generator eluent prior to administration in humans should be submitted in support of application for amend to license. COLLINS, D.M. Materials Licensing Branch. 73/06/29. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 1p.

-960110021 Discusses AEC 730629 re which questions licensee procedures to insure pharmaceutical quality, purity, identity & nonpyrogenicity in application to amend byproduct mail license to include Sn-113/113m in generator. Resubmits sub application. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 73/11/12. COLLINS, D.M. Materials Licensing Branch. 7pp.

-960110022 Undated for informing that detailed info requested on encl "Generator Sys" sheet should be submitted for Sn-113/113m generator. BOWYER, J.E. Materials Licensing Branch. 70/09/23. DOMOUR, P. Attention Not Assigned. 1p.

-960110026 Extends apology for delay in getting add info requested in 700917 re application & protocol for In-113m generator. Requests comments & add data on encl info. SHOSS, M. Shore Radiological Group, Inc. 70/11/06. BOWYER, J.E. Atomic Energy Commission (Pre 750119). 3pp.

-960110024 Undated for informing that New England Nuclear Corp Sn-113/ In-113m generator has not been approved for routine licensing & licensee request to use sub generator should be supported w/listed info. BOWYER, J.E. Materials Licensing Branch. 73/04/19. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 1p.

-960110025 Inform that eluent from New England Nuclear Corp Sn-113/ In-113m generator will be administered w/o further radiochemical preparation. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 73/04/19. BOWYER, J.E. Materials Licensing Branch. 3pp.

-960110024 Application for amend to license 20-02215-01, authorizing increase of Broad Medical License possession limit for N-63 to 15 mCi for use as sealed source w/Hewlett-Packard Model 5700-A Gas Chromatographic apparatus. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 73/02/28. 1p.

- 9801160291 Application for amend to license 20-02215-01, authorizing extension of possession limit of In-113 & In-115m to 60 mCi to permit acquisition of New England Nuclear Indium generator.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 73/02/28. 5pp.
- 9801160300 Informs that on 730511 AEC amended license 20-02215-01, by order, to prohibit administration to humans of Tc-99m farnous hydroxide macroaggregates compounded from Diagnostic Isotopes, Inc. kits.
OLEARY, J.P. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/07/23. Affiliation Not Assigned. 4pp.
- 9801160305 Expresses appreciation for 710901 for informing AEC of action taken to correct items of noncompliance identified in 710728.
O'REILLY, J.P. Atomic Energy Commission (Pre 750118). 71/09/23. GRACEY, J.S. Boston Univ. Medical Center, Boston, MA. 1p.
- 9801160310 Responds to 710729 for which listed activities under license 20-02215-01 which appeared to be in noncompliance w/AEC requirements. Corrective action: sign bearing radiation caution symbol placed on door of Room 220.
GRACEY, J.S. Boston Univ. Medical Center, Boston, MA. 71/09/01. O'REILLY, J.P. Atomic Energy Commission (Pre 750118). 1p.
- 9801160329 Discusses insp rpt of license 20-02215-01 on 710615 & forwards notice of noncompliance items.
O'REILLY, J.P. Atomic Energy Commission (Pre 750118). 71/07/29. ROHRBAUGH, L. Boston Univ. Medical Center, Boston, MA. 1p.
- 9801160340 Notice of noncompliance of items from insp of license 20-02215-01 on 710615. Noncompliance noted: no evaluations were made to determine radiation dose to hands of individuals daily during Tc-99m.
* Atomic Energy Commission (Pre 750118). 71/07/29. 2pp.
- 9801160350 Forwards amend 15 to license 20-02215-01, which exceeds expiration date to 730631. W/o encl.
BOWYER, J.E. Atomic Energy Commission (Pre 750118). 68/08/12. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 2pp.
- 9801160364 Submits listed info in response to 680626 for. Apologizes for delay in responding to request for further info in 680417.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 68/07/09. BOWYER, J.E. Atomic Energy Commission (Pre 750118). 5pp.
- 9801160369 Notifies that unless within 30 days of receipt of date of notice, AEC receive addl info requested, application will be considered having been abandoned by licensee.
BUCHANAN, C.R. Atomic Energy Commission (Pre 750118). 68/06/26. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 1p.
- 9801160374 Advises that licensee submit listed info in support of request for renewal of license 20-02215-01.
BOWYER, J.E. Atomic Energy Commission (Pre 750118). 68/04/17. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 2pp.
- 9801160403 Application for amend to license 20-02215-01, authorizing listed info.
* Boston Univ. Medical Center, Boston, MA. 68/02/23. 2pp.
- 9801160420 Forwards application for renewal of byproduct mail license 20-02215-01 which expires on 680331. W/o encl.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 68/02/23. CUNNINGHAM, R.E. Atomic Energy Commission (Pre 750118). 1p.
- 9801160427 Application for amend to license 20-02215-01, authorizing possession limit of 100 mCi of Xe-133.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 67/11/22. 1p.
- 9801170067 Application for amend to license 20-02215-01, authorizing addition of listed byproduct mail.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 67/06/29. 1p.
- 9801170068 Application for amend to license 20-02215-01, authorizing inclusion of possession of 25 Ci of Iridium.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 67/04/24. 4pp.
- 9801170069 Application for amend to license 20-02215-01, authorizing possession limit of 250 mCi of I-131.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 68/06/28. 2pp.
- 9801170073 Application for amend to license 20-02215-01, authorizing possession limit of 100 mCi of I-125.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 68/06/14. 1p.
- 9801170076 Application for amend to license 20-02215-01, authorizing incorporation of listed changes.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 68/05/13. 3pp.
- 9801170080 Forwards application for renewal of byproduct mail license 20-02215-01 which expires on 680331.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 68/02/23. CUNNINGHAM, R.E. Atomic Energy Commission (Pre 750118). 1p.
- 9801170085 Application for amend/renewing license 20-02215-01.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 68/02/21. 4pp.
- 9801170092 Confirms 681201 telcon w/RJ Dube, that info submitted w/681103 for signed by BA Burrows re Am-241 source not adequate to demonstrate that integrity of source will be maintained.
BUCHANAN, C.R. Atomic Energy Commission (Pre 750118). 68/12/06. GENNA, S. Boston Univ. Medical Center, Boston, MA. 3pp.
- 9801170095 Forwards specifications of Americium sources as discussed by phone.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 68/11/03. DUBER, J. Atomic Energy Commission (Pre 750118). 10pp.
- 9801170106 Application for amend to license 20-02215-01, authorizing use of 20 mCi W-185 in form of irradiated tungsten wire.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 68/04/13. 2pp.

- 9801170107 Informs that licensee currently obtaining Radiophotopes under license 20-02215-01, which will expire 680331.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 64/12/10. CUNNINGHAM, R.E. Atomic Energy Commission (Pre 750118). 1p.
- 9801170110 Forwards amend 7 to byproduct mail license 20-02215-01 to provide for I-192. W/o encl.
BOWYER, J.E. Atomic Energy Commission (Pre 750118). 64/07/17. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 1p.
- 9801170121 Inquires about procedure to be followed in obtaining sources for teletherapy & implantation under Broad Medical License.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 64/06/24. BOWYER, J.E. Atomic Energy Commission (Pre 750118). 1p.
- 9801170137 Requests description of any nonroutine diagnostic & therapeutic use of byproduct mail accomplished under byproduct mail license 20-02215-01.
BUCHANAN, C.R. Atomic Energy Commission (Pre 750118). 64/04/15. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 1p.
- 9801170145 Ack receipt of application for renewal of byproduct mail license 20-02215-01. Control 58405 assigned to application & any correspondence re application should ref control number & be directed to attention of JE Bowyer.
CUNNINGHAM, R.E. Atomic Energy Commission (Pre 750118). 58405. 64/03/26. Boston Univ. Medical Center, Boston, MA. 1p.
- 9801170153 Forwards recapitulation of Broad Medical License. Changes indicated are to conform to amendments previously granted re addresses of Center constituent & affiliated hosp & to replace G Hine w/S Genes as Radiation Protection Officer.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 64/03/17. BOWYER, J.E. Atomic Energy Commission (Pre 750118). 1p.
- 9801170167 Application for amend to license 20-02215-01, authorizing changes that conform to amendments previously granted re addresses of Center constituent & affiliated hosp & to replace G Hine w/S Genes as Radiation Protection Officer.
GELLS, S.S. Boston Univ. Medical Center, Boston, MA. 64/03/17. 2pp.
- 9801170161 Requests advice as to any special procedures that may be necessary for shipment of two Strontium units for gas chromatography apparatus of 10 mCi each to user in Peru.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 63/10/07. BOWYER, J.E. Atomic Energy Commission (Pre 750118). 1p.
- 9801170166 Application for amend to license 20-02215-01, authorizing inclusion of listed institutions affiliated w/Boston Univ Medical Ctr.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 63/07/11. 1p.
- 9801170168 Application for amend to license 20-02215-01, authorizing inclusion of listed addresses as locations of use.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 63/03/15. 1p.
- 9801170202 Ack receipt of 620423 for informing licensee that license 20-02215-01 allows use of byproduct mail by or under supervision of individuals approved by local isotope committee & individual users are not named on license.
BOWYER, J.E. Atomic Energy Commission (Pre 750118). 62/05/10. HERRMANN, J.L. Boston Univ. Medical Center, Boston, MA. 1p.
- 9801170219 Application for amend to license 20-02215-01, authorizing inclusion of PL Herrmann as user of byproduct mail on license.
HERRMANN, J.L. Boston Univ. Medical Center, Boston, MA. 62/04/23. 1p.
- 9801170225 Submits changes to be made in response to specific comments made re proposed radiation protection plan at Univ.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 61/04/08. BOWYER, J.E. Atomic Energy Commission (Pre 750118). 12pp.
- 9801170228 Submits listed comments re proposed radiation protection procedures as set forth in application.
BOWYER, J.E. Atomic Energy Commission (Pre 750118). 61/03/17. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 3pp.
- 9801170233 Submits listed info in respect to points raised in 610215.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 61/02/23. BOWYER, J.E. Atomic Energy Commission (Pre 750118). 2pp.
- 9801170238 Ack receipt of application for broad specific byproduct mail license for medical research, diagnosis & therapy. Informs that application incomplete in listed respects.
BOWYER, J.E. Atomic Energy Commission (Pre 750118). 61/02/15. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 2pp.
- 9801170250 Application for amend to license 20-02215-01, authorizing use of listed mail for medical research, diagnosis & therapy.
FAULKNER, J.M. Boston Univ. Medical Center, Boston, MA. 61/01/10. 3pp.
- 9801170256 Application for amend to license 20-02215-01, authorizing use of listed mail for fat absorption studies in patients w/gastro & other malabsorption syndromes.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 59/01/27. 8pp.
- 9801170259 Inquires about procedure for renewal of byproduct license 20-02215-01 which expires 680331.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 59/01/12. Atomic Energy Commission (Pre 750118). 1p.
- 9801170260 Application for amend to license 20-02215-01, authorizing use of listed mail for renal function studies in normal subjects & patients w/variety of renal diseases.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 67/04/22. 4pp.
- 9801170262 Expresses appreciation for 570405 for & add forms to be filed out for use of C-14 labelled Cholesterol & I-131 labelled Diatrizoate. Forwards application for use of Tritium to measure total body water in human subjects.
BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 57/04/22. BUCHANAN, C.R. Atomic Energy Commission (Pre 750118). 1p.

- 9601178263 Application for amend to license 20-02215-01, authorizing use of listed radiopharmaceuticals in normal subjects & patients w/ altered cholesterol metabolism. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 57/04/22. 6pp.
- 9601178276 Expresses appreciation for 670329 ltr & completed forms outlining proposals for use of C-14 labeled cholesterol & I-131 labeled diiodoacetic acid. Studies will be classified as experimental since human subjects will be involved. BURCHMAN, G.R. Atomic Energy Commission (Pre 750118). 57/04/06. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 1p.
- 9601178283 Ack receipt of 670329 ltr which submitted suggestions & provided written instructions to nursing personnel & others who handle radioactive materials. Forwards AEC forms for use of Iodine-131 & Cholesterol C-14 in patients. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 57/03/29. STEERMAN, J.J. Atomic Energy Commission (Pre 750118). 1p.
- 9601178285 Submits confirmation of 570308 visit to facility. No specific recommendations offered at time of visit due to facilities, equipment & radiological protection practices being generally satisfactory for type of study applied for. STEERMAN, J.J. Atomic Energy Commission (Pre 750118). 57/03/20. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 6pp.
- 9601178297 Extends invitation for J Steerman & Messers to plan to have lunch w/AEC Radiopharmaceutical Committee. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 57/03/01. STEERMAN, J.J. Atomic Energy Commission (Pre 750118). 1p.
- 9601178304 Requests that licensee submit dosage schedule for all conditions to be diagnosed or treated in order for AEC to complete review of application for byproduct material license. BURCHMAN, G.R. Atomic Energy Commission (Pre 750118). 57/02/13. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 1p.
- 9601178320 Application for amend to license 20-02215-01, authorizing use of listed radiopharmaceuticals for normal subjects & patients w/ variety of illnesses to be given oral tracer doses of Na-24 to determine total exchangeable sodium. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 57/01/25. 6pp.
- 9601178328 Informs that CP Emerson forwarded 550930 ltr requesting medical preceptor statement to indicate clinical radiologist experience. Forwards medical preceptor statement to cover applications. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 55/11/17. FOWLER, E.E. Atomic Energy Commission (Pre 750118). 3pp.
- 9601178341 Expresses appreciation for expeditious handling of transfer of authorization. Forwards form 313 for authorization of use of Sr-90 by P Runge. ROSS, J.F. Affiliation Not Assigned. 54/08/17. MASON, J.R. Atomic Energy Commission (Pre 750118). 6pp.
- 9601178349 Ack receipt of 740402 ltr re Boston Univ Medical Ctr application for license to receive isotope. MURTING, L.M. Atomic Energy Commission (Pre 750118). 74/05/02. KENNEDY, E.M. Senate. 6pp.
- 9601178356 Discusses and ltr from SR Cooperband re Cancer Research Ctr pending application for approval to receive irradiation machine. Machine must be installed & functions by 740530 or grant from FE Rippl Foundation will be withdrawn. KENNEDY, E.M. Senate. 74/04/02. RAY, D.L. Atomic Energy Commission (Pre 750118). 2pp.
- 9601178358 Informs that Ray received 740402 ltr w/correspondence from SR Cooperband of Boston Univ Medical Ctr & requests that Director of Regulation review status of application to AEC can respond by early date. BENDER, P.C. Atomic Energy Commission (Pre 750118). 74/04/05. KENNEDY, E.M. Senate. 2pp.
- 9601178365 Addresses apparent quality mgmt program deficiencies enumerated in 540928 ltr for nuclear medicine & brachytherapy. EVDONIMOFF, V. Boston Univ. Medical Center, Boston, MA. 94/10/24. DWYER, J. Region 1 (Post 820201). 1p.
- 9601180038 "Boston Univ Medical Ctr Hosp Radiation Oncology Dept Quality Mgt Program." DELANEY, T.F. Boston Univ. Medical Center, Boston, MA. 94/10/27. 23pp.
- 9601180054 Advises that based on review of licensee quality mgmt program submitted 10/10/93, significant weaknesses & potential substantial failure to meet objectives re brachytherapy, noted. DWYER, J.P. Region 1 (Post 820201). 94/09/28. EVDONIMOFF, V.N. Boston Univ. Medical Center, Boston, MA. 5pp.
- 9601180057 Forwards revised form for radiopharm therapy in nuclear medicine to comply w/quality mgmt program requirements. EVDONIMOFF, V. Boston Univ. Medical Center, Boston, MA. 93/12/15. Region 1 (Post 820201). 1p.
- 9601180065 "Quality Mgt Program Nuclear Medicine." Boston Univ. Medical Center, Boston, MA. 93/12/15. 4pp.
- 9601180076 Forwards quality mgmt program for nuclear & radiation medicine for license 20-02215-01 re Jan 1992 quality mgmt program. EVDONIMOFF, V. Boston Univ. Medical Center, Boston, MA. 92/03/08. Region 1 (Post 820201). 2pp.
- 9601180085 "Univ Hosp Radiation Medicine Dept Quality Mgt Program." Boston Univ. Medical Center, Boston, MA. 92/01/08. 14pp.
- 9601180146 Discusses proposed amend to license 20-02215-01, submitted on 830613. Amend needed to require users to retain U/W "on site" pending resolution of mechanisms for local compliance w/Federal Law requiring permanent storage of radioactive waste. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 84/01/30. Region 1 (Post 820201). 1p.
- 9601180142 Forwards corrected copy of amend 37 to renew license 20-02215-01. Requests that amend be reviewed for correctness & to assure that any changes in procedures required by conditions implemented. GLENN, J.E. Region 1 (Post 820201). 06/02. 83/07/07. EVDONIMOFF, V.N. Boston Univ. Medical Center, Boston, MA. 1p.
- 9601180158 Forwards amend 37 to renew license 20-02215-01. Requests that license be reviewed for correctness & to assure that any changes in procedures required by conditions implemented. GLENN, J.E. Region 1 (Post 820201). 06/02. 83/04/20. EVDONIMOFF, V.N. Boston Univ. Medical Center, Boston, MA. 1p.
- 9601180163 Forwards amend 41 to license 20-02215-01. Requests that document be reviewed carefully to ensure that all conditions understood. FRIEDMAN, L.F. Region 1 (Post 820201). 103524. 85/09/10. EVDONIMOFF, V. Boston Univ. Medical Center, Boston, MA. 2pp.
- 9601180166 Application for amend to license 20-02215-01, authorizing replacement of I. Siegelman w/J Gibson on Radiopharmaceutical Committee. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 85/07/11. 3pp.
- 9601180163 Responds to 850312 ltr re amend to license 20-02215-01 & submits listed info concerning amend. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 85/08/23. FRIEDMAN, L.F. Region 1 (Post 820201). 1p.
- 9601180180 Discusses licensee request to amend license 20-02215-01 & informs that listed info needed to continue review. FRIEDMAN, L.F. Region 1 (Post 820201). 103524. 85/08/12. EVDONIMOFF, V. Boston Univ. Medical Center, Boston, MA. 1p.
- 9601180173 Discusses licensee 830613 request to amend license 20-02215-01 & further info submitted 850325 in support of request. Forwards copies of licensee notes re FA St Mary 841115 ltr requesting further info. ST MARY, F.A. Materials Licensing Branch. 101470. 85/07/31. GLENN, J.E. Region 1 (Post 820201). 3pp.
- 9601180184 Informs that review of recipient 650418 request completed. Recommends that application be reviewed as routine licensing action & suggests that licensee provide description of procedure, assuring that packages received as documented. MILLER, V.L. Materials Licensing Branch. 85/07/25. JOYNER, J.H. Region 1 (Post 820201). 1p.
- 9601180207 Submits three options which could be followed on Boston Univ proposal for disposal of bio-medical waste at site. CUNNINGHAM, R.E. Division of Fuel Cycle & Material Safety (Pre 670413). 85/08/08. MILLER, V.L. Materials Licensing Branch. 1p.
- 9601180213 Provides addl info NRC requested in support of licensee 830618 proposal to segregate certain types of biomedical waste. EVDONIMOFF, V. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 85/03/28. ST MARY, F.A. Materials Licensing Branch. 11pp.
- 9601180216 Discusses licensee request for amend to license 20-02215-01, authorizing that licensee may receive radiopharmaceuticals from several other institutions. Requests guidance as to how to treat sub application. JOYNER, J.H. Region 1 (Post 820201). 03195. 85/04/16. MILLER, V.L. Materials Licensing Branch. 2pp.
- 9601180225 Submits listed info in response to 850220 request re relationship between licensee & institutions sending radiopharmaceuticals. No specific formal agreements involved. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 03195. 85/03/11. FRIEDMAN, L.F. Region 1 (Post 820201). 8pp.
- 9601180230 Discusses NRC and 850208 ltr re info as to how or in what capacity Boston City Hosp & Boston Veterans Affairs Medical Ctr formally affiliated w/ licensee. Forwards 750513 MOA on sub info. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 85/02/28. CASELLA, S. License Fee Management Branch (Pre 851124). 17pp.
- 9601180247 Insp rpt 90-01845/77-02 on 770944. No noncompliance noted. Major areas inspected program requirements, following up on noncompliance & deviations & independent insp effort. KIRKMAN, M. MOULTON, P.O. Region 1, IE (720101-810228). 77/10/14. 3pp.
- 9601180253 Informs that licensee request for amend to license 20-02215-01 to change waste disposal procedures referred to NRC Headquarters due to failure to provide adequate technical basis to justify request. ST MARY, F.A. Materials Licensing Branch. 84/11/16. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 2pp.
- 9601180274 Requests that NRC consider and application for license fee exemption. W/O encl. WOOTEN, W.W. SCHIAGER, K.J. Veterans Admin. Medical Center, Salt Lake City, UT. 83/02/01. JACKSON, G. License Fee Management Branch (Pre 851124). 2pp.
- 9601180280 Discusses 841203 ltr which requested amend to license 20-02215-01 to authorize receipt of radiopharmaceuticals from institutions formally affiliated w/univ. Requests info as to how institutions formally affiliated w/univ. CASELLA, S. License Fee Management Branch (Pre 851124). 85/02/08. EVDONIMOFF, V.N. Boston Univ. Medical Center, Boston, MA. 3pp.
- 9601180303 Confirms that NRC received checks 15537 & 604838 in listed amounts in payment of listed amend fee required for licensee 841203 request for amend to license 20-02215-01. JACKSON, G. License Fee Management Branch (Pre 851124). 85/01/08. EVDONIMOFF, V.N. Boston Univ. Medical Center, Boston, MA. 1p.
- 9601180311 Discusses licensee 841203 application for amend to license 20-02215-01 & accompanying fee in listed amount. Forwards copy of Commission revised license fee schedule which became effective 840820. W/O encl. CASELLA, S. License Fee Management Branch (Pre 851124). 84/12/31. EVDONIMOFF, V.N. Boston Univ. Medical Center, Boston, MA. 1p.
- 9601180318 Discusses 830613 request to amend license 20-02215-01 & further info submitted 850325 in support of request. NRC to take no further action on licensee amend request in view of listed info. MILLER, V.L. Materials Licensing Branch. 85/08/22. BURROWS, B.A. Boston Univ. Medical Center, Boston, MA. 2pp.

-660100354 Discusses NRC 641115 re re license amend to deregulate certain types of biomedical waste addressed to B Burrows. Requests 90 day extension to allow sufficient time to address requested items.
EVDOKIMOFF,V.N. Boston Univ. Medical Center, Boston, MA. 64/12/11. ST MARTY,F.A. Medical Licensing Branch. 1p.

-660100375 Responds to 631214 re re license 601125 renewal application, informs that no significant items require updating & curricula wise for new members of Radiology Committee end.
EVDOKIMOFF,V.N. Boston Univ. Medical Center, Boston, MA. 06/12. 63/04/15. Region 1 (Post 620201). 1pp.

-660100388 Application for amend to license 20-02215-01, authorizing possession of 1 Ci of I-125 as sealed source to be used in Ultrasound TM for medical & nonmedical use.
EVDOKIMOFF,V.N. Boston Univ. Medical Center, Boston, MA. 63/04/15. 2pp.

-660100393 Discusses licensee request for renewal of license 20-02215-01. NRC has not received response from 621214 RAI & requests reply within 30 days or application may be denied & license terminated.
GLENN,J.E. Region 1 (Post 620201). 06/12. 63/03/16. EVDOKIMOFF,V.N. Boston Univ. Medical Center, Boston, MA. 1p.

-660100398 Requests listed add info in order to continue review of license 601125 application to renew license 20-02215-01.
GLENN,J.E. Region 1 (Post 620201). 06/12. 62/12/14. EVDOKIMOFF,V.N. Boston Univ. Medical Center, Boston, MA. 2pp.

-660100402 Application for amend to license 20-02215-01, authorizing inclusion of listed info.
EVDOKIMOFF,V.N. Boston Univ. Medical Center, Boston, MA. 62/04/02. 1p.

-660100415 Forwards application for renewal of license 20-02215-01. License fee being forwarded under separate cover.
EVDOKIMOFF,V.N. Boston Univ. Medical Center, Boston, MA. 60/11/25. VACCAP, Materials Licensing Branch. 1p.

-660100435 Insp repts 30-01845/83-01 & 30-10128/83-01 on 830512. No noncompliance noted. Major areas inspected: organization, licensee internal audits, training & qualification of personnel & radiation protection procedures.
JOHNSON,J. Region 1 (Post 620201). 30-10128/83-01. 63/05/12. 10pp.

-660100457 Insp repts 30-01845/80-02 on 801021. Noncompliance identified. Major areas inspected: organization, licensee internal audits, training & qualification of personnel & radiation protection procedures.
GLENN,J.E., KINNEHAN,J.D. Region 1, IE (720101-810228). 80/12/02. 15pp.

-660100468 Insp repts 30-01845/80-01 on 800506-07. Noncompliance noted. Major areas inspected: organization, licensee internal audits, training & qualification of personnel & radiation protection procedures.
KINNEHAN,J.D. Region 1, IE (720101-810228). 80/05/28. 16pp.

-660100473 Insp repts 30-01845/79-01 on 790501. No noncompliance noted. Major areas inspected: organization, licensee internal audits, training & qualification of personnel & radiation protection procedures.
MCCLINTOCK,R.D. Region 1, IE (720101-810228). 79/05/08. 10pp.

-660100483 Insp repts 30-01845/79-01 on 790328. No noncompliance noted. Major areas inspected: organization, licensee internal audits, training & qualification of personnel & radiation protection procedures.
GLENN,J.E., MCCLINTOCK,R.D. Region 1, IE (720101-810228). 79/04/26. 7pp.

-660100487 Discusses 890119 re requesting add info for review of board medical license 20-02215-01.
EGDAHL,R.M. Boston Univ. Medical Center, Boston, MA. 108595. 60/02/19. GLENN,J.E. Region 1 (Post 620201). 23pp.

660100298 FOIA request for documents re Louisiana Energy Svcs facility & proposed legislation that would make disposal of depleted U tails generated by private business federal responsibility.
CURRAN,D. Harmon, Curran, Gallagher & Spelberg (formerly Harmon, Curran & Torsley). CURRAN,D. Citizens Against Nuclear Trash. 65/06/21. Division of Freedom of Information & Publications Services (Post 640714). 4pp. 66585:172-66585:175.

660100273 Second partial final response to FOIA request for documents. App A documents end & placed in PDR.
* Division of Freedom of Information & Publications Services (Post 640714). 65/12/13. CURRAN,D. Harmon, Curran, Gallagher & Spelberg (formerly Harmon, Curran & Torsley). CURRAN,D. Citizens Against Nuclear Trash. 2pp. 66585:176-66585:182.

-660100309 Testimony of W.R. Arnold, President of Louisiana Energy Svcs, for Senate Energy Committee to present views of licensee on 5753. Matters on licensing of private enrichment facilities end.
ARNOLD,H.W. Louisiana Energy Services. 65/06/13. 15pp. 66585:178-66585:192.

660100008 Appeals 941229 denial of FOIA request for documents.
KEEGAN,M.J. Affiliation Not Assigned. 95/01/03. Ofc of the Executive Director for Operations. 1p. 66728:001-66728:012.

660100048 Responds to 650103 appeal of 941229 denial of FOIA request for records re plant. Records identified as 3,2,3,9,10 & 11 and Portions of records identified as 4,5,6,7,8,12 & 13 withheld (ref FOIA exemption 4).
THOMPSON,U.L. Dep Exec Dir for Nuc. Matls Safety, Safeguards & Operations Support (Post 890209). 65/12/14. KEEGAN,M.J. Affiliation Not Assigned. 1p. 66728:013-66728:036.

-660100023 94V70-13 R01 "Metalurgical Analysis of Fenn 2 LPS Eighth Stage Turbine Blading." rev 1.
SCHAEFER,J.E. Detroit Edison Co. 64/06/20. 41pp. 66728:014-66728:054.

-660100042 TMTB 0010-0801.21-1 "Root Cause Analysis Rept for Main Turbine Generator 631225, Forced Outage."
BLACK,J.D., CORNIN,R.L., FRON,L.G. Detroit Edison Co. 64/07/31. 63pp. 66728:055-66728:118.

-660100066 "Interim Status Rept Independent Root Cause Analysis Assessment of Detroit Edison Fenn 2 Turbine-Generator Event on 631225."
SUMMY,J.S., CHIU,C. Detroit Edison Co. 64/07/20. 40pp. 66728:119-66728:159.

-660100081 P6942 Technical Rept P6942, "Failure investigation on Fenn 2 LP L-1 Stage Blades."
WANG,K.D. 64/06/27. 16pp. 66728:157-66728:172.

-660100096 "Large Steam Turbines Const & Svc."
* Detroit Edison Co. 64/06/08. 45pp. 66728:173-66728:217.

-660100111 "Nondestructive Exam LP1,LP2 & LP3 Turbine Rotor Disks Enrico Fenn Unit 2 Detroit Edison Co."
* Affiliation Not Assigned. 64/06/08. 18pp. 66728:218-66728:236.

-660100119 "Nondestructive Bone Exam & Condition Assessment of GEC Alstom HP Rotor Enrico Fenn Nuclear Station, Unit 2 Detroit Edison Co."
* Affiliation Not Assigned. * Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 64/06/27. 100pp. 66728:237-66728:327.

-660100123 NEDC-32320 R01 Vols 1 & 2 to Topical Rept NEDC-32320, "Enrico Fenn 2 M&B & Poles Evaluation Final Rept." rev 1.
* General Electric Co. 64/06/30. 200pp. 66728:328-66728:336.

-660100223 94V70-13 R01 "Metalurgical Analysis of Fenn 2 LPS Eighth Stage Turbine Blading." rev 1.
SCHAEFER,J.E. Detroit Edison Co. 64/06/20. 41pp. 66728:014-66728:054.

-660100042 TMTB 0010-0801.21-1 "Root Cause Analysis Rept for Main Turbine Generator 631225, Forced Outage."
BLACK,J.D., CORNIN,R.L., FRON,L.G. Detroit Edison Co. 64/07/31. 63pp. 66728:055-66728:118.

-660100066 "Interim Status Rept Independent Root Cause Analysis Assessment of Detroit Edison Fenn 2 Turbine-Generator Event on 631225."
SUMMY,J.S., CHIU,C. Detroit Edison Co. 64/07/20. 40pp. 66728:119-66728:159.

-660100081 P6942 Technical Rept P6942, "Failure investigation on Fenn 2 LP L-1 Stage Blades."
WANG,K.D. 64/06/27. 16pp. 66728:157-66728:172.

-660100096 "Large Steam Turbines Const & Svc."
* Detroit Edison Co. 64/06/08. 45pp. 66728:173-66728:217.

-660100111 "Nondestructive Exam LP1,LP2 & LP3 Turbine Rotor Disks Enrico Fenn Unit 2 Detroit Edison Co."
* Affiliation Not Assigned. 64/06/08. 18pp. 66728:218-66728:236.

-660100119 "Nondestructive Bone Exam & Condition Assessment of GEC Alstom HP Rotor Enrico Fenn Nuclear Station, Unit 2 Detroit Edison Co."
* Affiliation Not Assigned. * Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 64/06/27. 100pp. 66728:237-66728:327.

-660100123 NEDC-32320 R01 Vols 1 & 2 to Topical Rept NEDC-32320, "Enrico Fenn 2 M&B & Poles Evaluation Final Rept." rev 1.
* General Electric Co. 64/06/30. 200pp. 66728:328-66728:336.

660100021 FOIA request for documents re 320612 rept issued by NRC entitled, "Environ Assessment for Decommissioning of Babcock & Wilcox Apollo Site."
REEVES,K.G. Affiliation Not Assigned. 95/10/12. Division of Freedom of Information & Publications Services (Post 640714). 1p. 66728:090-66728:090.

660100025 Final response to FOIA request for documents. App A documents already available in PDR. App A list also identifies each ref to 320612 rept & explanation of ref availability.
GRIMSLEY,D. Division of Freedom of Information & Publications Services (Post 640714). 65/12/15. REEVES,K.G. Affiliation Not Assigned. 7pp. 66728:091-66728:100.

-660100027 Package consisting of pages from B&W Apollo environ assessment rept. * NRC - No Detailed Affiliation Given. 92/06/12. 12pp. 66728:095-66728:108.

660100092 FOIA request for info re compliance, transportation, storage & disposal for Florida Inst of Technology site with respect to possession or use of radioactive matls.
FREEBURG,K.A. Affiliation Not Assigned. 65/11/29. POWELL,J.R. Division of Freedom of Information & Publications Services (Post 640714). 2pp. 66728:110-66728:111.

660100048 Final response to FOIA request for documents. App A record end & placed in PDR. App B documents already available in PDR.
POWELL,J.R. Division of Freedom of Information & Publications Services (Post 640714). 65/12/21. FREEBURG,K.A. Affiliation Not Assigned. 14pp. 66728:112-66728:127.

-660100020 Forwards semiannual rept on routine financial assurance exemptions in response to 911024 memo on topic.
HICKEY,J.W. Fuel Cycle Safety Branch (870729-890208). 92/02/12. AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 2pp. 66728:128-66728:127.

660100093 FOIA request for documents on all facilities licensed by Atomic Energy Commission in borough of Palmerton, PA during 1940s through 1960s.
HILL,F.J. Pennsylvania State Univ., Harrisburg, PA. 65/11/13. POWELL,J.R. Division of Freedom of Information & Publications Services (Post 640714). 1p. 66728:048-66728:048.

660100098 Final response to FOIA request for documents. Forwards App A documents & also placed in PDR.
POWELL,J.R. Division of Freedom of Information & Publications Services (Post 640714). 65/12/21. HILL,F.J. Pennsylvania State Univ., Harrisburg, PA. 6pp. 66728:047-66728:068.

-660100007 Forwards application for med/byproduct license.
GUNAK, Gulf & Western Industries, Inc. 02939. 60/02/22. WRIGHT,E. Materials Licensing Branch. 1p. 66728:067-66728:067.

-660100011 Application for med/byproduct license authorizing Pu-239 & Am-241 in sealed sources for zinc determination in slurry & for rel standard. W/oms overseas drawing.
GUNAK, Gulf & Western Industries, Inc. 02939. 60/02/22. 17pp. 66728:068-66728:074.

166 NONDOCKETED ITEMS

-8003240344 Forwards corrected application for mail/hyproduct license. GUMK, Gulf & Western Industries, Inc. 80/02/28. WRIGHT, E. Materials Licensing Branch. 1p. 86758:075-86758:078.

-8003240347 Corrected application for mail/hyproduct license authorizing use of 30-mCi Pu & three mCi Am-241 in sealed sources. GUMK, Gulf & Western Industries, Inc. 80/02/28. 3pp. 86758:078-86758:078.

-8005018283 Mail/Hyproduct License 37-18134-01 for New Jersey Zinc Co authorizing use of Pu-238 & Am-241 sealed sources in Texas Model XOLA analyzer for x-ray fluorescence analyzer. JONES, J.A. Materials Licensing Branch. 80/04/04. 3pp. 86758:079-86758:081.

-8112143080 IE Insp Findings & Licensee Ack dtd 811103 of License 37-18134-01, Insp findings noncompliance noted. MCGINNIS, J.A. Region 1, Ofc of the Director (810201-820201). 81/11/02. 1p. 86758:082-86758:082.

-860180107 Application for license authorizing possession of 2 lb U nitrate. BRYAN, R. Affiliation Not Assigned. 87/11/15. 4pp. 86758:089-86758:092.

-860180110 Forwards application for license to transfer, deliver, export or receive U or thorium source mail for approval w/o application. BRYAN, R. Affiliation Not Assigned. 87/11/20. Atomic Energy Commission (Pre 760119). 1p. 86758:093-86758:093.

-860180139 Ack receipt of request for AEC license to purchase chemical containing U &/or thorium. Unnecessary that specific license be issued authorizing procurement & use of sub mail. JOHNSON, L. Atomic Energy Commission (Pre 750110). 87/11/26. BRYAN, R. Affiliation Not Assigned. 2pp. 86758:094-86758:095.

-860180139 Documents & questions w/EG Wright of Mail Certification & Procedures Branch on 800110 re request to use Texas Nuclear XOLA device containing 10 mCi Co-109. Licensee did not need custom review before authorizing use of sub device. O'REILLY, J.A. Materials Licensing Branch. 80/02/11. Materials Licensing Branch. 1p. 86758:096-86758:096.

-860180185 Draft Insp rept. 30-17423/31-01 on 811103. No noncompliance noted. Major areas inspected: program requirements. MCGINNIS, J.A. NRC - No Detailed Affiliation Given. 81/11/19. 3pp. 86758:098-86758:098.

-860180150 Application for amend to license 37-18134-01, terminating license. Form NRC-314 encl. TOEPFER, W.J. Affiliation Not Assigned. 83/12/15. Region 1 (Post 820201). 1p. 86758:099-86758:099.

-860180182 Certificate of disposition of metallic salts prepared or possessed by licensee under license 37-18134-01 transferred to Texas Nuclear Corp. TOEPFER, W.J. Affiliation Not Assigned. 83/12/15. 1p. 86758:097-86758:097.

-860180184 Forwards Amend 1 to license 37-18134-01, terminating license. JOHNSON, L.D. Region 1 (Post 820201). 81/07/27. TOEPFER, W.J. Affiliation Not Assigned. 1p. 86758:098-86758:098.

-860180186 Amend 1 to license 37-18134-01, terminating license. JOHNSON, L.D. Region 1 (Post 820201). 84/01/27. 1p. 86758:099-86758:099.

860180233 FOIA request for Operations Ch event repts from 940413-17 & Headquarters Daily rept from 940413-17. KURTZ, E. 85/11/13. GREGG, D.H. Division of Freedom of Information & Publications Services (Post 940714). 1p. 86758:105-86758:105.

860180237 Final response to FOIA request for documents. App A documents encl & also placed in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 85/12/21. KURTZ, E. 2pp. 86758:106-86758:106.

-860180247 Package consisting of event repts for 940413-17 for Bled plants & Region 1 meeting rept for 940413-15. * NRC - No Detailed Affiliation Given. 85/12/21. 4pp. 86758:108-86758:108.

860180640 FOIA request for guidance documents known as Insp plans. WILLIAMS, O.G. JFA Associates. 80/05-120. 86/10/31. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 86758:020-86758:020.

860180641 Final response to FOIA request for records. Periodic plant performance review info planning first routinely placed in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 85/12/29. WILLIAMS, O.G. JFA Associates. 1p. 86758:021-86758:021.

860180642 FOIA request for records re 40001874 permit, testing & mtg requirements for Stratum use by NU Zinc Co. CALVIN, L. Affiliation Not Assigned. 85/11/21. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 86758:037-86758:038.

860180643 Final response to FOIA request for records (40001874). App A info available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 85/12/21. CALVIN, L. Affiliation Not Assigned. 2pp. 86758:039-86758:040.

860180644 FOIA request for NRC active contract list. AMBROSE, R.E. Affiliation Not Assigned. 85/10/28. Division of Freedom of Information & Publications Services (Post 940714). 1p. 86758:189-86758:189.

860180645 Final response to FOIA request for records. Primout encl & available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 85/12/21. AMBROSE, R.E. Affiliation Not Assigned. 1p. 86758:190-86758:191.

-860180646 List of all contracts & interagency agreements in CHS. * NRC - No Detailed Affiliation Given. 85/10/27. 40pp. 86758:191-86758:211.

860180647 Ninth final response to FOIA request for records. App O record available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 86/01/03. PATTERSON, S.J. Morgan, Lewis & Bockius. 6pp. 86758:022-86758:031.

860180648 FOIA request for Advisory Committee on Medical Uses of Isotopes meetings or NRC meetings or directives re acceptance procedures for concurrent training as stipulated under 10CFR95.820(b)(2) & (3) during 1995. ROSE, C.H. Institute for Nuclear Medical Education, Inc. 86/12/05. REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 86758:032-86758:032.

860180649 Final response to FOIA request for records. App A records available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 86/01/03. ROSE, C.H. Institute for Nuclear Medical Education, Inc. 2pp. 86758:033-86758:034.

860180650 FOIA request for info re joint venture between Zinc Corp of America & Texas Corp to produce enriched U. HILL, R.J. Pennsylvania State Univ., Harrisburg, PA. 85/12/05. LEVINS, R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 86758:035-86758:035.

860180651 Final response to FOIA request for records. No agency records subj to request located. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 86/01/03. HILL, R.J. Pennsylvania State Univ., Harrisburg, PA. 1p. 86758:036-86758:036.

860180652 FOIA request for records re Highlands Reclamation Project or Felter Reclamation Project. STAZER, A.K. Affiliation Not Assigned. 85/12/05. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 86758:037-86758:037.

860180653 First partial response to FOIA request for records. Listing for Highland Reclamation Project encl. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 86/01/02. STAZER, A.K. Affiliation Not Assigned. 1p. 86758:038-86758:038.

-860180654 List of publicly available documents for Highlands Reclamation Project. * NRC - No Detailed Affiliation Given. 86/01/02. 6pp. 86758:039-86758:039.

860180657 Fourth partial response to FOIA request for records. App F & G records encl & available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 85/12/14. LEE, S.K. Affiliation Not Assigned. 4pp. 86758:041-86758:045.

-860180659 SECY-88-320 Inform Commission of staff intent to issue confirmatory order modifying 3M Co license effective immediately. STELOV, D. Ofc of the Executive Director for Operations. 88/11/15. 72pp. 86758:118-86758:247.

-860180659 Forwards confirmatory order modifying License 22-00057-06, effective immediately. Order responds authority under License 22-00057-06 to transfer Po-210 static elimination devices to specific licensees other than 3M. THOMPSON, J.L. Office of Nuclear Material Safety & Safeguards. 86/12/21. THOMPSON, J.L. Minnesota Mining & Manufacturing Co. (3M Co.). 2pp. 86758:046-86758:046.

-860180659 Confirmatory order modifying License 22-00057-06, effective immediately. THOMPSON, J.L. Office of Nuclear Material Safety & Safeguards. 88/12/21. Minnesota Mining & Manufacturing Co. (3M Co.). 17pp. 86758:048-86758:059.

-860180659 Presents items for consideration for 3M civil penalty or fees. SJOBLIN, J.L. Division of Industrial & Medical Nuclear Safety (Post 870729). 88/06/23. LIEBERMAN, J. Ofc of Enforcement (Post 870413). CHANDLER, J. Ofc of the General Counsel (Post 860701). NOBLE, J.C. Region 3 (Post 820201). 4pp. 86758:100-86758:109.

-860180659 Concurs on Commission paper & draft enforcement action in 801264 memo. BERNIERO, R.M. Office of Nuclear Material Safety & Safeguards. 88/12/14. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 1p. 86758:110-86758:112.

-860180659 Concurs on revised Commission paper entitled, "Proposed Enforcement Action Against 3M". BERNIERO, R.M. Office of Nuclear Material Safety & Safeguards. EA-88-028. 80/04/27. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 1p. 86758:113-86758:116.

-860180659 Responds to 8PM dtd 900606 re proposed EA against 3M. TAYLOR, J.M. Ofc of the Executive Director for Operations. EA-88-028. 80/10/04. CARR, ROGERS, CURTIS Commissioners (Post 760118). 3pp. 86758:117-86758:118.

-860180659 "Annual Rept of Activities Under License 22-00057-32G for Period Jul 1984 - June 1985." KUNZ, R.J. Minnesota Mining & Manufacturing Co. (3M Co.). 86/06/30. 8pp. 86758:349-86758:355.

-860180659 Forwards "Annual Rept of Activities Under License 22-00057-32G for Period Jul 1984 - June 1985." KUNZ, R.J. Minnesota Mining & Manufacturing Co. (3M Co.). 86/07/09. MALLETT, B.S. Region 3 (Post 820201). 1p. 86758:348-86758:348.

860180646 FOIA request for records re Ammon Inc &/or T4/con/Inc. BICKMAN, J. Stocker & Yale, Inc. 85/09/27. NRC - No Detailed Affiliation Given. 1p. 86758:004-86758:004.

860180648 First partial response to FOIA request for records. App A & B records encl & available in PDR. Review of sub records subj to request continuing. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 86/01/04. BICKMAN, J. Stocker & Yale, Inc. 6pp. 86758:005-86758:008.

-820503048 Ack receipt of 820125 re informing NRC of steps taken to correct violations noted in IE Insp of License 21-19674-01. GREGER, L.R. Technical Inspection Br/Div of Engineering & Technical Inspection. 82/03/01. BRIDGEMAN, A. Leadership Keys, Inc. 7p. 86758:011-86758:013.

- 8-20503580 Responds to NRC 811230 for re violations noted in IE Insp of License 21-19874-01. Corrective actions: License 21-19874-01 applied for and resolved. Instructions & regulation items will be included w/each gunlight.
BINDON, G.A., Leadership Keys, Inc. 82/01/25. GREGG, L.R., Technical Inspection Br./Div of Engineering & Technical Inspection, RS. 2pp. 86772012-86772013.
- 8-205270278 Responds to 810623 application requesting authorization to distribute tritium gunlights to exempt persons. NRC has taken steps to terminate one license authorized to distribute such gunlights. Alternative suggested.
HICKEY, J.W., Division of Fuel Cycle & Material Safety (Pre 870413). 09/06. 61/10/13. BINDON, G.A., Leadership Keys, Inc. 2pp. 86772175-86772176.
- 8-205270469 Confirms 811109 conversation wherein Leadership Keys, Inc. requested NRC to review application for distribution of tritium gunlights to general licensees.
BINDON, G.A., Leadership Keys, Inc. 09/06. 61/11/08. HICKEY, J.W., Division of Fuel Cycle & Material Safety (Pre 870413). 2pp. 86772177-86772178.
- 8-212060040 Ack receipt of 821022 for requesting 90-day extension to respond to item of noncompliance noted in IE Insp of License 21-19874-01 on 810923. Request granted. Response must be submitted by 821227.
MILLER, J.R., Div of Engineering, RS. 82/11/30. BINDON, G.A., Leadership Keys, Inc. 1p. 86772191-86772192.
- 8-212060043 Requests 90-day extension to respond to item of noncompliance re repts to responsible Agreement States, as noted in IE Insp of License 21-19874-01 on 810923.
BINDON, G.A., Leadership Keys, Inc. 82/10/22. SRENIAWSKI, G.J., Region 3 (Post 820201). 2pp. 86772192-86772193.
- 8-201118421 Ack receipt of 821227 for informing NRC of steps taken to correct violations noted in IE Insp of License 21-19874-01.
SRENIAWSKI, G.J., Region 3 (Post 820201). 83/01/06. BINDON, G.A., Leadership Keys, Inc. 1p. 86772194-86772205.
- 8-201118423 Responds to NRC 821130 for re violations noted in IE Insp of License 21-19874-01. Corrective actions: w/quarterly report covering four quarters will be sent to each agreement state.
BINDON, G.A., Leadership Keys, Inc. 82/12/27. MILLER, J.R., Div of Engineering, RS. 1p. 86772195-86772195.
- 8-201118428 Requests extension to submit repts to agreement states. Meeting of quarterly repts misinterpreted & quarterly repts now being made according to calendar quarters.
BINDON, G.A., Leadership Keys, Inc. 82/10/22. SRENIAWSKI, G.J., Region 3 (Post 820201). 2pp. 86772196-86772206.
- 8-249670195 Amend 2 to License 21-19874-01 for Armon, Inc., changing items 6 through 9 & Condition 22 to increase possession limits for R&D quantities of gaseous tritium light sources & certain illuminated devices.
ADAM, W.J., Region 3 (Post 820201). 84/07/26. 1p. 86772212-86772212.
- 8-249670202 Forwards supplementary check for fee re request to amend License 21-19874-01. Exempt distribution will be made under License 21-19874-02E.
BINDON, G.A., Armon, Inc. 76731. 84/06/29. JACKSON, G., License Fee Management Branch (Pre 861124). 1p. 86772207-86772207.
- 8-249670206 Requests balance of fee for application to amend License 21-19874-01. Addition of R&D activities increased scope of program. W/o stated encl.
JACKSON, G., License Fee Management Branch (Pre 861124). 84/05/25. BINDON, G.A., Armon, Inc. 1p. 86772208-86772208.
- 8-249670211 Forwards Amend 2 to License 21-19874-01. License conditions listed.
Region 3 (Post 820801). 84/07/26. BINDON, G.A., Armon, Inc. 2pp. 86772213-86772214.
- 8-249670217 Provides add info re request to amend License 21-19874-01, in response to 84021 request. R&D activities will include mounting light sources into gunlights, both optical & iron sight types.
BINDON, G.A., Armon, Inc. 76731. 84/08/27. ADAM, W.J., Region 3 (Post 820201). 2pp. 86772206-86772206.
- 8-249670221 Requests listed add info re 84024 application to amend License 21-19874-01. Requested info includes description of R&D activities which may fracture light sources & precautions in identification of leading sources.
ADAM, W.J., Region 3 (Post 820201). 84/08/21. BINDON, G.A., Armon, Inc. 1p. 86772210-86772210.
- 8-249670223 Application to amend License 21-19874-01, authorizing use of 100 Ci gaseous tritium light sources & certain illuminated devices for R&D. Fee paid.
BINDON, G.A., Armon, Inc. 76731. 84/04/24. Region 3 (Post 820201). 1p. 86772211-86772211.
- 8-262070247 Amend 1 to License 21-19874-02E for Armon, Inc., amending license in entirety.
HICKEY, J.W., Materials Licensing Branch. 88/04/23. 2pp. 86772079-86772080.
- 8-262070249 Requests expedited date of NRC action on 850727 application for amend to License 21-19874-02E, re device review for exempt distribution of gunlights containing tritium.
BINDON, G.A., Armon, Inc. 0409. 85/11/04. Division of Fuel Cycle & Material Safety (Pre 870413). 1p. 86772063-86772063.
- 8-262070251 Forwards Parts A & D of application for amend to License 21-19874-01. Proprietary info deleted per request. Immediate issuance of amends requested.
BINDON, G.A., Armon, Inc. 19128. 85/11/15. ADAM, W.J., Region 3 (Post 820201). 13pp. 86772215-86772227.
- 8-262070253 Confirms 851216 telcon. NRC response to application for amend to license concerning exempt tritium gunlight expected by 860115.
BINDON, G.A., Armon, Inc. 85/12/30. HICKEY, J. NRC - No Detailed Affiliation Given. 1p. 86772084-86772084.
- 8-262070254 Responds to 860107 request for add info re application for amend to License 21-19874-02E. Const detail & labeling info for optically magnifying scopes discussed. Scope diagrams encl.
BINDON, G.A., Armon, Inc. 019128. 86/01/08. BAGGETT, S.L., Materials Licensing Branch. 7pp. 86772065-86772072.
- 8-262070255 Forwards listed add info re 870906 application for amend to License 21-19874-02E, authorizing use of tritium for illumination of rifle scopes to persons exempt from license requirements per 10CFR30.18. Rifle scope diagrams encl. Fee paid.
BINDON, G.A., Armon, Inc. 19128. 85/07/27. 8pp. 86772016-86772021.
- 8-262070258 Application for amend to License 21-19874-02E, authorizing use of tritium for illumination of iron sights on handguns, rifles & shotguns. Diagrams, wipe procedures & resumes encl.
BINDON, G.A., Armon, Inc. 85/07/27. 4pp. 86772022-86772062.
- 8-262070259 Amend 2 to License 21-19874-02E for Armon, Inc., amending license in entirety.
HICKEY, J.W., Materials Licensing Branch. 86/04/18. 2pp. 86772083-86772084.
- 8-262070261 Requests that Control 19126 be reopened & that exempt distribution of tritium illuminated gunlights be approved in rev to distribution license.
BINDON, G.A., Armon, Inc. 019621. 86/04/03. BAGGETT, S.L., Materials Licensing Branch. 2pp. 86772081-86772082.
- 8-262070261 Amend 3 to License 21-19874-01 for Armon, Inc., authorizing use of H-3 & C-14 for possession incident to mg of gunights or magnifying scopes & R&D per 10CFR30.4(c) respectively.
ADAM, W.J., Region 3 (Post 820201). 86/02/14. 2pp. 86772237-86772289.
- 8-262070269 Informs that effective w/issuance of Amend 3 to License 21-19874-01 on 860214, license classified in listed fee categories. Distribution of mg items authorized under License 21-19874-02E.
JACKSON, G., License Fee Management Branch. 87/09/10. License Fee Management Branch. 2pp. 86772230-86772230.
- 8-262070269 Application for amend to License 21-19874-02E, changing items 1-3. Application for renewal of License 21-19874-01 withdrawn due to company already having appropriate possession license. Fee paid.
BINDON, G.A., Armon, Inc. 020232. 87/09/16. BAGGETT, S.L., Office of Nuclear Material Safety & Safeguards. 2pp. 86772231-86772231.
- 8-262070269 Requests fees for 870123 application for renewal of License 21-19874-01. 870906 application for amend to License 21-19874-01 & 870906 & 0722 applications for amends to License 21-19874-02E per 10CFR170.
JACKSON, G., License Fee Management Branch. 020232. 87/09/01. BINDON, G.A., Armon, Inc. 2pp. 86772114-86772115.
- 8-262070277 Application for amend to License 21-19874-01, authorizing distribution of gunights containing 300 uCi C-14 each to agencies w/NRC possession license. Luminant marker sketch encl.
BINDON, G.A., Armon, Inc. 20042. 87/06/08. Region 3 (Post 820201). 2pp. 86772228-86772228.
- 8-262070281 Application for amend to License 21-19874-02E.
BINDON, G.A., Armon, Inc. 87/07/22. BAGGETT, S.L., NRC - No Detailed Affiliation Given. 10pp. 86772102-86772113.
- 8-262070283 Application for amend to License 21-19874-02E, authorizing alternate labeling of tritium gunights authorized for exempt distribution & alternate const for Tritium rifle scopes. Fee paid.
BINDON, G.A., Armon, Inc. 020232. 87/06/08. BAGGETT, S.L., Office of Nuclear Material Safety & Safeguards. 17pp. 86772085-86772101.
- 8-262070287 Responds to 860323 request for clarification, resulting from add correspondence, letters, visits to facility & changes in personnel re 870906 application for amend to License 21-19874-02E.
BINDON, G.A., Armon, Inc. 88/04/22. LAMASTRIAM, Medical, Academic & Commercial Use Safety Branch.

168 NONDOCKETED ITEMS

-960110081 Responds to NRC 871222 ltr requesting further info re dose estimates for all members of public likely to come in contact w/inscopes.
BONDON,G.A. Amnson, Inc. 88/01/06. MACKEZIE,C.L. Medical, Academic & Commercial Use Safety Branch. 8pp. 86772:122-86772:126.

-960110088 Responds to 860929 ltr requesting addl info re 870606 application for amend to license 21-18974-02E.
BONDON,G.A. Amnson, Inc. 88/10/26. LAMASTRAJMA, Medical, Academic & Commercial Use Safety Branch. 8pp. 86772:133-86772:138.

-960110090 Application for amend/renewal license 21-18974-02E.
BONDON,G.A. Amnson, Inc. 88/12/27. 7pp. 86772:140-86772:146.

-960110121 Requests addl listed fee for 881227 application for renewal of license 21-18974-02E.
JACKSON,G. License Fee Management Branch. 020730. 88/01/23. BONDON,G.A. Amnson, Inc. 1p. 86772:147-86772:147.

-960110123 Ask receipt of application for renewal of license 21-18974-02E.
CARRICO,J.B. Medical, Academic & Commercial Use Safety Branch. 020730. 88/03/13. Amnson, Inc. 1p. 86772:148-86772:148.

-960110126 Forwards drawing obtained from Japanese supplier in response to telcon.
BONDON,G.A. Trifon, Inc. BONDON,G.A. Amnson, Inc. 90/01/16. BELL,S. NRC - No Detailed Affiliation Given. 8pp. 86772:149-86772:156.

-960110128 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for model 890/G/200. Certificate NR-416-D-101-E.
BELL,S.W. Office of Nuclear Material Safety & Safeguards. NR-416-D-101-E. 88/03/22. 2pp. 86772:157-86772:158.

-960110130 Forwards addl info found at insp on 880205.
FAIRER,J.R. Affiliation Not Assigned. 83/02/18. COURTEMANCHES, Region 1 (Post 820201). 11pp. 86772:159-86772:174.

-960110138 Discusses Leadership Keys, Inc distribution of gunsights, each containing approx 160 mCi H-3 w/o license.
LASKIN,S.R. Region 3, Ofc of the Director (810301-820201). 81/12/29. Region 3, Ofc of the Director (810301-820201). 2pp. 86772:160-86772:161.

-960110140 Requests addl listed info re 810623 application for matl byproduct license to receive & distribute Amnson gunsights containing Tritium.
HICKEY,J.W. Materials Licensing Branch. 09065. 82/01/08. BONDON,G.A. Leadership Keys, Inc. 2pp. 86772:162-86772:165.

-960110141 Forwards registration & safety evaluation document for Amnson OEG gunsight.
WRIGHT,E.G. Office of Nuclear Material Safety & Safeguards. 82/03/28. BONDON,G.A. Leadership Keys, Inc. 1p. 86772:166-86772:166.

-960110144 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for model PRR/G/200. Certificate NR-418-D-101-G.
WRIGHT,E.G. Office of Nuclear Material Safety & Safeguards. NR-418-D-101-G. 82/03/31. 4pp. 86772:167-86772:169.

960120095 FOIA request for communication w/listed organizations re training & experience requirements for physicians under 10CFR35.920(b)(2) & (3).
ROSE,C.H. Institute for Nuclear Medical Education, Inc. 85/12/08. REED,C.A. NRC - No Detailed Affiliation Given. 1p. 86840:001-86840:001.

960120089 Final response to FOIA request. Forwards app A info which will be available in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 86/01/17. ROSE,C.H. Institute for Nuclear Medical Education, Inc. 2pp. 86840:002-86840:011.

-960120013 Expresses alarm by ACMU deliberations to NRC re training & experience of authorized user to allow exemptions to subpart J. Advice of ACMU opposed.
ISKANDRIAN,A.S. WACKERS,F.J. Affiliation Not Assigned. 95/05/22. POLYCOVE,M. NRC - No Detailed Affiliation Given. 8pp. 86840:004-86840:011.

960120119 Second final response to FOIA request. No addl Field or Highlands Remediation Projects info located.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/01/17. STAZER,A. Affiliation Not Assigned. 1p. 86840:012-86840:014.

960120286 FOIA request for documents re insp repts 50-390/95-40 & 50-391/95-40.
HONICKER,L. Affiliation Not Assigned. 95/12/12. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 21pp. 86840:015-86840:033.

960120296 Final response to FOIA request for documents. Records in App A available in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 86/01/17. HONICKER,L. Affiliation Not Assigned. 2pp. 86840:040-86840:189.

960126004 FOIA Request for list of BMPAC credit card holders, work addresses & phone numbers.
HARRIS,C.J. Affiliation Not Assigned. 86/01/11. NRC - No Detailed Affiliation Given. 1p. 86854:042-86854:042.

960126005 Final response to FOIA request for records. App A & B records and available in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 86/01/17. HARRIS,C.J. Affiliation Not Assigned. 1p. 86854:043-86854:047.

-960126007 Package consisting of lot of individuals in small purchasing dept & individuals holding back cards & approving officials.
* NRC - No Detailed Affiliation Given. 86/01/17. 4pp. 86854:044-86854:047.

960126008 FOIA request for all documents re request for investigation RI-81-10 & safeguards info contained in any tape recording A Mosbaugh provided to NRC.
KOH,M.D. Kohn, Kohn & Colepinto, P.C. (formerly Kohn & Associates). 85/03/20. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 86854:048-86854:048.

960126011 Second partial response to FOIA request for records. App A & releasable portions of App B records and available in PDR. App B records partially withheld (rel FOIA Exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/01/11. KOHN,M.D. Kohn, Kohn & Colepinto, P.C. (formerly Kohn & Associates). 4pp. 86854:050-86854:050.

-960126019 Notices of case closing re alleged provision of Votile safeguards info to Turkey Point security officer.
VORSE,J.Y. Ofc of Investigations (Post 880201). 82/09/14. EBNETER,S.D. Region 2 (Post 820201). 3pp. 86854:054-86854:056.

-960126026 Discusses request for investigation RI-81-10 re former employee A Mosbaugh currently in possession of safeguards info.
VORSE,J.Y. Ofc of Investigations (Post 880201). 82/08/17. EBNETER,S.D. Region 2 (Post 820201). 4pp. 86854:057-86854:060.

960126062 FOIA request for records re request for investigation RI-81-10.
VEIRAE,F. TroutmanSanders (formerly Troutman, Sanders, Lockman & Ashmore). 96/10/08. KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 86854:061-86854:065.

960126067 First partial response to FOIA request for records. App A & releasable portions of App B records and available in PDR. App B records partially withheld (rel FOIA Exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/01/11. VEIRAE,F. TroutmanSanders (formerly Troutman, Sanders, Lockman & Ashmore). 4pp. 86854:066-86854:076.

960126068 FOIA request for correspondence re allegations against Sincor Corp. 8-0999-45-18378-01M2.
MCANANY,J. Sincor International Corp. 85/11/01. Local Public Document Room Branch. 1p. 86854:077-86854:077.

960126085 Final response to FOIA request for records. App A & releasable portions of App B records and App B records partially withheld (rel FOIA Exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/22. MCANANY,J. Sincor International Corp. 4pp. 86854:078-86854:142.

-960126089 Advises that allegation RI-84-A-0189 was referred to FDA for review. FDA has no interest in matter.
TROJANOWSKI,R. Region 2 (Post 820201). 84/12/08. JONES,A.R. Region 2 (Post 820201). 20pp. 86854:085-86854:104.

-960126092 Forwards summary of two concerns received re radiopharm operations at Sincor.
TROJANOWSKI,R. Region 2 (Post 820201). 85/01/28. MILLEY,S. Virginia, Commonwealth of. 2pp. 86854:085-86854:105.

-960126098 Forwards allegation summary, field note 30-14984/94-02 & notice of violation.
HOSEY,C.M. Region 2 (Post 820201). 95/01/27. DEMIRANDA,C. Region 2 (Post 820201). 24pp. 86854:107-86854:130.

-960126097 Partially withheld ltr forwarding allegation summary re RI-84-D-168. Allegation substantiated.
URTYC,B. Region 2 (Post 820201). 85/02/14. Affiliation Not Assigned. 7pp. 86854:131-86854:140.

-9601260180 Partially withheld ltr forwarding questionnaire re allegation RI-84-D-168.
DEMIRANDA,C. Region 2 (Post 820201). 95/10/20. Affiliation Not Assigned. 2pp. 86854:141-86854:142.

9601260102 FOIA request for listing of all active contracts administered by NRC.
LITTLE,C.J. Z, Inc. 85/12/15. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 86857:179-86857:180.

9601260106 Final response to FOIA request for records. App A records and available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 88/01/18. LITTLE,C.J. Z, Inc. 2pp. 86857:181-86857:264.

-9601265107 Alphabetical listing of active NRC contracts.
* NRC - No Detailed Affiliation Given. 96/01/03. 81pp. 86857:183-86857:264.

9601260149 FOIA request for documents re NRC decisions or correspondence & associated documents re commercial uses of krypton contaminated w/ small quantities of radioactive isotopes.
SMALL Affiliation Not Assigned. 136015. 95/11/26. FELTON,L.M. Division of Freedom of Information & Publications Services (Post 940714). 1p. 86873:001-86873:001.

9601260151 Final response to FOIA request for documents. No agency records subject to request have been located.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 86/01/11. SMALL,P. Affiliation Not Assigned. 1p. 86873:002-86873:002.

9601260169 FOIA request for documents re radioactive waste licenses that authorize licensees to conduct emission remediation decontamination & decommissioning at remote or temporary job sites within US.
JONES,N.K. Nuclear Fuel Services, Inc. 95/11/10. Division of Freedom of Information & Publications Services (Post 940714). 1p. 86884:001-86884:001.

9601260176 Final response to FOIA request for documents. Records in App A and available in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 86/01/11. JONES,N.K. Nuclear Fuel Services, Inc. 2pp. 86884:002-86884:003.

-9601260197 Radioactive waste broker & processor sites CRCPD notes of June 1985, matl license program codes & active NRC decontamination svcs licenses.
* Division of Freedom of Information & Publications Services (Post 940714). 95/06/30. 6pp. 86894:004-86894:023.

9601260202 FOIA request for copy of Contract NRC-83-60-704 & related info.
RIVERA,R.L. Affiliation Not Assigned. NRC-83-60-704. 95/11/16. Division of Freedom of Information & Publications Services (Post 940714). 1p. 86873:127-86873:127.

9501290004 Final response to FOIA request. App A & releasable portions App B records end & available in PDF. App C records withheld in entirety (rel FOIA Exemption 5). App B records partially withheld (rel FOIA Exemption 4).
* Division of Freedom of Information & Publications Services (Post 940714). 95/01/18. RIVERA, R.J. Affiliation Not Assigned. 7pp. 86873:128-86873:227.

-9501290009 Contract: "Core Mail Mail Interactions Evaluations" awarded to Applied Science Assoc.
SWANSON, D.G. Applied Science Associates, Inc. MARCHESE, A.R. NRC - No Detailed Affiliation Given. PRR B-6823. 80/04/16. 90pp. 86873:135-86873:227.

9501290014 FOIA request for records re finding that much larger quantities of long-lived radionuclides being disposed of as low-level waste than previously anticipated.
LYOULL, J.K. Committee to Bridge the Gap. 95/12/07. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 86873:003-86873:008.

9501290019 Final response to FOIA request for records. Records identified in App B available in PDF & records identified in App A being made available in PDF & end. KAMMERER, C.C. Division of Freedom of Information & Publications Services (Post 940714). 95/01/11. LYOULL, J.K. Committee to Bridge the Gap. 4pp. 86873:007-86873:128.

-9501290085 Forwards Executive Director of Operations 940722 ltr responding to ACNW 940623 ltr re: (sub) of NRC staff performance assessment capability in LLW program.
GUSCHOL, G.N. Advisory Committee on Nuclear Waste. FACA. 94/08/02. POMEROY, P.W. GARRICK, B. Advisory Committee on Nuclear Waste. 3pp. 86873:011-86873:013.

-9501290182 Responds to 940603 ltr from ACNW to Chairman re results of ACNW 940322 review of staff LLW performance assessment program.
TAYLOR, J.M. Ofc of the Executive Director for Operations. FACA. 94/07/20. STEINLE, R.M. Advisory Committee on Nuclear Waste. 4pp. 86873:014-86873:022.

-9501290111 Forwards agenda & schedule for presentations at LLW performance assessment workshop on 941116-17.
GUSCHOL, G.N. Advisory Committee on Nuclear Waste. FACA. 94/12/08. GARRICK, B. Advisory Committee on Nuclear Waste. 51pp. 86873:023-86873:126.

9501290051 FOIA request for copies of all public acceptance activity repts.
DEROK, D. Affiliation Not Assigned. 17. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 86895:001-86895:006.

9501290064 First partial response to FOIA request for documents. Records in App A & B & releasable portions of App C end & available in PDF. App C records partially withheld (rel FOIA Exemption 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/11. DEROK, D. Affiliation Not Assigned. 3pp. 86895:006-86895:065.

-9501290184 Trip re: 750429 visit to Oyster Creek to delay action required by Final Emission Statement in removing untreated wood until after coming season.
BORES, R.J. Region I, IE (720101-810228). 75/05/28. Region I, IE (720101-810228). 108pp. 86895:036-86895:203.

-9501290184 Forwards "Blue Sheet" number 78 dtd 730104 & evaluation memo dtd 730428.
O'REILLY, J.P. Region I, IE (720101-810228). 78/03/16. DRIEHR, F.A. Region III, IE (720101-810228). 4pp. 86895:204-86895:207.

-9501290170 Document findings of review of licensee environ monitoring program.
GALLINA, C.C. Region I, IE (720101-810228). 73/04/28. STONER, J.P. Region I, IE (720101-810228). 5pp. 86895:208-86895:225.

9501290057 Second partial response to FOIA request. Releasable portions of Appendix C records and Appendix C records partially withheld (rel FOIA exemption 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/16. SHOMAN, J. Shocker & Yala, Inc. 3pp. 86894:086-86894:108.

-9501290108 Provides list of all persons or agencies generally licensed during First Quarterly Report of Distribution of ARMSON O.E.G. Tritium Gunlights reporting period from 820125-0424, per 10CFR32.52.
BINDON, G.A. Leadership Keys, Inc. 82/05/03. Office of Nuclear Material Safety & Safeguards. 3pp. 86894:074-86894:078.

-9501290121 Provides list of all persons or agencies generally licensed during Second Quarterly Report of Distribution of ARMSON O.E.G. Tritium Gunlights reporting period from 820425-0724, per 10CFR32.52. Physical inventory conducted on 820728.
BINDON, G.A. Leadership Keys, Inc. 82/08/24. Office of Nuclear Material Safety & Safeguards. 3pp. 86894:077-86894:080.

-9501290124 Provides list of all persons or agencies generally licensed during Third Quarterly Report of Distribution of ARMSON O.E.G. Tritium Gunlights reporting period of 820725-0930, per 10CFR32.52.
BINDON, G.A. Leadership Keys, Inc. 82/10/22. Office of Nuclear Material Safety & Safeguards. 3pp. 86894:081-86894:082.

-9501290147 Provides list of all persons or agencies generally licensed during Fourth Quarterly Report of Distribution of ARMSON O.E.G. Tritium Gunlights reporting period from 821001-1231, per 10CFR32.52.
BINDON, G.A. Leadership Keys, Inc. 83/01/31. Office of Nuclear Material Safety & Safeguards. 4pp. 86894:083-86894:088.

-9501290156 Provides list of all persons or agencies generally licensed during Second Quarterly Report of Distribution of ARMSON O.E.G. Tritium Gunlights reporting period from 830401-0630, per 10CFR32.52.
BINDON, G.A. Leadership Keys, Inc. 83/07/28. Office of Nuclear Material Safety & Safeguards. 4pp. 86894:087-86894:092.

-9501290174 Provides list of all persons or agencies generally licensed during Fourth Quarterly Report of Distribution of ARMSON O.E.G. Tritium Gunlights reporting period 831001-1231, per 10CFR32.52.
BINDON, G.A. Leadership Keys, Inc. 84/01/31. Office of Nuclear Material Safety & Safeguards. 5pp. 86894:091-86894:095.

-9501290183 Provides list of all persons or agencies generally licensed during First Quarterly Report of Distribution of ARMSON O.E.G. Tritium Gunlights reporting period from 840101-0316, per 10CFR32.52.
BINDON, G.A. Armon, Inc. 84/04/30. Office of Nuclear Material Safety & Safeguards. 2pp. 86894:096-86894:098.

9501290081 Seventh partial response to FOIA request for records. Records identified in App J end & available in PDF. App K records partially withheld & App L records withheld in entirety (rel FOIA Exemptions 4 & 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/22. HUGHES, L. Native Americans for a Clean Environment. 5pp. 86894:168-86894:251.

-9505030346 Forwards action plan resulting from lessons learned re: NRC review of OIG re: Sequoyah Fuels Corp 921117 accident & recommendations not included in action plan.
BERNERO, R.J. Office of Nuclear Material Safety & Safeguards. JORDAN, W.L. Office of Analysis & Evaluation of Operational Data, Director. 95/04/24. TAYLOR, J.M. Ofc of the Executive Director for Operations. 3pp. 86894:199-86894:201.

-9501290192 Discusses brief conversation w/superintendent of Vian Highschool re: meeting room for public info meeting.
BELL, L.B. Office of Nuclear Material Safety & Safeguards. 95/05/03. SHEPHERD, J.C. Office of Nuclear Material Safety & Safeguards. 2pp. 86894:202-86894:203.

-9501290113 Discusses conducting scoping meeting re decommissioning Sequoyah Fuels.
SHEPHERD, J.C. NRC - No Detailed Affiliation Given. 95/04/18. WEBER, J.F. NRC - No Detailed Affiliation Given. 1p. 86894:204-86894:204.

-9501290118 Requests that and ltr to Sequoyah Fuels Corp & comments on 10CFR20 be put in final record.
SHEPHERD, J.C. Office of Nuclear Material Safety & Safeguards. 95/08/05. VILLARREAL, C.R. Office of Nuclear Material Safety & Safeguards. 4p. 86894:205-86894:205.

-9501290128 Requests that sections of documents transmitted in licensee 950608 identified in end & efforts re transfer of license from Sequoyah Fuels Corp to Infinity Analytical Svcs, LLC be protected from disclosure per 10CFR2.790.
ELLIS, J.H. Sequoyah Fuels Corp. 95120-N. 95/10/05. SPITZBERG, B. Region 4 (Post 920201). 5pp. 86894:206-86894:210.

-9501290135 Forwards info re transfer of license to Infinity Analytical Svcs, LLC.
HARLIN, G.L. Sequoyah Fuels Corp. 9576-N. 95/08/08. GALLAN, L.J. Region 4 (Post 920201). 4pp. 86894:211-86894:261.

9501290142 Fourth & final response to FOIA request for records. App I & releasable portions of App J & K records end & available in PDF. App J records partially withheld per exemption 7 & App K records partially & completely withheld per exemption 5.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/22. JOHNSON, D.G. LeBoeuf, Lamb, Leiby & MacRae. 5pp. 86894:099-86894:158.

-9501290172 Discusses allegation of discriminatory employment action & ensures that NRC employment was not terminated on 930122 for making allegations to NRC. Related document end.
MCCABE, M.F. LeBoeuf, Lamb, Leiby & MacRae. BABCOCK, H.N. Construction Products Research, Inc. BABCOCK, H.N. Affiliation Not Assigned. 93/05/05. ROSSICE, Division of Reactor Inspection & Licensee Performance (Post 920004). 3pp. 86894:115-86894:127.

-9501290148 Requests copies of transcript of interviews of H. Allen & D. Marnon.
DONOVAN, L. Affiliation Not Assigned. 94/10/05. SHAPIRO, D. MULLINS, C. Office of the General Counsel (Post 950707). 5pp. 86894:106-86894:114.

-9501290158 Supp 930723 ltr re Const Product Research, Inc & MN Babcock concerning 10CFR28.
MCCABE, M.F. LeBoeuf, Lamb, Leiby & MacRae. 93/08/05. UEBERMAN, J. Ofc of Enforcement (Post 970413). 4pp. 86894:128-86894:156.

9501290155 FOIA request for directives or instructions from NRC to regions &/or Agreement states re requirements for licensing of physicians as stipulated in 10CFR35.4800(b)(2) & (30) for period since 850101 through present.
ROSE, C.H. Institute for Nuclear Medical Education, Inc. 95/12/05. REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 86894:159-86894:159.

9501290158 Final response to FOIA request. Records identified in App A available in PDF. Records identified in App B end & being placed in PDF.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/23. ROSE, C.H. Institute for Nuclear Medical Education, Inc. 3pp. 86894:160-86894:187.

-9511180332 Forwards policy & guidance directive, "Review of Training & Experience Documentation Submitted by Physician User Applicants," which provides standardized guidance for review.
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 970729). 95/11/07. HEHL, C.W. Region 1 (Post 920201). MALLETT, B.A. Region 2 (Post 920201). PEDERSON, C.D. Region 3 (Post 920201). 18pp. 86894:163-86894:167.

9501290149 Second partial response to FOIA request. App C records & releasable portions of App B records end & available in PDF. App B records partially withheld (rel FOIA exemption 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/16. DEROK, D. Affiliation Not Assigned. 4pp. 86895:208-86895:233.

-9501290403 Authorizes shipment of Saxon reactor fuel following in accordance w/ procedures described in application dtd 810503.
NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 61/08/15. AMTSBERG, H.C. Westinghouse Electric Corp. 1p. 86895:273-86895:273.

-9501290407 Authorizes shipment of Saxon reactor fuel element assemblies in accordance w/procedures submitted in application dtd 810418.
NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 61/08/20. AMTSBERG, H.C. Westinghouse Electric Corp. 1p. 86895:274-86895:274.

-9501290423 Requests extension of expiration date authorizing shipment of Saxon reactor fuel followers & instrumental fuel assemblies.
TSCHIEG, R.E. Westinghouse Electric Corp. 61/08/28. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 1p. 86895:275-86895:275.

170 NONDOCKETED ITEMS

- 9601290436 Informs that expiration date of authorization for shipment of Saxon reactor fuel followers & assemblies under License SNM-38, extended from 610915-620101. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 61/09/15. TSCHEGG, R.D. Westinghouse Electric Corp. tp. 86855:275-86855:276.
- 9601290482 Requests extension of expiration date authorizing shipment of Saxon reactor fuel followers & instrumented fuel assemblies to Saxon plant site. AMTSEBERG, H.C. Westinghouse Electric Corp. 61/12/19. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 61/12/19. 86855:277-86855:278.
- 9601290487 Requests to change documents dtd 610630 to read "No Other Source or Special Nuclear Mail will Accompany These Shipments," instead of "No Other Radioactive Mail Will Accompany These Shipments." AMTSEBERG, H.C. Westinghouse Electric Corp. 61/12/21. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 61/12/21. 86855:280-86855:283.
- 9601290472 Forwards application re Saxon shipping for review. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 61/12/26. LUKE, C.D. Atomic Energy Commission (Pre 750119). 61/12/26. 86855:281-86855:281.
- 9601290478 Requests extension of authorization to transport Saxon reactor fuel followers & instrumented fuel assemblies to reactor site. AMTSEBERG, H.C. Westinghouse Electric Corp. 62/03/07. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 62/03/07. 86855:282-86855:282.
- 9601290483 Requests extension of authorization to transport Saxon reactor fuel followers & instrumented fuel assemblies. AMTSEBERG, H.C. Westinghouse Electric Corp. 62/04/26. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 62/04/26. 86855:283-86855:283.
- 9601290487 Requests extension of authorization to transport Saxon reactor fuel followers & instrumented fuel assemblies. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 62/04/26. AMTSEBERG, H.C. Westinghouse Electric Corp. 62/04/26. 86855:284-86855:284.
- 9601290488 Authorizes to transport Saxon reactor fuel followers & instrumented fuel assemblies requested. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 62/05/01. AMTSEBERG, H.C. Westinghouse Electric Corp. 62/05/01. 86855:285-86855:285.
- 9601290494 Requests description of scrap metal to be collected re application dtd 620726. LUKE, C.D. Atomic Energy Commission (Pre 750119). 62/07/30. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 62/07/30. 86855:286-86855:286.
- 9601290497 Forwards docket & request by WED-APD to permit fabrication of Saxon-supplier experiment fuel assemblies. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 62/12/11. LUKE, C.D. Atomic Energy Commission (Pre 750119). 62/12/11. 86855:287-86855:287.
- 9601290499 Requests to review application dtd 631118 from standpoint of nuclear safety. LAYFIELD, R. Atomic Energy Commission (Pre 750119). 63/11/26. LUKE, C.D. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 63/11/26. 86855:288-86855:288.
- 9601290500 Authorizes shipment of Saxon 6X9 fuel assembly in accordance w/procedures described in application dtd 631118. LAYFIELD, R. Atomic Energy Commission (Pre 750119). 63/12/12. NUSSBAUMER, D. Westinghouse Electric Corp. 63/12/12. 86855:289-86855:289.
- 9601290503 Application for amend to License SNM-38, pending review by AEC. AMTSEBERG, H.C. Westinghouse Electric Corp. 61/05/29. LOWENSTEIN, R. Atomic Energy Commission (Pre 750119). 24pp. 65955:290-65955:313.

GEN TEC IS GENERIC TECHNICAL ISSUES

- 9601020058 Forwards "On-site Nuclear Station IEEE Submittal Rept." Rept complete w/one exception. Relay review being done in conjunction w/USI A-46 relay review has not been completed. HAMPTON, J.W. Duke Power Co. 61-86-20. 65/12/25. Document Control Branch (Document Control Desk). 3pp. 65944:001-65944:337.
- 9601020065 Forwards "Crystal River Unit 3 Seismic Evaluation Rept for USI A-46," rev 0. BEARD, P.M. Florida Power Corp. 3F1265-18. 66/01/02. Document Control Branch (Document Control Desk). 2pp. 65883:001-65883:244.
- 9601020070 "Crystal River 3 Seismic Evaluation Rept for USI A-46," rev 0. Florida Power Corp. 66/01/02. 242pp. 65883:003-65883:244.
- 9601030027 Documents revised submittal date for USI A-46 effort from 651231 to 660331. THAYER, J.K. Vermont Yankee Nuclear Power Corp. 65-140. 65/12/29. Document Control Branch (Document Control Desk). 2pp. 65955:389-65955:391.
- 9601030445 Responds to GL 91-06, resolution of generic issue A-30, "Adequacy of Safety-Related DC Power Supplies" at Salem Generating Station units 1 & 2. STORZ, L.F. Public Service Electric & Gas Co. of New Jersey. LR-95104. 66/01/04. Document Control Branch (Document Control Desk). 6pp. 65822:104-65822:108.
- 9601290192 Forwards request for add info re USI A-46 at plant. WANG, A.B. TAC M93450. 66/01/17. BUECHLER, R.E. Northeast Utilities Service Co. 7pp. 65831:290-65831:298.
- 9601290223 Forwards Rev 1 to "Seismic Evaluation Rept" & Rev 1 to "Relay Evaluation Rept" for resolution of USI A-46, per GL 67-02. LINK, S. Wisconsin Electric Power Co. VNP-95-0003. 66/01/19. Document Control Branch (Document Control Desk). 4pp. 65897:001-65897:053.
- 9601290226 Rev 1 to "Seismic Evaluation Rept." DYKSTRA, T.J. Wisconsin Electric Power Co. GL-67-02. 66/01/19. 53pp. 65897:006-65897:059.
- 9601290229 Rev 1 to "Relay Evaluation Rept." DYKSTRA, T.J. Wisconsin Electric Power Co. GL-67-02. 66/01/19. 35pp. 65897:060-65897:063.

- 9601290075 Forwards Rev 2 to Rept 03-0240-1967, "Preferred Safe Shutdown Paths for Milestone Unit 2." Rev 0 to MP2-SEIS-RPT, "Seismic Evaluation Rept for Milestone Unit 2." & Rev 0 MP-RELAY-RPT, "USI A-46 Relay Evaluation Rept for Milestone Unit 2." DEBARBA, E.A. Northeast Nuclear Energy Co. DEBARBA, E.A. Northeast Utilities Service Co. 616469. 66/01/22. Document Control Branch (Document Control Desk). 4pp. 65905:001-65905:224.
- 9601290095 03-0240-1967 R02 "Preferred Safe Shutdown Paths for Milestone Unit 2," in response to NRC GL 67-02. Northeast Nuclear Energy Co. GL-67-02. 65/12/14. 102pp. 65905:006-65905:106.
- 9601290087 MP2-RELAY-RPT R00 "USI A-46 Relay Evaluation Rept for Milestone Unit 2," in response to GL 67-02. Northeast Nuclear Energy Co. GL-67-02. 65/12/14. 428pp. 65905:109-65905:073.
- 9601290090 MP2-SEIS-RPT R00 "Seismic Evaluation Rept for Milestone Unit 2," in response to GL 67-02. Northeast Nuclear Energy Co. GL-67-02. 65/12/14. 150pp. 65905:074-65905:224.

18E INSPECTION AND ENFORCEMENT

- 9612205022 NRC Info Notice 96-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety." CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 6pp. 65740:015-65740:023.
- 9612290129 NRC Info Notice 96-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing." CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 65758:049-65758:061.
- 9612290279 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects." CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 6pp. 65758:041-65758:048.
- 9601040001 PNO-IV-96-001: on 960102, truckload of scrap steel entering Schnitzer Steel Yard in Oakland tipped radiation monitor. Co. held truck & contacted CA Radiological Health Branch. Tender moisture density gauge found inside scrap auto body. HORNER, J. Region 4 (Post 620201). 96/01/03. 1p. 65759:321-65759:321.
- 9601040027 Comment on draft suppl to GL 63-11, "Licensee Qualification for Performing Safety Analyses." HIMS, D.D. Entergy Operations, Inc. 60FR54712 00016. 95/12/16. Rules & Directives Review Branch (Post 620201). 4pp. 65692:231-65692:234.
- 9601040056 Comment on proposed Supp 1 to GL 63-11, "Licensee Qualification for Performing Safety Analyses." SAUNDERS, R.P. Virginia Power (Virginia Electric & Power Co.). 60FR54712 00017. 95/12/21. Docketing & Services Branch. 4pp. 65692:235-65692:238.
- 9601040035 NRC Info Notice 96-004, "Incident Reporting Requirements for Radiography Licensees." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 670729). 96/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 65827:259-65827:271.
- 9601100058 NRC Info Notice 96-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D. 96/01/16. Consolidated Edison Co. of New York, Inc. 6pp. 65826:109-65826:120.
- 9601230129 Ack receipt of E Summers message re licensee review of technical content of proposed info notice. Content determined factual. HODGE, C.V. NRC - No Detailed Attention Given. 95/11/21. TRAPP, J.M. NRC - No Detailed Attention Given. 2pp. 65826:118-65826:118.
- 9601230201 Advises that subJ of facility info notice technically correct. E Summers will discuss content of notice w/02. HODGE, C.V. NRC - No Detailed Attention Given. 95/11/20. TRAPP, J.M. NRC - No Detailed Attention Given. 2pp. 65826:119-65826:120.
- 9601100001 PNO-IV-96-001: on 960105, Tender Corp identified source rod as having been sold to Harding/Larson Co. State continuing investigation w/assistance of Concord Police. HORNER, J. Region 4 (Post 620201). 96/01/09. 1p. 65800:047-65800:047.
- 9601100253 PNO-IV-96-002: on 960104, licensee unable to find Model SM 708 static meter containing approx 200 mCi Iridium. Licensee believes meter lost during Mississippi River floods of 1993. State of MO notified. MCLEAN, M.L. HOWELL, L.L. Region 4 (Post 620201). 96/01/06. 1p. 65787:017-65787:017.
- 9601100265 PNO-IV-96-001: on 960106, patient received less than intended dosage during treatment w/high dose rate external beam. No followup treatment planned. MCCANN, G.M. MCCORMICK & BARG Region 3 (Post 620201). 96/01/10. 1p. 65787:016-65787:016.
- 9601300220 PNO-II-95-048: on 950823, alert declared due to primary coolant leakage greater than 60 gallons per minute. In addition, control rod 08-03 not fully inserted after scram & site lost all ac power. BOLAND, A. Region 2 (Post 620201). 95/08/23. 1p. 65822:010-65822:010.
- 9601300228 PNO-II-96-002: on 960106, feedwater eye photochem, sodium & conductivity were indicative of condenser tube leak, allowing seawater intrusion into secondary plant. Operator began power reduction. LANDIS, J.C. Region 2 (Post 620201). 96/01/11. 1p. 65802:020-65802:020.
- 9601300228 PNO-II-96-001: on 960109, medical misadministration occurred. Patient received only 45% of prescribed dose of I-131. Patient will return to hosp & be administered addl dose of I-131. HOSEY, C.M. Region 2 (Post 620201). 96/01/09. 1p. 65810:056-65810:056.

9501180676 PNO-IV-95-003 on 950117, Unit 1 received safety injection signal on main steam line low pressure signal. All of equipment failures/anomalies being investigated by licensee.
JOHNSON, W.D., GOODY, A. Region 4 (Post 820201). 95/01/17. 1p. 95010:114-95010:114.

9501180699 PNO-III-95-002 on 950114, level gauge involved in fire. Representative conducted radiation measurements around gauge & found no excessive radiation levels & no indication of source leakage.
HOLT, B.J., GATTONI, R.G. Region 3 (Post 820201). 95/01/16. 1p. 95009:004-95009:004.

9501180116 PNO-IV-95-004 on 950113, two licensed operators suspended w/o pay pending investigation on 950116 due to gross misconduct for failure to correctly implement instructions from shift supervisor & knowingly withholding info from supervisor.
REIS, T. Region 4 (Post 820201). 95/01/16. 2pp. 95007:058-95007:059.

9501180124 PNO-I-95-001 on 950117, potential misadministration noted re patient w/ undocumented lesion. P-92 source became dislodged & moved into trachea. Source removed.
WEINER, T. Region 1 (Post 820201). 95/01/16. 2pp. 95008:163-95008:164.

9501180305 NRC Info Notice 95-008, "Design & Testing Deficiencies of Yomodo Dampers at Nuclear Power Plants."
CRUTCHFIELD, D., 95/01/25, Consolidated Edison Co. of New York, Inc. 10pp. 95005:001-95005:010.

9501230293 PNO-III-95-003 on 950115, TVA attained initial criticality on Watts Bar, Unit 1 reactor. Subsequent reactor physics tests planned to be monitored by NRC on 24 hr shift coverage basis.
JULIAN, C. Region 2 (Post 820201). 95/01/16. 1p. 95004:225-95004:225.

9501230207 PNO-III-95-003 on 950116, 2,400 volt power sys automatically transferred from normal source to backup power source. Licensee commenced plant shutdown on 950117 & plans to make repairs to power cable.
KROPP, W., FULLER, B. Region 3 (Post 820201). 95/01/16. 1p. 95004:226-95004:226.

9501230113 PNO-IV-95-004, updating preliminary notification issued 950117 re SI signal that occurred on 950117. Failed instrumentation channels repaired & main turbine stop valves released & no abnormalities identified.
JOHNSON, W.D., GOODY, A. Region 4 (Post 820201). 95/01/22. 2pp. 95004:227-95004:228.

9501230119 PNO-III-95-004 on 950116, partial loss of offsite power experienced when breakers supplying two sys auxiliary transformers (SAT) tripped. Unusual event declared & will remain in status until SAT source of power to ESP buses.
JONES, D., MILLER, L. Region 3 (Post 820201). 95/01/19. 1p. 95004:235-95004:235.

9501250134 PNO-III-95-005 on 950112, SAC tested positive for controlled substance (marijuana) in random drug test. Individual site access suspended & individual entered licensee employee assistance program.
PLEINER, E., BURDICK, T. Region 3 (Post 820201). 95/01/24. 1p. 95005:360-95005:360.

9501250184 PNO-III-95-004 on 950123, licensee notified NRC of lead container containing 10 mCi of Phosphorus-32 lost. Federal Express determined box most likely damaged at Memphis, TN facility.
POTTER, J. Region 2 (Post 820201). 95/01/24. 1p. 95005:361-95005:361.

9501250189 PNO-I-95-002 on 950123, licensee notified NRC that shipment (generator) received w/ high external reading of 10-60mR/h. To 90m. Generator being stored in shielded area for decay & return to Madisonville.
BONDICK, J.M., KINNEHAN, J.D. Region 1 (Post 820201). 95/01/23. 1p. 95005:362-95005:362.

9501260139 NRC Info Notice 95-007, "Slow Fire Percent Scram Insertion Times Caused by Valve Diaphragms in Safety Shutdown Pilot Valves."
CRUTCHFIELD, D., 95/01/26, Consolidated Edison Co. of New York, Inc. 7pp. 95005:017-95005:023.

9501260233 PNO-III-95-006 on 950123, caSR sources found on vacated property. Check sources sealed sources used in nuclear medicine to calibrate dose calibrator.
MITCHELL, M., KOZAK, T. Region 3 (Post 820201). 95/01/25. 1p. 95010:305-95010:305.

9501260246 PNO-I-95-002 on 950123, licensee measured package surface w/ GM type survey meter, reading off-scale of 200 mR/h. Package visibly crushed. Generator being stored in shielded area of facility for decay & eventual return to Madisonville.
BONDICK, J.M., KINNEHAN, J.D. Region 1 (Post 820201). 95/01/25. 1p. 95010:306-95010:306.

9501260380 Forwards documents associated w/ GL 95-10, "Relocation of Selected T&S Requirements re Instrumentation," to be made available in PDR. GL 95-10 also encl.
SHAPAKER, J.W., 95/01/25, Document Control Branch (Document Control Desk). 5pp. 95001:330-95001:351.

9501260384 Submits comments supporting proposed generic communication, "Relocation of Selected T&S Requirements re Instrumentation." Draft SE for proposed GL encl.
TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/01/27, Rules & Directives Review Branch (Post 820201). 7pp. 95001:342-95001:351.

9501260378 Forwards documents associated w/ GL 95-09, "10CFR50.54(p) Process for Changes to Security Plans W/o Prior NRC Approval," to be made available in PDR. GL 95-09 also encl.
SHAPAKER, J.W., 95/01/23, Document Control Branch (Document Control Desk). 1p. 95003:375-95003:375.

9501260361 Forwards documents associated w/ GL 95-01, "Testing of SR Logic Circuits," to be made available in PDR. GL 95-01 also encl.
SHAPAKER, J.W., 95/01/23, Document Control Branch (Document Control Desk). 1p. 95004:222-95004:225.

9501260223 Forwards public version of GL 95-10, Sept 7, "Consideration of Valve Mispositioning in Pressurized-Water Reactors."
SHAPAKER, J.W., 95/01/24, Document Control Branch (Document Control Desk). 6pp. 95004:208-95004:222.

9501300113 PNO-I-95-003 on 950129, sealed sources containing nominal activity of 10 mCi of Po-210 missing. State of NJ notified of lost sealed sources. NRC will continue to monitor licensee progress in locating missing sealed sources.
COURTEMANCHE, S., COSTELLO, P. Region 1 (Post 820201). 95/01/29. 1p. 95041:276-95041:276.

9501300140 PNO-I-95-004 on 950129, contacted licensee & determined that facility involved in fire on 950123. Whether fire compromised licensed mail not known at present. State of NJ notified NRC Region 1 will continue to monitor situation.
COURTEMANCHE, S., KINNEHAN, J. Region 1 (Post 820201). 95/01/29. 1p. 95041:284-95041:284.

9501310083 PNO-IV-95-005 on 950130, operators began controlled power shutdown because of decreasing circulating water level in pump house bays. Caused by icing on intake screens. Following screen 5 control rods failed to fully insert.
POWERS, D., JOHNSON, W. Region 4 (Post 820201). 95/01/30. 2pp. 95008:187-95008:188.

MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

9501170214 Notices of 950131-0201 NRC Incident Response Workshop in Arlington, TX to provide info about NRC Incident Response Program.
COLLINS, S.J. Region 4 (Post 820201). 95/01/08, YELVERTON, J.W. Energy Operations, Inc. SCHWELL, D.F. Union Electric Co. NORMAN, R. Nebraska Public Power District. 6pp. 95077:222-95077:229.

9501180251 Provides NEI executive summary of rept, "Pyrolysis Gas Chromatography Analysis & Energy Dispersive Spectroscopy of Thermo-Lag Fire Barrier Samples," & "Qualitative Survey of Submitted Mafic" in response to request of 951207.
GAMBERONI, J., 2.206. 95/01/04, BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 1p. 95006:329-95006:329.

9501180362 Forwards summary of public workshops conducted in Oct & Nov 1995 to discuss GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
FREDERICKSON, P. Region 2 (Post 820201). 95/01/03, KALIS, M.S. Kalis Engineering, Inc. 127pp. 95005:001-95005:127.

MUREG MUREG REPORTS AND RELATED CORRESPONDENCE

9502050039 Advances final revised rept, "Evacuation Time Estimates Within Plume Exposure Pathway Emergency Planning Zone" for plant dtd 940903, consistent w/ guidance of NUREG-0654, FEMA-REP-1, rev 1 & have determined that plant ETE adequate.
SPESARD, J.L. Office of Nuclear Reactor Regulation (Post 941001). 35/02/01, KWATKOWSKI, D. Federal Emergency Management Agency. 2pp. 95002:182-95002:182.

9512300129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indications During Testing."
CRUTCHFIELD, D., 95/01/05, Consolidated Edison Co. of New York, Inc. 13pp. 95004:049-95004:061.

9501020065 Response to ltr dtd 951109 & 951207 addressed to Chairman Jackson & 951107 re to Duncan re fear of retaliation from TVA. Observations re fear of retaliation are not consistent w/ NRC insp results. Ltr stated above encl.
RUSSELL, W.T., 95/12/21, CONLEY, A.F. Affiliation Not Assigned. 4pp. 95002:007-95002:030.

9501190113 Forwards NUREG-0096, Vol 16, Number 2 to "Rept in Congress on AOs for Apr-June 1995."
RATHBURN, C.K. Office of Congressional Affairs (Post 911117). OCS. 95/11/14, SCHAEFER, D. House of Rep. FAIRCLOTH, L. Senate, Environment & Public Works. 31pp. 95006:305-95006:336.

9501030027 Documents revised submittal data for US A-46 effort from 951231 to 950331.
THAYER, J.K. Vermont Yankee Nuclear Power Corp. 8VY 95-140. 95/12/29. Document Control Branch (Document Control Desk). 2pp. 95005:360-95005:361.

9501030153 Requests FR publication of enclosed "Notice of Consideration of Issuance of Amendments to FOL & Opportunity for Hearing." Amendments review TS to incorporate guidance provided in NUREG, "STS, Westinghouse Plants," dtd Sept 1992.
SHRAK, C.Y., TAG M94627. 95/12/22, FARRAR, D.L. Commonwealth Edison Co. 2pp. 95003:031-95003:041.

9501190158 Notice of consideration of issuance of amendments to licensee DPR-39 & DPR-304 & proposed NSHC determination & opportunity for hearing. Amendments represent full conversion from current TS to set of TS based on NUREG-1431, "STS, W Plants."
CAPRA, R.A., 95/12/22. 6pp. 95003:033-95003:041.

9501030150 NUREG-0540 Y17 Y110 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE October 1-31, 1995.
"Division of Freedom of Information & Publications Services (Post 940714). 95/12/31. 344pp. 95005:001-95005:340.

9501030259 Forwards documentation for NUREG-1480, "Loss of 1-192 Source & Therapy Misadministration at Indiana Regional Cancer Center, PA on 921119."
SIEGEL, C. Office for Analysis & Evaluation of Operational Data, Director. 95/12/11, DAVIS, W.E. Information & Records Management Branch (Post 950827). 27pp. 95021:001-95021:287.

9501070168 Discusses insp 90-31765/91-01 on 910804 & forwards notice of violation.
JOHNSON, J.M. Region 1 (Post 820201). 91/06/26, CUNNINGHAM, D. Harrisburg Hosp., Harrisburg, PA. 2pp. 95027:274-95027:275.

9501070209 Notice of violation from insp on 910904. Violation noted: shipping paper description did not include activity contained in each package or transport index assigned to each package bearing radioactive yellow-III label.
* Region 1 (Post 820201). 91/09/26. 250pp. 95027:275-95027:275.

172 NONDOCKETED ITEMS

- 9901310168 Adm receipt of 911015 for informing NRC of steps taken to correct violations noted in Insp 30-31765/91-01.
JOHANNSEN, J.M. Region 1 (Post 820201). 82/01/13. CUNNINGHAM, D.E. Oncology Services Corp., Harrisburg & State College, PA. 1p. 87027-269-87027-273.
- 9901310204 Responds to violations noted in Insp rept 30-31765/91-01 on 910904. Corrective actions: personnel cautioned to complete all transportation papers entirely & radiation safety officer bagged by license on 910925.
CUNNINGHAM, D.E. Oncology Services Corp., Harrisburg & State College, PA. 91/10/15. Region 1 (Post 820201). 4pp. 87027-270-87027-273.
- 9901310204 Responds to 921222 memo on Incident Investigation Team investigation of high dose rate brachytherapy misadministration & loss of Ir-192 source.
TREBBY, S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. 92/01/14. PAPERIELLO, C.J. Region 3 (Post 820201). 3pp. 87037-265-87037-267.
- 9901310275 Event notification: 24579 re 3.7 Ci Ir-192 therapy source left inside patient for two days. After patient died whereabouts of source not known for ten days until source triggered portal monitor at trash dump.
KARSCH, R. Region 1 (Post 820201). 92/12/01. 1p. 87021-028-87021-038.
- 9901310279 Transcript of 921205 investigative interview of D Joyner in Indiana, PA. 1-38.
JOYNER, D. Affiliation Not Assigned. 92/12/05. 41pp. 87024-064-87024-106.
- 9901310284 Transcript of 921209 investigative interview of D Joyner in Indiana, PA. 1-40.
JOYNER, D. Affiliation Not Assigned. 92/12/09. 50pp. 87024-106-87024-155.
- 9901310290 Transcript of 921205 investigative interview of EA Ballet in Indiana, PA. 1-31.
BALLET, E.A. Affiliation Not Assigned. 92/12/05. 34pp. 87024-158-87024-204.
- 9901310293 Transcript of 921209 interview of J Deasel in State College, PA. 1-32.
DERDEL, J. Oncology Services Corp., Harrisburg & State College, PA. 92/12/09. 36pp. 87025-169-87025-204.
- 9901310298 Transcript of 921207 investigative interview of J Goodwell in Carnegie, PA. 1-35.
GOODWELL, J. Browning-Farris Industries, Inc. 92/12/07. 25pp. 87024-205-87024-228.
- 9901310298 Transcript of 921207 investigative interview of M Christ in Carnegie, PA. 1-22.
CHRIST, M. Browning-Farris Industries, Inc. 92/12/07. 24pp. 87024-230-87024-253.
- 9901310301 Transcript of 921207 investigative interview of J Gajewski & D Clayton in Carnegie, PA. 1-40.
GAJEWSKI, J. CLAYTON, D. Browning-Farris Industries, Inc. 92/12/07. 49pp. 87024-254-87024-315.
- 9901310303 Press Release 1-92-53, "NRC Investigates Incident Involving Radioactive Source Used for Medical Treatment."
* Region 1 (Post 820201). 92/12/03. 250pp. 87027-039-87027-316.
- 9901310304 Transcript of 921209 interview of D Colli in State College, PA. 1-40.
COLLI, D. Oncology Services Corp., Harrisburg & State College, PA. 92/12/09. 43pp. 87025-205-87025-292.
- 9901310318 Submits results of 921203 radiation survey of Soenery Hill Manor, Inc.
WOODS, R.V. Pennsylvania, Commonwealth of. 92/12/08. SHANBAKY, J.M. Region 1 (Post 820201). 38pp. 87024-318-87024-356.
- 9901310317 Transcript of Entrance Meeting for Incident Investigation Team interviews on 921203 in Indiana, PA. 1-31. Related info encl.
* NRC - No Detailed Affiliation Given. 92/12/03. 47pp. 87022-137-87022-190.
- 9901310321 Transcript of 921222 interview of RB Morrison via speakerphone from Atlanta, GA in Bethesda, MD. 1-17.
MORRISON, R.B. Omnitron International Corp. 92/12/22. 20pp. 87027-173-87027-192.
- 9901310328 Transcript of interview of w/Robbie Ackerson for Incident Investigation Team on 921204 in Indiana, PA. 1-29.
ACKERSON, R. Oncology Services, Inc. 92/12/04. 25pp. 87022-191-87022-216.
- 9901310325 Transcript of 921208 investigative interview of M Jarosz in Pittsburgh, PA. 1-35.
JAROSZ, M. Greater Pittsburgh Cancer Center, Pittsburgh, PA. 92/12/08. 45pp. 87025-014-87025-058.
- 9901310329 Transcript of 921208 investigative interview of RP Tokars in Pleasant Hills, PA. 1-15.
TOKARS, R.P. Jefferson Oncology Center LP. 92/12/08. 20pp. 87026-058-87026-078.
- 9901310330 Registry of Radioactive Sealed Sources & Devices. Safety Evaluation of (Device/Sealed Source) for model SL-777 & SL-778. Certificate LA-0780-D-101-S.
SANFORD, J.W., ZALOUDEK, D.A. Louisiana, State of. LA-0780-D-101-S. 91/03/28. 12pp. 87021-317-87021-328.
- 9901310331 Transcript of 921208 investigative interview of J Dugan in Pittsburgh, PA. 1-14.
DUGAN, J. Greater Pittsburgh Cancer Center, Pittsburgh, PA. 92/12/08. 38pp. 87025-079-87025-168.
- 9901310339 41 "Remote Afterloading Technology."
GLASGOW, G.P., GOURLAND, L.O., GRIGSBY, F.W. American Association of Physicians in Medicine. 92/08/23. 150pp. 87021-329-87022-322.
- 9901310347 Forwards draft info required for licensing high & medium dose rate remote afterloading brachytherapy devices. rev 1.
SMITH, J. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/12/02. GATTONE, E. Region 3 (Post 820201). 11pp. 87022-123-87022-138.
- 9901310350 Forwards quality mgt of brachytherapy patients high dose rate techniques.
CUNNINGHAM, D.E. Oncology Services Corp., Harrisburg & State College, PA. 92/01/22. Region 1 (Post 820201). 56pp. 87025-233-87025-348.
- 9901310355 "Operating Instructions PRIMALERT 10 Area Alarm Monitor Model C6-453."
* Victor, Inc., Nuclear Associates Div. 95/12/31. 16pp. 87026-214-87026-230.
- 9901310363 Forwards list of proposed tests from M Sinned for exam of fractured Ir-192 wire.
CALFEE, R.V. Omnitron International Corp. 92/12/09. PAPERIELLO, C.J. NRC - No Detailed Affiliation Given. 2pp. 87028-251-87028-232.
- 9901310384 "Instruction Manual Omnitron High Dose Rate Remote Afterloader."
* Omnitron International Corp. 91/05/15. 150pp. 87031-046-87031-134.
- 9901310399 Transcript of 921231 telephone interview of W Prushnok in Bethesda, MD. 1-30.
PRUSHNOK, W. Affiliation Not Assigned. 92/12/31. 22pp. 87031-165-87031-240.
- 9901310397 Informs that Omnitron Int'l, Inc. continuing to work w/NRC consultants at SWF in investigation of cause of failure of two source wires. Investigation will not be complete by 921223 stated in CAL. Suggests new target date of 930101.
CALFEE, R.V. Omnitron International Corp. CAL. 92/12/21. PAPERIELLO, C.J. NRC - No Detailed Affiliation Given. 68pp. 87028-233-87028-287.
- 9901310397 Forwards info re 62 yr old female who on self exam noted anal mass which was subsequently biopsied at Indiana Hosp on 910918 & reported by pathology as infiltrating well differentiated squamous cell carcinoma.
FLYNN, D. Massachusetts General Hosp., Boston, MA. 92/01/04. PAPERIELLO, C.J. NRC - No Detailed Affiliation Given. 400pp. 87031-241-87032-298.
- 9901310398 Rev 2 to Reg Guide 10.008, Task FC415-5, "Guide for Preparation of Applications for Medical Use Programs."
Oncology Services Corp., Harrisburg & State College, PA. 97/06/31. 181pp. 87025-349-87025-447.
- 9901310398 Responds to 921217 request for documents.
CLAYTON, D. Browning-Farris Industries, Inc. 92/12/28. SIEGEL, C. NRC - No Detailed Affiliation Given. 5pp. 87028-298-87028-302.
- 9901310398 Forwards HDR training for personnel at Greater Pittsburgh Cancer Ctr & Jefferson Radiation Oncology Center 921221. Schooling & certificate of training also encl.
JAROSZ, M. Greater Pittsburgh Cancer Center, Pittsburgh, PA. 92/12/22. SIEGEL, C. NRC - No Detailed Affiliation Given. 16pp. 87028-303-87028-318.
- 9901310405 Requests responses to listed questions re Insp of Oncology Svcs Corp. Region 1 records show that initial & only Insp occurred on 910904.
PAPERIELLO, C.J. NRC - No Detailed Affiliation Given. 92/12/21. MARTIN, T.T. Region 1 (Post 820201). 2pp. 87028-319-87028-320.
- 9901310408 Responds to questions re Insp of Oncology Svcs Corp.
COOPER, R.W. Region 1 (Post 820201). 92/12/30. PAPERIELLO, C.J. NRC - No Detailed Affiliation Given. 5pp. 87028-321-87028-329.
- 9901310417 Forwards examples of remote afterloading devices & sources & info required for licensing remote afterloading devices. Policy & Guidance Directive FC 88-4.
CUNNINGHAM, D.E. Division of Fuel Cycle & Material Safety (Pre 870413). 95/02/28. Region 1 (Post 820201). 500pp. 87026-330-87031-045.
- 99013104002 Submits internal rept on internal audit & independent audit of license 37-28540-01.
CUNNINGHAM, D.E. Greater Harrisburg Cancer Center, Harrisburg, PA. 92/12/24. COOPER, R.W. Region 1 (Post 820201). 3pp. 87032-257-87032-299.
- 99013104003 Transcript of 930105 interview of D Cunningham in Harrisburg, PA. 1-104. Related info encl.
CUNNINGHAM, D. Greater Harrisburg Cancer Center, Harrisburg, PA. 93/01/05. 189pp. 87032-206-87032-078.
- 99013104084 "Manual Check Procedure for Computer Treatment Planning Omnitron 2000 HDR Afterloading Sys."
CUNNINGHAM, D.E., VING, W.J. Greater Harrisburg Cancer Center, Harrisburg, PA. 92/08/30. 400pp. 87033-079-87033-022.
- 99013104008 Transcript of interview of Bauer, Rogers & Cunningham for Incident Investigation Team on 921204 in Indiana, PA. 1-5.
BAUER, ROGERS, CUNNINGHAM Indiana Regional Cancer Treatment Center, Indiana, PA. 92/12/04. 11pp. 87022-219-87022-230.
- 99013104015 Discusses info re multiple locations of use for Oncology Services Corp holder of license 37-28540-01.
HENDERSON, P.J. Region 1 (Post 820201). 92/08/05. GLENN, J.E. Medical, Academic & Commercial Use Safety Branch. 250pp. 87027-193-87027-265.
- 99013104036 Submits comments on training given by Omnitron to personnel of Indiana Regional Cancer Ctr, Indiana, PA & same in fax also.
WRIGHT, J.E. Omnitron, Inc. 92/12/17. GSTRICH, L. NRC - No Detailed Affiliation Given. 3pp. 87030-149-87030-160.
- 99013104043 Transcript of 921217 investigative interview of DE Cunningham in Harrisburg, PA. 1-26. Related info encl.
CUNNINGHAM, D.E. Oncology Services Corp., Harrisburg & State College, PA. 92/12/17. 140pp. 87026-151-87026-290.
- 99013104044 Forwards mail faxed on 921222. W/o encl.
CUNNINGHAM, D.E. Greater Harrisburg Cancer Center, Harrisburg, PA. 92/12/23. SHANBAKY, J.M. NRC - No Detailed Affiliation Given. 1p. 87034-023-87034-023.
- 99013104053 Forwards listed items requested re incident on 921207.
JAROSZ, M.J. Greater Pittsburgh Cancer Center, Pittsburgh, PA. 92/12/12. PAPERIELLO, C.J. NRC - No Detailed Affiliation Given. 59pp. 87034-024-87034-094.
- 99013104068 Transcript of 921217 investigative interview interim exit interview in Harrisburg, PA. 1-54.
* NRC - No Detailed Affiliation Given. 92/12/17. 58pp. 87028-291-87027-172.
- 99013104062 "Omnitron High Dose Rate Remote Afterloader Svc Manual."
THORNTON, J.R. Omnitron International Corp. 91/05/15. 400pp. 87035-113-87035-358.

-6601040067 Provides history of installation of Omnitron HDR eye at Indiana Regional Cancer Ctr., Indiana, PA & training afforded personnel.
WRIGHT, A.E. Omnitron International Corp. 92/12/22. RICH, T. NRC - No Detailed Affiliation Given. 8pp. 87035:257-87036:005.

-6601040068 Rev 3 to "Omnitron Reactor Afterload Test Plan."
* Omnitron International Corp. 92/07/18. 74pp. 87036:006-87036:094.

-6601040070 "Rept on 921118 High Dose Rate (HDR) Brachytherapy Accident, Indiana, PA."
FLYNN, D.F. Affiliation Not Assigned. 93/01/13. 160pp. 87034:095-87034:267.

-6601040073 Forwards Omnitron 930108 memo re sites contacted w/wires shipped before 921001.
KNAUSS, J. Omnitron International Corp. 93/01/08. RICH, T. NRC - No Detailed Affiliation Given. 4pp. 87038:065-87038:090.

-6601040078 Forwards reply of action item to PCA 483 issued to Edgely, LA, Ind.
KNAUSS, J. Omnitron International Corp. 93/01/08. LLOYD, R. NRC - No Detailed Affiliation Given. 4pp. 87038:087-87038:128.

-6601040079 "Radiation Safety Survey for Omnitron (a-182 Storage Safe)."
* Radiation Physics Consultants, Inc. 92/10/10. 150pp. 87034:298-87035:112.

-6601040083 Advises that licensee believes NRC supplied w/relevant data of pre-production tests of wire.
KNAUSS, J. Omnitron International Corp. 92/01/08. RICH, T.W. Division of Industrial & Medical Nuclear Safety (Post 870726). 1p. 87038:129-87038:129.

-6601040085 Transcript of interview of w/Richard Caffee for Incident Investigation Team on 921204 in Indiana, PA. 1-63.
CALFEER, R. Omnitron International Corp. 92/12/04. 65pp. 87022:231-87022:295.

-6601040093 Forwards info re wire tests. Related info also encl.
BRADSHAW, T. Omnitron International Corp. 92/12/29. RICH, T. NRC - No Detailed Affiliation Given. 20pp. 87038:130-87038:290.

-6601040100 "QA Manual."
* Omnitron International Corp. 91/10/31. 250pp. 87036:291-87037:063.

-6601040103 Transcript of interview of R Ballo for Incident Investigation Team on 921204 in Indiana, PA. 1-80.
BALLO, R. Indiana Regional Cancer Treatment Center, Indiana, PA. 92/12/04. 8pp. 87022:264-87022:277.

-6601040105 Transcript of interview of G Hay for Incident Investigation Team on 921204 in Indiana, PA. 1-115.
HAY, G. Indiana Regional Cancer Treatment Center, Indiana, PA. 92/12/04. 115pp. 87023:029-87023:161.

-6601040106 Forwards interim rpt covering observations re investigation of brachytherapy source failure.
DOHRMIS, E.M., BESSEY, R.L. Southwest Research Institute. 93/01/14. RICH, T.W. NRC - No Detailed Affiliation Given. 1p. 87037:070-87037:070.

-6601040109 Transcript of interview of P Korychak for Incident Investigation Team on 921204 in Indiana, PA. 1-35. Related info encl.
KORYCHAK, P. Indiana Regional Cancer Treatment Center, Indiana, PA. 92/12/04. 40pp. 87023:162-87023:202.

-6601040112 Transcript of interview of S Rickett for Incident Investigation Team on 921204 in Indiana, PA. 1-29. Related info encl.
RICKETT, S. Indiana Regional Cancer Treatment Center, Indiana, PA. 92/12/04. 67pp. 87023:203-87024:063.

-6601040113 Submits interim rpt on investigation of cases of failure of two brachytherapy source wires.
BURGHARD, H.C. Southwest Research Institute. 93/01/14. RICH, T. NRC - No Detailed Affiliation Given. 8pp. 87037:071-87037:075.

-6601040117 Forwards edited version of summary of observations re investigation of brachytherapy source failure.
BURGHARD, H.C. Southwest Research Institute. 92/12/17. RICH, T. NRC - No Detailed Affiliation Given. 4pp. 87037:076-87037:078.

-6601040120 Forwards results of wipe tests.
DOHRMIS, E.M. Southwest Research Institute. 93/01/08. RICH, T. NRC - No Detailed Affiliation Given. 8pp. 87037:380-87037:382.

-6601040126 Forwards results of metallurgical tests & exams re brachytherapy source failure.
BURGHARD, H.C. Southwest Research Institute. 93/01/08. RICH, T. NRC - No Detailed Affiliation Given. 4pp. 87037:083-87037:088.

-6601040129 "Rept on 921118 High-Dose Rate Brachytherapy Accident, Indiana, PA."
FLYNN, D.F. Flynn, D. F., MD. 93/01/13. 38pp. 87037:267-87037:125.

-6601040130 Forwards rel mat & photos re brachytherapy source failure.
BURGHARD, H.C. Southwest Research Institute. 93/01/12. RICH, T. NRC - No Detailed Affiliation Given. 8pp. 87037:126-87037:127.

-6601040133 Forwards info re wire breakage force evaluation.
BRADSHAW, T. Omnitron International Corp. 93/01/21. RICH, T. NRC - No Detailed Affiliation Given. 24pp. 87037:128-87037:168.

-6601040143 Forwards autopsy rpt of SM Colgan.
STREAS, J. Pennsylvania, Commonwealth of. 93/01/27. STRYKER, W. NRC - No Detailed Affiliation Given. 47pp. 87037:167-87037:213.

-6601040147 "Rept on 921118 High-Dose Rate Brachytherapy Accident, Indiana, PA," rev 2.
FLYNN, D.F. Flynn, D. F., MD. 93/01/13. 38pp. 87037:214-87037:251.

-6601040158 Forwards cytogenetics results on patients & lymphocyte cultures from both yielded excellent slide preparations & cytogenetic dosimetry evaluations were completed based on scoring 500 first div metaphases from each person.
LITTLEFIELD, L. Oak Ridge Associated Universities. 93/01/15. JONES, C. NRC - No Detailed Affiliation Given. 11pp. 87037:252-87037:262.

-6601040164 Requests OGC opinion on applicability of 10CFR35 to high dose rate brachytherapy.
PAPERIELLO, C.J. NRC - No Detailed Affiliation Given. 92/12/22. MALSCH, M.G. Deputy General Counsel for Licensing & Regulation (Post 890423). 2pp. 87037:263-87037:264.

-6601040166 CAL 1-92-16, listing actions licensee taken or will take, per 921201 telcon re loss of in-182 source on or about 921118.
COOPER, R.W. Region 1 (Post 820201). CAL-1-92-16. 92/12/02. BAUER, J.E. Oncology Services Corp., Harrisburg & State College, PA. 3pp. 87027:265-87027:266.

-6601040180 Forwards amends 145,140,165 & 164 to licensee DPR-19, DPR-25, DPR-26 & DPR-30, respectively & safety evaluation. Amends upgrade plants TS to STS contained in NUREG-0123, per 930917 application for amend.
STANG, J.F. TAC M90398. 95/12/27. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85730:100-85730:109.

-6601040178 Amends 145,140,165 & 164 to licensee DPR-19, DPR-25, DPR-26 & DPR-30, respectively, reflecting TS upgrade to STS contained in NUREG-0123, per 930917 application.
STANG, J.F. DPR-29 A 168. 95/12/27. 50pp. 85730:103-85730:138.

-6601040203 Safety evaluation supporting amends 145,140,165 & 164 to licensee DPR-19, DPR-25, DPR-26 & DPR-30, respectively.
* 95/12/27. 31pp. 85730:139-85730:169.

-6601040277 NUREG/CR-6173 REVIEWING PSA-BASED ANALYSES TO MODIFY TECHNICAL SPECIFICATIONS AT NUCLEAR POWER PLANTS.
SAMANTAP, K. MARTINEZ-GURIDI Brookhaven National Laboratory. VESELY, W.E. Science Applications International Corp. (formerly Science Applications, Inc.). FIN L-2601. BNLA/UREG-62428. 95/12/31. Division of Systems Technology (Post 941217). 65pp. 85730:170-85730:230.

-6601040165 Forwards analysis of NRC enforcement history & staff action plan for issues identified as result of evaluating recent NII & MIT ingestion events as follow up to 961121 memo.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/12/27. THE CHAIRMAN Commissioners (Post 760118). 1p. 85743:322-85743:343.

-6601040195 Identifies & assigns responsibility for generic & licensee specific actions for IT repl findings which require followup resulting from investigation of incident as documented in NUREG-1535.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/12/26. JORDAN, J.L. Office for Analysis & Evaluation of Operational Data, Director. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 70pp. 85743:334-85743:343.

-6601040280 Forwards draft SRP for Tier 1 certified design mat & ITAAC for design certification review, per 10CFR52.
QUAY, T.R. 95/12/21. MORRE, J.E. Assistant General Counsel for Hearings & Enforcement. BAGCHUS, CALVO, J. 17pp. 85754:098-85754:216.

-660110011 Forwards proposed changes to Improved Std TS NUREGs, NEI TSs Task Force travelers numbered TS1F-31 - TS1F-43.
EATON, J.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/12/29. GRIMES, C.J. 1p. 85758:089-85758:216.

-660110014 Proposed tech spec 1.3.3 & 1.5.5 re rev to examples to more accurately reflect BWI example specific actions.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TS1F-31. 95/12/29. 8pp. 85758:070-85758:075.

-660110016 Proposed tech spec 3.1.3.A re addition of required action to LCO 3.1.3 to confirm rod found to be stuck is properly separated from "slow" control rods.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TS1F-32. 95/12/29. 13pp. 85758:076-85758:088.

-660110019 Proposed tech spec 3.1.3.A re deletion of note & incorporation of Completion Time into Completion Time column.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TS1F-33. 95/12/29. 8pp. 85758:089-85758:096.

-660110028 Proposed tech spec 3.1.3.B re deletion of LCO 3.1.3, Required Action 3.1.3 as it is duplicative of Action A.1.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TS1F-34. 95/12/29. 8pp. 85758:097-85758:102.

-660110022 Proposed tech spec re addition of "...during recirculation pump start-up..." to clarify when SRs 3.4.10.3 & 3.4.10.4 required.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TS1F-35. 95/12/29. 6pp. 85758:103-85758:108.

-660110025 Proposed tech spec re addition of "LCO 3.0.3 not applicable" note to so Sources-Shutdown, Sources-Shutdown, Inverters-Shutdown & Distribution Sys-Shutdown to clarify that requirements apply only to Modes or other conditions.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TS1F-36. 95/12/29. 57pp. 85758:109-85758:165.

-660110028 Proposed tech spec re addition of Reviewers Note & brackets to reflect implementation of GI 94-01, affecting TSs SRs 3.5.1.2 & 3.5.1.3.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TS1F-37. 95/12/29. 22pp. 85758:166-85758:187.

-660110029 Proposed tech spec re clarification of requirements of SR 3.5.4.2, battery visual inspection to be consistent w/ intent & present wording of Baseline for items which could potentially degrade battery performance.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TS1F-38. 95/12/29. 12pp. 85758:188-85758:199.

-660110033 Proposed tech spec 1.0 re addition of statement, "Channel Functional Test may be Performed by Means of any Series of Sequential, Overlapping or Total Channel Steps to That Entire Channel Tested," re definition of functional test.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TS1F-39. 95/12/29. 4pp. 85758:200-85758:205.

174 NONDOCKETED ITEMS

9601110035 Proposed tech spec 1.0 re exempt RCP seal water injection or leakoff from definition of Unidentified Leakage.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-40. 95/12/29. 3pp. 88788204-88788208.

9601110038 Proposed tech spec re correction of BWDG LDO 3.0.7 to refer to Special Exception LDOs.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-41. 95/12/29. 4pp. 88788207-88788210.

9601110041 Proposed tech spec re deletion of phrase "Required Action Requires Performance of Surveillance or its" so that SR 3.0.2 would read "If Completion Time Requires Periodic Performance on 'once per...' Basis."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-42. 95/12/29. 2pp. 88788211-88788212.

9601110047 Proposed tech spec re addition of listed examples at end of SR 3.0.1 Basis to provide additional clarification.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-43. 95/12/29. 4pp. 88788213-88788216.

9601110179 Forwards "Milestone Unit 2 (PE for External Events)" in response to GL 88-20, Supps 4 & 5 in accordance w/ guidance in NUREG-1407.
MILLER, D.B. Northeast Nuclear Energy Co. MILLER, D.B. Northeast Utilities Service Co. 813481. 95/12/29. Document Control Branch (Document Control Desk). 4pp. 88788201-88788203.

9601160127 Notification of public meeting w/NEI on 960123 to discuss NEI proposal for use of NUREG-1465 source term at operating reactors, as described in framework document dtd 951115.
WILSON, J.H. 96/01/03. QUAY, T.R. 2pp. 88806333-88806334.

9601160208 NUREG-0750 V42 NRC NUCLEAR REGULATORY COMMISSION IS-SUANCES FOR OCTOBER 1995. Pages 111-169.
* Division of Freedom of Information & Publications Services (Post 940714). 95/12/31. 104pp. 88806161-88806233.

9601160429 Forwards "Notice of Consideration of Issuance of Amendments to Licenses & Opportunity for Hearing," related to 950501 application for amendments, revising TS to be consistent w/ provisions of NUREG-1431.
WHEELER, L.L. TAC 882131. 96/01/04. MCCOY, C.K. Georgia Power Co. 3pp. 88806163-88806162.

9601160437 Notice of consideration of issuance of amendments to Licenses NPF-08 & NPF-34 & opportunity for hearing. Amendments would revise TS to be consistent w/ provisions of NUREG-1431. "80 TS W Plants."
WEN, S.L.A. 96/01/04. 7pp. 88810138-88810142.

9601220144 Comment supporting draft re: NUREG-1516.
COUPAL, J.J. Veterans Admin. Medical Center, Lexington, KY. 60FR859 00003. 95/12/28. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88818357-88818357.

9601230228 Submit follow-up response to DCDR SE, dtd 870105.
HERBERT, J.R. Maine Yankee Atomic Power Co. MN-96-07. 96/01/18. Document Control Branch (Document Control Desk). 2pp. 88846317-88846318.

9601230418 Forwards initial exam rept 50-116/OL-05-01 conducted w/ 951113 & in accordance w/ NUREG-1478, "NPP OL Examiner Stds." Rev 1 & administered to employees who applied for license to operate Unit Reactor, W/o and.
WELLS, S.H. 95/12/08. BULLEN, D.B. Iowa State Univ., Ames, IA. 1p. 88831323-88831324.

9601250039 Responds to 951211 re transmitting MIT response to NRC RT Rept on 950819 Incident. Concludes that no new or add info was provided to form basis for revising RT Rept.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 96/01/16. LITSTER, J.D. Massachusetts Institute of Technology, Cambridge, MA. 2pp. 88858332-88858333.

9601250144 Notice of proposed policy statement re revised criteria. Commission considering for use in submitting quarterly abnormal occurrence rept to Congress & public in timely manner.
HOYLE, J.C. Ofc of the Secretary of the Commission. 96/01/03. 47pp. 88869013-88869039.

9601280341 Request that requirements of Section 4.3 of NUREG-0819 be deferred until BWR Owners Group generic submittal on issue is received.
BYRAMBURG, Pennsylvania Power & Light Co. PLA-4400. 96/01/22. Document Control Branch (Document Control Desk). 2pp. 88895358-88895357.

9601290130 NUREG/BR-0205 R01 PUBLIC PETITION PROCESS.
* Office of Public Affairs (Post 911117). 95/12/31. 4pp. 88892128-88892132.

9601290137 NUREG/BR-0165 R01 Change Notice 1 to Rev 1 to "NRC Enforcement Manual."
* NRC - No Detailed Affiliation Given. 95/12/21. 11pp. 88891342-88891352.

9601290138 NUREG/BR-0052 R02 PUBLIC DOCUMENT ROOM FILE CLASSIFICATION SYSTEM.
* Ofc of the Secretary of the Commission. 95/12/31. 51pp. 88892908-88892938.

9601290151 NUREG/CR-6100 ERR Errata to "Gate Valve & Motor-Operator Research Findings," replacing pages 3-21/3-22 & 3-31/3-32.
STEELE, R. DEWALL, K.G. WATKINS, J.C. Idaho National Engineering Laboratory. FIN A-8857. INEL-94/0155. 95/12/31. Division of Engineering Technology (Post 941217). 7pp. 88890352-88890358.

9601290154 NUREG-1530 REASSESSMENT OF NRC'S DOLLAR PER PERSON-REM CONVERSION FACTOR POLICY.
* Division of Regulatory Applications (Post 941217). 95/12/31. 23pp. 88897394-88897395.

9601290161 NUREG-1415 V08 N01 OFFICE OF THE INSPECTOR GENERAL. Semiannual Report To Congress, April 1, 1995 - September 30, 1995.
BARCHI, T. WATKINS, J.C. GROSS, J.M. Ofc of the Inspector General (Post 900417). 95/12/31. 44pp. 88892226-88892266.

9601290169 NUREG/CR-6420 SELF-MONITORING SURVEILLANCE SYSTEM FOR PRESTRESSING TENDONS.
TABATABAEE, Construction Engineering Laboratory, Inc. FIN W-8475. 95/12/31. Division of Engineering Technology (Post 941217). 73pp. 88892822-88892855.

9601290176 NUREG/CR-6368 EXPERIMENTAL INVESTIGATION OF SEDIMENTATION OF LOCA-GENERATED FIBROUS DEBRIS AND SLUDGE IN BWR SUPPRESSION POOLS.
SCUTO, F.J. RAO, D.V. Science & Engineering Associates, Inc. FIN W-8456. SEA 95-554-06A8. 95/12/31. Division of Engineering Technology (Post 941217). 82pp. 88891271-88891341.

9601290184 Discusses arrangements for administration of licensing retake exam at utility during wk of 960415. Staff will have opportunity to review exam in accordance w/ guidelines in Rev 7 of NUREG-1021. "Operator Licensing Examiner Stds."
BURDICK, T.M. Region 3 (Post 820201). 96/01/18. DONNELLY, P.M. Consumers Power Co. 2pp. 88894199-88894200.

9601290199 NUREG-0837 V15 N03 NRC TLD DIRECT RADIATION MONITORING NETWORK. Progress Report, July-September 1995.
STRUCKMEYER, R. Region 1 (Post 820201). 95/12/31. 231pp. 88899051-88899281.

9601290207 NUREG-1065 R02 ACCEPTABLE STANDARD FORMAT AND CONTENT FOR THE FUNDAMENTAL NUCLEAR MATERIAL CONTROL (FNMC) PLAN REQUIRED FOR LOW-ENRICHED URANIUM FACILITIES.
JOY, D.R. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/12/31. 62pp. 88892210-88892271.

9601290218 NUREG/CR-6574 V21 PRECURSORS TO POTENTIAL SEVERE CORE DAMAGE ACCIDENTS: 1994 A STATUS REPORT. Main Report And Appendix A-H.
BELLES, R.J. CLECHER, J.W. COPPINGER, D.A. Oak Ridge National Laboratory. FIN B-8435. ORNL/NOAC-232. 95/12/31. Division of Safety Programs (Post 870413). 27pp. 88891001-88891270.

9601290235 NUREG/CR-6574 V22 PRECURSORS TO POTENTIAL SEVERE CORE DAMAGE ACCIDENTS: 1994 A STATUS REPORT. Appendix I.
BELLES, R.J. CLECHER, J.W. COPPINGER, D.A. Oak Ridge National Laboratory. FIN B-8435. ORNL/NOAC-232. 95/12/31. Division of Safety Programs (Post 870413). 531pp. 88893001-88893167.

9601290256 NUREG-0046 V18 N03 LICENSEE CONTRACTOR AND VENDOR INSPECTION STATUS REPORT. Quarterly Report, July-September 1995. (White Book).
* Ofc of Nuclear Reactor Regulation (Post 941001). 95/12/31. 224pp. 88892001-88892225.

9601290258 NUREG-0833 S1B A PRIORITIZATION OF GENERIC SAFETY ISSUES.
EMERT, J. Division of Engineering Technology (Post 941217). 95/12/31. 414pp. 88893001-88893050.

9601290272 NUREG-1323 R01 LICENSE APPLICATION REVIEW PLAN FOR A GEOLOGIC REPOSITORY FOR SPENT NUCLEAR FUEL AND HIGH-LEVEL RADIOACTIVE WASTE. Draft Review Plan.
* Division of Waste Management (NMS 940403). 95/12/31. 185pp. 88897169-88897233.

9601290279 NUREG/CR-2907 V14 RADIOACTIVE MATERIALS RELEASED FROM NUCLEAR POWER PLANTS.
TICHER, J. OOTY, K. LUCADAMO, K. Brookhaven National Laboratory. FIN B-2234. BNL/NUREG-51581. 95/12/31. 351pp. 88890001-88890251.

9601290288 NUREG/CR-6258 V02 FIELD LYBOMETER INVESTIGATIONS - TEST RESULTS. Low-Level Waste Data Base Development Program; Test Results For Fiscal Years 1990, 1991, 1992, And 1993.
MCCONNELL, J.W. ROGERS, R.D. Idaho National Engineering Laboratory. JASTROW, J.D. Argonne National Laboratory. FIN A-8876. INEL-95/0073. 95/12/31. Division of Regulatory Applications (Post 941217). 170pp. 88893018-88893174.

9601290290 NUREG/CR-6346 THERMALLY DRIVEN MOISTURE DISTRIBUTION IN PARTIALLY SATURATED POROUS MEDIA.
GREEN, R.T. MANTEUFFEL, R.D. MEYER, J.A. Center for Nuclear Waste Regulatory Analysis. FIN B-8656. CNWRA 95-005. 95/12/31. Division of Regulatory Applications (Post 941217). 209pp. 88892001-88892209.

9601310028 Rev 22 to App E to Emergency Response Plan for Calvert Cliffs Nuclear Power Plant. "NUREG-0654 Cross Ref."
* Baltimore Gas & Electric Co. 96/01/24. 43pp. 88945308-88945352.

ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

9502060039 Advises that revised rept, "Evacuation Time Estimates Within Plume Exposure Pathway Emergency Planning Zone" for plant dtd 940303, consistent w/ guidance of NUREG-0654, FEMA-REP-1, rev 1 & have determined that plant ETE adequate.
SPRESSARD, J.L. Ofc of Nuclear Reactor Regulation (Post 941001). 95/02/01. KNAITKOWSKI, D. Federal Emergency Management Agency. 2pp. 88895162-88895165.

9512570372 NRC Info Notice 95-001, "Potential for High Post-Accident Closed-Cycle Cooling Water Temp to Disable Equipment Important to Safety."
CRUTCHFIELD, D. 96/01/03. Consolidated Edison Co. of New York, Inc. 8pp. 88740015-88740023.

9512590129 NRC Info Notice 95-002, "Inoperability of Power-Operated Relief Valves Masked by Downstream Indicators During Testing."
CRUTCHFIELD, D. 96/01/06. Consolidated Edison Co. of New York, Inc. 13pp. 88768349-88768361.

9612900208 NRC Info Notice 96-003, "Main Steam Safety Valve Setpoint Variation as Result of Thermal Effects."
CRUTCHFIELD, D. 96/01/05. Consolidated Edison Co. of New York, Inc. 8pp. 88768341-88768348.

950102087 Discusses 951219 meeting w/Advanced Containment System in Rockville, MD. DELLIGATTI, M.S. Office of Nuclear Material Safety & Safeguards. 95/12/20. HAUER, J.E., Office of Nuclear Material Safety & Safeguards. 2pp. 8682057-8682058.

950102047 Summary of Oct. - Nov 1995 public workshop conducted in each Region to discuss GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves." Meeting participants & handouts incl. WESSMAN, R.H., GL 95-07. 95/11/30. WIGGINS, J.T. Region 1 (Post 820201). GIBSON, J.P. Region 2 (Post 820201). GRANT, G.E. Region 3 (Post 820201). 95pp. 8682059-8682203.

950104081 Informs that NRC assessing status of NRC/Licensee programs at each commercial nuclear power generating facility under licensing jurisdiction. Requests that info listed in encl be provided in support of assessment effort. NEWBERRY, S.F., 95/12/22. Commerce, Dept. of. 25pp. 86727310-86727333.

950104022 Requests info on listed species known or have potential to occur near commercial nuclear power generating stations to further conservation of protected species under Endangered Species Act/W/Info request & area locales. NEWBERRY, S.F., 95/12/22. Commerce, Dept. of, National Marine Fisheries Service. 23pp. 86730022-86730049.

950104021 Notice of OMB review of info collection & solicitation of public comment/info potential respondents that agency may not conduct or sponsor collection of info unless it displays currently valid OMB control number. LEVIN, A.E. Office of Information Resources Management (Post 850295). 95/12/28. 4pp. 86740024-86740042.

950104037 Request for OMB review & supporting statement re 10CFR91, "Licensing Requirements for Land Disposal of Radioactive." Estimated respondent burden 7,538 h. NRC - No Detailed Action Given. OMB 3150-0135. 95/12/28. 15pp. 86740023-86740042.

950104035 NRC Info Notice 95-004, "Incident Reporting Requirements for Radiography Licenses." COOLIDGE, Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/10. Consolidated Edison Co. of New York, Inc. 13pp. 86527259-86527271.

950104034 839.07-95-191 "Qualitative Survey of Submitted Media," rept of analysis. PELLA, P.A. National Institute of Standards & Technology (formerly National Bureau of Standards). 95/07/18. 3pp. 86730079-86730078.

950104035 Forwards Current Staff Initiatives Summary. Discusses staff plans to improve continuity & stability for site decommissioning mgmt plan effs. TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/12/15. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750116). 12pp. 86740103-86740114.

9501050185 Forwards analysis of NRC enforcement history & staff action plan for issues identified as result of evaluating recent NRC & MIT ingestion events as follow up to 951221 memo. TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/12/27. THE CHAIRMAN, JACKSON, S.A., ROGERS, J.C. Commissioners (Post 750119). 1p. 86743322-86743343.

9501050192 Forwards analysis of enforcement history of NRC which had been done to determine if actions conformed to agency enforcement guidance & policy. Actions & recs considered, comments on documents reviewed & observations incl. UEBERMAN, J. Ofc of Enforcement (Post 870413). 95/12/28. TAYLOR, J.M. Ofc of the Executive Director for Operations. 11pp. 86743323-86743333.

9501050195 Identifies & assigns responsibility for generic & licensee specific actions for IIT rept findings which require followup resulting from investigation of incident as documented in NUREG-1535. TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/12/28. JORDAN, L. Ofc for Analysis & Evaluation of Operational Data, Director. 10pp. 86743334-86743343.

9501050248 Discusses operating reactor event boiling 95-14 on 951213. List of attendees/significant elements of discussed events, & reactor scram statistics for sites ending 95112, 16, 20, 1203 & 10. CHAFFEE, A.E. OMB 95-014. 95/12/26. CRUTCHFIELD, D. 1pp. 86740217-86740235.

9501050262 Forwards 951213 FEMA correspondence transmitting findings for offsite emergency preparedness aspects of exercise conducted 950822-23 at plant. Six areas requiring corrective action were identified. CREEG, J.R. Region 3 (Post 820201). 95/12/28. DONNELLY, P.M. Consumers Power Co. 2pp. 86755015-86755039.

9501050265 Forwards final rept for 950822-23 ingestion exposure pathway exercise for plant. Six areas requiring corrective action were identified, one for State of MI/our for Charlevoix County & one for Emmet County. BURKETT, M.M. Federal Emergency Management Agency. 95/12/13. MILLER, H.J. Region 3 (Post 820201). 1p. 86755017-86755027.

9501050271 "Final Exercise Rept Big Rock Point Nuclear Power Plant." Federal Emergency Management Agency. 95/12/13. 62pp. 86755031-86755069.

9501050294 Forwards 951130 FEMA correspondence transmitting findings for offsite emergency preparedness aspects of 950820 exercise at plant. CREEG, J.R. Region 3 (Post 820201). 95/12/28. WATZLE, Northern States Power Co. 2pp. 86755070-86755083.

9501050298 Forwards corrected final rept for 950820 plume exposure pathway exercise at plant. Four areas requiring corrective action were identified, one for State of MN & three for Sherburne County. BURKETT, M.M. Federal Emergency Management Agency. 95/11/30. MILLER, H.J. Region 3 (Post 820201). 1p. 86755072-86755072.

9501050305 "Final Exercise Rept Monticello Nuclear Generating Plant." Federal Emergency Management Agency. 95/11/30. 62pp. 86755073-86755083.

9501050343 Informs that NRC assessing status of NRC/Licensee programs at each commercial nuclear power generating facility under licensing jurisdiction. Requests that info listed in encl be provided in support of assessment effort. NEWBERRY, S.F., 95/12/22. Commerce, Dept. of. 35pp. 86740274-86740308.

9501050338 Follows up on earlier conversation re NRC training for Federal Bureau of Investigation staff in radiological emergencies in context of FRIER. Requests that time be scheduled for training at Quantico week of 951300. MORSE, J.A. Incident Response Branch. 95/10/06. DEMBICKI, Federal Bureau of Investigation. 1p. 86743258-86743258.

950105037 Informs of distribution of two surveys from assessment & requests response by 950103, based on use of ACS through 951221, & based on use from 950107 to 950209. Forwards historical & periodic surveys. PAPERBELL, C.J. Office of Nuclear Material Safety & Safeguards. 95/12/20. Office of Nuclear Material Safety & Safeguards. 15pp. 86758185-86758189.

950110058 NRC Info Notice 95-005, "Partial Bypass of Shutdown Cooling Flow From Reactor Vessel." CRUTCHFIELD, D., IEN 95-045. 95/01/18. Consolidated Edison Co. of New York, Inc. 9pp. 86528104-86528126.

950110067 Discusses 951017 request to appoint member of staff to participate in INSRP. Informs of very of Presidential directive NSC-25/39, which of space nuclear systems. FEDERALINE, M.V. Division of Waste Management (NMS 940409). 95/12/18. TAYLOR, J.M. Ofc of the Executive Director for Operations. 5pp. 86759255-86759262.

950110094 Requests NRC to support Cassini Nuclear Safety Review & assess need & potential for strengthening INSRP subpanels. THE CHAIRMAN, SELIN, Commissioners (Post 750116). 94/10/17. THE CHAIRMAN, SELIN, Commissioners (Post 750116). 1p. 86759280-86759280.

950110012 Advises that it appears inappropriate for NRC to serve as INSRP co-chair for Cassini Space Mission. Prepared to discuss any role NRC could play. THE CHAIRMAN, SELIN, Commissioners (Post 750116). 94/10/06. GIBSON, J.H. President of U.S. & Executive Offices. 1p. 86759281-86759282.

950110180 Forwards FEMA final rept for CONPP radiological emergency preparedness exercise on 950812. KERR, R.R. Region 1 (Post 820201). 95/12/28. DENTON, R.E. Batterson Gas & Electric Co. 2pp. 86758289-86758320.

950110185 Forwards final rept for CONPP radiological emergency preparedness exercise conducted on 950812. LAMB, L.E. Federal Emergency Management Agency. 95/12/01. BORE, R. Region 1 (Post 820201). 1p. 86758271-86758271.

951210022 "Final Exercise Rept" for Calvert Cliffs Nuclear Power Plant. Federal Emergency Management Agency. 95/11/09. 48pp. 86758272-86758280.

950110237 Summarizes proposed change in scoring NRC receipts from license fees per recent discussion w/OMB. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750116). 95/12/26. RIVLIN, J.M. Office of Management & Budget. 1p. 86758251-86758251.

950110248 Confirms understanding of 951228 conversation re 951222 ltr to NRC which contained description of rev approved by Radiation Safety Committee that would change enforcement policy for violations of NRC policy for security of risks. SHANNON, S.F. Region 1 (Post 820201). CAL-1-95-48. 95/12/27. GOTTESMAN, J.M. Health & Human Services, Dept. of. 2pp. 86758182-86758183.

950105035 OIG/95A-04 Audit rept OIG/95A-04, "Factors Contributing to Inconsistency in Operating Reactor Trip Program." Office of the Inspector General (Post 850417). 95/12/27. 25pp. 86773291-86773315.

9501050304 Forwards FEMA final rept for 950813 plan emergency preparedness exercise. No deficiencies noted. GWYNNE, T.P. Region 4 (Post 820201). 95/01/04. HUTCHINSON, C.R. Entergy Operations, Inc. 5pp. 86768214-86768275.

9501050324 Forwards final rept for 950913 off-site Radiological Emergency Preparedness Exercise at plant in Port Gibson, MS. No deficiencies noted. YOUNG, J.L. Federal Emergency Management Agency. 95/12/11. CALLAN, L.J. NRC - No Detailed Action Given. 1p. 86768218-86768218.

9501050332 "Final Exercise Rept Grand Gulf Nuclear Station." Federal Emergency Management Agency. 95/12/06. 56pp. 86768220-86768275.

9501050323 Forwards FEMA final rept for 951106 Waterford 3 Steam Electric Station off-site remedial drill. GWYNNE, T.P. Region 4 (Post 820201). 95/01/04. BARKHURST, R.P. Entergy Operations, Inc. 5pp. 86770007-86770022.

9501050353 Final rept, "Remedial Drill Rept for Waterford 3 Steam Electric Station." Federal Emergency Management Agency. 95/11/30. 11pp. 86770012-86770022.

9501050425 Forwards copy of FEMA final rept for 950815-16 No deficiencies identified. GWYNNE, T.P. Region 4 (Post 820201). 95/01/04. CAPPS, N.S. Wolf Creek Nuclear Operating Corp. 5pp. 86770075-86770128.

9512070835 Forwards final exercise rept for 950815-16. "Ingestion Pathway Exercise of Offsite Radiological Emergency Plans for WYCS." No deficiencies identified during exercise. Informs that FEMA Region VII will monitor corrective actions status. MILLER, J.A. Federal Emergency Management Agency. 95/11/08. CRUTCHFIELD, D. 2pp. 86770080-86770081.

9512070865 "Exercise Rept Wolf Creek Generating Station." MILLER, J.A. Federal Emergency Management Agency. 95/11/13. 48pp. 86770082-86770129.

950110018 INPO 95-006 General distribution INPO 95-006, "1995 Survey of Nuclear-Related Employment in United States Electric Utilities." Institute of Nuclear Power Operations. 95/12/31. 81pp. 86770261-86770289.

950110084 Notices of 950131-0201 Incident Response Workshop in Arlington, TX to provide info about NRC Incident Response Program. COLLINS, S.J. Region 4 (Post 820201). 95/01/08. HUTCHINSON, C.R., YOUNG, S., MILLER, J. Federal Emergency Management Agency. 5pp. 86771119-86771127.

176 NONDOCKETED ITEMS

9601180083 Discusses 951207 telcon which provides update on status of Section 2.206 petition.
GAMBERONI, J.M. 2.206. 96/01/03. NRC - No Detailed Affiliation Given. 1p. 96008335-96008335.

9601180084 Requests that cost proposal for RFP-T-7 under JCN J-2034 be submitted within five business days from date of request.
GRIMES, C.J. FIN J-2034. 96/01/08. WILCOX, J.M. Energy, Dept. of Idaho Operations Office. 9pp. 96008343-96008351.

9601180143 Discusses semiannual cost beneficial financing action (CBFA) status report/forwards table illustrating total CBFA inventory, status & estimated industry savings from approved CBFA.
RUSSELL, W.T. 95/12/28. TAYLOR, J.M. Ofc of the Executive Director for Operations. 4pp. 96008265-96008268.

9601180165 NRC ofc of 503. "Procedure for Integrated Identification, Evaluation/Prioritization, Mgt & Resolution of GI."
GOODWIN, E. NRC L-503. 95/12/27. 2pp. 96008179-96008202.

9601180172 NRC Ofc Ltr 504. "Procedure for Development/Implementation & Mgt of Action Plans."
MCKENNA, J. NRC L-504. 95/12/27. 10pp. 96008289-96008328.

9601180248 Forwards analysis of comments & changes made to drafts as result of comments on Chapter 18 of draft "Format & Content for Applications for Licensing of Non-Power Reactors."
ADAMS, A. 96/01/09. HOGAN, J.P. 4pp. 96008321-96008324.

9601180308 Forwards monthly report which reflects status of 10CFR2.206 petitions as of end of Nov 1995. Status of petitions before NMSS, NRC & CE, list of decisions before Commission & courts, & list of sensitive matters pending.
ZIMMERMAN, R.P. 2.206. 95/12/19. TAYLOR, J.M. Ofc of the Executive Director for Operations. 32pp. 96008229-96008270.

9601180386 Forwards copyright release for reproducing sys descriptions contained in "Nuclear Power Experience." Informa that sub sys descriptions will be used in various documents including AECDO reports & in electronic files made available to public.
ISRAEL, S.L. Division of Safety Programs (Post 870415). 96/01/03. OLUJWE, Publications Branch (Post 920323). 1p. 96012211-96012216.

9601180423 Forwards copyright release for signature which would allow NRC to reproduce sys descriptions contained in "Nuclear Power Experience." Informa that sub sys descriptions will be used as framework for classifying technical reports by topic.
ROSSI, G.E. Division of Safety Programs (Post 870413). 95/12/01. ELDRIDGE, M. 7pp. 96012212-96012218.

9601180308 NRC Info Notice 96-008. "Design & Testing Deficiencies of Tornado Cumpens at Nuclear Power Plants."
CRITCHFIELD, D. 96/01/25. Consolidated Edison Co. of New York, Inc. 10pp. 96008301-96008310.

9601180435 Requests assistance in developing independent capabilities for processing nuclear cross-section data.
PAPERBLOOM, J.L. Office of Nuclear Material Safety & Safeguards. 96/01/04. MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 19pp. 96012154-96012172.

9601220090 Informa that DOE has accepted from NRC end Standard Order for DOE work 70-96-008.
HULTGREEN, J.O. Energy, Dept. of. 95/12/14. TRIVELPIECE, A. Oak Ridge National Laboratory. 2pp. 96012131-96012132.

9601220285 Recommends signing on behalf of NRC agreement on thermal-hydraulic code applications & maint between NRC & Turkish Atomic Energy Authority.
MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 95/12/14. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 96012221-96012221.

9601220010 OIG/96A-05 Audit report OIG/96A-05. "Review of NRC Implementation of FMFA for 1995."
Office of the Inspector General (Post 960417). 96/01/04. 20pp. 96008327-96008348.

9601220354 Submits report on nondisclosure of safeguards info for quarter beginning 950701-950930. Report describes two occasions during period when NRC withheld from public disclosure safeguards info re security at nuclear power plants.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 95/12/04. SCHAEFER, D. House of Rep. Energy & Commerce. FAIRCLOTH, L. Senate, Environment & Public Works. 7pp. 96012065-96012062.

9601240078 Forwards add info that responds to 951026 request concerning NRC activities at NRI & 950828 contamination event at NRI.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 95/12/04. SHAYS, G. House of Rep. 2pp. 96012100-96012102.

9601250056 Forwards comments on status of operable nonpower reactors.
WEISS, S.H. 96/01/11. TYSON, S. Energy, Dept. of. 4pp. 96012229-96012232.

9601250071 Discusses 951113 meeting w/NRC staff & discusses re assured storage concept.
PLUMMER, T.L. Energy, Dept. of. 95/11/03. GREEVES, J. Division of Waste Management (NMS 940409). 2pp. 96008331-96008332.

9601250114 Forwards copy of all public comments received on final bulletin for ECCS Strainer Clogging Issue. W/o encl.
ELLIOTT, R.B. 96/01/18. WIESEMANN, R.A. Affiliation Not Assigned. 1p. 96008195-96008195.

9601250320 Informa of Public Law 97-415, enacted 930104, amending section 189 of 1964 AEA authorizing NRC to issue & make effective any amend to operating license which involve NSHC. Forwards NRC Notice of Applications & Amends to OLS/W/o encl.
RUSSELL, W.T. 96/01/16. FAIRCLOTH, L. Senate. 2pp. 96012233-96012234.

9601250334 Forwards detailed discussion of G. Cline & U. Potapovs efforts in reviewing Defense Waste Processing Facility Suspect Parts Identification Program.
CVALINA, G.C. POTAPOVS, U. 96/01/17. WATKINS, A.L. Energy, Dept. of. 7pp. 96012235-96012241.

9601250442 Informa that NRC conducted one-day public workshops in Oct & Nov 1995 to discuss GL 95-07. "Pressure Locking & Thermal Binding of SR Power-Operated Safety Valves."
WESSMAN, R.H. GL-95-07. 96/01/19. WIGGINS, J.T. Region 1 (Post 820201). 24pp. 96008279-96008292.

9601250194 Responds to 951210 ltr which requested that R. Cain & S. Willschlag be granted six-month extensions on requirement to attend seafather training course at least once every two yrs.
RICHARDS, S.A. 96/01/17. PARRISH, M.W. 2pp. 96012261-96012268.

9601250196 Informa that GE BWR/4 simulator refresher course scheduled for 960226-0301 in Chattanooga, TN.
RAGUN, K.A. Technical Training Center. 95/12/22. O'BROURKE, C. Region 1 (Post 820201). SMITH, D. Region 3 (Post 820201). PULSIPHER, K. 6pp. 96012263-96012268.

9601250232 Responds to 951010 ltr informing that NRC has no basis to promulgate new thread gaging requirement for regulated nuclear industry.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 96/01/18. JOHNSON, S.P. Affiliation Not Assigned. 3pp. 96008247-96008249.

9601250096 Responds to 951221 ltr to Chairman Jackson which requested names & addresses of nuclear laundries in US & repts on status of safety of Chicago-area nuclear facilities.
CAPRARA, A. 96/01/19. MULLARKEY, B.A. Affiliation Not Assigned. 11pp. 96008091-96008102.

9601250017 Requests names & addresses of nuclear laundries in US & repts on status & safety of Chicago-area nuclear facilities.
MULLARKEY, B.A. Affiliation Not Assigned. 95/12/21. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 96008102-96008102.

9601250023 Responds to 950915 request forwarding NRC report providing progress on implementation of Federal Guidelines for Dam Safety from Oct 1993-Sept 1995. Informa that NRC utilized technical assistance of FERC for dam safety inspe.
PAPERBLOOM, J.L. Office of Nuclear Material Safety & Safeguards. 95/12/27. WITT, J.L. Federal Emergency Management Agency. 4pp. 96008217-96008223.

9601250029 "NRC 1994-1995 Progress Report to FEMA Implementation of Federal Guidelines for Dam Safety," ninth progress report for Oct 1993 - Sept 1995.
NRC - No Detailed Affiliation Given. 95/12/31. 12pp. 96008321-96008322.

9601250043 Informa of responsibility for reporting to President status of implementation of Federal Guidelines for Dam Safety by Federal agencies. Requests info re NRC procedures progress toward dam safety & impact of sub guidelines on operations.
WITT, J.L. Federal Emergency Management Agency. 95/11/02. THE CHAIRMAN, SELMI, Commissioners (Post 750119). 7pp. 96008223-96008229.

9601250054 Trip report of 951126-1201 visit to Seoul, Korea to attend PSA International Conference re PSA Methodology & Applications. Papers presented at conference encl.
CHUNG, J.W. 96/01/17. BUTCHER, E.J. 3pp. 96008136-96008154.

9601250050 "Risk Mgt Strategies W/Qualitative & Quantitative Approaches," presented at 951126-1201 conference in Seoul, Korea.
VESELY, W.E. Science Applications International Corp. (Formerly Science Applications, Inc.). CHUNG, J.W. BUTCHER, E.J. 95/11/26. 6pp. 96008139-96008145.

9601250059 "Risk Based Methodology for USNRC Insps," presented at 951126-1201 conference in Seoul, Korea.
WONG, S.M. Brookhaven National Laboratory. HOLAHAN, G.M. CHUNG, J.W. 95/11/26. 8pp. 96008147-96008154.

9601250139 NRC Info Notice 96-007. "Slow Five Percent Screen Insertion Times Caused By Vibration Discharge in Screen Solenoid Pilot Valves."
CRITCHFIELD, D. IER-94-071. 96/01/26. Consolidated Edison Co. of New York, Inc. 7pp. 96008317-96008323.

9601250277 Forwards Biweekly Notice of Applications & Amends to Operating Licenses involving no significant hazards considerations. Published 951220 W/o encl.
RUSSELL, W.T. CCS. 96/01/16. FAIRCLOTH, L. Senate, Environment & Public Works. 1p. 96008195-96008195.

9601250364 Forwards requested advice from 960104 ltr. Expresses appreciation for opportunity to participate in panel on Radioactive Mail Use & Disposal for Annual Meeting of American Society for Cell Biology.
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/01/18. KIRSCHNER, M.W. Harvard Medical School, Boston, MA. 7pp. 96008200-96008208.

9601250044 Forwards revised final ofc ltr 503 & 504, WITS ltr 9500033 & 9500034 re handling of potentially genetic issues of lower safety significance & documentation of acceptability of continued operation during period of resolution.
RUSSELL, W.T. WITS 9500033. 95/12/28. MILHOAN, J.L. 2pp. 96008175-96008210.

9601250249 Responds to 960122 ltr sent to Taylor, Milhoan, Russell, Cullen & Lieberman which provides summary of NRC position represented during pre-decisional EC held in Arlington, TX on 960116.
LIEBERMAN, J. Ofc of Enforcement (Post 870413). 96/01/29. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 2pp. 96008275-96008281.

9601250257 Summarizes positions expressed by NRC at EC which had been held in Arlington, TX on 960116. Informa of summary to assist NRC in deliberations re whether or not company violated 10CFR50.7 & certain individuals violated 10CFR50.5.
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). EA-95-271. 96/01/22. TAYLOR, J.M. Ofc of the Executive Director for Operations. MILHOAN, J.L. Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 850209). LIEBERMAN, J. Ofc of Enforcement (Post 870413). 6pp. 96008277-96008341.

9601250329 Notice of OMB review of info collection & solicitation of public comment.
CRANFORD, G.F. Office of Information Resources Management (Post 890205). 96/01/21. 3pp. 96008115-96008127.

-9601290189 Request for OMB review & supporting statement re Concise Note/Estimated respondent burden 955 h. CRANFORD, G.F. Office of Information Resources Management (Post 890205). OMB 3150-0057. 95/01/25. 8pp. 88890:120-88890:127.

-9601290412 Request for OMB review & supporting statement re Nuclear Mail Transaction Report/confirmation sheet & instructions for completing forms (NUREG/AR-0009). Estimated respondent burden 15,000 h. CRANFORD, G.F. Office of Information Resources Management (Post 890205). OMB 3150-0003. 95/01/25. 8pp. 88813:907-88813:916.

9601290469 Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment. CRANFORD, G.F. Office of Information Resources Management (Post 890205). 95/01/25. 8pp. 88810:244-88810:252.

9601290477 Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment. CRANFORD, G.F. Office of Information Resources Management (Post 890205). 95/01/25. 10pp. 88810:333-88810:342.

9601301033 Requests that NRC allow distribution of CCF database w/limited proprietary info to NRCPS user members, domestic & foreign, in forms of plans to make summary reports & supporting documentation publicly available. JORDAN, J.L. Office for Analysis & Evaluation of Operational Data, Director. 95/01/23. KUNDLEY, W. Institute of Nuclear Power Operations. 2pp. 88898:001-88898:004.

-9601301034 INEL-94/0064 "Common-Cause Failure Data Collection & Analysis Sys Volume 4-Common-Cause Failure Parameter Estimation." MARSHALL, F.M. Idaho National Engineering Laboratory. RASMUSON, D.M. NRC - No Detailed Affiliation Given. FIN E-8247. 95/12/31. Division of Safety Programs (Post 870413). 374pp. 88898:003-88898:014.

-9601301038 INEL-94/0064 "Common-Cause Failure Data Collection & Analysis Sys Volume 4-Common-Cause Failure Overview." STROMBERG, H.M. MARSHALL, F.M. KYARFORD, K.J. Idaho National Engineering Laboratory. FIN E-8247. 95/12/31. Division of Safety Programs (Post 870413). 30pp. 88897:016-88897:045.

-9601301037 INEL-94/0064 "Common-Cause Failure Data Collection & Analysis Sys Volume 2-Definition & Classification of Common-Cause Failure Events." STROMBERG, H.M. MARSHALL, F.M. Idaho National Engineering Laboratory. MOSLEY, A. Maryland, Univ. of, College Park, MD. FIN E-8247. 95/12/31. Division of Safety Programs (Post 870413). 58pp. 88897:046-88897:104.

-9601301035 INEL-94/0064 "Common-Cause Failure Data Collection & Analysis Sys Volume 3-Data Collection & Coding Common-Cause Failure Events." MARSHALL, F.M. NOVACK, S.D. STROMBERG, H.M. Idaho National Engineering Laboratory. FIN E-8247. 95/12/31. Division of Safety Programs (Post 870413). 68pp. 88897:105-88897:173.

-9601301039 INEL-94/0064 "Common-Cause Failure Data Collection & Analysis Sys Volume 4-Common-Cause Failure Database & Analysis Software Ref Manual." KYARFORD, K.J. SCHERMAN, E.H. CLARK, R. Idaho National Engineering Laboratory. FIN E-8247. 95/12/31. Division of Safety Programs (Post 870413). 88pp. 88897:174-88897:272.

-9601301042 INEL-94/0064 Draft, "Common Cause Failure Data Collection & Analysis Sys Volume 5-Guidelines on Modeling Common Cause Failures in PRA." Idaho National Engineering Laboratory. MOSLEY, A. Maryland, Univ. of, College Park, MD. RASMUSON, D.M. NRC - No Detailed Affiliation Given. FIN E-8247. 95/12/31. Division of Safety Programs (Post 870413). 126pp. 88897:273-88897:394.

PR PROPOSED RULE

9601301063 Forwards FR notice of policy re communications between NRC & industry. RATHBUND, K. Office of Congressional Affairs (Post 811117). CCS. 95/11/01. FAIRCLOTH, L. Senate, Environment & Public Works. SCHAEFER, D. House of Rep. Energy & Commerce. 2pp. 88701:268-88701:275.

9601301023 Notice of public workshop in Rockville, MD on 960118 to review regulatory program for devices containing radioactive materials licensed under 10CFR30.31, 32.40 & 70. KNAPP, J.R. Office of Nuclear Material Safety & Safeguards. 95/12/28. 8pp. 88827:216-88827:221.

9601301099 Final rule 10CFR30.40 & 70, "One-Time Extension of Certain Byproduct, Source & Special Nuclear Materials Licenses." Amends regulations to implement 5 yr extension of certain source, byproduct & SNM licenses on one-time basis. TAYLOR, J.M. Dir. of the Executive Director for Operations. 80FR46794. 95/12/20. 33pp. 88827:223-88827:255.

9601220005 Comments on proposed rule 10CFR20 re constraint levels for air emissions of radionuclides. Submits main points on Health Physics 88. STEPHENS, J. Affiliation Not Assigned. 80FR33984 00004. 95/01/16. RADDATZ, C. Radiation Protection & Health Effects Branch (Post 941217). 1p. 88818:059-88818:059.

9601220014 Comment on proposed rule 10CFR20 re constraint level for air emissions of radionuclides. Supports revision of 40CFR61 subpart I provided that radon & decay products excluded from calculated effective dose equivalent. LOOMIS, M. Wyoming Mining Association. 80FR33984 00003. 95/01/10. Docketing & Services Branch. 4pp. 88818:070-88818:073.

9601220015 Comment on proposed rule 10CFR20 re constraint level for air emissions of radionuclides. Supports revision of 40CFR61 subpart I provided that radon & decay products excluded from calculated effective dose equivalent. PAULSON, O. Kennecott Corp. 80FR33984 00002. 95/01/08. Docketing & Services Branch. 8pp. 88818:074-88818:078.

9601290268 Comment supporting proposed rule 10CFR20 re constraint level for air emissions of radionuclides. HAVEMAN, J.K. Michigan, State of. 80FR33984 00006. 95/01/12. Docketing & Services Branch. 3pp. 88827:189-88827:190.

9601220045 Forwards final rule for publication of FR re rev of specific exemptions under privacy act. RATHBUND, K. Office of Congressional Affairs (Post 811117). CCS. 95/12/13. FAIRCLOTH, L. Senate, Environment & Public Works. SCHAEFER, D. House of Rep. 2pp. 88870:026-88870:049.

-9601220046 FR notice amending regulations to add exemptions authorized by subsections (b)(2) & (b)(5) of Privacy Act of 1974. TAYLOR, J.M. Dir. of the Executive Director for Operations. CCS. 95/12/01. 18pp. 88870:028-88870:046.

9601240029 Forwards final rule 10CFR50, "Fracture Toughness Requirements for LWR Pressure Vessels." RATHBUND, K. Office of Congressional Affairs (Post 811117). CCS. 95/12/14. FAIRCLOTH, L. Senate, Environment & Public Works. SCHAEFER, D. House of Rep. 2pp. 88870:051-88870:175.

9601250144 Notice of proposed policy statement re revised criteria Commission considering for use in tabulating quarterly abnormal occurrence report to Congress & public in timely manner. HOYLE, J.C. Office of the Secretary of the Commission. 95/01/03. 47pp. 88835:013-88835:039.

9601250145 Notice of receipt of copy of report from Natl Academy of Sciences, Inst of Medicine entitled, "Radiation in Medicine: Need for Regulatory Reform," to be published by NRC for public comment. PAPERELLO, C.J. Office of Nuclear Material Safety & Safeguards. 61FR1648. 95/01/11. 3pp. 88838:080-88838:082.

9601250143 Comment opposing proposed miscellaneous rule re NRC transferring authority to regulate medical uses of byproduct radioactive materials to individual states. POTTEAT, G.N. Affiliation Not Assigned. 61FR1648 00001. 95/01/19. Docketing & Services Branch. 2pp. 88838:087-88838:088.

9601290089 Comment on proposed rules 10CFR30.31, 32.40 & 70 re suggested changes for regulatory program for radioactive sources. Suggests that scrap dealers & endoscope users are areas needing improvement to reduce radioactivity in scrap metal. MILLER, C.E. Factory Mutual Research Corp. 61FR295 00001. 95/01/15. Docketing & Services Branch. 2pp. 88894:135-88894:137.

9601300116 Forwards worksheets for 10CFR170 & 171 proposed rule, FY96, for publication in FR. HOLLOMAN, C.J. Office of the Controller (Post 890205). 95/01/29. LANHAM, D.H. Document Control Branch (Document Control Desk). 415pp. 88811:001-88811:051.

9601300027 Comment on proposed rules 10CFR30.31, 32.40 & 70 re suggested changes for regulatory program for radioactive sources. FRENDEGAST, W. LIFE Industrial Systems Corp. (formerly LIFE Corp.). 61FR295 00002. 95/01/26. Docketing & Services Branch. 4pp. 88894:138-88894:139.

9601300040 Comment opposing proposed rule 10CFR20 re proposed dose limit of 10 mrem/yr. Believes that dose limit is alarmist, unreasonable, impractical & prejudicial. CHUBB, W. Affiliation Not Assigned. 60FR33984 00006. 95/01/24. Docketing & Services Branch. 1p. 88844:139-88844:139.

PRESS RELEASES

9601303269 Forwards documentation for NUREG-1480, "Loss of b-182 Source & Therapy Administration at Indiana Regional Cancer Center, PA on 821116." SIEGEL, C. Office for Analysis & Evaluation of Operational Data, Director. 95/12/11. DAVIS, W.E. Information & Records Management Branch (Post 890827). 27pp. 87021:001-87021:287.

-9601303033 Press Release 1-92-53, "NRC Investigates Incident Involving Radioactive Source Used for Medical Treatment." Region 1 (Post 820201). 92/12/08. 250pp. 87021:038-87021:318.

9601350041 Press Release 95-01, "NRC Staff Proposes to Fine NYPA \$50,000 for Alleged Violations of NRC Requirements at Indian Point 3 Nuclear Power Plant." Office of Public Affairs (Post 811117). 95/01/03. 1p. 88768:322-88768:322.

9601350049 Press Release 95-02, "NRC Staff Proposes to Fine Baltimore Gas & Electric Co \$50,000 for Alleged Violation of Security Regulations at Calvert Cliffs Nuclear Power Plant." Office of Public Affairs (Post 811117). 95/01/03. 2pp. 88768:323-88768:325.

9601350057 Press Release 95-03, "NRC Staff Proposes \$50,000 Fine Against Commonwealth Edison Co for Violation of NRC Requirements at Quad Cities Station." Office of Public Affairs (Post 811117). 95/01/03. 2pp. 88768:324-88768:325.

9601350145 Press Release 95-004, "NRC Staff Issues Confirmatory Order, Demand for Info to Maine Yankee." Office of Public Affairs (Post 811117). 95/01/03. 2pp. 88768:333-88768:334.

9601300323 Press release 95-07, "NRC Issues Updated SDMP List of Contaminated Sites." Office of Public Affairs (Post 811117). 95/01/05. 2pp. 88985:005-88985:006.

9601300331 Press release 95-08, "NRC Holds Workshop 950118-19 in MD on Radioactive Devices." Office of Public Affairs (Post 811117). 95/01/05. 2pp. 88985:007-88985:008.

9601300352 Press release 95-05, "NRC Staff Issues Confirmatory Order, Demand for Info to Maine Yankee." Office of Public Affairs (Post 811117). 95/01/05. 1p. 88985:011-88985:012.

-9601300359 Comments on SECY 95-021 & NRC activities re low-level radioactive waste. POMEROY, P.W. Advisory Committee on Nuclear Waste. 95/12/20. The Chairman, JACKSON, S.A. Commissioners (Post 750110). 8pp. 88985:012-88985:018.

9601300363 Press release 95-09, "NRC ACHW to Meet 950124-25." Office of Public Affairs (Post 811117). 95/01/16. 2pp. 88930:268-88930:290.

178 NONDOCKETED ITEMS

9501240251 Press release 95-13, "NRC Seeks Public Comments on Rept by Natl Academy of Sciences."
Office of Public Affairs (Post 911117). 95/01/22. 1p. 86866332-86866332.

9501240254 Press release 95-12, "NRC Issues Draft Technical Position on Disposal of Radioactively Contaminated Baghouse Dust."
Office of Public Affairs (Post 911117). 95/01/22. 2pp. 86866333-86866334.

9501240255 Press release 95-11, "NRC Improves Guidance to Staff for Issuing Notices of Enforcement Discretion."
Office of Public Affairs (Post 911117). 95/01/22. 2pp. 86866335-86866336.

9501240259 Press release 95-10, "NRC Denies Exemption Requests on Radiography Equipment Requirements."
Office of Public Affairs (Post 911117). 95/01/19. 1p. 86866337-86866337.

9501250179 Press release 95-16, "NRC Staff Proposes \$50,000 Fine for Diablo Canyon."
Office of Public Affairs (Post 911117). 95/01/26. 2pp. 86910294-86910295.

9501250222 Press release 95-14, "NRC Prehears Conference Scheduled for Yankee Nuclear Power Station."
Office of Public Affairs (Post 911117). 95/01/25. 1p. 86910296-86910296.

9501250300 Press release 95-15, "NRC Staff Schedules Two-Day Conference to Discuss Regulatory Issues W/Nuclear Industry."
Office of Public Affairs (Post 911117). 95/01/25. 2pp. 86910297-86910298.

9501300053 Press release 95-17, "NRC Considers Repeal to Criteria for Reporting AO to Congress."
Office of Public Affairs (Post 911117). 95/01/29. 2pp. 86941271-86941272.

9501300095 Press release 95-18, "NRC ACRS to Meet 950209-10."
Office of Public Affairs (Post 911117). 95/01/29. 3pp. 86941273-86941275.

9501300100 Press release 95-022, "NRC Proposes to Amend Licensing/Inspection Annual Fees."
Office of Public Affairs (Post 911117). 95/01/30. 2pp. 86950229-86950230.

9501300143 Press release 95-019, "NRC Seeks Public Input on Draft Repts re Cleanup of UT U MI."
Office of Public Affairs (Post 911117). 95/01/18. 2pp. 86950331-86950332.

PRM PETITION FOR RULEMAKING

9501020157 Forwards petition for rulemaking PRM-50-63 requesting NRC amend 10CFR50. Petition filed by PG Crane.
FATHALLAH, D.K. Office of Congressional Affairs (Post 911117). OCS. 95/11/22. SCHAFER, D. House of Rep., Energy & Commerce. FAIRCLOTH, L. Senate, Environment & Public Works. 2pp. 86863245-86863246.

9501180474 Add suppl to comment 6 re NEI petition for RM concerning FP policy.
MALONEY, S. Devonree, Ltd. 60FR529784 00005. 95/01/04. Docketing & Services Branch. 6pp. 86818007-86818007.

9501220002 Comment supporting petition for rulemaking PRM-50-63 re amend to include potassium iodide in protective actions of 10CFR50 in event of radiological emergency.
FITZPATRICK, J. Nova Machine Products Corp. FITZPATRICK, J. Affiliation Not Assigned. 60FR52559 00010. 95/01/04. Docketing & Services Branch. 1p. 86818055-86818055.

9501220075 Comment on PRM 50-64 re stockpiling KI for use as thyroid protectant in event of nuclear accident. Opposes because of availability of other PAs, small number of accidents, difficulty in monitoring KI once in homes.
BIMBER, R.M. Affiliation Not Assigned. 60FR52558 00011. 95/01/03. Docketing & Services Branch. 7pp. 86823001-86823009.

9501220092 Comment supporting petition for rulemaking PRM-50-63 re stockpiling of potassium iodide to protect thyroid gland during nuclear power plant accident.
EDDY, J.M. Affiliation Not Assigned. 60FR52558 00013. 95/01/06. Docketing & Services Branch. 1p. 86818231-86818231.

9501220093 Comment on PRM 50-63 re distribution of KI to public to be used in event of nuclear accident. Opposes because of availability of other PAs, small number of accidents, difficulty in monitoring KI once in homes.
SIPO, D.M. Michigan, State of. 60FR52558 00012. 95/01/04. Docketing & Services Branch. 2pp. 86818245-86818246.

9501220191 Comment supporting petition for rulemaking PRM 50-63 re stockpiling of drug potassium iodine for thyroid protection during nuclear accident.
BRICKEN, E. Affiliation Not Assigned. 60FR52558 00014. 95/01/06. Docketing & Services Branch. 1p. 86818272-86818272.

9501220182 Comment supporting petition for RM PRM-50-63 re US govt stockpiling of potassium iodide for use as thyroid blocking agent in nuclear accident.
GOODMAN, S.J. Affiliation Not Assigned. 60FR52558 00015. 95/01/12. Docketing & Services Branch. 1p. 86818086-86818086.

9501220182 Comment supporting petition for rulemaking PRM-50-63 re stockpiling of potassium iodide to protect citizens from nuclear accidents.
SILVERMAN, P.M. Affiliation Not Assigned. 60FR52558 00017. 95/01/15. Docketing & Services Branch. 1p. 86823042-86823042.

9501220393 Comment supporting petition for rulemaking PRM-50-63 re use of KI as insurance against nuclear accident.
KING, J.O. Affiliation Not Assigned. 60FR52558 00016. 95/01/15. Docketing & Services Branch. 1p. 86823102-86823102.

9501230283 Comment opposing petition for rulemaking PRM-50-63 re use of KI as insurance against nuclear accident.
TAYLOR, C.J. South Carolina Electric & Gas Co. 60FR52558 00018. 95/01/15. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 86827168-86827167.

9501230147 Notice of denial of petition for rulemaking PRM 150-3 re amend to regulations concerning Agreement State regulation of byproduct mail to require Agreement State to notify NRC of proposed & completed regulatory actions.
THOMPSON, J.L. Ofc of the Executive Director for Operations. 60FR50706. 95/12/28. 13pp. 86836083-86836075.

9501250149 Comment on proposed rule PRM 50-63 re stockpiling or redistribution of potassium iodide to public.
NIELSEN, G.A. Wisconsin, State of. 60FR52558 00019. 95/01/12. Docketing & Services Branch. 1p. 86836078-86836079.

9501250155 Notice of receipt of petition for RM PRM-50-63 filed by Heartland Operation to Protect Environ re request for adoption of rule re govt ownership of LLRW disposal site consistent w/federal statute. NRC to solicit public comment.
HOYLE, J.C. Office of the Secretary of the Commission. 61FR539. 95/01/02. 5pp. 86836080-86836084.

9501300021 Comment supporting petition for RM PRM-50-63 which would require US govt to stockpile potassium iodide for use as thyroid blocking agent in event of nuclear accident.
POLLOCK, A. Affiliation Not Assigned. 60FR52558 00024. 95/01/25. Docketing & Services Branch. 1p. 86908348-86908348.

9501300026 Comment opposing petition for rulemaking PRM-50-63 filed by PG Crane.
TUCKERMAN, M.S. Duke Power Co. 60FR52558 00023. 95/01/22. Docketing & Services Branch. 1p. 86908349-86908349.

9501300035 Comment opposing petition for rulemaking PRM-50-63 re stockpiling or redistribution of potassium iodide.
MCMILLION, D. Maryland, State of. 60FR52558 00022. 95/01/22. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 86908350-86908350.

9501300010 Comment opposing petition for rulemaking PRM-50-63 re stockpiling of potassium iodide for use by general public during radiological emergencies.
SPELL, W.H. Louisiana, State of. 60FR52558 00025. 95/01/24. Docketing & Services Branch. 1p. 86908351-86908351.

9501210015 Comment supporting petition for rulemaking PRM-50-63 re potassium iodine.
Affiliation Not Assigned. 60FR52558 00021. 95/01/20. NRC - No Detailed Affiliation Given. 1p. 86908352-86908352.

9501300047 Requests that previous comment 20 from licensee be destroyed & substituted w/and comment 20 on PRM-50-63.
SHOEMAKER, J. Office of the Secretary of the Commission. 60FR52558 00020. 95/01/29. Affiliation Not Assigned. 2pp. 86908353-86908353.

FROM PROJECTS - PREDOCKET LICENSES

9501020047 Responds to 951117 Rr to Harghney re transport & storage of spent fuel elements that licensee for HB Robinson plant did transport fuel from fuel pool to ISFSI using NUHOMS-77P capsule inside IF-300 transport cask.
MARCUS, G.H. 95/12/27. SHILLING, J.F. Affiliation Not Assigned. 3pp. 86862038-86862042.

9501020124 Discusses telephone conversation re concerns re implementation of dry cask storage of high-level nuclear waste in ISFSI at Davis-Besse nuclear plant. Forwards letters from Lodge & Sizer (w/attachments) & press release.
THE CHAIRMAN, Commissioners (Post 750119). 95/12/22. KAPUR, J. House of Rep., Appropriations. 3pp. 86862044-86862048.

9501020131 Expresses concern re proposal by Toledo Edison to implement dry cask storage of high-level nuclear waste at Davis-Besse plant. Requests info re status of NRC decisions. Forwards Rr received from Toledo Edison for Safe Energy.
KAPUR, J. House of Rep., Appropriations. 95/12/15. THE CHAIRMAN, Commissioners (Post 750119). 3pp. 86862049-86862053.

9501030059 Corrected notification of 951221 meeting w/NEI in Rockville, MD to change room location to C-19311.
HOFFMAN, S.T. 95/11/22. NEWBERRY, S.F. 1p. 86860135-86860136.

9501180297 Notification of 950112, 950119 & 950126 meetings w/NEI in Rockville, MD to present staff comments on NEI guideline for implementing license renewal rule 10CFR54.
HOFFMAN, S.T. 95/12/27. NEWBERRY, S.F. 3pp. 86863347-86863349.

9501110108 Summary of 951213 meeting w/85WOG re proposed resolution of open issues in 951018 staff draft safety evaluation on B&WOG typical rept "Demonstration of Mitigating Effects for RCS Piping." W/mt of attendees & handouts.
MOUTON, J.F. GL-82-02. 95/12/22. 21pp. 86759199-86759219.

9501180111 Summary of 951221 meeting w/NEI in Rockville, MD to discuss staff comments on "Industry Guideline for Implementing Requirements of 10CFR54-Urgency Renewal Rule." NEI 95-10, Rev E, December 1995. List of attendees encl.
LUI, W.C. 95/01/03. 10pp. 86860382-86860381.

9501180127 Notification of public meeting w/NEI on 950128 to discuss NEI proposal for use of NUREG-1466 source term at operating reactors, as described in framework document dtd 951115.
WILSON, J.H. 95/01/03. QUAY, T.R. 2pp. 86860393-86860394.

9501180148 Errata to notification of 950201 meeting w/NEI in Rockville, MD, changing meeting time & date to 950207.
HOFFMAN, S.T. 95/12/19. NEWBERRY, S.F. 2pp. 86860178-86860177.

9501180249 Responds to Rr dtd 950925 requesting more specific info on NAC STC dual purpose cask & transport cask & other dual purpose casks currently under review by Commission & forwards Rr dtd 951002 & Rr of request dtd 950825.
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/10/29. OVERLAND, C.A. Affiliation Not Assigned. 2pp. 86860325-86860328.

9501180288 Requests staff to provide answers to questions re specific info on dual purpose cask in and Rr dtd 950925.
HAYDEN, B. Office of Public Affairs (Post 911117). 95/10/02. KNAPP, M. Office of Nuclear Material Safety & Safeguards. 1p. 86860327-86860327.

9501180270 Requests more specific info on NAC Svcs, Inc. cask that has been permitted particularly type & number of each type of assemblies it is designed to hold & size & weight of empty cask & info re two applications in pipeline.
OVERLAND, C.A. Affiliation Not Assigned. 95/08/25. HAYDEN, B. Office of Public Affairs (Post 911117). 1p. 86860328-86860328.

9501190176 Forwards TR WCAP-14040-NP-A Rev 2, entitled, "Methodology Used To Develop Cold Overpressure Mitigating Sys Setpoints & RCS Heatup & Cooldown Limit Curves." BUSH, L. Westinghouse Operating Plants Owners Group. OG-95-00822. 95/01/15. Document Control Branch (Document Control Desk). 3pp. 85829-057-85829-235.

9501190198 WCAP-14040-NP-A R02 "Methodology Used To Develop Cold Overpressure Mitigating Sys Setpoints & RCS Heatup & Cooldown Limit Curves." ANDRACHEK, J.D., DITOMMASO, S.J., MALONE, M.J. Westinghouse Electric Corp. 95/01/15. 14pp. 85829-050-85829-235.

9501190429 Notification of 950206 meeting w/B&WOG in Rockville, MD to discuss B&WOG upcoming Generic License Renewal Program topical report on reactor vessel. MOULTON, J.P. 95/01/11. NEWBERRY, S.F. 3pp. 85824-023-85824-025.

9501190441 Notification of 950124 meeting w/B&WOG in Rockville, MD to discuss B&WOG proposal for responding to staff 951213 RAJ on B&WOG Generic License Renewal Program topical report on pressurizer. MOULTON, J.P. 95/01/11. NEWBERRY, S.F. 3pp. 85824-057-85824-059.

9501190449 Summary of 951201 meeting w/NEI in Rockville, MD re staff review of NEI, "Industry Guidelines for Implementing Requirements of 10CFR54-License Renewal Rule." NEI 95-40, Rev D, Nov 1995. SHEMANSKI, P.C. 95/01/05. 14pp. 85823-125-85823-272.

9501190462 Forwards mark-up of NEI 95-40, "Industry Guidelines for Implementing Requirements of 10CFR54 - License Renewal Rule," re "Intended functions" for info. NEWBERRY, S.F. 95/10/11. WALTERS, D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 32pp. 85820-175-85820-206.

9501220021 Forwards final "Environ Assessment for Treatment of Class A Low-Level Radioactive & Mixed Low-Level Waste Generated by West Valley Demonstration Project." PROVENCER, R. Energy, Dept. of. 95/01/05. BORGSTROM, C. Energy, Dept. of. BURESS, S.R. Affiliation Not Assigned. CHURCHILL, W. Affiliation Not Assigned. 9pp. 85834-055-85834-139.

9501220022 DOE/EA-1071 "Environ Assessment for Treatment of Class A Low-Level Radioactive & Mixed Low-Level Waste Generated by West Valley Demonstration Project." Energy, Dept. of. 95/11/30. 75pp. 85834-054-85834-139.

9501220251 Cancels 950112 meeting w/NEI in Rockville, MD to present NRC staff comments on NEI guideline for implementing license renewal rule 10CFR54. HOFFMAN, S.T. 95/12/27. NEWBERRY, S.F. 3pp. 85828-155-85828-156.

9501220298 Summary of 951213 meeting w/EPR in Rockville, MD re EPR proposal for calibr through on-line performance monitoring of instrument channels as described in draft TR-104965.W/ list of attendees. WILSON, J.H. 95/01/11. 4pp. 85828-222-85828-225.

9501230368 Forwards Multi-Purpose Canister sys pre-application design process review. BAER, R.L. Source Containment & Devices Branch (Post 911213). P004-036. 95/01/17. HABEL, S.G. Packaging Technology, Inc. 6pp. 85830-074-85830-079.

9501230367 Submits questions re VSC-24 dry cask. SHILLINGLAW, F. Affiliation Not Assigned. 95/01/16. KUGLER, D. 7pp. 85858-313-85858-324.

9501240068 Ackn receipt of petition dtd 951117 requesting that NRC prohibit loading of VSC-24 casks at any nuclear site until unloading procedures evaluated. Forwards "Receipt of Petition for Director's Decision Under 10CFR2.206." RUSSELL, W.T. 95/01/18. SHILLINGLAW, F. Affiliation Not Assigned. 7pp. 85852-331-85852-340.

9501240162 Notice of receipt of petition for director's decision under 10CFR2.206. RUSSELL, W.T. 95/01/18. 2pp. 85852-334-85852-340.

9512120588 Discusses unloading analysis. SHILLINGLAW, F. Affiliation Not Assigned. 95/11/17. RUSSELL, NRC - No Detailed Affiliation Given. 1p. 85852-344-85852-341.

9501240178 Forwards copy of petition filed pursuant to 10CFR2.206, requesting that NRC prohibit loading of any VSC-24 casks pending further evaluation. NRC staff to petitioner & draft FR notice. GOLDBERG, J.R. Office of the General Counsel (Post 950701). 95/12/28. RUSSELL, W.T. 5pp. 85852-342-85852-346.

9501250002 Informal of concern re action by NRC to expedite approval for Toledo Edison to dry cask high-level nuclear waste at Davis Besse NPP Generation facility. LATOURETTE, S.C. Ohio, State of. 95/01/09. THE CHAIRMAN Commissioners (Post 750119). 1p. 85873-331-85873-331.

9501250004 Expresses concerns on behalf of Toledo Coalition for Safe Energy (TCSE) re TCED decision to load radioactive spent fuel rods into dry storage casks. TCSE 950105 re dry cask storage at Davis Besse and. KAPUR, J.M. House of Rep. 95/01/19. THE CHAIRMAN Commissioners (Post 750119). 3pp. 85873-332-85873-334.

9501250028 Responds to JM Taylor 951108 speech to NEI re utility taking proactive role in providing guidance & oversight over fabrication activities of dry cask storage sys. SHILLINGLAW, F. Affiliation Not Assigned. 95/01/18. TAYLOR, J.M. Ofc of the Executive Director for Operations. 5pp. 85873-352-85873-358.

9501250038 Informal that Project 950 has been assigned in order to facilitate document searches of correspondence by interested members of public/industry & NRC staff. QUAY, T.R. 95/01/17. RASIN, W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 85858-050-85858-100.

9501250038 Cancels 950110 meeting w/NEI in Rockville, MD to present NRC staff comments on NEI guideline for implementing license renewal rule 10CFR54. HOFFMAN, S.T. 95/12/27. NEWBERRY, S.F. 1p. 85873-229-85873-228.

9501250057 Advises that info contained in affidavit CAV-95-687, dtd 950929, WCAP-14210, Rev 1 & WCAP-14432, submitted will be partially withheld from public disclosure re 10CFR2.790, per 951027 request. JACKSON, D.T. 95/01/19. UPARULU, N.J. Westinghouse Electric Corp. 4pp. 85858-224-85858-227.

9501250094 Forwards final rept of "Western New York Nuclear Service Cir On-Site Radiation Investigation." Vols 1-3. PICULO, P.L. New York, State of. 95/01/04. COMFORT, G. NRC - No Detailed Affiliation Given. 1p. 85864-001-85864-318.

9501250097 Final Rept of "Western NY Nuclear Service Cir On-Site Radiation Investigation." Vols 1-3. Danes & Moore. 95/12/01. 313pp. 85864-003-85864-319.

9501250115 Forwards responses to open issues contained in draft SE provided by NRC 951018 re for TR BAW-2243, "Demonstration of Mgt of Aging Effects for Reactor Coolant Piping." CRONBERGER, D. Babcock & Wilcox Operating Plants Owners Group. OG-1562. 95/01/24. CRITCHFIELD, D. 8pp. 85871-553-85871-561.

9501250127 Forwards line-in line-out & composite versions of Draft F of NEI 95-10, "Industry Guideline for Implementing Requirements of 10CFR54 - License Renewal Rule." Update of index of questions/comments associated w/NEI 95-10 also encl. WALTERS, D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/01/22. NEWBERRY, S.F. Document Control Branch (Document Control Desk). 1p. 85865-001-85865-261.

9501250131 Draft Rev F of NEI 95-10, "Industry Guidelines for Implementing Requirements of 10CFR54 - License Renewal Rule." Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/01/17. 280pp. 85865-002-85865-251.

9501250202 Informal that licensee 951129 request to withhold WCAP-14482, "Presentation Matrix for 951024 NRC/Virginia Power/W Meeting on Vessel Presentation Weld Repair," from public disclosure per 10CFR2.790, granted. JACKSON, D.T. 95/01/16. UPARULU, N.J. Westinghouse Electric Corp. 4pp. 85873-269-85873-272.

9501250204 Forwards WYNG-SAR-001, "Review Plan for SAR for Project Overview & General Info." for Sept 1995. ROWLAND, T.J. Energy, Dept. of. 95/01/10. COMFORT, G.C. NRC - No Detailed Affiliation Given. 1p. 85872-339-85872-339.

9501250208 "Review Plan for Project Overview & General Info." Energy, Dept. of. 95/09/30. 7pp. 85872-330-85872-338.

9501250212 "Preface for Process Safety Requirements." West Valley Nuclear Services Co., Inc. 95/01/23. 15pp. 85871-334-85871-352.

9501250119 Notification of 950110 meeting w/B&WOG representatives in Rockville, MD to discuss reactor vessel. MOULTON, J.P. 95/12/25. NEWBERRY, S.F. 2pp. 85867-211-85867-212.

9501250145 Summary of 951024 meeting w/Westinghouse & WOG utilities & NRC staff in Rockville, MD re WOG proposal for repair technique for CFOM head penetrations. List of attendees encl W/a and. JACKSON, D.T. 95/01/17. 1p. 85867-235-85867-239.

9501250175 Notification of 950111 meeting w/ representatives from B&WOG in Rockville, MD to discuss proposals for responding to staff request for add info on B&WOG pressurizer rept. MOULTON, J.P. 95/12/29. 2pp. 85867-240-85867-241.

9501250217 Submits IR re vulnerability of VSC-24 to terrorism, specifically to LAH. GELBERG, G. People's Action for Safe Environment. 95/12/10. BERNERQ, R.M. Office of Nuclear Material Safety & Safeguards. 8pp. 85858-060-85858-067.

9501250221 Responds to Mr re CL McNamee's intent to establish monitored retrievable storage facility & high-level waste repository. BAEHECHT, G.R. California, State of. 95/11/27. PAPERILLO, C.J. Office of Nuclear Material Safety & Safeguards. 1p. 85868-359-85868-359.

9501250241 Notification of 950202 meeting w/NEI in Rockville, MD to discuss comments on NEI guideline for implementing license renewal rule 10CFR54. HOFFMAN, S.T. 95/01/22. NEWBERRY, S.F. 3pp. 85881-552-85881-554.

9501250271 Notification of 950125 meeting w/NEI in Washington, DC to discuss scope & schedule of decommissioning project pilot reviews. PRATO, R.J. 95/01/19. NEWBERRY, S.F. 3pp. 85881-356-85881-358.

9501250302 Forwards nonproprietary & proprietary rept. presenting data obtained from master integrated RV surveillance program capsules by testing of tension, chirpy & compact fracture specimens. Proprietary rept. withheld. TAYLOR, J.H. Babcock & Wilcox Operating Plants Owners Group. JHT/95-7. 95/01/18. Document Control Branch (Document Control Desk). 10pp. 85894-057-85894-242.

9501250064 Responds to Mr dtd 951108 answering several questions re SF Storage at ANGLR dtd 951103 encl. MARCUS, G.H. 95/01/25. SHILLINGLAW, F. Wisconsin, State of. 5pp. 85890-215-85890-219.

9501250028 Notification of 950126 meeting w/B&WOG in Rockville, MD to discuss mgt discussions on various technical subjects. Revised proposed agenda encl. WILSON, J.H. 95/01/24. QUAY, T.R. 3pp. 85812-245-85812-247.

9501250027 Informal that DOE has considered NRC initial reaction to "Topical Rept on Advanced Only Burnup Credit for PWR Spent Nuclear Fuel Packages." MILLNER, R.A. Energy, Dept. of. 95/01/11. TRAVERS, W. Office of Nuclear Material Safety & Safeguards. 17pp. 85859-321-85859-337.

9501250183 Notice of status of 951205 IR TJ Lodge submitted on behalf of Toledo Coalition for Safe Energy, raising concerns re safety of VECTRA Technologies/NUHOMS containers due to reduction in thickness of welds. FRN encl. PAPERILLO, C.J. Office of Nuclear Material Safety & Safeguards. 2,206. 95/01/23. LODGE, T.J. Lodge, T.J. 1p. 85841-358-85841-360.

9501250189 FR notice of receipt of petition for Director's Decision under 10CFR2.206 for NRC to immediately issue orders to prevent loading of spent nuclear fuel into VECTRA Technologies Inc NUHOMS-24P dry shielded containers. PAPERILLO, C.J. Office of Nuclear Material Safety & Safeguards. 2,206. 95/01/23. 2pp. 85841-357-85841-360.

180 NONDOCKETED ITEMS

PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

9601050622 Informs Part 21 re: failure of control discharge valve drain valve 18FHV-F011. Possible causes of failure include spring mis-adjustment, change in spring adjuster setting & spring relaxation. Further investigation ongoing.
SIMPSON, E.C. Public Service Electric & Gas Co. of New Jersey. LR-NR5244. 05/12/28. Document Control Branch (Document Control Desk). 7pp. 86796326-86796332.

9601160309 Part 21 re: compliance of ANSYS Class Error Rpt 95-03 & ANSYS Support Coordinator Bulletin SCB-95-01. Listed former customers not notified due to unknown current addresses.
ANDREWS, S.J. Boeing Co. 96/01/09. Document Control Branch (Document Control Desk). 6pp. 86797018-86797025.

9601160346 Informs that vendor developed valve stem made of 718 Inconel w/ chromi-ant carbide coating along w/gland area for nuclear plants exhibiting corrosion related valve stem binding.
SLATER, C. Dresser-Rand Co. 96/01/15. Document Control Branch (Document Control Desk). 2pp. 86797033-86797034.

9601160322 Part 21 re: discrepant results obtained during nonlinear transient analysis using finite element code ANSYS, versions 5.5A & 5.1. Originator of finite element code, ANSYS, Inc. advised of disparities & matter under investigation.
SUTTA, V. Natick International. 95/12/16. Region 1 (Post 820201). 6pp. 86830178-86830234.

9601160411 Part 21 re: Model 1154 Series H sealed air gate transmitter. Range Code 4. Ambient temp effect spec. Vendor revised 1154SH to two stages 50 F (27.8 C) ambient temp effect spec for all possible calibrated ranges as stated.
VANSLON, L.L. Rosemount, Inc. 95/12/04. ALEXANDER, S. NRC - No Detailed Affiliation Given. 5pp. 86840106-86840202.

9601220339 Part 21 re: failure of MOV motor pinion gear ring by Lintronic at Byron Station. Replacement & insp activities initiated for potentially impacted populations of MOVs at Byron & Braidwood Stations.
GRASSER, R.L. Commonwealth Edison Co. BYRON 96-0016. 96/01/18. Document Control Branch (Document Control Desk). 5pp. 86858019-86858023.

9601240089 Part 21 re: compliance of error notices received from former software suppliers. Listed former customers not notified due to unknown current addresses.
ANDREWS, S.J. Boeing Computer Services Co. (div. of Boeing Co.). 96/01/17. Document Control Branch (Document Control Desk). 7pp. 86858033-86858039.

9601240093 Part 21 re: compliance of error notices received from former software suppliers. Listed former customers not notified due to unknown current addresses.
ANDREWS, S.J. Boeing Computer Services Co. (div. of Boeing Co.). 96/01/18. Document Control Branch (Document Control Desk). 12pp. 86858030-86858039.

9601300209 Part 21 re: defect in versions of GOTHIC & FATHOMS computer programs for containment & general thermal-hydraulic analysis. Notification applies to future organization w/current/future use of GOTHIC 3.1.
GEORGE, T.L. Numerical Applications, Inc. 96/01/18. NRC - No Detailed Affiliation Given. 5pp. 86866169-86866171.

QA999 QUALITY ASSURANCE INSPECTIONS

9601040121 Informs that specific portions of responses to be withheld have not been identified per requirements of section 2.750. Informs of NRC intent to place response w/ address redacted in FOR 30 days from date of IR.
GALLUP, J.M. - IR-95-041. 95/12/28. NEVHOLM, J.E. Affiliation Not Assigned. 4pp. 86730090-86730093.

9601040280 Forwards response to NRC 961204 IR re: nonconformance noted in insp rpt 9601001/95-01. Corrective actions: halted movement of circuit breakers using multi-analyte method & new method immediately developed.
BRAYMAN, K.W. General Electric Co. 96/01/02. Document Control Branch (Document Control Desk). 4pp. 86758354-86758357.

9601220308 Stipulation between NRC & Five Star Products, Inc. Construction Products Research, Inc. & H Nash Babcock Companies & H Nash Babcock free to sell commercial-grade products to anyone in nuclear industry.
LIEBERMAN, J. Ofc of Enforcement (Post 870413). LIEBERMAN, J. Commissioners (Post 750119). CRUTCHFIELD, D. LeBoeuf, Lamb, Leiby & MacRae. 96-05-058. 95/12/28. 5pp. 86828247-86828251.

9601250128 Confirms upcoming NRC insp of Amer Industrial Technologies, Inc. Washington, DE on 960129-0202, as discussed during 960118 telecon between A Amer & U Polaprov. Insp will review selected portions of 10CFR50, App B & quality assurance program.
CHALINA, G.C. 96/01/18. AMER, A.E. Affiliation Not Assigned. 1p. 86854276-86854278.

9601260157 Ask receipt of 960102 IR which responded to 951204 IR re notice of non-conformance of insp rpt 9501001/95-01.
CHALINA, G.C. 96/01/22. BRAYMAN, K.W. General Electric Co. 1p. 86854003-86854003.

9601260377 Responds to NRC 951122 IR re nonconformance noted in insp rpt 9501001/95-01. Corrective actions: updated outlines used for reprocessing of surplus sludges reviewed & revised & routine training in use of emp outlines implemented.
KNOBLOCK, R.D. Pacific Scientific. 96/01/18. Document Control Branch (Document Control Desk). 6pp. 86856035-86856043.

9601300047 Confirms rescheduling of Alger, Inc insp scheduled for 960108-10/insp rescheduled for 960220-22.
CHALINA, G.C. 96/01/24. ANANIA, T. Affiliation Not Assigned. 1p. 86895323-86895323.

REG CERT REGISTRY CERTIFICATE

9601030269 Forwards documentation for NUREG-1480, "Loss of f-192 Source & Therapy Misadministration at Indiana Regional Cancer Ctr Indiana, PA on 921116."
SIEGEL, C. Office for Analysis & Evaluation of Operational Data, Director. 95/12/11. DAVIS, W.E. Information & Records Management Branch (Post 890827). 27pp. 87021001-87021267.

-9601030339 Registry of Radioactive Sealed Sources & Devices. Safety Evaluation of (Device/Sealed Source) for model SL-777 & SL-778. Certificate LA-0780-D-101-S.
SANDFORD, J.W., ZALOUDEK, D.A. Louisiana, State of. LA-0780-D-101-S. 91/03/28. 12pp. 87021317-87021328.

9601100448 First partial response to FOIA request for records. App A & B records and available in PDF. Review of addl records subj to request continuing.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/01/04. BICKMAN, J. Sticker & Yale, Inc. 6pp. 86772005-86772239.

-9601100428 Registry of Radioactive Sealed Sources & Devices. Safety Evaluation of (Device/Sealed Source) for model 850/G/200. Certificate NR-418-D-101-E.
BELL, S.W. Office of Nuclear Material Safety & Safeguards. NR-418-D-101-E. 90/03/23. 2pp. 86772157-86772158.

-9601100444 Registry of Radioactive Sealed Sources & Devices. Safety Evaluation of (Device/Sealed Source) for model PRH/G/200. Certificate NR-418-D-101-G.
WRIGHT, E.G. Office of Nuclear Material Safety & Safeguards. NR-418-D-101-G. 92/03/31. 4pp. 86772187-86772190.

REGSD REGULATORY GUIDES

9512200028 Transcript of 951208 meeting w/ACRS in Rockville, MD. Pp 1-61. Supporting documentation and W/ videotape.
* Commissioners (Post 750119). 95/12/08. 85pp. 86790045-86790165.

-9512200028 Notification of ACRS meeting on 951206 w/Commissioners to discuss listed items.
LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards. 95/12/04. HOYLE, J.C. Office of the Secretary of the Commission. 5pp. 86790111-86790118.

-9512200051 Informs that staff modified language in RG 1.152, pp 1.152-3 (attachment 1 of encl) per ACRS recommendation & pp 1.152-4, to address addl comments provided by ACRS. Advises that RG forwarded to ACRS for review.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/11/15. KRES, T.B. ACRS - Advisory Committee on Reactor Safeguards. 1p. 86790145-86790145.

-9511160185 Forwards Rev 1 of RG 1.152, "Criteria for Digital Computers in Safety Sys of Nuclear Power Plants."
MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 95/10/27. JORDAN, E.L. Committee to Review Generic Requirements. 11pp. 86790145-86790157.

9601030181 Summary of 961116 meeting w/US & Industry in Rockville, MD re: proposed revs to Regulatory Guide 1.149, "Nuclear Power Plant Simulation Facilities for Use in Operator License Exams" (Draft Regulatory Guide DG-1043, dtd June 1995).
RICHARDS, S.A. 95/12/20. BOGER, S.A. 5pp. 86890042-86890049.

9601030368 Forwards documentation for NUREG-1480, "Loss of f-192 Source & Therapy Misadministration at Indiana Regional Cancer Ctr Indiana, PA on 921116."
SIEGEL, C. Office for Analysis & Evaluation of Operational Data, Director. 95/12/11. DAVIS, W.E. Information & Records Management Branch (Post 890827). 27pp. 87021001-87021267.

-9601030381 Rev 2 to Reg Guide 10.006, Task FO415-5, "Guide for Preparation of Applications for Medical Use Programs."
* Oncology Services Corp., Harrisburg & State College, PA. 97/08/31. 134pp. 87028346-87028347.

9601040148 Provides concurrence on end draft reg guide DG-6016, submitted to staff on 951215.
PAPERELLI, C.J. Office of Nuclear Material Safety & Safeguards. 95/12/20. MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 11pp. 86730078-86730088.

9601040298 Forwards addl documents as required by NRC Reg Guide 3.56 for approval of decommissioning funding plan.
RUPERT, W.M. BP Chemicals International. 95/12/05. WEBER, M. Low-Level Waste & Decommissioning Projects Branch (NMS 940403). 2pp. 86758328-86758344.

9601050198 Generic Ltr 96-01 to all holders of OIs or CPs for nuclear power reactors re: testing of safety-related logic circuits.
CRUTCHFIELD, D. IEN-92-040. 96/01/10. Consolidated Edison Co. of New York, Inc. 9pp. 86827272-86827280.

9601050295 Responds to 950227 memo re CRGR review of Regulatory Guide 1.152, rev 1, "Criteria for Digital Computers in Safety Sys of Nuclear Power Plants." Further review of subj rev not needed.
JORDAN, E.L. Committee to Review Generic Requirements. 95/12/27. MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 2pp. 86743345-86743348.

9601100018 "Regulatory Guide List."
* Office of Nuclear Regulatory Research (Post 941217). 95/10/31. 38pp. 86758174-86758212.

9601100174 "For comment" Issue of draft Reg Guide DG-6016 (proposed rev 1 to Reg Guide 3.37), "Criteria for Air Effluents for Licenses Other than Power Reactors."
* Office of Nuclear Regulatory Research (960720-941217). 95/12/31. 11pp. 86759243-86759254.

9601160387 Informs that sufficient info provided by licensee to support that piping down stream of second containment isolation valve can be classified as non-safety-related & piping not classified for ISI purposes & not subj to testing.
STANLEY, J.F. TAC 890586. 96/01/05. FARRAR, D.L. Commonwealth Edison Co. 3pp. 86776232-86776234.

9601170200 Monthly operating rpt for Dec 1995 for Fcml 2, per Reg Guide 1.16/W/ 960112 IR.
GILES, H.B. GOODMAN, L.G. Detroit Edison Co. NRC-96-0011. 95/12/31. 4pp. 86812085-86812088.

9601220116 Comment opposing draft reg guide DG-1042.
LEWIS, J.M. Affiliation Not Assigned. 80FR67481 00001. 95/12/23. Commissioners (Post 750116). 1p. 86818281-86818281.

9501220188 Comment on draft reg guide DG-1042, "Criteria for Safety Sys." SACCOBANDI, D.M. Commissioner. Edison Co. 60FR57461 00022. 95/01/11. Division of Freedom of Information & Publications Services (Post 940714). 1p. 95016325-09016325.

9501220286 Comment on draft reg guide DG-8016, "Constraints for Air Effluents for Licensees Other Than Power Reactors." Ratio of sum of concentrations to effluent limit not correct for noble gas releases. WICKS, D. Affiliation Not Assigned. 60FR1647 00001. 95/01/17. Office of Nuclear Regulatory Research (Post 941217). 2pp. 95034001-95034002.

9501220393 Requests NRC review & acceptance of WCAP-14535, "Topical Rept on Reactor Coolant Pump Flywheel Insp Elimination." Rept and. THOMAS, G.S. Duquesne Light Co. 95/01/24. Document Control Branch (Document Control Desk). 3pp. 95037001-95037125.

REVIEW GRP NRC RESEARCH REVIEW GROUPS

9512290026 Transact of 951206 meeting w/ACRS in Rockville, MD. 1-61. Supporting documentation and VHS tapes. * Commissioners (Post 750118). 95/12/08. 65pp. 95790045-95790165.

9512290028 Notification of ACRS meeting on 951206 w/Commissioners to discuss listed items. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards. 95/12/04. HOYLE, J.C. Office of the Secretary of the Commission. 5pp. 95790111-95790116.

9511950165 Forwards Roy 1 of RG 1.152, "Criteria for Digital Computers in Safety Sys of Nuclear Power Plants." MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 95/10/27. JORDAN, E.L. Committee to Review Generic Requirements. 11pp. 95790145-95790157.

951020980 Summary of 951024-25 public meeting held by Joint Agreement State - NRC Working Group in Rockville, MD to review regulation of devices containing ionized radioactive material. Meeting attendees & agenda encl. * Affiliation Not Assigned. 95/10/25. Affiliation Not Assigned. 45pp. 95882212-95882255.

951030099 Corrected notification of 951221 meeting w/NEI in Rockville, MD to change room location to C-18011. HOFFMAN, S.T. 95/11/22. NEWBERRY, S.F. 1p. 95890128-95890139.

951050285 Responds to 951027 memo re CRGR review of Regulatory Guide 1.152, rev 1, "Criteria for Digital Computers in Safety Sys of Nuclear Power Plants." Further review of subj rev not needed. JORDAN, E.L. Committee to Review Generic Requirements. 95/12/27. MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 2pp. 95793245-95793246.

951050297 Notification of 950112, 950119 & 950126 meetings w/NEI in Rockville, MD to present staff comments on NEI guideline for implementing license renewal rule, 10CFR54. HOFFMAN, S.T. 95/12/27. NEWBERRY, S.F. 3pp. 95749347-95749349.

9501190011 Forwards proposed changes to Improved Std TS NUREG-NE TSs Task Force travelers numbered TSTF-01 - TSTF-43. EATON, J.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/12/26. GRIMES, C.L. 1p. 95788089-95788219.

9501110014 Proposed tech spec 1.3-3 & 1.3-4 re rev to examples to more accurately reflect BWR example specific actions. * Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-31. 95/12/29. 6pp. 95788070-95788075.

9501110015 Proposed tech spec 3.1.3.A re addition of required action to LCO 3.1.3 to confirm rod found to be stuck is properly separated from "slow" control rods. * Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-32. 95/12/29. 13pp. 95788076-95788085.

9501110019 Proposed tech spec 3.1.3.A re deletion of note & incorporation of Completion Time into Completion Time column. * Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-33. 95/12/29. 6pp. 95788084-95788085.

9501110020 Proposed tech spec 3.1.3.B re deletion of LCO 3.1.3, Required Action B.1 as it is duplicative of Action A.1. * Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-34. 95/12/29. 6pp. 95788097-95788102.

9501110022 Proposed tech spec re addition of "...during recirculation pump start-up..." to clarify when SRs 3.4.10.3 & 3.4.10.4 required. * Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-35. 95/12/29. 6pp. 95788103-95788108.

9501110025 Proposed tech spec re addition of "LCO 3.0.3 not applicable" note to an Sources-Shutdown, Sources-Shutdown, Inverters-Shutdown & Distribution Sys-Shutdown to clarify that requirements apply only to Modes or other conditions. * Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-36. 95/12/29. 5pp. 95788109-95788105.

9501110028 Proposed tech spec re addition of Reviewers Note & brackets to reflect implementation of GL 94-01 affecting TSS SRs 3.8.1.2 & 3.8.1.3. * Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). GL-94-01. 95/12/29. 22pp. 95788106-95788107.

9501110029 Proposed tech spec re clarification of requirements of SR 3.8.4.3, battery visual insp, to be consistent w/intent & present wording of Basis, Insp for items which could potentially degrade battery performance. * Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-38. 95/12/29. 12pp. 95788108-95788109.

9501110033 Proposed tech spec 1.0 re addition of statement, "Channel Functional Test may be Performed by Means of any Series of Sequential, Overlapping or Total Channel Steps so That Entire Channel Tested," re definition of functional test. * Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-39. 95/12/29. 4pp. 95788200-95788203.

9501110035 Proposed tech spec 1.0 re exempt RCP seal water injection or leakoff from definition of Unidentified Leakage. * Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-40. 95/12/29. 3pp. 95788204-95788205.

9501110038 Proposed tech spec re correction of BWOGL LCO 3.0.7 to refer to Specific Exception LCOs. * Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-41. 95/12/29. 4pp. 95788207-95788210.

9501110041 Proposed tech spec re deletion of phrase "Required Action Requires Performance of Surveillance or its" so that SR 3.0.2 would read: "If Completion Time Requires Periodic Performance on 'once per...' Basis." * Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-42. 95/12/29. 2pp. 95788211-95788212.

9501110047 Proposed tech spec re addition of listed examples at end of SR 3.0.1 Basis to provide additional clarification. * Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-43. 95/12/29. 4pp. 95788213-95788216.

9501190093 Forwards draft minutes of 951219-21 meeting of Working Group re devices containing radioactive materials. Requests comments by 950301. LUBENAU, J.O. Radioactive Device Review Group. 95/01/02. Radioactive Device Review Group. 190pp. 95773014-95773203.

9501190097 Forwards draft agenda & background info for public workshop on regulation of radioactive devices. CAMERON, F.X. Radioactive Device Review Group. 95/01/12. LUBENAU, J. 58pp. 95827251-95827258.

9501190111 Summary of 951221 meeting w/NEI in Rockville, MD to discuss staff comments on "Industry Guidelines for Implementing Requirements of 10CFR54-License Renewal Rule." NEI 95-10, Rev E, December 1995. List of attendees encl. LILJW.C. 95/01/03. 10pp. 95806332-95806361.

9501190127 Notification of public meeting w/NEI on 950123 to discuss NEI proposal for use of NUREG-1065 source term at operating reactors, as described in framework document dtd 951115. WILSON, J.H. 95/01/03. QUAY, T.R. 2pp. 95806333-95806334.

9501190146 Errata to notification of 950201 meeting w/NEI in Rockville, MD, changing meeting time & date to 950207. HOFFMAN, S.T. 95/12/19. NEWBERRY, S.F. 2pp. 95806176-95806177.

9501190290 Requests NRC review of encl draft of NEI 95-01, "Nuclear Power Plant Guidelines for Operational Planning & Maintaining Integrity of Vehicle Barrier Sys (VBS)." TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/01/05. CRUTCHFIELD, D. 3pp. 95828330-95828342.

9501190387 Draft NEI 95-01, "Nuclear Power Plant Guidelines for Operational Planning & Maintaining Integrity of Vehicle Barrier Sys (VBS)." * Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/01/31. 9pp. 95828333-95828342.

9501190425 Responds to 950310 ltr which requested that Emergency Preparedness & Radiation Protection Branch clarify portions of program that meets requirements of interagency comparison program equal to EPA program. WILDER, G.L. 95/12/26. SCHMITT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 7pp. 95810268-95810274.

9501190426 Submits agenda for public workshop on regulation of radioactive devices to be held 950115 & 16 in Rockville, MD. CAMERON, F.X. Radioactive Device Review Group. 95/01/19. NRC - No Detailed Affiliation Given. 2pp. 95828335-95828336.

9501190449 Summary of 951201 meeting w/NEI in Rockville, MD re staff review of NEI "Industry Guidelines for Implementing Requirements of 10CFR54-License Renewal Rule." NEI 95-10, Rev D, May 1995. SHENANIGU, P.C. 95/01/05. 145pp. 958283128-958283272.

9501190482 Forwards mark-up of NEI 95-10, "Industry Guidelines for Implementing Requirements of 10CFR54 - License Renewal Rule," re "intended functions" for info. NEWBERRY, S.F. 95/10/11. WALTERS, D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 32pp. 95828175-95828200.

9501220151 Cancels 950112 meeting w/NEI in Rockville, MD to present NRC staff comments on NEI guideline for implementing license renewal rule, 10CFR54. HOFFMAN, S.T. 95/12/27. NEWBERRY, S.F. 2pp. 95828155-95828156.

9501240246 Forwards SECY-95-265 & attachment describing NRC position on generic applicability of process used to establish relative risk significance of SSCs for implementation of main rule. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750118). 95/01/15. BAYNEP. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 95842218-95842232.

9501240258 Provides industry perspective on generic applicability process used to establish risk-significant SSCs re main rule implementation & forwards detailed explanation of rationale. BAYNEP. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/11/10. JACKSON, S.A. Commissioners (Post 750118). 4pp. 95842325-95842332.

9501250832 Informs that Project 680 has been assigned in order to facilitate document search of correspondence by interested members of public, industry & NRC staff. QUAY, T.R. 95/01/17. RASIN, N. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 95855099-95855100.

9501250838 Cancels 950119 meeting w/NEI in Rockville, MD to present NRC staff comments on NEI guideline for implementing license renewal rule, 10CFR54. HOFFMAN, S.T. 95/12/27. NEWBERRY, S.F. 1p. 95873228-95873229.

9501250854 Submits agenda for CRGR meeting 260 on 950131 in Rockville, MD. JORDAN, E.L. Committee to Review Generic Requirements. 95/01/22. MURPHY, J.A. Office of Nuclear Regulatory Research (Post 941217). MERSCHOFF, E.W. Region 2 (Post 820201). 2pp. 95887323-95887324.

182 NONDOCKETED ITEMS

950125127 Forwards line-in line-out & composite versions of Draft F of NEI 95-10, "Industry Guideline for Implementing Requirements of 10CFR54 - License Renewal Rule." Update of index of questions/comments associated w/NEI 95-10 also encl. WALTERS,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/01/22. NEWBERRY,S.F. Document Control Branch (Document Control Desk). 1p. 86855-001-65855-251.

-950125131 Draft Rev F of NEI 95-10, "Industry Guidelines for Implementing Requirements of 10CFR54 - License Renewal Rule." * Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/01/17. 260pp. 86855-002-65855-251.

950125191 Notices of potentially affected parties when radioactive sources of devices are lost or stolen. List of 20 cases of stolen moisture density gauges reported for 1995 encl. LUBENAU,J. NRC - No Detailed Affiliation Given. 95/01/24. YUSKO,J., MYERS,J. Affiliation Not Assigned. 2pp. 86855-208-65855-207.

9501260230 Forwards for approval/draft yellow announcement for D Darnby membership in CRGR, effective 951204. JORDAN,E.L. Committee to Review Generic Requirements. 95/01/22. TAYLOR,J.M. Of the Executive Director for Operations. 2pp. 86857-249-65857-250.

9501260241 Notification of 950202 meeting w/NEI in Rockville,MD to discuss comments on NEI guidelines for implementing license renewal rule 10CFR54. HOFFMAN,S.T. 95/01/22. NEWBERRY,S.F. 3pp. 86891-352-65891-354.

9501260371 Modification of 950125 meeting w/NEI in Washington,DC to discuss scope & schedule of demonstration project pilot reviews. PRATOR,J. 95/01/19. NEWBERRY,S.F. 3pp. 86891-356-65891-358.

9501260360 Forwards documents associated w/GL 95-10, "Relocation of Selected TSS Requirements as Instrumentation." to be made available in FDR, GL 95-10 also encl. SHAPIRO,E.L. 95/01/23. Document Control Branch (Document Control Desk). 6pp. 86891-330-65891-351.

-950126034 Submits comments supporting proposed generic communication, "Relocation of Selected TSS Requirements as Instrumentation." Draft SE for proposed GL encl. TIFTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/01/27. Rules & Directives Review Branch (Post 820323). 7pp. 86891-342-65891-351.

9501260370 Submits comments on draft 951024-25 meeting notes re regulation of radioactive devices. OLSEN,S. Tennessee, Univ. of, Knoxville, TN. 95/12/22. LUBENAU,J. Office of Nuclear Material Safety & Safeguards. 5pp. 86893-256-65893-259.

9501260384 Inform of appointment of D Darnby to CRGR, effective 951204. TAYLOR,J.M. Of the Executive Director for Operations. 95/01/24. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 2pp. 86892-226-65892-227.

9501260120 Forwards Proposed Rev 8 to CRGR Charter to incorporate major revisions & update & clarify existing provisions to better reflect current policy & practice. W/o encl. JORDAN,E.L. Committee to Review Generic Requirements. 95/01/24. TAYLOR,J.M. Of the Executive Director for Operations. 5pp. 86892-267-65892-271.

SECY POSITION PAPERS BEFORE THE COMMISSION

9501260384 SECY-95-260 Responds to Commission questions re display method for cause codes in quarterly performance indicator rept. TAYLOR,J.M. Of the Executive Director for Operations. 95/09/05. 3pp. 86895-004-65895-006.

9511260325 SECY-95-275 Inform Commission that EDO intends to sign proposed rule addressing reporting requirement for events where intentional & unauthorized use of licensed mail cause exposure of individuals to radiation. TAYLOR,J.M. Of the Executive Director for Operations. 95/11/21. 32pp. 86895-007-65895-034.

9512030009 SECY-95-284 Inform Commission of staff plans for implementation of radiography equipment requirements in 10CFR54.20, effective 950110 & identify staff plan for responding to congressional & industry inquiries. TAYLOR,J.M. Of the Executive Director for Operations. 95/11/30. 24pp. 86895-035-65895-058.

9512220253 SECY-95-289 Inform Commission that staff completed development of proposed TP re disposition of Co-57, contaminated emission control dust & other incident-related mail. TAYLOR,J.M. Of the Executive Director for Operations. 95/12/04. 45pp. 86891-198-65891-245.

9512270643 SECY-95-294 Inform Commission of info re schedule for final rule on radiological criteria for license termination. TAYLOR,J.M. Of the Executive Director for Operations. 95/12/13. 3pp. 86891-262-65891-264.

9512280227 SECY-95-298 Inform Commission of EDO intent to publish FR amending requirements contained in 10CFR20.30,40,61,70 & 72 re termination of transfer of licensed activities & record retention requirements. TAYLOR,J.M. Of the Executive Director for Operations. 95/12/19. 58pp. 86891-934-65891-962.

9501030125 SECY-95-301 Inform Commission of incremental costs of developing proposed rule through enhanced participatory process & describing benefits obtained from use of process. TAYLOR,J.M. Office of the Secretary of the Commission. CYR,K.D. Office of the General Counsel (Post 860701). 95/12/20. 9pp. 86895-104-65895-112.

9501030331 SECY-95-300 Inform Commission of staff intent to notify NEI that guidance document "Guideline for Managing NRC Commitments," acceptable for licensees to follow for managing & changing commitments to NRC. TAYLOR,J.M. Of the Executive Director for Operations. 95/12/20. 42pp. 86891-252-65891-281.

9501030144 SECY-95-302 Weekly info rept for wk ending 951215. BLAHA,J.L. Assistant for Operations (Post 890205). 95/12/21. 16pp. 86893-064-65893-079.

9501040094 SECY-95-306 Inform Commission of status of Office of NRR licensing actions & progress in meeting age goals for licensing action inventory. TAYLOR,J.M. Of the Executive Director for Operations. 95/12/28. 11pp. 86891-205-65891-206.

9501100057 Fourth partial response to FOIA request for records App F & G records encl & available in FDR. POWELL,M.A. Division of Freedom of Information & Publications Services (Post 840714). 95/12/14. LEE,S.K. Affiliation Not Assigned. 4pp. 86792-001-86792-055.

-9511260049 SECY-95-320 Inform Commission of staff intent to issue confirmatory order modifying SM Co license effective immediately. STELLO,V. Of the Executive Director for Operations. 95/11/15. 72pp. 86782-119-65782-147.

9501190018 SECY-95-306 Weekly info rept for wk ending 951222. BLAHA,J.L. Assistant for Operations (Post 890205). 95/12/27. 16pp. 86773-229-65773-246.

9501190035 SECY-95-004 Inform Commission of staff intent to issue GL 95-10 suppl. removing recommendation that PWR licensees consider MOV mispositioning in responding to GL 95-10. TAYLOR,J.M. Of the Executive Director for Operations. GL 95-10. 95/01/03. 11pp. 86891-248-65891-251.

9501190415 SECY-95-008 Inform Commission of NRC assistance to DOE re development of regulatory plans for Pu disposition alternatives. TAYLOR,J.M. Of the Executive Director for Operations. 95/01/05. 100pp. 86891-063-65891-189.

9501220233 SECY-95-009 Inform Commission of intent to issue GL as proposed in SECY-95-326, "Reconsideration of NPP Security Requirements Associated w/Internal Threat" & as approved in 940219 SRM. Proposed GL encl. TAYLOR,J.M. Of the Executive Director for Operations. 95/01/05. 16pp. 86891-190-65891-197.

9501220244 SECY-95-005 Inform Commission of status re revised SAMP program two years after implementation & recent minor changes & provides results of staff solicitation of public comments on revised SAMP program. TAYLOR,J.M. Of the Executive Director for Operations. 95/01/05. 12pp. 86898-119-65898-229.

9501230277 SECY-95-184 ERR Encls to SECY-95-184, "Procurement of Commercial Grade Items by NPP Licensees," & withdrawal of ANPR, "Acceptance of Products Purchased for use in NPP Structures-Sys & Components." * Office of the Secretary of the Commission. 95/09/25. 2pp. 86891-343-65891-344.

9501230284 SECY-95-214 ERR Encls to SECY-95-214, "Status of Certification of United States Enrichment Corporation Facilities." * Office of the Secretary of the Commission. 95/08/30. 2pp. 86891-345-65891-346.

9501230291 SECY-95-006 Weekly info rept for wk ending 951222. BLAHA,J.L. Assistant for Operations (Post 890205). 95/01/04. 9pp. 86829-250-65829-256.

9501250029 SECY-95-007 Provides Commission w/status rept on continued dialogue w/major interested parties re improvements to 10CFR70, "Domestic Licensing of Special Nuclear Material." TAYLOR,J.M. Of the Executive Director for Operations. 95/01/04. 40pp. 86895-001-65895-045.

9501250165 SECY-95-307 Litigation Rept - 1895 - 43. CORDES,J.F. Solicitor (Post 860701). 95/12/28. 18pp. 86873-242-65873-259.

9501250214 SECY-95-293 Inform Commission of actions being taken by staff to suspend NRC specific license which authorize exports to EURATOM upon expiration of current US-EURATOM Agreement on 951221, until coming into force w/replacement Agreement. STICHER,C.R. Office of International Programs (Post 911117). 95/12/12. 7pp. 86873-276-65873-284.

9501250270 SECY-95-012 Weekly info rept for wk ending 950112. BLAHA,J.L. Assistant for Operations (Post 890205). 95/01/15. 23pp.

SPEECHES SPEECHES

9501240282 "NRC Moves Into 21st Century - Developing Cohesive, Publicly Acceptable Regulatory Framework for Decommissioning," by SA Jackson to Second Annual Nuclear Decisionmakers Forum/Landdowne Executive Conference Or Landdowne,VA 951213. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/12/13. 9pp. 86895-339-65895-346.

STATE PROG STATE PROGRAMS

9501020077 Submits comments on 11 re alternatives to terminating NRC LLW disposal program. Recommends that Commission adopt Option 2 & that savings realized from action be allocated to continue funding of essential training for state personnel. KLINGER,J.G. Illinois, State of. 95/12/05. KENNEDY,J.E. Director of Waste Management (Post 940400). 3pp. 86893-208-65893-209.

9501030183 Forwards software discs of rept of LLRW isotope (400F) for months of Jan-Apr-Aug & Sept 1994 covering waste reported at facility. PALMER,A.J. American Ecology Corp. 95/08/16. ELSEN,W.J. Washington, State of. 1p. 86895-360-65895-360.

9501020165 Responds to 950610 re re 1994 Richland Facility Utilization Rept. TALLMADGE,A. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 95/06/16. ELSEN,W.J. Washington, State of. 17pp. 86895-336-65895-352.

9501020208 Provides comments to 1994 Facility Utilization Report submitted 950626 & 950729.
ELSER, M.J. Washington, State of. 95/08/10. BEDE, R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 1p. 89701:270-95701:279.

9501020218 Responds to 950718 submission of revs to Richland Operational Procedures. Informal procedure acceptable.
ELSER, M.J. Washington, State of. 95/08/08. WEGGITT, L.R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 3pp. 89701:291-95701:293.

9501030114 Forwards draft hydrogeologic cross-sections & 950817 hydrogeologic evaluation report from DOE.
MORTON, L.B. Utah, State of. 95/12/19. PARK, J. NRC - No Detailed Affiliation Given. 14pp. 86898:164-86898:304.

9501030288 Forwards documentation for NUREG-1480, "Loss of In-192 Source & Therapy Misadministration at Indiana Regional Cancer Center, Indiana, PA on 8/21/18."
SEGEL, C. Office for Analysis & Evaluation of Operational Data, Director. 95/12/11. DAVIS, W.E. Information & Records Management Branch (Post 890627). 27pp. 87021:001-87037:257.

9501030313 Submits results of 821203 radiation survey of Scenery Hill Mason, Inc.
WOODS, R.V. Pennsylvania, Commonwealth of. 95/12/06. SHANBAUGH, M.M. Region 1 (Post 820291). 36pp. 87024:318-87024:355.

9501040143 Forwards atopsy report of SM Colgan.
STREIBER, T. Pennsylvania, Commonwealth of. 93/01/27. STRYKER, W. NRC - No Detailed Affiliation Given. 47pp. 87037:167-87037:213.

9501030271 Submits comments on proposed 10CFR34 rule change.
SCHELL, R. Maine, State of. 95/12/27. MYERS, J.H. NRC - No Detailed Affiliation Given. 1p. 86892:001-86892:002.

9501030277 Ack receipt of 951120 letter responding to review of Kansas RCP & forwards NRC evaluation of RCP responses re two items identified in 951031 letter.
BANGART, R.L. Office of State Programs (Post 911117). 95/12/28. O'CONNELL, J. Kansas, State of. 4pp. 86892:003-86892:014.

9501030285 Submits clarification & correction of misunderstanding of discussion of May 1985 review of Kansas radioactive waste program contained in C letter to Secretary O'Connell.
ALLEN, G.W. Kansas, State of. 95/12/07. BANGART, R.L. Office of State Programs (Post 911117). 4pp. 86892:011-86892:014.

9501030285 Informs of listed action taken to avoid further delay in getting sub-tasks to CRF.
KRUZIC, P. Division of Computer & Telecommunications Services (Post 890205). 95/12/28. CLAYMAN, L. Division of Computer & Telecommunications Services (Post 890205). SOLLINGER, D. LOHAUS, P.H. Office of State Programs (Post 911117). 3pp. 86892:016-86892:023.

9501030295 Summarizes proposed mode to task 5 of JCN E7044 and 840914 & submits list of sub-mode.
SOLLINGER, D. Office of State Programs (Post 911117). FIN E-7044. 95/12/28. PUGH, C.E. Oak Ridge National Laboratory. 6pp. 86892:019-86892:026.

9501030287 Informs that draft revisions to Texas Regulations for Control of Radiation, Part 33, and 950801 has been reviewed in comparison to equivalent NRC regulations in 10CFR35.
BLANTON, R.L. Office of State Programs (Post 911117). 95/12/28. Texas, State of. 12pp. 86892:027-86892:038.

9501030297 Forwards letter to RD Dickey from St. Baggett, providing clarification on several items related to 10CFR34.22, radiography equipment rule.
LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-168. 95/12/21. General. 35pp. 86891:282-86891:319.

9501030308 Forwards memo & order in matter of KJ Hinds issued on 950603, approving settlement agreement & clarifying proceeding. Settlement agreement also enc.
LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-191. 95/12/22. General. 3pp. 86891:247-86891:251.

9501030309 Provides summary of comments in areas of OM rule, earlier NRC comments not addressed in Part G & radiopharmaceutical rule. Expresses appreciation for efforts of CRCP & Part G (SP-8) Committee members in preparing SSR rule.
BANGART, R.L. Office of State Programs (Post 911117). 95/12/29. HARDIN, C.M. Conference of Radiation Control Program Directors, Inc. 7pp. 86891:223-86891:245.

9501030311 Expresses appreciation for opportunity to provide recently completed NRC Course, Transportation of Radioactive Mail for NRC & Agreement State personnel.
JONES, S.W. Chem-Nuclear Systems, Inc. 95/12/14. MYERS, J.H. Office of State Programs (Post 911117). 1p. 86891:248-86891:248.

9501030322 Forwards comments re final draft of Part 34, Records of Training for each individual should be maintained for three years following termination of employment of individual.
MCNEES, J.L. Alabama, State of. 95/12/20. MYERS, J. Office of State Programs (Post 911117). 4pp. 86892:039-86892:043.

9501030327 Forwards modified version of bulletin submitted earlier in yr re transport of sources in Type containers.
SCROGGGS, A.C. Washington, State of. 95/12/20. Affiliation Not Assigned. 9pp. 86892:044-86892:052.

9501030328 Discusses concerns re proposals on Jurisdictional Determination-Reciprocity.
QUINN, P. Colorado, State of. 95/11/16. BANGART, R.L. Office of State Programs (Post 911117). 6pp. 86892:053-86892:061.

9501030337 Transmits State Agreement Program info SP-95-198 re INEL-95/0387 report on human performance evaluation of industrial radiography exposure events.
BANGART, R.L. Office of State Programs (Post 911117). SP-95-188. 95/12/19. General. 3pp. 86891:001-86891:004.

9501030348 Forwards report INEL-95/0387, "Human Performance Evaluation of Industrial Radiography Exposure Events."
ROSS, J.C. Office for Analysis & Evaluation of Operational Data, Director. 95/11/29. COOL, D.A. Office of Nuclear Material Safety & Safeguards. LOHAUS, P.H. Office of State Programs (Post 911117). 3pp. 86891:004-86891:008.

9501030383 INEL-95/0387 "Human Performance Evaluation of Industrial Radiography Exposure Events."
RESCHE, W.J., HILL, S.G., GILBERT, B.G. Idaho National Engineering Laboratory, FIN E-8244. 95/08/31. NRC - No Detailed Affiliation Given. 150pp. 86891:007-86891:104.

9501030340 Notifies that on 950101 ownership of Davis Hosp & Medical Ctr will be transferred from General Hosp of Salem, Inc. to Paracetous David Hosp, Inc.
ZERN, J.K., McDermott, W.J. & Emery. 95/12/23. Office of Nuclear Material Safety & Safeguards. 4pp. 86892:062-86892:066.

9501030343 Discusses review of proposed amendment to 10CFR34, "Licenses for Radiography & Radiation Safety Requirements for Radiographic Operations."
COLLINS, S.C. Illinois, State of. 95/12/22. HELLIS, D.O. Office of Nuclear Regulatory Research (Post 941217). 4pp. 86892:067-86892:084.

9501040001 PNO-IV-95-001:04 950102, truckload of scrap steel entering Schnitzer Steel Yard in Oakdale tipped radiation monitor. Co held truck & contacted CA Radiological Health Branch. Trucker notifies density gauge found inside scrap auto body.
HOFER, J. Region 4 (Post 820201). 95/01/03. 1p. 86758:21-86758:22.

9501040020 Submits monitoring & analytical info per Discharge Plan-71.
LUTHIGER, P. Cadiz Mining Co. 95/12/12. CHROMOR, New Mexico, State of. 3pp. 87730:341-87730:343.

9501040035 Transmits results of NRC review & evaluation of Oregon Radiation Control Program. Adequacy being withheld because of significant deficiencies in three category I indicators.
BANGART, R.L. Office of State Programs (Post 911117). 95/12/26. HALLE, Oregon, State of. 42pp. 86892:235-86892:278.

9501040040 Submits comments re Preliminary Draft TER.
HANEY, P. Utah, State of. 95/12/24. HOLCH, L.L. High-Level Waste & Uranium Recovery Projects Branch (INSS 940403). 3pp. 87730:338-87730:340.

9501040073 Forwards listed key historical documents per F Talbot site visit of 951115, NRC records.
RUPERT, W.M. BP Chemicals International. 95/12/06. VANDEGRIFT, R. Ohio, State of. 2pp. 86759:341-86759:342.

9501102015 Submits add comments on draft final rule 10CFR34, "Licenses for Radiography & Radiation Safety Requirements for Radiographic Operations."
COLLINS, S.C. Illinois, State of. 95/01/03. HELLIS, D.O. Office of Nuclear Regulatory Research (Post 941217). 2pp. 86780:043-86780:044.

9501102018 Safety insp on 950901 & 951201 of license CA 2541-70, insp findings: no violations observed.
YOUNG, T. Region 4 (Post 820201). * Alpha-Omega Services, Inc. 95/12/28. 1p. 86760:048-86760:048.

9501102220 Ack receipt of 951129 letter forwarding add info on State of NH deficiency assessed by FEMA during plant 950613 exercise.
KENNIG, R.L. Region 3 (Post 820201). 95/12/20. NAWOJ, M.M. New Hampshire, State of. 2pp. 86760:049-86760:050.

9501102026 Grants another extension of 60 day requirement (originally due 950926) to COGEMA for presenting plan for restoration of excursion areas, as discussed at 950829 meeting.
CHANCELLOR, R.A. Wyoming, State of. 95/12/15. WICHERS, D. COGEMA, Inc. 1p. 86774:332-86774:332.

9501102078 Discusses 951030-1101 All Agreement States meeting held in Chicago, IL & concerns raised in 951114 recipient letter, among them that NRC plans to discontinue funding for Agreement State staff to attend NRC sponsored training courses.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750118). 95/12/28. RATHBURN, R.A. Organization of Agreement States. 6pp. 86768:252-86768:266.

9501102078 Approves COGEMA restoration plan for Hagerman Ranch Wellfield Units 4-6, as requested in 950306 letter.
CHANCELLOR, R.A. Wyoming, State of. 95/12/14. WICHERS, D.L. COGEMA, Inc. 1p. 86774:333-86774:333.

9501100081 PNO-IV-95-001:04 on 950108, Tanager Corp identified source rod as having been add to Harding/Larson Co. State continuing investigation w/assistance of Concord Police.
HOFER, J. Region 4 (Post 820201). 95/01/09. 1p. 86800:047-86800:047.

9501100028 Forwards amend 33 to license STA-683, extending expiration date to 950430.
KEHR, G.W. Illinois, State of. 95/01/03. BANGART, R.L. Office of State Programs (Post 911117). 24pp. 86781:015-86781:038.

9501100078 Advises that certification of U MI Tailings Remedial Action Project at Durango, CO has been delayed due to NRC concerns on completion report.
EVETT, J.M. Energy, Dept. of. 95/11/08. DECHLER, J. Colorado, State of. 6pp. 86788:001-86788:003.

9501100095 Discusses insp conducted on 951219 of licensee activities authorized by 10CFR150.20. No violations identified during insp.
KOZAK, T. Region 3 (Post 820201). 95/12/28. JOHNSON, R.S. 1p. 86781:214-86781:214.

9501100186 Forwards Pathfinder Mines Corp Annual Report 931 for Path ISL project. Attached report commensurate w/level of activity at site w/one over-site drilling.
WICHERS, D.L. Pathfinder Mines Corp. 95/12/20. GRAYEVICH, Wyoming, State of. 10pp. 86829:294-86829:293.

9501100185 Forwards Section 312 report for Perry Nuclear Power Plant.
SHELTON, J.C. Center for Energy. PY/CE/DEPA-023. 95/01/05. Ohio, State of. 19pp. 86788:064-86788:088.

9501100190 Confirms 950107 telcon report of unauthorized discharge due to leak in fire protection gas line made to State emergency response Commission.
SHELTON, J.C. Center for Energy. PY/CE/DEPA-023. 95/01/08. Ohio, State of. 2pp. 86778:329-86778:332.

184 NONDOCKETED ITEMS

9501190244 Advises that NJ Dept of Environ Protection Bureau of Nuclear Engineering reviewed all 951007 License Change Request LCR 95-28 re rev of Surveillance Requirement 4.8.1.1.2 & has no comments.
TOSCHUK, New Jersey, State of. 95/01/08. Document Control Branch (Document Control Desk). 2pp. 85781:390-85781:391.

9501180285 PNO-JL-95-001: on 950109 patient received less than intended dosage during treatment w/ high dose rate afterloader. No followup treatment planned.
MCCANN, G.M., MCCORMACK-SARG, Region 3 (Post 820201). 95/01/10. 1p. 85787:018-85787:018.

9501180286 Safety issue on 951222 of License CA-2900-15: inapp findings radiation survey instrument had not been calibr since 950117, exceeding required 6 month calibr interval & shipper certification for 951221 shipment had not been signed.
* Region 4 (Post 820201). * Westco, Inc. 95/12/29. 2pp. 85770:135-85770:136.

9501178017 Inform of Incident Response Workshop to be held on 950131-0201 in Arlington, TX to provide info about NRC Incident Response Program.
COLLINS, S.J., Region 4 (Post 820201). 95/01/08. GODWIN, A., AUSTIN, M., Arizona, State of. BEVILLE, B., Arkansas, State of. 8pp. 85771:047-85771:055.

9501170025 Inform of plans to remove terminated license site from active ORNL for nearly-closed site list. Requests that GDCM ask acceptance of regulatory responsibilities for site in writing. Summaries of review of records, encl.
SCARANO, R.A., Region 4 (Post 820201). 95/01/09. DICUS, G., Arkansas, State of. 18pp. 85771:057-85771:075.

9501178155 Requests that funding for training & travel for Bureau Of Radiation Control continue through Federal FY97.
RATUPP, R.A., Texas, State of. 95/01/10. BANGART, R.L., Office of State Programs (Post 911117). 1p. 85800:173-85800:173.

9501180121 Forwards request for hearing did 951221 submitted in response to "Order Prohibiting Involvement in NRC-Licensed Activities (Effective immediately)," did 951031. Request for hearing has been issued by OE on 951031.
HOYLE, J.C., Office of the Secretary of the Commission. #196 17412. LA-95-056. 95/01/04. COTTER, B.P., Atomic Safety & Licensing Board Panel. 2pp. 85783:033-85783:032.

9501180131 Reply to Notice of Violation. Denies violations based on fact that before 941002 NRC did not have tracking method in place for processing 241 & revisions.
SHELTON, J.L., Testco, Inc. LA-95-055. 95/12/21. 1p. 85783:055-85783:055.

9501180139 Answer to order prohibiting involvement in NRC-Licensed activities (effective immediately). Violations denied based on fact that NRC did not have tracking method in place for processing 241 & revisions.
SHELTON, J.L., Testco, Inc. LA-95-055. 95/12/21. 7pp. 85783:056-85783:062.

9501180219 Establishment of Atomic Safety & Licensing Boards. Board being established in field proceeding to rule on petitions for leave to intervene & requests for hearings. W/ Certificate of Sec. Served on 950111.
COTTER, B.P., Atomic Safety & Licensing Board Panel. #196 17413. LA-95-055. 95/01/10. 3pp. 85783:139-85783:140.

9501180305 Application for renewal of QA program for radioactive mail package 0017.
SABONEAU, W., Rhode Island, State of. 95/01/09. JANKOVICH, L.P., Source Containment & Devices Branch (Post 911213). 1p. 85802:347-85802:348.

9501180310 Forwards proposed text revs to section 4 of draft remedial investigation report.
SHIELDS, W.J., PTI Services, Inc. 95/12/07. ACKMAN, O., Ohio, State of. 29pp. 85810:001-85810:247.

9501180335 Responds to request for extension of time to submit ground water discharge permit application for White Mesa mill.
OSTLER, D.A., Utah, State of. 95/01/08. REHMANN, M., Energy Fuels Nuclear, Inc. 1p. 85822:053-85822:053.

9501180337 Inform that revised Phase II ecological risk assessment work plan for 8-crores Cambridge, OH site, as submitted on 950913 approved w/ tested mode.
ACKMAN, O., Ohio, State of. 95/09/27. VALENTI, J., Sheldahl Metallurgical Corp. 2pp. 85822:054-85822:055.

9501180341 Forwards comments on groundwater portion of remedial investigation report for licensee Cambridge, OH site dtd 950706.
ACKMAN, O., Ohio, State of. 95/09/20. VALENTI, J., Sheldahl Metallurgical Corp. LEE, P., Foote Mineral Co. 7pp. 85822:062-85822:068.

9501180342 Forwards ir from City of Cambridge Pretreatment Coordinator accepting water for discharge of decon water, as discussed during 951115 weekly conference call.
VALENTI, J.P., Sheldahl Metallurgical Corp. 95/11/28. ACKMAN, O., Ohio, State of. 2pp. 85822:069-85822:070.

9501180343 Forwards comments on Sections 1-5 of revised remedial investigation for licensee Cambridge, OH site dtd 950706.
ACKMAN, O., Ohio, State of. 95/12/29. VALENTI, J., Sheldahl Metallurgical Corp. LEE, P., Foote Mineral Co. 4pp. 85820:335-85820:338.

9501180350 Forwards monthly progress report for period Nov 1995 for Sheldahl Metallurgical Corp site remedial investigation/ feasibility study.
VALENTI, J.P., Sheldahl Metallurgical Corp. 95/12/06. ACKMAN, O., Ohio, State of. 5pp. 85820:352-85820:356.

9501180374 Responds to motion for leave to file amended petition for review & brief & amended petition for review & request to file brief in matter of Sequoyah Fuels Corp.
ELLIS, J.H., Sequoyah Fuels Corp. 95/12/11. EDMONDSON, O., Oklahoma, State of. 3pp. 85821:261-85821:263.

9501180387 Inform that NRC reviewed request of 950522 & approval granted under submitted conditions.
ARP, S.J., Energy, Dept. of. 95/12/20. DECKLER, J., Colorado, State of. 1p. 85821:278-85821:278.

9501180119 Provides answers to 950805 ir concerning rev of Rhode Island Nuclear Science Ctr TS to combine Radiation Safety Committee & Reactor Utilization Committee into single committee called Nuclear & Radiation Safety Committee.
TEHANT, Rhode Island, State of. 95/01/12. MENDONCA, J. 11pp. 85825:351-85825:361.

9501180171 Ack receipt of Repl of Proposed Activities in Non-Agreement Status of 951214. Notes that licensee must notify NRC of any revs or additions to activities 3 days in advance.
COLLINS, D.J., Region 2 (Post 820201). 95/12/20. HARRISON, J.M., North Carolina State Univ., Raleigh, NC. 2pp. 85805:327-85805:328.

9501190337 Inform that NJ Dept of Environ Protection Bureau of Nuclear Engineering received all 951205 submittal of TS Change Request 231 re annual exposure data report date rev & has no comments.
TOSCHUK, New Jersey, State of. 95/01/08. Document Control Branch (Document Control Desk). 2pp. 85831:358-85831:359.

9501180478 Ack receipt of DOE 1995 final ground water protection strategy for U mill tailings embankment near Green River, UT.
SINCLAIR, W.J., Utah, State of. 95/01/08. ABRAMS, M., Energy, Dept. of. 3pp. 85831:086-85831:088.

9501180479 Submits comments & findings re DOE Sept 1995 final ground water protection strategy & related documents for Green River UNTRA embankment.
MORTON, L., Utah, State of. 95/01/08. SINCLAIR, B., Utah, State of. 81pp. 85841:068-85841:138.

9501220076 Inform that Texas Dept of Health has been implementing financial security requirements.
MCBURNIE, R.E., Texas, State of. 95/12/22. BANGART, R.L., Office of State Programs (Post 911117). 1p. 85818:036-85818:036.

9501220077 Forwards press release on National Academy of Science report on regulation of medical radiation.
LOHAUS, P.H., Office of State Programs (Post 911117). 95/12/14. General. pp. 85818:057-85818:058.

9501220082 Inform of change of fax number for Southern Regional Ofc.
MORRIS, L.W., Georgia, State of. 95/01/09. BANGART, R.L., Office of State Programs (Post 911117). 1p. 85818:100-85818:100.

9501220085 Responds to pending decision by NRC on status of low-level radioactive waste regulatory program.
SINCLAIR, W.J., Utah, State of. 95/12/28. KENNEDY, J.E., NRC - No Detailed Attribution Given. 2pp. 85818:101-85818:102.

9501220089 Submits listed comments on Part 34 proposed rules.
MCOUNT, D.K., North Dakota, State of. 95/12/22. BANGART, R.L., Office of State Programs (Post 911117). 2pp. 85818:129-85818:130.

9501220094 Forwards student acceptance to five-week applied health physics course to be conducted by OFHEO on 950205-0309. Requests that registration form be completed & returned no later than 950110.
LOHAUS, P.H., Office of State Programs (Post 911117). 5P-45-187. 95/12/15. General. 17pp. 85818:247-85818:263.

9501220096 Comment on PFM 50-83 re distribution of KI to public to be used in event of nuclear accident. Opposes because of availability of other PAs, small number of accidents, difficulty in monitoring KI once in homes.
SIEG, D.M., Michigan, State of. 850F58255 00012. 95/01/04. Coaching & Services Branch. 2pp. 85818:245-85818:246.

9501220097 Provides comments in response to evaluation of Commission proposed rule amend to 10CFR94. Two person crew rule does not place undue burden on licensees & necessary to ensure safe radiographic operations.
COOPER, W., Florida, State of. 95/12/21. MYERS, J., Office of State Programs (Post 911117). 2pp. 85818:264-85818:271.

9501220103 Responds to 951209 correspondence re NRC assessment of response to earlier review of radiation protection activities in Agreement State.
NICHOLS, S.B., Arkansas, State of. 95/01/08. BANGART, R.L., Office of State Programs (Post 911117). 2pp. 85818:273-85818:274.

9501220106 Responds to GANE request for Commission review of Agreement w/ State of Georgia re licensing of Georgia Tech.
HILL, T.E., Georgia, State of. FEN. 95/12/06. NRC - No Detailed Attribution Given. 1p. 85818:280-85818:280.

9501220113 Forwards "Procedure for Placing Agreement State Program on Probation" for written comment by 950215.
BANGART, R.L., Office of State Programs (Post 911117). 5P-85-160. 95/12/15. General. 7pp. 85818:294-85818:299.

9501220123 Provides comments re final draft of Part 34. Work very ry good except as it relates to "two man" rule of starting parameter & "third party certification."
FLATER, D.A., Iowa, State of. 95/12/14. BANGART, R.L., Office of State Programs (Post 911117). 2pp. 85818:310-85818:311.

9501220129 Expresses appreciation for 951122 invitation to participate in LLW Forum meeting on 950213-18 in San Diego, California. Requests inability to attend meeting.
BANGART, R.L., Office of State Programs (Post 911117). 95/12/18. SCHEELE, L., Alton Associates, Inc. 2pp. 85818:328-85818:341.

9501220141 Extends invitation for R Bangart to participate in LLW Forum meeting on 950213-18 in San Diego, California. Forwards draft meeting agenda & meeting bulletin, for further info.
SCHEELE, L., Alton Associates, Inc. 95/11/22. BANGART, R.L., Office of State Programs (Post 911117). 14pp. 85818:328-85818:341.

9501220139 Forwards copy of 951204 LA Radiation Protection Div amended evaluation of Omnison International, Inc. Model 2000 Remotes Afterloading Brachytherapy Unit which utilizes Model SL-777, 778 & 779 brachytherapy sources.
SPELL, W.H., Louisiana, State of. 95/12/21. LOHAUS, P.H., Office of State Programs (Post 911117). 1p. 85818:342-85818:350.

9501220152 Registry of Radioactive Sealed Sources & Devices. Safety Evaluation of Unit for models SL-777, SL-778 & SL-779. Certificate LA-780-D-801-S.
SANDFORD, L.W., SPELL, W.H., Louisiana, State of. LA-780-D-801-S. 95/12/04. 6pp. 85818:343-85818:352.

9601220143 Ack receipt of 951228 letter advising of Oic of Enclines Mgt plans to support proposal to assist states & DOE in addressing uniform approach to DOE restoration & waste mgmt programs.
HARDING, C.M. Conference of Radiation Control Program Directors, Inc. 96/01/04. GILMOND, R.J. Energy, Dept. of. 1p. 86818351-86818358.

9601220153 Forwards memo, Oic & manual to Radiography Cross-Reference Program version 2.04, which provides efficient means for cross-referencing competency of eye & radiography sources, changes & cameras. W/o disk.
BANGART, R.L. Office of State Programs (Post 911117). SP-96-190. 95/12/21. General. 7pp. 86819021-86819068.

-9601220160 "Radiography Cross-Reference Program Manual Version 2.04."
* NRC - No Detailed Affiliation Given. 96/10/31. 21pp. 86819030-86819068.

9601220166 Forwards NMED Rept covering April through Dec 1995.
* Utah, State of. 96/01/02. LOHAUS, P.H. Office of State Programs (Post 911117). 22pp. 86819007-86819068.

9601220168 Informa that IDHS has hired 2 new Resident Inspectors to be placed at Baskwood & Clinton stations & that last Resident Inspector will rept on 960102 & will go to LaSalle.
HOWEY, N.T. Minn. State of. 95/06/23. LICKUS, R. Region 3 (Post 820201). 2pp. 86823010-86823011.

9601220177 Forwards, "Integrated Mills Performance Evaluation Program Questionnaire." Requests that responses be sent by Internet.
BOLLING, J.A. Office of State Programs (Post 911117). 96/01/03. HILL, T. Georgia, State of. 11pp. 86819105-86819116.

9601220188 Forwards prepublication of IOM rept entitled, "Radiation in Medicine: Need for Regulatory Reform." Solicits comments on possible impact of rept on organizations including views on policy, legislative, rulemaking & guidance issues. W/o encl.
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). SP-96-04. 96/01/11. General. 3pp. 86819117-86819119.

9601220184 Forwards info & instructions for attendees for 960125-26 Health Physics Topics Review (H-401) course, "New modalities in Teletherapy & Brachytherapy" at Walnut Creek field o/c.
LOHAUS, P.H. Office of State Programs (Post 911117). SP-96-006. 96/01/11. General. 22pp. 86823032-86823033.

9601220187 Congratulates DA Finley for being appointed as State Liaison Officer to NRC from State of WY. Informa that Finley being placed on special mailing list to receive, on regular basis, copies of appropriate NRC documents & rept.
BANGART, R.L. Office of State Programs (Post 911117). 96/01/05. FINLEY, D.A. Wyoming, State of. 3pp. 86823034-86823041.

-9601220191 Informa of appointment of DA Finley as new NRC State Liaison Officer. Apologizes for not directly notifying NRC of appointment sooner.
GERINGER, L. Wyoming, State of. 95/12/05. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 86823037-86823041.

9601220200 Informa that GJ Dicus of Arkansas confirmed by Senate to be member of NRC for term of 5 years ending 200630.
BANGART, R.L. Office of State Programs (Post 911117). SP-96-001. 96/01/02. General. 3pp. 86823045-86823053.

9601220215 Requests that NRC delay implementation of portion of 1994 revs to 10CFR34 which pertain to certified equipment requirements for pipelayers & cobalt industrial radiography devices & associated equipment.
SPELL, W.H. Louisiana, State of. 96/01/09. TAYLOR, J.M. Oic of the Executive Director for Operations. 11pp. 86823103-86823121.

9601220226 Informa that Oic of State Programs will fund one person from listed states to attend 960125-23 training course.
LOHAUS, P.H. Office of State Programs (Post 911117). SP-96-003. 96/01/05. General. 14pp. 86823114-86823127.

9601220238 Forwards rept on incident involving damaged radioactive waste package at JF Kennedy Int'l Airport.
ALDRICH, P. New York, State of. 96/01/12. BANGART, R. Office of State Programs (Post 911117). 15pp. 86843261-86843295.

9601220254 Forwards info request from State of Texas.
LOHAUS, P.H. Office of State Programs (Post 911117). 95/01/11. FEDERLINE, M. Division of Waste Management (NMS 940403). 3pp. 86823098-86823101.

9601220261 Forwards info & instructions for 960318-20 health physics technology course (H-201).
LOHAUS, P.H. Office of State Programs (Post 911117). 96/01/11. General. 14pp. 86827001-86827014.

9601220266 Forwards 951228 response from Chairman Jackson to R Field re issues identified at 1995 AS Agreement States meeting & encloses for review draft description of "Basel Source & Device Evaluation Program" & evaluation criteria.
LOHAUS, P.H. Office of State Programs (Post 911117). SP-96-02. 96/01/05. General. 17pp. 86829001-86829023.

9601220268 Forwards request for assistance in identifying requested info.
LOHAUS, P.H. Office of State Programs (Post 911117). 95/12/15. FEDERLINE, M. Division of Waste Management (NMS 940403). 2pp. 86827038-86827040.

9601220274 Submits comments related to proposed final draft rulemaking action to amend 10CFR34, for consideration.
RATLIFF, R.A. Texas, State of. 95/12/22. NELLIS, O.O. Office of Nuclear Regulatory Research (Post 941217). 3pp. 86827041-86827045.

9601220289 Forwards annual Lake Norman environ summary rept for 1994 & study between NC Wildlife Resources Commission & DPC entitled, "Summer Habitat Selection of Striped Bass in Lake Norman."
MCMEIKEN, T.C. Duke Power Co. 96/01/11. Document Control Branch (Document Control Desk). 1p. 86856250-86856255.

-9601230044 "Summer Habitat Selection of Striped Bass in Lake Norman." final rept.
HORN, S.V., FRIVEL, J. North Carolina, State of. DEGAN, D. Duke Power Co. 94/03/01. 21pp. 86856251-86856271.

9601230062 Forwards event rept forms closed during 4th Quarter 1995.
SUNNOLD, E. California, State of. 96/01/02. LOHAUS, P.H. Office of State Programs (Post 911117). 18pp. 86827131-86827146.

9601230068 Comment supporting proposed rule 10CFR20 re constraint level for air emissions of radionuclides.
NAYEMAN, L.K. Michigan, State of. 96/01/12. Docketing & Services Branch. 3pp. 86827198-86827199.

9601240257 Responds to 951121 ltr to Oic of State Programs of NRC re Jefferson Proving Ground licensing resolutions announced in NRC press release No 95-138.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMS 940403). 96/01/11. GRAVER, J.C. Tennessee, State of. 3pp. 86873357-86873359.

9601250051 Summarizes NRC guidance to VT & CT & proposed NJ approach re how to best satisfy federal requirements for considering alternate sites under voluntary process (NJ using to identify location for NJ low-level radioactive disposal facility).
WEINGART, J. New Jersey, State of. 96/01/02. KENNEDY, J.E. Low-Level Waste & Decommissioning Projects Branch (NMS 940403). 4pp. 86873357-86873359.

9601250064 Forwards final rept of "Western New York Nuclear Service Ctr Off-Site Radiation Investigation." Vols 1-3.
PICULO, P.L. New York, State of. 96/01/04. COMFORT, G. NRC - No Detailed Affiliation Given. 1p. 86884001-86884010.

9601250099 Ack receipt of 951211 ltr requesting documents associated w/ license renewal documentation project. Name will be placed as representative for State of VT on distribution list for all documents issued by staff re guideline review per request.
NEWBERRY, S.F. Vermont, State of. 96/01/19. SEDANO, R.P. 3pp. 86856239-86856241.

9601250117 Forwards "UMTRA Ground Water Project Base-Line Risk Assessment (BLRA) - Salt Lake City, UT." W/o encl.
METZLER, D. Energy, Dept. of. 96/01/12. MORTEN, L. Utah, State of. 2pp. 86819277-86819278.

9601250149 Comment on proposed rule FRM 50-53 re stockpiling or redistribution of Potassium Iodine to public.
NELSEN, G.A. Wisconsin, State of. 96/01/12. Docketing & Services Branch. 1p. 86835079-86835079.

9601250158 Notice of appearance. Undersigned attorney enters appearance in stated matter in accordance w/ 10CFR2.713(d). W/Certificate of Sec.
HULL, J.T. Office of the General Counsel (Post 860701). #196 17427. EA-95-101. 96/01/22. 3pp. 86838083-86838086.

9601250161 Memorandum & Order (response to Order). Informa of plan to hold pre-hearing conference. W/Certificate of Sec. Served on 960123.
BECHHOEFER, C. Atomic Safety & Licensing Board Panel. #196 17431. EA. 96/01/23. 4pp. 86838086-86838088.

9601250184 PNO-II-96-004-en 9601250184 licensee notified NRC of lead container containing 10 mCi of Phosphorus-32 lost Federal Express determined box most likely damaged at Memphis, TN facility.
POTTER, J. Region 2 (Post 820201). 96/01/24. 1p. 86866361-86866361.

9601250177 Notice of Hearing. Informa that ASLE has granted request of JL Shelton for hearing in stated proceedings. W/Certificate of Sec. Served on 960123.
BECHHOEFER, C. Atomic Safety & Licensing Board Panel. #196 17430. EA. 96/01/23. 3pp. 86838164-86838167.

9601250215 Forwards Vols IV of "Archaeological Excavations on White Mesa San Juan County, UT, 1979." In response to request from NRC project manager.
ABRAMS, C. NRC - No Detailed Affiliation Given. 95/12/23. NRC - No Detailed Affiliation Given. 1p. 86892001-86892011.

-9601250216 Vols IV of "Archaeological Excavations on White Mesa San Juan County, UT, 1979."
CASARENS, L.A., BENSON, M.P., NIELSON, A.S. Utah, State of. 96/06/30. 437pp. 86899003-86899075.

-9601250219 "Archaeological Test Excavations on White Mesa San Juan County, Southeastern UT."
LINCOSAY, L.W., DYKMAN, J.L., NIELSON, A.S. Utah, State of. 79/05/31. 391pp. 86800178-86800182.

-9601250220 "Add Archaeological Test Excavations & Inventory on White Mesa, San Juan County, Southeastern UT."
NIELSON, A.S., MADSEN, D.B. Utah, State of. 79/01/31. 200pp. 86801103-86801141.

9601260065 Final response to FOIA request for records. App A & releasable portions of App B records encl. App B records partially withheld (ref FOIA Exemption 6).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/01/22. MCANAN, J. Syner International Corp. 3pp. 86854078-86854142.

-9601260082 Forwards summary of two concerns received re radiophone operations at Smyer.
TROJANOWSKI, R. Region 2 (Post 820201). 95/01/28. MILLEY, A. Virginia, Commonwealth of. 2pp. 86854105-86854106.

9601260128 Forwards several copies of 960630 draft state request for agreement status. Submits draft for review & comments in accordance w/discussion during 961109 meeting held in Oklahoma City.
COLEMAN, J.M. Oklahoma, State of. 95/06/30. BANGART, R. Office of State Programs (Post 911117). 297pp. 86853020-86853045.

9601260163 "NRCES Discharge Monitoring Rept for Dec 1995 for Pylon Nuclear Power Station." W/960119 ltr.
SULLIVAN, T.A., CHEMILV, Boston Edison Co. BECO 5.96.001. 95/12/31. 10pp. 86899261-86899269.

9601260221 Responds to ltr re CL McWilliams intent to establish monitored retrievable storage facility & high-level waste repository.
IMBRECHT, C.R. California, State of. 95/11/27. PAPERELLO, C.J. Office of Nuclear Material Safety & Safeguards. 1p. 86888359-86888359.

186 NONDOCKETED ITEMS

9601290181 Forwards issuance of Deficiency Rept YMDAD-96-0031 resulting from Yucca Mountain CA Div review.
SPENCER, E. Energy, Dept. of. HUNTER, 96/01/22. BARNES, W.E. Nevada, State of. 18pp. 86510315-86510330.

9601290182 NPDES discharge monitoring rpt for Dec 1995 for Hope Creek Generating Station, W/960122.12.
REDEMAN, J.A. Public Service Electric & Gas Co. of New Jersey. 95/12/31. CORPORALES, G. New Jersey, State of. 2pp. 86904323-86904344.

9601290388 Motion for 60 day extension of time to file Staff Rept. W/ certificate of svc. SHERIDAN, A.L. Virginia, Commonwealth of. 95/12/21. 2pp. 86937208-86937207.

9601290454 "Fourth Quarter 1995 Rept on Discharge Monitoring at Diablo Canyon Power Plant." W/960118.12.
FUNKHOFF, W.H. Pacific Gas & Electric Co. DCL-96-023. 95/12/31. BRIDGES, R.W. California, State of. 107pp. 86934243-86934349.

9601300068 Forwards publications that provide status of LLRW mgt activities in Connecticut & South Carolina, per 951108 public meeting in which concern was expressed re burial of LLRW in Connecticut.
MCKEE, P.F. 96/01/25. BURGHART, J.M. Affiliation Not Assigned. 7pp. 86935251-86935267.

9601300079 Forwards draft revs to State of SC regulations 61-63, Radioactive Mail (Title A) for NRC staff review & comment. Incorporates NRC comments to 70CFR re decommissioning activities & LLRW uniform manifest to maintain program compatibility.
AUTRY, V.R. South Carolina, State of. 96/01/28. LOHAUS, P. Office of State Programs (Post 911117). 2pp. 86987144-86987182.

9601300113 PNO-1-95-003 on 960128, sealed sources containing nominal activity of 10 mCi of Po-210 raising State of NJ notified of lost sealed sources. NRC will continue to monitor licensee progress in locating missing sealed sources.
COURTNEAUX, C. COSTELLO, J. Region 1 (Post 820201). 96/01/29. 1p. 86941278-86941278.

9601300183 Forwards registry sheet, KY-512-D-112-S, for new Chmari gauge for distribution.
JEFFS, V.D. Kentucky, Commonwealth of. 96/01/26. BOLLING, L. Office of State Programs (Post 911117). 7pp. 86986142-86986148.

9601300253 Responds to Internet Questionnaire. Informs that State of NH not using internet due to lack of modem.
* New Hampshire, State of. 95/10/25. NRC - No Detailed Affiliation Given. 2pp. 86902291-86902292.

9601300259 Forwards Amend 34 to Ker-McGee License STA-683.
KERR, G.W. Illinois, State of. 96/01/24. BANGART, R. Office of State Programs (Post 911117). 2pp. 86943318-86943340.

9601300273 Responds to Internet questionnaire. Informs that State of SC not using internet due to lack of access & software.
AUTRY, V. South Carolina, State of. 95/10/25. NRC - No Detailed Affiliation Given. 2pp. 86902293-86902294.

9601310405 Comment opposing petition for automating PRM-50-53 re stockpiling or redistribution of potassium iodide.
MCARDLE, D. Maryland, State of. 96/01/22. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 86986002-86986003.

9601310410 Comment opposing petition for automating PRM-50-53 re stockpiling of potassium iodide for use by general public during radiological emergencies.
SPELL, W.H. Louisiana, State of. 96/01/24. Docking & Services Branch. 1p. 86986001-86986001.

9601310447 Requests that previous consent 20 from licensee be destroyed & substituted w/and consent 20 on PRM-50-53.
SHOENAKER, J. Office of the Secretary of the Commission. 96/01/24. Affiliation Not Assigned. 2pp. 86986231-86986232.

9601310478 Discusses mod to order prohibiting involvement in NRC-licensed activities (refers to immediate safety). Subj order end.
UEBERMAN, J. Office of Enforcement (Post 870413). IA-84-11. 96/01/25. General. 1p. 86986296-86986297.

9601310418 Forwards draft environ assessment for BP Chemicals, Inc. mixed waste pond closure project license amend application.
NALLUSWAMI, M. Low-Level Waste & Decommissioning Projects Branch (NMS 940403). 96/01/24. VANDEGRIFT, R. Ohio, State of. 1p. 86946233-86946298.

9601310479 Requests Kentucky continued participation in NRC State Liaison Officer program.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 790119). 96/01/22. PATTON, P.E. Kentucky, Commonwealth of. 1p. 86986055-86986055.

9601310248 Nominates B Sarza to attend two-week course entitled, "Health Physics Technology" to be held 960315-23.9 Sarza application and.
EASTVOLD, P.D. Illinois, State of. 96/01/19. GOLLEBERGER, D. Office of State Programs (Post 911117). 5pp. 86981235-86981235.

9601310244 Requests to update director final findings & orders for use of Cesium H-130M & C-137. Chemicals used for zebra mussel control at Perry Nuclear Power Plant.
SHELTON, D.C. Conifer Energy. PY/CEI/DEPA-242. 96/01/26. NOVAK, P. Ohio, State of. 1p. 86981207-86981207.

TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

9601320050 Forwards topical rpt evaluation of Rev 1 to DPC-NE-3000-P, "Thermal-Hydraulic Transient Analysis Methodology." Rev 1 to subj rpt acceptable for ref in licensing application to extent specified. ITR ITS/NRC-95-4 also encl.
MARTIN, L. TAC M90148. 95/12/27. TUCKMAN, M.S. Duke Power Co. 5pp. 86982043-86982058.

9601320064 Topical rpt evaluation of Rev 1 to DPC-NE-3000-P, "Thermal-Hydraulic Transient Analysis Methodology." Subj Rev 1 acceptable for ref in licensing application.
* 95/12/27. 5pp. 86982046-86982052.

9601320074 ITS/NRC-95-4 "Technical Evaluation: Thermal-Hydraulic Transient Analysis Methodology. DPC-NE-3000. Rev 1 for DPC."
ABRAMSON, F.B. International Technical Services, Inc. FIN 1-1358. NRC-95-90-027. 95/12/27. NRC - No Detailed Affiliation Given. 4pp. 86982053-86982058.

9601320086 Responds to 960103 appeal of 941229 denial of FOIA request for records re plant. Records identified as 1,2,3,9,10 & 11 encl. Portions of records identified as 4,5,6,7,8,12 & 13 withheld (ref FOIA exemption 4).
THOMPSON, M.L. Dep. Exec Dir for Nuc Mats Safety, Safeguards & Operations Support (Post 860205). 95/12/14. KEEGAN, M.J. Affiliation Not Assigned. 1p. 86978013-86978038.

9601320123 NEDC-323200 R01 Vols 1 & 2 to Topical Rept NEDC-323200, "Enrico Fermi 2 Mail & Fuels Evaluation Final Rept." rev 1.
* General Electric Co. 94/09/30. 200pp. 86979028-86979038.

9601320099 Forwards rpt entitled "Methodology Used to Develop Cold Overpressure Mitigating Sys Setpoints & RCS Heatup & Cooldown Limit Curves."
NEWTON, J.A. Westinghouse Operating Plants Owners Group. 06-94-06. 94/08/10. STROSNIDER, J.M. Document Control Branch (Document Control Desk). 3pp. 86990137-86990160.

9601320243 WCAP-14040 "Methodology Used to Develop Cold Overpressure Mitigating Sys Setpoints & RCS Heatup & Cooldown Limit Curves." WDG Program MUHP-3024.
ANDRACHEK, J.D. DITOMMASO, S.M. MALONE, M.J. Westinghouse Electric Corp. 94/08/30. 44pp. 86990140-86990165.

9601320168 Forwards SER of TR DPC-NE-3002, "FSAR Chapter 15 Sys Transient Analysis Methodology," which describes changes to DPC transient analysis methodology. Changes acceptable. Version of rpt is rev 1.
MARTIN, L. TAC M90145. 96/12/28. TUCKMAN, M.S. Duke Power Co. 5pp. 86978009-86978028.

9601320294 Safety evaluation of Topical Rept DPC-NE-3002, "FSAR Chapter 15 System Transient Analysis Methodology," rev 1.
* 95/12/28. 15pp. 86978014-86978032.

9601320178 Notification of 960108 meeting w/Westinghouse in Rockville, MD to discuss SG issues related to non-destructive exam. Agenda and.
JACKSON, D.T. 95/12/27. QUAY, J.R. 3pp. 86978030-86978032.

9601110011 Forwards proposed changes to Improved Std TS NUREG-NE TSs Task Force travelers numbered TSTF-31 - TSTF-43.
EATON, J.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/12/29. GRUES, C.L. 1p. 86986089-86986095.

9601110014 Proposed tech spec 3.1.3.3 & 3.1.3.4 re rev to examples to more accurately reflect BWR example specific actions.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-31. 95/12/28. 6pp. 86986070-86986076.

9601110015 Proposed tech spec 3.1.3.3 re addition of required action to LOO 3.1.3 to confirm and found to be stuck is properly separated from "slow" control rods.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-32. 95/12/29. 13pp. 86986076-86986088.

9601110018 Proposed tech spec 3.1.3.3 re deletion of note & incorporation of Completion Time into Completion Time column.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-33. 95/12/29. 6pp. 86986089-86986096.

9601110028 Proposed tech spec 3.1.3.5 re deletion of LOO 3.1.3, Required Action B.1 as it is duplicative of Action A.1.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-34. 95/12/29. 6pp. 86986097-86986102.

9601110032 Proposed tech spec re addition of "...during recirculation pump start-up..." to clarify when SRS 3.4.10.3 & 3.4.10.4 required.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-35. 95/12/29. 6pp. 86986103-86986108.

9601110035 Proposed tech spec re addition of "LOO 3.0.3 not applicable" note to so Sources-Shutdown, dc Sources-Shutdown, Inertness-Shutdown & Distribution Sys-Shutdown to clarify that requirements apply only to Modes or other conditions.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-36. 95/12/29. 57pp. 86986109-86986165.

9601110036 Proposed tech spec re addition of Reviewers Note & brackets to reflect implementation of GL 94-01 affecting TSs SRS 3.8.1.2 & 3.8.1.3.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). GL-94-01. 95/12/29. 22pp. 86986166-86986187.

9601110039 Proposed tech spec re clarification of requirements of SRS 3.8.4.3, battery visual insp. to be consistent w/intent & present wording of Bases. Insp for items which could potentially degrade battery performance.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-38. 95/12/29. 12pp. 86986188-86986199.

9601110033 Proposed tech spec 1.0 re addition of statement, "Channel Functional Test may be Performed by Means of any Series of Sequential, Overlapping or Total Channel Steps so That Entire Channel Tested," re definition of functional test.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-39. 95/12/29. 4pp. 86986200-86986203.

9601110038 Proposed tech spec 1.0 re exempt RCP seal water injection or leakoff from definition of Unidentified Leakage.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-40. 95/12/29. 3pp. 86986204-86986206.

9601110038 Proposed tech spec re correction of BWRG LOO 3.0.7 to refer to Specific Exception LOOs.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-41. 95/12/29. 4pp. 86986207-86986210.

-950119043 Proposed tech specs re deletion of phrase "Required Action Requires Performance of Surveillance or Test" so that SR 3.0.2 would read: "If Completion Time Requires Periodic Performance on 'once per...' Basis."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-42. 05/12/29. 2pp. 86768:211-86768:212.

-950119047 Proposed tech specs re addition of listed examples at end of SR 3.0.1 Bases to provide add clarification.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). TSTF-43. 05/12/29. 4pp. 86768:219-86768:216.

950119090 Summary of 951213 meeting w/B&WOG re proposed resolution of open issues in 951018 draft safety evaluation on B&WOG topical rept "Demonstration of Mgt of Aging Effects for RCS Piping." W/ list of attendees & handouts.
MCULTON, J.P. - GL-82-02. 05/12/22. 21pp. 86759:199-86759:213.

950119037 Informal that version of submitted info marked as proprietary (WCAP-14514) will be withheld from public disclosure per 10CFR2.790(b)(5) & Section 103(b) of AEA of 1954.
HICOGAN, J.B. - TAC M8235. 05/01/03. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK, E. American Electric Power Service Corp. 3pp. 86768:221-86768:223.

950119090 Discusses revised measurement uncertainty for control rod worth calculations.
TAYLOR, J.H. FRAMATOME. JHT/96-01. 06/01/03. Document Control Branch (Document Control Desk). 3pp. 86768:342-86768:343.

950119024 Expresses appreciation for opportunity to participate w/joint NRC/Agreement State Working Group at meetings on 951218-20. Offers comments & proposal for further consideration.
DURKS, J.R. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 06/01/02. LUBENAU, J. Office of Nuclear Material Safety & Safeguards. 2pp. 86759:263-86759:264.

950119041 Forwards attachments to request for add into re BAW-10199P, "BWU Critical Heat Flux Correlations." "Linearization & Sequential Optimization of Nonlinear Empirical Correlations" also encl.
TAYLOR, J.H. Babcock & Wilcox Co. JHT/96-02. 06/01/04. Document Control Branch (Document Control Desk). 2pp. 86776:284-86776:284.

-950119093 "Linearization & Sequential Optimization of Nonlinear Empirical Correlations."
FARNWORTH, D.A. Babcock & Wilcox Co. 06/01/04. 25pp. 86776:286-86776:324.

950119024 Forwards core shroud insp results & rev 0 to GENE-523-A135-1295. "Evaluation of Milestone Unit 1 Core Shroud Indicators (Refuel Outage 15)."
MILLER, D.B. Northeast Nuclear Energy Co. MILLER, D.B. Northeast Utilities. 01/5498. 05/12/28. Document Control Branch (Document Control Desk). 9pp. 86773:256-86773:311.

-950119026 GENE-523-A135-1295 "Evaluation of Milestone Unit 1 Core Shroud Indicators (Refuel Outage 15)."
FAYNHEIM, K. General Electric Co. 05/12/31. 47pp. 86778:265-86778:311.

950119096 Forwards proprietary responses to RAIs re 88W/R license TR NEDE-32770P (TRACQ Qualification). Responses withheld per 10CFR2.790.
QUINN, J.E. General Electric Co. MFN 008-96. 06/01/09. QUAY, T.E. - 7pp. 86820:276-86820:285.

9501190101 Forwards proprietary preliminary responses to issues identified during review of Topical Rept NTD-HRC-66-4576, "Revs to Westinghouse Best-Estimate Uncertainty Methodology." Responses withheld (ref 10CFR2.790).
LIPARULO, N.J. Westinghouse Electric Corp. NTD-HRC-66-4576. 06/01/05. Document Control Branch (Document Control Desk). 2pp. 86800:286-86800:287.

9501190243 Notification of 950115 meeting w/Westinghouse in Rockville, MD to discuss issues of mutual interest to Westinghouse & NRC.
JACKSON, D.T. - 05/01/05. QUAY, T.E. - 2pp. 86806:319-86806:320.

9501190245 Notification of 950125 meeting w/B&WOG in Rockville, MD to participate in mgt discussions on various technical subts.
WILSON, J.H. - 06/01/04. QUAY, T.E. - 3pp. 86806:330-86806:332.

9501190347 Forwards amend 65 to license NFF-47 & SEAmend revises TS to eliminate selected response time testing requirements as described in B&WOG TR NEDE-32291, "Sys Analysis for Elimination of Selected Response Time Testing Requirements."
WRIGHTON, D.L. - TAC M94063. 06/01/11. MC GAHA, J.R. Entergy Operations, Inc. 3pp. 86808:203-86808:214.

-9501190352 Amend 65 to license NFF-47, revising TS to eliminate selected response time testing requirements described in B&WOG TR NEDE-32291, "Sys Analysis for Elimination of Selected Response Time Testing Requirements."
WRIGHTON, D.L. - 06/01/11. 4pp. 86808:205-86808:209.

9501190355 Forwards Chem-Nuclear Syntac (CNS) 950111 ltr providing updated non-proprietary CNS pull use container high integrity container TR Docket W84-107 to 12 states.
HOUSE, W.B. Chem-Nuclear Systems, Inc. FA-0629-95. 06/01/11. BELL, M.J. Engineering & Geosciences Branch (RMBS 940403). 13pp. 86820:339-86820:351.

950119076 Forwards TR WCAP-14040-NP-A Rev 2 entitled, "Methodology Used to Develop Cold Overpressure Mitigating Sys Setpoints & RCS Startup & Shutdown Limit Curves."
BUSH, L. Westinghouse Operating Plants Owners Group. OG-95-00622. 06/01/15. Document Control Branch (Document Control Desk). 3pp. 86829:087-86829:235.

-9501190198 WCAP-14040-NP-A Rev 2 "Methodology Used to Develop Cold Overpressure Mitigating Sys Setpoints & RCS Startup & Shutdown Limit Curves."
ANDRACHE, J.O., DITOMASO, S.M., MALONE, M.J. Westinghouse Electric Corp. 06/01/15. 14pp. 86829:090-86829:225.

9501190383 Forwards proprietary Rev 0 to Rept #0830-NUC 95-2516, "Post Test Calculations of PANDA PCC Steady-State Tests." In satisfaction of commitment in B&WOG Test & Analysis Program Description (NEDE 32396P, Rev 0, Aug 1995). Rept withheld.
QUINN, J.E. General Electric Co. MFN 008-96. 06/01/16. QUAY, T.E. - 6pp. 86821:347-86821:352.

9501190624 Forwards nonproprietary CEN-426-NP, Rev 1 & Proprietary CEN-426-P, Rev 1 "Safety Analysis Rept for Use of Advanced Zr Based Cladding Mgt in PWRGS Unit 2 Batch J Demonstration Fuel Assemblies." CEN-426-P, Rev 1 withheld.
BAILEY, J.A., STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 102-03582-WLS/S. 06/01/12. Document Control Branch (Document Control Desk). 10pp. 86832:270-86832:273.

-9501190327 CEN-426-NP Rev 1 "Safety Analysis Rept for Use of Advanced Zr Based Cladding Mgt in PWRGS Unit 2 Batch J Demonstration Fuel Assemblies."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 06/09/30. 17pp. 86832:221-86832:238.

9501190352 Forwards Rev 2 to YAEQ-1907, "Maine Yankee Cycle 15 Core Performance Analysis."
HEBERT, J.R. Maine Yankee Atomic Power Co. MY-86-08. 06/01/18. Document Control Branch (Document Control Desk). 2pp. 86848:001-86848:183.

-9501190350 YAEQ-1907 Rev 2 "Maine Yankee Cycle 15 Core Performance Analysis."
CROFTON, S.P., SOLAN, G.M., HARVEY, R.C. Maine Yankee Atomic Power Co. 06/01/10. 167pp. 86848:003-86848:183.

950119042 Notification of 950206 meeting w/B&WOG in Rockville, MD to discuss B&WOG upcoming Generic License Renewal Program topical rept on reactor vessel.
MCULTON, J.P. - 06/01/11. NEWBERRY, S.F. - 3pp. 86824:023-86824:025.

9501190441 Notification of 950124 meeting w/B&WOG in Rockville, MD to discuss B&WOG proposal for responding to staff 951213 RA on B&WOG Generic License Renewal Program topical rept on pressurizer.
MCULTON, J.P. - 06/01/11. NEWBERRY, S.F. - 3pp. 86824:057-86824:059.

9501220644 Discusses 951027 request to extend original approved burnup limit of 60 GWd/MTU for TACOS fuel performance code to 82 GWd/MTU. Agrees w/assessment that TACOS can be extended.
JONES, R.C. - 06/01/11. TAYLOR, J.H. Babcock & Wilcox Co. 1p. 86828:168-86828:168.

950122063 Forwards SER accepting topical rept NEDC-32339P, suppl 1 for referencing licensing application.
JONES, R.C. - TAC M89222. 06/01/04. THADAN, A.G. - 3pp. 86828:167-86828:171.

-9501220073 Discusses acceptance for referencing of Topical Rept NEDC-32339P, "Reactor Stability Long Term Solution/Enhanced Option 1-A, Suppl 1."
JONES, R.C. - TAC M89058. 06/01/04. FINELLI, R.A. BWR Owners Group. 2pp. 86828:160-86828:161.

-9501220158 SER accepting Topical Rept NEDC-32339P, "Reactor Stability Long Term Solution/Enhanced Option 1-A, Suppl 1."
- 06/01/04. 10pp. 86828:162-86828:171.

9501230311 Forwards non-proprietary Rev 0 to CEN-627-NP & proprietary Rev 0 to CEN-627-P. "Verification of Installation Process & Operating Performance of ABB CEND 55 Tube Sleeves for Use at Comm Ed." Proprietary rept withheld (ref 10CFR2.790).
SACCOMANDO, D. Commonwealth Edison Co. 06/01/17. Document Control Branch (Document Control Desk). 3pp. 86858:001-86858:009.

-9501230313 CEN-627-NP Rev 0 Non-proprietary Rev 0 to CEN-627-NP. "Verification of Installation Process & Operating Performance of ABB CEND 55 Tube Sleeves for Use at Comm Ed Byron & Bradwood Units 1 & 2."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 06/01/17. 31pp. 86858:009-86858:039.

9501230316 Forwards BAW-2258 & BAW-2259, providing electroslag weld initial and temp-nk ductility transition, USE & chemistry properties of electroslag welds for Dresden Units 2 & 3 & Quad Cities Units 1 & 2 per GL 92-01, Rev 1, Suppl 1.
SACCOMANDO, D.M. Commonwealth Edison Co. GL-92-01. 06/01/17. Document Control Branch (Document Control Desk). 3pp. 86848:028-86848:129.

-9501230319 BAW-2258 "Evaluation of RTNDT, USE & Chemical Composition of Core Region Electroslag Welds for Dresden Units 2 & 3."
GAMBELL, C.A. Babcock & Wilcox Co. 06/01/15. 40pp. 86845:091-86845:092.

-9501230321 BAW-2259 "Evaluation of RTNDT, USE & Chemical Composition of Core Region Electroslag Welds for Quad Cities Units 1 & 2."
GAMBELL, C.A. Babcock & Wilcox Co. 06/01/15. 40pp. 86845:091-86845:129.

9501250057 Advises that info contained in affidavit CAV-85-887, dtd 950929, WCAP-14219, Rev 1 & WCAP-14432, submitte will be partially withheld from public disclosure, ref 10CFR2.790, per 951027 request.
JACKSON, D.T. - 06/01/18. LIPARULO, N.J. Westinghouse Electric Corp. 4pp. 86858:224-86858:227.

9501250113 Forwards revised safety evaluation for approval of topical rept FTS-131, "Applications Topical Rept for BWR Design & Analysis." for plant.
CLIFFORD, J.W. - TAC M81723. 06/01/22. PARRISH, J.V. Washington Public Power Supply System. 3pp. 86858:110-86858:115.

-9501250121 Revised safety evaluation re topical rept WPPSS-FTS-131, "Applications Topical Rept for Design & Analysis." for plant.
- 06/01/22. 1p. 86858:113-86858:113.

9501250115 Forwards responses to open issues contained in draft SE provided by NRC 951018 ltr for TR BAW-2243, "Demonstration of Mgt of Aging Effects for Reactor Coolant Piping."
CRONBERGER, D. Babcock & Wilcox Operating Plants Owners Group. OG-1562. 06/01/24. CRUTCHFIELD, J. 3pp. 86871:353-86871:361.

9501250202 Informal that licensee 951129 request to withhold WCAP-14432, "Presentation Matrix for 951024 NRC/Virginia Power/WV Meeting on Vessel Presentation Weld Repair," from public disclosure per 10CFR2.790, granted.
JACKSON, D.T. - 06/01/18. LIPARULO, N.J. Westinghouse Electric Corp. 4pp. 86873:269-86873:272.

9501250323 Informal that NRC has accepted rev 1 to Topical Rept BAW-10170P, "Safety Criteria & Methodology for Acceptable Cycle Related Analyses." Nov 1995.
JONES, R. - 06/01/19. WILLOUGHBY, J.H. Babcock & Wilcox Operating Plants Owners Group. 1p. 86858:248-86858:248.

168 NONDOCKETED ITEMS

9601260674 Expresses appreciation for opportunity to be panelist at 960116-19 public workshop in Rockville, MD.
DUKES, JR. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.), 96/01/20, LUBENAU, J. Office of Nuclear Material Safety & Safeguards, 4pp, 86893:240-86893:243.

9601260146 Summary of 951024 meeting w/Westinghouse & WOG staffs in Rockville, MD re WOG proposal for repair technique for CRDM head penetrations. List of attendees encl. W/p encl.
JACKSON, D.T., 96/01/17, 1p, 86893:239-86893:239.

9601260268 Notification of 960131 meeting w/Siemens in Rockville, MD re Topical Rept EMF-1125-P supp 1.
HUANG, T.L., 96/01/23, JONES, R.C., 2pp, 86893:248-86893:249.

9601260235 Application for amend to license NPP-78, revising TS 3.4.5, modifying SG tube plugging criteria. Nonproprietary & proprietary versions of "W E-Series F" Qualification Rept." and Proprietary version of rept withheld per 10CFR2.760.
CLOWINGER, T.H. Houston Lighting & Power Co. ST-HL-AE-5276, 96/01/22, Document Control Branch (Document Control Desk), 10pp, 86893:058-86893:125.

9601260220 BAW-10203 R00 Nonproprietary "W E-Series F" Qualification Rept."
POLSTRA, E.S. Babcock & Wilcox Co. 95/02/22, 60pp, 86893:075-86893:125.

9601260233 Application for amend to license NPP-78, modifying SG tube plugging criteria in TS 3.4.5 & 3.4.6.2, per GL 95-05. Nonproprietary & proprietary "Tube Repair Criteria..." repts and Proprietary rept withheld per 10CFR2.760.
CLOWINGER, T.H. Houston Lighting & Power Co. ST-HL-AE-5268, 96/01/22, Document Control Branch (Document Control Desk), 25pp, 86893:125-86893:202.

9601260237 BAW-10204 R02 Nonproprietary "STP Tube Repair Criteria for QDSOC at Tube Support Plate."
FLECK, J.M. Babcock & Wilcox Co. 96/01/04, 22pp, 86893:160-86893:202.

9601260382 Forwards nonproprietary & proprietary repts, presenting data obtained from master integrated RV surveillance program capsules by testing of telescopic & compact fracture specimens. Proprietary repts withheld.
TAYLOR, J.H. Babcock & Wilcox Operating Plants Owners Group, OG-1538, 96/01/18, Document Control Branch (Document Control Desk), 10pp, 86893:067-86893:242.

9601260338 BAW-2253 Nonproprietary "Test Results of Capsule TM2-LG1 BSWOG - Master Integrated Reactor Vessel Surveillance Program."
DEVAN, M.J., KING, S.D., YOONICK, Babcock & Wilcox Co. 95/10/31, 79pp, 86893:077-86893:156.

9601260335 BAW-2254 Nonproprietary "Test Results of Capsule CR3-LG2 BSWOG - Master Integrated Reactor Vessel Surveillance Program."
DEVAN, M.J., KING, S.D., YOONICK, Babcock & Wilcox Co. 95/10/31, 86pp, 86893:157-86893:242.

9601260353 Notification of rescheduled meeting w/Westinghouse on 960130 in Rockville, MD to discuss steam generator issues re non-destructive examinations. Forwards proposed agenda.
JACKSON, D.T., 96/01/24, QUAY, T.R., 2pp, 86893:209-86893:210.

9601260371 Notification of 960130 mtg w/Siemens in Rockville, MD to discuss changes in Siemens model TOODEE2 FCIF heat transfer correlation and tests conducted at FCIF. Meeting rescheduled.
THOMAS, G., 96/01/17, JONES, R.C., 2pp, 86893:207-86893:208.

9601260376 Forwards nonproprietary & proprietary Topical Repts BAW-10189-A & BAW-10189-P, "CHF Testing & Analysis of Mark-BW Fuel Assembly Design." Proprietary Topical Rept BAW-10189-P withheld.
TAYLOR, J.H. Babcock & Wilcox Co. JHT/95-06, 96/01/17, Document Control Branch (Document Control Desk), 2pp, 86893:233-86893:241.

9601260379 BAW-10188-A Nonproprietary Topical Rept BAW-10188-A, "CHF Testing & Analysis of Mark-BW Fuel Assembly Design."
FARNSWORTH, J.D., Babcock & Wilcox Co. 96/01/17, 128pp, 86893:215-86893:341.

9601260188 Forwards amend 77 to NPP-68 & SE. Amend revises TS to eliminate selected response time testing requirement as described in BNRG topical rept NEDO-32291 & to incorporate GL 93-08.
HOPKINS, J.B., TAC M92191, 96/01/11, SHELTON, D.C. Centex Service Co., 3pp, 86893:036-86893:111.

9601260177 Amend 77 to license NPP-68, revising TS 2.c.(2) to eliminate selected response time testing requirements as described in BNRG topical rept NEDO-32291 & incorporating GL 93-08.
HOPKINS, J.B., GL 93-08, 96/01/11, 54pp, 86893:059-86893:102.

9601260180 Safety evaluation supporting amend 77 to license NPP-68.
GL 93-08, 96/01/11, 3pp, 86893:103-86893:111.

9601260273 Forwards proprietary responses to confirmatory items re review of WCAP-12945-P, "Code Qualification Document for Best-Estimate LOCA Analysis." Encl withheld per 10CFR2.760.
LIPARULO, N.J. Westinghouse Electric Corp. NTD-NRC-96-4629, 96/01/24, JONES, R.C. Document Control Branch (Document Control Desk), 2pp, 86893:179-86893:180.

9601260393 Requests NRC review & acceptance of WCAP-14535, "Topical Rept on Reactor Coolant Pump Flywheel Insp Elimination." Rept encl.
THOMAS, G.S. Duquesne Light Co. 96/01/24, Document Control Branch (Document Control Desk), 3pp, 86893:001-86893:125.

9601260404 WCAP-14535 "Topical Rept on Reactor Coolant Pump Flywheel Insp Elimination."
FRAGER, D.E., SWAMY, S.A. Westinghouse Electric Corp. 96/01/31, 123pp, 86893:004-86893:125.

9601260483 Advises that info contained in EPRI Rept RA-63-10, "GCHNC Design Review/Final Rept," did 830930 will be withheld from public disclosure re 10CFR2.760 per 951215 request.
JACKSON, D.T., 96/01/23, KENNY, A. Electric Power Research Institute, 4pp, 86893:052-86893:205.

9601260485 Notification of 960114 meeting w/GE in Rockville, MD to discuss status of generic BWR power uprate program.
KIM, T., 96/01/24, HANNON, J.N., 4pp, 86893:133-86893:135.

9601300026 Notification of 960126 meeting w/ENRGO in Rockville, MD to discuss mtg discussions on various technical subjects. Revised proposed agenda encl.
WILSON, J.H., 96/01/24, QUAY, T.R., 3pp, 86893:245-86893:247.

9601300110 Forwards request for add info re June 1992 application for AP300 design certification & advises that sub application will be withheld from public disclosure for 30 calendar days from did to re 10CFR2.760 per request.
HUFFMAN, W.C., 95/12/15, LIPARULO, N.J. Westinghouse Electric Corp. 7pp, 86893:324-86893:329.

9601300127 Forwards proprietary rev 1 to WCAP-14068 & nonproprietary WCAP-14568, "Bypass Test Instrumentation..." in response to NRC 960123 lt re LAR 94-024, dtd 941219. Proprietary Rev 1 to WCAP-14068 withheld per 10CFR2.760.
TERRY, C.L., WOODLAND, D.R. Texas Utilities Electric Co. (TU Electric), TXU-96026, 96/01/23, Document Control Branch (Document Control Desk), 2pp, 86893:290-86893:320.

9601300130 Requests that proprietary Rev 1 to WCAP-14068, "Bypass Test Instrumentation for Comanche Peak Units 1 & 2" be withheld from public disclosure per 10CFR2.760.
LIPARULO, N.J. Westinghouse Electric Corp. CAW-96-918, 96/01/18, RUSSELL, W.T. Document Control Branch (Document Control Desk), 3pp, 86893:282-86893:290.

9601300132 WCAP-14568 Nonproprietary "Bypass Test Instrumentation for Comanche Peak Units 1 & 2."
MILLER, R.B. Westinghouse Electric Corp. 96/01/31, 31pp, 86893:291-86893:320.

9601300243 Rev 1 to "Westinghouse Energy Sys Business Unit Quality Mgt Sys."
WOODSON, N.D., BAKOS, F.R. Westinghouse Electric Corp. 96/01/31, 13pp, 86893:020-86893:032.

9601310088 Revised EMF-32, "Siemens Power Corp Nuclear Div Rickland Engineering & Mfg Facility Emergency Plan Part I-N."
Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel), 95/07/31, 282pp, 86893:202-86893:599.

WASTE MGT NUCLEAR WASTE MANAGEMENT

9602260224 Forwards Lawrence Berkeley Natl Lab (LBL) geophysical rept & draft USGS geophysical rept, "Hybrid-Source Seismic Refraction Profiling Across Yucca Mountain, NV-Regional Lines 2 & 3," per 950919 request.
BROCKMUS, J. Energy, Dept. of, HLWR, 95/12/20, HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 3pp, 86743:066-86743:291.

9601050003 "Milestone 08502 - Results of Geophysical Surveys Along North-South & South-ESF Alignment & Milestone 08503 - Summary Rept: Interpretation of Multiple Geophysical Surveys." W/flight overite figures.
FEIGHNER, M., JOHNSON, L., LEE, K. Lawrence Berkeley Laboratory, 95/12/20, 150pp, 86743:072-86743:291.

9601030035 Notice of contaminated sites listed in NRC site decommissioning rept plan.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403), 95/12/19, 6pp, 86730:327-86730:332.

9601030068 Forwards NRC markup of DOE proposed items for NRC/DOE working protocol on Title II license termination.
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 95/12/21, WIGDON, J.E. Energy, Dept. of, 3pp, 86893:358-86893:360.

9601030110 Responds to 951204 lt re M Knapp, requesting info re regulation & spec of waste packages in US.
LAHS, W.R. Division of Waste Management (NMSS 940403), 96/12/22, TWISS, M. AEA Technology, 4pp, 86730:249-86730:258.

9601030114 Forwards draft hydrogeologic cross-sections & 950317 hydrogeologic evaluation rept from DOE.
MORTON, L.B. Utah, State of, 95/12/19, PARK, J. NRC - No Detailed Affiliation Given, 141pp, 86893:164-86893:294.

9601030124 Forwards comments on review of remedial action plan for Metairie, CO, U mill tailings processing & disposal sites.
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 95/12/22, SENAR, R. Energy, Dept. of, 7pp, 86705:325-86705:335.

9601030154 Acts 951088 lt & opportunity to discuss specific issues w/staff on 951102 re OCRWM Concerns Program.
DREYFUS, D.A. Energy, Dept. of, 95/12/22, PAPERELLO, C.J. Office of Nuclear Material Safety & Safeguards, 3pp, 86705:173-86705:175.

9601040195 Submits computer upgrades to support NRC on-site representative off.
BARNES, W.E. Energy, Dept. of, HLWR, 95/12/29, HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 2pp, 86759:322-86759:323.

9601040214 Forwards "NRC Observation Audit Rept OA-95-01 of Yucca Mountain OA Div Audit YMA-APP-95-01 of USGS."
HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), HLWR, 95/11/15, MILLER, R.A. Energy, Dept. of, 2pp, 86759:324-86759:336.

9601040218 OA-95-01 "NRC Observation Audit Rept OA-95-01 of Yucca Mountain OA Div Audit YMA-APP-95-01 of USGS."
SPRAUL, J.G. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), SPRALL, M.A. Engineering & Geosciences Branch (NMSS 940403), BRENNAN, R.D. Center for Nuclear Waste Regulatory Analyses, HLWR, 95/11/15, 13pp, 86759:326-86759:336.

9601040347 Informs that "CNWRA Input to Pre-Licensing Evaluation Rept for Review Plan 3.2.1.10 Potentially Adverse Conditions: Evidence for Erosion Erosion," IM 20-5702-421-633, acceptable.
JUSTUS, P.S. Engineering & Geosciences Branch (NMSS 940403), HLWR, 95/12/22, MCKAGUE, L. Southwest Research Institute, 1p, 86755:299-86755:299.

8601040321 Discusses technical review of major milestones deliverable rept. "ABAOUS Code Evaluation Final Rept." Rept accepted as deliverable. Code developer should be contacted to minimize cost of modifying ABAOUS source code. JAGANNATHAN, R.N. Engineering & Geosciences Branch (NMSS 940403). HLWR. 95/12/08. CHOWDHURY, A. Southwest Research Institute. 1p. 86758-001-86758-001.

8601040384 Discusses NRC on-site licensing representatives rept on Yucca Mountain Project for Nov & Dec 1995. BELKEW, NRC - No Detailed Affiliation Given. HLWR. 95/12/22. HOLONICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 15pp. 86758-184-86758-188.

8601040374 Forwards issuance of Deficiency Rept YMOAD-95-D020 through YMOAD-95-D028 & Performance Rept YMOAD-95-P017 through YMOAD-95-P050 resulting from Yucca Mountain QA Div Audit YH-ARC-95-03 of Kiewit/Parsons Brinckerhoff. SPENCER, E. Energy, Dept. of. HLWR. 95/12/26. FOUST, L.D. TRW Environmental Safety Systems, Inc. 43pp. 86758-141-86758-163.

8601040380 Forwards Rev 4 to DOE/RW-0333P, "US DOE OCRWM QA Requirements & Description for Civilian Radioactive Mgt Program." MILLER, R.A. Energy, Dept. of. HLWR. 95/12/15. HOLONICH, J.J. Division of High-Level Waste Management (970413-940403). 2pp. 86758-300-86758-310.

8601040384 DOE/RW-0333P R04 Rev 4 to DOE/RW-0333P, "US DOE OCRWM QA Requirements & Description for Civilian Radioactive Mgt Program." HORTON, D.G., DREYFUS, D.A. Energy, Dept. of. HLWR. 95/01/31. 9pp. 86758-302-86758-310.

8601040386 Trip rept of 951113-15 visit to West Valley, NY re verification operations readiness review. TSCHOEPEL, SPIDHAR, Center for Nuclear Waste Regulatory Analyses. HLWR. 95/11/15. Center for Nuclear Waste Regulatory Analyses. 9pp. 86758-311-86758-313.

8601040388 Forwards OCRWM Surveillance HQ-SRP-96-01 conducted by Headquarters QA Div on Nov-Dec 1995. CLARK, R.W. Energy, Dept. of. HLWR. 95/12/18. STRICKLER, R.L. TRW Environmental Safety Systems, Inc. 8pp. 86758-314-86758-321.

8601050613 Verifies Corrective Action & Closure of Deficiency Rept YMOAD-95-D011 resulting from Yucca Mountain QA Div YH-ARC-95-19 of Civilian Radioactive Mgt Sys Mgt & Operating Contractor. SPENCER, E. Energy, Dept. of. HLWR. 95/12/16. FOUST, L.D. TRW Environmental Safety Systems, Inc. 3pp. 86758-128-86758-133.

8601050616 Forwards issuance of Surveillance Record YMP-SR-96-002 resulting from Yucca Mountain QA Div Surveillance of Civilian Radioactive Mgt Sys Mgt & Operating Contractor. SPENCER, E. Energy, Dept. of. HLWR. 95/12/21. FOUST, L.D. TRW Environmental Safety Systems, Inc. 7pp. 86758-134-86758-140.

8601050623 Forwards page changes to Subcontract Documents for Rifle Co Remedial Action Plan. Page changes consistent w/changes made in Project Interface Document Numbers 08-8-43 & 08-8-44, Rev 1. ARP, S.J. Energy, Dept. of. 95/11/27. LAMBERT, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 52pp. 86758-321-86758-343.

8601050624 Forwards "UMTRA Project - Nukite Responses to NRC Comments on Proposed Suppl Site Areas for Nukite Processing Site & Surrounding Vicinity Properties." WOODWORTH, L.A. Energy, Dept. of. 95/12/21. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 86758-338-86758-356.

8601050628 "UMTRA Project - Nukite Responses to NRC Comments on Proposed Suppl Site Areas for Nukite Processing Site & Surrounding Vicinity Properties." * Montrose-Knudsen Co., Inc. 95/09/01. 18pp. 86758-339-86758-358.

8601101168 Forwards Audit Rept for DOE of CRWM Otc of QA. HORTON, D.G. Energy, Dept. of. HLWR. 96/01/03. FOUST, L.D. TRW Environmental Safety Systems, Inc. 2pp. 86758-338-86758-334.

8601101171 OGA-SA-96-007 "DOE OCRWM Otc of QA Supplier Audit Rept of Metal Sampling Co Inc Alabama Specialty Products Inc in Monfard, AL Rept OGA-SA-96-007 951212-13." MAUDLIN, R.L. HORTON, D.G. Energy, Dept. of. HLWR. 96/01/02. 8pp. 86758-330-86758-334.

8601101173 Forwards responses to NRC & CDPHE comments & associated page changes to achieve final completion rept. EVETT, J.M. Energy, Dept. of. 95/10/15. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 180pp. 86797-058-86797-271.

8601101178 Forwards "Comments & Response Document for Long-Term Surveillance Plan..." & "Long-Term Surveillance Plan for Bodo Canyon Disposal Site Durango, CO." W/yes cyanide drawing. EVETT, J.M. Energy, Dept. of. 95/11/20. DECKLER, J. Colorado, State of. 1p. 86847-001-86847-175.

8601101179 DOE/AL/82350-210 R01 "Comments & Response Document for Long-Term Surveillance Plan for Bodo Canyon Disposal Site Durango, CO." * Energy, Dept. of. 95/11/30. 42pp. 86847-002-86847-047.

8601101181 Rev 1 to DOE/AL/82350-77, "Long-Term Surveillance Plan for Bodo Canyon Disposal Site Durango, CO." * Energy, Dept. of. 95/11/30. 126pp. 86847-048-86847-178.

8601100778 Advises that certification of U Mill Tailings Remedial Action Project at Durango, CO has been delayed due to NRC concerns on completion rept. EVETT, J.M. Energy, Dept. of. 95/11/09. DECKLER, J. Colorado, State of. 60pp. 86758-001-86758-063.

8601101168 Forwards DOE/DO/12554-240, "1995 Annual Insp of Burrell, PA, UMTRA Project Vicinity Property Disposal Site," for Dec 1995. WATSON, J.E. Energy, Dept. of. 95/12/28. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 86832-001-86832-037.

8601101165 DOE/DO/12554-240 "1995 Annual Insp of Burrell, PA, UMTRA Project Vicinity Property Disposal Site." W/one cyanide drawing. GOODWIN, C. RUST Environmental & Infrastructure, Inc. (formerly SEC Donchue). 95/12/28. 24pp. 86832-002-86832-037.

8601101129 Forwards Project Interface Document (PID) 08-S-48, modifying depth of 80 rept to be placed at New Rifle processing site. ARP, S.J. Energy, Dept. of. 96/01/03. LAMBERT, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 7pp. 86808-338-86808-342.

8601101139 Forwards audit plan YH-ARP-96-04, "OCRWM QA Audit Plan for Audit YH-ARP-96-04 of CRWM Sys Mgt & Operating Contractor at Lawrence Berkeley Natl Lab 960205-09." HORTON, D.G. Energy, Dept. of. HLWR. 96/01/02. FOUST, L.D. TRW, Inc. 2pp. 86800-048-86800-063.

8601101145 Audit Plan YH-ARP-96-04, "OCRWM QA Audit Plan for Audit YH-ARP-96-04 of CRWM Sys Mgt & Operating Contractor at Lawrence Berkeley Natl Lab 960205-09." HARRIS, D.J., HORTON, D.G. Energy, Dept. of. HLWR. 96/01/02. 4pp. 86800-050-86800-063.

8601101228 Forwards "US DOE OCRWM Otc of QA Audit Rept of Civilian Radioactive Mgt Sys Mgt & Operating Contractor at Lawrence Berkeley Natl Lab Berkeley, CA," for Audit YH-ARC-96-02 on 951204-07. HORTON, D.G. Energy, Dept. of. HLWR. 96/01/11. FOUST, L.D. TRW Environmental Safety Systems, Inc. 2pp. 86758-001-86758-016.

8601101230 "US DOE OCRWM Otc of QA Audit Rept of Civilian Radioactive Mgt Sys Mgt & Operating Contractor at Lawrence Berkeley Natl Lab Berkeley, CA," for Audit YH-ARC-96-02 on 951204-07. WARREN, C.C., HORTON, D.G. Energy, Dept. of. HLWR. 96/01/09. 17pp. 86758-003-86758-016.

8601101232 Inform of verification of corrective action & closure of Deficiency Rept YMOAD-95-D010 resulting from Yucca Mountain QA Div Audit YH-ARC-95-19 of SML. SPENCER, E. Energy, Dept. of. HLWR. 96/01/10. FOUST, L.D. TRW Environmental Safety Systems, Inc. 18pp. 86800-063-86800-080.

8601100381 Issues surveillance record YMP-SR-96-007 conducted by Yucca Mountain QA Div at Civilian Radioactive Waste Mgt Sys Mgt & Operating Contractor facilities at Yucca Mountain Site, NV 951113-30. SPENCER, E. Energy, Dept. of. HLWR. 96/01/08. FOUST, L.D. TRW Environmental Safety Systems, Inc. 7pp. 86800-148-86800-155.

8601101159 Inform that staff has verified corrective action in CAR YH-94-073 & determined results to be satisfactory. SPENCER, E. Energy, Dept. of. HLWR. 96/01/05. FOUST, L.D. TRW Environmental Safety Systems, Inc. 2pp. 86810-057-86810-065.

8601101100 Accepts 951212 paper entitled, "Numerical Model For Evolution Of Carbon Sys Geochemistry At Proposed Nuclear Waste Repository At Yucca Mountain, NV." LEE, J.P. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 96/01/03. BACA, R.G. Southwest Research Institute. 1p. 86810-116-86810-115.

8601100180 Forwards revised proposed work breakdown structure for key technical tasks program. STILTENPOLE, B. Program Management, Policy Development & Analysis Staff (Post 870413). HLWR. 95/12/28. LINEHAN, J.J., FORTUNA, S., LOOSLEY, D. Program Management, Policy Development & Analysis Staff (Post 870413). 4pp. 86810-127-86810-130.

8601100212 Forwards corrective action document status rept for month of Dec 1995. HORTON, D.G. Energy, Dept. of. HLWR. 96/01/15. SPIDAR, J.G. NRC - No Detailed Affiliation Given. 4pp. 86810-131-86810-134.

8601100282 Submits notice of 860110 meeting w/Natl Mining Assoc to plan joint NRC/ Natl Mining Assoc March 1996 Workshop. PARK, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/01/02. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 86821-204-86821-208.

8601100297 Forwards Center's program manager's periodic rept for period 951125-1217. STILTENPOLE, B. NRC - No Detailed Affiliation Given. HLWR. 96/01/11. AUGST, J.L., BROOKS, D., CHERY, D. Performance Assessment & Hydrology Branch (NMSS 940403). 2pp. 86820-003-86820-053.

8601100322 Forwards program manager's periodic rept reflecting activities from 951125-1222. PATRICK, W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 96/01/05. LINEHAN, J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 86820-005-86820-005.

8601100307 PMPR 96-03 "CMRRA Program Manager's Periodic Rept on Activities of CMRRA for Fiscal Reporting Period 951125-1222." * Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 96/01/05. NRC - No Detailed Affiliation Given. 48pp. 86820-006-86820-053.

8601100327 Forwards Project Interface Document 14-S-06, reviewing subcontract documents 48 submitted. WOODWORTH, L.A. Energy, Dept. of. 95/12/27. CARLSON, R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 86822-032-86822-035.

8601100334 Responds DOE 951208 RAI in order to address concerns raised by NRC in 951127 re potential bifurcation at UMTRA project site. GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/01/03. SENAR, Energy, Dept. of. 28pp. 86817-258-86817-289.

8601100385 Forwards Chem-Nuclear Sys, Inc. (CHNS) 860111 rpt, providing updated non-proliferation CHNS mail use container high integrity container TRDocket WMA-107 to 12 states. HOUSE, W.B. Chem-Nuclear Systems, Inc. RA-0029-96. 96/01/11. BELL, M.J. Engineering & Geosciences Branch (NMSS 940403). 13pp. 86822-338-86822-351.

8601100387 Inform that NRC reviewed request of 950322 & approval granted under submitted conditions. ARP, S.J. Energy, Dept. of. 95/12/20. DECKLER, J. Colorado, State of. 1p. 86821-278-86821-278.

190 NONDOCKETED ITEMS

9501180443 Forwards "Radiologic & Engineering Assessment for GJ-97016-CT (including GJ-43514-CC & GJ-43517-CC) Southern Pacific Railroad From Grand Avenue to 30 Road Grand Junction, CO." VIRGONA, J.E. Energy, Dept. of. 95/01/05. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 85839:053-85839:135.

9501180449 "Radiologic & Engineering Assessment for GJ-97016-CT (including GJ-43514-CC & GJ-43517-CC) Southern Pacific Railroad From Grand Avenue to 30 Road Grand Junction, CO." W/ nine creative drawings. PTAK, M.J., BAUER, R. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). VIRGONA, J.E. Energy, Dept. of. 95/12/20. 51pp. 85839:053-85839:135.

9501190168 Forwards Westinghouse GESCO Supplier Audit conducted by Ofo CA. GORTON, D.G. Energy, Dept. of. HLWR. 95/01/15. STRICKLER, R.L. TRW Environmental Safety Systems, Inc. 2pp. 85828:142-85828:152.

9501190113 OCA-SA-95-001 "DOE OCRM Ofo CA Audit of Westinghouse Gvrl & Environ Svcs Co in Oak Ridge, TN OCA-SA-95-001 951211-14." PECK, R.G. Energy, Dept. of. HLWR. 95/01/15. 11pp. 85828:142-85828:152.

9501190448 Documents license application review plan products & related activities completed during FY95 in fulfillment of Major Milestone 20-5702-221-001. PATRICK, C.W. Center for Nuclear Waste Regulatory Analyses. NRC-02-03-005. HLWR. 95/12/15. MEEHAN, B. Division of Contracts (Post 940714). 3pp. 85840:232-85840:234.

9501190453 Forwards paper, "Numerical Model for Evolution of Carbon Sys Biochemistry at Proposed Nuclear Waste Repository at Yucca Mountain, NV, USA," in fulfillment of Intermediate Milestone 20-5702-723-545. BACAR, R.G. Center for Nuclear Waste Regulatory Analyses. NRC-02-03-005. HLWR. 95/12/12. LEE, M.P. Performance Assessment & Hydrology Branch (NMSS 940403). 1p. 85830:240-85830:255.

9501190478 Ack receipt of DOE 1995 final ground water protection strategy for U mill tailings embankment near Green River, UT. SINCLAIR, W.J. Utah, State of. 95/01/08. ABRAMS, M. Energy, Dept. of. 3pp. 85831:086-85831:088.

9501190478 Submits comments & findings re DOE Sept 1995 final ground water protection strategy & related documents for Green River UMTRA embankment. MORTON, L. Utah, State of. 95/01/08. SINCLAIR, B. Utah, State of. 51pp. 85841:058-85841:136.

9501190483 Informa that OCRM has issued Rev 5 of OCRM QA Requirements & Description DOE/RW-033P to include several changes requested by various affected organizations. MILNER, R.A. Energy, Dept. of. HLWR. 95/12/28. HOLONICH, J.J. Division of High-Level Waste Management (970413-940402). 1p. 85840:235-85840:234.

9501220072 Forwards brief repl entitled, "Info Requirements for Evaluation of Potential Risk of Accelerated Corrosion of Tanks SD-1 & SD-2 at West Valley," per requirements of Administrative Item 20-5705-002-204. SRIHAR, N. Center for Nuclear Waste Regulatory Analyses. NRC-02-03-005. HLWR. 95/12/20. COMFORT, G.C. Office of Nuclear Material Safety & Safeguards. 4pp. 85842:203-85842:208.

9501220104 Forwards "OCRM Ofo of QA Audit Plan for Audit HQ-ARC-95-01 of CRWMS MEO (TRW) Veneva, VA 950205-03 Las Vegas, NV 950212-15." HORTON, D.G. Energy, Dept. of. HLWR. 95/01/15. STRICKLER, R.L. TRW Environmental Safety Systems, Inc. 2pp. 85850:302-85850:307.

9501220110 "OCRM Ofo of QA Audit Plan for Audit HQ-ARC-95-01 of CRWMS MEO (TRW) Veneva, VA 950205-03 Las Vegas, NV 950212-15." LENTZ, F.H. HORTON, D.G. Energy, Dept. of. HLWR. 95/01/15. 4pp. 85850:304-85850:307.

9501230160 Forwards Civilian Radioactive Waste Mgt Sys & Operating Contractor, Inc. LANI & US Geological Survey monthly status repts. BROCCO, M.S. Energy, Dept. of. HLWR. 95/01/15. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 85857:359-85857:360.

9501230338 Requests NRC concurrence on implementing initiatives to follow results from DOE/AL licensing rebuttal & informal discussions w/NRC & staff. RAEL, G.J. Energy, Dept. of. 95/01/12. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 85845:301-85845:302.

9501230351 Accepts long-term surveillance plan for Canonsburg, PA Uranium Mill Tailings Remedial Action Project Site. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/15. SENAR, E. Energy, Dept. of. 1p. 85859:302-85859:302.

9501230421 Forwards "Civilian Radioactive Waste Mgt Sys Mgt & Operating Contractor Monthly Summary Rept for Sept & Oct 1995." BROCCO, M.S. Energy, Dept. of. HLWR. 95/01/15. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 85852:001-85852:002.

9501230434 "Civilian Radioactive Waste Mgt Sys Mgt & Operating Contractor Monthly Summary Rept for Sept 1995." TRW Environmental Safety Systems, Inc. HLWR. 95/09/30. 127pp. 85852:003-85852:127.

9501230439 "Civilian Radioactive Waste Mgt Sys Mgt & Operating Contractor Monthly Summary Rept for Oct 1995." TRW Environmental Safety Systems, Inc. HLWR. 95/10/31. 145pp. 85852:128-85852:270.

9501230422 Forwards NRC 951222 lr to DOE intransigent comment on remedial action plan for Natick, CO U mill tailings site. NRC review will be documented in greater detail in draft TFR to be transmitted to DOE in Jan 1996. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/11. BEEN, C. Attention Not Assigned. 1p. 85870:009-85870:009.

9501240158 Forwards minutes of 951101 CA meeting held by videoconference between DOE contractor facilities in Las Vegas, NV & Washington, DC. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/01/15. MILNER, R.A. Energy, Dept. of. 61pp. 85858:038-85858:098.

9501240211 Responds to 951231 lr to JM Taylor, raising concerns about SECY-05-201 re NRC regulatory program for LLW. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/15. LEWIS, M. Attention Not Assigned. 7pp. 85871:054-85871:063.

9501240228 Responds to 951122 lr re termination of LLW TR review program. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/02. BAPULA, Brookhaven National Laboratory. 4pp. 85871:061-85871:064.

9501240256 Discusses mgt of site decommissioning and plan database. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/03. BELLAMY, R. Region 1 (Post 820201). COLLINS, D.M. Region 2 (Post 820201). MCCORMACK-BARGE Region 3 (Post 820201). 2pp. 85871:071-85871:072.

9501240243 Forwards FR notice of proposed staff technical position re disposition of Ca-137 contaminated emission control dust & other incident-related mat. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/11. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85862:143-85862:151.

9501240242 FR notice of proposed staff technical position re disposition of Ca-137 contaminated emission control dust & other incident-related mat. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/11. 48pp. 85862:143-85862:191.

9501240245 Responds to 951126 lr to J Kennedy of NRC re NRC consultation w/affected States & requests wherever request received for final report of LLW. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/11. COFFEY, E.S. Midwest Interstate Low-Level Radioactive Waste Commission. 3pp. 85870:348-85870:350.

9501240257 Responds to 951121 lr to Ofo of State Programs of NRC re Jefferson Proving Ground licensing resolutions announced in NRC press release No 95-133. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/11. GRAYES, J.C. Tennessee, State of. 3pp. 85872:356-85872:359.

9501240258 Responds to 951103 lr stating DOE position on assured storage concept. FEDERLIN, M.V. Division of Waste Management (NMSS 940403). 95/01/08. PLUMMER, T.L. Energy, Dept. of. 3pp. 85871:303-85871:304.

9501250024 Requests technical assistance in reviewing US Ecology, Inc. Special Nuclear Mail license renewal application. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/05. PIERSON, R. Licensing Branch. 3pp. 85857:259-85857:311.

9501250147 Forwards "UMTRA Ground Water Project Base-Line Risk Assessment (BLRA) - Salt Lake City, UT." W/e encl. KETZLER, D. Energy, Dept. of. 95/01/12. MORTON, L. Utah, State of. 2pp. 85812:277-85812:278.

9501250123 Trip rept of 951211-15 visit to San Francisco, CA re American Geophysical Union Fall Meeting. BAGTODOLU, A.C. CONWAY, M. GREEN, R.T. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/01/10. Center for Nuclear Waste Regulatory Analyses. 6pp. 85863:347-85863:352.

9501250132 Trip rept of 951130-1207 visit to Managua & Leon areas, Nicaragua to provide important info on dynamic nature of basaltic under cone volcanism. HILL, B.E. CONWAY, M. MCKAGUE, J.L. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/01/10. Center for Nuclear Waste Regulatory Analyses. 7pp. 85863:353-85863:359.

9501250268 Discusses revised format for annual insp repts. Revs to UMTRA guidance to accommodate new format annual insp repts and. VIRGONA, J.E. Energy, Dept. of. 95/08/01. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 85873:315-85873:319.

9501250381 Forwards issuance of Deficiency Rept YMCAD-95-D031 resulting from Yucca Mountain CA Div review. SPENCER, E. Energy, Dept. of. HLWR. 95/01/22. BARNES, W.E. Nevada, State of. 15pp. 85810:315-85810:330.

9501250399 Evaluates Suppl Response to Deficiency Rept YMCAD-95-D017 resulting from Yucca Mountain CA Div Audit YMA-95-20 of US Geological Survey. SPENCER, E. Energy, Dept. of. HLWR. 95/01/22. CRAIG, R.W. Interior, Dept. of, Geological Survey. 3pp. 85841:258-85841:261.

9501250390 Forwards rept of OCRM CA Audit YMA-95-03. HORTON, D.G. Energy, Dept. of. HLWR. 95/01/23. FOUST, L.D. TRW Environmental Safety Systems, Inc. 3pp. 85841:230-85841:253.

9501250370 YMA-95-03 "DOE OCRM Ofo of QA Audit Rept of OCRM Sys Mgt & Operating Contractor at Kewa/Passos Breckenhoff in Las Vegas, NV YMA-95-03 951211-15." MARTIN, J.S. HORTON, D.G. Energy, Dept. of. 95/01/23. 23pp. 85841:233-85841:255.

9501250378 Forwards record of Surveillance YMP-SR-95-005 on 951204-06 to evaluate adequacy & effectiveness of YMSCO process re YMSCO acceptance of svcs. SPENCER, E. Energy, Dept. of. HLWR. 95/01/23. SPRAUL, J.G. NRC - No Detailed Attention Given. 2pp. 85841:256-85841:263.

9501250395 YMP-SR-95-005 "Ofo of Radioactive Waste Mgt Surveillance Rept of Surveillance YMP-SR-95-005 Conducted 951204-06." KETZLER, D. Energy, Dept. of. 95/01/22. 6pp. 85841:258-85841:263.

9501250423 Informa of issuance of acceptance of corrective action extension of Deficiency Rept YMCAD-95-D030 as result of Yucca Mountain CA Division Surveillance YMP-SR-94-052. SPENCER, E. Energy, Dept. of. HLWR. 95/01/16. SPRAUL, J.G. NRC - No Detailed Attention Given. 7pp. 85841:264-85841:270.

9501250434 Forwards Corrective Action Request YMCAD-95-C002 resulting from Yucca Mountain CA Div audit of USGS. SPENCER, E. Energy, Dept. of. HLWR. 95/01/17. CRAIG, R.W. Interior, Dept. of, Geological Survey. 7pp. 85841:277-85841:283.

960130041 Forwards Rev 1 to Deficiency Repts YMAQAD-86-0010 through YMAQAD-86-0012 resulting from Yucca Mountain QA Division Audit YMA-ARF-86-01 of Univ of NV at Reno/Biological Lab, SPENCER, E. Esq., Dept. of HLWR, 06/01/86. FOUST, L.D. TRW Environmental Safety Systems, Inc. 7pp. 86841283-86841293.

9601310145 Responds to 960126 requests and provides "Effective Strategies for Streamlining NRC Waste Mgt Program Under Reduced Budgets." FEDERALINE, M.V. Division of Waste Management (NIMES 840403). 06/01/86. SCHABES, D. Affiliation Not Assigned. 9pp. 86861323-86861331.

9601310245 Forwards CNMRA 95-023, "Report on Peer Review of Sorption Modeling for HLW Performance Assessment Research Project." SAGAR, B. Center for Nuclear Waste Regulatory Analyses, NRC-02-93-005, HLWR, 06/06/86. RANDALL, J.D. Division of Regulatory Applications (870413-941217). 1p. 86865097-86865107.

9601310248 CNMRA 95-023 "Report on Peer Review of Sorption Modeling for HLW Performance Assessment Research Project." PABLAHL, R.T. Center for Nuclear Waste Regulatory Analyses, NRC-02-93-005, HLWR, 06/06/86. 7pp. 86865098-86865107.

EXPORT/IMPORT AND IMPORT LICENSES

960130041 Confirms that step III has been delivered to Fukushima site in Japan on 05/22/86 as scheduled. SVEJKOVSKY, J. Mitsui & Co. (USA), Inc. 06/12/86. BENNINGTON, G. NRC - No Detailed Affiliation Given. 1p. 86863203-86863203.

960130044 Submits advance notification of export shipment of special nuclear mat of low strategic significance as required by 10CFR73.73. Shipment will depart from Wilmington, NC on 06/18/86 to arrive in Tokyo on 06/22/86. SHIROTA, Y. Mitsui & Co. (USA), Inc. JPN-81866-F. 05/11/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 86863204-86863205.

9601300129 Confirms that items listed in attachment to note 602 did 05/10/86 will be held subject to Agreement upon their entries into territorial jurisdiction of Japan & that proposed recipients authorized persons in Japan. HAN, J.A. U.S. Embassies. 05/11/86. Japan. 9pp. 86862067-86862091.

9601300139 Recommends that facility license be issued re 951117 (v), which requested views of Executive Branch as to whether issuance of export license IAW application hereinafter described meets applicable criteria of Atomic Energy Act. STRATFORD, R.J. State, Dept. of 05/12/86. STORER, C.R. Office of International Programs (Post 911117). 1p. 86862092-86862092.

9601300169 Confirms that items listed in attachments in Note 781 will be held subject to agreement upon their entries into territorial jurisdiction of Japan & that proposed recipients authorized persons in Japan. Japan. 05/11/86. U.S. Embassies. 9pp. 86862256-86862263.

9601300132 Order suspending license (effective 960101).^{*} Suspension order will expire by operation of law assurance required under section 109b received from EURATOM or individual member countries. W/Certificate of No-Served on 05/12/86. STORER, C.R. Office of International Programs (Post 911117). #196 17394. 05/12/86. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 4pp. 86862356-86862356.

9601300223 Submits rev 1 to 960927 notification of upcoming export shipment of UFG contained in fourteen cylinders to England, IAW Convention on Physical Protection of Nuclear Mat & 870326 final rule. Edlow International Co. UR-3. 05/10/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 86860033-86860034.

9601300333 Submits notification of upcoming export shipment of UFG contained in six cylinders to England, IAW Convention on Physical Protection of Nuclear Mat & 870326 final rule. Edlow International Co. UR-3. 05/09/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 86860034-86860034.

9601300253 Submits notification of upcoming export shipment of UFG contained in seven cylinders to England, IAW Convention on Physical Protection of Nuclear Mat & 870326 final rule. Edlow International Co. UR-5. 05/10/86. Office of Nuclear Material Safety & Safeguards. 1p. 86860229-86860229.

9601300029 Submits advance notification of upcoming shipment of UFG, non-fuel, contained in eight cylinders per requirements from implementation of convention of physical protection of nuclear mat & NRC final rule of 870326. Edlow International Co. UR-7. 05/11/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 86861330-86861330.

9601300057 Submits advance notification of export of UFG, fissile, contained in ten cylinder & PSP pairs numbered from P-100, OH to Tokyo, Japan. Edlow International Co. KUK-100. 05/11/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 86870278-86870278.

9601300092 Submits notification of upcoming shipment of U hexafluoride fissile to Japan. AUMULLER, J.N. Edlow International Co. KUK-96. 05/10/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 86871208-86871208.

9601300106 Submits notification of upcoming shipment of U hexafluoride to Japan. AUMULLER, J.N. Edlow International Co. KUK-96. 05/10/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 86871215-86871215.

9601300137 Submits notification of upcoming shipment of U hexafluoride non-fissile to England, UFG contained in 12 cylinders. Edlow International Co. UR-8. 05/10/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 86871216-86871216.

9601300153 Submits notification of upcoming shipment of depleted U to Sweden, UO2 contained in two containers. Edlow International Co. ABB-8. 05/11/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 86871217-86871217.

9601300174 Submits advance notification of listed import shipment of 3 cylinders of UFG in sealed overpacks from licensee on 06/18/86. HEHR, W. 1095-644. 06/10/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 86873031-86873032.

9601300175 Submits advance notification of export shipment of 40 ft Standard Ocean Container w/50 drums of Solid Contaminated Filtrate containing 3.7 kg of UO2 in powder/solid form. HEHR, W. 1295-800. 05/12/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 86873033-86873034.

9601300177 Submits advance notification of export shipment of 2 unirradiated, low-enriched U fuel assemblies contained in 1 sealed HT-V shipping container, to Japan. EDGAR, J.B. Siemens Corp. 05/11/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 86873035-86873036.

9601300182 Submits rev 1 of advance notification export shipment containing four sid ocean containers w/50 drums of U Oxide in pellet/solid form, to Belgium, IAW requirements for Convention of Physical Protection of Nuclear Mat. HEHR, W. 1195-650(8). 05/12/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 86873037-86873040.

9601300191 Submits advance notification of export shipment containing one sid ocean container w/50 drums of U Oxide in pellet/solid form, to Germany, IAW requirements for Convention of Physical Protection of Nuclear Mat. HEHR, W. 1195-650(8). 05/11/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 86873041-86873044.

9601300183 Submits rev 1, advance notification of export shipment of two 4 ft sid ocean containers w/50 drums of UO2 in pellet/solid form from licensee. HEHR, W. 1195-648. 05/12/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 4pp. 86873041-86873044.

9601300185 Submits advance notice of export shipment of special nuclear mat U-235 contained in 18,271 kgs of U-enriched not exceeding 5% in form of UO2 packed in 280 USA/0220/AF-85 Rev 2. SHIROTA, Y. Mitsui & Co. (USA), Inc. 05/12/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 86873045-86873048.

9601300186 Submits advance notification of export shipment of one 40 ft ocean container, containing 41 industrial type containers containing depleted U from licensee. HEHR, W. 1195-655. 05/11/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 86873047-86873048.

9601300198 Submits rev 1 to advance notification of import shipment containing three cylinders of UFG in sealed overpacks, from France to Baltimore, MD, IAW requirements of Convention of Physical Protection of Nuclear Mat. HEHR, W. 1095-644. 06/01/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 86873049-86873050.

9601300209 Submits advance notification of export shipment containing one sid ocean container w/50 drums of U Oxide in pellet/solid form, to France, IAW requirements of Convention of Physical Protection of Nuclear Mat. HEHR, W. 1195-651. 05/11/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 86873051-86873052.

9601300244 Submits advance notification of listed export shipment per requirements from implementation of convention of physical protection of nuclear mat. HEHR, W. Brunkhoff Transport USA, Inc. 1195-650(A). 05/12/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 4pp. 86860123-86860131.

9601300261 Confirms that UO2 for K2-0 seventh shipment arrived on 06/09/86. SVEJKOVSKY, J. Mitsui & Co. (USA), Inc. 06/01/86. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. HOLDEN, D.W., BRECHTLE, T. General Electric Co. 1p. 86860132-86860132.

9601220171 Forwards application for license to export natural & slightly enriched UFG, mat will be used for fabrication of fuel assemblies & ultimately loaded into BWR Unit 3 owned by Shikoku Electric Power Co., Ltd. LARG, Y.M. Mitsubishi International Corp. HSA-5498-04. 05/12/86. WRIGHT, B. Office of International Programs (Post 911117). 2pp. 86827339-86827341.

9601220174 Application for license to export 5,683 KGU of enriched UFG to Australia. MAEDA, Y. Mitsubishi International Corp. HSA-5498-04. 05/12/86. 1p. 86827341-86827341.

9601220189 Informs that Ministry of Industry & Energy of Spain has confirmed that transfer of mat will be subject to all terms & conditions of Agreement for Cooperation re civil use of atomic energy between Govt of US & Govt of Spain. VINUELA, J. Spain, Govt. of 05/12/86. DEK, T. Energy, Dept. of 1p. 86827342-86827342.

9601220207 Forwards application for export license, received by NRC for export of low-enriched U for use as mixed fuel for BWR Unit 3 in Japan. HAUBER, R.D. Office of International Programs (Post 911117). 05/01/86. DELABARRE, R. Sonat. 1p. 86827343-86827343.

9601220215 Informs that Office of Arms Control & Nonproliferation has received prior consent for exports of Australian origin & Canadian origin mat to Republic of Korea, in response to application XSNM2808. KINCAID, C. Energy, Dept. of 06/01/86. WRIGHT, B. NRC - No Detailed Affiliation Given. 2pp. 86827347-86827348.

9601220231 Assumes T Dekk that Govt of Republic of Korea confirms listed particulars for international transfer of low enriched U as identified on application for license XSNM-2806. LEE, K. Korea, Republic of (South Korea). 06/12/86. DEK, T. Energy, Dept. of 2pp. 86827349-86827350.

9601220235 License for Combustion Engineering, Inc. to export 4,000 kg. of U-235 contained in 80,000 kgs of natural U & U enriched to 5.0 w/o max. as UF-6 & UO-2 & various other forms to Sweden. HAUBER, R.D. Office of International Programs (Post 911117). LD-95-050. 06/01/86. 2pp. 86827348-86827350.

192 NONDOCKETED ITEMS

9601220248 Package consisting of confirmation of proposed transfer of U,Pu & Th subject to US-Sweden Cooperation Agreement.
FELET, Conventions, State of. KOBLET, E. Sweden, Govt. of. 96/01/10. 1p.
86827:351-86827:352.

9601220252 License for Edlow Int Co to export 5,539 kgs of U-235, contained in 180,908.0 kgs of U enriched to 4.25% w/o max, as UFS, to Republic of Korea.
HAUBER, R.D. Office of International Programs (Post 911117). SAM-LIC-1. 96/01/16. 2pp. 86827:233-86827:234.

9601230457 Forwards repts which list all export cases completed, received, or pending during Dec 1995. Eight completed, eight new export license applications or amend requests received & 53 pending as of 951231.
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 96/01/22. DELABARRER, State, Dept. of. 8pp. 86848:185-86848:173.

9601240004 Requests that assurances be obtained from Spain re export license XSNM-2707.
LARUE, M.J. General Electric Co. 96/10/13. WRIGHT, B. Office of International Programs (Post 911117). 4pp. 86841:355-86841:358.

9601240010 Requests GCI assurances for cooperation re diplomatic notes exchanged for case number 337.
TANSKIS, MONDALE, W. U.S. Embassies. 96/01/15. DELABARRER, WEANT, D. State, Dept. of. 1p. 86842:258-86842:258.

9601290038 License for Poco Graphite, Inc to export 1,200,000.0 kg of bulk nuclear grade graphite to Republic of Korea for fabrication, use & sales of rods for general commercial application EDM electrodes, bearing, seals, rings & fixtures.
HAUBER, R.D. Office of International Programs (Post 911117). 96/01/24. 1p. 86890:220-86890:220.

9601290042 Amend 2 to license for Safety Light Corp to export 600,000 Ci of tritium as dispersed tritium, contained in sealed sources of up to 25 Ci per device to all countries except embargoed destinations listed in 10CFR170.28.
HAUBER, R.D. Office of International Programs (Post 911117). 96/01/25. 3pp. 86890:211-86890:213.

9601290046 Amend 1 to license for W to export 400.0 kgs of depleted U in form of fuel pellets contained in Korea Nuclear Fuel Co fuel assembly, to Republic of Korea.
HAUBER, R.D. Office of International Programs (Post 911117). EFM-95-0131. 96/01/24. 1p. 86890:214-86890:214.

9601290057 License for Edlow Int Co to export 229.0 kgs of U-235, contained in 5,690.0 kgs U enriched to 4.15 w/o max, in form of UFS, to Japan.
HAUBER, R.D. Office of International Programs (Post 911117). KLC-104. 96/01/24. 2pp. 86890:229-86890:230.

9601290060 Application to amend license, extending expiration date of license XSCU-6733 from 951231 to 971231. Customer requires add testing on depleted fuel assembly.
MCDONOUGH, E.F. Westinghouse Electric Corp. EFM-95-0131. 96/12/15. HAUBER, R.D. Office of International Programs (Post 911117). 1p. 86890:228-86890:228.

9601290071 Confirms that items listed in attachment to Note 648 will be held subject to Agreement upon arrival into territorial jurisdiction of Japan & that proposed recipients are authorized persons in Japan.
Japan. 96/12/15. U.S. Embassy. 5pp. 86890:223-86890:227.

9601300298 Submits advance notification of export shipment of three cylinders of UF6 in sealed overpacks from Portsmouth, VA to France, IAW requirements for implementation of Convention of Physical Protection of Nuclear Fuel.
MEHR, W. 1095-644(A). 96/01/13. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 86909:167-86909:168.

9601300315 Submits advance notification of listed export shipment per requirements from implementation of convention of physical protection of nuclear fuel.
EDGAR, J.B. Glencore Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel). JES-95-148. 96/12/05. BENNINGTON, G.M. Office of Nuclear Material Safety & Safeguards. 2pp. 86909:344-86909:345.

9601300324 Submits advance notification of listed export shipment per requirements from implementation of convention of physical protection of nuclear fuel.
MEHR, W. Braunkohl Transport USA, Inc. 96/12/21. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 86909:347-86909:348.

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the Index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABBOTT, R.B.	9601170036	50-410 S	ALEXON, T.W.	9601260280	50-488 P	AXELRAD, M.	9601050128	40-8027
ABBOTT, R.B.	9601230234	50-410 P	ALEXON, T.W.	9601260028	50-488 P	AXELRAD, M.	9601050128	40-8027
ABBOTT, R.B.	9601250108	50-410 P	ALLEN, G.W.	9601030298*	STATE PRO G	AXELRAD, M.	9601230346	40-8027
ABBOTT, R.B.	9601260113*	50-410 P	ALLISON, S.M.	9601170115	50-348 R	BABCOCK, J.N.	9600500172*	FOIA
ABBOTT, R.B.	9601300078	50-410 P	AMERSON, R.B.	9601100044	FOIA	BABCOCK, J.N.	9600500172*	FOIA
ABBOTT, R.B.	9601300081*	50-410 P	AMTSBERG, H.C.	9601290482*	70-*****	BACA, R.G.	9601190453	WASTE MGT
ABELQUIST, E.W.	9601040236	70-825	AMTSBERG, H.C.	9601290487*	70-*****	BACA, R.G.	9601290290	NUREG
ABELQUIST, E.W.	9601040235	70-825	AMTSBERG, H.C.	9601290479*	70-*****	BAER, R.L.	9601190120	60-288 Q
ABELQUIST, E.W.	9601040238*	70-825	AMTSBERG, H.C.	9601290488*	70-*****	BAER, R.L.	9601230386	72-1009
ABERCROMBIE, J.	9601020222*	FOIA	AMTSBERG, H.C.	9601290603*	70-*****	BAER, R.L.	9601260063	71-678
ABERCROMBIE, J.	9601020226*	FOIA	ANDERSON, J.W.	9601290060	50-245 P	BAGTZOGLOU, A.C.	9601250123	WASTE MGT
ABERCROMBIE, J.	9601020227*	FOIA	ANDERSON, J.W.	9601310028*	50-315 Q	BAILEY, J.A.	9601190324	50-528 P
ABRAMS, G.	9601250215	40-8881	ANDERSON, J.W.	9601310032*	50-318 Q	BAILEY, J.A.	9601290232*	50-424 P
ABRAMSON, P.B.	9601020074*	50-289 P	ANDERSON, J.W.	9601040237	50-245 P	BAILEY, J.A.	9601290296*	50-424 P
ACKERSON, R.	9601030323*	NUREG	ANDERSON, M.	9601300001	60-283 F	BAILEY, S.J.	9601230188	50-309 R
ACKMAN, O.	9601190337	40-8848	ANDERSON, M.L.	9601170008	50-305 R	BAJASZEWSKI, J.	9601260138	50-328 S
ACKMAN, O.	9601190341	40-8848	ANDERSON, R.O.	9601190033	50-283 F	BAKER, S.J.	9601040148	40-1162
ACKMAN, O.	9601190343	40-8848	ANDERSON, R.O.	9601170265	50-283 P	BAKER, S.J.	9601040225	40-1162
ADAM, W.J.	9601070185*	FOIA	ANDERSON, R.O.	9601170277	50-283 P	BAKER, S.J.	9601040235	40-1162
ADAM, W.J.	9601070221*	FOIA	ANDERSON, R.O.	9601190295	50-283 R	BAKOS, F.R.	9601300282	TOPREP
ADAM, W.J.	9601060181*	FOIA	ANDRACHEK, J.D.	9601030243*	TOPREP	BALDWIN, R.S.	9601260282*	50-424 V
ADAMS, A.	9601190421	50-287 F	ANDRACHEK, J.D.	9601190198*	PROJ	BALKO, R.	9601040103*	NUREG
ADAMS, A.	9601190435	50-287 V	ANDREWS, S.J.	9601190309	PT21	BALL, R.S.	9601230202	50-367 R
ADAMS, A.	9601170024	50-170 P	ANDREWS, S.J.	9601240048	PT21	BALLIET, E.A.	9601030280*	NUREG
ADAMS, A.	9601190211	50-27 P	ANDREWS, S.J.	9601240083	PT21	BALUNGER, P.L.	9601170008	50-288 R
ADAMS, A.	9601190248	ORG	ANGUS, M.J.	9601020284	50-275 F	BANGART, R.L.	9601030277	STATE PRO G
ADAMS, A.	9601190439	50-69 P	ANGUS, M.J.	9601300184	50-275 Q	BANGART, R.L.	9601030309	STATE PRO G
ADAMS, A.	9601300297	50-148 P	ARMAJAN, B.	9601290189	CONTRACT	BANGART, R.L.	9601030337	STATE PRO G
ADAMS, A.	9601300288	50-170 P	ARNOLD, J.W.	9601020309*	70-8070	BANGART, R.L.	9601040035	STATE PRO G
ADAMS, A.	9601300281	50-69 F	ARNOLD, W.M.	9601190281	71-8234	BANGART, R.L.	9601220113	STATE PRO G
ADAMS, A.	9601310127	50-170 P	ARNOLD, W.M.	9601230334	71-8234	BANGART, R.L.	9601220129	STATE PRO G
ADAMS, A.	9601310187	50-243 P	ARNOLD, W.M.	9601250122	71-9196	BANGART, R.L.	9601220153	STATE PRO G
ADAMS, A.	9601310208	63-238 P	APP, S.J.	9601090213	WASTE MGT	BANGART, R.L.	9601220187	STATE PRO G
ADAMS, J.	9601190144	70-7003	APP, S.J.	9601190123	WASTE MGT	BANGART, R.L.	9601220200	STATE PRO G
ADAMS, J.	9601230010	70-1257	APP, S.J.	9601190387	WASTE MGT	BANNER, C.	9601160180	50-272 F
ADAMS, M.	9601300181	70-1257	ASMUSSEN, K.E.	9601030402	70-734	BANNER, C.	9601230406	50-354 F
ADAMS, M.	9601300184	70-1257	ASMUSSEN, K.E.	9601190454	50-88 P	BARNIERI, F.P.	9601230325*	50-219 P
ADAMS, T.G.	9601040257	40-8724	ASMUSSEN, K.E.	9601190488	50-88 P	BARCHI, T.	9601290161	NUREG
ADAMS, T.G.	9601040250	40-8724	ASMUSSEN, K.E.	9601290498	50-88 P	BARGER, J.W.	9601160075	40-*****
ADAMS, T.G.	9601040285	40-8724	ASSA, R.R.	9601190196	50-456 P	BARGER, J.W.	9601160079*	40-*****
ADAMS, T.G.	9601050001	40-7804	ASSA, R.R.	9601190178*	50-456 P	BARGER, J.W.	9601160314	40-*****
ADAMSON, R.D.	9601110182*	50-275 P	ASSA, R.R.	9601300217	50-456 P	BARGER, J.W.	9601160326*	40-*****
ADENSAH, E.G.	9601190394*	50-454 F	ASSA, R.R.	9601310153	50-454 P	BARGER, J.W.	9601160365	50-168 Q
ADENSAH, E.G.	9601190407*	50-237 F	ASSA, R.R.	9601310169*	50-454 P	BARNES, V.E.	9601040196	WASTE MGT
ADNEY, R.J.	9601170049	50-327 S	AUBERT, G.	9601230373*	52-4	BARR, K.P.	9601190239	50-250 Q
ADNEY, R.J.	9601190407	50-327 S	AUBERT, G.	9601230378*	52-4	BARR, K.P.	9601190268*	50-250 Q
ADNEY, R.J.	9601230025	50-327 S	AUBERT, G.	9601230389*	52-4	BARR, K.P.	9601260282	50-348 F
ADNEY, R.J.	9601230138	50-327 S	AUBERT, G.	9601230392*	52-4	BARR, K.P.	9601260278	50-289 Q
ADNEY, R.J.	9601260327	50-327 S	AUBERT, G.	9601230398*	52-4	BARR, K.P.	9601260287*	50-289 Q
ADNEY, R.J.	9601170108	50-483 R	AUBERT, G.	9601230404*	52-4	BARR, K.P.	9601260338	50-289 P
ADOLTER, R.D.	9601260284*	50-324 V	AUMULLER, J.N.	9601190002	XPORTLIC	BARTOLOMUCCI, J.	9601110089	40-3463
ALLEN, M.J.	9601190171	50-348 P	AUMULLER, J.N.	9601190109	XPORTLIC	BARTON, J.J.	9601020326	50-219 R
ALLEN, M.J.	9601190065*	50-325 P	AUMULLER, J.N.	9601230147	70-1252	BARTON, J.J.	9601230324	50-219 P
ALDRICH, J.C.	9601170255	50-220 S	AUSTIN, J.H.	9601190397*	FOIA	BASSETT, C.H.	9601190074*	60-287 Q
ALDRICH, J.C.	9601220339	STATE PRO G	AUSTIN, J.H.	9601300179	40-8884	BATEMAN, W.H.	9601040369	50-329 P
ALEXANDER, A.J.	9601020185*	50-440 P	AUTRY, V.	9601300778	STATE PRO G	BATEMAN, W.H.	9601190003	50-482 P
ALEXON, T.W.	9601190378	50-488 P	AUTRY, V.R.	9601300079	STATE PRO G	BATEMAN, W.H.	9601300226	50-362 P
ALEXON, T.W.	9601190435	50-488 P	AXELRAD, M.	9601060122	40-8027	BATES, A.L.	9601190296*	COMMISSION
ALEXON, T.W.	9601220333	50-488 P	AXELRAD, M.	9601060122	40-8027	BAUER	9601040009*	NUREG

194 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BAUMANN, R.	9601160228	60-265 S	BINDON, G.A.	9601110126*	FOIA	BOWYER, J.E.	9601030074*	FOIA
BAUER, G.	9601160449*	WASTE MGT	BINDON, G.A.	9601110128*	FOIA	BOWYER, J.E.	9601030082*	FOIA
BAYNE, P.	9601240260*	COMMISSION	BINDON, G.A.	9601290100*	FOIA	BOWYER, J.E.	9601030086*	FOIA
BEARD, P.M.	9601020069	60-302 F	BINDON, G.A.	9601290121*	FOIA	BOWYER, J.E.	9601030093*	FOIA
BEARD, P.M.	9601030211	60-302 Q	BINDON, G.A.	9601290184*	FOIA	BOWYER, J.E.	9601030146*	FOIA
BEARD, P.M.	9601160380	60-302 F	BINDON, G.A.	9601290174*	FOIA	BOWYER, J.E.	9601160229*	FOIA
BEASLEY, J.B.	9601020212	60-424 F	BINDON, G.A.	9601290183*	FOIA	BOWYER, J.E.	9601160241*	FOIA
BEASLEY, J.B.	9601260172	60-424 F	BINDON, G.A.	9601290184*	FOIA	BOWYER, J.E.	9601160250*	FOIA
BECHHOEFER, C.	9601230161	STATE PRO G	BINDON, G.A.	9601290185*	FOIA	BOWYER, J.E.	9601160274*	FOIA
BECHHOEFER, C.	9601250177	STATE PRO G	BINDON, G.A.	9601290186*	FOIA	BOWYER, J.E.	9601170110*	FOIA
BECKHAM, J.T.	9601050337	60-368 S	BINDON, G.A.	9601290187*	FOIA	BOWYER, J.E.	9601170202*	FOIA
BECKHAM, J.T.	9601100004	60-321 Q	BINDON, G.A.	9601290188*	FOIA	BOWYER, J.E.	9601170222*	FOIA
BECKHAM, J.T.	9601160251	60-321 S	BINDON, G.A.	9601290189*	FOIA	BOWYER, J.E.	9601170239*	FOIA
BECKHAM, J.T.	9601170213	60-321 R	BINDON, G.A.	9601290190*	FOIA	BOYCE, R.W.	9601020199	60-352 R
BECKNER, W.D.	9601030373	60-448 Q	BINDON, G.A.	9601290270	COMMISSION	BOYCE, R.W.	9601030291	60-352 S
BECKNER, W.D.	9601050331	60-416 P	BLANCH, P.M.	9601230458	60-245 H	BOYCE, R.W.	96012310205	60-352 S
BECKNER, W.D.	9601160408	60-448 P	BLANCH, P.M.	9601030267	STATE PRO G	BOYCE, R.W.	9601240118	71-*****
BECKNER, W.D.	9601220040	60-458 O	BLIND, A.A.	9601160231	60-315 S	BOYCE, R.W.	9601240129*	71-*****
BEDE, B.C.	9601020211	27-48	BLOCK, J.M.	9601050101*	60-29 G	BOYCE, R.W.	9601250257	71-9157
BEHNKE, D.H.	9601160272	60-275 S	BLOCK, J.M.	9601050101*	60-29 G	BOYCE, R.W.	9601260104	71-*****
BEISLE, G.A.	9601190014	60-338 Q	BLOCK, J.M.	9601050102*	60-29 G	BRACHE, W.	9601300245	70-143
BEISLE, G.A.	9601190032*	60-338 Q	BLOCK, J.M.	9601050103*	60-29 G	BRADFORD, D.	9601170222*	60-3453
BEISLE, G.A.	9601190043	60-280 Q	BLOCK, J.M.	9601050104*	60-29 G	BRADSHAW, T.	9601040093*	NUREG
BEISLE, G.A.	9601190046*	60-280 Q	BLOCK, J.M.	9601050105*	60-29 G	BRADSHAW, T.	9601040133*	NUREG
BEISLE, G.A.	9601190083	60-396 Q	BLOCK, J.M.	9601050106*	60-29 G	BRANWELL, D.	9601290151	NUREG
BEISLE, G.A.	9601190097	60-396 Q	BLOCK, J.M.	9601250178	60-29 G	BRANCH, W.	9601190045*	60-280 Q
BEISLE, G.A.	9601230239	60-338 Q	BLOCK, J.M.	9601250179	60-29 G	BRANDKAMP, F.N.	9601110182*	FOIA
BELKE, W.	9601040354	WASTE MGT	BLOCK, J.M.	9601250180*	60-29 G	BRANDKAMP, F.N.	9601160091*	FOIA
BELL, G.	9601190239	60-448 F	BLOCK, J.M.	9601250181*	60-29 G	BRANDKAMP, F.N.	9601040285	FOIA
BELL, G.	9601290102*	FOIA	BLOCK, J.M.	9601250182*	60-29 G	BRANDKAMP, F.N.	9601040286	NUREG
BELL, M.J.	9601220054	40-6500	BLOCK, J.M.	9601250183*	60-29 G	BRENT, R.D.	9601040216*	WASTE MGT
BELL, S.W.	9601170141*	FOIA	BLOCK, J.M.	9601250184*	60-29 G	BRENT, R.D.	9601220224	WASTE MGT
BELL, S.W.	9601170142*	FOIA	BLOCK, J.M.	9601250185*	60-29 G	BRENT, R.D.	9601230180	WASTE MGT
BELLAMY, R.R.	9601290253	40-8860	BLOCK, J.M.	9601250186*	60-29 G	BRENT, R.D.	9601230421	WASTE MGT
BELLES, R.J.	9601290218	NUREG	BLOCK, J.M.	9601250187*	60-29 G	BRENT, R.D.	9601240144	60-295 Q
BELLES, R.J.	9601290235	NUREG	BLOCK, J.M.	9601250188*	60-29 G	BROTT, N.K.	9601230116	60-255 F
BENDER, P.O.	9601170338*	FOIA	BLOCK, J.M.	9601250189*	60-29 G	BROTT, N.K.	9601230125	60-255 F
BENES, G.G.	9601250126	60-373 P	BLOCK, J.M.	9601250190*	60-29 G	BROTT, N.K.	9601290226	60-255 F
BENSON, M.P.	9601250216	40-8581	BLOCK, J.M.	9601250191*	60-29 G	BROTT, N.K.	9601300125	60-219 F
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250192*	60-29 G	BROUGHTON, T.G.	9601030230*	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250193*	60-29 G	BROWN, B.	9601310148	CONTRACT
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250194*	60-29 G	BROWN, B.	9601310149	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250195*	60-29 G	BROWN, B.	9601310150	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250196*	60-29 G	BROWN, B.	9601310151	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250197*	60-29 G	BROWN, B.	9601310152	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250198*	60-29 G	BROWN, B.	9601310153	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250199*	60-29 G	BROWN, B.	9601310154	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250200*	60-29 G	BROWN, B.	9601310155	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250201*	60-29 G	BROWN, B.	9601310156	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250202*	60-29 G	BROWN, B.	9601310157	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250203*	60-29 G	BROWN, B.	9601310158	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250204*	60-29 G	BROWN, B.	9601310159	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250205*	60-29 G	BROWN, B.	9601310160	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250206*	60-29 G	BROWN, B.	9601310161	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250207*	60-29 G	BROWN, B.	9601310162	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250208*	60-29 G	BROWN, B.	9601310163	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250209*	60-29 G	BROWN, B.	9601310164	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250210*	60-29 G	BROWN, B.	9601310165	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250211*	60-29 G	BROWN, B.	9601310166	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250212*	60-29 G	BROWN, B.	9601310167	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250213*	60-29 G	BROWN, B.	9601310168	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250214*	60-29 G	BROWN, B.	9601310169	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250215*	60-29 G	BROWN, B.	9601310170	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250216*	60-29 G	BROWN, B.	9601310171	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250217*	60-29 G	BROWN, B.	9601310172	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250218*	60-29 G	BROWN, B.	9601310173	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250219*	60-29 G	BROWN, B.	9601310174	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250220*	60-29 G	BROWN, B.	9601310175	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250221*	60-29 G	BROWN, B.	9601310176	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250222*	60-29 G	BROWN, B.	9601310177	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250223*	60-29 G	BROWN, B.	9601310178	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250224*	60-29 G	BROWN, B.	9601310179	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250225*	60-29 G	BROWN, B.	9601310180	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250226*	60-29 G	BROWN, B.	9601310181	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250227*	60-29 G	BROWN, B.	9601310182	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250228*	60-29 G	BROWN, B.	9601310183	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250229*	60-29 G	BROWN, B.	9601310184	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250230*	60-29 G	BROWN, B.	9601310185	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250231*	60-29 G	BROWN, B.	9601310186	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250232*	60-29 G	BROWN, B.	9601310187	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250233*	60-29 G	BROWN, B.	9601310188	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250234*	60-29 G	BROWN, B.	9601310189	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250235*	60-29 G	BROWN, B.	9601310190	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250236*	60-29 G	BROWN, B.	9601310191	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250237*	60-29 G	BROWN, B.	9601310192	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250238*	60-29 G	BROWN, B.	9601310193	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250239*	60-29 G	BROWN, B.	9601310194	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250240*	60-29 G	BROWN, B.	9601310195	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250241*	60-29 G	BROWN, B.	9601310196	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250242*	60-29 G	BROWN, B.	9601310197	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250243*	60-29 G	BROWN, B.	9601310198	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250244*	60-29 G	BROWN, B.	9601310199	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250245*	60-29 G	BROWN, B.	9601310200	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250246*	60-29 G	BROWN, B.	9601310201	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250247*	60-29 G	BROWN, B.	9601310202	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250248*	60-29 G	BROWN, B.	9601310203	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250249*	60-29 G	BROWN, B.	9601310204	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250250*	60-29 G	BROWN, B.	9601310205	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250251*	60-29 G	BROWN, B.	9601310206	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250252*	60-29 G	BROWN, B.	9601310207	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250253*	60-29 G	BROWN, B.	9601310208	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250254*	60-29 G	BROWN, B.	9601310209	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250255*	60-29 G	BROWN, B.	9601310210	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250256*	60-29 G	BROWN, B.	9601310211	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250257*	60-29 G	BROWN, B.	9601310212	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250258*	60-29 G	BROWN, B.	9601310213	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250259*	60-29 G	BROWN, B.	9601310214	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250260*	60-29 G	BROWN, B.	9601310215	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250261*	60-29 G	BROWN, B.	9601310216	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250262*	60-29 G	BROWN, B.	9601310217	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250263*	60-29 G	BROWN, B.	9601310218	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK, J.M.	9601250264*	60-29 G	BROWN, B.	9601310219	FOIA
BENSON, M.P.	9601290375	60-308 F	BLOCK,					

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BURKETT, M.M.	9601050296*	50-283	CABELL, A.S.	9601160311*	FOIA	CHASE, G.	9601230427	40-8452
BURLEY, S.D.	9601240223*	40-3463	CACCIAPONTI, R.	9601220107*	50-271	CHAUBARD, M.A.	9601310168*	50-288
BURNETT, J.	9601110132	40-3453	CAHILL, L.J.	9601160413	50-333	CHAUBARD, M.A.	9601310168*	50-288
BURROWS, S.A.	9601050037*	FOIA	CAHILL, W.J.	9601160375	50-333	CHELSE, M.E.	9601240172	70-*****
BURROWS, S.A.	9601050038*	FOIA	CAHILL, W.J.	9601220045	50-296	CHEKHOFF, H.K.	9601290345	50-344
BURROWS, S.A.	9601050106*	FOIA	CAHILL, W.J.	9601230103	50-296	CHEN, J.S.W.	9601240317	CONTRACT
BURROWS, S.A.	9601050801*	FOIA	CAHILL, W.J.	9601300145	50-296	CHENG, C.	9601030056*	50-341
BURROWS, S.A.	9601050205*	FOIA	CAHILL, W.J.	9601300283	50-333	CHOBANIAN, A.	9601020177*	FOIA
BURROWS, S.A.	9601050214*	FOIA	CAHILL, W.J.	9601300285*	50-333	CHOE, W.G.	9601160370*	50-445
BURROWS, S.A.	9601050216*	FOIA	CALFA, J.P.	9601190412	50-293	CHOE, W.G.	9601160372*	50-445
BURROWS, S.A.	9601050221*	FOIA	CALFEER, R.	9601040085*	NUREG	CHOU, R.C.	9601190201*	50-389
BURROWS, S.A.	9601050222*	FOIA	CALFEER, R.V.	9601030333*	NUREG	CHRISTENSEN, J.	9601160448	50-254
BURROWS, S.A.	9601050223*	FOIA	CALFEER, R.V.	9601030375*	NUREG	CHRIST, M.	9601030288*	NUREG
BURROWS, S.A.	9601050224*	FOIA	CALLAN, L.J.	9601030044	50-628	CHRISTENSEN, H.	9601190101	50-369
BURROWS, S.A.	9601050226*	FOIA	CALLAN, L.J.	9601160390	50-458	CHRISTENSEN, H.	9601190201*	50-369
BURROWS, S.A.	9601050228*	FOIA	CALLAN, L.J.	9601170271	50-458	CHRISTENSEN, M.	9601160388*	50-285
BURROWS, S.A.	9601050258*	FOIA	CALLAN, L.J.	9601170282	50-458	CHUBB, W.	9601310040	PR
BURROWS, S.A.	9601110056*	FOIA	CALLAN, L.J.	9601300068	50-275	CHUNG, J.W.	9601290084	ORG
BURROWS, S.A.	9601160388*	FOIA	CALVIN, L.	9601100042	40-*****	CHUNG, J.W.	9601290080*	ORG
BURROWS, S.A.	9601160141*	FOIA	CALVO, J.A.	9601040234	50-373	CHUNG, J.W.	9601290086*	ORG
BURROWS, S.A.	9601160163*	FOIA	CAMACHO, L.	9601260375	50-206	CHALKOWSKI, M.J.	9601160299	50-373
BURROWS, S.A.	9601160173*	FOIA	CAMERON, F.X.	9601170207	REVIEW GR	CLARK, C.R.	9601030255	50-28
BURROWS, S.A.	9601160177*	FOIA	CAMERON, F.X.	9601160426	REVIEW GR	CLARK, C.R.	9601030261*	50-29
BURROWS, S.A.	9601160201*	FOIA	CAMPBELL, C.A.	9601230319*	50-237	CLARK, R.E.	9601310138*	ORG
BURROWS, S.A.	9601160203*	FOIA	CAMPBELL, C.A.	9601230321*	50-237	CLARK, R.W.	9601304388	WASTE MGT
BURROWS, S.A.	9601160207*	FOIA	CAMPBELL, W.R.	9601040352	50-324	CLAYTON, B.	9601050060	50-481
BURROWS, S.A.	9601160221*	FOIA	CAMPBELL, W.R.	9601230173	50-324	CLAYTON, B.	9601050065*	50-481
BURROWS, S.A.	9601160245*	FOIA	CAMPBELL, W.R.	9601230288	40-6940	CLAYTON, B.	9601030301*	NUREG
BURROWS, S.A.	9601160254*	FOIA	CAMPBELL, W.R.	9601310042	70-27	CLAYTON, B.	9601030382*	NUREG
BURROWS, S.A.	9601160281*	FOIA	CAMPBELL, W.R.	9601110208*	50-218	CLAYTON, B.	9601290370	REVIEW GR
BURROWS, S.A.	9601160284*	FOIA	CANDY, K.S.	9601160366	50-270	CLEMENS, C.D.	9601250198	50-280
BURROWS, S.A.	9601160420*	FOIA	CANDREY, D.	9601130211	70-1252	CLEMENT, B.	9601040328*	50-390
BURROWS, S.A.	9601160427*	FOIA	CANDREY, D.	9601130216	70-1252	CLETCHER, J.W.	9601290138	NUREG
BURROWS, S.A.	9601170057*	FOIA	CANDREY, D.	9601130211	70-1252	CLETCHER, J.W.	9601290235	NUREG
BURROWS, S.A.	9601170080*	FOIA	CANNON, R.L.	9601160344	50-293	CLIFFORD, J.W.	9601020127	50-367
BURROWS, S.A.	9601170086*	FOIA	CANNON, R.L.	9601170188	50-288	CLIFFORD, J.W.	9601230231	50-387
BURROWS, S.A.	9601170073*	FOIA	CAPRA, R.A.	9601030158*	50-295	CLIFFORD, J.W.	9601230113	50-387
BURROWS, S.A.	9601170076*	FOIA	CAPRA, R.A.	9601040370	50-458	CLIFFORD, J.W.	9601230281	50-387
BURROWS, S.A.	9601170080*	FOIA	CAPRA, R.A.	9601240088	50-373	CLIFFORD, J.W.	9601230237	50-387
BURROWS, S.A.	9601170085*	FOIA	CAPRA, R.A.	9601280016	ORG	CLIFFORD, J.W.	9601310149	50-387
BURROWS, S.A.	9601170086*	FOIA	CARBER, P.P.	9601230304	50-259	CLOCK, R.A.	9601160138	50-255
BURROWS, S.A.	9601170100*	FOIA	CARBER, P.P.	9601290479	50-259	CLOWING, T.H.	9601290215	50-488
BURROWS, S.A.	9601170107*	FOIA	CARNS, N.S.	9601130251	50-482	CLOWING, T.H.	9601290233	50-488
BURROWS, S.A.	9601170121*	FOIA	CARNS, N.S.	9601160364	50-482	CODDINGTON, C.T.	9601160238	50-387
BURROWS, S.A.	9601170153*	FOIA	CAROCCHI, G.J.	9601230240*	50-410	CODDINGTON, C.T.	9601160426	50-387
BURROWS, S.A.	9601170151*	FOIA	CARPENTER, C.E.	9601030088	50-333	COOREY, D.	9601160017	70-1252
BURROWS, S.A.	9601170156*	FOIA	CARRICO, J.B.	9601110123*	FOIA	COFFER, W.	9601220057	STATE PRO G
BURROWS, S.A.	9601170188*	FOIA	CARROLLE, E.W.	9601170141	50-19	COFFEY, C.	9601130103	40-8453
BURROWS, S.A.	9601170235*	FOIA	CARROLLE, E.	9601180122	50-190	CODWELL, C.J.	9601160384	50-288
BURROWS, S.A.	9601170239*	FOIA	CARROLLE, G.	9601180149	50-190	CODWELL, C.J.	9601290046	50-341
BURROWS, S.A.	9601170258*	FOIA	CARROLL, G.	9601180176	50-180	CODWELL, T.G.	9601300102	50-341
BURROWS, S.A.	9601170259*	FOIA	CARROLL, G.	9601250151	50-180	COLEMAN, D.E.	9601230176	50-220
BURROWS, S.A.	9601170259*	FOIA	CARROLL, G.	9601250172	50-180	COLEMAN, M.	9601290132	STATE PRO G
BURROWS, S.A.	9601170262*	FOIA	CARROLL, M.	9601160049*	50-330	COLINA, R.	9601240082	CONTRACT
BURROWS, S.A.	9601170263*	FOIA	CASANELA, J.	9601250218*	40-8881	COLINA, R.	9601240087	CONTRACT
BURROWS, S.A.	9601170283*	FOIA	CASSANO, R.F.	9601300222	40-8840	COLKITT, D.	9601030304*	NUREG
BURROWS, S.A.	9601170297*	FOIA	CASSEY, J.W.	9601280116	CONTRACT	COLLINS, S.P.	9601030095*	40-8943
BURROWS, S.A.	9601170320*	FOIA	CASTO, C.	9601190027*	50-269	COLLINS, S.P.	9601030080	40-8943
BURROWS, S.A.	9601170328*	FOIA	CASTO, C.	9601190049*	50-269	COLLINS, S.P.	9601250267	40-8943
BURROWS, S.A.	9601160140*	FOIA	CASTO, C.A.	9601100024	50-289	COLLINS, S.P.	9601300296	40-8943
BURROWS, S.A.	9601180156*	FOIA	CASTO, C.A.	9601190055	50-289	COLLINS, D.J.	9601190171	STATE PRO G
BURROWS, S.A.	9601180162*	FOIA	CASTO, C.A.	9601190434	50-335	COLLINS, D.M.	9601180171*	FOIA
BURROWS, S.A.	9601180213*	FOIA	CATCHPOLE, T.W.	9601160271	50-302	COLLINS, D.M.	9601160182*	FOIA
BURROWS, S.A.	9601180226*	FOIA	CATCHPOLE, T.W.	9601170081	50-302	COLLINS, D.M.	9601160214*	FOIA
BURROWS, S.A.	9601180230*	FOIA	CATTON, N.	9601300002	50-327	COLLINS, E.J.	9601290086	CONTRACT
BURSKI, R.F.	9601170127	50-382	CAUSEY, C.	9601240008	71-8269	COLLINS, J.E.	9601230267*	50-388
BURSKI, R.F.	9601170203	50-382	CEER, R.	9601250126	70-7001	COLLINS, R.	9601030385	40-1162
BURSKI, R.F.	9601170208	50-382	CEPICKA, J.	9601310043	70-384	COLLINS, S.C.	9601030343	STATE PRO G
BURSKI, R.F.	9601250017	50-382	CERNIA, C.	9601190167*	50-293	COLLINS, S.C.	9601110215	STATE PRO G
BUSCH, R.D.	9601190325	50-232	CHAFFEE, A.E.	9601050246	50-387	COLLINS, S.J.	9601190022	50-387
BUSCH, R.E.	9601310238	50-213	CHAMBERS, J.T.	9601030177*	FOIA	COLLINS, S.J.	9601170017	STATE PRO G
BUSCH, R.E.	9601310236	50-213	CHANCELLOR, R.A.	9601110262	40-8502	COLLINS, S.J.	9601170084	ORG
BUSCH, R.E.	9601310236	50-213	CHANCELLOR, R.A.	9601110272	40-8502	COLLINS, S.J.	9601170214	MISC
BUSH, L.	9601190776	PROJ	CHANCELLOR, R.A.	9601230340	71-8269	CONDREY, D.	9601160023	70-1252
BUTCHER, J.	9601250089*	ORG	CHAPPELL, C.R.	9601230347	71-8217	CONDREY, D.	9601050254*	FOIA
BUTCHER, J.	9601190086*	50-302	CHAPPELL, C.R.	9601230352	71-8033	CONLEY, A.F.	9601020078*	50-380
BYRAM, R.G.	9601020107	50-387	CHAPPELL, C.R.	9601230359	71-8033	CONLEY, A.F.	9601020084*	50-380
BYRAM, R.G.	9601170040	50-388	CHAPPELL, C.R.	9601230382	71-8033	CONLEY, A.F.	9601170013	50-451
BYRAM, R.G.	9601170042*	50-388	CHAPPELL, C.R.	9601230389	71-8033	CONLEY, A.F.	9601300186	50-451
BYRAM, R.G.	9601170376	50-387	CHAPPELL, C.R.	9601240044	71-8269	CONLEY, A.F.	9601190312	50-288
BYRAM, R.G.	9601180276	50-388	CHAPPELL, C.R.	9601240046	71-8222	CONOLLY, M.	9601300162	50-213
BYRAM, R.G.	9601230157	50-387	CHAPPELL, C.R.	9601240050	71-8269	CONTER, R.	9601190155	50-293
BYRAM, R.G.	9601230202	50-387	CHAPPELL, C.R.	9601240051	71-8269	CONTER, R.	9601190180*	50-293
BYRAM, R.G.	9601250211	50-387	CHAPPELL, C.R.	9601310185	71-8601	CONTER, R.	9601110238	50-271
BYRAM, R.G.	9601260341	50-387	CHARNOFF, G.	9601020182	50-440	CONWAY, J.N.	9601250132	WASTE MGT
BYRAM, R.G.	9601310218	50-387	CHASE, G.	9601020182	50-440	CONWAY, J.T.	9601170038	50-410
BYRAM, R.G.	9601310228*	FOIA	CHASE, G.	9601020182	50-440	CONWAY, M.	9601250123	WASTE MGT
CABELL, A.S.	9601180290*	FOIA	CHASE, G.	9601230427	40-8462	COOK, J.G.	9601020220	40-481

196 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
COOKSUEY, J.W.	9601230323	40-3453	CROTEAU, R.P.	9601300360	50-260	DEITZ, J.H.	9601240277	CONTRACT
COOL, D.A.	9601150333*	FOIA	CRUSE, C.H.	9601150332	50-317	DEKOK, D.	9601290351	FOIA
COOL, D.A.	96013040335	50-3	CRUTCHFIELD, D.	9601220372	50-3	DELANEY, T.F.	9601130336*	FOIA
COOL, D.A.	9601220180	STATE PROJ	CRUTCHFIELD, D.	9601220129	50-3	DELEHANT, J.H.	9601230341	40-185
COOL, D.A.	9601290384	ORG	CRUTCHFIELD, D.	9601220239	50-3	DELEZENSW, J.	9601290216	50-312
COOPER, R.W.	9601303237	50-245	CRUTCHFIELD, D.	9601040138	50-3	DELEZENSW, J.	9601290382	50-312
COOPER, R.W.	9601303234	50-309	CRUTCHFIELD, D.	9601050193	50-3	DELEZENSW, J.	9601300405	50-312
COOPER, R.W.	96013032430*	NUREG	CRUTCHFIELD, D.	9601110058	50-3	DELUIGATT, M.S.	9601020079	ORG
COOPER, R.W.	96013040388*	NUREG	CRUTCHFIELD, D.	9601190308	50-3	DEMAREK, W.E.	9601220237	50-481
COOTS, L.	9601303078	70-7001	CRUTCHFIELD, D.	9601180442	50-3	DEMAREK, S.	9601020103	50-395
COPINGER, D.A.	9601290238	NUREG	CRUTCHFIELD, D.	9601260139	50-3	DEMAREK, S.	9601050347	50-395
COPINGER, D.A.	9601290235	NUREG	CRUTCHFIELD, D.	9601040009*	NUREG	DEMAREK, O.	9601260100*	FOIA
CORCORAN, T.S.	9601230238	50-239	CUNNINGHAM, D.	9601030350*	NUREG	DENOL, L.	9601290189	72-1
CORDES, J.P.	9601250185	SECY	CUNNINGHAM, D.	9601040003*	NUREG	DENNIS, J.E.	9601220016	71-9158
CORRIGNS, R.J.	9601303042*	50-341	CUNNINGHAM, D.	9601040043*	NUREG	DENTON, R.E.	9601030396	50-317
COSTELLO, F.	9601300113	ME	CUNNINGHAM, D.E.	9601300204*	NUREG	DENTON, R.E.	9601190129	50-317
COSTELLO, F.M.	96012070108*	FOIA	CUNNINGHAM, D.E.	9601040002*	NUREG	DENTON, R.E.	9601180237	50-317
COSTELLO, F.M.	96013030150*	FOIA	CUNNINGHAM, D.E.	9601040004*	NUREG	DEPDEL, J.	9601030283*	NUREG
COSTELLO, F.M.	96013030357*	FOIA	CUNNINGHAM, D.E.	9601040048*	NUREG	DEVAN, M.J.	9601260330*	50-302
COSTELLO, F.M.	9601300068	70-2888	CUNNINGHAM, L.J.	9601220351	50-220	DEVAN, M.J.	9601260335*	50-302
COTTAM, J.B.	9601260173*	50-496	CUNNINGHAM, R.E.	9601030417*	NUREG	DEWALL, K.G.	9601260151	NUREG
COTTER, S.P.	9601170170	50-245	CUNNINGHAM, R.E.	9601170145*	FOIA	DEWEASE, J.G.	9601180248	50-313
COTTER, S.P.	9601180216	STATE PROJ	CUNNINGHAM, R.E.	9601180207*	FOIA	DICK, S.F.	9601030324*	50-237
COTTER, S.P.	9601230153	50-29	CURRAN, D.	9601020268	70-3070	DICK, S.F.	9601180368	50-454
COUGO, O.	9601240107	71-*****	CURRAN, D.	9601020268	70-3070	DICK, S.F.	9601220357	50-454
COUGO, O.	9601240220	71-*****	CURRAN, D.	9601030068	50-29	DIGMAN, T.G.	9601180130	50-29
COUGO, O.	9601290200	71-*****	CURRAN, D.	9601030101*	50-29	DIGMAN, T.G.	9601180130	50-29
COUPAL, J.L.	9601220144	NUREG	CURRAN, D.	9601030101*	50-29	DIGMAN, T.G.	9601180141	50-29
COURTEMACHE, S.	9601220335*	FOIA	CURRAN, D.	9601030101*	50-29	DIGMAN, T.G.	9601180141	50-29
COURTEMACHE, S.	96013040162*	FOIA	CURRAN, D.	9601030117*	50-29	DICKS, W.J.	9601040304*	FOIA
COURTEMACHE, S.	9601020141*	FOIA	CURRAN, D.	9601030117*	50-29	DICKS, W.J.	9601040310*	FOIA
COURTEMACHE, S.	9601020184*	FOIA	CURRAN, D.	9601030117*	50-29	DITOMMASO, S.M.	9601030243*	TOPREP
COURTEMACHE, S.	9601040124*	FOIA	CURRAN, D.	9601180160	50-29	DITOMMASO, S.M.	9601180186*	PROJ
COURTEMACHE, S.	9601230113	ME	CURRAN, D.	9601260180*	50-29	DODGE, F.T.	9601280286	NUREG
COURTEMACHE, S.	9601300140	ME	CURRAN, D.	9601260180*	50-29	DOERFLEIN, L.T.	9601110216	50-244
COWGILL, C.J.	9601230085	50-247	CURRAN, D.	9601260180*	50-29	DOERFLEIN, L.T.	9601110222*	50-244
COWGILL, C.J.	9601020019	50-286	CURRAN, D.	9601300047	CA889	DOERFLEIN, L.T.	9601290226	50-317
COWGILL, C.J.	9601110283	50-286	CURRAN, D.	9601230125	CA889	DOERFLEIN, L.T.	9601290318	50-317
COWGILL, C.J.	9601110288	50-286	CURRAN, D.	9601230134	ORG	DOERFLEIN, L.T.	9601290218	NUREG
COWGILL, C.J.	9601180126	50-333	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290235	NUREG
COWGILL, C.J.	9601260167	50-286	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601110222*	50-244
COWGILL, C.J.	9601240647	CONTRACT	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290226	50-317
COXT, D.	9601300230	70-143	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290318	50-317
COXT, T.H.	9601220325	70-143	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290218	NUREG
CRAFT, F.R.	9601180345	40-8903	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290235	NUREG
CRAFT, F.R.	9601230436	40-8903	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601110222*	50-244
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290226	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290318	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290218	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290235	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601110222*	50-244
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290226	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290318	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290218	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290235	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601110222*	50-244
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290226	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290318	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290218	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290235	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601110222*	50-244
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290226	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290318	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290218	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290235	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601110222*	50-244
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290226	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290318	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290218	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290235	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601110222*	50-244
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290226	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290318	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290218	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290235	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601110222*	50-244
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290226	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290318	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290218	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290235	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601110222*	50-244
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290226	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290318	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290218	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290235	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601110222*	50-244
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290226	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290318	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290218	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290235	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601110222*	50-244
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290226	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290318	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290218	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290235	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601110222*	50-244
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290226	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290318	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290218	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290235	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601110222*	50-244
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290226	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290318	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290218	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290235	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601110222*	50-244
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290226	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290318	50-317
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290218	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.	9601260137	CA889	DOERFLEIN, L.T.	9601290235	NUREG
CRAIG, J.	9601020202	57-48	CURRAN, D.					

198 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
GAMBERONI,M.K.	9601310062	50-255	P	GRACEY,J.S.	9601110091*	FOIA	HALMAN,E.L.	9601240183	CONTRACT		
GARDIS,S.	9601030233*	50-440	H	GRACEY,J.S.	9601100339*	FOIA	HALTWERGER,L.W.	9601180023	50-255	R	
GARDNER,R.N.	9601020271*	50-285	Q	GRAESSER,K.L.	9601160039	50-454	HAMBY,M.R.	9601180365	50-400	S	
GARDNER,R.N.	9601180251	50-285	P	GRAESSER,K.L.	9601220330	50-454	HAMPTON,J.W.	9601020258	50-259	P	
GARDNER,R.N.	9601180385*	50-285	Q	GRAHAM,D.E.	9601040378*	FOIA	HAMPTON,J.W.	9601020266	50-259	P	
GARRON,L.A.	9601020285	50-281	S	GRAHAM,D.E.	9601060333*	FOIA	HAMPTON,J.W.	9601030083	50-259	S	
GASKIN,C.E.	9601300165	70-734		GRAHAM,D.E.	9601110007*	FOIA	HAMPTON,J.W.	9601110184	50-259	F	
GASKIN,C.E.	9601300165	70-143		GRAHAM,V.B.	9601240214	CONTRACT	HAMPTON,J.W.	9601180227	50-259	P	
GASKIN,C.E.	9601300197	40-6563		GRANDSTAFF,E.	9601250010	CONTRACT	HAMPTON,J.W.	9601260158	50-259	P	
GATES,T.W.	9601230274	50-458	P	GRANT,G.	9601020265	50-285	Q	HAMPTON,J.W.	9601290224	50-259	P
GATES,W.G.	9601290427	50-285	P	GRANT,G.E.	9601180335	50-285	Q	HAMPTON,J.W.	9601290314	50-259	P
GATTONE,R.G.	9601290442*	50-285	P	GRANT,G.E.	9601290488	50-257	P	HAMRICK,J.S.	9601180288	40-259	
GEDDIS,E.M.	9601180099	50-11312		GRAVES,D.H.	9106160148	40-1182		HANEY,P.	9601040040	40-3453	
GELLIS,S.S.	9601110154*	50-269	P	GRAY,J.	9601240182	CONTRACT		HANNON,J.N.	9601310078	50-255	H
GELLIS,S.S.	9601170167*	FOIA		GRAY,J.R.	9601250288	50-364	Q	HANSEN,A.G.	9601260118	50-288	P
GEMMA,S.	9601050078*	FOIA		GRAY,J.R.	9601260261	50-458	T	HANSON,K.	9601020024	70-7002	
GEORGE,M.	9601260138	70-1428		GRAY,J.R.	9601300167	50-244	G	HAQUE,M.	9601180260	40-1341	
GEORGE,T.L.	9601300208	PT21		GRAY,L.A.	9601260042	71-8259		HARDGROVE,T.W.	9601040018	40-6822	
GERALD,W.C.	9601240126*	40-541		GREEN,A.C.	9601310228*	50-413	F	HARDGROVE,T.W.	9601040165	40-6822	
GERINGER,A.	9601200131*	STATE PRO G		GREEN,R.T.	9601250123	WASTE MGT		HARDGROVE,T.W.	9601180323	40-2259	
GIBBONS,J.H.	9601110194*	ORG		GREEN,R.T.	9601290230	NUREG		HARDGROVE,T.W.	9601180382	40-6822	
GIBBS,R.	9601190480*	50-335	Q	GREEN,R.T.	9601190484	50-311	S	HARDGROVE,T.W.	9601030390*	40-6822	
GIBSON,A.F.	9601190005	50-321	Q	GREEN,R.T.	9601250282	71-8259		HARDGROVE,T.W.	9601220079	40-2259	
GIBSON,H.	9601240008	71-8259		GREEN,R.T.	9601280289	40-8948		HARDING,C.M.	9601220143	STATE PRO G	
GIBSON,H.	9601190381*	70-2962		GREGG,L.R.	9601300348*	FOIA		HARLIN,C.L.	9601290135*	FOIA	
GILBERT,B.G.	9601030383*	STATE PRO G		GREGG,M.	9601230006	50-423	P	HARMON,P.E.	9601250386*	50-259	Q
GILCHRIST,J.R.	9601240164	CONTRACT		GREGG,P.W.	9601030330*	NUREG		HAROUTUNIAN,E.	9601040272	40-235	
GILCHRIST,J.R.	9601240166	CONTRACT		GRIFFIN,C.I.	9601180095	ORG		HARRELL,P.H.	9601180280*	50-416	Q
GILES,H.B.	9601170200	50-341	R	GRIFFIN,D.D.	9601050025	70-135		HARRELL,P.H.	9601170007*	50-436	Q
GILLEN,D.M.	9601030068	WASTE MGT		GROBE,L.A.	9601290300	50-285	Q	HARRELL,P.H.	9601220137*	50-382	Q
GILLEN,D.M.	9601030108	40-8802		GRODIN,J.A.	9601290310*	50-285	Q	HARRINGTON,G.L.	9601240043*	50-382	Q
GILLEN,D.M.	9601030142	WASTE MGT		GROSS,M.R.	9601290181	NUREG		HARRIS,C.J.	9601180250	50-305	S
GILLEN,D.M.	9601030233	40-289		GROSS,S.P.	9601240431	CONTRACT		HARRIS,C.J.	9601260004	FOIA	
GILLEN,D.M.	9601030258*	40-288		GUM,K.	9601110054	40-3453		HARRIS,D.J.	9601180148*	WASTE MGT	
GILLEN,D.M.	9601030259	40-289		GUM,K.	9601170307*	FOIA		HARRIS,D.J.	9601020325	50-245	S
GILLEN,D.M.	9601030283*	40-289		GUM,K.	9601030444*	FOIA		HARRIS,D.J.	9601030085	50-245	S
GILLEN,D.M.	9601030288	40-8908		GUM,K.E.	9601030444*	FOIA		HARRIS,D.J.	9601160275	50-245	S
GILLEN,D.M.	9601030300*	40-8905		GUNDROM,L.	9601030111*	FOIA		HARRIS,T.E.	9601240252	27-47	
GILLEN,D.M.	9601100017	40-8822		GUNDROM,L.	9601030147	50-348	F	HARRISON,B.	9601110085	40-3453	
GILLEN,D.M.	9601180204*	40-1162		GUPTA,V.	9601190322	PT21		HARRISON,B.	9601290013	50-324	R
GILLEN,D.M.	9601190217*	40-289		GRUNDT,P.	9601040234	50-285	Q	HARRISON,L.	9601180180*	50-289	Q
GILLEN,D.M.	9601190228	40-8908		GRUNDT,P.	9601030215	50-361	Q	HARVEY,R.C.	9601180520*	50-309	P
GILLEN,D.M.	9601180334	WASTE MGT		GRUNDT,P.	9601030240	50-488	Q	HAUBER,R.D.	9601220207	XPORTLIC	
GILLEY,D.D.	9601180467	50-327	S	GRUNDT,P.	9601030251	50-361	Q	HAUBER,R.D.	9601220225	XPORTLIC	
GILLEY,D.D.	9601290327	50-327	S	GRUNDT,P.	9601040221	50-488	F	HAUBER,R.D.	9601220252	XPORTLIC	
GILLILLAND	9601250016	CONTRACT		GRUNDT,P.	9601040224	50-528	F	HAUBER,R.D.	9601290487	XPORTLIC	
GIPSON,D.R.	9601030351	50-341	F	GRUNDT,P.	9601040271	50-382	Q	HAUBER,R.D.	9601290488	XPORTLIC	
GIPSON,D.R.	9601110182	50-341	Q	GRUNDT,P.	9601040278	50-387	Q	HAUBER,R.D.	9601290489	XPORTLIC	
GIPSON,D.R.	9601260135	50-341	P	GRUNDT,P.	9601040284	50-285	Q	HAUBER,R.D.	9601290490	XPORTLIC	
GIPSON,D.R.	9601290173	50-341	Q	GRUNDT,P.	9601040289	50-488	F	HAUBER,R.D.	9601290557	XPORTLIC	
GIPSON,D.R.	9601290484	50-341	S	GRUNDT,P.	9601040293	50-488	F	HAUGHNEY,C.J.	9601250205	50-188	F
GIPSON,D.R.	9601260358*	50-321	Q	GRUNDT,P.	9601040314	50-813	Q	HAVEMAN,J.C.	9601230288	PR	
GLASOW,G.P.	9601030338*	NUREG		GRUNDT,P.	9601160032	50-285	Q	HAWKINS,P.	9601110057	40-3453	
GLEASON,J.P.	9601250166	40-8027		GRUNDT,P.	9601160262	50-445	Q	HAY,G.	9601040105*	NUREG	
GLENN,J.	9601180457*	FOIA		GRUNDT,P.	9601160273	50-828	Q	HAYDEN,B.	9601180280*	71-8235	
GLENN,J.E.	9601280032*	FOIA		GRUNDT,P.	9601160280	50-285	Q	HAYS,P.	9601220269*	50-219	F
GLENN,J.E.	9601410364*	FOIA		GRUNDT,P.	9601160304	50-418	F	HAYWARD,R.M.	9601020259*	50-308	P
GLENN,J.E.	9601410367*	FOIA		GRUNDT,P.	9601160353	50-382	F	HEAD,S.M.	9601230018	50-488	S
GLENN,J.E.	9601020257*	FOIA		GRUNDT,P.	9601160385	50-445	F	HEATH,R.	9601240014	71-8157	
GLENN,J.E.	9601030209*	FOIA		GRUNDT,P.	9601160426	50-482	F	HEBDOV,F.J.	9601020108*	50-358	P
GLENN,J.E.	9601030407*	FOIA		GRUNDT,P.	9601170010	50-483	Q	HEBDOV,F.J.	9601030037	50-256	Q
GLENN,J.E.	9601030411*	FOIA		GRUNDT,P.	9601170012	50-418	Q	HEBERT,J.R.	9601020288	50-308	P
GLENN,J.E.	9601030428*	FOIA		GRUNDT,P.	9601170123	50-361	Q	HEBERT,J.R.	9601170037	50-309	P
GLENN,J.E.	9601180142*	FOIA		GRUNDT,P.	9601170270	50-448	Q	HEBERT,J.R.	9601180352	50-309	P
GLENN,J.E.	9601180150*	FOIA		GRUNDT,P.	9601180277	50-483	Q	HEBERT,J.R.	9601230168	50-300	R
GLENN,J.E.	9601180393*	FOIA		GRUNDT,P.	9601180440	50-486	Q	HEBERT,J.R.	9601230226	50-309	P
GLENN,J.E.	9601180395*	FOIA		GRUNDT,P.	9601180531	50-483	Q	HEBERT,M.A.	9601240055	40-8027	
GLENN,J.E.	9601190083*	FOIA		GRUNDT,P.	9601180534	50-416	Q	HEBARTY,J.M.	9601240251	CONTRACT	
GLENN,J.E.	9601190099*	70-1113		GRUNDT,P.	9601180340	50-326	Q	HEHR,W.	9601180174	XPORTLIC	
GLENN,J.E.	9601190095*	FOIA		GRUNDT,P.	9601180363	50-528	Q	HEHR,W.	9601180175	XPORTLIC	
GNUSKOLL,G.N.	9601100111*	FOIA		GRUNDT,P.	9601180388	50-361	Q	HEHR,W.	9601180182	XPORTLIC	
GNUSKOLL,G.N.	9601180078	50-445	S	GRUNDT,P.	9601220122	50-285	Q	HEHR,W.	9601180183	XPORTLIC	
GNUSKOLL,G.N.	9601220213	50-445	S	GRUNDT,P.	9601220164	50-483	P	HEHR,W.	9601180184	XPORTLIC	
GNUSKOLL,G.N.	9601020089*	50-335	F	GRUNDT,P.	9601230030	50-498	P	HEHR,W.	9601180191*	XPORTLIC	
GNUSKOLL,G.N.	9601180011	50-389	Q	GRUNDT,P.	9601230036	50-418	P	HEHR,W.	9601180196	XPORTLIC	
GOLDBERG,J.R.	9601240178*	50-255	G	GRUNDT,P.	9601240008	50-361	Q	HEHR,W.	9601180209	XPORTLIC	
GOODKNIGHT,Q.	9601160115*	40-6500		GRUNDT,P.	9601240013	50-498	P	HEHR,W.	9601180244	XPORTLIC	
GOODMAN,L.S.	9601170200	50-341	R	GRUNDT,P.	9601250312	50-382	F	HEHR,W.	9601030290	XPORTLIC	
GOODMAN,L.S.	9601310111	50-341	F	GRUNDT,P.	9601250342	50-483	F	HEHR,W.	9601030324	XPORTLIC	
GOODMAN,L.S.	9601220182	PRM		GRUNDT,P.	9601260374	50-418	Q	HELFER,P.G.	9601180029	50-274	S
GOODWELL,J.	9601030288*	NUREG		GRUNDT,P.	9601300073	50-326	Q	HELFER,P.G.	9601250027	50-274	R
GOODWELL,J.	9601180168	ORG		GRUNDT,P.	9601300078	50-407	Q	HELLER,R.	9601180280	50-311	R
GOODWELL,J.	9601040250	50-277	H	GRUNDT,P.	9601300082	50-387	Q	HELLER,R.	9601190289	50-272	R
GORTON,D.G.	9601190108	WASTE MGT		GRUNDT,P.	9601220167*	50-269	P	HELLER,R.	9601230158	50-272	R
GRABO,S.A.	9601020063	50-628	S	GRUNDT,P.	9601290603	50-280	P	HELLER,R.	9601230191	50-311	R
GRABO,S.A.	9601160039	50-525	S	HADLEY,E.C.	9601180470*	50-245	H	HELLSTROM,S.W.	9601250124	40-8988	
GRABO,S.A.	9601180443	50-525	S	HADLEY,E.C.	9601280213	70-135	P	HENDERSON,J.W.	9601040229	40-2384	
GRABO,S.A.	9601280255	50-526	S	HALL,J.R.	9601290030	50-296	P	HENDERSON,J.W.	9601250007	40-2384	

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HENDERSON, P.A.	9601040015*	NUREG	HOLONICH, J.J.	9601290391	WASTE MGT	HUFFMAN, W.G.	9601290200	52-3
HENRICKS, D.R.	9601250037	50-352	HOLONICH, J.J.	9601290422	WASTE MGT	HUFFMAN, W.G.	9601290463	52-3
HERNANDEZ, A.	9601300166	50-481	HOLONICH, J.J.	9601290458	WASTE MGT	HUFFMAN, W.G.	9601300110	52-3
HERBERT, J.P.	9601170201	50-309	HOLONICH, J.J.	9601290465	40-3453	HUFFMAN, W.G.	9601300117	52-3
HERMANN, R.A.	9511010039*	50-206	HOLONICH, J.J.	9601290467*	40-3453	HUGGENBERGER	9601290361*	52-4
HERRMAN, R.W.	9601180411	50-289	HOLONICH, J.J.	9601290298	40-8889	HUGHES, L.	9601180050*	72-19
HERRMAN, R.W.	9601290089*	50-213	HOLONICH, J.J.	9601290308*	40-8889	HULL, J.T.	9601250168	STATE PROJ G
HERRMAN, R.W.	9601300090	50-289	HOLONICH, J.J.	9601300171	40-3453	HULTGREN, R.O.	9601220090	ORG
HERRMAN, R.W.	9601170219*	FOIA	HOLONICH, J.J.	9601300219	40-298	HULTSCH, R.	9601310017	50-386
HERRON, J.T.	9601080066	50-299	HOLSONPLE, K.L.	9601190056	40-6840	HUNNOUTT, D.M.	9601080222*	50-440
HERRON, J.T.	9601180283	50-299	HOLSONPLE, K.L.	9601190063	40-6840	HUNGER, G.A.	9601050129	50-276
HERRON, J.T.	9601170006	50-299	HOLT, B.J.	9601180089	50-11312	HUNGER, G.A.	9601180377	50-352
HERRON, J.T.	9601180343	50-299	HOLT, B.J.	9601300213	40-8155	HUNGER, G.A.	9601170171	50-352
HERZBERGER, T.V.	9601300237*	40-8155	HOM, S.R.	9601290171	40-8027	HUNGER, G.A.	9601180226	50-277
HERZBERGER, T.V.	9601300244*	40-8155	HONICKER, J.	9601290296	50-390	HUNGER, G.A.	9601290232	50-277
HERZBERGER, T.V.	9601300240*	40-8155	HOOPER, G.L.	9601170223	50-424	HUNGER, G.A.	9601290172	50-352
HERZBERGER, T.V.	9601180184	50-289	HOOPER, G.L.	9601300223	71-8269	HUTCHINSON, G.F.	9601020302	50-416
HICK, J.W.	9601290021	70-7001	HOPKINS, J.B.	9601240038	50-440	HUTCHINSON, G.F.	9601220311	50-416
HICK, J.W.	9601290278*	FOIA	HOPKINS, J.B.	9601290166	50-440	HUTCHINSON, G.F.	9601290393	50-416
HICK, J.W.	9601290247*	FOIA	HOPKINS, J.B.	9601290177*	50-440	HUTCHINSON, G.F.	9601260173*	50-498
HICK, J.W.	9601290266*	FOIA	HOPKINS, J.B.	9601310206	50-440	HYDRICK, L.P.	9601290376*	50-277
HICK, J.W.	9601290274*	70-754	HOPKINS, P.C.	9601290274*	50-424	IBRAHIMA	9601040218*	WASTE MGT
HICK, J.W.	9601110140*	FOIA	HOPPER, S.T.	9601190060*	50-259	IGLESIA, D.	9601240298	CONTRACT
HICKLE, B.J.	9601090042	50-302	HOPSON, D.R.	9601220016*	70-143	IMBRI, C.F.	9601290221	PROJ
HICKLE, B.J.	9601090021	50-302	HORN, S.V.	9601290064*	50-369	INGRAM, R.	9601180172	ORG
HICKLE, B.J.	9601180271	50-302	HORN, S.V.	9601040001	18E	IRELAND, R.N.	9601180261*	50-384
HICKLE, B.J.	9601170051	50-302	HORN, S.V.	9601180001	18E	IRLAND, R.N.	9601230413*	FOIA
HICKMAN, J.B.	9601110167	50-315	HORTON, D.G.	9601040384*	WASTE MGT	IRLAND, S.L.	9601180368	ORG
HICKMAN, J.B.	9601180071	50-315	HORTON, D.G.	9601050183*	71-756	JACKSON, D.T.	9601040311	52-3
HICKMAN, J.B.	9601180078*	50-315	HORTON, D.G.	9601130186	WASTE MGT	JACKSON, D.T.	9601040315	52-3
HICKMAN, J.B.	9601170084	50-315	HORTON, D.G.	9601180171*	WASTE MGT	JACKSON, D.T.	9601050174	TOPREP
HICKMAN, J.B.	9601170071*	50-315	HORTON, D.G.	9601180139	WASTE MGT	JACKSON, D.T.	9601180107	52-3
HICKMAN, J.B.	9601250107	50-315	HORTON, D.G.	9601180146*	WASTE MGT	JACKSON, D.T.	9601180243	TOPREP
HICKS, G.D.	9601180359	50-324	HORTON, D.G.	9601180226	WASTE MGT	JACKSON, D.T.	9601220258	52-3
HICKS, G.D.	9601180371	50-324	HORTON, D.G.	9601180230*	WASTE MGT	JACKSON, D.T.	9601220305	52-3
HICKS, G.D.	9601180333	50-324	HORTON, D.G.	9601180212	WASTE MGT	JACKSON, D.T.	9601250067	PROJ
HILAND, P.	9601290461*	50-254	HORTON, D.G.	9601220104	WASTE MGT	JACKSON, D.T.	9601250202	PROJ
HILAND, P.L.	9601290461*	50-254	HORTON, D.G.	9601220110*	WASTE MGT	JACKSON, D.T.	9601260148	PROJ
HILAND, P.L.	9601290468	50-254	HORTON, D.G.	9601290390	WASTE MGT	JACKSON, D.T.	9601260263	TOPREP
HILL, B.E.	9601290132	WASTE MGT	HORTON, D.G.	9601290370*	WASTE MGT	JACKSON, D.T.	9601290007	52-3
HILL, L.M.	9601100001	50-288	HOSEY, C.M.	9601170128	18E	JACKSON, D.T.	9601290024	52-3
HILL, L.M.	9601100002	50-288	HOSEY, C.M.	9601290068*	FOIA	JACKSON, D.T.	9601290453	52-3
HILL, L.M.	9601170211	50-288	HOUSE, J.	9601050102*	70-133	JACKSON, G.	9601070238*	FOIA
HILL, L.M.	9601290110	50-288	HOUSE, J.	9601290173*	50-498	JACKSON, G.	9601080190*	FOIA
HILL, L.M.	9601050003	FOIA	HOUSE, J.	9601180366	WASTE MGT	JACKSON, G.	9601080182*	FOIA
HILL, R.J.	9601100050	FOIA	HOUSTON, B.L.	9601020279	50-298	JACKSON, G.	9601030416*	FOIA
HILL, R.J.	9601290073	50-498	HOUSTON, B.L.	9601290502	50-298	JACKSON, G.	9601040068*	FOIA
HILL, S.G.	9601030392*	STATE PROJ G	HOVER, R.J.	9601290367	50-290	JACKSON, G.	9601110121*	FOIA
HILL, T.E.	9601290100	50-180	HOVER, R.J.	9601130169	50-250	JACKSON, G.	9601180303*	FOIA
HILL, W.J.	9601290132	50-263	HOVER, R.J.	9601180048	50-250	JACKSON, S.A.	9601020124	50-346
HILL, W.J.	9601300019	50-293	HOVER, R.J.	9601180134	50-250	JACKSON, S.A.	9601110157	COMMISSION
HILTON, L.D.	9601290296	NUREG	HOVER, R.J.	9601220081	50-251	JACKSON, S.A.	9601110237	ORG
HISCH, D.	9601110219*	COMMISSION	HOVER, R.J.	9601220399	50-251	JACKSON, S.A.	9601110270	STATE PROJ G
HODGE, C.V.	9601290158*	50-354	HOVER, R.J.	9601290106	50-250	JACKSON, S.A.	9601180308	50-380
HODGE, C.V.	9601290201*	50-354	HOVER, R.J.	9601300122	50-250	JACKSON, S.A.	9601180048	COMMISSION
HOFFMAN, B.L.	9601290083*	40-2259	HOWARD, M.L.	9601020583*	50-482	JACKSON, S.A.	9601180154	COMMISSION
HOFFMAN, S.T.	9601050089	PROJ	HOWELL, J.L.	9601180562	30-2641	JACKSON, S.A.	9601180294	COMMISSION
HOFFMAN, S.T.	9601050297	PROJ	HOWELL, J.L.	9601220168	50-373	JACKSON, S.A.	9601180067	COMMISSION
HOFFMAN, S.T.	9601180145	PROJ	HOWELL, J.L.	9601180168	50-29	JACKSON, S.A.	9601180288	COMMISSION
HOFFMAN, S.T.	9601290251	PROJ	HOYLE, J.C.	9601020068*	50-390	JACKSON, S.A.	9601180366	COMMISSION
HOFFMAN, S.T.	9601250038	PROJ	HOYLE, J.C.	9601020142	10CFR	JACKSON, S.A.	9601180430	COMMISSION
HOFFMAN, S.T.	9601290241	PROJ	HOYLE, J.C.	9601040281	10CFR	JACKSON, S.A.	9601180462	50-245
HOGAN, D.	9601170067	40-3453	HOYLE, J.C.	9601180121	STATE PROJ G	JACKSON, S.A.	9601180001	COMMISSION
HOGAN, D.	9601290280	70-1257	HOYLE, J.C.	9601180144	50-160	JACKSON, S.A.	9601180295	COMMISSION
HOLNEY, G.M.	9601290289	71-759	HOYLE, J.C.	9601180151	50-285	JACKSON, S.A.	9601180353*	COMMISSION
HOLAHAN, G.M.	9601290089*	ORG	HOYLE, J.C.	9601180169	40-8027	JACKSON, S.A.	9601180356*	COMMISSION
HOLDEN, E.	9601160213	50-304	HOYLE, J.C.	9601180167	50-440	JACKSON, S.A.	9601180361*	COMMISSION
HOLDEN, E.	9601180025	50-295	HOYLE, J.C.	9601180190	50-29	JACKSON, S.A.	9601180363*	COMMISSION
HOLDER, D.B.	9601180164	50-324	HOYLE, J.C.	9601180215	10CFR	JACKSON, S.A.	9601180366*	COMMISSION
HOLLAND, P.G.	9601180217	50-227	HOYLE, J.C.	9601180223	50-180	JACKSON, S.A.	9601180367*	COMMISSION
HOLLAND, P.G.	9601170141	50-10	HOYLE, J.C.	9601290144	PR	JACKSON, S.A.	9601190368*	COMMISSION
HOLLAND, P.G.	9601180187	50-249	HOYLE, J.C.	9601290165	PRM	JACKSON, S.A.	9601190372*	COMMISSION
HOLLAND, P.G.	9601180173	50-10	HOYLE, J.C.	9601290167	50-245	JACKSON, S.A.	9601240248	COMMISSION
HOLLANDER, W.D.	9601180425	71-51	HOYLE, J.C.	9601290181	50-29	JACKSON, S.A.	9601240252	SPEECHES
HOLLANDER, W.D.	9601290501	71-61	HOYLE, J.C.	9601290185	10CFR	JACKSON, S.A.	9601240279	50-308
HOLLER, E.J.	9601050116	50-29	HOYLE, J.C.	9601290186	10CFR	JACKSON, S.A.	9601290088	COMMISSION
HOLLINGWORTH, P.	9601290216	CONTRACT	HOYLE, J.C.	9601290183	50-29	JACKSON, S.A.	9601310176	COMMISSION
HOLLOWAY, C.J.	9601290171	50-327	HOYLE, J.C.	9601290239	10CFR	JACKSON, S.A.	9601310026*	50-316
HOLLOWAY, C.J.	9601300116	PR	HOYLE, J.C.	9601290241	10CFR	JACKSON, S.A.	9601310032*	50-315
HOLMES, M.A.	9601170106	50-488	HOYLE, J.C.	9601290256	10CFR	JACKSON, S.A.	9601020241*	40-3962
HOLONICH, J.J.	9601040214	WASTE MGT	HOYLE, J.M.	9601040270	10CFR	JACKSON, S.A.	9601180042	50-305
HOLONICH, J.J.	9601170081	40-1941	HOYT, J.	9601240185	CONTRACT	JAFFE, D.H.	9601050281	50-354
HOLONICH, J.J.	9601290800	40-1162	HUANG, T.L.	9601250208	TOPREP	JAFFE, D.H.	9601050285*	50-354
HOLONICH, J.J.	9601180214	40-299	HUBER, D.	9601290181	NUREG	JAFFE, D.H.	9601300308	50-384
HOLONICH, J.J.	9601180335	40-8904	HUFFMAN, W.G.	9601180232	52-3	JAGANNATHAN, N.	9601040321	WASTE MGT
HOLONICH, J.J.	9601180336*	40-8904	HUFFMAN, W.G.	9601180240	52-3	JAMERSON, G.	9601220219	50-283
HOLONICH, J.J.	9601180347	40-8943	HUFFMAN, W.G.	9601220320	52-3	JANISSE, J.D.	9601170205	50-316
HOLONICH, J.J.	9601180349*	40-8943	HUFFMAN, W.G.	9601290169	52-3	JANISSE, J.D.	9601170219	50-316

200 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
JANKOVICH, J.P.	9601030126	71-135	JONES, D.	9601230219	50-457 S	KINNEMAN, J.D.	8107148238*	FOIA
JANKOVICH, J.P.	9601030126*	71-135	JONES, D.	9601230115	CONTRACT	KINNEMAN, J.D.	9609100240*	FOIA
JANKOVICH, J.P.	9601030280	71-139	JONES, D.T.	9601180128	50-331 R	KINNEMAN, J.D.	9601050164*	FOIA
JANKOVICH, J.P.	9601030286*	71-139	JONES, D.W.	9601190049*	50-395 Q	KINNEMAN, J.D.	9601050168*	FOIA
JANKOVICH, J.P.	9601190396	71-*****	JONES, D.W.	9601230287*	50-268 Q	KINNEMAN, J.D.	9601110027*	FOIA
JANKOVICH, J.P.	9601190399*	71-*****	JONES, J.A.	9605010393*	FOIA	KINNEMAN, J.D.	9601180497*	FOIA
JANKOVICH, J.P.	9601190406	71-*****	JONES, J.D.	9601110229	50-220 F	KINNEMAN, J.D.	9601190068*	FOIA
JANKOVICH, J.P.	9601190410*	71-*****	JONES, N.K.	9601230169	FOIA	KINNEMAN, J.D.	9601220202	40-9833
JANKOVICH, J.P.	9601190001	71-700	JONES, R.	9601250228	TOPREP	KINNEMAN, J.D.	9601220217	40-5871
JANKOVICH, J.P.	9601190002	71-822	JONES, R.C.	9601220044	TOPREP	KINNEMAN, J.D.	9601260168	ISE
JANKOVICH, J.P.	9601190003	71-786	JONES, R.C.	9601220083	TOPREP	KINNEMAN, J.D.	9601260348	30-33740
JANKOVICH, J.P.	9601190321	71-*****	JONES, R.C.	9601220073*	TOPREP	KINNEMAN, J.D.	9601290238	40-8940
JANKOVICH, J.P.	9601190322*	71-*****	JONES, S.W.	9601080811	STATE PRO G	KIRKMAN, R.W.	9601110445*	70-7002
JANKOVICH, J.P.	9601190358	71-115	JORDAN, E.L.	9505030546*	40-8027	KIRKMAN, R.W.	9601190088*	FOIA
JANKOVICH, J.P.	9601190364	71-*****	JORDAN, E.L.	9601050295	REVIEW GR P	KIRSCH, D.F.	9601190477*	50-828 Q
JANKOVICH, J.P.	9601190367*	71-*****	JORDAN, E.L.	9601250054	REVIEW GR P	KIRSCH, D.F.	9601220154*	50-381 Q
JANKOVICH, J.P.	9601230001	71-*****	JORDAN, E.L.	9601230230	REVIEW GR P	KITTS, R.L.	9601230304	50-259 F
JANKOVICH, J.P.	9601230002*	71-*****	JORDAN, E.L.	9601300120	REVIEW GR P	KLASKY, M.	9601230280	70-1257
JANKOVICH, J.P.	9601230180	71-*****	JORDAN, E.L.	9601310133	ORG	KLINE, J.R.	9601250156	40-8027
JANKOVICH, J.P.	9601230189*	71-*****	JORDAN, M.J.	9601170080	60-341 Q	KLINGER, J.G.	9601080077	STATE PRO G
JANKOVICH, J.P.	9601230367	71-583	JORDAN, T.J.	9601080284	50-488 P	KLOTZ, B.	9601170016	50-331 S
JANKOVICH, J.P.	9601230371*	71-583	JOUSTRA, J.A.	9608220324*	FOIA	KNAFF, K.S.	9601050189	71-116
JANKOVICH, J.P.	9601240238	71-121	JOUSTRA, J.A.	9608220323	FOIA	KNAFF, K.S.	9601230323	70-1201
JANKOVICH, J.P.	9601240239*	71-121	JOUSTRA, J.A.	9601030377*	FOIA	KNAFF, M.R.	9601180123	PR
JANKOVICH, J.P.	9601250190	71-*****	JORDAN, J.	9601230207	NUREG	KRAUSE, J.	9601040073*	NUREG
JANKOVICH, J.P.	9601250182*	71-*****	JOYNER, D.	9601030279*	NUREG	KRAUSE, J.H.	9601040078*	NUREG
JANKOVICH, J.P.	9601250245	71-122	JOYNER, D.	9601030285*	NUREG	KRAUSE, J.H.	9601040083*	NUREG
JANKOVICH, J.P.	9601250248	71-122	JOYNER, J.H.	9601180219*	FOIA	KRICHEV, J.J.	9601020241*	40-3982
JANKOVICH, J.P.	9601250248*	71-588	JULIAN, C.	9601230209	60-380 S	KRIBBE, D.A.	9601240185	CONTRACT
JANKOVICH, J.P.	9601250248*	71-588	JULIAN, C.A.	9601190019	50-390 Q	KROBLOCK, R.G.	9601260377	CA939
JANKOVICH, J.P.	9601260251	71-553	JULIAN, C.A.	9601180071*	50-390 Q	KRODE, R.	9601180048	40-8943
JANKOVICH, J.P.	9601260252*	71-553	JUSTUS, P.S.	9601040247	WASTE MGT	KROPP, J.E.	9601230106	50-290
JANKOVICH, J.P.	9601300188	71-583	KAMM, G.	9601250140	71-9283	KRUBER, J.	9601180184	50-288
JANKOVICH, J.P.	9601300191	71-249	KAMMERER, G.	9601220349	50-368 P	KRUBER, J.	9601180188	50-288
JANKOVICH, J.P.	9601300192*	71-248	KAMMERER, G.	9601180281*	50-364 P	KRUBER, J.	9601230182	50-288
JANKOVICH, J.P.	9601310002*	71-583	KAMMERER, G.C.	9601290016	FOIA	KRUBER, J.	9601240030	50-288
JANKOVICH, J.P.	9601310160	71-588	KANG, J.H.	9601110182*	50-275 S	KRUBER, J.	9601180170	50-255
JANKOVICH, J.P.	9601310163	71-588	KANTNER, J.L.	9601310206	50-362 S	KRUBER, J.	9601230246	XPORTLIC
JANKOVICH, J.P.	9601310188	71-587	KARLAN, A.L.	9601180388	40-*****	KROFF, K.L.	9601170129	50-454
JANKOVICH, J.P.	9601310189	71-714	KAPUR, R.M.	9604020131*	50-345 Y	KROFF, K.L.	9601230008	50-250
JANKOVICH, J.P.	9601310192	71-642	KAPUR, R.M.	9601250004	50-255 H	KROFF, K.L.	9601240120	CONTRACT
JANKOVICH, J.P.	9601310194	71-406	KARSON, J.	9601330375*	NUREG	KROFF, K.L.	9601300648	50-344
JANKOVICH, J.P.	9601310195*	71-642	KARSON, J.A.	9601260328*	70-1181	KROFF, K.L.	9601230304	71-268
JANKOVICH, J.P.	9601310199	71-533	KATHAL, J.	9601340208	CONTRACT	KROFF, K.L.	9601230374*	50-269
JANKOVICH, J.P.	9601310202*	71-533	KATP, K.L.	9601160191	50-458 V	KROFF, K.L.	9601040109*	NUREG
JAROSZ, M.	9601030325*	NUREG	KAUF, K.L.	9601170021	50-458 Q	KROFF, K.L.	9601230275	40-3582
JAROSZ, M.	9601030326*	NUREG	KEARNEY, W.F.	9601110259	40-8657	KROFF, K.L.	9601180130	50-268
JAROSZ, M.J.	9601040053*	NUREG	KEATON, R.W.	9601110205	50-219 P	KROFF, K.L.	9601300128	71-712
JASTROW, L.D.	9601230289	NUREG	KEESAM, M.J.	9601330006	50-541 P	KROFF, K.L.	9601160085	STATE PRO G
JAUDON, J.R.	9601190415	50-390 Q	KEHOED, V.	9601030588	50-390 P	KROFF, K.L.	9601260332	30-18835
JAUDON, J.P.	9601190405	50-390 Q	KEHOED, V.	9601180281	50-390 R	KROFF, K.L.	9601202449*	50-186
JAUDON, J.P.	9601230107	50-390 P	KEHOED, V.	9601190105	50-390 S	KROFF, K.L.	9601030104	50-254
JEFFS, W.D.	9601300193	STATE PRO G	KEHOED, V.	9601300170	50-390 S	KROFF, K.L.	9601220009	50-285
JERMAN, P.C.	9601020261*	FOIA	KEIMANT, J.	9601310035	71-337	KROFF, K.L.	9601230087	50-285
JERMAN, P.C.	9601050009*	FOIA	KEIMANT, J.	9601310084*	71-337	KROFF, K.L.	9601230307*	50-395
JOHANSEN, J.	9601040086*	FOIA	KEIMIG, R.	9601110255*	50-219 Q	KROFF, K.L.	9601230112*	50-395
JOHANSEN, J.M.	9407310484*	FOIA	KEIMIG, R.R.	9601110160	50-317 F	KROFF, K.L.	9601260156	50-481
JOHANSEN, J.M.	9407310485*	FOIA	KEIMIG, R.R.	9601110220	50-271 F	KROFF, K.L.	9601030212	50-281
JOHANSEN, J.M.	9510280447*	FOIA	KEIMIG, R.R.	9601110238	50-219 Q	KROFF, K.L.	9601030220	50-281
JOHANSEN, J.M.	9510280449*	FOIA	KEIMIG, R.R.	9601190430	50-220 Q	KROFF, K.L.	9601030291	50-281
JOHANSEN, J.M.	9110170195*	NUREG	KEIMIG, R.R.	9601190436	50-277 F	KROFF, K.L.	9601220054	50-281
JOHANSEN, J.M.	9201020035*	FOIA	KEIMIG, R.R.	9601290039	50-288 F	KROFF, K.L.	9601220183	50-281
JOHANSEN, J.M.	9201310198*	NUREG	KELLEY, L.C.	9601290275	50-302 F	KROFF, K.L.	9601030079*	FOIA
JOHANSEN, J.M.	9202140342*	FOIA	KELLEY, L.C.	9601240145	CONTRACT	KROFF, K.L.	9601030207	50-381
JOHANSEN, J.M.	9601030310*	FOIA	KELLY, E.	9601240182	CONTRACT	KROFF, K.L.	9601030409	50-286
JOHANSEN, J.M.	9601030322*	FOIA	KELLY, E.T.	9601240183	CONTRACT	KROFF, K.L.	9601030413	50-286
JOHANSEN, J.M.	9601030322*	FOIA	KENNEDY, E.M.	9601170358*	FOIA	KROFF, K.L.	9601180082	50-381
JOHANSEN, J.M.	9601190433*	FOIA	KENNY, A.	9601230285	52-3 S	KROFF, K.L.	9601180278	50-286
JOHANSEN, J.M.	9601050003*	WASTE MGT	KEPNEY, J.L.	9601230285	50-354 S	KROFF, K.L.	9601230382	50-286
JOHANSEN, J.M.	9601050133*	FOIA	KERR, G.W.	9601190026	40-5001	KROFF, K.L.	9601230207	50-285
JOHNSON, R.	9601170229	50-295 F	KERR, G.W.	9601300256	STATE PRO G	KROFF, K.L.	9601050104	50-315
JOHNSON, T.O.	9601240223	40-1630	KERR, J.	9601230128	50-331 S	KROFF, K.L.	9601030285	STATE PRO G
JOHNSON, T.C.	9601250001	40-8734	KETTLE, R.A.	9601290385*	WASTE MGT	KROFF, K.L.	9601180187	60-382
JOHNSON, W.	9601310083	50-482 S	KEUTER, D.R.	9601190417	50-382 S	KULZER, E.	9601080227*	40-*****
JOHNSON, W.D.	9601030370*	50-445 Q	KILLGORE, M.R.	9601190370*	50-445 P	KULZER, E.	9601080244*	40-*****
JOHNSON, W.D.	9601180341*	50-483 Q	KILLGORE, M.R.	9601180372*	50-445 P	KULZER, E.	9601080284*	70-*****
JOHNSON, W.D.	9601180078	50-445 S	KILLGORE, M.R.	9601240159	CONTRACT	KULZER, E.	9601180079*	40-*****
JOHNSON, W.D.	9601220109*	50-482 Q	KILLGORE, M.R.	9601290483	TOPREP	KULZER, E.	9601180328*	40-*****
JOHNSON, W.D.	9601230213	50-445 S	KILLGORE, M.R.	9601220102	50-434 S	KULZER, E.	9601180439*	40-*****
JOHNSON, W.D.	9601260209	50-346 H	KILLGORE, M.R.	9601220215	XPORTLIC	KULZER, E.	9601250187	70-8
JOHNSTON, C.	9601260225	50-346 H	KING, J.C.	9601220303	PRM	KUNZ, R.J.	9601190001*	FOIA
JOHNSTON, C.F.	9601310007	50-259 F	KING, J.C.	9601260330*	50-332 P	KUNZ, R.J.	9601190009*	FOIA
JOHNSTON, J.R.	9601180120	50-185 R	KING, J.C.	9601260335*	50-332 P	KUNZ, R.J.	9601260335*	FOIA
JOHNSTON, W.M.	9601300015	71-9288	KINGSLEY, O.L.	9601170287	50-288 P	KUNZ, R.J.	9601310135*	ORG
JOHNSTON, W.M.	9601300017	71-9187	KINNEMAN	9601180247*	FOIA	KUNZ, R.J.	9601310135*	ORG
JOHNSTON, W.M.	9601300020	71-9058	KINNEMAN, J.	9601300140	ISE	LABARGE, D.E.	9601180480	50-327
JOHNSTON, W.M.	9601300169*	50-244 G	KINNEMAN, J.D.	8107140285*	FOIA	LABARGE, D.E.	9601240088	50-327
JOHNSTON, W.M.	9601310016	CONTRACT	KINNEMAN, J.D.	8107140285*	FOIA	LACAVA, C.	9601260350	CONTRACT

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LAHS,W.R.	9601000110	WASTE MGT	LINDQUIST,S.A.	9601110177	50-285 S	MACEM,M.H.	9601240144	CONTRACT
LAKE,A.B.	9601040282	71-563	LINDSAY,L.W.	9601250219*	40-8681	MACEM,M.H.	9601240152	CONTRACT
LAMASTRA,D.	9601160085	50-354 S	LINDSAY,W.M.	9601300289	50-482 S	MACEM,M.H.	9601240183	CONTRACT
LAMASTRA,J.	9601300180	70-1201	LINK,B.	9601260165	50-288 Q	MACEM,M.H.	9601240187	CONTRACT
LAMASTRA,M.A.	9102060048*	FOIA	LINK,B.	9601260223	50-288 P	MACEM,M.H.	9601240189	CONTRACT
LAMASTRA,M.A.	9601040331*	FOIA	LINK,B.	9601280455	50-288 Q	MACEM,M.H.	9601240185	CONTRACT
LAMASTRA,M.A.	9601050047*	FOIA	LIPARULO,N.J.	9601170101	TOPREP	MACEM,M.H.	9601240178	CONTRACT
LAMASTRA,M.A.	9601220310	70-1201	LIPARULO,N.J.	9601280273	TOPREP	MACEM,M.H.	9601240190	CONTRACT
LAMASTRA,P.J.	9601310057	70-384	LIPARULO,N.J.	9601300130*	50-445 P	MACEM,M.H.	9601240195	CONTRACT
LAMB,J.E.	9601110185*	60-317 F	LIPPARO,G.A.	9601350245	50-385 F	MACEM,M.H.	9601240199	CONTRACT
LAMB,R.	9601220063	70-7001	LIPPY,D.L.	9601180283	50-285 R	MACEM,M.H.	9601240200	CONTRACT
LAMBERT,K.	9601040383	40-6724	LITTLE,C.J.	9601250102	FOIA	MACEM,M.H.	9601240202	CONTRACT
LANDS,K.	9601170125	50-352 S	LITTLEFIELD,L.	9601040156*	NUREG	MACEM,M.H.	9601240205	CONTRACT
LANDS,K.D.	9601180028	60-325 Q	LIVINE,J.M.	9601180111	PROJ	MACEM,M.H.	9601240208	CONTRACT
LANDS,K.D.	9601190034	50-250 Q	LIVINE,J.M.	9601020003	50-523 S	MACEM,M.H.	9601240218	CONTRACT
LANDS,K.D.	9601190078	50-502 Q	LIVINGSTON,J.H.	9601180051*	50-380 H	MACEM,M.H.	9601240258	CONTRACT
LANDS,K.D.	9601180082	50-335 Q	LODGE,T.J.	9601280227	50-348 H	MACEM,M.H.	9601240263	CONTRACT
LANES,L.	9601170229	50-285 F	LOHAUS,P.H.	9601220064	STATE PRO G	MACEM,M.H.	9601240289	CONTRACT
LANESE,L.C.	9601110208*	65-219 P	LOHAUS,P.H.	9601030297	STATE PRO G	MACEM,M.H.	9601240313	CONTRACT
LANG,Y.M.	9601220171	XPORTLUG	LOHAUS,P.H.	9601030308	STATE PRO G	MACEM,M.H.	9601240317	CONTRACT
LANKSBURY,R.	9601160298	50-345 F	LOHAUS,P.H.	9601220077	STATE PRO G	MACEM,M.H.	9601250003	CONTRACT
LAPRIOR,R.P.	9601280349	50-325 S	LOHAUS,P.H.	9601220184	STATE PRO G	MACEM,M.H.	9601260357	50-288 P
LACUE,J.M.	9601190447	50-382 S	LOHAUS,P.H.	9601220308	STATE PRO G	MACEM,M.H.	9601280373	CONTRACT
LARSON,S.J.	9601220028*	100FF	LOHAUS,P.H.	9601220354	STATE PRO G	MACEM,M.H.	9601300096	CONTRACT
LARCE,C.B.	9601250168	50-260 P	LOHAUS,P.H.	9601220361	STATE PRO G	MACEM,M.H.	9601310016	CONTRACT
LARUE,M.J.	9601240004	XPORTLUG	LOHAUS,P.H.	9601220368	STATE PRO G	MACEM,M.H.	9601310024	CONTRACT
LASUK,S.R.	9601110158*	FOIA	LOHAUS,P.H.	9601230019	STATE PRO G	MACEM,M.H.	9601310029	CONTRACT
LATOURRETTE,S.C.	9601250002	50-345 U	LOHMEYER,A.	9601170283*	50-285 Q	MACEM,M.H.	9601310147	CONTRACT
LATTAR,M.	9601160085	50-373 P	LOHMEYER,A.	9601240167	CONTRACT	MACEM,M.H.	9601310148	CONTRACT
LATTAR,M.	9601160101*	50-373 P	LONGLEY,J.B.	9601240288*	50-308 U	MACEM,M.H.	9601240164	CONTRACT
LAUFER,R.J.	9601110035	50-305 P	LOOMIS,M.	9601220014	PR	MACHEON,R.D.	9601170326	50-259 Q
LAUFER,R.J.	9601110036*	50-305 P	LOOMIS,M.	9601230013	50-324 R	MACHEON,R.D.	9601170342	50-259 Q
LAUFER,R.J.	9601180083	50-305 P	LORRING,D.	9601180078	50-458 S	MACKENZIE,D.L.	9601110078*	FOIA
LAUFER,R.J.	9601250150	50-305 P	LORRING,D.	9601240084	50-458 S	MACKENZIE,D.L.	9601110075*	FOIA
LAVER,S.F.	9601100281*	50-334 F	LORRING,D.N.	9601020287	50-458 S	MACLEAN,E.	9601220223	50-245 F
LAW,S.C.	9601160090	71-569	LOUCKS,L.E.	9601110164*	50-289 P	MADSEN,D.B.	9601250220*	45-8681
LAWTON,M.D.	9601110078	40-3453	LOVELESS,D.P.	9601290413*	50-485 Q	MADSEN,Y.	9601220174*	XPORTLUG
LAYFIELD,R.	9601290499*	70-*****	LUBENAU,J.	9601250191	REVIEW GR P	MADSEN,Y.	960130070*	50-445 P
LAYFIELD,R.	9601290500*	70-*****	LUBENAU,J.O.	9601160093	REVIEW GR P	MADSEN,Y.	960130072*	50-445 P
LE,N.B.	9601240253	50-400 P	LUDAMMO,K.	9601290279	NUREG	MADSEN,Y.	9601230073	50-488 R
LE,N.B.	9601300315	50-400 P	LUKE,C.O.	9601290494*	70-*****	MALLETT,E.L.	9601240126	CONTRACT
LEATHAM,R.D.	9601190162*	50-275 P	LUSAR,J.M.	9601280289	50-338 Y	MALONE,D.	9601290212	50-276 R
LEAZAR,D.A.	9601160042	50-495 P	LUTHIGER,P.	9601040020	40-8905	MALONE,M.J.	9601030243*	TOPREP
LEAZAR,D.A.	9601160032	50-496 P	LUTHIGER,P.	9601180426	40-8905	MALONE,M.J.	9601180196*	PROJ
LEAZAR,D.A.	9601280283	50-496 P	LUTHIGER,P.	9601181036	40-8906	MALONEY,S.	9601180474	PRM
LEBENS,F.	9601240086	CONTRACT	LUTHIGER,P.	9601310103	40-8905	MANN,D.G.	9601030214*	FOIA
LEDOUX,M.R.	9601020171	27-48	LUTZ,P.J.	9601030055	50-338 S	MANN,D.G.	9601030222*	FOIA
LEE,K.	9601050002*	WASTE MGT	LUTZ,P.J.	9601220055	50-338 S	MANTEUFEL,R.D.	9601290084	NUREG
LEE,K.S.	9601160063*	COMMISSION	LUX,L.	9601230412	70-3070	MANZLICK,L.	9601160048*	50-390 H
LEE,M.	9601220231	XPORTLUG	LYMAN,F.	9601040116*	FOIA	MAPLEY,S.R.	9601160070	40-8767
LEEM,P.	9601180100	WASTE MGT	LYNCH,J.C.	9601310141	CONTRACT	MARCHESE,R.	9601290009*	FOIA
LEEM,T.	9601160136	50-235 F	LYNCH,M.D.	9601280010	50-454 P	MARCHALL	9601180200	50-305 S
LEE,M.T.	9601230183	50-255 F	LYON,R.H.	9601240190	CONTRACT	MARCHALL	9601180308	50-305 Y
LEE,P.E.	9601280343	40-7387	LYONS,D.W.	9601190226*	50-354 R	MARCHALL	9601170009	50-305 R
LEE,W.J.	9601280247	71-*****	LYONS,P.J.	9601170339	40-289	MARCHALL	9601290287	50-305 J
LENAHAN,J.J.	9601190201*	50-369 Q	LYON,J.K.	9601290914	FOIA	MARCHALL	9601300036	50-305 R
LENTZ,F.H.	9601220110*	WASTE MGT	LYTLE,J.E.	9601240264*	50-267 Y	MARCHALL	9601300238	50-305 F
LEPERE,J.C.	9601300043	71-6159	MACE,S.	9601240144	50-244 P	MARCHALL	9601180195	40-8027
LESSER,M.S.	9601290256	50-327 Q	MACDONALD,C.E.	9601180308*	71-17	MARCHALL	9601030231*	50-295 P
LESSER,M.S.	9601290283*	50-327 Q	MACE,M.	9601030094	CONTRACT	MARCHALL	9601300211*	50-440 P
LEVINE,A.E.	9601040291	ORG	MACE,M.	9601050006	50-483 P	MARCHALL	9601020047	50-255 H
LEVINE,J.M.	9601160089	50-325 S	MACE,M.	9601050010	CONTRACT	MARCHALL	9601030374*	50-255 F
LEVINE,J.M.	9601160443	50-325 S	MACE,M.	9601050048	50-387 P	MARCHALL	9601290084	50-313 P
LEVINE,J.M.	9601170195	50-325 R	MACE,M.	9601050060	50-482 P	MARCHALL	9601230304	50-259 F
LEVINE,J.M.	9601290255	50-328 S	MACE,M.	9601050061	50-481 P	MARCHALL	9601290479	50-259 F
LEWELLYN,W.	9601300173*	50-390 S	MACE,M.	9601050068	50-424 P	MARSH,L.B.	9601020094*	50-333 P
LEWELLYN,W.	9601300174*	50-390 S	MACE,M.	9601050082	50-272 P	MARSH,L.B.	9601040008*	50-317 P
LEWIS,D.R.	9601050139	50-424 G	MACE,M.	9601240096	CONTRACT	MARSH,L.B.	9601180067	60-247 P
LEWIS,D.R.	9601050138	50-424 G	MACE,M.	9601240143	CONTRACT	MARSH,L.B.	9601260328*	50-299 P
LEWIS,J.	9601240229*	40-3453	MACE,M.	9601240150	CONTRACT	MARSH,L.B.	9601300040*	50-220 P
LEWIS,J.M.	9601190170	50-328 I	MACE,M.	9601240180	50-317 P	MARSH,W.C.	9601180386	50-381 P
LEWIS,M.	9601220118	REGG	MACE,M.	9601280054	CONTRACT	MARSH,W.C.	9601170273	50-381 P
LIBERMAN,J.	9601050192*	COMMISSION	MACE,M.	9601280108	CONTRACT	MARSH,W.C.	9601220345	50-361 R
LIBERMAN,J.	9601180475	50-327 Q	MACE,M.H.	9601180308*	71-17	MARSH,W.C.	9601230185	50-205 F
LIBERMAN,J.	9601220306	QAS99	MACE,M.H.	9601020151	CONTRACT	MARSHALL,F.M.	9601310134*	ORG
LIBERMAN,J.	9601220306	QAS99	MACE,M.H.	9601020156	50-483 P	MARSHALL,F.M.	9601310139*	ORG
LIBERMAN,J.	9601290249	ORG	MACE,M.H.	9601020156	50-456 P	MARSHALL,F.M.	9601310139*	ORG
LIBERMAN,J.	9601310078	STATE PRO G	MACE,M.H.	9601020151	50-354 P	MARSHALL,F.M.	9601310138*	ORG
LIBERMAN,J.	9601030186*	FOIA	MACE,M.H.	9601030173	50-283 P	MARSHALL,J.S.	9601230012	50-445 R
LIBERMAN,J.	9601240207	CONTRACT	MACE,M.H.	9601040381	50-271 P	MARTIN,J.S.	9601290373*	WASTE MGT
LIGHT,C.S.	9601160452*	70-27	MACE,M.H.	9601050034	CONTRACT	MARTIN,J.S.	9601280284	50-488 V
LIGHT,D.S.	9601180403*	70-1180	MACE,M.H.	9601240001	CONTRACT	MARTIN,J.S.	9601020050	50-288 P
LIN,Y.K.	9601160352*	COMMISSION	MACE,M.H.	9601240082	CONTRACT	MARTIN,J.S.	9601030022	50-413 P
LIN,B.T.	9601240081	CONTRACT	MACE,M.H.	9601240108	CONTRACT	MARTIN,J.S.	9601030188	50-368 P
LIN,B.T.	9601240222	CONTRACT	MACE,M.H.	9601240115	CONTRACT	MARTIN,J.S.	9601160008	50-388 P
LIN,B.T.	9601240260	CONTRACT	MACE,M.H.	9601240121	CONTRACT	MARTIN,J.S.	9601250073	50-413 P
LIN,B.T.	9601310068	CONTRACT	MACE,M.H.	9601240127	CONTRACT	MARTIN,J.S.	9601260114	50-413 P
LIN,S.D.	9601220311	50-416 R	MACE,M.H.	9601240139	CONTRACT	MARTIN,J.S.	9601070273*	FOIA

202 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MARTIN,T.T.	9601118204	50-333 Q	MCBRIDE,M.F.	9601220000	QAB99	MCINTYRE,B.A.	9601250115	52-3
MARTIN,T.T.	9601118232	50-258 P	MCBRIDE,M.F.	9601220000	QA999	MCINTYRE,B.A.	9601250122	52-3
MARTINEZ-GURIDI	9601040277	NUREG	MCBRIDE,M.F.	9601220160*	FOIA	MCINTYRE,B.A.	9601250126	52-3
MASHIKI,M.T.	9601180088	50-344 J	MCBRIDE,S.K.	9601220229	71-8036	MCINTYRE,B.A.	9601250139	52-3
MASNIK,M.T.	9601290017	50-344 J	MCBURNIE,R.E.	9601220076	STATE PRO G	MCKAGUE,H.L.	9601250132	WASTE MGT
MASON,D.	9601240076	50-250 R	MCCANN,G.M.	9601020227*	40-*****	MCKEE,P.F.	9601230418*	50-213 F
MASON,J.R.	9601030087*	FOIA	MCCANN,G.M.	9601020244*	40-*****	MCKEE,P.F.	9601030274*	60-423 F
MASON,J.R.	9601030103*	FOIA	MCCANN,G.M.	9601020254*	70-*****	MCKEE,P.F.	9601040029*	50-423 F
MASSER,E.	9601230185	50-489 Q	MCCANN,G.M.	9601180079	40-*****	MCKEE,P.F.	9601180424	50-213 C
MATHARU,G.S.	9601180187	50-382 S	MCCANN,G.M.	9601180285	I&E	MCKEE,P.F.	9601230402	50-271 F
MATHEWS,C.M.	9601220287	50-255 S	MCCANN,G.M.	9601180328*	40-*****	MCKEE,P.F.	9601250048*	50-398 F
MATIS,L.P.	9601170268*	50-263 P	MCCANN,G.M.	9601180373*	40-*****	MCKEE,P.F.	9601250064*	50-245 F
MATSLP.	9601170279*	50-263 P	MCCANN,G.M.	9601180438*	40-*****	MCKEE,P.F.	9601250070*	50-398 F
MATTHEWS,D.B.	9601030130*	50-250 P	MCCANN,J.D.	9601180389*	50-270 P	MCKEE,P.F.	9601250306	50-246 F
MATTHEWS,D.B.	9601030273*	50-260 P	MCCLEINTOCK,R.	9601050289*	FOIA	MCKEE,P.F.	9601250112*	50-245 F
MATTHEWS,D.B.	9601030314*	50-250 P	MCCLEINTOCK,R.O.	7901310133*	FOIA	MCKEE,P.F.	9601250083*	50-213 F
MATTHEWS,D.B.	9601230027	50-324 Q	MCCLEINTOCK,R.O.	7911230060*	FOIA	MCKEE,P.F.	9601300068	STATE PRO G
MATTHEWS,D.B.	9601230176	50-338 Q	MCCLEINTOCK,R.O.	9601040382*	FOIA	MCKENNA,E.	9601180172	ORG
MATTHEWS,D.B.	9601010068	50-324 P	MCCLEINTOCK,R.O.	9601050278*	FOIA	MCKENZIE,P.C.	9601240290	CONTRACT
MATTHEWS,D.B.	9601010160*	50-261 P	MCCLEINTOCK,R.O.	9601050282*	FOIA	MCKENZIE,R.	9601170022	50-341 E
MATTIA,M.	9601240117	CONTRACT	MCCLEINTOCK,R.O.	9601050311*	FOIA	MCKEON,R.	9601170278	50-341 C
MATTIA,M.	9601240148	CONTRACT	MCCLEINTOCK,R.O.	9601050323*	FOIA	MCKEON,R.	9601020310	50-486 F
MATTIA,M.	9601240168	CONTRACT	MCCLEINTOCK,R.O.	9601110004*	FOIA	MCKEON,R.	9601020317	50-486 F
MATTIA,M.J.	9601240061	CONTRACT	MCCLEINTOCK,R.O.	9601110005*	FOIA	MCKELLY,R.W.	9601020126*	FOIA
MATTIA,M.J.	9601240063	CONTRACT	MCCLEINTOCK,R.O.	9601110027*	FOIA	MCLAUGHLIN,J.	9601250157	70-1428
MATTIA,M.J.	9601240100	CONTRACT	MCCLEINTOCK,R.O.	9601110080*	FOIA	MCLAUGHLIN,J.	9601250158*	70-1428
MATTIA,M.J.	9601240108	CONTRACT	MCCLEINTOCK,R.O.	9601180247*	FOIA	MCLAREN,M.	9601150262	50-25541 V
MATTIA,M.J.	9601240130	CONTRACT	MCCLEINTOCK,R.O.	9601190073*	FOIA	MCHAHON,J.F.	9601020250	50-272 V
MATTIA,M.J.	9601240136	CONTRACT	MCCLEINTOCK,R.O.	9601190083*	FOIA	MCHAHON,J.F.	9601310233	50-272 V
MATTIA,M.J.	9601240141	CONTRACT	MCCLEINTOCK,R.W.	7908130074*	FOIA	MCKEON,T.C.	9601030070	50-389 F
MATTIA,M.J.	9601240149	CONTRACT	MCMEEKIN,T.C.	9601250188	50-389 Q	MCMEEKIN,T.C.	9601030244	50-389 F
MATTIA,M.J.	9601240154	CONTRACT	MCDOLLM,W.R.	9601040379	50-413 F	MCMEEKIN,T.C.	9601230069	50-389 F
MATTIA,M.J.	9601240190	CONTRACT	MCDOLLM,W.R.	9601050094	50-413 P	MCHILLON,D.	9601310006	FRM
MATTIA,M.J.	9601240193	CONTRACT	MCDOLLM,W.R.	9601110126	50-413 S	MCHLABA,A.	9601110052	40-343 F
MATTIA,M.J.	9601240196	CONTRACT	MCDOLLM,W.R.	9601220302	50-414 S	MCHARY,W.	9601030371*	FOIA
MATTIA,M.J.	9601240198	CONTRACT	MCDOLLM,W.R.	9601230029	50-414 S	MCHARY,W.	9601040019*	FOIA
MATTIA,M.J.	9601240173	CONTRACT	MCDOLLM,W.R.	9601230282	50-413 S	MCHERRY,N.C.	9601150063	50

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PAPERELLO, G.J.	9601310148*	40-7680	PERSON, R.C.	9601220324	70-364	QUERIO, R.E.	9601250227	50-373 Q
PARK, J.	9601180262	WASTE MGT	PERSON, R.C.	9601220329	70-35	QUERIO, R.E.	9601250194	50-373 Q
PARK, J.	9601260291	40-8943	PERSON, R.C.	9601220341	40-7580	QUERIO, R.E.	9601250436	50-373 Q
PARK, J.	9601300228	40-8943	PERSON, R.C.	9601220028	70-1201	QUINN, J.E.	9601030228	STATE PRO G
PARK, J.R.	9601300215	40-8971	PERSON, R.C.	9601230032*	70-1201	QUINN, J.E.	9601040034	52-4
PARKER, R.A.	9601250206	71-553	PERSON, R.C.	9601230040	70-1257	QUINN, J.E.	9601160441	52-4
PARKS, J.W.	9601230320	70-7001	PERSON, R.C.	9601230048*	70-1257	QUINN, J.E.	9601170068	52-4
PARKS, J.W.	9601300227*	70-7001	PERSON, R.C.	9601300183	40-7580	QUINN, J.E.	9601180183	52-4
PARRISH, L.V.	9601220269	50-397 P	PERSON, R.C.	9601300190	40-8940	QUINN, J.E.	9601230335	52-4
PARRISH, L.V.	9601160126	50-397 H	PERSON, R.C.	9601300247*	70-143	QUINN, J.E.	9601250220	52-4
PARRISH, L.V.	9601160426	50-397 F	PIET, P.L.	9601160188	50-227 P	QUINN, J.E.	9601020062	50-247 S
PARRISH, L.V.	9601190115	50-397 R	PITTS, J.W.	9601160063	50-370 W	QUINN, J.E.	9601020065	50-247 R
PARRISH, L.V.	9601230159	50-397 P	PITTS, J.W.	9601240204	50-267 W	QUINN, J.E.	9601160028	50-247 R
PARRISH, L.V.	9601230283	50-397 P	PLETNER, E.	9601260138	50-237 S	QUINN, J.E.	9601170322	50-247 S
PARRISH, L.V.	9601300167	50-397 Q	PLUMMER, T.L.	9601250071	ORG	QUINN, J.E.	9601160074	50-247 S
PASCALE, L.	9601130291	50-390 R	POE, N.J.	9601250135	40-3483	QUINN, J.E.	9601220204	50-247 F
PASCAK, W.J.	9601220391*	50-397 Q	POFFLETT, P.B.	9601160065	50-244 F	QUINN, J.E.	9601250108	50-247 F
PASCAK, W.J.	9601020012	50-277 Y	POUGH, T.J.	9601190259	50-445 P	QUINN, J.E.	9601260140	50-247 P
PASCAK, W.J.	9601020013	50-277 F	POUGH, T.J.	9601190258*	50-445 P	QUINN, J.E.	9601300048	50-247 K
PASCAK, W.J.	9601020015	50-397 F	POUGH, T.J.	9601260037	50-445 P	RADEMACHER, M.	9601230179	50-220 R
PASDIK, W.J.	9601020015	50-277 Q	POUGH, T.J.	9601260103	50-445 P	RADEMACHER, M.L.	9601110228	50-220 F
PASDIK, W.J.	9601020025	50-397 Q	POLOCK, A.	9601300321	PRM	RADEMACHER, M.L.	9601170265	50-220 S
PASDIK, W.J.	9601110022	50-352 P	POLSTRA, E.B.	9601260220*	50-498 P	RADEMACHER, M.L.	9601260145	50-220 S
PASDIK, W.J.	9601290357	50-397 Q	POMEROY, P.W.	9601170059*	PRESS	RAEL, G.J.	9601230350	WASTE MGT
PASSWATER, A.C.	9601050095	50-483 Q	POMPER, D.E.	9601200053*	50-368 G	RAGLAND, N.	9601160233	71-6268
PASSWATER, A.C.	9601110163	50-483 P	PONTIUS, H.D.	9601020232	50-454 Q	RAGLAND, N.	9601250198*	ORG
PASSWATER, A.C.	9601190124	50-483 P	PONTIUS, H.D.	9601160150	50-454 Q	RAGLAND, N.	9601250066	40-7102
PATEL, C.P.	9601190405	50-332 P	PONTIUS, H.D.	9601170062	50-454 F	RAINEY, G.R.	9601110202	50-277 Q
PATEL, C.P.	9601290142	50-332 P	POOL, M.J.	9601260011	50-250 P	RAINEY, G.R.	9601160259	50-276 Q
PATRICK, M.E.	9601040382*	50-413 F	POOL, M.J.	9601260067	FOIA	RAINEY, G.R.	9601170260	50-276 Q
PATRICK, W.C.	9601160302*	WASTE MGT	POOL, M.J.	9601260064	50-219 P	RAINEY, G.R.	9601230372	50-277 R
PATRICK, W.C.	9601160446	WASTE MGT	POSLISNY, C.	9601160175	50-368 P	RAINEY, G.R.	9601250193	50-277 Q
PATTERSON, C.A.	9601160020*	50-324 Q	POSLISNY, C.	9601160175	50-367 P	RAINEY, G.R.	9601260162	50-277 P
PATTERSON, T.L.	9601020250	50-285 F	POSLISNY, C.	9601230006	50-397 P	RANDOLPH, G.L.	9601210009	50-468 F
PATTERSON, T.L.	9601030324	50-285 F	POST, J.A.	9601240091*	50-263 P			

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
RICKETT, S.	9601040112*	NUREG	RUSSELL, W.T.	9601250120	ORG	SEEP, A.R.	9601230380	71-5086
RIOGET, T.	9601150107*	COMMISSION	RUSSELL, W.T.	9601250277	ORG	SELIN, J.	9601110212*	ORG
RIFKES, G.P.	9601300222	70-7001	RUSSELL, W.T.	9601290044	ORG	SERRA, P.L.	9601020247	50-488
RIFKES, G.P.	9601300227	70-7001	RUSSELL, W.T.	9601310006	50-544	SERRA, P.L.	9601170312	60-498
RINALDI, F.	9601050091	50-352	RUSSELL, W.T.	9601310055	60-266	SGARLATA, D.K.	9601310105	70-364
RINALDI, F.	9601290459	50-352	RUSSELL, W.T.	9601170205	50-516	SGARLATA, J.A.	9601170164	70-364
RINALDI, F.	9601030043	50-352	RUSSELL, W.T.	9601170216	50-515	SHAFER, S.W.	9601020160*	FOIA
RIVERA, R.J.	9601290002	FOIA	RUSSELL, W.T.	9601040258*	40-7604	SHANBAKY, M.	9601040124*	FOIA
RIVERA, V.M.	9601240225	CONTRACT	RYBAK, B.	9601160225	50-254	SHANBAKY, M.M.	9601020141*	FOIA
ROBERTS, D.	9601190017*	50-400	RYBAK, B.	9601190045	50-254	SHANKMAN, S.F.	9601110248	ORG
ROBERTS, E.E.	9601190417	71-*****	RYBAK, B.	9601190231	50-249	SHANKS, V.J.	9601280269	50-390
ROBERTS, E.E.	9601190081*	71-*****	RYBAK, B.	9601190329	50-237	SHAPAKER, J.W.	9601280360	ISE
ROBERTS, E.E.	9601190101	71-*****	SACCOMANDO, D.	9601230311	50-454	SHAPAKER, J.W.	9601280370	ISE
ROBINSON, W.R.	9601050106	50-400	SACCOMANDO, D.M.	9601230119	50-454	SHAPAKER, J.W.	9601280381	ISE
ROBINSON, W.R.	9601190057	50-400	SACCOMANDO, D.M.	9601230129	REG30	SHAPAKER, J.W.	9601280393	ISE
ROBINSON, W.R.	9601190307	50-400	SACCOMANDO, D.M.	9601230318	50-237	SHARKEY, R.W.	9601080168	70-38
ROBINSON, W.R.	9601190391	50-400	SACCOMANDO, D.M.	9601310245	WASTE MGT	SHARKEY, R.W.	9601290048	70-1100
ROBINSON, W.R.	9601230047	50-400	SAGER, D.A.	9601020090	50-335	SHARKEY, R.W.	9601290048	70-1100
ROCHE, M.B.	9601220053	50-219	SAGER, D.A.	9601190234	50-335	SHAWER, H.W.	9601250059	40-1162
ROCHE, M.B.	9601230039	50-219	SAGER, D.A.	9601190237	50-335	SHEA, J.W.	9601080241	50-277
ROCHE, M.B.	9601230218	50-219	SAGER, D.A.	9601170045	50-335	SHEA, J.W.	9601030250*	50-277
ROCHE, M.B.	9601310236	50-219	SAGER, D.A.	9601220214	50-335	SHEA, J.W.	9601160376	50-277
ROCHE, M.B.	9601310243	50-219	SAGER, D.A.	9601230351	50-335	SHEA, J.W.	9601190356	50-277
ROCHE, M.P.	9601190158	50-219	SAGER, D.A.	9601240073	50-335	SHEA, J.W.	9601190384	50-277
RODRICK, N.P.	9601190325	50-252	SALAS, P.	9601020004	50-259	SHEA, J.W.	9601280191	50-245
RODRICK, N.P.	9601190326*	50-252	SALAS, P.	9601190331	50-259	SHEA, J.W.	9601310132	50-276
ROE, J.W.	9601230273*	50-155	SALAS, P.	9601170231	50-259	SHEAR, G.L.	9601020228	40-3382
ROE, J.W.	9601230294	50-341	SALAS, P.	9601190276	50-259	SHEAR, G.L.	9601020241*	40-3382
ROE, J.W.	9601190448	71-*****	SALMON, H.P.	9601190222	50-333	SHEAR, G.L.	9601110230	70-36
ROE, J.W.	9601190294	71-8033	SALMON, H.P.	9601190216	50-333	SHEARER, V.M.	9601220114	70-7002
ROGERS	9601040009*	NUREG	SALMON, H.P.	9601220138	50-333	SHEARER, V.M.	9601250145	70-7002
ROGERS, J.A.	9601240073	50-335	SALOS, P.	9601290369	50-259	SHEBAM, M.	9601160285	50-424
ROGERS, R.D.	9601290286	NUREG	SANANT, P.K.	9601040277	NUREG	SHELL, R.H.	9601160114	50-326
ROGERS, S.B.	9601170213	50-321	SAMPSON, J.R.	9601290181	50-315	SHELL, R.H.	9601160223	50-327
ROGGE, J.	9601190008*	50-443	SANFORD, J.W.	9601220055	STATE PRO G	SHELL, R.H.	9601170161	50-327
ROGGE, J.F.	9601030358*	50-308	SANFORD, J.W.	9601220059*	40-2239	SHELL, R.H.	9601160005	50-327
ROGGE, J.F.	9601190005	50-443	SANFORD, J.W.	9601030183	70-1151	SHELL, R.H.	9601190130	50-327
ROGGE, J.F.	9601290330	50-443	SANFORD, J.W.	9601030183	70-1151	SHELL, R.H.	9601230171	50-327
ROGGE, J.F.	9601290381	50-213	SANFORD, J.W.	9601240126*	40-341	SHELL, R.H.	9601240079	50-327
ROHRBAUGH, L.H.	9601190127*	FOIA	SANFORD, J.W.	9601030330*	NUREG	SHELL, R.H.	9601300002	50-327
ROLLINS, J.	9601190346	71-8106	SANFORD, J.W.	9601220152*	STATE PRO G	SHELTON, D.	9601160133	50-341
ROLLINS, J.D.	9601290212	72-1004	SANFORD, W.E.	9601290286	NUREG	SHELTON, D.C.	9601160168	50-440
RODD, H.	9601030107	50-375	SARTOR, W.M.	9601160019*	50-390	SHELTON, D.C.	9601160190	50-440
RODNEY, V.L.	9601030262	50-423	SARTOR, W.M.	9601160269*	50-250	SHELTON, D.C.	9601170034	50-440
RODNEY, V.L.	9601030352	50-423	SAUNDERS, R.F.	9601040058	ISE	SHELTON, D.C.	9601170076	50-440
RODNEY, V.L.	9601040024	50-423	SAUNDERS, R.F.	9601290214	50-398	SHELTON, D.C.	9601190140	50-440
RODNEY, V.L.	9601100048	FOIA	SAUNDERS, R.F.	9601290211*	50-245	SHELTON, D.C.	9601190162	50-440
RODNEY, V.L.	9601230345	FOIA	SAUNDERS, R.F.	9601160232	50-267	SHELTON, D.C.	9601190195	50-440
RODNEY, V.L.	9601290155	FOIA	SCALCE, J.A.	9601170090	52-1	SHELTON, D.C.	9601190274	50-440
RODNEY, V.L.	9601170341*	FOIA	SCALCE, J.A.	9601290051	50-390	SHELTON, D.C.	9601300012	50-440
ROSS, T.M.	9601190019*	50-348	SCALCE, J.A.	9601290288	50-390	SHELTON, D.C.	9601310244	50-440
ROSS, T.M.	9601030348*	STATE PRO G	SCALCE, J.A.	9601310079	50-390	SHELTON, D.C.	9601220330	50-304
ROSS, T.M.	9601190123*	ORG	SCARANO, J.A.	9601030300	50-267	SHELTON, J.L.	9601160131*	STATE PRO G
ROTH, J.	9601160482*	70-27	SCARANO, J.A.	9601110249	70-3073	SHELTON, J.L.	9601160139*	STATE PRO G
ROTH, J.	9601170242*	50-360	SCARANO, J.A.	9601110253	60-344	SHELTON, J.L.	9601290493	71-9269
ROTH, J.	9601190403*	70-1100	SCARANO, J.A.	9601150220	40-7580	SHELTON, J.L.	9601160485	40-9889
ROTH, J.	9601230215*	40-3392	SCARANO, J.A.	9601190301	50-393	SHEMANSKI, P.C.	9601190449	PROJ
ROUHAN, C.	9601240025	71-8029	SCARANO, J.A.	9601190356	70-1267	SHEPARD, M.F.	9601250179	71-122
ROWLAND, T.J.	9601250204	PROJ	SCARANO, J.A.	9601170025	STATE PRO G	SHEPARD, J.C.	9601290113*	40-9027
RUANE, T.	9601170229	50-295	SCARANO, J.A.	9601190028	50-208	SHEPARD, J.C.	9601290118*	40-9027
RUEBUSCH, T.L.	9601290187	50-456	SCARANO, J.A.	9601240011	50-257	SHERIDAN, A.L.	9601290385	50-280
RUEBUSCH, T.L.	9601250197	50-456	SCARANO, J.A.	9601290250	50-257	SHERON, B.W.	9601240244	50-361
RUEGER, G.M.	9601110159	50-275	SCARBOROUGH, J.	9601220519	50-281	SHERRE, T.S.	9601340270	70-7001
RUEGER, G.M.	9601190272	50-275	SCHAEFER, J.E.	9601030023*	50-341	SHERMON, P.	9606080901*	10CFR
RUEGER, G.M.	9601230137	50-275	SCHAEFER, J.E.	9601220141*	STATE PRO G	SHELOS, W.J.	9601190315	40-8949
RUEGER, G.M.	9601230141*	50-275	SCHALL, R.	9601030271	STATE PRO G	SHILLINGLAW, F.	9612120606*	50-255
RUEGER, G.M.	9601230144	50-275	SCHALL, R.	9601190280	71-6889	SHILLINGLAW, F.	9601040245	50-255
RUEGER, G.M.	9601230169*	50-275	SCHALL, R.	9601190274	FOIA	SHILLINGLAW, F.	9601160320*	50-255
RULAND, W.H.	9601190169*	50-293	SCHALL, R.	9601310139*	ORG	SHILLINGLAW, F.	9601230387	50-255
RUPERT, W.M.	9601040254	40-7604	SCHALL, R.	9601250265	40-8681	SHILLINGLAW, F.	9601250026	50-255
RUPERT, W.M.	9601040255	40-7604	SCHMIDT, M.	9601190187	50-249	SHINDLER, R.	9601290014	50-354
RUPERT, W.M.	9601040256	40-7604	SCHMIDT, M.	9601190204	50-354	SHIRAKI, C.Y.	9601030056	50-285
RUPERT, W.M.	9601040273	40-7604	SCHMIDT, M.	9601030080	50-483	SHIRAKI, C.Y.	9601030153	50-285
RUPERT, W.M.	9601040286	40-7604	SCHMIDT, M.	9601190084	50-483	SHIRAKI, C.Y.	9601030227	50-285
RUSSELL, M.J.	9601290151	NUREG	SCHMIDT, M.	9601190438	50-483	SHIRAKI, C.Y.	9601160380	50-285
RUSSELL, S.	9601110105	40-3403	SCHMIDT, M.	9601170033	50-483	SHIRAKI, C.Y.	9601020046	XPORTUC
RUSSELL, W.Y.	9606090330*	50-295	SCHMIDT, M.	9601240338	40-17	SHIRAKI, C.Y.	9601160185	XPORTUC
RUSSELL, W.T.	9606090339	50-389	SCHMIDT, M.	9601190231	50-316	SHIRAKI, C.Y.	9601310047	PRM
RUSSELL, W.T.	9606090365	50-295	SCHMIDT, M.	9601190369	50-488	SHORE, H.	9601030253*	FOIA
RUSSELL, W.T.	9601020005	50-390	SCHMIDT, M.	9601030007	50-295	SHOSS, M.	9601160256*	FOIA
RUSSELL, W.T.	9601030205	50-440	SCHMIDT, M.	9601190228	50-295	SHYLOCK, M.	9601190017*	50-400
RUSSELL, W.T.	9601030280	50-390	SCHMIDT, M.	9601170335	50-304	SHYLOCK, M.B.	9601160007	50-384
RUSSELL, W.T.	9601110021	50-309	SCHMIDT, M.	9601220330	50-304	SHYLOCK, M.B.	9601190010	50-400
RUSSELL, W.T.	9601110162	50-309	SCHMIDT, M.	9601230206	50-295	SHYLOCK, M.B.	9601190018	50-261
RUSSELL, W.T.	9601110193*	50-309	SCHMIDT, M.	9601190019*	50-309	SHYLOCK, M.B.	9601190020*	50-324
RUSSELL, W.T.	9601190143	ORG	SCHROEDER, J.M.	9601030327	STATE PRO G	SHYLOCK, M.B.	9601190023	50-400
RUSSELL, W.T.	9601240080	50-255	SCHROEDER, J.M.	9601050328	52-3	SHYLOCK, M.B.	9601190025*	50-261
RUSSELL, W.T.	9601240102*	50-255	SCHROEDER, J.M.	9601310230	52-3	SHYLOCK, M.B.	9601190030	50-400

206 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
SHYLOCK, M.B.	9601180037	50-261	Q	SPITZBERG, B.	9601160326*	50-123	Q	SUNNY, L.S.	9601030066*	50-341	P
SHYLOCK, M.B.	9601260270	50-400		SPITZBERG, D.B.	9601110254*	50-344	Q	SUNE.	9601240001	CONTRACT	
SHYLOCK, M.B.	9601260345	50-364	P	SPITZBERG, D.B.	9601280362*	50-267	Q	SUNAN, P.	9601240114	CONTRACT	
SHYLOCK, M.B.	9601260351	50-261	P	SPRAUL, J.G.	9601040216*	WASTE MGT		SVEDEMAN, S.J.	9601250250	NUREG	
SBO, D.M.	9601220065	PRM		STENHANSKI, D.J.	9601110421*	FOIA		SVETIKOVSKY, J.	9601260441	XPORTLIC	
SEIGEL, C.	9601030269	NUREG		SRIDHARAN, S.	9601040386	WASTE MGT		SVETIKOVSKY, J.	9601180261	XPORTLIC	
SIGNON, W.B.	9601030177*	FOIA		SRIDHARAN, S.	9601220072	WASTE MGT		SWAMY, S.A.	9601280404*	50-334	Q
SIGNON, W.B.	9601030182*	FOIA		ST. CLAIR, R.R.	9601360389*	50-270	P	SWANSON, D.G.	9601290009*	FOIA	
SILVERMAN, P.M.	9601220192	PRM		ST. MARY, F.A.	9601180173*	FOIA		SWIRCHAK, J.	9601240195	CONTRACT	
SIMONEAU, W.	9601180303	71-17		ST. MARY, F.A.	9601180253*	FOIA		TABATABAI, H.	9601290169	NUREG	
SIMPSON, E.C.	9601020229	50-354	P	STALL, J.A.	9601170217	50-338		TABERER, F.	9601110115	40-3453	
SIMPSON, E.C.	9601030014	50-272	K	STANG, J.F.	9601030336	50-237	P	TABOR, S.	9601290348	50-325	S
SIMPSON, E.C.	9601030018	50-354	K	STANG, J.F.	9601030345*	50-237	P	TALLMAN, D.A.	9601020186	27-48	
SIMPSON, E.C.	9601050062	50-354	S	STANG, J.F.	9601040180	50-237	P	TAMP, S.	9601030025	50-330	P
SINCLAIR, W.J.	9601180476	WASTE MGT		STANG, J.F.	9601040178*	50-237	P	TAMP, S.	9601180068	50-330	P
SIRONEN, M.A.	9601220107*	50-271	P	STANG, J.F.	9601060910	50-237	F	TANIS, S.	9601260010	XPORTLIC	
SJOBLON, G.L.	9601100068*	FOIA		STANG, J.F.	9601180397	50-237	Q	TAPIA, J.L.	9601040287*	50-285	Q
SKELLY, T.O.	9601040282	40-235		STANG, J.F.	9601180276	50-237	P	TAPIA, J.L.	9601170320*	50-361	Q
SKINNER, P.	9601260342	50-321	F	STANG, J.F.	9601180298*	50-237	P	TAPIA, J.L.	9601030020*	50-337	Q
SKINNER, P.H.	9601180008	50-348	Q	STANG, J.F.	9601180402	50-237	F	TAYLOR, G.G.	9601180343	50-298	S
SKINNER, P.H.	9601180009	50-348	Q	STANLEY, H.G.	9601180239	50-387	S	TAYLOR, G.J.	9601020275	50-385	Q
SKINNER, P.H.	9601180053	50-321	Q	STANLEY, H.G.	9601180426	50-387	S	TAYLOR, G.J.	9601180025	50-385	R
SKINNER, P.H.	9601180072	50-424	Q	STANLEY, H.G.	9601170097	50-387	S	TAYLOR, G.J.	9601230164	50-383	P
SKINNER, P.H.	9601260265	50-424	Q	STANBERRY, W.W.	9601030272*	50-280	Q	TAYLOR, G.J.	9601230263	50-385	H
SKINNER, P.H.	9601260274*	50-424	Q	STANBERRY, W.W.	9601100170*	50-424	Q	TAYLOR, G.J.	9601290343	50-385	P
SKINNER, P.H.	9601260278	50-424	F	STARK, R.A.	9601250030	CONTRACT		TAYLOR, J.	9601030032	71-8389	
SKINNER, P.H.	9601260285	50-321	P	STAZER, R.K.	9601100052	40-8102		TAYLOR, J.H.	9601110180	TOPREP	
SLATER, G.	9601180345	PT21		STEELE, R.	9601290151	NUREG		TAYLOR, J.H.	9601180181	TOPREP	
SLOTTKE, R.J.	9601290182*	50-341	Q	STEENMAN, J.J.	9601170233*	FOIA		TAYLOR, J.H.	9601290258	71-8386	
SMALL	9601260149	FOIA		STEINARDT, C.R.	9601180302	50-385	P	TAYLOR, J.H.	9601260302	50-302	P
SMEDLEY, R.W.	9601030238	50-255	P	STEINARDT, C.R.	9601170206	50-305	P	TAYLOR, J.H.	9601260378	TOPREP	
SMEDLEY, R.W.	9601180233	50-255	P	STEINARDT, C.R.	9601230057	50-305	P	TAYLOR, J.H.	9601030094	SECY	
SMEDLEY, R.W.	9601170215	50-255	P	STEINARDT, C.R.	9601030308	50-305	P	TAYLOR, J.H.	9601100102*	FOIA	
SMEDLEY, R.W.	9601220078	50-255	P	STELLQV.	9601290049*	FOIA		TAYLOR, J.H.	9601130025	SECY	
SMEDLEY, R.W.	9601220099	50-255	P	STELPHENS, J.	9601220003	PR		TAYLOR, J.H.	9601290240	62-3	
SMEDLEY, R.W.	9601220115	50-255	S	STETZ, J.P.	9601110236	50-346	Y	TAYLOR, J.H.	9601260009	SECY	
SMEDLEY, R.W.	9601220197	50-255	S	STETZ, J.P.	9601250143	50-346	P	TAYLOR, J.H.	9601220034*	10CFR	
SMEDLEY, R.W.	9601220201	50-255	S	STETZ, J.P.	9601300067	50-346	P	TAYLOR, J.H.	9601220039*	10CFR	
SMEDLEY, R.W.	9601220257	50-255	S	STEWART, W.L.	9601040048	50-528	P	TAYLOR, J.H.	9601220047*	10CFR	
SMEDLEY, R.W.	9601230105	50-255	P	STEWART, W.L.	9601110189	50-628	Q	TAYLOR, J.H.	9601220051*	10CFR	
SMEDLEY, R.W.	9601230108	50-255	S	STEWART, W.L.	9601170315	50-528	Q	TAYLOR, J.H.	9601220253	SECY	
SMEDLEY, R.W.	9601230150	50-255	P	STEWART, W.L.	9601180082	50-528	Q	TAYLOR, J.H.	9601230043	SECY	
SMEDLEY, R.W.	9601230162	50-255	P	STEWART, W.L.	9601180324	50-528	Q	TAYLOR, J.H.	9601270202	COMMISSION	
SMEDLEY, R.W.	9601230239	50-255	P	STEWART, W.L.	9601230242	50-528	P	TAYLOR, J.H.	9601270207	SECY	
SMEDLEY, R.W.	9601250074	50-255	P	STILTENPOLE, B.	9601180160	WASTE MGT		TAYLOR, J.H.	9601300125	SECY	
SMEDLEY, R.W.	9601250083	50-255	P	STILTENPOLE, B.	9601180287	WASTE MGT		TAYLOR, J.H.	9601300131	SECY	
SMEDLEY, R.W.	9601260201	50-255	P	STOLZ, J.F.	9601240022	50-10	F	TAYLOR, J.H.	9601040094	SECY	
SMEDLEY, R.W.	9601260313	50-255	P	STOLZ, J.F.	9601050132	XPORTLIC		TAYLOR, J.H.	9601040018	50-380	P
SMITH, G.H.	9601030212*	FOIA		STOLZ, J.F.	9601290214	SECY		TAYLOR, J.H.	9601040048	50-245	P
SMITH, G.H.	9601030215*	FOIA		STOLZ, J.F.	9601030070*	50-352	P	TAYLOR, J.H.	9601040065	ORG	
SMITH, G.H.	9601030216*	FOIA		STOLZ, J.F.	9601030335	50-272	P	TAYLOR, J.H.	9601050185	COMMISSION	
SMITH, J.	9601030347*	NUREG		STOLZ, J.F.	9601180182*	50-367	P	TAYLOR, J.H.	9601050195*	COMMISSION	
SMITH, R.	9601110035	FOIA		STOLZ, J.F.	9601150277*	50-368	P	TAYLOR, J.H.	9601100061*	FOIA	
SMITH, T.R.	9601180328*	50-259	R	STOLZ, J.F.	9601180361*	50-277	P	TAYLOR, J.H.	9601180189	PR	
SMITH, T.R.	9601180329*	50-259	R	STOLZ, J.F.	9601180404*	50-277	P	TAYLOR, J.H.	9601180238	SECY	
SMOUSE, J.	9601110060	40-3453		STOLZ, J.F.	9601180419	50-272	P	TAYLOR, J.H.	9601180442*	COMMISSION	
SNELL, W.	9601030102*	70-133		STOLZ, J.F.	9601180391*	50-277	P	TAYLOR, J.H.	9601180416	SECY	
SNELL, W.G.	9601180373*	40-*****		STOLZ, J.F.	9601230468	50-352	P	TAYLOR, J.H.	9601220233	SECY	
SNYDER, G.L.	9601050302*	FOIA		STOLZ, J.F.	9601260059	50-362	Q	TAYLOR, J.H.	9601220244	SECY	
SOLARI, G.M.	9601180380*	50-309	P	STOLZ, J.F.	9601300064*	50-272	P	TAYLOR, J.H.	9601230468*	PR	
SOLLENBERGER, D.	9601030295*	STATE PRO G		STOLZ, J.F.	9601300011*	50-354	P	TAYLOR, J.H.	9601250029	SECY	
SOMMERVILLE, P.	9601240272	CONTRACT		STONE, J.C.	9601260073	50-482	P	TAYLOR, J.H.	9601250039	NUREG	
SOUTO, F.J.	9601290176	NUREG		STONE, J.C.	9601260076	50-482	P	TAYLOR, J.H.	9601250232	ORG	
SPARKS, S.E.	9601260283*	50-327	Q	STONE, J.C.	9601260081*	50-483	P	TAYLOR, J.H.	9601300084	REVIEW GR P	
SPEESE, J.G.	9601180281	71-8003		STORZ, L.F.	9601020244	50-364	Q	TAYLOR, J.H.	9601280193	50-348	Y
SPELL, W.H.	9601220139	STATE PRO G		STORZ, L.F.	9601060082	50-354	Q	TEHANT, T.	9601180118	50-183	P
SPELL, W.H.	9601220152*	STATE PRO G		STORZ, L.F.	9601180158	50-272	P	TERRY, C.D.	9601260153	50-220	P
SPELL, W.H.	9601220318	STATE PRO G		STORZ, L.F.	9601170162	50-354	F	TERRY, C.L.	9601050051	50-445	P
SPELL, W.H.	9601310040	PRM		STORZ, L.F.	9601180140	50-272	F	TERRY, C.L.	9601110158	50-445	S
SPENCE, R.E.	9601040374	WASTE MGT		STORZ, L.F.	9601180157	50-354	Q	TERRY, C.L.	9601110247	50-445	Q
SPENCE, R.E.	9601050083	WASTE MGT		STORZ, L.F.	9601180410	50-272	P	TERRY, C.L.	9601180187	50-445	P
SPENCE, R.E.	9601050016	WASTE MGT		STOUT, D.E.	9601230215*	40-3382		TERRY, C.L.	9601180202	50-445	P
SPENCE, R.E.	9601180232	WASTE MGT		STRATFORD, R.J.	9601020139	XPORTLIC		TERRY, C.L.	9601180208	50-445	P
SPENCE, R.E.	9601180351	WASTE MGT		STRATTON, L.	9601180039	50-283	Q	TERRY, C.L.	9601180212	50-445	P
SPENCE, R.E.	9601170159	WASTE MGT		STRATTON, L.	9601180111*	50-250	Q	TERRY, C.L.	9601180215	50-445	P
SPENCE, R.E.	9601290181	WASTE MGT		STREAM, T.	9601040143*	NUREG		TERRY, C.L.	9601180368	50-445	P
SPENCE, R.E.	9601290229	WASTE MGT		STROMBERG, H.M.	9601330136*	ORG		TERRY, C.L.	9601170285*	50-445	P
SPENCE, R.E.	9601290378	WASTE MGT		STROMBERG, H.M.	9601330137*	ORG		TERRY, C.L.	9601230079	50-445	P
SPENCE, R.E.	9601290432	WASTE MGT		STROMBERG, H.M.	9601330188*	ORG		TERRY, C.L.	9601290257*	ORG	
SPENCE, R.E.	9601300134	WASTE MGT		STROMBERG, H.M.	9601180065*	50-390	H	TERRY, C.L.	9601290318	50-445	P
SPENCE, R.E.	9601300141	WASTE MGT		STRUCKMEYER, R.	9601180243	70-135	P	TERRY, C.L.	9601300044	50-445	Q
SPENCER, D.W.	9601030013*	60-273	P	STRUCKMEYER, R.	9601180250	50-54	P	TERRY, C.L.	9601300127	50-445	P
SPIER, J.E.	9601290093*	COMMISSION		STRUCKMEYER, R.	9601290189	NUREG		TESTA, E.D.	9601260316*	70-1151	
SPIESSARD, R.L.	9601030039	50-380	F	SULLIVAN, K.	9601300016*	50-272	P	THANKA, J.H.	9601030182*	FOIA	
SPIRA, J.	9601110328*	FOIA		SULLIVAN, M.	9601180138	50-255	F	THARPE, V.	9601030243	50-344	Y
SPIRA, J.	9601040325*	FOIA		SULLIVAN, T.A.	9601020035	50-293	R	THAYER, J.K.	9601020314	50-271	Q
SPIRA, J.	9601050012*	FOIA		SULLIVAN, T.A.	9601260183	50-293	R	THAYER, J.K.	9601030027	50-271	P
SPIRA, J.	9601180154*	FOIA		SULLIVAN, T.M.	9601260286	NUREG		THAYER, J.K.	9601030100	50-271	R

PERSONAL AUTHOR INDEX 207

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
THAYER, J.K.	9601050102	50-271 P	TOY, T.M.	9601180319	50-416 P	WADLEY, M.D.	9601238128	50-282 R
THE CHAIRMAN	9601020124	50-340 Y	TRAN, L.N.	9601230158	50-155 P	WADLEY, M.D.	9601300144	50-282 R
THE CHAIRMAN	9601110167	COMMISSION	TRAN, L.N.	9601230163	50-155 P	WALDEN, J.	9601250234	50-244 P
THE CHAIRMAN	9601110212	ORG	TRAN, L.N.	9601230264	50-155 P	WALKER, R.D.	9601160197	50-445 P
THE CHAIRMAN	9601110237	ORG	TRAVERS, W.D.	9601160223	72-16	WALKER, R.D.	9601230076	50-448 P
THE CHAIRMAN	9601110270	STATE PRO G	TRAVERS, W.D.	9601160108	72-1009	WALKER, T.	9601290078	50-354 V
THE CHAIRMAN	9601160208	50-390 H	TRAVERS, W.D.	9601160248	71-8236	WALLIN, G.A.	9601170006	50-271 R
THE CHAIRMAN	9601160048	COMMISSION	TRAVERS, W.D.	9601160304	71-8221	WALSH, J.J.	9601240229	40-3453
THE CHAIRMAN	9601160184	COMMISSION	TRAVERS, W.D.	9601230147	71-8240	WALT, T.D.	9601160218	50-281 P
THE CHAIRMAN	9601160284	COMMISSION	TRAVERS, W.D.	9601230182	71-8248	WALTERS, D.J.	9601250127	PROJ
THE CHAIRMAN	9601160097	COMMISSION	TRAVERS, W.D.	9601240241	71-8206	WANCZYK, R.J.	9601160054	50-271 S
THE CHAIRMAN	9601160089	COMMISSION	TRAVERS, W.D.	9601240243	71-8206	WANCZYK, R.J.	9601170005	50-271 R
THE CHAIRMAN	9601160086	COMMISSION	TREBY, S.A.	930829024*	NUREG	WANG, A.B.	9601230182	50-218 P
THE CHAIRMAN	9601160430	COMMISSION	TRIMBLE, D.C.	9601240264	50-324 P	WANG, A.B.	9601230416	50-213 P
THE CHAIRMAN	9601160492	50-245 H	TROJANOWSKI, R.	9601290088	FOIA	WANG, A.B.	9601290072	50-213 P
THE CHAIRMAN	9601160001	COMMISSION	TROJANOWSKI, R.	9601290082	FOIA	WANG, A.B.	9601290079	50-213 P
THE CHAIRMAN	9601160295	COMMISSION	TROJANOWSKI, W.M.	9601230215	40-3932	WANG, K.D.	9601030081	50-341 P
THE CHAIRMAN	9601160353	COMMISSION	TSCHESKE, R.E.	9601290420	70-*****	WARD, C.B.	9601050166	40-8907
THE CHAIRMAN	9601160358	COMMISSION	TSCHESKE, R.E.	9601040366	WASTE MGT	WARD, C.B.	9601230432	40-8907
THE CHAIRMAN	9601160381	COMMISSION	TUCKMAN, M.S.	9601020217	50-368 P	WARREN, C.	9601030032	50-272 S
THE CHAIRMAN	9601160383	COMMISSION	TUCKMAN, M.S.	9601230316	50-369 P	WARREN, C.	9601050096	50-272 S
THE CHAIRMAN	9601160384	COMMISSION	TUCKMAN, M.S.	9601110160	50-369 P	WARREN, C.	9601130020	50-311 R
THE CHAIRMAN	9601160387	COMMISSION	TUCKMAN, M.S.	9601220159	50-289 P	WARREN, C.	9601190289	50-272 R
THE CHAIRMAN	9601160388	COMMISSION	TUCKMAN, M.S.	9601220278	50-413 P	WARREN, C.	9601190424	50-311 S
THE CHAIRMAN	9601160372	COMMISSION	TUCKMAN, M.S.	9601230051	50-413 P	WARREN, C.	9601230092	50-272 S
THE CHAIRMAN	9601240346	COMMISSION	TUCKMAN, M.S.	9601260260	50-288 Q	WARREN, C.	9601230158	50-272 R
THE CHAIRMAN	9601240282	SPEECHES	TUCKMAN, M.S.	9601300326	PRM	WARREN, C.	9601230191	50-311 R
THE CHAIRMAN	9601240279	50-309 U	TUETKEN, R.P.	9601180373	50-295 Q	WARREN, C.G.	9601110165	50-275 R
THE CHAIRMAN	9601260368	COMMISSION	TUETKEN, R.P.	9601230282	50-295 Q	WARREN, C.G.	9601110195	50-272 R
THE CHAIRMAN	9601310178	COMMISSION	TUKEVA, M.	9601240214	CONTRACT	WARREN, C.G.	9601160230	WASTE MGT
THOMAS, C.R.	9601040328	50-528 P	TULON, T.J.	9601050167	50-458 S	WASONG, A.J.	9601020072	50-278 S
THOMAS, C.R.	9601160206	50-528 P	TULON, T.J.	9601050231	50-458 S	WATKINS, J.	9601230151	NUREG
THOMAS, C.R.	9601230334	50-528 P	TULON, T.J.	9601160074	50-458 S	WATKINS, J.	9601230151	NUREG
THOMAS, S.	9601260371	TOPREP	TULON, T.J.	9601160373	50-457 S	WEBER, K.	9601030178	40-8938
THOMAS, S.S.	9601110266	50-334 P	TULON, T.J.	9601170311	50-458 S	WEBER, K.J.	9601160097	40-8971
THOMAS, S.S.	9601160182	50-334 H	TULON, T.J.	9601220304	50-458 R	WEBER, R.	9601240214	CONTRACT
THOMAS, S.S.	9601160185	50-334 F	TULON, T.J.	9601230090	50-458 S	WEBER, R.	9601240301	CONTRACT
THOMAS, S.S.	9601160255	50-334 P	ULICK, R.B.	9601230181	40-2384	WEBER, R.	9601250096	CONTRACT
THOMAS, S.S.	9601160229	50-334 P	ULICK, R.B.	9601250084	40-2384	WEBER, R.B.	9601300021	52-4
THOMAS, S.S.	9601160386	50-334 F	ULLRICH, E.	9012210224	FOIA	WEBER, R.B.	9601300026	CONTRACT
THOMAS, S.S.	9601160098	50-412 P	ULLRICH, E.	9601030351	FOIA	WEBER, R.B.	9601300080	52-4
THOMAS, S.S.	9601230251	50-334 Q	URRY, C.	9601260097	FOIA	WEBER, R.B.	9601300033	CONTRACT
THOMAS, S.S.	9601230393	50-334 Q	VACCA, R.C.	7002270245	FOIA	WEBER, M.F.	9601300035	WASTE MGT
THOMAS, S.S.	9601260028	50-334 F	VALENTE, J.P.	9601160342	40-8948	WEBER, M.F.	9601230288	27-48
THOMAS, S.S.	9601300036	50-483 P	VALENTE, J.P.	9601160360	40-8948	WEBER, M.F.	9601240211	WASTE MGT
THOMAS, K.M.	9601030040	50-483 P	VANDEN HEUVEL	9601260218	NUREG	WEBER, M.F.	9601240228	WASTE MGT
THOMAS, K.M.	9601260228	50-483 P	VANDEN HEUVEL	9601260235	NUREG	WEBER, M.F.	9601240238	WASTE MGT
THOMAS, S.E.	9601160383	50-483 S	VANDENBURGH, C.	9601240015	50-361 Q	WEBER, M.F.	9601240237	40-9027
THOMAS, S.E.	9601260166	50-486 P	VANDENBROOK, W.	9601170232	50-331 R	WEBER, M.F.	9601240240	WASTE MGT
THOMPSON, D.	9601160031	50-288 Q	VANSDOLLE, W.	9601160411	PT21	WEBER, M.F.	9601240242	WASTE MGT
THOMPSON, D.	9601260397	50-400 Q	VASSILI, J.	9601110264	40-8522	WEBER, M.F.	9601240245	WASTE MGT
THOMPSON, H.L.	6812300293	FOIA	VASSILI, J.	9601110273	40-8522	WEBER, M.F.	9601240257	WASTE MGT
THOMPSON, H.L.	6812300295	FOIA	VASSILI, J.	9601110274	40-8522	WEBER, M.F.	9601250024	WASTE MGT
THOMPSON, H.L.	9601030016	50-341 P	VERA, S.F.	9601260062	50-250 F	WEBER, M.F.	9601250266	40-8940
THOMPSON, H.L.	9601250147	PRM	VELASQUEZ, J.R.	9601040175	40-8907	WEBER, M.F.	9601310106	40-9027
THOMPSON, R.A.	9601240210	71-*****	VELASQUEZ, J.R.	9601310018	40-9007	WEBER, R.L.	9601160174	50-413 R
THOMPSON, T.G.	9601110149	71-8258	VERILL, M.	9601160391	50-400 S	WEBER, R.L.	9601160205	50-268 R
THOMPSON, T.G.	9601260121	71-8258	VESELY, W.E.	9601040277	NUREG	WEBER, R.L.	9601190238	50-368 R
THOMPSON, T.K.	6710080236	FOIA	VESELY, W.E.	9601260080	ORG	WEBER, R.L.	9601170097	50-367 S
THOMPSON, T.K.	6710080246	FOIA	VICTOR, W.R.	9601020066	50-296 S	WEIDNER, T.	9601190124	30-2467
THOMPSON, T.K.	9601230047	FOIA	VIDMOS, R.J.	9601310084	71-337	WEINGART, J.	9601250051	STATE PRO G
THOMPSON, T.K.	9601030262	FOIA	VILLAR, S.	9601020165	FOIA	WEIS, S.H.	9601020179	27-48
THOMPSON, T.K.	9601030292	FOIA	VIRGONA, J.	9601220199	XPORTIC	WEISS, S.H.	9601030388	50-284 P
THORNE-THOMSEN	9601110084	40-3453	VIRGONA, J.	9601160449	WASTE MGT	WEISS, S.H.	9601220274	50-180 V
THORNTON, J.T.	9601190304	71-8259	VIRGONA, J.E.	9601030068	40-8902	WEISS, S.H.	9601230410	50-138 Q
THORNTON, R.	9601040082	NUREG	VIRGONA, J.E.	9601160106	40-8900	WEISS, S.H.	9601250055	ORG
THURMAN, B.F.	9601131017	50-245 S	VIRGONA, J.E.	9601160443	WASTE MGT	WEISS, S.H.	9601310129	50-123 V
TICHLER, J.	9601260278	NUREG	VIRGONA, J.E.	9601260260	WASTE MGT	WEISS, S.H.	9601310218	50-123 V
TINS, P.	9601160450	70-27	VISSING, G.S.	9601160368	50-338 P	WELCH, M.J.	9601040373	50-296 F
TINS, P.	9601160388	70-1100	VISSING, G.S.	9601250034	50-338 P	WELLS, R.A.	9601230022	40-8943
TINS, P.	9601220279	70-38	VISSING, G.S.	9601260076	50-338 P	WENSLAWSKI, F.A.	9601160367	70-1257
TINS, P.	9601220211	40-3932	VISSING, G.S.	9601260209	50-338 P	WEPPRECHT, C.	9601170335	50-364 S
TIPPS, S.B.	9601050337	50-588 S	VISSING, G.S.	9601260053	50-338 P	WESSMAN, R.H.	9601020147	ORG
TIPTON, T.E.	6610310034	18E	VIRANATHAN, R.	9601160004	COMMISSION	WESSMAN, R.H.	9601250143	ORG
TIPTON, T.E.	9601160290	REVIEW GR P	VITKUS, T.L.	9601040278	40-7504	WESTMORELAND, J.	9601030177	FOIA
TJERSLAND, G.T.	9601260239	71-8255	VOGL, J.	9601170129	50-454 R	WESTMORELAND, J.	9601030162	FOIA
TOBIN, W.J.	9601160064	70-143	VORSE, J.V.	9601260049	50-250 F	WETZEL, B.A.	9601160068	50-282 P
TOBIN, W.J.	9601160112	70-27	VORSE, J.V.	9601260028	50-250 F	WETZEL, B.A.	9601230206	50-282 P
TOEPPER, W.	9601050182	FOIA	VORTH, M.H.	9601220039	50-6 R	WETZEL, B.A.	9601250111	50-293 P
TOEPPER, W.J.	9601050180	FOIA	WACKERS, F.J.	9601230443	FOIA	WHALEY, D.L.	9601160452	70-27
TOKAR, M.	9601230090	70-1201	WADEL	9601020270	FOIA	WHALEY, D.L.	9601160452	70-1100
TOKAR, M.	9601300177	70-1100	WADEL	9601020274	FOIA	WHARTON, L.R.	9601030388	50-285 F
TOKAR, R.P.	9601030329	NUREG	WADEL	9601030281	FOIA	WHEELER, J.T.	9601240167	CONTRACT
TORBECK, J.E.	9601230370	52-4	WADEL	9601020238	FOIA	WHEELER, J.T.	9601030087	50-434 P
TORRINI, R.E.	9601150370	40-8848	WADEL	9601020308	FOIA	WHEELER, J.T.	9601160428	50-434 P
TOSCH, K.	9601160244	50-354 P	WADEL	9601050220	FOIA	WHISLER, M.	9601170033	50-304 S
TOSCH, K.	9601160337	50-219 P	WADLEY, M.D.	9601020198	50-282 F	WHITE, E.H.	9601040168	71-8239
TOUCHSTONE, C.W.	9601160105	50-390 S	WADLEY, M.D.	9601030229	50-282 F	WHITE, E.	9601040373	50-295 F

208 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WHITE,J.R.	9705060169*	FOIA	WIGGINS,E.J.	9601240287	CONTRACT	WOOLLEY,R.L.	9601040289	70-7001
WHITE,J.R.	9601230065	50-54	WIGGINS,E.J.	9601240291	CONTRACT	WOOLLEY,R.L.	9601040296	70-7002
WHITE,J.R.	9601230072*	50-54	WIGGINS,E.J.	9601240292	CONTRACT	WOOLLEY,R.L.	9601050245	70-7001
WHITEHEAD,C.	9601230112	70-7001	WIGGINS,E.J.	9601240305	CONTRACT	WOOLLEY,R.L.	9601110142	70-7002
WHITT,M.S.	9601230214	50-365	WIGGINS,E.J.	9601250076	CONTRACT	WOOLLEY,R.L.	9601160035	70-7002
WHITT,M.S.	9601240048	50-313	WIGGINS,E.J.	9601260067	CONTRACT	WOOLLEY,R.L.	9601160038	70-7001
WHITTAKER,E.L.	9606190079*	FOIA	WIGGINS,E.J.	9601290096	CONTRACT	WOOLLEY,R.L.	9601170272	70-7002
WHITTER,G.D.	9601050055	50-309	WIGGINS,E.J.	9601300033	CONTRACT	WOOLLEY,R.L.	9601170285	70-7001
WICKERS,D.L.	9601190165	40-8951	WIGGINS,E.J.	9601310141	CONTRACT	WOOLLEY,R.L.	9601170325	70-7002
WICKERS,D.L.	9601190201	40-8502	WIGGINS,J.T.	9601110287	50-271	WOOLLEY,R.L.	9601170329	70-7002
WICKERS,D.L.	9601230053	40-8951	WIGGINS,J.T.	9601230058	50-277	WOOLLEY,R.L.	9601170332*	70-7002
WICKLEFF HICKS	9601260086	NUREG	WIGGINTON,D.L.	9601180347	50-458	WOOLLEY,R.L.	9601220178	70-7002
WICKS,D.	9601240086	REGSD	WIGGINTON,D.L.	9601180353*	50-458	WOOLLEY,R.L.	9601220181	70-7001
WICKS,G.D.	9601250279	50-287	WIGGINTON,D.L.	9601180411	50-468	WOOLLEY,R.L.	9601240116	70-7001
WIDAY,J.A.	9601250234	50-244	WIGGINTON,D.L.	9601180427*	50-458	WOOLLEY,R.L.	9601240319	70-7002
WIDMANN,M.T.	9601250274*	50-424	WIGGINTON,D.L.	9601300287	50-468	WOOLLEY,R.L.	9601240320	70-7001
WIDEMAN,D.G.	9601060123	40-*****	WIGGINTON,D.L.	9601300390*	50-458	WOOLLEY,R.L.	9601240321	70-7002
WIENS,L.A.	9601060024*	50-415	WILKIE,J.V.	9601030063	50-268	WOOLLEY,R.L.	9601250043	70-7002
WIENS,L.A.	9601060037	50-269	WILLARD,T.	9601230174	71-6224	WOOLLEY,R.L.	9601250056	70-7002
WIENS,L.A.	9601060117	50-369	WILLIAMS,R.A.	9601190210	50-255	WOOLLEY,R.L.	9601310076	70-7001
WIENS,L.A.	9601060216	50-289	WILLIAMS,C.E.	9601220045*	50-361	WOOSTER,K.Q.	9601260075	50-155
WIENS,L.A.	9601190437*	50-424	WILLIAMS,J.H.	9601260089*	50-317	WOOSTER,W.W.	9601160274*	FOIA
WIENS,L.A.	9601190439*	50-369	WILLIAMS,O.G.	9601100045	FOIA	WOTZEL	9601030288*	FOIA
WIENS,L.A.	9601250124*	50-413	WILLIAMS,R.A.	9601190176*	50-413	WOTZEL	9601120030*	FOIA
WIGGINS,E.	9601240095	CONTRACT	WILLIAMS,R.A.	9601190210*	50-369	WRIGHT,A.E.	9601040036*	NUREG
WIGGINS,E.	9601240114	CONTRACT	WILLIAMS,R.A.	9601190213*	50-268	WRIGHT,A.E.	9601040037*	NUREG
WIGGINS,E.	9601240120	CONTRACT	WILLIGAN,J.D.	9601110074	40-3453	WRIGHT,B.	9601160033*	50-390
WIGGINS,E.	9601240128	CONTRACT	WILSON,J.H.	9601180127	PROJ	WRIGHT,E.G.	9601110141*	FOIA
WIGGINS,E.	9601240147	CONTRACT	WILSON,J.H.	9601180286	TOPREP	WRIGHT,E.G.	9601110144*	FOIA
WIGGINS,E.	9601240155	CONTRACT	WILSON,J.H.	9601220286	PROJ	WRIGHT,F.N.	9601190046*	50-395
WIGGINS,E.	9601240170	CONTRACT	WILSON,J.H.	9601300025	PROJ	WUNDER,G.	9601040319	50-302
WIGGINS,E.	9601240179	CONTRACT	WILSON,J.H.	9601240134	CONTRACT	WUNDER,G.	9601300317	50-302
WIGGINS,E.	9601240184	CONTRACT	WINGATE,S.A.	9601230090*	52-4	WUNDER,G.F.	9601220386	50-302
WIGGINS,E.	9601250010	CONTRACT	WINGATE,S.A.	9601230394*	52-4	YANG,W.X.	9601040004*	NUREG
WIGGINS,E.J.	9601240067	CONTRACT	WINGATE,S.A.	9601230401*	52-4	YOON,K.K.	9601250030*	50-302
WIGGINS,E.J.	9601240067	CONTRACT	WINGLOW,T.P.	9601030179	70-1113	YOON,K.K.	9601250035*	50-302
WIGGINS,E.J.	9601240111	CONTRACT	WISE,L.M.	9601240182	CONTRACT	YOUNG,B.J.	9601210029	CONTRACT
WIGGINS,E.J.	9601240112	CONTRACT	WISE,S.A.	9601040373	50-295	YOUNG,D.E.	9601020283	50-251
WIGGINS,E.J.	9601240122	CONTRACT	WITT,J.L.	9601260049*	ORG	YOUNG,M.A.	9601050135	50-424
WIGGINS,E.J.	9601240161	CONTRACT	WOLF,G.M.	9601190288	50-346	YOUNG,M.A.	9601050208	50-424
WIGGINS,E.J.	9601240182	CONTRACT	WOMACH,L.F.	9601020002*	50-275	YOUNG,N.	9601230020	50-213
WIGGINS,E.J.	9601240184	CONTRACT	WOMACH,L.F.	9601020001	50-275	YOUNG,N.	9601300168	50-213
WIGGINS,E.J.	9601240185	CONTRACT	WOMACH,L.F.	9601030232	50-133	YOUNG,R.L.	9601190324*	60-418
WIGGINS,E.J.	9601240187	CONTRACT	WONG,H.J.	9601040218*	50-275	YOUNG,T.	9601190218	STATE PROJ
WIGGINS,E.J.	9601240145	CONTRACT	WONG,H.J.	9601190428*	60-275	ZAHREH,S.	9601240287	CONTRACT
WIGGINS,E.J.	9601240158	CONTRACT	WONG,S.M.	9601260069*	ORG	ZALOWIEK,D.A.	9601030330*	NUREG
WIGGINS,E.J.	9601240167	CONTRACT	WOOD,J.K.	9601180288	60-346	ZAMBUTO,J.	9601180003	50-354
WIGGINS,E.J.	9601240174	CONTRACT	WOODLAND,R.L.	9601060061	50-445	ZERN,J.K.	9601030340	STATE PROJ
WIGGINS,E.J.	9601240175	CONTRACT	WOODLAND,R.L.	9601160232	50-445	ZIEGLER,R.S.	9601260012	40-8902
WIGGINS,E.J.	9601240182	CONTRACT	WOODLAND,R.L.	9601180358	50-445	ZIEGLER,R.S.	9601030157	40-8902
WIGGINS,E.J.	9601240182	CONTRACT	WOODLAND,R.L.	9601290313	50-445	ZIEGLER,R.S.	9601180257	40-8902
WIGGINS,E.J.	9601240183	CONTRACT	WOODLEY,R.L.	9601300127	50-445	ZIMMERMAN,J.L.	9601180058	50-385
WIGGINS,E.J.	9601240188	CONTRACT	WOODS,R.V.	9601030313*	70-7001	ZIMMERMAN,J.P.	9601250009*	40-2384
WIGGINS,E.J.	9601240207	CONTRACT	WOODSON,N.D.	9601300282	TOPREP	ZIMMERMAN,J.P.	9601250011*	40-2384
WIGGINS,E.J.	9601240212	CONTRACT	WOODWARD,R.	9601170232	50-381	ZIMMERMAN,R.P.	9601180329	ORG
WIGGINS,E.J.	9601240213	CONTRACT	WOODWORTH,L.A.	9601060234	WASTE MGT	ZIMMERMAN,R.P.	9601260483*	50-352
WIGGINS,E.J.	9601240218	CONTRACT	WOODWORTH,L.A.	9601180827	WASTE MGT	ZINK,S.D.	9601240170	CONTRACT
WIGGINS,E.J.	9601240247	CONTRACT	WOOLLEY,R.L.	9601020172	70-7001	ZINN,B.	9601180135	40-3453
WIGGINS,E.J.	9601240277	CONTRACT	WOOLLEY,R.L.	9601020205	70-7002	ZINN,M.A.	9601060296*	50-380
						ZULAWSKI,J.M.	9601180085	60-244
						ZURKOWICH,C.A.	9601040283	40-7804

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.)	9601030106	70-36			9601240157	CONTRACT	
	9601110224	TOPREP		Arkansas, State of Arcon, Inc.	9601240159	CONTRACT	
	9601180327*	50-329	P		9601220103	STATE PRO	G
	9601230315*	50-454	P		9609070262*	FOIA	
			9609070277*		FOIA		
	9601260074	TOPREP			9609070226*	FOIA	
	9601290049	70-1100			9602070249*	FOIA	
	9604310072	70-38			9602070251*	FOIA	
ASCA, Inc.	9601240317	CONTRACT			9602070252*	FOIA	
ASEA Brown Boveri, Inc.	9601290049	70-1100			9602070254*	FOIA	
	9601310072	70-36			9602070256*	FOIA	
Advanced Systems Concepts Associates	9601310147	CONTRACT			9602070258*	FOIA	
Alcon Associates, Inc.	9601220141*	STATE PRO	G		9602070259*	FOIA	
Alabama, State of	9601030322	STATE PRO	G		9602070260*	FOIA	
Allied-Signal Corp.	9601230275	40-3392			9704670061*	FOIA	
Alpha-Omega Services, Inc.	9601110218	STATE PRO	G		8711090146*	FOIA	
Aluminum Co. of America	9601050002	40-501			8711090177*	FOIA	
American Association of Physicians in Medicine	9601030339*	NUREG			9607130131*	FOIA	
American Ecology Corp.					9601130293*	FOIA	
	9601020171	27-48			9601130337*	FOIA	
	9601020179	27-48			9601110071*	FOIA	
	9601020180*	27-48			9601110077*	FOIA	
	9601020181*	27-48			9601110081*	FOIA	
	9601020183	27-48			9601110086*	FOIA	
	9601020181*	27-48			9601110090*	FOIA	
	9601020195*	27-48			9601110126*	FOIA	
	9601020197*	27-48			9601230183*	FOIA	
	9601020206*	27-48		Army, Dept. of Army, Dept. of, Yuma Proving Ground Atlantic Richfield Co. (ARCO)	9601180070	40-8787	
	9601020202	27-48			9601180247	40-8814	
	9601020204*	27-48			9601030157	40-8902	
	9601020207*	27-48			9601190257	40-8902	
	9601020210*	27-48			9601260012	40-8902	
	9601020214*	27-48		Atlas Corp.	9601170178	40-3453	
	9601020216*	27-48			9601170177	40-3453	
	9601020218*	27-48		Atlanta Products Corp.	9607300499*	FOIA	
	9601020224	27-48		B. Koh & Associates, Inc.	9601040257	40-8724	
American Electric Power Co., Inc.	9601230301	50-318	P		9601040263	40-8724	
	9601230303*	50-315	P		9601040285	40-8724	
American Nuclear Corp.	9601180368	40-4492			9601050001	40-7604	
American Corp.	9601030046	71-8026		BP Chemicals International	9601040254	40-7604	
	9601240325	71-8029			9601040255	40-7604	
Applied Science Associates, Inc.	9601250009*	FOIA			9601040258*	40-7604	
Argonne National Laboratory	9601250089	NUREG			9601040294	40-7604	
Arizona Power Authority	9601190170	50-328	I		9601040256*	40-7604	
Arizona Public Service Co. (formerly	9601020088	50-328	S		9601040273	40-7604	
Arizona Nuclear Power Project)							
	9601040046	50-328	P		9601040299	40-7604	
	9601110139	50-328	O	Babcock & Wilcox Co.	9601040302*	40-7604	
	9601160059	50-328	S		9601150181	TOPREP	
	9601160443	50-328	S		9601180183*	TOPREP	
					9601170164	70-364	
	9601170195	50-328	R		9601230318*	50-237	P
	9601170316	50-328	P		9601230321*	50-237	P
	9601170315	50-328	P		9601240072	70-27	
	9601170316	50-328	P		9601250256	71-6206	
	9601170316*	50-328	P		9601260220*	50-494	P
	9601170316*	50-328	P		9601280237*	50-496	P
	9601170316*	50-328	P		9601280330*	50-302	P
	9601190062	50-328	O		9601290326*	50-302	P
	9601190324	50-328	P		9601290376	TOPREP	
	9601230242	50-328	P		9601290378*	TOPREP	
	9601230242	50-328	P		9601290213	70-135	
	9601230242	50-328	P		9601300072	70-27	
	9601230248*	50-328	P		9601310042	70-27	
	9601230248*	50-328	P		9601310043	70-364	
	9601230246*	50-328	P		9601310165	70-364	
	9601250285	50-328	S		9601310114*	70-364	
Arizona, Univ. of, Tucson, AZ	9601240104	CONTRACT		Babcock & Wilcox Operating Plants Owners Group	9601250115	PROJ	
	9601240121	CONTRACT					

210 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Baker Testing Services, Inc. Baltimore Gas & Electric Co.	9601260302	50-302	P	9601050086*	FOIA
	9601260113	71-392		9601050078*	FOIA
	9601090386	50-317	Q	9601050176*	FOIA
	9601160129	50-317	P	9601050198*	FOIA
	9601160129	50-317	P	9601050201*	FOIA
	9601180134*	50-317	P	9601050205*	FOIA
	9601180134*	50-317	P	9601050214*	FOIA
	9601180232	50-317	R	9601050216*	FOIA
	9601180235*	50-317	R	9601050221*	FOIA
	9601180237	50-317	P	9601050222*	FOIA
	9601180237	50-317	P	9601050223*	FOIA
	9601180238*	50-317	R	9601050224*	FOIA
	9601180247*	50-317	P	9601050226*	FOIA
	9601180247*	50-317	P	9601050228*	FOIA
	9601310286	50-317	F	9601050253*	FOIA
Battelle Memorial Institute, Columbus Laboratories	9601240185	CONTRACT		9601050256*	FOIA
Bear Creek Uranium Co.	9601240313	CONTRACT		9601050264*	FOIA
	9108050452	40-3452		9601050287*	FOIA
	9601250427	40-3452		9601050293*	FOIA
Bell Atlantic Corp. Bernard Hodges Advertising Beth Israel Medical Center, New York, NY Boeing Co. Boeing Computer Services Co. (div. of Boeing Co.)	9601300333	CONTRACT		9601110007*	FOIA
	9601240195	CONTRACT		9601110042*	FOIA
	9601050166*	FOIA		9601110045*	FOIA
	9601180309	PT21		9601110058*	FOIA
	9601240086	PT21		9601110081*	FOIA
Boston College, Chestnut Hill, MA Boston Edison Co.	9601240083	PT21		9601110166*	FOIA
	9601240139	CONTRACT		9601110192*	FOIA
	9601240200	CONTRACT		9601180069*	FOIA
	9601020039	50-293	R	9601180083*	FOIA
	9601020182	50-293	P	9601180091*	FOIA
Boston Univ. Medical Center, Boston, MA	9601180344	50-293	S	9601180127*	FOIA
	9601170186	50-293	R	9601180141*	FOIA
	9601180412	50-293	S	9601180147*	FOIA
	9601260163	50-293	R	9601180154*	FOIA
	9601260163	50-293	R	9601180163*	FOIA
	9601260222*	FOIA		9601180173*	FOIA
	9601260226*	FOIA		9601180177*	FOIA
	9101160193*	FOIA		9601180201*	FOIA
	9101200382*	FOIA		9601180205*	FOIA
	9603840073*	FOIA		9601180205*	FOIA
	9601020462*	FOIA		9601180207*	FOIA
	9607110325*	FOIA		9601180221*	FOIA
	9710860257*	FOIA		9601180245*	FOIA
	9604140368*	FOIA		9601180254*	FOIA
	9203240182*	FOIA		9601180291*	FOIA
	9601170144*	FOIA		9601180319*	FOIA
	96011820052	FOIA		9601180364*	FOIA
	96011820102*	FOIA		9601180403*	FOIA
	9601020183*	FOIA		9601180420*	FOIA
	9601020177*	FOIA		9601180427*	FOIA
	96011820162*	FOIA		9601170057*	FOIA
	96011820190*	FOIA		9601170060*	FOIA
	96011820201*	FOIA		9601170069*	FOIA
	9601030156*	FOIA		9601170073*	FOIA
	9601030165*	FOIA		9601170076*	FOIA
	9601030207*	FOIA		9601170080*	FOIA
	9601030219*	FOIA		9601170085*	FOIA
	9601030221*	FOIA		9601170095*	FOIA
	9601030223*	FOIA		9601170100*	FOIA
	9601030234*	FOIA		9601170107*	FOIA
	9601030276*	FOIA		9601170121*	FOIA
	9601030288*	FOIA		9601170153*	FOIA
	9601030307*	FOIA		9601170157*	FOIA
	9601030320*	FOIA		9601170161*	FOIA
	9601030339*	FOIA		9601170165*	FOIA
	9601030341*	FOIA		9601170168*	FOIA
	9601030371*	FOIA		9601170219*	FOIA
	9601030384*	FOIA		9601170225*	FOIA
	9601040013*	FOIA		9601170233*	FOIA
	9601040016*	FOIA		9601170250*	FOIA
	9601040057*	FOIA		9601170258*	FOIA
	9601040166*	FOIA		9601170269*	FOIA
	9601040172*	FOIA		9601170280*	FOIA
	9601040286*	FOIA		9601170282*	FOIA
	9601040325*	FOIA		9601170283*	FOIA
	9601040338*	FOIA		9601170283*	FOIA
	9601040342*	FOIA		9601170297*	FOIA
	9601040350*	FOIA		9601170320*	FOIA
	9601040357*	FOIA		9601170328*	FOIA
	9601040378*	FOIA		9601170333*	FOIA
	9601050006*	FOIA		9601180039*	FOIA
	9601050012*	FOIA		9601180057*	FOIA
	9601050020*	FOIA		9601180063*	FOIA
	9601050022*	FOIA		9601180078*	FOIA
	9601050037*	FOIA		9601180086*	FOIA
	9601050039*	FOIA		9601180140*	FOIA
	9601050043*	FOIA		9601180156*	FOIA
	9601050053*	FOIA		9601180163*	FOIA
	9601050056*	FOIA		9601180213*	FOIA
				9601180225*	FOIA

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9501180230*	FOIA		9501180180	50-440 S
	9501180354*	FOIA		9501170034	50-440 Q
	9501180375*	FOIA		9501170078	50-440 P
	9501180388*	FOIA		9501170082*	50-440 P
	9501180402*	FOIA		9501190140	50-440 P
	9501180415*	FOIA		9501180142*	50-440 P
	9501230187*	FOIA		9501180152	50-440 F
Braun Interleo Engineering, Inc. (formerly Braun Engineering Testing, Braunkohle Transport USA, Inc.)	9501290489	71-9035		9501180185	50-440 R
	9501180244	XPORTLIC		9501180274	50-440 S
	9501300324	XPORTLIC		9501230143	50-446 P
Brookhaven National Laboratory	9501040277	NUREG		9501300012	50-440 P
	9501280089*	ORG		9501300067	50-446 P
	9501280278	NUREG	Central Interstate Low-Level Radioactive Waste Compact Commission	9501310244	50-440 P
	9501290288	NUREG		9501280192	70-7001
	9501300018*	50-272 P	Chern-Nuclear Systems, Inc.	9501030311	STATE PRO G
Browning-Fento Industries, Inc.	9501030268*	NUREG		9501180355	WASTE MGT
	9501030268*	NUREG		9501040260	40-6724
	9501030301*	NUREG	Chemotex Corp.	9501030265	70-3070
	9501030362*	NUREG	Citizens Against Nuclear Trash	9501030101*	50-29 G
CEXEC, Inc.	9501240081	CONTRACT		9501050117*	50-29 G
CIS-US, Inc. (formerly CIS Pharmaceuticals, Inc.)	9501310066	CONTRACT		9501050134*	50-29 G
CDGEMA, Inc.	9501230265	71-642		9501050140*	50-29 G
	9501110284	40-8502		9501050145*	50-29 G
	9501110273	40-8502		9501060152*	50-29 G
	9501110274	40-8502		9501250178	50-29 G
	9501180201	40-8502		9501250180*	50-29 G
Cabot Corp.	9501180805*	40-8502	Code Services, Inc.	9501250262	71-0283
	9501180058	40-8940	Colorado State Univ., Fort Collins, CO	9501310148	CONTRACT
	9501180063	40-8940	Colorado, State of	9501030328	STATE PRO G
	9501220030	40-8940		9501110218*	COMMISSIO N
Cajon Electric Power Cooperative, Inc.	9501280157	50-458 G	Committee to Bridge the Gap	9501290014	FOIA
California Polytechnic State Univ., San Luis Obispo, CA	9501240095	CONTRACT	Commonwealth Edison Co.	9501030061	50-373 F
	9501230062	STATE PRO G		9501030187	50-10 F
California, Univ. of, Los Angeles, CA	9501260221	PROJ		9501030232	50-454 Q
California, Univ. of, Santa Barbara, CA	9501240125	CONTRACT		9501030253	50-373 Q
	9501240115	CONTRACT		9501030307	50-295 S
	9501240144	CONTRACT		9501030309*	50-295 S
	9501240152	CONTRACT		9501030311*	50-295 S
	9501240206	CONTRACT		9501030304	50-254 Y
	9501240208	CONTRACT		9501030418	50-295 F
	9501240225	CONTRACT		9501040144	50-295 Q
Cahnel Testing Services, Inc.	9501310035	71-337		9501050157	50-455 S
	9501310064*	71-337		9501050231	50-455 S
Canon Environmental Services, Inc.	9501030091	50-261 F		9501180013	50-454 Q
Carolina Power & Light Co.	9501040352	50-324 V		9501180074	50-455 S
	9501050109	50-400 F		9501180150	50-454 Q
	9501180057	50-400 P		9501180188	50-237 P
	9501180219	50-261 P		9501180188	50-237 P
	9501180307	50-400 Q		9501180188	50-237 P
	9501180330	50-324 P		9501180191	50-455 V
	9501180330	50-324 P		9501180211	50-10 F
	9501180371	50-324 R		9501180213	50-304 Q
	9501170183	50-400 R		9501180215*	50-304 Q
	9501180152	50-400 S		9501180217	50-237 S
	9501180184	50-324 P		9501180219*	50-237 S
	9501180386	50-400 S		9501180223	50-254 Q
	9501180391	50-400 S		9501180228	50-295 S
	9501190333	50-324 P		9501180325	50-295 F
	9501180355	50-400 Q		9501180376	50-457 S
	9501180358*	50-400 Q		9501180448	50-254 S
	9501220064	50-261 F		9501170021	50-456 Q
	9501220310	50-261 R		9501170023	50-373 P
	9501230019	50-324 R		9501170062	50-454 P
	9501230047	50-400 Q		9501170062	50-454 P
	9501230173	50-324 Q		9501170062	50-454 P
	9501230349	50-325 S		9501170062	50-454 P
	9501260361	50-324 F		9501170062	50-454 P
Center for Nuclear Waste Regulatory Analyses	9501040219*	WASTE MGT		9501170067	50-254 F
	9501040388	WASTE MGT		9501170114	50-454 F
	9501180362*	WASTE MGT		9501170129	50-454 R
	9501180307*	WASTE MGT		9501170141	50-10 R
	9501180449	WASTE MGT		9501170141	50-10 R
	9501180453	WASTE MGT		9501170229	50-295 F
	9501220072	WASTE MGT		9501170311	50-456 S
	9501250123	WASTE MGT		9501170325	50-304 S
	9501250182	WASTE MGT		9501180045	50-254 P
	9501290280	NUREG		9501180182	50-237 Q
	9501310245	WASTE MGT		9501180182	50-237 Q
Centex Energy	9501310248*	WASTE MGT		9501180231	50-249 P
	9501110238	50-346 Y		9501180299	50-573 R
	9501180188	50-440 P		9501180329	50-237 P

212 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9601180329	50-237		9601170216	50-255
	9601180373	50-235		9601220076	50-255
	9601180455	50-373		9601220099	50-255
	9601180455	50-373		9601220116	50-255
	9601180481	50-254		9601220197	50-255
	9601180483*	50-373		9601220201	50-255
	9601180483*	50-373		9601220287	50-255
	9601180157	50-249		9601230105	50-255
	9601180173	50-10		9601230108	50-255
	9601180173	50-10		9601230116	50-255
	9601180173	50-10		9601230120*	50-255
	9601220008	50-265		9601230125	50-255
	9601220067	50-265		9601230129	50-255
	9601220119	50-454		9601230131*	50-255
	9601220128	REG-60		9601230133	50-255
	9601220262	50-295		9601230135	50-255
	9601220304	50-456		9601230180	50-255
	9601220313	50-373		9601230183	50-255
	9601220330	50-304		9601230182	50-255
	9601220338	50-454		9601230239	50-255
	9601220358	50-454		9601250074	50-255
	9601220080	50-456		9601250076*	50-255
	9601230110	50-254		9601250083	50-255
	9601230208	50-295		9601250088*	50-255
	9601230254	50-373		9601250201	50-255
	9601230283	50-10		9601290228	50-255
	9601230283	50-10		9601290253	50-255
	9601230283	50-10		9601290313	50-255
	9601230311	50-454		9601290317*	50-255
	9601230318	50-237		9601300288	50-255
	9601240022	50-10		9601300294	50-255
	9601250125	50-373		9601300697	50-165
	9601250125	50-373		9601180408	71-688
	9601250180*	50-373		9601250087*	PROJ
	9601250180*	50-373		9601240117	CONTRACT
	9601250227	50-373		9601240185	CONTRACT
	9601250227	50-373		9601180335	71-*****
	9601250228	50-374		9601180340*	71-*****
	9601250231	50-373		9601180372	71-*****
	9601250184	50-373		9601180382*	71-*****
	9601250436	50-373		9601180078	50-170
	9601250436	50-373		9601180238	40-341
	9601300005	50-254		9601240070	40-341
Conference of Radiation Control Program Directors, Inc.	9601220143	STATE PRO		9601030023*	50-341
				9601030042*	50-341
Congress (Joint & Rotating Committees, etc.)	9601040326*	50-390		9601030056*	50-341
Connecticut Yankee Atomic Power Co.	9601180159	50-213		9601030083*	50-341
	9601180210	50-213		9601030391	50-341
	9601220001	50-213		9601110152	50-341
	9601220003*	50-213		9601180183	50-341
	9601220210	50-213		9601170022	50-341
	9601220016	50-213		9601170028*	50-341
	9601220020	50-213		9601170200	50-341
	9601220237	50-213		9601170278	50-341
	9601260146	50-213		9601230155	50-341
	9601300102	50-213		9601230135	50-341
	9601300166	50-213		9601230173	50-341
	9601310288	50-213		9601230183*	50-341
Connecticut, State of	9601220248	XPORTLIC		9601230484	50-341
Consolidated Edison Co. of New York, Inc.	9601020082	50-247		9601300028	50-334
	9601020085	50-247		9601300028	50-334
	9601180029	50-247		9601310111	50-341
	9601170322	50-247		9601180474	PRM
	9601180074	50-247		9601250018	CONTRACT
	9601220204	50-247		9601240138	40-17
	9601220212*	50-247		9601240142*	40-17
	9601250208	50-247		9601180345	PT21
	9601250140	50-247		9601020053	50-285
	9601300048	50-247		9601020058	50-285
				9601020053	50-285
				9601020052*	50-285
				9601020062*	50-285
				9601020056	50-285
				9601020056	50-285
Construction Engineering Laboratory, Inc.	9601250159	MUREG		9601020056	50-285
Construction Products Research, Inc.	9609050172*	FOIA		9601020056	50-285
	9601220308	CLAP88		9601020056	50-285
Consumers Power Co.	9601020076	50-185		9601020056	50-285
	9601020243	50-185		9601020056	50-285
	9601030288	50-255		9601020056	50-285
	9601030288*	50-255		9601020056	50-285
	9601030368	50-255		9601020056	50-285
	9601180120	50-155		9601020056*	50-285
	9601180136	50-255		9601020217	50-368
	9601180170	50-255		9601020318	50-368
	9601180233	50-255		9601030053	50-368
	9601180335*	50-255		9601030078	50-368
	9601170180	50-255		9601030244	50-368
	9601170184	50-255		9601030244	50-368
	9601170187	50-255		9601030249*	50-368
	9601170189	50-255		9601030249*	50-368
	9601170182	50-255		9601030252*	50-368
	9601170189	50-255		9601030252*	50-368

214 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9801240264*	50-267	Y		9801230051	50-335	F
	9801250071	ORG			9801240073	50-335	R
	9801250117	WASTE MGT			9801300122	50-250	S
	9801250204	PROJ		Florida Power Corp.	9801020042	50-302	S
	9801250206*	PROJ			9801020068	50-302	P
	9801250220	WASTE MGT			9801020070*	50-302	P
	9801250181	WASTE MGT			9801030021	50-302	P
	9801250229	WASTE MGT			9801030021	50-302	P
	9801250560	WASTE MGT			9801030027	50-302	Q
	9801250370*	WASTE MGT			9801050136	50-302	Q
	9801250378	WASTE MGT			9801160271	50-302	S
	9801250385*	WASTE MGT			9801160390	50-302	P
	9801250432	WASTE MGT			9801170031	50-302	P
	9801300027	PROJ			9801170132	50-302	R
	9801300134	WASTE MGT			9801230149	50-302	P
	9801300141	WASTE MGT			9801230275	50-302	R
Entergy Operations, Inc.	9801300227*	70-7001		Florida, State of	9801220087	STATE PRO	G
	9801020255	50-388	P	Flyn, D. F., MD	9801040129*	NUREG	
	9801020258	50-313	F		9801040147*	NUREG	
	9801020259	50-313	F	Foots Mineral Co.	9801260343	40-7367	
	9801020287	50-456	S	GTE Corp.	9801240137	CONTRACT	
	9801020302	50-416	P		9801260098	CONTRACT	
	9801020319	50-488	P	General Atomics (formerly GA Technology	9801030402	70-734	
	9801020323	50-313	Q	& Inc./General Atomics Co.)			
	9801020323	50-313	Q		9801050147	40-8027	
	9801030399	50-456	P		9801160454	50-89	P
	9801040027	50-313	H		9801160459	50-89	P
	9801040239	50-408	P		9801260436	50-89	P
	9801160187	50-382	S	General Electric Co.	9801030123*	50-841	P
	9801160249	50-313	P		9801030170	70-1113	
	9801170127	50-382	F		9801040034	52-4	
	9801170203	50-382	H		9801040280	QAB86	
	9801170204	50-313	F		9801160205*	50-245	Q
	9801170209	50-382	F		9801160441	52-4	
	9801180378	50-456	S		9801170086	52-4	
	9801190417	50-382	S		9801180338	70-1113	
	9801220311	50-416	R		9801190183	52-4	
	9801230080	50-456	S		9801220011*	50-245	P
	9801230186	50-456	R		9801230011	70-1113	
	9801230214	50-368	R		9801230353	52-4	
	9801230274	50-456	P		9801230370*	52-4	
	9801240048	50-313	R		9801230375*	52-4	
	9801240064	50-456	S		9801230382*	52-4	
	9801240068	50-456	H		9801230380*	52-4	
	9801250017	50-382	Q		9801230384*	52-4	
	9801250329	50-313	P		9801230401*	52-4	
Envirocare, Inc.	9801250333	50-416	S		9801240004	XPORTLIC	
Environmental Protection Agency	9801180465	40-8969			9801240091*	50-253	P
	9801250124	40-8969			9801240140	70-1113	
	9806190079*	FOIA			9801240151*	70-1113	
	9801030186*	FOIA			9801250230	52-4	
FRAMATOME	9801240055	40-8027			9801260189	72-1	
Factory Mutual Research Corp.	9801110190	TOPREP			9801260204*	72-1	
Federal Emergency Management Agency	9801230323	70-1201		General Public Utilities Corp. - GPU	9801300099	70-1113	
	9801250053	PR-			9801300293	50-219	R
	9812070035*	50-482	F	Service Corp.			
	9812070066*	50-482	F		9801110206	50-219	P
	9812140229*	50-317	F		9801110208*	50-219	P
	9801020025*	70-7002			9801190158	50-219	F
	9801050268*	50-155	F		9801190168*	50-219	F
	9801050271*	50-155	F		9801190164	50-289	R
	9801050289*	50-263	F		9801190189	50-289	Q
	9801050303*	50-283	F		9801160218*	50-289	Q
	9801110185*	50-317	F		9801220253	50-219	F
	9801160324*	50-416	F		9801220268*	50-219	F
	9801160332*	50-416	F		9801230039	50-219	R
	9801160359*	50-382	F		9801230182	50-389	P
First National Bank of Boston	9801250043*	ORG			9801230218	50-219	S
	9801300234*	40-8948			9801230324	50-219	P
	9801300207*	40-8940			9801230325*	50-219	P
Florida Power & Light Co.	9801020080	50-335	P		9801240039	50-289	Q
	9801020095*	50-335	Q		9801260120	50-289	P
	9801110189	50-250	Q		9801300125	50-219	F
	9801110201*	50-250	Q		9801310238	50-219	Q
	9801160311	50-389	Q		9801310243	50-219	R
	9801160046	50-250	H	George Rice & Associates	9801290290	NUREG	
	9801160134	50-250	F	Georgia Power Co.	9801020212	50-424	F
	9801160234	50-335	P		9801030139	50-424	U
	9801160237	50-335	P		9801050337	50-366	S
	9801160237	50-335	P		9801100004	50-321	Q
	9801160240*	50-335	P		9801160265	50-424	S
	9801160240*	50-335	P		9801160851	50-321	S
	9801170046	50-335	F		9801170213	50-321	R
	9801170118	50-344	F		9801170223	50-424	R
	9801220081	50-251	S		9801260111	50-425	Q
	9801220214	50-336	P		9801260112*	50-425	Q
	9801220367	50-290	P		9801260172	50-424	F
	9801220369	50-251	P		9801260223	50-424	P
	9801230108	50-250	R		9801260223	50-424	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Georgia, State of	9601290232*	50-424	P	Idaho National Engineering Laboratory	9601290200	50-331	F
	9601290236*	50-424	P		9601030393*	STATE PRO	G
	9601290400	50-424	Q		9601180065*	50-276	P
	9601290400	50-424	Q		9601290151	NUREG	
Georgians Against Nuclear Energy	9601220062	STATE PRO	G		9601290269	NUREG	
	9601220108	50-180	P	Illinois Power Co.	9601310134*	ORG	
	9601160122	50-180	Q		9601310136*	ORG	
	9601160149	50-180	G		9601310137*	ORG	
	9601180178	50-390	G		9601310138*	ORG	
	9601250151	50-390	G		9601310139*	ORG	
Global Management Systems, Inc. Global X-Ray & Testing Corp.	9601250172	50-390	G	Illinois State of	9601310142*	ORG	
	9601250030	CONTRACT			9601020110	50-461	F
	9601300035	71-8289			9601020220	50-461	F
	9601300037	71-8187			9601170013	50-461	F
	9601300030	71-8036			9601160331	50-461	P
Governors Printing Office Greater Harrisburg Cancer Center, Harrisburg, PA	9601240145	CONTRACT		Indiana Michigan Power Co. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.)	9601220267	50-461	R
	9601040002*	NUREG			9601260166	50-461	F
Greater Pittsburgh Cancer Center, Pittsburgh, PA	9601040003*	NUREG			9601300166	50-461	S
	9601040004*	NUREG			9601300172	50-461	F
	9601040045*	NUREG			9601020077	STATE PRO	G
	9601030325*	NUREG		Indiana Regional Cancer Treatment Center Indiana, PA	9601030343	STATE PRO	G
Gulf & Western Industries, Inc.	9601030331*	NUREG			9601110215	STATE PRO	G
	9601030336*	NUREG			9601160035	48-5001	
	9601040053*	NUREG			9601220168	50-373	Q
	9601040053*	FOIA			9601300259	STATE PRO	G
Gulf States Utilities Co. H & G Inspection Co., Inc. Hawley, E.C. Herman, Curran, Gallagher & Spielberg (formerly Herman, Curran & Toulley)	9601040053*	FOIA		Institute for Nuclear Medical Education, Inc.	9601310240	STATE PRO	G
	9601170037*	FOIA			9601170205	50-315	H
	9601170037*	FOIA			9601160231	50-315	S
	9601240344*	FOIA			9601170218	50-315	H
Hanson Steel Coatings Co.	9601240347*	FOIA			9601170269	50-315	P
	9601250197	50-458	G		9601170269	50-315	P
	9601240009	71-8289			9601170294*	50-315	P
	9601180470*	50-245	H		9601170294*	50-315	P
Harris, Curran, Gallagher & Spielberg (formerly Herman, Curran & Toulley)	9601020268	70-5070			9601150096	50-315	Q
	9601030088	50-29	G	International Technical Services, Inc. Iowa State Univ., Ames, IA Iowa, State of J.L. Shephard & Associates JBF Associates, Inc.	9601230296	50-315	P
	9601030101*	50-29	G		9601230296	50-315	P
	9601030117*	50-29	G		9601250139	50-315	P
	9601160160	50-29	G		9601260161	50-315	Q
Harrison Steel Coatings Co.	9601250160*	50-29	G		9601260165*	50-315	Q
	9601190425	71-61		Institute of Nuclear Power Operations Interior, Dept. of Interior, Dept. of, Geological Survey	9601310012	50-315	Q
	9601190441*	71-61			9601040008*	NUREG	
	9601230501	71-61			9601040103*	NUREG	
Hemp & Co. High Mountain Inspection Services, Inc.	9601240162	CONTRACT			9601040105*	NUREG	
	9601250206	71-653			9601040109*	NUREG	
Hollis International Homestake Mining Co.	9601250207*	71-653			9601040112*	NUREG	
	9601180322	PT21			9601100048	FOIA	
	9601160345	40-8903		International Technical Services, Inc. Iowa State Univ., Ames, IA Iowa, State of J.L. Shephard & Associates JBF Associates, Inc.	9601230395	FOIA	
	9601230436	40-8903			9601290155	FOIA	
Hope College, Holland, MI	9601240213	CONTRACT			9601170015	ORG	
	9601240213	CONTRACT			9601250135	40-3453	
House of Rep.	9601240288*	50-309	U		9601180029	50-274	S
	9601250004	50-255	H		9601250027	50-274	R
	9601020131*	50-346	Y	International Technical Services, Inc. Iowa State Univ., Ames, IA Iowa, State of J.L. Shephard & Associates JBF Associates, Inc.	9601290074*	50-289	P
	9601020247	50-489	F		9601110137	50-115	F
Houston Lighting & Power Co.	9601020247	50-489	F		9601220123	STATE PRO	G
	9601020284	50-489	P		9601250119	71-122	
	9601020284	50-489	P		9601250373	CONTRACT	
	9601160342	50-489	P	JRA Associates Jacobs Engineering Group, Inc. Japan	9601100040	FOIA	
House of Rep., Appropriations	9601160342	50-489	P		9601050169	40-8907	
	9601160342	50-489	P		9601230432	40-8907	
	9601160342	50-489	P		9601020169	XPORTLIC	
Houston Lighting & Power Co.	9601160342	50-489	P		9601260369*	COMMISSIO	N
	9601160342	50-489	P	Jefferson Oncology Center LP Kansas, State of Kennecott Corp. Kentucky, Commonwealth of	9601290071	XPORTLIC	
	9601160342	50-489	P		9601030329*	NUREG	
	9601160342	50-489	P		9601030288*	STATE PRO	G
	9601160342	50-489	P		9601220015	40-8584	
Hydro-Engineering KCP, Inc. IES Utilities Inc., (formerly Iowa Electric Light & Power Co.)	9601160342	50-489	P		9601300193	STATE PRO	G
	9601220082*	40-2289		Kerr-McGee Corp. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates) Korea Institute of Nuclear Safety Korea, Republic of (South Korea)	9601230412	70-5070	
	9601240298	CONTRACT			9601260008	50-250	F
	9601030001	50-331	P		9601180352*	COMMISSIO	N
	9601030002	50-331	P		9601180352*	COMMISSIO	N
Hydro-Engineering KCP, Inc. IES Utilities Inc., (formerly Iowa Electric Light & Power Co.)	9601030002	50-331	P		9601220231	XPORTLIC	
	9601030002	50-331	P		9601310027	FR	
	9601030002	50-331	P	LIFE (Industrial) Systems Corp. (formerly LIFE Corp.) Labor, Dept. of Lawrence Berkeley Laboratory	9601250126	70-7001	
	9601030002	50-331	P		9601050003*	WASTE MGT	
Hydro-Engineering KCP, Inc. IES Utilities Inc., (formerly Iowa Electric Light & Power Co.)	9601030002	50-331	P		9601050003*	WASTE MGT	
	9601030002	50-331	P		9601050003*	WASTE MGT	
	9601030002	50-331	P		9601050003*	WASTE MGT	
	9601030002	50-331	P		9601050003*	WASTE MGT	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9601290121*	FOIA		9601250167	50-296	Q
	9601290134*	FOIA		9601250562	50-296	F
	9601290147*	FOIA	Nevada, Univ. of Reno, NV	9601240173	CONTRACT	
	9601290158*	FOIA	New England Coalition on Nuclear Pollution	9601050101*	50-29	G
	9601290174*	FOIA				
Liberty Technologies (formerly Liberty Technology Center, Inc.)	9601110234	71-8289		9601050117*	50-29	G
	9601110245*	71-8289		9601050134*	50-29	G
Lodge, T.J.	9601290227	50-345	H	9601080140*	50-29	G
Longview Inspection, Inc.	9601300042	71-8289		9601050145*	50-29	G
				9601050152*	50-29	G
Louisiana Energy Services	9601020309*	70-3070		9601250175	50-29	G
Louisiana, State of	9601030330*	NUREG		9601250180*	50-29	G
	9601220139	STATE PRO	G	9601300253	STATE PRO	G
	9601220152*	STATE PRO	G	9601190364	70-2962	G
	9601220315	STATE PRO	G			
Maine Yankee Atomic Power Co.	9601330010	PRM	New Jersey, State of	9601160244	50-254	P
	9601020258	50-309		9601190337	50-219	P
	9601020299*	50-309		9601250091	STATE PRO	G
	9601050055	50-309	New Mexico, Univ. of, Albuquerque, NM	9601160325	50-252	R
	9601170037	50-309		9601160326*	50-252	R
	9601170051	50-309	New York, State of	9601220339	STATE PRO	G
	9601170055*	50-309		9601250094	PROJ	
	9601170201	50-309	Q	9601110229	50-220	F
	9601160352	50-309	P	9601170036	50-430	S
	9601160350*	50-309	P	9601170255	50-220	S
	9601230054	50-309	P	9601230179	50-280	R
	9601230075*	50-309	P	9601230234	50-419	R
	9601230159	50-309	R	9601230240*	50-419	R
	9601230229	50-309	P	9601230245*	50-419	R
	9601240259*	50-309	U	9601280109	50-419	P
	9601300175	50-309	P	9601260113*	50-410	P
	9601300178*	50-309	P	9601260117*	50-410	P
Maine, State of	9601030271	STATE PRO	G	9601260145	50-220	S
Marine Maritime Energy Systems, Inc.	9601050252*	70-7001		9601260153	50-220	P
	9601110145*	70-7002		9601300076	50-410	P
Maryland, State of	9601310005	PRM		9601300061*	50-410	P
Maryland, Univ. of, College Park, MD	9601310137*	ORG		9601300082*	50-410	P
	9601310143*	ORG		9601160090	71-569	R
Massachusetts General Hosp., Boston, MA	9601030378*	NUREG		9601170011	50-443	R
Maye & Valentine	9601050147	40-8027				
McDermott, Will & Emery	9601030340	STATE PRO	G	9601170119	50-443	P
McGraw-Hill Publications Co.	9601240146	CONTRACT		9601190365	50-443	P
Med-Physics, Inc. (subs. of Hoffman-La Roche, Inc.)	9601040116*	FOIA		9601190394*	50-443	P
Michigan, State of	9601220096	PRM		9601190399*	50-443	P
				9601910235	50-213	H
	9601230258	PR		9601230043	50-267	F
Micro Analysis & Design, Inc.	9601240143	CONTRACT		9601260279	50-267	F
Minnesota Mining & Manufacturing Co. (3M Co.)	9601110001*	FOIA		9601230354*	50-359	R
	9601160009*	FOIA		9601240045	CONTRACT	
				9601250010	CONTRACT	
Minnesota Valley Engineering	9601300139	71-583		9601220089	STATE PRO	G
Missouri, Univ. of, Columbia, MO	9601020310	50-185	F	9601020080	50-423	P
	9601020312*	50-185	F	9601020256	50-245	S
	9601020317	50-185	F	9601020305	50-245	P
	9601020320*	50-185	F			
	9601310017	50-185	F	9601020306	50-423	S
Missouri, Univ. of, Rolla, MO	9601240174	CONTRACT		9601090004	50-213	P
Mitsubishi International Corp.	9601260034	CONTRACT		9601030009*	50-213	P
	9601220171	XPORTUC		9601030055	50-336	S
	9601220174*	XPORTUC		9601090085	50-245	S
Mitsui & Co. (USA), Inc.	9601020041	XPORTUC		9601060300	50-423	S
	9601020049	XPORTUC		9601150159	50-213	P
	9601160185	XPORTUC		9601150204	50-245	Q
	9601160261	XPORTUC		9601160275	50-245	S
Morgan, Lewis & Bockius	9601050122	40-8027		9601160402	50-245	F
	9601050128	40-8027		9601190402	50-245	F
	9601230346	40-8027		9601180417	50-336	P
Morrison-Knudsen Co., Inc.	9601050236*	WASTE MGT		9601150429*	50-336	P
NAC International Corp. (formerly Nuclear Assurance Corp.),	9601260219	71-8225		9601170154	50-245	F
				9601170154	50-245	F
	9601260247	71-*****		9601170154	50-245	F
NDT Laboratory	9601300032	71-8269		9601170179	50-359	F
National Academy of Sciences	9601240164	CONTRACT		9601180358	50-245	F
	9601240167	CONTRACT		9601190076	50-423	S
National Council on Radiation Protection	9601240155	CONTRACT		9601190408	50-423	S
& Measurements				9601220008	50-245	P
National Institute of Standards & Technology (formerly National Bureau of	9601040344	ORG		9601220027	50-423	Q
	9601040373	50-295	F	9601220056	50-245	S
Nationalistic Testing Services, Inc.	9601290269	71-759		9601220058	50-336	S
				9601220203	50-336	P
Native Americans for a Clean Environment	9601160060*	72-19		9601220205*	50-336	F
Navy, Dept. of	9601050249*	FOIA		9601220283	50-245	F
Nial R. Gross & Co., Inc.	9601240131	CONTRACT		9601220223	50-245	F
Nebraska Public Power District	9601020068	50-298	S	9601220223	50-245	F
	9601020279	50-298	F	9601230017	50-336	V
	9601160283	50-298	S	9601230070	50-336	Q
	9601170026	50-298	R	9601230118	50-245	Q
	9601160458	50-298	Q	9601230118	50-245	Q
	9601160343	50-298	S	9601230118	50-245	Q

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9901230151	50-245		9901040229	70-925
	9901230151	50-245		9901040240*	70-925
	9901230151	50-245		9901040255	70-925
	9901230185	50-423		9901040258*	70-925
	9901230187*	50-423		9901040279	40-7664
	9901260146	50-213	Oak Ridge National Laboratory	9901290218	NUREG
	9901260150	50-336		9901290255	NUREG
	9901260202	50-336		9901290286	NUREG
	9901260075	50-336	Ohio Edison Co.	9901020182	50-440
	9901260085*	50-336		9901020185*	50-440
	9901260087*	50-336	Ohio, State of	9901180337	40-6946
	9901260090*	50-336		9901180341	40-6946
	9901260336	50-336		9901180343	40-6946
	9901260338*	50-336		9901260002	50-340
	9901310107	50-245	Oklahoma, State of	9901260132	STATE PROJ
	9901310236	50-213			
	9901020309	50-423	Omaha Public Power District	9901020267	50-285
	9901160024	50-245		9901020324	50-285
	9901160204	50-245		9901110177	50-285
	9901230070	50-336		9901160349	50-285
				9901160358*	50-285
	9901020060	50-423			
	9901020256	50-245		9901170075	50-285
	9901030065	50-245		9901180283	50-285
	9901050000	50-423		9901260165	50-285
	9901160169	50-213		9901260263	50-255
				9901290281	50-255
	9901160417	50-336		9901290282*	50-255
	9901170178	50-336		9901290427	50-255
	9901170182*	50-336		9901290442*	50-255
	9901190075	50-423		9901290449*	50-255
	9901220001	50-213	Omnitext, Inc.	9901040039*	NUREG
	9901260027	50-423	Omnitron International Corp.	9901030321*	NUREG
	9901220203	50-336		9901030363*	NUREG
	9901230195	50-423		9901030364*	NUREG
	9901260146	50-213		9901030375*	NUREG
	9901260150	50-336		9901040062*	NUREG
	9901260202	50-336		9901040067*	NUREG
	9901260075	50-336		9901040068*	NUREG
	9901260336	50-336		9901040073*	NUREG
	9901260388*	50-213		9901040079*	NUREG
	9901310107	50-245		9901040083*	NUREG
	9901020185	50-282		9901040085*	NUREG
	9901020188	50-282		9901040083*	NUREG
	9901230239	50-282		9901040100*	NUREG
	9901030239	50-282		9901040133*	NUREG
	9901160030	50-283	Oncology Services Corp., Harrisburg & State College, PA	9201310204*	NUREG
	9901170265	50-283			
	9901170268*	50-283		9901030293*	NUREG
	9901170277	50-283		9901030304*	NUREG
	9901170278*	50-283		9901030350*	NUREG
	9901180285	50-283		9901030381*	NUREG
	9901220132	50-283		9901040043*	NUREG
	9901230126	50-282	Oncology Services, Inc.	9901030323*	NUREG
	9901300001	50-283	Oregon State Univ., Corvallis, OR	9901260350	CONTRACT
	9901300018	50-283	Ozark-Sylvania, Inc.	9901230241	40-185
	9901300144	50-282	PECO Energy Co., (formerly Philadelphia Electric Co.)	9901020025	50-277
	9901230002	PRM			
	9901130281	71-8234		9901020004*	50-277
	9901230334	71-8234		9901030072	50-278
	9901230122	71-8190		9901030169	50-352
	9510310034*	ISE		9901020093*	50-352
	9901110011	NUREG		9901020291	50-352

218 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9601020002*	50-275	P	9601290309	50-344	F
	9601020003*	50-275	P	9601290345	50-344	S
	9601020003*	50-275	P	9601240129	CONTRACT	
	9601020294	50-275	F	9601000001	50-290	F
	9601030012	50-275	P			
	9601030013*	50-275	P	9601000002	50-298	Q
	9601030232	50-133	P	9601000076	50-333	P
	9601030235*	50-133	P	9601000112	50-333	P
	9601101159	50-275	P	9601170211	50-255	F
	9601160272	50-275	S	9601180222	50-333	S
	9601190150	50-275	P	9601180434	50-255	F
	9601190162*	50-275	P	9601180490	50-255	F
	9601230137	50-275	P	9601190215	50-333	R
	9601230137	50-275	P	9601220045	50-255	P
	9601230141*	50-275	P	9601220138	50-333	P
	9601230141*	50-275	P	9601230103	50-255	P
	9601230145*	50-275	P	9601240047	50-255	F
	9601230145*	50-275	P	9601280110	50-255	R
	9601230164	50-275	P	9601290504	50-255	F
	9601230169*	50-275	P	9601300043	71-0159	
	9601290193*	50-275	P	9601300145	50-255	P
	9601290212	50-275	R	9601300228	50-333	P
	9601290212	50-275	R	9601300228*	50-333	P
	9601290454	50-275	R	9601300270*	50-333	P
	9601290454	50-275	R	9601310185*	50-255	F
	9601300184	50-275	Q	9601310188*	50-255	F
Pacific Scientific	9601250377	QA999		9601280203*	71-0000	
Pacific Testing Laboratory	9601190417	71-0000		9601110253	40-6857	
	9601190422*	71-0000		9601110194*	ORG	
	9601190431*	71-0000		9601190304	71-8069	
Panhandle NDT & Inspection, Inc.	9601190101	71-0000		9601170145	50-257	F
	9601240107	71-0000		9601250032	50-257	W
	9601240107	71-0000		9601020229	50-354	P
	9601240210*	71-0000				
	9601240220	71-0000				
	9601290200	71-0000		9601020231*	50-354	P
Parklander Mines Corp.	9601290205*	71-0000		9601020235	50-272	P
	9601040018	40-6622		9601020235	50-272	P
	9601040185	40-6622		9601020245*	50-272	P
	9601160158	40-6622				
	9601180320	40-2259		9601020245*	50-272	P
	9601180322	40-6622		9601020246	50-354	Q
	9601180390*	40-6622		9601020250	50-272	V
	9601220079	40-2259		9601020250	50-272	V
	9601230353	40-6622		960102027	50-354	S
Paul Scherer Institute	9601230351*	52-4		9601030014	50-272	K
	9601230355*	52-4		9601030014	50-272	K
	9601230373*	52-4		9601030015*	50-272	K
	9601230378*	52-4		9601030015*	50-272	K
	9601230385*	52-4		9601030016	50-354	K
	9601230392*	52-4		9601030020*	50-354	K
	9601230396*	52-4		9601030032	50-272	S
	9601230404*	52-4		9601040250	50-277	H
Pennsylvania Power & Light Co.	9601020107	50-387	F	9601050062	50-354	O
	9601160238	50-387	S	9601050071	50-354	S
	9601160426	50-387	S	9601050082	50-354	S
	9601170040	50-388	P	9601050088	50-272	S
	9601170042*	50-388	P	9601110185	50-275	R
	9601170044*	50-388	P	9601110185	50-275	R
	9601170067	50-387	S	9601110185	50-272	R
	9601170375	50-387	P	9601160002	50-354	S
	9601180278	50-388	Q	9601160003	50-354	S
	9601180278*	50-388	Q	9601160004	50-354	S
	9601230157	50-387	P	9601160030*	50-272	D
	9601230202	50-387	R	9601160065	50-354	S
	9601260211	50-387	P	9601160155	50-272	P
	9601260211	50-387	P	9601160155	50-272	P
	9601260341	50-387	Q	9601160178*	50-272	P
	9601260341	50-387	Q	9601160178*	50-272	P
	9601310210	50-387	P	9601160180	50-272	F
	9601310228*	50-387	P	9601170182	50-354	F
	9601310228*	50-387	P	9601170182*	50-354	F
Pennsylvania State Univ., Harrisburg, PA	9612270038	60-5	R	9601170172*	50-354	F
	9601050083	FOIA		9601180112	50-354	S
	9601100050	FOIA		9601180145	50-272	P
	9601240153	CONTRACT		9601180145	50-272	P
	9601240176	CONTRACT		9601180157	50-354	Q
Pennsylvania, Commonwealth of	9601030318*	NUREG		9601190220	50-311	R
	9601030318*	NUREG		9601190222	50-354	R
	9601180107*	COMMISSION	N	9601190225*	50-354	R
People's Action for Safe Environment	9601290217	50-313	H	9601190260	50-272	R
Platform Resources, Ltd.	9601300121	40-6622		9601190410	50-272	P
	9601310004	40-6622		9601190410	50-272	P
Portland General Electric Co.	9601020223	50-344	P	9601190410	50-272	P
	9601020226*	50-344	P	9601190414*	50-272	P
	9601020252	50-344	F	9601190414*	50-272	P
	9601020258	50-344	P	9601190414*	50-272	P
	9601030050*	50-344	P	9601190424	50-311	S
	9601230142	50-344	H	9601230014	50-354	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9601230082	50-272	S	Sierra Nuclear, Inc.	9601110148	71-8285	
	9601230102*	50-272	S		9601110153*	71-8288	
	9601230158	50-272	R	Small Business Administration	9601260121	71-8288	
	9601230191	50-311	R		9601160435*	COMMISSIO	N
	9601230406	50-354	F		9601240117	CONTRACT	
	9601290182	50-354	R		9601240122	CONTRACT	
	9601290358	50-354	S		9601240184	CONTRACT	
	9601310233	50-272	V		9601240175	CONTRACT	
Pulse Electronics Corp.	9601240273	CONTRACT			9601240182	CONTRACT	
Pulsar Data Systems, Inc.	9601240208	CONTRACT			9601240214	CONTRACT	
	9601290286	NUREG			9601240222	CONTRACT	
Purdue Univ., West Lafayette, IN	9601340020	40-8905			9601240267	CONTRACT	
Quinria Mining Co.	9601150428	40-8905			9601250030	CONTRACT	
	9601310056	40-8905		Socysts, Inc.	9601240212	CONTRACT	
	9601310081*	40-8905			9601240306	CONTRACT	
	9601310105	40-8905		South Carolina Electric & Gas Co.	9601202075	50-395	Q
RMI Co.	9601040222	40-2384			9601160025	50-395	R
	9601040226	40-2384			9601160246	50-395	F
RUST Environment & Infrastructure, Inc.	9601250007	40-2384			9601230104	50-395	P
(formerly SEC Donohue)	9601160115*	40-8500			9601230107*	50-395	P
	9601190448*	WASTE MGT			9601230112*	50-395	P
	9601240126*	40-341			9601230282	50-395	H
Radiation Physics Consultants, Inc.	9601040079*	NUREG		South Carolina, State of	9601200434	50-395	P
Radiation Safety Associates, Inc.	9601240216	CONTRACT			9601800070	STATE PRO	G
	9601190305	71-17			9601300279	STATE PRO	G
Rhode Island, State of	9601180118	50-193	P	Southern California Edison Co.	9601020307	50-361	S
	9601020067	50-244	P		9601030408	50-208	F
Rochester Gas & Electric Corp.	9601020060*	50-244	P		9601030413	50-208	F
	9601020322	50-244	P		9601030413	50-208	S
	9601030008	50-244	P		9601160398	50-361	P
	9601030010*	50-244	P		9601160430	50-361	P
	9601050048	50-244	F		9601160430	50-361	P
	9601160085	50-244	F		9601160433*	50-361	P
	9601160288	50-244	Q		9601160433*	50-361	P
	9601230358	50-244	Q		9601170273	50-361	P
	9601230400	50-244	R		9601180270	50-208	F
	9601250234	50-244	R		9601220345	40-361	R
	9601300300	50-244	P		9601220348*	50-361	R
	9601300307*	50-244	P		9601220348*	50-361	R
	9601300309*	50-244	P		9601220348*	50-361	R
Ropes & Gray	9601180130	50-29	S		9601220348*	50-361	R
	9601180141	50-29	S		9601230185	50-208	F
Rosemount, Inc.	9601180411	PT21		Southern Nuclear Operating Co.	9601180378	50-208	F
S.K. McBryde, Inc.	9601280229	71-9088			9601180012	50-348	H
	9601280229	71-9088			9601180434	50-348	P
SCIENTECH, Inc.	9601240195	CONTRACT			9601170115	50-348	R
Sacramento Municipal Utility District	9601230216	50-312	J		9601170194	50-348	P
	9601230342	50-312	P		9601170194	50-348	P
	9601230392*	50-312	P		9601170212*	50-348	P
	9601300005	50-312	W		9601170212*	50-348	P
	9601300007*	50-312	W		9601180171	50-348	F
Science & Engineering Associates, Inc.	9601240082	CONTRACT			9601180220	50-348	P
	9601240087	CONTRACT		Southwest Research Institute	9601040108*	NUREG	
Science Applications International Corp.	9601230176	NUREG			9601040113*	NUREG	
(formerly Science Applications, Inc.)	9601040277	NUREG			9601040117*	NUREG	
	9601240187	CONTRACT			9601040120*	NUREG	
	9601260080*	ORG			9601040125*	NUREG	
	9601260083	CONTRACT			9601040130*	NUREG	
	9601290218	NUREG			9601250290	NUREG	
	9601290258	NUREG			9601310028*	50-315	Q
Scientific Ecology Group, Inc.	9601230058*	40-8940			9601310032*	50-315	Q
	9601240088	CONTRACT		Southwestern Bell Telephone Co.	9601240189	CONTRACT	
	9601240126	CONTRACT		Spain, Govt. of	9601230189	XPORTLUC	
Senate	9601170368*	FOIA		Spielge & McDermid	5402100053*	50-368	G
	9601170368*	FOIA		SL Louis Univ., St. Louis, MO	9601300068	CONTRACT	
Sequoyah Fuels Corp.	9601050122	40-8027		Standard Oil Co. of Indiana (see also AMOCO)	9601040308*	40-7604	
	9601050128	40-8027		State, Dept. of	9601020129	XPORTLUC	
	9601180041	40-8027			9601250003	CONTRACT	
	9601180044*	40-8027			9601260096*	COMMISSIO	N
	9601180374	40-8027			9601110046	FOIA	
	9601240058	40-8027		Stocker & Yale, Inc.	9601220248	XPORTLUC	
	9601240063*	FOIA		Sweden, Govt. of	9601250082	FOIA	
	9601290128*	FOIA		Synco International Corp.	9601250140	71-8289	
	9601290135*	FOIA		T&K Inspection	9601250424*	WASTE MGT	
Shaw, Pittman, Potts & Trowbridge	9601020182	50-440	P	TRW Environmental Safety Systems, Inc.	9601230428*	WASTE MGT	
	9601050138	50-424	G		9601020004	50-259	P
Shepherd Miller, Inc.	9601040030*	40-1182		Tennessee Valley Authority	9601020004	50-259	P
Shinkai Metalurgical Corp.	9601180342	40-8948			9601020004	50-259	P
	9601180380	40-8948			9601020005*	50-259	P
	9601180401	40-8948			9601020005*	50-259	P
	9601180238*	FOIA			9601020005*	50-259	P
Shoss Radiological Group, Inc.	9601180177	XPORTLUC			9601030068	50-360	P
Siemens Corp.	9601030119*	50-341	P		9601160114	50-328	P
Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear	9601040294	70-1257			9601160118*	50-328	P
	9601050165	70-1257			9601160223	50-327	P
	9601050180*	70-1257			9601160223	50-327	P
	9601300313	XPORTLUC			9601160227*	50-327	P
	9601310060	TOPREP			9601160227*	50-327	P

220 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9601180581	50-259	P	9601310007	50-259	P
	9601170049	50-327	S	9601180288	50-348	R
	9601170481	50-327	P	9601290242	50-348	P
	9601170181	50-327	P	9601240132	CONTRACT	
	9601170185*	50-327	P	9601260136	70-1426	
	9601170185*	50-327	P	9601260157	70-1426	
	9601170257	50-259	P	9601260164*	70-1426	
	9601170291	50-259	P	9601260194	71-*****	
	9601170291	50-259	P	9601110126*	FOIA	
	9601170291	50-259	P	9601240006	71-9259	
	9601170296*	50-259	P	9601260062	50-250	F
	9601170296*	50-259	P	9601300169*	50-244	G
	9601170296*	50-259	P	9601320186	27-48	
	9601170326	50-259	Q			
	9601170342	50-259	Q	9601020211	27-48	
	9601170342	50-259	Q	9601020129	XPORTLUC	
	9601180055	50-327	S	9601240810	XPORTLUC	
	9601180291	50-390	R	9601180097	40-6671	
	9601180407	50-327	S	9601170339	40-299	
	9601180105	50-390	S	9601180296	40-299	
	9601180130	50-327	P	9601240122	CONTRACT	
	9601180130	50-327	P	9601030630	50-453	F
	9601180276	50-259	R	9601060095	50-453	P
	9601180276	50-259	R	9601110163	50-453	P
	9601180276	50-259	R	9601160054	50-463	P
	9601180326*	50-259	R	9601160087*	50-463	P
	9601180326*	50-259	R	9601180439	50-463	Q
	9601220152	50-327	P	9601170093	50-463	P
	9601220152	50-327	P	9601170103	50-463	R
	9601220182	50-327	P	9601180124	50-463	P
	9601230026	50-327	S	9601290276	50-463	F
	9601230171	50-327	R	9601310009	50-283	F
	9601230304	50-259	F	9601230427	40-6452	
	9601230304	50-259	F	9601040175	40-6607	
	9601230304	50-259	F	9601180457	40-6607	
	9601240079	50-327	F	9601310019	40-6607	
	9601240079	50-327	F	9601020172	70-7001	
	9601260021	50-390	P	9601020205	70-7002	
	9601260136	50-326	S	9601040259	70-7001	
	9601260327	50-327	S	9601040259	70-7002	
	9601260369	50-259	F	9601050245	70-7001	
	9601260369	50-390	F	9601050256*	70-7001	
	9601260479	50-259	F	9601110142	70-7002	
	9601260479	50-259	F	9601160035	70-7002	
	9601300002	50-327	F	9601160038	70-7001	
	9601300170	50-390	S	9601170272	70-7002	
	9601300173*	50-390	S	9601170288	70-7001	
	9601300174*	50-390	S	9601170325	70-7002	
	9601310039	50-390	P	9601170329	70-7002	
Tennessee, Univ. of, Knoxville, TN	9601260370	REVIEW GR	P	9601170332*	70-7002	
Testco, Inc.	9601180131*	STATE PRO	Q	9601220179	70-7002	
	9601180139*	STATE PRO	Q	9601220181	70-7001	
Texas Utilities Co.	9601260423	71-5259		9601240116	70-7001	
	9601170256*	50-445	Q	9601240314	70-7001	
Texas Utilities Electric Co. (TU Electric)	9601060051	50-445	P	9601240316*	70-7001	
	9601110156	50-445	S	9601240319	70-7002	
	9601110247	50-445	Q	9601240320	70-7001	
	9601110247	50-445	Q	9601240321	70-7002	
	9601180197	50-445	P	9601240323*	70-7002	
	9601180197	50-445	P	9601250043	70-7001	
	9601180196*	50-445	P	9601250050	70-7002	
	9601180196*	50-445	P	9601300222	70-7001	
	9601180196*	50-445	P	9601300227*	70-7001	
	9601180202	50-445	P	9601310070	70-7001	
	9601180208	50-445	P	8103270861*	FOIA	
	9601180208	50-445	F	9601030114	WASTE MGT	
	9601180208	50-445	F	9601040040	40-3453	
	9601180212	50-445	P	9601180335	40-8681	
	9601180216	50-445	P	9601180478	WASTE MGT	
	9601160389	50-445	P	9601180479	WASTE MGT	
	9601180370*	50-445	P	9601220085	STATE PRO	G
	9601180572*	50-445	P	9601220150	STATE PRO	G
	9601230012	50-445	R	9601250218*	40-8681	
	9601230079	50-445	P	9601250219*	40-8681	
	9601250257*	ORG		9601250220*	40-8681	
	9601250319	50-445	P	9601180349	71-9198	
	9601260318	50-445	P	9601180349*	71-9198	
	9601260321*	50-445	P	9601260193	50-345	Y
	9601260321*	50-445	P	9601260212	72-1004	
	9601300044	50-445	Q	9601020314	50-271	Q
	9601300044	50-445	Q	9601030027	50-271	P
	9601300127	50-445	P	9601030100	50-271	R
	9601300127	50-445	P	9601040292	50-271	P
Texas, State of	9601170155	STATE PRO	G	9601050102	50-271	P
	9601220076	STATE PRO	G	9601180054	50-271	S
Toledo Coalition for Safe Energy	9601220024	STATE PRO	G	9601170035	50-271	F
	9601250209	50-348	H	9601180290	50-271	Q
	9601250225	50-348	H	9601190147	50-271	Q

CORPORATE SOURCE INDEX 221

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	960122008	50-271		9601230225*	52-3
	9601220107*	50-271		9601230278	52-3
Veterans Admin. Medical Center, Ludington, KY	9601220144	NUREG		9601240253	CONTRACT
Veterans Admin. Medical Center, Salt Lake City, UT	960160274*	FOIA		9601260143*	50-316
				9601250201	52-3
					</

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
03-0240-1987 R02	9601290065*	50-238	P GL-87-02	NUREG-1630	9601290164	NUREG	
1000-PLN-1300.01 R10	9601290126	50-218	F	NUREG/BR-0052 R02	9601290139	NUREG	
2 R00	9601290039*	40-2384		NUREG/BR-0195 R01	9601290137	NUREG	
24A5163 R00	9601290011*	50-245	P	NUREG/BR-0200 R01	9601290136	NUREG	
3 R00	9601290011*	40-2384		NUREG/CR-2507 V14	9601290270	NUREG	BNL-NUREG-51591
4 R00	9601290019*	40-2384		NUREG/CR-4574 V21	9601290218	NUREG	ORNL/NCAC-232
41	9601090339*	NUREG		NUREG/CR-4574 V22	9601290235	NUREG	ORNL/NCAC-232
450DC-95.1	9601110182*	50-275	P	NUREG/CR-6100 ERR	9601290151	NUREG	INEL-84/0150
839.02-89-201	9601040373	50-235	F	NUREG/CR-6172	9601290277	NUREG	BNL-NUREG-52426
879.07-85-191	9601040344	ORG		NUREG/CR-6255 V02	9601290268	NUREG	INEL-85/0073
94V70-13 R01	9601090029*	50-341	P	NUREG/CR-6348	9601290290	NUREG	CHNRA 95-005
95-007 ADD	9601290332*	40-3453		NUREG/CR-6368	9601290176	NUREG	SEA 95-554-06A9
95-2286.01	9601230279*	50-458	P	NUREG/CR-6420	9601290169	NUREG	
A-0028	9601090177*	FOIA		QA-88-21	9601040218*	WASTE MGT	HLWR
A-0038 R01	9601090182*	FOIA		ORG/96A-04	9601160058	ORG	
BAW-10163-A	9601290379*	TOPREP		ORG/96A-05	9601290310	ORG	
BAW-10203 R00	9601290220*	50-488	P	ORNL-0400-51 R04	9601160088*	50-270	P HLWR
BAW-10204 R02	9601290237*	50-488	P	OQA-SA-88-001	9601190113*	WASTE MGT	HLWR
BAW-2253	9601260330*	50-302	P	OQA-SA-88-007	9601110171*	WASTE MGT	P
BAW-2254	9601260335*	50-302	P	PSM2	9601090081*	50-341	P
BAW-2258	9601230316*	50-237	P	PGE-1081	9601090225*	50-344	P
BAW-2259	9601230321*	50-237	P	PMFR 96-03	9601180037*	WASTE MGT	HLWR
CEN-428-NP R01	9601180327*	50-238	P	PNC-219365 92-006	9601290203*	71-*****	
CEN-428-NP R00	9601230313*	50-451	P	RA-93-10	9601290290*	52-3	
CHNRA 95-023	9601310249*	WASTE MGT	HLWR	RGE-94-004 R01	9601160072*	50-445	P
DC03650-001 R00	9601230107*	50-395	P	RGE-95-002 R01	9601160070*	50-445	P
DC03650-002 R00	9601230112*	50-395	P	SECY-88-320	9601290049*	FOIA	
DC6/AL/82350-210 R01	9601110179*	WASTE MGT		SECY-89-280	9601300034	SECY	
DCE/EA-1071	9601220022*	PROJ		SECY-92-184 ERR	9601290277	SECY	
DCE/ID/12584-240	9601160115*	40-6500		SECY-92-214 ERR	9601290284	SECY	
DCE/RW-0333P R03	9601050183*	71-788		SECY-95-275	9511900025	SECY	
DCE/RW-0333P R04	9601040384*	WASTE MGT	HLWR	SECY-95-284	9601290008	SECY	
EA-TAM-95-05 R00	9601290317*	50-255	P	SECY-95-286	9601290033	SECY	
ERS-SFL-95-006 R00	9601180281*	50-334	P	SECY-95-293	9601250214	SECY	
GENE-523-A135-1295	9601180295*	50-245	P	SECY-95-294	9512270043	SECY	
GENE-537-043-0265	9601240001*	50-263	P	SECY-95-296	9601020027	SECY	
INEL-84/0084	9601310134*	ORG	FIN E-8247	SECY-95-300	9601030131	SECY	
INEL-84/0084	9601310136*	ORG	FIN E-8247	SECY-95-301	9601030125	SECY	
INEL-84/0084	9601310137*	ORG	FIN E-8247	SECY-95-302	9601030144	COMMISSIO	N
INEL-84/0084	9601310138*	ORG	FIN E-8247	SECY-95-305	9601160018	COMMISSIO	N
INEL-84/0084	9601310139*	ORG		SECY-95-307	9601250165	SECY	
INEL-84/0094	9601510142*	ORG	FIN E-8247	SECY-95-308	9601040094	SECY	
INEL-85/0380	9601180085*	50-270	P	SECY-96-004	9601180235	SECY	GL-88-10
INEL-85/0387	9601090339*	STATE PROJ	G FIN E-8244	SECY-96-006	9601220244	SECY	
IRPO 95-008	9601170016	ORG		SECY-96-008	9601290291	COMMISSIO	N
ITS/NRC/96-4	9601020074*	50-269	P NRC-93-90-027	SECY-96-007	9601250027	SECY	
MP2-RELAY RPT R00	9601290087*	50-338	P GL-87-02	SECY-96-008	9601190418	SECY	
MP2-SEIS RPT R00	9601290090*	50-338	P GL-87-02	SECY-96-009	9601290233	SECY	
NE-1050 R00	9601250129	50-280	P 95-004	SECY-96-012	9601250270	COMMISSIO	N
NEC-323200 R01	9601090123*	50-341	P	SG-95-12-010	9601250143*	50-315	P
NEDO-21328	9601290234*	72-1		SG/95/27	9601240229*	40-3453	
NSPNAO-9608-A R04	9601170279*	50-260	P	TMTB 0010-0801.21-1	9601030042*	50-341	P
NSPNAO-9609-A R03	9601170289*	50-260	P	TO-4-5 R00	9601250016*	40-2384	
NUREG-0640 V19 N03	9601290256	NUREG		USEC/EA-95001	9601090236*	70-7001	
NUREG-0640 V17 N10	9601090190	NUREG		WCAP-14040	9601090245*	TOPREP	
NUREG-0750 V42 N04	9601180298	NUREG		WCAP-14040-NP-A R02	9601190196*	PROJ	
NUREG-0837 V15 N03	9601290199	NUREG		WCAP-14536	9601290404*	50-334	P
NUREG-0833 S10	9601290258	NUREG		WCAP-14588	9601300132*	50-445	P
NUREG-1085 R02	9601290207	NUREG		YAES-1907 R02	9601190960*	50-309	P
NUREG-1323 R01	9601290272	NUREG		YAES-1908 R01	9601220107*	50-271	P
NUREG-1415 V08 N01	9601290401	NUREG		YM-ARC-96-03	9601290370*	WASTE MGT	
				YMP-8R-96-005	9601290385*	WASTE MGT	

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document, the date issued, and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
7901310103	9601020055	95/11/21	FOIA	9607300489	9601020055	95/11/21	FOIA
7902270245	9601020055	95/11/21	FOIA	9608120035	9601020055	95/11/21	FOIA
7907130092	9601020055	95/11/21	FOIA	9703170236	9601020055	95/11/21	FOIA
7908130074	9601020055	95/11/21	FOIA	9704070028	9601110048	95/01/04	FOIA
7911230050	9601020055	95/11/21	FOIA	9704070061	9601110048	95/01/04	FOIA
8003170307	9601050096	95/12/21	FOIA	9706080269	9601020055	95/11/21	FOIA
8003170311	9601050096	95/12/21	FOIA	9706090191	9601110048	95/01/04	FOIA
8003240344	9601050096	95/12/21	FOIA	9710060199	9601110048	95/01/04	FOIA
8003240347	9601050096	95/12/21	FOIA	9710060235	9601020055	95/11/21	FOIA
8005010393	9601050096	95/12/21	FOIA	9710060248	9601020055	95/11/21	FOIA
8010260212	9601020055	95/11/21	FOIA	9710060257	9601020055	95/11/21	FOIA
8010260216	9601020055	95/11/21	FOIA	9711080148	9601110048	95/01/04	FOIA
8010260218	9601020055	95/11/21	FOIA	9711090162	9601110048	95/01/04	FOIA
8010260222	9601020055	95/11/21	FOIA	9711090177	9601110048	95/01/04	FOIA
8010260226	9601020055	95/11/21	FOIA	9801280032	9601020055	95/11/21	FOIA
8010260231	9601020055	95/11/21	FOIA	9801280047	9601020055	95/11/21	FOIA
8101360193	9601020055	95/11/21	FOIA	9801440364	9601020055	95/11/21	FOIA
8101820392	9601020055	95/11/21	FOIA	9801440367	9601020055	95/11/21	FOIA
8102060048	9601020055	95/11/21	FOIA	9801440368	9601020055	95/11/21	FOIA
8102270645	9601020055	95/11/21	FOIA	9807190131	9601110048	95/01/04	FOIA
8103270651	9601020055	95/11/21	FOIA	9811280049	9601100057	95/12/14	FOIA
8107140235	9601020055	95/11/21	FOIA	9812290293	9601100057	95/12/14	FOIA
8107140239	9601020055	95/11/21	FOIA	9812290295	9601100057	95/12/14	FOIA
8112140050	9601050096	95/12/21	FOIA	9801150293	9601100048	95/01/04	FOIA
8203050346	9601110048	95/01/04	FOIA	9801150337	9601100048	95/01/04	FOIA
8203050350	9601110048	95/01/04	FOIA	9806280124	9601020055	95/11/21	FOIA
8205270278	9601110048	95/01/04	FOIA	9806280138	9601020055	95/11/21	FOIA
8205270459	9601110048	95/01/04	FOIA	9809010240	9601020055	95/11/21	FOIA
8212060040	9601110048	95/01/04	FOIA	9812070109	9601020055	95/11/21	FOIA
8212060043	9601110048	95/01/04	FOIA	9812210224	9601020055	95/11/21	FOIA
8301110421	9601110048	95/01/04	FOIA	9107170141	9601110048	95/01/04	FOIA
8301110423	9601110048	95/01/04	FOIA	9110170196	9603030288	95/12/11	FOIA
8301110429	9601110048	95/01/04	FOIA	9110170200	9603030288	95/12/11	FOIA
8306170273	9601020055	95/11/21	FOIA	9201020055	9601020055	95/11/21	FOIA
8407310484	9601020055	95/11/21	FOIA	9201310196	9601020055	95/12/11	FOIA
8407310489	9601020055	95/11/21	FOIA	9201310204	9601030269	95/12/11	FOIA
8408070185	9601110048	95/01/04	FOIA	9202140342	9601020055	95/11/21	FOIA
8408070202	9601110048	95/01/04	FOIA	9203240162	9601020055	95/11/21	FOIA
8408070208	9601110048	95/01/04	FOIA	9204030280	9603060336	95/12/21	FOIA
8408070211	9601110048	95/01/04	FOIA	9205010189	9603020055	95/11/21	FOIA
8408070217	9601110048	95/01/04	FOIA	9211160397	9601020055	95/11/21	FOIA
8408070221	9601110048	95/01/04	FOIA	9308050172	9601290142	95/01/22	FOIA
8408070223	9601110048	95/01/04	FOIA	9308230084	9601030269	95/12/11	FOIA
8503040059	9601020055	95/11/21	FOIA	9402100053	9508200358	95/05/25	FOIA
8503040063	9601020055	95/11/21	FOIA	9501170144	9601020055	95/11/21	FOIA
8503040073	9601020055	95/11/21	FOIA	9505000345	9601290091	95/01/22	FOIA
8510260447	9601020055	95/11/21	FOIA	9505080301	9512000220	95/12/08	FOIA
8510260449	9601020055	95/11/21	FOIA	9506090330	9506280085	95/05/25	FOIA
8510260452	9601020055	95/11/21	FOIA	9507100095	9601290019	95/01/11	FOIA
8602070247	9601110048	95/01/04	FOIA	9507100102	9601290019	95/01/11	FOIA
8602070249	9601110048	95/01/04	FOIA	9507300111	9601290019	95/01/11	FOIA
8602070251	9601110048	95/01/04	FOIA	9510310034	9601290019	95/01/23	FOIA
8602070252	9601110048	95/01/04	FOIA	9511010039	9601160029	95/01/11	FOIA
8602070254	9601110048	95/01/04	FOIA	9511160333	9601290159	95/01/23	FOIA
8602070258	9601110048	95/01/04	FOIA	9511160465	9512200026	95/12/08	FOIA
8602070259	9601110048	95/01/04	FOIA	9512070035	9601160425	95/01/04	FOIA
8602070260	9601110048	95/01/04	FOIA	9512070066	9601160425	95/01/04	FOIA
8602070260	9601110048	95/01/04	FOIA	9512180508	9601240038	95/01/16	FOIA
8606190079	9601020055	95/11/21	FOIA	9512180509	9601110180	95/12/28	FOIA
8607110329	9601020055	95/11/21	FOIA	9612200026	9612200026	95/12/08	FOIA

226 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9512200034	9512200028	95/12/08	10CFR	9601020009	9601020073	95/12/13	70-3070
9512200039	9512200038	95/12/08	10CFR	9601020012	9601020010	95/12/20	50-186
9512200047	9512200028	95/12/08	10CFR	9601020013	9601020055	95/11/21	FOIA
9512200051	9512200028	95/12/08	10CFR	9601020018	9601020055	95/11/21	FOIA
9601020002	9601020001	95/12/27	50-275	9601020020	9601020017	95/12/21	50-186
9601020003	9601020001	95/12/27	50-275	9601020021	9601020055	95/11/21	FOIA
9601020005	9601020004	95/12/22	50-259	9601020022	9601020002	95/12/22	50-331
9601020021	9601020009	95/12/21	50-443	9601020023	9601020004	95/12/20	50-243
9601020022	9601020009	95/12/21	50-443	9601020024	9601020007	95/12/20	50-285
9601020023	9601020024	95/12/22	70-7002	9601020025	9601020008	95/12/20	50-244
9601020034	9601020026	95/12/27	50-277	9601020026	9601020007	95/12/20	50-295
9601020039	9601020057	95/12/21	50-244	9601020027	9601020012	95/12/20	50-275
9601020042	9601020058	95/12/25	50-259	9601020028	9601020014	95/12/20	50-272
9601020044	9601020050	95/12/27	50-259	9601020029	9601020055	95/11/21	FOIA
9601020070	9601020058	96/01/02	50-302	9601020030	9601020018	95/12/20	50-364
9601020074	9601020050	95/12/27	50-259	9601020031	9601020016	95/12/14	50-341
9601020076	9601020055	95/12/21	50-300	9601020032	9601020022	95/12/20	50-413
9601020084	9601020068	95/12/21	50-360	9601020033	9601020022	95/12/20	50-413
9601020087	9601020055	95/11/21	FOIA	9601020034	9601020038	95/12/20	50-483
9601020089	9601020055	95/12/21	50-390	9601020035	9601020038	95/12/20	50-483
9601020094	9601020058	95/12/21	50-393	9601020036	9601020018	95/12/14	50-341
9601020096	9601020060	95/12/20	50-395	9601020037	9601020055	95/11/21	FOIA
9601020098	9601020068	95/12/21	50-393	9601020038	9601020055	95/12/27	50-344
9601020102	9601020050	95/11/21	FOIA	9601020039	9601020055	95/11/21	FOIA
9601020106	9601020103	95/12/20	50-395	9601020040	9601020055	95/11/21	FOIA
9601020112	9601020103	95/12/20	50-395	9601020041	9601020055	95/11/21	FOIA
9601020122	9601020055	95/11/21	FOIA	9601020042	9601020055	95/11/21	FOIA
9601020123	9601020117	95/12/21	50-275	9601020043	9601020055	95/11/21	FOIA
9601020130	9601020127	95/12/20	50-397	9601020044	9601020055	95/11/21	FOIA
9601020131	9601020124	95/12/22	50-346	9601020045	9601020055	95/12/14	50-341
9601020141	9601020055	95/11/21	FOIA	9601020046	9601020055	95/12/27	50-352
9601020143	9601020055	95/11/21	FOIA	9601020047	9601020055	95/11/21	FOIA
9601020160	9601020055	95/11/21	FOIA	9601020048	9601020055	95/11/21	FOIA
9601020163	9601020055	95/11/21	FOIA	9601020049	9601020055	95/12/14	50-341
9601020165	9601020055	95/11/21	FOIA	9601020050	9601020055	95/11/21	FOIA
9601020177	9601020055	95/11/21	FOIA	9601020051	9601020055	95/11/21	FOIA
9601020180	9601020179	95/07/18	27-48	9601020052	9601020055	95/11/21	FOIA
9601020181	9601020179	95/07/18	27-48	9601020053	9601020055	95/12/20	40-8943
9601020184	9601020055	95/11/21	FOIA	9601020054	9601020055	95/11/21	FOIA
9601020185	9601020182	95/12/20	50-440	9601020055	9601020016	95/12/14	50-341
9601020188	9601020055	95/11/21	FOIA	9601020056	9601020055	95/12/27	50-289
9601020189	9601020055	95/11/21	FOIA	9601020057	9601020055	95/12/20	70-133
9601020190	9601020055	95/11/21	FOIA	9601020058	9601020055	95/11/21	FOIA
9601020191	9601020179	95/07/18	27-48	9601020059	9601020055	95/12/27	50-289
9601020195	9601020179	95/07/18	27-48	9601020060	9601020055	95/11/21	FOIA
9601020197	9601020179	95/07/18	27-48	9601020061	9601020055	95/12/14	50-341
9601020200	9601020179	95/07/18	27-48	9601020062	9601020055	95/11/21	FOIA
9601020201	9601020055	95/11/21	FOIA	9601020063	9601020055	95/12/14	50-341
9601020203	9601020195	95/12/20	50-352	9601020064	9601020055	95/12/20	50-360
9601020204	9601020179	95/07/18	27-48	9601020065	9601020055	95/12/14	50-341
9601020207	9601020179	95/07/18	27-48	9601020066	9601020055	95/12/20	71-135
9601020209	9601020206	95/12/20	50-289	9601020067	9601020055	95/12/20	50-289
9601020210	9601020179	95/07/18	27-48	9601020068	9601020055	95/12/20	50-289
9601020214	9601020179	95/07/18	27-48	9601020069	9601020055	95/12/20	50-289
9601020216	9601020179	95/07/18	27-48	9601020070	9601020055	95/11/21	FOIA
9601020219	9601020179	95/07/18	27-48	9601020071	9601020055	95/11/21	FOIA
9601020225	9601020223	95/12/27	50-344	9601020072	9601020055	95/11/21	FOIA
9601020227	9601020223	95/12/27	40-*****	9601020073	9601020055	95/12/22	50-295
9601020231	9601020229	95/12/26	50-354	9601020074	9601020055	95/11/21	FOIA
9601020235	9601020229	95/12/26	40-8392	9601020075	9601020055	95/11/21	FOIA
9601020241	9601020229	95/12/26	40-8392	9601020076	9601020055	95/11/21	FOIA
9601020244	9601020240	95/12/27	40-*****	9601020077	9601020055	95/11/21	FOIA
9601020245	9601020235	95/12/28	50-272	9601020078	9601020055	95/11/21	FOIA
9601020249	9601020246	95/12/27	50-168	9601020079	9601020055	95/11/21	FOIA
9601020254	9601020251	95/12/27	70-*****	9601020080	9601020055	95/12/20	50-380
9601020257	9601020055	95/11/21	FOIA	9601020081	9601020055	95/11/21	FOIA
9601020261	9601020055	95/11/21	FOIA	9601020082	9601020055	95/11/21	FOIA
9601020263	9601020262	95/12/27	50-482	9601020083	9601020055	95/11/21	FOIA
9601020266	9601020055	95/11/21	FOIA	9601020084	9601020055	95/12/20	50-381
9601020270	9601020055	95/11/21	FOIA	9601020085	9601020055	95/11/21	FOIA
9601020271	9601020265	95/12/27	50-285	9601020086	9601020055	95/11/21	FOIA
9601020272	9601020267	95/12/20	50-280	9601020087	9601020055	95/12/20	50-440
9601020274	9601020055	95/11/21	FOIA	9601020088	9601020055	95/11/21	FOIA
9601020280	9601020278	95/12/20	50-482	9601020089	9601020055	95/11/21	FOIA
9601020281	9601020055	95/11/21	FOIA	9601020090	9601020055	95/12/20	50-440
9601020284	9601020055	95/11/21	FOIA	9601020091	9601020055	95/11/21	FOIA
9601020286	9601020055	95/11/21	FOIA	9601020092	9601020055	95/12/20	50-285
9601020288	9601020055	95/11/21	FOIA	9601020093	9601020055	95/12/20	50-440
9601020290	9601020056	95/11/21	FOIA	9601020094	9601020055	95/11/21	FOIA
9601020295	9601020291	95/12/28	50-352	9601020095	9601020055	95/12/20	50-133
9601020298	9601020055	95/11/21	FOIA	9601020096	9601020055	95/12/27	50-285
9601020297	9601020291	95/12/28	50-352	9601020097	9601020055	95/12/20	TOP REF
9601020299	9601020296	95/12/21	50-308	9601020098	9601020055	95/12/20	50-245
9601020301	9601020055	95/11/21	FOIA	9601020099	9601020055	95/12/20	50-488
9601020303	9601020055	95/11/21	FOIA	9601020100	9601020055	95/12/27	50-369
9601020304	9601020055	95/11/21	FOIA	9601020101	9601020055	95/12/27	50-277
9601020308	9601020055	95/11/21	FOIA	9601020102	9601020055	95/12/27	50-369

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 227

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9601030254	9601030237	05/12/18	50-245 Q	9601040008	9601030259	05/12/11	NUREG
9601030255	9601030253	05/12/28	40-288	9601040010	9601040007	05/12/28	50-317 P
9601030256	9601030251	05/12/22	50-381 Q	9601040013	9601030255	05/11/21	FOIA
9601030261	9601030255	05/12/28	50-28	9601040015	9601030259	05/12/11	NUREG
9601030263	9601030259	05/12/28	40-288	9601040016	9601030255	05/11/21	FOIA
9601030264	9601030251	05/12/22	50-381 Q	9601040026	9601030255	05/11/21	FOIA
9601030265	9601030256	05/12/22	71-139	9601040028	9601040024	05/12/25	50-423 P
9601030272	9601030253	05/11/21	FOIA	9601040030	9601040023	05/12/15	40-1162
9601030273	9601030255	05/12/28	50-280 P	9601040031	9601040024	05/12/25	50-423 P
9601030274	9601030252	05/12/26	50-423 P	9601040038	9601030259	05/12/11	NUREG
9601030275	9601030259	05/12/11	NUREG	9601040043	9601030259	05/12/11	NUREG
9601030276	9601030256	05/11/21	FOIA	9601040048	9601030259	05/12/11	NUREG
9601030278	9601030255	05/12/26	50-280 P	9601040053	9601030259	05/12/11	NUREG
9601030279	9601030259	05/12/11	NUREG	9601040057	9601030255	05/11/21	FOIA
9601030280	9601030252	05/12/26	50-423 P	9601040060	9601030259	05/12/11	NUREG
9601030282	9601030255	05/11/21	FOIA	9601040062	9601030259	05/12/11	NUREG
9601030284	9601030259	05/12/11	NUREG	9601040065	9601030255	05/11/21	FOIA
9601030286	9601030277	05/12/26	STATE PRO G	9601040067	9601030259	05/12/11	NUREG
9601030288	9601030255	05/11/21	FOIA	9601040068	9601030259	05/12/11	NUREG
9601030290	9601030259	05/12/11	NUREG	9601040070	9601030259	05/12/11	NUREG
9601030292	9601030255	05/11/21	FOIA	9601040073	9601030259	05/12/11	NUREG
9601030293	9601030259	05/12/11	NUREG	9601040079	9601030259	05/12/11	NUREG
9601030295	9601030253	05/12/29	STATE PRO G	9601040079	9601030259	05/12/11	NUREG
9601030296	9601030259	05/12/11	NUREG	9601040083	9601030259	05/12/11	NUREG
9601030298	9601030259	05/12/11	NUREG	9601040085	9601030259	05/12/11	NUREG
9601030300	9601030259	05/12/07	40-8905	9601040088	9601030255	05/11/21	FOIA
9601030301	9601030259	05/12/11	NUREG	9601040093	9601030259	05/12/11	NUREG
9601030303	9601030259	05/12/11	NUREG	9601040100	9601030259	05/12/11	NUREG
9601030304	9601030259	05/12/11	NUREG	9601040103	9601030259	05/12/11	NUREG
9601030307	9601030253	05/11/21	FOIA	9601040105	9601030259	05/12/11	NUREG
9601030310	9601030255	05/11/21	FOIA	9601040109	9601030259	05/12/11	NUREG
9601030313	9601030259	05/12/11	NUREG	9601040109	9601030259	05/12/11	NUREG
9601030314	9601030259	05/12/26	50-280 P	9601040112	9601030259	05/12/11	NUREG
9601030317	9601030259	05/12/11	NUREG	9601040113	9601030259	05/12/11	NUREG
9601030319	9601030306	05/12/26	50-250 P	9601040117	9601030259	05/12/11	NUREG
9601030320	9601030255	05/11/21	FOIA	9601040118	9601030255	05/11/21	FOIA
9601030321	9601030259	05/12/11	NUREG	9601040120	9601030259	05/12/11	NUREG
9601030323	9601030259	05/12/11	NUREG	9601040124	9601030255	05/11/21	FOIA
9601030325	9601030259	05/12/11	NUREG	9601040126	9601030259	05/12/11	NUREG
9601030326	9601030259	05/12/11	NUREG	9601040129	9601030259	05/12/11	NUREG
9601030330	9601030259	05/12/11	NUREG	9601040130	9601030259	05/12/11	NUREG
9601030331	9601030259	05/12/11	NUREG	9601040133	9601030259	05/12/11	NUREG
9601030332	9601030255	05/11/21	FOIA	9601040143	9601030259	05/12/11	NUREG
9601030333	9601030255	05/11/21	FOIA	9601040147	9601030259	05/12/11	NUREG
9601030338	9601030259	05/12/11	NUREG	9601040156	9601030259	05/12/11	NUREG
9601030341	9601030255	05/11/21	FOIA	9601040164	9601030259	05/12/11	NUREG
9601030344	9601030335	05/12/29	50-272 P	9601040168	9601030255	05/11/21	FOIA
9601030346	9601030338	05/12/29	50-237 P	9601040172	9601030255	05/11/21	FOIA
9601030348	9601030337	05/12/10	STATE PRO G	9601040176	9601040160	05/12/27	50-237 P
9601030349	9601030259	05/12/11	NUREG	9601040179	9601040175	05/12/29	40-8907
9601030348	9601030255	05/11/21	FOIA	9601040201	9601030255	05/11/21	FOIA
9601030348	9601030259	05/12/29	50-237 P	9601040203	9601040160	05/12/27	50-237 P
9601030350	9601030259	05/12/11	NUREG	9601040208	9601030255	05/11/21	FOIA
9601030351	9601030255	05/11/21	FOIA	9601040218	9601040214	05/11/15	WASTE MGT
9601030355	9601030259	05/12/11	NUREG	9601040219	9601040217	05/12/29	50-276 Q
9601030357	9601030255	05/11/21	FOIA	9601040225	9601030255	05/11/21	FOIA
9601030358	9601030252	05/12/26	50-423 P	9601040231	9601040227	05/01/02	50-317 P
9601030359	9601030254	05/12/20	50-308 Q	9601040240	9601040238	05/12/07	70-825
9601030362	9601030255	05/12/26	50-423 P	9601040243	9601040237	05/12/29	50-245 P
9601030363	9601030259	05/12/11	NUREG	9601040248	9601040237	05/12/29	50-245 P
9601030364	9601030259	05/12/11	NUREG	9601040258	9601040255	05/12/18	40-7604
9601030365	9601030255	05/11/21	FOIA	9601040259	9601040254	05/12/08	40-7604
9601030367	9601030259	05/12/29	50-445 Q	9601040268	9601040255	05/12/20	70-825
9601030368	9601030259	05/12/11	NUREG	9601040274	9601040271	05/12/29	50-382 Q
9601030370	9601030330	05/12/29	50-445 Q	9601040276	9601040271	05/12/29	50-382 Q
9601030371	9601030255	05/11/21	FOIA	9601040287	9601040284	05/12/29	50-285 Q
9601030374	9601030259	05/12/28	50-285 F	9601040288	9601030255	05/11/21	FOIA
9601030375	9601030259	05/12/11	NUREG	9601040297	9601040294	05/12/29	50-285 Q
9601030377	9601030255	05/11/21	FOIA	9601040302	9601040296	05/12/03	40-7604
9601030378	9601030259	05/12/11	NUREG	9601040304	9601030255	05/11/21	FOIA
9601030379	9601030373	05/12/25	50-445 Q	9601040306	9601040296	05/12/05	40-7604
9601030381	9601030259	05/12/11	NUREG	9601040310	9601030255	05/11/21	FOIA
9601030382	9601030259	05/12/11	NUREG	9601040317	9601040291	05/12/25	FOIA
9601030383	9601030259	05/12/11	NUREG	9601040325	9601030255	05/11/21	FOIA
9601030385	9601030385	05/12/26	50-284 P	9601040326	9601040318	05/01/02	50-390 P
9601030388	9601030337	05/12/10	STATE PRO G	9601040331	9601030255	05/11/21	FOIA
9601030389	9601030255	05/11/21	FOIA	9601040333	9601040326	05/01/02	50-423 P
9601030394	9601030255	05/11/21	FOIA	9601040336	9601030255	05/11/21	FOIA
9601030397	9601030259	05/12/11	NUREG	9601040342	9601030255	05/11/21	FOIA
9601030410	9601030259	05/12/11	NUREG	9601040350	9601030255	05/11/21	FOIA
9601030411	9601030255	05/11/21	FOIA	9601040357	9601030255	05/11/21	FOIA
9601030416	9601030255	05/11/21	FOIA	9601040382	9601030255	05/11/21	FOIA
9601030417	9601030259	05/12/11	NUREG	9601040388	9601030259	05/12/11	NUREG
9601040002	9601030259	05/12/11	NUREG	9601040371	9601030255	05/11/21	FOIA
9601040003	9601030259	05/12/11	NUREG	9601040375	9601040369	05/01/02	50-383 P
9601040004	9601030259	05/12/11	NUREG	9601040376	9601040370	05/12/29	50-458 P
9601040008	9601040007	05/12/28	50-317 P	9601040378	9601030255	05/11/21	FOIA

228 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9801040382	9801040379	05/12/20	50-413 F	9801050320	9801020055	05/11/21	FOIA
9801040384	9801040380	05/12/15	WASTE MGT	9801050323	9801020055	05/11/21	FOIA
9801050003	9812200224	05/12/20	WASTE MGT	9801050324	9801050319	05/01/03	50-237 F
9801050006	9801020055	05/11/21	FOIA	9801050333	9801020055	05/11/21	FOIA
9801050009	9801020055	05/11/21	FOIA	9801100040	9801100045	05/12/21	FOIA
9801050012	9801020055	05/11/21	FOIA	9801100054	9801100053	05/01/02	40-8102
9801050020	9801020055	05/11/21	FOIA	9801100068	9801100057	05/12/14	FOIA
9801050022	9801020055	05/11/21	FOIA	9801100069	9801100057	05/12/14	FOIA
9801050027	9801020025	05/12/16	70-135	9801100060	9801100057	05/12/14	FOIA
9801050037	9801020055	05/11/21	FOIA	9801100061	9801100057	05/12/14	FOIA
9801050039	9801020055	05/11/21	FOIA	9801100061	9801100057	05/12/14	FOIA
9801050043	9801020055	05/11/21	FOIA	9801100064	9801020055	05/11/21	FOIA
9801050047	9801020055	05/11/21	FOIA	9801100065	9801020055	05/11/21	FOIA
9801050053	9801020055	05/11/21	FOIA	9801100067	9801020055	05/11/21	FOIA
9801050059	9801020055	05/11/21	FOIA	9801100068	9801020055	05/11/21	FOIA
9801050066	9801050060	05/12/22	50-401 Q	9801100010	9801020055	05/11/21	FOIA
9801050066	9801020055	05/11/21	FOIA	9801100014	9801100011	05/12/29	NUREG
9801050075	9801050064	05/12/28	50-413 F	9801100018	9801100011	05/12/29	NUREG
9801050076	9801020055	05/11/21	FOIA	9801100018	9801020055	05/11/21	FOIA
9801050100	9801050091	05/01/02	50-352 Q	9801100019	9801100011	05/12/29	NUREG
9801050101	9801050096	05/12/24	50-29 Q	9801100020	9801100011	05/12/29	NUREG
9801050107	9801050096	05/12/21	FOIA	9801100022	9801100011	05/12/29	NUREG
9801050110	9801050096	05/12/21	FOIA	9801100025	9801100011	05/12/29	NUREG
9801050114	9801050096	05/12/24	50-29 G	9801100026	9801100011	05/12/29	NUREG
9801050124	9801050096	05/12/26	50-29 Q	9801100027	9801020055	05/11/21	FOIA
9801050125	9801050123	05/12/22	40-****	9801100029	9801100011	05/12/29	NUREG
9801050133	9801050096	05/12/21	FOIA	9801100030	9801100016	05/01/03	50-305 F
9801050134	9801050096	05/12/24	50-29 G	9801100031	9801020055	05/11/21	FOIA
9801050136	9801050096	05/12/21	FOIA	9801100032	9801100016	05/01/03	50-305 F
9801050140	9801050096	05/12/24	50-29 G	9801100033	9801100011	05/12/29	NUREG
9801050143	9801050135	05/12/21	50-424 G	9801100035	9801020055	05/11/21	FOIA
9801050145	9801050096	05/12/24	50-29 G	9801100036	9801100011	05/12/29	NUREG
9801050152	9801050096	05/12/24	50-29 G	9801100038	9801100011	05/12/29	NUREG
9801050155	9801050096	05/12/21	FOIA	9801100039	9801020055	05/11/21	FOIA
9801050160	9801050096	05/12/21	FOIA	9801100041	9801100011	05/12/29	NUREG
9801050162	9801050096	05/12/21	FOIA	9801100042	9801020055	05/11/21	FOIA
9801050163	9801050158	05/08/10	71-789	9801100045	9801020055	05/11/21	FOIA
9801050164	9801050096	05/12/21	FOIA	9801100047	9801100011	05/12/29	NUREG
9801050166	9801050096	05/12/21	FOIA	9801100056	9801020055	05/11/21	FOIA
9801050169	9801020055	05/11/21	FOIA	9801100059	9801020055	05/11/21	FOIA
9801050170	9801020055	05/11/21	FOIA	9801100063	9801020055	05/11/21	FOIA
9801050180	9801050166	05/12/20	70-1287	9801100069	9801100049	05/01/04	FOIA
9801050182	9801050166	05/12/27	COMBESSIO N	9801100070	9801020055	05/11/21	FOIA
9801050185	9801050166	05/12/27	COMBESSIO N	9801100071	9801100049	05/01/04	FOIA
9801050188	9801020055	05/11/21	FOIA	9801100075	9801100049	05/01/04	FOIA
9801050201	9801020055	05/11/21	FOIA	9801100077	9801100048	05/01/04	FOIA
9801050205	9801020055	05/11/21	FOIA	9801100079	9801100048	05/01/04	FOIA
9801050210	9801020055	05/11/21	FOIA	9801100080	9801020055	05/11/21	FOIA
9801050212	9801020055	05/01/02	50-254 Q	9801100081	9801100048	05/01/04	FOIA
9801050214	9801020055	05/11/21	FOIA	9801100086	9801020055	05/11/21	FOIA
9801050217	9801020055	05/11/21	FOIA	9801100090	9801100048	05/01/04	FOIA
9801050218	9801020055	05/11/21	FOIA	9801100091	9801020055	05/11/21	FOIA
9801050220	9801020055	05/11/21	FOIA	9801100093	9801020055	05/11/21	FOIA
9801050221	9801020055	05/11/21	FOIA	9801100101	9801020055	05/11/21	FOIA
9801050222	9801020055	05/11/21	FOIA	9801100102	9801020055	05/11/21	FOIA
9801050223	9801020055	05/11/21	FOIA	9801100121	9801100048	05/01/04	FOIA
9801050224	9801020055	05/11/21	FOIA	9801100123	9801100048	05/01/04	FOIA
9801050225	9801020055	05/11/21	FOIA	9801100126	9801100048	05/01/04	FOIA
9801050226	9801020055	05/11/21	FOIA	9801100128	9801100048	05/01/04	FOIA
9801050229	9801020055	05/11/21	FOIA	9801100130	9801100048	05/01/04	FOIA
9801050236	9801050234	05/12/21	WASTE MGT	9801100133	9801100048	05/01/04	FOIA
9801050247	9801050237	05/12/21	50-237 S	9801100140	9801100048	05/01/04	FOIA
9801050249	9801050096	05/11/21	FOIA	9801100141	9801100048	05/01/04	FOIA
9801050252	9801050245	05/12/08	70-7001	9801100144	9801100048	05/01/04	FOIA
9801050258	9801020055	05/11/21	FOIA	9801100145	9801100142	05/12/08	70-7002
9801050259	9801050145	05/12/08	70-7001	9801100153	9801100149	05/12/20	71-9368
9801050260	9801020055	05/11/21	FOIA	9801100154	9801100150	05/01/02	50-288 P
9801050265	9801020055	05/11/21	FOIA	9801100155	9801100152	05/01/05	50-275 P
9801050266	9801050261	05/12/11	52-3	9801100159	9801020055	05/11/21	FOIA
9801050269	9801050262	05/12/20	50-155 F	9801100170	9801100159	05/12/29	50-424 Q
9801050289	9801020055	05/11/21	FOIA	9801100171	9801100156	05/01/03	WASTE MGT
9801050291	9801050262	05/12/29	50-166 F	9801100179	9801100159	05/12/29	50-424 Q
9801050272	9801020055	05/11/21	FOIA	9801100179	9801100179	05/11/20	WASTE MGT
9801050292	9801020055	05/11/21	FOIA	9801100181	9801100179	05/11/20	WASTE MGT
9801050295	9801050261	05/01/02	50-354 F	9801100185	9801100180	05/12/28	50-317 F
9801050297	9801020055	05/11/21	FOIA	9801100188	9801020055	05/11/21	FOIA
9801050298	9801020055	05/11/21	FOIA	9801100191	9801100184	05/12/20	50-269 F
9801050299	9801020055	05/11/21	FOIA	9801100192	9801020055	05/11/21	FOIA
9801050299	9801050290	05/12/29	50-390 H	9801100193	9801100182	05/01/03	50-308 P
9801050299	9801050294	05/12/28	50-263 F	9801100194	9801100097	05/12/18	ORG
9801050302	9801020055	05/11/21	FOIA	9801100201	9801100198	05/01/03	50-250 Q
9801050303	9801050294	05/12/28	50-263 F	9801100206	9801100206	05/12/29	50-210 P
9801050305	9801020055	05/11/21	FOIA	9801100212	9801100097	05/12/18	ORG
9801050309	9801020055	05/11/21	FOIA	9801100214	9801100204	05/12/25	50-333 Q
9801050311	9801020055	05/11/21	FOIA	9801100219	9801100187	05/12/29	COMBESSIO N
9801050315	9801020055	05/11/21	FOIA	9801100222	9801100210	05/12/29	50-264 Q

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 229

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9601110239	9601110223	85/10/13	XPORTLIC	9601160341	9601160337	96/01/07	50-483 Q
9601110245	9601110234	96/01/02	71-5289	9601160343	9601160336	96/01/08	50-285 F
9601110252	9601110236	96/12/27	50-219 Q	9601160350	9601020055	85/11/21	FOIA
9601110254	9601110253	96/01/03	50-344 Q	9601160352	9601160354	96/12/28	COMMISSIO N
9601110255	9601110235	95/12/27	50-219 Q	9601160358	9601160340	96/01/04	50-285 F
9601110258	9601110258	85/12/27	50-334 P	9601160359	9601160353	96/01/04	50-382 F
9601110258	9601110258	96/01/02	50-255 Q	9601160364	9601020055	95/11/21	FOIA
9601110268	9601110267	85/12/22	50-271 Q	9601160365	9601160335	96/01/11	50-255 Q
9601160306	9601160305	95/12/26	50-443 Q	9601160367	9601160335	96/01/08	70-1257
9601160309	9601160307	85/12/14	FOIA	9601160369	9601020055	95/11/21	FOIA
9601160330	9601160320	85/12/27	50-272 Q	9601160370	9601160368	96/01/11	50-445 F
9601160336	9601160332	96/01/03	50-255 Q	9601160372	9601160368	96/01/11	50-445 F
9601160343	9601160338	95/12/20	50-380 H	9601160373	9601160354	96/01/05	40-*****
9601160344	9601160341	96/01/02	40-6027	9601160374	9601020055	95/11/21	FOIA
9601160345	9601160339	95/12/20	50-380 H	9601160389	9601160386	96/01/05	50-270 F
9601160351	9601160359	95/12/20	50-390 H	9601160389	9601160388	96/01/05	71-*****
9601160353	9601160358	96/12/20	50-390 H	9601160401	9601160386	96/01/05	50-445 Q
9601160355	9601160359	95/12/20	50-390 H	9601160403	9601020055	95/11/21	FOIA
9601160360	9601160349	95/12/28	COMMISSIO N	9601160410	9601160408	96/01/05	71-*****
9601160361	9601160360	96/12/20	50-390 H	9601160419	9601160411	96/01/05	50-289 F
9601160369	9601020055	85/11/21	FOIA	9601160420	9601020055	85/11/21	FOIA
9601160370	9601160371	96/01/04	50-315 P	9601160423	9601160417	96/01/05	50-336 P
9601160377	9601160371	96/01/04	50-315 P	9601160427	9601020055	95/11/21	FOIA
9601160379	9601160375	96/12/28	40-*****	9601160433	9601160430	96/01/04	50-381 P
9601160390	9601020055	95/11/21	FOIA	9601160439	9601160432	96/01/08	40-*****
9601160393	9601020055	95/11/21	FOIA	9601160452	9601160450	96/01/08	70-27
9601160397	9601160384	96/01/02	50-483 P	9601170004	9601170003	96/01/08	50-458 Q
9601160398	9601020055	96/11/21	FOIA	9601170007	9601170003	96/01/08	50-458 Q
9601160399	9601020055	95/11/21	FOIA	9601170014	9601170012	96/01/10	50-418 Q
9601160401	9601160396	96/01/03	50-373 P	9601170025	9601170022	96/01/12	50-341 S
9601160404	9601160396	96/01/03	50-373 P	9601170030	9601170028	96/01/05	50-455 Q
9601160413	9601160402	96/01/04	50-413 P	9601170041	9601170035	96/01/10	50-519 Q
9601160416	9601160408	95/12/28	40-6500	9601170042	9601170040	96/01/11	50-388 P
9601160418	9601160414	96/01/02	50-328 P	9601170044	9601170040	96/01/11	50-388 P
9601160427	9601020055	95/11/21	FOIA	9601170060	9601170035	96/01/10	50-313 Q
9601160441	9601020055	95/11/21	FOIA	9601170067	9601020055	95/11/21	FOIA
9601160446	9601160439	96/01/02	FOIA WASTE MGT	9601170069	9601170062	96/01/05	FOIA PRESS
9601160447	9601020055	95/11/21	FOIA	9601170069	9601020055	95/11/21	FOIA
9601160464	9601020055	95/11/21	FOIA	9601170069	9601170065	96/01/10	50-309 P
9601160483	9601020055	95/11/21	FOIA	9601170088	9601170082	96/01/11	50-484 P
9601160471	9601020055	95/11/21	FOIA	9601170089	9601020055	95/11/21	FOIA
9601160472	9601160468	96/01/03	50-454 P	9601170090	9601170081	96/01/10	50-309 P
9601160473	9601020055	95/11/21	FOIA	9601170071	9601170064	96/01/04	50-315 P
9601160477	9601020055	95/11/21	FOIA	9601170073	9601020055	95/11/21	FOIA
9601160478	9601160468	96/01/04	50-272 P	9601170074	9601170064	96/01/04	50-315 P
9601160482	9601020055	95/11/21	FOIA	9601170076	9601020055	95/11/21	FOIA
9601160483	9601160478	96/01/03	50-337 P	9601170080	9601020055	95/11/21	FOIA
9601160485	9601160478	96/01/03	50-367 P	9601170082	9601170078	96/01/10	50-440 P
9601160482	9601160481	96/01/04	FOIFEP	9601170085	9601020055	95/11/21	FOIA
9601160496	9601020055	95/11/21	FOIA	9601170082	9601020055	95/11/21	FOIA
9601160498	9601160496	96/01/03	50-334 F	9601170095	9601020055	95/11/21	FOIA
9601160499	9601160487	96/01/05	50-445 P	9601170100	9601020055	95/11/21	FOIA
9601160501	9601020055	95/11/21	FOIA	9601170104	9601170090	95/01/05	50-1
9601160523	9601020055	95/11/21	FOIA	9601170107	9601020055	95/11/21	FOIA
9601160525	9601160504	95/12/28	50-345 Q	9601170110	9601020055	95/11/21	FOIA
9601160508	9601160494	95/12/20	COMMISSIO N	9601170121	9601020055	95/11/21	FOIA
9601160507	9601020055	95/11/21	FOIA	9601170130	9601170123	96/01/06	50-381 Q
9601160514	9601020055	95/11/21	FOIA	9601170137	9601020055	95/11/21	FOIA
9601160515	9601160213	96/01/04	50-304 Q	9601170145	9601020055	95/11/21	FOIA
9601160519	9601160217	96/01/05	50-237 S	9601170153	9601020055	95/11/21	FOIA
9601160521	9601020055	95/11/21	FOIA	9601170157	9601020055	95/11/21	FOIA
9601160527	9601160223	96/01/04	50-327 P	9601170161	9601020055	95/11/21	FOIA
9601160529	9601020055	95/11/21	FOIA	9601170163	9601170160	96/01/03	50-275 P
9601160530	9601160226	96/01/11	WASTE MGT	9601170167	9601170160	96/01/03	50-275 P
9601160535	9601160239	96/01/05	50-255 P	9601170189	9601170182	96/01/12	50-354 P
9601160538	9601020055	95/11/21	FOIA	9601170172	9601170162	96/01/12	50-354 F
9601160540	9601160237	96/01/04	50-335 P	9601170182	9601170178	95/12/29	50-338 P
9601160541	9601020055	95/11/21	FOIA	9601170185	9601170181	96/01/03	50-327 P
9601160543	9601020055	95/11/21	FOIA	9601170186	9601020055	95/11/21	FOIA
9601160544	9601020055	95/11/21	FOIA	9601170188	9601020055	95/11/21	FOIA
9601160580	9601160256	96/01/06	50-446 Q	9601170202	9601020055	95/11/21	FOIA
9601160581	9601160258	96/01/04	50-334 P	9601170212	9601170194	96/01/05	50-348 P
9601160577	9601160175	96/01/03	50-383 Q	9601170219	9601020055	95/11/21	FOIA
9601160578	9601160273	96/01/04	50-823 Q	9601170225	9601020055	95/11/21	FOIA
9601160581	9601160175	96/01/03	50-383 P	9601170228	9601020055	95/11/21	FOIA
9601160591	9601020055	95/11/21	FOIA	9601170233	9601020055	95/11/21	FOIA
9601160590	9601020055	95/11/21	FOIA	9601170239	9601020055	95/11/21	FOIA
9601160595	9601020055	95/11/21	FOIA	9601170242	9601170237	96/01/04	50-180 Q
9601160515	9601160391	96/01/04	50-133 Q	9601170250	9601020055	95/11/21	FOIA
9601160519	9601020055	95/11/21	FOIA	9601170253	9601170251	95/12/27	50-289 Q
9601160530	9601160312	85/11/27	50-288 Y	9601170258	9601020055	95/11/21	FOIA
9601160534	9601160304	96/01/04	50-415 F	9601170258	9601020055	95/11/21	FOIA
9601160536	9601160314	96/01/05	40-*****	9601170260	9601020055	95/11/21	FOIA
9601160538	9601160301	96/01/04	50-133 Q	9601170262	9601020055	95/11/21	FOIA
9601160539	9601020055	95/11/21	FOIA	9601170263	9601020055	96/11/21	FOIA
9601160532	9601160304	96/01/04	50-415 F	9601170268	9601170266	96/01/10	50-283 P
9601160540	9601020055	95/11/21	FOIA	9601170275	9601020055	95/11/21	FOIA

230 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9601170273	9601170277	96/01/10	50-263 P	9601180413	9601180395	96/01/11	60-277 P
9601170293	9601020055	95/11/21	FOIA	9601180415	9601020055	95/11/21	FOIA
9601170295	9601170280	96/01/12	50-278 Q	9601180422	9601180417	96/01/06	71-*****
9601170296	9601170270	96/01/10	50-445 Q	9601180423	9601180396	96/01/03	OR3
9601170293	9601020055	95/11/21	FOIA	9601180427	9601180411	96/01/11	50-458 P
9601170294	9601170289	96/01/12	50-315 P	9601180431	9601180424	96/01/11	60-213 Q
9601170296	9601170291	96/01/10	50-259 P	9601180433	9601180411	96/01/11	50-458 P
9601170297	9601020055	95/11/21	FOIA	9601180435	9601020055	95/11/21	FOIA
9601170304	9601020055	95/11/21	FOIA	9601180437	9601180429	96/01/04	60-424 P
9601170309	9601170282	96/01/11	50-416 P	9601180438	9601180430	96/01/02	COMMISSIO H
9601170316	9601170315	96/01/05	50-528 P	9601180442	9601180430	96/01/02	COMMISSIO H
9601170320	9601020055	95/11/21	FOIA	9601180448	9601180442	96/01/05	WASTE MGT
9601170328	9601020055	95/11/21	FOIA	9601180451	9601180448	96/01/04	71-*****
9601170332	9601170328	96/01/11	70-7002	9601180453	9601180430	96/01/02	COMMISSIO H
9601170341	9601020055	95/11/21	FOIA	9601180457	9601020055	95/11/21	FOIA
9601170344	9601170359	96/01/09	40-299	9601180483	9601180465	95/12/22	60-373 P
9601170349	9601020055	95/11/21	FOIA	9601180470	9601180462	96/01/02	60-285 H
9601170356	9601020055	95/11/21	FOIA	9601180004	9601180001	96/01/02	COMMISSIO H
9601170356	9601020055	95/11/21	FOIA	9601180005	9601180003	96/01/10	50-462 P
9601180038	9601180025	96/01/11	50-206 P	9601180012	9601180010	96/01/05	50-400 Q
9601180039	9601020055	95/11/21	FOIA	9601180013	9601180008	95/12/22	60-348 Q
9601180040	9601180023	96/01/08	72-19	9601180016	9601180007	95/12/29	60-324 Q
9601180054	9601020055	95/11/21	FOIA	9601180017	9601180010	96/01/05	50-400 Q
9601180057	9601020055	95/11/21	FOIA	9601180019	9601180015	95/12/22	60-380 Q
9601180055	9601020055	95/11/21	FOIA	9601180020	9601180007	95/12/29	60-324 Q
9601180076	9601020055	95/11/21	FOIA	9601180021	9601180011	95/12/22	60-269 Q
9601180085	9601020055	95/11/21	FOIA	9601180022	9601180014	96/01/10	60-338 Q
9601180090	9601180071	96/01/11	50-265 Q	9601180025	9601180016	95/12/21	50-281 Q
9601180104	9601180071	96/01/11	50-265 Q	9601180027	9601180024	96/01/04	50-269 Q
9601180107	9601180067	96/01/04	COMMISSIO N	9601180031	9601180011	95/12/22	60-269 Q
9601180125	9601180117	96/01/11	60-413 Q	9601180038	9601180032	96/01/10	60-327 Q
9601180131	9601180123	96/01/04	STATE PRO G	9601180039	9601180035	95/12/29	50-269 Q
9601180139	9601180121	96/01/04	STATE PRO G	9601180041	9601180048	96/01/03	71-61
9601180140	9601020055	95/11/21	FOIA	9601180045	9601180040	96/01/08	50-388 Q
9601180142	9601020055	95/11/21	FOIA	9601180047	9601180043	95/12/29	50-260 Q
9601180149	9601020055	95/11/21	FOIA	9601180048	9601180042	95/12/29	60-290 Q
9601180150	9601020055	95/11/21	FOIA	9601180049	9601180042	95/12/27	50-335 Q
9601180153	9601020055	95/11/21	FOIA	9601180050	9601180050	96/01/02	60-459 Q
9601180156	9601020055	95/11/21	FOIA	9601180051	9601180055	96/01/10	60-269 Q
9601180163	9601020055	95/11/21	FOIA	9601180054	9601180059	96/01/04	70-143
9601180169	9601020055	95/11/21	FOIA	9601180056	9601180005	96/01/10	50-321 Q
9601180173	9601020055	95/11/21	FOIA	9601180057	9601180063	95/12/22	60-355 Q
9601180181	9601180182	95/12/13	EXPORTAC	9601180058	9601020055	95/11/21	FOIA
9601180194	9601020055	95/11/21	FOIA	9601180071	9601180065	95/12/20	50-390 Q
9601180204	9601180200	96/01/03	40-1162	9601180073	9601020055	95/11/21	FOIA
9601180205	9601180201	95/12/31	40-8532	9601180074	9601180070	96/01/04	50-297 Q
9601180207	9601020055	95/11/21	FOIA	9601180083	9601020055	95/11/21	FOIA
9601180213	9601020055	95/11/21	FOIA	9601180088	9601180078	95/12/21	50-302 Q
9601180217	9601180214	96/01/05	40-298	9601180091	9601180101	96/01/11	71-*****
9601180218	9601020055	95/11/21	FOIA	9601180092	9601180086	96/01/08	50-334 P
9601180225	9601020055	95/11/21	FOIA	9601180093	9601180091	95/12/27	70-1113
9601180230	9601020055	95/11/21	FOIA	9601180095	9601180090	96/01/05	50-275 P
9601180247	9601020055	95/11/21	FOIA	9601180100	9601180040	96/01/09	50-468 Q
9601180253	9601020055	95/11/21	FOIA	9601180106	9601180096	95/12/28	60-412 Q
9601180260	9601180249	95/10/19	71-9236	9601180111	9601180097	96/01/11	60-250 Q
9601180270	9601180249	95/10/19	71-9235	9601180112	9601180104	96/01/09	70-22
9601180274	9601020055	95/11/21	FOIA	9601180113	9601180106	96/01/16	WASTE MGT
9601180278	9601180278	96/01/11	50-366 Q	9601180121	9601180114	96/01/04	82-3
9601180290	9601020055	95/11/21	FOIA	9601180134	9601180129	96/01/18	50-317 P
9601180302	9601180297	96/04/11	WASTE MGT	9601180142	9601180140	96/01/16	50-440 P
9601180303	9601020055	95/11/21	FOIA	9601180180	9601180155	96/01/04	60-283 Q
9601180307	9601180287	96/01/11	WASTE MGT	9601180182	9601180150	96/01/11	50-275 P
9601180308	9601180325	96/01/09	71-17	9601180187	9601180155	96/01/04	60-250 Q
9601180311	9601020055	95/11/21	FOIA	9601180188	9601180158	96/01/12	50-219 F
9601180316	9601020055	96/11/21	FOIA	9601180189	9601180155	96/01/04	50-293 Q
9601180322	9601180321	96/01/18	71-*****	9601180176	9601180174	96/01/15	60-413 R
9601180324	9601180320	96/01/12	40-2259	9601180178	9601180174	96/01/15	50-413 R
9601180326	9601180325	96/01/08	50-252 R	9601180198	9601180176	96/01/15	PROJ
9601180340	9601180336	96/01/15	71-*****	9601180201	9601180181	96/01/08	60-329 Q
9601180348	9601180348	96/01/12	71-9196	9601180210	9601180258	96/01/15	60-359 R
9601180352	9601180347	96/01/11	50-458 P	9601180213	9601180205	96/01/15	50-288 R
9601180353	9601180347	96/01/11	50-458 P	9601180216	9601180189	96/01/11	50-288 Q
9601180354	9601020055	95/11/21	FOIA	9601180217	9601180205	96/01/15	50-288 Q
9601180367	9601180384	96/01/16	71-*****	9601180229	9601180222	96/01/12	50-354 R
9601180369	9601180368	96/01/04	COMMISSIO N	9601180235	9601180232	96/01/15	50-317 R
9601180375	9601020055	95/11/21	FOIA	9601180239	9601180232	96/01/15	50-317 P
9601180381	9601180378	96/01/11	50-277 P	9601180247	9601180237	96/01/11	50-317 P
9601180384	9601180378	96/01/11	50-277 P	9601180249	9601180236	95/12/28	40-341
9601180388	9601020055	95/11/21	FOIA	9601180252	9601180238	96/01/15	60-358 R
9601180390	9601180382	96/01/04	40-4822	9601180258	9601180259	96/01/11	60-445 P
9601180392	9601180372	95/01/19	71-*****	9601180266	9601180239	96/01/04	60-250 Q
9601180393	9601020055	95/11/21	FOIA	9601180267	9601180230	96/01/08	REVIEW GR
9601180394	9601180389	96/01/08	50-484 F	9601180269	9601180276	96/01/11	60-237 P
9601180398	9601020055	95/11/21	FOIA	9601180303	9601180284	96/01/04	71-9033
9601180402	9601020055	95/11/21	FOIA	9601180305	9601180278	96/01/11	50-237 P
9601180403	9601180386	95/12/13	70-1100	9601180310	9601180276	96/01/11	50-237 P
9601180404	9601180385	95/01/11	50-277 P	9601180328	9601180276	96/01/12	50-259 R

232 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9601290049	9601260034	96/01/16	50-336	P	9601290305	9601260296	96/01/17	40-8999
9601290052	9601260034	96/01/16	50-336	P	9601290306	9601260303	96/01/05	50-021
9601290064	9601260060	96/01/17	50-245	P	9601290318	9601260312	96/01/12	70-1151
9601290067	9601260060	96/01/17	50-245	P	9601290326	9601260343	96/01/23	50-293
9601290078	9601260074	96/01/18	50-255	P	9601290328	9601260322	96/01/12	70-1151
9601290079	9601260076	96/01/17	50-336	P	9601290330	9601260302	96/01/18	50-302
9601290082	9601260076	96/01/17	50-336	P	9601290331	9601260313	96/01/23	50-295
9601290086	9601260086	96/01/22	60-413	P	9601290335	9601260302	96/01/18	50-302
9601290088	9601260083	96/01/16	50-295	P	9601290338	9601260394	96/01/19	50-321
9601290089	9601260073	96/01/22	50-413	P	9601290339	9601260359	96/01/11	50-289
9601290097	9601260094	96/01/04	PROJ	9601290336	9601260359	96/01/11	50-289	
9601290112	9601260106	96/01/17	50-245	P	9601290379	9601260376	96/01/17	TOPREP
9601290116	9601260106	96/01/17	50-245	P	9601290009	9601260004	96/01/16	FOIA
9601290121	9601260113	96/01/22	50-387	P	9601290031	9601260028	96/01/24	50-498
9601290130	9601260125	96/01/18	50-373	P	9601290040	9601260030	96/01/24	50-298
9601290131	9601260127	96/01/22	PROJ	9601290073	9601260068	96/01/24	50-418	
9601290143	9601260139	96/01/19	50-315	P	9601290085	9601260075	96/01/22	50-336
9601290174	9601260150	96/01/23	50-305	G	9601290087	9601260076	96/01/22	50-336
9601290180	9601260178	96/01/17	50-29		9601290089	9601260079	96/01/22	50-213
9601290182	9601260190	96/01/24	71-*****		9601290090	9601260075	96/01/22	50-336
9601290196	9601260194	96/01/17	ORG	9601290092	9601260079	96/01/22	50-213	
9601290199	9601260195	96/01/17	50-280	Q	9601290100	9601260067	96/01/18	FOIA
9601290207	9601260209	96/01/24	71-553		9601290102	9601260061	96/01/22	FOIA
9601290208	9601260204	96/01/10	PROJ	9601290113	9601260091	96/01/22	40-8027	
9601290216	9601260215	96/12/23	40-8861		9601290118	9601260091	96/01/22	40-8027
9601290219	9601260215	96/12/23	40-8861		9601290121	9601260067	96/01/18	FOIA
9601290220	9601260215	96/12/23	40-8861		9601290124	9601260064	96/01/11	FOIA
9601290240	9601260237	96/01/24	50-387	P	9601290128	9601260091	96/01/22	FOIA
9601290007	9601260206	96/01/17	FOIA		9601290134	9601260067	96/01/18	FOIA
9601290017	9601260016	96/01/19	ORG	9601290135	9601260091	96/01/22	FOIA	
9601290019	9601260011	96/01/11	50-250	F	9601290147	9601260067	96/01/18	FOIA
9601290021	9601260028	96/01/19	50-440	P	9601290146	9601260142	96/01/22	FOIA
9601290026	9601260031	96/01/11	50-290	F	9601290156	9601260142	96/01/22	FOIA
9601290029	9601260023	96/12/27	ORG	9601290159	9601260067	96/01/18	FOIA	
9601290043	9601260023	96/12/27	ORG	9601290164	9601260064	96/01/11	50-219	
9601290052	9601260048	96/01/17	50-380	K	9601290170	9601260064	96/01/11	50-219
9601290055	9601260037	96/01/23	50-254	P	9601290174	9601260067	96/01/18	FOIA
9601290066	9601260048	96/01/17	50-280	K	9601290177	9601260166	96/01/11	50-440
9601290070	9601260069	96/01/23	50-302	Q	9601290182	9601260173	96/01/24	50-341
9601290090	9601260054	96/01/17	ORG	9601290183	9601260067	96/01/18	FOIA	
9601290061	9601260076	96/01/18	50-482	P	9601290180	9601260166	96/01/11	50-440
9601290063	9601260072	96/01/17	50-213	P	9601290183	9601260185	96/01/19	50-293
9601290069	9601260085	96/01/22	FOIA		9601290200	9601260200	96/01/16	71-*****
9601290091	9601260076	96/01/18	50-482	P	9601290231	9601260224	96/01/15	50-298
9601290092	9601260086	96/01/22	FOIA		9601290232	9601260223	96/01/26	50-424
9601290094	9601260072	96/01/17	50-213	P	9601290257	9601260248	96/01/26	ORG
9601290095	9601260086	96/01/18	COMMSSIO	N	9601290259	9601260251	96/01/22	50-341
9601290096	9601260085	96/01/22	FOIA		9601290262	9601260250	96/01/23	50-267
9601290097	9601260085	96/01/22	FOIA		9601290266	9601260263	96/01/19	50-397
9601290099	9601260054	96/01/17	ORG	9601290274	9601260261	96/01/26	50-458	
9601290100	9601260085	96/01/22	FOIA		9601290282	9601260281	96/01/24	50-265
9601290107	9601260105	96/01/16	FOIA		9601290286	9601260223	96/01/26	50-424
9601290112	9601260111	96/01/22	60-426	Q	9601290306	9601260300	96/01/19	50-295
9601290113	9601260109	96/01/17	60-410	P	9601290310	9601260300	96/01/19	50-295
9601290117	9601260109	96/01/17	50-410	P	9601290318	9601260344	96/01/16	50-268
9601290123	9601260122	96/01/23	60-3		9601290317	9601260313	96/01/24	50-255
9601290124	9601260114	96/01/23	50-413	P	9601290320	9601260261	96/01/26	50-458
9601290129	9601260154	96/01/23	50-413	P	9601290321	9601260318	96/01/24	50-445
9601290132	9601260136	96/01/24	50-266	P	9601290324	9601260261	96/01/26	50-438
9601290156	9601260158	96/12/07	50-269	P	9601290336	9601260336	96/01/22	50-336
9601290164	9601260167	96/11/22	70-1426		9601290351	9601260357	96/01/23	50-387
9601290173	9601260188	96/01/22	50-438	P	9601290370	9601260380	96/01/23	WASTE MGT
9601290185	9601260181	96/01/18	50-316	Q	9601290372	9601260389	96/01/24	50-398
9601290197	9601260176	96/01/11	FOIA		9601290376	9601260373	96/01/23	50-554
9601290203	9601260194	96/11/07	71-*****		9601290385	9601260376	96/01/23	WASTE MGT
9601290204	9601260198	96/11/02	72-1		9601290386	9601260391	96/01/23	50-213
9601290214	9601260213	96/01/23	50-438	P	9601290389	9601260356	96/01/23	50-317
9601290218	9601260215	96/01/22	50-436	P	9601290392	9601260382	96/01/24	50-312
9601290220	9601260215	96/01/22	50-436	P	9601290399	9601260379	96/01/21	ORG
9601290226	9601260223	96/01/19	50-268	P	9601290403	9601260166	96/01/18	70-*****
9601290229	9601260223	96/01/19	50-266	P	9601290404	9601290383	96/01/24	50-384
9601290233	9601260233	96/01/22	50-486	P	9601290407	9601260166	96/01/16	70-*****
9601290237	9601260239	96/01/22	50-486	P	9601290412	9601260379	96/01/21	ORG
9601290243	9601260240	96/01/17	60-336	K	9601290413	9601260394	96/01/23	50-438
9601290246	9601260248	96/01/24	71-122		9601290415	9601260390	96/01/24	50-298
9601290248	9601260246	96/01/24	71-558		9601290420	9601260168	96/01/16	70-*****
9601290250	9601260240	96/01/17	50-336	K	9601290436	9601260168	96/01/16	70-*****
9601290252	9601260251	96/01/24	71-559		9601290442	9601260427	96/01/22	50-285
9601290257	9601260255	96/01/22	40-3453		9601290449	9601260427	96/01/22	50-285
9601290268	9601260266	96/01/16	50-424	Q	9601290452	9601260168	96/01/16	70-*****
9601290274	9601260266	96/01/16	50-424	Q	9601290461	9601260409	96/01/18	50-254
9601290281	9601260266	96/01/17	50-327	Q	9601290463	9601260468	96/01/24	50-352
9601290282	9601260273	96/01/11	60-424	V	9601290465	9601260465	96/01/24	50-352
9601290283	9601260268	96/01/17	60-327	Q	9601290467	9601260168	96/01/16	70-*****
9601290287	9601260276	96/01/18	50-259	Q	9601290472	9601260168	96/01/16	70-*****
9601290294	9601260284	96/01/18	50-324	V	9601290476	9601260168	96/01/18	70-*****
9601290297	9601260293	96/01/04	50-400	Q	9601290482	9601260168	96/01/18	70-*****

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 233

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9601290487	9601290168	96/01/18	70-*****	9601300270	9601300268	96/01/25	50-333 P
9601290488	9601290168	96/01/18	70-*****	9601300269	9601300267	96/01/26	50-458 P
9601290484	9601290168	96/01/18	70-*****	9601300301	9601300297	96/01/29	50-458 P
9601290497	9601290168	96/01/18	70-*****	9601300307	9601300300	96/01/26	50-244 P
9601290499	9601290168	96/01/18	70-*****	9601300309	9601300300	96/01/26	50-244 P
9601290500	9601290168	96/01/18	70-*****	9601300311	9601300308	96/01/25	50-354 P
9601290503	9601290168	96/01/18	70-*****	9601300314	9601300308	96/01/25	50-354 P
9601300007	9601300005	96/01/22	50-512 W	9601300320	9601300302	96/01/25	50-397 Q
9601300018	9601300009	96/01/25	50-272	9601300331	9601300329	96/01/30	40-8949
9601300028	9601300021	96/01/19	CONTRACT	9601310002	9601300180	96/01/28	71-563
9601300030	9601300021	96/01/19	52-4	9601310026	9601310012	96/01/25	50-315 Q
9601300040	9601300029	96/01/22	50-220 P	9601310022	9601310012	96/01/25	50-315 Q
9601300045	9601300029	96/01/22	50-220 P	9601310061	9601310056	96/01/26	40-8905
9601300053	9601300021	96/01/19	CONTRACT	9601310064	9601310035	96/01/19	71-337
9601300054	9601300062	96/01/24	50-272 P	9601310091	9601310069	96/01/25	50-324 P
9601300056	9601300052	96/01/24	50-272 P	9601310104	9601310102	96/01/25	50-414 P
9601300065	9601300036	96/01/25	50-331 P	9601310114	9601310105	96/01/26	70-364
9601300081	9601300076	96/01/25	50-410 P	9601310116	9601310116	96/01/24	40-7604
9601300082	9601300076	96/01/25	50-410 P	9601310134	9601310133	96/01/22	ORG
9601300094	9601300079	96/01/25	50-407 Q	9601310135	9601310132	96/01/29	50-276 P
9601300107	9601300088	96/01/25	50-276 Q	9601310136	9601310133	96/01/23	ORG
9601300114	9601300073	96/01/24	50-328 Q	9601310137	9601310133	96/01/23	ORG
9601300130	9601300127	96/01/26	50-445 P	9601310138	9601310133	96/01/23	ORG
9601300132	9601300127	96/01/26	50-445 P	9601310139	9601310133	96/01/23	ORG
9601300168	9601300157	96/01/29	50-244 G	9601310142	9601310133	96/01/23	ORG
9601300173	9601300170	96/01/24	50-380 S	9601310146	9601300183	96/01/23	40-7560
9601300174	9601300170	96/01/24	50-380 S	9601310159	9601310189	96/01/26	50-454 P
9601300176	9601300173	96/01/23	50-308 P	9601310160	9601310186	96/01/26	50-281 P
9601300189	9601300182	96/01/23	50-348 H	9601310164	9601310156	96/01/26	50-261 P
9601300192	9601300191	96/01/26	71-248	9601310183	9601290604	96/01/23	50-238 F
9601300204	9601300199	96/01/18	40-8940	9601310188	9601290604	96/01/23	50-238 F
9601300207	9601300189	96/01/18	40-8940	9601310185	9601310182	96/01/29	71-842
9601300227	9601300222	96/01/25	70-7001	9601310202	9601310199	96/01/29	71-563
9601300234	9601300226	96/01/24	50-362 P	9601310211	9601310205	96/01/19	50-440 P
9601300237	9601300213	96/01/23	40-8156	9601310221	9601310208	96/01/19	50-440 P
9601300244	9601300213	96/01/23	40-8155	9601310225	9601310219	96/01/26	50-367 P
9601300247	9601300245	96/01/19	70-143	9601310229	9601310219	96/01/26	50-367 P
9601300248	9601300210	96/01/23	40-8156	9601310229	9601310224	96/01/11	50-413 P
9601300249	9601300245	96/01/19	70-143	9601310235	9601310231	96/01/30	50-260 P
9601300257	9601300213	96/01/23	40-8155	9601310245	9601310245	96/01/29	WASTE MGT
9601300265	9601300263	96/01/25	50-333 P				

APPENDIX A

DEFINITIONS OF DOCKET 50 CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit.
2. General Information submitted with construction permit application.
3. Amendments and changes submitted by applicants and licensees.
4. NRC questions, requests for additional information, and applicant responses.
5. Early site review.
6. Correspondence and documents relating to unresolved design and construction issues.
7. Meeting announcements and summaries of meeting discussions on issues of item 6.
8. Correspondence regarding the utility Preliminary Safety Analysis Report (PSAR).
9. Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.).
10. Construction Permit, amendments, and correspondence relating to the construction permit and related orders issued by the Office of Nuclear Reactor Regulation (NRR show cause and modifications) not involving the Atomic Safety Licensing and Appeal Board.
11. Scheduling of license application submission or review.
12. Environmental review information (other environmental documents are filed in Categories C, D, P, or R).
13. Seismic qualification review teams (SQRT) reports and related correspondence.
14. Application for operating license.
15. General Information submitted with operating license application.
16. Amendments and changes submitted by applicants and licensees.
17. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and the Updated Final Safety Analysis Report (USAR).
18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; *not covered by an IE Bulletin.*

DEFINITIONS OF DOCKET 50 CATEGORIES

19. Safety Evaluation Reports (SERs) on specific generic issues. 20. Reports of site visits.	21. Backup technical documents (e.g., topical reports) submitted in support of the application. 22. Proposed equipment failure/instructions. 23. NRC's changes in internal organizational structure.

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORTS (PSAR) AND AMENDMENTS

All related correspondence is filed in Category A. 1. Preliminary Safety Analysis Report (PSAR) submitted by utility (formerly called Hazards Summary Report or Safety Analysis Report).	2. Amendments and changes to the PSAR. 3. Transmittal and acknowledgment letters. 4. Certificates of service to the PSAR.

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS AND CORRESPONDENCE

1. Environmental Report (ER) submitted by the utility. 2. Amendments and supplements to the ER. 3. Transmittal and acknowledgment letters. 4. Information on scheduling of submittal or review of ER. 5. NRC questions, requests for additional information, and applicant responses.	6. Federal Register notices citing the availability of items 1 and 2. 7. Correspondence relating to the review of ER. 8. Meeting announcements or reports of meetings where the primary subject of discussion is the ER. 9. Correspondence relating to certification of pollution control devices. NOTE: Other environmental documents are filed in Categories A, D, P, or R.

DEFINITIONS OF DOCKET 50 CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE

1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by NRC.	7. Backup technical documents submitted in connection with above.
2. Supplements to the DES and FES.	8. Federal Register notices citing availability of items 1 and 2.
3. Correspondence relating to the DES and FES.	9. Reports of site visits to obtain information for the DES or FES.
4. Comments from other Federal, State, and local government agencies; organizations; and interested individuals.	10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES.
5. Transmittal and acknowledgment letters.	
6. Documents related to NRC review of environmental issues or of the ER obtained for purposes of writing the environmental statements.	
- NOTE: Other environmental documents and correspondence are filed in Categories A, C, P, or R.
-

E. NRC SAFETY EVALUATION REPORTS (SER), SUPPLEMENTS AND CORRESPONDENCE

1. Formal Safety Evaluation Report (SER) prepared by NRC (formerly called NRC-AEC Hazard Analysis Report) in review of PSAR.	6. Requests for additional information for use in preparing SER; responses to such requests.
2. Supplements to the SER.	7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER.
3. Correspondence relating to the SER and supplements.	8. Transmittal and acknowledgment letters.
4. Federal Register notices citing availability of items 1 and 2.	
5. Information on scheduling of SER submittals and review.	
- NOTE: Other documents dealing with specific safety-related issues are filed in Categories A, P, or W, depending on the phase of the licensing process.
-

DEFINITIONS OF DOCKET 50 CATEGORIES

F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

All plans in this category are individual submissions. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in this category.

1. Fire Hazard Protection Plans and surveys. 2. Plant evacuation correspondence. 3. Safeguards Contingency Plans. 4. Health Physics Program and its review. 5. Emergency Plans.	6. Correspondence relating to aforementioned plans. 7. Supplements, changes, and revisions to plans. 8. Correspondence and documentation relating to Appendix R of 10 CFR Part 50 (fire protection), guard training, emergency response centers, and emergency preparedness. 9. Transmittal and acknowledgment letters. 10. Meeting announcements and reports of meetings where the primary subject of discussion is related to the aforementioned plans and topics covered in item 8.
-

G. LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in Category T. Show-cause orders and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) (not before the Board) are filed in Categories A and P. Exhibits for proceedings (Hearings) are available only on microfiche (1984 to present) in the PDR, but upon request paper files are available to the PDR from the Docketing and Service Branch, Office of the Secretary.

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents. 2. Federal Register notices regarding hearings. 3. Requests to make appearances at hearings.	4. Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings. 5. Transmittal of supporting documents (e.g., SER, FES) to the Boards. 6. Correspondence to and from intervenors. 7. Board orders and decisions. 8. Petitions for Commission action. 9. Legal filings and Commission orders and decisions resulting from item 8.

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

DEFINITIONS OF DOCKET 50 CATEGORIES

H. GENERAL CORRESPONDENCE

This category includes documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

1. Change of address notifications (external only). 2. Changes in structure of organization (external only). 3. Changes in service lists. 4. NRC requests to applicants for additional copies of documents. 5. Correspondence from the public requesting information about the facility and NRC responses. 6. Correspondence on strictly administrative matters.	7. Letters of support, concern, or opposition to the facility. 8. Correspondence regarding the Local Public Document Rooms (LPDRs). 9. Professional qualification statements not pertaining to the hearing process. 10. Constituent, organizational, or utility correspondence forwarded by Congressman to NRC for response. 11. Resolutions passed by State and local governing bodies (e.g., town councils).

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

I. FINANCIAL INFORMATION

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership.	2. Separately submitted financial information and related correspondence. 3. Transcripts and testimony before State commissions pertinent to financial information requested by NRC.

J. INSURANCE AND INDEMNITY INFORMATION

1. Indemnity agreements and amendments. 2. Endorsements of insurance policies.	3. Other correspondence regarding indemnity and insurance matters.

DEFINITIONS OF DOCKET 50 CATEGORIES

K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR), UPDATED FINAL SAFETY ANALYSIS REPORTS (USAR), AND AMENDMENTS

1. Final Safety Analysis Report (FSAR), (formerly called Final Hazards Summary Report), submitted by the utility. 2. Updated Final Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility. 3. Amendments and changes to the FSAR and USAR.	4. Federal Register notices citing availability of the FSAR and amendments. 5. Transmittal and acknowledgment letters. 6. Certificates of service to the FSAR and USAR. NOTE: All related correspondence falls in Category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in Category F.
-

L. LIMITED WORK AUTHORIZATIONS (LWA) AND RELATED CORRESPONDENCE

This category is limited to documents pertaining to Limited Work Authorizations (LWAs) whereby applicants can carry out limited site preparation and construction prior to the granting of a Construction Permit.

1. Limited Work Authorizations (LWAs) and amendments
 2. Correspondence pertaining to work performed under LWAs.
-

M. ANTITRUST REVIEWS AND ANTITRUST CORRESPONDENCE

1. Documents submitted as part of the application for a Construction Permit and Operating License entitled "Information Requested by the Attorney General for Antitrust Review". 2. Correspondence where the primary topic of discussion is antitrust matters.	3. All antitrust proceeding documents, except for hearing transcripts, testimony, and briefings, which are filed in Category N.
-

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

This category contains word-for-word transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence falls in Category M.

DEFINITIONS OF DOCKET 50 CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews.

1. ACRS reports relating to facility license applications.
2. Announcement of ACRS meetings relating to facility license applications, including description of meeting agendas.
3. Statements and written testimony of ACRS members or presented by individuals at ACRS proceed-

ings, relating to both facility license applications and safety-related matters.

4. Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications.

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS file category.

P. OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Application/Construction Stage (Category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

1. Operating license, amendments, proposed amendments, changes, and related correspondence.
2. Show-cause and modification orders issued by NRR (not before the Board) for the operating license.
3. Technical specifications and changes.
4. Backup technical documents (e.g., topical reports) submitted in support of items 1 and 2.
5. Federal Register notices citing availability of item 1 and the FSAR.
6. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Final Safety Analysis Report (USAR).

7. All general technical correspondence, meeting announcements or meeting summaries relating to Technical Specifications, the Operating License or technical issues arising after the issuance of the Operating License.

8. Correspondence regarding codes (e.g., American Society of Mechanical Engineers), regulations, laws, or changes in policy that may affect plant operation or bear on the Operating License.

9. Information on the Standard Review Plan (STP).

10. Results of surveys or tests conducted in accordance with the Technical Specifications (not periodic reports, which fall in Category R).

11. Correspondence relating to NRC's Systematic Evaluation Program (SEP).

DEFINITIONS OF DOCKET 50 CATEGORIES

12. Owner's group meeting announcements and reports.	19. Start-up test reports.
13. Quality assurance information.	20. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; <i>not covered by an IE Bulletin.</i>
14. Environmental matters (technical).	21. SERs on specific generic issues.
15. Seismic qualification review team (SQRT) reports and related correspondence.	22. Proposed equipment failure/instructions.
16. Emergency core cooling system documents.	23. Inservice testing (not inspections).
17. Radioactive waste information excluding onsite storage of low-level waste, filed in Category X, and independent spent fuel installations of high-level waste, filed in Category Y.	24. Reports of site visits.
18. Correspondence regarding expansion of spent fuel storage pool.	25. Application to voluntarily surrender license, dismantle, and dispose of component parts.
	26. Changes in NRC's internal organizational structure.
-

Q. INSPECTION REPORTS, RESPONSE TO BULLETINS, CIRCULARS AND INFORMATION NOTICES, CIVIL PENALTIES, AND RELATED CORRESPONDENCE

1. Inspection reports.	7. Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (ENs).
2. Responses to IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars (not published since 1981) and Information Notices.	8. Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in Category S.
3. Responses by applicant to IE correspondence.	9. Health physics inspections/appraisals.
4. Applicant's determination of proprietary nature of Inspection Reports.	10. Emergency preparedness inspections/appraisals.
5. Letters concerning areas of noncompliance.	11. Inspections and related correspondence from the International Atomic Energy Agency.
6. Pre-service and in-service inspections and procedures.	12. Systematic Assessment of Licensee Performance (SALP).

DEFINITIONS OF DOCKET 50 CATEGORIES

13. Construction Appraisal Team/Construction Assessment Team (CAT) reports. A. Integrated Design Inspection (IDI) reports. B. Independent Design Verification Program (IDVP) reports. 14. Notice of significant licensee meetings.	15. Performance Appraisal Team (PAT) reports. 16. Licensee/Vendor interface inspections. 17. Correspondence relating to items 12, 13, 14, 15 and 16. NOTE: For IE Bulletins and Information Notices, see I&E file series.
-

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category includes periodic reports of a routine nature.

1. Monthly, semiannual, or annual operating reports (other than financial) for construction and operating stages. 2. Periodic environmental monitoring, effluent testing, or similar reports. 3. Periodic personnel exposure reports.	4. Periodic nonconformance reports (issued pursuant to Board orders). 5. Operational Logbooks on Environmental Data, Radiological Data, operating log on plant systems core, plant status summary sheets. 6. Correspondence or other documents relating to the items listed.
-

S. REPORTABLE OCCURRENCES, PNOs, PNSs, AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable, or nonroutine occurrences or events. These include:

1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called Incident Reports, Abnormal Occurrence Reports and Reportable Occurrences). 2. Potential or possible reportable Deficiency Reports and related correspondence. 3. Individual Personnel Exposure Reports.	4. Construction Deficiency Reports submitted under 10 CFR 50.55(e). 5. Preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNs). 6. Environmental Technical Specifications Violation Reports and Environmental Event Reports. 7. Part 21 Reports or Defects and Noncompliance. 8. Correspondence or other documents relating to items 1-7.

DEFINITIONS OF DOCKET 50 CATEGORIES

NOTE: For PNOs and PNSs, see I&E file series.

T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains all word-for-word transcripts, testimony, and briefings, except for congressional matters (Category V), and antitrust matters (Category N).

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts.
2. Testimony and statements submitted to ASLB and ASLAB.
3. Commission meeting transcripts.

4. NRC staff briefings to the Commission.
5. Statements and written testimony submitted at Commission meeting or hearings.
6. Transcripts of utility briefs to NRC staff.
7. Corrections to above items.

NOTE: Transcripts on specific dockets are also filed on ACRS and 9.21 files series.

U. CONGRESSIONAL/EXECUTIVE CORRESPONDENCE

1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches.
2. Information supplied for the record of Congressional hearings.
3. Correspondence to and from Congress and the Executive Branch on other than constituent response matters.

4. Correspondence to or from State Legislative bodies.

NOTE: This category contains correspondence on substantive matters. Routine responses to constituent inquiries are filed in Category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

1. Information bearing on licensing operators and shift engineers.
2. Power plant examination summary sheet.
3. Correspondence pertaining to operator examinations.

DEFINITIONS OF DOCKET 50 CATEGORIES

W. DECOMMISSIONING DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Operating License Stage (Category P) file for general technical items from the order for termination of the operating license onward.

Report on Dismantling, Safety Analysis Report on Decommissioning.

1. Order granting authority to dismantle/decommission. 2. Technical documents submitted, such as: Decommissioning Plan, Dismantling Plan, Environmental	3. Documents relating to disposal of radioactive material and decontamination of the site. 4. Other correspondence relating to decommissioning. 5. All documentation relating to the ongoing operation of the plant, formerly filed in Category P.
-

X. ONSITE STORAGE OF LOW-LEVEL WASTE

1. License application, license, proposed amendments and amendments to store low-level waste at a commercial reactor.
2. All related correspondence and reports.

NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) license or Docket-30 number associated with the Docket-50 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSI)

1. License applications, licenses, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)

2. All related correspondence and reports to the above.

NOTE: These documents will have an NMSS license and/or a Docket-72 number. For these installations on a reactor site, the associated Docket-50 number also has been identified.

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

10 CFR—Commission Meeting Records

Contains documentation pertaining to open and closed Commission meetings.

1. Sunshine Act Federal Register notices.
2. Full, written explanation of closed meetings.
3. Certification by the General Counsel on closed meetings.
4. Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings.
5. Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10 CFR Part 9, the Sunshine Act, and Commission policies.
6. Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.
7. Staff Requirements Memoranda for open meetings; memoranda of record; record of votes of Commissioners on items under consideration at meetings.

ACRS—Advisory Committee on Reactor Safeguards

This category contains documents pertaining to safety-related areas reviewed by ACRS. ACRS serves as an independent advisory committee to the Commission.

1. ACRS reports relating to safety-related matters.
2. Announcements of ACRS meetings relating to safety-related matters, including description of meeting agendas.
3. Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety-related matters.
4. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings related to both facility license applications and safety-related matters.
5. Minutes of ACRS subcommittee and full committee meetings relating to both facility license application and safety-related matters.
6. ACRS consultant reports, comments and related correspondence relating to both facility license applications and safety-related matters.
7. Technical correspondence, and memoranda to and from ACRS pertaining to safety-related matters.
8. General correspondence and related material about ACRS, but not authored by ACRS or its consultants.

DEFINITIONS OF NONDOCKETED CATEGORIES

NOTE: For Docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 series.

ADVCM--NRC Advisory Committees

This category contains documentation pertaining to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards. Documents in this category include:

1. Charters of each advisory committee.
 2. Meeting announcements; description of meeting agenda.
 3. Minutes and verbatim transcripts of committee meetings.
 4. Committee-generated reports, memoranda, and correspondence that are publicly available.
 5. Committee-related correspondence.
-

COMMISSION--NRC Commissioner Correspondence

Contains documentation pertaining to the daily conduct of Commission business in the Office of the Commission.

1. Incoming and outgoing Commission-level correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures to the aforementioned.
2. Travel vouchers, telephone logs and official appointment calendars of participating Commissioner (placed in the PDR at the discretion of individual Commissioners).
3. Speeches, interviews, and testimony given by Commissioners at meetings, symposia, and Congressional hearings.
4. Weekly Information Reports (SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices.

NOTE: For transcripts of Commission meetings, see 10 CFR 9.7. For all other staff papers with a SECY series designation prepared for Commission review, see SECY file category.

CONTRACT--NRC Contracts and Modifications

Contains documentation pertaining to AEC and NRC contracts, grants, and Interagency Agreements.

DEFINITIONS OF NONDOCKETED CATEGORIES

1. Notification of contracts and grant execution, specifying contract number; project title; contractor name; contract type; funding and period of performance.	2. Contractual documents and modifications to contracts.
-

FOIA—Freedom of Information Act Requests and Appeals

Contains requests for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA), or denial.

1. Requests made under the FOIA for NRC records (each is assigned a sequential identification number based on the year that the request is made, so that 89-100 refers to the 100th FOIA request made in 1989).	2. Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request, and appeal of a denial.
	3. Records or portions thereof released in response to FOIA requests made under FOIA appeals.
-

GEN TECH IS—Generic Technical Issues

Contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR).

1. Draft reports of action plans to accomplish generic tasks in the NRR program.	cussing methodologies, analyses, the program and technical aspects of issues.
2. Correspondence with industry and within NRC dis-	3. Meeting notifications and minutes.
	4. Interim findings and status reports on generic tasks addressing related aspects of Generic Technical Issues.
-

I&E—Inspection and Enforcement Issuances

Contains bulletins, circulars and information notices that are issued by the NRC Office responsible for Inspection and Enforcement. These issuances describe some event that has occurred at a facility that may require some follow-up action by the licensee. Also included in this category are draft bulletins and information notices (I&E Misc), Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards

Events or Unusual Occurrences (PNSs), and Notifications of Significant Enforcement Actions (ENs).

1. I&E Circulars, which describe an event at a licensed facility and are informational in nature (discontinued in 1981).
2. I&E Information Notices, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.
3. I&E Bulletins, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of that event.

DEFINITIONS OF NONDOCKETED CATEGORIES

4. Draft I&E Bulletins and Information Notices which are being considered for issuance, and related comments and evaluations.

Unusual Occurrences (PNSs), which provide early notice of events of possible safety significance.

5. Preliminary Notifications of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest.

7. Notification of Significant Enforcement Actions (ENs), which provide information on a Notice of Violation and Proposed Imposition of Civil Penalties.

6. Preliminary Notifications of Safeguards Events or

NOTE: For utility responses to such issuances and related correspondence, see Categories Q and S of file.

MISC—Public Document Miscellaneous

Contains documents about topics not included in the scope of the other non-docketed categories.

NUREG—Staff and Contractor Formal Reports, Conference Proceedings, Brochures, and Related Correspondence

Formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other Governmental entities, and the public are published in the NUREG series.

1. Results of licensing studies of specific plants or facilities preliminary to licensing actions.

6. Management and program analysis reports.

2. Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry.

7. Statistical analyses that are of interest to the staff, the industry, and the public.

3. Action and review plans, as well as guidance, for meeting NRC requirements.

8. Administrative reports that are of interest to the staff, the industry, and the public.

4. Task force reports on specific topics.

9. Correspondence from industry, government, and the public commenting on reports.

5. Proceeding of conferences and workshops.

10. Internal NRC memoranda summarizing meetings or discussions pertaining to the contents of the reports.

NOTE: NUREG reports on specific plants or facilities are filed in Docket 50 Categories A, P, E, or D.

DEFINITIONS OF NONDOCKETED CATEGORIES

G. Adjudicatory Correspondence

1. Motions, briefs, orders, etc., pertaining to pre-hearing conferences, if any.

2. Notices of deviations.

3. Follow-up correspondence resolving deviations cited.

M. Antitrust Correspondence

1. Submittals and related materials pertaining to the antitrust review.

2. Government-owned reactors

Q. Inspection Reports

1. Inspection reports of the applicant quality assurance program.

Meeting summaries and technical correspondence between NRC and other Government technical people relating to test reactors, critical experiments, and Department of Defense (DOD) reactors on U.S. Naval ships and other sites.

PT 21—10 CFR Part 21 Deficiency Reports

Deficiency reports submitted in compliance with Part 21 of Title 10 of the Code of Federal Regulations.

1. Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.

2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.

3. NRC inspection reports of defects cited.

4. Correspondence specifying appropriate follow-up actions taken by the Agency.

QA 999—Quality Assurance Inspections

Contains inspection reports of vendor licensee interface from vendor's view, vendor products, vendor programs including equipment environmental qualification testing, and follow-up correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of both nuclear components, or supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, PSAR and FSAR submitted by utilities for specific facilities, and vendor QA Topical Reports.

1. NRC inspection reports of vendor facilities that cover the design, fabrication and testing of components for use in nuclear facilities and vendor/licensee interface.

2. Notices of deviation.

3. Vendor corrective actions and other follow-up correspondence associated with resolution of inspection findings.

NOTE: For vendor licensee interface inspection from licensee's view, see Docket 50 Category Q.

DEFINITIONS OF NONDOCKETED CATEGORIES

REGGD—Regulatory Guides

Contains new and revised Regulatory Guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of the NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

1. Federal Register notices announcing the issuance and availability of a proposed Regulatory Guide.
2. Revised or newly issued Regulatory Guides.
3. NRC value/impact assessment.

4. Comments submitted by the nuclear industry and interested members of the public regarding a proposed Regulatory Guide.

5. Summary of meetings held in the NRC to discuss proposed Regulatory Guides.

NOTE: For documentation pertaining to other work products and activities of the NRC Office of Nuclear Regulatory Research, which is responsible for standards development, see the Organization (ORG) file category. Industry codes and standards cited in Regulatory Guides are available for reference use only in the NRC Library.

RES—Research and Technical Assistance Reports

Contains reports, generally interim, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission.

1. *Technical letter reports* provide information on the technical aspects of work by contractors or other government agencies and their contractors. These letter reports may consist of transmittal letters with interim or final informal reports attached, or the technical information may be incorporated in the body of the letter. The form and frequency of reporting is specified in the Contract Statement of Work.
 - a. Interim technical letter reports provide information on the technical aspects of the work at various stages and form a basis for development of the formal reports required by the contract. Interim technical letter reports may include, but are not limited to, informal (interim) progress reports, "quick-look" reports, data reports, project descriptions, pretest

predictions, model verifications, experiment safety analyses, experiment operating procedures, facility certification reports, and test results.

- b. Final technical letter reports are prepared to record the results of contract work that comprises review and evaluation of the work of others or work to be used by the staff in the licensing and regulation process. These technical letter reports are not followed by a formal report.
2. *Formal technical reports*, which may be periodic progress reports on long-term projects or final reports, are published in the NUREG/CR series. These reports are final products of research, original investigations, or significant compilations of information, or they may be progress reports.
 3. *Research Information Letters (RILs)* summarize research information for staff use. They are prepared in the NRC Office of Nuclear Regulatory Research (RES).

DEFINITIONS OF NONDOCKETED CATEGORIES

4. *Conference Proceedings* report the information presented at conferences sponsored or co-sponsored by NRC. Sponsorship or co-sponsorship by NRC requires that the subjects covered be of interest and value to NRC.

NOTE: For final reports of research conducted by contractors and conference proceedings, see NUREG reports series file. See also the WMRES file for research reports on disposal of high level waste.

REVIEW GRP—Research Review Groups

Contains records pertaining to the activities of internal and external Research Review Groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results; possible redirection of research projects; new research projects; and priorities within the technical areas covered by the Research Review Group.

1. Agendas for quarterly Review Group meetings.
2. Summary minutes of Review Group meetings representing views expressed, including dissenting views.

3. Research plans and predicted results of major experiments and presentations by research contractors.

4. Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies.

5. Internal memoranda relating to topics under discussion.

6. Correspondence related to items 1 through 5.
-

RM—Rulemakings

Contains records pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration.

1. Designations of the presiding officer and any special directions for the conduct of the hearing.
2. Notifications of Hearing Board meetings.

3. Petitions, motions, testimony, and statements submitted by parties to the hearings.

4. Hearing Board orders and rulings.

5. Technical reports submitted as evidence in the proceedings.

6. Reports, if any, of the special Board to the Commission regarding the subject proceeding.
-

SECY—Staff Papers (Generally Referred to as SECY Papers) Before the Commission

Includes staff papers prepared for the information or approval of the Commission. They are assigned a SECY report series code.

1. Policy Issue Papers are used to present matters relating to policy formulation.

DEFINITIONS OF NONDOCKETED CATEGORIES

2. Rulemaking Issue Papers are used to present rulemaking activities of the Commission.
3. Adjudicatory Issue Papers are used to present matters relating to the granting, suspending, revoking or amending of licenses, or construction permits for nuclear power plants, and activities in which the Commission has an interest.
4. Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provide general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication.

These categories of staff papers may be issued as one of the following: (a) a Commission Meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper which does not require interactive discussion among the Commissioners in a Commission meeting, but by law must be voted upon by the Commissioners in

the presence of each other; (c) a Notation Vote paper which does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a Negative Consent paper which contains issues which the Commission would like brought to its attention before action is taken but which do not require the formality of a Commission vote, and (e) Information Papers which provide information to the Commission and do not call for any action by the Commission.

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence file.

STATE PROG—State Programs

Contains records that pertain to the Commission's relations with State Governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing and siting.

1. Correspondence between and among NRC Office of Governmental and Public Affairs and State officials, mostly State liaison officers and radiation control management health officials, regarding:
 - a. Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance.
 - b. NRC review of Agreement State radiation control program.

- c. Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and in other areas.

2. Agendas, reports, and transcripts of regional workshops and training programs on current matters of policy and regulations, i.e., decommissioning and radioactive waste disposal.
3. State Legislative Reports (discontinued as of December 1984).
4. Agreement State Licensing Statistics Reports (discontinued as of December 1984).

NOTE: For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects series file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

TOPREP—Topical and Vendor Reports and Correspondence

Contains Topical Reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket-specific and documents generated by vendor-related Owner's Groups are also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers and other vendors.
2. Revisions, modifications, and amendments to Topical Reports.

3. Correspondence between NRC and vendors pertaining to the review of submittals.
4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria.
5. Vendor-related Owner's Group meeting announcements, agendas, summaries, reports, and correspondence.

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the docket series.

WASH—AEC-Issued Formal Reports and Correspondence

Formal reports that were issued by the U.S. Atomic Energy Commission (AEC) Headquarters staff which carry the WASH series code and correspondence pertaining to those reports. The WASH series, which consisted of

administrative, scientific, and technical reports, ended in 1975 but correspondence is occasionally generated which refers to WASH reports. Post-1975 NRC-issued formal reports carry the NUREG series designation.

WM—Waste Management Documents

Contains records dealing with the activities of the NRC Division of High-Level Waste Management. Each topic has been assigned a unique number, prefixed by the letters "WM." Documents in these files include:

1. NRC and DOE preclicensing activities regarding the disposal of high-level waste in geologic repositories, pursuant to the Nuclear Waste Policy Act of 1982.
 - a. Technical high-level waste site preclicensing documentation.
 - b. Meeting agendas, minutes, and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories.
 - c. Briefings by DOE on research being conducted on nuclear waste management.
2. NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, pursuant to the Uranium Mill Tailings Radiation Control Act of 1978.

DEFINITIONS OF NONDOCKETED CATEGORIES

3. Correspondence and comments between NRC and the Environmental Protection Agency (EPA) pertaining to the high-level waste standard.

5. Correspondence from citizens and other non-government organizations for the above items.

4. NRC topical report reviews and associated correspondence.

NOTE: For contractor research on waste management activities, see the WMRES category.

WMRES—Waste Management and Research Reports

Contains interim and final reports, and correspondence between NRC and its contractors regarding precicensing activities in the area of high-level disposal in geologic repositories, including:

1. Periodic contractor progress reports.

3. Draft and final reports submitted for NRC review or information.

2. Trip reports.

4. Correspondence between NRC staff and contractors related to technical questions or issues to be resolved.

XPORTLIC—Export and Import Licenses

Contains records relating to the issuance of licenses to export or import nuclear facilities and materials.

1. License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components, or reactor materials.

5. Correspondence to and from foreign governments, international organizations, and members of the public.

2. Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment.

6. Hearing records and decisions.

3. Commission letters requesting Executive Branch (e.g., U.S. Department of State) views.

7. Memoranda from the office of the Secretary to the Executive Director for Operations (EDO) regarding the Commission decision on issuance of a proposed license.

4. Review and findings of the Executive Branch on whether issuance of a license would be inimical to the common defense and security of the United States.

8. Licenses, license amendments, and license renewals for types specified in item 1.

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see the 10 CFR 9.21 and SECY-series files.

BIBLIOGRAPHIC DATA SHEET

(See instructions on the reverse)

1. REPORT NUMBER
(Assigned by NRC, Add Vol.,
Supp., Rev., and Addendum Num-
bers, if any.)

NUREG-0540
Vol. 18, No. 1

2. TITLE AND SUBTITLE

Title List of Documents Made Publicly Available

January 1-31, 1996

3. DATE REPORT PUBLISHED

MONTH	YEAR
March	1996

4. FIN OR GRANT NUMBER

5. AUTHOR(S)

6. TYPE OF REPORT

Monthly

7. PERIOD COVERED (Inclusive Dates)

8. PERFORMING ORGANIZATION - NAME AND ADDRESS (If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; if contractor, provide name and mailing address.)

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

9. SPONSORING ORGANIZATION - NAME AND ADDRESS (If NRC, type "Same as above"; if contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)

Same as 8, above.

10. SUPPLEMENTARY NOTES

E. B. Morris, NRC Project Manager

11. ABSTRACT (200 words or less)

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference of Enclosures to Principal Documents.

12. KEY WORDS/DESCRIPTORS (List words or phrases that will assist researchers in locating the report.)

title list

13. AVAILABILITY STATEMENT
Unlimited

14. SECURITY CLASSIFICATION

(This Page)

Unclassified

(This Report)

Unclassified

15. NUMBER OF PAGES

16. PRICE