LA-SUB--95-129

LANL SUBCONTRACT NUMBER 4583H0004-35
TASK ORDER 001

COMPUTERIZED ACCOUNTING METHODS
DELIVERABLE 3.6
December 31, 1994

This Deliverable was considered and approved by:

A. N. Roumiantsev
RRC "KI" Technical Representative

V. K. Sukhoruchkin
RRC "KI" Contract Administrator

COMPUTERIZED ACCOUNTING METHODS

FINAL REPORT

RECEIVED
APR 12 1996
OSTI

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

MAY 16 1995

MASTER

Abstract

This report summarizes the results of the research performed under the Task Order on computerized accounting methods in a period from 03 August to 31 December 1994. Computerized nuclear material accounting methods are analyzed and evaluated. Selected methods are implemented in a hardware-software complex developed as a prototype of the local network-based CONMIT system. This complex has been put into trial operation for test and evaluation of the selected methods at two selected "Kurchatov Institute" Russian Research Center ("KI" RRC) nuclear facilities. Trial operation is carried out since the beginning of Initial Physical Inventory Taking in these facilities that was performed in November 1994. Operation of CONMIT prototype system was demonstrated in the middle of December 1994. Results of evaluation of CONMIT prototype system features and functioning under real operating conditions are considered. Conclusions are formulated on the ways of further development of computerized nuclear material accounting methods. The most important conclusion is a need to strengthen computer and information security features supported by the operating environment. Security provisions as well as other LANL Client/Server System approaches being developed by Los Alamos National Laboratory are recommended for selection of software and hardware components to be integrated into production version of CONMIT system for KI RRC.

CONTENT

	Page:
Abstract	2
Acknowledgments	5
1. Introduction	6
2. Main goal of the research	12
3. Computerized nuclear material accounting methods	14
3.1. Objectives	14
3.2. Requirements	14
3.3. Concepts	15
4. Computerized MC&A system architecture	16
5. Selection of hardware&software complex for demonstration system	17
6. Prototype hardware&software complex description	18
6.1. Hardware	18
6.2. Software components	19
6.3. Application software functions	20
6.4. Programming facilities for application software	21
7. Description of computerized MC&A functions	22
7.1. Functional logic of application software components	22
7.2. Graphical user interface	25
8. Demonstration	33
9. Results of evaluation	33
10. Additional development activities for implementation of MC&A systems at Russian nuclear facilities	36
11. Conclusions	40
12. Recommendations	40
References	42

FIGURES

1.	The main features of Local Computerized MC&A System development for KI RRC	11
2.	Computing environment of the demonstration COMNIT prototype system	20

3.	CONMIT client entry functional logic	22
4.	Functional logic of material receipt software component	23
5.	Functional logic of material shipment software component	23
6.	Functional logic of inside material movement software component for NARTSIS facility	24
7.	Functional logic of inside material movement software component for ASTRA facility	24
8.	Functional logic of reporting software component	25
9.	CONMIT client log-on screen	25
10.	Sample of CONMIT client entrance screen	26
11.	Sample of CONMIT inventory change selection screen	27
12.	Sample of CONMIT inventory change registration screen (receipt of the material)	28
13.	Sample of CONMIT inventory change registration screen (shipment of the material)	29
14.	Sample of CONMIT inventory screen for selection of batches to be shipped out to the requested destination	29
15.	Sample of CONMIT screen for confirmation of selection of batches to be shipped out to the requested destination	30
16.	Sample of CONMIT inside facility movement screen for NARTSIS facility	31
17.	Sample of CONMIT inside facility movement confirmation screen for NARTSIS facility	31
18.	Sample of CONMIT inside facility movement screen for ASTRA facility	32
19.	Sample of CONMIT inside facility movement confirmation screen for ASTRA facility	32

TABLES

1.	List of hardware components used for assembling of demonstration system	19
2.	Expert evaluation of a level of implementation of LCMC&A system concepts	34
3.	Evaluation of a scale of NM&RS accountability requirements at Russian nuclear enterprises as of 1994	38

ACKNOWLEDGMENTS

This report is a summary of the computerized accounting methods analysis performed under subcontract to Los Alamos National Laboratory (LANL). It is the result of the intensive and professional efforts by "Kurchatov Institute" Russian Research Center (KI RRC) staff and the staff of LANL who provided their vast experience and creative support - Ronald Augustson, Edward Kern, Bruce Erkkila, Susan Voss and many others.

1. INTRODUCTION

The subject of activities of the "Kurchatov Institute" Russian Research Center (KI RRC) is a comprehensive solution of the scientific problem of safe and ecologically clean generation of the energy on the basis of nuclear fission and fusion reactions, fundamental physical research and development in these and adjacent areas in the following main directions:

- development of concepts and scientific and technical base of the nuclear power, including safety, fundamental and pilot research in this area, scientific supervision and support of the development, construction and operation on nuclear power plants and nuclear facilities;
- creation and development of scientific and technical base of the controlled fusion power, fundamental and pilot research in this area;
- fundamental research in the area of the low- and high energy nuclear physics, elementary particle physics;
- fundamental and applied research in the solid state physics, radiation material testing, super conductivity, thin films, nuclear and new material technology;
- research and development of ecologically clean and resource-conserving technologies, in particular nuclear-hydrogen power.

Such wide variety of R&D programs being carried out by KI RRC, are required to work with and handle nuclear materials. Operations can vary from simple storage of nuclear material to performing complex radiochemical operations with different forms of material. Most R&D activities do not alter the form of the material but includes various experiments and tests involving nuclear material.

KI RRC facilities, that handle and use nuclear materials and items on their basis, include (Ref. [1, 2]):

- nine storage of nuclear materials and radioactive substances at research reactors, critical and subcritical rigs;
- Central nuclear material storage of KI RRC used for intermediate storage of the nuclear material that has been receipt from external suppliers or have to be shipped out of KI RRC;
- hot chamber used for cutting thermoionic fuel elements with the storage of irradiated fuel elements and fuel assemblies, that contains about 120 kg of uranium with the enrichment up to 96%;
- eight hot chambers used for studying high temperature nuclear reactor fuel, including a hot chamber which may be used for handling nuclear-dangerous amounts of fissile materials, in particular, uranium with the enrichment up to 96% and the mass up to 3 kg;
- storage of radioactive wastes with three vessels, one of which with the volume of 1 m³ is used as intermediate vessel, and two others with the volume 12 m³ each are used for accumulation and dilution of radioactive wastes;
- hot chambers for material studies, including seven chambers used for nuclear material studies, and the others are used for reactor material studies;

- 4 experimental facilities of nuclear safety class 1;
- 58 experimental facilities of nuclear safety class 2;
- 5 experimental facilities of nuclear safety class 3;
- a number of radioactive waste storage, including storage constructed in 1940s-1950s which were decommissioned since 1973 and which are used for research and development of methods and approaches of inspection, withdrawal, sorting, packaging and removal of wastes; it is planned to perform design and construction work required for the removal of these wastes and full scale rehabilitation of the "KI" RRC territory.

The largest amount of Materials is located in irradiated fuel storage and research reactors, critical and subcritical rigs and in the Central storage. At present time there are 25 nuclear facilities in the KI RRC, including 7 research reactors, 16 critical rigs and 2 subcritical rigs.

"KI" RRC handles Materials both in item- and bulk-form. The lower estimate of fresh Nuclear Materials inventory in the form of items (fuel elements and fuel assemblies) in Facilities of "KI" RRC is (Ref. [1, 2]):

- natural uranium - more than 50 tons,
- low enriched uranium with enrichment below 20% - more than 80 tons,
- highly enriched uranium with enrichment of 20% and above (up to 96%) - several hundred kilograms,
- plutonium for laboratory research - a few kilograms.

Such a variety of facilities and operations with the nuclear material predetermines that accountability system must deal with practically every possible situation involved with tracking and accounting for all the nuclear material holdings in all operations possible.

The system of accounting for and control of nuclear materials that has been previously used in the USSR and is still being used in the Russian Federation (RF) as well as in KI RRC which became the very first and still unique independent Russian research center reporting directly to the Government of RF, is based on the bookkeeping with timely technical accounting and control on the basis of the principle of constant personal material responsibility.

The operating-technical control and accounting are performed at facilities. From the moment of its arrival, the nuclear material is taken under the material responsibility by a specific person from the facility staff, and after the technological operation, prescribed by the instruction, is performed, it is transferred to another materially responsible person. The transfer of materials from one technological operation to another one is carried out according to rout maps or operating logs. This is the basis of the principle of continuous personal responsibility of worker for the security and containment of nuclear materials that are processed, stored and used as raw materials, semi-products or final products. A norm of "unrecoverable losses" or percent output of the final product from the raw material is set for each technological operation. In addition to the operating-technical control and accounting there is a bookkeeping accountancy at facilities.

The system of bookkeeping accountancy of nuclear materials, including the final product and items, is based on the system of financial accounting and reporting, that existed in the USSR and is still used in Russia, as well as on the branch regulations and instructions. Reporting standards and schedules are established for each facility depending on the material used. The bookkeeping accountancy is based on drawing up, as a rule, monthly,

quarterly or annual balances of nuclear materials and, actually, is the first verification stage of the operating-technical control and accounting. Depending on the type of nuclear materials, the procedures of monthly, quarterly or annual bookkeeping inventory taking are established resulting in preparation of certificates, reports and total bookkeeping material balance sheet of all available nuclear materials. The bookkeeping inventory taking is the second verification stage of the operating-technical control and accounting. Some routine bookkeeping procedures are implemented with use of computers assigned to store and retrieve appropriate data mostly for preparation of consolidated bookkeeping inventory for a facility, group of facilities and even for a branch of industry as a whole. As a rule there is no time limit in relation with storage of bookkeeping documents.

This form of bookkeeping accountancy is directly related to the technical and economic efficiency of the facility irrespective of the fact whether it is a facility manufacturing products containing nuclear materials or radioactive substances, or consumer facility, such as nuclear power plant, research installation such as research reactor or critical rig, or irradiated fuel reprocessing plant. The material parameters - mass of the nuclear material, enrichment, plutonium content, etc. - are treated by the bookkeeping accountancy as secondary parameters and they are controlled only from the point of view of satisfying the required specifications of a product or an item. The bookkeeping accountancy of nuclear materials was supplemented by strict physical protection measures and was considered as sufficient enough in the socio-political environment that existed in the USSR.

Due to the disintegration of the USSR and the formation in its territory of New Independent States, the unified State system of accounting for and control of nuclear materials that ensures the safeguards of using nuclear materials in peaceful and defense activities of the USSR ceased to exist. Each of the New Independent States engaged in nuclear activities has to establish its own State system of accounting for and control of nuclear materials (SSAC).

The responsibility of New Independent States engaged in nuclear activities is the development of the legal basis to regulate peaceful and defense nuclear activities in the form of laws, acts, standards and other documents defining the structure, composition and functions of state regulatory bodies that control the nuclear activities, set regulations of handling nuclear materials and liabilities for non-observance of these regulations.

The legal basis regulating the peaceful and defense nuclear activities in the Russian Federation (RF), which is the legal successor of the former USSR, must be formed by the Law on the use of atomic energy in the RF, which has been in the stage of development for a long time and till now exists in the form of Draft. Nevertheless the Draft of the Law on the use of atomic energy in the RF contain sections related to the problem of accounting for and control of nuclear materials and provide among other things for the following:

- establishing the accounting and control within the framework of the State system of accounting for and control of the production, use, transportation and storage of nuclear materials and radioactive substance;
- provision by the State system of accounting for and control (SSAC) of nuclear materials and radioactive substances of systematic and timely information on the presence and movement of nuclear materials and radioactive substances, on the export and import of nuclear materials to state authorities and governmental bodies of RF;
- responsibility of corresponding state governmental bodies and operating organizations for maintaining local systems of accounting for and control of nuclear materials and radioactive substances at industrial plants, associations, organizations and facilities;
- implementation of RF obligations according to the Treaty on non-proliferation of nuclear weapons and other international agreements;

- the accounting for nuclear materials and radioactive substances is performed with the purpose of determining the inventory of these materials and substances in places of their location for prevention of losses, unauthorized use and theft of these materials.

Thus, the material accountancy and the analysis of nuclear material balance based on the experimental determination of qualitative and quantitative parameters of nuclear materials and the inventory of these materials, will be provided by the legal basis. Only the nuclear material accounting may form the basis to ensure the special and nuclear safety, the implementation of physical protection measures, control of losses of nuclear material and analysis of their causes.

The balance based material accountancy is a generally accepted method of accounting for and control of nuclear materials, used in National systems in the USA, countries of the European Community, Japan and many other states and is the basis for systems of international safeguards which are implemented, for example, by the International Atomic Energy Agency (IAEA) and Euratom with the aim of verifying the implementation of obligations, taken by countries on peaceful use of the atomic energy.

The establishment of the unified SSAC of nuclear materials and radioactive substances with the organizational and maintenance responsibility by the Federal Supervising Agency of Russia on Nuclear and Radiation Safety (Gosatomnadzor or GAN) is possible within the framework of a two-level structure that includes:

- Level 1: Local systems of accounting for and control of nuclear materials and radioactive substances at facilities (LSAC).
- Level 2: State system of accounting for and control of nuclear materials and radioactive substances (SSAC) to be managed by GAN of the RF.

Taking into account the geographic conditions of the RF, during the establishment of the unified SSAC the second level of the structure may be represented by two sub-levels - SSAC of Regional Centers of RF GAN (RSAC) and the Central SSAC. When using the two-level structure of SSAC, the needs of state governmental bodies and of industrial management related to the information on accounting for and control of nuclear materials and radioactive substances are to be served in a centralized way through RSAC and SSAC.

Due to changes in the socio-political environment mentioned above and a new status of KI RRC as an independent Russian research center reporting directly to the Government of RF, development of KI RRC system of accounting for and control of nuclear materials which is based on principles of the material balance, became a necessity.

General requirements and main design features of a new KI RRC system of accounting for and control of nuclear materials (MC&A system) were developed by the end of 1993 in a form of Technical Specifications of the "Model Automated System of Nuclear Materials Accounting, Controls and Safeguards for Complex Nuclear Facilities (NUMACS system)" (Ref. [1, 2]). In accordance with concepts and criteria formulated in NUMACS Technical Specifications, new generation KI RRC MC&A system must be based on the internationally recognized principle of nuclear material balance and has to incorporate state-of-the-art computerized systems to track and account for the nuclear material items in individual facility and complex of facilities within a Research Center and to provide accounting data and reports to the RSAC or/and the Central SSAC of RF. More over NUMACS system contains the necessary provisions ensuring continuation of implementation of the IAEA international safeguards for one of KI RRC nuclear facility (research reactor IR-8). Taking into consideration a scale of nuclear activity in RF and needs to develop a new generation of LSAC for practically all RF facilities handling the nuclear materials, the new generation of

LSAC for KI RRC has to be flexible enough to permit its implementation for various nuclear facilities and installations outside the KI RRC.

Development of a new generation of Local MC&A system for KI RRC is considered as a multi-step process with the aim to substitute the existing system and provide timely accounting of and control for the nuclear materials and radioactive substances with the purpose of determining the inventory of these materials and substances in places of their location for prevention of losses, unauthorized use and theft of these materials.

The main features of this multi-step development process are shown in Fig. 1. One of the most complicated area of this process is the area of development and implementation of the Local Computerized MC&A System (LCMC&AS). The basic reasons to consider this area the most complicated one are as follows:

- new accounting procedures and regulations that are based on material balance concept as well as computerized MC&A information treatment procedures which corresponds to them, are to be developed, tested and implemented practically at the very same time;
- computerized information treatment technologies are subject for rapid and significant changes due to widening implementation of Personal Computers (PC's) which are providing more friendly computing environment and well advanced graphical user interfaces;
- there are needs to integrate the arrays of facility generated MC&A data that tracks and records the activities associated with nuclear materials in the facility, into the Data Base (DB) capable to provide information services to the local user community that includes processing, material control and accountability, and nuclear material management personnel of KI RRC, and to provide support for the SSAC data base and inspections of GAN of RF;
- there are needs to assure a personal responsibility for timely input of data on the movement of nuclear material throughout a site and timely evaluation of inventory and inventory changes due to such movements;
- taking into consideration that a number of KI RRC staff being authorized to handle nuclear material and materially responsible for, is well over 100, and an expected number of Material Balance Areas (MBA's) to be established within KI RRC is in a range of 35-70, the LCMC&AS for KI RRC is to be capable to provide information services to 150-250 end-users;
- there are needs to provide most efficient use of computing resources to be allocated for planned KI RRC Local Computerized MC&A System;
- there are needs to provide required security provisions for all stages of MC&A information treatment - from preparation and input of original data to an evaluation of integrated data for accounting, control, safeguards and physical protection purposes;
- there are needs to provide an efficient maintenance and modification of LCMC&AS due to possible changes in accounting and control procedures as well as due to improvements and enhancements in hardware and software tools applied for LCMC&AS.

Fig.1. The main features of Local Computerized MC&A System development for KI RRC

Analysis of these requirements leads to the conclusion that the development of LCMC&AS in KI RRC should be based on evaluation, selection and implementation of the well proven and perspective approaches which are applied for computerized MC&A systems in Research Centers being similar to KI RRC in terms of a scale and complexity of nuclear material accountability and control - first of all in the National Laboratories of the United States of America (USA) and in particular - Los Alamos National Laboratory.

Los Alamos National Laboratory (LANL, Los Alamos, New Mexico, USA) has a wide variety of R&D programs that are required to work with and handle nuclear materials. Operations are varied from simple storage of nuclear material to performing complex reprocessing operations with different forms of material. Most R&D activities do not alter the form of material and include various experiments and tests involving nuclear material. With such a variety of operations, the LANL accountability system must deal with practically every possible situation involved with tracking and accounting for all the nuclear material holdings in all operations possible. Since 1958 LANL is developing and implementing the computerized MC&A system that has survived several fundamental changes - from 80-column card based system to the present MASS system which implements the concept of near-real-time accountability. MASS system is provided by about 70 on-line dedicated terminals tied to production mainframe computer with over 300 users interacting with the accountability system, updating the status of the items they are responsible for. MASS is also used to automate the exchange of information concerning shipments and receipts of nuclear material to and from LANL and to prepare information regarding internal adjustments of nuclear material (Ref. [3]).

Due to significant changes in hardware and commercially available software occurred since completion of MASS design, LANL began development of a new generation of computerized accounting system with implementation of LANL developed Client/Server System approach. This approach has been applied to development of a new Local Area Network Material Accountability System (LANMAS). The development of LANMAS was undertaken by LANL in 1991 in order to take advantage of all the technical advances in information treatment technology occurred in the past 10 years or so. Initial delivery of the LANMAS core upon completion of test is anticipated in October 1995 (Ref. [4]).

Mutual understanding of the importance of Non-Proliferation policy and strengthening of nuclear material accountability and control in facilities dealing with weapon-grade nuclear material as well as intentions of KI RRC to develop and implement a modern LCMC&AS, leads to development of a specific LANL Task Order "Statement of Work for Computerized Accounting Methods" to be carried out by KI RRC within period 03 August - 31 December, 1994.

This Final Report contains description of activities performed by KI RRC in accordance with the Task Order as well as conclusions and recommendations on Computerized Accounting Methods in the area of MC&A systems.

2. MAIN GOAL OF THE RESEARCH

The main goal of the research performed in frameworks of the Task Order was to test methods for computerized nuclear material accounting. This scope included:

- standard system requirements and specifications that incorporate the data acquisition, record keeping, reporting, and other requirements for nuclear material control and accounting as set forth in the applicable regulatory standards and guides;
- prototype computer hardware and software demonstration network.

A range of hardware and software options was proposed to be evaluated to determine their suitability and practicality for near-term application at the KI RRC, followed by implementation of a demonstration system at two KI RRC facilities.

In order to achieve the stated goal of the research the following tasks were formulated:

- KI RRC, in conjunction with LANL, should review available MC&A information treatment methods and concepts that could potentially be deployed in the near term. This review process might include technical meetings and seminars.
- KI RRC should translate into English the Annexes to the Technical Specifications of the "Model Automated System of Nuclear Materials Accounting, Controls and Safeguards for Complex Nuclear Facilities (NUMACS System)" (Ref. [2])
- KI RRC, in conjunction with LANL, should select a range of methods for evaluation and testing of hardware and software tools and should develop a test and evaluation plan.
- KI RRC should assemble the necessary equipment, software and other components as needed for testing and evaluation of the methods. As appropriate, depending on availability in Russia or the USA, LANL should provide equipment, software or other components as needed to support the evaluation and testing.
- KI RRC should implement the test and evaluation plan, including development and implementation of a demonstration system at two KI RRC facility, and prepare a report on the results.
- KI RRC should recommend additional development activities which will strengthen MC&A implementation at Russian nuclear facilities. These should be included in the Final Report.

In order to keep track on the performed activities KI RRC regularly informed LANL about results of the research in a form of deliverables which included:

- 1) Summary report of initial technical discussions and agreement on task activities.
- 2) Work plan and general provisions of information treatment, and software-hardware test, including evaluation and selection procedures.
- 3) English translation of the Annexes 1-16 to the Technical Specifications of NUMACS system.
- 4) Interim letter report on the review and selection of methods for testing and evaluation, including a recommended equipment list.
- 5) Interim letter report on the technical exchange of selected methods. The technical exchange could include a software seminar.
- 6) Final Report describing the completed task activities and solutions, including the demonstration of the prototype system at two selected facilities at KI RRC.

Tasks 1) - 4) were completed by 15 August 1994. Task 5) was completed by 15 November 1994. Task 6) was completed by 31 December 1994. In a course of research work a number of meeting were conducted: in September, November and December of 1994. Results of discussions and demonstrations occurred during these meetings were stated in the minutes which described achieved results and pointed out some issues to be resolved. Demonstration of the prototype of system named CONMIT (COMputerized Nuclear Material Information Treatment) system, was performed during a week 13-16 December 1994. The

prototype CONMIT system was deployed at two KI RRC nuclear facilities and was demonstrated with use of real accounting data obtained in a course of Initial Physical Inventory Taking.

3. COMPUTERIZED NUCLEAR MATERIAL ACCOUNTING METHODS

3.1. OBJECTIVES

The main objectives to be achieved by implementation of computerized nuclear material accounting methods are defined in accordance with the Draft of the Law on the use of atomic energy in the RF as follows:

- the accounting for nuclear materials and radioactive substances is performed with the purpose of determining the inventory of these materials and substances in places of their location for prevention of losses, unauthorized use and theft of these materials.

This statement corresponds to the internationally recognized objectives of the nuclear material accounting. The accounting for and control of nuclear materials and radioactive substances is one of the most important elements of the system ensuring the safety of the State, including nuclear and radiation safety of facilities using these materials, and contributes to Non-Proliferation policy thus promoting international security. The adequate accounting contributes to timely detection of losses of nuclear materials and radioactive substances, identification of the sources of these losses, as well as to detection of theft or unauthorized use of nuclear materials and radioactive substances and to the prevention of them. In this regard the accounting and control of nuclear materials and radioactive substances is a necessary addition to physical protection measures. Because of nature of nuclear materials their accountancy and analysis of balance should be based on the experimental determination of qualitative and quantitative parameters of these materials.

3.2. REQUIREMENTS

Taking into consideration these approaches the main requirements of the computerized accounting methods should include:

- Accounting for, and control of, nuclear materials and radioactive substances based on principles of material accountancy using physical measurements, assisted by containment and surveillance measures, with the aim of determining the inventory of these materials or substances in their locations to prevent and in a timely manner to detect significant losses, unauthorized use and theft of these materials.
- Application of modern approaches to statistical processing of the experimental accounting information for selecting the boundaries of material balance areas and material balance assessment.
- Application of modern information technologies for timely provision of authorizing facility personnel, authorized State agencies and organizations, including regulatory authorities, with reports on the presence, movement, and use of nuclear materials and radioactive substances at nuclear facilities and in other locations where nuclear materials and radioactive substances are used, and provision of regulatory authorities with information services related to inspection information acquisition and processing, its analysis in comparison with reported information.
- Implementation of State obligations on the provision of reported information on the presence, movement and use of nuclear materials according to existing bilateral and multilateral intergovernmental agreements and contracts related to nuclear materials.

- Ensuring the information and methodological compatibility with the IAEA system of international safeguards.
- Account of international and, to the maximum possible extent, national requirements of other countries on nuclear export and import to prevent difficulties in the international and bilateral trade or cooperation in the nuclear area.

3.3. CONCEPTS

In accordance with the defined goals and requirements the computerized accounting methods have to correspond to the following concepts:

1. Data entry on computer terminal and data base updating should be performed as soon as the entry (transaction) is made (concept of near-real-time accountability);
2. Capable of generating of required reports on material accountability should be provided (concept of sufficient reporting capabilities);
3. The users should be provided with all the computer capability needed to manage a large variety of accounting, technological, containment and surveillance operations with a wide variety of nuclear materials (concept of sufficiency of computer resources);
4. Capabilities should be provided to ensure effective quality control of original data and possibilities to trace out all corrections introduced into initial data (concept of audit trails - "correction chaining");
5. The forward and backward trace capabilities should be provided to perform a forward and backward trace of an information item's genealogy for the previous period which may last for decades (concept of information item tracing);
6. Capabilities should be provided for application of measurement control program including calibration procedures and use of various measurement equipment in the measurements of nuclear materials (concept of statistical assessment);
7. Capabilities should be provided for input of measurement data generated by nondestructive assay instruments and other instruments used for measurement, identification, containment and surveillance of nuclear materials (concept of instrument support);
8. Information services should be provided to the local user community including processing, material control and accountability, and nuclear material management personnel, and to the authorized State agencies and organizations, including regulatory authorities (concept of authorized user community);
9. Necessary security should be provided for accounting data and relevant information treatment procedures with several levels of security (concept of data and procedure security).
10. Efficient application of perspective software tools capable to meet end-user requirements for a long time should be provided - to meet industry standards that foresee a software lifetime of 10 years (concept of software "lifetime");

11. Capability should be provided for efficient upgrade of hardware without needs to change basic application software for a long time - about decade or so (concept of "easy" hardware upgrade).
12. Reliability of data storage and information treatment procedures in relation to hardware & software failures, and user errors must be provided (concept of system reliability).

4. COMPUTERIZED MC&A SYSTEM ARCHITECTURE

Hardware and software tools available at present, may permit the development of a wide variety of hardware-software configurations. Their architecture in general may be considered as a superposition of the initial simplest structures which are "star"-like or "ring"-like structures.

The "star"-like structure represents the hierarchical structure of relationship between computers. The "ring"-like structures may be combined with each other in a number of ways thus developing a computer network with network structure of relationship between computers. These two structures - hierarchical and network structure, - may be combined in a number of ways thus developing a more complex structure of relationship between participating computers.

"Star"-like hierarchical structure was widely used for development of information systems of collective use with implementation of Data Base Management System (DBMS) technology on main-frames. The same approach was widely applied to the development of many computerized MC&A systems. Such structure was used in the LANL developed MASS local MC&A system in which the concept of the near-real-time accountability was introduced (Ref. [3]). Initial design of the IAEA Safeguards Information System (ISIS) being operational since 1981, was based on the same approach. At the beginning of 90's ISIS architecture become more complex and effective due to integration of "star"-like structure with Local Area Network (LAN) "ring"-like structure developed with use of PC's (Ref. [5]).

Due to significant changes in hardware and commercially available software that have occurred in the recent past there is an obvious necessity to reconsider previously developed and well proven approaches on the architecture of computerized MC&A systems.

At least the following issues are motivating needs to reconsider the approaches on development of a modern accountability system (Ref. [3]):

Graphical user interface. This is a friendly interface between the user and the computer. User prompts and helps reduce training requirements and learning of the system.

Report output. A client-server network would significantly reduce an amount of centralized produced printed outputs.

Data Base access. There is a real motivation to provide the user with easier access to the Data Base with accounting data.

Lower costs. There is a real opportunity to reduce the costs for operations, system software maintenance, system enhancements, hardware maintenance, and operating system software maintenance.

As it was mentioned above, since 1991 LANL has been implementing LANL Client/Server System approach that provides the framework for material accountability systems. LANL Client/Server System is a network-based nuclear material accountability system. It tracks the movement of material throughout a site and generates the required reports on material accountability. This system runs in a client/server mode. The Data Base of material type

and location resides on the server, while the user interface accesses the server via a network. The LANL Client/Server System can be used as a foundation for building required MC&A functionality at any site requiring a new MC&A system (Ref. [4]).

Taking into consideration the concepts of computerized accounting methods presented above, LANL approach to the development of a modern local MC&A system as a network-based client/server accountability system, is to be considered as a most justified and most advanced at the present time and for future.

Based on these evaluations the COmputerized Nuclear Material Information Treatment system (hereinafter referred to as CONMIT system) as the local nuclear material and radioactive substances accounting and control system for KI RRC, has to be developed as a network-based client/server accountability system.

5. SELECTION OF HADWARE&SOFTWARE COMPLEX FOR DEMONSTRATION SYSTEM

The CONMIT system is designed as a local network-based software-hardware complex. CONMIT main assignment is to provide the framework of the KI RRC nuclear material and radioactive substances accounting and control system that will be capable to provide near-real-time track of the movement of material in a facility and throughout a site and to generate the required reports on material accountability. In addition to serving local users, the CONMIT will generate accounting data and reports to the RSAC or/and the Central SSAC of RF as well as to the IAEA for the facility that is under international safeguards (research reactor IR-8).

Because of complexity of CONMIT system its development includes a number of design stages shown in Fig. 1. and briefly described below. These stages are as follows:

Stage 1. Test and evaluation of the computerized accounting methods with use of a demonstration system at two selected KI RRC nuclear facility and evaluation of results of the design and demonstration. KI RRC considers the demonstration system as a possible CONMIT prototype system.

Stage 2. Development and test of the CONMIT prototype system that incorporates all necessary modifications and improvements and eliminates deficiencies detected in a course of Stage 1 fulfillment.

Stage 3. Detailed design of CONMIT production version with incorporation of required modifications and improvements. Development of software design description.

Stage 4. Coding and testing of CONMIT production version. Development of operation and software test documentation.

Stage 5. Independent testing of CONMIT production version.

Stage 6. Introduction of CONMIT into operation in a parallel with existing bookkeeping system.

Stage 7. Evaluation of results of parallel operations of both system.

Stage 8. Production mode of CONMIT operation with maintenance and modifications.

Fulfillment of Stage 1 is the subject of the Task Order. This Stage may be considered as one of the most decisive stage of the CONMIT system project. Depending upon results of an evaluation of its performance and efficiency under real operating conditions in a course

of demonstration, and evaluation of a scale of efforts spent for development of the demonstration system, some more realistic estimations may be made in relation to the overall cost and efficiency of the CONMIT production version development and operation.

At the beginning of the Task Order works there were two possibilities to demonstrate the results of the research in the form of a demonstration system:

- 1) either to implement from the beginning all technical decisions developed by LANL in a course of LANL Client/Server System design - namely all components of hardware-software operation environment,
- 2) or to use as much as possible KI RRC experience in creation of various information systems for development of the functionally comparable design which may differ from LANL Client/Server System design in terms of hardware-software operation environment components, but which implements the same network-based client/server approach and corresponds to concepts of computerized accounting methods.

The real situation predetermined a selection of an option. The request and need to develop the demonstration system in very short period of time, did dictate to use as much as possible all KI RRC experience gained before in area of Data Base design and implementation and to rely on software tools KI RRC had tested and were familiar with.

In order to achieve some constructive results and to perform the requested demonstration the second approach was chosen.

6. PROTOTYPE HARDWARE&SOFTWARE COMPLEX DESCRIPTION

The CONMIT prototype system is a local network-based software-hardware complex which creates a computing environment being used for testing and evaluation of the computerized accounting methods.

6.1. HARDWARE

The demonstration system was assembled with hardware manufactured by the Hewlett-Packard Co. (USA). Reasons for selection of the hardware manufacturer and a vendor were requirements on reliability, guaranteed vendor technical support and warranty for a long period of time (up to 3 years). List of the main hardware components is presented in the Table 1. Network structure of the system is based on the "ring"-like approach and simple connections with use of 50 ohm ETHERNET cable provided by the BNC connectors. All computers are provided by the FD2000P Series Jumperless EtherBoard ISA NE2000Plus compatible network adapters.

These hardware components permit to develop a number of network-based ("ring"-like) structures of the hardware complexes with:

- the data base server and up to 6 local clients;
- two servers - one for the data base and another one as a file server - and up to 5 local clients;

- two data base servers - one with an "active" data base and another one with the data base kept in a "hot-reserve" mode - and up to 5 local clients; this structure was used in order to provide sufficient redundancy for demonstration in case of any "force majeure" circumstances.

Table 1**List of hardware components used for assembling of demonstration system**

Hardware component description	Quantity
Netserver 4/66 LC Model 540	1
14" HP VGA Monochrome Display, white EPA	1
16 MB parity SIMM, 70 ns	2
HP Vectra VL2 4/50e Model 340	4
4 Mbytes RAM SIMM	4
14" HP Ergonomic SVGA Monitor	4
HP Vectra VL2 4/66 Model 340	2
14" HP Ergonomic 1024 Monitor	2
8 Mbytes RAM SIMM	2
HP LaserJet 4L	2
HP DeskJet 520	2
Ethernet Card (BNC) 16 bit NE2000 comp.	7

Various network-based hardware structures were used for evaluation of operating systems and their components in a course of evaluation of computing environment.

6.2. SOFTWARE COMPONENTS

Main components of computing environment used for demonstration are shown in Fig. 2.

Data Base server is provided by the following software components:

- operating system OS/2 V.3 WARP,
- network software "Net-Work" for OS/2 V.1.1.4.6.,
- Data Base Management System (DBMS) "ADABAS DB Server" for OS/2 V.1.2.6., and contains COMMIT Data Base.

All clients are provided by the following software components:

- operating system Windows V.3.1.,
- network software "Entire Net-Work for Windows" V.2.2.,
- "NATURAL for Windows" V.2.1.3. which provides the following features:
an integrated ADABAS database access,

a complete application development environment,

- CONMIT application software developed with use of NATURAL

Fig. 2. Computing environment of the demonstration CONMIT prototype system

The ADABAS DB Server for OS/2, Net-Work for OS/2, Entire Net-Work for Windows, NATURAL for Windows are the products of the SOFTWARE AG, Germany & SOFTWARE AG of North America, Inc.

6.3. APPLICATION SOFTWARE FUNCTIONS

Main functions of the demonstration CONMIT prototype system software are listed below:

1. Data entry on computer terminal and data base updating are performed as soon as the entry (transaction) is made by the end-user;
2. Generation of required standard reports and adhoc user requests on material accountability is provided;
3. Storage of all accounting and relevant data is provided.
4. Quality control of original data and possibilities to trace out all corrections introduced into initial data are provided;
5. The forward and backward trace capabilities are provided thus making available to perform a forward and backward trace of an information item's genealogy for the previous period which has no time limitation;

6. Information services are provided to the local user community including processing, material control and accountability, and nuclear material management personnel.

6.4. PROGRAMMING FACILITIES FOR APPLICATION SOFTWARE

The application software was developed with use of the NATURAL programming facilities. NATURAL provides the tools that allow to create NATURAL applications in various environment which includes Window environment. The components of a NATURAL application are NATURAL objects and Data Definition Modules or "views". NATURAL objects include programs, subprograms, subroutines, copycode, help routines, maps and data areas. Within a NATURAL session all types of NATURAL objects may be created and edited.

NATURAL provides five editors to create, edit and manage all types of NATURAL objects. The program editor is used to create and edit NATURAL programs, subprograms, subroutines, copycode and help routines. The map editor is used to create and edit NATURAL maps. The data area editor is used to create and maintain definitions for local, global, and parameter data areas. A data area definition may consist of user-defined variables, database views, and global data blocks (a collection of variables and/or views). The Data Definition Module (DDM) editor is used to create and edit DDM's for corresponding database files thus making them available to a NATURAL program. The dialog editor allows to create event-driven NATURAL applications that are compatible with "classic" (procedural) NATURAL applications

NATURAL is provided with library support facilities. The NATURAL Library provides choices to create a new library, open, rename, or delete a library, and import objects from one to another library. NATURAL provides on-line checking of a source text of programs and other objects with sufficient help support.

NATURAL is provided by the Dynamic Data Exchange (DDE) server and client communication functions. This feature provides NATURAL applications that communicate via Window's DDE with other Windows applications such as Visual Basic, Excel, Word for Windows. The NATURAL application can act as a DDE server, a DDE client or both. The NATURAL Remote Procedure Call (RPC) facility enables to invoke a NATURAL subprogram residing on a remote server.

Via ENTIRE ACCESS facility, NATURAL applications can transparently access multiple relational database management systems (RDBMS) in both client/server and single-platform environments. ENTIRE ACCESS provides a common SQL-eligible application programming interface (API) for both local and remote database access. It represents a client/server solution for ADABAS SQL-DB Server, as well as for various third-party products under Windows. With ENTIRE ACCESS, a NATURAL user can access data in relational database. In general, there is no difference between using NATURAL with ENTIRE ACCESS and using NATURAL with ADABAS DBMS. ENTIRE ACCESS supports NATURAL Data Manipulation Language (DML) and SQL statements which can both be used from within one NATURAL program accessing multiple database systems. NATURAL converts DML and SQL statements within NATURAL applications into calls to ENTIRE ACCESS, which performs the required data format translation and transfers these requests to the underlying database system via appropriate database driver.

All operations requiring interaction with the database are performed by ENTIRE ACCESS. It supports local and/or remote databases and contains a series of database drivers, one for each supported RDBMS, so that multiple heterogeneous RDBMS can be accessed concurrently from within the same NATURAL application. For remote access, the transport media for SQL data is provided by ENTIRE NET-WORK, which establishes the

communication link. The ENTIRE ACCESS client part for Windows is an integrated part of NATURAL for Windows.

7. DESCRIPTION OF COMPUTERIZED MC&A FUNCTIONS

The demonstration CONMIT prototype system performs the following computerized MC&A functions for nuclear material identifiable items (batches):

- Receipt into Material Balance Area (MBA),
- Shipment outside of MBA,
- Movements within MBA,
- Storage within MBA,
- Reporting,
- Maintenance of Dictionary,
- Data Base Maintenance,

These functions were demonstrated for three MBA's: two of them were established for NARTSIS and ASTRA critical rigs and the third one was "dummy" MBA used for demonstration of procedures for domestic shipments and receipts.

7.1. FUNCTIONAL LOGIC OF APPLICATION SOFTWARE COMPONENTS

This system provides certain client entry functional logic shown in Fig. 3.

Fig. 3. CONMIT client entry functional logic

Functional logic of receipt of the material and treatment of an Inventory Change Record (ICR) is presented in Fig. 4.

Fig. 4. Functional logic of material receipt software component

Functional logic of shipment of the material and treatment of the corresponding ICR is presented in Fig. 5.

Fig. 5 Functional logic of material shipment software component

Functional logic of inside movement of the material and treatment of the corresponding Physical Inventory List (PIL) records for NARTSIS facility is presented in Fig. 6.

Fig. 6 Functional logic of inside material movement software component for NARTSIS facility

Functional logic of inside movement of the material and treatment of the corresponding PIL records for ASTRA facility is presented in Fig. 7.

Fig. 7 Functional logic of inside material movement software component for ASTRA facility

Functional logic of reporting software component is shown in Fig. 8.

Fig. 8 Functional logic of reporting software component

7.2. GRAPHICAL USER INTERFACE

Demonstration CONMIT prototype system provides a graphical interface that allows the authorized client-user to interact with the system in the most convenient way.

Description of the graphical interface is presented with use of screen maps developed with utilization of mapping facilities of the NATURAL for Windows software package. All screen maps are developed in Russian with Cyrillic alphabet.

The Fig. 9 presents CONMIT client entry map with request to enter the password in order to get access to the CONMIT procedures and the Data Base. In case of entry of erroneous password the session is terminated. In order to continue it the user is requested to start session again.

Fig. 9. CONMIT client log-on screen

The Fig. 10 presents next CONMIT client entrance map with request to enter the ID's of the material responsible person and work manager who is assigned to supervise the activities related to the nuclear material handling. Both ID's must be presented in a sequential mode. These ID's are checked against a list of ID's of persons being authorized for a specific MBA or a group of MBA's. For demonstration purposes these ID's were assigned to two persons responsible for both MBA's. Upon successful entry of these ID's a list of MBA's they authorized for, is presented. In a course of demonstration two MBA's were available to the persons mentioned. List of MBA's with invitation to select one of them is presented on this map.

Учет Ядерных материалов

Оператор Help

РУКОВОДИТЕЛЬ РАБОТ ЕИЧ
ОТВЕТСТВЕННЫЙ ЗА ХРАНЕНИЕ АНП

ВЫБЕРИТЕ КОИ ЗЕМ

KI-NARCS
KI-ASTRA

СИСТЕМА CONMIT

Fig. 10. Sample of CONMIT client entrance screen

The Fig. 11 presents CONMIT client map with request to enter data in case of inventory change, for instance, due to receipt of the material that must be accounted for. The map is provided by additional prompt developed with use of the help routine that contains a list of inventory change codes and explanations on their use. The user is requested to identify the type of receipt - either receipt domestic (RD) or receipt foreign (RF).

Cyrillic

Изменение инвентарного количества в ЗЕМ

Help

Введите ИМЗ Партии
КСИ-У

и Код ИЗМЕНЕНИЯ RD

Enter F3

Выбрав КОД, нажмите ENTER или дважды - Мышь

Коды ВХОДА изменений инвентарного количества Материалов

PE	Конечное фактически наличное количество материала
PB	Первоначальное фактически наличное количество материала
BA	Скорректированное конечное количество материала
MF	Количество неучтенного материала (ИЗМ)
NC	Отсутствие изменений инвентарного количества
RD	Получение материала (из другой ЗЕМ того же государства)
RP	Увеличение партии (добавление части другой партии)
GA	Случайное увеличение инвентарного количества материала

Простание и Выбор
Enter
Выход без выбора
PF3

Fig. 11. Sample of CONMIT inventory change selection screen

The Fig. 12 presents CONMIT client map with request to enter data in case of inventory change due to receipt of the material. The map contains a number of boxes to filled in by the material accounting data either provided in the shippers documents or obtained in a course of measurements performed by the facility personnel.

РЕГИСТРАЦИЯ ИЗМЕНЕНИЯ Наличного Количества									
Выбор		Help							
Страна	RU	Откуда	RU	Датум	КСМ-У				
Зав	RI-NARCS	Тип ИЗМЕНЕНИЯ	RI-INST						
Источники	NARCISS	INSTOR							
Материал переклассифицирован? (Y/N)						Y			
						Код КИМ ИЗМЕР.	A		
						Код КИМ	A		
Физич. форма	B Q 1 F	Учетн. Катег.	Масса материала	Ед. изм.	Станд. отел.				
Химич. форма	---	Брутто	34001.97	G					
Упаковка	---	Нетто	29908.11	G					
СОСТОЯНИЕ	---	УЕАН	28678.87	G					
		U-235	U5						
Количество изделий						38			
Руководитель работ						ЕИЧ			
Ответственный за хранение						АНП			
						Код ОБЯЗАТЕЛЬСТВА			
						Код ИСПОЛЬЗОВАНИЯ			

Fig. 12. Sample of CONMIT inventory change registration screen (receipt of the material)

The Fig. 13 presents CONMIT client map with request to enter data in case of inventory change due to shipment of the material. The map contains a number of fields for information on the shipment destination.

Отправка материала

УКАЖИТЕ КУДА БУДЕТ ОТПРАВЛЕН МАТЕРИАЛ
ИЗ ПАРТИИ КСИ-У :

СТРАНА RUSSIA ЗЕМ KI-INST

УСТАНОВКА INSTOR

Enter

Fig. 13. Sample of CONMIT inventory change registration screen (shipment of the material)

The Fig. 14 presents CONMIT client map with request to select the nuclear material items to be shipped out of the MBA to the shipment destination identified in Fig. 13.

ВЫБЕРИТЕ ЧАСТИ ПАРТИИ ДЛЯ ОТПРАВКИ
ПАРТИЯ КСИ-У

ИдЭл	Хранилище	ПОЗИЦИЯ	Масса U235	Кол-во	MDC
☐ 12	К	12	787.974	1	В Q 1 F
☐ 13	К	13	787.620	1	В Q 1 F
☒ 14	К	14	785.292	1	В Q 1 F
☒ 15	К	15	786.700	1	В Q 1 F
☒ 16	К	16	788.303	1	В Q 1 F
☒ 17	К	17	790.116	1	В Q 1 F
☒ 18	К	18	789.703	1	В Q 1 F
☐ 19	К	19	789.282	1	В Q 1 F
☐ 20	К	20	803.265	1	В Q 1 F
☐ 21	К	21	805.425	1	В Q 1 F

След. страница Стр № 2 из 4 Пред. страница

Fig. 14. Sample of CONMIT screen for selection of batches to be shipped out to the requested destination

The Fig. 15 presents CONMIT client map with request to confirm the selection the nuclear material batches to be shipped out of the MBA.

Отправка материала

ПОДТВЕРДИТЕ ОТПРАВКУ

В СТРАНУ RUSSIA В ЗЕМ KI-INST
НА УСТАНОВКУ INSTOR
МАТЕРИАЛА ПАРТИИ КОМ-У
КОД ОПИСАНИЯ МАТЕРИАЛА В Q 1 F
В СОСТАВЕ: 5 МТ.

КАТЕГОРИИ	МАССА
	324.250
	4996.190
	4671.440
H	4108.995
US	3940.114

Fig. 15. Sample of CONMIT screen for confirmation of shipment to the requested destination

The Fig. 16 presents CONMIT client entrance map used for registration of inside material movement for NARTSIS facility. The user is requested to identify FROM and TO storage location identification and select an identifiable item to be moved. The screen map corresponds to actual storage locations and material handling areas.

Оператор Help

Схема хранилищ на установке НАРЦИСС

Цирк. keypad Layout

ДЛЯ ПЕРЕМЕЩЕНИЯ МАТЕРИАЛА
ВЫБЕРИТЕ ХРАНИЛИЩЕ СОГЛАСНО СХЕМЕ

КТИ 1

КТИ - А

ХРАНИЛИЩЕ 'К'

ХРАНИЛИЩЕ К

ТЕКУЩЕЕ ХРАНИЛИЩЕ: Ф-40
ВЫБЕРИТЕ МАТЕРИАЛ:
ПОЗИЦИЯ НАРЦИСС ИД. ОП.

19	В-71	19
11	В-71	11
12	В-71	12
13	В-71	13
14	В-71	14
15	В-71	15
16	В-71	16
17	В-71	17
18	В-71	18

7А КСИ-У 01
А КСИ-У DF

Fig. 16. Sample of CONMIT inside facility movement screen for NARTSIS facility

The Fig. 17 presents CONMIT client entrance map used for confirmation of the inside material movement for NARTSIS facility requested by the map in Fig. 16.

Help

Схема хранилищ на установке НАРЦИСС

Цирк. keypad

УКАЖИТЕ КУДА ПЕРЕМЕЩАЕМ МАТЕРИАЛ

КТИ 1

КТИ - А

ХРАНИЛИЩЕ 'К'

ХРАНИЛИЩЕ К

ПЕРЕМЕЩЕНИЕ МАТЕРИАЛА

19	В-71	19
11	В-71	11
12	В-71	12
13	В-71	13
14	В-71	14
15	В-71	15
16	В-71	16
17	В-71	17
18	В-71	18

ИЗ Ф-40 ПОЗ 19
В ЗОНА 19

Перемещение

Подтвердите
перемещение МАТЕРИАЛА 19
из партии В-71
из хранилища Ф-40 19
в хранилища ЗОНА 19

Enter

НЕТ F3

Fig. 17. Sample of CONMIT inside facility movement confirmation screen for NARTSIS facility

The Fig. 18 and 19 present CONMIT client entrance map used for registration of inside material movement and its confirmation for ASTRA facility. The user is requested to identify FROM and TO storage location, the number of fuel pebbles to be moved and then to confirm movement.

Fig. 18. Sample of CONMIT inside facility movement screen for ASTRA facility

Fig. 19. Sample of CONMIT inside facility movement confirmation screen for ASTRA facility

8. DEMONSTRATION

In accordance with the Task Order and results of follow-up discussions with LANL representatives a demonstration of CONMIT prototype system was performed 13-16 December 1994.

The following hardware installed by RRC KI was observed in operation:

- ASTRA Control Room: Database Server and one Client PC.
- NARTSIS Control Room: one Client PC.
- all PC's were linked into the site local network.
- the Data Base resided on the Database Server.

Both Control Rooms were linked by loud speakers that maintained a voice contact between the Control Rooms and the corresponding Critical Assembly Operating Area (CAOA). Installed TV cameras permitted to observe handling of Nuclear Material within CAOAs on screens located in Control Rooms. The Database contained actual data from the Initial Physical Inventory Taking performed in November 1994 for both facilities, and from subsequent inventory changes as well as movements of Nuclear Material within CAOAs considered as Material Balance Areas. Total inventory of highly enriched uranium (HEU) with enrichment varied in a range from 21% of U-235 (ASTRA critical rig with fuel in a form of graphite pebbles) to 96% of U-235 (NARTSIS critical rig with fuel in a form of uranium dioxide pellets) was over 70 kilogram.

In the course of demonstration the following capabilities of the CONMIT prototype system were demonstrated:

- Nuclear material receipt to MBA.
- Nuclear material shipment from MBA.
- Local movements of the material within MBA.
- Nuclear material status reports including material balances:
 - By MBA.
 - By batch.
 - By storage.

9. RESULTS OF EVALUATION

Results of evaluation of CONMIT prototype system development and demonstration are briefly summarized in the Table 2 in accordance with the list of concepts formulated for computerized MC&A methods (see Chapter 3.3). Middle column of the Table 2 contains a description of the concept. Right columns contain a range of KI RRC expert evaluations (CONMIT designers, system and application programmers and end-users) of the

correspondence between the stated concepts and a degree in which the concept was implemented in the demonstration system, and the mean value of the expert evaluation. A degree of correspondence between stated concepts and results achieved is expressed by a number varied in a range from 10 to 1, either in complete correspondence with (10), or partially (from 9 to 2), or the conceptual aim was not achieved at all (1).

Table 2

Expert evaluation of a level of implementation of LCMC&A system concepts

nn	CONCEPT	Range	Mean
1	Concept of near-real-time accountability (data entry on computer terminal and data base updating should be performed as soon as the entry (transaction) is made)	8-10	8.9
2	Concept of sufficient reporting capabilities (capable of generating of required reports on material accountability should be provided)	8-10	8.9
3	Concept of sufficiency of computer resources (the users should be provided with all the computer capability needed to manage a large variety of accounting, technological, containment and surveillance operations with a wide variety of nuclear material)	7-9	7.9
4	Concept of audit trails - "correction chaining" (capabilities should be provided to ensure effective quality control of original data and possibilities to trace out all corrections introduced into initial data)	7-10	8.4
5	Concept of information item tracing (the forward and backward trace capabilities should be provided to perform a forward and backward trace of an information item's genealogy for the previous period which may last for decades)	8-10	8.9
6	Concept of statistical assessment (capabilities should be provided for application of measurement control program including calibration procedures and use of various measurement equipment in the measurements of nuclear material)	7-9	7.9
7	Concept of instrument support (capabilities should be provided for input of measurement data generated by nondestructive assay instruments and other instruments used for measurement, identification, containment and surveillance of nuclear material)	1-5	2.2
8	Concept of authorized user community (information services should be provided to the local user community including processing, material control and accountability, and nuclear material management personnel, and to the authorized State agencies and organizations, including regulatory authorities)	1-4	2.0
9	Concept of data and procedure security (necessary security should be provided for accounting data and relevant information treatment procedures with several levels of security)	1-4	2.0
10	Concept of software "lifetime" (efficient application of perspective software tools capable to meet end-user requirements for a long time should be provided - to meet industry standards that foresee a software lifetime of 10 years)	7-9	7.9
11	Concept of "easy" hardware upgrade (possibilities should be provided for efficient upgrade of hardware without needs to change basic application software for a long time - about decade or so)	7-9	7.9
12	Concept of system reliability (reliability of data storage and information treatment procedures in relation to hardware&software failures and user errors must be provided)	4-6	4.9

Comments on the data presented in the Table 2, are as follows:

1. All entries (transactions) made by an user are treated as soon as they are made with on-line updating of the Data Base. Therefore the highest estimation is 10. But there was no real experience in dealing with large flow of user transactions. Therefore the lowest estimation is 8.
2. Possibilities for generation of required reports on material accountability are provided via NATURAL that is high level language. The highest estimation is 10. But there are some

restrictions of NATURAL in formatting of outputs documents which requires to follow along a certain style in their shape. Therefore the lowest estimation is 8.

3. The highest estimation of computer resource sufficiency is set up as 9 because nobody is capable to evaluate it as 10. The lower estimation is based on evaluation of time spent for performing of statistical evaluation of the material balance. This procedure is a resource consuming one and takes a few seconds for relatively simple statistical evaluation. Therefore the lowest estimation is 7.

4. Correction chaining is provided in the Data Base design and incorporated into the application software being responsible to deal with development and update of the Data Base records. The highest estimation is 10. But the demonstration system was not provided by a standardized software capable to perform these relatively complex procedures for all types of Data Base records. Therefore the lowest estimation is 7.

5. Information item tracing is incorporated into the Data Base design and supported by a specific application software. The highest estimation is 10. The lowest estimation is 8 because this software package is to be standardized for all possible structures of the Data Base records.

6. Concept of statistical assessment is incorporated into the Data Base design. The highest estimation is 9 because it was not completed in all details. The lower estimation is 7 because the current design permits to perform a statistical assessment of measurement errors of certain type only.

7. The highest estimation of instrument support is 5. The reason is that NATURAL is a high level language provided by the Dynamic Data Exchange (DDE) features to write NATURAL applications that communicate via Windows's DDE with other Windows applications such as Visual Basic and others. However these features were not tested and used because the operating systems are not capable to support it. Therefore the lowest estimation is 1.

8. Computerized MC&A system is assigned to service the specific information needs of a very specific user community. They are authorized to access the MC&A accounting data. They are working under conditions being determined by implementation of physical protection measures. Taking into consideration these circumstances a computerized MC&A system must be provided by features that restricts user access to the MC&A data they are authorized for. All accesses to the Data Base must be checked and logged in. A system of user ID's and passwords assignment and check must be maintained and so on. The Data Base file security via password protection was implemented after completion of the demonstration. Therefore expert estimations are varied from the lowest 1 to the highest 4.

9. Data and procedure security provision is one of the most important feature of any "open" network-based system. For the present time practically any local computerized MC&A system in RF is to be considered as a "closed" system being dedicated to MC&A data treatment without any links with other local systems which are not assigned to deal with MC&A. But from the point of view of cost/efficiency evaluation any "closed" computerized system should be evaluated for capabilities to be integrated into more general local system for instance, such as physical protection information treatment system and information system assigned to treat experimental and technological data developed in a course of research or operation of nuclear facility. An integration of dedicated MC&A local systems into a more general one is an obvious tendency of the present approach to the computerized information treatment technologies. On the other hand required security may only be provided by a reasonable combination of technical, procedural and organizational measures. In order to provide more comfortable conditions for development and implementation of security related procedural and organizational measures and to ease an integration of a local computerized MC&A systems into more general one, a basis of operation environment - an operation system - must satisfy the most strict security

requirements. Tests and evaluations performed with components of the operation system used for demonstration system, show that neither OS/2 or Windows V.3.1 are capable to provide secure environment for local computerized MC&A system in spite of the fact that they have certain features to restrict user access. Thus the expert estimations are varied in a range from 1 to 4.

10. The most valuable part of MC&A software is its application components that are tied up with certain features of an operation environment - mostly with Data Base Management System (DBMS) features and Data Manipulation Languages (DML) capabilities. Due to unavoidable developments in the MC&A methods and procedures and in an area of data models, both DBMS and DML are to be flexible enough to respond to the user requests and provide sufficient application software "lifetime" - up to 10 and more years to meet industry standards. Some predictions should be observed in an area of data models. The hierarchical data models implemented for example in the DBMS IMS, were widely used in a period of approximately 15 years - since middle of 1960-s till end of 1970-s. Since beginning of 1970-s till middle of 1980-s the CODASIL network-like data models were widely applied. Due to significant changes in hardware and computing environment, and massive introduction of Personal Computers (PC's) the relational (two dimensional - 2D) data models became widely used since the middle of 1980-s till now. They require to perform a decomposition of the real world events into simplified table-like 2D structures. The tendency of data model development may be evaluated as continuous development from the intuition developed models to the mathematically justified and formalized one that are based on research in the area of formal algebra. There are some indications that the next generation of data models would be based on 3D data models thus applying a simplified tensor approach. Therefore the DML is to be flexible enough to deal with a number of data models. NATURAL may be considered as one of the most probable DML candidates. Therefore the expert estimations are varied from 7 to 9.

11. Realization of the "easy" hardware upgrade concept depends first of all on availability and succession of main components of the computer operation environment. From this point of view the expert estimations are varied in a range from 7 to 9.

12. In general the system reliability was evaluated as satisfactory one. Due to newness of the hardware system some hardware failures were detected and some software failures were observed. The most probable reason for software failures due to implementation of 3 operating systems (OS/2 for server, MS/DOS & Windows for client) is an instability of Windows V.3.1. and its sensitivity to random errors developed either by an user or hardware. In spite of software and hardware failures there were not any losses of any data loaded into the Data Base. It was provided by application of DBMS features as well as by a specific design of the application software. The lowest expert estimation is 4. The highest one is 6.

Overall result of these expert estimations may be obtained with use of the principle of "gray" (insufficient) knowledge evaluation (see Ref.[2, Annex 4]) as a logarithmically averaged value of all expert estimations. Mean value of the overall estimation is 5.6 that confirms a positive evaluation of results achieved for the Task Order.

10. ADDITIONAL DEVELOPMENT ACTIVITIES FOR IMPLEMENTATION OF MC&A SYSTEMS AT RUSSIAN NUCLEAR FACILITIES

Considering additional development activities for implementation of MC&A systems at Russian nuclear facilities the following circumstances are to be taken into account:

- Until present time Russian Federation has no "Law on use of Atomic Energy". Drafts of Law were proposed and discussed by the Supreme Soviet of USSR (1985-1991), by the

Supreme Soviet of Russian Federation (1991-1993) and by the Duma of Russian Federation (since 1994).

- By the Presidential Decrees (1992-1994) the Gosatomnadzor of Russia (GAN) was assigned to supervise nuclear safety as well as Nuclear Material and Radioactive Substances (NM&RS) accountability at all Russian facilities (civil and defense) that are possessing, storing and using such materials. Governmental Decree with assignment of GAN to be responsible for development and operation of the State MN&RS accounting and control system is still waiting for final approval.
- There is no State system for accounting for and control of NM&RS in Russia. Branch accounting systems (Minatom, Ministry of Defense and others) are still operating with use of completely obsolete bookkeeping principles described in the Introduction to this Final Report.
- "Kurchatov Institute" Russian Research Center (KI RRC) in 1991 became a very first and still unique independent Russian research center that is subordinated and reporting directly to the Government of Russia and is out of area of management by any Russian Ministry, State Committee or Academy. All other Russian nuclear related research centers and enterprises are subordinated and supervised by a corresponding Ministry or State Committee, or Academy.
- KI RRC is working in a close cooperation with Gosatomnadzor of Russia (GAN) in area of NM&RS accounting and control system development in a framework of the Agreement on cooperation between GAN and KI RRC since 1993.

Taking into consideration these circumstances, the results being achieved in a course of execution of the Task Order with application of some LANL Client/Server System features (local network client/server approach, near-real-time accountability, end-user graphical interface, statistical evaluation of measurement errors and some others), are important for strengthening of MC&A implementation at Russian nuclear facilities.

Scale and timing for implementation of results of the Task Order at Russian civil and defense nuclear facilities, depends on a number of specific factors. Among those the following may be considered as the most important factors. They include:

- Real and expected inventory and strategic value of nuclear material and a level of potential danger developed by radioactive substances to be accounted for and controlled of at a facility including real and expected intensity of NM&RS handling procedures in terms of NM&RS movements and inventory changes.
- Presence of a number of State Ministries, Committees and Academies, responsible for nuclear facilities they supervise and manage (Minatom, Ministry of Defense, Roscomoboronprom - State Committee on defense industry, and others).
- Actual level of physical protection measures applied for a facility and its sufficiency for prevention of losses, unauthorized use and theft of these materials.
- Availability of trained personnel.
- Real economic situation that defines the boundary conditions for scale and timing of enhancement of NM&RS accountability at Russian nuclear facilities.

Some results of an evaluation of a scale of NM&RS accountability requirements at Russian nuclear enterprises as of 1994, are presented in the Table 3.

Table 3

**Evaluation of a scale of NM&RS accountability requirements
at Russian nuclear enterprises as of 1994**

Category No.	Description of NM&RS accountability features (see Comments)	Expected number of enterprises
1	Complex nuclear enterprises possessing large inventory of NM&RS with high intensity of in-site movements and inventory changes	15-25
2	Complex nuclear enterprises possessing large inventory of NM&RS with low intensity of in-site movements and inventory changes including storage facilities with NM of high strategic value	> 30
3	Relatively small nuclear enterprises possessing relatively small inventory of NM&RS with low intensity of in-site movements and inventory changes including storage facilities with NM of low strategic value	> 70
4	Other facilities	> 100

Comments:

1) These enterprises include: nuclear research centers - KI RRC, All-Russian Research Institute of Experimental Physics (VNIIEF), Russian Physical Nuclear Center (RFJaC, Snezhinsk), Obninsk IPPE, Dmitrovgrad RIAR and others; fuel fabrication plants - Electrostal, Novosibirsk, Podolsk "Luch" and others; plutonium production and reprocessing enterprises - "Mayak" and others.

2) These enterprises include: Nuclear Power Plants (NPP's); Ship Building Plant "Negra" (Murmansk), Production Association "Sever" (Severodvinsk) and others; Northern Delivery Base (Severodvinsk) and other defense related enterprises servicing over 300 of naval reactors (counted operational) and 13 ice-breaker reactors.

3) These enterprises include: Research and Design Institute of Power Technology (NIKIET, Moscow), Joint Institute of Nuclear Research (OJAI, Dubna) and others; Production Mining Association "Center-Geology (Belgorod) and others; waste and naval spent fuel storage facilities.

4) All other enterprises possessing some inventory of NM&RS to be accounted for and controlled of.

As shown in the Table 3, a number of Russian nuclear enterprises of the Category 1, that are to be provided by the most sophisticated and advanced computerized MC&A systems implementing local client/server networks such as LANL Client/Server System, with number of clients in a range 50-400, is relatively small (15-25).

Nuclear enterprises of the Category 2 may be serviced by computerized MC&A systems implementing either the same local client/server networks or a number of stand-alone PC's used on case-to-case basis.

Nuclear enterprises of the Category 3 and 4 may be serviced either with use of stand-alone PC's or by paper accounting systems.

Total number of Material Balance Areas for Russia is estimated over 1000 (see Ref. [1, 2]).

Taking into consideration that GAN is assigned to supervise and control NM&RS accountability over all Russian nuclear enterprises and its expected functions and even scale of its implementation are similar in principle to the control functions and to the scale of activities performed by the Euratom Directorate of Safeguards (EDS), an evaluation of a scale of application of computerized MC&A systems at Russian nuclear facilities may be performed. About 20% of accounting records are still provided to EDS in a form of hard copies. The rest is provided on magnetic and electronic media in a computer readable form. About 80% of these data are provided on magnetic tapes and compact disks, and about 20% are transmitted with use of computer networks or faxed via secure modems over phone lines. All accounting data are provided in a standardized format (see Ref.[6]).

Considering published data (see Ref.[6]) it may be concluded that the ratio between Inventory Change Records (ICR's) and Physical Inventory Listing records (PIL's) is about 1 to 1. Category 1 enterprises are providing most of ICR type data and records on in-site movements. Category 2, 3 and 4 enterprises are providing most of PIL type data and much less data of ICR type and records for in-site movements.

Taking into consideration the presented above, the following conclusions may be drawn:

- Comprehensive computerized MC&A systems capable to deal with large inventory of NM&RS under conditions of intensive in-site movements and inventory changes and which are implementing in a full scale the advantages of networking computer architecture like LANL Client/Server System approach, are to be considered as the most appropriate for Category 1 nuclear enterprises. Total number of such systems for Russia is about 15-25 for large nuclear enterprises and about 3-5 more - for GAN and branch accounting and control system (examples are Minatom, Ministry of Defense and other Ministry/State Committee systems). It may be assumed that because of relatively small number of such MC&A system and because of fact they will be deployed at the nuclear enterprises that are still provided by sufficient number of qualified personnel capable to deal with modern computerized MC&A systems, the training of such personnel and maintenance of comprehensive Local Client/Server computerized MC&A system would not create an insoluble problem.
- Concerning other Russian nuclear enterprises of Category 2, 3 and 4, they will be sufficiently provided by computerized MC&A system services even if they are performed mostly by the stand-alone PC's. These PC's are to be capable to transmit reports with accounting and all other relevant data to GAN either on compact disks, or via secure modems over phone lines, or with some security precautions over public or dedicated computer networks to the expected State MC&A system. Total number of such stand-alone systems may be estimated as well over 1000. Introduction and deployment of such stand-alone systems would create much more serious problem because of training and maintenance requirements to the systems spreaded around the whole country.

The stated above may mean that a problem of compatibility and reasonable standardization of various computerized MC&A system designs would become a first priority problem for the stand-alone MC&A systems due to needs to maintain and train personnel for vast amount of such systems that will be spreaded across Russia in future. The rest of computerized MC&A systems of the most complex structure is much less vulnerable in relation to compatibility and standardization problems. In any case they must be made compatible with the future State MC&A system in terms of information interface (that has to be defined sometime in future). The ideal solution of the compatibility and standardization problem may be achieved if all of them will be of the same design and will implement the same operating environment like LANL Client/Server System.

In fact some deviations from this approach have recently occurred. For instance, Minatom Central Computerized MC&A System being developed by Atominform Institute of Minatom,

is assigned to input about 1 mln. records and to produce about 8 mln. output "entries" annually. The data transmission protocols have been defined and the operating system (UNIX) and the associated software (Oracle DBMS and Windows with Cyrillic alphabet) have been chosen. This design is performed in cooperation with EDS. GAN is still working on the concept and tools to be chosen for its Regional Headquarters Central computerized MC&A systems (Ref. [7]). Thus a problem on compatibility and standardization of computerized MC&A systems in Russia is becoming a real problem. It may be predicted that local computerized MC&A systems of the most complex structure developed with implementation of client/server architecture will differ each other in terms of software operating environment depending upon specific site features - availability of hardware and software tools, timing and financial conditions, availability of personnel capable to develop, implement and maintain modern computerized MC&A information treatment system.

It seems to be reasonable to take into account in a course of development of the production version of CONMIT system for KI RRC all these considerations and to select such software and hardware tools which may be suitable for application in the most advanced and sophisticated computerized MC&A systems implementing LANL Client/Server System approach as well as in the less sophisticated computerized MC&A systems using stand-alone PC's.

11. CONCLUSIONS

Results of the work on the Task Order presented in this report lead to the following conclusions:

1. KI RRC performed review of available MC&A information treatment methods and concept approach that may be deployed in the near term. The conclusion was made that LANL approach on development of modern computerized MC&A system as a local network-based system is to be implemented. Local network-based computerized MC&A prototype system was developed and demonstrated in operation at two KI RRC nuclear facility under real operating conditions.
2. Results of the local network-based KI RRC MC&A prototype system development and demonstration did confirm an efficiency of concepts being developed in the LANL Client/Server System approach including concepts of near-real-time accountability, implementation of local network-based MC&A system, separation of the system software into functional software MC&A system core and site-specific MC&A software, accounting of inter-material-balance-area moves and location changes, and others. These concepts are to be implemented in a full scale in the design of KI RRC local computerized MC&A system production version.
3. Results of the development and demonstration were evaluated by KI RRC staff. An analysis of these results detected some serious deficiencies in the demonstration prototype system such as insufficient level of computer and information security features supported by the system, inadequate support of direct data entry with measurement equipment and low operational reliability of the software configuration. Based on these evaluations some additional development activities are recommended.
4. Goals and objectives of the research performed under Task Order were reached.

12. RECOMMENDATIONS

Considering results presented above the following recommendations may be made.

1. Strengthening of system supported security features must be considered as the most important Task to be solved with the very highest priority.
2. Serial port communications features which provides a computerized support of a measurement equipment, are to be provided using programming languages.
3. Reliability of the software & hardware configuration is to be increased.
4. Support of the commercial software components is to be guaranteed by the software manufacturers and vendors.
5. Because these problems were solved by Los Alamos National Laboratory in the LANL Client/Server System, its software tools and technological components are recommended for selection and integration into production version of CONMIT system for KI RRC.
6. In a course of development of the production version of CONMIT system for KI RRC, software and hardware tools are to be evaluated for appropriateness in application for KI RRC computerized MC&A systems implementing LANL Client/Server System approach as well as in the outreach computerized MC&A systems using stand-alone PC.

PUBLICATION OR ANY OTHER INFORMATION RELEASE MADE OF MATERIAL DEVELOPED OR MAINTAINED THROUGH THE PERFORMANCE OF THE SUBCONTRACT.

NONE

ANY OTHER INFORMATION PERTINENT TO THE PROGRESS AND/OR ACCOMPLISHMENT OF THE SUBCONTRACT OBJECTIVES.

NONE

INFORMATION SENSITIVE FOR KI RRC

NONE

REFERENCES

1. "Model Automated System of Nuclear Materials Accounting, Controls and Safeguards for Complex Nuclear Facilities (NUMACS System). Technical Specifications" - Moscow, "Kurchatov Institute" Russian Research Center and American Technical Institute, January 1994
2. "Model Automated System of Nuclear Materials Accounting, Controls and Safeguards for Complex Nuclear Facilities (NUMACS System). Technical Specifications. Annexes 1-16" - Moscow, "Kurchatov Institute" Russian Research Center and American Technical Institute, January 1994
3. Bruce H. Erkkila, Ferman Kelso (Los Alamos National Laboratory). "MASS - An Automated Accountability System" - Paper presented at the 35th Annual Meeting of the Institute of Nuclear Material Management, Naples, Florida, July 17-20, 1994.
4. Joe Claborn, Al Alvarado (Los Alamos National Laboratory). "LANMAS Core: Update and Current Directions" - Paper presented at the 35th Annual Meeting of the Institute of Nuclear Material Management, Naples, Florida, July 17-20, 1994.
5. "ISIS User's Manual", Version 4, 1992-04-24. - IAEA, Vienna, Prepared by Documentation Group SGIT-IDD, 1992
6. Kschwendt H. "Computerized Safeguards Information System of Euratom" - Paper presented at the Euratom-Russian Federation safeguards seminar, St.Petersburg, April 1994.
7. Euratom - Russian Federation Cooperation in the Field of Safeguards. Minutes of the eleventh Meeting of the Joint Coordination Group (JCGM-11, December 15-16, Moscow).