RMIS View/Print Document Cover Sheet

This document was retrieved from the Boeing ISEARCH System.

Accession #: D196052384

Document #: SD-WM-ER-316

Title/Desc:

SUPPORTING DOCUMENT FOR THE SOUTHEAST QUADRANT
HISTORICAL TANK CONTENT ESTIMATE REPORT FOR AW
TANK FARM [VOL I SEC 1 OF 2 PAGE 1 TO D-202]

THIS DOCUMENT WAS TOO LARGE TO SCAN AS A SINGLE DOCUMENT. IT REQUIRED BREAKING INTO SMALLER SECTIONS.

DOCUMENT NUMBER: SD-WM-ER-316

(Vol I of II)

SECTION: 1 OF 2

TITLE: Southeast Quadrant Historical Tank
Content Estimate Report for AW-Tank
Farm

AUTHOR: LA Gaddis / SD Consort

RECIPIENT:

DATE: 9/15/95

KEYWORDS:

REFERENCES:

THIS PAGE INTENTIONALLY
LEFT BLANK

Sta. 4 (4)

SEP 15 1995

ENGINEERING DATA TRANSMITTAL

Page 1 of 1

1. EDT NO 612786

2. To: (Receiving Organization) TWRS	3. From: (Originating Organization) ICF-KH	4. Related EDT No.:
5. Proj./Prog./Dept./Div.: ER4945/E11730	6. Cog. Engr.: L.A. Gaddis/S.D. Consort	7. Purchase Order No.:
8. Originator Remarks: This Supporting Document is for the Southeast Quadrant Historical Tank Content Estimate Report for AW-Tank Farm located in the Hanford 200 East Area. For external release		9. Equip./Component No.: N/A
		10. System/Bldg./Facility: Tank Farms
11. Receiver Remarks:		12. Major Assm. Dwg. No.: N/A
		13. Permit/Permit Application No.: N/A
		14. Required Response Date: N/A

15. DATA TRANSMITTED					(F)	(G)	(H)	(I)
(A) Item No.	(B) Document/Drawing No.	(C) Sheet No.	(D) Rev. No.	(E) Title or Description of Data Transmitted	Approval Designator	Reason for Transmittal	Originator Disposition	Receiver Disposition
1	WHC-SD-WM-ER-316		0	Supporting Document for the Southeast Quadrant Historical Tank Content Estimate Report for AW-Tank Farm. (Volume I and II)	N/A	1	1	1

16. KEY					
Approval Designator (F)		Reason for Transmittal (G)		Disposition (H) & (I)	
E, S, Q, D or N/A (see WHC-CM-3-5, Sec.12.7)		1. Approval 2. Release 3. Information	4. Review 5. Post-Review 6. Dist. (Receipt Acknow. Required)	1. Approved 2. Approved w/comment 3. Disapproved w/comment	4. Reviewed no/comment 5. Reviewed w/comment 6. Receipt acknowledged

(G)	(H)	17. SIGNATURE/DISTRIBUTION (See Approval Designator for required signatures)								(G)	(H)
Reason	Disp.	(J) Name	(K) Signature	(L) Date	(M) MSIN	(J) Name	(K) Signature	(L) Date	(M) MSIN	Reason	Disp.
1	1	Cog. Eng. T M Brown	<i>T M Brown</i>	9/12/95	R2-12	C. H. Brevick	<i>C H Brevick</i>	9/12/95	S3-10	1	1
1	1	Cog. Mgr. S J Eberlein	<i>S J Eberlein</i>	9/12/95	R2-12	L. A. Gaddis	<i>L A Gaddis</i>	9/12/95	S3-09	1	1
						S. D. Consort	<i>S D Consort</i>	9/12/95	S3-09	1	1
18.		19.	20.	21. DOE APPROVAL (if required)							
C. H. Brevick <i>C H Brevick</i> 9/12/95 Signature of EDT originator		S. J. Eberlein <i>S J Eberlein</i> 9/12/95 Authorized Representative Date for Receiving Organization		☐ Approved ☐ Approved w/comments ☐ Disapproved w/comments							

THIS PAGE INTENTIONALLY
LEFT BLANK

SUPPORTING DOCUMENT

1. Total Pages *1468*

2. Title

Supporting Document for the Southeast Quadrant Historical Tank Content Estimate Report for AW-Tank Farm. (Volume I and II)

3. Number

WHC-SD-WM-ER-316

4. Rev No.

0

5. Key Words

Southeast Quadrant, Historical Tank Content Estimate, Historical Characterization, Tank Farms, Tank Waste Level, Tank Aerial Photos, In-Tank Photo, Tank Layer Model. Estimated Composite Inventories, Riser Locations, Tank Layering Model. Supernatant Mixing Model.

6. Author

Name: CHBrevick/LAGaddis
SDConsort

CHBrevick/LAGaddis/SDConsort
Signature

Organization/Charge Code 5A400/E11730
Facilities and Technical Support

7. Abstract

Historical Tank Content Estimate of the Southeast Quadrant provides historical evaluations on a tank by tank basis of the radioactive mixed wastes stored in the underground double-shell tanks of the Hanford 200 East and West Areas. This report summarizes historical information such as waste history, temperature profiles, psychrometric data, tank integrity, inventory estimates and tank level history on a tank by tank basis. Tank Farm aerial photos and in-tank photos of each tank are provided. A brief description of instrumentation methods used for waste tank surveillance are included. Components of the data management effort, such as Waste Status and Transaction Record Summary, Tank Layer Model, Supernatant Mixing Model, Defined Waste Types, and Inventory Estimates which generate these tank content estimates, are also given in this report.

8. RELEASE STAMP

OFFICIAL RELEASE
BY WHC
DATE SEP 15 1995

Sta. 4

THIS PAGE INTENTIONALLY
LEFT BLANK

RELEASE AUTHORIZATION

Document Number: WHC-SD-WM-ER-316, REV 0

Document Title: Supporting Document for the Southeast Quadrant
Historical Tank Content Estimate Report for AW-Tank
Farm (Volume I and II)

Release Date: 9/15/95

**This document was reviewed following the
procedures described in WHC-CM-3-4 and is:**

APPROVED FOR PUBLIC RELEASE

WHC Information Release Administration Specialist:

Kara M. Broz

9/15/95

TRADEMARK DISCLAIMER. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

This report has been reproduced from the best available copy. Available in paper copy. Printed in the United States of America. To obtain copies of this report, contact:

Westinghouse Hanford Company - Document Control Services
P.O. Box 1970, Mailstop H6-08, Richland, WA 99352
Telephone: (509) 372-2420; Fax: (509) 376-4989

THIS PAGE INTENTIONALLY
LEFT BLANK

**SUPPORTING DOCUMENT FOR THE
HISTORICAL TANK CONTENT
ESTIMATE FOR
Volume 1 of 2
AW TANK FARM**

WORK ORDER E11730

Prepared for

Westinghouse Hanford Company

September 1995

Prepared by

**ICF Kaiser Hanford Company
Richland, Washington**

THIS PAGE INTENTIONALLY
LEFT BLANK

**SUPPORTING DOCUMENT FOR THE
HISTORICAL TANK CONTENT ESTIMATE**

FOR

AW TANK FARM

Work Order E11729

Prepared by

**ICF Kaiser Hanford Company
Richland, Washington**

for

Westinghouse Hanford Company

S.D. Consort
Technical Author

9/12/95
Date

Lincoln R. Day
Technical Documents

9/12/95
Date

Lawrence A. Bell
Principal Lead Engineer

7/12/95
Date

Chris W. Brevech
Project Manager

9/12/95
Date

Westinghouse Hanford Company

S. J. [Signature]
TWRS Technical Baseline Integration

9/12/95
Date

THIS PAGE INTENTIONALLY
LEFT BLANK

ACKNOWLEDGMENTS

A project of the this magnitude would not be possible without the help of a significant number of persons and organizations.

ICF Kaiser Hanford Company would like to acknowledge the contributions made by our Los Alamos National Laboratory counterparts: Stephen F. Agnew, Kenn Jurgensen, Rob Corbin, Toma Duran, and Bonnie Young. Also, Todd Brown and Brett Simpson of Westinghouse Hanford Company are recognized for their contributions.

THIS PAGE INTENTIONALLY
LEFT BLANK

INFORMATION FEEDBACK CARD

**SUPPORTING DOCUMENT FOR THE HISTORICAL
TANK CONTENT ESTIMATE FOR
AW TANK FARM
E11730**

COMMENTS AND CONTRIBUTIONS

The reader is requested to utilize this card to comment on this working document, report any discrepancies, or contribute new information to improve the accuracy and content of the report. Please use the space provided below; add additional pages if necessary, and return to the address listed below.

Send Comments to: MS. S.J. Eberlein
Manager, TWRS Technical Baseline Integration
P.O. Box 1970, MSIN R2-12
Richland, WA 99352

THIS PAGE INTENTIONALLY
LEFT BLANK

TABLE OF CONTENTS

1.0	Introduction	1
1.1	Purpose	1
1.2	Scope	1
1.3	Approach	2
1.3.1	Surveillance Techniques for the Hanford Mixed Waste Storage Tanks	2
1.3.2	Approach and Development of Supporting Information Contained in the Historical Tank Content Estimate and Supporting Documents	8
1.3.3	Approach and Development of the Process-Based Historical Tank Content Estimate	11
1.3.4	Assumptions	15
1.4	Historical Information Quality	17
1.5	Southeast Quadrant Background	21
1.5.1	Waste Generating Plants and Processes	21
1.5.2	Waste Management Operations	24
1.5.3	Miscellaneous Waste Sources and Equipment	25
1.5.4	Timelines	27
1.6	Safety Issues	33
1.6.1	Watch List Safety Issues	33
1.6.2	Non-Watch List Safety Issues	34
1.7	Occurrences	35
2.0	AW Tank Farm	36
2.0.1	AW Tank Farm History	36
2.0.1.1	AW Tank Farm Waste History	36
2.0.1.2	AW Tank Farm Temperature History	36
2.0.1.3	AW Tank Farm Occurrences	37
2.0.1.4	AW Tank Farm Ventilation	37
2.0.1.5	AW Tank Farm Historical Sample Analysis Data	38
2.0.2	Current Status of AW Tank Farm	38
2.0.2.1	AW Tank Farm Inventory Estimates	38
2.0.2.2	Waste Volume Approximations AW Tank Farm	38
2.0.2.3	AW Tank Farm In-Tank Photographs	39
2.1	Tank 241-AW-101	40
2.1.1	241-AW-101 Tank History	40
2.1.1.1	Waste History of Tank 241-AW-101	40
2.1.1.2	Temperature History of Tank 241-AW-101	40
2.1.1.3	Occurrences of Tank 241-AW-101	41
2.1.1.4	Psychrometrics of Tank 241-AW-101	41
2.1.1.5	Historical Sample Analysis Data for Tank 241-AW-101	41
2.1.2	Current Status of Tank 241-AW-101	42
2.1.2.1	Inventory Estimate of Tank 241-AW-101	42
2.1.2.2	Waste Volume Approximations for Tank 241-AW-101	43
2.1.2.3	In-Tank Photograph of Tank 241-AW-101	

			43
2.1.3	Synopsis of Tank 241-AW-101		43
2.2	Tank 241-AW-102		44
2.2.1	241-AW-102 Tank History		44
2.2.1.1	Waste History of Tank 241-AW-102		44
2.2.1.2	Temperature History of Tank 241-AW-102		44
2.2.1.4	Psychrometrics of Tank 241-AW-102		45
2.2.1.5	Historical Sample Analysis Data for Tank 241-AW-102		45
2.2.2	Current Status of Tank 241-AW-102		46
2.2.2.1	Inventory Estimate of Tank 241-AW-102		47
2.2.2.2	Waste Volume Approximations for Tank 241-AW-102		47
2.2.2.3	In-Tank Photograph of Tank 241-AW-102		47
2.2.3	Synopsis of Tank 241-AW-102		47
2.3	Tank 241-AW-103		48
2.3.1	241-AW-103 Tank History		48
2.3.1.1	Waste History of Tank 241-AW-103		48
2.3.1.2	Temperature History of Tank 241-AW-103		48
2.3.1.3	Occurrences of Tank 241-AW-103		48
2.3.1.4	Psychrometrics of Tank 241-AW-103		49
2.3.1.5	Historical Sample Analysis Data for Tank 241-AW-103		49
2.3.2	Current Status of Tank 241-AW-103		51
2.3.2.1	Inventory Estimate of Tank 241-AW-103		51
2.3.2.2	Waste Volume Approximations for Tank 241-AW-103		52
2.3.2.3	In-Tank Photograph of Tank 241-AW-103		52
2.3.3	Synopsis Tank of 241-AW-103		52
2.4	Tank 241-AW-104		53
2.4.1	241-AW-104 Tank History		53
2.4.1.1	Waste History of Tank 241-AW-104		53
2.4.1.2	Temperature History of Tank 241-AW-104		53
2.4.1.3	Occurrences of Tank 241-AW-104		53
2.4.1.4	Psychrometrics of Tank 241-AW-104		54
2.4.1.5	Historical Sample Analysis Data for Tank 241-AW-104		54
2.4.2	Current Status of Tank 241-AW-104		55
2.4.2.1	Inventory Estimate of Tank 241-AW-104		55
2.4.2.2	Waste Volume Approximations for Tank 241-AW-104		55
2.4.2.3	In-Tank Photograph for Tank 241-AW-104		55
2.4.3	Synopsis of Tank 241-AW-104		56
2.5	Tank 241-AW-105		57
2.5.1	241-AW-105 Tank History		57
2.5.1.1	Waste History of Tank 241-AW-105		57

2.5.1.2	Temperature History of Tank 241-AW-105	57
2.5.1.3	Occurrences of Tank 241-AW-105	57
2.5.1.4	Psychrometrics of Tank 241-AW-105	58
2.5.1.5	Historical Sample Analysis Data for Tank 241-AW-105	58
2.5.2	Current Status of Tank 241-AW-105	59
2.5.2.1	Inventory Estimate of Tank 241-AW-105	59
2.5.2.2	Waste Volume Approximations for Tank 241-AW-105	59
2.5.2.3	In-Tank Photograph of Tank 241-AW-105	60
2.5.3	Synopsis of Tank 241-AW-105	60
2.6	Tank 241-AW-106	61
2.6.1	241-AW-106 Tank History	61
2.6.1.1	Waste History of Tank 241-AW-106	61
2.6.1.2	Temperature History of Tank 241-AW-106	61
2.6.1.3	Occurrences of Tank 241-AW-106	61
2.6.1.4	Psychrometrics of Tank 241-AW-106	62
2.6.1.5	Historical Sample Analysis Data for Tank 241-AW-106	62
2.6.2	Current Status of Tank 241-AW-106	63
2.6.2.1	Inventory Estimate of Tank 241-AW-106	63
2.6.2.2	Waste Volume Approximations for Tank 241-AW-106	63
2.6.2.3	In-Tank Photograph of Tank 241-AW-106	64
2.6.3	Synopsis of Tank 241-AW-106	64

APPENDICES

Appendix A	Glossary
Appendix B	References
Appendix C	Tank Level Histories and Data
Appendix D	Temperature Graphs and Data
Appendix E	Surface Level Graphs and Data
Appendix F	Psychrometric Data
Appendix G	Riser Configuration and Tank Cross Section
Appendix H	Sampling Data
Appendix I	Tank Photographs
Appendix J	Inventory Estimates
Appendix K	Tank Layering Comparison and Data (Supernatant Mixing Model)

THIS PAGE INTENTIONALLY
LEFT BLANK

TRADEMARKS

Microsoft Excel is a registered trademark of Microsoft Corporation.

ENRAF is a registered trademark of Delft Instruments.

THIS PAGE INTENTIONALLY
LEFT BLANK

THIS PAGE INTENTIONALLY
LEFT BLANK

1.0 Introduction

1.1 Purpose

The purpose of this historical characterization document is to present the synthesized summaries and evaluations of the historical records concerning the physical, radiological, and chemical composition of mixed wastes stored in underground double-shell tanks and the physical conditions of these tanks. The double-shell tanks are located on the Department of Energy Hanford Site, approximately 25 miles northwest of Richland, Washington. The document will be used to assist in characterizing the waste in the tanks after the current program of sampling and analyzing the tank wastes is completed. A historical review of the tanks may reveal anomalies or unusual contents that could be critical to characterization and post characterization activities.

This report was developed by reviewing the operating plant process histories, waste transfer data, and available physical and chemical data from numerous resources. These resources were generated by numerous contractors from 1945 to the present.

Waste characterization, the process of describing the character or quality of a waste, is required by Federal law (Resource Conservation and Recovery Act) and state law (Washington Administrative Code (WAC) 173-303, Dangerous Waste Regulations). Characterizing the waste is necessary for determining methods to safely retrieve, transport, and/or treat the wastes.

This document is not intended to be used as a total design basis document. Further field investigations of the information may be required before using this data for design purposes or safety analysis.

1.2 Scope

The scope of this document covers available information about the wastes contained in the double-shell tanks in the AW Tank Farm. Waste transfer and level data, tank physical information, temperature data, and sampling data have been compiled for this report. A summary of this information is contained in the "Historical Tank Content Estimate for the Southeast Quadrant of the Hanford 200 Areas" (WHC-SD-WM-ER-350). The southeast quadrant document contains all six of the double-shell tank farms. Five tank farms, AN, AP, AW, AY, and AZ, are located in the 200-East Area and are shown on the map in Figure 1. SY Tank Farm, located in the 200-West Area shown in Figure 2, was included in the southeast quadrant because of its double-shell tank construction.

The six tank farms in the southeast quadrant contain 28 tanks: AN Tank Farm (seven 1,160,000-gallon tanks), AP Tank Farm (eight 1,160,000-gallon tanks), AW Tank Farm (six 1,160,000-gallon tanks), AY Tank Farm (two 1,000,000-gallon tanks), AZ Tank Farm (two 1,000,000-gallon tanks), and SY Tank Farm (three 1,160,000-gallon tanks). Double-shell tanks are constructed of a primary carbon steel

cylinder and base inside a secondary carbon steel liner. The secondary liner is encased in a reinforced concrete shell and both liners are covered by a reinforced concrete dome. Depending on the farm, the tops of the tanks are buried between six and eight feet below grade.

1.3 Approach

This report was compiled from work performed by ICF Kaiser Hanford Company, Los Alamos National Laboratory, and Westinghouse Hanford Company.

ICF Kaiser Hanford Company reviewed the historical records of the tanks in each of the four quadrants and incorporated the inventory estimates and models of tank layers being developed by Los Alamos National Laboratory into the report.

1.3.1 Surveillance Techniques for the Hanford Mixed Waste Storage Tanks

Surveillance information (e.g., temperatures, waste surface levels, psychrometric data) is used to determine the physical condition of the tanks and the waste. Tank integrity (i.e., whether assumed as sound, assumed leaker, assumed re-leaker) is investigated by monitoring waste levels and the leak detection pits. Waste temperatures can be used to calculate the heat load of heat-generating radionuclides such as cesium 137 (^{137}Cs) and strontium 91 (^{91}Sr). The instrumentation and methods used for tank surveillance are described in the following sections.

■ Waste Surface Levels

Four types of liquid level devices are used to monitor liquid levels in the primary tank of a double-shell tank: a level indicating transmitter or Food Instrument Corporation gauge, a level indicator assembly or manual tape, a high-level detector (an FIC gauge in intrusion mode), and the ENRAF® 854 ATG liquid level indicator/transmitter. A level indicator assembly or manual tape is used to measure liquid levels in the annulus.

The Food Instrument Corporation gauge is used as the primary liquid level monitoring device with the manual tape as a backup in the primary tank. The high-level detector is used to detect intrusions (i.e., any unexplained addition to the tank like rainwater) within the primary tank. The Food Instrument Corporation gauge consists of an electrode and steel tape that detects liquid on contact. The instruments are scanned hourly on the computer automated surveillance system (CASS). Daily at 7:00 a.m., the automatic FIC reading is loaded on the Surveillance Automated Computer System (SACS). Manual FIC readings are taken at any time of day and are manually entered into the SACS.

200 East Area

Legend	
Tanks	○
Boundaries	—
Railroad	—
Single Shell Tank - SST	
Double Shell Tank - DST	

FIGURE 1

200 West Area

Legend	
Tanks	○
Boundaries	—
Railroad	—
Single Shell Tank - SST	
Double Shell Tank - DST	

FIGURE 2

The manual tape flake boxes are used as an access point for measuring liquid levels manually if the automatic system fails or does not exist in the primary tank. A hand crank on the flake box is used to lower the tape probe until liquid is contacted and a liquid level measurement can be obtained (this is similar to the FIC gauge). The flake boxes located over the annulus can be used to lower manual tapes into the annulus to measure any liquid (condensate or leakage from the primary tank) if present.

The ENRAF® 854 Liquid Level Indicator/Transmitter has been installed on several tanks and will eventually replace the old level measurement devices. The ENRAF® 854 ATG is a microprocessor controlled surface level gauge. Level detection is based on the principle of buoyancy of a non-floating polyethylene displacer. The displacer is attached to a stainless steel measuring wire. The measuring wire is attached to a measuring drum which is fixed to a riser of known elevation. The weight of the displacer is entered into the memory of a force transducer. A second weight of about 10-15 grams less than the actual weight of the displacer is entered into the transducer as the control point. An electronic servomechanism turns the measuring drum causing the displacer to move. As the displacer is put in contact with the surface in question, the displacer will exert a smaller force on the transducer due to buoyancy. The displacer is continually lowered until the force exerted on the transducer is equal to the control point. By knowing the elevations of the riser and tank bottom, and the distance from the riser to the surface of the waste, the surface level of the waste can be determined. If the surface level changes, the displacer will be raised or lowered by the measuring drum depending on the force exerted on the transducer relative to the control point. The measurements are recorded by the Tank Monitoring and Control System (TMACS). Daily at 12:00 a.m., the ENRAF® reading is loaded on the SACS.

Sludge levels are determined with a sludge measurement device which consists of a "doughnut" shaped weight attached to a steel tape. The sludge measurement device is lowered into the tank until it stops. Several risers are used to determine the approximate levels of the sludge below the liquid waste.

■ Interstitial Liquid Level (Liquid Observation Wells)

The interstitial liquid is the liquid within and underneath the solid waste. Wells to monitor the levels of interstitial liquid were installed only in Tanks 241-SY-102 and 241-AW-103. Gamma, neutron, and acoustic probes may be lowered into the wells to determine the interstitial liquid levels.

■ Temperatures

The temperatures of the double-shell tanks are monitored with thermocouples. A typical double-shell tank contains approximately 100 thermocouples at a variety of locations including the structural concrete of the tank foundation, walls, and dome; the tank knuckle region; the insulating concrete in the base; the primary steel liner; and the tank waste and vapor space. The aging waste tanks (AY and AZ Tank Farms) have thermocouples in their airlift circulators.

Thermocouples in the waste are attached to a fabricated assembly called a thermocouple tree. The number of thermocouples on a tree varies between tanks with 18 being the most prevalent. The thermocouples are spaced along the tree so that a temperature profile can be developed. Recently, multi-functional instrument trees (MIT) have been installed into a few of the watch list tanks (Tanks 241-SY-101 and 241-SY-103). These trees measure other properties, such as gas pressure and hydrogen concentration in the vapor space, in addition to the temperature. An MIT contains 22 thermocouples. Details on the status of the thermocouples as of April 1993 can be found in the "Thermocouple Status, Single Shell and Double Shell Waste Tanks" (Tran 1993).

The temperatures are recorded either manually on data sheets using a portable potentiometer or by one of several computer-automated systems. These systems include the computer automated surveillance system (CASS), the tank monitor and control system (TMACS), and the data acquisition and control system (DACS). These systems record other data besides temperatures. The surveillance analysis computer system (SACS) is the primary database for storing tank temperature data. The CASS and TMACS record temperatures on some single-shell tanks and double-shell tanks. The DACS only records temperatures in Tank 241-SY-101. In the past, the CASS has recorded temperatures of all double-shell tanks, but it presently records temperatures for the AP Tank farm only. The CASS stores temperature data on magnetic tape. The TMACS presently records temperatures for the AN and SY Tank Farms, but it is planned to operate for all tank farms by September 1996. The TMACS transfers its daily temperature readings to the SACS. Operators manually record temperatures on data sheets for the AP, AW, AY, and AZ Tank Farms. For the AP and AW Tank Farms, the temperatures from data sheets are manually entered into the SACS. The SACS database does not presently store temperature data for the AY and AZ Tank Farms.

■ Annulus

The double-shell tanks are designed so that if a leak develops in the primary tank shell, the leak can be detected in the annulus, the space between the steel liners. The annulus monitoring equipment includes a conductivity probe to detect the presence of liquids, a continuous air monitor (CAM) to monitor the level of radiation, and thermocouples to detect an increase in temperature. Either the conductivity probe or the CAM can be inoperable for up to ten days. There is a forced ventilation system for each annulus to aid in heat transfer from the primary tank and containment of waste should a leak in the primary tank occur. A grid of drain channels in the basal concrete collect any leakage and direct it to the leak detection pit. Photographs were taken inside the annulus for inspection purposes.

■ Leak Detection Pits

Leak detection pits are located next to the tank. Three instruments are used in these pits: a liquid level detector, a thermocouple, and a radiation monitor. The liquid level detector used is a specific gravity dip tube. The dip tubes need to be checked for accuracy periodically; therefore, a 6-inch water level is maintained in the bottom of the 24-inch leak detection pit to allow

for continuous checking. A thermocouple is placed at the bottom of the pit to detect an increase in temperature from any leaking heat generating radionuclides. A drywell next to the leak detection pit contains a radiation monitoring device to determine background radiation levels and detect leaks.

■ Ventilation

The ventilation for the primary tank and the annulus is filtered through high-efficiency particulate air (HEPA) filters and monitored continuously for anomalies. All the double-shell tanks are actively ventilated to prevent radioactive releases to the environment. Because the ventilation creates negative pressure in the primary tank, the negative pressure is monitored in the primary tank to prevent the tank bottom from buckling. The annulus vacuum or negative pressure is also monitored for changes that indicate a tank leak or system problems.

Since differential pressure is related to air flow in the tank, differential pressure readings are taken at the exhaust fans, filters, and deentrainers. The vapor space and atmospheric pressures are monitored and compared. High differential pressures are caused by filter plugging or wet filters, while low differential pressure can be caused by filter seal problems or tank pressurization. Continuous monitoring exists for radiation levels at various locations along the ventilation system.

■ Interior Tank Pressures

The double shell tanks have certain limiting factors to maintain each tank for its full design life. One limiting factor is tank pressure. The safety limits for pressures vary with the design of the tank, but all double-shell tanks have an operating pressure between -4 and 0 inches of water gauge (-0.14 psig or -1 kPa gauge and 0 psig or 0 kPa gauge). The pressure is recorded on continuous strip charts. Refer to the occurrence sections on tank farms and tanks in this document for details on the frequency and duration of the tanks pressurizing.

■ Evaporation Rate (Psychrometrics)

Psychrometric data are collected on all the double-shell tanks and high-heat load single-shell tanks. The data are obtained from air moving through the inside of each tank and the annulus. The schedule for obtaining psychrometric data is determined by Westinghouse Hanford Company Process Engineering. Presently, data are recorded about once a month.

The main reason for recording psychrometric data is to determine the rate of evaporation in the tanks. The evaporation rates can be used to account for loss of liquid from the tanks. The data collected in the annulus are used to quantify the moisture content of the air in the annulus. The psychrometric data can also be used to estimate the instantaneous rate of heat transfer into the ventilation systems of the tank and the annulus.

Five pieces of information are required to calculate the evaporation rates and heat exchange in the tank: the wet-bulb and

dry-bulb temperatures of air entering the tank, the wet-bulb and dry-bulb temperatures of air leaving the tank, and the volumetric flow rate of air moving through the tank.

Dry-bulb temperatures are obtained using a standard thermometer. Wet-bulb temperatures are measured by a thermometer having the bulb covered by a cotton wick saturated with water. When the wet wick is placed in the air stream, some of the water in the wick is evaporated. As a result, the temperature of the water decreases. The heat loss from the water by evaporation equals the heat gain from the air, and the water temperature stabilizes. This stabilized temperature is the wet-bulb temperature.

Once the wet-bulb and dry-bulb temperatures are known, the properties (enthalpy, relative humidity, specific volume, and humidity ratio) of air at the tank entrance and exit can be determined. By comparing the properties of air at these points, the amount of water added and heat transferred to or from the air stream can be determined.

The raw data have always been measured and recorded in the field. However, methods of calculating the evaporation rate and heat transfer rate have differed. Evaporation rates and heat transfer rates were calculated using a program on a Hewlett Packard Calculator from the time data were first recorded (1977) to 1989. From 1989 until the present, the raw data were entered into a computer spreadsheet (Microsoft® Excel) and the evaporation rate and heat transfer rate were automatically calculated. The program was modified to represent more accurately the calculations made by the American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc. The main difference is that the density of water is now fit to a curve as a function of temperature to approximate a mass to volume conversion. These calculations have been documented and checked (Wood 1993).

■ In-Tank Photography

In-tank photography is another method used to determine the volume of waste. Photographs are used to resolve anomalous measurements inside the tanks and to assist in determining tank integrity. Photographs can also be used to determine sludge and liquid levels, provide a degree of corroboration with other waste monitoring techniques, and be a source of information about foreign objects contained in the tanks. The photographs can be compared to see if wastes in tanks with similar histories have similar characteristics. Currently, photographs are not used to determine waste levels in double-shell tanks because none are leaking.

1.3.2 Approach and Development of Supporting Information Contained in the Historical Tank Content Estimate and Supporting Documents

Extensive historical information was gathered for each tank. This document contains a comprehensive data set on each tank. The data are summarized in the Historical Tank Content Estimate.

■ Tank Level Histories

The tank level histories graphically represent waste levels over the lifetime of a tank. They include information such as waste types, in-tank photograph dates, transfer data, and physical data. Information was gathered from various documents and the resulting data, commentary, and dates were delineated on each drawing.

The liquid and solids levels on the tank level history graphs are based on waste volumes. The levels are calculated from the volumes and depicted in height above the bottom of the tank (see Appendix C). The sources of waste volume information include the "Tank Farm Surveillance and Waste Status Summary Reports" (Hanlon 1989 to 1993) and "A History of the 200 Areas Tank Farms" (Anderson 1990). The following formula was used to convert the waste volumes (total gallons) to the respective waste surface levels (total inches) for all tanks in the double-shell tank farms:

FORMULA

$$\frac{\text{Total Gallons}}{2750 \frac{\text{Gallons}}{\text{Inch}}} = \text{Total Inches} \quad (1)$$

■ Temperature Data

The sources of the historical temperatures presented here are the computer automated surveillance system (CASS), the surveillance analysis computer system (SACS), and manually recorded data sheets. The data from these sources span from July 1981 to June 1995 for all double-shell tanks. The CASS stored daily temperature readings for all double-shell tank farms on magnetic tapes. This system stored temperatures for most tank thermocouples (e.g., those in the foundation, walls, primary liner, etc.); however, only data from thermocouples inside the tank are presented in this report. The CASS occasionally stored an error code in place of a daily temperature for any errors that the system was programmed to recognize. These codes were removed from the data set before any data were processed. The SACS stored internal temperature readings for all farms except the AY and AZ Tank Farms. This system stored temperature readings for some subset of the internal thermocouples for a given double-shell tank. The temperature data from the SACS are available through the PC SACS software on the Hanford Local Area Network. Daily temperature readings for the AZ Tank Farm were obtained from data sheets in late 1989 and early 1990.

The data from the CASS, the SACS, and the data sheets were imported into Microsoft® Excel spreadsheets, then reviewed for suspect data points. Each data set was divided for this review into subsets of suspect and non-suspect temperatures. Because the full temperature data set was extremely large for each tank farm, each non-suspect subset was further reduced by extracting the weekly maximum temperature from the set. However, the full data set was presented for the two tanks in the AZ Tank Farm due to the large

temperature fluctuations measured in these tanks. The integration of the weekly maximum temperature set and the suspect temperature set is tabulated in Appendix D. For thermocouples with large amounts of suspect data, weekly temperatures were extracted in the same manner. Temperature history plots were developed for most of the thermocouples. A plot was not created for a thermocouple with five or less data points available. A discontinuity in the temperature plot represents a hiatus of greater than three years between two sequential data points. A straight line is used to connect sequential data points spanning less than three years. Linear regressions were performed on the temperature plots within Microsoft® Excel to quantify the temperature trend within an individual tank. Other statistics such as the mean, maximum, and minimum temperatures were also determined for each tank (see individual tank sections). The statistics are a function of the non-suspect temperature subset before being reduced to a set of weekly maximums.

The naming convention used for the thermocouples in this report follows that used by the thermocouple status report (Tran 1993). For example, according to Tran, the name of the topmost thermocouple on the tree in Tank 241-AP-101 is TE-101-AP-36. The computer automated surveillance system (CASS) generally uses this naming convention. The CASS excludes the name of the tank farm from the thermocouple name (e.g., TE-101-36) for some tank farms. The surveillance analysis computer system (SACS) uses a positive integer to identify the in-tank thermocouples (typically, 1 through 18 for an 18-element thermocouple tree). Tran also identifies thermocouples with a positive integer (e.g., TE-101-AP-36 is thermocouple 1). Using the two sets of thermocouple names provided by Tran, the data from the CASS were matched with the data from the SACS for each thermocouple.

■ Surface Level Plots

The data recorded from January 1, 1991 to June 30, 1995 for the waste surface levels were obtained from the Westinghouse Hanford Company surveillance analysis computer system (SACS). PC SACS is the user interface to the SACS database on a personal computer. The information was parsed in a spreadsheet (Microsoft® Excel) and graphed to show waste level versus time. There is a separate graph for the data from each type of measuring instrument. However, data from the manual FIC and automatic FIC gauges are shown together on the graphs with the heading FIC. Current information on the waste surface levels is in Appendix E.

■ Tank Profiles and Other Drawings

The drawings in this report were compiled from several sources including as-built drawings and the "Double-Shell Underground Waste Storage Tanks Riser Survey" (Anderson 1992). The risers and other penetrations through the tank dome serve several purposes including points of access for monitoring equipment and sampling the waste.

■ Photographs

The latest tank interior and tank farm aerial photographs were obtained from Pacific Northwest Laboratory and are in Appendix I. The tank farm aerial photographs were labeled to indicate the relative position of each tank in the farm. Larger equipment was

labeled in the photographs. Photographs of tank interiors have been arranged to show the contents of each tank. The auxiliary equipment shown on each photographic montage was identified if possible and labeled.

■ Historical Sample Analysis Data

The sampling data were obtained from the Westinghouse Hanford Company Tank Waste and Retrieval Group. Tables of analytical data were made for samples taken prior to September 1989. The information was compiled in the Microsoft® Excel computer program to present the data as similarly as possible. The tables include physical data, chemical analysis data by component, and radiological analysis data by component. Other data included with the sample references are summarized as text. Tank historical sample analysis data are in Appendix H.

■ Psychrometric Plots

The psychrometric data were obtained from both the manually recorded and electronic records of the Westinghouse Hanford Company Tank Farm Surveillance Group. All the data were entered into computer spreadsheets (Microsoft® Excel) and the latest program (Wood 1993) was used to calculate evaporation rates and heat transfer rates. These quantities have been plotted against time on separate graphs (see Appendix F). Evaporation rate versus time was plotted in both gallons per week and inches per week for the tanks. Evaporation rate is used to show the amount of water removed from the tank. Heat transfer rates were plotted in Btu/hr.

The heat generated in the waste is dispersed into the environment through the ventilation systems of the tank and annulus, through the tank walls into the soil, and through other types of heat loss. The major portion of the heat exchanged with the environment occurs through the ventilation systems. By plotting the rate of heat exchange between the waste and the ventilation systems and reviewing the respective trends in conjunction with the flow rates and ambient temperatures, trends were calculated for the heat generation rate of the waste.

1.3.3 Approach and Development of the Process-Based Historical Tank Content Estimate

The historical characterization inventory estimates of tank contents using process-based historical data, presented in this report, were developed by Los Alamos National Laboratory (S.F. Agnew et al.). The historical estimates are the primary sources of data to characterize tank contents until the tank characterization reports are completed. These reports will incorporate the results of current core sampling and analyses with the historical inventory estimates to present the most current evaluation of waste constituents.

Generating tank content estimates based on historical information involves managing and evaluating large quantities of data. The system of generating the estimates is composed of several parts that are described in the following sections.

■ Waste Status and Transaction Record Summary

The waste status and transaction record summary (i.e., transaction summary) contains all known waste transfer records. Historically, when waste was pumped from plant (process) to tank or tank to tank, a record was kept of the volume and type of waste that was pumped. The transaction summary contains the recorded levels of the solids and supernatant.

The transaction summary is partitioned into four separate sections (i.e., quadrants). The development method of the database, the strategies of subsequent data sets, and the data for the southeast quadrant are in the "Waste Status and Transaction Record Summary for the Southeast Quadrant" (Agnew 1995).

■ Defined Waste Types

Early in the development of the historical tank content estimates, a need to compile the chemical compositions of all known waste types into one reference document was recognized. The information was compiled by Los Alamos National Laboratory. The Hanford defined wastes document was developed independently of the waste status and transaction record summary and the tank layer model. However, the Hanford defined waste list was used with the model to obtain the tank waste inventory estimates described below.

The Hanford defined wastes document contains the compositions and physical properties for all known types of Hanford waste that were sent to the double-shell and single-shell tanks. For more details on the methods used to develop these waste types, refer to "Hanford Defined Wastes: Chemical and Radionuclide Compositions" (Agnew 1994).

■ Tank Layer Model

The tank layer model is derived from the waste status and transaction record summary. The purpose of the model is to predict the waste types and solids volumes in each tank. The model is generated by reconciling the reported levels of solids from each tank in the transaction summary with the volume percent of solids expected for the primary additions of waste. The transaction summary contains records of the types of waste that entered each tank and the corresponding increase in the solids volume from each waste entry. Not all transactions that occurred were recorded in the transaction summary because records were lost and transfers were unrecorded or mis-recorded. However, the tank layer model is representative of the waste because two crucial pieces of information required for the inventory estimates are well represented; the primary waste additions and measurements of solids levels.

The tank layer model associates a solids volume percent with each waste type. The solids volume percent was derived by comparing the observed change in the solids volume with the primary additions recorded in the waste status and transaction record summary. In waste types that lacked an adequate number of solids measurements to develop a solids volume percent, a nominal value was assigned based on similarity to other waste types that had adequate data. If the predicted volume percent solids was different from the measured

volume, the difference was indicated as an unknown gain or loss of solids for the tank. The unknown losses and gains were designated unknown layers and were assigned to a best estimate defined waste type when possible for the composite inventory estimates. Layers that were not assigned a best estimate waste type were not included in the composite tank estimates. The unknown layers were depicted on the tank layer model graphs but the volume of the unknown layers was assigned to the supernatant volume and not included as a volume in the solids inventory estimate.

A layer "set" in the tank is assumed not to move or change volume. The layers are presented in chronological order from the bottom of the tank to the top. Lateral variations were not accounted for and only average layer thickness can be derived from the model.

There are two main sources for variations in the solids volume percent in a single waste type. First, there is an inherent variability in the process stream as the process evolves. Second, solids can be added to or removed from a tank by inadvertent entrainment during supernatant transfers. In addition to these sources of variation, there are a number of other minor sources of solids changes such as compaction, subsidence, and dissolution of soluble salts by later additions.

Diatomaceous earth and cement were added to immobilize residual supernatant in tanks where pumping the liquid was not feasible. The conversion factor in the tank layer model is 160 gal/ton for diatomaceous earth and 120 gal/ton for cement. Cement and diatomaceous earth are not included in the composite inventory estimates.

It was assumed that any solids that accumulated were saltcake or salt slurry from the time a tank became a "bottoms" receiver to the end of the evaporator campaign. Saltcake can be any one of seven different types depending on which evaporator campaign created it. For saltcake accumulation, it was assumed that all of the solids reported were saltcake. The results of the model are presented graphically with the inventory estimate in Appendix K.

■ Supernatant Mixing Model

Los Alamos National Laboratory developed the supernatant mixing model that describes a "supernatant" portion of each tank as a combination of Hanford defined waste supernatants that have been concentrated by some factor (see Appendix K). The following fundamental criteria were used for this model:

- 1) Ideal mixing of the total volume of each tank throughout its history was assumed (i.e., no excluded volume for remaining solids layers).

- 2) Transactions were added to the waste status and transaction record summary to resolve unknown transactions for each quarter according to a set of rules. Therefore, an updated transaction summary was used that will be published later.

3) Not all of the saltwell liquid sources for 1978 through 1995 are known. All unknown saltwell liquid is now assigned to water for this estimate.

■ Inventory Estimates

The end result of combining the information from the tank layer model, the supernatant mixing model, and the Hanford defined wastes document is the tank inventory estimate (see Figure 3). When the volumes and compositions of each waste type in a particular tank are determined from the various sources of information, the total chemical inventory in the tank is calculated.

Figure 3. Schematic of Inventory Estimate Strategy.

The tank inventories used data from the Tank Farm Surveillance and Waste Status Summary Reports (Hanlon 1993). The inventories represent the estimated contents of the tanks as of January 1, 1994. The results for individual tanks are presented in tabular form and tanks that have unassigned waste layers are indicated.

The inventory estimates developed by Los Alamos National Laboratory were checked for accuracy against existing data from current sample analyses, thermal and physical models, and historical records. When the checking process reveals discrepancies between the estimates and the existing data, the models may be reevaluated. Thus, the process of generating estimates will be iterated and the associated errors will be reduced over time as knowledge of the tank waste operations increases.

1.3.4 Assumptions

The quality of the historical information available for the tanks often requires assumptions and judgements on the applicability and validity of the data. Some assumptions were used to interpret the data.

■ Temperature Data

All the temperature data obtained by ICF Kaiser Hanford Company were reviewed for suspect data points. Data that deviated from expected trends were marked as suspect and comments added accordingly. Suspect data points satisfied one of the following criteria: 1) a temperature less than 20°F, 2) a large scatter in temperatures from one day to the next over a continuous period of time, 3) an individual temperature reading not following the trend of other temperatures recorded during the same period, 4) disagreement between an individual thermocouple reading and the reading of thermocouples located above and below it on the tree, or 5) disagreement between data recorded at the same time from the CASS, the SACS, and/or manually recorded data sheets. All temperatures less than 20°F were removed from the data set and do not appear in the tables in Appendix D. Temperatures that deviated more than 15 percent from the data trend were assumed to be suspect from criterion 3 above. A clear indication that the data acquisition system recording the temperatures was in error was that the suspect data points were repeated concurrently for other tanks in the same farm. This behavior occurred in data from the CASS.

The instrumentation allowing manual recording of temperatures on data sheets is assumed to be calibrated the same as the instrumentation used by the CASS and the tank monitor and control system.

■ Sampling Data

When the sampling data were compiled, a sample was considered to be a solids sample if it contained greater than 30% solids.

■ Psychrometric Plots

Psychrometric data are collected randomly once a month. The data from air entering the tank would not always be collected at the

same time as the data from air exiting the tank. Therefore, the calculated evaporation rate and heat transfer rates may not truly represent the monthly, weekly, or daily average. The data represent only one point per month. By combining all these points, a trend is assumed to exist for each tank.

The program used to calculate evaporation rates contains some assumptions. The liquid waste temperature is assumed to be the same temperature as the outlet dry-bulb temperature in order to convert the mass of liquid in the air stream into a volume equivalent (gallons/week). Standing liquid is assumed to exist in order to convert the volume equivalent evaporation rate into a liquid level evaporation rate (inches/week).

■ Inventory Estimates

The result of combining the information from the tank layer model, the supernatant mixing model, and the Hanford defined wastes document is the tank inventory estimate. Waste stream compositions (Hanford defined wastes) were based on process flowsheet information and previous analytical data. The assumptions for the other precursors to the inventory estimates are described below.

Tank Layer Model

The formation of solids in the wastes varied by type and was determined individually by examination of the historical fill records. The volume of solids determined must conform to physically attainable systems (e.g., waste volumes contained in the tanks do not exceed the tank capacity and negative void fractions are not possible).

The solids were assumed to be evenly distributed throughout the slurry during their transfer. In the tank layer model, the distribution of solids is chronological and volumetric, but does not attempt to predict the solids stratigraphy (configuration of layers). Localized mounding and pocketing in various areas of the tank may have occurred due to phenomena around the inlets and outlets (e.g., transfers through pumps removing or depositing sludge). These phenomena would have affected only a small fraction of the tank area and do not impact the overall results of this study. However, spatial variability within the physical configuration and process history is acknowledged. No method is currently available that would adequately model this discrepancy. An effort is underway to develop this concept further and incorporate it into the tank characterization process, but it is incomplete at this time.

Solids from a specifically designated waste type are assumed to be homogeneous. Variation and layering of the sludge due to differences in component concentration between batches, precipitate particle size, and particle density were quite likely. The effect of these factors on the distribution of components within the solids is unknown. However, the effect was assumed to be small and not detectable with the present sample collection and analysis process.

Solids were not assumed to be compacted; therefore, compaction was not accounted for in the study. Although compaction probably

occurred in the history of the tanks because additional layers of solids formed atop each other, the degree of compression is unknown and, therefore, was not incorporated.

Density and other physical characteristics of the solids were determined from individual waste types using available information (e.g., process flowsheets), or were based on approximate physical analogues.

The capacity of each tank was assumed to never have been exceeded during transfers. Tank capacity is dependent on fill status, fill order, and tank type.

Tank transfers were assumed to be normally free of particulates. Therefore, the majority of solids were confined to their initial receiver tanks and were not sent to cribs or transferred extensively between tanks. This assumption was based on the following assumptions. The pumping equipment typically was not designed to transfer substantial quantities of solids (except when sluicing or specifically transferring solids). Monitors on the crib discharge lines would have indicated significant solids contamination, and the tank farm operating procedures would have prevented discharging solids to the ground.

Supernatant Mixing Model

Los Alamos National Laboratory developed the supernatant mixing model that describes a "supernatant" portion of each tank as a combination of Hanford defined waste supernatants that have been concentrated by some factor (see Appendix K). The following assumptions were used for this model:

- 1) Ideal mixing of the total volume of each tank throughout its history was assumed (i.e., no excluded volume for remaining solids layers).
- 2) Transactions were added to the waste status and transaction record summary to resolve unknown transactions for each quarter according to a set of rules. Therefore, an updated transaction summary was used that will be published later.
- 3) Not all of the saltwell liquid sources for 1978 through 1995 are known. All unknown saltwell liquid is now assigned to water for this estimate.

1.4 Historical Information Quality

The quality of information compiled for this report varied greatly. Some data came from published documentation. Other data were retrieved electronically from various Westinghouse Hanford Company databases. The quality of data used in the estimates is described in the following section.

■ Waste (Level) Histories

The waste history narrative contains a general description of the waste types contained in a specific tank from receipt of the

first waste transferred to the present. The current status of the tank is also presented. The history is not designed to be a detailed summary of every waste type and transaction for a tank. The waste types are general and are usually given only for transactions of sufficient volume to significantly impact the total volume of the tank (e.g., a transaction that increased the waste volume by 3,000 gallons in a tank originally containing a waste volume of 6,000 gallons would be considered significant. The same amount added to a tank containing 600,000 gallons of waste would not be considered significant.). For a more complete record of transactions and types of wastes involved, refer to the "Waste Status and Transaction Record Summary for the Southeast Quadrant" (Agnew 1995).

The accuracy of the tank waste histories relies on the completeness of the Westinghouse Hanford Company document "A History of the 200 Area Tank Farms" (Anderson 1990); the monthly Westinghouse Hanford Company, Atlantic Richfield Hanford Company, and Rockwell Hanford Operations waste summary reports; and the "Waste Status and Transaction Record Summary for the Southeast Quadrant" (Agnew 1995).

Surface level readings may be affected by plummet (e.g., manual tape) error, flushing water accumulation, waste surface irregularities, and gas generation. Crystalline wastes (i.e., saltcake) can build up on the end of the plummet gradually and contact the waste which indicates a false surface level increase. Significant level discrepancies occur when the buildup breaks off or when the measuring instrument plummet is flushed to remove the saltcake buildups. Flushing the Food Instrument Corporation gauge, manual tapes, or any other equipment may cause accumulated wash water to collect under the plummet which indicates a false increase in the overall volume of waste within the tank. Surface level readings are often difficult to obtain from tanks with a relatively dry saltcake surface. Some tanks have crystalline buildup on internal tank equipment (i.e., pumps, thermocouples, and other protruding equipment). As the supernatant is pumped from the tanks, the crystalline structure may remain attached to the equipment and be suspended above the liquid. Therefore, an accurate surface level measurement would be difficult if the breakup of the crystalline structure was inconsistent and a nonuniform waste surface was created. Steel tapes that are bent or warped from operation or those discarded on the waste surface are other sources of altered surface level readings.

■ Temperature Data

The quality of data from the computer automated surveillance system (CASS), surveillance analysis computer system (SACS), and manually recorded data sheets has not been verified. One exception is the subset of data from the SACS that had been reviewed. Engineering judgement formed the basis of removing suspect data from the original data set to produce a set of non-suspect data.

In the temperature tables of Appendix D, suspect data are labeled S, transcribed data are labeled T, and good data are labeled G. This quality indicator is used by the custodians of the SACS. The labels S and G both indicate that a review has taken place

(either by the SACS custodians or during creation of this report). Only data already labeled transcribed (T) and good (G) were retrieved from SACS. If interpreted as suspect during the compilation of this report, the data from SACS that originally were labeled T or G were relabeled with an S or S (G in SACS), respectively. Otherwise, the data retained the original label. Data from the CASS or the data sheets were labeled with a T when retrieved for this report, assuming such data had never been reviewed previously. If interpreted as suspect during the compilation of this report, the data from the CASS and data sheets were relabeled with an S; otherwise, the label remained T.

■ Surface Level Data

Data from the surveillance analysis computer system (SACS) were obtained electronically from the Westinghouse Hanford Company surveillance group and were plotted. The data are actual surface levels recorded from the surveillance equipment. If the surveillance equipment in a particular tank riser was removed from service, the readings may show a level change when a new instrument and/or riser is used, especially if the waste surface shows severe heterogeneity.

The data used to produce the plots and the data obtained from the surveillance group have been verified as identical. However, errors in the data prior to the exchange of information could still exist. The SACS data were understood to be unverified prior to the exchange. Westinghouse Hanford Company qualified the data with G, S, T for good, suspect, and transcribed, respectively. The criteria for determining these qualities are unknown.

■ Riser Configuration

The riser configurations are based on the design drawings and engineering change notices dated before August 3, 1995. The riser configuration document (WHC-SD-RE-TI-093, Rev. 3) was used as a guide; however, the design drawings and engineering change notices take precedence. The tables in Appendix G contain a riser number, diameter, and description of each riser and nozzle. A brief explanation and date of the pertaining engineering change notice, if applicable, is in parentheses under the description and comments heading for each riser. Available risers are labeled spare and do not have any attached equipment; this includes observation ports.

■ Photographs

The photographic montages were made from the latest available photographs of the tank interiors and are in Appendix I. In some tanks, photographs have not been taken since the early 1970's. Some tanks had fogging problems in the vapor space which prevented use of the latest photographs. Sometimes, reviewing the older photographs was useful to determine changes in waste volume or equipment. Montages made from older photographs may not be indicative of current tank contents, especially if the tank had been pumped since the last time a photograph was taken.

■ Psychrometric Data

The psychrometric data obtained from Westinghouse Hanford Company came from sheets of manually recorded data before 1989 and

computer files after 1989. Agreement between the raw data obtained from Westinghouse Hanford Company and the psychrometric plots has been checked. However, errors in the data prior to the exchange of information may still exist.

The raw data could contain errors. The inlet (ambient) conditions could have been measured when the operators first entered the farm and not immediately before the outlet measurements of each tank were taken. The volumetric flow rate is measured using a pitot tube. As the flow rate decreases, the pitot tube measurements become less accurate. Minter (1994) demonstrated a high degree of uncertainty in determining changes in moisture content as air passed through a primary tank and annulus. Even though Minter (1994) discusses uncertainties with Tank 241-C-106 (a single-shell tank), some of the same principles and errors exist in the data obtained from the double-shell tanks. Dodd (1994) suggested that collecting psychrometric data should cease for tank annuli until more rigorous examinations determined whether collecting the data was worthwhile.

Other limitations, besides the fact that the calculated data represent only one recorded data point per month, should be considered before drawing any conclusions about the data. The heat transfer rate only expresses heat transferred to or from the air stream; it does not include other methods of heat transfer such as conduction through the soil or radiant heat transfer. Floating objects or a surface crust could exist in the tank which would change the surface area available for evaporation and possibly change the temperature of the liquid.

When the raw data varied from certain physical laws, the data were labeled suspect and were not included in the graphs. The data point was labeled suspect if the wet-bulb temperature was greater than the corresponding dry-bulb temperature or if the flow rate was extremely high compared to the rest of the data. A brief explanation of why the data point was labeled suspect is in the comment column of Appendix F. Data labeled as suspect may vary between the originally labeled data from Westinghouse Hanford Company and the data after review during the creation of the supporting documents.

■ Historical Sample Analysis Data

The historical sample analysis data refer only to information obtained before September 1989 (see Appendix H). The data (results from analyzing the samples and details about the samples) have not been validated by the characterization program. When validated, the data will be reissued in a later revision of the Historical Tank Content Estimate report and supporting documentation. The sample data often were retrieved from memoranda indicating the results of the sample analysis. The analytical methods, holding times, quality control information, and location at which the sample was taken were not provided. The scope of analysis frequently was quite narrow which limited the available data set. However, the data sets are the only available historical information on chemical characterization.

The data obtained from the sample analysis records vary widely in type, quality, and scope. The data range from a process control

analysis (e.g., checking the plutonium separation process by analyzing a grab sample for a few selected components) to a total characterization suite performed on a core sample. There are no specific criteria for determining quantitative data quality for the information incorporated into the Supporting Document. The information sources were assessed to determine if the samples were from the waste in the tank. The available data were assessed for suitability and consistency with this report and selected information was incorporated.

1.5 Southeast Quadrant Background

The double-shell tanks were built between 1968 and 1986 to provide interim storage for high-level nuclear wastes. Processes such as plutonium separation from spent nuclear fuel and uranium metal recovery generated the millions of gallons of mixed (radioactive and hazardous) waste stored within these tanks.

The most common waste stored in the tanks in the southeast quadrant is dilute waste. However, many tanks in the quadrant currently store wastes from the Plutonium Finishing Plant process and other onsite separation processes. Much of the waste is scheduled for concentration in the 242-A Evaporator.

1.5.1 Waste Generating Plants and Processes

Although not all of the processes listed below contributed waste directly to tanks in the southeast quadrant, the waste they generated could have been transferred indirectly tank-to-tank. The plants and processes that generated waste now contained in the single-shell and double-shell tanks are presented in chronological order. Typically, the name of the plant and the process are synonymous.

■ T Plant

T Plant was the first full-scale separations plant at Hanford. It was constructed between June 1943 and October 1944 and was used as a separations facility for irradiated production reactor fuel until 1956. T Plant was designed to separate plutonium from uranium and the bulk of fission products in irradiated fuel through the bismuth phosphate separations process. The 224 (Concentration) Building, adjacent to T Plant, was part of this process. Since 1957, T Plant has been used as a facility for repair and decontamination of equipment. The facility was modified in 1978 to store pressurized water reactor (PWR) core II fuel assemblies. T Plant facilities have been used for repairing, testing, shipping, decontaminating, decommissioning, and storing contaminated tools and equipment from locations both onsite and offsite.

The following wastes were sent to the tank farms: metal waste (MW), decontamination waste (DW), first-cycle decontamination waste (1C), second-cycle decontamination waste (2C), and 224 waste.

■ B Plant

B Plant was constructed between August 1943 and February 1945 and was used for the bismuth phosphate process until 1952. B Plant

was designed to use the same bismuth phosphate separations process that was used at T Plant. This process used both bismuth phosphate and lanthanum fluoride. The 224 (Concentration) Building, adjacent to B Plant, was part of this process. In 1968, B Plant became a waste fractionation plant after it was modified to remove ^{137}Cs and ^{90}Sr from PUREX acid waste, high-level supernatant, and sludge from self-boiling liquid wastes.

The following B Plant wastes were sent to the tanks: B Plant high-level waste (B), B Plant flush waste water (BFSH), B Plant low-level waste (BL), complexant concentrate (CC or CCPL), complexed waste (CPLX), fission product waste (FP), metal waste (MW), REDOX ion exchange waste processed at B Plant (RIX), ion exchange waste (IX), strontium sludge (SRS), cell 5 tank 6 waste (5-6), first-cycle decontamination waste (1C), second-cycle decontamination waste (2C), and 224 waste.

■ Bismuth Phosphate Process

B Plant and T Plant used the bismuth phosphate extraction process to remove plutonium from uranium fuel elements. The 224 Buildings were also part of this process. The waste that resulted was a metal waste (MW) that still contained 90% of the fission products and 99% of the original uranium. The MW was sent to specific tank cascades in the 200-East and 200-West Areas. First-cycle decontamination waste (1C), second-cycle decontamination waste (2C), and 224 waste were also stored in other underground waste tanks in the 200 Areas.

■ Plutonium Finishing Plant

The Plutonium Finishing Plant (PFP) or Z Plant, previously called Plutonium Recovery and Finishing Operations, began operating in late 1949 to process plutonium and prepare plutonium products. The PFP operations included plutonium handling, plutonium reclamation, plutonium conversion, decontamination, and decommissioning.

Waste from the Plutonium Reclamation Facility (near PFP) and Z waste from the remote mechanical "C" line process were sent to tanks.

■ Uranium Oxide Plant

The 224-U Building was completed in 1944 as part of the U Plant complex. The building was converted to a uranium oxide (UO_3) plant in 1951. The 224-UA Building was constructed in 1957 with six installed calciners. The UO_3 plant was capable of handling the uranyl nitrate hexahydrate (UNH) stream from REDOX, U Plant, and PUREX. The UO_3 plant was shut down in 1972 but restarted in 1984 with the feed lines from REDOX and the U Plant canyon disconnected. Since 1984, there have been 17 campaigns at the plant averaging eight days each. The plant can calcine UNH much faster than it is produced by the PUREX plant. Final deactivation was ordered for the plants in 1992. In April 1993, the UO_3 plant resumed operations to convert 200,000 gallons of remaining UNH to uranium oxide powder. A final deactivation plan for the facility was prepared in the summer of 1993 and will be carried out in the next few years.

■ REDOX

The Reduction and Oxidation extraction (REDOX) plant was built between May 1950 and August 1951 and operated until July 1967. Uranium and plutonium were extracted from solid uranium metal slugs that were irradiated in the Hanford reactors or piles. Uranium and plutonium were extracted with methyl isobutyl ketone (hexone) solvent in a continuous solvent extraction process. The REDOX process was the first at Hanford to recover both plutonium and uranium.

The following wastes were sent to the tank farms: REDOX process waste resulting from the dissolution of aluminum and zircaloy fuel element cladding, REDOX coating waste (CWR), REDOX waste (R), the supernatant portion of waste generated by the REDOX process, and REDOX supernatant (RSN). RSN is found above the sludge in the underground storage tanks that received waste from REDOX.

■ U Plant

U Plant (221-U) was built as one of three original bismuth phosphate process facilities, but it was not used for that purpose. U Plant was modified extensively and used for the uranium recovery process, operating from 1952 to 1958. The main canyon at U Plant currently stores failed equipment.

Uranium in waste from the BiPO_4 process initially was stored in the single-shell tanks. Later, the waste was sluiced, dissolved in nitric acid, and processed through a solvent extraction process to recover the uranium. The process yielded approximately 1.4 gallons of UR waste for every gallon of metal waste originally stored. The increase in waste volume made developing technology to reduce the volume of stored waste a priority. This need resulted in developing and implementing the ferrocyanide scavenging process.

The waste sent to the tanks from U Plant was called tributyl phosphate (TBP) even though it contained very little TBP. Therefore, to eliminate confusion, the waste will be referred to as uranium recovery (UR) waste in this report.

■ Strontium Semiworks

The Strontium or Hot Semiworks facility (i.e., C Plant) was built in 1949 as a hot pilot plant for the REDOX process but was converted to a pilot plant for the PUREX process. In 1960, the plant was reactivated and used as a process demonstration for the conversion of B Plant to a waste fractionation facility. The plant was used to recover ^{90}Sr , promethium 147 (^{147}Pm), and ^{144}Cs from PUREX waste. The building and the site have been decontaminated and decommissioned.

Waste sent from the Strontium Semiworks to the tank farms was known as hot semiworks (HS), strontium semiworks (SSW), and fission product waste (FP).

■ PUREX

The process used in the Plutonium Uranium Extraction (PUREX) plant (i.e., A Plant) was an advanced solvent extraction method using tributyl phosphate in a paraffin hydrocarbon solvent to recover

uranium and plutonium from nitric acid solutions of irradiated uranium. The PUREX plant, built between April 1953 and April 1955, operated until 1972 when it was closed for 11 years. Two thorium campaigns were conducted between 1966 and 1971. The irradiated waste was similar to the PUREX waste, but it contained thorium and uranium 233 rather than uranium and plutonium found in typical PUREX waste. The PUREX plant was restarted in November 1983 but was shut down in 1988 after a safety violation. It was shut down several times between 1988 and 1990 for various reasons. In October 1990, the plant was put on standby and was identified for closure in December 1992 by Secretary of Energy James Watkins.

The following PUREX wastes were sent to the tank farms: cladding (coating) waste (CW or CWP), organic wash waste (OWW), neutralized PUREX acid waste (P), low-level waste from PUREX (PL), PUREX sludge supernatant liquid (PSS), organic wash waste (CARB), cesium feed (CF), and inorganic wash waste (IWW).

1.5.2 Waste Management Operations

This section describes the different methods used to concentrate waste in the 200 Area. Evaporating, concentrating, and scavenging are all methods used to reduce liquid volumes or precipitate solids out of supernatant. The operations are presented in chronological order.

■ 242-T Evaporator

The 242-T Evaporator was built in the early 1950's to reclaim nonboiling waste storage capacity in existing tanks. The evaporator was shut down in the summer of 1955 and modified for tributyl phosphate scavenging, although scavenging was never performed in this evaporator. The evaporator was restarted in 1965 and operated until 1976. Tank 241-TX-118 was the feed tank for this evaporator.

The following wastes were sent from the 242-T Evaporator to the tanks: slurry product from the evaporator bottoms (EB), evaporator feed (EF), and terminal liquor (TL).

■ 242-B Evaporator

The 242-B Evaporator, south of the B Tank Farm, started operating in December 1951. It received feed waste until November 1954, was shutdown in September 1955, and was never reactivated. Tanks 241-B-106 and -105 were used as the feed tank and bottoms tank, respectively. The evaporator operated at atmospheric pressure.

■ Ferrocyanide Scavenging

Ferrocyanide scavenging was developed to reduce waste volumes. The ferrocyanide flowsheet was first tested in U Plant in October 1953, and in-farm scavenging was completed in March 1956 and December 1957 for the 200-West and 200-East Areas, respectively. The ferrocyanide scavenging program was designed to remove fission products such as ^{137}Cs (half life = 28.6 yr) and ^{90}Sr (half life = 30.2 yr) from the uranium recovery and 1C wastes as a precipitate. After the ^{137}Cs and ^{90}Sr precipitates settled, the clarified supernatant was sampled and disposed of in cribs.

■ In-Tank Solidification

The primary function of the in-tank solidification systems was to concentrate the nonboiling waste directly inside of specially designed tanks. These tanks produced a saltcake slurry. Each system included a heat exchanger for water evaporation and a series of bottoms tanks. The first in-tank solidification unit (ITS #1) operated with an airlift circulator through Tank 241-BY-102, and the second in-tank solidification unit (ITS #2) operated with a similar circulator through Tank 241-BY-112. Tank 241-BY-112 also contained a 4,000 kW electric immersion heater. Tank 241-BY-101 contained an in-tank solidification prototype that was used for demonstration purposes only. In-tank solidification units 1 and 2 began operating in 1965 and 1968, respectively. In 1971, ITS #1 became the cooler for ITS #2. Both units were shut down in 1974.

■ REDOX Concentrator

The REDOX concentrator was used to reduce the volume of dilute 200-West Area tank farm wastes by removing water. The concentrator received tank farm wastes from July 28, 1967 until June 30, 1972. Cell D in the REDOX process was the concentration and neutralization section of the plant.

■ 242-S Evaporator-Crystallizer

The 242-S Evaporator-Crystallizer began operating in November 1973 and was shut down in 1981. It was designed as a reduced pressure (i.e., partial vacuum) evaporator-crystallizer. Aqueous salt wastes were converted in the evaporator to salt crystals for storage in underground tanks in the S and SX Tank Farms.

The following waste types were sent to the tanks from the 242-S Evaporator: noncomplexed waste concentrated until the solution was nearly saturated with sodium aluminate known as double-shell slurry feed (DSSF), slurry product from the evaporator bottoms (EB), evaporator feed (EF), Hanford defense residual liquor (HDRL), partially neutralized feed waste (PNF), and terminal liquor (TL).

■ 242-A Evaporator-Crystallizer

The 242-A Evaporator-Crystallizer was constructed in 1976 and began operating in March 1977 with a design life of ten years. In 1987, design changes were developed to extend the facility's operating life by ten years. The evaporator was shut down in April 1989 because of regulatory issues, but was restarted in May 1994 after extensive modifications.

The following wastes were sent to the tanks: B Plant low-level evaporator bottoms (BLEB), double-shell slurry feed (DSSF), evaporator feed (EF or EVAP), evaporator bottoms (EB), and terminal liquor (TL).

1.5.3 Miscellaneous Waste Sources and Equipment

Wastes from various other sources on the Hanford Site have been added to the tanks. Some wastes are from the 300 Area, 100 Area production reactors, various laboratories, and catch tanks. Unique contents added to single-shell tanks included laboratory wastes;

diatomaceous earth; Portland cement; shroud tubes; ceramic balls; experimental fuel elements; and relatively small amounts of enriched uranium, plutonium, cobalt, and natural uranium.

The following wastes were added to the tanks: Hanford defense residual liquor (HDRL), Hanford laboratory operations waste (HLO), water (H₂O), N Reactor waste (N) from phosphate decontamination process, and noncomplexed waste (NCPL).

■ Critical Mass Lab

The critical mass lab was used to develop data on the factors necessary to make a criticality or self-sustained nuclear reaction occur. Because plutonium was the key radioactive element on the Hanford Site, the research was based on plutonium criticality safety in various fuel cycles. The facility was located next to the Strontium Semiworks and ran from the early 1950's to the early 1980's. The plutonium used in the lab was reprocessed in PUREX.

■ 244-AR, -BXR, and -CR Process Vaults

The three process vaults in the northeast quadrant are the 244-AR Vault, the 244-BXR Vault, and the 244-CR Vault. These vaults were composed of several process vessels or tanks used to prepare the waste for treatment or storage. Specific wastes from tanks can be pumped temporarily to the vaults and later sent directly to desired tanks or processing facilities.

The AR Vault was designed and constructed between 1964 and 1968 and is located next to the A and AX Tank Farms. The AR Vault has been on standby since 1978.

The 244-BXR Vault is located south of the BX Tank Farm and was constructed between 1950 and 1951. The BXR Vault began operating in 1952 and became inactive in 1956. The waste in the vault was difficult to handle, so the vault was jetted with high-pressure steam in 1976. The vault was interimly isolated after 1976 and interimly stabilized in March 1985. Tank BXR-004 was removed in 1963.

The 244-CR Vault was constructed in 1952 and is located next to the C Tank Farm. Saltwell waste from the C Tank Farm is interimly stored in the CR Vault. The 244-BXR and -CR Vaults were originally constructed to aid in the recovery of uranium from bismuth phosphate metal waste. The CR Vault received waste from the Strontium Semiworks Plant en route to the C Tank Farm.

■ 204-AR and 204-S Railroad Car Facilities

The 204-AR rail car unloading facility was built in 1981 and replaced the 204-S rail car unloading facility. The facilities were built for unloading tank cars containing radioactive liquid waste. Liquids or slurries from the 1314-N Building in the 100 Area and the 340 Building in the 300 Area are unloaded at the 204-AR unloading facility.

1.5.4 Timelines

Timelines are presented on the following pages that represent the different events that occurred during the lifetime of major Hanford plants and tank farms in the 200-East and 200-West Areas. The plants and associated processes were the main contributors to the waste currently contained in the tanks. The following is a list of abbreviations used in the timelines [Figures 4 (A and B) and 5 (A-C)] and their corresponding meanings. Abbreviations in parentheses are wastes that are listed in Appendix A.

PUREX: Plutonium uranium extraction process
UO₃: Uranium trioxide
PFP: Plutonium Finishing Plant
RG-RB: Rubber glove - remote button line
RMA: Remote mechanical "A" line
RSE: Recuplex solvent extraction
RMC: Remote mechanical "C" line
PRF: Plutonium Reclamation Facility
PCB: Polychlorinated biphenyls
WESF: Waste Encapsulation and Storage Facility
ITS: In-tank solidification (units #1 and #2)
PWR: Pressurized water reactor
REDOX: Reduction oxidation process

THIS PAGE INTENTIONALLY
LEFT BLANK

PLANTS / PROCESS - TIMELINE

FIGURE 4A

**THIS PAGE INTENTIONALLY
LEFT BLANK**

PLANTS / PROCESS - TIMELINE (CONTINUED)

FIGURE 4B

**THIS PAGE INTENTIONALLY
LEFT BLANK**

**THIS PAGE INTENTIONALLY
LEFT BLANK**

NE QUADRANT TANK FARMS - TIMELINE

LEGEND:

- △ INTO SERVICE
- ▲ REMOVED FROM SERVICE

FIGURE 5B

**THIS PAGE INTENTIONALLY
LEFT BLANK**

NW/SW QUADRANTS TANK FARMS - TIMELINE

LEGEND:

- △ INTO SERVICE
- ▲ REMOVED FROM SERVICE

FIGURE 5C

**THIS PAGE INTENTIONALLY
LEFT BLANK**

1.6 Safety Issues

The safety issues that affect the tanks can be divided into two groups: watch list and non-watch list. The watch lists are a listing of all tanks that are believed to pose potential safety hazards to the environment and the public. Non-watch list issues are of concern because they may impact the environment.

1.6.1 Watch List Safety Issues

Safety issues for these tanks were identified as "issues/situations that contain most necessary conditions that could lead to worker (onsite) or offsite radiation exposure through an uncontrolled release of fission products" under Public Law 101-510, Section 3137, of the National Defense Authorization Act of Fiscal Year 1991 (i.e., the Wyden Amendment). As of November 1993, 45 single-shell tanks and 6 double-shell tanks are on a watch list. All 6 of the double-shell tanks are on the watch list for hydrogen or other flammable gas. The four watch list designations described in this report are ferrocyanide, hydrogen or other flammable gas, organic salts, and high-heat load. The following sections provide a general description and criteria of the different watch lists. For a more complete explanation, refer to the Hanford Site Tank Farm Facilities Interim Safety Basis (WHC 1993).

■ Ferrocyanide

A tank containing or believed to contain greater than 1,000 gram moles of ferrocyanide (dry basis) is on the ferrocyanide watch list. Tanks containing ferrocyanide are potentially explosive if ferrocyanide and nitrates combine.

■ Hydrogen or Other Flammable Gas

Tanks were placed on this watch list due to the potential of containing flammable gas rather than the verified presence of hazardous concentrations. Tanks on the watch list for hydrogen or other flammable gas have been identified as an unreviewed safety question due to the concern that burning flammable gas could result in a radiological release.

■ Organic Salts

Tanks containing or believed to contain more than the equivalent of 10% by weight of sodium acetate or 3 wt% total organic carbon (TOC) on a dry basis received a watch list designation as in the "Tank Farm Surveillance and Waste Status Summary Report" (Hanlon 1993). Tanks containing organic salts could release waste if an uncontrolled increase in temperature or pressure results from oxidation by nitrates and nitrites.

■ High-Heat Load

Tanks with a heat load greater than 40,000 Btu/hr are designated as high-heat load tanks. Tank 241-C-106 is the only high-heat load tank on the high-heat load watch list.

Any tank not listed on the high-heat load tank list or the high-heat load watch list with a heat load less than 40,000 Btu/hr is considered a low-heat load tank by default.

The following table lists the tanks in the southeast quadrant that appeared on the watch list as of June 1995. A current listing is published monthly in the "Tank Farm Surveillance and Waste Status Summary Report".

Southeast Quadrant Double-Shell Watch List Tanks

DST Tank	Category
241-AN-103	Hydrogen
241-AN-104	Hydrogen
241-AN-105	Hydrogen
241-AW-101	Hydrogen
241-SY-101	Hydrogen
241-SY-103	Hydrogen

1.6.2 Non-Watch List Safety Issues

Tank leaks are a safety hazard because of the potential to release chemicals and radioactive liquids to the ground. Corrosion is the main cause of tank leaks. Three other safety issues that do not require a watch list and continual monitoring under the Wyden Amendment include criticality, tank bumps, and toxic vapor releases.

■ Corrosion

Corrosion is a localized or general reduction in the thickness of the carbon steel liner. Localized reduction in the liner thickness is one of three types of corrosion: pitting corrosion, stress corrosion cracking, and crevice corrosion. General reduction in liner thickness may be uniform corrosion.

The tanks are equipped with corrosion (cathodic) protection. None of the double-shell tanks are assumed or confirmed leaking.

■ Criticality

Criticality is a self-sustained, nuclear chain reaction. Studies have concluded that a nuclear criticality accident in the tank farms is probably not an imminent risk. However, knowledge of the inventory of fissile material and its distribution within the tanks is incomplete. Therefore, criticality remains a safety issue. The key radionuclide on the Hanford Site that would be involved in a criticality accident is plutonium. To prevent a criticality, a maximum content of 125 kg of fissile material has been specified for the tanks. An unusual occurrence report involving nuclear criticality was filed in June 1991 for Tank 241-C-104. Later, an inventory of 56 kg was calculated which indicated a low probability

for criticality. Criticality is considered an unreviewed safety question, but is not affected by the Wyden Amendment according to the Hanford Site Tank Farm Facilities Interim Safety Basis (WHC 1993).

■ Tank Bumps

Tank bumps have been an issue at Hanford since 1953 with the last bump occurring in 1968. Tank bumps occur when heat from the hotter solid waste in the lower portion of the tank is suddenly transferred to a near boiling supernatant. Mixing can be achieved by "roll over" or sudden restart of airlift circulators which results in rapid fluid vaporization and a sudden internal tank pressurization that causes a bump. The three documented bumps that have occurred were due to airlift circulator failure followed by rapid startup of the airlift circulators which causes rapid mixing. Two key factors have been identified to control bumping: liquid and solid temperatures must be maintained as far away from the local boiling point as possible, and airlift circulators and ventilation systems must be operated as designed. A tank bump is extremely unlikely if airlift circulators and vent flowrates are maintained at 500 to 1,000 ft³/min per tank and 50 ft³/min to the airlift circulators according to the Hanford Site Tank Farm Facilities Interim Safety Basis (WHC 1993).

■ Toxic Vapor Releases

Toxic vapor releases are a recently analyzed safety concern at Hanford. Odors have been released from the C Tank Farm in the northeast quadrant and from Tank 241-SY-101 in the southeast quadrant. The entire issue of toxic gas releases at the tank farms has just begun to be understood according to the Hanford Site Tank Farm Facilities Interim Safety Basis (WHC 1993).

1.7 Occurrences

Over the years, unusual events that occurred at the Hanford Site have been documented by various reporting methods. Some of these reports include unusual occurrences reports, off normal reports, event fact sheets and occurrence reports. According to these reports, four unusual events affected all of the tank farms included in the southeastern quadrant. Occurrence reports RL--WHC-Tank Farm-1993-0072, RL--WHC-Tank Farm-1992-0028, RL--WHC-Tank Farm-1991-1031, and RL--WHC-Tank Farm-1991-1026 were written due to loss of power in the area. For more information on occurrences, refer to the Farm Information section for the specific tank.

THIS PAGE INTENTIONALLY
LEFT BLANK

THIS PAGE INTENTIONALLY
LEFT BLANK

2.0 AW Tank Farm

2.0.1 AW Tank Farm History

The AW Tank Farm is located south of 4th Street and west of Canton Avenue on the east side of the 200-East Area. The AW Tank Farm contains six 75-foot diameter, 1,160,000-gallon capacity (1,140,000-operating limit), double-shell tanks. The tanks are described as double-shell because of their two steel liners. The tanks were constructed with a primary steel liner (stress-relieved carbon steel), a secondary steel liner, and a reinforced concrete shell with an insulating concrete foundation between the primary and secondary liners (see tank cross-section in Appendix G). These tanks were designed to hold concentrated supernatant. The maximum design temperature for liquid storage is 350°F. The tanks are all at the same elevation with no cascade lines between tanks.

A 1993 color aerial photograph of the AW Tank Farm shows the orientation of the tanks, leak detection pits, annulus ventilation equipment, instrument house, and valve pits (see Appendix I).

2.0.1.1 AW Tank Farm Waste History

Non-complexed waste was received by the AW Tank Farm beginning in July 1980, and was distributed to all the tanks except Tank 241-AW-106 which received complexant concentrate waste. Tanks 241-AW-101, -103, -105, and -106 received double-shell slurry waste from December 1981 to May 1990. Complexant concentrate waste was also sent to Tanks 241-AW-104 and -105. Tank 241-AW-101 received complexed waste and dilute non-complexed waste from the 200-East Area single-shell tanks. Low-level PUREX waste was added to Tanks 241-AW-101, -103, -104, and -105. Presently, Tanks 241-AW-102 and -106 are the feed and slurry receiver tanks, respectively, for the 242-A Evaporator.

2.0.1.2 AW Tank Farm Temperature History

The six tanks within the AW Tank Farm each contain one thermocouple tree with 18 thermocouples at known elevations. Each tree was installed in riser 4A during construction. The thermocouple elevations on the tree range from four inches to 38.3 feet above the bottom of the tank. A tree is constructed from a capped 2-inch schedule 40 carbon steel pipe with thermocouples welded to the pipe wall. It appears that all trees are operating normally; none have needed repair or replacement. In addition, a multi-functional instrument tree will be installed in riser 15A of Tank 241-AW-101.

All of the tanks have a requirement for temperatures to be recorded weekly. Data for the tanks in AW Tank Farm were obtained from the computer automated surveillance system (CASS) and the surveillance analysis computer system (SACS). The CASS is still recording temperatures in the AW Tank Farm, but none of the temperatures are valid. Temperatures from manually recorded data sheets are currently entered into the SACS database on a weekly basis. See tables and graphs of temperature data in Appendix D.

2.0.1.3 AW Tank Farm Occurrences

Thirty nine unusual events occurred in the AW Tank Farm with nine events specific to Tank 241-AW-101, six events specific to Tank 241-AW-102, seven events specific to Tank 241-AW-103, two events specific to Tank 241-AW-104, three events specific to Tank 241-AW-105 and four events specific to Tank 241-AW-106. Since 1980 when the tanks began operating, the following six occurrences affected all the tanks. Four reports were written because failing equipment caused tanks to pressurize (occurrence report RL--WHC-Tank Farm-1990-0346 and off-normal reports 86-33, 86-27, 86-25, and 86-17). Off normal report 86-27 was issued in June 1986 when the backup ventilation system failed during changing of the HEPA filters. Off-normal report 86-25 was issued in April 1986 when the exhaust ventilation system shut down for 21 minutes. Off-normal report 86-17 was issued in February 1986 when the exhaust ventilation system shut down again. Off-normal report 83-19 was written because tanks pressurized during a waste transfer.

2.0.1.4 AW Tank Farm Ventilation

Air enters each tank by infiltrating around the pit cover blocks and leaves each tank via riser 7. The air ducts for all the tanks are joined to allow the service of one fan to transport the air into the primary exhaust system. Before the tank air is released to the atmosphere, the air is heated and passed through a prefilter and two HEPA filters. Each tank is designed to have 167 SCFM of air travel through it and 800 CFM of air travel through the annulus. In the annular system, outside air passes through a 35% prefilter and a HEPA filter before it enters the annulus. Then the air is drawn from the annulus through an electric heater and two more HEPA filters before it is exhausted to the atmosphere. Both the tank and annular systems have a primary and backup system. For more information, refer to drawings H-2-70336 and H-2-90905.

The tanks in AW Tank Farm have a minimum and maximum safety limit pressure of -6 inches of water gauge (-0.22 psig or 1.49 kPa gauge) and 60 inches of water gauge (2.17 psig or 14.93 kPa gauge), respectively. The operating pressure is between -4 and 0 inches of water gauge (-0.14 psig or -1 kPa gauge and 0 psig or 0 kPa gauge). Each tanks exhaust ventilation system may be inoperable (potentially pressurizing to 0 inches of water gauge) for less than two hours continuously or 40 hours in 12 months without exceeding safety limits. These limits can be found in document WHC-SD-WM-OSR-016, Rev. 0B (Heubach 1994).

The psychrometric data were prepared in two parts, the tank data and the annulus data. Positive numbers represent moisture and heat leaving the tank and annulus, and negative numbers represent moisture and heat entering the tank and annulus. Three plots were made for each of the tanks: evaporation in inches per week versus time, heat transfer rate to the ventilation system in BTU per hour versus time, and evaporation in gallons per week versus time. Two plots were made for each tank's annulus: heat transfer rate to the ventilation system versus time and evaporation in gallons per week versus time.

Evaporation in inches per week, though calculated, was not plotted because this data is significant only if standing water is present in the annulus. If there were insufficient raw data or the data point was labeled suspect, the point was not plotted on the graph. See Appendix F for the tables and plots.

2.0.1.5 AW Tank Farm Historical Sample Analysis Data

Numerous samples have been drawn from the six tanks within the AW Tank Farm and analyzed from December 1981 to November 1990 (see Appendix H). The samples were similar in composition and contained the following cations: aluminum, sodium, potassium, and zirconium. The anions within the tanks were primarily hydroxide, nitrate, nitrite, carbonate, and fluoride. Cesium, strontium, promethium, and ruthenium were the primary radionuclides. Colors of the drawn samples ranged from clear, yellow liquids with no solids to dark brown with suspended solids. The samples were also green in Tanks 241-AW-102, -103, and -104. No information on sampling procedures and methods were available for the tanks.

2.0.2 Current Status of AW Tank Farm

Tank 241-AW-101 was officially added to the Hydrogen Watch List in June 1993. The tank is identified as having an unreviewed safety question due to the concern that burning flammable gas could result in a radiological release. All tanks are actively ventilated and categorized as sound. Currently, the total waste volume is approximately 4,798,000 gallons (Hanlon, June 1995).

Engineering Change Notice (ECN) 613265 changed the riser numbering system of the whole farm. The tables in Appendix G list the new riser number, old riser number, diameter, and description of each riser and nozzle. The new riser numbers have a prefix of "WST" for the primary tank risers and "WSTA" for the annulus risers and a suffix of the letters "A" through "F" for each tank. For example, the new riser identification number WST-RIS-205-E identifies riser 205 on Tank 241-AW-105. The old numbers remain in the tables and drawings of Appendix G as a cross-reference to drawings, documents, and other literature that still contain the old numbers.

2.0.2.1 AW Tank Farm Inventory Estimates

There are three inventory estimates for each tank in the AW Tank Farm created by Los Alamos National Laboratory (see Appendix J). The supernatant mixing model (SMM) composite estimate is based on the output of the supernatant mixing model. The tank layer model (TLM) solids composite estimate is based on the output of the tank layer model. The total inventory estimate is a combined volume weighted average of the SMM composite and the TLM composite inventory estimates.

2.0.2.2 Waste Volume Approximations AW Tank Farm

The waste volume in each tank was modeled using two programs developed by Los Alamos National Laboratory (LANL). One program, the

supernatant mixing model (SMM), modeled the liquid (supernatant) portion of the tank. The other program, the tank layer model (TLM), modeled the solids portion of the tank. The models were run using data representing the estimated contents of each tank as of the inventory estimate date (January 1, 1994). Results from both models are in Appendix K.

The waste volume approximations have been modified in both programs and are presented on each level history sketch in Appendix C. There are two areas that have been modified. The first area concerns the concentrated supernatant solids (CS solids). The CS solids are determined by taking the difference between the measured solids volume and the solids volume predicted by the tank layer model. The concentrated supernatant solids are considered part of the total supernatant and not as a solid according to the tank layer model. The second area concerns the supernatant volume. The supernatant volume from LANL presented on the level history sketch was determined by taking the difference between the predicted supernatant mixing model volume and the CS solids volume. These modifications were necessary in order to reflect the actual supernatant and solids volumes that were measured within each tank.

2.0.2.3 AW Tank Farm In-Tank Photographs

The AW Tank Farm photographs usually were taken from an off-center riser. Panoramic pictures of the entire inside surface area were taken and the photographs were assembled into a montage (see Appendix I). Most photographic montages provide a good representation of present tank contents if no activity has occurred to affect the tank since the photographs were taken.

2.1 Tank 241-AW-101

2.1.1 241-AW-101 Tank History

2.1.1.1 Waste History of Tank 241-AW-101

The history of the primary additions is derived from the "Waste Status and Transaction Record Summary for the Southeast Quadrant" (Agnew 1995). Tank 241-AW-101 received PUREX low-level waste from the first quarter of 1981 until the first quarter of 1986. During the first quarter of 1982, the tank received N Reactor waste. The tank received dilute non-complexed waste from the 200-East Area single-shell tanks during the first and second quarters of 1985. The tank had an unknown transaction during the third quarter of 1986. Sketch ES-TKS-E175 in Appendix C also shows gas as a primary addition. Gas building up within the tank under the crust on the waste surface appears to cause the waste surface level to fluctuate.

The history of the waste types is derived from "A History of the 200 Area Tank Farms" (Anderson 1990) and Tank Farm Surveillance and Waste Status Summary Reports for January 1980 through March 1994. Tank 241-AW-101 began receiving non-complexed waste in July 1980, continued to receive this waste until November 1981, and again received this waste from December 1982 until March 1983. The tank received dilute double-shell slurry feed waste from December 1981 until November 1992. From April 1983 until June 1984, the tank received complexant concentrate waste. From July 1984 until April 1986, the tank received non-complexed waste. The tank was designated as containing double-shell slurry feed waste from May 1986 until March 1994.

The tank is currently an inactive concentrated waste holding tank. Interior tank photographs were taken on the following dates: March 1988, April 1985, and December 1980. Sketch ES-TKS-E165, a graph of the level history, and the historical waste level data used to generate the graph are in Appendix C.

2.1.1.2 Temperature History of Tank 241-AW-101

Temperatures from within Tank 241-AW-101 are recorded by 18 thermocouples. Non-suspect temperature data taken between July 1983 and April 1992 for all 18 thermocouples were obtained from the computer automated surveillance system (CASS). However, not all of the thermocouples have data covering that entire period. Non-suspect temperature data recorded between July 1989 and June 1995 for 12 of the thermocouples were obtained from the surveillance analysis computer system (SACS). Not all of the 12 thermocouples have data covering that entire period. There were small breaks in the sequence of temperature data from both systems. The average temperature during these periods was 97°F with a minimum of 70°F, a maximum of 135°F, and a standard deviation of 10.2°F. Linear regressions were performed on the data from each thermocouple with a resulting average increasing slope of 0.0023°F/day. See tables and graphs of temperature data in Appendix D.

2.1.1.3 Occurrences of Tank 241-AW-101

Nine unusual events affected only Tank 241-AW-101. Occurrence report RL--WHC-Tank Farm-1993-0103 was written due to an equipment failure associated with waste level measurements. Occurrence report RL--WHC-Tank Farm-1992-0083 was written because the tank burped. Three reports describe the tank pressurizing during a waste transfer (off-normal reports 86-2, 85-24, and 84-33). Three reports were written because of problems during a transfer of waste (off-normal reports 85-48, 85-41, and 85-36). Off-normal report 85-25 describes improper use of equipment causing the tank to pressurize.

2.1.1.4 Psychrometrics of Tank 241-AW-101

Psychrometric data have been recorded for 12 years from this tank and annulus. The apparent trend (according to the plot in Appendix F) of the evaporation rate from the tank has decreased from an average of 185 gallons per week in November 1981 to an average of 42.4 gallons per week in January 1995. Over that same period, the trend in the rates of heat exchange through the primary tank ventilation has also decreased. The rates of heat exchange through the annular ventilation show an increasing trend. The majority of the changes in the rate of heat exchange can be attributed to changes in the average ventilation rates. A review of the psychrometric data in Tank 241-AW-101 suggests a decrease in the rate of heat generation by the waste.

2.1.1.5 Historical Sample Analysis Data for Tank 241-AW-101

Tank 241-AW-101 was analyzed several times between December 1981 and April 1986. The samples varied in depth and composition of solids and supernatant (see Appendix H).

Samples analyzed on December 30, 1981 were from two feet (sample T-1048) and six feet (sample T-1049) below the surface of the waste. These samples contained primarily aluminum cations with hydroxide, nitrate, nitrite, and carbonate anions. The primary radionuclides were cesium and strontium. Both samples were yellow with no solids.

Samples R-9408 (four feet below the surface) and R-9414 (two feet below the surface) were analyzed on April 3, 1984. Both samples contained only trace amounts of solids and were primarily composed of aluminum cations with several anions: nitrate, nitrite, and hydroxide. Cesium and strontium were the cardinal radionuclides in the samples.

Four samples were tested on November 9, 1984. Each sample varied in color and components. Sample R-3185 had a significant amount of sodium and hydroxide with some nitrate. Cesium and strontium were the primary radionuclides. Sample T-5350 was light yellow in color and contained traces of sodium with nitrates and hydroxides. The radionuclides in greatest concentration were cesium, rhodium, and promethium. A light yellow supernatant with about 30% solids was found in sample T-5351. The primary components of the sample were sodium, nitrates, and hydroxides. Cesium, rhodium, and

promethium were the primary radionuclides. The final sample (T-9368) was in two phases, a brown turbid top phase and a clear bottom phase. Sodium with hydroxide, nitrite, and nitrate anions were the primary chemical components. The most common radionuclides were cesium, rhodium, and strontium.

Sample R-2644 and R-2645 were analyzed on November 20, 1984. Sample R-2644 was centrifuged and the resulting supernatant and solids analyzed separately. The supernatant contained no tested cations, but was comprised of hydroxides, nitrates, nitrites, and carbonates. It also contained significant amounts of cesium, technetium, and strontium. The solid portion of the sample contained manganese cation with strontium and technetium radionuclides. Sample R-2645 contained primarily anions of nitrate and hydroxide. Cesium and rhodium were the most common radionuclides.

Two samples were obtained and analyzed on February 20, 1986. These samples were taken in preparation for the first 242-A Evaporator 1986 campaign. Sample T-2641 was taken from two inches below the surface of the waste and sample T-2601 was taken from six inches below the surface. Both samples were clear with dark brown solids. Sample T-2641 contained sodium, hydroxide and nitrate as its primary chemical constituents with cesium, rhodium, and ruthenium as the major radionuclides. Sample T-2601 was similar to T-2641, but the primary radionuclide was strontium.

The final set of samples were analyzed on April 29, 1986. These samples were for the third campaign of the 242-A Evaporator in 1986. Both samples had a primary cation of sodium with hydroxide and nitrate as the primary anions. The samples also contained radiological constituents of mainly cesium and rhodium.

Information on sampling procedures and methods were not available.

2.1.2 Current Status of Tank 241-AW-101

Tank 241-AW-101 entered service in August 1980 and currently stores approximately 1,124,000 gallons of waste (Hanlon, June 1995). The waste surface level in the tank is measured with the FIC gauge and the manual tape and has remained at about 410 inches over the last four and a half years. See Appendix E for details on surface level. This tank is on the Hydrogen Watch List; therefore, it is prohibited from receiving waste. The tank is actively ventilated and categorized as sound. A plan view in Appendix G depicts the locations of risers as of August 1995. Tank 241-AW-101 has 64 risers. Two 4-inch risers (no. 13A and no. 15A), four 12-inch risers (no. 7B, no. 12A, no. 24A, and no. 24B), two 20-inch risers (nos. 25A and B), two 24-inch risers (nos. 6A and B), one 36-inch riser (no. 26A), and two 42-inch risers (nos. 5A and B) are available for use.

2.1.2.1 Inventory Estimate of Tank 241-AW-101

The three inventory estimates derived by the Los Alamos National Laboratory (LANL) predict the physical, chemical, and radiological

constituents of the supernatant, the solids and the total volume for each tank. These estimates are presented in Appendix J.

2.1.2.2 Waste Volume Approximations for Tank 241-AW-101

The summary of approximated waste volumes, as derived from Los Alamos National Laboratory's supernatant mixing model (SMM) and tank layer model (TLM), are presented in Appendix K. The modeled volume is from the tank waste contents corresponding to the inventory estimate date of January 1, 1994. A tank cross-section that depicts the waste volume on the inventory estimate date is in Appendix G. The total waste volume on the inventory estimate date was approximately 1,138,000 gallons according to the Tank Farm Surveillance and Waste Summary Report (Hanlon 1993). The total waste volume was divided by the SMM and the TLM into the following subsets. The SMM predicted 1,077,000 gallons of supernatant. The TLM predicted 61,000 gallons of PUREX low-level waste (PL2). The difference between the measured solids and the solids predicted by the TLM indicates the volume of concentrated supernatant solids (CS Solids) is 23,000 gallons. Within the TLM, the concentrated supernatant solids are considered as part of the total supernatant and not as a solid.

2.1.2.3 In-Tank Photograph of Tank 241-AW-101

This montage should represent accurately the contents of the tank which were the same in 1988 when the photographs (see Appendix I) were taken (Thurman 1988). The quality of the photographs allows items in the tank to be easily identified. Items identified have been labeled including a temperature probe, three level probes, a supernatant pump, a high level sensor, and many risers in the dome.

2.1.3 Synopsis of Tank 241-AW-101

(To be completed.)

2.2 Tank 241-AW-102

2.2.1 241-AW-102 Tank History

2.2.1.1 Waste History of Tank 241-AW-102

The history of the primary additions is derived from the "Waste Status and Transaction Record Summary for the Southeast Quadrant" (Agnew 1995). Tank 241-AW-102 received PUREX low-level waste from the third quarter of 1981 until the third quarter of 1986. The tank received B Plant low-level waste during the second quarter of 1982. The tank received N Reactor waste during the third and fourth quarters of 1983. From the second quarter of 1985 until the first quarter of 1994, the tank received dilute non-complexed waste from the 200 East Area single-shell tanks. The tank had eight unknown transactions between the fourth quarter of 1990 and the third quarter of 1992.

The history of the waste types is derived from "A History of the 200 Area Tank Farms" (Anderson 1990) and the Tank Farm Surveillance and Waste Status Summary Reports for January 1980 through March 1994. Tank 241-AW-102 began receiving non-complexed waste in July 1980 and continued to receive this waste until May 1983. The tank waste was designated as evaporator feed from June 1983 until December 1984. Between January 1985 and April 1986, the tank received Hanford facility waste. From May 1986 until May 1990, the tank received non-complexed waste. The tank waste was designated as dilute non-complexed waste from June 1990 until March 1994.

The tank is currently an active evaporator feed tank for the 242-A Evaporator. Interior tank photographs were taken in December 1980. Sketch ES-TKS-E166, a graph representing level history, and the historical waste level data used to generate the graph are in Appendix C.

2.2.1.2 Temperature History of Tank 241-AW-102

Temperatures from within Tank 241-AW-102 are recorded by 18 thermocouples. Non-suspect temperature data taken between July 1983 and April 1992 for all 18 thermocouples were obtained from the computer automated surveillance system (CASS). However, not all of the thermocouples have data covering that entire period. Non-suspect temperature data recorded between July 1989 and June 1995 for six of the thermocouples were obtained from the surveillance analysis computer system (SACS). There were small breaks in the sequence of temperature data from both systems. The average temperature during these periods was 82°F with a minimum of 53°F, a maximum of 136°F, and a standard deviation of 16.0°F. Linear regressions were performed on the data from each thermocouple with a resulting average decreasing slope of -0.0104°F/day. See tables and graphs of temperature data in Appendix D.

2.2.1.3 Occurrences of Tank 241-AW-102

Six unusual events affected only Tank 241-AW-102. Five reports

concern unexpected transfers of waste (occurrence reports RL--WHC-Tank Farm-1992-0072, RL--WHC-Tank Farm-1992-0025, RL--WHC-Tank Farm-1991-1066, and RL--WHC-Tank Farm-1991-1050, and off-normal report 82-01). Off-normal report 86-36 was written when a transfer of waste caused the tank to pressurize.

2.2.1.4 Psychrometrics of Tank 241-AW-102

Psychrometric data have been recorded for 12 years from this tank and annulus. The apparent trend (according to the plot in Appendix F) of the evaporation rate from the tank has increased from an average of 318.9 gallons per week in October 1981 to an average of 364.4 gallons per week in January 1995. Over that same period, the trend in the rates of heat exchange through the primary tank and annular ventilation has apparently decreased. A review of the psychrometric data in Tank 241-AW-102 suggests an overall decrease in the rate of heat generation by the waste.

2.2.1.5 Historical Sample Analysis Data for Tank 241-AW-102

The waste in Tank 241-AW-102 was analyzed a number of times from April 15, 1982 to October 1, 1988. Each sample varied in depth and chemical composition (See Appendix H).

The first set of three samples analyzed on April 15, 1982 were received on March 20, March 22, and March 26, 1982. All of the samples were green in color with no visible solids. All three samples (T-1549, T-1562, and T-1582) contained mainly sodium and hydroxide with the radionuclide cesium. However, the first sample, T-1549, contained an abnormally high amount of chloride.

Sample T-3256, received on October 11, 1982 and analyzed on December 7, 1982, was filtered prior to testing. The results showed a great amount of sodium nitrate and sodium nitrite with some sodium aluminate and sodium hydroxide. The primary radionuclide was cesium with very little strontium.

A feed sample for 242-A Evaporator, received on December 20, 1982 and analyzed on January 24, 1983, was a yellow liquid with a trace of solids consisting of sodium nitrate, sodium carbonate, and sodium nitrite. The sample was also rich in cesium and strontium radionuclides.

Sample 4289, analyzed on April 1, 1983, was a clear solution with a trace of light colored solids. The sample contained the typical primary constituents of sodium nitrate, sodium hydroxide, and sodium aluminate. Radionuclides found were cesium and strontium. The composition was consistent in all three analyses of the sample.

An April 7, 1983 sample (R-5001) received on January 28, 1983 had the same composition as mentioned above. Sample R-7811, received on September 9, 1983 and reported on September 22, 1993, also had the same composition, though the liquid was now a pale yellow color with traces of dark solids. This sample was from four feet below the surface of the waste and two feet from the bottom of the tank.

Also analyzed on September 22, 1983, was sample R-6875. This sample, along with samples analyzed on November 28, 1983 (R-8555 and R-8556) showed the constituents remained the same throughout the tank. However, the waste colors have been progressively changing from clear to amber.

Prior to the 242-A Evaporator 1984-3 run, the tank was sampled (R-9300) to determine present constituents for the campaign. The tank contents remained consistent in chemical composition. The 1984-5 run for the evaporator was analyzed on November 9, 1984. A slurry (R-3303) and feed sample (R-3302) contained no abnormal amounts of constituents.

A sample of Tank 241-AW-102 contents was tested on January 18, 1985. This followed the evaporator campaign to determine the remaining composition of the tank contents. The samples (R-3180, R-3181, and R-3209) were consistent with previous samples except for a significant increase in the amount of strontium-90.

August 13, 1985 had several reported samples that were received from early March to mid-April. The first samples received on March 4, 1985 (R-4149 and R-4151) showed a greenish yellow color with very few solids. This sample was the boildown product following the 1984 evaporator campaign. Two other samples (R-4679 and R-4680) received on March 29, 1985 showed a yellow liquid with chemical constituents similar to the previous samples. R-4682 and R-4683 samples received on April 3, 1985 were also yellow with tan solids. A sample received on April 10, 1985 was almost identical in reported constituents to the April 3rd sample. All samples analyzed during this time had no abnormal amounts of constituents from the anticipated sodium, nitrate, hydroxide, and nitrite. Cesium was the primary radionuclide and strontium was in higher concentration following the boildown of the tank.

Four samples taken and analyzed in the early part of 1986 (R-5898, T-5578, T-5579, and R-8586) and two samples analyzed in June and October of 1988 (T-8435 and T-1521A, respectively) also showed no abnormal constituent quantities from the previous sampling data.

Information on sampling procedures and methods were not available.

2.2.2 Current Status of Tank 241-AW-102

Tank 241-AW-102 entered service in August 1980 and currently stores approximately 485,000 gallons of waste (Hanlon, June 1995). The waste level in the tank is measured with a FIC gauge and a manual tape and has decreased and increased from about 370 inches in January 1991 to 31 inches in January 1995. The decrease was attributed to waste sent to Tank 241-AW-106 in September 1992 and various 242-A Evaporator campaigns. The increase was from the 242-A Evaporator between August 1992 and January 1994. Other increases were from waste transferred from Tank 241-AP-103 in May 1994, and Tanks 241-AP-101, -107, and -108 in October 1994. See Appendix E for details on waste surface level. This tank is an active feed tank to

the 242-A Evaporator. The tank is actively ventilated and categorized as sound. A plan view in Appendix G depicts the locations of risers in August 1995. Tank 241-AW-102 has 64 risers. One 4-inch riser (no. 15A), two 12-inch risers (no. 12A and no. 24B), one 20-inch riser (no. 25A), two 24-inch risers (nos. 6A and B), and two 42-inch risers (nos. 5A and B) are available for use.

2.2.2.1 Inventory Estimate of Tank 241-AW-102

The three inventory estimates derived by the Los Alamos National Laboratory (LANL) predict the physical, chemical, and radiological constituents of the supernatant, the solids and the total volume for each tank. These estimates are presented in Appendix J.

2.2.2.2 Waste Volume Approximations for Tank 241-AW-102

The summary of approximated waste volumes, as derived from Los Alamos National Laboratory's supernatant mixing model (SMM) and tank layer model (TLM), are presented in Appendix K. The modeled volume is from the tank waste contents corresponding to the inventory estimate date of January 1, 1994. A tank cross-section that depicts the waste volume on the inventory estimate date is in Appendix G. The total waste volume on the inventory estimate date was approximately 966,000 gallons according to the Tank Farm Surveillance and Waste Summary Report (Hanlon 1993). The total waste volume was divided by the SMM and the TLM into the following subsets. The SMM predicted 966,000 gallons of supernatant. The TLM did not predict any solids within the tank. The difference between the measured solids and the solids predicted by the TLM indicates the volume of concentrated supernatant solids (CS Solids) is 1,000 gallons. Within the TLM, the concentrated supernatant solids are considered as part of the total supernatant and not as a solid.

2.2.2.3 In-Tank Photograph of Tank 241-AW-102

No interior tank photographs are available.

2.2.3 Synopsis of Tank 241-AW-102

(To be completed.)

2.3 Tank 241-AW-103

2.3.1 241-AW-103 Tank History

2.3.1.1 Waste History of Tank 241-AW-103

The history of the primary additions is derived from the "Waste Status and Transaction Record Summary for the Southeast Quadrant" (Agnew 1995). Tank 241-AW-103 received PUREX zircaloy cladding waste from the second quarter of 1983 until the fourth quarter of 1988. The tank had six unknown transactions between the second quarter of 1988 and the third quarter of 1992. During the first quarter of 1991, the tank received PUREX low-level waste.

The history of the waste types is derived from "A History of the 200 Area Tank Farms" (Anderson 1990) and Tank Farm Surveillance and Waste Status Summary Reports for January 1980 through March 1994. Tank 241-AW-103 began receiving non-complexed waste in July 1980. The following month the tank began receiving double-shell slurry feed waste. The tank received double-shell slurry feed waste until November 1981. From December 1981 until March 1983, the tank received dilute double-shell slurry feed waste. During April and May 1983, the tank received double-shell slurry feed waste. The tank received non-complexed waste from June 1983 until May 1990. From June 1990 until March 1994, the tank waste was designated as dilute non-complexed and PUREX neutralized cladding removal waste.

The tank is currently an inactive dilute receiver tank. Sketch ES-TKS-E167, a graph of the level history, and the historical waste level data used to generate the graph are in Appendix C.

2.3.1.2 Temperature History of Tank 241-AW-103

Temperatures from within Tank 241-AW-103 are recorded by 18 thermocouples. Non-suspect temperature data taken between July 1983 and June 1991 for all 18 thermocouples were obtained from the computer automated surveillance system (CASS). Non-suspect temperature data recorded between July 1989 and June 1995 for 12 of the thermocouples were obtained from the surveillance analysis computer system (SACS). However, not all of the 12 thermocouples have data covering that entire period. There were small breaks in the sequence of temperature data from both systems. The average temperature during these periods was 78°F with a minimum of 59°F, a maximum of 108°F, and a standard deviation of 8.8°F. Linear regressions were performed for the data from each thermocouple with a resulting average decreasing slope of -0.0057°F/day.

2.3.1.3 Occurrences of Tank 241-AW-103

Seven unusual events affected only Tank 241-AW-103. Five reports were written when transfers of waste caused the tank to pressurize (TFS & O-EFS-88-0146 and off-normal reports 85-47, 85-15, 85-13, and 85-09). TFS & O-EFS-88-007 concerns an unexpected waste transfer. Off-normal report 85-25 was written because improper use of equipment caused the tank to pressurize.

2.3.1.4 Psychrometrics of Tank 241-AW-103

Psychrometric data have been recorded for 13 years from this tank and annulus. The apparent trend (according to the plot in Appendix F) of the evaporation rate from the tank has decreased from an average of 171.9 gallons per week in November 1980 to an average of 101.1 gallons per week in January 1995. Over that same period, the trend in the rates of heat exchange through the primary tank and annular ventilation has apparently decreased. A review of the psychrometric data in Tank 241-AW-103 suggests an overall decrease in the rate of heat generation by the waste.

2.3.1.5 Historical Sample Analysis Data for Tank 241-AW-103

Sampling data for Tank 241-AW-103 was found for sixteen dates reported between March 31, 1983, and November 2, 1990 (see Appendix H).

The first set of samples were received on March 20, 1983 and analyzed on March 31, 1983. The samples were drawn from two feet below the surface of the waste and from the bottom of the tank. The samples were analyzed for aluminum, primary anions, and radiological components consisting of cesium and strontium. The samples showed differing concentrations of the constituents. The concentration of aluminum and nitrite were significantly higher near the surface while hydroxide and nitrate concentrations remained nearly the same.

Sample 5467 was received by the laboratory on April 12, 1983 and reported on May 24, 1983. The dark green sample with virtually all suspended solids showed a high concentration of nitrate, nitrite, and hydroxide anions with aluminum as the primary solid. Cesium was the radionuclide with the highest concentration.

A sample drawn 49 feet below the riser was analyzed and reported on August 1, 1984. The sample was separated by centrifuging and the resultant liquor and solids analyzed. The solids were sampled and reported on primarily radiological components. The liquor showed sodium as the primary cation and fluoride as the primary anion. Cesium was the most common radionuclide.

Four samples (2750, 2836, 2837, and 2838) were drawn and received in August of 1984, and a reported analysis was made on November 30, 1984. Sample 2750 was drawn from 62 inches above the bottom of the tank. It was a liquid with suspended solids. The analysis showed sodium hydroxide as the primary chemical constituent with technetium-99 as the primary radionuclide. Sample 2836 was taken 45 inches above the bottom of the tank. It was almost entirely solid and the chemical analysis revealed primarily sodium as the cation and carbonate as the anion. Cesium was the most common radionuclide in this solids sample. Samples 2837 and 2838 were almost 100% solids, being drawn from 28 inches and 16 to 18 inches above the bottom of the tank, respectively. The samples showed hydroxide and nitrate as the anions with sodium the primary cation. Cesium again was the most common radionuclide.

Three samples (3936, 3937, and 4013) were reported on August 7, 1985. Sample 3936 was drawn 18 inches below the waste surface, 3937 was drawn from 38 inches below the waste surface, and 4013 was from the bottom of the tank. Concentrations of each component varied with waste depth. All of the samples (3936 and 3937) contained primarily sodium, aluminum, hydroxide, nitrate, and nitrite. Cesium was the primary radiological components within all of the samples.

A single sample (R-7533) was analyzed on January 23, 1986 for radiological constituents. Analysis was done only for cesium, strontium, total alpha, and total beta.

Two samples were drawn on September 3, 1986 and reported on March 21, 1986. Samples R-6449 and R-6450 were drawn from a depth of 22 inches below the waste surface. Analysis showed that the primary chemical and radiological constituents were hydroxide, fluoride potassium, sodium and the radionuclides of rhodium and cesium.

Ten samples were taken from core composite samples and analyzed on February 2, 1987. The ten samples, labeled 7927 through 7936, were tested from different segments within the core sample. All of the samples were analyzed for their radiological components. All samples had the following radionuclides in the greatest quantity: niobium-95, zirconium-95, ruthenium-106, antimony-125, cesium-134, cesium-137, cerium-144, and cobalt-60.

Another three samples were tested for plutonium concentration on July 29, 1988. The samples were received at varying times: T-3328 on October 13, 1987, T-5959 on January 29, 1988, and T-8200 on April 9, 1988.

Five samples were reported on December 27, 1988. These samples were taken on October 4, 1988. The first two samples (R-3760 and R-3761) were supernatant dip samples. Samples R-3762 and R-4251 were the sludge component of the dip samples, and sample R-4252 was a sludge sample. All of the samples showed high concentrations of fluoride, hydroxide, nitrate, sodium, potassium, and cesium-137.

Two samples, received on March 14, 1989 and analyzed on April 20, 1989, were used to determine the chemical and radiological constituents within the tank. These samples were for status reports on the waste within the tank.

A sludge sample, R-4346, was received for analysis on December 11, 1988 and was reported on May 5, 1989. The analysis revealed sodium, fluoride, zirconium, and hydroxide as the primary chemical components. Radiological analysis showed cesium-137, niobium-95, zirconium-95, antimony-125, and RuRh-106 composite.

Two additional waste status samples (R-4685 and R-4694) were received on March 14, 1989 and reported on June 8, 1989. The analyses for these samples were more comprehensive than the previous waste status analyses.

A core composite was received in late January 1989 and divided into segments. Segment 4 and 5R were separated into quarters. Each quarter was individually analyzed, and a mixture of the first and fourth quarters combined and analyzed for segment 4. The analysis of the segment 4 quarters showed the primary chemical constituents to be fluoride, sodium, potassium, and zirconium. Cs-137, RuRh-106, and CePr-144 were the primary radionuclides. Segment 5R showed the same results as segment 4. A composite of segments 6 through 10 also returned the same analysis results as segments 4 and 5R.

Two supernatant samples and a composition sample were received on December 11, 1988 for analysis. The reported results were given on October 31, 1990. The supernatant samples (R-4346 and R-4347) were analyzed for anion and radiological components. Fluoride was the most common anion and cesium-137 was the most abundant radionuclide. The composition sample showed fluoride and hydroxide as the primary anions. The highest concentrations of cations were primarily sodium with zirconium and palladium in significantly smaller quantities. The primary radiological constituents were Cs-137, Nb-95, RuRh-106, Sb-125, and Zr-95.

The final historical sample was reported on November 2, 1990, after being received on April 9, 1988. It was reported as yellow with no organics or solids visible. The reported constituents in the highest concentration were the cations of sodium and potassium and the anions of fluoride, hydroxide, and nitrate. Radiological components were primarily Cs-137 and RuRh-106.

Information on sampling procedures and methods were not available.

2.3.2 Current Status of Tank 241-AW-103

Tank 241-AW-103 entered service in August 1980 and currently stores approximately 516,000 gallons of waste (Hanlon, June 1995). The waste level in the tank is measured with a FIC gauge and a manual tape and has decreased from 235 inches to 187 inches in October 1994. The decrease is due to a waste transfer to Tank 241-AP-107 in October 1994. See Appendix E for more information on waste surface level. This tank is inactive at the present. The tank is actively ventilated and categorized as sound. A plan view in Appendix G depicts the locations of risers as of August 1995. Tank 241-AW-103 has 59 risers. Two 4-inch risers (no. 10A and no. 15A), two 12-inch risers (no. 7A and no. 12A), two 24-inch risers (nos. 6A and B), and two 42-inch risers (nos. 5A and B) are available for use.

2.3.2.1 Inventory Estimate of Tank 241-AW-103

The three inventory estimates derived by the Los Alamos National Laboratory (LANL) predict the physical, chemical, and radiological constituents of the supernatant, the solids and the total volume for each tank. These estimates are presented in Appendix J.

2.3.2.2 Waste Volume Approximations for Tank 241-AW-103

The summary of approximated waste volumes, as derived from Los Alamos National Laboratory's supernatant mixing model (SMM) and tank layer model (TLM), are presented in Appendix K. The modeled volume is from the tank waste contents corresponding to the inventory estimate date of January 1, 1994. A tank cross-section that depicts the waste volume on the inventory estimate date is in Appendix G. The total waste volume on the inventory estimate date was approximately 647,000 gallons according to the Tank Farm Surveillance and Waste Summary Report (Hanlon 1993). The total waste volume was divided by the SMM and the TLM into the following subsets. The SMM predicted 284,000 gallons of supernatant. The TLM predicted 363,000 gallons of coating waste (REDOX) and zirconium cladding (CW/ZR2).

2.3.2.3 In-Tank Photograph of Tank 241-AW-103

No interior tank photographs are available.

2.3.3 Synopsis Tank of 241-AW-103

(To be completed.)

2.4 Tank 241-AW-104

2.4.1 241-AW-104 Tank History

2.4.1.1 Waste History of Tank 241-AW-104

The history of the primary additions is derived from the "Waste Status and Transaction Record Summary for the Southeast Quadrant" (Agnew 1995). Tank 241-AW-104 received PUREX zircaloy cladding waste from the fourth quarter of 1982 until the first quarter of 1983. From the fourth quarter of 1982 until the second quarter of 1991, the tank received PUREX low-level waste. The tank had six unknown transactions from the third quarter of 1986 until the third quarter of 1992.

The history of the waste types is derived from "A History of the 200 Area Tank Farms" (Anderson 1990) and Tank Farm Surveillance and Waste Status Summary Reports for January 1980 through March 1994. Tank 241-AW-104 began receiving non-complexed waste in July 1980. The tank continued to receive non-complexed waste until July 1981, and again from October 1982 until May 1990. During August, September, and October 1981, the tank received complexant concentrate waste. From November 1981 until September 1982, the tank received complexed waste. From June 1990 until March 1994, the tank waste was designated as dilute non-complexed waste.

The tank is currently an inactive dilute receiver tank. Interior tank photographs were taken on the following dates: February 1983 and December 1980. Sketch ES-TKS-E168, a graph representing the level history, and the historical waste level data used to generate the graph are in Appendix C.

2.4.1.2 Temperature History of Tank 241-AW-104

Temperatures from within Tank 241-AW-104 are recorded by 18 thermocouples. Non-suspect temperature data taken between July 1983 and June 1991 for all 18 thermocouples were obtained from the computer automated surveillance system (CASS). Non-suspect temperature data recorded between July 1989 and June 1995 for 12 of the thermocouples were obtained from the surveillance analysis computer system (SACS). However, not all of the 12 thermocouples have data covering that entire period. There were small breaks in the sequence of temperature data from both systems. The average temperature during these periods was 92°F with a minimum of 59°F, a maximum of 134°F, and a standard deviation of 13.6°F. Linear regressions were performed for the data from each thermocouple with a resulting average decreasing slope of -0.0086°F/day.

2.4.1.3 Occurrences of Tank 241-AW-104

Two unusual events affected only this tank since it went into service. Off-normal report 83-14 was issued in December 1986 due to transferring solution from 242-A Evaporator to Tank 241-AW-102. The tank pressurized to +0.65 inches water gauge. Off-normal report 86-55 was issued in December 1986 due to a test on the ventilation

system at AW Tank Farm. The tank maintained a negative pressurize of -0.05 inches water gauge, but exceeded the limits specified for ventilation.

2.4.1.4 Psychrometrics of Tank 241-AW-104

Psychrometric data have been recorded for 12 years from this tank and annulus. The apparent trend (according to the plot in Appendix F) of the evaporation rate from the tank has decreased from an average of 175.4 gallons per week in October 1981 to an average of 124.6 gallons per week in January 1995. Over that same period, the trend in the rates of heat exchange through the primary tank ventilation has decreased. The rates of heat exchange through annular ventilation show an increasing trend. The majority of the changes in the rate of heat exchange can be attributed to changes in the average ventilation rates. A review of the psychrometric data in Tank 241-AW-104 suggests a decrease in the rate of heat generation by the waste.

2.4.1.5 Historical Sample Analysis Data for Tank 241-AW-104

Samples were drawn and analyzed on four separate dates from October 10, 1980 to April 29, 1986. Only the first set of data from October 1980 do not have sample numbers included in the analysis (see Appendix H).

The October 10, 1980 samples appeared as a colorless liquid with rust-colored solids or a dark brown with no solids present. The results concentrated on radiological components finding cesium and strontium in the greatest quantity. Analysis for chemical constituents showed very little details; the reported chemicals were those in high concentrations, namely sodium, aluminum, and hydroxide. Total organic carbon was also recorded from the filtrated samples.

Sample R-3206, analyzed on November 9, 1984, was a dark brown liquid containing no solids. The sample contained primarily cations of sodium and aluminum with anions of nitrate, nitrite, and hydroxide. The radiological analysis showed cesium and strontium.

Two samples received on November 30, 1983 were reported on April 30, 1985. The samples, T-8793 and T-8797, were taken from 90 inches and 284 inches above the bottom of the tank, respectively. For the analysis, they were assumed to be a bottom sample and a top sample. The bottom sample was light green with no solids, containing the anions of nitrate, carbonate, and hydroxide in the greatest quantity. The top sample was also light green with no solids, and also had nitrate, carbonate and hydroxide as the primary constituents.

The final sample (T-8586) was received on March 12, 1986 and reported on April 29, 1986. It contained all the constituents expected within the tank. The cations in greatest quantity were sodium followed distantly by potassium and aluminum. The anions found in greatest quantity were hydroxide, nitrate, and nitrite in descending order of analyzed molarity. The two radionuclides examined (Tc-99 and I-129) were in low quantity in the sample.

Information on sampling procedures and methods were not available.

2.4.2 Current Status of Tank 241-AW-104

Tank 241-AW-104 entered service in August 1980 and currently stores approximately 1,124,000 gallons of waste (Hanlon, June 1995). The waste level in the tank is measured with an FIC gauge and a manual tape and has increased from about 360 inches in January 1991 to 410 inches in June 1991. The increase was attributed to additions of dilute and non-complexed waste from PUREX miscellaneous streams between January 1991 and March 1991. See Appendix E for details on waste surface level. The tank is inactive at this time. The tank is actively ventilated and categorized as sound. A plan view in Appendix G depicts the riser locations as of August 1995. Tank 241-AW-104 has 59 risers. Three 4-inch risers (no. 10A, no. 15A and no. 19C), two 12-inch risers (no. 7B and no. 12A), two 24-inch risers (nos. 6A and B), and two 42-inch risers (nos. 5A and B) are available for use.

2.4.2.1 Inventory Estimate of Tank 241-AW-104

The three inventory estimates derived by the Los Alamos National Laboratory (LANL) predict the physical, chemical, and radiological constituents of the supernatant, the solids and the total volume for each tank. These estimates are presented in Appendix J.

2.4.2.2 Waste Volume Approximations for Tank 241-AW-104

The summary of approximated waste volumes, as derived from Los Alamos National Laboratory's supernatant mixing model (SMM) and tank layer model (TLM), are presented in Appendix K. The modeled volume is from the tank waste contents corresponding to the inventory estimate date of January 1, 1994. A tank cross-section that depicts the waste volume on the inventory estimate date is in Appendix G. The total waste volume on the inventory estimate date was approximately 1,123,000 gallons according to the Tank Farm Surveillance and Waste Summary Report (Hanlon 1993). The total waste volume was divided by the SMM and the TLM into the following subsets. The SMM predicted 1,020,000 gallons of supernatant. The TLM predicted 5,000 gallons of coating waste (REDOX), zirconium cladding (CW/ZR2), and 98,000 gallons of PUREX low-level waste (PL2). The difference between the measured solids and the solids predicted by the TLM indicates the volume of concentrated supernatant solids (CS Solids) is 187,000 gallons. Within the TLM, the concentrated supernatant solids are considered as part of the total supernatant and not as a solid.

2.4.2.3 In-Tank Photograph for Tank 241-AW-104

The montage for this tank was produced from 1983 photographs and shows liquid at a much lower level than current conditions (see Appendix I). The liquid appears to be black with some very fine particles suspended on the surface and distributed in random patterns. The tank walls are only slightly rusted. The location of

equipment in the tank should be unchanged from 1983. Equipment which are identified include a saltwell screen, an FIC level probe, a temperature probe, and a high-level sensor.

2.4.3 Synopsis of Tank 241-AW-104

(To be completed.)

2.5 Tank 241-AW-105

2.5.1 241-AW-105 Tank History

2.5.1.1 Waste History of Tank 241-AW-105

The history of the primary additions is derived from the "Waste Status and Transaction Record Summary for the Southeast Quadrant" (Agnew 1995). Tank 241-AW-105 received B Plant low-level waste during the first quarter of 1983. The tank received PUREX low-level waste from the second quarter of 1983 until the fourth quarter of 1992. From the third quarter of 1984 until the first quarter of 1990, the tank received zircaloy cladding waste from PUREX. The tank received dilute non-complexed waste from the 200-East Area single-shell tanks from the second quarter of 1985 until the fourth quarter of 1993. The tank had seven unknown transactions between the second quarter of 1989 and the second quarter of 1992.

The history of the waste types is derived from "A History of the 200 Area Tank Farms" (Anderson 1990) and Tank Farm Surveillance and Waste Status Summary Reports for January 1980 through March 1994. Tank 241-AW-105 began receiving non-complexed waste in July 1980 with. The tank received complexant concentrate waste from August 1980 until May 1983. From June 1983 until May 1990, the tank received non-complexed waste. During July 1986, the tank received double-shell slurry feed waste. From June 1990 until March 1994, the tank waste was designated as dilute non-complexed waste and PUREX neutralized cladding removal waste.

The tank is currently an active dilute receiver tank receiving waste from PUREX. Sketch ES-TKS-E169, a graph representing the level history, and the historical waste level data used to generate the graph are in Appendix C.

2.5.1.2 Temperature History of Tank 241-AW-105

Temperatures from within Tank 241-AW-105 are recorded by 18 thermocouples. Non-suspect temperature data taken between July 1983 and June 1991 for all 18 thermocouples were obtained from the computer automated surveillance system (CASS). Non-suspect temperature data recorded between July 1989 and June 1995 for 12 of the thermocouples were obtained from the surveillance analysis computer system (SACS). However, not all of the 12 thermocouples have data covering that entire period. There were small breaks in the sequence of temperature data from both systems. The average temperature during these periods was 79°F with a minimum of 56°F, a maximum of 115°F, and a standard deviation of 11.6°F. Linear regressions were performed on the data for each thermocouple with a resulting average decreasing slope of -0.0092°F/day.

2.5.1.3 Occurrences of Tank 241-AW-105

Three unusual events concerning Tank 241-AW-105 were written because transferring waste caused the tank to pressurize (TFS & O-EFS-88-0125, TFS & O-EFS-88-0123, and off-normal report 86-21).

2.5.1.4 Psychrometrics of Tank 241-AW-105

Psychrometric data have been recorded for 13 years from this tank and annulus. The apparent trend (according to the plot in Appendix F) of the evaporation rate from the tank has decreased from an average of 198.3 gallons per week in September 1980 to an average of -23.1 gallons per week in January 1995. Over that same period, the trend in the rates of heat exchange through the primary tank and annular ventilation has apparently decreased. A review of the psychrometric data in Tank 241-AW-105 suggests an overall decrease in the rate of heat generation by the waste.

2.5.1.5 Historical Sample Analysis Data for Tank 241-AW-105

Sampling data for Tank 241-AW-105 was found for nine reported dates between September 20, 1982 and September 10, 1990 (see Appendix H).

The first sample was reported on September 20, 1982. The sample was a dark brown liquid with no solids present. The sample contained a large quantity of sodium with some aluminum and hydroxide. The sample contained the radionuclides of cesium and strontium in the greatest quantity.

Two samples were reported on May 10, 1984, one from the surface of the waste (R-9837) and one from four feet below the surface (R-9838). Both were clear yellow solutions with a floating organic and a trace of solids. The most abundant chemicals were hydroxide, sodium, and nitrate. The radionuclides in the greatest quantity were cesium and strontium. Both of the samples were similar in chemical composition, but the concentrations were lower in the deeper sample.

Sample T-9706 was received on January 6, 1984 and reported on April 30, 1985. This sample was a status report for the tank's contents. The sample was reported as a yellow liquid with very few solids and no visible organics. The sample was tested for chemical constituents only, showing hydroxide, nitrate, and carbonate as the primary anions with aluminum as the primary cation. No test for sodium or radionuclides was made.

A sample received in early January 1985 was reported on June 10, 1985. The sample, R-4036, was taken to analyze the composition of the waste surface. The sample was clear and colorless with a clear, colorless organic on the surface. Chemical analysis revealed hydroxide, ammonia, fluoride, potassium, and sodium as the primary components. The radiological analysis showed that cesium and promethium were the most common radionuclides.

Another sample was analyzed on June 6, 1986. It was centrifuged and the resulting liquor and solids analyzed. Both contained primarily sodium, potassium, carbonate, and nitrate. The radionuclides in the sample were cesium and ruthenium.

Twelve samples (numbered 7625 through 7636) were analyzed on August 11, 1986 for total plutonium and americium content within the

tank. Also on that date, a core sample was drawn and segments 5 through 10 were analyzed. The reported chemicals in the greatest concentration were sodium, potassium, and zirconium. All of the analyzed segments contained white solids. The radionuclides analyzed were plutonium and americium.

On February 18, 1987, a sludge and heel sample were drawn and analyzed. The samples (numbers 7937, 7939, 7940, 7941, 7942, and 7946) were analyzed for chemical and radiological constituents. The resulting analysis showed sodium, fluoride, potassium, and nitrate as the primary chemicals and cesium-137, niobium-95, zirconium-95, antimony-125, cerium-144, and ruthenium-106 as the primary radionuclides. The samples were drawn as core samples from the tank.

The final historical sample analyzed for Tank 241-AW-105 was received on July 8, 1988 and analyzed on September 10, 1990. This sample was used as a status report for the waste in the tank. The primary anions were fluoride, hydroxide and nitrate, and the main cations were sodium and potassium. The most common radionuclides were cesium and promethium.

Information on sampling procedures and methods were not available.

2.5.2 Current Status of Tank 241-AW-105

Tank 241-AW-105 entered service in August 1980 and currently stores 574,000 gallons of waste (Hanlon, June 1995). The waste level in the tank is measured with the FIC gauge and the manual tape and has slowly increased from about 330 inches in February 1991 to 400 inches in December 1994. The waste level decreased to 124 inches in January 1995 and was 200 inches in July 1995. The increase was attributed to the addition of dilute and non-complexed waste from PUREX miscellaneous streams between July 1992 and January 1994. See Appendix E for details on waste surface level. The decrease was from a transfer to 241-AP-108 in December 1994. This tank is an active receiver of PUREX waste and the waste is concentrated by the 242-A Evaporator. The tank is actively ventilated and categorized as sound. A plan view in Appendix G depicts the configuration of risers as of August 1995. Tank 241-AW-105 has 59 risers. Two 4-inch risers (no. 10A and no. 15A), two 12-inch risers (no. 7A and no. 12A), two 24-inch risers (nos. 6A and B), and two 42-inch risers (nos. 5A and B) are available for use.

2.5.2.1 Inventory Estimate of Tank 241-AW-105

The three inventory estimates derived by the Los Alamos National Laboratory (LANL) predict the physical, chemical, and radiological constituents of the supernatant, the solids and the total volume for each tank. These estimates are presented in Appendix J.

2.5.2.2 Waste Volume Approximations for Tank 241-AW-105

The summary of approximated waste volumes, as derived from Los Alamos National Laboratory's supernatant mixing model (SMM) and tank

layer model (TLM), are presented in Appendix K. The modeled volume is from the tank waste contents corresponding to the inventory estimate date of January 1, 1994. A tank cross-section that depicts the waste volume on the inventory estimate date is in Appendix G. The total waste volume on the inventory estimate date was approximately 1,044,000 gallons according to the Tank Farm Surveillance and Waste Summary Report (Hanlon 1993). The total waste volume was divided by the SMM and the TLM into the following subsets. The SMM predicted 804,000 gallons of supernatant. The TLM predicted 25,000 gallons of PUREX low-level waste (PL2), 215,000 gallons of coating waste (REDOX), and zirconium cladding (CW/ZR2). The difference between the measured solids and the solids predicted by the TLM indicates the volume of concentrated supernatant solids (CS Solids) is 57,000 gallons. Within the TLM, the concentrated supernatant solids are considered as part of the total supernatant and not as a solid.

2.5.2.3 In-Tank Photograph of Tank 241-AW-105

No interior tank photographs are available.

2.5.3 Synopsis of Tank 241-AW-105

(To be completed.)

2.6 Tank 241-AW-106

2.6.1 241-AW-106 Tank History

2.6.1.1 Waste History of Tank 241-AW-106

The history of the primary additions is derived from the "Waste Status and Transaction Record Summary for the Southeast Quadrant" (Agnew 1995). Tank 241-AW-106 received B Plant low-level waste during the second, third, and fourth quarters of 1982. The tank had an unknown transaction during the third quarter of 1990. The tank received dilute non-complexed waste from the 200-East Area single-shell tanks from the third quarter of 1992 until the first quarter of 1994.

The history of the waste types is derived from "A History of the 200 Area Tank Farms" (Anderson 1990) and Tank Farm Surveillance and Waste Status Summary Reports for January 1980 through March 1994. Tank 241-AW-106 began receiving complexant concentrate waste in July 1980. The tank received complexed waste during August and September 1980. From October 1980 until February 1983, the tank received concentrated customer waste. From March 1983 until May 1990, the tank received double-shell slurry feed waste. During July 1986, the tank received non-complexed waste. From June 1990 until March 1994, the tank waste was designated as dilute non-complexed waste.

The tank is currently an active slurry receiver tank for the 242-A Evaporator. Interior tank photographs were taken in February 1983. Sketch ES-TKS-E170, a graph representing the level history, and the historical waste level data used to generate the graph are in Appendix C.

2.6.1.2 Temperature History of Tank 241-AW-106

Temperatures from within Tank 241-AW-106 are recorded by 18 thermocouples. Non-suspect temperature data taken between July 1983 and June 1991 for all 18 thermocouples were obtained from the computer automated surveillance system (CASS). Non-suspect temperature data recorded between July 1989 and June 1995 for 12 of the thermocouples were obtained from the surveillance analysis computer system (SACS). However, not all of the 12 thermocouples have data covering that entire period. There were small breaks in the sequence of temperature data from both systems. The average temperature during these periods was 90°F with a minimum of 66°F, a maximum of 133°F, and a standard deviation of 12.7°F. Linear regressions were performed for the data from each thermocouple with a resulting average slope of -0.0043°F/day.

2.6.1.3 Occurrences of Tank 241-AW-106

Four unusual events affected only Tank 241-AW-106. Two reports were written because waste was transferred unexpectedly (occurrence report RL--WHC-Tank Farm-1993-0020 and off-normal report 84-42. Two reports involved the tank becoming pressurized during a transfer of waste (off-normal reports 86-20 and 85-19).

2.6.1.4 Psychrometrics of Tank 241-AW-106

Psychrometric data have been recorded for 13 years from this tank and annulus. The apparent trend (according to the plot in Appendix F) of the evaporation rate from the tank has increased from an average of 127.1 gallons per week in September 1980 to an average of 264.8 gallons per week in January 1995. Over that same period, the trend in the rates of heat exchange through the primary tank and annular ventilation has apparently increased. A review of the psychrometric data suggests an overall increase in the rate of heat generation by the waste.

2.6.1.5 Historical Sample Analysis Data for Tank 241-AW-106

Data were found for four samples for Tank 241-AW-106 reported from June 25, 1984 to August 17, 1988 (see Appendix H).

The three samples from June 25, 1984 were received on May 30, 1984. All of the samples were chemical analyses of the waste. Sample R-9722 was taken from riser R-22 and contained mainly sodium nitrate with lesser concentrations of sodium nitrite, sodium aluminate, and sodium hydroxide. The remaining samples (R-9723 from riser R-23 and R-9724 from riser R-1C) had varying concentrations of these compounds as the primary components with other compounds in relatively insignificant concentrations.

The January 18, 1985 sample (T-6851) was used for determining the composition of feeds for the boildown of Tank 241-AW-106 contents. The sample was found to contain the typical components seen in the previous sample of sodium, aluminum, nitrite, hydroxide, and nitrate. The radiological contents were cesium and strontium.

Sample R-5899 was drawn on July 30, 1985 and analyzed on March 21, 1986. This sample was a slurry sample from the 242-A Evaporator operations. The sample was comprised of approximately 60% settled solids, primarily sodium fluoride. Other constituents were the anions of fluoride, hydroxide, and nitrate. Cesium was the radionuclide in greatest concentration.

Prior to Evaporator Run 86-3, the tank was sampled on March 10, 1986 with the results reported on April 29, 1986. The sample (R-8537) was analyzed chemically for cations and anions and radiologically for Tc-99 and I-129. The primary cations were sodium, potassium, and aluminum. The primary anions were hydroxide, nitrate, and nitrite. The sample was liquid (73.7% water) with less than one percent settled solids.

A sixteen foot sample of Tank 241-AW-106 boildown product was analyzed on August 13, 1986 after reception on March 4, 1985. The sample, R-4151, was a brownish-yellow liquid with about ten percent settled solids. Again the sample composition was consistent with previous tank samples in containing primarily sodium, aluminum, nitrate, nitrite, and hydroxide with cesium and strontium radionuclides.

The final sample (T-1621) for this tank was received on July 7, 1986 and analyzed on August 17, 1988. The clear, pale yellow sample had no visible solids or organic layers. It was comprised of sodium, aluminum, hydroxide, nitrate, nitrite, and carbonate. Cesium and strontium were again the primary radiological components.

Information on sampling procedures and methods were not available.

2.6.2 Current Status of Tank 241-AW-106

Tank 241-AW-106 entered service in August 1980 and currently stores approximately 975,000 gallons of waste (Hanlon, June 1995). The waste level in the tank is measured with the FIC gauge and the manual tape and has slowly increased from about 190 inches in August 1992 to about 400 inches in March 1994. From March 1994 to July 1995 the surface level fluctuated from 400 inches to 100 inches. The increase was attributed to waste received from Tank 241-AW-102 in August 1992 and some waste from the 242-A Evaporator between August 1992 and January 1994. See Appendix E for details on waste surface level. This tank is an active receiver for the 242-A Evaporator. The tank is actively ventilated and categorized as sound. A plan view in Appendix G depicts locations of risers as of August 1995. Tank 241-AW-106 has 59 risers. Four 4-inch risers (no. 10A, no. 13A, no. 15A, and no. 19C), one 12-inch riser (no. 7A), two 24-inch risers (nos. 6A and B), and two 42-inch risers (nos. 5A and B) are available for use.

2.6.2.1 Inventory Estimate of Tank 241-AW-106

The three inventory estimates derived by the Los Alamos National Laboratory (LANL) predict the physical, chemical, and radiological constituents of the supernatant, the solids and the total volume for each tank. These estimates are presented in Appendix J.

2.6.2.2 Waste Volume Approximations for Tank 241-AW-106

The summary of approximated waste volumes, as derived by Los Alamos National Laboratory's supernatant mixing model (SMM) and tank layer model (TLM), are presented in Appendix K. The modeled volume is from the tank waste contents corresponding to the inventory estimate date of January 1, 1994. A tank cross-section that depicts the waste volume on the inventory estimate date is in Appendix G. The total waste volume on the inventory estimate date was approximately 1,082,000 gallons according to the Tank Farm Surveillance and Waste Summary Report (Hanlon 1993). The total waste volume was divided by the SMM and the TLM into the following subsets. The SMM predicted 1,081,000 gallons of supernatant. The TLM predicted 1,000 gallons of B Plant low-level waste (BL). The difference between the measured solids and the solids predicted by the TLM indicates the volume of concentrated supernatant solids (CS Solids) is 295,000 gallons. Within the TLM, the concentrated supernatant solids are considered as part of the total supernatant and not as a solid.

2.6.2.3 In-Tank Photograph of Tank 241-AW-106

The montage for this tank was produced from 1983 photographs (see Appendix I). Tank contents were lower then than now and probably different, so the montage will not represent current tank contents. The 1983 picture shows some green and white materials crystallizing on the surface of a dark liquid. The tank walls are rusted, but not badly. The location of equipment in the tank should be unchanged from 1983. Equipment which are identified include a supernatant pump, an FIC level probe, a temperature probe, and a high-level sensor.

2.6.3 Synopsis of Tank 241-AW-106

(To be completed.)

THIS PAGE INTENTIONALLY
LEFT BLANK

APPENDIX A

Glossary

THIS PAGE INTENTIONALLY
LEFT BLANK

GLOSSARY

0.17	Transaction flag key-monthly volumes derived from semiannual reports.
0.33	Transaction flag key-monthly volumes derived from quarterly reports.
1	Monthly report
1AYIN	See Waste Abbreviations (pg. A29-A40).
1AZIN	See Waste Abbreviations (pg. A29-A40).
1C	See Waste Abbreviations and first- and second-cycle decontamination waste.
1CEB	See Waste Abbreviations (pg. A29-A40).
1CS	See Waste Abbreviations (pg. A29-A40).
1st Generation Tank	The original tank design found in Tank Farms B, C, T, U (excluding the 200 series tanks), and BX. These tanks have an operating capacity of 530,000 gallons, a 75-foot diameter, a 12-inch dish bottom, and a 4-foot knuckle. See Type II tanks.
222-B	See Facilities (pg. A41).
222-C	See Facilities (pg. A41).
222-T	See Facilities (pg. A41).
222-U	See Facilities (pg. A41).
224	See Waste Abbreviations (pg. A29-A40).
224-F	See Waste Abbreviations (pg. A29-A40).
231Z	See Waste Abbreviations (pg. A29-A40).
242-A	See Facilities (pg. A41).
242-B	See Facilities (pg. A41).
242-S	See Facilities (pg. A41).

242-T	See Facilities (pg. A41).
2AYIN	See Waste Abbreviations (pg. A29-A40).
2AZIN	See Waste Abbreviations (pg. A29-A40).
2C	See Waste Abbreviations (pg. A29-A40) and first- and second-cycle decontamination waste.
2nd Generation Tank	Same as original tank design (1st generation or Type II) except the operating capacity was increased to 758,000 gallons. See Type III tanks.
2SYIN	See Waste Abbreviations (pg. A29-A40).
3	Quarterly report
3AWIN	See Waste Abbreviations (pg. A29-A40).
3rd Generation Tank	The first generation of the Type IV tanks, contained only in the SX Tank Farm. These tanks have a 1,000,000 gallon operating capacity, a 75-foot diameter, a 14.875-inch dish bottom, and no knuckle. See Type IV tanks.
4th Generation Tank	The second generation of the Type IV tanks, found only in the A Tank Farm. These tanks are the same as the 3rd generation except they have a flat bottom. See Type IV tanks.
5	See Waste Abbreviations (pg. A29-A40).
5-6#	Cell 5 tank 6 in B Plant
5AWIN	See Waste Abbreviations (pg. A29-A40).
5th Generation Tank	The third generation of the Type IV tanks, found only in the AX Tank Farm. These tanks are the same as the 4th generation with the addition of a grid of drain slots in the concrete beneath the bottom of primary steel liner.
6	Semiannual report
6AWIN	See Waste Abbreviations (pg. A29-A40).
A Plant (PUREX)	See Facilities (pg. A41).

A1 SLTCK	See Waste Abbreviations (pg. A29-A40).
A2 SLTSLRY	See Waste Abbreviations (pg. A29-A40).
Active Tank	A tank that contains more than 33,000 gallons of waste and/or is still involved in waste management operations.
Active Drywell	Drywell in which radiation readings of greater than 50 counts/second are detected. The readings must be consistent as to depth and radiation level for repeated readings to be considered active.
ADD	Add primary waste from process.
ADJ	Adjustment to waste amount; see CORR.
AGE, AGING	Abbreviations for aging waste
Aging Waste	High-level, first-cycle solvent extraction waste from the PUREX Plant sent to tanks to allow decay (aging) of the radionuclides, thus reducing the high temperature of the waste; see NCAW.
Airlift Circulator	A device installed in tanks used to age wastes. The circulators promote mixing of the supernatant and prevent agglomeration of radionuclides. By maintaining motion within the body of liquid, the circulators minimize overheating and, consequently, minimize bumping.
Annulus	A vessel space in the form of a ring; the space between concentric circular walls. The annulus of the double-shell tanks includes all of the space between the two steel liners.
AR Vault	A structure containing tanks and chemical processing equipment, used for waste processing or storage operations.
AR	See Waste Abbreviations (pg. A29-A40).
Assumed Leaker	A waste storage tank for which past surveillance data has indicated a loss of liquid attributed to a breach of integrity.

Assumed Re-leaker	A designation that is applied when surveillance data indicate a new loss of liquid from a tank that has been declared an "assumed leaker."
Assumed Leaking Tank	In 1984, the designations of "suspect leaker," "questionable integrity," "confirmed leaker," "declared leaker," "borderline," and "dormant" were merged into one category called "assumed leaker."
B	See Waste Abbreviations (pg. A29-A40).
B860N	See Waste Abbreviations (pg. A29-A40).
B SLTCK	See Waste Abbreviations (pg. A29-A40).
B Plant (222-B)	See Facilities (pg. A41).
Background Radiation	Radioactivity from naturally occurring sources; primarily radiation from cosmogenic and naturally occurring radionuclides.
Baseline	A reference; for example, a specified liquid level or radiation level against which new information is compared.
BFSH	See Waste Abbreviations (pg. A29-A40).
BL	See Waste Abbreviations (pg. A29-A40).
BLEB	See Waste Abbreviations (pg. A29-A40).
BLIX	See Waste Abbreviations (pg. A29-A40).
BLIXB	See Waste Abbreviations (pg. A29-A40).
BNW	Battelle Northwest Laboratory; also, see Waste Abbreviations.
BPDC	See Waste Abbreviations (pg. A29-A40).
BPDCS	See Waste Abbreviations (pg. A29-A40).
BPDCV	See Waste Abbreviations (pg. A29-A40).
BPFPS	See Waste Abbreviations (pg. A29-A40).
BPLCS	See Waste Abbreviations (pg. A29-A40).

BPLDC	See Waste Abbreviations (pg. A29-A40).
BPLDN	See Waste Abbreviations (pg. A29-A40).
Bumping, Tank Bump	A tank bump occurs when solids overheat in the lower portion of the tank. The hot solids rapidly transfer heat to the liquid, some of which quickly vaporizes. The sudden pressurization caused by vapor generation is called a "bump."
BVCLN	See Waste Abbreviations (pg. A29-A40).
BY SLTCK	See Waste Abbreviations (pg. A29-A40).
C Plant (222-C)	See Facilities (pg. 38); see Strontium Semiworks; see SSW in Waste Abbreviations (pg. 36).
Caisson	An underground structure used to store high-level waste; typical designs include corrugated metal or concrete cylinders, 55-gallon drums welded end-to-end, and vertical steel pipes.
Calcine	To heat a substance to a high temperature, but below its melting point, causing loss of volatile constituents such as moisture; refers also to the material produced by this process.
CARB	See Waste Abbreviations (pg. A29-A40) and organic wash waste.
CAS	Cascade; see SET and END.
Cascade	Eleven of the single-shell tank farms (all except the AX Tank Farm) were equipped with overflow lines between tanks. The tanks were connected in series and were placed at different elevations creating a downhill gradient for liquids to flow from one tank to another. Thus, multiple tanks could be filled with one pump.
CASS	Computer automated surveillance system
Catch Tanks	Small capacity single-shell tanks associated with diversion boxes and diverter stations. The tanks are

designed to receive any transfer line clean out, spills or leakage from the boxes, or leakage from the adjacent pipe encasement.

CAW	Current acid waste; this is PUREX acid high-level waste.
CC	See Waste Abbreviations (pg. A29-A40).
CCGL	See Waste Abbreviations (pg. A29-A40).
CCGR	See Waste Abbreviations (pg. A29-A40).
CCPL, CCPLX	See Waste Abbreviations (pg. A29-A40).
CCW	Concentrated customer waste
CDF	Composition data file or transaction flag key-unit volume assumed to make stream active.
CE	See Waste Abbreviations (pg. A29-A40).
CELL 23	Waste from Cell 23 at B Plant; Cell 23 contained an evaporator.
CEM	See Waste Abbreviations (pg. A29-A40).
CF	See Waste Abbreviations (pg. A29-A40).
CON	See Waste Abbreviations (pg. A29-A40).
COND	Condensate; see EVAP, EB.
Condensate	Liquid formed from cooling vapors
Conductivity Probe	A device that completes an electrical circuit when contacted by a conductive material.
Confirmed or Declared Leaker	The designation of any underground waste storage tank where the data are considered sufficient to support a conclusion with 95 percent confidence that the tank has leaked.
COOL	Change in waste volume due to cooling; see CORR.
CORR	Correction to waste amount; see ADJ, LEAK, COOL.

CP	See Waste Abbreviations (pg. A29-A40).
CPLX	See Waste Abbreviations (pg. A29-A40).
CR Vault	Facility located adjacent to C Tank Farm, used for scavenging campaign following uranium recovery. Ferrocyanide was added to tank supernatant in the CR Vault and the slurry was returned to C Tank Farm.
Crib	A linear excavation approximately 15 feet in depth with a perforated pipe along the bottom. The ditch was backfilled with broken rock, gravel, or other loose material and then covered by soil and a membrane with very low permeability. The pipe distributed intermediate level liquid wastes along the crib.
Crust	A hard surface layer that has formed on top of the liquid in many waste tanks that contain concentrated solutions.
CSFD	See Waste Abbreviations (pg. A29-A40).
CSR	See Waste Abbreviations (pg. A29-A40).
CSS	See Waste Abbreviations (pg. A29-A40).
CST	See Waste Abbreviations (pg. A29-A40).
CSWLE	See Waste Abbreviations (pg. A29-A40).
CSWLW	See Waste Abbreviations (pg. A29-A40).
CTW	Caustic waste for makeup
CW	See Waste Abbreviations (pg. A29-A40).
CW/ZR1	See Waste Abbreviations (pg. A29-A40).
CW/ZR2	See Waste Abbreviations (pg. A29-A40).
CWP	See Waste Abbreviations (pg. A29-A40).
CWP2	See Waste Abbreviations (pg. A29-A40).
CWR	See Waste Abbreviations (pg. A29-A40).
CWR1	See Waste Abbreviations (pg. A29-A40).

CWR/A1	See Waste Abbreviations (pg. A29-A40).
CX70	See Waste Abbreviations (pg. A29-A40).
D	Transaction Flag Key-amount by difference
DBP	Dibutyl phosphate
DC	See Waste Abbreviations (pg. A29-A40).
DCS	Dilute caustic solutions
DE	Diatomaceous earth; this was added to Tanks 241-BX-102, -SX-113, -TX-106, -TY-106, and -U-104 from 1970 to 1972. Also, see Waste Abbreviations (pg. A29-A40).
Deliquescent	Capable of absorbing moisture from the air and dissolving to become a liquid.
Desiccant	A drying agent such as diatomaceous earth.
Diatomaceous Earth	Diatomite; a light friable siliceous material derived from diatom (algae) remains. It was added to selected underground waste storage tanks to absorb and, thereby, immobilize residual liquids (i.e. help stabilize the tank).
DIL	Dilution
DILED	Dilute feed
Ditch	A linearly oriented excavation often used for the temporary diversion or disposal of process waste streams.
Diversion Box	A below grade, concrete enclosure containing the remotely maintained jumpers and spare nozzles for the routing of waste solution to storage tank farms.
DN	See Waste Abbreviations (pg. A29-A40).
DN/PT	See Waste Abbreviations (pg. A29-A40).
DN/PD	See Waste Abbreviations (pg. A29-A40).

Double-Shell Tank	The newer underground waste storage tanks consisting of a concrete shell and two concentric carbon steel liners with an annulus between the liners.
Double-Shell Slurry	Waste that exceeds the sodium aluminate saturation boundary in the evaporator without exceeding receiver tank composition limits. It is considered a solid for reporting purposes.
Double-Shell Slurry Feed	Waste concentrated just before reaching the sodium aluminate saturation boundary in the evaporator without exceeding receiver tank composition limits. This form is not as concentrated as double-shell slurry.
Drywell	A steel casing, generally 6 inches in diameter, drilled into the ground to various depths and used to insert monitoring instruments for measuring the presence of radioactivity or moisture content.
Drywell (in-tank)	A sealed casing within a tank that is attached to a riser. It is used to insert experimental equipment, such as neutron or acoustical probes, to determine the level of drainable interstitial liquor.
DSS	See Waste Abbreviations and double-shell slurry.
DSSF	See Waste Abbreviations and double-shell slurry feed.
DST	Double-shell tank
DUMM, DUMMY	See Waste Abbreviations (pg. A29-A40).
DW	See Waste Abbreviations (pg. A29-A40).
DWBIX	See Waste Abbreviations (pg. A29-A40).
E	Transaction flag key-waste transferred through evaporator.
EB	See Waste Abbreviations (pg. A29-A40).
EDTA	Ethylenediaminetetra-acetic acid

EF	See Waste Abbreviations (pg. A29-A40).
EFD	See Waste Abbreviations (pg. A29-A40).
END	Disconnect cascaded tanks; see CAS, SET.
ENRAF	Electronic surface level gauge that uses a weighted plummet connected to a scale for measuring waste surface level. At Hanford, they are electrically connected to a computer for data transmission, analysis, and reporting.
EV	Evaporation
EVAP	See Waste Abbreviations (pg. A29-A40).
EVAPF	See Waste Abbreviations (pg. A29-A40).
Evaporator Feed	Any waste liquid that can be concentrated to form saltcake; e.g., aged waste, low heat waste, dilute interstitial liquor, and other radioactive waste solutions.
Evaporator-Crystallizer	242-A and 242-S waste concentration facilities that operate at a reduced pressure (vacuum) and are capable of producing a slurry containing about 30 volume percent solids at a specific gravity greater than 1.6.
EVS	Partial neutralization in the 242-S Evaporator.
EVT	HEDTA destruction in the 242-B or 242-T Evaporators.
FD	See Waste Abbreviations (pg. A29-A40).
FECN	Ferrocyanide wastes created during a scavenging campaign from 1953-57. See SCAV, POO-P##, TOO-T##.
Ferrocyanide	An ion composed of iron and cyanide with the chemical formula of $\text{Fe}(\text{CN})_6^{-4}$.
FIC gauge	A Food Instrument Corporation (a.k.a. Food Industry Corporation) automatic liquid level gauge based on a conductivity probe. At Hanford, they are electrically connected to a computer

for data transmission, analysis, and reporting. Local readings may also be obtained from a dial.

First- and Second-Cycle Decontamination Wastes	Waste containing 10% of the original fission product activity and 2% of the products. By-product cake solution was mixed with product waste and neutralized with 50% caustic. The waste contained a mixture of suspended solids, iron, hydroxides, carbonate, phosphate, scavenger metals, chromium, sodium, and silicofluoride.
FLSH	See Waste Abbreviations (pg. A29-A40).
FP	Fission product waste (see Waste Abbreviations, pg. 28-38)—produced at B Plant and Hot Semiworks in campaigns for cesium and strontium recovery during the 1960's. Cesium was removed from PUREX supernatant and strontium was removed from PUREX sludge; both were removed from acidic waste.
GA	Gain to tank; any increase in volume
Gamma Ray	Electromagnetic radiation emitted by the nuclei of some radioactive substances during decay, similar to X-rays.
GAS	Slurry growth resulting from gas generation.
GM Instrument	Instrument for detecting low-level beta and gamma radiation using a Geiger-Mueller tube.
GROUP	A group of tanks where ITS was used to evaporate the supernatant phases. See ITS.
Gunitite	A building material, consisting of a mixture of cement, sand, and water, that is sprayed onto a mold.
H ₂ O	Water
HDRL	See Waste Abbreviations (pg. A29-A40).
HEAT	A tank correction; see CORR, COOL.

HEDTA	N-hydroxyethylenediaminetri-acetic acid
Heel	The amount remaining in a vessel or container after most of the contents have been removed.
Hexone	Methyl isobutyl ketone, an organic solvent used in the REDOX solvent extraction process. Also known as isobutyl methyl ketone, methyl isobutyl ketone, 4-methyl 2-pentanone, MIBK.
High-Heat Load	Heat load in tanks produced by radionuclides exceeds 40,000 Btu/hr.
High-Level Waste	Waste from the fuel reprocessing operations in separations plants.
Historical Information	All information obtained from published and unpublished sources. Unpublished sources include photographs and electronically retrieved data (i.e. liquid observation well data, sampling results, temperatures, and surface level data).
HLO	Hanford Laboratory Operations; also, see Waste Abbreviations (pg. A29-A40).
HLW	See Waste Abbreviations (pg. A29-A40).
HOT-SEMI	See HS, SSW.
HS	Hot Semiworks (C Plant); a pilot facility with a variety of operations. See Waste Abbreviations (pg. A29-A40).
HWVP	Dilute non-complexed waste from the vitrification plant.
I&S	Tank isolated and stabilized
Inactive Tank	A tank that has been removed from liquid-processing service, has been pumped to less than 33,000 gallons of waste, and will be, or is in the process of being, stabilized and interrimly isolated. This includes all tanks not in active or active-restricted categories. Also included are inactive spare tanks that would be used if an active tank failed.

INST	Change in tank level due to change in instrumentation.
Interim Isolation	An administrative designation reflecting the completion of the physical effort required to minimize the addition of liquids into an inactive storage tank, process vault, sump, catch tank, or diversion box. (In June 1993, "interim isolation" was replaced by "intrusion prevention".)
Interim Stabilization	A tank which contains less than 50,000 gallons of drainable interstitial liquid and less than 5,000 gallons of supernatant. If a jet pump was used to achieve interim stabilization, then the jet pump flowrate must have been at or below 0.05 gallons per minute before interim stabilization was completed.
Interstitial Liquor	The liquid that fills the interstices (voids) within the solid material in a waste tank.
Interstitial	The volume within a solid matrix made up of the crevices, cracks, and other voids.
Intrusion Mode FIC Setting	The FIC probe is positioned a short distance above the waste surface. If the surface level of the waste in the tank increases, thereby touching the probe tip, a positive indication is received.
Intrusion Prevention	An administrative designation reflecting the completion of the physical effort required to minimize the addition of liquids into an inactive storage tank, process vault, catch tank, sump, or diversion box.
ISO	Tank is interrimly isolated.
ITS	The In-Tank Solidification Program was used to reduce waste volume by evaporating the wastes from inside certain tanks in the BX and BY Farms. The process used both hot air (ITS-1) and an electric heater (ITS-2).

IWW	See Waste Abbreviations (pg. A29-A40).
IX	See Waste Abbreviations (pg. A29-A40).
Jet Pump	A modified, commercially available, low capacity jet pump used as a saltwell pump.
Knuckle	Point where the side wall and the bottom curved surface of a tank meet.
L222S	See Waste Abbreviations (pg. A29-A40).
L3A4A	See Waste Abbreviations (pg. A29-A40).
LaF	See Waste Abbreviations (pg. A29-A40).
Lateral	Horizontal drywell under all tanks in A Tank Farm and certain tanks in SX Tank Farm.
Leak Detection Pit	Collection point for any leakage from tanks in AX Tank Farm. The pits are equipped with radiation and liquid detection instruments.
LEAK	Tank leak volume; see CORR.
LETf	Liquid effluent treatment facility at N Reactor.
LIT	Level indicating transmitter
Level Adjustment	Any update in the waste inventory (or tank level) in a tank. The adjustments usually result from surveillance observations or historical investigations.
Level History	A diagram representing the history of the waste surface level in a tank. The diagram also includes other related data.
Liquid Observation Well (LOW)	Liquid observation wells are used to monitor the interstitial liquid level (ILL) in single-shell waste storage tanks. Three probes are used to monitor changes in the ILL: acoustic, gamma, and neutron. Each method can indicate intrusions or leaks by increases or decreases in the ILL.

Liquid Level Best Engineering Judgement Line	A line representing the level of interstitial liquids on the history level plot, according to engineering judgement, between the time the liquid was initially pumped until LOW readings were obtained.
LO	Loss from tank; unexplained loss of volume, does not include transfers
LUNC	See Waste Abbreviations (pg. A29-A40).
LW	See Waste Abbreviations (pg. A29-A40).
Metal Waste (MW)	Waste from extraction containing all the uranium, approximately 90% of the original fission product activity, and approximately 1% of the product. This waste was brought to the neutral point with 50% caustic and then treated with an excess of sodium carbonate. This procedure yielded almost completely soluble waste at a minimum total volume. The exact composition of the carbonate compounds was not known, but was assumed to be a uranium phosphate carbonate mixture.
MH	Manhole
Mixed Waste	Waste containing both radioactive and hazardous (dangerous as defined in WAC 173-303) waste.
Molarity	Number of gram molecular weights (moles) per liter of solution.
Mole	The amount of a substance with weight equal to the molecular weight in grams.
MW	See Waste Abbreviations (pg. A29-A40) and metal waste.
MWF	See Waste Abbreviations (pg. A29-A40).
N	See Waste Abbreviations (pg. A29-A40).
NCAW	See Waste Abbreviations (pg. A29-A40).
NCPL, NCPLX, NCPLX	See Waste Abbreviations (pg. A29-A40) and non-complexed.

NCRW	See Waste Abbreviations (pg. A29-A40).
Neutralized PUREX Acid Waste	In 1956, the original plant neutralized all of the high-level waste and sent it to the A Tank Farm. As recovery of fission products began, a portion of the waste was treated to recover strontium and then neutralized. As of 1967, all of the high-level waste left PUREX as an acid solution for treatment at B Plant. See P, NCAW, and IWW.
Neutron Probe	Probe equipped with a neutron source and detector. They are used in dry well monitoring to determine the moisture content of the soil as one way to detect leaks in underground waste storage tanks or pipelines.
NFAW	See Waste Abbreviations (pg. A29-A40).
NHAW	See Waste Abbreviations (pg. A29-A40).
NIT	HNO ₃ /KMNO ₄ solution added during evaporator operation.
Noise At The Bottom Of Well-Drywell Probe	Erroneous reading caused by probe contacting foreign objects at the bottom of a well.
Non-Complexed	General waste term applied to all Hanford Site liquors not identified as complexed (containing organics).
NPH	Normal paraffin hydrocarbon
NRAW	See Waste Abbreviations (pg. A29-A40).
NRP82	See Waste Abbreviations (pg. A29-A40).
NRPO4	See Waste Abbreviations (pg. A29-A40).
NRSO4	See Waste Abbreviations (pg. A29-A40).
NTA	Nitrilotriacetic acid
Nuclear reactor	A device for creating a controlled nuclear chain reaction using atomic fuel, as for the production of energy.

Open Hole Saltwell	A well in which a pump is inserted in solid waste. It is frequently used to remove the liquid from tanks containing less than two feet of sludge.
Organic Wash Waste (OWW)	The solvent used in PUREX was treated before reuse by washing with potassium permanganate and sodium carbonate, followed by dilute nitric acid and then a sodium carbonate wash.
Out-of-Service-Tank	A tank that does not meet the definition of an in-service tank. Before September 1988, these tanks were defined as inactive. (Note: All single-shell tanks are out of service.)
OWW	See Waste Abbreviations (pg. A29-A40) and organic wash waste.
P	See Waste Abbreviations (pg. A29-A40).
P1	See Waste Abbreviations (pg. A29-A40).
P2	See Waste Abbreviations (pg. A29-A40).
P3	See Waste Abbreviations (pg. A29-A40).
PADFG	See Waste Abbreviations (pg. A29-A40).
PADWG	See Waste Abbreviations (pg. A29-A40).
Partial Interim Isolation	The administrative designation for completion of the physical effort required for Interim Isolation, except for isolating the risers and piping that will be required for jet pumping or for other methods of stabilization.
PAS	See Waste Abbreviations (pg. A29-A40).
PASF	See Waste Abbreviations (pg. A29-A40).
PAW	See Waste Abbreviations (pg. A29-A40).
PD	See Waste Abbreviations (pg. A29-A40).
PDBNG	See Waste Abbreviations (pg. A29-A40).
PDBSU	See Waste Abbreviations (pg. A29-A40).
PDBTG	See Waste Abbreviations (pg. A29-A40).

PDCSS	See Waste Abbreviations (pg. A29-A40).
PDL87	See Waste Abbreviations (pg. A29-A40).
PDL89	See Waste Abbreviations (pg. A29-A40).
PDNSG	See Waste Abbreviations (pg. A29-A40).
PDS87	See Waste Abbreviations (pg. A29-A40).
PDS89	See Waste Abbreviations (pg. A29-A40).
PDSL6	See Waste Abbreviations (pg. A29-A40).
PDSUP	See Waste Abbreviations (pg. A29-A40).
PFeCN	See Waste Abbreviations (pg. A29-A40).
PFeCN1	See Waste Abbreviations (pg. A29-A40).
PFeCN2	See Waste Abbreviations (pg. A29-A40).
PFM	See Waste Abbreviations (pg. A29-A40).
PFMS	See Waste Abbreviations (pg. A29-A40).
PFP (Z Plant)	See facilities (pg. A41). Also, Plutonium Finishing Plant waste (see PRF, and Z, 224, and PFP in Waste Abbreviations, pg. 28-38).
PFPGR	See Waste Abbreviations (pg. A29-A40).
PFPNT	See Waste Abbreviations (pg. A29-A40).
PFPPT	See Waste Abbreviations (pg. A29-A40).
PFPSL	See Waste Abbreviations (pg. A29-A40).
pH	A measure of the hydrogen ion concentration in solution.
Pile	An early term used to describe a nuclear reactor.
PL	See Waste Abbreviations (pg. A29-A40).
PL1	See Waste Abbreviations (pg. A29-A40).
PL2	See Waste Abbreviations (pg. A29-A40).
PML89	See Waste Abbreviations (pg. A29-A40).

PMS89	See Waste Abbreviations (pg. A29-A40).
PN	See Waste Abbreviations (pg. A29-A40).
PNF	See Waste Abbreviations (pg. A29-A40).
POO-P##	In-Plant scavenging with FeCN; see SCAV, TOO-T##.
Portland Cement	A hydraulic cement made by finely pulverizing a mixture of clay and limestone or similar materials.
PRF	Plutonium Reclamation Facility; a facility by PFP (Z Plant) that generated a type of waste (also known as PRF) from a solvent based extraction process using CCl ₄ /TBP.
Primary Addition	An addition of waste from a specific plant or process vault. These additions are listed in the "Waste Status and Transaction Record Summary for the Southeast Quadrant."
Primary Stabilization	The condition of an inactive waste storage tank after all liquid above the solids, other than isolated surface pockets, has been removed. Isolated surface pockets of liquid are those not pumpable by conventional techniques.
Probe	A device used to obtain information about the environment. In this report, an instrument package designed to be inserted in drywells, risers, or ports to measure waste characteristics.
PSL	See Waste Abbreviations (pg. A29-A40).
PSS	See Waste Abbreviations (pg. A29-A40).
PSSF	See Waste Abbreviations (pg. A29-A40).
Psychrometry	Determination of humidity or dew point from wet and dry bulb temperatures with the difference in the two used as a measure of moisture in the atmosphere.
PT	See Waste Abbreviations (pg. A29-A40).
PUREX	See Facilities (pg. A41).

PX86S	See Waste Abbreviations (pg. A29-A40).
PXBAW	See Waste Abbreviations (pg. A29-A40).
PXBSG	See Waste Abbreviations (pg. A29-A40).
PXFTF	See Waste Abbreviations (pg. A29-A40).
PXLOW	See Waste Abbreviations (pg. A29-A40).
PXMET	See Waste Abbreviations (pg. A29-A40).
PXMSC	See Waste Abbreviations (pg. A29-A40).
PXNAW	See Waste Abbreviations (pg. A29-A40).
Questionable Integrity	A designation for any tank with a small decrease in liquid level or a radiation increase in an associated dry well for which the remaining data for the tank are insufficient to support a conclusion with 95% confidence that the tank is sound.
R	See Waste Abbreviations (pg. A29-A40).
R SLTCK	See Waste Abbreviations (pg. A29-A40).
R1	See Waste Abbreviations (pg. A29-A40).
R2	See Waste Abbreviations (pg. A29-A40).
Radiation Zone	An area containing radioactive materials in sufficient quantities to require controlling entry of personnel into the area.
Radiation	Particles and electromagnetic energy emitted by nuclear transformations that are capable of producing ions when interacting with matter.
Readily Available Risers	Risers with easily removable or no attached apparatus.
REC	Receive waste from another tank; see XFER.
REDOX	See Facilities (pg. A41).
Removed From Service (Tanks)	Any tank that is a confirmed leaker or is not intended for reuse.

Rerun Drywell Data	Surveillance data which supersedes "suspect data."
RESD	See Waste Abbreviations (pg. A29-A40).
RIX	See Waste Abbreviations (pg. A29-A40).
RMA	Remote mechanical "A" line; process used in Z Plant.
RMC	Remote mechanical "C" line; process used in Z Plant.
RSN	See Waste Abbreviations (pg. A29-A40).
RSS	See Waste Abbreviations (pg. A29-A40).
RTX	See Waste Abbreviations (pg. A29-A40).
S	Transaction Flag Key-partial neutralization (PNF).
S Plant (REDOX)	See Facilities (pg. A41).
S1 SLTCK	See Waste Abbreviations (pg. A29-A40).
S2 SLTSLRY	See Waste Abbreviations (pg. A29-A40).
Saltcake	Crystallized nitrate and other salts deposited in waste tanks, usually after measures are taken to remove moisture.
Saltwell	A hole drilled or sluiced into a saltcake and lined with a cylindrical screen to permit drainage and jet pumping of interstitial liquors.
SCAV	Scavenging campaign with FECN on TBP, 1952-57. See TOO-T##, POO-P##.
Scavenged	Waste which has been treated with ferrocyanide to remove cesium from the supernatant by precipitating it into the sludge.
Scintillation Monitor	A radiation detection instrument based on the principle that light pulses are produced in some materials when they are exposed to radiation.

Self Concentrating	Liquid, high-level radioactive waste whose decaying radionuclides heat the solution sufficiently to boil off the water, thus concentrating the waste.
Self-Evaporation	A waste material in which moisture is lost as the liquid changes to a vapor and diffuses into the atmosphere.
SET	Connect cascaded tanks together; see CAS and END.
SIX	See Waste Abbreviations (pg. A29-A40).
SL	See Waste Abbreviations (pg. A29-A40).
SL3SY	See Waste Abbreviations (pg. A29-A40).
Sludge	Mainly insoluble metal hydroxides and oxides precipitated from neutralized waste.
Slugs	An early term for uranium fuel elements which had been machined or extruded into short cylinders which were then clad or encased in corrosion-resistant metals.
Sluicing, or sluiced	To wash with water. At Hanford, this has meant to dissolve or suspend waste in solution using a high pressure water stream.
Slurry	Insoluble material suspended in water or aqueous solution.
SMP	Sludge measuring port
Solids Level Best Engineering Judgement Line	During the initial filling of certain single-shell tanks, only the liquid level was reported. To adjust for the abrupt increase in solids level when data for solids were added to the record, a sloped line was used to reflect solids volume between the initial fill and the time the solids data were recorded.
Sound Tank	The classification of a waste storage tank for which surveillance data indicate no loss of liquid attributed to a breach of integrity.

SPRG	Sparge-transfer of water or volume
SRR	See Waste Abbreviations (pg. A29-A40).
SRS	See Waste Abbreviations (pg. A29-A40).
SST	Single-shell tank
SSW	See Waste Abbreviations (pg. A29-A40).
STAB	Tank stabilized by removal of liquid. Both floating suction and saltwell jet pumps are used to remove liquid.
Stabilization	The removal or immobilization, as completely as possible, of the liquid contained in a radioactive waste storage tank by saltwell pumping, open hole saltwell pumping, adding diatomaceous earth, etc.
Static Tank	A tank with no significant change in liquid level or involvement in transfer operations during a stated period of time.
Strontium Semiworks	C Plant or Hot Semiworks; was a pilot plant for both REDOX and PUREX, then was reconfigured for strontium recovery.
SU	See Waste Abbreviations (pg. A29-A40) and supernatant.
Supernatant	The liquid quantity defined by the difference between the measured liquid level and the measured average solids level in a waste storage tank.
Surveillance	Regular or systematic watch kept over someone or something.
Suspect Data	Surveillance data which does not fall within the expected range and is superseded by "reruns."
SV	Transaction Flag Key—amount by difference in solids.
SW RCR	Saltwell receiver
SWLIQ	See Waste Abbreviations (pg. A29-A40).

SWLQW	See Waste Abbreviations (pg. A29-A40).
T Plant (222-T)	See Facilities (pg. A41).
T1 SLTCK	See Waste Abbreviations (pg. A29-A40).
T2 SLTCK	See Waste Abbreviations (pg. A29-A40).
Tank Farm	An area containing a number of aboveground or underground storage tanks for storing chemicals, petroleum products, or waste.
TBP	Tributyl phosphate, a solvent used in the PUREX solvent extraction process. Also, see Waste Abbreviations.
TCO	See Waste Abbreviations (pg. A29-A40).
Terminal Liquor	The liquid product from the evaporation-crystallization process which, upon further concentration, formed a solid that was unacceptable for storage in single-shell tanks. Terminal liquor was characterized by a caustic concentration of approximately 5.5 M (the caustic molarity was lower if the aluminum salt saturation was reached first).
TFeCN	See Waste Abbreviations.
TH	See Waste Abbreviations.
Thermocouple	A probe for measuring temperature, consisting of two dissimilar metal wires joined at one end (hot junction) with the free ends joined to a measuring instrument. Changes in electrical potential due to temperature changes at the hot end are measured and calibrated to read out as temperature.
Thermocouple Tree	A group of thermocouples assembled in a pipe and inserted into a waste tank for measuring temperatures at regular vertical intervals.
Thermowell	A well in a waste tank which contains thermocouples.
THL	See Waste Abbreviations (pg. A29-A40).

Thorium	A chemical element which is a fertile material. Fertile means that when it is subjected to radiation in a nuclear reactor, it will be converted, in this case, to ²³³ U, a potential fuel.
TK	Tank. However, TK-17-2 was an early name for B Plant.
TL	See Waste Abbreviations (pg. A29-A40).
TMACS	Tank monitor and control system
TOO-T##	In-tank scavenging with FECN; see SCAV, POO-P##.
TPLAL	See Waste Abbreviations (pg. A29-A40).
TPLAN	See Waste Abbreviations (pg. A29-A40).
TPLAS	See Waste Abbreviations (pg. A29-A40).
TR	Transfer from tank
Trench	A deep furrow in the ground. At Hanford, they are used for the disposal of solid waste.
trFlag	Transaction Flag Keys (used by Wtrac)-see CDF, D, E, S, SV, 1, 3, 6, 0.17, 0.33.
Tributyl Phosphate(TBP)	A chemical compound, an organic solvent, used in the PUREX solvent extraction process.
TRUEX	Transuranic extraction process
Type I Tank	These are the 200 series tanks found in B, C, T, and U Tank Farms. They have an operating capacity of 55,000 gallons, a 20-foot diameter, a six-inch deep dish bottom, and a three-foot knuckle. Generation is not associated with Type I tanks.
Type II Tank	These are the original (1st generation) tank designs, which are found in B, C, T, U (excluding the 200 series tanks), and BX Tank Farms. See 1st Generation Tank.

Type III Tank	These are the 2nd Generation tank designs, which are found in BY, S, TX, and TY Tank Farms. See 2nd Generation Tank.
Type IV Tank	These are 3rd, 4th, and 5th generation tank designs found in SX, A, and AX Tank Farms, respectively. See 3rd, 4th, and 5th Generation Tanks.
Type V Tank	These are the first double shell tank designs, which are found in AY, AZ, and SY Tank Farms.
U Plant (222-U)	See Facilities (pg. A41).
U1U2	See Waste Abbreviations (pg. A29-A40).
UNKN	Unknown waste origin sink
UNKNOWN, UNK	See Waste Abbreviations (pg. A29-A40).
UR	Uranium recovery operation in 222-U, 1952-57. Created TBP (primary waste, also known as UR) and FECN (scavenging wastes). See TFeCN, PFeCN, POO-P##, TOO-T##, FeCN, and Waste Abbreviations (pg. A29-A40).
Watch List Tank	An underground storage tank requiring special safety precautions because the tank potentially could release high-level radioactive waste if there are uncontrolled increases in temperature or pressure. Special restrictions have been placed on these tanks by "Safety Measures for Waste Tanks at Hanford Nuclear Reservation," Section 3137, National Defense Authorization Act for Fiscal Year 1991, November 5, 1990, Public Law 101-501 (also known as the Wyden Amendment).
WATER	Flush water from various sources
WTR	Water
WWTR	Waste water
WVP	Waste volume projections
XFER	Transfer of waste out of tank

Z	See Waste Abbreviations (pg. A29-A40).
Z Plant	Plutonium Finishing Plant (PFP); see Facilities (pg. A41).
ZAW	See Waste Abbreviations (pg. A29-A40).
ZHIGH	See Waste Abbreviations (pg. A29-A40).
ZLAB	See Waste Abbreviations (pg. A29-A40).
ZLOW	See Waste Abbreviations (pg. A29-A40).
ZPRFL	See Waste Abbreviations (pg. A29-A40).
ZPRFS	See Waste Abbreviations (pg. A29-A40).
ZRM	See Waste Abbreviations (pg. A29-A40).
ZRMCL	See Waste Abbreviations (pg. A29-A40).
ZRMCS	See Waste Abbreviations (pg. A29-A40).

This page left intentionally blank.

Waste Abbreviations

1AYIN	Concentrated complexed waste from Tank 241-AY-101 inventory
1AZIN	Pre-February 1981 Tank 241-AZ-101 inventory
1C	First-cycle decontamination waste from the BiPO ₄ process
1C1	First-cycle decontamination waste from the BiPO ₄ process, 1944-51 (LANL defined waste #3)
1C2	First-cycle decontamination waste from the BiPO ₄ process, 1952-56 (LANL defined waste #4)
1CEB	First-cycle evaporator bottoms
1CS	First-cycle scavenging waste
1CFeCN	First-cycle ferrocyanide scavenging waste (LANL defined waste #12)
224, 224-F	LaF ₃ finishing waste from BiPO ₄ process and uranium recovery (also known as 224-U waste) in the 224 buildings by T Plant and B Plant and the Plutonium Finishing Plant (LANL defined waste #7)
231Z	Dilute phosphate waste from 231-Z laboratories
2AYIN	Pre-February 1981 Tank 241-AY-102 inventory
2AZIN	Pre-February 1981 concentrated complexed waste from Tank 241-AZ-102 inventory
2C	Second-cycle decontamination waste from the BiPO ₄ process
2C1	Second-cycle decontamination waste from the BiPO ₄ process, 1944-51 (LANL defined waste #5)
2C2	Second-cycle decontamination waste from the BiPO ₄ process, 1952-56 (LANL defined waste #6)

Waste Abbreviations

2SYIN	Pre-February 1981 Tank 241-SY-102 inventory
3AWIN	Pre-February 1981 Tank 241-AW-103 inventory
5-6	Waste from cell 5 tank 6 in B Plant
5AWIN	Pre-February 1981 Tank 241-AW-105 inventory
6AWIN	Concentrated phosphate waste from Tank 241-AW-106 inventory
A1 SLTCK	Saltcake waste generated from the 242-A Evaporator-crystallizer, 1977-80 (LANL defined waste #45)
A2 SLTSLRY	Salt slurry waste generated from the 242-A Evaporator-crystallizer, 1981-94 (LANL defined waste #46)
AGE, AGING	Aging waste
AR	"Washed" PUREX sludge from the 244-AR vault (LANL defined waste #31)
B	B Plant high-level waste from PAW processed through B Plant to extract strontium (LANL defined waste #32)
B SLTCK	Saltcake waste generated from the 242-B Evaporator, 1951-55 (LANL defined waste #38)
B860N	Dilute non-complexed waste from B Plant cell drainage
BFSH	B Plant flush waste water
BL	B Plant low-level waste (LANL defined waste #33)
BLEB	B Plant low-level evaporator bottoms
BLIX	B Plant low level ion exchange?
BLIXB	B Plant low level ion exchange bottoms?
BNW	Battelle Northwest Laboratory waste

Waste Abbreviations

BPDC	Dilute complexed waste from B Plant cesium processing
BPDCS	Dilute complexed waste from B Plant strontium processing
BPDCV	Dilute complexed waste from B Plant vessel clean-out
BPFP	B Plant TRU solids from retrieved PFP solids
BPLCS	Dilute non-complexed waste from B Plant strontium processing
BPLDC	Dilute complexed waste from B Plant cesium processing
BPLDN	Dilute non-complexed waste from B Plant cesium processing
BVCLN	Dilute non-complexed waste from B Plant vessel clean-out
BY SLTCK	Saltcake waste generated from in-tank solidification units 1 and 2, 1965-74 (LANL defined waste #42)
CARB	Organic wash waste from PUREX
CC	Complexant concentrate waste or concentrated complexant; concentrated product from evaporating dilute complexed waste
CCGL	B Plant high TRU solids from retrieved complexant concentrate
CCGR	Dilute non-complexed waste from retrieved complexant concentrate
CCPL, CCPLX	Complexant concentrate; See CPLX
CCW	Concentrated customer waste
CE	Evaporator concentrate
CEM	Concrete; see CON
CF	Cesium feed; see CSFD

Waste Abbreviations

CON	Concrete; see CEM
CP	Concentrated phosphate waste from N Reactor decontamination
CPLX	Complexed waste
CSFD	Cesium feed from B Plant
CSR	Waste (supernatant) from cesium recovery at B Plant (LANL defined waste #35)
CSS, CS Solids	Concentrated supernatant solids
CST	Caustic solution
CSWLE	Complexed saltwell liquid from the 200-East Area
CSWLW	Complexed saltwell liquid from the 200-West Area
CW	Coating (cladding) waste
CW/ZR1	Coating (cladding) waste (PUREX), Zircaloy cladding (LANL defined waste #23)
CW/ZR2	Coating (cladding) waste (PUREX), Zircaloy cladding (LANL defined waste #49); see NCRW and PD; also known as CWP/ZR2
CWP	Coating (cladding) waste (PUREX); see NCRW; (LANL defined waste #21; CWP/A1 1956-60)
CWP2	Cladding (coating) waste (PUREX), (LANL defined waste #22, CWP/A1 1961-72)
CWR	Coating (cladding) waste (REDOX)
CWR1	REDOX cladding (coating) waste, (LANL defined waste #15; CWR/A1 1952-60)
CWR/A1	Coating (cladding) waste (REDOX), (LANL defined waste #16; 1961-67)
CX70	Dilute complexed mixture hot-semiworks TRU solids

Waste Abbreviations

DC	Dilute complexed waste
DE	Diatomaceous earth waste
DN	Dilute non-complexed waste
DN/PD	DN with P TRU solids
DN/PT	DN with PFP TRU solids
DSS	Double-shell slurry; same as salt slurry
DSSF	Double-shell slurry feed; supernatant of salt slurry
DDSSF	Dilute double-shell slurry feed
DUMM, DUMMY	Dummy waste
DW	Decontamination waste (LANL defined waste #36)
DWBIX	Decontamination waste and B Plant ion exchange
EB	Evaporator bottoms
EF, EVFD	Evaporator feed
EFD	Evaporator feed dilute
EVAP	Evaporator feed (post 1976)
EVAPF	Dilute non-complexed waste from evaporator pad flush
FD	Feed dilute
FLSH	Flush water
FP	Fission products waste
HDRL	Hanford defense residual liquor
HFW	Hanford facility waste
HLO	Hanford laboratory operations waste
HLW	High-level waste; generic for all Hanford tank wastes

Waste Abbreviations

HS	Hot or Strontium Semiworks waste (LANL defined waste #28); see SSW
IWW	Inorganic wash waste (i.e., concentrated neutralized high-level waste from PUREX); see NCAW and P
IX	Ion exchange waste
L222S	222-S laboratory, dilute non-complexed waste
L3A4A	Dilute non-complexed laboratory wastes from 300 and 400 Areas
LaF	Lanthanum fluoride (LaF_3) finishing waste generated in PFP
LUNC	Dilute non-complexed waste from UNC fuels fabrication?
LW	Laboratory waste
MW	Metal waste
MW1	Metal waste from BiPO_4 , 1944-51 (LANL defined waste #1, same as MW)
MW2	Metal waste from BiPO_4 , 1952-56 (LANL defined waste #2, same as MW)
MWF	Metal waste feed
N	N Reactor decontamination waste (LANL defined waste #37)
NCAW	Neutralized current acid waste, primary HLW stream from PUREX process
NCPL, NCPLEX, NCPLX	Non-complexed waste
NCRW	Neutralized cladding removal waste, same as CWP
NFAW	Aging waste from PUREX/PFM high level waste
NHAW	Aging waste from PUREX/PFM processing of N production reactor (NPR) fuel

Waste Abbreviations

NRAW	Aging waste from PUREX/PFM residue acid waste
NRP82	Dilute non-complexed waste from FY82 100-N Area waste transfer
NRPO4	Dilute phosphate waste from 100-N Area
NRSO4	Dilute non-complexed waste from 100-N Area
OWW	Organic wash waste from PUREX [includes LANL defined wastes #24, 1956-62 (also known as CARB); #25, 1963-67, and #26, 1968-72]
P	PUREX high-level waste or neutralized PUREX acid waste
P1	PUREX high-level waste, 1955-62 (LANL defined waste #17)
P2	PUREX high-level waste, 1963-67 (LANL defined waste #18)
P3	PUREX high-level waste, 1983-88 (LANL defined waste #47)
PADFG	PUREX ammonia destruction waste from fuels grade fuel
PADWG	PUREX ammonia destruction waste from weapons grade fuel
PAS	PUREX acidified sludge
PASF	PUREX ammonia scrubber feed (LANL defined waste #50)
PAW	PUREX acidified waste
PD	PUREX decladding waste
PDBNG	Decladding sludge (non-TRU) from B Plant processing
PDBSU	Dilute non-complexed waste from B Plant decladding waste

Waste Abbreviations

PDBTG	B Plant aging waste solids from PUREX decladding waste
PDCSS	Dilute non-complexed PUREX decladding waste, FY1986 only
PDL87	PUREX decladding supernatant, 1987
PDL89	PUREX decladding supernatant, non-TRU, spent metathesis removed
PDNSG	Non-TRU decladding sludge from PUREX
PDS87	PUREX decladding sludge, 1987
PDS89	PUREX decladding sludge after FY89
PDSLg	PUREX decladding sludge
PDSUP	Dilute non-complexed waste, PUREX decladding waste
PFeCN	Ferrocyanide sludge produced by in-plant scavenging of waste from uranium recovery
PFeCN1	Ferrocyanide sludge produced by in-plant scavenging (using 0.005 M ferrocyanide) of waste from uranium recovery (LANL defined waste #9)
PFeCN2	Same as PFeCN1 except 0.0025 M ferrocyanide used (LANL defined waste #10)
PFM	Waste from the process facility modification of PUREX
PFMMS	Dilute non-complexed waste from shear/leach processing of NPR fuel
PFPGR	Dilute non-complexed waste from retrieved PFP solids
PFPNT	Non-TRU sludge from the PFP (Z Plant)
PFPPPT	Dilute non-complexed waste from the PFP (with TRUEX)
PFPSL	TRU sludge from the PFP (Z Plant)

Waste Abbreviations

PL	PUREX low-level waste
PL1	PUREX low-level waste (LANL defined waste #20)
PL2	PUREX low-level waste, 1983-88 (LANL defined waste #48)
PML89	PUREX spent metathesis liquid after FY89
PMS89	PUREX spent metathesis solids after FY89
PN	PUREX neutralized cladding waste
PNF	Partially neutralized waste
PSL	PUREX sludge sluiced during recovery of strontium
PSS	PUREX sludge supernatant
PSSF	PUREX sludge supernatant feed
PT	TRU solids from 200-West Area
PX86S	Dilute non-complexed waste from PUREX miscellaneous streams (NPR fuel) FY86
PXBAW	B Plant aging waste supernatant from retrieved aging waste
PXBSG	B Plant aging waste solids from retrieved aging waste
PXFTF	Dilute non-complexed waste from PUREX miscellaneous streams (FFTF)
PXLOW	PUREX low level waste
PXMET	PUREX dilute non-complexed decladding; spent metathesis
PXMSC	Dilute non-complexed waste from PUREX miscellaneous streams (NPR fuel)
PXNAW	Aging waste from PUREX high level waste
R	REDOX waste

Waste Abbreviations

R SLTCK	Saltcake waste from the REDOX concentrator (LANL defined waste #40)
R1	REDOX waste, 1952-57 (LANL defined waste #13, same as R)
R2	REDOX waste, 1958-66 (LANL defined waste #14, same as R)
RESD	Residual evaporator liquor
RIX	REDOX ion exchange waste
RSN	REDOX supernatant
RSS	REDOX sludge supernatant
RTX	REDOX ion exchange
S1 SLTCK	Saltcake waste generated from the 242-S Evaporator-crystallizer, 1973-76 (LANL defined waste #43)
S2 SLTSLRY	Salt slurry waste generated from the 242-S Evaporator-crystallizer, 1977-80 (LANL defined waste #44)
SIX	PUREX ion exchange waste
SL	Sludge
SL3SY	Double shell slurry from late FY80, Tank 241-SY-103 inventory
SRR	Waste sent to B Plant for strontium recovery from sluiced P sludge (LANL defined waste #34)
SRS	Strontium sludge
SRS	Strontium recovery supernatant
SSW	Strontium Semiworks waste
SU	Supernatant
SWLIQ	Dilute non-complexed waste from 200-East Area single shell tanks

Waste Abbreviations

SWLQW	Dilute non-complexed waste from 200-West Area single shell tanks
T1 SLTCK	Saltcake waste generated from the 242-T Evaporator, 1951-55 (LANL defined waste #39)
T2 SLTCK	Saltcake waste generated from the 242-T Evaporator, 1965-55 (LANL defined waste #41)
TBP	Tri-butyl phosphate; also known as uranium recovery waste (UR)
TCO	Dilute non-complexed waste from terminal cleanout
TFecN	Ferrocyanide sludge produced by in-tank or in-farm scavenging (LANL defined waste #11)
TH	Thoria HLW or cladding waste
TH66	Thoria HLW or cladding waste (LANL defined waste #29)
TH70	Thoria HLW or cladding waste (LANL defined waste #30)
THL	Thoria low-level waste
TL	Terminal liquor
TPLAL, TPLAN	Dilute non-complexed waste from T Plant
TPLAS	Sludge from T Plant operations
U1U2	Dilute non-complexed waste from U1/U2 pumping of ground water
UNKNOWN, UNK	Unknown waste type (LANL defined waste)
UR	Uranium recovery waste (LANL defined waste #8); also known as tributyl phosphate (TBP) waste
Z	Z Plant (PFP) waste (LANL defined waste #27)
ZAW	PUREX waste from zircaloy clad fuel

Waste Abbreviations

ZHIGH	Dilute non-complexed waste from the PFP (without TRUEX)
ZLAB	Dilute non-complexed waste from the PFP laboratories
ZLOW	Dilute non-complexed waste from before FY85 Z Plant operations
ZPRFL	Dilute non-complexed waste from PRF processing
ZPRFS	PFP TRU solids from PRF processing
ZRMCL	Dilute non-complexed waste from PFP RMC processing
ZRMCS	PFP TRU solids from PFP RMC processing

Facilities

A Plant (PUREX)	This facility contained the latest solvent extraction process for recovery of both plutonium and uranium.
B Plant (222-B)	One of the three original bismuth-phosphate processing facilities, later converted to a waste fractionation plant.
C Plant (222-C)	Initially a pilot plant for REDOX, later a pilot plant for PUREX and B Plant waste partitioning.
S Plant (REDOX)	This facility contained the original extraction process for recovery of both plutonium and uranium.
T Plant (222-T)	One of the three original bismuth-phosphate processing facilities, later converted to a decontamination facility.
U Plant (222-U)	One of the three original bismuth-phosphate processing facilities, later converted to a uranium recovery plant.
PFP (Z Plant)	Plutonium Finishing Plant (234-5Z) where the final operations occurred for production of plutonium products.
242-A	A forced circulation vacuum evaporation system.
242-B	An evaporator that operates at atmospheric pressure; also referred to as an open air type evaporator.
242-S	A forced circulation vacuum evaporation system.
242-T	An evaporator that operates at atmospheric pressure; also referred to as an open air type evaporator.

THIS PAGE INTENTIONALLY
LEFT BLANK

APPENDIX B

References

THIS PAGE INTENTIONALLY
LEFT BLANK

REFERENCES

Agnew, S.F., April 1995, *Waste Status and Transaction Record Summary for the Southeast Quadrant*, WHC-SD-WM-TI-689, Rev. 0, Westinghouse Hanford Company, Richland, Washington.

Agnew, S.F., August 1994, *Hanford Defined Wastes: Chemical and Radionuclide Compositions*, LA-UR-94-2657, Los Alamos National Laboratory, Los Alamos, New Mexico.

Aguirre, H. Jr., March 22, 1994 with ECN's through October 24, 1994, *Aging Waste Facility Interim Operational Safety Requirements*, WHC-SD-WM-OSR-004, Rev. 1B, Westinghouse Hanford Company, Richland, Washington.

Allen, G.K., March 1976, *Estimated Inventory of Chemicals Added to Underground Waste Tanks, 1944 through 1975*, ARH-CD-610B, Atlantic Richfield Hanford Company, Richland, Washington.

Alstad, A.T., September 19, 1991, *Riser Configuration Document for Single-Shell Waste Tanks*, WHC-SD-RE-TI-053, Rev. 8, Westinghouse Hanford Company, Richland, Washington.

Anderson, A.A., 1992, *Double-Shell Underground Waste Storage Tanks Riser Survey*, WHC-SD-RE-TI-093, Rev. 3, Westinghouse Hanford Company, Richland, Washington.

Anderson, J.D., January 1972–December 1972, *Waste Status Summary - Chemical Processing Division*, ARH-2456, Atlantic Richfield Hanford Company, Richland, Washington.

Anderson, J.D., January 1973–December 1973, *Waste Status Summary - Chemical Processing Division*, ARH-2794, Atlantic Richfield Hanford Company, Richland, Washington.

Anderson, J.D., January 1974–December 1974a, *Waste Status Summary - Operations Division*, ARH-CD-133, Atlantic Richfield Hanford Company, Richland, Washington.

Anderson, J.D., January 1974–December 1974b, *Waste Status Summary - Chemical Processing Division*, ARH-CD-133, Atlantic Richfield Hanford Company, Richland, Washington.

Anderson, J.D., January 1975–December 1975, *Waste Status Summary - Production and Waste Management Division*, ARH-CD-336, Atlantic Richfield Hanford Company, Richland, Washington.

Anderson, J.D., January 1976–September 1976, *Waste Status Summary - Production and Waste Management Division*, ARH-C-702, Atlantic Richfield Hanford Company, Richland, Washington.

Anderson, J.D., October 1976-May 1977, *Waste Status Summary - Production and Waste Management Division*, ARH-CD-822, Atlantic Richfield Hanford Company, Richland, Washington.

Anderson, J.D., June 1990, *A History of the 200 Areas Tank Farms*, WHC-MR-0132, Westinghouse Hanford Company, Richland, Washington.

ARHCO, October 1967, *Monthly Report, 200 Areas Operation*, ARH-60 DEL, Atlantic Richfield Hanford Company, Richland, Washington.

ARHCO, June 1969, *SX Tank Farm Air Cooling Safety Analysis*, ARH-1291, Atlantic Richfield Hanford Company, Richland, Washington.

ARHCO, July 1972-December, *Chemical Processing Division Waste Status Summary, Quarterly Reports*, ARH-2456 C and D, Atlantic Richfield Hanford Company, Richland, Washington.

ARHCO, January 1973-December 1973, *Chemical Processing Division Waste Status Summary, Quarterly Reports*, ARH-2694 A, B, C, and D, Atlantic Richfield Hanford Company, Richland, Washington.

ARHCO, January 1973-September 1975, *Operations Division Waste Status Summary, Quarterly Reports*, ARH-CD-133 A, B, C, and D, Atlantic Richfield Hanford Company, Richland, Washington.

ARHCO, September 1976, *Production and Waste Management Division Waste Status Summary, Monthly Reports*, ARH-CD-702, Atlantic Richfield Hanford Company, Richland, Washington.

ARHCO, October 1976-June 1977, *Production and Waste Management Division Waste Status Summary, Monthly Report*, ARH-CD-822, Atlantic Richfield Hanford Company, Richland, Washington.

Babad, H., D.M. Camaioni, M.A. Lilga, W.D. Samuels, and D.M. Strachan, February 1993, *Tank Waste Chemistry - A New Understanding of Waste Aging*, WHC-SA-1694-FP, Westinghouse Hanford Company, Richland, Washington.

Boomer, R.D., June 1990, *Functional Requirement Baseline for the Closure of Single-Shell Tanks*, WHC-EP-0338, Westinghouse Hanford Company, Richland, Washington.

Borsheim, G.L., and B.C. Simpson, October 1991, *An Assessment of the Inventories of the Ferrocyanide Watchlist Tanks*, WHC-SD-WM-ER-133, Rev. 0, Westinghouse Hanford Company, Richland, Washington.

Borsheim, G.L., August 2, 1989, *Single-Shell Tank Isolation Safety Analysis Report*, SD-WM-SAR-006, Rev. 2, Westinghouse Hanford Company, Richland, Washington.

Borshiem, G.L. and N.W. Kirch, March 1991, *Summary of Single-Shell Tank Waste Stability*, WHC-EP-0347, Westinghouse Hanford Company, Richland, Washington.

Boyles, V.C., June 1981, *Safety Analysis Report: Stabilization of Single-Shell Waste Storage Tanks by Saltwell Jet Pumping*, RHO-SD-WM-SAR-034, Rev. 0, Rockwell Hanford Operations, Richland, Washington.

Brevick, C.H., L.A. Gaddis, and W.W. Pickett, September 1995a, *Supporting Document for the Southeast Quadrant Historical Tank Content Estimate Report for AN-Tank Farm*, WHC-SD-WM-ER-314, Rev. 0, ICF Kaiser Hanford Company, Richland, Washington.

Brevick, C.H., L.A. Gaddis, and W.W. Pickett, September 1995b, *Supporting Document for the Southeast Quadrant Historical Tank Content Estimate Report for AP-Tank Farm*, WHC-SD-WM-ER-315, Rev. 0, ICF Kaiser Hanford Company, Richland, Washington.

Brevick, C.H., L.A. Gaddis, and W.W. Pickett, September 1995c, *Supporting Document for the Southeast Quadrant Historical Tank Content Estimate Report for AW-Tank Farm*, WHC-SD-WM-ER-316, Rev. 0, ICF Kaiser Hanford Company, Richland, Washington.

Brevick, C.H., L.A. Gaddis, and W.W. Pickett, September 1995d, *Supporting Document for the Southeast Quadrant Historical Tank Content Estimate Report for AY-Tank Farm*, WHC-SD-WM-ER-317, Rev. 0, ICF Kaiser Hanford Company, Richland, Washington.

Brevick, C.H., L.A. Gaddis, and W.W. Pickett, September 1995e, *Supporting Document for the Southeast Quadrant Historical Tank Content Estimate Report for AZ-Tank Farm*, WHC-SD-WM-ER-318, Rev. 0, ICF Kaiser Hanford Company, Richland, Washington.

Brevick, C.H., L.A. Gaddis, and W.W. Pickett, September 1995f, *Supporting Document for the Southeast Quadrant Historical Tank Content Estimate Report for SY-Tank Farm*, WHC-SD-WM-ER-319, Rev. 0, ICF Kaiser Hanford Company, Richland, Washington.

Brown, W.G., April 26, 1993, *Hazard Identification and Evaluation for Non-Stabilized Single Shell Tanks*, SD-WM-SAR-022, Rev. 0, Westinghouse Hanford Company, Richland, Washington.

Bussell, J.H., February 3, 1992, *Engineering Evaluation of Thermocouples in FeCN Watchlist Tanks*, WHC-SD-WM-ER-134, Rev 0A, Westinghouse Hanford Company, Richland, Washington.

Cain, R.J., 1977, *Isolation and Stabilization of Special Tanks*, Internal Letter to J.C. Womack, Rockwell Hanford Company, Richland, Washington.

Carpenter, G.K., April 1953-June 1953, *Waste Status Summary - Separations Section*, HW-28043 etc., General Electric Company, Richland, Washington.

Carpenter, G.K., September 1953-May 1954, *Waste Status Summary - Separations Section*, HW-29624 etc., General Electric Company, Richland, Washington.

Carter, G.J., April 1986-September 1986, *Waste Status Summary*, RHO-RE-SR-14, Rockwell Hanford Operations, Richland, Washington.

Cooley, C.R., and G.L. Richardson, July 17, 1963, *Hot Semiworks Strontium-90 Recovery Program*, HW-72666, General Electric Company, Richland, Washington.

Dodd, R.A., December 27, 1994, *Collection of Psychrometric Data from the Annular Regions of Double-Shell Tanks*, Internal Memorandum, Westinghouse Hanford Company, Richland, Washington.

ERDA, December 1975, *Waste Management Operations*, ERDA-1538, Energy Research and Development Administration, Richland, Washington.

Escobar, G.A., October 1986-January 1987, *Waste Status Summary*, RHO-RE-SR-14, Rockwell Hanford Operations, Richland, Washington.

Farley, W.G., May 20, 1992, *Safety Assessment for Thermocouple Tree System Installation and Operation in Nonleaking Ferrocyanide Tanks*, WHC-SD-WM-SAD-014, Rev. 1, Westinghouse Hanford Company, Richland, Washington.

GE Co., July 10, 1951, *REDOX Technical Manual*, HW-18700 DEL, General Electric Company, Richland, Washington.

Gerber, M.S., September 1992, *Legend and Legacy: Fifty Years of Defense Production at the Hanford Site*, WHC-MR-0293, Rev. 2, Westinghouse Hanford Company, Richland, Washington.

Gerber, M.S., September 1993a, *Multiple Missions: The 300 Area in Hanford Site History*, WHC-MR-0440, Westinghouse Hanford Company, Richland, Washington.

Gerber, M.S., November 1993b, *A Brief History of the PUREX and UO₃ Facilities*, WHC-MR-0437, Westinghouse Hanford Company, Richland, Washington.

Gerber, M.S., April 1994, *Pac-Men of Hanford Site Await Decommissioning*, WHC-SA-2454FP, Westinghouse Hanford Company, Richland, Washington.

Hanlon, B.M., November 1989–December 1990, *Tank Farm Surveillance and Waste Status Summary Report*, WHC-EP-0182, Westinghouse Hanford Company, Richland, Washington.

Hanlon, B.M., January 1991–December 1991, *Tank Farm Surveillance and Waste Status Summary Report*, WHC-EP-0182, Westinghouse Hanford Company, Richland, Washington.

Hanlon, B.M., January 1992–December 1992, *Tank Farm Surveillance and Waste Status Summary Report*, WHC-EP-0182, Westinghouse Hanford Company, Richland, Washington.

Hanlon, B.M., July 1993, *Tank Farm Surveillance and Waste Status Summary Report for July 1993*, WHC-EP-0182-64, Westinghouse Hanford Company, Richland, Washington.

Hanlon, B.M., January 1993–December, 1993, *Tank Farm Surveillance and Waste Status Summary Report*, WHC-EP-0182, Westinghouse Hanford Company, Richland, Washington.

Hanlon, B.M., June 1995, *Tank Farm Surveillance and Waste Status Summary Report*, WHC-EP-0182-87, Westinghouse Hanford Company, Richland, Washington.

Hatch, P., December 18, 1969, *Limitations for Use of Underground Waste Tanks*, ARH-951, Atlantic Richfield Hanford Company, Richland, Washington.

Heubach, E.C. II, March 22, 1994 with ECN's through April 3, 1995, *Double Shell Tank Interim Operational Safety Requirements*, WHC-SD-WM-OSR-016, Rev. 0B, Westinghouse Hanford Company, Richland, Washington.

HEW, January 11, 1944, *CVI, Specifications for Construction of Composite Storage Tanks Bldg. No. 241, Project 9536*, CVI 73550, Hanford Engineer Works, Richland, Washington.

Jenkins, C., M. Danielson, B. Rarig, R. Campbell, T. Ambalam, C. Kenoyer, and L. Hall, February 1993, *Engineering Evaluation of Alternatives Managing the Assumed Leak From SST 241-T-101*, EEA-93-1, Kaiser Engineers Hanford, Richland, Washington.

Jungfleisch, F.M., March 1984, *Preliminary Estimation of the Waste Inventories in Hanford Tanks Through 1980*, SD-WM-TI-057, Rev.0, Rockwell Hanford Operations, Richland, Washington.

KEH, February 1993, *EEP Managing the Assumed Leak From SST*, KEEA-93-1, Kaiser Engineers Hanford, Richland, Washington.

Kirkman, M.J., G.L. Ritter, and P.W. Smith, March 6, 1969, *B Plant Production Schedule and In-Tank Solidification Alternatives*, ARH-900, Atlantic Richfield Hanford Company, Richland, Washington.

Kreig, S.A., W.W. Jenkins, K.J. Leist, K.G. Squires, and J.F. Thompson, June 1990, *Single-Shell Tank Waste Retrieval Study*, WHC-EP-0352, UC-721, Westinghouse Hanford Company, Richland, Washington.

Lentz, J.E., April 1959–December 1959, *Waste Status Summary - Chemical Processing Department*, HW-58579 etc., General Electric Company, Richland, Washington.

Lentz, J.E., January 1960–December 1960, *Waste Status Summary - Chemical Processing Department*, HW-63896 etc., General Electric Company, Richland, Washington.

Liverman, J.L., December 1975, *Final Environmental Statement, Waste Management Operations*, Volumes 1 and 2, ERDA-1538, Energy Research and Development Administration, Richland, Washington.

Lucas, G.E., June 1989, *Waste Types in Hanford Single-Shell Tanks*, WHC-SD-ER-TI-001, Rev. 0, Westinghouse Hanford Company, Richland, Washington.

McBride, J.P., July 1953, *Waste Status Summary - Separations Section*, HW-29054, General Electric Company, Richland, Washington.

McCann, D.C., July 1981–October 1981, *Waste Status Summary*, RHO-CD-14, Rockwell Hanford Operations, Richland, Washington.

McCann, D.C., October 1981–December 1982, *Waste Status Summary*, RHO-RE-SR-14, Rockwell Hanford Operations, Richland, Washington.

McCann, D.C., January 1983–December 1983, *Waste Status Summary*, RHO-RE-SR-14, Rockwell Hanford Operations, Richland, Washington.

McCann, D.C., January 1984–February 1985, *Waste Status Summary*, RHO-RE-SR-14, Rockwell Hanford Operations, Richland, Washington.

Minteer, D.J., November 1994, *Uncertainties in the Measured Net Mass Flow Rate of Water Leaving Waste Storage Tank 241-C-106 Via the Vent System*, WHC-SD-WM-ER-383, Rev. 0, Westinghouse Hanford Company, Richland, Washington.

Morganthaler, A.C., February 1952–March 1953, *Waste Status Summary - Separations Section*, HW-27897 etc., General Electric Company, Richland, Washington.

Mudd, O.C., January 1979–December 1979, *Waste Status Summary*, RHO-CD-14, Rockwell Hanford Operations, Richland, Washington.

Mudd, O.C., January 1980–December 1980, *Waste Status Summary*, RHO-CD-14, Rockwell Hanford Operations, Richland, Washington.

Mudd, O.C., January 1981–June 1981, *Waste Status Summary*, RHO-CD-14, Rockwell Hanford Operations, Richland, Washington.

Mulvey, C.A., June 1977–December 1977, *Waste Status Summary*, RHO-CD-14, Rockwell Hanford Operations, Richland, Washington.

Mulvey, C.A., January 1978–December 1978, *Waste Status Summary*, RHO-CD-14, Rockwell Hanford Operations, Richland, Washington.

Peterson, D.E., June 1954–May 1955, *Waste Status Summary - Separations Section*, HW-32389 etc., General Electric Company, Richland, Washington.

Peterson, D.E., June 1955–May 1956, *Waste Status Summary - Separations Section*, HW-38000 etc., General Electric Company, Richland, Washington.

Peterson, D.E., September 1956–December 1956, *Waste Status Summary - Chemical Processing Department*, HW-45738 etc., General Electric Company, Richland, Washington.

Peterson, D.E., June 1956–August 1956, *Waste Status Summary - Separations Section*, HW-43895 etc., General Electric Company, Richland, Washington.

Pines, A.G., January 4, 1991, *244-AR Vault Safety Analysis Report*, SD-WM-SAR-018, Rev. 0, Westinghouse Hanford Company, Richland, Washington.

Prosk, W. and D.A. Smith, January 1986, *Tank Isolation Safety Analysis Report*, SD-WM-SAR-006, Rev. 1, Rockwell Hanford Operations, Richland, Washington.

RHO, June 1977–October 1981, *Waste Status Summary, Monthly Reports*, RHO-CD-14, Rockwell Hanford Operations, Richland, Washington.

RHO, November 1981–June 1987, *Waste Status Summary, Monthly Reports*, RHO-RE-SR-014, Rockwell Hanford Operations, Richland, Washington.

Roberts, R.E., January 1957–December 1957, *Waste Status Summary - Chemical Processing Department*, HW-48144 etc., General Electric Company, Richland, Washington.

Roberts, R.E., January 1958–October 1958, *Waste Status Summary - Chemical Processing Department*, HW-54916 etc., General Electric Company, Richland, Washington.

Roberts, R.E., January 1961–December 1961, *Waste Status Summary - Chemical Processing Department*, HW-71610 etc., General Electric Company, Richland, Washington.

Roberts, R.E., January 1962–December 1962, *Waste Status Summary - Chemical Processing Department*, HW-74647 etc., General Electric Company, Richland, Washington.

Roberts, R.E., January 1963–December 1963, *Waste Status Summary - Chemical Processing Department*, HW-78279 etc., General Electric Company, Richland, Washington.

Roberts, R.E., January 1964–December 1964, *Waste Status Summary - Chemical Processing Department*, HW-83308 etc., General Electric Company, Richland, Washington.

Roberts, R.E., January 1965–December 1965, *Waste Status Summary - Chemical Processing Department*, HW-83906 etc., General Electric Company, Richland, Washington.

Roberts, R.E., October 1966–December 1966, *Waste Status Summary - Chemical Processing Division*, ISO-674, Isochem Inc., Richland, Washington.

Roberts, R.E., January 1966–September 1966, *Waste Status Summary - Chemical Processing Department*, HW-83906 etc., General Electric Company, Richland, Washington.

Rodenhizer, D.G., September 30, 1987, *Hanford Waste Tank Sluicing History*, SD-WM-TI-302, Westinghouse Hanford Company, Richland, Washington.

Rutherford, M.J., August 31, 1948, *Additional Waste Storage Facilities 200-East Area*, Specification No. HW-3783, General Electric Company, Richland, Washington.

Scaief, C.C. III, October 19, 1993, *TMACS I/O Termination Point Listing*, WHC-SD-WM-TI-594, Rev. 0, Westinghouse Hanford Company, Richland, Washington.

Smith, D.A., August 1986, *SAR, Hazard Identification and Evaluation for Nonstabilized Single-Shell Tanks*, SD-WM-SAR-022, Rev. 0, Rockwell Hanford Operations, Richland, Washington.

Stahl, S.M., November 22, 1993, *Hanford Site Tank Farm Facilities Interim Safety Basis*, Volume 1 and 2, WHC-SD-WM-ISB-001, Westinghouse Hanford Company, Richland, Washington.

Stong, F.S., September 29, 1986, *Drywell Van In-Tank Liquid Observation Well Surveillance Data Interpretation*, RHO-SD-WM-TI-237, Rockwell Hanford Operations, Richland, Washington.

Thress, M.A., November 1958–February 1959, *Waste Status Summary - Chemical Processing Department*, HW-58579 etc., General Electric Company, Richland, Washington.

Thurman, J.M., June 1987–December 1987, *Tank Farm Surveillance and Waste Status Summary Report, Monthly Reports* WHC-SP-0038, Westinghouse Hanford Company, Richland, Washington.

Thurman, J.M., December 1987–June 1993, *Tank Farm Surveillance and Waste Status Summary Report, Monthly Reports*, WHC-EP-0182-55, Westinghouse Hanford Company, Richland, Washington.

Thurman, J.M., February 1987–June 1987, *Waste Status Summary*, RHO-RE-SR-14, Rockwell Hanford Operations, Richland, Washington.

Thurman, J.M., July 1987–March 1988, *Waste Status Summary*, WHC-SP-0038, Westinghouse Hanford Company, Richland, Washington.

Thurman, J.M., April 1988–December 1988, *Tank Farm Surveillance and Waste Status Summary Report*, WHC-EP-0182, Westinghouse Hanford Company, Richland, Washington.

Thurman, J.M., January 1989–October 1989, *Tank Farm Surveillance and Waste Status Summary Report*, WHC-EP-0182, Westinghouse Hanford Company, Richland, Washington.

Tran, T.T., April 27, 1993, *Thermocouple Status Single-Shell and Double-Shell Waste Tanks*, WHC-SD-WM-TI-553, Rev. 0, Westinghouse Hanford Company, Richland, Washington.

U.S. DOE, December 1987, *EIS, Disposal of Hanford Defense High Level, Transuranic, and Tank Wastes*, DOE/EIS-0113, Volumes 1-5, Department of Energy, Richland, Washington.

Uebelacker, D.L., October 1968–December 1968, *Waste Status Summary - Chemical Processing Division*, ARH-1061, Atlantic Richfield Hanford Company, Richland, Washington.

Uebelacker, D.L., January 1969–December 1969, *Waste Status Summary - Chemical Processing Division*, ARH-1200, Atlantic Richfield Hanford Company, Richland, Washington.

Uebelacker, D.L., January 1970–December 1970, *Waste Status Summary - Chemical Processing Division*, ARH-1666, Atlantic Richfield Hanford Company, Richland, Washington.

Vail, T.S., January 1985-March 1986, *Waste Status Summary*, RHO-RE-SR-14, Rockwell Hanford Operations, Richland, Washington.

Wagoner, J.D., March 18, 1993, *Wyden Request*, Document No. 9301156B R3, U.S. Department of Energy, Richland, Washington.

Waite, J.L., April 1991, *Tank Wastes Discharged Directly to the Soil at the Hanford Site*, WHC-MR-0227, Westinghouse Hanford Company, Richland, Washington.

Welty, R.K., September 1988, *Waste Storage Tank Status and Leak Detection Criteria*, WHC-SD-WM-TI-356, Volumes 1 and 2, Westinghouse Hanford Company, Richland, Washington.

Welty, R.K. and N.J. Vermeulen, September 12, 1989 with ECN's through November 8, 1993, *Waste Storage Tank Status and Leak Detection Criteria*, WHC-SD-WM-TI-357, Rev. 1K, Westinghouse Hanford Company, Richland, Washington.

WHC, September 1991, *Failure to Continuously Man Control Room During Transfer Per Procedure*, Occurrence Report RL--WHC-Tank Farm-1991-1019, Westinghouse Hanford Company, Richland, Washington.

WHC, July 1991, *High Radiation Readings in 241-BY Drywells*, Occurrence Report RL--WHC-Tank Farm-1991-1022, Westinghouse Hanford Company, Richland, Washington.

WHC, August 1993, *Hanford Site Tank Farm Facilities Interim Safety Basis*, WHC-SD-WM-ISB-001, Rev. 1, Volumes 1 and 2, Westinghouse Hanford Company, Richland, Washington.

WHC, March 1993, *Hanford Watchlist Tank Surveillance Trends*, Letter to the Honorable Ron Wyden, Westinghouse Hanford Company, Richland, Washington.

WHC, July 1993, *Unauthorized Water Usage at 241-BY Tank Farm Results in Exceeding Raw Water Operational Limit*, Occurrence Report RL--WHC-Tank Farm-1993-0050, Westinghouse Hanford Company, Richland, Washington.

Winters, W.I., L. Jensen, L.M. Sasaki, R.L. Weiss, J.F. Keller, A.J. Schmidt, and M.G. Woodruff, May 1989, *Waste Characterization Plan for the Hanford Site Single-Shell Tanks*, WHC-EP-0210, Westinghouse Hanford Company, Richland, Washington.

Wood, S.A., May 1993, *Waste Tank Evaporation Water Loss Computer Program*, WHC-SD-WM-CSWD-055, Rev. 0., Westinghouse Hanford Company, Richland, Washington.

APPENDIX C

Tank Level Histories and LOW Data

THIS PAGE INTENTIONALLY
LEFT BLANK

**THIS PAGE INTENTIONALLY
LEFT BLANK**

WASTE TYPES
(See Table Pg C-11 to C-14)

NCPLX:

EVFD:

HFW:

NCPLX:

DN:

PRIMARY ADDITIONS
(See Table Pg C-31)

PL2:
BL:

N:

SWLIO:

UNK:

FEET IN
INCHES IN

36' 432"

34' 408"

32' 384"

30' 360"

28' 336"

26' 312"

24' 288"

22' 264"

20' 240"

18' 216"

16' 192"

14' 168"

12' 144"

10' 120"

8' 96"

6' 72"

4' 48"

2' 24"

0' 0"

FROM SY-102

TO AW-101 & CRIB

FROM AW-101

TO CRIB

TO CRIB & AW-104

FROM SY-102, AW-104, & AN-101

MISC. TRANSFERS

242-A EVAPORATOR

CAMPAIGNS

TO AW-106

LIQUID LEVEL

PHOTO (12/80)

LANL		
Waste	Volume	Approx
SUPERNATANT	965	KGAL
CS SOLIDS	1	KGAL
See Tank Farm Section		

INVENTORY ESTIMATE DATE

VOLUME
(GALLONS)

1,188,000

1,122,000

1,056,000

990,000

924,000

858,000

792,000

726,000

660,000

594,000

528,000

462,000

396,000

330,000

264,000

198,000

132,000

66,000

0

LEGEND

LIQUID LEVEL

SOLIDS LEVEL

AW TANK FARM
PLOT PLAN

U.S. DEPARTMENT OF ENERGY

RICHLAND FIELD OFFICE
ICF KAISER HANFORD

241-AW-102 DOUBLE-SHELL TANK
LEVEL HISTORY 1980 TO 1994
SOUND/ACTIVE TANK
WATCH LIST: N/A

SIZE	DWG NO.	DATE
B	241	8/95
SCALE	NONE	SHEET 1 OF 1

**THIS PAGE INTENTIONALLY
LEFT BLANK**

**THIS PAGE INTENTIONALLY
LEFT BLANK**

**THIS PAGE INTENTIONALLY
LEFT BLANK**

**THIS PAGE INTENTIONALLY
LEFT BLANK**

WASTE TYPES
(See Table Pg C-27 to C-30)

CC:
CPLX:
CCW:

DSSF:

NCPLX:
CC:

DN:

PRIMARY ADDITIONS
(See Table Pg C-31)

BL:

UNK:

SULIO:

FEET IN
LEVEL IN
INCHES

36' 432"
34' 408"
32' 384"
30' 360"
28' 336"
26' 312"
24' 288"
22' 264"
20' 240"
18' 216"
16' 192"
14' 168"
12' 144"
10' 120"
8' 96"
6' 72"
4' 48"
2' 24"
0' 0"

VOLUME (GALLONS)
1,188,000
1,122,000
1,056,000
990,000
924,000
858,000
792,000
726,000
660,000
594,000
528,000
462,000
396,000
330,000
264,000
198,000
132,000
66,000
0

INVENTORY ESTIMATE DATE

SEE GLOSSARY (APPENDIX A) FOR DEFINITIONS AND ABBREVIATIONS
SEE REFERENCES (APPENDIX B)

LEGEND
LIQUID LEVEL
SOLIDS LEVEL

AW TANK FARM
PLOT PLAN

U.S. DEPARTMENT OF ENERGY
RICHLAND FIELD OFFICE
ICF KAISER HANFORD

241-AW-106 DOUBLE-SHELL TANK
LEVEL HISTORY 1980 TO 1994
SOUND/ACTIVE TANK
WATCH LIST: N/A

SIZE: B
BLDG NO.: 241
SCALE: NONE
DWG NO.: ES-TKS-E170
JOB NO.:
SHEET: 1 OF 1
DATE: 9/95

**THIS PAGE INTENTIONALLY
LEFT BLANK**

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-101

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
1/80		0	0	0	0	0
2/80		0	0	0	0	0
3/80		0	0	0	0	0
4/80		0	0	0	0	0
5/80		0	0	0	0	0
6/80		0	0	0	0	0
7/80	NCPLX	9	0	0	0	0
8/80	NCPLX	9	0	0	0	0
9/80	NCPLX	9	0	0	0	0
10/80	NCPLX	9	0	0	0	0
11/80	NCPLX	9	0	0	0	0
12/80	NCPLX	9	0	0	0	0
1/81	NCPLX	9	0	0	0	0
2/81	NCPLX	25	0	0	0	0
3/81	NCPLX	35	0	0	0	0
4/81	NCPLX	49	0	0	0	0
5/81	NCPLX	49	0	0	0	0
6/81	NCPLX	49	0	0	0	0
7/81	NCPLX	49	0	0	0	0
8/81	NCPLX	49	0	0	0	0
9/81	NCPLX	49	0	0	0	0
10/81	NCPLX	49	0	0	0	0
11/81	NCPLX	427	0	0	0	0
12/81	DDSSF	646	0	0	0	0
1/82	DDSSF	657	0	0	0	0
2/82	DDSSF	674	0	0	0	0
3/82	DDSSF	713	0	0	0	0
4/82	DDSSF	1021	0	0	0	0
5/82	DDSSF	1046	0	0	0	0
6/82	DDSSF	1109	0	0	0	0
7/82	DDSSF	1109	0	0	0	0
8/82	DDSSF	1109	0	0	0	0
9/82	DDSSF	1109	0	0	0	0
10/82	DDSSF	1109	0	0	0	0
11/82	DDSSF	79	0	0	0	0
12/82	NCPLX	34	0	0	0	0
1/83	NCPLX	34	0	0	0	0
2/83	NCPLX	34	0	0	0	0
3/83	NCPLX	34	0	0	0	0
4/83	CC	1055	0	0	0	0
5/83	CC	1055	0	0	0	0
6/83	CC	1055	0	0	0	0
7/83	CC	1055	0	0	0	0
8/83	CC	1055	0	0	0	0

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-101

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
9/83	CC	1055	0	0	0	0
10/83	CC	1130	0	0	0	0
11/83	CC	1130	0	0	0	0
12/83	CC	1130	0	0	0	0
1/84	CC	1130	0	0	0	0
2/84	CC	1130	0	0	0	0
3/84	CC	1130	0	0	0	0
4/84	CC	1112	0	0	0	0
5/84	CC	1126	0	0	0	0
6/84	CC	228	0	0	0	0
7/84	NCPLX	209	0	0	0	0
8/84	NCPLX	368	0	0	0	0
9/84	NCPLX	557	0	0	0	0
10/84	NCPLX	611	0	0	0	0
11/84	NCPLX	747	0	0	0	0
12/84	NCPLX	306	0	0	0	0
1/85	NCPLX	506	0	0	0	0
2/85	NCPLX	837	0	0	0	0
3/85	NCPLX	1045	0	0	0	0
4/85	NCPLX	157	0	0	0	0
5/85	NCPLX	257	0	0	0	0
6/85	NCPLX	391	0	0	0	0
7/85	NCPLX	543	0	0	0	0
8/85	NCPLX	713	0	0	0	0
9/85		857	0	0	0	0
10/85	NCPLX	917	0	0	0	0
11/85	NCPLX	311	0	0	0	0
12/85	NCPLX	428	0	0	0	0
1/86	NCPLX	563	0	0	0	0
2/86	NCPLX	726	0	0	0	0
3/86	NCPLX	276	0	0	0	0
4/86	NCPLX	274	0	0	0	0
5/86	DSSF	45	0	0	0	0
6/86	DSSF	742	0	0	0	0
7/86	DSSF	1123	0	0	0	0
8/86	DSSF	1121	0	0	0	0
9/86	DSSF	1121	0	0	0	0
10/86	DSSF	1122	0	0	0	0
11/86	DSSF	1121	0	0	0	0
12/86	DSSF	1121	0	0	0	0
1/87	DSSF	1121	0	0	0	0
2/87	DSSF	1122	0	0	0	0
3/87	DSSF	1123	0	0	0	0
4/87	DSSF	1119	0	0	0	0

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-101

Date		Total Waste	DSS	Sludge	Salt	Total solids
(M/Yr)	Waste Type	(K Gal)	(K Gal)	(K Gal)	(K Gal)	(K Gal)
5/87	DSSF	1120	0	0	0	0
6/87	DSSF	1121	0	0	0	0
7/87	DSSF	1121	0	0	0	0
8/87	DSSF	1122	0	0	0	0
9/87	DSSF	1121	0	84	0	84
10/87	DSSF	1122	0	84	0	84
11/87	DSSF	1125	0	84	0	84
12/87	DSSF	1125	0	84	0	84
1/88	DSSF	1113	0	84	0	84
2/88	DSSF	1122	0	84	0	84
3/88	DSSF	1123	0	84	0	84
4/88	DSSF	1122	0	84	0	84
5/88	DSSF	1118	0	84	0	84
6/88	DSSF	1121	0	84	0	84
7/88	DSSF	1121	0	84	0	84
8/88	DSSF	1123	0	84	0	84
9/88	DSSF	1119	0	84	0	84
10/88	DSSF	1120	0	84	0	84
11/88	DSSF	1120	0	84	0	84
12/88	DSSF	1121	0	84	0	84
1/89	DSSF	1120	0	84	0	84
2/89	DSSF	1120	0	84	0	84
3/89	DSSF	1120	0	84	0	84
4/89	DSSF	1121	0	84	0	84
5/89	DSSF	1123	0	84	0	84
6/89	DSSF	1122	0	84	0	84
7/89	DSSF	1123	0	84	0	84
8/89	DSSF	1123	0	84	0	84
9/89	DSSF	1129	0	84	0	84
10/89	DSSF	1130	0	84	0	84
11/89	DSSF	1124	0	84	0	84
12/89	DSSF	1125	0	84	0	84
1/90	DSSF	1121	0	84	0	84
2/90	DSSF	1120	0	84	0	84
3/90	DSSF	1124	0	84	0	84
4/90	DSSF	1123	0	84	0	84
5/90	DSSF	1122	0	84	0	84
6/90	DSSF	1137	0	84	0	84
7/90	DSSF	1123	0	84	0	84
8/90	DSSF	1124	0	84	0	84
9/90	DSSF	1126	0	84	0	84
10/90	DSSF	1122	0	84	0	84
11/90	DSSF	1124	0	84	0	84
12/90	DSSF	1140	0	84	0	84

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-101

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
1/91	DSSF	1134	0	84	0	84
2/91	DSSF	1119	0	84	0	84
3/91	DSSF	1120	0	84	0	84
4/91	DSSF	1121	0	84	0	84
5/91	DSSF	1120	0	84	0	84
6/91	DSSF	1121	0	84	0	84
7/91	DSSF	1123	0	84	0	84
8/91	DSSF	1125	0	84	0	84
9/91	DSSF	1124	0	84	0	84
10/91	DSSF	1125	0	84	0	84
11/91	DSSF	1124	0	84	0	84
12/91	DSSF	1124	0	84	0	84
1/92	DSSF	1125	0	84	0	84
2/92	DSSF	1126	0	84	0	84
3/92	DSSF	1124	0	84	0	84
4/92	DSSF	1125	0	84	0	84
5/92	DSSF	1141	0	84	0	84
6/92	DSSF	1141	0	84	0	84
7/92	DSSF	1143	0	84	0	84
8/92	DSSF	1126	0	84	0	84
9/92	DSSF	1130	0	84	0	84
10/92	DSSF	1143	0	84	0	84
11/92	DSSF	1143	0	84	0	84
12/92	DSSF	1122	0	84	0	84
1/93	DSSF	1145	0	84	0	84
2/93	DSSF	1148	0	84	0	84
3/93	DSSF	1148	0	84	0	84
4/93	DSSF	1149	0	84	0	84
5/93	DSSF	1151	0	84	0	84
6/93	DSSF	1151	0	84	0	84
7/93	DSSF	1151	0	84	0	84
8/93	DSSF	1152	0	84	0	84
9/93	DSSF	1152	0	84	0	84
10/93	DSSF	1147	0	84	0	84
11/93	DSSF	1141	0	84	0	84
12/93	DSSF	1138	0	84	0	84
1/94	DSSF	1138	0	84	0	84
2/94	DSSF	1137	0	84	0	84
3/94	DSSF	1139	0	84	0	84

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-102

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
1/80		0	0	0	0	0
2/80		0	0	0	0	0
3/80		0	0	0	0	0
4/80		0	0	0	0	0
5/80		0	0	0	0	0
6/80		0	0	0	0	0
7/80	NCPLX	19	0	0	0	0
8/80	NCPLX	19	0	0	0	0
9/80	NCPLX	19	0	0	0	0
10/80	NCPLX	30	0	0	0	0
11/80	NCPLX	30	0	0	0	0
12/80	NCPLX	30	0	0	0	0
1/81	NCPLX	30	0	0	0	0
2/81	NCPLX	38	0	0	0	0
3/81	NCPLX	38	0	0	0	0
4/81	NCPLX	42	0	0	0	0
5/81	NCPLX	42	0	0	0	0
6/81	NCPLX	302	0	0	0	0
7/81	NCPLX	897	0	0	0	0
8/81	NCPLX	904	0	0	0	0
9/81	NCPLX	904	0	0	0	0
10/81	NCPLX	980	0	0	0	0
11/81	NCPLX	447	0	0	0	0
12/81	NCPLX	84	0	0	0	0
1/82	NCPLX	89	0	0	0	0
2/82	NCPLX	557	0	0	0	0
3/82	NCPLX	871	0	0	0	0
4/82	NCPLX	871	0	0	0	0
5/82	NCPLX	871	0	0	0	0
6/82	NCPLX	907	0	0	0	0
7/82	NCPLX	1004	0	0	0	0
8/82	NCPLX	1033	0	0	0	0
9/82	NCPLX	755	0	0	0	0
10/82	NCPLX	157	0	0	0	0
11/82	NCPLX	1035	0	0	0	0
12/82	NCPLX	270	0	0	0	0
1/83	NCPLX	607	0	0	0	0
2/83	NCPLX	88	0	0	0	0
3/83	NCPLX	92	0	0	0	0
4/83	NCPLX	104	0	0	0	0
5/83	NCPLX	57	0	0	0	0
6/83	EVFD	279	0	0	0	0
7/83	EVFD	345	0	0	0	0
8/83	EVFD	631	0	0	0	0

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-102

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
9/83	EVFD	40	0	0	0	0
10/83	EVFD	336	0	0	0	0
11/83	EVFD	59	0	0	0	0
12/83	EVFD	953	0	0	0	0
1/84	EVFD	764	0	0	0	0
2/84	EVFD	979	0	3	0	3
3/84	EVFD	487	0	3	0	3
4/84	EVFD	568	0	3	0	3
5/84	EVFD	966	0	3	0	3
6/84	EVFD	933	0	3	0	3
7/84	EVFD	648	0	3	0	3
8/84	EVFD	1056	0	3	0	3
9/84	EVFD	986	0	3	0	3
10/84	EVFD	861	0	3	0	3
11/84	EVFD	902	0	1	0	.1
12/84	EVFD	728	0	1	0	1
1/85	HFW	908	0	1	0	1
2/85	HFW	1037	0	1	0	1
3/85	HFW	623	0	1	0	1
4/85	HFW	347	0	1	0	1
5/85	HFW	1007	0	1	0	1
6/85	HFW	915	0	1	0	1
7/85	HFW	1010	0	1	0	1
8/85	HFW	908	0	1	0	1
9/85		914	0	1	0	1
10/85	HFW	826	0	1	0	1
11/85	HFW	854	0	1	0	1
12/85	HFW	840	0	1	0	1
1/86	HFW	566	0	1	0	1
2/86	HFW	390	0	1	0	1
3/86	HFW	233	0	1	0	1
4/86	HFW	911	0	1	0	1
5/86	NCPLX	1021	0	1	0	1
6/86	NCPLX	482	0	1	0	1
7/86	NCPLX	180	0	1	0	1
8/86	NCPLX	507	0	1	0	1
9/86	NCPLX	859	0	1	0	1
10/86	NCPLX	627	0	1	0	1
11/86	NCPLX	679	0	1	0	1
12/86	NCPLX	95	0	1	0	1
1/87	NCPLX	100	0	1	0	1
2/87	NCPLX	139	0	1	0	1
3/87	NCPLX	180	0	1	0	1
4/87	NCPLX	403	0	1	0	1

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-102

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
5/87	NCPLX	760	0	1	0	1
6/87	NCPLX	373	0	1	0	1
7/87	NCPLX	507	0	1	0	1
8/87	NCPLX	928	0	1	0	1
9/87	NCPLX	948	0	1	0	1
10/87	NCPLX	781	0	1	0	1
11/87	NCPLX	791	0	1	0	1
12/87	NCPLX	798	0	1	0	1
1/88	NCPLX	848	0	1	0	1
2/88	NCPLX	882	0	1	0	1
3/88	NCPLX	881	0	1	0	1
4/88	NCPLX	865	0	1	0	1
5/88	NCPLX	827	0	1	0	1
6/88	NCPLX	546	0	1	0	1
7/88	NCPLX	430	0	1	0	1
8/88	NCPLX	785	0	1	0	1
9/88	NCPLX	928	0	1	0	1
10/88	NCPLX	795	0	1	0	1
11/88	NCPLX	670	0	1	0	1
12/88	NCPLX	721	0	1	0	1
1/89	NCPLX	708	0	1	0	1
2/89	NCPLX	767	0	1	0	1
3/89	NCPLX	730	0	1	0	1
4/89	NCPLX	895	0	1	0	1
5/89	NCPLX	902	0	1	0	1
6/89	NCPLX	908	0	1	0	1
7/89	NCPLX	911	0	1	0	1
8/89	NCPLX	912	0	1	0	1
9/89	NCPLX	912	0	1	0	1
10/89	NCPLX	915	0	1	0	1
11/89	NCPLX	936	0	1	0	1
12/89	NCPLX	997	0	1	0	1
1/90	NCPLX	997	0	1	0	1
2/90	NCPLX	997	0	1	0	1
3/90	NCPLX	936	0	1	0	1
4/90	NCPLX	1009	0	1	0	1
5/90	NCPLX	1012	0	1	0	1
6/90	DN	1013	0	1	0	1
7/90	DN	1030	0	1	0	1
8/90	DN	1031	0	1	0	1
9/90	DN	1032	0	1	0	1
10/90	DN	1031	0	1	0	1
11/90	DN	1029	0	1	0	1
12/90	DN	1025	0	1	0	1

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-102

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
1/91	DN	1024	0	1	0	1
2/91	DN	1030	0	1	0	1
3/91	DN	1030	0	1	0	1
4/91	DN	1030	0	1	0	1
5/91	DN	1030	0	1	0	1
6/91	DN	1024	0	1	0	1
7/91	DN	1027	0	1	0	1
8/91	DN	1027	0	1	0	1
9/91	DN	1027	0	1	0	1
10/91	DN	1033	0	1	0	1
11/91	DN	1036	0	1	0	1
12/91	DN	1035	0	1	0	1
1/92	DN	1035	0	1	0	1
2/92	DN	1036	0	1	0	1
3/92	DN	1037	0	1	0	1
4/92	DN	1037	0	1	0	1
5/92	DN	1037	0	1	0	1
6/92	DN	1038	0	1	0	1
7/92	DN	1040	0	1	0	1
8/92	DN	679	0	1	0	1
9/92	DN	731	0	1	0	1
10/92	DN	730	0	1	0	1
11/92	DN	739	0	1	0	1
12/92	DN	749	0	1	0	1
1/93	DN	788	0	1	0	1
2/93	DN	809	0	1	0	1
3/93	DN	811	0	1	0	1
4/93	DN	811	0	1	0	1
5/93	DN	830	0	1	0	1
6/93	DN	876	0	1	0	1
7/93	DN	886	0	1	0	1
8/93	DN	938	0	1	0	1
9/93	DN	938	0	1	0	1
10/93	DN	951	0	1	0	1
11/93	DN	954	0	1	0	1
12/93	DN	966	0	1	0	1
1/94	DN	979	0	1	0	1
2/94	DN	979	0	1	0	1
3/94	DN	979	0	1	0	1

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-103

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
1/80		0	0	0	0	0
2/80		0	0	0	0	0
3/80		0	0	0	0	0
4/80		0	0	0	0	0
5/80		0	0	0	0	0
6/80		0	0	0	0	0
7/80	NCPLX	10	0	0	0	0
8/80	DSSF	10	0	0	0	0
9/80	DSSF	10	0	0	0	0
10/80	DSSF	679	0	0	0	0
11/80	DSSF	959	0	0	0	0
12/80	DSSF	959	0	0	0	0
1/81	DSSF	977	0	0	0	0
2/81	DSSF	977	0	0	0	0
3/81	DSSF	977	0	0	0	0
4/81	DSSF	973	0	0	0	0
5/81	DSSF	973	0	0	0	0
6/81	DSSF	973	0	0	0	0
7/81	DSSF	973	0	0	0	0
8/81	DSSF	973	0	0	0	0
9/81	DSSF	973	0	0	0	0
10/81	DSSF	973	0	0	0	0
11/81	DSSF	973	0	0	0	0
12/81	DDSSF	973	0	0	0	0
1/82	DDSSF	977	0	0	0	0
2/82	DDSSF	977	0	0	0	0
3/82	DDSSF	977	0	0	0	0
4/82	DDSSF	1019	0	0	0	0
5/82	DDSSF	1135	0	0	0	0
6/82	DDSSF	1135	0	0	0	0
7/82	DDSSF	1135	0	0	0	0
8/82	DDSSF	1135	0	0	0	0
9/82	DDSSF	1135	0	0	0	0
10/82	DDSSF	1135	0	0	0	0
11/82	DDSSF	1135	0	0	0	0
12/82	DDSSF	1135	0	0	0	0
1/83	DDSSF	1135	0	0	0	0
2/83	DDSSF	1135	0	0	0	0
3/83	DDSSF	214	0	0	0	0
4/83	DSSF	214	0	0	0	0
5/83	DSSF	250	0	0	0	0
6/83	NCPLX	250	0	0	0	0
7/83	NCPLX	250	0	0	0	0
8/83	NCPLX	305	0	0	0	0

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-103

Date		Total Waste	DSS	Sludge	Salt	Total solids
(M/Yr)	Waste Type	(K Gal)	(K Gal)	(K Gal)	(K Gal)	(K Gal)
9/83	NCPLX	87	0	47	0	47
10/83	NCPLX	126	0	3	0	3
11/83	NCPLX	170	0	3	0	3
12/83	NCPLX	246	0	3	0	3
1/84	NCPLX	405	0	3	0	3
2/84	NCPLX	465	0	47	0	47
3/84	NCPLX	643	0	47	0	47
4/84	NCPLX	800	0	47	0	47
5/84	NCPLX	919	0	47	0	47
6/84	NCPLX	1058	0	47	0	47
7/84	NCPLX	1085	0	47	0	47
8/84	NCPLX	1083	0	47	0	47
9/84	NCPLX	1083	0	340	0	340
10/84	NCPLX	525	0	340	0	340
11/84	NCPLX	232	0	47	0	47
12/84	NCPLX	232	0	47	0	47
1/85	NCPLX	361	0	47	0	47
2/85	NCPLX	501	0	47	0	47
3/85	NCPLX	689	0	47	0	47
4/85	NCPLX	865	0	47	0	47
5/85	NCPLX	975	0	47	0	47
6/85	NCPLX	1049	0	47	0	47
7/85	NCPLX	1104	0	47	0	47
8/85	NCPLX	1104	0	47	0	47
9/85		828	0	47	0	47
10/85	NCPLX	690	0	47	0	47
11/85	NCPLX	690	0	47	0	47
12/85	NCPLX	601	0	47	0	47
1/86	NCPLX	693	0	47	0	47
2/86	NCPLX	840	0	47	0	47
3/86	NCPLX	654	0	47	0	47
4/86	NCPLX	654	0	47	0	47
5/86	NCPLX	685	0	47	0	47
6/86	NCPLX	785	0	47	0	47
7/86	NCPLX	960	0	47	0	47
8/86	NCPLX	1091	0	47	0	47
9/86	NCPLX	1090	0	47	0	47
10/86	NCPLX	1089	0	47	0	47
11/86	NCPLX	1087	0	47	0	47
12/86	NCPLX	1086	0	47	0	47
1/87	NCPLX	1084	0	47	0	47
2/87	NCPLX	453	0	47	0	47
3/87	NCPLX	452	0	371	0	371
4/87	NCPLX	452	0	371	0	371

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-103

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
5/87	NCPLX	451	0	371	0	371
6/87	NCPLX	451	0	371	0	371
7/87	NCPLX	463	0	371	0	371
8/87	NCPLX	573	0	371	0	371
9/87	NCPLX	638	0	371	0	371
10/87	NCPLX	637	0	371	0	371
11/87	NCPLX	636	0	371	0	371
12/87	NCPLX	635	0	371	0	371
1/88	NCPLX	663	0	371	0	371
2/88	NCPLX	778	0	371	0	371
3/88	NCPLX	872	0	371	0	371
4/88	NCPLX	598	0	371	0	371
5/88	NCPLX	462	0	371	0	371
6/88	NCPLX	579	0	371	0	371
7/88	NCPLX	672	0	371	0	371
8/88	NCPLX	880	0	371	0	371
9/88	NCPLX	958	0	330	0	330
10/88	NCPLX	1011	0	371	0	371
11/88	NCPLX	1090	0	330	0	330
12/88	NCPLX	1021	0	330	0	330
1/89	NCPLX	1020	0	363	0	363
2/89	NCPLX	770	0	363	0	363
3/89	NCPLX	646	0	363	0	363
4/89	NCPLX	644	0	363	0	363
5/89	NCPLX	647	0	363	0	363
6/89	NCPLX	647	0	363	0	363
7/89	NCPLX	647	0	363	0	363
8/89	NCPLX	647	0	363	0	363
9/89	NCPLX	647	0	363	0	363
10/89	NCPLX	647	0	363	0	363
11/89	NCPLX	647	0	363	0	363
12/89	NCPLX	645	0	363	0	363
1/90	NCPLX	645	0	363	0	363
2/90	NCPLX	645	0	363	0	363
3/90	NCPLX	647	0	363	0	363
4/90	NCPLX	645	0	363	0	363
5/90	NCPLX	645	0	363	0	363
6/90	DN/PD	639	0	363	0	363
7/90	DN/PD	645	0	363	0	363
8/90	DN/PD	639	0	363	0	363
9/90	DN/PD	639	0	363	0	363
10/90	DN/PD	639	0	363	0	363
11/90	DN/PD	638	0	363	0	363
12/90	DN/PD	643	0	363	0	363

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-103

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
1/91	DN/PD	648	0	363	0	363
2/91	DN/PD	647	0	363	0	363
3/91	DN/PD	648	0	363	0	363
4/91	DN/PD	648	0	363	0	363
5/91	DN/PD	648	0	363	0	363
6/91	DN/PD	648	0	363	0	363
7/91	DN/PD	648	0	363	0	363
8/91	DN/PD	648	0	363	0	363
9/91	DN/PD	648	0	363	0	363
10/91	DN/PD	647	0	363	0	363
11/91	DN/PD	650	0	363	0	363
12/91	DN/PD	650	0	363	0	363
1/92	DN/PD	650	0	363	0	363
2/92	DN/PD	649	0	363	0	363
3/92	DN/PD	646	0	363	0	363
4/92	DN/PD	646	0	363	0	363
5/92	DN/PD	646	0	363	0	363
6/92	DN/PD	646	0	363	0	363
7/92	DN/PD	646	0	363	0	363
8/92	DN/PD	646	0	363	0	363
9/92	DN/PD	648	0	363	0	363
10/92	DN/PD	646	0	363	0	363
11/92	DN/PD	646	0	363	0	363
12/92	DN/PD	646	0	363	0	363
1/93	DN/PD	645	0	363	0	363
2/93	DN/PD	645	0	363	0	363
3/93	DN/PD	650	0	363	0	363
4/93	DN/PD	650	0	363	0	363
5/93	DN/PD	645	0	363	0	363
6/93	DN/PD	645	0	363	0	363
7/93	DN/PD	645	0	363	0	363
8/93	DN/PD	648	0	363	0	363
9/93	DN/PD	648	0	363	0	363
10/93	DN/PD	648	0	363	0	363
11/93	DN/PD	648	0	363	0	363
12/93	DN/PD	647	0	363	0	363
1/94	DN/PD	647	0	363	0	363
2/94	DN/PD	647	0	363	0	363
3/94	DN/PD	646	0	363	0	363

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-104

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
1/80		0	0	0	0	0
2/80		0	0	0	0	0
3/80		0	0	0	0	0
4/80		0	0	0	0	0
5/80		0	0	0	0	0
6/80		0	0	0	0	0
7/80	NCPLX	9	0	0	0	0
8/80	NCPLX	9	0	0	0	0
9/80	NCPLX	9	0	0	0	0
10/80	NCPLX	0	0	0	0	0
11/80	NCPLX	0	0	0	0	0
12/80	NCPLX	0	0	0	0	0
1/81	NCPLX	0	0	0	0	0
2/81	NCPLX	0	0	0	0	0
3/81	NCPLX	0	0	0	0	0
4/81	NCPLX	9	0	0	0	0
5/81	NCPLX	9	0	0	0	0
6/81	NCPLX	9	0	0	0	0
7/81	NCPLX	9	0	0	0	0
8/81	CC	148	0	0	0	0
9/81	CC	148	0	0	0	0
10/81	CC	148	0	0	0	0
11/81	CPLX	148	0	0	0	0
12/81	CPLX	148	0	0	0	0
1/82	CPLX	148	0	0	0	0
2/82	CPLX	148	0	0	0	0
3/82	CPLX	148	0	0	0	0
4/82	CPLX	148	0	0	0	0
5/82	CPLX	148	0	0	0	0
6/82	CPLX	148	0	0	0	0
7/82	CPLX	148	0	0	0	0
8/82	CPLX	148	0	0	0	0
9/82	CPLX	748	0	0	0	0
10/82	NCPLX	907	0	0	0	0
11/82	NCPLX	84	0	0	0	0
12/82	NCPLX	117	0	0	0	0
1/83	NCPLX	53	0	0	0	0
2/83	NCPLX	53	0	0	0	0
3/83	NCPLX	59	0	0	0	0
4/83	NCPLX	59	0	0	0	0
5/83	NCPLX	133	0	0	0	0
6/83	NCPLX	133	0	0	0	0
7/83	NCPLX	133	0	0	0	0
8/83	NCPLX	1032	0	0	0	0

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-104

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
9/83	NCPLX	1032	0	0	0	0
10/83	NCPLX	1032	0	0	0	0
11/83	NCPLX	1027	0	0	0	0
12/83	NCPLX	384	0	0	0	0
1/84	NCPLX	1074	0	0	0	0
2/84	NCPLX	1115	0	0	13	13
3/84	NCPLX	49	0	0	13	13
4/84	NCPLX	49	0	0	13	13
5/84	NCPLX	993	0	0	13	13
6/84	NCPLX	941	0	0	13	13
7/84	NCPLX	749	0	0	13	13
8/84	NCPLX	164	0	0	13	13
9/84	NCPLX	164	0	0	13	13
10/84	NCPLX	302	0	0	13	13
11/84	NCPLX	1087	0	0	32	32
12/84	NCPLX	1087	0	0	32	32
1/85	NCPLX	1087	0	0	32	32
2/85	NCPLX	1083	0	0	32	32
3/85	NCPLX	1083	0	0	111	111
4/85	NCPLX	1083	0	0	111	111
5/85	NCPLX	1083	0	0	111	111
6/85	NCPLX	1083	0	0	111	111
7/85	NCPLX	1083	0	0	111	111
8/85	NCPLX	1083	0	0	111	111
9/85		1085	0	0	111	111
10/85	NCPLX	1085	0	0	111	111
11/85	NCPLX	1085	0	0	111	111
12/85	NCPLX	1085	0	0	111	111
1/86	NCPLX	1084	0	0	111	111
2/86	NCPLX	810	0	0	111	111
3/86	NCPLX	1080	0	0	111	111
4/86	NCPLX	1080	0	0	111	111
5/86	NCPLX	1080	0	0	111	111
6/86	NCPLX	268	0	0	111	111
7/86	NCPLX	364	0	0	111	111
8/86	NCPLX	493	0	0	111	111
9/86	NCPLX	590	0	0	111	111
10/86	NCPLX	718	0	0	111	111
11/86	NCPLX	795	0	0	111	111
12/86	NCPLX	285	0	0	111	111
1/87	NCPLX	331	0	0	111	111
2/87	NCPLX	543	0	0	111	111
3/87	NCPLX	672	0	270	111	381
4/87	NCPLX	823	0	270	111	381

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-104

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
5/87	NCPLX	882	0	270	111	381
6/87	NCPLX	1010	0	270	111	381
7/87	NCPLX	311	0	270	111	381
8/87	NCPLX	497	0	270	111	381
9/87	NCPLX	352	0	179	111	290
10/87	NCPLX	539	0	179	111	290
11/87	NCPLX	657	0	179	111	290
12/87	NCPLX	730	0	179	111	290
1/88	NCPLX	901	0	179	111	290
2/88	NCPLX	921	0	179	111	290
3/88	NCPLX	901	0	179	111	290
4/88	NCPLX	992	0	179	111	290
5/88	NCPLX	960	0	179	111	290
6/88	NCPLX	888	0	179	111	290
7/88	NCPLX	1036	0	179	111	290
8/88	NCPLX	1076	0	179	111	290
9/88	NCPLX	878	0	179	111	290
10/88	NCPLX	850	0	179	111	290
11/88	NCPLX	980	0	179	111	290
12/88	NCPLX	1024	0	179	111	290
1/89	NCPLX	1065	0	179	111	290
2/89	NCPLX	625	0	179	111	290
3/89	NCPLX	338	0	179	111	290
4/89	NCPLX	375	0	179	111	290
5/89	NCPLX	399	0	179	111	290
6/89	NCPLX	449	0	179	111	290
7/89	NCPLX	467	0	179	111	290
8/89	NCPLX	478	0	179	111	290
9/89	NCPLX	506	0	179	111	290
10/89	NCPLX	527	0	179	111	290
11/89	NCPLX	578	0	179	111	290
12/89	NCPLX	675	0	179	111	290
1/90	NCPLX	740	0	179	111	290
2/90	NCPLX	813	0	179	111	290
3/90	NCPLX	578	0	179	111	290
4/90	NCPLX	884	0	179	111	290
5/90	NCPLX	889	0	179	111	290
6/90	DN	890	0	179	111	290
7/90	DN	912	0	179	111	290
8/90	DN	922	0	179	111	290
9/90	DN	932	0	179	111	290
10/90	DN	953	0	179	111	290
11/90	DN	978	0	179	111	290
12/90	DN	1000	0	179	111	290

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-104

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
1/91	DN	1054	0	179	111	290
2/91	DN	1078	0	179	111	290
3/91	DN	1107	0	179	111	290
4/91	DN	1127	0	179	111	290
5/91	DN	1126	0	179	111	290
6/91	DN	1127	0	179	111	290
7/91	DN	1127	0	179	111	290
8/91	DN	1127	0	179	111	290
9/91	DN	1127	0	179	111	290
10/91	DN	1126	0	179	111	290
11/91	DN	1126	0	179	111	290
12/91	DN	1126	0	179	111	290
1/92	DN	1125	0	179	111	290
2/92	DN	1125	0	179	111	290
3/92	DN	1124	0	179	111	290
4/92	DN	1125	0	179	111	290
5/92	DN	1124	0	179	111	290
6/92	DN	1124	0	179	111	290
7/92	DN	1125	0	179	111	290
8/92	DN	1125	0	179	111	290
9/92	DN	1124	0	179	111	290
10/92	DN	1124	0	179	111	290
11/92	DN	1124	0	179	111	290
12/92	DN	1124	0	179	111	290
1/93	DN	1124	0	179	111	290
2/93	DN	1123	0	179	111	290
3/93	DN	1124	0	179	111	290
4/93	DN	1123	0	179	111	290
5/93	DN	1124	0	179	111	290
6/93	DN	1124	0	179	111	290
7/93	DN	1124	0	179	111	290
8/93	DN	1124	0	179	111	290
9/93	DN	1124	0	179	111	290
10/93	DN	1123	0	179	111	290
11/93	DN	1123	0	179	111	290
12/93	DN	1123	0	179	111	290
1/94	DN	1123	0	179	111	290
2/94	DN	1123	0	179	111	290
3/94	DN	1123	0	179	111	290

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-105

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
1/80		0	0	0	0	0
2/80		0	0	0	0	0
3/80		0	0	0	0	0
4/80		0	0	0	0	0
5/80		0	0	0	0	0
6/80		0	0	0	0	0
7/80	NCPLX	10	0	0	0	0
8/80	CC	946	0	0	0	0
9/80	CC	948	0	0	0	0
10/80	CC	942	0	0	0	0
11/80	CC	939	0	0	0	0
12/80	CC	939	0	0	0	0
1/81	CC	934	0	0	0	0
2/81	CC	934	0	0	0	0
3/81	CC	934	0	0	0	0
4/81	CC	931	0	0	0	0
5/81	CC	931	0	0	0	0
6/81	CC	931	0	0	0	0
7/81	CC	931	0	0	0	0
8/81	CC	931	0	0	0	0
9/81	CC	931	0	0	0	0
10/81	CC	931	0	0	0	0
11/81	CC	931	0	0	0	0
12/81	CC	931	0	0	0	0
1/82	CC	931	0	0	0	0
2/82	CC	931	0	0	0	0
3/82	CC	931	0	0	0	0
4/82	CC	931	0	0	0	0
5/82	CC	926	0	0	0	0
6/82	CC	926	0	0	0	0
7/82	CC	926	0	0	0	0
8/82	CC	926	0	0	0	0
9/82	CC	1040	0	0	0	0
10/82	CC	1040	0	0	0	0
11/82	CC	1040	0	0	0	0
12/82	CC	1049	0	0	0	0
1/83	CC	1069	0	0	0	0
2/83	CC	1069	0	0	0	0
3/83	CC	1069	0	0	0	0
4/83	CC	5	0	0	0	0
5/83	CC	168	0	0	0	0
6/83	NCPLX	281	0	0	0	0
7/83	NCPLX	342	0	0	0	0
8/83	NCPLX	390	0	0	0	0

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-105

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
9/83	NCPLX	855	0	0	0	0
10/83	NCPLX	978	0	0	0	0
11/83	NCPLX	792	0	0	0	0
12/83	NCPLX	943	0	0	0	0
1/84	NCPLX	857	0	0	0	0
2/84	NCPLX	1009	0	14	0	14
3/84	NCPLX	1025	0	14	0	14
4/84	NCPLX	1058	0	14	0	14
5/84	NCPLX	660	0	14	0	14
6/84	NCPLX	266	0	14	0	14
7/84	NCPLX	286	0	14	0	14
8/84	NCPLX	488	0	14	0	14
9/84	NCPLX	613	0	223	0	223
10/84	NCPLX	620	0	223	0	223
11/84	NCPLX	674	0	14	0	14
12/84	NCPLX	815	0	14	0	14
1/85	NCPLX	859	0	14	0	14
2/85	NCPLX	858	0	14	0	14
3/85	NCPLX	858	0	14	0	14
4/85	NCPLX	858	0	14	0	14
5/85	NCPLX	628	0	14	0	14
6/85	NCPLX	328	0	14	0	14
7/85	NCPLX	456	0	14	0	14
8/85	NCPLX	650	0	14	0	14
9/85		751	0	14	0	14
10/85	NCPLX	865	0	14	0	14
11/85	NCPLX	1032	0	14	0	14
12/85	NCPLX	605	0	14	0	14
1/86	NCPLX	605	0	14	0	14
2/86	NCPLX	603	0	14	0	14
3/86	NCPLX	728	0	14	0	14
4/86	NCPLX	898	0	14	0	14
5/86	NCPLX	619	0	14	0	14
6/86	NCPLX	619	0	14	0	14
7/86	DSSF	619	0	14	0	14
8/86	NCPLX	679	0	14	0	14
9/86	NCPLX	683	0	14	0	14
10/86	NCPLX	682	0	14	0	14
11/86	NCPLX	682	0	14	0	14
12/86	NCPLX	681	0	14	0	14
1/87	NCPLX	723	0	14	0	14
2/87	NCPLX	729	0	14	0	14
3/87	NCPLX	770	0	297	0	297
4/87	NCPLX	809	0	297	0	297

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-105

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
5/87	NCPLX	829	0	297	0	297
6/87	NCPLX	853	0	297	0	297
7/87	NCPLX	925	0	297	0	297
8/87	NCPLX	294	0	297	0	297
9/87	NCPLX	990	0	297	0	297
10/87	NCPLX	989	0	297	0	297
11/87	NCPLX	988	0	297	0	297
12/87	NCPLX	988	0	297	0	297
1/88	NCPLX	988	0	297	0	297
2/88	NCPLX	917	0	297	0	297
3/88	NCPLX	718	0	297	0	297
4/88	NCPLX	505	0	297	0	297
5/88	NCPLX	541	0	297	0	297
6/88	NCPLX	565	0	297	0	297
7/88	NCPLX	589	0	297	0	297
8/88	NCPLX	594	0	297	0	297
9/88	NCPLX	679	0	297	0	297
10/88	NCPLX	738	0	297	0	297
11/88	NCPLX	805	0	297	0	297
12/88	NCPLX	830	0	297	0	297
1/89	NCPLX	829	0	297	0	297
2/89	NCPLX	829	0	297	0	297
3/89	NCPLX	829	0	297	0	297
4/89	NCPLX	829	0	297	0	297
5/89	NCPLX	826	0	297	0	297
6/89	NCPLX	826	0	297	0	297
7/89	NCPLX	832	0	297	0	297
8/89	NCPLX	832	0	297	0	297
9/89	NCPLX	832	0	297	0	297
10/89	NCPLX	832	0	297	0	297
11/89	NCPLX	836	0	297	0	297
12/89	NCPLX	885	0	297	0	297
1/90	NCPLX	889	0	297	0	297
2/90	NCPLX	903	0	297	0	297
3/90	NCPLX	836	0	297	0	297
4/90	NCPLX	901	0	297	0	297
5/90	NCPLX	901	0	297	0	297
6/90	DN/PD	901	0	297	0	297
7/90	DN/PD	903	0	297	0	297
8/90	DN/PD	904	0	297	0	297
9/90	DN/PD	902	0	297	0	297
10/90	DN/PD	904	0	297	0	297
11/90	DN/PD	903	0	297	0	297
12/90	DN/PD	903	0	297	0	297

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-105

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
1/91	DN/PD	903	0	297	0	297
2/91	DN/PD	903	0	297	0	297
3/91	DN/PD	903	0	297	0	297
4/91	DN/PD	1051	0	297	0	297
5/91	DN/PD	1051	0	297	0	297
6/91	DN/PD	903	0	297	0	297
7/91	DN/PD	903	0	297	0	297
8/91	DN/PD	904	0	297	0	297
9/91	DN/PD	903	0	297	0	297
10/91	DN/PD	903	0	297	0	297
11/91	DN/PD	903	0	297	0	297
12/91	DN/PD	903	0	297	0	297
1/92	DN/PD	901	0	297	0	297
2/92	DN/PD	901	0	297	0	297
3/92	DN/PD	899	0	297	0	297
4/92	DN/PD	900	0	297	0	297
5/92	DN/PD	900	0	297	0	297
6/92	DN/PD	900	0	297	0	297
7/92	DN/PD	906	0	297	0	297
8/92	DN/PD	911	0	297	0	297
9/92	DN/PD	935	0	297	0	297
10/92	DN/PD	940	0	297	0	297
11/92	DN/PD	945	0	297	0	297
12/92	DN/PD	958	0	297	0	297
1/93	DN/PD	963	0	297	0	297
2/93	DN/PD	977	0	297	0	297
3/93	DN/PD	986	0	297	0	297
4/93	DN/PD	983	0	297	0	297
5/93	DN/PD	994	0	297	0	297
6/93	DN/PD	998	0	297	0	297
7/93	DN/PD	1002	0	297	0	297
8/93	DN/PD	1002	0	297	0	297
9/93	DN/PD	1002	0	297	0	297
10/93	DN/PD	1015	0	297	0	297
11/93	DN/PD	1037	0	297	0	297
12/93	DN/PD	1044	0	297	0	297
1/94	DN/PD	1044	0	297	0	297
2/94	DN/PD	1044	0	297	0	297
3/94	DN/PD	1040	0	297	0	297

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-106

Date		Total Waste	DSS	Sludge	Salt	Total solids
(M/Yr)	Waste Type	(K Gal)	(K Gal)	(K Gal)	(K Gal)	(K Gal)
1/80		0	0	0	0	0
2/80		0	0	0	0	0
3/80		0	0	0	0	0
4/80		0	0	0	0	0
5/80		0	0	0	0	0
6/80		0	0	0	0	0
7/80	CC	28	0	0	0	0
8/80	CPLX	54	0	0	0	0
9/80	CPLX	54	0	0	0	0
10/80	CCW	538	0	0	0	0
11/80	CCW	538	0	0	0	0
12/80	CCW	538	0	0	0	0
1/81	CCW	538	0	0	0	0
2/81	CCW	538	0	0	0	0
3/81	CCW	538	0	0	0	0
4/81	CCW	536	0	0	0	0
5/81	CCW	536	0	0	0	0
6/81	CCW	536	0	0	0	0
7/81	CCW	536	0	0	0	0
8/81	CCW	536	0	0	0	0
9/81	CCW	536	0	0	0	0
10/81	CCW	536	0	0	0	0
11/81	CCW	536	0	0	0	0
12/81	CCW	536	0	0	0	0
1/82	CCW	536	0	0	0	0
2/82	CCW	536	0	0	0	0
3/82	CCW	536	0	0	0	0
4/82	CCW	536	0	0	0	0
5/82	CCW	536	0	0	0	0
6/82	CCW	566	0	0	0	0
7/82	CCW	566	0	0	0	0
8/82	CCW	566	0	0	0	0
9/82	CCW	573	0	0	0	0
10/82	CCW	604	0	0	0	0
11/82	CCW	604	0	0	0	0
12/82	CCW	604	0	0	0	0
1/83	CCW	42	0	0	0	0
2/83	CCW	42	0	0	0	0
3/83	DSSF	969	0	0	0	0
4/83	DSSF	969	0	0	0	0
5/83	DSSF	969	0	0	0	0
6/83	DSSF	969	0	0	0	0
7/83	DSSF	969	0	0	0	0
8/83	DSSF	969	0	0	0	0

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-106

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
9/83	DSSF	969	0	0	0	0
10/83	DSSF	969	0	0	0	0
11/83	DSSF	969	0	0	0	0
12/83	DSSF	966	0	0	0	0
1/84	DSSF	966	0	0	0	0
2/84	DSSF	966	0	0	53	53
3/84	DSSF	966	0	0	53	53
4/84	DSSF	966	0	0	53	53
5/84	DSSF	966	0	0	53	53
6/84	DSSF	966	0	0	53	53
7/84	DSSF	966	0	0	53	53
8/84	DSSF	966	0	0	53	53
9/84	DSSF	966	0	0	53	53
10/84	DSSF	437	0	0	53	53
11/84	DSSF	67	0	0	53	53
12/84	DSSF	521	0	0	53	53
1/85	DSSF	138	0	0	53	53
2/85	DSSF	727	0	0	53	53
3/85	DSSF	740	0	0	85	85
4/85	DSSF	430	0	0	85	85
5/85	DSSF	969	0	0	85	85
6/85	DSSF	1016	0	0	85	85
7/85	DSSF	432	0	0	85	85
8/85	DSSF	819	0	0	85	85
9/85		507	0	0	85	85
10/85	DSSF	749	0	0	85	85
11/85	DSSF	213	0	0	85	85
12/85	DSSF	457	0	0	85	85
1/86	DSSF	1011	0	0	85	85
2/86	DSSF	722	0	0	85	85
3/86	DSSF	659	0	0	85	85
4/86	DSSF	263	0	0	85	85
5/86	DSSF	461	0	0	85	85
6/86	DSSF	511	0	0	85	85
7/86	NCPLX	401	0	0	85	85
8/86	DSSF	400	0	0	85	85
9/86	DSSF	419	0	0	85	85
10/86	DSSF	627	0	0	85	85
11/86	DSSF	422	0	0	85	85
12/86	DSSF	763	0	0	85	85
1/87	DSSF	212	0	0	85	85
2/87	DSSF	1045	0	0	85	85
3/87	DSSF	1044	0	173	85	258
4/87	DSSF	1047	0	173	85	258

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-106

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
5/87	DSSF	1047	0	173	85	258
6/87	DSSF	1047	0	173	85	258
7/87	DSSF	918	0	173	85	258
8/87	DSSF	606	0	173	85	258
9/87	DSSF	728	0	173	85	258
10/87	DSSF	922	0	173	85	258
11/87	DSSF	920	0	173	85	258
12/87	DSSF	924	0	173	85	258
1/88	DSSF	837	0	173	85	258
2/88	DSSF	1014	0	173	85	258
3/88	DSSF	975	0	173	85	258
4/88	DSSF	871	0	173	85	258
5/88	DSSF	745	0	173	85	258
6/88	DSSF	908	0	173	85	258
7/88	DSSF	749	0	173	85	258
8/88	DSSF	840	0	173	85	258
9/88	DSSF	1017	0	173	85	258
10/88	DSSF	892	0	173	85	258
11/88	DSSF	747	0	173	85	258
12/88	DSSF	884	0	173	85	258
1/89	DSSF	213	0	173	85	258
2/89	DSSF	258	0	173	85	258
3/89	DSSF	282	0	173	85	258
4/89	DSSF	343	0	173	85	258
5/89	DSSF	620	0	173	85	258
6/89	DSSF	623	0	198	85	283
7/89	DSSF	538	0	198	85	283
8/89	DSSF	541	0	198	85	283
9/89	DSSF	538	0	198	85	283
10/89	DSSF	538	0	198	85	283
11/89	DSSF	538	0	198	85	283
12/89	DSSF	537	0	198	85	283
1/90	DSSF	537	0	198	85	283
2/90	DSSF	538	0	198	85	283
3/90	DSSF	538	0	198	85	283
4/90	DSSF	535	0	198	85	283
5/90	DSSF	535	0	198	85	283
6/90	DN	534	0	198	85	283
7/90	DN	534	0	198	85	283
8/90	DN	640	0	198	85	283
9/90	DN	535	0	198	85	283
10/90	DN	535	0	198	85	283
11/90	DN	534	0	198	85	283
12/90	DN	533	0	198	85	283

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

TANK LEVEL HISTORY AND WASTE TYPES
241-AW-106

Date (M/Yr)	Waste Type	Total Waste (K Gal)	DSS (K Gal)	Sludge (K Gal)	Salt (K Gal)	Total solids (K Gal)
1/91	DN	533	0	198	85	283
2/91	DN	532	0	198	85	283
3/91	DN	531	0	198	85	283
4/91	DN	530	0	198	85	283
5/91	DN	530	0	198	85	283
6/91	DN	530	0	198	85	283
7/91	DN	530	0	198	85	283
8/91	DN	530	0	198	85	283
9/91	DN	529	0	198	85	283
10/91	DN	529	0	198	85	283
11/91	DN	528	0	198	85	283
12/91	DN	527	0	198	85	283
1/92	DN	527	0	211	85	296
2/92	DN	526	0	211	85	296
3/92	DN	526	0	211	85	296
4/92	DN	526	0	211	85	296
5/92	DN	525	0	211	85	296
6/92	DN	525	0	211	85	296
7/92	DN	525	0	211	85	296
8/92	DN	888	0	211	85	296
9/92	DN	933	0	211	85	296
10/92	DN	939	0	211	85	296
11/92	DN	939	0	211	85	296
12/92	DN	957	0	211	85	296
1/93	DN	993	0	211	85	296
2/93	DN	1024	0	211	85	296
3/93	DN	1028	0	211	85	296
4/93	DN	1028	0	211	85	296
5/93	DN	1048	0	211	85	296
6/93	DN	1074	0	211	85	296
7/93	DN	1074	0	211	85	296
8/93	DN	1064	0	211	85	296
9/93	DN	1084	0	211	85	296
10/93	DN	1070	0	211	85	296
11/93	DN	1070	0	211	85	296
12/93	DN	1082	0	211	85	296
1/94	DN	1109	0	211	85	296
2/94	DN	1109	0	211	85	296
3/94	DN	1108	0	211	85	296

Data obtained from Tank Farm Surveillance and Waste Status Summary Report, WHC-EP-0182.

**PRIMARY ADDITIONS
AW TANKS**

Tank	Waste	Total (Kgal)	# Trans	Start Date	End Date
AW-101	PL2	2764	25	1981	1986
	N	9	1	1982	1982
	SWLIQ	72	2	1985	1985.25
	UNK	1	1	1986.5	1986.5
	GAS	57	14	1989.25	1992.5
AW-102	PL2	1036	11	1981.5	1986.5
	BL	3	1	1982.25	1982.25
	N	788	5	1983.5	1983.75
	SWLIQ	629	10	1985.25	1994
	UNK	20	8	1990.75	1992.5
AW-103	CW/ZR2	3463	76	1983.25	1988.75
	UNK	31	6	1988.25	1992.5
	PL2	10	1	1991	1991
AW-104	CW/ZR2	47	3	1982.75	1983
	PL2	4443	59	1982.75	1991.25
	UNK	163	6	1986.5	1992.5
AW-105	BL	13	1	1983	1983
	PL2	1915	27	1983.25	1992.75
	CW/ZR2	2045	64	1984.5	1990
	SWLIQ	216	7	1985.25	1993.75
	UNK	20	7	1989.25	1992.25
AW-106	BL	33	2	1982.25	1982.75
	UNK	2	1	1990.5	1990.5
	SWLIQ	222	7	1992.5	1994

Derived from Waste Status and Transaction Record Summary(WSTRS) For The Southeast Quadrant,
WHC-SD-WM-TI-689, Rev. 0(Agnew, S.F., March 1995)

THIS PAGE INTENTIONALLY
LEFT BLANK

APPENDIX D

Temperature Graphs and Data

THIS PAGE INTENTIONALLY
LEFT BLANK

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

241-AW-103
Thermocouple TE-103-AW-36
 Elevation 0.33 ft.

241-AW-103
Thermocouple TE-103-AW-37
 Elevation 2.33 ft.

241-AW-103
Thermocouple TE-103-AW-40
 Elevation 8.33 ft.

241-AW-103
Thermocouple TE-103-AW-41
 Elevation 10.33 ft.

241-AW-103
Thermocouple TE-103-AW-42
Elevation 12.33 ft.

241-AW-103
Thermocouple TE-103-AW-43
Elevation 14.33 ft.

241-AW-103
Thermocouple TE-103-AW-44
 Elevation 16.33 ft.

241-AW-103
Thermocouple TE-103-AW-45
 Elevation 18.33 ft.

241-AW-103
Thermocouple TE-103-AW-46
Elevation 20.33 ft.

241-AW-103
Thermocouple TE-103-AW-47
Elevation 22.33 ft.

241-AW-103
Thermocouple TE-103-AW-48
 Elevation 24.33 ft.

241-AW-103
Thermocouple TE-103-AW-49
 Elevation 26.33 ft.

241-AW-103
Thermocouple TE-103-AW-50
Elevation 28.33 ft.

241-AW-103
Thermocouple TE-103-AW-51
Elevation 30.33 ft.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

241-AW-104
Thermocouple TE-104-AW-48
Elevation 24.33 ft.

241-AW-104
Thermocouple TE-104-AW-49
Elevation 26.33 ft.

241-AW-104
Thermocouple TE-104-AW-50
Elevation 28.33 ft.

241-AW-104
Thermocouple TE-104-AW-51
Elevation 30.33 ft.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

241-AW-105
Thermocouple TE-105-AW-38
Elevation 4.33 ft.

241-AW-105
Thermocouple TE-105-AW-39
Elevation 6.33 ft.

241-AW-105
Thermocouple TE-105-AW-40
 Elevation 8.33 ft.

241-AW-105
Thermocouple TE-105-AW-41
 Elevation 10.33 ft.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

241-AW-105
Thermocouple TE-105-AW-48
 Elevation 24.33 ft.

241-AW-105
Thermocouple TE-105-AW-49
 Elevation 26.33 ft.

241-AW-105
Thermocouple TE-105-AW-50
Elevation 28.33 ft.

241-AW-105
Thermocouple TE-105-AW-51
Elevation 30.33 ft.

241-AW-105
Thermocouple TE-105-AW-52
 Elevation 34.33 ft.

241-AW-105
Thermocouple TE-105-AW-53
 Elevation 38.33 ft.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

241-AW-106
Thermocouple TE-106-AW-42
 Elevation 12.33 ft.

241-AW-106
Thermocouple TE-106-AW-43
 Elevation 14.33 ft.

241-AW-106
Thermocouple TE-106-AW-44
 Elevation 16.33 ft.

241-AW-106
Thermocouple TE-106-AW-45
 Elevation 18.33 ft.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-36	7/14/83	75	CASS	T	
TE-101-AW-36	7/22/83	75	CASS	T	
TE-101-AW-36	7/28/83	75	CASS	T	
TE-101-AW-36	8/4/83	76	CASS	T	
TE-101-AW-36	8/9/83	76	CASS	T	
TE-101-AW-36	8/20/83	77	CASS	T	
TE-101-AW-36	8/27/83	77	CASS	T	
TE-101-AW-36	8/31/83	77	CASS	T	
TE-101-AW-36	9/10/83	77	CASS	T	
TE-101-AW-36	9/14/83	77	CASS	T	
TE-101-AW-36	9/24/83	77	CASS	T	
TE-101-AW-36	10/1/83	77	CASS	T	
TE-101-AW-36	10/2/83	77	CASS	T	
TE-101-AW-36	10/15/83	78	CASS	T	
TE-101-AW-36	10/21/83	78	CASS	T	
TE-101-AW-36	3/10/84	71	CASS	T	
TE-101-AW-36	3/17/84	71	CASS	T	
TE-101-AW-36	3/24/84	72	CASS	T	
TE-101-AW-36	3/31/84	72	CASS	T	
TE-101-AW-36	4/7/84	75	CASS	T	
TE-101-AW-36	4/14/84	76	CASS	T	
TE-101-AW-36	4/21/84	88	CASS	T	
TE-101-AW-36	4/28/84	90	CASS	T	
TE-101-AW-36	5/3/84	90	CASS	T	
TE-101-AW-36	5/9/84	110	CASS	T	
TE-101-AW-36	5/13/84	107	CASS	T	
TE-101-AW-36	5/21/84	104	CASS	T	
TE-101-AW-36	5/27/84	103	CASS	T	
TE-101-AW-36	6/7/84	102	CASS	T	
TE-101-AW-36	6/23/84	102	CASS	T	
TE-101-AW-36	6/30/84	101	CASS	T	
TE-101-AW-36	7/7/84	101	CASS	T	
TE-101-AW-36	7/8/84	76	CASS	S	Data point did not agree with local trend
TE-101-AW-36	7/10/84	103	CASS	T	
TE-101-AW-36	7/21/84	103	CASS	T	
TE-101-AW-36	7/27/84	103	CASS	T	
TE-101-AW-36	8/4/84	102	CASS	T	
TE-101-AW-36	8/8/84	102	CASS	T	
TE-101-AW-36	8/18/84	101	CASS	T	
TE-101-AW-36	8/25/84	101	CASS	T	
TE-101-AW-36	9/1/84	100	CASS	T	
TE-101-AW-36	9/8/84	100	CASS	T	
TE-101-AW-36	9/15/84	101	CASS	T	
TE-101-AW-36	9/22/84	101	CASS	T	
TE-101-AW-36	9/29/84	101	CASS	T	
TE-101-AW-36	10/6/84	101	CASS	T	
TE-101-AW-36	10/13/84	101	CASS	T	
TE-101-AW-36	10/19/84	101	CASS	T	
TE-101-AW-36	10/27/84	100	CASS	T	
TE-101-AW-36	10/28/84	100	CASS	T	
TE-101-AW-36	11/7/84	99	CASS	T	
TE-101-AW-36	11/17/84	98	CASS	T	
TE-101-AW-36	11/23/84	97	CASS	T	
TE-101-AW-36	11/30/84	98	CASS	T	
TE-101-AW-36	12/7/84	95	CASS	T	
TE-101-AW-36	12/10/84	95	CASS	T	
TE-101-AW-36	12/16/84	94	CASS	T	
TE-101-AW-36	12/23/84	91	CASS	T	
TE-101-AW-36	1/5/85	87	CASS	T	
TE-101-AW-36	1/7/85	87	CASS	T	
TE-101-AW-36	1/19/85	87	CASS	T	
TE-101-AW-36	1/24/85	87	CASS	T	
TE-101-AW-36	1/30/85	87	CASS	T	
TE-101-AW-36	2/3/85	74	CASS	T	
TE-101-AW-36	2/12/85	73	CASS	T	
TE-101-AW-36	2/23/85	74	CASS	T	
TE-101-AW-36	2/28/85	74	CASS	T	
TE-101-AW-36	3/8/85	72	CASS	T	
TE-101-AW-36	3/14/85	72	CASS	T	
TE-101-AW-36	3/20/85	72	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-36	3/30/85	73	CASS	T	
TE-101-AW-36	4/4/85	77	CASS	T	
TE-101-AW-36	4/11/85	78	CASS	T	
TE-101-AW-36	4/20/85	86	CASS	T	
TE-101-AW-36	4/24/85	88	CASS	T	
TE-101-AW-36	5/4/85	85	CASS	T	
TE-101-AW-36	5/11/85	86	CASS	T	
TE-101-AW-36	5/18/85	86	CASS	T	
TE-101-AW-36	5/25/85	87	CASS	T	
TE-101-AW-36	6/1/85	87	CASS	T	
TE-101-AW-36	6/8/85	88	CASS	T	
TE-101-AW-36	6/15/85	89	CASS	T	
TE-101-AW-36	6/19/85	89	CASS	T	
TE-101-AW-36	11/1/85	91	CASS	T	
TE-101-AW-36	12/1/85	88	CASS	T	
TE-101-AW-36	1/4/86	84	CASS	T	
TE-101-AW-36	1/7/86	84	CASS	T	
TE-101-AW-36	1/15/86	83	CASS	T	
TE-101-AW-36	1/25/86	82	CASS	T	
TE-101-AW-36	1/28/86	82	CASS	T	
TE-101-AW-36	2/8/86	81	CASS	T	
TE-101-AW-36	2/13/86	81	CASS	T	
TE-101-AW-36	2/22/86	80	CASS	T	
TE-101-AW-36	3/1/86	80	CASS	T	
TE-101-AW-36	3/5/86	80	CASS	T	
TE-101-AW-36	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-101-AW-36	9/17/86	121	CASS	T	
TE-101-AW-36	10/11/86	118	CASS	T	
TE-101-AW-36	10/13/86	118	CASS	T	
TE-101-AW-36	10/23/86	117	CASS	T	
TE-101-AW-36	11/1/86	118	CASS	T	
TE-101-AW-36	11/7/86	115	CASS	T	
TE-101-AW-36	11/11/86	114	CASS	T	
TE-101-AW-36	11/17/86	113	CASS	T	
TE-101-AW-36	11/25/86	112	CASS	T	
TE-101-AW-36	12/1/86	111	CASS	T	
TE-101-AW-36	12/12/86	109	CASS	T	
TE-101-AW-36	12/20/86	108	CASS	T	
TE-101-AW-36	12/25/86	107	CASS	T	
TE-101-AW-36	12/31/86	106	CASS	T	
TE-101-AW-36	7/4/87	103	CASS	T	
TE-101-AW-36	7/11/87	103	CASS	T	
TE-101-AW-36	7/18/87	103	CASS	T	
TE-101-AW-36	7/25/87	103	CASS	T	
TE-101-AW-36	7/31/87	104	CASS	T	
TE-101-AW-36	8/8/87	104	CASS	T	
TE-101-AW-36	8/14/87	104	CASS	T	
TE-101-AW-36	8/22/87	104	CASS	T	
TE-101-AW-36	8/29/87	104	CASS	T	
TE-101-AW-36	9/5/87	105	CASS	T	
TE-101-AW-36	9/11/87	105	CASS	T	
TE-101-AW-36	11/27/87	101	CASS	T	
TE-101-AW-36	11/29/87	100	CASS	T	
TE-101-AW-36	3/26/88	94	CASS	T	
TE-101-AW-36	3/31/88	94	CASS	T	
TE-101-AW-36	6/1/88	95	CASS	S	Scatter in data locally
TE-101-AW-36	6/2/88	95	CASS	S	Scatter in data locally
TE-101-AW-36	6/4/88	96	CASS	S	Scatter in data locally
TE-101-AW-36	6/5/88	96	CASS	S	Scatter in data locally
TE-101-AW-36	6/6/88	87	CASS	S	Scatter in data locally
TE-101-AW-36	6/7/88	98	CASS	S	Scatter in data locally
TE-101-AW-36	6/8/88	88	CASS	S	Scatter in data locally
TE-101-AW-36	6/9/88	95	CASS	S	Scatter in data locally
TE-101-AW-36	6/10/88	96	CASS	S	Scatter in data locally
TE-101-AW-36	6/11/88	96	CASS	S	Scatter in data locally
TE-101-AW-36	6/12/88	91	CASS	S	Scatter in data locally
TE-101-AW-36	6/13/88	96	CASS	S	Scatter in data locally
TE-101-AW-36	6/14/88	91	CASS	S	Scatter in data locally
TE-101-AW-36	6/15/88	98	CASS	S	Scatter in data locally
TE-101-AW-36	6/16/88	96	CASS	S	Scatter in data locally

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-36	6/17/88	96	CASS	S	Scatter in data locally
TE-101-AW-36	6/18/88	91	CASS	S	Scatter in data locally
TE-101-AW-36	6/18/88	96	CASS	S	Scatter in data locally
TE-101-AW-36	6/20/88	97	CASS	S	Scatter in data locally
TE-101-AW-36	6/21/88	91	CASS	S	Scatter in data locally
TE-101-AW-36	6/22/88	97	CASS	S	Scatter in data locally
TE-101-AW-36	6/23/88	97	CASS	S	Scatter in data locally
TE-101-AW-36	6/24/88	97	CASS	S	Scatter in data locally
TE-101-AW-36	6/25/88	92	CASS	S	Scatter in data locally
TE-101-AW-36	6/26/88	90	CASS	S	Scatter in data locally
TE-101-AW-36	6/27/88	90	CASS	S	Scatter in data locally
TE-101-AW-36	6/28/88	92	CASS	S	Scatter in data locally
TE-101-AW-36	6/29/88	97	CASS	S	Scatter in data locally
TE-101-AW-36	6/30/88	97	CASS	S	Scatter in data locally
TE-101-AW-36	7/1/88	92	CASS	S	Scatter in data locally
TE-101-AW-36	7/2/88	91	CASS	S	Scatter in data locally
TE-101-AW-36	7/3/88	93	CASS	S	Scatter in data locally
TE-101-AW-36	7/4/88	94	CASS	S	Scatter in data locally
TE-101-AW-36	7/5/88	92	CASS	S	Scatter in data locally
TE-101-AW-36	7/6/88	93	CASS	S	Scatter in data locally
TE-101-AW-36	7/7/88	97	CASS	S	Scatter in data locally
TE-101-AW-36	7/8/88	90	CASS	S	Scatter in data locally
TE-101-AW-36	7/9/88	98	CASS	S	Scatter in data locally
TE-101-AW-36	7/10/88	98	CASS	S	Scatter in data locally
TE-101-AW-36	7/11/88	90	CASS	S	Scatter in data locally
TE-101-AW-36	7/12/88	98	CASS	S	Scatter in data locally
TE-101-AW-36	7/13/88	98	CASS	S	Scatter in data locally
TE-101-AW-36	7/14/88	98	CASS	S	Scatter in data locally
TE-101-AW-36	7/15/88	98	CASS	S	Scatter in data locally
TE-101-AW-36	7/16/88	98	CASS	S	Scatter in data locally
TE-101-AW-36	7/17/88	98	CASS	S	Scatter in data locally
TE-101-AW-36	7/18/88	98	CASS	S	Scatter in data locally
TE-101-AW-36	7/19/88	98	CASS	S	Scatter in data locally
TE-101-AW-36	7/20/88	98	CASS	S	Scatter in data locally
TE-101-AW-36	7/21/88	101	CASS	S	Scatter in data locally
TE-101-AW-36	7/22/88	98	CASS	S	Scatter in data locally
TE-101-AW-36	7/23/88	94	CASS	S	Scatter in data locally
TE-101-AW-36	7/24/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	7/25/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	7/26/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	7/27/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	7/28/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	7/29/88	91	CASS	S	Scatter in data locally
TE-101-AW-36	7/30/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	7/31/88	91	CASS	S	Scatter in data locally
TE-101-AW-36	8/1/88	91	CASS	S	Scatter in data locally
TE-101-AW-36	8/3/88	90	CASS	S	Scatter in data locally
TE-101-AW-36	8/4/88	89	CASS	S	Scatter in data locally
TE-101-AW-36	8/5/88	89	CASS	S	Scatter in data locally
TE-101-AW-36	8/8/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	8/8/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	8/9/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	8/10/88	85	CASS	S	Scatter in data locally
TE-101-AW-36	8/11/88	86	CASS	S	Scatter in data locally
TE-101-AW-36	8/12/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	8/13/88	98	CASS	S	Scatter in data locally
TE-101-AW-36	8/14/88	97	CASS	S	Scatter in data locally
TE-101-AW-36	8/15/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	8/16/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	8/17/88	90	CASS	S	Scatter in data locally
TE-101-AW-36	8/18/88	90	CASS	S	Scatter in data locally
TE-101-AW-36	8/19/88	88	CASS	S	Scatter in data locally
TE-101-AW-36	8/20/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	8/21/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	8/22/88	88	CASS	S	Scatter in data locally
TE-101-AW-36	8/23/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	8/24/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	8/25/88	101	CASS	S	Scatter in data locally
TE-101-AW-36	8/26/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	8/27/88	100	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-36	8/28/88	91	CASS	S	Scatter in data locally
TE-101-AW-36	8/29/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	8/30/88	86	CASS	S	Scatter in data locally
TE-101-AW-36	8/31/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	9/1/88	86	CASS	S	Scatter in data locally
TE-101-AW-36	9/2/88	90	CASS	S	Scatter in data locally
TE-101-AW-36	9/3/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	9/4/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	9/6/88	101	CASS	S	Scatter in data locally
TE-101-AW-36	9/7/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	9/8/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	9/9/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	9/10/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	9/12/88	97	CASS	S	Scatter in data locally
TE-101-AW-36	9/13/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	9/14/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	9/15/88	97	CASS	S	Scatter in data locally
TE-101-AW-36	9/16/88	100	CASS	S	Scatter in data locally
TE-101-AW-36	9/17/88	97	CASS	S	Scatter in data locally
TE-101-AW-36	9/18/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	9/19/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	9/20/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	9/21/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	9/22/88	95	CASS	S	Scatter in data locally
TE-101-AW-36	9/23/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	9/24/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	9/25/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	9/26/88	94	CASS	S	Scatter in data locally
TE-101-AW-36	9/27/88	93	CASS	S	Scatter in data locally
TE-101-AW-36	9/28/88	99	CASS	S	Scatter in data locally
TE-101-AW-36	9/30/88	99	CASS	T	
TE-101-AW-36	12/3/88	97	CASS	T	
TE-101-AW-36	12/10/88	96	CASS	T	
TE-101-AW-36	12/17/88	96	CASS	T	
TE-101-AW-36	12/22/88	95	CASS	T	
TE-101-AW-36	7/10/89	98	SACS	T	
TE-101-AW-36	7/17/89	98	SACS	T	
TE-101-AW-36	7/24/89	99	SACS	T	
TE-101-AW-36	8/7/89	96	SACS	T	
TE-101-AW-36	8/28/89	101	SACS	T	
TE-101-AW-36	9/9/89	100	CASS	T	
TE-101-AW-36	9/16/89	101	CASS	T	
TE-101-AW-36	9/23/89	101	CASS	T	
TE-101-AW-36	9/30/89	101	CASS	T	
TE-101-AW-36	10/1/89	101	SACS	T	
TE-101-AW-36	10/16/89	102	SACS	T	
TE-101-AW-36	10/24/89	103	SACS	T	
TE-101-AW-36	10/30/89	103	SACS	T	
TE-101-AW-36	11/9/89	102	CASS	T	
TE-101-AW-36	11/17/89	102	CASS	T	
TE-101-AW-36	11/23/89	102	CASS	T	
TE-101-AW-36	11/27/89	103	SACS	T	
TE-101-AW-36	12/4/89	104	SACS	T	
TE-101-AW-36	12/13/89	99	CASS	T	
TE-101-AW-36	12/18/89	98	SACS	T	
TE-101-AW-36	12/28/89	97	SACS	T	
TE-101-AW-36	1/2/90	96	SACS	T	
TE-101-AW-36	1/9/90	96	SACS	T	
TE-101-AW-36	1/20/90	97	CASS	T	
TE-101-AW-36	1/22/90	99	SACS	T	
TE-101-AW-36	1/29/90	99	SACS	T	
TE-101-AW-36	2/5/90	98	SACS	T	
TE-101-AW-36	2/12/90	99	SACS	T	
TE-101-AW-36	2/19/90	99	SACS	T	
TE-101-AW-36	2/26/90	97	SACS	T	
TE-101-AW-36	3/5/90	97	SACS	T	
TE-101-AW-36	3/12/90	97	SACS	T	
TE-101-AW-36	3/19/90	96	SACS	T	
TE-101-AW-36	3/26/90	95	SACS	T	
TE-101-AW-36	4/7/90	94	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-36	4/14/90	94	CASS	T	
TE-101-AW-36	4/21/90	94	CASS	T	
TE-101-AW-36	4/23/90	95	SACS	T	
TE-101-AW-36	5/5/90	94	CASS	T	
TE-101-AW-36	5/7/90	95	SACS	T	
TE-101-AW-36	5/15/90	94	SACS	T	
TE-101-AW-36	5/22/90	94	CASS	T	
TE-101-AW-36	6/2/90	94	CASS	T	
TE-101-AW-36	6/9/90	94	CASS	T	
TE-101-AW-36	6/16/90	95	CASS	T	
TE-101-AW-36	6/23/90	95	CASS	T	
TE-101-AW-36	6/25/90	96	SACS	T	
TE-101-AW-36	7/7/90	95	CASS	T	
TE-101-AW-36	7/14/90	96	CASS	T	
TE-101-AW-36	7/21/90	96	CASS	T	
TE-101-AW-36	7/28/90	96	CASS	T	
TE-101-AW-36	8/4/90	97	CASS	T	
TE-101-AW-36	8/11/90	97	CASS	T	
TE-101-AW-36	8/18/90	97	CASS	T	
TE-101-AW-36	8/25/90	97	CASS	T	
TE-101-AW-36	8/27/90	96	SACS	T	
TE-101-AW-36	9/8/90	97	CASS	T	
TE-101-AW-36	9/15/90	96	CASS	T	
TE-101-AW-36	9/17/90	96	SACS	T	
TE-101-AW-36	9/28/90	96	CASS	T	
TE-101-AW-36	10/1/90	96	SACS	T	
TE-101-AW-36	10/13/90	97	CASS	T	
TE-101-AW-36	10/15/90	96	SACS	T	
TE-101-AW-36	10/22/90	96	SACS	T	
TE-101-AW-36	10/29/90	96	SACS	T	
TE-101-AW-36	11/5/90	97	SACS	T	
TE-101-AW-36	11/12/90	97	SACS	T	
TE-101-AW-36	11/19/90	97	SACS	T	
TE-101-AW-36	11/26/90	96	SACS	T	
TE-101-AW-36	12/3/90	96	SACS	T	
TE-101-AW-36	12/10/90	95	SACS	T	
TE-101-AW-36	12/18/90	94	CASS	T	
TE-101-AW-36	12/24/90	95	SACS	T	
TE-101-AW-36	12/31/90	95	SACS	T	
TE-101-AW-36	1/7/91	94	SACS	T	
TE-101-AW-36	1/14/91	94	SACS	T	
TE-101-AW-36	1/21/91	95	SACS	T	
TE-101-AW-36	1/28/91	95	SACS	T	
TE-101-AW-36	2/9/91	93	CASS	T	
TE-101-AW-36	2/11/91	95	SACS	T	
TE-101-AW-36	2/18/91	96	SACS	T	
TE-101-AW-36	2/26/91	94	CASS	T	
TE-101-AW-36	3/4/91	94	SACS	T	
TE-101-AW-36	3/11/91	93	SACS	T	
TE-101-AW-36	3/18/91	93	SACS	T	
TE-101-AW-36	3/25/91	93	SACS	T	
TE-101-AW-36	4/1/91	93	SACS	T	
TE-101-AW-36	4/8/91	93	SACS	T	
TE-101-AW-36	4/15/91	92	SACS	T	
TE-101-AW-36	4/22/91	92	SACS	T	
TE-101-AW-36	4/29/91	92	SACS	T	
TE-101-AW-36	5/6/91	92	SACS	T	
TE-101-AW-36	5/16/91	92	CASS	T	
TE-101-AW-36	5/25/91	92	CASS	T	
TE-101-AW-36	5/31/91	92	CASS	T	
TE-101-AW-36	6/3/91	93	SACS	T	
TE-101-AW-36	6/10/91	93	SACS	T	
TE-101-AW-36	6/21/91	92	CASS	T	
TE-101-AW-36	6/25/91	92	SACS	T	
TE-101-AW-36	7/1/91	92	SACS	T	
TE-101-AW-36	7/8/91	92	SACS	T	
TE-101-AW-36	7/15/91	94	SACS	T	
TE-101-AW-36	7/22/91	93	SACS	T	
TE-101-AW-36	7/29/91	95	SACS	T	
TE-101-AW-36	8/4/91	94	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-36	8/19/91	94	SACS	T	
TE-101-AW-36	8/29/91	95	SACS	T	
TE-101-AW-36	9/2/91	96	SACS	T	
TE-101-AW-36	9/9/91	97	SACS	T	
TE-101-AW-36	9/16/91	96	SACS	T	
TE-101-AW-36	9/23/91	97	SACS	T	
TE-101-AW-36	9/30/91	97	SACS	T	
TE-101-AW-36	10/7/91	97	SACS	T	
TE-101-AW-36	10/14/91	97	SACS	T	
TE-101-AW-36	10/21/91	96	SACS	T	
TE-101-AW-36	10/28/91	96	SACS	T	
TE-101-AW-36	11/5/91	96	SACS	T	
TE-101-AW-36	11/11/91	95	SACS	T	
TE-101-AW-36	11/18/91	94	SACS	T	
TE-101-AW-36	11/25/91	94	SACS	T	
TE-101-AW-36	12/2/91	93	SACS	T	
TE-101-AW-36	12/9/91	93	SACS	T	
TE-101-AW-36	12/16/91	92	SACS	T	
TE-101-AW-36	12/23/91	92	SACS	T	
TE-101-AW-36	12/30/91	91	SACS	T	
TE-101-AW-36	1/6/92	91	SACS	T	
TE-101-AW-36	1/13/92	91	SACS	T	
TE-101-AW-36	1/20/92	90	SACS	T	
TE-101-AW-36	1/27/92	90	SACS	T	
TE-101-AW-36	2/3/92	90	SACS	T	
TE-101-AW-36	2/10/92	89	SACS	T	
TE-101-AW-36	2/17/92	89	SACS	T	
TE-101-AW-36	2/24/92	89	SACS	T	
TE-101-AW-36	3/4/92	92	SACS	T	
TE-101-AW-36	3/9/92	90	SACS	T	
TE-101-AW-36	3/16/92	90	SACS	T	
TE-101-AW-36	3/23/92	91	SACS	T	
TE-101-AW-36	4/4/92	94	CASS	T	
TE-101-AW-36	4/17/92	95	CASS	T	
TE-101-AW-36	4/20/92	49	SACS	S	Data point did not agree with local trend
TE-101-AW-36	4/27/92	92	SACS	T	
TE-101-AW-36	5/4/92	92	SACS	T	
TE-101-AW-36	5/11/92	92	SACS	T	
TE-101-AW-36	5/18/92	92	SACS	T	
TE-101-AW-36	5/25/92	92	SACS	T	
TE-101-AW-36	6/6/92	93	SACS	T	
TE-101-AW-36	6/15/92	93	SACS	T	
TE-101-AW-36	6/22/92	93	SACS	T	
TE-101-AW-36	6/29/92	94	SACS	T	
TE-101-AW-36	7/3/92	75	SACS	S	Data point did not agree with local trend
TE-101-AW-36	7/6/92	95	SACS	T	
TE-101-AW-36	7/13/92	95	SACS	T	
TE-101-AW-36	7/20/92	95	SACS	T	
TE-101-AW-36	7/27/92	96	SACS	T	
TE-101-AW-36	8/3/92	96	SACS	T	
TE-101-AW-36	8/10/92	96	SACS	T	
TE-101-AW-36	8/17/92	97	SACS	T	
TE-101-AW-36	8/24/92	97	SACS	T	
TE-101-AW-36	8/31/92	97	SACS	T	
TE-101-AW-36	9/7/92	98	SACS	T	
TE-101-AW-36	9/14/92	98	SACS	T	
TE-101-AW-36	9/23/92	97	SACS	T	
TE-101-AW-36	9/28/92	98	SACS	T	
TE-101-AW-36	10/5/92	99	SACS	T	
TE-101-AW-36	10/12/92	98	SACS	T	
TE-101-AW-36	10/19/92	99	SACS	T	
TE-101-AW-36	10/26/92	98	SACS	T	
TE-101-AW-36	11/2/92	98	SACS	T	
TE-101-AW-36	11/9/92	100	SACS	T	
TE-101-AW-36	11/16/92	100	SACS	T	
TE-101-AW-36	11/23/92	99	SACS	T	
TE-101-AW-36	11/30/92	99	SACS	T	
TE-101-AW-36	12/7/92	100	SACS	T	
TE-101-AW-36	12/14/92	99	SACS	T	
TE-101-AW-36	12/21/92	98	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-36	12/28/92	99	SACS	T	
TE-101-AW-36	1/4/93	99	SACS	T	
TE-101-AW-36	1/11/93	98	SACS	T	
TE-101-AW-36	1/18/93	99	SACS	T	
TE-101-AW-36	1/25/93	98	SACS	T	
TE-101-AW-36	2/1/93	99	SACS	T	
TE-101-AW-36	2/8/93	98	SACS	T	
TE-101-AW-36	2/16/93	100	SACS	T	
TE-101-AW-36	2/22/93	99	SACS	T	
TE-101-AW-36	3/1/93	100	SACS	T	
TE-101-AW-36	3/8/93	98	SACS	T	
TE-101-AW-36	3/20/93	98	SACS	T	
TE-101-AW-36	3/22/93	98	SACS	T	
TE-101-AW-36	3/29/93	98	SACS	T	
TE-101-AW-36	4/6/93	98	SACS	T	
TE-101-AW-36	4/12/93	99	SACS	T	
TE-101-AW-36	4/19/93	98	SACS	T	
TE-101-AW-36	4/26/93	97	SACS	T	
TE-101-AW-36	5/3/93	99	SACS	T	
TE-101-AW-36	5/10/93	98	SACS	T	
TE-101-AW-36	5/17/93	98	SACS	T	
TE-101-AW-36	5/24/93	99	SACS	T	
TE-101-AW-36	5/31/93	99	SACS	T	
TE-101-AW-36	6/7/93	99	SACS	T	
TE-101-AW-36	6/15/93	100	SACS	T	
TE-101-AW-36	6/22/93	100	SACS	T	
TE-101-AW-36	6/28/93	97	SACS	T	
TE-101-AW-36	7/5/93	99	SACS	T	
TE-101-AW-36	7/12/93	98	SACS	T	
TE-101-AW-36	7/19/93	100	SACS	T	
TE-101-AW-36	7/26/93	100	SACS	T	
TE-101-AW-36	8/2/93	100	SACS	T	
TE-101-AW-36	8/11/93	101	SACS	T	
TE-101-AW-36	8/16/93	98	SACS	T	
TE-101-AW-36	8/23/93	101	SACS	T	
TE-101-AW-36	8/30/93	101	SACS	T	
TE-101-AW-36	9/13/93	102	SACS	T	
TE-101-AW-36	9/21/93	102	SACS	T	
TE-101-AW-36	9/27/93	102	SACS	T	
TE-101-AW-36	10/11/93	103	SACS	T	
TE-101-AW-36	10/19/93	102	SACS	T	
TE-101-AW-36	10/26/93	102	SACS	T	
TE-101-AW-36	11/1/93	102	SACS	T	
TE-101-AW-36	11/8/93	102	SACS	T	
TE-101-AW-36	11/15/93	102	SACS	T	
TE-101-AW-36	11/22/93	102	SACS	T	
TE-101-AW-36	11/29/93	41	SACS	S	Data point did not agree with local trend
TE-101-AW-36	11/30/93	102	SACS	T	
TE-101-AW-36	12/6/93	102	SACS	T	
TE-101-AW-36	12/13/93	44	SACS	S	Data point did not agree with local trend
TE-101-AW-36	12/17/93	101	SACS	T	
TE-101-AW-36	12/20/93	101	SACS	T	
TE-101-AW-36	12/27/93	100	SACS	T	
TE-101-AW-36	1/5/94	100	SACS	T	
TE-101-AW-36	1/19/94	100	SACS	T	
TE-101-AW-36	1/24/94	100	SACS	T	
TE-101-AW-36	1/31/94	100	SACS	T	
TE-101-AW-36	2/7/94	100	SACS	G	
TE-101-AW-36	2/21/94	99	SACS	G	
TE-101-AW-36	2/28/94	99	SACS	T	
TE-101-AW-36	3/7/94	99	SACS	T	
TE-101-AW-36	3/14/94	98	SACS	G	
TE-101-AW-36	3/21/94	99	SACS	G	
TE-101-AW-36	3/28/94	98	SACS	G	
TE-101-AW-36	4/5/94	98	SACS	G	
TE-101-AW-36	4/11/94	98	SACS	G	
TE-101-AW-36	4/18/94	98	SACS	T	
TE-101-AW-36	4/25/94	99	SACS	G	
TE-101-AW-36	5/2/94	98	SACS	G	
TE-101-AW-36	5/9/94	98	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-36	5/16/84	98	SACS	G	
TE-101-AW-36	5/31/84	99	SACS	G	
TE-101-AW-36	6/6/84	99	SACS	G	
TE-101-AW-36	6/13/84	99	SACS	G	
TE-101-AW-36	6/20/84	99	SACS	G	
TE-101-AW-36	6/27/84	99	SACS	G	
TE-101-AW-36	7/4/84	99	SACS	G	
TE-101-AW-36	7/18/84	100	SACS	G	
TE-101-AW-36	7/25/84	100	SACS	G	
TE-101-AW-36	8/1/84	100	SACS	G	
TE-101-AW-36	8/8/84	100	SACS	G	
TE-101-AW-36	8/15/84	100	SACS	G	
TE-101-AW-36	8/22/84	101	SACS	G	
TE-101-AW-36	9/7/84	101	SACS	G	
TE-101-AW-36	9/12/84	101	SACS	G	
TE-101-AW-36	9/28/84	101	SACS	G	
TE-101-AW-36	10/10/84	102	SACS	G	
TE-101-AW-36	10/17/84	103	SACS	G	
TE-101-AW-36	10/24/84	103	SACS	G	
TE-101-AW-36	10/31/84	103	SACS	G	
TE-101-AW-36	11/7/84	103	SACS	G	
TE-101-AW-36	11/14/84	102	SACS	G	
TE-101-AW-36	11/21/84	103	SACS	G	
TE-101-AW-36	11/28/84	103	SACS	G	
TE-101-AW-36	12/5/84	103	SACS	G	
TE-101-AW-36	12/12/84	103	SACS	G	
TE-101-AW-36	12/19/84	103	SACS	G	
TE-101-AW-36	12/28/84	103	SACS	G	
TE-101-AW-36	1/2/85	103	SACS	G	
TE-101-AW-36	1/8/85	103	SACS	G	
TE-101-AW-36	1/18/85	103	SACS	G	
TE-101-AW-36	1/23/85	103	SACS	G	
TE-101-AW-36	1/30/85	103	SACS	G	
TE-101-AW-36	2/6/85	103	SACS	G	
TE-101-AW-36	2/13/85	104	SACS	G	
TE-101-AW-36	2/24/85	103	SACS	G	
TE-101-AW-36	2/27/85	103	SACS	G	
TE-101-AW-36	3/6/85	103	SACS	G	
TE-101-AW-36	3/27/85	103	SACS	G	
TE-101-AW-36	4/3/85	103	SACS	G	
TE-101-AW-36	4/10/85	103	SACS	G	
TE-101-AW-36	4/17/85	103	SACS	G	
TE-101-AW-36	4/24/85	103	SACS	G	
TE-101-AW-36	5/3/85	103	SACS	G	
TE-101-AW-36	5/8/85	104	SACS	G	
TE-101-AW-36	5/15/85	103	SACS	G	
TE-101-AW-36	5/22/85	103	SACS	G	
TE-101-AW-36	5/30/85	103	SACS	G	
TE-101-AW-36	6/5/85	104	SACS	G	
TE-101-AW-36	6/13/85	102	SACS	G	
TE-101-AW-36	6/19/85	101	SACS	G	
TE-101-AW-37	7/16/83	75	CASS	T	
TE-101-AW-37	7/22/83	76	CASS	T	
TE-101-AW-37	7/28/83	77	CASS	T	
TE-101-AW-37	8/4/83	77	CASS	T	
TE-101-AW-37	8/9/83	77	CASS	T	
TE-101-AW-37	8/19/83	78	CASS	T	
TE-101-AW-37	8/27/83	78	CASS	T	
TE-101-AW-37	8/31/83	78	CASS	T	
TE-101-AW-37	9/10/83	78	CASS	T	
TE-101-AW-37	9/14/83	78	CASS	T	
TE-101-AW-37	9/24/83	78	CASS	T	
TE-101-AW-37	10/1/83	78	CASS	T	
TE-101-AW-37	10/5/83	78	CASS	T	
TE-101-AW-37	10/15/83	78	CASS	T	
TE-101-AW-37	10/21/83	78	CASS	T	
TE-101-AW-37	3/10/84	74	CASS	T	
TE-101-AW-37	3/17/84	74	CASS	T	
TE-101-AW-37	3/24/84	74	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-37	3/31/84	74	CASS	T	
TE-101-AW-37	4/5/84	82	CASS	T	
TE-101-AW-37	4/14/84	83	CASS	T	
TE-101-AW-37	4/21/84	104	CASS	T	
TE-101-AW-37	4/22/84	103	CASS	T	
TE-101-AW-37	5/5/84	102	CASS	T	
TE-101-AW-37	5/11/84	114	CASS	T	
TE-101-AW-37	5/13/84	113	CASS	T	
TE-101-AW-37	5/28/84	111	CASS	T	
TE-101-AW-37	5/27/84	111	CASS	T	
TE-101-AW-37	6/7/84	110	CASS	T	
TE-101-AW-37	6/23/84	109	CASS	T	
TE-101-AW-37	6/27/84	109	CASS	T	
TE-101-AW-37	7/3/84	108	CASS	T	
TE-101-AW-37	7/10/84	101	CASS	T	
TE-101-AW-37	7/19/84	114	CASS	T	
TE-101-AW-37	7/22/84	109	CASS	T	
TE-101-AW-37	7/29/84	105	CASS	T	
TE-101-AW-37	8/8/84	104	CASS	T	
TE-101-AW-37	8/13/84	103	CASS	T	
TE-101-AW-37	8/25/84	102	CASS	T	
TE-101-AW-37	8/1/84	102	CASS	T	
TE-101-AW-37	8/7/84	103	CASS	T	
TE-101-AW-37	8/11/84	103	CASS	T	
TE-101-AW-37	8/22/84	103	CASS	T	
TE-101-AW-37	8/29/84	103	CASS	T	
TE-101-AW-37	10/6/84	103	CASS	T	
TE-101-AW-37	10/7/84	103	CASS	T	
TE-101-AW-37	10/19/84	102	CASS	T	
TE-101-AW-37	10/21/84	102	CASS	T	
TE-101-AW-37	10/31/84	101	CASS	T	
TE-101-AW-37	11/10/84	100	CASS	T	
TE-101-AW-37	11/17/84	99	CASS	T	
TE-101-AW-37	11/19/84	99	CASS	T	
TE-101-AW-37	11/28/84	98	CASS	T	
TE-101-AW-37	12/7/84	97	CASS	T	
TE-101-AW-37	12/9/84	97	CASS	T	
TE-101-AW-37	12/16/84	98	CASS	T	
TE-101-AW-37	12/24/84	91	CASS	T	
TE-101-AW-37	12/31/84	90	CASS	T	
TE-101-AW-37	1/15/85	91	CASS	T	
TE-101-AW-37	1/21/85	90	CASS	T	
TE-101-AW-37	1/31/85	85	CASS	T	
TE-101-AW-37	2/9/85	74	CASS	T	
TE-101-AW-37	2/12/85	74	CASS	T	
TE-101-AW-37	2/23/85	74	CASS	T	
TE-101-AW-37	2/28/85	73	CASS	T	
TE-101-AW-37	3/6/85	72	CASS	T	
TE-101-AW-37	3/14/85	72	CASS	T	
TE-101-AW-37	3/20/85	71	CASS	T	
TE-101-AW-37	3/30/85	71	CASS	T	
TE-101-AW-37	4/4/85	83	CASS	T	
TE-101-AW-37	4/11/85	79	CASS	T	
TE-101-AW-37	4/20/85	90	CASS	T	
TE-101-AW-37	4/21/85	89	CASS	T	
TE-101-AW-37	5/4/85	89	CASS	T	
TE-101-AW-37	5/6/85	90	CASS	T	
TE-101-AW-37	5/17/85	88	CASS	T	
TE-101-AW-37	5/25/85	87	CASS	T	
TE-101-AW-37	6/1/85	87	CASS	T	
TE-101-AW-37	6/8/85	90	CASS	T	
TE-101-AW-37	6/15/85	90	CASS	T	
TE-101-AW-37	6/19/85	90	CASS	T	
TE-101-AW-37	11/1/85	92	CASS	T	
TE-101-AW-37	12/1/85	90	CASS	T	
TE-101-AW-37	1/1/86	87	CASS	T	
TE-101-AW-37	1/5/86	86	CASS	T	
TE-101-AW-37	1/15/86	85	CASS	T	
TE-101-AW-37	1/22/86	84	CASS	T	
TE-101-AW-37	2/1/86	83	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-37	2/8/86	83	CASS	T	
TE-101-AW-37	2/13/86	83	CASS	T	
TE-101-AW-37	2/22/86	82	CASS	T	
TE-101-AW-37	3/1/86	82	CASS	T	
TE-101-AW-37	3/5/86	82	CASS	T	
TE-101-AW-37	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-101-AW-37	9/20/86	131	CASS	T	
TE-101-AW-37	9/21/86	131	CASS	T	
TE-101-AW-37	9/29/86	130	CASS	T	
TE-101-AW-37	10/9/86	129	CASS	T	
TE-101-AW-37	10/18/86	128	CASS	T	
TE-101-AW-37	10/25/86	127	CASS	T	
TE-101-AW-37	10/27/86	127	CASS	T	
TE-101-AW-37	11/4/86	126	CASS	T	
TE-101-AW-37	11/8/86	125	CASS	T	
TE-101-AW-37	11/17/86	124	CASS	T	
TE-101-AW-37	11/25/86	122	CASS	T	
TE-101-AW-37	12/2/86	121	CASS	T	
TE-101-AW-37	12/10/86	120	CASS	T	
TE-101-AW-37	12/18/86	119	CASS	T	
TE-101-AW-37	12/24/86	118	CASS	T	
TE-101-AW-37	12/31/86	117	CASS	T	
TE-101-AW-37	7/4/87	109	CASS	T	
TE-101-AW-37	7/11/87	109	CASS	T	
TE-101-AW-37	7/18/87	109	CASS	T	
TE-101-AW-37	7/25/87	109	CASS	T	
TE-101-AW-37	7/31/87	110	CASS	T	
TE-101-AW-37	8/8/87	110	CASS	T	
TE-101-AW-37	8/15/87	110	CASS	T	
TE-101-AW-37	8/22/87	110	CASS	T	
TE-101-AW-37	8/29/87	110	CASS	T	
TE-101-AW-37	9/5/87	110	CASS	T	
TE-101-AW-37	9/11/87	110	CASS	T	
TE-101-AW-37	11/28/87	106	CASS	T	
TE-101-AW-37	11/29/87	106	CASS	T	
TE-101-AW-37	3/25/88	82	CASS	S	Data point did not agree with local trend
TE-101-AW-37	3/26/88	101	CASS	T	
TE-101-AW-37	3/30/88	101	CASS	T	
TE-101-AW-37	6/1/88	88	CASS	S	Scatter in data locality
TE-101-AW-37	6/2/88	101	CASS	S	Scatter in data locality
TE-101-AW-37	6/4/88	89	CASS	S	Scatter in data locality
TE-101-AW-37	6/5/88	101	CASS	S	Scatter in data locality
TE-101-AW-37	6/6/88	101	CASS	S	Scatter in data locality
TE-101-AW-37	6/7/88	101	CASS	S	Scatter in data locality
TE-101-AW-37	6/8/88	86	CASS	S	Scatter in data locality
TE-101-AW-37	6/9/88	101	CASS	S	Scatter in data locality
TE-101-AW-37	6/10/88	101	CASS	S	Scatter in data locality
TE-101-AW-37	6/11/88	101	CASS	S	Scatter in data locality
TE-101-AW-37	6/12/88	92	CASS	S	Scatter in data locality
TE-101-AW-37	6/13/88	92	CASS	S	Scatter in data locality
TE-101-AW-37	6/14/88	92	CASS	S	Scatter in data locality
TE-101-AW-37	6/15/88	93	CASS	S	Scatter in data locality
TE-101-AW-37	6/16/88	92	CASS	S	Scatter in data locality
TE-101-AW-37	6/17/88	92	CASS	S	Scatter in data locality
TE-101-AW-37	6/18/88	102	CASS	S	Scatter in data locality
TE-101-AW-37	6/19/88	91	CASS	S	Scatter in data locality
TE-101-AW-37	6/20/88	102	CASS	S	Scatter in data locality
TE-101-AW-37	6/21/88	102	CASS	S	Scatter in data locality
TE-101-AW-37	6/22/88	91	CASS	S	Scatter in data locality
TE-101-AW-37	6/23/88	91	CASS	S	Scatter in data locality
TE-101-AW-37	6/24/88	102	CASS	S	Scatter in data locality
TE-101-AW-37	6/25/88	92	CASS	S	Scatter in data locality
TE-101-AW-37	6/26/88	102	CASS	S	Scatter in data locality
TE-101-AW-37	6/27/88	102	CASS	S	Scatter in data locality
TE-101-AW-37	6/28/88	91	CASS	S	Scatter in data locality
TE-101-AW-37	6/29/88	102	CASS	S	Scatter in data locality
TE-101-AW-37	6/30/88	102	CASS	S	Scatter in data locality
TE-101-AW-37	7/1/88	92	CASS	S	Scatter in data locality
TE-101-AW-37	7/2/88	102	CASS	S	Scatter in data locality
TE-101-AW-37	7/3/88	92	CASS	S	Scatter in data locality

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-37	7/4/88	102	CASS	S	Scatter in data locally
TE-101-AW-37	7/5/88	102	CASS	S	Scatter in data locally
TE-101-AW-37	7/6/88	102	CASS	S	Scatter in data locally
TE-101-AW-37	7/7/88	91	CASS	S	Scatter in data locally
TE-101-AW-37	7/8/88	102	CASS	S	Scatter in data locally
TE-101-AW-37	7/9/88	89	CASS	S	Scatter in data locally
TE-101-AW-37	7/10/88	91	CASS	S	Scatter in data locally
TE-101-AW-37	7/11/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	7/12/88	90	CASS	S	Scatter in data locally
TE-101-AW-37	7/13/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	7/14/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	7/15/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	7/16/88	96	CASS	S	Scatter in data locally
TE-101-AW-37	7/17/88	98	CASS	S	Scatter in data locally
TE-101-AW-37	7/18/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	7/19/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	7/20/88	101	CASS	S	Scatter in data locally
TE-101-AW-37	7/21/88	99	CASS	S	Scatter in data locally
TE-101-AW-37	7/22/88	84	CASS	S	Scatter in data locally
TE-101-AW-37	7/23/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	7/24/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	7/25/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	7/26/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	7/27/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	7/28/88	90	CASS	S	Scatter in data locally
TE-101-AW-37	7/29/88	90	CASS	S	Scatter in data locally
TE-101-AW-37	7/30/88	90	CASS	S	Scatter in data locally
TE-101-AW-37	7/31/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	8/1/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	8/3/88	89	CASS	S	Scatter in data locally
TE-101-AW-37	8/4/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/5/88	88	CASS	S	Scatter in data locally
TE-101-AW-37	8/6/88	88	CASS	S	Scatter in data locally
TE-101-AW-37	8/8/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/9/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/10/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/11/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/12/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/13/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/14/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/15/88	94	CASS	S	Scatter in data locally
TE-101-AW-37	8/16/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/17/88	89	CASS	S	Scatter in data locally
TE-101-AW-37	8/18/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/19/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/20/88	89	CASS	S	Scatter in data locally
TE-101-AW-37	8/21/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/22/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/23/88	91	CASS	S	Scatter in data locally
TE-101-AW-37	8/24/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/25/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/26/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/27/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/28/88	90	CASS	S	Scatter in data locally
TE-101-AW-37	8/29/88	105	CASS	S	Scatter in data locally
TE-101-AW-37	8/30/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	8/31/88	105	CASS	S	Scatter in data locally
TE-101-AW-37	9/1/88	105	CASS	S	Scatter in data locally
TE-101-AW-37	9/2/88	105	CASS	S	Scatter in data locally
TE-101-AW-37	9/3/88	105	CASS	S	Scatter in data locally
TE-101-AW-37	9/4/88	90	CASS	S	Scatter in data locally
TE-101-AW-37	9/6/88	105	CASS	S	Scatter in data locally
TE-101-AW-37	9/7/88	90	CASS	S	Scatter in data locally
TE-101-AW-37	9/8/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	9/9/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	9/10/88	92	CASS	S	Scatter in data locally
TE-101-AW-37	9/12/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	9/13/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	9/14/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	9/15/88	103	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-37	9/16/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	9/17/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	9/18/88	103	CASS	S	Scatter in data locally
TE-101-AW-37	9/19/88	93	CASS	S	Scatter in data locally
TE-101-AW-37	9/20/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	9/21/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	9/22/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	9/23/88	96	CASS	S	Scatter in data locally
TE-101-AW-37	9/24/88	104	CASS	S	Scatter in data locally
TE-101-AW-37	9/30/88	104	CASS	T	
TE-101-AW-37	12/3/88	103	CASS	T	
TE-101-AW-37	12/10/88	102	CASS	T	
TE-101-AW-37	12/17/88	102	CASS	T	
TE-101-AW-37	12/20/88	102	CASS	T	
TE-101-AW-37	7/10/89	98	SACS	T	
TE-101-AW-37	7/17/89	98	SACS	T	
TE-101-AW-37	7/24/89	98	SACS	T	
TE-101-AW-37	8/7/89	98	SACS	T	
TE-101-AW-37	9/2/89	103	CASS	T	
TE-101-AW-37	9/9/89	104	CASS	T	
TE-101-AW-37	9/16/89	104	CASS	T	
TE-101-AW-37	9/23/89	104	CASS	T	
TE-101-AW-37	9/30/89	104	CASS	T	
TE-101-AW-37	10/1/89	101	SACS	T	
TE-101-AW-37	10/16/89	102	SACS	T	
TE-101-AW-37	10/24/89	103	SACS	T	
TE-101-AW-37	11/4/89	105	CASS	T	
TE-101-AW-37	11/11/89	105	CASS	T	
TE-101-AW-37	11/18/89	106	CASS	T	
TE-101-AW-37	11/23/89	106	CASS	T	
TE-101-AW-37	12/1/89	106	CASS	T	
TE-101-AW-37	12/9/89	106	CASS	T	
TE-101-AW-37	12/16/89	105	CASS	T	
TE-101-AW-37	12/19/89	105	CASS	T	
TE-101-AW-37	12/25/89	103	CASS	T	
TE-101-AW-37	1/6/90	102	CASS	T	
TE-101-AW-37	1/13/90	102	CASS	T	
TE-101-AW-37	1/17/90	102	CASS	T	
TE-101-AW-37	1/27/90	101	CASS	T	
TE-101-AW-37	2/3/90	101	CASS	T	
TE-101-AW-37	2/10/90	101	CASS	T	
TE-101-AW-37	2/17/90	100	CASS	T	
TE-101-AW-37	2/24/90	100	CASS	T	
TE-101-AW-37	3/3/90	100	CASS	T	
TE-101-AW-37	3/10/90	100	CASS	T	
TE-101-AW-37	3/17/90	100	CASS	T	
TE-101-AW-37	3/20/90	100	CASS	T	
TE-101-AW-37	3/31/90	99	CASS	T	
TE-101-AW-37	4/7/90	99	CASS	T	
TE-101-AW-37	4/14/90	99	CASS	T	
TE-101-AW-37	4/21/90	99	CASS	T	
TE-101-AW-37	4/28/90	99	CASS	T	
TE-101-AW-37	5/5/90	99	CASS	T	
TE-101-AW-37	5/10/90	99	CASS	T	
TE-101-AW-37	5/16/90	98	CASS	T	
TE-101-AW-37	5/22/90	98	CASS	T	
TE-101-AW-37	6/2/90	98	CASS	T	
TE-101-AW-37	6/9/90	98	CASS	T	
TE-101-AW-37	6/16/90	99	CASS	T	
TE-101-AW-37	6/23/90	99	CASS	T	
TE-101-AW-37	6/30/90	99	CASS	T	
TE-101-AW-37	7/7/90	99	CASS	T	
TE-101-AW-37	7/14/90	99	CASS	T	
TE-101-AW-37	7/21/90	100	CASS	T	
TE-101-AW-37	7/28/90	100	CASS	T	
TE-101-AW-37	8/4/90	100	CASS	T	
TE-101-AW-37	8/11/90	100	CASS	T	
TE-101-AW-37	8/13/90	101	CASS	T	
TE-101-AW-37	8/25/90	101	CASS	T	
TE-101-AW-37	9/1/90	101	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-37	9/8/90	101	CASS	T	
TE-101-AW-37	9/15/90	101	CASS	T	
TE-101-AW-37	9/22/90	101	CASS	T	
TE-101-AW-37	9/29/90	101	CASS	T	
TE-101-AW-37	10/6/90	101	CASS	T	
TE-101-AW-37	10/13/90	101	CASS	T	
TE-101-AW-37	10/20/90	101	CASS	T	
TE-101-AW-37	10/27/90	101	CASS	T	
TE-101-AW-37	11/3/90	101	CASS	T	
TE-101-AW-37	11/10/90	101	CASS	T	
TE-101-AW-37	11/17/90	101	CASS	T	
TE-101-AW-37	11/24/90	101	CASS	T	
TE-101-AW-37	12/1/90	101	CASS	T	
TE-101-AW-37	12/8/90	101	CASS	T	
TE-101-AW-37	12/13/90	101	CASS	T	
TE-101-AW-37	12/21/90	100	CASS	T	
TE-101-AW-37	12/24/90	100	CASS	T	
TE-101-AW-37	1/5/91	99	CASS	T	
TE-101-AW-37	1/12/91	99	CASS	T	
TE-101-AW-37	1/19/91	99	CASS	T	
TE-101-AW-37	1/26/91	99	CASS	T	
TE-101-AW-37	2/2/91	99	CASS	T	
TE-101-AW-37	2/9/91	99	CASS	T	
TE-101-AW-37	2/16/91	99	CASS	T	
TE-101-AW-37	2/23/91	99	CASS	T	
TE-101-AW-37	3/2/91	99	CASS	T	
TE-101-AW-37	3/9/91	99	CASS	T	
TE-101-AW-37	3/16/91	99	CASS	T	
TE-101-AW-37	3/23/91	99	CASS	T	
TE-101-AW-37	3/25/91	99	CASS	T	
TE-101-AW-37	4/6/91	98	CASS	T	
TE-101-AW-37	4/13/91	98	CASS	T	
TE-101-AW-37	4/20/91	98	CASS	T	
TE-101-AW-37	4/27/91	98	CASS	T	
TE-101-AW-37	5/4/91	98	CASS	T	
TE-101-AW-37	5/11/91	98	CASS	T	
TE-101-AW-37	5/18/91	98	CASS	T	
TE-101-AW-37	5/25/91	98	CASS	T	
TE-101-AW-37	6/1/91	98	CASS	T	
TE-101-AW-37	6/8/91	98	CASS	T	
TE-101-AW-37	6/15/91	98	CASS	T	
TE-101-AW-37	6/21/91	98	CASS	T	
TE-101-AW-37	6/25/91	98	CASS	T	
TE-101-AW-37	7/1/91	92	SACS	T	
TE-101-AW-37	7/8/91	92	SACS	T	
TE-101-AW-37	7/15/91	94	SACS	T	
TE-101-AW-37	7/22/91	93	SACS	T	
TE-101-AW-37	7/29/91	95	SACS	T	
TE-101-AW-37	8/4/91	94	SACS	T	
TE-101-AW-37	8/19/91	94	SACS	T	
TE-101-AW-37	8/26/91	95	SACS	T	
TE-101-AW-37	9/2/91	96	SACS	T	
TE-101-AW-37	9/9/91	97	SACS	T	
TE-101-AW-37	9/16/91	96	SACS	T	
TE-101-AW-37	9/23/91	97	SACS	T	
TE-101-AW-37	9/30/91	97	SACS	T	
TE-101-AW-37	10/7/91	97	SACS	T	
TE-101-AW-37	10/14/91	97	SACS	T	
TE-101-AW-37	10/21/91	98	SACS	T	
TE-101-AW-37	10/28/91	96	SACS	T	
TE-101-AW-37	11/5/91	98	SACS	T	
TE-101-AW-37	11/11/91	95	SACS	T	
TE-101-AW-37	11/18/91	94	SACS	T	
TE-101-AW-37	11/25/91	94	SACS	T	
TE-101-AW-37	12/2/91	93	SACS	T	
TE-101-AW-37	12/9/91	93	SACS	T	
TE-101-AW-37	12/16/91	92	SACS	T	
TE-101-AW-37	12/23/91	92	SACS	T	
TE-101-AW-37	12/30/91	91	SACS	T	
TE-101-AW-37	1/6/92	91	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-37	1/13/82	91	SACS	T	
TE-101-AW-37	1/20/82	90	SACS	T	
TE-101-AW-37	1/27/82	90	SACS	T	
TE-101-AW-37	3/4/82	92	SACS	T	
TE-101-AW-37	4/4/82	93	CASS	T	
TE-101-AW-37	4/17/82	95	CASS	T	
TE-101-AW-37	6/29/82	94	SACS	T	
TE-101-AW-37	10/5/82	99	SACS	T	
TE-101-AW-37	10/12/82	98	SACS	T	
TE-101-AW-37	10/19/82	99	SACS	T	
TE-101-AW-37	10/26/82	98	SACS	T	
TE-101-AW-37	11/2/82	99	SACS	T	
TE-101-AW-37	11/8/82	100	SACS	T	
TE-101-AW-37	11/16/82	100	SACS	T	
TE-101-AW-37	11/23/82	99	SACS	T	
TE-101-AW-37	11/30/82	99	SACS	T	
TE-101-AW-37	12/7/82	100	SACS	T	
TE-101-AW-37	12/14/82	99	SACS	T	
TE-101-AW-37	12/21/82	98	SACS	T	
TE-101-AW-37	12/28/82	99	SACS	T	
TE-101-AW-37	1/25/83	98	SACS	T	
TE-101-AW-37	2/1/83	99	SACS	T	
TE-101-AW-37	2/8/83	98	SACS	T	
TE-101-AW-37	2/16/83	100	SACS	T	
TE-101-AW-38	7/18/83	76	CASS	T	
TE-101-AW-38	7/22/83	77	CASS	T	
TE-101-AW-38	7/29/83	77	CASS	T	
TE-101-AW-38	8/4/83	78	CASS	T	
TE-101-AW-38	8/11/83	78	CASS	T	
TE-101-AW-38	8/20/83	78	CASS	T	
TE-101-AW-38	8/27/83	78	CASS	T	
TE-101-AW-38	8/31/83	79	CASS	T	
TE-101-AW-38	9/10/83	79	CASS	T	
TE-101-AW-38	9/14/83	79	CASS	T	
TE-101-AW-38	9/24/83	79	CASS	T	
TE-101-AW-38	10/1/83	79	CASS	T	
TE-101-AW-38	10/5/83	79	CASS	T	
TE-101-AW-38	10/15/83	79	CASS	T	
TE-101-AW-38	10/21/83	79	CASS	T	
TE-101-AW-38	3/10/84	76	CASS	T	
TE-101-AW-38	3/17/84	76	CASS	T	
TE-101-AW-38	3/24/84	76	CASS	T	
TE-101-AW-38	3/31/84	76	CASS	T	
TE-101-AW-38	4/7/84	82	CASS	T	
TE-101-AW-38	4/14/84	83	CASS	T	
TE-101-AW-38	4/21/84	104	CASS	T	
TE-101-AW-38	4/23/84	104	CASS	T	
TE-101-AW-38	5/5/84	108	CASS	T	
TE-101-AW-38	5/11/84	114	CASS	T	
TE-101-AW-38	5/19/84	113	CASS	T	
TE-101-AW-38	5/26/84	113	CASS	T	
TE-101-AW-38	6/2/84	113	CASS	T	
TE-101-AW-38	6/7/84	113	CASS	T	
TE-101-AW-38	6/19/84	113	CASS	T	
TE-101-AW-38	6/26/84	110	CASS	T	
TE-101-AW-38	7/1/84	108	CASS	T	
TE-101-AW-38	7/10/84	100	CASS	T	
TE-101-AW-38	7/19/84	109	CASS	T	
TE-101-AW-38	7/22/84	107	CASS	T	
TE-101-AW-38	8/2/84	106	CASS	T	
TE-101-AW-38	8/10/84	103	CASS	T	
TE-101-AW-38	8/18/84	103	CASS	T	
TE-101-AW-38	8/24/84	104	CASS	T	
TE-101-AW-38	8/28/84	103	CASS	T	
TE-101-AW-38	9/2/84	106	CASS	T	
TE-101-AW-38	9/14/84	103	CASS	T	
TE-101-AW-38	9/20/84	104	CASS	T	
TE-101-AW-38	9/25/84	103	CASS	T	
TE-101-AW-38	10/3/84	102	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-38	10/13/84	101	CASS	T	
TE-101-AW-38	10/18/84	101	CASS	T	
TE-101-AW-38	10/28/84	100	CASS	T	
TE-101-AW-38	11/3/84	99	CASS	T	
TE-101-AW-38	11/8/84	99	CASS	T	
TE-101-AW-38	11/15/84	98	CASS	T	
TE-101-AW-38	11/24/84	97	CASS	T	
TE-101-AW-38	11/25/84	97	CASS	T	
TE-101-AW-38	12/5/84	96	CASS	T	
TE-101-AW-38	12/13/84	95	CASS	T	
TE-101-AW-38	12/18/84	95	CASS	T	
TE-101-AW-38	12/24/84	90	CASS	T	
TE-101-AW-38	12/31/84	90	CASS	T	
TE-101-AW-38	1/12/85	90	CASS	T	
TE-101-AW-38	1/15/85	91	CASS	T	
TE-101-AW-38	1/22/85	90	CASS	T	
TE-101-AW-38	2/3/85	87	CASS	T	
TE-101-AW-38	2/11/85	81	CASS	T	
TE-101-AW-38	2/22/85	77	CASS	T	
TE-101-AW-38	3/1/85	74	CASS	T	
TE-101-AW-38	3/7/85	74	CASS	T	
TE-101-AW-38	3/14/85	74	CASS	T	
TE-101-AW-38	3/20/85	72	CASS	T	
TE-101-AW-38	3/30/85	73	CASS	T	
TE-101-AW-38	4/5/85	85	CASS	T	
TE-101-AW-38	4/9/85	84	CASS	T	
TE-101-AW-38	4/20/85	90	CASS	T	
TE-101-AW-38	4/22/85	85	CASS	T	
TE-101-AW-38	5/4/85	93	CASS	T	
TE-101-AW-38	5/10/85	89	CASS	T	
TE-101-AW-38	5/13/85	88	CASS	T	
TE-101-AW-38	5/22/85	89	CASS	T	
TE-101-AW-38	6/1/85	90	CASS	T	
TE-101-AW-38	6/8/85	91	CASS	T	
TE-101-AW-38	6/15/85	91	CASS	T	
TE-101-AW-38	6/18/85	91	CASS	T	
TE-101-AW-38	11/1/85	91	CASS	T	
TE-101-AW-38	12/1/85	89	CASS	T	
TE-101-AW-38	1/2/86	87	CASS	T	
TE-101-AW-38	1/9/86	86	CASS	T	
TE-101-AW-38	1/17/86	85	CASS	T	
TE-101-AW-38	1/22/86	85	CASS	T	
TE-101-AW-38	2/1/86	84	CASS	T	
TE-101-AW-38	2/5/86	84	CASS	T	
TE-101-AW-38	2/13/86	83	CASS	T	
TE-101-AW-38	2/16/86	83	CASS	T	
TE-101-AW-38	3/1/86	82	CASS	T	
TE-101-AW-38	3/5/86	82	CASS	T	
TE-101-AW-38	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-101-AW-38	9/17/86	135	CASS	T	
TE-101-AW-38	10/11/86	132	CASS	T	
TE-101-AW-38	10/17/86	132	CASS	T	
TE-101-AW-38	10/23/86	131	CASS	T	
TE-101-AW-38	10/27/86	131	CASS	T	
TE-101-AW-38	11/4/86	130	CASS	T	
TE-101-AW-38	11/10/86	129	CASS	T	
TE-101-AW-38	11/17/86	128	CASS	T	
TE-101-AW-38	11/28/86	125	CASS	T	
TE-101-AW-38	12/2/86	125	CASS	T	
TE-101-AW-38	12/13/86	124	CASS	T	
TE-101-AW-38	12/14/86	124	CASS	T	
TE-101-AW-38	12/24/86	123	CASS	T	
TE-101-AW-38	12/31/86	122	CASS	T	
TE-101-AW-38	7/4/87	112	CASS	T	
TE-101-AW-38	7/11/87	112	CASS	T	
TE-101-AW-38	7/18/87	112	CASS	T	
TE-101-AW-38	7/25/87	112	CASS	T	
TE-101-AW-38	7/31/87	113	CASS	T	
TE-101-AW-38	8/8/87	113	CASS	T	
TE-101-AW-38	8/15/87	113	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-38	8/22/87	113	CASS	T	
TE-101-AW-38	8/29/87	113	CASS	T	
TE-101-AW-38	8/31/87	113	CASS	T	
TE-101-AW-38	9/11/87	110	CASS	T	
TE-101-AW-38	11/28/87	108	CASS	T	
TE-101-AW-38	11/29/87	108	CASS	T	
TE-101-AW-38	3/25/88	75	CASS	S	Data point did not agree with local trend
TE-101-AW-38	3/28/88	104	CASS	T	
TE-101-AW-38	3/27/88	75	CASS	S	Data point did not agree with local trend
TE-101-AW-38	3/31/88	104	CASS	T	
TE-101-AW-38	6/1/88	104	CASS	S	Scatter in data locally
TE-101-AW-38	6/2/88	104	CASS	S	Scatter in data locally
TE-101-AW-38	6/4/88	80	CASS	S	Scatter in data locally
TE-101-AW-38	6/5/88	81	CASS	S	Scatter in data locally
TE-101-AW-38	6/6/88	104	CASS	S	Scatter in data locally
TE-101-AW-38	6/7/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	6/8/88	104	CASS	S	Scatter in data locally
TE-101-AW-38	6/9/88	104	CASS	S	Scatter in data locally
TE-101-AW-38	6/10/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	6/11/88	104	CASS	S	Scatter in data locally
TE-101-AW-38	6/12/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	6/13/88	82	CASS	S	Scatter in data locally
TE-101-AW-38	6/14/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	6/15/88	82	CASS	S	Scatter in data locally
TE-101-AW-38	6/16/88	83	CASS	S	Scatter in data locally
TE-101-AW-38	6/17/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	6/18/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	6/19/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	6/20/88	84	CASS	S	Scatter in data locally
TE-101-AW-38	6/21/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	6/22/88	84	CASS	S	Scatter in data locally
TE-101-AW-38	6/23/88	84	CASS	S	Scatter in data locally
TE-101-AW-38	6/24/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	6/25/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	6/26/88	85	CASS	S	Scatter in data locally
TE-101-AW-38	6/27/88	85	CASS	S	Scatter in data locally
TE-101-AW-38	6/28/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	6/29/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	6/30/88	85	CASS	S	Scatter in data locally
TE-101-AW-38	7/1/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	7/2/88	85	CASS	S	Scatter in data locally
TE-101-AW-38	7/3/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	7/4/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	7/5/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	7/6/88	85	CASS	S	Scatter in data locally
TE-101-AW-38	7/7/88	85	CASS	S	Scatter in data locally
TE-101-AW-38	7/8/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	7/9/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	7/10/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	7/11/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	7/12/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	7/13/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	7/14/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	7/15/88	86	CASS	S	Scatter in data locally
TE-101-AW-38	7/16/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	7/17/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	7/18/88	87	CASS	S	Scatter in data locally
TE-101-AW-38	7/19/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	7/20/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	7/21/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	7/22/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	7/23/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	7/24/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	7/25/88	89	CASS	S	Scatter in data locally
TE-101-AW-38	7/26/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	7/27/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	7/28/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	7/29/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	7/30/88	89	CASS	S	Scatter in data locally
TE-101-AW-38	7/31/88	106	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-38	8/1/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	8/3/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	8/4/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	8/5/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	8/6/88	88	CASS	S	Scatter in data locally
TE-101-AW-38	8/8/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	8/9/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	8/10/88	87	CASS	S	Scatter in data locally
TE-101-AW-38	8/11/88	87	CASS	S	Scatter in data locally
TE-101-AW-38	8/12/88	87	CASS	S	Scatter in data locally
TE-101-AW-38	8/13/88	87	CASS	S	Scatter in data locally
TE-101-AW-38	8/14/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	8/15/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	8/16/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	8/17/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	8/18/88	106	CASS	S	Scatter in data locally
TE-101-AW-38	8/19/88	87	CASS	S	Scatter in data locally
TE-101-AW-38	8/20/88	87	CASS	S	Scatter in data locally
TE-101-AW-38	8/21/88	107	CASS	S	Scatter in data locally
TE-101-AW-38	8/22/88	87	CASS	S	Scatter in data locally
TE-101-AW-38	8/23/88	107	CASS	S	Scatter in data locally
TE-101-AW-38	8/24/88	87	CASS	S	Scatter in data locally
TE-101-AW-38	8/25/88	88	CASS	S	Scatter in data locally
TE-101-AW-38	8/26/88	107	CASS	S	Scatter in data locally
TE-101-AW-38	8/27/88	88	CASS	S	Scatter in data locally
TE-101-AW-38	8/28/88	107	CASS	S	Scatter in data locally
TE-101-AW-38	8/29/88	88	CASS	S	Scatter in data locally
TE-101-AW-38	8/30/88	107	CASS	S	Scatter in data locally
TE-101-AW-38	8/31/88	107	CASS	S	Scatter in data locally
TE-101-AW-38	9/1/88	107	CASS	S	Scatter in data locally
TE-101-AW-38	9/2/88	107	CASS	S	Scatter in data locally
TE-101-AW-38	9/3/88	107	CASS	S	Scatter in data locally
TE-101-AW-38	9/4/88	87	CASS	S	Scatter in data locally
TE-101-AW-38	9/6/88	107	CASS	S	Scatter in data locally
TE-101-AW-38	9/7/88	107	CASS	S	Scatter in data locally
TE-101-AW-38	9/8/88	107	CASS	S	Scatter in data locally
TE-101-AW-38	9/9/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	9/10/88	87	CASS	S	Scatter in data locally
TE-101-AW-38	9/12/88	87	CASS	S	Scatter in data locally
TE-101-AW-38	9/13/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	9/14/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	9/15/88	88	CASS	S	Scatter in data locally
TE-101-AW-38	9/16/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	9/17/88	88	CASS	S	Scatter in data locally
TE-101-AW-38	9/18/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	9/19/88	88	CASS	S	Scatter in data locally
TE-101-AW-38	9/20/88	88	CASS	S	Scatter in data locally
TE-101-AW-38	9/21/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	9/22/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	9/23/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	9/24/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	9/25/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	9/26/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	9/27/88	88	CASS	S	Scatter in data locally
TE-101-AW-38	9/28/88	105	CASS	S	Scatter in data locally
TE-101-AW-38	9/30/88	106	CASS	T	
TE-101-AW-38	12/3/88	105	CASS	T	
TE-101-AW-38	12/10/88	105	CASS	T	
TE-101-AW-38	12/17/88	105	CASS	T	
TE-101-AW-38	12/20/88	105	CASS	T	
TE-101-AW-38	7/10/89	102	SACS	T	
TE-101-AW-38	7/17/89	102	SACS	T	
TE-101-AW-38	7/24/89	103	SACS	T	
TE-101-AW-38	8/7/89	101	SACS	T	
TE-101-AW-38	8/28/89	105	SACS	T	
TE-101-AW-38	9/9/89	105	CASS	T	
TE-101-AW-38	9/18/89	105	CASS	T	
TE-101-AW-38	9/23/89	105	CASS	T	
TE-101-AW-38	9/30/89	106	CASS	T	
TE-101-AW-38	10/1/89	106	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-38	10/18/89	107	SACS	T	
TE-101-AW-38	10/24/89	108	SACS	T	
TE-101-AW-38	10/30/89	109	SACS	T	
TE-101-AW-38	11/9/89	108	CASS	T	
TE-101-AW-38	11/18/89	108	CASS	T	
TE-101-AW-38	11/25/89	108	CASS	T	
TE-101-AW-38	11/27/89	109	SACS	T	
TE-101-AW-38	12/9/89	108	CASS	T	
TE-101-AW-38	12/18/89	108	CASS	T	
TE-101-AW-38	12/19/89	108	CASS	T	
TE-101-AW-38	12/28/89	107	SACS	T	
TE-101-AW-38	1/2/90	107	SACS	T	
TE-101-AW-38	1/13/90	107	CASS	T	
TE-101-AW-38	1/15/90	108	SACS	T	
TE-101-AW-38	1/22/90	102	SACS	T	
TE-101-AW-38	1/29/90	103	SACS	T	
TE-101-AW-38	2/5/90	103	SACS	T	
TE-101-AW-38	2/12/90	103	SACS	T	
TE-101-AW-38	2/19/90	104	SACS	T	
TE-101-AW-38	2/28/90	102	SACS	T	
TE-101-AW-38	3/5/90	102	SACS	T	
TE-101-AW-38	3/12/90	103	SACS	T	
TE-101-AW-38	3/19/90	102	SACS	T	
TE-101-AW-38	3/28/90	102	SACS	T	
TE-101-AW-38	4/7/90	101	CASS	T	
TE-101-AW-38	4/14/90	101	CASS	T	
TE-101-AW-38	4/21/90	101	CASS	T	
TE-101-AW-38	4/23/90	102	SACS	T	
TE-101-AW-38	5/5/90	101	CASS	T	
TE-101-AW-38	5/7/90	102	SACS	T	
TE-101-AW-38	5/15/90	101	SACS	T	
TE-101-AW-38	5/21/90	101	SACS	T	
TE-101-AW-38	6/2/90	100	CASS	T	
TE-101-AW-38	6/7/90	101	CASS	T	
TE-101-AW-38	6/18/90	100	CASS	T	
TE-101-AW-38	6/23/90	101	CASS	T	
TE-101-AW-38	6/30/90	101	CASS	T	
TE-101-AW-38	7/7/90	101	CASS	T	
TE-101-AW-38	7/14/90	101	CASS	T	
TE-101-AW-38	7/21/90	101	CASS	T	
TE-101-AW-38	7/28/90	101	CASS	T	
TE-101-AW-38	8/4/90	102	CASS	T	
TE-101-AW-38	8/11/90	102	CASS	T	
TE-101-AW-38	8/18/90	102	CASS	T	
TE-101-AW-38	8/25/90	102	CASS	T	
TE-101-AW-38	8/27/90	104	SACS	T	
TE-101-AW-38	9/8/90	103	CASS	T	
TE-101-AW-38	9/15/90	103	CASS	T	
TE-101-AW-38	9/22/90	103	CASS	T	
TE-101-AW-38	9/27/90	104	SACS	T	
TE-101-AW-38	10/1/90	104	SACS	T	
TE-101-AW-38	10/13/90	104	CASS	T	
TE-101-AW-38	10/15/90	105	SACS	T	
TE-101-AW-38	10/22/90	105	SACS	T	
TE-101-AW-38	10/29/90	105	SACS	T	
TE-101-AW-38	11/5/90	105	SACS	T	
TE-101-AW-38	11/12/90	105	SACS	T	
TE-101-AW-38	11/19/90	105	SACS	T	
TE-101-AW-38	12/1/90	104	CASS	T	
TE-101-AW-38	12/3/90	105	SACS	T	
TE-101-AW-38	12/15/90	104	CASS	T	
TE-101-AW-38	12/19/90	104	CASS	T	
TE-101-AW-38	12/24/90	105	SACS	T	
TE-101-AW-38	12/31/90	106	SACS	T	
TE-101-AW-38	1/7/91	105	SACS	T	
TE-101-AW-38	1/14/91	104	SACS	T	
TE-101-AW-38	1/21/91	104	SACS	T	
TE-101-AW-38	1/28/91	104	SACS	T	
TE-101-AW-38	2/9/91	103	CASS	T	
TE-101-AW-38	2/11/91	104	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-38	2/18/91	104	SACS	T	
TE-101-AW-38	3/2/91	103	CASS	T	
TE-101-AW-38	3/4/91	104	SACS	T	
TE-101-AW-38	3/18/91	103	CASS	T	
TE-101-AW-38	3/23/91	103	CASS	T	
TE-101-AW-38	3/25/91	104	SACS	T	
TE-101-AW-38	4/2/91	103	CASS	T	
TE-101-AW-38	4/8/91	104	SACS	T	
TE-101-AW-38	4/15/91	103	SACS	T	
TE-101-AW-38	4/22/91	103	SACS	T	
TE-101-AW-38	5/4/91	102	CASS	T	
TE-101-AW-38	5/8/91	103	SACS	T	
TE-101-AW-38	5/18/91	102	CASS	T	
TE-101-AW-38	5/25/91	102	CASS	T	
TE-101-AW-38	5/31/91	102	CASS	T	
TE-101-AW-38	6/3/91	103	SACS	T	
TE-101-AW-38	6/10/91	103	SACS	T	
TE-101-AW-38	6/21/91	102	CASS	T	
TE-101-AW-38	6/25/91	102	CASS	T	
TE-101-AW-38	7/1/91	102	SACS	T	
TE-101-AW-38	7/8/91	101	SACS	T	
TE-101-AW-38	7/15/91	103	SACS	T	
TE-101-AW-38	7/22/91	101	SACS	T	
TE-101-AW-38	7/29/91	102	SACS	T	
TE-101-AW-38	8/4/91	102	SACS	T	
TE-101-AW-38	8/19/91	101	SACS	T	
TE-101-AW-38	8/28/91	102	SACS	T	
TE-101-AW-38	9/2/91	103	SACS	T	
TE-101-AW-38	9/9/91	103	SACS	T	
TE-101-AW-38	9/18/91	103	SACS	T	
TE-101-AW-38	9/23/91	104	SACS	T	
TE-101-AW-38	9/30/91	104	SACS	T	
TE-101-AW-38	10/7/91	104	SACS	T	
TE-101-AW-38	10/14/91	105	SACS	T	
TE-101-AW-38	10/21/91	104	SACS	T	
TE-101-AW-38	10/28/91	104	SACS	T	
TE-101-AW-38	11/5/91	101	SACS	T	
TE-101-AW-38	11/11/91	108	SACS	T	
TE-101-AW-38	11/18/91	100	SACS	T	
TE-101-AW-38	11/25/91	100	SACS	T	
TE-101-AW-38	12/2/91	100	SACS	T	
TE-101-AW-38	12/9/91	100	SACS	T	
TE-101-AW-38	12/18/91	100	SACS	T	
TE-101-AW-38	12/23/91	100	SACS	T	
TE-101-AW-38	12/30/91	100	SACS	T	
TE-101-AW-38	1/8/92	100	SACS	T	
TE-101-AW-38	1/13/92	100	SACS	T	
TE-101-AW-38	1/20/92	99	SACS	T	
TE-101-AW-38	1/27/92	99	SACS	T	
TE-101-AW-38	2/3/92	99	SACS	T	
TE-101-AW-38	2/10/92	98	SACS	T	
TE-101-AW-38	2/17/92	96	SACS	T	
TE-101-AW-38	2/24/92	97	SACS	T	
TE-101-AW-38	3/4/92	98	SACS	T	
TE-101-AW-38	3/9/92	97	SACS	T	
TE-101-AW-38	3/16/92	97	SACS	T	
TE-101-AW-38	3/23/92	97	SACS	T	
TE-101-AW-38	3/30/92	97	SACS	T	
TE-101-AW-38	4/17/92	95	CASS	T	
TE-101-AW-38	4/27/92	98	SACS	T	
TE-101-AW-38	5/4/92	98	SACS	T	
TE-101-AW-38	5/11/92	94	SACS	T	
TE-101-AW-38	5/18/92	98	SACS	T	
TE-101-AW-38	5/25/92	98	SACS	T	
TE-101-AW-38	6/1/92	99	SACS	T	
TE-101-AW-38	6/15/92	99	SACS	T	
TE-101-AW-38	6/22/92	98	SACS	T	
TE-101-AW-38	6/29/92	98	SACS	T	
TE-101-AW-38	7/8/92	100	SACS	T	
TE-101-AW-38	7/13/92	100	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-38	7/20/92	100	SACS	T	
TE-101-AW-38	7/27/92	100	SACS	T	
TE-101-AW-38	8/3/92	100	SACS	T	
TE-101-AW-38	8/10/92	100	SACS	T	
TE-101-AW-38	8/17/92	101	SACS	T	
TE-101-AW-38	8/24/92	101	SACS	T	
TE-101-AW-38	8/31/92	102	SACS	T	
TE-101-AW-38	9/7/92	102	SACS	T	
TE-101-AW-38	9/14/92	102	SACS	T	
TE-101-AW-38	9/21/92	102	SACS	T	
TE-101-AW-38	9/28/92	102	SACS	T	
TE-101-AW-38	10/5/92	103	SACS	T	
TE-101-AW-38	10/12/92	103	SACS	T	
TE-101-AW-38	10/19/92	103	SACS	T	
TE-101-AW-38	10/26/92	103	SACS	T	
TE-101-AW-38	11/2/92	104	SACS	T	
TE-101-AW-38	11/9/92	105	SACS	T	
TE-101-AW-38	11/16/92	105	SACS	T	
TE-101-AW-38	11/23/92	105	SACS	T	
TE-101-AW-38	11/30/92	105	SACS	T	
TE-101-AW-38	12/7/92	105	SACS	T	
TE-101-AW-38	12/14/92	105	SACS	T	
TE-101-AW-38	12/21/92	105	SACS	T	
TE-101-AW-38	12/28/92	105	SACS	T	
TE-101-AW-38	1/4/93	106	SACS	T	
TE-101-AW-38	1/11/93	106	SACS	T	
TE-101-AW-38	1/18/93	106	SACS	T	
TE-101-AW-38	1/25/93	106	SACS	T	
TE-101-AW-38	2/1/93	106	SACS	T	
TE-101-AW-38	2/8/93	106	SACS	T	
TE-101-AW-38	2/15/93	107	SACS	T	
TE-101-AW-38	2/22/93	107	SACS	T	
TE-101-AW-38	3/1/93	107	SACS	T	
TE-101-AW-38	3/8/93	106	SACS	T	
TE-101-AW-38	3/20/93	106	SACS	T	
TE-101-AW-38	3/22/93	106	SACS	T	
TE-101-AW-38	3/29/93	106	SACS	T	
TE-101-AW-38	4/8/93	104	SACS	T	
TE-101-AW-38	4/12/93	106	SACS	T	
TE-101-AW-38	4/19/93	106	SACS	T	
TE-101-AW-38	4/26/93	105	SACS	T	
TE-101-AW-38	5/3/93	107	SACS	T	
TE-101-AW-38	5/10/93	104	SACS	T	
TE-101-AW-38	5/17/93	106	SACS	T	
TE-101-AW-38	5/24/93	106	SACS	T	
TE-101-AW-38	5/31/93	106	SACS	T	
TE-101-AW-38	6/7/93	106	SACS	T	
TE-101-AW-38	6/15/93	106	SACS	T	
TE-101-AW-38	6/22/93	106	SACS	T	
TE-101-AW-38	6/28/93	104	SACS	T	
TE-101-AW-38	7/5/93	106	SACS	T	
TE-101-AW-38	7/12/93	104	SACS	T	
TE-101-AW-38	7/19/93	107	SACS	T	
TE-101-AW-38	7/26/93	106	SACS	T	
TE-101-AW-38	8/2/93	106	SACS	T	
TE-101-AW-38	8/11/93	107	SACS	T	
TE-101-AW-38	8/18/93	105	SACS	T	
TE-101-AW-38	8/23/93	106	SACS	T	
TE-101-AW-38	8/30/93	107	SACS	T	
TE-101-AW-38	9/13/93	105	SACS	T	
TE-101-AW-38	9/21/93	107	SACS	T	
TE-101-AW-38	9/27/93	107	SACS	T	
TE-101-AW-38	10/11/93	106	SACS	T	
TE-101-AW-38	10/19/93	104	SACS	T	
TE-101-AW-38	10/26/93	106	SACS	T	
TE-101-AW-38	11/1/93	106	SACS	T	
TE-101-AW-38	11/8/93	106	SACS	T	
TE-101-AW-38	11/15/93	106	SACS	T	
TE-101-AW-38	11/22/93	106	SACS	T	
TE-101-AW-38	11/29/93	33	SACS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-38	11/30/93	108	SACS	T	
TE-101-AW-38	12/6/93	108	SACS	T	
TE-101-AW-38	12/13/93	42	SACS	S	Data point did not agree with local trend
TE-101-AW-38	12/17/93	103	SACS	T	
TE-101-AW-38	12/20/93	103	SACS	T	
TE-101-AW-38	12/27/93	103	SACS	T	
TE-101-AW-38	1/5/94	104	SACS	T	
TE-101-AW-38	1/19/94	104	SACS	T	
TE-101-AW-38	1/24/94	103	SACS	T	
TE-101-AW-38	1/31/94	103	SACS	T	
TE-101-AW-38	2/7/94	104	SACS	G	
TE-101-AW-38	2/21/94	103	SACS	G	
TE-101-AW-38	2/28/94	103	SACS	T	
TE-101-AW-38	3/7/94	103	SACS	T	
TE-101-AW-38	3/14/94	103	SACS	G	
TE-101-AW-38	3/21/94	103	SACS	G	
TE-101-AW-38	3/28/94	103	SACS	G	
TE-101-AW-38	4/5/94	102	SACS	G	
TE-101-AW-38	4/11/94	102	SACS	G	
TE-101-AW-38	4/18/94	102	SACS	T	
TE-101-AW-38	4/25/94	103	SACS	G	
TE-101-AW-38	5/2/94	102	SACS	G	
TE-101-AW-38	5/9/94	102	SACS	G	
TE-101-AW-38	5/16/94	102	SACS	G	
TE-101-AW-38	5/31/94	102	SACS	G	
TE-101-AW-38	6/6/94	102	SACS	G	
TE-101-AW-38	6/13/94	102	SACS	G	
TE-101-AW-38	6/20/94	102	SACS	G	
TE-101-AW-38	6/27/94	102	SACS	G	
TE-101-AW-38	7/4/94	102	SACS	G	
TE-101-AW-38	7/18/94	102	SACS	G	
TE-101-AW-38	7/25/94	103	SACS	G	
TE-101-AW-38	8/1/94	103	SACS	G	
TE-101-AW-38	8/8/94	103	SACS	G	
TE-101-AW-38	8/15/94	103	SACS	G	
TE-101-AW-38	8/22/94	104	SACS	G	
TE-101-AW-38	9/7/94	104	SACS	G	
TE-101-AW-38	9/12/94	105	SACS	G	
TE-101-AW-38	9/26/94	104	SACS	G	
TE-101-AW-38	10/10/94	105	SACS	G	
TE-101-AW-38	10/17/94	106	SACS	G	
TE-101-AW-38	10/24/94	106	SACS	G	
TE-101-AW-38	10/31/94	106	SACS	G	
TE-101-AW-38	11/7/94	106	SACS	G	
TE-101-AW-38	11/14/94	106	SACS	G	
TE-101-AW-38	11/21/94	107	SACS	G	
TE-101-AW-38	11/28/94	107	SACS	G	
TE-101-AW-38	12/5/94	107	SACS	G	
TE-101-AW-38	12/12/94	107	SACS	G	
TE-101-AW-38	12/19/94	107	SACS	G	
TE-101-AW-38	12/26/94	107	SACS	G	
TE-101-AW-38	1/2/95	106	SACS	G	
TE-101-AW-38	1/9/95	106	SACS	G	
TE-101-AW-38	1/16/95	107	SACS	G	
TE-101-AW-38	1/23/95	106	SACS	G	
TE-101-AW-38	1/30/95	106	SACS	G	
TE-101-AW-38	2/6/95	106	SACS	G	
TE-101-AW-38	2/13/95	109	SACS	G	
TE-101-AW-38	2/24/95	106	SACS	G	
TE-101-AW-38	2/27/95	106	SACS	G	
TE-101-AW-38	3/6/95	106	SACS	G	
TE-101-AW-38	3/27/95	104	SACS	G	
TE-101-AW-38	4/3/95	106	SACS	G	
TE-101-AW-38	4/10/95	109	SACS	G	
TE-101-AW-38	4/17/95	106	SACS	G	
TE-101-AW-38	4/24/95	106	SACS	G	
TE-101-AW-38	5/3/95	109	SACS	G	
TE-101-AW-38	5/8/95	109	SACS	G	
TE-101-AW-38	5/15/95	109	SACS	G	
TE-101-AW-38	5/22/95	106	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-38	5/30/85	108	SACS	G	
TE-101-AW-38	6/5/85	109	SACS	G	
TE-101-AW-38	6/13/85	109	SACS	G	
TE-101-AW-38	6/19/85	109	SACS	G	
TE-101-AW-39	7/16/83	77	CASS	T	
TE-101-AW-39	7/22/83	78	CASS	T	
TE-101-AW-39	7/29/83	78	CASS	T	
TE-101-AW-39	8/8/83	78	CASS	T	
TE-101-AW-39	8/13/83	78	CASS	T	
TE-101-AW-39	8/20/83	79	CASS	T	
TE-101-AW-39	8/27/83	79	CASS	T	
TE-101-AW-39	8/31/83	79	CASS	T	
TE-101-AW-39	9/10/83	80	CASS	T	
TE-101-AW-39	9/14/83	80	CASS	T	
TE-101-AW-39	9/24/83	80	CASS	T	
TE-101-AW-39	10/1/83	80	CASS	T	
TE-101-AW-39	10/5/83	80	CASS	T	
TE-101-AW-39	10/15/83	80	CASS	T	
TE-101-AW-39	10/21/83	80	CASS	T	
TE-101-AW-39	3/10/84	78	CASS	T	
TE-101-AW-39	3/17/84	78	CASS	T	
TE-101-AW-39	3/24/84	78	CASS	T	
TE-101-AW-39	3/31/84	78	CASS	T	
TE-101-AW-39	4/7/84	82	CASS	T	
TE-101-AW-39	4/14/84	83	CASS	T	
TE-101-AW-39	4/21/84	104	CASS	T	
TE-101-AW-39	4/28/84	104	CASS	T	
TE-101-AW-39	5/5/84	108	CASS	T	
TE-101-AW-39	5/11/84	114	CASS	T	
TE-101-AW-39	5/19/84	113	CASS	T	
TE-101-AW-39	5/26/84	113	CASS	T	
TE-101-AW-39	6/2/84	113	CASS	T	
TE-101-AW-39	6/7/84	114	CASS	T	
TE-101-AW-39	6/20/84	101	CASS	T	
TE-101-AW-39	6/25/84	98	CASS	T	
TE-101-AW-39	7/7/84	104	CASS	T	
TE-101-AW-39	7/10/84	100	CASS	T	
TE-101-AW-39	7/19/84	106	CASS	T	
TE-101-AW-39	7/23/84	103	CASS	T	
TE-101-AW-39	7/30/84	109	CASS	T	
TE-101-AW-39	8/6/84	102	CASS	T	
TE-101-AW-39	8/16/84	105	CASS	T	
TE-101-AW-39	8/24/84	105	CASS	T	
TE-101-AW-39	9/1/84	105	CASS	T	
TE-101-AW-39	9/3/84	106	CASS	T	
TE-101-AW-39	9/12/84	105	CASS	T	
TE-101-AW-39	9/22/84	104	CASS	T	
TE-101-AW-39	9/23/84	104	CASS	T	
TE-101-AW-39	10/1/84	103	CASS	T	
TE-101-AW-39	10/8/84	102	CASS	T	
TE-101-AW-39	10/19/84	101	CASS	T	
TE-101-AW-39	10/27/84	100	CASS	T	
TE-101-AW-39	10/28/84	100	CASS	T	
TE-101-AW-39	11/7/84	99	CASS	T	
TE-101-AW-39	11/15/84	98	CASS	T	
TE-101-AW-39	11/24/84	97	CASS	T	
TE-101-AW-39	11/30/84	96	CASS	T	
TE-101-AW-39	12/7/84	96	CASS	T	
TE-101-AW-39	12/13/84	95	CASS	T	
TE-101-AW-39	12/18/84	95	CASS	T	
TE-101-AW-39	12/25/84	90	CASS	T	
TE-101-AW-39	1/5/85	91	CASS	T	
TE-101-AW-39	1/7/85	93	CASS	T	
TE-101-AW-39	1/15/85	91	CASS	T	
TE-101-AW-39	1/26/85	90	CASS	T	
TE-101-AW-39	1/30/85	90	CASS	T	
TE-101-AW-39	2/6/85	87	CASS	T	
TE-101-AW-39	2/12/85	86	CASS	T	
TE-101-AW-39	2/17/85	84	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-39	2/26/85	85	CASS	T	
TE-101-AW-39	3/9/85	77	CASS	T	
TE-101-AW-39	3/10/85	77	CASS	T	
TE-101-AW-39	3/20/85	76	CASS	T	
TE-101-AW-39	3/30/85	77	CASS	T	
TE-101-AW-39	4/8/85	86	CASS	T	
TE-101-AW-39	4/7/85	86	CASS	T	
TE-101-AW-39	4/20/85	87	CASS	T	
TE-101-AW-39	4/22/85	85	CASS	T	
TE-101-AW-39	5/4/85	88	CASS	T	
TE-101-AW-39	5/10/85	89	CASS	T	
TE-101-AW-39	5/13/85	84	CASS	T	
TE-101-AW-39	5/21/85	87	CASS	T	
TE-101-AW-39	6/1/85	91	CASS	T	
TE-101-AW-39	6/8/85	93	CASS	T	
TE-101-AW-39	6/11/85	94	CASS	T	
TE-101-AW-39	6/18/85	93	CASS	T	
TE-101-AW-39	11/1/85	92	CASS	T	
TE-101-AW-39	12/1/85	90	CASS	T	
TE-101-AW-39	1/2/86	88	CASS	T	
TE-101-AW-39	1/5/86	87	CASS	T	
TE-101-AW-39	1/15/86	86	CASS	T	
TE-101-AW-39	1/25/86	85	CASS	T	
TE-101-AW-39	1/26/86	85	CASS	T	
TE-101-AW-39	2/8/86	84	CASS	T	
TE-101-AW-39	2/11/86	84	CASS	T	
TE-101-AW-39	2/22/86	83	CASS	T	
TE-101-AW-39	2/28/86	83	CASS	T	
TE-101-AW-39	3/2/86	83	CASS	T	
TE-101-AW-39	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-101-AW-39	9/17/86	131	CASS	T	
TE-101-AW-39	10/11/86	128	CASS	T	
TE-101-AW-39	10/18/86	128	CASS	T	
TE-101-AW-39	10/19/86	128	CASS	T	
TE-101-AW-39	10/30/86	127	CASS	T	
TE-101-AW-39	11/8/86	126	CASS	T	
TE-101-AW-39	11/15/86	126	CASS	T	
TE-101-AW-39	11/17/86	126	CASS	T	
TE-101-AW-39	11/24/86	124	CASS	T	
TE-101-AW-39	11/30/86	123	CASS	T	
TE-101-AW-39	12/10/86	122	CASS	T	
TE-101-AW-39	12/20/86	121	CASS	T	
TE-101-AW-39	12/22/86	121	CASS	T	
TE-101-AW-39	12/31/86	120	CASS	T	
TE-101-AW-39	7/2/87	113	CASS	T	
TE-101-AW-39	7/11/87	112	CASS	T	
TE-101-AW-39	7/18/87	113	CASS	T	
TE-101-AW-39	7/25/87	113	CASS	T	
TE-101-AW-39	8/1/87	113	CASS	T	
TE-101-AW-39	8/8/87	113	CASS	T	
TE-101-AW-39	8/15/87	113	CASS	T	
TE-101-AW-39	8/22/87	113	CASS	T	
TE-101-AW-39	8/29/87	114	CASS	T	
TE-101-AW-39	8/31/87	114	CASS	T	
TE-101-AW-39	9/11/87	108	CASS	T	
TE-101-AW-39	11/28/87	108	CASS	T	
TE-101-AW-39	11/29/87	108	CASS	T	
TE-101-AW-39	3/28/88	103	CASS	T	
TE-101-AW-39	3/27/88	77	CASS	S	Data point did not agree with local trend
TE-101-AW-39	3/31/88	103	CASS	T	
TE-101-AW-39	6/1/88	81	CASS	S	Scatter in data locally
TE-101-AW-39	6/2/88	104	CASS	S	Scatter in data locally
TE-101-AW-39	6/4/88	82	CASS	S	Scatter in data locally
TE-101-AW-39	6/5/88	83	CASS	S	Scatter in data locally
TE-101-AW-39	6/6/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	6/7/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	6/8/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	6/9/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	6/10/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	6/11/88	105	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-39	8/12/88	85	CASS	S	Scatter in data locally
TE-101-AW-39	8/13/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	8/14/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	8/15/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	8/16/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	8/17/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	8/18/88	85	CASS	S	Scatter in data locally
TE-101-AW-39	8/19/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	8/20/88	87	CASS	S	Scatter in data locally
TE-101-AW-39	8/21/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	8/22/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	8/23/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	8/24/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	8/25/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	8/26/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	8/27/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	8/28/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	8/29/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	8/30/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	7/1/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	7/2/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	7/3/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	7/4/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	7/5/88	87	CASS	S	Scatter in data locally
TE-101-AW-39	7/6/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	7/7/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	7/8/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	7/9/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	7/10/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	7/11/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	7/12/88	88	CASS	S	Scatter in data locally
TE-101-AW-39	7/13/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	7/14/88	86	CASS	S	Scatter in data locally
TE-101-AW-39	7/15/88	88	CASS	S	Scatter in data locally
TE-101-AW-39	7/16/88	89	CASS	S	Scatter in data locally
TE-101-AW-39	7/17/88	105	CASS	S	Scatter in data locally
TE-101-AW-39	7/18/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	7/19/88	92	CASS	S	Scatter in data locally
TE-101-AW-39	7/20/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	7/21/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	7/22/88	92	CASS	S	Scatter in data locally
TE-101-AW-39	7/23/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	7/24/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	7/25/88	91	CASS	S	Scatter in data locally
TE-101-AW-39	7/26/88	91	CASS	S	Scatter in data locally
TE-101-AW-39	7/27/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	7/28/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	7/29/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	7/30/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	7/31/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/1/88	90	CASS	S	Scatter in data locally
TE-101-AW-39	8/3/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/4/88	90	CASS	S	Scatter in data locally
TE-101-AW-39	8/5/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/6/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/8/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/9/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/9/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/10/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/11/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/12/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/13/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/14/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/15/88	89	CASS	S	Scatter in data locally
TE-101-AW-39	8/16/88	88	CASS	S	Scatter in data locally
TE-101-AW-39	8/17/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/18/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/19/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/20/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/21/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/22/88	106	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-39	8/23/88	108	CASS	S	Scatter in data locally
TE-101-AW-39	8/24/88	107	CASS	S	Scatter in data locally
TE-101-AW-39	8/25/88	91	CASS	S	Scatter in data locally
TE-101-AW-39	8/26/88	106	CASS	S	Scatter in data locally
TE-101-AW-39	8/27/88	107	CASS	S	Scatter in data locally
TE-101-AW-39	8/28/88	90	CASS	S	Scatter in data locally
TE-101-AW-39	8/29/88	90	CASS	S	Scatter in data locally
TE-101-AW-39	8/30/88	107	CASS	S	Scatter in data locally
TE-101-AW-39	8/31/88	107	CASS	S	Scatter in data locally
TE-101-AW-39	9/1/88	107	CASS	S	Scatter in data locally
TE-101-AW-39	9/2/88	88	CASS	S	Scatter in data locally
TE-101-AW-39	9/3/88	107	CASS	S	Scatter in data locally
TE-101-AW-39	9/4/88	89	CASS	S	Scatter in data locally
TE-101-AW-39	9/5/88	107	CASS	S	Scatter in data locally
TE-101-AW-39	9/7/88	107	CASS	S	Scatter in data locally
TE-101-AW-39	9/8/88	108	CASS	S	Scatter in data locally
TE-101-AW-39	9/9/88	104	CASS	S	Scatter in data locally
TE-101-AW-39	9/10/88	104	CASS	S	Scatter in data locally
TE-101-AW-39	9/12/88	104	CASS	S	Scatter in data locally
TE-101-AW-39	9/13/88	104	CASS	S	Scatter in data locally
TE-101-AW-39	9/14/88	90	CASS	S	Scatter in data locally
TE-101-AW-39	9/15/88	104	CASS	S	Scatter in data locally
TE-101-AW-39	9/16/88	91	CASS	S	Scatter in data locally
TE-101-AW-39	9/17/88	104	CASS	S	Scatter in data locally
TE-101-AW-39	9/24/88	104	CASS	T	
TE-101-AW-39	9/30/88	104	CASS	T	
TE-101-AW-39	12/3/88	104	CASS	T	
TE-101-AW-39	12/10/88	103	CASS	T	
TE-101-AW-39	12/17/88	103	CASS	T	
TE-101-AW-39	12/22/88	103	CASS	T	
TE-101-AW-39	7/10/89	102	SACS	T	
TE-101-AW-39	7/17/89	102	SACS	T	
TE-101-AW-39	7/24/89	103	SACS	T	
TE-101-AW-39	8/7/89	101	SACS	T	
TE-101-AW-39	8/29/89	105	SACS	T	
TE-101-AW-39	9/9/89	104	CASS	T	
TE-101-AW-39	9/11/89	105	SACS	T	
TE-101-AW-39	9/23/89	105	CASS	T	
TE-101-AW-39	9/30/89	105	CASS	T	
TE-101-AW-39	10/1/89	106	SACS	T	
TE-101-AW-39	10/18/89	107	SACS	T	
TE-101-AW-39	10/24/89	108	SACS	T	
TE-101-AW-39	10/30/89	108	SACS	T	
TE-101-AW-39	11/11/89	107	CASS	T	
TE-101-AW-39	11/13/89	108	SACS	T	
TE-101-AW-39	11/19/89	108	CASS	T	
TE-101-AW-39	11/27/89	109	SACS	T	
TE-101-AW-39	12/9/89	108	CASS	T	
TE-101-AW-39	12/18/89	108	CASS	T	
TE-101-AW-39	12/19/89	106	CASS	T	
TE-101-AW-39	12/27/89	107	CASS	T	
TE-101-AW-39	1/8/90	107	CASS	T	
TE-101-AW-39	1/11/90	107	CASS	T	
TE-101-AW-39	1/15/90	108	SACS	T	
TE-101-AW-39	1/22/90	102	SACS	T	
TE-101-AW-39	1/29/90	103	SACS	T	
TE-101-AW-39	2/5/90	103	SACS	T	
TE-101-AW-39	2/12/90	103	SACS	T	
TE-101-AW-39	2/19/90	104	SACS	T	
TE-101-AW-39	2/26/90	102	SACS	T	
TE-101-AW-39	3/5/90	102	SACS	T	
TE-101-AW-39	3/12/90	103	SACS	T	
TE-101-AW-39	3/19/90	102	SACS	T	
TE-101-AW-39	3/28/90	102	SACS	T	
TE-101-AW-39	4/7/90	99	CASS	T	
TE-101-AW-39	4/14/90	99	CASS	T	
TE-101-AW-39	4/21/90	99	CASS	T	
TE-101-AW-39	4/23/90	102	SACS	T	
TE-101-AW-39	4/30/90	101	SACS	T	
TE-101-AW-39	5/7/90	102	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-39	5/15/90	101	SACS	T	
TE-101-AW-39	5/21/90	101	SACS	T	
TE-101-AW-39	6/2/90	99	CASS	T	
TE-101-AW-39	6/4/90	101	SACS	T	
TE-101-AW-39	6/16/90	99	CASS	T	
TE-101-AW-39	6/19/90	100	SACS	T	
TE-101-AW-39	6/25/90	101	SACS	T	
TE-101-AW-39	7/7/90	100	CASS	T	
TE-101-AW-39	7/14/90	100	CASS	T	
TE-101-AW-39	7/21/90	100	CASS	T	
TE-101-AW-39	7/28/90	100	CASS	T	
TE-101-AW-39	8/4/90	101	CASS	T	
TE-101-AW-39	8/11/90	101	CASS	T	
TE-101-AW-39	8/18/90	101	CASS	T	
TE-101-AW-39	8/25/90	101	CASS	T	
TE-101-AW-39	8/27/90	104	SACS	T	
TE-101-AW-39	9/8/90	102	CASS	T	
TE-101-AW-39	9/15/90	102	CASS	T	
TE-101-AW-39	9/17/90	103	SACS	T	
TE-101-AW-39	9/27/90	104	SACS	T	
TE-101-AW-39	10/1/90	104	SACS	T	
TE-101-AW-39	10/13/90	103	CASS	T	
TE-101-AW-39	10/15/90	105	SACS	T	
TE-101-AW-39	10/22/90	105	SACS	T	
TE-101-AW-39	10/29/90	105	SACS	T	
TE-101-AW-39	11/5/90	105	SACS	T	
TE-101-AW-39	11/8/90	117	CASS	S	Data point did not agree with local trend
TE-101-AW-39	11/12/90	105	SACS	T	
TE-101-AW-39	11/19/90	105	SACS	T	
TE-101-AW-39	12/1/90	104	CASS	T	
TE-101-AW-39	12/3/90	105	SACS	T	
TE-101-AW-39	12/6/90	117	CASS	S	Data point did not agree with local trend
TE-101-AW-39	12/15/90	104	CASS	T	
TE-101-AW-39	12/18/90	104	CASS	T	
TE-101-AW-39	12/24/90	105	SACS	T	
TE-101-AW-39	12/31/90	106	SACS	T	
TE-101-AW-39	1/7/91	105	SACS	T	
TE-101-AW-39	1/14/91	104	SACS	T	
TE-101-AW-39	1/21/91	104	SACS	T	
TE-101-AW-39	1/28/91	104	SACS	T	
TE-101-AW-39	2/9/91	103	CASS	T	
TE-101-AW-39	2/11/91	104	SACS	T	
TE-101-AW-39	2/18/91	104	SACS	T	
TE-101-AW-39	3/2/91	104	CASS	T	
TE-101-AW-39	3/4/91	104	SACS	T	
TE-101-AW-39	3/16/91	103	CASS	T	
TE-101-AW-39	3/23/91	103	CASS	T	
TE-101-AW-39	3/25/91	104	SACS	T	
TE-101-AW-39	4/1/91	104	SACS	T	
TE-101-AW-39	4/8/91	104	SACS	T	
TE-101-AW-39	4/20/91	103	CASS	T	
TE-101-AW-39	4/27/91	103	CASS	T	
TE-101-AW-39	5/4/91	103	CASS	T	
TE-101-AW-39	5/11/91	103	CASS	T	
TE-101-AW-39	5/18/91	103	CASS	T	
TE-101-AW-39	5/25/91	103	CASS	T	
TE-101-AW-39	5/31/91	103	CASS	T	
TE-101-AW-39	6/8/91	103	CASS	T	
TE-101-AW-39	6/15/91	103	CASS	T	
TE-101-AW-39	6/21/91	103	CASS	T	
TE-101-AW-39	6/25/91	103	CASS	T	
TE-101-AW-39	7/1/91	102	SACS	T	
TE-101-AW-39	7/6/91	101	SACS	T	
TE-101-AW-39	7/15/91	103	SACS	T	
TE-101-AW-39	7/22/91	101	SACS	T	
TE-101-AW-39	7/29/91	102	SACS	T	
TE-101-AW-39	8/4/91	102	SACS	T	
TE-101-AW-39	8/19/91	101	SACS	T	
TE-101-AW-39	8/26/91	102	SACS	T	
TE-101-AW-39	9/2/91	103	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-39	9/9/91	103	SACS	T	
TE-101-AW-39	9/16/91	103	SACS	T	
TE-101-AW-39	9/23/91	104	SACS	T	
TE-101-AW-39	9/30/91	104	SACS	T	
TE-101-AW-39	10/7/91	104	SACS	T	
TE-101-AW-39	10/14/91	105	SACS	T	
TE-101-AW-39	10/21/91	104	SACS	T	
TE-101-AW-39	10/28/91	104	SACS	T	
TE-101-AW-39	11/5/91	101	SACS	T	
TE-101-AW-39	11/11/91	106	SACS	T	
TE-101-AW-39	11/18/91	100	SACS	T	
TE-101-AW-39	11/25/91	100	SACS	T	
TE-101-AW-39	12/2/91	100	SACS	T	
TE-101-AW-39	12/9/91	100	SACS	T	
TE-101-AW-39	12/16/91	100	SACS	T	
TE-101-AW-39	12/23/91	100	SACS	T	
TE-101-AW-39	12/30/91	100	SACS	T	
TE-101-AW-39	1/6/92	100	SACS	T	
TE-101-AW-39	1/13/92	100	SACS	T	
TE-101-AW-39	1/20/92	99	SACS	T	
TE-101-AW-39	1/27/92	99	SACS	T	
TE-101-AW-39	3/4/92	98	SACS	T	
TE-101-AW-39	4/4/92	93	CASS	T	
TE-101-AW-39	4/17/92	94	CASS	T	
TE-101-AW-39	6/29/92	99	SACS	T	
TE-101-AW-39	10/5/92	103	SACS	T	
TE-101-AW-39	10/12/92	103	SACS	T	
TE-101-AW-39	10/19/92	103	SACS	T	
TE-101-AW-39	10/26/92	103	SACS	T	
TE-101-AW-39	11/2/92	104	SACS	T	
TE-101-AW-39	11/9/92	105	SACS	T	
TE-101-AW-39	11/16/92	105	SACS	T	
TE-101-AW-39	11/23/92	105	SACS	T	
TE-101-AW-39	11/30/92	105	SACS	T	
TE-101-AW-39	12/7/92	105	SACS	T	
TE-101-AW-39	12/14/92	105	SACS	T	
TE-101-AW-39	12/21/92	105	SACS	T	
TE-101-AW-39	12/28/92	105	SACS	T	
TE-101-AW-39	1/25/93	106	SACS	T	
TE-101-AW-39	2/1/93	106	SACS	T	
TE-101-AW-39	2/8/93	106	SACS	T	
TE-101-AW-39	2/16/93	107	SACS	T	
TE-101-AW-40	7/16/83	78	CASS	T	
TE-101-AW-40	7/22/83	79	CASS	T	
TE-101-AW-40	7/28/83	79	CASS	T	
TE-101-AW-40	8/4/83	79	CASS	T	
TE-101-AW-40	8/13/83	79	CASS	T	
TE-101-AW-40	8/19/83	80	CASS	T	
TE-101-AW-40	8/27/83	80	CASS	T	
TE-101-AW-40	8/31/83	80	CASS	T	
TE-101-AW-40	9/10/83	80	CASS	T	
TE-101-AW-40	9/14/83	80	CASS	T	
TE-101-AW-40	9/24/83	80	CASS	T	
TE-101-AW-40	10/1/83	81	CASS	T	
TE-101-AW-40	10/5/83	81	CASS	T	
TE-101-AW-40	10/15/83	81	CASS	T	
TE-101-AW-40	10/21/83	81	CASS	T	
TE-101-AW-40	3/9/84	80	CASS	T	
TE-101-AW-40	3/16/84	80	CASS	T	
TE-101-AW-40	3/24/84	80	CASS	T	
TE-101-AW-40	3/31/84	80	CASS	T	
TE-101-AW-40	4/7/84	83	CASS	T	
TE-101-AW-40	4/14/84	84	CASS	T	
TE-101-AW-40	4/21/84	104	CASS	T	
TE-101-AW-40	4/24/84	104	CASS	T	
TE-101-AW-40	5/5/84	106	CASS	T	
TE-101-AW-40	5/12/84	114	CASS	T	
TE-101-AW-40	5/13/84	114	CASS	T	
TE-101-AW-40	5/24/84	113	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-40	6/2/84	113	CASS	T	
TE-101-AW-40	6/7/84	113	CASS	T	
TE-101-AW-40	6/20/84	98	CASS	T	
TE-101-AW-40	6/24/84	98	CASS	T	
TE-101-AW-40	7/7/84	104	CASS	T	
TE-101-AW-40	7/10/84	100	CASS	T	
TE-101-AW-40	7/19/84	106	CASS	T	
TE-101-AW-40	7/23/84	102	CASS	T	
TE-101-AW-40	7/30/84	108	CASS	T	
TE-101-AW-40	8/11/84	100	CASS	T	
TE-101-AW-40	8/17/84	104	CASS	T	
TE-101-AW-40	8/25/84	104	CASS	T	
TE-101-AW-40	8/28/84	106	CASS	T	
TE-101-AW-40	9/7/84	107	CASS	T	
TE-101-AW-40	9/10/84	106	CASS	T	
TE-101-AW-40	9/22/84	104	CASS	T	
TE-101-AW-40	9/25/84	104	CASS	T	
TE-101-AW-40	10/3/84	103	CASS	T	
TE-101-AW-40	10/13/84	102	CASS	T	
TE-101-AW-40	10/19/84	102	CASS	T	
TE-101-AW-40	10/24/84	101	CASS	T	
TE-101-AW-40	10/30/84	100	CASS	T	
TE-101-AW-40	11/9/84	99	CASS	T	
TE-101-AW-40	11/17/84	98	CASS	T	
TE-101-AW-40	11/24/84	97	CASS	T	
TE-101-AW-40	11/30/84	97	CASS	T	
TE-101-AW-40	12/7/84	96	CASS	T	
TE-101-AW-40	12/9/84	96	CASS	T	
TE-101-AW-40	12/19/84	95	CASS	T	
TE-101-AW-40	12/23/84	90	CASS	T	
TE-101-AW-40	1/5/85	93	CASS	T	
TE-101-AW-40	1/7/85	94	CASS	T	
TE-101-AW-40	1/15/85	91	CASS	T	
TE-101-AW-40	1/28/85	91	CASS	T	
TE-101-AW-40	1/31/85	90	CASS	T	
TE-101-AW-40	2/18/85	87	CASS	T	
TE-101-AW-40	2/18/85	87	CASS	T	
TE-101-AW-40	3/1/85	87	CASS	T	
TE-101-AW-40	3/8/85	87	CASS	T	
TE-101-AW-40	3/14/85	87	CASS	T	
TE-101-AW-40	3/18/85	83	CASS	T	
TE-101-AW-40	3/30/85	82	CASS	T	
TE-101-AW-40	4/5/85	87	CASS	T	
TE-101-AW-40	4/13/85	86	CASS	T	
TE-101-AW-40	4/20/85	87	CASS	T	
TE-101-AW-40	4/21/85	86	CASS	T	
TE-101-AW-40	5/4/85	88	CASS	T	
TE-101-AW-40	5/10/85	89	CASS	T	
TE-101-AW-40	5/13/85	84	CASS	T	
TE-101-AW-40	5/21/85	86	CASS	T	
TE-101-AW-40	5/29/85	90	CASS	T	
TE-101-AW-40	6/8/85	99	CASS	T	
TE-101-AW-40	6/9/85	96	CASS	T	
TE-101-AW-40	6/17/85	93	CASS	T	
TE-101-AW-40	11/1/85	93	CASS	T	
TE-101-AW-40	12/1/85	91	CASS	T	
TE-101-AW-40	1/2/86	87	CASS	T	
TE-101-AW-40	1/9/86	86	CASS	T	
TE-101-AW-40	1/18/86	85	CASS	T	
TE-101-AW-40	1/21/86	85	CASS	T	
TE-101-AW-40	1/28/86	85	CASS	T	
TE-101-AW-40	2/8/86	84	CASS	T	
TE-101-AW-40	2/13/86	84	CASS	T	
TE-101-AW-40	2/22/86	83	CASS	T	
TE-101-AW-40	3/1/86	83	CASS	T	
TE-101-AW-40	3/5/86	83	CASS	T	
TE-101-AW-40	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-101-AW-40	9/20/86	128	CASS	T	
TE-101-AW-40	9/25/86	128	CASS	T	
TE-101-AW-40	10/4/86	127	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-40	10/11/86	126	CASS	T	
TE-101-AW-40	10/17/86	126	CASS	T	
TE-101-AW-40	10/25/86	125	CASS	T	
TE-101-AW-40	10/28/86	125	CASS	T	
TE-101-AW-40	11/7/86	124	CASS	T	
TE-101-AW-40	11/15/86	123	CASS	T	
TE-101-AW-40	11/22/86	123	CASS	T	
TE-101-AW-40	11/28/86	122	CASS	T	
TE-101-AW-40	12/8/86	121	CASS	T	
TE-101-AW-40	12/13/86	120	CASS	T	
TE-101-AW-40	12/17/86	120	CASS	T	
TE-101-AW-40	12/28/86	119	CASS	T	
TE-101-AW-40	12/31/86	118	CASS	T	
TE-101-AW-40	7/1/87	110	CASS	T	
TE-101-AW-40	7/11/87	109	CASS	T	
TE-101-AW-40	7/18/87	110	CASS	T	
TE-101-AW-40	7/25/87	110	CASS	T	
TE-101-AW-40	8/1/87	110	CASS	T	
TE-101-AW-40	8/8/87	111	CASS	T	
TE-101-AW-40	8/15/87	111	CASS	T	
TE-101-AW-40	8/22/87	111	CASS	T	
TE-101-AW-40	8/29/87	111	CASS	T	
TE-101-AW-40	8/31/87	111	CASS	T	
TE-101-AW-40	9/1/87	108	CASS	T	
TE-101-AW-40	11/28/87	108	CASS	T	
TE-101-AW-40	11/29/87	105	CASS	T	
TE-101-AW-40	3/26/88	101	CASS	T	
TE-101-AW-40	3/27/88	78	CASS	S	Data point did not agree with local trend
TE-101-AW-40	3/31/88	101	CASS	T	
TE-101-AW-40	6/1/88	80	CASS	S	Scatter in data locality
TE-101-AW-40	6/2/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/4/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/5/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/6/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/7/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/8/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/9/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/10/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/11/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/12/88	82	CASS	S	Scatter in data locality
TE-101-AW-40	6/13/88	82	CASS	S	Scatter in data locality
TE-101-AW-40	6/14/88	82	CASS	S	Scatter in data locality
TE-101-AW-40	6/15/88	83	CASS	S	Scatter in data locality
TE-101-AW-40	6/16/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/17/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/18/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/19/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/20/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/21/88	84	CASS	S	Scatter in data locality
TE-101-AW-40	6/22/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/23/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/24/88	85	CASS	S	Scatter in data locality
TE-101-AW-40	6/25/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/26/88	85	CASS	S	Scatter in data locality
TE-101-AW-40	6/27/88	85	CASS	S	Scatter in data locality
TE-101-AW-40	6/28/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	6/29/88	85	CASS	S	Scatter in data locality
TE-101-AW-40	6/30/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	7/1/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	7/2/88	85	CASS	S	Scatter in data locality
TE-101-AW-40	7/3/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	7/4/88	85	CASS	S	Scatter in data locality
TE-101-AW-40	7/5/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	7/6/88	85	CASS	S	Scatter in data locality
TE-101-AW-40	7/7/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	7/8/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	7/9/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	7/10/88	88	CASS	S	Scatter in data locality
TE-101-AW-40	7/11/88	102	CASS	S	Scatter in data locality
TE-101-AW-40	7/12/88	102	CASS	S	Scatter in data locality

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-40	7/13/88	102	CASS	S	Scatter in data locally
TE-101-AW-40	7/14/88	88	CASS	S	Scatter in data locally
TE-101-AW-40	7/15/88	102	CASS	S	Scatter in data locally
TE-101-AW-40	7/16/88	88	CASS	S	Scatter in data locally
TE-101-AW-40	7/17/88	102	CASS	S	Scatter in data locally
TE-101-AW-40	7/18/88	88	CASS	S	Scatter in data locally
TE-101-AW-40	7/19/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	7/20/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	7/21/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	7/22/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	7/23/88	89	CASS	S	Scatter in data locally
TE-101-AW-40	7/24/88	89	CASS	S	Scatter in data locally
TE-101-AW-40	7/25/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	7/26/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	7/27/88	89	CASS	S	Scatter in data locally
TE-101-AW-40	7/28/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	7/29/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	7/30/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	7/31/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	8/1/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	8/2/88	88	CASS	S	Scatter in data locally
TE-101-AW-40	8/4/88	88	CASS	S	Scatter in data locally
TE-101-AW-40	8/5/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	8/6/88	88	CASS	S	Scatter in data locally
TE-101-AW-40	8/8/88	88	CASS	S	Scatter in data locally
TE-101-AW-40	8/9/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	8/10/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	8/11/88	104	CASS	S	Scatter in data locally
TE-101-AW-40	8/12/88	104	CASS	S	Scatter in data locally
TE-101-AW-40	8/13/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	8/14/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	8/15/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	8/16/88	87	CASS	S	Scatter in data locally
TE-101-AW-40	8/17/88	87	CASS	S	Scatter in data locally
TE-101-AW-40	8/18/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	8/19/88	104	CASS	S	Scatter in data locally
TE-101-AW-40	8/20/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	8/21/88	104	CASS	S	Scatter in data locally
TE-101-AW-40	8/22/88	104	CASS	S	Scatter in data locally
TE-101-AW-40	8/23/88	104	CASS	S	Scatter in data locally
TE-101-AW-40	8/24/88	104	CASS	S	Scatter in data locally
TE-101-AW-40	8/25/88	104	CASS	S	Scatter in data locally
TE-101-AW-40	8/26/88	104	CASS	S	Scatter in data locally
TE-101-AW-40	8/27/88	104	CASS	S	Scatter in data locally
TE-101-AW-40	8/28/88	104	CASS	S	Scatter in data locally
TE-101-AW-40	8/29/88	104	CASS	S	Scatter in data locally
TE-101-AW-40	8/30/88	104	CASS	S	Scatter in data locally
TE-101-AW-40	8/31/88	88	CASS	S	Scatter in data locally
TE-101-AW-40	9/1/88	104	CASS	S	Scatter in data locally
TE-101-AW-40	9/2/88	87	CASS	S	Scatter in data locally
TE-101-AW-40	9/3/88	104	CASS	S	Scatter in data locally
TE-101-AW-40	9/4/88	104	CASS	S	Scatter in data locally
TE-101-AW-40	9/6/88	104	CASS	S	Scatter in data locally
TE-101-AW-40	9/7/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	9/8/88	103	CASS	S	Scatter in data locally
TE-101-AW-40	9/9/88	87	CASS	S	Scatter in data locally
TE-101-AW-40	9/10/88	102	CASS	S	Scatter in data locally
TE-101-AW-40	9/12/88	102	CASS	S	Scatter in data locally
TE-101-AW-40	9/13/88	102	CASS	S	Scatter in data locally
TE-101-AW-40	9/14/88	88	CASS	S	Scatter in data locally
TE-101-AW-40	9/15/88	102	CASS	S	Scatter in data locally
TE-101-AW-40	9/16/88	88	CASS	S	Scatter in data locally
TE-101-AW-40	9/17/88	102	CASS	S	Scatter in data locally
TE-101-AW-40	9/18/88	102	CASS	S	Scatter in data locally
TE-101-AW-40	9/19/88	88	CASS	S	Scatter in data locally
TE-101-AW-40	9/20/88	88	CASS	S	Scatter in data locally
TE-101-AW-40	9/21/88	102	CASS	S	Scatter in data locally
TE-101-AW-40	9/22/88	88	CASS	S	Scatter in data locally
TE-101-AW-40	9/23/88	89	CASS	S	Scatter in data locally
TE-101-AW-40	9/24/88	102	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-40	9/25/88	102	CASS	S	Scatter in data locally
TE-101-AW-40	9/26/88	89	CASS	S	Scatter in data locally
TE-101-AW-40	9/27/88	88	CASS	S	Scatter in data locally
TE-101-AW-40	9/28/88	102	CASS	S	Scatter in data locally
TE-101-AW-40	9/29/88	102	CASS	S	Scatter in data locally
TE-101-AW-40	9/30/88	88	CASS	S	Scatter in data locally
TE-101-AW-40	12/3/88	101	CASS	T	
TE-101-AW-40	12/10/88	101	CASS	T	
TE-101-AW-40	12/17/88	101	CASS	T	
TE-101-AW-40	12/20/88	101	CASS	T	
TE-101-AW-40	7/10/89	98	SACS	T	
TE-101-AW-40	7/17/89	99	SACS	T	
TE-101-AW-40	7/24/89	99	SACS	T	
TE-101-AW-40	8/7/89	97	SACS	T	
TE-101-AW-40	8/28/89	101	SACS	T	
TE-101-AW-40	9/9/89	102	CASS	T	
TE-101-AW-40	9/18/89	102	CASS	T	
TE-101-AW-40	9/23/89	103	CASS	T	
TE-101-AW-40	9/30/89	103	CASS	T	
TE-101-AW-40	10/1/89	103	SACS	T	
TE-101-AW-40	10/16/89	104	SACS	T	
TE-101-AW-40	10/24/89	105	SACS	T	
TE-101-AW-40	10/30/89	105	SACS	T	
TE-101-AW-40	11/1/89	104	CASS	T	
TE-101-AW-40	11/18/89	104	CASS	T	
TE-101-AW-40	11/25/89	104	CASS	T	
TE-101-AW-40	11/27/89	105	SACS	T	
TE-101-AW-40	12/4/89	105	SACS	T	
TE-101-AW-40	12/16/89	104	CASS	T	
TE-101-AW-40	12/23/89	105	CASS	T	
TE-101-AW-40	12/28/89	105	SACS	T	
TE-101-AW-40	1/2/90	105	SACS	T	
TE-101-AW-40	1/9/90	104	SACS	T	
TE-101-AW-40	1/15/90	104	SACS	T	
TE-101-AW-40	1/22/90	100	SACS	T	
TE-101-AW-40	1/29/90	100	SACS	T	
TE-101-AW-40	2/5/90	100	SACS	T	
TE-101-AW-40	2/12/90	100	SACS	T	
TE-101-AW-40	2/19/90	100	SACS	T	
TE-101-AW-40	2/28/90	98	CASS	T	
TE-101-AW-40	3/10/90	98	CASS	T	
TE-101-AW-40	3/12/90	98	SACS	T	
TE-101-AW-40	3/19/90	99	SACS	T	
TE-101-AW-40	3/27/90	98	CASS	T	
TE-101-AW-40	4/7/90	97	CASS	T	
TE-101-AW-40	4/14/90	97	CASS	T	
TE-101-AW-40	4/21/90	97	CASS	T	
TE-101-AW-40	4/23/90	98	SACS	T	
TE-101-AW-40	5/5/90	97	CASS	T	
TE-101-AW-40	5/7/90	98	SACS	T	
TE-101-AW-40	5/15/90	98	SACS	T	
TE-101-AW-40	5/21/90	98	SACS	T	
TE-101-AW-40	6/2/90	97	CASS	T	
TE-101-AW-40	6/9/90	98	CASS	T	
TE-101-AW-40	6/16/90	98	CASS	T	
TE-101-AW-40	6/23/90	98	CASS	T	
TE-101-AW-40	6/30/90	98	CASS	T	
TE-101-AW-40	7/7/90	98	CASS	T	
TE-101-AW-40	7/14/90	98	CASS	T	
TE-101-AW-40	7/21/90	98	CASS	T	
TE-101-AW-40	7/28/90	98	CASS	T	
TE-101-AW-40	8/4/90	99	CASS	T	
TE-101-AW-40	8/11/90	99	CASS	T	
TE-101-AW-40	8/13/90	100	CASS	T	
TE-101-AW-40	8/25/90	99	CASS	T	
TE-101-AW-40	9/1/90	100	CASS	T	
TE-101-AW-40	9/8/90	100	CASS	T	
TE-101-AW-40	9/15/90	100	CASS	T	
TE-101-AW-40	9/22/90	100	CASS	T	
TE-101-AW-40	9/29/90	100	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-40	10/8/90	100	CASS	T	
TE-101-AW-40	10/13/90	100	CASS	T	
TE-101-AW-40	10/20/90	101	CASS	T	
TE-101-AW-40	10/22/90	102	SACS	T	
TE-101-AW-40	11/3/90	101	CASS	T	
TE-101-AW-40	11/9/90	115	CASS	S	Data point did not agree with local trend
TE-101-AW-40	11/10/90	101	CASS	T	
TE-101-AW-40	11/12/90	102	SACS	T	
TE-101-AW-40	11/19/90	102	SACS	T	
TE-101-AW-40	11/26/90	101	CASS	T	
TE-101-AW-40	12/3/90	101	SACS	T	
TE-101-AW-40	12/6/90	115	CASS	S	Data point did not agree with local trend
TE-101-AW-40	12/15/90	100	CASS	T	
TE-101-AW-40	12/19/90	100	CASS	T	
TE-101-AW-40	12/24/90	102	SACS	T	
TE-101-AW-40	12/31/90	102	SACS	T	
TE-101-AW-40	1/7/91	101	SACS	T	
TE-101-AW-40	1/19/91	100	CASS	T	
TE-101-AW-40	1/25/91	100	CASS	T	
TE-101-AW-40	1/28/91	101	SACS	T	
TE-101-AW-40	2/7/91	101	CASS	T	
TE-101-AW-40	2/11/91	102	SACS	T	
TE-101-AW-40	2/18/91	102	SACS	T	
TE-101-AW-40	3/2/91	101	CASS	T	
TE-101-AW-40	3/4/91	102	SACS	T	
TE-101-AW-40	3/16/91	101	CASS	T	
TE-101-AW-40	3/23/91	101	CASS	T	
TE-101-AW-40	3/25/91	102	SACS	T	
TE-101-AW-40	4/1/91	102	SACS	T	
TE-101-AW-40	4/8/91	102	SACS	T	
TE-101-AW-40	4/20/91	101	CASS	T	
TE-101-AW-40	4/27/91	101	CASS	T	
TE-101-AW-40	5/4/91	101	CASS	T	
TE-101-AW-40	5/11/91	101	CASS	T	
TE-101-AW-40	5/18/91	101	CASS	T	
TE-101-AW-40	5/25/91	101	CASS	T	
TE-101-AW-40	5/31/91	101	CASS	T	
TE-101-AW-40	6/3/91	102	SACS	T	
TE-101-AW-40	6/10/91	102	SACS	T	
TE-101-AW-40	6/21/91	101	CASS	T	
TE-101-AW-40	6/25/91	101	CASS	T	
TE-101-AW-40	7/1/91	100	SACS	T	
TE-101-AW-40	7/8/91	100	SACS	T	
TE-101-AW-40	7/15/91	102	SACS	T	
TE-101-AW-40	7/22/91	101	SACS	T	
TE-101-AW-40	7/29/91	101	SACS	T	
TE-101-AW-40	8/4/91	101	SACS	T	
TE-101-AW-40	8/19/91	100	SACS	T	
TE-101-AW-40	8/28/91	101	SACS	T	
TE-101-AW-40	9/2/91	102	SACS	T	
TE-101-AW-40	9/9/91	102	SACS	T	
TE-101-AW-40	9/18/91	102	SACS	T	
TE-101-AW-40	9/23/91	103	SACS	T	
TE-101-AW-40	9/30/91	103	SACS	T	
TE-101-AW-40	10/7/91	103	SACS	T	
TE-101-AW-40	10/14/91	104	SACS	T	
TE-101-AW-40	10/21/91	104	SACS	T	
TE-101-AW-40	10/28/91	104	SACS	T	
TE-101-AW-40	11/5/91	98	SACS	T	
TE-101-AW-40	11/11/91	99	SACS	T	
TE-101-AW-40	11/18/91	98	SACS	T	
TE-101-AW-40	11/25/91	98	SACS	T	
TE-101-AW-40	12/2/91	97	SACS	T	
TE-101-AW-40	12/9/91	97	SACS	T	
TE-101-AW-40	12/16/91	97	SACS	T	
TE-101-AW-40	12/23/91	98	SACS	T	
TE-101-AW-40	12/30/91	97	SACS	T	
TE-101-AW-40	1/8/92	97	SACS	T	
TE-101-AW-40	1/13/92	97	SACS	T	
TE-101-AW-40	1/20/92	96	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-40	1/27/92	96	SACS	T	
TE-101-AW-40	2/3/92	96	SACS	T	
TE-101-AW-40	2/10/92	96	SACS	T	
TE-101-AW-40	2/17/92	95	SACS	T	
TE-101-AW-40	2/24/92	95	SACS	T	
TE-101-AW-40	3/4/92	95	SACS	T	
TE-101-AW-40	3/8/92	94	SACS	T	
TE-101-AW-40	3/16/92	95	SACS	T	
TE-101-AW-40	3/23/92	95	SACS	T	
TE-101-AW-40	3/30/92	95	SACS	T	
TE-101-AW-40	4/17/92	94	CASS	T	
TE-101-AW-40	4/27/92	95	SACS	T	
TE-101-AW-40	5/4/92	95	SACS	T	
TE-101-AW-40	5/11/92	95	SACS	T	
TE-101-AW-40	5/18/92	96	SACS	T	
TE-101-AW-40	5/25/92	95	SACS	T	
TE-101-AW-40	6/6/92	96	SACS	T	
TE-101-AW-40	6/16/92	96	SACS	T	
TE-101-AW-40	6/22/92	96	SACS	T	
TE-101-AW-40	6/29/92	96	SACS	T	
TE-101-AW-40	7/6/92	97	SACS	T	
TE-101-AW-40	7/13/92	97	SACS	T	
TE-101-AW-40	7/20/92	97	SACS	T	
TE-101-AW-40	7/27/92	96	SACS	T	
TE-101-AW-40	8/3/92	96	SACS	T	
TE-101-AW-40	8/10/92	96	SACS	T	
TE-101-AW-40	8/17/92	96	SACS	T	
TE-101-AW-40	8/24/92	99	SACS	T	
TE-101-AW-40	8/31/92	99	SACS	T	
TE-101-AW-40	9/7/92	100	SACS	T	
TE-101-AW-40	9/14/92	100	SACS	T	
TE-101-AW-40	9/23/92	99	SACS	T	
TE-101-AW-40	9/28/92	100	SACS	T	
TE-101-AW-40	10/5/92	101	SACS	T	
TE-101-AW-40	10/12/92	101	SACS	T	
TE-101-AW-40	10/19/92	101	SACS	T	
TE-101-AW-40	10/28/92	101	SACS	T	
TE-101-AW-40	11/2/92	102	SACS	T	
TE-101-AW-40	11/9/92	103	SACS	T	
TE-101-AW-40	11/16/92	103	SACS	T	
TE-101-AW-40	11/23/92	103	SACS	T	
TE-101-AW-40	11/30/92	103	SACS	T	
TE-101-AW-40	12/7/92	104	SACS	T	
TE-101-AW-40	12/14/92	103	SACS	T	
TE-101-AW-40	12/21/92	103	SACS	T	
TE-101-AW-40	12/28/92	103	SACS	T	
TE-101-AW-40	1/4/93	106	SACS	T	
TE-101-AW-40	1/11/93	103	SACS	T	
TE-101-AW-40	1/18/93	104	SACS	T	
TE-101-AW-40	1/25/93	103	SACS	T	
TE-101-AW-40	2/1/93	104	SACS	T	
TE-101-AW-40	2/8/93	103	SACS	T	
TE-101-AW-40	2/16/93	104	SACS	T	
TE-101-AW-40	2/22/93	104	SACS	T	
TE-101-AW-40	3/1/93	104	SACS	T	
TE-101-AW-40	3/8/93	103	SACS	T	
TE-101-AW-40	3/20/93	103	SACS	T	
TE-101-AW-40	3/22/93	103	SACS	T	
TE-101-AW-40	3/29/93	103	SACS	T	
TE-101-AW-40	4/6/93	102	SACS	T	
TE-101-AW-40	4/12/93	104	SACS	T	
TE-101-AW-40	4/19/93	103	SACS	T	
TE-101-AW-40	4/26/93	102	SACS	T	
TE-101-AW-40	5/3/93	104	SACS	T	
TE-101-AW-40	5/10/93	101	SACS	T	
TE-101-AW-40	5/17/93	103	SACS	T	
TE-101-AW-40	5/24/93	103	SACS	T	
TE-101-AW-40	5/31/93	103	SACS	T	
TE-101-AW-40	6/7/93	103	SACS	T	
TE-101-AW-40	6/15/93	104	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-40	6/22/93	104	SACS	T	
TE-101-AW-40	6/28/93	102	SACS	T	
TE-101-AW-40	7/5/93	103	SACS	T	
TE-101-AW-40	7/12/93	101	SACS	T	
TE-101-AW-40	7/19/93	104	SACS	T	
TE-101-AW-40	7/26/93	103	SACS	T	
TE-101-AW-40	8/2/93	103	SACS	T	
TE-101-AW-40	8/11/93	104	SACS	T	
TE-101-AW-40	8/18/93	102	SACS	T	
TE-101-AW-40	8/23/93	104	SACS	T	
TE-101-AW-40	8/30/93	104	SACS	T	
TE-101-AW-40	9/13/93	104	SACS	T	
TE-101-AW-40	9/21/93	104	SACS	T	
TE-101-AW-40	9/27/93	104	SACS	T	
TE-101-AW-40	10/11/93	105	SACS	T	
TE-101-AW-40	10/19/93	104	SACS	T	
TE-101-AW-40	10/25/93	105	SACS	T	
TE-101-AW-40	11/1/93	105	SACS	T	
TE-101-AW-40	11/8/93	105	SACS	T	
TE-101-AW-40	11/15/93	105	SACS	T	
TE-101-AW-40	11/22/93	108	SACS	T	
TE-101-AW-40	11/29/93	98	SACS	S	Data point did not agree with local trend
TE-101-AW-40	11/30/93	109	SACS	T	
TE-101-AW-40	12/6/93	105	SACS	T	
TE-101-AW-40	12/13/93	44	SACS	S	Data point did not agree with local trend
TE-101-AW-40	12/17/93	101	SACS	T	
TE-101-AW-40	12/20/93	101	SACS	T	
TE-101-AW-40	12/27/93	101	SACS	T	
TE-101-AW-40	1/5/94	101	SACS	T	
TE-101-AW-40	1/19/94	101	SACS	T	
TE-101-AW-40	1/24/94	101	SACS	T	
TE-101-AW-40	1/31/94	100	SACS	T	
TE-101-AW-40	2/7/94	101	SACS	G	
TE-101-AW-40	2/21/94	100	SACS	G	
TE-101-AW-40	2/28/94	100	SACS	T	
TE-101-AW-40	3/7/94	99	SACS	T	
TE-101-AW-40	3/14/94	100	SACS	G	
TE-101-AW-40	3/21/94	100	SACS	G	
TE-101-AW-40	3/28/94	100	SACS	G	
TE-101-AW-40	4/5/94	99	SACS	G	
TE-101-AW-40	4/11/94	99	SACS	G	
TE-101-AW-40	4/18/94	100	SACS	T	
TE-101-AW-40	4/25/94	100	SACS	G	
TE-101-AW-40	5/2/94	99	SACS	G	
TE-101-AW-40	5/9/94	99	SACS	G	
TE-101-AW-40	5/16/94	99	SACS	G	
TE-101-AW-40	5/31/94	100	SACS	G	
TE-101-AW-40	6/6/94	100	SACS	G	
TE-101-AW-40	6/13/94	100	SACS	G	
TE-101-AW-40	6/20/94	100	SACS	G	
TE-101-AW-40	6/27/94	100	SACS	G	
TE-101-AW-40	7/4/94	100	SACS	G	
TE-101-AW-40	7/18/94	100	SACS	G	
TE-101-AW-40	7/25/94	100	SACS	G	
TE-101-AW-40	8/1/94	101	SACS	G	
TE-101-AW-40	8/8/94	101	SACS	G	
TE-101-AW-40	8/15/94	101	SACS	G	
TE-101-AW-40	8/22/94	101	SACS	G	
TE-101-AW-40	9/7/94	102	SACS	G	
TE-101-AW-40	9/12/94	102	SACS	G	
TE-101-AW-40	9/26/94	102	SACS	G	
TE-101-AW-40	10/10/94	103	SACS	G	
TE-101-AW-40	10/17/94	104	SACS	G	
TE-101-AW-40	10/24/94	103	SACS	G	
TE-101-AW-40	10/31/94	104	SACS	G	
TE-101-AW-40	11/7/94	104	SACS	G	
TE-101-AW-40	11/14/94	103	SACS	G	
TE-101-AW-40	11/21/94	104	SACS	G	
TE-101-AW-40	11/28/94	104	SACS	G	
TE-101-AW-40	12/5/94	104	SACS	G	

TANK 241-AW-101 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-40	12/12/84	104	SACS	G	
TE-101-AW-40	12/18/84	104	SACS	G	
TE-101-AW-40	12/28/84	104	SACS	G	
TE-101-AW-40	1/2/85	105	SACS	G	
TE-101-AW-40	1/9/85	104	SACS	G	
TE-101-AW-40	1/18/85	104	SACS	G	
TE-101-AW-40	1/23/85	104	SACS	G	
TE-101-AW-40	1/30/85	104	SACS	G	
TE-101-AW-40	2/8/85	104	SACS	G	
TE-101-AW-40	2/13/85	105	SACS	G	
TE-101-AW-40	2/24/85	104	SACS	G	
TE-101-AW-40	2/27/85	104	SACS	G	
TE-101-AW-40	3/6/85	104	SACS	G	
TE-101-AW-40	3/27/85	105	SACS	G	
TE-101-AW-40	4/3/85	104	SACS	G	
TE-101-AW-40	4/10/85	104	SACS	G	
TE-101-AW-40	4/17/85	104	SACS	G	
TE-101-AW-40	4/24/85	103	SACS	G	
TE-101-AW-40	5/3/85	105	SACS	G	
TE-101-AW-40	5/8/85	105	SACS	G	
TE-101-AW-40	5/15/85	105	SACS	G	
TE-101-AW-40	5/22/85	104	SACS	G	
TE-101-AW-40	5/30/85	104	SACS	G	
TE-101-AW-40	6/5/85	105	SACS	G	
TE-101-AW-40	6/13/85	105	SACS	G	
TE-101-AW-40	6/19/85	105	SACS	G	
TE-101-AW-41	7/18/83	79	CASS	T	
TE-101-AW-41	7/23/83	79	CASS	T	
TE-101-AW-41	7/30/83	79	CASS	T	
TE-101-AW-41	8/8/83	79	CASS	T	
TE-101-AW-41	8/9/83	80	CASS	T	
TE-101-AW-41	8/20/83	80	CASS	T	
TE-101-AW-41	8/27/83	80	CASS	T	
TE-101-AW-41	8/31/83	80	CASS	T	
TE-101-AW-41	9/10/83	81	CASS	T	
TE-101-AW-41	9/14/83	81	CASS	T	
TE-101-AW-41	9/24/83	81	CASS	T	
TE-101-AW-41	10/1/83	81	CASS	T	
TE-101-AW-41	10/5/83	81	CASS	T	
TE-101-AW-41	10/15/83	81	CASS	T	
TE-101-AW-41	10/21/83	81	CASS	T	
TE-101-AW-41	3/10/84	81	CASS	T	
TE-101-AW-41	3/17/84	81	CASS	T	
TE-101-AW-41	3/24/84	81	CASS	T	
TE-101-AW-41	3/31/84	81	CASS	T	
TE-101-AW-41	4/7/84	83	CASS	T	
TE-101-AW-41	4/14/84	94	CASS	T	
TE-101-AW-41	4/21/84	104	CASS	T	
TE-101-AW-41	4/28/84	104	CASS	T	
TE-101-AW-41	5/6/84	108	CASS	T	
TE-101-AW-41	5/12/84	114	CASS	T	
TE-101-AW-41	5/13/84	114	CASS	T	
TE-101-AW-41	5/25/84	113	CASS	T	
TE-101-AW-41	6/2/84	112	CASS	T	
TE-101-AW-41	6/7/84	113	CASS	T	
TE-101-AW-41	6/19/84	98	CASS	T	
TE-101-AW-41	6/27/84	95	CASS	T	
TE-101-AW-41	7/7/84	104	CASS	T	
TE-101-AW-41	7/10/84	100	CASS	T	
TE-101-AW-41	7/19/84	105	CASS	T	
TE-101-AW-41	7/23/84	102	CASS	T	
TE-101-AW-41	7/30/84	108	CASS	T	
TE-101-AW-41	8/11/84	100	CASS	T	
TE-101-AW-41	8/17/84	103	CASS	T	
TE-101-AW-41	8/25/84	101	CASS	T	
TE-101-AW-41	8/27/84	113	CASS	T	
TE-101-AW-41	9/8/84	107	CASS	T	
TE-101-AW-41	9/9/84	108	CASS	T	
TE-101-AW-41	9/22/84	104	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-41	9/29/84	104	CASS	T	
TE-101-AW-41	10/5/84	104	CASS	T	
TE-101-AW-41	10/12/84	103	CASS	T	
TE-101-AW-41	10/19/84	102	CASS	T	
TE-101-AW-41	10/26/84	101	CASS	T	
TE-101-AW-41	11/3/84	100	CASS	T	
TE-101-AW-41	11/10/84	99	CASS	T	
TE-101-AW-41	11/17/84	99	CASS	T	
TE-101-AW-41	11/23/84	98	CASS	T	
TE-101-AW-41	11/30/84	97	CASS	T	
TE-101-AW-41	12/7/84	97	CASS	T	
TE-101-AW-41	12/13/84	96	CASS	T	
TE-101-AW-41	12/18/84	96	CASS	T	
TE-101-AW-41	12/23/84	90	CASS	T	
TE-101-AW-41	1/5/85	87	CASS	T	
TE-101-AW-41	1/11/85	91	CASS	T	
TE-101-AW-41	1/19/85	94	CASS	T	
TE-101-AW-41	1/20/85	96	CASS	T	
TE-101-AW-41	1/30/85	91	CASS	T	
TE-101-AW-41	2/15/85	87	CASS	T	
TE-101-AW-41	2/23/85	87	CASS	T	
TE-101-AW-41	2/25/85	87	CASS	T	
TE-101-AW-41	3/5/85	87	CASS	T	
TE-101-AW-41	3/18/85	87	CASS	T	
TE-101-AW-41	3/17/85	87	CASS	T	
TE-101-AW-41	3/30/85	88	CASS	T	
TE-101-AW-41	4/8/85	87	CASS	T	
TE-101-AW-41	4/11/85	87	CASS	T	
TE-101-AW-41	4/20/85	87	CASS	T	
TE-101-AW-41	4/22/85	85	CASS	T	
TE-101-AW-41	5/4/85	88	CASS	T	
TE-101-AW-41	5/10/85	89	CASS	T	
TE-101-AW-41	5/13/85	84	CASS	T	
TE-101-AW-41	5/21/85	88	CASS	T	
TE-101-AW-41	5/29/85	90	CASS	T	
TE-101-AW-41	6/8/85	93	CASS	T	
TE-101-AW-41	6/9/85	92	CASS	T	
TE-101-AW-41	6/17/85	89	CASS	T	
TE-101-AW-41	11/1/85	94	CASS	T	
TE-101-AW-41	12/1/85	88	CASS	T	
TE-101-AW-41	1/4/86	84	CASS	T	
TE-101-AW-41	1/11/86	85	CASS	T	
TE-101-AW-41	1/16/86	85	CASS	T	
TE-101-AW-41	1/25/86	84	CASS	T	
TE-101-AW-41	1/28/86	84	CASS	T	
TE-101-AW-41	2/8/86	84	CASS	T	
TE-101-AW-41	2/14/86	84	CASS	T	
TE-101-AW-41	2/22/86	84	CASS	T	
TE-101-AW-41	3/1/86	84	CASS	T	
TE-101-AW-41	3/5/86	84	CASS	T	
TE-101-AW-41	9/13/86	200	CASS	S	Date point did not agree with local trend
TE-101-AW-41	9/17/86	129	CASS	T	
TE-101-AW-41	10/11/86	128	CASS	T	
TE-101-AW-41	10/18/86	126	CASS	T	
TE-101-AW-41	10/25/86	125	CASS	T	
TE-101-AW-41	10/29/86	125	CASS	T	
TE-101-AW-41	11/2/86	124	CASS	T	
TE-101-AW-41	11/9/86	124	CASS	T	
TE-101-AW-41	11/18/86	124	CASS	T	
TE-101-AW-41	11/24/86	123	CASS	T	
TE-101-AW-41	12/8/86	121	CASS	T	
TE-101-AW-41	12/8/86	121	CASS	T	
TE-101-AW-41	12/18/86	120	CASS	T	
TE-101-AW-41	12/28/86	119	CASS	T	
TE-101-AW-41	12/31/86	118	CASS	T	
TE-101-AW-41	7/3/87	109	CASS	T	
TE-101-AW-41	7/11/87	109	CASS	T	
TE-101-AW-41	7/18/87	109	CASS	T	
TE-101-AW-41	7/25/87	109	CASS	T	
TE-101-AW-41	7/29/87	109	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-41	8/8/87	108	CASS	T	
TE-101-AW-41	8/15/87	108	CASS	T	
TE-101-AW-41	8/22/87	108	CASS	T	
TE-101-AW-41	8/29/87	108	CASS	T	
TE-101-AW-41	9/5/87	108	CASS	T	
TE-101-AW-41	9/11/87	108	CASS	T	
TE-101-AW-41	11/28/87	106	CASS	T	
TE-101-AW-41	11/29/87	108	CASS	T	
TE-101-AW-41	3/28/88	101	CASS	T	
TE-101-AW-41	3/31/88	101	CASS	T	
TE-101-AW-41	6/1/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/2/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/4/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/5/88	83	CASS	S	Scatter in data locally
TE-101-AW-41	6/6/88	83	CASS	S	Scatter in data locally
TE-101-AW-41	6/7/88	84	CASS	S	Scatter in data locally
TE-101-AW-41	6/8/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/9/88	84	CASS	S	Scatter in data locally
TE-101-AW-41	6/10/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/11/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/12/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/13/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/14/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/15/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/16/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/17/88	86	CASS	S	Scatter in data locally
TE-101-AW-41	6/18/88	85	CASS	S	Scatter in data locally
TE-101-AW-41	6/19/88	86	CASS	S	Scatter in data locally
TE-101-AW-41	6/20/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/21/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/22/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/23/88	87	CASS	S	Scatter in data locally
TE-101-AW-41	6/24/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/25/88	86	CASS	S	Scatter in data locally
TE-101-AW-41	6/26/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/27/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/28/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/29/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	6/30/88	86	CASS	S	Scatter in data locally
TE-101-AW-41	7/1/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	7/2/88	87	CASS	S	Scatter in data locally
TE-101-AW-41	7/3/88	87	CASS	S	Scatter in data locally
TE-101-AW-41	7/4/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	7/5/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	7/6/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	7/7/88	87	CASS	S	Scatter in data locally
TE-101-AW-41	7/8/88	89	CASS	S	Scatter in data locally
TE-101-AW-41	7/9/88	89	CASS	S	Scatter in data locally
TE-101-AW-41	7/10/88	89	CASS	S	Scatter in data locally
TE-101-AW-41	7/11/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	7/12/88	87	CASS	S	Scatter in data locally
TE-101-AW-41	7/13/88	87	CASS	S	Scatter in data locally
TE-101-AW-41	7/14/88	87	CASS	S	Scatter in data locally
TE-101-AW-41	7/15/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	7/16/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	7/17/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	7/18/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	7/19/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	7/20/88	90	CASS	S	Scatter in data locally
TE-101-AW-41	7/21/88	91	CASS	S	Scatter in data locally
TE-101-AW-41	7/22/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	7/23/88	101	CASS	S	Scatter in data locally
TE-101-AW-41	7/24/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	7/25/88	92	CASS	S	Scatter in data locally
TE-101-AW-41	7/26/88	92	CASS	S	Scatter in data locally
TE-101-AW-41	7/27/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	7/28/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	7/29/88	91	CASS	S	Scatter in data locally
TE-101-AW-41	7/30/88	92	CASS	S	Scatter in data locally
TE-101-AW-41	7/31/88	92	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-41	8/1/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	8/3/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	8/4/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	8/5/88	92	CASS	S	Scatter in data locally
TE-101-AW-41	8/8/88	91	CASS	S	Scatter in data locally
TE-101-AW-41	8/8/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	8/9/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	8/10/88	90	CASS	S	Scatter in data locally
TE-101-AW-41	8/11/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	8/12/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	8/13/88	90	CASS	S	Scatter in data locally
TE-101-AW-41	8/14/88	89	CASS	S	Scatter in data locally
TE-101-AW-41	8/15/88	89	CASS	S	Scatter in data locally
TE-101-AW-41	8/16/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	8/17/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	8/18/88	90	CASS	S	Scatter in data locally
TE-101-AW-41	8/19/88	89	CASS	S	Scatter in data locally
TE-101-AW-41	8/20/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	8/21/88	89	CASS	S	Scatter in data locally
TE-101-AW-41	8/22/88	90	CASS	S	Scatter in data locally
TE-101-AW-41	8/23/88	90	CASS	S	Scatter in data locally
TE-101-AW-41	8/24/88	90	CASS	S	Scatter in data locally
TE-101-AW-41	8/25/88	90	CASS	S	Scatter in data locally
TE-101-AW-41	8/26/88	90	CASS	S	Scatter in data locally
TE-101-AW-41	8/27/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	8/28/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	8/29/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	8/30/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	8/31/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	9/1/88	90	CASS	S	Scatter in data locally
TE-101-AW-41	9/2/88	90	CASS	S	Scatter in data locally
TE-101-AW-41	9/3/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	9/4/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	9/6/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	9/7/88	89	CASS	S	Scatter in data locally
TE-101-AW-41	9/8/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	9/9/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	9/10/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	9/12/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	9/13/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	9/14/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	9/15/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	9/16/88	90	CASS	S	Scatter in data locally
TE-101-AW-41	9/17/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	9/18/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	9/19/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	9/20/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	9/21/88	90	CASS	S	Scatter in data locally
TE-101-AW-41	9/22/88	102	CASS	S	Scatter in data locally
TE-101-AW-41	9/24/88	102	CASS	T	
TE-101-AW-41	9/30/88	102	CASS	T	
TE-101-AW-41	12/3/88	101	CASS	T	
TE-101-AW-41	12/10/88	101	CASS	T	
TE-101-AW-41	12/17/88	101	CASS	T	
TE-101-AW-41	12/20/88	101	CASS	T	
TE-101-AW-41	7/10/89	98	SACS	T	
TE-101-AW-41	7/17/89	98	SACS	T	
TE-101-AW-41	7/24/89	99	SACS	T	
TE-101-AW-41	8/7/89	97	SACS	T	
TE-101-AW-41	8/28/89	101	SACS	T	
TE-101-AW-41	9/9/89	100	CASS	T	
TE-101-AW-41	9/11/89	102	SACS	T	
TE-101-AW-41	9/18/89	103	SACS	T	
TE-101-AW-41	9/30/89	101	CASS	T	
TE-101-AW-41	10/1/89	103	SACS	T	
TE-101-AW-41	10/18/89	104	SACS	T	
TE-101-AW-41	10/24/89	105	SACS	T	
TE-101-AW-41	10/30/89	105	SACS	T	
TE-101-AW-41	11/7/89	103	SACS	T	
TE-101-AW-41	11/13/89	104	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-41	11/25/89	101	CASS	T	
TE-101-AW-41	11/27/89	105	SACS	T	
TE-101-AW-41	12/4/89	105	SACS	T	
TE-101-AW-41	12/14/89	101	CASS	T	
TE-101-AW-41	12/18/89	105	SACS	T	
TE-101-AW-41	12/28/89	105	SACS	T	
TE-101-AW-41	1/2/90	105	SACS	T	
TE-101-AW-41	1/8/90	104	SACS	T	
TE-101-AW-41	1/15/90	104	SACS	T	
TE-101-AW-41	1/22/90	100	SACS	T	
TE-101-AW-41	1/29/90	100	SACS	T	
TE-101-AW-41	2/5/90	100	SACS	T	
TE-101-AW-41	2/12/90	100	SACS	T	
TE-101-AW-41	2/19/90	100	SACS	T	
TE-101-AW-41	3/2/90	98	CASS	T	
TE-101-AW-41	3/10/90	98	CASS	T	
TE-101-AW-41	3/12/90	99	SACS	T	
TE-101-AW-41	3/19/90	99	SACS	T	
TE-101-AW-41	3/28/90	98	SACS	T	
TE-101-AW-41	4/7/90	97	CASS	T	
TE-101-AW-41	4/14/90	97	CASS	T	
TE-101-AW-41	4/21/90	97	CASS	T	
TE-101-AW-41	4/23/90	98	SACS	T	
TE-101-AW-41	5/5/90	97	CASS	T	
TE-101-AW-41	5/8/90	98	CASS	T	
TE-101-AW-41	5/15/90	98	SACS	T	
TE-101-AW-41	5/21/90	98	SACS	T	
TE-101-AW-41	6/2/90	97	CASS	T	
TE-101-AW-41	6/9/90	98	CASS	T	
TE-101-AW-41	6/18/90	98	CASS	T	
TE-101-AW-41	6/23/90	98	CASS	T	
TE-101-AW-41	6/30/90	98	CASS	T	
TE-101-AW-41	7/7/90	98	CASS	T	
TE-101-AW-41	7/14/90	98	CASS	T	
TE-101-AW-41	7/21/90	98	CASS	T	
TE-101-AW-41	7/28/90	98	CASS	T	
TE-101-AW-41	8/4/90	99	CASS	T	
TE-101-AW-41	8/11/90	99	CASS	T	
TE-101-AW-41	8/18/90	99	CASS	T	
TE-101-AW-41	8/25/90	99	CASS	T	
TE-101-AW-41	8/27/90	100	SACS	T	
TE-101-AW-41	9/8/90	99	CASS	T	
TE-101-AW-41	9/11/90	100	CASS	T	
TE-101-AW-41	9/17/90	100	SACS	T	
TE-101-AW-41	9/29/90	100	CASS	T	
TE-101-AW-41	10/5/90	100	CASS	T	
TE-101-AW-41	10/13/90	100	CASS	T	
TE-101-AW-41	10/15/90	101	SACS	T	
TE-101-AW-41	10/22/90	102	SACS	T	
TE-101-AW-41	10/29/90	101	SACS	T	
TE-101-AW-41	11/5/90	101	SACS	T	
TE-101-AW-41	11/9/90	112	CASS	S	Data point did not agree with local trend
TE-101-AW-41	11/12/90	102	SACS	T	
TE-101-AW-41	11/19/90	102	SACS	T	
TE-101-AW-41	11/28/90	100	SACS	T	
TE-101-AW-41	12/3/90	101	SACS	T	
TE-101-AW-41	12/8/90	112	CASS	S	Data point did not agree with local trend
TE-101-AW-41	12/10/90	100	SACS	T	
TE-101-AW-41	12/17/90	100	SACS	T	
TE-101-AW-41	12/24/90	102	SACS	T	
TE-101-AW-41	12/31/90	102	SACS	T	
TE-101-AW-41	1/7/91	101	SACS	T	
TE-101-AW-41	1/14/91	100	SACS	T	
TE-101-AW-41	1/21/91	100	SACS	T	
TE-101-AW-41	1/28/91	101	SACS	T	
TE-101-AW-41	2/9/91	97	CASS	T	
TE-101-AW-41	2/11/91	102	SACS	T	
TE-101-AW-41	2/18/91	102	SACS	T	
TE-101-AW-41	2/25/91	101	SACS	T	
TE-101-AW-41	3/4/91	102	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-41	3/11/91	101	SACS	T	
TE-101-AW-41	3/18/91	101	SACS	T	
TE-101-AW-41	3/25/91	102	SACS	T	
TE-101-AW-41	4/1/91	102	SACS	T	
TE-101-AW-41	4/8/91	102	SACS	T	
TE-101-AW-41	4/15/91	101	SACS	T	
TE-101-AW-41	4/22/91	101	SACS	T	
TE-101-AW-41	4/29/91	101	SACS	T	
TE-101-AW-41	5/6/91	101	SACS	T	
TE-101-AW-41	5/13/91	100	SACS	T	
TE-101-AW-41	5/20/91	100	SACS	T	
TE-101-AW-41	5/29/91	101	SACS	T	
TE-101-AW-41	6/3/91	102	SACS	T	
TE-101-AW-41	6/10/91	102	SACS	T	
TE-101-AW-41	6/18/91	100	SACS	T	
TE-101-AW-41	6/25/91	100	SACS	T	
TE-101-AW-41	7/1/91	100	SACS	T	
TE-101-AW-41	7/8/91	100	SACS	T	
TE-101-AW-41	7/15/91	102	SACS	T	
TE-101-AW-41	7/22/91	101	SACS	T	
TE-101-AW-41	7/29/91	101	SACS	T	
TE-101-AW-41	8/4/91	101	SACS	T	
TE-101-AW-41	8/19/91	100	SACS	T	
TE-101-AW-41	8/26/91	101	SACS	T	
TE-101-AW-41	9/2/91	102	SACS	T	
TE-101-AW-41	9/9/91	102	SACS	T	
TE-101-AW-41	9/16/91	102	SACS	T	
TE-101-AW-41	9/23/91	103	SACS	T	
TE-101-AW-41	9/30/91	103	SACS	T	
TE-101-AW-41	10/7/91	103	SACS	T	
TE-101-AW-41	10/14/91	104	SACS	T	
TE-101-AW-41	10/21/91	104	SACS	T	
TE-101-AW-41	10/28/91	104	SACS	T	
TE-101-AW-41	11/5/91	99	SACS	T	
TE-101-AW-41	11/11/91	99	SACS	T	
TE-101-AW-41	11/18/91	99	SACS	T	
TE-101-AW-41	11/25/91	99	SACS	T	
TE-101-AW-41	12/2/91	97	SACS	T	
TE-101-AW-41	12/9/91	97	SACS	T	
TE-101-AW-41	12/16/91	97	SACS	T	
TE-101-AW-41	12/23/91	99	SACS	T	
TE-101-AW-41	12/30/91	97	SACS	T	
TE-101-AW-41	1/6/92	97	SACS	T	
TE-101-AW-41	1/13/92	97	SACS	T	
TE-101-AW-41	1/20/92	96	SACS	T	
TE-101-AW-41	1/27/92	96	SACS	T	
TE-101-AW-41	3/4/92	95	SACS	T	
TE-101-AW-41	4/4/92	93	CASS	T	
TE-101-AW-41	4/17/92	94	CASS	T	
TE-101-AW-41	6/29/92	98	SACS	T	
TE-101-AW-41	10/5/92	101	SACS	T	
TE-101-AW-41	10/12/92	101	SACS	T	
TE-101-AW-41	10/19/92	101	SACS	T	
TE-101-AW-41	10/26/92	101	SACS	T	
TE-101-AW-41	11/2/92	102	SACS	T	
TE-101-AW-41	11/9/92	103	SACS	T	
TE-101-AW-41	11/16/92	103	SACS	T	
TE-101-AW-41	11/23/92	103	SACS	T	
TE-101-AW-41	11/30/92	103	SACS	T	
TE-101-AW-41	12/7/92	104	SACS	T	
TE-101-AW-41	12/14/92	103	SACS	T	
TE-101-AW-41	12/21/92	103	SACS	T	
TE-101-AW-41	12/28/92	103	SACS	T	
TE-101-AW-41	1/25/93	103	SACS	T	
TE-101-AW-41	2/1/93	104	SACS	T	
TE-101-AW-41	2/8/93	103	SACS	T	
TE-101-AW-41	2/15/93	104	SACS	T	
TE-101-AW-42	7/16/93	79	CASS	T	
TE-101-AW-42	7/23/93	79	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-42	7/28/83	80	CASS	T	
TE-101-AW-42	8/8/83	80	CASS	T	
TE-101-AW-42	8/13/83	80	CASS	T	
TE-101-AW-42	8/20/83	80	CASS	T	
TE-101-AW-42	8/27/83	80	CASS	T	
TE-101-AW-42	8/31/83	81	CASS	T	
TE-101-AW-42	9/10/83	81	CASS	T	
TE-101-AW-42	9/14/83	81	CASS	T	
TE-101-AW-42	9/24/83	81	CASS	T	
TE-101-AW-42	10/1/83	81	CASS	T	
TE-101-AW-42	10/5/83	81	CASS	T	
TE-101-AW-42	10/15/83	82	CASS	T	
TE-101-AW-42	10/21/83	82	CASS	T	
TE-101-AW-42	3/10/84	82	CASS	T	
TE-101-AW-42	3/17/84	82	CASS	T	
TE-101-AW-42	3/24/84	82	CASS	T	
TE-101-AW-42	3/31/84	82	CASS	T	
TE-101-AW-42	4/4/84	83	CASS	T	
TE-101-AW-42	4/14/84	97	CASS	T	
TE-101-AW-42	4/21/84	104	CASS	T	
TE-101-AW-42	4/28/84	104	CASS	T	
TE-101-AW-42	5/5/84	108	CASS	T	
TE-101-AW-42	5/12/84	114	CASS	T	
TE-101-AW-42	5/13/84	114	CASS	T	
TE-101-AW-42	5/25/84	113	CASS	T	
TE-101-AW-42	6/2/84	112	CASS	T	
TE-101-AW-42	6/3/84	112	CASS	T	
TE-101-AW-42	6/20/84	98	CASS	T	
TE-101-AW-42	6/28/84	95	CASS	T	
TE-101-AW-42	7/7/84	103	CASS	T	
TE-101-AW-42	7/10/84	100	CASS	T	
TE-101-AW-42	7/19/84	105	CASS	T	
TE-101-AW-42	7/23/84	102	CASS	T	
TE-101-AW-42	7/30/84	108	CASS	T	
TE-101-AW-42	8/5/84	100	CASS	T	
TE-101-AW-42	8/17/84	103	CASS	T	
TE-101-AW-42	8/25/84	101	CASS	T	
TE-101-AW-42	8/27/84	115	CASS	T	
TE-101-AW-42	9/8/84	117	CASS	T	
TE-101-AW-42	9/15/84	104	CASS	T	
TE-101-AW-42	9/22/84	107	CASS	T	
TE-101-AW-42	9/25/84	107	CASS	T	
TE-101-AW-42	10/6/84	105	CASS	T	
TE-101-AW-42	10/11/84	104	CASS	T	
TE-101-AW-42	10/17/84	102	CASS	T	
TE-101-AW-42	10/22/84	101	CASS	T	
TE-101-AW-42	10/29/84	100	CASS	T	
TE-101-AW-42	11/9/84	99	CASS	T	
TE-101-AW-42	11/17/84	98	CASS	T	
TE-101-AW-42	11/22/84	98	CASS	T	
TE-101-AW-42	11/30/84	97	CASS	T	
TE-101-AW-42	12/6/84	97	CASS	T	
TE-101-AW-42	12/13/84	98	CASS	T	
TE-101-AW-42	12/18/84	96	CASS	T	
TE-101-AW-42	12/29/84	84	CASS	T	
TE-101-AW-42	1/1/85	87	CASS	T	
TE-101-AW-42	1/8/85	90	CASS	T	
TE-101-AW-42	1/19/85	92	CASS	T	
TE-101-AW-42	1/21/85	94	CASS	T	
TE-101-AW-42	1/27/85	91	CASS	T	
TE-101-AW-42	2/18/85	90	CASS	T	
TE-101-AW-42	2/17/85	90	CASS	T	
TE-101-AW-42	3/23/85	87	CASS	T	
TE-101-AW-42	3/30/85	87	CASS	T	
TE-101-AW-42	4/8/85	87	CASS	T	
TE-101-AW-42	4/13/85	87	CASS	T	
TE-101-AW-42	4/16/85	88	CASS	T	
TE-101-AW-42	4/22/85	85	CASS	T	
TE-101-AW-42	5/4/85	88	CASS	T	
TE-101-AW-42	5/10/85	89	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-42	5/13/85	84	CASS	T	
TE-101-AW-42	5/21/85	86	CASS	T	
TE-101-AW-42	5/28/85	90	CASS	T	
TE-101-AW-42	6/8/85	93	CASS	T	
TE-101-AW-42	6/10/85	91	CASS	T	
TE-101-AW-42	6/17/85	89	CASS	T	
TE-101-AW-42	11/1/85	95	CASS	T	
TE-101-AW-42	12/1/85	88	CASS	T	
TE-101-AW-42	1/2/86	85	CASS	T	
TE-101-AW-42	1/8/86	88	CASS	T	
TE-101-AW-42	1/18/86	85	CASS	T	
TE-101-AW-42	1/19/86	84	CASS	T	
TE-101-AW-42	2/1/86	84	CASS	T	
TE-101-AW-42	2/8/86	84	CASS	T	
TE-101-AW-42	2/12/86	86	CASS	T	
TE-101-AW-42	2/22/86	86	CASS	T	
TE-101-AW-42	3/1/86	85	CASS	T	
TE-101-AW-42	3/5/86	85	CASS	T	
TE-101-AW-42	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-101-AW-42	9/20/86	129	CASS	T	
TE-101-AW-42	9/21/86	129	CASS	T	
TE-101-AW-42	10/3/86	128	CASS	T	
TE-101-AW-42	10/11/86	127	CASS	T	
TE-101-AW-42	10/18/86	126	CASS	T	
TE-101-AW-42	10/20/86	126	CASS	T	
TE-101-AW-42	10/31/86	125	CASS	T	
TE-101-AW-42	11/8/86	124	CASS	T	
TE-101-AW-42	11/9/86	124	CASS	T	
TE-101-AW-42	11/18/86	124	CASS	T	
TE-101-AW-42	11/25/86	123	CASS	T	
TE-101-AW-42	12/2/86	122	CASS	T	
TE-101-AW-42	12/10/86	121	CASS	T	
TE-101-AW-42	12/19/86	120	CASS	T	
TE-101-AW-42	12/27/86	119	CASS	T	
TE-101-AW-42	12/30/86	119	CASS	T	
TE-101-AW-42	7/4/87	109	CASS	T	
TE-101-AW-42	7/11/87	108	CASS	T	
TE-101-AW-42	7/17/87	109	CASS	T	
TE-101-AW-42	7/25/87	109	CASS	T	
TE-101-AW-42	7/29/87	109	CASS	T	
TE-101-AW-42	8/8/87	108	CASS	T	
TE-101-AW-42	8/15/87	108	CASS	T	
TE-101-AW-42	8/22/87	108	CASS	T	
TE-101-AW-42	8/29/87	108	CASS	T	
TE-101-AW-42	8/30/87	109	CASS	T	
TE-101-AW-42	9/11/87	108	CASS	T	
TE-101-AW-42	11/26/87	108	CASS	T	
TE-101-AW-42	11/29/87	106	CASS	T	
TE-101-AW-42	3/28/88	101	CASS	T	
TE-101-AW-42	3/31/88	101	CASS	T	
TE-101-AW-42	6/1/88	82	CASS	S	Scatter in data locally
TE-101-AW-42	6/2/88	82	CASS	S	Scatter in data locally
TE-101-AW-42	6/4/88	83	CASS	S	Scatter in data locally
TE-101-AW-42	6/5/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	6/8/88	83	CASS	S	Scatter in data locally
TE-101-AW-42	6/7/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	6/8/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	6/9/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	6/10/88	83	CASS	S	Scatter in data locally
TE-101-AW-42	6/11/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	6/12/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	6/13/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	6/14/88	86	CASS	S	Scatter in data locally
TE-101-AW-42	6/15/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	6/16/88	86	CASS	S	Scatter in data locally
TE-101-AW-42	6/17/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	6/18/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	6/19/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	6/20/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	6/21/88	101	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-42	6/22/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	6/23/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	6/24/88	88	CASS	S	Scatter in data locally
TE-101-AW-42	6/25/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	6/26/88	87	CASS	S	Scatter in data locally
TE-101-AW-42	6/27/88	87	CASS	S	Scatter in data locally
TE-101-AW-42	6/28/88	88	CASS	S	Scatter in data locally
TE-101-AW-42	6/29/88	88	CASS	S	Scatter in data locally
TE-101-AW-42	6/30/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	7/1/88	88	CASS	S	Scatter in data locally
TE-101-AW-42	7/2/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	7/3/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	7/4/88	89	CASS	S	Scatter in data locally
TE-101-AW-42	7/5/88	87	CASS	S	Scatter in data locally
TE-101-AW-42	7/6/88	88	CASS	S	Scatter in data locally
TE-101-AW-42	7/7/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	7/8/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	7/9/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	7/10/88	89	CASS	S	Scatter in data locally
TE-101-AW-42	7/11/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	7/12/88	88	CASS	S	Scatter in data locally
TE-101-AW-42	7/13/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	7/14/88	87	CASS	S	Scatter in data locally
TE-101-AW-42	7/15/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	7/16/88	89	CASS	S	Scatter in data locally
TE-101-AW-42	7/17/88	90	CASS	S	Scatter in data locally
TE-101-AW-42	7/18/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	7/19/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	7/20/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	7/21/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	7/22/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	7/23/88	92	CASS	S	Scatter in data locally
TE-101-AW-42	7/24/88	92	CASS	S	Scatter in data locally
TE-101-AW-42	7/25/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	7/26/88	92	CASS	S	Scatter in data locally
TE-101-AW-42	7/27/88	92	CASS	S	Scatter in data locally
TE-101-AW-42	7/28/88	92	CASS	S	Scatter in data locally
TE-101-AW-42	7/29/88	101	CASS	S	Scatter in data locally
TE-101-AW-42	7/30/88	92	CASS	S	Scatter in data locally
TE-101-AW-42	7/31/88	92	CASS	S	Scatter in data locally
TE-101-AW-42	8/1/88	92	CASS	S	Scatter in data locally
TE-101-AW-42	8/3/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/4/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/5/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/6/88	91	CASS	S	Scatter in data locally
TE-101-AW-42	8/8/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/9/88	91	CASS	S	Scatter in data locally
TE-101-AW-42	8/10/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/11/88	90	CASS	S	Scatter in data locally
TE-101-AW-42	8/12/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/13/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/14/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/15/88	89	CASS	S	Scatter in data locally
TE-101-AW-42	8/16/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/17/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/18/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/19/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/20/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/21/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/22/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/23/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/24/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/25/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/26/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/27/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/28/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/29/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/30/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	8/31/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	9/1/88	102	CASS	S	Scatter in data locally

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-42	9/2/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	9/3/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	9/4/88	90	CASS	S	Scatter in data locally
TE-101-AW-42	9/6/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	9/7/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	9/8/88	90	CASS	S	Scatter in data locally
TE-101-AW-42	9/9/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	9/10/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	9/12/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	9/13/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	9/14/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	9/15/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	9/16/88	91	CASS	S	Scatter in data locally
TE-101-AW-42	9/17/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	9/18/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	9/19/88	90	CASS	S	Scatter in data locally
TE-101-AW-42	9/20/88	90	CASS	S	Scatter in data locally
TE-101-AW-42	9/21/88	90	CASS	S	Scatter in data locally
TE-101-AW-42	9/22/88	91	CASS	S	Scatter in data locally
TE-101-AW-42	9/23/88	90	CASS	S	Scatter in data locally
TE-101-AW-42	9/24/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	9/25/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	9/26/88	90	CASS	S	Scatter in data locally
TE-101-AW-42	9/27/88	102	CASS	S	Scatter in data locally
TE-101-AW-42	9/30/88	102	CASS	T	
TE-101-AW-42	12/3/88	101	CASS	T	
TE-101-AW-42	12/10/88	101	CASS	T	
TE-101-AW-42	12/17/88	101	CASS	T	
TE-101-AW-42	12/20/88	101	CASS	T	
TE-101-AW-42	7/10/89	98	SACS	T	
TE-101-AW-42	7/17/89	99	SACS	T	
TE-101-AW-42	7/24/89	99	SACS	T	
TE-101-AW-42	8/7/89	97	SACS	T	
TE-101-AW-42	8/28/89	101	SACS	T	
TE-101-AW-42	9/9/89	100	CASS	T	
TE-101-AW-42	9/15/89	101	CASS	T	
TE-101-AW-42	9/23/89	101	CASS	T	
TE-101-AW-42	9/30/89	101	CASS	T	
TE-101-AW-42	10/1/89	101	SACS	T	
TE-101-AW-42	10/16/89	102	SACS	T	
TE-101-AW-42	10/24/89	103	SACS	T	
TE-101-AW-42	10/30/89	102	SACS	T	
TE-101-AW-42	11/11/89	101	CASS	T	
TE-101-AW-42	11/18/89	101	CASS	T	
TE-101-AW-42	11/25/89	101	CASS	T	
TE-101-AW-42	12/2/89	101	CASS	T	
TE-101-AW-42	12/9/89	101	CASS	T	
TE-101-AW-42	12/14/89	101	CASS	T	
TE-101-AW-42	12/18/89	101	SACS	T	
TE-101-AW-42	12/30/89	100	CASS	T	
TE-101-AW-42	1/2/90	101	SACS	T	
TE-101-AW-42	1/9/90	100	SACS	T	
TE-101-AW-42	1/15/90	100	SACS	T	
TE-101-AW-42	1/22/90	100	SACS	T	
TE-101-AW-42	1/29/90	101	SACS	T	
TE-101-AW-42	2/5/90	100	SACS	T	
TE-101-AW-42	2/12/90	100	SACS	T	
TE-101-AW-42	2/19/90	100	SACS	T	
TE-101-AW-42	3/3/90	98	CASS	T	
TE-101-AW-42	3/5/90	99	SACS	T	
TE-101-AW-42	3/12/90	99	SACS	T	
TE-101-AW-42	3/20/90	98	CASS	T	
TE-101-AW-42	3/26/90	98	SACS	T	
TE-101-AW-42	4/7/90	97	CASS	T	
TE-101-AW-42	4/14/90	97	CASS	T	
TE-101-AW-42	4/21/90	97	CASS	T	
TE-101-AW-42	4/23/90	98	SACS	T	
TE-101-AW-42	5/5/90	97	CASS	T	
TE-101-AW-42	5/10/90	98	CASS	T	
TE-101-AW-42	5/15/90	98	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-42	5/21/90	98	SACS	T	
TE-101-AW-42	6/2/90	97	CASS	T	
TE-101-AW-42	6/7/90	98	CASS	T	
TE-101-AW-42	6/16/90	98	CASS	T	
TE-101-AW-42	6/23/90	98	CASS	T	
TE-101-AW-42	6/27/90	99	CASS	T	
TE-101-AW-42	7/7/90	98	CASS	T	
TE-101-AW-42	7/14/90	98	CASS	T	
TE-101-AW-42	7/21/90	98	CASS	T	
TE-101-AW-42	7/28/90	98	CASS	T	
TE-101-AW-42	8/4/90	99	CASS	T	
TE-101-AW-42	8/11/90	99	CASS	T	
TE-101-AW-42	8/18/90	99	CASS	T	
TE-101-AW-42	8/25/90	99	CASS	T	
TE-101-AW-42	8/27/90	100	SACS	T	
TE-101-AW-42	9/8/90	99	CASS	T	
TE-101-AW-42	9/15/90	99	CASS	T	
TE-101-AW-42	9/17/90	100	SACS	T	
TE-101-AW-42	9/29/90	100	CASS	T	
TE-101-AW-42	10/4/90	100	CASS	T	
TE-101-AW-42	10/10/90	100	CASS	T	
TE-101-AW-42	10/15/90	101	SACS	T	
TE-101-AW-42	10/22/90	101	SACS	T	
TE-101-AW-42	10/29/90	100	SACS	T	
TE-101-AW-42	11/5/90	100	SACS	T	
TE-101-AW-42	11/8/90	107	CASS	S	Data point did not agree with local trend
TE-101-AW-42	11/12/90	100	SACS	T	
TE-101-AW-42	11/19/90	100	SACS	T	
TE-101-AW-42	12/1/90	99	CASS	T	
TE-101-AW-42	12/3/90	100	SACS	T	
TE-101-AW-42	12/6/90	106	CASS	S	Data point did not agree with local trend
TE-101-AW-42	12/13/90	99	CASS	T	
TE-101-AW-42	12/17/90	99	SACS	T	
TE-101-AW-42	12/24/90	99	SACS	T	
TE-101-AW-42	12/31/90	100	SACS	T	
TE-101-AW-42	1/7/91	98	SACS	T	
TE-101-AW-42	1/18/91	97	CASS	T	
TE-101-AW-42	1/23/91	97	CASS	T	
TE-101-AW-42	1/28/91	98	SACS	T	
TE-101-AW-42	2/9/91	98	CASS	T	
TE-101-AW-42	2/11/91	97	SACS	T	
TE-101-AW-42	2/18/91	97	SACS	T	
TE-101-AW-42	3/2/91	98	CASS	T	
TE-101-AW-42	3/4/91	97	SACS	T	
TE-101-AW-42	3/14/91	98	CASS	T	
TE-101-AW-42	3/18/91	98	SACS	T	
TE-101-AW-42	3/25/91	97	SACS	T	
TE-101-AW-42	4/1/91	98	SACS	T	
TE-101-AW-42	4/8/91	98	SACS	T	
TE-101-AW-42	4/15/91	98	SACS	T	
TE-101-AW-42	4/27/91	95	CASS	T	
TE-101-AW-42	5/4/91	95	CASS	T	
TE-101-AW-42	5/8/91	96	SACS	T	
TE-101-AW-42	5/18/91	95	CASS	T	
TE-101-AW-42	5/25/91	95	CASS	T	
TE-101-AW-42	5/31/91	95	CASS	T	
TE-101-AW-42	6/3/91	98	SACS	T	
TE-101-AW-42	6/10/91	98	SACS	T	
TE-101-AW-42	6/21/91	95	CASS	T	
TE-101-AW-42	6/25/91	95	CASS	T	
TE-101-AW-42	7/1/91	95	SACS	T	
TE-101-AW-42	7/8/91	94	SACS	T	
TE-101-AW-42	7/15/91	96	SACS	T	
TE-101-AW-42	7/22/91	94	SACS	T	
TE-101-AW-42	7/29/91	95	SACS	T	
TE-101-AW-42	8/4/91	95	SACS	T	
TE-101-AW-42	8/19/91	95	SACS	T	
TE-101-AW-42	8/26/91	95	SACS	T	
TE-101-AW-42	9/2/91	98	SACS	T	
TE-101-AW-42	9/9/91	97	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-42	9/18/91	97	SACS	T	
TE-101-AW-42	9/23/91	98	SACS	T	
TE-101-AW-42	9/30/91	98	SACS	T	
TE-101-AW-42	10/7/91	98	SACS	T	
TE-101-AW-42	10/14/91	99	SACS	T	
TE-101-AW-42	10/21/91	98	SACS	T	
TE-101-AW-42	10/28/91	98	SACS	T	
TE-101-AW-42	11/5/91	99	SACS	T	
TE-101-AW-42	11/11/91	99	SACS	T	
TE-101-AW-42	11/18/91	98	SACS	T	
TE-101-AW-42	11/25/91	98	SACS	T	
TE-101-AW-42	12/2/91	97	SACS	T	
TE-101-AW-42	12/9/91	98	SACS	T	
TE-101-AW-42	12/16/91	97	SACS	T	
TE-101-AW-42	12/23/91	98	SACS	T	
TE-101-AW-42	12/30/91	97	SACS	T	
TE-101-AW-42	1/6/92	97	SACS	T	
TE-101-AW-42	1/13/92	97	SACS	T	
TE-101-AW-42	1/20/92	97	SACS	T	
TE-101-AW-42	1/27/92	98	SACS	T	
TE-101-AW-42	2/3/92	98	SACS	T	
TE-101-AW-42	2/10/92	98	SACS	T	
TE-101-AW-42	2/17/92	95	SACS	T	
TE-101-AW-42	2/24/92	95	SACS	T	
TE-101-AW-42	3/4/92	95	SACS	T	
TE-101-AW-42	3/9/92	94	SACS	T	
TE-101-AW-42	3/16/92	94	SACS	T	
TE-101-AW-42	3/23/92	95	SACS	T	
TE-101-AW-42	3/30/92	95	SACS	T	
TE-101-AW-42	4/17/92	94	CASS	T	
TE-101-AW-42	4/27/92	95	SACS	T	
TE-101-AW-42	5/4/92	95	SACS	T	
TE-101-AW-42	5/11/92	95	SACS	T	
TE-101-AW-42	5/18/92	95	SACS	T	
TE-101-AW-42	5/25/92	95	SACS	T	
TE-101-AW-42	6/6/92	95	SACS	T	
TE-101-AW-42	6/15/92	98	SACS	T	
TE-101-AW-42	6/22/92	95	SACS	T	
TE-101-AW-42	6/29/92	98	SACS	T	
TE-101-AW-42	7/6/92	98	SACS	T	
TE-101-AW-42	7/13/92	97	SACS	T	
TE-101-AW-42	7/20/92	98	SACS	T	
TE-101-AW-42	7/27/92	97	SACS	T	
TE-101-AW-42	8/3/92	97	SACS	T	
TE-101-AW-42	8/10/92	97	SACS	T	
TE-101-AW-42	8/17/92	97	SACS	T	
TE-101-AW-42	8/24/92	98	SACS	T	
TE-101-AW-42	8/31/92	98	SACS	T	
TE-101-AW-42	9/7/92	99	SACS	T	
TE-101-AW-42	9/14/92	99	SACS	T	
TE-101-AW-42	9/23/92	98	SACS	T	
TE-101-AW-42	9/28/92	98	SACS	T	
TE-101-AW-42	10/5/92	100	SACS	T	
TE-101-AW-42	10/12/92	99	SACS	T	
TE-101-AW-42	10/19/92	99	SACS	T	
TE-101-AW-42	10/26/92	99	SACS	T	
TE-101-AW-42	11/2/92	99	SACS	T	
TE-101-AW-42	11/9/92	100	SACS	T	
TE-101-AW-42	11/16/92	100	SACS	T	
TE-101-AW-42	11/23/92	100	SACS	T	
TE-101-AW-42	11/30/92	99	SACS	T	
TE-101-AW-42	12/7/92	100	SACS	T	
TE-101-AW-42	12/14/92	99	SACS	T	
TE-101-AW-42	12/21/92	99	SACS	T	
TE-101-AW-42	12/28/92	99	SACS	T	
TE-101-AW-42	1/4/93	104	SACS	T	
TE-101-AW-42	1/11/93	99	SACS	T	
TE-101-AW-42	1/18/93	99	SACS	T	
TE-101-AW-42	1/25/93	98	SACS	T	
TE-101-AW-42	2/1/93	98	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-42	2/8/93	98	SACS	T	
TE-101-AW-42	2/18/93	99	SACS	T	
TE-101-AW-42	2/22/93	99	SACS	T	
TE-101-AW-42	3/1/93	99	SACS	T	
TE-101-AW-42	3/8/93	97	SACS	T	
TE-101-AW-42	3/20/93	97	SACS	T	
TE-101-AW-42	3/22/93	97	SACS	T	
TE-101-AW-42	3/29/93	97	SACS	T	
TE-101-AW-42	4/6/93	95	SACS	T	
TE-101-AW-42	4/12/93	97	SACS	T	
TE-101-AW-42	4/19/93	97	SACS	T	
TE-101-AW-42	4/26/93	95	SACS	T	
TE-101-AW-42	5/3/93	97	SACS	T	
TE-101-AW-42	5/10/93	94	SACS	T	
TE-101-AW-42	5/17/93	97	SACS	T	
TE-101-AW-42	5/24/93	97	SACS	T	
TE-101-AW-42	5/31/93	97	SACS	T	
TE-101-AW-42	6/7/93	97	SACS	T	
TE-101-AW-42	6/15/93	97	SACS	T	
TE-101-AW-42	6/22/93	97	SACS	T	
TE-101-AW-42	6/28/93	95	SACS	T	
TE-101-AW-42	7/5/93	97	SACS	T	
TE-101-AW-42	7/12/93	95	SACS	T	
TE-101-AW-42	7/19/93	98	SACS	T	
TE-101-AW-42	7/26/93	98	SACS	T	
TE-101-AW-42	8/2/93	98	SACS	T	
TE-101-AW-42	8/11/93	99	SACS	T	
TE-101-AW-42	8/18/93	98	SACS	T	
TE-101-AW-42	8/23/93	99	SACS	T	
TE-101-AW-42	8/30/93	99	SACS	T	
TE-101-AW-42	9/13/93	100	SACS	T	
TE-101-AW-42	9/21/93	100	SACS	T	
TE-101-AW-42	9/27/93	100	SACS	T	
TE-101-AW-42	10/11/93	100	SACS	T	
TE-101-AW-42	10/19/93	100	SACS	T	
TE-101-AW-42	10/26/93	101	SACS	T	
TE-101-AW-42	11/1/93	101	SACS	T	
TE-101-AW-42	11/8/93	101	SACS	T	
TE-101-AW-42	11/15/93	101	SACS	T	
TE-101-AW-42	11/22/93	101	SACS	T	
TE-101-AW-42	11/29/93	41	SACS	S	Data point did not agree with local trend
TE-101-AW-42	11/30/93	101	SACS	T	
TE-101-AW-42	12/6/93	101	SACS	T	
TE-101-AW-42	12/13/93	44	SACS	S	Data point did not agree with local trend
TE-101-AW-42	12/18/93	102	SACS	T	
TE-101-AW-42	12/20/93	101	SACS	T	
TE-101-AW-42	12/27/93	101	SACS	T	
TE-101-AW-42	1/5/94	101	SACS	T	
TE-101-AW-42	1/19/94	101	SACS	T	
TE-101-AW-42	1/24/94	100	SACS	T	
TE-101-AW-42	1/31/94	100	SACS	T	
TE-101-AW-42	2/7/94	101	SACS	G	
TE-101-AW-42	2/21/94	100	SACS	G	
TE-101-AW-42	2/28/94	100	SACS	T	
TE-101-AW-42	3/7/94	100	SACS	T	
TE-101-AW-42	3/14/94	100	SACS	G	
TE-101-AW-42	3/21/94	100	SACS	G	
TE-101-AW-42	3/28/94	100	SACS	G	
TE-101-AW-42	4/5/94	100	SACS	G	
TE-101-AW-42	4/11/94	99	SACS	G	
TE-101-AW-42	4/18/94	100	SACS	T	
TE-101-AW-42	4/25/94	100	SACS	G	
TE-101-AW-42	5/2/94	99	SACS	G	
TE-101-AW-42	5/9/94	99	SACS	G	
TE-101-AW-42	5/16/94	99	SACS	G	
TE-101-AW-42	5/31/94	100	SACS	G	
TE-101-AW-42	6/6/94	100	SACS	G	
TE-101-AW-42	6/13/94	100	SACS	G	
TE-101-AW-42	6/20/94	100	SACS	G	
TE-101-AW-42	6/27/94	100	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-42	7/4/84	100	SACS	G	
TE-101-AW-42	7/18/84	100	SACS	G	
TE-101-AW-42	7/25/84	100	SACS	G	
TE-101-AW-42	8/1/84	101	SACS	G	
TE-101-AW-42	8/8/84	101	SACS	G	
TE-101-AW-42	8/15/84	101	SACS	G	
TE-101-AW-42	8/22/84	101	SACS	G	
TE-101-AW-42	8/27/84	102	SACS	G	
TE-101-AW-42	9/12/84	103	SACS	G	
TE-101-AW-42	9/26/84	102	SACS	G	
TE-101-AW-42	10/10/84	103	SACS	G	
TE-101-AW-42	10/17/84	104	SACS	G	
TE-101-AW-42	10/24/84	103	SACS	G	
TE-101-AW-42	10/31/84	103	SACS	G	
TE-101-AW-42	11/7/84	103	SACS	G	
TE-101-AW-42	11/14/84	103	SACS	G	
TE-101-AW-42	11/21/84	103	SACS	G	
TE-101-AW-42	11/28/84	103	SACS	G	
TE-101-AW-42	12/5/84	103	SACS	G	
TE-101-AW-42	12/12/84	104	SACS	G	
TE-101-AW-42	12/19/84	103	SACS	G	
TE-101-AW-42	12/26/84	103	SACS	G	
TE-101-AW-42	1/2/85	104	SACS	G	
TE-101-AW-42	1/9/85	103	SACS	G	
TE-101-AW-42	1/16/85	103	SACS	G	
TE-101-AW-42	1/23/85	103	SACS	G	
TE-101-AW-42	1/30/85	103	SACS	G	
TE-101-AW-42	2/6/85	103	SACS	G	
TE-101-AW-42	2/13/85	104	SACS	G	
TE-101-AW-42	2/24/85	103	SACS	G	
TE-101-AW-42	2/27/85	103	SACS	G	
TE-101-AW-42	3/6/85	103	SACS	G	
TE-101-AW-42	3/27/85	103	SACS	G	
TE-101-AW-42	4/3/85	103	SACS	G	
TE-101-AW-42	4/10/85	103	SACS	G	
TE-101-AW-42	4/17/85	102	SACS	G	
TE-101-AW-42	4/24/85	102	SACS	G	
TE-101-AW-42	5/3/85	103	SACS	G	
TE-101-AW-42	5/8/85	103	SACS	G	
TE-101-AW-42	5/15/85	103	SACS	G	
TE-101-AW-42	5/22/85	102	SACS	G	
TE-101-AW-42	5/30/85	102	SACS	G	
TE-101-AW-42	6/5/85	103	SACS	G	
TE-101-AW-42	6/13/85	103	SACS	G	
TE-101-AW-42	6/19/85	103	SACS	G	
TE-101-AW-43	7/16/83	79	CASS	T	
TE-101-AW-43	7/22/83	80	CASS	T	
TE-101-AW-43	7/29/83	80	CASS	T	
TE-101-AW-43	8/6/83	80	CASS	T	
TE-101-AW-43	8/13/83	80	CASS	T	
TE-101-AW-43	8/19/83	81	CASS	T	
TE-101-AW-43	8/27/83	81	CASS	T	
TE-101-AW-43	8/31/83	81	CASS	T	
TE-101-AW-43	9/10/83	81	CASS	T	
TE-101-AW-43	9/14/83	81	CASS	T	
TE-101-AW-43	9/24/83	82	CASS	T	
TE-101-AW-43	10/1/83	82	CASS	T	
TE-101-AW-43	10/5/83	82	CASS	T	
TE-101-AW-43	10/15/83	82	CASS	T	
TE-101-AW-43	10/21/83	82	CASS	T	
TE-101-AW-43	3/10/84	83	CASS	T	
TE-101-AW-43	3/17/84	83	CASS	T	
TE-101-AW-43	3/24/84	83	CASS	T	
TE-101-AW-43	3/25/84	83	CASS	T	
TE-101-AW-43	4/4/84	83	CASS	T	
TE-101-AW-43	4/14/84	97	CASS	T	
TE-101-AW-43	4/21/84	104	CASS	T	
TE-101-AW-43	4/26/84	104	CASS	T	
TE-101-AW-43	5/5/84	108	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-43	5/12/84	114	CASS	T	
TE-101-AW-43	5/14/84	114	CASS	T	
TE-101-AW-43	5/25/84	113	CASS	T	
TE-101-AW-43	5/28/84	113	CASS	T	
TE-101-AW-43	6/3/84	112	CASS	T	
TE-101-AW-43	6/19/84	98	CASS	T	
TE-101-AW-43	6/29/84	95	CASS	T	
TE-101-AW-43	7/7/84	104	CASS	T	
TE-101-AW-43	7/10/84	100	CASS	T	
TE-101-AW-43	7/19/84	105	CASS	T	
TE-101-AW-43	7/23/84	102	CASS	T	
TE-101-AW-43	7/30/84	106	CASS	T	
TE-101-AW-43	8/5/84	100	CASS	T	
TE-101-AW-43	8/17/84	103	CASS	T	
TE-101-AW-43	8/25/84	101	CASS	T	
TE-101-AW-43	8/27/84	119	CASS	T	
TE-101-AW-43	9/6/84	117	CASS	T	
TE-101-AW-43	9/9/84	102	CASS	T	
TE-101-AW-43	9/19/84	111	CASS	T	
TE-101-AW-43	9/28/84	108	CASS	T	
TE-101-AW-43	10/1/84	106	CASS	T	
TE-101-AW-43	10/8/84	104	CASS	T	
TE-101-AW-43	10/14/84	102	CASS	T	
TE-101-AW-43	10/21/84	101	CASS	T	
TE-101-AW-43	11/3/84	99	CASS	T	
TE-101-AW-43	11/8/84	99	CASS	T	
TE-101-AW-43	11/15/84	98	CASS	T	
TE-101-AW-43	11/24/84	97	CASS	T	
TE-101-AW-43	11/30/84	97	CASS	T	
TE-101-AW-43	12/7/84	97	CASS	T	
TE-101-AW-43	12/10/84	97	CASS	T	
TE-101-AW-43	12/18/84	96	CASS	T	
TE-101-AW-43	12/29/84	84	CASS	T	
TE-101-AW-43	1/1/85	87	CASS	T	
TE-101-AW-43	1/6/85	91	CASS	T	
TE-101-AW-43	1/14/85	87	CASS	T	
TE-101-AW-43	1/20/85	90	CASS	T	
TE-101-AW-43	1/31/85	91	CASS	T	
TE-101-AW-43	2/3/85	90	CASS	T	
TE-101-AW-43	2/18/85	91	CASS	T	
TE-101-AW-43	2/22/85	90	CASS	T	
TE-101-AW-43	3/22/85	87	CASS	T	
TE-101-AW-43	3/30/85	87	CASS	T	
TE-101-AW-43	4/1/85	87	CASS	T	
TE-101-AW-43	4/13/85	87	CASS	T	
TE-101-AW-43	4/16/85	89	CASS	T	
TE-101-AW-43	4/22/85	85	CASS	T	
TE-101-AW-43	5/4/85	88	CASS	T	
TE-101-AW-43	5/10/85	89	CASS	T	
TE-101-AW-43	5/13/85	84	CASS	T	
TE-101-AW-43	5/21/85	86	CASS	T	
TE-101-AW-43	5/29/85	90	CASS	T	
TE-101-AW-43	6/8/85	93	CASS	T	
TE-101-AW-43	6/10/85	91	CASS	T	
TE-101-AW-43	6/17/85	89	CASS	T	
TE-101-AW-43	11/1/85	96	CASS	T	
TE-101-AW-43	12/1/85	88	CASS	T	
TE-101-AW-43	1/3/86	81	CASS	T	
TE-101-AW-43	1/8/86	87	CASS	T	
TE-101-AW-43	1/16/86	89	CASS	T	
TE-101-AW-43	1/23/86	85	CASS	T	
TE-101-AW-43	1/29/86	87	CASS	T	
TE-101-AW-43	2/8/86	85	CASS	T	
TE-101-AW-43	2/15/86	88	CASS	T	
TE-101-AW-43	2/22/86	88	CASS	T	
TE-101-AW-43	2/23/86	88	CASS	T	
TE-101-AW-43	3/5/86	87	CASS	T	
TE-101-AW-43	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-101-AW-43	9/17/86	130	CASS	T	
TE-101-AW-43	10/11/86	127	CASS	T	

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-43	10/17/86	127	CASS	T	
TE-101-AW-43	10/23/86	126	CASS	T	
TE-101-AW-43	10/28/86	126	CASS	T	
TE-101-AW-43	11/4/86	125	CASS	T	
TE-101-AW-43	11/13/86	124	CASS	T	
TE-101-AW-43	11/18/86	124	CASS	T	
TE-101-AW-43	11/27/86	123	CASS	T	
TE-101-AW-43	12/6/86	122	CASS	T	
TE-101-AW-43	12/13/86	121	CASS	T	
TE-101-AW-43	12/15/86	121	CASS	T	
TE-101-AW-43	12/24/86	120	CASS	T	
TE-101-AW-43	12/31/86	119	CASS	T	
TE-101-AW-43	7/4/87	109	CASS	T	
TE-101-AW-43	7/11/87	109	CASS	T	
TE-101-AW-43	7/18/87	109	CASS	T	
TE-101-AW-43	7/25/87	109	CASS	T	
TE-101-AW-43	7/31/87	109	CASS	T	
TE-101-AW-43	8/8/87	106	CASS	T	
TE-101-AW-43	8/15/87	106	CASS	T	
TE-101-AW-43	8/22/87	106	CASS	T	
TE-101-AW-43	8/28/87	109	CASS	T	
TE-101-AW-43	8/31/87	109	CASS	T	
TE-101-AW-43	9/11/87	106	CASS	T	
TE-101-AW-43	11/29/87	106	CASS	T	
TE-101-AW-43	11/29/87	105	CASS	T	
TE-101-AW-43	3/28/88	101	CASS	T	
TE-101-AW-43	3/31/88	101	CASS	T	
TE-101-AW-43	6/4/88	101	CASS	T	
TE-101-AW-43	6/11/88	101	CASS	T	
TE-101-AW-43	6/16/88	101	CASS	T	
TE-101-AW-43	6/17/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	6/18/88	85	CASS	S	Scatter in data locally
TE-101-AW-43	6/19/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	6/20/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	6/21/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	6/22/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	6/23/88	86	CASS	S	Scatter in data locally
TE-101-AW-43	6/24/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	6/25/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	6/26/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	6/27/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	6/28/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	6/29/88	87	CASS	S	Scatter in data locally
TE-101-AW-43	6/30/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/1/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/2/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/3/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/4/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/5/88	87	CASS	S	Scatter in data locally
TE-101-AW-43	7/6/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/7/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/8/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/9/88	88	CASS	S	Scatter in data locally
TE-101-AW-43	7/10/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/11/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/12/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/13/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/14/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/15/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/16/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/17/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/18/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/19/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/20/88	102	CASS	S	Scatter in data locally
TE-101-AW-43	7/21/88	90	CASS	S	Scatter in data locally
TE-101-AW-43	7/22/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/23/88	101	CASS	S	Scatter in data locally
TE-101-AW-43	7/24/88	90	CASS	S	Scatter in data locally
TE-101-AW-43	7/25/88	102	CASS	S	Scatter in data locally
TE-101-AW-43	7/26/88	102	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-43	7/27/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	7/28/88	91	CASS	S	Scatter in data locality
TE-101-AW-43	7/29/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	7/30/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	7/31/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	8/1/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	8/3/88	91	CASS	S	Scatter in data locality
TE-101-AW-43	8/4/88	91	CASS	S	Scatter in data locality
TE-101-AW-43	8/5/88	90	CASS	S	Scatter in data locality
TE-101-AW-43	8/6/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	8/8/88	90	CASS	S	Scatter in data locality
TE-101-AW-43	8/9/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	8/10/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	8/11/88	89	CASS	S	Scatter in data locality
TE-101-AW-43	8/12/88	89	CASS	S	Scatter in data locality
TE-101-AW-43	8/13/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	8/14/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	8/15/88	89	CASS	S	Scatter in data locality
TE-101-AW-43	8/16/88	89	CASS	S	Scatter in data locality
TE-101-AW-43	8/17/88	89	CASS	S	Scatter in data locality
TE-101-AW-43	8/18/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	8/19/88	89	CASS	S	Scatter in data locality
TE-101-AW-43	8/20/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	8/21/88	89	CASS	S	Scatter in data locality
TE-101-AW-43	8/22/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	8/23/88	89	CASS	S	Scatter in data locality
TE-101-AW-43	8/24/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	8/25/88	89	CASS	S	Scatter in data locality
TE-101-AW-43	8/26/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	8/27/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	8/28/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	8/29/88	90	CASS	S	Scatter in data locality
TE-101-AW-43	8/30/88	89	CASS	S	Scatter in data locality
TE-101-AW-43	8/31/88	89	CASS	S	Scatter in data locality
TE-101-AW-43	9/1/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	9/2/88	89	CASS	S	Scatter in data locality
TE-101-AW-43	9/3/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	9/4/88	89	CASS	S	Scatter in data locality
TE-101-AW-43	9/6/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	9/7/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	9/8/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	9/9/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	9/10/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	9/12/88	89	CASS	S	Scatter in data locality
TE-101-AW-43	9/13/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	9/14/88	89	CASS	S	Scatter in data locality
TE-101-AW-43	9/15/88	89	CASS	S	Scatter in data locality
TE-101-AW-43	9/16/88	103	CASS	S	Scatter in data locality
TE-101-AW-43	9/17/88	89	CASS	S	Scatter in data locality
TE-101-AW-43	9/18/88	90	CASS	S	Scatter in data locality
TE-101-AW-43	9/19/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	9/20/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	9/21/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	9/22/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	9/23/88	90	CASS	S	Scatter in data locality
TE-101-AW-43	9/24/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	9/25/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	9/26/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	9/27/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	9/28/88	102	CASS	S	Scatter in data locality
TE-101-AW-43	9/29/88	90	CASS	S	Scatter in data locality
TE-101-AW-43	9/30/88	91	CASS	S	Scatter in data locality
TE-101-AW-43	12/3/88	101	CASS	T	
TE-101-AW-43	12/10/88	101	CASS	T	
TE-101-AW-43	12/17/88	101	CASS	T	
TE-101-AW-43	12/20/88	101	CASS	T	
TE-101-AW-43	7/10/89	98	SACS	T	
TE-101-AW-43	7/17/89	99	SACS	T	
TE-101-AW-43	7/24/89	99	SACS	T	
TE-101-AW-43	8/7/89	97	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1985; and Surveillance Analysis Computer System (SACS), June 1985.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-43	8/28/89	101	SACS	T	
TE-101-AW-43	9/9/89	101	CASS	T	
TE-101-AW-43	9/18/89	101	CASS	T	
TE-101-AW-43	9/23/89	101	CASS	T	
TE-101-AW-43	9/30/89	101	CASS	T	
TE-101-AW-43	10/1/89	101	SACS	T	
TE-101-AW-43	10/18/89	102	SACS	T	
TE-101-AW-43	10/24/89	103	SACS	T	
TE-101-AW-43	10/30/89	102	SACS	T	
TE-101-AW-43	11/11/89	101	CASS	T	
TE-101-AW-43	11/19/89	101	CASS	T	
TE-101-AW-43	11/25/89	101	CASS	T	
TE-101-AW-43	12/2/89	101	CASS	T	
TE-101-AW-43	12/9/89	101	CASS	T	
TE-101-AW-43	12/15/89	101	CASS	T	
TE-101-AW-43	12/18/89	101	SACS	T	
TE-101-AW-43	12/30/89	100	CASS	T	
TE-101-AW-43	1/2/90	101	SACS	T	
TE-101-AW-43	1/9/90	100	SACS	T	
TE-101-AW-43	1/15/90	100	SACS	T	
TE-101-AW-43	1/22/90	100	SACS	T	
TE-101-AW-43	1/29/90	101	SACS	T	
TE-101-AW-43	2/5/90	100	SACS	T	
TE-101-AW-43	2/12/90	100	SACS	T	
TE-101-AW-43	2/19/90	100	SACS	T	
TE-101-AW-43	3/3/90	98	CASS	T	
TE-101-AW-43	3/5/90	99	SACS	T	
TE-101-AW-43	3/12/90	99	SACS	T	
TE-101-AW-43	3/21/90	98	CASS	T	
TE-101-AW-43	3/31/90	98	CASS	T	
TE-101-AW-43	4/4/90	98	CASS	T	
TE-101-AW-43	4/14/90	97	CASS	T	
TE-101-AW-43	4/19/90	98	CASS	T	
TE-101-AW-43	4/24/90	98	CASS	T	
TE-101-AW-43	5/5/90	97	CASS	T	
TE-101-AW-43	5/10/90	98	CASS	T	
TE-101-AW-43	5/15/90	98	SACS	T	
TE-101-AW-43	5/21/90	98	SACS	T	
TE-101-AW-43	6/2/90	97	CASS	T	
TE-101-AW-43	6/9/90	98	CASS	T	
TE-101-AW-43	6/18/90	98	CASS	T	
TE-101-AW-43	6/23/90	98	CASS	T	
TE-101-AW-43	6/30/90	98	CASS	T	
TE-101-AW-43	7/7/90	98	CASS	T	
TE-101-AW-43	7/14/90	98	CASS	T	
TE-101-AW-43	7/21/90	98	CASS	T	
TE-101-AW-43	7/28/90	98	CASS	T	
TE-101-AW-43	8/4/90	99	CASS	T	
TE-101-AW-43	8/11/90	99	CASS	T	
TE-101-AW-43	8/18/90	99	CASS	T	
TE-101-AW-43	8/25/90	99	CASS	T	
TE-101-AW-43	8/27/90	100	SACS	T	
TE-101-AW-43	9/8/90	99	CASS	T	
TE-101-AW-43	9/15/90	100	CASS	T	
TE-101-AW-43	9/17/90	100	SACS	T	
TE-101-AW-43	9/29/90	100	CASS	T	
TE-101-AW-43	10/5/90	100	CASS	T	
TE-101-AW-43	10/13/90	100	CASS	T	
TE-101-AW-43	10/15/90	101	SACS	T	
TE-101-AW-43	10/22/90	101	SACS	T	
TE-101-AW-43	10/29/90	100	SACS	T	
TE-101-AW-43	11/9/90	100	CASS	T	
TE-101-AW-43	11/12/90	100	SACS	T	
TE-101-AW-43	11/19/90	100	SACS	T	
TE-101-AW-43	12/1/90	99	CASS	T	
TE-101-AW-43	12/3/90	100	SACS	T	
TE-101-AW-43	12/13/90	99	CASS	T	
TE-101-AW-43	12/17/90	99	SACS	T	
TE-101-AW-43	12/24/90	99	SACS	T	
TE-101-AW-43	12/31/90	100	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-43	1/7/91	96	SACS	T	
TE-101-AW-43	1/19/91	97	CASS	T	
TE-101-AW-43	1/25/91	97	CASS	T	
TE-101-AW-43	1/28/91	96	SACS	T	
TE-101-AW-43	2/5/91	96	CASS	T	
TE-101-AW-43	2/11/91	97	SACS	T	
TE-101-AW-43	2/18/91	97	SACS	T	
TE-101-AW-43	3/2/91	96	CASS	T	
TE-101-AW-43	3/4/91	97	SACS	T	
TE-101-AW-43	3/16/91	96	CASS	T	
TE-101-AW-43	3/18/91	96	SACS	T	
TE-101-AW-43	3/25/91	97	SACS	T	
TE-101-AW-43	4/1/91	96	SACS	T	
TE-101-AW-43	4/8/91	96	SACS	T	
TE-101-AW-43	4/15/91	96	SACS	T	
TE-101-AW-43	4/27/91	95	CASS	T	
TE-101-AW-43	5/4/91	95	CASS	T	
TE-101-AW-43	5/6/91	96	SACS	T	
TE-101-AW-43	5/18/91	95	CASS	T	
TE-101-AW-43	5/25/91	95	CASS	T	
TE-101-AW-43	5/31/91	95	CASS	T	
TE-101-AW-43	6/3/91	96	SACS	T	
TE-101-AW-43	6/10/91	96	SACS	T	
TE-101-AW-43	6/21/91	95	CASS	T	
TE-101-AW-43	6/25/91	95	CASS	T	
TE-101-AW-43	7/1/91	95	SACS	T	
TE-101-AW-43	7/8/91	94	SACS	T	
TE-101-AW-43	7/15/91	96	SACS	T	
TE-101-AW-43	7/22/91	94	SACS	T	
TE-101-AW-43	7/29/91	95	SACS	T	
TE-101-AW-43	8/4/91	95	SACS	T	
TE-101-AW-43	8/19/91	95	SACS	T	
TE-101-AW-43	8/26/91	95	SACS	T	
TE-101-AW-43	9/2/91	96	SACS	T	
TE-101-AW-43	9/9/91	97	SACS	T	
TE-101-AW-43	9/18/91	97	SACS	T	
TE-101-AW-43	9/23/91	96	SACS	T	
TE-101-AW-43	9/30/91	96	SACS	T	
TE-101-AW-43	10/7/91	96	SACS	T	
TE-101-AW-43	10/14/91	99	SACS	T	
TE-101-AW-43	10/21/91	98	SACS	T	
TE-101-AW-43	10/28/91	98	SACS	T	
TE-101-AW-43	11/5/91	99	SACS	T	
TE-101-AW-43	11/11/91	99	SACS	T	
TE-101-AW-43	11/18/91	98	SACS	T	
TE-101-AW-43	11/25/91	96	SACS	T	
TE-101-AW-43	12/2/91	97	SACS	T	
TE-101-AW-43	12/9/91	98	SACS	T	
TE-101-AW-43	12/16/91	97	SACS	T	
TE-101-AW-43	12/23/91	96	SACS	T	
TE-101-AW-43	12/30/91	97	SACS	T	
TE-101-AW-43	1/8/92	97	SACS	T	
TE-101-AW-43	1/13/92	97	SACS	T	
TE-101-AW-43	1/20/92	97	SACS	T	
TE-101-AW-43	1/27/92	96	SACS	T	
TE-101-AW-43	3/4/92	95	SACS	T	
TE-101-AW-43	4/4/92	93	CASS	T	
TE-101-AW-43	4/17/92	94	CASS	T	
TE-101-AW-43	6/29/92	96	SACS	T	
TE-101-AW-43	10/5/92	100	SACS	T	
TE-101-AW-43	10/12/92	99	SACS	T	
TE-101-AW-43	10/19/92	99	SACS	T	
TE-101-AW-43	10/26/92	99	SACS	T	
TE-101-AW-43	11/2/92	99	SACS	T	
TE-101-AW-43	11/9/92	100	SACS	T	
TE-101-AW-43	11/16/92	100	SACS	T	
TE-101-AW-43	11/23/92	100	SACS	T	
TE-101-AW-43	11/30/92	99	SACS	T	
TE-101-AW-43	12/7/92	100	SACS	T	
TE-101-AW-43	12/14/92	99	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-43	12/21/82	99	SACS	T	
TE-101-AW-43	12/28/82	99	SACS	T	
TE-101-AW-43	1/25/83	98	SACS	T	
TE-101-AW-43	2/1/83	98	SACS	T	
TE-101-AW-43	2/8/83	98	SACS	T	
TE-101-AW-43	2/16/83	99	SACS	T	
TE-101-AW-44	7/16/83	79	CASS	T	
TE-101-AW-44	7/23/83	80	CASS	T	
TE-101-AW-44	7/30/83	80	CASS	T	
TE-101-AW-44	8/6/83	80	CASS	T	
TE-101-AW-44	8/13/83	80	CASS	T	
TE-101-AW-44	8/19/83	81	CASS	T	
TE-101-AW-44	8/27/83	81	CASS	T	
TE-101-AW-44	8/31/83	81	CASS	T	
TE-101-AW-44	9/10/83	81	CASS	T	
TE-101-AW-44	9/14/83	81	CASS	T	
TE-101-AW-44	9/24/83	82	CASS	T	
TE-101-AW-44	10/1/83	82	CASS	T	
TE-101-AW-44	10/5/83	82	CASS	T	
TE-101-AW-44	10/15/83	82	CASS	T	
TE-101-AW-44	10/21/83	83	CASS	T	
TE-101-AW-44	3/10/84	83	CASS	T	
TE-101-AW-44	3/17/84	83	CASS	T	
TE-101-AW-44	3/24/84	83	CASS	T	
TE-101-AW-44	3/31/84	83	CASS	T	
TE-101-AW-44	4/3/84	83	CASS	T	
TE-101-AW-44	4/14/84	97	CASS	T	
TE-101-AW-44	4/21/84	104	CASS	T	
TE-101-AW-44	4/25/84	104	CASS	T	
TE-101-AW-44	5/5/84	108	CASS	T	
TE-101-AW-44	5/12/84	114	CASS	T	
TE-101-AW-44	5/15/84	114	CASS	T	
TE-101-AW-44	5/25/84	113	CASS	T	
TE-101-AW-44	6/2/84	112	CASS	T	
TE-101-AW-44	6/7/84	110	CASS	T	
TE-101-AW-44	6/19/84	98	CASS	T	
TE-101-AW-44	6/28/84	95	CASS	T	
TE-101-AW-44	7/7/84	103	CASS	T	
TE-101-AW-44	7/10/84	100	CASS	T	
TE-101-AW-44	7/19/84	105	CASS	T	
TE-101-AW-44	7/23/84	102	CASS	T	
TE-101-AW-44	7/30/84	108	CASS	T	
TE-101-AW-44	8/11/84	99	CASS	T	
TE-101-AW-44	8/17/84	103	CASS	T	
TE-101-AW-44	8/25/84	101	CASS	T	
TE-101-AW-44	8/27/84	121	CASS	T	
TE-101-AW-44	9/6/84	116	CASS	T	
TE-101-AW-44	9/9/84	102	CASS	T	
TE-101-AW-44	9/19/84	112	CASS	T	
TE-101-AW-44	9/27/84	108	CASS	T	
TE-101-AW-44	10/2/84	103	CASS	T	
TE-101-AW-44	10/13/84	103	CASS	T	
TE-101-AW-44	10/14/84	102	CASS	T	
TE-101-AW-44	10/24/84	102	CASS	T	
TE-101-AW-44	11/3/84	99	CASS	T	
TE-101-AW-44	11/10/84	98	CASS	T	
TE-101-AW-44	11/14/84	97	CASS	T	
TE-101-AW-44	11/24/84	98	CASS	T	
TE-101-AW-44	11/29/84	98	CASS	T	
TE-101-AW-44	12/7/84	97	CASS	T	
TE-101-AW-44	12/14/84	96	CASS	T	
TE-101-AW-44	12/19/84	95	CASS	T	
TE-101-AW-44	12/23/84	85	CASS	T	
TE-101-AW-44	1/1/85	87	CASS	T	
TE-101-AW-44	1/6/85	90	CASS	T	
TE-101-AW-44	1/14/85	87	CASS	T	
TE-101-AW-44	1/23/85	87	CASS	T	
TE-101-AW-44	1/31/85	86	CASS	T	
TE-101-AW-44	2/8/85	90	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-44	2/10/85	92	CASS	T	
TE-101-AW-44	2/18/85	91	CASS	T	
TE-101-AW-44	2/25/85	90	CASS	T	
TE-101-AW-44	3/22/85	87	CASS	T	
TE-101-AW-44	3/30/85	87	CASS	T	
TE-101-AW-44	4/13/85	88	CASS	T	
TE-101-AW-44	4/16/85	91	CASS	T	
TE-101-AW-44	4/22/85	85	CASS	T	
TE-101-AW-44	5/4/85	87	CASS	T	
TE-101-AW-44	5/10/85	89	CASS	T	
TE-101-AW-44	5/13/85	84	CASS	T	
TE-101-AW-44	5/24/85	85	CASS	T	
TE-101-AW-44	5/29/85	90	CASS	T	
TE-101-AW-44	6/8/85	92	CASS	T	
TE-101-AW-44	6/10/85	91	CASS	T	
TE-101-AW-44	6/17/85	89	CASS	T	
TE-101-AW-44	11/1/85	96	CASS	T	
TE-101-AW-44	12/1/85	88	CASS	T	
TE-101-AW-44	1/3/86	81	CASS	T	
TE-101-AW-44	1/8/86	86	CASS	T	
TE-101-AW-44	1/15/86	85	CASS	T	
TE-101-AW-44	1/23/86	83	CASS	T	
TE-101-AW-44	2/1/86	84	CASS	T	
TE-101-AW-44	2/7/86	87	CASS	T	
TE-101-AW-44	2/15/86	89	CASS	T	
TE-101-AW-44	2/19/86	90	CASS	T	
TE-101-AW-44	3/1/86	90	CASS	T	
TE-101-AW-44	3/5/86	89	CASS	T	
TE-101-AW-44	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-101-AW-44	9/17/86	131	CASS	T	
TE-101-AW-44	10/11/86	127	CASS	T	
TE-101-AW-44	10/18/86	127	CASS	T	
TE-101-AW-44	10/19/86	127	CASS	T	
TE-101-AW-44	10/29/86	128	CASS	T	
TE-101-AW-44	11/8/86	125	CASS	T	
TE-101-AW-44	11/15/86	124	CASS	T	
TE-101-AW-44	11/19/86	124	CASS	T	
TE-101-AW-44	11/29/86	123	CASS	T	
TE-101-AW-44	12/8/86	122	CASS	T	
TE-101-AW-44	12/9/86	122	CASS	T	
TE-101-AW-44	12/18/86	121	CASS	T	
TE-101-AW-44	12/25/86	120	CASS	T	
TE-101-AW-44	12/31/86	119	CASS	T	
TE-101-AW-44	7/4/87	109	CASS	T	
TE-101-AW-44	7/11/87	109	CASS	T	
TE-101-AW-44	7/18/87	109	CASS	T	
TE-101-AW-44	7/25/87	109	CASS	T	
TE-101-AW-44	7/31/87	109	CASS	T	
TE-101-AW-44	8/8/87	106	CASS	T	
TE-101-AW-44	8/15/87	108	CASS	T	
TE-101-AW-44	8/22/87	108	CASS	T	
TE-101-AW-44	8/29/87	109	CASS	T	
TE-101-AW-44	8/31/87	109	CASS	T	
TE-101-AW-44	9/11/87	108	CASS	T	
TE-101-AW-44	11/28/87	106	CASS	T	
TE-101-AW-44	11/29/87	105	CASS	T	
TE-101-AW-44	3/28/88	101	CASS	T	
TE-101-AW-44	3/27/88	102	CASS	T	
TE-101-AW-44	6/1/88	83	CASS	S	Scatter in data locally
TE-101-AW-44	6/2/88	84	CASS	S	Scatter in data locally
TE-101-AW-44	6/4/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/5/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/6/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/7/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/8/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/9/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/10/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/11/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/12/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/13/88	101	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-44	6/14/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/15/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/16/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/17/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/18/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/19/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/20/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/21/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/22/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/23/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/24/88	87	CASS	S	Scatter in data locally
TE-101-AW-44	6/25/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/26/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/27/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	6/28/88	87	CASS	S	Scatter in data locally
TE-101-AW-44	6/29/88	87	CASS	S	Scatter in data locally
TE-101-AW-44	6/30/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/1/88	87	CASS	S	Scatter in data locally
TE-101-AW-44	7/2/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/3/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/4/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/5/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/6/88	87	CASS	S	Scatter in data locally
TE-101-AW-44	7/7/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/8/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/9/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/10/88	87	CASS	S	Scatter in data locally
TE-101-AW-44	7/11/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/12/88	88	CASS	S	Scatter in data locally
TE-101-AW-44	7/13/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/14/88	87	CASS	S	Scatter in data locally
TE-101-AW-44	7/15/88	88	CASS	S	Scatter in data locally
TE-101-AW-44	7/16/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/17/88	90	CASS	S	Scatter in data locally
TE-101-AW-44	7/18/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/19/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/20/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	7/21/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/22/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/23/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/24/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	7/25/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/26/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	7/27/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	7/28/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/29/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	7/30/88	88	CASS	S	Scatter in data locally
TE-101-AW-44	7/31/88	88	CASS	S	Scatter in data locally
TE-101-AW-44	8/1/88	87	CASS	S	Scatter in data locally
TE-101-AW-44	8/3/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	8/4/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	8/5/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	8/6/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	8/8/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	8/9/88	101	CASS	S	Scatter in data locally
TE-101-AW-44	8/10/88	86	CASS	S	Scatter in data locally
TE-101-AW-44	8/11/88	86	CASS	S	Scatter in data locally
TE-101-AW-44	8/12/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	8/13/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	8/14/88	88	CASS	S	Scatter in data locally
TE-101-AW-44	8/15/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	8/16/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	8/17/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	8/18/88	87	CASS	S	Scatter in data locally
TE-101-AW-44	8/19/88	87	CASS	S	Scatter in data locally
TE-101-AW-44	8/20/88	87	CASS	S	Scatter in data locally
TE-101-AW-44	8/21/88	88	CASS	S	Scatter in data locally
TE-101-AW-44	8/22/88	87	CASS	S	Scatter in data locally
TE-101-AW-44	8/23/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	8/24/88	88	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-44	8/25/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	8/28/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	8/27/88	89	CASS	S	Scatter in data locally
TE-101-AW-44	8/28/88	89	CASS	S	Scatter in data locally
TE-101-AW-44	8/29/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	8/30/88	87	CASS	S	Scatter in data locally
TE-101-AW-44	8/31/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	9/1/88	86	CASS	S	Scatter in data locally
TE-101-AW-44	9/2/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	9/3/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	9/4/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	9/6/88	88	CASS	S	Scatter in data locally
TE-101-AW-44	9/7/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	9/8/88	87	CASS	S	Scatter in data locally
TE-101-AW-44	9/9/88	87	CASS	S	Scatter in data locally
TE-101-AW-44	9/10/88	88	CASS	S	Scatter in data locally
TE-101-AW-44	9/12/88	88	CASS	S	Scatter in data locally
TE-101-AW-44	9/13/88	89	CASS	S	Scatter in data locally
TE-101-AW-44	9/14/88	89	CASS	S	Scatter in data locally
TE-101-AW-44	9/15/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	9/16/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	9/17/88	89	CASS	S	Scatter in data locally
TE-101-AW-44	9/18/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	9/19/88	89	CASS	S	Scatter in data locally
TE-101-AW-44	9/20/88	89	CASS	S	Scatter in data locally
TE-101-AW-44	9/21/88	89	CASS	S	Scatter in data locally
TE-101-AW-44	9/22/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	9/23/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	9/24/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	9/25/88	90	CASS	S	Scatter in data locally
TE-101-AW-44	9/26/88	102	CASS	S	Scatter in data locally
TE-101-AW-44	9/30/88	102	CASS	T	
TE-101-AW-44	12/3/88	101	CASS	T	
TE-101-AW-44	12/10/88	101	CASS	T	
TE-101-AW-44	12/17/88	101	CASS	T	
TE-101-AW-44	12/20/88	101	CASS	T	
TE-101-AW-44	9/2/89	100	CASS	T	
TE-101-AW-44	9/8/89	100	CASS	T	
TE-101-AW-44	9/15/89	101	CASS	T	
TE-101-AW-44	9/23/89	101	CASS	T	
TE-101-AW-44	9/30/89	101	CASS	T	
TE-101-AW-44	11/4/89	101	CASS	T	
TE-101-AW-44	11/11/89	101	CASS	T	
TE-101-AW-44	11/18/89	101	CASS	T	
TE-101-AW-44	11/25/89	101	CASS	T	
TE-101-AW-44	12/2/89	101	CASS	T	
TE-101-AW-44	12/9/89	101	CASS	T	
TE-101-AW-44	12/14/89	101	CASS	T	
TE-101-AW-44	12/23/89	100	CASS	T	
TE-101-AW-44	12/30/89	100	CASS	T	
TE-101-AW-44	1/2/90	100	CASS	T	
TE-101-AW-44	1/13/90	99	CASS	T	
TE-101-AW-44	1/20/90	99	CASS	T	
TE-101-AW-44	1/27/90	99	CASS	T	
TE-101-AW-44	2/3/90	99	CASS	T	
TE-101-AW-44	2/4/90	99	CASS	T	
TE-101-AW-44	2/17/90	98	CASS	T	
TE-101-AW-44	2/24/90	98	CASS	T	
TE-101-AW-44	3/3/90	98	CASS	T	
TE-101-AW-44	3/10/90	98	CASS	T	
TE-101-AW-44	3/17/90	98	CASS	T	
TE-101-AW-44	3/21/90	98	CASS	T	
TE-101-AW-44	3/31/90	98	CASS	T	
TE-101-AW-44	4/4/90	98	CASS	T	
TE-101-AW-44	4/14/90	97	CASS	T	
TE-101-AW-44	4/21/90	97	CASS	T	
TE-101-AW-44	4/28/90	97	CASS	T	
TE-101-AW-44	5/5/90	97	CASS	T	
TE-101-AW-44	5/8/90	98	CASS	T	
TE-101-AW-44	5/19/90	97	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-44	5/22/90	97	CASS	T	
TE-101-AW-44	6/2/90	97	CASS	T	
TE-101-AW-44	6/9/90	98	CASS	T	
TE-101-AW-44	6/16/90	98	CASS	T	
TE-101-AW-44	6/23/90	98	CASS	T	
TE-101-AW-44	6/30/90	98	CASS	T	
TE-101-AW-44	7/7/90	98	CASS	T	
TE-101-AW-44	7/14/90	98	CASS	T	
TE-101-AW-44	7/21/90	98	CASS	T	
TE-101-AW-44	7/28/90	98	CASS	T	
TE-101-AW-44	8/4/90	99	CASS	T	
TE-101-AW-44	8/11/90	99	CASS	T	
TE-101-AW-44	8/18/90	99	CASS	T	
TE-101-AW-44	8/25/90	99	CASS	T	
TE-101-AW-44	9/1/90	99	CASS	T	
TE-101-AW-44	9/8/90	99	CASS	T	
TE-101-AW-44	9/11/90	100	CASS	T	
TE-101-AW-44	9/22/90	99	CASS	T	
TE-101-AW-44	9/28/90	100	CASS	T	
TE-101-AW-44	10/4/90	100	CASS	T	
TE-101-AW-44	10/13/90	100	CASS	T	
TE-101-AW-44	10/20/90	100	CASS	T	
TE-101-AW-44	10/24/90	100	CASS	T	
TE-101-AW-44	11/3/90	99	CASS	T	
TE-101-AW-44	11/9/90	91	CASS	S	Data point did not agree with local trend
TE-101-AW-44	11/10/90	99	CASS	T	
TE-101-AW-44	11/17/90	99	CASS	T	
TE-101-AW-44	11/24/90	99	CASS	T	
TE-101-AW-44	12/1/90	99	CASS	T	
TE-101-AW-44	12/8/90	89	CASS	S	Data point did not agree with local trend
TE-101-AW-44	12/8/90	99	CASS	T	
TE-101-AW-44	12/13/90	99	CASS	T	
TE-101-AW-44	12/21/90	98	CASS	T	
TE-101-AW-44	12/28/90	98	CASS	T	
TE-101-AW-44	1/5/91	97	CASS	T	
TE-101-AW-44	1/12/91	97	CASS	T	
TE-101-AW-44	1/19/91	97	CASS	T	
TE-101-AW-44	1/25/91	97	CASS	T	
TE-101-AW-44	2/1/91	97	CASS	T	
TE-101-AW-44	2/9/91	96	CASS	T	
TE-101-AW-44	2/16/91	96	CASS	T	
TE-101-AW-44	2/23/91	96	CASS	T	
TE-101-AW-44	3/2/91	96	CASS	T	
TE-101-AW-44	3/9/91	96	CASS	T	
TE-101-AW-44	3/15/91	96	CASS	T	
TE-101-AW-44	3/23/91	96	CASS	T	
TE-101-AW-44	3/25/91	96	CASS	T	
TE-101-AW-44	4/8/91	95	CASS	T	
TE-101-AW-44	4/13/91	95	CASS	T	
TE-101-AW-44	4/20/91	95	CASS	T	
TE-101-AW-44	4/27/91	95	CASS	T	
TE-101-AW-44	5/4/91	95	CASS	T	
TE-101-AW-44	5/11/91	95	CASS	T	
TE-101-AW-44	5/18/91	95	CASS	T	
TE-101-AW-44	5/25/91	95	CASS	T	
TE-101-AW-44	5/31/91	95	CASS	T	
TE-101-AW-44	6/8/91	95	CASS	T	
TE-101-AW-44	6/15/91	95	CASS	T	
TE-101-AW-44	6/21/91	95	CASS	T	
TE-101-AW-44	6/25/91	95	CASS	T	
TE-101-AW-44	4/4/92	93	CASS	T	
TE-101-AW-44	4/17/92	93	CASS	T	
TE-101-AW-45	7/16/83	80	CASS	T	
TE-101-AW-45	7/23/83	80	CASS	T	
TE-101-AW-45	7/30/83	80	CASS	T	
TE-101-AW-45	8/6/83	80	CASS	T	
TE-101-AW-45	8/9/83	81	CASS	T	
TE-101-AW-45	8/20/83	81	CASS	T	
TE-101-AW-45	8/27/83	81	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-45	8/31/83	81	CASS	T	
TE-101-AW-45	9/10/83	82	CASS	T	
TE-101-AW-45	9/14/83	82	CASS	T	
TE-101-AW-45	9/24/83	82	CASS	T	
TE-101-AW-45	10/1/83	82	CASS	T	
TE-101-AW-45	10/5/83	82	CASS	T	
TE-101-AW-45	10/15/83	83	CASS	T	
TE-101-AW-45	10/21/83	83	CASS	T	
TE-101-AW-45	3/10/84	84	CASS	T	
TE-101-AW-45	3/17/84	84	CASS	T	
TE-101-AW-45	3/24/84	83	CASS	T	
TE-101-AW-45	3/31/84	83	CASS	T	
TE-101-AW-45	4/3/84	83	CASS	T	
TE-101-AW-45	4/13/84	98	CASS	T	
TE-101-AW-45	4/21/84	104	CASS	T	
TE-101-AW-45	4/22/84	105	CASS	T	
TE-101-AW-45	5/5/84	108	CASS	T	
TE-101-AW-45	5/12/84	114	CASS	T	
TE-101-AW-45	5/17/84	114	CASS	T	
TE-101-AW-45	5/26/84	113	CASS	T	
TE-101-AW-45	5/28/84	113	CASS	T	
TE-101-AW-45	6/7/84	110	CASS	T	
TE-101-AW-45	6/20/84	98	CASS	T	
TE-101-AW-45	6/27/84	95	CASS	T	
TE-101-AW-45	7/7/84	104	CASS	T	
TE-101-AW-45	7/10/84	100	CASS	T	
TE-101-AW-45	7/19/84	105	CASS	T	
TE-101-AW-45	7/23/84	102	CASS	T	
TE-101-AW-45	7/30/84	108	CASS	T	
TE-101-AW-45	8/5/84	100	CASS	T	
TE-101-AW-45	8/17/84	103	CASS	T	
TE-101-AW-45	8/25/84	101	CASS	T	
TE-101-AW-45	8/27/84	114	CASS	T	
TE-101-AW-45	9/8/84	116	CASS	T	
TE-101-AW-45	9/11/84	102	CASS	T	
TE-101-AW-45	9/19/84	112	CASS	T	
TE-101-AW-45	9/27/84	105	CASS	T	
TE-101-AW-45	10/2/84	101	CASS	T	
TE-101-AW-45	10/13/84	98	CASS	T	
TE-101-AW-45	10/14/84	99	CASS	T	
TE-101-AW-45	10/24/84	98	CASS	T	
TE-101-AW-45	11/3/84	98	CASS	T	
TE-101-AW-45	11/9/84	98	CASS	T	
TE-101-AW-45	11/17/84	97	CASS	T	
TE-101-AW-45	11/24/84	100	CASS	T	
TE-101-AW-45	11/25/84	100	CASS	T	
TE-101-AW-45	12/8/84	97	CASS	T	
TE-101-AW-45	12/9/84	98	CASS	T	
TE-101-AW-45	12/18/84	94	CASS	T	
TE-101-AW-45	12/23/84	85	CASS	T	
TE-101-AW-45	1/3/85	87	CASS	T	
TE-101-AW-45	1/8/85	91	CASS	T	
TE-101-AW-45	1/18/85	87	CASS	T	
TE-101-AW-45	1/23/85	87	CASS	T	
TE-101-AW-45	2/2/85	87	CASS	T	
TE-101-AW-45	2/5/85	86	CASS	T	
TE-101-AW-45	2/14/85	92	CASS	T	
TE-101-AW-45	2/21/85	91	CASS	T	
TE-101-AW-45	2/25/85	90	CASS	T	
TE-101-AW-45	4/13/85	88	CASS	T	
TE-101-AW-45	4/18/85	93	CASS	T	
TE-101-AW-45	4/22/85	85	CASS	T	
TE-101-AW-45	5/4/85	87	CASS	T	
TE-101-AW-45	5/10/85	89	CASS	T	
TE-101-AW-45	5/13/85	84	CASS	T	
TE-101-AW-45	5/25/85	85	CASS	T	
TE-101-AW-45	5/29/85	90	CASS	T	
TE-101-AW-45	6/8/85	92	CASS	T	
TE-101-AW-45	6/10/85	91	CASS	T	
TE-101-AW-45	6/17/85	89	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-45	11/1/85	96	CASS	T	
TE-101-AW-45	12/1/85	88	CASS	T	
TE-101-AW-45	1/3/86	81	CASS	T	
TE-101-AW-45	1/8/86	86	CASS	T	
TE-101-AW-45	1/16/86	84	CASS	T	
TE-101-AW-45	1/23/86	83	CASS	T	
TE-101-AW-45	1/28/86	81	CASS	T	
TE-101-AW-45	2/7/86	81	CASS	T	
TE-101-AW-45	2/14/86	90	CASS	T	
TE-101-AW-45	2/18/86	91	CASS	T	
TE-101-AW-45	2/27/86	92	CASS	T	
TE-101-AW-45	3/4/86	91	CASS	T	
TE-101-AW-45	8/13/86	200	CASS	S	Data point did not agree with local trend
TE-101-AW-45	9/17/86	131	CASS	T	
TE-101-AW-45	9/28/86	130	CASS	T	
TE-101-AW-45	10/4/86	129	CASS	T	
TE-101-AW-45	10/11/86	128	CASS	T	
TE-101-AW-45	10/13/86	128	CASS	T	
TE-101-AW-45	10/23/86	127	CASS	T	
TE-101-AW-45	11/1/86	126	CASS	T	
TE-101-AW-45	11/8/86	125	CASS	T	
TE-101-AW-45	11/11/86	125	CASS	T	
TE-101-AW-45	11/22/86	124	CASS	T	
TE-101-AW-45	11/23/86	124	CASS	T	
TE-101-AW-45	12/2/86	123	CASS	T	
TE-101-AW-45	12/12/86	122	CASS	T	
TE-101-AW-45	12/20/86	121	CASS	T	
TE-101-AW-45	12/22/86	121	CASS	T	
TE-101-AW-45	12/30/86	120	CASS	T	
TE-101-AW-45	7/4/87	109	CASS	T	
TE-101-AW-45	7/11/87	109	CASS	T	
TE-101-AW-45	7/18/87	109	CASS	T	
TE-101-AW-45	7/25/87	109	CASS	T	
TE-101-AW-45	7/31/87	109	CASS	T	
TE-101-AW-45	8/2/87	109	CASS	T	
TE-101-AW-45	8/10/87	109	CASS	T	
TE-101-AW-45	8/22/87	109	CASS	T	
TE-101-AW-45	8/29/87	109	CASS	T	
TE-101-AW-45	8/30/87	109	CASS	T	
TE-101-AW-45	9/11/87	108	CASS	T	
TE-101-AW-45	11/28/87	106	CASS	T	
TE-101-AW-45	11/29/87	105	CASS	T	
TE-101-AW-45	3/26/88	102	CASS	T	
TE-101-AW-45	3/31/88	101	CASS	T	
TE-101-AW-45	6/4/88	101	CASS	T	
TE-101-AW-45	6/11/88	101	CASS	T	
TE-101-AW-45	6/12/88	101	CASS	T	
TE-101-AW-45	6/13/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	6/14/88	87	CASS	S	Scatter in data locally
TE-101-AW-45	6/15/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	6/16/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	6/17/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	6/18/88	87	CASS	S	Scatter in data locally
TE-101-AW-45	6/19/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	6/20/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	6/21/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	6/22/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	6/23/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	6/24/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	6/25/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	6/26/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	6/27/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	6/28/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	6/29/88	88	CASS	S	Scatter in data locally
TE-101-AW-45	6/30/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	7/1/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	7/2/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	7/3/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	7/4/88	101	CASS	S	Scatter in data locally
TE-101-AW-45	7/5/88	101	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-45	7/6/88	101	CASS	S	Scatter in data locality
TE-101-AW-45	7/7/88	101	CASS	S	Scatter in data locality
TE-101-AW-45	7/8/88	101	CASS	S	Scatter in data locality
TE-101-AW-45	7/9/88	88	CASS	S	Scatter in data locality
TE-101-AW-45	7/10/88	101	CASS	S	Scatter in data locality
TE-101-AW-45	7/11/88	101	CASS	S	Scatter in data locality
TE-101-AW-45	7/12/88	101	CASS	S	Scatter in data locality
TE-101-AW-45	7/13/88	101	CASS	S	Scatter in data locality
TE-101-AW-45	7/14/88	88	CASS	S	Scatter in data locality
TE-101-AW-45	7/15/88	89	CASS	S	Scatter in data locality
TE-101-AW-45	7/16/88	101	CASS	S	Scatter in data locality
TE-101-AW-45	7/17/88	90	CASS	S	Scatter in data locality
TE-101-AW-45	7/18/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	7/19/88	92	CASS	S	Scatter in data locality
TE-101-AW-45	7/20/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	7/21/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	7/22/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	7/23/88	101	CASS	S	Scatter in data locality
TE-101-AW-45	7/24/88	90	CASS	S	Scatter in data locality
TE-101-AW-45	7/25/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	7/26/88	90	CASS	S	Scatter in data locality
TE-101-AW-45	7/27/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	7/28/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	7/29/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	7/30/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	7/31/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/1/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/3/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/4/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/5/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/6/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/8/88	88	CASS	S	Scatter in data locality
TE-101-AW-45	8/9/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/10/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/11/88	87	CASS	S	Scatter in data locality
TE-101-AW-45	8/12/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/13/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/14/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/15/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/16/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/17/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/18/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/19/88	88	CASS	S	Scatter in data locality
TE-101-AW-45	8/20/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/21/88	88	CASS	S	Scatter in data locality
TE-101-AW-45	8/22/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/23/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/24/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/25/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/26/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/27/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/28/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	8/29/88	89	CASS	S	Scatter in data locality
TE-101-AW-45	8/30/88	88	CASS	S	Scatter in data locality
TE-101-AW-45	8/31/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	9/1/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	9/2/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	9/3/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	9/4/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	9/6/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	9/7/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	9/8/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	9/9/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	9/10/88	89	CASS	S	Scatter in data locality
TE-101-AW-45	9/12/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	9/13/88	102	CASS	S	Scatter in data locality
TE-101-AW-45	9/14/88	90	CASS	S	Scatter in data locality
TE-101-AW-45	9/15/88	103	CASS	S	Scatter in data locality
TE-101-AW-45	9/16/88	90	CASS	S	Scatter in data locality
TE-101-AW-45	9/17/88	90	CASS	S	Scatter in data locality

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-45	9/18/88	90	CASS	S	Scatter in data locally
TE-101-AW-45	9/19/88	102	CASS	S	Scatter in data locally
TE-101-AW-45	9/20/88	102	CASS	S	Scatter in data locally
TE-101-AW-45	9/21/88	102	CASS	S	Scatter in data locally
TE-101-AW-45	9/22/88	102	CASS	S	Scatter in data locally
TE-101-AW-45	9/23/88	90	CASS	S	Scatter in data locally
TE-101-AW-45	9/24/88	90	CASS	S	Scatter in data locally
TE-101-AW-45	9/25/88	90	CASS	S	Scatter in data locally
TE-101-AW-45	9/26/88	90	CASS	S	Scatter in data locally
TE-101-AW-45	9/27/88	102	CASS	S	Scatter in data locally
TE-101-AW-45	9/28/88	102	CASS	S	Scatter in data locally
TE-101-AW-45	9/29/88	90	CASS	S	Scatter in data locally
TE-101-AW-45	9/30/88	103	CASS	S	Scatter in data locally
TE-101-AW-45	12/2/88	102	CASS	T	
TE-101-AW-45	12/9/88	102	CASS	T	
TE-101-AW-45	12/17/88	101	CASS	T	
TE-101-AW-45	12/20/88	101	CASS	T	
TE-101-AW-45	9/2/89	100	CASS	T	
TE-101-AW-45	9/9/89	101	CASS	T	
TE-101-AW-45	9/18/89	101	CASS	T	
TE-101-AW-45	9/23/89	101	CASS	T	
TE-101-AW-45	9/30/89	101	CASS	T	
TE-101-AW-45	11/4/89	101	CASS	T	
TE-101-AW-45	11/11/89	101	CASS	T	
TE-101-AW-45	11/18/89	101	CASS	T	
TE-101-AW-45	11/25/89	101	CASS	T	
TE-101-AW-45	12/2/89	101	CASS	T	
TE-101-AW-45	12/9/89	101	CASS	T	
TE-101-AW-45	12/16/89	101	CASS	T	
TE-101-AW-45	12/19/89	101	CASS	T	
TE-101-AW-45	12/30/89	100	CASS	T	
TE-101-AW-45	1/6/90	100	CASS	T	
TE-101-AW-45	1/7/90	100	CASS	T	
TE-101-AW-45	1/20/90	99	CASS	T	
TE-101-AW-45	1/27/90	99	CASS	T	
TE-101-AW-45	2/3/90	99	CASS	T	
TE-101-AW-45	2/6/90	99	CASS	T	
TE-101-AW-45	2/17/90	98	CASS	T	
TE-101-AW-45	2/24/90	98	CASS	T	
TE-101-AW-45	3/3/90	98	CASS	T	
TE-101-AW-45	3/10/90	98	CASS	T	
TE-101-AW-45	3/17/90	98	CASS	T	
TE-101-AW-45	3/21/90	98	CASS	T	
TE-101-AW-45	3/31/90	98	CASS	T	
TE-101-AW-45	4/4/90	98	CASS	T	
TE-101-AW-45	4/14/90	97	CASS	T	
TE-101-AW-45	4/21/90	98	CASS	T	
TE-101-AW-45	4/28/90	97	CASS	T	
TE-101-AW-45	5/5/90	98	CASS	T	
TE-101-AW-45	5/10/90	98	CASS	T	
TE-101-AW-45	5/15/90	98	CASS	T	
TE-101-AW-45	5/22/90	97	CASS	T	
TE-101-AW-45	6/2/90	97	CASS	T	
TE-101-AW-45	6/9/90	98	CASS	T	
TE-101-AW-45	6/16/90	98	CASS	T	
TE-101-AW-45	6/23/90	98	CASS	T	
TE-101-AW-45	6/30/90	98	CASS	T	
TE-101-AW-45	7/7/90	98	CASS	T	
TE-101-AW-45	7/14/90	98	CASS	T	
TE-101-AW-45	7/21/90	98	CASS	T	
TE-101-AW-45	7/28/90	99	CASS	T	
TE-101-AW-45	8/4/90	99	CASS	T	
TE-101-AW-45	8/11/90	99	CASS	T	
TE-101-AW-45	8/18/90	99	CASS	T	
TE-101-AW-45	8/25/90	99	CASS	T	
TE-101-AW-45	9/1/90	99	CASS	T	
TE-101-AW-45	9/8/90	99	CASS	T	
TE-101-AW-45	9/12/90	100	CASS	T	
TE-101-AW-45	9/22/90	100	CASS	T	
TE-101-AW-45	9/29/90	100	CASS	T	

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-45	10/5/90	100	CASS	T	
TE-101-AW-45	10/13/90	100	CASS	T	
TE-101-AW-45	10/20/90	100	CASS	T	
TE-101-AW-45	10/27/90	100	CASS	T	
TE-101-AW-45	11/1/90	100	CASS	T	
TE-101-AW-45	11/8/90	87	CASS	S	Data point did not agree with local trend
TE-101-AW-45	11/10/90	99	CASS	T	
TE-101-AW-45	11/17/90	99	CASS	T	
TE-101-AW-45	11/24/90	99	CASS	T	
TE-101-AW-45	12/1/90	99	CASS	T	
TE-101-AW-45	12/8/90	85	CASS	S	Data point did not agree with local trend
TE-101-AW-45	12/8/90	99	CASS	T	
TE-101-AW-45	12/13/90	99	CASS	T	
TE-101-AW-45	12/18/90	99	CASS	T	
TE-101-AW-45	12/28/90	96	CASS	T	
TE-101-AW-45	1/5/91	97	CASS	T	
TE-101-AW-45	1/12/91	97	CASS	T	
TE-101-AW-45	1/19/91	97	CASS	T	
TE-101-AW-45	1/25/91	97	CASS	T	
TE-101-AW-45	2/1/91	97	CASS	T	
TE-101-AW-45	2/9/91	98	CASS	T	
TE-101-AW-45	2/16/91	98	CASS	T	
TE-101-AW-45	2/23/91	98	CASS	T	
TE-101-AW-45	3/2/91	98	CASS	T	
TE-101-AW-45	3/9/91	98	CASS	T	
TE-101-AW-45	3/16/91	98	CASS	T	
TE-101-AW-45	3/20/91	98	CASS	T	
TE-101-AW-45	3/25/91	98	CASS	T	
TE-101-AW-45	4/8/91	95	CASS	T	
TE-101-AW-45	4/13/91	95	CASS	T	
TE-101-AW-45	4/20/91	95	CASS	T	
TE-101-AW-45	4/27/91	95	CASS	T	
TE-101-AW-45	5/4/91	95	CASS	T	
TE-101-AW-45	5/11/91	95	CASS	T	
TE-101-AW-45	5/18/91	95	CASS	T	
TE-101-AW-45	5/25/91	95	CASS	T	
TE-101-AW-45	5/31/91	95	CASS	T	
TE-101-AW-45	6/8/91	95	CASS	T	
TE-101-AW-45	6/15/91	95	CASS	T	
TE-101-AW-45	6/21/91	95	CASS	T	
TE-101-AW-45	6/25/91	95	CASS	T	
TE-101-AW-45	4/4/92	93	CASS	T	
TE-101-AW-45	4/17/92	93	CASS	T	
TE-101-AW-46	7/18/83	80	CASS	T	
TE-101-AW-46	7/23/83	80	CASS	T	
TE-101-AW-46	7/30/83	80	CASS	T	
TE-101-AW-46	8/8/83	80	CASS	T	
TE-101-AW-46	8/13/83	81	CASS	T	
TE-101-AW-46	8/20/83	81	CASS	T	
TE-101-AW-46	8/27/83	81	CASS	T	
TE-101-AW-46	8/31/83	81	CASS	T	
TE-101-AW-46	9/10/83	82	CASS	T	
TE-101-AW-46	9/14/83	82	CASS	T	
TE-101-AW-46	9/24/83	82	CASS	T	
TE-101-AW-46	10/1/83	82	CASS	T	
TE-101-AW-46	10/5/83	82	CASS	T	
TE-101-AW-46	10/15/83	83	CASS	T	
TE-101-AW-46	10/21/83	83	CASS	T	
TE-101-AW-46	3/10/84	84	CASS	T	
TE-101-AW-46	3/17/84	84	CASS	T	
TE-101-AW-46	3/24/84	84	CASS	T	
TE-101-AW-46	3/25/84	84	CASS	T	
TE-101-AW-46	4/3/84	83	CASS	T	
TE-101-AW-46	4/14/84	97	CASS	T	
TE-101-AW-46	4/21/84	104	CASS	T	
TE-101-AW-46	4/24/84	104	CASS	T	
TE-101-AW-46	5/5/84	106	CASS	T	
TE-101-AW-46	5/12/84	114	CASS	T	
TE-101-AW-46	5/15/84	115	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-46	5/26/84	113	CASS	T	
TE-101-AW-46	5/28/84	113	CASS	T	
TE-101-AW-46	6/7/84	110	CASS	T	
TE-101-AW-46	6/20/84	98	CASS	T	
TE-101-AW-46	6/27/84	95	CASS	T	
TE-101-AW-46	7/7/84	103	CASS	T	
TE-101-AW-46	7/10/84	100	CASS	T	
TE-101-AW-46	7/19/84	105	CASS	T	
TE-101-AW-46	7/23/84	102	CASS	T	
TE-101-AW-46	7/30/84	106	CASS	T	
TE-101-AW-46	8/5/84	100	CASS	T	
TE-101-AW-46	8/17/84	103	CASS	T	
TE-101-AW-46	8/25/84	101	CASS	T	
TE-101-AW-46	8/27/84	110	CASS	T	
TE-101-AW-46	9/8/84	118	CASS	T	
TE-101-AW-46	9/11/84	102	CASS	T	
TE-101-AW-46	9/19/84	112	CASS	T	
TE-101-AW-46	9/27/84	105	CASS	T	
TE-101-AW-46	9/30/84	101	CASS	T	
TE-101-AW-46	10/13/84	98	CASS	T	
TE-101-AW-46	10/18/84	98	CASS	T	
TE-101-AW-46	10/24/84	97	CASS	T	
TE-101-AW-46	10/28/84	95	CASS	T	
TE-101-AW-46	11/9/84	94	CASS	T	
TE-101-AW-46	11/16/84	97	CASS	T	
TE-101-AW-46	11/24/84	101	CASS	T	
TE-101-AW-46	11/25/84	99	CASS	T	
TE-101-AW-46	12/2/84	97	CASS	T	
TE-101-AW-46	12/15/84	91	CASS	T	
TE-101-AW-46	12/16/84	91	CASS	T	
TE-101-AW-46	12/23/84	85	CASS	T	
TE-101-AW-46	1/3/85	87	CASS	T	
TE-101-AW-46	1/8/85	91	CASS	T	
TE-101-AW-46	1/18/85	87	CASS	T	
TE-101-AW-46	1/23/85	87	CASS	T	
TE-101-AW-46	2/2/85	87	CASS	T	
TE-101-AW-46	2/5/85	88	CASS	T	
TE-101-AW-46	2/12/85	95	CASS	T	
TE-101-AW-46	2/17/85	93	CASS	T	
TE-101-AW-46	2/25/85	90	CASS	T	
TE-101-AW-46	4/8/85	90	CASS	T	
TE-101-AW-46	4/11/85	90	CASS	T	
TE-101-AW-46	4/16/85	94	CASS	T	
TE-101-AW-46	4/22/85	85	CASS	T	
TE-101-AW-46	5/4/85	87	CASS	T	
TE-101-AW-46	5/10/85	89	CASS	T	
TE-101-AW-46	5/13/85	84	CASS	T	
TE-101-AW-46	5/25/85	85	CASS	T	
TE-101-AW-46	5/29/85	90	CASS	T	
TE-101-AW-46	6/8/85	92	CASS	T	
TE-101-AW-46	6/10/85	91	CASS	T	
TE-101-AW-46	6/17/85	89	CASS	T	
TE-101-AW-46	11/1/85	98	CASS	T	
TE-101-AW-46	12/1/85	88	CASS	T	
TE-101-AW-46	1/3/86	81	CASS	T	
TE-101-AW-46	1/8/86	86	CASS	T	
TE-101-AW-46	1/18/86	84	CASS	T	
TE-101-AW-46	1/23/86	83	CASS	T	
TE-101-AW-46	1/28/86	81	CASS	T	
TE-101-AW-46	2/8/86	80	CASS	T	
TE-101-AW-46	2/14/86	91	CASS	T	
TE-101-AW-46	2/22/86	85	CASS	T	
TE-101-AW-46	2/28/86	92	CASS	T	
TE-101-AW-46	3/3/86	92	CASS	T	
TE-101-AW-46	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-101-AW-46	9/15/86	72	CASS	T	
TE-101-AW-46	10/11/86	128	CASS	T	
TE-101-AW-46	10/17/86	128	CASS	T	
TE-101-AW-46	10/23/86	127	CASS	T	
TE-101-AW-46	10/28/86	127	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-46	11/5/86	126	CASS	T	
TE-101-AW-46	11/15/86	125	CASS	T	
TE-101-AW-46	11/16/86	125	CASS	T	
TE-101-AW-46	11/25/86	124	CASS	T	
TE-101-AW-46	12/6/86	123	CASS	T	
TE-101-AW-46	12/13/86	122	CASS	T	
TE-101-AW-46	12/15/86	122	CASS	T	
TE-101-AW-46	12/24/86	121	CASS	T	
TE-101-AW-46	12/31/86	120	CASS	T	
TE-101-AW-46	7/4/87	108	CASS	T	
TE-101-AW-46	7/11/87	108	CASS	T	
TE-101-AW-46	7/18/87	109	CASS	T	
TE-101-AW-46	7/22/87	109	CASS	T	
TE-101-AW-46	7/28/87	109	CASS	T	
TE-101-AW-46	8/8/87	108	CASS	T	
TE-101-AW-46	8/15/87	108	CASS	T	
TE-101-AW-46	8/22/87	108	CASS	T	
TE-101-AW-46	8/29/87	108	CASS	T	
TE-101-AW-46	8/31/87	108	CASS	T	
TE-101-AW-46	9/11/87	107	CASS	T	
TE-101-AW-46	11/28/87	106	CASS	T	
TE-101-AW-46	11/29/87	105	CASS	T	
TE-101-AW-46	3/25/88	102	CASS	T	
TE-101-AW-46	3/31/88	101	CASS	T	
TE-101-AW-46	6/4/88	101	CASS	T	
TE-101-AW-46	6/11/88	101	CASS	T	
TE-101-AW-46	6/15/88	101	CASS	T	
TE-101-AW-46	6/16/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	6/17/88	87	CASS	S	Scatter in data locally
TE-101-AW-46	6/18/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	6/19/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	6/20/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	6/21/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	6/22/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	6/23/88	87	CASS	S	Scatter in data locally
TE-101-AW-46	6/24/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	6/25/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	6/26/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	6/27/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	6/28/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	6/29/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	6/30/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	7/1/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	7/2/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	7/3/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	7/4/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	7/5/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	7/6/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	7/7/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	7/8/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	7/9/88	88	CASS	S	Scatter in data locally
TE-101-AW-46	7/10/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	7/11/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	7/12/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	7/13/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	7/14/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	7/15/88	89	CASS	S	Scatter in data locally
TE-101-AW-46	7/16/88	89	CASS	S	Scatter in data locally
TE-101-AW-46	7/17/88	90	CASS	S	Scatter in data locally
TE-101-AW-46	7/18/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	7/19/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	7/20/88	92	CASS	S	Scatter in data locally
TE-101-AW-46	7/21/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	7/22/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	7/23/88	101	CASS	S	Scatter in data locally
TE-101-AW-46	7/24/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	7/25/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	7/26/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	7/27/88	89	CASS	S	Scatter in data locally
TE-101-AW-46	7/28/88	102	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-46	7/28/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	7/30/88	89	CASS	S	Scatter in data locally
TE-101-AW-46	7/31/88	88	CASS	S	Scatter in data locally
TE-101-AW-46	8/1/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/3/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/4/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/5/88	88	CASS	S	Scatter in data locally
TE-101-AW-46	8/8/88	88	CASS	S	Scatter in data locally
TE-101-AW-46	8/8/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/9/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/10/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/11/88	87	CASS	S	Scatter in data locally
TE-101-AW-46	8/12/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/13/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/14/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/15/88	89	CASS	S	Scatter in data locally
TE-101-AW-46	8/16/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/17/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/18/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/19/88	88	CASS	S	Scatter in data locally
TE-101-AW-46	8/20/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/21/88	88	CASS	S	Scatter in data locally
TE-101-AW-46	8/22/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/23/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/24/88	89	CASS	S	Scatter in data locally
TE-101-AW-46	8/25/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/26/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/27/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/28/88	89	CASS	S	Scatter in data locally
TE-101-AW-46	8/29/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	8/30/88	88	CASS	S	Scatter in data locally
TE-101-AW-46	8/31/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	9/1/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	9/2/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	9/3/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	9/4/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	9/6/88	88	CASS	S	Scatter in data locally
TE-101-AW-46	9/7/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	9/8/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	9/9/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	9/10/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	9/12/88	103	CASS	S	Scatter in data locally
TE-101-AW-46	9/13/88	90	CASS	S	Scatter in data locally
TE-101-AW-46	9/14/88	90	CASS	S	Scatter in data locally
TE-101-AW-46	9/15/88	103	CASS	S	Scatter in data locally
TE-101-AW-46	9/16/88	90	CASS	S	Scatter in data locally
TE-101-AW-46	9/17/88	90	CASS	S	Scatter in data locally
TE-101-AW-46	9/18/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	9/19/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	9/20/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	9/21/88	103	CASS	S	Scatter in data locally
TE-101-AW-46	9/22/88	103	CASS	S	Scatter in data locally
TE-101-AW-46	9/23/88	103	CASS	S	Scatter in data locally
TE-101-AW-46	9/24/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	9/25/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	9/26/88	91	CASS	S	Scatter in data locally
TE-101-AW-46	9/27/88	91	CASS	S	Scatter in data locally
TE-101-AW-46	9/28/88	102	CASS	S	Scatter in data locally
TE-101-AW-46	9/30/88	103	CASS	T	
TE-101-AW-46	12/3/88	102	CASS	T	
TE-101-AW-46	12/10/88	101	CASS	T	
TE-101-AW-46	12/17/88	101	CASS	T	
TE-101-AW-46	12/20/88	101	CASS	T	
TE-101-AW-46	7/10/89	98	SACS	T	
TE-101-AW-46	7/17/89	98	SACS	T	
TE-101-AW-46	7/24/89	98	SACS	T	
TE-101-AW-46	8/7/89	97	SACS	T	
TE-101-AW-46	8/28/89	101	SACS	T	
TE-101-AW-46	9/9/89	101	CASS	T	
TE-101-AW-46	9/16/89	101	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-46	9/23/89	101	CASS	T	
TE-101-AW-46	9/30/89	101	CASS	T	
TE-101-AW-46	10/1/89	101	SACS	T	
TE-101-AW-46	10/16/89	102	SACS	T	
TE-101-AW-46	10/24/89	102	SACS	T	
TE-101-AW-46	10/30/89	102	SACS	T	
TE-101-AW-46	11/1/89	101	CASS	T	
TE-101-AW-46	11/18/89	101	CASS	T	
TE-101-AW-46	11/25/89	101	CASS	T	
TE-101-AW-46	12/2/89	101	CASS	T	
TE-101-AW-46	12/9/89	101	CASS	T	
TE-101-AW-46	12/15/89	101	CASS	T	
TE-101-AW-46	12/19/89	101	CASS	T	
TE-101-AW-46	12/30/89	100	CASS	T	
TE-101-AW-46	1/2/90	101	SACS	T	
TE-101-AW-46	1/10/90	100	CASS	T	
TE-101-AW-46	1/15/90	100	SACS	T	
TE-101-AW-46	1/22/90	100	SACS	T	
TE-101-AW-46	1/29/90	100	SACS	T	
TE-101-AW-46	2/10/90	99	CASS	T	
TE-101-AW-46	2/12/90	100	SACS	T	
TE-101-AW-46	2/19/90	100	SACS	T	
TE-101-AW-46	3/3/90	98	CASS	T	
TE-101-AW-46	3/5/90	99	SACS	T	
TE-101-AW-46	3/12/90	99	SACS	T	
TE-101-AW-46	3/21/90	98	CASS	T	
TE-101-AW-46	3/31/90	98	CASS	T	
TE-101-AW-46	4/6/90	98	CASS	T	
TE-101-AW-46	4/12/90	98	CASS	T	
TE-101-AW-46	4/21/90	98	CASS	T	
TE-101-AW-46	4/24/90	98	CASS	T	
TE-101-AW-46	5/5/90	98	CASS	T	
TE-101-AW-46	5/10/90	98	CASS	T	
TE-101-AW-46	5/19/90	98	CASS	T	
TE-101-AW-46	5/22/90	98	CASS	T	
TE-101-AW-46	6/2/90	97	CASS	T	
TE-101-AW-46	6/9/90	98	CASS	T	
TE-101-AW-46	6/18/90	98	CASS	T	
TE-101-AW-46	6/23/90	98	CASS	T	
TE-101-AW-46	6/30/90	98	CASS	T	
TE-101-AW-46	7/7/90	98	CASS	T	
TE-101-AW-46	7/14/90	98	CASS	T	
TE-101-AW-46	7/21/90	99	CASS	T	
TE-101-AW-46	7/28/90	99	CASS	T	
TE-101-AW-46	8/4/90	99	CASS	T	
TE-101-AW-46	8/11/90	99	CASS	T	
TE-101-AW-46	8/18/90	99	CASS	T	
TE-101-AW-46	8/25/90	99	CASS	T	
TE-101-AW-46	8/27/90	100	SACS	T	
TE-101-AW-46	9/8/90	99	CASS	T	
TE-101-AW-46	9/12/90	100	CASS	T	
TE-101-AW-46	9/22/90	100	CASS	T	
TE-101-AW-46	9/29/90	100	CASS	T	
TE-101-AW-46	10/5/90	100	CASS	T	
TE-101-AW-46	10/13/90	100	CASS	T	
TE-101-AW-46	10/15/90	101	SACS	T	
TE-101-AW-46	10/27/90	100	CASS	T	
TE-101-AW-46	11/1/90	100	CASS	T	
TE-101-AW-46	11/8/90	100	CASS	T	
TE-101-AW-46	11/9/90	87	CASS	S	Data point did not agree with local trend
TE-101-AW-46	11/12/90	100	SACS	T	
TE-101-AW-46	11/19/90	100	SACS	T	
TE-101-AW-46	12/1/90	99	CASS	T	
TE-101-AW-46	12/3/90	100	SACS	T	
TE-101-AW-46	12/6/90	85	CASS	S	Data point did not agree with local trend
TE-101-AW-46	12/13/90	99	CASS	T	
TE-101-AW-46	12/16/90	99	CASS	T	
TE-101-AW-46	12/24/90	99	SACS	T	
TE-101-AW-46	12/31/90	100	SACS	T	
TE-101-AW-46	1/7/91	98	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-46	1/19/91	97	CASS	T	
TE-101-AW-46	1/24/91	97	CASS	T	
TE-101-AW-46	1/28/91	98	SACS	T	
TE-101-AW-46	2/4/91	97	CASS	T	
TE-101-AW-46	2/11/91	97	SACS	T	
TE-101-AW-46	2/18/91	97	SACS	T	
TE-101-AW-46	3/2/91	96	CASS	T	
TE-101-AW-46	3/9/91	96	CASS	T	
TE-101-AW-46	3/16/91	96	CASS	T	
TE-101-AW-46	3/23/91	96	CASS	T	
TE-101-AW-46	3/25/91	97	SACS	T	
TE-101-AW-46	4/1/91	96	SACS	T	
TE-101-AW-46	4/8/91	96	SACS	T	
TE-101-AW-46	4/15/91	96	SACS	T	
TE-101-AW-46	4/27/91	95	CASS	T	
TE-101-AW-46	5/4/91	95	CASS	T	
TE-101-AW-46	5/11/91	95	CASS	T	
TE-101-AW-46	5/18/91	95	CASS	T	
TE-101-AW-46	5/25/91	95	CASS	T	
TE-101-AW-46	5/31/91	95	CASS	T	
TE-101-AW-46	6/3/91	96	SACS	T	
TE-101-AW-46	6/15/91	95	CASS	T	
TE-101-AW-46	6/21/91	95	CASS	T	
TE-101-AW-46	6/25/91	95	CASS	T	
TE-101-AW-46	7/1/91	95	SACS	T	
TE-101-AW-46	7/8/91	94	SACS	T	
TE-101-AW-46	7/15/91	96	SACS	T	
TE-101-AW-46	7/22/91	94	SACS	T	
TE-101-AW-46	7/29/91	95	SACS	T	
TE-101-AW-46	8/4/91	95	SACS	T	
TE-101-AW-46	8/19/91	95	SACS	T	
TE-101-AW-46	8/28/91	95	SACS	T	
TE-101-AW-46	9/2/91	96	SACS	T	
TE-101-AW-46	9/9/91	97	SACS	T	
TE-101-AW-46	9/16/91	97	SACS	T	
TE-101-AW-46	9/23/91	96	SACS	T	
TE-101-AW-46	9/30/91	96	SACS	T	
TE-101-AW-46	10/7/91	97	SACS	T	
TE-101-AW-46	10/14/91	98	SACS	T	
TE-101-AW-46	10/21/91	96	SACS	T	
TE-101-AW-46	10/28/91	98	SACS	T	
TE-101-AW-46	11/5/91	99	SACS	T	
TE-101-AW-46	11/11/91	98	SACS	T	
TE-101-AW-46	11/18/91	98	SACS	T	
TE-101-AW-46	11/25/91	98	SACS	T	
TE-101-AW-46	12/2/91	97	SACS	T	
TE-101-AW-46	12/9/91	97	SACS	T	
TE-101-AW-46	12/16/91	97	SACS	T	
TE-101-AW-46	12/23/91	98	SACS	T	
TE-101-AW-46	12/30/91	97	SACS	T	
TE-101-AW-46	1/8/92	97	SACS	T	
TE-101-AW-46	1/13/92	96	SACS	T	
TE-101-AW-46	1/20/92	97	SACS	T	
TE-101-AW-46	1/27/92	96	SACS	T	
TE-101-AW-46	2/3/92	96	SACS	T	
TE-101-AW-46	2/10/92	96	SACS	T	
TE-101-AW-46	2/17/92	95	SACS	T	
TE-101-AW-46	2/24/92	95	SACS	T	
TE-101-AW-46	3/4/92	95	SACS	T	
TE-101-AW-46	3/9/92	94	SACS	T	
TE-101-AW-46	3/16/92	94	SACS	T	
TE-101-AW-46	3/23/92	95	SACS	T	
TE-101-AW-46	3/30/92	95	SACS	T	
TE-101-AW-46	4/17/92	93	CASS	T	
TE-101-AW-46	4/27/92	95	SACS	T	
TE-101-AW-46	5/4/92	95	SACS	T	
TE-101-AW-46	5/11/92	95	SACS	T	
TE-101-AW-46	5/18/92	95	SACS	T	
TE-101-AW-46	5/25/92	95	SACS	T	
TE-101-AW-46	6/6/92	95	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-46	6/15/92	96	SACS	T	
TE-101-AW-46	6/22/92	95	SACS	T	
TE-101-AW-46	6/29/92	96	SACS	T	
TE-101-AW-46	7/6/92	96	SACS	T	
TE-101-AW-46	7/13/92	97	SACS	T	
TE-101-AW-46	7/20/92	96	SACS	T	
TE-101-AW-46	7/27/92	97	SACS	T	
TE-101-AW-46	8/3/92	97	SACS	T	
TE-101-AW-46	8/10/92	97	SACS	T	
TE-101-AW-46	8/17/92	97	SACS	T	
TE-101-AW-46	8/24/92	98	SACS	T	
TE-101-AW-46	8/31/92	98	SACS	T	
TE-101-AW-46	9/7/92	99	SACS	T	
TE-101-AW-46	9/14/92	99	SACS	T	
TE-101-AW-46	9/23/92	98	SACS	T	
TE-101-AW-46	9/28/92	98	SACS	T	
TE-101-AW-46	10/5/92	100	SACS	T	
TE-101-AW-46	10/12/92	99	SACS	T	
TE-101-AW-46	10/19/92	99	SACS	T	
TE-101-AW-46	10/26/92	99	SACS	T	
TE-101-AW-46	11/2/92	99	SACS	T	
TE-101-AW-46	11/9/92	100	SACS	T	
TE-101-AW-46	11/16/92	100	SACS	T	
TE-101-AW-46	11/23/92	100	SACS	T	
TE-101-AW-46	11/30/92	99	SACS	T	
TE-101-AW-46	12/7/92	100	SACS	T	
TE-101-AW-46	12/14/92	99	SACS	T	
TE-101-AW-46	12/21/92	99	SACS	T	
TE-101-AW-46	12/28/92	99	SACS	T	
TE-101-AW-46	1/4/93	99	SACS	T	
TE-101-AW-46	1/11/93	99	SACS	T	
TE-101-AW-46	1/18/93	99	SACS	T	
TE-101-AW-46	1/25/93	98	SACS	T	
TE-101-AW-46	2/1/93	98	SACS	T	
TE-101-AW-46	2/8/93	98	SACS	T	
TE-101-AW-46	2/16/93	99	SACS	T	
TE-101-AW-46	2/22/93	99	SACS	T	
TE-101-AW-46	3/1/93	99	SACS	T	
TE-101-AW-46	3/8/93	97	SACS	T	
TE-101-AW-46	3/20/93	97	SACS	T	
TE-101-AW-46	3/22/93	97	SACS	T	
TE-101-AW-46	3/29/93	97	SACS	T	
TE-101-AW-46	4/6/93	95	SACS	T	
TE-101-AW-46	4/12/93	97	SACS	T	
TE-101-AW-46	4/19/93	96	SACS	T	
TE-101-AW-46	4/26/93	95	SACS	T	
TE-101-AW-46	5/3/93	97	SACS	T	
TE-101-AW-46	5/10/93	94	SACS	T	
TE-101-AW-46	5/17/93	97	SACS	T	
TE-101-AW-46	5/24/93	97	SACS	T	
TE-101-AW-46	5/31/93	97	SACS	T	
TE-101-AW-46	6/7/93	97	SACS	T	
TE-101-AW-46	6/15/93	97	SACS	T	
TE-101-AW-46	6/22/93	97	SACS	T	
TE-101-AW-46	6/28/93	95	SACS	T	
TE-101-AW-46	7/5/93	96	SACS	T	
TE-101-AW-46	7/12/93	95	SACS	T	
TE-101-AW-46	7/19/93	96	SACS	T	
TE-101-AW-46	7/26/93	96	SACS	T	
TE-101-AW-46	8/2/93	96	SACS	T	
TE-101-AW-46	8/11/93	99	SACS	T	
TE-101-AW-46	8/18/93	98	SACS	T	
TE-101-AW-46	8/23/93	99	SACS	T	
TE-101-AW-46	8/30/93	99	SACS	T	
TE-101-AW-46	9/13/93	100	SACS	T	
TE-101-AW-46	9/21/93	100	SACS	T	
TE-101-AW-46	9/27/93	100	SACS	T	
TE-101-AW-46	10/11/93	100	SACS	T	
TE-101-AW-46	10/19/93	100	SACS	T	
TE-101-AW-46	10/25/93	101	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-46	11/1/93	100	SACS	T	
TE-101-AW-46	11/6/93	101	SACS	T	
TE-101-AW-46	11/15/93	101	SACS	T	
TE-101-AW-46	11/22/93	101	SACS	T	
TE-101-AW-46	11/29/93	41	SACS	S	Data point did not agree with local trend
TE-101-AW-46	11/30/93	101	SACS	T	
TE-101-AW-46	12/6/93	101	SACS	T	
TE-101-AW-46	12/13/93	44	SACS	S	Data point did not agree with local trend
TE-101-AW-46	12/16/93	102	SACS	T	
TE-101-AW-46	12/20/93	101	SACS	T	
TE-101-AW-46	12/27/93	101	SACS	T	
TE-101-AW-46	1/5/94	101	SACS	T	
TE-101-AW-46	1/19/94	101	SACS	T	
TE-101-AW-46	1/24/94	101	SACS	T	
TE-101-AW-46	1/31/94	100	SACS	T	
TE-101-AW-46	2/7/94	101	SACS	G	
TE-101-AW-46	2/21/94	100	SACS	G	
TE-101-AW-46	2/28/94	100	SACS	T	
TE-101-AW-46	3/7/94	99	SACS	T	
TE-101-AW-46	3/14/94	99	SACS	G	
TE-101-AW-46	3/21/94	100	SACS	G	
TE-101-AW-46	3/28/94	99	SACS	G	
TE-101-AW-46	4/5/94	99	SACS	G	
TE-101-AW-46	4/11/94	99	SACS	G	
TE-101-AW-46	4/18/94	100	SACS	T	
TE-101-AW-46	4/25/94	100	SACS	G	
TE-101-AW-46	5/2/94	99	SACS	G	
TE-101-AW-46	5/9/94	99	SACS	G	
TE-101-AW-46	5/16/94	99	SACS	G	
TE-101-AW-46	5/31/94	100	SACS	G	
TE-101-AW-46	6/6/94	100	SACS	G	
TE-101-AW-46	6/13/94	100	SACS	G	
TE-101-AW-46	6/20/94	100	SACS	G	
TE-101-AW-46	6/27/94	100	SACS	G	
TE-101-AW-46	7/4/94	100	SACS	G	
TE-101-AW-46	7/18/94	100	SACS	G	
TE-101-AW-46	7/25/94	100	SACS	G	
TE-101-AW-46	8/1/94	101	SACS	G	
TE-101-AW-46	8/8/94	101	SACS	G	
TE-101-AW-46	8/15/94	101	SACS	G	
TE-101-AW-46	8/22/94	102	SACS	G	
TE-101-AW-46	9/7/94	101	SACS	G	
TE-101-AW-46	9/12/94	102	SACS	G	
TE-101-AW-46	9/26/94	102	SACS	G	
TE-101-AW-46	10/10/94	103	SACS	G	
TE-101-AW-46	10/17/94	104	SACS	G	
TE-101-AW-46	10/24/94	103	SACS	G	
TE-101-AW-46	10/31/94	104	SACS	G	
TE-101-AW-46	11/7/94	103	SACS	G	
TE-101-AW-46	11/14/94	103	SACS	G	
TE-101-AW-46	11/21/94	104	SACS	G	
TE-101-AW-46	11/28/94	103	SACS	G	
TE-101-AW-46	12/5/94	104	SACS	G	
TE-101-AW-46	12/12/94	104	SACS	G	
TE-101-AW-46	12/19/94	103	SACS	G	
TE-101-AW-46	12/26/94	103	SACS	G	
TE-101-AW-46	1/2/95	104	SACS	G	
TE-101-AW-46	1/9/95	103	SACS	G	
TE-101-AW-46	1/16/95	103	SACS	G	
TE-101-AW-46	1/23/95	103	SACS	G	
TE-101-AW-46	1/30/95	103	SACS	G	
TE-101-AW-46	2/6/95	103	SACS	G	
TE-101-AW-46	2/13/95	104	SACS	G	
TE-101-AW-46	2/24/95	103	SACS	G	
TE-101-AW-46	2/27/95	103	SACS	G	
TE-101-AW-46	3/6/95	103	SACS	G	
TE-101-AW-46	3/27/95	103	SACS	G	
TE-101-AW-46	4/3/95	102	SACS	G	
TE-101-AW-46	4/10/95	103	SACS	G	
TE-101-AW-46	4/17/95	102	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-46	4/24/85	102	SACS	G	
TE-101-AW-46	5/3/85	103	SACS	G	
TE-101-AW-46	5/8/85	103	SACS	G	
TE-101-AW-46	5/15/85	103	SACS	G	
TE-101-AW-46	5/22/85	102	SACS	G	
TE-101-AW-46	5/30/85	102	SACS	G	
TE-101-AW-46	6/5/85	103	SACS	G	
TE-101-AW-46	6/13/85	103	SACS	G	
TE-101-AW-46	6/19/85	103	SACS	G	
TE-101-AW-47	7/16/83	80	CASS	T	
TE-101-AW-47	7/22/83	81	CASS	T	
TE-101-AW-47	7/28/83	81	CASS	T	
TE-101-AW-47	8/6/83	81	CASS	T	
TE-101-AW-47	8/13/83	81	CASS	T	
TE-101-AW-47	8/17/83	82	CASS	T	
TE-101-AW-47	8/27/83	82	CASS	T	
TE-101-AW-47	8/31/83	82	CASS	T	
TE-101-AW-47	9/10/83	82	CASS	T	
TE-101-AW-47	9/14/83	82	CASS	T	
TE-101-AW-47	9/24/83	83	CASS	T	
TE-101-AW-47	10/1/83	83	CASS	T	
TE-101-AW-47	10/5/83	83	CASS	T	
TE-101-AW-47	10/15/83	84	CASS	T	
TE-101-AW-47	10/21/83	84	CASS	T	
TE-101-AW-47	3/10/84	84	CASS	T	
TE-101-AW-47	3/17/84	84	CASS	T	
TE-101-AW-47	3/23/84	84	CASS	T	
TE-101-AW-47	3/25/84	84	CASS	T	
TE-101-AW-47	4/2/84	84	CASS	T	
TE-101-AW-47	4/14/84	98	CASS	T	
TE-101-AW-47	4/21/84	104	CASS	T	
TE-101-AW-47	4/24/84	104	CASS	T	
TE-101-AW-47	5/5/84	106	CASS	T	
TE-101-AW-47	5/12/84	114	CASS	T	
TE-101-AW-47	5/18/84	115	CASS	T	
TE-101-AW-47	5/28/84	113	CASS	T	
TE-101-AW-47	6/27/84	113	CASS	T	
TE-101-AW-47	6/7/84	110	CASS	T	
TE-101-AW-47	6/20/84	98	CASS	T	
TE-101-AW-47	6/27/84	95	CASS	T	
TE-101-AW-47	7/7/84	103	CASS	T	
TE-101-AW-47	7/10/84	100	CASS	T	
TE-101-AW-47	7/19/84	105	CASS	T	
TE-101-AW-47	7/23/84	102	CASS	T	
TE-101-AW-47	7/30/84	108	CASS	T	
TE-101-AW-47	8/5/84	100	CASS	T	
TE-101-AW-47	8/17/84	103	CASS	T	
TE-101-AW-47	8/25/84	101	CASS	T	
TE-101-AW-47	8/27/84	109	CASS	T	
TE-101-AW-47	9/6/84	116	CASS	T	
TE-101-AW-47	9/9/84	102	CASS	T	
TE-101-AW-47	9/19/84	112	CASS	T	
TE-101-AW-47	9/27/84	105	CASS	T	
TE-101-AW-47	9/30/84	101	CASS	T	
TE-101-AW-47	10/13/84	98	CASS	T	
TE-101-AW-47	10/19/84	98	CASS	T	
TE-101-AW-47	10/24/84	97	CASS	T	
TE-101-AW-47	10/28/84	95	CASS	T	
TE-101-AW-47	11/9/84	94	CASS	T	
TE-101-AW-47	11/16/84	97	CASS	T	
TE-101-AW-47	11/22/84	125	CASS	S	Data point did not agree with local trend
TE-101-AW-47	11/23/84	103	CASS	T	
TE-101-AW-47	11/25/84	95	CASS	T	
TE-101-AW-47	12/4/84	96	CASS	T	
TE-101-AW-47	12/9/84	87	CASS	T	
TE-101-AW-47	12/20/84	91	CASS	T	
TE-101-AW-47	12/23/84	85	CASS	T	
TE-101-AW-47	1/1/85	87	CASS	T	
TE-101-AW-47	1/8/85	91	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-47	1/18/85	87	CASS	T	
TE-101-AW-47	1/23/85	87	CASS	T	
TE-101-AW-47	2/2/85	87	CASS	T	
TE-101-AW-47	2/5/85	86	CASS	T	
TE-101-AW-47	2/14/85	97	CASS	T	
TE-101-AW-47	2/23/85	87	CASS	T	
TE-101-AW-47	2/24/85	91	CASS	T	
TE-101-AW-47	4/4/85	93	CASS	T	
TE-101-AW-47	4/11/85	93	CASS	T	
TE-101-AW-47	4/18/85	93	CASS	T	
TE-101-AW-47	4/22/85	85	CASS	T	
TE-101-AW-47	5/4/85	87	CASS	T	
TE-101-AW-47	5/10/85	89	CASS	T	
TE-101-AW-47	5/13/85	84	CASS	T	
TE-101-AW-47	5/24/85	85	CASS	T	
TE-101-AW-47	5/29/85	90	CASS	T	
TE-101-AW-47	6/8/85	92	CASS	T	
TE-101-AW-47	6/10/85	91	CASS	T	
TE-101-AW-47	6/17/85	89	CASS	T	
TE-101-AW-47	11/1/85	98	CASS	T	
TE-101-AW-47	12/1/85	88	CASS	T	
TE-101-AW-47	1/3/86	81	CASS	T	
TE-101-AW-47	1/8/86	86	CASS	T	
TE-101-AW-47	1/16/86	84	CASS	T	
TE-101-AW-47	1/23/86	83	CASS	T	
TE-101-AW-47	1/26/86	81	CASS	T	
TE-101-AW-47	2/8/86	80	CASS	T	
TE-101-AW-47	2/14/86	91	CASS	T	
TE-101-AW-47	2/17/86	85	CASS	T	
TE-101-AW-47	2/26/86	92	CASS	T	
TE-101-AW-47	3/5/86	88	CASS	T	
TE-101-AW-47	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-101-AW-47	9/20/86	131	CASS	T	
TE-101-AW-47	9/23/86	131	CASS	T	
TE-101-AW-47	10/2/86	130	CASS	T	
TE-101-AW-47	10/11/86	129	CASS	T	
TE-101-AW-47	10/18/86	128	CASS	T	
TE-101-AW-47	10/20/86	128	CASS	T	
TE-101-AW-47	10/29/86	127	CASS	T	
TE-101-AW-47	11/6/86	126	CASS	T	
TE-101-AW-47	11/9/86	126	CASS	T	
TE-101-AW-47	11/16/86	125	CASS	T	
TE-101-AW-47	11/25/86	124	CASS	T	
TE-101-AW-47	12/6/86	123	CASS	T	
TE-101-AW-47	12/6/86	123	CASS	T	
TE-101-AW-47	12/16/86	122	CASS	T	
TE-101-AW-47	12/27/86	121	CASS	T	
TE-101-AW-47	12/30/86	121	CASS	T	
TE-101-AW-47	7/4/87	108	CASS	T	
TE-101-AW-47	7/11/87	108	CASS	T	
TE-101-AW-47	7/18/87	108	CASS	T	
TE-101-AW-47	7/25/87	108	CASS	T	
TE-101-AW-47	7/26/87	108	CASS	T	
TE-101-AW-47	8/6/87	108	CASS	T	
TE-101-AW-47	8/15/87	108	CASS	T	
TE-101-AW-47	8/22/87	108	CASS	T	
TE-101-AW-47	8/28/87	108	CASS	T	
TE-101-AW-47	8/30/87	108	CASS	T	
TE-101-AW-47	9/11/87	107	CASS	T	
TE-101-AW-47	11/28/87	106	CASS	T	
TE-101-AW-47	11/29/87	108	CASS	T	
TE-101-AW-47	3/26/88	102	CASS	T	
TE-101-AW-47	3/27/88	102	CASS	T	
TE-101-AW-47	6/4/88	101	CASS	T	
TE-101-AW-47	6/11/88	101	CASS	T	
TE-101-AW-47	6/18/88	101	CASS	T	
TE-101-AW-47	6/25/88	101	CASS	T	
TE-101-AW-47	7/2/88	101	CASS	T	
TE-101-AW-47	7/8/88	101	CASS	T	
TE-101-AW-47	7/16/88	102	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-47	7/18/88	105	CASS	T	
TE-101-AW-47	7/23/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	7/24/88	98	CASS	S	Scatter in data locally
TE-101-AW-47	7/25/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	7/26/88	97	CASS	S	Scatter in data locally
TE-101-AW-47	7/27/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	7/28/88	98	CASS	S	Scatter in data locally
TE-101-AW-47	7/29/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	7/30/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	7/31/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	8/1/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	8/3/88	91	CASS	S	Scatter in data locally
TE-101-AW-47	8/4/88	90	CASS	S	Scatter in data locally
TE-101-AW-47	8/5/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	8/6/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	8/8/88	88	CASS	S	Scatter in data locally
TE-101-AW-47	8/9/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	8/10/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	8/11/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	8/12/88	87	CASS	S	Scatter in data locally
TE-101-AW-47	8/13/88	87	CASS	S	Scatter in data locally
TE-101-AW-47	8/14/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	8/15/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	8/16/88	91	CASS	S	Scatter in data locally
TE-101-AW-47	8/17/88	89	CASS	S	Scatter in data locally
TE-101-AW-47	8/18/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	8/19/88	89	CASS	S	Scatter in data locally
TE-101-AW-47	8/20/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	8/21/88	89	CASS	S	Scatter in data locally
TE-101-AW-47	8/22/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	8/23/88	92	CASS	S	Scatter in data locally
TE-101-AW-47	8/24/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	8/25/88	100	CASS	S	Scatter in data locally
TE-101-AW-47	8/26/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	8/27/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	8/28/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	8/29/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	8/30/88	89	CASS	S	Scatter in data locally
TE-101-AW-47	8/31/88	86	CASS	S	Scatter in data locally
TE-101-AW-47	9/1/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	9/2/88	89	CASS	S	Scatter in data locally
TE-101-AW-47	9/3/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	9/4/88	91	CASS	S	Scatter in data locally
TE-101-AW-47	9/6/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	9/7/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	9/8/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	9/9/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	9/10/88	102	CASS	S	Scatter in data locally
TE-101-AW-47	9/12/88	96	CASS	S	Scatter in data locally
TE-101-AW-47	9/13/88	97	CASS	S	Scatter in data locally
TE-101-AW-47	9/14/88	103	CASS	S	Scatter in data locally
TE-101-AW-47	9/15/88	103	CASS	S	Scatter in data locally
TE-101-AW-47	9/16/88	103	CASS	S	Scatter in data locally
TE-101-AW-47	9/17/88	96	CASS	S	Scatter in data locally
TE-101-AW-47	9/18/88	96	CASS	S	Scatter in data locally
TE-101-AW-47	9/19/88	103	CASS	S	Scatter in data locally
TE-101-AW-47	9/20/88	103	CASS	S	Scatter in data locally
TE-101-AW-47	9/21/88	103	CASS	S	Scatter in data locally
TE-101-AW-47	9/22/88	103	CASS	S	Scatter in data locally
TE-101-AW-47	9/23/88	96	CASS	S	Scatter in data locally
TE-101-AW-47	9/24/88	96	CASS	S	Scatter in data locally
TE-101-AW-47	9/25/88	103	CASS	S	Scatter in data locally
TE-101-AW-47	9/26/88	103	CASS	S	Scatter in data locally
TE-101-AW-47	9/27/88	103	CASS	S	Scatter in data locally
TE-101-AW-47	9/28/88	103	CASS	S	Scatter in data locally
TE-101-AW-47	9/29/88	93	CASS	S	Scatter in data locally
TE-101-AW-47	9/30/88	103	CASS	S	Scatter in data locally
TE-101-AW-47	12/2/88	102	CASS	T	
TE-101-AW-47	12/10/88	101	CASS	T	
TE-101-AW-47	12/17/88	101	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-47	12/20/88	101	CASS	T	
TE-101-AW-47	7/10/89	98	SACS	T	
TE-101-AW-47	7/17/89	98	SACS	T	
TE-101-AW-47	7/24/89	99	SACS	T	
TE-101-AW-47	8/7/89	97	SACS	T	
TE-101-AW-47	8/28/89	101	SACS	T	
TE-101-AW-47	9/9/89	101	CASS	T	
TE-101-AW-47	9/18/89	101	CASS	T	
TE-101-AW-47	9/23/89	101	CASS	T	
TE-101-AW-47	9/30/89	101	CASS	T	
TE-101-AW-47	10/1/89	101	SACS	T	
TE-101-AW-47	10/18/89	102	SACS	T	
TE-101-AW-47	10/24/89	102	SACS	T	
TE-101-AW-47	10/30/89	102	SACS	T	
TE-101-AW-47	11/11/89	101	CASS	T	
TE-101-AW-47	11/18/89	101	CASS	T	
TE-101-AW-47	11/25/89	101	CASS	T	
TE-101-AW-47	12/2/89	101	CASS	T	
TE-101-AW-47	12/9/89	101	CASS	T	
TE-101-AW-47	12/16/89	101	CASS	T	
TE-101-AW-47	12/19/89	101	CASS	T	
TE-101-AW-47	12/30/89	100	CASS	T	
TE-101-AW-47	1/2/90	101	SACS	T	
TE-101-AW-47	1/10/90	100	CASS	T	
TE-101-AW-47	1/15/90	100	SACS	T	
TE-101-AW-47	1/22/90	100	SACS	T	
TE-101-AW-47	1/29/90	100	SACS	T	
TE-101-AW-47	2/10/90	99	CASS	T	
TE-101-AW-47	2/12/90	100	SACS	T	
TE-101-AW-47	2/19/90	100	SACS	T	
TE-101-AW-47	3/3/90	98	CASS	T	
TE-101-AW-47	3/5/90	99	SACS	T	
TE-101-AW-47	3/12/90	99	SACS	T	
TE-101-AW-47	3/21/90	98	CASS	T	
TE-101-AW-47	3/31/90	98	CASS	T	
TE-101-AW-47	4/7/90	98	CASS	T	
TE-101-AW-47	4/8/90	98	CASS	T	
TE-101-AW-47	4/21/90	98	CASS	T	
TE-101-AW-47	4/24/90	98	CASS	T	
TE-101-AW-47	5/5/90	98	CASS	T	
TE-101-AW-47	5/11/90	98	CASS	T	
TE-101-AW-47	5/15/90	98	SACS	T	
TE-101-AW-47	5/22/90	98	CASS	T	
TE-101-AW-47	6/2/90	97	CASS	T	
TE-101-AW-47	6/9/90	98	CASS	T	
TE-101-AW-47	6/16/90	98	CASS	T	
TE-101-AW-47	6/23/90	98	CASS	T	
TE-101-AW-47	6/30/90	98	CASS	T	
TE-101-AW-47	7/7/90	98	CASS	T	
TE-101-AW-47	7/14/90	98	CASS	T	
TE-101-AW-47	7/21/90	98	CASS	T	
TE-101-AW-47	7/28/90	99	CASS	T	
TE-101-AW-47	8/4/90	99	CASS	T	
TE-101-AW-47	8/11/90	99	CASS	T	
TE-101-AW-47	8/18/90	99	CASS	T	
TE-101-AW-47	8/25/90	99	CASS	T	
TE-101-AW-47	8/27/90	100	SACS	T	
TE-101-AW-47	9/8/90	100	CASS	T	
TE-101-AW-47	9/12/90	100	CASS	T	
TE-101-AW-47	9/22/90	100	CASS	T	
TE-101-AW-47	9/29/90	100	CASS	T	
TE-101-AW-47	10/5/90	100	CASS	T	
TE-101-AW-47	10/13/90	100	CASS	T	
TE-101-AW-47	10/15/90	101	SACS	T	
TE-101-AW-47	10/27/90	100	CASS	T	
TE-101-AW-47	10/31/90	100	CASS	T	
TE-101-AW-47	11/5/90	100	SACS	T	
TE-101-AW-47	11/9/90	87	CASS	S	Data point did not agree with local trend
TE-101-AW-47	11/12/90	100	SACS	T	
TE-101-AW-47	11/19/90	100	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-47	12/1/90	99	CASS	T	
TE-101-AW-47	12/3/90	100	SACS	T	
TE-101-AW-47	12/6/90	85	CASS	S	Data point did not agree with local trend
TE-101-AW-47	12/13/90	99	CASS	T	
TE-101-AW-47	12/18/90	99	CASS	T	
TE-101-AW-47	12/24/90	99	SACS	T	
TE-101-AW-47	12/31/90	100	SACS	T	
TE-101-AW-47	1/7/91	98	SACS	T	
TE-101-AW-47	1/19/91	87	CASS	T	
TE-101-AW-47	1/25/91	97	CASS	T	
TE-101-AW-47	1/28/91	98	SACS	T	
TE-101-AW-47	2/3/91	97	CASS	T	
TE-101-AW-47	2/11/91	97	SACS	T	
TE-101-AW-47	2/18/91	97	SACS	T	
TE-101-AW-47	3/2/91	96	CASS	T	
TE-101-AW-47	3/9/91	96	CASS	T	
TE-101-AW-47	3/18/91	96	CASS	T	
TE-101-AW-47	3/23/91	96	CASS	T	
TE-101-AW-47	3/25/91	97	SACS	T	
TE-101-AW-47	4/1/91	98	SACS	T	
TE-101-AW-47	4/8/91	98	SACS	T	
TE-101-AW-47	4/15/91	98	SACS	T	
TE-101-AW-47	4/27/91	95	CASS	T	
TE-101-AW-47	5/4/91	95	CASS	T	
TE-101-AW-47	5/11/91	95	CASS	T	
TE-101-AW-47	5/18/91	95	CASS	T	
TE-101-AW-47	5/25/91	95	CASS	T	
TE-101-AW-47	5/31/91	95	CASS	T	
TE-101-AW-47	6/3/91	98	SACS	T	
TE-101-AW-47	6/15/91	95	CASS	T	
TE-101-AW-47	6/21/91	95	CASS	T	
TE-101-AW-47	6/25/91	95	CASS	T	
TE-101-AW-47	7/1/91	95	SACS	T	
TE-101-AW-47	7/8/91	94	SACS	T	
TE-101-AW-47	7/15/91	96	SACS	T	
TE-101-AW-47	7/22/91	94	SACS	T	
TE-101-AW-47	7/29/91	95	SACS	T	
TE-101-AW-47	8/4/91	95	SACS	T	
TE-101-AW-47	8/19/91	95	SACS	T	
TE-101-AW-47	8/26/91	95	SACS	T	
TE-101-AW-47	9/2/91	98	SACS	T	
TE-101-AW-47	9/9/91	97	SACS	T	
TE-101-AW-47	9/16/91	97	SACS	T	
TE-101-AW-47	9/23/91	98	SACS	T	
TE-101-AW-47	9/30/91	98	SACS	T	
TE-101-AW-47	10/7/91	97	SACS	T	
TE-101-AW-47	10/14/91	98	SACS	T	
TE-101-AW-47	10/21/91	98	SACS	T	
TE-101-AW-47	10/28/91	98	SACS	T	
TE-101-AW-47	11/5/91	99	SACS	T	
TE-101-AW-47	11/11/91	99	SACS	T	
TE-101-AW-47	11/18/91	98	SACS	T	
TE-101-AW-47	11/25/91	98	SACS	T	
TE-101-AW-47	12/2/91	97	SACS	T	
TE-101-AW-47	12/9/91	97	SACS	T	
TE-101-AW-47	12/16/91	97	SACS	T	
TE-101-AW-47	12/23/91	98	SACS	T	
TE-101-AW-47	12/30/91	97	SACS	T	
TE-101-AW-47	1/6/92	97	SACS	T	
TE-101-AW-47	1/13/92	98	SACS	T	
TE-101-AW-47	1/20/92	97	SACS	T	
TE-101-AW-47	1/27/92	98	SACS	T	
TE-101-AW-47	3/4/92	95	SACS	T	
TE-101-AW-47	4/4/92	93	CASS	T	
TE-101-AW-47	4/17/92	93	CASS	T	
TE-101-AW-47	8/29/92	96	SACS	T	
TE-101-AW-47	10/5/92	100	SACS	T	
TE-101-AW-47	10/12/92	99	SACS	T	
TE-101-AW-47	10/19/92	99	SACS	T	
TE-101-AW-47	10/28/92	99	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-47	11/2/92	99	SACS	T	
TE-101-AW-47	11/9/92	100	SACS	T	
TE-101-AW-47	11/16/92	100	SACS	T	
TE-101-AW-47	11/23/92	100	SACS	T	
TE-101-AW-47	11/30/92	99	SACS	T	
TE-101-AW-47	12/7/92	100	SACS	T	
TE-101-AW-47	12/14/92	99	SACS	T	
TE-101-AW-47	12/21/92	99	SACS	T	
TE-101-AW-47	12/28/92	99	SACS	T	
TE-101-AW-47	1/25/93	98	SACS	T	
TE-101-AW-47	2/1/93	98	SACS	T	
TE-101-AW-47	2/8/93	98	SACS	T	
TE-101-AW-47	2/18/93	99	SACS	T	
TE-101-AW-48	7/18/83	80	CASS	T	
TE-101-AW-48	7/23/83	81	CASS	T	
TE-101-AW-48	7/30/83	81	CASS	T	
TE-101-AW-48	8/6/83	81	CASS	T	
TE-101-AW-48	8/13/83	81	CASS	T	
TE-101-AW-48	8/19/83	82	CASS	T	
TE-101-AW-48	8/27/83	82	CASS	T	
TE-101-AW-48	8/31/83	82	CASS	T	
TE-101-AW-48	9/10/83	83	CASS	T	
TE-101-AW-48	9/14/83	83	CASS	T	
TE-101-AW-48	9/24/83	83	CASS	T	
TE-101-AW-48	10/1/83	83	CASS	T	
TE-101-AW-48	10/5/83	84	CASS	T	
TE-101-AW-48	10/15/83	84	CASS	T	
TE-101-AW-48	10/21/83	86	CASS	T	
TE-101-AW-48	3/10/84	83	CASS	T	
TE-101-AW-48	3/12/84	83	CASS	T	
TE-101-AW-48	3/24/84	82	CASS	T	
TE-101-AW-48	3/31/84	82	CASS	T	
TE-101-AW-48	4/2/84	82	CASS	T	
TE-101-AW-48	4/14/84	102	CASS	T	
TE-101-AW-48	4/21/84	104	CASS	T	
TE-101-AW-48	4/24/84	104	CASS	T	
TE-101-AW-48	5/3/84	112	CASS	T	
TE-101-AW-48	5/12/84	114	CASS	T	
TE-101-AW-48	5/17/84	115	CASS	T	
TE-101-AW-48	5/25/84	113	CASS	T	
TE-101-AW-48	5/27/84	111	CASS	T	
TE-101-AW-48	6/7/84	110	CASS	T	
TE-101-AW-48	6/20/84	98	CASS	T	
TE-101-AW-48	6/27/84	95	CASS	T	
TE-101-AW-48	7/7/84	103	CASS	T	
TE-101-AW-48	7/10/84	100	CASS	T	
TE-101-AW-48	7/19/84	105	CASS	T	
TE-101-AW-48	7/23/84	102	CASS	T	
TE-101-AW-48	7/30/84	108	CASS	T	
TE-101-AW-48	8/5/84	100	CASS	T	
TE-101-AW-48	8/17/84	103	CASS	T	
TE-101-AW-48	8/25/84	101	CASS	T	
TE-101-AW-48	8/27/84	108	CASS	T	
TE-101-AW-48	9/8/84	118	CASS	T	
TE-101-AW-48	9/9/84	102	CASS	T	
TE-101-AW-48	9/19/84	112	CASS	T	
TE-101-AW-48	9/27/84	105	CASS	T	
TE-101-AW-48	9/30/84	101	CASS	T	
TE-101-AW-48	10/13/84	98	CASS	T	
TE-101-AW-48	10/18/84	98	CASS	T	
TE-101-AW-48	10/24/84	97	CASS	T	
TE-101-AW-48	10/28/84	95	CASS	T	
TE-101-AW-48	11/9/84	94	CASS	T	
TE-101-AW-48	11/18/84	97	CASS	T	
TE-101-AW-48	11/23/84	103	CASS	T	
TE-101-AW-48	11/28/84	94	CASS	T	
TE-101-AW-48	12/4/84	92	CASS	T	
TE-101-AW-48	12/12/84	91	CASS	T	
TE-101-AW-48	12/20/84	91	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-48	12/23/84	85	CASS	T	
TE-101-AW-48	1/1/85	87	CASS	T	
TE-101-AW-48	1/6/85	90	CASS	T	
TE-101-AW-48	1/18/85	87	CASS	T	
TE-101-AW-48	1/23/85	87	CASS	T	
TE-101-AW-48	2/2/85	87	CASS	T	
TE-101-AW-48	2/5/85	86	CASS	T	
TE-101-AW-48	2/14/85	97	CASS	T	
TE-101-AW-48	2/21/85	88	CASS	T	
TE-101-AW-48	3/1/85	90	CASS	T	
TE-101-AW-48	3/5/85	91	CASS	T	
TE-101-AW-48	4/4/85	100	CASS	T	
TE-101-AW-48	4/9/85	96	CASS	T	
TE-101-AW-48	4/15/85	94	CASS	T	
TE-101-AW-48	4/22/85	85	CASS	T	
TE-101-AW-48	5/4/85	87	CASS	T	
TE-101-AW-48	5/10/85	89	CASS	T	
TE-101-AW-48	5/13/85	84	CASS	T	
TE-101-AW-48	5/24/85	85	CASS	T	
TE-101-AW-48	5/29/85	90	CASS	T	
TE-101-AW-48	6/8/85	92	CASS	T	
TE-101-AW-48	6/10/85	91	CASS	T	
TE-101-AW-48	6/17/85	89	CASS	T	
TE-101-AW-48	11/1/85	94	CASS	T	
TE-101-AW-48	12/1/85	88	CASS	T	
TE-101-AW-48	1/3/86	81	CASS	T	
TE-101-AW-48	1/8/86	86	CASS	T	
TE-101-AW-48	1/18/86	84	CASS	T	
TE-101-AW-48	1/23/86	83	CASS	T	
TE-101-AW-48	1/28/86	81	CASS	T	
TE-101-AW-48	2/8/86	80	CASS	T	
TE-101-AW-48	2/14/86	91	CASS	T	
TE-101-AW-48	2/17/86	85	CASS	T	
TE-101-AW-48	2/28/86	92	CASS	T	
TE-101-AW-48	3/4/86	86	CASS	T	
TE-101-AW-48	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-101-AW-48	9/17/86	131	CASS	T	
TE-101-AW-48	10/11/86	129	CASS	T	
TE-101-AW-48	10/12/86	129	CASS	T	
TE-101-AW-48	10/23/86	128	CASS	T	
TE-101-AW-48	11/1/86	127	CASS	T	
TE-101-AW-48	11/2/86	127	CASS	T	
TE-101-AW-48	11/15/86	125	CASS	T	
TE-101-AW-48	11/16/86	125	CASS	T	
TE-101-AW-48	11/24/86	124	CASS	T	
TE-101-AW-48	12/8/86	123	CASS	T	
TE-101-AW-48	12/12/86	122	CASS	T	
TE-101-AW-48	12/19/86	122	CASS	T	
TE-101-AW-48	12/26/86	121	CASS	T	
TE-101-AW-48	12/31/86	120	CASS	T	
TE-101-AW-48	7/4/87	107	CASS	T	
TE-101-AW-48	7/11/87	107	CASS	T	
TE-101-AW-48	7/18/87	107	CASS	T	
TE-101-AW-48	7/24/87	106	CASS	T	
TE-101-AW-48	7/28/87	106	CASS	T	
TE-101-AW-48	8/8/87	107	CASS	T	
TE-101-AW-48	8/15/87	107	CASS	T	
TE-101-AW-48	8/22/87	107	CASS	T	
TE-101-AW-48	8/29/87	107	CASS	T	
TE-101-AW-48	9/5/87	108	CASS	T	
TE-101-AW-48	9/11/87	107	CASS	T	
TE-101-AW-48	11/28/87	106	CASS	T	
TE-101-AW-48	11/29/87	106	CASS	T	
TE-101-AW-48	3/28/88	102	CASS	T	
TE-101-AW-48	3/31/88	101	CASS	T	
TE-101-AW-48	6/4/88	101	CASS	T	
TE-101-AW-48	6/11/88	101	CASS	T	
TE-101-AW-48	6/17/88	101	CASS	T	
TE-101-AW-48	6/25/88	101	CASS	T	
TE-101-AW-48	7/2/88	101	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-48	7/9/88	101	CASS	T	
TE-101-AW-48	7/15/88	102	CASS	T	
TE-101-AW-48	7/19/88	108	CASS	T	
TE-101-AW-48	7/21/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	7/22/88	89	CASS	S	Scatter in data locally
TE-101-AW-48	7/23/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	7/24/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	7/25/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	7/26/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	7/27/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	7/28/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	7/29/88	89	CASS	S	Scatter in data locally
TE-101-AW-48	7/30/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	7/31/88	90	CASS	S	Scatter in data locally
TE-101-AW-48	8/1/88	89	CASS	S	Scatter in data locally
TE-101-AW-48	8/3/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/4/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/5/88	88	CASS	S	Scatter in data locally
TE-101-AW-48	8/6/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/8/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/9/88	82	CASS	S	Scatter in data locally
TE-101-AW-48	8/10/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/11/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/12/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/13/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/14/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/15/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/16/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/17/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/18/88	88	CASS	S	Scatter in data locally
TE-101-AW-48	8/19/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/20/88	88	CASS	S	Scatter in data locally
TE-101-AW-48	8/21/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/22/88	88	CASS	S	Scatter in data locally
TE-101-AW-48	8/23/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/24/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/25/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/26/88	88	CASS	S	Scatter in data locally
TE-101-AW-48	8/27/88	88	CASS	S	Scatter in data locally
TE-101-AW-48	8/28/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/29/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/30/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	8/31/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	9/1/88	83	CASS	S	Scatter in data locally
TE-101-AW-48	9/2/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	9/3/88	90	CASS	S	Scatter in data locally
TE-101-AW-48	9/4/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	9/6/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	9/7/88	90	CASS	S	Scatter in data locally
TE-101-AW-48	9/8/88	92	CASS	S	Scatter in data locally
TE-101-AW-48	9/9/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	9/10/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	9/12/88	97	CASS	S	Scatter in data locally
TE-101-AW-48	9/13/88	103	CASS	S	Scatter in data locally
TE-101-AW-48	9/14/88	103	CASS	S	Scatter in data locally
TE-101-AW-48	9/15/88	96	CASS	S	Scatter in data locally
TE-101-AW-48	9/16/88	96	CASS	S	Scatter in data locally
TE-101-AW-48	9/17/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	9/18/88	103	CASS	S	Scatter in data locally
TE-101-AW-48	9/19/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	9/20/88	95	CASS	S	Scatter in data locally
TE-101-AW-48	9/21/88	97	CASS	S	Scatter in data locally
TE-101-AW-48	9/22/88	103	CASS	S	Scatter in data locally
TE-101-AW-48	9/23/88	96	CASS	S	Scatter in data locally
TE-101-AW-48	9/24/88	102	CASS	S	Scatter in data locally
TE-101-AW-48	9/25/88	95	CASS	S	Scatter in data locally
TE-101-AW-48	9/26/88	103	CASS	S	Scatter in data locally
TE-101-AW-48	9/27/88	103	CASS	S	Scatter in data locally
TE-101-AW-48	9/28/88	91	CASS	S	Scatter in data locally
TE-101-AW-48	9/29/88	103	CASS	S	Scatter in data locally

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-48	9/30/88	91	CASS	S	Scatter in data locally
TE-101-AW-48	12/3/88	102	CASS	T	
TE-101-AW-48	12/10/88	102	CASS	T	
TE-101-AW-48	12/17/88	101	CASS	T	
TE-101-AW-48	12/20/88	101	CASS	T	
TE-101-AW-48	9/2/89	100	CASS	T	
TE-101-AW-48	9/9/89	101	CASS	T	
TE-101-AW-48	9/18/89	101	CASS	T	
TE-101-AW-48	9/23/89	101	CASS	T	
TE-101-AW-48	9/30/89	101	CASS	T	
TE-101-AW-48	11/4/89	101	CASS	T	
TE-101-AW-48	11/7/89	102	CASS	T	
TE-101-AW-48	11/18/89	101	CASS	T	
TE-101-AW-48	11/25/89	101	CASS	T	
TE-101-AW-48	12/2/89	101	CASS	T	
TE-101-AW-48	12/9/89	101	CASS	T	
TE-101-AW-48	12/15/89	101	CASS	T	
TE-101-AW-48	12/19/89	101	CASS	T	
TE-101-AW-48	12/30/89	100	CASS	T	
TE-101-AW-48	1/5/90	100	CASS	T	
TE-101-AW-48	1/10/90	100	CASS	T	
TE-101-AW-48	1/20/90	99	CASS	T	
TE-101-AW-48	1/27/90	99	CASS	T	
TE-101-AW-48	2/3/90	99	CASS	T	
TE-101-AW-48	2/10/90	99	CASS	T	
TE-101-AW-48	2/17/90	98	CASS	T	
TE-101-AW-48	2/24/90	98	CASS	T	
TE-101-AW-48	3/3/90	98	CASS	T	
TE-101-AW-48	3/10/90	98	CASS	T	
TE-101-AW-48	3/17/90	98	CASS	T	
TE-101-AW-48	3/22/90	98	CASS	T	
TE-101-AW-48	3/31/90	98	CASS	T	
TE-101-AW-48	4/7/90	98	CASS	T	
TE-101-AW-48	4/14/90	97	CASS	T	
TE-101-AW-48	4/21/90	98	CASS	T	
TE-101-AW-48	4/24/90	98	CASS	T	
TE-101-AW-48	5/5/90	98	CASS	T	
TE-101-AW-48	5/11/90	98	CASS	T	
TE-101-AW-48	5/19/90	98	CASS	T	
TE-101-AW-48	5/22/90	98	CASS	T	
TE-101-AW-48	6/2/90	98	CASS	T	
TE-101-AW-48	6/8/90	98	CASS	T	
TE-101-AW-48	6/16/90	98	CASS	T	
TE-101-AW-48	6/23/90	98	CASS	T	
TE-101-AW-48	6/30/90	98	CASS	T	
TE-101-AW-48	7/7/90	98	CASS	T	
TE-101-AW-48	7/14/90	98	CASS	T	
TE-101-AW-48	7/21/90	99	CASS	T	
TE-101-AW-48	7/28/90	99	CASS	T	
TE-101-AW-48	8/4/90	99	CASS	T	
TE-101-AW-48	8/11/90	99	CASS	T	
TE-101-AW-48	8/18/90	99	CASS	T	
TE-101-AW-48	8/25/90	99	CASS	T	
TE-101-AW-48	9/1/90	99	CASS	T	
TE-101-AW-48	9/8/90	100	CASS	T	
TE-101-AW-48	9/15/90	100	CASS	T	
TE-101-AW-48	9/22/90	100	CASS	T	
TE-101-AW-48	9/29/90	100	CASS	T	
TE-101-AW-48	10/5/90	100	CASS	T	
TE-101-AW-48	10/13/90	100	CASS	T	
TE-101-AW-48	10/20/90	100	CASS	T	
TE-101-AW-48	10/27/90	100	CASS	T	
TE-101-AW-48	11/3/90	100	CASS	T	
TE-101-AW-48	11/9/90	87	CASS	S	Data point did not agree with local trend
TE-101-AW-48	11/10/90	99	CASS	T	
TE-101-AW-48	11/17/90	99	CASS	T	
TE-101-AW-48	11/18/90	100	CASS	T	
TE-101-AW-48	12/1/90	99	CASS	T	
TE-101-AW-48	12/6/90	85	CASS	S	Data point did not agree with local trend
TE-101-AW-48	12/8/90	99	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-48	12/15/90	99	CASS	T	
TE-101-AW-48	12/18/90	99	CASS	T	
TE-101-AW-48	12/28/90	98	CASS	T	
TE-101-AW-48	1/5/91	97	CASS	T	
TE-101-AW-48	1/12/91	97	CASS	T	
TE-101-AW-48	1/19/91	97	CASS	T	
TE-101-AW-48	1/25/91	97	CASS	T	
TE-101-AW-48	2/1/91	97	CASS	T	
TE-101-AW-48	2/5/91	97	CASS	T	
TE-101-AW-48	2/18/91	96	CASS	T	
TE-101-AW-48	2/23/91	96	CASS	T	
TE-101-AW-48	3/2/91	96	CASS	T	
TE-101-AW-48	3/9/91	96	CASS	T	
TE-101-AW-48	3/16/91	96	CASS	T	
TE-101-AW-48	3/23/91	96	CASS	T	
TE-101-AW-48	3/25/91	96	CASS	T	
TE-101-AW-48	4/6/91	95	CASS	T	
TE-101-AW-48	4/13/91	95	CASS	T	
TE-101-AW-48	4/20/91	95	CASS	T	
TE-101-AW-48	4/27/91	95	CASS	T	
TE-101-AW-48	5/4/91	95	CASS	T	
TE-101-AW-48	5/11/91	95	CASS	T	
TE-101-AW-48	5/18/91	95	CASS	T	
TE-101-AW-48	5/25/91	95	CASS	T	
TE-101-AW-48	5/31/91	95	CASS	T	
TE-101-AW-48	6/8/91	95	CASS	T	
TE-101-AW-48	6/15/91	95	CASS	T	
TE-101-AW-48	6/21/91	95	CASS	T	
TE-101-AW-48	6/25/91	95	CASS	T	
TE-101-AW-48	4/4/92	93	CASS	T	
TE-101-AW-48	4/17/92	93	CASS	T	
TE-101-AW-49	7/19/83	81	CASS	T	
TE-101-AW-49	7/23/83	81	CASS	T	
TE-101-AW-49	7/25/83	82	CASS	T	
TE-101-AW-49	8/8/83	81	CASS	T	
TE-101-AW-49	8/13/83	81	CASS	T	
TE-101-AW-49	8/20/83	81	CASS	T	
TE-101-AW-49	8/27/83	81	CASS	T	
TE-101-AW-49	8/31/83	82	CASS	T	
TE-101-AW-49	9/10/83	82	CASS	T	
TE-101-AW-49	9/14/83	82	CASS	T	
TE-101-AW-49	9/24/83	83	CASS	T	
TE-101-AW-49	10/1/83	83	CASS	T	
TE-101-AW-49	10/5/83	83	CASS	T	
TE-101-AW-49	10/15/83	93	CASS	T	
TE-101-AW-49	10/21/83	96	CASS	T	
TE-101-AW-49	3/10/84	78	CASS	T	
TE-101-AW-49	3/17/84	78	CASS	T	
TE-101-AW-49	3/24/84	78	CASS	T	
TE-101-AW-49	3/31/84	78	CASS	T	
TE-101-AW-49	4/3/84	78	CASS	T	
TE-101-AW-49	4/14/84	103	CASS	T	
TE-101-AW-49	4/21/84	104	CASS	T	
TE-101-AW-49	4/22/84	105	CASS	T	
TE-101-AW-49	5/3/84	112	CASS	T	
TE-101-AW-49	5/12/84	114	CASS	T	
TE-101-AW-49	5/17/84	115	CASS	T	
TE-101-AW-49	5/21/84	113	CASS	T	
TE-101-AW-49	6/2/84	110	CASS	T	
TE-101-AW-49	6/7/84	110	CASS	T	
TE-101-AW-49	6/20/84	98	CASS	T	
TE-101-AW-49	6/24/84	96	CASS	T	
TE-101-AW-49	7/7/84	103	CASS	T	
TE-101-AW-49	7/10/84	100	CASS	T	
TE-101-AW-49	7/19/84	105	CASS	T	
TE-101-AW-49	7/23/84	102	CASS	T	
TE-101-AW-49	7/30/84	108	CASS	T	
TE-101-AW-49	8/5/84	100	CASS	T	
TE-101-AW-49	8/17/84	103	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-49	8/25/84	101	CASS	T	
TE-101-AW-49	8/27/84	108	CASS	T	
TE-101-AW-49	9/6/84	118	CASS	T	
TE-101-AW-49	9/9/84	102	CASS	T	
TE-101-AW-49	9/19/84	112	CASS	T	
TE-101-AW-49	9/27/84	104	CASS	T	
TE-101-AW-49	10/2/84	101	CASS	T	
TE-101-AW-49	10/13/84	98	CASS	T	
TE-101-AW-49	10/18/84	98	CASS	T	
TE-101-AW-49	10/24/84	97	CASS	T	
TE-101-AW-49	10/28/84	95	CASS	T	
TE-101-AW-49	11/9/84	94	CASS	T	
TE-101-AW-49	11/18/84	97	CASS	T	
TE-101-AW-49	11/23/84	103	CASS	T	
TE-101-AW-49	11/28/84	94	CASS	T	
TE-101-AW-49	12/4/84	92	CASS	T	
TE-101-AW-49	12/12/84	90	CASS	T	
TE-101-AW-49	12/19/84	94	CASS	T	
TE-101-AW-49	12/23/84	85	CASS	T	
TE-101-AW-49	1/1/85	87	CASS	T	
TE-101-AW-49	1/8/85	90	CASS	T	
TE-101-AW-49	1/18/85	87	CASS	T	
TE-101-AW-49	1/23/85	87	CASS	T	
TE-101-AW-49	2/2/85	87	CASS	T	
TE-101-AW-49	2/5/85	86	CASS	T	
TE-101-AW-49	2/12/85	82	CASS	T	
TE-101-AW-49	2/21/85	88	CASS	T	
TE-101-AW-49	3/2/85	86	CASS	T	
TE-101-AW-49	3/5/85	92	CASS	T	
TE-101-AW-49	4/8/85	96	CASS	T	
TE-101-AW-49	4/9/85	97	CASS	T	
TE-101-AW-49	4/14/85	95	CASS	T	
TE-101-AW-49	4/22/85	85	CASS	T	
TE-101-AW-49	5/4/85	87	CASS	T	
TE-101-AW-49	5/10/85	89	CASS	T	
TE-101-AW-49	5/13/85	84	CASS	T	
TE-101-AW-49	5/24/85	85	CASS	T	
TE-101-AW-49	5/29/85	90	CASS	T	
TE-101-AW-49	6/8/85	92	CASS	T	
TE-101-AW-49	6/10/85	91	CASS	T	
TE-101-AW-49	6/17/85	89	CASS	T	
TE-101-AW-49	11/1/85	95	CASS	T	
TE-101-AW-49	12/1/85	88	CASS	T	
TE-101-AW-49	1/3/86	81	CASS	T	
TE-101-AW-49	1/8/86	88	CASS	T	
TE-101-AW-49	1/16/86	84	CASS	T	
TE-101-AW-49	1/23/86	83	CASS	T	
TE-101-AW-49	1/26/86	82	CASS	T	
TE-101-AW-49	2/8/86	80	CASS	T	
TE-101-AW-49	2/14/86	81	CASS	T	
TE-101-AW-49	2/17/86	85	CASS	T	
TE-101-AW-49	2/26/86	92	CASS	T	
TE-101-AW-49	3/4/86	86	CASS	T	
TE-101-AW-49	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-101-AW-49	9/17/86	132	CASS	T	
TE-101-AW-49	10/11/86	129	CASS	T	
TE-101-AW-49	10/13/86	129	CASS	T	
TE-101-AW-49	10/23/86	128	CASS	T	
TE-101-AW-49	11/1/86	127	CASS	T	
TE-101-AW-49	11/3/86	127	CASS	T	
TE-101-AW-49	11/14/86	125	CASS	T	
TE-101-AW-49	11/21/86	124	CASS	T	
TE-101-AW-49	11/25/86	123	CASS	T	
TE-101-AW-49	12/6/86	123	CASS	T	
TE-101-AW-49	12/12/86	122	CASS	T	
TE-101-AW-49	12/20/86	121	CASS	T	
TE-101-AW-49	12/22/86	121	CASS	T	
TE-101-AW-49	12/31/86	119	CASS	T	
TE-101-AW-49	7/4/87	108	CASS	T	
TE-101-AW-49	7/7/87	107	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-49	7/18/87	107	CASS	T	
TE-101-AW-49	7/25/87	107	CASS	T	
TE-101-AW-49	8/1/87	107	CASS	T	
TE-101-AW-49	8/8/87	107	CASS	T	
TE-101-AW-49	8/15/87	107	CASS	T	
TE-101-AW-49	8/22/87	107	CASS	T	
TE-101-AW-49	8/29/87	107	CASS	T	
TE-101-AW-49	9/4/87	108	CASS	T	
TE-101-AW-49	9/9/87	108	CASS	T	
TE-101-AW-49	11/28/87	108	CASS	T	
TE-101-AW-49	11/29/87	108	CASS	T	
TE-101-AW-49	3/26/88	102	CASS	T	
TE-101-AW-49	3/27/88	102	CASS	T	
TE-101-AW-49	6/4/88	101	CASS	T	
TE-101-AW-49	6/11/88	101	CASS	T	
TE-101-AW-49	6/12/88	101	CASS	T	
TE-101-AW-49	6/13/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	6/14/88	95	CASS	S	Scatter in data locality
TE-101-AW-49	6/15/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	6/16/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	6/17/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	6/18/88	92	CASS	S	Scatter in data locality
TE-101-AW-49	6/19/88	91	CASS	S	Scatter in data locality
TE-101-AW-49	6/20/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	6/21/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	6/22/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	6/23/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	6/24/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	6/25/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	6/26/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	6/27/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	6/28/88	92	CASS	S	Scatter in data locality
TE-101-AW-49	6/29/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	6/30/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	7/1/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	7/2/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	7/3/88	94	CASS	S	Scatter in data locality
TE-101-AW-49	7/4/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	7/5/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	7/6/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	7/7/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	7/8/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	7/9/88	102	CASS	S	Scatter in data locality
TE-101-AW-49	7/10/88	102	CASS	S	Scatter in data locality
TE-101-AW-49	7/11/88	102	CASS	S	Scatter in data locality
TE-101-AW-49	7/12/88	102	CASS	S	Scatter in data locality
TE-101-AW-49	7/13/88	92	CASS	S	Scatter in data locality
TE-101-AW-49	7/14/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	7/15/88	99	CASS	S	Scatter in data locality
TE-101-AW-49	7/16/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	7/17/88	102	CASS	S	Scatter in data locality
TE-101-AW-49	7/18/88	106	CASS	S	Scatter in data locality
TE-101-AW-49	7/19/88	102	CASS	S	Scatter in data locality
TE-101-AW-49	7/20/88	102	CASS	S	Scatter in data locality
TE-101-AW-49	7/21/88	103	CASS	S	Scatter in data locality
TE-101-AW-49	7/22/88	102	CASS	S	Scatter in data locality
TE-101-AW-49	7/23/88	101	CASS	S	Scatter in data locality
TE-101-AW-49	7/24/88	102	CASS	S	Scatter in data locality
TE-101-AW-49	7/25/88	83	CASS	S	Scatter in data locality
TE-101-AW-49	7/26/88	102	CASS	S	Scatter in data locality
TE-101-AW-49	7/27/88	102	CASS	S	Scatter in data locality
TE-101-AW-49	7/28/88	84	CASS	S	Scatter in data locality
TE-101-AW-49	7/29/88	102	CASS	S	Scatter in data locality
TE-101-AW-49	7/30/88	102	CASS	S	Scatter in data locality
TE-101-AW-49	7/31/88	102	CASS	S	Scatter in data locality
TE-101-AW-49	8/1/88	102	CASS	S	Scatter in data locality
TE-101-AW-49	8/3/88	102	CASS	S	Scatter in data locality
TE-101-AW-49	8/4/88	87	CASS	S	Scatter in data locality
TE-101-AW-49	8/5/88	102	CASS	S	Scatter in data locality
TE-101-AW-49	8/6/88	86	CASS	S	Scatter in data locality

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-49	8/8/88	83	CASS	S	Scatter in data locally
TE-101-AW-49	8/9/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	8/10/88	84	CASS	S	Scatter in data locally
TE-101-AW-49	8/11/88	84	CASS	S	Scatter in data locally
TE-101-AW-49	8/12/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	8/13/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	8/14/88	103	CASS	S	Scatter in data locally
TE-101-AW-49	8/15/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	8/16/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	8/17/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	8/18/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	8/19/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	8/20/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	8/21/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	8/22/88	88	CASS	S	Scatter in data locally
TE-101-AW-49	8/23/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	8/24/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	8/25/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	8/26/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	8/27/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	8/28/88	103	CASS	S	Scatter in data locally
TE-101-AW-49	8/29/88	87	CASS	S	Scatter in data locally
TE-101-AW-49	8/30/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	8/31/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	9/1/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	9/2/88	103	CASS	S	Scatter in data locally
TE-101-AW-49	9/3/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	9/4/88	103	CASS	S	Scatter in data locally
TE-101-AW-49	9/5/88	90	CASS	S	Scatter in data locally
TE-101-AW-49	9/7/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	9/8/88	102	CASS	S	Scatter in data locally
TE-101-AW-49	9/9/88	93	CASS	S	Scatter in data locally
TE-101-AW-49	9/10/88	93	CASS	S	Scatter in data locally
TE-101-AW-49	9/12/88	97	CASS	S	Scatter in data locally
TE-101-AW-49	9/13/88	103	CASS	S	Scatter in data locally
TE-101-AW-49	9/14/88	103	CASS	S	Scatter in data locally
TE-101-AW-49	9/15/88	103	CASS	S	Scatter in data locally
TE-101-AW-49	9/16/88	103	CASS	S	Scatter in data locally
TE-101-AW-49	9/17/88	97	CASS	S	Scatter in data locally
TE-101-AW-49	9/18/88	96	CASS	S	Scatter in data locally
TE-101-AW-49	9/19/88	103	CASS	S	Scatter in data locally
TE-101-AW-49	9/20/88	95	CASS	S	Scatter in data locally
TE-101-AW-49	9/21/88	103	CASS	S	Scatter in data locally
TE-101-AW-49	9/22/88	97	CASS	S	Scatter in data locally
TE-101-AW-49	9/23/88	96	CASS	S	Scatter in data locally
TE-101-AW-49	9/24/88	95	CASS	S	Scatter in data locally
TE-101-AW-49	9/25/88	95	CASS	S	Scatter in data locally
TE-101-AW-49	9/26/88	95	CASS	S	Scatter in data locally
TE-101-AW-49	9/27/88	103	CASS	S	Scatter in data locally
TE-101-AW-49	9/30/88	103	CASS	T	
TE-101-AW-49	12/3/88	102	CASS	T	
TE-101-AW-49	12/10/88	102	CASS	T	
TE-101-AW-49	12/17/88	101	CASS	T	
TE-101-AW-49	12/20/88	101	CASS	T	
TE-101-AW-49	9/2/89	100	CASS	T	
TE-101-AW-49	9/9/89	101	CASS	T	
TE-101-AW-49	9/16/89	101	CASS	T	
TE-101-AW-49	9/23/89	101	CASS	T	
TE-101-AW-49	9/30/89	101	CASS	T	
TE-101-AW-49	11/4/89	101	CASS	T	
TE-101-AW-49	11/8/89	102	CASS	T	
TE-101-AW-49	11/16/89	102	CASS	T	
TE-101-AW-49	11/22/89	102	CASS	T	
TE-101-AW-49	12/2/89	101	CASS	T	
TE-101-AW-49	12/9/89	101	CASS	T	
TE-101-AW-49	12/16/89	101	CASS	T	
TE-101-AW-49	12/23/89	101	CASS	T	
TE-101-AW-49	12/30/89	100	CASS	T	
TE-101-AW-49	1/5/90	100	CASS	T	
TE-101-AW-49	1/10/90	100	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1985; and Surveillance Analysis Computer System (SACS), June 1985.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-49	1/20/90	99	CASS	T	
TE-101-AW-49	1/27/90	99	CASS	T	
TE-101-AW-49	2/3/90	99	CASS	T	
TE-101-AW-49	2/10/90	99	CASS	T	
TE-101-AW-49	2/17/90	98	CASS	T	
TE-101-AW-49	2/24/90	98	CASS	T	
TE-101-AW-49	3/3/90	98	CASS	T	
TE-101-AW-49	3/10/90	98	CASS	T	
TE-101-AW-49	3/17/90	98	CASS	T	
TE-101-AW-49	3/22/90	98	CASS	T	
TE-101-AW-49	3/31/90	98	CASS	T	
TE-101-AW-49	4/7/90	98	CASS	T	
TE-101-AW-49	4/14/90	98	CASS	T	
TE-101-AW-49	4/21/90	98	CASS	T	
TE-101-AW-49	4/28/90	98	CASS	T	
TE-101-AW-49	5/5/90	98	CASS	T	
TE-101-AW-49	5/11/90	98	CASS	T	
TE-101-AW-49	5/19/90	98	CASS	T	
TE-101-AW-49	5/22/90	98	CASS	T	
TE-101-AW-49	6/2/90	98	CASS	T	
TE-101-AW-49	6/9/90	98	CASS	T	
TE-101-AW-49	6/16/90	98	CASS	T	
TE-101-AW-49	6/23/90	98	CASS	T	
TE-101-AW-49	6/30/90	98	CASS	T	
TE-101-AW-49	7/4/90	99	CASS	T	
TE-101-AW-49	7/14/90	98	CASS	T	
TE-101-AW-49	7/21/90	99	CASS	T	
TE-101-AW-49	7/28/90	99	CASS	T	
TE-101-AW-49	8/4/90	99	CASS	T	
TE-101-AW-49	8/11/90	99	CASS	T	
TE-101-AW-49	8/18/90	99	CASS	T	
TE-101-AW-49	8/25/90	99	CASS	T	
TE-101-AW-49	8/28/90	100	CASS	T	
TE-101-AW-49	9/8/90	100	CASS	T	
TE-101-AW-49	9/15/90	100	CASS	T	
TE-101-AW-49	9/22/90	100	CASS	T	
TE-101-AW-49	9/29/90	100	CASS	T	
TE-101-AW-49	10/6/90	100	CASS	T	
TE-101-AW-49	10/13/90	100	CASS	T	
TE-101-AW-49	10/20/90	100	CASS	T	
TE-101-AW-49	10/27/90	100	CASS	T	
TE-101-AW-49	11/3/90	100	CASS	T	
TE-101-AW-49	11/8/90	100	CASS	T	
TE-101-AW-49	11/9/90	87	CASS	S	Data point did not agree with local trend
TE-101-AW-49	11/11/90	100	CASS	T	
TE-101-AW-49	11/24/90	99	CASS	T	
TE-101-AW-49	12/1/90	99	CASS	T	
TE-101-AW-49	12/8/90	85	CASS	S	Data point did not agree with local trend
TE-101-AW-49	12/8/90	99	CASS	T	
TE-101-AW-49	12/15/90	99	CASS	T	
TE-101-AW-49	12/18/90	99	CASS	T	
TE-101-AW-49	12/29/90	98	CASS	T	
TE-101-AW-49	1/1/91	98	CASS	T	
TE-101-AW-49	1/12/91	97	CASS	T	
TE-101-AW-49	1/19/91	97	CASS	T	
TE-101-AW-49	1/26/91	97	CASS	T	
TE-101-AW-49	2/2/91	97	CASS	T	
TE-101-AW-49	2/7/91	97	CASS	T	
TE-101-AW-49	2/16/91	98	CASS	T	
TE-101-AW-49	2/23/91	98	CASS	T	
TE-101-AW-49	3/2/91	98	CASS	T	
TE-101-AW-49	3/9/91	98	CASS	T	
TE-101-AW-49	3/14/91	97	CASS	T	
TE-101-AW-49	3/23/91	98	CASS	T	
TE-101-AW-49	3/26/91	98	CASS	T	
TE-101-AW-49	4/6/91	95	CASS	T	
TE-101-AW-49	4/13/91	95	CASS	T	
TE-101-AW-49	4/20/91	95	CASS	T	
TE-101-AW-49	4/27/91	95	CASS	T	
TE-101-AW-49	5/4/91	95	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-49	5/11/81	95	CASS	T	
TE-101-AW-49	5/18/81	95	CASS	T	
TE-101-AW-49	5/25/81	95	CASS	T	
TE-101-AW-49	5/31/81	95	CASS	T	
TE-101-AW-49	6/8/81	95	CASS	T	
TE-101-AW-49	6/15/81	95	CASS	T	
TE-101-AW-49	6/21/81	95	CASS	T	
TE-101-AW-49	6/25/81	95	CASS	T	
TE-101-AW-49	4/4/82	93	CASS	T	
TE-101-AW-49	4/17/82	93	CASS	T	
TE-101-AW-50	7/16/83	80	CASS	T	
TE-101-AW-50	7/23/83	80	CASS	T	
TE-101-AW-50	7/30/83	80	CASS	T	
TE-101-AW-50	8/6/83	80	CASS	T	
TE-101-AW-50	8/13/83	81	CASS	T	
TE-101-AW-50	8/20/83	79	CASS	T	
TE-101-AW-50	8/27/83	80	CASS	T	
TE-101-AW-50	8/31/83	80	CASS	T	
TE-101-AW-50	9/10/83	80	CASS	T	
TE-101-AW-50	9/14/83	80	CASS	T	
TE-101-AW-50	9/24/83	80	CASS	T	
TE-101-AW-50	10/1/83	80	CASS	T	
TE-101-AW-50	10/5/83	80	CASS	T	
TE-101-AW-50	10/15/83	111	CASS	T	
TE-101-AW-50	10/16/83	112	CASS	T	
TE-101-AW-50	3/10/84	78	CASS	T	
TE-101-AW-50	3/17/84	78	CASS	T	
TE-101-AW-50	3/24/84	78	CASS	T	
TE-101-AW-50	3/31/84	78	CASS	T	
TE-101-AW-50	4/3/84	78	CASS	T	
TE-101-AW-50	4/14/84	100	CASS	T	
TE-101-AW-50	4/21/84	104	CASS	T	
TE-101-AW-50	4/28/84	104	CASS	T	
TE-101-AW-50	5/3/84	112	CASS	T	
TE-101-AW-50	5/9/84	115	CASS	T	
TE-101-AW-50	5/17/84	115	CASS	T	
TE-101-AW-50	5/21/84	111	CASS	T	
TE-101-AW-50	6/2/84	110	CASS	T	
TE-101-AW-50	6/7/84	110	CASS	T	
TE-101-AW-50	6/20/84	98	CASS	T	
TE-101-AW-50	6/27/84	95	CASS	T	
TE-101-AW-50	7/7/84	103	CASS	T	
TE-101-AW-50	7/10/84	99	CASS	T	
TE-101-AW-50	7/19/84	105	CASS	T	
TE-101-AW-50	7/23/84	102	CASS	T	
TE-101-AW-50	7/30/84	108	CASS	T	
TE-101-AW-50	8/11/84	98	CASS	T	
TE-101-AW-50	8/17/84	103	CASS	T	
TE-101-AW-50	8/25/84	101	CASS	T	
TE-101-AW-50	8/27/84	107	CASS	T	
TE-101-AW-50	9/6/84	116	CASS	T	
TE-101-AW-50	9/9/84	102	CASS	T	
TE-101-AW-50	9/19/84	112	CASS	T	
TE-101-AW-50	9/28/84	103	CASS	T	
TE-101-AW-50	9/30/84	101	CASS	T	
TE-101-AW-50	10/13/84	98	CASS	T	
TE-101-AW-50	10/16/84	98	CASS	T	
TE-101-AW-50	10/24/84	97	CASS	T	
TE-101-AW-50	10/28/84	95	CASS	T	
TE-101-AW-50	11/9/84	94	CASS	T	
TE-101-AW-50	11/16/84	97	CASS	T	
TE-101-AW-50	11/23/84	103	CASS	T	
TE-101-AW-50	11/28/84	94	CASS	T	
TE-101-AW-50	12/4/84	92	CASS	T	
TE-101-AW-50	12/10/84	87	CASS	T	
TE-101-AW-50	12/19/84	90	CASS	T	
TE-101-AW-50	12/23/84	85	CASS	T	
TE-101-AW-50	1/1/85	87	CASS	T	
TE-101-AW-50	1/8/85	90	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-50	1/18/85	87	CASS	T	
TE-101-AW-50	1/23/85	87	CASS	T	
TE-101-AW-50	2/2/85	87	CASS	T	
TE-101-AW-50	2/5/85	86	CASS	T	
TE-101-AW-50	2/12/85	91	CASS	T	
TE-101-AW-50	2/21/85	87	CASS	T	
TE-101-AW-50	2/28/85	86	CASS	T	
TE-101-AW-50	3/8/85	86	CASS	T	
TE-101-AW-50	3/18/85	92	CASS	T	
TE-101-AW-50	3/17/85	91	CASS	T	
TE-101-AW-50	4/1/85	96	CASS	T	
TE-101-AW-50	4/11/85	100	CASS	T	
TE-101-AW-50	4/14/85	97	CASS	T	
TE-101-AW-50	4/22/85	85	CASS	T	
TE-101-AW-50	5/4/85	87	CASS	T	
TE-101-AW-50	5/10/85	88	CASS	T	
TE-101-AW-50	5/13/85	84	CASS	T	
TE-101-AW-50	5/25/85	85	CASS	T	
TE-101-AW-50	5/29/85	90	CASS	T	
TE-101-AW-50	6/8/85	92	CASS	T	
TE-101-AW-50	6/10/85	91	CASS	T	
TE-101-AW-50	6/17/85	89	CASS	T	
TE-101-AW-50	11/1/85	90	CASS	T	
TE-101-AW-50	12/1/85	88	CASS	T	
TE-101-AW-50	1/2/86	81	CASS	T	
TE-101-AW-50	1/8/86	86	CASS	T	
TE-101-AW-50	1/16/86	84	CASS	T	
TE-101-AW-50	1/23/86	83	CASS	T	
TE-101-AW-50	1/28/86	81	CASS	T	
TE-101-AW-50	2/8/86	80	CASS	T	
TE-101-AW-50	2/14/86	91	CASS	T	
TE-101-AW-50	2/17/86	85	CASS	T	
TE-101-AW-50	2/28/86	92	CASS	T	
TE-101-AW-50	3/4/86	86	CASS	T	
TE-101-AW-50	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-101-AW-50	9/19/86	127	CASS	T	
TE-101-AW-50	9/25/86	127	CASS	T	
TE-101-AW-50	10/4/86	126	CASS	T	
TE-101-AW-50	10/11/86	125	CASS	T	
TE-101-AW-50	10/13/86	125	CASS	T	
TE-101-AW-50	10/21/86	124	CASS	T	
TE-101-AW-50	10/28/86	124	CASS	T	
TE-101-AW-50	11/4/86	123	CASS	T	
TE-101-AW-50	11/13/86	122	CASS	T	
TE-101-AW-50	11/22/86	121	CASS	T	
TE-101-AW-50	11/28/86	121	CASS	T	
TE-101-AW-50	12/4/86	121	CASS	T	
TE-101-AW-50	12/13/86	120	CASS	T	
TE-101-AW-50	12/18/86	119	CASS	T	
TE-101-AW-50	12/24/86	118	CASS	T	
TE-101-AW-50	12/30/86	117	CASS	T	
TE-101-AW-50	7/4/87	106	CASS	T	
TE-101-AW-50	7/11/87	106	CASS	T	
TE-101-AW-50	7/18/87	106	CASS	T	
TE-101-AW-50	7/25/87	106	CASS	T	
TE-101-AW-50	8/1/87	107	CASS	T	
TE-101-AW-50	8/8/87	107	CASS	T	
TE-101-AW-50	8/10/87	107	CASS	T	
TE-101-AW-50	8/22/87	107	CASS	T	
TE-101-AW-50	8/28/87	107	CASS	T	
TE-101-AW-50	9/4/87	108	CASS	T	
TE-101-AW-50	9/11/87	107	CASS	T	
TE-101-AW-50	11/28/87	106	CASS	T	
TE-101-AW-50	11/29/87	106	CASS	T	
TE-101-AW-50	3/26/88	102	CASS	T	
TE-101-AW-50	3/29/88	102	CASS	T	
TE-101-AW-50	8/4/88	101	CASS	T	
TE-101-AW-50	8/11/88	101	CASS	T	
TE-101-AW-50	8/14/88	101	CASS	T	
TE-101-AW-50	8/15/88	101	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-50	6/16/88	93	CASS	S	Scatter in data locally
TE-101-AW-50	6/17/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	6/18/88	92	CASS	S	Scatter in data locally
TE-101-AW-50	6/19/88	91	CASS	S	Scatter in data locally
TE-101-AW-50	6/20/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	6/21/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	6/22/88	92	CASS	S	Scatter in data locally
TE-101-AW-50	6/23/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	6/24/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	6/25/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	6/26/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	6/27/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	6/28/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	6/29/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	6/30/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	7/1/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	7/2/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	7/3/88	94	CASS	S	Scatter in data locally
TE-101-AW-50	7/4/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	7/5/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	7/6/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	7/7/88	91	CASS	S	Scatter in data locally
TE-101-AW-50	7/8/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	7/9/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	7/10/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	7/11/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	7/12/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	7/13/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	7/14/88	101	CASS	S	Scatter in data locally
TE-101-AW-50	7/15/88	99	CASS	S	Scatter in data locally
TE-101-AW-50	7/16/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	7/17/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	7/18/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	7/19/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	7/20/88	106	CASS	S	Scatter in data locally
TE-101-AW-50	7/21/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	7/22/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	7/23/88	83	CASS	S	Scatter in data locally
TE-101-AW-50	7/24/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	7/25/88	83	CASS	S	Scatter in data locally
TE-101-AW-50	7/26/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	7/27/88	84	CASS	S	Scatter in data locally
TE-101-AW-50	7/28/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	7/29/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	7/30/88	84	CASS	S	Scatter in data locally
TE-101-AW-50	7/31/88	84	CASS	S	Scatter in data locally
TE-101-AW-50	8/1/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	8/3/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	8/4/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	8/5/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	8/6/88	86	CASS	S	Scatter in data locally
TE-101-AW-50	8/8/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	8/9/88	82	CASS	S	Scatter in data locally
TE-101-AW-50	8/10/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	8/11/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	8/12/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	8/13/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	8/14/88	103	CASS	S	Scatter in data locally
TE-101-AW-50	8/15/88	93	CASS	S	Scatter in data locally
TE-101-AW-50	8/16/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	8/17/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	8/18/88	88	CASS	S	Scatter in data locally
TE-101-AW-50	8/19/88	103	CASS	S	Scatter in data locally
TE-101-AW-50	8/20/88	88	CASS	S	Scatter in data locally
TE-101-AW-50	8/21/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	8/22/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	8/23/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	8/24/88	104	CASS	S	Scatter in data locally
TE-101-AW-50	8/25/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	8/26/88	88	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-50	8/27/88	89	CASS	S	Scatter in data locally
TE-101-AW-50	8/28/88	88	CASS	S	Scatter in data locally
TE-101-AW-50	8/29/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	8/30/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	8/31/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	9/1/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	9/2/88	103	CASS	S	Scatter in data locally
TE-101-AW-50	9/3/88	90	CASS	S	Scatter in data locally
TE-101-AW-50	9/4/88	103	CASS	S	Scatter in data locally
TE-101-AW-50	9/6/88	90	CASS	S	Scatter in data locally
TE-101-AW-50	9/7/88	91	CASS	S	Scatter in data locally
TE-101-AW-50	9/8/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	9/9/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	9/10/88	102	CASS	S	Scatter in data locally
TE-101-AW-50	9/12/88	98	CASS	S	Scatter in data locally
TE-101-AW-50	9/13/88	97	CASS	S	Scatter in data locally
TE-101-AW-50	9/14/88	97	CASS	S	Scatter in data locally
TE-101-AW-50	9/15/88	103	CASS	S	Scatter in data locally
TE-101-AW-50	9/16/88	103	CASS	S	Scatter in data locally
TE-101-AW-50	9/17/88	103	CASS	S	Scatter in data locally
TE-101-AW-50	9/18/88	98	CASS	S	Scatter in data locally
TE-101-AW-50	9/19/88	96	CASS	S	Scatter in data locally
TE-101-AW-50	9/20/88	103	CASS	S	Scatter in data locally
TE-101-AW-50	9/21/88	97	CASS	S	Scatter in data locally
TE-101-AW-50	9/22/88	103	CASS	S	Scatter in data locally
TE-101-AW-50	9/23/88	103	CASS	S	Scatter in data locally
TE-101-AW-50	9/24/88	103	CASS	S	Scatter in data locally
TE-101-AW-50	9/25/88	103	CASS	S	Scatter in data locally
TE-101-AW-50	9/26/88	103	CASS	S	Scatter in data locally
TE-101-AW-50	9/27/88	103	CASS	S	Scatter in data locally
TE-101-AW-50	9/28/88	103	CASS	S	Scatter in data locally
TE-101-AW-50	9/29/88	103	CASS	S	Scatter in data locally
TE-101-AW-50	9/30/88	92	CASS	S	Scatter in data locally
TE-101-AW-50	12/3/88	102	CASS	T	
TE-101-AW-50	12/8/88	102	CASS	T	
TE-101-AW-50	12/17/88	101	CASS	T	
TE-101-AW-50	12/21/88	101	CASS	T	
TE-101-AW-50	9/2/89	100	CASS	T	
TE-101-AW-50	9/9/89	101	CASS	T	
TE-101-AW-50	9/16/89	101	CASS	T	
TE-101-AW-50	9/23/89	101	CASS	T	
TE-101-AW-50	9/30/89	101	CASS	T	
TE-101-AW-50	11/4/89	101	CASS	T	
TE-101-AW-50	11/8/89	102	CASS	T	
TE-101-AW-50	11/18/89	102	CASS	T	
TE-101-AW-50	11/22/89	102	CASS	T	
TE-101-AW-50	12/2/89	101	CASS	T	
TE-101-AW-50	12/9/89	101	CASS	T	
TE-101-AW-50	12/16/89	101	CASS	T	
TE-101-AW-50	12/21/89	101	CASS	T	
TE-101-AW-50	12/30/89	100	CASS	T	
TE-101-AW-50	1/8/90	100	CASS	T	
TE-101-AW-50	1/10/90	100	CASS	T	
TE-101-AW-50	1/20/90	99	CASS	T	
TE-101-AW-50	1/27/90	99	CASS	T	
TE-101-AW-50	2/3/90	99	CASS	T	
TE-101-AW-50	2/10/90	99	CASS	T	
TE-101-AW-50	2/17/90	98	CASS	T	
TE-101-AW-50	2/24/90	98	CASS	T	
TE-101-AW-50	3/3/90	98	CASS	T	
TE-101-AW-50	3/10/90	98	CASS	T	
TE-101-AW-50	3/17/90	98	CASS	T	
TE-101-AW-50	3/22/90	98	CASS	T	
TE-101-AW-50	3/31/90	98	CASS	T	
TE-101-AW-50	4/7/90	98	CASS	T	
TE-101-AW-50	4/14/90	98	CASS	T	
TE-101-AW-50	4/21/90	98	CASS	T	
TE-101-AW-50	4/28/90	98	CASS	T	
TE-101-AW-50	5/5/90	98	CASS	T	
TE-101-AW-50	5/11/90	98	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-50	5/19/90	98	CASS	T	
TE-101-AW-50	5/22/90	98	CASS	T	
TE-101-AW-50	6/2/90	98	CASS	T	
TE-101-AW-50	6/8/90	98	CASS	T	
TE-101-AW-50	6/16/90	98	CASS	T	
TE-101-AW-50	6/23/90	98	CASS	T	
TE-101-AW-50	6/30/90	98	CASS	T	
TE-101-AW-50	7/7/90	98	CASS	T	
TE-101-AW-50	7/14/90	98	CASS	T	
TE-101-AW-50	7/21/90	99	CASS	T	
TE-101-AW-50	7/28/90	99	CASS	T	
TE-101-AW-50	8/4/90	99	CASS	T	
TE-101-AW-50	8/11/90	99	CASS	T	
TE-101-AW-50	8/18/90	99	CASS	T	
TE-101-AW-50	8/25/90	99	CASS	T	
TE-101-AW-50	9/1/90	100	CASS	T	
TE-101-AW-50	9/8/90	100	CASS	T	
TE-101-AW-50	9/15/90	100	CASS	T	
TE-101-AW-50	9/22/90	100	CASS	T	
TE-101-AW-50	9/29/90	100	CASS	T	
TE-101-AW-50	10/6/90	100	CASS	T	
TE-101-AW-50	10/13/90	100	CASS	T	
TE-101-AW-50	10/20/90	100	CASS	T	
TE-101-AW-50	10/27/90	100	CASS	T	
TE-101-AW-50	11/3/90	100	CASS	T	
TE-101-AW-50	11/8/90	100	CASS	T	
TE-101-AW-50	11/8/90	87	CASS	S	Data point did not agree with local trend
TE-101-AW-50	11/11/90	100	CASS	T	
TE-101-AW-50	11/18/90	100	CASS	T	
TE-101-AW-50	12/1/90	99	CASS	T	
TE-101-AW-50	12/8/90	85	CASS	S	Data point did not agree with local trend
TE-101-AW-50	12/8/90	99	CASS	T	
TE-101-AW-50	12/15/90	99	CASS	T	
TE-101-AW-50	12/18/90	99	CASS	T	
TE-101-AW-50	12/29/90	98	CASS	T	
TE-101-AW-50	1/3/91	98	CASS	T	
TE-101-AW-50	1/12/91	97	CASS	T	
TE-101-AW-50	1/19/91	97	CASS	T	
TE-101-AW-50	1/28/91	97	CASS	T	
TE-101-AW-50	2/2/91	97	CASS	T	
TE-101-AW-50	2/8/91	97	CASS	T	
TE-101-AW-50	2/16/91	96	CASS	T	
TE-101-AW-50	2/23/91	96	CASS	T	
TE-101-AW-50	3/2/91	96	CASS	T	
TE-101-AW-50	3/9/91	96	CASS	T	
TE-101-AW-50	3/16/91	96	CASS	T	
TE-101-AW-50	3/23/91	96	CASS	T	
TE-101-AW-50	3/28/91	96	CASS	T	
TE-101-AW-50	4/1/91	96	CASS	T	
TE-101-AW-50	4/13/91	95	CASS	T	
TE-101-AW-50	4/20/91	95	CASS	T	
TE-101-AW-50	4/27/91	95	CASS	T	
TE-101-AW-50	5/4/91	95	CASS	T	
TE-101-AW-50	5/11/91	95	CASS	T	
TE-101-AW-50	5/18/91	95	CASS	T	
TE-101-AW-50	5/25/91	95	CASS	T	
TE-101-AW-50	5/31/91	95	CASS	T	
TE-101-AW-50	6/6/91	95	CASS	T	
TE-101-AW-50	6/15/91	95	CASS	T	
TE-101-AW-50	6/21/91	95	CASS	T	
TE-101-AW-50	6/25/91	95	CASS	T	
TE-101-AW-50	4/4/92	93	CASS	T	
TE-101-AW-50	4/17/92	92	CASS	T	
TE-101-AW-51	7/16/93	77	CASS	T	
TE-101-AW-51	7/21/93	78	CASS	T	
TE-101-AW-51	7/30/93	78	CASS	T	
TE-101-AW-51	8/6/93	78	CASS	T	
TE-101-AW-51	8/13/93	79	CASS	T	
TE-101-AW-51	8/19/93	79	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-51	8/27/83	79	CASS	T	
TE-101-AW-51	8/31/83	79	CASS	T	
TE-101-AW-51	9/10/83	79	CASS	T	
TE-101-AW-51	9/14/83	79	CASS	T	
TE-101-AW-51	9/24/83	79	CASS	T	
TE-101-AW-51	10/1/83	79	CASS	T	
TE-101-AW-51	10/5/83	79	CASS	T	
TE-101-AW-51	10/15/83	111	CASS	T	
TE-101-AW-51	10/17/83	112	CASS	T	
TE-101-AW-51	3/9/84	78	CASS	T	
TE-101-AW-51	3/17/84	77	CASS	T	
TE-101-AW-51	3/24/84	77	CASS	T	
TE-101-AW-51	3/31/84	77	CASS	T	
TE-101-AW-51	4/3/84	77	CASS	T	
TE-101-AW-51	4/14/84	98	CASS	T	
TE-101-AW-51	4/21/84	104	CASS	T	
TE-101-AW-51	4/22/84	104	CASS	T	
TE-101-AW-51	5/3/84	112	CASS	T	
TE-101-AW-51	5/9/84	115	CASS	T	
TE-101-AW-51	5/15/84	114	CASS	T	
TE-101-AW-51	5/29/84	110	CASS	T	
TE-101-AW-51	6/2/84	110	CASS	T	
TE-101-AW-51	6/7/84	110	CASS	T	
TE-101-AW-51	6/19/84	98	CASS	T	
TE-101-AW-51	6/25/84	95	CASS	T	
TE-101-AW-51	7/7/84	103	CASS	T	
TE-101-AW-51	7/10/84	99	CASS	T	
TE-101-AW-51	7/19/84	105	CASS	T	
TE-101-AW-51	7/23/84	102	CASS	T	
TE-101-AW-51	7/30/84	107	CASS	T	
TE-101-AW-51	8/11/84	99	CASS	T	
TE-101-AW-51	8/17/84	103	CASS	T	
TE-101-AW-51	8/25/84	101	CASS	T	
TE-101-AW-51	8/27/84	107	CASS	T	
TE-101-AW-51	9/8/84	118	CASS	T	
TE-101-AW-51	9/11/84	101	CASS	T	
TE-101-AW-51	9/19/84	112	CASS	T	
TE-101-AW-51	9/28/84	103	CASS	T	
TE-101-AW-51	9/30/84	101	CASS	T	
TE-101-AW-51	10/13/84	98	CASS	T	
TE-101-AW-51	10/15/84	98	CASS	T	
TE-101-AW-51	10/24/84	97	CASS	T	
TE-101-AW-51	11/3/84	94	CASS	T	
TE-101-AW-51	11/7/84	94	CASS	T	
TE-101-AW-51	11/19/84	98	CASS	T	
TE-101-AW-51	11/23/84	103	CASS	T	
TE-101-AW-51	11/25/84	94	CASS	T	
TE-101-AW-51	12/4/84	92	CASS	T	
TE-101-AW-51	12/12/84	87	CASS	T	
TE-101-AW-51	12/19/84	101	CASS	T	
TE-101-AW-51	12/24/84	84	CASS	T	
TE-101-AW-51	1/3/85	86	CASS	T	
TE-101-AW-51	1/6/85	90	CASS	T	
TE-101-AW-51	1/18/85	87	CASS	T	
TE-101-AW-51	1/26/85	87	CASS	T	
TE-101-AW-51	2/2/85	87	CASS	T	
TE-101-AW-51	2/5/85	86	CASS	T	
TE-101-AW-51	2/14/85	97	CASS	T	
TE-101-AW-51	2/21/85	86	CASS	T	
TE-101-AW-51	2/26/85	86	CASS	T	
TE-101-AW-51	3/6/85	85	CASS	T	
TE-101-AW-51	3/13/85	84	CASS	T	
TE-101-AW-51	3/19/85	87	CASS	T	
TE-101-AW-51	3/30/85	93	CASS	T	
TE-101-AW-51	4/1/85	101	CASS	T	
TE-101-AW-51	4/11/85	95	CASS	T	
TE-101-AW-51	4/14/85	93	CASS	T	
TE-101-AW-51	4/22/85	85	CASS	T	
TE-101-AW-51	5/4/85	87	CASS	T	
TE-101-AW-51	5/10/85	88	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-51	5/13/85	84	CASS	T	
TE-101-AW-51	5/21/85	86	CASS	T	
TE-101-AW-51	5/29/85	90	CASS	T	
TE-101-AW-51	6/3/85	92	CASS	T	
TE-101-AW-51	6/10/85	91	CASS	T	
TE-101-AW-51	6/17/85	89	CASS	T	
TE-101-AW-51	11/1/85	90	CASS	T	
TE-101-AW-51	12/1/85	87	CASS	T	
TE-101-AW-51	1/4/86	80	CASS	T	
TE-101-AW-51	1/8/86	85	CASS	T	
TE-101-AW-51	1/16/86	84	CASS	T	
TE-101-AW-51	1/23/86	82	CASS	T	
TE-101-AW-51	1/28/86	80	CASS	T	
TE-101-AW-51	2/7/86	80	CASS	T	
TE-101-AW-51	2/14/86	91	CASS	T	
TE-101-AW-51	2/18/86	84	CASS	T	
TE-101-AW-51	2/26/86	92	CASS	T	
TE-101-AW-51	3/3/86	88	CASS	T	
TE-101-AW-51	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-101-AW-51	9/17/86	119	CASS	T	
TE-101-AW-51	10/11/86	117	CASS	T	
TE-101-AW-51	10/13/86	117	CASS	T	
TE-101-AW-51	10/25/86	118	CASS	T	
TE-101-AW-51	11/1/86	118	CASS	T	
TE-101-AW-51	11/8/86	115	CASS	T	
TE-101-AW-51	11/13/86	115	CASS	T	
TE-101-AW-51	11/22/86	116	CASS	T	
TE-101-AW-51	11/24/86	116	CASS	T	
TE-101-AW-51	12/2/86	114	CASS	T	
TE-101-AW-51	12/10/86	112	CASS	T	
TE-101-AW-51	12/15/86	111	CASS	T	
TE-101-AW-51	12/23/86	109	CASS	T	
TE-101-AW-51	12/30/86	108	CASS	T	
TE-101-AW-51	7/4/87	104	CASS	T	
TE-101-AW-51	7/11/87	104	CASS	T	
TE-101-AW-51	7/18/87	104	CASS	T	
TE-101-AW-51	7/22/87	105	CASS	T	
TE-101-AW-51	8/1/87	105	CASS	T	
TE-101-AW-51	8/6/87	106	CASS	T	
TE-101-AW-51	8/10/87	106	CASS	T	
TE-101-AW-51	8/22/87	105	CASS	T	
TE-101-AW-51	8/29/87	105	CASS	T	
TE-101-AW-51	9/5/87	107	CASS	T	
TE-101-AW-51	9/11/87	107	CASS	T	
TE-101-AW-51	11/28/87	106	CASS	T	
TE-101-AW-51	11/29/87	106	CASS	T	
TE-101-AW-51	3/26/88	102	CASS	T	
TE-101-AW-51	3/31/88	101	CASS	T	
TE-101-AW-51	6/4/88	101	CASS	T	
TE-101-AW-51	6/11/88	101	CASS	T	
TE-101-AW-51	6/18/88	101	CASS	T	
TE-101-AW-51	6/25/88	101	CASS	T	
TE-101-AW-51	7/2/88	101	CASS	T	
TE-101-AW-51	7/9/88	101	CASS	T	
TE-101-AW-51	7/16/88	101	CASS	T	
TE-101-AW-51	7/23/88	102	CASS	T	
TE-101-AW-51	7/30/88	102	CASS	T	
TE-101-AW-51	8/6/88	102	CASS	T	
TE-101-AW-51	8/13/88	102	CASS	T	
TE-101-AW-51	8/20/88	102	CASS	T	
TE-101-AW-51	8/27/88	102	CASS	T	
TE-101-AW-51	9/3/88	103	CASS	T	
TE-101-AW-51	9/9/88	103	CASS	T	
TE-101-AW-51	9/17/88	103	CASS	T	
TE-101-AW-51	9/24/88	103	CASS	T	
TE-101-AW-51	9/30/88	103	CASS	T	
TE-101-AW-51	12/3/88	102	CASS	T	
TE-101-AW-51	12/10/88	102	CASS	T	
TE-101-AW-51	12/17/88	101	CASS	T	
TE-101-AW-51	12/20/88	101	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-51	9/2/89	100	CASS	T	
TE-101-AW-51	9/9/89	101	CASS	T	
TE-101-AW-51	9/16/89	101	CASS	T	
TE-101-AW-51	9/23/89	101	CASS	T	
TE-101-AW-51	9/30/89	101	CASS	T	
TE-101-AW-51	11/4/89	101	CASS	T	
TE-101-AW-51	11/11/89	101	CASS	T	
TE-101-AW-51	11/18/89	102	CASS	T	
TE-101-AW-51	11/20/89	102	CASS	T	
TE-101-AW-51	12/2/89	101	CASS	T	
TE-101-AW-51	12/9/89	101	CASS	T	
TE-101-AW-51	12/16/89	101	CASS	T	
TE-101-AW-51	12/22/89	101	CASS	T	
TE-101-AW-51	12/30/89	100	CASS	T	
TE-101-AW-51	1/5/90	100	CASS	T	
TE-101-AW-51	1/10/90	100	CASS	T	
TE-101-AW-51	1/20/90	99	CASS	T	
TE-101-AW-51	1/27/90	99	CASS	T	
TE-101-AW-51	2/3/90	99	CASS	T	
TE-101-AW-51	2/8/90	99	CASS	T	
TE-101-AW-51	2/17/90	98	CASS	T	
TE-101-AW-51	2/24/90	98	CASS	T	
TE-101-AW-51	3/3/90	98	CASS	T	
TE-101-AW-51	3/10/90	98	CASS	T	
TE-101-AW-51	3/17/90	98	CASS	T	
TE-101-AW-51	3/22/90	98	CASS	T	
TE-101-AW-51	3/31/90	98	CASS	T	
TE-101-AW-51	4/4/90	98	CASS	T	
TE-101-AW-51	4/13/90	98	CASS	T	
TE-101-AW-51	4/21/90	98	CASS	T	
TE-101-AW-51	4/27/90	98	CASS	T	
TE-101-AW-51	5/5/90	98	CASS	T	
TE-101-AW-51	5/11/90	98	CASS	T	
TE-101-AW-51	5/18/90	98	CASS	T	
TE-101-AW-51	5/21/90	98	CASS	T	
TE-101-AW-51	6/2/90	98	CASS	T	
TE-101-AW-51	6/9/90	98	CASS	T	
TE-101-AW-51	6/16/90	98	CASS	T	
TE-101-AW-51	6/23/90	98	CASS	T	
TE-101-AW-51	6/30/90	98	CASS	T	
TE-101-AW-51	7/7/90	98	CASS	T	
TE-101-AW-51	7/14/90	99	CASS	T	
TE-101-AW-51	7/21/90	99	CASS	T	
TE-101-AW-51	7/28/90	99	CASS	T	
TE-101-AW-51	8/4/90	99	CASS	T	
TE-101-AW-51	8/11/90	99	CASS	T	
TE-101-AW-51	8/18/90	99	CASS	T	
TE-101-AW-51	8/25/90	99	CASS	T	
TE-101-AW-51	9/1/90	99	CASS	T	
TE-101-AW-51	9/8/90	100	CASS	T	
TE-101-AW-51	9/15/90	100	CASS	T	
TE-101-AW-51	9/22/90	100	CASS	T	
TE-101-AW-51	9/29/90	100	CASS	T	
TE-101-AW-51	10/6/90	100	CASS	T	
TE-101-AW-51	10/13/90	100	CASS	T	
TE-101-AW-51	10/20/90	100	CASS	T	
TE-101-AW-51	10/27/90	100	CASS	T	
TE-101-AW-51	11/2/90	100	CASS	T	
TE-101-AW-51	11/8/90	100	CASS	T	
TE-101-AW-51	11/9/90	87	CASS	S	Data point did not agree with local trend
TE-101-AW-51	11/11/90	100	CASS	T	
TE-101-AW-51	11/24/90	99	CASS	T	
TE-101-AW-51	12/1/90	99	CASS	T	
TE-101-AW-51	12/8/90	85	CASS	S	Data point did not agree with local trend
TE-101-AW-51	12/8/90	99	CASS	T	
TE-101-AW-51	12/15/90	99	CASS	T	
TE-101-AW-51	12/18/90	99	CASS	T	
TE-101-AW-51	12/29/90	98	CASS	T	
TE-101-AW-51	1/5/91	97	CASS	T	
TE-101-AW-51	1/12/91	97	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-51	1/19/91	97	CASS	T	
TE-101-AW-51	1/25/91	97	CASS	T	
TE-101-AW-51	2/2/91	97	CASS	T	
TE-101-AW-51	2/6/91	97	CASS	T	
TE-101-AW-51	2/13/91	97	CASS	T	
TE-101-AW-51	2/23/91	98	CASS	T	
TE-101-AW-51	3/2/91	98	CASS	T	
TE-101-AW-51	3/9/91	98	CASS	T	
TE-101-AW-51	3/16/91	98	CASS	T	
TE-101-AW-51	3/23/91	98	CASS	T	
TE-101-AW-51	3/25/91	98	CASS	T	
TE-101-AW-51	4/1/91	98	CASS	T	
TE-101-AW-51	4/13/91	95	CASS	T	
TE-101-AW-51	4/20/91	95	CASS	T	
TE-101-AW-51	4/27/91	95	CASS	T	
TE-101-AW-51	5/4/91	95	CASS	T	
TE-101-AW-51	5/11/91	95	CASS	T	
TE-101-AW-51	5/18/91	95	CASS	T	
TE-101-AW-51	5/25/91	95	CASS	T	
TE-101-AW-51	5/31/91	95	CASS	T	
TE-101-AW-51	6/8/91	95	CASS	T	
TE-101-AW-51	6/15/91	95	CASS	T	
TE-101-AW-51	6/21/91	95	CASS	T	
TE-101-AW-51	6/25/91	95	CASS	T	
TE-101-AW-51	4/4/92	135	CASS	S	Data point did not agree with local trend
TE-101-AW-51	4/17/92	137	CASS	S	Data point did not agree with local trend
TE-101-AW-52	7/16/83	76	CASS	T	
TE-101-AW-52	7/23/83	77	CASS	T	
TE-101-AW-52	7/30/83	77	CASS	T	
TE-101-AW-52	8/6/83	78	CASS	T	
TE-101-AW-52	8/13/83	78	CASS	T	
TE-101-AW-52	8/19/83	79	CASS	T	
TE-101-AW-52	8/27/83	79	CASS	T	
TE-101-AW-52	8/31/83	79	CASS	T	
TE-101-AW-52	9/10/83	79	CASS	T	
TE-101-AW-52	9/14/83	79	CASS	T	
TE-101-AW-52	9/24/83	79	CASS	T	
TE-101-AW-52	10/1/83	79	CASS	T	
TE-101-AW-52	10/5/83	79	CASS	T	
TE-101-AW-52	10/15/83	98	CASS	T	
TE-101-AW-52	10/18/83	99	CASS	T	
TE-101-AW-52	3/10/84	76	CASS	T	
TE-101-AW-52	3/17/84	76	CASS	T	
TE-101-AW-52	3/24/84	76	CASS	T	
TE-101-AW-52	3/31/84	76	CASS	T	
TE-101-AW-52	4/8/84	76	CASS	T	
TE-101-AW-52	4/14/84	98	CASS	T	
TE-101-AW-52	4/20/84	100	CASS	T	
TE-101-AW-52	4/27/84	99	CASS	T	
TE-101-AW-52	5/5/84	109	CASS	T	
TE-101-AW-52	5/9/84	114	CASS	T	
TE-101-AW-52	5/19/84	106	CASS	T	
TE-101-AW-52	5/21/84	106	CASS	T	
TE-101-AW-52	6/2/84	107	CASS	T	
TE-101-AW-52	6/4/84	107	CASS	T	
TE-101-AW-52	6/19/84	98	CASS	T	
TE-101-AW-52	6/25/84	95	CASS	T	
TE-101-AW-52	7/7/84	103	CASS	T	
TE-101-AW-52	7/10/84	99	CASS	T	
TE-101-AW-52	7/19/84	105	CASS	T	
TE-101-AW-52	7/23/84	102	CASS	T	
TE-101-AW-52	7/30/84	107	CASS	T	
TE-101-AW-52	8/9/84	99	CASS	T	
TE-101-AW-52	8/17/84	103	CASS	T	
TE-101-AW-52	8/25/84	101	CASS	T	
TE-101-AW-52	8/30/84	106	CASS	T	
TE-101-AW-52	9/8/84	116	CASS	T	
TE-101-AW-52	9/11/84	101	CASS	T	
TE-101-AW-52	9/19/84	112	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-52	9/29/84	102	CASS	T	
TE-101-AW-52	9/30/84	101	CASS	T	
TE-101-AW-52	10/13/84	97	CASS	T	
TE-101-AW-52	10/14/84	96	CASS	T	
TE-101-AW-52	10/25/84	96	CASS	T	
TE-101-AW-52	10/28/84	94	CASS	T	
TE-101-AW-52	11/4/84	94	CASS	T	
TE-101-AW-52	11/16/84	96	CASS	T	
TE-101-AW-52	11/23/84	103	CASS	T	
TE-101-AW-52	11/25/84	94	CASS	T	
TE-101-AW-52	12/4/84	92	CASS	T	
TE-101-AW-52	12/12/84	87	CASS	T	
TE-101-AW-52	12/18/84	101	CASS	T	
TE-101-AW-52	12/24/84	84	CASS	T	
TE-101-AW-52	1/3/85	86	CASS	T	
TE-101-AW-52	1/6/85	90	CASS	T	
TE-101-AW-52	1/19/85	87	CASS	T	
TE-101-AW-52	1/26/85	87	CASS	T	
TE-101-AW-52	2/2/85	87	CASS	T	
TE-101-AW-52	2/5/85	88	CASS	T	
TE-101-AW-52	2/14/85	97	CASS	T	
TE-101-AW-52	2/21/85	88	CASS	T	
TE-101-AW-52	3/1/85	85	CASS	T	
TE-101-AW-52	3/6/85	85	CASS	T	
TE-101-AW-52	3/16/85	86	CASS	T	
TE-101-AW-52	3/18/85	86	CASS	T	
TE-101-AW-52	3/24/85	86	CASS	T	
TE-101-AW-52	3/31/85	95	CASS	T	
TE-101-AW-52	4/11/85	94	CASS	T	
TE-101-AW-52	4/14/85	92	CASS	T	
TE-101-AW-52	4/22/85	85	CASS	T	
TE-101-AW-52	5/4/85	87	CASS	T	
TE-101-AW-52	5/10/85	88	CASS	T	
TE-101-AW-52	5/13/85	84	CASS	T	
TE-101-AW-52	5/24/85	85	CASS	T	
TE-101-AW-52	5/29/85	90	CASS	T	
TE-101-AW-52	6/8/85	92	CASS	T	
TE-101-AW-52	6/9/85	91	CASS	T	
TE-101-AW-52	6/17/85	88	CASS	T	
TE-101-AW-52	11/1/85	90	CASS	T	
TE-101-AW-52	12/1/85	87	CASS	T	
TE-101-AW-52	1/4/86	80	CASS	T	
TE-101-AW-52	1/8/86	85	CASS	T	
TE-101-AW-52	1/16/86	84	CASS	T	
TE-101-AW-52	1/23/86	82	CASS	T	
TE-101-AW-52	1/28/86	80	CASS	T	
TE-101-AW-52	2/8/86	79	CASS	T	
TE-101-AW-52	2/14/86	91	CASS	T	
TE-101-AW-52	2/17/86	84	CASS	T	
TE-101-AW-52	2/26/86	92	CASS	T	
TE-101-AW-52	3/3/86	86	CASS	T	
TE-101-AW-52	8/13/86	200	CASS	S	Data point did not agree with local trend
TE-101-AW-52	9/19/86	119	CASS	T	
TE-101-AW-52	9/24/86	112	CASS	T	
TE-101-AW-52	9/29/86	111	CASS	T	
TE-101-AW-52	10/2/86	73	CASS	S	Data point did not agree with local trend
TE-101-AW-52	10/3/86	73	CASS	S	Data point did not agree with local trend
TE-101-AW-52	10/5/86	72	CASS	S	Data point did not agree with local trend
TE-101-AW-52	10/6/86	72	CASS	S	Data point did not agree with local trend
TE-101-AW-52	10/11/86	109	CASS	T	
TE-101-AW-52	10/16/86	108	CASS	T	
TE-101-AW-52	10/23/86	107	CASS	T	
TE-101-AW-52	10/27/86	107	CASS	T	
TE-101-AW-52	11/2/86	106	CASS	T	
TE-101-AW-52	11/9/86	104	CASS	T	
TE-101-AW-52	11/22/86	103	CASS	T	
TE-101-AW-52	11/28/86	102	CASS	T	
TE-101-AW-52	12/2/86	101	CASS	T	
TE-101-AW-52	12/8/86	100	CASS	T	
TE-101-AW-52	12/17/86	99	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-52	12/22/86	97	CASS	T	
TE-101-AW-52	12/31/86	95	CASS	T	
TE-101-AW-52	7/4/87	96	CASS	T	
TE-101-AW-52	7/11/87	96	CASS	T	
TE-101-AW-52	7/17/87	97	CASS	T	
TE-101-AW-52	7/22/87	97	CASS	T	
TE-101-AW-52	7/31/87	96	CASS	T	
TE-101-AW-52	8/8/87	96	CASS	T	
TE-101-AW-52	8/15/87	96	CASS	T	
TE-101-AW-52	8/22/87	96	CASS	T	
TE-101-AW-52	8/29/87	96	CASS	T	
TE-101-AW-52	9/2/87	100	CASS	T	
TE-101-AW-52	9/11/87	99	CASS	T	
TE-101-AW-52	11/28/87	94	CASS	T	
TE-101-AW-52	11/29/87	94	CASS	T	
TE-101-AW-52	3/26/88	90	CASS	T	
TE-101-AW-52	3/29/88	90	CASS	T	
TE-101-AW-52	6/4/88	92	CASS	T	
TE-101-AW-52	6/11/88	92	CASS	T	
TE-101-AW-52	6/18/88	93	CASS	T	
TE-101-AW-52	6/25/88	94	CASS	T	
TE-101-AW-52	7/2/88	95	CASS	T	
TE-101-AW-52	7/9/88	95	CASS	T	
TE-101-AW-52	7/16/88	96	CASS	T	
TE-101-AW-52	7/23/88	96	CASS	T	
TE-101-AW-52	7/30/88	97	CASS	T	
TE-101-AW-52	8/6/88	96	CASS	T	
TE-101-AW-52	8/13/88	96	CASS	T	
TE-101-AW-52	8/20/88	96	CASS	T	
TE-101-AW-52	8/27/88	96	CASS	T	
TE-101-AW-52	9/3/88	96	CASS	T	
TE-101-AW-52	9/7/88	96	CASS	T	
TE-101-AW-52	9/16/88	96	CASS	T	
TE-101-AW-52	9/24/88	97	CASS	T	
TE-101-AW-52	9/30/88	97	CASS	T	
TE-101-AW-52	12/3/88	94	CASS	T	
TE-101-AW-52	12/4/88	94	CASS	T	
TE-101-AW-52	12/16/88	93	CASS	T	
TE-101-AW-52	12/20/88	92	CASS	T	
TE-101-AW-52	7/10/89	96	SACS	T	
TE-101-AW-52	7/17/89	96	SACS	T	
TE-101-AW-52	7/24/89	97	SACS	T	
TE-101-AW-52	8/7/89	95	SACS	T	
TE-101-AW-52	8/28/89	99	SACS	T	
TE-101-AW-52	9/5/89	99	CASS	T	
TE-101-AW-52	9/16/89	96	CASS	T	
TE-101-AW-52	9/22/89	96	CASS	T	
TE-101-AW-52	9/30/89	96	CASS	T	
TE-101-AW-52	10/1/89	96	SACS	T	
TE-101-AW-52	10/16/89	96	SACS	T	
TE-101-AW-52	10/24/89	96	SACS	T	
TE-101-AW-52	10/30/89	96	SACS	T	
TE-101-AW-52	11/10/89	97	CASS	T	
TE-101-AW-52	11/16/89	97	CASS	T	
TE-101-AW-52	11/25/89	96	CASS	T	
TE-101-AW-52	12/1/89	96	CASS	T	
TE-101-AW-52	12/9/89	95	CASS	T	
TE-101-AW-52	12/14/89	95	CASS	T	
TE-101-AW-52	12/23/89	94	CASS	T	
TE-101-AW-52	12/27/89	94	CASS	T	
TE-101-AW-52	1/2/90	94	SACS	T	
TE-101-AW-52	1/13/90	93	CASS	T	
TE-101-AW-52	1/17/90	94	CASS	T	
TE-101-AW-52	1/22/90	94	SACS	T	
TE-101-AW-52	1/29/90	94	SACS	T	
TE-101-AW-52	2/5/90	93	SACS	T	
TE-101-AW-52	2/12/90	94	SACS	T	
TE-101-AW-52	2/19/90	94	SACS	T	
TE-101-AW-52	2/27/90	92	CASS	T	
TE-101-AW-52	3/5/90	92	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-52	3/12/90	92	SACS	T	
TE-101-AW-52	3/19/90	92	SACS	T	
TE-101-AW-52	3/26/90	92	SACS	T	
TE-101-AW-52	4/7/90	91	CASS	T	
TE-101-AW-52	4/14/90	91	CASS	T	
TE-101-AW-52	4/21/90	91	CASS	T	
TE-101-AW-52	4/23/90	92	SACS	T	
TE-101-AW-52	5/5/90	91	CASS	T	
TE-101-AW-52	5/12/90	92	CASS	T	
TE-101-AW-52	5/17/90	92	CASS	T	
TE-101-AW-52	5/22/90	92	CASS	T	
TE-101-AW-52	6/2/90	92	CASS	T	
TE-101-AW-52	6/9/90	92	CASS	T	
TE-101-AW-52	6/16/90	93	CASS	T	
TE-101-AW-52	6/21/90	94	CASS	T	
TE-101-AW-52	6/30/90	95	CASS	T	
TE-101-AW-52	7/7/90	95	CASS	T	
TE-101-AW-52	7/14/90	96	CASS	T	
TE-101-AW-52	7/21/90	96	CASS	T	
TE-101-AW-52	7/28/90	96	CASS	T	
TE-101-AW-52	8/4/90	97	CASS	T	
TE-101-AW-52	8/11/90	97	CASS	T	
TE-101-AW-52	8/18/90	97	CASS	T	
TE-101-AW-52	8/25/90	97	CASS	T	
TE-101-AW-52	8/27/90	98	SACS	T	
TE-101-AW-52	9/3/90	98	SACS	T	
TE-101-AW-52	9/15/90	98	CASS	T	
TE-101-AW-52	9/18/90	98	CASS	T	
TE-101-AW-52	9/28/90	98	CASS	T	
TE-101-AW-52	10/6/90	97	CASS	T	
TE-101-AW-52	10/13/90	97	CASS	T	
TE-101-AW-52	10/15/90	98	SACS	T	
TE-101-AW-52	10/22/90	97	SACS	T	
TE-101-AW-52	10/29/90	97	SACS	T	
TE-101-AW-52	11/9/90	87	CASS	S	Data point did not agree with local trend
TE-101-AW-52	11/10/90	96	CASS	T	
TE-101-AW-52	11/12/90	96	SACS	T	
TE-101-AW-52	11/19/90	96	SACS	T	
TE-101-AW-52	11/30/90	95	CASS	T	
TE-101-AW-52	12/3/90	95	SACS	T	
TE-101-AW-52	12/6/90	85	CASS	S	Data point did not agree with local trend
TE-101-AW-52	12/13/90	94	CASS	T	
TE-101-AW-52	12/19/90	93	CASS	T	
TE-101-AW-52	12/24/90	95	SACS	T	
TE-101-AW-52	12/31/90	93	SACS	T	
TE-101-AW-52	1/7/91	92	SACS	T	
TE-101-AW-52	1/18/91	91	CASS	T	
TE-101-AW-52	1/23/91	91	CASS	T	
TE-101-AW-52	1/28/91	92	SACS	T	
TE-101-AW-52	2/3/91	91	CASS	T	
TE-101-AW-52	2/13/91	90	CASS	T	
TE-101-AW-52	2/18/91	90	SACS	T	
TE-101-AW-52	3/2/91	89	CASS	T	
TE-101-AW-52	3/4/91	89	SACS	T	
TE-101-AW-52	3/13/91	89	CASS	T	
TE-101-AW-52	3/23/91	89	CASS	T	
TE-101-AW-52	3/25/91	90	SACS	T	
TE-101-AW-52	4/6/91	89	CASS	T	
TE-101-AW-52	4/13/91	89	CASS	T	
TE-101-AW-52	4/20/91	89	CASS	T	
TE-101-AW-52	4/27/91	89	CASS	T	
TE-101-AW-52	5/4/91	90	CASS	T	
TE-101-AW-52	5/6/91	90	SACS	T	
TE-101-AW-52	5/18/91	89	CASS	T	
TE-101-AW-52	5/25/91	89	CASS	T	
TE-101-AW-52	5/31/91	90	CASS	T	
TE-101-AW-52	6/8/91	90	CASS	T	
TE-101-AW-52	6/15/91	90	CASS	T	
TE-101-AW-52	6/21/91	90	CASS	T	
TE-101-AW-52	6/25/91	91	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-52	7/1/91	91	SACS	T	
TE-101-AW-52	7/8/91	90	SACS	T	
TE-101-AW-52	7/15/91	93	SACS	T	
TE-101-AW-52	7/22/91	91	SACS	T	
TE-101-AW-52	7/29/91	93	SACS	T	
TE-101-AW-52	8/4/91	93	SACS	T	
TE-101-AW-52	8/19/91	93	SACS	T	
TE-101-AW-52	8/26/91	93	SACS	T	
TE-101-AW-52	9/2/91	93	SACS	T	
TE-101-AW-52	9/9/91	94	SACS	T	
TE-101-AW-52	9/16/91	94	SACS	T	
TE-101-AW-52	9/23/91	94	SACS	T	
TE-101-AW-52	9/30/91	93	SACS	T	
TE-101-AW-52	10/7/91	93	SACS	T	
TE-101-AW-52	10/14/91	94	SACS	T	
TE-101-AW-52	10/21/91	93	SACS	T	
TE-101-AW-52	10/28/91	92	SACS	T	
TE-101-AW-52	11/5/91	92	SACS	T	
TE-101-AW-52	11/11/91	91	SACS	T	
TE-101-AW-52	11/18/91	90	SACS	T	
TE-101-AW-52	12/2/91	89	SACS	T	
TE-101-AW-52	12/9/91	89	SACS	T	
TE-101-AW-52	12/16/91	89	SACS	T	
TE-101-AW-52	12/23/91	88	SACS	T	
TE-101-AW-52	12/30/91	87	SACS	T	
TE-101-AW-52	1/6/92	87	SACS	T	
TE-101-AW-52	1/13/92	87	SACS	T	
TE-101-AW-52	1/20/92	86	SACS	T	
TE-101-AW-52	1/27/92	86	SACS	T	
TE-101-AW-52	2/3/92	86	SACS	T	
TE-101-AW-52	2/10/92	86	SACS	T	
TE-101-AW-52	2/17/92	85	SACS	T	
TE-101-AW-52	2/24/92	85	SACS	T	
TE-101-AW-52	3/4/92	86	SACS	T	
TE-101-AW-52	3/9/92	84	SACS	T	
TE-101-AW-52	3/16/92	84	SACS	T	
TE-101-AW-52	3/23/92	84	SACS	T	
TE-101-AW-52	3/30/92	84	SACS	T	
TE-101-AW-52	4/6/92	115	CASS	S	Date point did not agree with local trend
TE-101-AW-52	4/17/92	117	CASS	S	Date point did not agree with local trend
TE-101-AW-52	4/27/92	85	SACS	T	
TE-101-AW-52	5/4/92	86	SACS	T	
TE-101-AW-52	5/11/92	86	SACS	T	
TE-101-AW-52	5/18/92	87	SACS	T	
TE-101-AW-52	5/25/92	87	SACS	T	
TE-101-AW-52	6/8/92	86	SACS	T	
TE-101-AW-52	6/15/92	89	SACS	T	
TE-101-AW-52	6/22/92	89	SACS	T	
TE-101-AW-52	6/29/92	90	SACS	T	
TE-101-AW-52	7/6/92	91	SACS	T	
TE-101-AW-52	7/13/92	92	SACS	T	
TE-101-AW-52	7/20/92	92	SACS	T	
TE-101-AW-52	7/27/92	92	SACS	T	
TE-101-AW-52	8/3/92	93	SACS	T	
TE-101-AW-52	8/10/92	93	SACS	T	
TE-101-AW-52	8/17/92	94	SACS	T	
TE-101-AW-52	8/24/92	94	SACS	T	
TE-101-AW-52	8/31/92	94	SACS	T	
TE-101-AW-52	9/7/92	95	SACS	T	
TE-101-AW-52	9/14/92	94	SACS	T	
TE-101-AW-52	9/21/92	93	SACS	T	
TE-101-AW-52	9/28/92	92	SACS	T	
TE-101-AW-52	10/5/92	93	SACS	T	
TE-101-AW-52	10/12/92	92	SACS	T	
TE-101-AW-52	10/19/92	92	SACS	T	
TE-101-AW-52	10/26/92	91	SACS	T	
TE-101-AW-52	11/2/92	90	SACS	T	
TE-101-AW-52	11/9/92	90	SACS	T	
TE-101-AW-52	11/16/92	90	SACS	T	
TE-101-AW-52	11/23/92	89	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-52	11/30/92	88	SACS	T	
TE-101-AW-52	12/7/92	88	SACS	T	
TE-101-AW-52	12/14/92	87	SACS	T	
TE-101-AW-52	12/21/92	86	SACS	T	
TE-101-AW-52	12/28/92	86	SACS	T	
TE-101-AW-52	1/4/93	85	SACS	T	
TE-101-AW-52	1/11/93	89	SACS	T	
TE-101-AW-52	1/18/93	84	SACS	T	
TE-101-AW-52	1/25/93	84	SACS	T	
TE-101-AW-52	2/1/93	84	SACS	T	
TE-101-AW-52	2/8/93	84	SACS	T	
TE-101-AW-52	2/15/93	84	SACS	T	
TE-101-AW-52	2/22/93	83	SACS	T	
TE-101-AW-52	3/1/93	83	SACS	T	
TE-101-AW-52	3/8/93	80	SACS	T	
TE-101-AW-52	3/15/93	81	SACS	T	
TE-101-AW-52	3/22/93	81	SACS	T	
TE-101-AW-52	3/29/93	81	SACS	T	
TE-101-AW-52	4/5/93	81	SACS	T	
TE-101-AW-52	4/12/93	83	SACS	T	
TE-101-AW-52	4/19/93	84	SACS	T	
TE-101-AW-52	4/26/93	83	SACS	T	
TE-101-AW-52	5/3/93	85	SACS	T	
TE-101-AW-52	5/10/93	83	SACS	T	
TE-101-AW-52	5/17/93	86	SACS	T	
TE-101-AW-52	5/24/93	87	SACS	T	
TE-101-AW-52	5/31/93	88	SACS	T	
TE-101-AW-52	6/7/93	88	SACS	T	
TE-101-AW-52	6/15/93	89	SACS	T	
TE-101-AW-52	6/22/93	89	SACS	T	
TE-101-AW-52	6/28/93	87	SACS	T	
TE-101-AW-52	7/5/93	89	SACS	T	
TE-101-AW-52	7/12/93	88	SACS	T	
TE-101-AW-52	7/19/93	91	SACS	T	
TE-101-AW-52	7/26/93	91	SACS	T	
TE-101-AW-52	8/2/93	91	SACS	T	
TE-101-AW-52	8/11/93	93	SACS	T	
TE-101-AW-52	8/18/93	90	SACS	T	
TE-101-AW-52	8/23/93	93	SACS	T	
TE-101-AW-52	8/30/93	93	SACS	T	
TE-101-AW-52	9/13/93	94	SACS	T	
TE-101-AW-52	9/21/93	94	SACS	T	
TE-101-AW-52	9/27/93	94	SACS	T	
TE-101-AW-52	10/11/93	93	SACS	T	
TE-101-AW-52	10/18/93	92	SACS	T	
TE-101-AW-52	10/25/93	93	SACS	T	
TE-101-AW-52	11/1/93	92	SACS	T	
TE-101-AW-52	11/8/93	91	SACS	T	
TE-101-AW-52	11/15/93	90	SACS	T	
TE-101-AW-52	11/22/93	90	SACS	T	
TE-101-AW-52	11/29/93	55	SACS	S	Data point did not agree with local trend
TE-101-AW-52	11/30/93	86	SACS	T	
TE-101-AW-52	12/6/93	87	SACS	T	
TE-101-AW-52	12/13/93	80	SACS	S	Data point did not agree with local trend
TE-101-AW-52	12/17/93	86	SACS	T	
TE-101-AW-52	12/20/93	86	SACS	T	
TE-101-AW-52	12/27/93	85	SACS	T	
TE-101-AW-52	1/5/94	85	SACS	T	
TE-101-AW-52	1/19/94	85	SACS	T	
TE-101-AW-52	1/24/94	84	SACS	T	
TE-101-AW-52	1/31/94	84	SACS	T	
TE-101-AW-52	2/7/94	84	SACS	G	
TE-101-AW-52	2/21/94	83	SACS	G	
TE-101-AW-52	2/28/94	83	SACS	T	
TE-101-AW-52	3/7/94	83	SACS	T	
TE-101-AW-52	3/14/94	84	SACS	G	
TE-101-AW-52	3/21/94	84	SACS	G	
TE-101-AW-52	3/28/94	84	SACS	G	
TE-101-AW-52	4/5/94	85	SACS	G	
TE-101-AW-52	4/11/94	85	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-52	4/18/84	86	SACS	T	
TE-101-AW-52	4/25/84	87	SACS	G	
TE-101-AW-52	5/2/84	88	SACS	G	
TE-101-AW-52	5/9/84	87	SACS	G	
TE-101-AW-52	5/16/84	87	SACS	G	
TE-101-AW-52	5/31/84	89	SACS	G	
TE-101-AW-52	6/6/84	89	SACS	G	
TE-101-AW-52	6/13/84	90	SACS	G	
TE-101-AW-52	6/20/84	90	SACS	G	
TE-101-AW-52	6/27/84	91	SACS	G	
TE-101-AW-52	7/4/84	91	SACS	G	
TE-101-AW-52	7/11/84	92	SACS	G	
TE-101-AW-52	7/25/84	93	SACS	G	
TE-101-AW-52	8/1/84	94	SACS	G	
TE-101-AW-52	8/8/84	94	SACS	G	
TE-101-AW-52	8/15/84	95	SACS	G	
TE-101-AW-52	8/22/84	95	SACS	G	
TE-101-AW-52	9/7/84	95	SACS	G	
TE-101-AW-52	9/12/84	96	SACS	G	
TE-101-AW-52	9/28/84	95	SACS	G	
TE-101-AW-52	10/10/84	95	SACS	G	
TE-101-AW-52	10/17/84	95	SACS	G	
TE-101-AW-52	10/24/84	94	SACS	G	
TE-101-AW-52	10/31/84	94	SACS	G	
TE-101-AW-52	11/7/84	93	SACS	G	
TE-101-AW-52	11/14/84	92	SACS	G	
TE-101-AW-52	11/21/84	91	SACS	G	
TE-101-AW-52	11/28/84	90	SACS	G	
TE-101-AW-52	12/5/84	90	SACS	G	
TE-101-AW-52	12/12/84	89	SACS	G	
TE-101-AW-52	12/19/84	89	SACS	G	
TE-101-AW-52	12/26/84	87	SACS	G	
TE-101-AW-52	1/2/85	88	SACS	G	
TE-101-AW-52	1/9/85	88	SACS	G	
TE-101-AW-52	1/16/85	88	SACS	G	
TE-101-AW-52	1/23/85	87	SACS	G	
TE-101-AW-52	1/30/85	87	SACS	G	
TE-101-AW-52	2/6/85	87	SACS	G	
TE-101-AW-52	2/13/85	89	SACS	G	
TE-101-AW-52	2/24/85	87	SACS	G	
TE-101-AW-52	2/27/85	87	SACS	G	
TE-101-AW-52	3/6/85	87	SACS	G	
TE-101-AW-52	3/27/85	89	SACS	G	
TE-101-AW-52	4/3/85	89	SACS	G	
TE-101-AW-52	4/10/85	89	SACS	G	
TE-101-AW-52	4/17/85	89	SACS	G	
TE-101-AW-52	5/22/85	90	SACS	G	
TE-101-AW-52	5/30/85	90	SACS	G	
TE-101-AW-52	6/5/85	95	SACS	G	
TE-101-AW-52	6/13/85	94	SACS	G	
TE-101-AW-52	6/19/85	94	SACS	G	
TE-101-AW-53	7/16/83	76	CASS	T	
TE-101-AW-53	7/23/83	78	CASS	T	
TE-101-AW-53	7/30/83	77	CASS	T	
TE-101-AW-53	8/6/83	77	CASS	T	
TE-101-AW-53	8/13/83	78	CASS	T	
TE-101-AW-53	8/19/83	79	CASS	T	
TE-101-AW-53	8/27/83	79	CASS	T	
TE-101-AW-53	8/31/83	79	CASS	T	
TE-101-AW-53	9/10/83	79	CASS	T	
TE-101-AW-53	9/14/83	79	CASS	T	
TE-101-AW-53	9/24/83	79	CASS	T	
TE-101-AW-53	10/1/83	79	CASS	T	
TE-101-AW-53	10/5/83	79	CASS	T	
TE-101-AW-53	10/15/83	97	CASS	T	
TE-101-AW-53	10/16/83	97	CASS	T	
TE-101-AW-53	3/10/84	75	CASS	T	
TE-101-AW-53	3/17/84	75	CASS	T	
TE-101-AW-53	3/24/84	75	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-53	3/31/84	75	CASS	T	
TE-101-AW-53	4/6/84	76	CASS	T	
TE-101-AW-53	4/14/84	97	CASS	T	
TE-101-AW-53	4/20/84	99	CASS	T	
TE-101-AW-53	4/27/84	99	CASS	T	
TE-101-AW-53	5/5/84	109	CASS	T	
TE-101-AW-53	5/11/84	112	CASS	T	
TE-101-AW-53	5/19/84	105	CASS	T	
TE-101-AW-53	5/29/84	105	CASS	T	
TE-101-AW-53	6/2/84	106	CASS	T	
TE-101-AW-53	6/7/84	106	CASS	T	
TE-101-AW-53	6/19/84	98	CASS	T	
TE-101-AW-53	6/25/84	95	CASS	T	
TE-101-AW-53	7/7/84	102	CASS	T	
TE-101-AW-53	7/10/84	99	CASS	T	
TE-101-AW-53	7/19/84	105	CASS	T	
TE-101-AW-53	7/23/84	102	CASS	T	
TE-101-AW-53	7/30/84	107	CASS	T	
TE-101-AW-53	8/11/84	99	CASS	T	
TE-101-AW-53	8/17/84	103	CASS	T	
TE-101-AW-53	8/25/84	100	CASS	T	
TE-101-AW-53	8/27/84	107	CASS	T	
TE-101-AW-53	9/8/84	116	CASS	T	
TE-101-AW-53	9/11/84	101	CASS	T	
TE-101-AW-53	9/19/84	112	CASS	T	
TE-101-AW-53	9/29/84	102	CASS	T	
TE-101-AW-53	9/30/84	101	CASS	T	
TE-101-AW-53	10/13/84	97	CASS	T	
TE-101-AW-53	10/15/84	98	CASS	T	
TE-101-AW-53	10/25/84	96	CASS	T	
TE-101-AW-53	10/28/84	94	CASS	T	
TE-101-AW-53	11/4/84	94	CASS	T	
TE-101-AW-53	11/16/84	96	CASS	T	
TE-101-AW-53	11/23/84	102	CASS	T	
TE-101-AW-53	11/25/84	94	CASS	T	
TE-101-AW-53	12/4/84	92	CASS	T	
TE-101-AW-53	12/12/84	87	CASS	T	
TE-101-AW-53	12/18/84	102	CASS	T	
TE-101-AW-53	12/24/84	84	CASS	T	
TE-101-AW-53	1/3/85	88	CASS	T	
TE-101-AW-53	1/8/85	90	CASS	T	
TE-101-AW-53	1/19/85	87	CASS	T	
TE-101-AW-53	1/23/85	87	CASS	T	
TE-101-AW-53	2/2/85	87	CASS	T	
TE-101-AW-53	2/5/85	86	CASS	T	
TE-101-AW-53	2/14/85	97	CASS	T	
TE-101-AW-53	2/21/85	88	CASS	T	
TE-101-AW-53	2/28/85	86	CASS	T	
TE-101-AW-53	3/8/85	85	CASS	T	
TE-101-AW-53	3/18/85	86	CASS	T	
TE-101-AW-53	3/19/85	86	CASS	T	
TE-101-AW-53	3/24/85	88	CASS	T	
TE-101-AW-53	3/31/85	95	CASS	T	
TE-101-AW-53	4/11/85	94	CASS	T	
TE-101-AW-53	4/14/85	92	CASS	T	
TE-101-AW-53	4/22/85	85	CASS	T	
TE-101-AW-53	5/4/85	87	CASS	T	
TE-101-AW-53	5/10/85	88	CASS	T	
TE-101-AW-53	5/15/85	83	CASS	T	
TE-101-AW-53	5/24/85	85	CASS	T	
TE-101-AW-53	5/29/85	90	CASS	T	
TE-101-AW-53	6/8/85	92	CASS	T	
TE-101-AW-53	6/9/85	91	CASS	T	
TE-101-AW-53	6/17/85	89	CASS	T	
TE-101-AW-53	11/1/85	90	CASS	T	
TE-101-AW-53	12/1/85	87	CASS	T	
TE-101-AW-53	1/4/86	80	CASS	T	
TE-101-AW-53	1/8/86	85	CASS	T	
TE-101-AW-53	1/19/86	84	CASS	T	
TE-101-AW-53	1/23/86	82	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-53	1/28/86	80	CASS	T	
TE-101-AW-53	2/7/86	80	CASS	T	
TE-101-AW-53	2/14/86	81	CASS	T	
TE-101-AW-53	2/17/86	84	CASS	T	
TE-101-AW-53	2/28/86	92	CASS	T	
TE-101-AW-53	3/4/86	85	CASS	T	
TE-101-AW-53	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-101-AW-53	9/17/86	113	CASS	T	
TE-101-AW-53	10/11/86	108	CASS	T	
TE-101-AW-53	10/17/86	108	CASS	T	
TE-101-AW-53	10/23/86	107	CASS	T	
TE-101-AW-53	10/31/86	106	CASS	T	
TE-101-AW-53	11/4/86	105	CASS	T	
TE-101-AW-53	11/10/86	103	CASS	T	
TE-101-AW-53	11/20/86	103	CASS	T	
TE-101-AW-53	11/25/86	102	CASS	T	
TE-101-AW-53	11/30/86	101	CASS	T	
TE-101-AW-53	12/7/86	100	CASS	T	
TE-101-AW-53	12/15/86	98	CASS	T	
TE-101-AW-53	12/25/86	96	CASS	T	
TE-101-AW-53	12/31/86	95	CASS	T	
TE-101-AW-53	7/4/87	96	CASS	T	
TE-101-AW-53	7/11/87	96	CASS	T	
TE-101-AW-53	7/17/87	97	CASS	T	
TE-101-AW-53	7/25/87	98	CASS	T	
TE-101-AW-53	8/1/87	97	CASS	T	
TE-101-AW-53	8/8/87	98	CASS	T	
TE-101-AW-53	8/15/87	98	CASS	T	
TE-101-AW-53	8/22/87	98	CASS	T	
TE-101-AW-53	8/29/87	99	CASS	T	
TE-101-AW-53	9/2/87	100	CASS	T	
TE-101-AW-53	9/11/87	99	CASS	T	
TE-101-AW-53	11/28/87	94	CASS	T	
TE-101-AW-53	11/29/87	93	CASS	T	
TE-101-AW-53	3/28/88	89	CASS	T	
TE-101-AW-53	3/31/88	89	CASS	T	
TE-101-AW-53	6/4/88	91	CASS	T	
TE-101-AW-53	6/11/88	91	CASS	T	
TE-101-AW-53	6/18/88	93	CASS	T	
TE-101-AW-53	6/25/88	94	CASS	T	
TE-101-AW-53	7/2/88	94	CASS	T	
TE-101-AW-53	7/9/88	95	CASS	T	
TE-101-AW-53	7/16/88	95	CASS	T	
TE-101-AW-53	7/23/88	96	CASS	T	
TE-101-AW-53	7/30/88	97	CASS	T	
TE-101-AW-53	8/6/88	97	CASS	T	
TE-101-AW-53	8/13/88	98	CASS	T	
TE-101-AW-53	8/20/88	98	CASS	T	
TE-101-AW-53	8/27/88	98	CASS	T	
TE-101-AW-53	9/3/88	99	CASS	T	
TE-101-AW-53	9/6/88	99	CASS	T	
TE-101-AW-53	9/15/88	98	CASS	T	
TE-101-AW-53	9/24/88	97	CASS	T	
TE-101-AW-53	9/30/88	97	CASS	T	
TE-101-AW-53	12/3/88	93	CASS	T	
TE-101-AW-53	12/7/88	93	CASS	T	
TE-101-AW-53	12/17/88	92	CASS	T	
TE-101-AW-53	12/22/88	91	CASS	T	
TE-101-AW-53	7/10/89	96	SACS	T	
TE-101-AW-53	7/17/89	96	SACS	T	
TE-101-AW-53	7/24/89	97	SACS	T	
TE-101-AW-53	8/7/89	95	SACS	T	
TE-101-AW-53	8/28/89	99	SACS	T	
TE-101-AW-53	9/8/89	98	CASS	T	
TE-101-AW-53	9/16/89	97	CASS	T	
TE-101-AW-53	9/18/89	98	SACS	T	
TE-101-AW-53	9/30/89	97	CASS	T	
TE-101-AW-53	10/1/89	98	SACS	T	
TE-101-AW-53	10/18/89	98	SACS	T	
TE-101-AW-53	10/24/89	98	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-53	10/30/89	96	SACS	T	
TE-101-AW-53	11/11/89	96	CASS	T	
TE-101-AW-53	11/13/89	97	SACS	T	
TE-101-AW-53	11/23/89	96	CASS	T	
TE-101-AW-53	11/27/89	96	SACS	T	
TE-101-AW-53	12/4/89	95	SACS	T	
TE-101-AW-53	12/14/89	94	CASS	T	
TE-101-AW-53	12/18/89	94	SACS	T	
TE-101-AW-53	12/29/89	93	CASS	T	
TE-101-AW-53	1/2/90	94	SACS	T	
TE-101-AW-53	1/9/90	93	SACS	T	
TE-101-AW-53	1/15/90	94	SACS	T	
TE-101-AW-53	1/22/90	94	SACS	T	
TE-101-AW-53	1/29/90	94	SACS	T	
TE-101-AW-53	2/5/90	93	SACS	T	
TE-101-AW-53	2/12/90	94	SACS	T	
TE-101-AW-53	2/19/90	94	SACS	T	
TE-101-AW-53	2/26/90	92	SACS	T	
TE-101-AW-53	3/5/90	92	SACS	T	
TE-101-AW-53	3/12/90	92	SACS	T	
TE-101-AW-53	3/19/90	92	SACS	T	
TE-101-AW-53	3/26/90	92	SACS	T	
TE-101-AW-53	4/7/90	90	CASS	T	
TE-101-AW-53	4/14/90	90	CASS	T	
TE-101-AW-53	4/21/90	91	CASS	T	
TE-101-AW-53	4/23/90	92	SACS	T	
TE-101-AW-53	5/5/90	91	CASS	T	
TE-101-AW-53	5/7/90	92	SACS	T	
TE-101-AW-53	5/15/90	92	SACS	T	
TE-101-AW-53	5/21/90	92	SACS	T	
TE-101-AW-53	6/2/90	91	CASS	T	
TE-101-AW-53	6/9/90	92	CASS	T	
TE-101-AW-53	6/16/90	92	CASS	T	
TE-101-AW-53	6/23/90	93	CASS	T	
TE-101-AW-53	6/30/90	94	CASS	T	
TE-101-AW-53	7/7/90	94	CASS	T	
TE-101-AW-53	7/14/90	95	CASS	T	
TE-101-AW-53	7/21/90	96	CASS	T	
TE-101-AW-53	7/28/90	96	CASS	T	
TE-101-AW-53	8/4/90	97	CASS	T	
TE-101-AW-53	8/11/90	97	CASS	T	
TE-101-AW-53	8/18/90	97	CASS	T	
TE-101-AW-53	8/25/90	97	CASS	T	
TE-101-AW-53	8/27/90	98	SACS	T	
TE-101-AW-53	9/3/90	98	SACS	T	
TE-101-AW-53	9/15/90	97	CASS	T	
TE-101-AW-53	9/17/90	98	SACS	T	
TE-101-AW-53	9/29/90	97	CASS	T	
TE-101-AW-53	10/6/90	97	CASS	T	
TE-101-AW-53	10/13/90	97	CASS	T	
TE-101-AW-53	10/15/90	98	SACS	T	
TE-101-AW-53	10/22/90	97	SACS	T	
TE-101-AW-53	10/29/90	97	SACS	T	
TE-101-AW-53	11/5/90	96	SACS	T	
TE-101-AW-53	11/9/90	87	CASS	S	Data point did not agree with local trend
TE-101-AW-53	11/12/90	96	SACS	T	
TE-101-AW-53	11/19/90	96	SACS	T	
TE-101-AW-53	11/28/90	95	SACS	T	
TE-101-AW-53	12/3/90	95	SACS	T	
TE-101-AW-53	12/8/90	85	CASS	S	Data point did not agree with local trend
TE-101-AW-53	12/10/90	94	SACS	T	
TE-101-AW-53	12/17/90	93	SACS	T	
TE-101-AW-53	12/24/90	95	SACS	T	
TE-101-AW-53	12/31/90	93	SACS	T	
TE-101-AW-53	1/7/91	92	SACS	T	
TE-101-AW-53	1/14/91	91	SACS	T	
TE-101-AW-53	1/21/91	91	SACS	T	
TE-101-AW-53	1/28/91	92	SACS	T	
TE-101-AW-53	2/5/91	90	CASS	T	
TE-101-AW-53	2/11/91	90	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-101					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-101-AW-53	2/18/91	90	SACS	T	
TE-101-AW-53	2/25/91	89	SACS	T	
TE-101-AW-53	3/4/91	89	SACS	T	
TE-101-AW-53	3/11/91	89	SACS	T	
TE-101-AW-53	3/18/91	89	SACS	T	
TE-101-AW-53	3/25/91	90	SACS	T	
TE-101-AW-53	4/1/91	89	SACS	T	
TE-101-AW-53	4/8/91	89	SACS	T	
TE-101-AW-53	4/15/91	89	SACS	T	
TE-101-AW-53	4/22/91	89	SACS	T	
TE-101-AW-53	5/4/91	89	CASS	T	
TE-101-AW-53	5/8/91	90	SACS	T	
TE-101-AW-53	5/18/91	89	CASS	T	
TE-101-AW-53	5/25/91	89	CASS	T	
TE-101-AW-53	5/31/91	89	CASS	T	
TE-101-AW-53	6/8/91	90	CASS	T	
TE-101-AW-53	6/15/91	90	CASS	T	
TE-101-AW-53	6/21/91	90	CASS	T	
TE-101-AW-53	6/25/91	90	CASS	T	
TE-101-AW-53	7/1/91	91	SACS	T	
TE-101-AW-53	7/8/91	90	SACS	T	
TE-101-AW-53	7/15/91	93	SACS	T	
TE-101-AW-53	7/22/91	91	SACS	T	
TE-101-AW-53	7/29/91	93	SACS	T	
TE-101-AW-53	8/4/91	93	SACS	T	
TE-101-AW-53	8/10/91	93	SACS	T	
TE-101-AW-53	8/28/91	93	SACS	T	
TE-101-AW-53	9/2/91	93	SACS	T	
TE-101-AW-53	9/9/91	94	SACS	T	
TE-101-AW-53	9/16/91	94	SACS	T	
TE-101-AW-53	9/23/91	94	SACS	T	
TE-101-AW-53	9/30/91	93	SACS	T	
TE-101-AW-53	10/7/91	93	SACS	T	
TE-101-AW-53	10/14/91	94	SACS	T	
TE-101-AW-53	10/21/91	93	SACS	T	
TE-101-AW-53	10/28/91	92	SACS	T	
TE-101-AW-53	11/5/91	92	SACS	T	
TE-101-AW-53	11/11/91	91	SACS	T	
TE-101-AW-53	11/18/91	90	SACS	T	
TE-101-AW-53	12/2/91	89	SACS	T	
TE-101-AW-53	12/9/91	89	SACS	T	
TE-101-AW-53	12/16/91	89	SACS	T	
TE-101-AW-53	12/23/91	89	SACS	T	
TE-101-AW-53	12/30/91	87	SACS	T	
TE-101-AW-53	1/6/92	87	SACS	T	
TE-101-AW-53	1/13/92	87	SACS	T	
TE-101-AW-53	1/20/92	88	SACS	T	
TE-101-AW-53	1/27/92	88	SACS	T	
TE-101-AW-53	3/4/92	88	SACS	T	
TE-101-AW-53	4/4/92	103	CASS	S	Data point did not agree with local trend
TE-101-AW-53	4/17/92	105	CASS	S	Data point did not agree with local trend
TE-101-AW-53	6/29/92	90	SACS	T	
TE-101-AW-53	10/5/92	93	SACS	T	
TE-101-AW-53	10/12/92	92	SACS	T	
TE-101-AW-53	10/19/92	92	SACS	T	
TE-101-AW-53	10/26/92	91	SACS	T	
TE-101-AW-53	11/2/92	90	SACS	T	
TE-101-AW-53	11/9/92	90	SACS	T	
TE-101-AW-53	11/16/92	90	SACS	T	
TE-101-AW-53	11/23/92	89	SACS	T	
TE-101-AW-53	11/30/92	88	SACS	T	
TE-101-AW-53	12/7/92	88	SACS	T	
TE-101-AW-53	12/14/92	87	SACS	T	
TE-101-AW-53	12/21/92	88	SACS	T	
TE-101-AW-53	12/28/92	88	SACS	T	
TE-101-AW-53	1/25/93	84	SACS	T	
TE-101-AW-53	2/1/93	84	SACS	T	
TE-101-AW-53	2/8/93	84	SACS	T	
TE-101-AW-53	2/16/93	84	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-36	7/14/83	73	CASS	T	
TE-102-AW-36	7/22/83	75	CASS	T	
TE-102-AW-36	7/28/83	75	CASS	T	
TE-102-AW-36	8/4/83	75	CASS	T	
TE-102-AW-36	8/9/83	76	CASS	T	
TE-102-AW-36	8/20/83	75	CASS	T	
TE-102-AW-36	8/27/83	79	CASS	T	
TE-102-AW-36	8/31/83	79	CASS	T	
TE-102-AW-36	9/10/83	78	CASS	T	
TE-102-AW-36	9/14/83	78	CASS	T	
TE-102-AW-36	9/24/83	78	CASS	T	
TE-102-AW-36	10/1/83	104	CASS	T	
TE-102-AW-36	10/2/83	96	CASS	T	
TE-102-AW-36	10/13/83	81	CASS	T	
TE-102-AW-36	10/21/83	80	CASS	T	
TE-102-AW-36	3/8/84	97	CASS	T	
TE-102-AW-36	3/17/84	98	CASS	T	
TE-102-AW-36	3/18/84	99	CASS	T	
TE-102-AW-36	3/28/84	98	CASS	T	
TE-102-AW-36	4/2/84	90	CASS	T	
TE-102-AW-36	4/13/84	86	CASS	T	
TE-102-AW-36	4/21/84	87	CASS	T	
TE-102-AW-36	4/22/84	87	CASS	T	
TE-102-AW-36	5/5/84	97	CASS	T	
TE-102-AW-36	5/12/84	108	CASS	T	
TE-102-AW-36	5/13/84	108	CASS	T	
TE-102-AW-36	5/20/84	78	CASS	T	
TE-102-AW-36	6/2/84	75	CASS	T	
TE-102-AW-36	6/7/84	85	CASS	T	
TE-102-AW-36	6/19/84	91	CASS	T	
TE-102-AW-36	6/29/84	94	CASS	T	
TE-102-AW-36	7/7/84	97	CASS	T	
TE-102-AW-36	7/13/84	103	CASS	T	
TE-102-AW-36	7/21/84	102	CASS	T	
TE-102-AW-36	7/28/84	113	CASS	T	
TE-102-AW-36	7/31/84	112	CASS	T	
TE-102-AW-36	8/11/84	117	CASS	T	
TE-102-AW-36	8/13/84	119	CASS	T	
TE-102-AW-36	8/24/84	119	CASS	T	
TE-102-AW-36	8/29/84	118	CASS	T	
TE-102-AW-36	9/2/84	117	CASS	T	
TE-102-AW-36	9/14/84	115	CASS	T	
TE-102-AW-36	9/18/84	114	CASS	T	
TE-102-AW-36	9/24/84	113	CASS	T	
TE-102-AW-36	10/3/84	111	CASS	T	
TE-102-AW-36	10/8/84	110	CASS	T	
TE-102-AW-36	10/16/84	108	CASS	T	
TE-102-AW-36	10/22/84	108	CASS	T	
TE-102-AW-36	10/30/84	95	CASS	T	
TE-102-AW-36	11/10/84	93	CASS	T	
TE-102-AW-36	11/14/84	100	CASS	T	
TE-102-AW-36	11/19/84	100	CASS	T	
TE-102-AW-36	11/30/84	100	CASS	T	
TE-102-AW-36	12/5/84	100	CASS	T	
TE-102-AW-36	12/14/84	97	CASS	T	
TE-102-AW-36	12/16/84	96	CASS	T	
TE-102-AW-36	12/28/84	91	CASS	T	
TE-102-AW-36	12/31/84	85	CASS	T	
TE-102-AW-36	1/8/85	78	CASS	T	
TE-102-AW-36	1/19/85	83	CASS	T	
TE-102-AW-36	1/24/85	96	CASS	T	
TE-102-AW-36	1/31/85	106	CASS	T	
TE-102-AW-36	2/4/85	103	CASS	T	
TE-102-AW-36	2/10/85	101	CASS	T	
TE-102-AW-36	2/23/85	83	CASS	T	
TE-102-AW-36	3/2/85	83	CASS	T	
TE-102-AW-36	3/9/85	83	CASS	T	
TE-102-AW-36	3/12/85	83	CASS	T	
TE-102-AW-36	3/23/85	82	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-36	3/30/85	82	CASS	T	
TE-102-AW-36	4/5/85	93	CASS	T	
TE-102-AW-36	4/13/85	92	CASS	T	
TE-102-AW-36	4/14/85	92	CASS	T	
TE-102-AW-36	4/27/85	89	CASS	T	
TE-102-AW-36	4/30/85	89	CASS	T	
TE-102-AW-36	5/5/85	80	CASS	T	
TE-102-AW-36	5/17/85	86	CASS	T	
TE-102-AW-36	5/25/85	93	CASS	T	
TE-102-AW-36	5/28/85	96	CASS	T	
TE-102-AW-36	6/4/85	94	CASS	T	
TE-102-AW-36	6/9/85	93	CASS	T	
TE-102-AW-36	6/18/85	91	CASS	T	
TE-102-AW-36	11/1/85	96	CASS	T	
TE-102-AW-36	12/1/85	108	CASS	T	
TE-102-AW-36	1/2/86	109	CASS	T	
TE-102-AW-36	1/7/86	109	CASS	T	
TE-102-AW-36	1/17/86	104	CASS	T	
TE-102-AW-36	1/22/86	103	CASS	T	
TE-102-AW-36	1/27/86	100	CASS	T	
TE-102-AW-36	2/8/86	97	CASS	T	
TE-102-AW-36	2/15/86	100	CASS	T	
TE-102-AW-36	2/17/86	120	CASS	T	
TE-102-AW-36	2/23/86	109	CASS	T	
TE-102-AW-36	3/3/86	109	CASS	T	
TE-102-AW-36	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-36	9/20/86	107	CASS	T	
TE-102-AW-36	9/24/86	107	CASS	T	
TE-102-AW-36	10/3/86	106	CASS	T	
TE-102-AW-36	10/6/86	100	CASS	T	
TE-102-AW-36	10/18/86	115	CASS	T	
TE-102-AW-36	10/21/86	132	CASS	T	
TE-102-AW-36	10/26/86	125	CASS	T	
TE-102-AW-36	11/2/86	104	CASS	T	
TE-102-AW-36	11/15/86	131	CASS	T	
TE-102-AW-36	11/18/86	136	CASS	T	
TE-102-AW-36	11/23/86	117	CASS	T	
TE-102-AW-36	12/1/86	110	CASS	T	
TE-102-AW-36	12/7/86	108	CASS	T	
TE-102-AW-36	12/18/86	104	CASS	T	
TE-102-AW-36	12/27/86	102	CASS	T	
TE-102-AW-36	12/29/86	105	CASS	T	
TE-102-AW-36	7/4/87	77	CASS	T	
TE-102-AW-36	7/11/87	93	CASS	T	
TE-102-AW-36	7/14/87	95	CASS	T	
TE-102-AW-36	7/24/87	97	CASS	T	
TE-102-AW-36	8/1/87	93	CASS	T	
TE-102-AW-36	8/8/87	100	CASS	T	
TE-102-AW-36	8/12/87	103	CASS	T	
TE-102-AW-36	8/22/87	105	CASS	T	
TE-102-AW-36	8/28/87	108	CASS	T	
TE-102-AW-36	8/30/87	100	CASS	T	
TE-102-AW-36	9/9/87	99	CASS	T	
TE-102-AW-36	11/26/87	94	CASS	T	
TE-102-AW-36	11/29/87	93	CASS	T	
TE-102-AW-36	3/26/88	85	CASS	T	
TE-102-AW-36	3/27/88	84	CASS	T	
TE-102-AW-36	6/4/88	91	CASS	T	
TE-102-AW-36	6/11/88	92	CASS	T	
TE-102-AW-36	6/15/88	94	CASS	T	
TE-102-AW-36	6/25/88	92	CASS	T	
TE-102-AW-36	7/2/88	93	CASS	T	
TE-102-AW-36	7/5/88	94	CASS	T	
TE-102-AW-36	7/16/88	96	CASS	T	
TE-102-AW-36	7/19/88	106	CASS	T	
TE-102-AW-36	7/25/88	98	CASS	T	
TE-102-AW-36	8/1/88	95	CASS	T	
TE-102-AW-36	8/8/88	88	CASS	T	
TE-102-AW-36	8/15/88	98	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-36	8/25/88	100	CASS	T	
TE-102-AW-36	8/28/88	91	CASS	T	
TE-102-AW-36	9/10/88	93	CASS	T	
TE-102-AW-36	9/14/88	97	CASS	T	
TE-102-AW-36	9/22/88	97	CASS	T	
TE-102-AW-36	9/25/88	96	CASS	T	
TE-102-AW-36	12/1/88	90	CASS	T	
TE-102-AW-36	12/10/88	92	CASS	T	
TE-102-AW-36	12/13/88	91	CASS	T	
TE-102-AW-36	12/18/88	88	CASS	T	
TE-102-AW-36	7/10/89	77	SACS	T	
TE-102-AW-36	7/17/89	78	SACS	T	
TE-102-AW-36	7/24/89	78	SACS	T	
TE-102-AW-36	8/7/89	76	SACS	T	
TE-102-AW-36	8/14/89	75	SACS	T	
TE-102-AW-36	8/21/89	82	SACS	T	
TE-102-AW-36	9/1/89	80	CASS	T	
TE-102-AW-36	9/9/89	80	CASS	T	
TE-102-AW-36	9/10/89	80	CASS	T	
TE-102-AW-36	9/23/89	79	CASS	T	
TE-102-AW-36	9/28/89	66	SACS	S	Data point did not agree with local trend
TE-102-AW-36	9/30/89	79	CASS	T	
TE-102-AW-36	10/1/89	59	SACS	S	Data point did not agree with local trend
TE-102-AW-36	10/18/89	80	SACS	T	
TE-102-AW-36	10/24/89	79	SACS	T	
TE-102-AW-36	10/30/89	79	SACS	T	
TE-102-AW-36	11/11/89	78	CASS	T	
TE-102-AW-36	11/18/89	78	CASS	T	
TE-102-AW-36	11/20/89	79	SACS	T	
TE-102-AW-36	11/27/89	77	SACS	T	
TE-102-AW-36	12/3/89	75	CASS	T	
TE-102-AW-36	12/11/89	61	SACS	S	Data point did not agree with local trend
TE-102-AW-36	12/18/89	73	CASS	T	
TE-102-AW-36	12/22/89	73	CASS	T	
TE-102-AW-36	12/28/89	72	CASS	T	
TE-102-AW-36	1/2/90	72	SACS	T	
TE-102-AW-36	1/8/90	87	SACS	S	Data point did not agree with local trend
TE-102-AW-36	1/13/90	71	CASS	T	
TE-102-AW-36	1/15/90	71	SACS	T	
TE-102-AW-36	1/27/90	70	CASS	T	
TE-102-AW-36	1/29/90	71	SACS	T	
TE-102-AW-36	2/5/90	71	SACS	T	
TE-102-AW-36	2/12/90	71	SACS	T	
TE-102-AW-36	2/19/90	71	SACS	T	
TE-102-AW-36	3/3/90	69	CASS	T	
TE-102-AW-36	3/10/90	69	CASS	T	
TE-102-AW-36	3/12/90	70	SACS	T	
TE-102-AW-36	3/19/90	69	SACS	T	
TE-102-AW-36	3/31/90	68	CASS	T	
TE-102-AW-36	4/7/90	68	CASS	T	
TE-102-AW-36	4/14/90	68	CASS	T	
TE-102-AW-36	4/18/90	89	SACS	S	Data point did not agree with local trend
TE-102-AW-36	4/21/90	68	CASS	T	
TE-102-AW-36	4/27/90	69	CASS	T	
TE-102-AW-36	5/5/90	68	CASS	T	
TE-102-AW-36	5/8/90	69	CASS	T	
TE-102-AW-36	5/14/90	70	SACS	T	
TE-102-AW-36	5/22/90	68	CASS	T	
TE-102-AW-36	5/28/90	77	SACS	T	
TE-102-AW-36	6/9/90	69	CASS	T	
TE-102-AW-36	6/11/90	81	SACS	S	Data point did not agree with local trend
TE-102-AW-36	6/18/90	69	CASS	T	
TE-102-AW-36	6/22/90	70	CASS	T	
TE-102-AW-36	6/30/90	70	CASS	T	
TE-102-AW-36	7/2/90	86	SACS	S	Data point did not agree with local trend
TE-102-AW-36	7/7/90	70	CASS	T	
TE-102-AW-36	7/14/90	71	CASS	T	
TE-102-AW-36	7/21/90	72	CASS	T	
TE-102-AW-36	7/28/90	73	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-36	8/4/90	73	CASS	T	
TE-102-AW-36	8/11/90	73	CASS	T	
TE-102-AW-36	8/18/90	73	CASS	T	
TE-102-AW-36	8/20/90	79	SACS	T	
TE-102-AW-36	8/1/90	74	CASS	T	
TE-102-AW-36	8/8/90	74	CASS	T	
TE-102-AW-36	8/10/90	99	SACS	S	Data point did not agree with local trend
TE-102-AW-36	8/15/90	74	CASS	T	
TE-102-AW-36	8/22/90	74	CASS	T	
TE-102-AW-36	8/24/90	90	SACS	S	Data point did not agree with local trend
TE-102-AW-36	8/28/90	74	CASS	T	
TE-102-AW-36	10/5/90	74	CASS	T	
TE-102-AW-36	10/8/90	74	SACS	T	
TE-102-AW-36	10/19/90	73	CASS	T	
TE-102-AW-36	10/22/90	73	SACS	T	
TE-102-AW-36	11/3/90	72	CASS	T	
TE-102-AW-36	11/8/90	72	CASS	T	
TE-102-AW-36	11/9/90	81	CASS	S	Data point did not agree with local trend
TE-102-AW-36	11/12/90	72	SACS	T	
TE-102-AW-36	11/24/90	71	CASS	T	
TE-102-AW-36	11/27/90	71	CASS	T	
TE-102-AW-36	12/7/90	70	CASS	T	
TE-102-AW-36	12/15/90	69	CASS	T	
TE-102-AW-36	12/17/90	69	CASS	T	
TE-102-AW-36	12/24/90	68	SACS	T	
TE-102-AW-36	12/31/90	68	SACS	T	
TE-102-AW-36	1/7/91	67	SACS	T	
TE-102-AW-36	1/18/91	66	CASS	T	
TE-102-AW-36	1/21/91	66	SACS	T	
TE-102-AW-36	1/28/91	66	SACS	T	
TE-102-AW-36	2/9/91	65	CASS	T	
TE-102-AW-36	2/18/91	65	CASS	T	
TE-102-AW-36	2/23/91	65	CASS	T	
TE-102-AW-36	2/25/91	65	CASS	T	
TE-102-AW-36	3/9/91	64	CASS	T	
TE-102-AW-36	3/11/91	64	CASS	T	
TE-102-AW-36	3/23/91	63	CASS	T	
TE-102-AW-36	3/25/91	64	SACS	T	
TE-102-AW-36	4/8/91	63	CASS	T	
TE-102-AW-36	4/13/91	63	CASS	T	
TE-102-AW-36	4/20/91	64	CASS	T	
TE-102-AW-36	4/27/91	64	CASS	T	
TE-102-AW-36	5/4/91	64	CASS	T	
TE-102-AW-36	5/11/91	64	CASS	T	
TE-102-AW-36	5/18/91	64	CASS	T	
TE-102-AW-36	5/25/91	65	CASS	T	
TE-102-AW-36	5/31/91	65	CASS	T	
TE-102-AW-36	6/8/91	65	CASS	T	
TE-102-AW-36	6/15/91	66	CASS	T	
TE-102-AW-36	6/21/91	66	CASS	T	
TE-102-AW-36	6/25/91	66	CASS	T	
TE-102-AW-36	7/1/91	65	SACS	T	
TE-102-AW-36	7/8/91	65	SACS	T	
TE-102-AW-36	7/15/91	68	SACS	T	
TE-102-AW-36	7/22/91	66	SACS	T	
TE-102-AW-36	7/28/91	68	SACS	T	
TE-102-AW-36	8/4/91	68	SACS	T	
TE-102-AW-36	8/18/91	69	SACS	T	
TE-102-AW-36	8/28/91	69	SACS	T	
TE-102-AW-36	9/2/91	70	SACS	T	
TE-102-AW-36	9/9/91	71	SACS	T	
TE-102-AW-36	9/16/91	71	SACS	T	
TE-102-AW-36	9/23/91	71	SACS	T	
TE-102-AW-36	9/30/91	71	SACS	T	
TE-102-AW-36	10/7/91	71	SACS	T	
TE-102-AW-36	10/14/91	71	SACS	T	
TE-102-AW-36	10/21/91	70	SACS	T	
TE-102-AW-36	10/28/91	69	SACS	T	
TE-102-AW-36	11/5/91	69	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-36	11/11/91	69	SACS	T	
TE-102-AW-36	11/18/91	67	SACS	T	
TE-102-AW-36	11/25/91	67	SACS	T	
TE-102-AW-36	12/2/91	66	SACS	T	
TE-102-AW-36	12/9/91	66	SACS	T	
TE-102-AW-36	12/16/91	66	SACS	T	
TE-102-AW-36	12/23/91	65	SACS	T	
TE-102-AW-36	12/30/91	64	SACS	T	
TE-102-AW-36	1/6/92	64	SACS	T	
TE-102-AW-36	1/13/92	63	SACS	T	
TE-102-AW-36	1/20/92	63	SACS	T	
TE-102-AW-36	1/27/92	63	SACS	T	
TE-102-AW-36	2/3/92	63	SACS	T	
TE-102-AW-36	2/10/92	64	SACS	T	
TE-102-AW-36	2/22/92	65	SACS	T	
TE-102-AW-36	2/24/92	62	SACS	T	
TE-102-AW-36	3/3/92	66	SACS	T	
TE-102-AW-36	3/11/92	63	SACS	T	
TE-102-AW-36	3/18/92	62	SACS	T	
TE-102-AW-36	3/23/92	63	SACS	T	
TE-102-AW-36	3/30/92	62	SACS	T	
TE-102-AW-36	4/6/92	78	SACS	T	
TE-102-AW-36	4/13/92	78	SACS	T	
TE-102-AW-36	4/20/92	78	SACS	T	
TE-102-AW-36	4/27/92	82	SACS	T	
TE-102-AW-36	5/4/92	63	SACS	T	
TE-102-AW-36	5/11/92	63	SACS	T	
TE-102-AW-36	5/18/92	64	SACS	T	
TE-102-AW-36	5/25/92	63	SACS	T	
TE-102-AW-36	6/6/92	66	SACS	T	
TE-102-AW-36	6/15/92	66	SACS	T	
TE-102-AW-36	6/22/92	65	SACS	T	
TE-102-AW-36	6/29/92	67	SACS	T	
TE-102-AW-36	7/8/92	67	SACS	T	
TE-102-AW-36	7/13/92	67	SACS	T	
TE-102-AW-36	7/20/92	67	SACS	T	
TE-102-AW-36	7/27/92	67	SACS	T	
TE-102-AW-36	8/3/92	67	SACS	T	
TE-102-AW-36	8/10/92	68	SACS	T	
TE-102-AW-36	8/17/92	68	SACS	T	
TE-102-AW-36	8/24/92	69	SACS	T	
TE-102-AW-36	8/31/92	69	SACS	T	
TE-102-AW-36	9/7/92	70	SACS	T	
TE-102-AW-36	9/14/92	70	SACS	T	
TE-102-AW-36	9/21/92	70	SACS	T	
TE-102-AW-36	9/28/92	70	SACS	T	
TE-102-AW-36	10/5/92	72	SACS	T	
TE-102-AW-36	10/12/92	71	SACS	T	
TE-102-AW-36	10/19/92	71	SACS	T	
TE-102-AW-36	10/26/92	71	SACS	T	
TE-102-AW-36	11/2/92	70	SACS	T	
TE-102-AW-36	11/9/92	71	SACS	T	
TE-102-AW-36	11/16/92	71	SACS	T	
TE-102-AW-36	11/23/92	70	SACS	T	
TE-102-AW-36	11/30/92	69	SACS	T	
TE-102-AW-36	12/7/92	69	SACS	T	
TE-102-AW-36	12/14/92	68	SACS	T	
TE-102-AW-36	12/21/92	67	SACS	T	
TE-102-AW-36	12/28/92	66	SACS	T	
TE-102-AW-36	1/4/93	72	SACS	T	
TE-102-AW-36	1/11/93	64	SACS	T	
TE-102-AW-36	1/18/93	64	SACS	T	
TE-102-AW-36	1/25/93	65	SACS	T	
TE-102-AW-36	2/1/93	66	SACS	T	
TE-102-AW-36	2/8/93	66	SACS	T	
TE-102-AW-36	2/16/93	67	SACS	T	
TE-102-AW-36	3/1/93	64	SACS	T	
TE-102-AW-36	3/8/93	63	SACS	T	
TE-102-AW-36	3/20/93	62	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-36	3/22/93	61	SACS	T	
TE-102-AW-36	3/29/93	62	SACS	T	
TE-102-AW-36	4/6/93	62	SACS	T	
TE-102-AW-36	4/12/93	62	SACS	T	
TE-102-AW-36	4/19/93	62	SACS	T	
TE-102-AW-36	4/26/93	62	SACS	T	
TE-102-AW-36	5/3/93	63	SACS	T	
TE-102-AW-36	5/10/93	61	SACS	T	
TE-102-AW-36	5/17/93	63	SACS	T	
TE-102-AW-36	5/24/93	64	SACS	T	
TE-102-AW-36	5/31/93	64	SACS	T	
TE-102-AW-36	6/7/93	64	SACS	T	
TE-102-AW-36	6/15/93	64	SACS	T	
TE-102-AW-36	6/22/93	65	SACS	T	
TE-102-AW-36	6/28/93	63	SACS	T	
TE-102-AW-36	7/5/93	66	SACS	T	
TE-102-AW-36	7/12/93	65	SACS	T	
TE-102-AW-36	7/19/93	66	SACS	T	
TE-102-AW-36	7/26/93	66	SACS	T	
TE-102-AW-36	8/2/93	66	SACS	T	
TE-102-AW-36	8/9/93	67	SACS	T	
TE-102-AW-36	8/16/93	67	SACS	T	
TE-102-AW-36	8/23/93	68	SACS	T	
TE-102-AW-36	8/30/93	68	SACS	T	
TE-102-AW-36	9/13/93	69	SACS	T	
TE-102-AW-36	9/21/93	70	SACS	T	
TE-102-AW-36	9/27/93	70	SACS	T	
TE-102-AW-36	10/11/93	70	SACS	T	
TE-102-AW-36	10/19/93	70	SACS	T	
TE-102-AW-36	10/25/93	71	SACS	T	
TE-102-AW-36	11/1/93	70	SACS	T	
TE-102-AW-36	11/8/93	69	SACS	T	
TE-102-AW-36	11/15/93	69	SACS	T	
TE-102-AW-36	11/22/93	69	SACS	T	
TE-102-AW-36	11/29/93	74	SACS	T	
TE-102-AW-36	12/6/93	69	SACS	T	
TE-102-AW-36	12/16/93	73	SACS	T	
TE-102-AW-36	12/20/93	69	SACS	T	
TE-102-AW-36	12/27/93	69	SACS	T	
TE-102-AW-36	1/5/94	69	SACS	T	
TE-102-AW-36	1/10/94	72	SACS	T	
TE-102-AW-36	1/24/94	69	SACS	T	
TE-102-AW-36	1/31/94	69	SACS	T	
TE-102-AW-36	2/7/94	69	SACS	G	
TE-102-AW-36	2/21/94	68	SACS	G	
TE-102-AW-36	2/28/94	67	SACS	T	
TE-102-AW-36	3/7/94	67	SACS	T	
TE-102-AW-36	3/14/94	67	SACS	G	
TE-102-AW-36	3/21/94	68	SACS	G	
TE-102-AW-36	3/28/94	65	SACS	G	
TE-102-AW-36	4/5/94	65	SACS	G	
TE-102-AW-36	4/11/94	65	SACS	G	
TE-102-AW-36	4/18/94	66	SACS	T	
TE-102-AW-36	4/25/94	72	SACS	G	
TE-102-AW-36	5/2/94	74	SACS	G	
TE-102-AW-36	5/9/94	70	SACS	G	
TE-102-AW-36	5/16/94	75	SACS	G	
TE-102-AW-36	5/31/94	83	SACS	G	
TE-102-AW-36	6/6/94	95	SACS	G	
TE-102-AW-36	6/13/94	93	SACS	G	
TE-102-AW-36	6/20/94	91	SACS	G	
TE-102-AW-36	6/27/94	86	SACS	G	
TE-102-AW-36	7/4/94	83	SACS	G	
TE-102-AW-36	7/18/94	80	SACS	G	
TE-102-AW-36	7/25/94	80	SACS	G	
TE-102-AW-36	8/1/94	80	SACS	G	
TE-102-AW-36	8/8/94	80	SACS	G	
TE-102-AW-36	8/15/94	72	SACS	G	
TE-102-AW-36	8/22/94	69	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-36	9/7/84	69	SACS	G	
TE-102-AW-36	9/12/84	70	SACS	G	
TE-102-AW-36	9/19/84	85	SACS	G	
TE-102-AW-36	9/26/84	89	SACS	G	
TE-102-AW-36	10/10/84	80	SACS	G	
TE-102-AW-36	10/17/84	85	SACS	G	
TE-102-AW-36	10/24/84	89	SACS	G	
TE-102-AW-36	10/31/84	89	SACS	G	
TE-102-AW-36	11/7/84	95	SACS	G	
TE-102-AW-36	11/14/84	96	SACS	G	
TE-102-AW-36	11/21/84	95	SACS	G	
TE-102-AW-36	11/28/84	96	SACS	G	
TE-102-AW-36	12/5/84	81	SACS	G	
TE-102-AW-36	12/12/84	78	SACS	G	
TE-102-AW-36	12/19/84	77	SACS	G	
TE-102-AW-36	12/26/84	74	SACS	G	
TE-102-AW-36	1/2/85	74	SACS	G	
TE-102-AW-36	1/9/85	71	SACS	G	
TE-102-AW-36	1/16/85	71	SACS	G	
TE-102-AW-36	1/23/85	70	SACS	G	
TE-102-AW-36	1/30/85	70	SACS	G	
TE-102-AW-36	2/6/85	64	SACS	G	
TE-102-AW-36	2/13/85	70	SACS	G	
TE-102-AW-36	2/24/85	67	SACS	G	
TE-102-AW-36	2/27/85	68	SACS	G	
TE-102-AW-36	3/6/85	67	SACS	G	
TE-102-AW-36	3/19/85	67	SACS	G	
TE-102-AW-36	3/27/85	68	SACS	G	
TE-102-AW-36	4/3/85	65	SACS	G	
TE-102-AW-36	4/10/85	65	SACS	G	
TE-102-AW-36	4/17/85	65	SACS	G	
TE-102-AW-36	4/24/85	66	SACS	G	
TE-102-AW-36	5/3/85	68	SACS	G	
TE-102-AW-36	5/8/85	69	SACS	G	
TE-102-AW-36	5/15/85	70	SACS	G	
TE-102-AW-36	5/22/85	66	SACS	G	
TE-102-AW-36	5/30/85	65	SACS	G	
TE-102-AW-36	6/5/85	65	SACS	G	
TE-102-AW-36	6/13/85	66	SACS	G	
TE-102-AW-36	6/19/85	69	SACS	G	
TE-102-AW-36	6/26/85	74	SACS	G	
TE-102-AW-37	7/16/83	75	CASS	T	
TE-102-AW-37	7/23/83	75	CASS	T	
TE-102-AW-37	7/30/83	75	CASS	T	
TE-102-AW-37	8/6/83	75	CASS	T	
TE-102-AW-37	8/10/83	76	CASS	T	
TE-102-AW-37	8/20/83	76	CASS	T	
TE-102-AW-37	8/27/83	79	CASS	T	
TE-102-AW-37	8/31/83	79	CASS	T	
TE-102-AW-37	9/10/83	78	CASS	T	
TE-102-AW-37	9/14/83	78	CASS	T	
TE-102-AW-37	9/24/83	78	CASS	T	
TE-102-AW-37	10/1/83	94	CASS	T	
TE-102-AW-37	10/2/83	89	CASS	T	
TE-102-AW-37	10/15/83	81	CASS	T	
TE-102-AW-37	10/17/83	81	CASS	T	
TE-102-AW-37	3/8/84	97	CASS	T	
TE-102-AW-37	3/17/84	98	CASS	T	
TE-102-AW-37	3/19/84	99	CASS	T	
TE-102-AW-37	3/27/84	99	CASS	T	
TE-102-AW-37	4/2/84	90	CASS	T	
TE-102-AW-37	4/14/84	85	CASS	T	
TE-102-AW-37	4/21/84	87	CASS	T	
TE-102-AW-37	4/23/84	87	CASS	T	
TE-102-AW-37	5/5/84	98	CASS	T	
TE-102-AW-37	5/10/84	106	CASS	T	
TE-102-AW-37	5/14/84	81	CASS	T	
TE-102-AW-37	5/20/84	78	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-37	6/2/84	75	CASS	T	
TE-102-AW-37	6/7/84	85	CASS	T	
TE-102-AW-37	6/20/84	91	CASS	T	
TE-102-AW-37	6/26/84	94	CASS	T	
TE-102-AW-37	7/7/84	97	CASS	T	
TE-102-AW-37	7/13/84	103	CASS	T	
TE-102-AW-37	7/16/84	102	CASS	T	
TE-102-AW-37	7/28/84	112	CASS	T	
TE-102-AW-37	7/29/84	113	CASS	T	
TE-102-AW-37	8/11/84	117	CASS	T	
TE-102-AW-37	8/14/84	120	CASS	T	
TE-102-AW-37	8/20/84	120	CASS	T	
TE-102-AW-37	8/29/84	118	CASS	T	
TE-102-AW-37	9/3/84	117	CASS	T	
TE-102-AW-37	9/9/84	116	CASS	T	
TE-102-AW-37	9/19/84	114	CASS	T	
TE-102-AW-37	9/23/84	113	CASS	T	
TE-102-AW-37	10/3/84	111	CASS	T	
TE-102-AW-37	10/8/84	110	CASS	T	
TE-102-AW-37	10/16/84	108	CASS	T	
TE-102-AW-37	10/21/84	103	CASS	T	
TE-102-AW-37	10/31/84	95	CASS	T	
TE-102-AW-37	11/10/84	93	CASS	T	
TE-102-AW-37	11/17/84	103	CASS	T	
TE-102-AW-37	11/19/84	102	CASS	T	
TE-102-AW-37	11/30/84	101	CASS	T	
TE-102-AW-37	12/4/84	101	CASS	T	
TE-102-AW-37	12/10/84	100	CASS	T	
TE-102-AW-37	12/22/84	93	CASS	T	
TE-102-AW-37	12/23/84	93	CASS	T	
TE-102-AW-37	12/31/84	83	CASS	T	
TE-102-AW-37	1/3/85	75	CASS	T	
TE-102-AW-37	1/19/85	83	CASS	T	
TE-102-AW-37	1/24/85	96	CASS	T	
TE-102-AW-37	1/31/85	106	CASS	T	
TE-102-AW-37	2/4/85	103	CASS	T	
TE-102-AW-37	2/10/85	93	CASS	T	
TE-102-AW-37	2/17/85	84	CASS	T	
TE-102-AW-37	3/2/85	83	CASS	T	
TE-102-AW-37	3/9/85	83	CASS	T	
TE-102-AW-37	3/13/85	83	CASS	T	
TE-102-AW-37	3/23/85	82	CASS	T	
TE-102-AW-37	3/30/85	82	CASS	T	
TE-102-AW-37	4/5/85	93	CASS	T	
TE-102-AW-37	4/13/85	96	CASS	T	
TE-102-AW-37	4/14/85	92	CASS	T	
TE-102-AW-37	4/27/85	95	CASS	T	
TE-102-AW-37	4/29/85	94	CASS	T	
TE-102-AW-37	5/5/85	79	CASS	T	
TE-102-AW-37	5/17/85	86	CASS	T	
TE-102-AW-37	5/25/85	93	CASS	T	
TE-102-AW-37	5/28/85	96	CASS	T	
TE-102-AW-37	6/4/85	94	CASS	T	
TE-102-AW-37	6/9/85	93	CASS	T	
TE-102-AW-37	6/19/85	91	CASS	T	
TE-102-AW-37	11/1/85	98	CASS	T	
TE-102-AW-37	12/1/85	108	CASS	T	
TE-102-AW-37	1/2/86	109	CASS	T	
TE-102-AW-37	1/7/86	109	CASS	T	
TE-102-AW-37	1/18/86	100	CASS	T	
TE-102-AW-37	1/23/86	103	CASS	T	
TE-102-AW-37	1/27/86	100	CASS	T	
TE-102-AW-37	2/8/86	97	CASS	T	
TE-102-AW-37	2/13/86	101	CASS	T	
TE-102-AW-37	2/18/86	107	CASS	T	
TE-102-AW-37	3/1/86	108	CASS	T	
TE-102-AW-37	3/4/86	109	CASS	T	
TE-102-AW-37	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-37	9/17/86	109	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-37	10/11/88	97	CASS	T	
TE-102-AW-37	10/18/88	122	CASS	T	
TE-102-AW-37	10/21/88	132	CASS	T	
TE-102-AW-37	10/26/88	125	CASS	T	
TE-102-AW-37	11/2/88	104	CASS	T	
TE-102-AW-37	11/15/88	130	CASS	T	
TE-102-AW-37	11/18/88	135	CASS	T	
TE-102-AW-37	11/23/88	117	CASS	T	
TE-102-AW-37	12/1/88	109	CASS	T	
TE-102-AW-37	12/8/88	106	CASS	T	
TE-102-AW-37	12/16/88	103	CASS	T	
TE-102-AW-37	12/27/88	102	CASS	T	
TE-102-AW-37	12/29/88	108	CASS	T	
TE-102-AW-37	7/4/87	77	CASS	T	
TE-102-AW-37	7/10/87	101	CASS	T	
TE-102-AW-37	7/12/87	97	CASS	T	
TE-102-AW-37	7/23/87	108	CASS	T	
TE-102-AW-37	7/29/87	93	CASS	T	
TE-102-AW-37	8/6/87	103	CASS	T	
TE-102-AW-37	8/12/87	104	CASS	T	
TE-102-AW-37	8/22/87	107	CASS	T	
TE-102-AW-37	8/28/87	110	CASS	T	
TE-102-AW-37	9/3/87	98	CASS	T	
TE-102-AW-37	9/8/87	97	CASS	T	
TE-102-AW-37	11/28/87	93	CASS	T	
TE-102-AW-37	11/29/87	92	CASS	T	
TE-102-AW-37	3/28/88	85	CASS	T	
TE-102-AW-37	3/27/88	83	CASS	T	
TE-102-AW-37	8/4/88	92	CASS	T	
TE-102-AW-37	8/11/88	95	CASS	T	
TE-102-AW-37	8/15/88	95	CASS	T	
TE-102-AW-37	8/21/88	93	CASS	T	
TE-102-AW-37	8/30/88	93	CASS	T	
TE-102-AW-37	7/4/88	94	CASS	T	
TE-102-AW-37	7/18/88	101	CASS	T	
TE-102-AW-37	7/19/88	108	CASS	T	
TE-102-AW-37	7/30/88	90	CASS	T	
TE-102-AW-37	7/31/88	90	CASS	T	
TE-102-AW-37	8/13/88	88	CASS	T	
TE-102-AW-37	8/15/88	103	CASS	T	
TE-102-AW-37	8/25/88	105	CASS	T	
TE-102-AW-37	9/3/88	90	CASS	T	
TE-102-AW-37	9/10/88	93	CASS	T	
TE-102-AW-37	9/14/88	97	CASS	T	
TE-102-AW-37	9/22/88	97	CASS	T	
TE-102-AW-37	9/28/88	95	CASS	T	
TE-102-AW-37	12/1/88	90	CASS	T	
TE-102-AW-37	12/10/88	93	CASS	T	
TE-102-AW-37	12/11/88	92	CASS	T	
TE-102-AW-37	12/18/88	87	CASS	T	
TE-102-AW-37	9/1/89	77	CASS	T	
TE-102-AW-37	9/9/89	77	CASS	T	
TE-102-AW-37	9/16/89	77	CASS	T	
TE-102-AW-37	9/22/89	77	CASS	T	
TE-102-AW-37	9/25/89	77	CASS	T	
TE-102-AW-37	11/4/89	75	CASS	T	
TE-102-AW-37	11/11/89	75	CASS	T	
TE-102-AW-37	11/15/89	75	CASS	T	
TE-102-AW-37	11/23/89	74	CASS	T	
TE-102-AW-37	12/1/89	74	CASS	T	
TE-102-AW-37	12/9/89	73	CASS	T	
TE-102-AW-37	12/18/89	75	CASS	T	
TE-102-AW-37	12/22/89	74	CASS	T	
TE-102-AW-37	12/28/89	73	CASS	T	
TE-102-AW-37	1/3/90	72	CASS	T	
TE-102-AW-37	1/13/90	71	CASS	T	
TE-102-AW-37	1/20/90	70	CASS	T	
TE-102-AW-37	1/28/90	70	CASS	T	
TE-102-AW-37	2/3/90	69	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-37	2/10/90	69	CASS	T	
TE-102-AW-37	2/17/90	68	CASS	T	
TE-102-AW-37	2/24/90	69	CASS	T	
TE-102-AW-37	2/27/90	69	CASS	T	
TE-102-AW-37	3/10/90	68	CASS	T	
TE-102-AW-37	3/11/90	68	CASS	T	
TE-102-AW-37	3/22/90	67	CASS	T	
TE-102-AW-37	3/27/90	67	CASS	T	
TE-102-AW-37	4/7/90	66	CASS	T	
TE-102-AW-37	4/14/90	66	CASS	T	
TE-102-AW-37	4/21/90	66	CASS	T	
TE-102-AW-37	4/28/90	66	CASS	T	
TE-102-AW-37	5/5/90	67	CASS	T	
TE-102-AW-37	5/9/90	67	CASS	T	
TE-102-AW-37	5/19/90	66	CASS	T	
TE-102-AW-37	5/22/90	66	CASS	T	
TE-102-AW-37	6/2/90	67	CASS	T	
TE-102-AW-37	6/8/90	67	CASS	T	
TE-102-AW-37	6/18/90	67	CASS	T	
TE-102-AW-37	6/23/90	67	CASS	T	
TE-102-AW-37	6/30/90	67	CASS	T	
TE-102-AW-37	7/5/90	68	CASS	T	
TE-102-AW-37	7/14/90	68	CASS	T	
TE-102-AW-37	7/21/90	69	CASS	T	
TE-102-AW-37	7/28/90	69	CASS	T	
TE-102-AW-37	8/4/90	70	CASS	T	
TE-102-AW-37	8/11/90	70	CASS	T	
TE-102-AW-37	8/18/90	70	CASS	T	
TE-102-AW-37	8/25/90	71	CASS	T	
TE-102-AW-37	9/1/90	71	CASS	T	
TE-102-AW-37	9/8/90	71	CASS	T	
TE-102-AW-37	9/10/90	72	CASS	T	
TE-102-AW-37	9/22/90	71	CASS	T	
TE-102-AW-37	9/29/90	72	CASS	T	
TE-102-AW-37	10/6/90	71	CASS	T	
TE-102-AW-37	10/13/90	71	CASS	T	
TE-102-AW-37	10/20/90	71	CASS	T	
TE-102-AW-37	10/26/90	71	CASS	T	
TE-102-AW-37	11/2/90	71	CASS	T	
TE-102-AW-37	11/10/90	70	CASS	T	
TE-102-AW-37	11/17/90	70	CASS	T	
TE-102-AW-37	11/24/90	70	CASS	T	
TE-102-AW-37	11/29/90	70	CASS	T	
TE-102-AW-37	12/8/90	69	CASS	T	
TE-102-AW-37	12/11/90	69	CASS	T	
TE-102-AW-37	12/19/90	68	CASS	T	
TE-102-AW-37	12/28/90	67	CASS	T	
TE-102-AW-37	1/3/91	66	CASS	T	
TE-102-AW-37	1/12/91	65	CASS	T	
TE-102-AW-37	1/18/91	65	CASS	T	
TE-102-AW-37	1/26/91	64	CASS	T	
TE-102-AW-37	2/2/91	64	CASS	T	
TE-102-AW-37	2/5/91	64	CASS	T	
TE-102-AW-37	2/12/91	64	CASS	T	
TE-102-AW-37	2/23/91	63	CASS	T	
TE-102-AW-37	3/2/91	63	CASS	T	
TE-102-AW-37	3/9/91	63	CASS	T	
TE-102-AW-37	3/16/91	62	CASS	T	
TE-102-AW-37	3/23/91	62	CASS	T	
TE-102-AW-37	3/30/91	62	CASS	T	
TE-102-AW-37	4/6/91	62	CASS	T	
TE-102-AW-37	4/13/91	62	CASS	T	
TE-102-AW-37	4/20/91	62	CASS	T	
TE-102-AW-37	4/27/91	62	CASS	T	
TE-102-AW-37	5/4/91	62	CASS	T	
TE-102-AW-37	5/11/91	62	CASS	T	
TE-102-AW-37	5/18/91	62	CASS	T	
TE-102-AW-37	5/25/91	62	CASS	T	
TE-102-AW-37	5/31/91	63	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-37	6/8/91	63	CASS	T	
TE-102-AW-37	6/15/91	63	CASS	T	
TE-102-AW-37	6/21/91	63	CASS	T	
TE-102-AW-37	6/25/91	64	CASS	T	
TE-102-AW-38	7/15/83	76	CASS	T	
TE-102-AW-38	7/23/83	75	CASS	T	
TE-102-AW-38	7/30/83	75	CASS	T	
TE-102-AW-38	8/8/83	75	CASS	T	
TE-102-AW-38	8/9/83	76	CASS	T	
TE-102-AW-38	8/20/83	76	CASS	T	
TE-102-AW-38	8/27/83	79	CASS	T	
TE-102-AW-38	8/31/83	79	CASS	T	
TE-102-AW-38	9/10/83	78	CASS	T	
TE-102-AW-38	9/14/83	78	CASS	T	
TE-102-AW-38	9/24/83	78	CASS	T	
TE-102-AW-38	10/1/83	94	CASS	T	
TE-102-AW-38	10/2/83	89	CASS	T	
TE-102-AW-38	10/13/83	79	CASS	T	
TE-102-AW-38	10/21/83	80	CASS	T	
TE-102-AW-38	3/8/84	97	CASS	T	
TE-102-AW-38	3/17/84	98	CASS	T	
TE-102-AW-38	3/19/84	99	CASS	T	
TE-102-AW-38	3/27/84	91	CASS	T	
TE-102-AW-38	4/2/84	90	CASS	T	
TE-102-AW-38	4/13/84	86	CASS	T	
TE-102-AW-38	4/21/84	87	CASS	T	
TE-102-AW-38	4/23/84	87	CASS	T	
TE-102-AW-38	5/5/84	98	CASS	T	
TE-102-AW-38	5/9/84	106	CASS	T	
TE-102-AW-38	5/14/84	81	CASS	T	
TE-102-AW-38	5/20/84	78	CASS	T	
TE-102-AW-38	6/2/84	75	CASS	T	
TE-102-AW-38	6/7/84	85	CASS	T	
TE-102-AW-38	6/20/84	91	CASS	T	
TE-102-AW-38	6/29/84	94	CASS	T	
TE-102-AW-38	7/7/84	97	CASS	T	
TE-102-AW-38	7/13/84	103	CASS	T	
TE-102-AW-38	7/16/84	102	CASS	T	
TE-102-AW-38	7/28/84	112	CASS	T	
TE-102-AW-38	7/29/84	113	CASS	T	
TE-102-AW-38	8/11/84	117	CASS	T	
TE-102-AW-38	8/15/84	120	CASS	T	
TE-102-AW-38	8/20/84	120	CASS	T	
TE-102-AW-38	8/29/84	118	CASS	T	
TE-102-AW-38	9/4/84	117	CASS	T	
TE-102-AW-38	9/9/84	116	CASS	T	
TE-102-AW-38	9/19/84	114	CASS	T	
TE-102-AW-38	9/24/84	113	CASS	T	
TE-102-AW-38	10/3/84	111	CASS	T	
TE-102-AW-38	10/8/84	110	CASS	T	
TE-102-AW-38	10/15/84	108	CASS	T	
TE-102-AW-38	10/21/84	99	CASS	T	
TE-102-AW-38	10/31/84	95	CASS	T	
TE-102-AW-38	11/10/84	93	CASS	T	
TE-102-AW-38	11/17/84	103	CASS	T	
TE-102-AW-38	11/19/84	102	CASS	T	
TE-102-AW-38	11/30/84	101	CASS	T	
TE-102-AW-38	12/5/84	101	CASS	T	
TE-102-AW-38	12/10/84	100	CASS	T	
TE-102-AW-38	12/22/84	93	CASS	T	
TE-102-AW-38	12/23/84	93	CASS	T	
TE-102-AW-38	12/31/84	83	CASS	T	
TE-102-AW-38	1/8/85	75	CASS	T	
TE-102-AW-38	1/19/85	83	CASS	T	
TE-102-AW-38	1/24/85	96	CASS	T	
TE-102-AW-38	1/31/85	106	CASS	T	
TE-102-AW-38	2/4/85	103	CASS	T	
TE-102-AW-38	2/10/85	92	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-38	2/17/85	84	CASS	T	
TE-102-AW-38	3/2/85	83	CASS	T	
TE-102-AW-38	3/9/85	83	CASS	T	
TE-102-AW-38	3/14/85	83	CASS	T	
TE-102-AW-38	3/23/85	82	CASS	T	
TE-102-AW-38	3/27/85	82	CASS	T	
TE-102-AW-38	4/6/85	93	CASS	T	
TE-102-AW-38	4/13/85	96	CASS	T	
TE-102-AW-38	4/14/85	89	CASS	T	
TE-102-AW-38	4/26/85	99	CASS	T	
TE-102-AW-38	4/28/85	98	CASS	T	
TE-102-AW-38	5/5/85	79	CASS	T	
TE-102-AW-38	5/17/85	86	CASS	T	
TE-102-AW-38	5/25/85	93	CASS	T	
TE-102-AW-38	5/28/85	96	CASS	T	
TE-102-AW-38	6/3/85	94	CASS	T	
TE-102-AW-38	6/8/85	93	CASS	T	
TE-102-AW-38	6/19/85	91	CASS	T	
TE-102-AW-38	11/1/85	96	CASS	T	
TE-102-AW-38	12/1/85	108	CASS	T	
TE-102-AW-38	1/2/86	109	CASS	T	
TE-102-AW-38	1/7/86	109	CASS	T	
TE-102-AW-38	1/18/86	100	CASS	T	
TE-102-AW-38	1/24/86	101	CASS	T	
TE-102-AW-38	1/27/86	100	CASS	T	
TE-102-AW-38	2/5/86	97	CASS	T	
TE-102-AW-38	2/13/86	101	CASS	T	
TE-102-AW-38	2/18/86	103	CASS	T	
TE-102-AW-38	3/1/86	108	CASS	T	
TE-102-AW-38	3/4/86	109	CASS	T	
TE-102-AW-38	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-38	9/17/86	110	CASS	T	
TE-102-AW-38	10/11/86	97	CASS	T	
TE-102-AW-38	10/18/86	123	CASS	T	
TE-102-AW-38	10/21/86	132	CASS	T	
TE-102-AW-38	10/26/86	125	CASS	T	
TE-102-AW-38	11/2/86	104	CASS	T	
TE-102-AW-38	11/15/86	131	CASS	T	
TE-102-AW-38	11/18/86	135	CASS	T	
TE-102-AW-38	11/23/86	117	CASS	T	
TE-102-AW-38	12/2/86	109	CASS	T	
TE-102-AW-38	12/9/86	106	CASS	T	
TE-102-AW-38	12/18/86	103	CASS	T	
TE-102-AW-38	12/27/86	102	CASS	T	
TE-102-AW-38	12/29/86	106	CASS	T	
TE-102-AW-38	7/4/87	77	CASS	T	
TE-102-AW-38	7/10/87	101	CASS	T	
TE-102-AW-38	7/12/87	97	CASS	T	
TE-102-AW-38	7/23/87	97	CASS	T	
TE-102-AW-38	7/30/87	93	CASS	T	
TE-102-AW-38	8/6/87	103	CASS	T	
TE-102-AW-38	8/12/87	104	CASS	T	
TE-102-AW-38	8/22/87	108	CASS	T	
TE-102-AW-38	8/28/87	110	CASS	T	
TE-102-AW-38	9/3/87	98	CASS	T	
TE-102-AW-38	9/8/87	97	CASS	T	
TE-102-AW-38	11/28/87	93	CASS	T	
TE-102-AW-38	11/29/87	92	CASS	T	
TE-102-AW-38	3/28/88	85	CASS	T	
TE-102-AW-38	3/27/88	83	CASS	T	
TE-102-AW-38	6/4/88	92	CASS	T	
TE-102-AW-38	6/11/88	95	CASS	T	
TE-102-AW-38	6/15/88	95	CASS	T	
TE-102-AW-38	6/21/88	93	CASS	T	
TE-102-AW-38	6/30/88	93	CASS	T	
TE-102-AW-38	7/4/88	94	CASS	T	
TE-102-AW-38	7/16/88	101	CASS	T	
TE-102-AW-38	7/20/88	106	CASS	T	
TE-102-AW-38	7/30/88	85	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-38	8/4/88	87	CASS	T	
TE-102-AW-38	8/13/88	88	CASS	T	
TE-102-AW-38	8/14/88	103	CASS	T	
TE-102-AW-38	8/25/88	104	CASS	T	
TE-102-AW-38	9/3/88	90	CASS	T	
TE-102-AW-38	9/10/88	93	CASS	T	
TE-102-AW-38	9/17/88	87	CASS	T	
TE-102-AW-38	9/22/88	97	CASS	T	
TE-102-AW-38	9/26/88	95	CASS	T	
TE-102-AW-38	12/1/88	90	CASS	T	
TE-102-AW-38	12/10/88	93	CASS	T	
TE-102-AW-38	12/11/88	92	CASS	T	
TE-102-AW-38	12/18/88	88	CASS	T	
TE-102-AW-38	7/10/89	74	SACS	T	
TE-102-AW-38	7/17/89	74	SACS	T	
TE-102-AW-38	7/24/89	75	SACS	T	
TE-102-AW-38	8/7/89	73	SACS	T	
TE-102-AW-38	8/14/89	77	SACS	T	
TE-102-AW-38	8/21/89	84	SACS	T	
TE-102-AW-38	9/2/89	77	CASS	T	
TE-102-AW-38	9/9/89	77	CASS	T	
TE-102-AW-38	9/18/89	77	CASS	T	
TE-102-AW-38	9/22/89	77	CASS	T	
TE-102-AW-38	9/28/89	77	CASS	T	
TE-102-AW-38	10/1/89	62	SACS	T	
TE-102-AW-38	10/9/89	51	SACS	S	Data point did not agree with local trend
TE-102-AW-38	10/18/89	77	SACS	T	
TE-102-AW-38	10/24/89	78	SACS	T	
TE-102-AW-38	10/30/89	78	SACS	T	
TE-102-AW-38	11/1/89	75	CASS	T	
TE-102-AW-38	11/18/89	74	CASS	T	
TE-102-AW-38	11/20/89	82	SACS	T	
TE-102-AW-38	12/1/89	74	CASS	T	
TE-102-AW-38	12/8/89	73	CASS	T	
TE-102-AW-38	12/11/89	61	SACS	S	Data point did not agree with local trend
TE-102-AW-38	12/15/89	75	CASS	T	
TE-102-AW-38	12/22/89	74	CASS	T	
TE-102-AW-38	12/28/89	73	CASS	T	
TE-102-AW-38	1/2/90	72	SACS	T	
TE-102-AW-38	1/8/90	88	SACS	S	Data point did not agree with local trend
TE-102-AW-38	1/13/90	71	CASS	T	
TE-102-AW-38	1/15/90	71	SACS	T	
TE-102-AW-38	1/28/90	70	CASS	T	
TE-102-AW-38	2/1/90	70	CASS	T	
TE-102-AW-38	2/10/90	69	CASS	T	
TE-102-AW-38	2/12/90	69	SACS	T	
TE-102-AW-38	2/19/90	69	SACS	T	
TE-102-AW-38	2/27/90	68	CASS	T	
TE-102-AW-38	3/9/90	68	CASS	T	
TE-102-AW-38	3/12/90	68	SACS	T	
TE-102-AW-38	3/22/90	67	CASS	T	
TE-102-AW-38	3/28/90	67	CASS	T	
TE-102-AW-38	4/6/90	67	CASS	T	
TE-102-AW-38	4/14/90	66	CASS	T	
TE-102-AW-38	4/18/90	90	SACS	S	Data point did not agree with local trend
TE-102-AW-38	4/21/90	67	CASS	T	
TE-102-AW-38	4/24/90	67	CASS	T	
TE-102-AW-38	5/5/90	67	CASS	T	
TE-102-AW-38	5/9/90	67	CASS	T	
TE-102-AW-38	5/14/90	72	SACS	T	
TE-102-AW-38	5/22/90	66	CASS	T	
TE-102-AW-38	5/28/90	80	SACS	S	Data point did not agree with local trend
TE-102-AW-38	6/2/90	67	CASS	T	
TE-102-AW-38	6/9/90	67	CASS	T	
TE-102-AW-38	6/11/90	83	SACS	S	Data point did not agree with local trend
TE-102-AW-38	6/18/90	67	CASS	T	
TE-102-AW-38	6/23/90	67	CASS	T	
TE-102-AW-38	6/30/90	67	CASS	T	
TE-102-AW-38	7/2/90	89	SACS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-38	7/5/90	68	CASS	T	
TE-102-AW-38	7/14/90	68	CASS	T	
TE-102-AW-38	7/21/90	68	CASS	T	
TE-102-AW-38	7/28/90	69	CASS	T	
TE-102-AW-38	8/4/90	70	CASS	T	
TE-102-AW-38	8/11/90	70	CASS	T	
TE-102-AW-38	8/18/90	70	CASS	T	
TE-102-AW-38	8/20/90	83	SACS	S	Data point did not agree with local trend
TE-102-AW-38	8/25/90	71	CASS	T	
TE-102-AW-38	9/1/90	71	CASS	T	
TE-102-AW-38	9/8/90	71	CASS	T	
TE-102-AW-38	9/10/90	102	SACS	S	Data point did not agree with local trend
TE-102-AW-38	9/15/90	71	CASS	T	
TE-102-AW-38	9/22/90	71	CASS	T	
TE-102-AW-38	9/24/90	91	SACS	S	Data point did not agree with local trend
TE-102-AW-38	9/29/90	72	CASS	T	
TE-102-AW-38	10/1/90	72	CASS	T	
TE-102-AW-38	10/8/90	72	SACS	T	
TE-102-AW-38	10/20/90	71	CASS	T	
TE-102-AW-38	10/27/90	71	CASS	T	
TE-102-AW-38	11/2/90	71	CASS	T	
TE-102-AW-38	11/10/90	70	CASS	T	
TE-102-AW-38	11/17/90	70	CASS	T	
TE-102-AW-38	11/24/90	70	CASS	T	
TE-102-AW-38	11/28/90	70	CASS	T	
TE-102-AW-38	12/8/90	69	CASS	T	
TE-102-AW-38	12/11/90	69	CASS	T	
TE-102-AW-38	12/19/90	68	CASS	T	
TE-102-AW-38	12/24/90	68	SACS	T	
TE-102-AW-38	12/31/90	68	SACS	T	
TE-102-AW-38	1/7/91	68	SACS	T	
TE-102-AW-38	1/18/91	65	CASS	T	
TE-102-AW-38	1/21/91	65	SACS	T	
TE-102-AW-38	2/2/91	64	CASS	T	
TE-102-AW-38	2/9/91	64	CASS	T	
TE-102-AW-38	2/18/91	63	CASS	T	
TE-102-AW-38	2/23/91	63	CASS	T	
TE-102-AW-38	3/2/91	63	CASS	T	
TE-102-AW-38	3/9/91	63	CASS	T	
TE-102-AW-38	3/14/91	63	CASS	T	
TE-102-AW-38	3/23/91	62	CASS	T	
TE-102-AW-38	3/30/91	62	CASS	T	
TE-102-AW-38	4/6/91	62	CASS	T	
TE-102-AW-38	4/13/91	62	CASS	T	
TE-102-AW-38	4/20/91	62	CASS	T	
TE-102-AW-38	4/27/91	62	CASS	T	
TE-102-AW-38	5/4/91	62	CASS	T	
TE-102-AW-38	5/11/91	62	CASS	T	
TE-102-AW-38	5/18/91	62	CASS	T	
TE-102-AW-38	5/25/91	62	CASS	T	
TE-102-AW-38	5/31/91	63	CASS	T	
TE-102-AW-38	6/8/91	63	CASS	T	
TE-102-AW-38	6/15/91	63	CASS	T	
TE-102-AW-38	6/21/91	63	CASS	T	
TE-102-AW-38	6/25/91	64	CASS	T	
TE-102-AW-38	7/1/91	62	SACS	T	
TE-102-AW-38	7/8/91	62	SACS	T	
TE-102-AW-38	7/15/91	64	SACS	T	
TE-102-AW-38	7/22/91	63	SACS	T	
TE-102-AW-38	7/29/91	64	SACS	T	
TE-102-AW-38	8/4/91	64	SACS	T	
TE-102-AW-38	8/19/91	65	SACS	T	
TE-102-AW-38	8/26/91	66	SACS	T	
TE-102-AW-38	9/2/91	67	SACS	T	
TE-102-AW-38	9/9/91	67	SACS	T	
TE-102-AW-38	9/16/91	67	SACS	T	
TE-102-AW-38	9/23/91	68	SACS	T	
TE-102-AW-38	9/30/91	68	SACS	T	
TE-102-AW-38	10/7/91	68	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-38	10/14/91	68	SACS	T	
TE-102-AW-38	10/21/91	68	SACS	T	
TE-102-AW-38	10/28/91	68	SACS	T	
TE-102-AW-38	11/5/91	68	SACS	T	
TE-102-AW-38	11/11/91	68	SACS	T	
TE-102-AW-38	11/18/91	68	SACS	T	
TE-102-AW-38	11/25/91	66	SACS	T	
TE-102-AW-38	12/2/91	65	SACS	T	
TE-102-AW-38	12/9/91	65	SACS	T	
TE-102-AW-38	12/16/91	65	SACS	T	
TE-102-AW-38	12/23/91	64	SACS	T	
TE-102-AW-38	12/30/91	64	SACS	T	
TE-102-AW-38	1/6/92	63	SACS	T	
TE-102-AW-38	1/13/92	63	SACS	T	
TE-102-AW-38	1/20/92	63	SACS	T	
TE-102-AW-38	1/27/92	62	SACS	T	
TE-102-AW-38	2/3/92	62	SACS	T	
TE-102-AW-38	2/10/92	62	SACS	T	
TE-102-AW-38	2/22/92	62	SACS	T	
TE-102-AW-38	2/24/92	61	SACS	T	
TE-102-AW-38	3/2/92	61	SACS	T	
TE-102-AW-38	3/11/92	60	SACS	T	
TE-102-AW-38	3/16/92	60	SACS	T	
TE-102-AW-38	3/23/92	60	SACS	T	
TE-102-AW-38	3/30/92	60	SACS	T	
TE-102-AW-38	4/6/92	61	SACS	T	
TE-102-AW-38	4/13/92	61	SACS	T	
TE-102-AW-38	4/20/92	60	SACS	T	
TE-102-AW-38	4/27/92	60	SACS	T	
TE-102-AW-38	5/4/92	60	SACS	T	
TE-102-AW-38	5/11/92	60	SACS	T	
TE-102-AW-38	5/18/92	61	SACS	T	
TE-102-AW-38	5/25/92	61	SACS	T	
TE-102-AW-38	6/6/92	61	SACS	T	
TE-102-AW-38	6/15/92	62	SACS	T	
TE-102-AW-38	6/22/92	62	SACS	T	
TE-102-AW-38	7/6/92	64	SACS	T	
TE-102-AW-38	7/13/92	63	SACS	T	
TE-102-AW-38	7/20/92	64	SACS	T	
TE-102-AW-38	7/27/92	64	SACS	T	
TE-102-AW-38	8/3/92	64	SACS	T	
TE-102-AW-38	8/10/92	65	SACS	T	
TE-102-AW-38	8/17/92	65	SACS	T	
TE-102-AW-38	8/24/92	66	SACS	T	
TE-102-AW-38	8/31/92	66	SACS	T	
TE-102-AW-38	9/7/92	67	SACS	T	
TE-102-AW-38	9/14/92	67	SACS	T	
TE-102-AW-38	9/21/92	67	SACS	T	
TE-102-AW-38	9/28/92	66	SACS	T	
TE-102-AW-38	10/5/92	69	SACS	T	
TE-102-AW-38	10/12/92	69	SACS	T	
TE-102-AW-38	10/19/92	69	SACS	T	
TE-102-AW-38	10/26/92	68	SACS	T	
TE-102-AW-38	11/2/92	68	SACS	T	
TE-102-AW-38	11/9/92	68	SACS	T	
TE-102-AW-38	11/16/92	68	SACS	T	
TE-102-AW-38	11/23/92	68	SACS	T	
TE-102-AW-38	11/30/92	66	SACS	T	
TE-102-AW-38	12/7/92	66	SACS	T	
TE-102-AW-38	12/14/92	66	SACS	T	
TE-102-AW-38	12/21/92	64	SACS	T	
TE-102-AW-38	12/28/92	64	SACS	T	
TE-102-AW-38	1/4/93	74	SACS	S	Data point did not agree with local trend
TE-102-AW-38	1/11/93	63	SACS	T	
TE-102-AW-38	1/18/93	62	SACS	T	
TE-102-AW-38	1/25/93	62	SACS	T	
TE-102-AW-38	3/1/93	62	SACS	T	
TE-102-AW-38	3/8/93	60	SACS	T	
TE-102-AW-38	3/15/93	60	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-38	3/22/93	59	SACS	T	
TE-102-AW-38	3/29/93	59	SACS	T	
TE-102-AW-38	4/6/93	59	SACS	T	
TE-102-AW-38	4/12/93	59	SACS	T	
TE-102-AW-38	4/19/93	59	SACS	T	
TE-102-AW-38	4/26/93	59	SACS	T	
TE-102-AW-38	5/3/93	60	SACS	T	
TE-102-AW-38	5/10/93	59	SACS	T	
TE-102-AW-38	5/17/93	60	SACS	T	
TE-102-AW-38	5/24/93	60	SACS	T	
TE-102-AW-38	5/31/93	60	SACS	T	
TE-102-AW-38	6/7/93	61	SACS	T	
TE-102-AW-38	6/15/93	61	SACS	T	
TE-102-AW-38	6/22/93	62	SACS	T	
TE-102-AW-38	6/28/93	60	SACS	T	
TE-102-AW-38	7/5/93	61	SACS	T	
TE-102-AW-38	7/12/93	62	SACS	T	
TE-102-AW-38	7/19/93	63	SACS	T	
TE-102-AW-38	7/26/93	63	SACS	T	
TE-102-AW-38	8/2/93	64	SACS	T	
TE-102-AW-38	8/9/93	64	SACS	T	
TE-102-AW-38	8/16/93	64	SACS	T	
TE-102-AW-38	8/23/93	65	SACS	T	
TE-102-AW-38	8/30/93	65	SACS	T	
TE-102-AW-38	9/13/93	66	SACS	T	
TE-102-AW-38	9/21/93	66	SACS	T	
TE-102-AW-38	9/27/93	66	SACS	T	
TE-102-AW-38	10/11/93	66	SACS	T	
TE-102-AW-38	10/19/93	67	SACS	T	
TE-102-AW-38	10/25/93	67	SACS	T	
TE-102-AW-38	11/1/93	67	SACS	T	
TE-102-AW-38	11/8/93	66	SACS	T	
TE-102-AW-38	11/15/93	67	SACS	T	
TE-102-AW-38	11/22/93	67	SACS	T	
TE-102-AW-38	11/29/93	76	SACS	T	
TE-102-AW-38	12/6/93	66	SACS	T	
TE-102-AW-38	12/16/93	73	SACS	T	
TE-102-AW-38	12/20/93	66	SACS	T	
TE-102-AW-38	12/27/93	66	SACS	T	
TE-102-AW-38	1/5/94	66	SACS	T	
TE-102-AW-38	1/10/94	72	SACS	T	
TE-102-AW-38	1/24/94	65	SACS	T	
TE-102-AW-38	1/31/94	65	SACS	T	
TE-102-AW-38	2/7/94	66	SACS	G	
TE-102-AW-38	2/21/94	65	SACS	G	
TE-102-AW-38	2/28/94	65	SACS	T	
TE-102-AW-38	3/7/94	64	SACS	T	
TE-102-AW-38	3/14/94	64	SACS	G	
TE-102-AW-38	3/21/94	64	SACS	G	
TE-102-AW-38	3/28/94	62	SACS	G	
TE-102-AW-38	4/5/94	62	SACS	G	
TE-102-AW-38	4/11/94	62	SACS	G	
TE-102-AW-38	4/18/94	66	SACS	T	
TE-102-AW-38	4/25/94	74	SACS	G	
TE-102-AW-38	5/2/94	77	SACS	G	
TE-102-AW-38	5/9/94	67	SACS	G	
TE-102-AW-38	5/16/94	78	SACS	G	
TE-102-AW-38	5/31/94	88	SACS	G	
TE-102-AW-38	6/6/94	101	SACS	G	
TE-102-AW-38	6/13/94	89	SACS	G	
TE-102-AW-38	6/20/94	85	SACS	G	
TE-102-AW-38	6/27/94	81	SACS	G	
TE-102-AW-38	7/4/94	78	SACS	G	
TE-102-AW-38	7/18/94	77	SACS	G	
TE-102-AW-38	7/25/94	77	SACS	G	
TE-102-AW-38	8/1/94	76	SACS	G	
TE-102-AW-38	8/8/94	77	SACS	G	
TE-102-AW-38	8/15/94	64	SACS	G	
TE-102-AW-38	8/22/94	63	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-36	8/7/84	64	SACS	G	
TE-102-AW-36	8/12/84	65	SACS	G	
TE-102-AW-36	8/18/84	69	SACS	G	
TE-102-AW-36	8/26/84	92	SACS	G	
TE-102-AW-36	10/10/84	80	SACS	G	
TE-102-AW-36	10/17/84	87	SACS	G	
TE-102-AW-36	10/24/84	85	SACS	G	
TE-102-AW-36	10/31/84	93	SACS	G	
TE-102-AW-36	11/7/84	100	SACS	G	
TE-102-AW-36	11/14/84	97	SACS	G	
TE-102-AW-36	11/21/84	89	SACS	G	
TE-102-AW-36	11/28/84	80	SACS	G	
TE-102-AW-36	12/5/84	74	SACS	G	
TE-102-AW-36	12/12/84	72	SACS	G	
TE-102-AW-36	12/19/84	71	SACS	G	
TE-102-AW-36	12/26/84	69	SACS	G	
TE-102-AW-36	1/2/85	67	SACS	G	
TE-102-AW-36	1/9/85	65	SACS	G	
TE-102-AW-36	1/16/85	64	SACS	G	
TE-102-AW-36	1/23/85	63	SACS	G	
TE-102-AW-36	1/30/85	63	SACS	G	
TE-102-AW-36	2/6/85	62	SACS	G	
TE-102-AW-36	2/13/85	63	SACS	G	
TE-102-AW-36	2/24/85	61	SACS	G	
TE-102-AW-36	2/27/85	61	SACS	G	
TE-102-AW-36	3/6/85	61	SACS	G	
TE-102-AW-36	3/18/85	61	SACS	G	
TE-102-AW-36	3/27/85	61	SACS	G	
TE-102-AW-36	4/3/85	62	SACS	G	
TE-102-AW-36	4/10/85	62	SACS	G	
TE-102-AW-36	4/17/85	60	SACS	G	
TE-102-AW-36	4/24/85	61	SACS	G	
TE-102-AW-36	5/3/85	66	SACS	G	
TE-102-AW-36	5/8/85	64	SACS	G	
TE-102-AW-36	5/15/85	63	SACS	G	
TE-102-AW-36	5/22/85	60	SACS	G	
TE-102-AW-36	5/30/85	62	SACS	G	
TE-102-AW-36	6/5/85	63	SACS	G	
TE-102-AW-36	6/13/85	63	SACS	G	
TE-102-AW-36	6/19/85	66	SACS	G	
TE-102-AW-36	6/26/85	73	SACS	G	
TE-102-AW-39	7/16/83	76	CASS	T	
TE-102-AW-39	7/23/83	75	CASS	T	
TE-102-AW-39	7/30/83	75	CASS	T	
TE-102-AW-39	8/4/83	76	CASS	T	
TE-102-AW-39	8/9/83	77	CASS	T	
TE-102-AW-39	8/20/83	76	CASS	T	
TE-102-AW-39	8/27/83	79	CASS	T	
TE-102-AW-39	8/31/83	79	CASS	T	
TE-102-AW-39	9/10/83	78	CASS	T	
TE-102-AW-39	9/14/83	78	CASS	T	
TE-102-AW-39	9/24/83	78	CASS	T	
TE-102-AW-39	10/1/83	94	CASS	T	
TE-102-AW-39	10/2/83	89	CASS	T	
TE-102-AW-39	10/13/83	79	CASS	T	
TE-102-AW-39	10/21/83	80	CASS	T	
TE-102-AW-39	3/9/84	97	CASS	T	
TE-102-AW-39	3/17/84	98	CASS	T	
TE-102-AW-39	3/19/84	99	CASS	T	
TE-102-AW-39	3/25/84	91	CASS	T	
TE-102-AW-39	4/2/84	90	CASS	T	
TE-102-AW-39	4/14/84	85	CASS	T	
TE-102-AW-39	4/21/84	87	CASS	T	
TE-102-AW-39	4/23/84	87	CASS	T	
TE-102-AW-39	5/5/84	98	CASS	T	
TE-102-AW-39	5/9/84	106	CASS	T	
TE-102-AW-39	5/14/84	81	CASS	T	
TE-102-AW-39	5/20/84	78	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-39	6/2/84	75	CASS	T	
TE-102-AW-39	6/7/84	85	CASS	T	
TE-102-AW-39	6/20/84	91	CASS	T	
TE-102-AW-39	6/29/84	94	CASS	T	
TE-102-AW-39	7/7/84	97	CASS	T	
TE-102-AW-39	7/13/84	103	CASS	T	
TE-102-AW-39	7/16/84	102	CASS	T	
TE-102-AW-39	7/28/84	112	CASS	T	
TE-102-AW-39	7/29/84	113	CASS	T	
TE-102-AW-39	8/11/84	117	CASS	T	
TE-102-AW-39	8/15/84	120	CASS	T	
TE-102-AW-39	8/20/84	120	CASS	T	
TE-102-AW-39	8/30/84	118	CASS	T	
TE-102-AW-39	9/4/84	117	CASS	T	
TE-102-AW-39	9/9/84	116	CASS	T	
TE-102-AW-39	9/19/84	114	CASS	T	
TE-102-AW-39	9/24/84	113	CASS	T	
TE-102-AW-39	10/3/84	111	CASS	T	
TE-102-AW-39	10/8/84	110	CASS	T	
TE-102-AW-39	10/17/84	108	CASS	T	
TE-102-AW-39	10/21/84	99	CASS	T	
TE-102-AW-39	10/31/84	95	CASS	T	
TE-102-AW-39	11/10/84	93	CASS	T	
TE-102-AW-39	11/17/84	103	CASS	T	
TE-102-AW-39	11/19/84	102	CASS	T	
TE-102-AW-39	11/30/84	101	CASS	T	
TE-102-AW-39	12/5/84	101	CASS	T	
TE-102-AW-39	12/10/84	100	CASS	T	
TE-102-AW-39	12/22/84	93	CASS	T	
TE-102-AW-39	12/23/84	93	CASS	T	
TE-102-AW-39	12/31/84	83	CASS	T	
TE-102-AW-39	1/8/85	75	CASS	T	
TE-102-AW-39	1/19/85	83	CASS	T	
TE-102-AW-39	1/24/85	96	CASS	T	
TE-102-AW-39	1/31/85	108	CASS	T	
TE-102-AW-39	2/4/85	103	CASS	T	
TE-102-AW-39	2/10/85	92	CASS	T	
TE-102-AW-39	2/17/85	84	CASS	T	
TE-102-AW-39	3/2/85	93	CASS	T	
TE-102-AW-39	3/9/85	83	CASS	T	
TE-102-AW-39	3/14/85	83	CASS	T	
TE-102-AW-39	3/23/85	82	CASS	T	
TE-102-AW-39	3/29/85	82	CASS	T	
TE-102-AW-39	4/6/85	93	CASS	T	
TE-102-AW-39	4/11/85	92	CASS	T	
TE-102-AW-39	4/20/85	89	CASS	T	
TE-102-AW-39	4/25/85	97	CASS	T	
TE-102-AW-39	4/28/85	93	CASS	T	
TE-102-AW-39	5/5/85	79	CASS	T	
TE-102-AW-39	5/18/85	86	CASS	T	
TE-102-AW-39	5/25/85	93	CASS	T	
TE-102-AW-39	5/28/85	96	CASS	T	
TE-102-AW-39	6/4/85	94	CASS	T	
TE-102-AW-39	6/9/85	93	CASS	T	
TE-102-AW-39	6/19/85	91	CASS	T	
TE-102-AW-39	11/1/85	96	CASS	T	
TE-102-AW-39	12/1/85	108	CASS	T	
TE-102-AW-39	1/2/86	109	CASS	T	
TE-102-AW-39	1/7/86	109	CASS	T	
TE-102-AW-39	1/18/86	100	CASS	T	
TE-102-AW-39	1/25/86	101	CASS	T	
TE-102-AW-39	1/28/86	100	CASS	T	
TE-102-AW-39	2/4/86	98	CASS	T	
TE-102-AW-39	2/13/86	101	CASS	T	
TE-102-AW-39	2/18/86	103	CASS	T	
TE-102-AW-39	3/1/86	108	CASS	T	
TE-102-AW-39	3/3/86	109	CASS	T	
TE-102-AW-39	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-39	9/17/86	109	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-39	9/22/86	105	CASS	T	
TE-102-AW-39	10/2/86	103	CASS	T	
TE-102-AW-39	10/8/86	99	CASS	T	
TE-102-AW-39	10/18/86	123	CASS	T	
TE-102-AW-39	10/20/86	133	CASS	T	
TE-102-AW-39	10/26/86	125	CASS	T	
TE-102-AW-39	11/2/86	104	CASS	T	
TE-102-AW-39	11/15/86	131	CASS	T	
TE-102-AW-39	11/18/86	135	CASS	T	
TE-102-AW-39	11/23/86	117	CASS	T	
TE-102-AW-39	12/2/86	106	CASS	T	
TE-102-AW-39	12/9/86	106	CASS	T	
TE-102-AW-39	12/14/86	104	CASS	T	
TE-102-AW-39	12/27/86	102	CASS	T	
TE-102-AW-39	12/28/86	106	CASS	T	
TE-102-AW-39	7/4/87	77	CASS	T	
TE-102-AW-39	7/11/87	98	CASS	T	
TE-102-AW-39	7/12/87	97	CASS	T	
TE-102-AW-39	7/23/87	97	CASS	T	
TE-102-AW-39	7/31/87	93	CASS	T	
TE-102-AW-39	8/7/87	103	CASS	T	
TE-102-AW-39	8/12/87	104	CASS	T	
TE-102-AW-39	8/22/87	106	CASS	T	
TE-102-AW-39	8/27/87	110	CASS	T	
TE-102-AW-39	9/1/87	99	CASS	T	
TE-102-AW-39	9/7/87	97	CASS	T	
TE-102-AW-39	11/28/87	93	CASS	T	
TE-102-AW-39	11/29/87	92	CASS	T	
TE-102-AW-39	3/28/88	85	CASS	T	
TE-102-AW-39	3/27/88	83	CASS	T	
TE-102-AW-39	8/4/88	92	CASS	T	
TE-102-AW-39	6/11/88	95	CASS	T	
TE-102-AW-39	6/15/88	95	CASS	T	
TE-102-AW-39	6/21/88	93	CASS	T	
TE-102-AW-39	7/2/88	93	CASS	T	
TE-102-AW-39	7/4/88	94	CASS	T	
TE-102-AW-39	7/16/88	101	CASS	T	
TE-102-AW-39	7/20/88	106	CASS	T	
TE-102-AW-39	7/30/88	84	CASS	T	
TE-102-AW-39	8/4/88	87	CASS	T	
TE-102-AW-39	8/13/88	88	CASS	T	
TE-102-AW-39	8/14/88	103	CASS	T	
TE-102-AW-39	8/25/88	104	CASS	T	
TE-102-AW-39	9/3/88	90	CASS	T	
TE-102-AW-39	9/10/88	93	CASS	T	
TE-102-AW-39	9/13/88	98	CASS	T	
TE-102-AW-39	9/22/88	97	CASS	T	
TE-102-AW-39	9/28/88	95	CASS	T	
TE-102-AW-39	12/1/88	90	CASS	T	
TE-102-AW-39	12/10/88	93	CASS	T	
TE-102-AW-39	12/11/88	92	CASS	T	
TE-102-AW-39	12/18/88	88	CASS	T	
TE-102-AW-39	9/2/89	77	CASS	T	
TE-102-AW-39	9/9/89	77	CASS	T	
TE-102-AW-39	9/16/89	77	CASS	T	
TE-102-AW-39	9/23/89	77	CASS	T	
TE-102-AW-39	9/29/89	77	CASS	T	
TE-102-AW-39	11/4/89	75	CASS	T	
TE-102-AW-39	11/11/89	75	CASS	T	
TE-102-AW-39	11/18/89	74	CASS	T	
TE-102-AW-39	11/23/89	74	CASS	T	
TE-102-AW-39	12/2/89	74	CASS	T	
TE-102-AW-39	12/8/89	74	CASS	T	
TE-102-AW-39	12/16/89	75	CASS	T	
TE-102-AW-39	12/22/89	74	CASS	T	
TE-102-AW-39	12/27/89	73	CASS	T	
TE-102-AW-39	1/1/90	72	CASS	T	
TE-102-AW-39	1/13/90	71	CASS	T	
TE-102-AW-39	1/15/90	71	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-39	1/27/90	70	CASS	T	
TE-102-AW-39	2/1/90	70	CASS	T	
TE-102-AW-39	2/10/90	69	CASS	T	
TE-102-AW-39	2/13/90	69	CASS	T	
TE-102-AW-39	2/24/90	68	CASS	T	
TE-102-AW-39	3/2/90	68	CASS	T	
TE-102-AW-39	3/7/90	68	CASS	T	
TE-102-AW-39	3/17/90	67	CASS	T	
TE-102-AW-39	3/22/90	67	CASS	T	
TE-102-AW-39	3/31/90	67	CASS	T	
TE-102-AW-39	4/7/90	67	CASS	T	
TE-102-AW-39	4/14/90	66	CASS	T	
TE-102-AW-39	4/21/90	67	CASS	T	
TE-102-AW-39	4/24/90	67	CASS	T	
TE-102-AW-39	5/5/90	67	CASS	T	
TE-102-AW-39	5/11/90	67	CASS	T	
TE-102-AW-39	5/19/90	67	CASS	T	
TE-102-AW-39	5/22/90	67	CASS	T	
TE-102-AW-39	6/2/90	67	CASS	T	
TE-102-AW-39	6/9/90	67	CASS	T	
TE-102-AW-39	6/16/90	67	CASS	T	
TE-102-AW-39	6/23/90	67	CASS	T	
TE-102-AW-39	6/30/90	68	CASS	T	
TE-102-AW-39	7/7/90	68	CASS	T	
TE-102-AW-39	7/14/90	68	CASS	T	
TE-102-AW-39	7/21/90	69	CASS	T	
TE-102-AW-39	7/28/90	69	CASS	T	
TE-102-AW-39	8/4/90	70	CASS	T	
TE-102-AW-39	8/11/90	70	CASS	T	
TE-102-AW-39	8/18/90	70	CASS	T	
TE-102-AW-39	8/25/90	71	CASS	T	
TE-102-AW-39	9/1/90	71	CASS	T	
TE-102-AW-39	9/8/90	71	CASS	T	
TE-102-AW-39	9/12/90	72	CASS	T	
TE-102-AW-39	9/18/90	72	CASS	T	
TE-102-AW-39	9/29/90	72	CASS	T	
TE-102-AW-39	10/5/90	72	CASS	T	
TE-102-AW-39	10/13/90	71	CASS	T	
TE-102-AW-39	10/20/90	71	CASS	T	
TE-102-AW-39	10/27/90	71	CASS	T	
TE-102-AW-39	11/2/90	71	CASS	T	
TE-102-AW-39	11/10/90	70	CASS	T	
TE-102-AW-39	11/17/90	70	CASS	T	
TE-102-AW-39	11/24/90	70	CASS	T	
TE-102-AW-39	11/26/90	70	CASS	T	
TE-102-AW-39	12/6/90	69	CASS	T	
TE-102-AW-39	12/13/90	69	CASS	T	
TE-102-AW-39	12/19/90	68	CASS	T	
TE-102-AW-39	12/28/90	67	CASS	T	
TE-102-AW-39	1/4/91	66	CASS	T	
TE-102-AW-39	1/12/91	65	CASS	T	
TE-102-AW-39	1/18/91	65	CASS	T	
TE-102-AW-39	1/26/91	64	CASS	T	
TE-102-AW-39	2/2/91	64	CASS	T	
TE-102-AW-39	2/9/91	64	CASS	T	
TE-102-AW-39	2/15/91	64	CASS	T	
TE-102-AW-39	2/23/91	63	CASS	T	
TE-102-AW-39	3/2/91	63	CASS	T	
TE-102-AW-39	3/9/91	63	CASS	T	
TE-102-AW-39	3/14/91	63	CASS	T	
TE-102-AW-39	3/23/91	62	CASS	T	
TE-102-AW-39	3/24/91	63	CASS	T	
TE-102-AW-39	4/6/91	62	CASS	T	
TE-102-AW-39	4/13/91	62	CASS	T	
TE-102-AW-39	4/20/91	62	CASS	T	
TE-102-AW-39	4/27/91	62	CASS	T	
TE-102-AW-39	5/4/91	62	CASS	T	
TE-102-AW-39	5/11/91	62	CASS	T	
TE-102-AW-39	5/18/91	62	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-39	5/25/91	63	CASS	T	
TE-102-AW-39	5/31/91	63	CASS	T	
TE-102-AW-39	6/8/91	63	CASS	T	
TE-102-AW-39	6/15/91	63	CASS	T	
TE-102-AW-39	6/21/91	63	CASS	T	
TE-102-AW-39	6/25/91	64	CASS	T	
TE-102-AW-40	7/14/83	76	CASS	T	
TE-102-AW-40	7/21/83	75	CASS	T	
TE-102-AW-40	7/30/83	75	CASS	T	
TE-102-AW-40	8/6/83	76	CASS	T	
TE-102-AW-40	8/12/83	77	CASS	T	
TE-102-AW-40	8/17/83	77	CASS	T	
TE-102-AW-40	8/27/83	76	CASS	T	
TE-102-AW-40	8/31/83	79	CASS	T	
TE-102-AW-40	9/10/83	76	CASS	T	
TE-102-AW-40	9/14/83	78	CASS	T	
TE-102-AW-40	9/24/83	78	CASS	T	
TE-102-AW-40	10/1/83	83	CASS	T	
TE-102-AW-40	10/2/83	89	CASS	T	
TE-102-AW-40	10/13/83	78	CASS	T	
TE-102-AW-40	10/21/83	77	CASS	T	
TE-102-AW-40	3/10/84	96	CASS	T	
TE-102-AW-40	3/17/84	87	CASS	T	
TE-102-AW-40	3/19/84	98	CASS	T	
TE-102-AW-40	3/27/84	90	CASS	T	
TE-102-AW-40	4/2/84	89	CASS	T	
TE-102-AW-40	4/14/84	85	CASS	T	
TE-102-AW-40	4/21/84	86	CASS	T	
TE-102-AW-40	4/27/84	86	CASS	T	
TE-102-AW-40	5/5/84	97	CASS	T	
TE-102-AW-40	5/8/84	105	CASS	T	
TE-102-AW-40	5/13/84	82	CASS	T	
TE-102-AW-40	5/20/84	77	CASS	T	
TE-102-AW-40	6/2/84	75	CASS	T	
TE-102-AW-40	6/7/84	84	CASS	T	
TE-102-AW-40	6/18/84	91	CASS	T	
TE-102-AW-40	6/30/84	93	CASS	T	
TE-102-AW-40	7/5/84	87	CASS	T	
TE-102-AW-40	7/13/84	102	CASS	T	
TE-102-AW-40	7/18/84	101	CASS	T	
TE-102-AW-40	7/28/84	112	CASS	T	
TE-102-AW-40	7/30/84	112	CASS	T	
TE-102-AW-40	8/11/84	117	CASS	T	
TE-102-AW-40	8/18/84	119	CASS	T	
TE-102-AW-40	8/19/84	120	CASS	T	
TE-102-AW-40	8/27/84	118	CASS	T	
TE-102-AW-40	9/7/84	116	CASS	T	
TE-102-AW-40	9/12/84	115	CASS	T	
TE-102-AW-40	9/18/84	114	CASS	T	
TE-102-AW-40	9/25/84	112	CASS	T	
TE-102-AW-40	10/1/84	111	CASS	T	
TE-102-AW-40	10/11/84	109	CASS	T	
TE-102-AW-40	10/14/84	108	CASS	T	
TE-102-AW-40	10/21/84	99	CASS	T	
TE-102-AW-40	10/29/84	95	CASS	T	
TE-102-AW-40	11/10/84	93	CASS	T	
TE-102-AW-40	11/16/84	104	CASS	T	
TE-102-AW-40	11/18/84	102	CASS	T	
TE-102-AW-40	11/30/84	101	CASS	T	
TE-102-AW-40	12/7/84	100	CASS	T	
TE-102-AW-40	12/14/84	97	CASS	T	
TE-102-AW-40	12/22/84	93	CASS	T	
TE-102-AW-40	12/23/84	93	CASS	T	
TE-102-AW-40	12/31/84	83	CASS	T	
TE-102-AW-40	1/8/85	74	CASS	T	
TE-102-AW-40	1/19/85	82	CASS	T	
TE-102-AW-40	1/26/85	97	CASS	T	
TE-102-AW-40	1/31/85	105	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-40	2/3/85	103	CASS	T	
TE-102-AW-40	2/10/85	92	CASS	T	
TE-102-AW-40	2/19/85	83	CASS	T	
TE-102-AW-40	2/24/85	83	CASS	T	
TE-102-AW-40	3/9/85	82	CASS	T	
TE-102-AW-40	3/18/85	82	CASS	T	
TE-102-AW-40	3/22/85	82	CASS	T	
TE-102-AW-40	3/30/85	81	CASS	T	
TE-102-AW-40	4/5/85	93	CASS	T	
TE-102-AW-40	4/9/85	92	CASS	T	
TE-102-AW-40	4/14/85	89	CASS	T	
TE-102-AW-40	4/24/85	93	CASS	T	
TE-102-AW-40	4/30/85	90	CASS	T	
TE-102-AW-40	5/5/85	79	CASS	T	
TE-102-AW-40	5/15/85	86	CASS	T	
TE-102-AW-40	5/25/85	92	CASS	T	
TE-102-AW-40	5/27/85	96	CASS	T	
TE-102-AW-40	6/3/85	94	CASS	T	
TE-102-AW-40	6/12/85	92	CASS	T	
TE-102-AW-40	6/18/85	81	CASS	T	
TE-102-AW-40	11/1/85	98	CASS	T	
TE-102-AW-40	12/1/85	108	CASS	T	
TE-102-AW-40	1/3/86	108	CASS	T	
TE-102-AW-40	1/7/86	108	CASS	T	
TE-102-AW-40	1/18/86	100	CASS	T	
TE-102-AW-40	1/25/86	96	CASS	T	
TE-102-AW-40	1/28/86	99	CASS	T	
TE-102-AW-40	2/8/86	97	CASS	T	
TE-102-AW-40	2/12/86	100	CASS	T	
TE-102-AW-40	2/18/86	102	CASS	T	
TE-102-AW-40	3/1/86	108	CASS	T	
TE-102-AW-40	3/4/86	108	CASS	T	
TE-102-AW-40	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-40	9/17/86	107	CASS	T	
TE-102-AW-40	10/11/86	97	CASS	T	
TE-102-AW-40	10/18/86	122	CASS	T	
TE-102-AW-40	10/21/86	132	CASS	T	
TE-102-AW-40	10/28/86	125	CASS	T	
TE-102-AW-40	11/2/86	103	CASS	T	
TE-102-AW-40	11/15/86	130	CASS	T	
TE-102-AW-40	11/17/86	135	CASS	T	
TE-102-AW-40	11/23/86	118	CASS	T	
TE-102-AW-40	12/1/86	109	CASS	T	
TE-102-AW-40	12/8/86	108	CASS	T	
TE-102-AW-40	12/15/86	103	CASS	T	
TE-102-AW-40	12/27/86	102	CASS	T	
TE-102-AW-40	12/28/86	106	CASS	T	
TE-102-AW-40	7/3/87	77	CASS	T	
TE-102-AW-40	7/11/87	83	CASS	T	
TE-102-AW-40	7/12/87	96	CASS	T	
TE-102-AW-40	7/23/87	86	CASS	T	
TE-102-AW-40	7/31/87	92	CASS	T	
TE-102-AW-40	8/8/87	103	CASS	T	
TE-102-AW-40	8/12/87	104	CASS	T	
TE-102-AW-40	8/22/87	107	CASS	T	
TE-102-AW-40	8/27/87	109	CASS	T	
TE-102-AW-40	9/3/87	98	CASS	T	
TE-102-AW-40	9/7/87	96	CASS	T	
TE-102-AW-40	11/28/87	93	CASS	T	
TE-102-AW-40	11/29/87	92	CASS	T	
TE-102-AW-40	3/25/88	85	CASS	T	
TE-102-AW-40	3/27/88	83	CASS	T	
TE-102-AW-40	6/2/88	92	CASS	T	
TE-102-AW-40	6/11/88	94	CASS	T	
TE-102-AW-40	6/15/88	94	CASS	T	
TE-102-AW-40	6/23/88	92	CASS	T	
TE-102-AW-40	6/30/88	93	CASS	T	
TE-102-AW-40	7/3/88	94	CASS	T	
TE-102-AW-40	7/16/88	101	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-40	7/20/88	105	CASS	T	
TE-102-AW-40	7/30/88	84	CASS	T	
TE-102-AW-40	8/6/88	86	CASS	T	
TE-102-AW-40	8/13/88	93	CASS	T	
TE-102-AW-40	8/14/88	103	CASS	T	
TE-102-AW-40	8/25/88	104	CASS	T	
TE-102-AW-40	9/3/88	89	CASS	T	
TE-102-AW-40	9/10/88	93	CASS	T	
TE-102-AW-40	9/13/88	97	CASS	T	
TE-102-AW-40	9/21/88	97	CASS	T	
TE-102-AW-40	9/27/88	94	CASS	T	
TE-102-AW-40	12/1/88	89	CASS	T	
TE-102-AW-40	12/10/88	92	CASS	T	
TE-102-AW-40	12/11/88	92	CASS	T	
TE-102-AW-40	12/18/88	87	CASS	T	
TE-102-AW-40	7/10/89	74	SACS	T	
TE-102-AW-40	7/17/89	74	SACS	T	
TE-102-AW-40	7/24/89	75	SACS	T	
TE-102-AW-40	8/7/89	73	SACS	T	
TE-102-AW-40	8/14/89	77	SACS	T	
TE-102-AW-40	8/21/89	85	SACS	T	
TE-102-AW-40	9/2/89	78	CASS	T	
TE-102-AW-40	9/5/89	77	CASS	T	
TE-102-AW-40	9/16/89	76	CASS	T	
TE-102-AW-40	9/23/89	76	CASS	T	
TE-102-AW-40	9/30/89	76	CASS	T	
TE-102-AW-40	10/1/89	82	SACS	S	Data point did not agree with local trend
TE-102-AW-40	10/9/89	51	SACS	S	Data point did not agree with local trend
TE-102-AW-40	10/16/89	76	SACS	T	
TE-102-AW-40	10/24/89	75	SACS	T	
TE-102-AW-40	10/30/89	76	SACS	T	
TE-102-AW-40	11/11/89	74	CASS	T	
TE-102-AW-40	11/17/89	74	CASS	T	
TE-102-AW-40	11/20/89	82	SACS	T	
TE-102-AW-40	12/1/89	73	CASS	T	
TE-102-AW-40	12/9/89	72	CASS	T	
TE-102-AW-40	12/16/89	74	CASS	T	
TE-102-AW-40	12/23/89	73	CASS	T	
TE-102-AW-40	12/24/89	73	CASS	T	
TE-102-AW-40	1/2/90	72	SACS	T	
TE-102-AW-40	1/7/90	71	CASS	T	
TE-102-AW-40	1/8/90	86	SACS	S	Data point did not agree with local trend
TE-102-AW-40	1/15/90	71	SACS	T	
TE-102-AW-40	1/22/90	70	SACS	T	
TE-102-AW-40	1/29/90	70	SACS	T	
TE-102-AW-40	2/5/90	69	SACS	T	
TE-102-AW-40	2/12/90	69	SACS	T	
TE-102-AW-40	2/19/90	69	SACS	T	
TE-102-AW-40	2/28/90	67	CASS	T	
TE-102-AW-40	3/7/90	67	CASS	T	
TE-102-AW-40	3/12/90	67	SACS	T	
TE-102-AW-40	3/19/90	67	SACS	T	
TE-102-AW-40	3/31/90	66	CASS	T	
TE-102-AW-40	4/7/90	66	CASS	T	
TE-102-AW-40	4/14/90	66	CASS	T	
TE-102-AW-40	4/16/90	91	SACS	S	Data point did not agree with local trend
TE-102-AW-40	4/21/90	66	CASS	T	
TE-102-AW-40	4/28/90	66	CASS	T	
TE-102-AW-40	5/5/90	66	CASS	T	
TE-102-AW-40	5/12/90	66	CASS	T	
TE-102-AW-40	5/14/90	72	SACS	T	
TE-102-AW-40	5/22/90	66	CASS	T	
TE-102-AW-40	5/28/90	80	SACS	S	Data point did not agree with local trend
TE-102-AW-40	6/2/90	66	CASS	T	
TE-102-AW-40	6/9/90	66	CASS	T	
TE-102-AW-40	6/11/90	83	SACS	S	Data point did not agree with local trend
TE-102-AW-40	6/18/90	66	CASS	T	
TE-102-AW-40	6/23/90	67	CASS	T	
TE-102-AW-40	6/30/90	67	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-40	7/2/90	89	SACS	S	Data point did not agree with local trend
TE-102-AW-40	7/7/90	67	CASS	T	
TE-102-AW-40	7/14/90	68	CASS	T	
TE-102-AW-40	7/21/90	68	CASS	T	
TE-102-AW-40	7/28/90	69	CASS	T	
TE-102-AW-40	8/4/90	69	CASS	T	
TE-102-AW-40	8/11/90	70	CASS	T	
TE-102-AW-40	8/18/90	70	CASS	T	
TE-102-AW-40	8/20/90	83	SACS	S	Data point did not agree with local trend
TE-102-AW-40	8/25/90	70	CASS	T	
TE-102-AW-40	9/1/90	70	CASS	T	
TE-102-AW-40	9/8/90	71	CASS	T	
TE-102-AW-40	9/10/90	102	SACS	S	Data point did not agree with local trend
TE-102-AW-40	9/15/90	71	CASS	T	
TE-102-AW-40	9/22/90	71	CASS	T	
TE-102-AW-40	9/24/90	81	SACS	S	Data point did not agree with local trend
TE-102-AW-40	9/29/90	71	CASS	T	
TE-102-AW-40	10/6/90	71	CASS	T	
TE-102-AW-40	10/8/90	72	SACS	T	
TE-102-AW-40	10/17/90	71	CASS	T	
TE-102-AW-40	10/22/90	71	SACS	T	
TE-102-AW-40	11/3/90	70	CASS	T	
TE-102-AW-40	11/8/90	90	CASS	S	Data point did not agree with local trend
TE-102-AW-40	11/10/90	70	CASS	T	
TE-102-AW-40	11/12/90	70	SACS	T	
TE-102-AW-40	11/24/90	69	CASS	T	
TE-102-AW-40	11/30/90	69	CASS	T	
TE-102-AW-40	12/3/90	69	SACS	T	
TE-102-AW-40	12/6/90	88	CASS	S	Data point did not agree with local trend
TE-102-AW-40	12/15/90	68	CASS	T	
TE-102-AW-40	12/16/90	68	CASS	T	
TE-102-AW-40	12/24/90	67	SACS	T	
TE-102-AW-40	12/31/90	67	SACS	T	
TE-102-AW-40	1/7/91	66	SACS	T	
TE-102-AW-40	1/14/91	65	SACS	T	
TE-102-AW-40	1/21/91	65	SACS	T	
TE-102-AW-40	1/28/91	64	SACS	T	
TE-102-AW-40	2/9/91	63	CASS	T	
TE-102-AW-40	2/16/91	63	CASS	T	
TE-102-AW-40	2/22/91	63	CASS	T	
TE-102-AW-40	3/2/91	63	CASS	T	
TE-102-AW-40	3/9/91	62	CASS	T	
TE-102-AW-40	3/16/91	62	CASS	T	
TE-102-AW-40	3/23/91	62	CASS	T	
TE-102-AW-40	3/25/91	62	SACS	T	
TE-102-AW-40	4/6/91	61	CASS	T	
TE-102-AW-40	4/13/91	61	CASS	T	
TE-102-AW-40	4/20/91	61	CASS	T	
TE-102-AW-40	4/27/91	61	CASS	T	
TE-102-AW-40	5/4/91	61	CASS	T	
TE-102-AW-40	5/11/91	61	CASS	T	
TE-102-AW-40	5/18/91	62	CASS	T	
TE-102-AW-40	5/25/91	62	CASS	T	
TE-102-AW-40	5/31/91	62	CASS	T	
TE-102-AW-40	6/8/91	62	CASS	T	
TE-102-AW-40	6/15/91	63	CASS	T	
TE-102-AW-40	6/21/91	63	CASS	T	
TE-102-AW-40	6/25/91	63	CASS	T	
TE-102-AW-40	7/1/91	62	SACS	T	
TE-102-AW-40	7/8/91	62	SACS	T	
TE-102-AW-40	7/15/91	64	SACS	T	
TE-102-AW-40	7/22/91	63	SACS	T	
TE-102-AW-40	7/29/91	64	SACS	T	
TE-102-AW-40	8/4/91	64	SACS	T	
TE-102-AW-40	8/10/91	64	SACS	T	
TE-102-AW-40	8/26/91	65	SACS	T	
TE-102-AW-40	9/2/91	66	SACS	T	
TE-102-AW-40	9/9/91	67	SACS	T	
TE-102-AW-40	9/16/91	67	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-40	9/23/91	68	SACS	T	
TE-102-AW-40	9/30/91	68	SACS	T	
TE-102-AW-40	10/7/91	68	SACS	T	
TE-102-AW-40	10/14/91	68	SACS	T	
TE-102-AW-40	10/21/91	68	SACS	T	
TE-102-AW-40	10/28/91	68	SACS	T	
TE-102-AW-40	11/5/91	68	SACS	T	
TE-102-AW-40	11/11/91	68	SACS	T	
TE-102-AW-40	11/18/91	68	SACS	T	
TE-102-AW-40	11/25/91	66	SACS	T	
TE-102-AW-40	12/2/91	66	SACS	T	
TE-102-AW-40	12/9/91	65	SACS	T	
TE-102-AW-40	12/16/91	65	SACS	T	
TE-102-AW-40	12/23/91	64	SACS	T	
TE-102-AW-40	12/30/91	64	SACS	T	
TE-102-AW-40	1/6/92	63	SACS	T	
TE-102-AW-40	1/13/92	63	SACS	T	
TE-102-AW-40	1/20/92	63	SACS	T	
TE-102-AW-40	1/27/92	61	SACS	T	
TE-102-AW-40	2/3/92	61	SACS	T	
TE-102-AW-40	2/10/92	62	SACS	T	
TE-102-AW-40	2/22/92	62	SACS	T	
TE-102-AW-40	2/24/92	61	SACS	T	
TE-102-AW-40	3/2/92	60	SACS	T	
TE-102-AW-40	3/11/92	60	SACS	T	
TE-102-AW-40	3/18/92	60	SACS	T	
TE-102-AW-40	3/23/92	60	SACS	T	
TE-102-AW-40	4/4/92	65	CASS	T	
TE-102-AW-40	4/8/92	61	SACS	T	
TE-102-AW-40	4/17/92	66	CASS	T	
TE-102-AW-40	4/20/92	60	SACS	T	
TE-102-AW-40	4/27/92	60	SACS	T	
TE-102-AW-40	5/4/92	60	SACS	T	
TE-102-AW-40	5/11/92	60	SACS	T	
TE-102-AW-40	5/18/92	61	SACS	T	
TE-102-AW-40	5/25/92	60	SACS	T	
TE-102-AW-40	6/6/92	61	SACS	T	
TE-102-AW-40	6/15/92	62	SACS	T	
TE-102-AW-40	6/22/92	62	SACS	T	
TE-102-AW-40	7/6/92	63	SACS	T	
TE-102-AW-40	7/13/92	63	SACS	T	
TE-102-AW-40	7/20/92	64	SACS	T	
TE-102-AW-40	7/27/92	64	SACS	T	
TE-102-AW-40	8/3/92	64	SACS	T	
TE-102-AW-40	8/10/92	65	SACS	T	
TE-102-AW-40	8/17/92	65	SACS	T	
TE-102-AW-40	8/24/92	66	SACS	T	
TE-102-AW-40	8/31/92	66	SACS	T	
TE-102-AW-40	9/7/92	67	SACS	T	
TE-102-AW-40	9/14/92	67	SACS	T	
TE-102-AW-40	9/21/92	66	SACS	T	
TE-102-AW-40	9/28/92	68	SACS	T	
TE-102-AW-40	10/5/92	69	SACS	T	
TE-102-AW-40	10/12/92	69	SACS	T	
TE-102-AW-40	10/19/92	68	SACS	T	
TE-102-AW-40	10/26/92	68	SACS	T	
TE-102-AW-40	11/2/92	68	SACS	T	
TE-102-AW-40	11/9/92	68	SACS	T	
TE-102-AW-40	11/16/92	68	SACS	T	
TE-102-AW-40	11/23/92	68	SACS	T	
TE-102-AW-40	11/30/92	66	SACS	T	
TE-102-AW-40	12/7/92	66	SACS	T	
TE-102-AW-40	12/14/92	66	SACS	T	
TE-102-AW-40	12/21/92	64	SACS	T	
TE-102-AW-40	12/28/92	64	SACS	T	
TE-102-AW-40	1/4/93	74	SACS	S	Data point did not agree with local trend
TE-102-AW-40	1/11/93	63	SACS	T	
TE-102-AW-40	1/18/93	62	SACS	T	
TE-102-AW-40	1/25/93	62	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-40	3/1/93	62	SACS	T	
TE-102-AW-40	3/8/93	60	SACS	T	
TE-102-AW-40	3/20/93	59	SACS	T	
TE-102-AW-40	3/22/93	59	SACS	T	
TE-102-AW-40	3/29/93	59	SACS	T	
TE-102-AW-40	4/6/93	59	SACS	T	
TE-102-AW-40	4/12/93	59	SACS	T	
TE-102-AW-40	4/19/93	59	SACS	T	
TE-102-AW-40	4/28/93	59	SACS	T	
TE-102-AW-40	5/3/93	60	SACS	T	
TE-102-AW-40	5/10/93	58	SACS	T	
TE-102-AW-40	5/17/93	59	SACS	T	
TE-102-AW-40	5/24/93	60	SACS	T	
TE-102-AW-40	5/31/93	60	SACS	T	
TE-102-AW-40	6/7/93	61	SACS	T	
TE-102-AW-40	6/15/93	61	SACS	T	
TE-102-AW-40	6/22/93	62	SACS	T	
TE-102-AW-40	6/28/93	60	SACS	T	
TE-102-AW-40	7/5/93	61	SACS	T	
TE-102-AW-40	7/12/93	61	SACS	T	
TE-102-AW-40	7/19/93	63	SACS	T	
TE-102-AW-40	7/26/93	63	SACS	T	
TE-102-AW-40	8/2/93	63	SACS	T	
TE-102-AW-40	8/9/93	63	SACS	T	
TE-102-AW-40	8/16/93	64	SACS	T	
TE-102-AW-40	8/23/93	64	SACS	T	
TE-102-AW-40	8/30/93	65	SACS	T	
TE-102-AW-40	9/13/93	66	SACS	T	
TE-102-AW-40	9/21/93	66	SACS	T	
TE-102-AW-40	9/27/93	66	SACS	T	
TE-102-AW-40	10/11/93	66	SACS	T	
TE-102-AW-40	10/19/93	67	SACS	T	
TE-102-AW-40	10/25/93	67	SACS	T	
TE-102-AW-40	11/1/93	66	SACS	T	
TE-102-AW-40	11/8/93	66	SACS	T	
TE-102-AW-40	11/15/93	67	SACS	T	
TE-102-AW-40	11/22/93	66	SACS	T	
TE-102-AW-40	11/29/93	77	SACS	S	Data point did not agree with local trend
TE-102-AW-40	12/6/93	66	SACS	T	
TE-102-AW-40	12/16/93	73	SACS	T	
TE-102-AW-40	12/20/93	66	SACS	T	
TE-102-AW-40	12/27/93	66	SACS	T	
TE-102-AW-40	1/5/94	66	SACS	T	
TE-102-AW-40	1/10/94	72	SACS	T	
TE-102-AW-40	1/24/94	65	SACS	T	
TE-102-AW-40	1/31/94	65	SACS	T	
TE-102-AW-40	2/7/94	66	SACS	G	
TE-102-AW-40	2/21/94	65	SACS	G	
TE-102-AW-40	2/28/94	65	SACS	T	
TE-102-AW-40	3/7/94	64	SACS	T	
TE-102-AW-40	3/14/94	64	SACS	G	
TE-102-AW-40	3/21/94	64	SACS	G	
TE-102-AW-40	3/28/94	62	SACS	G	
TE-102-AW-40	4/5/94	62	SACS	G	
TE-102-AW-40	4/11/94	62	SACS	G	
TE-102-AW-40	4/18/94	65	SACS	T	
TE-102-AW-40	4/25/94	74	SACS	G	
TE-102-AW-40	5/2/94	77	SACS	G	
TE-102-AW-40	5/9/94	67	SACS	G	
TE-102-AW-40	5/16/94	76	SACS	G	
TE-102-AW-40	5/31/94	67	SACS	G	
TE-102-AW-40	6/6/94	101	SACS	G	
TE-102-AW-40	6/13/94	89	SACS	G	
TE-102-AW-40	6/20/94	84	SACS	G	
TE-102-AW-40	6/27/94	81	SACS	G	
TE-102-AW-40	7/4/94	78	SACS	G	
TE-102-AW-40	7/18/94	76	SACS	G	
TE-102-AW-40	7/25/94	76	SACS	G	
TE-102-AW-40	8/1/94	76	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-40	8/8/84	77	SACS	G	
TE-102-AW-40	8/15/84	83	SACS	G	
TE-102-AW-40	8/22/84	83	SACS	G	
TE-102-AW-40	9/7/84	84	SACS	G	
TE-102-AW-40	9/12/84	85	SACS	G	
TE-102-AW-40	9/19/84	89	SACS	G	
TE-102-AW-40	9/26/84	92	SACS	G	
TE-102-AW-40	10/10/84	80	SACS	G	
TE-102-AW-40	10/17/84	86	SACS	G	
TE-102-AW-40	10/24/84	85	SACS	G	
TE-102-AW-40	10/31/84	93	SACS	G	
TE-102-AW-40	11/7/84	100	SACS	G	
TE-102-AW-40	11/14/84	97	SACS	G	
TE-102-AW-40	11/21/84	89	SACS	G	
TE-102-AW-40	11/28/84	81	SACS	G	
TE-102-AW-40	12/5/84	74	SACS	G	
TE-102-AW-40	12/12/84	72	SACS	G	
TE-102-AW-40	12/19/84	71	SACS	G	
TE-102-AW-40	12/26/84	69	SACS	G	
TE-102-AW-40	1/2/85	67	SACS	G	
TE-102-AW-40	1/9/85	65	SACS	G	
TE-102-AW-40	1/16/85	64	SACS	G	
TE-102-AW-40	1/23/85	63	SACS	G	
TE-102-AW-40	1/30/85	63	SACS	G	
TE-102-AW-40	2/6/85	62	SACS	G	
TE-102-AW-40	2/13/85	63	SACS	G	
TE-102-AW-40	2/24/85	61	SACS	G	
TE-102-AW-40	2/27/85	61	SACS	G	
TE-102-AW-40	3/8/85	61	SACS	G	
TE-102-AW-40	3/19/85	61	SACS	G	
TE-102-AW-40	3/27/85	61	SACS	G	
TE-102-AW-40	4/3/85	62	SACS	G	
TE-102-AW-40	4/10/85	62	SACS	G	
TE-102-AW-40	4/17/85	60	SACS	G	
TE-102-AW-40	4/24/85	61	SACS	G	
TE-102-AW-40	5/3/85	64	SACS	G	
TE-102-AW-40	5/8/85	63	SACS	G	
TE-102-AW-40	5/15/85	63	SACS	G	
TE-102-AW-40	5/22/85	60	SACS	G	
TE-102-AW-40	5/30/85	62	SACS	G	
TE-102-AW-40	6/5/85	62	SACS	G	
TE-102-AW-40	6/13/85	63	SACS	G	
TE-102-AW-40	6/19/85	66	SACS	G	
TE-102-AW-40	6/26/85	73	SACS	G	
TE-102-AW-41	7/16/83	73	CASS	T	
TE-102-AW-41	7/23/83	74	CASS	T	
TE-102-AW-41	7/29/83	75	CASS	T	
TE-102-AW-41	8/6/83	76	CASS	T	
TE-102-AW-41	8/13/83	76	CASS	T	
TE-102-AW-41	8/19/83	79	CASS	T	
TE-102-AW-41	8/26/83	80	CASS	T	
TE-102-AW-41	8/31/83	79	CASS	T	
TE-102-AW-41	9/10/83	78	CASS	T	
TE-102-AW-41	9/14/83	78	CASS	T	
TE-102-AW-41	9/24/83	78	CASS	T	
TE-102-AW-41	10/1/83	93	CASS	T	
TE-102-AW-41	10/2/83	89	CASS	T	
TE-102-AW-41	10/13/83	78	CASS	T	
TE-102-AW-41	10/21/83	77	CASS	T	
TE-102-AW-41	3/10/84	96	CASS	T	
TE-102-AW-41	3/17/84	97	CASS	T	
TE-102-AW-41	3/19/84	98	CASS	T	
TE-102-AW-41	3/27/84	90	CASS	T	
TE-102-AW-41	4/2/84	89	CASS	T	
TE-102-AW-41	4/14/84	85	CASS	T	
TE-102-AW-41	4/21/84	86	CASS	T	
TE-102-AW-41	4/27/84	86	CASS	T	
TE-102-AW-41	5/5/84	97	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-41	5/8/84	104	CASS	T	
TE-102-AW-41	5/13/84	82	CASS	T	
TE-102-AW-41	5/20/84	77	CASS	T	
TE-102-AW-41	6/2/84	75	CASS	T	
TE-102-AW-41	6/7/84	84	CASS	T	
TE-102-AW-41	6/19/84	91	CASS	T	
TE-102-AW-41	6/30/84	93	CASS	T	
TE-102-AW-41	7/5/84	97	CASS	T	
TE-102-AW-41	7/13/84	102	CASS	T	
TE-102-AW-41	7/18/84	101	CASS	T	
TE-102-AW-41	7/28/84	112	CASS	T	
TE-102-AW-41	7/30/84	112	CASS	T	
TE-102-AW-41	8/1/84	117	CASS	T	
TE-102-AW-41	8/18/84	119	CASS	T	
TE-102-AW-41	8/21/84	119	CASS	T	
TE-102-AW-41	8/28/84	118	CASS	T	
TE-102-AW-41	9/7/84	116	CASS	T	
TE-102-AW-41	9/12/84	115	CASS	T	
TE-102-AW-41	9/18/84	114	CASS	T	
TE-102-AW-41	9/25/84	112	CASS	T	
TE-102-AW-41	10/1/84	111	CASS	T	
TE-102-AW-41	10/11/84	109	CASS	T	
TE-102-AW-41	10/14/84	108	CASS	T	
TE-102-AW-41	10/21/84	99	CASS	T	
TE-102-AW-41	10/31/84	94	CASS	T	
TE-102-AW-41	11/9/84	93	CASS	T	
TE-102-AW-41	11/18/84	104	CASS	T	
TE-102-AW-41	11/19/84	102	CASS	T	
TE-102-AW-41	11/30/84	101	CASS	T	
TE-102-AW-41	12/8/84	100	CASS	T	
TE-102-AW-41	12/14/84	94	CASS	T	
TE-102-AW-41	12/22/84	93	CASS	T	
TE-102-AW-41	12/23/84	93	CASS	T	
TE-102-AW-41	12/31/84	83	CASS	T	
TE-102-AW-41	1/8/85	74	CASS	T	
TE-102-AW-41	1/19/85	82	CASS	T	
TE-102-AW-41	1/28/85	97	CASS	T	
TE-102-AW-41	1/31/85	105	CASS	T	
TE-102-AW-41	2/3/85	103	CASS	T	
TE-102-AW-41	2/10/85	91	CASS	T	
TE-102-AW-41	2/19/85	83	CASS	T	
TE-102-AW-41	3/2/85	82	CASS	T	
TE-102-AW-41	3/9/85	82	CASS	T	
TE-102-AW-41	3/16/85	82	CASS	T	
TE-102-AW-41	3/22/85	82	CASS	T	
TE-102-AW-41	3/30/85	81	CASS	T	
TE-102-AW-41	4/4/85	93	CASS	T	
TE-102-AW-41	4/7/85	92	CASS	T	
TE-102-AW-41	4/14/85	89	CASS	T	
TE-102-AW-41	4/24/85	93	CASS	T	
TE-102-AW-41	4/28/85	88	CASS	T	
TE-102-AW-41	5/5/85	79	CASS	T	
TE-102-AW-41	5/14/85	88	CASS	T	
TE-102-AW-41	5/25/85	92	CASS	T	
TE-102-AW-41	5/27/85	96	CASS	T	
TE-102-AW-41	6/2/85	94	CASS	T	
TE-102-AW-41	6/12/85	92	CASS	T	
TE-102-AW-41	6/18/85	91	CASS	T	
TE-102-AW-41	11/1/85	96	CASS	T	
TE-102-AW-41	12/1/85	108	CASS	T	
TE-102-AW-41	1/3/86	108	CASS	T	
TE-102-AW-41	1/7/86	108	CASS	T	
TE-102-AW-41	1/18/86	99	CASS	T	
TE-102-AW-41	1/25/86	95	CASS	T	
TE-102-AW-41	1/28/86	99	CASS	T	
TE-102-AW-41	2/8/86	97	CASS	T	
TE-102-AW-41	2/13/86	100	CASS	T	
TE-102-AW-41	2/18/86	102	CASS	T	
TE-102-AW-41	3/1/86	108	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-41	3/4/86	108	CASS	T	
TE-102-AW-41	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-41	9/17/86	107	CASS	T	
TE-102-AW-41	9/27/86	102	CASS	T	
TE-102-AW-41	9/28/86	102	CASS	T	
TE-102-AW-41	10/5/86	99	CASS	T	
TE-102-AW-41	10/18/86	122	CASS	T	
TE-102-AW-41	10/21/86	132	CASS	T	
TE-102-AW-41	10/28/86	125	CASS	T	
TE-102-AW-41	11/2/86	103	CASS	T	
TE-102-AW-41	11/15/86	130	CASS	T	
TE-102-AW-41	11/17/86	135	CASS	T	
TE-102-AW-41	11/23/86	116	CASS	T	
TE-102-AW-41	12/1/86	109	CASS	T	
TE-102-AW-41	12/8/86	106	CASS	T	
TE-102-AW-41	12/15/86	103	CASS	T	
TE-102-AW-41	12/27/86	103	CASS	T	
TE-102-AW-41	12/28/86	106	CASS	T	
TE-102-AW-41	7/4/87	76	CASS	T	
TE-102-AW-41	7/11/87	92	CASS	T	
TE-102-AW-41	7/15/87	95	CASS	T	
TE-102-AW-41	7/23/87	96	CASS	T	
TE-102-AW-41	7/31/87	92	CASS	T	
TE-102-AW-41	8/7/87	102	CASS	T	
TE-102-AW-41	8/11/87	104	CASS	T	
TE-102-AW-41	8/22/87	107	CASS	T	
TE-102-AW-41	8/27/87	109	CASS	T	
TE-102-AW-41	9/2/87	98	CASS	T	
TE-102-AW-41	9/7/87	96	CASS	T	
TE-102-AW-41	11/28/87	92	CASS	T	
TE-102-AW-41	11/29/87	92	CASS	T	
TE-102-AW-41	3/25/88	85	CASS	T	
TE-102-AW-41	3/27/88	82	CASS	T	
TE-102-AW-41	6/1/88	92	CASS	T	
TE-102-AW-41	6/11/88	94	CASS	T	
TE-102-AW-41	6/15/88	94	CASS	T	
TE-102-AW-41	6/22/88	92	CASS	T	
TE-102-AW-41	6/30/88	93	CASS	T	
TE-102-AW-41	7/3/88	94	CASS	T	
TE-102-AW-41	7/19/88	101	CASS	T	
TE-102-AW-41	7/20/88	105	CASS	T	
TE-102-AW-41	7/30/88	83	CASS	T	
TE-102-AW-41	8/8/88	86	CASS	T	
TE-102-AW-41	8/13/88	92	CASS	T	
TE-102-AW-41	8/14/88	102	CASS	T	
TE-102-AW-41	8/24/88	104	CASS	T	
TE-102-AW-41	9/3/88	99	CASS	T	
TE-102-AW-41	9/10/88	93	CASS	T	
TE-102-AW-41	9/13/88	97	CASS	T	
TE-102-AW-41	9/22/88	96	CASS	T	
TE-102-AW-41	9/27/88	94	CASS	T	
TE-102-AW-41	12/1/88	89	CASS	T	
TE-102-AW-41	12/10/88	92	CASS	T	
TE-102-AW-41	12/11/88	92	CASS	T	
TE-102-AW-41	12/19/88	87	CASS	T	
TE-102-AW-41	9/2/89	76	CASS	T	
TE-102-AW-41	9/9/89	76	CASS	T	
TE-102-AW-41	9/16/89	76	CASS	T	
TE-102-AW-41	9/23/89	76	CASS	T	
TE-102-AW-41	9/30/89	76	CASS	T	
TE-102-AW-41	11/4/89	74	CASS	T	
TE-102-AW-41	11/10/89	74	CASS	T	
TE-102-AW-41	11/18/89	73	CASS	T	
TE-102-AW-41	11/23/89	73	CASS	T	
TE-102-AW-41	11/30/89	73	CASS	T	
TE-102-AW-41	12/9/89	72	CASS	T	
TE-102-AW-41	12/15/89	74	CASS	T	
TE-102-AW-41	12/23/89	73	CASS	T	
TE-102-AW-41	12/30/89	72	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-41	1/6/90	71	CASS	T	
TE-102-AW-41	1/7/90	71	CASS	T	
TE-102-AW-41	1/17/90	70	CASS	T	
TE-102-AW-41	1/27/90	69	CASS	T	
TE-102-AW-41	1/28/90	69	CASS	T	
TE-102-AW-41	2/10/90	68	CASS	T	
TE-102-AW-41	2/13/90	68	CASS	T	
TE-102-AW-41	2/24/90	67	CASS	T	
TE-102-AW-41	3/3/90	67	CASS	T	
TE-102-AW-41	3/6/90	67	CASS	T	
TE-102-AW-41	3/17/90	66	CASS	T	
TE-102-AW-41	3/22/90	66	CASS	T	
TE-102-AW-41	3/31/90	66	CASS	T	
TE-102-AW-41	4/4/90	66	CASS	T	
TE-102-AW-41	4/13/90	66	CASS	T	
TE-102-AW-41	4/21/90	66	CASS	T	
TE-102-AW-41	4/28/90	66	CASS	T	
TE-102-AW-41	5/5/90	66	CASS	T	
TE-102-AW-41	5/12/90	66	CASS	T	
TE-102-AW-41	5/19/90	66	CASS	T	
TE-102-AW-41	5/22/90	66	CASS	T	
TE-102-AW-41	6/2/90	66	CASS	T	
TE-102-AW-41	6/9/90	66	CASS	T	
TE-102-AW-41	6/18/90	66	CASS	T	
TE-102-AW-41	6/23/90	67	CASS	T	
TE-102-AW-41	6/30/90	67	CASS	T	
TE-102-AW-41	7/7/90	67	CASS	T	
TE-102-AW-41	7/14/90	68	CASS	T	
TE-102-AW-41	7/21/90	68	CASS	T	
TE-102-AW-41	7/28/90	69	CASS	T	
TE-102-AW-41	8/4/90	69	CASS	T	
TE-102-AW-41	8/11/90	70	CASS	T	
TE-102-AW-41	8/18/90	70	CASS	T	
TE-102-AW-41	8/25/90	70	CASS	T	
TE-102-AW-41	8/31/90	70	CASS	T	
TE-102-AW-41	9/5/90	71	CASS	T	
TE-102-AW-41	9/15/90	71	CASS	T	
TE-102-AW-41	9/22/90	71	CASS	T	
TE-102-AW-41	9/28/90	71	CASS	T	
TE-102-AW-41	10/6/90	71	CASS	T	
TE-102-AW-41	10/13/90	71	CASS	T	
TE-102-AW-41	10/18/90	71	CASS	T	
TE-102-AW-41	10/27/90	70	CASS	T	
TE-102-AW-41	11/3/90	70	CASS	T	
TE-102-AW-41	11/10/90	70	CASS	T	
TE-102-AW-41	11/11/90	70	CASS	T	
TE-102-AW-41	11/24/90	69	CASS	T	
TE-102-AW-41	11/27/90	69	CASS	T	
TE-102-AW-41	12/8/90	68	CASS	T	
TE-102-AW-41	12/14/90	68	CASS	T	
TE-102-AW-41	12/19/90	67	CASS	T	
TE-102-AW-41	12/28/90	66	CASS	T	
TE-102-AW-41	1/5/91	65	CASS	T	
TE-102-AW-41	1/11/91	65	CASS	T	
TE-102-AW-41	1/19/91	64	CASS	T	
TE-102-AW-41	1/25/91	64	CASS	T	
TE-102-AW-41	2/2/91	63	CASS	T	
TE-102-AW-41	2/9/91	63	CASS	T	
TE-102-AW-41	2/16/91	63	CASS	T	
TE-102-AW-41	2/22/91	63	CASS	T	
TE-102-AW-41	2/25/91	63	CASS	T	
TE-102-AW-41	3/9/91	62	CASS	T	
TE-102-AW-41	3/18/91	62	CASS	T	
TE-102-AW-41	3/23/91	62	CASS	T	
TE-102-AW-41	3/25/91	62	CASS	T	
TE-102-AW-41	4/8/91	61	CASS	T	
TE-102-AW-41	4/13/91	61	CASS	T	
TE-102-AW-41	4/20/91	61	CASS	T	
TE-102-AW-41	4/27/91	61	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-41	5/4/91	61	CASS	T	
TE-102-AW-41	5/11/91	61	CASS	T	
TE-102-AW-41	5/18/91	62	CASS	T	
TE-102-AW-41	5/25/91	62	CASS	T	
TE-102-AW-41	5/31/91	62	CASS	T	
TE-102-AW-41	6/8/91	62	CASS	T	
TE-102-AW-41	6/15/91	63	CASS	T	
TE-102-AW-41	6/21/91	63	CASS	T	
TE-102-AW-41	6/25/91	63	CASS	T	
TE-102-AW-42	7/18/83	72	CASS	T	
TE-102-AW-42	7/23/83	74	CASS	T	
TE-102-AW-42	7/27/83	75	CASS	T	
TE-102-AW-42	8/6/83	76	CASS	T	
TE-102-AW-42	8/13/83	76	CASS	T	
TE-102-AW-42	8/20/83	78	CASS	T	
TE-102-AW-42	8/28/83	81	CASS	T	
TE-102-AW-42	8/31/83	79	CASS	T	
TE-102-AW-42	9/10/83	78	CASS	T	
TE-102-AW-42	9/14/83	78	CASS	T	
TE-102-AW-42	9/24/83	78	CASS	T	
TE-102-AW-42	10/1/83	93	CASS	T	
TE-102-AW-42	10/2/83	89	CASS	T	
TE-102-AW-42	10/13/83	78	CASS	T	
TE-102-AW-42	10/21/83	77	CASS	T	
TE-102-AW-42	3/10/84	96	CASS	T	
TE-102-AW-42	3/17/84	97	CASS	T	
TE-102-AW-42	3/19/84	98	CASS	T	
TE-102-AW-42	3/27/84	90	CASS	T	
TE-102-AW-42	4/2/84	89	CASS	T	
TE-102-AW-42	4/14/84	85	CASS	T	
TE-102-AW-42	4/21/84	86	CASS	T	
TE-102-AW-42	4/27/84	86	CASS	T	
TE-102-AW-42	5/5/84	97	CASS	T	
TE-102-AW-42	5/8/84	104	CASS	T	
TE-102-AW-42	5/13/84	82	CASS	T	
TE-102-AW-42	5/20/84	77	CASS	T	
TE-102-AW-42	6/2/84	75	CASS	T	
TE-102-AW-42	6/7/84	84	CASS	T	
TE-102-AW-42	6/19/84	91	CASS	T	
TE-102-AW-42	6/30/84	93	CASS	T	
TE-102-AW-42	7/5/84	97	CASS	T	
TE-102-AW-42	7/13/84	102	CASS	T	
TE-102-AW-42	7/18/84	101	CASS	T	
TE-102-AW-42	7/29/84	112	CASS	T	
TE-102-AW-42	7/30/84	112	CASS	T	
TE-102-AW-42	8/11/84	118	CASS	T	
TE-102-AW-42	8/18/84	119	CASS	T	
TE-102-AW-42	8/21/84	119	CASS	T	
TE-102-AW-42	8/26/84	118	CASS	T	
TE-102-AW-42	9/7/84	116	CASS	T	
TE-102-AW-42	9/12/84	115	CASS	T	
TE-102-AW-42	9/18/84	114	CASS	T	
TE-102-AW-42	9/25/84	112	CASS	T	
TE-102-AW-42	10/5/84	110	CASS	T	
TE-102-AW-42	10/11/84	109	CASS	T	
TE-102-AW-42	10/14/84	108	CASS	T	
TE-102-AW-42	10/21/84	99	CASS	T	
TE-102-AW-42	10/28/84	95	CASS	T	
TE-102-AW-42	11/10/84	93	CASS	T	
TE-102-AW-42	11/17/84	100	CASS	T	
TE-102-AW-42	11/20/84	101	CASS	T	
TE-102-AW-42	11/30/84	101	CASS	T	
TE-102-AW-42	12/7/84	100	CASS	T	
TE-102-AW-42	12/13/84	95	CASS	T	
TE-102-AW-42	12/22/84	93	CASS	T	
TE-102-AW-42	12/23/84	93	CASS	T	
TE-102-AW-42	12/31/84	83	CASS	T	
TE-102-AW-42	1/8/85	74	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-42	1/19/85	83	CASS	T	
TE-102-AW-42	1/26/85	97	CASS	T	
TE-102-AW-42	2/1/85	105	CASS	T	
TE-102-AW-42	2/3/85	103	CASS	T	
TE-102-AW-42	2/10/85	91	CASS	T	
TE-102-AW-42	2/23/85	83	CASS	T	
TE-102-AW-42	3/2/85	82	CASS	T	
TE-102-AW-42	3/9/85	82	CASS	T	
TE-102-AW-42	3/16/85	82	CASS	T	
TE-102-AW-42	3/22/85	82	CASS	T	
TE-102-AW-42	3/30/85	81	CASS	T	
TE-102-AW-42	4/4/85	93	CASS	T	
TE-102-AW-42	4/7/85	92	CASS	T	
TE-102-AW-42	4/14/85	88	CASS	T	
TE-102-AW-42	4/24/85	93	CASS	T	
TE-102-AW-42	4/28/85	88	CASS	T	
TE-102-AW-42	5/5/85	79	CASS	T	
TE-102-AW-42	5/14/85	86	CASS	T	
TE-102-AW-42	5/25/85	82	CASS	T	
TE-102-AW-42	5/27/85	96	CASS	T	
TE-102-AW-42	6/3/85	94	CASS	T	
TE-102-AW-42	6/12/85	92	CASS	T	
TE-102-AW-42	6/18/85	91	CASS	T	
TE-102-AW-42	11/1/85	96	CASS	T	
TE-102-AW-42	12/1/85	108	CASS	T	
TE-102-AW-42	1/2/86	109	CASS	T	
TE-102-AW-42	1/7/86	108	CASS	T	
TE-102-AW-42	1/17/86	98	CASS	T	
TE-102-AW-42	1/25/86	95	CASS	T	
TE-102-AW-42	1/31/86	96	CASS	T	
TE-102-AW-42	2/8/86	97	CASS	T	
TE-102-AW-42	2/13/86	100	CASS	T	
TE-102-AW-42	2/18/86	102	CASS	T	
TE-102-AW-42	3/1/86	108	CASS	T	
TE-102-AW-42	3/4/86	109	CASS	T	
TE-102-AW-42	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-42	9/17/86	106	CASS	T	
TE-102-AW-42	10/11/86	97	CASS	T	
TE-102-AW-42	10/18/86	122	CASS	T	
TE-102-AW-42	10/21/86	132	CASS	T	
TE-102-AW-42	10/26/86	125	CASS	T	
TE-102-AW-42	11/2/86	103	CASS	T	
TE-102-AW-42	11/15/86	130	CASS	T	
TE-102-AW-42	11/17/86	135	CASS	T	
TE-102-AW-42	11/23/86	116	CASS	T	
TE-102-AW-42	12/1/86	109	CASS	T	
TE-102-AW-42	12/8/86	106	CASS	T	
TE-102-AW-42	12/15/86	103	CASS	T	
TE-102-AW-42	12/27/86	106	CASS	T	
TE-102-AW-42	12/28/86	104	CASS	T	
TE-102-AW-42	7/4/87	76	CASS	T	
TE-102-AW-42	7/11/87	92	CASS	T	
TE-102-AW-42	7/15/87	95	CASS	T	
TE-102-AW-42	7/23/87	95	CASS	T	
TE-102-AW-42	7/31/87	92	CASS	T	
TE-102-AW-42	8/6/87	103	CASS	T	
TE-102-AW-42	8/11/87	104	CASS	T	
TE-102-AW-42	8/22/87	107	CASS	T	
TE-102-AW-42	8/27/87	108	CASS	T	
TE-102-AW-42	9/3/87	98	CASS	T	
TE-102-AW-42	9/8/87	96	CASS	T	
TE-102-AW-42	11/28/87	92	CASS	T	
TE-102-AW-42	11/29/87	92	CASS	T	
TE-102-AW-42	3/25/88	85	CASS	T	
TE-102-AW-42	3/27/88	82	CASS	T	
TE-102-AW-42	6/2/88	92	CASS	T	
TE-102-AW-42	6/11/88	94	CASS	T	
TE-102-AW-42	6/15/88	94	CASS	T	
TE-102-AW-42	6/22/88	92	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-42	7/2/88	92	CASS	T	
TE-102-AW-42	7/3/88	94	CASS	T	
TE-102-AW-42	7/16/88	101	CASS	T	
TE-102-AW-42	7/19/88	105	CASS	T	
TE-102-AW-42	7/25/88	85	CASS	T	
TE-102-AW-42	8/8/88	86	CASS	T	
TE-102-AW-42	8/13/88	92	CASS	T	
TE-102-AW-42	8/14/88	102	CASS	T	
TE-102-AW-42	8/24/88	104	CASS	T	
TE-102-AW-42	9/3/88	89	CASS	T	
TE-102-AW-42	9/10/88	93	CASS	T	
TE-102-AW-42	9/13/88	97	CASS	T	
TE-102-AW-42	9/22/88	96	CASS	T	
TE-102-AW-42	9/27/88	94	CASS	T	
TE-102-AW-42	12/1/88	89	CASS	T	
TE-102-AW-42	12/10/88	92	CASS	T	
TE-102-AW-42	12/11/88	92	CASS	T	
TE-102-AW-42	12/18/88	87	CASS	T	
TE-102-AW-42	7/10/89	74	SACS	T	
TE-102-AW-42	7/17/89	74	SACS	T	
TE-102-AW-42	7/24/89	75	SACS	T	
TE-102-AW-42	8/7/89	72	SACS	T	
TE-102-AW-42	8/14/89	77	SACS	T	
TE-102-AW-42	8/21/89	85	SACS	T	
TE-102-AW-42	9/2/89	78	CASS	T	
TE-102-AW-42	9/9/89	76	CASS	T	
TE-102-AW-42	9/16/89	76	CASS	T	
TE-102-AW-42	9/23/89	76	CASS	T	
TE-102-AW-42	9/30/89	76	CASS	T	
TE-102-AW-42	10/1/89	63	SACS	S	Data point did not agree with local trend
TE-102-AW-42	10/9/89	51	SACS	S	Data point did not agree with local trend
TE-102-AW-42	10/16/89	75	SACS	T	
TE-102-AW-42	10/24/89	76	SACS	T	
TE-102-AW-42	10/30/89	75	SACS	T	
TE-102-AW-42	11/10/89	74	CASS	T	
TE-102-AW-42	11/13/89	74	SACS	T	
TE-102-AW-42	11/20/89	82	SACS	T	
TE-102-AW-42	12/1/89	73	CASS	T	
TE-102-AW-42	12/9/89	72	CASS	T	
TE-102-AW-42	12/15/89	74	CASS	T	
TE-102-AW-42	12/23/89	73	CASS	T	
TE-102-AW-42	12/30/89	72	CASS	T	
TE-102-AW-42	1/2/90	72	SACS	T	
TE-102-AW-42	1/8/90	78	SACS	T	
TE-102-AW-42	1/17/90	70	CASS	T	
TE-102-AW-42	1/27/90	69	CASS	T	
TE-102-AW-42	1/29/90	69	SACS	T	
TE-102-AW-42	2/5/90	69	SACS	T	
TE-102-AW-42	2/12/90	69	SACS	T	
TE-102-AW-42	2/19/90	69	SACS	T	
TE-102-AW-42	3/3/90	67	CASS	T	
TE-102-AW-42	3/6/90	67	CASS	T	
TE-102-AW-42	3/12/90	67	SACS	T	
TE-102-AW-42	3/19/90	67	SACS	T	
TE-102-AW-42	3/31/90	66	CASS	T	
TE-102-AW-42	4/7/90	66	CASS	T	
TE-102-AW-42	4/13/90	66	CASS	T	
TE-102-AW-42	4/16/90	91	SACS	S	Data point did not agree with local trend
TE-102-AW-42	4/21/90	66	CASS	T	
TE-102-AW-42	4/28/90	66	CASS	T	
TE-102-AW-42	5/5/90	66	CASS	T	
TE-102-AW-42	5/12/90	66	CASS	T	
TE-102-AW-42	5/14/90	72	SACS	T	
TE-102-AW-42	5/22/90	66	CASS	T	
TE-102-AW-42	5/28/90	80	SACS	S	Data point did not agree with local trend
TE-102-AW-42	6/2/90	66	CASS	T	
TE-102-AW-42	6/9/90	66	CASS	T	
TE-102-AW-42	6/11/90	84	SACS	S	Data point did not agree with local trend
TE-102-AW-42	6/16/90	66	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-42	6/23/90	67	CASS	T	
TE-102-AW-42	6/30/90	67	CASS	T	
TE-102-AW-42	7/2/90	90	SACS	S	Data point did not agree with local trend
TE-102-AW-42	7/7/90	67	CASS	T	
TE-102-AW-42	7/14/90	68	CASS	T	
TE-102-AW-42	7/21/90	68	CASS	T	
TE-102-AW-42	7/28/90	69	CASS	T	
TE-102-AW-42	8/4/90	69	CASS	T	
TE-102-AW-42	8/11/90	70	CASS	T	
TE-102-AW-42	8/18/90	70	CASS	T	
TE-102-AW-42	8/20/90	83	SACS	S	Data point did not agree with local trend
TE-102-AW-42	8/25/90	70	CASS	T	
TE-102-AW-42	9/1/90	70	CASS	T	
TE-102-AW-42	9/8/90	71	CASS	T	
TE-102-AW-42	9/10/90	103	SACS	S	Data point did not agree with local trend
TE-102-AW-42	9/15/90	71	CASS	T	
TE-102-AW-42	9/22/90	71	CASS	T	
TE-102-AW-42	9/24/90	90	SACS	S	Data point did not agree with local trend
TE-102-AW-42	9/29/90	71	CASS	T	
TE-102-AW-42	10/6/90	71	CASS	T	
TE-102-AW-42	10/13/90	71	CASS	T	
TE-102-AW-42	10/18/90	71	CASS	T	
TE-102-AW-42	10/27/90	70	CASS	T	
TE-102-AW-42	11/3/90	70	CASS	T	
TE-102-AW-42	11/10/90	70	CASS	T	
TE-102-AW-42	11/11/90	70	CASS	T	
TE-102-AW-42	11/24/90	69	CASS	T	
TE-102-AW-42	11/29/90	69	CASS	T	
TE-102-AW-42	12/3/90	69	SACS	T	
TE-102-AW-42	12/14/90	68	CASS	T	
TE-102-AW-42	12/16/90	68	CASS	T	
TE-102-AW-42	12/24/90	67	SACS	T	
TE-102-AW-42	12/31/90	67	SACS	T	
TE-102-AW-42	1/7/91	66	SACS	T	
TE-102-AW-42	1/19/91	64	CASS	T	
TE-102-AW-42	1/25/91	64	CASS	T	
TE-102-AW-42	1/28/91	64	SACS	T	
TE-102-AW-42	2/9/91	63	CASS	T	
TE-102-AW-42	2/16/91	63	CASS	T	
TE-102-AW-42	2/22/91	63	CASS	T	
TE-102-AW-42	3/2/91	62	CASS	T	
TE-102-AW-42	3/9/91	62	CASS	T	
TE-102-AW-42	3/18/91	62	CASS	T	
TE-102-AW-42	3/23/91	62	CASS	T	
TE-102-AW-42	3/25/91	62	SACS	T	
TE-102-AW-42	4/6/91	61	CASS	T	
TE-102-AW-42	4/13/91	61	CASS	T	
TE-102-AW-42	4/20/91	61	CASS	T	
TE-102-AW-42	4/27/91	61	CASS	T	
TE-102-AW-42	5/4/91	61	CASS	T	
TE-102-AW-42	5/11/91	61	CASS	T	
TE-102-AW-42	5/18/91	61	CASS	T	
TE-102-AW-42	5/25/91	62	CASS	T	
TE-102-AW-42	5/31/91	62	CASS	T	
TE-102-AW-42	6/8/91	62	CASS	T	
TE-102-AW-42	6/15/91	62	CASS	T	
TE-102-AW-42	6/21/91	63	CASS	T	
TE-102-AW-42	6/25/91	63	CASS	T	
TE-102-AW-42	7/1/91	62	SACS	T	
TE-102-AW-42	7/8/91	61	SACS	T	
TE-102-AW-42	7/15/91	64	SACS	T	
TE-102-AW-42	7/22/91	62	SACS	T	
TE-102-AW-42	7/29/91	64	SACS	T	
TE-102-AW-42	8/4/91	64	SACS	T	
TE-102-AW-42	8/19/91	64	SACS	T	
TE-102-AW-42	8/28/91	65	SACS	T	
TE-102-AW-42	9/2/91	66	SACS	T	
TE-102-AW-42	9/9/91	67	SACS	T	
TE-102-AW-42	9/16/91	67	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-42	9/23/91	67	SACS	T	
TE-102-AW-42	9/30/91	68	SACS	T	
TE-102-AW-42	10/7/91	67	SACS	T	
TE-102-AW-42	10/14/91	68	SACS	T	
TE-102-AW-42	10/21/91	68	SACS	T	
TE-102-AW-42	10/28/91	67	SACS	T	
TE-102-AW-42	11/5/91	68	SACS	T	
TE-102-AW-42	11/11/91	68	SACS	T	
TE-102-AW-42	11/18/91	68	SACS	T	
TE-102-AW-42	11/25/91	68	SACS	T	
TE-102-AW-42	12/2/91	65	SACS	T	
TE-102-AW-42	12/9/91	65	SACS	T	
TE-102-AW-42	12/16/91	65	SACS	T	
TE-102-AW-42	12/23/91	64	SACS	T	
TE-102-AW-42	12/30/91	64	SACS	T	
TE-102-AW-42	1/6/92	63	SACS	T	
TE-102-AW-42	1/13/92	63	SACS	T	
TE-102-AW-42	1/20/92	63	SACS	T	
TE-102-AW-42	1/27/92	62	SACS	T	
TE-102-AW-42	2/3/92	62	SACS	T	
TE-102-AW-42	2/10/92	62	SACS	T	
TE-102-AW-42	2/22/92	62	SACS	T	
TE-102-AW-42	2/24/92	60	SACS	T	
TE-102-AW-42	3/2/92	60	SACS	T	
TE-102-AW-42	3/11/92	60	SACS	T	
TE-102-AW-42	3/18/92	60	SACS	T	
TE-102-AW-42	3/23/92	60	SACS	T	
TE-102-AW-42	3/30/92	60	SACS	T	
TE-102-AW-42	4/6/92	61	SACS	T	
TE-102-AW-42	4/13/92	61	SACS	T	
TE-102-AW-42	4/20/92	60	SACS	T	
TE-102-AW-42	4/27/92	59	SACS	T	
TE-102-AW-42	5/4/92	60	SACS	T	
TE-102-AW-42	5/11/92	60	SACS	T	
TE-102-AW-42	5/18/92	60	SACS	T	
TE-102-AW-42	5/25/92	60	SACS	T	
TE-102-AW-42	6/8/92	61	SACS	T	
TE-102-AW-42	6/15/92	62	SACS	T	
TE-102-AW-42	6/22/92	62	SACS	T	
TE-102-AW-42	7/8/92	63	SACS	T	
TE-102-AW-42	7/13/92	63	SACS	T	
TE-102-AW-42	7/20/92	64	SACS	T	
TE-102-AW-42	7/27/92	64	SACS	T	
TE-102-AW-42	8/3/92	64	SACS	T	
TE-102-AW-42	8/10/92	64	SACS	T	
TE-102-AW-42	8/17/92	65	SACS	T	
TE-102-AW-42	8/24/92	66	SACS	T	
TE-102-AW-42	8/31/92	66	SACS	T	
TE-102-AW-42	9/7/92	67	SACS	T	
TE-102-AW-42	9/14/92	67	SACS	T	
TE-102-AW-42	9/21/92	66	SACS	T	
TE-102-AW-42	9/28/92	67	SACS	T	
TE-102-AW-42	10/5/92	69	SACS	T	
TE-102-AW-42	10/12/92	69	SACS	T	
TE-102-AW-42	10/19/92	68	SACS	T	
TE-102-AW-42	10/26/92	68	SACS	T	
TE-102-AW-42	11/2/92	67	SACS	T	
TE-102-AW-42	11/9/92	68	SACS	T	
TE-102-AW-42	11/16/92	68	SACS	T	
TE-102-AW-42	11/23/92	68	SACS	T	
TE-102-AW-42	11/30/92	65	SACS	T	
TE-102-AW-42	12/7/92	66	SACS	T	
TE-102-AW-42	12/14/92	65	SACS	T	
TE-102-AW-42	12/21/92	64	SACS	T	
TE-102-AW-42	12/28/92	64	SACS	T	
TE-102-AW-42	1/4/93	74	SACS	S	Data point did not agree with local trend
TE-102-AW-42	1/11/93	63	SACS	T	
TE-102-AW-42	1/18/93	62	SACS	T	
TE-102-AW-42	1/25/93	61	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-42	3/1/93	62	SACS	T	
TE-102-AW-42	3/8/93	60	SACS	T	
TE-102-AW-42	3/15/93	60	SACS	T	
TE-102-AW-42	3/22/93	59	SACS	T	
TE-102-AW-42	3/29/93	59	SACS	T	
TE-102-AW-42	4/6/93	59	SACS	T	
TE-102-AW-42	4/12/93	59	SACS	T	
TE-102-AW-42	4/19/93	59	SACS	T	
TE-102-AW-42	4/26/93	59	SACS	T	
TE-102-AW-42	5/3/93	59	SACS	T	
TE-102-AW-42	5/10/93	58	SACS	T	
TE-102-AW-42	5/17/93	59	SACS	T	
TE-102-AW-42	5/24/93	60	SACS	T	
TE-102-AW-42	5/31/93	60	SACS	T	
TE-102-AW-42	6/7/93	60	SACS	T	
TE-102-AW-42	6/15/93	61	SACS	T	
TE-102-AW-42	6/22/93	62	SACS	T	
TE-102-AW-42	6/28/93	60	SACS	T	
TE-102-AW-42	7/5/93	61	SACS	T	
TE-102-AW-42	7/12/93	61	SACS	T	
TE-102-AW-42	7/19/93	63	SACS	T	
TE-102-AW-42	7/26/93	63	SACS	T	
TE-102-AW-42	8/2/93	63	SACS	T	
TE-102-AW-42	8/9/93	63	SACS	T	
TE-102-AW-42	8/16/93	63	SACS	T	
TE-102-AW-42	8/23/93	64	SACS	T	
TE-102-AW-42	8/30/93	66	SACS	T	
TE-102-AW-42	9/13/93	65	SACS	T	
TE-102-AW-42	9/21/93	66	SACS	T	
TE-102-AW-42	9/27/93	66	SACS	T	
TE-102-AW-42	10/11/93	66	SACS	T	
TE-102-AW-42	10/19/93	66	SACS	T	
TE-102-AW-42	10/25/93	67	SACS	T	
TE-102-AW-42	11/1/93	66	SACS	T	
TE-102-AW-42	11/8/93	66	SACS	T	
TE-102-AW-42	11/15/93	66	SACS	T	
TE-102-AW-42	11/22/93	67	SACS	T	
TE-102-AW-42	11/29/93	76	SACS	T	
TE-102-AW-42	12/6/93	68	SACS	T	
TE-102-AW-42	12/16/93	73	SACS	T	
TE-102-AW-42	12/20/93	66	SACS	T	
TE-102-AW-42	12/27/93	66	SACS	T	
TE-102-AW-42	1/5/94	66	SACS	T	
TE-102-AW-42	1/10/94	72	SACS	T	
TE-102-AW-42	1/24/94	65	SACS	T	
TE-102-AW-42	1/31/94	65	SACS	T	
TE-102-AW-42	2/7/94	65	SACS	G	
TE-102-AW-42	2/21/94	65	SACS	G	
TE-102-AW-42	2/28/94	65	SACS	T	
TE-102-AW-42	3/7/94	64	SACS	T	
TE-102-AW-42	3/14/94	64	SACS	G	
TE-102-AW-42	3/21/94	64	SACS	G	
TE-102-AW-42	3/28/94	62	SACS	G	
TE-102-AW-42	4/5/94	62	SACS	G	
TE-102-AW-42	4/11/94	62	SACS	G	
TE-102-AW-42	4/18/94	65	SACS	T	
TE-102-AW-42	4/25/94	74	SACS	G	
TE-102-AW-42	5/2/94	76	SACS	G	
TE-102-AW-42	5/9/94	67	SACS	G	
TE-102-AW-42	5/16/94	76	SACS	G	
TE-102-AW-42	5/31/94	84	SACS	G	
TE-102-AW-42	6/6/94	101	SACS	G	
TE-102-AW-42	6/13/94	86	SACS	G	
TE-102-AW-42	6/20/94	84	SACS	G	
TE-102-AW-42	6/27/94	81	SACS	G	
TE-102-AW-42	7/4/94	78	SACS	G	
TE-102-AW-42	7/18/94	76	SACS	G	
TE-102-AW-42	7/25/94	76	SACS	G	
TE-102-AW-42	8/1/94	76	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-42	8/8/94	76	SACS	G	
TE-102-AW-42	8/15/94	70	SACS	G	
TE-102-AW-42	8/22/94	63	SACS	G	
TE-102-AW-42	9/7/94	64	SACS	G	
TE-102-AW-42	9/12/94	65	SACS	G	
TE-102-AW-42	9/19/94	90	SACS	G	
TE-102-AW-42	9/26/94	93	SACS	G	
TE-102-AW-42	10/10/94	80	SACS	G	
TE-102-AW-42	10/17/94	83	SACS	G	
TE-102-AW-42	10/24/94	84	SACS	G	
TE-102-AW-42	10/31/94	92	SACS	G	
TE-102-AW-42	11/7/94	100	SACS	G	
TE-102-AW-42	11/14/94	97	SACS	G	
TE-102-AW-42	11/21/94	89	SACS	G	
TE-102-AW-42	11/28/94	80	SACS	G	
TE-102-AW-42	12/5/94	74	SACS	G	
TE-102-AW-42	12/12/94	72	SACS	G	
TE-102-AW-42	12/19/94	70	SACS	G	
TE-102-AW-42	12/26/94	69	SACS	G	
TE-102-AW-42	1/2/95	67	SACS	G	
TE-102-AW-42	1/9/95	65	SACS	G	
TE-102-AW-42	1/16/95	64	SACS	G	
TE-102-AW-42	1/23/95	63	SACS	G	
TE-102-AW-42	1/30/95	63	SACS	G	
TE-102-AW-42	2/6/95	62	SACS	G	
TE-102-AW-42	2/13/95	63	SACS	G	
TE-102-AW-42	2/24/95	61	SACS	G	
TE-102-AW-42	2/27/95	61	SACS	G	
TE-102-AW-42	3/6/95	61	SACS	G	
TE-102-AW-42	3/19/95	61	SACS	G	
TE-102-AW-42	3/27/95	61	SACS	G	
TE-102-AW-42	4/3/95	62	SACS	G	
TE-102-AW-42	4/10/95	61	SACS	G	
TE-102-AW-42	4/17/95	60	SACS	G	
TE-102-AW-42	4/24/95	61	SACS	G	
TE-102-AW-42	5/3/95	63	SACS	G	
TE-102-AW-42	5/8/95	63	SACS	G	
TE-102-AW-42	5/15/95	63	SACS	G	
TE-102-AW-42	5/22/95	60	SACS	G	
TE-102-AW-42	5/30/95	61	SACS	G	
TE-102-AW-42	6/5/95	62	SACS	G	
TE-102-AW-42	6/13/95	63	SACS	G	
TE-102-AW-42	6/19/95	66	SACS	G	
TE-102-AW-42	6/26/95	73	SACS	G	
TE-102-AW-43	7/16/83	72	CASS	T	
TE-102-AW-43	7/23/83	74	CASS	T	
TE-102-AW-43	7/27/83	75	CASS	T	
TE-102-AW-43	8/6/83	75	CASS	T	
TE-102-AW-43	8/13/83	75	CASS	T	
TE-102-AW-43	8/20/83	76	CASS	T	
TE-102-AW-43	8/26/83	82	CASS	T	
TE-102-AW-43	8/31/83	79	CASS	T	
TE-102-AW-43	9/10/83	78	CASS	T	
TE-102-AW-43	9/14/83	78	CASS	T	
TE-102-AW-43	9/24/83	78	CASS	T	
TE-102-AW-43	10/1/83	93	CASS	T	
TE-102-AW-43	10/2/83	99	CASS	T	
TE-102-AW-43	10/13/83	78	CASS	T	
TE-102-AW-43	10/21/83	77	CASS	T	
TE-102-AW-43	3/9/84	98	CASS	T	
TE-102-AW-43	3/17/84	97	CASS	T	
TE-102-AW-43	3/19/84	98	CASS	T	
TE-102-AW-43	3/27/84	90	CASS	T	
TE-102-AW-43	4/2/84	89	CASS	T	
TE-102-AW-43	4/14/84	85	CASS	T	
TE-102-AW-43	4/21/84	86	CASS	T	
TE-102-AW-43	4/27/84	86	CASS	T	
TE-102-AW-43	5/5/84	97	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-43	5/7/84	102	CASS	T	
TE-102-AW-43	5/13/84	82	CASS	T	
TE-102-AW-43	5/20/84	77	CASS	T	
TE-102-AW-43	6/2/84	75	CASS	T	
TE-102-AW-43	6/7/84	84	CASS	T	
TE-102-AW-43	6/19/84	91	CASS	T	
TE-102-AW-43	6/30/84	93	CASS	T	
TE-102-AW-43	7/7/84	96	CASS	T	
TE-102-AW-43	7/13/84	102	CASS	T	
TE-102-AW-43	7/18/84	101	CASS	T	
TE-102-AW-43	7/26/84	112	CASS	T	
TE-102-AW-43	7/30/84	112	CASS	T	
TE-102-AW-43	8/11/84	117	CASS	T	
TE-102-AW-43	8/18/84	119	CASS	T	
TE-102-AW-43	8/21/84	119	CASS	T	
TE-102-AW-43	8/26/84	118	CASS	T	
TE-102-AW-43	9/7/84	116	CASS	T	
TE-102-AW-43	9/12/84	115	CASS	T	
TE-102-AW-43	9/16/84	114	CASS	T	
TE-102-AW-43	9/25/84	112	CASS	T	
TE-102-AW-43	10/1/84	111	CASS	T	
TE-102-AW-43	10/11/84	109	CASS	T	
TE-102-AW-43	10/14/84	108	CASS	T	
TE-102-AW-43	10/21/84	99	CASS	T	
TE-102-AW-43	10/28/84	95	CASS	T	
TE-102-AW-43	11/9/84	93	CASS	T	
TE-102-AW-43	11/17/84	97	CASS	T	
TE-102-AW-43	11/24/84	100	CASS	T	
TE-102-AW-43	11/30/84	101	CASS	T	
TE-102-AW-43	12/7/84	100	CASS	T	
TE-102-AW-43	12/14/84	93	CASS	T	
TE-102-AW-43	12/22/84	91	CASS	T	
TE-102-AW-43	12/23/84	93	CASS	T	
TE-102-AW-43	12/31/84	83	CASS	T	
TE-102-AW-43	1/8/85	74	CASS	T	
TE-102-AW-43	1/19/85	83	CASS	T	
TE-102-AW-43	1/26/85	97	CASS	T	
TE-102-AW-43	2/1/85	105	CASS	T	
TE-102-AW-43	2/3/85	103	CASS	T	
TE-102-AW-43	2/10/85	91	CASS	T	
TE-102-AW-43	2/23/85	83	CASS	T	
TE-102-AW-43	2/28/85	83	CASS	T	
TE-102-AW-43	3/9/85	82	CASS	T	
TE-102-AW-43	3/16/85	82	CASS	T	
TE-102-AW-43	3/21/85	82	CASS	T	
TE-102-AW-43	3/30/85	81	CASS	T	
TE-102-AW-43	4/4/85	93	CASS	T	
TE-102-AW-43	4/7/85	92	CASS	T	
TE-102-AW-43	4/14/85	89	CASS	T	
TE-102-AW-43	4/24/85	93	CASS	T	
TE-102-AW-43	4/28/85	88	CASS	T	
TE-102-AW-43	5/5/85	79	CASS	T	
TE-102-AW-43	5/15/85	86	CASS	T	
TE-102-AW-43	5/25/85	92	CASS	T	
TE-102-AW-43	5/27/85	96	CASS	T	
TE-102-AW-43	6/3/85	94	CASS	T	
TE-102-AW-43	6/12/85	92	CASS	T	
TE-102-AW-43	8/19/85	91	CASS	T	
TE-102-AW-43	11/1/85	96	CASS	T	
TE-102-AW-43	12/1/85	108	CASS	T	
TE-102-AW-43	1/2/86	109	CASS	T	
TE-102-AW-43	1/7/86	108	CASS	T	
TE-102-AW-43	1/19/86	96	CASS	T	
TE-102-AW-43	1/25/86	95	CASS	T	
TE-102-AW-43	1/31/86	98	CASS	T	
TE-102-AW-43	2/9/86	97	CASS	T	
TE-102-AW-43	2/13/86	100	CASS	T	
TE-102-AW-43	2/18/86	102	CASS	T	
TE-102-AW-43	3/1/86	104	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-43	3/4/86	108	CASS	T	
TE-102-AW-43	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-43	9/15/86	72	CASS	T	
TE-102-AW-43	10/11/86	94	CASS	T	
TE-102-AW-43	10/18/86	122	CASS	T	
TE-102-AW-43	10/21/86	132	CASS	T	
TE-102-AW-43	10/26/86	125	CASS	T	
TE-102-AW-43	11/2/86	103	CASS	T	
TE-102-AW-43	11/12/86	131	CASS	T	
TE-102-AW-43	11/17/86	135	CASS	T	
TE-102-AW-43	11/23/86	118	CASS	T	
TE-102-AW-43	12/1/86	109	CASS	T	
TE-102-AW-43	12/8/86	106	CASS	T	
TE-102-AW-43	12/15/86	103	CASS	T	
TE-102-AW-43	12/27/86	105	CASS	T	
TE-102-AW-43	12/28/86	103	CASS	T	
TE-102-AW-43	7/4/87	76	CASS	T	
TE-102-AW-43	7/11/87	92	CASS	T	
TE-102-AW-43	7/15/87	95	CASS	T	
TE-102-AW-43	7/23/87	98	CASS	T	
TE-102-AW-43	7/31/87	92	CASS	T	
TE-102-AW-43	8/7/87	102	CASS	T	
TE-102-AW-43	8/11/87	104	CASS	T	
TE-102-AW-43	8/22/87	107	CASS	T	
TE-102-AW-43	8/27/87	108	CASS	T	
TE-102-AW-43	9/3/87	98	CASS	T	
TE-102-AW-43	9/8/87	98	CASS	T	
TE-102-AW-43	11/28/87	92	CASS	T	
TE-102-AW-43	11/29/87	92	CASS	T	
TE-102-AW-43	3/25/88	85	CASS	T	
TE-102-AW-43	3/27/88	82	CASS	T	
TE-102-AW-43	6/2/88	92	CASS	T	
TE-102-AW-43	6/11/88	94	CASS	T	
TE-102-AW-43	6/15/88	94	CASS	T	
TE-102-AW-43	6/22/88	92	CASS	T	
TE-102-AW-43	6/29/88	93	CASS	T	
TE-102-AW-43	7/3/88	94	CASS	T	
TE-102-AW-43	7/16/88	101	CASS	T	
TE-102-AW-43	7/19/88	105	CASS	T	
TE-102-AW-43	7/25/88	86	CASS	T	
TE-102-AW-43	8/6/88	88	CASS	T	
TE-102-AW-43	8/13/88	92	CASS	T	
TE-102-AW-43	8/14/88	104	CASS	T	
TE-102-AW-43	8/24/88	104	CASS	T	
TE-102-AW-43	9/3/88	89	CASS	T	
TE-102-AW-43	9/10/88	93	CASS	T	
TE-102-AW-43	9/13/88	97	CASS	T	
TE-102-AW-43	9/22/88	96	CASS	T	
TE-102-AW-43	9/27/88	94	CASS	T	
TE-102-AW-43	12/1/88	89	CASS	T	
TE-102-AW-43	12/10/88	92	CASS	T	
TE-102-AW-43	12/11/88	92	CASS	T	
TE-102-AW-43	12/18/88	87	CASS	T	
TE-102-AW-43	9/2/89	76	CASS	T	
TE-102-AW-43	9/9/89	76	CASS	T	
TE-102-AW-43	9/16/89	76	CASS	T	
TE-102-AW-43	9/23/89	76	CASS	T	
TE-102-AW-43	9/30/89	76	CASS	T	
TE-102-AW-43	11/4/89	74	CASS	T	
TE-102-AW-43	11/9/89	74	CASS	T	
TE-102-AW-43	11/16/89	74	CASS	T	
TE-102-AW-43	11/25/89	73	CASS	T	
TE-102-AW-43	11/30/89	73	CASS	T	
TE-102-AW-43	12/9/89	72	CASS	T	
TE-102-AW-43	12/15/89	74	CASS	T	
TE-102-AW-43	12/23/89	73	CASS	T	
TE-102-AW-43	12/30/89	72	CASS	T	
TE-102-AW-43	1/8/90	71	CASS	T	
TE-102-AW-43	1/7/90	71	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-43	1/17/90	70	CASS	T	
TE-102-AW-43	1/27/90	69	CASS	T	
TE-102-AW-43	1/29/90	69	CASS	T	
TE-102-AW-43	2/10/90	68	CASS	T	
TE-102-AW-43	2/13/90	68	CASS	T	
TE-102-AW-43	2/24/90	67	CASS	T	
TE-102-AW-43	3/3/90	67	CASS	T	
TE-102-AW-43	3/5/90	67	CASS	T	
TE-102-AW-43	3/17/90	66	CASS	T	
TE-102-AW-43	3/22/90	66	CASS	T	
TE-102-AW-43	3/31/90	66	CASS	T	
TE-102-AW-43	4/4/90	66	CASS	T	
TE-102-AW-43	4/13/90	66	CASS	T	
TE-102-AW-43	4/21/90	66	CASS	T	
TE-102-AW-43	4/28/90	66	CASS	T	
TE-102-AW-43	5/5/90	66	CASS	T	
TE-102-AW-43	5/12/90	66	CASS	T	
TE-102-AW-43	5/19/90	66	CASS	T	
TE-102-AW-43	5/22/90	66	CASS	T	
TE-102-AW-43	6/2/90	66	CASS	T	
TE-102-AW-43	6/9/90	66	CASS	T	
TE-102-AW-43	6/16/90	66	CASS	T	
TE-102-AW-43	6/23/90	67	CASS	T	
TE-102-AW-43	6/30/90	67	CASS	T	
TE-102-AW-43	7/7/90	67	CASS	T	
TE-102-AW-43	7/14/90	68	CASS	T	
TE-102-AW-43	7/21/90	68	CASS	T	
TE-102-AW-43	7/28/90	68	CASS	T	
TE-102-AW-43	8/4/90	69	CASS	T	
TE-102-AW-43	8/11/90	69	CASS	T	
TE-102-AW-43	8/18/90	70	CASS	T	
TE-102-AW-43	8/25/90	70	CASS	T	
TE-102-AW-43	9/1/90	70	CASS	T	
TE-102-AW-43	9/8/90	71	CASS	T	
TE-102-AW-43	9/16/90	71	CASS	T	
TE-102-AW-43	9/22/90	71	CASS	T	
TE-102-AW-43	9/29/90	71	CASS	T	
TE-102-AW-43	10/6/90	71	CASS	T	
TE-102-AW-43	10/13/90	71	CASS	T	
TE-102-AW-43	10/18/90	71	CASS	T	
TE-102-AW-43	10/27/90	70	CASS	T	
TE-102-AW-43	11/3/90	70	CASS	T	
TE-102-AW-43	11/10/90	70	CASS	T	
TE-102-AW-43	11/11/90	70	CASS	T	
TE-102-AW-43	11/24/90	69	CASS	T	
TE-102-AW-43	11/27/90	69	CASS	T	
TE-102-AW-43	12/8/90	68	CASS	T	
TE-102-AW-43	12/15/90	68	CASS	T	
TE-102-AW-43	12/16/90	68	CASS	T	
TE-102-AW-43	12/28/90	66	CASS	T	
TE-102-AW-43	1/5/91	65	CASS	T	
TE-102-AW-43	1/11/91	65	CASS	T	
TE-102-AW-43	1/19/91	64	CASS	T	
TE-102-AW-43	1/25/91	64	CASS	T	
TE-102-AW-43	2/2/91	63	CASS	T	
TE-102-AW-43	2/9/91	63	CASS	T	
TE-102-AW-43	2/16/91	63	CASS	T	
TE-102-AW-43	2/22/91	63	CASS	T	
TE-102-AW-43	3/2/91	62	CASS	T	
TE-102-AW-43	3/9/91	62	CASS	T	
TE-102-AW-43	3/16/91	62	CASS	T	
TE-102-AW-43	3/23/91	62	CASS	T	
TE-102-AW-43	3/25/91	62	CASS	T	
TE-102-AW-43	4/6/91	61	CASS	T	
TE-102-AW-43	4/13/91	61	CASS	T	
TE-102-AW-43	4/20/91	61	CASS	T	
TE-102-AW-43	4/27/91	61	CASS	T	
TE-102-AW-43	5/4/91	61	CASS	T	
TE-102-AW-43	5/11/91	61	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-43	5/18/91	82	CASS	T	
TE-102-AW-43	5/25/91	82	CASS	T	
TE-102-AW-43	5/31/91	82	CASS	T	
TE-102-AW-43	6/8/91	82	CASS	T	
TE-102-AW-43	6/15/91	83	CASS	T	
TE-102-AW-43	6/21/91	83	CASS	T	
TE-102-AW-43	6/25/91	83	CASS	T	
TE-102-AW-44	7/16/83	72	CASS	T	
TE-102-AW-44	7/23/83	74	CASS	T	
TE-102-AW-44	7/30/83	74	CASS	T	
TE-102-AW-44	8/8/83	75	CASS	T	
TE-102-AW-44	8/12/83	75	CASS	T	
TE-102-AW-44	8/20/83	76	CASS	T	
TE-102-AW-44	8/27/83	76	CASS	T	
TE-102-AW-44	8/31/83	76	CASS	T	
TE-102-AW-44	9/10/83	78	CASS	T	
TE-102-AW-44	9/14/83	78	CASS	T	
TE-102-AW-44	9/21/83	78	CASS	T	
TE-102-AW-44	10/1/83	83	CASS	T	
TE-102-AW-44	10/2/83	89	CASS	T	
TE-102-AW-44	10/13/83	78	CASS	T	
TE-102-AW-44	10/16/83	77	CASS	T	
TE-102-AW-44	3/9/84	98	CASS	T	
TE-102-AW-44	3/17/84	97	CASS	T	
TE-102-AW-44	3/19/84	98	CASS	T	
TE-102-AW-44	3/25/84	90	CASS	T	
TE-102-AW-44	4/2/84	89	CASS	T	
TE-102-AW-44	4/14/84	85	CASS	T	
TE-102-AW-44	4/20/84	86	CASS	T	
TE-102-AW-44	4/28/84	85	CASS	T	
TE-102-AW-44	5/5/84	94	CASS	T	
TE-102-AW-44	5/8/84	99	CASS	T	
TE-102-AW-44	5/13/84	82	CASS	T	
TE-102-AW-44	5/20/84	77	CASS	T	
TE-102-AW-44	6/2/84	74	CASS	T	
TE-102-AW-44	6/7/84	84	CASS	T	
TE-102-AW-44	6/20/84	90	CASS	T	
TE-102-AW-44	6/30/84	93	CASS	T	
TE-102-AW-44	7/7/84	96	CASS	T	
TE-102-AW-44	7/13/84	102	CASS	T	
TE-102-AW-44	7/16/84	101	CASS	T	
TE-102-AW-44	7/28/84	112	CASS	T	
TE-102-AW-44	7/30/84	112	CASS	T	
TE-102-AW-44	8/11/84	118	CASS	T	
TE-102-AW-44	8/18/84	119	CASS	T	
TE-102-AW-44	8/21/84	119	CASS	T	
TE-102-AW-44	8/30/84	117	CASS	T	
TE-102-AW-44	9/7/84	118	CASS	T	
TE-102-AW-44	9/11/84	115	CASS	T	
TE-102-AW-44	9/21/84	113	CASS	T	
TE-102-AW-44	9/25/84	112	CASS	T	
TE-102-AW-44	10/5/84	110	CASS	T	
TE-102-AW-44	10/10/84	109	CASS	T	
TE-102-AW-44	10/14/84	108	CASS	T	
TE-102-AW-44	10/21/84	99	CASS	T	
TE-102-AW-44	10/31/84	94	CASS	T	
TE-102-AW-44	11/9/84	83	CASS	T	
TE-102-AW-44	11/16/84	97	CASS	T	
TE-102-AW-44	11/24/84	100	CASS	T	
TE-102-AW-44	11/30/84	100	CASS	T	
TE-102-AW-44	12/6/84	100	CASS	T	
TE-102-AW-44	12/14/84	93	CASS	T	
TE-102-AW-44	12/22/84	91	CASS	T	
TE-102-AW-44	12/23/84	92	CASS	T	
TE-102-AW-44	12/31/84	83	CASS	T	
TE-102-AW-44	1/8/85	74	CASS	T	
TE-102-AW-44	1/19/85	83	CASS	T	
TE-102-AW-44	1/26/85	97	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-44	1/31/85	105	CASS	T	
TE-102-AW-44	2/3/85	103	CASS	T	
TE-102-AW-44	2/10/85	91	CASS	T	
TE-102-AW-44	2/18/85	83	CASS	T	
TE-102-AW-44	3/2/85	82	CASS	T	
TE-102-AW-44	3/9/85	82	CASS	T	
TE-102-AW-44	3/16/85	82	CASS	T	
TE-102-AW-44	3/22/85	82	CASS	T	
TE-102-AW-44	3/30/85	81	CASS	T	
TE-102-AW-44	4/4/85	93	CASS	T	
TE-102-AW-44	4/8/85	92	CASS	T	
TE-102-AW-44	4/14/85	89	CASS	T	
TE-102-AW-44	4/24/85	92	CASS	T	
TE-102-AW-44	4/28/85	88	CASS	T	
TE-102-AW-44	5/5/85	79	CASS	T	
TE-102-AW-44	5/18/85	85	CASS	T	
TE-102-AW-44	5/25/85	92	CASS	T	
TE-102-AW-44	5/27/85	98	CASS	T	
TE-102-AW-44	6/2/85	94	CASS	T	
TE-102-AW-44	6/11/85	82	CASS	T	
TE-102-AW-44	6/17/85	91	CASS	T	
TE-102-AW-44	11/1/85	98	CASS	T	
TE-102-AW-44	12/1/85	108	CASS	T	
TE-102-AW-44	1/3/86	108	CASS	T	
TE-102-AW-44	1/7/86	108	CASS	T	
TE-102-AW-44	1/18/86	96	CASS	T	
TE-102-AW-44	1/25/86	95	CASS	T	
TE-102-AW-44	2/1/86	97	CASS	T	
TE-102-AW-44	2/8/86	97	CASS	T	
TE-102-AW-44	2/11/86	99	CASS	T	
TE-102-AW-44	2/18/86	102	CASS	T	
TE-102-AW-44	3/1/86	103	CASS	T	
TE-102-AW-44	3/4/86	108	CASS	T	
TE-102-AW-44	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-44	9/20/86	98	CASS	T	
TE-102-AW-44	9/25/86	98	CASS	T	
TE-102-AW-44	10/4/86	99	CASS	T	
TE-102-AW-44	10/5/86	99	CASS	T	
TE-102-AW-44	10/18/86	122	CASS	T	
TE-102-AW-44	10/20/86	132	CASS	T	
TE-102-AW-44	10/28/86	125	CASS	T	
TE-102-AW-44	11/2/86	103	CASS	T	
TE-102-AW-44	11/15/86	130	CASS	T	
TE-102-AW-44	11/18/86	134	CASS	T	
TE-102-AW-44	11/23/86	116	CASS	T	
TE-102-AW-44	12/1/86	109	CASS	T	
TE-102-AW-44	12/8/86	106	CASS	T	
TE-102-AW-44	12/15/86	103	CASS	T	
TE-102-AW-44	12/27/86	105	CASS	T	
TE-102-AW-44	12/28/86	103	CASS	T	
TE-102-AW-44	7/4/87	76	CASS	T	
TE-102-AW-44	7/11/87	92	CASS	T	
TE-102-AW-44	7/16/87	94	CASS	T	
TE-102-AW-44	7/23/87	95	CASS	T	
TE-102-AW-44	7/29/87	92	CASS	T	
TE-102-AW-44	8/7/87	102	CASS	T	
TE-102-AW-44	8/11/87	104	CASS	T	
TE-102-AW-44	8/22/87	105	CASS	T	
TE-102-AW-44	8/27/87	107	CASS	T	
TE-102-AW-44	9/2/87	98	CASS	T	
TE-102-AW-44	9/11/87	95	CASS	T	
TE-102-AW-44	11/28/87	92	CASS	T	
TE-102-AW-44	11/29/87	92	CASS	T	
TE-102-AW-44	3/25/88	84	CASS	T	
TE-102-AW-44	3/27/88	82	CASS	T	
TE-102-AW-44	6/1/88	92	CASS	T	
TE-102-AW-44	6/11/88	92	CASS	T	
TE-102-AW-44	6/15/88	94	CASS	T	
TE-102-AW-44	6/22/88	92	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-44	7/2/88	92	CASS	T	
TE-102-AW-44	7/4/88	93	CASS	T	
TE-102-AW-44	7/16/88	101	CASS	T	
TE-102-AW-44	7/19/88	105	CASS	T	
TE-102-AW-44	7/25/88	86	CASS	T	
TE-102-AW-44	8/4/88	86	CASS	T	
TE-102-AW-44	8/13/88	91	CASS	T	
TE-102-AW-44	8/14/88	103	CASS	T	
TE-102-AW-44	8/24/88	105	CASS	T	
TE-102-AW-44	9/3/88	89	CASS	T	
TE-102-AW-44	9/10/88	93	CASS	T	
TE-102-AW-44	9/12/88	97	CASS	T	
TE-102-AW-44	9/22/88	96	CASS	T	
TE-102-AW-44	9/26/88	94	CASS	T	
TE-102-AW-44	12/1/88	89	CASS	T	
TE-102-AW-44	12/10/88	92	CASS	T	
TE-102-AW-44	12/11/88	92	CASS	T	
TE-102-AW-44	12/18/88	87	CASS	T	
TE-102-AW-44	9/2/89	76	CASS	T	
TE-102-AW-44	9/9/89	76	CASS	T	
TE-102-AW-44	9/18/89	76	CASS	T	
TE-102-AW-44	9/23/89	76	CASS	T	
TE-102-AW-44	9/30/89	76	CASS	T	
TE-102-AW-44	11/4/89	74	CASS	T	
TE-102-AW-44	11/7/89	74	CASS	T	
TE-102-AW-44	11/18/89	73	CASS	T	
TE-102-AW-44	11/23/89	73	CASS	T	
TE-102-AW-44	11/29/89	73	CASS	T	
TE-102-AW-44	12/9/89	72	CASS	T	
TE-102-AW-44	12/15/89	74	CASS	T	
TE-102-AW-44	12/22/89	73	CASS	T	
TE-102-AW-44	12/29/89	72	CASS	T	
TE-102-AW-44	1/5/90	71	CASS	T	
TE-102-AW-44	1/13/90	70	CASS	T	
TE-102-AW-44	1/18/90	70	CASS	T	
TE-102-AW-44	1/28/90	69	CASS	T	
TE-102-AW-44	2/3/90	68	CASS	T	
TE-102-AW-44	2/10/90	68	CASS	T	
TE-102-AW-44	2/13/90	68	CASS	T	
TE-102-AW-44	2/24/90	67	CASS	T	
TE-102-AW-44	2/27/90	67	CASS	T	
TE-102-AW-44	3/10/90	66	CASS	T	
TE-102-AW-44	3/17/90	66	CASS	T	
TE-102-AW-44	3/22/90	66	CASS	T	
TE-102-AW-44	3/31/90	66	CASS	T	
TE-102-AW-44	4/7/90	66	CASS	T	
TE-102-AW-44	4/12/90	66	CASS	T	
TE-102-AW-44	4/17/90	66	CASS	T	
TE-102-AW-44	4/24/90	66	CASS	T	
TE-102-AW-44	5/4/90	66	CASS	T	
TE-102-AW-44	5/12/90	66	CASS	T	
TE-102-AW-44	5/15/90	66	CASS	T	
TE-102-AW-44	5/22/90	66	CASS	T	
TE-102-AW-44	6/1/90	66	CASS	T	
TE-102-AW-44	6/9/90	66	CASS	T	
TE-102-AW-44	6/16/90	66	CASS	T	
TE-102-AW-44	6/23/90	66	CASS	T	
TE-102-AW-44	6/30/90	67	CASS	T	
TE-102-AW-44	7/7/90	67	CASS	T	
TE-102-AW-44	7/14/90	67	CASS	T	
TE-102-AW-44	7/21/90	68	CASS	T	
TE-102-AW-44	7/28/90	68	CASS	T	
TE-102-AW-44	8/4/90	69	CASS	T	
TE-102-AW-44	8/11/90	69	CASS	T	
TE-102-AW-44	8/18/90	70	CASS	T	
TE-102-AW-44	8/25/90	70	CASS	T	
TE-102-AW-44	9/1/90	70	CASS	T	
TE-102-AW-44	9/8/90	70	CASS	T	
TE-102-AW-44	9/15/90	71	CASS	T	

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-44	9/22/90	71	CASS	T	
TE-102-AW-44	9/29/90	71	CASS	T	
TE-102-AW-44	10/6/90	71	CASS	T	
TE-102-AW-44	10/12/90	71	CASS	T	
TE-102-AW-44	10/20/90	70	CASS	T	
TE-102-AW-44	10/27/90	70	CASS	T	
TE-102-AW-44	11/3/90	70	CASS	T	
TE-102-AW-44	11/8/90	70	CASS	T	
TE-102-AW-44	11/17/90	69	CASS	T	
TE-102-AW-44	11/24/90	69	CASS	T	
TE-102-AW-44	11/27/90	69	CASS	T	
TE-102-AW-44	12/6/90	68	CASS	T	
TE-102-AW-44	12/13/90	68	CASS	T	
TE-102-AW-44	12/19/90	67	CASS	T	
TE-102-AW-44	12/28/90	66	CASS	T	
TE-102-AW-44	1/5/91	65	CASS	T	
TE-102-AW-44	1/7/91	65	CASS	T	
TE-102-AW-44	1/19/91	64	CASS	T	
TE-102-AW-44	1/25/91	64	CASS	T	
TE-102-AW-44	2/2/91	63	CASS	T	
TE-102-AW-44	2/9/91	63	CASS	T	
TE-102-AW-44	2/15/91	63	CASS	T	
TE-102-AW-44	2/23/91	62	CASS	T	
TE-102-AW-44	3/2/91	62	CASS	T	
TE-102-AW-44	3/9/91	62	CASS	T	
TE-102-AW-44	3/13/91	62	CASS	T	
TE-102-AW-44	3/18/91	62	CASS	T	
TE-102-AW-44	3/30/91	61	CASS	T	
TE-102-AW-44	4/8/91	61	CASS	T	
TE-102-AW-44	4/13/91	61	CASS	T	
TE-102-AW-44	4/20/91	61	CASS	T	
TE-102-AW-44	4/27/91	61	CASS	T	
TE-102-AW-44	5/4/91	61	CASS	T	
TE-102-AW-44	5/11/91	61	CASS	T	
TE-102-AW-44	5/18/91	61	CASS	T	
TE-102-AW-44	5/24/91	62	CASS	T	
TE-102-AW-44	5/31/91	62	CASS	T	
TE-102-AW-44	6/8/91	62	CASS	T	
TE-102-AW-44	6/15/91	62	CASS	T	
TE-102-AW-44	6/21/91	63	CASS	T	
TE-102-AW-44	6/25/91	63	CASS	T	
TE-102-AW-45	7/16/83	72	CASS	T	
TE-102-AW-45	7/23/83	74	CASS	T	
TE-102-AW-45	7/29/83	74	CASS	T	
TE-102-AW-45	8/5/83	75	CASS	T	
TE-102-AW-45	8/12/83	75	CASS	T	
TE-102-AW-45	8/20/83	76	CASS	T	
TE-102-AW-45	8/27/83	76	CASS	T	
TE-102-AW-45	8/31/83	78	CASS	T	
TE-102-AW-45	9/10/83	78	CASS	T	
TE-102-AW-45	9/13/83	77	CASS	T	
TE-102-AW-45	9/22/83	76	CASS	T	
TE-102-AW-45	10/1/83	83	CASS	T	
TE-102-AW-45	10/2/83	89	CASS	T	
TE-102-AW-45	10/13/83	78	CASS	T	
TE-102-AW-45	10/21/83	77	CASS	T	
TE-102-AW-45	3/10/84	98	CASS	T	
TE-102-AW-45	3/17/84	97	CASS	T	
TE-102-AW-45	3/19/84	98	CASS	T	
TE-102-AW-45	3/25/84	90	CASS	T	
TE-102-AW-45	4/2/84	89	CASS	T	
TE-102-AW-45	4/14/84	85	CASS	T	
TE-102-AW-45	4/20/84	86	CASS	T	
TE-102-AW-45	4/24/84	85	CASS	T	
TE-102-AW-45	5/5/84	94	CASS	T	
TE-102-AW-45	5/8/84	99	CASS	T	
TE-102-AW-45	5/13/84	82	CASS	T	
TE-102-AW-45	5/20/84	77	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-45	6/2/84	75	CASS	T	
TE-102-AW-45	6/7/84	84	CASS	T	
TE-102-AW-45	6/18/84	91	CASS	T	
TE-102-AW-45	6/30/84	93	CASS	T	
TE-102-AW-45	7/5/84	97	CASS	T	
TE-102-AW-45	7/13/84	102	CASS	T	
TE-102-AW-45	7/16/84	101	CASS	T	
TE-102-AW-45	7/28/84	112	CASS	T	
TE-102-AW-45	7/30/84	112	CASS	T	
TE-102-AW-45	8/11/84	117	CASS	T	
TE-102-AW-45	8/17/84	119	CASS	T	
TE-102-AW-45	8/21/84	119	CASS	T	
TE-102-AW-45	8/28/84	118	CASS	T	
TE-102-AW-45	9/7/84	116	CASS	T	
TE-102-AW-45	9/12/84	115	CASS	T	
TE-102-AW-45	9/17/84	114	CASS	T	
TE-102-AW-45	9/25/84	112	CASS	T	
TE-102-AW-45	10/5/84	110	CASS	T	
TE-102-AW-45	10/11/84	109	CASS	T	
TE-102-AW-45	10/14/84	108	CASS	T	
TE-102-AW-45	10/21/84	99	CASS	T	
TE-102-AW-45	10/28/84	95	CASS	T	
TE-102-AW-45	11/8/84	93	CASS	T	
TE-102-AW-45	11/16/84	97	CASS	T	
TE-102-AW-45	11/24/84	97	CASS	T	
TE-102-AW-45	11/30/84	101	CASS	T	
TE-102-AW-45	12/7/84	100	CASS	T	
TE-102-AW-45	12/12/84	96	CASS	T	
TE-102-AW-45	12/22/84	91	CASS	T	
TE-102-AW-45	12/24/84	92	CASS	T	
TE-102-AW-45	12/31/84	83	CASS	T	
TE-102-AW-45	1/8/85	74	CASS	T	
TE-102-AW-45	1/19/85	83	CASS	T	
TE-102-AW-45	1/28/85	97	CASS	T	
TE-102-AW-45	2/1/85	105	CASS	T	
TE-102-AW-45	2/4/85	97	CASS	T	
TE-102-AW-45	2/10/85	91	CASS	T	
TE-102-AW-45	2/19/85	83	CASS	T	
TE-102-AW-45	3/2/85	82	CASS	T	
TE-102-AW-45	3/9/85	82	CASS	T	
TE-102-AW-45	3/18/85	82	CASS	T	
TE-102-AW-45	3/22/85	82	CASS	T	
TE-102-AW-45	3/30/85	81	CASS	T	
TE-102-AW-45	4/4/85	93	CASS	T	
TE-102-AW-45	4/13/85	88	CASS	T	
TE-102-AW-45	4/14/85	89	CASS	T	
TE-102-AW-45	4/24/85	92	CASS	T	
TE-102-AW-45	4/28/85	88	CASS	T	
TE-102-AW-45	5/5/85	79	CASS	T	
TE-102-AW-45	5/18/85	85	CASS	T	
TE-102-AW-45	5/25/85	92	CASS	T	
TE-102-AW-45	5/27/85	96	CASS	T	
TE-102-AW-45	6/2/85	94	CASS	T	
TE-102-AW-45	6/11/85	92	CASS	T	
TE-102-AW-45	6/18/85	91	CASS	T	
TE-102-AW-45	11/1/85	96	CASS	T	
TE-102-AW-45	12/1/85	108	CASS	T	
TE-102-AW-45	1/3/86	108	CASS	T	
TE-102-AW-45	1/7/86	108	CASS	T	
TE-102-AW-45	1/18/86	96	CASS	T	
TE-102-AW-45	1/25/86	95	CASS	T	
TE-102-AW-45	2/1/86	94	CASS	T	
TE-102-AW-45	2/8/86	97	CASS	T	
TE-102-AW-45	2/10/86	99	CASS	T	
TE-102-AW-45	2/18/86	102	CASS	T	
TE-102-AW-45	3/1/86	103	CASS	T	
TE-102-AW-45	3/4/86	108	CASS	T	
TE-102-AW-45	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-45	9/17/86	97	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

RMIS View/Print Document Cover Sheet

This document was retrieved from the Boeing ISEARCH System.

Accession #: D196052391

Document #: SD-WM-ER-316

Title/Desc:

SUPPORTING DOCUMENT FOR THE SOUTHEAST QUADRANT
HISTORICAL TANK CONTENT ESTIMATE REPORT FOR AW
TANK FARM [VOL I SEC 2 OF 2 PAGE D-203 TO D-569]

THIS DOCUMENT WAS TOO LARGE TO SCAN AS A SINGLE DOCUMENT. IT REQUIRED BREAKING INTO SMALLER SECTIONS.

DOCUMENT NUMBER: SD-Wm-ER-316 (Vol I of II)

SECTION: 2 OF 2

TITLE: Southeast Quadrant Historical Tank
Content Estimate Report for AW-Tank
Farm

AUTHOR: LA Gaddis / SD Consort

RECIPIENT:

DATE: 9/15/95

KEYWORDS:

REFERENCES:

THIS PAGE INTENTIONALLY
LEFT BLANK

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-45	10/11/86	95	CASS	T	
TE-102-AW-45	10/18/86	122	CASS	T	
TE-102-AW-45	10/21/86	132	CASS	T	
TE-102-AW-45	10/28/86	125	CASS	T	
TE-102-AW-45	11/2/86	103	CASS	T	
TE-102-AW-45	11/15/86	130	CASS	T	
TE-102-AW-45	11/17/86	135	CASS	T	
TE-102-AW-45	11/23/86	116	CASS	T	
TE-102-AW-45	12/1/86	109	CASS	T	
TE-102-AW-45	12/8/86	108	CASS	T	
TE-102-AW-45	12/15/86	103	CASS	T	
TE-102-AW-45	12/27/86	105	CASS	T	
TE-102-AW-45	12/28/86	103	CASS	T	
TE-102-AW-45	7/4/87	76	CASS	T	
TE-102-AW-45	7/11/87	92	CASS	T	
TE-102-AW-45	7/18/87	92	CASS	T	
TE-102-AW-45	7/23/87	85	CASS	T	
TE-102-AW-45	7/29/87	92	CASS	T	
TE-102-AW-45	8/7/87	102	CASS	T	
TE-102-AW-45	8/11/87	104	CASS	T	
TE-102-AW-45	8/22/87	105	CASS	T	
TE-102-AW-45	8/27/87	108	CASS	T	
TE-102-AW-45	9/2/87	98	CASS	T	
TE-102-AW-45	9/8/87	96	CASS	T	
TE-102-AW-45	11/28/87	92	CASS	T	
TE-102-AW-45	11/29/87	92	CASS	T	
TE-102-AW-45	3/25/88	85	CASS	T	
TE-102-AW-45	3/27/88	82	CASS	T	
TE-102-AW-45	6/1/88	92	CASS	T	
TE-102-AW-45	6/11/88	92	CASS	T	
TE-102-AW-45	6/15/88	91	CASS	T	
TE-102-AW-45	6/25/88	92	CASS	T	
TE-102-AW-45	7/2/88	92	CASS	T	
TE-102-AW-45	7/3/88	94	CASS	T	
TE-102-AW-45	7/16/88	101	CASS	T	
TE-102-AW-45	7/18/88	105	CASS	T	
TE-102-AW-45	7/25/88	86	CASS	T	
TE-102-AW-45	8/4/88	86	CASS	T	
TE-102-AW-45	8/13/88	91	CASS	T	
TE-102-AW-45	8/14/88	103	CASS	T	
TE-102-AW-45	8/24/88	104	CASS	T	
TE-102-AW-45	9/3/88	89	CASS	T	
TE-102-AW-45	9/10/88	93	CASS	T	
TE-102-AW-45	9/13/88	97	CASS	T	
TE-102-AW-45	9/22/88	96	CASS	T	
TE-102-AW-45	9/27/88	94	CASS	T	
TE-102-AW-45	12/1/88	89	CASS	T	
TE-102-AW-45	12/10/88	92	CASS	T	
TE-102-AW-45	12/11/88	92	CASS	T	
TE-102-AW-45	12/18/88	87	CASS	T	
TE-102-AW-45	9/2/89	76	CASS	T	
TE-102-AW-45	9/9/89	76	CASS	T	
TE-102-AW-45	9/16/89	76	CASS	T	
TE-102-AW-45	9/23/89	76	CASS	T	
TE-102-AW-45	9/30/89	76	CASS	T	
TE-102-AW-45	11/4/89	74	CASS	T	
TE-102-AW-45	11/7/89	74	CASS	T	
TE-102-AW-45	11/18/89	73	CASS	T	
TE-102-AW-45	11/25/89	73	CASS	T	
TE-102-AW-45	11/29/89	73	CASS	T	
TE-102-AW-45	12/9/89	72	CASS	T	
TE-102-AW-45	12/14/89	74	CASS	T	
TE-102-AW-45	12/23/89	73	CASS	T	
TE-102-AW-45	12/29/89	72	CASS	T	
TE-102-AW-45	1/6/90	71	CASS	T	
TE-102-AW-45	1/13/90	70	CASS	T	
TE-102-AW-45	1/17/90	70	CASS	T	
TE-102-AW-45	1/27/90	69	CASS	T	
TE-102-AW-45	1/29/90	69	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-45	2/10/90	68	CASS	T	
TE-102-AW-45	2/13/90	68	CASS	T	
TE-102-AW-45	2/24/90	67	CASS	T	
TE-102-AW-45	2/27/90	67	CASS	T	
TE-102-AW-45	3/5/90	67	CASS	T	
TE-102-AW-45	3/17/90	68	CASS	T	
TE-102-AW-45	3/22/90	68	CASS	T	
TE-102-AW-45	3/31/90	68	CASS	T	
TE-102-AW-45	4/4/90	66	CASS	T	
TE-102-AW-45	4/13/90	66	CASS	T	
TE-102-AW-45	4/21/90	66	CASS	T	
TE-102-AW-45	4/28/90	66	CASS	T	
TE-102-AW-45	5/4/90	66	CASS	T	
TE-102-AW-45	5/12/90	66	CASS	T	
TE-102-AW-45	5/19/90	66	CASS	T	
TE-102-AW-45	5/22/90	66	CASS	T	
TE-102-AW-45	6/2/90	66	CASS	T	
TE-102-AW-45	6/8/90	66	CASS	T	
TE-102-AW-45	6/18/90	66	CASS	T	
TE-102-AW-45	6/23/90	66	CASS	T	
TE-102-AW-45	6/30/90	67	CASS	T	
TE-102-AW-45	7/7/90	67	CASS	T	
TE-102-AW-45	7/13/90	68	CASS	T	
TE-102-AW-45	7/21/90	68	CASS	T	
TE-102-AW-45	7/28/90	68	CASS	T	
TE-102-AW-45	8/4/90	69	CASS	T	
TE-102-AW-45	8/11/90	69	CASS	T	
TE-102-AW-45	8/18/90	70	CASS	T	
TE-102-AW-45	8/25/90	70	CASS	T	
TE-102-AW-45	9/1/90	70	CASS	T	
TE-102-AW-45	9/8/90	70	CASS	T	
TE-102-AW-45	9/15/90	71	CASS	T	
TE-102-AW-45	9/22/90	71	CASS	T	
TE-102-AW-45	9/29/90	71	CASS	T	
TE-102-AW-45	10/6/90	71	CASS	T	
TE-102-AW-45	10/13/90	71	CASS	T	
TE-102-AW-45	10/14/90	71	CASS	T	
TE-102-AW-45	10/27/90	70	CASS	T	
TE-102-AW-45	11/3/90	70	CASS	T	
TE-102-AW-45	11/8/90	70	CASS	T	
TE-102-AW-45	11/11/90	70	CASS	T	
TE-102-AW-45	11/24/90	69	CASS	T	
TE-102-AW-45	11/28/90	69	CASS	T	
TE-102-AW-45	12/8/90	68	CASS	T	
TE-102-AW-45	12/13/90	68	CASS	T	
TE-102-AW-45	12/19/90	67	CASS	T	
TE-102-AW-45	12/28/90	66	CASS	T	
TE-102-AW-45	1/5/91	65	CASS	T	
TE-102-AW-45	1/11/91	65	CASS	T	
TE-102-AW-45	1/19/91	64	CASS	T	
TE-102-AW-45	1/25/91	64	CASS	T	
TE-102-AW-45	2/2/91	63	CASS	T	
TE-102-AW-45	2/9/91	63	CASS	T	
TE-102-AW-45	2/18/91	63	CASS	T	
TE-102-AW-45	2/22/91	63	CASS	T	
TE-102-AW-45	3/2/91	62	CASS	T	
TE-102-AW-45	3/9/91	62	CASS	T	
TE-102-AW-45	3/18/91	62	CASS	T	
TE-102-AW-45	3/19/91	62	CASS	T	
TE-102-AW-45	3/25/91	62	CASS	T	
TE-102-AW-45	4/8/91	61	CASS	T	
TE-102-AW-45	4/13/91	61	CASS	T	
TE-102-AW-45	4/20/91	61	CASS	T	
TE-102-AW-45	4/27/91	61	CASS	T	
TE-102-AW-45	5/4/91	61	CASS	T	
TE-102-AW-45	5/11/91	61	CASS	T	
TE-102-AW-45	5/18/91	61	CASS	T	
TE-102-AW-45	5/25/91	62	CASS	T	
TE-102-AW-45	5/31/91	62	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-45	6/8/91	62	CASS	T	
TE-102-AW-45	6/15/91	62	CASS	T	
TE-102-AW-45	6/21/91	63	CASS	T	
TE-102-AW-45	6/25/91	63	CASS	T	
TE-102-AW-46	7/14/83	73	CASS	T	
TE-102-AW-46	7/23/83	74	CASS	T	
TE-102-AW-46	7/30/83	74	CASS	T	
TE-102-AW-46	8/6/83	75	CASS	T	
TE-102-AW-46	8/12/83	75	CASS	T	
TE-102-AW-46	8/20/83	76	CASS	T	
TE-102-AW-46	8/27/83	78	CASS	T	
TE-102-AW-46	8/31/83	78	CASS	T	
TE-102-AW-46	9/10/83	77	CASS	T	
TE-102-AW-46	9/11/83	77	CASS	T	
TE-102-AW-46	9/24/83	77	CASS	T	
TE-102-AW-46	10/1/83	83	CASS	T	
TE-102-AW-46	10/2/83	89	CASS	T	
TE-102-AW-46	10/13/83	78	CASS	T	
TE-102-AW-46	10/21/83	77	CASS	T	
TE-102-AW-46	3/10/84	98	CASS	T	
TE-102-AW-46	3/17/84	97	CASS	T	
TE-102-AW-46	3/19/84	98	CASS	T	
TE-102-AW-46	3/25/84	90	CASS	T	
TE-102-AW-46	4/3/84	88	CASS	T	
TE-102-AW-46	4/14/84	85	CASS	T	
TE-102-AW-46	4/17/84	86	CASS	T	
TE-102-AW-46	4/28/84	84	CASS	T	
TE-102-AW-46	5/5/84	94	CASS	T	
TE-102-AW-46	5/6/84	99	CASS	T	
TE-102-AW-46	5/13/84	82	CASS	T	
TE-102-AW-46	5/20/84	77	CASS	T	
TE-102-AW-46	6/2/84	75	CASS	T	
TE-102-AW-46	6/7/84	84	CASS	T	
TE-102-AW-46	6/19/84	91	CASS	T	
TE-102-AW-46	6/30/84	93	CASS	T	
TE-102-AW-46	7/5/84	97	CASS	T	
TE-102-AW-46	7/13/84	102	CASS	T	
TE-102-AW-46	7/16/84	101	CASS	T	
TE-102-AW-46	7/28/84	112	CASS	T	
TE-102-AW-46	7/30/84	112	CASS	T	
TE-102-AW-46	8/11/84	117	CASS	T	
TE-102-AW-46	8/17/84	119	CASS	T	
TE-102-AW-46	8/21/84	119	CASS	T	
TE-102-AW-46	8/26/84	118	CASS	T	
TE-102-AW-46	9/7/84	116	CASS	T	
TE-102-AW-46	9/12/84	115	CASS	T	
TE-102-AW-46	9/16/84	114	CASS	T	
TE-102-AW-46	9/25/84	112	CASS	T	
TE-102-AW-46	10/1/84	111	CASS	T	
TE-102-AW-46	10/11/84	109	CASS	T	
TE-102-AW-46	10/14/84	108	CASS	T	
TE-102-AW-46	10/21/84	99	CASS	T	
TE-102-AW-46	10/28/84	95	CASS	T	
TE-102-AW-46	11/7/84	93	CASS	T	
TE-102-AW-46	11/16/84	97	CASS	T	
TE-102-AW-46	11/24/84	97	CASS	T	
TE-102-AW-46	11/30/84	101	CASS	T	
TE-102-AW-46	12/7/84	100	CASS	T	
TE-102-AW-46	12/12/84	96	CASS	T	
TE-102-AW-46	12/22/84	91	CASS	T	
TE-102-AW-46	12/24/84	92	CASS	T	
TE-102-AW-46	12/31/84	83	CASS	T	
TE-102-AW-46	1/8/85	74	CASS	T	
TE-102-AW-46	1/19/85	83	CASS	T	
TE-102-AW-46	1/26/85	97	CASS	T	
TE-102-AW-46	2/1/85	105	CASS	T	
TE-102-AW-46	2/4/85	97	CASS	T	
TE-102-AW-46	2/10/85	91	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-46	2/19/85	83	CASS	T	
TE-102-AW-46	2/25/85	83	CASS	T	
TE-102-AW-46	3/6/85	82	CASS	T	
TE-102-AW-46	3/16/85	82	CASS	T	
TE-102-AW-46	3/22/85	82	CASS	T	
TE-102-AW-46	3/30/85	81	CASS	T	
TE-102-AW-46	4/4/85	83	CASS	T	
TE-102-AW-46	4/13/85	88	CASS	T	
TE-102-AW-46	4/14/85	89	CASS	T	
TE-102-AW-46	4/24/85	92	CASS	T	
TE-102-AW-46	4/28/85	88	CASS	T	
TE-102-AW-46	5/5/85	79	CASS	T	
TE-102-AW-46	5/18/85	85	CASS	T	
TE-102-AW-46	5/25/85	82	CASS	T	
TE-102-AW-46	5/27/85	96	CASS	T	
TE-102-AW-46	6/2/85	94	CASS	T	
TE-102-AW-46	6/11/85	92	CASS	T	
TE-102-AW-46	6/18/85	91	CASS	T	
TE-102-AW-46	11/1/85	96	CASS	T	
TE-102-AW-46	12/1/85	108	CASS	T	
TE-102-AW-46	1/2/86	109	CASS	T	
TE-102-AW-46	1/7/86	108	CASS	T	
TE-102-AW-46	1/18/86	96	CASS	T	
TE-102-AW-46	1/25/86	95	CASS	T	
TE-102-AW-46	2/1/86	94	CASS	T	
TE-102-AW-46	2/8/86	97	CASS	T	
TE-102-AW-46	2/11/86	96	CASS	T	
TE-102-AW-46	2/18/86	102	CASS	T	
TE-102-AW-46	3/1/86	103	CASS	T	
TE-102-AW-46	3/4/86	106	CASS	T	
TE-102-AW-46	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-46	9/19/86	103	CASS	T	
TE-102-AW-46	9/25/86	98	CASS	T	
TE-102-AW-46	10/4/86	99	CASS	T	
TE-102-AW-46	10/5/86	99	CASS	T	
TE-102-AW-46	10/18/86	122	CASS	T	
TE-102-AW-46	10/21/86	132	CASS	T	
TE-102-AW-46	10/26/86	125	CASS	T	
TE-102-AW-46	11/2/86	103	CASS	T	
TE-102-AW-46	11/15/86	130	CASS	T	
TE-102-AW-46	11/17/86	135	CASS	T	
TE-102-AW-46	11/23/86	116	CASS	T	
TE-102-AW-46	12/1/86	108	CASS	T	
TE-102-AW-46	12/9/86	105	CASS	T	
TE-102-AW-46	12/14/86	103	CASS	T	
TE-102-AW-46	12/27/86	104	CASS	T	
TE-102-AW-46	12/28/86	103	CASS	T	
TE-102-AW-46	7/4/87	76	CASS	T	
TE-102-AW-46	7/11/87	91	CASS	T	
TE-102-AW-46	7/15/87	92	CASS	T	
TE-102-AW-46	7/23/87	95	CASS	T	
TE-102-AW-46	7/29/87	92	CASS	T	
TE-102-AW-46	8/8/87	102	CASS	T	
TE-102-AW-46	8/11/87	104	CASS	T	
TE-102-AW-46	8/22/87	105	CASS	T	
TE-102-AW-46	8/27/87	107	CASS	T	
TE-102-AW-46	9/2/87	98	CASS	T	
TE-102-AW-46	9/6/87	96	CASS	T	
TE-102-AW-46	11/28/87	92	CASS	T	
TE-102-AW-46	11/29/87	92	CASS	T	
TE-102-AW-46	3/25/88	85	CASS	T	
TE-102-AW-46	3/27/88	82	CASS	T	
TE-102-AW-46	6/2/88	92	CASS	T	
TE-102-AW-46	6/11/88	91	CASS	T	
TE-102-AW-46	6/15/88	91	CASS	T	
TE-102-AW-46	6/25/88	91	CASS	T	
TE-102-AW-46	7/2/88	92	CASS	T	
TE-102-AW-46	7/3/88	93	CASS	T	
TE-102-AW-46	7/16/88	101	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-46	7/18/88	105	CASS	T	
TE-102-AW-46	7/26/88	86	CASS	T	
TE-102-AW-46	8/6/88	86	CASS	T	
TE-102-AW-46	8/13/88	91	CASS	T	
TE-102-AW-46	8/14/88	102	CASS	T	
TE-102-AW-46	8/24/88	104	CASS	T	
TE-102-AW-46	9/3/88	89	CASS	T	
TE-102-AW-46	9/10/88	93	CASS	T	
TE-102-AW-46	9/13/88	87	CASS	T	
TE-102-AW-46	9/18/88	95	CASS	T	
TE-102-AW-46	9/27/88	93	CASS	T	
TE-102-AW-46	12/1/88	87	CASS	T	
TE-102-AW-46	12/10/88	92	CASS	T	
TE-102-AW-46	12/11/88	92	CASS	T	
TE-102-AW-46	12/18/88	87	CASS	T	
TE-102-AW-46	7/10/89	74	SACS	T	
TE-102-AW-46	7/17/89	74	SACS	T	
TE-102-AW-46	7/24/89	74	SACS	T	
TE-102-AW-46	8/7/89	72	SACS	T	
TE-102-AW-46	8/14/89	78	SACS	T	
TE-102-AW-46	8/21/89	85	SACS	T	
TE-102-AW-46	9/2/89	76	CASS	T	
TE-102-AW-46	9/9/89	76	CASS	T	
TE-102-AW-46	9/16/89	76	CASS	T	
TE-102-AW-46	9/23/89	76	CASS	T	
TE-102-AW-46	9/30/89	76	CASS	T	
TE-102-AW-46	10/1/89	83	SACS	S	Data point did not agree with local trend
TE-102-AW-46	10/9/89	51	SACS	S	Data point did not agree with local trend
TE-102-AW-46	10/16/89	75	SACS	T	
TE-102-AW-46	10/24/89	75	SACS	T	
TE-102-AW-46	10/30/89	75	SACS	T	
TE-102-AW-46	11/5/89	74	CASS	T	
TE-102-AW-46	11/18/89	73	CASS	T	
TE-102-AW-46	11/20/89	83	SACS	T	
TE-102-AW-46	11/27/89	74	SACS	T	
TE-102-AW-46	12/4/89	74	SACS	T	
TE-102-AW-46	12/14/89	74	CASS	T	
TE-102-AW-46	12/23/89	73	CASS	T	
TE-102-AW-46	12/29/89	72	CASS	T	
TE-102-AW-46	1/2/90	72	SACS	T	
TE-102-AW-46	1/8/90	77	SACS	T	
TE-102-AW-46	1/17/90	70	CASS	T	
TE-102-AW-46	1/27/90	69	CASS	T	
TE-102-AW-46	1/29/90	69	SACS	T	
TE-102-AW-46	2/5/90	69	SACS	T	
TE-102-AW-46	2/14/90	68	CASS	T	
TE-102-AW-46	2/19/90	68	SACS	T	
TE-102-AW-46	2/28/90	67	CASS	T	
TE-102-AW-46	3/4/90	67	CASS	T	
TE-102-AW-46	3/12/90	67	SACS	T	
TE-102-AW-46	3/22/90	66	CASS	T	
TE-102-AW-46	3/31/90	66	CASS	T	
TE-102-AW-46	4/4/90	66	CASS	T	
TE-102-AW-46	4/13/90	66	CASS	T	
TE-102-AW-46	4/16/90	91	SACS	S	Data point did not agree with local trend
TE-102-AW-46	4/21/90	66	CASS	T	
TE-102-AW-46	4/28/90	66	CASS	T	
TE-102-AW-46	5/5/90	66	CASS	T	
TE-102-AW-46	5/12/90	66	CASS	T	
TE-102-AW-46	5/14/90	73	SACS	T	
TE-102-AW-46	5/22/90	66	CASS	T	
TE-102-AW-46	5/28/90	81	SACS	S	Data point did not agree with local trend
TE-102-AW-46	6/2/90	66	CASS	T	
TE-102-AW-46	6/9/90	66	CASS	T	
TE-102-AW-46	6/11/90	84	SACS	S	Data point did not agree with local trend
TE-102-AW-46	6/16/90	66	CASS	T	
TE-102-AW-46	6/23/90	66	CASS	T	
TE-102-AW-46	6/30/90	67	CASS	T	
TE-102-AW-46	7/2/90	90	SACS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-46	7/7/90	67	CASS	T	
TE-102-AW-46	7/14/90	68	CASS	T	
TE-102-AW-46	7/21/90	68	CASS	T	
TE-102-AW-46	7/28/90	68	CASS	T	
TE-102-AW-46	8/4/90	69	CASS	T	
TE-102-AW-46	8/11/90	69	CASS	T	
TE-102-AW-46	8/18/90	70	CASS	T	
TE-102-AW-46	8/20/90	84	SACS	S	Data point did not agree with local trend
TE-102-AW-46	8/25/90	70	CASS	T	
TE-102-AW-46	9/1/90	70	CASS	T	
TE-102-AW-46	9/8/90	71	CASS	T	
TE-102-AW-46	9/10/90	103	SACS	S	Data point did not agree with local trend
TE-102-AW-46	9/15/90	71	CASS	T	
TE-102-AW-46	9/22/90	71	CASS	T	
TE-102-AW-46	9/24/90	87	SACS	S	Data point did not agree with local trend
TE-102-AW-46	9/29/90	71	CASS	T	
TE-102-AW-46	10/6/90	71	CASS	T	
TE-102-AW-46	10/13/90	71	CASS	T	
TE-102-AW-46	10/18/90	71	CASS	T	
TE-102-AW-46	10/27/90	70	CASS	T	
TE-102-AW-46	11/3/90	70	CASS	T	
TE-102-AW-46	11/10/90	70	CASS	T	
TE-102-AW-46	11/11/90	70	CASS	T	
TE-102-AW-46	11/24/90	69	CASS	T	
TE-102-AW-46	11/26/90	69	CASS	T	
TE-102-AW-46	12/8/90	68	CASS	T	
TE-102-AW-46	12/14/90	68	CASS	T	
TE-102-AW-46	12/18/90	68	CASS	T	
TE-102-AW-46	12/28/90	66	CASS	T	
TE-102-AW-46	12/31/90	67	SACS	T	
TE-102-AW-46	1/11/91	65	CASS	T	
TE-102-AW-46	1/19/91	64	CASS	T	
TE-102-AW-46	1/25/91	64	CASS	T	
TE-102-AW-46	1/28/91	64	SACS	T	
TE-102-AW-46	2/9/91	63	CASS	T	
TE-102-AW-46	2/18/91	63	CASS	T	
TE-102-AW-46	2/22/91	63	CASS	T	
TE-102-AW-46	3/2/91	62	CASS	T	
TE-102-AW-46	3/9/91	62	CASS	T	
TE-102-AW-46	3/18/91	62	CASS	T	
TE-102-AW-46	3/23/91	62	CASS	T	
TE-102-AW-46	3/25/91	62	CASS	T	
TE-102-AW-46	4/8/91	61	CASS	T	
TE-102-AW-46	4/13/91	61	CASS	T	
TE-102-AW-46	4/20/91	61	CASS	T	
TE-102-AW-46	4/27/91	61	CASS	T	
TE-102-AW-46	5/4/91	61	CASS	T	
TE-102-AW-46	5/11/91	61	CASS	T	
TE-102-AW-46	5/18/91	61	CASS	T	
TE-102-AW-46	5/25/91	62	CASS	T	
TE-102-AW-46	5/31/91	62	CASS	T	
TE-102-AW-46	6/8/91	62	CASS	T	
TE-102-AW-46	6/15/91	62	CASS	T	
TE-102-AW-46	6/21/91	63	CASS	T	
TE-102-AW-46	6/25/91	63	CASS	T	
TE-102-AW-46	7/1/91	62	SACS	T	
TE-102-AW-46	7/8/91	61	SACS	T	
TE-102-AW-46	7/15/91	63	SACS	T	
TE-102-AW-46	7/22/91	62	SACS	T	
TE-102-AW-46	7/29/91	64	SACS	T	
TE-102-AW-46	8/4/91	63	SACS	T	
TE-102-AW-46	8/19/91	64	SACS	T	
TE-102-AW-46	8/26/91	64	SACS	T	
TE-102-AW-46	9/2/91	66	SACS	T	
TE-102-AW-46	9/9/91	67	SACS	T	
TE-102-AW-46	9/18/91	66	SACS	T	
TE-102-AW-46	9/23/91	67	SACS	T	
TE-102-AW-46	9/30/91	67	SACS	T	
TE-102-AW-46	10/7/91	67	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-46	10/14/91	68	SACS	T	
TE-102-AW-46	10/21/91	68	SACS	T	
TE-102-AW-46	10/28/91	67	SACS	T	
TE-102-AW-46	11/5/91	67	SACS	T	
TE-102-AW-46	11/11/91	67	SACS	T	
TE-102-AW-46	11/18/91	66	SACS	T	
TE-102-AW-46	11/25/91	66	SACS	T	
TE-102-AW-46	12/2/91	65	SACS	T	
TE-102-AW-46	12/9/91	65	SACS	T	
TE-102-AW-46	12/16/91	65	SACS	T	
TE-102-AW-46	12/23/91	64	SACS	T	
TE-102-AW-46	12/30/91	64	SACS	T	
TE-102-AW-46	1/8/92	63	SACS	T	
TE-102-AW-46	1/13/92	63	SACS	T	
TE-102-AW-46	1/20/92	63	SACS	T	
TE-102-AW-46	1/27/92	62	SACS	T	
TE-102-AW-46	2/3/92	62	SACS	T	
TE-102-AW-46	2/10/92	61	SACS	T	
TE-102-AW-46	2/22/92	61	SACS	T	
TE-102-AW-46	2/24/92	60	SACS	T	
TE-102-AW-46	3/2/92	60	SACS	T	
TE-102-AW-46	3/11/92	60	SACS	T	
TE-102-AW-46	3/18/92	60	SACS	T	
TE-102-AW-46	3/23/92	60	SACS	T	
TE-102-AW-46	3/30/92	60	SACS	T	
TE-102-AW-46	4/6/92	61	SACS	T	
TE-102-AW-46	4/13/92	61	SACS	T	
TE-102-AW-46	4/20/92	60	SACS	T	
TE-102-AW-46	4/27/92	60	SACS	T	
TE-102-AW-46	5/4/92	60	SACS	T	
TE-102-AW-46	5/11/92	60	SACS	T	
TE-102-AW-46	5/18/92	61	SACS	T	
TE-102-AW-46	5/25/92	60	SACS	T	
TE-102-AW-46	6/8/92	61	SACS	T	
TE-102-AW-46	6/15/92	62	SACS	T	
TE-102-AW-46	6/22/92	62	SACS	T	
TE-102-AW-46	7/6/92	63	SACS	T	
TE-102-AW-46	7/13/92	63	SACS	T	
TE-102-AW-46	7/20/92	63	SACS	T	
TE-102-AW-46	7/27/92	64	SACS	T	
TE-102-AW-46	8/3/92	64	SACS	T	
TE-102-AW-46	8/10/92	64	SACS	T	
TE-102-AW-46	8/17/92	66	SACS	T	
TE-102-AW-46	8/24/92	67	SACS	T	
TE-102-AW-46	8/31/92	67	SACS	T	
TE-102-AW-46	9/7/92	68	SACS	T	
TE-102-AW-46	9/14/92	67	SACS	T	
TE-102-AW-46	9/21/92	66	SACS	T	
TE-102-AW-46	9/28/92	73	SACS	T	
TE-102-AW-46	10/5/92	69	SACS	T	
TE-102-AW-46	10/12/92	68	SACS	T	
TE-102-AW-46	10/19/92	67	SACS	T	
TE-102-AW-46	10/26/92	67	SACS	T	
TE-102-AW-46	11/2/92	67	SACS	T	
TE-102-AW-46	11/9/92	68	SACS	T	
TE-102-AW-46	11/16/92	67	SACS	T	
TE-102-AW-46	11/23/92	67	SACS	T	
TE-102-AW-46	11/30/92	65	SACS	T	
TE-102-AW-46	12/7/92	66	SACS	T	
TE-102-AW-46	12/14/92	64	SACS	T	
TE-102-AW-46	12/21/92	63	SACS	T	
TE-102-AW-46	12/28/92	64	SACS	T	
TE-102-AW-46	1/4/93	74	SACS	S	Data point did not agree with local trend
TE-102-AW-46	1/11/93	62	SACS	T	
TE-102-AW-46	1/18/93	62	SACS	T	
TE-102-AW-46	1/25/93	61	SACS	T	
TE-102-AW-46	3/1/93	61	SACS	T	
TE-102-AW-46	3/8/93	60	SACS	T	
TE-102-AW-46	3/20/93	59	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-46	3/22/93	59	SACS	T	
TE-102-AW-46	3/29/93	59	SACS	T	
TE-102-AW-46	4/8/93	59	SACS	T	
TE-102-AW-46	4/12/93	59	SACS	T	
TE-102-AW-46	4/19/93	59	SACS	T	
TE-102-AW-46	4/26/93	58	SACS	T	
TE-102-AW-46	5/3/93	59	SACS	T	
TE-102-AW-46	5/10/93	58	SACS	T	
TE-102-AW-46	5/17/93	59	SACS	T	
TE-102-AW-46	5/24/93	60	SACS	T	
TE-102-AW-46	5/31/93	61	SACS	T	
TE-102-AW-46	6/7/93	60	SACS	T	
TE-102-AW-46	6/15/93	61	SACS	T	
TE-102-AW-46	6/22/93	61	SACS	T	
TE-102-AW-46	6/28/93	60	SACS	T	
TE-102-AW-46	7/5/93	61	SACS	T	
TE-102-AW-46	7/12/93	62	SACS	T	
TE-102-AW-46	7/19/93	63	SACS	T	
TE-102-AW-46	7/26/93	63	SACS	T	
TE-102-AW-46	8/2/93	63	SACS	T	
TE-102-AW-46	8/9/93	63	SACS	T	
TE-102-AW-46	8/16/93	63	SACS	T	
TE-102-AW-46	8/23/93	64	SACS	T	
TE-102-AW-46	8/30/93	64	SACS	T	
TE-102-AW-46	9/13/93	65	SACS	T	
TE-102-AW-46	9/21/93	65	SACS	T	
TE-102-AW-46	9/27/93	66	SACS	T	
TE-102-AW-46	10/11/93	66	SACS	T	
TE-102-AW-46	10/19/93	66	SACS	T	
TE-102-AW-46	10/26/93	66	SACS	T	
TE-102-AW-46	11/1/93	66	SACS	T	
TE-102-AW-46	11/8/93	66	SACS	T	
TE-102-AW-46	11/15/93	66	SACS	T	
TE-102-AW-46	11/22/93	66	SACS	T	
TE-102-AW-46	11/29/93	78	SACS	S	Data point did not agree with local trend
TE-102-AW-46	12/6/93	66	SACS	T	
TE-102-AW-46	12/16/93	73	SACS	T	
TE-102-AW-46	12/20/93	66	SACS	T	
TE-102-AW-46	12/27/93	66	SACS	T	
TE-102-AW-46	1/5/94	66	SACS	T	
TE-102-AW-46	1/10/94	72	SACS	T	
TE-102-AW-46	1/24/94	65	SACS	T	
TE-102-AW-46	1/31/94	65	SACS	T	
TE-102-AW-46	2/7/94	65	SACS	G	
TE-102-AW-46	2/21/94	65	SACS	G	
TE-102-AW-46	2/28/94	65	SACS	T	
TE-102-AW-46	3/7/94	64	SACS	T	
TE-102-AW-46	3/14/94	64	SACS	G	
TE-102-AW-46	3/21/94	64	SACS	G	
TE-102-AW-46	3/28/94	62	SACS	G	
TE-102-AW-46	4/5/94	61	SACS	G	
TE-102-AW-46	4/11/94	61	SACS	G	
TE-102-AW-46	4/18/94	65	SACS	T	
TE-102-AW-46	4/25/94	74	SACS	G	
TE-102-AW-46	5/2/94	77	SACS	G	
TE-102-AW-46	5/9/94	66	SACS	G	
TE-102-AW-46	5/16/94	76	SACS	G	
TE-102-AW-46	5/31/94	84	SACS	G	
TE-102-AW-46	6/6/94	101	SACS	G	
TE-102-AW-46	6/13/94	88	SACS	G	
TE-102-AW-46	6/20/94	84	SACS	G	
TE-102-AW-46	6/27/94	80	SACS	G	
TE-102-AW-46	7/4/94	78	SACS	G	
TE-102-AW-46	7/18/94	76	SACS	G	
TE-102-AW-46	7/25/94	78	SACS	G	
TE-102-AW-46	8/1/94	78	SACS	G	
TE-102-AW-46	8/8/94	77	SACS	G	
TE-102-AW-46	8/15/94	71	SACS	G	
TE-102-AW-46	8/22/94	62	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-46	9/7/84	64	SACS	G	
TE-102-AW-46	9/12/84	67	SACS	G	
TE-102-AW-46	9/19/84	88	SACS	G	
TE-102-AW-46	9/26/84	93	SACS	G	
TE-102-AW-46	10/10/84	78	SACS	G	
TE-102-AW-46	10/17/84	82	SACS	G	
TE-102-AW-46	10/24/84	82	SACS	G	
TE-102-AW-46	10/31/84	92	SACS	G	
TE-102-AW-46	11/7/84	98	SACS	G	
TE-102-AW-46	11/14/84	93	SACS	G	
TE-102-AW-46	11/21/84	88	SACS	G	
TE-102-AW-46	11/28/84	80	SACS	G	
TE-102-AW-46	12/5/84	74	SACS	G	
TE-102-AW-46	12/12/84	72	SACS	G	
TE-102-AW-46	12/19/84	70	SACS	G	
TE-102-AW-46	12/26/84	69	SACS	G	
TE-102-AW-46	1/2/85	67	SACS	G	
TE-102-AW-46	1/8/85	65	SACS	G	
TE-102-AW-46	1/16/85	64	SACS	G	
TE-102-AW-46	1/23/85	63	SACS	G	
TE-102-AW-46	1/30/85	63	SACS	G	
TE-102-AW-46	2/6/85	62	SACS	G	
TE-102-AW-46	2/13/85	63	SACS	G	
TE-102-AW-46	2/24/85	61	SACS	G	
TE-102-AW-46	2/27/85	61	SACS	G	
TE-102-AW-46	3/6/85	61	SACS	G	
TE-102-AW-46	3/19/85	60	SACS	G	
TE-102-AW-46	3/27/85	61	SACS	G	
TE-102-AW-46	4/3/85	61	SACS	G	
TE-102-AW-46	4/10/85	61	SACS	G	
TE-102-AW-46	4/17/85	60	SACS	G	
TE-102-AW-46	4/24/85	60	SACS	G	
TE-102-AW-46	5/3/85	63	SACS	G	
TE-102-AW-46	5/8/85	63	SACS	G	
TE-102-AW-46	5/15/85	62	SACS	G	
TE-102-AW-46	5/22/85	61	SACS	G	
TE-102-AW-46	5/30/85	61	SACS	G	
TE-102-AW-46	6/5/85	62	SACS	G	
TE-102-AW-46	6/13/85	63	SACS	G	
TE-102-AW-46	6/19/85	66	SACS	G	
TE-102-AW-46	6/26/85	72	SACS	G	
TE-102-AW-47	7/16/83	72	CASS	T	
TE-102-AW-47	7/23/83	74	CASS	T	
TE-102-AW-47	7/30/83	74	CASS	T	
TE-102-AW-47	8/5/83	75	CASS	T	
TE-102-AW-47	8/13/83	75	CASS	T	
TE-102-AW-47	8/20/83	76	CASS	T	
TE-102-AW-47	8/27/83	78	CASS	T	
TE-102-AW-47	8/31/83	78	CASS	T	
TE-102-AW-47	9/10/83	77	CASS	T	
TE-102-AW-47	9/11/83	77	CASS	T	
TE-102-AW-47	9/24/83	77	CASS	T	
TE-102-AW-47	10/1/83	83	CASS	T	
TE-102-AW-47	10/2/83	89	CASS	T	
TE-102-AW-47	10/13/83	78	CASS	T	
TE-102-AW-47	10/21/83	77	CASS	T	
TE-102-AW-47	3/10/84	96	CASS	T	
TE-102-AW-47	3/15/84	97	CASS	T	
TE-102-AW-47	3/19/84	98	CASS	T	
TE-102-AW-47	3/25/84	90	CASS	T	
TE-102-AW-47	4/2/84	87	CASS	T	
TE-102-AW-47	4/14/84	85	CASS	T	
TE-102-AW-47	4/20/84	85	CASS	T	
TE-102-AW-47	4/28/84	84	CASS	T	
TE-102-AW-47	5/5/84	93	CASS	T	
TE-102-AW-47	5/8/84	99	CASS	T	
TE-102-AW-47	5/13/84	82	CASS	T	
TE-102-AW-47	5/21/84	77	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-47	6/2/84	75	CASS	T	
TE-102-AW-47	6/7/84	84	CASS	T	
TE-102-AW-47	6/19/84	91	CASS	T	
TE-102-AW-47	6/30/84	93	CASS	T	
TE-102-AW-47	7/5/84	97	CASS	T	
TE-102-AW-47	7/13/84	100	CASS	T	
TE-102-AW-47	7/16/84	99	CASS	T	
TE-102-AW-47	7/28/84	112	CASS	T	
TE-102-AW-47	7/30/84	112	CASS	T	
TE-102-AW-47	8/11/84	114	CASS	T	
TE-102-AW-47	8/18/84	119	CASS	T	
TE-102-AW-47	8/22/84	119	CASS	T	
TE-102-AW-47	8/27/84	118	CASS	T	
TE-102-AW-47	9/7/84	116	CASS	T	
TE-102-AW-47	9/12/84	115	CASS	T	
TE-102-AW-47	9/16/84	114	CASS	T	
TE-102-AW-47	9/25/84	112	CASS	T	
TE-102-AW-47	10/1/84	111	CASS	T	
TE-102-AW-47	10/11/84	109	CASS	T	
TE-102-AW-47	10/14/84	108	CASS	T	
TE-102-AW-47	10/21/84	99	CASS	T	
TE-102-AW-47	10/29/84	95	CASS	T	
TE-102-AW-47	11/7/84	93	CASS	T	
TE-102-AW-47	11/17/84	96	CASS	T	
TE-102-AW-47	11/24/84	97	CASS	T	
TE-102-AW-47	11/30/84	101	CASS	T	
TE-102-AW-47	12/8/84	100	CASS	T	
TE-102-AW-47	12/11/84	96	CASS	T	
TE-102-AW-47	12/22/84	91	CASS	T	
TE-102-AW-47	12/23/84	91	CASS	T	
TE-102-AW-47	12/31/84	82	CASS	T	
TE-102-AW-47	1/8/85	74	CASS	T	
TE-102-AW-47	1/19/85	83	CASS	T	
TE-102-AW-47	1/26/85	97	CASS	T	
TE-102-AW-47	2/1/85	105	CASS	T	
TE-102-AW-47	2/4/85	97	CASS	T	
TE-102-AW-47	2/10/85	91	CASS	T	
TE-102-AW-47	2/23/85	83	CASS	T	
TE-102-AW-47	3/2/85	82	CASS	T	
TE-102-AW-47	3/9/85	82	CASS	T	
TE-102-AW-47	3/16/85	82	CASS	T	
TE-102-AW-47	3/22/85	82	CASS	T	
TE-102-AW-47	3/30/85	81	CASS	T	
TE-102-AW-47	4/4/85	93	CASS	T	
TE-102-AW-47	4/13/85	88	CASS	T	
TE-102-AW-47	4/14/85	89	CASS	T	
TE-102-AW-47	4/24/85	92	CASS	T	
TE-102-AW-47	4/28/85	88	CASS	T	
TE-102-AW-47	5/5/85	78	CASS	T	
TE-102-AW-47	5/14/85	86	CASS	T	
TE-102-AW-47	5/25/85	92	CASS	T	
TE-102-AW-47	5/27/85	96	CASS	T	
TE-102-AW-47	6/2/85	94	CASS	T	
TE-102-AW-47	6/12/85	92	CASS	T	
TE-102-AW-47	6/18/85	91	CASS	T	
TE-102-AW-47	11/1/85	96	CASS	T	
TE-102-AW-47	12/1/85	108	CASS	T	
TE-102-AW-47	1/3/86	108	CASS	T	
TE-102-AW-47	1/8/86	105	CASS	T	
TE-102-AW-47	1/18/86	96	CASS	T	
TE-102-AW-47	1/25/86	95	CASS	T	
TE-102-AW-47	2/1/86	94	CASS	T	
TE-102-AW-47	2/8/86	95	CASS	T	
TE-102-AW-47	2/11/86	98	CASS	T	
TE-102-AW-47	2/18/86	101	CASS	T	
TE-102-AW-47	3/1/86	103	CASS	T	
TE-102-AW-47	3/4/86	105	CASS	T	
TE-102-AW-47	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-47	9/17/86	97	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-47	10/11/86	84	CASS	T	
TE-102-AW-47	10/18/86	122	CASS	T	
TE-102-AW-47	10/21/86	132	CASS	T	
TE-102-AW-47	10/26/86	121	CASS	T	
TE-102-AW-47	11/2/86	103	CASS	T	
TE-102-AW-47	11/15/86	130	CASS	T	
TE-102-AW-47	11/17/86	135	CASS	T	
TE-102-AW-47	11/23/86	116	CASS	T	
TE-102-AW-47	12/2/86	106	CASS	T	
TE-102-AW-47	12/9/86	103	CASS	T	
TE-102-AW-47	12/17/86	100	CASS	T	
TE-102-AW-47	12/27/86	104	CASS	T	
TE-102-AW-47	12/28/86	103	CASS	T	
TE-102-AW-47	7/4/87	76	CASS	T	
TE-102-AW-47	7/11/87	91	CASS	T	
TE-102-AW-47	7/15/87	92	CASS	T	
TE-102-AW-47	7/23/87	95	CASS	T	
TE-102-AW-47	7/28/87	92	CASS	T	
TE-102-AW-47	8/6/87	102	CASS	T	
TE-102-AW-47	8/11/87	104	CASS	T	
TE-102-AW-47	8/22/87	105	CASS	T	
TE-102-AW-47	8/27/87	107	CASS	T	
TE-102-AW-47	9/3/87	98	CASS	T	
TE-102-AW-47	9/7/87	96	CASS	T	
TE-102-AW-47	11/26/87	92	CASS	T	
TE-102-AW-47	11/29/87	92	CASS	T	
TE-102-AW-47	3/25/88	85	CASS	T	
TE-102-AW-47	3/27/88	82	CASS	T	
TE-102-AW-47	6/2/88	92	CASS	T	
TE-102-AW-47	6/11/88	92	CASS	T	
TE-102-AW-47	6/15/88	91	CASS	T	
TE-102-AW-47	6/25/88	91	CASS	T	
TE-102-AW-47	7/2/88	92	CASS	T	
TE-102-AW-47	7/3/88	92	CASS	T	
TE-102-AW-47	7/16/88	100	CASS	T	
TE-102-AW-47	7/18/88	103	CASS	T	
TE-102-AW-47	7/26/88	86	CASS	T	
TE-102-AW-47	8/6/88	86	CASS	T	
TE-102-AW-47	8/13/88	92	CASS	T	
TE-102-AW-47	8/14/88	102	CASS	T	
TE-102-AW-47	8/24/88	104	CASS	T	
TE-102-AW-47	9/3/88	89	CASS	T	
TE-102-AW-47	9/10/88	93	CASS	T	
TE-102-AW-47	9/13/88	97	CASS	T	
TE-102-AW-47	9/18/88	95	CASS	T	
TE-102-AW-47	9/27/88	92	CASS	T	
TE-102-AW-47	12/1/88	87	CASS	T	
TE-102-AW-47	12/10/88	92	CASS	T	
TE-102-AW-47	12/16/88	90	CASS	T	
TE-102-AW-47	12/18/88	87	CASS	T	
TE-102-AW-47	9/2/89	76	CASS	T	
TE-102-AW-47	9/9/89	76	CASS	T	
TE-102-AW-47	9/16/89	76	CASS	T	
TE-102-AW-47	9/23/89	76	CASS	T	
TE-102-AW-47	9/30/89	76	CASS	T	
TE-102-AW-47	11/4/89	74	CASS	T	
TE-102-AW-47	11/11/89	73	CASS	T	
TE-102-AW-47	11/18/89	73	CASS	T	
TE-102-AW-47	11/24/89	73	CASS	T	
TE-102-AW-47	11/29/89	73	CASS	T	
TE-102-AW-47	12/8/89	72	CASS	T	
TE-102-AW-47	12/14/89	74	CASS	T	
TE-102-AW-47	12/23/89	73	CASS	T	
TE-102-AW-47	12/29/89	72	CASS	T	
TE-102-AW-47	1/8/90	71	CASS	T	
TE-102-AW-47	1/7/90	71	CASS	T	
TE-102-AW-47	1/17/90	70	CASS	T	
TE-102-AW-47	1/27/90	69	CASS	T	
TE-102-AW-47	1/31/90	69	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-47	2/10/90	68	CASS	T	
TE-102-AW-47	2/14/90	68	CASS	T	
TE-102-AW-47	2/24/90	67	CASS	T	
TE-102-AW-47	2/28/90	67	CASS	T	
TE-102-AW-47	3/7/90	67	CASS	T	
TE-102-AW-47	3/17/90	66	CASS	T	
TE-102-AW-47	3/22/90	66	CASS	T	
TE-102-AW-47	3/31/90	66	CASS	T	
TE-102-AW-47	4/7/90	66	CASS	T	
TE-102-AW-47	4/14/90	66	CASS	T	
TE-102-AW-47	4/21/90	66	CASS	T	
TE-102-AW-47	4/28/90	66	CASS	T	
TE-102-AW-47	5/5/90	66	CASS	T	
TE-102-AW-47	5/12/90	66	CASS	T	
TE-102-AW-47	5/19/90	66	CASS	T	
TE-102-AW-47	5/22/90	66	CASS	T	
TE-102-AW-47	6/2/90	66	CASS	T	
TE-102-AW-47	6/9/90	66	CASS	T	
TE-102-AW-47	6/18/90	66	CASS	T	
TE-102-AW-47	6/23/90	67	CASS	T	
TE-102-AW-47	6/30/90	67	CASS	T	
TE-102-AW-47	7/7/90	67	CASS	T	
TE-102-AW-47	7/14/90	68	CASS	T	
TE-102-AW-47	7/21/90	68	CASS	T	
TE-102-AW-47	7/28/90	69	CASS	T	
TE-102-AW-47	8/4/90	69	CASS	T	
TE-102-AW-47	8/11/90	70	CASS	T	
TE-102-AW-47	8/18/90	70	CASS	T	
TE-102-AW-47	8/25/90	70	CASS	T	
TE-102-AW-47	9/1/90	70	CASS	T	
TE-102-AW-47	9/8/90	71	CASS	T	
TE-102-AW-47	9/15/90	71	CASS	T	
TE-102-AW-47	9/22/90	71	CASS	T	
TE-102-AW-47	9/29/90	71	CASS	T	
TE-102-AW-47	10/6/90	71	CASS	T	
TE-102-AW-47	10/13/90	71	CASS	T	
TE-102-AW-47	10/18/90	71	CASS	T	
TE-102-AW-47	10/27/90	70	CASS	T	
TE-102-AW-47	11/3/90	70	CASS	T	
TE-102-AW-47	11/10/90	70	CASS	T	
TE-102-AW-47	11/11/90	70	CASS	T	
TE-102-AW-47	11/24/90	69	CASS	T	
TE-102-AW-47	11/30/90	69	CASS	T	
TE-102-AW-47	12/8/90	68	CASS	T	
TE-102-AW-47	12/14/90	68	CASS	T	
TE-102-AW-47	12/20/90	67	CASS	T	
TE-102-AW-47	12/28/90	66	CASS	T	
TE-102-AW-47	1/5/91	65	CASS	T	
TE-102-AW-47	1/11/91	65	CASS	T	
TE-102-AW-47	1/19/91	64	CASS	T	
TE-102-AW-47	1/25/91	64	CASS	T	
TE-102-AW-47	2/2/91	63	CASS	T	
TE-102-AW-47	2/9/91	63	CASS	T	
TE-102-AW-47	2/16/91	63	CASS	T	
TE-102-AW-47	2/22/91	63	CASS	T	
TE-102-AW-47	3/2/91	62	CASS	T	
TE-102-AW-47	3/9/91	62	CASS	T	
TE-102-AW-47	3/16/91	62	CASS	T	
TE-102-AW-47	3/21/91	62	CASS	T	
TE-102-AW-47	3/25/91	62	CASS	T	
TE-102-AW-47	4/6/91	61	CASS	T	
TE-102-AW-47	4/13/91	61	CASS	T	
TE-102-AW-47	4/20/91	61	CASS	T	
TE-102-AW-47	4/27/91	61	CASS	T	
TE-102-AW-47	5/4/91	61	CASS	T	
TE-102-AW-47	5/11/91	61	CASS	T	
TE-102-AW-47	5/18/91	61	CASS	T	
TE-102-AW-47	5/25/91	62	CASS	T	
TE-102-AW-47	5/31/91	62	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-47	6/8/91	62	CASS	T	
TE-102-AW-47	6/15/91	63	CASS	T	
TE-102-AW-47	6/21/91	63	CASS	T	
TE-102-AW-47	6/25/91	63	CASS	T	
TE-102-AW-48	7/14/83	73	CASS	T	
TE-102-AW-48	7/23/83	74	CASS	T	
TE-102-AW-48	7/30/83	74	CASS	T	
TE-102-AW-48	8/6/83	75	CASS	T	
TE-102-AW-48	8/13/83	76	CASS	T	
TE-102-AW-48	8/20/83	76	CASS	T	
TE-102-AW-48	8/27/83	78	CASS	T	
TE-102-AW-48	8/31/83	78	CASS	T	
TE-102-AW-48	9/10/83	77	CASS	T	
TE-102-AW-48	9/11/83	77	CASS	T	
TE-102-AW-48	9/24/83	77	CASS	T	
TE-102-AW-48	10/1/83	93	CASS	T	
TE-102-AW-48	10/2/83	89	CASS	T	
TE-102-AW-48	10/13/83	78	CASS	T	
TE-102-AW-48	10/21/83	77	CASS	T	
TE-102-AW-48	3/9/84	96	CASS	T	
TE-102-AW-48	3/12/84	97	CASS	T	
TE-102-AW-48	3/19/84	98	CASS	T	
TE-102-AW-48	3/25/84	90	CASS	T	
TE-102-AW-48	4/2/84	87	CASS	T	
TE-102-AW-48	4/9/84	85	CASS	T	
TE-102-AW-48	4/20/84	85	CASS	T	
TE-102-AW-48	4/28/84	84	CASS	T	
TE-102-AW-48	5/5/84	93	CASS	T	
TE-102-AW-48	5/8/84	99	CASS	T	
TE-102-AW-48	5/13/84	82	CASS	T	
TE-102-AW-48	5/20/84	77	CASS	T	
TE-102-AW-48	6/2/84	75	CASS	T	
TE-102-AW-48	6/7/84	84	CASS	T	
TE-102-AW-48	6/19/84	91	CASS	T	
TE-102-AW-48	6/30/84	93	CASS	T	
TE-102-AW-48	7/6/84	96	CASS	T	
TE-102-AW-48	7/13/84	99	CASS	T	
TE-102-AW-48	7/16/84	99	CASS	T	
TE-102-AW-48	7/28/84	112	CASS	T	
TE-102-AW-48	7/30/84	112	CASS	T	
TE-102-AW-48	8/11/84	113	CASS	T	
TE-102-AW-48	8/17/84	119	CASS	T	
TE-102-AW-48	8/21/84	119	CASS	T	
TE-102-AW-48	8/26/84	118	CASS	T	
TE-102-AW-48	9/7/84	118	CASS	T	
TE-102-AW-48	9/12/84	115	CASS	T	
TE-102-AW-48	9/16/84	114	CASS	T	
TE-102-AW-48	9/25/84	112	CASS	T	
TE-102-AW-48	10/1/84	111	CASS	T	
TE-102-AW-48	10/11/84	109	CASS	T	
TE-102-AW-48	10/14/84	108	CASS	T	
TE-102-AW-48	10/21/84	99	CASS	T	
TE-102-AW-48	10/31/84	94	CASS	T	
TE-102-AW-48	11/7/84	93	CASS	T	
TE-102-AW-48	11/17/84	96	CASS	T	
TE-102-AW-48	11/24/84	97	CASS	T	
TE-102-AW-48	11/30/84	101	CASS	T	
TE-102-AW-48	12/7/84	100	CASS	T	
TE-102-AW-48	12/11/84	96	CASS	T	
TE-102-AW-48	12/22/84	91	CASS	T	
TE-102-AW-48	12/23/84	91	CASS	T	
TE-102-AW-48	12/31/84	82	CASS	T	
TE-102-AW-48	1/8/85	74	CASS	T	
TE-102-AW-48	1/19/85	83	CASS	T	
TE-102-AW-48	1/26/85	97	CASS	T	
TE-102-AW-48	1/31/85	105	CASS	T	
TE-102-AW-48	2/4/85	97	CASS	T	
TE-102-AW-48	2/10/85	91	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-48	2/23/85	82	CASS	T	
TE-102-AW-48	3/2/85	82	CASS	T	
TE-102-AW-48	3/9/85	82	CASS	T	
TE-102-AW-48	3/16/85	82	CASS	T	
TE-102-AW-48	3/22/85	82	CASS	T	
TE-102-AW-48	3/26/85	81	CASS	T	
TE-102-AW-48	4/4/85	83	CASS	T	
TE-102-AW-48	4/13/85	88	CASS	T	
TE-102-AW-48	4/14/85	88	CASS	T	
TE-102-AW-48	4/24/85	92	CASS	T	
TE-102-AW-48	4/29/85	87	CASS	T	
TE-102-AW-48	5/5/85	78	CASS	T	
TE-102-AW-48	5/18/85	85	CASS	T	
TE-102-AW-48	5/25/85	92	CASS	T	
TE-102-AW-48	5/27/85	98	CASS	T	
TE-102-AW-48	6/2/85	94	CASS	T	
TE-102-AW-48	6/11/85	92	CASS	T	
TE-102-AW-48	6/17/85	91	CASS	T	
TE-102-AW-48	11/1/85	98	CASS	T	
TE-102-AW-48	12/1/85	108	CASS	T	
TE-102-AW-48	1/3/86	108	CASS	T	
TE-102-AW-48	1/8/86	105	CASS	T	
TE-102-AW-48	1/18/86	98	CASS	T	
TE-102-AW-48	1/25/86	95	CASS	T	
TE-102-AW-48	2/1/86	94	CASS	T	
TE-102-AW-48	2/8/86	94	CASS	T	
TE-102-AW-48	2/11/86	98	CASS	T	
TE-102-AW-48	2/18/86	101	CASS	T	
TE-102-AW-48	3/1/86	102	CASS	T	
TE-102-AW-48	3/4/86	105	CASS	T	
TE-102-AW-48	8/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-48	8/17/86	97	CASS	T	
TE-102-AW-48	10/11/86	94	CASS	T	
TE-102-AW-48	10/18/86	122	CASS	T	
TE-102-AW-48	10/21/86	132	CASS	T	
TE-102-AW-48	10/26/86	121	CASS	T	
TE-102-AW-48	11/2/86	102	CASS	T	
TE-102-AW-48	11/15/86	130	CASS	T	
TE-102-AW-48	11/17/86	135	CASS	T	
TE-102-AW-48	11/23/86	116	CASS	T	
TE-102-AW-48	12/2/86	106	CASS	T	
TE-102-AW-48	12/8/86	103	CASS	T	
TE-102-AW-48	12/17/86	100	CASS	T	
TE-102-AW-48	12/27/86	104	CASS	T	
TE-102-AW-48	12/28/86	103	CASS	T	
TE-102-AW-48	7/4/87	78	CASS	T	
TE-102-AW-48	7/11/87	91	CASS	T	
TE-102-AW-48	7/15/87	92	CASS	T	
TE-102-AW-48	7/23/87	95	CASS	T	
TE-102-AW-48	7/28/87	92	CASS	T	
TE-102-AW-48	8/6/87	101	CASS	T	
TE-102-AW-48	8/11/87	104	CASS	T	
TE-102-AW-48	8/22/87	105	CASS	T	
TE-102-AW-48	8/27/87	107	CASS	T	
TE-102-AW-48	9/3/87	98	CASS	T	
TE-102-AW-48	9/9/87	95	CASS	T	
TE-102-AW-48	11/27/87	90	CASS	T	
TE-102-AW-48	11/29/87	89	CASS	T	
TE-102-AW-48	3/28/88	84	CASS	T	
TE-102-AW-48	3/31/88	81	CASS	T	
TE-102-AW-48	6/1/88	92	CASS	T	
TE-102-AW-48	6/11/88	91	CASS	T	
TE-102-AW-48	6/15/88	91	CASS	T	
TE-102-AW-48	6/25/88	90	CASS	T	
TE-102-AW-48	7/2/88	92	CASS	T	
TE-102-AW-48	7/3/88	92	CASS	T	
TE-102-AW-48	7/18/88	99	CASS	T	
TE-102-AW-48	7/18/88	103	CASS	T	
TE-102-AW-48	7/27/88	86	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-48	8/6/88	86	CASS	T	
TE-102-AW-48	8/13/88	91	CASS	T	
TE-102-AW-48	8/14/88	101	CASS	T	
TE-102-AW-48	8/24/88	104	CASS	T	
TE-102-AW-48	9/3/88	89	CASS	T	
TE-102-AW-48	9/10/88	93	CASS	T	
TE-102-AW-48	9/17/88	98	CASS	T	
TE-102-AW-48	9/21/88	94	CASS	T	
TE-102-AW-48	9/27/88	92	CASS	T	
TE-102-AW-48	12/1/88	87	CASS	T	
TE-102-AW-48	12/10/88	92	CASS	T	
TE-102-AW-48	12/11/88	89	CASS	T	
TE-102-AW-48	12/18/88	87	CASS	T	
TE-102-AW-48	9/2/89	76	CASS	T	
TE-102-AW-48	9/9/89	76	CASS	T	
TE-102-AW-48	9/16/89	76	CASS	T	
TE-102-AW-48	9/23/89	76	CASS	T	
TE-102-AW-48	9/30/89	76	CASS	T	
TE-102-AW-48	11/2/89	74	CASS	T	
TE-102-AW-48	11/11/89	73	CASS	T	
TE-102-AW-48	11/18/89	73	CASS	T	
TE-102-AW-48	11/25/89	73	CASS	T	
TE-102-AW-48	11/28/89	73	CASS	T	
TE-102-AW-48	12/5/89	72	CASS	T	
TE-102-AW-48	12/14/89	74	CASS	T	
TE-102-AW-48	12/23/89	73	CASS	T	
TE-102-AW-48	12/27/89	72	CASS	T	
TE-102-AW-48	1/6/90	71	CASS	T	
TE-102-AW-48	1/13/90	70	CASS	T	
TE-102-AW-48	1/17/90	70	CASS	T	
TE-102-AW-48	1/27/90	69	CASS	T	
TE-102-AW-48	1/29/90	69	CASS	T	
TE-102-AW-48	2/10/90	68	CASS	T	
TE-102-AW-48	2/13/90	68	CASS	T	
TE-102-AW-48	2/24/90	67	CASS	T	
TE-102-AW-48	2/28/90	67	CASS	T	
TE-102-AW-48	3/10/90	66	CASS	T	
TE-102-AW-48	3/17/90	66	CASS	T	
TE-102-AW-48	3/22/90	66	CASS	T	
TE-102-AW-48	3/31/90	66	CASS	T	
TE-102-AW-48	4/7/90	66	CASS	T	
TE-102-AW-48	4/13/90	66	CASS	T	
TE-102-AW-48	4/21/90	66	CASS	T	
TE-102-AW-48	4/28/90	66	CASS	T	
TE-102-AW-48	5/5/90	66	CASS	T	
TE-102-AW-48	5/12/90	66	CASS	T	
TE-102-AW-48	5/19/90	66	CASS	T	
TE-102-AW-48	5/22/90	66	CASS	T	
TE-102-AW-48	6/2/90	66	CASS	T	
TE-102-AW-48	6/8/90	66	CASS	T	
TE-102-AW-48	6/16/90	66	CASS	T	
TE-102-AW-48	6/23/90	66	CASS	T	
TE-102-AW-48	6/30/90	67	CASS	T	
TE-102-AW-48	7/7/90	67	CASS	T	
TE-102-AW-48	7/14/90	68	CASS	T	
TE-102-AW-48	7/21/90	68	CASS	T	
TE-102-AW-48	7/28/90	68	CASS	T	
TE-102-AW-48	8/4/90	69	CASS	T	
TE-102-AW-48	8/11/90	69	CASS	T	
TE-102-AW-48	8/18/90	70	CASS	T	
TE-102-AW-48	8/25/90	70	CASS	T	
TE-102-AW-48	9/1/90	70	CASS	T	
TE-102-AW-48	9/8/90	71	CASS	T	
TE-102-AW-48	9/15/90	71	CASS	T	
TE-102-AW-48	9/22/90	71	CASS	T	
TE-102-AW-48	9/29/90	71	CASS	T	
TE-102-AW-48	10/6/90	71	CASS	T	
TE-102-AW-48	10/13/90	71	CASS	T	
TE-102-AW-48	10/14/90	71	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-48	10/27/90	70	CASS	T	
TE-102-AW-48	11/3/90	70	CASS	T	
TE-102-AW-48	11/8/90	70	CASS	T	
TE-102-AW-48	11/11/90	70	CASS	T	
TE-102-AW-48	11/24/90	69	CASS	T	
TE-102-AW-48	11/28/90	69	CASS	T	
TE-102-AW-48	12/8/90	68	CASS	T	
TE-102-AW-48	12/13/90	68	CASS	T	
TE-102-AW-48	12/20/90	67	CASS	T	
TE-102-AW-48	12/28/90	66	CASS	T	
TE-102-AW-48	1/5/91	65	CASS	T	
TE-102-AW-48	1/8/91	65	CASS	T	
TE-102-AW-48	1/19/91	64	CASS	T	
TE-102-AW-48	1/25/91	64	CASS	T	
TE-102-AW-48	2/2/91	63	CASS	T	
TE-102-AW-48	2/9/91	63	CASS	T	
TE-102-AW-48	2/15/91	63	CASS	T	
TE-102-AW-48	2/18/91	63	CASS	T	
TE-102-AW-48	3/2/91	62	CASS	T	
TE-102-AW-48	3/9/91	62	CASS	T	
TE-102-AW-48	3/16/91	62	CASS	T	
TE-102-AW-48	3/19/91	62	CASS	T	
TE-102-AW-48	3/25/91	62	CASS	T	
TE-102-AW-48	4/6/91	61	CASS	T	
TE-102-AW-48	4/13/91	61	CASS	T	
TE-102-AW-48	4/20/91	61	CASS	T	
TE-102-AW-48	4/27/91	61	CASS	T	
TE-102-AW-48	5/4/91	61	CASS	T	
TE-102-AW-48	5/11/91	61	CASS	T	
TE-102-AW-48	5/18/91	62	CASS	T	
TE-102-AW-48	5/25/91	62	CASS	T	
TE-102-AW-48	5/31/91	62	CASS	T	
TE-102-AW-48	6/8/91	62	CASS	T	
TE-102-AW-48	6/15/91	62	CASS	T	
TE-102-AW-48	6/21/91	63	CASS	T	
TE-102-AW-48	6/25/91	63	CASS	T	
TE-102-AW-49	7/16/83	72	CASS	T	
TE-102-AW-49	7/23/83	74	CASS	T	
TE-102-AW-49	7/30/83	74	CASS	T	
TE-102-AW-49	8/5/83	75	CASS	T	
TE-102-AW-49	8/13/83	75	CASS	T	
TE-102-AW-49	8/20/83	76	CASS	T	
TE-102-AW-49	8/27/83	76	CASS	T	
TE-102-AW-49	8/31/83	76	CASS	T	
TE-102-AW-49	9/10/83	77	CASS	T	
TE-102-AW-49	9/11/83	77	CASS	T	
TE-102-AW-49	9/24/83	77	CASS	T	
TE-102-AW-49	10/1/83	83	CASS	T	
TE-102-AW-49	10/2/83	89	CASS	T	
TE-102-AW-49	10/13/83	78	CASS	T	
TE-102-AW-49	10/21/83	77	CASS	T	
TE-102-AW-49	3/10/84	96	CASS	T	
TE-102-AW-49	3/17/84	94	CASS	T	
TE-102-AW-49	3/18/84	98	CASS	T	
TE-102-AW-49	3/25/84	90	CASS	T	
TE-102-AW-49	4/2/84	87	CASS	T	
TE-102-AW-49	4/9/84	85	CASS	T	
TE-102-AW-49	4/20/84	85	CASS	T	
TE-102-AW-49	4/28/84	84	CASS	T	
TE-102-AW-49	5/5/84	93	CASS	T	
TE-102-AW-49	5/8/84	99	CASS	T	
TE-102-AW-49	5/13/84	82	CASS	T	
TE-102-AW-49	5/20/84	77	CASS	T	
TE-102-AW-49	6/2/84	75	CASS	T	
TE-102-AW-49	6/6/84	85	CASS	T	
TE-102-AW-49	6/19/84	91	CASS	T	
TE-102-AW-49	6/30/84	93	CASS	T	
TE-102-AW-49	7/5/84	97	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-49	7/13/84	99	CASS	T	
TE-102-AW-49	7/18/84	99	CASS	T	
TE-102-AW-49	7/28/84	112	CASS	T	
TE-102-AW-49	7/29/84	112	CASS	T	
TE-102-AW-49	8/11/84	113	CASS	T	
TE-102-AW-49	8/18/84	119	CASS	T	
TE-102-AW-49	8/19/84	120	CASS	T	
TE-102-AW-49	8/28/84	118	CASS	T	
TE-102-AW-49	9/2/84	117	CASS	T	
TE-102-AW-49	9/12/84	115	CASS	T	
TE-102-AW-49	9/17/84	114	CASS	T	
TE-102-AW-49	9/25/84	112	CASS	T	
TE-102-AW-49	10/1/84	111	CASS	T	
TE-102-AW-49	10/12/84	109	CASS	T	
TE-102-AW-49	10/14/84	108	CASS	T	
TE-102-AW-49	10/21/84	99	CASS	T	
TE-102-AW-49	10/30/84	95	CASS	T	
TE-102-AW-49	11/8/84	93	CASS	T	
TE-102-AW-49	11/17/84	96	CASS	T	
TE-102-AW-49	11/24/84	97	CASS	T	
TE-102-AW-49	11/30/84	101	CASS	T	
TE-102-AW-49	12/7/84	100	CASS	T	
TE-102-AW-49	12/11/84	96	CASS	T	
TE-102-AW-49	12/22/84	91	CASS	T	
TE-102-AW-49	12/23/84	91	CASS	T	
TE-102-AW-49	12/30/84	83	CASS	T	
TE-102-AW-49	1/8/85	74	CASS	T	
TE-102-AW-49	1/19/85	83	CASS	T	
TE-102-AW-49	1/26/85	97	CASS	T	
TE-102-AW-49	1/31/85	105	CASS	T	
TE-102-AW-49	2/4/85	97	CASS	T	
TE-102-AW-49	2/10/85	91	CASS	T	
TE-102-AW-49	2/22/85	83	CASS	T	
TE-102-AW-49	2/28/85	83	CASS	T	
TE-102-AW-49	3/7/85	83	CASS	T	
TE-102-AW-49	3/16/85	82	CASS	T	
TE-102-AW-49	3/22/85	82	CASS	T	
TE-102-AW-49	3/28/85	81	CASS	T	
TE-102-AW-49	4/4/85	93	CASS	T	
TE-102-AW-49	4/13/85	88	CASS	T	
TE-102-AW-49	4/14/85	88	CASS	T	
TE-102-AW-49	4/24/85	92	CASS	T	
TE-102-AW-49	4/28/85	88	CASS	T	
TE-102-AW-49	5/5/85	78	CASS	T	
TE-102-AW-49	5/14/85	86	CASS	T	
TE-102-AW-49	5/25/85	92	CASS	T	
TE-102-AW-49	5/27/85	96	CASS	T	
TE-102-AW-49	6/3/85	94	CASS	T	
TE-102-AW-49	6/12/85	92	CASS	T	
TE-102-AW-49	6/18/85	91	CASS	T	
TE-102-AW-49	11/1/85	94	CASS	T	
TE-102-AW-49	12/1/85	104	CASS	T	
TE-102-AW-49	1/2/86	109	CASS	T	
TE-102-AW-49	1/7/86	105	CASS	T	
TE-102-AW-49	1/18/86	96	CASS	T	
TE-102-AW-49	1/25/86	95	CASS	T	
TE-102-AW-49	2/1/86	94	CASS	T	
TE-102-AW-49	2/8/86	95	CASS	T	
TE-102-AW-49	2/11/86	96	CASS	T	
TE-102-AW-49	2/18/86	101	CASS	T	
TE-102-AW-49	3/1/86	103	CASS	T	
TE-102-AW-49	3/4/86	105	CASS	T	
TE-102-AW-49	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-49	9/20/86	97	CASS	T	
TE-102-AW-49	9/25/86	97	CASS	T	
TE-102-AW-49	10/4/86	96	CASS	T	
TE-102-AW-49	10/7/86	96	CASS	T	
TE-102-AW-49	10/18/86	123	CASS	T	
TE-102-AW-49	10/20/86	132	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-49	10/28/86	121	CASS	T	
TE-102-AW-49	11/2/86	103	CASS	T	
TE-102-AW-49	11/15/86	129	CASS	T	
TE-102-AW-49	11/17/86	133	CASS	T	
TE-102-AW-49	11/23/86	115	CASS	T	
TE-102-AW-49	12/2/86	106	CASS	T	
TE-102-AW-49	12/8/86	103	CASS	T	
TE-102-AW-49	12/17/86	100	CASS	T	
TE-102-AW-49	12/27/86	104	CASS	T	
TE-102-AW-49	12/28/86	103	CASS	T	
TE-102-AW-49	7/4/87	76	CASS	T	
TE-102-AW-49	7/11/87	91	CASS	T	
TE-102-AW-49	7/15/87	92	CASS	T	
TE-102-AW-49	7/23/87	95	CASS	T	
TE-102-AW-49	7/28/87	92	CASS	T	
TE-102-AW-49	8/6/87	102	CASS	T	
TE-102-AW-49	8/10/87	103	CASS	T	
TE-102-AW-49	8/22/87	105	CASS	T	
TE-102-AW-49	8/27/87	107	CASS	T	
TE-102-AW-49	9/3/87	98	CASS	T	
TE-102-AW-49	9/8/87	96	CASS	T	
TE-102-AW-49	11/28/87	89	CASS	T	
TE-102-AW-49	11/29/87	89	CASS	T	
TE-102-AW-49	3/25/88	84	CASS	T	
TE-102-AW-49	3/31/88	81	CASS	T	
TE-102-AW-49	8/1/88	91	CASS	T	
TE-102-AW-49	8/11/88	92	CASS	T	
TE-102-AW-49	8/15/88	91	CASS	T	
TE-102-AW-49	8/25/88	91	CASS	T	
TE-102-AW-49	7/2/88	92	CASS	T	
TE-102-AW-49	7/3/88	92	CASS	T	
TE-102-AW-49	7/18/88	99	CASS	T	
TE-102-AW-49	7/18/88	103	CASS	T	
TE-102-AW-49	7/25/88	87	CASS	T	
TE-102-AW-49	8/6/88	86	CASS	T	
TE-102-AW-49	8/13/88	92	CASS	T	
TE-102-AW-49	8/14/88	102	CASS	T	
TE-102-AW-49	8/24/88	104	CASS	T	
TE-102-AW-49	9/3/88	89	CASS	T	
TE-102-AW-49	9/9/88	94	CASS	T	
TE-102-AW-49	9/17/88	98	CASS	T	
TE-102-AW-49	9/19/88	94	CASS	T	
TE-102-AW-49	9/27/88	92	CASS	T	
TE-102-AW-49	9/30/88	31	CASS	S	Data point did not agree with local trend
TE-102-AW-49	12/1/88	87	CASS	T	
TE-102-AW-49	12/9/88	92	CASS	T	
TE-102-AW-49	12/11/88	89	CASS	T	
TE-102-AW-49	12/18/88	47	CASS	S	Data point did not agree with local trend
TE-102-AW-49	12/20/88	84	CASS	T	
TE-102-AW-49	9/2/89	76	CASS	T	
TE-102-AW-49	9/9/89	76	CASS	T	
TE-102-AW-49	9/18/89	76	CASS	T	
TE-102-AW-49	9/23/89	76	CASS	T	
TE-102-AW-49	9/30/89	76	CASS	T	
TE-102-AW-49	11/2/89	74	CASS	T	
TE-102-AW-49	11/10/89	73	CASS	T	
TE-102-AW-49	11/16/89	74	CASS	T	
TE-102-AW-49	11/19/89	74	CASS	T	
TE-102-AW-49	12/1/89	73	CASS	T	
TE-102-AW-49	12/3/89	73	CASS	T	
TE-102-AW-49	12/16/89	74	CASS	T	
TE-102-AW-49	12/23/89	73	CASS	T	
TE-102-AW-49	12/27/89	72	CASS	T	
TE-102-AW-49	1/5/90	71	CASS	T	
TE-102-AW-49	1/7/90	71	CASS	T	
TE-102-AW-49	1/18/90	70	CASS	T	
TE-102-AW-49	1/27/90	69	CASS	T	
TE-102-AW-49	1/30/90	69	CASS	T	
TE-102-AW-49	2/4/90	69	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-49	2/12/90	68	CASS	T	
TE-102-AW-49	2/24/90	67	CASS	T	
TE-102-AW-49	3/1/90	67	CASS	T	
TE-102-AW-49	3/2/90	31	CASS	S	Data point did not agree with local trend
TE-102-AW-49	3/9/90	67	CASS	T	
TE-102-AW-49	3/16/90	66	CASS	T	
TE-102-AW-49	3/17/90	50	CASS	S	Data point did not agree with local trend
TE-102-AW-49	3/20/90	66	CASS	T	
TE-102-AW-49	3/30/90	66	CASS	T	
TE-102-AW-49	4/13/90	66	CASS	T	
TE-102-AW-49	4/14/90	66	CASS	S	Data point did not agree with local trend
TE-102-AW-49	4/21/90	66	CASS	T	
TE-102-AW-49	4/25/90	32	CASS	S	Data point did not agree with local trend
TE-102-AW-49	4/28/90	66	CASS	T	
TE-102-AW-49	5/5/90	66	CASS	T	
TE-102-AW-49	5/12/90	66	CASS	T	
TE-102-AW-49	5/16/90	66	CASS	T	
TE-102-AW-49	5/18/90	28	CASS	S	Data point did not agree with local trend
TE-102-AW-49	5/21/90	34	CASS	S	Data point did not agree with local trend
TE-102-AW-49	6/1/90	66	CASS	T	
TE-102-AW-49	6/4/90	66	CASS	T	
TE-102-AW-49	6/18/90	66	CASS	T	
TE-102-AW-49	6/19/90	51	CASS	S	Data point did not agree with local trend
TE-102-AW-49	6/23/90	67	CASS	T	
TE-102-AW-49	6/29/90	67	CASS	T	
TE-102-AW-49	7/7/90	67	CASS	T	
TE-102-AW-49	7/14/90	68	CASS	T	
TE-102-AW-49	7/21/90	68	CASS	T	
TE-102-AW-49	7/28/90	69	CASS	T	
TE-102-AW-49	8/4/90	69	CASS	T	
TE-102-AW-49	8/8/90	54	CASS	S	Data point did not agree with local trend
TE-102-AW-49	8/10/90	70	CASS	T	
TE-102-AW-49	8/18/90	70	CASS	T	
TE-102-AW-49	8/25/90	70	CASS	T	
TE-102-AW-49	8/31/90	70	CASS	T	
TE-102-AW-49	9/8/90	71	CASS	T	
TE-102-AW-49	9/15/90	71	CASS	T	
TE-102-AW-49	9/24/90	71	CASS	T	
TE-102-AW-49	10/5/90	71	CASS	T	
TE-102-AW-49	10/10/90	23	CASS	S	Data point did not agree with local trend
TE-102-AW-49	10/20/90	71	CASS	T	
TE-102-AW-49	10/27/90	70	CASS	T	
TE-102-AW-49	11/3/90	70	CASS	T	
TE-102-AW-49	11/10/90	70	CASS	T	
TE-102-AW-49	11/11/90	70	CASS	T	
TE-102-AW-49	11/18/90	69	CASS	T	
TE-102-AW-49	12/1/90	69	CASS	T	
TE-102-AW-49	12/5/90	55	CASS	S	Data point did not agree with local trend
TE-102-AW-49	12/7/90	68	CASS	T	
TE-102-AW-49	12/10/90	68	CASS	T	
TE-102-AW-49	12/21/90	67	CASS	T	
TE-102-AW-49	12/23/90	68	CASS	T	
TE-102-AW-49	1/5/91	65	CASS	T	
TE-102-AW-49	1/11/91	65	CASS	T	
TE-102-AW-49	1/13/91	64	CASS	T	
TE-102-AW-49	1/21/91	64	CASS	T	
TE-102-AW-49	2/4/91	46	CASS	S	Data point did not agree with local trend
TE-102-AW-49	2/9/91	63	CASS	T	
TE-102-AW-49	2/13/91	63	CASS	T	
TE-102-AW-49	2/18/91	80	CASS	T	
TE-102-AW-49	2/19/91	9	CASS	S	Data point did not agree with local trend
TE-102-AW-49	3/2/91	62	CASS	T	
TE-102-AW-49	3/4/91	25	CASS	S	Data point did not agree with local trend
TE-102-AW-49	3/15/91	62	CASS	T	
TE-102-AW-49	3/21/91	62	CASS	T	
TE-102-AW-49	3/25/91	62	CASS	T	
TE-102-AW-49	4/5/91	61	CASS	T	
TE-102-AW-49	4/11/91	61	CASS	T	
TE-102-AW-49	5/2/91	61	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-49	5/11/91	82	CASS	T	
TE-102-AW-49	5/15/91	82	CASS	T	
TE-102-AW-49	5/23/91	40	CASS	S	Data point did not agree with local trend
TE-102-AW-49	8/24/91	57	CASS	S	Data point did not agree with local trend
TE-102-AW-50	7/14/83	73	CASS	T	
TE-102-AW-50	7/23/83	74	CASS	T	
TE-102-AW-50	7/30/83	74	CASS	T	
TE-102-AW-50	8/6/83	75	CASS	T	
TE-102-AW-50	8/13/83	75	CASS	T	
TE-102-AW-50	8/20/83	76	CASS	T	
TE-102-AW-50	8/27/83	76	CASS	T	
TE-102-AW-50	8/31/83	76	CASS	T	
TE-102-AW-50	9/10/83	76	CASS	T	
TE-102-AW-50	9/12/83	77	CASS	T	
TE-102-AW-50	9/24/83	77	CASS	T	
TE-102-AW-50	10/1/83	83	CASS	T	
TE-102-AW-50	10/2/83	89	CASS	T	
TE-102-AW-50	10/15/83	78	CASS	T	
TE-102-AW-50	10/21/83	77	CASS	T	
TE-102-AW-50	3/9/84	96	CASS	T	
TE-102-AW-50	3/17/84	94	CASS	T	
TE-102-AW-50	3/18/84	96	CASS	T	
TE-102-AW-50	3/27/84	90	CASS	T	
TE-102-AW-50	4/2/84	87	CASS	T	
TE-102-AW-50	4/8/84	85	CASS	T	
TE-102-AW-50	4/20/84	85	CASS	T	
TE-102-AW-50	4/28/84	84	CASS	T	
TE-102-AW-50	5/5/84	93	CASS	T	
TE-102-AW-50	5/8/84	99	CASS	T	
TE-102-AW-50	5/13/84	83	CASS	T	
TE-102-AW-50	5/21/84	77	CASS	T	
TE-102-AW-50	6/2/84	75	CASS	T	
TE-102-AW-50	6/6/84	85	CASS	T	
TE-102-AW-50	6/19/84	91	CASS	T	
TE-102-AW-50	6/29/84	94	CASS	T	
TE-102-AW-50	7/5/84	97	CASS	T	
TE-102-AW-50	7/13/84	99	CASS	T	
TE-102-AW-50	7/16/84	99	CASS	T	
TE-102-AW-50	7/28/84	110	CASS	T	
TE-102-AW-50	7/29/84	112	CASS	T	
TE-102-AW-50	8/11/84	113	CASS	T	
TE-102-AW-50	8/18/84	119	CASS	T	
TE-102-AW-50	8/19/84	120	CASS	T	
TE-102-AW-50	8/28/84	118	CASS	T	
TE-102-AW-50	9/2/84	117	CASS	T	
TE-102-AW-50	9/12/84	115	CASS	T	
TE-102-AW-50	9/17/84	114	CASS	T	
TE-102-AW-50	9/23/84	113	CASS	T	
TE-102-AW-50	10/2/84	111	CASS	T	
TE-102-AW-50	10/12/84	109	CASS	T	
TE-102-AW-50	10/14/84	107	CASS	T	
TE-102-AW-50	10/21/84	99	CASS	T	
TE-102-AW-50	10/29/84	95	CASS	T	
TE-102-AW-50	11/5/84	93	CASS	T	
TE-102-AW-50	11/16/84	97	CASS	T	
TE-102-AW-50	11/24/84	97	CASS	T	
TE-102-AW-50	11/29/84	97	CASS	T	
TE-102-AW-50	12/7/84	100	CASS	T	
TE-102-AW-50	12/11/84	96	CASS	T	
TE-102-AW-50	12/22/84	91	CASS	T	
TE-102-AW-50	12/23/84	91	CASS	T	
TE-102-AW-50	12/30/84	83	CASS	T	
TE-102-AW-50	1/8/85	74	CASS	T	
TE-102-AW-50	1/19/85	83	CASS	T	
TE-102-AW-50	1/24/85	96	CASS	T	
TE-102-AW-50	1/31/85	104	CASS	T	
TE-102-AW-50	2/4/85	97	CASS	T	
TE-102-AW-50	2/10/85	91	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-50	2/23/85	83	CASS	T	
TE-102-AW-50	3/2/85	83	CASS	T	
TE-102-AW-50	3/9/85	83	CASS	T	
TE-102-AW-50	3/10/85	83	CASS	T	
TE-102-AW-50	3/22/85	82	CASS	T	
TE-102-AW-50	3/28/85	81	CASS	T	
TE-102-AW-50	4/4/85	90	CASS	T	
TE-102-AW-50	4/13/85	88	CASS	T	
TE-102-AW-50	4/14/85	89	CASS	T	
TE-102-AW-50	4/24/85	92	CASS	T	
TE-102-AW-50	4/28/85	88	CASS	T	
TE-102-AW-50	5/5/85	78	CASS	T	
TE-102-AW-50	5/15/85	86	CASS	T	
TE-102-AW-50	5/24/85	92	CASS	T	
TE-102-AW-50	5/27/85	98	CASS	T	
TE-102-AW-50	6/3/85	94	CASS	T	
TE-102-AW-50	6/13/85	92	CASS	T	
TE-102-AW-50	6/18/85	91	CASS	T	
TE-102-AW-50	11/1/85	94	CASS	T	
TE-102-AW-50	12/1/85	104	CASS	T	
TE-102-AW-50	1/3/86	108	CASS	T	
TE-102-AW-50	1/7/86	105	CASS	T	
TE-102-AW-50	1/18/86	98	CASS	T	
TE-102-AW-50	1/25/86	95	CASS	T	
TE-102-AW-50	2/1/86	94	CASS	T	
TE-102-AW-50	2/8/86	94	CASS	T	
TE-102-AW-50	2/11/86	98	CASS	T	
TE-102-AW-50	2/18/86	101	CASS	T	
TE-102-AW-50	3/1/86	102	CASS	T	
TE-102-AW-50	3/4/86	105	CASS	T	
TE-102-AW-50	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-50	9/17/86	97	CASS	T	
TE-102-AW-50	10/11/86	94	CASS	T	
TE-102-AW-50	10/18/86	120	CASS	T	
TE-102-AW-50	10/20/86	128	CASS	T	
TE-102-AW-50	10/28/86	121	CASS	T	
TE-102-AW-50	11/2/86	103	CASS	T	
TE-102-AW-50	11/15/86	129	CASS	T	
TE-102-AW-50	11/17/86	132	CASS	T	
TE-102-AW-50	11/23/86	114	CASS	T	
TE-102-AW-50	12/2/86	108	CASS	T	
TE-102-AW-50	12/8/86	103	CASS	T	
TE-102-AW-50	12/17/86	100	CASS	T	
TE-102-AW-50	12/27/86	104	CASS	T	
TE-102-AW-50	12/28/86	103	CASS	T	
TE-102-AW-50	7/4/87	78	CASS	T	
TE-102-AW-50	7/11/87	91	CASS	T	
TE-102-AW-50	7/15/87	92	CASS	T	
TE-102-AW-50	7/23/87	95	CASS	T	
TE-102-AW-50	7/28/87	92	CASS	T	
TE-102-AW-50	8/8/87	102	CASS	T	
TE-102-AW-50	8/11/87	102	CASS	T	
TE-102-AW-50	8/22/87	105	CASS	T	
TE-102-AW-50	8/27/87	107	CASS	T	
TE-102-AW-50	9/1/87	98	CASS	T	
TE-102-AW-50	9/8/87	96	CASS	T	
TE-102-AW-50	11/28/87	89	CASS	T	
TE-102-AW-50	11/29/87	89	CASS	T	
TE-102-AW-50	3/28/88	82	CASS	T	
TE-102-AW-50	3/27/88	81	CASS	T	
TE-102-AW-50	6/1/88	91	CASS	T	
TE-102-AW-50	6/11/88	91	CASS	T	
TE-102-AW-50	6/15/88	91	CASS	T	
TE-102-AW-50	6/25/88	91	CASS	T	
TE-102-AW-50	6/28/88	92	CASS	T	
TE-102-AW-50	7/3/88	92	CASS	T	
TE-102-AW-50	7/18/88	99	CASS	T	
TE-102-AW-50	7/18/88	103	CASS	T	
TE-102-AW-50	7/25/88	87	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-50	8/6/88	88	CASS	T	
TE-102-AW-50	8/13/88	92	CASS	T	
TE-102-AW-50	8/14/88	102	CASS	T	
TE-102-AW-50	8/24/88	104	CASS	T	
TE-102-AW-50	9/2/88	92	CASS	T	
TE-102-AW-50	9/9/88	94	CASS	T	
TE-102-AW-50	9/17/88	98	CASS	T	
TE-102-AW-50	9/21/88	94	CASS	T	
TE-102-AW-50	9/27/88	92	CASS	T	
TE-102-AW-50	12/1/88	87	CASS	T	
TE-102-AW-50	12/9/88	92	CASS	T	
TE-102-AW-50	12/11/88	89	CASS	T	
TE-102-AW-50	12/18/88	85	CASS	T	
TE-102-AW-50	9/1/89	77	CASS	T	
TE-102-AW-50	9/8/89	77	CASS	T	
TE-102-AW-50	9/16/89	78	CASS	T	
TE-102-AW-50	9/23/89	76	CASS	T	
TE-102-AW-50	9/30/89	76	CASS	T	
TE-102-AW-50	11/2/89	73	CASS	T	
TE-102-AW-50	11/11/89	73	CASS	T	
TE-102-AW-50	11/18/89	73	CASS	T	
TE-102-AW-50	11/19/89	73	CASS	T	
TE-102-AW-50	11/28/89	72	CASS	T	
TE-102-AW-50	12/3/89	71	CASS	T	
TE-102-AW-50	12/15/89	74	CASS	T	
TE-102-AW-50	12/17/89	74	CASS	T	
TE-102-AW-50	12/25/89	73	CASS	T	
TE-102-AW-50	1/6/90	71	CASS	T	
TE-102-AW-50	1/10/90	71	CASS	T	
TE-102-AW-50	1/18/90	70	CASS	T	
TE-102-AW-50	1/27/90	69	CASS	T	
TE-102-AW-50	2/3/90	69	CASS	T	
TE-102-AW-50	2/10/90	68	CASS	T	
TE-102-AW-50	2/14/90	66	CASS	T	
TE-102-AW-50	2/24/90	67	CASS	T	
TE-102-AW-50	3/2/90	67	CASS	T	
TE-102-AW-50	3/10/90	67	CASS	T	
TE-102-AW-50	3/13/90	67	CASS	T	
TE-102-AW-50	3/22/90	66	CASS	T	
TE-102-AW-50	3/31/90	66	CASS	T	
TE-102-AW-50	4/7/90	66	CASS	T	
TE-102-AW-50	4/14/90	66	CASS	T	
TE-102-AW-50	4/21/90	66	CASS	T	
TE-102-AW-50	4/28/90	66	CASS	T	
TE-102-AW-50	5/5/90	66	CASS	T	
TE-102-AW-50	5/12/90	66	CASS	T	
TE-102-AW-50	5/19/90	66	CASS	T	
TE-102-AW-50	5/22/90	66	CASS	T	
TE-102-AW-50	6/2/90	66	CASS	T	
TE-102-AW-50	6/9/90	66	CASS	T	
TE-102-AW-50	6/18/90	66	CASS	T	
TE-102-AW-50	6/23/90	67	CASS	T	
TE-102-AW-50	6/30/90	67	CASS	T	
TE-102-AW-50	7/7/90	67	CASS	T	
TE-102-AW-50	7/14/90	69	CASS	T	
TE-102-AW-50	7/15/90	69	CASS	T	
TE-102-AW-50	7/28/90	69	CASS	T	
TE-102-AW-50	8/4/90	69	CASS	T	
TE-102-AW-50	8/11/90	70	CASS	T	
TE-102-AW-50	8/18/90	70	CASS	T	
TE-102-AW-50	8/25/90	70	CASS	T	
TE-102-AW-50	9/1/90	70	CASS	T	
TE-102-AW-50	9/8/90	71	CASS	T	
TE-102-AW-50	9/15/90	71	CASS	T	
TE-102-AW-50	9/22/90	71	CASS	T	
TE-102-AW-50	9/29/90	71	CASS	T	
TE-102-AW-50	10/6/90	71	CASS	T	
TE-102-AW-50	10/13/90	71	CASS	T	
TE-102-AW-50	10/20/90	71	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-50	10/24/90	71	CASS	T	
TE-102-AW-50	11/3/90	70	CASS	T	
TE-102-AW-50	11/10/90	70	CASS	T	
TE-102-AW-50	11/14/90	70	CASS	T	
TE-102-AW-50	11/24/90	69	CASS	T	
TE-102-AW-50	12/1/90	69	CASS	T	
TE-102-AW-50	12/8/90	68	CASS	T	
TE-102-AW-50	12/15/90	68	CASS	T	
TE-102-AW-50	12/17/90	68	CASS	T	
TE-102-AW-50	12/29/90	66	CASS	T	
TE-102-AW-50	1/5/91	65	CASS	T	
TE-102-AW-50	1/11/91	65	CASS	T	
TE-102-AW-50	1/19/91	64	CASS	T	
TE-102-AW-50	1/26/91	64	CASS	T	
TE-102-AW-50	2/2/91	63	CASS	T	
TE-102-AW-50	2/9/91	63	CASS	T	
TE-102-AW-50	2/16/91	63	CASS	T	
TE-102-AW-50	2/23/91	63	CASS	T	
TE-102-AW-50	3/2/91	63	CASS	T	
TE-102-AW-50	3/9/91	62	CASS	T	
TE-102-AW-50	3/16/91	62	CASS	T	
TE-102-AW-50	3/23/91	62	CASS	T	
TE-102-AW-50	3/25/91	62	CASS	T	
TE-102-AW-50	4/6/91	61	CASS	T	
TE-102-AW-50	4/13/91	61	CASS	T	
TE-102-AW-50	4/20/91	61	CASS	T	
TE-102-AW-50	4/27/91	61	CASS	T	
TE-102-AW-50	5/4/91	61	CASS	T	
TE-102-AW-50	5/11/91	62	CASS	T	
TE-102-AW-50	5/18/91	62	CASS	T	
TE-102-AW-50	5/25/91	62	CASS	T	
TE-102-AW-50	5/31/91	62	CASS	T	
TE-102-AW-50	6/8/91	62	CASS	T	
TE-102-AW-50	6/12/91	69	CASS	T	
TE-102-AW-50	6/21/91	63	CASS	T	
TE-102-AW-50	6/25/91	63	CASS	T	
TE-102-AW-51	7/16/83	73	CASS	T	
TE-102-AW-51	7/23/83	74	CASS	T	
TE-102-AW-51	7/27/83	75	CASS	T	
TE-102-AW-51	8/6/83	75	CASS	T	
TE-102-AW-51	8/13/83	75	CASS	T	
TE-102-AW-51	8/20/83	76	CASS	T	
TE-102-AW-51	8/27/83	78	CASS	T	
TE-102-AW-51	8/30/83	78	CASS	T	
TE-102-AW-51	9/10/83	78	CASS	T	
TE-102-AW-51	9/13/83	77	CASS	T	
TE-102-AW-51	9/24/83	77	CASS	T	
TE-102-AW-51	10/1/83	93	CASS	T	
TE-102-AW-51	10/2/83	89	CASS	T	
TE-102-AW-51	10/15/83	78	CASS	T	
TE-102-AW-51	10/21/83	77	CASS	T	
TE-102-AW-51	3/8/84	96	CASS	T	
TE-102-AW-51	3/17/84	94	CASS	T	
TE-102-AW-51	3/19/84	95	CASS	T	
TE-102-AW-51	3/25/84	90	CASS	T	
TE-102-AW-51	4/2/84	87	CASS	T	
TE-102-AW-51	4/8/84	85	CASS	T	
TE-102-AW-51	4/20/84	85	CASS	T	
TE-102-AW-51	4/28/84	84	CASS	T	
TE-102-AW-51	5/5/84	93	CASS	T	
TE-102-AW-51	5/8/84	99	CASS	T	
TE-102-AW-51	5/13/84	82	CASS	T	
TE-102-AW-51	5/21/84	77	CASS	T	
TE-102-AW-51	6/2/84	75	CASS	T	
TE-102-AW-51	6/7/84	83	CASS	T	
TE-102-AW-51	6/19/84	91	CASS	T	
TE-102-AW-51	6/29/84	92	CASS	T	
TE-102-AW-51	7/8/84	95	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-51	7/13/84	99	CASS	T	
TE-102-AW-51	7/16/84	99	CASS	T	
TE-102-AW-51	7/28/84	110	CASS	T	
TE-102-AW-51	7/29/84	110	CASS	T	
TE-102-AW-51	8/11/84	113	CASS	T	
TE-102-AW-51	8/18/84	119	CASS	T	
TE-102-AW-51	8/19/84	120	CASS	T	
TE-102-AW-51	8/27/84	118	CASS	T	
TE-102-AW-51	9/2/84	117	CASS	T	
TE-102-AW-51	9/12/84	115	CASS	T	
TE-102-AW-51	9/17/84	114	CASS	T	
TE-102-AW-51	9/23/84	113	CASS	T	
TE-102-AW-51	10/5/84	110	CASS	T	
TE-102-AW-51	10/12/84	109	CASS	T	
TE-102-AW-51	10/14/84	106	CASS	T	
TE-102-AW-51	10/21/84	99	CASS	T	
TE-102-AW-51	10/26/84	94	CASS	T	
TE-102-AW-51	11/5/84	92	CASS	T	
TE-102-AW-51	11/17/84	96	CASS	T	
TE-102-AW-51	11/24/84	97	CASS	T	
TE-102-AW-51	11/30/84	97	CASS	T	
TE-102-AW-51	12/8/84	97	CASS	T	
TE-102-AW-51	12/8/84	97	CASS	T	
TE-102-AW-51	12/22/84	91	CASS	T	
TE-102-AW-51	12/23/84	90	CASS	T	
TE-102-AW-51	12/30/84	83	CASS	T	
TE-102-AW-51	1/8/85	74	CASS	T	
TE-102-AW-51	1/19/85	80	CASS	T	
TE-102-AW-51	1/25/85	98	CASS	T	
TE-102-AW-51	1/31/85	101	CASS	T	
TE-102-AW-51	2/4/85	97	CASS	T	
TE-102-AW-51	2/10/85	91	CASS	T	
TE-102-AW-51	2/23/85	83	CASS	T	
TE-102-AW-51	3/2/85	83	CASS	T	
TE-102-AW-51	3/9/85	83	CASS	T	
TE-102-AW-51	3/16/85	82	CASS	T	
TE-102-AW-51	3/22/85	82	CASS	T	
TE-102-AW-51	3/27/85	81	CASS	T	
TE-102-AW-51	4/4/85	90	CASS	T	
TE-102-AW-51	4/13/85	88	CASS	T	
TE-102-AW-51	4/14/85	88	CASS	T	
TE-102-AW-51	4/24/85	92	CASS	T	
TE-102-AW-51	4/28/85	88	CASS	T	
TE-102-AW-51	5/5/85	78	CASS	T	
TE-102-AW-51	5/14/85	96	CASS	T	
TE-102-AW-51	5/25/85	90	CASS	T	
TE-102-AW-51	5/27/85	95	CASS	T	
TE-102-AW-51	6/2/85	94	CASS	T	
TE-102-AW-51	6/12/85	92	CASS	T	
TE-102-AW-51	6/18/85	91	CASS	T	
TE-102-AW-51	11/1/85	94	CASS	T	
TE-102-AW-51	12/1/85	104	CASS	T	
TE-102-AW-51	1/2/86	106	CASS	T	
TE-102-AW-51	1/7/86	105	CASS	T	
TE-102-AW-51	1/18/86	98	CASS	T	
TE-102-AW-51	1/25/86	95	CASS	T	
TE-102-AW-51	2/1/86	94	CASS	T	
TE-102-AW-51	2/8/86	94	CASS	T	
TE-102-AW-51	2/11/86	96	CASS	T	
TE-102-AW-51	2/18/86	101	CASS	T	
TE-102-AW-51	3/1/86	102	CASS	T	
TE-102-AW-51	3/4/86	104	CASS	T	
TE-102-AW-51	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-51	9/20/86	97	CASS	T	
TE-102-AW-51	9/23/86	102	CASS	T	
TE-102-AW-51	10/2/86	101	CASS	T	
TE-102-AW-51	10/8/86	98	CASS	T	
TE-102-AW-51	10/18/86	120	CASS	T	
TE-102-AW-51	10/20/86	126	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-51	10/26/86	121	CASS	T	
TE-102-AW-51	11/2/86	103	CASS	T	
TE-102-AW-51	11/15/86	128	CASS	T	
TE-102-AW-51	11/17/86	132	CASS	T	
TE-102-AW-51	11/23/86	114	CASS	T	
TE-102-AW-51	12/2/86	106	CASS	T	
TE-102-AW-51	12/8/86	103	CASS	T	
TE-102-AW-51	12/17/86	100	CASS	T	
TE-102-AW-51	12/27/86	104	CASS	T	
TE-102-AW-51	12/28/86	103	CASS	T	
TE-102-AW-51	7/4/87	76	CASS	T	
TE-102-AW-51	7/11/87	91	CASS	T	
TE-102-AW-51	7/15/87	92	CASS	T	
TE-102-AW-51	7/23/87	95	CASS	T	
TE-102-AW-51	7/28/87	92	CASS	T	
TE-102-AW-51	8/6/87	101	CASS	T	
TE-102-AW-51	8/11/87	102	CASS	T	
TE-102-AW-51	8/22/87	105	CASS	T	
TE-102-AW-51	8/27/87	107	CASS	T	
TE-102-AW-51	9/1/87	98	CASS	T	
TE-102-AW-51	9/9/87	95	CASS	T	
TE-102-AW-51	11/28/87	89	CASS	T	
TE-102-AW-51	11/29/87	89	CASS	T	
TE-102-AW-51	3/28/88	82	CASS	T	
TE-102-AW-51	3/27/88	81	CASS	T	
TE-102-AW-51	6/1/88	91	CASS	T	
TE-102-AW-51	6/11/88	91	CASS	T	
TE-102-AW-51	6/15/88	91	CASS	T	
TE-102-AW-51	6/25/88	91	CASS	T	
TE-102-AW-51	7/2/88	92	CASS	T	
TE-102-AW-51	7/3/88	92	CASS	T	
TE-102-AW-51	7/18/88	99	CASS	T	
TE-102-AW-51	7/18/88	103	CASS	T	
TE-102-AW-51	7/25/88	87	CASS	T	
TE-102-AW-51	8/8/88	86	CASS	T	
TE-102-AW-51	8/13/88	92	CASS	T	
TE-102-AW-51	8/14/88	102	CASS	T	
TE-102-AW-51	8/24/88	104	CASS	T	
TE-102-AW-51	9/2/88	92	CASS	T	
TE-102-AW-51	9/9/88	94	CASS	T	
TE-102-AW-51	9/17/88	98	CASS	T	
TE-102-AW-51	9/22/88	94	CASS	T	
TE-102-AW-51	9/27/88	92	CASS	T	
TE-102-AW-51	12/1/88	87	CASS	T	
TE-102-AW-51	12/9/88	91	CASS	T	
TE-102-AW-51	12/11/88	89	CASS	T	
TE-102-AW-51	12/18/88	85	CASS	T	
TE-102-AW-51	9/2/89	77	CASS	T	
TE-102-AW-51	9/9/89	77	CASS	T	
TE-102-AW-51	9/16/89	76	CASS	T	
TE-102-AW-51	9/23/89	76	CASS	T	
TE-102-AW-51	9/30/89	76	CASS	T	
TE-102-AW-51	11/2/89	73	CASS	T	
TE-102-AW-51	11/11/89	72	CASS	T	
TE-102-AW-51	11/18/89	72	CASS	T	
TE-102-AW-51	11/23/89	72	CASS	T	
TE-102-AW-51	12/2/89	71	CASS	T	
TE-102-AW-51	12/3/89	71	CASS	T	
TE-102-AW-51	12/16/89	71	CASS	T	
TE-102-AW-51	12/21/89	71	CASS	T	
TE-102-AW-51	12/27/89	70	CASS	T	
TE-102-AW-51	1/5/90	69	CASS	T	
TE-102-AW-51	1/13/90	69	CASS	T	
TE-102-AW-51	1/20/90	68	CASS	T	
TE-102-AW-51	1/28/90	68	CASS	T	
TE-102-AW-51	2/3/90	67	CASS	T	
TE-102-AW-51	2/10/90	67	CASS	T	
TE-102-AW-51	2/11/90	67	CASS	T	
TE-102-AW-51	2/24/90	66	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-51	2/27/90	66	CASS	T	
TE-102-AW-51	3/8/90	66	CASS	T	
TE-102-AW-51	3/17/90	65	CASS	T	
TE-102-AW-51	3/22/90	65	CASS	T	
TE-102-AW-51	3/31/90	65	CASS	T	
TE-102-AW-51	4/7/90	65	CASS	T	
TE-102-AW-51	4/14/90	65	CASS	T	
TE-102-AW-51	4/21/90	65	CASS	T	
TE-102-AW-51	4/28/90	65	CASS	T	
TE-102-AW-51	5/5/90	65	CASS	T	
TE-102-AW-51	5/12/90	66	CASS	T	
TE-102-AW-51	5/19/90	66	CASS	T	
TE-102-AW-51	5/22/90	66	CASS	T	
TE-102-AW-51	6/2/90	66	CASS	T	
TE-102-AW-51	6/9/90	66	CASS	T	
TE-102-AW-51	6/18/90	67	CASS	T	
TE-102-AW-51	6/23/90	67	CASS	T	
TE-102-AW-51	6/30/90	67	CASS	T	
TE-102-AW-51	7/8/90	68	CASS	T	
TE-102-AW-51	7/13/90	70	CASS	T	
TE-102-AW-51	7/21/90	69	CASS	T	
TE-102-AW-51	7/28/90	69	CASS	T	
TE-102-AW-51	8/4/90	69	CASS	T	
TE-102-AW-51	8/11/90	70	CASS	T	
TE-102-AW-51	8/18/90	70	CASS	T	
TE-102-AW-51	8/25/90	70	CASS	T	
TE-102-AW-51	8/31/90	71	CASS	T	
TE-102-AW-51	9/8/90	71	CASS	T	
TE-102-AW-51	9/15/90	71	CASS	T	
TE-102-AW-51	9/22/90	71	CASS	T	
TE-102-AW-51	9/29/90	71	CASS	T	
TE-102-AW-51	10/6/90	71	CASS	T	
TE-102-AW-51	10/13/90	71	CASS	T	
TE-102-AW-51	10/20/90	71	CASS	T	
TE-102-AW-51	10/27/90	70	CASS	T	
TE-102-AW-51	11/3/90	70	CASS	T	
TE-102-AW-51	11/9/90	204	CASS	S	Data point did not agree with local trend
TE-102-AW-51	11/10/90	70	CASS	T	
TE-102-AW-51	11/14/90	70	CASS	T	
TE-102-AW-51	11/24/90	69	CASS	T	
TE-102-AW-51	11/30/90	69	CASS	T	
TE-102-AW-51	12/8/90	68	CASS	T	
TE-102-AW-51	12/15/90	68	CASS	T	
TE-102-AW-51	12/18/90	68	CASS	T	
TE-102-AW-51	12/29/90	66	CASS	T	
TE-102-AW-51	1/5/91	65	CASS	T	
TE-102-AW-51	1/11/91	65	CASS	T	
TE-102-AW-51	1/19/91	64	CASS	T	
TE-102-AW-51	1/26/91	64	CASS	T	
TE-102-AW-51	2/2/91	63	CASS	T	
TE-102-AW-51	2/9/91	63	CASS	T	
TE-102-AW-51	2/16/91	63	CASS	T	
TE-102-AW-51	2/22/91	63	CASS	T	
TE-102-AW-51	3/2/91	63	CASS	T	
TE-102-AW-51	3/9/91	62	CASS	T	
TE-102-AW-51	3/18/91	62	CASS	T	
TE-102-AW-51	3/23/91	62	CASS	T	
TE-102-AW-51	3/25/91	62	CASS	T	
TE-102-AW-51	4/6/91	61	CASS	T	
TE-102-AW-51	4/13/91	61	CASS	T	
TE-102-AW-51	4/20/91	61	CASS	T	
TE-102-AW-51	4/27/91	61	CASS	T	
TE-102-AW-51	5/4/91	61	CASS	T	
TE-102-AW-51	5/11/91	62	CASS	T	
TE-102-AW-51	5/18/91	62	CASS	T	
TE-102-AW-51	5/25/91	62	CASS	T	
TE-102-AW-51	5/31/91	62	CASS	T	
TE-102-AW-51	6/8/91	62	CASS	T	
TE-102-AW-51	6/15/91	63	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-51	6/21/91	63	CASS	T	
TE-102-AW-51	6/25/91	63	CASS	T	
TE-102-AW-51	4/17/92	97	CASS	S	Data point did not agree with local trend
TE-102-AW-52	7/16/83	73	CASS	T	
TE-102-AW-52	7/23/83	74	CASS	T	
TE-102-AW-52	7/28/83	75	CASS	T	
TE-102-AW-52	8/8/83	75	CASS	T	
TE-102-AW-52	8/9/83	76	CASS	T	
TE-102-AW-52	8/20/83	76	CASS	T	
TE-102-AW-52	8/27/83	76	CASS	T	
TE-102-AW-52	8/31/83	76	CASS	T	
TE-102-AW-52	9/10/83	76	CASS	T	
TE-102-AW-52	9/14/83	77	CASS	T	
TE-102-AW-52	9/24/83	77	CASS	T	
TE-102-AW-52	10/1/83	93	CASS	T	
TE-102-AW-52	10/2/83	89	CASS	T	
TE-102-AW-52	10/15/83	78	CASS	T	
TE-102-AW-52	10/21/83	77	CASS	T	
TE-102-AW-52	3/10/84	93	CASS	T	
TE-102-AW-52	3/17/84	94	CASS	T	
TE-102-AW-52	3/19/84	95	CASS	T	
TE-102-AW-52	3/25/84	90	CASS	T	
TE-102-AW-52	4/2/84	87	CASS	T	
TE-102-AW-52	4/14/84	84	CASS	T	
TE-102-AW-52	4/20/84	85	CASS	T	
TE-102-AW-52	4/27/84	85	CASS	T	
TE-102-AW-52	5/5/84	93	CASS	T	
TE-102-AW-52	5/8/84	99	CASS	T	
TE-102-AW-52	5/13/84	83	CASS	T	
TE-102-AW-52	5/20/84	78	CASS	T	
TE-102-AW-52	6/2/84	75	CASS	T	
TE-102-AW-52	6/7/84	83	CASS	T	
TE-102-AW-52	6/20/84	89	CASS	T	
TE-102-AW-52	6/30/84	91	CASS	T	
TE-102-AW-52	7/5/84	95	CASS	T	
TE-102-AW-52	7/13/84	99	CASS	T	
TE-102-AW-52	7/16/84	99	CASS	T	
TE-102-AW-52	7/28/84	109	CASS	T	
TE-102-AW-52	7/29/84	109	CASS	T	
TE-102-AW-52	8/11/84	113	CASS	T	
TE-102-AW-52	8/18/84	118	CASS	T	
TE-102-AW-52	8/20/84	117	CASS	T	
TE-102-AW-52	8/28/84	116	CASS	T	
TE-102-AW-52	9/2/84	115	CASS	T	
TE-102-AW-52	9/12/84	113	CASS	T	
TE-102-AW-52	9/17/84	112	CASS	T	
TE-102-AW-52	9/25/84	110	CASS	T	
TE-102-AW-52	10/1/84	109	CASS	T	
TE-102-AW-52	10/11/84	107	CASS	T	
TE-102-AW-52	10/14/84	106	CASS	T	
TE-102-AW-52	10/21/84	99	CASS	T	
TE-102-AW-52	10/29/84	94	CASS	T	
TE-102-AW-52	11/5/84	92	CASS	T	
TE-102-AW-52	11/17/84	96	CASS	T	
TE-102-AW-52	11/24/84	97	CASS	T	
TE-102-AW-52	11/30/84	97	CASS	T	
TE-102-AW-52	12/7/84	97	CASS	T	
TE-102-AW-52	12/9/84	97	CASS	T	
TE-102-AW-52	12/22/84	91	CASS	T	
TE-102-AW-52	12/24/84	90	CASS	T	
TE-102-AW-52	12/30/84	83	CASS	T	
TE-102-AW-52	1/6/85	75	CASS	T	
TE-102-AW-52	1/19/85	80	CASS	T	
TE-102-AW-52	1/26/85	94	CASS	T	
TE-102-AW-52	1/31/85	101	CASS	T	
TE-102-AW-52	2/4/85	97	CASS	T	
TE-102-AW-52	2/10/85	91	CASS	T	
TE-102-AW-52	2/20/85	82	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-52	3/2/85	81	CASS	T	
TE-102-AW-52	3/9/85	81	CASS	T	
TE-102-AW-52	3/18/85	81	CASS	T	
TE-102-AW-52	3/22/85	81	CASS	T	
TE-102-AW-52	3/28/85	81	CASS	T	
TE-102-AW-52	4/1/85	83	CASS	T	
TE-102-AW-52	4/13/85	88	CASS	T	
TE-102-AW-52	4/14/85	89	CASS	T	
TE-102-AW-52	4/24/85	92	CASS	T	
TE-102-AW-52	4/28/85	88	CASS	T	
TE-102-AW-52	5/5/85	78	CASS	T	
TE-102-AW-52	5/18/85	84	CASS	T	
TE-102-AW-52	5/25/85	90	CASS	T	
TE-102-AW-52	6/1/85	93	CASS	T	
TE-102-AW-52	6/2/85	93	CASS	T	
TE-102-AW-52	6/13/85	91	CASS	T	
TE-102-AW-52	6/19/85	90	CASS	T	
TE-102-AW-52	11/1/85	94	CASS	T	
TE-102-AW-52	12/1/85	104	CASS	T	
TE-102-AW-52	1/2/86	106	CASS	T	
TE-102-AW-52	1/7/86	105	CASS	T	
TE-102-AW-52	1/18/86	96	CASS	T	
TE-102-AW-52	1/25/86	95	CASS	T	
TE-102-AW-52	2/1/86	94	CASS	T	
TE-102-AW-52	2/8/86	94	CASS	T	
TE-102-AW-52	2/11/86	96	CASS	T	
TE-102-AW-52	2/18/86	101	CASS	T	
TE-102-AW-52	3/1/86	102	CASS	T	
TE-102-AW-52	3/4/86	104	CASS	T	
TE-102-AW-52	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-52	9/17/86	97	CASS	T	
TE-102-AW-52	10/11/86	95	CASS	T	
TE-102-AW-52	10/18/86	120	CASS	T	
TE-102-AW-52	10/20/86	128	CASS	T	
TE-102-AW-52	10/28/86	121	CASS	T	
TE-102-AW-52	11/2/86	103	CASS	T	
TE-102-AW-52	11/15/86	128	CASS	T	
TE-102-AW-52	11/18/86	131	CASS	T	
TE-102-AW-52	11/23/86	114	CASS	T	
TE-102-AW-52	12/2/86	106	CASS	T	
TE-102-AW-52	12/9/86	103	CASS	T	
TE-102-AW-52	12/17/86	100	CASS	T	
TE-102-AW-52	12/27/86	105	CASS	T	
TE-102-AW-52	12/28/86	103	CASS	T	
TE-102-AW-52	7/4/87	76	CASS	T	
TE-102-AW-52	7/11/87	91	CASS	T	
TE-102-AW-52	7/17/87	91	CASS	T	
TE-102-AW-52	7/23/87	95	CASS	T	
TE-102-AW-52	7/28/87	92	CASS	T	
TE-102-AW-52	8/8/87	101	CASS	T	
TE-102-AW-52	8/10/87	102	CASS	T	
TE-102-AW-52	8/22/87	105	CASS	T	
TE-102-AW-52	8/27/87	108	CASS	T	
TE-102-AW-52	9/1/87	98	CASS	T	
TE-102-AW-52	9/9/87	95	CASS	T	
TE-102-AW-52	11/29/87	89	CASS	T	
TE-102-AW-52	11/29/87	89	CASS	T	
TE-102-AW-52	3/26/88	82	CASS	T	
TE-102-AW-52	3/27/88	81	CASS	T	
TE-102-AW-52	6/1/88	90	CASS	T	
TE-102-AW-52	6/11/88	91	CASS	T	
TE-102-AW-52	6/15/88	91	CASS	T	
TE-102-AW-52	6/25/88	91	CASS	T	
TE-102-AW-52	7/2/88	92	CASS	T	
TE-102-AW-52	7/3/88	92	CASS	T	
TE-102-AW-52	7/16/88	99	CASS	T	
TE-102-AW-52	7/18/88	103	CASS	T	
TE-102-AW-52	7/26/88	87	CASS	T	
TE-102-AW-52	8/4/88	87	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-52	8/13/88	92	CASS	T	
TE-102-AW-52	8/14/88	102	CASS	T	
TE-102-AW-52	8/24/88	104	CASS	T	
TE-102-AW-52	9/2/88	91	CASS	T	
TE-102-AW-52	9/9/88	94	CASS	T	
TE-102-AW-52	9/17/88	98	CASS	T	
TE-102-AW-52	9/21/88	94	CASS	T	
TE-102-AW-52	9/27/88	92	CASS	T	
TE-102-AW-52	12/1/88	87	CASS	T	
TE-102-AW-52	12/9/88	91	CASS	T	
TE-102-AW-52	12/11/88	89	CASS	T	
TE-102-AW-52	12/18/88	85	CASS	T	
TE-102-AW-52	7/10/89	74	SACS	T	
TE-102-AW-52	7/17/89	74	SACS	T	
TE-102-AW-52	7/24/89	75	SACS	T	
TE-102-AW-52	8/7/89	73	SACS	T	
TE-102-AW-52	8/14/89	77	SACS	T	
TE-102-AW-52	8/21/89	84	SACS	T	
TE-102-AW-52	9/2/89	77	CASS	T	
TE-102-AW-52	9/9/89	77	CASS	T	
TE-102-AW-52	9/10/89	77	CASS	T	
TE-102-AW-52	9/23/89	76	CASS	T	
TE-102-AW-52	9/30/89	76	CASS	T	
TE-102-AW-52	10/1/89	62	SACS	S	Data point did not agree with local trend
TE-102-AW-52	10/9/89	52	SACS	S	Data point did not agree with local trend
TE-102-AW-52	10/18/89	75	SACS	T	
TE-102-AW-52	10/24/89	74	SACS	T	
TE-102-AW-52	10/30/89	74	SACS	T	
TE-102-AW-52	11/11/89	72	CASS	T	
TE-102-AW-52	11/18/89	72	CASS	T	
TE-102-AW-52	11/20/89	84	SACS	S	Data point did not agree with local trend
TE-102-AW-52	11/23/89	72	CASS	T	
TE-102-AW-52	11/27/89	72	SACS	T	
TE-102-AW-52	12/3/89	71	CASS	T	
TE-102-AW-52	12/18/89	71	CASS	T	
TE-102-AW-52	12/19/89	71	CASS	T	
TE-102-AW-52	12/27/89	70	CASS	T	
TE-102-AW-52	1/5/90	69	CASS	T	
TE-102-AW-52	1/8/90	79	SACS	S	Data point did not agree with local trend
TE-102-AW-52	1/10/90	69	CASS	T	
TE-102-AW-52	1/20/90	68	CASS	T	
TE-102-AW-52	1/27/90	67	CASS	T	
TE-102-AW-52	2/3/90	67	CASS	T	
TE-102-AW-52	2/10/90	67	CASS	T	
TE-102-AW-52	2/12/90	67	SACS	T	
TE-102-AW-52	2/24/90	66	CASS	T	
TE-102-AW-52	2/26/90	69	SACS	T	
TE-102-AW-52	3/10/90	65	CASS	T	
TE-102-AW-52	3/17/90	65	CASS	T	
TE-102-AW-52	3/22/90	65	CASS	T	
TE-102-AW-52	3/31/90	65	CASS	T	
TE-102-AW-52	4/7/90	65	CASS	T	
TE-102-AW-52	4/14/90	65	CASS	T	
TE-102-AW-52	4/18/90	92	SACS	S	Data point did not agree with local trend
TE-102-AW-52	4/21/90	66	CASS	T	
TE-102-AW-52	4/28/90	65	CASS	T	
TE-102-AW-52	5/5/90	66	CASS	T	
TE-102-AW-52	5/12/90	66	CASS	T	
TE-102-AW-52	5/14/90	73	SACS	T	
TE-102-AW-52	5/22/90	66	CASS	T	
TE-102-AW-52	5/28/90	81	SACS	S	Data point did not agree with local trend
TE-102-AW-52	6/2/90	66	CASS	T	
TE-102-AW-52	6/9/90	66	CASS	T	
TE-102-AW-52	6/11/90	84	SACS	S	Data point did not agree with local trend
TE-102-AW-52	6/18/90	67	CASS	T	
TE-102-AW-52	6/23/90	67	CASS	T	
TE-102-AW-52	6/30/90	68	CASS	T	
TE-102-AW-52	7/2/90	90	SACS	S	Data point did not agree with local trend
TE-102-AW-52	7/7/90	68	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-52	7/14/90	70	CASS	T	
TE-102-AW-52	7/21/90	70	CASS	T	
TE-102-AW-52	7/28/90	70	CASS	T	
TE-102-AW-52	8/4/90	71	CASS	T	
TE-102-AW-52	8/11/90	71	CASS	T	
TE-102-AW-52	8/18/90	72	CASS	T	
TE-102-AW-52	8/20/90	82	SACS	S	Data point did not agree with local trend
TE-102-AW-52	8/23/90	72	CASS	T	
TE-102-AW-52	9/1/90	72	CASS	T	
TE-102-AW-52	9/8/90	72	CASS	T	
TE-102-AW-52	9/10/90	102	SACS	S	Data point did not agree with local trend
TE-102-AW-52	9/15/90	72	CASS	T	
TE-102-AW-52	9/22/90	72	CASS	T	
TE-102-AW-52	9/24/90	84	SACS	S	Data point did not agree with local trend
TE-102-AW-52	9/29/90	72	CASS	T	
TE-102-AW-52	10/1/90	72	CASS	T	
TE-102-AW-52	10/13/90	71	CASS	T	
TE-102-AW-52	10/18/90	71	CASS	T	
TE-102-AW-52	10/27/90	70	CASS	T	
TE-102-AW-52	11/1/90	70	CASS	T	
TE-102-AW-52	11/10/90	69	CASS	T	
TE-102-AW-52	11/17/90	69	CASS	T	
TE-102-AW-52	11/18/90	69	CASS	T	
TE-102-AW-52	11/29/90	68	CASS	T	
TE-102-AW-52	12/8/90	67	CASS	T	
TE-102-AW-52	12/11/90	67	CASS	T	
TE-102-AW-52	12/19/90	66	CASS	T	
TE-102-AW-52	12/24/90	65	SACS	T	
TE-102-AW-52	12/31/90	65	SACS	T	
TE-102-AW-52	1/7/91	63	SACS	T	
TE-102-AW-52	1/18/91	63	CASS	T	
TE-102-AW-52	1/28/91	62	CASS	T	
TE-102-AW-52	1/28/91	62	SACS	T	
TE-102-AW-52	2/9/91	62	CASS	T	
TE-102-AW-52	2/18/91	61	CASS	T	
TE-102-AW-52	2/23/91	61	CASS	T	
TE-102-AW-52	3/2/91	61	CASS	T	
TE-102-AW-52	3/9/91	61	CASS	T	
TE-102-AW-52	3/18/91	61	CASS	T	
TE-102-AW-52	3/23/91	61	CASS	T	
TE-102-AW-52	3/25/91	61	CASS	T	
TE-102-AW-52	4/5/91	61	CASS	T	
TE-102-AW-52	4/13/91	61	CASS	T	
TE-102-AW-52	4/20/91	61	CASS	T	
TE-102-AW-52	4/27/91	61	CASS	T	
TE-102-AW-52	5/4/91	61	CASS	T	
TE-102-AW-52	5/11/91	62	CASS	T	
TE-102-AW-52	5/18/91	62	CASS	T	
TE-102-AW-52	5/25/91	62	CASS	T	
TE-102-AW-52	5/31/91	62	CASS	T	
TE-102-AW-52	6/8/91	63	CASS	T	
TE-102-AW-52	6/15/91	63	CASS	T	
TE-102-AW-52	6/21/91	63	CASS	T	
TE-102-AW-52	6/25/91	64	CASS	T	
TE-102-AW-52	7/1/91	63	SACS	T	
TE-102-AW-52	7/8/91	62	SACS	T	
TE-102-AW-52	7/15/91	65	SACS	T	
TE-102-AW-52	7/22/91	64	SACS	T	
TE-102-AW-52	7/29/91	65	SACS	T	
TE-102-AW-52	8/4/91	65	SACS	T	
TE-102-AW-52	8/19/91	66	SACS	T	
TE-102-AW-52	8/26/91	66	SACS	T	
TE-102-AW-52	9/2/91	67	SACS	T	
TE-102-AW-52	9/9/91	68	SACS	T	
TE-102-AW-52	9/18/91	67	SACS	T	
TE-102-AW-52	9/23/91	68	SACS	T	
TE-102-AW-52	9/30/91	68	SACS	T	
TE-102-AW-52	10/7/91	67	SACS	T	
TE-102-AW-52	10/14/91	69	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-52	10/21/91	68	SACS	T	
TE-102-AW-52	10/26/91	67	SACS	T	
TE-102-AW-52	11/5/91	66	SACS	T	
TE-102-AW-52	11/11/91	66	SACS	T	
TE-102-AW-52	11/16/91	65	SACS	T	
TE-102-AW-52	11/26/91	65	SACS	T	
TE-102-AW-52	12/2/91	64	SACS	T	
TE-102-AW-52	12/9/91	64	SACS	T	
TE-102-AW-52	12/16/91	63	SACS	T	
TE-102-AW-52	12/23/91	63	SACS	T	
TE-102-AW-52	12/30/91	62	SACS	T	
TE-102-AW-52	1/6/92	61	SACS	T	
TE-102-AW-52	1/13/92	61	SACS	T	
TE-102-AW-52	1/20/92	61	SACS	T	
TE-102-AW-52	1/27/92	60	SACS	T	
TE-102-AW-52	2/3/92	60	SACS	T	
TE-102-AW-52	2/10/92	60	SACS	T	
TE-102-AW-52	2/22/92	58	SACS	T	
TE-102-AW-52	2/24/92	58	SACS	T	
TE-102-AW-52	3/2/92	58	SACS	T	
TE-102-AW-52	3/11/92	61	SACS	T	
TE-102-AW-52	3/16/92	60	SACS	T	
TE-102-AW-52	3/23/92	60	SACS	T	
TE-102-AW-52	3/30/92	60	SACS	T	
TE-102-AW-52	4/6/92	61	SACS	T	
TE-102-AW-52	4/13/92	61	SACS	T	
TE-102-AW-52	4/17/92	27	CASS	S	Data point did not agree with local trend
TE-102-AW-52	4/20/92	60	SACS	T	
TE-102-AW-52	4/27/92	60	SACS	T	
TE-102-AW-52	5/4/92	60	SACS	T	
TE-102-AW-52	5/11/92	61	SACS	T	
TE-102-AW-52	5/18/92	61	SACS	T	
TE-102-AW-52	5/25/92	62	SACS	T	
TE-102-AW-52	6/6/92	63	SACS	T	
TE-102-AW-52	6/15/92	63	SACS	T	
TE-102-AW-52	6/22/92	64	SACS	T	
TE-102-AW-52	7/6/92	65	SACS	T	
TE-102-AW-52	7/13/92	65	SACS	T	
TE-102-AW-52	7/20/92	66	SACS	T	
TE-102-AW-52	7/27/92	65	SACS	T	
TE-102-AW-52	8/3/92	66	SACS	T	
TE-102-AW-52	8/10/92	66	SACS	T	
TE-102-AW-52	8/17/92	67	SACS	T	
TE-102-AW-52	8/24/92	68	SACS	T	
TE-102-AW-52	8/31/92	68	SACS	T	
TE-102-AW-52	9/7/92	68	SACS	T	
TE-102-AW-52	9/14/92	68	SACS	T	
TE-102-AW-52	9/21/92	67	SACS	T	
TE-102-AW-52	9/28/92	71	SACS	T	
TE-102-AW-52	10/5/92	70	SACS	T	
TE-102-AW-52	10/12/92	68	SACS	T	
TE-102-AW-52	10/19/92	67	SACS	T	
TE-102-AW-52	10/26/92	67	SACS	T	
TE-102-AW-52	11/2/92	67	SACS	T	
TE-102-AW-52	11/9/92	67	SACS	T	
TE-102-AW-52	11/16/92	67	SACS	T	
TE-102-AW-52	11/23/92	65	SACS	T	
TE-102-AW-52	11/30/92	64	SACS	T	
TE-102-AW-52	12/7/92	64	SACS	T	
TE-102-AW-52	12/14/92	62	SACS	T	
TE-102-AW-52	12/21/92	62	SACS	T	
TE-102-AW-52	12/28/92	62	SACS	T	
TE-102-AW-52	1/4/93	77	SACS	S	Data point did not agree with local trend
TE-102-AW-52	1/11/93	58	SACS	T	
TE-102-AW-52	1/18/93	59	SACS	T	
TE-102-AW-52	1/25/93	58	SACS	T	
TE-102-AW-52	3/1/93	58	SACS	T	
TE-102-AW-52	3/8/93	58	SACS	T	
TE-102-AW-52	3/20/93	58	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-52	3/22/93	58	SACS	T	
TE-102-AW-52	3/29/93	58	SACS	T	
TE-102-AW-52	4/6/93	58	SACS	T	
TE-102-AW-52	4/12/93	53	SACS	T	
TE-102-AW-52	4/23/93	58	SACS	T	
TE-102-AW-52	4/29/93	58	SACS	T	
TE-102-AW-52	5/3/93	59	SACS	T	
TE-102-AW-52	5/10/93	58	SACS	T	
TE-102-AW-52	5/17/93	60	SACS	T	
TE-102-AW-52	5/24/93	61	SACS	T	
TE-102-AW-52	5/31/93	61	SACS	T	
TE-102-AW-52	6/7/93	62	SACS	T	
TE-102-AW-52	6/15/93	63	SACS	T	
TE-102-AW-52	6/22/93	72	SACS	T	
TE-102-AW-52	6/28/93	66	SACS	T	
TE-102-AW-52	7/5/93	65	SACS	T	
TE-102-AW-52	7/12/93	65	SACS	T	
TE-102-AW-52	7/19/93	66	SACS	T	
TE-102-AW-52	7/26/93	66	SACS	T	
TE-102-AW-52	8/2/93	66	SACS	T	
TE-102-AW-52	8/9/93	67	SACS	T	
TE-102-AW-52	8/16/93	67	SACS	T	
TE-102-AW-52	8/23/93	69	SACS	T	
TE-102-AW-52	8/30/93	68	SACS	T	
TE-102-AW-52	9/13/93	68	SACS	T	
TE-102-AW-52	9/21/93	66	SACS	T	
TE-102-AW-52	9/27/93	66	SACS	T	
TE-102-AW-52	10/11/93	65	SACS	T	
TE-102-AW-52	10/19/93	64	SACS	T	
TE-102-AW-52	10/26/93	63	SACS	T	
TE-102-AW-52	11/1/93	61	SACS	T	
TE-102-AW-52	11/8/93	59	SACS	T	
TE-102-AW-52	11/15/93	58	SACS	T	
TE-102-AW-52	11/22/93	57	SACS	T	
TE-102-AW-52	11/29/93	88	SACS	S	Data point did not agree with local trend
TE-102-AW-52	12/6/93	56	SACS	T	
TE-102-AW-52	12/16/93	72	SACS	S	Data point did not agree with local trend
TE-102-AW-52	12/17/93	55	SACS	T	
TE-102-AW-52	12/20/93	55	SACS	T	
TE-102-AW-52	12/27/93	54	SACS	T	
TE-102-AW-52	1/5/94	55	SACS	T	
TE-102-AW-52	1/24/94	55	SACS	T	
TE-102-AW-52	1/31/94	65	SACS	S	Data point did not agree with local trend
TE-102-AW-52	2/7/94	54	SACS	G	
TE-102-AW-52	2/21/94	53	SACS	G	
TE-102-AW-52	2/28/94	54	SACS	T	
TE-102-AW-52	3/7/94	54	SACS	T	
TE-102-AW-52	3/14/94	54	SACS	G	
TE-102-AW-52	3/21/94	54	SACS	G	
TE-102-AW-52	3/28/94	60	SACS	G	
TE-102-AW-52	4/5/94	61	SACS	G	
TE-102-AW-52	4/11/94	61	SACS	G	
TE-102-AW-52	4/18/94	66	SACS	T	
TE-102-AW-52	4/25/94	72	SACS	G	
TE-102-AW-52	5/2/94	77	SACS	G	
TE-102-AW-52	5/9/94	67	SACS	G	
TE-102-AW-52	5/16/94	79	SACS	G	
TE-102-AW-52	5/31/94	84	SACS	G	
TE-102-AW-52	6/6/94	96	SACS	G	
TE-102-AW-52	6/13/94	88	SACS	G	
TE-102-AW-52	6/20/94	84	SACS	G	
TE-102-AW-52	6/27/94	80	SACS	G	
TE-102-AW-52	7/4/94	78	SACS	G	
TE-102-AW-52	7/18/94	77	SACS	G	
TE-102-AW-52	7/25/94	77	SACS	G	
TE-102-AW-52	8/1/94	77	SACS	G	
TE-102-AW-52	8/8/94	77	SACS	G	
TE-102-AW-52	8/15/94	72	SACS	G	
TE-102-AW-52	8/22/94	69	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-52	8/7/94	70	SACS	G	
TE-102-AW-52	8/12/94	71	SACS	G	
TE-102-AW-52	8/19/94	85	SACS	G	
TE-102-AW-52	8/28/94	91	SACS	G	
TE-102-AW-52	10/10/94	79	SACS	G	
TE-102-AW-52	10/17/94	83	SACS	G	
TE-102-AW-52	10/24/94	81	SACS	G	
TE-102-AW-52	10/31/94	89	SACS	G	
TE-102-AW-52	11/7/94	98	SACS	G	
TE-102-AW-52	11/14/94	93	SACS	G	
TE-102-AW-52	11/21/94	88	SACS	G	
TE-102-AW-52	11/28/94	80	SACS	G	
TE-102-AW-52	12/5/94	75	SACS	G	
TE-102-AW-52	12/12/94	72	SACS	G	
TE-102-AW-52	12/19/94	69	SACS	G	
TE-102-AW-52	12/26/94	69	SACS	G	
TE-102-AW-52	1/2/95	87	SACS	G	
TE-102-AW-52	1/8/95	85	SACS	G	
TE-102-AW-52	1/16/95	84	SACS	G	
TE-102-AW-52	1/23/95	83	SACS	G	
TE-102-AW-52	1/30/95	83	SACS	G	
TE-102-AW-52	2/6/95	82	SACS	G	
TE-102-AW-52	2/13/95	82	SACS	G	
TE-102-AW-52	2/24/95	81	SACS	G	
TE-102-AW-52	2/27/95	81	SACS	G	
TE-102-AW-52	3/6/95	80	SACS	G	
TE-102-AW-52	3/19/95	80	SACS	G	
TE-102-AW-52	3/27/95	81	SACS	G	
TE-102-AW-52	4/3/95	81	SACS	G	
TE-102-AW-52	4/10/95	81	SACS	G	
TE-102-AW-52	4/17/95	80	SACS	G	
TE-102-AW-52	4/24/95	80	SACS	G	
TE-102-AW-52	5/3/95	83	SACS	G	
TE-102-AW-52	5/8/95	83	SACS	G	
TE-102-AW-52	5/15/95	82	SACS	G	
TE-102-AW-52	5/22/95	81	SACS	G	
TE-102-AW-52	5/30/95	82	SACS	G	
TE-102-AW-52	6/5/95	82	SACS	G	
TE-102-AW-52	6/13/95	83	SACS	G	
TE-102-AW-52	6/19/95	86	SACS	G	
TE-102-AW-52	6/26/95	72	SACS	G	
TE-102-AW-53	7/16/83	73	CASS	T	
TE-102-AW-53	7/23/83	74	CASS	T	
TE-102-AW-53	7/28/83	75	CASS	T	
TE-102-AW-53	8/6/83	75	CASS	T	
TE-102-AW-53	8/10/83	76	CASS	T	
TE-102-AW-53	8/20/83	77	CASS	T	
TE-102-AW-53	8/27/83	78	CASS	T	
TE-102-AW-53	8/31/83	78	CASS	T	
TE-102-AW-53	9/10/83	78	CASS	T	
TE-102-AW-53	9/11/83	78	CASS	T	
TE-102-AW-53	9/21/83	78	CASS	T	
TE-102-AW-53	10/1/83	83	CASS	T	
TE-102-AW-53	10/2/83	89	CASS	T	
TE-102-AW-53	10/15/83	78	CASS	T	
TE-102-AW-53	10/21/83	77	CASS	T	
TE-102-AW-53	3/10/84	93	CASS	T	
TE-102-AW-53	3/17/84	94	CASS	T	
TE-102-AW-53	3/19/84	95	CASS	T	
TE-102-AW-53	3/25/84	90	CASS	T	
TE-102-AW-53	4/3/84	87	CASS	T	
TE-102-AW-53	4/14/84	84	CASS	T	
TE-102-AW-53	4/20/84	85	CASS	T	
TE-102-AW-53	4/27/84	85	CASS	T	
TE-102-AW-53	5/5/84	93	CASS	T	
TE-102-AW-53	5/8/84	99	CASS	T	
TE-102-AW-53	5/13/84	83	CASS	T	
TE-102-AW-53	5/20/84	78	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1985; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-53	6/2/84	75	CASS	T	
TE-102-AW-53	6/7/84	83	CASS	T	
TE-102-AW-53	6/20/84	89	CASS	T	
TE-102-AW-53	6/30/84	91	CASS	T	
TE-102-AW-53	7/7/84	94	CASS	T	
TE-102-AW-53	7/13/84	99	CASS	T	
TE-102-AW-53	7/16/84	99	CASS	T	
TE-102-AW-53	7/28/84	109	CASS	T	
TE-102-AW-53	7/29/84	109	CASS	T	
TE-102-AW-53	8/11/84	113	CASS	T	
TE-102-AW-53	8/18/84	116	CASS	T	
TE-102-AW-53	8/20/84	117	CASS	T	
TE-102-AW-53	8/28/84	116	CASS	T	
TE-102-AW-53	9/2/84	115	CASS	T	
TE-102-AW-53	9/12/84	113	CASS	T	
TE-102-AW-53	9/17/84	112	CASS	T	
TE-102-AW-53	9/25/84	110	CASS	T	
TE-102-AW-53	10/1/84	109	CASS	T	
TE-102-AW-53	10/11/84	107	CASS	T	
TE-102-AW-53	10/14/84	106	CASS	T	
TE-102-AW-53	10/21/84	99	CASS	T	
TE-102-AW-53	10/29/84	94	CASS	T	
TE-102-AW-53	11/9/84	91	CASS	T	
TE-102-AW-53	11/17/84	96	CASS	T	
TE-102-AW-53	11/24/84	97	CASS	T	
TE-102-AW-53	11/30/84	97	CASS	T	
TE-102-AW-53	12/7/84	97	CASS	T	
TE-102-AW-53	12/9/84	97	CASS	T	
TE-102-AW-53	12/22/84	91	CASS	T	
TE-102-AW-53	12/24/84	90	CASS	T	
TE-102-AW-53	12/30/84	83	CASS	T	
TE-102-AW-53	1/8/85	75	CASS	T	
TE-102-AW-53	1/19/85	80	CASS	T	
TE-102-AW-53	1/28/85	92	CASS	T	
TE-102-AW-53	2/1/85	100	CASS	T	
TE-102-AW-53	2/4/85	97	CASS	T	
TE-102-AW-53	2/10/85	91	CASS	T	
TE-102-AW-53	2/17/85	83	CASS	T	
TE-102-AW-53	3/2/85	81	CASS	T	
TE-102-AW-53	3/9/85	81	CASS	T	
TE-102-AW-53	3/14/85	81	CASS	T	
TE-102-AW-53	3/21/85	81	CASS	T	
TE-102-AW-53	3/30/85	80	CASS	T	
TE-102-AW-53	4/1/85	83	CASS	T	
TE-102-AW-53	4/13/85	88	CASS	T	
TE-102-AW-53	4/14/85	89	CASS	T	
TE-102-AW-53	4/24/85	82	CASS	T	
TE-102-AW-53	4/29/85	87	CASS	T	
TE-102-AW-53	5/5/85	78	CASS	T	
TE-102-AW-53	5/18/85	84	CASS	T	
TE-102-AW-53	5/25/85	90	CASS	T	
TE-102-AW-53	6/1/85	93	CASS	T	
TE-102-AW-53	6/2/85	93	CASS	T	
TE-102-AW-53	6/13/85	91	CASS	T	
TE-102-AW-53	6/19/85	90	CASS	T	
TE-102-AW-53	11/1/85	94	CASS	T	
TE-102-AW-53	12/1/85	104	CASS	T	
TE-102-AW-53	1/2/86	106	CASS	T	
TE-102-AW-53	1/7/86	105	CASS	T	
TE-102-AW-53	1/17/86	96	CASS	T	
TE-102-AW-53	1/25/86	95	CASS	T	
TE-102-AW-53	2/1/86	94	CASS	T	
TE-102-AW-53	2/8/86	94	CASS	T	
TE-102-AW-53	2/11/86	96	CASS	T	
TE-102-AW-53	2/18/86	101	CASS	T	
TE-102-AW-53	3/1/86	102	CASS	T	
TE-102-AW-53	3/4/86	104	CASS	T	
TE-102-AW-53	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-102-AW-53	9/17/86	98	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-53	10/11/86	95	CASS	T	
TE-102-AW-53	10/18/86	120	CASS	T	
TE-102-AW-53	10/21/86	127	CASS	T	
TE-102-AW-53	10/26/86	121	CASS	T	
TE-102-AW-53	11/2/86	103	CASS	T	
TE-102-AW-53	11/15/86	128	CASS	T	
TE-102-AW-53	11/17/86	131	CASS	T	
TE-102-AW-53	11/23/86	114	CASS	T	
TE-102-AW-53	12/2/86	106	CASS	T	
TE-102-AW-53	12/8/86	103	CASS	T	
TE-102-AW-53	12/17/86	100	CASS	T	
TE-102-AW-53	12/27/86	105	CASS	T	
TE-102-AW-53	12/28/86	103	CASS	T	
TE-102-AW-53	7/4/87	76	CASS	T	
TE-102-AW-53	7/11/87	91	CASS	T	
TE-102-AW-53	7/15/87	92	CASS	T	
TE-102-AW-53	7/23/87	95	CASS	T	
TE-102-AW-53	7/28/87	92	CASS	T	
TE-102-AW-53	8/8/87	101	CASS	T	
TE-102-AW-53	8/10/87	102	CASS	T	
TE-102-AW-53	8/22/87	104	CASS	T	
TE-102-AW-53	8/27/87	107	CASS	T	
TE-102-AW-53	9/1/87	98	CASS	T	
TE-102-AW-53	9/9/87	95	CASS	T	
TE-102-AW-53	11/28/87	89	CASS	T	
TE-102-AW-53	11/29/87	89	CASS	T	
TE-102-AW-53	3/26/88	82	CASS	T	
TE-102-AW-53	3/27/88	81	CASS	T	
TE-102-AW-53	6/1/88	90	CASS	T	
TE-102-AW-53	6/11/88	91	CASS	T	
TE-102-AW-53	6/15/88	91	CASS	T	
TE-102-AW-53	6/25/88	91	CASS	T	
TE-102-AW-53	7/2/88	92	CASS	T	
TE-102-AW-53	7/3/88	92	CASS	T	
TE-102-AW-53	7/16/88	99	CASS	T	
TE-102-AW-53	7/18/88	103	CASS	T	
TE-102-AW-53	7/24/88	88	CASS	T	
TE-102-AW-53	8/5/88	86	CASS	T	
TE-102-AW-53	8/13/88	92	CASS	T	
TE-102-AW-53	8/14/88	101	CASS	T	
TE-102-AW-53	8/24/88	104	CASS	T	
TE-102-AW-53	9/2/88	91	CASS	T	
TE-102-AW-53	9/9/88	94	CASS	T	
TE-102-AW-53	9/17/88	98	CASS	T	
TE-102-AW-53	9/22/88	94	CASS	T	
TE-102-AW-53	9/27/88	92	CASS	T	
TE-102-AW-53	12/1/88	87	CASS	T	
TE-102-AW-53	12/9/88	90	CASS	T	
TE-102-AW-53	12/11/88	89	CASS	T	
TE-102-AW-53	12/18/88	85	CASS	T	
TE-102-AW-53	9/2/89	77	CASS	T	
TE-102-AW-53	9/9/89	77	CASS	T	
TE-102-AW-53	9/14/89	77	CASS	T	
TE-102-AW-53	9/23/89	76	CASS	T	
TE-102-AW-53	9/30/89	76	CASS	T	
TE-102-AW-53	11/2/89	73	CASS	T	
TE-102-AW-53	11/11/89	73	CASS	T	
TE-102-AW-53	11/15/89	73	CASS	T	
TE-102-AW-53	11/23/89	72	CASS	T	
TE-102-AW-53	12/2/89	71	CASS	T	
TE-102-AW-53	12/3/89	71	CASS	T	
TE-102-AW-53	12/16/89	71	CASS	T	
TE-102-AW-53	12/19/89	71	CASS	T	
TE-102-AW-53	12/26/89	70	CASS	T	
TE-102-AW-53	1/5/90	69	CASS	T	
TE-102-AW-53	1/10/90	69	CASS	T	
TE-102-AW-53	1/20/90	68	CASS	T	
TE-102-AW-53	1/27/90	67	CASS	T	
TE-102-AW-53	2/3/90	67	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-53	2/10/90	67	CASS	T	
TE-102-AW-53	2/15/90	66	CASS	T	
TE-102-AW-53	2/24/90	66	CASS	T	
TE-102-AW-53	2/27/90	66	CASS	T	
TE-102-AW-53	3/10/90	65	CASS	T	
TE-102-AW-53	3/17/90	65	CASS	T	
TE-102-AW-53	3/22/90	65	CASS	T	
TE-102-AW-53	3/31/90	65	CASS	T	
TE-102-AW-53	4/7/90	65	CASS	T	
TE-102-AW-53	4/14/90	65	CASS	T	
TE-102-AW-53	4/21/90	66	CASS	T	
TE-102-AW-53	4/28/90	65	CASS	T	
TE-102-AW-53	5/5/90	66	CASS	T	
TE-102-AW-53	5/12/90	66	CASS	T	
TE-102-AW-53	5/19/90	66	CASS	T	
TE-102-AW-53	5/22/90	66	CASS	T	
TE-102-AW-53	6/2/90	66	CASS	T	
TE-102-AW-53	6/9/90	67	CASS	T	
TE-102-AW-53	6/16/90	67	CASS	T	
TE-102-AW-53	6/23/90	68	CASS	T	
TE-102-AW-53	6/30/90	68	CASS	T	
TE-102-AW-53	7/7/90	68	CASS	T	
TE-102-AW-53	7/14/90	70	CASS	T	
TE-102-AW-53	7/21/90	70	CASS	T	
TE-102-AW-53	7/28/90	71	CASS	T	
TE-102-AW-53	8/4/90	71	CASS	T	
TE-102-AW-53	8/11/90	72	CASS	T	
TE-102-AW-53	8/18/90	72	CASS	T	
TE-102-AW-53	8/25/90	72	CASS	T	
TE-102-AW-53	9/1/90	72	CASS	T	
TE-102-AW-53	9/8/90	72	CASS	T	
TE-102-AW-53	9/15/90	72	CASS	T	
TE-102-AW-53	9/22/90	72	CASS	T	
TE-102-AW-53	9/29/90	72	CASS	T	
TE-102-AW-53	10/2/90	72	CASS	T	
TE-102-AW-53	10/13/90	71	CASS	T	
TE-102-AW-53	10/19/90	71	CASS	T	
TE-102-AW-53	10/27/90	70	CASS	T	
TE-102-AW-53	11/1/90	70	CASS	T	
TE-102-AW-53	11/8/90	80	CASS	S	Data point did not agree with local trend
TE-102-AW-53	11/10/90	69	CASS	T	
TE-102-AW-53	11/17/90	69	CASS	T	
TE-102-AW-53	11/18/90	69	CASS	T	
TE-102-AW-53	11/30/90	68	CASS	T	
TE-102-AW-53	12/6/90	78	CASS	S	Data point did not agree with local trend
TE-102-AW-53	12/8/90	67	CASS	T	
TE-102-AW-53	12/11/90	67	CASS	T	
TE-102-AW-53	12/19/90	66	CASS	T	
TE-102-AW-53	12/28/90	64	CASS	T	
TE-102-AW-53	1/5/91	63	CASS	T	
TE-102-AW-53	1/7/91	63	CASS	T	
TE-102-AW-53	1/19/91	62	CASS	T	
TE-102-AW-53	1/25/91	62	CASS	T	
TE-102-AW-53	2/2/91	61	CASS	T	
TE-102-AW-53	2/4/91	62	CASS	T	
TE-102-AW-53	2/16/91	61	CASS	T	
TE-102-AW-53	2/23/91	61	CASS	T	
TE-102-AW-53	3/2/91	61	CASS	T	
TE-102-AW-53	3/9/91	61	CASS	T	
TE-102-AW-53	3/16/91	61	CASS	T	
TE-102-AW-53	3/23/91	61	CASS	T	
TE-102-AW-53	3/25/91	61	CASS	T	
TE-102-AW-53	4/5/91	61	CASS	T	
TE-102-AW-53	4/13/91	61	CASS	T	
TE-102-AW-53	4/20/91	61	CASS	T	
TE-102-AW-53	4/27/91	61	CASS	T	
TE-102-AW-53	5/4/91	61	CASS	T	
TE-102-AW-53	5/11/91	62	CASS	T	
TE-102-AW-53	5/18/91	62	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-102					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-102-AW-53	5/25/91	62	CASS	T	
TE-102-AW-53	5/31/91	63	CASS	T	
TE-102-AW-53	6/8/91	63	CASS	T	
TE-102-AW-53	6/15/91	63	CASS	T	
TE-102-AW-53	6/21/91	64	CASS	T	
TE-102-AW-53	6/25/91	64	CASS	T	
TE-102-AW-53	4/4/92	74	CASS	T	
TE-102-AW-53	4/17/92	74	CASS	T	

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-36	7/16/83	78	CASS	T	
TE-103-AW-36	7/23/83	78	CASS	T	
TE-103-AW-36	7/30/83	76	CASS	T	
TE-103-AW-36	8/4/83	78	CASS	T	
TE-103-AW-36	8/9/83	79	CASS	T	
TE-103-AW-36	8/20/83	79	CASS	T	
TE-103-AW-36	8/27/83	79	CASS	T	
TE-103-AW-36	8/31/83	79	CASS	T	
TE-103-AW-36	9/10/83	79	CASS	T	
TE-103-AW-36	9/14/83	80	CASS	T	
TE-103-AW-36	9/24/83	80	CASS	T	
TE-103-AW-36	10/1/83	80	CASS	T	
TE-103-AW-36	10/4/83	80	CASS	T	
TE-103-AW-36	10/15/83	78	CASS	T	
TE-103-AW-36	10/21/83	78	CASS	T	
TE-103-AW-36	3/10/84	73	CASS	T	
TE-103-AW-36	3/17/84	74	CASS	T	
TE-103-AW-36	3/24/84	76	CASS	T	
TE-103-AW-36	3/31/84	76	CASS	T	
TE-103-AW-36	4/7/84	77	CASS	T	
TE-103-AW-36	4/14/84	77	CASS	T	
TE-103-AW-36	4/21/84	78	CASS	T	
TE-103-AW-36	4/28/84	78	CASS	T	
TE-103-AW-36	5/5/84	78	CASS	T	
TE-103-AW-36	5/12/84	79	CASS	T	
TE-103-AW-36	5/19/84	79	CASS	T	
TE-103-AW-36	5/26/84	79	CASS	T	
TE-103-AW-36	6/2/84	80	CASS	T	
TE-103-AW-36	6/7/84	80	CASS	T	
TE-103-AW-36	6/23/84	81	CASS	T	
TE-103-AW-36	6/30/84	82	CASS	T	
TE-103-AW-36	7/7/84	83	CASS	T	
TE-103-AW-36	7/14/84	83	CASS	T	
TE-103-AW-36	7/21/84	84	CASS	T	
TE-103-AW-36	7/28/84	85	CASS	T	
TE-103-AW-36	8/4/84	85	CASS	T	
TE-103-AW-36	8/11/84	85	CASS	T	
TE-103-AW-36	8/18/84	86	CASS	T	
TE-103-AW-36	8/25/84	86	CASS	T	
TE-103-AW-36	8/30/84	86	CASS	T	
TE-103-AW-36	9/8/84	85	CASS	T	
TE-103-AW-36	9/15/84	85	CASS	T	
TE-103-AW-36	9/21/84	85	CASS	T	
TE-103-AW-36	9/28/84	84	CASS	T	
TE-103-AW-36	10/8/84	83	CASS	T	
TE-103-AW-36	10/12/84	83	CASS	T	
TE-103-AW-36	10/17/84	82	CASS	T	
TE-103-AW-36	10/22/84	81	CASS	T	
TE-103-AW-36	10/30/84	80	CASS	T	
TE-103-AW-36	11/10/84	78	CASS	T	
TE-103-AW-36	11/15/84	78	CASS	T	
TE-103-AW-36	11/21/84	77	CASS	T	
TE-103-AW-36	11/25/84	76	CASS	T	
TE-103-AW-36	12/5/84	74	CASS	T	
TE-103-AW-36	12/12/84	72	CASS	T	
TE-103-AW-36	12/17/84	71	CASS	T	
TE-103-AW-36	1/3/85	67	CASS	T	
TE-103-AW-36	1/10/85	66	CASS	T	
TE-103-AW-36	1/19/85	65	CASS	T	
TE-103-AW-36	1/28/85	65	CASS	T	
TE-103-AW-36	2/1/85	66	CASS	T	
TE-103-AW-36	2/9/85	65	CASS	T	
TE-103-AW-36	2/16/85	66	CASS	T	
TE-103-AW-36	2/23/85	66	CASS	T	
TE-103-AW-36	3/2/85	67	CASS	T	
TE-103-AW-36	3/8/85	67	CASS	T	
TE-103-AW-36	4/6/85	71	CASS	T	
TE-103-AW-36	4/13/85	72	CASS	T	
TE-103-AW-36	4/20/85	72	CASS	T	
TE-103-AW-36	4/27/85	73	CASS	T	
TE-103-AW-36	5/4/85	74	CASS	T	
TE-103-AW-36	5/11/85	75	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-36	5/19/85	78	CASS	T	
TE-103-AW-36	5/25/85	77	CASS	T	
TE-103-AW-36	6/1/85	78	CASS	T	
TE-103-AW-36	6/8/85	78	CASS	T	
TE-103-AW-36	6/15/85	79	CASS	T	
TE-103-AW-36	6/19/85	80	CASS	T	
TE-103-AW-36	11/1/85	82	CASS	T	
TE-103-AW-36	12/1/85	77	CASS	T	
TE-103-AW-36	1/4/86	74	CASS	T	
TE-103-AW-36	1/5/86	74	CASS	T	
TE-103-AW-36	1/18/86	73	CASS	T	
TE-103-AW-36	1/25/86	73	CASS	T	
TE-103-AW-36	2/1/86	73	CASS	T	
TE-103-AW-36	2/7/86	74	CASS	T	
TE-103-AW-36	2/14/86	73	CASS	T	
TE-103-AW-36	2/22/86	73	CASS	T	
TE-103-AW-36	3/1/86	73	CASS	T	
TE-103-AW-36	3/5/86	73	CASS	T	
TE-103-AW-36	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-103-AW-36	9/17/86	85	CASS	T	
TE-103-AW-36	10/11/86	84	CASS	T	
TE-103-AW-36	10/18/86	84	CASS	T	
TE-103-AW-36	10/25/86	84	CASS	T	
TE-103-AW-36	11/1/86	84	CASS	T	
TE-103-AW-36	11/7/86	84	CASS	T	
TE-103-AW-36	11/13/86	83	CASS	T	
TE-103-AW-36	11/22/86	82	CASS	T	
TE-103-AW-36	11/29/86	82	CASS	T	
TE-103-AW-36	12/2/86	82	CASS	T	
TE-103-AW-36	12/13/86	81	CASS	T	
TE-103-AW-36	12/18/86	81	CASS	T	
TE-103-AW-36	12/27/86	80	CASS	T	
TE-103-AW-36	12/31/86	80	CASS	T	
TE-103-AW-36	7/4/87	76	CASS	T	
TE-103-AW-36	7/11/87	76	CASS	T	
TE-103-AW-36	7/18/87	77	CASS	T	
TE-103-AW-36	7/25/87	77	CASS	T	
TE-103-AW-36	8/1/87	77	CASS	T	
TE-103-AW-36	8/8/87	77	CASS	T	
TE-103-AW-36	8/15/87	78	CASS	T	
TE-103-AW-36	8/20/87	78	CASS	T	
TE-103-AW-36	8/29/87	78	CASS	T	
TE-103-AW-36	9/5/87	78	CASS	T	
TE-103-AW-36	9/11/87	79	CASS	T	
TE-103-AW-36	11/26/87	78	CASS	T	
TE-103-AW-36	11/30/87	83	CASS	T	
TE-103-AW-36	3/28/88	73	CASS	T	
TE-103-AW-36	3/31/88	73	CASS	T	
TE-103-AW-36	6/1/88	75	CASS	S	Scatter in data locally
TE-103-AW-36	6/2/88	75	CASS	S	Scatter in data locally
TE-103-AW-36	6/4/88	75	CASS	S	Scatter in data locally
TE-103-AW-36	6/5/88	103	CASS	S	Scatter in data locally
TE-103-AW-36	6/6/88	75	CASS	S	Scatter in data locally
TE-103-AW-36	6/7/88	75	CASS	S	Scatter in data locally
TE-103-AW-36	6/8/88	75	CASS	S	Scatter in data locally
TE-103-AW-36	6/9/88	75	CASS	S	Scatter in data locally
TE-103-AW-36	6/10/88	75	CASS	S	Scatter in data locally
TE-103-AW-36	6/11/88	75	CASS	S	Scatter in data locally
TE-103-AW-36	6/12/88	75	CASS	S	Scatter in data locally
TE-103-AW-36	6/13/88	75	CASS	S	Scatter in data locally
TE-103-AW-36	6/14/88	75	CASS	S	Scatter in data locally
TE-103-AW-36	6/15/88	75	CASS	S	Scatter in data locally
TE-103-AW-36	6/18/88	104	CASS	S	Scatter in data locally
TE-103-AW-36	6/17/88	75	CASS	S	Scatter in data locally
TE-103-AW-36	6/18/88	76	CASS	S	Scatter in data locally
TE-103-AW-36	6/19/88	101	CASS	S	Scatter in data locally
TE-103-AW-36	6/20/88	76	CASS	S	Scatter in data locally
TE-103-AW-36	6/21/88	103	CASS	S	Scatter in data locally
TE-103-AW-36	6/22/88	76	CASS	S	Scatter in data locally
TE-103-AW-36	6/23/88	76	CASS	S	Scatter in data locally
TE-103-AW-36	6/24/88	100	CASS	S	Scatter in data locally
TE-103-AW-36	6/25/88	76	CASS	S	Scatter in data locally
TE-103-AW-36	6/26/88	76	CASS	S	Scatter in data locally
TE-103-AW-36	6/27/88	76	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-36	6/28/88	100	CASS	S	Scatter in data locally
TE-103-AW-36	6/29/88	99	CASS	S	Scatter in data locally
TE-103-AW-36	6/30/88	99	CASS	S	Scatter in data locally
TE-103-AW-36	7/1/88	76	CASS	S	Scatter in data locally
TE-103-AW-36	7/2/88	99	CASS	S	Scatter in data locally
TE-103-AW-36	7/3/88	76	CASS	S	Scatter in data locally
TE-103-AW-36	7/4/88	78	CASS	S	Scatter in data locally
TE-103-AW-36	7/5/88	76	CASS	S	Scatter in data locally
TE-103-AW-36	7/6/88	76	CASS	S	Scatter in data locally
TE-103-AW-36	7/7/88	77	CASS	S	Scatter in data locally
TE-103-AW-36	7/8/88	77	CASS	S	Scatter in data locally
TE-103-AW-36	7/9/88	103	CASS	S	Scatter in data locally
TE-103-AW-36	7/10/88	77	CASS	S	Scatter in data locally
TE-103-AW-36	7/11/88	77	CASS	S	Scatter in data locally
TE-103-AW-36	7/12/88	100	CASS	S	Scatter in data locally
TE-103-AW-36	7/13/88	100	CASS	S	Scatter in data locally
TE-103-AW-36	7/14/88	94	CASS	S	Scatter in data locally
TE-103-AW-36	7/15/88	77	CASS	S	Scatter in data locally
TE-103-AW-36	7/16/88	77	CASS	S	Scatter in data locally
TE-103-AW-36	7/17/88	102	CASS	S	Scatter in data locally
TE-103-AW-36	7/18/88	77	CASS	S	Scatter in data locally
TE-103-AW-36	7/19/88	77	CASS	S	Scatter in data locally
TE-103-AW-36	7/20/88	78	CASS	S	Scatter in data locally
TE-103-AW-36	7/21/88	78	CASS	S	Scatter in data locally
TE-103-AW-36	7/22/88	78	CASS	S	Scatter in data locally
TE-103-AW-36	7/23/88	78	CASS	S	Scatter in data locally
TE-103-AW-36	7/24/88	78	CASS	S	Scatter in data locally
TE-103-AW-36	7/25/88	78	CASS	S	Scatter in data locally
TE-103-AW-36	7/26/88	78	CASS	S	Scatter in data locally
TE-103-AW-36	7/27/88	78	CASS	S	Scatter in data locally
TE-103-AW-36	7/28/88	78	CASS	S	Scatter in data locally
TE-103-AW-36	7/29/88	78	CASS	S	Scatter in data locally
TE-103-AW-36	7/30/88	78	CASS	S	Scatter in data locally
TE-103-AW-36	7/31/88	78	CASS	S	Scatter in data locally
TE-103-AW-36	8/1/88	78	CASS	S	Scatter in data locally
TE-103-AW-36	8/2/88	91	CASS	S	Scatter in data locally
TE-103-AW-36	8/3/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/4/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/5/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/6/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/8/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/9/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/10/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/11/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/12/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/13/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/14/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/15/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/16/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/17/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/18/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/19/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/20/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/21/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/22/88	79	CASS	S	Scatter in data locally
TE-103-AW-36	8/23/88	99	CASS	S	Scatter in data locally
TE-103-AW-36	8/24/88	80	CASS	S	Scatter in data locally
TE-103-AW-36	8/25/88	102	CASS	S	Scatter in data locally
TE-103-AW-36	8/26/88	80	CASS	S	Scatter in data locally
TE-103-AW-36	8/27/88	80	CASS	S	Scatter in data locally
TE-103-AW-36	8/28/88	80	CASS	S	Scatter in data locally
TE-103-AW-36	8/29/88	101	CASS	S	Scatter in data locally
TE-103-AW-36	8/30/88	80	CASS	S	Scatter in data locally
TE-103-AW-36	8/31/88	80	CASS	S	Scatter in data locally
TE-103-AW-36	9/1/88	80	CASS	S	Scatter in data locally
TE-103-AW-36	9/2/88	101	CASS	S	Scatter in data locally
TE-103-AW-36	9/3/88	100	CASS	S	Scatter in data locally
TE-103-AW-36	9/4/88	101	CASS	S	Scatter in data locally
TE-103-AW-36	9/5/88	102	CASS	S	Scatter in data locally
TE-103-AW-36	9/6/88	81	CASS	S	Scatter in data locally
TE-103-AW-36	9/7/88	99	CASS	S	Scatter in data locally
TE-103-AW-36	9/10/88	80	CASS	T	
TE-103-AW-36	9/17/88	81	CASS	T	
TE-103-AW-36	9/24/88	81	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-36	9/30/88	81	CASS	T	
TE-103-AW-36	12/2/88	81	CASS	T	
TE-103-AW-36	12/10/88	80	CASS	T	
TE-103-AW-36	12/17/88	80	CASS	T	
TE-103-AW-36	12/20/88	79	CASS	T	
TE-103-AW-36	7/10/89	96	SACS	S	Disagreement between CASS and SACS
TE-103-AW-36	7/17/89	71	SACS	T	
TE-103-AW-36	7/24/89	72	SACS	T	
TE-103-AW-36	8/7/89	69	SACS	T	
TE-103-AW-36	8/14/89	82	SACS	S	Data point did not agree with local trend
TE-103-AW-36	8/21/89	89	SACS	S	Data point did not agree with local trend
TE-103-AW-36	9/2/89	80	CASS	T	
TE-103-AW-36	9/8/89	80	CASS	T	
TE-103-AW-36	9/16/89	80	CASS	T	
TE-103-AW-36	9/23/89	80	CASS	T	
TE-103-AW-36	9/30/89	80	CASS	T	
TE-103-AW-36	10/1/89	88	SACS	T	
TE-103-AW-36	10/8/89	55	SACS	S	Data point did not agree with local trend
TE-103-AW-36	10/18/89	73	SACS	T	
TE-103-AW-36	10/24/89	74	SACS	T	
TE-103-AW-36	11/4/89	79	CASS	T	
TE-103-AW-36	11/11/89	79	CASS	T	
TE-103-AW-36	11/18/89	79	CASS	T	
TE-103-AW-36	11/23/89	79	CASS	T	
TE-103-AW-36	11/29/89	79	CASS	T	
TE-103-AW-36	12/4/89	78	CASS	T	
TE-103-AW-36	12/10/89	77	CASS	T	
TE-103-AW-36	12/23/89	75	CASS	T	
TE-103-AW-36	12/30/89	74	CASS	T	
TE-103-AW-36	1/8/90	73	CASS	T	
TE-103-AW-36	1/8/90	76	SACS	T	
TE-103-AW-36	1/16/90	73	CASS	T	
TE-103-AW-36	1/27/90	73	CASS	T	
TE-103-AW-36	2/3/90	73	CASS	T	
TE-103-AW-36	2/10/90	73	CASS	T	
TE-103-AW-36	2/17/90	73	CASS	T	
TE-103-AW-36	2/24/90	73	CASS	T	
TE-103-AW-36	3/3/90	73	CASS	T	
TE-103-AW-36	3/10/90	73	CASS	T	
TE-103-AW-36	3/12/90	73	SACS	T	
TE-103-AW-36	3/19/90	73	SACS	T	
TE-103-AW-36	3/23/90	79	CASS	S	Data point did not agree with local trend
TE-103-AW-36	3/31/90	72	CASS	T	
TE-103-AW-36	4/2/90	58	SACS	S	Data point did not agree with local trend
TE-103-AW-36	4/7/90	72	CASS	T	
TE-103-AW-36	4/9/90	57	SACS	S	Data point did not agree with local trend
TE-103-AW-36	4/14/90	72	CASS	T	
TE-103-AW-36	4/21/90	72	CASS	T	
TE-103-AW-36	4/28/90	72	CASS	T	
TE-103-AW-36	5/5/90	72	CASS	T	
TE-103-AW-36	5/12/90	72	CASS	T	
TE-103-AW-36	5/19/90	72	CASS	T	
TE-103-AW-36	5/22/90	72	CASS	T	
TE-103-AW-36	5/28/90	75	SACS	T	
TE-103-AW-36	6/9/90	72	CASS	T	
TE-103-AW-36	6/11/90	79	SACS	T	
TE-103-AW-36	6/23/90	73	CASS	T	
TE-103-AW-36	6/30/90	73	CASS	T	
TE-103-AW-36	7/2/90	86	SACS	S	Data point did not agree with local trend
TE-103-AW-36	7/3/90	86	CASS	S	
TE-103-AW-36	7/7/90	73	CASS	T	
TE-103-AW-36	7/14/90	74	CASS	T	
TE-103-AW-36	7/21/90	74	CASS	T	
TE-103-AW-36	7/28/90	74	CASS	T	
TE-103-AW-36	8/4/90	75	CASS	T	
TE-103-AW-36	8/11/90	75	CASS	T	
TE-103-AW-36	8/13/90	79	SACS	T	
TE-103-AW-36	8/20/90	83	SACS	T	
TE-103-AW-36	9/1/90	75	CASS	T	
TE-103-AW-36	9/8/90	75	CASS	T	
TE-103-AW-36	9/15/90	75	CASS	T	
TE-103-AW-36	9/22/90	75	CASS	T	
TE-103-AW-36	9/24/90	86	SACS	S	Data point did not agree with local trend
TE-103-AW-36	9/29/90	75	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-36	10/8/90	75	CASS	T	
TE-103-AW-36	10/10/90	76	CASS	T	
TE-103-AW-36	10/20/90	74	CASS	T	
TE-103-AW-36	10/27/90	74	CASS	T	
TE-103-AW-36	11/3/90	73	CASS	T	
TE-103-AW-36	11/9/90	81	CASS	S	Data point did not agree with local trend
TE-103-AW-36	11/10/90	73	CASS	T	
TE-103-AW-36	11/12/90	73	CASS	T	
TE-103-AW-36	11/24/90	72	CASS	T	
TE-103-AW-36	11/29/90	72	CASS	T	
TE-103-AW-36	12/6/90	79	CASS	S	Data point did not agree with local trend
TE-103-AW-36	12/8/90	71	CASS	T	
TE-103-AW-36	12/13/90	71	CASS	T	
TE-103-AW-36	12/19/90	70	CASS	T	
TE-103-AW-36	12/23/90	72	SACS	T	
TE-103-AW-36	12/31/90	74	SACS	T	
TE-103-AW-36	1/7/91	71	SACS	T	
TE-103-AW-36	1/14/91	70	SACS	T	
TE-103-AW-36	1/21/91	71	SACS	T	
TE-103-AW-36	1/28/91	71	SACS	T	
TE-103-AW-36	2/9/91	70	CASS	T	
TE-103-AW-36	2/16/91	70	CASS	T	
TE-103-AW-36	2/18/91	71	SACS	T	
TE-103-AW-36	3/2/91	70	CASS	T	
TE-103-AW-36	3/4/91	70	SACS	T	
TE-103-AW-36	3/11/91	70	SACS	T	
TE-103-AW-36	3/18/91	70	SACS	T	
TE-103-AW-36	3/25/91	71	SACS	T	
TE-103-AW-36	4/1/91	71	SACS	T	
TE-103-AW-36	4/8/91	70	SACS	T	
TE-103-AW-36	4/15/91	70	SACS	T	
TE-103-AW-36	4/22/91	70	SACS	T	
TE-103-AW-36	4/29/91	70	SACS	T	
TE-103-AW-36	5/6/91	70	SACS	T	
TE-103-AW-36	5/13/91	70	SACS	T	
TE-103-AW-36	5/20/91	70	SACS	T	
TE-103-AW-36	5/31/91	69	CASS	T	
TE-103-AW-36	6/3/91	70	SACS	T	
TE-103-AW-36	6/10/91	70	SACS	T	
TE-103-AW-36	6/21/91	70	CASS	T	
TE-103-AW-36	6/25/91	70	CASS	T	
TE-103-AW-36	7/1/91	69	SACS	T	
TE-103-AW-36	7/8/91	68	SACS	T	
TE-103-AW-36	7/15/91	69	SACS	T	
TE-103-AW-36	7/22/91	68	SACS	T	
TE-103-AW-36	7/29/91	69	SACS	T	
TE-103-AW-36	8/4/91	68	SACS	T	
TE-103-AW-36	8/19/91	80	SACS	S	Data point did not agree with local trend
TE-103-AW-36	8/26/91	68	SACS	T	
TE-103-AW-36	9/2/91	69	SACS	T	
TE-103-AW-36	9/9/91	69	SACS	T	
TE-103-AW-36	9/16/91	68	SACS	T	
TE-103-AW-36	9/23/91	69	SACS	T	
TE-103-AW-36	9/30/91	69	SACS	T	
TE-103-AW-36	10/7/91	68	SACS	T	
TE-103-AW-36	10/14/91	69	SACS	T	
TE-103-AW-36	10/21/91	69	SACS	T	
TE-103-AW-36	10/28/91	69	SACS	T	
TE-103-AW-36	11/5/91	69	SACS	T	
TE-103-AW-36	11/11/91	69	SACS	T	
TE-103-AW-36	11/18/91	69	SACS	T	
TE-103-AW-36	11/25/91	68	SACS	T	
TE-103-AW-36	12/2/91	69	SACS	T	
TE-103-AW-36	12/9/91	69	SACS	T	
TE-103-AW-36	12/16/91	69	SACS	T	
TE-103-AW-36	12/23/91	69	SACS	T	
TE-103-AW-36	12/30/91	69	SACS	T	
TE-103-AW-36	1/8/92	69	SACS	T	
TE-103-AW-36	1/13/92	69	SACS	T	
TE-103-AW-36	1/20/92	69	SACS	T	
TE-103-AW-36	1/27/92	68	SACS	T	
TE-103-AW-36	2/3/92	64	SACS	T	
TE-103-AW-36	2/10/92	64	SACS	T	
TE-103-AW-36	2/22/92	68	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-36	2/24/92	63	SACS	T	
TE-103-AW-36	3/3/92	69	SACS	T	
TE-103-AW-36	3/11/92	68	SACS	T	
TE-103-AW-36	3/16/92	65	SACS	T	
TE-103-AW-36	3/23/92	65	SACS	T	
TE-103-AW-36	3/30/92	65	SACS	T	
TE-103-AW-36	4/6/92	77	SACS	T	
TE-103-AW-36	4/13/92	76	SACS	T	
TE-103-AW-36	4/20/92	75	SACS	T	
TE-103-AW-36	4/27/92	65	SACS	T	
TE-103-AW-36	5/4/92	66	SACS	T	
TE-103-AW-36	5/11/92	67	SACS	T	
TE-103-AW-36	5/18/92	67	SACS	T	
TE-103-AW-36	5/25/92	67	SACS	T	
TE-103-AW-36	6/6/92	68	SACS	T	
TE-103-AW-36	6/15/92	69	SACS	T	
TE-103-AW-36	6/22/92	68	SACS	T	
TE-103-AW-36	6/29/92	68	SACS	T	
TE-103-AW-36	7/6/92	69	SACS	T	
TE-103-AW-36	7/13/92	68	SACS	T	
TE-103-AW-36	7/20/92	69	SACS	T	
TE-103-AW-36	7/27/92	69	SACS	T	
TE-103-AW-36	8/3/92	69	SACS	T	
TE-103-AW-36	8/10/92	69	SACS	T	
TE-103-AW-36	8/17/92	70	SACS	T	
TE-103-AW-36	8/24/92	70	SACS	T	
TE-103-AW-36	8/31/92	70	SACS	T	
TE-103-AW-36	9/7/92	71	SACS	T	
TE-103-AW-36	9/14/92	71	SACS	T	
TE-103-AW-36	9/21/92	70	SACS	T	
TE-103-AW-36	9/28/92	70	SACS	T	
TE-103-AW-36	10/5/92	68	SACS	T	
TE-103-AW-36	10/12/92	68	SACS	T	
TE-103-AW-36	10/19/92	67	SACS	T	
TE-103-AW-36	10/26/92	68	SACS	T	
TE-103-AW-36	11/2/92	68	SACS	T	
TE-103-AW-36	11/9/92	68	SACS	T	
TE-103-AW-36	11/16/92	69	SACS	T	
TE-103-AW-36	11/23/92	69	SACS	T	
TE-103-AW-36	11/30/92	67	SACS	T	
TE-103-AW-36	12/7/92	69	SACS	T	
TE-103-AW-36	12/14/92	68	SACS	T	
TE-103-AW-36	12/21/92	68	SACS	T	
TE-103-AW-36	12/28/92	68	SACS	T	
TE-103-AW-36	1/4/93	70	SACS	T	
TE-103-AW-36	1/11/93	68	SACS	T	
TE-103-AW-36	1/18/93	68	SACS	T	
TE-103-AW-36	1/25/93	68	SACS	T	
TE-103-AW-36	2/1/93	79	SACS	S	Data point did not agree with local trend
TE-103-AW-36	2/8/93	67	SACS	T	
TE-103-AW-36	2/16/93	68	SACS	T	
TE-103-AW-36	3/1/93	68	SACS	T	
TE-103-AW-36	3/8/93	67	SACS	T	
TE-103-AW-36	3/15/93	67	SACS	T	
TE-103-AW-36	3/22/93	66	SACS	T	
TE-103-AW-36	3/29/93	68	SACS	T	
TE-103-AW-36	4/6/93	66	SACS	T	
TE-103-AW-36	4/12/93	67	SACS	T	
TE-103-AW-36	4/19/93	66	SACS	T	
TE-103-AW-36	4/26/93	65	SACS	T	
TE-103-AW-36	5/3/93	67	SACS	T	
TE-103-AW-36	5/10/93	64	SACS	T	
TE-103-AW-36	5/17/93	67	SACS	T	
TE-103-AW-36	5/24/93	67	SACS	T	
TE-103-AW-36	5/31/93	67	SACS	T	
TE-103-AW-36	6/7/93	67	SACS	T	
TE-103-AW-36	6/15/93	67	SACS	T	
TE-103-AW-36	6/21/93	66	SACS	T	
TE-103-AW-36	6/22/93	83	SACS	S	Data point did not agree with local trend
TE-103-AW-36	6/28/93	66	SACS	T	
TE-103-AW-36	8/2/93	68	SACS	T	
TE-103-AW-36	8/9/93	68	SACS	T	
TE-103-AW-36	8/16/93	69	SACS	T	
TE-103-AW-36	8/23/93	69	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-36	8/30/93	69	SACS	T	
TE-103-AW-36	9/13/93	69	SACS	T	
TE-103-AW-36	9/21/93	70	SACS	T	
TE-103-AW-36	9/27/93	69	SACS	T	
TE-103-AW-36	10/11/93	71	SACS	T	
TE-103-AW-36	10/19/93	69	SACS	T	
TE-103-AW-36	10/25/93	70	SACS	T	
TE-103-AW-36	11/1/93	69	SACS	T	
TE-103-AW-36	11/8/93	69	SACS	T	
TE-103-AW-36	11/15/93	70	SACS	T	
TE-103-AW-36	11/22/93	69	SACS	T	
TE-103-AW-36	11/26/93	33	SACS	S	Data point did not agree with local trend
TE-103-AW-36	11/29/93	75	SACS	T	
TE-103-AW-36	12/6/93	68	SACS	T	
TE-103-AW-36	12/17/93	69	SACS	T	
TE-103-AW-36	12/20/93	68	SACS	T	
TE-103-AW-36	12/27/93	70	SACS	T	
TE-103-AW-36	1/5/94	68	SACS	T	
TE-103-AW-36	1/24/94	68	SACS	T	
TE-103-AW-36	1/31/94	68	SACS	T	
TE-103-AW-36	2/7/94	68	SACS	G	
TE-103-AW-36	2/21/94	67	SACS	G	
TE-103-AW-36	2/28/94	67	SACS	T	
TE-103-AW-36	3/7/94	67	SACS	T	
TE-103-AW-36	3/14/94	67	SACS	G	
TE-103-AW-36	3/21/94	67	SACS	G	
TE-103-AW-36	3/28/94	67	SACS	G	
TE-103-AW-36	4/5/94	67	SACS	G	
TE-103-AW-36	4/11/94	67	SACS	G	
TE-103-AW-36	4/18/94	67	SACS	G	
TE-103-AW-36	4/25/94	68	SACS	G	
TE-103-AW-36	5/2/94	67	SACS	G	
TE-103-AW-36	5/9/94	67	SACS	G	
TE-103-AW-36	5/16/94	67	SACS	G	
TE-103-AW-36	5/31/94	67	SACS	G	
TE-103-AW-36	6/6/94	68	SACS	G	
TE-103-AW-36	6/13/94	68	SACS	G	
TE-103-AW-36	6/20/94	67	SACS	G	
TE-103-AW-36	6/27/94	68	SACS	G	
TE-103-AW-36	7/4/94	68	SACS	G	
TE-103-AW-36	7/18/94	68	SACS	G	
TE-103-AW-36	7/25/94	68	SACS	G	
TE-103-AW-36	8/1/94	68	SACS	G	
TE-103-AW-36	8/15/94	69	SACS	G	
TE-103-AW-36	8/22/94	69	SACS	G	
TE-103-AW-36	8/27/94	69	SACS	G	
TE-103-AW-36	9/7/94	69	SACS	G	
TE-103-AW-36	9/12/94	69	SACS	G	
TE-103-AW-36	10/10/94	69	SACS	G	
TE-103-AW-36	10/17/94	71	SACS	G	
TE-103-AW-36	10/24/94	70	SACS	G	
TE-103-AW-36	10/31/94	70	SACS	G	
TE-103-AW-36	11/7/94	70	SACS	G	
TE-103-AW-36	11/14/94	70	SACS	G	
TE-103-AW-36	11/21/94	70	SACS	G	
TE-103-AW-36	11/28/94	70	SACS	G	
TE-103-AW-36	12/5/94	69	SACS	G	
TE-103-AW-36	12/12/94	70	SACS	G	
TE-103-AW-36	12/19/94	70	SACS	G	
TE-103-AW-36	12/26/94	69	SACS	G	
TE-103-AW-36	1/2/95	70	SACS	G	
TE-103-AW-36	1/9/95	69	SACS	G	
TE-103-AW-36	1/16/95	69	SACS	G	
TE-103-AW-36	1/23/95	69	SACS	G	
TE-103-AW-36	1/30/95	69	SACS	G	
TE-103-AW-36	2/6/95	69	SACS	G	
TE-103-AW-36	2/13/95	70	SACS	G	
TE-103-AW-36	2/24/95	69	SACS	G	
TE-103-AW-36	2/27/95	69	SACS	G	
TE-103-AW-36	3/6/95	69	SACS	G	
TE-103-AW-36	3/19/95	68	SACS	G	
TE-103-AW-36	3/27/95	69	SACS	G	
TE-103-AW-36	4/3/95	68	SACS	G	
TE-103-AW-36	4/10/95	68	SACS	G	
TE-103-AW-36	4/17/95	69	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-36	4/24/95	68	SACS	G	
TE-103-AW-36	5/3/95	69	SACS	G	
TE-103-AW-36	5/8/95	69	SACS	G	
TE-103-AW-36	5/15/95	68	SACS	G	
TE-103-AW-36	5/22/95	68	SACS	G	
TE-103-AW-36	5/30/95	68	SACS	G	
TE-103-AW-36	6/5/95	69	SACS	G	
TE-103-AW-36	6/13/95	69	SACS	G	
TE-103-AW-36	6/19/95	68	SACS	G	
TE-103-AW-36	6/26/95	68	SACS	G	
TE-103-AW-37	7/18/83	78	CASS	T	
TE-103-AW-37	7/23/83	78	CASS	T	
TE-103-AW-37	7/30/83	78	CASS	T	
TE-103-AW-37	8/6/83	79	CASS	T	
TE-103-AW-37	8/13/83	79	CASS	T	
TE-103-AW-37	8/20/83	79	CASS	T	
TE-103-AW-37	8/27/83	80	CASS	T	
TE-103-AW-37	8/31/83	80	CASS	T	
TE-103-AW-37	9/10/83	81	CASS	T	
TE-103-AW-37	9/14/83	81	CASS	T	
TE-103-AW-37	9/24/83	81	CASS	T	
TE-103-AW-37	9/29/83	84	CASS	T	
TE-103-AW-37	10/3/83	80	CASS	T	
TE-103-AW-37	10/16/83	79	CASS	T	
TE-103-AW-37	10/17/83	84	CASS	T	
TE-103-AW-37	3/10/84	79	CASS	T	
TE-103-AW-37	3/17/84	81	CASS	T	
TE-103-AW-37	3/24/84	82	CASS	T	
TE-103-AW-37	3/31/84	82	CASS	T	
TE-103-AW-37	4/7/84	82	CASS	T	
TE-103-AW-37	4/14/84	82	CASS	T	
TE-103-AW-37	4/21/84	82	CASS	T	
TE-103-AW-37	4/28/84	83	CASS	T	
TE-103-AW-37	5/5/84	83	CASS	T	
TE-103-AW-37	5/12/84	84	CASS	T	
TE-103-AW-37	5/19/84	84	CASS	T	
TE-103-AW-37	5/26/84	84	CASS	T	
TE-103-AW-37	6/2/84	84	CASS	T	
TE-103-AW-37	6/7/84	85	CASS	T	
TE-103-AW-37	6/23/84	85	CASS	T	
TE-103-AW-37	6/30/84	86	CASS	T	
TE-103-AW-37	7/7/84	86	CASS	T	
TE-103-AW-37	7/14/84	86	CASS	T	
TE-103-AW-37	7/21/84	86	CASS	T	
TE-103-AW-37	7/28/84	87	CASS	T	
TE-103-AW-37	8/4/84	87	CASS	T	
TE-103-AW-37	8/11/84	87	CASS	T	
TE-103-AW-37	8/18/84	87	CASS	T	
TE-103-AW-37	8/19/84	88	CASS	T	
TE-103-AW-37	9/1/84	87	CASS	T	
TE-103-AW-37	9/8/84	87	CASS	T	
TE-103-AW-37	9/15/84	87	CASS	T	
TE-103-AW-37	9/18/84	87	CASS	T	
TE-103-AW-37	9/29/84	86	CASS	T	
TE-103-AW-37	10/3/84	86	CASS	T	
TE-103-AW-37	10/13/84	85	CASS	T	
TE-103-AW-37	10/19/84	84	CASS	T	
TE-103-AW-37	10/26/84	84	CASS	T	
TE-103-AW-37	11/3/84	83	CASS	T	
TE-103-AW-37	11/4/84	83	CASS	T	
TE-103-AW-37	11/12/84	81	CASS	T	
TE-103-AW-37	11/19/84	80	CASS	T	
TE-103-AW-37	11/26/84	78	CASS	T	
TE-103-AW-37	12/7/84	76	CASS	T	
TE-103-AW-37	12/12/84	75	CASS	T	
TE-103-AW-37	12/16/84	74	CASS	T	
TE-103-AW-37	12/24/84	72	CASS	T	
TE-103-AW-37	1/1/85	70	CASS	T	
TE-103-AW-37	2/2/85	70	CASS	T	
TE-103-AW-37	2/9/85	71	CASS	T	
TE-103-AW-37	2/16/85	72	CASS	T	
TE-103-AW-37	2/23/85	72	CASS	T	
TE-103-AW-37	3/2/85	72	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-37	3/9/85	73	CASS	T	
TE-103-AW-37	3/16/85	73	CASS	T	
TE-103-AW-37	3/23/85	74	CASS	T	
TE-103-AW-37	3/30/85	74	CASS	T	
TE-103-AW-37	4/6/85	75	CASS	T	
TE-103-AW-37	4/13/85	76	CASS	T	
TE-103-AW-37	4/20/85	76	CASS	T	
TE-103-AW-37	4/27/85	77	CASS	T	
TE-103-AW-37	5/4/85	78	CASS	T	
TE-103-AW-37	5/11/85	79	CASS	T	
TE-103-AW-37	5/18/85	80	CASS	T	
TE-103-AW-37	5/25/85	81	CASS	T	
TE-103-AW-37	6/1/85	81	CASS	T	
TE-103-AW-37	6/8/85	82	CASS	T	
TE-103-AW-37	6/15/85	82	CASS	T	
TE-103-AW-37	6/19/85	83	CASS	T	
TE-103-AW-37	11/1/85	86	CASS	T	
TE-103-AW-37	12/1/85	82	CASS	T	
TE-103-AW-37	1/4/86	79	CASS	T	
TE-103-AW-37	1/11/86	78	CASS	T	
TE-103-AW-37	1/17/86	78	CASS	T	
TE-103-AW-37	1/19/86	78	CASS	T	
TE-103-AW-37	2/1/86	77	CASS	T	
TE-103-AW-37	2/8/86	77	CASS	T	
TE-103-AW-37	2/14/86	77	CASS	T	
TE-103-AW-37	2/22/86	77	CASS	T	
TE-103-AW-37	3/1/86	77	CASS	T	
TE-103-AW-37	3/4/86	77	CASS	T	
TE-103-AW-37	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-103-AW-37	9/20/86	87	CASS	T	
TE-103-AW-37	9/27/86	87	CASS	T	
TE-103-AW-37	10/3/86	88	CASS	T	
TE-103-AW-37	10/11/86	88	CASS	T	
TE-103-AW-37	10/18/86	88	CASS	T	
TE-103-AW-37	10/25/86	88	CASS	T	
TE-103-AW-37	11/1/86	88	CASS	T	
TE-103-AW-37	11/7/86	88	CASS	T	
TE-103-AW-37	11/15/86	87	CASS	T	
TE-103-AW-37	11/22/86	87	CASS	T	
TE-103-AW-37	11/28/86	87	CASS	T	
TE-103-AW-37	12/6/86	86	CASS	T	
TE-103-AW-37	12/13/86	86	CASS	T	
TE-103-AW-37	12/15/86	86	CASS	T	
TE-103-AW-37	12/27/86	85	CASS	T	
TE-103-AW-37	12/30/86	85	CASS	T	
TE-103-AW-37	7/4/87	77	CASS	T	
TE-103-AW-37	7/11/87	77	CASS	T	
TE-103-AW-37	7/18/87	77	CASS	T	
TE-103-AW-37	7/25/87	77	CASS	T	
TE-103-AW-37	8/1/87	77	CASS	T	
TE-103-AW-37	8/8/87	77	CASS	T	
TE-103-AW-37	8/15/87	78	CASS	T	
TE-103-AW-37	8/22/87	78	CASS	T	
TE-103-AW-37	8/29/87	78	CASS	T	
TE-103-AW-37	9/5/87	78	CASS	T	
TE-103-AW-37	9/11/87	79	CASS	T	
TE-103-AW-37	11/28/87	80	CASS	T	
TE-103-AW-37	11/30/87	86	CASS	T	
TE-103-AW-37	3/26/88	76	CASS	T	
TE-103-AW-37	3/31/88	78	CASS	T	
TE-103-AW-37	6/1/88	92	CASS	S	Data point did not agree with local trend
TE-103-AW-37	6/2/88	76	CASS	S	Scatter in data locally
TE-103-AW-37	6/4/88	76	CASS	S	Scatter in data locally
TE-103-AW-37	6/5/88	92	CASS	S	Scatter in data locally
TE-103-AW-37	6/6/88	76	CASS	S	Scatter in data locally
TE-103-AW-37	6/7/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	6/8/88	76	CASS	S	Scatter in data locally
TE-103-AW-37	6/9/88	76	CASS	S	Scatter in data locally
TE-103-AW-37	6/10/88	78	CASS	S	Scatter in data locally
TE-103-AW-37	6/11/88	78	CASS	S	Scatter in data locally
TE-103-AW-37	6/12/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	6/13/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	6/14/88	92	CASS	S	Scatter in data locally
TE-103-AW-37	6/15/88	77	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-37	6/16/88	93	CASS	S	Scatter in data locally
TE-103-AW-37	6/17/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	6/18/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	6/19/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	6/20/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	6/21/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	6/22/88	93	CASS	S	Scatter in data locally
TE-103-AW-37	6/23/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	6/24/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	6/25/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	6/26/88	93	CASS	S	Scatter in data locally
TE-103-AW-37	6/27/88	93	CASS	S	Scatter in data locally
TE-103-AW-37	6/28/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	6/29/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	6/30/88	93	CASS	S	Scatter in data locally
TE-103-AW-37	7/1/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	7/2/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	7/3/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	7/4/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	7/5/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	7/6/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	7/7/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	7/8/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	7/9/88	78	CASS	S	Scatter in data locally
TE-103-AW-37	7/10/88	78	CASS	S	Scatter in data locally
TE-103-AW-37	7/11/88	94	CASS	S	Scatter in data locally
TE-103-AW-37	7/12/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	7/13/88	77	CASS	S	Scatter in data locally
TE-103-AW-37	7/14/88	93	CASS	S	Scatter in data locally
TE-103-AW-37	7/15/88	78	CASS	S	Scatter in data locally
TE-103-AW-37	7/16/88	78	CASS	S	Scatter in data locally
TE-103-AW-37	7/17/88	78	CASS	S	Scatter in data locally
TE-103-AW-37	7/18/88	93	CASS	S	Scatter in data locally
TE-103-AW-37	7/19/88	93	CASS	S	Scatter in data locally
TE-103-AW-37	7/20/88	78	CASS	S	Scatter in data locally
TE-103-AW-37	7/21/88	78	CASS	S	Scatter in data locally
TE-103-AW-37	7/22/88	94	CASS	S	Scatter in data locally
TE-103-AW-37	7/23/88	94	CASS	S	Scatter in data locally
TE-103-AW-37	7/24/88	78	CASS	S	Scatter in data locally
TE-103-AW-37	7/25/88	78	CASS	S	Scatter in data locally
TE-103-AW-37	7/26/88	94	CASS	S	Scatter in data locally
TE-103-AW-37	7/27/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	7/28/88	94	CASS	S	Scatter in data locally
TE-103-AW-37	7/29/88	78	CASS	S	Scatter in data locally
TE-103-AW-37	7/30/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	7/31/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	8/1/88	78	CASS	S	Scatter in data locally
TE-103-AW-37	8/2/88	89	CASS	S	Scatter in data locally
TE-103-AW-37	8/3/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	8/4/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	8/5/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	8/6/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	8/8/88	94	CASS	S	Scatter in data locally
TE-103-AW-37	8/9/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	8/10/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	8/11/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	8/12/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	8/13/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	8/14/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	8/15/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	8/16/88	94	CASS	S	Scatter in data locally
TE-103-AW-37	8/17/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	8/18/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	8/19/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	8/20/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	8/21/88	79	CASS	S	Scatter in data locally
TE-103-AW-37	8/22/88	80	CASS	S	Scatter in data locally
TE-103-AW-37	8/23/88	80	CASS	S	Scatter in data locally
TE-103-AW-37	8/24/88	80	CASS	S	Scatter in data locally
TE-103-AW-37	8/25/88	80	CASS	S	Scatter in data locally
TE-103-AW-37	8/26/88	94	CASS	S	Scatter in data locally
TE-103-AW-37	8/27/88	94	CASS	S	Scatter in data locally
TE-103-AW-37	8/28/88	80	CASS	S	Scatter in data locally
TE-103-AW-37	8/29/88	95	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-37	8/30/88	94	CASS	S	Scatter in data locally
TE-103-AW-37	8/31/88	80	CASS	S	Scatter in data locally
TE-103-AW-37	9/1/88	80	CASS	S	Scatter in data locally
TE-103-AW-37	9/2/88	94	CASS	S	Scatter in data locally
TE-103-AW-37	9/3/88	94	CASS	S	Scatter in data locally
TE-103-AW-37	9/4/88	95	CASS	S	Scatter in data locally
TE-103-AW-37	9/5/88	81	CASS	S	Scatter in data locally
TE-103-AW-37	9/6/88	81	CASS	S	Scatter in data locally
TE-103-AW-37	9/7/88	94	CASS	S	Scatter in data locally
TE-103-AW-37	9/8/88	94	CASS	S	Scatter in data locally
TE-103-AW-37	9/9/88	81	CASS	S	Scatter in data locally
TE-103-AW-37	9/10/88	94	CASS	S	Scatter in data locally
TE-103-AW-37	9/12/88	80	CASS	S	Scatter in data locally
TE-103-AW-37	9/13/88	94	CASS	S	Scatter in data locally
TE-103-AW-37	9/17/88	81	CASS	T	
TE-103-AW-37	9/24/88	81	CASS	T	
TE-103-AW-37	9/30/88	82	CASS	T	
TE-103-AW-37	12/3/88	83	CASS	T	
TE-103-AW-37	12/10/88	83	CASS	T	
TE-103-AW-37	12/13/88	83	CASS	T	
TE-103-AW-37	12/20/88	82	CASS	T	
TE-103-AW-37	7/10/89	89	SACS	S	Disagreement between CASS and SACS
TE-103-AW-37	7/17/89	78	SACS	T	
TE-103-AW-37	7/24/89	79	SACS	T	
TE-103-AW-37	8/7/89	78	SACS	T	
TE-103-AW-37	8/14/89	74	SACS	T	
TE-103-AW-37	8/21/89	82	SACS	T	
TE-103-AW-37	8/2/89	80	CASS	T	
TE-103-AW-37	9/8/89	81	CASS	T	
TE-103-AW-37	9/18/89	81	CASS	T	
TE-103-AW-37	9/23/89	80	CASS	T	
TE-103-AW-37	9/26/89	68	SACS	S	Data point did not agree with local trend
TE-103-AW-37	9/30/89	81	CASS	T	
TE-103-AW-37	10/1/89	80	SACS	S	Data point did not agree with local trend
TE-103-AW-37	10/16/89	81	SACS	T	
TE-103-AW-37	10/24/89	80	SACS	T	
TE-103-AW-37	10/30/89	81	SACS	T	
TE-103-AW-37	11/11/89	80	CASS	T	
TE-103-AW-37	11/13/89	81	SACS	T	
TE-103-AW-37	11/25/89	80	CASS	T	
TE-103-AW-37	12/1/89	80	CASS	T	
TE-103-AW-37	12/8/89	80	CASS	T	
TE-103-AW-37	12/11/89	58	SACS	S	Data point did not agree with local trend
TE-103-AW-37	12/16/89	79	CASS	T	
TE-103-AW-37	12/21/89	79	CASS	T	
TE-103-AW-37	12/30/89	78	CASS	T	
TE-103-AW-37	1/6/90	77	CASS	T	
TE-103-AW-37	1/12/90	77	CASS	T	
TE-103-AW-37	1/20/90	76	CASS	T	
TE-103-AW-37	1/27/90	76	CASS	T	
TE-103-AW-37	2/3/90	76	CASS	T	
TE-103-AW-37	2/4/90	76	CASS	T	
TE-103-AW-37	2/17/90	75	CASS	T	
TE-103-AW-37	2/24/90	75	CASS	T	
TE-103-AW-37	3/3/90	75	CASS	T	
TE-103-AW-37	3/10/90	75	CASS	T	
TE-103-AW-37	3/17/90	75	CASS	T	
TE-103-AW-37	3/21/90	75	CASS	T	
TE-103-AW-37	3/23/90	80	CASS	S	Data point did not agree with local trend
TE-103-AW-37	3/31/90	74	CASS	T	
TE-103-AW-37	4/2/90	57	SACS	S	Data point did not agree with local trend
TE-103-AW-37	4/7/90	74	CASS	T	
TE-103-AW-37	4/8/90	56	SACS	S	Data point did not agree with local trend
TE-103-AW-37	4/14/90	74	CASS	T	
TE-103-AW-37	4/21/90	74	CASS	T	
TE-103-AW-37	4/28/90	74	CASS	T	
TE-103-AW-37	5/5/90	74	CASS	T	
TE-103-AW-37	5/10/90	74	CASS	T	
TE-103-AW-37	5/19/90	73	CASS	T	
TE-103-AW-37	5/22/90	73	CASS	T	
TE-103-AW-37	5/28/90	75	SACS	T	
TE-103-AW-37	6/9/90	73	CASS	T	
TE-103-AW-37	6/11/90	78	SACS	T	
TE-103-AW-37	6/23/90	73	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-37	6/30/90	74	CASS	T	
TE-103-AW-37	7/2/90	84	SACS	S	Data point did not agree with local trend
TE-103-AW-37	7/3/90	86	CASS	S	Data point did not agree with local trend
TE-103-AW-37	7/5/90	74	CASS	T	
TE-103-AW-37	7/14/90	74	CASS	T	
TE-103-AW-37	7/21/90	74	CASS	T	
TE-103-AW-37	7/28/90	74	CASS	T	
TE-103-AW-37	8/4/90	74	CASS	T	
TE-103-AW-37	8/11/90	75	CASS	T	
TE-103-AW-37	8/18/90	75	CASS	T	
TE-103-AW-37	8/20/90	78	SACS	T	
TE-103-AW-37	9/1/90	75	CASS	T	
TE-103-AW-37	9/8/90	75	CASS	T	
TE-103-AW-37	9/15/90	75	CASS	T	
TE-103-AW-37	9/22/90	75	CASS	T	
TE-103-AW-37	9/24/90	81	SACS	T	
TE-103-AW-37	10/6/90	75	CASS	T	
TE-103-AW-37	10/8/90	76	SACS	T	
TE-103-AW-37	10/20/90	75	CASS	T	
TE-103-AW-37	10/27/90	75	CASS	T	
TE-103-AW-37	10/28/90	80	SACS	S	Data point did not agree with local trend
TE-103-AW-37	11/2/90	75	CASS	T	
TE-103-AW-37	11/8/90	75	CASS	T	
TE-103-AW-37	11/9/90	82	CASS	S	Data point did not agree with local trend
TE-103-AW-37	11/17/90	74	CASS	T	
TE-103-AW-37	11/24/90	74	CASS	T	
TE-103-AW-37	12/1/90	74	CASS	T	
TE-103-AW-37	12/5/90	74	CASS	T	
TE-103-AW-37	12/6/90	80	CASS	S	Data point did not agree with local trend
TE-103-AW-37	12/15/90	73	CASS	T	
TE-103-AW-37	12/19/90	73	CASS	T	
TE-103-AW-37	12/28/90	72	CASS	T	
TE-103-AW-37	1/3/91	72	CASS	T	
TE-103-AW-37	1/12/91	71	CASS	T	
TE-103-AW-37	1/19/91	71	CASS	T	
TE-103-AW-37	1/26/91	71	CASS	T	
TE-103-AW-37	1/28/91	72	SACS	T	
TE-103-AW-37	2/5/91	72	CASS	T	
TE-103-AW-37	2/15/91	72	CASS	T	
TE-103-AW-37	2/23/91	71	CASS	T	
TE-103-AW-37	3/2/91	72	CASS	T	
TE-103-AW-37	3/9/91	71	CASS	T	
TE-103-AW-37	3/16/91	71	CASS	T	
TE-103-AW-37	3/23/91	71	CASS	T	
TE-103-AW-37	3/26/91	71	CASS	T	
TE-103-AW-37	4/1/91	71	CASS	T	
TE-103-AW-37	4/13/91	70	CASS	T	
TE-103-AW-37	4/20/91	70	CASS	T	
TE-103-AW-37	4/27/91	70	CASS	T	
TE-103-AW-37	5/4/91	70	CASS	T	
TE-103-AW-37	5/11/91	70	CASS	T	
TE-103-AW-37	5/18/91	70	CASS	T	
TE-103-AW-37	5/25/91	70	CASS	T	
TE-103-AW-37	5/31/91	70	CASS	T	
TE-103-AW-37	6/8/91	70	CASS	T	
TE-103-AW-37	6/15/91	70	CASS	T	
TE-103-AW-37	6/21/91	70	CASS	T	
TE-103-AW-37	6/25/91	70	CASS	T	
TE-103-AW-37	7/1/91	69	SACS	T	
TE-103-AW-37	7/8/91	69	SACS	T	
TE-103-AW-37	7/15/91	71	SACS	T	
TE-103-AW-37	7/22/91	69	SACS	T	
TE-103-AW-37	7/29/91	71	SACS	T	
TE-103-AW-37	8/4/91	71	SACS	T	
TE-103-AW-37	8/19/91	71	SACS	T	
TE-103-AW-37	8/26/91	71	SACS	T	
TE-103-AW-37	9/2/91	72	SACS	T	
TE-103-AW-37	9/9/91	73	SACS	T	
TE-103-AW-37	9/16/91	73	SACS	T	
TE-103-AW-37	9/23/91	73	SACS	T	
TE-103-AW-37	9/30/91	73	SACS	T	
TE-103-AW-37	10/7/91	72	SACS	T	
TE-103-AW-37	10/14/91	73	SACS	T	
TE-103-AW-37	10/21/91	72	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-37	10/28/91	71	SACS	T	
TE-103-AW-37	11/5/91	70	SACS	T	
TE-103-AW-37	11/11/91	70	SACS	T	
TE-103-AW-37	11/18/91	69	SACS	T	
TE-103-AW-37	11/25/91	68	SACS	T	
TE-103-AW-37	12/2/91	68	SACS	T	
TE-103-AW-37	12/9/91	68	SACS	T	
TE-103-AW-37	12/16/91	67	SACS	T	
TE-103-AW-37	12/23/91	68	SACS	T	
TE-103-AW-37	12/30/91	66	SACS	T	
TE-103-AW-37	1/6/92	66	SACS	T	
TE-103-AW-37	1/13/92	65	SACS	T	
TE-103-AW-37	1/20/92	65	SACS	T	
TE-103-AW-37	1/27/92	64	SACS	T	
TE-103-AW-37	2/2/92	68	SACS	T	
TE-103-AW-37	3/4/92	66	SACS	T	
TE-103-AW-37	3/11/92	67	SACS	T	
TE-103-AW-37	6/29/92	69	SACS	T	
TE-103-AW-37	10/5/92	71	SACS	T	
TE-103-AW-37	10/12/92	71	SACS	T	
TE-103-AW-37	10/19/92	71	SACS	T	
TE-103-AW-37	10/26/92	71	SACS	T	
TE-103-AW-37	11/2/92	70	SACS	T	
TE-103-AW-37	11/9/92	71	SACS	T	
TE-103-AW-37	11/16/92	71	SACS	T	
TE-103-AW-37	11/23/92	71	SACS	T	
TE-103-AW-37	11/30/92	70	SACS	T	
TE-103-AW-37	12/7/92	70	SACS	T	
TE-103-AW-37	12/14/92	70	SACS	T	
TE-103-AW-37	12/21/92	69	SACS	T	
TE-103-AW-37	12/28/92	69	SACS	T	
TE-103-AW-37	1/25/93	68	SACS	T	
TE-103-AW-37	2/1/93	78	SACS	S	Data point did not agree with local trend
TE-103-AW-37	2/8/93	67	SACS	T	
TE-103-AW-37	2/16/93	69	SACS	T	
TE-103-AW-38	7/16/83	79	CASS	T	
TE-103-AW-38	7/23/83	79	CASS	T	
TE-103-AW-38	7/29/83	79	CASS	T	
TE-103-AW-38	8/6/83	79	CASS	T	
TE-103-AW-38	8/13/83	79	CASS	T	
TE-103-AW-38	8/17/83	80	CASS	T	
TE-103-AW-38	8/27/83	80	CASS	T	
TE-103-AW-38	8/31/83	80	CASS	T	
TE-103-AW-38	9/10/83	82	CASS	T	
TE-103-AW-38	9/14/83	83	CASS	T	
TE-103-AW-38	9/24/83	83	CASS	T	
TE-103-AW-38	9/28/83	87	CASS	T	
TE-103-AW-38	10/2/83	80	CASS	T	
TE-103-AW-38	10/13/83	79	CASS	T	
TE-103-AW-38	10/17/83	82	CASS	T	
TE-103-AW-38	3/10/84	87	CASS	T	
TE-103-AW-38	3/17/84	89	CASS	T	
TE-103-AW-38	3/23/84	91	CASS	T	
TE-103-AW-38	3/25/84	89	CASS	T	
TE-103-AW-38	4/1/84	89	CASS	T	
TE-103-AW-38	4/13/84	86	CASS	T	
TE-103-AW-38	4/21/84	86	CASS	T	
TE-103-AW-38	4/28/84	89	CASS	T	
TE-103-AW-38	4/30/84	90	CASS	T	
TE-103-AW-38	5/12/84	89	CASS	T	
TE-103-AW-38	5/13/84	89	CASS	T	
TE-103-AW-38	5/26/84	89	CASS	T	
TE-103-AW-38	6/2/84	89	CASS	T	
TE-103-AW-38	6/7/84	89	CASS	T	
TE-103-AW-38	6/19/84	89	CASS	T	
TE-103-AW-38	6/30/84	89	CASS	T	
TE-103-AW-38	7/7/84	89	CASS	T	
TE-103-AW-38	7/11/84	89	CASS	T	
TE-103-AW-38	7/21/84	88	CASS	T	
TE-103-AW-38	7/28/84	88	CASS	T	
TE-103-AW-38	8/4/84	88	CASS	T	
TE-103-AW-38	8/11/84	88	CASS	T	
TE-103-AW-38	8/16/84	88	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-38	8/25/84	88	CASS	T	
TE-103-AW-38	8/30/84	88	CASS	T	
TE-103-AW-38	9/8/84	87	CASS	T	
TE-103-AW-38	9/15/84	87	CASS	T	
TE-103-AW-38	9/17/84	87	CASS	T	
TE-103-AW-38	9/29/84	88	CASS	T	
TE-103-AW-38	10/2/84	88	CASS	T	
TE-103-AW-38	10/11/84	85	CASS	T	
TE-103-AW-38	10/19/84	84	CASS	T	
TE-103-AW-38	10/21/84	84	CASS	T	
TE-103-AW-38	11/3/84	83	CASS	T	
TE-103-AW-38	11/6/84	82	CASS	T	
TE-103-AW-38	11/17/84	78	CASS	T	
TE-103-AW-38	11/21/84	77	CASS	T	
TE-103-AW-38	11/30/84	75	CASS	T	
TE-103-AW-38	12/5/84	74	CASS	T	
TE-103-AW-38	12/11/84	72	CASS	T	
TE-103-AW-38	12/17/84	71	CASS	T	
TE-103-AW-38	1/12/85	71	CASS	T	
TE-103-AW-38	1/19/85	73	CASS	T	
TE-103-AW-38	1/26/85	76	CASS	T	
TE-103-AW-38	2/1/85	77	CASS	T	
TE-103-AW-38	2/6/85	77	CASS	T	
TE-103-AW-38	2/15/85	77	CASS	T	
TE-103-AW-38	2/27/85	77	CASS	T	
TE-103-AW-38	3/30/85	80	CASS	T	
TE-103-AW-38	4/8/85	80	CASS	T	
TE-103-AW-38	4/13/85	81	CASS	T	
TE-103-AW-38	4/20/85	81	CASS	T	
TE-103-AW-38	4/27/85	82	CASS	T	
TE-103-AW-38	5/4/85	83	CASS	T	
TE-103-AW-38	5/10/85	84	CASS	T	
TE-103-AW-38	5/18/85	85	CASS	T	
TE-103-AW-38	5/25/85	85	CASS	T	
TE-103-AW-38	6/1/85	85	CASS	T	
TE-103-AW-38	6/8/85	86	CASS	T	
TE-103-AW-38	6/15/85	86	CASS	T	
TE-103-AW-38	6/18/85	87	CASS	T	
TE-103-AW-38	11/1/85	87	CASS	T	
TE-103-AW-38	12/1/85	84	CASS	T	
TE-103-AW-38	1/4/86	81	CASS	T	
TE-103-AW-38	1/7/86	81	CASS	T	
TE-103-AW-38	1/18/86	80	CASS	T	
TE-103-AW-38	1/25/86	80	CASS	T	
TE-103-AW-38	1/31/86	80	CASS	T	
TE-103-AW-38	2/6/86	80	CASS	T	
TE-103-AW-38	2/12/86	80	CASS	T	
TE-103-AW-38	2/22/86	80	CASS	T	
TE-103-AW-38	2/28/86	80	CASS	T	
TE-103-AW-38	3/4/86	80	CASS	T	
TE-103-AW-38	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-103-AW-38	9/19/86	89	CASS	T	
TE-103-AW-38	10/11/86	90	CASS	T	
TE-103-AW-38	10/16/86	90	CASS	T	
TE-103-AW-38	10/25/86	90	CASS	T	
TE-103-AW-38	11/1/86	90	CASS	T	
TE-103-AW-38	11/8/86	90	CASS	T	
TE-103-AW-38	11/15/86	90	CASS	T	
TE-103-AW-38	11/22/86	90	CASS	T	
TE-103-AW-38	11/24/86	90	CASS	T	
TE-103-AW-38	12/6/86	89	CASS	T	
TE-103-AW-38	12/11/86	89	CASS	T	
TE-103-AW-38	12/20/86	88	CASS	T	
TE-103-AW-38	12/26/86	88	CASS	T	
TE-103-AW-38	12/30/86	88	CASS	T	
TE-103-AW-38	7/1/87	77	CASS	T	
TE-103-AW-38	7/11/87	76	CASS	T	
TE-103-AW-38	7/17/87	77	CASS	T	
TE-103-AW-38	7/25/87	77	CASS	T	
TE-103-AW-38	8/1/87	77	CASS	T	
TE-103-AW-38	8/8/87	77	CASS	T	
TE-103-AW-38	8/15/87	77	CASS	T	
TE-103-AW-38	8/22/87	77	CASS	T	
TE-103-AW-38	8/29/87	78	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-38	9/5/87	78	CASS	T	
TE-103-AW-38	9/11/87	79	CASS	T	
TE-103-AW-38	11/26/87	81	CASS	T	
TE-103-AW-38	11/30/87	87	CASS	T	
TE-103-AW-38	3/26/88	77	CASS	T	
TE-103-AW-38	3/31/88	77	CASS	T	
TE-103-AW-38	6/1/88	77	CASS	S	Scatter in data locally
TE-103-AW-38	6/2/88	77	CASS	S	Scatter in data locally
TE-103-AW-38	6/4/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	6/5/88	77	CASS	S	Scatter in data locally
TE-103-AW-38	6/6/88	77	CASS	S	Scatter in data locally
TE-103-AW-38	6/7/88	89	CASS	S	Scatter in data locally
TE-103-AW-38	6/8/88	77	CASS	S	Scatter in data locally
TE-103-AW-38	6/9/88	77	CASS	S	Scatter in data locally
TE-103-AW-38	6/10/88	77	CASS	S	Scatter in data locally
TE-103-AW-38	6/11/88	77	CASS	S	Scatter in data locally
TE-103-AW-38	6/12/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	6/13/88	89	CASS	S	Scatter in data locally
TE-103-AW-38	6/14/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	6/15/88	89	CASS	S	Scatter in data locally
TE-103-AW-38	6/16/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	6/17/88	90	CASS	S	Scatter in data locally
TE-103-AW-38	6/18/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	6/19/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	6/20/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	6/21/88	90	CASS	S	Scatter in data locally
TE-103-AW-38	6/22/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	6/23/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	6/24/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	6/25/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	6/26/88	90	CASS	S	Scatter in data locally
TE-103-AW-38	6/27/88	90	CASS	S	Scatter in data locally
TE-103-AW-38	6/28/88	90	CASS	S	Scatter in data locally
TE-103-AW-38	6/29/88	77	CASS	S	Scatter in data locally
TE-103-AW-38	6/30/88	90	CASS	S	Scatter in data locally
TE-103-AW-38	7/1/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	7/2/88	91	CASS	S	Scatter in data locally
TE-103-AW-38	7/3/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	7/4/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	7/5/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	7/6/88	77	CASS	S	Scatter in data locally
TE-103-AW-38	7/7/88	90	CASS	S	Scatter in data locally
TE-103-AW-38	7/8/88	91	CASS	S	Scatter in data locally
TE-103-AW-38	7/9/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	7/10/88	92	CASS	S	Scatter in data locally
TE-103-AW-38	7/11/88	91	CASS	S	Scatter in data locally
TE-103-AW-38	7/12/88	91	CASS	S	Scatter in data locally
TE-103-AW-38	7/13/88	91	CASS	S	Scatter in data locally
TE-103-AW-38	7/14/88	90	CASS	S	Scatter in data locally
TE-103-AW-38	7/15/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	7/16/88	91	CASS	S	Scatter in data locally
TE-103-AW-38	7/17/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	7/18/88	93	CASS	S	Scatter in data locally
TE-103-AW-38	7/19/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	7/20/88	93	CASS	S	Scatter in data locally
TE-103-AW-38	7/21/88	92	CASS	S	Scatter in data locally
TE-103-AW-38	7/22/88	78	CASS	S	Scatter in data locally
TE-103-AW-38	7/23/88	94	CASS	S	Scatter in data locally
TE-103-AW-38	7/24/88	79	CASS	S	Scatter in data locally
TE-103-AW-38	7/25/88	94	CASS	S	Scatter in data locally
TE-103-AW-38	7/26/88	79	CASS	S	Scatter in data locally
TE-103-AW-38	7/27/88	94	CASS	S	Scatter in data locally
TE-103-AW-38	7/28/88	79	CASS	S	Scatter in data locally
TE-103-AW-38	7/29/88	92	CASS	S	Scatter in data locally
TE-103-AW-38	7/30/88	95	CASS	S	Scatter in data locally
TE-103-AW-38	7/31/88	79	CASS	S	Scatter in data locally
TE-103-AW-38	8/1/88	92	CASS	S	Scatter in data locally
TE-103-AW-38	8/2/88	90	CASS	S	Scatter in data locally
TE-103-AW-38	8/3/88	79	CASS	S	Scatter in data locally
TE-103-AW-38	8/4/88	79	CASS	S	Scatter in data locally
TE-103-AW-38	8/5/88	79	CASS	S	Scatter in data locally
TE-103-AW-38	8/6/88	79	CASS	S	Scatter in data locally
TE-103-AW-38	8/8/88	79	CASS	S	Scatter in data locally
TE-103-AW-38	8/9/88	79	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-38	8/10/88	79	CASS	S	Scatter in data locally
TE-103-AW-38	8/11/88	80	CASS	S	Scatter in data locally
TE-103-AW-38	8/12/88	80	CASS	S	Scatter in data locally
TE-103-AW-38	8/13/88	80	CASS	S	Scatter in data locally
TE-103-AW-38	8/14/88	80	CASS	S	Scatter in data locally
TE-103-AW-38	8/15/88	80	CASS	S	Scatter in data locally
TE-103-AW-38	8/16/88	80	CASS	S	Scatter in data locally
TE-103-AW-38	8/17/88	80	CASS	S	Scatter in data locally
TE-103-AW-38	8/18/88	80	CASS	S	Scatter in data locally
TE-103-AW-38	8/19/88	80	CASS	S	Scatter in data locally
TE-103-AW-38	8/20/88	80	CASS	S	Scatter in data locally
TE-103-AW-38	8/21/88	80	CASS	S	Scatter in data locally
TE-103-AW-38	8/22/88	92	CASS	S	Scatter in data locally
TE-103-AW-38	8/23/88	92	CASS	S	Scatter in data locally
TE-103-AW-38	8/24/88	92	CASS	S	Scatter in data locally
TE-103-AW-38	8/25/88	94	CASS	S	Scatter in data locally
TE-103-AW-38	8/26/88	92	CASS	S	Scatter in data locally
TE-103-AW-38	8/27/88	92	CASS	S	Scatter in data locally
TE-103-AW-38	8/28/88	92	CASS	S	Scatter in data locally
TE-103-AW-38	8/29/88	81	CASS	S	Scatter in data locally
TE-103-AW-38	8/30/88	80	CASS	S	Scatter in data locally
TE-103-AW-38	8/31/88	80	CASS	S	Scatter in data locally
TE-103-AW-38	9/1/88	92	CASS	S	Scatter in data locally
TE-103-AW-38	9/2/88	81	CASS	S	Scatter in data locally
TE-103-AW-38	9/3/88	92	CASS	S	Scatter in data locally
TE-103-AW-38	9/4/88	81	CASS	S	Scatter in data locally
TE-103-AW-38	9/5/88	93	CASS	S	Scatter in data locally
TE-103-AW-38	9/6/88	81	CASS	S	Scatter in data locally
TE-103-AW-38	9/7/88	81	CASS	S	Scatter in data locally
TE-103-AW-38	9/8/88	81	CASS	S	Scatter in data locally
TE-103-AW-38	9/9/88	92	CASS	S	Scatter in data locally
TE-103-AW-38	9/10/88	92	CASS	S	Scatter in data locally
TE-103-AW-38	9/12/88	81	CASS	S	Scatter in data locally
TE-103-AW-38	9/13/88	81	CASS	S	Scatter in data locally
TE-103-AW-38	9/14/88	81	CASS	S	Scatter in data locally
TE-103-AW-38	9/15/88	81	CASS	S	Scatter in data locally
TE-103-AW-38	9/16/88	81	CASS	S	Scatter in data locally
TE-103-AW-38	9/17/88	81	CASS	S	Scatter in data locally
TE-103-AW-38	9/18/88	81	CASS	S	Scatter in data locally
TE-103-AW-38	9/19/88	81	CASS	S	Scatter in data locally
TE-103-AW-38	9/20/88	81	CASS	S	Scatter in data locally
TE-103-AW-38	9/21/88	81	CASS	S	Scatter in data locally
TE-103-AW-38	9/22/88	91	CASS	S	Scatter in data locally
TE-103-AW-38	9/24/88	81	CASS	T	
TE-103-AW-38	9/30/88	82	CASS	T	
TE-103-AW-38	12/3/88	84	CASS	T	
TE-103-AW-38	12/10/88	84	CASS	T	
TE-103-AW-38	12/17/88	84	CASS	T	
TE-103-AW-38	12/20/88	84	CASS	T	
TE-103-AW-38	9/1/89	81	CASS	T	
TE-103-AW-38	9/9/89	81	CASS	T	
TE-103-AW-38	9/16/89	81	CASS	T	
TE-103-AW-38	9/23/89	81	CASS	T	
TE-103-AW-38	9/30/89	81	CASS	T	
TE-103-AW-38	11/4/89	80	CASS	T	
TE-103-AW-38	11/9/89	81	CASS	T	
TE-103-AW-38	11/18/89	80	CASS	T	
TE-103-AW-38	11/20/89	81	CASS	T	
TE-103-AW-38	12/2/89	80	CASS	T	
TE-103-AW-38	12/9/89	80	CASS	T	
TE-103-AW-38	12/16/89	80	CASS	T	
TE-103-AW-38	12/23/89	80	CASS	T	
TE-103-AW-38	12/25/89	80	CASS	T	
TE-103-AW-38	1/6/90	79	CASS	T	
TE-103-AW-38	1/10/90	79	CASS	T	
TE-103-AW-38	1/20/90	78	CASS	T	
TE-103-AW-38	1/26/90	78	CASS	T	
TE-103-AW-38	2/3/90	77	CASS	T	
TE-103-AW-38	2/10/90	77	CASS	T	
TE-103-AW-38	2/13/90	77	CASS	T	
TE-103-AW-38	2/24/90	78	CASS	T	
TE-103-AW-38	3/3/90	76	CASS	T	
TE-103-AW-38	3/10/90	78	CASS	T	
TE-103-AW-38	3/17/90	78	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-38	3/21/90	76	CASS	T	
TE-103-AW-38	3/23/90	82	CASS	S	Data point did not agree with local trend
TE-103-AW-38	3/27/90	78	CASS	T	
TE-103-AW-38	4/7/90	75	CASS	T	
TE-103-AW-38	4/14/90	75	CASS	T	
TE-103-AW-38	4/21/90	75	CASS	T	
TE-103-AW-38	4/24/90	75	CASS	T	
TE-103-AW-38	5/5/90	74	CASS	T	
TE-103-AW-38	5/12/90	74	CASS	T	
TE-103-AW-38	5/19/90	74	CASS	T	
TE-103-AW-38	5/22/90	74	CASS	T	
TE-103-AW-38	6/2/90	74	CASS	T	
TE-103-AW-38	6/9/90	74	CASS	T	
TE-103-AW-38	6/16/90	74	CASS	T	
TE-103-AW-38	6/23/90	74	CASS	T	
TE-103-AW-38	6/30/90	74	CASS	T	
TE-103-AW-38	7/3/90	87	CASS	S	Data point did not agree with local trend
TE-103-AW-38	7/6/90	74	CASS	T	
TE-103-AW-38	7/14/90	74	CASS	T	
TE-103-AW-38	7/21/90	74	CASS	T	
TE-103-AW-38	7/28/90	74	CASS	T	
TE-103-AW-38	8/4/90	74	CASS	T	
TE-103-AW-38	8/11/90	74	CASS	T	
TE-103-AW-38	8/18/90	74	CASS	T	
TE-103-AW-38	8/25/90	74	CASS	T	
TE-103-AW-38	9/1/90	74	CASS	T	
TE-103-AW-38	9/8/90	75	CASS	T	
TE-103-AW-38	9/15/90	75	CASS	T	
TE-103-AW-38	9/22/90	75	CASS	T	
TE-103-AW-38	9/29/90	75	CASS	T	
TE-103-AW-38	10/6/90	75	CASS	T	
TE-103-AW-38	10/13/90	75	CASS	T	
TE-103-AW-38	10/20/90	75	CASS	T	
TE-103-AW-38	10/27/90	75	CASS	T	
TE-103-AW-38	11/3/90	75	CASS	T	
TE-103-AW-38	11/9/90	84	CASS	S	Data point did not agree with local trend
TE-103-AW-38	11/10/90	75	CASS	T	
TE-103-AW-38	11/17/90	75	CASS	T	
TE-103-AW-38	11/24/90	75	CASS	T	
TE-103-AW-38	11/28/90	75	CASS	T	
TE-103-AW-38	12/6/90	82	CASS	S	Data point did not agree with local trend
TE-103-AW-38	12/8/90	74	CASS	T	
TE-103-AW-38	12/15/90	74	CASS	T	
TE-103-AW-38	12/19/90	74	CASS	T	
TE-103-AW-38	12/28/90	74	CASS	T	
TE-103-AW-38	1/5/91	73	CASS	T	
TE-103-AW-38	1/12/91	73	CASS	T	
TE-103-AW-38	1/19/91	73	CASS	T	
TE-103-AW-38	1/25/91	73	CASS	T	
TE-103-AW-38	2/2/91	72	CASS	T	
TE-103-AW-38	2/5/91	73	CASS	T	
TE-103-AW-38	2/16/91	72	CASS	T	
TE-103-AW-38	2/23/91	72	CASS	T	
TE-103-AW-38	3/2/91	72	CASS	T	
TE-103-AW-38	3/9/91	72	CASS	T	
TE-103-AW-38	3/16/91	72	CASS	T	
TE-103-AW-38	3/23/91	72	CASS	T	
TE-103-AW-38	3/28/91	72	CASS	T	
TE-103-AW-38	4/1/91	72	CASS	T	
TE-103-AW-38	4/13/91	71	CASS	T	
TE-103-AW-38	4/20/91	71	CASS	T	
TE-103-AW-38	4/27/91	71	CASS	T	
TE-103-AW-38	5/4/91	71	CASS	T	
TE-103-AW-38	5/11/91	71	CASS	T	
TE-103-AW-38	5/18/91	71	CASS	T	
TE-103-AW-38	5/25/91	71	CASS	T	
TE-103-AW-38	5/31/91	71	CASS	T	
TE-103-AW-38	6/8/91	71	CASS	T	
TE-103-AW-38	6/15/91	71	CASS	T	
TE-103-AW-38	6/21/91	71	CASS	T	
TE-103-AW-38	6/25/91	71	CASS	T	
TE-103-AW-38	2/3/92	70	SACS	T	
TE-103-AW-38	2/10/92	70	SACS	T	
TE-103-AW-38	2/17/92	68	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-38	2/24/92	68	SACS	T	
TE-103-AW-38	3/2/92	68	SACS	T	
TE-103-AW-38	3/9/92	67	SACS	T	
TE-103-AW-38	3/16/92	68	SACS	T	
TE-103-AW-38	3/23/92	68	SACS	T	
TE-103-AW-38	3/30/92	68	SACS	T	
TE-103-AW-38	4/6/92	75	SACS	T	
TE-103-AW-38	4/13/92	74	SACS	T	
TE-103-AW-38	4/20/92	73	SACS	T	
TE-103-AW-38	4/27/92	67	SACS	T	
TE-103-AW-38	5/4/92	67	SACS	T	
TE-103-AW-38	5/11/92	67	SACS	T	
TE-103-AW-38	5/18/92	67	SACS	T	
TE-103-AW-38	5/25/92	67	SACS	T	
TE-103-AW-38	6/6/92	68	SACS	T	
TE-103-AW-38	6/15/92	68	SACS	T	
TE-103-AW-38	6/22/92	68	SACS	T	
TE-103-AW-38	7/8/92	70	SACS	T	
TE-103-AW-38	7/13/92	68	SACS	T	
TE-103-AW-38	7/20/92	68	SACS	T	
TE-103-AW-38	7/27/92	68	SACS	T	
TE-103-AW-38	8/3/92	68	SACS	T	
TE-103-AW-38	8/10/92	68	SACS	T	
TE-103-AW-38	8/17/92	69	SACS	T	
TE-103-AW-38	8/24/92	70	SACS	T	
TE-103-AW-38	8/31/92	69	SACS	T	
TE-103-AW-38	9/7/92	70	SACS	T	
TE-103-AW-38	9/14/92	70	SACS	T	
TE-103-AW-38	9/21/92	69	SACS	T	
TE-103-AW-38	9/28/92	69	SACS	T	
TE-103-AW-38	1/4/93	68	SACS	T	
TE-103-AW-38	1/11/93	70	SACS	T	
TE-103-AW-38	1/18/93	70	SACS	T	
TE-103-AW-38	3/1/93	71	SACS	T	
TE-103-AW-38	3/8/93	70	SACS	T	
TE-103-AW-38	3/17/93	69	SACS	T	
TE-103-AW-38	3/22/93	69	SACS	T	
TE-103-AW-38	3/29/93	71	SACS	T	
TE-103-AW-38	4/6/93	67	SACS	T	
TE-103-AW-38	4/12/93	69	SACS	T	
TE-103-AW-38	4/19/93	68	SACS	T	
TE-103-AW-38	4/26/93	67	SACS	T	
TE-103-AW-38	5/3/93	69	SACS	T	
TE-103-AW-38	5/10/93	65	SACS	T	
TE-103-AW-38	5/17/93	68	SACS	T	
TE-103-AW-38	5/24/93	68	SACS	T	
TE-103-AW-38	5/31/93	67	SACS	T	
TE-103-AW-38	6/7/93	68	SACS	T	
TE-103-AW-38	6/15/93	68	SACS	T	
TE-103-AW-38	6/21/93	66	SACS	T	
TE-103-AW-38	6/22/93	83	SACS	S	Data point did not agree with local trend
TE-103-AW-38	6/28/93	66	SACS	T	
TE-103-AW-38	8/2/93	68	SACS	T	
TE-103-AW-38	8/9/93	67	SACS	T	
TE-103-AW-38	8/16/93	68	SACS	T	
TE-103-AW-38	8/23/93	68	SACS	T	
TE-103-AW-38	8/30/93	68	SACS	T	
TE-103-AW-38	9/13/93	68	SACS	T	
TE-103-AW-38	9/21/93	69	SACS	T	
TE-103-AW-38	9/27/93	68	SACS	T	
TE-103-AW-38	10/11/93	71	SACS	T	
TE-103-AW-38	10/19/93	69	SACS	T	
TE-103-AW-38	10/26/93	69	SACS	T	
TE-103-AW-38	11/1/93	69	SACS	T	
TE-103-AW-38	11/8/93	69	SACS	T	
TE-103-AW-38	11/15/93	69	SACS	T	
TE-103-AW-38	11/22/93	69	SACS	T	
TE-103-AW-38	11/26/93	33	SACS	S	Data point did not agree with local trend
TE-103-AW-38	11/29/93	74	SACS	T	
TE-103-AW-38	12/6/93	83	SACS	S	Data point did not agree with local trend
TE-103-AW-38	12/17/93	70	SACS	T	
TE-103-AW-38	12/20/93	69	SACS	T	
TE-103-AW-38	12/27/93	71	SACS	T	
TE-103-AW-38	1/5/94	70	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-38	1/24/94	67	SACS	T	
TE-103-AW-38	1/31/94	89	SACS	T	
TE-103-AW-38	2/7/94	69	SACS	G	
TE-103-AW-38	2/21/94	69	SACS	G	
TE-103-AW-38	2/28/94	69	SACS	T	
TE-103-AW-38	3/7/94	68	SACS	T	
TE-103-AW-38	3/14/94	68	SACS	G	
TE-103-AW-38	3/21/94	68	SACS	G	
TE-103-AW-38	3/28/94	68	SACS	G	
TE-103-AW-38	4/5/94	68	SACS	G	
TE-103-AW-38	4/11/94	68	SACS	G	
TE-103-AW-38	4/18/94	68	SACS	G	
TE-103-AW-38	4/25/94	68	SACS	G	
TE-103-AW-38	5/2/94	67	SACS	G	
TE-103-AW-38	5/9/94	67	SACS	G	
TE-103-AW-38	5/16/94	67	SACS	G	
TE-103-AW-38	5/31/94	67	SACS	G	
TE-103-AW-38	6/6/94	68	SACS	G	
TE-103-AW-38	6/13/94	67	SACS	G	
TE-103-AW-38	6/20/94	67	SACS	G	
TE-103-AW-38	6/27/94	67	SACS	G	
TE-103-AW-38	7/4/94	68	SACS	G	
TE-103-AW-38	7/18/94	67	SACS	G	
TE-103-AW-38	7/26/94	68	SACS	G	
TE-103-AW-38	8/1/94	68	SACS	G	
TE-103-AW-38	8/8/94	68	SACS	G	
TE-103-AW-38	8/15/94	68	SACS	G	
TE-103-AW-38	8/22/94	68	SACS	G	
TE-103-AW-38	9/7/94	68	SACS	G	
TE-103-AW-38	9/12/94	68	SACS	G	
TE-103-AW-38	10/10/94	68	SACS	G	
TE-103-AW-38	10/17/94	70	SACS	G	
TE-103-AW-38	10/24/94	70	SACS	G	
TE-103-AW-38	10/31/94	70	SACS	G	
TE-103-AW-38	11/7/94	69	SACS	G	
TE-103-AW-38	11/14/94	69	SACS	G	
TE-103-AW-38	11/21/94	70	SACS	G	
TE-103-AW-38	11/28/94	70	SACS	G	
TE-103-AW-38	12/5/94	70	SACS	G	
TE-103-AW-38	12/12/94	70	SACS	G	
TE-103-AW-38	12/19/94	70	SACS	G	
TE-103-AW-38	12/26/94	69	SACS	G	
TE-103-AW-38	1/2/95	71	SACS	G	
TE-103-AW-38	1/9/95	69	SACS	G	
TE-103-AW-38	1/16/95	69	SACS	G	
TE-103-AW-38	1/23/95	69	SACS	G	
TE-103-AW-38	1/30/95	70	SACS	G	
TE-103-AW-38	2/6/95	70	SACS	G	
TE-103-AW-38	2/13/95	71	SACS	G	
TE-103-AW-38	2/24/95	69	SACS	G	
TE-103-AW-38	2/27/95	69	SACS	G	
TE-103-AW-38	3/6/95	69	SACS	G	
TE-103-AW-38	3/19/95	69	SACS	G	
TE-103-AW-38	3/27/95	70	SACS	G	
TE-103-AW-38	4/3/95	69	SACS	G	
TE-103-AW-38	4/10/95	69	SACS	G	
TE-103-AW-38	4/17/95	69	SACS	G	
TE-103-AW-38	4/24/95	68	SACS	G	
TE-103-AW-38	5/3/95	69	SACS	G	
TE-103-AW-38	5/8/95	69	SACS	G	
TE-103-AW-38	5/15/95	68	SACS	G	
TE-103-AW-38	5/22/95	68	SACS	G	
TE-103-AW-38	5/30/95	69	SACS	G	
TE-103-AW-38	6/5/95	69	SACS	G	
TE-103-AW-38	6/13/95	69	SACS	G	
TE-103-AW-38	6/19/95	69	SACS	G	
TE-103-AW-38	6/26/95	68	SACS	G	
TE-103-AW-39	7/16/83	78	CASS	T	
TE-103-AW-39	7/23/83	78	CASS	T	
TE-103-AW-39	7/30/83	78	CASS	T	
TE-103-AW-39	8/6/83	78	CASS	T	
TE-103-AW-39	8/9/83	81	CASS	T	
TE-103-AW-39	8/17/83	80	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-39	8/27/83	84	CASS	T	
TE-103-AW-39	8/31/83	87	CASS	T	
TE-103-AW-39	9/10/83	85	CASS	T	
TE-103-AW-39	9/14/83	86	CASS	T	
TE-103-AW-39	9/23/83	88	CASS	T	
TE-103-AW-39	9/28/83	88	CASS	T	
TE-103-AW-39	10/2/83	80	CASS	T	
TE-103-AW-39	10/13/83	79	CASS	T	
TE-103-AW-39	10/17/83	82	CASS	T	
TE-103-AW-39	3/10/84	87	CASS	T	
TE-103-AW-39	3/16/84	90	CASS	T	
TE-103-AW-39	3/24/84	91	CASS	T	
TE-103-AW-39	3/26/84	90	CASS	T	
TE-103-AW-39	4/1/84	89	CASS	T	
TE-103-AW-39	4/14/84	87	CASS	T	
TE-103-AW-39	4/21/84	89	CASS	T	
TE-103-AW-39	4/28/84	91	CASS	T	
TE-103-AW-39	4/30/84	92	CASS	T	
TE-103-AW-39	5/7/84	91	CASS	T	
TE-103-AW-39	5/18/84	90	CASS	T	
TE-103-AW-39	5/28/84	91	CASS	T	
TE-103-AW-39	6/2/84	91	CASS	T	
TE-103-AW-39	6/7/84	91	CASS	T	
TE-103-AW-39	6/23/84	91	CASS	T	
TE-103-AW-39	6/30/84	91	CASS	T	
TE-103-AW-39	7/2/84	92	CASS	T	
TE-103-AW-39	7/14/84	90	CASS	T	
TE-103-AW-39	7/21/84	89	CASS	T	
TE-103-AW-39	7/28/84	90	CASS	T	
TE-103-AW-39	7/31/84	90	CASS	T	
TE-103-AW-39	8/11/84	89	CASS	T	
TE-103-AW-39	8/12/84	89	CASS	T	
TE-103-AW-39	8/25/84	88	CASS	T	
TE-103-AW-39	8/1/84	87	CASS	T	
TE-103-AW-39	9/7/84	87	CASS	T	
TE-103-AW-39	9/15/84	86	CASS	T	
TE-103-AW-39	9/22/84	86	CASS	T	
TE-103-AW-39	9/29/84	85	CASS	T	
TE-103-AW-39	10/3/84	85	CASS	T	
TE-103-AW-39	10/13/84	84	CASS	T	
TE-103-AW-39	10/18/84	83	CASS	T	
TE-103-AW-39	10/24/84	83	CASS	T	
TE-103-AW-39	10/29/84	82	CASS	T	
TE-103-AW-39	11/4/84	80	CASS	T	
TE-103-AW-39	11/15/84	76	CASS	T	
TE-103-AW-39	11/19/84	75	CASS	T	
TE-103-AW-39	11/28/84	73	CASS	T	
TE-103-AW-39	12/8/84	71	CASS	T	
TE-103-AW-39	12/10/84	70	CASS	T	
TE-103-AW-39	12/22/84	67	CASS	T	
TE-103-AW-39	12/29/84	67	CASS	T	
TE-103-AW-39	1/4/85	66	CASS	T	
TE-103-AW-39	1/11/85	76	CASS	T	
TE-103-AW-39	1/19/85	80	CASS	T	
TE-103-AW-39	1/28/85	83	CASS	T	
TE-103-AW-39	1/30/85	86	CASS	T	
TE-103-AW-39	2/6/85	85	CASS	T	
TE-103-AW-39	2/13/85	83	CASS	T	
TE-103-AW-39	2/18/85	83	CASS	T	
TE-103-AW-39	3/1/85	84	CASS	T	
TE-103-AW-39	3/9/85	84	CASS	T	
TE-103-AW-39	3/16/85	85	CASS	T	
TE-103-AW-39	3/23/85	85	CASS	T	
TE-103-AW-39	3/30/85	85	CASS	T	
TE-103-AW-39	4/6/85	85	CASS	T	
TE-103-AW-39	4/13/85	86	CASS	T	
TE-103-AW-39	4/20/85	87	CASS	T	
TE-103-AW-39	4/27/85	88	CASS	T	
TE-103-AW-39	5/4/85	89	CASS	T	
TE-103-AW-39	5/11/85	89	CASS	T	
TE-103-AW-39	5/18/85	89	CASS	T	
TE-103-AW-39	5/25/85	89	CASS	T	
TE-103-AW-39	6/1/85	89	CASS	T	
TE-103-AW-39	6/8/85	90	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-39	6/15/85	90	CASS	T	
TE-103-AW-39	6/19/85	90	CASS	T	
TE-103-AW-39	11/1/85	85	CASS	T	
TE-103-AW-39	12/1/85	81	CASS	T	
TE-103-AW-39	1/4/86	81	CASS	T	
TE-103-AW-39	1/7/86	81	CASS	T	
TE-103-AW-39	1/17/86	81	CASS	T	
TE-103-AW-39	1/25/86	81	CASS	T	
TE-103-AW-39	2/1/86	81	CASS	T	
TE-103-AW-39	2/8/86	81	CASS	T	
TE-103-AW-39	2/15/86	81	CASS	T	
TE-103-AW-39	2/22/86	82	CASS	T	
TE-103-AW-39	3/1/86	82	CASS	T	
TE-103-AW-39	3/4/86	83	CASS	T	
TE-103-AW-39	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-103-AW-39	9/16/86	199	CASS	S	Data point did not agree with local trend
TE-103-AW-39	9/20/86	92	CASS	T	
TE-103-AW-39	9/26/86	92	CASS	T	
TE-103-AW-39	10/4/86	92	CASS	T	
TE-103-AW-39	10/8/86	93	CASS	T	
TE-103-AW-39	10/18/86	92	CASS	T	
TE-103-AW-39	10/25/86	92	CASS	T	
TE-103-AW-39	11/1/86	92	CASS	T	
TE-103-AW-39	11/8/86	92	CASS	T	
TE-103-AW-39	11/15/86	91	CASS	T	
TE-103-AW-39	11/22/86	91	CASS	T	
TE-103-AW-39	11/28/86	91	CASS	T	
TE-103-AW-39	12/6/86	90	CASS	T	
TE-103-AW-39	12/13/86	90	CASS	T	
TE-103-AW-39	12/20/86	89	CASS	T	
TE-103-AW-39	12/25/86	89	CASS	T	
TE-103-AW-39	12/31/86	88	CASS	T	
TE-103-AW-39	7/4/87	75	CASS	T	
TE-103-AW-39	7/11/87	75	CASS	T	
TE-103-AW-39	7/15/87	76	CASS	T	
TE-103-AW-39	7/25/87	76	CASS	T	
TE-103-AW-39	8/1/87	76	CASS	T	
TE-103-AW-39	8/8/87	77	CASS	T	
TE-103-AW-39	8/15/87	77	CASS	T	
TE-103-AW-39	8/22/87	77	CASS	T	
TE-103-AW-39	8/29/87	78	CASS	T	
TE-103-AW-39	9/5/87	79	CASS	T	
TE-103-AW-39	9/11/87	79	CASS	T	
TE-103-AW-39	11/28/87	82	CASS	T	
TE-103-AW-39	11/30/87	91	CASS	T	
TE-103-AW-39	3/28/88	78	CASS	T	
TE-103-AW-39	3/31/88	78	CASS	T	
TE-103-AW-39	6/4/88	78	CASS	T	
TE-103-AW-39	6/11/88	78	CASS	T	
TE-103-AW-39	6/18/88	78	CASS	T	
TE-103-AW-39	6/20/88	78	CASS	T	
TE-103-AW-39	6/21/88	88	CASS	S	Scatter in data locally
TE-103-AW-39	6/22/88	78	CASS	S	Scatter in data locally
TE-103-AW-39	6/23/88	78	CASS	S	Scatter in data locally
TE-103-AW-39	6/24/88	90	CASS	S	Scatter in data locally
TE-103-AW-39	6/25/88	89	CASS	S	Scatter in data locally
TE-103-AW-39	6/26/88	78	CASS	S	Scatter in data locally
TE-103-AW-39	6/27/88	78	CASS	S	Scatter in data locally
TE-103-AW-39	6/28/88	90	CASS	S	Scatter in data locally
TE-103-AW-39	6/29/88	90	CASS	S	Scatter in data locally
TE-103-AW-39	6/30/88	78	CASS	S	Scatter in data locally
TE-103-AW-39	7/1/88	90	CASS	S	Scatter in data locally
TE-103-AW-39	7/2/88	78	CASS	S	Scatter in data locally
TE-103-AW-39	7/3/88	78	CASS	S	Scatter in data locally
TE-103-AW-39	7/4/88	78	CASS	S	Scatter in data locally
TE-103-AW-39	7/5/88	90	CASS	S	Scatter in data locally
TE-103-AW-39	7/6/88	78	CASS	S	Scatter in data locally
TE-103-AW-39	7/7/88	78	CASS	S	Scatter in data locally
TE-103-AW-39	7/8/88	78	CASS	S	Scatter in data locally
TE-103-AW-39	7/9/88	79	CASS	S	Scatter in data locally
TE-103-AW-39	7/10/88	90	CASS	S	Scatter in data locally
TE-103-AW-39	7/11/88	91	CASS	S	Scatter in data locally
TE-103-AW-39	7/12/88	90	CASS	S	Scatter in data locally
TE-103-AW-39	7/13/88	90	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-39	7/14/88	90	CASS	S	Scatter in data locally
TE-103-AW-39	7/15/88	79	CASS	S	Scatter in data locally
TE-103-AW-39	7/16/88	90	CASS	S	Scatter in data locally
TE-103-AW-39	7/17/88	79	CASS	S	Scatter in data locally
TE-103-AW-39	7/18/88	79	CASS	S	Scatter in data locally
TE-103-AW-39	7/19/88	90	CASS	S	Scatter in data locally
TE-103-AW-39	7/20/88	79	CASS	S	Scatter in data locally
TE-103-AW-39	7/21/88	90	CASS	S	Scatter in data locally
TE-103-AW-39	7/22/88	79	CASS	S	Scatter in data locally
TE-103-AW-39	7/23/88	79	CASS	S	Scatter in data locally
TE-103-AW-39	7/24/88	91	CASS	S	Scatter in data locally
TE-103-AW-39	7/25/88	80	CASS	S	Scatter in data locally
TE-103-AW-39	7/26/88	80	CASS	S	Scatter in data locally
TE-103-AW-39	7/27/88	80	CASS	S	Scatter in data locally
TE-103-AW-39	7/28/88	82	CASS	S	Scatter in data locally
TE-103-AW-39	7/29/88	80	CASS	S	Scatter in data locally
TE-103-AW-39	7/30/88	80	CASS	S	Scatter in data locally
TE-103-AW-39	7/31/88	80	CASS	S	Scatter in data locally
TE-103-AW-39	8/1/88	80	CASS	S	Scatter in data locally
TE-103-AW-39	8/2/88	81	CASS	S	Scatter in data locally
TE-103-AW-39	8/3/88	80	CASS	S	Scatter in data locally
TE-103-AW-39	8/4/88	80	CASS	S	Scatter in data locally
TE-103-AW-39	8/5/88	80	CASS	S	Scatter in data locally
TE-103-AW-39	8/6/88	80	CASS	S	Scatter in data locally
TE-103-AW-39	8/8/88	91	CASS	S	Scatter in data locally
TE-103-AW-39	8/9/88	80	CASS	S	Scatter in data locally
TE-103-AW-39	8/10/88	80	CASS	S	Scatter in data locally
TE-103-AW-39	8/11/88	81	CASS	S	Scatter in data locally
TE-103-AW-39	8/12/88	81	CASS	S	Scatter in data locally
TE-103-AW-39	8/13/88	81	CASS	S	Scatter in data locally
TE-103-AW-39	8/14/88	81	CASS	S	Scatter in data locally
TE-103-AW-39	8/15/88	81	CASS	S	Scatter in data locally
TE-103-AW-39	8/16/88	81	CASS	S	Scatter in data locally
TE-103-AW-39	8/17/88	81	CASS	S	Scatter in data locally
TE-103-AW-39	8/18/88	81	CASS	S	Scatter in data locally
TE-103-AW-39	8/19/88	81	CASS	S	Scatter in data locally
TE-103-AW-39	8/20/88	81	CASS	S	Scatter in data locally
TE-103-AW-39	8/21/88	81	CASS	S	Scatter in data locally
TE-103-AW-39	8/22/88	81	CASS	S	Scatter in data locally
TE-103-AW-39	8/23/88	81	CASS	S	Scatter in data locally
TE-103-AW-39	8/24/88	81	CASS	S	Scatter in data locally
TE-103-AW-39	8/25/88	91	CASS	S	Scatter in data locally
TE-103-AW-39	8/26/88	81	CASS	S	Scatter in data locally
TE-103-AW-39	8/27/88	81	CASS	S	Scatter in data locally
TE-103-AW-39	8/28/88	82	CASS	S	Scatter in data locally
TE-103-AW-39	8/29/88	82	CASS	S	Scatter in data locally
TE-103-AW-39	8/30/88	91	CASS	S	Scatter in data locally
TE-103-AW-39	8/31/88	91	CASS	S	Scatter in data locally
TE-103-AW-39	9/1/88	82	CASS	S	Scatter in data locally
TE-103-AW-39	9/2/88	82	CASS	S	Scatter in data locally
TE-103-AW-39	9/3/88	82	CASS	S	Scatter in data locally
TE-103-AW-39	9/4/88	82	CASS	S	Scatter in data locally
TE-103-AW-39	9/5/88	92	CASS	S	Scatter in data locally
TE-103-AW-39	9/6/88	82	CASS	S	Scatter in data locally
TE-103-AW-39	9/7/88	82	CASS	S	Scatter in data locally
TE-103-AW-39	9/8/88	82	CASS	S	Scatter in data locally
TE-103-AW-39	9/9/88	82	CASS	S	Scatter in data locally
TE-103-AW-39	9/10/88	91	CASS	S	Scatter in data locally
TE-103-AW-39	9/12/88	82	CASS	S	Scatter in data locally
TE-103-AW-39	9/13/88	91	CASS	S	Scatter in data locally
TE-103-AW-39	9/17/88	82	CASS	T	
TE-103-AW-39	9/24/88	82	CASS	T	
TE-103-AW-39	9/30/88	83	CASS	T	
TE-103-AW-39	12/3/88	85	CASS	T	
TE-103-AW-39	12/10/88	86	CASS	T	
TE-103-AW-39	12/12/88	86	CASS	T	
TE-103-AW-39	12/22/88	85	CASS	T	
TE-103-AW-39	7/10/89	87	SACS	S	Disagreement between CASS and SACS
TE-103-AW-39	7/17/89	80	SACS	T	
TE-103-AW-39	7/24/89	80	SACS	T	
TE-103-AW-39	8/7/89	78	SACS	T	
TE-103-AW-39	8/14/89	73	SACS	T	
TE-103-AW-39	8/21/89	81	SACS	T	
TE-103-AW-39	8/28/89	81	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-39	9/9/89	80	CASS	T	
TE-103-AW-39	9/16/89	80	CASS	T	
TE-103-AW-39	9/23/89	80	CASS	T	
TE-103-AW-39	9/26/89	85	SACS	S	Data point did not agree with local trend
TE-103-AW-39	9/30/89	80	CASS	T	
TE-103-AW-39	10/1/89	59	SACS	S	Data point did not agree with local trend
TE-103-AW-39	10/16/89	81	SACS	T	
TE-103-AW-39	10/24/89	82	SACS	T	
TE-103-AW-39	10/30/89	82	SACS	T	
TE-103-AW-39	11/11/89	80	CASS	T	
TE-103-AW-39	11/13/89	82	SACS	T	
TE-103-AW-39	11/26/89	80	CASS	T	
TE-103-AW-39	11/27/89	82	SACS	T	
TE-103-AW-39	12/8/89	80	CASS	T	
TE-103-AW-39	12/11/89	54	SACS	S	Data point did not agree with local trend
TE-103-AW-39	12/16/89	80	CASS	T	
TE-103-AW-39	12/23/89	80	CASS	T	
TE-103-AW-39	12/29/89	80	CASS	T	
TE-103-AW-39	1/2/90	80	SACS	T	
TE-103-AW-39	1/13/90	79	CASS	T	
TE-103-AW-39	1/16/90	79	CASS	T	
TE-103-AW-39	1/22/90	79	SACS	T	
TE-103-AW-39	1/29/90	79	SACS	T	
TE-103-AW-39	2/6/90	78	CASS	T	
TE-103-AW-39	2/12/90	79	SACS	T	
TE-103-AW-39	2/19/90	78	SACS	T	
TE-103-AW-39	2/27/90	77	CASS	T	
TE-103-AW-39	3/5/90	77	SACS	T	
TE-103-AW-39	3/12/90	77	SACS	T	
TE-103-AW-39	3/19/90	77	SACS	T	
TE-103-AW-39	3/23/90	87	CASS	S	Data point did not agree with local trend
TE-103-AW-39	3/31/90	76	CASS	T	
TE-103-AW-39	4/2/90	53	SACS	S	Data point did not agree with local trend
TE-103-AW-39	4/7/90	75	CASS	T	
TE-103-AW-39	4/9/90	52	SACS	S	Data point did not agree with local trend
TE-103-AW-39	4/14/90	75	CASS	T	
TE-103-AW-39	4/21/90	75	CASS	T	
TE-103-AW-39	4/24/90	75	CASS	T	
TE-103-AW-39	4/30/90	75	SACS	T	
TE-103-AW-39	5/7/90	75	SACS	T	
TE-103-AW-39	5/18/90	74	CASS	T	
TE-103-AW-39	5/22/90	74	CASS	T	
TE-103-AW-39	6/2/90	73	CASS	T	
TE-103-AW-39	6/9/90	74	CASS	T	
TE-103-AW-39	6/11/90	76	SACS	T	
TE-103-AW-39	6/23/90	73	CASS	T	
TE-103-AW-39	6/25/90	74	SACS	T	
TE-103-AW-39	7/2/90	84	SACS	S	Data point did not agree with local trend
TE-103-AW-39	7/3/90	88	CASS	S	Data point did not agree with local trend
TE-103-AW-39	7/7/90	73	CASS	T	
TE-103-AW-39	7/14/90	73	CASS	T	
TE-103-AW-39	7/21/90	73	CASS	T	
TE-103-AW-39	7/28/90	73	CASS	T	
TE-103-AW-39	8/4/90	73	CASS	T	
TE-103-AW-39	8/11/90	74	CASS	T	
TE-103-AW-39	8/17/90	74	CASS	T	
TE-103-AW-39	8/20/90	80	SACS	T	
TE-103-AW-39	9/1/90	74	CASS	T	
TE-103-AW-39	9/8/90	74	CASS	T	
TE-103-AW-39	9/15/90	74	CASS	T	
TE-103-AW-39	9/17/90	75	SACS	T	
TE-103-AW-39	9/24/90	82	SACS	T	
TE-103-AW-39	10/1/90	75	SACS	T	
TE-103-AW-39	10/8/90	76	SACS	T	
TE-103-AW-39	10/15/90	78	SACS	T	
TE-103-AW-39	10/22/90	76	SACS	T	
TE-103-AW-39	10/29/90	59	SACS	S	Data point did not agree with local trend
TE-103-AW-39	10/31/90	75	CASS	T	
TE-103-AW-39	11/5/90	76	SACS	T	
TE-103-AW-39	11/8/90	88	CASS	S	Data point did not agree with local trend
TE-103-AW-39	11/17/90	75	CASS	T	
TE-103-AW-39	11/24/90	75	CASS	T	
TE-103-AW-39	11/28/90	75	CASS	T	
TE-103-AW-39	12/5/90	75	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-39	12/6/90	88	CASS	S	Data point did not agree with local trend
TE-103-AW-39	12/11/90	75	CASS	T	
TE-103-AW-39	12/21/90	74	CASS	T	
TE-103-AW-39	12/23/90	75	SACS	T	
TE-103-AW-39	12/31/90	77	SACS	T	
TE-103-AW-39	1/7/91	75	SACS	T	
TE-103-AW-39	1/15/91	74	CASS	T	
TE-103-AW-39	1/26/91	73	CASS	T	
TE-103-AW-39	1/28/91	74	SACS	T	
TE-103-AW-39	2/9/91	73	CASS	T	
TE-103-AW-39	2/16/91	73	CASS	T	
TE-103-AW-39	2/22/91	73	CASS	T	
TE-103-AW-39	3/2/91	72	CASS	T	
TE-103-AW-39	3/9/91	72	CASS	T	
TE-103-AW-39	3/16/91	72	CASS	T	
TE-103-AW-39	3/23/91	72	CASS	T	
TE-103-AW-39	3/25/91	73	SACS	T	
TE-103-AW-39	4/5/91	72	CASS	T	
TE-103-AW-39	4/8/91	72	SACS	T	
TE-103-AW-39	4/15/91	72	SACS	T	
TE-103-AW-39	4/27/91	71	CASS	T	
TE-103-AW-39	5/4/91	71	CASS	T	
TE-103-AW-39	5/11/91	71	CASS	T	
TE-103-AW-39	5/13/91	72	SACS	T	
TE-103-AW-39	5/25/91	71	CASS	T	
TE-103-AW-39	5/31/91	71	CASS	T	
TE-103-AW-39	6/8/91	71	CASS	T	
TE-103-AW-39	6/15/91	71	CASS	T	
TE-103-AW-39	6/21/91	70	CASS	T	
TE-103-AW-39	6/25/91	70	CASS	T	
TE-103-AW-39	7/1/91	70	SACS	T	
TE-103-AW-39	7/8/91	69	SACS	T	
TE-103-AW-39	7/15/91	71	SACS	T	
TE-103-AW-39	7/22/91	69	SACS	T	
TE-103-AW-39	7/29/91	71	SACS	T	
TE-103-AW-39	8/4/91	70	SACS	T	
TE-103-AW-39	8/19/91	70	SACS	T	
TE-103-AW-39	8/26/91	70	SACS	T	
TE-103-AW-39	9/2/91	71	SACS	T	
TE-103-AW-39	9/9/91	72	SACS	T	
TE-103-AW-39	9/16/91	73	SACS	T	
TE-103-AW-39	9/23/91	72	SACS	T	
TE-103-AW-39	9/30/91	72	SACS	T	
TE-103-AW-39	10/7/91	72	SACS	T	
TE-103-AW-39	10/14/91	73	SACS	T	
TE-103-AW-39	10/21/91	73	SACS	T	
TE-103-AW-39	10/28/91	73	SACS	T	
TE-103-AW-39	11/5/91	73	SACS	T	
TE-103-AW-39	11/11/91	73	SACS	T	
TE-103-AW-39	11/18/91	73	SACS	T	
TE-103-AW-39	11/25/91	72	SACS	T	
TE-103-AW-39	12/2/91	72	SACS	T	
TE-103-AW-39	12/9/91	72	SACS	T	
TE-103-AW-39	12/16/91	71	SACS	T	
TE-103-AW-39	12/23/91	71	SACS	T	
TE-103-AW-39	12/30/91	71	SACS	T	
TE-103-AW-39	1/6/92	71	SACS	T	
TE-103-AW-39	1/13/92	71	SACS	T	
TE-103-AW-39	1/20/92	70	SACS	T	
TE-103-AW-39	1/27/92	70	SACS	T	
TE-103-AW-39	2/22/92	71	SACS	T	
TE-103-AW-39	3/3/92	68	SACS	T	
TE-103-AW-39	3/11/92	67	SACS	T	
TE-103-AW-39	6/29/92	68	SACS	T	
TE-103-AW-39	10/5/92	71	SACS	T	
TE-103-AW-39	10/12/92	70	SACS	T	
TE-103-AW-39	10/19/92	70	SACS	T	
TE-103-AW-39	10/26/92	70	SACS	T	
TE-103-AW-39	11/2/92	71	SACS	T	
TE-103-AW-39	11/9/92	72	SACS	T	
TE-103-AW-39	11/16/92	72	SACS	T	
TE-103-AW-39	11/23/92	72	SACS	T	
TE-103-AW-39	11/30/92	70	SACS	T	
TE-103-AW-39	12/7/92	71	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-39	12/14/92	71	SACS	T	
TE-103-AW-39	12/21/92	70	SACS	T	
TE-103-AW-39	12/28/92	71	SACS	T	
TE-103-AW-39	1/25/93	70	SACS	T	
TE-103-AW-39	2/8/93	70	SACS	T	
TE-103-AW-39	2/16/93	71	SACS	T	
TE-103-AW-40	7/16/83	76	CASS	T	
TE-103-AW-40	7/23/83	76	CASS	T	
TE-103-AW-40	7/30/83	78	CASS	T	
TE-103-AW-40	8/6/83	80	CASS	T	
TE-103-AW-40	8/8/83	82	CASS	T	
TE-103-AW-40	8/17/83	79	CASS	T	
TE-103-AW-40	8/25/83	87	CASS	T	
TE-103-AW-40	8/30/83	90	CASS	T	
TE-103-AW-40	9/10/83	91	CASS	T	
TE-103-AW-40	9/11/83	90	CASS	T	
TE-103-AW-40	9/20/83	88	CASS	T	
TE-103-AW-40	9/28/83	88	CASS	T	
TE-103-AW-40	10/2/83	80	CASS	T	
TE-103-AW-40	10/13/83	79	CASS	T	
TE-103-AW-40	10/17/83	82	CASS	T	
TE-103-AW-40	3/10/84	88	CASS	T	
TE-103-AW-40	3/17/84	90	CASS	T	
TE-103-AW-40	3/24/84	91	CASS	T	
TE-103-AW-40	3/26/84	90	CASS	T	
TE-103-AW-40	4/1/84	89	CASS	T	
TE-103-AW-40	4/14/84	88	CASS	T	
TE-103-AW-40	4/21/84	89	CASS	T	
TE-103-AW-40	4/28/84	91	CASS	T	
TE-103-AW-40	5/1/84	92	CASS	T	
TE-103-AW-40	5/7/84	91	CASS	T	
TE-103-AW-40	5/19/84	90	CASS	T	
TE-103-AW-40	5/26/84	91	CASS	T	
TE-103-AW-40	6/2/84	91	CASS	T	
TE-103-AW-40	6/4/84	92	CASS	T	
TE-103-AW-40	6/23/84	91	CASS	T	
TE-103-AW-40	6/30/84	91	CASS	T	
TE-103-AW-40	7/2/84	93	CASS	T	
TE-103-AW-40	7/10/84	92	CASS	T	
TE-103-AW-40	7/21/84	91	CASS	T	
TE-103-AW-40	7/22/84	91	CASS	T	
TE-103-AW-40	7/31/84	90	CASS	T	
TE-103-AW-40	8/11/84	89	CASS	T	
TE-103-AW-40	8/12/84	89	CASS	T	
TE-103-AW-40	8/25/84	88	CASS	T	
TE-103-AW-40	8/26/84	88	CASS	T	
TE-103-AW-40	9/7/84	87	CASS	T	
TE-103-AW-40	9/15/84	86	CASS	T	
TE-103-AW-40	9/22/84	86	CASS	T	
TE-103-AW-40	9/29/84	85	CASS	T	
TE-103-AW-40	10/3/84	85	CASS	T	
TE-103-AW-40	10/13/84	84	CASS	T	
TE-103-AW-40	10/14/84	84	CASS	T	
TE-103-AW-40	10/26/84	83	CASS	T	
TE-103-AW-40	10/30/84	82	CASS	T	
TE-103-AW-40	11/4/84	79	CASS	T	
TE-103-AW-40	11/13/84	76	CASS	T	
TE-103-AW-40	11/22/84	74	CASS	T	
TE-103-AW-40	11/25/84	73	CASS	T	
TE-103-AW-40	12/5/84	71	CASS	T	
TE-103-AW-40	12/10/84	70	CASS	T	
TE-103-AW-40	12/22/84	67	CASS	T	
TE-103-AW-40	12/27/84	67	CASS	T	
TE-103-AW-40	12/31/84	66	CASS	T	
TE-103-AW-40	1/10/85	72	CASS	T	
TE-103-AW-40	1/19/85	77	CASS	T	
TE-103-AW-40	1/26/85	83	CASS	T	
TE-103-AW-40	1/28/85	87	CASS	T	
TE-103-AW-40	2/6/85	88	CASS	T	
TE-103-AW-40	2/16/85	85	CASS	T	
TE-103-AW-40	2/18/85	86	CASS	T	
TE-103-AW-40	3/1/85	85	CASS	T	
TE-103-AW-40	3/9/85	85	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-40	3/18/85	88	CASS	T	
TE-103-AW-40	3/23/85	87	CASS	T	
TE-103-AW-40	3/30/85	87	CASS	T	
TE-103-AW-40	4/8/85	87	CASS	T	
TE-103-AW-40	4/13/85	90	CASS	T	
TE-103-AW-40	4/18/85	90	CASS	T	
TE-103-AW-40	4/27/85	90	CASS	T	
TE-103-AW-40	5/3/85	91	CASS	T	
TE-103-AW-40	5/9/85	90	CASS	T	
TE-103-AW-40	5/18/85	88	CASS	T	
TE-103-AW-40	5/24/85	89	CASS	T	
TE-103-AW-40	6/1/85	89	CASS	T	
TE-103-AW-40	6/8/85	89	CASS	T	
TE-103-AW-40	6/15/85	89	CASS	T	
TE-103-AW-40	6/19/85	89	CASS	T	
TE-103-AW-40	11/1/85	81	CASS	T	
TE-103-AW-40	12/1/85	77	CASS	T	
TE-103-AW-40	1/4/86	79	CASS	T	
TE-103-AW-40	1/7/86	79	CASS	T	
TE-103-AW-40	1/18/86	79	CASS	T	
TE-103-AW-40	1/21/86	82	CASS	T	
TE-103-AW-40	2/1/86	81	CASS	T	
TE-103-AW-40	2/8/86	81	CASS	T	
TE-103-AW-40	2/15/86	82	CASS	T	
TE-103-AW-40	2/22/86	84	CASS	T	
TE-103-AW-40	3/1/86	84	CASS	T	
TE-103-AW-40	3/5/86	85	CASS	T	
TE-103-AW-40	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-103-AW-40	9/17/86	95	CASS	T	
TE-103-AW-40	10/11/86	93	CASS	T	
TE-103-AW-40	10/18/86	93	CASS	T	
TE-103-AW-40	10/25/86	92	CASS	T	
TE-103-AW-40	11/1/86	92	CASS	T	
TE-103-AW-40	11/8/86	91	CASS	T	
TE-103-AW-40	11/9/86	91	CASS	T	
TE-103-AW-40	11/22/86	90	CASS	T	
TE-103-AW-40	11/24/86	90	CASS	T	
TE-103-AW-40	12/4/86	89	CASS	T	
TE-103-AW-40	12/13/86	88	CASS	T	
TE-103-AW-40	12/15/86	88	CASS	T	
TE-103-AW-40	12/24/86	87	CASS	T	
TE-103-AW-40	12/31/86	88	CASS	T	
TE-103-AW-40	7/4/87	74	CASS	T	
TE-103-AW-40	7/11/87	74	CASS	T	
TE-103-AW-40	7/15/87	75	CASS	T	
TE-103-AW-40	7/25/87	75	CASS	T	
TE-103-AW-40	8/1/87	75	CASS	T	
TE-103-AW-40	8/8/87	77	CASS	T	
TE-103-AW-40	8/15/87	78	CASS	T	
TE-103-AW-40	8/22/87	79	CASS	T	
TE-103-AW-40	8/29/87	79	CASS	T	
TE-103-AW-40	9/5/87	80	CASS	T	
TE-103-AW-40	9/11/87	81	CASS	T	
TE-103-AW-40	11/28/87	82	CASS	T	
TE-103-AW-40	11/30/87	87	CASS	T	
TE-103-AW-40	3/26/88	78	CASS	T	
TE-103-AW-40	3/31/88	78	CASS	T	
TE-103-AW-40	6/4/88	77	CASS	T	
TE-103-AW-40	6/11/88	77	CASS	T	
TE-103-AW-40	6/18/88	78	CASS	T	
TE-103-AW-40	6/17/88	89	CASS	S	Scatter in data locally
TE-103-AW-40	6/18/88	78	CASS	S	Scatter in data locally
TE-103-AW-40	6/19/88	78	CASS	S	Scatter in data locally
TE-103-AW-40	6/20/88	78	CASS	S	Scatter in data locally
TE-103-AW-40	6/21/88	78	CASS	S	Scatter in data locally
TE-103-AW-40	6/22/88	78	CASS	S	Scatter in data locally
TE-103-AW-40	6/23/88	78	CASS	S	Scatter in data locally
TE-103-AW-40	6/24/88	90	CASS	S	Scatter in data locally
TE-103-AW-40	6/25/88	90	CASS	S	Scatter in data locally
TE-103-AW-40	6/26/88	90	CASS	S	Scatter in data locally
TE-103-AW-40	6/27/88	90	CASS	S	Scatter in data locally
TE-103-AW-40	6/28/88	78	CASS	S	Scatter in data locally
TE-103-AW-40	6/29/88	78	CASS	S	Scatter in data locally
TE-103-AW-40	6/30/88	90	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-40	7/1/88	79	CASS	S	Scatter in data locally
TE-103-AW-40	7/2/88	79	CASS	S	Scatter in data locally
TE-103-AW-40	7/3/88	79	CASS	S	Scatter in data locally
TE-103-AW-40	7/4/88	79	CASS	S	Scatter in data locally
TE-103-AW-40	7/5/88	90	CASS	S	Scatter in data locally
TE-103-AW-40	7/6/88	91	CASS	S	Scatter in data locally
TE-103-AW-40	7/7/88	79	CASS	S	Scatter in data locally
TE-103-AW-40	7/8/88	90	CASS	S	Scatter in data locally
TE-103-AW-40	7/9/88	80	CASS	S	Scatter in data locally
TE-103-AW-40	7/10/88	80	CASS	S	Scatter in data locally
TE-103-AW-40	7/11/88	80	CASS	S	Scatter in data locally
TE-103-AW-40	7/12/88	80	CASS	S	Scatter in data locally
TE-103-AW-40	7/13/88	90	CASS	S	Scatter in data locally
TE-103-AW-40	7/14/88	80	CASS	S	Scatter in data locally
TE-103-AW-40	7/15/88	91	CASS	S	Scatter in data locally
TE-103-AW-40	7/16/88	80	CASS	S	Scatter in data locally
TE-103-AW-40	7/17/88	81	CASS	S	Scatter in data locally
TE-103-AW-40	7/18/88	91	CASS	S	Scatter in data locally
TE-103-AW-40	7/19/88	91	CASS	S	Scatter in data locally
TE-103-AW-40	7/20/88	81	CASS	S	Scatter in data locally
TE-103-AW-40	7/21/88	81	CASS	S	Scatter in data locally
TE-103-AW-40	7/22/88	91	CASS	S	Scatter in data locally
TE-103-AW-40	7/23/88	91	CASS	S	Scatter in data locally
TE-103-AW-40	7/24/88	81	CASS	S	Scatter in data locally
TE-103-AW-40	7/25/88	91	CASS	S	Scatter in data locally
TE-103-AW-40	7/26/88	81	CASS	S	Scatter in data locally
TE-103-AW-40	7/27/88	92	CASS	S	Scatter in data locally
TE-103-AW-40	7/28/88	81	CASS	S	Scatter in data locally
TE-103-AW-40	7/29/88	81	CASS	S	Scatter in data locally
TE-103-AW-40	7/30/88	82	CASS	S	Scatter in data locally
TE-103-AW-40	7/31/88	82	CASS	S	Scatter in data locally
TE-103-AW-40	8/1/88	82	CASS	S	Scatter in data locally
TE-103-AW-40	8/2/88	89	CASS	S	Scatter in data locally
TE-103-AW-40	8/3/88	82	CASS	S	Scatter in data locally
TE-103-AW-40	8/4/88	82	CASS	S	Scatter in data locally
TE-103-AW-40	8/5/88	82	CASS	S	Scatter in data locally
TE-103-AW-40	8/6/88	82	CASS	S	Scatter in data locally
TE-103-AW-40	8/8/88	82	CASS	S	Scatter in data locally
TE-103-AW-40	8/9/88	92	CASS	S	Scatter in data locally
TE-103-AW-40	8/10/88	82	CASS	S	Scatter in data locally
TE-103-AW-40	8/11/88	82	CASS	S	Scatter in data locally
TE-103-AW-40	8/12/88	92	CASS	S	Scatter in data locally
TE-103-AW-40	8/13/88	82	CASS	S	Scatter in data locally
TE-103-AW-40	8/14/88	82	CASS	S	Scatter in data locally
TE-103-AW-40	8/15/88	92	CASS	S	Scatter in data locally
TE-103-AW-40	8/16/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	8/17/88	92	CASS	S	Scatter in data locally
TE-103-AW-40	8/18/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	8/19/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	8/20/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	8/21/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	8/22/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	8/23/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	8/24/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	8/25/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	8/26/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	8/27/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	8/28/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	8/29/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	8/30/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	8/31/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	9/1/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	9/2/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	9/3/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	9/4/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	9/5/88	93	CASS	S	Scatter in data locally
TE-103-AW-40	9/6/88	84	CASS	S	Scatter in data locally
TE-103-AW-40	9/7/88	92	CASS	S	Scatter in data locally
TE-103-AW-40	9/8/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	9/9/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	9/10/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	9/12/88	83	CASS	S	Scatter in data locally
TE-103-AW-40	9/13/88	84	CASS	S	Scatter in data locally
TE-103-AW-40	9/14/88	84	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-40	9/15/88	84	CASS	S	Scatter in data locally
TE-103-AW-40	9/16/88	84	CASS	S	Scatter in data locally
TE-103-AW-40	9/17/88	84	CASS	S	Scatter in data locally
TE-103-AW-40	9/18/88	84	CASS	S	Scatter in data locally
TE-103-AW-40	9/19/88	84	CASS	S	Scatter in data locally
TE-103-AW-40	9/20/88	84	CASS	S	Scatter in data locally
TE-103-AW-40	9/21/88	84	CASS	S	Scatter in data locally
TE-103-AW-40	9/22/88	90	CASS	S	Scatter in data locally
TE-103-AW-40	9/24/88	84	CASS	T	
TE-103-AW-40	9/30/88	84	CASS	T	
TE-103-AW-40	12/3/88	87	CASS	T	
TE-103-AW-40	12/10/88	87	CASS	T	
TE-103-AW-40	12/17/88	87	CASS	T	
TE-103-AW-40	12/20/88	87	CASS	T	
TE-103-AW-40	9/1/89	80	CASS	T	
TE-103-AW-40	9/9/89	80	CASS	T	
TE-103-AW-40	9/16/89	80	CASS	T	
TE-103-AW-40	9/23/89	80	CASS	T	
TE-103-AW-40	9/30/89	80	CASS	T	
TE-103-AW-40	11/4/89	79	CASS	T	
TE-103-AW-40	11/8/89	80	CASS	T	
TE-103-AW-40	11/18/89	79	CASS	T	
TE-103-AW-40	11/20/89	80	CASS	T	
TE-103-AW-40	12/2/89	79	CASS	T	
TE-103-AW-40	12/9/89	79	CASS	T	
TE-103-AW-40	12/16/89	78	CASS	T	
TE-103-AW-40	12/23/89	79	CASS	T	
TE-103-AW-40	12/30/89	79	CASS	T	
TE-103-AW-40	1/6/90	78	CASS	T	
TE-103-AW-40	1/13/90	78	CASS	T	
TE-103-AW-40	1/20/90	78	CASS	T	
TE-103-AW-40	1/23/90	78	CASS	T	
TE-103-AW-40	2/3/90	77	CASS	T	
TE-103-AW-40	2/10/90	77	CASS	T	
TE-103-AW-40	2/17/90	76	CASS	T	
TE-103-AW-40	2/24/90	78	CASS	T	
TE-103-AW-40	2/27/90	76	CASS	T	
TE-103-AW-40	3/10/90	75	CASS	T	
TE-103-AW-40	3/17/90	75	CASS	T	
TE-103-AW-40	3/21/90	75	CASS	T	
TE-103-AW-40	3/23/90	82	CASS	S	Data point did not agree with local trend
TE-103-AW-40	3/27/90	75	CASS	T	
TE-103-AW-40	4/7/90	74	CASS	T	
TE-103-AW-40	4/14/90	74	CASS	T	
TE-103-AW-40	4/21/90	74	CASS	T	
TE-103-AW-40	4/26/90	73	CASS	T	
TE-103-AW-40	5/5/90	73	CASS	T	
TE-103-AW-40	5/12/90	73	CASS	T	
TE-103-AW-40	5/19/90	73	CASS	T	
TE-103-AW-40	5/22/90	73	CASS	T	
TE-103-AW-40	6/2/90	72	CASS	T	
TE-103-AW-40	6/9/90	73	CASS	T	
TE-103-AW-40	6/16/90	73	CASS	T	
TE-103-AW-40	6/23/90	73	CASS	T	
TE-103-AW-40	6/30/90	73	CASS	T	
TE-103-AW-40	7/3/90	86	CASS	S	Data point did not agree with local trend
TE-103-AW-40	7/6/90	73	CASS	T	
TE-103-AW-40	7/14/90	73	CASS	T	
TE-103-AW-40	7/21/90	73	CASS	T	
TE-103-AW-40	7/28/90	73	CASS	T	
TE-103-AW-40	8/4/90	73	CASS	T	
TE-103-AW-40	8/11/90	73	CASS	T	
TE-103-AW-40	8/18/90	73	CASS	T	
TE-103-AW-40	8/25/90	73	CASS	T	
TE-103-AW-40	9/1/90	73	CASS	T	
TE-103-AW-40	9/8/90	73	CASS	T	
TE-103-AW-40	9/15/90	73	CASS	T	
TE-103-AW-40	9/22/90	73	CASS	T	
TE-103-AW-40	9/28/90	74	CASS	T	
TE-103-AW-40	10/4/90	74	CASS	T	
TE-103-AW-40	10/13/90	74	CASS	T	
TE-103-AW-40	10/20/90	74	CASS	T	
TE-103-AW-40	10/27/90	74	CASS	T	
TE-103-AW-40	11/3/90	74	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-40	11/9/90	84	CASS	S	Data point did not agree with local trend
TE-103-AW-40	11/10/90	74	CASS	T	
TE-103-AW-40	11/17/90	74	CASS	T	
TE-103-AW-40	11/24/90	74	CASS	T	
TE-103-AW-40	11/25/90	75	CASS	T	
TE-103-AW-40	12/8/90	82	CASS	S	Data point did not agree with local trend
TE-103-AW-40	12/8/90	74	CASS	T	
TE-103-AW-40	12/15/90	74	CASS	T	
TE-103-AW-40	12/19/90	74	CASS	T	
TE-103-AW-40	12/28/90	74	CASS	T	
TE-103-AW-40	1/5/91	73	CASS	T	
TE-103-AW-40	1/12/91	73	CASS	T	
TE-103-AW-40	1/19/91	73	CASS	T	
TE-103-AW-40	1/25/91	73	CASS	T	
TE-103-AW-40	2/2/91	73	CASS	T	
TE-103-AW-40	2/5/91	73	CASS	T	
TE-103-AW-40	2/18/91	72	CASS	T	
TE-103-AW-40	2/23/91	72	CASS	T	
TE-103-AW-40	3/2/91	72	CASS	T	
TE-103-AW-40	3/9/91	72	CASS	T	
TE-103-AW-40	3/14/91	72	CASS	T	
TE-103-AW-40	3/18/91	72	CASS	T	
TE-103-AW-40	3/25/91	72	CASS	T	
TE-103-AW-40	4/8/91	71	CASS	T	
TE-103-AW-40	4/13/91	71	CASS	T	
TE-103-AW-40	4/20/91	71	CASS	T	
TE-103-AW-40	4/27/91	71	CASS	T	
TE-103-AW-40	5/4/91	71	CASS	T	
TE-103-AW-40	5/7/91	71	CASS	T	
TE-103-AW-40	5/12/91	71	CASS	T	
TE-103-AW-40	5/25/91	70	CASS	T	
TE-103-AW-40	5/31/91	70	CASS	T	
TE-103-AW-40	6/8/91	70	CASS	T	
TE-103-AW-40	6/15/91	70	CASS	T	
TE-103-AW-40	6/21/91	70	CASS	T	
TE-103-AW-40	6/25/91	70	CASS	T	
TE-103-AW-40	2/3/92	70	SACS	T	
TE-103-AW-40	2/10/92	71	SACS	T	
TE-103-AW-40	2/17/92	69	SACS	T	
TE-103-AW-40	2/24/92	69	SACS	T	
TE-103-AW-40	3/2/92	69	SACS	T	
TE-103-AW-40	3/9/92	68	SACS	T	
TE-103-AW-40	3/18/92	69	SACS	T	
TE-103-AW-40	3/23/92	68	SACS	T	
TE-103-AW-40	3/30/92	68	SACS	T	
TE-103-AW-40	4/6/92	75	SACS	T	
TE-103-AW-40	4/13/92	74	SACS	T	
TE-103-AW-40	4/20/92	73	SACS	T	
TE-103-AW-40	4/27/92	67	SACS	T	
TE-103-AW-40	5/4/92	67	SACS	T	
TE-103-AW-40	5/11/92	67	SACS	T	
TE-103-AW-40	5/18/92	67	SACS	T	
TE-103-AW-40	5/25/92	66	SACS	T	
TE-103-AW-40	6/1/92	67	SACS	T	
TE-103-AW-40	6/15/92	67	SACS	T	
TE-103-AW-40	6/22/92	66	SACS	T	
TE-103-AW-40	7/6/92	67	SACS	T	
TE-103-AW-40	7/13/92	67	SACS	T	
TE-103-AW-40	7/20/92	67	SACS	T	
TE-103-AW-40	7/27/92	67	SACS	T	
TE-103-AW-40	8/3/92	67	SACS	T	
TE-103-AW-40	8/10/92	67	SACS	T	
TE-103-AW-40	8/17/92	68	SACS	T	
TE-103-AW-40	8/24/92	68	SACS	T	
TE-103-AW-40	8/31/92	68	SACS	T	
TE-103-AW-40	9/7/92	69	SACS	T	
TE-103-AW-40	9/14/92	69	SACS	T	
TE-103-AW-40	9/21/92	68	SACS	T	
TE-103-AW-40	9/28/92	68	SACS	T	
TE-103-AW-40	1/4/93	69	SACS	T	
TE-103-AW-40	1/11/93	70	SACS	T	
TE-103-AW-40	1/18/93	69	SACS	T	
TE-103-AW-40	3/1/93	70	SACS	T	
TE-103-AW-40	3/8/93	68	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-40	3/17/93	68	SACS	T	
TE-103-AW-40	3/22/93	68	SACS	T	
TE-103-AW-40	3/29/93	69	SACS	T	
TE-103-AW-40	4/6/93	68	SACS	T	
TE-103-AW-40	4/12/93	67	SACS	T	
TE-103-AW-40	4/18/93	66	SACS	T	
TE-103-AW-40	4/26/93	65	SACS	T	
TE-103-AW-40	5/3/93	67	SACS	T	
TE-103-AW-40	5/10/93	64	SACS	T	
TE-103-AW-40	5/17/93	66	SACS	T	
TE-103-AW-40	5/24/93	66	SACS	T	
TE-103-AW-40	5/31/93	66	SACS	T	
TE-103-AW-40	6/7/93	66	SACS	T	
TE-103-AW-40	6/14/93	65	SACS	T	
TE-103-AW-40	6/21/93	64	SACS	T	
TE-103-AW-40	6/22/93	64	SACS	S	Data point did not agree with local trend
TE-103-AW-40	6/28/93	64	SACS	T	
TE-103-AW-40	8/2/93	66	SACS	T	
TE-103-AW-40	8/9/93	66	SACS	T	
TE-103-AW-40	8/16/93	67	SACS	T	
TE-103-AW-40	8/23/93	68	SACS	T	
TE-103-AW-40	8/30/93	67	SACS	T	
TE-103-AW-40	9/13/93	67	SACS	T	
TE-103-AW-40	9/21/93	67	SACS	T	
TE-103-AW-40	9/27/93	67	SACS	T	
TE-103-AW-40	10/11/93	69	SACS	T	
TE-103-AW-40	10/19/93	67	SACS	T	
TE-103-AW-40	10/26/93	68	SACS	T	
TE-103-AW-40	11/1/93	68	SACS	T	
TE-103-AW-40	11/8/93	69	SACS	T	
TE-103-AW-40	11/15/93	68	SACS	T	
TE-103-AW-40	11/22/93	68	SACS	T	
TE-103-AW-40	11/26/93	33	SACS	S	Data point did not agree with local trend
TE-103-AW-40	11/29/93	75	SACS	T	
TE-103-AW-40	12/6/93	81	SACS	S	Data point did not agree with local trend
TE-103-AW-40	12/17/93	69	SACS	T	
TE-103-AW-40	12/20/93	69	SACS	T	
TE-103-AW-40	12/27/93	69	SACS	T	
TE-103-AW-40	1/5/94	69	SACS	T	
TE-103-AW-40	1/24/94	69	SACS	T	
TE-103-AW-40	1/31/94	68	SACS	T	
TE-103-AW-40	2/7/94	68	SACS	G	
TE-103-AW-40	2/21/94	67	SACS	G	
TE-103-AW-40	2/28/94	68	SACS	T	
TE-103-AW-40	3/7/94	67	SACS	T	
TE-103-AW-40	3/14/94	67	SACS	G	
TE-103-AW-40	3/21/94	67	SACS	G	
TE-103-AW-40	3/28/94	66	SACS	G	
TE-103-AW-40	4/5/94	66	SACS	G	
TE-103-AW-40	4/11/94	66	SACS	G	
TE-103-AW-40	4/18/94	66	SACS	G	
TE-103-AW-40	4/25/94	67	SACS	G	
TE-103-AW-40	5/2/94	66	SACS	G	
TE-103-AW-40	5/9/94	65	SACS	G	
TE-103-AW-40	5/16/94	65	SACS	G	
TE-103-AW-40	5/31/94	66	SACS	G	
TE-103-AW-40	6/6/94	66	SACS	G	
TE-103-AW-40	6/13/94	66	SACS	G	
TE-103-AW-40	6/20/94	66	SACS	G	
TE-103-AW-40	6/27/94	66	SACS	G	
TE-103-AW-40	7/4/94	66	SACS	G	
TE-103-AW-40	7/18/94	66	SACS	G	
TE-103-AW-40	7/25/94	66	SACS	G	
TE-103-AW-40	8/1/94	66	SACS	G	
TE-103-AW-40	8/8/94	67	SACS	G	
TE-103-AW-40	8/15/94	67	SACS	G	
TE-103-AW-40	8/22/94	66	SACS	G	
TE-103-AW-40	9/7/94	67	SACS	G	
TE-103-AW-40	9/12/94	67	SACS	G	
TE-103-AW-40	10/10/94	67	SACS	G	
TE-103-AW-40	10/17/94	69	SACS	G	
TE-103-AW-40	10/24/94	68	SACS	G	
TE-103-AW-40	10/31/94	69	SACS	G	
TE-103-AW-40	11/7/94	69	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-40	11/14/94	69	SACS	G	
TE-103-AW-40	11/21/94	69	SACS	G	
TE-103-AW-40	11/28/94	69	SACS	G	
TE-103-AW-40	12/5/94	69	SACS	G	
TE-103-AW-40	12/12/94	70	SACS	G	
TE-103-AW-40	12/19/94	69	SACS	G	
TE-103-AW-40	12/26/94	69	SACS	G	
TE-103-AW-40	1/2/95	70	SACS	G	
TE-103-AW-40	1/8/95	68	SACS	G	
TE-103-AW-40	1/16/95	68	SACS	G	
TE-103-AW-40	1/23/95	68	SACS	G	
TE-103-AW-40	1/30/95	69	SACS	G	
TE-103-AW-40	2/6/95	68	SACS	G	
TE-103-AW-40	2/13/95	70	SACS	G	
TE-103-AW-40	2/24/95	68	SACS	G	
TE-103-AW-40	2/27/95	68	SACS	G	
TE-103-AW-40	3/6/95	68	SACS	G	
TE-103-AW-40	3/19/95	67	SACS	G	
TE-103-AW-40	3/27/95	68	SACS	G	
TE-103-AW-40	4/3/95	67	SACS	G	
TE-103-AW-40	4/10/95	67	SACS	G	
TE-103-AW-40	4/17/95	67	SACS	G	
TE-103-AW-40	4/24/95	67	SACS	G	
TE-103-AW-40	5/3/95	67	SACS	G	
TE-103-AW-40	5/8/95	67	SACS	G	
TE-103-AW-40	5/15/95	66	SACS	G	
TE-103-AW-40	5/22/95	66	SACS	G	
TE-103-AW-40	5/30/95	66	SACS	G	
TE-103-AW-40	6/5/95	67	SACS	G	
TE-103-AW-40	6/13/95	67	SACS	G	
TE-103-AW-40	6/19/95	67	SACS	G	
TE-103-AW-40	6/26/95	67	SACS	G	
TE-103-AW-41	7/16/83	76	CASS	T	
TE-103-AW-41	7/23/83	76	CASS	T	
TE-103-AW-41	7/30/83	76	CASS	T	
TE-103-AW-41	8/5/83	79	CASS	T	
TE-103-AW-41	8/7/83	81	CASS	T	
TE-103-AW-41	8/19/83	78	CASS	T	
TE-103-AW-41	8/25/83	86	CASS	T	
TE-103-AW-41	8/29/83	91	CASS	T	
TE-103-AW-41	9/10/83	88	CASS	T	
TE-103-AW-41	9/14/83	86	CASS	T	
TE-103-AW-41	9/21/83	85	CASS	T	
TE-103-AW-41	9/28/83	86	CASS	T	
TE-103-AW-41	10/2/83	80	CASS	T	
TE-103-AW-41	10/13/83	79	CASS	T	
TE-103-AW-41	10/17/83	82	CASS	T	
TE-103-AW-41	3/10/84	88	CASS	T	
TE-103-AW-41	3/17/84	90	CASS	T	
TE-103-AW-41	3/24/84	91	CASS	T	
TE-103-AW-41	3/28/84	90	CASS	T	
TE-103-AW-41	4/2/84	89	CASS	T	
TE-103-AW-41	4/14/84	88	CASS	T	
TE-103-AW-41	4/21/84	89	CASS	T	
TE-103-AW-41	4/28/84	91	CASS	T	
TE-103-AW-41	5/1/84	92	CASS	T	
TE-103-AW-41	5/7/84	91	CASS	T	
TE-103-AW-41	5/18/84	90	CASS	T	
TE-103-AW-41	5/28/84	91	CASS	T	
TE-103-AW-41	6/2/84	91	CASS	T	
TE-103-AW-41	6/7/84	92	CASS	T	
TE-103-AW-41	6/23/84	91	CASS	T	
TE-103-AW-41	6/29/84	92	CASS	T	
TE-103-AW-41	7/7/84	93	CASS	T	
TE-103-AW-41	7/9/84	93	CASS	T	
TE-103-AW-41	7/16/84	92	CASS	T	
TE-103-AW-41	7/23/84	91	CASS	T	
TE-103-AW-41	7/31/84	90	CASS	T	
TE-103-AW-41	8/11/84	89	CASS	T	
TE-103-AW-41	8/13/84	89	CASS	T	
TE-103-AW-41	8/25/84	88	CASS	T	
TE-103-AW-41	8/26/84	88	CASS	T	
TE-103-AW-41	9/8/84	87	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-41	9/15/84	86	CASS	T	
TE-103-AW-41	9/22/84	86	CASS	T	
TE-103-AW-41	9/23/84	86	CASS	T	
TE-103-AW-41	10/3/84	85	CASS	T	
TE-103-AW-41	10/13/84	84	CASS	T	
TE-103-AW-41	10/14/84	84	CASS	T	
TE-103-AW-41	10/25/84	83	CASS	T	
TE-103-AW-41	10/30/84	82	CASS	T	
TE-103-AW-41	11/4/84	79	CASS	T	
TE-103-AW-41	11/14/84	76	CASS	T	
TE-103-AW-41	11/22/84	74	CASS	T	
TE-103-AW-41	11/25/84	73	CASS	T	
TE-103-AW-41	12/5/84	71	CASS	T	
TE-103-AW-41	12/10/84	70	CASS	T	
TE-103-AW-41	12/22/84	67	CASS	T	
TE-103-AW-41	12/27/84	67	CASS	T	
TE-103-AW-41	12/31/84	66	CASS	T	
TE-103-AW-41	1/10/85	72	CASS	T	
TE-103-AW-41	1/19/85	75	CASS	T	
TE-103-AW-41	1/20/85	81	CASS	T	
TE-103-AW-41	2/1/85	85	CASS	T	
TE-103-AW-41	2/6/85	86	CASS	T	
TE-103-AW-41	2/16/85	87	CASS	T	
TE-103-AW-41	2/17/85	87	CASS	T	
TE-103-AW-41	3/1/85	85	CASS	T	
TE-103-AW-41	3/9/85	85	CASS	T	
TE-103-AW-41	3/16/85	86	CASS	T	
TE-103-AW-41	3/23/85	87	CASS	T	
TE-103-AW-41	3/30/85	87	CASS	T	
TE-103-AW-41	4/4/85	87	CASS	T	
TE-103-AW-41	4/13/85	90	CASS	T	
TE-103-AW-41	4/16/85	90	CASS	T	
TE-103-AW-41	4/27/85	90	CASS	T	
TE-103-AW-41	5/4/85	91	CASS	T	
TE-103-AW-41	5/9/85	90	CASS	T	
TE-103-AW-41	5/18/85	88	CASS	T	
TE-103-AW-41	5/25/85	89	CASS	T	
TE-103-AW-41	6/1/85	90	CASS	T	
TE-103-AW-41	6/6/85	89	CASS	T	
TE-103-AW-41	6/15/85	89	CASS	T	
TE-103-AW-41	6/19/85	89	CASS	T	
TE-103-AW-41	11/1/85	81	CASS	T	
TE-103-AW-41	12/1/85	77	CASS	T	
TE-103-AW-41	1/4/86	79	CASS	T	
TE-103-AW-41	1/7/86	79	CASS	T	
TE-103-AW-41	1/17/86	80	CASS	T	
TE-103-AW-41	1/20/86	83	CASS	T	
TE-103-AW-41	1/26/86	82	CASS	T	
TE-103-AW-41	2/8/86	81	CASS	T	
TE-103-AW-41	2/15/86	85	CASS	T	
TE-103-AW-41	2/18/86	85	CASS	T	
TE-103-AW-41	2/28/86	85	CASS	T	
TE-103-AW-41	3/5/86	86	CASS	T	
TE-103-AW-41	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-103-AW-41	9/17/86	93	CASS	T	
TE-103-AW-41	10/11/86	89	CASS	T	
TE-103-AW-41	10/18/86	89	CASS	T	
TE-103-AW-41	10/20/86	89	CASS	T	
TE-103-AW-41	11/1/86	88	CASS	T	
TE-103-AW-41	11/3/86	88	CASS	T	
TE-103-AW-41	11/9/86	87	CASS	T	
TE-103-AW-41	11/22/86	86	CASS	T	
TE-103-AW-41	11/24/86	86	CASS	T	
TE-103-AW-41	12/1/86	85	CASS	T	
TE-103-AW-41	12/10/86	84	CASS	T	
TE-103-AW-41	12/20/86	83	CASS	T	
TE-103-AW-41	12/27/86	82	CASS	T	
TE-103-AW-41	12/30/86	82	CASS	T	
TE-103-AW-41	7/4/87	74	CASS	T	
TE-103-AW-41	7/11/87	74	CASS	T	
TE-103-AW-41	7/18/87	74	CASS	T	
TE-103-AW-41	7/25/87	74	CASS	T	
TE-103-AW-41	8/1/87	76	CASS	T	
TE-103-AW-41	8/8/87	79	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-41	8/15/87	81	CASS	T	
TE-103-AW-41	8/19/87	81	CASS	T	
TE-103-AW-41	8/29/87	82	CASS	T	
TE-103-AW-41	9/5/87	83	CASS	T	
TE-103-AW-41	8/11/87	83	CASS	T	
TE-103-AW-41	11/26/87	81	CASS	T	
TE-103-AW-41	11/30/87	91	CASS	T	
TE-103-AW-41	3/26/88	78	CASS	T	
TE-103-AW-41	3/31/88	78	CASS	T	
TE-103-AW-41	6/1/88	75	CASS	S	Scatter in data locally
TE-103-AW-41	6/2/88	75	CASS	S	Scatter in data locally
TE-103-AW-41	6/4/88	75	CASS	S	Scatter in data locally
TE-103-AW-41	6/5/88	92	CASS	S	Scatter in data locally
TE-103-AW-41	6/6/88	75	CASS	S	Scatter in data locally
TE-103-AW-41	6/7/88	92	CASS	S	Scatter in data locally
TE-103-AW-41	6/8/88	75	CASS	S	Scatter in data locally
TE-103-AW-41	6/9/88	75	CASS	S	Scatter in data locally
TE-103-AW-41	6/10/88	75	CASS	S	Scatter in data locally
TE-103-AW-41	6/11/88	76	CASS	S	Scatter in data locally
TE-103-AW-41	6/12/88	77	CASS	S	Scatter in data locally
TE-103-AW-41	6/13/88	92	CASS	S	Scatter in data locally
TE-103-AW-41	6/14/88	77	CASS	S	Scatter in data locally
TE-103-AW-41	6/15/88	78	CASS	S	Scatter in data locally
TE-103-AW-41	6/16/88	92	CASS	S	Scatter in data locally
TE-103-AW-41	6/17/88	91	CASS	S	Scatter in data locally
TE-103-AW-41	6/18/88	78	CASS	S	Scatter in data locally
TE-103-AW-41	6/19/88	92	CASS	S	Scatter in data locally
TE-103-AW-41	6/20/88	92	CASS	S	Scatter in data locally
TE-103-AW-41	6/21/88	92	CASS	S	Scatter in data locally
TE-103-AW-41	6/22/88	92	CASS	S	Scatter in data locally
TE-103-AW-41	6/23/88	92	CASS	S	Scatter in data locally
TE-103-AW-41	6/24/88	92	CASS	S	Scatter in data locally
TE-103-AW-41	6/25/88	80	CASS	S	Scatter in data locally
TE-103-AW-41	6/26/88	93	CASS	S	Scatter in data locally
TE-103-AW-41	6/27/88	93	CASS	S	Scatter in data locally
TE-103-AW-41	6/28/88	93	CASS	S	Scatter in data locally
TE-103-AW-41	6/29/88	81	CASS	S	Scatter in data locally
TE-103-AW-41	6/30/88	93	CASS	S	Scatter in data locally
TE-103-AW-41	7/1/88	93	CASS	S	Scatter in data locally
TE-103-AW-41	7/2/88	93	CASS	S	Scatter in data locally
TE-103-AW-41	7/3/88	82	CASS	S	Scatter in data locally
TE-103-AW-41	7/4/88	82	CASS	S	Scatter in data locally
TE-103-AW-41	7/5/88	93	CASS	S	Scatter in data locally
TE-103-AW-41	7/6/88	93	CASS	S	Scatter in data locally
TE-103-AW-41	7/7/88	82	CASS	S	Scatter in data locally
TE-103-AW-41	7/8/88	83	CASS	S	Scatter in data locally
TE-103-AW-41	7/9/88	83	CASS	S	Scatter in data locally
TE-103-AW-41	7/10/88	92	CASS	S	Scatter in data locally
TE-103-AW-41	7/11/88	83	CASS	S	Scatter in data locally
TE-103-AW-41	7/12/88	83	CASS	S	Scatter in data locally
TE-103-AW-41	7/13/88	93	CASS	S	Scatter in data locally
TE-103-AW-41	7/14/88	93	CASS	S	Scatter in data locally
TE-103-AW-41	7/15/88	83	CASS	S	Scatter in data locally
TE-103-AW-41	7/16/88	83	CASS	S	Scatter in data locally
TE-103-AW-41	7/17/88	93	CASS	S	Scatter in data locally
TE-103-AW-41	7/18/88	84	CASS	S	Scatter in data locally
TE-103-AW-41	7/19/88	93	CASS	S	Scatter in data locally
TE-103-AW-41	7/20/88	84	CASS	S	Scatter in data locally
TE-103-AW-41	7/21/88	84	CASS	S	Scatter in data locally
TE-103-AW-41	7/22/88	84	CASS	S	Scatter in data locally
TE-103-AW-41	7/23/88	84	CASS	S	Scatter in data locally
TE-103-AW-41	7/24/88	84	CASS	S	Scatter in data locally
TE-103-AW-41	7/25/88	84	CASS	S	Scatter in data locally
TE-103-AW-41	7/26/88	92	CASS	S	Scatter in data locally
TE-103-AW-41	7/27/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	7/28/88	84	CASS	S	Scatter in data locally
TE-103-AW-41	7/29/88	84	CASS	S	Scatter in data locally
TE-103-AW-41	7/30/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	7/31/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/1/88	84	CASS	S	Scatter in data locally
TE-103-AW-41	8/2/88	91	CASS	S	Scatter in data locally
TE-103-AW-41	8/3/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/4/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	8/5/88	85	CASS	S	Scatter in data locally

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-41	8/6/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/8/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	8/9/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/10/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	8/11/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/12/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/13/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/14/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	8/15/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/16/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	8/17/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/18/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/19/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/20/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/21/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/22/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/23/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/24/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/25/88	93	CASS	S	Scatter in data locally
TE-103-AW-41	8/26/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/27/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/28/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	8/29/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	8/30/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	8/31/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	9/1/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	9/2/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	9/3/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	9/4/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	9/5/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	9/6/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	9/7/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	9/8/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	9/9/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	9/10/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	9/12/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	9/13/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	9/14/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	9/15/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	9/16/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	9/17/88	85	CASS	S	Scatter in data locally
TE-103-AW-41	9/18/88	86	CASS	S	Scatter in data locally
TE-103-AW-41	9/19/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	9/20/88	86	CASS	S	Scatter in data locally
TE-103-AW-41	9/21/88	86	CASS	S	Scatter in data locally
TE-103-AW-41	9/22/88	94	CASS	S	Scatter in data locally
TE-103-AW-41	9/24/88	86	CASS	T	
TE-103-AW-41	9/30/88	86	CASS	T	
TE-103-AW-41	12/3/88	88	CASS	T	
TE-103-AW-41	12/10/88	88	CASS	T	
TE-103-AW-41	12/17/88	88	CASS	T	
TE-103-AW-41	12/20/88	88	CASS	T	
TE-103-AW-41	7/10/89	88	SACS	S	Disagreement between CASS and SACS
TE-103-AW-41	7/17/89	78	SACS	T	
TE-103-AW-41	7/24/89	80	SACS	T	
TE-103-AW-41	8/7/89	76	SACS	T	
TE-103-AW-41	8/14/89	74	SACS	T	
TE-103-AW-41	8/21/89	82	SACS	T	
TE-103-AW-41	8/28/89	80	SACS	T	
TE-103-AW-41	9/4/89	79	SACS	T	
TE-103-AW-41	9/11/89	79	SACS	T	
TE-103-AW-41	9/18/89	79	SACS	T	
TE-103-AW-41	9/26/89	86	SACS	S	Data point did not agree with local trend
TE-103-AW-41	9/30/89	78	CASS	T	
TE-103-AW-41	10/1/89	80	SACS	S	Data point did not agree with local trend
TE-103-AW-41	10/16/89	80	SACS	T	
TE-103-AW-41	10/24/89	80	SACS	T	
TE-103-AW-41	10/30/89	82	SACS	T	
TE-103-AW-41	11/7/89	79	SACS	T	
TE-103-AW-41	11/13/89	81	SACS	T	
TE-103-AW-41	11/20/89	79	SACS	T	
TE-103-AW-41	11/27/89	81	SACS	T	
TE-103-AW-41	12/4/89	79	SACS	T	
TE-103-AW-41	12/11/89	55	SACS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-41	12/16/89	77	CASS	T	
TE-103-AW-41	12/18/89	78	SACS	T	
TE-103-AW-41	12/26/89	79	SACS	T	
TE-103-AW-41	1/2/90	80	SACS	T	
TE-103-AW-41	1/11/90	76	CASS	T	
TE-103-AW-41	1/15/90	79	SACS	T	
TE-103-AW-41	1/22/90	79	SACS	T	
TE-103-AW-41	1/29/90	78	SACS	T	
TE-103-AW-41	2/5/90	78	SACS	T	
TE-103-AW-41	2/12/90	78	SACS	T	
TE-103-AW-41	2/19/90	78	SACS	T	
TE-103-AW-41	2/26/90	78	SACS	T	
TE-103-AW-41	3/5/90	78	SACS	T	
TE-103-AW-41	3/12/90	78	SACS	T	
TE-103-AW-41	3/19/90	78	SACS	T	
TE-103-AW-41	3/23/90	86	CASS	S	Data point did not agree with local trend
TE-103-AW-41	3/26/90	75	SACS	T	
TE-103-AW-41	4/2/90	54	SACS	S	Data point did not agree with local trend
TE-103-AW-41	4/4/90	72	CASS	T	
TE-103-AW-41	4/8/90	54	SACS	S	Data point did not agree with local trend
TE-103-AW-41	4/14/90	71	CASS	T	
TE-103-AW-41	4/16/90	73	SACS	T	
TE-103-AW-41	4/23/90	74	SACS	T	
TE-103-AW-41	4/30/90	74	SACS	T	
TE-103-AW-41	5/7/90	74	SACS	T	
TE-103-AW-41	5/18/90	71	CASS	T	
TE-103-AW-41	5/21/90	72	SACS	T	
TE-103-AW-41	5/28/90	74	SACS	T	
TE-103-AW-41	6/4/90	72	SACS	T	
TE-103-AW-41	6/11/90	77	SACS	T	
TE-103-AW-41	6/19/90	72	SACS	T	
TE-103-AW-41	6/25/90	72	SACS	T	
TE-103-AW-41	7/2/90	84	SACS	S	Data point did not agree with local trend
TE-103-AW-41	7/3/90	88	CASS	S	Data point did not agree with local trend
TE-103-AW-41	7/7/90	71	CASS	T	
TE-103-AW-41	7/12/90	72	CASS	T	
TE-103-AW-41	7/21/90	72	CASS	T	
TE-103-AW-41	7/28/90	72	CASS	T	
TE-103-AW-41	8/4/90	72	CASS	T	
TE-103-AW-41	8/11/90	72	CASS	T	
TE-103-AW-41	8/18/90	72	CASS	T	
TE-103-AW-41	8/20/90	81	SACS	T	
TE-103-AW-41	9/1/90	72	CASS	T	
TE-103-AW-41	9/8/90	73	CASS	T	
TE-103-AW-41	9/15/90	73	CASS	T	
TE-103-AW-41	9/22/90	73	CASS	T	
TE-103-AW-41	9/24/90	83	SACS	T	
TE-103-AW-41	10/6/90	73	CASS	T	
TE-103-AW-41	10/8/90	75	SACS	T	
TE-103-AW-41	10/15/90	74	SACS	T	
TE-103-AW-41	10/22/90	74	SACS	T	
TE-103-AW-41	10/28/90	74	CASS	T	
TE-103-AW-41	10/29/90	80	SACS	S	Data point did not agree with local trend
TE-103-AW-41	11/5/90	75	SACS	T	
TE-103-AW-41	11/9/90	88	CASS	S	Data point did not agree with local trend
TE-103-AW-41	11/12/90	75	SACS	T	
TE-103-AW-41	11/19/90	75	SACS	T	
TE-103-AW-41	12/1/90	73	CASS	T	
TE-103-AW-41	12/3/90	75	SACS	T	
TE-103-AW-41	12/6/90	86	CASS	S	Data point did not agree with local trend
TE-103-AW-41	12/10/90	74	SACS	T	
TE-103-AW-41	12/17/90	74	SACS	T	
TE-103-AW-41	12/23/90	75	SACS	T	
TE-103-AW-41	12/31/90	76	SACS	T	
TE-103-AW-41	1/7/91	75	SACS	T	
TE-103-AW-41	1/14/91	73	SACS	T	
TE-103-AW-41	1/21/91	74	SACS	T	
TE-103-AW-41	1/28/91	74	SACS	T	
TE-103-AW-41	2/9/91	71	CASS	T	
TE-103-AW-41	2/11/91	73	SACS	T	
TE-103-AW-41	2/18/91	73	SACS	T	
TE-103-AW-41	2/25/91	72	SACS	T	
TE-103-AW-41	3/4/91	72	SACS	T	
TE-103-AW-41	3/11/91	72	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-41	3/18/91	71	SACS	T	
TE-103-AW-41	3/25/91	72	SACS	T	
TE-103-AW-41	4/1/91	72	SACS	T	
TE-103-AW-41	4/8/91	71	SACS	T	
TE-103-AW-41	4/15/91	71	SACS	T	
TE-103-AW-41	4/22/91	70	SACS	T	
TE-103-AW-41	4/29/91	70	SACS	T	
TE-103-AW-41	5/6/91	70	SACS	T	
TE-103-AW-41	5/13/91	70	SACS	T	
TE-103-AW-41	5/20/91	70	SACS	T	
TE-103-AW-41	5/27/91	70	SACS	T	
TE-103-AW-41	6/3/91	70	SACS	T	
TE-103-AW-41	6/10/91	70	SACS	T	
TE-103-AW-41	6/21/91	69	CASS	T	
TE-103-AW-41	6/25/91	69	CASS	T	
TE-103-AW-41	7/1/91	68	SACS	T	
TE-103-AW-41	7/8/91	68	SACS	T	
TE-103-AW-41	7/15/91	70	SACS	T	
TE-103-AW-41	7/22/91	68	SACS	T	
TE-103-AW-41	7/29/91	69	SACS	T	
TE-103-AW-41	8/4/91	69	SACS	T	
TE-103-AW-41	8/19/91	69	SACS	T	
TE-103-AW-41	8/26/91	69	SACS	T	
TE-103-AW-41	9/2/91	69	SACS	T	
TE-103-AW-41	9/9/91	70	SACS	T	
TE-103-AW-41	9/16/91	70	SACS	T	
TE-103-AW-41	9/23/91	71	SACS	T	
TE-103-AW-41	9/30/91	71	SACS	T	
TE-103-AW-41	10/7/91	70	SACS	T	
TE-103-AW-41	10/14/91	72	SACS	T	
TE-103-AW-41	10/21/91	72	SACS	T	
TE-103-AW-41	10/28/91	72	SACS	T	
TE-103-AW-41	11/5/91	72	SACS	T	
TE-103-AW-41	11/11/91	72	SACS	T	
TE-103-AW-41	11/18/91	72	SACS	T	
TE-103-AW-41	11/25/91	72	SACS	T	
TE-103-AW-41	12/2/91	72	SACS	T	
TE-103-AW-41	12/9/91	72	SACS	T	
TE-103-AW-41	12/16/91	72	SACS	T	
TE-103-AW-41	12/23/91	72	SACS	T	
TE-103-AW-41	12/30/91	72	SACS	T	
TE-103-AW-41	1/6/92	72	SACS	T	
TE-103-AW-41	1/13/92	72	SACS	T	
TE-103-AW-41	1/20/92	71	SACS	T	
TE-103-AW-41	1/27/92	70	SACS	T	
TE-103-AW-41	2/22/92	70	SACS	T	
TE-103-AW-41	3/3/92	69	SACS	T	
TE-103-AW-41	3/11/92	67	SACS	T	
TE-103-AW-41	6/29/92	67	SACS	T	
TE-103-AW-41	10/5/92	70	SACS	T	
TE-103-AW-41	10/12/92	69	SACS	T	
TE-103-AW-41	10/19/92	69	SACS	T	
TE-103-AW-41	10/26/92	69	SACS	T	
TE-103-AW-41	11/2/92	70	SACS	T	
TE-103-AW-41	11/9/92	71	SACS	T	
TE-103-AW-41	11/16/92	71	SACS	T	
TE-103-AW-41	11/23/92	71	SACS	T	
TE-103-AW-41	11/30/92	70	SACS	T	
TE-103-AW-41	12/7/92	70	SACS	T	
TE-103-AW-41	12/14/92	70	SACS	T	
TE-103-AW-41	12/21/92	72	SACS	T	
TE-103-AW-41	12/28/92	70	SACS	T	
TE-103-AW-41	1/25/93	69	SACS	T	
TE-103-AW-41	2/1/93	77	SACS	T	
TE-103-AW-41	2/8/93	69	SACS	T	
TE-103-AW-41	2/16/93	70	SACS	T	
TE-103-AW-42	7/16/83	76	CASS	T	
TE-103-AW-42	7/23/83	76	CASS	T	
TE-103-AW-42	7/30/83	76	CASS	T	
TE-103-AW-42	8/5/83	79	CASS	T	
TE-103-AW-42	8/7/83	81	CASS	T	
TE-103-AW-42	8/19/83	78	CASS	T	
TE-103-AW-42	8/26/83	85	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-42	8/29/83	91	CASS	T	
TE-103-AW-42	9/10/83	88	CASS	T	
TE-103-AW-42	9/12/83	86	CASS	T	
TE-103-AW-42	9/20/83	85	CASS	T	
TE-103-AW-42	9/28/83	86	CASS	T	
TE-103-AW-42	10/2/83	80	CASS	T	
TE-103-AW-42	10/13/83	79	CASS	T	
TE-103-AW-42	10/17/83	82	CASS	T	
TE-103-AW-42	3/10/84	88	CASS	T	
TE-103-AW-42	3/17/84	90	CASS	T	
TE-103-AW-42	3/24/84	91	CASS	T	
TE-103-AW-42	3/25/84	91	CASS	T	
TE-103-AW-42	4/1/84	89	CASS	T	
TE-103-AW-42	4/14/84	88	CASS	T	
TE-103-AW-42	4/21/84	90	CASS	T	
TE-103-AW-42	4/28/84	91	CASS	T	
TE-103-AW-42	5/3/84	92	CASS	T	
TE-103-AW-42	5/12/84	91	CASS	T	
TE-103-AW-42	5/14/84	91	CASS	T	
TE-103-AW-42	5/25/84	92	CASS	T	
TE-103-AW-42	5/31/84	92	CASS	T	
TE-103-AW-42	6/7/84	92	CASS	T	
TE-103-AW-42	6/23/84	91	CASS	T	
TE-103-AW-42	6/30/84	92	CASS	T	
TE-103-AW-42	7/7/84	93	CASS	T	
TE-103-AW-42	7/10/84	93	CASS	T	
TE-103-AW-42	7/18/84	92	CASS	T	
TE-103-AW-42	7/23/84	91	CASS	T	
TE-103-AW-42	8/2/84	90	CASS	T	
TE-103-AW-42	8/11/84	89	CASS	T	
TE-103-AW-42	8/14/84	89	CASS	T	
TE-103-AW-42	8/25/84	88	CASS	T	
TE-103-AW-42	8/28/84	88	CASS	T	
TE-103-AW-42	9/8/84	87	CASS	T	
TE-103-AW-42	9/12/84	87	CASS	T	
TE-103-AW-42	9/22/84	86	CASS	T	
TE-103-AW-42	9/24/84	86	CASS	T	
TE-103-AW-42	10/5/84	85	CASS	T	
TE-103-AW-42	10/13/84	84	CASS	T	
TE-103-AW-42	10/18/84	84	CASS	T	
TE-103-AW-42	10/25/84	83	CASS	T	
TE-103-AW-42	10/30/84	82	CASS	T	
TE-103-AW-42	11/4/84	79	CASS	T	
TE-103-AW-42	11/15/84	78	CASS	T	
TE-103-AW-42	11/23/84	74	CASS	T	
TE-103-AW-42	11/25/84	73	CASS	T	
TE-103-AW-42	12/8/84	71	CASS	T	
TE-103-AW-42	12/10/84	70	CASS	T	
TE-103-AW-42	12/22/84	67	CASS	T	
TE-103-AW-42	12/28/84	67	CASS	T	
TE-103-AW-42	1/1/85	66	CASS	T	
TE-103-AW-42	1/10/85	72	CASS	T	
TE-103-AW-42	1/19/85	75	CASS	T	
TE-103-AW-42	1/20/85	81	CASS	T	
TE-103-AW-42	1/28/85	85	CASS	T	
TE-103-AW-42	2/8/85	80	CASS	T	
TE-103-AW-42	2/13/85	87	CASS	T	
TE-103-AW-42	2/18/85	87	CASS	T	
TE-103-AW-42	2/28/85	86	CASS	T	
TE-103-AW-42	3/9/85	85	CASS	T	
TE-103-AW-42	3/18/85	86	CASS	T	
TE-103-AW-42	3/23/85	87	CASS	T	
TE-103-AW-42	3/30/85	87	CASS	T	
TE-103-AW-42	4/4/85	87	CASS	T	
TE-103-AW-42	4/13/85	90	CASS	T	
TE-103-AW-42	4/18/85	91	CASS	T	
TE-103-AW-42	4/27/85	90	CASS	T	
TE-103-AW-42	5/4/85	91	CASS	T	
TE-103-AW-42	5/5/85	91	CASS	T	
TE-103-AW-42	5/12/85	89	CASS	T	
TE-103-AW-42	5/25/85	89	CASS	T	
TE-103-AW-42	6/1/85	90	CASS	T	
TE-103-AW-42	6/3/85	90	CASS	T	
TE-103-AW-42	6/15/85	89	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-42	6/19/85	89	CASS	T	
TE-103-AW-42	11/1/85	81	CASS	T	
TE-103-AW-42	12/1/85	78	CASS	T	
TE-103-AW-42	1/4/86	79	CASS	T	
TE-103-AW-42	1/11/86	79	CASS	T	
TE-103-AW-42	1/17/86	81	CASS	T	
TE-103-AW-42	1/21/86	83	CASS	T	
TE-103-AW-42	1/27/86	82	CASS	T	
TE-103-AW-42	2/8/86	81	CASS	T	
TE-103-AW-42	2/15/86	85	CASS	T	
TE-103-AW-42	2/22/86	86	CASS	T	
TE-103-AW-42	3/1/86	86	CASS	T	
TE-103-AW-42	3/5/86	86	CASS	T	
TE-103-AW-42	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-103-AW-42	9/17/86	92	CASS	T	
TE-103-AW-42	9/21/86	92	CASS	T	
TE-103-AW-42	9/29/86	91	CASS	T	
TE-103-AW-42	10/1/86	90	CASS	T	
TE-103-AW-42	10/18/86	89	CASS	T	
TE-103-AW-42	10/20/86	89	CASS	T	
TE-103-AW-42	11/1/86	88	CASS	T	
TE-103-AW-42	11/4/86	88	CASS	T	
TE-103-AW-42	11/9/86	87	CASS	T	
TE-103-AW-42	11/22/86	88	CASS	T	
TE-103-AW-42	11/24/86	86	CASS	T	
TE-103-AW-42	12/2/86	85	CASS	T	
TE-103-AW-42	12/12/86	84	CASS	T	
TE-103-AW-42	12/20/86	83	CASS	T	
TE-103-AW-42	12/22/86	83	CASS	T	
TE-103-AW-42	12/30/86	82	CASS	T	
TE-103-AW-42	7/4/87	74	CASS	T	
TE-103-AW-42	7/11/87	74	CASS	T	
TE-103-AW-42	7/18/87	74	CASS	T	
TE-103-AW-42	7/25/87	74	CASS	T	
TE-103-AW-42	8/1/87	80	CASS	T	
TE-103-AW-42	8/7/87	87	CASS	T	
TE-103-AW-42	8/9/87	86	CASS	T	
TE-103-AW-42	8/16/87	83	CASS	T	
TE-103-AW-42	8/29/87	86	CASS	T	
TE-103-AW-42	9/5/87	87	CASS	T	
TE-103-AW-42	9/11/87	88	CASS	T	
TE-103-AW-42	11/28/87	78	CASS	T	
TE-103-AW-42	11/30/87	92	CASS	T	
TE-103-AW-42	3/26/88	79	CASS	T	
TE-103-AW-42	3/31/88	79	CASS	T	
TE-103-AW-42	6/4/88	73	CASS	T	
TE-103-AW-42	6/7/88	90	CASS	T	
TE-103-AW-42	6/18/88	91	CASS	T	
TE-103-AW-42	6/21/88	91	CASS	T	
TE-103-AW-42	6/30/88	91	CASS	T	
TE-103-AW-42	7/8/88	92	CASS	T	
TE-103-AW-42	7/15/88	92	CASS	T	
TE-103-AW-42	7/23/88	92	CASS	T	
TE-103-AW-42	7/29/88	93	CASS	T	
TE-103-AW-42	8/6/88	93	CASS	T	
TE-103-AW-42	8/13/88	93	CASS	T	
TE-103-AW-42	8/18/88	93	CASS	T	
TE-103-AW-42	8/27/88	93	CASS	T	
TE-103-AW-42	9/3/88	93	CASS	T	
TE-103-AW-42	9/9/88	93	CASS	T	
TE-103-AW-42	9/16/88	93	CASS	T	
TE-103-AW-42	9/24/88	89	CASS	T	
TE-103-AW-42	9/30/88	90	CASS	T	
TE-103-AW-42	12/3/88	89	CASS	T	
TE-103-AW-42	12/10/88	89	CASS	T	
TE-103-AW-42	12/17/88	89	CASS	T	
TE-103-AW-42	12/20/88	89	CASS	T	
TE-103-AW-42	9/2/89	77	CASS	T	
TE-103-AW-42	9/9/89	77	CASS	T	
TE-103-AW-42	9/16/89	77	CASS	T	
TE-103-AW-42	9/23/89	77	CASS	T	
TE-103-AW-42	9/30/89	77	CASS	T	
TE-103-AW-42	11/4/89	76	CASS	T	
TE-103-AW-42	11/11/89	76	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-42	11/18/89	76	CASS	T	
TE-103-AW-42	11/22/89	78	CASS	T	
TE-103-AW-42	12/2/89	76	CASS	T	
TE-103-AW-42	12/8/89	75	CASS	T	
TE-103-AW-42	12/16/89	74	CASS	T	
TE-103-AW-42	12/19/89	74	CASS	T	
TE-103-AW-42	12/29/89	73	CASS	T	
TE-103-AW-42	1/6/90	72	CASS	T	
TE-103-AW-42	1/10/90	72	CASS	T	
TE-103-AW-42	1/20/90	71	CASS	T	
TE-103-AW-42	1/24/90	71	CASS	T	
TE-103-AW-42	2/3/90	70	CASS	T	
TE-103-AW-42	2/10/90	70	CASS	T	
TE-103-AW-42	2/17/90	69	CASS	T	
TE-103-AW-42	2/24/90	69	CASS	T	
TE-103-AW-42	2/28/90	69	CASS	T	
TE-103-AW-42	3/9/90	69	CASS	T	
TE-103-AW-42	3/17/90	68	CASS	T	
TE-103-AW-42	3/22/90	68	CASS	T	
TE-103-AW-42	3/23/90	87	CASS	S	Data point did not agree with local trend
TE-103-AW-42	3/31/90	68	CASS	T	
TE-103-AW-42	4/7/90	68	CASS	T	
TE-103-AW-42	4/14/90	68	CASS	T	
TE-103-AW-42	4/21/90	68	CASS	T	
TE-103-AW-42	4/28/90	68	CASS	T	
TE-103-AW-42	5/5/90	68	CASS	T	
TE-103-AW-42	5/10/90	69	CASS	T	
TE-103-AW-42	5/19/90	68	CASS	T	
TE-103-AW-42	5/22/90	68	CASS	T	
TE-103-AW-42	6/2/90	69	CASS	T	
TE-103-AW-42	6/9/90	69	CASS	T	
TE-103-AW-42	6/16/90	69	CASS	T	
TE-103-AW-42	6/23/90	69	CASS	T	
TE-103-AW-42	6/30/90	70	CASS	T	
TE-103-AW-42	7/3/90	68	CASS	S	Data point did not agree with local trend
TE-103-AW-42	7/7/90	70	CASS	T	
TE-103-AW-42	7/14/90	70	CASS	T	
TE-103-AW-42	7/21/90	71	CASS	T	
TE-103-AW-42	7/28/90	71	CASS	T	
TE-103-AW-42	8/4/90	71	CASS	T	
TE-103-AW-42	8/11/90	71	CASS	T	
TE-103-AW-42	8/18/90	72	CASS	T	
TE-103-AW-42	8/25/90	72	CASS	T	
TE-103-AW-42	9/1/90	72	CASS	T	
TE-103-AW-42	9/8/90	72	CASS	T	
TE-103-AW-42	9/15/90	72	CASS	T	
TE-103-AW-42	9/22/90	73	CASS	T	
TE-103-AW-42	9/29/90	73	CASS	T	
TE-103-AW-42	10/6/90	73	CASS	T	
TE-103-AW-42	10/13/90	73	CASS	T	
TE-103-AW-42	10/20/90	73	CASS	T	
TE-103-AW-42	10/27/90	73	CASS	T	
TE-103-AW-42	11/1/90	73	CASS	T	
TE-103-AW-42	11/9/90	68	CASS	S	Data point did not agree with local trend
TE-103-AW-42	11/10/90	72	CASS	T	
TE-103-AW-42	11/17/90	72	CASS	T	
TE-103-AW-42	11/24/90	72	CASS	T	
TE-103-AW-42	11/26/90	72	CASS	T	
TE-103-AW-42	12/6/90	67	CASS	S	Data point did not agree with local trend
TE-103-AW-42	12/8/90	71	CASS	T	
TE-103-AW-42	12/11/90	71	CASS	T	
TE-103-AW-42	12/19/90	70	CASS	T	
TE-103-AW-42	12/28/90	69	CASS	T	
TE-103-AW-42	1/5/91	69	CASS	T	
TE-103-AW-42	1/12/91	69	CASS	T	
TE-103-AW-42	1/19/91	69	CASS	T	
TE-103-AW-42	1/25/91	69	CASS	T	
TE-103-AW-42	2/2/91	68	CASS	T	
TE-103-AW-42	2/9/91	68	CASS	T	
TE-103-AW-42	2/15/91	69	CASS	T	
TE-103-AW-42	2/23/91	68	CASS	T	
TE-103-AW-42	3/2/91	69	CASS	T	
TE-103-AW-42	3/9/91	68	CASS	T	
TE-103-AW-42	3/16/91	68	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-42	3/23/91	68	CASS	T	
TE-103-AW-42	3/28/91	68	CASS	T	
TE-103-AW-42	4/1/91	68	CASS	T	
TE-103-AW-42	4/13/91	67	CASS	T	
TE-103-AW-42	4/20/91	67	CASS	T	
TE-103-AW-42	4/27/91	67	CASS	T	
TE-103-AW-42	5/4/91	67	CASS	T	
TE-103-AW-42	5/11/91	67	CASS	T	
TE-103-AW-42	5/18/91	67	CASS	T	
TE-103-AW-42	5/25/91	67	CASS	T	
TE-103-AW-42	5/31/91	67	CASS	T	
TE-103-AW-42	6/7/91	68	CASS	T	
TE-103-AW-42	6/15/91	68	CASS	T	
TE-103-AW-42	6/21/91	68	CASS	T	
TE-103-AW-42	6/26/91	68	CASS	T	
TE-103-AW-42	6/28/91	98	CASS	S	Data point did not agree with local trend
TE-103-AW-42	2/3/92	67	SACS	T	
TE-103-AW-42	2/10/92	67	SACS	T	
TE-103-AW-42	2/17/92	65	SACS	T	
TE-103-AW-42	2/24/92	65	SACS	T	
TE-103-AW-42	3/2/92	65	SACS	T	
TE-103-AW-42	3/9/92	64	SACS	T	
TE-103-AW-42	3/16/92	64	SACS	T	
TE-103-AW-42	3/23/92	64	SACS	T	
TE-103-AW-42	3/30/92	64	SACS	T	
TE-103-AW-42	4/6/92	78	SACS	T	
TE-103-AW-42	4/13/92	77	SACS	T	
TE-103-AW-42	4/20/92	77	SACS	T	
TE-103-AW-42	4/27/92	63	SACS	T	
TE-103-AW-42	5/4/92	64	SACS	T	
TE-103-AW-42	5/11/92	64	SACS	T	
TE-103-AW-42	5/18/92	65	SACS	T	
TE-103-AW-42	5/25/92	64	SACS	T	
TE-103-AW-42	6/6/92	65	SACS	T	
TE-103-AW-42	6/15/92	65	SACS	T	
TE-103-AW-42	6/22/92	65	SACS	T	
TE-103-AW-42	7/6/92	66	SACS	T	
TE-103-AW-42	7/13/92	66	SACS	T	
TE-103-AW-42	7/20/92	66	SACS	T	
TE-103-AW-42	7/27/92	66	SACS	T	
TE-103-AW-42	8/3/92	66	SACS	T	
TE-103-AW-42	8/10/92	66	SACS	T	
TE-103-AW-42	8/17/92	67	SACS	T	
TE-103-AW-42	8/24/92	67	SACS	T	
TE-103-AW-42	8/31/92	67	SACS	T	
TE-103-AW-42	9/7/92	68	SACS	T	
TE-103-AW-42	9/14/92	69	SACS	T	
TE-103-AW-42	9/21/92	68	SACS	T	
TE-103-AW-42	9/28/92	68	SACS	T	
TE-103-AW-42	1/4/93	71	SACS	T	
TE-103-AW-42	1/11/93	68	SACS	T	
TE-103-AW-42	1/18/93	65	SACS	T	
TE-103-AW-42	3/1/93	64	SACS	T	
TE-103-AW-42	3/8/93	63	SACS	T	
TE-103-AW-42	3/15/93	63	SACS	T	
TE-103-AW-42	3/22/93	62	SACS	T	
TE-103-AW-42	3/29/93	63	SACS	T	
TE-103-AW-42	4/6/93	61	SACS	T	
TE-103-AW-42	4/12/93	62	SACS	T	
TE-103-AW-42	4/19/93	62	SACS	T	
TE-103-AW-42	4/26/93	61	SACS	T	
TE-103-AW-42	5/3/93	62	SACS	T	
TE-103-AW-42	5/10/93	60	SACS	T	
TE-103-AW-42	5/17/93	62	SACS	T	
TE-103-AW-42	5/24/93	63	SACS	T	
TE-103-AW-42	5/31/93	63	SACS	T	
TE-103-AW-42	6/7/93	63	SACS	T	
TE-103-AW-42	6/15/93	63	SACS	T	
TE-103-AW-42	6/21/93	62	SACS	T	
TE-103-AW-42	6/22/93	87	SACS	S	Data point did not agree with local trend
TE-103-AW-42	6/28/93	62	SACS	T	
TE-103-AW-42	8/2/93	65	SACS	T	
TE-103-AW-42	8/9/93	65	SACS	T	
TE-103-AW-42	8/18/93	66	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-42	8/23/93	68	SACS	T	
TE-103-AW-42	8/30/93	66	SACS	T	
TE-103-AW-42	9/13/93	67	SACS	T	
TE-103-AW-42	9/21/93	67	SACS	T	
TE-103-AW-42	9/27/93	67	SACS	T	
TE-103-AW-42	10/11/93	68	SACS	T	
TE-103-AW-42	10/19/93	67	SACS	T	
TE-103-AW-42	10/25/93	68	SACS	T	
TE-103-AW-42	11/1/93	67	SACS	T	
TE-103-AW-42	11/8/93	68	SACS	T	
TE-103-AW-42	11/15/93	67	SACS	T	
TE-103-AW-42	11/22/93	67	SACS	T	
TE-103-AW-42	11/26/93	35	SACS	S	Data point did not agree with local trend
TE-103-AW-42	11/29/93	77	SACS	S	Data point did not agree with local trend
TE-103-AW-42	12/6/93	78	SACS	S	Data point did not agree with local trend
TE-103-AW-42	12/17/93	68	SACS	T	
TE-103-AW-42	12/20/93	68	SACS	T	
TE-103-AW-42	12/27/93	65	SACS	T	
TE-103-AW-42	1/5/94	65	SACS	T	
TE-103-AW-42	1/24/94	64	SACS	T	
TE-103-AW-42	1/31/94	64	SACS	T	
TE-103-AW-42	2/7/94	63	SACS	G	
TE-103-AW-42	2/21/94	63	SACS	G	
TE-103-AW-42	2/28/94	63	SACS	T	
TE-103-AW-42	3/7/94	62	SACS	T	
TE-103-AW-42	3/14/94	62	SACS	G	
TE-103-AW-42	3/21/94	62	SACS	G	
TE-103-AW-42	3/28/94	62	SACS	G	
TE-103-AW-42	4/5/94	62	SACS	G	
TE-103-AW-42	4/11/94	62	SACS	G	
TE-103-AW-42	4/18/94	62	SACS	G	
TE-103-AW-42	4/25/94	63	SACS	G	
TE-103-AW-42	5/2/94	62	SACS	G	
TE-103-AW-42	5/9/94	62	SACS	G	
TE-103-AW-42	5/16/94	63	SACS	G	
TE-103-AW-42	5/31/94	63	SACS	G	
TE-103-AW-42	6/6/94	64	SACS	G	
TE-103-AW-42	6/13/94	64	SACS	G	
TE-103-AW-42	6/20/94	64	SACS	G	
TE-103-AW-42	6/27/94	64	SACS	G	
TE-103-AW-42	7/4/94	64	SACS	G	
TE-103-AW-42	7/18/94	65	SACS	G	
TE-103-AW-42	7/25/94	65	SACS	G	
TE-103-AW-42	8/1/94	65	SACS	G	
TE-103-AW-42	8/8/94	66	SACS	G	
TE-103-AW-42	8/15/94	66	SACS	G	
TE-103-AW-42	8/22/94	66	SACS	G	
TE-103-AW-42	9/7/94	66	SACS	G	
TE-103-AW-42	9/12/94	67	SACS	G	
TE-103-AW-42	10/10/94	67	SACS	G	
TE-103-AW-42	10/17/94	69	SACS	G	
TE-103-AW-42	10/24/94	68	SACS	G	
TE-103-AW-42	10/31/94	69	SACS	G	
TE-103-AW-42	11/7/94	68	SACS	G	
TE-103-AW-42	11/14/94	68	SACS	G	
TE-103-AW-42	11/21/94	68	SACS	G	
TE-103-AW-42	11/28/94	68	SACS	G	
TE-103-AW-42	12/5/94	67	SACS	G	
TE-103-AW-42	12/12/94	68	SACS	G	
TE-103-AW-42	12/19/94	67	SACS	G	
TE-103-AW-42	12/26/94	66	SACS	G	
TE-103-AW-42	1/2/95	67	SACS	G	
TE-103-AW-42	1/9/95	65	SACS	G	
TE-103-AW-42	1/16/95	65	SACS	G	
TE-103-AW-42	1/23/95	65	SACS	G	
TE-103-AW-42	1/30/95	65	SACS	G	
TE-103-AW-42	2/6/95	65	SACS	G	
TE-103-AW-42	2/13/95	66	SACS	G	
TE-103-AW-42	2/24/95	64	SACS	G	
TE-103-AW-42	2/27/95	64	SACS	G	
TE-103-AW-42	3/6/95	64	SACS	G	
TE-103-AW-42	3/19/95	63	SACS	G	
TE-103-AW-42	3/27/95	64	SACS	G	
TE-103-AW-42	4/3/95	63	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-42	4/10/95	63	SACS	G	
TE-103-AW-42	4/17/95	63	SACS	G	
TE-103-AW-42	4/24/95	63	SACS	G	
TE-103-AW-42	5/3/95	64	SACS	G	
TE-103-AW-42	5/8/95	64	SACS	G	
TE-103-AW-42	5/15/95	63	SACS	G	
TE-103-AW-42	5/22/95	63	SACS	G	
TE-103-AW-42	5/30/95	63	SACS	G	
TE-103-AW-42	6/5/95	64	SACS	G	
TE-103-AW-42	6/13/95	64	SACS	G	
TE-103-AW-42	6/19/95	64	SACS	G	
TE-103-AW-42	6/26/95	64	SACS	G	
TE-103-AW-43	7/16/83	76	CASS	T	
TE-103-AW-43	7/23/83	78	CASS	T	
TE-103-AW-43	7/30/83	78	CASS	T	
TE-103-AW-43	8/6/83	78	CASS	T	
TE-103-AW-43	8/7/83	81	CASS	T	
TE-103-AW-43	8/19/83	78	CASS	T	
TE-103-AW-43	8/26/83	85	CASS	T	
TE-103-AW-43	8/29/83	91	CASS	T	
TE-103-AW-43	9/10/83	88	CASS	T	
TE-103-AW-43	9/12/83	86	CASS	T	
TE-103-AW-43	9/22/83	84	CASS	T	
TE-103-AW-43	9/28/83	86	CASS	T	
TE-103-AW-43	10/2/83	80	CASS	T	
TE-103-AW-43	10/13/83	79	CASS	T	
TE-103-AW-43	10/17/83	82	CASS	T	
TE-103-AW-43	3/10/84	90	CASS	T	
TE-103-AW-43	3/17/84	90	CASS	T	
TE-103-AW-43	3/24/84	91	CASS	T	
TE-103-AW-43	3/25/84	91	CASS	T	
TE-103-AW-43	4/1/84	89	CASS	T	
TE-103-AW-43	4/14/84	89	CASS	T	
TE-103-AW-43	4/21/84	90	CASS	T	
TE-103-AW-43	4/28/84	91	CASS	T	
TE-103-AW-43	5/3/84	92	CASS	T	
TE-103-AW-43	5/12/84	91	CASS	T	
TE-103-AW-43	5/14/84	91	CASS	T	
TE-103-AW-43	5/25/84	92	CASS	T	
TE-103-AW-43	6/1/84	92	CASS	T	
TE-103-AW-43	6/7/84	92	CASS	T	
TE-103-AW-43	6/23/84	91	CASS	T	
TE-103-AW-43	6/30/84	92	CASS	T	
TE-103-AW-43	7/7/84	93	CASS	T	
TE-103-AW-43	7/10/84	93	CASS	T	
TE-103-AW-43	7/16/84	92	CASS	T	
TE-103-AW-43	7/24/84	91	CASS	T	
TE-103-AW-43	8/2/84	90	CASS	T	
TE-103-AW-43	8/11/84	89	CASS	T	
TE-103-AW-43	8/14/84	89	CASS	T	
TE-103-AW-43	8/19/84	89	CASS	T	
TE-103-AW-43	8/28/84	88	CASS	T	
TE-103-AW-43	9/8/84	87	CASS	T	
TE-103-AW-43	9/12/84	87	CASS	T	
TE-103-AW-43	9/22/84	86	CASS	T	
TE-103-AW-43	9/25/84	86	CASS	T	
TE-103-AW-43	10/6/84	85	CASS	T	
TE-103-AW-43	10/13/84	84	CASS	T	
TE-103-AW-43	10/16/84	84	CASS	T	
TE-103-AW-43	10/25/84	83	CASS	T	
TE-103-AW-43	10/30/84	82	CASS	T	
TE-103-AW-43	11/4/84	80	CASS	T	
TE-103-AW-43	11/15/84	78	CASS	T	
TE-103-AW-43	11/23/84	74	CASS	T	
TE-103-AW-43	11/25/84	73	CASS	T	
TE-103-AW-43	12/5/84	71	CASS	T	
TE-103-AW-43	12/10/84	70	CASS	T	
TE-103-AW-43	12/22/84	67	CASS	T	
TE-103-AW-43	12/28/84	67	CASS	T	
TE-103-AW-43	1/1/85	66	CASS	T	
TE-103-AW-43	1/10/85	72	CASS	T	
TE-103-AW-43	1/18/85	75	CASS	T	
TE-103-AW-43	1/20/85	81	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-43	1/28/85	84	CASS	T	
TE-103-AW-43	2/6/85	80	CASS	T	
TE-103-AW-43	2/15/85	86	CASS	T	
TE-103-AW-43	2/18/85	86	CASS	T	
TE-103-AW-43	2/27/85	84	CASS	T	
TE-103-AW-43	3/9/85	85	CASS	T	
TE-103-AW-43	3/11/85	87	CASS	T	
TE-103-AW-43	3/23/85	87	CASS	T	
TE-103-AW-43	3/30/85	87	CASS	T	
TE-103-AW-43	4/4/85	87	CASS	T	
TE-103-AW-43	4/13/85	80	CASS	T	
TE-103-AW-43	4/16/85	91	CASS	T	
TE-103-AW-43	4/27/85	90	CASS	T	
TE-103-AW-43	5/4/85	91	CASS	T	
TE-103-AW-43	5/9/85	90	CASS	T	
TE-103-AW-43	5/12/85	89	CASS	T	
TE-103-AW-43	5/25/85	89	CASS	T	
TE-103-AW-43	6/1/85	90	CASS	T	
TE-103-AW-43	6/4/85	90	CASS	T	
TE-103-AW-43	6/15/85	89	CASS	T	
TE-103-AW-43	6/19/85	89	CASS	T	
TE-103-AW-43	11/1/85	81	CASS	T	
TE-103-AW-43	12/1/85	78	CASS	T	
TE-103-AW-43	1/2/86	80	CASS	T	
TE-103-AW-43	1/11/86	81	CASS	T	
TE-103-AW-43	1/17/86	81	CASS	T	
TE-103-AW-43	1/21/86	83	CASS	T	
TE-103-AW-43	1/27/86	82	CASS	T	
TE-103-AW-43	2/8/86	81	CASS	T	
TE-103-AW-43	2/15/86	85	CASS	T	
TE-103-AW-43	2/22/86	87	CASS	T	
TE-103-AW-43	3/1/86	89	CASS	T	
TE-103-AW-43	3/2/86	89	CASS	T	
TE-103-AW-43	8/13/86	200	CASS	S	Data point did not agree with local trend
TE-103-AW-43	9/17/86	92	CASS	T	
TE-103-AW-43	10/11/86	90	CASS	T	
TE-103-AW-43	10/18/86	89	CASS	T	
TE-103-AW-43	10/20/86	89	CASS	T	
TE-103-AW-43	11/1/86	88	CASS	T	
TE-103-AW-43	11/4/86	88	CASS	T	
TE-103-AW-43	11/9/86	87	CASS	T	
TE-103-AW-43	11/22/86	86	CASS	T	
TE-103-AW-43	11/24/86	86	CASS	T	
TE-103-AW-43	12/2/86	85	CASS	T	
TE-103-AW-43	12/12/86	84	CASS	T	
TE-103-AW-43	12/20/86	83	CASS	T	
TE-103-AW-43	12/23/86	83	CASS	T	
TE-103-AW-43	12/30/86	82	CASS	T	
TE-103-AW-43	7/4/87	74	CASS	T	
TE-103-AW-43	7/11/87	74	CASS	T	
TE-103-AW-43	7/19/87	74	CASS	T	
TE-103-AW-43	7/25/87	75	CASS	T	
TE-103-AW-43	8/1/87	78	CASS	T	
TE-103-AW-43	8/6/87	87	CASS	T	
TE-103-AW-43	8/12/87	85	CASS	T	
TE-103-AW-43	8/22/87	85	CASS	T	
TE-103-AW-43	8/28/87	87	CASS	T	
TE-103-AW-43	9/5/87	89	CASS	T	
TE-103-AW-43	9/7/87	89	CASS	T	
TE-103-AW-43	11/28/87	78	CASS	T	
TE-103-AW-43	11/30/87	88	CASS	T	
TE-103-AW-43	3/25/88	81	CASS	T	
TE-103-AW-43	3/31/88	80	CASS	T	
TE-103-AW-43	6/4/88	91	CASS	T	
TE-103-AW-43	6/11/88	77	CASS	T	
TE-103-AW-43	8/18/88	92	CASS	T	
TE-103-AW-43	8/20/88	92	CASS	T	
TE-103-AW-43	7/2/88	94	CASS	T	
TE-103-AW-43	7/7/88	94	CASS	T	
TE-103-AW-43	7/15/88	94	CASS	T	
TE-103-AW-43	7/20/88	93	CASS	T	
TE-103-AW-43	7/30/88	94	CASS	T	
TE-103-AW-43	8/6/88	94	CASS	T	
TE-103-AW-43	8/10/88	94	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-43	8/20/88	94	CASS	T	
TE-103-AW-43	8/27/88	95	CASS	T	
TE-103-AW-43	8/31/88	95	CASS	T	
TE-103-AW-43	9/10/88	95	CASS	T	
TE-103-AW-43	9/13/88	95	CASS	T	
TE-103-AW-43	9/24/88	95	CASS	T	
TE-103-AW-43	9/26/88	95	CASS	T	
TE-103-AW-43	12/3/88	90	CASS	T	
TE-103-AW-43	12/9/88	92	CASS	T	
TE-103-AW-43	12/15/88	91	CASS	T	
TE-103-AW-43	12/20/88	90	CASS	T	
TE-103-AW-43	7/10/89	92	SACS	S	Disagreement between CASS and SACS
TE-103-AW-43	7/17/89	75	SACS	T	
TE-103-AW-43	7/24/89	78	SACS	T	
TE-103-AW-43	8/7/89	73	SACS	T	
TE-103-AW-43	8/14/89	78	SACS	T	
TE-103-AW-43	8/21/89	85	SACS	T	
TE-103-AW-43	8/28/89	77	SACS	T	
TE-103-AW-43	9/9/89	78	CASS	T	
TE-103-AW-43	9/16/89	78	CASS	T	
TE-103-AW-43	9/23/89	76	CASS	T	
TE-103-AW-43	9/30/89	76	CASS	T	
TE-103-AW-43	10/1/89	62	SACS	S	Data point did not agree with local trend
TE-103-AW-43	10/9/89	50	SACS	S	Data point did not agree with local trend
TE-103-AW-43	10/16/89	77	SACS	T	
TE-103-AW-43	10/24/89	77	SACS	T	
TE-103-AW-43	10/30/89	78	SACS	T	
TE-103-AW-43	11/9/89	75	CASS	T	
TE-103-AW-43	11/13/89	77	SACS	T	
TE-103-AW-43	11/20/89	76	SACS	T	
TE-103-AW-43	11/27/89	78	SACS	T	
TE-103-AW-43	12/4/89	74	SACS	T	
TE-103-AW-43	12/11/89	73	CASS	T	
TE-103-AW-43	12/11/89	60	SACS	S	Data point did not agree with local trend
TE-103-AW-43	12/18/89	74	SACS	T	
TE-103-AW-43	12/28/89	73	SACS	T	
TE-103-AW-43	1/2/90	73	SACS	T	
TE-103-AW-43	1/8/90	75	SACS	T	
TE-103-AW-43	1/15/90	72	SACS	T	
TE-103-AW-43	1/22/90	71	SACS	T	
TE-103-AW-43	1/29/90	71	SACS	T	
TE-103-AW-43	2/5/90	70	SACS	T	
TE-103-AW-43	2/12/90	70	SACS	T	
TE-103-AW-43	2/19/90	71	SACS	T	
TE-103-AW-43	2/26/90	69	SACS	T	
TE-103-AW-43	3/5/90	69	SACS	T	
TE-103-AW-43	3/12/90	69	SACS	T	
TE-103-AW-43	3/19/90	69	SACS	T	
TE-103-AW-43	3/23/90	66	CASS	S	Data point did not agree with local trend
TE-103-AW-43	3/26/90	68	SACS	T	
TE-103-AW-43	4/7/90	67	CASS	T	
TE-103-AW-43	4/14/90	67	CASS	T	
TE-103-AW-43	4/18/90	68	SACS	T	
TE-103-AW-43	4/23/90	68	SACS	T	
TE-103-AW-43	5/5/90	68	CASS	T	
TE-103-AW-43	5/11/90	68	CASS	T	
TE-103-AW-43	5/14/90	70	SACS	T	
TE-103-AW-43	5/22/90	68	CASS	T	
TE-103-AW-43	5/28/90	78	SACS	T	
TE-103-AW-43	6/4/90	69	SACS	T	
TE-103-AW-43	6/11/90	81	SACS	S	Data point did not agree with local trend
TE-103-AW-43	6/16/90	69	CASS	T	
TE-103-AW-43	6/23/90	69	CASS	T	
TE-103-AW-43	6/30/90	69	CASS	T	
TE-103-AW-43	7/2/90	87	SACS	S	Data point did not agree with local trend
TE-103-AW-43	7/3/90	87	CASS	S	Data point did not agree with local trend
TE-103-AW-43	7/7/90	69	CASS	T	
TE-103-AW-43	7/14/90	70	CASS	T	
TE-103-AW-43	7/21/90	70	CASS	T	
TE-103-AW-43	7/28/90	71	CASS	T	
TE-103-AW-43	8/4/90	71	CASS	T	
TE-103-AW-43	8/11/90	72	CASS	T	
TE-103-AW-43	8/18/90	72	CASS	T	
TE-103-AW-43	8/20/90	83	SACS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-43	8/25/90	72	CASS	T	
TE-103-AW-43	9/1/90	72	CASS	T	
TE-103-AW-43	9/3/90	74	SACS	T	
TE-103-AW-43	9/15/90	73	CASS	T	
TE-103-AW-43	9/22/90	73	CASS	T	
TE-103-AW-43	9/24/90	83	SACS	T	
TE-103-AW-43	10/6/90	73	CASS	T	
TE-103-AW-43	10/8/90	74	SACS	T	
TE-103-AW-43	10/15/90	74	SACS	T	
TE-103-AW-43	10/22/90	73	SACS	T	
TE-103-AW-43	10/29/90	81	SACS	S	Data point did not agree with local trend
TE-103-AW-43	11/3/90	72	CASS	T	
TE-103-AW-43	11/5/90	73	SACS	T	
TE-103-AW-43	11/9/90	87	CASS	S	Data point did not agree with local trend
TE-103-AW-43	11/12/90	72	SACS	T	
TE-103-AW-43	11/19/90	72	SACS	T	
TE-103-AW-43	11/28/90	71	CASS	T	
TE-103-AW-43	12/3/90	71	SACS	T	
TE-103-AW-43	12/6/90	84	CASS	S	Data point did not agree with local trend
TE-103-AW-43	12/13/90	70	CASS	T	
TE-103-AW-43	12/17/90	70	SACS	T	
TE-103-AW-43	12/23/90	70	SACS	T	
TE-103-AW-43	12/31/90	72	SACS	T	
TE-103-AW-43	1/7/91	70	SACS	T	
TE-103-AW-43	1/14/91	69	SACS	T	
TE-103-AW-43	1/21/91	69	SACS	T	
TE-103-AW-43	1/28/91	70	SACS	T	
TE-103-AW-43	2/9/91	68	CASS	T	
TE-103-AW-43	2/11/91	69	SACS	T	
TE-103-AW-43	2/18/91	69	SACS	T	
TE-103-AW-43	3/2/91	68	CASS	T	
TE-103-AW-43	3/4/91	68	SACS	T	
TE-103-AW-43	3/11/91	68	SACS	T	
TE-103-AW-43	3/23/91	67	CASS	T	
TE-103-AW-43	3/25/91	68	SACS	T	
TE-103-AW-43	4/1/91	68	SACS	T	
TE-103-AW-43	4/8/91	68	SACS	T	
TE-103-AW-43	4/15/91	67	SACS	T	
TE-103-AW-43	4/22/91	67	SACS	T	
TE-103-AW-43	4/29/91	67	SACS	T	
TE-103-AW-43	5/6/91	67	SACS	T	
TE-103-AW-43	5/13/91	67	SACS	T	
TE-103-AW-43	5/20/91	67	SACS	T	
TE-103-AW-43	5/27/91	69	SACS	T	
TE-103-AW-43	6/8/91	67	CASS	T	
TE-103-AW-43	6/15/91	67	CASS	T	
TE-103-AW-43	6/18/91	68	SACS	T	
TE-103-AW-43	6/25/91	67	CASS	T	
TE-103-AW-43	6/28/91	98	CASS	S	Data point did not agree with local trend
TE-103-AW-43	7/1/91	67	SACS	T	
TE-103-AW-43	7/8/91	66	SACS	T	
TE-103-AW-43	7/15/91	68	SACS	T	
TE-103-AW-43	7/22/91	66	SACS	T	
TE-103-AW-43	7/29/91	68	SACS	T	
TE-103-AW-43	8/4/91	67	SACS	T	
TE-103-AW-43	8/19/91	67	SACS	T	
TE-103-AW-43	8/26/91	67	SACS	T	
TE-103-AW-43	9/2/91	68	SACS	T	
TE-103-AW-43	9/9/91	69	SACS	T	
TE-103-AW-43	9/16/91	69	SACS	T	
TE-103-AW-43	9/23/91	69	SACS	T	
TE-103-AW-43	9/30/91	70	SACS	T	
TE-103-AW-43	10/7/91	70	SACS	T	
TE-103-AW-43	10/14/91	71	SACS	T	
TE-103-AW-43	10/21/91	71	SACS	T	
TE-103-AW-43	10/28/91	71	SACS	T	
TE-103-AW-43	11/5/91	71	SACS	T	
TE-103-AW-43	11/11/91	72	SACS	T	
TE-103-AW-43	11/18/91	71	SACS	T	
TE-103-AW-43	11/25/91	70	SACS	T	
TE-103-AW-43	12/2/91	70	SACS	T	
TE-103-AW-43	12/9/91	70	SACS	T	
TE-103-AW-43	12/16/91	71	SACS	T	
TE-103-AW-43	12/23/91	69	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-43	12/30/91	69	SACS	T	
TE-103-AW-43	1/6/92	69	SACS	T	
TE-103-AW-43	1/13/92	69	SACS	T	
TE-103-AW-43	1/20/92	68	SACS	T	
TE-103-AW-43	1/27/92	67	SACS	T	
TE-103-AW-43	2/22/92	66	SACS	T	
TE-103-AW-43	3/3/92	65	SACS	T	
TE-103-AW-43	3/11/92	64	SACS	T	
TE-103-AW-43	6/29/92	66	SACS	T	
TE-103-AW-43	10/5/92	69	SACS	T	
TE-103-AW-43	10/12/92	69	SACS	T	
TE-103-AW-43	10/19/92	69	SACS	T	
TE-103-AW-43	10/26/92	69	SACS	T	
TE-103-AW-43	11/2/92	69	SACS	T	
TE-103-AW-43	11/9/92	70	SACS	T	
TE-103-AW-43	11/16/92	70	SACS	T	
TE-103-AW-43	11/23/92	70	SACS	T	
TE-103-AW-43	11/30/92	68	SACS	T	
TE-103-AW-43	12/7/92	69	SACS	T	
TE-103-AW-43	12/14/92	68	SACS	T	
TE-103-AW-43	12/21/92	68	SACS	T	
TE-103-AW-43	12/28/92	67	SACS	T	
TE-103-AW-43	1/25/93	65	SACS	T	
TE-103-AW-43	2/1/93	82	SACS	S	Data point did not agree with local trend
TE-103-AW-43	2/8/93	64	SACS	T	
TE-103-AW-43	2/16/93	65	SACS	T	
TE-103-AW-44	7/16/83	76	CASS	T	
TE-103-AW-44	7/23/83	76	CASS	T	
TE-103-AW-44	7/30/83	76	CASS	T	
TE-103-AW-44	8/6/83	78	CASS	T	
TE-103-AW-44	8/7/83	81	CASS	T	
TE-103-AW-44	8/19/83	78	CASS	T	
TE-103-AW-44	8/26/83	85	CASS	T	
TE-103-AW-44	8/29/83	91	CASS	T	
TE-103-AW-44	9/10/83	88	CASS	T	
TE-103-AW-44	9/12/83	86	CASS	T	
TE-103-AW-44	9/22/83	84	CASS	T	
TE-103-AW-44	9/28/83	88	CASS	T	
TE-103-AW-44	10/2/83	80	CASS	T	
TE-103-AW-44	10/13/83	79	CASS	T	
TE-103-AW-44	10/17/83	82	CASS	T	
TE-103-AW-44	3/10/84	86	CASS	T	
TE-103-AW-44	3/17/84	90	CASS	T	
TE-103-AW-44	3/23/84	92	CASS	T	
TE-103-AW-44	3/25/84	91	CASS	T	
TE-103-AW-44	4/1/84	89	CASS	T	
TE-103-AW-44	4/14/84	89	CASS	T	
TE-103-AW-44	4/21/84	90	CASS	T	
TE-103-AW-44	4/28/84	92	CASS	T	
TE-103-AW-44	5/3/84	92	CASS	T	
TE-103-AW-44	5/12/84	91	CASS	T	
TE-103-AW-44	5/14/84	91	CASS	T	
TE-103-AW-44	5/25/84	92	CASS	T	
TE-103-AW-44	6/1/84	92	CASS	T	
TE-103-AW-44	6/7/84	92	CASS	T	
TE-103-AW-44	6/23/84	91	CASS	T	
TE-103-AW-44	6/30/84	92	CASS	T	
TE-103-AW-44	7/6/84	94	CASS	T	
TE-103-AW-44	7/10/84	93	CASS	T	
TE-103-AW-44	7/17/84	92	CASS	T	
TE-103-AW-44	7/24/84	91	CASS	T	
TE-103-AW-44	8/2/84	90	CASS	T	
TE-103-AW-44	8/11/84	89	CASS	T	
TE-103-AW-44	8/14/84	89	CASS	T	
TE-103-AW-44	8/19/84	89	CASS	T	
TE-103-AW-44	8/29/84	88	CASS	T	
TE-103-AW-44	9/8/84	87	CASS	T	
TE-103-AW-44	9/12/84	87	CASS	T	
TE-103-AW-44	9/22/84	86	CASS	T	
TE-103-AW-44	9/25/84	86	CASS	T	
TE-103-AW-44	10/6/84	85	CASS	T	
TE-103-AW-44	10/13/84	84	CASS	T	
TE-103-AW-44	10/16/84	84	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-44	10/25/84	83	CASS	T	
TE-103-AW-44	10/30/84	82	CASS	T	
TE-103-AW-44	11/4/84	79	CASS	T	
TE-103-AW-44	11/15/84	78	CASS	T	
TE-103-AW-44	11/18/84	75	CASS	T	
TE-103-AW-44	11/28/84	73	CASS	T	
TE-103-AW-44	12/6/84	71	CASS	T	
TE-103-AW-44	12/10/84	70	CASS	T	
TE-103-AW-44	12/22/84	67	CASS	T	
TE-103-AW-44	12/28/84	67	CASS	T	
TE-103-AW-44	1/2/85	66	CASS	T	
TE-103-AW-44	1/10/85	72	CASS	T	
TE-103-AW-44	1/19/85	75	CASS	T	
TE-103-AW-44	1/20/85	81	CASS	T	
TE-103-AW-44	1/28/85	84	CASS	T	
TE-103-AW-44	2/6/85	80	CASS	T	
TE-103-AW-44	2/15/85	86	CASS	T	
TE-103-AW-44	2/18/85	86	CASS	T	
TE-103-AW-44	2/27/85	81	CASS	T	
TE-103-AW-44	3/7/85	85	CASS	T	
TE-103-AW-44	3/16/85	87	CASS	T	
TE-103-AW-44	3/23/85	87	CASS	T	
TE-103-AW-44	3/30/85	87	CASS	T	
TE-103-AW-44	4/4/85	87	CASS	T	
TE-103-AW-44	4/13/85	90	CASS	T	
TE-103-AW-44	4/20/85	90	CASS	T	
TE-103-AW-44	4/27/85	90	CASS	T	
TE-103-AW-44	5/4/85	91	CASS	T	
TE-103-AW-44	5/9/85	90	CASS	T	
TE-103-AW-44	5/13/85	89	CASS	T	
TE-103-AW-44	5/26/85	89	CASS	T	
TE-103-AW-44	6/1/85	90	CASS	T	
TE-103-AW-44	6/6/85	90	CASS	T	
TE-103-AW-44	6/15/85	89	CASS	T	
TE-103-AW-44	6/19/85	89	CASS	T	
TE-103-AW-44	11/1/85	81	CASS	T	
TE-103-AW-44	12/1/85	78	CASS	T	
TE-103-AW-44	1/2/86	78	CASS	T	
TE-103-AW-44	1/11/86	81	CASS	T	
TE-103-AW-44	1/16/86	81	CASS	T	
TE-103-AW-44	1/21/86	83	CASS	T	
TE-103-AW-44	1/31/86	82	CASS	T	
TE-103-AW-44	2/8/86	82	CASS	T	
TE-103-AW-44	2/15/86	85	CASS	T	
TE-103-AW-44	2/20/86	90	CASS	T	
TE-103-AW-44	2/28/86	91	CASS	T	
TE-103-AW-44	3/5/86	90	CASS	T	
TE-103-AW-44	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-103-AW-44	9/19/86	92	CASS	T	
TE-103-AW-44	9/21/86	92	CASS	T	
TE-103-AW-44	9/28/86	91	CASS	T	
TE-103-AW-44	10/11/86	90	CASS	T	
TE-103-AW-44	10/18/86	89	CASS	T	
TE-103-AW-44	10/22/86	89	CASS	T	
TE-103-AW-44	11/1/86	88	CASS	T	
TE-103-AW-44	11/4/86	88	CASS	T	
TE-103-AW-44	11/11/86	87	CASS	T	
TE-103-AW-44	11/22/86	86	CASS	T	
TE-103-AW-44	11/24/86	86	CASS	T	
TE-103-AW-44	12/2/86	85	CASS	T	
TE-103-AW-44	12/13/86	84	CASS	T	
TE-103-AW-44	12/20/86	83	CASS	T	
TE-103-AW-44	12/23/86	83	CASS	T	
TE-103-AW-44	12/30/86	82	CASS	T	
TE-103-AW-44	7/4/87	74	CASS	T	
TE-103-AW-44	7/11/87	74	CASS	T	
TE-103-AW-44	7/18/87	75	CASS	T	
TE-103-AW-44	7/25/87	75	CASS	T	
TE-103-AW-44	8/1/87	78	CASS	T	
TE-103-AW-44	8/3/87	86	CASS	T	
TE-103-AW-44	8/12/87	84	CASS	T	
TE-103-AW-44	8/20/87	85	CASS	T	
TE-103-AW-44	8/29/87	87	CASS	T	
TE-103-AW-44	9/5/87	90	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-44	9/11/87	90	CASS	T	
TE-103-AW-44	11/28/87	73	CASS	T	
TE-103-AW-44	11/30/87	93	CASS	T	
TE-103-AW-44	3/28/88	82	CASS	T	
TE-103-AW-44	3/31/88	81	CASS	T	
TE-103-AW-44	6/4/88	90	CASS	T	
TE-103-AW-44	6/5/88	90	CASS	T	
TE-103-AW-44	6/16/88	91	CASS	T	
TE-103-AW-44	6/22/88	91	CASS	T	
TE-103-AW-44	7/2/88	95	CASS	T	
TE-103-AW-44	7/8/88	97	CASS	T	
TE-103-AW-44	7/12/88	96	CASS	T	
TE-103-AW-44	7/22/88	94	CASS	T	
TE-103-AW-44	7/25/88	93	CASS	T	
TE-103-AW-44	8/4/88	92	CASS	T	
TE-103-AW-44	8/13/88	92	CASS	T	
TE-103-AW-44	8/20/88	93	CASS	T	
TE-103-AW-44	8/27/88	97	CASS	T	
TE-103-AW-44	9/3/88	98	CASS	T	
TE-103-AW-44	9/10/88	98	CASS	T	
TE-103-AW-44	9/16/88	98	CASS	T	
TE-103-AW-44	9/18/88	98	CASS	T	
TE-103-AW-44	9/27/88	96	CASS	T	
TE-103-AW-44	12/3/88	93	CASS	T	
TE-103-AW-44	12/7/88	93	CASS	T	
TE-103-AW-44	12/14/88	92	CASS	T	
TE-103-AW-44	12/20/88	90	CASS	T	
TE-103-AW-44	9/2/89	76	CASS	T	
TE-103-AW-44	9/9/89	76	CASS	T	
TE-103-AW-44	9/16/89	76	CASS	T	
TE-103-AW-44	9/23/89	76	CASS	T	
TE-103-AW-44	9/30/89	76	CASS	T	
TE-103-AW-44	11/4/89	75	CASS	T	
TE-103-AW-44	11/10/89	75	CASS	T	
TE-103-AW-44	11/16/89	75	CASS	T	
TE-103-AW-44	11/25/89	74	CASS	T	
TE-103-AW-44	11/29/89	74	CASS	T	
TE-103-AW-44	12/9/89	73	CASS	T	
TE-103-AW-44	12/11/89	73	CASS	T	
TE-103-AW-44	12/23/89	72	CASS	T	
TE-103-AW-44	12/30/89	71	CASS	T	
TE-103-AW-44	1/6/90	70	CASS	T	
TE-103-AW-44	1/13/90	70	CASS	T	
TE-103-AW-44	1/16/90	70	CASS	T	
TE-103-AW-44	1/27/90	69	CASS	T	
TE-103-AW-44	2/3/90	69	CASS	T	
TE-103-AW-44	2/6/90	69	CASS	T	
TE-103-AW-44	2/17/90	68	CASS	T	
TE-103-AW-44	2/24/90	68	CASS	T	
TE-103-AW-44	2/28/90	68	CASS	T	
TE-103-AW-44	3/10/90	68	CASS	T	
TE-103-AW-44	3/17/90	67	CASS	T	
TE-103-AW-44	3/22/90	67	CASS	T	
TE-103-AW-44	3/23/90	87	CASS	S	Data point did not agree with local trend
TE-103-AW-44	3/31/90	67	CASS	T	
TE-103-AW-44	4/7/90	67	CASS	T	
TE-103-AW-44	4/14/90	67	CASS	T	
TE-103-AW-44	4/21/90	68	CASS	T	
TE-103-AW-44	4/27/90	68	CASS	T	
TE-103-AW-44	5/6/90	68	CASS	T	
TE-103-AW-44	5/12/90	68	CASS	T	
TE-103-AW-44	5/19/90	68	CASS	T	
TE-103-AW-44	5/22/90	68	CASS	T	
TE-103-AW-44	6/2/90	68	CASS	T	
TE-103-AW-44	6/9/90	68	CASS	T	
TE-103-AW-44	6/16/90	69	CASS	T	
TE-103-AW-44	6/23/90	69	CASS	T	
TE-103-AW-44	6/30/90	69	CASS	T	
TE-103-AW-44	7/3/90	89	CASS	S	Data point did not agree with local trend
TE-103-AW-44	7/7/90	69	CASS	T	
TE-103-AW-44	7/14/90	70	CASS	T	
TE-103-AW-44	7/21/90	71	CASS	T	
TE-103-AW-44	7/28/90	71	CASS	T	
TE-103-AW-44	8/4/90	71	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-44	8/11/90	72	CASS	T	
TE-103-AW-44	8/18/90	72	CASS	T	
TE-103-AW-44	8/25/90	72	CASS	T	
TE-103-AW-44	9/1/90	73	CASS	T	
TE-103-AW-44	9/8/90	73	CASS	T	
TE-103-AW-44	9/15/90	73	CASS	T	
TE-103-AW-44	9/22/90	73	CASS	T	
TE-103-AW-44	9/29/90	73	CASS	T	
TE-103-AW-44	10/6/90	73	CASS	T	
TE-103-AW-44	10/13/90	73	CASS	T	
TE-103-AW-44	10/19/90	73	CASS	T	
TE-103-AW-44	10/27/90	72	CASS	T	
TE-103-AW-44	11/3/90	72	CASS	T	
TE-103-AW-44	11/8/90	72	CASS	T	
TE-103-AW-44	11/9/90	88	CASS	S	Data point did not agree with local trend
TE-103-AW-44	11/17/90	71	CASS	T	
TE-103-AW-44	11/24/90	71	CASS	T	
TE-103-AW-44	11/26/90	71	CASS	T	
TE-103-AW-44	12/6/90	87	CASS	S	Data point did not agree with local trend
TE-103-AW-44	12/8/90	70	CASS	T	
TE-103-AW-44	12/13/90	70	CASS	T	
TE-103-AW-44	12/19/90	69	CASS	T	
TE-103-AW-44	12/29/90	68	CASS	T	
TE-103-AW-44	1/5/91	68	CASS	T	
TE-103-AW-44	1/12/91	68	CASS	T	
TE-103-AW-44	1/19/91	68	CASS	T	
TE-103-AW-44	1/26/91	68	CASS	T	
TE-103-AW-44	2/2/91	67	CASS	T	
TE-103-AW-44	2/9/91	67	CASS	T	
TE-103-AW-44	2/16/91	67	CASS	T	
TE-103-AW-44	2/23/91	67	CASS	T	
TE-103-AW-44	2/27/91	67	CASS	T	
TE-103-AW-44	3/9/91	66	CASS	T	
TE-103-AW-44	3/16/91	66	CASS	T	
TE-103-AW-44	3/18/91	66	CASS	T	
TE-103-AW-44	3/25/91	66	CASS	T	
TE-103-AW-44	4/6/91	65	CASS	T	
TE-103-AW-44	4/13/91	65	CASS	T	
TE-103-AW-44	4/20/91	65	CASS	T	
TE-103-AW-44	4/22/91	66	CASS	T	
TE-103-AW-44	5/4/91	65	CASS	T	
TE-103-AW-44	5/11/91	65	CASS	T	
TE-103-AW-44	5/18/91	66	CASS	T	
TE-103-AW-44	5/25/91	66	CASS	T	
TE-103-AW-44	5/31/91	66	CASS	T	
TE-103-AW-44	6/8/91	66	CASS	T	
TE-103-AW-44	6/15/91	66	CASS	T	
TE-103-AW-44	6/21/91	68	CASS	T	
TE-103-AW-44	6/25/91	66	CASS	T	
TE-103-AW-44	6/28/91	96	CASS	S	Data point did not agree with local trend
TE-103-AW-45	7/16/83	78	CASS	T	
TE-103-AW-45	7/23/83	78	CASS	T	
TE-103-AW-45	7/30/83	78	CASS	T	
TE-103-AW-45	8/6/83	78	CASS	T	
TE-103-AW-45	8/7/83	81	CASS	T	
TE-103-AW-45	8/19/83	78	CASS	T	
TE-103-AW-45	8/26/83	85	CASS	T	
TE-103-AW-45	8/29/83	91	CASS	T	
TE-103-AW-45	9/10/83	88	CASS	T	
TE-103-AW-45	9/12/83	86	CASS	T	
TE-103-AW-45	9/22/83	84	CASS	T	
TE-103-AW-45	9/28/83	86	CASS	T	
TE-103-AW-45	10/2/83	80	CASS	T	
TE-103-AW-45	10/13/83	79	CASS	T	
TE-103-AW-45	10/17/83	82	CASS	T	
TE-103-AW-45	3/10/84	86	CASS	T	
TE-103-AW-45	3/16/84	86	CASS	T	
TE-103-AW-45	3/24/84	91	CASS	T	
TE-103-AW-45	3/31/84	90	CASS	T	
TE-103-AW-45	4/1/84	89	CASS	T	
TE-103-AW-45	4/13/84	91	CASS	T	
TE-103-AW-45	4/21/84	90	CASS	T	
TE-103-AW-45	4/28/84	91	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-45	5/3/84	92	CASS	T	
TE-103-AW-45	5/12/84	91	CASS	T	
TE-103-AW-45	5/14/84	91	CASS	T	
TE-103-AW-45	5/25/84	92	CASS	T	
TE-103-AW-45	6/1/84	92	CASS	T	
TE-103-AW-45	6/7/84	92	CASS	T	
TE-103-AW-45	6/23/84	91	CASS	T	
TE-103-AW-45	6/30/84	92	CASS	T	
TE-103-AW-45	7/7/84	94	CASS	T	
TE-103-AW-45	7/8/84	94	CASS	T	
TE-103-AW-45	7/17/84	92	CASS	T	
TE-103-AW-45	7/24/84	91	CASS	T	
TE-103-AW-45	8/3/84	90	CASS	T	
TE-103-AW-45	8/11/84	89	CASS	T	
TE-103-AW-45	8/14/84	89	CASS	T	
TE-103-AW-45	8/19/84	89	CASS	T	
TE-103-AW-45	8/30/84	88	CASS	T	
TE-103-AW-45	9/8/84	87	CASS	T	
TE-103-AW-45	9/12/84	87	CASS	T	
TE-103-AW-45	9/22/84	86	CASS	T	
TE-103-AW-45	9/25/84	86	CASS	T	
TE-103-AW-45	10/6/84	85	CASS	T	
TE-103-AW-45	10/13/84	84	CASS	T	
TE-103-AW-45	10/18/84	84	CASS	T	
TE-103-AW-45	10/24/84	83	CASS	T	
TE-103-AW-45	10/28/84	82	CASS	T	
TE-103-AW-45	11/4/84	79	CASS	T	
TE-103-AW-45	11/15/84	76	CASS	T	
TE-103-AW-45	11/21/84	75	CASS	T	
TE-103-AW-45	11/28/84	73	CASS	T	
TE-103-AW-45	12/6/84	71	CASS	T	
TE-103-AW-45	12/10/84	70	CASS	T	
TE-103-AW-45	12/22/84	67	CASS	T	
TE-103-AW-45	12/28/84	67	CASS	T	
TE-103-AW-45	1/2/85	66	CASS	T	
TE-103-AW-45	1/10/85	72	CASS	T	
TE-103-AW-45	1/19/85	75	CASS	T	
TE-103-AW-45	1/20/85	81	CASS	T	
TE-103-AW-45	1/28/85	84	CASS	T	
TE-103-AW-45	2/6/85	80	CASS	T	
TE-103-AW-45	2/15/85	87	CASS	T	
TE-103-AW-45	2/18/85	86	CASS	T	
TE-103-AW-45	2/28/85	81	CASS	T	
TE-103-AW-45	3/4/85	85	CASS	T	
TE-103-AW-45	3/10/85	84	CASS	T	
TE-103-AW-45	3/21/85	86	CASS	T	
TE-103-AW-45	3/30/85	87	CASS	T	
TE-103-AW-45	4/4/85	87	CASS	T	
TE-103-AW-45	4/13/85	90	CASS	T	
TE-103-AW-45	4/20/85	90	CASS	T	
TE-103-AW-45	4/27/85	90	CASS	T	
TE-103-AW-45	5/4/85	91	CASS	T	
TE-103-AW-45	5/5/85	91	CASS	T	
TE-103-AW-45	5/13/85	89	CASS	T	
TE-103-AW-45	5/25/85	89	CASS	T	
TE-103-AW-45	6/1/85	90	CASS	T	
TE-103-AW-45	6/6/85	90	CASS	T	
TE-103-AW-45	6/15/85	89	CASS	T	
TE-103-AW-45	6/19/85	89	CASS	T	
TE-103-AW-45	11/1/85	81	CASS	T	
TE-103-AW-45	12/1/85	78	CASS	T	
TE-103-AW-45	1/2/86	75	CASS	T	
TE-103-AW-45	1/11/86	80	CASS	T	
TE-103-AW-45	1/18/86	83	CASS	T	
TE-103-AW-45	1/19/86	83	CASS	T	
TE-103-AW-45	2/1/86	82	CASS	T	
TE-103-AW-45	2/8/86	85	CASS	T	
TE-103-AW-45	2/15/86	85	CASS	T	
TE-103-AW-45	2/21/86	91	CASS	T	
TE-103-AW-45	3/1/86	91	CASS	T	
TE-103-AW-45	3/5/86	91	CASS	T	
TE-103-AW-45	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-103-AW-45	9/17/86	92	CASS	T	
TE-103-AW-45	10/4/86	90	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-45	10/11/86	80	CASS	T	
TE-103-AW-45	10/18/86	89	CASS	T	
TE-103-AW-45	10/23/86	89	CASS	T	
TE-103-AW-45	11/1/86	88	CASS	T	
TE-103-AW-45	11/4/86	88	CASS	T	
TE-103-AW-45	11/11/86	87	CASS	T	
TE-103-AW-45	11/22/86	86	CASS	T	
TE-103-AW-45	11/24/86	86	CASS	T	
TE-103-AW-45	12/2/86	85	CASS	T	
TE-103-AW-45	12/13/86	84	CASS	T	
TE-103-AW-45	12/20/86	83	CASS	T	
TE-103-AW-45	12/23/86	83	CASS	T	
TE-103-AW-45	12/30/86	82	CASS	T	
TE-103-AW-45	7/4/87	74	CASS	T	
TE-103-AW-45	7/11/87	74	CASS	T	
TE-103-AW-45	7/18/87	75	CASS	T	
TE-103-AW-45	7/25/87	75	CASS	T	
TE-103-AW-45	8/1/87	78	CASS	T	
TE-103-AW-45	8/3/87	86	CASS	T	
TE-103-AW-45	8/12/87	84	CASS	T	
TE-103-AW-45	8/20/87	85	CASS	T	
TE-103-AW-45	8/29/87	85	CASS	T	
TE-103-AW-45	9/5/87	88	CASS	T	
TE-103-AW-45	9/11/87	88	CASS	T	
TE-103-AW-45	11/28/87	73	CASS	T	
TE-103-AW-45	11/30/87	100	CASS	T	
TE-103-AW-45	3/26/88	82	CASS	T	
TE-103-AW-45	3/27/88	82	CASS	T	
TE-103-AW-45	6/4/88	73	CASS	T	
TE-103-AW-45	6/11/88	77	CASS	T	
TE-103-AW-45	6/17/88	89	CASS	T	
TE-103-AW-45	6/25/88	90	CASS	T	
TE-103-AW-45	7/2/88	91	CASS	T	
TE-103-AW-45	7/9/88	95	CASS	T	
TE-103-AW-45	7/16/88	96	CASS	T	
TE-103-AW-45	7/18/88	94	CASS	T	
TE-103-AW-45	7/28/88	91	CASS	T	
TE-103-AW-45	8/8/88	93	CASS	T	
TE-103-AW-45	8/12/88	93	CASS	T	
TE-103-AW-45	8/17/88	96	CASS	T	
TE-103-AW-45	8/27/88	99	CASS	T	
TE-103-AW-45	9/3/88	99	CASS	T	
TE-103-AW-45	9/10/88	99	CASS	T	
TE-103-AW-45	9/12/88	99	CASS	T	
TE-103-AW-45	9/19/88	98	CASS	T	
TE-103-AW-45	9/29/88	96	CASS	T	
TE-103-AW-45	12/3/88	93	CASS	T	
TE-103-AW-45	12/10/88	93	CASS	T	
TE-103-AW-45	12/14/88	92	CASS	T	
TE-103-AW-45	12/20/88	90	CASS	T	
TE-103-AW-45	9/2/89	76	CASS	T	
TE-103-AW-45	9/9/89	76	CASS	T	
TE-103-AW-45	9/16/89	76	CASS	T	
TE-103-AW-45	9/23/89	76	CASS	T	
TE-103-AW-45	9/30/89	76	CASS	T	
TE-103-AW-45	11/4/89	75	CASS	T	
TE-103-AW-45	11/10/89	75	CASS	T	
TE-103-AW-45	11/16/89	75	CASS	T	
TE-103-AW-45	11/25/89	74	CASS	T	
TE-103-AW-45	11/30/89	74	CASS	T	
TE-103-AW-45	12/9/89	73	CASS	T	
TE-103-AW-45	12/11/89	73	CASS	T	
TE-103-AW-45	12/23/89	72	CASS	T	
TE-103-AW-45	12/25/89	72	CASS	T	
TE-103-AW-45	1/1/90	71	CASS	T	
TE-103-AW-45	1/13/90	70	CASS	T	
TE-103-AW-45	1/16/90	70	CASS	T	
TE-103-AW-45	1/27/90	69	CASS	T	
TE-103-AW-45	2/3/90	69	CASS	T	
TE-103-AW-45	2/6/90	69	CASS	T	
TE-103-AW-45	2/17/90	68	CASS	T	
TE-103-AW-45	2/24/90	68	CASS	T	
TE-103-AW-45	2/28/90	68	CASS	T	
TE-103-AW-45	3/10/90	68	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-45	3/17/90	67	CASS	T	
TE-103-AW-45	3/22/90	67	CASS	T	
TE-103-AW-45	3/23/90	94	CASS	S	Data point did not agree with local trend
TE-103-AW-45	3/31/90	67	CASS	T	
TE-103-AW-45	4/7/90	67	CASS	T	
TE-103-AW-45	4/14/90	67	CASS	T	
TE-103-AW-45	4/21/90	68	CASS	T	
TE-103-AW-45	4/27/90	68	CASS	T	
TE-103-AW-45	5/5/90	68	CASS	T	
TE-103-AW-45	5/12/90	68	CASS	T	
TE-103-AW-45	5/19/90	68	CASS	T	
TE-103-AW-45	5/22/90	68	CASS	T	
TE-103-AW-45	6/2/90	68	CASS	T	
TE-103-AW-45	6/8/90	69	CASS	T	
TE-103-AW-45	6/16/90	69	CASS	T	
TE-103-AW-45	6/23/90	69	CASS	T	
TE-103-AW-45	6/30/90	69	CASS	T	
TE-103-AW-45	7/3/90	95	CASS	S	Data point did not agree with local trend
TE-103-AW-45	7/7/90	70	CASS	T	
TE-103-AW-45	7/14/90	70	CASS	T	
TE-103-AW-45	7/21/90	71	CASS	T	
TE-103-AW-45	7/28/90	72	CASS	T	
TE-103-AW-45	8/4/90	72	CASS	T	
TE-103-AW-45	8/10/90	73	CASS	T	
TE-103-AW-45	8/18/90	73	CASS	T	
TE-103-AW-45	8/26/90	73	CASS	T	
TE-103-AW-45	9/1/90	73	CASS	T	
TE-103-AW-45	9/8/90	73	CASS	T	
TE-103-AW-45	9/15/90	73	CASS	T	
TE-103-AW-45	9/22/90	73	CASS	T	
TE-103-AW-45	9/29/90	73	CASS	T	
TE-103-AW-45	10/6/90	73	CASS	T	
TE-103-AW-45	10/13/90	73	CASS	T	
TE-103-AW-45	10/20/90	73	CASS	T	
TE-103-AW-45	10/27/90	72	CASS	T	
TE-103-AW-45	11/3/90	72	CASS	T	
TE-103-AW-45	11/8/90	72	CASS	T	
TE-103-AW-45	11/9/90	98	CASS	S	Data point did not agree with local trend
TE-103-AW-45	11/11/90	72	CASS	T	
TE-103-AW-45	11/24/90	71	CASS	T	
TE-103-AW-45	11/26/90	71	CASS	T	
TE-103-AW-45	12/6/90	94	CASS	S	Data point did not agree with local trend
TE-103-AW-45	12/8/90	70	CASS	T	
TE-103-AW-45	12/13/90	70	CASS	T	
TE-103-AW-45	12/19/90	69	CASS	T	
TE-103-AW-45	12/28/90	70	CASS	T	
TE-103-AW-45	1/1/91	67	CASS	T	
TE-103-AW-45	1/12/91	65	CASS	T	
TE-103-AW-45	1/18/91	65	CASS	T	
TE-103-AW-45	1/26/91	64	CASS	T	
TE-103-AW-45	1/31/91	67	CASS	T	
TE-103-AW-45	2/3/91	66	CASS	T	
TE-103-AW-45	2/16/91	64	CASS	T	
TE-103-AW-45	2/23/91	64	CASS	T	
TE-103-AW-45	3/2/91	64	CASS	T	
TE-103-AW-45	3/9/91	64	CASS	T	
TE-103-AW-45	3/14/91	64	CASS	T	
TE-103-AW-45	3/23/91	64	CASS	T	
TE-103-AW-45	3/26/91	64	CASS	T	
TE-103-AW-45	4/6/91	64	CASS	T	
TE-103-AW-45	4/13/91	64	CASS	T	
TE-103-AW-45	4/20/91	64	CASS	T	
TE-103-AW-45	4/27/91	64	CASS	T	
TE-103-AW-45	5/4/91	64	CASS	T	
TE-103-AW-45	5/11/91	65	CASS	T	
TE-103-AW-45	5/18/91	65	CASS	T	
TE-103-AW-45	5/25/91	65	CASS	T	
TE-103-AW-45	5/31/91	65	CASS	T	
TE-103-AW-45	6/8/91	66	CASS	T	
TE-103-AW-45	6/15/91	66	CASS	T	
TE-103-AW-45	6/21/91	66	CASS	T	
TE-103-AW-45	6/25/91	66	CASS	T	
TE-103-AW-45	6/28/91	95	CASS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-46	7/18/83	76	CASS	T	
TE-103-AW-46	7/23/83	76	CASS	T	
TE-103-AW-46	7/30/83	76	CASS	T	
TE-103-AW-46	8/6/83	76	CASS	T	
TE-103-AW-46	8/7/83	81	CASS	T	
TE-103-AW-46	8/19/83	78	CASS	T	
TE-103-AW-46	8/26/83	85	CASS	T	
TE-103-AW-46	8/29/83	91	CASS	T	
TE-103-AW-46	9/10/83	88	CASS	T	
TE-103-AW-46	9/12/83	86	CASS	T	
TE-103-AW-46	9/22/83	84	CASS	T	
TE-103-AW-46	9/28/83	86	CASS	T	
TE-103-AW-46	10/2/83	80	CASS	T	
TE-103-AW-46	10/13/83	79	CASS	T	
TE-103-AW-46	10/17/83	82	CASS	T	
TE-103-AW-46	3/10/84	85	CASS	T	
TE-103-AW-46	3/16/84	88	CASS	T	
TE-103-AW-46	3/21/84	89	CASS	T	
TE-103-AW-46	3/25/84	87	CASS	T	
TE-103-AW-46	4/3/84	86	CASS	T	
TE-103-AW-46	4/12/84	93	CASS	T	
TE-103-AW-46	4/19/84	91	CASS	T	
TE-103-AW-46	4/22/84	92	CASS	T	
TE-103-AW-46	5/3/84	92	CASS	T	
TE-103-AW-46	5/7/84	92	CASS	T	
TE-103-AW-46	5/14/84	91	CASS	T	
TE-103-AW-46	5/25/84	92	CASS	T	
TE-103-AW-46	6/1/84	92	CASS	T	
TE-103-AW-46	6/7/84	92	CASS	T	
TE-103-AW-46	6/23/84	91	CASS	T	
TE-103-AW-46	6/30/84	92	CASS	T	
TE-103-AW-46	7/7/84	94	CASS	T	
TE-103-AW-46	7/8/84	94	CASS	T	
TE-103-AW-46	7/17/84	92	CASS	T	
TE-103-AW-46	7/25/84	91	CASS	T	
TE-103-AW-46	8/3/84	90	CASS	T	
TE-103-AW-46	8/11/84	89	CASS	T	
TE-103-AW-46	8/14/84	89	CASS	T	
TE-103-AW-46	8/19/84	89	CASS	T	
TE-103-AW-46	8/30/84	88	CASS	T	
TE-103-AW-46	9/8/84	87	CASS	T	
TE-103-AW-46	9/12/84	87	CASS	T	
TE-103-AW-46	9/22/84	86	CASS	T	
TE-103-AW-46	9/27/84	86	CASS	T	
TE-103-AW-46	10/6/84	85	CASS	T	
TE-103-AW-46	10/13/84	84	CASS	T	
TE-103-AW-46	10/16/84	84	CASS	T	
TE-103-AW-46	10/24/84	83	CASS	T	
TE-103-AW-46	10/30/84	81	CASS	T	
TE-103-AW-46	11/4/84	79	CASS	T	
TE-103-AW-46	11/15/84	76	CASS	T	
TE-103-AW-46	11/21/84	75	CASS	T	
TE-103-AW-46	11/26/84	73	CASS	T	
TE-103-AW-46	12/6/84	71	CASS	T	
TE-103-AW-46	12/10/84	70	CASS	T	
TE-103-AW-46	12/22/84	67	CASS	T	
TE-103-AW-46	12/28/84	67	CASS	T	
TE-103-AW-46	1/2/85	66	CASS	T	
TE-103-AW-46	1/10/85	72	CASS	T	
TE-103-AW-46	1/19/85	75	CASS	T	
TE-103-AW-46	1/20/85	81	CASS	T	
TE-103-AW-46	1/28/85	84	CASS	T	
TE-103-AW-46	2/6/85	80	CASS	T	
TE-103-AW-46	2/15/85	87	CASS	T	
TE-103-AW-46	2/18/85	86	CASS	T	
TE-103-AW-46	2/26/85	81	CASS	T	
TE-103-AW-46	3/4/85	85	CASS	T	
TE-103-AW-46	3/10/85	84	CASS	T	
TE-103-AW-46	3/21/85	85	CASS	T	
TE-103-AW-46	3/30/85	85	CASS	T	
TE-103-AW-46	4/4/85	87	CASS	T	
TE-103-AW-46	4/12/85	91	CASS	T	
TE-103-AW-46	4/16/85	90	CASS	T	
TE-103-AW-46	4/27/85	90	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-46	5/4/85	91	CASS	T	
TE-103-AW-46	5/5/85	91	CASS	T	
TE-103-AW-46	5/13/85	89	CASS	T	
TE-103-AW-46	5/25/85	89	CASS	T	
TE-103-AW-46	6/1/85	90	CASS	T	
TE-103-AW-46	6/6/85	90	CASS	T	
TE-103-AW-46	6/15/85	89	CASS	T	
TE-103-AW-46	6/19/85	89	CASS	T	
TE-103-AW-46	11/1/85	81	CASS	T	
TE-103-AW-46	12/1/85	77	CASS	T	
TE-103-AW-46	1/4/86	74	CASS	T	
TE-103-AW-46	1/11/86	78	CASS	T	
TE-103-AW-46	1/12/86	83	CASS	T	
TE-103-AW-46	1/20/86	86	CASS	T	
TE-103-AW-46	1/31/86	82	CASS	T	
TE-103-AW-46	2/8/86	85	CASS	T	
TE-103-AW-46	2/14/86	87	CASS	T	
TE-103-AW-46	2/20/86	92	CASS	T	
TE-103-AW-46	2/28/86	92	CASS	T	
TE-103-AW-46	3/5/86	91	CASS	T	
TE-103-AW-46	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-103-AW-46	9/17/86	92	CASS	T	
TE-103-AW-46	10/11/86	90	CASS	T	
TE-103-AW-46	10/12/86	90	CASS	T	
TE-103-AW-46	10/23/86	89	CASS	T	
TE-103-AW-46	11/1/86	88	CASS	T	
TE-103-AW-46	11/4/86	88	CASS	T	
TE-103-AW-46	11/11/86	87	CASS	T	
TE-103-AW-46	11/22/86	86	CASS	T	
TE-103-AW-46	11/25/86	86	CASS	T	
TE-103-AW-46	12/2/86	85	CASS	T	
TE-103-AW-46	12/13/86	84	CASS	T	
TE-103-AW-46	12/20/86	83	CASS	T	
TE-103-AW-46	12/23/86	83	CASS	T	
TE-103-AW-46	12/31/86	82	CASS	T	
TE-103-AW-46	7/4/87	74	CASS	T	
TE-103-AW-46	7/11/87	74	CASS	T	
TE-103-AW-46	7/18/87	75	CASS	T	
TE-103-AW-46	7/25/87	75	CASS	T	
TE-103-AW-46	8/1/87	78	CASS	T	
TE-103-AW-46	8/3/87	86	CASS	T	
TE-103-AW-46	8/12/87	84	CASS	T	
TE-103-AW-46	8/20/87	85	CASS	T	
TE-103-AW-46	8/29/87	85	CASS	T	
TE-103-AW-46	9/5/87	88	CASS	T	
TE-103-AW-46	9/11/87	88	CASS	T	
TE-103-AW-46	11/28/87	73	CASS	T	
TE-103-AW-46	11/30/87	106	CASS	T	
TE-103-AW-46	3/26/88	82	CASS	T	
TE-103-AW-46	3/28/88	81	CASS	T	
TE-103-AW-46	6/4/88	73	CASS	T	
TE-103-AW-46	6/11/88	77	CASS	T	
TE-103-AW-46	6/17/88	92	CASS	T	
TE-103-AW-46	6/19/88	92	CASS	T	
TE-103-AW-46	7/1/88	93	CASS	T	
TE-103-AW-46	7/8/88	93	CASS	T	
TE-103-AW-46	7/15/88	94	CASS	T	
TE-103-AW-46	7/22/88	94	CASS	T	
TE-103-AW-46	7/30/88	94	CASS	T	
TE-103-AW-46	8/2/88	103	CASS	S	Data point did not agree with local trend
TE-103-AW-46	8/6/88	94	CASS	T	
TE-103-AW-46	8/13/88	94	CASS	T	
TE-103-AW-46	8/18/88	97	CASS	T	
TE-103-AW-46	8/25/88	99	CASS	T	
TE-103-AW-46	8/31/88	100	CASS	T	
TE-103-AW-46	9/8/88	100	CASS	T	
TE-103-AW-46	9/13/88	99	CASS	T	
TE-103-AW-46	9/21/88	98	CASS	T	
TE-103-AW-46	9/28/88	97	CASS	T	
TE-103-AW-46	12/3/88	93	CASS	T	
TE-103-AW-46	12/10/88	93	CASS	T	
TE-103-AW-46	12/11/88	93	CASS	T	
TE-103-AW-46	12/20/88	90	CASS	T	
TE-103-AW-46	9/2/89	76	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-48	9/5/89	77	CASS	T	
TE-103-AW-48	9/18/89	76	CASS	T	
TE-103-AW-48	9/23/89	76	CASS	T	
TE-103-AW-48	9/26/89	77	CASS	T	
TE-103-AW-48	11/2/89	75	CASS	T	
TE-103-AW-48	11/9/89	75	CASS	T	
TE-103-AW-48	11/18/89	74	CASS	T	
TE-103-AW-48	11/23/89	74	CASS	T	
TE-103-AW-48	12/2/89	73	CASS	T	
TE-103-AW-48	12/5/89	73	CASS	T	
TE-103-AW-48	12/14/89	72	CASS	T	
TE-103-AW-48	12/23/89	71	CASS	T	
TE-103-AW-48	12/26/89	71	CASS	T	
TE-103-AW-48	1/5/90	70	CASS	T	
TE-103-AW-48	1/7/90	70	CASS	T	
TE-103-AW-48	1/18/90	69	CASS	T	
TE-103-AW-48	1/23/90	69	CASS	T	
TE-103-AW-48	2/3/90	68	CASS	T	
TE-103-AW-48	2/10/90	68	CASS	T	
TE-103-AW-48	2/13/90	68	CASS	T	
TE-103-AW-48	2/24/90	67	CASS	T	
TE-103-AW-48	3/3/90	67	CASS	T	
TE-103-AW-48	3/10/90	67	CASS	T	
TE-103-AW-48	3/17/90	67	CASS	T	
TE-103-AW-48	3/22/90	67	CASS	T	
TE-103-AW-48	3/23/90	99	CASS	S	Data point did not agree with local trend
TE-103-AW-48	3/31/90	67	CASS	T	
TE-103-AW-48	4/7/90	67	CASS	T	
TE-103-AW-48	4/14/90	67	CASS	T	
TE-103-AW-48	4/21/90	68	CASS	T	
TE-103-AW-48	4/27/90	68	CASS	T	
TE-103-AW-48	5/5/90	68	CASS	T	
TE-103-AW-48	5/12/90	68	CASS	T	
TE-103-AW-48	5/19/90	68	CASS	T	
TE-103-AW-48	5/22/90	68	CASS	T	
TE-103-AW-48	6/2/90	68	CASS	T	
TE-103-AW-48	6/9/90	69	CASS	T	
TE-103-AW-48	6/16/90	69	CASS	T	
TE-103-AW-48	6/23/90	69	CASS	T	
TE-103-AW-48	6/30/90	70	CASS	T	
TE-103-AW-48	7/3/90	99	CASS	S	Data point did not agree with local trend
TE-103-AW-48	7/7/90	70	CASS	T	
TE-103-AW-48	7/14/90	71	CASS	T	
TE-103-AW-48	7/21/90	72	CASS	T	
TE-103-AW-48	7/28/90	72	CASS	T	
TE-103-AW-48	8/4/90	73	CASS	T	
TE-103-AW-48	8/11/90	73	CASS	T	
TE-103-AW-48	8/18/90	74	CASS	T	
TE-103-AW-48	8/25/90	74	CASS	T	
TE-103-AW-48	9/1/90	74	CASS	T	
TE-103-AW-48	9/8/90	74	CASS	T	
TE-103-AW-48	9/15/90	74	CASS	T	
TE-103-AW-48	9/22/90	74	CASS	T	
TE-103-AW-48	9/29/90	74	CASS	T	
TE-103-AW-48	10/6/90	73	CASS	T	
TE-103-AW-48	10/13/90	73	CASS	T	
TE-103-AW-48	10/18/90	73	CASS	T	
TE-103-AW-48	10/27/90	72	CASS	T	
TE-103-AW-48	11/2/90	72	CASS	T	
TE-103-AW-48	11/9/90	101	CASS	S	Data point did not agree with local trend
TE-103-AW-48	11/10/90	71	CASS	T	
TE-103-AW-48	11/17/90	71	CASS	T	
TE-103-AW-48	11/20/90	71	CASS	T	
TE-103-AW-48	11/25/90	71	CASS	T	
TE-103-AW-48	12/5/90	70	CASS	T	
TE-103-AW-48	12/6/90	101	CASS	S	Data point did not agree with local trend
TE-103-AW-48	12/15/90	69	CASS	T	
TE-103-AW-48	12/18/90	69	CASS	T	
TE-103-AW-48	12/28/90	68	CASS	T	
TE-103-AW-48	1/1/91	66	CASS	T	
TE-103-AW-48	1/7/91	65	CASS	T	
TE-103-AW-48	1/19/91	64	CASS	T	
TE-103-AW-48	1/28/91	64	CASS	T	
TE-103-AW-48	2/2/91	64	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-48	2/9/91	64	CASS	T	
TE-103-AW-48	2/16/91	64	CASS	T	
TE-103-AW-48	2/23/91	64	CASS	T	
TE-103-AW-48	3/2/91	64	CASS	T	
TE-103-AW-48	3/6/91	64	CASS	T	
TE-103-AW-48	3/14/91	64	CASS	T	
TE-103-AW-48	3/23/91	63	CASS	T	
TE-103-AW-48	3/24/91	64	CASS	T	
TE-103-AW-48	4/6/91	64	CASS	T	
TE-103-AW-48	4/13/91	64	CASS	T	
TE-103-AW-48	4/20/91	64	CASS	T	
TE-103-AW-48	4/27/91	64	CASS	T	
TE-103-AW-48	5/4/91	65	CASS	T	
TE-103-AW-48	5/11/91	65	CASS	T	
TE-103-AW-48	5/18/91	65	CASS	T	
TE-103-AW-48	5/25/91	65	CASS	T	
TE-103-AW-48	5/29/91	66	CASS	T	
TE-103-AW-48	6/8/91	66	CASS	T	
TE-103-AW-48	6/15/91	66	CASS	T	
TE-103-AW-48	6/21/91	67	CASS	T	
TE-103-AW-48	6/25/91	67	CASS	T	
TE-103-AW-48	6/28/91	95	CASS	S	Data point did not agree with local trend
TE-103-AW-48	2/3/92	62	SACS	T	
TE-103-AW-48	2/10/92	62	SACS	T	
TE-103-AW-48	2/17/92	61	SACS	T	
TE-103-AW-48	2/24/92	61	SACS	T	
TE-103-AW-48	3/2/92	61	SACS	T	
TE-103-AW-48	3/9/92	61	SACS	T	
TE-103-AW-48	3/16/92	62	SACS	T	
TE-103-AW-48	3/23/92	62	SACS	T	
TE-103-AW-48	3/30/92	62	SACS	T	
TE-103-AW-48	4/6/92	80	SACS	T	
TE-103-AW-48	4/13/92	79	SACS	T	
TE-103-AW-48	4/20/92	78	SACS	T	
TE-103-AW-48	4/27/92	62	SACS	T	
TE-103-AW-48	5/4/92	63	SACS	T	
TE-103-AW-48	5/11/92	63	SACS	T	
TE-103-AW-48	5/18/92	64	SACS	T	
TE-103-AW-48	5/25/92	64	SACS	T	
TE-103-AW-48	6/6/92	65	SACS	T	
TE-103-AW-48	6/15/92	67	SACS	T	
TE-103-AW-48	6/22/92	66	SACS	T	
TE-103-AW-48	7/8/92	68	SACS	T	
TE-103-AW-48	7/13/92	68	SACS	T	
TE-103-AW-48	7/20/92	68	SACS	T	
TE-103-AW-48	7/27/92	68	SACS	T	
TE-103-AW-48	8/3/92	69	SACS	T	
TE-103-AW-48	8/10/92	69	SACS	T	
TE-103-AW-48	8/17/92	70	SACS	T	
TE-103-AW-48	8/24/92	70	SACS	T	
TE-103-AW-48	8/31/92	70	SACS	T	
TE-103-AW-48	9/7/92	71	SACS	T	
TE-103-AW-48	9/14/92	71	SACS	T	
TE-103-AW-48	9/21/92	70	SACS	T	
TE-103-AW-48	9/28/92	70	SACS	T	
TE-103-AW-48	1/4/93	74	SACS	T	
TE-103-AW-48	1/11/93	63	SACS	T	
TE-103-AW-48	1/18/93	63	SACS	T	
TE-103-AW-48	3/1/93	62	SACS	T	
TE-103-AW-48	3/8/93	61	SACS	T	
TE-103-AW-48	3/17/93	61	SACS	T	
TE-103-AW-48	3/22/93	61	SACS	T	
TE-103-AW-48	3/29/93	63	SACS	T	
TE-103-AW-48	4/6/93	60	SACS	T	
TE-103-AW-48	4/12/93	61	SACS	T	
TE-103-AW-48	4/19/93	61	SACS	T	
TE-103-AW-48	4/26/93	60	SACS	T	
TE-103-AW-48	5/3/93	62	SACS	T	
TE-103-AW-48	5/10/93	59	SACS	T	
TE-103-AW-48	5/17/93	62	SACS	T	
TE-103-AW-48	5/24/93	63	SACS	T	
TE-103-AW-48	5/31/93	63	SACS	T	
TE-103-AW-48	6/7/93	64	SACS	T	
TE-103-AW-48	6/15/93	64	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-46	6/21/93	63	SACS	T	
TE-103-AW-46	6/22/93	85	SACS	S	Data point did not agree with local trend
TE-103-AW-46	6/28/93	63	SACS	T	
TE-103-AW-46	8/2/93	66	SACS	T	
TE-103-AW-46	8/9/93	67	SACS	T	
TE-103-AW-46	8/16/93	68	SACS	T	
TE-103-AW-46	8/23/93	68	SACS	T	
TE-103-AW-46	8/30/93	69	SACS	T	
TE-103-AW-46	9/13/93	69	SACS	T	
TE-103-AW-46	9/21/93	69	SACS	T	
TE-103-AW-46	9/27/93	68	SACS	T	
TE-103-AW-46	10/11/93	69	SACS	T	
TE-103-AW-46	10/19/93	68	SACS	T	
TE-103-AW-46	10/25/93	68	SACS	T	
TE-103-AW-46	11/1/93	67	SACS	T	
TE-103-AW-46	11/8/93	67	SACS	T	
TE-103-AW-46	11/15/93	66	SACS	T	
TE-103-AW-46	11/22/93	66	SACS	T	
TE-103-AW-46	11/26/93	36	SACS	S	Data point did not agree with local trend
TE-103-AW-46	11/29/93	78	SACS	S	Data point did not agree with local trend
TE-103-AW-46	12/6/93	71	SACS	T	
TE-103-AW-46	12/17/93	65	SACS	T	
TE-103-AW-46	12/20/93	65	SACS	T	
TE-103-AW-46	12/27/93	64	SACS	T	
TE-103-AW-46	1/6/94	64	SACS	T	
TE-103-AW-46	1/24/94	63	SACS	T	
TE-103-AW-46	1/31/94	63	SACS	T	
TE-103-AW-46	2/7/94	64	SACS	G	
TE-103-AW-46	2/21/94	62	SACS	G	
TE-103-AW-46	2/28/94	62	SACS	T	
TE-103-AW-46	3/7/94	62	SACS	T	
TE-103-AW-46	3/14/94	62	SACS	G	
TE-103-AW-46	3/21/94	62	SACS	G	
TE-103-AW-46	3/28/94	61	SACS	G	
TE-103-AW-46	4/5/94	62	SACS	G	
TE-103-AW-46	4/11/94	62	SACS	G	
TE-103-AW-46	4/18/94	61	SACS	G	
TE-103-AW-46	4/25/94	63	SACS	G	
TE-103-AW-46	5/2/94	62	SACS	G	
TE-103-AW-46	5/9/94	62	SACS	G	
TE-103-AW-46	5/16/94	63	SACS	G	
TE-103-AW-46	5/31/94	64	SACS	G	
TE-103-AW-46	6/6/94	64	SACS	G	
TE-103-AW-46	6/13/94	64	SACS	G	
TE-103-AW-46	6/20/94	64	SACS	G	
TE-103-AW-46	6/27/94	65	SACS	G	
TE-103-AW-46	7/4/94	65	SACS	G	
TE-103-AW-46	7/18/94	66	SACS	G	
TE-103-AW-46	7/25/94	67	SACS	G	
TE-103-AW-46	8/1/94	67	SACS	G	
TE-103-AW-46	8/8/94	68	SACS	G	
TE-103-AW-46	8/15/94	69	SACS	G	
TE-103-AW-46	8/22/94	69	SACS	G	
TE-103-AW-46	9/7/94	69	SACS	G	
TE-103-AW-46	9/12/94	69	SACS	G	
TE-103-AW-46	10/10/94	69	SACS	G	
TE-103-AW-46	10/17/94	70	SACS	G	
TE-103-AW-46	10/24/94	68	SACS	G	
TE-103-AW-46	10/31/94	69	SACS	G	
TE-103-AW-46	11/7/94	68	SACS	G	
TE-103-AW-46	11/14/94	67	SACS	G	
TE-103-AW-46	11/21/94	66	SACS	G	
TE-103-AW-46	11/28/94	66	SACS	G	
TE-103-AW-46	12/5/94	65	SACS	G	
TE-103-AW-46	12/12/94	67	SACS	G	
TE-103-AW-46	12/19/94	64	SACS	G	
TE-103-AW-46	12/26/94	63	SACS	G	
TE-103-AW-46	1/2/95	64	SACS	G	
TE-103-AW-46	1/9/95	62	SACS	G	
TE-103-AW-46	1/16/95	62	SACS	G	
TE-103-AW-46	1/23/95	61	SACS	G	
TE-103-AW-46	1/30/95	62	SACS	G	
TE-103-AW-46	2/6/95	61	SACS	G	
TE-103-AW-46	2/13/95	62	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-46	2/24/95	61	SACS	G	
TE-103-AW-46	2/27/95	61	SACS	G	
TE-103-AW-46	3/6/95	61	SACS	G	
TE-103-AW-46	3/19/95	61	SACS	G	
TE-103-AW-46	3/27/95	61	SACS	G	
TE-103-AW-46	4/3/95	62	SACS	G	
TE-103-AW-46	4/10/95	61	SACS	G	
TE-103-AW-46	4/17/95	61	SACS	G	
TE-103-AW-46	4/24/95	62	SACS	G	
TE-103-AW-46	5/3/95	62	SACS	G	
TE-103-AW-46	5/8/95	62	SACS	G	
TE-103-AW-46	5/15/95	62	SACS	G	
TE-103-AW-46	5/22/95	63	SACS	G	
TE-103-AW-46	5/30/95	63	SACS	G	
TE-103-AW-46	6/5/95	64	SACS	G	
TE-103-AW-46	6/13/95	64	SACS	G	
TE-103-AW-46	6/19/95	65	SACS	G	
TE-103-AW-46	6/26/95	65	SACS	G	
TE-103-AW-47	7/16/83	76	CASS	T	
TE-103-AW-47	7/23/83	76	CASS	T	
TE-103-AW-47	7/30/83	76	CASS	T	
TE-103-AW-47	8/6/83	78	CASS	T	
TE-103-AW-47	8/8/83	80	CASS	T	
TE-103-AW-47	8/20/83	78	CASS	T	
TE-103-AW-47	8/26/83	85	CASS	T	
TE-103-AW-47	8/29/83	91	CASS	T	
TE-103-AW-47	9/10/83	88	CASS	T	
TE-103-AW-47	9/12/83	88	CASS	T	
TE-103-AW-47	9/22/83	84	CASS	T	
TE-103-AW-47	9/28/83	88	CASS	T	
TE-103-AW-47	10/2/83	80	CASS	T	
TE-103-AW-47	10/13/83	79	CASS	T	
TE-103-AW-47	10/17/83	82	CASS	T	
TE-103-AW-47	3/10/84	85	CASS	T	
TE-103-AW-47	3/16/84	86	CASS	T	
TE-103-AW-47	3/21/84	89	CASS	T	
TE-103-AW-47	3/25/84	87	CASS	T	
TE-103-AW-47	4/1/84	86	CASS	T	
TE-103-AW-47	4/12/84	93	CASS	T	
TE-103-AW-47	4/19/84	87	CASS	T	
TE-103-AW-47	4/22/84	93	CASS	T	
TE-103-AW-47	5/1/84	93	CASS	T	
TE-103-AW-47	5/12/84	91	CASS	T	
TE-103-AW-47	5/19/84	91	CASS	T	
TE-103-AW-47	5/25/84	92	CASS	T	
TE-103-AW-47	6/2/84	92	CASS	T	
TE-103-AW-47	6/7/84	92	CASS	T	
TE-103-AW-47	6/23/84	91	CASS	T	
TE-103-AW-47	6/30/84	92	CASS	T	
TE-103-AW-47	7/7/84	94	CASS	T	
TE-103-AW-47	7/8/84	94	CASS	T	
TE-103-AW-47	7/17/84	92	CASS	T	
TE-103-AW-47	7/25/84	91	CASS	T	
TE-103-AW-47	8/3/84	90	CASS	T	
TE-103-AW-47	8/11/84	89	CASS	T	
TE-103-AW-47	8/14/84	89	CASS	T	
TE-103-AW-47	8/19/84	89	CASS	T	
TE-103-AW-47	8/30/84	88	CASS	T	
TE-103-AW-47	9/8/84	87	CASS	T	
TE-103-AW-47	9/12/84	87	CASS	T	
TE-103-AW-47	9/22/84	86	CASS	T	
TE-103-AW-47	9/25/84	86	CASS	T	
TE-103-AW-47	10/6/84	85	CASS	T	
TE-103-AW-47	10/13/84	84	CASS	T	
TE-103-AW-47	10/16/84	84	CASS	T	
TE-103-AW-47	10/23/84	83	CASS	T	
TE-103-AW-47	10/29/84	81	CASS	T	
TE-103-AW-47	11/4/84	79	CASS	T	
TE-103-AW-47	11/15/84	76	CASS	T	
TE-103-AW-47	11/21/84	75	CASS	T	
TE-103-AW-47	11/26/84	73	CASS	T	
TE-103-AW-47	12/6/84	71	CASS	T	
TE-103-AW-47	12/10/84	70	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-47	12/22/84	67	CASS	T	
TE-103-AW-47	12/29/84	67	CASS	T	
TE-103-AW-47	1/2/85	66	CASS	T	
TE-103-AW-47	1/10/85	72	CASS	T	
TE-103-AW-47	1/19/85	75	CASS	T	
TE-103-AW-47	1/20/85	81	CASS	T	
TE-103-AW-47	1/28/85	84	CASS	T	
TE-103-AW-47	2/6/85	80	CASS	T	
TE-103-AW-47	2/15/85	87	CASS	T	
TE-103-AW-47	2/18/85	86	CASS	T	
TE-103-AW-47	2/26/85	81	CASS	T	
TE-103-AW-47	3/4/85	85	CASS	T	
TE-103-AW-47	3/10/85	84	CASS	T	
TE-103-AW-47	3/21/85	85	CASS	T	
TE-103-AW-47	3/28/85	85	CASS	T	
TE-103-AW-47	4/2/85	86	CASS	T	
TE-103-AW-47	4/13/85	90	CASS	T	
TE-103-AW-47	4/15/85	91	CASS	T	
TE-103-AW-47	4/27/85	90	CASS	T	
TE-103-AW-47	5/4/85	91	CASS	T	
TE-103-AW-47	5/5/85	91	CASS	T	
TE-103-AW-47	5/13/85	89	CASS	T	
TE-103-AW-47	5/25/85	89	CASS	T	
TE-103-AW-47	6/1/85	90	CASS	T	
TE-103-AW-47	6/4/85	90	CASS	T	
TE-103-AW-47	6/15/85	89	CASS	T	
TE-103-AW-47	6/19/85	89	CASS	T	
TE-103-AW-47	11/1/85	80	CASS	T	
TE-103-AW-47	12/1/85	76	CASS	T	
TE-103-AW-47	1/4/86	74	CASS	T	
TE-103-AW-47	1/11/86	77	CASS	T	
TE-103-AW-47	1/12/86	82	CASS	T	
TE-103-AW-47	1/20/86	86	CASS	T	
TE-103-AW-47	1/31/86	80	CASS	T	
TE-103-AW-47	2/8/86	88	CASS	T	
TE-103-AW-47	2/15/86	88	CASS	T	
TE-103-AW-47	2/19/86	94	CASS	T	
TE-103-AW-47	2/27/86	92	CASS	T	
TE-103-AW-47	3/2/86	94	CASS	T	
TE-103-AW-47	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-103-AW-47	9/19/86	92	CASS	T	
TE-103-AW-47	9/21/86	92	CASS	T	
TE-103-AW-47	9/29/86	91	CASS	T	
TE-103-AW-47	10/11/86	90	CASS	T	
TE-103-AW-47	10/13/86	90	CASS	T	
TE-103-AW-47	10/23/86	89	CASS	T	
TE-103-AW-47	11/1/86	88	CASS	T	
TE-103-AW-47	11/4/86	88	CASS	T	
TE-103-AW-47	11/11/86	87	CASS	T	
TE-103-AW-47	11/22/86	86	CASS	T	
TE-103-AW-47	11/25/86	86	CASS	T	
TE-103-AW-47	12/2/86	85	CASS	T	
TE-103-AW-47	12/13/86	84	CASS	T	
TE-103-AW-47	12/20/86	83	CASS	T	
TE-103-AW-47	12/23/86	83	CASS	T	
TE-103-AW-47	12/30/86	82	CASS	T	
TE-103-AW-47	7/4/87	74	CASS	T	
TE-103-AW-47	7/11/87	74	CASS	T	
TE-103-AW-47	7/18/87	75	CASS	T	
TE-103-AW-47	7/26/87	75	CASS	T	
TE-103-AW-47	8/1/87	78	CASS	T	
TE-103-AW-47	8/3/87	86	CASS	T	
TE-103-AW-47	8/13/87	83	CASS	T	
TE-103-AW-47	8/20/87	85	CASS	T	
TE-103-AW-47	8/29/87	85	CASS	T	
TE-103-AW-47	9/5/87	88	CASS	T	
TE-103-AW-47	9/11/87	88	CASS	T	
TE-103-AW-47	11/28/87	73	CASS	T	
TE-103-AW-47	11/30/87	108	CASS	T	
TE-103-AW-47	3/26/88	81	CASS	T	
TE-103-AW-47	3/28/88	81	CASS	T	
TE-103-AW-47	6/4/88	73	CASS	T	
TE-103-AW-47	6/5/88	73	CASS	T	
TE-103-AW-47	6/7/88	98	CASS	S	Scatter in data locality

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-47	6/9/88	73	CASS	S	Scatter in data locally
TE-103-AW-47	6/9/88	74	CASS	S	Scatter in data locally
TE-103-AW-47	6/10/88	76	CASS	S	Scatter in data locally
TE-103-AW-47	6/11/88	77	CASS	S	Scatter in data locally
TE-103-AW-47	6/12/88	77	CASS	S	Scatter in data locally
TE-103-AW-47	6/13/88	77	CASS	S	Scatter in data locally
TE-103-AW-47	6/14/88	79	CASS	S	Scatter in data locally
TE-103-AW-47	6/15/88	82	CASS	S	Scatter in data locally
TE-103-AW-47	6/16/88	82	CASS	S	Scatter in data locally
TE-103-AW-47	6/17/88	81	CASS	S	Scatter in data locally
TE-103-AW-47	6/18/88	99	CASS	S	Scatter in data locally
TE-103-AW-47	6/19/88	99	CASS	S	Scatter in data locally
TE-103-AW-47	6/20/88	79	CASS	S	Scatter in data locally
TE-103-AW-47	6/21/88	81	CASS	S	Scatter in data locally
TE-103-AW-47	6/22/88	83	CASS	S	Scatter in data locally
TE-103-AW-47	6/23/88	99	CASS	S	Scatter in data locally
TE-103-AW-47	6/24/88	99	CASS	S	Scatter in data locally
TE-103-AW-47	6/25/88	99	CASS	S	Scatter in data locally
TE-103-AW-47	6/26/88	87	CASS	S	Scatter in data locally
TE-103-AW-47	6/27/88	87	CASS	S	Scatter in data locally
TE-103-AW-47	6/28/88	99	CASS	S	Scatter in data locally
TE-103-AW-47	6/29/88	88	CASS	S	Scatter in data locally
TE-103-AW-47	6/30/88	90	CASS	S	Scatter in data locally
TE-103-AW-47	7/1/88	90	CASS	S	Scatter in data locally
TE-103-AW-47	7/2/88	99	CASS	S	Scatter in data locally
TE-103-AW-47	7/3/88	89	CASS	S	Scatter in data locally
TE-103-AW-47	7/4/88	91	CASS	S	Scatter in data locally
TE-103-AW-47	7/5/88	91	CASS	S	Scatter in data locally
TE-103-AW-47	7/6/88	92	CASS	S	Scatter in data locally
TE-103-AW-47	7/7/88	93	CASS	S	Scatter in data locally
TE-103-AW-47	7/8/88	99	CASS	S	Scatter in data locally
TE-103-AW-47	7/9/88	92	CASS	S	Scatter in data locally
TE-103-AW-47	7/10/88	93	CASS	S	Scatter in data locally
TE-103-AW-47	7/11/88	93	CASS	S	Scatter in data locally
TE-103-AW-47	7/12/88	99	CASS	S	Scatter in data locally
TE-103-AW-47	7/13/88	99	CASS	S	Scatter in data locally
TE-103-AW-47	7/14/88	91	CASS	S	Scatter in data locally
TE-103-AW-47	7/15/88	92	CASS	S	Scatter in data locally
TE-103-AW-47	7/16/88	93	CASS	S	Scatter in data locally
TE-103-AW-47	7/17/88	99	CASS	S	Scatter in data locally
TE-103-AW-47	7/18/88	91	CASS	S	Scatter in data locally
TE-103-AW-47	7/19/88	99	CASS	S	Scatter in data locally
TE-103-AW-47	7/20/88	90	CASS	S	Scatter in data locally
TE-103-AW-47	7/21/88	90	CASS	S	Scatter in data locally
TE-103-AW-47	7/22/88	90	CASS	S	Scatter in data locally
TE-103-AW-47	7/23/88	99	CASS	S	Scatter in data locally
TE-103-AW-47	7/24/88	89	CASS	S	Scatter in data locally
TE-103-AW-47	7/25/88	100	CASS	S	Scatter in data locally
TE-103-AW-47	7/26/88	100	CASS	S	Scatter in data locally
TE-103-AW-47	7/27/88	88	CASS	S	Scatter in data locally
TE-103-AW-47	7/28/88	100	CASS	S	Scatter in data locally
TE-103-AW-47	7/29/88	88	CASS	S	Scatter in data locally
TE-103-AW-47	7/30/88	100	CASS	S	Scatter in data locally
TE-103-AW-47	7/31/88	100	CASS	S	Scatter in data locally
TE-103-AW-47	8/1/88	87	CASS	S	Scatter in data locally
TE-103-AW-47	8/2/88	88	CASS	S	Scatter in data locally
TE-103-AW-47	8/3/88	100	CASS	S	Scatter in data locally
TE-103-AW-47	8/4/88	100	CASS	S	Scatter in data locally
TE-103-AW-47	8/5/88	90	CASS	S	Scatter in data locally
TE-103-AW-47	8/6/88	100	CASS	S	Scatter in data locally
TE-103-AW-47	8/8/88	100	CASS	S	Scatter in data locally
TE-103-AW-47	8/8/88	91	CASS	S	Scatter in data locally
TE-103-AW-47	8/10/88	100	CASS	S	Scatter in data locally
TE-103-AW-47	8/11/88	100	CASS	S	Scatter in data locally
TE-103-AW-47	8/12/88	93	CASS	S	Scatter in data locally
TE-103-AW-47	8/13/88	100	CASS	S	Scatter in data locally
TE-103-AW-47	8/14/88	93	CASS	S	Scatter in data locally
TE-103-AW-47	8/15/88	93	CASS	S	Scatter in data locally
TE-103-AW-47	8/16/88	96	CASS	S	Scatter in data locally
TE-103-AW-47	8/17/88	100	CASS	S	Scatter in data locally
TE-103-AW-47	8/20/88	100	CASS	T	
TE-103-AW-47	8/27/88	100	CASS	T	
TE-103-AW-47	9/3/88	101	CASS	T	
TE-103-AW-47	9/6/88	101	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-47	9/17/88	100	CASS	T	
TE-103-AW-47	9/21/88	100	CASS	T	
TE-103-AW-47	9/26/88	97	CASS	T	
TE-103-AW-47	12/3/88	93	CASS	T	
TE-103-AW-47	12/10/88	93	CASS	T	
TE-103-AW-47	12/11/88	93	CASS	T	
TE-103-AW-47	12/20/88	90	CASS	T	
TE-103-AW-47	7/10/89	93	SACS	S	Disagreement between CASS and SACS
TE-103-AW-47	7/17/89	74	SACS	T	
TE-103-AW-47	7/24/89	76	SACS	T	
TE-103-AW-47	8/7/89	73	SACS	T	
TE-103-AW-47	8/14/89	78	SACS	T	
TE-103-AW-47	8/21/89	85	SACS	T	
TE-103-AW-47	9/2/89	78	CASS	T	
TE-103-AW-47	9/9/89	77	CASS	T	
TE-103-AW-47	9/14/89	77	CASS	T	
TE-103-AW-47	9/23/89	78	CASS	T	
TE-103-AW-47	9/26/89	77	CASS	T	
TE-103-AW-47	10/1/89	63	SACS	S	Data point did not agree with local trend
TE-103-AW-47	10/9/89	51	SACS	S	
TE-103-AW-47	10/16/89	75	SACS	T	
TE-103-AW-47	10/24/89	78	SACS	T	
TE-103-AW-47	10/30/89	78	SACS	T	
TE-103-AW-47	11/9/89	75	CASS	T	
TE-103-AW-47	11/13/89	75	SACS	T	
TE-103-AW-47	11/23/89	74	CASS	T	
TE-103-AW-47	11/27/89	74	SACS	T	
TE-103-AW-47	12/5/89	73	CASS	T	
TE-103-AW-47	12/14/89	72	CASS	T	
TE-103-AW-47	12/23/89	71	CASS	T	
TE-103-AW-47	12/25/89	71	CASS	T	
TE-103-AW-47	1/6/90	70	CASS	T	
TE-103-AW-47	1/8/90	78	SACS	T	
TE-103-AW-47	1/17/90	69	CASS	T	
TE-103-AW-47	1/23/90	69	CASS	T	
TE-103-AW-47	1/29/90	69	SACS	T	
TE-103-AW-47	2/10/90	68	CASS	T	
TE-103-AW-47	2/12/90	69	SACS	T	
TE-103-AW-47	2/19/90	69	SACS	T	
TE-103-AW-47	3/3/90	67	CASS	T	
TE-103-AW-47	3/10/90	67	CASS	T	
TE-103-AW-47	3/17/90	67	CASS	T	
TE-103-AW-47	3/22/90	67	CASS	T	
TE-103-AW-47	3/23/90	101	CASS	S	Data point did not agree with local trend
TE-103-AW-47	3/31/90	67	CASS	T	
TE-103-AW-47	4/7/90	67	CASS	T	
TE-103-AW-47	4/14/90	67	CASS	T	
TE-103-AW-47	4/21/90	68	CASS	T	
TE-103-AW-47	4/27/90	68	CASS	T	
TE-103-AW-47	5/5/90	68	CASS	T	
TE-103-AW-47	5/12/90	68	CASS	T	
TE-103-AW-47	5/14/90	71	SACS	T	
TE-103-AW-47	5/22/90	68	CASS	T	
TE-103-AW-47	5/28/90	79	SACS	S	Data point did not agree with local trend
TE-103-AW-47	6/2/90	68	CASS	T	
TE-103-AW-47	6/9/90	69	CASS	T	
TE-103-AW-47	6/11/90	82	SACS	S	Data point did not agree with local trend
TE-103-AW-47	6/18/90	69	CASS	T	
TE-103-AW-47	6/23/90	70	CASS	T	
TE-103-AW-47	6/30/90	70	CASS	T	
TE-103-AW-47	7/2/90	87	SACS	S	Data point did not agree with local trend
TE-103-AW-47	7/3/90	101	CASS	S	
TE-103-AW-47	7/7/90	70	CASS	T	
TE-103-AW-47	7/14/90	71	CASS	T	
TE-103-AW-47	7/21/90	72	CASS	T	
TE-103-AW-47	7/28/90	72	CASS	T	
TE-103-AW-47	8/4/90	73	CASS	T	
TE-103-AW-47	8/11/90	74	CASS	T	
TE-103-AW-47	8/18/90	74	CASS	T	
TE-103-AW-47	8/20/90	80	SACS	T	
TE-103-AW-47	9/1/90	74	CASS	T	
TE-103-AW-47	9/8/90	74	CASS	T	
TE-103-AW-47	9/15/90	74	CASS	T	
TE-103-AW-47	9/22/90	74	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-47	9/24/90	82	SACS	T	
TE-103-AW-47	10/2/90	74	CASS	T	
TE-103-AW-47	10/8/90	74	SACS	T	
TE-103-AW-47	10/15/90	74	SACS	T	
TE-103-AW-47	10/22/90	73	SACS	T	
TE-103-AW-47	11/2/90	72	CASS	T	
TE-103-AW-47	11/5/90	72	SACS	T	
TE-103-AW-47	11/9/90	104	CASS	S	Data point did not agree with local trend
TE-103-AW-47	11/17/90	71	CASS	T	
TE-103-AW-47	11/20/90	71	CASS	T	
TE-103-AW-47	11/25/90	71	CASS	T	
TE-103-AW-47	12/5/90	70	CASS	T	
TE-103-AW-47	12/8/90	104	CASS	S	Data point did not agree with local trend
TE-103-AW-47	12/15/90	69	CASS	T	
TE-103-AW-47	12/19/90	69	CASS	T	
TE-103-AW-47	12/23/90	69	SACS	T	
TE-103-AW-47	12/31/90	68	SACS	T	
TE-103-AW-47	1/7/91	65	SACS	T	
TE-103-AW-47	1/19/91	64	CASS	T	
TE-103-AW-47	1/26/91	64	CASS	T	
TE-103-AW-47	1/28/91	65	SACS	T	
TE-103-AW-47	2/3/91	64	CASS	T	
TE-103-AW-47	2/16/91	64	CASS	T	
TE-103-AW-47	2/23/91	64	CASS	T	
TE-103-AW-47	3/2/91	64	CASS	T	
TE-103-AW-47	3/6/91	64	CASS	T	
TE-103-AW-47	3/14/91	64	CASS	T	
TE-103-AW-47	3/23/91	63	CASS	T	
TE-103-AW-47	3/25/91	64	SACS	T	
TE-103-AW-47	4/6/91	64	CASS	T	
TE-103-AW-47	4/13/91	64	CASS	T	
TE-103-AW-47	4/20/91	64	CASS	T	
TE-103-AW-47	4/23/91	65	CASS	T	
TE-103-AW-47	5/4/91	65	CASS	T	
TE-103-AW-47	5/11/91	65	CASS	T	
TE-103-AW-47	5/18/91	65	CASS	T	
TE-103-AW-47	5/25/91	65	CASS	T	
TE-103-AW-47	5/31/91	66	CASS	T	
TE-103-AW-47	6/8/91	66	CASS	T	
TE-103-AW-47	6/15/91	66	CASS	T	
TE-103-AW-47	6/21/91	67	CASS	T	
TE-103-AW-47	6/25/91	67	CASS	T	
TE-103-AW-47	6/28/91	95	CASS	S	Data point did not agree with local trend
TE-103-AW-47	7/1/91	68	SACS	T	
TE-103-AW-47	7/8/91	68	SACS	T	
TE-103-AW-47	7/15/91	68	SACS	T	
TE-103-AW-47	7/22/91	67	SACS	T	
TE-103-AW-47	7/29/91	69	SACS	T	
TE-103-AW-47	8/4/91	69	SACS	T	
TE-103-AW-47	8/19/91	70	SACS	T	
TE-103-AW-47	8/26/91	70	SACS	T	
TE-103-AW-47	9/2/91	71	SACS	T	
TE-103-AW-47	9/9/91	71	SACS	T	
TE-103-AW-47	9/16/91	71	SACS	T	
TE-103-AW-47	9/23/91	72	SACS	T	
TE-103-AW-47	9/30/91	71	SACS	T	
TE-103-AW-47	10/7/91	70	SACS	T	
TE-103-AW-47	10/14/91	71	SACS	T	
TE-103-AW-47	10/21/91	71	SACS	T	
TE-103-AW-47	10/28/91	70	SACS	T	
TE-103-AW-47	11/5/91	69	SACS	T	
TE-103-AW-47	11/11/91	69	SACS	T	
TE-103-AW-47	11/18/91	67	SACS	T	
TE-103-AW-47	11/25/91	67	SACS	T	
TE-103-AW-47	12/2/91	68	SACS	T	
TE-103-AW-47	12/9/91	66	SACS	T	
TE-103-AW-47	12/16/91	66	SACS	T	
TE-103-AW-47	12/23/91	65	SACS	T	
TE-103-AW-47	12/30/91	64	SACS	T	
TE-103-AW-47	1/6/92	64	SACS	T	
TE-103-AW-47	1/13/92	63	SACS	T	
TE-103-AW-47	1/20/92	63	SACS	T	
TE-103-AW-47	1/27/92	62	SACS	T	
TE-103-AW-47	2/22/92	62	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-47	3/4/92	63	SACS	T	
TE-103-AW-47	3/11/92	63	SACS	T	
TE-103-AW-47	6/29/92	67	SACS	T	
TE-103-AW-47	10/5/92	71	SACS	T	
TE-103-AW-47	10/12/92	69	SACS	T	
TE-103-AW-47	10/19/92	69	SACS	T	
TE-103-AW-47	10/26/92	69	SACS	T	
TE-103-AW-47	11/2/92	68	SACS	T	
TE-103-AW-47	11/9/92	69	SACS	T	
TE-103-AW-47	11/16/92	69	SACS	T	
TE-103-AW-47	11/23/92	68	SACS	T	
TE-103-AW-47	11/30/92	67	SACS	T	
TE-103-AW-47	12/7/92	67	SACS	T	
TE-103-AW-47	12/14/92	66	SACS	T	
TE-103-AW-47	12/21/92	65	SACS	T	
TE-103-AW-47	12/28/92	65	SACS	T	
TE-103-AW-47	1/25/93	62	SACS	T	
TE-103-AW-47	2/1/93	84	SACS	S	Data point did not agree with local trend
TE-103-AW-47	2/8/93	62	SACS	T	
TE-103-AW-47	2/16/93	63	SACS	T	
TE-103-AW-48	7/18/83	76	CASS	T	
TE-103-AW-48	7/23/83	76	CASS	T	
TE-103-AW-48	7/30/83	76	CASS	T	
TE-103-AW-48	8/6/83	78	CASS	T	
TE-103-AW-48	8/8/83	80	CASS	T	
TE-103-AW-48	8/19/83	78	CASS	T	
TE-103-AW-48	8/25/83	85	CASS	T	
TE-103-AW-48	8/29/83	91	CASS	T	
TE-103-AW-48	9/10/83	88	CASS	T	
TE-103-AW-48	9/12/83	86	CASS	T	
TE-103-AW-48	9/21/83	84	CASS	T	
TE-103-AW-48	9/28/83	86	CASS	T	
TE-103-AW-48	10/2/83	80	CASS	T	
TE-103-AW-48	10/15/83	78	CASS	T	
TE-103-AW-48	10/17/83	81	CASS	T	
TE-103-AW-48	3/10/84	85	CASS	T	
TE-103-AW-48	3/16/84	85	CASS	T	
TE-103-AW-48	3/21/84	89	CASS	T	
TE-103-AW-48	3/27/84	86	CASS	T	
TE-103-AW-48	4/3/84	85	CASS	T	
TE-103-AW-48	4/12/84	93	CASS	T	
TE-103-AW-48	4/19/84	86	CASS	T	
TE-103-AW-48	4/28/84	91	CASS	T	
TE-103-AW-48	5/5/84	93	CASS	T	
TE-103-AW-48	5/12/84	91	CASS	T	
TE-103-AW-48	5/19/84	91	CASS	T	
TE-103-AW-48	5/23/84	92	CASS	T	
TE-103-AW-48	6/2/84	92	CASS	T	
TE-103-AW-48	6/4/84	93	CASS	T	
TE-103-AW-48	6/23/84	91	CASS	T	
TE-103-AW-48	6/30/84	91	CASS	T	
TE-103-AW-48	7/7/84	93	CASS	T	
TE-103-AW-48	7/10/84	93	CASS	T	
TE-103-AW-48	7/21/84	91	CASS	T	
TE-103-AW-48	7/28/84	90	CASS	T	
TE-103-AW-48	7/29/84	90	CASS	T	
TE-103-AW-48	8/10/84	89	CASS	T	
TE-103-AW-48	8/18/84	88	CASS	T	
TE-103-AW-48	8/21/84	88	CASS	T	
TE-103-AW-48	9/1/84	87	CASS	T	
TE-103-AW-48	9/7/84	87	CASS	T	
TE-103-AW-48	9/15/84	86	CASS	T	
TE-103-AW-48	9/20/84	86	CASS	T	
TE-103-AW-48	9/29/84	85	CASS	T	
TE-103-AW-48	10/2/84	85	CASS	T	
TE-103-AW-48	10/13/84	84	CASS	T	
TE-103-AW-48	10/19/84	83	CASS	T	
TE-103-AW-48	10/21/84	83	CASS	T	
TE-103-AW-48	10/31/84	80	CASS	T	
TE-103-AW-48	11/4/84	79	CASS	T	
TE-103-AW-48	11/12/84	76	CASS	T	
TE-103-AW-48	11/21/84	74	CASS	T	
TE-103-AW-48	11/25/84	73	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-48	12/4/84	71	CASS	T	
TE-103-AW-48	12/14/84	67	CASS	T	
TE-103-AW-48	12/21/84	67	CASS	T	
TE-103-AW-48	12/29/84	66	CASS	T	
TE-103-AW-48	12/31/84	66	CASS	T	
TE-103-AW-48	1/10/85	71	CASS	T	
TE-103-AW-48	1/19/85	74	CASS	T	
TE-103-AW-48	1/20/85	81	CASS	T	
TE-103-AW-48	1/28/85	83	CASS	T	
TE-103-AW-48	2/8/85	77	CASS	T	
TE-103-AW-48	2/15/85	86	CASS	T	
TE-103-AW-48	2/18/85	85	CASS	T	
TE-103-AW-48	2/28/85	80	CASS	T	
TE-103-AW-48	3/7/85	84	CASS	T	
TE-103-AW-48	3/10/85	84	CASS	T	
TE-103-AW-48	3/21/85	84	CASS	T	
TE-103-AW-48	3/28/85	85	CASS	T	
TE-103-AW-48	4/2/85	86	CASS	T	
TE-103-AW-48	4/9/85	90	CASS	T	
TE-103-AW-48	4/15/85	88	CASS	T	
TE-103-AW-48	4/27/85	90	CASS	T	
TE-103-AW-48	4/30/85	93	CASS	T	
TE-103-AW-48	5/7/85	90	CASS	T	
TE-103-AW-48	5/18/85	88	CASS	T	
TE-103-AW-48	5/21/85	90	CASS	T	
TE-103-AW-48	6/1/85	90	CASS	T	
TE-103-AW-48	6/3/85	90	CASS	T	
TE-103-AW-48	6/15/85	89	CASS	T	
TE-103-AW-48	6/19/85	89	CASS	T	
TE-103-AW-48	11/1/85	80	CASS	T	
TE-103-AW-48	12/1/85	75	CASS	T	
TE-103-AW-48	1/2/86	74	CASS	T	
TE-103-AW-48	1/11/86	77	CASS	T	
TE-103-AW-48	1/12/86	82	CASS	T	
TE-103-AW-48	1/20/86	86	CASS	T	
TE-103-AW-48	1/31/86	79	CASS	T	
TE-103-AW-48	2/8/86	87	CASS	T	
TE-103-AW-48	2/15/86	87	CASS	T	
TE-103-AW-48	2/20/86	89	CASS	T	
TE-103-AW-48	2/28/86	93	CASS	T	
TE-103-AW-48	3/2/86	93	CASS	T	
TE-103-AW-48	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-103-AW-48	9/17/86	92	CASS	T	
TE-103-AW-48	10/6/86	90	CASS	T	
TE-103-AW-48	10/18/86	89	CASS	T	
TE-103-AW-48	10/19/86	89	CASS	T	
TE-103-AW-48	11/1/86	88	CASS	T	
TE-103-AW-48	11/8/86	87	CASS	T	
TE-103-AW-48	11/8/86	87	CASS	T	
TE-103-AW-48	11/19/86	86	CASS	T	
TE-103-AW-48	11/29/86	85	CASS	T	
TE-103-AW-48	12/6/86	84	CASS	T	
TE-103-AW-48	12/9/86	84	CASS	T	
TE-103-AW-48	12/18/86	83	CASS	T	
TE-103-AW-48	12/27/86	82	CASS	T	
TE-103-AW-48	12/29/86	82	CASS	T	
TE-103-AW-48	7/4/87	74	CASS	T	
TE-103-AW-48	7/11/87	74	CASS	T	
TE-103-AW-48	7/17/87	75	CASS	T	
TE-103-AW-48	7/25/87	75	CASS	T	
TE-103-AW-48	8/1/87	78	CASS	T	
TE-103-AW-48	8/3/87	86	CASS	T	
TE-103-AW-48	8/13/87	83	CASS	T	
TE-103-AW-48	8/20/87	85	CASS	T	
TE-103-AW-48	8/29/87	85	CASS	T	
TE-103-AW-48	8/31/87	88	CASS	T	
TE-103-AW-48	9/11/87	87	CASS	T	
TE-103-AW-48	11/28/87	72	CASS	T	
TE-103-AW-48	11/30/87	106	CASS	T	
TE-103-AW-48	3/28/88	81	CASS	T	
TE-103-AW-48	3/27/88	81	CASS	T	
TE-103-AW-48	6/4/88	72	CASS	T	
TE-103-AW-48	6/11/88	76	CASS	T	
TE-103-AW-48	6/16/88	82	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-48	6/24/88	86	CASS	T	
TE-103-AW-48	7/2/88	91	CASS	T	
TE-103-AW-48	7/8/88	84	CASS	T	
TE-103-AW-48	7/10/88	93	CASS	T	
TE-103-AW-48	7/17/88	92	CASS	T	
TE-103-AW-48	7/25/88	89	CASS	T	
TE-103-AW-48	8/2/88	106	CASS	S	Data point did not agree with local trend
TE-103-AW-48	8/6/88	90	CASS	T	
TE-103-AW-48	8/13/88	95	CASS	T	
TE-103-AW-48	8/20/88	95	CASS	T	
TE-103-AW-48	8/27/88	100	CASS	T	
TE-103-AW-48	8/29/88	101	CASS	T	
TE-103-AW-48	9/7/88	100	CASS	T	
TE-103-AW-48	9/12/88	99	CASS	T	
TE-103-AW-48	9/22/88	97	CASS	T	
TE-103-AW-48	9/27/88	98	CASS	T	
TE-103-AW-48	12/3/88	93	CASS	T	
TE-103-AW-48	12/4/88	93	CASS	T	
TE-103-AW-48	12/13/88	92	CASS	T	
TE-103-AW-48	12/20/88	90	CASS	T	
TE-103-AW-48	8/2/89	76	CASS	T	
TE-103-AW-48	9/9/89	76	CASS	T	
TE-103-AW-48	9/16/89	76	CASS	T	
TE-103-AW-48	9/23/89	76	CASS	T	
TE-103-AW-48	9/30/89	76	CASS	T	
TE-103-AW-48	11/4/89	74	CASS	T	
TE-103-AW-48	11/11/89	74	CASS	T	
TE-103-AW-48	11/18/89	74	CASS	T	
TE-103-AW-48	11/20/89	74	CASS	T	
TE-103-AW-48	11/29/89	73	CASS	T	
TE-103-AW-48	12/9/89	72	CASS	T	
TE-103-AW-48	12/10/89	72	CASS	T	
TE-103-AW-48	12/19/89	71	CASS	T	
TE-103-AW-48	12/28/89	70	CASS	T	
TE-103-AW-48	1/6/90	69	CASS	T	
TE-103-AW-48	1/11/90	69	CASS	T	
TE-103-AW-48	1/20/90	68	CASS	T	
TE-103-AW-48	1/27/90	68	CASS	T	
TE-103-AW-48	1/31/90	68	CASS	T	
TE-103-AW-48	2/4/90	68	CASS	T	
TE-103-AW-48	2/17/90	67	CASS	T	
TE-103-AW-48	2/24/90	67	CASS	T	
TE-103-AW-48	2/26/90	67	CASS	T	
TE-103-AW-48	3/10/90	66	CASS	T	
TE-103-AW-48	3/17/90	66	CASS	T	
TE-103-AW-48	3/22/90	66	CASS	T	
TE-103-AW-48	3/23/90	99	CASS	S	Data point did not agree with local trend
TE-103-AW-48	3/31/90	66	CASS	T	
TE-103-AW-48	4/4/90	67	CASS	T	
TE-103-AW-48	4/14/90	67	CASS	T	
TE-103-AW-48	4/21/90	67	CASS	T	
TE-103-AW-48	4/28/90	67	CASS	T	
TE-103-AW-48	5/5/90	67	CASS	T	
TE-103-AW-48	5/12/90	67	CASS	T	
TE-103-AW-48	5/19/90	67	CASS	T	
TE-103-AW-48	5/22/90	68	CASS	T	
TE-103-AW-48	6/2/90	68	CASS	T	
TE-103-AW-48	6/9/90	68	CASS	T	
TE-103-AW-48	6/16/90	69	CASS	T	
TE-103-AW-48	6/23/90	69	CASS	T	
TE-103-AW-48	6/30/90	70	CASS	T	
TE-103-AW-48	7/3/90	100	CASS	S	Data point did not agree with local trend
TE-103-AW-48	7/7/90	70	CASS	T	
TE-103-AW-48	7/14/90	71	CASS	T	
TE-103-AW-48	7/21/90	71	CASS	T	
TE-103-AW-48	7/28/90	72	CASS	T	
TE-103-AW-48	8/4/90	72	CASS	T	
TE-103-AW-48	8/11/90	73	CASS	T	
TE-103-AW-48	8/18/90	73	CASS	T	
TE-103-AW-48	8/25/90	73	CASS	T	
TE-103-AW-48	8/31/90	73	CASS	T	
TE-103-AW-48	9/8/90	73	CASS	T	
TE-103-AW-48	9/15/90	74	CASS	T	
TE-103-AW-48	9/22/90	73	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-48	9/25/90	74	CASS	T	
TE-103-AW-48	10/6/90	73	CASS	T	
TE-103-AW-48	10/12/90	73	CASS	T	
TE-103-AW-48	10/20/90	72	CASS	T	
TE-103-AW-48	10/27/90	72	CASS	T	
TE-103-AW-48	10/28/90	72	CASS	T	
TE-103-AW-48	11/9/90	104	CASS	S	Data point did not agree with local trend
TE-103-AW-48	11/10/90	71	CASS	T	
TE-103-AW-48	11/12/90	71	CASS	T	
TE-103-AW-48	11/24/90	70	CASS	T	
TE-103-AW-48	11/27/90	70	CASS	T	
TE-103-AW-48	12/8/90	104	CASS	S	Data point did not agree with local trend
TE-103-AW-48	12/8/90	89	CASS	T	
TE-103-AW-48	12/13/90	89	CASS	T	
TE-103-AW-48	12/19/90	88	CASS	T	
TE-103-AW-48	12/28/90	88	CASS	T	
TE-103-AW-48	1/4/91	85	CASS	T	
TE-103-AW-48	1/12/91	84	CASS	T	
TE-103-AW-48	1/19/91	84	CASS	T	
TE-103-AW-48	1/26/91	84	CASS	T	
TE-103-AW-48	2/2/91	84	CASS	T	
TE-103-AW-48	2/7/91	84	CASS	T	
TE-103-AW-48	2/10/91	83	CASS	T	
TE-103-AW-48	2/23/91	83	CASS	T	
TE-103-AW-48	3/2/91	83	CASS	T	
TE-103-AW-48	3/9/91	83	CASS	T	
TE-103-AW-48	3/16/91	83	CASS	T	
TE-103-AW-48	3/23/91	83	CASS	T	
TE-103-AW-48	3/30/91	83	CASS	T	
TE-103-AW-48	4/6/91	83	CASS	T	
TE-103-AW-48	4/13/91	83	CASS	T	
TE-103-AW-48	4/20/91	84	CASS	T	
TE-103-AW-48	4/27/91	84	CASS	T	
TE-103-AW-48	5/4/91	84	CASS	T	
TE-103-AW-48	5/11/91	84	CASS	T	
TE-103-AW-48	5/18/91	85	CASS	T	
TE-103-AW-48	5/25/91	85	CASS	T	
TE-103-AW-48	5/31/91	85	CASS	T	
TE-103-AW-48	6/8/91	86	CASS	T	
TE-103-AW-48	6/15/91	86	CASS	T	
TE-103-AW-48	6/21/91	86	CASS	T	
TE-103-AW-48	6/25/91	87	CASS	T	
TE-103-AW-48	6/28/91	95	CASS	S	Data point did not agree with local trend
TE-103-AW-49	7/14/83	76	CASS	T	
TE-103-AW-49	7/23/83	76	CASS	T	
TE-103-AW-49	7/29/83	76	CASS	T	
TE-103-AW-49	8/6/83	78	CASS	T	
TE-103-AW-49	8/7/83	80	CASS	T	
TE-103-AW-49	8/19/83	78	CASS	T	
TE-103-AW-49	8/25/83	85	CASS	T	
TE-103-AW-49	8/29/83	91	CASS	T	
TE-103-AW-49	9/10/83	89	CASS	T	
TE-103-AW-49	9/12/83	86	CASS	T	
TE-103-AW-49	9/21/83	84	CASS	T	
TE-103-AW-49	9/28/83	86	CASS	T	
TE-103-AW-49	10/2/83	80	CASS	T	
TE-103-AW-49	10/15/83	78	CASS	T	
TE-103-AW-49	10/17/83	81	CASS	T	
TE-103-AW-49	3/10/84	85	CASS	T	
TE-103-AW-49	3/16/84	85	CASS	T	
TE-103-AW-49	3/21/84	88	CASS	T	
TE-103-AW-49	3/25/84	86	CASS	T	
TE-103-AW-49	4/2/84	85	CASS	T	
TE-103-AW-49	4/12/84	93	CASS	T	
TE-103-AW-49	4/19/84	86	CASS	T	
TE-103-AW-49	4/26/84	91	CASS	T	
TE-103-AW-49	5/5/84	93	CASS	T	
TE-103-AW-49	5/12/84	89	CASS	T	
TE-103-AW-49	5/18/84	93	CASS	T	
TE-103-AW-49	5/26/84	91	CASS	T	
TE-103-AW-49	6/2/84	92	CASS	T	
TE-103-AW-49	6/3/84	94	CASS	T	
TE-103-AW-49	6/22/84	92	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-49	6/30/84	92	CASS	T	
TE-103-AW-49	7/7/84	93	CASS	T	
TE-103-AW-49	7/9/84	93	CASS	T	
TE-103-AW-49	7/21/84	91	CASS	T	
TE-103-AW-49	7/28/84	90	CASS	T	
TE-103-AW-49	7/28/84	90	CASS	T	
TE-103-AW-49	8/9/84	89	CASS	T	
TE-103-AW-49	8/18/84	88	CASS	T	
TE-103-AW-49	8/20/84	88	CASS	T	
TE-103-AW-49	9/1/84	87	CASS	T	
TE-103-AW-49	9/7/84	87	CASS	T	
TE-103-AW-49	9/15/84	86	CASS	T	
TE-103-AW-49	9/18/84	86	CASS	T	
TE-103-AW-49	9/29/84	85	CASS	T	
TE-103-AW-49	10/1/84	85	CASS	T	
TE-103-AW-49	10/12/84	84	CASS	T	
TE-103-AW-49	10/19/84	83	CASS	T	
TE-103-AW-49	10/21/84	83	CASS	T	
TE-103-AW-49	10/30/84	80	CASS	T	
TE-103-AW-49	11/4/84	79	CASS	T	
TE-103-AW-49	11/12/84	76	CASS	T	
TE-103-AW-49	11/21/84	74	CASS	T	
TE-103-AW-49	11/30/84	72	CASS	T	
TE-103-AW-49	12/4/84	71	CASS	T	
TE-103-AW-49	12/14/84	67	CASS	T	
TE-103-AW-49	12/20/84	67	CASS	T	
TE-103-AW-49	12/29/84	66	CASS	T	
TE-103-AW-49	1/3/85	65	CASS	T	
TE-103-AW-49	1/10/85	71	CASS	T	
TE-103-AW-49	1/19/85	74	CASS	T	
TE-103-AW-49	1/20/85	81	CASS	T	
TE-103-AW-49	1/28/85	83	CASS	T	
TE-103-AW-49	2/8/85	77	CASS	T	
TE-103-AW-49	2/15/85	86	CASS	T	
TE-103-AW-49	2/18/85	85	CASS	T	
TE-103-AW-49	2/28/85	80	CASS	T	
TE-103-AW-49	3/7/85	84	CASS	T	
TE-103-AW-49	3/10/85	83	CASS	T	
TE-103-AW-49	3/21/85	84	CASS	T	
TE-103-AW-49	3/30/85	84	CASS	T	
TE-103-AW-49	4/2/85	86	CASS	T	
TE-103-AW-49	4/9/85	90	CASS	T	
TE-103-AW-49	4/18/85	87	CASS	T	
TE-103-AW-49	4/21/85	90	CASS	T	
TE-103-AW-49	5/2/85	91	CASS	T	
TE-103-AW-49	5/7/85	89	CASS	T	
TE-103-AW-49	5/17/85	87	CASS	T	
TE-103-AW-49	5/24/85	90	CASS	T	
TE-103-AW-49	6/1/85	90	CASS	T	
TE-103-AW-49	6/3/85	90	CASS	T	
TE-103-AW-49	6/15/85	89	CASS	T	
TE-103-AW-49	6/19/85	89	CASS	T	
TE-103-AW-49	11/1/85	80	CASS	T	
TE-103-AW-49	12/1/85	75	CASS	T	
TE-103-AW-49	1/2/86	74	CASS	T	
TE-103-AW-49	1/11/86	77	CASS	T	
TE-103-AW-49	1/12/86	82	CASS	T	
TE-103-AW-49	1/20/86	86	CASS	T	
TE-103-AW-49	1/31/86	79	CASS	T	
TE-103-AW-49	2/8/86	87	CASS	T	
TE-103-AW-49	2/15/86	87	CASS	T	
TE-103-AW-49	2/20/86	89	CASS	T	
TE-103-AW-49	2/28/86	95	CASS	T	
TE-103-AW-49	3/2/86	89	CASS	T	
TE-103-AW-49	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-103-AW-49	9/20/86	99	CASS	T	
TE-103-AW-49	9/21/86	99	CASS	T	
TE-103-AW-49	9/28/86	97	CASS	T	
TE-103-AW-49	10/7/86	90	CASS	T	
TE-103-AW-49	10/18/86	89	CASS	T	
TE-103-AW-49	10/19/86	89	CASS	T	
TE-103-AW-49	10/31/86	88	CASS	T	
TE-103-AW-49	11/8/86	87	CASS	T	
TE-103-AW-49	11/15/86	86	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-49	11/19/88	86	CASS	T	
TE-103-AW-49	11/29/88	85	CASS	T	
TE-103-AW-49	12/6/88	84	CASS	T	
TE-103-AW-49	12/8/88	84	CASS	T	
TE-103-AW-49	12/18/88	83	CASS	T	
TE-103-AW-49	12/28/88	82	CASS	T	
TE-103-AW-49	12/31/88	81	CASS	T	
TE-103-AW-49	7/4/87	74	CASS	T	
TE-103-AW-49	7/11/87	74	CASS	T	
TE-103-AW-49	7/17/87	75	CASS	T	
TE-103-AW-49	7/25/87	75	CASS	T	
TE-103-AW-49	8/1/87	78	CASS	T	
TE-103-AW-49	8/3/87	85	CASS	T	
TE-103-AW-49	8/13/87	83	CASS	T	
TE-103-AW-49	8/20/87	85	CASS	T	
TE-103-AW-49	8/29/87	84	CASS	T	
TE-103-AW-49	8/31/87	88	CASS	T	
TE-103-AW-49	9/11/87	87	CASS	T	
TE-103-AW-49	11/28/87	72	CASS	T	
TE-103-AW-49	11/30/87	106	CASS	T	
TE-103-AW-49	3/26/88	79	CASS	T	
TE-103-AW-49	3/28/88	79	CASS	T	
TE-103-AW-49	6/4/88	72	CASS	T	
TE-103-AW-49	6/11/88	76	CASS	T	
TE-103-AW-49	6/16/88	82	CASS	T	
TE-103-AW-49	6/24/88	86	CASS	T	
TE-103-AW-49	7/2/88	91	CASS	T	
TE-103-AW-49	7/8/88	94	CASS	T	
TE-103-AW-49	7/10/88	93	CASS	T	
TE-103-AW-49	7/17/88	92	CASS	T	
TE-103-AW-49	7/24/88	89	CASS	T	
TE-103-AW-49	8/2/88	103	CASS	S	Data point did not agree with local trend
TE-103-AW-49	8/6/88	90	CASS	T	
TE-103-AW-49	8/13/88	94	CASS	T	
TE-103-AW-49	8/19/88	95	CASS	T	
TE-103-AW-49	8/27/88	97	CASS	T	
TE-103-AW-49	9/3/88	99	CASS	T	
TE-103-AW-49	9/6/88	100	CASS	T	
TE-103-AW-49	9/14/88	99	CASS	T	
TE-103-AW-49	9/19/88	98	CASS	T	
TE-103-AW-49	9/25/88	96	CASS	T	
TE-103-AW-49	12/2/88	93	CASS	T	
TE-103-AW-49	12/10/88	92	CASS	T	
TE-103-AW-49	12/12/88	92	CASS	T	
TE-103-AW-49	12/20/88	90	CASS	T	
TE-103-AW-49	9/2/89	78	CASS	T	
TE-103-AW-49	9/9/89	76	CASS	T	
TE-103-AW-49	9/16/89	76	CASS	T	
TE-103-AW-49	9/23/89	76	CASS	T	
TE-103-AW-49	9/30/89	76	CASS	T	
TE-103-AW-49	11/4/89	74	CASS	T	
TE-103-AW-49	11/11/89	74	CASS	T	
TE-103-AW-49	11/16/89	74	CASS	T	
TE-103-AW-49	11/19/89	74	CASS	T	
TE-103-AW-49	11/29/89	73	CASS	T	
TE-103-AW-49	12/9/89	72	CASS	T	
TE-103-AW-49	12/10/89	72	CASS	T	
TE-103-AW-49	12/19/89	71	CASS	T	
TE-103-AW-49	12/27/89	70	CASS	T	
TE-103-AW-49	1/6/90	69	CASS	T	
TE-103-AW-49	1/11/90	69	CASS	T	
TE-103-AW-49	1/18/90	68	CASS	T	
TE-103-AW-49	1/26/90	68	CASS	T	
TE-103-AW-49	1/29/90	68	CASS	T	
TE-103-AW-49	2/10/90	67	CASS	T	
TE-103-AW-49	2/17/90	67	CASS	T	
TE-103-AW-49	2/24/90	67	CASS	T	
TE-103-AW-49	3/3/90	66	CASS	T	
TE-103-AW-49	3/10/90	66	CASS	T	
TE-103-AW-49	3/17/90	66	CASS	T	
TE-103-AW-49	3/22/90	66	CASS	T	
TE-103-AW-49	3/23/90	97	CASS	S	Data point did not agree with local trend
TE-103-AW-49	3/31/90	66	CASS	T	
TE-103-AW-49	4/7/90	66	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-49	4/12/90	67	CASS	T	
TE-103-AW-49	4/21/90	67	CASS	T	
TE-103-AW-49	4/28/90	67	CASS	T	
TE-103-AW-49	5/5/90	67	CASS	T	
TE-103-AW-49	5/12/90	67	CASS	T	
TE-103-AW-49	5/19/90	67	CASS	T	
TE-103-AW-49	5/22/90	67	CASS	T	
TE-103-AW-49	6/2/90	68	CASS	T	
TE-103-AW-49	6/9/90	68	CASS	T	
TE-103-AW-49	6/16/90	68	CASS	T	
TE-103-AW-49	6/23/90	69	CASS	T	
TE-103-AW-49	6/30/90	70	CASS	T	
TE-103-AW-49	7/3/90	98	CASS	S	Data point did not agree with local trend
TE-103-AW-49	7/7/90	70	CASS	T	
TE-103-AW-49	7/14/90	71	CASS	T	
TE-103-AW-49	7/21/90	71	CASS	T	
TE-103-AW-49	7/28/90	72	CASS	T	
TE-103-AW-49	8/4/90	72	CASS	T	
TE-103-AW-49	8/11/90	73	CASS	T	
TE-103-AW-49	8/18/90	73	CASS	T	
TE-103-AW-49	8/25/90	73	CASS	T	
TE-103-AW-49	9/1/90	73	CASS	T	
TE-103-AW-49	9/8/90	73	CASS	T	
TE-103-AW-49	9/12/90	74	CASS	T	
TE-103-AW-49	9/22/90	73	CASS	T	
TE-103-AW-49	9/29/90	73	CASS	T	
TE-103-AW-49	10/6/90	73	CASS	T	
TE-103-AW-49	10/10/90	73	CASS	T	
TE-103-AW-49	10/20/90	72	CASS	T	
TE-103-AW-49	10/27/90	72	CASS	T	
TE-103-AW-49	10/28/90	72	CASS	T	
TE-103-AW-49	11/9/90	101	CASS	S	Data point did not agree with local trend
TE-103-AW-49	11/10/90	71	CASS	T	
TE-103-AW-49	11/11/90	71	CASS	T	
TE-103-AW-49	11/24/90	70	CASS	T	
TE-103-AW-49	11/27/90	70	CASS	T	
TE-103-AW-49	12/6/90	100	CASS	S	Data point did not agree with local trend
TE-103-AW-49	12/8/90	69	CASS	T	
TE-103-AW-49	12/11/90	69	CASS	T	
TE-103-AW-49	12/19/90	68	CASS	T	
TE-103-AW-49	12/28/90	67	CASS	T	
TE-103-AW-49	1/3/91	65	CASS	T	
TE-103-AW-49	1/12/91	64	CASS	T	
TE-103-AW-49	1/18/91	64	CASS	T	
TE-103-AW-49	1/26/91	63	CASS	T	
TE-103-AW-49	2/2/91	64	CASS	T	
TE-103-AW-49	2/5/91	64	CASS	T	
TE-103-AW-49	2/16/91	63	CASS	T	
TE-103-AW-49	2/23/91	63	CASS	T	
TE-103-AW-49	3/2/91	63	CASS	T	
TE-103-AW-49	3/9/91	63	CASS	T	
TE-103-AW-49	3/16/91	63	CASS	T	
TE-103-AW-49	3/23/91	63	CASS	T	
TE-103-AW-49	3/30/91	63	CASS	T	
TE-103-AW-49	4/6/91	63	CASS	T	
TE-103-AW-49	4/13/91	63	CASS	T	
TE-103-AW-49	4/20/91	64	CASS	T	
TE-103-AW-49	4/27/91	64	CASS	T	
TE-103-AW-49	5/4/91	64	CASS	T	
TE-103-AW-49	5/11/91	64	CASS	T	
TE-103-AW-49	5/18/91	65	CASS	T	
TE-103-AW-49	5/25/91	65	CASS	T	
TE-103-AW-49	5/31/91	65	CASS	T	
TE-103-AW-49	6/7/91	66	CASS	T	
TE-103-AW-49	6/16/91	66	CASS	T	
TE-103-AW-49	6/21/91	66	CASS	T	
TE-103-AW-49	6/25/91	66	CASS	T	
TE-103-AW-49	6/28/91	95	CASS	S	Data point did not agree with local trend
TE-103-AW-50	7/14/83	78	CASS	T	
TE-103-AW-50	7/23/83	76	CASS	T	
TE-103-AW-50	7/29/83	76	CASS	T	
TE-103-AW-50	8/8/83	78	CASS	T	
TE-103-AW-50	8/7/83	80	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-50	8/19/83	78	CASS	T	
TE-103-AW-50	8/25/83	85	CASS	T	
TE-103-AW-50	8/29/83	91	CASS	T	
TE-103-AW-50	9/10/83	86	CASS	T	
TE-103-AW-50	9/12/83	86	CASS	T	
TE-103-AW-50	9/21/83	84	CASS	T	
TE-103-AW-50	9/28/83	86	CASS	T	
TE-103-AW-50	10/2/83	80	CASS	T	
TE-103-AW-50	10/15/83	78	CASS	T	
TE-103-AW-50	10/21/83	77	CASS	T	
TE-103-AW-50	3/10/84	85	CASS	T	
TE-103-AW-50	3/18/84	85	CASS	T	
TE-103-AW-50	3/21/84	89	CASS	T	
TE-103-AW-50	3/25/84	86	CASS	T	
TE-103-AW-50	4/2/84	85	CASS	T	
TE-103-AW-50	4/12/84	93	CASS	T	
TE-103-AW-50	4/19/84	86	CASS	T	
TE-103-AW-50	4/26/84	91	CASS	T	
TE-103-AW-50	5/5/84	93	CASS	T	
TE-103-AW-50	5/12/84	89	CASS	T	
TE-103-AW-50	5/18/84	93	CASS	T	
TE-103-AW-50	5/24/84	89	CASS	T	
TE-103-AW-50	6/2/84	89	CASS	T	
TE-103-AW-50	6/3/84	91	CASS	T	
TE-103-AW-50	6/20/84	93	CASS	T	
TE-103-AW-50	6/26/84	97	CASS	T	
TE-103-AW-50	7/4/84	94	CASS	T	
TE-103-AW-50	7/10/84	93	CASS	T	
TE-103-AW-50	7/21/84	91	CASS	T	
TE-103-AW-50	7/28/84	90	CASS	T	
TE-103-AW-50	7/29/84	90	CASS	T	
TE-103-AW-50	8/10/84	89	CASS	T	
TE-103-AW-50	8/18/84	88	CASS	T	
TE-103-AW-50	8/20/84	88	CASS	T	
TE-103-AW-50	9/1/84	87	CASS	T	
TE-103-AW-50	9/7/84	87	CASS	T	
TE-103-AW-50	9/15/84	86	CASS	T	
TE-103-AW-50	9/18/84	86	CASS	T	
TE-103-AW-50	9/28/84	85	CASS	T	
TE-103-AW-50	10/1/84	85	CASS	T	
TE-103-AW-50	10/13/84	84	CASS	T	
TE-103-AW-50	10/19/84	83	CASS	T	
TE-103-AW-50	10/21/84	83	CASS	T	
TE-103-AW-50	10/30/84	80	CASS	T	
TE-103-AW-50	11/4/84	79	CASS	T	
TE-103-AW-50	11/12/84	76	CASS	T	
TE-103-AW-50	11/21/84	74	CASS	T	
TE-103-AW-50	11/30/84	72	CASS	T	
TE-103-AW-50	12/4/84	71	CASS	T	
TE-103-AW-50	12/14/84	67	CASS	T	
TE-103-AW-50	12/20/84	67	CASS	T	
TE-103-AW-50	12/29/84	66	CASS	T	
TE-103-AW-50	1/3/85	65	CASS	T	
TE-103-AW-50	1/10/85	71	CASS	T	
TE-103-AW-50	1/19/85	74	CASS	T	
TE-103-AW-50	1/20/85	81	CASS	T	
TE-103-AW-50	1/28/85	83	CASS	T	
TE-103-AW-50	2/8/85	77	CASS	T	
TE-103-AW-50	2/15/85	86	CASS	T	
TE-103-AW-50	2/18/85	85	CASS	T	
TE-103-AW-50	2/28/85	80	CASS	T	
TE-103-AW-50	3/7/85	84	CASS	T	
TE-103-AW-50	3/10/85	83	CASS	T	
TE-103-AW-50	3/21/85	84	CASS	T	
TE-103-AW-50	3/28/85	85	CASS	T	
TE-103-AW-50	4/2/85	86	CASS	T	
TE-103-AW-50	4/9/85	90	CASS	T	
TE-103-AW-50	4/16/85	87	CASS	T	
TE-103-AW-50	4/21/85	90	CASS	T	
TE-103-AW-50	5/2/85	90	CASS	T	
TE-103-AW-50	5/7/85	88	CASS	T	
TE-103-AW-50	5/17/85	86	CASS	T	
TE-103-AW-50	5/24/85	88	CASS	T	
TE-103-AW-50	5/31/85	90	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-50	6/3/85	90	CASS	T	
TE-103-AW-50	6/12/85	90	CASS	T	
TE-103-AW-50	6/19/85	89	CASS	T	
TE-103-AW-50	11/1/85	80	CASS	T	
TE-103-AW-50	12/1/85	75	CASS	T	
TE-103-AW-50	1/4/86	73	CASS	T	
TE-103-AW-50	1/11/86	77	CASS	T	
TE-103-AW-50	1/12/86	82	CASS	T	
TE-103-AW-50	1/20/86	86	CASS	T	
TE-103-AW-50	1/31/86	79	CASS	T	
TE-103-AW-50	2/8/86	87	CASS	T	
TE-103-AW-50	2/15/86	87	CASS	T	
TE-103-AW-50	2/20/86	89	CASS	T	
TE-103-AW-50	2/28/86	94	CASS	T	
TE-103-AW-50	3/2/86	89	CASS	T	
TE-103-AW-50	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-103-AW-50	9/17/86	92	CASS	T	
TE-103-AW-50	10/11/86	89	CASS	T	
TE-103-AW-50	10/18/86	89	CASS	T	
TE-103-AW-50	10/19/86	89	CASS	T	
TE-103-AW-50	10/31/86	88	CASS	T	
TE-103-AW-50	11/8/86	87	CASS	T	
TE-103-AW-50	11/9/86	87	CASS	T	
TE-103-AW-50	11/19/86	86	CASS	T	
TE-103-AW-50	11/29/86	85	CASS	T	
TE-103-AW-50	12/6/86	84	CASS	T	
TE-103-AW-50	12/9/86	84	CASS	T	
TE-103-AW-50	12/18/86	83	CASS	T	
TE-103-AW-50	12/27/86	82	CASS	T	
TE-103-AW-50	12/31/86	81	CASS	T	
TE-103-AW-50	7/4/87	74	CASS	T	
TE-103-AW-50	7/11/87	74	CASS	T	
TE-103-AW-50	7/17/87	76	CASS	T	
TE-103-AW-50	7/25/87	76	CASS	T	
TE-103-AW-50	8/1/87	78	CASS	T	
TE-103-AW-50	8/3/87	85	CASS	T	
TE-103-AW-50	8/13/87	83	CASS	T	
TE-103-AW-50	8/20/87	85	CASS	T	
TE-103-AW-50	8/29/87	84	CASS	T	
TE-103-AW-50	8/31/87	88	CASS	T	
TE-103-AW-50	9/11/87	87	CASS	T	
TE-103-AW-50	11/28/87	72	CASS	T	
TE-103-AW-50	11/30/87	106	CASS	T	
TE-103-AW-50	3/28/88	79	CASS	T	
TE-103-AW-50	3/30/88	78	CASS	T	
TE-103-AW-50	6/4/88	72	CASS	T	
TE-103-AW-50	6/11/88	76	CASS	T	
TE-103-AW-50	6/18/88	82	CASS	T	
TE-103-AW-50	6/24/88	86	CASS	T	
TE-103-AW-50	7/2/88	91	CASS	T	
TE-103-AW-50	7/8/88	94	CASS	T	
TE-103-AW-50	7/16/88	92	CASS	T	
TE-103-AW-50	7/17/88	92	CASS	T	
TE-103-AW-50	7/24/88	89	CASS	T	
TE-103-AW-50	8/2/88	102	CASS	S	Data point did not agree with local trend
TE-103-AW-50	8/6/88	90	CASS	T	
TE-103-AW-50	8/13/88	94	CASS	T	
TE-103-AW-50	8/19/88	95	CASS	T	
TE-103-AW-50	8/27/88	97	CASS	T	
TE-103-AW-50	8/28/88	99	CASS	T	
TE-103-AW-50	9/6/88	98	CASS	T	
TE-103-AW-50	9/16/88	97	CASS	T	
TE-103-AW-50	9/23/88	97	CASS	T	
TE-103-AW-50	9/30/88	95	CASS	T	
TE-103-AW-50	12/3/88	93	CASS	T	
TE-103-AW-50	12/10/88	92	CASS	T	
TE-103-AW-50	12/12/88	92	CASS	T	
TE-103-AW-50	12/20/88	90	CASS	T	
TE-103-AW-50	9/2/89	76	CASS	T	
TE-103-AW-50	9/9/89	76	CASS	T	
TE-103-AW-50	9/16/89	76	CASS	T	
TE-103-AW-50	9/23/89	76	CASS	T	
TE-103-AW-50	9/30/89	76	CASS	T	
TE-103-AW-50	11/4/89	74	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1985; and Surveillance Analysis Computer System (SACS), June 1985.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-50	11/11/89	74	CASS	T	
TE-103-AW-50	11/18/89	74	CASS	T	
TE-103-AW-50	11/19/89	74	CASS	T	
TE-103-AW-50	11/29/89	73	CASS	T	
TE-103-AW-50	12/8/89	72	CASS	T	
TE-103-AW-50	12/10/89	72	CASS	T	
TE-103-AW-50	12/19/89	71	CASS	T	
TE-103-AW-50	12/27/89	70	CASS	T	
TE-103-AW-50	1/8/90	69	CASS	T	
TE-103-AW-50	1/11/90	69	CASS	T	
TE-103-AW-50	1/18/90	68	CASS	T	
TE-103-AW-50	1/28/90	68	CASS	T	
TE-103-AW-50	1/29/90	68	CASS	T	
TE-103-AW-50	2/10/90	67	CASS	T	
TE-103-AW-50	2/17/90	67	CASS	T	
TE-103-AW-50	2/24/90	67	CASS	T	
TE-103-AW-50	3/3/90	66	CASS	T	
TE-103-AW-50	3/10/90	66	CASS	T	
TE-103-AW-50	3/17/90	66	CASS	T	
TE-103-AW-50	3/22/90	66	CASS	T	
TE-103-AW-50	3/23/90	97	CASS	S	Data point did not agree with local trend
TE-103-AW-50	3/31/90	66	CASS	T	
TE-103-AW-50	4/7/90	66	CASS	T	
TE-103-AW-50	4/13/90	67	CASS	T	
TE-103-AW-50	4/21/90	67	CASS	T	
TE-103-AW-50	4/28/90	67	CASS	T	
TE-103-AW-50	5/6/90	67	CASS	T	
TE-103-AW-50	5/12/90	67	CASS	T	
TE-103-AW-50	5/19/90	67	CASS	T	
TE-103-AW-50	5/22/90	67	CASS	T	
TE-103-AW-50	6/2/90	68	CASS	T	
TE-103-AW-50	6/9/90	68	CASS	T	
TE-103-AW-50	6/16/90	68	CASS	T	
TE-103-AW-50	6/23/90	69	CASS	T	
TE-103-AW-50	6/30/90	70	CASS	T	
TE-103-AW-50	7/3/90	96	CASS	S	Data point did not agree with local trend
TE-103-AW-50	7/7/90	70	CASS	T	
TE-103-AW-50	7/14/90	71	CASS	T	
TE-103-AW-50	7/21/90	71	CASS	T	
TE-103-AW-50	7/28/90	72	CASS	T	
TE-103-AW-50	8/4/90	72	CASS	T	
TE-103-AW-50	8/11/90	73	CASS	T	
TE-103-AW-50	8/18/90	73	CASS	T	
TE-103-AW-50	8/22/90	74	CASS	T	
TE-103-AW-50	8/31/90	73	CASS	T	
TE-103-AW-50	9/8/90	73	CASS	T	
TE-103-AW-50	9/15/90	74	CASS	T	
TE-103-AW-50	9/22/90	73	CASS	T	
TE-103-AW-50	9/29/90	73	CASS	T	
TE-103-AW-50	10/6/90	73	CASS	T	
TE-103-AW-50	10/10/90	73	CASS	T	
TE-103-AW-50	10/20/90	72	CASS	T	
TE-103-AW-50	10/27/90	72	CASS	T	
TE-103-AW-50	10/28/90	72	CASS	T	
TE-103-AW-50	11/9/90	99	CASS	S	Data point did not agree with local trend
TE-103-AW-50	11/10/90	71	CASS	T	
TE-103-AW-50	11/11/90	71	CASS	T	
TE-103-AW-50	11/24/90	70	CASS	T	
TE-103-AW-50	11/27/90	70	CASS	T	
TE-103-AW-50	12/6/90	99	CASS	S	Data point did not agree with local trend
TE-103-AW-50	12/8/90	69	CASS	T	
TE-103-AW-50	12/11/90	69	CASS	T	
TE-103-AW-50	12/19/90	68	CASS	T	
TE-103-AW-50	12/28/90	67	CASS	T	
TE-103-AW-50	1/3/91	65	CASS	T	
TE-103-AW-50	1/12/91	64	CASS	T	
TE-103-AW-50	1/18/91	64	CASS	T	
TE-103-AW-50	1/26/91	63	CASS	T	
TE-103-AW-50	2/2/91	64	CASS	T	
TE-103-AW-50	2/5/91	64	CASS	T	
TE-103-AW-50	2/16/91	63	CASS	T	
TE-103-AW-50	2/23/91	63	CASS	T	
TE-103-AW-50	3/2/91	63	CASS	T	
TE-103-AW-50	3/9/91	63	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-50	3/18/91	63	CASS	T	
TE-103-AW-50	3/23/91	63	CASS	T	
TE-103-AW-50	3/30/91	63	CASS	T	
TE-103-AW-50	4/6/91	63	CASS	T	
TE-103-AW-50	4/13/91	63	CASS	T	
TE-103-AW-50	4/20/91	64	CASS	T	
TE-103-AW-50	4/27/91	64	CASS	T	
TE-103-AW-50	5/4/91	64	CASS	T	
TE-103-AW-50	5/11/91	64	CASS	T	
TE-103-AW-50	5/18/91	65	CASS	T	
TE-103-AW-50	5/25/91	65	CASS	T	
TE-103-AW-50	5/31/91	65	CASS	T	
TE-103-AW-50	6/7/91	66	CASS	T	
TE-103-AW-50	6/15/91	66	CASS	T	
TE-103-AW-50	6/21/91	66	CASS	T	
TE-103-AW-50	6/25/91	67	CASS	T	
TE-103-AW-50	6/28/91	95	CASS	S	Data point did not agree with local trend
TE-103-AW-51	7/14/83	76	CASS	T	
TE-103-AW-51	7/23/83	76	CASS	T	
TE-103-AW-51	7/29/83	76	CASS	T	
TE-103-AW-51	8/6/83	78	CASS	T	
TE-103-AW-51	8/7/83	80	CASS	T	
TE-103-AW-51	8/19/83	78	CASS	T	
TE-103-AW-51	8/25/83	85	CASS	T	
TE-103-AW-51	8/29/83	91	CASS	T	
TE-103-AW-51	9/10/83	88	CASS	T	
TE-103-AW-51	9/12/83	86	CASS	T	
TE-103-AW-51	9/21/83	84	CASS	T	
TE-103-AW-51	9/28/83	86	CASS	T	
TE-103-AW-51	10/2/83	80	CASS	T	
TE-103-AW-51	10/15/83	78	CASS	T	
TE-103-AW-51	10/21/83	77	CASS	T	
TE-103-AW-51	3/10/84	85	CASS	T	
TE-103-AW-51	3/16/84	85	CASS	T	
TE-103-AW-51	3/21/84	89	CASS	T	
TE-103-AW-51	3/25/84	86	CASS	T	
TE-103-AW-51	4/1/84	85	CASS	T	
TE-103-AW-51	4/12/84	93	CASS	T	
TE-103-AW-51	4/19/84	86	CASS	T	
TE-103-AW-51	4/26/84	91	CASS	T	
TE-103-AW-51	5/5/84	93	CASS	T	
TE-103-AW-51	5/12/84	89	CASS	T	
TE-103-AW-51	5/18/84	93	CASS	T	
TE-103-AW-51	5/24/84	89	CASS	T	
TE-103-AW-51	6/2/84	89	CASS	T	
TE-103-AW-51	6/3/84	90	CASS	T	
TE-103-AW-51	6/23/84	90	CASS	T	
TE-103-AW-51	6/26/84	97	CASS	T	
TE-103-AW-51	7/3/84	98	CASS	T	
TE-103-AW-51	7/14/84	92	CASS	T	
TE-103-AW-51	7/21/84	91	CASS	T	
TE-103-AW-51	7/28/84	90	CASS	T	
TE-103-AW-51	7/29/84	90	CASS	T	
TE-103-AW-51	8/9/84	89	CASS	T	
TE-103-AW-51	8/18/84	88	CASS	T	
TE-103-AW-51	8/20/84	88	CASS	T	
TE-103-AW-51	9/1/84	87	CASS	T	
TE-103-AW-51	9/7/84	87	CASS	T	
TE-103-AW-51	9/15/84	86	CASS	T	
TE-103-AW-51	9/18/84	86	CASS	T	
TE-103-AW-51	9/29/84	85	CASS	T	
TE-103-AW-51	10/1/84	85	CASS	T	
TE-103-AW-51	10/13/84	84	CASS	T	
TE-103-AW-51	10/19/84	83	CASS	T	
TE-103-AW-51	10/21/84	83	CASS	T	
TE-103-AW-51	10/30/84	80	CASS	T	
TE-103-AW-51	11/4/84	79	CASS	T	
TE-103-AW-51	11/12/84	78	CASS	T	
TE-103-AW-51	11/21/84	74	CASS	T	
TE-103-AW-51	11/30/84	72	CASS	T	
TE-103-AW-51	12/4/84	71	CASS	T	
TE-103-AW-51	12/14/84	67	CASS	T	
TE-103-AW-51	12/19/84	67	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1985; and Surveillance Analysis Computer System (SACS), June 1985.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-51	12/29/84	66	CASS	T	
TE-103-AW-51	1/3/85	66	CASS	T	
TE-103-AW-51	1/10/85	71	CASS	T	
TE-103-AW-51	1/19/85	74	CASS	T	
TE-103-AW-51	1/20/85	81	CASS	T	
TE-103-AW-51	1/28/85	83	CASS	T	
TE-103-AW-51	2/8/85	77	CASS	T	
TE-103-AW-51	2/15/85	86	CASS	T	
TE-103-AW-51	2/18/85	85	CASS	T	
TE-103-AW-51	2/28/85	80	CASS	T	
TE-103-AW-51	3/7/85	84	CASS	T	
TE-103-AW-51	3/10/85	83	CASS	T	
TE-103-AW-51	3/21/85	84	CASS	T	
TE-103-AW-51	3/30/85	84	CASS	T	
TE-103-AW-51	4/2/85	86	CASS	T	
TE-103-AW-51	4/9/85	90	CASS	T	
TE-103-AW-51	4/18/85	87	CASS	T	
TE-103-AW-51	4/21/85	89	CASS	T	
TE-103-AW-51	5/2/85	90	CASS	T	
TE-103-AW-51	5/7/85	88	CASS	T	
TE-103-AW-51	5/17/85	88	CASS	T	
TE-103-AW-51	5/24/85	87	CASS	T	
TE-103-AW-51	5/31/85	88	CASS	T	
TE-103-AW-51	6/8/85	87	CASS	T	
TE-103-AW-51	6/15/85	87	CASS	T	
TE-103-AW-51	6/19/85	89	CASS	T	
TE-103-AW-51	11/1/85	80	CASS	T	
TE-103-AW-51	12/1/85	75	CASS	T	
TE-103-AW-51	1/4/86	73	CASS	T	
TE-103-AW-51	1/11/86	77	CASS	T	
TE-103-AW-51	1/12/86	82	CASS	T	
TE-103-AW-51	1/20/86	86	CASS	T	
TE-103-AW-51	1/31/86	78	CASS	T	
TE-103-AW-51	2/8/86	87	CASS	T	
TE-103-AW-51	2/15/86	87	CASS	T	
TE-103-AW-51	2/20/86	89	CASS	T	
TE-103-AW-51	2/28/86	94	CASS	T	
TE-103-AW-51	3/2/86	89	CASS	T	
TE-103-AW-51	8/13/86	200	CASS	S	Data point did not agree with local trend
TE-103-AW-51	9/17/86	92	CASS	T	
TE-103-AW-51	10/1/86	89	CASS	T	
TE-103-AW-51	10/18/86	89	CASS	T	
TE-103-AW-51	10/19/86	89	CASS	T	
TE-103-AW-51	10/31/86	88	CASS	T	
TE-103-AW-51	11/8/86	87	CASS	T	
TE-103-AW-51	11/15/86	86	CASS	T	
TE-103-AW-51	11/19/86	88	CASS	T	
TE-103-AW-51	11/29/86	85	CASS	T	
TE-103-AW-51	12/8/86	84	CASS	T	
TE-103-AW-51	12/9/86	84	CASS	T	
TE-103-AW-51	12/18/86	83	CASS	T	
TE-103-AW-51	12/26/86	82	CASS	T	
TE-103-AW-51	12/31/86	81	CASS	T	
TE-103-AW-51	7/4/87	74	CASS	T	
TE-103-AW-51	7/11/87	74	CASS	T	
TE-103-AW-51	7/17/87	75	CASS	T	
TE-103-AW-51	7/25/87	75	CASS	T	
TE-103-AW-51	8/1/87	78	CASS	T	
TE-103-AW-51	8/3/87	85	CASS	T	
TE-103-AW-51	8/13/87	83	CASS	T	
TE-103-AW-51	8/20/87	85	CASS	T	
TE-103-AW-51	8/29/87	84	CASS	T	
TE-103-AW-51	8/31/87	88	CASS	T	
TE-103-AW-51	9/11/87	87	CASS	T	
TE-103-AW-51	11/28/87	72	CASS	T	
TE-103-AW-51	11/30/87	106	CASS	T	
TE-103-AW-51	3/28/88	79	CASS	T	
TE-103-AW-51	3/30/88	78	CASS	T	
TE-103-AW-51	6/4/88	72	CASS	T	
TE-103-AW-51	6/11/88	76	CASS	T	
TE-103-AW-51	6/16/88	82	CASS	T	
TE-103-AW-51	6/24/88	86	CASS	T	
TE-103-AW-51	7/2/88	90	CASS	T	
TE-103-AW-51	7/8/88	84	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-51	7/16/88	92	CASS	T	
TE-103-AW-51	7/17/88	92	CASS	T	
TE-103-AW-51	7/24/88	89	CASS	T	
TE-103-AW-51	8/2/88	102	CASS	S	Data point did not agree with local trend
TE-103-AW-51	8/6/88	90	CASS	T	
TE-103-AW-51	8/13/88	94	CASS	T	
TE-103-AW-51	8/20/88	94	CASS	T	
TE-103-AW-51	8/27/88	97	CASS	T	
TE-103-AW-51	8/28/88	99	CASS	T	
TE-103-AW-51	9/6/88	98	CASS	T	
TE-103-AW-51	9/16/88	97	CASS	T	
TE-103-AW-51	9/23/88	97	CASS	T	
TE-103-AW-51	9/30/88	94	CASS	T	
TE-103-AW-51	12/3/88	93	CASS	T	
TE-103-AW-51	12/9/88	93	CASS	T	
TE-103-AW-51	12/12/88	92	CASS	T	
TE-103-AW-51	12/20/88	89	CASS	T	
TE-103-AW-51	9/2/89	76	CASS	T	
TE-103-AW-51	9/9/89	76	CASS	T	
TE-103-AW-51	9/16/89	76	CASS	T	
TE-103-AW-51	9/23/89	76	CASS	T	
TE-103-AW-51	9/30/89	76	CASS	T	
TE-103-AW-51	11/4/89	74	CASS	T	
TE-103-AW-51	11/11/89	74	CASS	T	
TE-103-AW-51	11/18/89	74	CASS	T	
TE-103-AW-51	11/19/89	74	CASS	T	
TE-103-AW-51	11/29/89	73	CASS	T	
TE-103-AW-51	12/9/89	72	CASS	T	
TE-103-AW-51	12/10/89	72	CASS	T	
TE-103-AW-51	12/17/89	71	CASS	T	
TE-103-AW-51	12/27/89	70	CASS	T	
TE-103-AW-51	1/6/90	69	CASS	T	
TE-103-AW-51	1/10/90	69	CASS	T	
TE-103-AW-51	1/16/90	68	CASS	T	
TE-103-AW-51	1/26/90	68	CASS	T	
TE-103-AW-51	1/29/90	68	CASS	T	
TE-103-AW-51	2/10/90	67	CASS	T	
TE-103-AW-51	2/14/90	67	CASS	T	
TE-103-AW-51	2/24/90	67	CASS	T	
TE-103-AW-51	3/3/90	66	CASS	T	
TE-103-AW-51	3/10/90	66	CASS	T	
TE-103-AW-51	3/17/90	66	CASS	T	
TE-103-AW-51	3/22/90	66	CASS	T	
TE-103-AW-51	3/23/90	97	CASS	S	Data point did not agree with local trend
TE-103-AW-51	3/31/90	66	CASS	T	
TE-103-AW-51	4/7/90	66	CASS	T	
TE-103-AW-51	4/13/90	67	CASS	T	
TE-103-AW-51	4/21/90	67	CASS	T	
TE-103-AW-51	4/28/90	67	CASS	T	
TE-103-AW-51	5/6/90	67	CASS	T	
TE-103-AW-51	5/12/90	67	CASS	T	
TE-103-AW-51	5/19/90	67	CASS	T	
TE-103-AW-51	5/22/90	67	CASS	T	
TE-103-AW-51	6/2/90	68	CASS	T	
TE-103-AW-51	6/9/90	68	CASS	T	
TE-103-AW-51	6/16/90	68	CASS	T	
TE-103-AW-51	6/23/90	69	CASS	T	
TE-103-AW-51	6/30/90	70	CASS	T	
TE-103-AW-51	7/3/90	98	CASS	S	Data point did not agree with local trend
TE-103-AW-51	7/7/90	70	CASS	T	
TE-103-AW-51	7/14/90	71	CASS	T	
TE-103-AW-51	7/21/90	72	CASS	T	
TE-103-AW-51	7/28/90	72	CASS	T	
TE-103-AW-51	8/4/90	73	CASS	T	
TE-103-AW-51	8/11/90	73	CASS	T	
TE-103-AW-51	8/18/90	73	CASS	T	
TE-103-AW-51	8/22/90	74	CASS	T	
TE-103-AW-51	8/30/90	74	CASS	T	
TE-103-AW-51	9/8/90	74	CASS	T	
TE-103-AW-51	9/15/90	74	CASS	T	
TE-103-AW-51	9/22/90	73	CASS	T	
TE-103-AW-51	9/26/90	74	CASS	T	
TE-103-AW-51	10/6/90	73	CASS	T	
TE-103-AW-51	10/10/90	73	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-51	10/20/90	72	CASS	T	
TE-103-AW-51	10/27/90	72	CASS	T	
TE-103-AW-51	10/28/90	72	CASS	T	
TE-103-AW-51	11/8/90	99	CASS	S	Data point did not agree with local trend
TE-103-AW-51	11/10/90	71	CASS	T	
TE-103-AW-51	11/11/90	71	CASS	T	
TE-103-AW-51	11/24/90	70	CASS	T	
TE-103-AW-51	11/27/90	70	CASS	T	
TE-103-AW-51	12/6/90	99	CASS	S	Data point did not agree with local trend
TE-103-AW-51	12/8/90	69	CASS	T	
TE-103-AW-51	12/11/90	69	CASS	T	
TE-103-AW-51	12/19/90	68	CASS	T	
TE-103-AW-51	12/28/90	67	CASS	T	
TE-103-AW-51	1/3/91	65	CASS	T	
TE-103-AW-51	1/12/91	64	CASS	T	
TE-103-AW-51	1/18/91	64	CASS	T	
TE-103-AW-51	1/28/91	63	CASS	T	
TE-103-AW-51	2/1/91	64	CASS	T	
TE-103-AW-51	2/5/91	64	CASS	T	
TE-103-AW-51	2/16/91	63	CASS	T	
TE-103-AW-51	2/23/91	63	CASS	T	
TE-103-AW-51	3/2/91	63	CASS	T	
TE-103-AW-51	3/9/91	63	CASS	T	
TE-103-AW-51	3/16/91	63	CASS	T	
TE-103-AW-51	3/23/91	63	CASS	T	
TE-103-AW-51	3/30/91	63	CASS	T	
TE-103-AW-51	4/6/91	63	CASS	T	
TE-103-AW-51	4/13/91	63	CASS	T	
TE-103-AW-51	4/20/91	64	CASS	T	
TE-103-AW-51	4/27/91	64	CASS	T	
TE-103-AW-51	5/4/91	64	CASS	T	
TE-103-AW-51	5/11/91	64	CASS	T	
TE-103-AW-51	5/18/91	65	CASS	T	
TE-103-AW-51	5/25/91	65	CASS	T	
TE-103-AW-51	5/31/91	65	CASS	T	
TE-103-AW-51	6/7/91	66	CASS	T	
TE-103-AW-51	6/16/91	66	CASS	T	
TE-103-AW-51	6/21/91	66	CASS	T	
TE-103-AW-51	6/25/91	67	CASS	T	
TE-103-AW-51	6/28/91	95	CASS	S	Data point did not agree with local trend
TE-103-AW-52	7/14/83	78	CASS	T	
TE-103-AW-52	7/23/83	78	CASS	T	
TE-103-AW-52	7/29/83	78	CASS	T	
TE-103-AW-52	8/6/83	78	CASS	T	
TE-103-AW-52	8/7/83	80	CASS	T	
TE-103-AW-52	8/19/83	78	CASS	T	
TE-103-AW-52	8/25/83	85	CASS	T	
TE-103-AW-52	8/29/83	91	CASS	T	
TE-103-AW-52	9/10/83	88	CASS	T	
TE-103-AW-52	9/14/83	85	CASS	T	
TE-103-AW-52	9/21/83	84	CASS	T	
TE-103-AW-52	9/28/83	86	CASS	T	
TE-103-AW-52	10/2/83	80	CASS	T	
TE-103-AW-52	10/15/83	78	CASS	T	
TE-103-AW-52	10/21/83	77	CASS	T	
TE-103-AW-52	3/10/84	85	CASS	T	
TE-103-AW-52	3/16/84	85	CASS	T	
TE-103-AW-52	3/21/84	89	CASS	T	
TE-103-AW-52	3/25/84	86	CASS	T	
TE-103-AW-52	4/1/84	85	CASS	T	
TE-103-AW-52	4/12/84	93	CASS	T	
TE-103-AW-52	4/17/84	86	CASS	T	
TE-103-AW-52	4/26/84	91	CASS	T	
TE-103-AW-52	5/5/84	93	CASS	T	
TE-103-AW-52	5/12/84	89	CASS	T	
TE-103-AW-52	5/18/84	94	CASS	T	
TE-103-AW-52	5/24/84	89	CASS	T	
TE-103-AW-52	6/2/84	89	CASS	T	
TE-103-AW-52	6/3/84	90	CASS	T	
TE-103-AW-52	6/23/84	89	CASS	T	
TE-103-AW-52	6/29/84	95	CASS	T	
TE-103-AW-52	7/5/84	94	CASS	T	
TE-103-AW-52	7/11/84	91	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-52	7/21/84	90	CASS	T	
TE-103-AW-52	7/28/84	89	CASS	T	
TE-103-AW-52	8/3/84	89	CASS	T	
TE-103-AW-52	8/11/84	88	CASS	T	
TE-103-AW-52	8/17/84	88	CASS	T	
TE-103-AW-52	8/19/84	88	CASS	T	
TE-103-AW-52	8/30/84	87	CASS	T	
TE-103-AW-52	9/8/84	86	CASS	T	
TE-103-AW-52	9/9/84	86	CASS	T	
TE-103-AW-52	9/20/84	85	CASS	T	
TE-103-AW-52	9/27/84	84	CASS	T	
TE-103-AW-52	10/6/84	83	CASS	T	
TE-103-AW-52	10/10/84	83	CASS	T	
TE-103-AW-52	10/19/84	82	CASS	T	
TE-103-AW-52	10/26/84	81	CASS	T	
TE-103-AW-52	10/30/84	80	CASS	T	
TE-103-AW-52	11/4/84	79	CASS	T	
TE-103-AW-52	11/12/84	76	CASS	T	
TE-103-AW-52	11/21/84	74	CASS	T	
TE-103-AW-52	11/30/84	72	CASS	T	
TE-103-AW-52	12/4/84	71	CASS	T	
TE-103-AW-52	12/14/84	67	CASS	T	
TE-103-AW-52	12/19/84	67	CASS	T	
TE-103-AW-52	12/29/84	66	CASS	T	
TE-103-AW-52	1/3/85	65	CASS	T	
TE-103-AW-52	1/10/85	71	CASS	T	
TE-103-AW-52	1/19/85	74	CASS	T	
TE-103-AW-52	1/20/85	81	CASS	T	
TE-103-AW-52	1/28/85	83	CASS	T	
TE-103-AW-52	2/8/85	77	CASS	T	
TE-103-AW-52	2/15/85	86	CASS	T	
TE-103-AW-52	2/18/85	85	CASS	T	
TE-103-AW-52	2/26/85	80	CASS	T	
TE-103-AW-52	3/4/85	85	CASS	T	
TE-103-AW-52	3/10/85	83	CASS	T	
TE-103-AW-52	3/21/85	84	CASS	T	
TE-103-AW-52	3/28/85	85	CASS	T	
TE-103-AW-52	4/2/85	86	CASS	T	
TE-103-AW-52	4/9/85	90	CASS	T	
TE-103-AW-52	4/16/85	87	CASS	T	
TE-103-AW-52	4/21/85	90	CASS	T	
TE-103-AW-52	5/2/85	90	CASS	T	
TE-103-AW-52	5/6/85	88	CASS	T	
TE-103-AW-52	5/17/85	86	CASS	T	
TE-103-AW-52	5/24/85	87	CASS	T	
TE-103-AW-52	5/31/85	89	CASS	T	
TE-103-AW-52	6/8/85	87	CASS	T	
TE-103-AW-52	6/15/85	87	CASS	T	
TE-103-AW-52	6/18/85	90	CASS	T	
TE-103-AW-52	11/1/85	80	CASS	T	
TE-103-AW-52	12/1/85	75	CASS	T	
TE-103-AW-52	1/4/86	73	CASS	T	
TE-103-AW-52	1/11/86	76	CASS	T	
TE-103-AW-52	1/12/86	82	CASS	T	
TE-103-AW-52	1/20/86	86	CASS	T	
TE-103-AW-52	1/31/86	78	CASS	T	
TE-103-AW-52	2/8/86	87	CASS	T	
TE-103-AW-52	2/15/86	87	CASS	T	
TE-103-AW-52	2/20/86	89	CASS	T	
TE-103-AW-52	2/28/86	94	CASS	T	
TE-103-AW-52	3/2/86	89	CASS	T	
TE-103-AW-52	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-103-AW-52	9/17/86	91	CASS	T	
TE-103-AW-52	9/27/86	90	CASS	T	
TE-103-AW-52	9/29/86	90	CASS	T	
TE-103-AW-52	10/8/86	89	CASS	T	
TE-103-AW-52	10/18/86	88	CASS	T	
TE-103-AW-52	10/25/86	87	CASS	T	
TE-103-AW-52	10/29/86	87	CASS	T	
TE-103-AW-52	11/7/86	86	CASS	T	
TE-103-AW-52	11/11/86	85	CASS	T	
TE-103-AW-52	11/22/86	84	CASS	T	
TE-103-AW-52	11/24/86	84	CASS	T	
TE-103-AW-52	11/30/86	83	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-52	12/9/88	82	CASS	T	
TE-103-AW-52	12/18/88	81	CASS	T	
TE-103-AW-52	12/26/88	80	CASS	T	
TE-103-AW-52	12/31/88	78	CASS	T	
TE-103-AW-52	7/4/87	74	CASS	T	
TE-103-AW-52	7/11/87	74	CASS	T	
TE-103-AW-52	7/17/87	76	CASS	T	
TE-103-AW-52	7/25/87	75	CASS	T	
TE-103-AW-52	8/1/87	78	CASS	T	
TE-103-AW-52	8/3/87	85	CASS	T	
TE-103-AW-52	8/12/87	83	CASS	T	
TE-103-AW-52	8/20/87	85	CASS	T	
TE-103-AW-52	8/29/87	84	CASS	T	
TE-103-AW-52	8/31/87	88	CASS	T	
TE-103-AW-52	9/11/87	87	CASS	T	
TE-103-AW-52	11/28/87	72	CASS	T	
TE-103-AW-52	11/30/87	108	CASS	T	
TE-103-AW-52	3/26/88	79	CASS	T	
TE-103-AW-52	3/29/88	78	CASS	T	
TE-103-AW-52	6/4/88	72	CASS	T	
TE-103-AW-52	6/11/88	78	CASS	T	
TE-103-AW-52	6/16/88	81	CASS	T	
TE-103-AW-52	6/24/88	86	CASS	T	
TE-103-AW-52	7/2/88	90	CASS	T	
TE-103-AW-52	7/8/88	94	CASS	T	
TE-103-AW-52	7/16/88	92	CASS	T	
TE-103-AW-52	7/19/88	91	CASS	T	
TE-103-AW-52	7/24/88	89	CASS	T	
TE-103-AW-52	8/2/88	102	CASS	S	Date point did not agree with local trend
TE-103-AW-52	8/6/88	90	CASS	T	
TE-103-AW-52	8/13/88	94	CASS	T	
TE-103-AW-52	8/20/88	94	CASS	T	
TE-103-AW-52	8/27/88	97	CASS	T	
TE-103-AW-52	8/28/88	99	CASS	T	
TE-103-AW-52	9/6/88	98	CASS	T	
TE-103-AW-52	9/16/88	97	CASS	T	
TE-103-AW-52	9/23/88	97	CASS	T	
TE-103-AW-52	9/30/88	94	CASS	T	
TE-103-AW-52	12/3/88	91	CASS	T	
TE-103-AW-52	12/7/88	91	CASS	T	
TE-103-AW-52	12/15/88	89	CASS	T	
TE-103-AW-52	12/20/88	88	CASS	T	
TE-103-AW-52	9/2/89	76	CASS	T	
TE-103-AW-52	9/8/89	76	CASS	T	
TE-103-AW-52	9/16/89	76	CASS	T	
TE-103-AW-52	9/23/89	78	CASS	T	
TE-103-AW-52	9/30/89	76	CASS	T	
TE-103-AW-52	11/4/89	74	CASS	T	
TE-103-AW-52	11/11/89	74	CASS	T	
TE-103-AW-52	11/16/89	74	CASS	T	
TE-103-AW-52	11/23/89	73	CASS	T	
TE-103-AW-52	12/1/89	72	CASS	T	
TE-103-AW-52	12/8/89	72	CASS	T	
TE-103-AW-52	12/16/89	71	CASS	T	
TE-103-AW-52	12/17/89	71	CASS	T	
TE-103-AW-52	12/27/89	70	CASS	T	
TE-103-AW-52	1/6/90	69	CASS	T	
TE-103-AW-52	1/10/90	69	CASS	T	
TE-103-AW-52	1/18/90	68	CASS	T	
TE-103-AW-52	1/26/90	68	CASS	T	
TE-103-AW-52	2/3/90	67	CASS	T	
TE-103-AW-52	2/10/90	67	CASS	T	
TE-103-AW-52	2/13/90	67	CASS	T	
TE-103-AW-52	2/24/90	66	CASS	T	
TE-103-AW-52	3/3/90	66	CASS	T	
TE-103-AW-52	3/10/90	66	CASS	T	
TE-103-AW-52	3/17/90	66	CASS	T	
TE-103-AW-52	3/22/90	66	CASS	T	
TE-103-AW-52	3/23/90	97	CASS	S	Date point did not agree with local trend
TE-103-AW-52	3/31/90	66	CASS	T	
TE-103-AW-52	4/7/90	66	CASS	T	
TE-103-AW-52	4/14/90	66	CASS	T	
TE-103-AW-52	4/21/90	67	CASS	T	
TE-103-AW-52	4/28/90	67	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-52	5/5/90	67	CASS	T	
TE-103-AW-52	5/12/90	67	CASS	T	
TE-103-AW-52	5/19/90	67	CASS	T	
TE-103-AW-52	5/22/90	67	CASS	T	
TE-103-AW-52	6/2/90	68	CASS	T	
TE-103-AW-52	6/9/90	68	CASS	T	
TE-103-AW-52	6/18/90	68	CASS	T	
TE-103-AW-52	6/23/90	69	CASS	T	
TE-103-AW-52	6/30/90	70	CASS	T	
TE-103-AW-52	7/3/90	98	CASS	S	Data point did not agree with local trend
TE-103-AW-52	7/7/90	70	CASS	T	
TE-103-AW-52	7/14/90	71	CASS	T	
TE-103-AW-52	7/21/90	72	CASS	T	
TE-103-AW-52	7/28/90	72	CASS	T	
TE-103-AW-52	8/4/90	73	CASS	T	
TE-103-AW-52	8/11/90	73	CASS	T	
TE-103-AW-52	8/18/90	74	CASS	T	
TE-103-AW-52	8/25/90	74	CASS	T	
TE-103-AW-52	8/30/90	74	CASS	T	
TE-103-AW-52	9/8/90	74	CASS	T	
TE-103-AW-52	9/15/90	74	CASS	T	
TE-103-AW-52	9/19/90	74	CASS	T	
TE-103-AW-52	9/26/90	74	CASS	T	
TE-103-AW-52	10/6/90	73	CASS	T	
TE-103-AW-52	10/10/90	73	CASS	T	
TE-103-AW-52	10/20/90	72	CASS	T	
TE-103-AW-52	10/27/90	72	CASS	T	
TE-103-AW-52	10/28/90	72	CASS	T	
TE-103-AW-52	11/9/90	99	CASS	S	Data point did not agree with local trend
TE-103-AW-52	11/10/90	71	CASS	T	
TE-103-AW-52	11/11/90	71	CASS	T	
TE-103-AW-52	11/24/90	70	CASS	T	
TE-103-AW-52	11/26/90	70	CASS	T	
TE-103-AW-52	12/6/90	99	CASS	S	Data point did not agree with local trend
TE-103-AW-52	12/8/90	69	CASS	T	
TE-103-AW-52	12/11/90	69	CASS	T	
TE-103-AW-52	12/19/90	68	CASS	T	
TE-103-AW-52	12/28/90	67	CASS	T	
TE-103-AW-52	1/3/91	65	CASS	T	
TE-103-AW-52	1/11/91	64	CASS	T	
TE-103-AW-52	1/18/91	64	CASS	T	
TE-103-AW-52	1/26/91	63	CASS	T	
TE-103-AW-52	2/1/91	64	CASS	T	
TE-103-AW-52	2/3/91	64	CASS	T	
TE-103-AW-52	2/16/91	63	CASS	T	
TE-103-AW-52	2/23/91	63	CASS	T	
TE-103-AW-52	3/2/91	63	CASS	T	
TE-103-AW-52	3/8/91	63	CASS	T	
TE-103-AW-52	3/16/91	63	CASS	T	
TE-103-AW-52	3/23/91	63	CASS	T	
TE-103-AW-52	3/30/91	63	CASS	T	
TE-103-AW-52	4/8/91	63	CASS	T	
TE-103-AW-52	4/13/91	63	CASS	T	
TE-103-AW-52	4/20/91	64	CASS	T	
TE-103-AW-52	4/27/91	64	CASS	T	
TE-103-AW-52	5/4/91	64	CASS	T	
TE-103-AW-52	5/11/91	64	CASS	T	
TE-103-AW-52	5/18/91	65	CASS	T	
TE-103-AW-52	5/25/91	65	CASS	T	
TE-103-AW-52	5/31/91	65	CASS	T	
TE-103-AW-52	6/7/91	66	CASS	T	
TE-103-AW-52	6/15/91	66	CASS	T	
TE-103-AW-52	6/21/91	66	CASS	T	
TE-103-AW-52	6/25/91	67	CASS	T	
TE-103-AW-52	6/28/91	95	CASS	S	Data point did not agree with local trend
TE-103-AW-52	2/3/92	62	SACS	T	
TE-103-AW-52	2/10/92	62	SACS	T	
TE-103-AW-52	2/17/92	61	SACS	T	
TE-103-AW-52	2/24/92	61	SACS	T	
TE-103-AW-52	3/2/92	61	SACS	T	
TE-103-AW-52	3/9/92	60	SACS	T	
TE-103-AW-52	3/16/92	62	SACS	T	
TE-103-AW-52	3/23/92	62	SACS	T	
TE-103-AW-52	3/30/92	62	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-52	4/8/92	80	SACS	T	
TE-103-AW-52	4/13/92	79	SACS	T	
TE-103-AW-52	4/20/92	78	SACS	T	
TE-103-AW-52	4/27/92	62	SACS	T	
TE-103-AW-52	5/4/92	63	SACS	T	
TE-103-AW-52	5/11/92	63	SACS	T	
TE-103-AW-52	5/18/92	64	SACS	T	
TE-103-AW-52	5/25/92	64	SACS	T	
TE-103-AW-52	6/6/92	65	SACS	T	
TE-103-AW-52	6/15/92	67	SACS	T	
TE-103-AW-52	6/22/92	67	SACS	T	
TE-103-AW-52	7/8/92	68	SACS	T	
TE-103-AW-52	7/13/92	68	SACS	T	
TE-103-AW-52	7/20/92	69	SACS	T	
TE-103-AW-52	7/27/92	69	SACS	T	
TE-103-AW-52	8/3/92	69	SACS	T	
TE-103-AW-52	8/10/92	69	SACS	T	
TE-103-AW-52	8/17/92	70	SACS	T	
TE-103-AW-52	8/24/92	71	SACS	T	
TE-103-AW-52	8/31/92	71	SACS	T	
TE-103-AW-52	9/7/92	71	SACS	T	
TE-103-AW-52	9/14/92	71	SACS	T	
TE-103-AW-52	9/21/92	70	SACS	T	
TE-103-AW-52	9/28/92	70	SACS	T	
TE-103-AW-52	1/4/93	74	SACS	T	
TE-103-AW-52	1/11/93	63	SACS	T	
TE-103-AW-52	1/18/93	62	SACS	T	
TE-103-AW-52	3/1/93	62	SACS	T	
TE-103-AW-52	3/8/93	61	SACS	T	
TE-103-AW-52	3/15/93	61	SACS	T	
TE-103-AW-52	3/22/93	60	SACS	T	
TE-103-AW-52	3/29/93	60	SACS	T	
TE-103-AW-52	4/6/93	60	SACS	T	
TE-103-AW-52	4/12/93	61	SACS	T	
TE-103-AW-52	4/19/93	61	SACS	T	
TE-103-AW-52	4/26/93	60	SACS	T	
TE-103-AW-52	5/3/93	62	SACS	T	
TE-103-AW-52	5/10/93	59	SACS	T	
TE-103-AW-52	5/17/93	62	SACS	T	
TE-103-AW-52	5/24/93	63	SACS	T	
TE-103-AW-52	5/31/93	63	SACS	T	
TE-103-AW-52	6/7/93	64	SACS	T	
TE-103-AW-52	6/15/93	64	SACS	T	
TE-103-AW-52	6/21/93	63	SACS	T	
TE-103-AW-52	6/22/93	65	SACS	S	Data point did not agree with local trend
TE-103-AW-52	6/28/93	63	SACS	T	
TE-103-AW-52	8/2/93	67	SACS	T	
TE-103-AW-52	8/9/93	67	SACS	T	
TE-103-AW-52	8/16/93	68	SACS	T	
TE-103-AW-52	8/23/93	68	SACS	T	
TE-103-AW-52	8/30/93	68	SACS	T	
TE-103-AW-52	9/13/93	69	SACS	T	
TE-103-AW-52	9/21/93	69	SACS	T	
TE-103-AW-52	9/27/93	71	SACS	T	
TE-103-AW-52	10/11/93	70	SACS	T	
TE-103-AW-52	10/19/93	68	SACS	T	
TE-103-AW-52	10/26/93	68	SACS	T	
TE-103-AW-52	11/1/93	67	SACS	T	
TE-103-AW-52	11/8/93	67	SACS	T	
TE-103-AW-52	11/15/93	66	SACS	T	
TE-103-AW-52	11/22/93	66	SACS	T	
TE-103-AW-52	11/26/93	37	SACS	S	Data point did not agree with local trend
TE-103-AW-52	11/29/93	79	SACS	S	Data point did not agree with local trend
TE-103-AW-52	12/8/93	77	SACS	S	Data point did not agree with local trend
TE-103-AW-52	12/17/93	64	SACS	T	
TE-103-AW-52	12/20/93	64	SACS	T	
TE-103-AW-52	12/27/93	64	SACS	T	
TE-103-AW-52	1/5/94	64	SACS	T	
TE-103-AW-52	1/24/94	63	SACS	T	
TE-103-AW-52	1/31/94	62	SACS	T	
TE-103-AW-52	2/7/94	62	SACS	G	
TE-103-AW-52	2/21/94	62	SACS	G	
TE-103-AW-52	2/28/94	62	SACS	T	
TE-103-AW-52	3/7/94	61	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-52	3/14/94	81	SACS	G	
TE-103-AW-52	3/21/94	81	SACS	G	
TE-103-AW-52	3/28/94	81	SACS	G	
TE-103-AW-52	4/5/94	82	SACS	G	
TE-103-AW-52	4/11/94	82	SACS	G	
TE-103-AW-52	4/18/94	82	SACS	G	
TE-103-AW-52	4/25/94	83	SACS	G	
TE-103-AW-52	5/2/94	83	SACS	G	
TE-103-AW-52	5/9/94	82	SACS	G	
TE-103-AW-52	5/16/94	83	SACS	G	
TE-103-AW-52	5/31/94	84	SACS	G	
TE-103-AW-52	6/6/94	85	SACS	G	
TE-103-AW-52	6/13/94	84	SACS	G	
TE-103-AW-52	6/20/94	84	SACS	G	
TE-103-AW-52	6/27/94	85	SACS	G	
TE-103-AW-52	7/4/94	85	SACS	G	
TE-103-AW-52	7/18/94	86	SACS	G	
TE-103-AW-52	7/25/94	87	SACS	G	
TE-103-AW-52	8/1/94	88	SACS	G	
TE-103-AW-52	8/8/94	89	SACS	G	
TE-103-AW-52	8/15/94	89	SACS	G	
TE-103-AW-52	8/22/94	89	SACS	G	
TE-103-AW-52	9/7/94	70	SACS	G	
TE-103-AW-52	9/12/94	70	SACS	G	
TE-103-AW-52	10/10/94	69	SACS	G	
TE-103-AW-52	10/17/94	70	SACS	G	
TE-103-AW-52	10/24/94	69	SACS	G	
TE-103-AW-52	10/31/94	69	SACS	G	
TE-103-AW-52	11/7/94	67	SACS	G	
TE-103-AW-52	11/14/94	67	SACS	G	
TE-103-AW-52	11/21/94	66	SACS	G	
TE-103-AW-52	11/28/94	66	SACS	G	
TE-103-AW-52	12/5/94	65	SACS	G	
TE-103-AW-52	12/12/94	66	SACS	G	
TE-103-AW-52	12/19/94	64	SACS	G	
TE-103-AW-52	12/26/94	63	SACS	G	
TE-103-AW-52	1/2/95	84	SACS	G	
TE-103-AW-52	1/9/95	82	SACS	G	
TE-103-AW-52	1/16/95	61	SACS	G	
TE-103-AW-52	1/23/95	61	SACS	G	
TE-103-AW-52	1/30/95	61	SACS	G	
TE-103-AW-52	2/6/95	61	SACS	G	
TE-103-AW-52	2/13/95	62	SACS	G	
TE-103-AW-52	2/24/95	60	SACS	G	
TE-103-AW-52	2/27/95	61	SACS	G	
TE-103-AW-52	3/6/95	60	SACS	G	
TE-103-AW-52	3/19/95	60	SACS	G	
TE-103-AW-52	3/27/95	61	SACS	G	
TE-103-AW-52	4/3/95	61	SACS	G	
TE-103-AW-52	4/10/95	61	SACS	G	
TE-103-AW-52	4/17/95	61	SACS	G	
TE-103-AW-52	4/24/95	61	SACS	G	
TE-103-AW-52	5/3/95	62	SACS	G	
TE-103-AW-52	5/8/95	62	SACS	G	
TE-103-AW-52	5/15/95	62	SACS	G	
TE-103-AW-52	5/22/95	63	SACS	G	
TE-103-AW-52	5/30/95	63	SACS	G	
TE-103-AW-52	6/5/95	64	SACS	G	
TE-103-AW-52	6/13/95	65	SACS	G	
TE-103-AW-52	6/19/95	65	SACS	G	
TE-103-AW-52	6/26/95	65	SACS	G	
TE-103-AW-53	7/14/83	76	CASS	T	
TE-103-AW-53	7/23/83	76	CASS	T	
TE-103-AW-53	7/29/83	76	CASS	T	
TE-103-AW-53	8/6/83	78	CASS	T	
TE-103-AW-53	8/7/83	80	CASS	T	
TE-103-AW-53	8/19/83	78	CASS	T	
TE-103-AW-53	8/25/83	85	CASS	T	
TE-103-AW-53	8/29/83	91	CASS	T	
TE-103-AW-53	9/10/83	88	CASS	T	
TE-103-AW-53	9/14/83	85	CASS	T	
TE-103-AW-53	9/21/83	84	CASS	T	
TE-103-AW-53	9/28/83	86	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-53	10/2/83	80	CASS	T	
TE-103-AW-53	10/15/83	78	CASS	T	
TE-103-AW-53	10/21/83	77	CASS	T	
TE-103-AW-53	3/10/84	85	CASS	T	
TE-103-AW-53	3/18/84	85	CASS	T	
TE-103-AW-53	3/21/84	88	CASS	T	
TE-103-AW-53	3/25/84	86	CASS	T	
TE-103-AW-53	4/1/84	85	CASS	T	
TE-103-AW-53	4/12/84	93	CASS	T	
TE-103-AW-53	4/17/84	86	CASS	T	
TE-103-AW-53	4/26/84	92	CASS	T	
TE-103-AW-53	5/5/84	93	CASS	T	
TE-103-AW-53	5/12/84	89	CASS	T	
TE-103-AW-53	5/18/84	93	CASS	T	
TE-103-AW-53	5/26/84	88	CASS	T	
TE-103-AW-53	6/2/84	89	CASS	T	
TE-103-AW-53	6/3/84	90	CASS	T	
TE-103-AW-53	6/23/84	89	CASS	T	
TE-103-AW-53	6/29/84	95	CASS	T	
TE-103-AW-53	7/5/84	94	CASS	T	
TE-103-AW-53	7/11/84	91	CASS	T	
TE-103-AW-53	7/21/84	90	CASS	T	
TE-103-AW-53	7/28/84	89	CASS	T	
TE-103-AW-53	8/3/84	89	CASS	T	
TE-103-AW-53	8/11/84	88	CASS	T	
TE-103-AW-53	8/17/84	88	CASS	T	
TE-103-AW-53	8/19/84	88	CASS	T	
TE-103-AW-53	8/30/84	87	CASS	T	
TE-103-AW-53	9/8/84	86	CASS	T	
TE-103-AW-53	9/11/84	86	CASS	T	
TE-103-AW-53	9/21/84	85	CASS	T	
TE-103-AW-53	9/28/84	84	CASS	T	
TE-103-AW-53	10/6/84	83	CASS	T	
TE-103-AW-53	10/10/84	83	CASS	T	
TE-103-AW-53	10/19/84	82	CASS	T	
TE-103-AW-53	10/26/84	81	CASS	T	
TE-103-AW-53	10/30/84	80	CASS	T	
TE-103-AW-53	11/4/84	79	CASS	T	
TE-103-AW-53	11/12/84	76	CASS	T	
TE-103-AW-53	11/21/84	74	CASS	T	
TE-103-AW-53	11/30/84	72	CASS	T	
TE-103-AW-53	12/4/84	71	CASS	T	
TE-103-AW-53	12/14/84	67	CASS	T	
TE-103-AW-53	12/19/84	67	CASS	T	
TE-103-AW-53	12/29/84	66	CASS	T	
TE-103-AW-53	1/3/85	65	CASS	T	
TE-103-AW-53	1/10/85	71	CASS	T	
TE-103-AW-53	1/19/85	74	CASS	T	
TE-103-AW-53	1/20/85	81	CASS	T	
TE-103-AW-53	1/28/85	83	CASS	T	
TE-103-AW-53	2/8/85	77	CASS	T	
TE-103-AW-53	2/15/85	87	CASS	T	
TE-103-AW-53	2/18/85	85	CASS	T	
TE-103-AW-53	2/26/85	80	CASS	T	
TE-103-AW-53	3/4/85	85	CASS	T	
TE-103-AW-53	3/10/85	83	CASS	T	
TE-103-AW-53	3/21/85	84	CASS	T	
TE-103-AW-53	3/28/85	85	CASS	T	
TE-103-AW-53	4/2/85	86	CASS	T	
TE-103-AW-53	4/9/85	90	CASS	T	
TE-103-AW-53	4/16/85	87	CASS	T	
TE-103-AW-53	4/21/85	90	CASS	T	
TE-103-AW-53	5/2/85	90	CASS	T	
TE-103-AW-53	5/10/85	87	CASS	T	
TE-103-AW-53	5/17/85	86	CASS	T	
TE-103-AW-53	5/24/85	87	CASS	T	
TE-103-AW-53	5/31/85	88	CASS	T	
TE-103-AW-53	6/8/85	87	CASS	T	
TE-103-AW-53	6/15/85	87	CASS	T	
TE-103-AW-53	6/18/85	90	CASS	T	
TE-103-AW-53	11/1/85	79	CASS	T	
TE-103-AW-53	12/1/85	75	CASS	T	
TE-103-AW-53	1/4/86	73	CASS	T	
TE-103-AW-53	1/11/86	76	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-53	1/12/86	82	CASS	T	
TE-103-AW-53	1/20/86	86	CASS	T	
TE-103-AW-53	1/31/86	78	CASS	T	
TE-103-AW-53	2/8/86	87	CASS	T	
TE-103-AW-53	2/15/86	88	CASS	T	
TE-103-AW-53	2/20/86	89	CASS	T	
TE-103-AW-53	2/28/86	94	CASS	T	
TE-103-AW-53	3/2/86	89	CASS	T	
TE-103-AW-53	8/13/88	200	CASS	S	Data point did not agree with local trend
TE-103-AW-53	8/17/86	91	CASS	T	
TE-103-AW-53	10/11/86	88	CASS	T	
TE-103-AW-53	10/17/86	88	CASS	T	
TE-103-AW-53	10/25/86	87	CASS	T	
TE-103-AW-53	10/28/86	87	CASS	T	
TE-103-AW-53	11/6/86	86	CASS	T	
TE-103-AW-53	11/10/86	85	CASS	T	
TE-103-AW-53	11/22/86	84	CASS	T	
TE-103-AW-53	11/24/86	84	CASS	T	
TE-103-AW-53	11/30/86	83	CASS	T	
TE-103-AW-53	12/9/86	82	CASS	T	
TE-103-AW-53	12/18/86	81	CASS	T	
TE-103-AW-53	12/25/86	80	CASS	T	
TE-103-AW-53	12/31/86	79	CASS	T	
TE-103-AW-53	7/4/87	74	CASS	T	
TE-103-AW-53	7/11/87	74	CASS	T	
TE-103-AW-53	7/18/87	75	CASS	T	
TE-103-AW-53	7/25/87	75	CASS	T	
TE-103-AW-53	8/1/87	77	CASS	T	
TE-103-AW-53	8/3/87	85	CASS	T	
TE-103-AW-53	8/12/87	83	CASS	T	
TE-103-AW-53	8/20/87	85	CASS	T	
TE-103-AW-53	8/29/87	84	CASS	T	
TE-103-AW-53	8/31/87	88	CASS	T	
TE-103-AW-53	9/11/87	87	CASS	T	
TE-103-AW-53	11/28/87	72	CASS	T	
TE-103-AW-53	11/30/87	105	CASS	T	
TE-103-AW-53	3/26/88	79	CASS	T	
TE-103-AW-53	3/29/88	78	CASS	T	
TE-103-AW-53	6/4/88	72	CASS	T	
TE-103-AW-53	6/11/88	76	CASS	T	
TE-103-AW-53	6/18/88	81	CASS	T	
TE-103-AW-53	6/24/88	86	CASS	T	
TE-103-AW-53	7/2/88	90	CASS	T	
TE-103-AW-53	7/8/88	93	CASS	T	
TE-103-AW-53	7/16/88	92	CASS	T	
TE-103-AW-53	7/18/88	91	CASS	T	
TE-103-AW-53	7/24/88	89	CASS	T	
TE-103-AW-53	8/6/88	90	CASS	T	
TE-103-AW-53	8/13/88	94	CASS	T	
TE-103-AW-53	8/20/88	94	CASS	T	
TE-103-AW-53	8/27/88	97	CASS	T	
TE-103-AW-53	8/28/88	99	CASS	T	
TE-103-AW-53	9/6/88	98	CASS	T	
TE-103-AW-53	9/16/88	97	CASS	T	
TE-103-AW-53	9/23/88	97	CASS	T	
TE-103-AW-53	9/30/88	94	CASS	T	
TE-103-AW-53	12/3/88	90	CASS	T	
TE-103-AW-53	12/7/88	91	CASS	T	
TE-103-AW-53	12/15/88	89	CASS	T	
TE-103-AW-53	12/20/88	88	CASS	T	
TE-103-AW-53	7/10/89	93	SACS	S	Disagreement between CASS and SACS
TE-103-AW-53	7/17/89	74	SACS	T	
TE-103-AW-53	7/24/89	75	SACS	T	
TE-103-AW-53	8/7/89	73	SACS	T	
TE-103-AW-53	8/14/89	78	SACS	T	
TE-103-AW-53	8/21/89	85	SACS	T	
TE-103-AW-53	8/28/89	77	SACS	T	
TE-103-AW-53	9/9/89	78	CASS	T	
TE-103-AW-53	9/16/89	78	CASS	T	
TE-103-AW-53	9/23/89	76	CASS	T	
TE-103-AW-53	9/30/89	76	CASS	T	
TE-103-AW-53	10/1/89	63	SACS	S	Data point did not agree with local trend
TE-103-AW-53	10/9/89	51	SACS	S	Data point did not agree with local trend
TE-103-AW-53	10/16/89	76	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-53	10/24/89	76	SACS	T	
TE-103-AW-53	10/30/89	76	SACS	T	
TE-103-AW-53	11/11/89	74	CASS	T	
TE-103-AW-53	11/13/89	75	SACS	T	
TE-103-AW-53	11/23/89	73	CASS	T	
TE-103-AW-53	11/27/89	74	SACS	T	
TE-103-AW-53	12/8/89	72	CASS	T	
TE-103-AW-53	12/18/89	71	CASS	T	
TE-103-AW-53	12/18/89	71	SACS	T	
TE-103-AW-53	12/27/89	70	CASS	T	
TE-103-AW-53	1/2/90	70	SACS	T	
TE-103-AW-53	1/8/90	78	SACS	T	
TE-103-AW-53	1/15/90	69	SACS	T	
TE-103-AW-53	1/22/90	69	SACS	T	
TE-103-AW-53	1/29/90	69	SACS	T	
TE-103-AW-53	2/5/90	68	SACS	T	
TE-103-AW-53	2/12/90	84	SACS	S	Data point did not agree with local trend
TE-103-AW-53	2/13/90	67	CASS	T	
TE-103-AW-53	2/19/90	69	SACS	T	
TE-103-AW-53	2/26/90	69	SACS	T	
TE-103-AW-53	3/5/90	67	SACS	T	
TE-103-AW-53	3/12/90	67	SACS	T	
TE-103-AW-53	3/19/90	67	SACS	T	
TE-103-AW-53	3/23/90	97	CASS	S	Data point did not agree with local trend
TE-103-AW-53	3/31/90	66	CASS	T	
TE-103-AW-53	4/7/90	66	CASS	T	
TE-103-AW-53	4/14/90	66	CASS	T	
TE-103-AW-53	4/21/90	67	CASS	T	
TE-103-AW-53	4/28/90	67	CASS	T	
TE-103-AW-53	5/5/90	67	CASS	T	
TE-103-AW-53	5/7/90	68	SACS	T	
TE-103-AW-53	5/14/90	71	SACS	T	
TE-103-AW-53	5/22/90	67	CASS	T	
TE-103-AW-53	5/28/90	79	SACS	S	Data point did not agree with local trend
TE-103-AW-53	6/2/90	68	CASS	T	
TE-103-AW-53	6/9/90	68	CASS	T	
TE-103-AW-53	6/11/90	81	SACS	S	Data point did not agree with local trend
TE-103-AW-53	6/18/90	68	CASS	T	
TE-103-AW-53	6/23/90	69	CASS	T	
TE-103-AW-53	6/30/90	70	CASS	T	
TE-103-AW-53	7/2/90	87	SACS	S	Data point did not agree with local trend
TE-103-AW-53	7/3/90	98	CASS	S	Data point did not agree with local trend
TE-103-AW-53	7/7/90	70	CASS	T	
TE-103-AW-53	7/14/90	71	CASS	T	
TE-103-AW-53	7/21/90	72	CASS	T	
TE-103-AW-53	7/28/90	72	CASS	T	
TE-103-AW-53	8/4/90	73	CASS	T	
TE-103-AW-53	8/11/90	74	CASS	T	
TE-103-AW-53	8/18/90	74	CASS	T	
TE-103-AW-53	8/20/90	80	SACS	T	
TE-103-AW-53	9/1/90	74	CASS	T	
TE-103-AW-53	9/8/90	74	CASS	T	
TE-103-AW-53	9/15/90	74	CASS	T	
TE-103-AW-53	9/22/90	74	CASS	T	
TE-103-AW-53	9/24/90	82	SACS	T	
TE-103-AW-53	10/6/90	73	CASS	T	
TE-103-AW-53	10/8/90	74	SACS	T	
TE-103-AW-53	10/15/90	73	SACS	T	
TE-103-AW-53	10/22/90	73	SACS	T	
TE-103-AW-53	10/28/90	72	CASS	T	
TE-103-AW-53	11/5/90	72	SACS	T	
TE-103-AW-53	11/9/90	99	CASS	S	Data point did not agree with local trend
TE-103-AW-53	11/12/90	71	SACS	T	
TE-103-AW-53	11/19/90	71	SACS	T	
TE-103-AW-53	11/28/90	70	CASS	T	
TE-103-AW-53	12/3/90	70	SACS	T	
TE-103-AW-53	12/8/90	99	CASS	S	Data point did not agree with local trend
TE-103-AW-53	12/11/90	69	CASS	T	
TE-103-AW-53	12/19/90	68	CASS	T	
TE-103-AW-53	12/23/90	69	SACS	T	
TE-103-AW-53	12/31/90	68	SACS	T	
TE-103-AW-53	1/7/91	65	SACS	T	
TE-103-AW-53	1/18/91	64	CASS	T	
TE-103-AW-53	1/21/91	64	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-103 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-103-AW-53	1/28/91	65	SACS	T	
TE-103-AW-53	2/8/91	63	CASS	T	
TE-103-AW-53	2/11/91	64	SACS	T	
TE-103-AW-53	2/18/91	64	SACS	T	
TE-103-AW-53	3/2/91	63	CASS	T	
TE-103-AW-53	3/9/91	63	CASS	T	
TE-103-AW-53	3/18/91	63	CASS	T	
TE-103-AW-53	3/23/91	63	CASS	T	
TE-103-AW-53	3/25/91	64	SACS	T	
TE-103-AW-53	4/6/91	63	CASS	T	
TE-103-AW-53	4/8/91	64	SACS	T	
TE-103-AW-53	4/20/91	64	CASS	T	
TE-103-AW-53	4/27/91	64	CASS	T	
TE-103-AW-53	5/4/91	64	CASS	T	
TE-103-AW-53	5/11/91	64	CASS	T	
TE-103-AW-53	5/18/91	64	CASS	T	
TE-103-AW-53	5/25/91	65	CASS	T	
TE-103-AW-53	5/31/91	65	CASS	T	
TE-103-AW-53	6/7/91	66	CASS	T	
TE-103-AW-53	6/15/91	66	CASS	T	
TE-103-AW-53	6/21/91	66	CASS	T	
TE-103-AW-53	6/25/91	67	CASS	T	
TE-103-AW-53	6/28/91	95	CASS	S	Data point did not agree with local trend
TE-103-AW-53	7/1/91	67	SACS	T	
TE-103-AW-53	7/8/91	68	SACS	T	
TE-103-AW-53	7/15/91	68	SACS	T	
TE-103-AW-53	7/22/91	68	SACS	T	
TE-103-AW-53	7/29/91	70	SACS	T	
TE-103-AW-53	8/4/91	69	SACS	T	
TE-103-AW-53	8/19/91	70	SACS	T	
TE-103-AW-53	8/26/91	71	SACS	T	
TE-103-AW-53	9/2/91	71	SACS	T	
TE-103-AW-53	9/9/91	72	SACS	T	
TE-103-AW-53	9/16/91	71	SACS	T	
TE-103-AW-53	9/23/91	72	SACS	T	
TE-103-AW-53	9/30/91	72	SACS	T	
TE-103-AW-53	10/7/91	71	SACS	T	
TE-103-AW-53	10/14/91	72	SACS	T	
TE-103-AW-53	10/21/91	71	SACS	T	
TE-103-AW-53	10/28/91	70	SACS	T	
TE-103-AW-53	11/5/91	69	SACS	T	
TE-103-AW-53	11/11/91	69	SACS	T	
TE-103-AW-53	11/18/91	67	SACS	T	
TE-103-AW-53	11/25/91	66	SACS	T	
TE-103-AW-53	12/2/91	66	SACS	T	
TE-103-AW-53	12/9/91	66	SACS	T	
TE-103-AW-53	12/16/91	65	SACS	T	
TE-103-AW-53	12/23/91	64	SACS	T	
TE-103-AW-53	12/30/91	64	SACS	T	
TE-103-AW-53	1/6/92	63	SACS	T	
TE-103-AW-53	1/13/92	63	SACS	T	
TE-103-AW-53	1/20/92	63	SACS	T	
TE-103-AW-53	1/27/92	62	SACS	T	
TE-103-AW-53	2/22/92	62	SACS	T	
TE-103-AW-53	3/4/92	63	SACS	T	
TE-103-AW-53	3/11/92	63	SACS	T	
TE-103-AW-53	6/29/92	68	SACS	T	
TE-103-AW-53	10/5/92	71	SACS	T	
TE-103-AW-53	10/12/92	70	SACS	T	
TE-103-AW-53	10/19/92	69	SACS	T	
TE-103-AW-53	10/26/92	69	SACS	T	
TE-103-AW-53	11/2/92	69	SACS	T	
TE-103-AW-53	11/9/92	69	SACS	T	
TE-103-AW-53	11/16/92	70	SACS	T	
TE-103-AW-53	11/23/92	68	SACS	T	
TE-103-AW-53	11/30/92	66	SACS	T	
TE-103-AW-53	12/7/92	67	SACS	T	
TE-103-AW-53	12/14/92	66	SACS	T	
TE-103-AW-53	12/21/92	64	SACS	T	
TE-103-AW-53	12/28/92	64	SACS	T	
TE-103-AW-53	1/25/93	62	SACS	T	
TE-103-AW-53	2/1/93	84	SACS	S	Data point did not agree with local trend
TE-103-AW-53	2/8/93	62	SACS	T	
TE-103-AW-53	2/16/93	62	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-36	7/18/83	70	CASS	T	
TE-104-AW-36	7/23/83	71	CASS	T	
TE-104-AW-36	7/29/83	71	CASS	T	
TE-104-AW-36	8/6/83	71	CASS	T	
TE-104-AW-36	8/13/83	72	CASS	T	
TE-104-AW-36	8/20/83	75	CASS	T	
TE-104-AW-36	8/27/83	79	CASS	T	
TE-104-AW-36	8/31/83	80	CASS	T	
TE-104-AW-36	9/10/83	82	CASS	T	
TE-104-AW-36	9/14/83	83	CASS	T	
TE-104-AW-36	9/24/83	85	CASS	T	
TE-104-AW-36	10/1/83	85	CASS	T	
TE-104-AW-36	10/5/83	86	CASS	T	
TE-104-AW-36	10/15/83	86	CASS	T	
TE-104-AW-36	10/16/83	87	CASS	T	
TE-104-AW-36	3/9/84	100	CASS	T	
TE-104-AW-36	3/12/84	100	CASS	T	
TE-104-AW-36	3/18/84	95	CASS	T	
TE-104-AW-36	3/25/84	87	CASS	T	
TE-104-AW-36	4/1/84	84	CASS	T	
TE-104-AW-36	4/10/84	81	CASS	T	
TE-104-AW-36	4/15/84	80	CASS	T	
TE-104-AW-36	4/22/84	79	CASS	T	
TE-104-AW-36	5/3/84	77	CASS	T	
TE-104-AW-36	5/12/84	76	CASS	T	
TE-104-AW-36	5/19/84	89	CASS	T	
TE-104-AW-36	5/28/84	98	CASS	T	
TE-104-AW-36	6/2/84	101	CASS	T	
TE-104-AW-36	6/7/84	102	CASS	T	
TE-104-AW-36	6/21/84	102	CASS	T	
TE-104-AW-36	6/30/84	105	CASS	T	
TE-104-AW-36	7/7/84	108	CASS	T	
TE-104-AW-36	7/14/84	112	CASS	T	
TE-104-AW-36	7/21/84	115	CASS	T	
TE-104-AW-36	7/24/84	115	CASS	T	
TE-104-AW-36	8/4/84	113	CASS	T	
TE-104-AW-36	8/11/84	113	CASS	T	
TE-104-AW-36	8/17/84	118	CASS	T	
TE-104-AW-36	8/19/84	117	CASS	T	
TE-104-AW-36	8/28/84	115	CASS	T	
TE-104-AW-36	9/4/84	113	CASS	T	
TE-104-AW-36	9/12/84	111	CASS	T	
TE-104-AW-36	9/18/84	109	CASS	T	
TE-104-AW-36	9/25/84	107	CASS	T	
TE-104-AW-36	10/3/84	105	CASS	T	
TE-104-AW-36	10/10/84	103	CASS	T	
TE-104-AW-36	10/14/84	102	CASS	T	
TE-104-AW-36	10/21/84	100	CASS	T	
TE-104-AW-36	10/28/84	98	CASS	T	
TE-104-AW-36	11/10/84	99	CASS	T	
TE-104-AW-36	11/17/84	101	CASS	T	
TE-104-AW-36	11/24/84	103	CASS	T	
TE-104-AW-36	11/30/84	105	CASS	T	
TE-104-AW-36	12/7/84	108	CASS	T	
TE-104-AW-36	12/12/84	107	CASS	T	
TE-104-AW-36	12/22/84	107	CASS	T	
TE-104-AW-36	12/29/84	107	CASS	T	
TE-104-AW-36	1/1/85	107	CASS	T	
TE-104-AW-36	1/11/85	107	CASS	T	
TE-104-AW-36	1/25/85	107	CASS	T	
TE-104-AW-36	2/2/85	107	CASS	T	
TE-104-AW-36	2/9/85	107	CASS	T	
TE-104-AW-36	2/16/85	107	CASS	T	
TE-104-AW-36	2/23/85	107	CASS	T	
TE-104-AW-36	3/2/85	107	CASS	T	
TE-104-AW-36	3/9/85	107	CASS	T	
TE-104-AW-36	3/13/85	107	CASS	T	
TE-104-AW-36	3/23/85	108	CASS	T	
TE-104-AW-36	3/27/85	107	CASS	T	
TE-104-AW-36	4/3/85	106	CASS	T	
TE-104-AW-36	4/13/85	105	CASS	T	
TE-104-AW-36	4/18/85	105	CASS	T	
TE-104-AW-36	4/27/85	104	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-36	5/4/85	104	CASS	T	
TE-104-AW-36	5/10/85	104	CASS	T	
TE-104-AW-36	5/18/85	104	CASS	T	
TE-104-AW-36	5/25/85	104	CASS	T	
TE-104-AW-36	5/30/85	104	CASS	T	
TE-104-AW-36	6/8/85	103	CASS	T	
TE-104-AW-36	6/9/85	104	CASS	T	
TE-104-AW-36	6/19/85	103	CASS	T	
TE-104-AW-36	11/1/85	101	CASS	T	
TE-104-AW-36	12/1/85	98	CASS	T	
TE-104-AW-36	1/4/86	94	CASS	T	
TE-104-AW-36	1/7/86	94	CASS	T	
TE-104-AW-36	1/18/86	93	CASS	T	
TE-104-AW-36	1/25/86	93	CASS	T	
TE-104-AW-36	1/31/86	93	CASS	T	
TE-104-AW-36	2/8/86	93	CASS	T	
TE-104-AW-36	2/12/86	93	CASS	T	
TE-104-AW-36	2/22/86	92	CASS	T	
TE-104-AW-36	2/23/86	92	CASS	T	
TE-104-AW-36	3/5/86	91	CASS	T	
TE-104-AW-36	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-104-AW-36	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-36	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-36	9/17/86	100	CASS	T	
TE-104-AW-36	9/27/86	100	CASS	T	
TE-104-AW-36	10/3/86	100	CASS	T	
TE-104-AW-36	10/11/86	100	CASS	T	
TE-104-AW-36	10/17/86	100	CASS	T	
TE-104-AW-36	10/25/86	99	CASS	T	
TE-104-AW-36	11/1/86	99	CASS	T	
TE-104-AW-36	11/8/86	99	CASS	T	
TE-104-AW-36	11/13/86	99	CASS	T	
TE-104-AW-36	11/22/86	99	CASS	T	
TE-104-AW-36	11/29/86	98	CASS	T	
TE-104-AW-36	12/8/86	98	CASS	T	
TE-104-AW-36	12/9/86	98	CASS	T	
TE-104-AW-36	12/20/86	97	CASS	T	
TE-104-AW-36	12/23/86	97	CASS	T	
TE-104-AW-36	12/31/86	96	CASS	T	
TE-104-AW-36	7/4/87	98	CASS	T	
TE-104-AW-36	7/11/87	96	CASS	T	
TE-104-AW-36	7/18/87	96	CASS	T	
TE-104-AW-36	7/24/87	97	CASS	T	
TE-104-AW-36	8/1/87	97	CASS	T	
TE-104-AW-36	8/8/87	97	CASS	T	
TE-104-AW-36	8/15/87	98	CASS	T	
TE-104-AW-36	8/22/87	98	CASS	T	
TE-104-AW-36	8/29/87	98	CASS	T	
TE-104-AW-36	9/5/87	99	CASS	T	
TE-104-AW-36	9/11/87	99	CASS	T	
TE-104-AW-36	11/28/87	98	CASS	T	
TE-104-AW-36	11/29/87	98	CASS	T	
TE-104-AW-36	3/26/88	97	CASS	T	
TE-104-AW-36	3/31/88	97	CASS	T	
TE-104-AW-36	6/4/88	98	CASS	T	
TE-104-AW-36	6/11/88	98	CASS	T	
TE-104-AW-36	6/18/88	99	CASS	T	
TE-104-AW-36	6/25/88	99	CASS	T	
TE-104-AW-36	7/2/88	99	CASS	T	
TE-104-AW-36	7/9/88	99	CASS	T	
TE-104-AW-36	7/16/88	99	CASS	T	
TE-104-AW-36	7/22/88	100	CASS	T	
TE-104-AW-36	7/30/88	100	CASS	T	
TE-104-AW-36	8/2/88	88	CASS	S	Data point did not agree with local trend
TE-104-AW-36	8/6/88	100	CASS	T	
TE-104-AW-36	8/13/88	100	CASS	T	
TE-104-AW-36	8/20/88	100	CASS	T	
TE-104-AW-36	8/27/88	100	CASS	T	
TE-104-AW-36	9/3/88	100	CASS	T	
TE-104-AW-36	9/6/88	101	CASS	T	
TE-104-AW-36	9/17/88	100	CASS	T	
TE-104-AW-36	9/24/88	100	CASS	T	
TE-104-AW-36	9/30/88	100	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-36	12/3/88	97	CASS	T	
TE-104-AW-36	12/10/88	97	CASS	T	
TE-104-AW-36	12/17/88	97	CASS	T	
TE-104-AW-36	12/20/88	97	CASS	T	
TE-104-AW-36	7/10/89	83	SACS	T	
TE-104-AW-36	7/17/89	82	SACS	T	
TE-104-AW-36	7/24/89	82	SACS	T	
TE-104-AW-36	8/7/89	81	SACS	T	
TE-104-AW-36	8/14/89	83	SACS	T	
TE-104-AW-36	8/21/89	83	SACS	T	
TE-104-AW-36	8/28/89	98	CASS	T	
TE-104-AW-36	9/8/89	98	CASS	T	
TE-104-AW-36	9/18/89	98	CASS	T	
TE-104-AW-36	9/23/89	98	CASS	T	
TE-104-AW-36	9/30/89	98	CASS	T	
TE-104-AW-36	10/1/89	82	SACS	T	
TE-104-AW-36	10/9/89	83	SACS	T	
TE-104-AW-36	10/16/89	82	SACS	T	
TE-104-AW-36	10/24/89	84	SACS	T	
TE-104-AW-36	11/4/89	97	CASS	T	
TE-104-AW-36	11/11/89	97	CASS	T	
TE-104-AW-36	11/18/89	97	CASS	T	
TE-104-AW-36	11/22/89	97	CASS	T	
TE-104-AW-36	11/29/89	96	CASS	T	
TE-104-AW-36	12/6/89	94	CASS	T	
TE-104-AW-36	12/11/89	92	CASS	T	
TE-104-AW-36	12/19/89	90	CASS	T	
TE-104-AW-36	12/27/89	88	CASS	T	
TE-104-AW-36	1/6/90	86	CASS	T	
TE-104-AW-36	1/11/90	86	CASS	T	
TE-104-AW-36	1/20/90	85	CASS	T	
TE-104-AW-36	1/27/90	85	CASS	T	
TE-104-AW-36	2/3/90	86	CASS	T	
TE-104-AW-36	2/10/90	86	CASS	T	
TE-104-AW-36	2/17/90	86	CASS	T	
TE-104-AW-36	2/24/90	86	CASS	T	
TE-104-AW-36	3/3/90	86	CASS	T	
TE-104-AW-36	3/10/90	86	CASS	T	
TE-104-AW-36	3/11/90	86	CASS	T	
TE-104-AW-36	3/22/90	84	CASS	T	
TE-104-AW-36	3/23/90	63	CASS	S	Data point did not agree with local trend
TE-104-AW-36	3/31/90	84	CASS	T	
TE-104-AW-36	4/7/90	84	CASS	T	
TE-104-AW-36	4/14/90	84	CASS	T	
TE-104-AW-36	4/21/90	84	CASS	T	
TE-104-AW-36	4/28/90	84	CASS	T	
TE-104-AW-36	5/5/90	84	CASS	T	
TE-104-AW-36	5/12/90	84	CASS	T	
TE-104-AW-36	5/19/90	84	CASS	T	
TE-104-AW-36	5/22/90	84	CASS	T	
TE-104-AW-36	5/28/90	66	SACS	S	Data point did not agree with local trend
TE-104-AW-36	6/2/90	84	CASS	T	
TE-104-AW-36	6/9/90	85	CASS	T	
TE-104-AW-36	6/16/90	85	CASS	T	
TE-104-AW-36	6/23/90	86	CASS	T	
TE-104-AW-36	6/30/90	86	CASS	T	
TE-104-AW-36	7/3/90	71	CASS	S	Data point did not agree with local trend
TE-104-AW-36	7/7/90	86	CASS	T	
TE-104-AW-36	7/14/90	87	CASS	T	
TE-104-AW-36	7/21/90	88	CASS	T	
TE-104-AW-36	7/25/90	88	CASS	T	
TE-104-AW-36	8/4/90	88	CASS	T	
TE-104-AW-36	8/6/90	100	SACS	S	Data point did not agree with local trend
TE-104-AW-36	8/11/90	89	CASS	T	
TE-104-AW-36	8/18/90	89	CASS	T	
TE-104-AW-36	8/20/90	89	CASS	T	
TE-104-AW-36	8/1/90	88	CASS	T	
TE-104-AW-36	8/8/90	88	CASS	T	
TE-104-AW-36	9/11/90	89	CASS	T	
TE-104-AW-36	9/22/90	88	CASS	T	
TE-104-AW-36	9/29/90	88	CASS	T	
TE-104-AW-36	10/5/90	88	CASS	T	
TE-104-AW-36	10/8/90	88	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-36	10/18/90	87	CASS	T	
TE-104-AW-36	10/27/90	86	CASS	T	
TE-104-AW-36	10/28/90	86	CASS	T	
TE-104-AW-36	11/8/90	67	CASS	S	Data point did not agree with local trend
TE-104-AW-36	11/10/90	85	CASS	T	
TE-104-AW-36	11/12/90	85	CASS	T	
TE-104-AW-36	11/24/90	84	CASS	T	
TE-104-AW-36	11/28/90	84	CASS	T	
TE-104-AW-36	12/8/90	84	CASS	S	Data point did not agree with local trend
TE-104-AW-36	12/8/90	83	CASS	T	
TE-104-AW-36	12/15/90	82	CASS	T	
TE-104-AW-36	12/19/90	81	CASS	T	
TE-104-AW-36	12/23/90	80	CASS	T	
TE-104-AW-36	12/31/90	79	SACS	T	
TE-104-AW-36	1/11/91	79	CASS	T	
TE-104-AW-36	1/19/91	79	CASS	T	
TE-104-AW-36	1/26/91	79	CASS	T	
TE-104-AW-36	2/2/91	79	CASS	T	
TE-104-AW-36	2/7/91	80	CASS	T	
TE-104-AW-36	2/18/91	80	CASS	T	
TE-104-AW-36	2/23/91	80	CASS	T	
TE-104-AW-36	2/25/91	80	CASS	T	
TE-104-AW-36	3/8/91	79	CASS	T	
TE-104-AW-36	3/14/91	79	CASS	T	
TE-104-AW-36	3/23/91	78	CASS	T	
TE-104-AW-36	3/25/91	79	SACS	T	
TE-104-AW-36	4/8/91	78	CASS	T	
TE-104-AW-36	4/13/91	78	CASS	T	
TE-104-AW-36	4/20/91	78	CASS	T	
TE-104-AW-36	4/27/91	78	CASS	T	
TE-104-AW-36	5/4/91	78	CASS	T	
TE-104-AW-36	5/8/91	79	CASS	T	
TE-104-AW-36	5/18/91	79	CASS	T	
TE-104-AW-36	5/25/91	79	CASS	T	
TE-104-AW-36	5/31/91	79	CASS	T	
TE-104-AW-36	6/8/91	79	CASS	T	
TE-104-AW-36	6/15/91	79	CASS	T	
TE-104-AW-36	6/21/91	80	CASS	T	
TE-104-AW-36	6/25/91	80	CASS	T	
TE-104-AW-36	6/28/91	127	CASS	S	Data point did not agree with local trend
TE-104-AW-36	7/1/91	77	SACS	T	
TE-104-AW-36	7/8/91	74	SACS	T	
TE-104-AW-36	7/15/91	77	SACS	T	
TE-104-AW-36	7/22/91	75	SACS	T	
TE-104-AW-36	7/29/91	77	SACS	T	
TE-104-AW-36	8/4/91	77	SACS	T	
TE-104-AW-36	8/19/91	74	SACS	T	
TE-104-AW-36	8/26/91	76	SACS	T	
TE-104-AW-36	9/2/91	76	SACS	T	
TE-104-AW-36	9/9/91	77	SACS	T	
TE-104-AW-36	9/16/91	77	SACS	T	
TE-104-AW-36	9/23/91	77	SACS	T	
TE-104-AW-36	9/30/91	77	SACS	T	
TE-104-AW-36	10/7/91	76	SACS	T	
TE-104-AW-36	10/14/91	77	SACS	T	
TE-104-AW-36	10/21/91	76	SACS	T	
TE-104-AW-36	10/28/91	76	SACS	T	
TE-104-AW-36	11/5/91	75	SACS	T	
TE-104-AW-36	11/11/91	75	SACS	T	
TE-104-AW-36	11/18/91	75	SACS	T	
TE-104-AW-36	11/25/91	76	SACS	T	
TE-104-AW-36	12/2/91	76	SACS	T	
TE-104-AW-36	12/8/91	75	SACS	T	
TE-104-AW-36	12/16/91	74	SACS	T	
TE-104-AW-36	12/23/91	75	SACS	T	
TE-104-AW-36	12/30/91	75	SACS	T	
TE-104-AW-36	1/6/92	75	SACS	T	
TE-104-AW-36	1/13/92	74	SACS	T	
TE-104-AW-36	1/20/92	75	SACS	T	
TE-104-AW-36	1/27/92	74	SACS	T	
TE-104-AW-36	2/3/92	74	SACS	T	
TE-104-AW-36	2/10/92	75	SACS	T	
TE-104-AW-36	2/17/92	74	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-36	2/24/82	74	SACS	T	
TE-104-AW-36	3/4/82	74	SACS	T	
TE-104-AW-36	3/9/82	75	SACS	T	
TE-104-AW-36	3/16/82	76	SACS	T	
TE-104-AW-36	3/23/82	76	SACS	T	
TE-104-AW-36	3/30/82	76	SACS	T	
TE-104-AW-36	4/6/82	77	SACS	T	
TE-104-AW-36	4/13/82	77	SACS	T	
TE-104-AW-36	4/20/82	77	SACS	T	
TE-104-AW-36	4/27/82	72	SACS	T	
TE-104-AW-36	5/4/82	77	SACS	T	
TE-104-AW-36	5/11/82	64	SACS	T	
TE-104-AW-36	5/18/82	70	SACS	T	
TE-104-AW-36	5/25/82	71	SACS	T	
TE-104-AW-36	6/1/82	79	SACS	T	
TE-104-AW-36	6/15/82	79	SACS	T	
TE-104-AW-36	6/22/82	79	SACS	T	
TE-104-AW-36	6/29/82	74	SACS	T	
TE-104-AW-36	7/6/82	80	SACS	T	
TE-104-AW-36	7/13/82	80	SACS	T	
TE-104-AW-36	7/20/82	81	SACS	T	
TE-104-AW-36	7/27/82	82	SACS	T	
TE-104-AW-36	8/3/82	82	SACS	T	
TE-104-AW-36	8/10/82	82	SACS	T	
TE-104-AW-36	8/17/82	82	SACS	T	
TE-104-AW-36	8/24/82	84	SACS	T	
TE-104-AW-36	8/31/82	83	SACS	T	
TE-104-AW-36	9/7/82	84	SACS	T	
TE-104-AW-36	9/14/82	83	SACS	T	
TE-104-AW-36	9/21/82	82	SACS	T	
TE-104-AW-36	9/28/82	83	SACS	T	
TE-104-AW-36	10/5/82	74	SACS	T	
TE-104-AW-36	10/12/82	74	SACS	T	
TE-104-AW-36	10/19/82	75	SACS	T	
TE-104-AW-36	10/26/82	74	SACS	T	
TE-104-AW-36	11/2/82	73	SACS	T	
TE-104-AW-36	11/9/82	76	SACS	T	
TE-104-AW-36	11/16/82	74	SACS	T	
TE-104-AW-36	11/23/82	75	SACS	T	
TE-104-AW-36	11/30/82	73	SACS	T	
TE-104-AW-36	12/7/82	74	SACS	T	
TE-104-AW-36	12/14/82	74	SACS	T	
TE-104-AW-36	12/21/82	73	SACS	T	
TE-104-AW-36	12/28/82	73	SACS	T	
TE-104-AW-36	1/4/83	81	SACS	T	
TE-104-AW-36	1/11/83	81	SACS	T	
TE-104-AW-36	1/18/83	79	SACS	T	
TE-104-AW-36	1/25/83	73	SACS	T	
TE-104-AW-36	2/1/83	73	SACS	T	
TE-104-AW-36	2/8/83	72	SACS	T	
TE-104-AW-36	2/16/83	73	SACS	T	
TE-104-AW-36	3/1/83	80	SACS	T	
TE-104-AW-36	3/8/83	78	SACS	T	
TE-104-AW-36	3/17/83	78	SACS	T	
TE-104-AW-36	3/22/83	77	SACS	T	
TE-104-AW-36	3/29/83	77	SACS	T	
TE-104-AW-36	4/6/83	77	SACS	T	
TE-104-AW-36	4/12/83	78	SACS	T	
TE-104-AW-36	4/19/83	78	SACS	T	
TE-104-AW-36	4/26/83	77	SACS	T	
TE-104-AW-36	5/3/83	78	SACS	T	
TE-104-AW-36	5/10/83	76	SACS	T	
TE-104-AW-36	5/17/83	78	SACS	T	
TE-104-AW-36	5/24/83	79	SACS	T	
TE-104-AW-36	5/31/83	78	SACS	T	
TE-104-AW-36	6/7/83	79	SACS	T	
TE-104-AW-36	6/15/83	79	SACS	T	
TE-104-AW-36	6/22/83	79	SACS	T	
TE-104-AW-36	6/28/83	78	SACS	T	
TE-104-AW-36	7/26/83	80	SACS	T	
TE-104-AW-36	8/2/83	81	SACS	T	
TE-104-AW-36	8/9/83	81	SACS	T	
TE-104-AW-36	8/16/83	82	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1985; and Surveillance Analysis Computer System (SACS), June 1985.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-36	8/23/93	81	SACS	T	
TE-104-AW-36	8/30/93	82	SACS	T	
TE-104-AW-36	9/13/93	83	SACS	T	
TE-104-AW-36	9/21/93	84	SACS	T	
TE-104-AW-36	9/27/93	84	SACS	T	
TE-104-AW-36	10/11/93	84	SACS	T	
TE-104-AW-36	10/19/93	84	SACS	T	
TE-104-AW-36	10/25/93	84	SACS	T	
TE-104-AW-36	11/1/93	83	SACS	T	
TE-104-AW-36	11/8/93	81	SACS	S	Data point did not agree with local trend
TE-104-AW-36	11/15/93	83	SACS	T	
TE-104-AW-36	11/26/93	84	SACS	T	
TE-104-AW-36	11/29/93	82	SACS	T	
TE-104-AW-36	12/6/93	82	SACS	T	
TE-104-AW-36	12/16/93	82	SACS	T	
TE-104-AW-36	12/20/93	82	SACS	T	
TE-104-AW-36	12/27/93	82	SACS	T	
TE-104-AW-36	1/5/94	82	SACS	T	
TE-104-AW-36	1/24/94	83	SACS	T	
TE-104-AW-36	1/31/94	82	SACS	T	
TE-104-AW-36	2/7/94	82	SACS	G	
TE-104-AW-36	2/21/94	81	SACS	G	
TE-104-AW-36	2/28/94	81	SACS	T	
TE-104-AW-36	3/7/94	81	SACS	T	
TE-104-AW-36	3/14/94	81	SACS	G	
TE-104-AW-36	3/21/94	81	SACS	G	
TE-104-AW-36	3/28/94	81	SACS	G	
TE-104-AW-36	4/5/94	81	SACS	G	
TE-104-AW-36	4/11/94	81	SACS	G	
TE-104-AW-36	4/18/94	81	SACS	G	
TE-104-AW-36	4/25/94	82	SACS	G	
TE-104-AW-36	5/2/94	81	SACS	G	
TE-104-AW-36	5/9/94	81	SACS	G	
TE-104-AW-36	5/16/94	81	SACS	G	
TE-104-AW-36	5/31/94	82	SACS	G	
TE-104-AW-36	6/6/94	82	SACS	G	
TE-104-AW-36	6/13/94	82	SACS	G	
TE-104-AW-36	6/20/94	82	SACS	G	
TE-104-AW-36	6/27/94	83	SACS	G	
TE-104-AW-36	7/4/94	83	SACS	G	
TE-104-AW-36	7/18/94	83	SACS	G	
TE-104-AW-36	7/25/94	84	SACS	G	
TE-104-AW-36	8/1/94	84	SACS	G	
TE-104-AW-36	8/8/94	84	SACS	G	
TE-104-AW-36	8/15/94	84	SACS	G	
TE-104-AW-36	8/22/94	84	SACS	G	
TE-104-AW-36	9/7/94	84	SACS	G	
TE-104-AW-36	9/12/94	85	SACS	G	
TE-104-AW-36	9/19/94	84	SACS	G	
TE-104-AW-36	9/26/94	73	SACS	S (G in SACS)	Data point did not agree with local trend
TE-104-AW-36	10/10/94	84	SACS	G	
TE-104-AW-36	10/17/94	86	SACS	G	
TE-104-AW-36	10/24/94	85	SACS	G	
TE-104-AW-36	10/31/94	86	SACS	G	
TE-104-AW-36	11/7/94	85	SACS	G	
TE-104-AW-36	11/14/94	85	SACS	G	
TE-104-AW-36	11/21/94	86	SACS	G	
TE-104-AW-36	11/28/94	85	SACS	G	
TE-104-AW-36	12/5/94	85	SACS	G	
TE-104-AW-36	12/12/94	85	SACS	G	
TE-104-AW-36	12/19/94	85	SACS	G	
TE-104-AW-36	12/26/94	85	SACS	G	
TE-104-AW-36	1/2/95	85	SACS	G	
TE-104-AW-36	1/9/95	85	SACS	G	
TE-104-AW-36	1/18/95	84	SACS	G	
TE-104-AW-36	1/23/95	84	SACS	G	
TE-104-AW-36	1/30/95	84	SACS	G	
TE-104-AW-36	2/6/95	84	SACS	G	
TE-104-AW-36	2/13/95	84	SACS	G	
TE-104-AW-36	2/24/95	83	SACS	G	
TE-104-AW-36	2/27/95	88	SACS	G	
TE-104-AW-36	3/6/95	84	SACS	G	
TE-104-AW-36	3/19/95	83	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-36	3/27/85	83	SACS	G	
TE-104-AW-36	4/3/85	84	SACS	G	
TE-104-AW-36	4/10/85	83	SACS	G	
TE-104-AW-36	4/17/85	83	SACS	G	
TE-104-AW-36	4/24/85	83	SACS	G	
TE-104-AW-36	5/1/85	83	SACS	G	
TE-104-AW-36	5/13/85	84	SACS	G	
TE-104-AW-36	5/22/85	83	SACS	G	
TE-104-AW-36	5/28/85	84	SACS	G	
TE-104-AW-36	6/5/85	85	SACS	G	
TE-104-AW-36	6/13/85	83	SACS	G	
TE-104-AW-36	6/19/85	84	SACS	G	
TE-104-AW-36	6/26/85	83	SACS	G	
TE-104-AW-37	7/18/83	69	CASS	T	
TE-104-AW-37	7/23/83	70	CASS	T	
TE-104-AW-37	7/28/83	71	CASS	T	
TE-104-AW-37	8/6/83	70	CASS	T	
TE-104-AW-37	8/13/83	82	CASS	T	
TE-104-AW-37	8/20/83	88	CASS	T	
TE-104-AW-37	8/27/83	87	CASS	T	
TE-104-AW-37	8/31/83	87	CASS	T	
TE-104-AW-37	9/10/83	88	CASS	T	
TE-104-AW-37	9/14/83	89	CASS	T	
TE-104-AW-37	9/24/83	90	CASS	T	
TE-104-AW-37	10/1/83	90	CASS	T	
TE-104-AW-37	10/5/83	90	CASS	T	
TE-104-AW-37	10/15/83	90	CASS	T	
TE-104-AW-37	10/21/83	90	CASS	T	
TE-104-AW-37	3/10/84	104	CASS	T	
TE-104-AW-37	3/11/84	104	CASS	T	
TE-104-AW-37	3/19/84	89	CASS	T	
TE-104-AW-37	3/25/84	85	CASS	T	
TE-104-AW-37	4/2/84	82	CASS	T	
TE-104-AW-37	4/8/84	80	CASS	T	
TE-104-AW-37	4/19/84	78	CASS	T	
TE-104-AW-37	4/26/84	77	CASS	T	
TE-104-AW-37	5/3/84	76	CASS	T	
TE-104-AW-37	5/12/84	75	CASS	T	
TE-104-AW-37	5/19/84	99	CASS	T	
TE-104-AW-37	5/28/84	103	CASS	T	
TE-104-AW-37	6/2/84	104	CASS	T	
TE-104-AW-37	6/8/84	105	CASS	T	
TE-104-AW-37	6/22/84	104	CASS	T	
TE-104-AW-37	6/30/84	107	CASS	T	
TE-104-AW-37	7/7/84	111	CASS	T	
TE-104-AW-37	7/14/84	115	CASS	T	
TE-104-AW-37	7/21/84	118	CASS	T	
TE-104-AW-37	7/23/84	118	CASS	T	
TE-104-AW-37	8/4/84	118	CASS	T	
TE-104-AW-37	8/11/84	119	CASS	T	
TE-104-AW-37	8/18/84	119	CASS	T	
TE-104-AW-37	8/22/84	121	CASS	T	
TE-104-AW-37	8/27/84	118	CASS	T	
TE-104-AW-37	9/3/84	114	CASS	T	
TE-104-AW-37	9/10/84	111	CASS	T	
TE-104-AW-37	9/18/84	108	CASS	T	
TE-104-AW-37	9/25/84	106	CASS	T	
TE-104-AW-37	10/1/84	104	CASS	T	
TE-104-AW-37	10/7/84	102	CASS	T	
TE-104-AW-37	10/14/84	100	CASS	T	
TE-104-AW-37	10/23/84	96	CASS	T	
TE-104-AW-37	11/3/84	105	CASS	T	
TE-104-AW-37	11/10/84	110	CASS	T	
TE-104-AW-37	11/17/84	113	CASS	T	
TE-104-AW-37	11/24/84	114	CASS	T	
TE-104-AW-37	11/30/84	114	CASS	T	
TE-104-AW-37	12/5/84	115	CASS	T	
TE-104-AW-37	12/15/84	115	CASS	T	
TE-104-AW-37	12/22/84	115	CASS	T	
TE-104-AW-37	12/29/84	115	CASS	T	
TE-104-AW-37	1/5/85	115	CASS	T	
TE-104-AW-37	1/12/85	115	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1985; and Surveillance Analysis Computer System (SACS), June 1985.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-37	1/18/85	115	CASS	T	
TE-104-AW-37	1/21/85	115	CASS	T	
TE-104-AW-37	2/2/85	114	CASS	T	
TE-104-AW-37	2/8/85	114	CASS	T	
TE-104-AW-37	2/10/85	114	CASS	T	
TE-104-AW-37	2/23/85	113	CASS	T	
TE-104-AW-37	3/2/85	113	CASS	T	
TE-104-AW-37	3/7/85	113	CASS	T	
TE-104-AW-37	3/16/85	112	CASS	T	
TE-104-AW-37	3/23/85	112	CASS	T	
TE-104-AW-37	3/30/85	112	CASS	T	
TE-104-AW-37	4/3/85	112	CASS	T	
TE-104-AW-37	4/13/85	111	CASS	T	
TE-104-AW-37	4/16/85	111	CASS	T	
TE-104-AW-37	4/27/85	110	CASS	T	
TE-104-AW-37	5/4/85	110	CASS	T	
TE-104-AW-37	5/9/85	110	CASS	T	
TE-104-AW-37	5/18/85	109	CASS	T	
TE-104-AW-37	5/25/85	109	CASS	T	
TE-104-AW-37	6/1/85	109	CASS	T	
TE-104-AW-37	6/8/85	109	CASS	T	
TE-104-AW-37	6/15/85	108	CASS	T	
TE-104-AW-37	6/19/85	108	CASS	T	
TE-104-AW-37	11/1/85	107	CASS	T	
TE-104-AW-37	12/1/85	104	CASS	T	
TE-104-AW-37	1/4/86	101	CASS	T	
TE-104-AW-37	1/11/86	100	CASS	T	
TE-104-AW-37	1/17/86	100	CASS	T	
TE-104-AW-37	1/20/86	100	CASS	T	
TE-104-AW-37	2/1/86	99	CASS	T	
TE-104-AW-37	2/7/86	99	CASS	T	
TE-104-AW-37	2/14/86	98	CASS	T	
TE-104-AW-37	2/22/86	98	CASS	T	
TE-104-AW-37	2/28/86	98	CASS	T	
TE-104-AW-37	3/5/86	97	CASS	T	
TE-104-AW-37	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-104-AW-37	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-37	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-37	9/17/86	104	CASS	T	
TE-104-AW-37	10/11/86	104	CASS	T	
TE-104-AW-37	10/18/86	104	CASS	T	
TE-104-AW-37	10/25/86	104	CASS	T	
TE-104-AW-37	11/1/86	104	CASS	T	
TE-104-AW-37	11/8/86	104	CASS	T	
TE-104-AW-37	11/15/86	104	CASS	T	
TE-104-AW-37	11/22/86	104	CASS	T	
TE-104-AW-37	11/29/86	104	CASS	T	
TE-104-AW-37	12/6/86	104	CASS	T	
TE-104-AW-37	12/13/86	104	CASS	T	
TE-104-AW-37	12/20/86	103	CASS	T	
TE-104-AW-37	12/27/86	103	CASS	T	
TE-104-AW-37	12/31/86	103	CASS	T	
TE-104-AW-37	7/4/87	99	CASS	T	
TE-104-AW-37	7/11/87	99	CASS	T	
TE-104-AW-37	7/18/87	100	CASS	T	
TE-104-AW-37	7/25/87	100	CASS	T	
TE-104-AW-37	8/1/87	100	CASS	T	
TE-104-AW-37	8/8/87	101	CASS	T	
TE-104-AW-37	8/15/87	101	CASS	T	
TE-104-AW-37	8/22/87	101	CASS	T	
TE-104-AW-37	8/29/87	102	CASS	T	
TE-104-AW-37	9/5/87	102	CASS	T	
TE-104-AW-37	9/11/87	102	CASS	T	
TE-104-AW-37	11/28/87	104	CASS	T	
TE-104-AW-37	11/29/87	104	CASS	T	
TE-104-AW-37	3/26/88	102	CASS	T	
TE-104-AW-37	3/31/88	102	CASS	T	
TE-104-AW-37	6/4/88	103	CASS	T	
TE-104-AW-37	6/7/88	103	CASS	T	
TE-104-AW-37	6/18/88	103	CASS	T	
TE-104-AW-37	6/25/88	103	CASS	T	
TE-104-AW-37	7/2/88	103	CASS	T	
TE-104-AW-37	7/9/88	103	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-37	7/16/88	103	CASS	T	
TE-104-AW-37	7/23/88	103	CASS	T	
TE-104-AW-37	7/30/88	104	CASS	T	
TE-104-AW-37	8/2/88	90	CASS	S	Data point did not agree with local trend
TE-104-AW-37	8/6/88	104	CASS	T	
TE-104-AW-37	8/13/88	104	CASS	T	
TE-104-AW-37	8/20/88	104	CASS	T	
TE-104-AW-37	8/27/88	104	CASS	T	
TE-104-AW-37	9/3/88	104	CASS	T	
TE-104-AW-37	9/10/88	104	CASS	T	
TE-104-AW-37	9/17/88	104	CASS	T	
TE-104-AW-37	9/24/88	104	CASS	T	
TE-104-AW-37	9/30/88	104	CASS	T	
TE-104-AW-37	12/3/88	103	CASS	T	
TE-104-AW-37	12/10/88	103	CASS	T	
TE-104-AW-37	12/17/88	103	CASS	T	
TE-104-AW-37	12/22/88	102	CASS	T	
TE-104-AW-37	7/10/89	98	SACS	T	
TE-104-AW-37	7/17/89	98	SACS	T	
TE-104-AW-37	7/24/89	97	SACS	T	
TE-104-AW-37	8/7/89	98	SACS	T	
TE-104-AW-37	8/14/89	98	SACS	T	
TE-104-AW-37	8/21/89	97	SACS	T	
TE-104-AW-37	9/2/89	101	CASS	T	
TE-104-AW-37	9/9/89	101	CASS	T	
TE-104-AW-37	9/16/89	101	CASS	T	
TE-104-AW-37	9/23/89	101	CASS	T	
TE-104-AW-37	9/30/89	101	CASS	T	
TE-104-AW-37	10/1/89	98	SACS	T	
TE-104-AW-37	10/9/89	99	SACS	T	
TE-104-AW-37	10/16/89	98	SACS	T	
TE-104-AW-37	10/24/89	99	SACS	T	
TE-104-AW-37	11/4/89	101	CASS	T	
TE-104-AW-37	11/11/89	101	CASS	T	
TE-104-AW-37	11/18/89	101	CASS	T	
TE-104-AW-37	11/23/89	101	CASS	T	
TE-104-AW-37	12/2/89	100	CASS	T	
TE-104-AW-37	12/9/89	100	CASS	T	
TE-104-AW-37	12/16/89	99	CASS	T	
TE-104-AW-37	12/23/89	98	CASS	T	
TE-104-AW-37	12/29/89	97	CASS	T	
TE-104-AW-37	1/3/90	98	CASS	T	
TE-104-AW-37	1/13/90	95	CASS	T	
TE-104-AW-37	1/20/90	94	CASS	T	
TE-104-AW-37	1/21/90	94	CASS	T	
TE-104-AW-37	2/3/90	93	CASS	T	
TE-104-AW-37	2/10/90	93	CASS	T	
TE-104-AW-37	2/17/90	92	CASS	T	
TE-104-AW-37	2/24/90	92	CASS	T	
TE-104-AW-37	3/3/90	92	CASS	T	
TE-104-AW-37	3/10/90	92	CASS	T	
TE-104-AW-37	3/15/90	92	CASS	T	
TE-104-AW-37	3/22/90	91	CASS	T	
TE-104-AW-37	3/23/90	63	CASS	S	Data point did not agree with local trend
TE-104-AW-37	3/31/90	91	CASS	T	
TE-104-AW-37	4/3/90	91	CASS	T	
TE-104-AW-37	4/14/90	90	CASS	T	
TE-104-AW-37	4/21/90	90	CASS	T	
TE-104-AW-37	4/28/90	90	CASS	T	
TE-104-AW-37	5/4/90	90	CASS	T	
TE-104-AW-37	5/12/90	89	CASS	T	
TE-104-AW-37	5/19/90	89	CASS	T	
TE-104-AW-37	5/22/90	89	CASS	T	
TE-104-AW-37	5/28/90	62	SACS	S	Data point did not agree with local trend
TE-104-AW-37	6/2/90	89	CASS	T	
TE-104-AW-37	6/9/90	89	CASS	T	
TE-104-AW-37	6/18/90	89	CASS	T	
TE-104-AW-37	6/23/90	89	CASS	T	
TE-104-AW-37	6/30/90	89	CASS	T	
TE-104-AW-37	7/3/90	71	CASS	S	Data point did not agree with local trend
TE-104-AW-37	7/7/90	89	CASS	T	
TE-104-AW-37	7/14/90	89	CASS	T	
TE-104-AW-37	7/21/90	89	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-37	7/23/90	90	CASS	T	
TE-104-AW-37	8/4/90	90	CASS	T	
TE-104-AW-37	8/6/90	91	SACS	T	
TE-104-AW-37	8/18/90	90	CASS	T	
TE-104-AW-37	8/25/90	90	CASS	T	
TE-104-AW-37	9/1/90	90	CASS	T	
TE-104-AW-37	9/8/90	91	CASS	T	
TE-104-AW-37	9/15/90	91	CASS	T	
TE-104-AW-37	9/22/90	91	CASS	T	
TE-104-AW-37	9/29/90	91	CASS	T	
TE-104-AW-37	10/5/90	91	CASS	T	
TE-104-AW-37	10/13/90	91	CASS	T	
TE-104-AW-37	10/14/90	91	CASS	T	
TE-104-AW-37	10/21/90	91	CASS	T	
TE-104-AW-37	11/3/90	90	CASS	T	
TE-104-AW-37	11/9/90	67	CASS	S	Data point did not agree with local trend
TE-104-AW-37	11/10/90	90	CASS	T	
TE-104-AW-37	11/17/90	90	CASS	T	
TE-104-AW-37	11/18/90	90	CASS	T	
TE-104-AW-37	12/1/90	89	CASS	T	
TE-104-AW-37	12/8/90	64	CASS	S	Data point did not agree with local trend
TE-104-AW-37	12/8/90	89	CASS	T	
TE-104-AW-37	12/11/90	89	CASS	T	
TE-104-AW-37	12/19/90	88	CASS	T	
TE-104-AW-37	12/28/90	87	CASS	T	
TE-104-AW-37	1/5/91	86	CASS	T	
TE-104-AW-37	1/12/91	88	CASS	T	
TE-104-AW-37	1/18/91	88	CASS	T	
TE-104-AW-37	1/26/91	85	CASS	T	
TE-104-AW-37	2/2/91	85	CASS	T	
TE-104-AW-37	2/9/91	85	CASS	T	
TE-104-AW-37	2/16/91	85	CASS	T	
TE-104-AW-37	2/23/91	85	CASS	T	
TE-104-AW-37	3/2/91	85	CASS	T	
TE-104-AW-37	3/9/91	85	CASS	T	
TE-104-AW-37	3/16/91	84	CASS	T	
TE-104-AW-37	3/23/91	84	CASS	T	
TE-104-AW-37	3/30/91	84	CASS	T	
TE-104-AW-37	4/6/91	83	CASS	T	
TE-104-AW-37	4/13/91	83	CASS	T	
TE-104-AW-37	4/20/91	83	CASS	T	
TE-104-AW-37	4/22/91	84	CASS	T	
TE-104-AW-37	5/4/91	83	CASS	T	
TE-104-AW-37	5/11/91	83	CASS	T	
TE-104-AW-37	5/18/91	83	CASS	T	
TE-104-AW-37	5/25/91	83	CASS	T	
TE-104-AW-37	5/29/91	84	CASS	T	
TE-104-AW-37	6/8/91	84	CASS	T	
TE-104-AW-37	6/15/91	84	CASS	T	
TE-104-AW-37	6/21/91	84	CASS	T	
TE-104-AW-37	6/25/91	84	CASS	T	
TE-104-AW-37	6/28/91	118	CASS	S	Data point did not agree with local trend
TE-104-AW-37	7/1/91	79	SACS	T	
TE-104-AW-37	7/8/91	78	SACS	T	
TE-104-AW-37	7/15/91	81	SACS	T	
TE-104-AW-37	7/22/91	80	SACS	T	
TE-104-AW-37	7/29/91	81	SACS	T	
TE-104-AW-37	8/4/91	82	SACS	T	
TE-104-AW-37	8/19/91	81	SACS	T	
TE-104-AW-37	8/26/91	83	SACS	T	
TE-104-AW-37	9/2/91	84	SACS	T	
TE-104-AW-37	9/9/91	85	SACS	T	
TE-104-AW-37	9/18/91	84	SACS	T	
TE-104-AW-37	9/23/91	85	SACS	T	
TE-104-AW-37	9/30/91	85	SACS	T	
TE-104-AW-37	10/7/91	84	SACS	T	
TE-104-AW-37	10/14/91	84	SACS	T	
TE-104-AW-37	10/21/91	83	SACS	T	
TE-104-AW-37	10/28/91	82	SACS	T	
TE-104-AW-37	11/5/91	81	SACS	T	
TE-104-AW-37	11/11/91	80	SACS	T	
TE-104-AW-37	11/18/91	79	SACS	T	
TE-104-AW-37	11/25/91	79	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-37	12/2/91	78	SACS	T	
TE-104-AW-37	12/9/91	78	SACS	T	
TE-104-AW-37	12/16/91	77	SACS	T	
TE-104-AW-37	12/23/91	76	SACS	T	
TE-104-AW-37	12/30/91	76	SACS	T	
TE-104-AW-37	1/6/92	76	SACS	T	
TE-104-AW-37	1/13/92	75	SACS	T	
TE-104-AW-37	1/20/92	74	SACS	T	
TE-104-AW-37	1/27/92	74	SACS	T	
TE-104-AW-37	2/22/92	80	SACS	T	
TE-104-AW-37	3/4/92	77	SACS	T	
TE-104-AW-37	3/11/92	64	SACS	T	
TE-104-AW-37	6/29/92	79	SACS	T	
TE-104-AW-37	10/5/92	84	SACS	T	
TE-104-AW-37	10/12/92	84	SACS	T	
TE-104-AW-37	10/19/92	84	SACS	T	
TE-104-AW-37	10/26/92	83	SACS	T	
TE-104-AW-37	11/2/92	82	SACS	T	
TE-104-AW-37	11/9/92	84	SACS	T	
TE-104-AW-37	11/16/92	83	SACS	T	
TE-104-AW-37	11/23/92	84	SACS	T	
TE-104-AW-37	11/30/92	82	SACS	T	
TE-104-AW-37	12/7/92	83	SACS	T	
TE-104-AW-37	12/14/92	82	SACS	T	
TE-104-AW-37	12/21/92	81	SACS	T	
TE-104-AW-37	12/28/92	81	SACS	T	
TE-104-AW-37	1/25/93	80	SACS	T	
TE-104-AW-37	2/1/93	79	SACS	T	
TE-104-AW-37	2/8/93	78	SACS	T	
TE-104-AW-37	2/16/93	80	SACS	T	
TE-104-AW-38	7/16/83	69	CASS	T	
TE-104-AW-38	7/23/83	70	CASS	T	
TE-104-AW-38	7/30/83	70	CASS	T	
TE-104-AW-38	8/6/83	70	CASS	T	
TE-104-AW-38	8/12/83	109	CASS	T	
TE-104-AW-38	8/14/83	106	CASS	T	
TE-104-AW-38	8/21/83	100	CASS	T	
TE-104-AW-38	8/31/83	97	CASS	T	
TE-104-AW-38	9/10/83	95	CASS	T	
TE-104-AW-38	9/14/83	95	CASS	T	
TE-104-AW-38	9/24/83	95	CASS	T	
TE-104-AW-38	9/27/83	95	CASS	T	
TE-104-AW-38	10/5/83	94	CASS	T	
TE-104-AW-38	10/15/83	93	CASS	T	
TE-104-AW-38	10/21/83	93	CASS	T	
TE-104-AW-38	3/10/84	105	CASS	T	
TE-104-AW-38	3/11/84	104	CASS	T	
TE-104-AW-38	3/19/84	89	CASS	T	
TE-104-AW-38	3/25/84	85	CASS	T	
TE-104-AW-38	4/2/84	82	CASS	T	
TE-104-AW-38	4/8/84	80	CASS	T	
TE-104-AW-38	4/18/84	78	CASS	T	
TE-104-AW-38	4/24/84	77	CASS	T	
TE-104-AW-38	5/3/84	76	CASS	T	
TE-104-AW-38	5/12/84	75	CASS	T	
TE-104-AW-38	5/19/84	99	CASS	T	
TE-104-AW-38	5/26/84	103	CASS	T	
TE-104-AW-38	6/2/84	104	CASS	T	
TE-104-AW-38	6/7/84	104	CASS	T	
TE-104-AW-38	6/22/84	104	CASS	T	
TE-104-AW-38	6/30/84	107	CASS	T	
TE-104-AW-38	7/7/84	110	CASS	T	
TE-104-AW-38	7/14/84	115	CASS	T	
TE-104-AW-38	7/21/84	118	CASS	T	
TE-104-AW-38	7/23/84	118	CASS	T	
TE-104-AW-38	8/4/84	118	CASS	T	
TE-104-AW-38	8/11/84	121	CASS	T	
TE-104-AW-38	8/18/84	132	CASS	T	
TE-104-AW-38	8/19/84	123	CASS	T	
TE-104-AW-38	8/27/84	108	CASS	T	
TE-104-AW-38	9/3/84	104	CASS	T	
TE-104-AW-38	9/11/84	102	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-38	9/18/84	100	CASS	T	
TE-104-AW-38	9/26/84	98	CASS	T	
TE-104-AW-38	9/30/84	97	CASS	T	
TE-104-AW-38	10/11/84	95	CASS	T	
TE-104-AW-38	10/16/84	98	CASS	T	
TE-104-AW-38	10/23/84	90	CASS	T	
TE-104-AW-38	10/31/84	119	CASS	T	
TE-104-AW-38	11/10/84	128	CASS	T	
TE-104-AW-38	11/12/84	128	CASS	T	
TE-104-AW-38	11/19/84	124	CASS	T	
TE-104-AW-38	11/26/84	122	CASS	T	
TE-104-AW-38	12/7/84	120	CASS	T	
TE-104-AW-38	12/10/84	120	CASS	T	
TE-104-AW-38	12/30/84	117	CASS	T	
TE-104-AW-38	1/12/85	117	CASS	T	
TE-104-AW-38	1/18/85	117	CASS	T	
TE-104-AW-38	1/26/85	116	CASS	T	
TE-104-AW-38	2/1/85	116	CASS	T	
TE-104-AW-38	2/9/85	115	CASS	T	
TE-104-AW-38	2/14/85	115	CASS	T	
TE-104-AW-38	2/23/85	114	CASS	T	
TE-104-AW-38	3/1/85	114	CASS	T	
TE-104-AW-38	3/9/85	113	CASS	T	
TE-104-AW-38	3/16/85	113	CASS	T	
TE-104-AW-38	3/23/85	112	CASS	T	
TE-104-AW-38	3/30/85	112	CASS	T	
TE-104-AW-38	4/6/85	112	CASS	T	
TE-104-AW-38	4/13/85	111	CASS	T	
TE-104-AW-38	4/20/85	111	CASS	T	
TE-104-AW-38	4/27/85	111	CASS	T	
TE-104-AW-38	5/4/85	110	CASS	T	
TE-104-AW-38	5/11/85	110	CASS	T	
TE-104-AW-38	5/18/85	110	CASS	T	
TE-104-AW-38	5/21/85	110	CASS	T	
TE-104-AW-38	6/1/85	109	CASS	T	
TE-104-AW-38	6/8/85	109	CASS	T	
TE-104-AW-38	6/10/85	109	CASS	T	
TE-104-AW-38	6/19/85	108	CASS	T	
TE-104-AW-38	11/1/85	107	CASS	T	
TE-104-AW-38	12/1/85	105	CASS	T	
TE-104-AW-38	1/4/86	102	CASS	T	
TE-104-AW-38	1/5/86	102	CASS	T	
TE-104-AW-38	1/18/86	101	CASS	T	
TE-104-AW-38	1/22/86	101	CASS	T	
TE-104-AW-38	2/1/86	100	CASS	T	
TE-104-AW-38	2/8/86	100	CASS	T	
TE-104-AW-38	2/14/86	99	CASS	T	
TE-104-AW-38	2/22/86	99	CASS	T	
TE-104-AW-38	2/24/86	99	CASS	T	
TE-104-AW-38	3/5/86	99	CASS	T	
TE-104-AW-38	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-104-AW-38	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-38	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-38	9/20/86	105	CASS	T	
TE-104-AW-38	9/27/86	105	CASS	T	
TE-104-AW-38	10/4/86	105	CASS	T	
TE-104-AW-38	10/11/86	105	CASS	T	
TE-104-AW-38	10/17/86	106	CASS	T	
TE-104-AW-38	10/25/86	105	CASS	T	
TE-104-AW-38	11/1/86	106	CASS	T	
TE-104-AW-38	11/8/86	106	CASS	T	
TE-104-AW-38	11/16/86	105	CASS	T	
TE-104-AW-38	11/22/86	106	CASS	T	
TE-104-AW-38	11/25/86	106	CASS	T	
TE-104-AW-38	12/8/86	105	CASS	T	
TE-104-AW-38	12/13/86	105	CASS	T	
TE-104-AW-38	12/20/86	105	CASS	T	
TE-104-AW-38	12/27/86	105	CASS	T	
TE-104-AW-38	12/31/86	104	CASS	T	
TE-104-AW-38	7/4/87	100	CASS	T	
TE-104-AW-38	7/11/87	100	CASS	T	
TE-104-AW-38	7/18/87	100	CASS	T	
TE-104-AW-38	7/25/87	100	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-38	7/31/87	101	CASS	T	
TE-104-AW-38	8/8/87	101	CASS	T	
TE-104-AW-38	8/15/87	102	CASS	T	
TE-104-AW-38	8/22/87	102	CASS	T	
TE-104-AW-38	8/29/87	103	CASS	T	
TE-104-AW-38	9/5/87	103	CASS	T	
TE-104-AW-38	9/11/87	103	CASS	T	
TE-104-AW-38	11/26/87	106	CASS	T	
TE-104-AW-38	11/29/87	105	CASS	T	
TE-104-AW-38	3/26/88	103	CASS	T	
TE-104-AW-38	3/31/88	103	CASS	T	
TE-104-AW-38	6/4/88	103	CASS	T	
TE-104-AW-38	6/11/88	103	CASS	T	
TE-104-AW-38	6/17/88	104	CASS	T	
TE-104-AW-38	6/25/88	104	CASS	T	
TE-104-AW-38	7/2/88	104	CASS	T	
TE-104-AW-38	7/9/88	104	CASS	T	
TE-104-AW-38	7/16/88	104	CASS	T	
TE-104-AW-38	7/23/88	104	CASS	T	
TE-104-AW-38	7/30/88	104	CASS	T	
TE-104-AW-38	8/2/88	88	CASS	S	Data point did not agree with local trend
TE-104-AW-38	8/9/88	104	CASS	T	
TE-104-AW-38	8/13/88	104	CASS	T	
TE-104-AW-38	8/20/88	104	CASS	T	
TE-104-AW-38	8/27/88	104	CASS	T	
TE-104-AW-38	9/3/88	105	CASS	T	
TE-104-AW-38	9/10/88	105	CASS	T	
TE-104-AW-38	9/16/88	105	CASS	T	
TE-104-AW-38	9/24/88	104	CASS	T	
TE-104-AW-38	9/30/88	105	CASS	T	
TE-104-AW-38	12/3/88	105	CASS	T	
TE-104-AW-38	12/10/88	105	CASS	T	
TE-104-AW-38	12/12/88	105	CASS	T	
TE-104-AW-38	12/20/88	104	CASS	T	
TE-104-AW-38	9/2/89	101	CASS	T	
TE-104-AW-38	9/5/89	102	CASS	T	
TE-104-AW-38	9/16/89	102	CASS	T	
TE-104-AW-38	9/23/89	102	CASS	T	
TE-104-AW-38	9/30/89	102	CASS	T	
TE-104-AW-38	11/4/89	101	CASS	T	
TE-104-AW-38	11/11/89	101	CASS	T	
TE-104-AW-38	11/16/89	101	CASS	T	
TE-104-AW-38	11/23/89	101	CASS	T	
TE-104-AW-38	12/1/89	101	CASS	T	
TE-104-AW-38	12/4/89	101	CASS	T	
TE-104-AW-38	12/16/89	100	CASS	T	
TE-104-AW-38	12/19/89	100	CASS	T	
TE-104-AW-38	12/30/89	99	CASS	T	
TE-104-AW-38	1/6/90	98	CASS	T	
TE-104-AW-38	1/10/90	98	CASS	T	
TE-104-AW-38	1/17/90	97	CASS	T	
TE-104-AW-38	1/27/90	96	CASS	T	
TE-104-AW-38	1/29/90	96	CASS	T	
TE-104-AW-38	2/10/90	95	CASS	T	
TE-104-AW-38	2/13/90	95	CASS	T	
TE-104-AW-38	2/24/90	94	CASS	T	
TE-104-AW-38	3/3/90	94	CASS	T	
TE-104-AW-38	3/10/90	94	CASS	T	
TE-104-AW-38	3/17/90	93	CASS	T	
TE-104-AW-38	3/22/90	93	CASS	T	
TE-104-AW-38	3/23/90	64	CASS	S	Data point did not agree with local trend
TE-104-AW-38	3/31/90	83	CASS	T	
TE-104-AW-38	4/7/90	92	CASS	T	
TE-104-AW-38	4/14/90	92	CASS	T	
TE-104-AW-38	4/19/90	92	CASS	T	
TE-104-AW-38	4/28/90	91	CASS	T	
TE-104-AW-38	5/5/90	91	CASS	T	
TE-104-AW-38	5/10/90	91	CASS	T	
TE-104-AW-38	5/19/90	90	CASS	T	
TE-104-AW-38	5/22/90	90	CASS	T	
TE-104-AW-38	6/2/90	89	CASS	T	
TE-104-AW-38	6/8/90	90	CASS	T	
TE-104-AW-38	6/16/90	89	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-38	6/23/90	89	CASS	T	
TE-104-AW-38	6/30/90	89	CASS	T	
TE-104-AW-38	7/3/90	71	CASS	S	Data point did not agree with local trend
TE-104-AW-38	7/7/90	89	CASS	T	
TE-104-AW-38	7/14/90	89	CASS	T	
TE-104-AW-38	7/21/90	89	CASS	T	
TE-104-AW-38	7/28/90	89	CASS	T	
TE-104-AW-38	8/4/90	90	CASS	T	
TE-104-AW-38	8/11/90	90	CASS	T	
TE-104-AW-38	8/18/90	90	CASS	T	
TE-104-AW-38	8/25/90	90	CASS	T	
TE-104-AW-38	9/1/90	90	CASS	T	
TE-104-AW-38	9/8/90	90	CASS	T	
TE-104-AW-38	9/12/90	91	CASS	T	
TE-104-AW-38	9/18/90	91	CASS	T	
TE-104-AW-38	9/28/90	91	CASS	T	
TE-104-AW-38	10/5/90	91	CASS	T	
TE-104-AW-38	10/13/90	91	CASS	T	
TE-104-AW-38	10/20/90	91	CASS	T	
TE-104-AW-38	10/27/90	91	CASS	T	
TE-104-AW-38	11/3/90	91	CASS	T	
TE-104-AW-38	11/8/90	88	CASS	S	Data point did not agree with local trend
TE-104-AW-38	11/10/90	91	CASS	T	
TE-104-AW-38	11/17/90	91	CASS	T	
TE-104-AW-38	11/24/90	91	CASS	T	
TE-104-AW-38	11/25/90	91	CASS	T	
TE-104-AW-38	12/6/90	65	CASS	S	Data point did not agree with local trend
TE-104-AW-38	12/8/90	90	CASS	T	
TE-104-AW-38	12/15/90	90	CASS	T	
TE-104-AW-38	12/19/90	90	CASS	T	
TE-104-AW-38	12/29/90	89	CASS	T	
TE-104-AW-38	1/5/91	89	CASS	T	
TE-104-AW-38	1/11/91	89	CASS	T	
TE-104-AW-38	1/19/91	88	CASS	T	
TE-104-AW-38	1/26/91	88	CASS	T	
TE-104-AW-38	2/2/91	88	CASS	T	
TE-104-AW-38	2/5/91	88	CASS	T	
TE-104-AW-38	2/16/91	87	CASS	T	
TE-104-AW-38	2/23/91	87	CASS	T	
TE-104-AW-38	3/2/91	87	CASS	T	
TE-104-AW-38	3/8/91	87	CASS	T	
TE-104-AW-38	3/13/91	87	CASS	T	
TE-104-AW-38	3/17/91	87	CASS	T	
TE-104-AW-38	3/30/91	86	CASS	T	
TE-104-AW-38	4/6/91	86	CASS	T	
TE-104-AW-38	4/13/91	86	CASS	T	
TE-104-AW-38	4/20/91	86	CASS	T	
TE-104-AW-38	4/24/91	86	CASS	T	
TE-104-AW-38	5/4/91	85	CASS	T	
TE-104-AW-38	5/11/91	85	CASS	T	
TE-104-AW-38	5/18/91	85	CASS	T	
TE-104-AW-38	5/25/91	85	CASS	T	
TE-104-AW-38	5/31/91	85	CASS	T	
TE-104-AW-38	6/8/91	85	CASS	T	
TE-104-AW-38	6/15/91	85	CASS	T	
TE-104-AW-38	6/21/91	85	CASS	T	
TE-104-AW-38	6/25/91	85	CASS	T	
TE-104-AW-38	6/28/91	106	CASS	S	Data point did not agree with local trend
TE-104-AW-38	2/3/92	85	SACS	T	
TE-104-AW-38	2/10/92	85	SACS	T	
TE-104-AW-38	2/17/92	84	SACS	T	
TE-104-AW-38	2/24/92	84	SACS	T	
TE-104-AW-38	3/2/92	83	SACS	T	
TE-104-AW-38	3/9/92	83	SACS	T	
TE-104-AW-38	3/18/92	83	SACS	T	
TE-104-AW-38	3/23/92	83	SACS	T	
TE-104-AW-38	3/30/92	82	SACS	T	
TE-104-AW-38	4/6/92	83	SACS	T	
TE-104-AW-38	4/13/92	82	SACS	T	
TE-104-AW-38	4/20/92	83	SACS	T	
TE-104-AW-38	4/27/92	67	SACS	S	Data point did not agree with local trend
TE-104-AW-38	5/4/92	82	SACS	T	
TE-104-AW-38	5/11/92	59	SACS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-38	5/18/92	85	SACS	S	Data point did not agree with local trend
TE-104-AW-38	5/25/92	86	SACS	S	Data point did not agree with local trend
TE-104-AW-38	6/6/92	83	SACS	T	
TE-104-AW-38	6/15/92	83	SACS	T	
TE-104-AW-38	6/22/92	83	SACS	T	
TE-104-AW-38	7/6/92	83	SACS	T	
TE-104-AW-38	7/13/92	83	SACS	T	
TE-104-AW-38	7/20/92	83	SACS	T	
TE-104-AW-38	7/27/92	83	SACS	T	
TE-104-AW-38	8/3/92	83	SACS	T	
TE-104-AW-38	8/10/92	84	SACS	T	
TE-104-AW-38	8/17/92	84	SACS	T	
TE-104-AW-38	8/24/92	85	SACS	T	
TE-104-AW-38	8/31/92	84	SACS	T	
TE-104-AW-38	9/7/92	85	SACS	T	
TE-104-AW-38	9/14/92	85	SACS	T	
TE-104-AW-38	9/21/92	84	SACS	T	
TE-104-AW-38	9/28/92	85	SACS	T	
TE-104-AW-38	1/4/93	86	SACS	T	
TE-104-AW-38	1/11/93	86	SACS	T	
TE-104-AW-38	1/18/93	86	SACS	T	
TE-104-AW-38	3/1/93	86	SACS	T	
TE-104-AW-38	3/8/93	84	SACS	T	
TE-104-AW-38	3/20/93	84	SACS	T	
TE-104-AW-38	3/22/93	84	SACS	T	
TE-104-AW-38	3/29/93	83	SACS	T	
TE-104-AW-38	4/6/93	82	SACS	T	
TE-104-AW-38	4/12/93	83	SACS	T	
TE-104-AW-38	4/19/93	83	SACS	T	
TE-104-AW-38	4/26/93	82	SACS	T	
TE-104-AW-38	5/3/93	83	SACS	T	
TE-104-AW-38	5/10/93	81	SACS	T	
TE-104-AW-38	5/17/93	83	SACS	T	
TE-104-AW-38	5/24/93	83	SACS	T	
TE-104-AW-38	5/31/93	82	SACS	T	
TE-104-AW-38	6/7/93	83	SACS	T	
TE-104-AW-38	6/15/93	83	SACS	T	
TE-104-AW-38	6/22/93	83	SACS	T	
TE-104-AW-38	6/28/93	81	SACS	T	
TE-104-AW-38	7/26/93	83	SACS	T	
TE-104-AW-38	8/2/93	83	SACS	T	
TE-104-AW-38	8/9/93	83	SACS	T	
TE-104-AW-38	8/16/93	84	SACS	T	
TE-104-AW-38	8/23/93	84	SACS	T	
TE-104-AW-38	8/30/93	84	SACS	T	
TE-104-AW-38	9/13/93	85	SACS	T	
TE-104-AW-38	9/21/93	85	SACS	T	
TE-104-AW-38	9/27/93	85	SACS	T	
TE-104-AW-38	10/11/93	86	SACS	S	Data point did not agree with local trend
TE-104-AW-38	10/19/93	85	SACS	T	
TE-104-AW-38	10/25/93	86	SACS	T	
TE-104-AW-38	11/1/93	85	SACS	T	
TE-104-AW-38	11/8/93	58	SACS	S	Data point did not agree with local trend
TE-104-AW-38	11/15/93	86	SACS	T	
TE-104-AW-38	11/26/93	87	SACS	T	
TE-104-AW-38	11/29/93	86	SACS	T	
TE-104-AW-38	12/6/93	85	SACS	T	
TE-104-AW-38	12/16/93	86	SACS	T	
TE-104-AW-38	12/20/93	86	SACS	T	
TE-104-AW-38	12/27/93	86	SACS	T	
TE-104-AW-38	1/5/94	86	SACS	T	
TE-104-AW-38	1/10/94	56	SACS	S	Data point did not agree with local trend
TE-104-AW-38	1/24/94	88	SACS	T	
TE-104-AW-38	1/31/94	88	SACS	T	
TE-104-AW-38	2/7/94	86	SACS	G	
TE-104-AW-38	2/21/94	85	SACS	G	
TE-104-AW-38	2/28/94	86	SACS	T	
TE-104-AW-38	3/7/94	86	SACS	T	
TE-104-AW-38	3/14/94	85	SACS	G	
TE-104-AW-38	3/21/94	85	SACS	G	
TE-104-AW-38	3/28/94	86	SACS	G	
TE-104-AW-38	4/5/94	86	SACS	G	
TE-104-AW-38	4/11/94	85	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-38	4/18/94	85	SACS	G	
TE-104-AW-38	4/25/94	86	SACS	G	
TE-104-AW-38	5/2/94	85	SACS	G	
TE-104-AW-38	5/9/94	85	SACS	G	
TE-104-AW-38	5/18/94	85	SACS	G	
TE-104-AW-38	5/31/94	85	SACS	G	
TE-104-AW-38	6/6/94	85	SACS	G	
TE-104-AW-38	6/13/94	85	SACS	G	
TE-104-AW-38	6/20/94	85	SACS	G	
TE-104-AW-38	6/27/94	85	SACS	G	
TE-104-AW-38	7/4/94	85	SACS	G	
TE-104-AW-38	7/18/94	85	SACS	G	
TE-104-AW-38	7/25/94	85	SACS	G	
TE-104-AW-38	8/1/94	85	SACS	G	
TE-104-AW-38	8/8/94	85	SACS	G	
TE-104-AW-38	8/15/94	85	SACS	G	
TE-104-AW-38	8/22/94	85	SACS	G	
TE-104-AW-38	9/7/94	86	SACS	G	
TE-104-AW-38	9/12/94	86	SACS	G	
TE-104-AW-38	9/19/94	85	SACS	G	
TE-104-AW-38	9/26/94	72	SACS	S (G in SACS)	Data point did not agree with local trend
TE-104-AW-38	10/10/94	85	SACS	G	
TE-104-AW-38	10/17/94	87	SACS	G	
TE-104-AW-38	10/24/94	86	SACS	G	
TE-104-AW-38	10/31/94	87	SACS	G	
TE-104-AW-38	11/7/94	86	SACS	G	
TE-104-AW-38	11/14/94	87	SACS	G	
TE-104-AW-38	11/21/94	87	SACS	G	
TE-104-AW-38	11/28/94	86	SACS	G	
TE-104-AW-38	12/5/94	87	SACS	G	
TE-104-AW-38	12/12/94	87	SACS	G	
TE-104-AW-38	12/19/94	87	SACS	G	
TE-104-AW-38	12/26/94	87	SACS	G	
TE-104-AW-38	1/2/95	87	SACS	G	
TE-104-AW-38	1/9/95	87	SACS	G	
TE-104-AW-38	1/16/95	87	SACS	G	
TE-104-AW-38	1/23/95	87	SACS	G	
TE-104-AW-38	1/30/95	86	SACS	G	
TE-104-AW-38	2/6/95	87	SACS	G	
TE-104-AW-38	2/13/95	87	SACS	G	
TE-104-AW-38	2/24/95	86	SACS	G	
TE-104-AW-38	2/27/95	87	SACS	G	
TE-104-AW-38	3/6/95	87	SACS	G	
TE-104-AW-38	3/19/95	86	SACS	G	
TE-104-AW-38	3/27/95	86	SACS	G	
TE-104-AW-38	4/3/95	85	SACS	G	
TE-104-AW-38	4/10/95	86	SACS	G	
TE-104-AW-38	4/17/95	86	SACS	G	
TE-104-AW-38	4/24/95	86	SACS	G	
TE-104-AW-38	5/1/95	86	SACS	G	
TE-104-AW-38	5/8/95	87	SACS	G	
TE-104-AW-38	5/22/95	86	SACS	G	
TE-104-AW-38	5/29/95	87	SACS	G	
TE-104-AW-38	6/5/95	87	SACS	G	
TE-104-AW-38	6/13/95	87	SACS	G	
TE-104-AW-38	6/19/95	86	SACS	G	
TE-104-AW-38	6/26/95	86	SACS	G	
TE-104-AW-39	7/16/83	89	CASS	T	
TE-104-AW-39	7/23/83	70	CASS	T	
TE-104-AW-39	7/30/83	70	CASS	T	
TE-104-AW-39	8/8/83	70	CASS	T	
TE-104-AW-39	8/13/83	112	CASS	T	
TE-104-AW-39	8/15/83	111	CASS	T	
TE-104-AW-39	8/22/83	108	CASS	T	
TE-104-AW-39	8/29/83	105	CASS	T	
TE-104-AW-39	9/10/83	101	CASS	T	
TE-104-AW-39	9/14/83	101	CASS	T	
TE-104-AW-39	9/24/83	99	CASS	T	
TE-104-AW-39	9/27/83	99	CASS	T	
TE-104-AW-39	10/5/83	98	CASS	T	
TE-104-AW-39	10/13/83	97	CASS	T	
TE-104-AW-39	10/21/83	96	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1985; and Surveillance Analysis Computer System (SACS), June 1985.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-39	3/10/84	103	CASS	T	
TE-104-AW-39	3/11/84	100	CASS	T	
TE-104-AW-39	3/19/84	89	CASS	T	
TE-104-AW-39	3/25/84	85	CASS	T	
TE-104-AW-39	4/2/84	82	CASS	T	
TE-104-AW-39	4/8/84	80	CASS	T	
TE-104-AW-39	4/19/84	78	CASS	T	
TE-104-AW-39	4/26/84	77	CASS	T	
TE-104-AW-39	5/3/84	76	CASS	T	
TE-104-AW-39	5/12/84	75	CASS	T	
TE-104-AW-39	5/19/84	99	CASS	T	
TE-104-AW-39	5/26/84	103	CASS	T	
TE-104-AW-39	6/2/84	104	CASS	T	
TE-104-AW-39	6/7/84	104	CASS	T	
TE-104-AW-39	6/22/84	104	CASS	T	
TE-104-AW-39	6/30/84	107	CASS	T	
TE-104-AW-39	7/7/84	111	CASS	T	
TE-104-AW-39	7/14/84	115	CASS	T	
TE-104-AW-39	7/21/84	118	CASS	T	
TE-104-AW-39	7/23/84	118	CASS	T	
TE-104-AW-39	8/4/84	118	CASS	T	
TE-104-AW-39	8/11/84	121	CASS	T	
TE-104-AW-39	8/18/84	128	CASS	T	
TE-104-AW-39	8/19/84	117	CASS	T	
TE-104-AW-39	8/27/84	106	CASS	T	
TE-104-AW-39	9/2/84	103	CASS	T	
TE-104-AW-39	9/11/84	101	CASS	T	
TE-104-AW-39	9/17/84	99	CASS	T	
TE-104-AW-39	9/25/84	97	CASS	T	
TE-104-AW-39	9/30/84	98	CASS	T	
TE-104-AW-39	10/11/84	94	CASS	T	
TE-104-AW-39	10/16/84	96	CASS	T	
TE-104-AW-39	10/23/84	90	CASS	T	
TE-104-AW-39	11/3/84	124	CASS	T	
TE-104-AW-39	11/10/84	131	CASS	T	
TE-104-AW-39	11/13/84	132	CASS	T	
TE-104-AW-39	11/18/84	129	CASS	T	
TE-104-AW-39	11/26/84	126	CASS	T	
TE-104-AW-39	12/5/84	124	CASS	T	
TE-104-AW-39	12/10/84	123	CASS	T	
TE-104-AW-39	12/17/84	122	CASS	T	
TE-104-AW-39	12/29/84	120	CASS	T	
TE-104-AW-39	1/1/85	120	CASS	T	
TE-104-AW-39	1/19/85	117	CASS	T	
TE-104-AW-39	1/26/85	117	CASS	T	
TE-104-AW-39	2/1/85	117	CASS	T	
TE-104-AW-39	2/9/85	118	CASS	T	
TE-104-AW-39	2/11/85	116	CASS	T	
TE-104-AW-39	2/23/85	115	CASS	T	
TE-104-AW-39	3/2/85	114	CASS	T	
TE-104-AW-39	3/4/85	114	CASS	T	
TE-104-AW-39	3/16/85	113	CASS	T	
TE-104-AW-39	3/23/85	112	CASS	T	
TE-104-AW-39	3/28/85	112	CASS	T	
TE-104-AW-39	4/6/85	111	CASS	T	
TE-104-AW-39	4/12/85	111	CASS	T	
TE-104-AW-39	4/20/85	110	CASS	T	
TE-104-AW-39	4/27/85	110	CASS	T	
TE-104-AW-39	4/29/85	110	CASS	T	
TE-104-AW-39	5/11/85	109	CASS	T	
TE-104-AW-39	5/18/85	109	CASS	T	
TE-104-AW-39	5/21/85	109	CASS	T	
TE-104-AW-39	6/1/85	108	CASS	T	
TE-104-AW-39	6/8/85	108	CASS	T	
TE-104-AW-39	6/10/85	108	CASS	T	
TE-104-AW-39	6/19/85	107	CASS	T	
TE-104-AW-39	11/1/85	105	CASS	T	
TE-104-AW-39	12/1/85	103	CASS	T	
TE-104-AW-39	1/4/86	101	CASS	T	
TE-104-AW-39	1/9/86	101	CASS	T	
TE-104-AW-39	1/15/86	101	CASS	T	
TE-104-AW-39	1/25/86	100	CASS	T	
TE-104-AW-39	2/1/86	99	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-39	2/8/86	99	CASS	T	
TE-104-AW-39	2/12/86	99	CASS	T	
TE-104-AW-39	2/22/86	98	CASS	T	
TE-104-AW-39	2/26/86	98	CASS	T	
TE-104-AW-39	3/5/86	105	CASS	T	
TE-104-AW-39	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-104-AW-39	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-39	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-39	9/17/86	104	CASS	T	
TE-104-AW-39	10/11/86	104	CASS	T	
TE-104-AW-39	10/18/86	104	CASS	T	
TE-104-AW-39	10/25/86	104	CASS	T	
TE-104-AW-39	11/1/86	104	CASS	T	
TE-104-AW-39	11/8/86	104	CASS	T	
TE-104-AW-39	11/15/86	104	CASS	T	
TE-104-AW-39	11/22/86	104	CASS	T	
TE-104-AW-39	11/29/86	104	CASS	T	
TE-104-AW-39	12/6/86	104	CASS	T	
TE-104-AW-39	12/13/86	104	CASS	T	
TE-104-AW-39	12/20/86	104	CASS	T	
TE-104-AW-39	12/21/86	103	CASS	T	
TE-104-AW-39	12/29/86	99	CASS	T	
TE-104-AW-39	7/4/87	98	CASS	T	
TE-104-AW-39	7/11/87	98	CASS	T	
TE-104-AW-39	7/18/87	98	CASS	T	
TE-104-AW-39	7/25/87	98	CASS	T	
TE-104-AW-39	8/1/87	100	CASS	T	
TE-104-AW-39	8/8/87	101	CASS	T	
TE-104-AW-39	8/15/87	102	CASS	T	
TE-104-AW-39	8/22/87	102	CASS	T	
TE-104-AW-39	8/29/87	103	CASS	T	
TE-104-AW-39	9/5/87	103	CASS	T	
TE-104-AW-39	9/11/87	103	CASS	T	
TE-104-AW-39	11/28/87	104	CASS	T	
TE-104-AW-39	11/29/87	104	CASS	T	
TE-104-AW-39	3/26/88	102	CASS	T	
TE-104-AW-39	3/31/88	102	CASS	T	
TE-104-AW-39	6/4/88	101	CASS	T	
TE-104-AW-39	6/11/88	101	CASS	T	
TE-104-AW-39	6/18/88	101	CASS	T	
TE-104-AW-39	6/25/88	102	CASS	T	
TE-104-AW-39	7/2/88	101	CASS	T	
TE-104-AW-39	7/9/88	101	CASS	T	
TE-104-AW-39	7/16/88	102	CASS	T	
TE-104-AW-39	7/23/88	102	CASS	T	
TE-104-AW-39	7/30/88	102	CASS	T	
TE-104-AW-39	8/6/88	102	CASS	T	
TE-104-AW-39	8/13/88	102	CASS	T	
TE-104-AW-39	8/20/88	102	CASS	T	
TE-104-AW-39	8/27/88	102	CASS	T	
TE-104-AW-39	9/3/88	103	CASS	T	
TE-104-AW-39	9/6/88	103	CASS	T	
TE-104-AW-39	9/15/88	103	CASS	T	
TE-104-AW-39	9/24/88	103	CASS	T	
TE-104-AW-39	9/30/88	103	CASS	T	
TE-104-AW-39	12/3/88	103	CASS	T	
TE-104-AW-39	12/10/88	103	CASS	T	
TE-104-AW-39	12/17/88	103	CASS	T	
TE-104-AW-39	12/20/88	103	CASS	T	
TE-104-AW-39	7/10/89	96	SACS	T	
TE-104-AW-39	7/17/89	100	SACS	T	
TE-104-AW-39	7/24/89	100	SACS	T	
TE-104-AW-39	8/7/89	99	SACS	T	
TE-104-AW-39	8/14/89	101	SACS	T	
TE-104-AW-39	8/21/89	100	SACS	T	
TE-104-AW-39	8/28/89	102	SACS	T	
TE-104-AW-39	9/4/89	101	SACS	T	
TE-104-AW-39	9/11/89	102	SACS	T	
TE-104-AW-39	9/18/89	102	SACS	T	
TE-104-AW-39	9/26/89	102	SACS	T	
TE-104-AW-39	10/1/89	102	SACS	T	
TE-104-AW-39	10/9/89	103	SACS	T	
TE-104-AW-39	10/16/89	101	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-39	10/24/89	103	SACS	T	
TE-104-AW-39	10/30/89	103	SACS	T	
TE-104-AW-39	11/7/89	101	SACS	T	
TE-104-AW-39	11/13/89	103	SACS	T	
TE-104-AW-39	11/20/89	101	SACS	T	
TE-104-AW-39	11/27/89	102	SACS	T	
TE-104-AW-39	12/4/89	101	SACS	T	
TE-104-AW-39	12/11/89	100	SACS	T	
TE-104-AW-39	12/18/89	100	SACS	T	
TE-104-AW-39	12/26/89	99	SACS	T	
TE-104-AW-39	1/2/90	100	SACS	T	
TE-104-AW-39	1/8/90	98	SACS	T	
TE-104-AW-39	1/15/90	98	SACS	T	
TE-104-AW-39	1/22/90	97	SACS	T	
TE-104-AW-39	1/29/90	98	SACS	T	
TE-104-AW-39	2/5/90	97	SACS	T	
TE-104-AW-39	2/12/90	97	SACS	T	
TE-104-AW-39	2/19/90	97	SACS	T	
TE-104-AW-39	2/26/90	96	SACS	T	
TE-104-AW-39	3/5/90	95	SACS	T	
TE-104-AW-39	3/12/90	96	SACS	T	
TE-104-AW-39	3/19/90	96	SACS	T	
TE-104-AW-39	3/23/90	68	CASS	S	Data point did not agree with local trend
TE-104-AW-39	3/26/90	94	SACS	T	
TE-104-AW-39	4/2/90	93	SACS	T	
TE-104-AW-39	4/8/90	94	SACS	T	
TE-104-AW-39	4/16/90	83	SACS	T	
TE-104-AW-39	4/23/90	92	SACS	T	
TE-104-AW-39	4/30/90	92	SACS	T	
TE-104-AW-39	5/7/90	92	SACS	T	
TE-104-AW-39	5/14/90	92	SACS	T	
TE-104-AW-39	5/21/90	90	SACS	T	
TE-104-AW-39	5/28/90	55	SACS	S	Data point did not agree with local trend
TE-104-AW-39	6/2/90	87	CASS	T	
TE-104-AW-39	6/4/90	90	SACS	T	
TE-104-AW-39	6/11/90	90	SACS	T	
TE-104-AW-39	6/19/90	88	SACS	T	
TE-104-AW-39	6/25/90	89	SACS	T	
TE-104-AW-39	7/2/90	89	SACS	T	
TE-104-AW-39	7/3/90	71	CASS	S	Data point did not agree with local trend
TE-104-AW-39	7/14/90	87	CASS	T	
TE-104-AW-39	7/16/90	88	SACS	T	
TE-104-AW-39	7/23/90	88	SACS	T	
TE-104-AW-39	7/30/90	88	SACS	T	
TE-104-AW-39	8/6/90	88	SACS	T	
TE-104-AW-39	8/16/90	89	SACS	T	
TE-104-AW-39	8/20/90	90	SACS	T	
TE-104-AW-39	9/1/90	87	CASS	T	
TE-104-AW-39	9/8/90	88	CASS	T	
TE-104-AW-39	9/10/90	90	SACS	T	
TE-104-AW-39	9/17/90	91	SACS	T	
TE-104-AW-39	9/24/90	90	SACS	T	
TE-104-AW-39	10/1/90	91	SACS	T	
TE-104-AW-39	10/8/90	93	SACS	T	
TE-104-AW-39	10/15/90	92	SACS	T	
TE-104-AW-39	10/22/90	92	SACS	T	
TE-104-AW-39	10/29/90	92	SACS	T	
TE-104-AW-39	11/5/90	92	SACS	T	
TE-104-AW-39	11/9/90	71	CASS	S	Data point did not agree with local trend
TE-104-AW-39	11/12/90	92	SACS	T	
TE-104-AW-39	11/19/90	92	SACS	T	
TE-104-AW-39	11/26/90	91	SACS	T	
TE-104-AW-39	12/3/90	91	SACS	T	
TE-104-AW-39	12/6/90	69	CASS	S	Data point did not agree with local trend
TE-104-AW-39	12/10/90	90	SACS	T	
TE-104-AW-39	12/17/90	90	SACS	T	
TE-104-AW-39	12/24/90	92	SACS	T	
TE-104-AW-39	12/31/90	91	SACS	T	
TE-104-AW-39	1/7/91	90	SACS	T	
TE-104-AW-39	1/14/91	89	SACS	T	
TE-104-AW-39	1/21/91	89	SACS	T	
TE-104-AW-39	1/28/91	90	SACS	T	
TE-104-AW-39	2/9/91	86	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-39	2/11/91	88	SACS	T	
TE-104-AW-39	2/18/91	88	SACS	T	
TE-104-AW-39	2/25/91	87	SACS	T	
TE-104-AW-39	3/4/91	87	SACS	T	
TE-104-AW-39	3/11/91	87	SACS	T	
TE-104-AW-39	3/18/91	86	SACS	T	
TE-104-AW-39	3/25/91	87	SACS	T	
TE-104-AW-39	4/1/91	86	SACS	T	
TE-104-AW-39	4/8/91	86	SACS	T	
TE-104-AW-39	4/15/91	86	SACS	T	
TE-104-AW-39	4/22/91	86	SACS	T	
TE-104-AW-39	4/29/91	85	SACS	T	
TE-104-AW-39	5/6/91	85	SACS	T	
TE-104-AW-39	5/13/91	85	SACS	T	
TE-104-AW-39	5/20/91	85	SACS	T	
TE-104-AW-39	5/31/91	84	CASS	T	
TE-104-AW-39	6/3/91	85	SACS	T	
TE-104-AW-39	6/10/91	85	SACS	T	
TE-104-AW-39	6/21/91	84	CASS	T	
TE-104-AW-39	6/25/91	84	SACS	T	
TE-104-AW-39	6/28/91	92	CASS	S	Data point did not agree with local trend
TE-104-AW-39	7/1/91	84	SACS	T	
TE-104-AW-39	7/8/91	83	SACS	T	
TE-104-AW-39	7/15/91	85	SACS	T	
TE-104-AW-39	7/22/91	83	SACS	T	
TE-104-AW-39	7/29/91	84	SACS	T	
TE-104-AW-39	8/4/91	85	SACS	T	
TE-104-AW-39	8/18/91	83	SACS	T	
TE-104-AW-39	8/28/91	85	SACS	T	
TE-104-AW-39	9/2/91	87	SACS	T	
TE-104-AW-39	9/9/91	88	SACS	T	
TE-104-AW-39	9/16/91	87	SACS	T	
TE-104-AW-39	9/23/91	88	SACS	T	
TE-104-AW-39	9/30/91	88	SACS	T	
TE-104-AW-39	10/7/91	88	SACS	T	
TE-104-AW-39	10/14/91	89	SACS	T	
TE-104-AW-39	10/21/91	88	SACS	T	
TE-104-AW-39	10/28/91	88	SACS	T	
TE-104-AW-39	11/5/91	88	SACS	T	
TE-104-AW-39	11/11/91	88	SACS	T	
TE-104-AW-39	11/18/91	87	SACS	T	
TE-104-AW-39	11/25/91	88	SACS	T	
TE-104-AW-39	12/2/91	87	SACS	T	
TE-104-AW-39	12/9/91	87	SACS	T	
TE-104-AW-39	12/16/91	86	SACS	T	
TE-104-AW-39	12/23/91	87	SACS	T	
TE-104-AW-39	12/30/91	86	SACS	T	
TE-104-AW-39	1/8/92	86	SACS	T	
TE-104-AW-39	1/13/92	85	SACS	T	
TE-104-AW-39	1/20/92	85	SACS	T	
TE-104-AW-39	1/27/92	85	SACS	T	
TE-104-AW-39	2/22/92	86	SACS	T	
TE-104-AW-39	3/3/92	83	SACS	T	
TE-104-AW-39	3/11/92	59	SACS	T	
TE-104-AW-39	6/29/92	83	SACS	T	
TE-104-AW-39	10/5/92	86	SACS	T	
TE-104-AW-39	10/12/92	94	SACS	T	
TE-104-AW-39	10/19/92	86	SACS	T	
TE-104-AW-39	10/26/92	86	SACS	T	
TE-104-AW-39	11/2/92	85	SACS	T	
TE-104-AW-39	11/9/92	87	SACS	T	
TE-104-AW-39	11/16/92	87	SACS	T	
TE-104-AW-39	11/23/92	87	SACS	T	
TE-104-AW-39	11/30/92	86	SACS	T	
TE-104-AW-39	12/7/92	87	SACS	T	
TE-104-AW-39	12/14/92	87	SACS	T	
TE-104-AW-39	12/21/92	85	SACS	T	
TE-104-AW-39	12/28/92	86	SACS	T	
TE-104-AW-39	1/25/93	86	SACS	T	
TE-104-AW-39	2/1/93	85	SACS	T	
TE-104-AW-39	2/8/93	85	SACS	T	
TE-104-AW-39	2/16/93	86	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-40	7/16/83	89	CASS	T	
TE-104-AW-40	7/23/83	70	CASS	T	
TE-104-AW-40	7/30/83	70	CASS	T	
TE-104-AW-40	8/6/83	70	CASS	T	
TE-104-AW-40	8/13/83	112	CASS	T	
TE-104-AW-40	8/17/83	113	CASS	T	
TE-104-AW-40	8/21/83	111	CASS	T	
TE-104-AW-40	8/31/83	108	CASS	T	
TE-104-AW-40	9/10/83	106	CASS	T	
TE-104-AW-40	9/12/83	105	CASS	T	
TE-104-AW-40	9/22/83	103	CASS	T	
TE-104-AW-40	9/26/83	102	CASS	T	
TE-104-AW-40	10/2/83	101	CASS	T	
TE-104-AW-40	10/15/83	99	CASS	T	
TE-104-AW-40	10/18/83	99	CASS	T	
TE-104-AW-40	3/10/84	99	CASS	T	
TE-104-AW-40	3/13/84	99	CASS	T	
TE-104-AW-40	3/19/84	89	CASS	T	
TE-104-AW-40	3/25/84	85	CASS	T	
TE-104-AW-40	4/2/84	82	CASS	T	
TE-104-AW-40	4/9/84	80	CASS	T	
TE-104-AW-40	4/20/84	78	CASS	T	
TE-104-AW-40	4/26/84	77	CASS	T	
TE-104-AW-40	5/3/84	76	CASS	T	
TE-104-AW-40	5/12/84	75	CASS	T	
TE-104-AW-40	5/19/84	99	CASS	T	
TE-104-AW-40	5/26/84	103	CASS	T	
TE-104-AW-40	6/2/84	104	CASS	T	
TE-104-AW-40	6/6/84	105	CASS	T	
TE-104-AW-40	6/22/84	104	CASS	T	
TE-104-AW-40	6/30/84	107	CASS	T	
TE-104-AW-40	7/7/84	111	CASS	T	
TE-104-AW-40	7/14/84	115	CASS	T	
TE-104-AW-40	7/21/84	118	CASS	T	
TE-104-AW-40	7/23/84	118	CASS	T	
TE-104-AW-40	8/4/84	118	CASS	T	
TE-104-AW-40	8/11/84	121	CASS	T	
TE-104-AW-40	8/18/84	126	CASS	T	
TE-104-AW-40	8/19/84	117	CASS	T	
TE-104-AW-40	8/27/84	106	CASS	T	
TE-104-AW-40	9/2/84	103	CASS	T	
TE-104-AW-40	9/11/84	101	CASS	T	
TE-104-AW-40	9/17/84	99	CASS	T	
TE-104-AW-40	9/24/84	97	CASS	T	
TE-104-AW-40	9/30/84	96	CASS	T	
TE-104-AW-40	10/11/84	94	CASS	T	
TE-104-AW-40	10/16/84	96	CASS	T	
TE-104-AW-40	10/23/84	90	CASS	T	
TE-104-AW-40	11/3/84	124	CASS	T	
TE-104-AW-40	11/10/84	131	CASS	T	
TE-104-AW-40	11/14/84	132	CASS	T	
TE-104-AW-40	11/20/84	130	CASS	T	
TE-104-AW-40	11/26/84	128	CASS	T	
TE-104-AW-40	12/6/84	126	CASS	T	
TE-104-AW-40	12/12/84	125	CASS	T	
TE-104-AW-40	12/17/84	124	CASS	T	
TE-104-AW-40	12/29/84	122	CASS	T	
TE-104-AW-40	1/5/85	121	CASS	T	
TE-104-AW-40	1/12/85	120	CASS	T	
TE-104-AW-40	1/13/85	120	CASS	T	
TE-104-AW-40	2/2/85	117	CASS	T	
TE-104-AW-40	2/9/85	117	CASS	T	
TE-104-AW-40	2/18/85	116	CASS	T	
TE-104-AW-40	2/23/85	115	CASS	T	
TE-104-AW-40	2/25/85	115	CASS	T	
TE-104-AW-40	3/7/85	114	CASS	T	
TE-104-AW-40	3/16/85	113	CASS	T	
TE-104-AW-40	3/18/85	113	CASS	T	
TE-104-AW-40	3/29/85	112	CASS	T	
TE-104-AW-40	4/6/85	111	CASS	T	
TE-104-AW-40	4/13/85	111	CASS	T	
TE-104-AW-40	4/16/85	111	CASS	T	
TE-104-AW-40	4/27/85	110	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-40	5/2/85	110	CASS	T	
TE-104-AW-40	5/11/85	109	CASS	T	
TE-104-AW-40	5/18/85	109	CASS	T	
TE-104-AW-40	5/24/85	109	CASS	T	
TE-104-AW-40	6/1/85	108	CASS	T	
TE-104-AW-40	6/8/85	108	CASS	T	
TE-104-AW-40	6/11/85	108	CASS	T	
TE-104-AW-40	6/19/85	107	CASS	T	
TE-104-AW-40	11/1/85	105	CASS	T	
TE-104-AW-40	12/1/85	103	CASS	T	
TE-104-AW-40	1/2/86	102	CASS	T	
TE-104-AW-40	1/11/86	101	CASS	T	
TE-104-AW-40	1/17/86	101	CASS	T	
TE-104-AW-40	1/25/86	100	CASS	T	
TE-104-AW-40	1/30/86	100	CASS	T	
TE-104-AW-40	2/8/86	99	CASS	T	
TE-104-AW-40	2/14/86	99	CASS	T	
TE-104-AW-40	2/16/86	99	CASS	T	
TE-104-AW-40	2/26/86	98	CASS	T	
TE-104-AW-40	3/5/86	107	CASS	T	
TE-104-AW-40	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-104-AW-40	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-40	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-40	9/17/86	101	CASS	T	
TE-104-AW-40	10/11/86	100	CASS	T	
TE-104-AW-40	10/18/86	100	CASS	T	
TE-104-AW-40	10/25/86	101	CASS	T	
TE-104-AW-40	11/1/86	101	CASS	T	
TE-104-AW-40	11/8/86	101	CASS	T	
TE-104-AW-40	11/15/86	101	CASS	T	
TE-104-AW-40	11/22/86	101	CASS	T	
TE-104-AW-40	11/29/86	101	CASS	T	
TE-104-AW-40	12/3/86	101	CASS	T	
TE-104-AW-40	12/12/86	101	CASS	T	
TE-104-AW-40	12/15/86	101	CASS	T	
TE-104-AW-40	12/21/86	93	CASS	T	
TE-104-AW-40	12/31/86	88	CASS	T	
TE-104-AW-40	7/4/87	95	CASS	T	
TE-104-AW-40	7/11/87	95	CASS	T	
TE-104-AW-40	7/14/87	96	CASS	T	
TE-104-AW-40	7/23/87	95	CASS	T	
TE-104-AW-40	7/30/87	103	CASS	T	
TE-104-AW-40	8/2/87	104	CASS	T	
TE-104-AW-40	8/11/87	103	CASS	T	
TE-104-AW-40	8/22/87	102	CASS	T	
TE-104-AW-40	8/29/87	102	CASS	T	
TE-104-AW-40	9/5/87	102	CASS	T	
TE-104-AW-40	9/10/87	102	CASS	T	
TE-104-AW-40	11/28/87	101	CASS	T	
TE-104-AW-40	11/29/87	101	CASS	T	
TE-104-AW-40	3/26/88	98	CASS	T	
TE-104-AW-40	3/31/88	98	CASS	T	
TE-104-AW-40	6/4/88	97	CASS	T	
TE-104-AW-40	6/11/88	97	CASS	T	
TE-104-AW-40	6/18/88	98	CASS	T	
TE-104-AW-40	6/25/88	98	CASS	T	
TE-104-AW-40	7/2/88	98	CASS	T	
TE-104-AW-40	7/9/88	98	CASS	T	
TE-104-AW-40	7/16/88	98	CASS	T	
TE-104-AW-40	7/23/88	98	CASS	T	
TE-104-AW-40	7/30/88	99	CASS	T	
TE-104-AW-40	8/6/88	99	CASS	T	
TE-104-AW-40	8/13/88	99	CASS	T	
TE-104-AW-40	8/19/88	99	CASS	T	
TE-104-AW-40	8/27/88	99	CASS	T	
TE-104-AW-40	9/2/88	99	CASS	T	
TE-104-AW-40	9/10/88	99	CASS	T	
TE-104-AW-40	9/17/88	100	CASS	T	
TE-104-AW-40	9/24/88	100	CASS	T	
TE-104-AW-40	9/30/88	101	CASS	T	
TE-104-AW-40	12/3/88	99	CASS	T	
TE-104-AW-40	12/10/88	99	CASS	T	
TE-104-AW-40	12/16/88	99	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-40	12/20/88	98	CASS	T	
TE-104-AW-40	9/2/89	95	CASS	T	
TE-104-AW-40	9/9/89	95	CASS	T	
TE-104-AW-40	9/18/89	95	CASS	T	
TE-104-AW-40	9/23/89	95	CASS	T	
TE-104-AW-40	9/30/89	95	CASS	T	
TE-104-AW-40	11/4/89	93	CASS	T	
TE-104-AW-40	11/7/89	93	CASS	T	
TE-104-AW-40	11/17/89	92	CASS	T	
TE-104-AW-40	11/20/89	92	CASS	T	
TE-104-AW-40	12/2/89	91	CASS	T	
TE-104-AW-40	12/9/89	92	CASS	T	
TE-104-AW-40	12/14/89	92	CASS	T	
TE-104-AW-40	12/22/89	92	CASS	T	
TE-104-AW-40	12/30/89	91	CASS	T	
TE-104-AW-40	1/8/90	91	CASS	T	
TE-104-AW-40	1/9/90	91	CASS	T	
TE-104-AW-40	1/17/90	90	CASS	T	
TE-104-AW-40	1/24/90	90	CASS	T	
TE-104-AW-40	2/3/90	89	CASS	T	
TE-104-AW-40	2/10/90	89	CASS	T	
TE-104-AW-40	2/17/90	89	CASS	T	
TE-104-AW-40	2/24/90	88	CASS	T	
TE-104-AW-40	2/25/90	88	CASS	T	
TE-104-AW-40	3/10/90	87	CASS	T	
TE-104-AW-40	3/14/90	87	CASS	T	
TE-104-AW-40	3/21/90	86	CASS	T	
TE-104-AW-40	3/23/90	87	CASS	S	Data point did not agree with local trend
TE-104-AW-40	3/31/90	86	CASS	T	
TE-104-AW-40	4/4/90	86	CASS	T	
TE-104-AW-40	4/14/90	85	CASS	T	
TE-104-AW-40	4/21/90	86	CASS	T	
TE-104-AW-40	4/28/90	84	CASS	T	
TE-104-AW-40	5/5/90	82	CASS	T	
TE-104-AW-40	5/12/90	82	CASS	T	
TE-104-AW-40	5/19/90	82	CASS	T	
TE-104-AW-40	5/22/90	82	CASS	T	
TE-104-AW-40	6/2/90	81	CASS	T	
TE-104-AW-40	6/9/90	81	CASS	T	
TE-104-AW-40	6/14/90	82	CASS	T	
TE-104-AW-40	6/23/90	82	CASS	T	
TE-104-AW-40	6/30/90	82	CASS	T	
TE-104-AW-40	7/3/90	71	CASS	S	Data point did not agree with local trend
TE-104-AW-40	7/7/90	82	CASS	T	
TE-104-AW-40	7/12/90	83	CASS	T	
TE-104-AW-40	7/21/90	82	CASS	T	
TE-104-AW-40	7/25/90	83	CASS	T	
TE-104-AW-40	8/4/90	83	CASS	T	
TE-104-AW-40	8/11/90	83	CASS	T	
TE-104-AW-40	8/18/90	83	CASS	T	
TE-104-AW-40	8/25/90	83	CASS	T	
TE-104-AW-40	9/1/90	83	CASS	T	
TE-104-AW-40	9/8/90	84	CASS	T	
TE-104-AW-40	9/15/90	84	CASS	T	
TE-104-AW-40	9/22/90	84	CASS	T	
TE-104-AW-40	9/29/90	84	CASS	T	
TE-104-AW-40	10/6/90	84	CASS	T	
TE-104-AW-40	10/13/90	84	CASS	T	
TE-104-AW-40	10/20/90	84	CASS	T	
TE-104-AW-40	10/27/90	84	CASS	T	
TE-104-AW-40	10/31/90	85	CASS	T	
TE-104-AW-40	11/8/90	85	CASS	T	
TE-104-AW-40	11/9/90	70	CASS	S	Data point did not agree with local trend
TE-104-AW-40	11/18/90	85	CASS	T	
TE-104-AW-40	11/24/90	85	CASS	T	
TE-104-AW-40	11/28/90	85	CASS	T	
TE-104-AW-40	12/8/90	68	CASS	S	Data point did not agree with local trend
TE-104-AW-40	12/8/90	84	CASS	T	
TE-104-AW-40	12/15/90	84	CASS	T	
TE-104-AW-40	12/17/90	84	CASS	T	
TE-104-AW-40	12/29/90	83	CASS	T	
TE-104-AW-40	1/4/91	83	CASS	T	
TE-104-AW-40	1/12/91	83	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-40	1/18/91	83	CASS	T	
TE-104-AW-40	1/23/91	83	CASS	T	
TE-104-AW-40	2/2/91	82	CASS	T	
TE-104-AW-40	2/9/91	82	CASS	T	
TE-104-AW-40	2/16/91	82	CASS	T	
TE-104-AW-40	2/23/91	82	CASS	T	
TE-104-AW-40	3/2/91	82	CASS	T	
TE-104-AW-40	3/9/91	82	CASS	T	
TE-104-AW-40	3/13/91	82	CASS	T	
TE-104-AW-40	3/18/91	82	CASS	T	
TE-104-AW-40	3/30/91	81	CASS	T	
TE-104-AW-40	4/6/91	81	CASS	T	
TE-104-AW-40	4/13/91	81	CASS	T	
TE-104-AW-40	4/20/91	81	CASS	T	
TE-104-AW-40	4/27/91	81	CASS	T	
TE-104-AW-40	5/4/91	81	CASS	T	
TE-104-AW-40	5/11/91	81	CASS	T	
TE-104-AW-40	5/18/91	81	CASS	T	
TE-104-AW-40	5/25/91	81	CASS	T	
TE-104-AW-40	5/31/91	81	CASS	T	
TE-104-AW-40	6/8/91	81	CASS	T	
TE-104-AW-40	6/15/91	81	CASS	T	
TE-104-AW-40	6/21/91	81	CASS	T	
TE-104-AW-40	6/26/91	81	CASS	T	
TE-104-AW-40	6/28/91	92	CASS	S	Data point did not agree with local trend
TE-104-AW-40	2/3/92	79	SACS	T	
TE-104-AW-40	2/10/92	80	SACS	T	
TE-104-AW-40	2/17/92	80	SACS	T	
TE-104-AW-40	2/24/92	79	SACS	T	
TE-104-AW-40	3/2/92	78	SACS	T	
TE-104-AW-40	3/9/92	78	SACS	T	
TE-104-AW-40	3/16/92	78	SACS	T	
TE-104-AW-40	3/23/92	78	SACS	T	
TE-104-AW-40	3/30/92	78	SACS	T	
TE-104-AW-40	4/6/92	78	SACS	T	
TE-104-AW-40	4/13/92	78	SACS	T	
TE-104-AW-40	4/20/92	78	SACS	T	
TE-104-AW-40	4/27/92	72	SACS	T	
TE-104-AW-40	5/4/92	78	SACS	T	
TE-104-AW-40	5/11/92	64	SACS	S	Data point did not agree with local trend
TE-104-AW-40	5/18/92	70	SACS	T	
TE-104-AW-40	5/25/92	72	SACS	T	
TE-104-AW-40	6/1/92	78	SACS	T	
TE-104-AW-40	6/16/92	78	SACS	T	
TE-104-AW-40	6/22/92	77	SACS	T	
TE-104-AW-40	7/6/92	77	SACS	T	
TE-104-AW-40	7/13/92	77	SACS	T	
TE-104-AW-40	7/20/92	77	SACS	T	
TE-104-AW-40	7/27/92	77	SACS	T	
TE-104-AW-40	8/3/92	77	SACS	T	
TE-104-AW-40	8/10/92	78	SACS	T	
TE-104-AW-40	8/17/92	78	SACS	T	
TE-104-AW-40	8/24/92	79	SACS	T	
TE-104-AW-40	8/31/92	78	SACS	T	
TE-104-AW-40	9/7/92	78	SACS	T	
TE-104-AW-40	9/14/92	79	SACS	T	
TE-104-AW-40	9/21/92	78	SACS	T	
TE-104-AW-40	9/28/92	78	SACS	T	
TE-104-AW-40	1/4/93	80	SACS	T	
TE-104-AW-40	1/11/93	80	SACS	T	
TE-104-AW-40	1/18/93	80	SACS	T	
TE-104-AW-40	3/1/93	81	SACS	T	
TE-104-AW-40	3/8/93	79	SACS	T	
TE-104-AW-40	3/20/93	78	SACS	T	
TE-104-AW-40	3/22/93	78	SACS	T	
TE-104-AW-40	3/29/93	78	SACS	T	
TE-104-AW-40	4/6/93	77	SACS	T	
TE-104-AW-40	4/12/93	78	SACS	T	
TE-104-AW-40	4/19/93	78	SACS	T	
TE-104-AW-40	4/28/93	77	SACS	T	
TE-104-AW-40	5/3/93	77	SACS	T	
TE-104-AW-40	5/10/93	75	SACS	T	
TE-104-AW-40	5/17/93	77	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-40	5/24/93	77	SACS	T	
TE-104-AW-40	5/31/93	77	SACS	T	
TE-104-AW-40	6/7/93	77	SACS	T	
TE-104-AW-40	6/15/93	77	SACS	T	
TE-104-AW-40	6/22/93	77	SACS	T	
TE-104-AW-40	6/28/93	78	SACS	T	
TE-104-AW-40	7/26/93	77	SACS	T	
TE-104-AW-40	8/2/93	78	SACS	T	
TE-104-AW-40	8/9/93	77	SACS	T	
TE-104-AW-40	8/16/93	78	SACS	T	
TE-104-AW-40	8/23/93	77	SACS	T	
TE-104-AW-40	8/30/93	78	SACS	T	
TE-104-AW-40	9/13/93	78	SACS	T	
TE-104-AW-40	9/21/93	78	SACS	T	
TE-104-AW-40	9/27/93	78	SACS	T	
TE-104-AW-40	10/11/93	79	SACS	T	
TE-104-AW-40	10/19/93	79	SACS	T	
TE-104-AW-40	10/25/93	79	SACS	T	
TE-104-AW-40	11/1/93	78	SACS	T	
TE-104-AW-40	11/8/93	85	SACS	S	Data point did not agree with local trend
TE-104-AW-40	11/15/93	79	SACS	T	
TE-104-AW-40	11/26/93	81	SACS	T	
TE-104-AW-40	11/29/93	79	SACS	T	
TE-104-AW-40	12/6/93	79	SACS	T	
TE-104-AW-40	12/16/93	80	SACS	T	
TE-104-AW-40	12/20/93	80	SACS	T	
TE-104-AW-40	12/27/93	80	SACS	T	
TE-104-AW-40	1/5/94	80	SACS	T	
TE-104-AW-40	1/10/94	62	SACS	S	Data point did not agree with local trend
TE-104-AW-40	1/24/94	80	SACS	T	
TE-104-AW-40	1/31/94	80	SACS	T	
TE-104-AW-40	2/7/94	80	SACS	G	
TE-104-AW-40	2/21/94	79	SACS	G	
TE-104-AW-40	2/28/94	80	SACS	T	
TE-104-AW-40	3/7/94	80	SACS	T	
TE-104-AW-40	3/14/94	79	SACS	G	
TE-104-AW-40	3/21/94	79	SACS	G	
TE-104-AW-40	3/28/94	80	SACS	G	
TE-104-AW-40	4/5/94	80	SACS	G	
TE-104-AW-40	4/11/94	79	SACS	G	
TE-104-AW-40	4/18/94	79	SACS	G	
TE-104-AW-40	4/25/94	80	SACS	G	
TE-104-AW-40	5/2/94	79	SACS	G	
TE-104-AW-40	5/9/94	78	SACS	G	
TE-104-AW-40	5/16/94	79	SACS	G	
TE-104-AW-40	5/31/94	78	SACS	G	
TE-104-AW-40	6/6/94	79	SACS	G	
TE-104-AW-40	6/13/94	79	SACS	G	
TE-104-AW-40	6/20/94	78	SACS	G	
TE-104-AW-40	6/27/94	78	SACS	G	
TE-104-AW-40	7/4/94	78	SACS	G	
TE-104-AW-40	7/18/94	78	SACS	G	
TE-104-AW-40	7/25/94	78	SACS	G	
TE-104-AW-40	8/1/94	78	SACS	G	
TE-104-AW-40	8/8/94	78	SACS	G	
TE-104-AW-40	8/15/94	77	SACS	G	
TE-104-AW-40	8/22/94	77	SACS	G	
TE-104-AW-40	9/7/94	78	SACS	G	
TE-104-AW-40	9/12/94	78	SACS	G	
TE-104-AW-40	9/19/94	77	SACS	G	
TE-104-AW-40	9/26/94	79	SACS	G	
TE-104-AW-40	10/10/94	78	SACS	G	
TE-104-AW-40	10/17/94	88	SACS	G	
TE-104-AW-40	10/24/94	79	SACS	G	
TE-104-AW-40	10/31/94	80	SACS	G	
TE-104-AW-40	11/7/94	79	SACS	G	
TE-104-AW-40	11/14/94	80	SACS	G	
TE-104-AW-40	11/21/94	80	SACS	G	
TE-104-AW-40	11/28/94	80	SACS	G	
TE-104-AW-40	12/5/94	81	SACS	G	
TE-104-AW-40	12/12/94	79	SACS	G	
TE-104-AW-40	12/19/94	80	SACS	G	
TE-104-AW-40	12/26/94	80	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-40	1/2/95	81	SACS	G	
TE-104-AW-40	1/9/95	80	SACS	G	
TE-104-AW-40	1/16/95	79	SACS	G	
TE-104-AW-40	1/23/95	79	SACS	G	
TE-104-AW-40	1/30/95	80	SACS	G	
TE-104-AW-40	2/6/95	80	SACS	G	
TE-104-AW-40	2/13/95	81	SACS	G	
TE-104-AW-40	2/24/95	79	SACS	G	
TE-104-AW-40	2/27/95	81	SACS	G	
TE-104-AW-40	3/6/95	81	SACS	G	
TE-104-AW-40	3/19/95	80	SACS	G	
TE-104-AW-40	3/27/95	80	SACS	G	
TE-104-AW-40	4/3/95	80	SACS	G	
TE-104-AW-40	4/10/95	80	SACS	G	
TE-104-AW-40	4/17/95	81	SACS	G	
TE-104-AW-40	4/24/95	80	SACS	G	
TE-104-AW-40	5/1/95	80	SACS	G	
TE-104-AW-40	5/13/95	80	SACS	G	
TE-104-AW-40	5/22/95	79	SACS	G	
TE-104-AW-40	5/29/95	80	SACS	G	
TE-104-AW-40	6/5/95	80	SACS	G	
TE-104-AW-40	6/13/95	79	SACS	G	
TE-104-AW-40	6/19/95	79	SACS	G	
TE-104-AW-40	6/26/95	78	SACS	G	
TE-104-AW-41	7/16/83	89	CASS	T	
TE-104-AW-41	7/23/83	70	CASS	T	
TE-104-AW-41	7/30/83	70	CASS	T	
TE-104-AW-41	8/6/83	70	CASS	T	
TE-104-AW-41	8/13/83	112	CASS	T	
TE-104-AW-41	8/17/83	113	CASS	T	
TE-104-AW-41	8/21/83	111	CASS	T	
TE-104-AW-41	8/31/83	108	CASS	T	
TE-104-AW-41	9/10/83	105	CASS	T	
TE-104-AW-41	9/13/83	105	CASS	T	
TE-104-AW-41	9/23/83	103	CASS	T	
TE-104-AW-41	9/29/83	102	CASS	T	
TE-104-AW-41	10/5/83	101	CASS	T	
TE-104-AW-41	10/13/83	172	CASS	S	Disagreement with nearby thermocouples
TE-104-AW-41	10/15/83	176	CASS	S	Disagreement with nearby thermocouples
TE-104-AW-41	10/16/83	180	CASS	S	Disagreement with nearby thermocouples
TE-104-AW-41	10/21/83	174	CASS	S	Disagreement with nearby thermocouples
TE-104-AW-41	3/8/84	99	CASS	T	
TE-104-AW-41	3/12/84	101	CASS	T	
TE-104-AW-41	3/19/84	89	CASS	T	
TE-104-AW-41	3/31/84	82	CASS	T	
TE-104-AW-41	4/5/84	86	CASS	T	
TE-104-AW-41	4/8/84	82	CASS	T	
TE-104-AW-41	4/20/84	78	CASS	T	
TE-104-AW-41	4/26/84	77	CASS	T	
TE-104-AW-41	5/3/84	78	CASS	T	
TE-104-AW-41	5/12/84	75	CASS	T	
TE-104-AW-41	5/19/84	99	CASS	T	
TE-104-AW-41	5/26/84	103	CASS	T	
TE-104-AW-41	6/2/84	104	CASS	T	
TE-104-AW-41	6/7/84	104	CASS	T	
TE-104-AW-41	6/22/84	104	CASS	T	
TE-104-AW-41	6/30/84	107	CASS	T	
TE-104-AW-41	7/7/84	110	CASS	T	
TE-104-AW-41	7/14/84	115	CASS	T	
TE-104-AW-41	7/21/84	118	CASS	T	
TE-104-AW-41	7/23/84	118	CASS	T	
TE-104-AW-41	8/4/84	118	CASS	T	
TE-104-AW-41	8/11/84	121	CASS	T	
TE-104-AW-41	8/18/84	126	CASS	T	
TE-104-AW-41	8/19/84	116	CASS	T	
TE-104-AW-41	8/27/84	108	CASS	T	
TE-104-AW-41	9/2/84	103	CASS	T	
TE-104-AW-41	9/10/84	101	CASS	T	
TE-104-AW-41	9/16/84	99	CASS	T	
TE-104-AW-41	9/24/84	97	CASS	T	
TE-104-AW-41	10/6/84	95	CASS	T	
TE-104-AW-41	10/11/84	94	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-41	10/16/84	98	CASS	T	
TE-104-AW-41	10/23/84	90	CASS	T	
TE-104-AW-41	11/3/84	123	CASS	T	
TE-104-AW-41	11/10/84	131	CASS	T	
TE-104-AW-41	11/15/84	132	CASS	T	
TE-104-AW-41	11/19/84	131	CASS	T	
TE-104-AW-41	11/28/84	129	CASS	T	
TE-104-AW-41	12/7/84	127	CASS	T	
TE-104-AW-41	12/12/84	126	CASS	T	
TE-104-AW-41	12/19/84	125	CASS	T	
TE-104-AW-41	12/25/84	124	CASS	T	
TE-104-AW-41	1/4/85	122	CASS	T	
TE-104-AW-41	1/10/85	121	CASS	T	
TE-104-AW-41	1/18/85	120	CASS	T	
TE-104-AW-41	2/2/85	117	CASS	T	
TE-104-AW-41	2/9/85	117	CASS	T	
TE-104-AW-41	2/10/85	117	CASS	T	
TE-104-AW-41	2/18/85	116	CASS	T	
TE-104-AW-41	2/25/85	115	CASS	T	
TE-104-AW-41	3/7/85	114	CASS	T	
TE-104-AW-41	3/18/85	113	CASS	T	
TE-104-AW-41	3/17/85	113	CASS	T	
TE-104-AW-41	3/29/85	112	CASS	T	
TE-104-AW-41	4/6/85	111	CASS	T	
TE-104-AW-41	4/13/85	111	CASS	T	
TE-104-AW-41	4/20/85	110	CASS	T	
TE-104-AW-41	4/27/85	110	CASS	T	
TE-104-AW-41	5/2/85	110	CASS	T	
TE-104-AW-41	5/11/85	109	CASS	T	
TE-104-AW-41	5/18/85	109	CASS	T	
TE-104-AW-41	5/21/85	109	CASS	T	
TE-104-AW-41	6/1/85	108	CASS	T	
TE-104-AW-41	6/8/85	108	CASS	T	
TE-104-AW-41	6/10/85	108	CASS	T	
TE-104-AW-41	6/19/85	107	CASS	T	
TE-104-AW-41	11/1/85	105	CASS	T	
TE-104-AW-41	12/1/85	103	CASS	T	
TE-104-AW-41	1/2/86	102	CASS	T	
TE-104-AW-41	1/11/86	101	CASS	T	
TE-104-AW-41	1/17/86	101	CASS	T	
TE-104-AW-41	1/25/86	100	CASS	T	
TE-104-AW-41	1/30/86	100	CASS	T	
TE-104-AW-41	2/8/86	99	CASS	T	
TE-104-AW-41	2/14/86	99	CASS	T	
TE-104-AW-41	2/16/86	99	CASS	T	
TE-104-AW-41	2/26/86	98	CASS	T	
TE-104-AW-41	3/5/86	107	CASS	T	
TE-104-AW-41	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-104-AW-41	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-41	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-41	9/20/86	98	CASS	T	
TE-104-AW-41	9/27/86	98	CASS	T	
TE-104-AW-41	9/29/86	98	CASS	T	
TE-104-AW-41	10/11/86	97	CASS	T	
TE-104-AW-41	10/18/86	97	CASS	T	
TE-104-AW-41	10/25/86	98	CASS	T	
TE-104-AW-41	10/31/86	98	CASS	T	
TE-104-AW-41	11/7/86	98	CASS	T	
TE-104-AW-41	11/15/86	97	CASS	T	
TE-104-AW-41	11/22/86	97	CASS	T	
TE-104-AW-41	11/29/86	97	CASS	T	
TE-104-AW-41	12/6/86	97	CASS	T	
TE-104-AW-41	12/12/86	98	CASS	T	
TE-104-AW-41	12/18/86	98	CASS	T	
TE-104-AW-41	12/21/86	90	CASS	T	
TE-104-AW-41	12/31/86	87	CASS	T	
TE-104-AW-41	7/4/87	93	CASS	T	
TE-104-AW-41	7/11/87	94	CASS	T	
TE-104-AW-41	7/18/87	94	CASS	T	
TE-104-AW-41	7/25/87	95	CASS	T	
TE-104-AW-41	8/1/87	99	CASS	T	
TE-104-AW-41	8/8/87	106	CASS	T	
TE-104-AW-41	8/12/87	104	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-41	8/17/87	103	CASS	T	
TE-104-AW-41	8/25/87	103	CASS	T	
TE-104-AW-41	9/5/87	102	CASS	T	
TE-104-AW-41	9/11/87	103	CASS	T	
TE-104-AW-41	11/28/87	98	CASS	T	
TE-104-AW-41	11/29/87	98	CASS	T	
TE-104-AW-41	3/26/88	98	CASS	T	
TE-104-AW-41	3/29/88	98	CASS	T	
TE-104-AW-41	6/4/88	96	CASS	T	
TE-104-AW-41	6/11/88	96	CASS	T	
TE-104-AW-41	6/17/88	97	CASS	T	
TE-104-AW-41	6/25/88	97	CASS	T	
TE-104-AW-41	7/2/88	98	CASS	T	
TE-104-AW-41	7/9/88	98	CASS	T	
TE-104-AW-41	7/16/88	98	CASS	T	
TE-104-AW-41	7/23/88	98	CASS	T	
TE-104-AW-41	7/30/88	99	CASS	T	
TE-104-AW-41	8/6/88	98	CASS	T	
TE-104-AW-41	8/13/88	98	CASS	T	
TE-104-AW-41	8/20/88	98	CASS	T	
TE-104-AW-41	8/27/88	98	CASS	T	
TE-104-AW-41	9/3/88	98	CASS	T	
TE-104-AW-41	9/10/88	99	CASS	T	
TE-104-AW-41	9/16/88	101	CASS	T	
TE-104-AW-41	9/24/88	100	CASS	T	
TE-104-AW-41	9/30/88	100	CASS	T	
TE-104-AW-41	12/3/88	98	CASS	T	
TE-104-AW-41	12/10/88	98	CASS	T	
TE-104-AW-41	12/17/88	97	CASS	T	
TE-104-AW-41	12/20/88	97	CASS	T	
TE-104-AW-41	7/10/89	93	SACS	T	
TE-104-AW-41	7/17/89	93	SACS	T	
TE-104-AW-41	7/24/89	93	SACS	T	
TE-104-AW-41	8/7/89	93	SACS	T	
TE-104-AW-41	8/14/89	95	SACS	T	
TE-104-AW-41	8/21/89	95	SACS	T	
TE-104-AW-41	8/28/89	95	SACS	T	
TE-104-AW-41	9/4/89	95	SACS	T	
TE-104-AW-41	9/11/89	96	SACS	T	
TE-104-AW-41	9/18/89	96	SACS	T	
TE-104-AW-41	9/26/89	95	SACS	T	
TE-104-AW-41	10/1/89	95	SACS	T	
TE-104-AW-41	10/9/89	96	SACS	T	
TE-104-AW-41	10/16/89	96	SACS	T	
TE-104-AW-41	10/24/89	95	SACS	T	
TE-104-AW-41	10/30/89	95	SACS	T	
TE-104-AW-41	11/7/89	93	SACS	T	
TE-104-AW-41	11/13/89	93	SACS	T	
TE-104-AW-41	11/20/89	91	SACS	T	
TE-104-AW-41	11/27/89	93	SACS	T	
TE-104-AW-41	12/4/89	92	SACS	T	
TE-104-AW-41	12/11/89	92	SACS	T	
TE-104-AW-41	12/18/89	92	SACS	T	
TE-104-AW-41	12/26/89	92	SACS	T	
TE-104-AW-41	1/2/90	93	SACS	T	
TE-104-AW-41	1/8/90	91	SACS	T	
TE-104-AW-41	1/15/90	91	SACS	T	
TE-104-AW-41	1/27/90	86	CASS	T	
TE-104-AW-41	1/29/90	92	SACS	T	
TE-104-AW-41	2/5/90	91	SACS	T	
TE-104-AW-41	2/12/90	92	SACS	T	
TE-104-AW-41	2/19/90	90	SACS	T	
TE-104-AW-41	2/26/90	88	SACS	T	
TE-104-AW-41	3/5/90	88	SACS	T	
TE-104-AW-41	3/12/90	88	SACS	T	
TE-104-AW-41	3/19/90	88	SACS	T	
TE-104-AW-41	3/23/90	69	CASS	S	Data point did not agree with local trend
TE-104-AW-41	3/26/90	86	SACS	T	
TE-104-AW-41	4/2/90	86	SACS	T	
TE-104-AW-41	4/9/90	87	SACS	T	
TE-104-AW-41	4/16/90	85	SACS	T	
TE-104-AW-41	4/23/90	85	SACS	T	
TE-104-AW-41	4/30/90	82	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-41	5/7/90	83	SACS	T	
TE-104-AW-41	5/14/90	83	SACS	T	
TE-104-AW-41	5/21/90	82	SACS	T	
TE-104-AW-41	5/28/90	84	SACS	S	Data point did not agree with local trend
TE-104-AW-41	6/2/90	79	CASS	T	
TE-104-AW-41	6/4/90	81	SACS	T	
TE-104-AW-41	6/11/90	82	SACS	T	
TE-104-AW-41	6/23/90	80	CASS	T	
TE-104-AW-41	6/25/90	81	SACS	T	
TE-104-AW-41	7/2/90	82	SACS	T	
TE-104-AW-41	7/12/90	81	CASS	T	
TE-104-AW-41	7/21/90	81	CASS	T	
TE-104-AW-41	7/28/90	81	CASS	T	
TE-104-AW-41	8/4/90	81	CASS	T	
TE-104-AW-41	8/6/90	95	SACS	S	Data point did not agree with local trend
TE-104-AW-41	8/11/90	81	CASS	T	
TE-104-AW-41	8/16/90	82	SACS	T	
TE-104-AW-41	8/20/90	83	SACS	T	
TE-104-AW-41	9/1/90	81	CASS	T	
TE-104-AW-41	9/3/90	84	SACS	T	
TE-104-AW-41	9/10/90	83	SACS	T	
TE-104-AW-41	9/17/90	84	SACS	T	
TE-104-AW-41	9/24/90	83	SACS	T	
TE-104-AW-41	10/1/90	84	SACS	T	
TE-104-AW-41	10/8/90	86	SACS	T	
TE-104-AW-41	10/15/90	85	SACS	T	
TE-104-AW-41	10/22/90	85	SACS	T	
TE-104-AW-41	10/29/90	85	SACS	T	
TE-104-AW-41	11/5/90	86	SACS	T	
TE-104-AW-41	11/12/90	85	SACS	T	
TE-104-AW-41	11/19/90	85	SACS	T	
TE-104-AW-41	11/26/90	85	SACS	T	
TE-104-AW-41	12/3/90	84	SACS	T	
TE-104-AW-41	12/10/90	84	SACS	T	
TE-104-AW-41	12/17/90	83	SACS	T	
TE-104-AW-41	12/24/90	85	SACS	T	
TE-104-AW-41	12/31/90	84	SACS	T	
TE-104-AW-41	1/7/91	84	SACS	T	
TE-104-AW-41	1/14/91	82	SACS	T	
TE-104-AW-41	1/21/91	83	SACS	T	
TE-104-AW-41	1/28/91	84	SACS	T	
TE-104-AW-41	2/9/91	78	CASS	T	
TE-104-AW-41	2/11/91	83	SACS	T	
TE-104-AW-41	2/18/91	83	SACS	T	
TE-104-AW-41	2/25/91	81	SACS	T	
TE-104-AW-41	3/4/91	82	SACS	T	
TE-104-AW-41	3/11/91	81	SACS	T	
TE-104-AW-41	3/18/91	80	SACS	T	
TE-104-AW-41	3/25/91	82	SACS	T	
TE-104-AW-41	4/1/91	81	SACS	T	
TE-104-AW-41	4/8/91	81	SACS	T	
TE-104-AW-41	4/15/91	81	SACS	T	
TE-104-AW-41	4/22/91	80	SACS	T	
TE-104-AW-41	4/29/91	80	SACS	T	
TE-104-AW-41	5/6/91	81	SACS	T	
TE-104-AW-41	5/13/91	80	SACS	T	
TE-104-AW-41	5/20/91	80	SACS	T	
TE-104-AW-41	5/27/91	79	SACS	T	
TE-104-AW-41	6/3/91	81	SACS	T	
TE-104-AW-41	6/10/91	80	SACS	T	
TE-104-AW-41	6/21/91	78	CASS	T	
TE-104-AW-41	6/25/91	79	SACS	T	
TE-104-AW-41	6/28/91	92	CASS	S	Data point did not agree with local trend
TE-104-AW-41	7/1/91	79	SACS	T	
TE-104-AW-41	7/8/91	73	SACS	T	
TE-104-AW-41	7/15/91	80	SACS	T	
TE-104-AW-41	7/22/91	79	SACS	T	
TE-104-AW-41	7/29/91	80	SACS	T	
TE-104-AW-41	8/4/91	80	SACS	T	
TE-104-AW-41	8/19/91	78	SACS	T	
TE-104-AW-41	8/26/91	80	SACS	T	
TE-104-AW-41	9/2/91	81	SACS	T	
TE-104-AW-41	9/9/91	82	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-41	9/16/91	81	SACS	T	
TE-104-AW-41	9/23/91	82	SACS	T	
TE-104-AW-41	9/30/91	82	SACS	T	
TE-104-AW-41	10/7/91	82	SACS	T	
TE-104-AW-41	10/14/91	83	SACS	T	
TE-104-AW-41	10/21/91	82	SACS	T	
TE-104-AW-41	10/28/91	82	SACS	T	
TE-104-AW-41	11/5/91	82	SACS	T	
TE-104-AW-41	11/11/91	82	SACS	T	
TE-104-AW-41	11/18/91	82	SACS	T	
TE-104-AW-41	11/25/91	83	SACS	T	
TE-104-AW-41	12/2/91	82	SACS	T	
TE-104-AW-41	12/9/91	82	SACS	T	
TE-104-AW-41	12/16/91	81	SACS	T	
TE-104-AW-41	12/23/91	82	SACS	T	
TE-104-AW-41	12/30/91	81	SACS	T	
TE-104-AW-41	1/6/92	82	SACS	T	
TE-104-AW-41	1/13/92	80	SACS	T	
TE-104-AW-41	1/20/92	81	SACS	T	
TE-104-AW-41	1/27/92	80	SACS	T	
TE-104-AW-41	2/22/92	80	SACS	T	
TE-104-AW-41	3/4/92	78	SACS	T	
TE-104-AW-41	3/11/92	84	SACS	T	
TE-104-AW-41	6/29/92	77	SACS	T	
TE-104-AW-41	10/5/92	80	SACS	T	
TE-104-AW-41	10/12/92	80	SACS	T	
TE-104-AW-41	10/19/92	80	SACS	T	
TE-104-AW-41	10/26/92	80	SACS	T	
TE-104-AW-41	11/2/92	79	SACS	T	
TE-104-AW-41	11/9/92	81	SACS	T	
TE-104-AW-41	11/16/92	81	SACS	T	
TE-104-AW-41	11/23/92	81	SACS	T	
TE-104-AW-41	11/30/92	80	SACS	T	
TE-104-AW-41	12/7/92	81	SACS	T	
TE-104-AW-41	12/14/92	80	SACS	T	
TE-104-AW-41	12/21/92	79	SACS	T	
TE-104-AW-41	12/28/92	80	SACS	T	
TE-104-AW-41	1/25/93	80	SACS	T	
TE-104-AW-41	2/1/93	79	SACS	T	
TE-104-AW-41	2/8/93	79	SACS	T	
TE-104-AW-41	2/16/93	81	SACS	T	
TE-104-AW-42	7/16/83	69	CASS	T	
TE-104-AW-42	7/23/83	70	CASS	T	
TE-104-AW-42	7/30/83	70	CASS	T	
TE-104-AW-42	8/6/83	70	CASS	T	
TE-104-AW-42	8/13/83	108	CASS	T	
TE-104-AW-42	8/17/83	113	CASS	T	
TE-104-AW-42	8/21/83	111	CASS	T	
TE-104-AW-42	8/31/83	108	CASS	T	
TE-104-AW-42	9/10/83	105	CASS	T	
TE-104-AW-42	9/13/83	105	CASS	T	
TE-104-AW-42	9/23/83	103	CASS	T	
TE-104-AW-42	9/29/83	102	CASS	T	
TE-104-AW-42	10/5/83	101	CASS	T	
TE-104-AW-42	10/15/83	99	CASS	T	
TE-104-AW-42	10/16/83	99	CASS	T	
TE-104-AW-42	3/10/84	99	CASS	T	
TE-104-AW-42	3/13/84	99	CASS	T	
TE-104-AW-42	3/19/84	89	CASS	T	
TE-104-AW-42	3/27/84	84	CASS	T	
TE-104-AW-42	4/2/84	82	CASS	T	
TE-104-AW-42	4/8/84	80	CASS	T	
TE-104-AW-42	4/20/84	78	CASS	T	
TE-104-AW-42	4/26/84	77	CASS	T	
TE-104-AW-42	5/3/84	76	CASS	T	
TE-104-AW-42	5/12/84	75	CASS	T	
TE-104-AW-42	5/19/84	96	CASS	T	
TE-104-AW-42	5/26/84	103	CASS	T	
TE-104-AW-42	6/2/84	104	CASS	T	
TE-104-AW-42	6/7/84	104	CASS	T	
TE-104-AW-42	6/22/84	104	CASS	T	
TE-104-AW-42	6/30/84	107	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-42	7/7/84	110	CASS	T	
TE-104-AW-42	7/14/84	115	CASS	T	
TE-104-AW-42	7/21/84	118	CASS	T	
TE-104-AW-42	7/23/84	118	CASS	T	
TE-104-AW-42	8/4/84	118	CASS	T	
TE-104-AW-42	8/11/84	121	CASS	T	
TE-104-AW-42	8/18/84	126	CASS	T	
TE-104-AW-42	8/19/84	116	CASS	T	
TE-104-AW-42	8/27/84	106	CASS	T	
TE-104-AW-42	9/2/84	103	CASS	T	
TE-104-AW-42	9/10/84	101	CASS	T	
TE-104-AW-42	9/16/84	98	CASS	T	
TE-104-AW-42	9/24/84	97	CASS	T	
TE-104-AW-42	10/5/84	95	CASS	T	
TE-104-AW-42	10/11/84	94	CASS	T	
TE-104-AW-42	10/18/84	96	CASS	T	
TE-104-AW-42	10/23/84	90	CASS	T	
TE-104-AW-42	11/3/84	111	CASS	T	
TE-104-AW-42	11/10/84	131	CASS	T	
TE-104-AW-42	11/15/84	132	CASS	T	
TE-104-AW-42	11/21/84	131	CASS	T	
TE-104-AW-42	11/25/84	130	CASS	T	
TE-104-AW-42	12/8/84	127	CASS	T	
TE-104-AW-42	12/12/84	127	CASS	T	
TE-104-AW-42	12/18/84	126	CASS	T	
TE-104-AW-42	12/26/84	124	CASS	T	
TE-104-AW-42	12/31/84	123	CASS	T	
TE-104-AW-42	1/8/85	122	CASS	T	
TE-104-AW-42	1/13/85	121	CASS	T	
TE-104-AW-42	2/2/85	117	CASS	T	
TE-104-AW-42	2/9/85	117	CASS	T	
TE-104-AW-42	2/10/85	117	CASS	T	
TE-104-AW-42	2/18/85	116	CASS	T	
TE-104-AW-42	2/25/85	115	CASS	T	
TE-104-AW-42	3/7/85	114	CASS	T	
TE-104-AW-42	3/16/85	113	CASS	T	
TE-104-AW-42	3/17/85	113	CASS	T	
TE-104-AW-42	3/29/85	112	CASS	T	
TE-104-AW-42	4/6/85	111	CASS	T	
TE-104-AW-42	4/13/85	111	CASS	T	
TE-104-AW-42	4/20/85	110	CASS	T	
TE-104-AW-42	4/27/85	110	CASS	T	
TE-104-AW-42	5/2/85	110	CASS	T	
TE-104-AW-42	5/11/85	109	CASS	T	
TE-104-AW-42	5/19/85	109	CASS	T	
TE-104-AW-42	5/21/85	109	CASS	T	
TE-104-AW-42	6/1/85	108	CASS	T	
TE-104-AW-42	6/8/85	108	CASS	T	
TE-104-AW-42	6/10/85	108	CASS	T	
TE-104-AW-42	6/19/85	107	CASS	T	
TE-104-AW-42	11/1/85	105	CASS	T	
TE-104-AW-42	12/1/85	103	CASS	T	
TE-104-AW-42	1/2/86	102	CASS	T	
TE-104-AW-42	1/11/86	101	CASS	T	
TE-104-AW-42	1/17/86	101	CASS	T	
TE-104-AW-42	1/25/86	100	CASS	T	
TE-104-AW-42	1/30/86	100	CASS	T	
TE-104-AW-42	2/8/86	99	CASS	T	
TE-104-AW-42	2/14/86	99	CASS	T	
TE-104-AW-42	2/16/86	99	CASS	T	
TE-104-AW-42	2/26/86	98	CASS	T	
TE-104-AW-42	3/5/86	107	CASS	T	
TE-104-AW-42	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-104-AW-42	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-42	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-42	9/17/86	98	CASS	T	
TE-104-AW-42	10/1/86	97	CASS	T	
TE-104-AW-42	10/19/86	97	CASS	T	
TE-104-AW-42	10/25/86	97	CASS	T	
TE-104-AW-42	11/1/86	97	CASS	T	
TE-104-AW-42	11/4/86	97	CASS	T	
TE-104-AW-42	11/15/86	96	CASS	T	
TE-104-AW-42	11/22/86	96	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-42	11/25/86	96	CASS	T	
TE-104-AW-42	12/6/86	95	CASS	T	
TE-104-AW-42	12/9/86	95	CASS	T	
TE-104-AW-42	12/17/86	94	CASS	T	
TE-104-AW-42	12/21/86	88	CASS	T	
TE-104-AW-42	12/31/86	87	CASS	T	
TE-104-AW-42	7/4/87	93	CASS	T	
TE-104-AW-42	7/11/87	94	CASS	T	
TE-104-AW-42	7/18/87	94	CASS	T	
TE-104-AW-42	7/25/87	95	CASS	T	
TE-104-AW-42	8/1/87	99	CASS	T	
TE-104-AW-42	8/8/87	101	CASS	T	
TE-104-AW-42	8/12/87	99	CASS	T	
TE-104-AW-42	8/15/87	115	CASS	S	Data point did not agree with local trend
TE-104-AW-42	8/22/87	102	CASS	T	
TE-104-AW-42	8/24/87	104	CASS	T	
TE-104-AW-42	9/5/87	106	CASS	T	
TE-104-AW-42	9/7/87	105	CASS	T	
TE-104-AW-42	11/28/87	97	CASS	T	
TE-104-AW-42	11/29/87	97	CASS	T	
TE-104-AW-42	3/26/88	98	CASS	T	
TE-104-AW-42	3/31/88	98	CASS	T	
TE-104-AW-42	6/4/88	96	CASS	T	
TE-104-AW-42	6/11/88	96	CASS	T	
TE-104-AW-42	6/18/88	97	CASS	T	
TE-104-AW-42	6/22/88	97	CASS	T	
TE-104-AW-42	7/2/88	98	CASS	T	
TE-104-AW-42	7/9/88	98	CASS	T	
TE-104-AW-42	7/16/88	98	CASS	T	
TE-104-AW-42	7/23/88	98	CASS	T	
TE-104-AW-42	7/30/88	99	CASS	T	
TE-104-AW-42	7/31/88	99	CASS	T	
TE-104-AW-42	8/13/88	98	CASS	T	
TE-104-AW-42	8/20/88	98	CASS	T	
TE-104-AW-42	8/27/88	98	CASS	T	
TE-104-AW-42	9/3/88	98	CASS	T	
TE-104-AW-42	9/10/88	102	CASS	T	
TE-104-AW-42	9/17/88	102	CASS	T	
TE-104-AW-42	9/24/88	101	CASS	T	
TE-104-AW-42	9/30/88	101	CASS	T	
TE-104-AW-42	12/3/88	98	CASS	T	
TE-104-AW-42	12/10/88	98	CASS	T	
TE-104-AW-42	12/17/88	97	CASS	T	
TE-104-AW-42	12/20/88	97	CASS	T	
TE-104-AW-42	8/2/89	91	CASS	T	
TE-104-AW-42	9/7/89	91	CASS	T	
TE-104-AW-42	9/16/89	90	CASS	T	
TE-104-AW-42	9/23/89	91	CASS	T	
TE-104-AW-42	9/25/89	91	CASS	T	
TE-104-AW-42	11/2/89	90	CASS	T	
TE-104-AW-42	11/11/89	88	CASS	T	
TE-104-AW-42	11/18/89	89	CASS	T	
TE-104-AW-42	11/23/89	90	CASS	T	
TE-104-AW-42	11/28/89	90	CASS	T	
TE-104-AW-42	12/9/89	89	CASS	T	
TE-104-AW-42	12/16/89	89	CASS	T	
TE-104-AW-42	12/23/89	89	CASS	T	
TE-104-AW-42	12/29/89	88	CASS	T	
TE-104-AW-42	1/3/90	87	CASS	T	
TE-104-AW-42	1/13/90	86	CASS	T	
TE-104-AW-42	1/18/90	86	CASS	T	
TE-104-AW-42	1/21/90	86	CASS	T	
TE-104-AW-42	2/3/90	85	CASS	T	
TE-104-AW-42	2/10/90	85	CASS	T	
TE-104-AW-42	2/17/90	84	CASS	T	
TE-104-AW-42	2/24/90	84	CASS	T	
TE-104-AW-42	2/27/90	84	CASS	T	
TE-104-AW-42	3/10/90	84	CASS	T	
TE-104-AW-42	3/15/90	84	CASS	T	
TE-104-AW-42	3/21/90	83	CASS	T	
TE-104-AW-42	3/23/90	68	CASS	S	Data point did not agree with local trend
TE-104-AW-42	3/31/90	82	CASS	T	
TE-104-AW-42	4/7/90	82	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-42	4/14/90	82	CASS	T	
TE-104-AW-42	4/21/90	82	CASS	T	
TE-104-AW-42	4/28/90	81	CASS	T	
TE-104-AW-42	5/5/90	81	CASS	T	
TE-104-AW-42	5/12/90	81	CASS	T	
TE-104-AW-42	5/15/90	81	CASS	T	
TE-104-AW-42	5/22/90	80	CASS	T	
TE-104-AW-42	6/2/90	79	CASS	T	
TE-104-AW-42	6/9/90	80	CASS	T	
TE-104-AW-42	6/16/90	80	CASS	T	
TE-104-AW-42	6/23/90	80	CASS	T	
TE-104-AW-42	6/30/90	80	CASS	T	
TE-104-AW-42	7/7/90	80	CASS	T	
TE-104-AW-42	7/12/90	81	CASS	T	
TE-104-AW-42	7/21/90	81	CASS	T	
TE-104-AW-42	7/28/90	81	CASS	T	
TE-104-AW-42	8/4/90	81	CASS	T	
TE-104-AW-42	8/11/90	81	CASS	T	
TE-104-AW-42	8/18/90	81	CASS	T	
TE-104-AW-42	8/25/90	81	CASS	T	
TE-104-AW-42	9/1/90	81	CASS	T	
TE-104-AW-42	9/8/90	81	CASS	T	
TE-104-AW-42	9/15/90	81	CASS	T	
TE-104-AW-42	9/22/90	81	CASS	T	
TE-104-AW-42	9/29/90	81	CASS	T	
TE-104-AW-42	10/6/90	81	CASS	T	
TE-104-AW-42	10/13/90	81	CASS	T	
TE-104-AW-42	10/20/90	81	CASS	T	
TE-104-AW-42	10/27/90	81	CASS	T	
TE-104-AW-42	11/3/90	81	CASS	T	
TE-104-AW-42	11/10/90	81	CASS	T	
TE-104-AW-42	11/17/90	81	CASS	T	
TE-104-AW-42	11/24/90	81	CASS	T	
TE-104-AW-42	11/30/90	81	CASS	T	
TE-104-AW-42	12/5/90	81	CASS	T	
TE-104-AW-42	12/15/90	80	CASS	T	
TE-104-AW-42	12/18/90	80	CASS	T	
TE-104-AW-42	12/28/90	79	CASS	T	
TE-104-AW-42	1/5/91	78	CASS	T	
TE-104-AW-42	1/11/91	78	CASS	T	
TE-104-AW-42	1/19/91	77	CASS	T	
TE-104-AW-42	1/26/91	77	CASS	T	
TE-104-AW-42	2/2/91	77	CASS	T	
TE-104-AW-42	2/9/91	77	CASS	T	
TE-104-AW-42	2/16/91	77	CASS	T	
TE-104-AW-42	2/23/91	77	CASS	T	
TE-104-AW-42	3/2/91	77	CASS	T	
TE-104-AW-42	3/9/91	77	CASS	T	
TE-104-AW-42	3/16/91	77	CASS	T	
TE-104-AW-42	3/23/91	77	CASS	T	
TE-104-AW-42	3/26/91	77	CASS	T	
TE-104-AW-42	4/6/91	78	CASS	T	
TE-104-AW-42	4/13/91	78	CASS	T	
TE-104-AW-42	4/20/91	78	CASS	T	
TE-104-AW-42	4/22/91	77	CASS	T	
TE-104-AW-42	5/4/91	77	CASS	T	
TE-104-AW-42	5/7/91	77	CASS	T	
TE-104-AW-42	5/18/91	78	CASS	T	
TE-104-AW-42	5/25/91	78	CASS	T	
TE-104-AW-42	5/31/91	78	CASS	T	
TE-104-AW-42	6/6/91	78	CASS	T	
TE-104-AW-42	6/15/91	78	CASS	T	
TE-104-AW-42	6/21/91	78	CASS	T	
TE-104-AW-42	6/25/91	78	CASS	T	
TE-104-AW-42	6/28/91	92	CASS	S	Date point did not agree with local trend
TE-104-AW-42	2/3/92	74	SACS	T	
TE-104-AW-42	2/10/92	74	SACS	T	
TE-104-AW-42	2/17/92	73	SACS	T	
TE-104-AW-42	2/24/92	73	SACS	T	
TE-104-AW-42	3/2/92	72	SACS	T	
TE-104-AW-42	3/9/92	72	SACS	T	
TE-104-AW-42	3/16/92	72	SACS	T	
TE-104-AW-42	3/23/92	73	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-42	3/30/92	72	SACS	T	
TE-104-AW-42	4/6/92	72	SACS	T	
TE-104-AW-42	4/13/92	72	SACS	T	
TE-104-AW-42	4/20/92	72	SACS	T	
TE-104-AW-42	4/27/92	78	SACS	T	
TE-104-AW-42	5/4/92	72	SACS	T	
TE-104-AW-42	5/11/92	69	SACS	T	
TE-104-AW-42	5/18/92	76	SACS	T	
TE-104-AW-42	5/25/92	77	SACS	T	
TE-104-AW-42	6/6/92	72	SACS	T	
TE-104-AW-42	6/15/92	72	SACS	T	
TE-104-AW-42	6/22/92	72	SACS	T	
TE-104-AW-42	7/6/92	69	SACS	T	
TE-104-AW-42	7/13/92	71	SACS	T	
TE-104-AW-42	7/20/92	71	SACS	T	
TE-104-AW-42	7/27/92	72	SACS	T	
TE-104-AW-42	8/3/92	72	SACS	T	
TE-104-AW-42	8/10/92	72	SACS	T	
TE-104-AW-42	8/17/92	72	SACS	T	
TE-104-AW-42	8/24/92	73	SACS	T	
TE-104-AW-42	8/31/92	72	SACS	T	
TE-104-AW-42	9/7/92	74	SACS	T	
TE-104-AW-42	9/14/92	73	SACS	T	
TE-104-AW-42	9/21/92	72	SACS	T	
TE-104-AW-42	9/28/92	73	SACS	T	
TE-104-AW-42	1/4/93	74	SACS	T	
TE-104-AW-42	1/11/93	74	SACS	T	
TE-104-AW-42	1/18/93	73	SACS	T	
TE-104-AW-42	3/1/93	74	SACS	T	
TE-104-AW-42	3/8/93	72	SACS	T	
TE-104-AW-42	3/20/93	72	SACS	T	
TE-104-AW-42	3/22/93	72	SACS	T	
TE-104-AW-42	3/29/93	71	SACS	T	
TE-104-AW-42	4/6/93	71	SACS	T	
TE-104-AW-42	4/12/93	71	SACS	T	
TE-104-AW-42	4/19/93	72	SACS	T	
TE-104-AW-42	4/26/93	71	SACS	T	
TE-104-AW-42	5/3/93	71	SACS	T	
TE-104-AW-42	5/10/93	69	SACS	T	
TE-104-AW-42	5/17/93	71	SACS	T	
TE-104-AW-42	5/24/93	71	SACS	T	
TE-104-AW-42	5/31/93	71	SACS	T	
TE-104-AW-42	6/7/93	71	SACS	T	
TE-104-AW-42	6/15/93	71	SACS	T	
TE-104-AW-42	6/22/93	71	SACS	T	
TE-104-AW-42	6/28/93	70	SACS	T	
TE-104-AW-42	7/26/93	71	SACS	T	
TE-104-AW-42	8/2/93	72	SACS	T	
TE-104-AW-42	8/9/93	71	SACS	T	
TE-104-AW-42	8/16/93	72	SACS	T	
TE-104-AW-42	8/23/93	72	SACS	T	
TE-104-AW-42	8/30/93	72	SACS	T	
TE-104-AW-42	9/13/93	72	SACS	T	
TE-104-AW-42	9/21/93	72	SACS	T	
TE-104-AW-42	9/27/93	73	SACS	T	
TE-104-AW-42	10/11/93	74	SACS	T	
TE-104-AW-42	10/19/93	73	SACS	T	
TE-104-AW-42	10/26/93	73	SACS	T	
TE-104-AW-42	11/1/93	72	SACS	T	
TE-104-AW-42	11/8/93	71	SACS	T	
TE-104-AW-42	11/15/93	73	SACS	T	
TE-104-AW-42	11/22/93	84	SACS	S	Data point did not agree with local trend
TE-104-AW-42	11/26/93	75	SACS	T	
TE-104-AW-42	11/29/93	73	SACS	T	
TE-104-AW-42	12/6/93	73	SACS	T	
TE-104-AW-42	12/16/93	74	SACS	T	
TE-104-AW-42	12/20/93	74	SACS	T	
TE-104-AW-42	12/27/93	74	SACS	T	
TE-104-AW-42	1/5/94	74	SACS	T	
TE-104-AW-42	1/10/94	68	SACS	T	
TE-104-AW-42	1/24/94	73	SACS	T	
TE-104-AW-42	1/31/94	73	SACS	T	
TE-104-AW-42	2/7/94	73	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-42	2/21/94	73	SACS	G	
TE-104-AW-42	2/28/94	72	SACS	T	
TE-104-AW-42	3/7/94	72	SACS	T	
TE-104-AW-42	3/14/94	72	SACS	G	
TE-104-AW-42	3/21/94	72	SACS	G	
TE-104-AW-42	3/28/94	73	SACS	G	
TE-104-AW-42	4/5/94	73	SACS	G	
TE-104-AW-42	4/11/94	72	SACS	G	
TE-104-AW-42	4/18/94	72	SACS	G	
TE-104-AW-42	4/25/94	73	SACS	G	
TE-104-AW-42	5/2/94	72	SACS	G	
TE-104-AW-42	5/9/94	72	SACS	G	
TE-104-AW-42	5/16/94	72	SACS	G	
TE-104-AW-42	5/31/94	72	SACS	G	
TE-104-AW-42	6/6/94	72	SACS	G	
TE-104-AW-42	6/13/94	73	SACS	G	
TE-104-AW-42	6/20/94	72	SACS	G	
TE-104-AW-42	6/27/94	72	SACS	G	
TE-104-AW-42	7/4/94	72	SACS	G	
TE-104-AW-42	7/18/94	72	SACS	G	
TE-104-AW-42	7/25/94	72	SACS	G	
TE-104-AW-42	8/1/94	72	SACS	G	
TE-104-AW-42	8/8/94	72	SACS	G	
TE-104-AW-42	8/15/94	71	SACS	G	
TE-104-AW-42	8/22/94	72	SACS	G	
TE-104-AW-42	9/7/94	73	SACS	G	
TE-104-AW-42	9/12/94	72	SACS	G	
TE-104-AW-42	9/19/94	72	SACS	G	
TE-104-AW-42	9/26/94	85	SACS	S (G in SACS)	Data point did not agree with local trend
TE-104-AW-42	10/10/94	72	SACS	G	
TE-104-AW-42	10/17/94	74	SACS	G	
TE-104-AW-42	10/24/94	74	SACS	G	
TE-104-AW-42	10/31/94	74	SACS	G	
TE-104-AW-42	11/7/94	74	SACS	G	
TE-104-AW-42	11/14/94	74	SACS	G	
TE-104-AW-42	11/21/94	75	SACS	G	
TE-104-AW-42	11/28/94	74	SACS	G	
TE-104-AW-42	12/5/94	75	SACS	G	
TE-104-AW-42	12/12/94	74	SACS	G	
TE-104-AW-42	12/19/94	74	SACS	G	
TE-104-AW-42	12/26/94	75	SACS	G	
TE-104-AW-42	1/2/95	75	SACS	G	
TE-104-AW-42	1/9/95	74	SACS	G	
TE-104-AW-42	1/16/95	74	SACS	G	
TE-104-AW-42	1/23/95	74	SACS	G	
TE-104-AW-42	1/30/95	74	SACS	G	
TE-104-AW-42	2/6/95	75	SACS	G	
TE-104-AW-42	2/13/95	75	SACS	G	
TE-104-AW-42	2/24/95	73	SACS	G	
TE-104-AW-42	2/27/95	74	SACS	G	
TE-104-AW-42	3/6/95	74	SACS	G	
TE-104-AW-42	3/19/95	73	SACS	G	
TE-104-AW-42	3/27/95	74	SACS	G	
TE-104-AW-42	4/3/95	73	SACS	G	
TE-104-AW-42	4/10/95	73	SACS	G	
TE-104-AW-42	4/17/95	74	SACS	G	
TE-104-AW-42	4/24/95	73	SACS	G	
TE-104-AW-42	5/1/95	73	SACS	G	
TE-104-AW-42	5/13/95	73	SACS	G	
TE-104-AW-42	5/22/95	73	SACS	G	
TE-104-AW-42	5/29/95	73	SACS	G	
TE-104-AW-42	6/5/95	73	SACS	G	
TE-104-AW-42	6/13/95	73	SACS	G	
TE-104-AW-42	6/19/95	72	SACS	G	
TE-104-AW-42	6/26/95	73	SACS	G	
TE-104-AW-43	7/16/83	89	CASS	T	
TE-104-AW-43	7/23/83	70	CASS	T	
TE-104-AW-43	7/30/83	70	CASS	T	
TE-104-AW-43	8/6/83	70	CASS	T	
TE-104-AW-43	8/13/83	107	CASS	T	
TE-104-AW-43	8/17/83	113	CASS	T	
TE-104-AW-43	8/21/83	111	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-43	8/31/83	108	CASS	T	
TE-104-AW-43	9/10/83	105	CASS	T	
TE-104-AW-43	9/13/83	105	CASS	T	
TE-104-AW-43	9/24/83	103	CASS	T	
TE-104-AW-43	9/30/83	102	CASS	T	
TE-104-AW-43	10/5/83	101	CASS	T	
TE-104-AW-43	10/15/83	99	CASS	T	
TE-104-AW-43	10/21/83	98	CASS	T	
TE-104-AW-43	3/10/84	99	CASS	T	
TE-104-AW-43	3/13/84	99	CASS	T	
TE-104-AW-43	3/19/84	89	CASS	T	
TE-104-AW-43	3/25/84	85	CASS	T	
TE-104-AW-43	4/2/84	82	CASS	T	
TE-104-AW-43	4/8/84	80	CASS	T	
TE-104-AW-43	4/20/84	78	CASS	T	
TE-104-AW-43	4/28/84	77	CASS	T	
TE-104-AW-43	5/3/84	76	CASS	T	
TE-104-AW-43	5/12/84	75	CASS	T	
TE-104-AW-43	5/19/84	86	CASS	T	
TE-104-AW-43	5/26/84	103	CASS	T	
TE-104-AW-43	6/2/84	104	CASS	T	
TE-104-AW-43	6/7/84	104	CASS	T	
TE-104-AW-43	6/22/84	104	CASS	T	
TE-104-AW-43	6/30/84	107	CASS	T	
TE-104-AW-43	7/7/84	111	CASS	T	
TE-104-AW-43	7/14/84	115	CASS	T	
TE-104-AW-43	7/21/84	118	CASS	T	
TE-104-AW-43	7/23/84	118	CASS	T	
TE-104-AW-43	8/4/84	118	CASS	T	
TE-104-AW-43	8/10/84	120	CASS	T	
TE-104-AW-43	8/18/84	125	CASS	T	
TE-104-AW-43	8/19/84	116	CASS	T	
TE-104-AW-43	8/27/84	108	CASS	T	
TE-104-AW-43	9/2/84	103	CASS	T	
TE-104-AW-43	9/10/84	101	CASS	T	
TE-104-AW-43	9/16/84	99	CASS	T	
TE-104-AW-43	8/24/84	97	CASS	T	
TE-104-AW-43	10/5/84	95	CASS	T	
TE-104-AW-43	10/11/84	94	CASS	T	
TE-104-AW-43	10/16/84	96	CASS	T	
TE-104-AW-43	10/23/84	90	CASS	T	
TE-104-AW-43	11/3/84	110	CASS	T	
TE-104-AW-43	11/10/84	131	CASS	T	
TE-104-AW-43	11/12/84	133	CASS	T	
TE-104-AW-43	11/23/84	131	CASS	T	
TE-104-AW-43	11/29/84	130	CASS	T	
TE-104-AW-43	12/14/84	127	CASS	T	
TE-104-AW-43	12/16/84	127	CASS	T	
TE-104-AW-43	12/23/84	125	CASS	T	
TE-104-AW-43	1/1/85	123	CASS	T	
TE-104-AW-43	1/7/85	122	CASS	T	
TE-104-AW-43	1/13/85	121	CASS	T	
TE-104-AW-43	1/20/85	120	CASS	T	
TE-104-AW-43	2/2/85	117	CASS	T	
TE-104-AW-43	2/9/85	117	CASS	T	
TE-104-AW-43	2/11/85	117	CASS	T	
TE-104-AW-43	2/20/85	116	CASS	T	
TE-104-AW-43	2/26/85	115	CASS	T	
TE-104-AW-43	3/7/85	114	CASS	T	
TE-104-AW-43	3/18/85	113	CASS	T	
TE-104-AW-43	3/18/85	113	CASS	T	
TE-104-AW-43	3/30/85	112	CASS	T	
TE-104-AW-43	4/6/85	111	CASS	T	
TE-104-AW-43	4/13/85	111	CASS	T	
TE-104-AW-43	4/16/85	111	CASS	T	
TE-104-AW-43	4/27/85	110	CASS	T	
TE-104-AW-43	5/3/85	110	CASS	T	
TE-104-AW-43	5/11/85	109	CASS	T	
TE-104-AW-43	5/18/85	109	CASS	T	
TE-104-AW-43	5/24/85	109	CASS	T	
TE-104-AW-43	6/1/85	108	CASS	T	
TE-104-AW-43	6/8/85	108	CASS	T	
TE-104-AW-43	6/11/85	108	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-43	6/19/85	107	CASS	T	
TE-104-AW-43	11/1/85	105	CASS	T	
TE-104-AW-43	12/1/85	104	CASS	T	
TE-104-AW-43	1/3/86	102	CASS	T	
TE-104-AW-43	1/11/86	101	CASS	T	
TE-104-AW-43	1/17/86	101	CASS	T	
TE-104-AW-43	1/25/86	100	CASS	T	
TE-104-AW-43	1/31/86	100	CASS	T	
TE-104-AW-43	2/8/86	99	CASS	T	
TE-104-AW-43	2/14/86	99	CASS	T	
TE-104-AW-43	2/18/86	99	CASS	T	
TE-104-AW-43	2/26/86	98	CASS	T	
TE-104-AW-43	3/5/86	107	CASS	T	
TE-104-AW-43	9/13/86	200	CASS	S	Date point did not agree with local trend
TE-104-AW-43	9/14/86	72	CASS	S	Date point did not agree with local trend
TE-104-AW-43	9/15/86	73	CASS	S	Date point did not agree with local trend
TE-104-AW-43	9/20/86	98	CASS	T	
TE-104-AW-43	9/22/86	98	CASS	T	
TE-104-AW-43	10/3/86	98	CASS	T	
TE-104-AW-43	10/8/86	98	CASS	T	
TE-104-AW-43	10/14/86	98	CASS	T	
TE-104-AW-43	10/25/86	97	CASS	T	
TE-104-AW-43	11/1/86	97	CASS	T	
TE-104-AW-43	11/8/86	97	CASS	T	
TE-104-AW-43	11/8/86	97	CASS	T	
TE-104-AW-43	11/22/86	98	CASS	T	
TE-104-AW-43	11/24/86	98	CASS	T	
TE-104-AW-43	12/1/86	95	CASS	T	
TE-104-AW-43	12/12/86	94	CASS	T	
TE-104-AW-43	12/16/86	93	CASS	T	
TE-104-AW-43	12/25/86	87	CASS	T	
TE-104-AW-43	12/31/86	87	CASS	T	
TE-104-AW-43	7/4/87	93	CASS	T	
TE-104-AW-43	7/11/87	96	CASS	T	
TE-104-AW-43	7/18/87	95	CASS	T	
TE-104-AW-43	7/25/87	95	CASS	T	
TE-104-AW-43	8/1/87	99	CASS	T	
TE-104-AW-43	8/8/87	101	CASS	T	
TE-104-AW-43	8/12/87	99	CASS	T	
TE-104-AW-43	8/15/87	114	CASS	S	Date point did not agree with local trend
TE-104-AW-43	8/22/87	104	CASS	T	
TE-104-AW-43	8/26/87	103	CASS	T	
TE-104-AW-43	9/4/87	108	CASS	T	
TE-104-AW-43	9/10/87	105	CASS	T	
TE-104-AW-43	11/26/87	98	CASS	T	
TE-104-AW-43	11/29/87	97	CASS	T	
TE-104-AW-43	3/26/88	98	CASS	T	
TE-104-AW-43	3/31/88	98	CASS	T	
TE-104-AW-43	6/4/88	96	CASS	T	
TE-104-AW-43	6/5/88	97	CASS	T	
TE-104-AW-43	6/18/88	97	CASS	T	
TE-104-AW-43	6/25/88	97	CASS	T	
TE-104-AW-43	7/2/88	98	CASS	T	
TE-104-AW-43	7/9/88	98	CASS	T	
TE-104-AW-43	7/16/88	98	CASS	T	
TE-104-AW-43	7/23/88	98	CASS	T	
TE-104-AW-43	7/30/88	99	CASS	T	
TE-104-AW-43	8/1/88	99	CASS	T	
TE-104-AW-43	8/13/88	98	CASS	T	
TE-104-AW-43	8/20/88	98	CASS	T	
TE-104-AW-43	8/27/88	98	CASS	T	
TE-104-AW-43	9/3/88	98	CASS	T	
TE-104-AW-43	9/9/88	103	CASS	T	
TE-104-AW-43	9/13/88	103	CASS	T	
TE-104-AW-43	9/24/88	102	CASS	T	
TE-104-AW-43	9/30/88	102	CASS	T	
TE-104-AW-43	12/3/88	98	CASS	T	
TE-104-AW-43	12/10/88	98	CASS	T	
TE-104-AW-43	12/11/88	98	CASS	T	
TE-104-AW-43	12/20/88	97	CASS	T	
TE-104-AW-43	7/10/89	90	SACS	T	
TE-104-AW-43	7/17/89	89	SACS	T	
TE-104-AW-43	7/24/89	89	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-43	8/7/89	88	SACS	T	
TE-104-AW-43	8/14/89	90	SACS	T	
TE-104-AW-43	8/21/89	89	SACS	T	
TE-104-AW-43	8/28/89	90	CASS	T	
TE-104-AW-43	9/4/89	91	SACS	T	
TE-104-AW-43	9/11/89	90	SACS	T	
TE-104-AW-43	9/20/89	92	CASS	T	
TE-104-AW-43	9/24/89	91	CASS	T	
TE-104-AW-43	10/1/89	89	SACS	T	
TE-104-AW-43	10/9/89	89	SACS	T	
TE-104-AW-43	10/18/89	87	SACS	T	
TE-104-AW-43	10/24/89	92	SACS	T	
TE-104-AW-43	10/30/89	92	SACS	T	
TE-104-AW-43	11/1/89	89	CASS	T	
TE-104-AW-43	11/17/89	90	CASS	T	
TE-104-AW-43	11/25/89	90	CASS	T	
TE-104-AW-43	11/27/89	91	SACS	T	
TE-104-AW-43	12/9/89	90	CASS	T	
TE-104-AW-43	12/15/89	90	CASS	T	
TE-104-AW-43	12/19/89	89	CASS	T	
TE-104-AW-43	12/28/89	88	SACS	T	
TE-104-AW-43	1/2/90	89	SACS	T	
TE-104-AW-43	1/8/90	86	SACS	T	
TE-104-AW-43	1/15/90	97	SACS	T	
TE-104-AW-43	1/22/90	86	SACS	T	
TE-104-AW-43	1/29/90	87	SACS	T	
TE-104-AW-43	2/5/90	86	SACS	T	
TE-104-AW-43	2/12/90	87	SACS	T	
TE-104-AW-43	2/19/90	86	SACS	T	
TE-104-AW-43	2/27/90	84	CASS	T	
TE-104-AW-43	3/10/90	84	CASS	T	
TE-104-AW-43	3/12/90	85	SACS	T	
TE-104-AW-43	3/19/90	84	SACS	T	
TE-104-AW-43	3/23/90	68	CASS	S	Data point did not agree with local trend
TE-104-AW-43	3/31/90	82	CASS	T	
TE-104-AW-43	4/2/90	83	SACS	T	
TE-104-AW-43	4/9/90	84	SACS	T	
TE-104-AW-43	4/21/90	82	CASS	T	
TE-104-AW-43	4/28/90	81	CASS	T	
TE-104-AW-43	4/30/90	82	SACS	T	
TE-104-AW-43	5/7/90	82	SACS	T	
TE-104-AW-43	5/15/90	81	CASS	T	
TE-104-AW-43	5/22/90	80	CASS	T	
TE-104-AW-43	5/28/90	66	SACS	S	Data point did not agree with local trend
TE-104-AW-43	6/2/90	80	CASS	T	
TE-104-AW-43	6/9/90	80	CASS	T	
TE-104-AW-43	6/16/90	80	CASS	T	
TE-104-AW-43	6/23/90	80	CASS	T	
TE-104-AW-43	6/30/90	80	CASS	T	
TE-104-AW-43	7/7/90	80	CASS	T	
TE-104-AW-43	7/14/90	81	CASS	T	
TE-104-AW-43	7/21/90	81	CASS	T	
TE-104-AW-43	7/28/90	81	CASS	T	
TE-104-AW-43	8/4/90	81	CASS	T	
TE-104-AW-43	8/8/90	97	SACS	S	Data point did not agree with local trend
TE-104-AW-43	8/11/90	81	CASS	T	
TE-104-AW-43	8/18/90	81	CASS	T	
TE-104-AW-43	8/25/90	81	CASS	T	
TE-104-AW-43	9/1/90	81	CASS	T	
TE-104-AW-43	9/3/90	82	SACS	T	
TE-104-AW-43	9/15/90	81	CASS	T	
TE-104-AW-43	9/22/90	81	CASS	T	
TE-104-AW-43	9/28/90	82	CASS	T	
TE-104-AW-43	10/6/90	81	CASS	T	
TE-104-AW-43	10/8/90	83	SACS	T	
TE-104-AW-43	10/15/90	82	SACS	T	
TE-104-AW-43	10/22/90	82	SACS	T	
TE-104-AW-43	10/29/90	82	SACS	T	
TE-104-AW-43	11/6/90	82	SACS	T	
TE-104-AW-43	11/12/90	82	SACS	T	
TE-104-AW-43	11/19/90	82	SACS	T	
TE-104-AW-43	12/1/90	81	CASS	T	
TE-104-AW-43	12/5/90	81	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-43	12/10/90	81	CASS	T	
TE-104-AW-43	12/18/90	80	CASS	T	
TE-104-AW-43	12/24/90	81	SACS	T	
TE-104-AW-43	12/31/90	80	SACS	T	
TE-104-AW-43	1/7/91	79	SACS	T	
TE-104-AW-43	1/19/91	77	CASS	T	
TE-104-AW-43	1/28/91	77	CASS	T	
TE-104-AW-43	1/28/91	79	SACS	T	
TE-104-AW-43	2/8/91	77	CASS	T	
TE-104-AW-43	2/11/91	78	SACS	T	
TE-104-AW-43	2/18/91	78	SACS	T	
TE-104-AW-43	3/2/91	77	CASS	T	
TE-104-AW-43	3/9/91	77	CASS	T	
TE-104-AW-43	3/18/91	77	CASS	T	
TE-104-AW-43	3/23/91	77	CASS	T	
TE-104-AW-43	3/28/91	77	CASS	T	
TE-104-AW-43	4/6/91	78	CASS	T	
TE-104-AW-43	4/13/91	76	CASS	T	
TE-104-AW-43	4/20/91	78	CASS	T	
TE-104-AW-43	4/27/91	76	CASS	T	
TE-104-AW-43	5/4/91	76	CASS	T	
TE-104-AW-43	5/11/91	78	CASS	T	
TE-104-AW-43	5/18/91	76	CASS	T	
TE-104-AW-43	5/25/91	76	CASS	T	
TE-104-AW-43	5/31/91	78	CASS	T	
TE-104-AW-43	6/8/91	78	CASS	T	
TE-104-AW-43	6/15/91	78	CASS	T	
TE-104-AW-43	6/21/91	78	CASS	T	
TE-104-AW-43	6/25/91	76	CASS	T	
TE-104-AW-43	6/28/91	91	CASS	S	Data point did not agree with local trend
TE-104-AW-43	7/1/91	75	SACS	T	
TE-104-AW-43	7/8/91	73	SACS	T	
TE-104-AW-43	7/15/91	76	SACS	T	
TE-104-AW-43	7/22/91	74	SACS	T	
TE-104-AW-43	7/29/91	75	SACS	T	
TE-104-AW-43	8/4/91	75	SACS	T	
TE-104-AW-43	8/19/91	73	SACS	T	
TE-104-AW-43	8/28/91	75	SACS	T	
TE-104-AW-43	9/2/91	76	SACS	T	
TE-104-AW-43	9/9/91	77	SACS	T	
TE-104-AW-43	9/16/91	77	SACS	T	
TE-104-AW-43	9/23/91	77	SACS	T	
TE-104-AW-43	9/30/91	77	SACS	T	
TE-104-AW-43	10/7/91	77	SACS	T	
TE-104-AW-43	10/14/91	78	SACS	T	
TE-104-AW-43	10/21/91	77	SACS	T	
TE-104-AW-43	10/28/91	77	SACS	T	
TE-104-AW-43	11/5/91	77	SACS	T	
TE-104-AW-43	11/11/91	77	SACS	T	
TE-104-AW-43	11/18/91	76	SACS	T	
TE-104-AW-43	11/25/91	77	SACS	T	
TE-104-AW-43	12/2/91	76	SACS	T	
TE-104-AW-43	12/9/91	76	SACS	T	
TE-104-AW-43	12/16/91	75	SACS	T	
TE-104-AW-43	12/23/91	75	SACS	T	
TE-104-AW-43	12/30/91	75	SACS	T	
TE-104-AW-43	1/8/92	78	SACS	T	
TE-104-AW-43	1/13/92	75	SACS	T	
TE-104-AW-43	1/20/92	74	SACS	T	
TE-104-AW-43	1/27/92	74	SACS	T	
TE-104-AW-43	2/22/92	74	SACS	T	
TE-104-AW-43	3/4/92	72	SACS	T	
TE-104-AW-43	3/11/92	69	SACS	T	
TE-104-AW-43	6/29/92	72	SACS	T	
TE-104-AW-43	10/5/92	74	SACS	T	
TE-104-AW-43	10/12/92	74	SACS	T	
TE-104-AW-43	10/19/92	75	SACS	T	
TE-104-AW-43	10/26/92	75	SACS	T	
TE-104-AW-43	11/2/92	73	SACS	T	
TE-104-AW-43	11/9/92	76	SACS	T	
TE-104-AW-43	11/16/92	75	SACS	T	
TE-104-AW-43	11/23/92	75	SACS	T	
TE-104-AW-43	11/30/92	74	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-43	12/7/92	75	SACS	T	
TE-104-AW-43	12/14/92	74	SACS	T	
TE-104-AW-43	12/21/92	73	SACS	T	
TE-104-AW-43	12/28/92	74	SACS	T	
TE-104-AW-43	1/25/93	73	SACS	T	
TE-104-AW-43	2/1/93	73	SACS	T	
TE-104-AW-43	2/8/93	72	SACS	T	
TE-104-AW-43	2/18/93	74	SACS	T	
TE-104-AW-44	7/18/83	69	CASS	T	
TE-104-AW-44	7/23/83	70	CASS	T	
TE-104-AW-44	7/30/83	70	CASS	T	
TE-104-AW-44	8/6/83	71	CASS	T	
TE-104-AW-44	8/13/83	107	CASS	T	
TE-104-AW-44	8/17/83	113	CASS	T	
TE-104-AW-44	8/21/83	111	CASS	T	
TE-104-AW-44	8/31/83	108	CASS	T	
TE-104-AW-44	9/10/83	105	CASS	T	
TE-104-AW-44	8/13/83	105	CASS	T	
TE-104-AW-44	9/18/83	104	CASS	T	
TE-104-AW-44	9/30/83	102	CASS	T	
TE-104-AW-44	10/5/83	101	CASS	T	
TE-104-AW-44	10/15/83	99	CASS	T	
TE-104-AW-44	10/18/83	99	CASS	T	
TE-104-AW-44	3/10/84	99	CASS	T	
TE-104-AW-44	3/12/84	99	CASS	T	
TE-104-AW-44	3/19/84	89	CASS	T	
TE-104-AW-44	3/25/84	85	CASS	T	
TE-104-AW-44	4/2/84	82	CASS	T	
TE-104-AW-44	4/9/84	80	CASS	T	
TE-104-AW-44	4/20/84	78	CASS	T	
TE-104-AW-44	4/27/84	77	CASS	T	
TE-104-AW-44	5/3/84	76	CASS	T	
TE-104-AW-44	5/12/84	75	CASS	T	
TE-104-AW-44	5/19/84	96	CASS	T	
TE-104-AW-44	5/26/84	103	CASS	T	
TE-104-AW-44	6/2/84	104	CASS	T	
TE-104-AW-44	6/7/84	105	CASS	T	
TE-104-AW-44	6/22/84	104	CASS	T	
TE-104-AW-44	6/30/84	107	CASS	T	
TE-104-AW-44	7/7/84	111	CASS	T	
TE-104-AW-44	7/14/84	115	CASS	T	
TE-104-AW-44	7/21/84	118	CASS	T	
TE-104-AW-44	7/23/84	118	CASS	T	
TE-104-AW-44	8/4/84	118	CASS	T	
TE-104-AW-44	8/9/84	119	CASS	T	
TE-104-AW-44	8/18/84	126	CASS	T	
TE-104-AW-44	8/19/84	116	CASS	T	
TE-104-AW-44	8/27/84	106	CASS	T	
TE-104-AW-44	9/2/84	103	CASS	T	
TE-104-AW-44	9/10/84	101	CASS	T	
TE-104-AW-44	9/16/84	99	CASS	T	
TE-104-AW-44	9/24/84	97	CASS	T	
TE-104-AW-44	10/5/84	95	CASS	T	
TE-104-AW-44	10/11/84	94	CASS	T	
TE-104-AW-44	10/16/84	96	CASS	T	
TE-104-AW-44	10/23/84	90	CASS	T	
TE-104-AW-44	11/3/84	110	CASS	T	
TE-104-AW-44	11/10/84	131	CASS	T	
TE-104-AW-44	11/12/84	133	CASS	T	
TE-104-AW-44	11/19/84	132	CASS	T	
TE-104-AW-44	11/30/84	130	CASS	T	
TE-104-AW-44	12/15/84	127	CASS	T	
TE-104-AW-44	12/17/84	127	CASS	T	
TE-104-AW-44	12/23/84	125	CASS	T	
TE-104-AW-44	1/1/85	123	CASS	T	
TE-104-AW-44	1/8/85	122	CASS	T	
TE-104-AW-44	1/14/85	121	CASS	T	
TE-104-AW-44	1/21/85	120	CASS	T	
TE-104-AW-44	2/2/85	117	CASS	T	
TE-104-AW-44	2/9/85	117	CASS	T	
TE-104-AW-44	2/11/85	117	CASS	T	
TE-104-AW-44	2/20/85	116	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-44	2/26/85	115	CASS	T	
TE-104-AW-44	3/9/85	114	CASS	T	
TE-104-AW-44	3/16/85	113	CASS	T	
TE-104-AW-44	3/19/85	113	CASS	T	
TE-104-AW-44	3/30/85	112	CASS	T	
TE-104-AW-44	4/1/85	112	CASS	T	
TE-104-AW-44	4/13/85	111	CASS	T	
TE-104-AW-44	4/16/85	111	CASS	T	
TE-104-AW-44	4/27/85	110	CASS	T	
TE-104-AW-44	5/3/85	110	CASS	T	
TE-104-AW-44	5/11/85	109	CASS	T	
TE-104-AW-44	5/18/85	109	CASS	T	
TE-104-AW-44	5/24/85	109	CASS	T	
TE-104-AW-44	6/1/85	108	CASS	T	
TE-104-AW-44	6/8/85	108	CASS	T	
TE-104-AW-44	6/13/85	108	CASS	T	
TE-104-AW-44	6/19/85	107	CASS	T	
TE-104-AW-44	11/1/85	105	CASS	T	
TE-104-AW-44	12/1/85	104	CASS	T	
TE-104-AW-44	1/3/86	102	CASS	T	
TE-104-AW-44	1/11/86	101	CASS	T	
TE-104-AW-44	1/17/86	101	CASS	T	
TE-104-AW-44	1/25/86	100	CASS	T	
TE-104-AW-44	1/31/86	100	CASS	T	
TE-104-AW-44	2/8/86	99	CASS	T	
TE-104-AW-44	2/14/86	99	CASS	T	
TE-104-AW-44	2/18/86	99	CASS	T	
TE-104-AW-44	2/28/86	98	CASS	T	
TE-104-AW-44	3/5/86	107	CASS	T	
TE-104-AW-44	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-104-AW-44	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-44	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-44	9/17/86	97	CASS	T	
TE-104-AW-44	10/11/86	97	CASS	T	
TE-104-AW-44	10/12/86	99	CASS	T	
TE-104-AW-44	10/25/86	98	CASS	T	
TE-104-AW-44	11/1/86	98	CASS	T	
TE-104-AW-44	11/8/86	97	CASS	T	
TE-104-AW-44	11/9/86	97	CASS	T	
TE-104-AW-44	11/16/86	96	CASS	T	
TE-104-AW-44	11/25/86	94	CASS	T	
TE-104-AW-44	12/6/86	92	CASS	T	
TE-104-AW-44	12/13/86	92	CASS	T	
TE-104-AW-44	12/18/86	92	CASS	T	
TE-104-AW-44	12/25/86	87	CASS	T	
TE-104-AW-44	12/31/86	87	CASS	T	
TE-104-AW-44	7/4/87	93	CASS	T	
TE-104-AW-44	7/11/87	95	CASS	T	
TE-104-AW-44	7/18/87	95	CASS	T	
TE-104-AW-44	7/25/87	96	CASS	T	
TE-104-AW-44	8/1/87	99	CASS	T	
TE-104-AW-44	8/8/87	101	CASS	T	
TE-104-AW-44	8/12/87	99	CASS	T	
TE-104-AW-44	8/15/87	114	CASS	S	Data point did not agree with local trend
TE-104-AW-44	8/22/87	104	CASS	T	
TE-104-AW-44	8/28/87	103	CASS	T	
TE-104-AW-44	9/4/87	104	CASS	T	
TE-104-AW-44	9/10/87	104	CASS	T	
TE-104-AW-44	11/28/87	98	CASS	T	
TE-104-AW-44	11/29/87	97	CASS	T	
TE-104-AW-44	3/26/88	99	CASS	T	
TE-104-AW-44	3/31/88	98	CASS	T	
TE-104-AW-44	6/4/88	96	CASS	T	
TE-104-AW-44	6/7/88	97	CASS	T	
TE-104-AW-44	6/18/88	97	CASS	T	
TE-104-AW-44	6/25/88	97	CASS	T	
TE-104-AW-44	7/2/88	98	CASS	T	
TE-104-AW-44	7/9/88	98	CASS	T	
TE-104-AW-44	7/15/88	99	CASS	T	
TE-104-AW-44	7/23/88	98	CASS	T	
TE-104-AW-44	7/30/88	99	CASS	T	
TE-104-AW-44	8/5/88	99	CASS	T	
TE-104-AW-44	8/13/88	98	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1985.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-44	8/20/88	98	CASS	T	
TE-104-AW-44	8/27/88	98	CASS	T	
TE-104-AW-44	9/3/88	98	CASS	T	
TE-104-AW-44	9/10/88	103	CASS	T	
TE-104-AW-44	9/15/88	103	CASS	T	
TE-104-AW-44	9/19/88	103	CASS	T	
TE-104-AW-44	9/30/88	102	CASS	T	
TE-104-AW-44	12/3/88	98	CASS	T	
TE-104-AW-44	12/10/88	98	CASS	T	
TE-104-AW-44	12/11/88	98	CASS	T	
TE-104-AW-44	12/20/88	97	CASS	T	
TE-104-AW-44	8/2/89	89	CASS	T	
TE-104-AW-44	8/5/89	90	CASS	T	
TE-104-AW-44	8/16/89	89	CASS	T	
TE-104-AW-44	8/22/89	90	CASS	T	
TE-104-AW-44	8/28/89	89	CASS	T	
TE-104-AW-44	11/4/89	87	CASS	T	
TE-104-AW-44	11/11/89	92	CASS	T	
TE-104-AW-44	11/16/89	90	CASS	T	
TE-104-AW-44	11/24/89	90	CASS	T	
TE-104-AW-44	12/2/89	89	CASS	T	
TE-104-AW-44	12/3/89	91	CASS	T	
TE-104-AW-44	12/14/89	90	CASS	T	
TE-104-AW-44	12/19/89	89	CASS	T	
TE-104-AW-44	12/24/89	87	CASS	T	
TE-104-AW-44	12/31/89	86	CASS	T	
TE-104-AW-44	1/13/90	85	CASS	T	
TE-104-AW-44	1/17/90	85	CASS	T	
TE-104-AW-44	1/24/90	85	CASS	T	
TE-104-AW-44	2/3/90	84	CASS	T	
TE-104-AW-44	2/10/90	83	CASS	T	
TE-104-AW-44	2/17/90	83	CASS	T	
TE-104-AW-44	2/24/90	84	CASS	T	
TE-104-AW-44	2/27/90	84	CASS	T	
TE-104-AW-44	3/10/90	84	CASS	T	
TE-104-AW-44	3/14/90	84	CASS	T	
TE-104-AW-44	3/22/90	83	CASS	T	
TE-104-AW-44	3/23/90	70	CASS	S	Data point did not agree with local trend
TE-104-AW-44	3/31/90	82	CASS	T	
TE-104-AW-44	4/7/90	82	CASS	T	
TE-104-AW-44	4/14/90	82	CASS	T	
TE-104-AW-44	4/21/90	82	CASS	T	
TE-104-AW-44	4/22/90	82	CASS	T	
TE-104-AW-44	5/5/90	81	CASS	T	
TE-104-AW-44	5/12/90	81	CASS	T	
TE-104-AW-44	5/16/90	81	CASS	T	
TE-104-AW-44	5/22/90	80	CASS	T	
TE-104-AW-44	6/2/90	80	CASS	T	
TE-104-AW-44	6/9/90	80	CASS	T	
TE-104-AW-44	6/16/90	80	CASS	T	
TE-104-AW-44	6/23/90	80	CASS	T	
TE-104-AW-44	6/30/90	80	CASS	T	
TE-104-AW-44	7/7/90	80	CASS	T	
TE-104-AW-44	7/14/90	81	CASS	T	
TE-104-AW-44	7/21/90	81	CASS	T	
TE-104-AW-44	7/28/90	81	CASS	T	
TE-104-AW-44	8/4/90	81	CASS	T	
TE-104-AW-44	8/11/90	81	CASS	T	
TE-104-AW-44	8/18/90	81	CASS	T	
TE-104-AW-44	8/25/90	81	CASS	T	
TE-104-AW-44	9/1/90	81	CASS	T	
TE-104-AW-44	9/8/90	81	CASS	T	
TE-104-AW-44	9/12/90	82	CASS	T	
TE-104-AW-44	9/22/90	81	CASS	T	
TE-104-AW-44	9/29/90	82	CASS	T	
TE-104-AW-44	10/4/90	82	CASS	T	
TE-104-AW-44	10/10/90	82	CASS	T	
TE-104-AW-44	10/20/90	81	CASS	T	
TE-104-AW-44	10/27/90	81	CASS	T	
TE-104-AW-44	11/3/90	81	CASS	T	
TE-104-AW-44	11/10/90	81	CASS	T	
TE-104-AW-44	11/17/90	81	CASS	T	
TE-104-AW-44	11/24/90	81	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-44	12/1/90	81	CASS	T	
TE-104-AW-44	12/8/90	81	CASS	T	
TE-104-AW-44	12/10/90	81	CASS	T	
TE-104-AW-44	12/18/90	80	CASS	T	
TE-104-AW-44	12/28/90	79	CASS	T	
TE-104-AW-44	1/5/91	78	CASS	T	
TE-104-AW-44	1/11/91	78	CASS	T	
TE-104-AW-44	1/19/91	77	CASS	T	
TE-104-AW-44	1/28/91	77	CASS	T	
TE-104-AW-44	2/2/91	77	CASS	T	
TE-104-AW-44	2/9/91	77	CASS	T	
TE-104-AW-44	2/16/91	77	CASS	T	
TE-104-AW-44	2/23/91	77	CASS	T	
TE-104-AW-44	3/2/91	77	CASS	T	
TE-104-AW-44	3/9/91	77	CASS	T	
TE-104-AW-44	3/16/91	77	CASS	T	
TE-104-AW-44	3/23/91	77	CASS	T	
TE-104-AW-44	3/30/91	77	CASS	T	
TE-104-AW-44	4/2/91	77	CASS	T	
TE-104-AW-44	4/13/91	77	CASS	T	
TE-104-AW-44	4/20/91	77	CASS	T	
TE-104-AW-44	4/23/91	77	CASS	T	
TE-104-AW-44	5/4/91	76	CASS	T	
TE-104-AW-44	5/11/91	76	CASS	T	
TE-104-AW-44	5/18/91	76	CASS	T	
TE-104-AW-44	5/25/91	76	CASS	T	
TE-104-AW-44	5/31/91	76	CASS	T	
TE-104-AW-44	6/8/91	76	CASS	T	
TE-104-AW-44	6/15/91	76	CASS	T	
TE-104-AW-44	6/21/91	76	CASS	T	
TE-104-AW-44	6/25/91	76	CASS	T	
TE-104-AW-44	6/28/91	91	CASS	S	Data point did not agree with local trend
TE-104-AW-45	7/16/83	69	CASS	T	
TE-104-AW-45	7/23/83	70	CASS	T	
TE-104-AW-45	7/30/83	70	CASS	T	
TE-104-AW-45	8/6/83	71	CASS	T	
TE-104-AW-45	8/13/83	107	CASS	T	
TE-104-AW-45	8/17/83	113	CASS	T	
TE-104-AW-45	8/21/83	111	CASS	T	
TE-104-AW-45	8/31/83	108	CASS	T	
TE-104-AW-45	9/10/83	105	CASS	T	
TE-104-AW-45	9/13/83	105	CASS	T	
TE-104-AW-45	9/24/83	103	CASS	T	
TE-104-AW-45	9/30/83	102	CASS	T	
TE-104-AW-45	10/5/83	101	CASS	T	
TE-104-AW-45	10/15/83	99	CASS	T	
TE-104-AW-45	10/18/83	99	CASS	T	
TE-104-AW-45	3/10/84	99	CASS	T	
TE-104-AW-45	3/12/84	99	CASS	T	
TE-104-AW-45	3/19/84	89	CASS	T	
TE-104-AW-45	3/25/84	85	CASS	T	
TE-104-AW-45	4/2/84	82	CASS	T	
TE-104-AW-45	4/9/84	80	CASS	T	
TE-104-AW-45	4/20/84	78	CASS	T	
TE-104-AW-45	4/26/84	77	CASS	T	
TE-104-AW-45	5/3/84	76	CASS	T	
TE-104-AW-45	5/12/84	75	CASS	T	
TE-104-AW-45	5/19/84	96	CASS	T	
TE-104-AW-45	5/26/84	103	CASS	T	
TE-104-AW-45	6/2/84	104	CASS	T	
TE-104-AW-45	6/7/84	104	CASS	T	
TE-104-AW-45	6/23/84	104	CASS	T	
TE-104-AW-45	6/30/84	107	CASS	T	
TE-104-AW-45	7/7/84	111	CASS	T	
TE-104-AW-45	7/14/84	115	CASS	T	
TE-104-AW-45	7/21/84	118	CASS	T	
TE-104-AW-45	7/23/84	118	CASS	T	
TE-104-AW-45	8/4/84	118	CASS	T	
TE-104-AW-45	8/8/84	119	CASS	T	
TE-104-AW-45	8/18/84	125	CASS	T	
TE-104-AW-45	8/19/84	116	CASS	T	
TE-104-AW-45	8/27/84	106	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-45	9/2/84	103	CASS	T	
TE-104-AW-45	9/10/84	101	CASS	T	
TE-104-AW-45	9/16/84	99	CASS	T	
TE-104-AW-45	9/24/84	97	CASS	T	
TE-104-AW-45	10/5/84	95	CASS	T	
TE-104-AW-45	10/11/84	94	CASS	T	
TE-104-AW-45	10/16/84	95	CASS	T	
TE-104-AW-45	10/23/84	90	CASS	T	
TE-104-AW-45	11/3/84	109	CASS	T	
TE-104-AW-45	11/10/84	131	CASS	T	
TE-104-AW-45	11/12/84	133	CASS	T	
TE-104-AW-45	11/19/84	132	CASS	T	
TE-104-AW-45	11/30/84	130	CASS	T	
TE-104-AW-45	12/15/84	127	CASS	T	
TE-104-AW-45	12/17/84	127	CASS	T	
TE-104-AW-45	12/23/84	125	CASS	T	
TE-104-AW-45	1/1/85	123	CASS	T	
TE-104-AW-45	1/7/85	122	CASS	T	
TE-104-AW-45	1/13/85	121	CASS	T	
TE-104-AW-45	1/20/85	120	CASS	T	
TE-104-AW-45	2/2/85	117	CASS	T	
TE-104-AW-45	2/9/85	117	CASS	T	
TE-104-AW-45	2/11/85	117	CASS	T	
TE-104-AW-45	2/20/85	116	CASS	T	
TE-104-AW-45	2/26/85	115	CASS	T	
TE-104-AW-45	3/7/85	114	CASS	T	
TE-104-AW-45	3/16/85	113	CASS	T	
TE-104-AW-45	3/18/85	113	CASS	T	
TE-104-AW-45	3/29/85	112	CASS	T	
TE-104-AW-45	4/6/85	111	CASS	T	
TE-104-AW-45	4/13/85	111	CASS	T	
TE-104-AW-45	4/18/85	111	CASS	T	
TE-104-AW-45	4/27/85	110	CASS	T	
TE-104-AW-45	5/3/85	110	CASS	T	
TE-104-AW-45	5/11/85	109	CASS	T	
TE-104-AW-45	5/18/85	109	CASS	T	
TE-104-AW-45	5/24/85	109	CASS	T	
TE-104-AW-45	6/1/85	108	CASS	T	
TE-104-AW-45	6/8/85	108	CASS	T	
TE-104-AW-45	6/11/85	108	CASS	T	
TE-104-AW-45	6/19/85	107	CASS	T	
TE-104-AW-45	11/1/85	105	CASS	T	
TE-104-AW-45	12/1/85	104	CASS	T	
TE-104-AW-45	1/3/86	102	CASS	T	
TE-104-AW-45	1/11/86	101	CASS	T	
TE-104-AW-45	1/17/86	101	CASS	T	
TE-104-AW-45	1/25/86	100	CASS	T	
TE-104-AW-45	1/31/86	100	CASS	T	
TE-104-AW-45	2/8/86	99	CASS	T	
TE-104-AW-45	2/14/86	99	CASS	T	
TE-104-AW-45	2/17/86	99	CASS	T	
TE-104-AW-45	2/26/86	98	CASS	T	
TE-104-AW-45	3/5/86	107	CASS	T	
TE-104-AW-45	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-104-AW-45	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-45	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-45	9/17/86	96	CASS	T	
TE-104-AW-45	10/11/86	98	CASS	T	
TE-104-AW-45	10/17/86	98	CASS	T	
TE-104-AW-45	10/20/86	99	CASS	T	
TE-104-AW-45	10/27/86	99	CASS	T	
TE-104-AW-45	11/2/86	98	CASS	T	
TE-104-AW-45	11/9/86	96	CASS	T	
TE-104-AW-45	11/18/86	94	CASS	T	
TE-104-AW-45	11/25/86	94	CASS	T	
TE-104-AW-45	12/6/86	92	CASS	T	
TE-104-AW-45	12/8/86	92	CASS	T	
TE-104-AW-45	12/16/86	91	CASS	T	
TE-104-AW-45	12/25/86	87	CASS	T	
TE-104-AW-45	12/31/86	87	CASS	T	
TE-104-AW-45	7/4/87	94	CASS	T	
TE-104-AW-45	7/11/87	95	CASS	T	
TE-104-AW-45	7/18/87	95	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-45	7/25/87	97	CASS	T	
TE-104-AW-45	8/1/87	99	CASS	T	
TE-104-AW-45	8/8/87	101	CASS	T	
TE-104-AW-45	8/12/87	99	CASS	T	
TE-104-AW-45	8/15/87	114	CASS	S	Data point did not agree with local trend
TE-104-AW-45	8/22/87	104	CASS	T	
TE-104-AW-45	8/28/87	103	CASS	T	
TE-104-AW-45	9/4/87	104	CASS	T	
TE-104-AW-45	9/10/87	104	CASS	T	
TE-104-AW-45	11/27/87	99	CASS	T	
TE-104-AW-45	11/29/87	96	CASS	T	
TE-104-AW-45	3/28/88	99	CASS	T	
TE-104-AW-45	3/31/88	98	CASS	T	
TE-104-AW-45	6/4/88	96	CASS	T	
TE-104-AW-45	6/7/88	97	CASS	T	
TE-104-AW-45	6/18/88	97	CASS	T	
TE-104-AW-45	6/22/88	97	CASS	T	
TE-104-AW-45	7/2/88	98	CASS	T	
TE-104-AW-45	7/8/88	98	CASS	T	
TE-104-AW-45	7/15/88	99	CASS	T	
TE-104-AW-45	7/23/88	98	CASS	T	
TE-104-AW-45	7/30/88	99	CASS	T	
TE-104-AW-45	8/5/88	99	CASS	T	
TE-104-AW-45	8/12/88	99	CASS	T	
TE-104-AW-45	8/20/88	98	CASS	T	
TE-104-AW-45	8/27/88	98	CASS	T	
TE-104-AW-45	9/3/88	99	CASS	T	
TE-104-AW-45	9/10/88	103	CASS	T	
TE-104-AW-45	9/15/88	103	CASS	T	
TE-104-AW-45	9/24/88	103	CASS	T	
TE-104-AW-45	9/28/88	103	CASS	T	
TE-104-AW-45	12/3/88	98	CASS	T	
TE-104-AW-45	12/10/88	98	CASS	T	
TE-104-AW-45	12/12/88	98	CASS	T	
TE-104-AW-45	12/20/88	97	CASS	T	
TE-104-AW-45	9/2/89	89	CASS	T	
TE-104-AW-45	9/9/89	89	CASS	T	
TE-104-AW-45	9/16/89	89	CASS	T	
TE-104-AW-45	9/21/89	90	CASS	T	
TE-104-AW-45	9/28/89	89	CASS	T	
TE-104-AW-45	11/4/89	87	CASS	T	
TE-104-AW-45	11/11/89	91	CASS	T	
TE-104-AW-45	11/16/89	90	CASS	T	
TE-104-AW-45	11/21/89	89	CASS	T	
TE-104-AW-45	11/30/89	90	CASS	T	
TE-104-AW-45	12/8/89	90	CASS	T	
TE-104-AW-45	12/13/89	90	CASS	T	
TE-104-AW-45	12/18/89	88	CASS	T	
TE-104-AW-45	12/27/89	87	CASS	T	
TE-104-AW-45	1/6/90	84	CASS	T	
TE-104-AW-45	1/13/90	85	CASS	T	
TE-104-AW-45	1/18/90	85	CASS	T	
TE-104-AW-45	1/24/90	85	CASS	T	
TE-104-AW-45	1/28/90	84	CASS	T	
TE-104-AW-45	2/10/90	83	CASS	T	
TE-104-AW-45	2/13/90	84	CASS	T	
TE-104-AW-45	2/24/90	84	CASS	T	
TE-104-AW-45	2/28/90	84	CASS	T	
TE-104-AW-45	3/8/90	85	CASS	T	
TE-104-AW-45	3/14/90	84	CASS	T	
TE-104-AW-45	3/21/90	83	CASS	T	
TE-104-AW-45	3/23/90	68	CASS	S	Data point did not agree with local trend
TE-104-AW-45	3/31/90	82	CASS	T	
TE-104-AW-45	4/7/90	82	CASS	T	
TE-104-AW-45	4/14/90	82	CASS	T	
TE-104-AW-45	4/21/90	82	CASS	T	
TE-104-AW-45	4/22/90	82	CASS	T	
TE-104-AW-45	5/5/90	81	CASS	T	
TE-104-AW-45	5/12/90	81	CASS	T	
TE-104-AW-45	5/15/90	81	CASS	T	
TE-104-AW-45	5/22/90	80	CASS	T	
TE-104-AW-45	6/2/90	80	CASS	T	
TE-104-AW-45	6/9/90	80	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-45	6/18/90	80	CASS	T	
TE-104-AW-45	6/23/90	80	CASS	T	
TE-104-AW-45	6/30/90	80	CASS	T	
TE-104-AW-45	7/7/90	80	CASS	T	
TE-104-AW-45	7/14/90	81	CASS	T	
TE-104-AW-45	7/21/90	81	CASS	T	
TE-104-AW-45	7/28/90	81	CASS	T	
TE-104-AW-45	8/4/90	81	CASS	T	
TE-104-AW-45	8/11/90	81	CASS	T	
TE-104-AW-45	8/18/90	81	CASS	T	
TE-104-AW-45	8/25/90	81	CASS	T	
TE-104-AW-45	9/1/90	81	CASS	T	
TE-104-AW-45	9/8/90	81	CASS	T	
TE-104-AW-45	9/15/90	81	CASS	T	
TE-104-AW-45	9/22/90	81	CASS	T	
TE-104-AW-45	9/29/90	81	CASS	T	
TE-104-AW-45	10/6/90	81	CASS	T	
TE-104-AW-45	10/13/90	81	CASS	T	
TE-104-AW-45	10/20/90	81	CASS	T	
TE-104-AW-45	10/27/90	81	CASS	T	
TE-104-AW-45	11/3/90	81	CASS	T	
TE-104-AW-45	11/10/90	81	CASS	T	
TE-104-AW-45	11/17/90	81	CASS	T	
TE-104-AW-45	11/18/90	81	CASS	T	
TE-104-AW-45	12/1/90	80	CASS	T	
TE-104-AW-45	12/8/90	80	CASS	T	
TE-104-AW-45	12/15/90	80	CASS	T	
TE-104-AW-45	12/18/90	80	CASS	T	
TE-104-AW-45	12/28/90	79	CASS	T	
TE-104-AW-45	1/5/91	78	CASS	T	
TE-104-AW-45	1/11/91	78	CASS	T	
TE-104-AW-45	1/19/91	77	CASS	T	
TE-104-AW-45	1/26/91	77	CASS	T	
TE-104-AW-45	2/2/91	77	CASS	T	
TE-104-AW-45	2/8/91	77	CASS	T	
TE-104-AW-45	2/16/91	77	CASS	T	
TE-104-AW-45	2/23/91	77	CASS	T	
TE-104-AW-45	3/2/91	77	CASS	T	
TE-104-AW-45	3/9/91	77	CASS	T	
TE-104-AW-45	3/16/91	77	CASS	T	
TE-104-AW-45	3/23/91	77	CASS	T	
TE-104-AW-45	3/28/91	77	CASS	T	
TE-104-AW-45	4/6/91	76	CASS	T	
TE-104-AW-45	4/13/91	76	CASS	T	
TE-104-AW-45	4/20/91	76	CASS	T	
TE-104-AW-45	4/22/91	77	CASS	T	
TE-104-AW-45	5/4/91	76	CASS	T	
TE-104-AW-45	5/11/91	76	CASS	T	
TE-104-AW-45	5/18/91	76	CASS	T	
TE-104-AW-45	5/25/91	76	CASS	T	
TE-104-AW-45	5/31/91	76	CASS	T	
TE-104-AW-45	6/8/91	76	CASS	T	
TE-104-AW-45	6/15/91	76	CASS	T	
TE-104-AW-45	6/21/91	76	CASS	T	
TE-104-AW-45	6/25/91	76	CASS	T	
TE-104-AW-45	6/28/91	92	CASS	S	Data point did not agree with local trend
TE-104-AW-46	7/18/83	69	CASS	T	
TE-104-AW-46	7/23/83	70	CASS	T	
TE-104-AW-46	7/30/83	70	CASS	T	
TE-104-AW-46	8/6/83	71	CASS	T	
TE-104-AW-46	8/13/83	107	CASS	T	
TE-104-AW-46	8/17/83	113	CASS	T	
TE-104-AW-46	8/21/83	111	CASS	T	
TE-104-AW-46	8/31/83	108	CASS	T	
TE-104-AW-46	9/10/83	105	CASS	T	
TE-104-AW-46	9/13/83	105	CASS	T	
TE-104-AW-46	9/18/83	104	CASS	T	
TE-104-AW-46	9/30/83	102	CASS	T	
TE-104-AW-46	10/5/83	101	CASS	T	
TE-104-AW-46	10/15/83	99	CASS	T	
TE-104-AW-46	10/16/83	99	CASS	T	
TE-104-AW-46	3/10/84	99	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-46	3/11/84	89	CASS	T	
TE-104-AW-46	3/19/84	89	CASS	T	
TE-104-AW-46	3/25/84	85	CASS	T	
TE-104-AW-46	4/2/84	82	CASS	T	
TE-104-AW-46	4/9/84	80	CASS	T	
TE-104-AW-46	4/20/84	78	CASS	T	
TE-104-AW-46	4/26/84	77	CASS	T	
TE-104-AW-46	5/3/84	78	CASS	T	
TE-104-AW-46	5/12/84	75	CASS	T	
TE-104-AW-46	5/19/84	86	CASS	T	
TE-104-AW-46	5/26/84	103	CASS	T	
TE-104-AW-46	6/2/84	104	CASS	T	
TE-104-AW-46	6/7/84	105	CASS	T	
TE-104-AW-46	6/23/84	104	CASS	T	
TE-104-AW-46	6/30/84	107	CASS	T	
TE-104-AW-46	7/7/84	111	CASS	T	
TE-104-AW-46	7/14/84	115	CASS	T	
TE-104-AW-46	7/21/84	118	CASS	T	
TE-104-AW-46	7/23/84	118	CASS	T	
TE-104-AW-46	8/4/84	118	CASS	T	
TE-104-AW-46	8/8/84	119	CASS	T	
TE-104-AW-46	8/18/84	125	CASS	T	
TE-104-AW-46	8/19/84	116	CASS	T	
TE-104-AW-46	8/27/84	108	CASS	T	
TE-104-AW-46	9/2/84	103	CASS	T	
TE-104-AW-46	9/10/84	101	CASS	T	
TE-104-AW-46	9/16/84	99	CASS	T	
TE-104-AW-46	9/24/84	97	CASS	T	
TE-104-AW-46	10/5/84	95	CASS	T	
TE-104-AW-46	10/11/84	84	CASS	T	
TE-104-AW-46	10/16/84	95	CASS	T	
TE-104-AW-46	10/23/84	90	CASS	T	
TE-104-AW-46	11/3/84	109	CASS	T	
TE-104-AW-46	11/10/84	131	CASS	T	
TE-104-AW-46	11/12/84	133	CASS	T	
TE-104-AW-46	11/21/84	132	CASS	T	
TE-104-AW-46	11/25/84	131	CASS	T	
TE-104-AW-46	12/4/84	130	CASS	T	
TE-104-AW-46	12/15/84	127	CASS	T	
TE-104-AW-46	12/17/84	127	CASS	T	
TE-104-AW-46	12/23/84	125	CASS	T	
TE-104-AW-46	1/1/85	123	CASS	T	
TE-104-AW-46	1/8/85	122	CASS	T	
TE-104-AW-46	1/14/85	121	CASS	T	
TE-104-AW-46	1/21/85	120	CASS	T	
TE-104-AW-46	2/2/85	117	CASS	T	
TE-104-AW-46	2/9/85	117	CASS	T	
TE-104-AW-46	2/11/85	117	CASS	T	
TE-104-AW-46	2/20/85	116	CASS	T	
TE-104-AW-46	2/26/85	115	CASS	T	
TE-104-AW-46	3/9/85	114	CASS	T	
TE-104-AW-46	3/16/85	113	CASS	T	
TE-104-AW-46	3/18/85	113	CASS	T	
TE-104-AW-46	3/30/85	112	CASS	T	
TE-104-AW-46	4/1/85	112	CASS	T	
TE-104-AW-46	4/13/85	111	CASS	T	
TE-104-AW-46	4/16/85	111	CASS	T	
TE-104-AW-46	4/27/85	110	CASS	T	
TE-104-AW-46	5/3/85	110	CASS	T	
TE-104-AW-46	5/11/85	109	CASS	T	
TE-104-AW-46	5/18/85	109	CASS	T	
TE-104-AW-46	5/24/85	109	CASS	T	
TE-104-AW-46	6/1/85	108	CASS	T	
TE-104-AW-46	6/8/85	108	CASS	T	
TE-104-AW-46	6/11/85	108	CASS	T	
TE-104-AW-46	6/19/85	107	CASS	T	
TE-104-AW-46	11/1/85	105	CASS	T	
TE-104-AW-46	12/1/85	104	CASS	T	
TE-104-AW-46	1/3/86	102	CASS	T	
TE-104-AW-46	1/11/86	101	CASS	T	
TE-104-AW-46	1/17/86	101	CASS	T	
TE-104-AW-46	1/25/86	100	CASS	T	
TE-104-AW-46	1/31/86	100	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-46	2/8/86	99	CASS	T	
TE-104-AW-46	2/14/86	99	CASS	T	
TE-104-AW-46	2/18/86	99	CASS	T	
TE-104-AW-46	2/26/86	98	CASS	T	
TE-104-AW-46	3/5/86	107	CASS	T	
TE-104-AW-46	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-104-AW-46	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-46	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-46	9/20/86	97	CASS	T	
TE-104-AW-46	9/22/86	96	CASS	T	
TE-104-AW-46	9/29/86	98	CASS	T	
TE-104-AW-46	10/5/86	95	CASS	T	
TE-104-AW-46	10/18/86	94	CASS	T	
TE-104-AW-46	10/23/86	95	CASS	T	
TE-104-AW-46	11/1/86	99	CASS	T	
TE-104-AW-46	11/5/86	98	CASS	T	
TE-104-AW-46	11/9/86	96	CASS	T	
TE-104-AW-46	11/22/86	93	CASS	T	
TE-104-AW-46	11/25/86	94	CASS	T	
TE-104-AW-46	12/3/86	92	CASS	T	
TE-104-AW-46	12/10/86	91	CASS	T	
TE-104-AW-46	12/17/86	90	CASS	T	
TE-104-AW-46	12/25/86	87	CASS	T	
TE-104-AW-46	12/31/86	87	CASS	T	
TE-104-AW-46	7/4/87	94	CASS	T	
TE-104-AW-46	7/11/87	95	CASS	T	
TE-104-AW-46	7/18/87	95	CASS	T	
TE-104-AW-46	7/25/87	99	CASS	T	
TE-104-AW-46	8/1/87	99	CASS	T	
TE-104-AW-46	8/8/87	101	CASS	T	
TE-104-AW-46	8/12/87	99	CASS	T	
TE-104-AW-46	8/15/87	114	CASS	S	Data point did not agree with local trend
TE-104-AW-46	8/22/87	104	CASS	T	
TE-104-AW-46	8/28/87	103	CASS	T	
TE-104-AW-46	9/4/87	104	CASS	T	
TE-104-AW-46	9/10/87	104	CASS	T	
TE-104-AW-46	11/27/87	95	CASS	T	
TE-104-AW-46	11/29/87	93	CASS	T	
TE-104-AW-46	3/26/88	99	CASS	T	
TE-104-AW-46	3/31/88	99	CASS	T	
TE-104-AW-46	6/4/88	97	CASS	T	
TE-104-AW-46	6/7/88	97	CASS	T	
TE-104-AW-46	6/18/88	97	CASS	T	
TE-104-AW-46	6/25/88	97	CASS	T	
TE-104-AW-46	7/2/88	98	CASS	T	
TE-104-AW-46	7/9/88	98	CASS	T	
TE-104-AW-46	7/16/88	99	CASS	T	
TE-104-AW-46	7/17/88	99	CASS	T	
TE-104-AW-46	7/30/88	99	CASS	T	
TE-104-AW-46	8/2/88	87	CASS	S	Data point did not agree with local trend
TE-104-AW-46	8/6/88	99	CASS	T	
TE-104-AW-46	8/13/88	99	CASS	T	
TE-104-AW-46	8/20/88	99	CASS	T	
TE-104-AW-46	8/27/88	99	CASS	T	
TE-104-AW-46	9/3/88	100	CASS	T	
TE-104-AW-46	9/10/88	104	CASS	T	
TE-104-AW-46	9/12/88	104	CASS	T	
TE-104-AW-46	9/24/88	103	CASS	T	
TE-104-AW-46	9/27/88	103	CASS	T	
TE-104-AW-46	12/3/88	98	CASS	T	
TE-104-AW-46	12/10/88	98	CASS	T	
TE-104-AW-46	12/15/88	98	CASS	T	
TE-104-AW-46	12/20/88	97	CASS	T	
TE-104-AW-46	9/2/89	89	CASS	T	
TE-104-AW-46	9/9/89	89	CASS	T	
TE-104-AW-46	9/16/89	89	CASS	T	
TE-104-AW-46	9/22/89	90	CASS	T	
TE-104-AW-46	9/28/89	89	CASS	T	
TE-104-AW-46	11/4/89	87	CASS	T	
TE-104-AW-46	11/11/89	91	CASS	T	
TE-104-AW-46	11/16/89	90	CASS	T	
TE-104-AW-46	11/21/89	89	CASS	T	
TE-104-AW-46	11/30/89	90	CASS	T	

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-46	12/3/89	88	CASS	T	
TE-104-AW-46	12/12/89	91	CASS	T	
TE-104-AW-46	12/21/89	85	CASS	T	
TE-104-AW-46	12/27/89	85	CASS	T	
TE-104-AW-46	1/6/90	83	CASS	T	
TE-104-AW-46	1/7/90	90	CASS	T	
TE-104-AW-46	1/16/90	85	CASS	T	
TE-104-AW-46	1/21/90	86	CASS	T	
TE-104-AW-46	1/28/90	84	CASS	T	
TE-104-AW-46	2/10/90	85	CASS	T	
TE-104-AW-46	2/13/90	84	CASS	T	
TE-104-AW-46	2/23/90	84	CASS	T	
TE-104-AW-46	3/3/90	84	CASS	T	
TE-104-AW-46	3/8/90	85	CASS	T	
TE-104-AW-46	3/14/90	84	CASS	T	
TE-104-AW-46	3/21/90	83	CASS	T	
TE-104-AW-46	3/23/90	67	CASS	S	Data point did not agree with local trend
TE-104-AW-46	3/31/90	82	CASS	T	
TE-104-AW-46	4/3/90	53	CASS	T	
TE-104-AW-46	4/14/90	82	CASS	T	
TE-104-AW-46	4/21/90	82	CASS	T	
TE-104-AW-46	4/22/90	82	CASS	T	
TE-104-AW-46	5/5/90	81	CASS	T	
TE-104-AW-46	5/12/90	81	CASS	T	
TE-104-AW-46	5/15/90	81	CASS	T	
TE-104-AW-46	5/22/90	80	CASS	T	
TE-104-AW-46	6/2/90	80	CASS	T	
TE-104-AW-46	6/9/90	80	CASS	T	
TE-104-AW-46	6/18/90	80	CASS	T	
TE-104-AW-46	6/23/90	80	CASS	T	
TE-104-AW-46	6/30/90	80	CASS	T	
TE-104-AW-46	7/3/90	67	CASS	S	Data point did not agree with local trend
TE-104-AW-46	7/7/90	80	CASS	T	
TE-104-AW-46	7/14/90	81	CASS	T	
TE-104-AW-46	7/21/90	81	CASS	T	
TE-104-AW-46	7/28/90	81	CASS	T	
TE-104-AW-46	8/4/90	81	CASS	T	
TE-104-AW-46	8/11/90	81	CASS	T	
TE-104-AW-46	8/18/90	81	CASS	T	
TE-104-AW-46	8/25/90	81	CASS	T	
TE-104-AW-46	9/1/90	81	CASS	T	
TE-104-AW-46	9/8/90	81	CASS	T	
TE-104-AW-46	9/15/90	81	CASS	T	
TE-104-AW-46	9/22/90	81	CASS	T	
TE-104-AW-46	9/29/90	81	CASS	T	
TE-104-AW-46	10/6/90	81	CASS	T	
TE-104-AW-46	10/13/90	81	CASS	T	
TE-104-AW-46	10/20/90	81	CASS	T	
TE-104-AW-46	10/27/90	81	CASS	T	
TE-104-AW-46	10/31/90	81	CASS	T	
TE-104-AW-46	11/10/90	80	CASS	T	
TE-104-AW-46	11/17/90	80	CASS	T	
TE-104-AW-46	11/18/90	80	CASS	T	
TE-104-AW-46	12/1/90	79	CASS	T	
TE-104-AW-46	12/8/90	79	CASS	T	
TE-104-AW-46	12/15/90	80	CASS	T	
TE-104-AW-46	12/16/90	80	CASS	T	
TE-104-AW-46	12/29/90	78	CASS	T	
TE-104-AW-46	1/4/91	78	CASS	T	
TE-104-AW-46	1/12/91	77	CASS	T	
TE-104-AW-46	1/19/91	77	CASS	T	
TE-104-AW-46	1/26/91	77	CASS	T	
TE-104-AW-46	2/2/91	77	CASS	T	
TE-104-AW-46	2/9/91	77	CASS	T	
TE-104-AW-46	2/16/91	77	CASS	T	
TE-104-AW-46	2/23/91	77	CASS	T	
TE-104-AW-46	3/2/91	77	CASS	T	
TE-104-AW-46	3/9/91	77	CASS	T	
TE-104-AW-46	3/16/91	77	CASS	T	
TE-104-AW-46	3/23/91	77	CASS	T	
TE-104-AW-46	3/26/91	77	CASS	T	
TE-104-AW-46	4/1/91	77	CASS	T	
TE-104-AW-46	4/13/91	76	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-48	4/20/91	76	CASS	T	
TE-104-AW-48	4/22/91	77	CASS	T	
TE-104-AW-48	5/4/91	76	CASS	T	
TE-104-AW-48	5/11/91	76	CASS	T	
TE-104-AW-48	5/18/91	76	CASS	T	
TE-104-AW-48	5/25/91	76	CASS	T	
TE-104-AW-48	5/31/91	76	CASS	T	
TE-104-AW-48	6/8/91	76	CASS	T	
TE-104-AW-48	6/15/91	76	CASS	T	
TE-104-AW-48	6/21/91	76	CASS	T	
TE-104-AW-48	6/25/91	76	CASS	T	
TE-104-AW-48	2/3/92	72	SACS	T	
TE-104-AW-48	2/10/92	72	SACS	T	
TE-104-AW-48	2/17/92	72	SACS	T	
TE-104-AW-48	2/24/92	72	SACS	T	
TE-104-AW-48	3/2/92	71	SACS	T	
TE-104-AW-48	3/9/92	71	SACS	T	
TE-104-AW-48	3/16/92	71	SACS	T	
TE-104-AW-48	3/23/92	71	SACS	T	
TE-104-AW-48	3/30/92	71	SACS	T	
TE-104-AW-48	4/6/92	71	SACS	T	
TE-104-AW-48	4/13/92	70	SACS	T	
TE-104-AW-48	4/20/92	70	SACS	T	
TE-104-AW-48	4/27/92	80	SACS	T	
TE-104-AW-48	5/4/92	70	SACS	T	
TE-104-AW-48	5/11/92	71	SACS	T	
TE-104-AW-48	5/18/92	78	SACS	T	
TE-104-AW-48	5/25/92	79	SACS	T	
TE-104-AW-48	6/8/92	70	SACS	T	
TE-104-AW-48	6/15/92	70	SACS	T	
TE-104-AW-48	6/22/92	69	SACS	T	
TE-104-AW-48	7/6/92	69	SACS	T	
TE-104-AW-48	7/13/92	70	SACS	T	
TE-104-AW-48	7/20/92	69	SACS	T	
TE-104-AW-48	7/27/92	69	SACS	T	
TE-104-AW-48	8/3/92	70	SACS	T	
TE-104-AW-48	8/10/92	69	SACS	T	
TE-104-AW-48	8/17/92	70	SACS	T	
TE-104-AW-48	8/24/92	71	SACS	T	
TE-104-AW-48	8/31/92	70	SACS	T	
TE-104-AW-48	9/7/92	72	SACS	T	
TE-104-AW-48	9/14/92	71	SACS	T	
TE-104-AW-48	9/21/92	70	SACS	T	
TE-104-AW-48	9/28/92	71	SACS	T	
TE-104-AW-48	1/4/93	72	SACS	T	
TE-104-AW-48	1/11/93	72	SACS	T	
TE-104-AW-48	1/18/93	71	SACS	T	
TE-104-AW-48	3/1/93	72	SACS	T	
TE-104-AW-48	3/8/93	70	SACS	T	
TE-104-AW-48	3/20/93	69	SACS	T	
TE-104-AW-48	3/22/93	69	SACS	T	
TE-104-AW-48	3/29/93	69	SACS	T	
TE-104-AW-48	4/6/93	68	SACS	T	
TE-104-AW-48	4/12/93	68	SACS	T	
TE-104-AW-48	4/19/93	68	SACS	T	
TE-104-AW-48	4/26/93	68	SACS	T	
TE-104-AW-48	5/3/93	68	SACS	T	
TE-104-AW-48	5/10/93	66	SACS	T	
TE-104-AW-48	5/17/93	68	SACS	T	
TE-104-AW-48	5/24/93	68	SACS	T	
TE-104-AW-48	5/31/93	67	SACS	T	
TE-104-AW-48	6/7/93	68	SACS	T	
TE-104-AW-48	6/15/93	68	SACS	T	
TE-104-AW-48	6/22/93	68	SACS	T	
TE-104-AW-48	6/28/93	67	SACS	T	
TE-104-AW-48	7/26/93	68	SACS	T	
TE-104-AW-48	8/2/93	68	SACS	T	
TE-104-AW-48	8/9/93	68	SACS	T	
TE-104-AW-48	8/16/93	69	SACS	T	
TE-104-AW-48	8/23/93	69	SACS	T	
TE-104-AW-48	8/30/93	69	SACS	T	
TE-104-AW-48	9/13/93	70	SACS	T	
TE-104-AW-48	9/21/93	70	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-46	9/27/93	70	SACS	T	
TE-104-AW-46	10/11/93	71	SACS	T	
TE-104-AW-46	10/19/93	70	SACS	T	
TE-104-AW-46	10/26/93	70	SACS	T	
TE-104-AW-46	11/1/93	69	SACS	T	
TE-104-AW-46	11/8/93	74	SACS	T	
TE-104-AW-46	11/15/93	70	SACS	T	
TE-104-AW-46	11/26/93	72	SACS	T	
TE-104-AW-46	11/29/93	70	SACS	T	
TE-104-AW-46	12/6/93	70	SACS	T	
TE-104-AW-46	12/16/93	71	SACS	T	
TE-104-AW-46	12/20/93	71	SACS	T	
TE-104-AW-46	12/27/93	71	SACS	T	
TE-104-AW-46	1/5/94	71	SACS	T	
TE-104-AW-46	1/10/94	71	SACS	T	
TE-104-AW-46	1/24/94	73	SACS	T	
TE-104-AW-46	1/31/94	70	SACS	T	
TE-104-AW-46	2/7/94	71	SACS	G	
TE-104-AW-46	2/21/94	70	SACS	G	
TE-104-AW-46	2/28/94	70	SACS	T	
TE-104-AW-46	3/7/94	69	SACS	T	
TE-104-AW-46	3/14/94	69	SACS	G	
TE-104-AW-46	3/21/94	69	SACS	G	
TE-104-AW-46	3/28/94	69	SACS	G	
TE-104-AW-46	4/5/94	69	SACS	G	
TE-104-AW-46	4/11/94	68	SACS	G	
TE-104-AW-46	4/18/94	69	SACS	G	
TE-104-AW-46	4/25/94	69	SACS	G	
TE-104-AW-46	5/2/94	68	SACS	G	
TE-104-AW-46	5/9/94	68	SACS	G	
TE-104-AW-46	5/16/94	68	SACS	G	
TE-104-AW-46	5/31/94	68	SACS	G	
TE-104-AW-46	6/6/94	68	SACS	G	
TE-104-AW-46	6/13/94	68	SACS	G	
TE-104-AW-46	6/20/94	68	SACS	G	
TE-104-AW-46	6/27/94	68	SACS	G	
TE-104-AW-46	7/4/94	68	SACS	G	
TE-104-AW-46	7/18/94	69	SACS	G	
TE-104-AW-46	7/25/94	69	SACS	G	
TE-104-AW-46	8/1/94	68	SACS	G	
TE-104-AW-46	8/8/94	69	SACS	G	
TE-104-AW-46	8/15/94	68	SACS	G	
TE-104-AW-46	8/22/94	69	SACS	G	
TE-104-AW-46	8/27/94	69	SACS	G	
TE-104-AW-46	9/12/94	69	SACS	G	
TE-104-AW-46	9/19/94	69	SACS	G	
TE-104-AW-46	9/26/94	68	SACS	S (G in SACS)	Data point did not agree with local trend
TE-104-AW-46	10/10/94	69	SACS	G	
TE-104-AW-46	10/17/94	71	SACS	G	
TE-104-AW-46	10/24/94	71	SACS	G	
TE-104-AW-46	10/31/94	71	SACS	G	
TE-104-AW-46	11/7/94	71	SACS	G	
TE-104-AW-46	11/14/94	71	SACS	G	
TE-104-AW-46	11/21/94	71	SACS	G	
TE-104-AW-46	11/28/94	71	SACS	G	
TE-104-AW-46	12/5/94	72	SACS	G	
TE-104-AW-46	12/12/94	71	SACS	G	
TE-104-AW-46	12/19/94	71	SACS	G	
TE-104-AW-46	12/26/94	71	SACS	G	
TE-104-AW-46	1/2/95	72	SACS	G	
TE-104-AW-46	1/9/95	71	SACS	G	
TE-104-AW-46	1/16/95	71	SACS	G	
TE-104-AW-46	1/23/95	71	SACS	G	
TE-104-AW-46	1/30/95	71	SACS	G	
TE-104-AW-46	2/6/95	71	SACS	G	
TE-104-AW-46	2/13/95	71	SACS	G	
TE-104-AW-46	2/24/95	70	SACS	G	
TE-104-AW-46	2/27/95	71	SACS	G	
TE-104-AW-46	3/6/95	70	SACS	G	
TE-104-AW-46	3/19/95	69	SACS	G	
TE-104-AW-46	3/27/95	65	SACS	G	
TE-104-AW-46	4/3/95	69	SACS	G	
TE-104-AW-46	4/10/95	69	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-46	4/17/95	69	SACS	G	
TE-104-AW-46	4/24/95	67	SACS	G	
TE-104-AW-46	5/1/95	69	SACS	G	
TE-104-AW-46	5/13/95	69	SACS	G	
TE-104-AW-46	5/22/95	69	SACS	G	
TE-104-AW-46	5/29/95	69	SACS	G	
TE-104-AW-46	6/6/95	69	SACS	G	
TE-104-AW-46	6/13/95	69	SACS	G	
TE-104-AW-46	6/19/95	68	SACS	G	
TE-104-AW-46	6/26/95	68	SACS	G	
TE-104-AW-47	7/18/83	69	CASS	T	
TE-104-AW-47	7/23/83	70	CASS	T	
TE-104-AW-47	7/30/83	70	CASS	T	
TE-104-AW-47	8/8/83	71	CASS	T	
TE-104-AW-47	8/13/83	107	CASS	T	
TE-104-AW-47	8/17/83	113	CASS	T	
TE-104-AW-47	8/21/83	111	CASS	T	
TE-104-AW-47	8/31/83	108	CASS	T	
TE-104-AW-47	9/10/83	105	CASS	T	
TE-104-AW-47	9/14/83	105	CASS	T	
TE-104-AW-47	9/18/83	104	CASS	T	
TE-104-AW-47	9/30/83	102	CASS	T	
TE-104-AW-47	10/5/83	101	CASS	T	
TE-104-AW-47	10/15/83	99	CASS	T	
TE-104-AW-47	10/19/83	99	CASS	T	
TE-104-AW-47	3/10/84	99	CASS	T	
TE-104-AW-47	3/11/84	99	CASS	T	
TE-104-AW-47	3/19/84	89	CASS	T	
TE-104-AW-47	3/25/84	85	CASS	T	
TE-104-AW-47	4/2/84	82	CASS	T	
TE-104-AW-47	4/9/84	80	CASS	T	
TE-104-AW-47	4/20/84	78	CASS	T	
TE-104-AW-47	4/27/84	77	CASS	T	
TE-104-AW-47	5/3/84	76	CASS	T	
TE-104-AW-47	5/12/84	75	CASS	T	
TE-104-AW-47	5/19/84	96	CASS	T	
TE-104-AW-47	5/26/84	102	CASS	T	
TE-104-AW-47	6/2/84	104	CASS	T	
TE-104-AW-47	6/7/84	105	CASS	T	
TE-104-AW-47	6/23/84	104	CASS	T	
TE-104-AW-47	6/30/84	107	CASS	T	
TE-104-AW-47	7/7/84	111	CASS	T	
TE-104-AW-47	7/14/84	115	CASS	T	
TE-104-AW-47	7/21/84	118	CASS	T	
TE-104-AW-47	7/23/84	118	CASS	T	
TE-104-AW-47	8/4/84	118	CASS	T	
TE-104-AW-47	8/8/84	119	CASS	T	
TE-104-AW-47	8/19/84	125	CASS	T	
TE-104-AW-47	8/19/84	116	CASS	T	
TE-104-AW-47	8/27/84	108	CASS	T	
TE-104-AW-47	9/2/84	103	CASS	T	
TE-104-AW-47	9/10/84	101	CASS	T	
TE-104-AW-47	9/17/84	99	CASS	T	
TE-104-AW-47	9/24/84	97	CASS	T	
TE-104-AW-47	9/30/84	96	CASS	T	
TE-104-AW-47	10/11/84	94	CASS	T	
TE-104-AW-47	10/16/84	95	CASS	T	
TE-104-AW-47	10/23/84	90	CASS	T	
TE-104-AW-47	11/3/84	109	CASS	T	
TE-104-AW-47	11/10/84	131	CASS	T	
TE-104-AW-47	11/15/84	133	CASS	T	
TE-104-AW-47	11/22/84	132	CASS	T	
TE-104-AW-47	11/26/84	131	CASS	T	
TE-104-AW-47	12/4/84	130	CASS	T	
TE-104-AW-47	12/15/84	127	CASS	T	
TE-104-AW-47	12/17/84	127	CASS	T	
TE-104-AW-47	12/24/84	125	CASS	T	
TE-104-AW-47	1/1/85	123	CASS	T	
TE-104-AW-47	1/8/85	122	CASS	T	
TE-104-AW-47	1/14/85	121	CASS	T	
TE-104-AW-47	1/21/85	120	CASS	T	
TE-104-AW-47	2/2/85	117	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-47	2/9/85	117	CASS	T	
TE-104-AW-47	2/11/85	117	CASS	T	
TE-104-AW-47	2/20/85	118	CASS	T	
TE-104-AW-47	2/26/85	116	CASS	T	
TE-104-AW-47	3/9/85	114	CASS	T	
TE-104-AW-47	3/19/85	113	CASS	T	
TE-104-AW-47	3/19/85	113	CASS	T	
TE-104-AW-47	3/30/85	112	CASS	T	
TE-104-AW-47	4/2/85	112	CASS	T	
TE-104-AW-47	4/13/85	111	CASS	T	
TE-104-AW-47	4/16/85	111	CASS	T	
TE-104-AW-47	4/27/85	110	CASS	T	
TE-104-AW-47	5/3/85	110	CASS	T	
TE-104-AW-47	5/11/85	109	CASS	T	
TE-104-AW-47	5/16/85	109	CASS	T	
TE-104-AW-47	5/24/85	109	CASS	T	
TE-104-AW-47	5/26/85	109	CASS	T	
TE-104-AW-47	6/8/85	108	CASS	T	
TE-104-AW-47	6/13/85	108	CASS	T	
TE-104-AW-47	6/19/85	107	CASS	T	
TE-104-AW-47	11/1/85	105	CASS	T	
TE-104-AW-47	12/1/85	104	CASS	T	
TE-104-AW-47	1/3/86	102	CASS	T	
TE-104-AW-47	1/11/86	101	CASS	T	
TE-104-AW-47	1/17/86	101	CASS	T	
TE-104-AW-47	1/25/86	100	CASS	T	
TE-104-AW-47	1/31/86	100	CASS	T	
TE-104-AW-47	2/6/86	100	CASS	T	
TE-104-AW-47	2/14/86	99	CASS	T	
TE-104-AW-47	2/18/86	99	CASS	T	
TE-104-AW-47	2/26/86	98	CASS	T	
TE-104-AW-47	3/5/86	107	CASS	T	
TE-104-AW-47	8/13/86	200	CASS	S	Data point did not agree with local trend
TE-104-AW-47	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-47	9/16/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-47	9/16/86	182	CASS	S	Data point did not agree with local trend
TE-104-AW-47	9/17/86	96	CASS	T	
TE-104-AW-47	10/11/86	94	CASS	T	
TE-104-AW-47	10/17/86	94	CASS	T	
TE-104-AW-47	10/20/86	94	CASS	T	
TE-104-AW-47	11/1/86	95	CASS	T	
TE-104-AW-47	11/8/86	95	CASS	T	
TE-104-AW-47	11/9/86	84	CASS	T	
TE-104-AW-47	11/22/86	93	CASS	T	
TE-104-AW-47	11/24/86	94	CASS	T	
TE-104-AW-47	12/2/86	92	CASS	T	
TE-104-AW-47	12/11/86	91	CASS	T	
TE-104-AW-47	12/16/86	90	CASS	T	
TE-104-AW-47	12/25/86	87	CASS	T	
TE-104-AW-47	12/31/86	87	CASS	T	
TE-104-AW-47	7/4/87	98	CASS	T	
TE-104-AW-47	7/11/87	95	CASS	T	
TE-104-AW-47	7/18/87	95	CASS	T	
TE-104-AW-47	7/25/87	102	CASS	T	
TE-104-AW-47	8/1/87	99	CASS	T	
TE-104-AW-47	8/8/87	101	CASS	T	
TE-104-AW-47	8/12/87	99	CASS	T	
TE-104-AW-47	8/15/87	114	CASS	S	Data point did not agree with local trend
TE-104-AW-47	8/22/87	104	CASS	T	
TE-104-AW-47	8/26/87	103	CASS	T	
TE-104-AW-47	9/4/87	104	CASS	T	
TE-104-AW-47	9/10/87	104	CASS	T	
TE-104-AW-47	11/27/87	95	CASS	T	
TE-104-AW-47	11/29/87	93	CASS	T	
TE-104-AW-47	3/26/88	100	CASS	T	
TE-104-AW-47	3/31/88	100	CASS	T	
TE-104-AW-47	6/4/88	97	CASS	T	
TE-104-AW-47	6/7/88	97	CASS	T	
TE-104-AW-47	6/18/88	97	CASS	T	
TE-104-AW-47	6/25/88	98	CASS	T	
TE-104-AW-47	7/2/88	98	CASS	T	
TE-104-AW-47	7/9/88	98	CASS	T	
TE-104-AW-47	7/16/88	99	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-47	7/23/88	98	CASS	T	
TE-104-AW-47	7/30/88	99	CASS	T	
TE-104-AW-47	8/2/88	87	CASS	S	Data point did not agree with local trend
TE-104-AW-47	8/6/88	99	CASS	T	
TE-104-AW-47	8/13/88	100	CASS	T	
TE-104-AW-47	8/19/88	101	CASS	T	
TE-104-AW-47	8/27/88	101	CASS	T	
TE-104-AW-47	9/3/88	102	CASS	T	
TE-104-AW-47	9/10/88	105	CASS	T	
TE-104-AW-47	9/17/88	104	CASS	T	
TE-104-AW-47	9/21/88	104	CASS	T	
TE-104-AW-47	9/26/88	103	CASS	T	
TE-104-AW-47	12/3/88	98	CASS	T	
TE-104-AW-47	12/10/88	98	CASS	T	
TE-104-AW-47	12/12/88	98	CASS	T	
TE-104-AW-47	12/20/88	97	CASS	T	
TE-104-AW-47	7/10/89	89	SACS	T	
TE-104-AW-47	7/17/89	88	SACS	T	
TE-104-AW-47	7/24/89	88	SACS	T	
TE-104-AW-47	8/7/89	87	SACS	T	
TE-104-AW-47	8/14/89	89	SACS	T	
TE-104-AW-47	8/21/89	88	SACS	T	
TE-104-AW-47	9/2/89	89	CASS	T	
TE-104-AW-47	9/9/89	89	CASS	T	
TE-104-AW-47	9/16/89	89	CASS	T	
TE-104-AW-47	9/22/89	90	CASS	T	
TE-104-AW-47	9/28/89	89	CASS	T	
TE-104-AW-47	10/1/89	88	SACS	T	
TE-104-AW-47	10/9/89	88	SACS	T	
TE-104-AW-47	10/18/89	86	SACS	T	
TE-104-AW-47	10/24/89	88	SACS	T	
TE-104-AW-47	11/4/89	87	CASS	T	
TE-104-AW-47	11/11/89	91	CASS	T	
TE-104-AW-47	11/16/89	90	CASS	T	
TE-104-AW-47	11/21/89	89	CASS	T	
TE-104-AW-47	11/30/89	90	CASS	T	
TE-104-AW-47	12/3/89	88	CASS	T	
TE-104-AW-47	12/11/89	93	SACS	T	
TE-104-AW-47	12/19/89	85	CASS	T	
TE-104-AW-47	12/28/89	84	CASS	T	
TE-104-AW-47	1/2/90	83	SACS	T	
TE-104-AW-47	1/7/90	98	CASS	S	Data point did not agree with local trend
TE-104-AW-47	1/8/90	84	SACS	T	
TE-104-AW-47	1/15/90	85	SACS	T	
TE-104-AW-47	1/22/90	86	SACS	T	
TE-104-AW-47	1/29/90	85	SACS	T	
TE-104-AW-47	2/10/90	85	CASS	T	
TE-104-AW-47	2/12/90	86	SACS	T	
TE-104-AW-47	2/19/90	85	SACS	T	
TE-104-AW-47	3/2/90	85	CASS	T	
TE-104-AW-47	3/4/90	87	CASS	T	
TE-104-AW-47	3/12/90	85	SACS	T	
TE-104-AW-47	3/19/90	84	SACS	T	
TE-104-AW-47	3/23/90	88	CASS	S	Data point did not agree with local trend
TE-104-AW-47	3/31/90	83	CASS	T	
TE-104-AW-47	4/3/90	83	CASS	T	
TE-104-AW-47	4/9/90	83	SACS	T	
TE-104-AW-47	4/16/90	82	SACS	T	
TE-104-AW-47	4/23/90	81	SACS	T	
TE-104-AW-47	5/6/90	81	CASS	T	
TE-104-AW-47	5/12/90	81	CASS	T	
TE-104-AW-47	5/15/90	81	CASS	T	
TE-104-AW-47	5/22/90	80	CASS	T	
TE-104-AW-47	5/28/90	86	SACS	S	Data point did not agree with local trend
TE-104-AW-47	6/2/90	80	CASS	T	
TE-104-AW-47	6/9/90	80	CASS	T	
TE-104-AW-47	6/16/90	80	CASS	T	
TE-104-AW-47	6/23/90	80	CASS	T	
TE-104-AW-47	6/30/90	80	CASS	T	
TE-104-AW-47	7/3/90	68	CASS	S	Data point did not agree with local trend
TE-104-AW-47	7/7/90	80	CASS	T	
TE-104-AW-47	7/14/90	80	CASS	T	
TE-104-AW-47	7/21/90	80	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-47	7/28/90	80	CASS	T	
TE-104-AW-47	8/4/90	80	CASS	T	
TE-104-AW-47	8/6/90	97	SACS	S	Data point did not agree with local trend
TE-104-AW-47	8/11/90	80	CASS	T	
TE-104-AW-47	8/18/90	80	CASS	T	
TE-104-AW-47	8/25/90	82	CASS	T	
TE-104-AW-47	8/31/90	82	CASS	T	
TE-104-AW-47	9/3/90	82	SACS	T	
TE-104-AW-47	9/15/90	81	CASS	T	
TE-104-AW-47	9/19/90	82	CASS	T	
TE-104-AW-47	9/23/90	82	CASS	T	
TE-104-AW-47	10/6/90	81	CASS	T	
TE-104-AW-47	10/8/90	82	SACS	T	
TE-104-AW-47	10/20/90	81	CASS	T	
TE-104-AW-47	10/27/90	81	CASS	T	
TE-104-AW-47	10/29/90	81	SACS	T	
TE-104-AW-47	11/8/90	81	CASS	T	
TE-104-AW-47	11/17/90	80	CASS	T	
TE-104-AW-47	11/19/90	80	SACS	T	
TE-104-AW-47	12/1/90	79	CASS	T	
TE-104-AW-47	12/8/90	79	CASS	T	
TE-104-AW-47	12/15/90	80	CASS	T	
TE-104-AW-47	12/19/90	79	CASS	T	
TE-104-AW-47	12/24/90	80	SACS	T	
TE-104-AW-47	12/31/90	79	SACS	T	
TE-104-AW-47	1/7/91	78	SACS	T	
TE-104-AW-47	1/19/91	78	CASS	T	
TE-104-AW-47	1/25/91	77	CASS	T	
TE-104-AW-47	1/28/91	78	SACS	T	
TE-104-AW-47	2/9/91	77	CASS	T	
TE-104-AW-47	2/16/91	77	CASS	T	
TE-104-AW-47	2/23/91	77	CASS	T	
TE-104-AW-47	2/25/91	78	SACS	T	
TE-104-AW-47	3/9/91	77	CASS	T	
TE-104-AW-47	3/16/91	77	CASS	T	
TE-104-AW-47	3/23/91	77	CASS	T	
TE-104-AW-47	3/30/91	77	CASS	T	
TE-104-AW-47	4/2/91	77	CASS	T	
TE-104-AW-47	4/13/91	76	CASS	T	
TE-104-AW-47	4/20/91	76	CASS	T	
TE-104-AW-47	4/23/91	77	CASS	T	
TE-104-AW-47	5/4/91	76	CASS	T	
TE-104-AW-47	5/11/91	76	CASS	T	
TE-104-AW-47	5/18/91	76	CASS	T	
TE-104-AW-47	5/25/91	76	CASS	T	
TE-104-AW-47	5/31/91	76	CASS	T	
TE-104-AW-47	6/8/91	76	CASS	T	
TE-104-AW-47	6/15/91	76	CASS	T	
TE-104-AW-47	6/21/91	76	CASS	T	
TE-104-AW-47	6/25/91	75	CASS	T	
TE-104-AW-47	7/1/91	74	SACS	T	
TE-104-AW-47	7/8/91	72	SACS	T	
TE-104-AW-47	7/15/91	74	SACS	T	
TE-104-AW-47	7/22/91	73	SACS	T	
TE-104-AW-47	7/29/91	74	SACS	T	
TE-104-AW-47	8/4/91	74	SACS	T	
TE-104-AW-47	8/19/91	72	SACS	T	
TE-104-AW-47	8/26/91	74	SACS	T	
TE-104-AW-47	9/2/91	75	SACS	T	
TE-104-AW-47	9/9/91	75	SACS	T	
TE-104-AW-47	9/16/91	75	SACS	T	
TE-104-AW-47	9/23/91	75	SACS	T	
TE-104-AW-47	9/30/91	75	SACS	T	
TE-104-AW-47	10/7/91	75	SACS	T	
TE-104-AW-47	10/14/91	76	SACS	T	
TE-104-AW-47	10/21/91	76	SACS	T	
TE-104-AW-47	10/28/91	76	SACS	T	
TE-104-AW-47	11/5/91	76	SACS	T	
TE-104-AW-47	11/11/91	76	SACS	T	
TE-104-AW-47	11/18/91	75	SACS	T	
TE-104-AW-47	11/25/91	76	SACS	T	
TE-104-AW-47	12/2/91	75	SACS	T	
TE-104-AW-47	12/9/91	75	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-47	12/18/81	74	SACS	T	
TE-104-AW-47	12/23/81	74	SACS	T	
TE-104-AW-47	12/30/81	74	SACS	T	
TE-104-AW-47	1/8/82	74	SACS	T	
TE-104-AW-47	1/13/82	73	SACS	T	
TE-104-AW-47	1/20/82	73	SACS	T	
TE-104-AW-47	1/27/82	73	SACS	T	
TE-104-AW-47	2/22/82	71	SACS	T	
TE-104-AW-47	3/3/82	71	SACS	T	
TE-104-AW-47	3/11/82	71	SACS	T	
TE-104-AW-47	5/18/82	78	SACS	T	
TE-104-AW-47	8/28/82	70	SACS	T	
TE-104-AW-47	10/5/82	72	SACS	T	
TE-104-AW-47	10/12/82	72	SACS	T	
TE-104-AW-47	10/19/82	72	SACS	T	
TE-104-AW-47	10/26/82	72	SACS	T	
TE-104-AW-47	11/2/82	71	SACS	T	
TE-104-AW-47	11/9/82	72	SACS	T	
TE-104-AW-47	11/16/82	72	SACS	T	
TE-104-AW-47	11/23/82	73	SACS	T	
TE-104-AW-47	11/30/82	72	SACS	T	
TE-104-AW-47	12/7/82	72	SACS	T	
TE-104-AW-47	12/14/82	72	SACS	T	
TE-104-AW-47	12/21/82	71	SACS	T	
TE-104-AW-47	12/28/82	72	SACS	T	
TE-104-AW-47	1/25/83	71	SACS	T	
TE-104-AW-47	2/1/83	70	SACS	T	
TE-104-AW-47	2/8/83	70	SACS	T	
TE-104-AW-47	2/16/83	72	SACS	T	
TE-104-AW-48	7/16/83	69	CASS	T	
TE-104-AW-48	7/23/83	70	CASS	T	
TE-104-AW-48	7/30/83	70	CASS	T	
TE-104-AW-48	8/6/83	71	CASS	T	
TE-104-AW-48	8/13/83	107	CASS	T	
TE-104-AW-48	8/17/83	113	CASS	T	
TE-104-AW-48	8/21/83	111	CASS	T	
TE-104-AW-48	8/31/83	108	CASS	T	
TE-104-AW-48	9/10/83	105	CASS	T	
TE-104-AW-48	9/13/83	105	CASS	T	
TE-104-AW-48	9/18/83	104	CASS	T	
TE-104-AW-48	9/30/83	102	CASS	T	
TE-104-AW-48	10/5/83	101	CASS	T	
TE-104-AW-48	10/15/83	99	CASS	T	
TE-104-AW-48	10/18/83	99	CASS	T	
TE-104-AW-48	3/10/84	99	CASS	T	
TE-104-AW-48	3/11/84	99	CASS	T	
TE-104-AW-48	3/19/84	89	CASS	T	
TE-104-AW-48	3/25/84	85	CASS	T	
TE-104-AW-48	4/2/84	82	CASS	T	
TE-104-AW-48	4/9/84	80	CASS	T	
TE-104-AW-48	4/20/84	78	CASS	T	
TE-104-AW-48	4/26/84	77	CASS	T	
TE-104-AW-48	5/3/84	76	CASS	T	
TE-104-AW-48	5/12/84	75	CASS	T	
TE-104-AW-48	5/19/84	96	CASS	T	
TE-104-AW-48	5/26/84	100	CASS	T	
TE-104-AW-48	6/2/84	104	CASS	T	
TE-104-AW-48	6/7/84	105	CASS	T	
TE-104-AW-48	6/23/84	104	CASS	T	
TE-104-AW-48	6/30/84	107	CASS	T	
TE-104-AW-48	7/7/84	111	CASS	T	
TE-104-AW-48	7/14/84	115	CASS	T	
TE-104-AW-48	7/21/84	118	CASS	T	
TE-104-AW-48	7/23/84	118	CASS	T	
TE-104-AW-48	8/4/84	118	CASS	T	
TE-104-AW-48	8/8/84	119	CASS	T	
TE-104-AW-48	8/18/84	124	CASS	T	
TE-104-AW-48	8/19/84	116	CASS	T	
TE-104-AW-48	8/27/84	108	CASS	T	
TE-104-AW-48	9/2/84	103	CASS	T	
TE-104-AW-48	9/10/84	101	CASS	T	
TE-104-AW-48	9/16/84	99	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-48	9/24/84	97	CASS	T	
TE-104-AW-48	10/5/84	95	CASS	T	
TE-104-AW-48	10/10/84	94	CASS	T	
TE-104-AW-48	10/16/84	95	CASS	T	
TE-104-AW-48	10/23/84	90	CASS	T	
TE-104-AW-48	11/3/84	109	CASS	T	
TE-104-AW-48	11/10/84	131	CASS	T	
TE-104-AW-48	11/17/84	133	CASS	T	
TE-104-AW-48	11/23/84	132	CASS	T	
TE-104-AW-48	11/29/84	131	CASS	T	
TE-104-AW-48	12/5/84	130	CASS	T	
TE-104-AW-48	12/15/84	127	CASS	T	
TE-104-AW-48	12/17/84	127	CASS	T	
TE-104-AW-48	12/24/84	125	CASS	T	
TE-104-AW-48	1/1/85	123	CASS	T	
TE-104-AW-48	1/8/85	122	CASS	T	
TE-104-AW-48	1/14/85	121	CASS	T	
TE-104-AW-48	1/21/85	120	CASS	T	
TE-104-AW-48	2/2/85	117	CASS	T	
TE-104-AW-48	2/9/85	117	CASS	T	
TE-104-AW-48	2/13/85	117	CASS	T	
TE-104-AW-48	2/20/85	116	CASS	T	
TE-104-AW-48	2/26/85	115	CASS	T	
TE-104-AW-48	3/9/85	114	CASS	T	
TE-104-AW-48	3/16/85	113	CASS	T	
TE-104-AW-48	3/18/85	113	CASS	T	
TE-104-AW-48	3/30/85	112	CASS	T	
TE-104-AW-48	4/2/85	112	CASS	T	
TE-104-AW-48	4/13/85	111	CASS	T	
TE-104-AW-48	4/16/85	111	CASS	T	
TE-104-AW-48	4/27/85	110	CASS	T	
TE-104-AW-48	5/3/85	110	CASS	T	
TE-104-AW-48	5/11/85	109	CASS	T	
TE-104-AW-48	5/18/85	109	CASS	T	
TE-104-AW-48	5/24/85	109	CASS	T	
TE-104-AW-48	5/26/85	109	CASS	T	
TE-104-AW-48	6/8/85	108	CASS	T	
TE-104-AW-48	6/13/85	108	CASS	T	
TE-104-AW-48	6/19/85	107	CASS	T	
TE-104-AW-48	11/1/85	106	CASS	T	
TE-104-AW-48	12/1/85	104	CASS	T	
TE-104-AW-48	1/3/86	102	CASS	T	
TE-104-AW-48	1/11/86	101	CASS	T	
TE-104-AW-48	1/17/86	101	CASS	T	
TE-104-AW-48	1/25/86	100	CASS	T	
TE-104-AW-48	1/31/86	100	CASS	T	
TE-104-AW-48	2/6/86	100	CASS	T	
TE-104-AW-48	2/10/86	99	CASS	T	
TE-104-AW-48	2/22/86	92	CASS	T	
TE-104-AW-48	2/28/86	92	CASS	T	
TE-104-AW-48	3/3/86	115	CASS	S	Data point did not agree with local trend
TE-104-AW-48	3/5/86	107	CASS	T	
TE-104-AW-48	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-104-AW-48	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-48	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-48	9/19/86	105	CASS	T	
TE-104-AW-48	9/26/86	105	CASS	T	
TE-104-AW-48	10/4/86	105	CASS	T	
TE-104-AW-48	10/8/86	105	CASS	T	
TE-104-AW-48	10/17/86	94	CASS	T	
TE-104-AW-48	10/20/86	94	CASS	T	
TE-104-AW-48	11/1/86	95	CASS	T	
TE-104-AW-48	11/3/86	94	CASS	T	
TE-104-AW-48	11/9/86	92	CASS	T	
TE-104-AW-48	11/17/86	91	CASS	T	
TE-104-AW-48	11/24/86	91	CASS	T	
TE-104-AW-48	12/8/86	89	CASS	T	
TE-104-AW-48	12/11/86	89	CASS	T	
TE-104-AW-48	12/16/86	89	CASS	T	
TE-104-AW-48	12/26/86	86	CASS	T	
TE-104-AW-48	12/31/86	87	CASS	T	
TE-104-AW-48	7/4/87	96	CASS	T	
TE-104-AW-48	7/5/87	96	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-48	7/18/87	96	CASS	T	
TE-104-AW-48	7/25/87	98	CASS	T	
TE-104-AW-48	8/1/87	99	CASS	T	
TE-104-AW-48	8/8/87	101	CASS	T	
TE-104-AW-48	8/12/87	99	CASS	T	
TE-104-AW-48	8/15/87	114	CASS	S	Data point did not agree with local trend
TE-104-AW-48	8/22/87	104	CASS	T	
TE-104-AW-48	8/26/87	103	CASS	T	
TE-104-AW-48	9/4/87	104	CASS	T	
TE-104-AW-48	9/10/87	104	CASS	T	
TE-104-AW-48	11/27/87	94	CASS	T	
TE-104-AW-48	11/30/87	92	CASS	T	
TE-104-AW-48	3/26/88	97	CASS	T	
TE-104-AW-48	3/31/88	101	CASS	T	
TE-104-AW-48	6/2/88	98	CASS	T	
TE-104-AW-48	6/6/88	97	CASS	T	
TE-104-AW-48	6/13/88	98	CASS	T	
TE-104-AW-48	6/25/88	98	CASS	T	
TE-104-AW-48	7/1/88	101	CASS	T	
TE-104-AW-48	7/9/88	98	CASS	T	
TE-104-AW-48	7/15/88	99	CASS	T	
TE-104-AW-48	7/23/88	98	CASS	T	
TE-104-AW-48	7/30/88	99	CASS	T	
TE-104-AW-48	8/2/88	87	CASS	S	Data point did not agree with local trend
TE-104-AW-48	8/6/88	99	CASS	T	
TE-104-AW-48	8/13/88	101	CASS	T	
TE-104-AW-48	8/20/88	102	CASS	T	
TE-104-AW-48	8/27/88	102	CASS	T	
TE-104-AW-48	9/3/88	103	CASS	T	
TE-104-AW-48	9/10/88	106	CASS	T	
TE-104-AW-48	9/17/88	105	CASS	T	
TE-104-AW-48	9/21/88	105	CASS	T	
TE-104-AW-48	9/26/88	103	CASS	T	
TE-104-AW-48	12/3/88	99	CASS	T	
TE-104-AW-48	12/10/88	98	CASS	T	
TE-104-AW-48	12/13/88	98	CASS	T	
TE-104-AW-48	12/20/88	97	CASS	T	
TE-104-AW-48	8/2/89	89	CASS	T	
TE-104-AW-48	9/9/89	89	CASS	T	
TE-104-AW-48	9/16/89	89	CASS	T	
TE-104-AW-48	9/21/89	90	CASS	T	
TE-104-AW-48	9/28/89	89	CASS	T	
TE-104-AW-48	11/4/89	87	CASS	T	
TE-104-AW-48	11/11/89	90	CASS	T	
TE-104-AW-48	11/16/89	90	CASS	T	
TE-104-AW-48	11/21/89	89	CASS	T	
TE-104-AW-48	11/30/89	90	CASS	T	
TE-104-AW-48	12/3/89	88	CASS	T	
TE-104-AW-48	12/12/89	91	CASS	T	
TE-104-AW-48	12/19/89	85	CASS	T	
TE-104-AW-48	12/28/89	84	CASS	T	
TE-104-AW-48	1/4/90	82	CASS	T	
TE-104-AW-48	1/7/90	96	CASS	S	Data point did not agree with local trend
TE-104-AW-48	1/12/90	83	CASS	T	
TE-104-AW-48	1/14/90	83	CASS	T	
TE-104-AW-48	1/23/90	83	CASS	T	
TE-104-AW-48	2/3/90	81	CASS	T	
TE-104-AW-48	2/10/90	82	CASS	T	
TE-104-AW-48	2/13/90	81	CASS	T	
TE-104-AW-48	2/19/90	82	CASS	T	
TE-104-AW-48	3/2/90	85	CASS	T	
TE-104-AW-48	3/4/90	86	CASS	T	
TE-104-AW-48	3/14/90	84	CASS	T	
TE-104-AW-48	3/22/90	83	CASS	T	
TE-104-AW-48	3/23/90	67	CASS	S	Data point did not agree with local trend
TE-104-AW-48	3/27/90	86	CASS	T	
TE-104-AW-48	4/2/90	81	CASS	T	
TE-104-AW-48	4/13/90	81	CASS	T	
TE-104-AW-48	4/19/90	80	CASS	T	
TE-104-AW-48	4/28/90	80	CASS	T	
TE-104-AW-48	5/5/90	81	CASS	T	
TE-104-AW-48	5/12/90	81	CASS	T	
TE-104-AW-48	5/15/90	80	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-48	5/22/90	79	CASS	T	
TE-104-AW-48	6/2/90	82	CASS	T	
TE-104-AW-48	6/6/90	82	CASS	T	
TE-104-AW-48	6/10/90	81	CASS	T	
TE-104-AW-48	6/23/90	80	CASS	T	
TE-104-AW-48	6/30/90	80	CASS	T	
TE-104-AW-48	7/3/90	88	CASS	S	Data point did not agree with local trend
TE-104-AW-48	7/7/90	80	CASS	T	
TE-104-AW-48	7/14/90	80	CASS	T	
TE-104-AW-48	7/21/90	80	CASS	T	
TE-104-AW-48	7/28/90	80	CASS	T	
TE-104-AW-48	8/4/90	80	CASS	T	
TE-104-AW-48	8/11/90	80	CASS	T	
TE-104-AW-48	8/18/90	80	CASS	T	
TE-104-AW-48	8/22/90	83	CASS	T	
TE-104-AW-48	8/31/90	82	CASS	T	
TE-104-AW-48	9/8/90	81	CASS	T	
TE-104-AW-48	9/15/90	81	CASS	T	
TE-104-AW-48	9/18/90	82	CASS	T	
TE-104-AW-48	9/29/90	81	CASS	T	
TE-104-AW-48	10/5/90	81	CASS	T	
TE-104-AW-48	10/13/90	80	CASS	T	
TE-104-AW-48	10/20/90	81	CASS	T	
TE-104-AW-48	10/27/90	81	CASS	T	
TE-104-AW-48	10/28/90	81	CASS	T	
TE-104-AW-48	11/8/90	81	CASS	T	
TE-104-AW-48	11/17/90	80	CASS	T	
TE-104-AW-48	11/18/90	80	CASS	T	
TE-104-AW-48	12/1/90	80	CASS	T	
TE-104-AW-48	12/8/90	80	CASS	T	
TE-104-AW-48	12/13/90	80	CASS	T	
TE-104-AW-48	12/18/90	79	CASS	T	
TE-104-AW-48	12/28/90	77	CASS	T	
TE-104-AW-48	1/3/91	77	CASS	T	
TE-104-AW-48	1/11/91	76	CASS	T	
TE-104-AW-48	1/19/91	76	CASS	T	
TE-104-AW-48	1/26/91	76	CASS	T	
TE-104-AW-48	2/2/91	77	CASS	T	
TE-104-AW-48	2/9/91	77	CASS	T	
TE-104-AW-48	2/16/91	77	CASS	T	
TE-104-AW-48	2/23/91	77	CASS	T	
TE-104-AW-48	3/2/91	77	CASS	T	
TE-104-AW-48	3/9/91	77	CASS	T	
TE-104-AW-48	3/16/91	77	CASS	T	
TE-104-AW-48	3/23/91	77	CASS	T	
TE-104-AW-48	3/30/91	77	CASS	T	
TE-104-AW-48	4/3/91	77	CASS	T	
TE-104-AW-48	4/13/91	76	CASS	T	
TE-104-AW-48	4/20/91	76	CASS	T	
TE-104-AW-48	4/22/91	77	CASS	T	
TE-104-AW-48	5/4/91	76	CASS	T	
TE-104-AW-48	5/11/91	76	CASS	T	
TE-104-AW-48	5/18/91	76	CASS	T	
TE-104-AW-48	5/25/91	76	CASS	T	
TE-104-AW-48	5/31/91	76	CASS	T	
TE-104-AW-48	6/7/91	76	CASS	T	
TE-104-AW-48	6/15/91	75	CASS	T	
TE-104-AW-48	6/21/91	75	CASS	T	
TE-104-AW-48	6/25/91	75	CASS	T	
TE-104-AW-49	7/18/83	69	CASS	T	
TE-104-AW-49	7/23/83	70	CASS	T	
TE-104-AW-49	7/30/83	70	CASS	T	
TE-104-AW-49	8/8/83	71	CASS	T	
TE-104-AW-49	8/13/83	107	CASS	T	
TE-104-AW-49	8/17/83	113	CASS	T	
TE-104-AW-49	8/21/83	111	CASS	T	
TE-104-AW-49	8/28/83	109	CASS	T	
TE-104-AW-49	9/10/83	105	CASS	T	
TE-104-AW-49	9/14/83	105	CASS	T	
TE-104-AW-49	9/18/83	104	CASS	T	
TE-104-AW-49	9/30/83	102	CASS	T	
TE-104-AW-49	10/5/83	101	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-49	10/13/83	100	CASS	T	
TE-104-AW-49	10/16/83	99	CASS	T	
TE-104-AW-49	3/10/84	98	CASS	T	
TE-104-AW-49	3/11/84	97	CASS	T	
TE-104-AW-49	3/19/84	89	CASS	T	
TE-104-AW-49	3/25/84	85	CASS	T	
TE-104-AW-49	4/2/84	82	CASS	T	
TE-104-AW-49	4/9/84	80	CASS	T	
TE-104-AW-49	4/20/84	78	CASS	T	
TE-104-AW-49	4/27/84	77	CASS	T	
TE-104-AW-49	5/4/84	78	CASS	T	
TE-104-AW-49	5/12/84	75	CASS	T	
TE-104-AW-49	5/19/84	98	CASS	T	
TE-104-AW-49	5/26/84	100	CASS	T	
TE-104-AW-49	6/2/84	104	CASS	T	
TE-104-AW-49	6/5/84	102	CASS	T	
TE-104-AW-49	6/23/84	104	CASS	T	
TE-104-AW-49	6/30/84	107	CASS	T	
TE-104-AW-49	7/7/84	111	CASS	T	
TE-104-AW-49	7/14/84	113	CASS	T	
TE-104-AW-49	7/21/84	118	CASS	T	
TE-104-AW-49	7/23/84	118	CASS	T	
TE-104-AW-49	8/4/84	118	CASS	T	
TE-104-AW-49	8/8/84	119	CASS	T	
TE-104-AW-49	8/18/84	124	CASS	T	
TE-104-AW-49	8/19/84	116	CASS	T	
TE-104-AW-49	8/27/84	108	CASS	T	
TE-104-AW-49	9/2/84	103	CASS	T	
TE-104-AW-49	9/10/84	101	CASS	T	
TE-104-AW-49	9/17/84	99	CASS	T	
TE-104-AW-49	9/24/84	97	CASS	T	
TE-104-AW-49	9/30/84	96	CASS	T	
TE-104-AW-49	10/11/84	94	CASS	T	
TE-104-AW-49	10/16/84	95	CASS	T	
TE-104-AW-49	10/24/84	90	CASS	T	
TE-104-AW-49	11/3/84	109	CASS	T	
TE-104-AW-49	11/10/84	125	CASS	T	
TE-104-AW-49	11/17/84	133	CASS	T	
TE-104-AW-49	11/21/84	133	CASS	T	
TE-104-AW-49	11/30/84	131	CASS	T	
TE-104-AW-49	12/5/84	130	CASS	T	
TE-104-AW-49	12/15/84	127	CASS	T	
TE-104-AW-49	12/17/84	127	CASS	T	
TE-104-AW-49	12/24/84	125	CASS	T	
TE-104-AW-49	1/2/85	123	CASS	T	
TE-104-AW-49	1/9/85	122	CASS	T	
TE-104-AW-49	1/15/85	121	CASS	T	
TE-104-AW-49	1/21/85	120	CASS	T	
TE-104-AW-49	2/9/85	117	CASS	T	
TE-104-AW-49	2/13/85	117	CASS	T	
TE-104-AW-49	2/21/85	116	CASS	T	
TE-104-AW-49	2/28/85	115	CASS	T	
TE-104-AW-49	3/9/85	114	CASS	T	
TE-104-AW-49	3/11/85	114	CASS	T	
TE-104-AW-49	3/19/85	113	CASS	T	
TE-104-AW-49	3/30/85	112	CASS	T	
TE-104-AW-49	4/3/85	112	CASS	T	
TE-104-AW-49	4/13/85	111	CASS	T	
TE-104-AW-49	4/16/85	111	CASS	T	
TE-104-AW-49	4/27/85	110	CASS	T	
TE-104-AW-49	5/4/85	110	CASS	T	
TE-104-AW-49	5/7/85	110	CASS	T	
TE-104-AW-49	5/18/85	109	CASS	T	
TE-104-AW-49	5/25/85	109	CASS	T	
TE-104-AW-49	5/28/85	109	CASS	T	
TE-104-AW-49	6/8/85	108	CASS	T	
TE-104-AW-49	6/15/85	108	CASS	T	
TE-104-AW-49	6/19/85	107	CASS	T	
TE-104-AW-49	11/1/85	105	CASS	T	
TE-104-AW-49	12/1/85	104	CASS	T	
TE-104-AW-49	1/4/86	102	CASS	T	
TE-104-AW-49	1/11/86	101	CASS	T	
TE-104-AW-49	1/17/86	101	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-49	1/19/88	101	CASS	T	
TE-104-AW-49	1/31/88	100	CASS	T	
TE-104-AW-49	2/7/88	100	CASS	T	
TE-104-AW-49	2/10/88	99	CASS	T	
TE-104-AW-49	2/22/88	90	CASS	T	
TE-104-AW-49	3/1/88	90	CASS	T	
TE-104-AW-49	3/5/88	108	CASS	T	
TE-104-AW-49	9/13/88	200	CASS	S	Data point did not agree with local trend
TE-104-AW-49	9/14/88	72	CASS	S	Data point did not agree with local trend
TE-104-AW-49	9/15/88	72	CASS	S	Data point did not agree with local trend
TE-104-AW-49	9/18/88	380	CASS	S	Data point did not agree with local trend
TE-104-AW-49	9/17/88	98	CASS	T	
TE-104-AW-49	10/11/88	94	CASS	T	
TE-104-AW-49	10/17/88	94	CASS	T	
TE-104-AW-49	10/20/88	94	CASS	T	
TE-104-AW-49	11/1/88	95	CASS	T	
TE-104-AW-49	11/3/88	94	CASS	T	
TE-104-AW-49	11/9/88	92	CASS	T	
TE-104-AW-49	11/17/88	91	CASS	T	
TE-104-AW-49	11/24/88	91	CASS	T	
TE-104-AW-49	12/1/88	89	CASS	T	
TE-104-AW-49	12/10/88	88	CASS	T	
TE-104-AW-49	12/16/88	87	CASS	T	
TE-104-AW-49	12/26/88	86	CASS	T	
TE-104-AW-49	12/31/88	87	CASS	T	
TE-104-AW-49	7/4/87	97	CASS	T	
TE-104-AW-49	7/7/87	97	CASS	T	
TE-104-AW-49	7/18/87	98	CASS	T	
TE-104-AW-49	7/24/87	102	CASS	T	
TE-104-AW-49	8/1/87	99	CASS	T	
TE-104-AW-49	8/8/87	101	CASS	T	
TE-104-AW-49	8/12/87	99	CASS	T	
TE-104-AW-49	8/15/87	114	CASS	S	Data point did not agree with local trend
TE-104-AW-49	8/22/87	104	CASS	T	
TE-104-AW-49	8/26/87	103	CASS	T	
TE-104-AW-49	9/4/87	104	CASS	T	
TE-104-AW-49	9/10/87	104	CASS	T	
TE-104-AW-49	11/27/87	94	CASS	T	
TE-104-AW-49	11/29/87	93	CASS	T	
TE-104-AW-49	3/26/88	98	CASS	T	
TE-104-AW-49	3/31/88	100	CASS	T	
TE-104-AW-49	6/1/88	99	CASS	T	
TE-104-AW-49	6/7/88	97	CASS	T	
TE-104-AW-49	6/14/88	98	CASS	T	
TE-104-AW-49	6/25/88	98	CASS	T	
TE-104-AW-49	7/1/88	100	CASS	T	
TE-104-AW-49	7/8/88	99	CASS	T	
TE-104-AW-49	7/13/88	101	CASS	T	
TE-104-AW-49	7/23/88	98	CASS	T	
TE-104-AW-49	7/25/88	100	CASS	T	
TE-104-AW-49	8/2/88	88	CASS	S	Data point did not agree with local trend
TE-104-AW-49	8/6/88	99	CASS	T	
TE-104-AW-49	8/13/88	103	CASS	T	
TE-104-AW-49	8/20/88	103	CASS	T	
TE-104-AW-49	8/21/88	103	CASS	T	
TE-104-AW-49	9/3/88	103	CASS	T	
TE-104-AW-49	9/10/88	106	CASS	T	
TE-104-AW-49	9/17/88	109	CASS	T	
TE-104-AW-49	9/21/88	104	CASS	T	
TE-104-AW-49	9/30/88	101	CASS	T	
TE-104-AW-49	12/2/88	99	CASS	T	
TE-104-AW-49	12/10/88	99	CASS	T	
TE-104-AW-49	12/12/88	98	CASS	T	
TE-104-AW-49	12/20/88	96	CASS	T	
TE-104-AW-49	9/2/89	89	CASS	T	
TE-104-AW-49	9/9/89	89	CASS	T	
TE-104-AW-49	9/16/89	89	CASS	T	
TE-104-AW-49	9/22/89	90	CASS	T	
TE-104-AW-49	9/29/89	89	CASS	T	
TE-104-AW-49	11/4/89	87	CASS	T	
TE-104-AW-49	11/11/89	80	CASS	T	
TE-104-AW-49	11/16/89	90	CASS	T	
TE-104-AW-49	11/21/89	89	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-49	11/30/89	90	CASS	T	
TE-104-AW-49	12/3/89	88	CASS	T	
TE-104-AW-49	12/12/89	91	CASS	T	
TE-104-AW-49	12/19/89	85	CASS	T	
TE-104-AW-49	12/28/89	84	CASS	T	
TE-104-AW-49	1/4/90	82	CASS	T	
TE-104-AW-49	1/7/90	96	CASS	S	Data point did not agree with local trend
TE-104-AW-49	1/12/90	83	CASS	T	
TE-104-AW-49	1/14/90	83	CASS	T	
TE-104-AW-49	1/23/90	83	CASS	T	
TE-104-AW-49	1/28/90	82	CASS	T	
TE-104-AW-49	2/10/90	82	CASS	T	
TE-104-AW-49	2/15/90	81	CASS	T	
TE-104-AW-49	2/19/90	82	CASS	T	
TE-104-AW-49	3/2/90	84	CASS	T	
TE-104-AW-49	3/6/90	83	CASS	T	
TE-104-AW-49	3/15/90	82	CASS	T	
TE-104-AW-49	3/22/90	81	CASS	T	
TE-104-AW-49	3/23/90	66	CASS	S	Data point did not agree with local trend
TE-104-AW-49	3/25/90	92	CASS	T	
TE-104-AW-49	4/4/90	79	CASS	T	
TE-104-AW-49	4/12/90	80	CASS	T	
TE-104-AW-49	4/21/90	79	CASS	T	
TE-104-AW-49	4/28/90	79	CASS	T	
TE-104-AW-49	5/5/90	79	CASS	T	
TE-104-AW-49	5/11/90	80	CASS	T	
TE-104-AW-49	5/19/90	79	CASS	T	
TE-104-AW-49	5/22/90	79	CASS	T	
TE-104-AW-49	6/2/90	84	CASS	T	
TE-104-AW-49	6/3/90	83	CASS	T	
TE-104-AW-49	6/14/90	79	CASS	T	
TE-104-AW-49	6/18/90	81	CASS	T	
TE-104-AW-49	6/30/90	80	CASS	T	
TE-104-AW-49	7/3/90	67	CASS	S	Data point did not agree with local trend
TE-104-AW-49	7/4/90	81	CASS	T	
TE-104-AW-49	7/14/90	79	CASS	T	
TE-104-AW-49	7/21/90	79	CASS	T	
TE-104-AW-49	7/28/90	80	CASS	T	
TE-104-AW-49	8/4/90	80	CASS	T	
TE-104-AW-49	8/11/90	80	CASS	T	
TE-104-AW-49	8/18/90	80	CASS	T	
TE-104-AW-49	8/23/90	83	CASS	T	
TE-104-AW-49	8/30/90	82	CASS	T	
TE-104-AW-49	9/8/90	81	CASS	T	
TE-104-AW-49	9/13/90	82	CASS	T	
TE-104-AW-49	9/22/90	81	CASS	T	
TE-104-AW-49	9/28/90	82	CASS	T	
TE-104-AW-49	10/6/90	81	CASS	T	
TE-104-AW-49	10/10/90	81	CASS	T	
TE-104-AW-49	10/20/90	81	CASS	T	
TE-104-AW-49	10/27/90	81	CASS	T	
TE-104-AW-49	10/28/90	81	CASS	T	
TE-104-AW-49	11/10/90	81	CASS	T	
TE-104-AW-49	11/17/90	80	CASS	T	
TE-104-AW-49	11/24/90	82	CASS	T	
TE-104-AW-49	11/25/90	82	CASS	T	
TE-104-AW-49	12/8/90	80	CASS	T	
TE-104-AW-49	12/11/90	80	CASS	T	
TE-104-AW-49	12/18/90	79	CASS	T	
TE-104-AW-49	12/29/90	77	CASS	T	
TE-104-AW-49	12/30/90	77	CASS	T	
TE-104-AW-49	1/12/91	75	CASS	T	
TE-104-AW-49	1/19/91	77	CASS	T	
TE-104-AW-49	1/28/91	79	CASS	T	
TE-104-AW-49	2/2/91	79	CASS	T	
TE-104-AW-49	2/7/91	79	CASS	T	
TE-104-AW-49	2/18/91	78	CASS	T	
TE-104-AW-49	2/22/91	78	CASS	T	
TE-104-AW-49	3/2/91	78	CASS	T	
TE-104-AW-49	3/9/91	78	CASS	T	
TE-104-AW-49	3/16/91	78	CASS	T	
TE-104-AW-49	3/20/91	78	CASS	T	
TE-104-AW-49	3/30/91	77	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-49	4/1/81	77	CASS	T	
TE-104-AW-49	4/13/81	77	CASS	T	
TE-104-AW-49	4/20/81	77	CASS	T	
TE-104-AW-49	4/27/81	77	CASS	T	
TE-104-AW-49	5/4/81	77	CASS	T	
TE-104-AW-49	5/8/81	77	CASS	T	
TE-104-AW-49	5/18/81	78	CASS	T	
TE-104-AW-49	5/20/81	78	CASS	T	
TE-104-AW-49	5/31/81	75	CASS	T	
TE-104-AW-49	6/7/81	75	CASS	T	
TE-104-AW-49	6/15/81	74	CASS	T	
TE-104-AW-49	6/21/81	74	CASS	T	
TE-104-AW-49	6/25/81	74	CASS	T	
TE-104-AW-49	6/28/81	86	CASS	S	Data point did not agree with local trend
TE-104-AW-50	7/18/83	89	CASS	T	
TE-104-AW-50	7/23/83	70	CASS	T	
TE-104-AW-50	7/30/83	70	CASS	T	
TE-104-AW-50	8/8/83	71	CASS	T	
TE-104-AW-50	8/13/83	107	CASS	T	
TE-104-AW-50	8/19/83	112	CASS	T	
TE-104-AW-50	8/21/83	111	CASS	T	
TE-104-AW-50	8/28/83	109	CASS	T	
TE-104-AW-50	9/10/83	105	CASS	T	
TE-104-AW-50	9/14/83	105	CASS	T	
TE-104-AW-50	9/20/83	104	CASS	T	
TE-104-AW-50	9/30/83	102	CASS	T	
TE-104-AW-50	10/5/83	101	CASS	T	
TE-104-AW-50	10/13/83	100	CASS	T	
TE-104-AW-50	10/18/83	99	CASS	T	
TE-104-AW-50	3/10/84	98	CASS	T	
TE-104-AW-50	3/11/84	96	CASS	T	
TE-104-AW-50	3/19/84	89	CASS	T	
TE-104-AW-50	3/25/84	85	CASS	T	
TE-104-AW-50	4/2/84	82	CASS	T	
TE-104-AW-50	4/9/84	80	CASS	T	
TE-104-AW-50	4/20/84	78	CASS	T	
TE-104-AW-50	4/27/84	77	CASS	T	
TE-104-AW-50	5/4/84	76	CASS	T	
TE-104-AW-50	5/12/84	75	CASS	T	
TE-104-AW-50	5/19/84	96	CASS	T	
TE-104-AW-50	5/28/84	100	CASS	T	
TE-104-AW-50	6/2/84	104	CASS	T	
TE-104-AW-50	6/5/84	102	CASS	T	
TE-104-AW-50	6/19/84	102	CASS	T	
TE-104-AW-50	6/28/84	105	CASS	T	
TE-104-AW-50	7/7/84	109	CASS	T	
TE-104-AW-50	7/14/84	113	CASS	T	
TE-104-AW-50	7/21/84	118	CASS	T	
TE-104-AW-50	7/22/84	118	CASS	T	
TE-104-AW-50	8/4/84	118	CASS	T	
TE-104-AW-50	8/8/84	119	CASS	T	
TE-104-AW-50	8/18/84	124	CASS	T	
TE-104-AW-50	8/19/84	117	CASS	T	
TE-104-AW-50	8/27/84	108	CASS	T	
TE-104-AW-50	9/2/84	103	CASS	T	
TE-104-AW-50	9/10/84	101	CASS	T	
TE-104-AW-50	9/17/84	99	CASS	T	
TE-104-AW-50	9/24/84	97	CASS	T	
TE-104-AW-50	9/30/84	96	CASS	T	
TE-104-AW-50	10/11/84	94	CASS	T	
TE-104-AW-50	10/18/84	95	CASS	T	
TE-104-AW-50	10/24/84	90	CASS	T	
TE-104-AW-50	11/3/84	109	CASS	T	
TE-104-AW-50	11/10/84	121	CASS	T	
TE-104-AW-50	11/17/84	134	CASS	T	
TE-104-AW-50	11/20/84	133	CASS	T	
TE-104-AW-50	11/28/84	130	CASS	T	
TE-104-AW-50	12/8/84	127	CASS	T	
TE-104-AW-50	12/10/84	127	CASS	T	
TE-104-AW-50	12/17/84	127	CASS	T	
TE-104-AW-50	12/24/84	125	CASS	T	
TE-104-AW-50	1/2/85	123	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-50	1/8/85	122	CASS	T	
TE-104-AW-50	1/15/85	121	CASS	T	
TE-104-AW-50	1/20/85	120	CASS	T	
TE-104-AW-50	2/2/85	117	CASS	T	
TE-104-AW-50	2/5/85	117	CASS	T	
TE-104-AW-50	2/13/85	115	CASS	T	
TE-104-AW-50	2/18/85	114	CASS	T	
TE-104-AW-50	2/25/85	113	CASS	T	
TE-104-AW-50	3/6/85	112	CASS	T	
TE-104-AW-50	3/14/85	111	CASS	T	
TE-104-AW-50	3/23/85	110	CASS	T	
TE-104-AW-50	3/27/85	110	CASS	T	
TE-104-AW-50	4/13/85	108	CASS	T	
TE-104-AW-50	4/18/85	108	CASS	T	
TE-104-AW-50	4/24/85	108	CASS	T	
TE-104-AW-50	5/4/85	108	CASS	T	
TE-104-AW-50	5/11/85	108	CASS	T	
TE-104-AW-50	5/18/85	108	CASS	T	
TE-104-AW-50	5/25/85	108	CASS	T	
TE-104-AW-50	6/1/85	108	CASS	T	
TE-104-AW-50	6/8/85	108	CASS	T	
TE-104-AW-50	6/15/85	108	CASS	T	
TE-104-AW-50	6/18/85	108	CASS	T	
TE-104-AW-50	11/1/85	105	CASS	T	
TE-104-AW-50	12/1/85	104	CASS	T	
TE-104-AW-50	1/4/86	102	CASS	T	
TE-104-AW-50	1/11/86	101	CASS	T	
TE-104-AW-50	1/17/86	101	CASS	T	
TE-104-AW-50	1/19/86	101	CASS	T	
TE-104-AW-50	1/31/86	100	CASS	T	
TE-104-AW-50	2/7/86	100	CASS	T	
TE-104-AW-50	2/9/86	99	CASS	T	
TE-104-AW-50	2/22/86	90	CASS	T	
TE-104-AW-50	2/28/86	90	CASS	T	
TE-104-AW-50	3/5/86	108	CASS	T	
TE-104-AW-50	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-104-AW-50	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-50	9/15/86	73	CASS	S	Data point did not agree with local trend
TE-104-AW-50	9/17/86	96	CASS	T	
TE-104-AW-50	10/11/86	94	CASS	T	
TE-104-AW-50	10/17/86	94	CASS	T	
TE-104-AW-50	10/20/86	94	CASS	T	
TE-104-AW-50	11/1/86	95	CASS	T	
TE-104-AW-50	11/3/86	94	CASS	T	
TE-104-AW-50	11/9/86	92	CASS	T	
TE-104-AW-50	11/17/86	91	CASS	T	
TE-104-AW-50	11/24/86	91	CASS	T	
TE-104-AW-50	12/1/86	89	CASS	T	
TE-104-AW-50	12/9/86	88	CASS	T	
TE-104-AW-50	12/20/86	86	CASS	T	
TE-104-AW-50	12/26/86	86	CASS	T	
TE-104-AW-50	12/31/86	87	CASS	T	
TE-104-AW-50	7/3/87	100	CASS	T	
TE-104-AW-50	7/5/87	98	CASS	T	
TE-104-AW-50	7/16/87	102	CASS	T	
TE-104-AW-50	7/24/87	106	CASS	T	
TE-104-AW-50	8/1/87	98	CASS	T	
TE-104-AW-50	8/8/87	101	CASS	T	
TE-104-AW-50	8/12/87	99	CASS	T	
TE-104-AW-50	8/15/87	114	CASS	S	Data point did not agree with local trend
TE-104-AW-50	8/22/87	104	CASS	T	
TE-104-AW-50	8/26/87	103	CASS	T	
TE-104-AW-50	9/4/87	104	CASS	T	
TE-104-AW-50	9/10/87	104	CASS	T	
TE-104-AW-50	11/27/87	94	CASS	T	
TE-104-AW-50	11/30/87	92	CASS	T	
TE-104-AW-50	3/26/88	96	CASS	T	
TE-104-AW-50	3/31/88	100	CASS	T	
TE-104-AW-50	6/1/88	98	CASS	T	
TE-104-AW-50	6/6/88	97	CASS	T	
TE-104-AW-50	6/14/88	98	CASS	T	
TE-104-AW-50	6/21/88	100	CASS	T	
TE-104-AW-50	7/1/88	99	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-50	7/9/88	97	CASS	T	
TE-104-AW-50	7/13/88	100	CASS	T	
TE-104-AW-50	7/23/88	98	CASS	T	
TE-104-AW-50	7/26/88	101	CASS	T	
TE-104-AW-50	8/2/88	88	CASS	S	Data point did not agree with local trend
TE-104-AW-50	8/6/88	101	CASS	T	
TE-104-AW-50	8/13/88	104	CASS	T	
TE-104-AW-50	8/19/88	104	CASS	T	
TE-104-AW-50	8/21/88	103	CASS	T	
TE-104-AW-50	8/30/88	104	CASS	T	
TE-104-AW-50	9/10/88	106	CASS	T	
TE-104-AW-50	9/17/88	109	CASS	T	
TE-104-AW-50	9/21/88	104	CASS	T	
TE-104-AW-50	9/26/88	101	CASS	T	
TE-104-AW-50	12/2/88	99	CASS	T	
TE-104-AW-50	12/10/88	99	CASS	T	
TE-104-AW-50	12/14/88	98	CASS	T	
TE-104-AW-50	12/20/88	95	CASS	T	
TE-104-AW-50	9/2/89	89	CASS	T	
TE-104-AW-50	9/9/89	89	CASS	T	
TE-104-AW-50	9/16/89	89	CASS	T	
TE-104-AW-50	9/22/89	90	CASS	T	
TE-104-AW-50	9/28/89	89	CASS	T	
TE-104-AW-50	11/4/89	87	CASS	T	
TE-104-AW-50	11/11/89	90	CASS	T	
TE-104-AW-50	11/16/89	90	CASS	T	
TE-104-AW-50	11/21/89	89	CASS	T	
TE-104-AW-50	11/30/89	90	CASS	T	
TE-104-AW-50	12/3/89	88	CASS	T	
TE-104-AW-50	12/12/89	91	CASS	T	
TE-104-AW-50	12/19/89	85	CASS	T	
TE-104-AW-50	12/27/89	84	CASS	T	
TE-104-AW-50	1/4/90	82	CASS	T	
TE-104-AW-50	1/7/90	96	CASS	S	Data point did not agree with local trend
TE-104-AW-50	1/12/90	83	CASS	T	
TE-104-AW-50	1/14/90	83	CASS	T	
TE-104-AW-50	1/23/90	83	CASS	T	
TE-104-AW-50	2/3/90	81	CASS	T	
TE-104-AW-50	2/10/90	82	CASS	T	
TE-104-AW-50	2/15/90	81	CASS	T	
TE-104-AW-50	2/19/90	82	CASS	T	
TE-104-AW-50	3/2/90	84	CASS	T	
TE-104-AW-50	3/6/90	83	CASS	T	
TE-104-AW-50	3/14/90	82	CASS	T	
TE-104-AW-50	3/22/90	81	CASS	T	
TE-104-AW-50	3/23/90	66	CASS	S	Data point did not agree with local trend
TE-104-AW-50	3/25/90	93	CASS	S	Data point did not agree with local trend
TE-104-AW-50	3/27/90	82	CASS	T	
TE-104-AW-50	4/4/90	79	CASS	T	
TE-104-AW-50	4/14/90	79	CASS	T	
TE-104-AW-50	4/19/90	79	CASS	T	
TE-104-AW-50	4/27/90	79	CASS	T	
TE-104-AW-50	5/3/90	79	CASS	T	
TE-104-AW-50	5/11/90	79	CASS	T	
TE-104-AW-50	5/19/90	78	CASS	T	
TE-104-AW-50	5/22/90	78	CASS	T	
TE-104-AW-50	6/2/90	81	CASS	T	
TE-104-AW-50	6/3/90	81	CASS	T	
TE-104-AW-50	6/10/90	79	CASS	T	
TE-104-AW-50	6/23/90	79	CASS	T	
TE-104-AW-50	6/30/90	79	CASS	T	
TE-104-AW-50	7/3/90	67	CASS	S	Data point did not agree with local trend
TE-104-AW-50	7/5/90	80	CASS	T	
TE-104-AW-50	7/14/90	79	CASS	T	
TE-104-AW-50	7/21/90	80	CASS	T	
TE-104-AW-50	7/28/90	80	CASS	T	
TE-104-AW-50	8/4/90	80	CASS	T	
TE-104-AW-50	8/11/90	81	CASS	T	
TE-104-AW-50	8/18/90	81	CASS	T	
TE-104-AW-50	8/25/90	82	CASS	T	
TE-104-AW-50	8/28/90	82	CASS	T	
TE-104-AW-50	9/8/90	81	CASS	T	
TE-104-AW-50	9/15/90	81	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-50	9/22/90	81	CASS	T	
TE-104-AW-50	9/29/90	81	CASS	T	
TE-104-AW-50	10/4/90	81	CASS	T	
TE-104-AW-50	10/13/90	80	CASS	T	
TE-104-AW-50	10/19/90	80	CASS	T	
TE-104-AW-50	10/27/90	80	CASS	T	
TE-104-AW-50	11/3/90	80	CASS	T	
TE-104-AW-50	11/8/90	81	CASS	T	
TE-104-AW-50	11/17/90	80	CASS	T	
TE-104-AW-50	11/23/90	83	CASS	T	
TE-104-AW-50	11/25/90	82	CASS	T	
TE-104-AW-50	12/7/90	79	CASS	T	
TE-104-AW-50	12/11/90	80	CASS	T	
TE-104-AW-50	12/18/90	78	CASS	T	
TE-104-AW-50	12/28/90	78	CASS	T	
TE-104-AW-50	12/31/90	76	CASS	T	
TE-104-AW-50	1/12/91	75	CASS	T	
TE-104-AW-50	1/17/91	84	CASS	T	
TE-104-AW-50	1/24/91	84	CASS	T	
TE-104-AW-50	2/1/91	81	CASS	T	
TE-104-AW-50	2/5/91	80	CASS	T	
TE-104-AW-50	2/18/91	78	CASS	T	
TE-104-AW-50	2/23/91	79	CASS	T	
TE-104-AW-50	3/2/91	79	CASS	T	
TE-104-AW-50	3/9/91	79	CASS	T	
TE-104-AW-50	3/13/91	79	CASS	T	
TE-104-AW-50	3/20/91	77	CASS	T	
TE-104-AW-50	3/28/91	76	CASS	T	
TE-104-AW-50	4/8/91	76	CASS	T	
TE-104-AW-50	4/13/91	77	CASS	T	
TE-104-AW-50	4/20/91	77	CASS	T	
TE-104-AW-50	4/27/91	77	CASS	T	
TE-104-AW-50	4/30/91	77	CASS	T	
TE-104-AW-50	5/8/91	76	CASS	T	
TE-104-AW-50	5/12/91	75	CASS	T	
TE-104-AW-50	5/25/91	74	CASS	T	
TE-104-AW-50	5/29/91	74	CASS	T	
TE-104-AW-50	6/8/91	73	CASS	T	
TE-104-AW-50	6/15/91	73	CASS	T	
TE-104-AW-50	6/21/91	73	CASS	T	
TE-104-AW-50	6/25/91	73	CASS	T	
TE-104-AW-51	7/14/93	70	CASS	T	
TE-104-AW-51	7/23/93	70	CASS	T	
TE-104-AW-51	7/30/93	70	CASS	T	
TE-104-AW-51	8/6/93	71	CASS	T	
TE-104-AW-51	8/13/93	107	CASS	T	
TE-104-AW-51	8/18/93	112	CASS	T	
TE-104-AW-51	8/24/93	110	CASS	T	
TE-104-AW-51	8/31/93	108	CASS	T	
TE-104-AW-51	9/10/93	105	CASS	T	
TE-104-AW-51	9/14/93	105	CASS	T	
TE-104-AW-51	9/18/93	104	CASS	T	
TE-104-AW-51	9/30/93	102	CASS	T	
TE-104-AW-51	10/5/93	101	CASS	T	
TE-104-AW-51	10/13/93	100	CASS	T	
TE-104-AW-51	10/16/93	99	CASS	T	
TE-104-AW-51	3/9/94	91	CASS	T	
TE-104-AW-51	3/15/94	90	CASS	T	
TE-104-AW-51	3/19/94	89	CASS	T	
TE-104-AW-51	3/25/94	85	CASS	T	
TE-104-AW-51	4/2/94	82	CASS	T	
TE-104-AW-51	4/9/94	80	CASS	T	
TE-104-AW-51	4/20/94	78	CASS	T	
TE-104-AW-51	4/22/94	78	CASS	T	
TE-104-AW-51	5/4/94	76	CASS	T	
TE-104-AW-51	5/12/94	75	CASS	T	
TE-104-AW-51	5/19/94	96	CASS	T	
TE-104-AW-51	5/26/94	100	CASS	T	
TE-104-AW-51	6/1/94	104	CASS	T	
TE-104-AW-51	6/5/94	102	CASS	T	
TE-104-AW-51	6/19/94	102	CASS	T	
TE-104-AW-51	6/30/94	104	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-51	7/7/84	108	CASS	T	
TE-104-AW-51	7/14/84	113	CASS	T	
TE-104-AW-51	7/21/84	118	CASS	T	
TE-104-AW-51	7/22/84	117	CASS	T	
TE-104-AW-51	8/2/84	119	CASS	T	
TE-104-AW-51	8/8/84	119	CASS	T	
TE-104-AW-51	8/18/84	124	CASS	T	
TE-104-AW-51	8/19/84	117	CASS	T	
TE-104-AW-51	8/27/84	106	CASS	T	
TE-104-AW-51	9/2/84	103	CASS	T	
TE-104-AW-51	9/10/84	101	CASS	T	
TE-104-AW-51	9/17/84	99	CASS	T	
TE-104-AW-51	9/24/84	97	CASS	T	
TE-104-AW-51	9/30/84	96	CASS	T	
TE-104-AW-51	10/10/84	94	CASS	T	
TE-104-AW-51	10/18/84	95	CASS	T	
TE-104-AW-51	10/24/84	90	CASS	T	
TE-104-AW-51	11/3/84	108	CASS	T	
TE-104-AW-51	11/10/84	120	CASS	T	
TE-104-AW-51	11/14/84	134	CASS	T	
TE-104-AW-51	11/18/84	129	CASS	T	
TE-104-AW-51	11/25/84	123	CASS	T	
TE-104-AW-51	12/7/84	117	CASS	T	
TE-104-AW-51	12/15/84	116	CASS	T	
TE-104-AW-51	12/22/84	117	CASS	T	
TE-104-AW-51	1/12/85	117	CASS	T	
TE-104-AW-51	1/18/85	117	CASS	T	
TE-104-AW-51	1/28/85	116	CASS	T	
TE-104-AW-51	2/1/85	115	CASS	T	
TE-104-AW-51	2/8/85	114	CASS	T	
TE-104-AW-51	2/18/85	113	CASS	T	
TE-104-AW-51	2/17/85	113	CASS	T	
TE-104-AW-51	3/1/85	112	CASS	T	
TE-104-AW-51	3/9/85	111	CASS	T	
TE-104-AW-51	3/12/85	111	CASS	T	
TE-104-AW-51	3/21/85	110	CASS	T	
TE-104-AW-51	4/13/85	108	CASS	T	
TE-104-AW-51	4/16/85	108	CASS	T	
TE-104-AW-51	4/27/85	107	CASS	T	
TE-104-AW-51	5/4/85	107	CASS	T	
TE-104-AW-51	5/9/85	107	CASS	T	
TE-104-AW-51	5/18/85	107	CASS	T	
TE-104-AW-51	5/25/85	107	CASS	T	
TE-104-AW-51	6/1/85	107	CASS	T	
TE-104-AW-51	6/8/85	108	CASS	T	
TE-104-AW-51	6/15/85	108	CASS	T	
TE-104-AW-51	6/19/85	107	CASS	T	
TE-104-AW-51	11/1/85	105	CASS	T	
TE-104-AW-51	12/1/85	104	CASS	T	
TE-104-AW-51	1/4/86	102	CASS	T	
TE-104-AW-51	1/11/86	101	CASS	T	
TE-104-AW-51	1/17/86	101	CASS	T	
TE-104-AW-51	1/19/86	101	CASS	T	
TE-104-AW-51	1/31/86	100	CASS	T	
TE-104-AW-51	2/7/86	100	CASS	T	
TE-104-AW-51	2/9/86	99	CASS	T	
TE-104-AW-51	2/22/86	90	CASS	T	
TE-104-AW-51	2/28/86	90	CASS	T	
TE-104-AW-51	3/5/86	105	CASS	T	
TE-104-AW-51	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-104-AW-51	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-51	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-51	9/20/86	97	CASS	T	
TE-104-AW-51	9/22/86	96	CASS	T	
TE-104-AW-51	9/29/86	98	CASS	T	
TE-104-AW-51	10/5/86	95	CASS	T	
TE-104-AW-51	10/17/86	94	CASS	T	
TE-104-AW-51	10/20/86	94	CASS	T	
TE-104-AW-51	11/1/86	95	CASS	T	
TE-104-AW-51	11/3/86	94	CASS	T	
TE-104-AW-51	11/13/86	91	CASS	T	
TE-104-AW-51	11/17/86	91	CASS	T	
TE-104-AW-51	11/24/86	91	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-51	11/30/86	89	CASS	T	
TE-104-AW-51	12/9/86	88	CASS	T	
TE-104-AW-51	12/20/86	86	CASS	T	
TE-104-AW-51	12/26/86	86	CASS	T	
TE-104-AW-51	12/31/86	87	CASS	T	
TE-104-AW-51	7/4/87	100	CASS	T	
TE-104-AW-51	7/5/87	99	CASS	T	
TE-104-AW-51	7/15/87	104	CASS	T	
TE-104-AW-51	7/24/87	106	CASS	T	
TE-104-AW-51	8/1/87	99	CASS	T	
TE-104-AW-51	8/8/87	101	CASS	T	
TE-104-AW-51	8/12/87	99	CASS	T	
TE-104-AW-51	8/15/87	114	CASS	S	Data point did not agree with local trend
TE-104-AW-51	8/22/87	104	CASS	T	
TE-104-AW-51	8/26/87	103	CASS	T	
TE-104-AW-51	9/4/87	104	CASS	T	
TE-104-AW-51	9/10/87	104	CASS	T	
TE-104-AW-51	11/27/87	94	CASS	T	
TE-104-AW-51	11/30/87	92	CASS	T	
TE-104-AW-51	3/26/88	86	CASS	T	
TE-104-AW-51	3/31/88	100	CASS	T	
TE-104-AW-51	6/4/88	95	CASS	T	
TE-104-AW-51	6/5/88	97	CASS	T	
TE-104-AW-51	6/15/88	98	CASS	T	
TE-104-AW-51	6/21/88	100	CASS	T	
TE-104-AW-51	7/1/88	99	CASS	T	
TE-104-AW-51	7/9/88	97	CASS	T	
TE-104-AW-51	7/14/88	98	CASS	T	
TE-104-AW-51	7/22/88	97	CASS	T	
TE-104-AW-51	7/30/88	100	CASS	T	
TE-104-AW-51	8/2/88	86	CASS	S	Data point did not agree with local trend
TE-104-AW-51	8/6/88	102	CASS	T	
TE-104-AW-51	8/9/88	101	CASS	T	
TE-104-AW-51	8/20/88	103	CASS	T	
TE-104-AW-51	8/27/88	102	CASS	T	
TE-104-AW-51	8/31/88	104	CASS	T	
TE-104-AW-51	9/10/88	106	CASS	T	
TE-104-AW-51	9/17/88	109	CASS	T	
TE-104-AW-51	9/21/88	104	CASS	T	
TE-104-AW-51	9/26/88	101	CASS	T	
TE-104-AW-51	12/3/88	96	CASS	T	
TE-104-AW-51	12/10/88	97	CASS	T	
TE-104-AW-51	12/16/88	96	CASS	T	
TE-104-AW-51	12/20/88	95	CASS	T	
TE-104-AW-51	9/2/89	89	CASS	T	
TE-104-AW-51	9/9/89	89	CASS	T	
TE-104-AW-51	9/16/89	89	CASS	T	
TE-104-AW-51	9/22/89	90	CASS	T	
TE-104-AW-51	9/29/89	89	CASS	T	
TE-104-AW-51	11/4/89	87	CASS	T	
TE-104-AW-51	11/11/89	90	CASS	T	
TE-104-AW-51	11/16/89	90	CASS	T	
TE-104-AW-51	11/21/89	89	CASS	T	
TE-104-AW-51	11/30/89	90	CASS	T	
TE-104-AW-51	12/3/89	88	CASS	T	
TE-104-AW-51	12/12/89	91	CASS	T	
TE-104-AW-51	12/19/89	85	CASS	T	
TE-104-AW-51	12/27/89	84	CASS	T	
TE-104-AW-51	1/4/90	82	CASS	T	
TE-104-AW-51	1/7/90	95	CASS	S	Data point did not agree with local trend
TE-104-AW-51	1/12/90	83	CASS	T	
TE-104-AW-51	1/14/90	83	CASS	T	
TE-104-AW-51	1/23/90	83	CASS	T	
TE-104-AW-51	2/3/90	81	CASS	T	
TE-104-AW-51	2/10/90	82	CASS	T	
TE-104-AW-51	2/15/90	81	CASS	T	
TE-104-AW-51	2/19/90	82	CASS	T	
TE-104-AW-51	3/2/90	85	CASS	T	
TE-104-AW-51	3/6/90	83	CASS	T	
TE-104-AW-51	3/13/90	82	CASS	T	
TE-104-AW-51	3/22/90	81	CASS	T	
TE-104-AW-51	3/23/90	66	CASS	S	Data point did not agree with local trend
TE-104-AW-51	3/25/90	93	CASS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-51	3/27/90	82	CASS	T	
TE-104-AW-51	4/4/90	79	CASS	T	
TE-104-AW-51	4/14/90	79	CASS	T	
TE-104-AW-51	4/18/90	79	CASS	T	
TE-104-AW-51	4/27/90	79	CASS	T	
TE-104-AW-51	5/3/90	79	CASS	T	
TE-104-AW-51	5/11/90	79	CASS	T	
TE-104-AW-51	5/19/90	78	CASS	T	
TE-104-AW-51	5/22/90	78	CASS	T	
TE-104-AW-51	6/2/90	81	CASS	T	
TE-104-AW-51	6/3/90	81	CASS	T	
TE-104-AW-51	6/10/90	79	CASS	T	
TE-104-AW-51	6/23/90	79	CASS	T	
TE-104-AW-51	6/30/90	79	CASS	T	
TE-104-AW-51	7/3/90	67	CASS	S	Data point did not agree with local trend
TE-104-AW-51	7/7/90	79	CASS	T	
TE-104-AW-51	7/14/90	79	CASS	T	
TE-104-AW-51	7/21/90	80	CASS	T	
TE-104-AW-51	7/28/90	80	CASS	T	
TE-104-AW-51	8/4/90	80	CASS	T	
TE-104-AW-51	8/11/90	81	CASS	T	
TE-104-AW-51	8/18/90	81	CASS	T	
TE-104-AW-51	8/25/90	82	CASS	T	
TE-104-AW-51	8/30/90	82	CASS	T	
TE-104-AW-51	9/8/90	81	CASS	T	
TE-104-AW-51	9/15/90	81	CASS	T	
TE-104-AW-51	9/22/90	81	CASS	T	
TE-104-AW-51	9/29/90	81	CASS	T	
TE-104-AW-51	10/4/90	81	CASS	T	
TE-104-AW-51	10/13/90	80	CASS	T	
TE-104-AW-51	10/18/90	80	CASS	T	
TE-104-AW-51	10/27/90	79	CASS	T	
TE-104-AW-51	11/3/90	79	CASS	T	
TE-104-AW-51	11/10/90	78	CASS	T	
TE-104-AW-51	11/14/90	78	CASS	T	
TE-104-AW-51	11/22/90	84	CASS	T	
TE-104-AW-51	11/25/90	80	CASS	T	
TE-104-AW-51	12/3/90	77	CASS	T	
TE-104-AW-51	12/11/90	76	CASS	T	
TE-104-AW-51	12/19/90	76	CASS	T	
TE-104-AW-51	12/28/90	75	CASS	T	
TE-104-AW-51	1/3/91	74	CASS	T	
TE-104-AW-51	1/12/91	73	CASS	T	
TE-104-AW-51	1/17/91	85	CASS	T	
TE-104-AW-51	1/20/91	85	CASS	T	
TE-104-AW-51	1/31/91	83	CASS	T	
TE-104-AW-51	2/8/91	80	CASS	T	
TE-104-AW-51	2/18/91	80	CASS	T	
TE-104-AW-51	2/23/91	81	CASS	T	
TE-104-AW-51	3/2/91	82	CASS	T	
TE-104-AW-51	3/8/91	81	CASS	T	
TE-104-AW-51	3/10/91	80	CASS	T	
TE-104-AW-51	3/18/91	77	CASS	T	
TE-104-AW-51	3/26/91	76	CASS	T	
TE-104-AW-51	4/6/91	80	CASS	T	
TE-104-AW-51	4/7/91	80	CASS	T	
TE-104-AW-51	4/20/91	77	CASS	T	
TE-104-AW-51	4/27/91	77	CASS	T	
TE-104-AW-51	4/28/91	77	CASS	T	
TE-104-AW-51	5/11/91	75	CASS	T	
TE-104-AW-51	5/12/91	75	CASS	T	
TE-104-AW-51	5/25/91	74	CASS	T	
TE-104-AW-51	5/29/91	74	CASS	T	
TE-104-AW-51	6/8/91	73	CASS	T	
TE-104-AW-51	6/15/91	73	CASS	T	
TE-104-AW-51	6/21/91	73	CASS	T	
TE-104-AW-51	8/25/91	73	CASS	T	
TE-104-AW-52	7/14/83	70	CASS	T	
TE-104-AW-52	7/23/83	70	CASS	T	
TE-104-AW-52	7/30/83	70	CASS	T	
TE-104-AW-52	8/8/83	71	CASS	T	
TE-104-AW-52	8/13/83	107	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-52	8/17/83	110	CASS	T	
TE-104-AW-52	8/25/83	107	CASS	T	
TE-104-AW-52	8/31/83	108	CASS	T	
TE-104-AW-52	9/10/83	104	CASS	T	
TE-104-AW-52	9/14/83	103	CASS	T	
TE-104-AW-52	9/20/83	102	CASS	T	
TE-104-AW-52	9/26/83	101	CASS	T	
TE-104-AW-52	10/5/83	99	CASS	T	
TE-104-AW-52	10/15/83	98	CASS	T	
TE-104-AW-52	10/16/83	97	CASS	T	
TE-104-AW-52	3/9/84	90	CASS	T	
TE-104-AW-52	3/15/84	90	CASS	T	
TE-104-AW-52	3/19/84	89	CASS	T	
TE-104-AW-52	3/25/84	85	CASS	T	
TE-104-AW-52	4/2/84	82	CASS	T	
TE-104-AW-52	4/9/84	80	CASS	T	
TE-104-AW-52	4/20/84	78	CASS	T	
TE-104-AW-52	4/22/84	78	CASS	T	
TE-104-AW-52	5/4/84	78	CASS	T	
TE-104-AW-52	5/12/84	75	CASS	T	
TE-104-AW-52	5/19/84	95	CASS	T	
TE-104-AW-52	5/26/84	100	CASS	T	
TE-104-AW-52	6/1/84	101	CASS	T	
TE-104-AW-52	6/5/84	102	CASS	T	
TE-104-AW-52	6/19/84	102	CASS	T	
TE-104-AW-52	6/30/84	104	CASS	T	
TE-104-AW-52	7/7/84	107	CASS	T	
TE-104-AW-52	7/14/84	113	CASS	T	
TE-104-AW-52	7/21/84	118	CASS	T	
TE-104-AW-52	7/26/84	116	CASS	T	
TE-104-AW-52	8/2/84	118	CASS	T	
TE-104-AW-52	8/8/84	119	CASS	T	
TE-104-AW-52	8/18/84	124	CASS	T	
TE-104-AW-52	8/19/84	117	CASS	T	
TE-104-AW-52	8/26/84	107	CASS	T	
TE-104-AW-52	9/3/84	103	CASS	T	
TE-104-AW-52	9/11/84	101	CASS	T	
TE-104-AW-52	9/17/84	99	CASS	T	
TE-104-AW-52	9/25/84	97	CASS	T	
TE-104-AW-52	9/30/84	96	CASS	T	
TE-104-AW-52	10/10/84	94	CASS	T	
TE-104-AW-52	10/16/84	95	CASS	T	
TE-104-AW-52	10/24/84	90	CASS	T	
TE-104-AW-52	11/3/84	109	CASS	T	
TE-104-AW-52	11/10/84	119	CASS	T	
TE-104-AW-52	11/13/84	121	CASS	T	
TE-104-AW-52	11/21/84	112	CASS	T	
TE-104-AW-52	11/25/84	111	CASS	T	
TE-104-AW-52	12/4/84	110	CASS	T	
TE-104-AW-52	12/15/84	107	CASS	T	
TE-104-AW-52	12/22/84	107	CASS	T	
TE-104-AW-52	1/5/85	107	CASS	T	
TE-104-AW-52	1/12/85	107	CASS	T	
TE-104-AW-52	1/19/85	106	CASS	T	
TE-104-AW-52	1/21/85	106	CASS	T	
TE-104-AW-52	1/29/85	105	CASS	T	
TE-104-AW-52	2/4/85	103	CASS	T	
TE-104-AW-52	2/12/85	102	CASS	T	
TE-104-AW-52	2/20/85	100	CASS	T	
TE-104-AW-52	4/13/85	99	CASS	T	
TE-104-AW-52	4/20/85	99	CASS	T	
TE-104-AW-52	4/27/85	99	CASS	T	
TE-104-AW-52	5/3/85	100	CASS	T	
TE-104-AW-52	5/11/85	99	CASS	T	
TE-104-AW-52	5/18/85	100	CASS	T	
TE-104-AW-52	5/25/85	101	CASS	T	
TE-104-AW-52	6/1/85	101	CASS	T	
TE-104-AW-52	6/8/85	101	CASS	T	
TE-104-AW-52	6/15/85	102	CASS	T	
TE-104-AW-52	6/19/85	102	CASS	T	
TE-104-AW-52	11/1/85	99	CASS	T	
TE-104-AW-52	12/1/85	95	CASS	T	
TE-104-AW-52	1/2/86	93	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-52	1/11/86	92	CASS	T	
TE-104-AW-52	1/14/86	93	CASS	T	
TE-104-AW-52	1/25/86	91	CASS	T	
TE-104-AW-52	1/28/86	92	CASS	T	
TE-104-AW-52	2/5/86	91	CASS	T	
TE-104-AW-52	2/12/86	91	CASS	T	
TE-104-AW-52	2/22/86	90	CASS	T	
TE-104-AW-52	2/28/86	90	CASS	T	
TE-104-AW-52	3/5/86	102	CASS	T	
TE-104-AW-52	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-104-AW-52	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-52	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-52	9/17/86	96	CASS	T	
TE-104-AW-52	10/11/86	94	CASS	T	
TE-104-AW-52	10/17/86	94	CASS	T	
TE-104-AW-52	10/20/86	94	CASS	T	
TE-104-AW-52	11/1/86	95	CASS	T	
TE-104-AW-52	11/3/86	94	CASS	T	
TE-104-AW-52	11/9/86	92	CASS	T	
TE-104-AW-52	11/17/86	91	CASS	T	
TE-104-AW-52	11/24/86	91	CASS	T	
TE-104-AW-52	11/30/86	89	CASS	T	
TE-104-AW-52	12/9/86	88	CASS	T	
TE-104-AW-52	12/20/86	88	CASS	T	
TE-104-AW-52	12/26/86	86	CASS	T	
TE-104-AW-52	12/31/86	86	CASS	T	
TE-104-AW-52	7/4/87	97	CASS	T	
TE-104-AW-52	7/8/87	105	CASS	T	
TE-104-AW-52	7/15/87	100	CASS	T	
TE-104-AW-52	7/24/87	106	CASS	T	
TE-104-AW-52	8/1/87	99	CASS	T	
TE-104-AW-52	8/8/87	101	CASS	T	
TE-104-AW-52	8/12/87	99	CASS	T	
TE-104-AW-52	8/15/87	114	CASS	S	Data point did not agree with local trend
TE-104-AW-52	8/22/87	104	CASS	T	
TE-104-AW-52	8/26/87	103	CASS	T	
TE-104-AW-52	9/4/87	104	CASS	T	
TE-104-AW-52	9/10/87	104	CASS	T	
TE-104-AW-52	11/27/87	94	CASS	T	
TE-104-AW-52	11/30/87	92	CASS	T	
TE-104-AW-52	3/26/88	96	CASS	T	
TE-104-AW-52	3/31/88	99	CASS	T	
TE-104-AW-52	6/2/88	95	CASS	T	
TE-104-AW-52	6/5/88	96	CASS	T	
TE-104-AW-52	6/15/88	98	CASS	T	
TE-104-AW-52	6/22/88	97	CASS	T	
TE-104-AW-52	7/1/88	98	CASS	T	
TE-104-AW-52	7/9/88	97	CASS	T	
TE-104-AW-52	7/14/88	98	CASS	T	
TE-104-AW-52	7/21/88	97	CASS	T	
TE-104-AW-52	7/27/88	99	CASS	T	
TE-104-AW-52	8/6/88	99	CASS	T	
TE-104-AW-52	8/13/88	100	CASS	T	
TE-104-AW-52	8/19/88	101	CASS	T	
TE-104-AW-52	8/27/88	100	CASS	T	
TE-104-AW-52	8/28/88	105	CASS	T	
TE-104-AW-52	9/10/88	106	CASS	T	
TE-104-AW-52	9/17/88	108	CASS	T	
TE-104-AW-52	9/21/88	104	CASS	T	
TE-104-AW-52	9/30/88	100	CASS	T	
TE-104-AW-52	12/2/88	96	CASS	T	
TE-104-AW-52	12/10/88	96	CASS	T	
TE-104-AW-52	12/14/88	95	CASS	T	
TE-104-AW-52	12/20/88	93	CASS	T	
TE-104-AW-52	9/2/89	89	CASS	T	
TE-104-AW-52	9/9/89	89	CASS	T	
TE-104-AW-52	9/16/89	89	CASS	T	
TE-104-AW-52	9/21/89	90	CASS	T	
TE-104-AW-52	9/28/89	89	CASS	T	
TE-104-AW-52	11/4/89	87	CASS	T	
TE-104-AW-52	11/11/89	90	CASS	T	
TE-104-AW-52	11/16/89	90	CASS	T	
TE-104-AW-52	11/21/89	89	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-52	11/30/89	89	CASS	T	
TE-104-AW-52	12/3/89	88	CASS	T	
TE-104-AW-52	12/12/89	91	CASS	T	
TE-104-AW-52	12/18/89	85	CASS	T	
TE-104-AW-52	12/27/89	84	CASS	T	
TE-104-AW-52	1/4/90	82	CASS	T	
TE-104-AW-52	1/7/90	95	CASS	S	Data point did not agree with local trend
TE-104-AW-52	1/12/90	83	CASS	T	
TE-104-AW-52	1/14/90	83	CASS	T	
TE-104-AW-52	1/23/90	83	CASS	T	
TE-104-AW-52	2/1/90	81	CASS	T	
TE-104-AW-52	2/10/90	82	CASS	T	
TE-104-AW-52	2/13/90	81	CASS	T	
TE-104-AW-52	2/19/90	82	CASS	T	
TE-104-AW-52	3/2/90	84	CASS	T	
TE-104-AW-52	3/8/90	83	CASS	T	
TE-104-AW-52	3/12/90	82	CASS	T	
TE-104-AW-52	3/22/90	81	CASS	T	
TE-104-AW-52	3/23/90	66	CASS	S	Data point did not agree with local trend
TE-104-AW-52	3/25/90	93	CASS	S	Data point did not agree with local trend
TE-104-AW-52	3/27/90	82	CASS	T	
TE-104-AW-52	4/4/90	79	CASS	T	
TE-104-AW-52	4/14/90	79	CASS	T	
TE-104-AW-52	4/19/90	79	CASS	T	
TE-104-AW-52	4/27/90	79	CASS	T	
TE-104-AW-52	5/3/90	79	CASS	T	
TE-104-AW-52	5/11/90	79	CASS	T	
TE-104-AW-52	5/19/90	78	CASS	T	
TE-104-AW-52	5/22/90	78	CASS	T	
TE-104-AW-52	6/2/90	81	CASS	T	
TE-104-AW-52	6/3/90	81	CASS	T	
TE-104-AW-52	6/10/90	79	CASS	T	
TE-104-AW-52	6/23/90	79	CASS	T	
TE-104-AW-52	6/30/90	79	CASS	T	
TE-104-AW-52	7/3/90	67	CASS	S	Data point did not agree with local trend
TE-104-AW-52	7/7/90	79	CASS	T	
TE-104-AW-52	7/14/90	79	CASS	T	
TE-104-AW-52	7/21/90	80	CASS	T	
TE-104-AW-52	7/28/90	80	CASS	T	
TE-104-AW-52	8/4/90	80	CASS	T	
TE-104-AW-52	8/11/90	81	CASS	T	
TE-104-AW-52	8/18/90	81	CASS	T	
TE-104-AW-52	8/25/90	82	CASS	T	
TE-104-AW-52	8/30/90	82	CASS	T	
TE-104-AW-52	9/8/90	81	CASS	T	
TE-104-AW-52	9/15/90	81	CASS	T	
TE-104-AW-52	9/22/90	81	CASS	T	
TE-104-AW-52	9/29/90	81	CASS	T	
TE-104-AW-52	10/4/90	81	CASS	T	
TE-104-AW-52	10/13/90	80	CASS	T	
TE-104-AW-52	10/19/90	80	CASS	T	
TE-104-AW-52	10/27/90	79	CASS	T	
TE-104-AW-52	11/3/90	79	CASS	T	
TE-104-AW-52	11/10/90	79	CASS	T	
TE-104-AW-52	11/14/90	79	CASS	T	
TE-104-AW-52	11/22/90	84	CASS	T	
TE-104-AW-52	11/25/90	80	CASS	T	
TE-104-AW-52	12/3/90	77	CASS	T	
TE-104-AW-52	12/11/90	76	CASS	T	
TE-104-AW-52	12/21/90	75	CASS	T	
TE-104-AW-52	12/28/90	75	CASS	T	
TE-104-AW-52	1/5/91	73	CASS	T	
TE-104-AW-52	1/11/91	73	CASS	T	
TE-104-AW-52	1/17/91	81	CASS	T	
TE-104-AW-52	1/24/91	80	CASS	T	
TE-104-AW-52	1/31/91	79	CASS	T	
TE-104-AW-52	2/7/91	77	CASS	T	
TE-104-AW-52	2/16/91	77	CASS	T	
TE-104-AW-52	2/23/91	78	CASS	T	
TE-104-AW-52	3/1/91	83	CASS	T	
TE-104-AW-52	3/9/91	78	CASS	T	
TE-104-AW-52	3/12/91	77	CASS	T	
TE-104-AW-52	3/23/91	75	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-52	3/27/91	74	CASS	T	
TE-104-AW-52	4/6/91	78	CASS	T	
TE-104-AW-52	4/7/91	78	CASS	T	
TE-104-AW-52	4/14/91	76	CASS	T	
TE-104-AW-52	4/27/91	75	CASS	T	
TE-104-AW-52	5/4/91	75	CASS	T	
TE-104-AW-52	5/5/91	75	CASS	T	
TE-104-AW-52	5/16/91	74	CASS	T	
TE-104-AW-52	5/25/91	73	CASS	T	
TE-104-AW-52	5/31/91	73	CASS	T	
TE-104-AW-52	6/8/91	73	CASS	T	
TE-104-AW-52	6/15/91	73	CASS	T	
TE-104-AW-52	6/21/91	73	CASS	T	
TE-104-AW-52	6/25/91	73	CASS	T	
TE-104-AW-52	6/28/91	98	CASS	S	Data point did not agree with local trend
TE-104-AW-52	2/3/92	65	SACS	T	
TE-104-AW-52	2/10/92	65	SACS	T	
TE-104-AW-52	2/17/92	65	SACS	T	
TE-104-AW-52	2/24/92	65	SACS	T	
TE-104-AW-52	3/2/92	64	SACS	T	
TE-104-AW-52	3/9/92	64	SACS	T	
TE-104-AW-52	3/16/92	65	SACS	T	
TE-104-AW-52	3/23/92	65	SACS	T	
TE-104-AW-52	3/30/92	65	SACS	T	
TE-104-AW-52	4/6/92	65	SACS	T	
TE-104-AW-52	4/13/92	65	SACS	T	
TE-104-AW-52	4/20/92	66	SACS	T	
TE-104-AW-52	4/27/92	84	SACS	S	Data point did not agree with local trend
TE-104-AW-52	5/4/92	68	SACS	T	
TE-104-AW-52	5/11/92	75	SACS	S	Data point did not agree with local trend
TE-104-AW-52	5/18/92	82	SACS	S	Data point did not agree with local trend
TE-104-AW-52	5/25/92	82	SACS	S	Data point did not agree with local trend
TE-104-AW-52	6/6/92	68	SACS	T	
TE-104-AW-52	6/15/92	68	SACS	T	
TE-104-AW-52	6/22/92	68	SACS	T	
TE-104-AW-52	7/6/92	69	SACS	T	
TE-104-AW-52	7/13/92	70	SACS	T	
TE-104-AW-52	7/20/92	70	SACS	T	
TE-104-AW-52	7/27/92	70	SACS	T	
TE-104-AW-52	8/3/92	70	SACS	T	
TE-104-AW-52	8/10/92	71	SACS	T	
TE-104-AW-52	8/17/92	71	SACS	T	
TE-104-AW-52	8/24/92	73	SACS	T	
TE-104-AW-52	8/31/92	72	SACS	T	
TE-104-AW-52	9/7/92	73	SACS	T	
TE-104-AW-52	9/14/92	72	SACS	T	
TE-104-AW-52	9/21/92	71	SACS	T	
TE-104-AW-52	9/28/92	71	SACS	T	
TE-104-AW-52	1/4/93	66	SACS	T	
TE-104-AW-52	1/11/93	66	SACS	T	
TE-104-AW-52	1/18/93	64	SACS	T	
TE-104-AW-52	3/1/93	64	SACS	T	
TE-104-AW-52	3/8/93	63	SACS	T	
TE-104-AW-52	3/20/93	62	SACS	T	
TE-104-AW-52	3/22/93	62	SACS	T	
TE-104-AW-52	3/29/93	62	SACS	T	
TE-104-AW-52	4/6/93	63	SACS	T	
TE-104-AW-52	4/12/93	63	SACS	T	
TE-104-AW-52	4/19/93	63	SACS	T	
TE-104-AW-52	4/26/93	63	SACS	T	
TE-104-AW-52	5/3/93	63	SACS	T	
TE-104-AW-52	5/10/93	62	SACS	T	
TE-104-AW-52	5/17/93	63	SACS	T	
TE-104-AW-52	5/24/93	64	SACS	T	
TE-104-AW-52	5/31/93	64	SACS	T	
TE-104-AW-52	6/7/93	65	SACS	T	
TE-104-AW-52	6/15/93	66	SACS	T	
TE-104-AW-52	6/22/93	66	SACS	T	
TE-104-AW-52	6/28/93	65	SACS	T	
TE-104-AW-52	7/26/93	68	SACS	T	
TE-104-AW-52	8/2/93	68	SACS	T	
TE-104-AW-52	8/9/93	69	SACS	T	
TE-104-AW-52	8/16/93	70	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-52	8/23/93	70	SACS	T	
TE-104-AW-52	8/30/93	70	SACS	T	
TE-104-AW-52	9/13/93	71	SACS	T	
TE-104-AW-52	9/21/93	71	SACS	T	
TE-104-AW-52	9/27/93	71	SACS	T	
TE-104-AW-52	10/11/93	71	SACS	T	
TE-104-AW-52	10/19/93	70	SACS	T	
TE-104-AW-52	10/25/93	70	SACS	T	
TE-104-AW-52	11/1/93	69	SACS	T	
TE-104-AW-52	11/8/93	75	SACS	T	
TE-104-AW-52	11/15/93	68	SACS	T	
TE-104-AW-52	11/26/93	69	SACS	T	
TE-104-AW-52	11/29/93	67	SACS	T	
TE-104-AW-52	12/6/93	66	SACS	T	
TE-104-AW-52	12/18/93	66	SACS	T	
TE-104-AW-52	12/20/93	66	SACS	T	
TE-104-AW-52	12/27/93	66	SACS	T	
TE-104-AW-52	1/5/94	65	SACS	T	
TE-104-AW-52	1/10/94	77	SACS	S	Data point did not agree with local trend
TE-104-AW-52	1/24/94	65	SACS	T	
TE-104-AW-52	1/31/94	64	SACS	T	
TE-104-AW-52	2/7/94	65	SACS	G	
TE-104-AW-52	2/21/94	64	SACS	G	
TE-104-AW-52	2/28/94	64	SACS	T	
TE-104-AW-52	3/7/94	64	SACS	T	
TE-104-AW-52	3/14/94	63	SACS	G	
TE-104-AW-52	3/21/94	63	SACS	G	
TE-104-AW-52	3/28/94	64	SACS	G	
TE-104-AW-52	4/5/94	64	SACS	G	
TE-104-AW-52	4/11/94	64	SACS	G	
TE-104-AW-52	4/18/94	64	SACS	G	
TE-104-AW-52	4/25/94	65	SACS	G	
TE-104-AW-52	5/2/94	65	SACS	G	
TE-104-AW-52	5/9/94	65	SACS	G	
TE-104-AW-52	5/16/94	65	SACS	G	
TE-104-AW-52	5/31/94	66	SACS	G	
TE-104-AW-52	6/6/94	67	SACS	G	
TE-104-AW-52	6/13/94	67	SACS	G	
TE-104-AW-52	6/20/94	66	SACS	G	
TE-104-AW-52	6/27/94	67	SACS	G	
TE-104-AW-52	7/4/94	67	SACS	G	
TE-104-AW-52	7/18/94	69	SACS	G	
TE-104-AW-52	7/25/94	70	SACS	G	
TE-104-AW-52	8/1/94	70	SACS	G	
TE-104-AW-52	8/8/94	71	SACS	G	
TE-104-AW-52	8/15/94	70	SACS	G	
TE-104-AW-52	8/22/94	71	SACS	G	
TE-104-AW-52	9/5/94	72	SACS	G	
TE-104-AW-52	9/12/94	71	SACS	G	
TE-104-AW-52	9/19/94	71	SACS	G	
TE-104-AW-52	9/26/94	66	SACS	S (G in SACS)	Data point did not agree with local trend
TE-104-AW-52	10/10/94	71	SACS	G	
TE-104-AW-52	10/17/94	72	SACS	G	
TE-104-AW-52	10/24/94	71	SACS	G	
TE-104-AW-52	10/31/94	71	SACS	G	
TE-104-AW-52	11/7/94	70	SACS	G	
TE-104-AW-52	11/14/94	69	SACS	G	
TE-104-AW-52	11/21/94	70	SACS	G	
TE-104-AW-52	11/28/94	69	SACS	G	
TE-104-AW-52	12/5/94	69	SACS	G	
TE-104-AW-52	12/12/94	68	SACS	G	
TE-104-AW-52	12/19/94	67	SACS	G	
TE-104-AW-52	12/26/94	67	SACS	G	
TE-104-AW-52	1/2/95	67	SACS	G	
TE-104-AW-52	1/9/95	66	SACS	G	
TE-104-AW-52	1/16/95	66	SACS	G	
TE-104-AW-52	1/23/95	65	SACS	G	
TE-104-AW-52	1/30/95	65	SACS	G	
TE-104-AW-52	2/6/95	65	SACS	G	
TE-104-AW-52	2/13/95	65	SACS	G	
TE-104-AW-52	2/24/95	64	SACS	G	
TE-104-AW-52	2/27/95	65	SACS	G	
TE-104-AW-52	3/6/95	65	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-52	3/19/95	64	SACS	G	
TE-104-AW-52	3/27/95	64	SACS	G	
TE-104-AW-52	4/3/95	64	SACS	G	
TE-104-AW-52	4/10/95	65	SACS	G	
TE-104-AW-52	4/17/95	64	SACS	G	
TE-104-AW-52	4/24/95	63	SACS	G	
TE-104-AW-52	5/1/95	65	SACS	G	
TE-104-AW-52	5/13/95	65	SACS	G	
TE-104-AW-52	5/22/95	65	SACS	G	
TE-104-AW-52	5/29/95	68	SACS	G	
TE-104-AW-52	6/5/95	67	SACS	G	
TE-104-AW-52	6/13/95	66	SACS	G	
TE-104-AW-52	6/19/95	68	SACS	G	
TE-104-AW-52	6/26/95	67	SACS	G	
TE-104-AW-53	7/16/83	70	CASS	T	
TE-104-AW-53	7/23/83	70	CASS	T	
TE-104-AW-53	7/29/83	71	CASS	T	
TE-104-AW-53	8/6/83	71	CASS	T	
TE-104-AW-53	8/13/83	107	CASS	T	
TE-104-AW-53	8/17/83	109	CASS	T	
TE-104-AW-53	8/24/83	107	CASS	T	
TE-104-AW-53	8/31/83	106	CASS	T	
TE-104-AW-53	9/10/83	104	CASS	T	
TE-104-AW-53	9/14/83	103	CASS	T	
TE-104-AW-53	9/20/83	102	CASS	T	
TE-104-AW-53	9/25/83	101	CASS	T	
TE-104-AW-53	10/5/83	99	CASS	T	
TE-104-AW-53	10/16/83	98	CASS	T	
TE-104-AW-53	10/18/83	97	CASS	T	
TE-104-AW-53	3/9/84	90	CASS	T	
TE-104-AW-53	3/17/84	89	CASS	T	
TE-104-AW-53	3/19/84	89	CASS	T	
TE-104-AW-53	3/25/84	85	CASS	T	
TE-104-AW-53	4/2/84	82	CASS	T	
TE-104-AW-53	4/9/84	80	CASS	T	
TE-104-AW-53	4/20/84	78	CASS	T	
TE-104-AW-53	4/22/84	78	CASS	T	
TE-104-AW-53	4/29/84	77	CASS	T	
TE-104-AW-53	5/12/84	75	CASS	T	
TE-104-AW-53	5/19/84	96	CASS	T	
TE-104-AW-53	5/20/84	101	CASS	T	
TE-104-AW-53	5/29/84	101	CASS	T	
TE-104-AW-53	6/5/84	102	CASS	T	
TE-104-AW-53	6/19/84	102	CASS	T	
TE-104-AW-53	6/30/84	104	CASS	T	
TE-104-AW-53	7/7/84	107	CASS	T	
TE-104-AW-53	7/14/84	113	CASS	T	
TE-104-AW-53	7/21/84	118	CASS	T	
TE-104-AW-53	7/26/84	116	CASS	T	
TE-104-AW-53	8/2/84	118	CASS	T	
TE-104-AW-53	8/8/84	119	CASS	T	
TE-104-AW-53	8/18/84	124	CASS	T	
TE-104-AW-53	8/19/84	117	CASS	T	
TE-104-AW-53	8/26/84	107	CASS	T	
TE-104-AW-53	9/3/84	103	CASS	T	
TE-104-AW-53	9/11/84	101	CASS	T	
TE-104-AW-53	9/17/84	99	CASS	T	
TE-104-AW-53	9/25/84	97	CASS	T	
TE-104-AW-53	9/30/84	96	CASS	T	
TE-104-AW-53	10/10/84	94	CASS	T	
TE-104-AW-53	10/16/84	85	CASS	T	
TE-104-AW-53	10/21/84	91	CASS	T	
TE-104-AW-53	11/3/84	109	CASS	T	
TE-104-AW-53	11/10/84	119	CASS	T	
TE-104-AW-53	11/13/84	121	CASS	T	
TE-104-AW-53	11/21/84	112	CASS	T	
TE-104-AW-53	11/30/84	110	CASS	T	
TE-104-AW-53	12/4/84	110	CASS	T	
TE-104-AW-53	12/15/84	107	CASS	T	
TE-104-AW-53	12/22/84	107	CASS	T	
TE-104-AW-53	1/5/85	107	CASS	T	
TE-104-AW-53	1/10/85	107	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-53	1/19/85	106	CASS	T	
TE-104-AW-53	1/28/85	105	CASS	T	
TE-104-AW-53	1/29/85	105	CASS	T	
TE-104-AW-53	2/4/85	103	CASS	T	
TE-104-AW-53	2/12/85	102	CASS	T	
TE-104-AW-53	4/13/85	99	CASS	T	
TE-104-AW-53	4/20/85	99	CASS	T	
TE-104-AW-53	4/27/85	99	CASS	T	
TE-104-AW-53	5/4/85	99	CASS	T	
TE-104-AW-53	5/11/85	99	CASS	T	
TE-104-AW-53	5/18/85	100	CASS	T	
TE-104-AW-53	5/25/85	100	CASS	T	
TE-104-AW-53	6/1/85	100	CASS	T	
TE-104-AW-53	6/8/85	101	CASS	T	
TE-104-AW-53	6/15/85	101	CASS	T	
TE-104-AW-53	6/19/85	101	CASS	T	
TE-104-AW-53	11/1/85	99	CASS	T	
TE-104-AW-53	12/1/85	95	CASS	T	
TE-104-AW-53	1/4/86	92	CASS	T	
TE-104-AW-53	1/10/86	92	CASS	T	
TE-104-AW-53	1/15/86	92	CASS	T	
TE-104-AW-53	1/25/86	91	CASS	T	
TE-104-AW-53	1/28/86	92	CASS	T	
TE-104-AW-53	2/5/86	91	CASS	T	
TE-104-AW-53	2/12/86	91	CASS	T	
TE-104-AW-53	2/22/86	90	CASS	T	
TE-104-AW-53	3/1/86	89	CASS	T	
TE-104-AW-53	3/5/86	102	CASS	T	
TE-104-AW-53	8/13/86	200	CASS	S	Data point did not agree with local trend
TE-104-AW-53	8/14/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-53	8/15/86	72	CASS	S	Data point did not agree with local trend
TE-104-AW-53	8/16/86	206	CASS	S	Data point did not agree with local trend
TE-104-AW-53	9/20/86	98	CASS	T	
TE-104-AW-53	9/22/86	96	CASS	T	
TE-104-AW-53	9/29/86	97	CASS	T	
TE-104-AW-53	10/7/86	98	CASS	T	
TE-104-AW-53	10/17/86	94	CASS	T	
TE-104-AW-53	10/20/86	94	CASS	T	
TE-104-AW-53	10/29/86	95	CASS	T	
TE-104-AW-53	11/3/86	94	CASS	T	
TE-104-AW-53	11/9/86	92	CASS	T	
TE-104-AW-53	11/17/86	91	CASS	T	
TE-104-AW-53	11/24/86	91	CASS	T	
TE-104-AW-53	11/30/86	89	CASS	T	
TE-104-AW-53	12/9/86	88	CASS	T	
TE-104-AW-53	12/20/86	86	CASS	T	
TE-104-AW-53	12/28/86	86	CASS	T	
TE-104-AW-53	12/31/86	86	CASS	T	
TE-104-AW-53	7/4/87	97	CASS	T	
TE-104-AW-53	7/8/87	104	CASS	T	
TE-104-AW-53	7/15/87	100	CASS	T	
TE-104-AW-53	7/24/87	106	CASS	T	
TE-104-AW-53	8/1/87	99	CASS	T	
TE-104-AW-53	8/8/87	101	CASS	T	
TE-104-AW-53	8/12/87	99	CASS	T	
TE-104-AW-53	8/15/87	114	CASS	S	Data point did not agree with local trend
TE-104-AW-53	8/22/87	104	CASS	T	
TE-104-AW-53	8/26/87	103	CASS	T	
TE-104-AW-53	9/4/87	104	CASS	T	
TE-104-AW-53	9/10/87	103	CASS	T	
TE-104-AW-53	11/27/87	94	CASS	T	
TE-104-AW-53	11/30/87	92	CASS	T	
TE-104-AW-53	3/26/88	96	CASS	T	
TE-104-AW-53	3/31/88	99	CASS	T	
TE-104-AW-53	6/2/88	95	CASS	T	
TE-104-AW-53	6/5/88	98	CASS	T	
TE-104-AW-53	6/15/88	98	CASS	T	
TE-104-AW-53	6/22/88	97	CASS	T	
TE-104-AW-53	7/1/88	98	CASS	T	
TE-104-AW-53	7/9/88	97	CASS	T	
TE-104-AW-53	7/14/88	98	CASS	T	
TE-104-AW-53	7/21/88	97	CASS	T	
TE-104-AW-53	7/27/88	99	CASS	T	

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-53	8/6/88	99	CASS	T	
TE-104-AW-53	8/13/88	100	CASS	T	
TE-104-AW-53	8/19/88	101	CASS	T	
TE-104-AW-53	8/27/88	100	CASS	T	
TE-104-AW-53	8/28/88	105	CASS	T	
TE-104-AW-53	8/10/88	106	CASS	T	
TE-104-AW-53	9/17/88	108	CASS	T	
TE-104-AW-53	9/21/88	104	CASS	T	
TE-104-AW-53	9/26/88	101	CASS	T	
TE-104-AW-53	12/2/88	96	CASS	T	
TE-104-AW-53	12/10/88	96	CASS	T	
TE-104-AW-53	12/14/88	95	CASS	T	
TE-104-AW-53	12/20/88	93	CASS	T	
TE-104-AW-53	7/10/89	88	SACS	T	
TE-104-AW-53	7/17/89	88	SACS	T	
TE-104-AW-53	7/24/89	88	SACS	T	
TE-104-AW-53	8/7/89	81	SACS	T	
TE-104-AW-53	8/14/89	88	SACS	T	
TE-104-AW-53	8/21/89	88	SACS	T	
TE-104-AW-53	9/2/89	89	CASS	T	
TE-104-AW-53	9/9/89	89	CASS	T	
TE-104-AW-53	9/16/89	89	CASS	T	
TE-104-AW-53	9/21/89	90	CASS	T	
TE-104-AW-53	9/28/89	89	CASS	T	
TE-104-AW-53	10/1/89	88	SACS	T	
TE-104-AW-53	10/9/89	87	SACS	T	
TE-104-AW-53	10/16/89	86	SACS	T	
TE-104-AW-53	10/24/89	88	SACS	T	
TE-104-AW-53	11/4/89	87	CASS	T	
TE-104-AW-53	11/11/89	90	CASS	T	
TE-104-AW-53	11/16/89	90	CASS	T	
TE-104-AW-53	11/21/89	89	CASS	T	
TE-104-AW-53	11/30/89	89	CASS	T	
TE-104-AW-53	12/3/89	88	CASS	T	
TE-104-AW-53	12/12/89	91	CASS	T	
TE-104-AW-53	12/18/89	85	CASS	T	
TE-104-AW-53	12/27/89	84	CASS	T	
TE-104-AW-53	1/4/90	82	CASS	T	
TE-104-AW-53	1/7/90	96	CASS	S	Data point did not agree with local trend
TE-104-AW-53	1/12/90	83	CASS	T	
TE-104-AW-53	1/15/90	83	SACS	T	
TE-104-AW-53	1/22/90	83	SACS	T	
TE-104-AW-53	1/29/90	82	SACS	T	
TE-104-AW-53	2/10/90	82	CASS	T	
TE-104-AW-53	2/12/90	82	SACS	T	
TE-104-AW-53	2/24/90	81	CASS	T	
TE-104-AW-53	3/2/90	84	CASS	T	
TE-104-AW-53	3/4/90	83	CASS	T	
TE-104-AW-53	3/12/90	82	SACS	T	
TE-104-AW-53	3/19/90	82	SACS	T	
TE-104-AW-53	3/23/90	66	CASS	S	Data point did not agree with local trend
TE-104-AW-53	3/25/90	93	CASS	S	Data point did not agree with local trend
TE-104-AW-53	3/27/90	82	CASS	T	
TE-104-AW-53	4/4/90	79	CASS	T	
TE-104-AW-53	4/14/90	79	CASS	T	
TE-104-AW-53	4/19/90	79	CASS	T	
TE-104-AW-53	4/27/90	79	CASS	T	
TE-104-AW-53	5/3/90	79	CASS	T	
TE-104-AW-53	5/11/90	79	CASS	T	
TE-104-AW-53	5/19/90	78	CASS	T	
TE-104-AW-53	5/22/90	78	CASS	T	
TE-104-AW-53	6/2/90	81	CASS	T	
TE-104-AW-53	6/3/90	81	CASS	T	
TE-104-AW-53	6/10/90	79	CASS	T	
TE-104-AW-53	6/23/90	79	CASS	T	
TE-104-AW-53	6/30/90	79	CASS	T	
TE-104-AW-53	7/3/90	67	CASS	S	Data point did not agree with local trend
TE-104-AW-53	7/4/90	80	CASS	T	
TE-104-AW-53	7/14/90	79	CASS	T	
TE-104-AW-53	7/21/90	80	CASS	T	
TE-104-AW-53	7/28/90	80	CASS	T	
TE-104-AW-53	8/4/90	80	CASS	T	
TE-104-AW-53	8/6/90	98	SACS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-53	8/11/90	81	CASS	T	
TE-104-AW-53	8/18/90	81	CASS	T	
TE-104-AW-53	8/25/90	82	CASS	T	
TE-104-AW-53	8/30/90	82	CASS	T	
TE-104-AW-53	9/8/90	81	CASS	T	
TE-104-AW-53	9/16/90	81	CASS	T	
TE-104-AW-53	9/22/90	81	CASS	T	
TE-104-AW-53	9/29/90	81	CASS	T	
TE-104-AW-53	10/6/90	81	CASS	T	
TE-104-AW-53	10/8/90	81	SACS	T	
TE-104-AW-53	10/19/90	80	CASS	T	
TE-104-AW-53	10/27/90	79	CASS	T	
TE-104-AW-53	11/3/90	79	CASS	T	
TE-104-AW-53	11/10/90	79	CASS	T	
TE-104-AW-53	11/14/90	79	CASS	T	
TE-104-AW-53	11/22/90	84	CASS	T	
TE-104-AW-53	11/25/90	80	CASS	T	
TE-104-AW-53	12/3/90	77	CASS	T	
TE-104-AW-53	12/11/90	76	CASS	T	
TE-104-AW-53	12/21/90	75	CASS	T	
TE-104-AW-53	12/24/90	79	SACS	T	
TE-104-AW-53	12/31/90	75	SACS	T	
TE-104-AW-53	1/7/91	73	SACS	T	
TE-104-AW-53	1/17/91	81	CASS	T	
TE-104-AW-53	1/24/91	80	CASS	T	
TE-104-AW-53	1/31/91	79	CASS	T	
TE-104-AW-53	2/7/91	77	CASS	T	
TE-104-AW-53	2/18/91	77	CASS	T	
TE-104-AW-53	2/23/91	77	CASS	T	
TE-104-AW-53	3/1/91	83	CASS	T	
TE-104-AW-53	3/9/91	78	CASS	T	
TE-104-AW-53	3/12/91	77	CASS	T	
TE-104-AW-53	3/23/91	75	CASS	T	
TE-104-AW-53	3/27/91	74	CASS	T	
TE-104-AW-53	4/6/91	78	CASS	T	
TE-104-AW-53	4/7/91	78	CASS	T	
TE-104-AW-53	4/20/91	75	CASS	T	
TE-104-AW-53	4/23/91	75	CASS	T	
TE-104-AW-53	5/4/91	75	CASS	T	
TE-104-AW-53	5/11/91	74	CASS	T	
TE-104-AW-53	5/18/91	74	CASS	T	
TE-104-AW-53	5/25/91	73	CASS	T	
TE-104-AW-53	5/31/91	73	CASS	T	
TE-104-AW-53	6/8/91	73	CASS	T	
TE-104-AW-53	6/15/91	73	CASS	T	
TE-104-AW-53	6/21/91	73	CASS	T	
TE-104-AW-53	6/25/91	73	CASS	T	
TE-104-AW-53	7/1/91	71	SACS	T	
TE-104-AW-53	7/8/91	70	SACS	T	
TE-104-AW-53	7/15/91	72	SACS	T	
TE-104-AW-53	7/22/91	71	SACS	T	
TE-104-AW-53	7/29/91	72	SACS	T	
TE-104-AW-53	8/4/91	73	SACS	T	
TE-104-AW-53	8/19/91	72	SACS	T	
TE-104-AW-53	8/26/91	74	SACS	T	
TE-104-AW-53	8/2/91	75	SACS	T	
TE-104-AW-53	9/9/91	75	SACS	T	
TE-104-AW-53	9/16/91	75	SACS	T	
TE-104-AW-53	9/23/91	75	SACS	T	
TE-104-AW-53	9/30/91	75	SACS	T	
TE-104-AW-53	10/7/91	74	SACS	T	
TE-104-AW-53	10/14/91	75	SACS	T	
TE-104-AW-53	10/21/91	74	SACS	T	
TE-104-AW-53	10/28/91	73	SACS	T	
TE-104-AW-53	11/5/91	72	SACS	T	
TE-104-AW-53	11/11/91	72	SACS	T	
TE-104-AW-53	11/18/91	71	SACS	T	
TE-104-AW-53	11/25/91	71	SACS	T	
TE-104-AW-53	12/2/91	70	SACS	T	
TE-104-AW-53	12/9/91	69	SACS	T	
TE-104-AW-53	12/16/91	69	SACS	T	
TE-104-AW-53	12/23/91	69	SACS	T	
TE-104-AW-53	12/30/91	68	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-104 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-104-AW-53	1/6/92	68	SACS	T	
TE-104-AW-53	1/13/92	67	SACS	T	
TE-104-AW-53	1/20/92	66	SACS	T	
TE-104-AW-53	1/27/92	66	SACS	T	
TE-104-AW-53	2/22/92	64	SACS	T	
TE-104-AW-53	3/4/92	66	SACS	T	
TE-104-AW-53	3/11/92	75	SACS	T	
TE-104-AW-53	5/18/92	82	SACS	T	
TE-104-AW-53	6/29/92	69	SACS	T	
TE-104-AW-53	10/5/92	72	SACS	T	
TE-104-AW-53	10/12/92	72	SACS	T	
TE-104-AW-53	10/19/92	71	SACS	T	
TE-104-AW-53	10/26/92	71	SACS	T	
TE-104-AW-53	11/2/92	70	SACS	T	
TE-104-AW-53	11/9/92	72	SACS	T	
TE-104-AW-53	11/16/92	71	SACS	T	
TE-104-AW-53	11/23/92	70	SACS	T	
TE-104-AW-53	11/30/92	68	SACS	T	
TE-104-AW-53	12/7/92	68	SACS	T	
TE-104-AW-53	12/14/92	68	SACS	T	
TE-104-AW-53	12/21/92	65	SACS	T	
TE-104-AW-53	12/28/92	66	SACS	T	
TE-104-AW-53	2/1/93	64	SACS	T	
TE-104-AW-53	2/8/93	63	SACS	T	
TE-104-AW-53	2/16/93	65	SACS	T	

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-36	7/14/83	77	CASS	T	
TE-105-AW-36	7/23/83	78	CASS	T	
TE-105-AW-36	7/30/83	78	CASS	T	
TE-105-AW-36	8/6/83	78	CASS	T	
TE-105-AW-36	8/12/83	79	CASS	T	
TE-105-AW-36	8/20/83	79	CASS	T	
TE-105-AW-36	8/27/83	79	CASS	T	
TE-105-AW-36	8/31/83	79	CASS	T	
TE-105-AW-36	9/10/83	79	CASS	T	
TE-105-AW-36	9/14/83	79	CASS	T	
TE-105-AW-36	9/24/83	79	CASS	T	
TE-105-AW-36	10/1/83	82	CASS	T	
TE-105-AW-36	10/5/83	82	CASS	T	
TE-105-AW-36	10/15/83	81	CASS	T	
TE-105-AW-36	10/16/83	81	CASS	T	
TE-105-AW-36	3/10/84	74	CASS	T	
TE-105-AW-36	3/17/84	75	CASS	T	
TE-105-AW-36	3/24/84	77	CASS	T	
TE-105-AW-36	3/31/84	78	CASS	T	
TE-105-AW-36	4/7/84	78	CASS	T	
TE-105-AW-36	4/14/84	79	CASS	T	
TE-105-AW-36	4/21/84	79	CASS	T	
TE-105-AW-36	4/28/84	80	CASS	T	
TE-105-AW-36	5/5/84	80	CASS	T	
TE-105-AW-36	5/12/84	81	CASS	T	
TE-105-AW-36	5/19/84	85	CASS	T	
TE-105-AW-36	5/26/84	85	CASS	T	
TE-105-AW-36	6/2/84	85	CASS	T	
TE-105-AW-36	6/7/84	86	CASS	T	
TE-105-AW-36	6/23/84	90	CASS	T	
TE-105-AW-36	6/30/84	90	CASS	T	
TE-105-AW-36	7/7/84	93	CASS	T	
TE-105-AW-36	7/14/84	96	CASS	T	
TE-105-AW-36	7/21/84	97	CASS	T	
TE-105-AW-36	7/28/84	97	CASS	T	
TE-105-AW-36	8/4/84	97	CASS	T	
TE-105-AW-36	8/11/84	98	CASS	T	
TE-105-AW-36	8/18/84	98	CASS	T	
TE-105-AW-36	8/25/84	98	CASS	T	
TE-105-AW-36	9/1/84	98	CASS	T	
TE-105-AW-36	9/8/84	99	CASS	T	
TE-105-AW-36	9/15/84	100	CASS	T	
TE-105-AW-36	9/22/84	100	CASS	T	
TE-105-AW-36	9/28/84	100	CASS	T	
TE-105-AW-36	10/2/84	100	CASS	T	
TE-105-AW-36	10/13/84	99	CASS	T	
TE-105-AW-36	10/15/84	99	CASS	T	
TE-105-AW-36	10/24/84	98	CASS	T	
TE-105-AW-36	10/30/84	97	CASS	T	
TE-105-AW-36	11/6/84	96	CASS	T	
TE-105-AW-36	11/12/84	95	CASS	T	
TE-105-AW-36	11/19/84	94	CASS	T	
TE-105-AW-36	11/30/84	92	CASS	T	
TE-105-AW-36	12/7/84	91	CASS	T	
TE-105-AW-36	12/9/84	91	CASS	T	
TE-105-AW-36	12/17/84	90	CASS	T	
TE-105-AW-36	1/5/85	87	CASS	T	
TE-105-AW-36	1/9/85	87	CASS	T	
TE-105-AW-36	1/19/85	86	CASS	T	
TE-105-AW-36	1/26/85	86	CASS	T	
TE-105-AW-36	2/1/85	86	CASS	T	
TE-105-AW-36	2/5/85	85	CASS	T	
TE-105-AW-36	2/13/85	84	CASS	T	
TE-105-AW-36	2/22/85	83	CASS	T	
TE-105-AW-36	3/2/85	82	CASS	T	
TE-105-AW-36	3/6/85	82	CASS	T	
TE-105-AW-36	3/16/85	81	CASS	T	
TE-105-AW-36	3/18/85	81	CASS	T	
TE-105-AW-36	3/30/85	80	CASS	T	
TE-105-AW-36	4/6/85	80	CASS	T	
TE-105-AW-36	4/13/85	80	CASS	T	
TE-105-AW-36	4/20/85	80	CASS	T	
TE-105-AW-36	4/27/85	80	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-36	5/4/85	80	CASS	T	
TE-105-AW-36	5/10/85	80	CASS	T	
TE-105-AW-36	5/18/85	80	CASS	T	
TE-105-AW-36	5/25/85	80	CASS	T	
TE-105-AW-36	5/26/85	80	CASS	T	
TE-105-AW-36	6/8/85	79	CASS	T	
TE-105-AW-36	6/16/85	79	CASS	T	
TE-105-AW-36	6/19/85	79	CASS	T	
TE-105-AW-36	11/1/85	90	CASS	T	
TE-105-AW-36	12/1/85	88	CASS	T	
TE-105-AW-36	1/4/86	88	CASS	T	
TE-105-AW-36	1/11/86	87	CASS	T	
TE-105-AW-36	1/18/86	87	CASS	T	
TE-105-AW-36	1/25/86	87	CASS	T	
TE-105-AW-36	1/28/86	87	CASS	T	
TE-105-AW-36	2/8/86	86	CASS	T	
TE-105-AW-36	2/12/86	86	CASS	T	
TE-105-AW-36	2/19/86	85	CASS	T	
TE-105-AW-36	3/1/86	84	CASS	T	
TE-105-AW-36	3/4/86	84	CASS	T	
TE-105-AW-36	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-105-AW-36	9/19/86	94	CASS	T	
TE-105-AW-36	9/28/86	94	CASS	T	
TE-105-AW-36	10/2/86	93	CASS	T	
TE-105-AW-36	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-105-AW-36	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-105-AW-36	10/5/86	234	CASS	S	Data point did not agree with local trend
TE-105-AW-36	10/6/86	226	CASS	S	Data point did not agree with local trend
TE-105-AW-36	10/9/86	92	CASS	T	
TE-105-AW-36	10/18/86	88	CASS	T	
TE-105-AW-36	10/25/86	88	CASS	T	
TE-105-AW-36	10/29/86	88	CASS	T	
TE-105-AW-36	11/7/86	87	CASS	T	
TE-105-AW-36	11/13/86	86	CASS	T	
TE-105-AW-36	11/22/86	85	CASS	T	
TE-105-AW-36	11/25/86	85	CASS	T	
TE-105-AW-36	12/6/86	84	CASS	T	
TE-105-AW-36	12/13/86	83	CASS	T	
TE-105-AW-36	12/20/86	82	CASS	T	
TE-105-AW-36	12/24/86	82	CASS	T	
TE-105-AW-36	12/31/86	81	CASS	T	
TE-105-AW-36	7/2/87	78	CASS	T	
TE-105-AW-36	7/10/87	78	CASS	T	
TE-105-AW-36	7/17/87	78	CASS	T	
TE-105-AW-36	7/24/87	78	CASS	T	
TE-105-AW-36	7/31/87	79	CASS	T	
TE-105-AW-36	8/8/87	79	CASS	T	
TE-105-AW-36	8/14/87	79	CASS	T	
TE-105-AW-36	8/22/87	79	CASS	T	
TE-105-AW-36	8/29/87	79	CASS	T	
TE-105-AW-36	9/2/87	80	CASS	T	
TE-105-AW-36	9/11/87	80	CASS	T	
TE-105-AW-36	11/27/87	98	CASS	S	Data point did not agree with local trend
TE-105-AW-36	11/28/87	80	CASS	T	
TE-105-AW-36	11/29/87	79	CASS	T	
TE-105-AW-36	3/28/88	73	CASS	T	
TE-105-AW-36	3/31/88	73	CASS	T	
TE-105-AW-36	6/4/88	73	CASS	T	
TE-105-AW-36	6/11/88	73	CASS	T	
TE-105-AW-36	6/18/88	73	CASS	T	
TE-105-AW-36	6/25/88	74	CASS	T	
TE-105-AW-36	7/2/88	74	CASS	T	
TE-105-AW-36	7/9/88	74	CASS	T	
TE-105-AW-36	7/18/88	74	CASS	T	
TE-105-AW-36	7/18/88	399	CASS	S	Data point did not agree with local trend
TE-105-AW-36	7/23/88	75	CASS	T	
TE-105-AW-36	7/30/88	75	CASS	T	
TE-105-AW-36	8/2/88	81	CASS	T	
TE-105-AW-36	8/10/88	76	CASS	T	
TE-105-AW-36	12/3/88	76	CASS	T	
TE-105-AW-36	12/4/88	76	CASS	T	
TE-105-AW-36	12/17/88	75	CASS	T	
TE-105-AW-36	12/18/88	95	CASS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-36	12/20/88	73	CASS	T	
TE-105-AW-36	7/10/89	87	SACS	T	
TE-105-AW-36	7/17/89	86	SACS	T	
TE-105-AW-36	7/24/89	87	SACS	T	
TE-105-AW-36	8/7/89	88	SACS	T	
TE-105-AW-36	8/14/89	88	SACS	T	
TE-105-AW-36	8/21/89	87	SACS	T	
TE-105-AW-36	9/2/89	78	CASS	T	
TE-105-AW-36	9/9/89	76	CASS	T	
TE-105-AW-36	9/16/89	76	CASS	T	
TE-105-AW-36	9/19/89	125	CASS	S	Data point did not agree with local trend
TE-105-AW-36	9/22/89	123	CASS	S	Data point did not agree with local trend
TE-105-AW-36	9/23/89	78	CASS	T	
TE-105-AW-36	9/30/89	77	CASS	T	
TE-105-AW-36	10/1/89	87	SACS	T	
TE-105-AW-36	10/8/89	88	SACS	T	
TE-105-AW-36	10/16/89	88	SACS	T	
TE-105-AW-36	10/24/89	89	SACS	T	
TE-105-AW-36	11/4/89	78	CASS	T	
TE-105-AW-36	11/11/89	76	CASS	T	
TE-105-AW-36	11/18/89	78	CASS	T	
TE-105-AW-36	11/25/89	78	CASS	T	
TE-105-AW-36	11/30/89	76	CASS	T	
TE-105-AW-36	12/4/89	75	CASS	T	
TE-105-AW-36	12/9/89	89	CASS	S	Data point did not agree with local trend
TE-105-AW-36	12/10/89	98	CASS	S	Data point did not agree with local trend
TE-105-AW-36	12/11/89	112	CASS	S	Data point did not agree with local trend
TE-105-AW-36	12/18/89	73	CASS	T	
TE-105-AW-36	12/19/89	73	CASS	T	
TE-105-AW-36	12/27/89	72	CASS	T	
TE-105-AW-36	1/6/90	71	CASS	T	
TE-105-AW-36	1/10/90	71	CASS	T	
TE-105-AW-36	1/20/90	70	CASS	T	
TE-105-AW-36	1/27/90	70	CASS	T	
TE-105-AW-36	2/3/90	70	CASS	T	
TE-105-AW-36	2/10/90	70	CASS	T	
TE-105-AW-36	2/14/90	70	CASS	T	
TE-105-AW-36	2/24/90	70	CASS	T	
TE-105-AW-36	3/3/90	70	CASS	T	
TE-105-AW-36	3/10/90	70	CASS	T	
TE-105-AW-36	3/17/90	70	CASS	T	
TE-105-AW-36	3/20/90	70	CASS	T	
TE-105-AW-36	3/31/90	89	CASS	T	
TE-105-AW-36	4/7/90	89	CASS	T	
TE-105-AW-36	4/14/90	89	CASS	T	
TE-105-AW-36	4/20/90	70	CASS	T	
TE-105-AW-36	4/21/90	117	CASS	S	Data point did not agree with local trend
TE-105-AW-36	4/28/90	70	CASS	T	
TE-105-AW-36	5/2/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-36	5/5/90	70	CASS	T	
TE-105-AW-36	5/12/90	70	CASS	T	
TE-105-AW-36	5/15/90	118	CASS	S	Data point did not agree with local trend
TE-105-AW-36	5/19/90	70	CASS	T	
TE-105-AW-36	5/22/90	70	CASS	T	
TE-105-AW-36	6/2/90	70	CASS	T	
TE-105-AW-36	6/9/90	70	CASS	T	
TE-105-AW-36	6/13/90	111	CASS	S	Data point did not agree with local trend
TE-105-AW-36	6/16/90	70	CASS	T	
TE-105-AW-36	6/22/90	71	CASS	T	
TE-105-AW-36	6/23/90	113	CASS	S	Data point did not agree with local trend
TE-105-AW-36	6/29/90	71	CASS	T	
TE-105-AW-36	6/30/90	114	CASS	S	Data point did not agree with local trend
TE-105-AW-36	7/2/90	113	CASS	S	Data point did not agree with local trend
TE-105-AW-36	7/3/90	72	CASS	T	
TE-105-AW-36	7/13/90	72	CASS	T	
TE-105-AW-36	7/14/90	116	CASS	S	Data point did not agree with local trend
TE-105-AW-36	7/15/90	117	CASS	S	Data point did not agree with local trend
TE-105-AW-36	7/19/90	117	CASS	S	Data point did not agree with local trend
TE-105-AW-36	7/21/90	73	CASS	T	
TE-105-AW-36	7/22/90	118	CASS	S	Data point did not agree with local trend
TE-105-AW-36	7/25/90	118	CASS	S	Data point did not agree with local trend
TE-105-AW-36	7/26/90	73	CASS	T	
TE-105-AW-36	7/27/90	118	CASS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-36	7/28/90	118	CASS	S	Data point did not agree with local trend
TE-105-AW-36	8/1/90	118	CASS	S	Data point did not agree with local trend
TE-105-AW-36	8/4/90	73	CASS	T	
TE-105-AW-36	8/5/90	119	CASS	S	Data point did not agree with local trend
TE-105-AW-36	8/11/90	74	CASS	T	
TE-105-AW-36	8/14/90	119	CASS	S	Data point did not agree with local trend
TE-105-AW-36	8/15/90	74	CASS	T	
TE-105-AW-36	8/16/90	121	CASS	S	Data point did not agree with local trend
TE-105-AW-36	8/17/90	120	CASS	S	Data point did not agree with local trend
TE-105-AW-36	8/20/90	113	CASS	S	Data point did not agree with local trend
TE-105-AW-36	8/22/90	74	CASS	T	
TE-105-AW-36	8/23/90	114	CASS	S	Data point did not agree with local trend
TE-105-AW-36	8/24/90	116	CASS	S	Data point did not agree with local trend
TE-105-AW-36	8/25/90	116	CASS	S	Data point did not agree with local trend
TE-105-AW-36	8/27/90	116	CASS	S	Data point did not agree with local trend
TE-105-AW-36	8/28/90	117	CASS	S	Data point did not agree with local trend
TE-105-AW-36	8/30/90	74	CASS	T	
TE-105-AW-36	8/31/90	114	CASS	S	Data point did not agree with local trend
TE-105-AW-36	9/1/90	116	CASS	S	Data point did not agree with local trend
TE-105-AW-36	9/3/90	116	CASS	S	Data point did not agree with local trend
TE-105-AW-36	9/8/90	74	CASS	T	
TE-105-AW-36	9/12/90	116	CASS	S	Data point did not agree with local trend
TE-105-AW-36	9/15/90	74	CASS	T	
TE-105-AW-36	9/16/90	116	CASS	S	Data point did not agree with local trend
TE-105-AW-36	9/22/90	74	CASS	T	
TE-105-AW-36	9/29/90	74	CASS	T	
TE-105-AW-36	10/6/90	74	CASS	T	
TE-105-AW-36	10/13/90	74	CASS	T	
TE-105-AW-36	10/14/90	74	CASS	T	
TE-105-AW-36	10/27/90	73	CASS	T	
TE-105-AW-36	10/31/90	73	CASS	T	
TE-105-AW-36	11/6/90	91	CASS	S	Data point did not agree with local trend
TE-105-AW-36	11/10/90	72	CASS	T	
TE-105-AW-36	11/17/90	72	CASS	T	
TE-105-AW-36	11/18/90	72	CASS	T	
TE-105-AW-36	12/1/90	71	CASS	T	
TE-105-AW-36	12/3/90	71	CASS	T	
TE-105-AW-36	12/14/90	70	CASS	T	
TE-105-AW-36	12/19/90	69	CASS	T	
TE-105-AW-36	12/21/90	84	CASS	S	Data point did not agree with local trend
TE-105-AW-36	12/24/90	69	SACS	T	
TE-105-AW-36	12/30/90	93	CASS	S	Data point did not agree with local trend
TE-105-AW-36	12/31/90	94	CASS	S	Data point did not agree with local trend
TE-105-AW-36	12/31/90	68	SACS	T	
TE-105-AW-36	1/1/91	93	CASS	S	Data point did not agree with local trend
TE-105-AW-36	1/3/91	93	CASS	S	Data point did not agree with local trend
TE-105-AW-36	1/4/91	96	CASS	S	Data point did not agree with local trend
TE-105-AW-36	1/5/91	98	CASS	S	Data point did not agree with local trend
TE-105-AW-36	1/7/91	68	SACS	T	
TE-105-AW-36	1/19/91	68	CASS	T	
TE-105-AW-36	1/26/91	68	CASS	T	
TE-105-AW-36	2/2/91	68	CASS	T	
TE-105-AW-36	2/7/91	105	CASS	S	Data point did not agree with local trend
TE-105-AW-36	2/9/91	68	CASS	T	
TE-105-AW-36	2/11/91	92	CASS	S	Data point did not agree with local trend
TE-105-AW-36	2/16/91	68	CASS	T	
TE-105-AW-36	2/23/91	68	CASS	T	
TE-105-AW-36	3/2/91	68	CASS	T	
TE-105-AW-36	3/5/91	68	CASS	T	
TE-105-AW-36	3/15/91	103	CASS	S	Data point did not agree with local trend
TE-105-AW-36	3/16/91	67	CASS	T	
TE-105-AW-36	3/20/91	98	CASS	S	Data point did not agree with local trend
TE-105-AW-36	3/21/91	101	CASS	S	Data point did not agree with local trend
TE-105-AW-36	3/22/91	102	CASS	S	Data point did not agree with local trend
TE-105-AW-36	3/23/91	67	CASS	T	
TE-105-AW-36	3/24/91	99	CASS	S	Data point did not agree with local trend
TE-105-AW-36	3/25/91	89	CASS	S	Data point did not agree with local trend
TE-105-AW-36	3/25/91	87	SACS	T	
TE-105-AW-36	3/26/91	98	CASS	S	Data point did not agree with local trend
TE-105-AW-36	3/29/91	104	CASS	S	Data point did not agree with local trend
TE-105-AW-36	4/1/91	67	SACS	T	
TE-105-AW-36	4/2/91	106	CASS	S	Data point did not agree with local trend
TE-105-AW-36	4/3/91	107	CASS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-36	4/8/91	67	SACS	T	
TE-105-AW-36	4/16/91	105	CASS	S	Data point did not agree with local trend
TE-105-AW-36	4/20/91	67	CASS	T	
TE-105-AW-36	4/22/91	114	CASS	S	Data point did not agree with local trend
TE-105-AW-36	4/24/91	115	CASS	S	Data point did not agree with local trend
TE-105-AW-36	4/25/91	115	CASS	S	Data point did not agree with local trend
TE-105-AW-36	4/27/91	67	CASS	T	
TE-105-AW-36	4/29/91	116	CASS	S	Data point did not agree with local trend
TE-105-AW-36	5/1/91	117	CASS	S	Data point did not agree with local trend
TE-105-AW-36	5/4/91	67	CASS	T	
TE-105-AW-36	5/6/91	120	CASS	S	Data point did not agree with local trend
TE-105-AW-36	5/7/91	120	CASS	S	Data point did not agree with local trend
TE-105-AW-36	5/11/91	67	CASS	T	
TE-105-AW-36	5/12/91	119	CASS	S	Data point did not agree with local trend
TE-105-AW-36	5/17/91	108	CASS	S	Data point did not agree with local trend
TE-105-AW-36	5/18/91	67	CASS	T	
TE-105-AW-36	5/25/91	67	CASS	T	
TE-105-AW-36	5/26/91	120	CASS	S	Data point did not agree with local trend
TE-105-AW-36	5/31/91	67	CASS	T	
TE-105-AW-36	6/7/91	114	CASS	S	Data point did not agree with local trend
TE-105-AW-36	6/8/91	67	CASS	T	
TE-105-AW-36	6/9/91	120	CASS	S	Data point did not agree with local trend
TE-105-AW-36	6/15/91	88	CASS	T	
TE-105-AW-36	6/19/91	88	CASS	T	
TE-105-AW-36	6/20/91	101	CASS	S	Data point did not agree with local trend
TE-105-AW-36	6/23/91	116	CASS	S	Data point did not agree with local trend
TE-105-AW-36	6/24/91	68	CASS	T	
TE-105-AW-36	6/25/91	118	CASS	S	Data point did not agree with local trend
TE-105-AW-36	7/1/91	85	SACS	T	
TE-105-AW-36	7/8/91	64	SACS	T	
TE-105-AW-36	7/15/91	66	SACS	T	
TE-105-AW-36	7/22/91	65	SACS	T	
TE-105-AW-36	7/29/91	65	SACS	T	
TE-105-AW-36	8/4/91	65	SACS	T	
TE-105-AW-36	8/19/91	64	SACS	T	
TE-105-AW-36	8/26/91	65	SACS	T	
TE-105-AW-36	9/2/91	65	SACS	T	
TE-105-AW-36	9/9/91	67	SACS	T	
TE-105-AW-36	9/16/91	66	SACS	T	
TE-105-AW-36	9/23/91	67	SACS	T	
TE-105-AW-36	9/30/91	66	SACS	T	
TE-105-AW-36	10/7/91	66	SACS	T	
TE-105-AW-36	10/14/91	67	SACS	T	
TE-105-AW-36	10/21/91	68	SACS	T	
TE-105-AW-36	10/28/91	66	SACS	T	
TE-105-AW-36	11/5/91	66	SACS	T	
TE-105-AW-36	11/11/91	66	SACS	T	
TE-105-AW-36	11/18/91	66	SACS	T	
TE-105-AW-36	11/25/91	72	SACS	T	
TE-105-AW-36	12/2/91	66	SACS	T	
TE-105-AW-36	12/9/91	66	SACS	T	
TE-105-AW-36	12/16/91	66	SACS	T	
TE-105-AW-36	12/23/91	66	SACS	T	
TE-105-AW-36	12/30/91	66	SACS	T	
TE-105-AW-36	1/6/92	67	SACS	T	
TE-105-AW-36	1/13/92	66	SACS	T	
TE-105-AW-36	1/20/92	66	SACS	T	
TE-105-AW-36	1/27/92	66	SACS	T	
TE-105-AW-36	2/3/92	66	SACS	T	
TE-105-AW-36	2/10/92	66	SACS	T	
TE-105-AW-36	2/22/92	66	SACS	T	
TE-105-AW-36	2/24/92	67	SACS	T	
TE-105-AW-36	3/4/92	66	SACS	T	
TE-105-AW-36	3/11/92	76	SACS	T	
TE-105-AW-36	3/18/92	67	SACS	T	
TE-105-AW-36	3/23/92	67	SACS	T	
TE-105-AW-36	3/30/92	66	SACS	T	
TE-105-AW-36	4/6/92	67	SACS	T	
TE-105-AW-36	4/13/92	67	SACS	T	
TE-105-AW-36	4/20/92	68	SACS	T	
TE-105-AW-36	4/27/92	68	SACS	T	
TE-105-AW-36	5/4/92	67	SACS	T	
TE-105-AW-36	5/11/92	74	SACS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-36	5/18/92	81	SACS	S	Date point did not agree with local trend
TE-105-AW-36	5/25/92	81	SACS	S	Date point did not agree with local trend
TE-105-AW-36	6/8/92	88	SACS	T	
TE-105-AW-36	6/15/92	89	SACS	T	
TE-105-AW-36	6/22/92	88	SACS	T	
TE-105-AW-36	6/29/92	86	SACS	T	
TE-105-AW-36	7/6/92	88	SACS	T	
TE-105-AW-36	7/13/92	89	SACS	T	
TE-105-AW-36	7/20/92	88	SACS	T	
TE-105-AW-36	7/27/92	89	SACS	T	
TE-105-AW-36	8/3/92	88	SACS	T	
TE-105-AW-36	8/10/92	89	SACS	T	
TE-105-AW-36	8/17/92	89	SACS	T	
TE-105-AW-36	8/24/92	70	SACS	T	
TE-105-AW-36	8/31/92	70	SACS	T	
TE-105-AW-36	9/7/92	71	SACS	T	
TE-105-AW-36	9/14/92	71	SACS	T	
TE-105-AW-36	9/21/92	70	SACS	T	
TE-105-AW-36	9/28/92	70	SACS	T	
TE-105-AW-36	10/5/92	68	SACS	T	
TE-105-AW-36	10/12/92	68	SACS	T	
TE-105-AW-36	10/19/92	67	SACS	T	
TE-105-AW-36	11/2/92	65	SACS	T	
TE-105-AW-36	11/9/92	66	SACS	T	
TE-105-AW-36	11/16/92	67	SACS	T	
TE-105-AW-36	11/23/92	67	SACS	T	
TE-105-AW-36	11/30/92	66	SACS	T	
TE-105-AW-36	12/7/92	66	SACS	T	
TE-105-AW-36	12/14/92	66	SACS	T	
TE-105-AW-36	12/21/92	65	SACS	T	
TE-105-AW-36	12/28/92	65	SACS	T	
TE-105-AW-36	1/4/93	71	SACS	T	
TE-105-AW-36	1/11/93	71	SACS	T	
TE-105-AW-36	1/18/93	71	SACS	T	
TE-105-AW-36	1/25/93	65	SACS	T	
TE-105-AW-36	2/1/93	66	SACS	T	
TE-105-AW-36	2/8/93	65	SACS	T	
TE-105-AW-36	2/16/93	68	SACS	T	
TE-105-AW-36	3/1/93	72	SACS	T	
TE-105-AW-36	3/8/93	70	SACS	T	
TE-105-AW-36	3/20/93	70	SACS	T	
TE-105-AW-36	3/22/93	69	SACS	T	
TE-105-AW-36	3/29/93	69	SACS	T	
TE-105-AW-36	4/6/93	69	SACS	T	
TE-105-AW-36	4/12/93	69	SACS	T	
TE-105-AW-36	4/19/93	70	SACS	T	
TE-105-AW-36	4/26/93	69	SACS	T	
TE-105-AW-36	5/3/93	69	SACS	T	
TE-105-AW-36	5/10/93	68	SACS	T	
TE-105-AW-36	5/17/93	69	SACS	T	
TE-105-AW-36	5/24/93	70	SACS	T	
TE-105-AW-36	5/31/93	69	SACS	T	
TE-105-AW-36	6/7/93	70	SACS	T	
TE-105-AW-36	6/15/93	70	SACS	T	
TE-105-AW-36	6/22/93	70	SACS	T	
TE-105-AW-36	6/28/93	68	SACS	T	
TE-105-AW-36	7/26/93	70	SACS	T	
TE-105-AW-36	8/2/93	70	SACS	T	
TE-105-AW-36	8/9/93	71	SACS	T	
TE-105-AW-36	8/16/93	71	SACS	T	
TE-105-AW-36	8/23/93	71	SACS	T	
TE-105-AW-36	8/30/93	72	SACS	T	
TE-105-AW-36	9/13/93	72	SACS	T	
TE-105-AW-36	9/21/93	72	SACS	T	
TE-105-AW-36	9/27/93	72	SACS	T	
TE-105-AW-36	10/11/93	73	SACS	T	
TE-105-AW-36	10/19/93	72	SACS	T	
TE-105-AW-36	10/26/93	72	SACS	T	
TE-105-AW-36	11/1/93	71	SACS	T	
TE-105-AW-36	11/8/93	72	SACS	T	
TE-105-AW-36	11/15/93	72	SACS	T	
TE-105-AW-36	11/26/93	73	SACS	T	
TE-105-AW-36	11/29/93	72	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-36	12/8/93	72	SACS	T	
TE-105-AW-36	12/16/93	72	SACS	T	
TE-105-AW-36	12/20/93	73	SACS	T	
TE-105-AW-36	12/27/93	72	SACS	T	
TE-105-AW-36	1/5/94	72	SACS	T	
TE-105-AW-36	1/24/94	72	SACS	T	
TE-105-AW-36	1/31/94	72	SACS	T	
TE-105-AW-36	2/28/94	72	SACS	T	
TE-105-AW-36	3/7/94	72	SACS	T	
TE-105-AW-36	4/18/94	71	SACS	G	
TE-105-AW-36	4/25/94	72	SACS	G	
TE-105-AW-36	5/2/94	71	SACS	G	
TE-105-AW-36	5/9/94	71	SACS	G	
TE-105-AW-36	5/16/94	71	SACS	G	
TE-105-AW-36	5/31/94	71	SACS	G	
TE-105-AW-36	6/8/94	71	SACS	G	
TE-105-AW-36	6/13/94	71	SACS	G	
TE-105-AW-36	6/20/94	71	SACS	G	
TE-105-AW-36	6/27/94	71	SACS	G	
TE-105-AW-36	7/18/94	71	SACS	G	
TE-105-AW-36	7/25/94	72	SACS	G	
TE-105-AW-36	8/1/94	71	SACS	G	
TE-105-AW-36	8/8/94	71	SACS	G	
TE-105-AW-36	8/15/94	71	SACS	G	
TE-105-AW-36	8/22/94	72	SACS	G	
TE-105-AW-36	9/5/94	72	SACS	G	
TE-105-AW-36	9/12/94	71	SACS	G	
TE-105-AW-36	9/19/94	71	SACS	G	
TE-105-AW-36	9/26/94	72	SACS	G	
TE-105-AW-36	10/10/94	72	SACS	G	
TE-105-AW-36	10/17/94	73	SACS	G	
TE-105-AW-36	10/24/94	72	SACS	G	
TE-105-AW-36	10/31/94	73	SACS	G	
TE-105-AW-36	11/7/94	72	SACS	G	
TE-105-AW-36	11/14/94	72	SACS	G	
TE-105-AW-36	11/21/94	72	SACS	G	
TE-105-AW-36	11/28/94	72	SACS	G	
TE-105-AW-36	12/5/94	72	SACS	G	
TE-105-AW-36	12/12/94	72	SACS	G	
TE-105-AW-36	12/19/94	72	SACS	G	
TE-105-AW-36	12/26/94	72	SACS	G	
TE-105-AW-36	1/2/95	72	SACS	G	
TE-105-AW-36	1/9/95	72	SACS	G	
TE-105-AW-36	1/16/95	71	SACS	G	
TE-105-AW-36	1/23/95	72	SACS	G	
TE-105-AW-36	1/30/95	71	SACS	G	
TE-105-AW-36	2/6/95	71	SACS	G	
TE-105-AW-36	2/13/95	72	SACS	G	
TE-105-AW-36	2/24/95	71	SACS	G	
TE-105-AW-36	2/27/95	71	SACS	G	
TE-105-AW-36	3/6/95	71	SACS	G	
TE-105-AW-36	3/19/95	70	SACS	G	
TE-105-AW-36	3/27/95	63	SACS	G	
TE-105-AW-36	4/3/95	70	SACS	G	
TE-105-AW-36	4/10/95	71	SACS	G	
TE-105-AW-36	4/17/95	70	SACS	G	
TE-105-AW-36	4/24/95	70	SACS	G	
TE-105-AW-36	5/1/95	71	SACS	G	
TE-105-AW-36	5/13/95	71	SACS	G	
TE-105-AW-36	5/22/95	71	SACS	G	
TE-105-AW-36	5/29/95	71	SACS	G	
TE-105-AW-36	6/5/95	71	SACS	G	
TE-105-AW-36	6/13/95	71	SACS	G	
TE-105-AW-36	6/19/95	71	SACS	G	
TE-105-AW-36	6/27/95	71	SACS	T	
TE-105-AW-37	7/14/83	79	CASS	T	
TE-105-AW-37	7/23/83	80	CASS	T	
TE-105-AW-37	7/29/83	80	CASS	T	
TE-105-AW-37	8/8/83	80	CASS	T	
TE-105-AW-37	8/12/83	80	CASS	T	
TE-105-AW-37	8/19/83	80	CASS	T	
TE-105-AW-37	8/27/83	80	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-37	8/31/83	80	CASS	T	
TE-105-AW-37	9/10/83	80	CASS	T	
TE-105-AW-37	9/13/83	80	CASS	T	
TE-105-AW-37	9/24/83	79	CASS	T	
TE-105-AW-37	10/1/83	85	CASS	T	
TE-105-AW-37	10/2/83	85	CASS	T	
TE-105-AW-37	10/15/83	83	CASS	T	
TE-105-AW-37	10/18/83	83	CASS	T	
TE-105-AW-37	3/10/84	77	CASS	T	
TE-105-AW-37	3/17/84	80	CASS	T	
TE-105-AW-37	3/24/84	82	CASS	T	
TE-105-AW-37	3/25/84	82	CASS	T	
TE-105-AW-37	4/5/84	81	CASS	T	
TE-105-AW-37	4/14/84	84	CASS	T	
TE-105-AW-37	4/15/84	84	CASS	T	
TE-105-AW-37	4/27/84	83	CASS	T	
TE-105-AW-37	5/5/84	85	CASS	T	
TE-105-AW-37	5/12/84	88	CASS	T	
TE-105-AW-37	5/17/84	93	CASS	T	
TE-105-AW-37	5/21/84	91	CASS	T	
TE-105-AW-37	5/30/84	90	CASS	T	
TE-105-AW-37	6/7/84	91	CASS	T	
TE-105-AW-37	6/20/84	97	CASS	T	
TE-105-AW-37	6/24/84	95	CASS	T	
TE-105-AW-37	7/7/84	105	CASS	T	
TE-105-AW-37	7/8/84	105	CASS	T	
TE-105-AW-37	7/17/84	105	CASS	T	
TE-105-AW-37	7/28/84	102	CASS	T	
TE-105-AW-37	8/4/84	102	CASS	T	
TE-105-AW-37	8/5/84	102	CASS	T	
TE-105-AW-37	8/18/84	101	CASS	T	
TE-105-AW-37	8/25/84	101	CASS	T	
TE-105-AW-37	9/1/84	104	CASS	T	
TE-105-AW-37	9/8/84	105	CASS	T	
TE-105-AW-37	9/14/84	105	CASS	T	
TE-105-AW-37	9/22/84	104	CASS	T	
TE-105-AW-37	9/29/84	104	CASS	T	
TE-105-AW-37	10/3/84	104	CASS	T	
TE-105-AW-37	10/13/84	103	CASS	T	
TE-105-AW-37	10/19/84	102	CASS	T	
TE-105-AW-37	10/21/84	102	CASS	T	
TE-105-AW-37	10/28/84	101	CASS	T	
TE-105-AW-37	11/6/84	99	CASS	T	
TE-105-AW-37	11/12/84	98	CASS	T	
TE-105-AW-37	11/23/84	97	CASS	T	
TE-105-AW-37	11/30/84	96	CASS	T	
TE-105-AW-37	12/7/84	95	CASS	T	
TE-105-AW-37	12/12/84	95	CASS	T	
TE-105-AW-37	12/22/84	94	CASS	T	
TE-105-AW-37	12/24/84	94	CASS	T	
TE-105-AW-37	12/31/84	93	CASS	T	
TE-105-AW-37	1/12/85	92	CASS	T	
TE-105-AW-37	1/14/85	92	CASS	T	
TE-105-AW-37	1/24/85	91	CASS	T	
TE-105-AW-37	2/1/85	90	CASS	T	
TE-105-AW-37	2/23/85	87	CASS	T	
TE-105-AW-37	2/28/85	87	CASS	T	
TE-105-AW-37	3/9/85	86	CASS	T	
TE-105-AW-37	3/16/85	85	CASS	T	
TE-105-AW-37	3/23/85	84	CASS	T	
TE-105-AW-37	3/27/85	84	CASS	T	
TE-105-AW-37	4/6/85	83	CASS	T	
TE-105-AW-37	4/13/85	83	CASS	T	
TE-105-AW-37	4/18/85	83	CASS	T	
TE-105-AW-37	4/27/85	82	CASS	T	
TE-105-AW-37	5/4/85	82	CASS	T	
TE-105-AW-37	5/9/85	82	CASS	T	
TE-105-AW-37	5/13/85	81	CASS	T	
TE-105-AW-37	5/25/85	80	CASS	T	
TE-105-AW-37	5/28/85	80	CASS	T	
TE-105-AW-37	6/8/85	79	CASS	T	
TE-105-AW-37	6/9/85	79	CASS	T	
TE-105-AW-37	6/19/85	78	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-37	11/1/85	94	CASS	T	
TE-105-AW-37	12/1/85	94	CASS	T	
TE-105-AW-37	1/4/86	93	CASS	T	
TE-105-AW-37	1/11/86	93	CASS	T	
TE-105-AW-37	1/17/86	93	CASS	T	
TE-105-AW-37	1/25/86	92	CASS	T	
TE-105-AW-37	1/31/86	92	CASS	T	
TE-105-AW-37	2/8/86	91	CASS	T	
TE-105-AW-37	2/13/86	91	CASS	T	
TE-105-AW-37	2/22/86	90	CASS	T	
TE-105-AW-37	2/24/86	90	CASS	T	
TE-105-AW-37	3/4/86	89	CASS	T	
TE-105-AW-37	9/13/88	200	CASS	S	Data point did not agree with local trend
TE-105-AW-37	9/14/88	72	CASS	S	Data point did not agree with local trend
TE-105-AW-37	9/15/88	72	CASS	S	Data point did not agree with local trend
TE-105-AW-37	9/19/88	94	CASS	T	
TE-105-AW-37	9/26/88	94	CASS	T	
TE-105-AW-37	10/2/88	93	CASS	T	
TE-105-AW-37	10/3/88	243	CASS	S	Data point did not agree with local trend
TE-105-AW-37	10/4/88	242	CASS	S	Data point did not agree with local trend
TE-105-AW-37	10/5/88	234	CASS	S	Data point did not agree with local trend
TE-105-AW-37	10/6/88	226	CASS	S	Data point did not agree with local trend
TE-105-AW-37	10/9/88	92	CASS	T	
TE-105-AW-37	10/18/88	91	CASS	T	
TE-105-AW-37	10/25/88	91	CASS	T	
TE-105-AW-37	10/29/88	91	CASS	T	
TE-105-AW-37	11/8/88	90	CASS	T	
TE-105-AW-37	11/9/88	90	CASS	T	
TE-105-AW-37	11/21/88	89	CASS	T	
TE-105-AW-37	11/27/88	89	CASS	T	
TE-105-AW-37	12/8/88	88	CASS	T	
TE-105-AW-37	12/9/88	88	CASS	T	
TE-105-AW-37	12/20/88	87	CASS	T	
TE-105-AW-37	12/27/88	86	CASS	T	
TE-105-AW-37	12/30/88	86	CASS	T	
TE-105-AW-37	7/4/87	78	CASS	T	
TE-105-AW-37	7/11/87	78	CASS	T	
TE-105-AW-37	7/17/87	78	CASS	T	
TE-105-AW-37	7/24/87	78	CASS	T	
TE-105-AW-37	7/31/87	79	CASS	T	
TE-105-AW-37	8/8/87	79	CASS	T	
TE-105-AW-37	8/15/87	79	CASS	T	
TE-105-AW-37	8/22/87	79	CASS	T	
TE-105-AW-37	8/29/87	79	CASS	T	
TE-105-AW-37	9/4/87	79	CASS	T	
TE-105-AW-37	9/8/87	79	CASS	T	
TE-105-AW-37	11/27/87	99	CASS	S	Data point did not agree with local trend
TE-105-AW-37	11/28/87	82	CASS	T	
TE-105-AW-37	11/29/87	82	CASS	T	
TE-105-AW-37	3/26/88	76	CASS	T	
TE-105-AW-37	3/29/88	76	CASS	T	
TE-105-AW-37	6/4/88	74	CASS	T	
TE-105-AW-37	6/6/88	491	CASS	S	Data point did not agree with local trend
TE-105-AW-37	6/11/88	74	CASS	T	
TE-105-AW-37	6/18/88	74	CASS	T	
TE-105-AW-37	6/25/88	74	CASS	T	
TE-105-AW-37	7/2/88	74	CASS	T	
TE-105-AW-37	7/9/88	74	CASS	T	
TE-105-AW-37	7/16/88	74	CASS	T	
TE-105-AW-37	7/22/88	96	CASS	S	Data point did not agree with local trend
TE-105-AW-37	7/23/88	75	CASS	T	
TE-105-AW-37	7/30/88	75	CASS	T	
TE-105-AW-37	8/2/88	81	CASS	T	
TE-105-AW-37	8/10/88	75	CASS	T	
TE-105-AW-37	12/3/88	77	CASS	T	
TE-105-AW-37	12/10/88	77	CASS	T	
TE-105-AW-37	12/16/88	77	CASS	T	
TE-105-AW-37	12/17/88	95	CASS	S	Data point did not agree with local trend
TE-105-AW-37	12/18/88	93	CASS	S	Data point did not agree with local trend
TE-105-AW-37	12/22/88	74	CASS	T	
TE-105-AW-37	7/10/89	74	SACS	T	
TE-105-AW-37	7/17/89	74	SACS	T	
TE-105-AW-37	7/24/89	75	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-37	8/7/89	74	SACS	T	
TE-105-AW-37	8/14/89	76	SACS	T	
TE-105-AW-37	8/21/89	76	SACS	T	
TE-105-AW-37	9/2/89	76	CASS	T	
TE-105-AW-37	9/9/89	76	CASS	T	
TE-105-AW-37	9/11/89	77	SACS	T	
TE-105-AW-37	9/18/89	77	SACS	T	
TE-105-AW-37	9/19/89	87	CASS	S	Data point did not agree with local trend
TE-105-AW-37	9/25/89	87	CASS	S	Data point did not agree with local trend
TE-105-AW-37	9/30/89	77	CASS	T	
TE-105-AW-37	10/1/89	77	SACS	T	
TE-105-AW-37	10/8/89	77	SACS	T	
TE-105-AW-37	10/18/89	78	SACS	T	
TE-105-AW-37	10/24/89	78	SACS	T	
TE-105-AW-37	10/30/89	78	SACS	T	
TE-105-AW-37	11/10/89	77	CASS	T	
TE-105-AW-37	11/13/89	78	SACS	T	
TE-105-AW-37	11/22/89	77	CASS	T	
TE-105-AW-37	11/27/89	77	SACS	T	
TE-105-AW-37	12/8/89	76	CASS	T	
TE-105-AW-37	12/10/89	85	CASS	S	Data point did not agree with local trend
TE-105-AW-37	12/14/89	76	CASS	T	
TE-105-AW-37	12/23/89	75	CASS	T	
TE-105-AW-37	12/27/89	75	CASS	T	
TE-105-AW-37	1/6/90	74	CASS	T	
TE-105-AW-37	1/7/90	74	CASS	T	
TE-105-AW-37	1/20/90	73	CASS	T	
TE-105-AW-37	1/27/90	72	CASS	T	
TE-105-AW-37	2/3/90	72	CASS	T	
TE-105-AW-37	2/10/90	72	CASS	T	
TE-105-AW-37	2/12/90	73	SACS	T	
TE-105-AW-37	2/24/90	72	CASS	T	
TE-105-AW-37	2/27/90	72	CASS	T	
TE-105-AW-37	3/10/90	72	CASS	T	
TE-105-AW-37	3/14/90	72	CASS	T	
TE-105-AW-37	3/22/90	71	CASS	T	
TE-105-AW-37	3/31/90	71	CASS	T	
TE-105-AW-37	4/7/90	71	CASS	T	
TE-105-AW-37	4/14/90	71	CASS	T	
TE-105-AW-37	4/16/90	81	SACS	S	Data point did not agree with local trend
TE-105-AW-37	4/21/90	71	CASS	T	
TE-105-AW-37	4/23/90	81	CASS	S	Data point did not agree with local trend
TE-105-AW-37	4/28/90	71	CASS	T	
TE-105-AW-37	5/2/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-37	5/5/90	71	CASS	T	
TE-105-AW-37	5/12/90	71	CASS	T	
TE-105-AW-37	5/15/90	83	CASS	S	Data point did not agree with local trend
TE-105-AW-37	5/19/90	71	CASS	T	
TE-105-AW-37	5/22/90	71	CASS	T	
TE-105-AW-37	6/2/90	71	CASS	T	
TE-105-AW-37	6/8/90	71	CASS	T	
TE-105-AW-37	6/15/90	83	CASS	S	Data point did not agree with local trend
TE-105-AW-37	6/16/90	71	CASS	T	
TE-105-AW-37	6/23/90	71	CASS	T	
TE-105-AW-37	6/28/90	71	CASS	T	
TE-105-AW-37	6/29/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-37	6/30/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-37	7/2/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-37	7/7/90	71	CASS	T	
TE-105-AW-37	7/13/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-37	7/14/90	72	CASS	T	
TE-105-AW-37	7/15/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-37	7/19/90	72	CASS	T	
TE-105-AW-37	7/20/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-37	7/21/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-37	7/25/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-37	7/27/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-37	7/28/90	72	CASS	T	
TE-105-AW-37	7/30/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-37	8/4/90	73	CASS	T	
TE-105-AW-37	8/9/90	73	CASS	T	
TE-105-AW-37	8/11/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-37	8/14/90	87	CASS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-37	8/15/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-37	8/16/90	73	CASS	T	
TE-105-AW-37	8/17/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-37	8/19/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-37	8/20/90	74	SACS	T	
TE-105-AW-37	9/1/90	73	CASS	T	
TE-105-AW-37	9/5/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-37	9/8/90	74	CASS	T	
TE-105-AW-37	9/10/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-37	9/15/90	74	CASS	T	
TE-105-AW-37	9/17/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-37	9/17/90	75	SACS	T	
TE-105-AW-37	9/26/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-37	9/29/90	74	CASS	T	
TE-105-AW-37	10/6/90	74	CASS	T	
TE-105-AW-37	10/8/90	76	SACS	T	
TE-105-AW-37	10/20/90	74	CASS	T	
TE-105-AW-37	10/27/90	74	CASS	T	
TE-105-AW-37	10/31/90	74	CASS	T	
TE-105-AW-37	11/4/90	84	CASS	S	Data point did not agree with local trend
TE-105-AW-37	11/5/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-37	11/5/90	74	SACS	T	
TE-105-AW-37	11/6/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-37	11/7/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-37	11/17/90	73	CASS	T	
TE-105-AW-37	11/24/90	73	CASS	T	
TE-105-AW-37	11/27/90	73	CASS	T	
TE-105-AW-37	12/8/90	72	CASS	T	
TE-105-AW-37	12/15/90	72	CASS	T	
TE-105-AW-37	12/18/90	72	CASS	T	
TE-105-AW-37	12/19/90	83	CASS	S	Data point did not agree with local trend
TE-105-AW-37	12/21/90	81	CASS	S	Data point did not agree with local trend
TE-105-AW-37	12/28/90	71	CASS	T	
TE-105-AW-37	12/30/90	79	CASS	S	Data point did not agree with local trend
TE-105-AW-37	1/5/91	70	CASS	T	
TE-105-AW-37	1/12/91	70	CASS	T	
TE-105-AW-37	1/18/91	70	CASS	T	
TE-105-AW-37	1/25/91	70	CASS	T	
TE-105-AW-37	1/28/91	70	SACS	T	
TE-105-AW-37	2/5/91	70	CASS	T	
TE-105-AW-37	2/7/91	80	CASS	S	Data point did not agree with local trend
TE-105-AW-37	2/16/91	69	CASS	T	
TE-105-AW-37	2/23/91	69	CASS	T	
TE-105-AW-37	3/2/91	69	CASS	T	
TE-105-AW-37	3/9/91	69	CASS	T	
TE-105-AW-37	3/15/91	79	CASS	S	Data point did not agree with local trend
TE-105-AW-37	3/16/91	69	CASS	T	
TE-105-AW-37	3/19/91	69	CASS	T	
TE-105-AW-37	3/21/91	79	CASS	S	Data point did not agree with local trend
TE-105-AW-37	3/22/91	79	CASS	S	Data point did not agree with local trend
TE-105-AW-37	3/23/91	79	CASS	S	Data point did not agree with local trend
TE-105-AW-37	3/24/91	78	CASS	S	Data point did not agree with local trend
TE-105-AW-37	3/25/91	69	CASS	T	
TE-105-AW-37	3/26/91	79	CASS	S	Data point did not agree with local trend
TE-105-AW-37	3/29/91	78	CASS	S	Data point did not agree with local trend
TE-105-AW-37	4/2/91	79	CASS	S	Data point did not agree with local trend
TE-105-AW-37	4/3/91	78	CASS	S	Data point did not agree with local trend
TE-105-AW-37	4/6/91	68	CASS	T	
TE-105-AW-37	4/8/91	78	CASS	S	Data point did not agree with local trend
TE-105-AW-37	4/10/91	78	CASS	S	Data point did not agree with local trend
TE-105-AW-37	4/12/91	78	CASS	S	Data point did not agree with local trend
TE-105-AW-37	4/13/91	68	CASS	T	
TE-105-AW-37	4/14/91	79	CASS	S	Data point did not agree with local trend
TE-105-AW-37	4/16/91	78	CASS	S	Data point did not agree with local trend
TE-105-AW-37	4/18/91	68	CASS	T	
TE-105-AW-37	4/19/91	79	CASS	S	Data point did not agree with local trend
TE-105-AW-37	4/20/91	79	CASS	S	Data point did not agree with local trend
TE-105-AW-37	4/25/91	79	CASS	S	Data point did not agree with local trend
TE-105-AW-37	4/27/91	68	CASS	T	
TE-105-AW-37	5/4/91	68	CASS	T	
TE-105-AW-37	5/8/91	79	CASS	S	Data point did not agree with local trend
TE-105-AW-37	5/9/91	79	CASS	S	Data point did not agree with local trend
TE-105-AW-37	5/11/91	68	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-37	5/12/91	79	CASS	S	Data point did not agree with local trend
TE-105-AW-37	5/17/91	79	CASS	S	Data point did not agree with local trend
TE-105-AW-37	5/18/91	68	CASS	T	
TE-105-AW-37	5/25/91	68	CASS	T	
TE-105-AW-37	5/31/91	68	CASS	T	
TE-105-AW-37	6/8/91	68	CASS	T	
TE-105-AW-37	6/15/91	68	CASS	T	
TE-105-AW-37	6/20/91	68	CASS	T	
TE-105-AW-37	6/25/91	68	CASS	T	
TE-105-AW-37	7/1/91	67	SACS	T	
TE-105-AW-37	7/8/91	66	SACS	T	
TE-105-AW-37	7/15/91	68	SACS	T	
TE-105-AW-37	7/22/91	67	SACS	T	
TE-105-AW-37	7/29/91	68	SACS	T	
TE-105-AW-37	8/4/91	69	SACS	T	
TE-105-AW-37	8/19/91	68	SACS	T	
TE-105-AW-37	8/26/91	69	SACS	T	
TE-105-AW-37	9/2/91	71	SACS	T	
TE-105-AW-37	9/9/91	72	SACS	T	
TE-105-AW-37	9/16/91	71	SACS	T	
TE-105-AW-37	9/23/91	72	SACS	T	
TE-105-AW-37	9/30/91	71	SACS	T	
TE-105-AW-37	10/7/91	71	SACS	T	
TE-105-AW-37	10/14/91	72	SACS	T	
TE-105-AW-37	10/21/91	71	SACS	T	
TE-105-AW-37	10/28/91	71	SACS	T	
TE-105-AW-37	11/5/91	70	SACS	T	
TE-105-AW-37	11/11/91	70	SACS	T	
TE-105-AW-37	11/18/91	70	SACS	T	
TE-105-AW-37	11/25/91	72	SACS	T	
TE-105-AW-37	12/2/91	69	SACS	T	
TE-105-AW-37	12/9/91	69	SACS	T	
TE-105-AW-37	12/16/91	68	SACS	T	
TE-105-AW-37	12/23/91	68	SACS	T	
TE-105-AW-37	12/30/91	67	SACS	T	
TE-105-AW-37	1/8/92	68	SACS	T	
TE-105-AW-37	1/13/92	67	SACS	T	
TE-105-AW-37	1/20/92	67	SACS	T	
TE-105-AW-37	1/27/92	66	SACS	T	
TE-105-AW-37	2/22/92	71	SACS	T	
TE-105-AW-37	3/4/92	67	SACS	T	
TE-105-AW-37	3/11/92	74	SACS	T	
TE-105-AW-37	6/29/92	69	SACS	T	
TE-105-AW-37	10/5/92	71	SACS	T	
TE-105-AW-37	10/12/92	71	SACS	T	
TE-105-AW-37	10/19/92	71	SACS	T	
TE-105-AW-37	10/26/92	71	SACS	T	
TE-105-AW-37	11/2/92	70	SACS	T	
TE-105-AW-37	11/9/92	72	SACS	T	
TE-105-AW-37	11/16/92	72	SACS	T	
TE-105-AW-37	11/23/92	72	SACS	T	
TE-105-AW-37	11/30/92	71	SACS	T	
TE-105-AW-37	12/7/92	71	SACS	T	
TE-105-AW-37	12/14/92	71	SACS	T	
TE-105-AW-37	12/21/92	70	SACS	T	
TE-105-AW-37	12/28/92	71	SACS	T	
TE-105-AW-37	1/25/93	70	SACS	T	
TE-105-AW-37	2/1/93	70	SACS	T	
TE-105-AW-37	2/8/93	70	SACS	T	
TE-105-AW-37	2/18/93	71	SACS	T	
TE-105-AW-38	7/14/83	83	CASS	T	
TE-105-AW-38	7/23/83	81	CASS	T	
TE-105-AW-38	7/29/83	81	CASS	T	
TE-105-AW-38	8/8/83	82	CASS	T	
TE-105-AW-38	8/10/83	82	CASS	T	
TE-105-AW-38	8/19/83	81	CASS	T	
TE-105-AW-38	8/27/83	80	CASS	T	
TE-105-AW-38	8/31/83	80	CASS	T	
TE-105-AW-38	9/10/83	80	CASS	T	
TE-105-AW-38	9/14/83	80	CASS	T	
TE-105-AW-38	9/24/83	80	CASS	T	
TE-105-AW-38	10/1/83	85	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-38	10/5/83	85	CASS	T	
TE-105-AW-38	10/15/83	84	CASS	T	
TE-105-AW-38	10/16/83	84	CASS	T	
TE-105-AW-38	3/10/84	79	CASS	T	
TE-105-AW-38	3/17/84	81	CASS	T	
TE-105-AW-38	3/23/84	84	CASS	T	
TE-105-AW-38	3/31/84	83	CASS	T	
TE-105-AW-38	4/7/84	83	CASS	T	
TE-105-AW-38	4/14/84	85	CASS	T	
TE-105-AW-38	4/20/84	85	CASS	T	
TE-105-AW-38	4/22/84	85	CASS	T	
TE-105-AW-38	5/6/84	87	CASS	T	
TE-105-AW-38	5/12/84	90	CASS	T	
TE-105-AW-38	5/19/84	93	CASS	T	
TE-105-AW-38	5/20/84	93	CASS	T	
TE-105-AW-38	5/30/84	92	CASS	T	
TE-105-AW-38	6/7/84	92	CASS	T	
TE-105-AW-38	6/23/84	97	CASS	T	
TE-105-AW-38	6/30/84	97	CASS	T	
TE-105-AW-38	7/6/84	106	CASS	T	
TE-105-AW-38	7/10/84	106	CASS	T	
TE-105-AW-38	7/18/84	106	CASS	T	
TE-105-AW-38	7/28/84	103	CASS	T	
TE-105-AW-38	8/3/84	104	CASS	T	
TE-105-AW-38	8/11/84	103	CASS	T	
TE-105-AW-38	8/12/84	103	CASS	T	
TE-105-AW-38	8/25/84	102	CASS	T	
TE-105-AW-38	9/1/84	108	CASS	T	
TE-105-AW-38	9/7/84	108	CASS	T	
TE-105-AW-38	9/9/84	107	CASS	T	
TE-105-AW-38	9/22/84	105	CASS	T	
TE-105-AW-38	9/25/84	106	CASS	T	
TE-105-AW-38	10/1/84	105	CASS	T	
TE-105-AW-38	10/13/84	103	CASS	T	
TE-105-AW-38	10/16/84	102	CASS	T	
TE-105-AW-38	10/21/84	101	CASS	T	
TE-105-AW-38	11/3/84	99	CASS	T	
TE-105-AW-38	11/4/84	99	CASS	T	
TE-105-AW-38	11/17/84	97	CASS	T	
TE-105-AW-38	11/22/84	97	CASS	T	
TE-105-AW-38	11/29/84	96	CASS	T	
TE-105-AW-38	12/5/84	96	CASS	T	
TE-105-AW-38	12/9/84	96	CASS	T	
TE-105-AW-38	12/21/84	95	CASS	T	
TE-105-AW-38	12/25/84	95	CASS	T	
TE-105-AW-38	12/31/84	94	CASS	T	
TE-105-AW-38	1/12/85	93	CASS	T	
TE-105-AW-38	1/19/85	92	CASS	T	
TE-105-AW-38	1/20/85	92	CASS	T	
TE-105-AW-38	1/31/85	91	CASS	T	
TE-105-AW-38	2/6/85	90	CASS	T	
TE-105-AW-38	2/23/85	87	CASS	T	
TE-105-AW-38	3/1/85	87	CASS	T	
TE-105-AW-38	3/9/85	86	CASS	T	
TE-105-AW-38	3/10/85	86	CASS	T	
TE-105-AW-38	3/17/85	85	CASS	T	
TE-105-AW-38	3/27/85	84	CASS	T	
TE-105-AW-38	4/6/85	83	CASS	T	
TE-105-AW-38	4/12/85	83	CASS	T	
TE-105-AW-38	4/20/85	82	CASS	T	
TE-105-AW-38	4/27/85	82	CASS	T	
TE-105-AW-38	5/3/85	82	CASS	T	
TE-105-AW-38	5/10/85	81	CASS	T	
TE-105-AW-38	5/18/85	78	CASS	T	
TE-105-AW-38	5/25/85	78	CASS	T	
TE-105-AW-38	5/27/85	78	CASS	T	
TE-105-AW-38	6/8/85	77	CASS	T	
TE-105-AW-38	6/15/85	77	CASS	T	
TE-105-AW-38	6/19/85	77	CASS	T	
TE-105-AW-38	11/1/85	96	CASS	T	
TE-105-AW-38	12/1/85	96	CASS	T	
TE-105-AW-38	1/4/86	96	CASS	T	
TE-105-AW-38	1/5/86	96	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-38	1/17/86	95	CASS	T	
TE-105-AW-38	1/19/86	95	CASS	T	
TE-105-AW-38	1/28/86	94	CASS	T	
TE-105-AW-38	2/7/86	93	CASS	T	
TE-105-AW-38	2/14/86	92	CASS	T	
TE-105-AW-38	2/18/86	92	CASS	T	
TE-105-AW-38	2/24/86	91	CASS	T	
TE-105-AW-38	3/4/86	90	CASS	T	
TE-105-AW-38	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-105-AW-38	8/14/86	72	CASS	S	Data point did not agree with local trend
TE-105-AW-38	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-105-AW-38	9/19/86	94	CASS	T	
TE-105-AW-38	9/26/86	94	CASS	T	
TE-105-AW-38	10/2/86	93	CASS	T	
TE-105-AW-38	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-105-AW-38	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-105-AW-38	10/5/86	234	CASS	S	Data point did not agree with local trend
TE-105-AW-38	10/6/86	228	CASS	S	Data point did not agree with local trend
TE-105-AW-38	10/8/86	92	CASS	T	
TE-105-AW-38	10/18/86	93	CASS	T	
TE-105-AW-38	10/23/86	93	CASS	T	
TE-105-AW-38	10/28/86	93	CASS	T	
TE-105-AW-38	11/8/86	92	CASS	T	
TE-105-AW-38	11/15/86	91	CASS	T	
TE-105-AW-38	11/22/86	91	CASS	T	
TE-105-AW-38	11/25/86	91	CASS	T	
TE-105-AW-38	12/6/86	90	CASS	T	
TE-105-AW-38	12/8/86	90	CASS	T	
TE-105-AW-38	12/20/86	89	CASS	T	
TE-105-AW-38	12/27/86	88	CASS	T	
TE-105-AW-38	12/30/86	88	CASS	T	
TE-105-AW-38	7/4/87	78	CASS	T	
TE-105-AW-38	7/11/87	78	CASS	T	
TE-105-AW-38	7/17/87	78	CASS	T	
TE-105-AW-38	7/24/87	78	CASS	T	
TE-105-AW-38	7/31/87	78	CASS	T	
TE-105-AW-38	8/8/87	79	CASS	T	
TE-105-AW-38	8/10/87	79	CASS	T	
TE-105-AW-38	8/20/87	79	CASS	T	
TE-105-AW-38	8/28/87	79	CASS	T	
TE-105-AW-38	9/4/87	79	CASS	T	
TE-105-AW-38	9/11/87	79	CASS	T	
TE-105-AW-38	11/27/87	99	CASS	S	Data point did not agree with local trend
TE-105-AW-38	11/28/87	83	CASS	T	
TE-105-AW-38	11/29/87	83	CASS	T	
TE-105-AW-38	3/26/88	77	CASS	T	
TE-105-AW-38	3/31/88	77	CASS	T	
TE-105-AW-38	6/4/88	74	CASS	T	
TE-105-AW-38	6/11/88	74	CASS	T	
TE-105-AW-38	6/18/88	74	CASS	T	
TE-105-AW-38	6/25/88	74	CASS	T	
TE-105-AW-38	7/2/88	74	CASS	T	
TE-105-AW-38	7/9/88	74	CASS	T	
TE-105-AW-38	7/16/88	74	CASS	T	
TE-105-AW-38	7/18/88	86	CASS	S	Data point did not agree with local trend
TE-105-AW-38	7/23/88	74	CASS	T	
TE-105-AW-38	7/30/88	75	CASS	T	
TE-105-AW-38	8/2/88	79	CASS	T	
TE-105-AW-38	8/10/88	75	CASS	T	
TE-105-AW-38	12/3/88	78	CASS	T	
TE-105-AW-38	12/10/88	78	CASS	T	
TE-105-AW-38	12/16/88	78	CASS	T	
TE-105-AW-38	12/18/88	77	CASS	T	
TE-105-AW-38	9/2/89	76	CASS	T	
TE-105-AW-38	9/9/89	76	CASS	T	
TE-105-AW-38	9/16/89	78	CASS	T	
TE-105-AW-38	9/23/89	76	CASS	T	
TE-105-AW-38	9/25/89	82	CASS	T	
TE-105-AW-38	11/4/89	76	CASS	T	
TE-105-AW-38	11/9/89	77	CASS	T	
TE-105-AW-38	11/18/89	77	CASS	T	
TE-105-AW-38	11/22/89	77	CASS	T	
TE-105-AW-38	12/2/89	76	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-38	12/9/89	76	CASS	T	
TE-105-AW-38	12/16/89	76	CASS	T	
TE-105-AW-38	12/23/89	76	CASS	T	
TE-105-AW-38	12/30/89	76	CASS	T	
TE-105-AW-38	1/6/90	75	CASS	T	
TE-105-AW-38	1/13/90	76	CASS	T	
TE-105-AW-38	1/20/90	74	CASS	T	
TE-105-AW-38	1/27/90	74	CASS	T	
TE-105-AW-38	2/3/90	74	CASS	T	
TE-105-AW-38	2/4/90	74	CASS	T	
TE-105-AW-38	2/14/90	73	CASS	T	
TE-105-AW-38	2/24/90	73	CASS	T	
TE-105-AW-38	2/27/90	73	CASS	T	
TE-105-AW-38	3/10/90	73	CASS	T	
TE-105-AW-38	3/14/90	73	CASS	T	
TE-105-AW-38	3/22/90	72	CASS	T	
TE-105-AW-38	3/31/90	72	CASS	T	
TE-105-AW-38	4/7/90	72	CASS	T	
TE-105-AW-38	4/14/90	72	CASS	T	
TE-105-AW-38	4/20/90	72	CASS	T	
TE-105-AW-38	4/21/90	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	4/22/90	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	4/27/90	72	CASS	T	
TE-105-AW-38	5/2/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-38	5/5/90	72	CASS	T	
TE-105-AW-38	5/10/90	72	CASS	T	
TE-105-AW-38	5/19/90	71	CASS	T	
TE-105-AW-38	5/22/90	71	CASS	T	
TE-105-AW-38	6/2/90	71	CASS	T	
TE-105-AW-38	6/9/90	71	CASS	T	
TE-105-AW-38	6/11/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-38	6/12/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-38	6/14/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-38	6/16/90	71	CASS	T	
TE-105-AW-38	6/23/90	71	CASS	T	
TE-105-AW-38	6/29/90	71	CASS	T	
TE-105-AW-38	6/30/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-38	7/1/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-38	7/2/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-38	7/7/90	71	CASS	T	
TE-105-AW-38	7/10/90	71	CASS	T	
TE-105-AW-38	7/11/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-38	7/12/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-38	7/13/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-38	7/14/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-38	7/16/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-38	7/19/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-38	7/21/90	72	CASS	T	
TE-105-AW-38	7/22/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-38	7/24/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-38	7/28/90	72	CASS	T	
TE-105-AW-38	7/29/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-38	8/4/90	72	CASS	T	
TE-105-AW-38	8/11/90	72	CASS	T	
TE-105-AW-38	8/14/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-38	8/15/90	72	CASS	T	
TE-105-AW-38	8/16/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-38	8/20/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-38	8/21/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-38	8/24/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-38	8/25/90	73	CASS	T	
TE-105-AW-38	9/1/90	73	CASS	T	
TE-105-AW-38	9/2/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-38	9/8/90	73	CASS	T	
TE-105-AW-38	9/11/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-38	9/12/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-38	9/14/90	73	CASS	T	
TE-105-AW-38	9/15/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-38	9/16/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-38	9/22/90	73	CASS	T	
TE-105-AW-38	9/29/90	73	CASS	T	
TE-105-AW-38	10/6/90	73	CASS	T	
TE-105-AW-38	10/13/90	73	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-38	10/20/90	73	CASS	T	
TE-105-AW-38	10/27/90	74	CASS	T	
TE-105-AW-38	10/30/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-38	11/1/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-38	11/2/90	74	CASS	T	
TE-105-AW-38	11/4/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-38	11/5/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-38	11/6/90	73	CASS	T	
TE-105-AW-38	11/7/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-38	11/8/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-38	11/10/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-38	11/11/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-38	11/17/90	73	CASS	T	
TE-105-AW-38	11/18/90	74	CASS	T	
TE-105-AW-38	11/25/90	74	CASS	T	
TE-105-AW-38	12/8/90	73	CASS	T	
TE-105-AW-38	12/14/90	73	CASS	T	
TE-105-AW-38	12/15/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-38	12/18/90	73	CASS	T	
TE-105-AW-38	12/20/90	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	12/28/90	72	CASS	T	
TE-105-AW-38	1/1/91	83	CASS	S	Data point did not agree with local trend
TE-105-AW-38	1/2/91	85	CASS	S	Data point did not agree with local trend
TE-105-AW-38	1/3/91	72	CASS	T	
TE-105-AW-38	1/7/91	85	CASS	S	Data point did not agree with local trend
TE-105-AW-38	1/12/91	71	CASS	T	
TE-105-AW-38	1/19/91	71	CASS	T	
TE-105-AW-38	1/25/91	71	CASS	T	
TE-105-AW-38	1/27/91	86	CASS	S	Data point did not agree with local trend
TE-105-AW-38	2/2/91	70	CASS	T	
TE-105-AW-38	2/5/91	71	CASS	T	
TE-105-AW-38	2/7/91	87	CASS	S	Data point did not agree with local trend
TE-105-AW-38	2/12/91	87	CASS	S	Data point did not agree with local trend
TE-105-AW-38	2/13/91	87	CASS	S	Data point did not agree with local trend
TE-105-AW-38	2/16/91	70	CASS	T	
TE-105-AW-38	2/23/91	70	CASS	T	
TE-105-AW-38	3/2/91	70	CASS	T	
TE-105-AW-38	3/9/91	70	CASS	T	
TE-105-AW-38	3/14/91	70	CASS	T	
TE-105-AW-38	3/18/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	3/21/91	69	CASS	T	
TE-105-AW-38	3/22/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	3/23/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	3/24/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	3/30/91	69	CASS	T	
TE-105-AW-38	4/6/91	69	CASS	T	
TE-105-AW-38	4/11/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	4/13/91	69	CASS	T	
TE-105-AW-38	4/14/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	4/16/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	4/19/91	69	CASS	T	
TE-105-AW-38	4/20/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	4/22/91	69	CASS	T	
TE-105-AW-38	4/23/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	4/28/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	4/29/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	5/2/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	5/3/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	5/4/91	68	CASS	T	
TE-105-AW-38	5/9/91	83	CASS	S	Data point did not agree with local trend
TE-105-AW-38	5/10/91	68	CASS	T	
TE-105-AW-38	5/11/91	83	CASS	S	Data point did not agree with local trend
TE-105-AW-38	5/12/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	5/18/91	68	CASS	T	
TE-105-AW-38	5/24/91	83	CASS	S	Data point did not agree with local trend
TE-105-AW-38	5/25/91	68	CASS	T	
TE-105-AW-38	5/29/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	5/30/91	68	CASS	T	
TE-105-AW-38	5/31/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	6/3/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	6/6/91	88	CASS	T	
TE-105-AW-38	6/7/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	6/8/91	84	CASS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-38	6/10/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	6/11/91	68	CASS	T	
TE-105-AW-38	6/12/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	6/13/91	85	CASS	S	
TE-105-AW-38	6/15/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-38	6/19/91	85	CASS	S	
TE-105-AW-38	6/20/91	68	CASS	T	Data point did not agree with local trend
TE-105-AW-38	6/26/91	68	CASS	T	
TE-105-AW-38	2/3/92	69	SACS	T	
TE-105-AW-38	2/10/92	69	SACS	T	
TE-105-AW-38	2/17/92	69	SACS	T	
TE-105-AW-38	2/24/92	69	SACS	T	
TE-105-AW-38	3/2/92	67	SACS	T	
TE-105-AW-38	3/8/92	68	SACS	T	
TE-105-AW-38	3/16/92	68	SACS	T	
TE-105-AW-38	3/23/92	68	SACS	T	
TE-105-AW-38	3/30/92	68	SACS	T	
TE-105-AW-38	4/6/92	68	SACS	T	
TE-105-AW-38	4/13/92	68	SACS	T	
TE-105-AW-38	4/20/92	68	SACS	T	
TE-105-AW-38	4/27/92	68	SACS	T	
TE-105-AW-38	5/4/92	68	SACS	T	
TE-105-AW-38	5/11/92	74	SACS	S	Data point did not agree with local trend
TE-105-AW-38	5/18/92	81	SACS	S	
TE-105-AW-38	5/25/92	81	SACS	S	Data point did not agree with local trend
TE-105-AW-38	6/6/92	68	SACS	T	
TE-105-AW-38	6/15/92	68	SACS	T	
TE-105-AW-38	6/22/92	68	SACS	T	
TE-105-AW-38	7/6/92	68	SACS	T	
TE-105-AW-38	7/13/92	67	SACS	T	
TE-105-AW-38	7/20/92	67	SACS	T	
TE-105-AW-38	7/27/92	68	SACS	T	
TE-105-AW-38	8/3/92	68	SACS	T	
TE-105-AW-38	8/10/92	68	SACS	T	
TE-105-AW-38	8/17/92	68	SACS	T	
TE-105-AW-38	8/24/92	69	SACS	T	
TE-105-AW-38	8/31/92	68	SACS	T	
TE-105-AW-38	9/7/92	70	SACS	T	
TE-105-AW-38	9/14/92	70	SACS	T	
TE-105-AW-38	9/21/92	69	SACS	T	
TE-105-AW-38	9/28/92	69	SACS	T	
TE-105-AW-38	1/4/93	70	SACS	T	
TE-105-AW-38	1/11/93	71	SACS	T	
TE-105-AW-38	1/18/93	71	SACS	T	
TE-105-AW-38	3/1/93	72	SACS	T	
TE-105-AW-38	3/8/93	70	SACS	T	
TE-105-AW-38	3/20/93	70	SACS	T	
TE-105-AW-38	3/22/93	70	SACS	T	
TE-105-AW-38	3/29/93	70	SACS	T	
TE-105-AW-38	4/6/93	69	SACS	T	
TE-105-AW-38	4/12/93	69	SACS	T	
TE-105-AW-38	4/19/93	70	SACS	T	
TE-105-AW-38	4/26/93	69	SACS	T	
TE-105-AW-38	5/3/93	69	SACS	T	
TE-105-AW-38	5/10/93	68	SACS	T	
TE-105-AW-38	5/17/93	69	SACS	T	
TE-105-AW-38	5/24/93	70	SACS	T	
TE-105-AW-38	5/31/93	69	SACS	T	
TE-105-AW-38	6/7/93	70	SACS	T	
TE-105-AW-38	6/14/93	69	SACS	T	
TE-105-AW-38	6/22/93	70	SACS	T	
TE-105-AW-38	6/28/93	68	SACS	T	
TE-105-AW-38	7/26/93	70	SACS	T	
TE-105-AW-38	8/2/93	70	SACS	T	
TE-105-AW-38	8/9/93	70	SACS	T	
TE-105-AW-38	8/16/93	71	SACS	T	
TE-105-AW-38	8/23/93	70	SACS	T	
TE-105-AW-38	8/30/93	71	SACS	T	
TE-105-AW-38	9/13/93	71	SACS	T	
TE-105-AW-38	9/21/93	72	SACS	T	
TE-105-AW-38	9/27/93	72	SACS	T	
TE-105-AW-38	10/11/93	72	SACS	T	
TE-105-AW-38	10/19/93	71	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-38	10/25/93	72	SACS	T	
TE-105-AW-38	11/1/93	70	SACS	T	
TE-105-AW-38	11/8/93	72	SACS	T	
TE-105-AW-38	11/15/93	72	SACS	T	
TE-105-AW-38	11/26/93	73	SACS	T	
TE-105-AW-38	11/29/93	72	SACS	T	
TE-105-AW-38	12/6/93	71	SACS	T	
TE-105-AW-38	12/16/93	72	SACS	T	
TE-105-AW-38	12/20/93	72	SACS	T	
TE-105-AW-38	12/27/93	72	SACS	T	
TE-105-AW-38	1/5/94	72	SACS	T	
TE-105-AW-38	1/24/94	72	SACS	T	
TE-105-AW-38	1/31/94	72	SACS	T	
TE-105-AW-38	2/28/94	71	SACS	T	
TE-105-AW-38	3/7/94	72	SACS	T	
TE-105-AW-38	4/18/94	71	SACS	G	
TE-105-AW-38	4/25/94	71	SACS	G	
TE-105-AW-38	5/2/94	71	SACS	G	
TE-105-AW-38	5/9/94	71	SACS	G	
TE-105-AW-38	5/16/94	71	SACS	G	
TE-105-AW-38	5/31/94	70	SACS	G	
TE-105-AW-38	6/6/94	72	SACS	G	
TE-105-AW-38	6/13/94	71	SACS	G	
TE-105-AW-38	6/20/94	70	SACS	G	
TE-105-AW-38	6/27/94	70	SACS	G	
TE-105-AW-38	7/4/94	70	SACS	G	
TE-105-AW-38	7/18/94	71	SACS	G	
TE-105-AW-38	7/25/94	71	SACS	G	
TE-105-AW-38	8/1/94	70	SACS	G	
TE-105-AW-38	8/8/94	71	SACS	G	
TE-105-AW-38	8/15/94	70	SACS	G	
TE-105-AW-38	8/22/94	70	SACS	G	
TE-105-AW-38	9/7/94	71	SACS	G	
TE-105-AW-38	9/12/94	70	SACS	G	
TE-105-AW-38	9/19/94	70	SACS	G	
TE-105-AW-38	9/28/94	72	SACS	G	
TE-105-AW-38	10/10/94	71	SACS	G	
TE-105-AW-38	10/17/94	72	SACS	G	
TE-105-AW-38	10/24/94	72	SACS	G	
TE-105-AW-38	10/31/94	72	SACS	G	
TE-105-AW-38	11/7/94	72	SACS	G	
TE-105-AW-38	11/14/94	72	SACS	G	
TE-105-AW-38	11/21/94	72	SACS	G	
TE-105-AW-38	11/28/94	72	SACS	G	
TE-105-AW-38	12/5/94	72	SACS	G	
TE-105-AW-38	12/12/94	71	SACS	G	
TE-105-AW-38	12/19/94	72	SACS	G	
TE-105-AW-38	12/26/94	72	SACS	G	
TE-105-AW-38	1/2/95	72	SACS	G	
TE-105-AW-38	1/9/95	71	SACS	G	
TE-105-AW-38	1/16/95	71	SACS	G	
TE-105-AW-38	1/23/95	71	SACS	G	
TE-105-AW-38	1/30/95	71	SACS	G	
TE-105-AW-38	2/6/95	71	SACS	G	
TE-105-AW-38	2/13/95	71	SACS	G	
TE-105-AW-38	2/24/95	70	SACS	G	
TE-105-AW-38	2/27/95	71	SACS	G	
TE-105-AW-38	3/6/95	70	SACS	G	
TE-105-AW-38	3/19/95	69	SACS	G	
TE-105-AW-38	3/27/95	71	SACS	G	
TE-105-AW-38	4/3/95	70	SACS	G	
TE-105-AW-38	4/10/95	71	SACS	G	
TE-105-AW-38	4/17/95	70	SACS	G	
TE-105-AW-38	4/24/95	70	SACS	G	
TE-105-AW-38	5/1/95	70	SACS	G	
TE-105-AW-38	5/13/95	70	SACS	G	
TE-105-AW-38	5/22/95	70	SACS	G	
TE-105-AW-38	5/29/95	70	SACS	G	
TE-105-AW-38	6/5/95	70	SACS	G	
TE-105-AW-38	6/13/95	71	SACS	G	
TE-105-AW-38	6/19/95	71	SACS	G	
TE-105-AW-38	6/27/95	71	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-39	7/14/83	83	CASS	T	
TE-105-AW-39	7/23/83	83	CASS	T	
TE-105-AW-39	7/30/83	82	CASS	T	
TE-105-AW-39	8/6/83	82	CASS	T	
TE-105-AW-39	8/12/83	82	CASS	T	
TE-105-AW-39	8/17/83	82	CASS	T	
TE-105-AW-39	8/27/83	81	CASS	T	
TE-105-AW-39	8/31/83	81	CASS	T	
TE-105-AW-39	9/10/83	81	CASS	T	
TE-105-AW-39	9/14/83	81	CASS	T	
TE-105-AW-39	9/24/83	81	CASS	T	
TE-105-AW-39	10/1/83	85	CASS	T	
TE-105-AW-39	10/5/83	85	CASS	T	
TE-105-AW-39	10/15/83	85	CASS	T	
TE-105-AW-39	10/18/83	84	CASS	T	
TE-105-AW-39	3/9/84	81	CASS	T	
TE-105-AW-39	3/17/84	83	CASS	T	
TE-105-AW-39	3/24/84	84	CASS	T	
TE-105-AW-39	3/31/84	84	CASS	T	
TE-105-AW-39	4/7/84	84	CASS	T	
TE-105-AW-39	4/14/84	86	CASS	T	
TE-105-AW-39	4/21/84	86	CASS	T	
TE-105-AW-39	4/23/84	86	CASS	T	
TE-105-AW-39	5/5/84	91	CASS	T	
TE-105-AW-39	5/12/84	91	CASS	T	
TE-105-AW-39	5/18/84	94	CASS	T	
TE-105-AW-39	5/26/84	94	CASS	T	
TE-105-AW-39	5/27/84	94	CASS	T	
TE-105-AW-39	6/7/84	93	CASS	T	
TE-105-AW-39	6/20/84	99	CASS	T	
TE-105-AW-39	6/30/84	97	CASS	T	
TE-105-AW-39	7/6/84	106	CASS	T	
TE-105-AW-39	7/12/84	105	CASS	T	
TE-105-AW-39	7/17/84	111	CASS	T	
TE-105-AW-39	7/28/84	107	CASS	T	
TE-105-AW-39	7/31/84	107	CASS	T	
TE-105-AW-39	8/6/84	106	CASS	T	
TE-105-AW-39	8/16/84	104	CASS	T	
TE-105-AW-39	8/25/84	105	CASS	T	
TE-105-AW-39	9/1/84	108	CASS	T	
TE-105-AW-39	9/8/84	108	CASS	T	
TE-105-AW-39	9/9/84	108	CASS	T	
TE-105-AW-39	9/22/84	107	CASS	T	
TE-105-AW-39	9/28/84	107	CASS	T	
TE-105-AW-39	10/1/84	106	CASS	T	
TE-105-AW-39	10/9/84	104	CASS	T	
TE-105-AW-39	10/16/84	102	CASS	T	
TE-105-AW-39	10/21/84	101	CASS	T	
TE-105-AW-39	11/3/84	99	CASS	T	
TE-105-AW-39	11/5/84	99	CASS	T	
TE-105-AW-39	11/12/84	98	CASS	T	
TE-105-AW-39	11/24/84	97	CASS	T	
TE-105-AW-39	11/30/84	96	CASS	T	
TE-105-AW-39	12/7/84	96	CASS	T	
TE-105-AW-39	12/10/84	96	CASS	T	
TE-105-AW-39	12/22/84	95	CASS	T	
TE-105-AW-39	12/27/84	95	CASS	T	
TE-105-AW-39	1/5/85	95	CASS	T	
TE-105-AW-39	1/6/85	95	CASS	T	
TE-105-AW-39	1/19/85	93	CASS	T	
TE-105-AW-39	1/20/85	93	CASS	T	
TE-105-AW-39	1/29/85	92	CASS	T	
TE-105-AW-39	2/4/85	91	CASS	T	
TE-105-AW-39	2/13/85	90	CASS	T	
TE-105-AW-39	3/2/85	87	CASS	T	
TE-105-AW-39	3/8/85	87	CASS	T	
TE-105-AW-39	3/13/85	86	CASS	T	
TE-105-AW-39	3/20/85	85	CASS	T	
TE-105-AW-39	3/30/85	84	CASS	T	
TE-105-AW-39	4/1/85	84	CASS	T	
TE-105-AW-39	4/13/85	83	CASS	T	
TE-105-AW-39	4/16/85	83	CASS	T	
TE-105-AW-39	4/27/85	82	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-39	5/3/85	82	CASS	T	
TE-105-AW-39	5/7/85	81	CASS	T	
TE-105-AW-39	5/18/85	78	CASS	T	
TE-105-AW-39	5/25/85	78	CASS	T	
TE-105-AW-39	5/27/85	78	CASS	T	
TE-105-AW-39	6/8/85	77	CASS	T	
TE-105-AW-39	6/16/85	77	CASS	T	
TE-105-AW-39	6/19/85	77	CASS	T	
TE-105-AW-39	11/1/85	93	CASS	T	
TE-105-AW-39	12/1/85	94	CASS	T	
TE-105-AW-39	1/4/86	93	CASS	T	
TE-105-AW-39	1/7/86	93	CASS	T	
TE-105-AW-39	1/17/86	92	CASS	T	
TE-105-AW-39	1/25/86	91	CASS	T	
TE-105-AW-39	1/31/86	90	CASS	T	
TE-105-AW-39	2/8/86	89	CASS	T	
TE-105-AW-39	2/14/86	88	CASS	T	
TE-105-AW-39	2/16/86	88	CASS	T	
TE-105-AW-39	2/24/86	87	CASS	T	
TE-105-AW-39	3/4/86	86	CASS	T	
TE-105-AW-39	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-105-AW-39	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-105-AW-39	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-105-AW-39	9/19/86	94	CASS	T	
TE-105-AW-39	9/26/86	94	CASS	T	
TE-105-AW-39	10/2/86	93	CASS	T	
TE-105-AW-39	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-105-AW-39	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-105-AW-39	10/5/86	234	CASS	S	Data point did not agree with local trend
TE-105-AW-39	10/6/86	227	CASS	S	Data point did not agree with local trend
TE-105-AW-39	10/9/86	92	CASS	T	
TE-105-AW-39	10/18/86	92	CASS	T	
TE-105-AW-39	10/25/86	92	CASS	T	
TE-105-AW-39	10/29/86	92	CASS	T	
TE-105-AW-39	11/8/86	91	CASS	T	
TE-105-AW-39	11/13/86	91	CASS	T	
TE-105-AW-39	11/22/86	90	CASS	T	
TE-105-AW-39	11/25/86	90	CASS	T	
TE-105-AW-39	12/6/86	89	CASS	T	
TE-105-AW-39	12/8/86	89	CASS	T	
TE-105-AW-39	12/20/86	88	CASS	T	
TE-105-AW-39	12/27/86	87	CASS	T	
TE-105-AW-39	12/30/86	87	CASS	T	
TE-105-AW-39	7/2/87	87	CASS	T	
TE-105-AW-39	7/5/87	86	CASS	T	
TE-105-AW-39	7/13/87	89	CASS	S	Data point did not agree with local trend
TE-105-AW-39	7/16/87	77	CASS	T	
TE-105-AW-39	7/17/87	89	CASS	S	Data point did not agree with local trend
TE-105-AW-39	7/18/87	85	CASS	S	Data point did not agree with local trend
TE-105-AW-39	7/22/87	88	CASS	S	Data point did not agree with local trend
TE-105-AW-39	7/24/87	77	CASS	T	
TE-105-AW-39	7/25/87	88	CASS	S	Data point did not agree with local trend
TE-105-AW-39	7/31/87	78	CASS	T	
TE-105-AW-39	8/1/87	89	CASS	S	Data point did not agree with local trend
TE-105-AW-39	8/8/87	78	CASS	T	
TE-105-AW-39	8/9/87	93	CASS	S	Data point did not agree with local trend
TE-105-AW-39	8/10/87	93	CASS	S	Data point did not agree with local trend
TE-105-AW-39	8/11/87	92	CASS	S	Data point did not agree with local trend
TE-105-AW-39	8/15/87	78	CASS	T	
TE-105-AW-39	8/20/87	94	CASS	S	Data point did not agree with local trend
TE-105-AW-39	8/22/87	78	CASS	T	
TE-105-AW-39	8/23/87	94	CASS	S	Data point did not agree with local trend
TE-105-AW-39	8/26/87	78	CASS	T	
TE-105-AW-39	8/27/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-39	8/28/87	96	CASS	S	Data point did not agree with local trend
TE-105-AW-39	8/29/87	96	CASS	S	Data point did not agree with local trend
TE-105-AW-39	8/31/87	96	CASS	S	Data point did not agree with local trend
TE-105-AW-39	9/5/87	78	CASS	T	
TE-105-AW-39	9/7/87	97	CASS	S	Data point did not agree with local trend
TE-105-AW-39	9/11/87	83	CASS	T	
TE-105-AW-39	11/27/87	99	CASS	S	Data point did not agree with local trend
TE-105-AW-39	11/28/87	84	CASS	T	
TE-105-AW-39	11/29/87	84	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-39	3/26/88	77	CASS	T	
TE-105-AW-39	3/29/88	77	CASS	T	
TE-105-AW-39	6/4/88	73	CASS	T	
TE-105-AW-39	6/11/88	73	CASS	T	
TE-105-AW-39	6/18/88	73	CASS	T	
TE-105-AW-39	6/25/88	74	CASS	T	
TE-105-AW-39	7/2/88	74	CASS	T	
TE-105-AW-39	7/8/88	74	CASS	T	
TE-105-AW-39	7/16/88	74	CASS	T	
TE-105-AW-39	7/23/88	74	CASS	T	
TE-105-AW-39	7/30/88	74	CASS	T	
TE-105-AW-39	7/31/88	83	CASS	T	
TE-105-AW-39	8/10/88	75	CASS	T	
TE-105-AW-39	12/3/88	79	CASS	T	
TE-105-AW-39	12/10/88	79	CASS	T	
TE-105-AW-39	12/17/88	79	CASS	T	
TE-105-AW-39	12/18/88	78	CASS	T	
TE-105-AW-39	7/10/89	74	SACS	T	
TE-105-AW-39	7/17/89	74	SACS	T	
TE-105-AW-39	7/24/89	74	SACS	T	
TE-105-AW-39	8/7/89	73	SACS	T	
TE-105-AW-39	8/14/89	75	SACS	T	
TE-105-AW-39	8/21/89	75	SACS	T	
TE-105-AW-39	8/28/89	76	SACS	T	
TE-105-AW-39	9/8/89	76	CASS	T	
TE-105-AW-39	9/16/89	76	CASS	T	
TE-105-AW-39	9/23/89	76	CASS	T	
TE-105-AW-39	9/24/89	89	CASS	S	Data point did not agree with local trend
TE-105-AW-39	9/30/89	76	CASS	T	
TE-105-AW-39	10/1/89	76	SACS	T	
TE-105-AW-39	10/9/89	77	SACS	T	
TE-105-AW-39	10/16/89	77	SACS	T	
TE-105-AW-39	10/24/89	78	SACS	T	
TE-105-AW-39	10/30/89	77	SACS	T	
TE-105-AW-39	11/11/89	76	CASS	T	
TE-105-AW-39	11/13/89	78	SACS	T	
TE-105-AW-39	11/25/89	76	CASS	T	
TE-105-AW-39	11/27/89	77	SACS	T	
TE-105-AW-39	12/4/89	77	SACS	T	
TE-105-AW-39	12/16/89	76	CASS	T	
TE-105-AW-39	12/18/89	77	SACS	T	
TE-105-AW-39	12/26/89	76	SACS	T	
TE-105-AW-39	1/2/90	78	SACS	T	
TE-105-AW-39	1/11/90	75	CASS	T	
TE-105-AW-39	1/15/90	76	SACS	T	
TE-105-AW-39	1/22/90	75	SACS	T	
TE-105-AW-39	1/29/90	75	SACS	T	
TE-105-AW-39	2/5/90	75	SACS	T	
TE-105-AW-39	2/12/90	75	SACS	T	
TE-105-AW-39	2/19/90	75	SACS	T	
TE-105-AW-39	2/28/90	73	CASS	T	
TE-105-AW-39	3/10/90	73	CASS	T	
TE-105-AW-39	3/12/90	74	SACS	T	
TE-105-AW-39	3/19/90	74	SACS	T	
TE-105-AW-39	3/28/90	74	SACS	T	
TE-105-AW-39	4/2/90	73	SACS	T	
TE-105-AW-39	4/9/90	73	SACS	T	
TE-105-AW-39	4/21/90	72	CASS	T	
TE-105-AW-39	4/24/90	72	CASS	T	
TE-105-AW-39	4/30/90	72	SACS	T	
TE-105-AW-39	5/2/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-39	5/12/90	71	CASS	T	
TE-105-AW-39	5/15/90	384	CASS	S	Data point did not agree with local trend
TE-105-AW-39	5/19/90	71	CASS	T	
TE-105-AW-39	5/22/90	71	CASS	T	
TE-105-AW-39	6/2/90	71	CASS	T	
TE-105-AW-39	6/9/90	71	CASS	T	
TE-105-AW-39	6/15/90	319	CASS	S	Data point did not agree with local trend
TE-105-AW-39	6/16/90	71	CASS	T	
TE-105-AW-39	6/23/90	71	CASS	T	
TE-105-AW-39	6/29/90	71	CASS	T	
TE-105-AW-39	6/30/90	388	CASS	S	Data point did not agree with local trend
TE-105-AW-39	7/7/90	71	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-39	7/14/90	71	CASS	T	
TE-105-AW-39	7/19/90	71	CASS	T	
TE-105-AW-39	7/21/90	28	CASS	S	Data point did not agree with local trend
TE-105-AW-39	7/23/90	72	CASS	T	
TE-105-AW-39	7/26/90	136	CASS	S	Data point did not agree with local trend
TE-105-AW-39	7/28/90	232	CASS	S	Data point did not agree with local trend
TE-105-AW-39	7/29/90	322	CASS	S	Data point did not agree with local trend
TE-105-AW-39	8/1/90	277	CASS	S	Data point did not agree with local trend
TE-105-AW-39	8/4/90	72	CASS	T	
TE-105-AW-39	8/11/90	72	CASS	T	
TE-105-AW-39	8/12/90	81	CASS	S	Data point did not agree with local trend
TE-105-AW-39	8/16/90	75	CASS	T	
TE-105-AW-39	8/23/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-39	8/25/90	72	CASS	T	
TE-105-AW-39	8/27/90	72	CASS	T	
TE-105-AW-39	9/8/90	72	CASS	T	
TE-105-AW-39	9/11/90	285	CASS	S	Data point did not agree with local trend
TE-105-AW-39	9/12/90	73	CASS	T	
TE-105-AW-39	9/15/90	142	CASS	S	Data point did not agree with local trend
TE-105-AW-39	9/22/90	73	CASS	T	
TE-105-AW-39	9/29/90	73	CASS	T	
TE-105-AW-39	10/5/90	73	CASS	T	
TE-105-AW-39	10/8/90	75	SACS	T	
TE-105-AW-39	10/15/90	74	SACS	T	
TE-105-AW-39	10/22/90	74	SACS	T	
TE-105-AW-39	10/29/90	74	SACS	T	
TE-105-AW-39	11/5/90	75	SACS	T	
TE-105-AW-39	11/12/90	74	SACS	T	
TE-105-AW-39	11/19/90	74	SACS	T	
TE-105-AW-39	12/1/90	73	CASS	T	
TE-105-AW-39	12/3/90	74	SACS	T	
TE-105-AW-39	12/15/90	73	CASS	T	
TE-105-AW-39	12/18/90	73	CASS	T	
TE-105-AW-39	12/24/90	74	SACS	T	
TE-105-AW-39	12/31/90	73	SACS	T	
TE-105-AW-39	1/7/91	73	SACS	T	
TE-105-AW-39	1/19/91	71	CASS	T	
TE-105-AW-39	1/25/91	71	CASS	T	
TE-105-AW-39	1/28/91	72	SACS	T	
TE-105-AW-39	2/8/91	70	CASS	T	
TE-105-AW-39	2/11/91	71	SACS	T	
TE-105-AW-39	2/23/91	70	CASS	T	
TE-105-AW-39	3/2/91	70	CASS	T	
TE-105-AW-39	3/4/91	70	SACS	T	
TE-105-AW-39	3/11/91	70	SACS	T	
TE-105-AW-39	3/23/91	69	CASS	T	
TE-105-AW-39	3/29/91	308	CASS	S	Data point did not agree with local trend
TE-105-AW-39	3/30/91	69	CASS	T	
TE-105-AW-39	4/5/91	69	CASS	T	
TE-105-AW-39	4/8/91	231	CASS	S	Data point did not agree with local trend
TE-105-AW-39	4/8/91	69	SACS	T	
TE-105-AW-39	4/16/91	83	CASS	S	Data point did not agree with local trend
TE-105-AW-39	4/20/91	68	CASS	T	
TE-105-AW-39	4/22/91	597	CASS	S	Data point did not agree with local trend
TE-105-AW-39	4/23/91	409	CASS	S	Data point did not agree with local trend
TE-105-AW-39	4/26/91	68	CASS	T	
TE-105-AW-39	5/2/91	325	CASS	S	Data point did not agree with local trend
TE-105-AW-39	5/3/91	365	CASS	S	Data point did not agree with local trend
TE-105-AW-39	5/4/91	68	CASS	T	
TE-105-AW-39	5/11/91	68	CASS	T	
TE-105-AW-39	5/18/91	68	CASS	T	
TE-105-AW-39	5/25/91	68	CASS	T	
TE-105-AW-39	5/26/91	134	CASS	S	Data point did not agree with local trend
TE-105-AW-39	5/31/91	68	CASS	T	
TE-105-AW-39	6/7/91	68	CASS	T	
TE-105-AW-39	6/10/91	204	CASS	S	Data point did not agree with local trend
TE-105-AW-39	6/11/91	447	CASS	S	Data point did not agree with local trend
TE-105-AW-39	6/15/91	68	CASS	T	
TE-105-AW-39	6/18/91	85	CASS	S	Data point did not agree with local trend
TE-105-AW-39	6/20/91	68	CASS	T	
TE-105-AW-39	6/24/91	215	CASS	S	Data point did not agree with local trend
TE-105-AW-39	6/25/91	68	CASS	T	
TE-105-AW-39	7/1/91	67	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-39	7/8/91	65	SACS	T	
TE-105-AW-39	7/15/91	67	SACS	T	
TE-105-AW-39	7/22/91	66	SACS	T	
TE-105-AW-39	7/29/91	67	SACS	T	
TE-105-AW-39	8/4/91	67	SACS	T	
TE-105-AW-39	8/19/91	67	SACS	T	
TE-105-AW-39	8/26/91	67	SACS	T	
TE-105-AW-39	9/2/91	69	SACS	T	
TE-105-AW-39	9/9/91	70	SACS	T	
TE-105-AW-39	9/16/91	69	SACS	T	
TE-105-AW-39	9/23/91	70	SACS	T	
TE-105-AW-39	9/30/91	70	SACS	T	
TE-105-AW-39	10/7/91	70	SACS	T	
TE-105-AW-39	10/14/91	71	SACS	T	
TE-105-AW-39	10/21/91	70	SACS	T	
TE-105-AW-39	10/28/91	70	SACS	T	
TE-105-AW-39	11/5/91	70	SACS	T	
TE-105-AW-39	11/11/91	70	SACS	T	
TE-105-AW-39	11/18/91	70	SACS	T	
TE-105-AW-39	11/25/91	72	SACS	T	
TE-105-AW-39	12/2/91	70	SACS	T	
TE-105-AW-39	12/9/91	70	SACS	T	
TE-105-AW-39	12/16/91	70	SACS	T	
TE-105-AW-39	12/23/91	70	SACS	T	
TE-105-AW-39	12/30/91	70	SACS	T	
TE-105-AW-39	1/6/92	70	SACS	T	
TE-105-AW-39	1/13/92	69	SACS	T	
TE-105-AW-39	1/20/92	69	SACS	T	
TE-105-AW-39	1/27/92	69	SACS	T	
TE-105-AW-39	2/22/92	71	SACS	T	
TE-105-AW-39	3/4/92	68	SACS	T	
TE-105-AW-39	3/11/92	74	SACS	T	
TE-105-AW-39	6/29/92	68	SACS	T	
TE-105-AW-39	10/5/92	70	SACS	T	
TE-105-AW-39	10/12/92	70	SACS	T	
TE-105-AW-39	10/19/92	70	SACS	T	
TE-105-AW-39	10/26/92	70	SACS	T	
TE-105-AW-39	11/2/92	69	SACS	T	
TE-105-AW-39	11/9/92	71	SACS	T	
TE-105-AW-39	11/16/92	71	SACS	T	
TE-105-AW-39	11/23/92	72	SACS	T	
TE-105-AW-39	11/30/92	70	SACS	T	
TE-105-AW-39	12/7/92	71	SACS	T	
TE-105-AW-39	12/14/92	71	SACS	T	
TE-105-AW-39	12/21/92	70	SACS	T	
TE-105-AW-39	12/28/92	71	SACS	T	
TE-105-AW-39	1/25/93	70	SACS	T	
TE-105-AW-39	2/1/93	71	SACS	T	
TE-105-AW-39	2/8/93	70	SACS	T	
TE-105-AW-39	2/16/93	71	SACS	T	
TE-105-AW-40	7/16/83	83	CASS	T	
TE-105-AW-40	7/23/83	85	CASS	T	
TE-105-AW-40	7/30/83	84	CASS	T	
TE-105-AW-40	7/31/83	84	CASS	T	
TE-105-AW-40	8/8/83	83	CASS	T	
TE-105-AW-40	8/20/83	82	CASS	T	
TE-105-AW-40	8/27/83	82	CASS	T	
TE-105-AW-40	8/31/83	82	CASS	T	
TE-105-AW-40	9/10/83	83	CASS	T	
TE-105-AW-40	9/14/83	83	CASS	T	
TE-105-AW-40	9/24/83	84	CASS	T	
TE-105-AW-40	10/1/83	85	CASS	T	
TE-105-AW-40	10/5/83	85	CASS	T	
TE-105-AW-40	10/15/83	85	CASS	T	
TE-105-AW-40	10/16/83	85	CASS	T	
TE-105-AW-40	3/10/84	82	CASS	T	
TE-105-AW-40	3/17/84	83	CASS	T	
TE-105-AW-40	3/24/84	86	CASS	T	
TE-105-AW-40	3/25/84	86	CASS	T	
TE-105-AW-40	4/7/84	85	CASS	T	
TE-105-AW-40	4/14/84	87	CASS	T	
TE-105-AW-40	4/21/84	88	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-40	4/26/84	88	CASS	T	
TE-105-AW-40	5/5/84	93	CASS	T	
TE-105-AW-40	5/6/84	93	CASS	T	
TE-105-AW-40	5/18/84	94	CASS	T	
TE-105-AW-40	5/26/84	94	CASS	T	
TE-105-AW-40	5/31/84	94	CASS	T	
TE-105-AW-40	6/7/84	93	CASS	T	
TE-105-AW-40	6/21/84	96	CASS	T	
TE-105-AW-40	6/30/84	101	CASS	T	
TE-105-AW-40	7/6/84	105	CASS	T	
TE-105-AW-40	7/12/84	105	CASS	T	
TE-105-AW-40	7/17/84	108	CASS	T	
TE-105-AW-40	7/28/84	103	CASS	T	
TE-105-AW-40	7/29/84	110	CASS	T	
TE-105-AW-40	8/5/84	108	CASS	T	
TE-105-AW-40	8/17/84	108	CASS	T	
TE-105-AW-40	8/21/84	107	CASS	T	
TE-105-AW-40	9/1/84	108	CASS	T	
TE-105-AW-40	9/7/84	109	CASS	T	
TE-105-AW-40	9/12/84	108	CASS	T	
TE-105-AW-40	9/22/84	107	CASS	T	
TE-105-AW-40	9/28/84	107	CASS	T	
TE-105-AW-40	10/2/84	108	CASS	T	
TE-105-AW-40	10/10/84	104	CASS	T	
TE-105-AW-40	10/17/84	102	CASS	T	
TE-105-AW-40	10/21/84	101	CASS	T	
TE-105-AW-40	11/3/84	99	CASS	T	
TE-105-AW-40	11/6/84	99	CASS	T	
TE-105-AW-40	11/17/84	98	CASS	T	
TE-105-AW-40	11/19/84	98	CASS	T	
TE-105-AW-40	11/30/84	96	CASS	T	
TE-105-AW-40	12/7/84	96	CASS	T	
TE-105-AW-40	12/10/84	96	CASS	T	
TE-105-AW-40	12/22/84	95	CASS	T	
TE-105-AW-40	12/29/84	95	CASS	T	
TE-105-AW-40	1/5/85	98	CASS	T	
TE-105-AW-40	1/12/85	95	CASS	T	
TE-105-AW-40	1/19/85	94	CASS	T	
TE-105-AW-40	1/20/85	94	CASS	T	
TE-105-AW-40	1/29/85	93	CASS	T	
TE-105-AW-40	2/8/85	91	CASS	T	
TE-105-AW-40	2/13/85	90	CASS	T	
TE-105-AW-40	3/2/85	87	CASS	T	
TE-105-AW-40	3/4/85	87	CASS	T	
TE-105-AW-40	3/12/85	86	CASS	T	
TE-105-AW-40	3/19/85	85	CASS	T	
TE-105-AW-40	3/28/85	84	CASS	T	
TE-105-AW-40	4/6/85	83	CASS	T	
TE-105-AW-40	4/11/85	83	CASS	T	
TE-105-AW-40	4/20/85	82	CASS	T	
TE-105-AW-40	4/23/85	82	CASS	T	
TE-105-AW-40	5/3/85	82	CASS	T	
TE-105-AW-40	5/7/85	81	CASS	T	
TE-105-AW-40	5/18/85	77	CASS	T	
TE-105-AW-40	5/25/85	77	CASS	T	
TE-105-AW-40	5/27/85	77	CASS	T	
TE-105-AW-40	6/8/85	76	CASS	T	
TE-105-AW-40	6/15/85	76	CASS	T	
TE-105-AW-40	6/19/85	76	CASS	T	
TE-105-AW-40	11/1/85	93	CASS	T	
TE-105-AW-40	12/1/85	93	CASS	T	
TE-105-AW-40	1/3/86	93	CASS	T	
TE-105-AW-40	1/11/86	92	CASS	T	
TE-105-AW-40	1/17/86	92	CASS	T	
TE-105-AW-40	1/23/86	91	CASS	T	
TE-105-AW-40	1/31/86	90	CASS	T	
TE-105-AW-40	2/8/86	89	CASS	T	
TE-105-AW-40	2/14/86	88	CASS	T	
TE-105-AW-40	2/16/86	88	CASS	T	
TE-105-AW-40	2/24/86	87	CASS	T	
TE-105-AW-40	3/5/86	85	CASS	T	
TE-105-AW-40	9/13/86	200	CASS	S	Date point did not agree with local trend
TE-105-AW-40	9/14/86	72	CASS	S	Date point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-40	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/19/86	84	CASS	T	
TE-105-AW-40	9/26/86	94	CASS	T	
TE-105-AW-40	10/2/86	93	CASS	T	
TE-105-AW-40	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-105-AW-40	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-105-AW-40	10/5/86	234	CASS	S	Data point did not agree with local trend
TE-105-AW-40	10/6/86	227	CASS	S	Data point did not agree with local trend
TE-105-AW-40	10/8/86	92	CASS	T	
TE-105-AW-40	10/18/86	90	CASS	T	
TE-105-AW-40	10/23/86	90	CASS	T	
TE-105-AW-40	10/26/86	90	CASS	T	
TE-105-AW-40	11/7/86	89	CASS	T	
TE-105-AW-40	11/15/86	88	CASS	T	
TE-105-AW-40	11/20/86	88	CASS	T	
TE-105-AW-40	11/29/86	87	CASS	T	
TE-105-AW-40	12/1/86	87	CASS	T	
TE-105-AW-40	12/12/86	86	CASS	T	
TE-105-AW-40	12/20/86	85	CASS	T	
TE-105-AW-40	12/23/86	85	CASS	T	
TE-105-AW-40	12/31/86	84	CASS	T	
TE-105-AW-40	7/2/87	76	CASS	T	
TE-105-AW-40	7/3/87	87	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/4/87	87	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/5/87	86	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/10/87	76	CASS	T	
TE-105-AW-40	7/11/87	86	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/15/87	89	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/17/87	89	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/18/87	76	CASS	T	
TE-105-AW-40	7/22/87	77	CASS	T	
TE-105-AW-40	7/24/87	86	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/28/87	87	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/29/87	77	CASS	T	
TE-105-AW-40	7/30/87	87	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/31/87	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/4/87	90	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/5/87	89	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/8/87	77	CASS	T	
TE-105-AW-40	8/12/87	92	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/14/87	91	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/15/87	77	CASS	T	
TE-105-AW-40	8/21/87	77	CASS	T	
TE-105-AW-40	8/22/87	93	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/24/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/26/87	93	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/28/87	77	CASS	T	
TE-105-AW-40	8/29/87	96	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/1/87	97	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/3/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/4/87	78	CASS	T	
TE-105-AW-40	9/5/87	96	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/6/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/8/87	78	CASS	T	
TE-105-AW-40	9/9/87	96	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/10/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/11/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-40	11/27/87	98	CASS	S	Data point did not agree with local trend
TE-105-AW-40	11/28/87	84	CASS	T	
TE-105-AW-40	11/29/87	84	CASS	T	
TE-105-AW-40	3/25/88	76	CASS	T	
TE-105-AW-40	3/31/88	75	CASS	T	
TE-105-AW-40	6/4/88	71	CASS	T	
TE-105-AW-40	6/11/88	72	CASS	T	
TE-105-AW-40	6/18/88	73	CASS	T	
TE-105-AW-40	6/25/88	73	CASS	T	
TE-105-AW-40	7/2/88	73	CASS	T	
TE-105-AW-40	7/9/88	73	CASS	T	
TE-105-AW-40	7/16/88	73	CASS	T	
TE-105-AW-40	7/19/88	83	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/23/88	74	CASS	T	
TE-105-AW-40	7/25/88	460	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/30/88	74	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-40	8/2/88	79	CASS	T	
TE-105-AW-40	8/10/88	74	CASS	T	
TE-105-AW-40	12/3/88	79	CASS	T	
TE-105-AW-40	12/10/88	79	CASS	T	
TE-105-AW-40	12/17/88	79	CASS	T	
TE-105-AW-40	12/18/88	84	CASS	S	Data point did not agree with local trend
TE-105-AW-40	12/21/88	77	CASS	T	
TE-105-AW-40	9/2/89	74	CASS	T	
TE-105-AW-40	9/9/89	75	CASS	T	
TE-105-AW-40	9/16/89	75	CASS	T	
TE-105-AW-40	9/17/89	91	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/23/89	75	CASS	T	
TE-105-AW-40	9/25/89	92	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/30/89	75	CASS	T	
TE-105-AW-40	11/4/89	75	CASS	T	
TE-105-AW-40	11/11/89	75	CASS	T	
TE-105-AW-40	11/18/89	75	CASS	T	
TE-105-AW-40	11/25/89	75	CASS	T	
TE-105-AW-40	12/1/89	75	CASS	T	
TE-105-AW-40	12/8/89	75	CASS	T	
TE-105-AW-40	12/8/89	87	CASS	S	Data point did not agree with local trend
TE-105-AW-40	12/14/89	75	CASS	T	
TE-105-AW-40	12/23/89	74	CASS	T	
TE-105-AW-40	12/30/89	74	CASS	T	
TE-105-AW-40	1/8/90	74	CASS	T	
TE-105-AW-40	1/11/90	74	CASS	T	
TE-105-AW-40	1/20/90	73	CASS	T	
TE-105-AW-40	1/27/90	73	CASS	T	
TE-105-AW-40	2/3/90	73	CASS	T	
TE-105-AW-40	2/10/90	73	CASS	T	
TE-105-AW-40	2/11/90	73	CASS	T	
TE-105-AW-40	2/24/90	72	CASS	T	
TE-105-AW-40	3/3/90	72	CASS	T	
TE-105-AW-40	3/10/90	72	CASS	T	
TE-105-AW-40	3/18/90	72	CASS	T	
TE-105-AW-40	3/20/90	72	CASS	T	
TE-105-AW-40	3/31/90	71	CASS	T	
TE-105-AW-40	4/7/90	71	CASS	T	
TE-105-AW-40	4/14/90	71	CASS	T	
TE-105-AW-40	4/21/90	71	CASS	T	
TE-105-AW-40	4/22/90	83	CASS	S	Data point did not agree with local trend
TE-105-AW-40	4/23/90	83	CASS	S	Data point did not agree with local trend
TE-105-AW-40	4/28/90	71	CASS	T	
TE-105-AW-40	5/2/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-40	5/5/90	71	CASS	T	
TE-105-AW-40	5/11/90	71	CASS	T	
TE-105-AW-40	5/15/90	71	CASS	T	
TE-105-AW-40	5/20/90	71	CASS	T	
TE-105-AW-40	6/2/90	70	CASS	T	
TE-105-AW-40	6/6/90	71	CASS	T	
TE-105-AW-40	6/15/90	71	CASS	T	
TE-105-AW-40	6/23/90	71	CASS	T	
TE-105-AW-40	6/24/90	71	CASS	T	
TE-105-AW-40	6/30/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/1/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/2/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/3/90	72	CASS	T	
TE-105-AW-40	7/12/90	71	CASS	T	
TE-105-AW-40	7/13/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/14/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/15/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/16/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/19/90	71	CASS	T	
TE-105-AW-40	7/20/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/21/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/22/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/23/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/25/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/26/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/27/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-40	7/28/90	71	CASS	T	
TE-105-AW-40	8/3/90	71	CASS	T	
TE-105-AW-40	8/4/90	88	CASS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-40	8/6/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/7/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/11/90	71	CASS	T	
TE-105-AW-40	8/12/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/13/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/14/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/16/90	71	CASS	T	
TE-105-AW-40	8/18/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/20/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/23/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/24/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/25/90	71	CASS	T	
TE-105-AW-40	8/27/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	8/31/90	71	CASS	T	
TE-105-AW-40	9/1/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/2/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/3/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/4/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/8/90	72	CASS	T	
TE-105-AW-40	9/10/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/11/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/12/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/13/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/15/90	72	CASS	T	
TE-105-AW-40	9/17/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/22/90	72	CASS	T	
TE-105-AW-40	9/28/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	9/29/90	72	CASS	T	
TE-105-AW-40	10/6/90	72	CASS	T	
TE-105-AW-40	10/12/90	72	CASS	T	
TE-105-AW-40	10/13/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	10/20/90	72	CASS	T	
TE-105-AW-40	10/27/90	72	CASS	T	
TE-105-AW-40	11/2/90	72	CASS	T	
TE-105-AW-40	11/3/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-40	11/8/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-40	11/8/90	72	CASS	T	
TE-105-AW-40	11/10/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-40	11/12/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-40	11/17/90	72	CASS	T	
TE-105-AW-40	11/24/90	72	CASS	T	
TE-105-AW-40	12/1/90	72	CASS	T	
TE-105-AW-40	12/8/90	72	CASS	T	
TE-105-AW-40	12/14/90	72	CASS	T	
TE-105-AW-40	12/15/90	84	CASS	S	Data point did not agree with local trend
TE-105-AW-40	12/16/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-40	12/17/90	72	CASS	T	
TE-105-AW-40	12/18/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-40	12/19/90	84	CASS	S	Data point did not agree with local trend
TE-105-AW-40	12/28/90	84	CASS	S	Data point did not agree with local trend
TE-105-AW-40	12/29/90	69	CASS	T	
TE-105-AW-40	1/2/91	75	CASS	T	
TE-105-AW-40	1/4/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-40	1/6/91	89	CASS	S	Data point did not agree with local trend
TE-105-AW-40	1/7/91	75	CASS	T	
TE-105-AW-40	1/19/91	70	CASS	T	
TE-105-AW-40	1/26/91	70	CASS	T	
TE-105-AW-40	1/28/91	88	CASS	S	Data point did not agree with local trend
TE-105-AW-40	2/2/91	70	CASS	T	
TE-105-AW-40	2/5/91	70	CASS	T	
TE-105-AW-40	2/7/91	87	CASS	S	Data point did not agree with local trend
TE-105-AW-40	2/11/91	86	CASS	S	Data point did not agree with local trend
TE-105-AW-40	2/18/91	69	CASS	T	
TE-105-AW-40	2/23/91	69	CASS	T	
TE-105-AW-40	3/2/91	69	CASS	T	
TE-105-AW-40	3/6/91	69	CASS	T	
TE-105-AW-40	3/16/91	68	CASS	T	
TE-105-AW-40	3/17/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-40	3/22/91	68	CASS	T	
TE-105-AW-40	3/23/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-40	3/30/91	68	CASS	T	
TE-105-AW-40	4/5/91	68	CASS	T	
TE-105-AW-40	4/7/91	68	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-40	4/14/91	88	CASS	T	
TE-105-AW-40	4/19/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-40	4/22/91	88	CASS	T	
TE-105-AW-40	4/30/91	83	CASS	S	Data point did not agree with local trend
TE-105-AW-40	5/1/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-40	5/3/91	67	CASS	T	
TE-105-AW-40	5/4/91	83	CASS	S	Data point did not agree with local trend
TE-105-AW-40	5/5/91	87	CASS	S	Data point did not agree with local trend
TE-105-AW-40	5/11/91	67	CASS	T	
TE-105-AW-40	5/16/91	83	CASS	S	Data point did not agree with local trend
TE-105-AW-40	5/17/91	83	CASS	S	Data point did not agree with local trend
TE-105-AW-40	5/19/91	67	CASS	T	
TE-105-AW-40	5/22/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-40	5/23/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-40	5/24/91	67	CASS	T	
TE-105-AW-40	5/25/91	83	CASS	S	Data point did not agree with local trend
TE-105-AW-40	5/27/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-40	5/28/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-40	5/30/91	67	CASS	T	
TE-105-AW-40	5/31/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-40	6/8/91	67	CASS	T	
TE-105-AW-40	6/13/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-40	6/15/91	67	CASS	T	
TE-105-AW-40	6/19/91	67	CASS	T	
TE-105-AW-40	6/20/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-40	6/23/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-40	6/26/91	67	CASS	T	
TE-105-AW-40	2/3/92	88	SACS	T	
TE-105-AW-40	2/10/92	89	SACS	T	
TE-105-AW-40	2/17/92	89	SACS	T	
TE-105-AW-40	2/24/92	88	SACS	T	
TE-105-AW-40	3/2/92	67	SACS	T	
TE-105-AW-40	3/9/92	67	SACS	T	
TE-105-AW-40	3/16/92	67	SACS	T	
TE-105-AW-40	3/23/92	67	SACS	T	
TE-105-AW-40	3/30/92	67	SACS	T	
TE-105-AW-40	4/8/92	67	SACS	T	
TE-105-AW-40	4/13/92	67	SACS	T	
TE-105-AW-40	4/20/92	67	SACS	T	
TE-105-AW-40	4/27/92	67	SACS	T	
TE-105-AW-40	5/4/92	86	SACS	T	
TE-105-AW-40	5/11/92	75	SACS	S	Data point did not agree with local trend
TE-105-AW-40	5/18/92	82	SACS	S	Data point did not agree with local trend
TE-105-AW-40	5/25/92	82	SACS	S	Data point did not agree with local trend
TE-105-AW-40	6/8/92	67	SACS	T	
TE-105-AW-40	6/15/92	67	SACS	T	
TE-105-AW-40	6/22/92	67	SACS	T	
TE-105-AW-40	7/6/92	67	SACS	T	
TE-105-AW-40	7/13/92	66	SACS	T	
TE-105-AW-40	7/20/92	66	SACS	T	
TE-105-AW-40	7/27/92	67	SACS	T	
TE-105-AW-40	8/3/92	66	SACS	T	
TE-105-AW-40	8/10/92	67	SACS	T	
TE-105-AW-40	8/17/92	67	SACS	T	
TE-105-AW-40	8/24/92	68	SACS	T	
TE-105-AW-40	8/31/92	67	SACS	T	
TE-105-AW-40	9/7/92	68	SACS	T	
TE-105-AW-40	9/14/92	68	SACS	T	
TE-105-AW-40	9/21/92	69	SACS	T	
TE-105-AW-40	9/28/92	68	SACS	T	
TE-105-AW-40	1/4/93	70	SACS	T	
TE-105-AW-40	1/11/93	70	SACS	T	
TE-105-AW-40	1/18/93	69	SACS	T	
TE-105-AW-40	3/1/93	70	SACS	T	
TE-105-AW-40	3/8/93	69	SACS	T	
TE-105-AW-40	3/20/93	69	SACS	T	
TE-105-AW-40	3/22/93	68	SACS	T	
TE-105-AW-40	3/29/93	68	SACS	T	
TE-105-AW-40	4/6/93	68	SACS	T	
TE-105-AW-40	4/12/93	68	SACS	T	
TE-105-AW-40	4/19/93	68	SACS	T	
TE-105-AW-40	4/26/93	67	SACS	T	
TE-105-AW-40	5/3/93	67	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-40	5/10/93	66	SACS	T	
TE-105-AW-40	5/17/93	68	SACS	T	
TE-105-AW-40	5/24/93	68	SACS	T	
TE-105-AW-40	5/31/93	67	SACS	T	
TE-105-AW-40	6/7/93	68	SACS	T	
TE-105-AW-40	6/16/93	68	SACS	T	
TE-105-AW-40	6/22/93	68	SACS	T	
TE-105-AW-40	6/28/93	68	SACS	T	
TE-105-AW-40	7/26/93	69	SACS	T	
TE-105-AW-40	8/2/93	69	SACS	T	
TE-105-AW-40	8/9/93	69	SACS	T	
TE-105-AW-40	8/16/93	69	SACS	T	
TE-105-AW-40	8/23/93	69	SACS	T	
TE-105-AW-40	8/30/93	70	SACS	T	
TE-105-AW-40	9/13/93	70	SACS	T	
TE-105-AW-40	9/21/93	73	SACS	T	
TE-105-AW-40	9/27/93	70	SACS	T	
TE-105-AW-40	10/11/93	71	SACS	T	
TE-105-AW-40	10/19/93	70	SACS	T	
TE-105-AW-40	10/26/93	70	SACS	T	
TE-105-AW-40	11/1/93	69	SACS	T	
TE-105-AW-40	11/15/93	70	SACS	T	
TE-105-AW-40	11/26/93	72	SACS	T	
TE-105-AW-40	11/29/93	70	SACS	T	
TE-105-AW-40	12/6/93	70	SACS	T	
TE-105-AW-40	12/16/93	70	SACS	T	
TE-105-AW-40	12/20/93	71	SACS	T	
TE-105-AW-40	12/27/93	71	SACS	T	
TE-105-AW-40	1/5/94	71	SACS	T	
TE-105-AW-40	1/24/94	71	SACS	T	
TE-105-AW-40	1/31/94	70	SACS	T	
TE-105-AW-40	2/28/94	69	SACS	T	
TE-105-AW-40	3/7/94	70	SACS	T	
TE-105-AW-40	4/18/94	69	SACS	G	
TE-105-AW-40	4/25/94	69	SACS	G	
TE-105-AW-40	5/2/94	70	SACS	G	
TE-105-AW-40	5/8/94	68	SACS	G	
TE-105-AW-40	5/16/94	68	SACS	G	
TE-105-AW-40	5/31/94	68	SACS	G	
TE-105-AW-40	6/6/94	69	SACS	G	
TE-105-AW-40	6/13/94	69	SACS	G	
TE-105-AW-40	6/20/94	68	SACS	G	
TE-105-AW-40	6/27/94	69	SACS	G	
TE-105-AW-40	7/4/94	68	SACS	G	
TE-105-AW-40	7/18/94	69	SACS	G	
TE-105-AW-40	7/25/94	69	SACS	G	
TE-105-AW-40	8/1/94	68	SACS	G	
TE-105-AW-40	8/8/94	69	SACS	G	
TE-105-AW-40	8/15/94	68	SACS	G	
TE-105-AW-40	8/22/94	69	SACS	G	
TE-105-AW-40	9/7/94	69	SACS	G	
TE-105-AW-40	9/12/94	69	SACS	G	
TE-105-AW-40	9/19/94	68	SACS	G	
TE-105-AW-40	9/26/94	69	SACS	G	
TE-105-AW-40	10/10/94	69	SACS	G	
TE-105-AW-40	10/17/94	71	SACS	G	
TE-105-AW-40	10/24/94	70	SACS	G	
TE-105-AW-40	10/31/94	71	SACS	G	
TE-105-AW-40	11/7/94	70	SACS	G	
TE-105-AW-40	11/14/94	71	SACS	G	
TE-105-AW-40	11/21/94	70	SACS	G	
TE-105-AW-40	11/28/94	70	SACS	G	
TE-105-AW-40	12/5/94	68	SACS	G	
TE-105-AW-40	12/12/94	68	SACS	G	
TE-105-AW-40	12/19/94	67	SACS	G	
TE-105-AW-40	12/26/94	69	SACS	G	
TE-105-AW-40	1/2/95	68	SACS	G	
TE-105-AW-40	1/9/95	68	SACS	G	
TE-105-AW-40	1/18/95	68	SACS	G	
TE-105-AW-40	1/23/95	68	SACS	G	
TE-105-AW-40	1/30/95	68	SACS	G	
TE-105-AW-40	2/6/95	70	SACS	G	
TE-105-AW-40	2/13/95	69	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-40	2/24/95	68	SACS	G	
TE-105-AW-40	2/27/95	69	SACS	G	
TE-105-AW-40	3/6/95	69	SACS	G	
TE-105-AW-40	3/19/95	69	SACS	G	
TE-105-AW-40	3/27/95	69	SACS	G	
TE-105-AW-40	4/3/95	68	SACS	G	
TE-105-AW-40	4/10/95	69	SACS	G	
TE-105-AW-40	4/17/95	68	SACS	G	
TE-105-AW-40	4/24/95	67	SACS	G	
TE-105-AW-40	5/1/95	68	SACS	G	
TE-105-AW-40	5/13/95	69	SACS	G	
TE-105-AW-40	5/22/95	69	SACS	G	
TE-105-AW-40	5/29/95	70	SACS	G	
TE-105-AW-40	6/5/95	70	SACS	G	
TE-105-AW-40	6/13/95	70	SACS	G	
TE-105-AW-40	6/19/95	71	SACS	G	
TE-105-AW-40	6/27/95	71	SACS	T	
TE-105-AW-41	7/16/83	81	CASS	T	
TE-105-AW-41	7/17/83	88	CASS	T	
TE-105-AW-41	7/28/83	84	CASS	T	
TE-105-AW-41	8/1/83	84	CASS	T	
TE-105-AW-41	8/13/83	82	CASS	T	
TE-105-AW-41	8/17/83	84	CASS	T	
TE-105-AW-41	8/23/83	83	CASS	T	
TE-105-AW-41	8/31/83	87	CASS	T	
TE-105-AW-41	9/10/83	84	CASS	T	
TE-105-AW-41	9/14/83	86	CASS	T	
TE-105-AW-41	9/24/83	89	CASS	T	
TE-105-AW-41	9/25/83	86	CASS	T	
TE-105-AW-41	10/5/83	85	CASS	T	
TE-105-AW-41	10/15/83	86	CASS	T	
TE-105-AW-41	10/16/83	85	CASS	T	
TE-105-AW-41	3/8/84	84	CASS	T	
TE-105-AW-41	3/17/84	85	CASS	T	
TE-105-AW-41	3/24/84	87	CASS	T	
TE-105-AW-41	3/25/84	87	CASS	T	
TE-105-AW-41	4/7/84	86	CASS	T	
TE-105-AW-41	4/13/84	93	CASS	T	
TE-105-AW-41	4/17/84	91	CASS	T	
TE-105-AW-41	4/23/84	90	CASS	T	
TE-105-AW-41	5/5/84	93	CASS	T	
TE-105-AW-41	5/12/84	93	CASS	T	
TE-105-AW-41	5/19/84	94	CASS	T	
TE-105-AW-41	5/26/84	94	CASS	T	
TE-105-AW-41	6/2/84	94	CASS	T	
TE-105-AW-41	6/7/84	94	CASS	T	
TE-105-AW-41	6/21/84	96	CASS	T	
TE-105-AW-41	6/30/84	98	CASS	T	
TE-105-AW-41	7/6/84	105	CASS	T	
TE-105-AW-41	7/12/84	105	CASS	T	
TE-105-AW-41	7/17/84	108	CASS	T	
TE-105-AW-41	7/28/84	102	CASS	T	
TE-105-AW-41	7/29/84	108	CASS	T	
TE-105-AW-41	8/10/84	105	CASS	T	
TE-105-AW-41	8/16/84	109	CASS	T	
TE-105-AW-41	8/25/84	107	CASS	T	
TE-105-AW-41	9/1/84	108	CASS	T	
TE-105-AW-41	9/7/84	109	CASS	T	
TE-105-AW-41	9/15/84	108	CASS	T	
TE-105-AW-41	9/22/84	108	CASS	T	
TE-105-AW-41	9/24/84	108	CASS	T	
TE-105-AW-41	10/2/84	106	CASS	T	
TE-105-AW-41	10/10/84	104	CASS	T	
TE-105-AW-41	10/17/84	102	CASS	T	
TE-105-AW-41	10/24/84	101	CASS	T	
TE-105-AW-41	10/28/84	100	CASS	T	
TE-105-AW-41	11/7/84	99	CASS	T	
TE-105-AW-41	11/17/84	98	CASS	T	
TE-105-AW-41	11/21/84	98	CASS	T	
TE-105-AW-41	11/30/84	96	CASS	T	
TE-105-AW-41	12/7/84	96	CASS	T	
TE-105-AW-41	12/10/84	96	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-41	12/22/84	95	CASS	T	
TE-105-AW-41	12/29/84	95	CASS	T	
TE-105-AW-41	1/5/85	96	CASS	T	
TE-105-AW-41	1/9/85	96	CASS	T	
TE-105-AW-41	1/18/85	95	CASS	T	
TE-105-AW-41	1/24/85	94	CASS	T	
TE-105-AW-41	1/29/85	93	CASS	T	
TE-105-AW-41	2/6/85	91	CASS	T	
TE-105-AW-41	2/13/85	90	CASS	T	
TE-105-AW-41	3/2/85	87	CASS	T	
TE-105-AW-41	3/4/85	87	CASS	T	
TE-105-AW-41	3/12/85	86	CASS	T	
TE-105-AW-41	3/20/85	85	CASS	T	
TE-105-AW-41	3/29/85	84	CASS	T	
TE-105-AW-41	4/6/85	83	CASS	T	
TE-105-AW-41	4/12/85	83	CASS	T	
TE-105-AW-41	4/20/85	82	CASS	T	
TE-105-AW-41	4/27/85	82	CASS	T	
TE-105-AW-41	5/3/85	82	CASS	T	
TE-105-AW-41	5/7/85	81	CASS	T	
TE-105-AW-41	5/18/85	76	CASS	T	
TE-105-AW-41	5/25/85	76	CASS	T	
TE-105-AW-41	5/27/85	76	CASS	T	
TE-105-AW-41	6/8/85	75	CASS	T	
TE-105-AW-41	6/15/85	76	CASS	T	
TE-105-AW-41	6/19/85	76	CASS	T	
TE-105-AW-41	11/1/85	93	CASS	T	
TE-105-AW-41	12/1/85	93	CASS	T	
TE-105-AW-41	1/4/86	93	CASS	T	
TE-105-AW-41	1/7/86	93	CASS	T	
TE-105-AW-41	1/17/86	92	CASS	T	
TE-105-AW-41	1/24/86	91	CASS	T	
TE-105-AW-41	1/31/86	90	CASS	T	
TE-105-AW-41	2/8/86	89	CASS	T	
TE-105-AW-41	2/9/86	89	CASS	T	
TE-105-AW-41	2/16/86	88	CASS	T	
TE-105-AW-41	2/24/86	87	CASS	T	
TE-105-AW-41	3/4/86	86	CASS	T	
TE-105-AW-41	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-105-AW-41	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-105-AW-41	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-105-AW-41	9/18/86	94	CASS	T	
TE-105-AW-41	9/26/86	94	CASS	T	
TE-105-AW-41	10/2/86	93	CASS	T	
TE-105-AW-41	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-105-AW-41	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-105-AW-41	10/5/86	234	CASS	S	Data point did not agree with local trend
TE-105-AW-41	10/6/86	227	CASS	S	Data point did not agree with local trend
TE-105-AW-41	10/9/86	92	CASS	T	
TE-105-AW-41	10/18/86	89	CASS	T	
TE-105-AW-41	10/23/86	89	CASS	T	
TE-105-AW-41	10/28/86	89	CASS	T	
TE-105-AW-41	11/5/86	91	CASS	T	
TE-105-AW-41	11/15/86	87	CASS	T	
TE-105-AW-41	11/22/86	90	CASS	T	
TE-105-AW-41	11/24/86	91	CASS	T	
TE-105-AW-41	12/1/86	90	CASS	T	
TE-105-AW-41	12/13/86	85	CASS	T	
TE-105-AW-41	12/15/86	85	CASS	T	
TE-105-AW-41	12/24/86	84	CASS	T	
TE-105-AW-41	12/31/86	83	CASS	T	
TE-105-AW-41	7/4/87	76	CASS	T	
TE-105-AW-41	7/6/87	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	7/7/87	94	CASS	S	Data point did not agree with local trend
TE-105-AW-41	7/10/87	76	CASS	T	
TE-105-AW-41	7/11/87	90	CASS	S	Data point did not agree with local trend
TE-105-AW-41	7/15/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-41	7/17/87	76	CASS	T	
TE-105-AW-41	7/18/87	90	CASS	S	Data point did not agree with local trend
TE-105-AW-41	7/20/87	90	CASS	S	Data point did not agree with local trend
TE-105-AW-41	7/21/87	94	CASS	S	Data point did not agree with local trend
TE-105-AW-41	7/23/87	76	CASS	T	
TE-105-AW-41	7/24/87	90	CASS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-41	7/25/87	93	CASS	S	Data point did not agree with local trend
TE-105-AW-41	7/27/87	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	7/31/87	78	CASS	T	
TE-105-AW-41	8/1/87	93	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/5/87	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/7/87	76	CASS	T	
TE-105-AW-41	8/8/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/9/87	96	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/10/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/12/87	77	CASS	T	
TE-105-AW-41	8/13/87	85	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/15/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/16/87	96	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/22/87	77	CASS	T	
TE-105-AW-41	8/23/87	98	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/27/87	77	CASS	T	
TE-105-AW-41	8/28/87	98	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/29/87	98	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/30/87	98	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/31/87	99	CASS	S	Data point did not agree with local trend
TE-105-AW-41	9/2/87	99	CASS	S	Data point did not agree with local trend
TE-105-AW-41	9/5/87	78	CASS	T	
TE-105-AW-41	9/8/87	78	CASS	T	
TE-105-AW-41	9/9/87	100	CASS	S	Data point did not agree with local trend
TE-105-AW-41	9/10/87	100	CASS	S	Data point did not agree with local trend
TE-105-AW-41	9/11/87	100	CASS	S	Data point did not agree with local trend
TE-105-AW-41	11/27/87	98	CASS	S	Data point did not agree with local trend
TE-105-AW-41	11/28/87	85	CASS	T	
TE-105-AW-41	11/29/87	84	CASS	T	
TE-105-AW-41	3/26/88	78	CASS	T	
TE-105-AW-41	3/31/88	75	CASS	T	
TE-105-AW-41	6/4/88	71	CASS	T	
TE-105-AW-41	6/11/88	72	CASS	T	
TE-105-AW-41	6/18/88	73	CASS	T	
TE-105-AW-41	6/19/88	180	CASS	S	Data point did not agree with local trend
TE-105-AW-41	6/24/88	73	CASS	T	
TE-105-AW-41	6/25/88	95	CASS	S	Data point did not agree with local trend
TE-105-AW-41	7/2/88	73	CASS	T	
TE-105-AW-41	7/9/88	74	CASS	T	
TE-105-AW-41	7/15/88	74	CASS	T	
TE-105-AW-41	7/23/88	74	CASS	T	
TE-105-AW-41	7/30/88	74	CASS	T	
TE-105-AW-41	8/2/88	79	CASS	T	
TE-105-AW-41	8/10/88	74	CASS	T	
TE-105-AW-41	12/3/88	81	CASS	T	
TE-105-AW-41	12/10/88	81	CASS	T	
TE-105-AW-41	12/17/88	81	CASS	T	
TE-105-AW-41	12/18/88	94	CASS	S	Data point did not agree with local trend
TE-105-AW-41	12/22/88	78	CASS	T	
TE-105-AW-41	7/10/89	72	SACS	T	
TE-105-AW-41	7/17/89	72	SACS	T	
TE-105-AW-41	7/24/89	73	SACS	T	
TE-105-AW-41	8/7/89	72	SACS	T	
TE-105-AW-41	8/14/89	74	SACS	T	
TE-105-AW-41	8/21/89	73	SACS	T	
TE-105-AW-41	9/2/89	74	CASS	T	
TE-105-AW-41	9/9/89	74	CASS	T	
TE-105-AW-41	9/11/89	75	SACS	T	
TE-105-AW-41	9/18/89	97	CASS	S	Data point did not agree with local trend
TE-105-AW-41	9/18/89	75	SACS	T	
TE-105-AW-41	9/19/89	97	CASS	S	Data point did not agree with local trend
TE-105-AW-41	9/24/89	93	CASS	S	Data point did not agree with local trend
TE-105-AW-41	9/25/89	98	CASS	S	Data point did not agree with local trend
TE-105-AW-41	9/29/89	75	CASS	T	
TE-105-AW-41	10/1/89	75	SACS	T	
TE-105-AW-41	10/9/89	75	SACS	T	
TE-105-AW-41	10/16/89	75	SACS	T	
TE-105-AW-41	10/24/89	76	SACS	T	
TE-105-AW-41	10/30/89	76	SACS	T	
TE-105-AW-41	11/11/89	75	CASS	T	
TE-105-AW-41	11/13/89	76	SACS	T	
TE-105-AW-41	11/23/89	75	CASS	T	
TE-105-AW-41	11/27/89	76	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-41	12/4/89	75	SACS	T	
TE-105-AW-41	12/11/89	75	SACS	T	
TE-105-AW-41	12/18/89	75	SACS	T	
TE-105-AW-41	12/30/89	74	CASS	T	
TE-105-AW-41	1/2/90	75	SACS	T	
TE-105-AW-41	1/12/90	74	CASS	T	
TE-105-AW-41	1/15/90	74	SACS	T	
TE-105-AW-41	1/22/90	74	SACS	T	
TE-105-AW-41	1/29/90	74	SACS	T	
TE-105-AW-41	2/5/90	74	SACS	T	
TE-105-AW-41	2/12/90	75	SACS	T	
TE-105-AW-41	2/19/90	74	SACS	T	
TE-105-AW-41	3/3/90	72	CASS	T	
TE-105-AW-41	3/10/90	72	CASS	T	
TE-105-AW-41	3/12/90	73	SACS	T	
TE-105-AW-41	3/19/90	73	SACS	T	
TE-105-AW-41	3/26/90	72	SACS	T	
TE-105-AW-41	4/2/90	72	SACS	T	
TE-105-AW-41	4/8/90	72	SACS	T	
TE-105-AW-41	4/20/90	71	CASS	T	
TE-105-AW-41	4/21/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-41	4/28/90	71	CASS	T	
TE-105-AW-41	5/2/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-41	5/5/90	71	CASS	T	
TE-105-AW-41	5/10/90	71	CASS	T	
TE-105-AW-41	5/19/90	70	CASS	T	
TE-105-AW-41	5/22/90	70	CASS	T	
TE-105-AW-41	6/2/90	70	CASS	T	
TE-105-AW-41	6/8/90	71	CASS	T	
TE-105-AW-41	6/16/90	70	CASS	T	
TE-105-AW-41	6/23/90	70	CASS	T	
TE-105-AW-41	6/30/90	70	CASS	T	
TE-105-AW-41	7/3/90	72	CASS	T	
TE-105-AW-41	7/12/90	71	CASS	T	
TE-105-AW-41	7/21/90	70	CASS	T	
TE-105-AW-41	7/22/90	71	CASS	T	
TE-105-AW-41	7/24/90	94	CASS	S	Data point did not agree with local trend
TE-105-AW-41	7/25/90	94	CASS	S	Data point did not agree with local trend
TE-105-AW-41	7/28/90	95	CASS	S	Data point did not agree with local trend
TE-105-AW-41	7/29/90	95	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/3/90	95	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/4/90	71	CASS	T	
TE-105-AW-41	8/7/90	71	CASS	T	
TE-105-AW-41	8/8/90	95	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/9/90	95	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/11/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/13/90	95	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/15/90	95	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/16/90	71	CASS	T	
TE-105-AW-41	8/19/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/21/90	91	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/22/90	91	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/25/90	71	CASS	T	
TE-105-AW-41	8/27/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	8/31/90	71	CASS	T	
TE-105-AW-41	9/1/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	9/3/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	9/8/90	71	CASS	T	
TE-105-AW-41	9/13/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	9/15/90	71	CASS	T	
TE-105-AW-41	9/16/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	9/17/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	9/17/90	72	SACS	T	
TE-105-AW-41	9/26/90	93	CASS	S	Data point did not agree with local trend
TE-105-AW-41	9/29/90	71	CASS	T	
TE-105-AW-41	10/1/90	72	SACS	T	
TE-105-AW-41	10/8/90	74	SACS	T	
TE-105-AW-41	10/13/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	10/15/90	72	SACS	T	
TE-105-AW-41	10/22/90	73	SACS	T	
TE-105-AW-41	11/2/90	72	CASS	T	
TE-105-AW-41	11/3/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	11/5/90	73	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-41	11/7/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	11/12/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	11/17/90	72	CASS	T	
TE-105-AW-41	11/24/90	72	CASS	T	
TE-105-AW-41	12/1/90	72	CASS	T	
TE-105-AW-41	12/8/90	72	CASS	T	
TE-105-AW-41	12/14/90	72	CASS	T	
TE-105-AW-41	12/15/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	12/16/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	12/19/90	72	CASS	T	
TE-105-AW-41	12/24/90	73	SACS	T	
TE-105-AW-41	12/31/90	72	SACS	T	
TE-105-AW-41	1/1/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-41	1/12/91	71	CASS	T	
TE-105-AW-41	1/19/91	71	CASS	T	
TE-105-AW-41	1/23/91	71	CASS	T	
TE-105-AW-41	1/29/91	71	SACS	T	
TE-105-AW-41	2/7/91	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	2/8/91	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	2/9/91	70	CASS	T	
TE-105-AW-41	2/16/91	70	CASS	T	
TE-105-AW-41	2/18/91	70	CASS	T	
TE-105-AW-41	3/2/91	69	CASS	T	
TE-105-AW-41	3/9/91	69	CASS	T	
TE-105-AW-41	3/14/91	69	CASS	T	
TE-105-AW-41	3/15/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-41	3/18/91	69	CASS	T	
TE-105-AW-41	3/29/91	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	3/30/91	68	CASS	T	
TE-105-AW-41	4/6/91	68	CASS	T	
TE-105-AW-41	4/12/91	97	CASS	S	Data point did not agree with local trend
TE-105-AW-41	4/13/91	68	CASS	T	
TE-105-AW-41	4/15/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-41	4/16/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-41	4/17/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-41	4/18/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-41	4/19/91	68	CASS	T	
TE-105-AW-41	4/20/91	94	CASS	S	Data point did not agree with local trend
TE-105-AW-41	4/21/91	98	CASS	S	Data point did not agree with local trend
TE-105-AW-41	4/22/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-41	4/26/91	96	CASS	S	Data point did not agree with local trend
TE-105-AW-41	4/27/91	67	CASS	T	
TE-105-AW-41	4/28/91	95	CASS	S	Data point did not agree with local trend
TE-105-AW-41	4/29/91	96	CASS	S	Data point did not agree with local trend
TE-105-AW-41	5/4/91	67	CASS	T	
TE-105-AW-41	5/5/91	97	CASS	S	Data point did not agree with local trend
TE-105-AW-41	5/6/91	68	SACS	T	
TE-105-AW-41	5/11/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-41	5/12/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-41	5/18/91	67	CASS	T	
TE-105-AW-41	5/23/91	95	CASS	S	Data point did not agree with local trend
TE-105-AW-41	5/24/91	67	CASS	T	
TE-105-AW-41	5/25/91	89	CASS	S	Data point did not agree with local trend
TE-105-AW-41	5/26/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-41	5/28/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-41	5/30/91	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	5/31/91	67	CASS	T	
TE-105-AW-41	6/7/91	67	CASS	T	
TE-105-AW-41	6/8/91	89	CASS	S	Data point did not agree with local trend
TE-105-AW-41	6/10/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-41	6/12/91	89	CASS	S	Data point did not agree with local trend
TE-105-AW-41	6/13/91	67	CASS	T	
TE-105-AW-41	6/15/91	92	CASS	S	Data point did not agree with local trend
TE-105-AW-41	6/20/91	67	CASS	T	
TE-105-AW-41	6/25/91	67	CASS	T	
TE-105-AW-41	7/1/91	65	SACS	T	
TE-105-AW-41	7/6/91	64	SACS	T	
TE-105-AW-41	7/15/91	66	SACS	T	
TE-105-AW-41	7/22/91	65	SACS	T	
TE-105-AW-41	7/29/91	65	SACS	T	
TE-105-AW-41	8/4/91	66	SACS	T	
TE-105-AW-41	8/19/91	65	SACS	T	
TE-105-AW-41	8/26/91	66	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-41	9/2/91	67	SACS	T	
TE-105-AW-41	9/9/91	68	SACS	T	
TE-105-AW-41	9/16/91	68	SACS	T	
TE-105-AW-41	9/23/91	68	SACS	T	
TE-105-AW-41	9/30/91	68	SACS	T	
TE-105-AW-41	10/7/91	68	SACS	T	
TE-105-AW-41	10/14/91	69	SACS	T	
TE-105-AW-41	10/21/91	68	SACS	T	
TE-105-AW-41	10/28/91	69	SACS	T	
TE-105-AW-41	11/5/91	69	SACS	T	
TE-105-AW-41	11/11/91	69	SACS	T	
TE-105-AW-41	11/18/91	69	SACS	T	
TE-105-AW-41	11/25/91	72	SACS	T	
TE-105-AW-41	12/2/91	69	SACS	T	
TE-105-AW-41	12/9/91	69	SACS	T	
TE-105-AW-41	12/16/91	69	SACS	T	
TE-105-AW-41	12/23/91	69	SACS	T	
TE-105-AW-41	12/30/91	68	SACS	T	
TE-105-AW-41	1/6/92	69	SACS	T	
TE-105-AW-41	1/13/92	68	SACS	T	
TE-105-AW-41	1/20/92	68	SACS	T	
TE-105-AW-41	1/27/92	68	SACS	T	
TE-105-AW-41	2/22/92	70	SACS	T	
TE-105-AW-41	3/3/92	67	SACS	T	
TE-105-AW-41	3/11/92	75	SACS	T	
TE-105-AW-41	8/29/92	67	SACS	T	
TE-105-AW-41	10/5/92	69	SACS	T	
TE-105-AW-41	10/12/92	68	SACS	T	
TE-105-AW-41	10/19/92	69	SACS	T	
TE-105-AW-41	10/26/92	68	SACS	T	
TE-105-AW-41	11/2/92	68	SACS	T	
TE-105-AW-41	11/9/92	70	SACS	T	
TE-105-AW-41	11/16/92	70	SACS	T	
TE-105-AW-41	11/23/92	70	SACS	T	
TE-105-AW-41	11/30/92	69	SACS	T	
TE-105-AW-41	12/7/92	69	SACS	T	
TE-105-AW-41	12/14/92	70	SACS	T	
TE-105-AW-41	12/21/92	69	SACS	T	
TE-105-AW-41	12/28/92	69	SACS	T	
TE-105-AW-41	1/25/93	69	SACS	T	
TE-105-AW-41	2/1/93	69	SACS	T	
TE-105-AW-41	2/8/93	69	SACS	T	
TE-105-AW-41	2/16/93	70	SACS	T	
TE-105-AW-42	7/14/83	79	CASS	T	
TE-105-AW-42	7/23/83	83	CASS	T	
TE-105-AW-42	7/29/83	83	CASS	T	
TE-105-AW-42	8/5/83	81	CASS	T	
TE-105-AW-42	8/13/83	83	CASS	T	
TE-105-AW-42	8/17/83	83	CASS	T	
TE-105-AW-42	8/23/83	82	CASS	T	
TE-105-AW-42	8/30/83	83	CASS	T	
TE-105-AW-42	9/10/83	82	CASS	T	
TE-105-AW-42	9/14/83	94	CASS	T	
TE-105-AW-42	9/20/83	96	CASS	T	
TE-105-AW-42	9/30/83	86	CASS	T	
TE-105-AW-42	10/5/83	85	CASS	T	
TE-105-AW-42	10/13/83	86	CASS	T	
TE-105-AW-42	10/18/83	85	CASS	T	
TE-105-AW-42	3/10/84	85	CASS	T	
TE-105-AW-42	3/17/84	87	CASS	T	
TE-105-AW-42	3/24/84	88	CASS	T	
TE-105-AW-42	3/25/84	88	CASS	T	
TE-105-AW-42	4/7/84	87	CASS	T	
TE-105-AW-42	4/14/84	93	CASS	T	
TE-105-AW-42	4/15/84	93	CASS	T	
TE-105-AW-42	4/27/84	91	CASS	T	
TE-105-AW-42	5/4/84	94	CASS	T	
TE-105-AW-42	5/12/84	93	CASS	T	
TE-105-AW-42	5/19/84	94	CASS	T	
TE-105-AW-42	5/24/84	95	CASS	T	
TE-105-AW-42	5/29/84	95	CASS	T	
TE-105-AW-42	6/7/84	95	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-42	6/21/84	96	CASS	T	
TE-105-AW-42	6/30/84	98	CASS	T	
TE-105-AW-42	7/6/84	105	CASS	T	
TE-105-AW-42	7/12/84	105	CASS	T	
TE-105-AW-42	7/17/84	108	CASS	T	
TE-105-AW-42	7/28/84	102	CASS	T	
TE-105-AW-42	7/29/84	109	CASS	T	
TE-105-AW-42	8/10/84	104	CASS	T	
TE-105-AW-42	8/17/84	106	CASS	T	
TE-105-AW-42	8/24/84	110	CASS	T	
TE-105-AW-42	8/28/84	110	CASS	T	
TE-105-AW-42	9/8/84	109	CASS	T	
TE-105-AW-42	9/15/84	108	CASS	T	
TE-105-AW-42	9/22/84	108	CASS	T	
TE-105-AW-42	9/25/84	108	CASS	T	
TE-105-AW-42	10/3/84	106	CASS	T	
TE-105-AW-42	10/11/84	104	CASS	T	
TE-105-AW-42	10/17/84	102	CASS	T	
TE-105-AW-42	10/24/84	101	CASS	T	
TE-105-AW-42	10/28/84	100	CASS	T	
TE-105-AW-42	11/7/84	99	CASS	T	
TE-105-AW-42	11/17/84	98	CASS	T	
TE-105-AW-42	11/21/84	98	CASS	T	
TE-105-AW-42	11/30/84	96	CASS	T	
TE-105-AW-42	12/7/84	96	CASS	T	
TE-105-AW-42	12/12/84	96	CASS	T	
TE-105-AW-42	12/22/84	95	CASS	T	
TE-105-AW-42	12/29/84	95	CASS	T	
TE-105-AW-42	1/5/85	96	CASS	T	
TE-105-AW-42	1/12/85	96	CASS	T	
TE-105-AW-42	1/14/85	96	CASS	T	
TE-105-AW-42	1/20/85	95	CASS	T	
TE-105-AW-42	1/29/85	93	CASS	T	
TE-105-AW-42	2/8/85	91	CASS	T	
TE-105-AW-42	2/13/85	90	CASS	T	
TE-105-AW-42	3/2/85	87	CASS	T	
TE-105-AW-42	3/8/85	87	CASS	T	
TE-105-AW-42	3/13/85	86	CASS	T	
TE-105-AW-42	3/20/85	85	CASS	T	
TE-105-AW-42	3/30/85	84	CASS	T	
TE-105-AW-42	4/2/85	84	CASS	T	
TE-105-AW-42	4/13/85	83	CASS	T	
TE-105-AW-42	4/18/85	83	CASS	T	
TE-105-AW-42	4/27/85	82	CASS	T	
TE-105-AW-42	5/3/85	82	CASS	T	
TE-105-AW-42	5/6/85	81	CASS	T	
TE-105-AW-42	5/16/85	76	CASS	T	
TE-105-AW-42	5/25/85	76	CASS	T	
TE-105-AW-42	5/27/85	76	CASS	T	
TE-105-AW-42	6/8/85	75	CASS	T	
TE-105-AW-42	6/15/85	76	CASS	T	
TE-105-AW-42	6/19/85	76	CASS	T	
TE-105-AW-42	11/1/85	93	CASS	T	
TE-105-AW-42	12/1/85	93	CASS	T	
TE-105-AW-42	1/4/86	94	CASS	T	
TE-105-AW-42	1/10/86	93	CASS	T	
TE-105-AW-42	1/17/86	92	CASS	T	
TE-105-AW-42	1/19/86	92	CASS	T	
TE-105-AW-42	1/26/86	91	CASS	T	
TE-105-AW-42	2/8/86	89	CASS	T	
TE-105-AW-42	2/11/86	89	CASS	T	
TE-105-AW-42	2/18/86	88	CASS	T	
TE-105-AW-42	2/24/86	87	CASS	T	
TE-105-AW-42	3/4/86	86	CASS	T	
TE-105-AW-42	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-105-AW-42	9/19/86	94	CASS	T	
TE-105-AW-42	9/26/86	94	CASS	T	
TE-105-AW-42	10/2/86	93	CASS	T	
TE-105-AW-42	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-105-AW-42	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-105-AW-42	10/5/86	234	CASS	S	Data point did not agree with local trend
TE-105-AW-42	10/6/86	227	CASS	S	Data point did not agree with local trend
TE-105-AW-42	10/9/86	92	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1985; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-42	10/19/86	89	CASS	T	
TE-105-AW-42	10/25/86	89	CASS	T	
TE-105-AW-42	10/29/86	89	CASS	T	
TE-105-AW-42	11/7/86	88	CASS	T	
TE-105-AW-42	11/15/86	87	CASS	T	
TE-105-AW-42	11/22/86	87	CASS	T	
TE-105-AW-42	11/29/86	86	CASS	T	
TE-105-AW-42	12/4/86	88	CASS	T	
TE-105-AW-42	12/13/86	85	CASS	T	
TE-105-AW-42	12/15/86	85	CASS	T	
TE-105-AW-42	12/25/86	84	CASS	T	
TE-105-AW-42	12/31/86	83	CASS	T	
TE-105-AW-42	7/4/87	76	CASS	T	
TE-105-AW-42	7/10/87	76	CASS	T	
TE-105-AW-42	7/11/87	88	CASS	S	Data point did not agree with local trend
TE-105-AW-42	7/15/87	94	CASS	S	Data point did not agree with local trend
TE-105-AW-42	7/17/87	93	CASS	S	Data point did not agree with local trend
TE-105-AW-42	7/18/87	76	CASS	T	
TE-105-AW-42	7/24/87	88	CASS	S	Data point did not agree with local trend
TE-105-AW-42	7/25/87	76	CASS	T	
TE-105-AW-42	7/27/87	91	CASS	S	Data point did not agree with local trend
TE-105-AW-42	7/29/87	93	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/1/87	76	CASS	T	
TE-105-AW-42	8/3/87	93	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/4/87	77	CASS	T	
TE-105-AW-42	8/7/87	94	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/8/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/12/87	77	CASS	T	
TE-105-AW-42	8/13/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/15/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/16/87	96	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/17/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/21/87	77	CASS	T	
TE-105-AW-42	8/22/87	96	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/23/87	96	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/25/87	93	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/26/87	96	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/27/87	97	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/28/87	77	CASS	T	
TE-105-AW-42	8/29/87	97	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/30/87	79	CASS	T	
TE-105-AW-42	8/31/87	98	CASS	S	Data point did not agree with local trend
TE-105-AW-42	9/7/87	98	CASS	S	Data point did not agree with local trend
TE-105-AW-42	9/8/87	78	CASS	T	
TE-105-AW-42	9/9/87	99	CASS	S	Data point did not agree with local trend
TE-105-AW-42	9/10/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-42	9/11/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-42	11/27/87	99	CASS	S	Data point did not agree with local trend
TE-105-AW-42	11/28/87	86	CASS	T	
TE-105-AW-42	11/29/87	85	CASS	T	
TE-105-AW-42	3/26/88	76	CASS	T	
TE-105-AW-42	3/31/88	75	CASS	T	
TE-105-AW-42	6/4/88	74	CASS	T	
TE-105-AW-42	6/11/88	75	CASS	T	
TE-105-AW-42	6/16/88	75	CASS	T	
TE-105-AW-42	6/19/88	83	CASS	T	
TE-105-AW-42	6/26/88	503	CASS	S	Data point did not agree with local trend
TE-105-AW-42	6/27/88	503	CASS	S	Data point did not agree with local trend
TE-105-AW-42	7/2/88	74	CASS	T	
TE-105-AW-42	7/9/88	74	CASS	T	
TE-105-AW-42	7/15/88	74	CASS	T	
TE-105-AW-42	7/16/88	421	CASS	S	Data point did not agree with local trend
TE-105-AW-42	7/23/88	74	CASS	T	
TE-105-AW-42	7/30/88	74	CASS	T	
TE-105-AW-42	8/2/88	78	CASS	T	
TE-105-AW-42	8/10/88	74	CASS	T	
TE-105-AW-42	12/3/88	82	CASS	T	
TE-105-AW-42	12/10/88	82	CASS	T	
TE-105-AW-42	12/17/88	82	CASS	T	
TE-105-AW-42	12/18/88	81	CASS	T	
TE-105-AW-42	9/2/89	73	CASS	T	
TE-105-AW-42	9/9/89	74	CASS	T	
TE-105-AW-42	9/16/89	74	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-42	9/18/89	95	CASS	S	Data point did not agree with local trend
TE-105-AW-42	9/19/89	95	CASS	S	Data point did not agree with local trend
TE-105-AW-42	9/23/89	74	CASS	T	
TE-105-AW-42	9/30/89	74	CASS	T	
TE-105-AW-42	11/4/89	74	CASS	T	
TE-105-AW-42	11/11/89	74	CASS	T	
TE-105-AW-42	11/18/89	74	CASS	T	
TE-105-AW-42	11/25/89	74	CASS	T	
TE-105-AW-42	12/1/89	74	CASS	T	
TE-105-AW-42	12/8/89	74	CASS	T	
TE-105-AW-42	12/9/89	90	CASS	S	Data point did not agree with local trend
TE-105-AW-42	12/16/89	74	CASS	T	
TE-105-AW-42	12/23/89	74	CASS	T	
TE-105-AW-42	12/25/89	74	CASS	T	
TE-105-AW-42	1/6/90	73	CASS	T	
TE-105-AW-42	1/13/90	73	CASS	T	
TE-105-AW-42	1/20/90	73	CASS	T	
TE-105-AW-42	1/27/90	73	CASS	T	
TE-105-AW-42	2/3/90	73	CASS	T	
TE-105-AW-42	2/4/90	73	CASS	T	
TE-105-AW-42	2/14/90	72	CASS	T	
TE-105-AW-42	2/24/90	71	CASS	T	
TE-105-AW-42	3/3/90	71	CASS	T	
TE-105-AW-42	3/10/90	71	CASS	T	
TE-105-AW-42	3/15/90	71	CASS	T	
TE-105-AW-42	3/20/90	71	CASS	T	
TE-105-AW-42	3/31/90	71	CASS	T	
TE-105-AW-42	4/4/90	71	CASS	T	
TE-105-AW-42	4/14/90	70	CASS	T	
TE-105-AW-42	4/21/90	70	CASS	T	
TE-105-AW-42	4/22/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-42	4/23/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-42	4/28/90	70	CASS	T	
TE-105-AW-42	5/2/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-42	5/5/90	70	CASS	T	
TE-105-AW-42	5/12/90	70	CASS	T	
TE-105-AW-42	5/19/90	70	CASS	T	
TE-105-AW-42	5/22/90	70	CASS	T	
TE-105-AW-42	6/2/90	69	CASS	T	
TE-105-AW-42	6/9/90	70	CASS	T	
TE-105-AW-42	6/10/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-42	6/11/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-42	6/16/90	70	CASS	T	
TE-105-AW-42	6/23/90	70	CASS	T	
TE-105-AW-42	6/30/90	70	CASS	T	
TE-105-AW-42	7/1/90	91	CASS	S	Data point did not agree with local trend
TE-105-AW-42	7/3/90	72	CASS	T	
TE-105-AW-42	7/13/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-42	7/14/90	70	CASS	T	
TE-105-AW-42	7/16/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-42	7/21/90	70	CASS	T	
TE-105-AW-42	7/25/90	91	CASS	S	Data point did not agree with local trend
TE-105-AW-42	7/28/90	70	CASS	T	
TE-105-AW-42	8/1/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/3/90	70	CASS	T	
TE-105-AW-42	8/4/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/9/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/11/90	70	CASS	T	
TE-105-AW-42	8/12/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/14/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/15/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/18/90	70	CASS	T	
TE-105-AW-42	8/22/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/23/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/25/90	70	CASS	T	
TE-105-AW-42	8/26/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/27/90	70	CASS	T	
TE-105-AW-42	8/28/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/29/90	91	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/30/90	91	CASS	S	Data point did not agree with local trend
TE-105-AW-42	8/31/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-42	9/1/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-42	9/8/90	70	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-42	9/9/90	93	CASS	S	Data point did not agree with local trend
TE-105-AW-42	9/10/90	91	CASS	S	Data point did not agree with local trend
TE-105-AW-42	9/11/90	71	CASS	T	
TE-105-AW-42	9/12/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-42	9/15/90	93	CASS	S	Data point did not agree with local trend
TE-105-AW-42	9/19/90	71	CASS	T	
TE-105-AW-42	9/26/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-42	9/29/90	71	CASS	T	
TE-105-AW-42	10/5/90	71	CASS	T	
TE-105-AW-42	10/12/90	91	CASS	S	Data point did not agree with local trend
TE-105-AW-42	10/13/90	71	CASS	T	
TE-105-AW-42	10/20/90	71	CASS	T	
TE-105-AW-42	10/27/90	71	CASS	T	
TE-105-AW-42	11/3/90	71	CASS	T	
TE-105-AW-42	11/7/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-42	11/9/90	74	CASS	T	
TE-105-AW-42	11/11/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-42	11/17/90	71	CASS	T	
TE-105-AW-42	11/24/90	72	CASS	T	
TE-105-AW-42	11/26/90	72	CASS	T	
TE-105-AW-42	12/8/90	72	CASS	T	
TE-105-AW-42	12/13/90	72	CASS	T	
TE-105-AW-42	12/17/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-42	12/19/90	72	CASS	T	
TE-105-AW-42	12/19/90	88	CASS	S	Data point did not agree with local trend
TE-105-AW-42	12/28/90	71	CASS	T	
TE-105-AW-42	12/30/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-42	1/5/91	71	CASS	T	
TE-105-AW-42	1/11/91	71	CASS	T	
TE-105-AW-42	1/15/91	71	CASS	T	
TE-105-AW-42	1/25/91	70	CASS	T	
TE-105-AW-42	1/27/91	88	CASS	S	Data point did not agree with local trend
TE-105-AW-42	1/28/91	88	CASS	S	Data point did not agree with local trend
TE-105-AW-42	2/2/91	69	CASS	T	
TE-105-AW-42	2/8/91	69	CASS	T	
TE-105-AW-42	2/9/91	89	CASS	S	Data point did not agree with local trend
TE-105-AW-42	2/11/91	89	CASS	S	Data point did not agree with local trend
TE-105-AW-42	2/16/91	69	CASS	T	
TE-105-AW-42	2/19/91	69	CASS	T	
TE-105-AW-42	3/2/91	68	CASS	T	
TE-105-AW-42	3/9/91	68	CASS	T	
TE-105-AW-42	3/14/91	68	CASS	T	
TE-105-AW-42	3/16/91	87	CASS	S	Data point did not agree with local trend
TE-105-AW-42	3/18/91	68	CASS	T	
TE-105-AW-42	3/19/91	87	CASS	S	Data point did not agree with local trend
TE-105-AW-42	3/30/91	67	CASS	T	
TE-105-AW-42	3/31/91	87	CASS	S	Data point did not agree with local trend
TE-105-AW-42	4/1/91	87	CASS	S	Data point did not agree with local trend
TE-105-AW-42	4/2/91	87	CASS	S	Data point did not agree with local trend
TE-105-AW-42	4/6/91	67	CASS	T	
TE-105-AW-42	4/8/91	95	CASS	S	Data point did not agree with local trend
TE-105-AW-42	4/11/91	93	CASS	S	Data point did not agree with local trend
TE-105-AW-42	4/13/91	67	CASS	T	
TE-105-AW-42	4/15/91	86	CASS	S	Data point did not agree with local trend
TE-105-AW-42	4/16/91	86	CASS	S	Data point did not agree with local trend
TE-105-AW-42	4/17/91	87	CASS	S	Data point did not agree with local trend
TE-105-AW-42	4/19/91	67	CASS	T	
TE-105-AW-42	4/20/91	94	CASS	S	Data point did not agree with local trend
TE-105-AW-42	4/22/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-42	4/23/91	96	CASS	S	Data point did not agree with local trend
TE-105-AW-42	4/24/91	67	CASS	T	
TE-105-AW-42	4/25/91	86	CASS	S	Data point did not agree with local trend
TE-105-AW-42	4/27/91	94	CASS	S	Data point did not agree with local trend
TE-105-AW-42	4/28/91	94	CASS	S	Data point did not agree with local trend
TE-105-AW-42	4/30/91	86	CASS	S	Data point did not agree with local trend
TE-105-AW-42	5/2/91	66	CASS	T	
TE-105-AW-42	5/3/91	95	CASS	S	Data point did not agree with local trend
TE-105-AW-42	5/4/91	86	CASS	S	Data point did not agree with local trend
TE-105-AW-42	5/10/91	68	CASS	T	
TE-105-AW-42	5/11/91	89	CASS	S	Data point did not agree with local trend
TE-105-AW-42	5/15/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-42	5/17/91	86	CASS	S	Data point did not agree with local trend
TE-105-AW-42	5/18/91	66	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-42	5/23/91	86	CASS	T	
TE-105-AW-42	5/24/91	92	CASS	S	Data point did not agree with local trend
TE-105-AW-42	5/25/91	86	CASS	S	Data point did not agree with local trend
TE-105-AW-42	5/26/91	89	CASS	S	Data point did not agree with local trend
TE-105-AW-42	5/30/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-42	5/31/91	86	CASS	T	
TE-105-AW-42	6/8/91	66	CASS	T	
TE-105-AW-42	6/10/91	89	CASS	S	Data point did not agree with local trend
TE-105-AW-42	6/11/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-42	6/13/91	86	CASS	T	
TE-105-AW-42	6/15/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-42	6/18/91	89	CASS	S	Data point did not agree with local trend
TE-105-AW-42	6/20/91	86	CASS	T	
TE-105-AW-42	6/25/91	86	CASS	T	
TE-105-AW-42	2/3/92	88	SACS	T	
TE-105-AW-42	2/10/92	88	SACS	T	
TE-105-AW-42	2/17/92	89	SACS	T	
TE-105-AW-42	2/24/92	88	SACS	T	
TE-105-AW-42	3/2/92	87	SACS	T	
TE-105-AW-42	3/9/92	88	SACS	T	
TE-105-AW-42	3/16/92	87	SACS	T	
TE-105-AW-42	3/23/92	87	SACS	T	
TE-105-AW-42	3/30/92	87	SACS	T	
TE-105-AW-42	4/6/92	86	SACS	T	
TE-105-AW-42	4/13/92	86	SACS	T	
TE-105-AW-42	4/20/92	86	SACS	T	
TE-105-AW-42	4/27/92	86	SACS	T	
TE-105-AW-42	5/4/92	85	SACS	T	
TE-105-AW-42	5/11/92	76	SACS	S	Data point did not agree with local trend
TE-105-AW-42	5/18/92	83	SACS	S	Data point did not agree with local trend
TE-105-AW-42	5/25/92	83	SACS	S	Data point did not agree with local trend
TE-105-AW-42	6/6/92	86	SACS	T	
TE-105-AW-42	6/15/92	86	SACS	T	
TE-105-AW-42	6/22/92	85	SACS	T	
TE-105-AW-42	7/6/92	85	SACS	T	
TE-105-AW-42	7/13/92	86	SACS	T	
TE-105-AW-42	7/20/92	85	SACS	T	
TE-105-AW-42	7/27/92	85	SACS	T	
TE-105-AW-42	8/3/92	85	SACS	T	
TE-105-AW-42	8/10/92	85	SACS	T	
TE-105-AW-42	8/17/92	85	SACS	T	
TE-105-AW-42	8/24/92	87	SACS	T	
TE-105-AW-42	8/31/92	86	SACS	T	
TE-105-AW-42	9/7/92	87	SACS	T	
TE-105-AW-42	9/14/92	87	SACS	T	
TE-105-AW-42	9/21/92	88	SACS	T	
TE-105-AW-42	9/28/92	86	SACS	T	
TE-105-AW-42	1/4/93	88	SACS	T	
TE-105-AW-42	1/11/93	88	SACS	T	
TE-105-AW-42	1/18/93	89	SACS	T	
TE-105-AW-42	3/1/93	70	SACS	T	
TE-105-AW-42	3/8/93	69	SACS	T	
TE-105-AW-42	3/20/93	69	SACS	T	
TE-105-AW-42	3/22/93	68	SACS	T	
TE-105-AW-42	3/29/93	68	SACS	T	
TE-105-AW-42	4/6/93	68	SACS	T	
TE-105-AW-42	4/12/93	68	SACS	T	
TE-105-AW-42	4/19/93	68	SACS	T	
TE-105-AW-42	4/26/93	67	SACS	T	
TE-105-AW-42	5/3/93	67	SACS	T	
TE-105-AW-42	5/10/93	66	SACS	T	
TE-105-AW-42	5/17/93	67	SACS	T	
TE-105-AW-42	5/24/93	67	SACS	T	
TE-105-AW-42	5/31/93	67	SACS	T	
TE-105-AW-42	6/7/93	68	SACS	T	
TE-105-AW-42	6/14/93	67	SACS	T	
TE-105-AW-42	6/22/93	67	SACS	T	
TE-105-AW-42	6/28/93	68	SACS	T	
TE-105-AW-42	7/26/93	67	SACS	T	
TE-105-AW-42	8/2/93	67	SACS	T	
TE-105-AW-42	8/9/93	68	SACS	T	
TE-105-AW-42	8/16/93	68	SACS	T	
TE-105-AW-42	8/23/93	68	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-42	8/30/93	68	SACS	T	
TE-105-AW-42	9/13/93	69	SACS	T	
TE-105-AW-42	9/21/93	69	SACS	T	
TE-105-AW-42	9/27/93	69	SACS	T	
TE-105-AW-42	10/11/93	69	SACS	T	
TE-105-AW-42	10/19/93	68	SACS	T	
TE-105-AW-42	10/25/93	69	SACS	T	
TE-105-AW-42	11/1/93	68	SACS	T	
TE-105-AW-42	11/15/93	69	SACS	T	
TE-105-AW-42	11/26/93	71	SACS	T	
TE-105-AW-42	11/29/93	69	SACS	T	
TE-105-AW-42	12/6/93	69	SACS	T	
TE-105-AW-42	12/16/93	69	SACS	T	
TE-105-AW-42	12/20/93	70	SACS	T	
TE-105-AW-42	12/27/93	70	SACS	T	
TE-105-AW-42	1/5/94	70	SACS	T	
TE-105-AW-42	1/24/94	70	SACS	T	
TE-105-AW-42	1/31/94	69	SACS	T	
TE-105-AW-42	2/28/94	69	SACS	T	
TE-105-AW-42	3/7/94	70	SACS	T	
TE-105-AW-42	4/18/94	69	SACS	G	
TE-105-AW-42	4/25/94	69	SACS	G	
TE-105-AW-42	5/2/94	68	SACS	G	
TE-105-AW-42	5/9/94	68	SACS	G	
TE-105-AW-42	5/16/94	68	SACS	G	
TE-105-AW-42	5/31/94	68	SACS	G	
TE-105-AW-42	6/6/94	68	SACS	G	
TE-105-AW-42	6/13/94	68	SACS	G	
TE-105-AW-42	6/20/94	67	SACS	G	
TE-105-AW-42	6/27/94	68	SACS	G	
TE-105-AW-42	7/4/94	67	SACS	G	
TE-105-AW-42	7/18/94	68	SACS	G	
TE-105-AW-42	7/25/94	68	SACS	G	
TE-105-AW-42	8/1/94	67	SACS	G	
TE-105-AW-42	8/8/94	67	SACS	G	
TE-105-AW-42	8/15/94	67	SACS	G	
TE-105-AW-42	8/22/94	67	SACS	G	
TE-105-AW-42	9/7/94	68	SACS	G	
TE-105-AW-42	9/12/94	67	SACS	G	
TE-105-AW-42	9/19/94	67	SACS	G	
TE-105-AW-42	9/26/94	68	SACS	G	
TE-105-AW-42	10/10/94	67	SACS	G	
TE-105-AW-42	10/17/94	69	SACS	G	
TE-105-AW-42	10/24/94	68	SACS	G	
TE-105-AW-42	10/31/94	69	SACS	G	
TE-105-AW-42	11/7/94	68	SACS	G	
TE-105-AW-42	11/14/94	69	SACS	G	
TE-105-AW-42	11/21/94	69	SACS	G	
TE-105-AW-42	11/28/94	69	SACS	G	
TE-105-AW-42	12/5/94	65	SACS	G	
TE-105-AW-42	12/12/94	65	SACS	G	
TE-105-AW-42	12/19/94	64	SACS	G	
TE-105-AW-42	12/26/94	65	SACS	G	
TE-105-AW-42	1/2/95	64	SACS	G	
TE-105-AW-42	1/9/95	68	SACS	G	
TE-105-AW-42	1/16/95	62	SACS	G	
TE-105-AW-42	1/23/95	62	SACS	G	
TE-105-AW-42	1/30/95	62	SACS	G	
TE-105-AW-42	2/6/95	64	SACS	G	
TE-105-AW-42	2/13/95	64	SACS	G	
TE-105-AW-42	2/24/95	66	SACS	G	
TE-105-AW-42	2/27/95	64	SACS	G	
TE-105-AW-42	3/6/95	64	SACS	G	
TE-105-AW-42	3/19/95	65	SACS	G	
TE-105-AW-42	3/27/95	65	SACS	G	
TE-105-AW-42	4/3/95	65	SACS	G	
TE-105-AW-42	4/10/95	66	SACS	G	
TE-105-AW-42	4/17/95	65	SACS	G	
TE-105-AW-42	4/24/95	65	SACS	G	
TE-105-AW-42	5/1/95	64	SACS	G	
TE-105-AW-42	5/13/95	75	SACS	G	
TE-105-AW-42	5/22/95	71	SACS	G	
TE-105-AW-42	5/29/95	69	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-42	6/5/95	71	SACS	G	
TE-105-AW-42	6/13/95	72	SACS	G	
TE-105-AW-42	6/19/95	72	SACS	G	
TE-105-AW-42	6/27/95	83	SACS	T	
TE-105-AW-43	7/14/83	79	CASS	T	
TE-105-AW-43	7/23/83	83	CASS	T	
TE-105-AW-43	7/28/83	82	CASS	T	
TE-105-AW-43	8/5/83	81	CASS	T	
TE-105-AW-43	8/13/83	81	CASS	T	
TE-105-AW-43	8/17/83	83	CASS	T	
TE-105-AW-43	8/23/83	83	CASS	T	
TE-105-AW-43	8/30/83	83	CASS	T	
TE-105-AW-43	9/10/83	81	CASS	T	
TE-105-AW-43	9/14/83	92	CASS	T	
TE-105-AW-43	9/21/83	97	CASS	T	
TE-105-AW-43	10/1/83	86	CASS	T	
TE-105-AW-43	10/5/83	86	CASS	T	
TE-105-AW-43	10/15/83	86	CASS	T	
TE-105-AW-43	10/16/83	86	CASS	T	
TE-105-AW-43	3/8/84	87	CASS	T	
TE-105-AW-43	3/17/84	87	CASS	T	
TE-105-AW-43	3/24/84	89	CASS	T	
TE-105-AW-43	3/31/84	89	CASS	T	
TE-105-AW-43	4/7/84	89	CASS	T	
TE-105-AW-43	4/14/84	93	CASS	T	
TE-105-AW-43	4/16/84	93	CASS	T	
TE-105-AW-43	4/27/84	92	CASS	T	
TE-105-AW-43	5/5/84	94	CASS	T	
TE-105-AW-43	5/12/84	93	CASS	T	
TE-105-AW-43	5/14/84	96	CASS	T	
TE-105-AW-43	5/26/84	95	CASS	T	
TE-105-AW-43	5/31/84	95	CASS	T	
TE-105-AW-43	6/6/84	100	CASS	T	
TE-105-AW-43	6/21/84	96	CASS	T	
TE-105-AW-43	6/30/84	98	CASS	T	
TE-105-AW-43	7/6/84	105	CASS	T	
TE-105-AW-43	7/12/84	105	CASS	T	
TE-105-AW-43	7/17/84	109	CASS	T	
TE-105-AW-43	7/28/84	102	CASS	T	
TE-105-AW-43	7/29/84	109	CASS	T	
TE-105-AW-43	8/10/84	104	CASS	T	
TE-105-AW-43	8/17/84	106	CASS	T	
TE-105-AW-43	8/24/84	108	CASS	T	
TE-105-AW-43	8/30/84	115	CASS	T	
TE-105-AW-43	9/4/84	110	CASS	T	
TE-105-AW-43	9/14/84	110	CASS	T	
TE-105-AW-43	9/19/84	109	CASS	T	
TE-105-AW-43	9/25/84	108	CASS	T	
TE-105-AW-43	10/3/84	106	CASS	T	
TE-105-AW-43	10/11/84	104	CASS	T	
TE-105-AW-43	10/14/84	103	CASS	T	
TE-105-AW-43	10/25/84	101	CASS	T	
TE-105-AW-43	10/29/84	100	CASS	T	
TE-105-AW-43	11/7/84	99	CASS	T	
TE-105-AW-43	11/17/84	98	CASS	T	
TE-105-AW-43	11/21/84	98	CASS	T	
TE-105-AW-43	11/25/84	97	CASS	T	
TE-105-AW-43	12/7/84	96	CASS	T	
TE-105-AW-43	12/12/84	96	CASS	T	
TE-105-AW-43	12/22/84	95	CASS	T	
TE-105-AW-43	12/29/84	95	CASS	T	
TE-105-AW-43	1/5/85	96	CASS	T	
TE-105-AW-43	1/7/85	97	CASS	T	
TE-105-AW-43	1/15/85	96	CASS	T	
TE-105-AW-43	1/20/85	95	CASS	T	
TE-105-AW-43	1/29/85	93	CASS	T	
TE-105-AW-43	2/8/85	91	CASS	T	
TE-105-AW-43	2/13/85	90	CASS	T	
TE-105-AW-43	3/2/85	87	CASS	T	
TE-105-AW-43	3/7/85	87	CASS	T	
TE-105-AW-43	3/14/85	86	CASS	T	
TE-105-AW-43	3/21/85	85	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-43	3/30/85	84	CASS	T	
TE-105-AW-43	4/3/85	84	CASS	T	
TE-105-AW-43	4/13/85	83	CASS	T	
TE-105-AW-43	4/16/85	83	CASS	T	
TE-105-AW-43	4/27/85	82	CASS	T	
TE-105-AW-43	5/3/85	82	CASS	T	
TE-105-AW-43	5/6/85	81	CASS	T	
TE-105-AW-43	5/18/85	76	CASS	T	
TE-105-AW-43	5/25/85	76	CASS	T	
TE-105-AW-43	5/26/85	76	CASS	T	
TE-105-AW-43	6/8/85	76	CASS	T	
TE-105-AW-43	6/15/85	76	CASS	T	
TE-105-AW-43	6/19/85	76	CASS	T	
TE-105-AW-43	12/1/85	94	CASS	T	
TE-105-AW-43	1/2/86	95	CASS	T	
TE-105-AW-43	1/5/86	94	CASS	T	
TE-105-AW-43	1/15/86	91	CASS	T	
TE-105-AW-43	1/19/86	90	CASS	T	
TE-105-AW-43	1/30/86	88	CASS	T	
TE-105-AW-43	2/6/86	87	CASS	T	
TE-105-AW-43	2/13/86	86	CASS	T	
TE-105-AW-43	2/22/86	85	CASS	T	
TE-105-AW-43	2/28/86	84	CASS	T	
TE-105-AW-43	3/5/86	83	CASS	T	
TE-105-AW-43	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-105-AW-43	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-105-AW-43	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-105-AW-43	9/19/86	94	CASS	T	
TE-105-AW-43	9/26/86	94	CASS	T	
TE-105-AW-43	10/2/86	93	CASS	T	
TE-105-AW-43	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-105-AW-43	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-105-AW-43	10/5/86	234	CASS	S	Data point did not agree with local trend
TE-105-AW-43	10/6/86	227	CASS	S	Data point did not agree with local trend
TE-105-AW-43	10/9/86	92	CASS	T	
TE-105-AW-43	10/18/86	90	CASS	T	
TE-105-AW-43	10/19/86	90	CASS	T	
TE-105-AW-43	10/28/86	91	CASS	T	
TE-105-AW-43	11/8/86	88	CASS	T	
TE-105-AW-43	11/13/86	88	CASS	T	
TE-105-AW-43	11/22/86	90	CASS	T	
TE-105-AW-43	11/25/86	90	CASS	T	
TE-105-AW-43	11/30/86	89	CASS	T	
TE-105-AW-43	12/13/86	85	CASS	T	
TE-105-AW-43	12/15/86	85	CASS	T	
TE-105-AW-43	12/25/86	84	CASS	T	
TE-105-AW-43	12/31/86	83	CASS	T	
TE-105-AW-43	7/2/87	76	CASS	T	
TE-105-AW-43	7/3/87	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	7/4/87	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	7/5/87	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	7/10/87	76	CASS	T	
TE-105-AW-43	7/11/87	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	7/16/87	92	CASS	S	Data point did not agree with local trend
TE-105-AW-43	7/18/87	76	CASS	T	
TE-105-AW-43	7/24/87	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	7/25/87	76	CASS	T	
TE-105-AW-43	8/1/87	76	CASS	T	
TE-105-AW-43	8/8/87	77	CASS	T	
TE-105-AW-43	8/9/87	94	CASS	S	Data point did not agree with local trend
TE-105-AW-43	8/14/87	93	CASS	S	Data point did not agree with local trend
TE-105-AW-43	8/15/87	77	CASS	T	
TE-105-AW-43	8/17/87	94	CASS	S	Data point did not agree with local trend
TE-105-AW-43	8/18/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-43	8/19/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-43	8/20/87	93	CASS	S	Data point did not agree with local trend
TE-105-AW-43	8/22/87	77	CASS	T	
TE-105-AW-43	8/25/87	94	CASS	S	Data point did not agree with local trend
TE-105-AW-43	8/29/87	77	CASS	T	
TE-105-AW-43	8/31/87	97	CASS	S	Data point did not agree with local trend
TE-105-AW-43	9/1/87	97	CASS	S	Data point did not agree with local trend
TE-105-AW-43	9/3/87	96	CASS	S	Data point did not agree with local trend
TE-105-AW-43	9/5/87	78	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-43	9/8/87	98	CASS	S	Data point did not agree with local trend
TE-105-AW-43	9/9/87	98	CASS	S	Data point did not agree with local trend
TE-105-AW-43	9/10/87	85	CASS	T	
TE-105-AW-43	9/11/87	98	CASS	S	Data point did not agree with local trend
TE-105-AW-43	11/27/87	94	CASS	S	Data point did not agree with local trend
TE-105-AW-43	11/28/87	86	CASS	T	
TE-105-AW-43	11/29/87	86	CASS	T	
TE-105-AW-43	3/26/88	76	CASS	T	
TE-105-AW-43	3/31/88	75	CASS	T	
TE-105-AW-43	6/4/88	76	CASS	T	
TE-105-AW-43	6/9/88	77	CASS	T	
TE-105-AW-43	6/14/88	76	CASS	T	
TE-105-AW-43	6/22/88	75	CASS	T	
TE-105-AW-43	7/2/88	74	CASS	T	
TE-105-AW-43	7/9/88	74	CASS	T	
TE-105-AW-43	7/11/88	74	CASS	T	
TE-105-AW-43	7/23/88	73	CASS	T	
TE-105-AW-43	7/30/88	73	CASS	T	
TE-105-AW-43	8/2/88	80	CASS	T	
TE-105-AW-43	8/10/88	73	CASS	T	
TE-105-AW-43	12/3/88	84	CASS	T	
TE-105-AW-43	12/10/88	84	CASS	T	
TE-105-AW-43	12/12/88	84	CASS	T	
TE-105-AW-43	12/18/88	94	CASS	S	Data point did not agree with local trend
TE-105-AW-43	12/20/88	81	CASS	T	
TE-105-AW-43	7/10/89	70	SACS	T	
TE-105-AW-43	7/17/89	71	SACS	T	
TE-105-AW-43	7/24/89	71	SACS	T	
TE-105-AW-43	8/7/89	71	SACS	T	
TE-105-AW-43	8/14/89	73	SACS	T	
TE-105-AW-43	8/21/89	73	SACS	T	
TE-105-AW-43	9/2/89	73	CASS	T	
TE-105-AW-43	9/9/89	73	CASS	T	
TE-105-AW-43	9/14/89	74	CASS	T	
TE-105-AW-43	9/17/89	95	CASS	S	Data point did not agree with local trend
TE-105-AW-43	9/18/89	96	CASS	S	Data point did not agree with local trend
TE-105-AW-43	9/19/89	96	CASS	S	Data point did not agree with local trend
TE-105-AW-43	9/20/89	94	CASS	S	Data point did not agree with local trend
TE-105-AW-43	9/23/89	74	CASS	T	
TE-105-AW-43	9/30/89	74	CASS	T	
TE-105-AW-43	10/1/89	74	SACS	T	
TE-105-AW-43	10/9/89	74	SACS	T	
TE-105-AW-43	10/16/89	73	SACS	T	
TE-105-AW-43	10/24/89	75	SACS	T	
TE-105-AW-43	11/2/89	74	CASS	T	
TE-105-AW-43	11/7/89	74	CASS	T	
TE-105-AW-43	11/13/89	75	SACS	T	
TE-105-AW-43	11/22/89	73	CASS	T	
TE-105-AW-43	11/27/89	74	SACS	T	
TE-105-AW-43	12/9/89	73	CASS	T	
TE-105-AW-43	12/16/89	73	CASS	T	
TE-105-AW-43	12/18/89	74	SACS	T	
TE-105-AW-43	12/30/89	73	CASS	T	
TE-105-AW-43	1/2/90	74	SACS	T	
TE-105-AW-43	1/12/90	73	CASS	T	
TE-105-AW-43	1/15/90	74	SACS	T	
TE-105-AW-43	1/22/90	73	SACS	T	
TE-105-AW-43	1/29/90	74	SACS	T	
TE-105-AW-43	2/5/90	73	SACS	T	
TE-105-AW-43	2/12/90	74	SACS	T	
TE-105-AW-43	2/19/90	73	SACS	T	
TE-105-AW-43	2/26/90	71	SACS	T	
TE-105-AW-43	3/5/90	71	SACS	T	
TE-105-AW-43	3/12/90	71	SACS	T	
TE-105-AW-43	3/19/90	71	SACS	T	
TE-105-AW-43	3/28/90	70	SACS	T	
TE-105-AW-43	4/2/90	70	SACS	T	
TE-105-AW-43	4/9/90	71	SACS	T	
TE-105-AW-43	4/16/90	70	SACS	T	
TE-105-AW-43	4/21/90	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	4/23/90	70	SACS	T	
TE-105-AW-43	4/30/90	70	SACS	T	
TE-105-AW-43	5/2/90	91	CASS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-43	5/11/90	89	CASS	T	
TE-105-AW-43	5/15/90	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	5/19/90	89	CASS	T	
TE-105-AW-43	5/22/90	89	CASS	T	
TE-105-AW-43	6/2/90	88	CASS	T	
TE-105-AW-43	6/9/90	89	CASS	T	
TE-105-AW-43	6/10/90	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	6/13/90	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	6/14/90	89	CASS	S	Data point did not agree with local trend
TE-105-AW-43	6/15/90	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	6/16/90	89	CASS	T	
TE-105-AW-43	6/23/90	89	CASS	T	
TE-105-AW-43	6/29/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-43	6/30/90	89	CASS	T	
TE-105-AW-43	7/3/90	72	CASS	T	
TE-105-AW-43	7/14/90	89	CASS	T	
TE-105-AW-43	7/15/90	94	CASS	S	Data point did not agree with local trend
TE-105-AW-43	7/19/90	89	CASS	T	
TE-105-AW-43	7/20/90	94	CASS	S	Data point did not agree with local trend
TE-105-AW-43	7/21/90	94	CASS	S	Data point did not agree with local trend
TE-105-AW-43	7/28/90	89	CASS	T	
TE-105-AW-43	7/30/90	94	CASS	S	Data point did not agree with local trend
TE-105-AW-43	8/1/90	93	CASS	S	Data point did not agree with local trend
TE-105-AW-43	8/4/90	89	CASS	T	
TE-105-AW-43	8/11/90	70	CASS	T	
TE-105-AW-43	8/16/90	94	CASS	S	Data point did not agree with local trend
TE-105-AW-43	8/17/90	93	CASS	S	Data point did not agree with local trend
TE-105-AW-43	8/18/90	70	CASS	T	
TE-105-AW-43	8/23/90	93	CASS	S	Data point did not agree with local trend
TE-105-AW-43	8/25/90	70	CASS	T	
TE-105-AW-43	8/31/90	93	CASS	S	Data point did not agree with local trend
TE-105-AW-43	9/1/90	70	CASS	T	
TE-105-AW-43	9/2/90	93	CASS	S	Data point did not agree with local trend
TE-105-AW-43	9/4/90	95	CASS	S	Data point did not agree with local trend
TE-105-AW-43	9/8/90	70	CASS	T	
TE-105-AW-43	9/15/90	70	CASS	T	
TE-105-AW-43	9/17/90	93	CASS	S	Data point did not agree with local trend
TE-105-AW-43	9/22/90	70	CASS	T	
TE-105-AW-43	9/26/90	93	CASS	S	Data point did not agree with local trend
TE-105-AW-43	9/29/90	70	CASS	T	
TE-105-AW-43	10/6/90	70	CASS	T	
TE-105-AW-43	10/8/90	72	SACS	T	
TE-105-AW-43	10/15/90	71	SACS	T	
TE-105-AW-43	10/27/90	71	CASS	T	
TE-105-AW-43	11/1/90	93	CASS	S	Data point did not agree with local trend
TE-105-AW-43	11/3/90	71	CASS	T	
TE-105-AW-43	11/8/90	72	CASS	T	
TE-105-AW-43	11/10/90	93	CASS	S	Data point did not agree with local trend
TE-105-AW-43	11/11/90	93	CASS	S	Data point did not agree with local trend
TE-105-AW-43	11/12/90	93	CASS	S	Data point did not agree with local trend
TE-105-AW-43	11/17/90	71	CASS	T	
TE-105-AW-43	11/19/90	72	SACS	T	
TE-105-AW-43	12/1/90	71	CASS	T	
TE-105-AW-43	12/8/90	71	CASS	T	
TE-105-AW-43	12/15/90	71	CASS	T	
TE-105-AW-43	12/17/90	71	SACS	T	
TE-105-AW-43	12/18/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-43	12/20/90	92	CASS	S	Data point did not agree with local trend
TE-105-AW-43	12/21/90	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	12/24/90	72	SACS	T	
TE-105-AW-43	12/31/90	72	SACS	T	
TE-105-AW-43	1/3/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	1/7/91	72	SACS	T	
TE-105-AW-43	1/14/91	70	SACS	T	
TE-105-AW-43	1/21/91	70	SACS	T	
TE-105-AW-43	1/28/91	70	SACS	T	
TE-105-AW-43	2/8/91	67	CASS	T	
TE-105-AW-43	2/10/91	93	CASS	S	Data point did not agree with local trend
TE-105-AW-43	2/11/91	89	SACS	T	
TE-105-AW-43	2/18/91	88	SACS	T	
TE-105-AW-43	2/25/91	67	SACS	T	
TE-105-AW-43	3/4/91	68	SACS	T	
TE-105-AW-43	3/11/91	67	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-43	3/15/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	3/18/91	66	SACS	T	
TE-105-AW-43	3/20/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	3/21/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	3/22/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	3/25/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	3/25/91	67	SACS	T	
TE-105-AW-43	4/1/91	67	SACS	T	
TE-105-AW-43	4/8/91	66	SACS	T	
TE-105-AW-43	4/12/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	4/14/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	4/15/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	4/15/91	66	SACS	T	
TE-105-AW-43	4/17/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	4/20/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	4/21/91	95	CASS	S	Data point did not agree with local trend
TE-105-AW-43	4/22/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	4/22/91	66	SACS	T	
TE-105-AW-43	4/25/91	91	CASS	S	Data point did not agree with local trend
TE-105-AW-43	4/29/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	4/30/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	5/1/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	5/2/91	94	CASS	S	Data point did not agree with local trend
TE-105-AW-43	5/3/91	65	CASS	T	
TE-105-AW-43	5/4/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	5/6/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	5/6/91	66	SACS	T	
TE-105-AW-43	5/9/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	5/11/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	5/12/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	5/15/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	5/17/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	5/18/91	65	CASS	T	
TE-105-AW-43	5/22/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	5/24/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	5/25/91	65	CASS	T	
TE-105-AW-43	5/27/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	5/30/91	65	CASS	T	
TE-105-AW-43	5/31/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	6/3/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	6/7/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	6/8/91	65	CASS	T	
TE-105-AW-43	6/9/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	6/12/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	6/15/91	65	CASS	T	
TE-105-AW-43	6/18/91	65	CASS	T	
TE-105-AW-43	6/19/91	92	CASS	S	Data point did not agree with local trend
TE-105-AW-43	6/20/91	89	CASS	S	Data point did not agree with local trend
TE-105-AW-43	6/23/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	6/24/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	6/25/91	90	CASS	S	Data point did not agree with local trend
TE-105-AW-43	6/25/91	64	SACS	T	
TE-105-AW-43	7/1/91	64	SACS	T	
TE-105-AW-43	7/8/91	63	SACS	T	
TE-105-AW-43	7/15/91	65	SACS	T	
TE-105-AW-43	7/22/91	64	SACS	T	
TE-105-AW-43	7/29/91	64	SACS	T	
TE-105-AW-43	8/4/91	65	SACS	T	
TE-105-AW-43	8/19/91	63	SACS	T	
TE-105-AW-43	8/26/91	64	SACS	T	
TE-105-AW-43	9/2/91	65	SACS	T	
TE-105-AW-43	9/9/91	66	SACS	T	
TE-105-AW-43	9/16/91	66	SACS	T	
TE-105-AW-43	9/23/91	66	SACS	T	
TE-105-AW-43	9/30/91	66	SACS	T	
TE-105-AW-43	10/7/91	66	SACS	T	
TE-105-AW-43	10/14/91	68	SACS	T	
TE-105-AW-43	10/21/91	67	SACS	T	
TE-105-AW-43	10/28/91	67	SACS	T	
TE-105-AW-43	11/5/91	67	SACS	T	
TE-105-AW-43	11/11/91	67	SACS	T	
TE-105-AW-43	11/18/91	68	SACS	T	
TE-105-AW-43	11/25/91	72	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-43	12/2/91	68	SACS	T	
TE-105-AW-43	12/9/91	68	SACS	T	
TE-105-AW-43	12/16/91	68	SACS	T	
TE-105-AW-43	12/23/91	68	SACS	T	
TE-105-AW-43	12/30/91	68	SACS	T	
TE-105-AW-43	1/6/92	68	SACS	T	
TE-105-AW-43	1/13/92	68	SACS	T	
TE-105-AW-43	1/20/92	68	SACS	T	
TE-105-AW-43	1/27/92	68	SACS	T	
TE-105-AW-43	2/22/92	70	SACS	T	
TE-105-AW-43	3/3/92	67	SACS	T	
TE-105-AW-43	3/11/92	78	SACS	T	
TE-105-AW-43	6/29/92	65	SACS	T	
TE-105-AW-43	10/5/92	67	SACS	T	
TE-105-AW-43	10/12/92	67	SACS	T	
TE-105-AW-43	10/19/92	68	SACS	T	
TE-105-AW-43	10/26/92	67	SACS	T	
TE-105-AW-43	11/2/92	67	SACS	T	
TE-105-AW-43	11/9/92	68	SACS	T	
TE-105-AW-43	11/16/92	68	SACS	T	
TE-105-AW-43	11/23/92	69	SACS	T	
TE-105-AW-43	11/30/92	67	SACS	T	
TE-105-AW-43	12/7/92	68	SACS	T	
TE-105-AW-43	12/14/92	68	SACS	T	
TE-105-AW-43	12/21/92	67	SACS	T	
TE-105-AW-43	12/28/92	68	SACS	T	
TE-105-AW-43	1/25/93	68	SACS	T	
TE-105-AW-43	2/1/93	68	SACS	T	
TE-105-AW-43	2/8/93	68	SACS	T	
TE-105-AW-43	2/16/93	69	SACS	T	
TE-105-AW-44	7/14/83	79	CASS	T	
TE-105-AW-44	7/23/83	83	CASS	T	
TE-105-AW-44	7/28/83	82	CASS	T	
TE-105-AW-44	8/5/83	81	CASS	T	
TE-105-AW-44	8/13/83	81	CASS	T	
TE-105-AW-44	8/17/83	83	CASS	T	
TE-105-AW-44	8/23/83	83	CASS	T	
TE-105-AW-44	8/30/83	83	CASS	T	
TE-105-AW-44	9/10/83	81	CASS	T	
TE-105-AW-44	9/14/83	92	CASS	T	
TE-105-AW-44	9/21/83	92	CASS	T	
TE-105-AW-44	10/1/83	86	CASS	T	
TE-105-AW-44	10/5/83	86	CASS	T	
TE-105-AW-44	10/15/83	86	CASS	T	
TE-105-AW-44	10/16/83	86	CASS	T	
TE-105-AW-44	3/10/84	88	CASS	T	
TE-105-AW-44	3/17/84	88	CASS	T	
TE-105-AW-44	3/24/84	91	CASS	T	
TE-105-AW-44	3/31/84	91	CASS	T	
TE-105-AW-44	4/1/84	91	CASS	T	
TE-105-AW-44	4/14/84	93	CASS	T	
TE-105-AW-44	4/20/84	93	CASS	T	
TE-105-AW-44	4/22/84	93	CASS	T	
TE-105-AW-44	5/5/84	94	CASS	T	
TE-105-AW-44	5/12/84	93	CASS	T	
TE-105-AW-44	5/14/84	96	CASS	T	
TE-105-AW-44	5/24/84	96	CASS	T	
TE-105-AW-44	6/2/84	95	CASS	T	
TE-105-AW-44	6/6/84	101	CASS	T	
TE-105-AW-44	6/21/84	96	CASS	T	
TE-105-AW-44	6/30/84	98	CASS	T	
TE-105-AW-44	7/8/84	105	CASS	T	
TE-105-AW-44	7/12/84	105	CASS	T	
TE-105-AW-44	7/17/84	109	CASS	T	
TE-105-AW-44	7/28/84	102	CASS	T	
TE-105-AW-44	7/29/84	109	CASS	T	
TE-105-AW-44	8/10/84	104	CASS	T	
TE-105-AW-44	8/17/84	106	CASS	T	
TE-105-AW-44	8/24/84	108	CASS	T	
TE-105-AW-44	8/30/84	114	CASS	T	
TE-105-AW-44	9/3/84	113	CASS	T	
TE-105-AW-44	9/9/84	113	CASS	T	
TE-105-AW-44	9/18/84	110	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-44	9/25/84	108	CASS	T	
TE-105-AW-44	9/30/84	107	CASS	T	
TE-105-AW-44	10/11/84	104	CASS	T	
TE-105-AW-44	10/14/84	103	CASS	T	
TE-105-AW-44	10/25/84	101	CASS	T	
TE-105-AW-44	10/29/84	100	CASS	T	
TE-105-AW-44	11/6/84	99	CASS	T	
TE-105-AW-44	11/17/84	98	CASS	T	
TE-105-AW-44	11/21/84	98	CASS	T	
TE-105-AW-44	11/25/84	97	CASS	T	
TE-105-AW-44	12/5/84	97	CASS	T	
TE-105-AW-44	12/12/84	96	CASS	T	
TE-105-AW-44	12/21/84	96	CASS	T	
TE-105-AW-44	12/29/84	96	CASS	T	
TE-105-AW-44	1/5/85	96	CASS	T	
TE-105-AW-44	1/8/85	97	CASS	T	
TE-105-AW-44	1/17/85	96	CASS	T	
TE-105-AW-44	1/20/85	95	CASS	T	
TE-105-AW-44	1/29/85	93	CASS	T	
TE-105-AW-44	2/9/85	91	CASS	T	
TE-105-AW-44	2/13/85	90	CASS	T	
TE-105-AW-44	3/2/85	87	CASS	T	
TE-105-AW-44	3/7/85	87	CASS	T	
TE-105-AW-44	3/14/85	86	CASS	T	
TE-105-AW-44	3/21/85	85	CASS	T	
TE-105-AW-44	3/30/85	84	CASS	T	
TE-105-AW-44	4/3/85	84	CASS	T	
TE-105-AW-44	4/13/85	83	CASS	T	
TE-105-AW-44	4/16/85	83	CASS	T	
TE-105-AW-44	4/27/85	82	CASS	T	
TE-105-AW-44	5/3/85	82	CASS	T	
TE-105-AW-44	5/9/85	77	CASS	T	
TE-105-AW-44	5/18/85	78	CASS	T	
TE-105-AW-44	5/26/85	78	CASS	T	
TE-105-AW-44	5/30/85	78	CASS	T	
TE-105-AW-44	6/8/85	78	CASS	T	
TE-105-AW-44	6/15/85	78	CASS	T	
TE-105-AW-44	6/19/85	78	CASS	T	
TE-105-AW-44	12/1/85	101	CASS	T	
TE-105-AW-44	1/2/86	93	CASS	T	
TE-105-AW-44	1/7/86	91	CASS	T	
TE-105-AW-44	1/16/86	88	CASS	T	
TE-105-AW-44	1/19/86	87	CASS	T	
TE-105-AW-44	1/28/86	85	CASS	T	
TE-105-AW-44	2/4/86	84	CASS	T	
TE-105-AW-44	2/11/86	83	CASS	T	
TE-105-AW-44	2/18/86	82	CASS	T	
TE-105-AW-44	2/24/86	81	CASS	T	
TE-105-AW-44	3/5/86	80	CASS	T	
TE-105-AW-44	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/19/86	94	CASS	T	
TE-105-AW-44	9/26/86	94	CASS	T	
TE-105-AW-44	10/2/86	93	CASS	T	
TE-105-AW-44	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-105-AW-44	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-105-AW-44	10/5/86	234	CASS	S	Data point did not agree with local trend
TE-105-AW-44	10/6/86	228	CASS	S	Data point did not agree with local trend
TE-105-AW-44	10/9/86	92	CASS	T	
TE-105-AW-44	10/18/86	89	CASS	T	
TE-105-AW-44	10/23/86	89	CASS	T	
TE-105-AW-44	10/26/86	89	CASS	T	
TE-105-AW-44	11/2/86	88	CASS	T	
TE-105-AW-44	11/13/86	87	CASS	T	
TE-105-AW-44	11/22/86	93	CASS	T	
TE-105-AW-44	11/28/86	93	CASS	T	
TE-105-AW-44	12/6/86	84	CASS	T	
TE-105-AW-44	12/8/86	84	CASS	T	
TE-105-AW-44	12/16/86	83	CASS	T	
TE-105-AW-44	12/24/86	82	CASS	T	
TE-105-AW-44	12/31/86	81	CASS	T	
TE-105-AW-44	7/1/87	91	CASS	S	Data point did not agree with local trend
TE-105-AW-44	7/2/87	90	CASS	S	Data point did not agree with local trend
TE-105-AW-44	7/4/87	75	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-44	7/6/87	90	CASS	S	Data point did not agree with local trend
TE-105-AW-44	7/7/87	90	CASS	S	Data point did not agree with local trend
TE-105-AW-44	7/8/87	76	CASS	T	
TE-105-AW-44	7/13/87	90	CASS	S	Data point did not agree with local trend
TE-105-AW-44	7/15/87	90	CASS	S	Data point did not agree with local trend
TE-105-AW-44	7/16/87	76	CASS	T	
TE-105-AW-44	7/21/87	89	CASS	S	Data point did not agree with local trend
TE-105-AW-44	7/23/87	89	CASS	S	Data point did not agree with local trend
TE-105-AW-44	7/25/87	76	CASS	T	
TE-105-AW-44	7/29/87	90	CASS	S	Data point did not agree with local trend
TE-105-AW-44	7/31/87	90	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/1/87	76	CASS	T	
TE-105-AW-44	8/3/87	91	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/7/87	92	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/8/87	77	CASS	T	
TE-105-AW-44	8/10/87	77	CASS	T	
TE-105-AW-44	8/12/87	93	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/16/87	94	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/20/87	77	CASS	T	
TE-105-AW-44	8/22/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/23/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/26/87	96	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/29/87	77	CASS	T	
TE-105-AW-44	9/2/87	79	CASS	T	
TE-105-AW-44	9/4/87	97	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/5/87	97	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/9/87	98	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/10/87	84	CASS	T	
TE-105-AW-44	9/11/87	95	CASS	S	Data point did not agree with local trend
TE-105-AW-44	11/26/87	87	CASS	T	
TE-105-AW-44	11/27/87	94	CASS	S	Data point did not agree with local trend
TE-105-AW-44	11/29/87	86	CASS	T	
TE-105-AW-44	3/26/88	76	CASS	T	
TE-105-AW-44	3/27/88	76	CASS	T	
TE-105-AW-44	6/4/88	74	CASS	T	
TE-105-AW-44	6/6/88	77	CASS	T	
TE-105-AW-44	6/18/88	74	CASS	T	
TE-105-AW-44	6/22/88	74	CASS	T	
TE-105-AW-44	7/2/88	73	CASS	T	
TE-105-AW-44	7/9/88	73	CASS	T	
TE-105-AW-44	7/10/88	74	CASS	T	
TE-105-AW-44	7/17/88	145	CASS	S	Data point did not agree with local trend
TE-105-AW-44	7/23/88	73	CASS	T	
TE-105-AW-44	7/30/88	73	CASS	T	
TE-105-AW-44	8/2/88	98	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/4/88	74	CASS	T	
TE-105-AW-44	8/10/88	74	CASS	T	
TE-105-AW-44	12/3/88	85	CASS	T	
TE-105-AW-44	12/7/88	86	CASS	T	
TE-105-AW-44	12/17/88	85	CASS	T	
TE-105-AW-44	12/18/88	84	CASS	T	
TE-105-AW-44	9/2/89	73	CASS	T	
TE-105-AW-44	9/9/89	74	CASS	T	
TE-105-AW-44	9/18/89	74	CASS	T	
TE-105-AW-44	9/20/89	86	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/23/89	74	CASS	T	
TE-105-AW-44	9/24/89	86	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/30/89	74	CASS	T	
TE-105-AW-44	11/4/89	73	CASS	T	
TE-105-AW-44	11/11/89	73	CASS	T	
TE-105-AW-44	11/18/89	73	CASS	T	
TE-105-AW-44	11/19/89	73	CASS	T	
TE-105-AW-44	12/2/89	72	CASS	T	
TE-105-AW-44	12/9/89	73	CASS	T	
TE-105-AW-44	12/16/89	73	CASS	T	
TE-105-AW-44	12/23/89	73	CASS	T	
TE-105-AW-44	12/30/89	73	CASS	T	
TE-105-AW-44	1/8/90	73	CASS	T	
TE-105-AW-44	1/12/90	73	CASS	T	
TE-105-AW-44	1/20/90	72	CASS	T	
TE-105-AW-44	1/23/90	72	CASS	T	
TE-105-AW-44	2/1/90	71	CASS	T	
TE-105-AW-44	2/10/90	70	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-44	2/14/90	69	CASS	T	
TE-105-AW-44	2/24/90	68	CASS	T	
TE-105-AW-44	3/3/90	68	CASS	T	
TE-105-AW-44	3/10/90	69	CASS	T	
TE-105-AW-44	3/17/90	69	CASS	T	
TE-105-AW-44	3/22/90	69	CASS	T	
TE-105-AW-44	3/31/90	69	CASS	T	
TE-105-AW-44	4/7/90	69	CASS	T	
TE-105-AW-44	4/14/90	68	CASS	T	
TE-105-AW-44	4/19/90	69	CASS	T	
TE-105-AW-44	4/21/90	83	CASS	S	Data point did not agree with local trend
TE-105-AW-44	4/28/90	68	CASS	T	
TE-105-AW-44	5/2/90	69	CASS	S	Data point did not agree with local trend
TE-105-AW-44	5/5/90	68	CASS	T	
TE-105-AW-44	5/12/90	68	CASS	T	
TE-105-AW-44	5/19/90	68	CASS	T	
TE-105-AW-44	5/22/90	68	CASS	T	
TE-105-AW-44	6/2/90	68	CASS	T	
TE-105-AW-44	6/8/90	69	CASS	T	
TE-105-AW-44	6/11/90	83	CASS	S	Data point did not agree with local trend
TE-105-AW-44	6/14/90	83	CASS	S	Data point did not agree with local trend
TE-105-AW-44	6/15/90	69	CASS	T	
TE-105-AW-44	6/22/90	69	CASS	T	
TE-105-AW-44	6/23/90	84	CASS	S	Data point did not agree with local trend
TE-105-AW-44	6/29/90	69	CASS	T	
TE-105-AW-44	6/30/90	84	CASS	S	Data point did not agree with local trend
TE-105-AW-44	7/1/90	84	CASS	S	Data point did not agree with local trend
TE-105-AW-44	7/2/90	84	CASS	S	Data point did not agree with local trend
TE-105-AW-44	7/3/90	72	CASS	T	
TE-105-AW-44	7/13/90	69	CASS	T	
TE-105-AW-44	7/14/90	84	CASS	S	Data point did not agree with local trend
TE-105-AW-44	7/19/90	84	CASS	S	Data point did not agree with local trend
TE-105-AW-44	7/21/90	69	CASS	T	
TE-105-AW-44	7/26/90	69	CASS	T	
TE-105-AW-44	7/27/90	84	CASS	S	Data point did not agree with local trend
TE-105-AW-44	7/28/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-44	7/29/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/1/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/3/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/4/90	69	CASS	T	
TE-105-AW-44	8/5/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/8/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/9/90	70	CASS	T	
TE-105-AW-44	8/11/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/18/90	70	CASS	T	
TE-105-AW-44	8/18/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/19/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/22/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/25/90	70	CASS	T	
TE-105-AW-44	8/27/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-44	8/31/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/1/90	70	CASS	T	
TE-105-AW-44	9/2/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/3/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/8/90	70	CASS	T	
TE-105-AW-44	9/9/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/10/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/11/90	71	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/12/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/13/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/14/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/15/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/16/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/17/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-44	9/18/90	71	CASS	T	
TE-105-AW-44	9/29/90	71	CASS	T	
TE-105-AW-44	10/5/90	71	CASS	T	
TE-105-AW-44	10/13/90	71	CASS	T	
TE-105-AW-44	10/20/90	71	CASS	T	
TE-105-AW-44	10/27/90	71	CASS	T	
TE-105-AW-44	11/3/90	71	CASS	T	
TE-105-AW-44	11/7/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-44	11/9/90	73	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-44	11/12/90	86	CASS	S	Data point did not agree with local trend
TE-105-AW-44	11/17/90	71	CASS	T	
TE-105-AW-44	11/24/90	71	CASS	T	
TE-105-AW-44	11/30/90	71	CASS	T	
TE-105-AW-44	12/6/90	72	CASS	T	
TE-105-AW-44	12/15/90	70	CASS	T	
TE-105-AW-44	12/18/90	70	CASS	T	
TE-105-AW-44	12/19/90	84	CASS	S	Data point did not agree with local trend
TE-105-AW-44	12/28/90	70	CASS	T	
TE-105-AW-44	12/29/90	83	CASS	S	Data point did not agree with local trend
TE-105-AW-44	1/2/91	69	CASS	T	
TE-105-AW-44	1/3/91	84	CASS	S	Data point did not agree with local trend
TE-105-AW-44	1/8/91	68	CASS	T	
TE-105-AW-44	1/19/91	67	CASS	T	
TE-105-AW-44	1/23/91	67	CASS	T	
TE-105-AW-44	2/2/91	66	CASS	T	
TE-105-AW-44	2/6/91	66	CASS	T	
TE-105-AW-44	2/7/91	83	CASS	S	Data point did not agree with local trend
TE-105-AW-44	2/8/91	82	CASS	S	
TE-105-AW-44	2/11/91	82	CASS	S	Data point did not agree with local trend
TE-105-AW-44	2/16/91	65	CASS	T	
TE-105-AW-44	2/23/91	65	CASS	T	
TE-105-AW-44	3/2/91	65	CASS	T	
TE-105-AW-44	3/8/91	65	CASS	T	
TE-105-AW-44	3/15/91	81	CASS	S	Data point did not agree with local trend
TE-105-AW-44	3/16/91	65	CASS	T	
TE-105-AW-44	3/19/91	65	CASS	T	
TE-105-AW-44	3/20/91	81	CASS	S	Data point did not agree with local trend
TE-105-AW-44	3/21/91	81	CASS	S	
TE-105-AW-44	3/22/91	81	CASS	S	Data point did not agree with local trend
TE-105-AW-44	3/24/91	65	CASS	T	
TE-105-AW-44	3/25/91	81	CASS	S	Data point did not agree with local trend
TE-105-AW-44	3/26/91	81	CASS	S	
TE-105-AW-44	3/28/91	81	CASS	S	Data point did not agree with local trend
TE-105-AW-44	3/29/91	81	CASS	S	
TE-105-AW-44	3/31/91	81	CASS	S	Data point did not agree with local trend
TE-105-AW-44	4/2/91	81	CASS	S	
TE-105-AW-44	4/3/91	81	CASS	S	Data point did not agree with local trend
TE-105-AW-44	4/6/91	64	CASS	T	
TE-105-AW-44	4/11/91	81	CASS	S	Data point did not agree with local trend
TE-105-AW-44	4/13/91	64	CASS	T	
TE-105-AW-44	4/14/91	81	CASS	S	Data point did not agree with local trend
TE-105-AW-44	4/15/91	81	CASS	S	
TE-105-AW-44	4/17/91	81	CASS	S	Data point did not agree with local trend
TE-105-AW-44	4/20/91	84	CASS	T	
TE-105-AW-44	4/23/91	81	CASS	S	Data point did not agree with local trend
TE-105-AW-44	4/24/91	81	CASS	S	
TE-105-AW-44	4/25/91	81	CASS	S	Data point did not agree with local trend
TE-105-AW-44	4/26/91	81	CASS	S	
TE-105-AW-44	4/27/91	64	CASS	T	
TE-105-AW-44	5/3/91	64	CASS	T	
TE-105-AW-44	5/4/91	81	CASS	S	Data point did not agree with local trend
TE-105-AW-44	5/11/91	64	CASS	T	
TE-105-AW-44	5/12/91	65	CASS	T	
TE-105-AW-44	5/17/91	81	CASS	S	Data point did not agree with local trend
TE-105-AW-44	5/25/91	64	CASS	T	
TE-105-AW-44	5/28/91	81	CASS	S	Data point did not agree with local trend
TE-105-AW-44	5/28/91	81	CASS	S	
TE-105-AW-44	5/29/91	65	CASS	T	
TE-105-AW-44	6/7/91	65	CASS	T	
TE-105-AW-44	6/11/91	81	CASS	S	Data point did not agree with local trend
TE-105-AW-44	6/13/91	65	CASS	T	
TE-105-AW-44	6/15/91	81	CASS	S	Data point did not agree with local trend
TE-105-AW-44	6/19/91	81	CASS	S	
TE-105-AW-44	6/20/91	65	CASS	T	
TE-105-AW-44	6/25/91	65	CASS	T	
TE-105-AW-45	7/15/83	79	CASS	T	
TE-105-AW-45	7/23/83	82	CASS	T	
TE-105-AW-45	7/28/83	82	CASS	T	
TE-105-AW-45	8/5/83	81	CASS	T	
TE-105-AW-45	8/13/83	81	CASS	T	
TE-105-AW-45	8/17/83	81	CASS	T	
TE-105-AW-45	8/23/83	82	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-45	8/30/83	82	CASS	T	
TE-105-AW-45	9/10/83	80	CASS	T	
TE-105-AW-45	9/14/83	91	CASS	T	
TE-105-AW-45	9/18/83	91	CASS	T	
TE-105-AW-45	9/30/83	87	CASS	T	
TE-105-AW-45	10/5/83	86	CASS	T	
TE-105-AW-45	10/15/83	86	CASS	T	
TE-105-AW-45	10/16/83	86	CASS	T	
TE-105-AW-45	3/10/84	87	CASS	T	
TE-105-AW-45	3/17/84	88	CASS	T	
TE-105-AW-45	3/22/84	92	CASS	T	
TE-105-AW-45	3/28/84	91	CASS	T	
TE-105-AW-45	4/5/84	91	CASS	T	
TE-105-AW-45	4/14/84	92	CASS	T	
TE-105-AW-45	4/15/84	92	CASS	T	
TE-105-AW-45	4/28/84	91	CASS	T	
TE-105-AW-45	5/4/84	93	CASS	T	
TE-105-AW-45	5/12/84	92	CASS	T	
TE-105-AW-45	5/15/84	95	CASS	T	
TE-105-AW-45	5/26/84	95	CASS	T	
TE-105-AW-45	6/2/84	97	CASS	T	
TE-105-AW-45	6/5/84	100	CASS	T	
TE-105-AW-45	6/21/84	95	CASS	T	
TE-105-AW-45	6/30/84	97	CASS	T	
TE-105-AW-45	7/6/84	104	CASS	T	
TE-105-AW-45	7/12/84	104	CASS	T	
TE-105-AW-45	7/17/84	108	CASS	T	
TE-105-AW-45	7/28/84	101	CASS	T	
TE-105-AW-45	7/29/84	108	CASS	T	
TE-105-AW-45	8/10/84	103	CASS	T	
TE-105-AW-45	8/17/84	104	CASS	T	
TE-105-AW-45	8/24/84	107	CASS	T	
TE-105-AW-45	8/30/84	113	CASS	T	
TE-105-AW-45	9/3/84	112	CASS	T	
TE-105-AW-45	9/9/84	108	CASS	T	
TE-105-AW-45	9/22/84	109	CASS	T	
TE-105-AW-45	9/24/84	108	CASS	T	
TE-105-AW-45	10/3/84	103	CASS	T	
TE-105-AW-45	10/8/84	102	CASS	T	
TE-105-AW-45	10/16/84	100	CASS	T	
TE-105-AW-45	10/21/84	99	CASS	T	
TE-105-AW-45	10/29/84	98	CASS	T	
TE-105-AW-45	11/4/84	99	CASS	T	
TE-105-AW-45	11/17/84	97	CASS	T	
TE-105-AW-45	11/19/84	97	CASS	T	
TE-105-AW-45	11/25/84	96	CASS	T	
TE-105-AW-45	12/7/84	95	CASS	T	
TE-105-AW-45	12/10/84	95	CASS	T	
TE-105-AW-45	12/22/84	94	CASS	T	
TE-105-AW-45	12/29/84	94	CASS	T	
TE-105-AW-45	1/4/85	95	CASS	T	
TE-105-AW-45	1/12/85	95	CASS	T	
TE-105-AW-45	1/15/85	95	CASS	T	
TE-105-AW-45	1/23/85	93	CASS	T	
TE-105-AW-45	1/27/85	92	CASS	T	
TE-105-AW-45	2/6/85	90	CASS	T	
TE-105-AW-45	2/23/85	87	CASS	T	
TE-105-AW-45	2/25/85	87	CASS	T	
TE-105-AW-45	3/4/85	86	CASS	T	
TE-105-AW-45	3/13/85	85	CASS	T	
TE-105-AW-45	3/21/85	84	CASS	T	
TE-105-AW-45	3/30/85	83	CASS	T	
TE-105-AW-45	4/3/85	83	CASS	T	
TE-105-AW-45	4/13/85	82	CASS	T	
TE-105-AW-45	4/16/85	82	CASS	T	
TE-105-AW-45	4/27/85	81	CASS	T	
TE-105-AW-45	5/2/85	81	CASS	T	
TE-105-AW-45	5/10/85	78	CASS	T	
TE-105-AW-45	5/18/85	75	CASS	T	
TE-105-AW-45	5/24/85	76	CASS	T	
TE-105-AW-45	6/1/85	75	CASS	T	
TE-105-AW-45	6/8/85	75	CASS	T	
TE-105-AW-45	6/15/85	75	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-45	8/19/85	75	CASS	T	
TE-105-AW-45	11/1/85	97	CASS	T	
TE-105-AW-45	12/1/85	100	CASS	T	
TE-105-AW-45	1/3/86	89	CASS	T	
TE-105-AW-45	1/7/86	87	CASS	T	
TE-105-AW-45	1/15/86	85	CASS	T	
TE-105-AW-45	1/19/86	84	CASS	T	
TE-105-AW-45	1/28/86	82	CASS	T	
TE-105-AW-45	2/4/86	81	CASS	T	
TE-105-AW-45	2/11/86	80	CASS	T	
TE-105-AW-45	2/18/86	79	CASS	T	
TE-105-AW-45	2/28/86	78	CASS	T	
TE-105-AW-45	3/5/86	77	CASS	T	
TE-105-AW-45	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-105-AW-45	9/19/86	94	CASS	T	
TE-105-AW-45	9/26/86	94	CASS	T	
TE-105-AW-45	10/2/86	93	CASS	T	
TE-105-AW-45	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-105-AW-45	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-105-AW-45	10/5/86	235	CASS	S	Data point did not agree with local trend
TE-105-AW-45	10/6/86	228	CASS	S	Data point did not agree with local trend
TE-105-AW-45	10/9/86	92	CASS	T	
TE-105-AW-45	10/18/86	86	CASS	T	
TE-105-AW-45	10/20/86	86	CASS	T	
TE-105-AW-45	10/31/86	85	CASS	T	
TE-105-AW-45	11/7/86	84	CASS	T	
TE-105-AW-45	11/11/86	83	CASS	T	
TE-105-AW-45	11/19/86	82	CASS	T	
TE-105-AW-45	11/28/86	81	CASS	T	
TE-105-AW-45	12/2/86	80	CASS	T	
TE-105-AW-45	12/9/86	79	CASS	T	
TE-105-AW-45	12/17/86	78	CASS	T	
TE-105-AW-45	12/25/86	77	CASS	T	
TE-105-AW-45	12/31/86	76	CASS	T	
TE-105-AW-45	7/4/87	75	CASS	T	
TE-105-AW-45	7/11/87	75	CASS	T	
TE-105-AW-45	7/18/87	76	CASS	T	
TE-105-AW-45	7/25/87	76	CASS	T	
TE-105-AW-45	8/1/87	76	CASS	T	
TE-105-AW-45	8/8/87	76	CASS	T	
TE-105-AW-45	8/15/87	77	CASS	T	
TE-105-AW-45	8/22/87	77	CASS	T	
TE-105-AW-45	8/29/87	79	CASS	T	
TE-105-AW-45	9/5/87	78	CASS	T	
TE-105-AW-45	9/11/87	87	CASS	T	
TE-105-AW-45	11/27/87	99	CASS	S	Data point did not agree with local trend
TE-105-AW-45	11/28/87	86	CASS	T	
TE-105-AW-45	11/29/87	88	CASS	T	
TE-105-AW-45	3/26/88	74	CASS	T	
TE-105-AW-45	3/31/88	74	CASS	T	
TE-105-AW-45	6/2/88	80	CASS	T	
TE-105-AW-45	6/8/88	76	CASS	T	
TE-105-AW-45	6/18/88	73	CASS	T	
TE-105-AW-45	6/25/88	73	CASS	T	
TE-105-AW-45	7/2/88	73	CASS	T	
TE-105-AW-45	7/9/88	73	CASS	T	
TE-105-AW-45	7/12/88	73	CASS	T	
TE-105-AW-45	7/23/88	73	CASS	T	
TE-105-AW-45	7/30/88	74	CASS	T	
TE-105-AW-45	8/2/88	78	CASS	T	
TE-105-AW-45	8/10/88	74	CASS	T	
TE-105-AW-45	12/2/88	86	CASS	T	
TE-105-AW-45	12/10/88	86	CASS	T	
TE-105-AW-45	12/13/88	86	CASS	T	
TE-105-AW-45	12/18/88	83	CASS	T	
TE-105-AW-45	9/2/89	73	CASS	T	
TE-105-AW-45	9/9/89	73	CASS	T	
TE-105-AW-45	9/16/89	73	CASS	T	
TE-105-AW-45	9/23/89	73	CASS	T	
TE-105-AW-45	9/30/89	73	CASS	T	
TE-105-AW-45	11/4/89	72	CASS	T	
TE-105-AW-45	11/9/89	73	CASS	T	
TE-105-AW-45	11/18/89	72	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-45	11/23/89	72	CASS	T	
TE-105-AW-45	12/1/89	72	CASS	T	
TE-105-AW-45	12/9/89	72	CASS	T	
TE-105-AW-45	12/16/89	72	CASS	T	
TE-105-AW-45	12/23/89	72	CASS	T	
TE-105-AW-45	12/26/89	74	CASS	T	
TE-105-AW-45	1/3/90	73	CASS	T	
TE-105-AW-45	1/13/90	72	CASS	T	
TE-105-AW-45	1/17/90	72	CASS	T	
TE-105-AW-45	1/24/90	71	CASS	T	
TE-105-AW-45	2/3/90	70	CASS	T	
TE-105-AW-45	2/4/90	70	CASS	T	
TE-105-AW-45	2/11/90	69	CASS	T	
TE-105-AW-45	2/24/90	68	CASS	T	
TE-105-AW-45	3/3/90	68	CASS	T	
TE-105-AW-45	3/10/90	68	CASS	T	
TE-105-AW-45	3/17/90	68	CASS	T	
TE-105-AW-45	3/22/90	68	CASS	T	
TE-105-AW-45	3/31/90	68	CASS	T	
TE-105-AW-45	4/7/90	68	CASS	T	
TE-105-AW-45	4/14/90	68	CASS	T	
TE-105-AW-45	4/21/90	68	CASS	T	
TE-105-AW-45	4/28/90	68	CASS	T	
TE-105-AW-45	5/2/90	81	CASS	S	Data point did not agree with local trend
TE-105-AW-45	5/6/90	68	CASS	T	
TE-105-AW-45	5/12/90	68	CASS	T	
TE-105-AW-45	5/19/90	68	CASS	T	
TE-105-AW-45	5/22/90	68	CASS	T	
TE-105-AW-45	6/2/90	68	CASS	T	
TE-105-AW-45	6/8/90	68	CASS	T	
TE-105-AW-45	6/16/90	68	CASS	T	
TE-105-AW-45	6/23/90	68	CASS	T	
TE-105-AW-45	6/30/90	68	CASS	T	
TE-105-AW-45	7/3/90	73	CASS	T	
TE-105-AW-45	7/14/90	69	CASS	T	
TE-105-AW-45	7/21/90	69	CASS	T	
TE-105-AW-45	7/28/90	69	CASS	T	
TE-105-AW-45	8/4/90	69	CASS	T	
TE-105-AW-45	8/11/90	69	CASS	T	
TE-105-AW-45	8/17/90	70	CASS	T	
TE-105-AW-45	8/26/90	70	CASS	T	
TE-105-AW-45	9/1/90	70	CASS	T	
TE-105-AW-45	9/8/90	70	CASS	T	
TE-105-AW-45	9/16/90	70	CASS	T	
TE-105-AW-45	9/22/90	70	CASS	T	
TE-105-AW-45	9/29/90	70	CASS	T	
TE-105-AW-45	10/6/90	70	CASS	T	
TE-105-AW-45	10/13/90	70	CASS	T	
TE-105-AW-45	10/20/90	70	CASS	T	
TE-105-AW-45	10/27/90	70	CASS	T	
TE-105-AW-45	11/3/90	70	CASS	T	
TE-105-AW-45	11/9/90	73	CASS	T	
TE-105-AW-45	11/17/90	70	CASS	T	
TE-105-AW-45	11/24/90	70	CASS	T	
TE-105-AW-45	12/1/90	70	CASS	T	
TE-105-AW-45	12/6/90	71	CASS	T	
TE-105-AW-45	12/11/90	70	CASS	T	
TE-105-AW-45	12/19/90	69	CASS	T	
TE-105-AW-45	12/28/90	68	CASS	T	
TE-105-AW-45	1/6/91	67	CASS	T	
TE-105-AW-45	1/7/91	67	CASS	T	
TE-105-AW-45	1/18/91	68	CASS	T	
TE-105-AW-45	1/26/91	65	CASS	T	
TE-105-AW-45	2/2/91	65	CASS	T	
TE-105-AW-45	2/7/91	65	CASS	T	
TE-105-AW-45	2/16/91	65	CASS	T	
TE-105-AW-45	2/23/91	64	CASS	T	
TE-105-AW-45	3/2/91	64	CASS	T	
TE-105-AW-45	3/9/91	64	CASS	T	
TE-105-AW-45	3/16/91	64	CASS	T	
TE-105-AW-45	3/23/91	64	CASS	T	
TE-105-AW-45	3/30/91	64	CASS	T	
TE-105-AW-45	4/5/91	64	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-45	4/13/91	63	CASS	T	
TE-105-AW-45	4/20/91	63	CASS	T	
TE-105-AW-45	4/24/91	64	CASS	T	
TE-105-AW-45	5/4/91	64	CASS	T	
TE-105-AW-45	5/11/91	64	CASS	T	
TE-105-AW-45	5/18/91	64	CASS	T	
TE-105-AW-45	5/25/91	64	CASS	T	
TE-105-AW-45	5/31/91	64	CASS	T	
TE-105-AW-45	6/8/91	64	CASS	T	
TE-105-AW-45	6/15/91	64	CASS	T	
TE-105-AW-45	6/20/91	64	CASS	T	
TE-105-AW-45	6/25/91	64	CASS	T	
TE-105-AW-46	7/15/83	78	CASS	T	
TE-105-AW-46	7/23/83	82	CASS	T	
TE-105-AW-46	7/28/83	81	CASS	T	
TE-105-AW-46	8/5/83	80	CASS	T	
TE-105-AW-46	8/13/83	80	CASS	T	
TE-105-AW-46	8/17/83	81	CASS	T	
TE-105-AW-46	8/23/83	82	CASS	T	
TE-105-AW-46	8/31/83	82	CASS	T	
TE-105-AW-46	9/10/83	80	CASS	T	
TE-105-AW-46	9/14/83	91	CASS	T	
TE-105-AW-46	9/18/83	91	CASS	T	
TE-105-AW-46	9/28/83	91	CASS	T	
TE-105-AW-46	10/4/83	88	CASS	T	
TE-105-AW-46	10/15/83	87	CASS	T	
TE-105-AW-46	10/18/83	87	CASS	T	
TE-105-AW-46	3/10/84	88	CASS	T	
TE-105-AW-46	3/17/84	89	CASS	T	
TE-105-AW-46	3/22/84	92	CASS	T	
TE-105-AW-46	3/31/84	91	CASS	T	
TE-105-AW-46	4/7/84	92	CASS	T	
TE-105-AW-46	4/14/84	92	CASS	T	
TE-105-AW-46	4/15/84	92	CASS	T	
TE-105-AW-46	4/28/84	91	CASS	T	
TE-105-AW-46	5/4/84	93	CASS	T	
TE-105-AW-46	5/12/84	92	CASS	T	
TE-105-AW-46	5/19/84	93	CASS	T	
TE-105-AW-46	5/26/84	95	CASS	T	
TE-105-AW-46	6/2/84	103	CASS	T	
TE-105-AW-46	6/3/84	101	CASS	T	
TE-105-AW-46	6/21/84	95	CASS	T	
TE-105-AW-46	6/30/84	97	CASS	T	
TE-105-AW-46	7/6/84	104	CASS	T	
TE-105-AW-46	7/12/84	104	CASS	T	
TE-105-AW-46	7/17/84	107	CASS	T	
TE-105-AW-46	7/28/84	101	CASS	T	
TE-105-AW-46	7/29/84	108	CASS	T	
TE-105-AW-46	8/10/84	103	CASS	T	
TE-105-AW-46	8/17/84	104	CASS	T	
TE-105-AW-46	8/24/84	107	CASS	T	
TE-105-AW-46	8/30/84	112	CASS	T	
TE-105-AW-46	9/3/84	112	CASS	T	
TE-105-AW-46	9/9/84	108	CASS	T	
TE-105-AW-46	9/22/84	108	CASS	T	
TE-105-AW-46	9/23/84	106	CASS	T	
TE-105-AW-46	10/2/84	101	CASS	T	
TE-105-AW-46	10/12/84	99	CASS	T	
TE-105-AW-46	10/16/84	98	CASS	T	
TE-105-AW-46	10/25/84	98	CASS	T	
TE-105-AW-46	10/29/84	95	CASS	T	
TE-105-AW-46	11/4/84	97	CASS	T	
TE-105-AW-46	11/18/84	98	CASS	T	
TE-105-AW-46	11/19/84	95	CASS	T	
TE-105-AW-46	11/29/84	91	CASS	T	
TE-105-AW-46	12/2/84	97	CASS	T	
TE-105-AW-46	12/10/84	95	CASS	T	
TE-105-AW-46	12/22/84	94	CASS	T	
TE-105-AW-46	12/29/84	94	CASS	T	
TE-105-AW-46	1/4/85	95	CASS	T	
TE-105-AW-46	1/12/85	95	CASS	T	
TE-105-AW-46	1/16/85	95	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-46	1/23/85	93	CASS	T	
TE-105-AW-46	1/27/85	92	CASS	T	
TE-105-AW-46	2/8/85	90	CASS	T	
TE-105-AW-46	2/23/85	87	CASS	T	
TE-105-AW-46	2/25/85	87	CASS	T	
TE-105-AW-46	3/4/85	88	CASS	T	
TE-105-AW-46	3/13/85	85	CASS	T	
TE-105-AW-46	3/21/85	84	CASS	T	
TE-105-AW-46	3/30/85	83	CASS	T	
TE-105-AW-46	4/3/85	83	CASS	T	
TE-105-AW-46	4/13/85	82	CASS	T	
TE-105-AW-46	4/16/85	82	CASS	T	
TE-105-AW-46	4/27/85	81	CASS	T	
TE-105-AW-46	5/1/85	81	CASS	T	
TE-105-AW-46	5/10/85	78	CASS	T	
TE-105-AW-46	5/16/85	75	CASS	T	
TE-105-AW-46	5/25/85	75	CASS	T	
TE-105-AW-46	6/1/85	75	CASS	T	
TE-105-AW-46	6/8/85	75	CASS	T	
TE-105-AW-46	6/15/85	75	CASS	T	
TE-105-AW-46	6/19/85	75	CASS	T	
TE-105-AW-46	11/1/85	101	CASS	T	
TE-105-AW-46	12/1/85	100	CASS	T	
TE-105-AW-46	1/1/86	89	CASS	T	
TE-105-AW-46	1/5/86	87	CASS	T	
TE-105-AW-46	1/14/86	85	CASS	T	
TE-105-AW-46	1/21/86	83	CASS	T	
TE-105-AW-46	1/31/86	81	CASS	T	
TE-105-AW-46	2/7/86	80	CASS	T	
TE-105-AW-46	2/13/86	79	CASS	T	
TE-105-AW-46	2/19/86	78	CASS	T	
TE-105-AW-46	3/1/86	77	CASS	T	
TE-105-AW-46	3/4/86	77	CASS	T	
TE-105-AW-46	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-105-AW-46	9/19/86	94	CASS	T	
TE-105-AW-46	9/26/86	94	CASS	T	
TE-105-AW-46	10/2/86	93	CASS	T	
TE-105-AW-46	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-105-AW-46	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-105-AW-46	10/5/86	235	CASS	S	Data point did not agree with local trend
TE-105-AW-46	10/6/86	228	CASS	S	Data point did not agree with local trend
TE-105-AW-46	10/9/86	92	CASS	T	
TE-105-AW-46	10/18/86	84	CASS	T	
TE-105-AW-46	10/20/86	84	CASS	T	
TE-105-AW-46	11/1/86	83	CASS	T	
TE-105-AW-46	11/2/86	83	CASS	T	
TE-105-AW-46	11/9/86	82	CASS	T	
TE-105-AW-46	11/22/86	80	CASS	T	
TE-105-AW-46	11/25/86	80	CASS	T	
TE-105-AW-46	12/2/86	79	CASS	T	
TE-105-AW-46	12/9/86	78	CASS	T	
TE-105-AW-46	12/18/86	77	CASS	T	
TE-105-AW-46	12/25/86	76	CASS	T	
TE-105-AW-46	12/31/86	75	CASS	T	
TE-105-AW-46	7/4/87	75	CASS	T	
TE-105-AW-46	7/11/87	76	CASS	T	
TE-105-AW-46	7/18/87	76	CASS	T	
TE-105-AW-46	7/22/87	77	CASS	T	
TE-105-AW-46	8/1/87	77	CASS	T	
TE-105-AW-46	8/8/87	77	CASS	T	
TE-105-AW-46	8/15/87	77	CASS	T	
TE-105-AW-46	8/22/87	77	CASS	T	
TE-105-AW-46	8/28/87	78	CASS	T	
TE-105-AW-46	9/5/87	78	CASS	T	
TE-105-AW-46	9/11/87	85	CASS	T	
TE-105-AW-46	11/27/87	99	CASS	T	
TE-105-AW-46	11/29/87	86	CASS	T	
TE-105-AW-46	3/28/88	71	CASS	T	
TE-105-AW-46	3/30/88	70	CASS	T	
TE-105-AW-46	6/4/88	72	CASS	T	
TE-105-AW-46	6/6/88	77	CASS	T	
TE-105-AW-46	6/18/88	73	CASS	T	
TE-105-AW-46	6/21/88	82	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1985; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-46	7/2/88	73	CASS	T	
TE-105-AW-46	7/9/88	73	CASS	T	
TE-105-AW-46	7/12/88	73	CASS	T	
TE-105-AW-46	7/23/88	73	CASS	T	
TE-105-AW-46	7/30/88	74	CASS	T	
TE-105-AW-46	8/2/88	94	CASS	S	Data point did not agree with local trend
TE-105-AW-46	8/4/88	74	CASS	T	
TE-105-AW-46	8/10/88	74	CASS	T	
TE-105-AW-46	12/3/88	86	CASS	T	
TE-105-AW-46	12/10/88	87	CASS	T	
TE-105-AW-46	12/11/88	87	CASS	T	
TE-105-AW-46	12/19/88	83	CASS	T	
TE-105-AW-46	9/2/89	73	CASS	T	
TE-105-AW-46	9/9/89	73	CASS	T	
TE-105-AW-46	9/16/89	73	CASS	T	
TE-105-AW-46	9/23/89	73	CASS	T	
TE-105-AW-46	9/30/89	73	CASS	T	
TE-105-AW-46	11/4/89	72	CASS	T	
TE-105-AW-46	11/11/89	72	CASS	T	
TE-105-AW-46	11/18/89	72	CASS	T	
TE-105-AW-46	11/23/89	72	CASS	T	
TE-105-AW-46	12/1/89	72	CASS	T	
TE-105-AW-46	12/8/89	72	CASS	T	
TE-105-AW-46	12/16/89	72	CASS	T	
TE-105-AW-46	12/23/89	73	CASS	T	
TE-105-AW-46	12/27/89	74	CASS	T	
TE-105-AW-46	1/2/90	73	CASS	T	
TE-105-AW-46	1/13/90	72	CASS	T	
TE-105-AW-46	1/16/90	72	CASS	T	
TE-105-AW-46	1/21/90	71	CASS	T	
TE-105-AW-46	1/30/90	70	CASS	T	
TE-105-AW-46	2/10/90	69	CASS	T	
TE-105-AW-46	2/11/90	69	CASS	T	
TE-105-AW-46	2/24/90	67	CASS	T	
TE-105-AW-46	3/3/90	67	CASS	T	
TE-105-AW-46	3/10/90	68	CASS	T	
TE-105-AW-46	3/17/90	68	CASS	T	
TE-105-AW-46	3/22/90	68	CASS	T	
TE-105-AW-46	3/31/90	68	CASS	T	
TE-105-AW-46	4/4/90	68	CASS	T	
TE-105-AW-46	4/13/90	68	CASS	T	
TE-105-AW-46	4/21/90	68	CASS	T	
TE-105-AW-46	4/24/90	68	CASS	T	
TE-105-AW-46	5/2/90	81	CASS	T	
TE-105-AW-46	5/12/90	68	CASS	T	
TE-105-AW-46	5/19/90	67	CASS	T	
TE-105-AW-46	5/22/90	67	CASS	T	
TE-105-AW-46	6/2/90	67	CASS	T	
TE-105-AW-46	6/7/90	68	CASS	T	
TE-105-AW-46	6/16/90	68	CASS	T	
TE-105-AW-46	6/23/90	68	CASS	T	
TE-105-AW-46	6/30/90	68	CASS	T	
TE-105-AW-46	7/3/90	73	CASS	T	
TE-105-AW-46	7/14/90	68	CASS	T	
TE-105-AW-46	7/21/90	69	CASS	T	
TE-105-AW-46	7/28/90	69	CASS	T	
TE-105-AW-46	8/4/90	69	CASS	T	
TE-105-AW-46	8/11/90	69	CASS	T	
TE-105-AW-46	8/18/90	69	CASS	T	
TE-105-AW-46	8/25/90	70	CASS	T	
TE-105-AW-46	9/1/90	70	CASS	T	
TE-105-AW-46	9/8/90	70	CASS	T	
TE-105-AW-46	9/15/90	70	CASS	T	
TE-105-AW-46	9/22/90	70	CASS	T	
TE-105-AW-46	9/28/90	71	CASS	T	
TE-105-AW-46	10/4/90	71	CASS	T	
TE-105-AW-46	10/13/90	71	CASS	T	
TE-105-AW-46	10/18/90	71	CASS	T	
TE-105-AW-46	10/23/90	71	CASS	T	
TE-105-AW-46	11/3/90	70	CASS	T	
TE-105-AW-46	11/9/90	74	CASS	T	
TE-105-AW-46	11/17/90	70	CASS	T	
TE-105-AW-46	11/24/90	70	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-46	11/27/90	70	CASS	T	
TE-105-AW-46	12/6/90	73	CASS	T	
TE-105-AW-46	12/15/90	69	CASS	T	
TE-105-AW-46	12/18/90	69	CASS	T	
TE-105-AW-46	12/28/90	68	CASS	T	
TE-105-AW-46	1/4/91	67	CASS	T	
TE-105-AW-46	1/11/91	68	CASS	T	
TE-105-AW-46	1/13/91	66	CASS	T	
TE-105-AW-46	1/25/91	65	CASS	T	
TE-105-AW-46	2/2/91	64	CASS	T	
TE-105-AW-46	2/5/91	65	CASS	T	
TE-105-AW-46	2/16/91	64	CASS	T	
TE-105-AW-46	2/23/91	64	CASS	T	
TE-105-AW-46	3/2/91	64	CASS	T	
TE-105-AW-46	3/8/91	64	CASS	T	
TE-105-AW-46	3/13/91	64	CASS	T	
TE-105-AW-46	3/23/91	64	CASS	T	
TE-105-AW-46	3/25/91	64	CASS	T	
TE-105-AW-46	4/6/91	63	CASS	T	
TE-105-AW-46	4/13/91	63	CASS	T	
TE-105-AW-46	4/20/91	63	CASS	T	
TE-105-AW-46	4/27/91	63	CASS	T	
TE-105-AW-46	5/4/91	63	CASS	T	
TE-105-AW-46	5/11/91	63	CASS	T	
TE-105-AW-46	5/18/91	63	CASS	T	
TE-105-AW-46	5/25/91	63	CASS	T	
TE-105-AW-46	5/29/91	64	CASS	T	
TE-105-AW-46	6/8/91	64	CASS	T	
TE-105-AW-46	6/15/91	64	CASS	T	
TE-105-AW-46	6/20/91	64	CASS	T	
TE-105-AW-46	6/25/91	64	CASS	T	
TE-105-AW-46	2/3/92	65	SACS	T	
TE-105-AW-46	2/10/92	64	SACS	T	
TE-105-AW-46	2/17/92	64	SACS	T	
TE-105-AW-46	2/24/92	64	SACS	T	
TE-105-AW-46	3/2/92	63	SACS	T	
TE-105-AW-46	3/9/92	63	SACS	T	
TE-105-AW-46	3/16/92	63	SACS	T	
TE-105-AW-46	3/23/92	63	SACS	T	
TE-105-AW-46	3/30/92	63	SACS	T	
TE-105-AW-46	4/6/92	63	SACS	T	
TE-105-AW-46	4/13/92	63	SACS	T	
TE-105-AW-46	4/20/92	64	SACS	T	
TE-105-AW-46	4/27/92	63	SACS	T	
TE-105-AW-46	5/4/92	63	SACS	T	
TE-105-AW-46	5/11/92	78	SACS	S	Data point did not agree with local trend
TE-105-AW-46	5/18/92	85	SACS	S	Data point did not agree with local trend
TE-105-AW-46	5/25/92	85	SACS	S	Data point did not agree with local trend
TE-105-AW-46	6/6/92	64	SACS	T	
TE-105-AW-46	6/15/92	64	SACS	T	
TE-105-AW-46	6/22/92	64	SACS	T	
TE-105-AW-46	7/6/92	64	SACS	T	
TE-105-AW-46	7/13/92	65	SACS	T	
TE-105-AW-46	7/20/92	64	SACS	T	
TE-105-AW-46	7/27/92	64	SACS	T	
TE-105-AW-46	8/3/92	64	SACS	T	
TE-105-AW-46	8/10/92	65	SACS	T	
TE-105-AW-46	8/17/92	65	SACS	T	
TE-105-AW-46	8/24/92	67	SACS	T	
TE-105-AW-46	8/31/92	66	SACS	T	
TE-105-AW-46	9/7/92	67	SACS	T	
TE-105-AW-46	9/14/92	67	SACS	T	
TE-105-AW-46	9/21/92	66	SACS	T	
TE-105-AW-46	9/28/92	66	SACS	T	
TE-105-AW-46	1/4/93	69	SACS	T	
TE-105-AW-46	1/11/93	68	SACS	T	
TE-105-AW-46	1/18/93	68	SACS	T	
TE-105-AW-46	3/1/93	68	SACS	T	
TE-105-AW-46	3/8/93	67	SACS	T	
TE-105-AW-46	3/15/93	67	SACS	T	
TE-105-AW-46	3/22/93	66	SACS	T	
TE-105-AW-46	3/29/93	66	SACS	T	
TE-105-AW-46	4/6/93	66	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-46	4/12/93	66	SACS	T	
TE-105-AW-46	4/19/93	66	SACS	T	
TE-105-AW-46	4/26/93	65	SACS	T	
TE-105-AW-46	5/3/93	65	SACS	T	
TE-105-AW-46	5/10/93	64	SACS	T	
TE-105-AW-46	5/17/93	65	SACS	T	
TE-105-AW-46	5/24/93	65	SACS	T	
TE-105-AW-46	5/31/93	65	SACS	T	
TE-105-AW-46	6/7/93	66	SACS	T	
TE-105-AW-46	6/14/93	65	SACS	T	
TE-105-AW-46	6/22/93	66	SACS	T	
TE-105-AW-46	6/28/93	64	SACS	T	
TE-105-AW-46	7/26/93	66	SACS	T	
TE-105-AW-46	8/2/93	66	SACS	T	
TE-105-AW-46	8/9/93	66	SACS	T	
TE-105-AW-46	8/16/93	67	SACS	T	
TE-105-AW-46	8/23/93	67	SACS	T	
TE-105-AW-46	8/30/93	67	SACS	T	
TE-105-AW-46	9/13/93	68	SACS	T	
TE-105-AW-46	9/21/93	68	SACS	T	
TE-105-AW-46	9/27/93	68	SACS	T	
TE-105-AW-46	10/11/93	69	SACS	T	
TE-105-AW-46	10/19/93	68	SACS	T	
TE-105-AW-46	10/26/93	68	SACS	T	
TE-105-AW-46	11/1/93	67	SACS	T	
TE-105-AW-46	11/15/93	69	SACS	T	
TE-105-AW-46	11/26/93	71	SACS	T	
TE-105-AW-46	11/29/93	69	SACS	T	
TE-105-AW-46	12/6/93	69	SACS	T	
TE-105-AW-46	12/16/93	69	SACS	T	
TE-105-AW-46	12/20/93	69	SACS	T	
TE-105-AW-46	12/27/93	69	SACS	T	
TE-105-AW-46	1/5/94	70	SACS	T	
TE-105-AW-46	1/24/94	69	SACS	T	
TE-105-AW-46	1/31/94	68	SACS	T	
TE-105-AW-46	2/28/94	67	SACS	T	
TE-105-AW-46	3/7/94	67	SACS	T	
TE-105-AW-46	4/18/94	66	SACS	G	
TE-105-AW-46	4/25/94	67	SACS	G	
TE-105-AW-46	5/2/94	65	SACS	G	
TE-105-AW-46	5/9/94	65	SACS	G	
TE-105-AW-46	5/16/94	65	SACS	G	
TE-105-AW-46	5/31/94	65	SACS	G	
TE-105-AW-46	6/6/94	65	SACS	G	
TE-105-AW-46	6/13/94	65	SACS	G	
TE-105-AW-46	6/20/94	65	SACS	G	
TE-105-AW-46	6/27/94	65	SACS	G	
TE-105-AW-46	7/4/94	65	SACS	G	
TE-105-AW-46	7/18/94	65	SACS	G	
TE-105-AW-46	7/25/94	66	SACS	G	
TE-105-AW-46	8/1/94	65	SACS	G	
TE-105-AW-46	8/8/94	66	SACS	G	
TE-105-AW-46	8/15/94	65	SACS	G	
TE-105-AW-46	8/22/94	66	SACS	G	
TE-105-AW-46	9/7/94	66	SACS	G	
TE-105-AW-46	9/12/94	66	SACS	G	
TE-105-AW-46	9/19/94	66	SACS	G	
TE-105-AW-46	9/26/94	67	SACS	G	
TE-105-AW-46	10/10/94	67	SACS	G	
TE-105-AW-46	10/17/94	69	SACS	G	
TE-105-AW-46	10/24/94	68	SACS	G	
TE-105-AW-46	10/31/94	69	SACS	G	
TE-105-AW-46	11/7/94	69	SACS	G	
TE-105-AW-46	11/14/94	69	SACS	G	
TE-105-AW-46	11/21/94	69	SACS	G	
TE-105-AW-46	11/28/94	69	SACS	G	
TE-105-AW-46	12/5/94	66	SACS	G	
TE-105-AW-46	12/12/94	65	SACS	G	
TE-105-AW-46	12/19/94	64	SACS	G	
TE-105-AW-46	12/26/94	65	SACS	G	
TE-105-AW-46	1/2/95	64	SACS	G	
TE-105-AW-46	1/9/95	65	SACS	G	
TE-105-AW-46	1/16/95	63	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-46	1/23/95	63	SACS	G	
TE-105-AW-46	1/30/95	62	SACS	G	
TE-105-AW-46	2/6/95	64	SACS	G	
TE-105-AW-46	2/13/95	72	SACS	G	
TE-105-AW-46	2/24/95	66	SACS	G	
TE-105-AW-46	2/27/95	64	SACS	G	
TE-105-AW-46	3/6/95	64	SACS	G	
TE-105-AW-46	3/19/95	65	SACS	G	
TE-105-AW-46	3/27/95	65	SACS	G	
TE-105-AW-46	4/3/95	65	SACS	G	
TE-105-AW-46	4/10/95	65	SACS	G	
TE-105-AW-46	4/17/95	65	SACS	G	
TE-105-AW-46	4/24/95	65	SACS	G	
TE-105-AW-46	5/17/95	64	SACS	G	
TE-105-AW-46	5/13/95	71	SACS	G	
TE-105-AW-46	5/22/95	69	SACS	G	
TE-105-AW-46	5/29/95	68	SACS	G	
TE-105-AW-46	6/6/95	69	SACS	G	
TE-105-AW-46	6/13/95	71	SACS	G	
TE-105-AW-46	6/19/95	70	SACS	G	
TE-105-AW-46	6/27/95	83	SACS	T	
TE-105-AW-47	7/15/83	78	CASS	T	
TE-105-AW-47	7/23/83	82	CASS	T	
TE-105-AW-47	7/28/83	81	CASS	T	
TE-105-AW-47	8/5/83	80	CASS	T	
TE-105-AW-47	8/13/83	80	CASS	T	
TE-105-AW-47	8/17/83	81	CASS	T	
TE-105-AW-47	8/23/83	82	CASS	T	
TE-105-AW-47	8/30/83	82	CASS	T	
TE-105-AW-47	9/10/83	80	CASS	T	
TE-105-AW-47	9/14/83	91	CASS	T	
TE-105-AW-47	9/18/83	91	CASS	T	
TE-105-AW-47	9/28/83	90	CASS	T	
TE-105-AW-47	10/5/83	87	CASS	T	
TE-105-AW-47	10/15/83	87	CASS	T	
TE-105-AW-47	10/18/83	87	CASS	T	
TE-105-AW-47	3/10/84	89	CASS	T	
TE-105-AW-47	3/17/84	91	CASS	T	
TE-105-AW-47	3/21/84	93	CASS	T	
TE-105-AW-47	3/31/84	91	CASS	T	
TE-105-AW-47	4/7/84	92	CASS	T	
TE-105-AW-47	4/12/84	93	CASS	T	
TE-105-AW-47	4/18/84	92	CASS	T	
TE-105-AW-47	4/28/84	91	CASS	T	
TE-105-AW-47	5/4/84	93	CASS	T	
TE-105-AW-47	5/12/84	92	CASS	T	
TE-105-AW-47	5/19/84	93	CASS	T	
TE-105-AW-47	5/24/84	95	CASS	T	
TE-105-AW-47	6/2/84	99	CASS	T	
TE-105-AW-47	6/5/84	96	CASS	T	
TE-105-AW-47	6/21/84	95	CASS	T	
TE-105-AW-47	6/30/84	97	CASS	T	
TE-105-AW-47	7/8/84	104	CASS	T	
TE-105-AW-47	7/12/84	104	CASS	T	
TE-105-AW-47	7/17/84	107	CASS	T	
TE-105-AW-47	7/28/84	101	CASS	T	
TE-105-AW-47	7/29/84	108	CASS	T	
TE-105-AW-47	8/10/84	103	CASS	T	
TE-105-AW-47	8/17/84	104	CASS	T	
TE-105-AW-47	8/24/84	107	CASS	T	
TE-105-AW-47	8/30/84	113	CASS	T	
TE-105-AW-47	9/3/84	112	CASS	T	
TE-105-AW-47	9/9/84	108	CASS	T	
TE-105-AW-47	9/22/84	108	CASS	T	
TE-105-AW-47	9/23/84	106	CASS	T	
TE-105-AW-47	10/2/84	101	CASS	T	
TE-105-AW-47	10/12/84	99	CASS	T	
TE-105-AW-47	10/16/84	98	CASS	T	
TE-105-AW-47	10/23/84	96	CASS	T	
TE-105-AW-47	10/29/84	95	CASS	T	
TE-105-AW-47	11/4/84	96	CASS	T	
TE-105-AW-47	11/16/84	96	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-47	11/19/84	94	CASS	T	
TE-105-AW-47	11/29/84	90	CASS	T	
TE-105-AW-47	12/2/84	95	CASS	T	
TE-105-AW-47	12/10/84	92	CASS	T	
TE-105-AW-47	12/20/84	96	CASS	T	
TE-105-AW-47	12/26/84	96	CASS	T	
TE-105-AW-47	1/1/85	97	CASS	T	
TE-105-AW-47	1/10/85	96	CASS	T	
TE-105-AW-47	1/16/85	95	CASS	T	
TE-105-AW-47	1/23/85	93	CASS	T	
TE-105-AW-47	1/27/85	92	CASS	T	
TE-105-AW-47	2/6/85	90	CASS	T	
TE-105-AW-47	2/23/85	87	CASS	T	
TE-105-AW-47	2/26/85	87	CASS	T	
TE-105-AW-47	3/4/85	86	CASS	T	
TE-105-AW-47	3/13/85	85	CASS	T	
TE-105-AW-47	3/21/85	84	CASS	T	
TE-105-AW-47	3/30/85	83	CASS	T	
TE-105-AW-47	4/3/85	83	CASS	T	
TE-105-AW-47	4/13/85	82	CASS	T	
TE-105-AW-47	4/16/85	82	CASS	T	
TE-105-AW-47	4/27/85	81	CASS	T	
TE-105-AW-47	5/1/85	81	CASS	T	
TE-105-AW-47	5/10/85	78	CASS	T	
TE-105-AW-47	5/18/85	75	CASS	T	
TE-105-AW-47	5/25/85	75	CASS	T	
TE-105-AW-47	6/1/85	75	CASS	T	
TE-105-AW-47	6/8/85	75	CASS	T	
TE-105-AW-47	6/15/85	76	CASS	T	
TE-105-AW-47	6/19/85	75	CASS	T	
TE-105-AW-47	11/1/85	104	CASS	T	
TE-105-AW-47	12/1/85	100	CASS	T	
TE-105-AW-47	1/1/86	89	CASS	T	
TE-105-AW-47	1/5/86	87	CASS	T	
TE-105-AW-47	1/14/86	85	CASS	T	
TE-105-AW-47	1/21/86	83	CASS	T	
TE-105-AW-47	1/31/86	81	CASS	T	
TE-105-AW-47	2/7/86	80	CASS	T	
TE-105-AW-47	2/13/86	79	CASS	T	
TE-105-AW-47	2/19/86	78	CASS	T	
TE-105-AW-47	3/1/86	77	CASS	T	
TE-105-AW-47	3/4/86	77	CASS	T	
TE-105-AW-47	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-105-AW-47	9/19/86	94	CASS	T	
TE-105-AW-47	9/26/86	94	CASS	T	
TE-105-AW-47	10/2/86	93	CASS	T	
TE-105-AW-47	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-105-AW-47	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-105-AW-47	10/5/86	235	CASS	S	Data point did not agree with local trend
TE-105-AW-47	10/6/86	228	CASS	S	Data point did not agree with local trend
TE-105-AW-47	10/9/86	92	CASS	T	
TE-105-AW-47	10/19/86	84	CASS	T	
TE-105-AW-47	10/25/86	83	CASS	T	
TE-105-AW-47	10/30/86	83	CASS	T	
TE-105-AW-47	11/6/86	82	CASS	T	
TE-105-AW-47	11/9/86	81	CASS	T	
TE-105-AW-47	11/21/86	80	CASS	T	
TE-105-AW-47	11/28/86	79	CASS	T	
TE-105-AW-47	12/4/86	78	CASS	T	
TE-105-AW-47	12/10/86	77	CASS	T	
TE-105-AW-47	12/18/86	76	CASS	T	
TE-105-AW-47	12/27/86	75	CASS	T	
TE-105-AW-47	12/31/86	74	CASS	T	
TE-105-AW-47	7/4/87	75	CASS	T	
TE-105-AW-47	7/11/87	78	CASS	T	
TE-105-AW-47	7/18/87	77	CASS	T	
TE-105-AW-47	7/25/87	78	CASS	T	
TE-105-AW-47	8/1/87	78	CASS	T	
TE-105-AW-47	8/8/87	79	CASS	T	
TE-105-AW-47	8/15/87	78	CASS	T	
TE-105-AW-47	8/22/87	79	CASS	T	
TE-105-AW-47	8/29/87	79	CASS	T	
TE-105-AW-47	9/5/87	78	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-47	9/11/87	85	CASS	T	
TE-105-AW-47	11/27/87	98	CASS	T	
TE-105-AW-47	11/29/87	86	CASS	T	
TE-105-AW-47	3/20/88	69	CASS	T	
TE-105-AW-47	3/30/88	69	CASS	T	
TE-105-AW-47	6/4/88	72	CASS	T	
TE-105-AW-47	6/6/88	78	CASS	T	
TE-105-AW-47	6/18/88	73	CASS	T	
TE-105-AW-47	6/25/88	77	CASS	T	
TE-105-AW-47	6/29/88	500	CASS	S	Data point did not agree with local trend
TE-105-AW-47	7/2/88	73	CASS	T	
TE-105-AW-47	7/9/88	73	CASS	T	
TE-105-AW-47	7/12/88	73	CASS	T	
TE-105-AW-47	7/23/88	73	CASS	T	
TE-105-AW-47	7/30/88	74	CASS	T	
TE-105-AW-47	8/2/88	79	CASS	T	
TE-105-AW-47	8/10/88	75	CASS	T	
TE-105-AW-47	12/1/88	87	CASS	T	
TE-105-AW-47	12/10/88	87	CASS	T	
TE-105-AW-47	12/12/88	87	CASS	T	
TE-105-AW-47	12/18/88	82	CASS	T	
TE-105-AW-47	7/10/89	70	SACS	T	
TE-105-AW-47	7/17/89	71	SACS	T	
TE-105-AW-47	7/24/89	71	SACS	T	
TE-105-AW-47	8/7/89	70	SACS	T	
TE-105-AW-47	8/14/89	72	SACS	T	
TE-105-AW-47	8/21/89	72	SACS	T	
TE-105-AW-47	9/2/89	73	CASS	T	
TE-105-AW-47	9/8/89	74	CASS	T	
TE-105-AW-47	9/16/89	74	CASS	T	
TE-105-AW-47	9/23/89	74	CASS	T	
TE-105-AW-47	9/30/89	74	CASS	T	
TE-105-AW-47	10/1/89	74	SACS	T	
TE-105-AW-47	10/9/89	74	SACS	T	
TE-105-AW-47	10/16/89	73	SACS	T	
TE-105-AW-47	10/24/89	74	SACS	T	
TE-105-AW-47	10/30/89	74	SACS	T	
TE-105-AW-47	11/11/89	72	CASS	T	
TE-105-AW-47	11/13/89	73	SACS	T	
TE-105-AW-47	11/23/89	72	CASS	T	
TE-105-AW-47	11/27/89	73	SACS	T	
TE-105-AW-47	12/4/89	73	CASS	T	
TE-105-AW-47	12/16/89	72	CASS	T	
TE-105-AW-47	12/23/89	74	CASS	T	
TE-105-AW-47	12/28/89	74	CASS	T	
TE-105-AW-47	1/2/90	74	SACS	T	
TE-105-AW-47	1/11/90	72	CASS	T	
TE-105-AW-47	1/15/90	73	SACS	T	
TE-105-AW-47	1/22/90	71	SACS	T	
TE-105-AW-47	1/29/90	71	SACS	T	
TE-105-AW-47	2/5/90	70	SACS	T	
TE-105-AW-47	2/12/90	70	SACS	T	
TE-105-AW-47	2/19/90	70	SACS	T	
TE-105-AW-47	3/3/90	68	CASS	T	
TE-105-AW-47	3/10/90	68	CASS	T	
TE-105-AW-47	3/12/90	69	SACS	T	
TE-105-AW-47	3/19/90	69	SACS	T	
TE-105-AW-47	3/26/90	68	SACS	T	
TE-105-AW-47	4/2/90	68	SACS	T	
TE-105-AW-47	4/9/90	69	SACS	T	
TE-105-AW-47	4/16/90	68	SACS	T	
TE-105-AW-47	4/23/90	68	SACS	T	
TE-105-AW-47	4/30/90	68	SACS	T	
TE-105-AW-47	5/2/90	63	CASS	S	Data point did not agree with local trend
TE-105-AW-47	5/12/90	67	CASS	T	
TE-105-AW-47	5/19/90	67	CASS	T	
TE-105-AW-47	5/22/90	67	CASS	T	
TE-105-AW-47	6/2/90	67	CASS	T	
TE-105-AW-47	6/9/90	67	CASS	T	
TE-105-AW-47	6/11/90	68	SACS	T	
TE-105-AW-47	6/22/90	68	CASS	T	
TE-105-AW-47	6/30/90	68	CASS	T	
TE-105-AW-47	7/3/90	73	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-47	7/14/90	68	CASS	T	
TE-105-AW-47	7/20/90	69	CASS	T	
TE-105-AW-47	7/28/90	69	CASS	T	
TE-105-AW-47	8/4/90	69	CASS	T	
TE-105-AW-47	8/11/90	70	CASS	T	
TE-105-AW-47	8/18/90	70	CASS	T	
TE-105-AW-47	8/25/90	70	CASS	T	
TE-105-AW-47	9/1/90	70	CASS	T	
TE-105-AW-47	9/8/90	70	CASS	T	
TE-105-AW-47	9/15/90	71	CASS	T	
TE-105-AW-47	9/22/90	71	CASS	T	
TE-105-AW-47	9/29/90	71	CASS	T	
TE-105-AW-47	10/6/90	71	CASS	T	
TE-105-AW-47	10/8/90	72	SACS	T	
TE-105-AW-47	10/20/90	71	CASS	T	
TE-105-AW-47	10/22/90	72	SACS	T	
TE-105-AW-47	10/31/90	71	CASS	T	
TE-105-AW-47	11/9/90	75	CASS	T	
TE-105-AW-47	11/12/90	71	SACS	T	
TE-105-AW-47	11/18/90	71	SACS	T	
TE-105-AW-47	11/26/90	70	SACS	T	
TE-105-AW-47	12/8/90	74	CASS	T	
TE-105-AW-47	12/10/90	69	SACS	T	
TE-105-AW-47	12/17/90	69	SACS	T	
TE-105-AW-47	12/24/90	70	SACS	T	
TE-105-AW-47	12/31/90	69	SACS	T	
TE-105-AW-47	1/7/91	68	SACS	T	
TE-105-AW-47	1/14/91	68	SACS	T	
TE-105-AW-47	1/21/91	65	SACS	T	
TE-105-AW-47	1/28/91	68	SACS	T	
TE-105-AW-47	2/6/91	64	CASS	T	
TE-105-AW-47	2/11/91	65	SACS	T	
TE-105-AW-47	2/18/91	64	SACS	T	
TE-105-AW-47	3/2/91	63	CASS	T	
TE-105-AW-47	3/4/91	64	SACS	T	
TE-105-AW-47	3/11/91	64	SACS	T	
TE-105-AW-47	3/23/91	63	CASS	T	
TE-105-AW-47	3/25/91	64	SACS	T	
TE-105-AW-47	4/5/91	63	CASS	T	
TE-105-AW-47	4/13/91	63	CASS	T	
TE-105-AW-47	4/20/91	63	CASS	T	
TE-105-AW-47	4/24/91	63	CASS	T	
TE-105-AW-47	5/4/91	63	CASS	T	
TE-105-AW-47	5/11/91	63	CASS	T	
TE-105-AW-47	5/18/91	63	CASS	T	
TE-105-AW-47	5/25/91	63	CASS	T	
TE-105-AW-47	5/31/91	63	CASS	T	
TE-105-AW-47	6/8/91	63	CASS	T	
TE-105-AW-47	6/15/91	64	CASS	T	
TE-105-AW-47	6/19/91	64	CASS	T	
TE-105-AW-47	6/25/91	64	CASS	T	
TE-105-AW-47	7/1/91	63	SACS	T	
TE-105-AW-47	7/8/91	62	SACS	T	
TE-105-AW-47	7/15/91	64	SACS	T	
TE-105-AW-47	7/22/91	63	SACS	T	
TE-105-AW-47	7/29/91	63	SACS	T	
TE-105-AW-47	8/4/91	64	SACS	T	
TE-105-AW-47	8/19/91	63	SACS	T	
TE-105-AW-47	8/26/91	64	SACS	T	
TE-105-AW-47	9/2/91	65	SACS	T	
TE-105-AW-47	9/9/91	66	SACS	T	
TE-105-AW-47	9/16/91	66	SACS	T	
TE-105-AW-47	9/23/91	67	SACS	T	
TE-105-AW-47	9/30/91	67	SACS	T	
TE-105-AW-47	10/7/91	67	SACS	T	
TE-105-AW-47	10/14/91	68	SACS	T	
TE-105-AW-47	10/21/91	68	SACS	T	
TE-105-AW-47	10/28/91	68	SACS	T	
TE-105-AW-47	11/5/91	68	SACS	T	
TE-105-AW-47	11/11/91	68	SACS	T	
TE-105-AW-47	11/18/91	68	SACS	T	
TE-105-AW-47	11/25/91	73	SACS	T	
TE-105-AW-47	12/2/91	67	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-47	12/9/91	67	SACS	T	
TE-105-AW-47	12/18/91	67	SACS	T	
TE-105-AW-47	12/23/91	67	SACS	T	
TE-105-AW-47	12/30/91	66	SACS	T	
TE-105-AW-47	1/6/92	67	SACS	T	
TE-105-AW-47	1/13/92	66	SACS	T	
TE-105-AW-47	1/20/92	66	SACS	T	
TE-105-AW-47	1/27/92	65	SACS	T	
TE-105-AW-47	2/22/92	68	SACS	T	
TE-105-AW-47	3/4/92	63	SACS	T	
TE-105-AW-47	3/11/92	78	SACS	T	
TE-105-AW-47	6/29/92	64	SACS	T	
TE-105-AW-47	10/5/92	68	SACS	T	
TE-105-AW-47	10/12/92	68	SACS	T	
TE-105-AW-47	10/19/92	68	SACS	T	
TE-105-AW-47	10/26/92	68	SACS	T	
TE-105-AW-47	11/2/92	68	SACS	T	
TE-105-AW-47	11/9/92	69	SACS	T	
TE-105-AW-47	11/16/92	69	SACS	T	
TE-105-AW-47	11/23/92	70	SACS	T	
TE-105-AW-47	11/30/92	69	SACS	T	
TE-105-AW-47	12/7/92	69	SACS	T	
TE-105-AW-47	12/14/92	69	SACS	T	
TE-105-AW-47	12/21/92	68	SACS	T	
TE-105-AW-47	12/28/92	69	SACS	T	
TE-105-AW-47	1/25/93	68	SACS	T	
TE-105-AW-47	2/1/93	68	SACS	T	
TE-105-AW-47	2/8/93	67	SACS	T	
TE-105-AW-47	2/16/93	68	SACS	T	
TE-105-AW-48	7/15/83	78	CASS	T	
TE-105-AW-48	7/23/83	82	CASS	T	
TE-105-AW-48	7/28/83	81	CASS	T	
TE-105-AW-48	8/5/83	80	CASS	T	
TE-105-AW-48	8/13/83	80	CASS	T	
TE-105-AW-48	8/17/83	81	CASS	T	
TE-105-AW-48	8/23/83	82	CASS	T	
TE-105-AW-48	8/30/83	82	CASS	T	
TE-105-AW-48	9/10/83	80	CASS	T	
TE-105-AW-48	9/14/83	91	CASS	T	
TE-105-AW-48	9/18/83	91	CASS	T	
TE-105-AW-48	9/28/83	90	CASS	T	
TE-105-AW-48	10/6/83	90	CASS	T	
TE-105-AW-48	10/15/83	91	CASS	T	
TE-105-AW-48	10/16/83	92	CASS	T	
TE-105-AW-48	3/10/84	90	CASS	T	
TE-105-AW-48	3/17/84	92	CASS	T	
TE-105-AW-48	3/21/84	93	CASS	T	
TE-105-AW-48	3/31/84	92	CASS	T	
TE-105-AW-48	4/5/84	95	CASS	T	
TE-105-AW-48	4/8/84	94	CASS	T	
TE-105-AW-48	4/21/84	92	CASS	T	
TE-105-AW-48	4/28/84	93	CASS	T	
TE-105-AW-48	5/4/84	93	CASS	T	
TE-105-AW-48	5/12/84	93	CASS	T	
TE-105-AW-48	5/19/84	93	CASS	T	
TE-105-AW-48	5/26/84	94	CASS	T	
TE-105-AW-48	6/2/84	98	CASS	T	
TE-105-AW-48	6/5/84	96	CASS	T	
TE-105-AW-48	6/21/84	95	CASS	T	
TE-105-AW-48	6/30/84	97	CASS	T	
TE-105-AW-48	7/6/84	104	CASS	T	
TE-105-AW-48	7/12/84	104	CASS	T	
TE-105-AW-48	7/17/84	107	CASS	T	
TE-105-AW-48	7/28/84	101	CASS	T	
TE-105-AW-48	7/29/84	108	CASS	T	
TE-105-AW-48	8/10/84	103	CASS	T	
TE-105-AW-48	8/17/84	104	CASS	T	
TE-105-AW-48	8/24/84	107	CASS	T	
TE-105-AW-48	8/30/84	113	CASS	T	
TE-105-AW-48	9/3/84	112	CASS	T	
TE-105-AW-48	9/9/84	108	CASS	T	
TE-105-AW-48	9/22/84	108	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-48	9/23/84	106	CASS	T	
TE-105-AW-48	10/8/84	100	CASS	T	
TE-105-AW-48	10/12/84	99	CASS	T	
TE-105-AW-48	10/16/84	98	CASS	T	
TE-105-AW-48	10/23/84	96	CASS	T	
TE-105-AW-48	10/29/84	95	CASS	T	
TE-105-AW-48	11/4/84	96	CASS	T	
TE-105-AW-48	11/16/84	96	CASS	T	
TE-105-AW-48	11/19/84	94	CASS	T	
TE-105-AW-48	11/29/84	90	CASS	T	
TE-105-AW-48	12/2/84	95	CASS	T	
TE-105-AW-48	12/12/84	91	CASS	T	
TE-105-AW-48	12/17/84	94	CASS	T	
TE-105-AW-48	12/29/84	93	CASS	T	
TE-105-AW-48	12/31/84	97	CASS	T	
TE-105-AW-48	1/10/85	97	CASS	T	
TE-105-AW-48	1/14/85	94	CASS	T	
TE-105-AW-48	1/21/85	92	CASS	T	
TE-105-AW-48	2/1/85	90	CASS	T	
TE-105-AW-48	2/23/85	87	CASS	T	
TE-105-AW-48	2/26/85	87	CASS	T	
TE-105-AW-48	3/6/85	86	CASS	T	
TE-105-AW-48	3/14/85	85	CASS	T	
TE-105-AW-48	3/21/85	84	CASS	T	
TE-105-AW-48	3/30/85	83	CASS	T	
TE-105-AW-48	4/3/85	83	CASS	T	
TE-105-AW-48	4/13/85	82	CASS	T	
TE-105-AW-48	4/16/85	82	CASS	T	
TE-105-AW-48	4/27/85	81	CASS	T	
TE-105-AW-48	4/30/85	81	CASS	T	
TE-105-AW-48	5/10/85	76	CASS	T	
TE-105-AW-48	5/18/85	75	CASS	T	
TE-105-AW-48	5/24/85	76	CASS	T	
TE-105-AW-48	6/1/85	75	CASS	T	
TE-105-AW-48	6/8/85	75	CASS	T	
TE-105-AW-48	6/15/85	75	CASS	T	
TE-105-AW-48	6/19/85	75	CASS	T	
TE-105-AW-48	11/1/85	104	CASS	S	Data point did not agree with local trend
TE-105-AW-48	12/1/85	100	CASS	S	Data point did not agree with local trend
TE-105-AW-48	1/1/86	89	CASS	T	
TE-105-AW-48	1/5/86	87	CASS	T	
TE-105-AW-48	1/14/86	85	CASS	T	
TE-105-AW-48	1/21/86	83	CASS	T	
TE-105-AW-48	1/31/86	81	CASS	T	
TE-105-AW-48	2/7/86	80	CASS	T	
TE-105-AW-48	2/13/86	79	CASS	T	
TE-105-AW-48	2/19/86	78	CASS	T	
TE-105-AW-48	3/1/86	77	CASS	T	
TE-105-AW-48	3/4/86	77	CASS	T	
TE-105-AW-48	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-105-AW-48	9/19/86	94	CASS	T	
TE-105-AW-48	9/26/86	94	CASS	T	
TE-105-AW-48	10/2/86	93	CASS	T	
TE-105-AW-48	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-105-AW-48	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-105-AW-48	10/5/86	234	CASS	S	Data point did not agree with local trend
TE-105-AW-48	10/6/86	228	CASS	S	Data point did not agree with local trend
TE-105-AW-48	10/9/86	92	CASS	T	
TE-105-AW-48	10/18/86	84	CASS	T	
TE-105-AW-48	10/25/86	83	CASS	T	
TE-105-AW-48	10/30/86	83	CASS	T	
TE-105-AW-48	11/6/86	82	CASS	T	
TE-105-AW-48	11/9/86	81	CASS	T	
TE-105-AW-48	11/22/86	80	CASS	T	
TE-105-AW-48	11/28/86	79	CASS	T	
TE-105-AW-48	12/5/86	78	CASS	T	
TE-105-AW-48	12/11/86	77	CASS	T	
TE-105-AW-48	12/20/86	76	CASS	T	
TE-105-AW-48	12/27/86	75	CASS	T	
TE-105-AW-48	12/30/86	75	CASS	T	
TE-105-AW-48	7/4/87	76	CASS	T	
TE-105-AW-48	7/11/87	76	CASS	T	
TE-105-AW-48	7/18/87	77	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-48	7/25/87	83	CASS	T	
TE-105-AW-48	7/29/87	83	CASS	T	
TE-105-AW-48	8/3/87	82	CASS	T	
TE-105-AW-48	8/11/87	81	CASS	T	
TE-105-AW-48	8/22/87	80	CASS	T	
TE-105-AW-48	8/27/87	80	CASS	T	
TE-105-AW-48	9/5/87	78	CASS	T	
TE-105-AW-48	9/11/87	85	CASS	T	
TE-105-AW-48	11/27/87	98	CASS	T	
TE-105-AW-48	11/29/87	86	CASS	T	
TE-105-AW-48	3/26/88	70	CASS	T	
TE-105-AW-48	3/30/88	69	CASS	T	
TE-105-AW-48	6/4/88	72	CASS	T	
TE-105-AW-48	6/6/88	78	CASS	T	
TE-105-AW-48	6/19/88	73	CASS	T	
TE-105-AW-48	6/25/88	73	CASS	T	
TE-105-AW-48	6/29/88	122	CASS	S	Data point did not agree with local trend
TE-105-AW-48	7/2/88	73	CASS	T	
TE-105-AW-48	7/9/88	73	CASS	T	
TE-105-AW-48	7/16/88	73	CASS	T	
TE-105-AW-48	7/23/88	73	CASS	T	
TE-105-AW-48	7/25/88	228	CASS	S	Data point did not agree with local trend
TE-105-AW-48	7/30/88	74	CASS	T	
TE-105-AW-48	8/2/88	91	CASS	S	Data point did not agree with local trend
TE-105-AW-48	8/4/88	74	CASS	T	
TE-105-AW-48	8/10/88	75	CASS	T	
TE-105-AW-48	12/2/88	83	CASS	T	
TE-105-AW-48	12/9/88	87	CASS	T	
TE-105-AW-48	12/11/88	86	CASS	T	
TE-105-AW-48	12/18/88	82	CASS	T	
TE-105-AW-48	9/2/89	74	CASS	T	
TE-105-AW-48	9/9/89	74	CASS	T	
TE-105-AW-48	9/16/89	74	CASS	T	
TE-105-AW-48	9/23/89	74	CASS	T	
TE-105-AW-48	9/30/89	74	CASS	T	
TE-105-AW-48	11/4/89	72	CASS	T	
TE-105-AW-48	11/11/89	72	CASS	T	
TE-105-AW-48	11/18/89	72	CASS	T	
TE-105-AW-48	11/23/89	72	CASS	T	
TE-105-AW-48	11/26/89	73	CASS	T	
TE-105-AW-48	12/4/89	73	CASS	T	
TE-105-AW-48	12/11/89	73	CASS	T	
TE-105-AW-48	12/22/89	74	CASS	T	
TE-105-AW-48	12/26/89	74	CASS	T	
TE-105-AW-48	1/1/90	73	CASS	T	
TE-105-AW-48	1/10/90	72	CASS	T	
TE-105-AW-48	1/15/90	71	CASS	T	
TE-105-AW-48	1/21/90	70	CASS	T	
TE-105-AW-48	1/31/90	69	CASS	T	
TE-105-AW-48	2/10/90	68	CASS	T	
TE-105-AW-48	2/13/90	68	CASS	T	
TE-105-AW-48	2/24/90	68	CASS	T	
TE-105-AW-48	2/28/90	69	CASS	T	
TE-105-AW-48	3/8/90	68	CASS	T	
TE-105-AW-48	3/14/90	67	CASS	T	
TE-105-AW-48	3/22/90	66	CASS	T	
TE-105-AW-48	3/27/90	66	CASS	T	
TE-105-AW-48	4/7/90	65	CASS	T	
TE-105-AW-48	4/14/90	65	CASS	T	
TE-105-AW-48	4/21/90	66	CASS	T	
TE-105-AW-48	4/28/90	66	CASS	T	
TE-105-AW-48	5/2/90	66	CASS	S	Data point did not agree with local trend
TE-105-AW-48	5/5/90	66	CASS	T	
TE-105-AW-48	5/12/90	66	CASS	T	
TE-105-AW-48	5/19/90	66	CASS	T	
TE-105-AW-48	5/22/90	66	CASS	T	
TE-105-AW-48	6/2/90	66	CASS	T	
TE-105-AW-48	6/9/90	67	CASS	T	
TE-105-AW-48	6/16/90	67	CASS	T	
TE-105-AW-48	6/23/90	67	CASS	T	
TE-105-AW-48	6/30/90	67	CASS	T	
TE-105-AW-48	7/3/90	73	CASS	T	
TE-105-AW-48	7/14/90	68	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-48	7/21/90	89	CASS	T	
TE-105-AW-48	7/28/90	89	CASS	T	
TE-105-AW-48	8/4/90	89	CASS	T	
TE-105-AW-48	8/11/90	70	CASS	T	
TE-105-AW-48	8/18/90	70	CASS	T	
TE-105-AW-48	8/25/90	71	CASS	T	
TE-105-AW-48	9/1/90	71	CASS	T	
TE-105-AW-48	9/8/90	71	CASS	T	
TE-105-AW-48	9/15/90	71	CASS	T	
TE-105-AW-48	9/22/90	71	CASS	T	
TE-105-AW-48	9/28/90	72	CASS	T	
TE-105-AW-48	10/4/90	72	CASS	T	
TE-105-AW-48	10/13/90	71	CASS	T	
TE-105-AW-48	10/20/90	71	CASS	T	
TE-105-AW-48	10/23/90	71	CASS	T	
TE-105-AW-48	11/1/90	70	CASS	T	
TE-105-AW-48	11/9/90	75	CASS	T	
TE-105-AW-48	11/11/90	89	CASS	T	
TE-105-AW-48	11/18/90	68	CASS	T	
TE-105-AW-48	11/28/90	67	CASS	T	
TE-105-AW-48	12/6/90	74	CASS	T	
TE-105-AW-48	12/9/90	66	CASS	T	
TE-105-AW-48	12/16/90	65	CASS	T	
TE-105-AW-48	12/28/90	62	CASS	T	
TE-105-AW-48	1/5/91	61	CASS	T	
TE-105-AW-48	1/12/91	62	CASS	T	
TE-105-AW-48	1/19/91	62	CASS	T	
TE-105-AW-48	1/25/91	62	CASS	T	
TE-105-AW-48	2/2/91	61	CASS	T	
TE-105-AW-48	2/9/91	62	CASS	T	
TE-105-AW-48	2/16/91	62	CASS	T	
TE-105-AW-48	2/22/91	62	CASS	T	
TE-105-AW-48	3/2/91	61	CASS	T	
TE-105-AW-48	3/9/91	61	CASS	T	
TE-105-AW-48	3/13/91	61	CASS	T	
TE-105-AW-48	3/23/91	61	CASS	T	
TE-105-AW-48	3/25/91	61	CASS	T	
TE-105-AW-48	4/6/91	61	CASS	T	
TE-105-AW-48	4/13/91	61	CASS	T	
TE-105-AW-48	4/20/91	61	CASS	T	
TE-105-AW-48	4/27/91	61	CASS	T	
TE-105-AW-48	5/4/91	62	CASS	T	
TE-105-AW-48	5/11/91	62	CASS	T	
TE-105-AW-48	5/18/91	62	CASS	T	
TE-105-AW-48	5/25/91	63	CASS	T	
TE-105-AW-48	5/31/91	63	CASS	T	
TE-105-AW-48	6/8/91	63	CASS	T	
TE-105-AW-48	6/15/91	63	CASS	T	
TE-105-AW-48	6/20/91	64	CASS	T	
TE-105-AW-48	6/25/91	64	CASS	T	
TE-105-AW-49	7/15/83	78	CASS	T	
TE-105-AW-49	7/23/83	82	CASS	T	
TE-105-AW-49	7/28/83	81	CASS	T	
TE-105-AW-49	8/5/83	80	CASS	T	
TE-105-AW-49	8/13/83	80	CASS	T	
TE-105-AW-49	8/17/83	81	CASS	T	
TE-105-AW-49	8/23/83	81	CASS	T	
TE-105-AW-49	8/31/83	81	CASS	T	
TE-105-AW-49	9/10/83	80	CASS	T	
TE-105-AW-49	9/14/83	91	CASS	T	
TE-105-AW-49	9/21/83	90	CASS	T	
TE-105-AW-49	9/28/83	90	CASS	T	
TE-105-AW-49	10/5/83	90	CASS	T	
TE-105-AW-49	10/15/83	94	CASS	T	
TE-105-AW-49	10/18/83	94	CASS	T	
TE-105-AW-49	3/10/84	91	CASS	T	
TE-105-AW-49	3/17/84	93	CASS	T	
TE-105-AW-49	3/24/84	93	CASS	T	
TE-105-AW-49	3/30/84	96	CASS	T	
TE-105-AW-49	4/3/84	96	CASS	T	
TE-105-AW-49	4/11/84	94	CASS	T	
TE-105-AW-49	4/21/84	94	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-49	4/27/84	95	CASS	T	
TE-105-AW-49	5/3/84	94	CASS	T	
TE-105-AW-49	5/12/84	95	CASS	T	
TE-105-AW-49	5/13/84	95	CASS	T	
TE-105-AW-49	5/26/84	94	CASS	T	
TE-105-AW-49	6/2/84	98	CASS	T	
TE-105-AW-49	6/3/84	98	CASS	T	
TE-105-AW-49	6/21/84	95	CASS	T	
TE-105-AW-49	8/30/84	97	CASS	T	
TE-105-AW-49	7/6/84	104	CASS	T	
TE-105-AW-49	7/12/84	104	CASS	T	
TE-105-AW-49	7/17/84	107	CASS	T	
TE-105-AW-49	7/28/84	101	CASS	T	
TE-105-AW-49	7/29/84	108	CASS	T	
TE-105-AW-49	8/10/84	103	CASS	T	
TE-105-AW-49	8/17/84	104	CASS	T	
TE-105-AW-49	8/24/84	107	CASS	T	
TE-105-AW-49	8/30/84	113	CASS	T	
TE-105-AW-49	9/3/84	112	CASS	T	
TE-105-AW-49	9/9/84	108	CASS	T	
TE-105-AW-49	9/22/84	108	CASS	T	
TE-105-AW-49	9/23/84	107	CASS	T	
TE-105-AW-49	10/6/84	100	CASS	T	
TE-105-AW-49	10/12/84	99	CASS	T	
TE-105-AW-49	10/16/84	98	CASS	T	
TE-105-AW-49	10/23/84	98	CASS	T	
TE-105-AW-49	10/29/84	95	CASS	T	
TE-105-AW-49	11/4/84	96	CASS	T	
TE-105-AW-49	11/16/84	96	CASS	T	
TE-105-AW-49	11/21/84	93	CASS	T	
TE-105-AW-49	11/29/84	90	CASS	T	
TE-105-AW-49	12/2/84	95	CASS	T	
TE-105-AW-49	12/12/84	81	CASS	T	
TE-105-AW-49	12/17/84	94	CASS	T	
TE-105-AW-49	12/29/84	92	CASS	T	
TE-105-AW-49	1/1/85	94	CASS	T	
TE-105-AW-49	1/8/85	93	CASS	T	
TE-105-AW-49	1/13/85	90	CASS	T	
TE-105-AW-49	1/26/85	87	CASS	T	
TE-105-AW-49	1/31/85	87	CASS	T	
TE-105-AW-49	2/6/85	88	CASS	T	
TE-105-AW-49	2/16/85	85	CASS	T	
TE-105-AW-49	2/19/85	85	CASS	T	
TE-105-AW-49	2/26/85	84	CASS	T	
TE-105-AW-49	3/7/85	83	CASS	T	
TE-105-AW-49	3/16/85	82	CASS	T	
TE-105-AW-49	3/17/85	82	CASS	T	
TE-105-AW-49	3/28/85	81	CASS	T	
TE-105-AW-49	4/6/85	80	CASS	T	
TE-105-AW-49	4/13/85	80	CASS	T	
TE-105-AW-49	4/16/85	80	CASS	T	
TE-105-AW-49	4/27/85	79	CASS	T	
TE-105-AW-49	4/30/85	79	CASS	T	
TE-105-AW-49	5/10/85	78	CASS	T	
TE-105-AW-49	5/18/85	75	CASS	T	
TE-105-AW-49	5/24/85	76	CASS	T	
TE-105-AW-49	6/1/85	75	CASS	T	
TE-105-AW-49	6/8/85	75	CASS	T	
TE-105-AW-49	6/16/85	75	CASS	T	
TE-105-AW-49	6/19/85	75	CASS	T	
TE-105-AW-49	11/1/85	99	CASS	T	
TE-105-AW-49	12/1/85	100	CASS	T	
TE-105-AW-49	1/1/86	89	CASS	T	
TE-105-AW-49	1/5/86	87	CASS	T	
TE-105-AW-49	1/14/86	85	CASS	T	
TE-105-AW-49	1/21/86	83	CASS	T	
TE-105-AW-49	1/31/86	81	CASS	T	
TE-105-AW-49	2/7/86	80	CASS	T	
TE-105-AW-49	2/13/86	79	CASS	T	
TE-105-AW-49	2/19/86	78	CASS	T	
TE-105-AW-49	3/1/86	77	CASS	T	
TE-105-AW-49	3/4/86	77	CASS	T	
TE-105-AW-49	9/13/86	200	CASS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-49	9/19/86	94	CASS	T	
TE-105-AW-49	9/26/86	94	CASS	T	
TE-105-AW-49	10/2/86	93	CASS	T	
TE-105-AW-49	10/3/86	243	CASS	S	Date point did not agree with local trend
TE-105-AW-49	10/4/86	242	CASS	S	Date point did not agree with local trend
TE-105-AW-49	10/5/86	235	CASS	S	Date point did not agree with local trend
TE-105-AW-49	10/6/86	228	CASS	S	Date point did not agree with local trend
TE-105-AW-49	10/9/86	92	CASS	T	
TE-105-AW-49	10/18/86	84	CASS	T	
TE-105-AW-49	10/25/86	83	CASS	T	
TE-105-AW-49	10/30/86	83	CASS	T	
TE-105-AW-49	11/6/86	82	CASS	T	
TE-105-AW-49	11/9/86	81	CASS	T	
TE-105-AW-49	11/21/86	80	CASS	T	
TE-105-AW-49	11/28/86	79	CASS	T	
TE-105-AW-49	12/5/86	78	CASS	T	
TE-105-AW-49	12/10/86	77	CASS	T	
TE-105-AW-49	12/18/86	76	CASS	T	
TE-105-AW-49	12/27/86	75	CASS	T	
TE-105-AW-49	12/31/86	74	CASS	T	
TE-105-AW-49	7/4/87	76	CASS	T	
TE-105-AW-49	7/11/87	76	CASS	T	
TE-105-AW-49	7/18/87	77	CASS	T	
TE-105-AW-49	7/25/87	85	CASS	T	
TE-105-AW-49	7/28/87	85	CASS	T	
TE-105-AW-49	8/5/87	82	CASS	T	
TE-105-AW-49	8/15/87	81	CASS	T	
TE-105-AW-49	8/22/87	80	CASS	T	
TE-105-AW-49	8/27/87	80	CASS	T	
TE-105-AW-49	8/30/87	79	CASS	T	
TE-105-AW-49	9/11/87	85	CASS	T	
TE-105-AW-49	11/27/87	98	CASS	T	
TE-105-AW-49	11/29/87	86	CASS	T	
TE-105-AW-49	3/26/88	70	CASS	T	
TE-105-AW-49	3/30/88	69	CASS	T	
TE-105-AW-49	6/4/88	72	CASS	T	
TE-105-AW-49	6/8/88	76	CASS	T	
TE-105-AW-49	6/18/88	73	CASS	T	
TE-105-AW-49	6/25/88	73	CASS	T	
TE-105-AW-49	7/2/88	73	CASS	T	
TE-105-AW-49	7/9/88	73	CASS	T	
TE-105-AW-49	7/16/88	73	CASS	T	
TE-105-AW-49	7/18/88	82	CASS	T	
TE-105-AW-49	7/30/88	74	CASS	T	
TE-105-AW-49	8/2/88	82	CASS	T	
TE-105-AW-49	8/10/88	75	CASS	T	
TE-105-AW-49	12/2/88	82	CASS	T	
TE-105-AW-49	12/6/88	84	CASS	T	
TE-105-AW-49	12/12/88	82	CASS	T	
TE-105-AW-49	12/18/88	79	CASS	T	
TE-105-AW-49	9/2/89	74	CASS	T	
TE-105-AW-49	9/9/89	74	CASS	T	
TE-105-AW-49	9/16/89	74	CASS	T	
TE-105-AW-49	9/23/89	74	CASS	T	
TE-105-AW-49	9/30/89	74	CASS	T	
TE-105-AW-49	11/4/89	71	CASS	T	
TE-105-AW-49	11/11/89	71	CASS	T	
TE-105-AW-49	11/16/89	71	CASS	T	
TE-105-AW-49	11/20/89	71	CASS	T	
TE-105-AW-49	11/26/89	70	CASS	T	
TE-105-AW-49	12/4/89	70	CASS	T	
TE-105-AW-49	12/11/89	69	CASS	T	
TE-105-AW-49	12/23/89	71	CASS	T	
TE-105-AW-49	12/30/89	72	CASS	T	
TE-105-AW-49	12/31/89	71	CASS	T	
TE-105-AW-49	1/7/90	73	CASS	T	
TE-105-AW-49	1/20/90	69	CASS	T	
TE-105-AW-49	1/23/90	69	CASS	T	
TE-105-AW-49	2/3/90	68	CASS	T	
TE-105-AW-49	2/10/90	68	CASS	T	
TE-105-AW-49	2/13/90	68	CASS	T	
TE-105-AW-49	2/24/90	67	CASS	T	
TE-105-AW-49	2/26/90	70	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-49	3/8/90	68	CASS	T	
TE-105-AW-49	3/15/90	65	CASS	T	
TE-105-AW-49	3/22/90	64	CASS	T	
TE-105-AW-49	3/31/90	64	CASS	T	
TE-105-AW-49	4/7/90	64	CASS	T	
TE-105-AW-49	4/13/90	65	CASS	T	
TE-105-AW-49	4/21/90	65	CASS	T	
TE-105-AW-49	4/28/90	65	CASS	T	
TE-105-AW-49	5/2/90	83	CASS	S	Data point did not agree with local trend
TE-105-AW-49	5/5/90	65	CASS	T	
TE-105-AW-49	5/12/90	66	CASS	T	
TE-105-AW-49	5/18/90	66	CASS	T	
TE-105-AW-49	5/22/90	66	CASS	T	
TE-105-AW-49	6/2/90	66	CASS	T	
TE-105-AW-49	6/9/90	66	CASS	T	
TE-105-AW-49	6/16/90	67	CASS	T	
TE-105-AW-49	6/23/90	67	CASS	T	
TE-105-AW-49	6/30/90	68	CASS	T	
TE-105-AW-49	7/3/90	72	CASS	T	
TE-105-AW-49	7/14/90	70	CASS	T	
TE-105-AW-49	7/21/90	70	CASS	T	
TE-105-AW-49	7/28/90	71	CASS	T	
TE-105-AW-49	8/4/90	72	CASS	T	
TE-105-AW-49	8/11/90	72	CASS	T	
TE-105-AW-49	8/18/90	73	CASS	T	
TE-105-AW-49	8/20/90	73	CASS	T	
TE-105-AW-49	8/30/90	73	CASS	T	
TE-105-AW-49	9/8/90	73	CASS	T	
TE-105-AW-49	9/15/90	73	CASS	T	
TE-105-AW-49	9/22/90	73	CASS	T	
TE-105-AW-49	9/28/90	73	CASS	T	
TE-105-AW-49	10/6/90	72	CASS	T	
TE-105-AW-49	10/7/90	72	CASS	T	
TE-105-AW-49	10/16/90	71	CASS	T	
TE-105-AW-49	10/23/90	70	CASS	T	
TE-105-AW-49	11/1/90	69	CASS	T	
TE-105-AW-49	11/8/90	74	CASS	T	
TE-105-AW-49	11/11/90	68	CASS	T	
TE-105-AW-49	11/24/90	67	CASS	T	
TE-105-AW-49	11/26/90	67	CASS	T	
TE-105-AW-49	12/6/90	74	CASS	T	
TE-105-AW-49	12/14/90	65	CASS	T	
TE-105-AW-49	12/19/90	64	CASS	T	
TE-105-AW-49	12/28/90	62	CASS	T	
TE-105-AW-49	1/5/91	61	CASS	T	
TE-105-AW-49	1/12/91	62	CASS	T	
TE-105-AW-49	1/19/91	62	CASS	T	
TE-105-AW-49	1/25/91	62	CASS	T	
TE-105-AW-49	2/2/91	61	CASS	T	
TE-105-AW-49	2/5/91	62	CASS	T	
TE-105-AW-49	2/16/91	62	CASS	T	
TE-105-AW-49	2/23/91	61	CASS	T	
TE-105-AW-49	3/2/91	61	CASS	T	
TE-105-AW-49	3/8/91	61	CASS	T	
TE-105-AW-49	3/13/91	61	CASS	T	
TE-105-AW-49	3/23/91	61	CASS	T	
TE-105-AW-49	3/25/91	61	CASS	T	
TE-105-AW-49	4/6/91	61	CASS	T	
TE-105-AW-49	4/13/91	61	CASS	T	
TE-105-AW-49	4/20/91	61	CASS	T	
TE-105-AW-49	4/27/91	61	CASS	T	
TE-105-AW-49	5/4/91	62	CASS	T	
TE-105-AW-49	5/11/91	62	CASS	T	
TE-105-AW-49	5/18/91	62	CASS	T	
TE-105-AW-49	5/25/91	63	CASS	T	
TE-105-AW-49	5/31/91	63	CASS	T	
TE-105-AW-49	6/8/91	63	CASS	T	
TE-105-AW-49	6/15/91	64	CASS	T	
TE-105-AW-49	6/20/91	64	CASS	T	
TE-105-AW-49	6/25/91	64	CASS	T	
TE-105-AW-50	7/16/83	78	CASS	T	
TE-105-AW-50	7/23/83	81	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-50	7/28/83	81	CASS	T	
TE-105-AW-50	8/5/83	80	CASS	T	
TE-105-AW-50	8/13/83	80	CASS	T	
TE-105-AW-50	8/17/83	81	CASS	T	
TE-105-AW-50	8/24/83	80	CASS	T	
TE-105-AW-50	8/31/83	81	CASS	T	
TE-105-AW-50	9/10/83	81	CASS	T	
TE-105-AW-50	9/14/83	90	CASS	T	
TE-105-AW-50	9/22/83	90	CASS	T	
TE-105-AW-50	9/28/83	89	CASS	T	
TE-105-AW-50	10/5/83	88	CASS	T	
TE-105-AW-50	10/16/83	92	CASS	T	
TE-105-AW-50	10/16/83	90	CASS	T	
TE-105-AW-50	3/9/84	94	CASS	T	
TE-105-AW-50	3/15/84	94	CASS	T	
TE-105-AW-50	3/24/84	97	CASS	T	
TE-105-AW-50	3/29/84	99	CASS	T	
TE-105-AW-50	4/2/84	97	CASS	T	
TE-105-AW-50	4/11/84	94	CASS	T	
TE-105-AW-50	4/19/84	97	CASS	T	
TE-105-AW-50	4/23/84	97	CASS	T	
TE-105-AW-50	5/3/84	98	CASS	T	
TE-105-AW-50	5/10/84	96	CASS	T	
TE-105-AW-50	5/19/84	93	CASS	T	
TE-105-AW-50	5/26/84	94	CASS	T	
TE-105-AW-50	6/2/84	98	CASS	T	
TE-105-AW-50	6/3/84	96	CASS	T	
TE-105-AW-50	6/21/84	95	CASS	T	
TE-105-AW-50	6/30/84	96	CASS	T	
TE-105-AW-50	7/6/84	104	CASS	T	
TE-105-AW-50	7/12/84	104	CASS	T	
TE-105-AW-50	7/17/84	108	CASS	T	
TE-105-AW-50	7/28/84	101	CASS	T	
TE-105-AW-50	7/29/84	108	CASS	T	
TE-105-AW-50	8/10/84	103	CASS	T	
TE-105-AW-50	8/17/84	104	CASS	T	
TE-105-AW-50	8/24/84	107	CASS	T	
TE-105-AW-50	8/30/84	113	CASS	T	
TE-105-AW-50	9/3/84	112	CASS	T	
TE-105-AW-50	9/10/84	107	CASS	T	
TE-105-AW-50	9/22/84	108	CASS	T	
TE-105-AW-50	9/23/84	107	CASS	T	
TE-105-AW-50	10/6/84	100	CASS	T	
TE-105-AW-50	10/11/84	99	CASS	T	
TE-105-AW-50	10/15/84	98	CASS	T	
TE-105-AW-50	10/21/84	96	CASS	T	
TE-105-AW-50	10/29/84	95	CASS	T	
TE-105-AW-50	11/4/84	98	CASS	T	
TE-105-AW-50	11/16/84	96	CASS	T	
TE-105-AW-50	11/19/84	93	CASS	T	
TE-105-AW-50	11/29/84	90	CASS	T	
TE-105-AW-50	12/2/84	95	CASS	T	
TE-105-AW-50	12/12/84	91	CASS	T	
TE-105-AW-50	12/17/84	94	CASS	T	
TE-105-AW-50	12/29/84	91	CASS	T	
TE-105-AW-50	1/1/85	94	CASS	T	
TE-105-AW-50	1/7/85	97	CASS	T	
TE-105-AW-50	1/19/85	87	CASS	T	
TE-105-AW-50	1/26/85	86	CASS	T	
TE-105-AW-50	2/1/85	86	CASS	T	
TE-105-AW-50	2/9/85	85	CASS	T	
TE-105-AW-50	2/16/85	84	CASS	T	
TE-105-AW-50	2/22/85	84	CASS	T	
TE-105-AW-50	3/1/85	83	CASS	T	
TE-105-AW-50	3/9/85	82	CASS	T	
TE-105-AW-50	3/12/85	82	CASS	T	
TE-105-AW-50	3/21/85	81	CASS	T	
TE-105-AW-50	3/30/85	80	CASS	T	
TE-105-AW-50	4/6/85	80	CASS	T	
TE-105-AW-50	4/12/85	80	CASS	T	
TE-105-AW-50	4/16/85	80	CASS	T	
TE-105-AW-50	4/27/85	79	CASS	T	
TE-105-AW-50	4/30/85	79	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1985; and Surveillance Analysis Computer System (SACS), June 1985.

TANK 241-AW-105					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-50	5/10/85	76	CASS	T	
TE-105-AW-50	5/18/85	75	CASS	T	
TE-105-AW-50	5/25/85	75	CASS	T	
TE-105-AW-50	6/1/85	75	CASS	T	
TE-105-AW-50	6/8/85	75	CASS	T	
TE-105-AW-50	6/15/85	75	CASS	T	
TE-105-AW-50	6/19/85	75	CASS	T	
TE-105-AW-50	11/1/85	98	CASS	T	
TE-105-AW-50	12/1/85	100	CASS	T	
TE-105-AW-50	1/1/86	89	CASS	T	
TE-105-AW-50	1/5/86	87	CASS	T	
TE-105-AW-50	1/17/86	84	CASS	T	
TE-105-AW-50	1/21/86	83	CASS	T	
TE-105-AW-50	1/31/86	81	CASS	T	
TE-105-AW-50	2/7/86	80	CASS	T	
TE-105-AW-50	2/13/86	79	CASS	T	
TE-105-AW-50	2/19/86	78	CASS	T	
TE-105-AW-50	3/1/86	77	CASS	T	
TE-105-AW-50	3/4/86	77	CASS	T	
TE-105-AW-50	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-105-AW-50	9/19/86	94	CASS	T	
TE-105-AW-50	9/26/86	94	CASS	T	
TE-105-AW-50	10/2/86	93	CASS	T	
TE-105-AW-50	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-105-AW-50	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-105-AW-50	10/5/86	235	CASS	S	Data point did not agree with local trend
TE-105-AW-50	10/8/86	228	CASS	S	Data point did not agree with local trend
TE-105-AW-50	10/9/86	92	CASS	T	
TE-105-AW-50	10/18/86	84	CASS	T	
TE-105-AW-50	10/25/86	83	CASS	T	
TE-105-AW-50	10/30/86	83	CASS	T	
TE-105-AW-50	11/6/86	82	CASS	T	
TE-105-AW-50	11/9/86	81	CASS	T	
TE-105-AW-50	11/21/86	80	CASS	T	
TE-105-AW-50	11/28/86	79	CASS	T	
TE-105-AW-50	12/4/86	78	CASS	T	
TE-105-AW-50	12/10/86	77	CASS	T	
TE-105-AW-50	12/18/86	76	CASS	T	
TE-105-AW-50	12/27/86	75	CASS	T	
TE-105-AW-50	12/31/86	74	CASS	T	
TE-105-AW-50	7/4/87	76	CASS	T	
TE-105-AW-50	7/11/87	76	CASS	T	
TE-105-AW-50	7/18/87	76	CASS	T	
TE-105-AW-50	7/25/87	84	CASS	T	
TE-105-AW-50	7/29/87	82	CASS	T	
TE-105-AW-50	8/4/87	81	CASS	T	
TE-105-AW-50	8/15/87	80	CASS	T	
TE-105-AW-50	8/19/87	80	CASS	T	
TE-105-AW-50	8/29/87	79	CASS	T	
TE-105-AW-50	8/30/87	79	CASS	T	
TE-105-AW-50	9/11/87	85	CASS	T	
TE-105-AW-50	11/27/87	93	CASS	T	
TE-105-AW-50	11/29/87	81	CASS	T	
TE-105-AW-50	3/26/88	70	CASS	T	
TE-105-AW-50	3/30/88	69	CASS	T	
TE-105-AW-50	6/4/88	72	CASS	T	
TE-105-AW-50	6/6/88	77	CASS	T	
TE-105-AW-50	6/18/88	73	CASS	T	
TE-105-AW-50	6/25/88	73	CASS	T	
TE-105-AW-50	7/2/88	73	CASS	T	
TE-105-AW-50	7/9/88	73	CASS	T	
TE-105-AW-50	7/10/88	368	CASS	S	Data point did not agree with local trend
TE-105-AW-50	7/12/88	73	CASS	T	
TE-105-AW-50	7/18/88	236	CASS	S	Data point did not agree with local trend
TE-105-AW-50	7/23/88	73	CASS	T	
TE-105-AW-50	7/30/88	74	CASS	T	
TE-105-AW-50	8/2/88	85	CASS	S	Data point did not agree with local trend
TE-105-AW-50	8/4/88	74	CASS	T	
TE-105-AW-50	8/10/88	75	CASS	T	
TE-105-AW-50	12/2/88	82	CASS	T	
TE-105-AW-50	12/6/88	85	CASS	T	
TE-105-AW-50	12/12/88	82	CASS	T	
TE-105-AW-50	12/18/88	79	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-50	9/2/89	74	CASS	T	
TE-105-AW-50	9/9/89	74	CASS	T	
TE-105-AW-50	9/16/89	74	CASS	T	
TE-105-AW-50	9/23/89	74	CASS	T	
TE-105-AW-50	9/30/89	74	CASS	T	
TE-105-AW-50	11/4/89	71	CASS	T	
TE-105-AW-50	11/10/89	72	CASS	T	
TE-105-AW-50	11/18/89	71	CASS	T	
TE-105-AW-50	11/21/89	71	CASS	T	
TE-105-AW-50	11/26/89	70	CASS	T	
TE-105-AW-50	12/4/89	70	CASS	T	
TE-105-AW-50	12/11/89	69	CASS	T	
TE-105-AW-50	12/23/89	72	CASS	T	
TE-105-AW-50	12/25/89	70	CASS	T	
TE-105-AW-50	1/8/90	68	CASS	T	
TE-105-AW-50	1/7/90	69	CASS	T	
TE-105-AW-50	1/18/90	67	CASS	T	
TE-105-AW-50	1/27/90	68	CASS	T	
TE-105-AW-50	2/3/90	66	CASS	T	
TE-105-AW-50	2/10/90	66	CASS	T	
TE-105-AW-50	2/11/90	66	CASS	T	
TE-105-AW-50	2/24/90	65	CASS	T	
TE-105-AW-50	2/27/90	66	CASS	T	
TE-105-AW-50	3/10/90	64	CASS	T	
TE-105-AW-50	3/11/90	64	CASS	T	
TE-105-AW-50	3/20/90	64	CASS	T	
TE-105-AW-50	3/31/90	64	CASS	T	
TE-105-AW-50	4/7/90	64	CASS	T	
TE-105-AW-50	4/14/90	64	CASS	T	
TE-105-AW-50	4/21/90	65	CASS	T	
TE-105-AW-50	4/27/90	65	CASS	T	
TE-105-AW-50	5/2/90	66	CASS	S	Data point did not agree with local trend
TE-105-AW-50	5/5/90	65	CASS	T	
TE-105-AW-50	5/12/90	65	CASS	T	
TE-105-AW-50	5/19/90	65	CASS	T	
TE-105-AW-50	5/22/90	66	CASS	T	
TE-105-AW-50	6/2/90	65	CASS	T	
TE-105-AW-50	6/9/90	66	CASS	T	
TE-105-AW-50	6/16/90	67	CASS	T	
TE-105-AW-50	6/23/90	68	CASS	T	
TE-105-AW-50	6/30/90	69	CASS	T	
TE-105-AW-50	7/3/90	71	CASS	T	
TE-105-AW-50	7/14/90	71	CASS	T	
TE-105-AW-50	7/21/90	71	CASS	T	
TE-105-AW-50	7/28/90	72	CASS	T	
TE-105-AW-50	8/4/90	73	CASS	T	
TE-105-AW-50	8/11/90	73	CASS	T	
TE-105-AW-50	8/18/90	74	CASS	T	
TE-105-AW-50	8/19/90	74	CASS	T	
TE-105-AW-50	9/1/90	73	CASS	T	
TE-105-AW-50	9/8/90	73	CASS	T	
TE-105-AW-50	9/12/90	74	CASS	T	
TE-105-AW-50	9/22/90	73	CASS	T	
TE-105-AW-50	9/29/90	73	CASS	T	
TE-105-AW-50	9/30/90	73	CASS	T	
TE-105-AW-50	10/10/90	71	CASS	T	
TE-105-AW-50	10/16/90	70	CASS	T	
TE-105-AW-50	10/23/90	69	CASS	T	
TE-105-AW-50	10/31/90	68	CASS	T	
TE-105-AW-50	11/9/90	74	CASS	T	
TE-105-AW-50	11/12/90	67	CASS	T	
TE-105-AW-50	11/24/90	66	CASS	T	
TE-105-AW-50	11/26/90	66	CASS	T	
TE-105-AW-50	12/6/90	73	CASS	T	
TE-105-AW-50	12/11/90	64	CASS	T	
TE-105-AW-50	12/18/90	63	CASS	T	
TE-105-AW-50	12/28/90	60	CASS	T	
TE-105-AW-50	1/5/91	59	CASS	T	
TE-105-AW-50	1/12/91	60	CASS	T	
TE-105-AW-50	1/19/91	60	CASS	T	
TE-105-AW-50	1/25/91	60	CASS	T	
TE-105-AW-50	2/2/91	60	CASS	T	
TE-105-AW-50	2/9/91	60	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-50	2/16/91	60	CASS	T	
TE-105-AW-50	2/23/91	60	CASS	T	
TE-105-AW-50	3/2/91	60	CASS	T	
TE-105-AW-50	3/9/91	60	CASS	T	
TE-105-AW-50	3/13/91	60	CASS	T	
TE-105-AW-50	3/23/91	60	CASS	T	
TE-105-AW-50	3/30/91	59	CASS	T	
TE-105-AW-50	4/6/91	60	CASS	T	
TE-105-AW-50	4/13/91	60	CASS	T	
TE-105-AW-50	4/20/91	61	CASS	T	
TE-105-AW-50	4/27/91	61	CASS	T	
TE-105-AW-50	5/4/91	62	CASS	T	
TE-105-AW-50	5/11/91	62	CASS	T	
TE-105-AW-50	5/18/91	62	CASS	T	
TE-105-AW-50	5/25/91	63	CASS	T	
TE-105-AW-50	5/31/91	63	CASS	T	
TE-105-AW-50	6/8/91	64	CASS	T	
TE-105-AW-50	6/15/91	64	CASS	T	
TE-105-AW-50	6/20/91	64	CASS	T	
TE-105-AW-50	6/26/91	65	CASS	T	
TE-105-AW-51	7/14/83	79	CASS	T	
TE-105-AW-51	7/23/83	81	CASS	T	
TE-105-AW-51	7/28/83	81	CASS	T	
TE-105-AW-51	8/6/83	80	CASS	T	
TE-105-AW-51	8/13/83	80	CASS	T	
TE-105-AW-51	8/17/83	81	CASS	T	
TE-105-AW-51	8/24/83	80	CASS	T	
TE-105-AW-51	8/31/83	81	CASS	T	
TE-105-AW-51	9/10/83	81	CASS	T	
TE-105-AW-51	9/14/83	90	CASS	T	
TE-105-AW-51	9/22/83	90	CASS	T	
TE-105-AW-51	9/28/83	89	CASS	T	
TE-105-AW-51	10/5/83	88	CASS	T	
TE-105-AW-51	10/15/83	91	CASS	T	
TE-105-AW-51	10/16/83	89	CASS	T	
TE-105-AW-51	3/8/84	96	CASS	T	
TE-105-AW-51	3/13/84	95	CASS	T	
TE-105-AW-51	3/20/84	98	CASS	T	
TE-105-AW-51	3/28/84	102	CASS	T	
TE-105-AW-51	4/2/84	97	CASS	T	
TE-105-AW-51	4/10/84	97	CASS	T	
TE-105-AW-51	4/21/84	94	CASS	T	
TE-105-AW-51	4/26/84	95	CASS	T	
TE-105-AW-51	5/1/84	99	CASS	T	
TE-105-AW-51	5/10/84	92	CASS	T	
TE-105-AW-51	5/19/84	94	CASS	T	
TE-105-AW-51	5/26/84	94	CASS	T	
TE-105-AW-51	6/2/84	97	CASS	T	
TE-105-AW-51	6/3/84	96	CASS	T	
TE-105-AW-51	6/21/84	95	CASS	T	
TE-105-AW-51	6/30/84	96	CASS	T	
TE-105-AW-51	7/6/84	104	CASS	T	
TE-105-AW-51	7/12/84	105	CASS	T	
TE-105-AW-51	7/17/84	108	CASS	T	
TE-105-AW-51	7/28/84	101	CASS	T	
TE-105-AW-51	7/29/84	108	CASS	T	
TE-105-AW-51	8/10/84	103	CASS	T	
TE-105-AW-51	8/17/84	104	CASS	T	
TE-105-AW-51	8/24/84	107	CASS	T	
TE-105-AW-51	8/30/84	113	CASS	T	
TE-105-AW-51	9/3/84	112	CASS	T	
TE-105-AW-51	9/10/84	107	CASS	T	
TE-105-AW-51	9/22/84	108	CASS	T	
TE-105-AW-51	9/23/84	107	CASS	T	
TE-105-AW-51	10/6/84	100	CASS	T	
TE-105-AW-51	10/11/84	99	CASS	T	
TE-105-AW-51	10/15/84	98	CASS	T	
TE-105-AW-51	10/23/84	96	CASS	T	
TE-105-AW-51	10/29/84	95	CASS	T	
TE-105-AW-51	11/4/84	96	CASS	T	
TE-105-AW-51	11/16/84	96	CASS	T	
TE-105-AW-51	11/21/84	93	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-51	11/29/84	90	CASS	T	
TE-105-AW-51	12/2/84	95	CASS	T	
TE-105-AW-51	12/12/84	91	CASS	T	
TE-105-AW-51	12/17/84	94	CASS	T	
TE-105-AW-51	12/29/84	91	CASS	T	
TE-105-AW-51	1/1/85	94	CASS	T	
TE-105-AW-51	1/7/85	97	CASS	T	
TE-105-AW-51	1/18/85	87	CASS	T	
TE-105-AW-51	1/26/85	88	CASS	T	
TE-105-AW-51	2/1/85	86	CASS	T	
TE-105-AW-51	2/9/85	85	CASS	T	
TE-105-AW-51	2/16/85	84	CASS	T	
TE-105-AW-51	2/22/85	84	CASS	T	
TE-105-AW-51	3/2/85	83	CASS	T	
TE-105-AW-51	3/9/85	82	CASS	T	
TE-105-AW-51	3/12/85	82	CASS	T	
TE-105-AW-51	3/21/85	81	CASS	T	
TE-105-AW-51	3/30/85	80	CASS	T	
TE-105-AW-51	4/6/85	80	CASS	T	
TE-105-AW-51	4/13/85	80	CASS	T	
TE-105-AW-51	4/18/85	80	CASS	T	
TE-105-AW-51	4/27/85	79	CASS	T	
TE-105-AW-51	4/30/85	79	CASS	T	
TE-105-AW-51	5/10/85	76	CASS	T	
TE-105-AW-51	5/18/85	75	CASS	T	
TE-105-AW-51	5/24/85	76	CASS	T	
TE-105-AW-51	6/1/85	75	CASS	T	
TE-105-AW-51	6/8/85	75	CASS	T	
TE-105-AW-51	6/15/85	75	CASS	T	
TE-105-AW-51	6/19/85	75	CASS	T	
TE-105-AW-51	11/1/85	98	CASS	T	
TE-105-AW-51	12/1/85	102	CASS	T	
TE-105-AW-51	1/1/86	89	CASS	T	
TE-105-AW-51	1/5/86	87	CASS	T	
TE-105-AW-51	1/17/86	84	CASS	T	
TE-105-AW-51	1/21/86	83	CASS	T	
TE-105-AW-51	1/31/86	81	CASS	T	
TE-105-AW-51	2/7/86	80	CASS	T	
TE-105-AW-51	2/13/86	79	CASS	T	
TE-105-AW-51	2/19/86	78	CASS	T	
TE-105-AW-51	3/1/86	77	CASS	T	
TE-105-AW-51	3/4/86	77	CASS	T	
TE-105-AW-51	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-105-AW-51	9/19/86	94	CASS	T	
TE-105-AW-51	9/26/86	94	CASS	T	
TE-105-AW-51	10/2/86	93	CASS	T	
TE-105-AW-51	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-105-AW-51	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-105-AW-51	10/5/86	235	CASS	S	Data point did not agree with local trend
TE-105-AW-51	10/6/86	229	CASS	S	Data point did not agree with local trend
TE-105-AW-51	10/9/86	92	CASS	T	
TE-105-AW-51	10/18/86	84	CASS	T	
TE-105-AW-51	10/25/86	83	CASS	T	
TE-105-AW-51	10/30/86	83	CASS	T	
TE-105-AW-51	11/6/86	82	CASS	T	
TE-105-AW-51	11/8/86	81	CASS	T	
TE-105-AW-51	11/22/86	80	CASS	T	
TE-105-AW-51	11/28/86	79	CASS	T	
TE-105-AW-51	12/5/86	78	CASS	T	
TE-105-AW-51	12/10/86	77	CASS	T	
TE-105-AW-51	12/18/86	76	CASS	T	
TE-105-AW-51	12/27/86	75	CASS	T	
TE-105-AW-51	12/31/86	74	CASS	T	
TE-105-AW-51	7/4/87	78	CASS	T	
TE-105-AW-51	7/11/87	76	CASS	T	
TE-105-AW-51	7/18/87	76	CASS	T	
TE-105-AW-51	7/25/87	84	CASS	T	
TE-105-AW-51	7/29/87	82	CASS	T	
TE-105-AW-51	8/4/87	81	CASS	T	
TE-105-AW-51	8/15/87	80	CASS	T	
TE-105-AW-51	8/19/87	80	CASS	T	
TE-105-AW-51	8/24/87	80	CASS	T	
TE-105-AW-51	9/2/87	79	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-51	8/11/87	85	CASS	T	
TE-105-AW-51	11/27/87	90	CASS	T	
TE-105-AW-51	11/30/87	78	CASS	T	
TE-105-AW-51	3/26/88	70	CASS	T	
TE-105-AW-51	3/30/88	69	CASS	T	
TE-105-AW-51	6/4/88	72	CASS	T	
TE-105-AW-51	6/6/88	77	CASS	T	
TE-105-AW-51	6/18/88	73	CASS	T	
TE-105-AW-51	6/25/88	73	CASS	T	
TE-105-AW-51	7/2/88	73	CASS	T	
TE-105-AW-51	7/7/88	119	CASS	S	Data point did not agree with local trend
TE-105-AW-51	7/9/88	73	CASS	T	
TE-105-AW-51	7/16/88	73	CASS	T	
TE-105-AW-51	7/23/88	74	CASS	T	
TE-105-AW-51	7/30/88	74	CASS	T	
TE-105-AW-51	8/2/88	93	CASS	S	Data point did not agree with local trend
TE-105-AW-51	8/4/88	74	CASS	T	
TE-105-AW-51	8/5/88	110	CASS	S	Data point did not agree with local trend
TE-105-AW-51	8/10/88	76	CASS	T	
TE-105-AW-51	12/2/88	82	CASS	T	
TE-105-AW-51	12/6/88	85	CASS	T	
TE-105-AW-51	12/13/88	82	CASS	T	
TE-105-AW-51	12/18/88	79	CASS	T	
TE-105-AW-51	9/2/89	74	CASS	T	
TE-105-AW-51	9/8/89	75	CASS	T	
TE-105-AW-51	9/10/89	74	CASS	T	
TE-105-AW-51	9/23/89	74	CASS	T	
TE-105-AW-51	9/30/89	74	CASS	T	
TE-105-AW-51	11/4/89	71	CASS	T	
TE-105-AW-51	11/10/89	72	CASS	T	
TE-105-AW-51	11/18/89	71	CASS	T	
TE-105-AW-51	11/22/89	71	CASS	T	
TE-105-AW-51	11/26/89	70	CASS	T	
TE-105-AW-51	12/4/89	70	CASS	T	
TE-105-AW-51	12/11/89	69	CASS	T	
TE-105-AW-51	12/23/89	72	CASS	T	
TE-105-AW-51	12/25/89	70	CASS	T	
TE-105-AW-51	1/6/90	69	CASS	T	
TE-105-AW-51	1/7/90	69	CASS	T	
TE-105-AW-51	1/20/90	67	CASS	T	
TE-105-AW-51	1/26/90	67	CASS	T	
TE-105-AW-51	1/29/90	67	CASS	T	
TE-105-AW-51	2/10/90	66	CASS	T	
TE-105-AW-51	2/13/90	66	CASS	T	
TE-105-AW-51	2/24/90	65	CASS	T	
TE-105-AW-51	2/27/90	66	CASS	T	
TE-105-AW-51	3/7/90	65	CASS	T	
TE-105-AW-51	3/17/90	64	CASS	T	
TE-105-AW-51	3/22/90	64	CASS	T	
TE-105-AW-51	3/31/90	64	CASS	T	
TE-105-AW-51	4/7/90	64	CASS	T	
TE-105-AW-51	4/14/90	64	CASS	T	
TE-105-AW-51	4/21/90	65	CASS	T	
TE-105-AW-51	4/27/90	65	CASS	T	
TE-105-AW-51	5/2/90	87	CASS	S	Data point did not agree with local trend
TE-105-AW-51	5/5/90	66	CASS	T	
TE-105-AW-51	5/12/90	66	CASS	T	
TE-105-AW-51	5/17/90	66	CASS	T	
TE-105-AW-51	5/22/90	66	CASS	T	
TE-105-AW-51	6/2/90	66	CASS	T	
TE-105-AW-51	6/9/90	66	CASS	T	
TE-105-AW-51	6/18/90	67	CASS	T	
TE-105-AW-51	6/23/90	68	CASS	T	
TE-105-AW-51	6/30/90	69	CASS	T	
TE-105-AW-51	7/3/90	70	CASS	T	
TE-105-AW-51	7/14/90	71	CASS	T	
TE-105-AW-51	7/21/90	72	CASS	T	
TE-105-AW-51	7/28/90	72	CASS	T	
TE-105-AW-51	8/4/90	73	CASS	T	
TE-105-AW-51	8/11/90	74	CASS	T	
TE-105-AW-51	8/18/90	74	CASS	T	
TE-105-AW-51	8/20/90	74	CASS	T	
TE-105-AW-51	9/1/90	73	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-51	9/8/90	74	CASS	T	
TE-105-AW-51	9/15/90	74	CASS	T	
TE-105-AW-51	9/22/90	73	CASS	T	
TE-105-AW-51	9/29/90	73	CASS	T	
TE-105-AW-51	9/30/90	73	CASS	T	
TE-105-AW-51	10/13/90	71	CASS	T	
TE-105-AW-51	10/19/90	70	CASS	T	
TE-105-AW-51	10/27/90	69	CASS	T	
TE-105-AW-51	10/28/90	69	CASS	T	
TE-105-AW-51	11/9/90	72	CASS	T	
TE-105-AW-51	11/15/90	67	CASS	T	
TE-105-AW-51	11/24/90	66	CASS	T	
TE-105-AW-51	11/26/90	66	CASS	T	
TE-105-AW-51	12/6/90	71	CASS	T	
TE-105-AW-51	12/14/90	64	CASS	T	
TE-105-AW-51	12/19/90	63	CASS	T	
TE-105-AW-51	12/28/90	61	CASS	T	
TE-105-AW-51	1/3/91	60	CASS	T	
TE-105-AW-51	1/12/91	60	CASS	T	
TE-105-AW-51	1/18/91	61	CASS	T	
TE-105-AW-51	1/26/91	60	CASS	T	
TE-105-AW-51	2/2/91	60	CASS	T	
TE-105-AW-51	2/9/91	60	CASS	T	
TE-105-AW-51	2/16/91	61	CASS	T	
TE-105-AW-51	2/22/91	61	CASS	T	
TE-105-AW-51	3/2/91	60	CASS	T	
TE-105-AW-51	3/9/91	60	CASS	T	
TE-105-AW-51	3/13/91	60	CASS	T	
TE-105-AW-51	3/23/91	60	CASS	T	
TE-105-AW-51	3/30/91	60	CASS	T	
TE-105-AW-51	4/8/91	60	CASS	T	
TE-105-AW-51	4/13/91	60	CASS	T	
TE-105-AW-51	4/20/91	61	CASS	T	
TE-105-AW-51	4/27/91	61	CASS	T	
TE-105-AW-51	5/4/91	62	CASS	T	
TE-105-AW-51	5/11/91	62	CASS	T	
TE-105-AW-51	5/16/91	63	CASS	T	
TE-105-AW-51	5/25/91	63	CASS	T	
TE-105-AW-51	5/31/91	63	CASS	T	
TE-105-AW-51	6/8/91	64	CASS	T	
TE-105-AW-51	6/15/91	64	CASS	T	
TE-105-AW-51	6/20/91	64	CASS	T	
TE-105-AW-51	6/25/91	65	CASS	T	
TE-105-AW-52	7/14/83	79	CASS	T	
TE-105-AW-52	7/23/83	81	CASS	T	
TE-105-AW-52	7/28/83	81	CASS	T	
TE-105-AW-52	8/5/83	80	CASS	T	
TE-105-AW-52	8/13/83	80	CASS	T	
TE-105-AW-52	8/17/83	81	CASS	T	
TE-105-AW-52	8/24/83	80	CASS	T	
TE-105-AW-52	8/31/83	81	CASS	T	
TE-105-AW-52	9/10/83	81	CASS	T	
TE-105-AW-52	9/14/83	90	CASS	T	
TE-105-AW-52	9/22/83	90	CASS	T	
TE-105-AW-52	9/28/83	89	CASS	T	
TE-105-AW-52	10/5/83	88	CASS	T	
TE-105-AW-52	10/15/83	91	CASS	T	
TE-105-AW-52	10/18/83	89	CASS	T	
TE-105-AW-52	3/8/84	92	CASS	T	
TE-105-AW-52	3/12/84	91	CASS	T	
TE-105-AW-52	3/22/84	96	CASS	T	
TE-105-AW-52	3/28/84	97	CASS	T	
TE-105-AW-52	4/3/84	93	CASS	T	
TE-105-AW-52	4/11/84	100	CASS	T	
TE-105-AW-52	4/21/84	92	CASS	T	
TE-105-AW-52	4/26/84	92	CASS	T	
TE-105-AW-52	5/2/84	99	CASS	T	
TE-105-AW-52	5/10/84	92	CASS	T	
TE-105-AW-52	5/19/84	93	CASS	T	
TE-105-AW-52	5/24/84	94	CASS	T	
TE-105-AW-52	6/2/84	97	CASS	T	
TE-105-AW-52	6/3/84	96	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-52	6/21/84	95	CASS	T	
TE-105-AW-52	6/30/84	97	CASS	T	
TE-105-AW-52	7/6/84	104	CASS	T	
TE-105-AW-52	7/12/84	104	CASS	T	
TE-105-AW-52	7/17/84	107	CASS	T	
TE-105-AW-52	7/26/84	101	CASS	T	
TE-105-AW-52	7/29/84	108	CASS	T	
TE-105-AW-52	8/10/84	103	CASS	T	
TE-105-AW-52	8/17/84	104	CASS	T	
TE-105-AW-52	8/24/84	107	CASS	T	
TE-105-AW-52	8/30/84	113	CASS	T	
TE-105-AW-52	9/3/84	112	CASS	T	
TE-105-AW-52	9/9/84	107	CASS	T	
TE-105-AW-52	9/22/84	108	CASS	T	
TE-105-AW-52	9/23/84	107	CASS	T	
TE-105-AW-52	10/6/84	100	CASS	T	
TE-105-AW-52	10/11/84	99	CASS	T	
TE-105-AW-52	10/15/84	98	CASS	T	
TE-105-AW-52	10/21/84	98	CASS	T	
TE-105-AW-52	10/29/84	95	CASS	T	
TE-105-AW-52	11/4/84	96	CASS	T	
TE-105-AW-52	11/16/84	98	CASS	T	
TE-105-AW-52	11/19/84	93	CASS	T	
TE-105-AW-52	11/29/84	90	CASS	T	
TE-105-AW-52	12/2/84	95	CASS	T	
TE-105-AW-52	12/12/84	91	CASS	T	
TE-105-AW-52	12/17/84	94	CASS	T	
TE-105-AW-52	12/29/84	91	CASS	T	
TE-105-AW-52	12/30/84	94	CASS	T	
TE-105-AW-52	1/7/85	98	CASS	T	
TE-105-AW-52	1/18/85	87	CASS	T	
TE-105-AW-52	1/26/85	86	CASS	T	
TE-105-AW-52	2/1/85	86	CASS	T	
TE-105-AW-52	2/9/85	85	CASS	T	
TE-105-AW-52	2/16/85	84	CASS	T	
TE-105-AW-52	2/21/85	84	CASS	T	
TE-105-AW-52	3/1/85	83	CASS	T	
TE-105-AW-52	3/9/85	82	CASS	T	
TE-105-AW-52	3/11/85	82	CASS	T	
TE-105-AW-52	3/21/85	81	CASS	T	
TE-105-AW-52	3/30/85	80	CASS	T	
TE-105-AW-52	4/6/85	80	CASS	T	
TE-105-AW-52	4/11/85	80	CASS	T	
TE-105-AW-52	4/16/85	80	CASS	T	
TE-105-AW-52	4/27/85	79	CASS	T	
TE-105-AW-52	4/30/85	79	CASS	T	
TE-105-AW-52	5/10/85	76	CASS	T	
TE-105-AW-52	5/18/85	75	CASS	T	
TE-105-AW-52	5/24/85	76	CASS	T	
TE-105-AW-52	6/1/85	75	CASS	T	
TE-105-AW-52	6/8/85	75	CASS	T	
TE-105-AW-52	6/15/85	75	CASS	T	
TE-105-AW-52	6/19/85	75	CASS	T	
TE-105-AW-52	11/1/85	98	CASS	T	
TE-105-AW-52	12/1/85	96	CASS	T	
TE-105-AW-52	1/3/86	88	CASS	T	
TE-105-AW-52	1/5/86	87	CASS	T	
TE-105-AW-52	1/17/86	84	CASS	T	
TE-105-AW-52	1/20/86	83	CASS	T	
TE-105-AW-52	1/31/86	81	CASS	T	
TE-105-AW-52	2/7/86	80	CASS	T	
TE-105-AW-52	2/13/86	79	CASS	T	
TE-105-AW-52	2/19/86	78	CASS	T	
TE-105-AW-52	3/1/86	77	CASS	T	
TE-105-AW-52	3/4/86	77	CASS	T	
TE-105-AW-52	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-105-AW-52	9/19/86	94	CASS	T	
TE-105-AW-52	9/26/86	94	CASS	T	
TE-105-AW-52	10/2/86	93	CASS	T	
TE-105-AW-52	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-105-AW-52	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-105-AW-52	10/5/86	235	CASS	S	Data point did not agree with local trend
TE-105-AW-52	10/6/86	229	CASS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-52	10/9/86	92	CASS	T	
TE-105-AW-52	10/18/86	84	CASS	T	
TE-105-AW-52	10/19/86	84	CASS	T	
TE-105-AW-52	10/31/86	83	CASS	T	
TE-105-AW-52	11/7/86	82	CASS	T	
TE-105-AW-52	11/9/86	81	CASS	T	
TE-105-AW-52	11/22/86	80	CASS	T	
TE-105-AW-52	11/28/86	79	CASS	T	
TE-105-AW-52	12/5/86	78	CASS	T	
TE-105-AW-52	12/10/86	77	CASS	T	
TE-105-AW-52	12/20/86	76	CASS	T	
TE-105-AW-52	12/27/86	75	CASS	T	
TE-105-AW-52	12/30/86	75	CASS	T	
TE-105-AW-52	7/4/87	78	CASS	T	
TE-105-AW-52	7/11/87	76	CASS	T	
TE-105-AW-52	7/18/87	77	CASS	T	
TE-105-AW-52	7/25/87	84	CASS	T	
TE-105-AW-52	7/30/87	82	CASS	T	
TE-105-AW-52	8/8/87	81	CASS	T	
TE-105-AW-52	8/10/87	81	CASS	T	
TE-105-AW-52	8/20/87	80	CASS	T	
TE-105-AW-52	8/28/87	80	CASS	T	
TE-105-AW-52	9/5/87	79	CASS	T	
TE-105-AW-52	9/11/87	85	CASS	T	
TE-105-AW-52	11/27/87	90	CASS	T	
TE-105-AW-52	11/29/87	78	CASS	T	
TE-105-AW-52	3/26/88	70	CASS	T	
TE-105-AW-52	3/30/88	69	CASS	T	
TE-105-AW-52	6/4/88	72	CASS	T	
TE-105-AW-52	6/8/88	76	CASS	T	
TE-105-AW-52	6/18/88	73	CASS	T	
TE-105-AW-52	6/25/88	73	CASS	T	
TE-105-AW-52	7/2/88	73	CASS	T	
TE-105-AW-52	7/9/88	73	CASS	T	
TE-105-AW-52	7/10/88	80	CASS	T	
TE-105-AW-52	7/17/88	83	CASS	T	
TE-105-AW-52	7/30/88	75	CASS	T	
TE-105-AW-52	8/2/88	89	CASS	S	Data point did not agree with local trend
TE-105-AW-52	8/5/88	75	CASS	T	
TE-105-AW-52	8/10/88	75	CASS	T	
TE-105-AW-52	12/2/88	82	CASS	T	
TE-105-AW-52	12/6/88	84	CASS	T	
TE-105-AW-52	12/13/88	82	CASS	T	
TE-105-AW-52	12/18/88	79	CASS	T	
TE-105-AW-52	9/1/89	75	CASS	T	
TE-105-AW-52	9/9/89	75	CASS	T	
TE-105-AW-52	9/15/89	75	CASS	T	
TE-105-AW-52	9/23/89	74	CASS	T	
TE-105-AW-52	9/30/89	74	CASS	T	
TE-105-AW-52	11/4/89	71	CASS	T	
TE-105-AW-52	11/10/89	72	CASS	T	
TE-105-AW-52	11/18/89	71	CASS	T	
TE-105-AW-52	11/23/89	71	CASS	T	
TE-105-AW-52	11/30/89	70	CASS	T	
TE-105-AW-52	12/4/89	70	CASS	T	
TE-105-AW-52	12/14/89	69	CASS	T	
TE-105-AW-52	12/23/89	71	CASS	T	
TE-105-AW-52	12/29/89	70	CASS	T	
TE-105-AW-52	1/6/90	69	CASS	T	
TE-105-AW-52	1/7/90	69	CASS	T	
TE-105-AW-52	1/20/90	67	CASS	T	
TE-105-AW-52	1/26/90	67	CASS	T	
TE-105-AW-52	2/3/90	67	CASS	T	
TE-105-AW-52	2/4/90	67	CASS	T	
TE-105-AW-52	2/13/90	66	CASS	T	
TE-105-AW-52	2/24/90	65	CASS	T	
TE-105-AW-52	2/27/90	66	CASS	T	
TE-105-AW-52	3/8/90	65	CASS	T	
TE-105-AW-52	3/17/90	64	CASS	T	
TE-105-AW-52	3/22/90	64	CASS	T	
TE-105-AW-52	3/31/90	64	CASS	T	
TE-105-AW-52	4/7/90	64	CASS	T	
TE-105-AW-52	4/14/90	64	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-52	4/21/90	85	CASS	T	
TE-105-AW-52	4/28/90	85	CASS	T	
TE-105-AW-52	5/2/90	85	CASS	S	Data point did not agree with local trend
TE-105-AW-52	5/5/90	86	CASS	T	
TE-105-AW-52	5/12/90	86	CASS	T	
TE-105-AW-52	5/19/90	86	CASS	T	
TE-105-AW-52	5/22/90	86	CASS	T	
TE-105-AW-52	6/2/90	86	CASS	T	
TE-105-AW-52	6/9/90	87	CASS	T	
TE-105-AW-52	6/16/90	87	CASS	T	
TE-105-AW-52	6/23/90	88	CASS	T	
TE-105-AW-52	6/30/90	89	CASS	T	
TE-105-AW-52	7/7/90	89	CASS	T	
TE-105-AW-52	7/14/90	71	CASS	T	
TE-105-AW-52	7/21/90	72	CASS	T	
TE-105-AW-52	7/28/90	72	CASS	T	
TE-105-AW-52	8/4/90	73	CASS	T	
TE-105-AW-52	8/11/90	74	CASS	T	
TE-105-AW-52	8/18/90	74	CASS	T	
TE-105-AW-52	8/20/90	74	CASS	T	
TE-105-AW-52	8/30/90	74	CASS	T	
TE-105-AW-52	9/8/90	74	CASS	T	
TE-105-AW-52	9/15/90	74	CASS	T	
TE-105-AW-52	9/22/90	73	CASS	T	
TE-105-AW-52	9/29/90	73	CASS	T	
TE-105-AW-52	10/1/90	73	CASS	T	
TE-105-AW-52	10/13/90	71	CASS	T	
TE-105-AW-52	10/14/90	71	CASS	T	
TE-105-AW-52	10/27/90	69	CASS	T	
TE-105-AW-52	10/30/90	69	CASS	T	
TE-105-AW-52	11/9/90	71	CASS	T	
TE-105-AW-52	11/17/90	67	CASS	T	
TE-105-AW-52	11/18/90	67	CASS	T	
TE-105-AW-52	11/26/90	67	CASS	T	
TE-105-AW-52	12/8/90	70	CASS	T	
TE-105-AW-52	12/15/90	64	CASS	T	
TE-105-AW-52	12/18/90	64	CASS	T	
TE-105-AW-52	12/28/90	61	CASS	T	
TE-105-AW-52	1/5/91	60	CASS	T	
TE-105-AW-52	1/12/91	60	CASS	T	
TE-105-AW-52	1/18/91	61	CASS	T	
TE-105-AW-52	1/26/91	60	CASS	T	
TE-105-AW-52	2/2/91	60	CASS	T	
TE-105-AW-52	2/5/91	61	CASS	T	
TE-105-AW-52	2/16/91	61	CASS	T	
TE-105-AW-52	2/22/91	61	CASS	T	
TE-105-AW-52	3/2/91	61	CASS	T	
TE-105-AW-52	3/9/91	60	CASS	T	
TE-105-AW-52	3/16/91	60	CASS	T	
TE-105-AW-52	3/23/91	60	CASS	T	
TE-105-AW-52	3/30/91	60	CASS	T	
TE-105-AW-52	4/5/91	61	CASS	T	
TE-105-AW-52	4/13/91	61	CASS	T	
TE-105-AW-52	4/20/91	61	CASS	T	
TE-105-AW-52	4/24/91	62	CASS	T	
TE-105-AW-52	5/4/91	62	CASS	T	
TE-105-AW-52	5/11/91	62	CASS	T	
TE-105-AW-52	5/18/91	63	CASS	T	
TE-105-AW-52	5/25/91	63	CASS	T	
TE-105-AW-52	5/31/91	63	CASS	T	
TE-105-AW-52	6/8/91	64	CASS	T	
TE-105-AW-52	6/15/91	64	CASS	T	
TE-105-AW-52	6/19/91	65	CASS	T	
TE-105-AW-52	6/25/91	65	CASS	T	
TE-105-AW-52	2/3/92	61	SACS	T	
TE-105-AW-52	2/10/92	60	SACS	T	
TE-105-AW-52	2/17/92	61	SACS	T	
TE-105-AW-52	2/24/92	61	SACS	T	
TE-105-AW-52	3/2/92	60	SACS	T	
TE-105-AW-52	3/9/92	60	SACS	T	
TE-105-AW-52	3/16/92	61	SACS	T	
TE-105-AW-52	3/23/92	61	SACS	T	
TE-105-AW-52	3/30/92	62	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-52	4/8/92	62	SACS	T	
TE-105-AW-52	4/13/92	62	SACS	T	
TE-105-AW-52	4/20/92	63	SACS	T	
TE-105-AW-52	4/27/92	62	SACS	T	
TE-105-AW-52	5/4/92	62	SACS	T	
TE-105-AW-52	5/11/92	78	SACS	S	Data point did not agree with local trend
TE-105-AW-52	5/18/92	85	SACS	S	Data point did not agree with local trend
TE-105-AW-52	5/25/92	85	SACS	S	Data point did not agree with local trend
TE-105-AW-52	6/1/92	65	SACS	T	
TE-105-AW-52	6/15/92	66	SACS	T	
TE-105-AW-52	6/22/92	66	SACS	T	
TE-105-AW-52	7/6/92	67	SACS	T	
TE-105-AW-52	7/13/92	68	SACS	T	
TE-105-AW-52	7/20/92	67	SACS	T	
TE-105-AW-52	7/27/92	68	SACS	T	
TE-105-AW-52	8/3/92	71	SACS	T	
TE-105-AW-52	8/10/92	70	SACS	T	
TE-105-AW-52	8/17/92	71	SACS	T	
TE-105-AW-52	8/24/92	72	SACS	T	
TE-105-AW-52	8/31/92	71	SACS	T	
TE-105-AW-52	9/7/92	72	SACS	T	
TE-105-AW-52	9/14/92	71	SACS	T	
TE-105-AW-52	9/21/92	70	SACS	T	
TE-105-AW-52	9/28/92	77	SACS	T	
TE-105-AW-52	1/4/93	65	SACS	T	
TE-105-AW-52	1/11/93	63	SACS	T	
TE-105-AW-52	1/18/93	64	SACS	T	
TE-105-AW-52	3/1/93	64	SACS	T	
TE-105-AW-52	3/8/93	62	SACS	T	
TE-105-AW-52	3/20/93	62	SACS	T	
TE-105-AW-52	3/22/93	62	SACS	T	
TE-105-AW-52	3/29/93	61	SACS	T	
TE-105-AW-52	4/6/93	61	SACS	T	
TE-105-AW-52	4/12/93	61	SACS	T	
TE-105-AW-52	4/19/93	61	SACS	T	
TE-105-AW-52	4/26/93	61	SACS	T	
TE-105-AW-52	5/3/93	61	SACS	T	
TE-105-AW-52	5/10/93	60	SACS	T	
TE-105-AW-52	5/17/93	66	SACS	T	
TE-105-AW-52	5/24/93	67	SACS	T	
TE-105-AW-52	5/31/93	66	SACS	T	
TE-105-AW-52	6/7/93	67	SACS	T	
TE-105-AW-52	6/15/93	66	SACS	T	
TE-105-AW-52	6/22/93	67	SACS	T	
TE-105-AW-52	6/28/93	65	SACS	T	
TE-105-AW-52	7/26/93	68	SACS	T	
TE-105-AW-52	8/2/93	70	SACS	T	
TE-105-AW-52	8/9/93	70	SACS	T	
TE-105-AW-52	8/16/93	71	SACS	T	
TE-105-AW-52	8/23/93	70	SACS	T	
TE-105-AW-52	8/30/93	71	SACS	T	
TE-105-AW-52	9/13/93	71	SACS	T	
TE-105-AW-52	9/21/93	71	SACS	T	
TE-105-AW-52	9/27/93	71	SACS	T	
TE-105-AW-52	10/11/93	71	SACS	T	
TE-105-AW-52	10/19/93	69	SACS	T	
TE-105-AW-52	10/26/93	71	SACS	T	
TE-105-AW-52	11/1/93	70	SACS	T	
TE-105-AW-52	11/8/93	72	SACS	T	
TE-105-AW-52	11/15/93	71	SACS	T	
TE-105-AW-52	11/26/93	71	SACS	T	
TE-105-AW-52	11/29/93	68	SACS	T	
TE-105-AW-52	12/6/93	67	SACS	T	
TE-105-AW-52	12/13/93	67	SACS	T	
TE-105-AW-52	12/20/93	66	SACS	T	
TE-105-AW-52	12/27/93	65	SACS	T	
TE-105-AW-52	1/5/94	63	SACS	T	
TE-105-AW-52	1/24/94	62	SACS	T	
TE-105-AW-52	1/31/94	62	SACS	T	
TE-105-AW-52	2/28/94	59	SACS	T	
TE-105-AW-52	3/7/94	60	SACS	T	
TE-105-AW-52	4/18/94	61	SACS	G	
TE-105-AW-52	4/25/94	62	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-52	5/2/94	61	SACS	G	
TE-105-AW-52	5/9/94	62	SACS	G	
TE-105-AW-52	5/16/94	63	SACS	G	
TE-105-AW-52	5/31/94	63	SACS	G	
TE-105-AW-52	6/6/94	64	SACS	G	
TE-105-AW-52	6/13/94	65	SACS	G	
TE-105-AW-52	6/20/94	66	SACS	G	
TE-105-AW-52	6/27/94	66	SACS	G	
TE-105-AW-52	7/4/94	66	SACS	G	
TE-105-AW-52	7/16/94	66	SACS	G	
TE-105-AW-52	7/25/94	69	SACS	G	
TE-105-AW-52	8/1/94	69	SACS	G	
TE-105-AW-52	8/8/94	70	SACS	G	
TE-105-AW-52	8/15/94	70	SACS	G	
TE-105-AW-52	8/22/94	70	SACS	G	
TE-105-AW-52	9/7/94	72	SACS	G	
TE-105-AW-52	9/12/94	72	SACS	G	
TE-105-AW-52	9/19/94	72	SACS	G	
TE-105-AW-52	9/26/94	73	SACS	G	
TE-105-AW-52	10/10/94	71	SACS	G	
TE-105-AW-52	10/17/94	71	SACS	G	
TE-105-AW-52	10/24/94	70	SACS	G	
TE-105-AW-52	10/31/94	69	SACS	G	
TE-105-AW-52	11/7/94	68	SACS	G	
TE-105-AW-52	11/14/94	68	SACS	G	
TE-105-AW-52	11/21/94	70	SACS	G	
TE-105-AW-52	11/28/94	67	SACS	G	
TE-105-AW-52	12/5/94	66	SACS	G	
TE-105-AW-52	12/12/94	65	SACS	G	
TE-105-AW-52	12/19/94	64	SACS	G	
TE-105-AW-52	12/26/94	65	SACS	G	
TE-105-AW-52	1/2/95	64	SACS	G	
TE-105-AW-52	1/9/95	65	SACS	G	
TE-105-AW-52	1/16/95	63	SACS	G	
TE-105-AW-52	1/23/95	63	SACS	G	
TE-105-AW-52	1/30/95	62	SACS	G	
TE-105-AW-52	2/6/95	64	SACS	G	
TE-105-AW-52	2/13/95	64	SACS	G	
TE-105-AW-52	2/24/95	66	SACS	G	
TE-105-AW-52	2/27/95	64	SACS	G	
TE-105-AW-52	3/6/95	65	SACS	G	
TE-105-AW-52	3/19/95	65	SACS	G	
TE-105-AW-52	3/27/95	66	SACS	G	
TE-105-AW-52	4/3/95	65	SACS	G	
TE-105-AW-52	4/10/95	65	SACS	G	
TE-105-AW-52	4/17/95	65	SACS	G	
TE-105-AW-52	4/24/95	64	SACS	G	
TE-105-AW-52	5/1/95	64	SACS	G	
TE-105-AW-52	5/13/95	71	SACS	G	
TE-105-AW-52	5/22/95	69	SACS	G	
TE-105-AW-52	5/29/95	69	SACS	G	
TE-105-AW-52	6/5/95	70	SACS	G	
TE-105-AW-52	6/13/95	71	SACS	G	
TE-105-AW-52	6/19/95	72	SACS	G	
TE-105-AW-52	6/27/95	82	SACS	T	
TE-105-AW-53	7/14/83	79	CASS	T	
TE-105-AW-53	7/23/83	81	CASS	T	
TE-105-AW-53	7/28/83	81	CASS	T	
TE-105-AW-53	8/6/83	80	CASS	T	
TE-105-AW-53	8/13/83	80	CASS	T	
TE-105-AW-53	8/17/83	81	CASS	T	
TE-105-AW-53	8/24/83	80	CASS	T	
TE-105-AW-53	8/31/83	81	CASS	T	
TE-105-AW-53	9/10/83	81	CASS	T	
TE-105-AW-53	9/14/83	90	CASS	T	
TE-105-AW-53	9/22/83	90	CASS	T	
TE-105-AW-53	9/28/83	89	CASS	T	
TE-105-AW-53	10/5/83	88	CASS	T	
TE-105-AW-53	10/16/83	91	CASS	T	
TE-105-AW-53	10/18/83	89	CASS	T	
TE-105-AW-53	3/8/84	92	CASS	T	
TE-105-AW-53	3/15/84	90	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-53	3/22/84	96	CASS	T	
TE-105-AW-53	3/28/84	97	CASS	T	
TE-105-AW-53	4/3/84	93	CASS	T	
TE-105-AW-53	4/11/84	98	CASS	T	
TE-105-AW-53	4/21/84	92	CASS	T	
TE-105-AW-53	4/26/84	92	CASS	T	
TE-105-AW-53	5/2/84	98	CASS	T	
TE-105-AW-53	5/12/84	91	CASS	T	
TE-105-AW-53	5/15/84	93	CASS	T	
TE-105-AW-53	5/24/84	94	CASS	T	
TE-105-AW-53	6/2/84	97	CASS	T	
TE-105-AW-53	6/3/84	96	CASS	T	
TE-105-AW-53	6/21/84	95	CASS	T	
TE-105-AW-53	6/30/84	97	CASS	T	
TE-105-AW-53	7/6/84	105	CASS	T	
TE-105-AW-53	7/12/84	104	CASS	T	
TE-105-AW-53	7/17/84	107	CASS	T	
TE-105-AW-53	7/28/84	101	CASS	T	
TE-105-AW-53	7/29/84	108	CASS	T	
TE-105-AW-53	8/10/84	102	CASS	T	
TE-105-AW-53	8/17/84	104	CASS	T	
TE-105-AW-53	8/24/84	107	CASS	T	
TE-105-AW-53	8/30/84	113	CASS	T	
TE-105-AW-53	9/3/84	112	CASS	T	
TE-105-AW-53	9/9/84	107	CASS	T	
TE-105-AW-53	9/22/84	108	CASS	T	
TE-105-AW-53	9/23/84	107	CASS	T	
TE-105-AW-53	10/6/84	100	CASS	T	
TE-105-AW-53	10/12/84	99	CASS	T	
TE-105-AW-53	10/15/84	98	CASS	T	
TE-105-AW-53	10/24/84	98	CASS	T	
TE-105-AW-53	10/29/84	95	CASS	T	
TE-105-AW-53	11/4/84	96	CASS	T	
TE-105-AW-53	11/16/84	98	CASS	T	
TE-105-AW-53	11/19/84	93	CASS	T	
TE-105-AW-53	11/28/84	90	CASS	T	
TE-105-AW-53	12/2/84	95	CASS	T	
TE-105-AW-53	12/12/84	91	CASS	T	
TE-105-AW-53	12/17/84	94	CASS	T	
TE-105-AW-53	12/29/84	91	CASS	T	
TE-105-AW-53	12/30/84	94	CASS	T	
TE-105-AW-53	1/7/85	98	CASS	T	
TE-105-AW-53	1/19/85	87	CASS	T	
TE-105-AW-53	1/26/85	86	CASS	T	
TE-105-AW-53	2/1/85	86	CASS	T	
TE-105-AW-53	2/9/85	85	CASS	T	
TE-105-AW-53	2/16/85	84	CASS	T	
TE-105-AW-53	2/20/85	84	CASS	T	
TE-105-AW-53	3/1/85	83	CASS	T	
TE-105-AW-53	3/8/85	82	CASS	T	
TE-105-AW-53	3/11/85	82	CASS	T	
TE-105-AW-53	3/20/85	81	CASS	T	
TE-105-AW-53	3/30/85	80	CASS	T	
TE-105-AW-53	4/6/85	80	CASS	T	
TE-105-AW-53	4/11/85	80	CASS	T	
TE-105-AW-53	4/16/85	80	CASS	T	
TE-105-AW-53	4/27/85	79	CASS	T	
TE-105-AW-53	4/30/85	79	CASS	T	
TE-105-AW-53	5/10/85	78	CASS	T	
TE-105-AW-53	5/18/85	75	CASS	T	
TE-105-AW-53	5/24/85	76	CASS	T	
TE-105-AW-53	6/1/85	75	CASS	T	
TE-105-AW-53	6/8/85	75	CASS	T	
TE-105-AW-53	6/15/85	75	CASS	T	
TE-105-AW-53	6/19/85	75	CASS	T	
TE-105-AW-53	12/1/85	98	CASS	S	Data point did not agree with local trend
TE-105-AW-53	1/3/86	88	CASS	T	
TE-105-AW-53	1/5/86	87	CASS	T	
TE-105-AW-53	1/17/86	84	CASS	T	
TE-105-AW-53	1/20/86	83	CASS	T	
TE-105-AW-53	1/31/86	81	CASS	T	
TE-105-AW-53	2/7/86	80	CASS	T	
TE-105-AW-53	2/13/86	79	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-53	2/19/86	78	CASS	T	
TE-105-AW-53	3/1/86	77	CASS	T	
TE-105-AW-53	3/4/86	77	CASS	T	
TE-105-AW-53	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-105-AW-53	9/19/86	94	CASS	T	
TE-105-AW-53	9/26/86	94	CASS	T	
TE-105-AW-53	10/2/86	93	CASS	T	
TE-105-AW-53	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-105-AW-53	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-105-AW-53	10/5/86	234	CASS	S	Data point did not agree with local trend
TE-105-AW-53	10/6/86	229	CASS	S	Data point did not agree with local trend
TE-105-AW-53	10/9/86	92	CASS	T	
TE-105-AW-53	10/18/86	84	CASS	T	
TE-105-AW-53	10/19/86	84	CASS	T	
TE-105-AW-53	10/30/86	83	CASS	T	
TE-105-AW-53	11/7/86	82	CASS	T	
TE-105-AW-53	11/10/86	81	CASS	T	
TE-105-AW-53	11/21/86	80	CASS	T	
TE-105-AW-53	11/26/86	79	CASS	T	
TE-105-AW-53	12/5/86	78	CASS	T	
TE-105-AW-53	12/10/86	77	CASS	T	
TE-105-AW-53	12/18/86	76	CASS	T	
TE-105-AW-53	12/26/86	75	CASS	T	
TE-105-AW-53	12/31/86	74	CASS	T	
TE-105-AW-53	7/4/87	78	CASS	T	
TE-105-AW-53	7/11/87	76	CASS	T	
TE-105-AW-53	7/18/87	76	CASS	T	
TE-105-AW-53	7/25/87	83	CASS	T	
TE-105-AW-53	7/29/87	82	CASS	T	
TE-105-AW-53	8/5/87	81	CASS	T	
TE-105-AW-53	8/15/87	80	CASS	T	
TE-105-AW-53	8/20/87	80	CASS	T	
TE-105-AW-53	8/28/87	80	CASS	T	
TE-105-AW-53	9/5/87	79	CASS	T	
TE-105-AW-53	9/11/87	85	CASS	T	
TE-105-AW-53	11/27/87	86	CASS	T	
TE-105-AW-53	11/29/87	78	CASS	T	
TE-105-AW-53	3/26/88	69	CASS	T	
TE-105-AW-53	3/30/88	69	CASS	T	
TE-105-AW-53	6/4/88	72	CASS	T	
TE-105-AW-53	6/6/88	78	CASS	T	
TE-105-AW-53	6/16/88	73	CASS	T	
TE-105-AW-53	6/25/88	73	CASS	T	
TE-105-AW-53	7/2/88	73	CASS	T	
TE-105-AW-53	7/9/88	73	CASS	T	
TE-105-AW-53	7/16/88	73	CASS	T	
TE-105-AW-53	7/23/88	74	CASS	T	
TE-105-AW-53	7/30/88	75	CASS	T	
TE-105-AW-53	8/2/88	91	CASS	S	Data point did not agree with local trend
TE-105-AW-53	8/5/88	75	CASS	T	
TE-105-AW-53	8/10/88	75	CASS	T	
TE-105-AW-53	12/2/88	82	CASS	T	
TE-105-AW-53	12/8/88	84	CASS	T	
TE-105-AW-53	12/12/88	82	CASS	T	
TE-105-AW-53	12/18/88	79	CASS	T	
TE-105-AW-53	7/10/89	71	SACS	T	
TE-105-AW-53	7/17/89	71	SACS	T	
TE-105-AW-53	7/24/89	72	SACS	T	
TE-105-AW-53	8/7/89	72	SACS	T	
TE-105-AW-53	8/14/89	74	SACS	T	
TE-105-AW-53	8/21/89	74	SACS	T	
TE-105-AW-53	9/1/89	75	CASS	T	
TE-105-AW-53	9/9/89	75	CASS	T	
TE-105-AW-53	9/15/89	75	CASS	T	
TE-105-AW-53	9/23/89	74	CASS	T	
TE-105-AW-53	9/30/89	74	CASS	T	
TE-105-AW-53	10/1/89	74	SACS	T	
TE-105-AW-53	10/9/89	74	SACS	T	
TE-105-AW-53	10/16/89	73	SACS	T	
TE-105-AW-53	10/24/89	73	SACS	T	
TE-105-AW-53	10/30/89	73	SACS	T	
TE-105-AW-53	11/10/89	72	CASS	T	
TE-105-AW-53	11/13/89	72	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-53	11/22/89	71	CASS	T	
TE-105-AW-53	11/30/89	70	CASS	T	
TE-105-AW-53	12/4/89	70	SACS	T	
TE-105-AW-53	12/11/89	69	SACS	T	
TE-105-AW-53	12/23/89	71	CASS	T	
TE-105-AW-53	12/29/89	70	CASS	T	
TE-105-AW-53	1/2/90	70	SACS	T	
TE-105-AW-53	1/8/90	69	SACS	T	
TE-105-AW-53	1/16/90	68	SACS	T	
TE-105-AW-53	1/26/90	67	CASS	T	
TE-105-AW-53	1/29/90	68	SACS	T	
TE-105-AW-53	2/5/90	67	SACS	T	
TE-105-AW-53	2/12/90	68	SACS	T	
TE-105-AW-53	2/19/90	67	SACS	T	
TE-105-AW-53	2/27/90	68	CASS	T	
TE-105-AW-53	3/7/90	68	SACS	T	
TE-105-AW-53	3/14/90	66	SACS	T	
TE-105-AW-53	3/21/90	66	SACS	T	
TE-105-AW-53	3/28/90	66	SACS	T	
TE-105-AW-53	4/7/90	64	CASS	T	
TE-105-AW-53	4/9/90	65	SACS	T	
TE-105-AW-53	4/21/90	65	CASS	T	
TE-105-AW-53	4/28/90	65	CASS	T	
TE-105-AW-53	5/2/90	67	CASS	S	Data point did not agree with local trend
TE-105-AW-53	5/5/90	66	CASS	T	
TE-105-AW-53	5/12/90	66	CASS	T	
TE-105-AW-53	5/19/90	66	CASS	T	
TE-105-AW-53	5/22/90	66	CASS	T	
TE-105-AW-53	6/2/90	66	CASS	T	
TE-105-AW-53	6/9/90	67	CASS	T	
TE-105-AW-53	6/16/90	67	CASS	T	
TE-105-AW-53	6/23/90	68	CASS	T	
TE-105-AW-53	6/30/90	69	CASS	T	
TE-105-AW-53	7/5/90	70	CASS	T	
TE-105-AW-53	7/14/90	71	CASS	T	
TE-105-AW-53	7/21/90	72	CASS	T	
TE-105-AW-53	7/28/90	73	CASS	T	
TE-105-AW-53	8/4/90	73	CASS	T	
TE-105-AW-53	8/11/90	74	CASS	T	
TE-105-AW-53	8/15/90	75	CASS	T	
TE-105-AW-53	8/20/90	74	CASS	T	
TE-105-AW-53	8/30/90	74	CASS	T	
TE-105-AW-53	9/8/90	74	CASS	T	
TE-105-AW-53	9/16/90	74	CASS	T	
TE-105-AW-53	9/22/90	73	CASS	T	
TE-105-AW-53	9/29/90	73	CASS	T	
TE-105-AW-53	10/1/90	73	SACS	T	
TE-105-AW-53	10/8/90	73	SACS	T	
TE-105-AW-53	10/15/90	71	SACS	T	
TE-105-AW-53	10/22/90	70	SACS	T	
TE-105-AW-53	10/30/90	69	CASS	T	
TE-105-AW-53	11/9/90	71	CASS	T	
TE-105-AW-53	11/17/90	67	CASS	T	
TE-105-AW-53	11/19/90	67	SACS	T	
TE-105-AW-53	11/27/90	66	CASS	T	
TE-105-AW-53	12/6/90	70	CASS	T	
TE-105-AW-53	12/15/90	64	CASS	T	
TE-105-AW-53	12/18/90	64	CASS	T	
TE-105-AW-53	12/24/90	70	SACS	T	
TE-105-AW-53	12/31/90	61	SACS	T	
TE-105-AW-53	1/7/91	61	SACS	T	
TE-105-AW-53	1/18/91	61	CASS	T	
TE-105-AW-53	1/28/91	60	CASS	T	
TE-105-AW-53	1/28/91	62	SACS	T	
TE-105-AW-53	2/9/91	60	CASS	T	
TE-105-AW-53	2/11/91	61	SACS	T	
TE-105-AW-53	2/22/91	61	CASS	T	
TE-105-AW-53	3/2/91	60	CASS	T	
TE-105-AW-53	3/9/91	60	CASS	T	
TE-105-AW-53	3/16/91	60	CASS	T	
TE-105-AW-53	3/23/91	60	CASS	T	
TE-105-AW-53	3/30/91	60	CASS	T	
TE-105-AW-53	4/6/91	60	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-105					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-105-AW-53	4/13/91	60	CASS	T	
TE-105-AW-53	4/20/91	61	CASS	T	
TE-105-AW-53	4/27/91	61	CASS	T	
TE-105-AW-53	5/4/91	62	CASS	T	
TE-105-AW-53	5/11/91	62	CASS	T	
TE-105-AW-53	5/18/91	63	CASS	T	
TE-105-AW-53	5/25/91	63	CASS	T	
TE-105-AW-53	5/31/91	63	CASS	T	
TE-105-AW-53	6/8/91	64	CASS	T	
TE-105-AW-53	6/15/91	64	CASS	T	
TE-105-AW-53	6/20/91	64	CASS	T	
TE-105-AW-53	6/25/91	65	CASS	T	
TE-105-AW-53	7/1/91	64	SACS	T	
TE-105-AW-53	7/8/91	63	SACS	T	
TE-105-AW-53	7/15/91	66	SACS	T	
TE-105-AW-53	7/22/91	66	SACS	T	
TE-105-AW-53	7/29/91	66	SACS	T	
TE-105-AW-53	8/4/91	67	SACS	T	
TE-105-AW-53	8/19/91	67	SACS	T	
TE-105-AW-53	8/26/91	68	SACS	T	
TE-105-AW-53	9/2/91	70	SACS	T	
TE-105-AW-53	9/9/91	71	SACS	T	
TE-105-AW-53	9/16/91	70	SACS	T	
TE-105-AW-53	9/23/91	70	SACS	T	
TE-105-AW-53	9/30/91	70	SACS	T	
TE-105-AW-53	10/7/91	70	SACS	T	
TE-105-AW-53	10/14/91	70	SACS	T	
TE-105-AW-53	10/21/91	69	SACS	T	
TE-105-AW-53	10/28/91	68	SACS	T	
TE-105-AW-53	11/5/91	68	SACS	T	
TE-105-AW-53	11/11/91	67	SACS	T	
TE-105-AW-53	11/18/91	66	SACS	T	
TE-105-AW-53	11/25/91	72	SACS	T	
TE-105-AW-53	12/2/91	65	SACS	T	
TE-105-AW-53	12/9/91	64	SACS	T	
TE-105-AW-53	12/16/91	64	SACS	T	
TE-105-AW-53	12/23/91	63	SACS	T	
TE-105-AW-53	12/30/91	62	SACS	T	
TE-105-AW-53	1/6/92	63	SACS	T	
TE-105-AW-53	1/13/92	61	SACS	T	
TE-105-AW-53	1/20/92	61	SACS	T	
TE-105-AW-53	1/27/92	61	SACS	T	
TE-105-AW-53	2/22/92	61	SACS	T	
TE-105-AW-53	3/4/92	62	SACS	T	
TE-105-AW-53	3/11/92	78	SACS	T	
TE-105-AW-53	6/29/92	67	SACS	T	
TE-105-AW-53	10/5/92	77	SACS	T	
TE-105-AW-53	10/12/92	74	SACS	T	
TE-105-AW-53	10/19/92	72	SACS	T	
TE-105-AW-53	10/26/92	71	SACS	T	
TE-105-AW-53	11/2/92	71	SACS	T	
TE-105-AW-53	11/9/92	71	SACS	T	
TE-105-AW-53	11/16/92	72	SACS	T	
TE-105-AW-53	11/23/92	70	SACS	T	
TE-105-AW-53	11/30/92	68	SACS	T	
TE-105-AW-53	12/7/92	67	SACS	T	
TE-105-AW-53	12/14/92	67	SACS	T	
TE-105-AW-53	12/21/92	64	SACS	T	
TE-105-AW-53	12/28/92	64	SACS	T	
TE-105-AW-53	1/25/93	62	SACS	T	
TE-105-AW-53	2/1/93	62	SACS	T	
TE-105-AW-53	2/8/93	62	SACS	T	
TE-105-AW-53	2/16/93	62	SACS	T	

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-36	7/16/83	80	CASS	T	
TE-106-AW-36	7/21/83	85	CASS	T	
TE-106-AW-36	7/27/83	85	CASS	T	
TE-106-AW-36	8/6/83	86	CASS	T	
TE-106-AW-36	8/12/83	86	CASS	T	
TE-106-AW-36	8/20/83	86	CASS	T	
TE-106-AW-36	8/27/83	86	CASS	T	
TE-106-AW-36	8/31/83	87	CASS	T	
TE-106-AW-36	9/10/83	87	CASS	T	
TE-106-AW-36	9/14/83	87	CASS	T	
TE-106-AW-36	9/24/83	87	CASS	T	
TE-106-AW-36	10/1/83	87	CASS	T	
TE-106-AW-36	10/5/83	87	CASS	T	
TE-106-AW-36	10/15/83	86	CASS	T	
TE-106-AW-36	10/17/83	86	CASS	T	
TE-106-AW-36	3/10/84	80	CASS	T	
TE-106-AW-36	3/17/84	80	CASS	T	
TE-106-AW-36	3/24/84	80	CASS	T	
TE-106-AW-36	3/31/84	80	CASS	T	
TE-106-AW-36	4/7/84	80	CASS	T	
TE-106-AW-36	4/14/84	80	CASS	T	
TE-106-AW-36	4/21/84	81	CASS	T	
TE-106-AW-36	4/28/84	81	CASS	T	
TE-106-AW-36	5/5/84	81	CASS	T	
TE-106-AW-36	5/12/84	81	CASS	T	
TE-106-AW-36	5/19/84	81	CASS	T	
TE-106-AW-36	5/26/84	82	CASS	T	
TE-106-AW-36	6/2/84	82	CASS	T	
TE-106-AW-36	6/7/84	82	CASS	T	
TE-106-AW-36	6/23/84	83	CASS	T	
TE-106-AW-36	6/30/84	83	CASS	T	
TE-106-AW-36	7/7/84	84	CASS	T	
TE-106-AW-36	7/14/84	84	CASS	T	
TE-106-AW-36	7/21/84	84	CASS	T	
TE-106-AW-36	7/28/84	85	CASS	T	
TE-106-AW-36	8/4/84	85	CASS	T	
TE-106-AW-36	8/11/84	86	CASS	T	
TE-106-AW-36	8/18/84	86	CASS	T	
TE-106-AW-36	8/19/84	87	CASS	T	
TE-106-AW-36	9/1/84	87	CASS	T	
TE-106-AW-36	9/7/84	88	CASS	T	
TE-106-AW-36	9/15/84	88	CASS	T	
TE-106-AW-36	9/22/84	88	CASS	T	
TE-106-AW-36	9/29/84	88	CASS	T	
TE-106-AW-36	10/6/84	88	CASS	T	
TE-106-AW-36	10/13/84	88	CASS	T	
TE-106-AW-36	10/19/84	88	CASS	T	
TE-106-AW-36	10/25/84	91	CASS	T	
TE-106-AW-36	10/28/84	90	CASS	T	
TE-106-AW-36	11/5/84	89	CASS	T	
TE-106-AW-36	11/11/84	85	CASS	T	
TE-106-AW-36	11/18/84	82	CASS	T	
TE-106-AW-36	11/25/84	79	CASS	T	
TE-106-AW-36	12/5/84	78	CASS	T	
TE-106-AW-36	12/12/84	74	CASS	T	
TE-106-AW-36	12/21/84	73	CASS	T	
TE-106-AW-36	12/27/84	77	CASS	T	
TE-106-AW-36	1/4/85	86	CASS	T	
TE-106-AW-36	1/12/85	93	CASS	T	
TE-106-AW-36	1/19/85	94	CASS	T	
TE-106-AW-36	1/26/85	103	CASS	T	
TE-106-AW-36	2/1/85	105	CASS	T	
TE-106-AW-36	2/9/85	105	CASS	T	
TE-106-AW-36	2/10/85	105	CASS	T	
TE-106-AW-36	2/17/85	104	CASS	T	
TE-106-AW-36	2/24/85	103	CASS	T	
TE-106-AW-36	3/9/85	101	CASS	T	
TE-106-AW-36	3/10/85	101	CASS	T	
TE-106-AW-36	4/3/85	97	CASS	T	
TE-106-AW-36	4/7/85	94	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-36	4/20/85	90	CASS	T	
TE-106-AW-36	4/27/85	94	CASS	T	
TE-106-AW-36	5/4/85	95	CASS	T	
TE-106-AW-36	5/11/85	95	CASS	T	
TE-106-AW-36	5/18/85	96	CASS	T	
TE-106-AW-36	5/25/85	100	CASS	T	
TE-106-AW-36	6/1/85	101	CASS	T	
TE-106-AW-36	6/7/85	101	CASS	T	
TE-106-AW-36	6/15/85	100	CASS	T	
TE-106-AW-36	6/19/85	100	CASS	T	
TE-106-AW-36	11/1/85	107	CASS	T	
TE-106-AW-36	12/1/85	102	CASS	T	
TE-106-AW-36	1/4/86	99	CASS	T	
TE-106-AW-36	1/11/86	100	CASS	T	
TE-106-AW-36	1/17/86	102	CASS	T	
TE-106-AW-36	1/25/86	103	CASS	T	
TE-106-AW-36	2/1/86	104	CASS	T	
TE-106-AW-36	2/7/86	105	CASS	T	
TE-106-AW-36	2/14/86	104	CASS	T	
TE-106-AW-36	2/16/86	104	CASS	T	
TE-106-AW-36	2/24/86	103	CASS	T	
TE-106-AW-36	3/4/86	102	CASS	T	
TE-106-AW-36	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-106-AW-36	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-36	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-36	9/18/86	100	CASS	T	
TE-106-AW-36	9/28/86	94	CASS	T	
TE-106-AW-36	10/2/86	93	CASS	T	
TE-106-AW-36	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-106-AW-36	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-106-AW-36	10/5/86	236	CASS	S	Data point did not agree with local trend
TE-106-AW-36	10/6/86	231	CASS	S	Data point did not agree with local trend
TE-106-AW-36	10/9/86	92	CASS	T	
TE-106-AW-36	10/18/86	99	CASS	T	
TE-106-AW-36	10/25/86	99	CASS	T	
TE-106-AW-36	11/1/86	99	CASS	T	
TE-106-AW-36	11/8/86	99	CASS	T	
TE-106-AW-36	11/15/86	99	CASS	T	
TE-106-AW-36	11/22/86	100	CASS	T	
TE-106-AW-36	11/29/86	100	CASS	T	
TE-106-AW-36	12/9/86	101	CASS	T	
TE-106-AW-36	12/8/86	101	CASS	T	
TE-106-AW-36	12/15/86	100	CASS	T	
TE-106-AW-36	12/23/86	99	CASS	T	
TE-106-AW-36	12/31/86	96	CASS	T	
TE-106-AW-36	7/4/87	100	CASS	T	
TE-106-AW-36	7/11/87	100	CASS	T	
TE-106-AW-36	7/18/87	100	CASS	T	
TE-106-AW-36	7/25/87	100	CASS	T	
TE-106-AW-36	7/31/87	101	CASS	T	
TE-106-AW-36	8/8/87	101	CASS	T	
TE-106-AW-36	8/15/87	104	CASS	T	
TE-106-AW-36	8/22/87	106	CASS	T	
TE-106-AW-36	8/29/87	108	CASS	T	
TE-106-AW-36	9/5/87	109	CASS	T	
TE-106-AW-36	9/11/87	111	CASS	T	
TE-106-AW-36	11/26/87	125	CASS	S	Data point did not agree with local trend
TE-106-AW-36	11/27/87	119	CASS	S	Data point did not agree with local trend
TE-106-AW-36	11/28/87	106	CASS	S	Data point did not agree with local trend
TE-106-AW-36	11/29/87	137	CASS	S	Data point did not agree with local trend
TE-106-AW-36	11/30/87	96	CASS	T	
TE-106-AW-36	3/26/88	90	CASS	T	
TE-106-AW-36	3/31/88	90	CASS	T	
TE-106-AW-36	6/4/88	96	CASS	T	
TE-106-AW-36	6/11/88	97	CASS	T	
TE-106-AW-36	6/18/88	99	CASS	T	
TE-106-AW-36	6/25/88	101	CASS	T	
TE-106-AW-36	7/2/88	101	CASS	T	
TE-106-AW-36	7/9/88	102	CASS	T	
TE-106-AW-36	7/15/88	103	CASS	T	

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-36	7/22/88	108	CASS	T	
TE-106-AW-36	7/30/88	109	CASS	T	
TE-106-AW-36	8/2/88	92	CASS	S	Data point did not agree with local trend
TE-106-AW-36	8/5/88	111	CASS	T	
TE-106-AW-36	8/12/88	112	CASS	T	
TE-106-AW-36	12/2/88	107	CASS	T	
TE-106-AW-36	12/7/88	108	CASS	T	
TE-106-AW-36	12/15/88	105	CASS	T	
TE-106-AW-36	12/18/88	103	CASS	T	
TE-106-AW-36	9/2/89	101	CASS	T	
TE-106-AW-36	9/9/89	102	CASS	T	
TE-106-AW-36	9/16/89	102	CASS	T	
TE-106-AW-36	9/23/89	102	CASS	T	
TE-106-AW-36	9/30/89	103	CASS	T	
TE-106-AW-36	11/4/89	101	CASS	T	
TE-106-AW-36	11/10/89	102	CASS	T	
TE-106-AW-36	11/18/89	102	CASS	T	
TE-106-AW-36	11/23/89	102	CASS	T	
TE-106-AW-36	12/1/89	101	CASS	T	
TE-106-AW-36	12/8/89	101	CASS	T	
TE-106-AW-36	12/18/89	100	CASS	T	
TE-106-AW-36	12/23/89	99	CASS	T	
TE-106-AW-36	12/25/89	99	CASS	T	
TE-106-AW-36	1/6/90	97	CASS	T	
TE-106-AW-36	1/13/90	97	CASS	T	
TE-106-AW-36	1/16/90	97	CASS	T	
TE-106-AW-36	1/27/90	98	CASS	T	
TE-106-AW-36	2/3/90	97	CASS	T	
TE-106-AW-36	2/10/90	97	CASS	T	
TE-106-AW-36	2/13/90	97	CASS	T	
TE-106-AW-36	2/24/90	97	CASS	T	
TE-106-AW-36	2/27/90	97	CASS	T	
TE-106-AW-36	3/10/90	97	CASS	T	
TE-106-AW-36	3/17/90	98	CASS	T	
TE-106-AW-36	3/20/90	98	CASS	T	
TE-106-AW-36	3/31/90	95	CASS	T	
TE-106-AW-36	4/7/90	95	CASS	T	
TE-106-AW-36	4/14/90	95	CASS	T	
TE-106-AW-36	4/21/90	95	CASS	T	
TE-106-AW-36	4/28/90	95	CASS	T	
TE-106-AW-36	5/2/90	68	CASS	S	Data point did not agree with local trend
TE-106-AW-36	5/5/90	95	CASS	T	
TE-106-AW-36	5/12/90	95	CASS	T	
TE-106-AW-36	5/15/90	95	CASS	T	
TE-106-AW-36	5/22/90	94	CASS	T	
TE-106-AW-36	6/2/90	94	CASS	T	
TE-106-AW-36	6/8/90	95	CASS	T	
TE-106-AW-36	6/16/90	95	CASS	T	
TE-106-AW-36	6/23/90	96	CASS	T	
TE-106-AW-36	6/30/90	96	CASS	T	
TE-106-AW-36	7/3/90	79	CASS	S	Data point did not agree with local trend
TE-106-AW-36	7/7/90	96	CASS	T	
TE-106-AW-36	7/14/90	97	CASS	T	
TE-106-AW-36	7/21/90	97	CASS	T	
TE-106-AW-36	7/28/90	97	CASS	T	
TE-106-AW-36	8/4/90	97	CASS	T	
TE-106-AW-36	8/11/90	96	CASS	T	
TE-106-AW-36	8/16/90	96	CASS	T	
TE-106-AW-36	8/25/90	96	CASS	T	
TE-106-AW-36	9/1/90	98	CASS	T	
TE-106-AW-36	9/8/90	99	CASS	T	
TE-106-AW-36	9/15/90	99	CASS	T	
TE-106-AW-36	9/22/90	99	CASS	T	
TE-106-AW-36	9/29/90	99	CASS	T	
TE-106-AW-36	10/6/90	99	CASS	T	
TE-106-AW-36	10/13/90	99	CASS	T	
TE-106-AW-36	10/20/90	99	CASS	T	
TE-106-AW-36	10/27/90	99	CASS	T	
TE-106-AW-36	11/3/90	99	CASS	T	
TE-106-AW-36	11/9/90	74	CASS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-36	11/10/90	99	CASS	T	
TE-106-AW-36	11/17/90	99	CASS	T	
TE-106-AW-36	11/24/90	99	CASS	T	
TE-106-AW-36	11/26/90	99	CASS	T	
TE-106-AW-36	12/8/90	71	CASS	S	Data point did not agree with local trend
TE-106-AW-36	12/8/90	98	CASS	T	
TE-106-AW-36	12/15/90	98	CASS	T	
TE-106-AW-36	12/18/90	98	CASS	T	
TE-106-AW-36	12/28/90	97	CASS	T	
TE-106-AW-36	1/5/91	97	CASS	T	
TE-106-AW-36	1/11/91	98	CASS	T	
TE-106-AW-36	1/18/91	98	CASS	T	
TE-106-AW-36	1/25/91	98	CASS	T	
TE-106-AW-36	2/2/91	98	CASS	T	
TE-106-AW-36	2/9/91	98	CASS	T	
TE-106-AW-36	2/18/91	98	CASS	T	
TE-106-AW-36	2/23/91	98	CASS	T	
TE-106-AW-36	3/2/91	98	CASS	T	
TE-106-AW-36	3/3/91	98	CASS	T	
TE-106-AW-36	3/13/91	97	CASS	T	
TE-106-AW-36	3/18/91	97	CASS	T	
TE-106-AW-36	3/25/91	97	CASS	T	
TE-106-AW-36	4/5/91	98	CASS	T	
TE-106-AW-36	4/13/91	95	CASS	T	
TE-106-AW-36	4/20/91	95	CASS	T	
TE-106-AW-36	4/27/91	95	CASS	T	
TE-106-AW-36	5/4/91	95	CASS	T	
TE-106-AW-36	5/11/91	95	CASS	T	
TE-106-AW-36	5/18/91	95	CASS	T	
TE-106-AW-36	5/24/91	95	CASS	T	
TE-106-AW-36	5/31/91	95	CASS	T	
TE-106-AW-36	6/8/91	95	CASS	T	
TE-106-AW-36	6/15/91	95	CASS	T	
TE-106-AW-36	6/19/91	95	CASS	T	
TE-106-AW-36	6/25/91	95	CASS	T	
TE-106-AW-36	1/8/92	90	SACS	T	
TE-106-AW-36	1/13/92	88	SACS	T	
TE-106-AW-36	1/20/92	88	SACS	T	
TE-106-AW-36	1/27/92	88	SACS	T	
TE-106-AW-36	2/3/92	88	SACS	T	
TE-106-AW-36	2/10/92	88	SACS	T	
TE-106-AW-36	2/22/92	92	SACS	T	
TE-106-AW-36	2/24/92	87	SACS	T	
TE-106-AW-36	3/4/92	87	SACS	T	
TE-106-AW-36	3/9/92	87	SACS	T	
TE-106-AW-36	3/16/92	88	SACS	T	
TE-106-AW-36	3/23/92	88	SACS	T	
TE-106-AW-36	3/30/92	88	SACS	T	
TE-106-AW-36	4/4/92	140	CASS	S	Data point did not agree with local trend
TE-106-AW-36	4/8/92	88	SACS	T	
TE-106-AW-36	4/13/92	88	SACS	T	
TE-106-AW-36	4/17/92	139	CASS	S	Data point did not agree with local trend
TE-106-AW-36	4/20/92	88	SACS	T	
TE-106-AW-36	4/27/92	88	SACS	T	
TE-106-AW-36	5/4/92	87	SACS	T	
TE-106-AW-36	6/8/92	88	SACS	T	
TE-106-AW-36	6/22/92	88	SACS	T	
TE-106-AW-36	6/29/92	88	SACS	T	
TE-106-AW-36	7/8/92	89	SACS	T	
TE-106-AW-36	7/13/92	90	SACS	T	
TE-106-AW-36	7/20/92	90	SACS	T	
TE-106-AW-36	7/27/92	91	SACS	T	
TE-106-AW-36	8/3/92	91	SACS	T	
TE-106-AW-36	8/10/92	92	SACS	T	
TE-106-AW-36	8/17/92	92	SACS	T	
TE-106-AW-36	8/24/92	92	SACS	T	
TE-106-AW-36	8/31/92	90	SACS	T	
TE-106-AW-36	9/7/92	91	SACS	T	
TE-106-AW-36	9/14/92	90	SACS	T	
TE-106-AW-36	9/21/92	89	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-36	9/28/92	90	SACS	T	
TE-106-AW-36	10/5/92	91	SACS	T	
TE-106-AW-36	10/12/92	91	SACS	T	
TE-106-AW-36	10/19/92	91	SACS	T	
TE-106-AW-36	10/28/92	90	SACS	T	
TE-106-AW-36	11/2/92	90	SACS	T	
TE-106-AW-36	11/9/92	92	SACS	T	
TE-106-AW-36	11/16/92	92	SACS	T	
TE-106-AW-36	11/23/92	93	SACS	T	
TE-106-AW-36	11/30/92	92	SACS	T	
TE-106-AW-36	12/7/92	92	SACS	T	
TE-106-AW-36	12/14/92	92	SACS	T	
TE-106-AW-36	12/21/92	91	SACS	T	
TE-106-AW-36	12/28/92	91	SACS	T	
TE-106-AW-36	1/4/93	91	SACS	T	
TE-106-AW-36	1/11/93	92	SACS	T	
TE-106-AW-36	1/18/93	92	SACS	T	
TE-106-AW-36	1/25/93	90	SACS	T	
TE-106-AW-36	2/1/93	91	SACS	T	
TE-106-AW-36	2/8/93	91	SACS	T	
TE-106-AW-36	2/16/93	92	SACS	T	
TE-106-AW-36	3/1/93	93	SACS	T	
TE-106-AW-36	3/8/93	91	SACS	T	
TE-106-AW-36	3/20/93	91	SACS	T	
TE-106-AW-36	3/22/93	91	SACS	T	
TE-106-AW-36	3/29/93	90	SACS	T	
TE-106-AW-36	4/6/93	89	SACS	T	
TE-106-AW-36	4/12/93	91	SACS	T	
TE-106-AW-36	4/19/93	91	SACS	T	
TE-106-AW-36	4/26/93	90	SACS	T	
TE-106-AW-36	5/3/93	91	SACS	T	
TE-106-AW-36	5/10/93	89	SACS	T	
TE-106-AW-36	5/17/93	91	SACS	T	
TE-106-AW-36	5/24/93	92	SACS	T	
TE-106-AW-36	5/31/93	92	SACS	T	
TE-106-AW-36	6/7/93	93	SACS	T	
TE-106-AW-36	6/15/93	92	SACS	T	
TE-106-AW-36	6/22/93	92	SACS	T	
TE-106-AW-36	6/28/93	91	SACS	T	
TE-106-AW-36	7/5/93	92	SACS	T	
TE-106-AW-36	7/12/93	91	SACS	T	
TE-106-AW-36	7/19/93	92	SACS	T	
TE-106-AW-36	7/26/93	91	SACS	T	
TE-106-AW-36	8/2/93	93	SACS	T	
TE-106-AW-36	8/9/93	94	SACS	T	
TE-106-AW-36	8/16/93	92	SACS	T	
TE-106-AW-36	8/23/93	95	SACS	T	
TE-106-AW-36	8/30/93	96	SACS	T	
TE-106-AW-36	9/13/93	98	SACS	T	
TE-106-AW-36	9/21/93	99	SACS	T	
TE-106-AW-36	9/27/93	99	SACS	T	
TE-106-AW-36	10/11/93	99	SACS	T	
TE-106-AW-36	10/19/93	98	SACS	T	
TE-106-AW-36	10/25/93	98	SACS	T	
TE-106-AW-36	11/1/93	97	SACS	T	
TE-106-AW-36	11/15/93	97	SACS	T	
TE-106-AW-36	11/28/93	99	SACS	T	
TE-106-AW-36	11/29/93	99	SACS	T	
TE-106-AW-36	12/6/93	96	SACS	T	
TE-106-AW-36	12/18/93	96	SACS	T	
TE-106-AW-36	12/20/93	97	SACS	T	
TE-106-AW-36	12/27/93	97	SACS	T	
TE-106-AW-36	1/5/94	98	SACS	T	
TE-106-AW-36	1/24/94	98	SACS	T	
TE-106-AW-36	1/31/94	97	SACS	T	
TE-106-AW-36	2/7/94	97	SACS	G	
TE-106-AW-36	2/21/94	96	SACS	G	
TE-106-AW-36	2/28/94	96	SACS	T	
TE-106-AW-36	3/7/94	96	SACS	T	
TE-106-AW-36	3/14/94	95	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-36	3/21/94	95	SACS	G	
TE-106-AW-36	3/28/94	95	SACS	G	
TE-106-AW-36	4/5/94	95	SACS	G	
TE-106-AW-36	4/11/94	95	SACS	G	
TE-106-AW-36	4/18/94	95	SACS	G	
TE-106-AW-36	4/25/94	95	SACS	G	
TE-106-AW-36	5/2/94	94	SACS	G	
TE-106-AW-36	5/9/94	94	SACS	G	
TE-106-AW-36	5/16/94	95	SACS	G	
TE-106-AW-36	5/31/94	98	SACS	G	
TE-106-AW-36	6/6/94	100	SACS	G	
TE-106-AW-36	6/13/94	101	SACS	G	
TE-106-AW-36	6/20/94	102	SACS	G	
TE-106-AW-36	6/27/94	103	SACS	G	
TE-106-AW-36	7/4/94	104	SACS	G	
TE-106-AW-36	7/18/94	105	SACS	G	
TE-106-AW-36	7/25/94	105	SACS	G	
TE-106-AW-36	8/1/94	104	SACS	G	
TE-106-AW-36	8/8/94	104	SACS	G	
TE-106-AW-36	8/15/94	104	SACS	G	
TE-106-AW-36	8/22/94	104	SACS	G	
TE-106-AW-36	9/7/94	104	SACS	G	
TE-106-AW-36	9/12/94	103	SACS	G	
TE-106-AW-36	9/19/94	102	SACS	G	
TE-106-AW-36	9/26/94	102	SACS	G	
TE-106-AW-36	10/10/94	102	SACS	G	
TE-106-AW-36	10/17/94	104	SACS	G	
TE-106-AW-36	10/24/94	105	SACS	G	
TE-106-AW-36	10/31/94	106	SACS	G	
TE-106-AW-36	11/7/94	107	SACS	G	
TE-106-AW-36	11/14/94	108	SACS	G	
TE-106-AW-36	11/21/94	109	SACS	G	
TE-106-AW-36	11/28/94	108	SACS	G	
TE-106-AW-36	12/5/94	110	SACS	G	
TE-106-AW-36	12/12/94	109	SACS	G	
TE-106-AW-36	12/19/94	109	SACS	G	
TE-106-AW-36	12/26/94	110	SACS	G	
TE-106-AW-36	1/2/95	109	SACS	G	
TE-106-AW-36	1/9/95	109	SACS	G	
TE-106-AW-36	1/16/95	108	SACS	G	
TE-106-AW-36	1/23/95	107	SACS	G	
TE-106-AW-36	1/30/95	106	SACS	G	
TE-106-AW-36	2/6/95	106	SACS	G	
TE-106-AW-36	2/13/95	106	SACS	G	
TE-106-AW-36	2/24/95	103	SACS	G	
TE-106-AW-36	2/27/95	104	SACS	G	
TE-106-AW-36	3/6/95	103	SACS	G	
TE-106-AW-36	3/19/95	101	SACS	G	
TE-106-AW-36	3/27/95	101	SACS	G	
TE-106-AW-36	4/3/95	100	SACS	G	
TE-106-AW-36	4/10/95	101	SACS	G	
TE-106-AW-36	4/17/95	100	SACS	G	
TE-106-AW-36	4/24/95	99	SACS	G	
TE-106-AW-36	5/1/95	99	SACS	G	
TE-106-AW-36	5/13/95	99	SACS	G	
TE-106-AW-36	5/22/95	98	SACS	G	
TE-106-AW-36	5/29/95	97	SACS	G	
TE-106-AW-36	6/5/95	98	SACS	G	
TE-106-AW-36	6/13/95	97	SACS	G	
TE-106-AW-36	6/19/95	98	SACS	G	
TE-106-AW-36	6/26/95	97	SACS	G	
TE-106-AW-37	7/18/83	85	CASS	T	
TE-106-AW-37	7/21/83	88	CASS	T	
TE-106-AW-37	7/29/83	86	CASS	T	
TE-106-AW-37	8/6/83	88	CASS	T	
TE-106-AW-37	8/12/83	88	CASS	T	
TE-106-AW-37	8/20/83	88	CASS	T	
TE-106-AW-37	8/27/83	88	CASS	T	
TE-106-AW-37	8/31/83	89	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-37	9/10/83	89	CASS	T	
TE-106-AW-37	9/14/83	89	CASS	T	
TE-106-AW-37	9/24/83	89	CASS	T	
TE-106-AW-37	10/1/83	89	CASS	T	
TE-106-AW-37	10/5/83	89	CASS	T	
TE-106-AW-37	10/15/83	89	CASS	T	
TE-106-AW-37	10/17/83	89	CASS	T	
TE-106-AW-37	3/10/84	85	CASS	T	
TE-106-AW-37	3/17/84	85	CASS	T	
TE-106-AW-37	3/24/84	85	CASS	T	
TE-106-AW-37	3/31/84	85	CASS	T	
TE-106-AW-37	4/7/84	85	CASS	T	
TE-106-AW-37	4/14/84	85	CASS	T	
TE-106-AW-37	4/21/84	85	CASS	T	
TE-106-AW-37	4/28/84	85	CASS	T	
TE-106-AW-37	5/5/84	85	CASS	T	
TE-106-AW-37	5/12/84	85	CASS	T	
TE-106-AW-37	5/19/84	85	CASS	T	
TE-106-AW-37	5/26/84	85	CASS	T	
TE-106-AW-37	5/30/84	86	CASS	T	
TE-106-AW-37	6/7/84	86	CASS	T	
TE-106-AW-37	6/23/84	86	CASS	T	
TE-106-AW-37	6/30/84	86	CASS	T	
TE-106-AW-37	7/7/84	87	CASS	T	
TE-106-AW-37	7/13/84	87	CASS	T	
TE-106-AW-37	7/21/84	87	CASS	T	
TE-106-AW-37	7/28/84	87	CASS	T	
TE-106-AW-37	8/4/84	87	CASS	T	
TE-106-AW-37	8/11/84	88	CASS	T	
TE-106-AW-37	8/18/84	88	CASS	T	
TE-106-AW-37	8/25/84	89	CASS	T	
TE-106-AW-37	9/1/84	90	CASS	T	
TE-106-AW-37	9/8/84	90	CASS	T	
TE-106-AW-37	9/15/84	91	CASS	T	
TE-106-AW-37	9/22/84	91	CASS	T	
TE-106-AW-37	9/29/84	91	CASS	T	
TE-106-AW-37	10/6/84	91	CASS	T	
TE-106-AW-37	10/13/84	91	CASS	T	
TE-106-AW-37	10/19/84	91	CASS	T	
TE-106-AW-37	10/26/84	92	CASS	T	
TE-106-AW-37	11/3/84	92	CASS	T	
TE-106-AW-37	11/4/84	92	CASS	T	
TE-106-AW-37	11/12/84	82	CASS	T	
TE-106-AW-37	11/21/84	79	CASS	T	
TE-106-AW-37	11/25/84	77	CASS	T	
TE-106-AW-37	12/4/84	74	CASS	T	
TE-106-AW-37	12/12/84	72	CASS	T	
TE-106-AW-37	12/18/84	80	CASS	T	
TE-106-AW-37	12/29/84	97	CASS	T	
TE-106-AW-37	1/4/85	104	CASS	T	
TE-106-AW-37	1/12/85	105	CASS	T	
TE-106-AW-37	1/19/85	104	CASS	T	
TE-106-AW-37	1/28/85	115	CASS	T	
TE-106-AW-37	1/29/85	116	CASS	T	
TE-106-AW-37	2/3/85	118	CASS	T	
TE-106-AW-37	2/12/85	113	CASS	T	
TE-106-AW-37	2/19/85	111	CASS	T	
TE-106-AW-37	3/6/85	107	CASS	T	
TE-106-AW-37	3/11/85	106	CASS	T	
TE-106-AW-37	3/21/85	104	CASS	T	
TE-106-AW-37	3/27/85	103	CASS	T	
TE-106-AW-37	4/2/85	104	CASS	T	
TE-106-AW-37	4/7/85	90	CASS	T	
TE-106-AW-37	4/20/85	105	CASS	T	
TE-106-AW-37	4/22/85	104	CASS	T	
TE-106-AW-37	5/4/85	102	CASS	T	
TE-106-AW-37	5/9/85	101	CASS	T	
TE-106-AW-37	5/18/85	104	CASS	T	
TE-106-AW-37	5/24/85	108	CASS	T	
TE-106-AW-37	5/28/85	107	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-37	6/4/85	105	CASS	T	
TE-106-AW-37	6/9/85	104	CASS	T	
TE-106-AW-37	6/16/85	103	CASS	T	
TE-106-AW-37	11/1/85	111	CASS	T	
TE-106-AW-37	12/1/85	112	CASS	T	
TE-106-AW-37	1/4/86	109	CASS	T	
TE-106-AW-37	1/11/86	112	CASS	T	
TE-106-AW-37	1/16/86	113	CASS	T	
TE-106-AW-37	1/22/86	115	CASS	T	
TE-106-AW-37	1/30/86	114	CASS	T	
TE-106-AW-37	2/7/86	113	CASS	T	
TE-106-AW-37	2/13/86	112	CASS	T	
TE-106-AW-37	2/19/86	111	CASS	T	
TE-106-AW-37	2/24/86	110	CASS	T	
TE-106-AW-37	3/4/86	109	CASS	T	
TE-106-AW-37	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-106-AW-37	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-37	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-37	9/16/86	102	CASS	T	
TE-106-AW-37	9/26/86	94	CASS	T	
TE-106-AW-37	10/2/86	93	CASS	T	
TE-106-AW-37	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-106-AW-37	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-106-AW-37	10/5/86	235	CASS	S	Data point did not agree with local trend
TE-106-AW-37	10/6/86	231	CASS	S	Data point did not agree with local trend
TE-106-AW-37	10/9/86	92	CASS	T	
TE-106-AW-37	10/18/86	102	CASS	T	
TE-106-AW-37	10/25/86	104	CASS	T	
TE-106-AW-37	11/1/86	104	CASS	T	
TE-106-AW-37	11/8/86	105	CASS	T	
TE-106-AW-37	11/15/86	105	CASS	T	
TE-106-AW-37	11/22/86	107	CASS	T	
TE-106-AW-37	11/29/86	107	CASS	T	
TE-106-AW-37	12/6/86	108	CASS	T	
TE-106-AW-37	12/9/86	108	CASS	T	
TE-106-AW-37	12/17/86	108	CASS	T	
TE-106-AW-37	12/27/86	105	CASS	T	
TE-106-AW-37	12/30/86	107	CASS	T	
TE-106-AW-37	7/2/87	105	CASS	T	
TE-106-AW-37	7/11/87	105	CASS	T	
TE-106-AW-37	7/13/87	105	CASS	T	
TE-106-AW-37	7/25/87	104	CASS	T	
TE-106-AW-37	8/1/87	104	CASS	T	
TE-106-AW-37	8/8/87	107	CASS	T	
TE-106-AW-37	8/15/87	112	CASS	T	
TE-106-AW-37	8/22/87	113	CASS	T	
TE-106-AW-37	8/29/87	115	CASS	T	
TE-106-AW-37	9/5/87	117	CASS	T	
TE-106-AW-37	9/11/87	118	CASS	T	
TE-106-AW-37	11/29/87	130	CASS	T	
TE-106-AW-37	11/29/87	140	CASS	S	Data point did not agree with local trend
TE-106-AW-37	11/30/87	84	CASS	S	Data point did not agree with local trend
TE-106-AW-37	3/28/88	95	CASS	T	
TE-106-AW-37	3/31/88	95	CASS	T	
TE-106-AW-37	6/4/88	102	CASS	T	
TE-106-AW-37	6/11/88	103	CASS	T	
TE-106-AW-37	6/18/88	105	CASS	T	
TE-106-AW-37	6/25/88	106	CASS	T	
TE-106-AW-37	7/2/88	106	CASS	T	
TE-106-AW-37	7/9/88	106	CASS	T	
TE-106-AW-37	7/16/88	110	CASS	T	
TE-106-AW-37	7/23/88	114	CASS	T	
TE-106-AW-37	7/30/88	117	CASS	T	
TE-106-AW-37	8/2/88	91	CASS	S	Data point did not agree with local trend
TE-106-AW-37	8/5/88	118	CASS	T	
TE-106-AW-37	8/12/88	119	CASS	T	
TE-106-AW-37	12/3/88	111	CASS	T	
TE-106-AW-37	12/10/88	111	CASS	T	
TE-106-AW-37	12/12/88	111	CASS	T	
TE-106-AW-37	12/18/88	109	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-37	7/10/89	97	SACS	T	
TE-106-AW-37	7/17/89	97	SACS	T	
TE-106-AW-37	7/24/89	98	SACS	T	
TE-106-AW-37	8/7/89	98	SACS	T	
TE-106-AW-37	8/14/89	98	SACS	T	
TE-106-AW-37	8/21/89	98	SACS	T	
TE-106-AW-37	9/2/89	103	CASS	T	
TE-106-AW-37	9/9/89	104	CASS	T	
TE-106-AW-37	9/15/89	105	CASS	T	
TE-106-AW-37	9/23/89	104	CASS	T	
TE-106-AW-37	9/30/89	105	CASS	T	
TE-106-AW-37	10/1/89	101	SACS	T	
TE-106-AW-37	10/9/89	101	SACS	T	
TE-106-AW-37	10/16/89	101	SACS	T	
TE-106-AW-37	10/24/89	103	SACS	T	
TE-106-AW-37	11/4/89	103	CASS	T	
TE-106-AW-37	11/10/89	104	CASS	T	
TE-106-AW-37	11/18/89	104	CASS	T	
TE-106-AW-37	11/23/89	104	CASS	T	
TE-106-AW-37	12/1/89	104	CASS	T	
TE-106-AW-37	12/9/89	104	CASS	T	
TE-106-AW-37	12/11/89	104	CASS	T	
TE-106-AW-37	12/23/89	103	CASS	T	
TE-106-AW-37	12/25/89	103	CASS	T	
TE-106-AW-37	1/8/90	101	CASS	T	
TE-106-AW-37	1/13/90	101	CASS	T	
TE-106-AW-37	1/16/90	101	CASS	T	
TE-106-AW-37	1/27/90	100	CASS	T	
TE-106-AW-37	2/3/90	100	CASS	T	
TE-106-AW-37	2/10/90	100	CASS	T	
TE-106-AW-37	2/14/90	99	CASS	T	
TE-106-AW-37	2/24/90	100	CASS	T	
TE-106-AW-37	3/3/90	99	CASS	T	
TE-106-AW-37	3/7/90	100	CASS	T	
TE-106-AW-37	3/17/90	99	CASS	T	
TE-106-AW-37	3/22/90	99	CASS	T	
TE-106-AW-37	3/31/90	99	CASS	T	
TE-106-AW-37	4/4/90	99	CASS	T	
TE-106-AW-37	4/14/90	98	CASS	T	
TE-106-AW-37	4/21/90	98	CASS	T	
TE-106-AW-37	4/28/90	98	CASS	T	
TE-106-AW-37	5/2/90	99	CASS	S	Data point did not agree with local trend
TE-106-AW-37	5/5/90	98	CASS	T	
TE-106-AW-37	5/12/90	98	CASS	T	
TE-106-AW-37	5/15/90	98	CASS	T	
TE-106-AW-37	5/22/90	97	CASS	T	
TE-106-AW-37	6/2/90	97	CASS	T	
TE-106-AW-37	6/9/90	98	CASS	T	
TE-106-AW-37	6/16/90	98	CASS	T	
TE-106-AW-37	6/23/90	98	CASS	T	
TE-106-AW-37	6/30/90	99	CASS	T	
TE-106-AW-37	7/3/90	78	CASS	S	Data point did not agree with local trend
TE-106-AW-37	7/5/90	99	CASS	T	
TE-106-AW-37	7/12/90	100	CASS	T	
TE-106-AW-37	7/21/90	100	CASS	T	
TE-106-AW-37	7/28/90	100	CASS	T	
TE-106-AW-37	8/4/90	100	CASS	T	
TE-106-AW-37	8/11/90	101	CASS	T	
TE-106-AW-37	8/18/90	101	CASS	T	
TE-106-AW-37	8/25/90	101	CASS	T	
TE-106-AW-37	9/1/90	101	CASS	T	
TE-106-AW-37	9/8/90	102	CASS	T	
TE-106-AW-37	9/15/90	102	CASS	T	
TE-106-AW-37	9/22/90	102	CASS	T	
TE-106-AW-37	9/29/90	102	CASS	T	
TE-106-AW-37	10/6/90	102	CASS	T	
TE-106-AW-37	10/13/90	102	CASS	T	
TE-106-AW-37	10/20/90	102	CASS	T	
TE-106-AW-37	10/27/90	102	CASS	T	
TE-106-AW-37	10/28/90	103	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-37	11/8/90	103	CASS	T	
TE-106-AW-37	11/9/90	73	CASS	S	Data point did not agree with local trend
TE-106-AW-37	11/17/90	102	CASS	T	
TE-106-AW-37	11/24/90	103	CASS	T	
TE-106-AW-37	11/25/90	103	CASS	T	
TE-106-AW-37	12/8/90	70	CASS	S	Data point did not agree with local trend
TE-106-AW-37	12/8/90	102	CASS	T	
TE-106-AW-37	12/11/90	102	CASS	T	
TE-106-AW-37	12/19/90	101	CASS	T	
TE-106-AW-37	12/28/90	100	CASS	T	
TE-106-AW-37	1/5/91	100	CASS	T	
TE-106-AW-37	1/12/91	100	CASS	T	
TE-106-AW-37	1/19/91	100	CASS	T	
TE-106-AW-37	1/25/91	100	CASS	T	
TE-106-AW-37	2/2/91	100	CASS	T	
TE-106-AW-37	2/9/91	100	CASS	T	
TE-106-AW-37	2/16/91	100	CASS	T	
TE-106-AW-37	2/22/91	100	CASS	T	
TE-106-AW-37	3/2/91	100	CASS	T	
TE-106-AW-37	3/4/91	100	CASS	T	
TE-106-AW-37	3/13/91	99	CASS	T	
TE-106-AW-37	3/18/91	99	CASS	T	
TE-106-AW-37	3/25/91	99	CASS	T	
TE-106-AW-37	4/5/91	98	CASS	T	
TE-106-AW-37	4/13/91	97	CASS	T	
TE-106-AW-37	4/20/91	97	CASS	T	
TE-106-AW-37	4/27/91	97	CASS	T	
TE-106-AW-37	5/4/91	97	CASS	T	
TE-106-AW-37	5/11/91	97	CASS	T	
TE-106-AW-37	5/18/91	97	CASS	T	
TE-106-AW-37	5/25/91	97	CASS	T	
TE-106-AW-37	5/31/91	97	CASS	T	
TE-106-AW-37	6/8/91	97	CASS	T	
TE-106-AW-37	6/15/91	97	CASS	T	
TE-106-AW-37	6/20/91	97	CASS	T	
TE-106-AW-37	6/25/91	97	CASS	T	
TE-106-AW-37	7/1/91	91	SACS	T	
TE-106-AW-37	7/8/91	91	SACS	T	
TE-106-AW-37	7/15/91	93	SACS	T	
TE-106-AW-37	7/22/91	92	SACS	T	
TE-106-AW-37	7/29/91	93	SACS	T	
TE-106-AW-37	8/4/91	93	SACS	T	
TE-106-AW-37	8/19/91	92	SACS	T	
TE-106-AW-37	8/26/91	93	SACS	T	
TE-106-AW-37	9/2/91	95	SACS	T	
TE-106-AW-37	9/9/91	96	SACS	T	
TE-106-AW-37	9/16/91	95	SACS	T	
TE-106-AW-37	9/23/91	95	SACS	T	
TE-106-AW-37	9/30/91	95	SACS	T	
TE-106-AW-37	10/7/91	94	SACS	T	
TE-106-AW-37	10/14/91	95	SACS	T	
TE-106-AW-37	10/21/91	94	SACS	T	
TE-106-AW-37	10/28/91	94	SACS	T	
TE-106-AW-37	11/5/91	93	SACS	T	
TE-106-AW-37	11/11/91	93	SACS	T	
TE-106-AW-37	11/18/91	92	SACS	T	
TE-106-AW-37	11/25/91	92	SACS	T	
TE-106-AW-37	12/2/91	92	SACS	T	
TE-106-AW-37	12/9/91	91	SACS	T	
TE-106-AW-37	12/16/91	91	SACS	T	
TE-106-AW-37	12/23/91	90	SACS	T	
TE-106-AW-37	12/30/91	89	SACS	T	
TE-106-AW-37	4/4/92	140	CASS	S	Data point did not agree with local trend
TE-106-AW-37	4/17/92	139	CASS	S	Data point did not agree with local trend
TE-106-AW-38	7/18/83	87	CASS	T	
TE-106-AW-38	7/23/83	88	CASS	T	
TE-106-AW-38	7/30/83	88	CASS	T	
TE-106-AW-38	8/6/83	89	CASS	T	
TE-106-AW-38	8/12/83	89	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-38	8/20/83	89	CASS	T	
TE-106-AW-38	8/27/83	89	CASS	T	
TE-106-AW-38	8/31/83	89	CASS	T	
TE-106-AW-38	9/10/83	89	CASS	T	
TE-106-AW-38	9/14/83	89	CASS	T	
TE-106-AW-38	9/23/83	90	CASS	T	
TE-106-AW-38	9/30/83	90	CASS	T	
TE-106-AW-38	10/5/83	90	CASS	T	
TE-106-AW-38	10/15/83	90	CASS	T	
TE-106-AW-38	10/17/83	90	CASS	T	
TE-106-AW-38	3/10/84	87	CASS	T	
TE-106-AW-38	3/17/84	87	CASS	T	
TE-106-AW-38	3/24/84	87	CASS	T	
TE-106-AW-38	3/31/84	88	CASS	T	
TE-106-AW-38	4/7/84	88	CASS	T	
TE-106-AW-38	4/14/84	88	CASS	T	
TE-106-AW-38	4/21/84	87	CASS	T	
TE-106-AW-38	4/28/84	87	CASS	T	
TE-106-AW-38	5/3/84	87	CASS	T	
TE-106-AW-38	5/12/84	88	CASS	T	
TE-106-AW-38	5/18/84	87	CASS	T	
TE-106-AW-38	5/21/84	87	CASS	T	
TE-106-AW-38	6/2/84	87	CASS	T	
TE-106-AW-38	6/7/84	87	CASS	T	
TE-106-AW-38	6/23/84	87	CASS	T	
TE-106-AW-38	6/30/84	87	CASS	T	
TE-106-AW-38	7/7/84	88	CASS	T	
TE-106-AW-38	7/8/84	88	CASS	T	
TE-106-AW-38	7/21/84	88	CASS	T	
TE-106-AW-38	7/28/84	88	CASS	T	
TE-106-AW-38	8/4/84	88	CASS	T	
TE-106-AW-38	8/11/84	88	CASS	T	
TE-106-AW-38	8/18/84	89	CASS	T	
TE-106-AW-38	8/25/84	90	CASS	T	
TE-106-AW-38	9/1/84	92	CASS	T	
TE-106-AW-38	9/7/84	93	CASS	T	
TE-106-AW-38	9/15/84	92	CASS	T	
TE-106-AW-38	9/22/84	92	CASS	T	
TE-106-AW-38	9/27/84	92	CASS	T	
TE-106-AW-38	10/3/84	92	CASS	T	
TE-106-AW-38	10/13/84	92	CASS	T	
TE-106-AW-38	10/19/84	92	CASS	T	
TE-106-AW-38	10/27/84	92	CASS	T	
TE-106-AW-38	11/3/84	92	CASS	T	
TE-106-AW-38	11/4/84	91	CASS	T	
TE-106-AW-38	11/12/84	82	CASS	T	
TE-106-AW-38	11/19/84	79	CASS	T	
TE-106-AW-38	11/30/84	76	CASS	T	
TE-106-AW-38	12/4/84	74	CASS	T	
TE-106-AW-38	12/12/84	72	CASS	T	
TE-106-AW-38	12/18/84	80	CASS	T	
TE-106-AW-38	12/28/84	101	CASS	T	
TE-106-AW-38	1/5/85	104	CASS	T	
TE-106-AW-38	1/12/85	105	CASS	T	
TE-106-AW-38	1/13/85	105	CASS	T	
TE-106-AW-38	1/26/85	115	CASS	T	
TE-106-AW-38	2/2/85	117	CASS	T	
TE-106-AW-38	2/3/85	118	CASS	T	
TE-106-AW-38	2/11/85	114	CASS	T	
TE-106-AW-38	2/18/85	112	CASS	T	
TE-106-AW-38	2/28/85	110	CASS	T	
TE-106-AW-38	3/8/85	107	CASS	T	
TE-106-AW-38	3/12/85	107	CASS	T	
TE-106-AW-38	3/21/85	105	CASS	T	
TE-106-AW-38	3/27/85	104	CASS	T	
TE-106-AW-38	4/1/85	104	CASS	T	
TE-106-AW-38	4/11/85	87	CASS	T	
TE-106-AW-38	4/20/85	110	CASS	T	
TE-106-AW-38	4/22/85	110	CASS	T	
TE-106-AW-38	5/2/85	108	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-38	5/10/85	104	CASS	T	
TE-106-AW-38	5/18/85	104	CASS	T	
TE-106-AW-38	5/24/85	108	CASS	T	
TE-106-AW-38	5/29/85	107	CASS	T	
TE-106-AW-38	6/4/85	106	CASS	T	
TE-106-AW-38	6/10/85	105	CASS	T	
TE-106-AW-38	6/18/85	104	CASS	T	
TE-106-AW-38	11/1/85	111	CASS	T	
TE-106-AW-38	12/1/85	112	CASS	T	
TE-106-AW-38	1/2/86	113	CASS	T	
TE-106-AW-38	1/9/86	118	CASS	T	
TE-106-AW-38	1/18/86	120	CASS	T	
TE-106-AW-38	1/20/86	121	CASS	T	
TE-106-AW-38	1/27/86	118	CASS	T	
TE-106-AW-38	2/7/86	115	CASS	T	
TE-106-AW-38	2/12/86	114	CASS	T	
TE-106-AW-38	2/17/86	113	CASS	T	
TE-106-AW-38	3/1/86	112	CASS	T	
TE-106-AW-38	3/2/86	112	CASS	T	
TE-106-AW-38	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-106-AW-38	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-38	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-38	9/18/86	98	CASS	T	
TE-106-AW-38	9/28/86	94	CASS	T	
TE-106-AW-38	10/2/86	93	CASS	T	
TE-106-AW-38	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-106-AW-38	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-106-AW-38	10/5/86	236	CASS	S	Data point did not agree with local trend
TE-106-AW-38	10/8/86	231	CASS	S	Data point did not agree with local trend
TE-106-AW-38	10/9/86	92	CASS	T	
TE-106-AW-38	10/18/86	103	CASS	T	
TE-106-AW-38	10/25/86	104	CASS	T	
TE-106-AW-38	10/27/86	105	CASS	T	
TE-106-AW-38	11/7/86	105	CASS	T	
TE-106-AW-38	11/15/86	106	CASS	T	
TE-106-AW-38	11/21/86	109	CASS	T	
TE-106-AW-38	11/29/86	112	CASS	T	
TE-106-AW-38	11/30/86	112	CASS	T	
TE-106-AW-38	12/7/86	106	CASS	T	
TE-106-AW-38	12/20/86	106	CASS	T	
TE-106-AW-38	12/27/86	110	CASS	T	
TE-106-AW-38	12/29/86	109	CASS	T	
TE-106-AW-38	7/4/87	103	CASS	T	
TE-106-AW-38	7/9/87	103	CASS	T	
TE-106-AW-38	7/18/87	100	CASS	T	
TE-106-AW-38	7/25/87	101	CASS	T	
TE-106-AW-38	7/30/87	102	CASS	T	
TE-106-AW-38	8/8/87	115	CASS	T	
TE-106-AW-38	8/15/87	117	CASS	T	
TE-106-AW-38	8/19/87	117	CASS	T	
TE-106-AW-38	8/29/87	118	CASS	T	
TE-106-AW-38	9/5/87	119	CASS	T	
TE-106-AW-38	9/11/87	120	CASS	T	
TE-106-AW-38	11/28/87	125	CASS	T	
TE-106-AW-38	11/29/87	134	CASS	S	Data point did not agree with local trend
TE-106-AW-38	11/30/87	85	CASS	S	Data point did not agree with local trend
TE-106-AW-38	3/28/88	92	CASS	T	
TE-106-AW-38	3/31/88	94	CASS	T	
TE-106-AW-38	6/4/88	103	CASS	T	
TE-106-AW-38	6/11/88	105	CASS	T	
TE-106-AW-38	6/15/88	105	CASS	T	
TE-106-AW-38	6/22/88	104	CASS	T	
TE-106-AW-38	7/2/88	105	CASS	T	
TE-106-AW-38	7/9/88	112	CASS	T	
TE-106-AW-38	7/18/88	115	CASS	T	
TE-106-AW-38	7/23/88	120	CASS	T	
TE-106-AW-38	7/30/88	121	CASS	T	
TE-106-AW-38	8/2/88	92	CASS	S	Data point did not agree with local trend
TE-106-AW-38	8/5/88	120	CASS	T	
TE-106-AW-38	8/12/88	120	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-38	12/3/88	107	CASS	T	
TE-106-AW-38	12/9/88	108	CASS	T	
TE-106-AW-38	12/17/88	108	CASS	T	
TE-106-AW-38	12/18/88	108	CASS	T	
TE-106-AW-38	9/2/89	99	CASS	T	
TE-106-AW-38	9/9/89	100	CASS	T	
TE-106-AW-38	9/16/89	100	CASS	T	
TE-106-AW-38	9/23/89	100	CASS	T	
TE-106-AW-38	9/30/89	101	CASS	T	
TE-106-AW-38	11/4/89	99	CASS	T	
TE-106-AW-38	11/10/89	100	CASS	T	
TE-106-AW-38	11/18/89	100	CASS	T	
TE-106-AW-38	11/23/89	100	CASS	T	
TE-106-AW-38	12/1/89	100	CASS	T	
TE-106-AW-38	12/9/89	100	CASS	T	
TE-106-AW-38	12/18/89	99	CASS	T	
TE-106-AW-38	12/23/89	99	CASS	T	
TE-106-AW-38	12/30/89	98	CASS	T	
TE-106-AW-38	1/6/90	97	CASS	T	
TE-106-AW-38	1/13/90	97	CASS	T	
TE-106-AW-38	1/19/90	97	CASS	T	
TE-106-AW-38	1/27/90	96	CASS	T	
TE-106-AW-38	2/3/90	96	CASS	T	
TE-106-AW-38	2/10/90	96	CASS	T	
TE-106-AW-38	2/11/90	96	CASS	T	
TE-106-AW-38	2/24/90	95	CASS	T	
TE-106-AW-38	3/3/90	95	CASS	T	
TE-106-AW-38	3/10/90	95	CASS	T	
TE-106-AW-38	3/17/90	95	CASS	T	
TE-106-AW-38	3/22/90	95	CASS	T	
TE-106-AW-38	3/31/90	95	CASS	T	
TE-106-AW-38	4/4/90	95	CASS	T	
TE-106-AW-38	4/14/90	94	CASS	T	
TE-106-AW-38	4/21/90	94	CASS	T	
TE-106-AW-38	4/28/90	94	CASS	T	
TE-106-AW-38	5/2/90	88	CASS	S	Data point did not agree with local trend
TE-106-AW-38	5/5/90	94	CASS	T	
TE-106-AW-38	5/12/90	94	CASS	T	
TE-106-AW-38	5/15/90	94	CASS	T	
TE-106-AW-38	5/22/90	93	CASS	T	
TE-106-AW-38	6/2/90	93	CASS	T	
TE-106-AW-38	6/9/90	94	CASS	T	
TE-106-AW-38	6/18/90	94	CASS	T	
TE-106-AW-38	6/23/90	95	CASS	T	
TE-106-AW-38	6/30/90	95	CASS	T	
TE-106-AW-38	7/3/90	79	CASS	S	Data point did not agree with local trend
TE-106-AW-38	7/7/90	95	CASS	T	
TE-106-AW-38	7/14/90	98	CASS	T	
TE-106-AW-38	7/21/90	98	CASS	T	
TE-106-AW-38	7/28/90	97	CASS	T	
TE-106-AW-38	8/4/90	97	CASS	T	
TE-106-AW-38	8/11/90	98	CASS	T	
TE-106-AW-38	8/18/90	98	CASS	T	
TE-106-AW-38	8/25/90	98	CASS	T	
TE-106-AW-38	9/1/90	98	CASS	T	
TE-106-AW-38	9/8/90	98	CASS	T	
TE-106-AW-38	9/15/90	99	CASS	T	
TE-106-AW-38	9/22/90	99	CASS	T	
TE-106-AW-38	9/29/90	99	CASS	T	
TE-106-AW-38	10/6/90	99	CASS	T	
TE-106-AW-38	10/13/90	99	CASS	T	
TE-106-AW-38	10/20/90	99	CASS	T	
TE-106-AW-38	10/27/90	99	CASS	T	
TE-106-AW-38	11/3/90	99	CASS	T	
TE-106-AW-38	11/9/90	74	CASS	S	Data point did not agree with local trend
TE-106-AW-38	11/10/90	99	CASS	T	
TE-106-AW-38	11/17/90	99	CASS	T	
TE-106-AW-38	11/24/90	99	CASS	T	
TE-106-AW-38	11/25/90	99	CASS	T	
TE-106-AW-38	12/6/90	70	CASS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-38	12/8/90	98	CASS	T	
TE-106-AW-38	12/11/90	98	CASS	T	
TE-106-AW-38	12/19/90	97	CASS	T	
TE-106-AW-38	12/28/90	98	CASS	T	
TE-106-AW-38	1/5/91	98	CASS	T	
TE-106-AW-38	1/12/91	98	CASS	T	
TE-106-AW-38	1/18/91	98	CASS	T	
TE-106-AW-38	1/25/91	95	CASS	T	
TE-106-AW-38	2/2/91	95	CASS	T	
TE-106-AW-38	2/7/91	95	CASS	T	
TE-106-AW-38	2/16/91	95	CASS	T	
TE-106-AW-38	2/22/91	95	CASS	T	
TE-106-AW-38	3/2/91	94	CASS	T	
TE-106-AW-38	3/4/91	94	CASS	T	
TE-106-AW-38	3/16/91	93	CASS	T	
TE-106-AW-38	3/23/91	93	CASS	T	
TE-106-AW-38	3/30/91	93	CASS	T	
TE-106-AW-38	4/5/91	93	CASS	T	
TE-106-AW-38	4/13/91	92	CASS	T	
TE-106-AW-38	4/20/91	92	CASS	T	
TE-106-AW-38	4/27/91	92	CASS	T	
TE-106-AW-38	5/4/91	92	CASS	T	
TE-106-AW-38	5/11/91	92	CASS	T	
TE-106-AW-38	5/18/91	93	CASS	T	
TE-106-AW-38	5/25/91	92	CASS	T	
TE-106-AW-38	5/29/91	93	CASS	T	
TE-106-AW-38	6/8/91	93	CASS	T	
TE-106-AW-38	6/15/91	93	CASS	T	
TE-106-AW-38	6/20/91	93	CASS	T	
TE-106-AW-38	6/25/91	93	CASS	T	
TE-106-AW-38	1/8/92	91	SACS	T	
TE-106-AW-38	1/13/92	90	SACS	T	
TE-106-AW-38	1/20/92	90	SACS	T	
TE-106-AW-38	1/27/92	89	SACS	T	
TE-106-AW-38	2/3/92	88	SACS	T	
TE-106-AW-38	2/10/92	88	SACS	T	
TE-106-AW-38	2/22/92	93	SACS	T	
TE-106-AW-38	2/24/92	87	SACS	T	
TE-106-AW-38	3/3/92	86	SACS	T	
TE-106-AW-38	3/9/92	85	SACS	T	
TE-106-AW-38	3/16/92	88	SACS	T	
TE-106-AW-38	3/23/92	86	SACS	T	
TE-106-AW-38	3/30/92	86	SACS	T	
TE-106-AW-38	4/4/92	139	CASS	S	Data point did not agree with local trend
TE-106-AW-38	4/8/92	86	SACS	T	
TE-106-AW-38	4/13/92	86	SACS	T	
TE-106-AW-38	4/17/92	141	CASS	S	Data point did not agree with local trend
TE-106-AW-38	4/20/92	87	SACS	T	
TE-106-AW-38	4/27/92	86	SACS	T	
TE-106-AW-38	5/4/92	85	SACS	T	
TE-106-AW-38	6/6/92	86	SACS	T	
TE-106-AW-38	6/15/92	87	SACS	T	
TE-106-AW-38	6/22/92	86	SACS	T	
TE-106-AW-38	6/29/92	85	SACS	T	
TE-106-AW-38	7/6/92	86	SACS	T	
TE-106-AW-38	7/13/92	87	SACS	T	
TE-106-AW-38	7/20/92	87	SACS	T	
TE-106-AW-38	7/27/92	88	SACS	T	
TE-106-AW-38	8/3/92	88	SACS	T	
TE-106-AW-38	8/10/92	89	SACS	T	
TE-106-AW-38	8/17/92	81	SACS	T	
TE-106-AW-38	8/24/92	84	SACS	T	
TE-106-AW-38	8/31/92	84	SACS	T	
TE-106-AW-38	9/7/92	86	SACS	T	
TE-106-AW-38	9/14/92	86	SACS	T	
TE-106-AW-38	9/21/92	86	SACS	T	
TE-106-AW-38	9/28/92	87	SACS	T	
TE-106-AW-38	10/5/92	89	SACS	T	
TE-106-AW-38	10/12/92	89	SACS	T	
TE-106-AW-38	10/19/92	89	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-38	10/28/92	89	SACS	T	
TE-106-AW-38	11/2/92	90	SACS	T	
TE-106-AW-38	11/9/92	91	SACS	T	
TE-106-AW-38	11/16/92	92	SACS	T	
TE-106-AW-38	11/23/92	93	SACS	T	
TE-106-AW-38	11/30/92	92	SACS	T	
TE-106-AW-38	12/7/92	93	SACS	T	
TE-106-AW-38	12/14/92	93	SACS	T	
TE-106-AW-38	12/21/92	92	SACS	T	
TE-106-AW-38	12/28/92	93	SACS	T	
TE-106-AW-38	1/4/93	93	SACS	T	
TE-106-AW-38	1/11/93	93	SACS	T	
TE-106-AW-38	1/18/93	93	SACS	T	
TE-106-AW-38	1/25/93	92	SACS	T	
TE-106-AW-38	2/1/93	93	SACS	T	
TE-106-AW-38	2/8/93	92	SACS	T	
TE-106-AW-38	2/15/93	93	SACS	T	
TE-106-AW-38	3/1/93	99	SACS	T	
TE-106-AW-38	3/8/93	93	SACS	T	
TE-106-AW-38	3/20/93	93	SACS	T	
TE-106-AW-38	3/22/93	95	SACS	T	
TE-106-AW-38	3/29/93	92	SACS	T	
TE-106-AW-38	4/6/93	91	SACS	T	
TE-106-AW-38	4/12/93	92	SACS	T	
TE-106-AW-38	4/19/93	92	SACS	T	
TE-106-AW-38	4/26/93	91	SACS	T	
TE-106-AW-38	5/3/93	92	SACS	T	
TE-106-AW-38	5/10/93	90	SACS	T	
TE-106-AW-38	5/17/93	92	SACS	T	
TE-106-AW-38	5/24/93	93	SACS	T	
TE-106-AW-38	5/31/93	92	SACS	T	
TE-106-AW-38	6/7/93	94	SACS	T	
TE-106-AW-38	6/15/93	93	SACS	T	
TE-106-AW-38	6/22/93	93	SACS	T	
TE-106-AW-38	6/28/93	91	SACS	T	
TE-106-AW-38	7/5/93	92	SACS	T	
TE-106-AW-38	7/12/93	91	SACS	T	
TE-106-AW-38	7/19/93	89	SACS	T	
TE-106-AW-38	7/26/93	91	SACS	T	
TE-106-AW-38	8/2/93	92	SACS	T	
TE-106-AW-38	8/9/93	94	SACS	T	
TE-106-AW-38	8/16/93	93	SACS	T	
TE-106-AW-38	8/23/93	95	SACS	T	
TE-106-AW-38	8/30/93	96	SACS	T	
TE-106-AW-38	9/13/93	97	SACS	T	
TE-106-AW-38	9/21/93	97	SACS	T	
TE-106-AW-38	9/27/93	98	SACS	T	
TE-106-AW-38	10/11/93	99	SACS	T	
TE-106-AW-38	10/19/93	97	SACS	T	
TE-106-AW-38	10/25/93	98	SACS	T	
TE-106-AW-38	11/1/93	96	SACS	T	
TE-106-AW-38	11/15/93	97	SACS	T	
TE-106-AW-38	11/28/93	99	SACS	T	
TE-106-AW-38	11/29/93	97	SACS	T	
TE-106-AW-38	12/6/93	97	SACS	T	
TE-106-AW-38	12/13/93	97	SACS	T	
TE-106-AW-38	12/20/93	97	SACS	T	
TE-106-AW-38	12/27/93	97	SACS	T	
TE-106-AW-38	1/5/94	97	SACS	T	
TE-106-AW-38	1/24/94	97	SACS	T	
TE-106-AW-38	1/31/94	97	SACS	T	
TE-106-AW-38	2/7/94	97	SACS	G	
TE-106-AW-38	2/21/94	96	SACS	G	
TE-106-AW-38	2/28/94	96	SACS	T	
TE-106-AW-38	3/7/94	96	SACS	T	
TE-106-AW-38	3/14/94	95	SACS	G	
TE-106-AW-38	3/21/94	95	SACS	G	
TE-106-AW-38	3/28/94	96	SACS	G	
TE-106-AW-38	4/5/94	96	SACS	G	
TE-106-AW-38	4/11/94	95	SACS	G	

TANK 241-AW-106					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-38	4/18/94	89	SACS	G	
TE-106-AW-38	4/25/94	91	SACS	G	
TE-106-AW-38	5/2/94	95	SACS	G	
TE-106-AW-38	5/9/94	97	SACS	G	
TE-106-AW-38	5/18/94	98	SACS	G	
TE-106-AW-38	5/31/94	105	SACS	G	
TE-106-AW-38	6/6/94	108	SACS	G	
TE-106-AW-38	6/13/94	107	SACS	G	
TE-106-AW-38	6/20/94	107	SACS	G	
TE-106-AW-38	6/27/94	108	SACS	G	
TE-106-AW-38	7/4/94	104	SACS	G	
TE-106-AW-38	7/18/94	103	SACS	G	
TE-106-AW-38	7/25/94	102	SACS	G	
TE-106-AW-38	8/1/94	101	SACS	G	
TE-106-AW-38	8/8/94	101	SACS	G	
TE-106-AW-38	8/15/94	100	SACS	G	
TE-106-AW-38	8/22/94	99	SACS	G	
TE-106-AW-38	8/27/94	99	SACS	G	
TE-106-AW-38	9/12/94	99	SACS	G	
TE-106-AW-38	9/19/94	97	SACS	G	
TE-106-AW-38	9/26/94	97	SACS	G	
TE-106-AW-38	10/10/94	106	SACS	G	
TE-106-AW-38	10/17/94	109	SACS	G	
TE-106-AW-38	10/24/94	109	SACS	G	
TE-106-AW-38	10/31/94	111	SACS	G	
TE-106-AW-38	11/7/94	111	SACS	G	
TE-106-AW-38	11/14/94	109	SACS	G	
TE-106-AW-38	11/21/94	111	SACS	G	
TE-106-AW-38	11/28/94	110	SACS	G	
TE-106-AW-38	12/5/94	112	SACS	G	
TE-106-AW-38	12/12/94	109	SACS	G	
TE-106-AW-38	12/19/94	107	SACS	G	
TE-106-AW-38	12/26/94	108	SACS	G	
TE-106-AW-38	1/2/95	108	SACS	G	
TE-106-AW-38	1/9/95	104	SACS	G	
TE-106-AW-38	1/16/95	103	SACS	G	
TE-106-AW-38	1/23/95	102	SACS	G	
TE-106-AW-38	1/30/95	101	SACS	G	
TE-106-AW-38	2/6/95	100	SACS	G	
TE-106-AW-38	2/13/95	100	SACS	G	
TE-106-AW-38	2/24/95	97	SACS	G	
TE-106-AW-38	2/27/95	97	SACS	G	
TE-106-AW-38	3/6/95	97	SACS	G	
TE-106-AW-38	3/19/95	95	SACS	G	
TE-106-AW-38	3/27/95	95	SACS	G	
TE-106-AW-38	4/3/95	94	SACS	G	
TE-106-AW-38	4/10/95	94	SACS	G	
TE-106-AW-38	4/17/95	93	SACS	G	
TE-106-AW-38	4/24/95	93	SACS	G	
TE-106-AW-38	5/1/95	92	SACS	G	
TE-106-AW-38	5/13/95	92	SACS	G	
TE-106-AW-38	5/22/95	92	SACS	G	
TE-106-AW-38	5/29/95	92	SACS	G	
TE-106-AW-38	6/5/95	93	SACS	G	
TE-106-AW-38	6/13/95	92	SACS	G	
TE-106-AW-38	6/19/95	94	SACS	G	
TE-106-AW-38	6/26/95	101	SACS	G	
TE-106-AW-39	7/16/83	88	CASS	T	
TE-106-AW-39	7/21/83	89	CASS	T	
TE-106-AW-39	7/29/83	89	CASS	T	
TE-106-AW-39	8/6/83	89	CASS	T	
TE-106-AW-39	8/13/83	89	CASS	T	
TE-106-AW-39	8/19/83	90	CASS	T	
TE-106-AW-39	8/27/83	90	CASS	T	
TE-106-AW-39	8/31/83	90	CASS	T	
TE-106-AW-39	9/10/83	90	CASS	T	
TE-106-AW-39	9/14/83	90	CASS	T	
TE-106-AW-39	9/24/83	90	CASS	T	
TE-106-AW-39	10/1/83	90	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-39	10/5/83	90	CASS	T	
TE-106-AW-39	10/15/83	90	CASS	T	
TE-106-AW-39	10/17/83	90	CASS	T	
TE-106-AW-39	3/10/84	88	CASS	T	
TE-106-AW-39	3/17/84	87	CASS	T	
TE-106-AW-39	3/24/84	87	CASS	T	
TE-106-AW-39	3/31/84	87	CASS	T	
TE-106-AW-39	4/7/84	87	CASS	T	
TE-106-AW-39	4/14/84	87	CASS	T	
TE-106-AW-39	4/21/84	87	CASS	T	
TE-106-AW-39	4/28/84	87	CASS	T	
TE-106-AW-39	5/5/84	87	CASS	T	
TE-106-AW-39	5/12/84	87	CASS	T	
TE-106-AW-39	5/19/84	87	CASS	T	
TE-106-AW-39	5/26/84	87	CASS	T	
TE-106-AW-39	5/30/84	88	CASS	T	
TE-106-AW-39	6/4/84	88	CASS	T	
TE-106-AW-39	6/23/84	87	CASS	T	
TE-106-AW-39	6/30/84	88	CASS	T	
TE-106-AW-39	7/7/84	88	CASS	T	
TE-106-AW-39	7/14/84	88	CASS	T	
TE-106-AW-39	7/21/84	88	CASS	T	
TE-106-AW-39	7/28/84	88	CASS	T	
TE-106-AW-39	8/3/84	89	CASS	T	
TE-106-AW-39	8/11/84	89	CASS	T	
TE-106-AW-39	8/18/84	89	CASS	T	
TE-106-AW-39	8/25/84	90	CASS	T	
TE-106-AW-39	9/1/84	92	CASS	T	
TE-106-AW-39	9/7/84	93	CASS	T	
TE-106-AW-39	9/15/84	92	CASS	T	
TE-106-AW-39	9/22/84	92	CASS	T	
TE-106-AW-39	9/29/84	92	CASS	T	
TE-106-AW-39	10/6/84	92	CASS	T	
TE-106-AW-39	10/13/84	92	CASS	T	
TE-106-AW-39	10/19/84	92	CASS	T	
TE-106-AW-39	10/27/84	92	CASS	T	
TE-106-AW-39	11/3/84	92	CASS	T	
TE-106-AW-39	11/5/84	87	CASS	T	
TE-106-AW-39	11/11/84	82	CASS	T	
TE-106-AW-39	11/19/84	79	CASS	T	
TE-106-AW-39	11/30/84	76	CASS	T	
TE-106-AW-39	12/4/84	74	CASS	T	
TE-106-AW-39	12/12/84	72	CASS	T	
TE-106-AW-39	12/18/84	80	CASS	T	
TE-106-AW-39	12/29/84	97	CASS	T	
TE-106-AW-39	1/5/85	104	CASS	T	
TE-106-AW-39	1/12/85	105	CASS	T	
TE-106-AW-39	1/15/85	105	CASS	T	
TE-106-AW-39	1/26/85	115	CASS	T	
TE-106-AW-39	2/2/85	117	CASS	T	
TE-106-AW-39	2/3/85	117	CASS	T	
TE-106-AW-39	2/11/85	114	CASS	T	
TE-106-AW-39	2/20/85	112	CASS	T	
TE-106-AW-39	2/24/85	111	CASS	T	
TE-106-AW-39	3/14/85	107	CASS	T	
TE-106-AW-39	3/20/85	108	CASS	T	
TE-106-AW-39	3/27/85	105	CASS	T	
TE-106-AW-39	4/1/85	104	CASS	T	
TE-106-AW-39	4/11/85	87	CASS	T	
TE-106-AW-39	4/20/85	108	CASS	T	
TE-106-AW-39	4/27/85	110	CASS	T	
TE-106-AW-39	4/29/85	110	CASS	T	
TE-106-AW-39	5/9/85	108	CASS	T	
TE-106-AW-39	5/18/85	104	CASS	T	
TE-106-AW-39	5/24/85	108	CASS	T	
TE-106-AW-39	5/30/85	107	CASS	T	
TE-106-AW-39	6/7/85	108	CASS	T	
TE-106-AW-39	6/15/85	105	CASS	T	
TE-106-AW-39	6/19/85	104	CASS	T	
TE-106-AW-39	11/1/85	111	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-39	12/1/85	107	CASS	T	
TE-106-AW-39	1/2/86	113	CASS	T	
TE-106-AW-39	1/8/86	119	CASS	T	
TE-106-AW-39	1/18/86	120	CASS	T	
TE-106-AW-39	1/21/86	121	CASS	T	
TE-106-AW-39	1/28/86	119	CASS	T	
TE-106-AW-39	2/4/86	117	CASS	T	
TE-106-AW-39	2/12/86	115	CASS	T	
TE-106-AW-39	2/18/86	114	CASS	T	
TE-106-AW-39	2/23/86	113	CASS	T	
TE-106-AW-39	3/2/86	112	CASS	T	
TE-106-AW-39	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-106-AW-39	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-39	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-39	9/16/86	98	CASS	T	
TE-106-AW-39	9/28/86	94	CASS	T	
TE-106-AW-39	10/2/86	93	CASS	T	
TE-106-AW-39	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-106-AW-39	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-106-AW-39	10/5/86	236	CASS	S	Data point did not agree with local trend
TE-106-AW-39	10/6/86	231	CASS	S	Data point did not agree with local trend
TE-106-AW-39	10/9/86	92	CASS	T	
TE-106-AW-39	10/18/86	103	CASS	T	
TE-106-AW-39	10/20/86	103	CASS	T	
TE-106-AW-39	11/1/86	103	CASS	T	
TE-106-AW-39	11/8/86	104	CASS	T	
TE-106-AW-39	11/15/86	108	CASS	T	
TE-106-AW-39	11/20/86	110	CASS	T	
TE-106-AW-39	11/29/86	112	CASS	T	
TE-106-AW-39	11/30/86	112	CASS	T	
TE-106-AW-39	12/7/86	108	CASS	T	
TE-106-AW-39	12/20/86	108	CASS	T	
TE-106-AW-39	12/27/86	110	CASS	T	
TE-106-AW-39	12/29/86	109	CASS	T	
TE-106-AW-39	7/4/87	102	CASS	T	
TE-106-AW-39	7/8/87	102	CASS	T	
TE-106-AW-39	7/13/87	98	CASS	T	
TE-106-AW-39	7/25/87	97	CASS	T	
TE-106-AW-39	7/30/87	97	CASS	T	
TE-106-AW-39	8/8/87	116	CASS	T	
TE-106-AW-39	8/13/87	118	CASS	T	
TE-106-AW-39	8/19/87	118	CASS	T	
TE-106-AW-39	8/29/87	118	CASS	T	
TE-106-AW-39	9/1/87	119	CASS	T	
TE-106-AW-39	9/8/87	117	CASS	T	
TE-106-AW-39	11/26/87	117	CASS	T	
TE-106-AW-39	11/29/87	124	CASS	S	Data point did not agree with local trend
TE-106-AW-39	11/30/87	81	CASS	T	
TE-106-AW-39	3/28/88	92	CASS	T	
TE-106-AW-39	3/31/88	93	CASS	T	
TE-106-AW-39	6/4/88	103	CASS	T	
TE-106-AW-39	6/11/88	104	CASS	T	
TE-106-AW-39	6/16/88	104	CASS	T	
TE-106-AW-39	6/22/88	103	CASS	T	
TE-106-AW-39	7/2/88	104	CASS	T	
TE-106-AW-39	7/9/88	112	CASS	T	
TE-106-AW-39	7/16/88	116	CASS	T	
TE-106-AW-39	7/20/88	599	CASS	S	Data point did not agree with local trend
TE-106-AW-39	7/23/88	122	CASS	T	
TE-106-AW-39	7/27/88	121	CASS	T	
TE-106-AW-39	7/31/88	128	CASS	S	Data point did not agree with local trend
TE-106-AW-39	8/2/88	94	CASS	S	Data point did not agree with local trend
TE-106-AW-39	8/5/88	119	CASS	T	
TE-106-AW-39	8/10/88	119	CASS	T	
TE-106-AW-39	8/12/88	178	CASS	S	Data point did not agree with local trend
TE-106-AW-39	12/3/88	105	CASS	T	
TE-106-AW-39	12/9/88	105	CASS	T	
TE-106-AW-39	12/17/88	105	CASS	T	
TE-106-AW-39	12/18/88	103	CASS	T	
TE-106-AW-39	7/10/89	95	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-39	7/17/89	91	SACS	T	
TE-106-AW-39	7/24/89	92	SACS	T	
TE-106-AW-39	8/7/89	94	SACS	T	
TE-106-AW-39	8/14/89	96	SACS	T	
TE-106-AW-39	8/21/89	96	SACS	T	
TE-106-AW-39	8/28/89	97	SACS	T	
TE-106-AW-39	9/4/89	97	SACS	T	
TE-106-AW-39	9/11/89	98	SACS	T	
TE-106-AW-39	9/18/89	98	SACS	T	
TE-106-AW-39	9/25/89	98	SACS	T	
TE-106-AW-39	10/1/89	98	SACS	T	
TE-106-AW-39	10/8/89	99	SACS	T	
TE-106-AW-39	10/15/89	99	SACS	T	
TE-106-AW-39	10/22/89	101	SACS	T	
TE-106-AW-39	10/30/89	101	SACS	T	
TE-106-AW-39	11/7/89	100	SACS	T	
TE-106-AW-39	11/13/89	101	SACS	T	
TE-106-AW-39	11/20/89	99	SACS	T	
TE-106-AW-39	11/27/89	101	SACS	T	
TE-106-AW-39	12/4/89	100	SACS	T	
TE-106-AW-39	12/11/89	100	SACS	T	
TE-106-AW-39	12/18/89	99	SACS	T	
TE-106-AW-39	12/25/89	99	SACS	T	
TE-106-AW-39	1/2/90	99	SACS	T	
TE-106-AW-39	1/8/90	98	SACS	T	
TE-106-AW-39	1/15/90	99	SACS	T	
TE-106-AW-39	1/22/90	98	SACS	T	
TE-106-AW-39	1/29/90	98	SACS	T	
TE-106-AW-39	2/5/90	97	SACS	T	
TE-106-AW-39	2/12/90	98	SACS	T	
TE-106-AW-39	2/19/90	97	SACS	T	
TE-106-AW-39	2/26/90	96	SACS	T	
TE-106-AW-39	3/5/90	96	SACS	T	
TE-106-AW-39	3/12/90	97	SACS	T	
TE-106-AW-39	3/19/90	97	SACS	T	
TE-106-AW-39	3/26/90	98	SACS	T	
TE-106-AW-39	4/2/90	98	SACS	T	
TE-106-AW-39	4/9/90	96	SACS	T	
TE-106-AW-39	4/16/90	95	SACS	T	
TE-106-AW-39	4/23/90	95	SACS	T	
TE-106-AW-39	4/30/90	95	SACS	T	
TE-106-AW-39	5/2/90	69	CASS	S	Date point did not agree with local trend
TE-106-AW-39	5/7/90	95	SACS	T	
TE-106-AW-39	5/14/90	94	SACS	T	
TE-106-AW-39	5/21/90	94	SACS	T	
TE-106-AW-39	5/28/90	94	SACS	T	
TE-106-AW-39	6/4/90	93	SACS	T	
TE-106-AW-39	6/11/90	95	SACS	T	
TE-106-AW-39	6/18/90	94	SACS	T	
TE-106-AW-39	6/25/90	95	SACS	T	
TE-106-AW-39	7/2/90	95	SACS	T	
TE-106-AW-39	7/9/90	93	SACS	T	
TE-106-AW-39	7/16/90	94	SACS	T	
TE-106-AW-39	7/23/90	95	SACS	T	
TE-106-AW-39	7/30/90	95	SACS	T	
TE-106-AW-39	8/6/90	95	SACS	T	
TE-106-AW-39	8/13/90	95	SACS	T	
TE-106-AW-39	8/20/90	97	SACS	T	
TE-106-AW-39	9/1/90	88	CASS	T	
TE-106-AW-39	9/3/90	94	SACS	T	
TE-106-AW-39	9/10/90	97	SACS	T	
TE-106-AW-39	9/17/90	99	SACS	T	
TE-106-AW-39	9/24/90	97	SACS	T	
TE-106-AW-39	10/1/90	99	SACS	T	
TE-106-AW-39	10/8/90	100	SACS	T	
TE-106-AW-39	10/15/90	100	SACS	T	
TE-106-AW-39	10/22/90	100	SACS	T	
TE-106-AW-39	10/29/90	100	SACS	T	
TE-106-AW-39	11/5/90	100	SACS	T	
TE-106-AW-39	11/12/90	99	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-39	11/19/90	98	SACS	T	
TE-106-AW-39	11/26/90	98	SACS	T	
TE-106-AW-39	12/3/90	98	SACS	T	
TE-106-AW-39	12/10/90	98	SACS	T	
TE-106-AW-39	12/17/90	97	SACS	T	
TE-106-AW-39	12/24/90	99	SACS	T	
TE-106-AW-39	12/31/90	98	SACS	T	
TE-106-AW-39	1/7/91	98	SACS	T	
TE-106-AW-39	1/14/91	98	SACS	T	
TE-106-AW-39	1/21/91	95	SACS	T	
TE-106-AW-39	1/28/91	98	SACS	T	
TE-106-AW-39	2/3/91	82	CASS	T	
TE-106-AW-39	2/11/91	95	SACS	T	
TE-106-AW-39	2/18/91	95	SACS	T	
TE-106-AW-39	2/25/91	93	SACS	T	
TE-106-AW-39	3/4/91	94	SACS	T	
TE-106-AW-39	3/11/91	93	SACS	T	
TE-106-AW-39	3/18/91	93	SACS	T	
TE-106-AW-39	3/25/91	93	SACS	T	
TE-106-AW-39	4/1/91	92	SACS	T	
TE-106-AW-39	4/8/91	92	SACS	T	
TE-106-AW-39	4/15/91	92	SACS	T	
TE-106-AW-39	4/22/91	92	SACS	T	
TE-106-AW-39	4/29/91	91	SACS	T	
TE-106-AW-39	5/6/91	91	SACS	T	
TE-106-AW-39	5/13/91	92	SACS	T	
TE-106-AW-39	5/20/91	91	SACS	T	
TE-106-AW-39	5/27/91	90	SACS	T	
TE-106-AW-39	6/3/91	91	SACS	T	
TE-106-AW-39	6/10/91	91	SACS	T	
TE-106-AW-39	6/18/91	81	CASS	T	
TE-106-AW-39	6/25/91	90	SACS	T	
TE-106-AW-39	7/1/91	91	SACS	T	
TE-106-AW-39	7/8/91	89	SACS	T	
TE-106-AW-39	7/15/91	92	SACS	T	
TE-106-AW-39	7/22/91	90	SACS	T	
TE-106-AW-39	7/29/91	91	SACS	T	
TE-106-AW-39	8/4/91	92	SACS	T	
TE-106-AW-39	8/12/91	90	SACS	T	
TE-106-AW-39	8/20/91	92	SACS	T	
TE-106-AW-39	8/27/91	93	SACS	T	
TE-106-AW-39	9/3/91	95	SACS	T	
TE-106-AW-39	9/10/91	95	SACS	T	
TE-106-AW-39	9/23/91	95	SACS	T	
TE-106-AW-39	9/30/91	95	SACS	T	
TE-106-AW-39	10/7/91	95	SACS	T	
TE-106-AW-39	10/14/91	95	SACS	T	
TE-106-AW-39	10/21/91	94	SACS	T	
TE-106-AW-39	10/28/91	94	SACS	T	
TE-106-AW-39	11/5/91	93	SACS	T	
TE-106-AW-39	11/11/91	94	SACS	T	
TE-106-AW-39	11/18/91	99	SACS	T	
TE-106-AW-39	11/25/91	93	SACS	T	
TE-106-AW-39	12/2/91	92	SACS	T	
TE-106-AW-39	12/9/91	92	SACS	T	
TE-106-AW-39	12/16/91	92	SACS	T	
TE-106-AW-39	12/23/91	91	SACS	T	
TE-106-AW-39	12/30/91	91	SACS	T	
TE-106-AW-39	4/4/92	139	CASS	S	Data point did not agree with local trend
TE-106-AW-39	4/17/92	141	CASS	S	Data point did not agree with local trend
TE-106-AW-40	7/18/83	89	CASS	T	
TE-106-AW-40	7/21/83	90	CASS	T	
TE-106-AW-40	7/30/83	89	CASS	T	
TE-106-AW-40	8/8/83	90	CASS	T	
TE-106-AW-40	8/12/83	90	CASS	T	
TE-106-AW-40	8/20/83	90	CASS	T	
TE-106-AW-40	8/27/83	90	CASS	T	
TE-106-AW-40	8/31/83	90	CASS	T	
TE-106-AW-40	9/10/83	90	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-40	9/14/83	90	CASS	T	
TE-106-AW-40	9/24/83	91	CASS	T	
TE-106-AW-40	10/1/83	91	CASS	T	
TE-106-AW-40	10/5/83	91	CASS	T	
TE-106-AW-40	10/15/83	91	CASS	T	
TE-106-AW-40	10/17/83	91	CASS	T	
TE-106-AW-40	3/10/84	88	CASS	T	
TE-106-AW-40	3/17/84	88	CASS	T	
TE-106-AW-40	3/24/84	88	CASS	T	
TE-106-AW-40	3/31/84	88	CASS	T	
TE-106-AW-40	4/8/84	88	CASS	T	
TE-106-AW-40	4/11/84	88	CASS	T	
TE-106-AW-40	4/21/84	88	CASS	T	
TE-106-AW-40	4/28/84	88	CASS	T	
TE-106-AW-40	5/3/84	88	CASS	T	
TE-106-AW-40	5/12/84	87	CASS	T	
TE-106-AW-40	5/19/84	88	CASS	T	
TE-106-AW-40	5/26/84	88	CASS	T	
TE-106-AW-40	6/2/84	88	CASS	T	
TE-106-AW-40	6/7/84	88	CASS	T	
TE-106-AW-40	6/23/84	88	CASS	T	
TE-106-AW-40	6/30/84	88	CASS	T	
TE-106-AW-40	7/7/84	88	CASS	T	
TE-106-AW-40	7/14/84	88	CASS	T	
TE-106-AW-40	7/21/84	88	CASS	T	
TE-106-AW-40	7/28/84	89	CASS	T	
TE-106-AW-40	8/4/84	89	CASS	T	
TE-106-AW-40	8/11/84	89	CASS	T	
TE-106-AW-40	8/18/84	90	CASS	T	
TE-106-AW-40	8/25/84	90	CASS	T	
TE-106-AW-40	9/1/84	92	CASS	T	
TE-106-AW-40	9/8/84	93	CASS	T	
TE-106-AW-40	9/15/84	93	CASS	T	
TE-106-AW-40	9/22/84	93	CASS	T	
TE-106-AW-40	9/29/84	93	CASS	T	
TE-106-AW-40	10/6/84	93	CASS	T	
TE-106-AW-40	10/12/84	93	CASS	T	
TE-106-AW-40	10/14/84	93	CASS	T	
TE-106-AW-40	10/25/84	93	CASS	T	
TE-106-AW-40	11/2/84	92	CASS	T	
TE-106-AW-40	11/5/84	88	CASS	T	
TE-106-AW-40	11/12/84	82	CASS	T	
TE-106-AW-40	11/21/84	79	CASS	T	
TE-106-AW-40	11/30/84	78	CASS	T	
TE-106-AW-40	12/4/84	74	CASS	T	
TE-106-AW-40	12/12/84	72	CASS	T	
TE-106-AW-40	12/18/84	81	CASS	T	
TE-106-AW-40	12/28/84	97	CASS	T	
TE-106-AW-40	1/4/85	105	CASS	T	
TE-106-AW-40	1/12/85	105	CASS	T	
TE-106-AW-40	1/18/85	105	CASS	T	
TE-106-AW-40	1/26/85	115	CASS	T	
TE-106-AW-40	1/29/85	116	CASS	T	
TE-106-AW-40	2/3/85	117	CASS	T	
TE-106-AW-40	2/13/85	114	CASS	T	
TE-106-AW-40	2/17/85	113	CASS	T	
TE-106-AW-40	2/25/85	111	CASS	T	
TE-106-AW-40	3/18/85	107	CASS	T	
TE-106-AW-40	3/17/85	107	CASS	T	
TE-106-AW-40	3/28/85	105	CASS	T	
TE-106-AW-40	4/1/85	104	CASS	T	
TE-106-AW-40	4/12/85	87	CASS	T	
TE-106-AW-40	4/20/85	106	CASS	T	
TE-106-AW-40	4/24/85	110	CASS	T	
TE-106-AW-40	4/28/85	105	CASS	T	
TE-106-AW-40	5/11/85	104	CASS	T	
TE-106-AW-40	5/17/85	105	CASS	T	
TE-106-AW-40	5/25/85	108	CASS	T	
TE-106-AW-40	5/28/85	108	CASS	T	
TE-106-AW-40	6/8/85	108	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-40	6/11/85	108	CASS	T	
TE-106-AW-40	6/18/85	105	CASS	T	
TE-106-AW-40	11/1/85	111	CASS	T	
TE-106-AW-40	12/1/85	107	CASS	T	
TE-106-AW-40	1/4/86	114	CASS	T	
TE-106-AW-40	1/8/86	118	CASS	T	
TE-106-AW-40	1/18/86	120	CASS	T	
TE-106-AW-40	1/22/86	121	CASS	T	
TE-106-AW-40	1/26/86	120	CASS	T	
TE-106-AW-40	2/5/86	118	CASS	T	
TE-106-AW-40	2/9/86	117	CASS	T	
TE-106-AW-40	2/18/86	115	CASS	T	
TE-106-AW-40	2/24/86	114	CASS	T	
TE-106-AW-40	3/2/86	112	CASS	T	
TE-106-AW-40	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-106-AW-40	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-40	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-40	9/16/86	98	CASS	T	
TE-106-AW-40	9/26/86	94	CASS	T	
TE-106-AW-40	10/2/86	93	CASS	T	
TE-106-AW-40	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-106-AW-40	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-106-AW-40	10/5/86	238	CASS	S	Data point did not agree with local trend
TE-106-AW-40	10/8/86	231	CASS	S	Data point did not agree with local trend
TE-106-AW-40	10/9/86	92	CASS	T	
TE-106-AW-40	10/18/86	103	CASS	T	
TE-106-AW-40	10/23/86	103	CASS	T	
TE-106-AW-40	11/1/86	103	CASS	T	
TE-106-AW-40	11/4/86	105	CASS	T	
TE-106-AW-40	11/15/86	109	CASS	T	
TE-106-AW-40	11/20/86	110	CASS	T	
TE-106-AW-40	11/29/86	112	CASS	T	
TE-106-AW-40	12/1/86	112	CASS	T	
TE-106-AW-40	12/7/86	108	CASS	T	
TE-106-AW-40	12/20/86	106	CASS	T	
TE-106-AW-40	12/27/86	110	CASS	T	
TE-106-AW-40	12/29/86	109	CASS	T	
TE-106-AW-40	7/1/87	100	CASS	T	
TE-106-AW-40	7/9/87	99	CASS	T	
TE-106-AW-40	7/13/87	96	CASS	T	
TE-106-AW-40	7/25/87	93	CASS	T	
TE-106-AW-40	7/30/87	93	CASS	T	
TE-106-AW-40	8/8/87	116	CASS	T	
TE-106-AW-40	8/15/87	118	CASS	T	
TE-106-AW-40	8/18/87	118	CASS	T	
TE-106-AW-40	8/29/87	118	CASS	T	
TE-106-AW-40	9/1/87	119	CASS	T	
TE-106-AW-40	9/9/87	117	CASS	T	
TE-106-AW-40	11/26/87	116	CASS	T	
TE-106-AW-40	11/29/87	122	CASS	S	Data point did not agree with local trend
TE-106-AW-40	11/30/87	88	CASS	T	
TE-106-AW-40	3/28/88	92	CASS	T	
TE-106-AW-40	3/31/88	94	CASS	T	
TE-106-AW-40	6/4/88	103	CASS	T	
TE-106-AW-40	6/11/88	104	CASS	T	
TE-106-AW-40	6/17/88	104	CASS	T	
TE-106-AW-40	6/22/88	103	CASS	T	
TE-106-AW-40	7/2/88	104	CASS	T	
TE-106-AW-40	7/9/88	112	CASS	T	
TE-106-AW-40	7/18/88	116	CASS	T	
TE-106-AW-40	7/23/88	122	CASS	T	
TE-106-AW-40	7/27/88	121	CASS	T	
TE-106-AW-40	7/31/88	120	CASS	T	
TE-106-AW-40	8/2/88	93	CASS	S	Data point did not agree with local trend
TE-106-AW-40	8/12/88	118	CASS	T	
TE-106-AW-40	12/3/88	105	CASS	T	
TE-106-AW-40	12/8/88	105	CASS	T	
TE-106-AW-40	12/17/88	105	CASS	T	
TE-106-AW-40	12/18/88	103	CASS	T	
TE-106-AW-40	9/2/89	85	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1985.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-40	9/9/89	86	CASS	T	
TE-106-AW-40	9/16/89	86	CASS	T	
TE-106-AW-40	9/23/89	86	CASS	T	
TE-106-AW-40	9/30/89	86	CASS	T	
TE-106-AW-40	11/4/89	83	CASS	T	
TE-106-AW-40	11/8/89	84	CASS	T	
TE-106-AW-40	11/18/89	83	CASS	T	
TE-106-AW-40	11/23/89	83	CASS	T	
TE-106-AW-40	12/1/89	82	CASS	T	
TE-106-AW-40	12/9/89	82	CASS	T	
TE-106-AW-40	12/14/89	82	CASS	T	
TE-106-AW-40	12/23/89	81	CASS	T	
TE-106-AW-40	12/25/89	81	CASS	T	
TE-106-AW-40	1/6/90	79	CASS	T	
TE-106-AW-40	1/13/90	79	CASS	T	
TE-106-AW-40	1/17/90	79	CASS	T	
TE-106-AW-40	1/27/90	78	CASS	T	
TE-106-AW-40	2/3/90	78	CASS	T	
TE-106-AW-40	2/8/90	78	CASS	T	
TE-106-AW-40	2/14/90	77	CASS	T	
TE-106-AW-40	2/24/90	77	CASS	T	
TE-106-AW-40	2/27/90	77	CASS	T	
TE-106-AW-40	3/10/90	77	CASS	T	
TE-106-AW-40	3/14/90	77	CASS	T	
TE-106-AW-40	3/22/90	76	CASS	T	
TE-106-AW-40	3/31/90	76	CASS	T	
TE-106-AW-40	4/4/90	77	CASS	T	
TE-106-AW-40	4/13/90	77	CASS	T	
TE-106-AW-40	4/21/90	77	CASS	T	
TE-106-AW-40	4/28/90	77	CASS	T	
TE-106-AW-40	5/5/90	77	CASS	T	
TE-106-AW-40	5/12/90	77	CASS	T	
TE-106-AW-40	5/18/90	77	CASS	T	
TE-106-AW-40	5/22/90	77	CASS	T	
TE-106-AW-40	6/2/90	77	CASS	T	
TE-106-AW-40	6/9/90	78	CASS	T	
TE-106-AW-40	6/18/90	78	CASS	T	
TE-106-AW-40	6/23/90	78	CASS	T	
TE-106-AW-40	6/30/90	79	CASS	T	
TE-106-AW-40	7/3/90	80	CASS	T	
TE-106-AW-40	7/14/90	80	CASS	T	
TE-106-AW-40	7/21/90	80	CASS	T	
TE-106-AW-40	7/28/90	80	CASS	T	
TE-106-AW-40	8/4/90	81	CASS	T	
TE-106-AW-40	8/11/90	82	CASS	T	
TE-106-AW-40	8/18/90	82	CASS	T	
TE-106-AW-40	8/25/90	82	CASS	T	
TE-106-AW-40	9/1/90	82	CASS	T	
TE-106-AW-40	9/8/90	83	CASS	T	
TE-106-AW-40	9/15/90	83	CASS	T	
TE-106-AW-40	9/22/90	83	CASS	T	
TE-106-AW-40	9/29/90	83	CASS	T	
TE-106-AW-40	10/5/90	83	CASS	T	
TE-106-AW-40	10/10/90	83	CASS	T	
TE-106-AW-40	10/20/90	82	CASS	T	
TE-106-AW-40	10/27/90	82	CASS	T	
TE-106-AW-40	11/3/90	82	CASS	T	
TE-106-AW-40	11/10/90	82	CASS	T	
TE-106-AW-40	11/17/90	82	CASS	T	
TE-106-AW-40	11/24/90	82	CASS	T	
TE-106-AW-40	11/25/90	82	CASS	T	
TE-106-AW-40	12/5/90	81	CASS	T	
TE-106-AW-40	12/11/90	81	CASS	T	
TE-106-AW-40	12/18/90	80	CASS	T	
TE-106-AW-40	12/28/90	79	CASS	T	
TE-106-AW-40	1/5/91	78	CASS	T	
TE-106-AW-40	1/11/91	78	CASS	T	
TE-106-AW-40	1/13/91	78	CASS	T	
TE-106-AW-40	1/25/91	77	CASS	T	
TE-106-AW-40	2/2/91	76	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-108 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-108-AW-40	2/9/91	78	CASS	T	
TE-108-AW-40	2/16/91	78	CASS	T	
TE-108-AW-40	2/23/91	75	CASS	T	
TE-108-AW-40	3/2/91	75	CASS	T	
TE-108-AW-40	3/8/91	75	CASS	T	
TE-108-AW-40	3/16/91	74	CASS	T	
TE-108-AW-40	3/23/91	75	CASS	T	
TE-108-AW-40	3/25/91	75	CASS	T	
TE-108-AW-40	4/5/91	75	CASS	T	
TE-108-AW-40	4/13/91	75	CASS	T	
TE-108-AW-40	4/20/91	75	CASS	T	
TE-108-AW-40	4/27/91	75	CASS	T	
TE-108-AW-40	5/4/91	75	CASS	T	
TE-108-AW-40	5/11/91	75	CASS	T	
TE-108-AW-40	5/16/91	76	CASS	T	
TE-108-AW-40	5/25/91	76	CASS	T	
TE-108-AW-40	5/31/91	76	CASS	T	
TE-108-AW-40	6/6/91	76	CASS	T	
TE-108-AW-40	6/15/91	77	CASS	T	
TE-108-AW-40	6/19/91	77	CASS	T	
TE-108-AW-40	6/25/91	77	CASS	T	
TE-108-AW-40	1/6/92	75	SACS	T	
TE-108-AW-40	1/13/92	74	SACS	T	
TE-108-AW-40	1/20/92	74	SACS	T	
TE-108-AW-40	1/27/92	74	SACS	T	
TE-108-AW-40	2/3/92	73	SACS	T	
TE-108-AW-40	2/10/92	73	SACS	T	
TE-108-AW-40	2/22/92	78	SACS	T	
TE-108-AW-40	2/24/92	72	SACS	T	
TE-108-AW-40	3/3/92	72	SACS	T	
TE-108-AW-40	3/9/92	72	SACS	T	
TE-108-AW-40	3/16/92	72	SACS	T	
TE-108-AW-40	3/23/92	72	SACS	T	
TE-108-AW-40	3/30/92	72	SACS	T	
TE-108-AW-40	4/4/92	139	CASS	S	Data point did not agree with local trend
TE-108-AW-40	4/6/92	72	SACS	T	
TE-108-AW-40	4/13/92	72	SACS	T	
TE-108-AW-40	4/17/92	141	CASS	S	Data point did not agree with local trend
TE-108-AW-40	4/20/92	72	SACS	T	
TE-108-AW-40	4/27/92	72	SACS	T	
TE-108-AW-40	5/4/92	71	SACS	T	
TE-108-AW-40	5/18/92	76	SACS	T	
TE-108-AW-40	5/25/92	76	SACS	T	
TE-108-AW-40	6/6/92	73	SACS	T	
TE-108-AW-40	6/15/92	74	SACS	T	
TE-108-AW-40	6/22/92	74	SACS	T	
TE-108-AW-40	6/29/92	72	SACS	T	
TE-108-AW-40	7/6/92	74	SACS	T	
TE-108-AW-40	7/13/92	75	SACS	T	
TE-108-AW-40	7/20/92	75	SACS	T	
TE-108-AW-40	7/27/92	75	SACS	T	
TE-108-AW-40	8/3/92	75	SACS	T	
TE-108-AW-40	8/10/92	76	SACS	T	
TE-108-AW-40	8/17/92	72	SACS	T	
TE-108-AW-40	8/24/92	73	SACS	T	
TE-108-AW-40	8/31/92	73	SACS	T	
TE-108-AW-40	9/7/92	74	SACS	T	
TE-108-AW-40	9/14/92	74	SACS	T	
TE-108-AW-40	9/21/92	74	SACS	T	
TE-108-AW-40	9/28/92	75	SACS	T	
TE-108-AW-40	10/5/92	76	SACS	T	
TE-108-AW-40	10/12/92	77	SACS	T	
TE-108-AW-40	10/19/92	76	SACS	T	
TE-108-AW-40	10/26/92	76	SACS	T	
TE-108-AW-40	11/2/92	76	SACS	T	
TE-108-AW-40	11/9/92	78	SACS	T	
TE-108-AW-40	11/16/92	78	SACS	T	
TE-108-AW-40	11/23/92	79	SACS	T	
TE-108-AW-40	11/30/92	78	SACS	T	
TE-108-AW-40	12/7/92	78	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-40	12/14/92	78	SACS	T	
TE-106-AW-40	12/21/92	77	SACS	T	
TE-106-AW-40	12/28/92	78	SACS	T	
TE-106-AW-40	1/4/93	78	SACS	T	
TE-106-AW-40	1/11/93	78	SACS	T	
TE-106-AW-40	1/18/93	78	SACS	T	
TE-106-AW-40	1/25/93	78	SACS	T	
TE-106-AW-40	2/1/93	77	SACS	T	
TE-106-AW-40	2/8/93	77	SACS	T	
TE-106-AW-40	2/16/93	78	SACS	T	
TE-106-AW-40	3/1/93	79	SACS	T	
TE-106-AW-40	3/8/93	78	SACS	T	
TE-106-AW-40	3/20/93	77	SACS	T	
TE-106-AW-40	3/22/93	77	SACS	T	
TE-106-AW-40	3/29/93	78	SACS	T	
TE-106-AW-40	4/8/93	78	SACS	T	
TE-106-AW-40	4/12/93	78	SACS	T	
TE-106-AW-40	4/19/93	78	SACS	T	
TE-106-AW-40	4/26/93	75	SACS	T	
TE-106-AW-40	5/3/93	78	SACS	T	
TE-106-AW-40	5/10/93	74	SACS	T	
TE-106-AW-40	5/17/93	78	SACS	T	
TE-106-AW-40	5/24/93	77	SACS	T	
TE-106-AW-40	5/31/93	78	SACS	T	
TE-106-AW-40	6/7/93	77	SACS	T	
TE-106-AW-40	6/15/93	77	SACS	T	
TE-106-AW-40	6/22/93	77	SACS	T	
TE-106-AW-40	6/28/93	78	SACS	T	
TE-106-AW-40	7/5/93	78	SACS	T	
TE-106-AW-40	7/12/93	78	SACS	T	
TE-106-AW-40	7/19/93	77	SACS	T	
TE-106-AW-40	7/26/93	78	SACS	T	
TE-106-AW-40	8/2/93	79	SACS	T	
TE-106-AW-40	8/9/93	79	SACS	T	
TE-106-AW-40	8/16/93	78	SACS	T	
TE-106-AW-40	8/23/93	80	SACS	T	
TE-106-AW-40	8/30/93	81	SACS	T	
TE-106-AW-40	9/13/93	81	SACS	T	
TE-106-AW-40	9/21/93	81	SACS	T	
TE-106-AW-40	9/27/93	82	SACS	T	
TE-106-AW-40	10/11/93	83	SACS	T	
TE-106-AW-40	10/19/93	81	SACS	T	
TE-106-AW-40	10/25/93	82	SACS	T	
TE-106-AW-40	11/1/93	81	SACS	T	
TE-106-AW-40	11/15/93	82	SACS	T	
TE-106-AW-40	11/26/93	84	SACS	T	
TE-106-AW-40	11/29/93	81	SACS	T	
TE-106-AW-40	12/6/93	82	SACS	T	
TE-106-AW-40	12/18/93	82	SACS	T	
TE-106-AW-40	12/20/93	82	SACS	T	
TE-106-AW-40	12/27/93	82	SACS	T	
TE-106-AW-40	1/5/94	82	SACS	T	
TE-106-AW-40	1/24/94	83	SACS	T	
TE-106-AW-40	1/31/94	83	SACS	T	
TE-106-AW-40	2/7/94	83	SACS	G	
TE-106-AW-40	2/21/94	82	SACS	G	
TE-106-AW-40	2/28/94	82	SACS	T	
TE-106-AW-40	3/7/94	81	SACS	T	
TE-106-AW-40	3/14/94	81	SACS	G	
TE-106-AW-40	3/21/94	81	SACS	G	
TE-106-AW-40	3/28/94	81	SACS	G	
TE-106-AW-40	4/5/94	81	SACS	G	
TE-106-AW-40	4/11/94	80	SACS	G	
TE-106-AW-40	4/18/94	79	SACS	G	
TE-106-AW-40	4/25/94	90	SACS	G	
TE-106-AW-40	5/2/94	93	SACS	G	
TE-106-AW-40	5/9/94	98	SACS	G	
TE-106-AW-40	5/16/94	98	SACS	G	
TE-106-AW-40	5/31/94	106	SACS	G	
TE-106-AW-40	6/8/94	105	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-108					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-108-AW-40	6/13/94	107	SACS	G	
TE-108-AW-40	6/20/94	105	SACS	G	
TE-108-AW-40	6/27/94	104	SACS	G	
TE-108-AW-40	7/4/94	102	SACS	G	
TE-108-AW-40	7/18/94	100	SACS	G	
TE-108-AW-40	7/25/94	99	SACS	G	
TE-108-AW-40	8/1/94	98	SACS	G	
TE-108-AW-40	8/8/94	97	SACS	G	
TE-108-AW-40	8/15/94	96	SACS	G	
TE-108-AW-40	8/22/94	96	SACS	G	
TE-108-AW-40	8/27/94	95	SACS	G	
TE-108-AW-40	9/12/94	94	SACS	G	
TE-108-AW-40	9/18/94	93	SACS	G	
TE-108-AW-40	9/28/94	96	SACS	G	
TE-108-AW-40	10/10/94	106	SACS	G	
TE-108-AW-40	10/17/94	109	SACS	G	
TE-108-AW-40	10/24/94	107	SACS	G	
TE-108-AW-40	10/31/94	108	SACS	G	
TE-108-AW-40	11/7/94	107	SACS	G	
TE-108-AW-40	11/14/94	107	SACS	G	
TE-108-AW-40	11/21/94	107	SACS	G	
TE-108-AW-40	11/28/94	106	SACS	G	
TE-108-AW-40	12/5/94	105	SACS	G	
TE-108-AW-40	12/12/94	103	SACS	G	
TE-108-AW-40	12/19/94	101	SACS	G	
TE-108-AW-40	12/28/94	99	SACS	G	
TE-108-AW-40	1/2/95	98	SACS	G	
TE-108-AW-40	1/9/95	98	SACS	G	
TE-108-AW-40	1/16/95	94	SACS	G	
TE-108-AW-40	1/23/95	93	SACS	G	
TE-108-AW-40	1/30/95	92	SACS	G	
TE-108-AW-40	2/6/95	91	SACS	G	
TE-108-AW-40	2/13/95	91	SACS	G	
TE-108-AW-40	2/24/95	88	SACS	G	
TE-108-AW-40	2/27/95	88	SACS	G	
TE-108-AW-40	3/6/95	88	SACS	G	
TE-108-AW-40	3/19/95	86	SACS	G	
TE-108-AW-40	3/27/95	86	SACS	G	
TE-108-AW-40	4/3/95	85	SACS	G	
TE-108-AW-40	4/10/95	85	SACS	G	
TE-108-AW-40	4/17/95	84	SACS	G	
TE-108-AW-40	4/24/95	84	SACS	G	
TE-108-AW-40	5/1/95	84	SACS	G	
TE-108-AW-40	5/13/95	84	SACS	G	
TE-108-AW-40	5/22/95	84	SACS	G	
TE-108-AW-40	5/29/95	83	SACS	G	
TE-108-AW-40	6/5/95	83	SACS	G	
TE-108-AW-40	6/13/95	84	SACS	G	
TE-108-AW-40	6/19/95	104	SACS	G	
TE-108-AW-40	6/26/95	104	SACS	G	
TE-108-AW-41	7/16/83	89	CASS	T	
TE-108-AW-41	7/23/83	90	CASS	T	
TE-108-AW-41	7/29/83	90	CASS	T	
TE-108-AW-41	8/6/83	90	CASS	T	
TE-108-AW-41	8/13/83	90	CASS	T	
TE-108-AW-41	8/20/83	90	CASS	T	
TE-108-AW-41	8/27/83	90	CASS	T	
TE-108-AW-41	8/31/83	91	CASS	T	
TE-108-AW-41	9/10/83	91	CASS	T	
TE-108-AW-41	9/14/83	91	CASS	T	
TE-108-AW-41	9/24/83	91	CASS	T	
TE-108-AW-41	10/1/83	91	CASS	T	
TE-108-AW-41	10/5/83	91	CASS	T	
TE-108-AW-41	10/15/83	91	CASS	T	
TE-108-AW-41	10/17/83	91	CASS	T	
TE-108-AW-41	3/10/84	88	CASS	T	
TE-108-AW-41	3/17/84	88	CASS	T	
TE-108-AW-41	3/24/84	88	CASS	T	
TE-108-AW-41	3/31/84	88	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-41	4/7/84	88	CASS	T	
TE-106-AW-41	4/14/84	88	CASS	T	
TE-106-AW-41	4/21/84	88	CASS	T	
TE-106-AW-41	4/28/84	88	CASS	T	
TE-106-AW-41	5/5/84	88	CASS	T	
TE-106-AW-41	5/12/84	88	CASS	T	
TE-106-AW-41	5/19/84	88	CASS	T	
TE-106-AW-41	5/26/84	88	CASS	T	
TE-106-AW-41	6/2/84	88	CASS	T	
TE-106-AW-41	6/7/84	88	CASS	T	
TE-106-AW-41	6/23/84	88	CASS	T	
TE-106-AW-41	6/30/84	89	CASS	T	
TE-106-AW-41	7/7/84	89	CASS	T	
TE-106-AW-41	7/13/84	89	CASS	T	
TE-106-AW-41	7/21/84	89	CASS	T	
TE-106-AW-41	7/28/84	89	CASS	T	
TE-106-AW-41	8/4/84	89	CASS	T	
TE-106-AW-41	8/11/84	90	CASS	T	
TE-106-AW-41	8/18/84	90	CASS	T	
TE-106-AW-41	8/25/84	90	CASS	T	
TE-106-AW-41	9/1/84	92	CASS	T	
TE-106-AW-41	9/8/84	93	CASS	T	
TE-106-AW-41	9/15/84	93	CASS	T	
TE-106-AW-41	9/22/84	93	CASS	T	
TE-106-AW-41	9/29/84	93	CASS	T	
TE-106-AW-41	10/6/84	93	CASS	T	
TE-106-AW-41	10/13/84	93	CASS	T	
TE-106-AW-41	10/18/84	93	CASS	T	
TE-106-AW-41	10/25/84	93	CASS	T	
TE-106-AW-41	11/1/84	92	CASS	T	
TE-106-AW-41	11/5/84	88	CASS	T	
TE-106-AW-41	11/12/84	82	CASS	T	
TE-106-AW-41	11/21/84	79	CASS	T	
TE-106-AW-41	11/25/84	77	CASS	T	
TE-106-AW-41	12/5/84	74	CASS	T	
TE-106-AW-41	12/12/84	72	CASS	T	
TE-106-AW-41	12/18/84	61	CASS	T	
TE-106-AW-41	12/26/84	97	CASS	T	
TE-106-AW-41	1/5/85	105	CASS	T	
TE-106-AW-41	1/12/85	105	CASS	T	
TE-106-AW-41	1/19/85	105	CASS	T	
TE-106-AW-41	1/26/85	115	CASS	T	
TE-106-AW-41	1/28/85	116	CASS	T	
TE-106-AW-41	2/9/85	115	CASS	T	
TE-106-AW-41	2/13/85	114	CASS	T	
TE-106-AW-41	2/18/85	113	CASS	T	
TE-106-AW-41	2/26/85	111	CASS	T	
TE-106-AW-41	3/4/85	110	CASS	T	
TE-106-AW-41	3/16/85	107	CASS	T	
TE-106-AW-41	3/19/85	107	CASS	T	
TE-106-AW-41	3/26/85	106	CASS	T	
TE-106-AW-41	4/1/85	104	CASS	T	
TE-106-AW-41	4/12/85	87	CASS	T	
TE-106-AW-41	4/20/85	106	CASS	T	
TE-106-AW-41	4/23/85	106	CASS	T	
TE-106-AW-41	5/4/85	103	CASS	T	
TE-106-AW-41	5/7/85	107	CASS	T	
TE-106-AW-41	5/17/85	105	CASS	T	
TE-106-AW-41	5/25/85	108	CASS	T	
TE-106-AW-41	5/28/85	106	CASS	T	
TE-106-AW-41	6/8/85	106	CASS	T	
TE-106-AW-41	6/13/85	106	CASS	T	
TE-106-AW-41	6/19/85	105	CASS	T	
TE-106-AW-41	11/1/85	111	CASS	T	
TE-106-AW-41	12/1/85	107	CASS	T	
TE-106-AW-41	1/4/86	114	CASS	T	
TE-106-AW-41	1/7/86	117	CASS	T	
TE-106-AW-41	1/18/86	120	CASS	T	
TE-106-AW-41	1/23/86	121	CASS	T	
TE-106-AW-41	1/28/86	120	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-41	2/7/86	118	CASS	T	
TE-106-AW-41	2/11/86	117	CASS	T	
TE-106-AW-41	2/18/86	116	CASS	T	
TE-106-AW-41	2/24/86	114	CASS	T	
TE-106-AW-41	3/2/86	112	CASS	T	
TE-106-AW-41	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-106-AW-41	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-41	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-41	9/18/86	98	CASS	T	
TE-106-AW-41	9/28/86	94	CASS	T	
TE-106-AW-41	10/2/86	93	CASS	T	
TE-106-AW-41	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-106-AW-41	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-106-AW-41	10/5/86	236	CASS	S	Data point did not agree with local trend
TE-106-AW-41	10/6/86	231	CASS	S	Data point did not agree with local trend
TE-106-AW-41	10/9/86	92	CASS	T	
TE-106-AW-41	10/18/86	103	CASS	T	
TE-106-AW-41	10/25/86	103	CASS	T	
TE-106-AW-41	11/1/86	103	CASS	T	
TE-106-AW-41	11/7/86	105	CASS	T	
TE-106-AW-41	11/15/86	109	CASS	T	
TE-106-AW-41	11/20/86	110	CASS	T	
TE-106-AW-41	11/29/86	112	CASS	T	
TE-106-AW-41	12/1/86	112	CASS	T	
TE-106-AW-41	12/7/86	108	CASS	T	
TE-106-AW-41	12/20/86	106	CASS	T	
TE-106-AW-41	12/27/86	110	CASS	T	
TE-106-AW-41	12/29/86	109	CASS	T	
TE-106-AW-41	7/2/87	96	CASS	T	
TE-106-AW-41	7/9/87	97	CASS	T	
TE-106-AW-41	7/12/87	96	CASS	T	
TE-106-AW-41	7/25/87	91	CASS	T	
TE-106-AW-41	8/1/87	111	CASS	T	
TE-106-AW-41	8/8/87	116	CASS	T	
TE-106-AW-41	8/15/87	118	CASS	T	
TE-106-AW-41	8/18/87	118	CASS	T	
TE-106-AW-41	8/29/87	118	CASS	T	
TE-106-AW-41	8/31/87	120	CASS	T	
TE-106-AW-41	9/1/87	117	CASS	T	
TE-106-AW-41	11/28/87	115	CASS	T	
TE-106-AW-41	11/29/87	121	CASS	S	Data point did not agree with local trend
TE-106-AW-41	11/30/87	90	CASS	T	
TE-106-AW-41	3/26/88	92	CASS	T	
TE-106-AW-41	3/31/88	94	CASS	T	
TE-106-AW-41	6/4/88	103	CASS	T	
TE-106-AW-41	6/11/88	104	CASS	T	
TE-106-AW-41	6/17/88	104	CASS	T	
TE-106-AW-41	6/25/88	103	CASS	T	
TE-106-AW-41	7/2/88	104	CASS	T	
TE-106-AW-41	7/9/88	112	CASS	T	
TE-106-AW-41	7/16/88	116	CASS	T	
TE-106-AW-41	7/23/88	122	CASS	T	
TE-106-AW-41	7/25/88	131	CASS	T	
TE-106-AW-41	7/31/88	120	CASS	T	
TE-106-AW-41	8/2/88	94	CASS	S	Data point did not agree with local trend
TE-106-AW-41	8/10/88	417	CASS	S	Data point did not agree with local trend
TE-106-AW-41	8/12/88	119	CASS	S	Data point did not agree with local trend
TE-106-AW-41	12/3/88	105	CASS	T	
TE-106-AW-41	12/8/88	105	CASS	T	
TE-106-AW-41	12/17/88	105	CASS	T	
TE-106-AW-41	12/18/88	104	CASS	T	
TE-106-AW-41	7/10/89	79	SACS	T	
TE-106-AW-41	7/17/89	80	SACS	T	
TE-106-AW-41	7/24/89	80	SACS	T	
TE-106-AW-41	8/7/89	80	SACS	T	
TE-106-AW-41	8/14/89	82	SACS	T	
TE-106-AW-41	8/21/89	82	SACS	T	
TE-106-AW-41	9/2/89	85	CASS	T	
TE-106-AW-41	9/9/89	86	CASS	T	
TE-106-AW-41	9/16/89	86	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-41	9/23/89	86	CASS	T	
TE-106-AW-41	9/30/89	86	CASS	T	
TE-106-AW-41	10/1/89	83	SACS	T	
TE-106-AW-41	10/8/89	84	SACS	T	
TE-106-AW-41	10/18/89	83	SACS	T	
TE-106-AW-41	10/24/89	85	SACS	T	
TE-106-AW-41	10/30/89	84	SACS	T	
TE-106-AW-41	11/9/89	84	CASS	T	
TE-106-AW-41	11/13/89	85	SACS	T	
TE-106-AW-41	11/23/89	83	CASS	T	
TE-106-AW-41	12/1/89	83	CASS	T	
TE-106-AW-41	12/4/89	83	SACS	T	
TE-106-AW-41	12/14/89	82	CASS	T	
TE-106-AW-41	12/23/89	81	CASS	T	
TE-106-AW-41	12/28/89	81	SACS	T	
TE-106-AW-41	1/2/90	81	SACS	T	
TE-106-AW-41	1/9/90	80	SACS	T	
TE-106-AW-41	1/15/90	80	SACS	T	
TE-106-AW-41	1/22/90	79	SACS	T	
TE-106-AW-41	1/29/90	80	SACS	T	
TE-106-AW-41	2/10/90	78	CASS	T	
TE-106-AW-41	2/12/90	79	SACS	T	
TE-106-AW-41	2/19/90	79	SACS	T	
TE-106-AW-41	2/27/90	77	CASS	T	
TE-106-AW-41	3/10/90	77	CASS	T	
TE-106-AW-41	3/12/90	78	SACS	T	
TE-106-AW-41	3/19/90	78	SACS	T	
TE-106-AW-41	3/31/90	77	CASS	T	
TE-106-AW-41	4/4/90	77	CASS	T	
TE-106-AW-41	4/9/90	78	SACS	T	
TE-106-AW-41	4/21/90	77	CASS	T	
TE-106-AW-41	4/28/90	77	CASS	T	
TE-106-AW-41	4/30/90	78	SACS	T	
TE-106-AW-41	5/7/90	78	SACS	T	
TE-106-AW-41	5/19/90	77	CASS	T	
TE-106-AW-41	5/22/90	77	CASS	T	
TE-106-AW-41	6/2/90	77	CASS	T	
TE-106-AW-41	6/9/90	76	CASS	T	
TE-106-AW-41	6/16/90	76	CASS	T	
TE-106-AW-41	6/23/90	76	CASS	T	
TE-106-AW-41	6/30/90	79	CASS	T	
TE-106-AW-41	7/3/90	81	CASS	T	
TE-106-AW-41	7/14/90	80	CASS	T	
TE-106-AW-41	7/21/90	80	CASS	T	
TE-106-AW-41	7/28/90	81	CASS	T	
TE-106-AW-41	8/4/90	81	CASS	T	
TE-106-AW-41	8/11/90	82	CASS	T	
TE-106-AW-41	8/16/90	82	CASS	T	
TE-106-AW-41	8/25/90	82	CASS	T	
TE-106-AW-41	9/1/90	82	CASS	T	
TE-106-AW-41	9/8/90	83	CASS	T	
TE-106-AW-41	9/15/90	83	CASS	T	
TE-106-AW-41	9/22/90	83	CASS	T	
TE-106-AW-41	9/28/90	83	CASS	T	
TE-106-AW-41	10/5/90	83	CASS	T	
TE-106-AW-41	10/8/90	84	SACS	T	
TE-106-AW-41	10/19/90	83	CASS	T	
TE-106-AW-41	10/22/90	83	SACS	T	
TE-106-AW-41	10/29/90	83	SACS	T	
TE-106-AW-41	11/5/90	83	SACS	T	
TE-106-AW-41	11/17/90	82	CASS	T	
TE-106-AW-41	11/24/90	82	CASS	T	
TE-106-AW-41	11/25/90	82	CASS	T	
TE-106-AW-41	12/8/90	81	CASS	T	
TE-106-AW-41	12/11/90	81	CASS	T	
TE-106-AW-41	12/18/90	80	CASS	T	
TE-106-AW-41	12/24/90	80	SACS	T	
TE-106-AW-41	12/31/90	79	SACS	T	
TE-106-AW-41	1/7/91	79	SACS	T	
TE-106-AW-41	1/15/91	78	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-41	1/25/91	77	CASS	T	
TE-106-AW-41	1/28/91	77	SACS	T	
TE-106-AW-41	2/9/91	76	CASS	T	
TE-106-AW-41	2/16/91	76	CASS	T	
TE-106-AW-41	2/22/91	76	CASS	T	
TE-106-AW-41	3/2/91	76	CASS	T	
TE-106-AW-41	3/9/91	75	CASS	T	
TE-106-AW-41	3/13/91	75	CASS	T	
TE-106-AW-41	3/23/91	75	CASS	T	
TE-106-AW-41	3/28/91	75	CASS	T	
TE-106-AW-41	4/5/91	75	CASS	T	
TE-106-AW-41	4/13/91	75	CASS	T	
TE-106-AW-41	4/20/91	75	CASS	T	
TE-106-AW-41	4/27/91	75	CASS	T	
TE-106-AW-41	5/4/91	75	CASS	T	
TE-106-AW-41	5/11/91	75	CASS	T	
TE-106-AW-41	5/18/91	76	CASS	T	
TE-106-AW-41	5/25/91	76	CASS	T	
TE-106-AW-41	5/31/91	76	CASS	T	
TE-106-AW-41	6/8/91	76	CASS	T	
TE-106-AW-41	6/15/91	77	CASS	T	
TE-106-AW-41	6/20/91	77	CASS	T	
TE-106-AW-41	6/25/91	77	CASS	T	
TE-106-AW-41	7/1/91	74	SACS	T	
TE-106-AW-41	7/8/91	73	SACS	T	
TE-106-AW-41	7/15/91	75	SACS	T	
TE-106-AW-41	7/22/91	74	SACS	T	
TE-106-AW-41	7/29/91	75	SACS	T	
TE-106-AW-41	8/4/91	76	SACS	T	
TE-106-AW-41	8/19/91	75	SACS	T	
TE-106-AW-41	8/26/91	76	SACS	T	
TE-106-AW-41	9/2/91	78	SACS	T	
TE-106-AW-41	9/9/91	79	SACS	T	
TE-106-AW-41	9/16/91	79	SACS	T	
TE-106-AW-41	9/23/91	79	SACS	T	
TE-106-AW-41	9/30/91	79	SACS	T	
TE-106-AW-41	10/7/91	79	SACS	T	
TE-106-AW-41	10/14/91	80	SACS	T	
TE-106-AW-41	10/21/91	79	SACS	T	
TE-106-AW-41	10/28/91	79	SACS	T	
TE-106-AW-41	11/5/91	79	SACS	T	
TE-106-AW-41	11/11/91	78	SACS	T	
TE-106-AW-41	11/18/91	78	SACS	T	
TE-106-AW-41	11/25/91	77	SACS	T	
TE-106-AW-41	12/2/91	77	SACS	T	
TE-106-AW-41	12/9/91	77	SACS	T	
TE-106-AW-41	12/16/91	76	SACS	T	
TE-106-AW-41	12/23/91	78	SACS	T	
TE-106-AW-41	12/30/91	75	SACS	T	
TE-106-AW-41	4/4/92	140	CASS	S	Data point did not agree with local trend
TE-106-AW-41	4/17/92	141	CASS	S	Data point did not agree with local trend
TE-106-AW-42	7/18/83	90	CASS	T	
TE-106-AW-42	7/23/83	90	CASS	T	
TE-106-AW-42	7/30/83	90	CASS	T	
TE-106-AW-42	8/6/83	90	CASS	T	
TE-106-AW-42	8/13/83	90	CASS	T	
TE-106-AW-42	8/19/83	91	CASS	T	
TE-106-AW-42	8/27/83	91	CASS	T	
TE-106-AW-42	8/31/83	91	CASS	T	
TE-106-AW-42	9/10/83	91	CASS	T	
TE-106-AW-42	9/14/83	91	CASS	T	
TE-106-AW-42	9/24/83	91	CASS	T	
TE-106-AW-42	10/1/83	91	CASS	T	
TE-106-AW-42	10/5/83	91	CASS	T	
TE-106-AW-42	10/15/83	91	CASS	T	
TE-106-AW-42	10/17/83	91	CASS	T	
TE-106-AW-42	3/10/84	88	CASS	T	
TE-106-AW-42	3/17/84	88	CASS	T	
TE-106-AW-42	3/24/84	88	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-42	3/31/84	88	CASS	T	
TE-106-AW-42	4/7/84	88	CASS	T	
TE-106-AW-42	4/14/84	88	CASS	T	
TE-106-AW-42	4/21/84	88	CASS	T	
TE-106-AW-42	4/28/84	88	CASS	T	
TE-106-AW-42	5/5/84	88	CASS	T	
TE-106-AW-42	5/12/84	88	CASS	T	
TE-106-AW-42	5/19/84	88	CASS	T	
TE-106-AW-42	5/26/84	88	CASS	T	
TE-106-AW-42	6/2/84	88	CASS	T	
TE-106-AW-42	6/7/84	88	CASS	T	
TE-106-AW-42	6/23/84	88	CASS	T	
TE-106-AW-42	6/30/84	88	CASS	T	
TE-106-AW-42	7/7/84	89	CASS	T	
TE-106-AW-42	7/14/84	89	CASS	T	
TE-106-AW-42	7/21/84	89	CASS	T	
TE-106-AW-42	7/28/84	89	CASS	T	
TE-106-AW-42	8/4/84	89	CASS	T	
TE-106-AW-42	8/11/84	90	CASS	T	
TE-106-AW-42	8/18/84	90	CASS	T	
TE-106-AW-42	8/25/84	90	CASS	T	
TE-106-AW-42	9/1/84	92	CASS	T	
TE-106-AW-42	9/7/84	93	CASS	T	
TE-106-AW-42	9/15/84	93	CASS	T	
TE-106-AW-42	9/22/84	93	CASS	T	
TE-106-AW-42	9/29/84	93	CASS	T	
TE-106-AW-42	10/5/84	93	CASS	T	
TE-106-AW-42	10/13/84	93	CASS	T	
TE-106-AW-42	10/19/84	92	CASS	T	
TE-106-AW-42	10/27/84	92	CASS	T	
TE-106-AW-42	10/31/84	92	CASS	T	
TE-106-AW-42	11/5/84	87	CASS	T	
TE-106-AW-42	11/11/84	82	CASS	T	
TE-106-AW-42	11/19/84	79	CASS	T	
TE-106-AW-42	11/30/84	76	CASS	T	
TE-106-AW-42	12/4/84	74	CASS	T	
TE-106-AW-42	12/12/84	72	CASS	T	
TE-106-AW-42	12/18/84	81	CASS	T	
TE-106-AW-42	12/26/84	97	CASS	T	
TE-106-AW-42	1/4/85	105	CASS	T	
TE-106-AW-42	1/12/85	105	CASS	T	
TE-106-AW-42	1/17/85	105	CASS	T	
TE-106-AW-42	1/26/85	112	CASS	T	
TE-106-AW-42	1/28/85	118	CASS	T	
TE-106-AW-42	2/8/85	115	CASS	T	
TE-106-AW-42	2/13/85	114	CASS	T	
TE-106-AW-42	2/18/85	113	CASS	T	
TE-106-AW-42	2/26/85	111	CASS	T	
TE-106-AW-42	3/4/85	110	CASS	T	
TE-106-AW-42	3/16/85	107	CASS	T	
TE-106-AW-42	3/19/85	107	CASS	T	
TE-106-AW-42	3/26/85	106	CASS	T	
TE-106-AW-42	4/1/85	104	CASS	T	
TE-106-AW-42	4/11/85	87	CASS	T	
TE-106-AW-42	4/20/85	106	CASS	T	
TE-106-AW-42	4/23/85	109	CASS	T	
TE-106-AW-42	5/4/85	103	CASS	T	
TE-106-AW-42	5/7/85	107	CASS	T	
TE-106-AW-42	5/12/85	105	CASS	T	
TE-106-AW-42	5/24/85	108	CASS	T	
TE-106-AW-42	5/30/85	107	CASS	T	
TE-106-AW-42	6/8/85	106	CASS	T	
TE-106-AW-42	6/12/85	108	CASS	T	
TE-106-AW-42	6/19/85	105	CASS	T	
TE-106-AW-42	12/1/85	107	CASS	T	
TE-106-AW-42	1/3/86	112	CASS	T	
TE-106-AW-42	1/5/86	114	CASS	T	
TE-106-AW-42	1/18/86	120	CASS	T	
TE-106-AW-42	1/23/86	121	CASS	T	
TE-106-AW-42	1/28/86	120	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-42	2/6/86	118	CASS	T	
TE-106-AW-42	2/9/86	117	CASS	T	
TE-106-AW-42	2/19/86	115	CASS	T	
TE-106-AW-42	2/24/86	114	CASS	T	
TE-106-AW-42	3/2/86	107	CASS	T	
TE-106-AW-42	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-106-AW-42	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-42	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-42	9/19/86	94	CASS	T	
TE-106-AW-42	9/26/86	94	CASS	T	
TE-106-AW-42	10/2/86	93	CASS	T	
TE-106-AW-42	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-106-AW-42	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-106-AW-42	10/5/86	235	CASS	S	Data point did not agree with local trend
TE-106-AW-42	10/6/86	231	CASS	S	Data point did not agree with local trend
TE-106-AW-42	10/9/86	92	CASS	T	
TE-106-AW-42	10/19/86	103	CASS	T	
TE-106-AW-42	10/25/86	103	CASS	T	
TE-106-AW-42	10/26/86	104	CASS	T	
TE-106-AW-42	11/8/86	105	CASS	T	
TE-106-AW-42	11/15/86	109	CASS	T	
TE-106-AW-42	11/20/86	110	CASS	T	
TE-106-AW-42	11/29/86	112	CASS	T	
TE-106-AW-42	11/30/86	107	CASS	T	
TE-106-AW-42	12/9/86	105	CASS	T	
TE-106-AW-42	12/20/86	106	CASS	T	
TE-106-AW-42	12/27/86	110	CASS	T	
TE-106-AW-42	12/29/86	109	CASS	T	
TE-106-AW-42	7/2/87	97	CASS	T	
TE-106-AW-42	7/11/87	96	CASS	T	
TE-106-AW-42	7/12/87	94	CASS	T	
TE-106-AW-42	7/25/87	88	CASS	T	
TE-106-AW-42	8/1/87	111	CASS	T	
TE-106-AW-42	8/8/87	116	CASS	T	
TE-106-AW-42	8/15/87	118	CASS	T	
TE-106-AW-42	8/18/87	118	CASS	T	
TE-106-AW-42	8/29/87	118	CASS	T	
TE-106-AW-42	8/31/87	120	CASS	T	
TE-106-AW-42	9/11/87	117	CASS	T	
TE-106-AW-42	11/26/87	110	CASS	T	
TE-106-AW-42	11/29/87	113	CASS	S	Data point did not agree with local trend
TE-106-AW-42	11/30/87	90	CASS	T	
TE-106-AW-42	3/26/88	92	CASS	T	
TE-106-AW-42	3/31/88	93	CASS	T	
TE-106-AW-42	6/4/88	103	CASS	T	
TE-106-AW-42	6/11/88	104	CASS	T	
TE-106-AW-42	6/16/88	104	CASS	T	
TE-106-AW-42	6/22/88	103	CASS	T	
TE-106-AW-42	7/2/88	104	CASS	T	
TE-106-AW-42	7/9/88	112	CASS	T	
TE-106-AW-42	7/15/88	116	CASS	T	
TE-106-AW-42	7/22/88	122	CASS	T	
TE-106-AW-42	7/27/88	121	CASS	T	
TE-106-AW-42	7/31/88	120	CASS	T	
TE-106-AW-42	8/2/88	91	CASS	S	Data point did not agree with local trend
TE-106-AW-42	8/12/88	118	CASS	T	
TE-106-AW-42	12/3/88	105	CASS	T	
TE-106-AW-42	12/8/88	105	CASS	T	
TE-106-AW-42	12/17/88	105	CASS	T	
TE-106-AW-42	12/18/88	104	CASS	T	
TE-106-AW-42	9/2/89	85	CASS	T	
TE-106-AW-42	9/8/89	86	CASS	T	
TE-106-AW-42	9/16/89	86	CASS	T	
TE-106-AW-42	9/19/89	86	CASS	T	
TE-106-AW-42	9/30/89	86	CASS	T	
TE-106-AW-42	11/4/89	83	CASS	T	
TE-106-AW-42	11/11/89	83	CASS	T	
TE-106-AW-42	11/18/89	83	CASS	T	
TE-106-AW-42	11/22/89	83	CASS	T	
TE-106-AW-42	12/1/89	82	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-42	12/9/89	82	CASS	T	
TE-106-AW-42	12/11/89	82	CASS	T	
TE-106-AW-42	12/23/89	81	CASS	T	
TE-106-AW-42	12/25/89	81	CASS	T	
TE-106-AW-42	1/8/90	79	CASS	T	
TE-106-AW-42	1/13/90	79	CASS	T	
TE-106-AW-42	1/16/90	79	CASS	T	
TE-106-AW-42	1/27/90	78	CASS	T	
TE-106-AW-42	2/3/90	78	CASS	T	
TE-106-AW-42	2/6/90	78	CASS	T	
TE-106-AW-42	2/14/90	77	CASS	T	
TE-106-AW-42	2/24/90	77	CASS	T	
TE-106-AW-42	2/27/90	77	CASS	T	
TE-106-AW-42	3/10/90	77	CASS	T	
TE-106-AW-42	3/17/90	76	CASS	T	
TE-106-AW-42	3/22/90	76	CASS	T	
TE-106-AW-42	3/31/90	76	CASS	T	
TE-106-AW-42	4/7/90	76	CASS	T	
TE-106-AW-42	4/14/90	76	CASS	T	
TE-106-AW-42	4/21/90	77	CASS	T	
TE-106-AW-42	4/28/90	77	CASS	T	
TE-106-AW-42	5/5/90	77	CASS	T	
TE-106-AW-42	5/12/90	77	CASS	T	
TE-106-AW-42	5/19/90	77	CASS	T	
TE-106-AW-42	5/22/90	77	CASS	T	
TE-106-AW-42	6/2/90	77	CASS	T	
TE-106-AW-42	6/8/90	78	CASS	T	
TE-106-AW-42	6/15/90	78	CASS	T	
TE-106-AW-42	6/23/90	78	CASS	T	
TE-106-AW-42	6/30/90	78	CASS	T	
TE-106-AW-42	7/3/90	81	CASS	T	
TE-106-AW-42	7/14/90	79	CASS	T	
TE-106-AW-42	7/21/90	80	CASS	T	
TE-106-AW-42	7/28/90	80	CASS	T	
TE-106-AW-42	8/4/90	81	CASS	T	
TE-106-AW-42	8/11/90	81	CASS	T	
TE-106-AW-42	8/15/90	82	CASS	T	
TE-106-AW-42	8/25/90	82	CASS	T	
TE-106-AW-42	9/1/90	82	CASS	T	
TE-106-AW-42	9/8/90	82	CASS	T	
TE-106-AW-42	9/15/90	82	CASS	T	
TE-106-AW-42	9/22/90	82	CASS	T	
TE-106-AW-42	9/28/90	83	CASS	T	
TE-106-AW-42	10/4/90	83	CASS	T	
TE-106-AW-42	10/13/90	82	CASS	T	
TE-106-AW-42	10/20/90	82	CASS	T	
TE-106-AW-42	10/27/90	82	CASS	T	
TE-106-AW-42	11/3/90	82	CASS	T	
TE-106-AW-42	11/10/90	82	CASS	T	
TE-106-AW-42	11/11/90	82	CASS	T	
TE-106-AW-42	11/18/90	82	CASS	T	
TE-106-AW-42	11/25/90	82	CASS	T	
TE-106-AW-42	12/8/90	80	CASS	T	
TE-106-AW-42	12/15/90	80	CASS	T	
TE-106-AW-42	12/18/90	80	CASS	T	
TE-106-AW-42	12/28/90	78	CASS	T	
TE-106-AW-42	1/3/91	78	CASS	T	
TE-106-AW-42	1/11/91	78	CASS	T	
TE-106-AW-42	1/19/91	77	CASS	T	
TE-106-AW-42	1/23/91	77	CASS	T	
TE-106-AW-42	2/2/91	78	CASS	T	
TE-106-AW-42	2/7/91	78	CASS	T	
TE-106-AW-42	2/15/91	76	CASS	T	
TE-106-AW-42	2/23/91	75	CASS	T	
TE-106-AW-42	3/2/91	75	CASS	T	
TE-106-AW-42	3/4/91	75	CASS	T	
TE-106-AW-42	3/18/91	74	CASS	T	
TE-106-AW-42	3/17/91	75	CASS	T	
TE-106-AW-42	3/25/91	75	CASS	T	
TE-106-AW-42	4/6/91	74	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-108 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-108-AW-42	4/13/91	74	CASS	T	
TE-108-AW-42	4/20/91	74	CASS	T	
TE-108-AW-42	4/24/91	75	CASS	T	
TE-108-AW-42	5/4/91	75	CASS	T	
TE-108-AW-42	5/11/91	75	CASS	T	
TE-108-AW-42	5/18/91	75	CASS	T	
TE-108-AW-42	5/25/91	75	CASS	T	
TE-108-AW-42	5/31/91	76	CASS	T	
TE-108-AW-42	6/8/91	76	CASS	T	
TE-108-AW-42	6/15/91	76	CASS	T	
TE-108-AW-42	6/20/91	76	CASS	T	
TE-108-AW-42	6/25/91	77	CASS	T	
TE-108-AW-42	1/8/92	76	SACS	T	
TE-108-AW-42	1/13/92	74	SACS	T	
TE-108-AW-42	1/20/92	74	SACS	T	
TE-108-AW-42	1/27/92	74	SACS	T	
TE-108-AW-42	2/3/92	73	SACS	T	
TE-108-AW-42	2/10/92	70	SACS	T	
TE-108-AW-42	2/22/92	76	SACS	T	
TE-108-AW-42	2/24/92	72	SACS	T	
TE-108-AW-42	3/4/92	72	SACS	T	
TE-108-AW-42	3/9/92	71	SACS	T	
TE-108-AW-42	3/18/92	72	SACS	T	
TE-108-AW-42	3/30/92	72	SACS	T	
TE-108-AW-42	4/4/92	138	CASS	S	Data point did not agree with local trend
TE-108-AW-42	4/8/92	72	SACS	T	
TE-108-AW-42	4/13/92	72	SACS	T	
TE-108-AW-42	4/17/92	139	CASS	S	Data point did not agree with local trend
TE-108-AW-42	4/20/92	72	SACS	T	
TE-108-AW-42	4/27/92	72	SACS	T	
TE-108-AW-42	5/4/92	72	SACS	T	
TE-108-AW-42	5/18/92	77	SACS	T	
TE-108-AW-42	5/25/92	76	SACS	T	
TE-108-AW-42	6/6/92	73	SACS	T	
TE-108-AW-42	6/15/92	74	SACS	T	
TE-108-AW-42	6/22/92	74	SACS	T	
TE-108-AW-42	6/29/92	73	SACS	T	
TE-108-AW-42	7/8/92	74	SACS	T	
TE-108-AW-42	7/13/92	75	SACS	T	
TE-108-AW-42	7/20/92	74	SACS	T	
TE-108-AW-42	7/27/92	75	SACS	T	
TE-108-AW-42	8/3/92	75	SACS	T	
TE-108-AW-42	8/10/92	76	SACS	T	
TE-108-AW-42	8/17/92	71	SACS	T	
TE-108-AW-42	8/24/92	73	SACS	T	
TE-108-AW-42	8/31/92	72	SACS	T	
TE-108-AW-42	9/7/92	74	SACS	T	
TE-108-AW-42	9/14/92	74	SACS	T	
TE-108-AW-42	9/21/92	74	SACS	T	
TE-108-AW-42	9/28/92	74	SACS	T	
TE-108-AW-42	10/5/92	76	SACS	T	
TE-108-AW-42	10/12/92	77	SACS	T	
TE-108-AW-42	10/19/92	76	SACS	T	
TE-108-AW-42	10/26/92	76	SACS	T	
TE-108-AW-42	11/2/92	76	SACS	T	
TE-108-AW-42	11/9/92	76	SACS	T	
TE-108-AW-42	11/16/92	76	SACS	T	
TE-108-AW-42	11/23/92	79	SACS	T	
TE-108-AW-42	11/30/92	77	SACS	T	
TE-108-AW-42	12/7/92	78	SACS	T	
TE-108-AW-42	12/14/92	78	SACS	T	
TE-108-AW-42	12/21/92	77	SACS	T	
TE-108-AW-42	12/28/92	77	SACS	T	
TE-108-AW-42	1/4/93	78	SACS	T	
TE-108-AW-42	1/11/93	78	SACS	T	
TE-108-AW-42	1/18/93	78	SACS	T	
TE-108-AW-42	1/25/93	76	SACS	T	
TE-108-AW-42	2/1/93	77	SACS	T	
TE-108-AW-42	2/8/93	77	SACS	T	
TE-108-AW-42	2/16/93	78	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-42	3/1/93	79	SACS	T	
TE-106-AW-42	3/8/93	78	SACS	T	
TE-106-AW-42	3/20/93	77	SACS	T	
TE-106-AW-42	3/22/93	78	SACS	T	
TE-106-AW-42	3/29/93	76	SACS	T	
TE-106-AW-42	4/8/93	78	SACS	T	
TE-106-AW-42	4/12/93	78	SACS	T	
TE-106-AW-42	4/19/93	78	SACS	T	
TE-106-AW-42	4/28/93	75	SACS	T	
TE-106-AW-42	5/3/93	78	SACS	T	
TE-106-AW-42	5/10/93	74	SACS	T	
TE-106-AW-42	5/17/93	76	SACS	T	
TE-106-AW-42	5/24/93	76	SACS	T	
TE-106-AW-42	5/31/93	76	SACS	T	
TE-106-AW-42	6/7/93	77	SACS	T	
TE-106-AW-42	6/15/93	78	SACS	T	
TE-106-AW-42	6/22/93	77	SACS	T	
TE-106-AW-42	6/28/93	75	SACS	T	
TE-106-AW-42	7/5/93	75	SACS	T	
TE-106-AW-42	7/12/93	76	SACS	T	
TE-106-AW-42	7/19/93	78	SACS	T	
TE-106-AW-42	7/26/93	78	SACS	T	
TE-106-AW-42	8/2/93	77	SACS	T	
TE-106-AW-42	8/9/93	78	SACS	T	
TE-106-AW-42	8/16/93	76	SACS	T	
TE-106-AW-42	8/23/93	78	SACS	T	
TE-106-AW-42	8/30/93	79	SACS	T	
TE-106-AW-42	9/13/93	79	SACS	T	
TE-106-AW-42	9/21/93	79	SACS	T	
TE-106-AW-42	9/27/93	79	SACS	T	
TE-106-AW-42	10/11/93	80	SACS	T	
TE-106-AW-42	10/19/93	79	SACS	T	
TE-106-AW-42	10/25/93	80	SACS	T	
TE-106-AW-42	11/1/93	79	SACS	T	
TE-106-AW-42	11/15/93	81	SACS	T	
TE-106-AW-42	11/26/93	83	SACS	T	
TE-106-AW-42	11/29/93	80	SACS	T	
TE-106-AW-42	12/6/93	80	SACS	T	
TE-106-AW-42	12/16/93	80	SACS	T	
TE-106-AW-42	12/20/93	81	SACS	T	
TE-106-AW-42	12/27/93	81	SACS	T	
TE-106-AW-42	1/5/94	80	SACS	T	
TE-106-AW-42	1/24/94	81	SACS	T	
TE-106-AW-42	1/31/94	81	SACS	T	
TE-106-AW-42	2/7/94	80	SACS	G	
TE-106-AW-42	2/21/94	80	SACS	G	
TE-106-AW-42	2/28/94	80	SACS	T	
TE-106-AW-42	3/7/94	80	SACS	T	
TE-106-AW-42	3/14/94	79	SACS	G	
TE-106-AW-42	3/21/94	79	SACS	G	
TE-106-AW-42	3/28/94	79	SACS	G	
TE-106-AW-42	4/5/94	79	SACS	G	
TE-106-AW-42	4/11/94	78	SACS	G	
TE-106-AW-42	4/18/94	78	SACS	G	
TE-106-AW-42	4/25/94	80	SACS	G	
TE-106-AW-42	5/2/94	93	SACS	G	
TE-106-AW-42	5/9/94	96	SACS	G	
TE-106-AW-42	5/16/94	96	SACS	G	
TE-106-AW-42	5/31/94	106	SACS	G	
TE-106-AW-42	6/6/94	102	SACS	G	
TE-106-AW-42	6/13/94	107	SACS	G	
TE-106-AW-42	6/20/94	105	SACS	G	
TE-106-AW-42	6/27/94	103	SACS	G	
TE-106-AW-42	7/4/94	101	SACS	G	
TE-106-AW-42	7/18/94	100	SACS	G	
TE-106-AW-42	7/25/94	99	SACS	G	
TE-106-AW-42	8/1/94	97	SACS	G	
TE-106-AW-42	8/8/94	97	SACS	G	
TE-106-AW-42	8/15/94	96	SACS	G	
TE-106-AW-42	8/22/94	95	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-42	9/7/94	95	SACS	G	
TE-106-AW-42	9/12/94	93	SACS	G	
TE-106-AW-42	9/19/94	92	SACS	G	
TE-106-AW-42	9/28/94	106	SACS	G	
TE-106-AW-42	10/10/94	108	SACS	G	
TE-106-AW-42	10/17/94	108	SACS	G	
TE-106-AW-42	10/24/94	107	SACS	G	
TE-106-AW-42	10/31/94	108	SACS	G	
TE-106-AW-42	11/7/94	107	SACS	G	
TE-106-AW-42	11/14/94	108	SACS	G	
TE-106-AW-42	11/21/94	107	SACS	G	
TE-106-AW-42	11/28/94	106	SACS	G	
TE-106-AW-42	12/5/94	105	SACS	G	
TE-106-AW-42	12/12/94	103	SACS	G	
TE-106-AW-42	12/19/94	101	SACS	G	
TE-106-AW-42	12/26/94	99	SACS	G	
TE-106-AW-42	1/2/95	97	SACS	G	
TE-106-AW-42	1/9/95	96	SACS	G	
TE-106-AW-42	1/16/95	94	SACS	G	
TE-106-AW-43	7/18/83	90	CASS	T	
TE-106-AW-43	7/23/83	90	CASS	T	
TE-106-AW-43	7/30/83	90	CASS	T	
TE-106-AW-43	8/6/83	91	CASS	T	
TE-106-AW-43	8/12/83	91	CASS	T	
TE-106-AW-43	8/19/83	91	CASS	T	
TE-106-AW-43	8/27/83	91	CASS	T	
TE-106-AW-43	8/31/83	91	CASS	T	
TE-106-AW-43	9/10/83	91	CASS	T	
TE-106-AW-43	9/14/83	91	CASS	T	
TE-106-AW-43	9/24/83	91	CASS	T	
TE-106-AW-43	10/1/83	91	CASS	T	
TE-106-AW-43	10/8/83	91	CASS	T	
TE-106-AW-43	10/15/83	91	CASS	T	
TE-106-AW-43	10/17/83	92	CASS	T	
TE-106-AW-43	3/10/84	89	CASS	T	
TE-106-AW-43	3/18/84	89	CASS	T	
TE-106-AW-43	3/24/84	88	CASS	T	
TE-106-AW-43	3/31/84	88	CASS	T	
TE-106-AW-43	4/7/84	88	CASS	T	
TE-106-AW-43	4/14/84	88	CASS	T	
TE-106-AW-43	4/21/84	88	CASS	T	
TE-106-AW-43	4/28/84	88	CASS	T	
TE-106-AW-43	5/5/84	88	CASS	T	
TE-106-AW-43	5/12/84	88	CASS	T	
TE-106-AW-43	5/19/84	88	CASS	T	
TE-106-AW-43	5/26/84	88	CASS	T	
TE-106-AW-43	6/2/84	88	CASS	T	
TE-106-AW-43	6/4/84	89	CASS	T	
TE-106-AW-43	6/23/84	88	CASS	T	
TE-106-AW-43	6/30/84	89	CASS	T	
TE-106-AW-43	7/7/84	89	CASS	T	
TE-106-AW-43	7/14/84	89	CASS	T	
TE-106-AW-43	7/21/84	89	CASS	T	
TE-106-AW-43	7/28/84	89	CASS	T	
TE-106-AW-43	8/3/84	90	CASS	T	
TE-106-AW-43	8/11/84	90	CASS	T	
TE-106-AW-43	8/18/84	90	CASS	T	
TE-106-AW-43	8/19/84	91	CASS	T	
TE-106-AW-43	9/1/84	92	CASS	T	
TE-106-AW-43	9/8/84	93	CASS	T	
TE-106-AW-43	9/15/84	93	CASS	T	
TE-106-AW-43	9/22/84	93	CASS	T	
TE-106-AW-43	9/29/84	93	CASS	T	
TE-106-AW-43	10/6/84	93	CASS	T	
TE-106-AW-43	10/13/84	93	CASS	T	
TE-106-AW-43	10/18/84	93	CASS	T	
TE-106-AW-43	10/24/84	93	CASS	T	
TE-106-AW-43	10/29/84	90	CASS	T	
TE-106-AW-43	11/5/84	87	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-43	11/12/84	82	CASS	T	
TE-106-AW-43	11/19/84	79	CASS	T	
TE-106-AW-43	11/30/84	76	CASS	T	
TE-106-AW-43	12/4/84	74	CASS	T	
TE-106-AW-43	12/12/84	72	CASS	T	
TE-106-AW-43	12/18/84	82	CASS	T	
TE-106-AW-43	12/28/84	87	CASS	T	
TE-106-AW-43	1/4/85	105	CASS	T	
TE-106-AW-43	1/12/85	105	CASS	T	
TE-106-AW-43	1/18/85	105	CASS	T	
TE-106-AW-43	1/28/85	112	CASS	T	
TE-106-AW-43	1/28/85	116	CASS	T	
TE-106-AW-43	2/8/85	115	CASS	T	
TE-106-AW-43	2/10/85	115	CASS	T	
TE-106-AW-43	2/20/85	113	CASS	T	
TE-106-AW-43	2/24/85	112	CASS	T	
TE-106-AW-43	3/7/85	110	CASS	T	
TE-106-AW-43	3/20/85	107	CASS	T	
TE-106-AW-43	3/27/85	108	CASS	T	
TE-106-AW-43	3/31/85	104	CASS	T	
TE-106-AW-43	4/11/85	87	CASS	T	
TE-106-AW-43	4/20/85	106	CASS	T	
TE-106-AW-43	4/22/85	107	CASS	T	
TE-106-AW-43	5/4/85	103	CASS	T	
TE-106-AW-43	5/7/85	107	CASS	T	
TE-106-AW-43	5/17/85	105	CASS	T	
TE-106-AW-43	5/24/85	108	CASS	T	
TE-106-AW-43	5/30/85	107	CASS	T	
TE-106-AW-43	6/8/85	106	CASS	T	
TE-106-AW-43	6/15/85	106	CASS	T	
TE-106-AW-43	6/18/85	106	CASS	T	
TE-106-AW-43	6/17/85	344	CASS	S	Data point did not agree with local trend
TE-106-AW-43	12/1/85	339	CASS	S	Data point did not agree with local trend
TE-106-AW-43	1/3/86	112	CASS	T	
TE-106-AW-43	1/7/86	112	CASS	T	
TE-106-AW-43	1/18/86	120	CASS	T	
TE-106-AW-43	1/23/86	121	CASS	T	
TE-106-AW-43	1/28/86	120	CASS	T	
TE-106-AW-43	2/8/86	118	CASS	T	
TE-106-AW-43	2/11/86	117	CASS	T	
TE-106-AW-43	2/19/86	115	CASS	T	
TE-106-AW-43	2/24/86	114	CASS	T	
TE-106-AW-43	3/4/86	99	CASS	T	
TE-106-AW-43	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-106-AW-43	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-43	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-43	9/19/86	94	CASS	T	
TE-106-AW-43	9/26/86	94	CASS	T	
TE-106-AW-43	10/2/86	93	CASS	T	
TE-106-AW-43	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-106-AW-43	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-106-AW-43	10/5/86	238	CASS	S	Data point did not agree with local trend
TE-106-AW-43	10/8/86	232	CASS	S	Data point did not agree with local trend
TE-106-AW-43	10/9/86	92	CASS	T	
TE-106-AW-43	10/17/86	102	CASS	T	
TE-106-AW-43	10/23/86	104	CASS	T	
TE-106-AW-43	10/29/86	104	CASS	T	
TE-106-AW-43	11/8/86	105	CASS	T	
TE-106-AW-43	11/15/86	109	CASS	T	
TE-106-AW-43	11/20/86	110	CASS	T	
TE-106-AW-43	11/29/86	110	CASS	T	
TE-106-AW-43	11/30/86	105	CASS	T	
TE-106-AW-43	12/9/86	103	CASS	T	
TE-106-AW-43	12/20/86	108	CASS	T	
TE-106-AW-43	12/27/86	111	CASS	T	
TE-106-AW-43	12/28/86	110	CASS	T	
TE-106-AW-43	7/4/87	96	CASS	T	
TE-106-AW-43	7/9/87	96	CASS	T	
TE-106-AW-43	7/12/87	92	CASS	T	
TE-106-AW-43	7/25/87	88	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-43	8/1/87	111	CASS	T	
TE-106-AW-43	8/8/87	118	CASS	T	
TE-106-AW-43	8/15/87	118	CASS	T	
TE-106-AW-43	8/17/87	118	CASS	T	
TE-106-AW-43	8/28/87	118	CASS	T	
TE-106-AW-43	8/31/87	121	CASS	T	
TE-106-AW-43	9/8/87	118	CASS	T	
TE-106-AW-43	11/26/87	110	CASS	T	
TE-106-AW-43	11/29/87	113	CASS	S	Data point did not agree with local trend
TE-106-AW-43	11/30/87	88	CASS	T	
TE-106-AW-43	3/26/88	92	CASS	T	
TE-106-AW-43	3/31/88	94	CASS	T	
TE-106-AW-43	6/4/88	103	CASS	T	
TE-106-AW-43	6/11/88	104	CASS	T	
TE-106-AW-43	6/17/88	104	CASS	T	
TE-106-AW-43	6/22/88	103	CASS	T	
TE-106-AW-43	7/2/88	104	CASS	T	
TE-106-AW-43	7/9/88	112	CASS	T	
TE-106-AW-43	7/15/88	315	CASS	S	Data point did not agree with local trend
TE-106-AW-43	7/16/88	115	CASS	T	
TE-106-AW-43	7/18/88	126	CASS	T	
TE-106-AW-43	7/27/88	121	CASS	T	
TE-106-AW-43	7/31/88	120	CASS	T	
TE-106-AW-43	8/2/88	91	CASS	S	Data point did not agree with local trend
TE-106-AW-43	8/12/88	118	CASS	T	
TE-106-AW-43	12/3/88	105	CASS	T	
TE-106-AW-43	12/8/88	106	CASS	T	
TE-106-AW-43	12/12/88	106	CASS	T	
TE-106-AW-43	12/18/88	104	CASS	T	
TE-106-AW-43	7/10/89	78	SACS	T	
TE-106-AW-43	7/17/89	79	SACS	T	
TE-106-AW-43	7/24/89	80	SACS	T	
TE-106-AW-43	8/7/89	79	SACS	T	
TE-106-AW-43	8/14/89	82	SACS	T	
TE-106-AW-43	8/21/89	81	SACS	T	
TE-106-AW-43	9/2/89	85	CASS	T	
TE-106-AW-43	9/9/89	86	CASS	T	
TE-106-AW-43	9/16/89	86	CASS	T	
TE-106-AW-43	9/23/89	86	CASS	T	
TE-106-AW-43	9/30/89	86	CASS	T	
TE-106-AW-43	10/1/89	83	SACS	T	
TE-106-AW-43	10/8/89	84	SACS	T	
TE-106-AW-43	10/16/89	84	SACS	T	
TE-106-AW-43	10/24/89	84	SACS	T	
TE-106-AW-43	10/30/89	84	SACS	T	
TE-106-AW-43	11/1/89	83	CASS	T	
TE-106-AW-43	11/13/89	84	SACS	T	
TE-106-AW-43	11/23/89	83	CASS	T	
TE-106-AW-43	11/27/89	83	SACS	T	
TE-106-AW-43	12/9/89	82	CASS	T	
TE-106-AW-43	12/11/89	82	SACS	T	
TE-106-AW-43	12/23/89	81	CASS	T	
TE-106-AW-43	12/28/89	81	SACS	T	
TE-106-AW-43	1/2/90	81	SACS	T	
TE-106-AW-43	1/13/90	79	CASS	T	
TE-106-AW-43	1/15/90	80	SACS	T	
TE-106-AW-43	1/22/90	79	SACS	T	
TE-106-AW-43	1/29/90	79	SACS	T	
TE-106-AW-43	2/8/90	78	CASS	T	
TE-106-AW-43	2/12/90	79	SACS	T	
TE-106-AW-43	2/19/90	79	SACS	T	
TE-106-AW-43	2/27/90	77	CASS	T	
TE-106-AW-43	3/10/90	77	CASS	T	
TE-106-AW-43	3/14/90	77	CASS	T	
TE-106-AW-43	3/18/90	78	SACS	T	
TE-106-AW-43	3/28/90	77	SACS	T	
TE-106-AW-43	4/4/90	77	CASS	T	
TE-106-AW-43	4/9/90	78	SACS	T	
TE-106-AW-43	4/21/90	77	CASS	T	
TE-106-AW-43	4/28/90	77	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-43	4/30/90	78	SACS	T	
TE-106-AW-43	5/12/90	77	CASS	T	
TE-106-AW-43	5/19/90	77	CASS	T	
TE-106-AW-43	5/22/90	77	CASS	T	
TE-106-AW-43	6/2/90	77	CASS	T	
TE-106-AW-43	6/9/90	76	CASS	T	
TE-106-AW-43	6/16/90	76	CASS	T	
TE-106-AW-43	6/23/90	76	CASS	T	
TE-106-AW-43	6/30/90	78	CASS	T	
TE-106-AW-43	7/5/90	79	CASS	T	
TE-106-AW-43	7/14/90	79	CASS	T	
TE-106-AW-43	7/21/90	80	CASS	T	
TE-106-AW-43	7/28/90	80	CASS	T	
TE-106-AW-43	8/4/90	81	CASS	T	
TE-106-AW-43	8/11/90	81	CASS	T	
TE-106-AW-43	8/18/90	82	CASS	T	
TE-106-AW-43	8/25/90	82	CASS	T	
TE-106-AW-43	9/1/90	82	CASS	T	
TE-106-AW-43	9/8/90	82	CASS	T	
TE-106-AW-43	9/15/90	83	CASS	T	
TE-106-AW-43	9/22/90	83	CASS	T	
TE-106-AW-43	9/29/90	83	CASS	T	
TE-106-AW-43	10/4/90	83	CASS	T	
TE-106-AW-43	10/8/90	84	SACS	T	
TE-106-AW-43	10/20/90	82	CASS	T	
TE-106-AW-43	10/27/90	82	CASS	T	
TE-106-AW-43	10/29/90	83	SACS	T	
TE-106-AW-43	11/10/90	82	CASS	T	
TE-106-AW-43	11/17/90	82	CASS	T	
TE-106-AW-43	11/24/90	82	CASS	T	
TE-106-AW-43	11/25/90	82	CASS	T	
TE-106-AW-43	12/5/90	81	CASS	T	
TE-106-AW-43	12/15/90	80	CASS	T	
TE-106-AW-43	12/18/90	80	CASS	T	
TE-106-AW-43	12/24/90	80	SACS	T	
TE-106-AW-43	12/31/90	79	SACS	T	
TE-106-AW-43	1/7/91	79	SACS	T	
TE-106-AW-43	1/13/91	78	CASS	T	
TE-106-AW-43	1/25/91	77	CASS	T	
TE-106-AW-43	1/28/91	77	SACS	T	
TE-106-AW-43	2/7/91	76	CASS	T	
TE-106-AW-43	2/18/91	76	CASS	T	
TE-106-AW-43	2/23/91	75	CASS	T	
TE-106-AW-43	3/2/91	75	CASS	T	
TE-106-AW-43	3/8/91	75	CASS	T	
TE-106-AW-43	3/18/91	74	CASS	T	
TE-106-AW-43	3/18/91	75	CASS	T	
TE-106-AW-43	3/25/91	75	CASS	T	
TE-106-AW-43	4/6/91	74	CASS	T	
TE-106-AW-43	4/13/91	74	CASS	T	
TE-106-AW-43	4/20/91	75	CASS	T	
TE-106-AW-43	4/27/91	75	CASS	T	
TE-106-AW-43	5/4/91	75	CASS	T	
TE-106-AW-43	5/11/91	75	CASS	T	
TE-106-AW-43	5/18/91	75	CASS	T	
TE-106-AW-43	5/24/91	76	CASS	T	
TE-106-AW-43	5/31/91	76	CASS	T	
TE-106-AW-43	6/8/91	76	CASS	T	
TE-106-AW-43	6/15/91	76	CASS	T	
TE-106-AW-43	6/20/91	76	CASS	T	
TE-106-AW-43	6/25/91	77	CASS	T	
TE-106-AW-43	7/1/91	74	SACS	T	
TE-106-AW-43	7/8/91	73	SACS	T	
TE-106-AW-43	7/15/91	75	SACS	T	
TE-106-AW-43	7/22/91	74	SACS	T	
TE-106-AW-43	7/29/91	75	SACS	T	
TE-106-AW-43	8/4/91	76	SACS	T	
TE-106-AW-43	8/19/91	75	SACS	T	
TE-106-AW-43	8/28/91	76	SACS	T	
TE-106-AW-43	9/2/91	78	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-43	9/9/91	79	SACS	T	
TE-106-AW-43	9/18/91	79	SACS	T	
TE-106-AW-43	9/23/91	79	SACS	T	
TE-106-AW-43	9/30/91	79	SACS	T	
TE-106-AW-43	10/7/91	79	SACS	T	
TE-106-AW-43	10/14/91	80	SACS	T	
TE-106-AW-43	10/21/91	79	SACS	T	
TE-106-AW-43	10/28/91	79	SACS	T	
TE-106-AW-43	11/5/91	78	SACS	T	
TE-106-AW-43	11/11/91	78	SACS	T	
TE-106-AW-43	11/18/91	78	SACS	T	
TE-106-AW-43	11/25/91	77	SACS	T	
TE-106-AW-43	12/2/91	77	SACS	T	
TE-106-AW-43	12/9/91	77	SACS	T	
TE-106-AW-43	12/16/91	76	SACS	T	
TE-106-AW-43	12/23/91	76	SACS	T	
TE-106-AW-43	12/30/91	75	SACS	T	
TE-106-AW-43	4/4/92	136	CASS	S	Data point did not agree with local trend
TE-106-AW-43	4/17/92	137	CASS	S	Data point did not agree with local trend
TE-106-AW-44	7/18/83	90	CASS	T	
TE-106-AW-44	7/21/83	91	CASS	T	
TE-106-AW-44	7/29/83	91	CASS	T	
TE-106-AW-44	8/6/83	91	CASS	T	
TE-106-AW-44	8/13/83	91	CASS	T	
TE-106-AW-44	8/20/83	91	CASS	T	
TE-106-AW-44	8/27/83	91	CASS	T	
TE-106-AW-44	8/31/83	91	CASS	T	
TE-106-AW-44	9/10/83	91	CASS	T	
TE-106-AW-44	9/14/83	92	CASS	T	
TE-106-AW-44	9/24/83	92	CASS	T	
TE-106-AW-44	10/1/83	92	CASS	T	
TE-106-AW-44	10/5/83	92	CASS	T	
TE-106-AW-44	10/15/83	92	CASS	T	
TE-106-AW-44	10/17/83	92	CASS	T	
TE-106-AW-44	3/10/84	89	CASS	T	
TE-106-AW-44	3/17/84	89	CASS	T	
TE-106-AW-44	3/24/84	89	CASS	T	
TE-106-AW-44	3/31/84	89	CASS	T	
TE-106-AW-44	4/8/84	89	CASS	T	
TE-106-AW-44	4/13/84	89	CASS	T	
TE-106-AW-44	4/20/84	89	CASS	T	
TE-106-AW-44	4/28/84	89	CASS	T	
TE-106-AW-44	5/5/84	89	CASS	T	
TE-106-AW-44	5/12/84	89	CASS	T	
TE-106-AW-44	5/19/84	89	CASS	T	
TE-106-AW-44	5/26/84	89	CASS	T	
TE-106-AW-44	6/2/84	89	CASS	T	
TE-106-AW-44	6/7/84	89	CASS	T	
TE-106-AW-44	6/23/84	89	CASS	T	
TE-106-AW-44	6/30/84	89	CASS	T	
TE-106-AW-44	7/7/84	89	CASS	T	
TE-106-AW-44	7/14/84	89	CASS	T	
TE-106-AW-44	7/21/84	90	CASS	T	
TE-106-AW-44	7/28/84	90	CASS	T	
TE-106-AW-44	8/4/84	90	CASS	T	
TE-106-AW-44	8/11/84	90	CASS	T	
TE-106-AW-44	8/18/84	90	CASS	T	
TE-106-AW-44	8/25/84	91	CASS	T	
TE-106-AW-44	9/1/84	92	CASS	T	
TE-106-AW-44	9/8/84	93	CASS	T	
TE-106-AW-44	9/15/84	93	CASS	T	
TE-106-AW-44	9/22/84	93	CASS	T	
TE-106-AW-44	9/29/84	93	CASS	T	
TE-106-AW-44	10/6/84	93	CASS	T	
TE-106-AW-44	10/13/84	93	CASS	T	
TE-106-AW-44	10/19/84	93	CASS	T	
TE-106-AW-44	10/24/84	93	CASS	T	
TE-106-AW-44	11/3/84	88	CASS	T	
TE-106-AW-44	11/5/84	88	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-44	11/12/84	82	CASS	T	
TE-106-AW-44	11/21/84	79	CASS	T	
TE-106-AW-44	11/25/84	77	CASS	T	
TE-106-AW-44	12/5/84	74	CASS	T	
TE-106-AW-44	12/10/84	73	CASS	T	
TE-106-AW-44	12/18/84	82	CASS	T	
TE-106-AW-44	12/28/84	97	CASS	T	
TE-106-AW-44	1/5/85	105	CASS	T	
TE-106-AW-44	1/12/85	108	CASS	T	
TE-106-AW-44	1/13/85	108	CASS	T	
TE-106-AW-44	1/28/85	112	CASS	T	
TE-106-AW-44	1/29/85	112	CASS	T	
TE-106-AW-44	2/8/85	115	CASS	T	
TE-106-AW-44	2/18/85	114	CASS	T	
TE-106-AW-44	2/17/85	114	CASS	T	
TE-106-AW-44	2/28/85	112	CASS	T	
TE-106-AW-44	3/3/85	111	CASS	T	
TE-106-AW-44	3/18/85	107	CASS	T	
TE-106-AW-44	3/20/85	107	CASS	T	
TE-106-AW-44	3/28/85	108	CASS	T	
TE-106-AW-44	3/31/85	104	CASS	T	
TE-106-AW-44	4/12/85	87	CASS	T	
TE-106-AW-44	4/20/85	107	CASS	T	
TE-106-AW-44	4/22/85	107	CASS	T	
TE-106-AW-44	5/4/85	102	CASS	T	
TE-106-AW-44	5/7/85	107	CASS	T	
TE-106-AW-44	5/18/85	106	CASS	T	
TE-106-AW-44	5/25/85	108	CASS	T	
TE-106-AW-44	5/28/85	108	CASS	T	
TE-106-AW-44	6/8/85	107	CASS	T	
TE-106-AW-44	6/15/85	108	CASS	T	
TE-106-AW-44	6/18/85	108	CASS	T	
TE-106-AW-44	11/1/85	108	CASS	T	
TE-106-AW-44	12/1/85	107	CASS	T	
TE-106-AW-44	1/3/86	112	CASS	T	
TE-106-AW-44	1/7/86	113	CASS	T	
TE-106-AW-44	1/18/86	120	CASS	T	
TE-106-AW-44	1/21/86	122	CASS	T	
TE-106-AW-44	1/30/86	120	CASS	T	
TE-106-AW-44	2/4/86	119	CASS	T	
TE-106-AW-44	2/12/86	117	CASS	T	
TE-106-AW-44	2/17/86	118	CASS	T	
TE-106-AW-44	2/24/86	114	CASS	T	
TE-106-AW-44	3/4/86	99	CASS	T	
TE-106-AW-44	8/13/86	200	CASS	S	Data point did not agree with local trend
TE-106-AW-44	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-44	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-44	9/16/86	96	CASS	T	
TE-106-AW-44	9/26/86	94	CASS	T	
TE-106-AW-44	10/2/86	93	CASS	T	
TE-106-AW-44	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-106-AW-44	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-106-AW-44	10/5/86	236	CASS	S	Data point did not agree with local trend
TE-106-AW-44	10/6/86	231	CASS	S	Data point did not agree with local trend
TE-106-AW-44	10/8/86	92	CASS	T	
TE-106-AW-44	10/17/86	102	CASS	T	
TE-106-AW-44	10/23/86	104	CASS	T	
TE-106-AW-44	11/1/86	103	CASS	T	
TE-106-AW-44	11/8/86	107	CASS	T	
TE-106-AW-44	11/15/86	109	CASS	T	
TE-106-AW-44	11/20/86	110	CASS	T	
TE-106-AW-44	11/29/86	110	CASS	T	
TE-106-AW-44	11/30/86	105	CASS	T	
TE-106-AW-44	12/8/86	103	CASS	T	
TE-106-AW-44	12/20/86	106	CASS	T	
TE-106-AW-44	12/27/86	111	CASS	T	
TE-106-AW-44	12/29/86	109	CASS	T	
TE-106-AW-44	7/4/87	98	CASS	T	
TE-106-AW-44	7/8/87	98	CASS	T	
TE-106-AW-44	7/12/87	89	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-44	7/22/87	89	CASS	T	
TE-106-AW-44	7/31/87	113	CASS	T	
TE-106-AW-44	8/8/87	115	CASS	T	
TE-106-AW-44	8/15/87	119	CASS	T	
TE-106-AW-44	8/16/87	119	CASS	T	
TE-106-AW-44	8/29/87	119	CASS	T	
TE-106-AW-44	8/31/87	121	CASS	T	
TE-106-AW-44	9/6/87	119	CASS	T	
TE-106-AW-44	11/28/87	115	CASS	T	
TE-106-AW-44	11/29/87	120	CASS	S	Data point did not agree with local trend
TE-106-AW-44	11/30/87	90	CASS	T	
TE-106-AW-44	3/20/88	92	CASS	T	
TE-106-AW-44	3/31/88	94	CASS	T	
TE-106-AW-44	6/4/88	104	CASS	T	
TE-106-AW-44	6/11/88	104	CASS	T	
TE-106-AW-44	6/13/88	105	CASS	T	
TE-106-AW-44	6/25/88	103	CASS	T	
TE-106-AW-44	7/2/88	105	CASS	T	
TE-106-AW-44	7/9/88	113	CASS	T	
TE-106-AW-44	7/16/88	116	CASS	T	
TE-106-AW-44	7/23/88	122	CASS	T	
TE-106-AW-44	7/25/88	122	CASS	T	
TE-106-AW-44	7/31/88	129	CASS	S	Data point did not agree with local trend
TE-106-AW-44	8/2/88	94	CASS	S	Data point did not agree with local trend
TE-106-AW-44	8/5/88	120	CASS	T	
TE-106-AW-44	8/12/88	119	CASS	T	
TE-106-AW-44	12/3/88	105	CASS	T	
TE-106-AW-44	12/7/88	106	CASS	T	
TE-106-AW-44	12/13/88	106	CASS	T	
TE-106-AW-44	12/18/88	104	CASS	T	
TE-106-AW-44	9/2/89	85	CASS	T	
TE-106-AW-44	9/9/89	86	CASS	T	
TE-106-AW-44	9/16/89	86	CASS	T	
TE-106-AW-44	9/23/89	86	CASS	T	
TE-106-AW-44	9/30/89	86	CASS	T	
TE-106-AW-44	11/2/89	83	CASS	T	
TE-106-AW-44	11/10/89	83	CASS	T	
TE-106-AW-44	11/18/89	83	CASS	T	
TE-106-AW-44	11/22/89	83	CASS	T	
TE-106-AW-44	12/1/89	82	CASS	T	
TE-106-AW-44	12/9/89	82	CASS	T	
TE-106-AW-44	12/14/89	81	CASS	T	
TE-106-AW-44	12/19/89	81	CASS	T	
TE-106-AW-44	12/27/89	80	CASS	T	
TE-106-AW-44	1/6/90	79	CASS	T	
TE-106-AW-44	1/10/90	78	CASS	T	
TE-106-AW-44	1/20/90	78	CASS	T	
TE-106-AW-44	1/23/90	78	CASS	T	
TE-106-AW-44	2/3/90	77	CASS	T	
TE-106-AW-44	2/10/90	77	CASS	T	
TE-106-AW-44	2/13/90	77	CASS	T	
TE-106-AW-44	2/24/90	76	CASS	T	
TE-106-AW-44	3/3/90	76	CASS	T	
TE-106-AW-44	3/10/90	76	CASS	T	
TE-106-AW-44	3/17/90	76	CASS	T	
TE-106-AW-44	3/22/90	76	CASS	T	
TE-106-AW-44	3/31/90	76	CASS	T	
TE-106-AW-44	4/7/90	76	CASS	T	
TE-106-AW-44	4/14/90	76	CASS	T	
TE-106-AW-44	4/21/90	77	CASS	T	
TE-106-AW-44	4/27/90	77	CASS	T	
TE-106-AW-44	5/5/90	77	CASS	T	
TE-106-AW-44	5/12/90	77	CASS	T	
TE-106-AW-44	5/19/90	77	CASS	T	
TE-106-AW-44	5/22/90	77	CASS	T	
TE-106-AW-44	6/2/90	77	CASS	T	
TE-106-AW-44	6/9/90	78	CASS	T	
TE-106-AW-44	6/16/90	78	CASS	T	
TE-106-AW-44	6/23/90	78	CASS	T	
TE-106-AW-44	6/30/90	79	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-44	7/3/90	81	CASS	T	
TE-106-AW-44	7/14/90	80	CASS	T	
TE-106-AW-44	7/21/90	80	CASS	T	
TE-106-AW-44	7/28/90	81	CASS	T	
TE-106-AW-44	8/4/90	82	CASS	T	
TE-106-AW-44	8/11/90	82	CASS	T	
TE-106-AW-44	8/13/90	83	CASS	T	
TE-106-AW-44	8/25/90	82	CASS	T	
TE-106-AW-44	9/1/90	82	CASS	T	
TE-106-AW-44	9/8/90	83	CASS	T	
TE-106-AW-44	9/15/90	83	CASS	T	
TE-106-AW-44	9/22/90	83	CASS	T	
TE-106-AW-44	9/29/90	83	CASS	T	
TE-106-AW-44	10/5/90	83	CASS	T	
TE-106-AW-44	10/10/90	83	CASS	T	
TE-106-AW-44	10/20/90	82	CASS	T	
TE-106-AW-44	10/27/90	82	CASS	T	
TE-106-AW-44	11/1/90	82	CASS	T	
TE-106-AW-44	11/10/90	82	CASS	T	
TE-106-AW-44	11/17/90	81	CASS	T	
TE-106-AW-44	11/24/90	81	CASS	T	
TE-106-AW-44	11/28/90	81	CASS	T	
TE-106-AW-44	12/8/90	80	CASS	T	
TE-106-AW-44	12/13/90	80	CASS	T	
TE-106-AW-44	12/18/90	80	CASS	T	
TE-106-AW-44	12/28/90	78	CASS	T	
TE-106-AW-44	1/5/91	77	CASS	T	
TE-106-AW-44	1/11/91	77	CASS	T	
TE-106-AW-44	1/15/91	77	CASS	T	
TE-106-AW-44	1/25/91	76	CASS	T	
TE-106-AW-44	2/2/91	75	CASS	T	
TE-106-AW-44	2/5/91	76	CASS	T	
TE-106-AW-44	2/18/91	75	CASS	T	
TE-106-AW-44	2/22/91	75	CASS	T	
TE-106-AW-44	3/2/91	75	CASS	T	
TE-106-AW-44	3/4/91	75	CASS	T	
TE-106-AW-44	3/18/91	74	CASS	T	
TE-106-AW-44	3/23/91	74	CASS	T	
TE-106-AW-44	3/30/91	74	CASS	T	
TE-106-AW-44	4/8/91	74	CASS	T	
TE-106-AW-44	4/13/91	74	CASS	T	
TE-106-AW-44	4/20/91	75	CASS	T	
TE-106-AW-44	4/27/91	75	CASS	T	
TE-106-AW-44	5/4/91	75	CASS	T	
TE-106-AW-44	5/11/91	75	CASS	T	
TE-106-AW-44	5/18/91	76	CASS	T	
TE-106-AW-44	5/25/91	76	CASS	T	
TE-106-AW-44	5/31/91	76	CASS	T	
TE-106-AW-44	6/8/91	76	CASS	T	
TE-106-AW-44	6/15/91	77	CASS	T	
TE-106-AW-44	6/19/91	77	CASS	T	
TE-106-AW-44	6/25/91	77	CASS	T	
TE-106-AW-44	4/4/92	132	CASS	S	Data point did not agree with local trend
TE-106-AW-44	4/17/92	133	CASS	S	Data point did not agree with local trend
TE-106-AW-45	7/16/83	91	CASS	T	
TE-106-AW-45	7/23/83	91	CASS	T	
TE-106-AW-45	7/29/83	91	CASS	T	
TE-106-AW-45	8/6/83	91	CASS	T	
TE-106-AW-45	8/13/83	91	CASS	T	
TE-106-AW-45	8/20/83	91	CASS	T	
TE-106-AW-45	8/27/83	91	CASS	T	
TE-106-AW-45	8/31/83	92	CASS	T	
TE-106-AW-45	9/10/83	92	CASS	T	
TE-106-AW-45	9/14/83	92	CASS	T	
TE-106-AW-45	9/24/83	92	CASS	T	
TE-106-AW-45	10/1/83	92	CASS	T	
TE-106-AW-45	10/5/83	92	CASS	T	
TE-106-AW-45	10/15/83	92	CASS	T	
TE-106-AW-45	10/17/83	92	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-45	3/10/84	90	CASS	T	
TE-106-AW-45	3/13/84	90	CASS	T	
TE-106-AW-45	3/24/84	89	CASS	T	
TE-106-AW-45	3/31/84	89	CASS	T	
TE-106-AW-45	4/7/84	89	CASS	T	
TE-106-AW-45	4/14/84	89	CASS	T	
TE-106-AW-45	4/19/84	89	CASS	T	
TE-106-AW-45	4/28/84	89	CASS	T	
TE-106-AW-45	5/5/84	89	CASS	T	
TE-106-AW-45	5/12/84	89	CASS	T	
TE-106-AW-45	5/19/84	89	CASS	T	
TE-106-AW-45	5/26/84	89	CASS	T	
TE-106-AW-45	6/2/84	89	CASS	T	
TE-106-AW-45	6/7/84	89	CASS	T	
TE-106-AW-45	6/23/84	89	CASS	T	
TE-106-AW-45	6/30/84	89	CASS	T	
TE-106-AW-45	7/7/84	89	CASS	T	
TE-106-AW-45	7/14/84	89	CASS	T	
TE-106-AW-45	7/21/84	90	CASS	T	
TE-106-AW-45	7/28/84	90	CASS	T	
TE-106-AW-45	8/4/84	90	CASS	T	
TE-106-AW-45	8/11/84	90	CASS	T	
TE-106-AW-45	8/18/84	90	CASS	T	
TE-106-AW-45	8/25/84	91	CASS	T	
TE-106-AW-45	9/1/84	92	CASS	T	
TE-106-AW-45	9/7/84	94	CASS	T	
TE-106-AW-45	9/15/84	93	CASS	T	
TE-106-AW-45	9/22/84	93	CASS	T	
TE-106-AW-45	9/29/84	93	CASS	T	
TE-106-AW-45	10/6/84	93	CASS	T	
TE-106-AW-45	10/13/84	93	CASS	T	
TE-106-AW-45	10/19/84	93	CASS	T	
TE-106-AW-45	10/24/84	93	CASS	T	
TE-106-AW-45	11/3/84	88	CASS	T	
TE-106-AW-45	11/5/84	88	CASS	T	
TE-106-AW-45	11/12/84	82	CASS	T	
TE-106-AW-45	11/21/84	79	CASS	T	
TE-106-AW-45	11/25/84	77	CASS	T	
TE-106-AW-45	12/5/84	74	CASS	T	
TE-106-AW-45	12/10/84	73	CASS	T	
TE-106-AW-45	12/18/84	82	CASS	T	
TE-106-AW-45	12/28/84	97	CASS	T	
TE-106-AW-45	1/5/85	105	CASS	T	
TE-106-AW-45	1/12/85	106	CASS	T	
TE-106-AW-45	1/14/85	106	CASS	T	
TE-106-AW-45	1/28/85	112	CASS	T	
TE-106-AW-45	1/29/85	112	CASS	T	
TE-106-AW-45	2/8/85	113	CASS	T	
TE-106-AW-45	2/16/85	113	CASS	T	
TE-106-AW-45	2/18/85	113	CASS	T	
TE-106-AW-45	2/25/85	110	CASS	T	
TE-106-AW-45	3/7/85	107	CASS	T	
TE-106-AW-45	3/11/85	106	CASS	T	
TE-106-AW-45	3/19/85	104	CASS	T	
TE-106-AW-45	3/27/85	101	CASS	T	
TE-106-AW-45	3/31/85	101	CASS	T	
TE-106-AW-45	4/12/85	87	CASS	T	
TE-106-AW-45	4/20/85	108	CASS	T	
TE-106-AW-45	4/22/85	107	CASS	T	
TE-106-AW-45	5/4/85	103	CASS	T	
TE-106-AW-45	5/7/85	107	CASS	T	
TE-106-AW-45	5/18/85	105	CASS	T	
TE-106-AW-45	5/25/85	108	CASS	T	
TE-106-AW-45	5/28/85	108	CASS	T	
TE-106-AW-45	6/8/85	107	CASS	T	
TE-106-AW-45	6/9/85	107	CASS	T	
TE-106-AW-45	6/18/85	108	CASS	T	
TE-106-AW-45	11/1/85	105	CASS	T	
TE-106-AW-45	12/1/85	107	CASS	T	
TE-106-AW-45	1/4/86	110	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-45	1/7/86	113	CASS	T	
TE-106-AW-45	1/18/86	120	CASS	T	
TE-106-AW-45	1/21/86	122	CASS	T	
TE-106-AW-45	1/28/86	121	CASS	T	
TE-106-AW-45	2/4/86	119	CASS	T	
TE-106-AW-45	2/13/86	117	CASS	T	
TE-106-AW-45	2/18/86	116	CASS	T	
TE-106-AW-45	2/23/86	115	CASS	T	
TE-106-AW-45	3/4/86	99	CASS	T	
TE-106-AW-45	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-106-AW-45	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-45	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-45	9/18/86	96	CASS	T	
TE-106-AW-45	9/28/86	94	CASS	T	
TE-106-AW-45	10/2/86	93	CASS	T	
TE-106-AW-45	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-106-AW-45	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-106-AW-45	10/5/86	236	CASS	S	Data point did not agree with local trend
TE-106-AW-45	10/8/86	232	CASS	S	Data point did not agree with local trend
TE-106-AW-45	10/9/86	82	CASS	T	
TE-106-AW-45	10/17/86	102	CASS	T	
TE-106-AW-45	10/22/86	103	CASS	T	
TE-106-AW-45	11/1/86	103	CASS	T	
TE-106-AW-45	11/8/86	108	CASS	T	
TE-106-AW-45	11/13/86	108	CASS	T	
TE-106-AW-45	11/20/86	110	CASS	T	
TE-106-AW-45	11/29/86	110	CASS	T	
TE-106-AW-45	11/30/86	105	CASS	T	
TE-106-AW-45	12/8/86	103	CASS	T	
TE-106-AW-45	12/20/86	106	CASS	T	
TE-106-AW-45	12/28/86	110	CASS	T	
TE-106-AW-45	12/31/86	108	CASS	T	
TE-106-AW-45	7/4/87	95	CASS	T	
TE-106-AW-45	7/8/87	95	CASS	T	
TE-106-AW-45	7/15/87	89	CASS	T	
TE-106-AW-45	7/22/87	89	CASS	T	
TE-106-AW-45	7/31/87	113	CASS	T	
TE-106-AW-45	8/8/87	115	CASS	T	
TE-106-AW-45	8/15/87	119	CASS	T	
TE-106-AW-45	8/18/87	119	CASS	T	
TE-106-AW-45	8/28/87	119	CASS	T	
TE-106-AW-45	9/3/87	125	CASS	T	
TE-106-AW-45	9/8/87	115	CASS	T	
TE-106-AW-45	11/26/87	115	CASS	T	
TE-106-AW-45	11/28/87	119	CASS	S	Data point did not agree with local trend
TE-106-AW-45	11/30/87	90	CASS	T	
TE-106-AW-45	3/28/88	92	CASS	T	
TE-106-AW-45	3/31/88	94	CASS	T	
TE-106-AW-45	6/4/88	104	CASS	T	
TE-106-AW-45	6/11/88	105	CASS	T	
TE-106-AW-45	6/12/88	105	CASS	T	
TE-106-AW-45	6/25/88	103	CASS	T	
TE-106-AW-45	7/2/88	108	CASS	T	
TE-106-AW-45	7/4/88	280	CASS	S	Data point did not agree with local trend
TE-106-AW-45	7/9/88	113	CASS	T	
TE-106-AW-45	7/16/88	116	CASS	T	
TE-106-AW-45	7/23/88	122	CASS	T	
TE-106-AW-45	7/25/88	122	CASS	T	
TE-106-AW-45	8/2/88	100	CASS	S	Data point did not agree with local trend
TE-106-AW-45	8/5/88	120	CASS	T	
TE-106-AW-45	8/10/88	172	CASS	S	Data point did not agree with local trend
TE-106-AW-45	8/12/88	119	CASS	T	
TE-106-AW-45	12/3/88	106	CASS	T	
TE-106-AW-45	12/5/88	105	CASS	T	
TE-106-AW-45	12/15/88	108	CASS	T	
TE-106-AW-45	12/18/88	104	CASS	T	
TE-106-AW-45	9/2/89	85	CASS	T	
TE-106-AW-45	9/8/89	86	CASS	T	
TE-106-AW-45	9/18/89	86	CASS	T	
TE-106-AW-45	9/23/89	86	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-45	9/30/89	86	CASS	T	
TE-106-AW-45	11/2/89	83	CASS	T	
TE-106-AW-45	11/10/89	83	CASS	T	
TE-106-AW-45	11/18/89	83	CASS	T	
TE-106-AW-45	11/20/89	83	CASS	T	
TE-106-AW-45	12/1/89	82	CASS	T	
TE-106-AW-45	12/4/89	82	CASS	T	
TE-106-AW-45	12/14/89	81	CASS	T	
TE-106-AW-45	12/23/89	80	CASS	T	
TE-106-AW-45	12/25/89	80	CASS	T	
TE-106-AW-45	1/8/90	78	CASS	T	
TE-106-AW-45	1/13/90	78	CASS	T	
TE-106-AW-45	1/16/90	78	CASS	T	
TE-106-AW-45	1/27/90	77	CASS	T	
TE-106-AW-45	2/3/90	77	CASS	T	
TE-106-AW-45	2/10/90	77	CASS	T	
TE-106-AW-45	2/14/90	78	CASS	T	
TE-106-AW-45	2/24/90	76	CASS	T	
TE-106-AW-45	2/27/90	76	CASS	T	
TE-106-AW-45	3/10/90	76	CASS	T	
TE-106-AW-45	3/14/90	76	CASS	T	
TE-106-AW-45	3/20/90	76	CASS	T	
TE-106-AW-45	3/31/90	76	CASS	T	
TE-106-AW-45	4/7/90	76	CASS	T	
TE-106-AW-45	4/14/90	76	CASS	T	
TE-106-AW-45	4/19/90	77	CASS	T	
TE-106-AW-45	4/26/90	76	CASS	T	
TE-106-AW-45	5/5/90	77	CASS	T	
TE-106-AW-45	5/12/90	77	CASS	T	
TE-106-AW-45	5/19/90	77	CASS	T	
TE-106-AW-45	5/22/90	77	CASS	T	
TE-106-AW-45	6/2/90	77	CASS	T	
TE-106-AW-45	6/8/90	76	CASS	T	
TE-106-AW-45	6/16/90	76	CASS	T	
TE-106-AW-45	6/23/90	76	CASS	T	
TE-106-AW-45	6/30/90	79	CASS	T	
TE-106-AW-45	7/3/90	86	CASS	T	
TE-106-AW-45	7/14/90	80	CASS	T	
TE-106-AW-45	7/21/90	81	CASS	T	
TE-106-AW-45	7/28/90	81	CASS	T	
TE-106-AW-45	8/4/90	82	CASS	T	
TE-106-AW-45	8/11/90	82	CASS	T	
TE-106-AW-45	8/13/90	83	CASS	T	
TE-106-AW-45	8/25/90	82	CASS	T	
TE-106-AW-45	9/1/90	82	CASS	T	
TE-106-AW-45	9/8/90	83	CASS	T	
TE-106-AW-45	9/15/90	83	CASS	T	
TE-106-AW-45	9/22/90	83	CASS	T	
TE-106-AW-45	9/29/90	83	CASS	T	
TE-106-AW-45	10/5/90	83	CASS	T	
TE-106-AW-45	10/10/90	83	CASS	T	
TE-106-AW-45	10/20/90	82	CASS	T	
TE-106-AW-45	10/27/90	82	CASS	T	
TE-106-AW-45	10/31/90	82	CASS	T	
TE-106-AW-45	11/9/90	85	CASS	T	
TE-106-AW-45	11/17/90	81	CASS	T	
TE-106-AW-45	11/24/90	81	CASS	T	
TE-106-AW-45	11/28/90	81	CASS	T	
TE-106-AW-45	12/8/90	83	CASS	T	
TE-106-AW-45	12/13/90	80	CASS	T	
TE-106-AW-45	12/19/90	79	CASS	T	
TE-106-AW-45	12/28/90	76	CASS	T	
TE-106-AW-45	1/4/91	77	CASS	T	
TE-106-AW-45	1/11/91	77	CASS	T	
TE-106-AW-45	1/18/91	78	CASS	T	
TE-106-AW-45	1/25/91	75	CASS	T	
TE-106-AW-45	2/2/91	75	CASS	T	
TE-106-AW-45	2/7/91	75	CASS	T	
TE-106-AW-45	2/18/91	75	CASS	T	
TE-106-AW-45	2/22/91	75	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-45	3/2/91	74	CASS	T	
TE-106-AW-45	3/8/91	74	CASS	T	
TE-106-AW-45	3/13/91	74	CASS	T	
TE-106-AW-45	3/23/91	74	CASS	T	
TE-106-AW-45	3/30/91	74	CASS	T	
TE-106-AW-45	4/8/91	74	CASS	T	
TE-106-AW-45	4/13/91	74	CASS	T	
TE-106-AW-45	4/20/91	75	CASS	T	
TE-106-AW-45	4/27/91	75	CASS	T	
TE-106-AW-45	5/4/91	75	CASS	T	
TE-106-AW-45	5/11/91	75	CASS	T	
TE-106-AW-45	5/18/91	76	CASS	T	
TE-106-AW-45	5/25/91	76	CASS	T	
TE-106-AW-45	5/31/91	76	CASS	T	
TE-106-AW-45	6/8/91	76	CASS	T	
TE-106-AW-45	6/15/91	77	CASS	T	
TE-106-AW-45	6/20/91	77	CASS	T	
TE-106-AW-45	6/25/91	77	CASS	T	
TE-106-AW-45	4/4/92	126	CASS	S	Data point did not agree with local trend
TE-106-AW-45	4/17/92	127	CASS	S	Data point did not agree with local trend
TE-106-AW-46	7/18/83	91	CASS	T	
TE-106-AW-46	7/23/83	91	CASS	T	
TE-106-AW-46	7/30/83	91	CASS	T	
TE-106-AW-46	8/6/83	91	CASS	T	
TE-106-AW-46	8/12/83	92	CASS	T	
TE-106-AW-46	8/19/83	92	CASS	T	
TE-106-AW-46	8/27/83	92	CASS	T	
TE-106-AW-46	8/31/83	92	CASS	T	
TE-106-AW-46	9/10/83	92	CASS	T	
TE-106-AW-46	9/14/83	92	CASS	T	
TE-106-AW-46	9/24/83	92	CASS	T	
TE-106-AW-46	10/1/83	92	CASS	T	
TE-106-AW-46	10/5/83	92	CASS	T	
TE-106-AW-46	10/15/83	93	CASS	T	
TE-106-AW-46	10/17/83	93	CASS	T	
TE-106-AW-46	3/10/84	90	CASS	T	
TE-106-AW-46	3/17/84	90	CASS	T	
TE-106-AW-46	3/24/84	90	CASS	T	
TE-106-AW-46	3/31/84	89	CASS	T	
TE-106-AW-46	4/7/84	89	CASS	T	
TE-106-AW-46	4/14/84	89	CASS	T	
TE-106-AW-46	4/20/84	89	CASS	T	
TE-106-AW-46	4/28/84	89	CASS	T	
TE-106-AW-46	5/5/84	89	CASS	T	
TE-106-AW-46	5/12/84	89	CASS	T	
TE-106-AW-46	5/19/84	89	CASS	T	
TE-106-AW-46	5/26/84	89	CASS	T	
TE-106-AW-46	6/2/84	89	CASS	T	
TE-106-AW-46	6/7/84	89	CASS	T	
TE-106-AW-46	6/23/84	89	CASS	T	
TE-106-AW-46	6/30/84	89	CASS	T	
TE-106-AW-46	7/7/84	89	CASS	T	
TE-106-AW-46	7/14/84	89	CASS	T	
TE-106-AW-46	7/21/84	90	CASS	T	
TE-106-AW-46	7/28/84	90	CASS	T	
TE-106-AW-46	8/4/84	90	CASS	T	
TE-106-AW-46	8/11/84	90	CASS	T	
TE-106-AW-46	8/14/84	91	CASS	T	
TE-106-AW-46	8/25/84	91	CASS	T	
TE-106-AW-46	9/1/84	92	CASS	T	
TE-106-AW-46	9/7/84	94	CASS	T	
TE-106-AW-46	9/15/84	93	CASS	T	
TE-106-AW-46	9/22/84	94	CASS	T	
TE-106-AW-46	9/29/84	93	CASS	T	
TE-106-AW-46	10/3/84	94	CASS	T	
TE-106-AW-46	10/13/84	93	CASS	T	
TE-106-AW-46	10/19/84	93	CASS	T	
TE-106-AW-46	10/23/84	93	CASS	T	
TE-106-AW-46	11/3/84	88	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-46	11/5/84	88	CASS	T	
TE-106-AW-46	11/12/84	82	CASS	T	
TE-106-AW-46	11/18/84	80	CASS	T	
TE-106-AW-46	11/25/84	77	CASS	T	
TE-106-AW-46	12/8/84	74	CASS	T	
TE-106-AW-46	12/12/84	73	CASS	T	
TE-106-AW-46	12/18/84	81	CASS	T	
TE-106-AW-46	12/28/84	97	CASS	T	
TE-106-AW-46	1/5/85	105	CASS	T	
TE-106-AW-46	1/12/85	108	CASS	T	
TE-106-AW-46	1/15/85	108	CASS	T	
TE-106-AW-46	1/29/85	112	CASS	T	
TE-106-AW-46	1/29/85	112	CASS	T	
TE-106-AW-46	2/9/85	113	CASS	T	
TE-106-AW-46	2/11/85	115	CASS	T	
TE-106-AW-46	2/18/85	107	CASS	T	
TE-106-AW-46	2/25/85	102	CASS	T	
TE-106-AW-46	3/14/85	97	CASS	T	
TE-106-AW-46	3/18/85	98	CASS	T	
TE-106-AW-46	3/30/85	91	CASS	T	
TE-106-AW-46	4/3/85	95	CASS	T	
TE-106-AW-46	4/12/85	87	CASS	T	
TE-106-AW-46	4/20/85	108	CASS	T	
TE-106-AW-46	4/22/85	106	CASS	T	
TE-106-AW-46	5/4/85	102	CASS	T	
TE-106-AW-46	5/7/85	107	CASS	T	
TE-106-AW-46	5/18/85	105	CASS	T	
TE-106-AW-46	5/25/85	108	CASS	T	
TE-106-AW-46	5/28/85	108	CASS	T	
TE-106-AW-46	6/8/85	107	CASS	T	
TE-106-AW-46	6/11/85	107	CASS	T	
TE-106-AW-46	6/18/85	108	CASS	T	
TE-106-AW-46	11/1/85	105	CASS	T	
TE-106-AW-46	12/1/85	107	CASS	T	
TE-106-AW-46	1/4/86	110	CASS	T	
TE-106-AW-46	1/7/86	113	CASS	T	
TE-106-AW-46	1/18/86	120	CASS	T	
TE-106-AW-46	1/22/86	122	CASS	T	
TE-106-AW-46	1/28/86	121	CASS	T	
TE-106-AW-46	2/4/86	119	CASS	T	
TE-106-AW-46	2/13/86	117	CASS	T	
TE-106-AW-46	2/18/86	116	CASS	T	
TE-106-AW-46	2/23/86	115	CASS	T	
TE-106-AW-46	3/4/86	99	CASS	T	
TE-106-AW-46	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-106-AW-46	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-46	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-46	9/16/86	98	CASS	T	
TE-106-AW-46	9/26/86	94	CASS	T	
TE-106-AW-46	10/2/86	93	CASS	T	
TE-106-AW-46	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-106-AW-46	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-106-AW-46	10/5/86	236	CASS	S	Data point did not agree with local trend
TE-106-AW-46	10/6/86	232	CASS	S	Data point did not agree with local trend
TE-106-AW-46	10/9/86	82	CASS	T	
TE-106-AW-46	10/17/86	102	CASS	T	
TE-106-AW-46	10/22/86	103	CASS	T	
TE-106-AW-46	10/29/86	103	CASS	T	
TE-106-AW-46	11/8/86	108	CASS	T	
TE-106-AW-46	11/11/86	108	CASS	T	
TE-106-AW-46	11/20/86	110	CASS	T	
TE-106-AW-46	11/29/86	110	CASS	T	
TE-106-AW-46	11/30/86	105	CASS	T	
TE-106-AW-46	12/8/86	103	CASS	T	
TE-106-AW-46	12/20/86	105	CASS	T	
TE-106-AW-46	12/25/86	110	CASS	T	
TE-106-AW-46	12/31/86	108	CASS	T	
TE-106-AW-46	7/4/87	94	CASS	T	
TE-106-AW-46	7/9/87	93	CASS	T	
TE-106-AW-46	7/15/87	89	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1985; and Surveillance Analysis Computer System (SACS), June 1985.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-46	7/22/87	89	CASS	T	
TE-106-AW-46	7/31/87	114	CASS	T	
TE-106-AW-46	8/8/87	115	CASS	T	
TE-106-AW-46	8/15/87	119	CASS	T	
TE-106-AW-46	8/16/87	118	CASS	T	
TE-106-AW-46	8/28/87	118	CASS	T	
TE-106-AW-46	9/3/87	120	CASS	T	
TE-106-AW-46	9/6/87	112	CASS	T	
TE-106-AW-46	11/26/87	114	CASS	T	
TE-106-AW-46	11/29/87	118	CASS	T	
TE-106-AW-46	3/26/88	92	CASS	T	
TE-106-AW-46	3/31/88	94	CASS	T	
TE-106-AW-46	6/4/88	104	CASS	T	
TE-106-AW-46	6/11/88	105	CASS	T	
TE-106-AW-46	6/12/88	105	CASS	T	
TE-106-AW-46	6/25/88	103	CASS	T	
TE-106-AW-46	7/2/88	108	CASS	T	
TE-106-AW-46	7/9/88	113	CASS	T	
TE-106-AW-46	7/15/88	118	CASS	T	
TE-106-AW-46	7/23/88	122	CASS	T	
TE-106-AW-46	7/26/88	122	CASS	T	
TE-106-AW-46	8/5/88	120	CASS	T	
TE-106-AW-46	8/12/88	119	CASS	T	
TE-106-AW-46	12/3/88	106	CASS	T	
TE-106-AW-46	12/5/88	108	CASS	T	
TE-106-AW-46	12/18/88	107	CASS	T	
TE-106-AW-46	12/19/88	104	CASS	T	
TE-106-AW-46	9/2/89	85	CASS	T	
TE-106-AW-46	9/9/89	86	CASS	T	
TE-106-AW-46	9/16/89	86	CASS	T	
TE-106-AW-46	9/23/89	86	CASS	T	
TE-106-AW-46	9/30/89	86	CASS	T	
TE-106-AW-46	11/2/89	83	CASS	T	
TE-106-AW-46	11/10/89	83	CASS	T	
TE-106-AW-46	11/18/89	83	CASS	T	
TE-106-AW-46	11/20/89	83	CASS	T	
TE-106-AW-46	12/1/89	82	CASS	T	
TE-106-AW-46	12/4/89	82	CASS	T	
TE-106-AW-46	12/14/89	81	CASS	T	
TE-106-AW-46	12/23/89	80	CASS	T	
TE-106-AW-46	12/25/89	80	CASS	T	
TE-106-AW-46	1/8/90	78	CASS	T	
TE-106-AW-46	1/13/90	78	CASS	T	
TE-106-AW-46	1/16/90	78	CASS	T	
TE-106-AW-46	1/27/90	77	CASS	T	
TE-106-AW-46	2/3/90	77	CASS	T	
TE-106-AW-46	2/10/90	77	CASS	T	
TE-106-AW-46	2/14/90	78	CASS	T	
TE-106-AW-46	2/24/90	78	CASS	T	
TE-106-AW-46	2/27/90	78	CASS	T	
TE-106-AW-46	3/10/90	76	CASS	T	
TE-106-AW-46	3/15/90	78	CASS	T	
TE-106-AW-46	3/20/90	76	CASS	T	
TE-106-AW-46	3/31/90	76	CASS	T	
TE-106-AW-46	4/7/90	76	CASS	T	
TE-106-AW-46	4/14/90	76	CASS	T	
TE-106-AW-46	4/20/90	77	CASS	T	
TE-106-AW-46	4/24/90	77	CASS	T	
TE-106-AW-46	5/5/90	77	CASS	T	
TE-106-AW-46	5/12/90	77	CASS	T	
TE-106-AW-46	5/19/90	77	CASS	T	
TE-106-AW-46	5/22/90	77	CASS	T	
TE-106-AW-46	6/2/90	77	CASS	T	
TE-106-AW-46	6/9/90	78	CASS	T	
TE-106-AW-46	6/16/90	78	CASS	T	
TE-106-AW-46	6/23/90	78	CASS	T	
TE-106-AW-46	6/30/90	79	CASS	T	
TE-106-AW-46	7/3/90	89	CASS	T	
TE-106-AW-46	7/14/90	80	CASS	T	
TE-106-AW-46	7/21/90	81	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-46	7/28/90	81	CASS	T	
TE-106-AW-46	8/4/90	82	CASS	T	
TE-106-AW-46	8/11/90	82	CASS	T	
TE-106-AW-46	8/13/90	83	CASS	T	
TE-106-AW-46	8/25/90	82	CASS	T	
TE-106-AW-46	9/1/90	83	CASS	T	
TE-106-AW-46	9/8/90	83	CASS	T	
TE-106-AW-46	9/15/90	83	CASS	T	
TE-106-AW-46	9/22/90	83	CASS	T	
TE-106-AW-46	9/29/90	83	CASS	T	
TE-106-AW-46	10/5/90	83	CASS	T	
TE-106-AW-46	10/10/90	83	CASS	T	
TE-106-AW-46	10/20/90	82	CASS	T	
TE-106-AW-46	10/27/90	82	CASS	T	
TE-106-AW-46	11/1/90	82	CASS	T	
TE-106-AW-46	11/9/90	90	CASS	T	
TE-106-AW-46	11/17/90	81	CASS	T	
TE-106-AW-46	11/24/90	81	CASS	T	
TE-106-AW-46	11/28/90	81	CASS	T	
TE-106-AW-46	12/6/90	80	CASS	T	
TE-106-AW-46	12/13/90	80	CASS	T	
TE-106-AW-46	12/19/90	79	CASS	T	
TE-106-AW-46	12/28/90	78	CASS	T	
TE-106-AW-46	1/5/91	77	CASS	T	
TE-106-AW-46	1/11/91	77	CASS	T	
TE-106-AW-46	1/19/91	76	CASS	T	
TE-106-AW-46	1/23/91	76	CASS	T	
TE-106-AW-46	2/2/91	75	CASS	T	
TE-106-AW-46	2/7/91	75	CASS	T	
TE-106-AW-46	2/18/91	75	CASS	T	
TE-106-AW-46	2/22/91	75	CASS	T	
TE-106-AW-46	3/2/91	74	CASS	T	
TE-106-AW-46	3/9/91	74	CASS	T	
TE-106-AW-46	3/18/91	74	CASS	T	
TE-106-AW-46	3/23/91	74	CASS	T	
TE-106-AW-46	3/30/91	74	CASS	T	
TE-106-AW-46	4/8/91	74	CASS	T	
TE-106-AW-46	4/13/91	74	CASS	T	
TE-106-AW-46	4/20/91	75	CASS	T	
TE-106-AW-46	4/27/91	75	CASS	T	
TE-106-AW-46	5/4/91	75	CASS	T	
TE-106-AW-46	5/11/91	75	CASS	T	
TE-106-AW-46	5/18/91	78	CASS	T	
TE-106-AW-46	5/25/91	76	CASS	T	
TE-106-AW-46	5/31/91	76	CASS	T	
TE-106-AW-46	6/8/91	76	CASS	T	
TE-106-AW-46	6/15/91	77	CASS	T	
TE-106-AW-46	6/20/91	77	CASS	T	
TE-106-AW-46	6/25/91	77	CASS	T	
TE-106-AW-46	1/8/92	74	SACS	T	
TE-106-AW-46	1/13/92	72	SACS	T	
TE-106-AW-46	1/20/92	72	SACS	T	
TE-106-AW-46	1/27/92	72	SACS	T	
TE-106-AW-46	2/3/92	72	SACS	T	
TE-106-AW-46	2/10/92	71	SACS	T	
TE-106-AW-46	2/22/92	78	SACS	T	
TE-106-AW-46	2/24/92	71	SACS	T	
TE-106-AW-46	3/4/92	71	SACS	T	
TE-106-AW-46	3/9/92	70	SACS	T	
TE-106-AW-46	3/18/92	71	SACS	T	
TE-106-AW-46	3/23/92	71	SACS	T	
TE-106-AW-46	3/30/92	71	SACS	T	
TE-106-AW-46	4/4/92	117	CASS	S	Data point did not agree with local trend
TE-106-AW-46	4/8/92	71	SACS	T	
TE-106-AW-46	4/13/92	71	SACS	T	
TE-106-AW-46	4/17/92	118	CASS	S	Data point did not agree with local trend
TE-106-AW-46	4/20/92	71	SACS	T	
TE-106-AW-46	4/27/92	71	SACS	T	
TE-106-AW-46	5/4/92	71	SACS	T	
TE-106-AW-46	5/18/92	77	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-108 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-46	5/25/92	76	SACS	T	
TE-106-AW-46	6/6/92	73	SACS	T	
TE-106-AW-46	6/15/92	74	SACS	T	
TE-106-AW-46	6/22/92	74	SACS	T	
TE-106-AW-46	6/29/92	74	SACS	T	
TE-106-AW-46	7/8/92	74	SACS	T	
TE-106-AW-46	7/13/92	75	SACS	T	
TE-106-AW-46	7/20/92	74	SACS	T	
TE-106-AW-46	7/27/92	75	SACS	T	
TE-106-AW-46	8/3/92	75	SACS	T	
TE-106-AW-46	8/10/92	76	SACS	T	
TE-106-AW-46	8/17/92	71	SACS	T	
TE-106-AW-46	8/24/92	73	SACS	T	
TE-106-AW-46	8/31/92	72	SACS	T	
TE-106-AW-46	9/7/92	74	SACS	T	
TE-106-AW-46	9/14/92	74	SACS	T	
TE-106-AW-46	9/21/92	74	SACS	T	
TE-106-AW-46	9/28/92	74	SACS	T	
TE-106-AW-46	10/5/92	76	SACS	T	
TE-106-AW-46	10/12/92	76	SACS	T	
TE-106-AW-46	10/19/92	76	SACS	T	
TE-106-AW-46	10/26/92	76	SACS	T	
TE-106-AW-46	11/2/92	76	SACS	T	
TE-106-AW-46	11/9/92	77	SACS	T	
TE-106-AW-46	11/16/92	78	SACS	T	
TE-106-AW-46	11/23/92	78	SACS	T	
TE-106-AW-46	11/30/92	77	SACS	T	
TE-106-AW-46	12/7/92	77	SACS	T	
TE-106-AW-46	12/14/92	78	SACS	T	
TE-106-AW-46	12/21/92	76	SACS	T	
TE-106-AW-46	12/28/92	77	SACS	T	
TE-106-AW-46	1/4/93	77	SACS	T	
TE-106-AW-46	1/11/93	78	SACS	T	
TE-106-AW-46	1/18/93	77	SACS	T	
TE-106-AW-46	1/25/93	76	SACS	T	
TE-106-AW-46	2/1/93	77	SACS	T	
TE-106-AW-46	2/8/93	77	SACS	T	
TE-106-AW-46	2/16/93	77	SACS	T	
TE-106-AW-46	3/1/93	78	SACS	T	
TE-106-AW-46	3/8/93	77	SACS	T	
TE-106-AW-46	3/20/93	76	SACS	T	
TE-106-AW-46	3/22/93	77	SACS	T	
TE-106-AW-46	3/29/93	78	SACS	T	
TE-106-AW-46	4/6/93	78	SACS	T	
TE-106-AW-46	4/12/93	76	SACS	T	
TE-106-AW-46	4/19/93	76	SACS	T	
TE-106-AW-46	4/26/93	75	SACS	T	
TE-106-AW-46	5/3/93	75	SACS	T	
TE-106-AW-46	5/10/93	74	SACS	T	
TE-106-AW-46	5/17/93	76	SACS	T	
TE-106-AW-46	5/24/93	76	SACS	T	
TE-106-AW-46	5/31/93	75	SACS	T	
TE-106-AW-46	6/7/93	76	SACS	T	
TE-106-AW-46	6/15/93	76	SACS	T	
TE-106-AW-46	6/22/93	78	SACS	T	
TE-106-AW-46	6/28/93	75	SACS	T	
TE-106-AW-46	7/5/93	75	SACS	T	
TE-106-AW-46	7/12/93	75	SACS	T	
TE-106-AW-46	7/19/93	77	SACS	T	
TE-106-AW-46	7/26/93	77	SACS	T	
TE-106-AW-46	8/2/93	77	SACS	T	
TE-106-AW-46	8/9/93	77	SACS	T	
TE-106-AW-46	8/16/93	78	SACS	T	
TE-106-AW-46	8/23/93	77	SACS	T	
TE-106-AW-46	8/30/93	78	SACS	T	
TE-106-AW-46	9/13/93	78	SACS	T	
TE-106-AW-46	9/21/93	79	SACS	T	
TE-106-AW-46	9/27/93	79	SACS	T	
TE-106-AW-46	10/11/93	80	SACS	T	
TE-106-AW-46	10/19/93	79	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-46	10/26/93	79	SACS	T	
TE-106-AW-46	11/1/93	78	SACS	T	
TE-106-AW-46	11/15/93	79	SACS	T	
TE-106-AW-46	11/26/93	81	SACS	T	
TE-106-AW-46	11/29/93	79	SACS	T	
TE-106-AW-46	12/6/93	79	SACS	T	
TE-106-AW-46	12/16/93	79	SACS	T	
TE-106-AW-46	12/20/93	80	SACS	T	
TE-106-AW-46	12/27/93	79	SACS	T	
TE-106-AW-46	1/5/94	79	SACS	T	
TE-106-AW-46	1/24/94	79	SACS	T	
TE-106-AW-46	1/31/94	79	SACS	T	
TE-106-AW-46	2/7/94	79	SACS	G	
TE-106-AW-46	2/21/94	78	SACS	G	
TE-106-AW-46	2/28/94	78	SACS	T	
TE-106-AW-46	3/7/94	78	SACS	T	
TE-106-AW-46	3/14/94	77	SACS	G	
TE-106-AW-46	3/21/94	78	SACS	G	
TE-106-AW-46	3/28/94	78	SACS	G	
TE-106-AW-46	4/5/94	77	SACS	G	
TE-106-AW-46	4/11/94	76	SACS	G	
TE-106-AW-46	4/18/94	75	SACS	G	
TE-106-AW-46	4/25/94	90	SACS	G	
TE-106-AW-46	5/2/94	93	SACS	G	
TE-106-AW-46	5/9/94	97	SACS	G	
TE-106-AW-46	5/16/94	99	SACS	G	
TE-106-AW-46	5/31/94	106	SACS	G	
TE-106-AW-46	6/6/94	101	SACS	G	
TE-106-AW-46	6/13/94	106	SACS	G	
TE-106-AW-46	6/20/94	104	SACS	G	
TE-106-AW-46	6/27/94	102	SACS	G	
TE-106-AW-46	7/4/94	101	SACS	G	
TE-106-AW-46	7/18/94	100	SACS	G	
TE-106-AW-46	7/25/94	99	SACS	G	
TE-106-AW-46	8/1/94	98	SACS	G	
TE-106-AW-46	8/8/94	97	SACS	G	
TE-106-AW-46	8/15/94	98	SACS	G	
TE-106-AW-46	8/22/94	95	SACS	G	
TE-106-AW-46	9/7/94	95	SACS	G	
TE-106-AW-46	9/12/94	92	SACS	G	
TE-106-AW-46	9/19/94	92	SACS	G	
TE-106-AW-46	9/26/94	104	SACS	G	
TE-106-AW-46	10/10/94	106	SACS	G	
TE-106-AW-46	10/17/94	109	SACS	G	
TE-106-AW-46	10/24/94	107	SACS	G	
TE-106-AW-46	10/31/94	105	SACS	G	
TE-106-AW-46	11/7/94	104	SACS	G	
TE-106-AW-46	11/14/94	103	SACS	G	
TE-106-AW-46	11/21/94	100	SACS	G	
TE-106-AW-46	11/28/94	99	SACS	G	
TE-106-AW-46	12/5/94	97	SACS	G	
TE-106-AW-46	12/12/94	97	SACS	G	
TE-106-AW-46	12/19/94	98	SACS	G	
TE-106-AW-46	12/26/94	95	SACS	G	
TE-106-AW-46	1/2/95	95	SACS	G	
TE-106-AW-46	1/9/95	93	SACS	G	
TE-106-AW-46	1/16/95	92	SACS	G	
TE-106-AW-46	1/23/95	91	SACS	G	
TE-106-AW-46	1/30/95	90	SACS	G	
TE-106-AW-46	2/6/95	89	SACS	G	
TE-106-AW-46	2/13/95	89	SACS	G	
TE-106-AW-46	2/24/95	87	SACS	G	
TE-106-AW-46	2/27/95	87	SACS	G	
TE-106-AW-46	3/6/95	86	SACS	G	
TE-106-AW-46	3/19/95	85	SACS	G	
TE-106-AW-46	3/27/95	85	SACS	G	
TE-106-AW-46	4/3/95	84	SACS	G	
TE-106-AW-46	4/10/95	84	SACS	G	
TE-106-AW-46	4/17/95	83	SACS	G	
TE-106-AW-46	4/24/95	81	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-46	5/1/95	79	SACS	G	
TE-106-AW-46	5/13/95	79	SACS	G	
TE-106-AW-46	5/22/95	80	SACS	G	
TE-106-AW-46	5/29/95	82	SACS	G	
TE-106-AW-46	6/5/95	83	SACS	G	
TE-106-AW-46	6/13/95	102	SACS	G	
TE-106-AW-46	6/19/95	104	SACS	G	
TE-106-AW-46	6/28/95	105	SACS	G	
TE-106-AW-47	7/19/83	91	CASS	T	
TE-106-AW-47	7/21/83	92	CASS	T	
TE-106-AW-47	7/24/83	92	CASS	T	
TE-106-AW-47	8/8/83	92	CASS	T	
TE-106-AW-47	8/12/83	92	CASS	T	
TE-106-AW-47	8/19/83	92	CASS	T	
TE-106-AW-47	8/27/83	92	CASS	T	
TE-106-AW-47	8/31/83	92	CASS	T	
TE-106-AW-47	9/10/83	92	CASS	T	
TE-106-AW-47	9/14/83	92	CASS	T	
TE-106-AW-47	9/23/83	93	CASS	T	
TE-106-AW-47	10/1/83	93	CASS	T	
TE-106-AW-47	10/5/83	93	CASS	T	
TE-106-AW-47	10/15/83	93	CASS	T	
TE-106-AW-47	10/17/83	93	CASS	T	
TE-106-AW-47	3/10/84	89	CASS	T	
TE-106-AW-47	3/17/84	89	CASS	T	
TE-106-AW-47	3/24/84	89	CASS	T	
TE-106-AW-47	3/31/84	89	CASS	T	
TE-106-AW-47	4/1/84	89	CASS	T	
TE-106-AW-47	4/14/84	88	CASS	T	
TE-106-AW-47	4/21/84	88	CASS	T	
TE-106-AW-47	4/28/84	88	CASS	T	
TE-106-AW-47	5/5/84	88	CASS	T	
TE-106-AW-47	5/12/84	88	CASS	T	
TE-106-AW-47	5/19/84	88	CASS	T	
TE-106-AW-47	5/26/84	88	CASS	T	
TE-106-AW-47	6/2/84	88	CASS	T	
TE-106-AW-47	6/4/84	89	CASS	T	
TE-106-AW-47	6/23/84	88	CASS	T	
TE-106-AW-47	6/30/84	88	CASS	T	
TE-106-AW-47	7/7/84	89	CASS	T	
TE-106-AW-47	7/13/84	89	CASS	T	
TE-106-AW-47	7/21/84	89	CASS	T	
TE-106-AW-47	7/28/84	89	CASS	T	
TE-106-AW-47	8/4/84	89	CASS	T	
TE-106-AW-47	8/11/84	90	CASS	T	
TE-106-AW-47	8/18/84	90	CASS	T	
TE-106-AW-47	8/25/84	91	CASS	T	
TE-106-AW-47	9/1/84	93	CASS	T	
TE-106-AW-47	9/7/84	94	CASS	T	
TE-106-AW-47	9/15/84	94	CASS	T	
TE-106-AW-47	9/22/84	94	CASS	T	
TE-106-AW-47	9/27/84	94	CASS	T	
TE-106-AW-47	10/3/84	94	CASS	T	
TE-106-AW-47	10/13/84	93	CASS	T	
TE-106-AW-47	10/19/84	93	CASS	T	
TE-106-AW-47	10/23/84	93	CASS	T	
TE-106-AW-47	11/3/84	88	CASS	T	
TE-106-AW-47	11/5/84	88	CASS	T	
TE-106-AW-47	11/11/84	83	CASS	T	
TE-106-AW-47	11/18/84	80	CASS	T	
TE-106-AW-47	11/25/84	77	CASS	T	
TE-106-AW-47	12/2/84	75	CASS	T	
TE-106-AW-47	12/12/84	73	CASS	T	
TE-106-AW-47	12/18/84	61	CASS	T	
TE-106-AW-47	12/28/84	97	CASS	T	
TE-106-AW-47	1/4/85	101	CASS	T	
TE-106-AW-47	1/12/85	106	CASS	T	
TE-106-AW-47	1/15/85	106	CASS	T	
TE-106-AW-47	1/26/85	112	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-47	2/1/85	112	CASS	T	
TE-106-AW-47	2/8/85	111	CASS	T	
TE-106-AW-47	2/10/85	110	CASS	T	
TE-106-AW-47	2/17/85	96	CASS	T	
TE-106-AW-47	2/26/85	93	CASS	T	
TE-106-AW-47	3/8/85	91	CASS	T	
TE-106-AW-47	3/10/85	91	CASS	T	
TE-106-AW-47	3/23/85	90	CASS	T	
TE-106-AW-47	3/30/85	91	CASS	T	
TE-106-AW-47	4/3/85	95	CASS	T	
TE-106-AW-47	4/7/85	90	CASS	T	
TE-106-AW-47	4/20/85	106	CASS	T	
TE-106-AW-47	4/22/85	106	CASS	T	
TE-106-AW-47	5/4/85	102	CASS	T	
TE-106-AW-47	5/7/85	107	CASS	T	
TE-106-AW-47	5/18/85	105	CASS	T	
TE-106-AW-47	5/25/85	106	CASS	T	
TE-106-AW-47	5/28/85	106	CASS	T	
TE-106-AW-47	6/8/85	107	CASS	T	
TE-106-AW-47	6/13/85	107	CASS	T	
TE-106-AW-47	6/18/85	106	CASS	T	
TE-106-AW-47	11/1/85	105	CASS	T	
TE-106-AW-47	12/1/85	107	CASS	T	
TE-106-AW-47	1/4/86	110	CASS	T	
TE-106-AW-47	1/7/86	113	CASS	T	
TE-106-AW-47	1/18/86	120	CASS	T	
TE-106-AW-47	1/22/86	122	CASS	T	
TE-106-AW-47	1/27/86	121	CASS	T	
TE-106-AW-47	2/5/86	119	CASS	T	
TE-106-AW-47	2/9/86	118	CASS	T	
TE-106-AW-47	2/18/86	116	CASS	T	
TE-106-AW-47	2/24/86	115	CASS	T	
TE-106-AW-47	3/4/86	99	CASS	T	
TE-106-AW-47	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-106-AW-47	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-47	9/15/86	73	CASS	S	Data point did not agree with local trend
TE-106-AW-47	9/16/86	96	CASS	T	
TE-106-AW-47	9/28/86	94	CASS	T	
TE-106-AW-47	10/2/86	93	CASS	T	
TE-106-AW-47	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-106-AW-47	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-106-AW-47	10/5/86	236	CASS	S	Data point did not agree with local trend
TE-106-AW-47	10/6/86	232	CASS	S	Data point did not agree with local trend
TE-106-AW-47	10/9/86	92	CASS	T	
TE-106-AW-47	10/17/86	102	CASS	T	
TE-106-AW-47	10/22/86	103	CASS	T	
TE-106-AW-47	11/1/86	102	CASS	T	
TE-106-AW-47	11/8/86	106	CASS	T	
TE-106-AW-47	11/15/86	107	CASS	T	
TE-106-AW-47	11/18/86	111	CASS	T	
TE-106-AW-47	11/29/86	110	CASS	T	
TE-106-AW-47	11/30/86	105	CASS	T	
TE-106-AW-47	12/8/86	103	CASS	T	
TE-106-AW-47	12/20/86	105	CASS	T	
TE-106-AW-47	12/24/86	109	CASS	T	
TE-106-AW-47	12/31/86	107	CASS	T	
TE-106-AW-47	7/2/87	92	CASS	T	
TE-106-AW-47	7/8/87	91	CASS	T	
TE-106-AW-47	7/17/87	89	CASS	T	
TE-106-AW-47	7/22/87	89	CASS	T	
TE-106-AW-47	7/31/87	114	CASS	T	
TE-106-AW-47	8/8/87	115	CASS	T	
TE-106-AW-47	8/14/87	119	CASS	T	
TE-106-AW-47	8/22/87	115	CASS	T	
TE-106-AW-47	8/29/87	117	CASS	T	
TE-106-AW-47	9/3/87	120	CASS	T	
TE-106-AW-47	9/8/87	112	CASS	T	
TE-106-AW-47	11/26/87	114	CASS	T	
TE-106-AW-47	11/29/87	118	CASS	T	
TE-106-AW-47	3/26/88	92	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-47	3/31/88	94	CASS	T	
TE-106-AW-47	6/4/88	104	CASS	T	
TE-106-AW-47	6/11/88	105	CASS	T	
TE-106-AW-47	6/12/88	105	CASS	T	
TE-106-AW-47	6/25/88	104	CASS	T	
TE-106-AW-47	7/2/88	108	CASS	T	
TE-106-AW-47	7/9/88	113	CASS	T	
TE-106-AW-47	7/12/88	54	CASS	S	Data point did not agree with local trend
TE-106-AW-47	7/16/88	116	CASS	T	
TE-106-AW-47	7/22/88	123	CASS	T	
TE-106-AW-47	7/26/88	122	CASS	T	
TE-106-AW-47	8/5/88	122	CASS	T	
TE-106-AW-47	8/12/88	121	CASS	T	
TE-106-AW-47	12/3/88	108	CASS	T	
TE-106-AW-47	12/4/88	106	CASS	T	
TE-106-AW-47	12/13/88	110	CASS	T	
TE-106-AW-47	12/21/88	98	CASS	T	
TE-106-AW-47	7/10/89	79	SACS	T	
TE-106-AW-47	7/17/89	79	SACS	T	
TE-106-AW-47	7/24/89	80	SACS	T	
TE-106-AW-47	8/7/89	80	SACS	T	
TE-106-AW-47	8/14/89	82	SACS	T	
TE-106-AW-47	8/21/89	82	SACS	T	
TE-106-AW-47	9/1/89	86	CASS	T	
TE-106-AW-47	9/8/89	86	CASS	T	
TE-106-AW-47	9/16/89	86	CASS	T	
TE-106-AW-47	9/23/89	86	CASS	T	
TE-106-AW-47	9/29/89	87	CASS	T	
TE-106-AW-47	10/1/89	83	SACS	T	
TE-106-AW-47	10/9/89	83	SACS	T	
TE-106-AW-47	10/16/89	82	SACS	T	
TE-106-AW-47	10/24/89	84	SACS	T	
TE-106-AW-47	11/2/89	83	CASS	T	
TE-106-AW-47	11/10/89	83	CASS	T	
TE-106-AW-47	11/18/89	83	CASS	T	
TE-106-AW-47	11/20/89	83	CASS	T	
TE-106-AW-47	12/1/89	82	CASS	T	
TE-106-AW-47	12/4/89	82	CASS	T	
TE-106-AW-47	12/14/89	81	CASS	T	
TE-106-AW-47	12/23/89	80	CASS	T	
TE-106-AW-47	12/25/89	80	CASS	T	
TE-106-AW-47	1/2/90	79	SACS	T	
TE-106-AW-47	1/13/90	78	CASS	T	
TE-106-AW-47	1/16/90	78	CASS	T	
TE-106-AW-47	1/27/90	77	CASS	T	
TE-106-AW-47	1/29/90	78	SACS	T	
TE-106-AW-47	2/10/90	77	CASS	T	
TE-106-AW-47	2/12/90	78	SACS	T	
TE-106-AW-47	2/19/90	77	SACS	T	
TE-106-AW-47	2/27/90	76	CASS	T	
TE-106-AW-47	3/10/90	76	CASS	T	
TE-106-AW-47	3/15/90	76	CASS	T	
TE-106-AW-47	3/19/90	77	SACS	T	
TE-106-AW-47	3/31/90	76	CASS	T	
TE-106-AW-47	4/7/90	76	CASS	T	
TE-106-AW-47	4/9/90	77	SACS	T	
TE-106-AW-47	4/21/90	77	CASS	T	
TE-106-AW-47	4/27/90	77	CASS	T	
TE-106-AW-47	5/5/90	77	CASS	T	
TE-106-AW-47	5/12/90	77	CASS	T	
TE-106-AW-47	5/19/90	77	CASS	T	
TE-106-AW-47	5/22/90	77	CASS	T	
TE-106-AW-47	6/2/90	77	CASS	T	
TE-106-AW-47	6/9/90	78	CASS	T	
TE-106-AW-47	6/16/90	78	CASS	T	
TE-106-AW-47	6/23/90	78	CASS	T	
TE-106-AW-47	6/30/90	79	CASS	T	
TE-106-AW-47	7/3/90	89	CASS	T	
TE-106-AW-47	7/14/90	80	CASS	T	
TE-106-AW-47	7/21/90	81	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-47	7/28/90	81	CASS	T	
TE-106-AW-47	8/4/90	82	CASS	T	
TE-106-AW-47	8/11/90	82	CASS	T	
TE-106-AW-47	8/15/90	83	CASS	T	
TE-106-AW-47	8/25/90	82	CASS	T	
TE-106-AW-47	9/1/90	83	CASS	T	
TE-106-AW-47	9/8/90	83	CASS	T	
TE-106-AW-47	9/15/90	83	CASS	T	
TE-106-AW-47	9/22/90	83	CASS	T	
TE-106-AW-47	9/29/90	83	CASS	T	
TE-106-AW-47	10/5/90	83	CASS	T	
TE-106-AW-47	10/10/90	83	CASS	T	
TE-106-AW-47	10/20/90	82	CASS	T	
TE-106-AW-47	10/27/90	82	CASS	T	
TE-106-AW-47	11/2/90	82	CASS	T	
TE-106-AW-47	11/9/90	91	CASS	T	
TE-106-AW-47	11/17/90	81	CASS	T	
TE-106-AW-47	11/24/90	81	CASS	T	
TE-106-AW-47	11/26/90	81	CASS	T	
TE-106-AW-47	12/8/90	90	CASS	T	
TE-106-AW-47	12/13/90	80	CASS	T	
TE-106-AW-47	12/19/90	79	CASS	T	
TE-106-AW-47	12/24/90	79	SACS	T	
TE-106-AW-47	1/5/91	77	CASS	T	
TE-106-AW-47	1/11/91	77	CASS	T	
TE-106-AW-47	1/19/91	78	CASS	T	
TE-106-AW-47	1/23/91	78	CASS	T	
TE-106-AW-47	2/2/91	75	CASS	T	
TE-106-AW-47	2/9/91	75	CASS	T	
TE-106-AW-47	2/16/91	75	CASS	T	
TE-106-AW-47	2/22/91	75	CASS	T	
TE-106-AW-47	3/2/91	75	CASS	T	
TE-106-AW-47	3/9/91	74	CASS	T	
TE-106-AW-47	3/16/91	74	CASS	T	
TE-106-AW-47	3/23/91	74	CASS	T	
TE-106-AW-47	3/30/91	74	CASS	T	
TE-106-AW-47	4/6/91	74	CASS	T	
TE-106-AW-47	4/13/91	74	CASS	T	
TE-106-AW-47	4/20/91	75	CASS	T	
TE-106-AW-47	4/27/91	75	CASS	T	
TE-106-AW-47	5/4/91	75	CASS	T	
TE-106-AW-47	5/11/91	75	CASS	T	
TE-106-AW-47	5/18/91	78	CASS	T	
TE-106-AW-47	5/25/91	78	CASS	T	
TE-106-AW-47	5/31/91	78	CASS	T	
TE-106-AW-47	6/7/91	77	CASS	T	
TE-106-AW-47	6/15/91	77	CASS	T	
TE-106-AW-47	6/20/91	77	CASS	T	
TE-106-AW-47	6/25/91	77	CASS	T	
TE-106-AW-47	7/1/91	74	SACS	T	
TE-106-AW-47	7/8/91	72	SACS	T	
TE-106-AW-47	7/15/91	75	SACS	T	
TE-106-AW-47	7/22/91	74	SACS	T	
TE-106-AW-47	7/29/91	75	SACS	T	
TE-106-AW-47	8/4/91	78	SACS	T	
TE-106-AW-47	8/19/91	75	SACS	T	
TE-106-AW-47	8/28/91	78	SACS	T	
TE-106-AW-47	9/2/91	78	SACS	T	
TE-106-AW-47	9/9/91	79	SACS	T	
TE-106-AW-47	9/16/91	79	SACS	T	
TE-106-AW-47	9/23/91	79	SACS	T	
TE-106-AW-47	9/30/91	78	SACS	T	
TE-106-AW-47	10/7/91	78	SACS	T	
TE-106-AW-47	10/14/91	78	SACS	T	
TE-106-AW-47	10/21/91	78	SACS	T	
TE-106-AW-47	10/28/91	78	SACS	T	
TE-106-AW-47	11/5/91	77	SACS	T	
TE-106-AW-47	11/11/91	77	SACS	T	
TE-106-AW-47	11/18/91	77	SACS	T	
TE-106-AW-47	11/25/91	78	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-47	12/2/91	76	SACS	T	
TE-106-AW-47	12/9/91	75	SACS	T	
TE-106-AW-47	12/16/91	75	SACS	T	
TE-106-AW-47	12/23/91	74	SACS	T	
TE-106-AW-47	12/30/91	73	SACS	T	
TE-106-AW-47	4/4/92	104	CASS	S	Data point did not agree with local trend
TE-106-AW-47	4/17/92	105	CASS	S	Data point did not agree with local trend
TE-106-AW-48	7/18/83	91	CASS	T	
TE-106-AW-48	7/23/83	92	CASS	T	
TE-106-AW-48	7/29/83	92	CASS	T	
TE-106-AW-48	8/4/83	92	CASS	T	
TE-106-AW-48	8/13/83	92	CASS	T	
TE-106-AW-48	8/15/83	92	CASS	T	
TE-106-AW-48	8/27/83	90	CASS	T	
TE-106-AW-48	8/31/83	90	CASS	T	
TE-106-AW-48	9/10/83	91	CASS	T	
TE-106-AW-48	9/14/83	91	CASS	T	
TE-106-AW-48	9/24/83	91	CASS	T	
TE-106-AW-48	10/1/83	91	CASS	T	
TE-106-AW-48	10/5/83	91	CASS	T	
TE-106-AW-48	10/15/83	91	CASS	T	
TE-106-AW-48	10/17/83	91	CASS	T	
TE-106-AW-48	3/10/84	86	CASS	T	
TE-106-AW-48	3/17/84	86	CASS	T	
TE-106-AW-48	3/20/84	86	CASS	T	
TE-106-AW-48	3/25/84	86	CASS	T	
TE-106-AW-48	4/7/84	85	CASS	T	
TE-106-AW-48	4/14/84	85	CASS	T	
TE-106-AW-48	4/21/84	85	CASS	T	
TE-106-AW-48	4/28/84	85	CASS	T	
TE-106-AW-48	5/5/84	85	CASS	T	
TE-106-AW-48	5/12/84	85	CASS	T	
TE-106-AW-48	5/19/84	85	CASS	T	
TE-106-AW-48	5/26/84	85	CASS	T	
TE-106-AW-48	6/2/84	86	CASS	T	
TE-106-AW-48	6/7/84	86	CASS	T	
TE-106-AW-48	6/23/84	86	CASS	T	
TE-106-AW-48	6/30/84	86	CASS	T	
TE-106-AW-48	7/7/84	86	CASS	T	
TE-106-AW-48	7/14/84	86	CASS	T	
TE-106-AW-48	7/21/84	87	CASS	T	
TE-106-AW-48	7/28/84	87	CASS	T	
TE-106-AW-48	8/4/84	87	CASS	T	
TE-106-AW-48	8/11/84	88	CASS	T	
TE-106-AW-48	8/18/84	88	CASS	T	
TE-106-AW-48	8/25/84	91	CASS	T	
TE-106-AW-48	9/1/84	93	CASS	T	
TE-106-AW-48	9/7/84	94	CASS	T	
TE-106-AW-48	9/15/84	94	CASS	T	
TE-106-AW-48	9/22/84	94	CASS	T	
TE-106-AW-48	9/29/84	94	CASS	T	
TE-106-AW-48	10/5/84	94	CASS	T	
TE-106-AW-48	10/11/84	94	CASS	T	
TE-106-AW-48	10/19/84	93	CASS	T	
TE-106-AW-48	10/23/84	93	CASS	T	
TE-106-AW-48	11/3/84	88	CASS	T	
TE-106-AW-48	11/5/84	88	CASS	T	
TE-106-AW-48	11/11/84	83	CASS	T	
TE-106-AW-48	11/18/84	80	CASS	T	
TE-106-AW-48	11/25/84	77	CASS	T	
TE-106-AW-48	12/4/84	75	CASS	T	
TE-106-AW-48	12/12/84	73	CASS	T	
TE-106-AW-48	12/18/84	80	CASS	T	
TE-106-AW-48	12/26/84	97	CASS	T	
TE-106-AW-48	1/4/85	101	CASS	T	
TE-106-AW-48	1/12/85	108	CASS	T	
TE-106-AW-48	1/16/85	106	CASS	T	
TE-106-AW-48	1/26/85	112	CASS	T	
TE-106-AW-48	2/1/85	112	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-108					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-108-AW-48	2/8/85	111	CASS	T	
TE-108-AW-48	2/10/85	110	CASS	T	
TE-108-AW-48	2/17/85	98	CASS	T	
TE-108-AW-48	2/25/85	93	CASS	T	
TE-108-AW-48	3/8/85	91	CASS	T	
TE-108-AW-48	3/14/85	90	CASS	T	
TE-108-AW-48	3/30/85	90	CASS	T	
TE-108-AW-48	4/3/85	95	CASS	T	
TE-108-AW-48	4/7/85	90	CASS	T	
TE-108-AW-48	4/20/85	106	CASS	T	
TE-108-AW-48	4/22/85	106	CASS	T	
TE-108-AW-48	5/4/85	102	CASS	T	
TE-108-AW-48	5/8/85	106	CASS	T	
TE-108-AW-48	5/16/85	105	CASS	T	
TE-108-AW-48	5/25/85	108	CASS	T	
TE-108-AW-48	6/1/85	108	CASS	T	
TE-108-AW-48	6/8/85	108	CASS	T	
TE-108-AW-48	6/12/85	107	CASS	T	
TE-108-AW-48	6/19/85	105	CASS	T	
TE-108-AW-48	11/1/85	103	CASS	T	
TE-108-AW-48	12/1/85	107	CASS	T	
TE-108-AW-48	1/4/86	110	CASS	T	
TE-108-AW-48	1/7/86	113	CASS	T	
TE-108-AW-48	1/18/86	120	CASS	T	
TE-108-AW-48	1/22/86	122	CASS	T	
TE-108-AW-48	1/28/86	121	CASS	T	
TE-108-AW-48	2/5/86	119	CASS	T	
TE-108-AW-48	2/9/86	118	CASS	T	
TE-108-AW-48	2/18/86	116	CASS	T	
TE-108-AW-48	2/24/86	115	CASS	T	
TE-108-AW-48	3/4/86	99	CASS	T	
TE-108-AW-48	9/13/86	200	CASS	S	Date point did not agree with local trend
TE-108-AW-48	9/14/86	72	CASS	S	Date point did not agree with local trend
TE-108-AW-48	9/15/86	72	CASS	S	Date point did not agree with local trend
TE-108-AW-48	9/18/86	96	CASS	T	
TE-108-AW-48	9/26/86	94	CASS	T	
TE-108-AW-48	10/2/86	93	CASS	T	
TE-108-AW-48	10/3/86	243	CASS	S	Date point did not agree with local trend
TE-108-AW-48	10/4/86	242	CASS	S	Date point did not agree with local trend
TE-108-AW-48	10/5/86	236	CASS	S	Date point did not agree with local trend
TE-108-AW-48	10/8/86	232	CASS	S	Date point did not agree with local trend
TE-108-AW-48	10/9/86	92	CASS	T	
TE-108-AW-48	10/17/86	102	CASS	T	
TE-108-AW-48	10/20/86	102	CASS	T	
TE-108-AW-48	11/1/86	102	CASS	T	
TE-108-AW-48	11/8/86	108	CASS	T	
TE-108-AW-48	11/9/86	108	CASS	T	
TE-108-AW-48	11/20/86	109	CASS	T	
TE-108-AW-48	11/29/86	110	CASS	T	
TE-108-AW-48	11/30/86	106	CASS	T	
TE-108-AW-48	12/8/86	103	CASS	T	
TE-108-AW-48	12/20/86	105	CASS	T	
TE-108-AW-48	12/23/86	109	CASS	T	
TE-108-AW-48	12/29/86	106	CASS	T	
TE-108-AW-48	7/1/87	89	CASS	T	
TE-108-AW-48	7/11/87	88	CASS	T	
TE-108-AW-48	7/17/87	89	CASS	T	
TE-108-AW-48	7/22/87	89	CASS	T	
TE-108-AW-48	7/31/87	114	CASS	T	
TE-108-AW-48	8/8/87	115	CASS	T	
TE-108-AW-48	8/14/87	117	CASS	T	
TE-108-AW-48	8/22/87	115	CASS	T	
TE-108-AW-48	8/29/87	117	CASS	T	
TE-108-AW-48	9/3/87	120	CASS	T	
TE-108-AW-48	9/6/87	113	CASS	T	
TE-108-AW-48	11/28/87	114	CASS	T	
TE-108-AW-48	11/29/87	118	CASS	T	
TE-108-AW-48	3/28/88	92	CASS	T	
TE-108-AW-48	3/31/88	94	CASS	T	
TE-108-AW-48	6/4/88	101	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-48	6/10/88	105	CASS	T	
TE-106-AW-48	6/12/88	103	CASS	T	
TE-106-AW-48	6/25/88	103	CASS	T	
TE-106-AW-48	7/2/88	106	CASS	T	
TE-106-AW-48	7/9/88	113	CASS	T	
TE-106-AW-48	7/15/88	118	CASS	T	
TE-106-AW-48	7/23/88	133	CASS	T	
TE-106-AW-48	7/28/88	122	CASS	T	
TE-106-AW-48	8/2/88	102	CASS	S	Data point did not agree with local trend
TE-106-AW-48	8/5/88	123	CASS	T	
TE-106-AW-48	8/12/88	121	CASS	T	
TE-106-AW-48	12/3/88	106	CASS	T	
TE-106-AW-48	12/4/88	107	CASS	T	
TE-106-AW-48	12/13/88	105	CASS	T	
TE-106-AW-48	12/20/88	98	CASS	T	
TE-106-AW-48	9/2/89	86	CASS	T	
TE-106-AW-48	9/9/89	86	CASS	T	
TE-106-AW-48	9/18/89	86	CASS	T	
TE-106-AW-48	9/23/89	86	CASS	T	
TE-106-AW-48	9/29/89	87	CASS	T	
TE-106-AW-48	11/2/89	83	CASS	T	
TE-106-AW-48	11/10/89	83	CASS	T	
TE-106-AW-48	11/18/89	83	CASS	T	
TE-106-AW-48	11/21/89	83	CASS	T	
TE-106-AW-48	12/1/89	82	CASS	T	
TE-106-AW-48	12/4/89	82	CASS	T	
TE-106-AW-48	12/14/89	81	CASS	T	
TE-106-AW-48	12/23/89	80	CASS	T	
TE-106-AW-48	12/25/89	80	CASS	T	
TE-106-AW-48	1/8/90	78	CASS	T	
TE-106-AW-48	1/7/90	79	CASS	T	
TE-106-AW-48	1/18/90	78	CASS	T	
TE-106-AW-48	1/27/90	77	CASS	T	
TE-106-AW-48	2/3/90	77	CASS	T	
TE-106-AW-48	2/10/90	77	CASS	T	
TE-106-AW-48	2/11/90	77	CASS	T	
TE-106-AW-48	2/24/90	78	CASS	T	
TE-106-AW-48	2/27/90	78	CASS	T	
TE-106-AW-48	3/10/90	78	CASS	T	
TE-106-AW-48	3/15/90	78	CASS	T	
TE-106-AW-48	3/21/90	78	CASS	T	
TE-106-AW-48	3/31/90	78	CASS	T	
TE-106-AW-48	4/7/90	78	CASS	T	
TE-106-AW-48	4/14/90	78	CASS	T	
TE-106-AW-48	4/21/90	77	CASS	T	
TE-106-AW-48	4/27/90	77	CASS	T	
TE-106-AW-48	5/5/90	77	CASS	T	
TE-106-AW-48	5/12/90	77	CASS	T	
TE-106-AW-48	5/19/90	77	CASS	T	
TE-106-AW-48	5/22/90	77	CASS	T	
TE-106-AW-48	6/2/90	77	CASS	T	
TE-106-AW-48	6/9/90	78	CASS	T	
TE-106-AW-48	6/18/90	78	CASS	T	
TE-106-AW-48	6/23/90	78	CASS	T	
TE-106-AW-48	6/30/90	79	CASS	T	
TE-106-AW-48	7/3/90	86	CASS	T	
TE-106-AW-48	7/14/90	80	CASS	T	
TE-106-AW-48	7/21/90	81	CASS	T	
TE-106-AW-48	7/28/90	81	CASS	T	
TE-106-AW-48	8/4/90	82	CASS	T	
TE-106-AW-48	8/11/90	82	CASS	T	
TE-106-AW-48	8/15/90	83	CASS	T	
TE-106-AW-48	8/25/90	82	CASS	T	
TE-106-AW-48	9/1/90	83	CASS	T	
TE-106-AW-48	9/8/90	83	CASS	T	
TE-106-AW-48	9/15/90	83	CASS	T	
TE-106-AW-48	9/22/90	83	CASS	T	
TE-106-AW-48	9/29/90	83	CASS	T	
TE-106-AW-48	10/5/90	83	CASS	T	
TE-106-AW-48	10/10/90	83	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-48	10/20/90	82	CASS	T	
TE-106-AW-48	10/27/90	82	CASS	T	
TE-106-AW-48	11/2/90	82	CASS	T	
TE-106-AW-48	11/9/90	89	CASS	T	
TE-106-AW-48	11/11/90	82	CASS	T	
TE-106-AW-48	11/24/90	81	CASS	T	
TE-106-AW-48	11/25/90	82	CASS	T	
TE-106-AW-48	12/8/90	88	CASS	T	
TE-106-AW-48	12/13/90	80	CASS	T	
TE-106-AW-48	12/16/90	80	CASS	T	
TE-106-AW-48	12/28/90	78	CASS	T	
TE-106-AW-48	1/5/91	77	CASS	T	
TE-106-AW-48	1/11/91	77	CASS	T	
TE-106-AW-48	1/19/91	78	CASS	T	
TE-106-AW-48	1/23/91	76	CASS	T	
TE-106-AW-48	2/2/91	75	CASS	T	
TE-106-AW-48	2/5/91	76	CASS	T	
TE-106-AW-48	2/18/91	75	CASS	T	
TE-106-AW-48	2/22/91	75	CASS	T	
TE-106-AW-48	3/2/91	75	CASS	T	
TE-106-AW-48	3/4/91	75	CASS	T	
TE-106-AW-48	3/18/91	74	CASS	T	
TE-106-AW-48	3/23/91	74	CASS	T	
TE-106-AW-48	3/30/91	74	CASS	T	
TE-106-AW-48	4/8/91	74	CASS	T	
TE-106-AW-48	4/13/91	74	CASS	T	
TE-106-AW-48	4/20/91	75	CASS	T	
TE-106-AW-48	4/27/91	75	CASS	T	
TE-106-AW-48	5/4/91	75	CASS	T	
TE-106-AW-48	5/5/91	76	CASS	T	
TE-106-AW-48	5/18/91	78	CASS	T	
TE-106-AW-48	5/25/91	78	CASS	T	
TE-106-AW-48	5/31/91	78	CASS	T	
TE-106-AW-48	6/8/91	77	CASS	T	
TE-106-AW-48	6/15/91	77	CASS	T	
TE-106-AW-48	6/20/91	77	CASS	T	
TE-106-AW-48	6/25/91	77	CASS	T	
TE-106-AW-48	4/4/92	89	CASS	S	Disagreement with nearby thermocouples
TE-106-AW-48	4/17/92	90	CASS	S	Disagreement with nearby thermocouples
TE-106-AW-49	7/18/83	89	CASS	T	
TE-106-AW-49	7/23/83	90	CASS	T	
TE-106-AW-49	7/29/83	90	CASS	T	
TE-106-AW-49	8/5/83	90	CASS	T	
TE-106-AW-49	8/13/83	90	CASS	T	
TE-106-AW-49	8/15/83	90	CASS	T	
TE-106-AW-49	8/27/83	87	CASS	T	
TE-106-AW-49	8/31/83	87	CASS	T	
TE-106-AW-49	9/10/83	87	CASS	T	
TE-106-AW-49	9/14/83	87	CASS	T	
TE-106-AW-49	9/24/83	87	CASS	T	
TE-106-AW-49	10/1/83	87	CASS	T	
TE-106-AW-49	10/5/83	87	CASS	T	
TE-106-AW-49	10/15/83	87	CASS	T	
TE-106-AW-49	10/17/83	87	CASS	T	
TE-106-AW-49	3/9/84	80	CASS	T	
TE-106-AW-49	3/11/84	80	CASS	T	
TE-106-AW-49	3/24/84	79	CASS	T	
TE-106-AW-49	3/31/84	79	CASS	T	
TE-106-AW-49	4/7/84	79	CASS	T	
TE-106-AW-49	4/14/84	79	CASS	T	
TE-106-AW-49	4/21/84	80	CASS	T	
TE-106-AW-49	4/28/84	80	CASS	T	
TE-106-AW-49	5/5/84	80	CASS	T	
TE-106-AW-49	5/7/84	80	CASS	T	
TE-106-AW-49	5/18/84	80	CASS	T	
TE-106-AW-49	5/26/84	80	CASS	T	
TE-106-AW-49	6/2/84	80	CASS	T	
TE-106-AW-49	6/4/84	81	CASS	T	
TE-106-AW-49	6/23/84	81	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1985; and Surveillance Analysis Computer System (SACS), June 1985.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-49	6/30/84	82	CASS	T	
TE-106-AW-49	7/7/84	83	CASS	T	
TE-106-AW-49	7/14/84	83	CASS	T	
TE-106-AW-49	7/21/84	83	CASS	T	
TE-106-AW-49	7/28/84	84	CASS	T	
TE-106-AW-49	8/4/84	84	CASS	T	
TE-106-AW-49	8/11/84	85	CASS	T	
TE-106-AW-49	8/17/84	86	CASS	T	
TE-106-AW-49	8/25/84	91	CASS	T	
TE-106-AW-49	9/1/84	93	CASS	T	
TE-106-AW-49	9/7/84	94	CASS	T	
TE-106-AW-49	9/15/84	94	CASS	T	
TE-106-AW-49	9/22/84	94	CASS	T	
TE-106-AW-49	9/29/84	94	CASS	T	
TE-106-AW-49	10/6/84	94	CASS	T	
TE-106-AW-49	10/11/84	94	CASS	T	
TE-106-AW-49	10/19/84	93	CASS	T	
TE-106-AW-49	10/22/84	93	CASS	T	
TE-106-AW-49	11/3/84	88	CASS	T	
TE-106-AW-49	11/5/84	88	CASS	T	
TE-106-AW-49	11/11/84	83	CASS	T	
TE-106-AW-49	11/18/84	80	CASS	T	
TE-106-AW-49	11/25/84	77	CASS	T	
TE-106-AW-49	12/4/84	75	CASS	T	
TE-106-AW-49	12/12/84	73	CASS	T	
TE-106-AW-49	12/18/84	80	CASS	T	
TE-106-AW-49	12/26/84	97	CASS	T	
TE-106-AW-49	1/4/85	101	CASS	T	
TE-106-AW-49	1/12/85	106	CASS	T	
TE-106-AW-49	1/17/85	106	CASS	T	
TE-106-AW-49	1/26/85	112	CASS	T	
TE-106-AW-49	2/1/85	112	CASS	T	
TE-106-AW-49	2/8/85	111	CASS	T	
TE-106-AW-49	2/10/85	110	CASS	T	
TE-106-AW-49	2/17/85	98	CASS	T	
TE-106-AW-49	2/25/85	93	CASS	T	
TE-106-AW-49	3/9/85	91	CASS	T	
TE-106-AW-49	3/14/85	90	CASS	T	
TE-106-AW-49	3/28/85	87	CASS	T	
TE-106-AW-49	4/3/85	95	CASS	T	
TE-106-AW-49	4/7/85	90	CASS	T	
TE-106-AW-49	4/20/85	106	CASS	T	
TE-106-AW-49	4/22/85	106	CASS	T	
TE-106-AW-49	5/4/85	102	CASS	T	
TE-106-AW-49	5/7/85	105	CASS	T	
TE-106-AW-49	5/16/85	104	CASS	T	
TE-106-AW-49	5/25/85	108	CASS	T	
TE-106-AW-49	6/1/85	108	CASS	T	
TE-106-AW-49	6/6/85	108	CASS	T	
TE-106-AW-49	6/9/85	104	CASS	T	
TE-106-AW-49	6/17/85	101	CASS	T	
TE-106-AW-49	11/1/85	103	CASS	T	
TE-106-AW-49	12/1/85	107	CASS	T	
TE-106-AW-49	1/4/86	110	CASS	T	
TE-106-AW-49	1/7/86	113	CASS	T	
TE-106-AW-49	1/18/86	119	CASS	T	
TE-106-AW-49	1/22/86	122	CASS	T	
TE-106-AW-49	1/28/86	121	CASS	T	
TE-106-AW-49	2/5/86	119	CASS	T	
TE-106-AW-49	2/9/86	118	CASS	T	
TE-106-AW-49	2/18/86	116	CASS	T	
TE-106-AW-49	2/24/86	115	CASS	T	
TE-106-AW-49	3/4/86	99	CASS	T	
TE-106-AW-49	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-106-AW-49	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-49	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-49	9/16/86	98	CASS	T	
TE-106-AW-49	9/29/86	94	CASS	T	
TE-106-AW-49	10/2/86	93	CASS	T	
TE-106-AW-49	10/3/86	243	CASS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-49	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-106-AW-49	10/5/86	236	CASS	S	Data point did not agree with local trend
TE-106-AW-49	10/6/86	232	CASS	S	Data point did not agree with local trend
TE-106-AW-49	10/9/86	92	CASS	T	
TE-106-AW-49	10/17/86	102	CASS	T	
TE-106-AW-49	10/20/86	102	CASS	T	
TE-106-AW-49	11/1/86	102	CASS	T	
TE-106-AW-49	11/8/86	107	CASS	T	
TE-106-AW-49	11/15/86	107	CASS	T	
TE-106-AW-49	11/20/86	109	CASS	T	
TE-106-AW-49	11/29/86	110	CASS	T	
TE-106-AW-49	11/30/86	106	CASS	T	
TE-106-AW-49	12/8/86	103	CASS	T	
TE-106-AW-49	12/20/86	105	CASS	T	
TE-106-AW-49	12/27/86	107	CASS	T	
TE-106-AW-49	12/29/86	106	CASS	T	
TE-106-AW-49	7/4/87	88	CASS	T	
TE-106-AW-49	7/11/87	88	CASS	T	
TE-106-AW-49	7/17/87	89	CASS	T	
TE-106-AW-49	7/22/87	89	CASS	T	
TE-106-AW-49	7/31/87	114	CASS	T	
TE-106-AW-49	8/8/87	115	CASS	T	
TE-106-AW-49	8/13/87	117	CASS	T	
TE-106-AW-49	8/22/87	115	CASS	T	
TE-106-AW-49	8/29/87	117	CASS	T	
TE-106-AW-49	9/3/87	120	CASS	T	
TE-106-AW-49	9/8/87	113	CASS	T	
TE-106-AW-49	11/28/87	114	CASS	T	
TE-106-AW-49	11/29/87	117	CASS	T	
TE-106-AW-49	3/25/88	91	CASS	T	
TE-106-AW-49	3/31/88	94	CASS	T	
TE-106-AW-49	6/4/88	101	CASS	T	
TE-106-AW-49	6/10/88	105	CASS	T	
TE-106-AW-49	6/18/88	102	CASS	T	
TE-106-AW-49	6/25/88	103	CASS	T	
TE-106-AW-49	7/2/88	105	CASS	T	
TE-106-AW-49	7/9/88	113	CASS	T	
TE-106-AW-49	7/14/88	116	CASS	T	
TE-106-AW-49	7/21/88	192	CASS	S	Data point did not agree with local trend
TE-106-AW-49	7/22/88	123	CASS	T	
TE-106-AW-49	7/26/88	122	CASS	T	
TE-106-AW-49	8/2/88	99	CASS	S	Data point did not agree with local trend
TE-106-AW-49	8/4/88	120	CASS	T	
TE-106-AW-49	8/10/88	119	CASS	T	
TE-106-AW-49	12/3/88	103	CASS	T	
TE-106-AW-49	12/4/88	104	CASS	T	
TE-106-AW-49	12/13/88	105	CASS	T	
TE-106-AW-49	12/20/88	94	CASS	T	
TE-106-AW-49	9/2/89	86	CASS	T	
TE-106-AW-49	9/9/89	86	CASS	T	
TE-106-AW-49	9/16/89	86	CASS	T	
TE-106-AW-49	9/23/89	86	CASS	T	
TE-106-AW-49	9/29/89	87	CASS	T	
TE-106-AW-49	11/2/89	83	CASS	T	
TE-106-AW-49	11/10/89	83	CASS	T	
TE-106-AW-49	11/18/89	83	CASS	T	
TE-106-AW-49	11/21/89	83	CASS	T	
TE-106-AW-49	12/1/89	82	CASS	T	
TE-106-AW-49	12/4/89	82	CASS	T	
TE-106-AW-49	12/14/89	81	CASS	T	
TE-106-AW-49	12/23/89	80	CASS	T	
TE-106-AW-49	12/25/89	80	CASS	T	
TE-106-AW-49	1/8/90	78	CASS	T	
TE-106-AW-49	1/7/90	79	CASS	T	
TE-106-AW-49	1/16/90	78	CASS	T	
TE-106-AW-49	1/27/90	77	CASS	T	
TE-106-AW-49	2/3/90	77	CASS	T	
TE-106-AW-49	2/10/90	77	CASS	T	
TE-106-AW-49	2/11/90	77	CASS	T	
TE-106-AW-49	2/24/90	76	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-49	2/27/90	76	CASS	T	
TE-106-AW-49	3/10/90	76	CASS	T	
TE-106-AW-49	3/15/90	76	CASS	T	
TE-106-AW-49	3/21/90	76	CASS	T	
TE-106-AW-49	3/31/90	76	CASS	T	
TE-106-AW-49	4/7/90	76	CASS	T	
TE-106-AW-49	4/14/90	76	CASS	T	
TE-106-AW-49	4/21/90	77	CASS	T	
TE-106-AW-49	4/27/90	77	CASS	T	
TE-106-AW-49	5/5/90	77	CASS	T	
TE-106-AW-49	5/12/90	77	CASS	T	
TE-106-AW-49	5/19/90	77	CASS	T	
TE-106-AW-49	5/22/90	77	CASS	T	
TE-106-AW-49	6/2/90	77	CASS	T	
TE-106-AW-49	6/8/90	78	CASS	T	
TE-106-AW-49	6/18/90	78	CASS	T	
TE-106-AW-49	6/23/90	78	CASS	T	
TE-106-AW-49	6/30/90	79	CASS	T	
TE-106-AW-49	7/3/90	82	CASS	T	
TE-106-AW-49	7/14/90	80	CASS	T	
TE-106-AW-49	7/21/90	81	CASS	T	
TE-106-AW-49	7/28/90	81	CASS	T	
TE-106-AW-49	8/4/90	82	CASS	T	
TE-106-AW-49	8/11/90	82	CASS	T	
TE-106-AW-49	8/18/90	83	CASS	T	
TE-106-AW-49	8/25/90	82	CASS	T	
TE-106-AW-49	9/1/90	83	CASS	T	
TE-106-AW-49	9/8/90	83	CASS	T	
TE-106-AW-49	9/15/90	83	CASS	T	
TE-106-AW-49	9/22/90	83	CASS	T	
TE-106-AW-49	9/29/90	83	CASS	T	
TE-106-AW-49	10/5/90	83	CASS	T	
TE-106-AW-49	10/10/90	83	CASS	T	
TE-106-AW-49	10/20/90	82	CASS	T	
TE-106-AW-49	10/27/90	82	CASS	T	
TE-106-AW-49	11/2/90	82	CASS	T	
TE-106-AW-49	11/9/90	85	CASS	T	
TE-106-AW-49	11/11/90	82	CASS	T	
TE-106-AW-49	11/24/90	81	CASS	T	
TE-106-AW-49	11/25/90	82	CASS	T	
TE-106-AW-49	12/6/90	84	CASS	T	
TE-106-AW-49	12/13/90	80	CASS	T	
TE-106-AW-49	12/18/90	80	CASS	T	
TE-106-AW-49	12/28/90	78	CASS	T	
TE-106-AW-49	1/5/91	77	CASS	T	
TE-106-AW-49	1/11/91	77	CASS	T	
TE-106-AW-49	1/19/91	76	CASS	T	
TE-106-AW-49	1/25/91	76	CASS	T	
TE-106-AW-49	2/2/91	75	CASS	T	
TE-106-AW-49	2/5/91	76	CASS	T	
TE-106-AW-49	2/16/91	75	CASS	T	
TE-106-AW-49	2/22/91	75	CASS	T	
TE-106-AW-49	3/2/91	75	CASS	T	
TE-106-AW-49	3/9/91	74	CASS	T	
TE-106-AW-49	3/18/91	74	CASS	T	
TE-106-AW-49	3/23/91	74	CASS	T	
TE-106-AW-49	3/30/91	74	CASS	T	
TE-106-AW-49	4/8/91	74	CASS	T	
TE-106-AW-49	4/13/91	74	CASS	T	
TE-106-AW-49	4/20/91	75	CASS	T	
TE-106-AW-49	4/27/91	75	CASS	T	
TE-106-AW-49	5/4/91	75	CASS	T	
TE-106-AW-49	5/5/91	76	CASS	T	
TE-106-AW-49	5/18/91	76	CASS	T	
TE-106-AW-49	5/25/91	76	CASS	T	
TE-106-AW-49	5/31/91	76	CASS	T	
TE-106-AW-49	6/8/91	77	CASS	T	
TE-106-AW-49	6/15/91	77	CASS	T	
TE-106-AW-49	6/20/91	77	CASS	T	
TE-106-AW-49	6/25/91	78	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-108					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-108-AW-49	4/4/92	88	CASS	S	Disagreement with nearby thermocouples
TE-108-AW-49	4/17/92	89	CASS	S	Disagreement with nearby thermocouples
TE-108-AW-50	7/18/83	85	CASS	T	
TE-108-AW-50	7/23/83	85	CASS	T	
TE-108-AW-50	7/28/83	86	CASS	T	
TE-108-AW-50	8/5/83	86	CASS	T	
TE-108-AW-50	8/13/83	86	CASS	T	
TE-108-AW-50	8/15/83	86	CASS	T	
TE-108-AW-50	8/27/83	85	CASS	T	
TE-108-AW-50	8/31/83	85	CASS	T	
TE-108-AW-50	9/10/83	85	CASS	T	
TE-108-AW-50	9/14/83	85	CASS	T	
TE-108-AW-50	9/24/83	85	CASS	T	
TE-108-AW-50	9/30/83	85	CASS	T	
TE-108-AW-50	10/5/83	84	CASS	T	
TE-108-AW-50	10/15/83	84	CASS	T	
TE-108-AW-50	10/17/83	84	CASS	T	
TE-108-AW-50	3/10/84	78	CASS	T	
TE-108-AW-50	3/17/84	77	CASS	T	
TE-108-AW-50	3/24/84	77	CASS	T	
TE-108-AW-50	3/31/84	77	CASS	T	
TE-108-AW-50	4/7/84	77	CASS	T	
TE-108-AW-50	4/14/84	77	CASS	T	
TE-108-AW-50	4/20/84	78	CASS	T	
TE-108-AW-50	4/28/84	78	CASS	T	
TE-108-AW-50	5/5/84	78	CASS	T	
TE-108-AW-50	5/12/84	78	CASS	T	
TE-108-AW-50	5/19/84	78	CASS	T	
TE-108-AW-50	5/28/84	78	CASS	T	
TE-108-AW-50	6/2/84	79	CASS	T	
TE-108-AW-50	6/7/84	79	CASS	T	
TE-108-AW-50	6/23/84	80	CASS	T	
TE-108-AW-50	6/30/84	81	CASS	T	
TE-108-AW-50	7/7/84	81	CASS	T	
TE-108-AW-50	7/14/84	82	CASS	T	
TE-108-AW-50	7/21/84	82	CASS	T	
TE-108-AW-50	7/28/84	83	CASS	T	
TE-108-AW-50	8/4/84	84	CASS	T	
TE-108-AW-50	8/11/84	84	CASS	T	
TE-108-AW-50	8/18/84	85	CASS	T	
TE-108-AW-50	8/25/84	91	CASS	T	
TE-108-AW-50	9/1/84	93	CASS	T	
TE-108-AW-50	9/8/84	94	CASS	T	
TE-108-AW-50	9/15/84	94	CASS	T	
TE-108-AW-50	9/22/84	94	CASS	T	
TE-108-AW-50	9/29/84	94	CASS	T	
TE-108-AW-50	10/6/84	94	CASS	T	
TE-108-AW-50	10/11/84	94	CASS	T	
TE-108-AW-50	10/19/84	93	CASS	T	
TE-108-AW-50	10/21/84	93	CASS	T	
TE-108-AW-50	11/3/84	88	CASS	T	
TE-108-AW-50	11/5/84	88	CASS	T	
TE-108-AW-50	11/11/84	83	CASS	T	
TE-108-AW-50	11/18/84	80	CASS	T	
TE-108-AW-50	11/26/84	77	CASS	T	
TE-108-AW-50	12/4/84	75	CASS	T	
TE-108-AW-50	12/12/84	73	CASS	T	
TE-108-AW-50	12/18/84	80	CASS	T	
TE-108-AW-50	12/26/84	97	CASS	T	
TE-108-AW-50	1/4/85	101	CASS	T	
TE-108-AW-50	1/12/85	106	CASS	T	
TE-108-AW-50	1/17/85	108	CASS	T	
TE-108-AW-50	1/28/85	112	CASS	T	
TE-108-AW-50	2/1/85	112	CASS	T	
TE-108-AW-50	2/8/85	111	CASS	T	
TE-108-AW-50	2/10/85	110	CASS	T	
TE-108-AW-50	2/17/85	96	CASS	T	
TE-108-AW-50	2/26/85	93	CASS	T	
TE-108-AW-50	3/9/85	91	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-108 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-108-AW-50	3/10/85	91	CASS	T	
TE-108-AW-50	3/26/85	87	CASS	T	
TE-108-AW-50	4/3/85	95	CASS	T	
TE-108-AW-50	4/7/85	90	CASS	T	
TE-108-AW-50	4/20/85	108	CASS	T	
TE-108-AW-50	4/22/85	106	CASS	T	
TE-108-AW-50	5/4/85	102	CASS	T	
TE-108-AW-50	5/7/85	105	CASS	T	
TE-108-AW-50	5/13/85	104	CASS	T	
TE-108-AW-50	5/25/85	108	CASS	T	
TE-108-AW-50	5/28/85	106	CASS	T	
TE-108-AW-50	6/4/85	106	CASS	T	
TE-108-AW-50	6/9/85	104	CASS	T	
TE-108-AW-50	6/17/85	101	CASS	T	
TE-108-AW-50	11/1/85	103	CASS	T	
TE-108-AW-50	12/1/85	107	CASS	T	
TE-108-AW-50	1/4/86	110	CASS	T	
TE-108-AW-50	1/7/86	113	CASS	T	
TE-108-AW-50	1/19/86	119	CASS	T	
TE-108-AW-50	1/22/86	122	CASS	T	
TE-108-AW-50	1/28/86	120	CASS	T	
TE-108-AW-50	2/7/86	117	CASS	T	
TE-108-AW-50	2/9/86	116	CASS	T	
TE-108-AW-50	2/19/86	114	CASS	T	
TE-108-AW-50	2/24/86	112	CASS	T	
TE-108-AW-50	3/4/86	99	CASS	T	
TE-108-AW-50	9/13/86	199	CASS	S	Data point did not agree with local trend
TE-108-AW-50	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-108-AW-50	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-108-AW-50	9/18/86	96	CASS	T	
TE-108-AW-50	9/26/86	94	CASS	T	
TE-108-AW-50	10/2/86	83	CASS	T	
TE-108-AW-50	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-108-AW-50	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-108-AW-50	10/5/86	238	CASS	S	Data point did not agree with local trend
TE-108-AW-50	10/6/86	232	CASS	S	Data point did not agree with local trend
TE-108-AW-50	10/9/86	82	CASS	T	
TE-108-AW-50	10/17/86	102	CASS	T	
TE-108-AW-50	10/20/86	102	CASS	T	
TE-108-AW-50	11/1/86	102	CASS	T	
TE-108-AW-50	11/8/86	106	CASS	T	
TE-108-AW-50	11/15/86	107	CASS	T	
TE-108-AW-50	11/20/86	109	CASS	T	
TE-108-AW-50	11/29/86	110	CASS	T	
TE-108-AW-50	11/30/86	106	CASS	T	
TE-108-AW-50	12/8/86	103	CASS	T	
TE-108-AW-50	12/20/86	105	CASS	T	
TE-108-AW-50	12/27/86	107	CASS	T	
TE-108-AW-50	12/29/86	106	CASS	T	
TE-108-AW-50	7/4/87	88	CASS	T	
TE-108-AW-50	7/11/87	88	CASS	T	
TE-108-AW-50	7/17/87	89	CASS	T	
TE-108-AW-50	7/22/87	89	CASS	T	
TE-108-AW-50	7/31/87	114	CASS	T	
TE-108-AW-50	8/6/87	115	CASS	T	
TE-108-AW-50	8/13/87	117	CASS	T	
TE-108-AW-50	8/22/87	115	CASS	T	
TE-108-AW-50	8/29/87	117	CASS	T	
TE-108-AW-50	9/3/87	120	CASS	T	
TE-108-AW-50	9/6/87	113	CASS	T	
TE-108-AW-50	11/26/87	112	CASS	T	
TE-108-AW-50	11/29/87	115	CASS	S	Data point did not agree with local trend
TE-108-AW-50	11/30/87	96	CASS	T	
TE-108-AW-50	3/25/88	91	CASS	T	
TE-108-AW-50	3/30/88	94	CASS	T	
TE-108-AW-50	6/4/88	101	CASS	T	
TE-108-AW-50	6/9/88	105	CASS	T	
TE-108-AW-50	6/18/88	102	CASS	T	
TE-108-AW-50	6/25/88	103	CASS	T	
TE-108-AW-50	7/2/88	106	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-50	7/9/88	113	CASS	T	
TE-106-AW-50	7/16/88	115	CASS	T	
TE-106-AW-50	7/22/88	123	CASS	T	
TE-106-AW-50	7/25/88	154	CASS	S	Date point did not agree with local trend
TE-106-AW-50	7/27/88	122	CASS	T	
TE-106-AW-50	8/2/88	98	CASS	S	Date point did not agree with local trend
TE-106-AW-50	8/4/88	120	CASS	T	
TE-106-AW-50	8/10/88	124	CASS	T	
TE-106-AW-50	12/3/88	103	CASS	T	
TE-106-AW-50	12/10/88	102	CASS	T	
TE-106-AW-50	12/13/88	105	CASS	T	
TE-106-AW-50	12/18/88	95	CASS	T	
TE-106-AW-50	9/2/89	86	CASS	T	
TE-106-AW-50	9/5/89	87	CASS	T	
TE-106-AW-50	9/16/89	86	CASS	T	
TE-106-AW-50	9/23/89	86	CASS	T	
TE-106-AW-50	9/30/89	87	CASS	T	
TE-106-AW-50	11/2/89	83	CASS	T	
TE-106-AW-50	11/10/89	83	CASS	T	
TE-106-AW-50	11/18/89	83	CASS	T	
TE-106-AW-50	11/22/89	83	CASS	T	
TE-106-AW-50	12/1/89	82	CASS	T	
TE-106-AW-50	12/8/89	82	CASS	T	
TE-106-AW-50	12/14/89	81	CASS	T	
TE-106-AW-50	12/23/89	80	CASS	T	
TE-106-AW-50	12/25/89	80	CASS	T	
TE-106-AW-50	1/9/90	78	CASS	T	
TE-106-AW-50	1/7/90	79	CASS	T	
TE-106-AW-50	1/16/90	78	CASS	T	
TE-106-AW-50	1/27/90	77	CASS	T	
TE-106-AW-50	2/3/90	77	CASS	T	
TE-106-AW-50	2/10/90	77	CASS	T	
TE-106-AW-50	2/11/90	77	CASS	T	
TE-106-AW-50	2/24/90	78	CASS	T	
TE-106-AW-50	2/27/90	78	CASS	T	
TE-106-AW-50	3/10/90	78	CASS	T	
TE-106-AW-50	3/15/90	78	CASS	T	
TE-106-AW-50	3/22/90	78	CASS	T	
TE-106-AW-50	3/31/90	78	CASS	T	
TE-106-AW-50	4/7/90	78	CASS	T	
TE-106-AW-50	4/14/90	78	CASS	T	
TE-106-AW-50	4/21/90	77	CASS	T	
TE-106-AW-50	4/28/90	77	CASS	T	
TE-106-AW-50	5/5/90	77	CASS	T	
TE-106-AW-50	5/12/90	77	CASS	T	
TE-106-AW-50	5/19/90	77	CASS	T	
TE-106-AW-50	5/22/90	77	CASS	T	
TE-106-AW-50	6/2/90	77	CASS	T	
TE-106-AW-50	6/9/90	78	CASS	T	
TE-106-AW-50	6/16/90	78	CASS	T	
TE-106-AW-50	6/23/90	78	CASS	T	
TE-106-AW-50	6/30/90	79	CASS	T	
TE-106-AW-50	7/3/90	80	CASS	T	
TE-106-AW-50	7/14/90	80	CASS	T	
TE-106-AW-50	7/21/90	81	CASS	T	
TE-106-AW-50	7/28/90	81	CASS	T	
TE-106-AW-50	8/4/90	82	CASS	T	
TE-106-AW-50	8/11/90	83	CASS	T	
TE-106-AW-50	8/18/90	83	CASS	T	
TE-106-AW-50	8/25/90	83	CASS	T	
TE-106-AW-50	9/1/90	83	CASS	T	
TE-106-AW-50	9/8/90	83	CASS	T	
TE-106-AW-50	9/11/90	84	CASS	T	
TE-106-AW-50	9/22/90	83	CASS	T	
TE-106-AW-50	9/29/90	83	CASS	T	
TE-106-AW-50	10/5/90	83	CASS	T	
TE-106-AW-50	10/13/90	83	CASS	T	
TE-106-AW-50	10/14/90	83	CASS	T	
TE-106-AW-50	10/27/90	82	CASS	T	
TE-106-AW-50	11/3/90	82	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-50	11/10/90	82	CASS	T	
TE-106-AW-50	11/11/90	82	CASS	T	
TE-106-AW-50	11/18/90	82	CASS	T	
TE-106-AW-50	11/25/90	82	CASS	T	
TE-106-AW-50	12/8/90	81	CASS	T	
TE-106-AW-50	12/14/90	80	CASS	T	
TE-106-AW-50	12/17/90	80	CASS	T	
TE-106-AW-50	12/28/90	78	CASS	T	
TE-106-AW-50	1/5/91	77	CASS	T	
TE-106-AW-50	1/11/91	77	CASS	T	
TE-106-AW-50	1/15/91	77	CASS	T	
TE-106-AW-50	1/25/91	76	CASS	T	
TE-106-AW-50	2/2/91	75	CASS	T	
TE-106-AW-50	2/5/91	76	CASS	T	
TE-106-AW-50	2/18/91	75	CASS	T	
TE-106-AW-50	2/22/91	75	CASS	T	
TE-106-AW-50	3/2/91	75	CASS	T	
TE-106-AW-50	3/4/91	75	CASS	T	
TE-106-AW-50	3/10/91	74	CASS	T	
TE-106-AW-50	3/23/91	74	CASS	T	
TE-106-AW-50	3/25/91	75	CASS	T	
TE-106-AW-50	4/1/91	75	CASS	T	
TE-106-AW-50	4/13/91	74	CASS	T	
TE-106-AW-50	4/20/91	75	CASS	T	
TE-106-AW-50	4/27/91	75	CASS	T	
TE-106-AW-50	5/4/91	76	CASS	T	
TE-106-AW-50	5/11/91	76	CASS	T	
TE-106-AW-50	5/18/91	76	CASS	T	
TE-106-AW-50	5/25/91	76	CASS	T	
TE-106-AW-50	5/29/91	77	CASS	T	
TE-106-AW-50	6/8/91	77	CASS	T	
TE-106-AW-50	6/15/91	77	CASS	T	
TE-106-AW-50	6/20/91	77	CASS	T	
TE-106-AW-50	6/25/91	76	CASS	T	
TE-106-AW-50	4/4/92	88	CASS	S	Disagreement with nearby thermocouples
TE-106-AW-50	4/17/92	88	CASS	S	Disagreement with nearby thermocouples
TE-106-AW-51	7/18/83	83	CASS	T	
TE-106-AW-51	7/23/83	83	CASS	T	
TE-106-AW-51	7/29/83	84	CASS	T	
TE-106-AW-51	8/8/83	84	CASS	T	
TE-106-AW-51	8/13/83	84	CASS	T	
TE-106-AW-51	8/19/83	85	CASS	T	
TE-106-AW-51	8/27/83	85	CASS	T	
TE-106-AW-51	8/31/83	85	CASS	T	
TE-106-AW-51	9/10/83	85	CASS	T	
TE-106-AW-51	9/14/83	85	CASS	T	
TE-106-AW-51	9/23/83	85	CASS	T	
TE-106-AW-51	10/1/83	84	CASS	T	
TE-106-AW-51	10/5/83	84	CASS	T	
TE-106-AW-51	10/15/83	84	CASS	T	
TE-106-AW-51	10/17/83	84	CASS	T	
TE-106-AW-51	3/10/84	74	CASS	T	
TE-106-AW-51	3/17/84	75	CASS	T	
TE-106-AW-51	3/24/84	75	CASS	T	
TE-106-AW-51	3/31/84	75	CASS	T	
TE-106-AW-51	4/5/84	76	CASS	T	
TE-106-AW-51	4/14/84	76	CASS	T	
TE-106-AW-51	4/21/84	76	CASS	T	
TE-106-AW-51	4/28/84	76	CASS	T	
TE-106-AW-51	5/5/84	76	CASS	T	
TE-106-AW-51	5/12/84	78	CASS	T	
TE-106-AW-51	5/19/84	77	CASS	T	
TE-106-AW-51	5/26/84	77	CASS	T	
TE-106-AW-51	6/2/84	78	CASS	T	
TE-106-AW-51	6/7/84	78	CASS	T	
TE-106-AW-51	6/23/84	79	CASS	T	
TE-106-AW-51	6/30/84	80	CASS	T	
TE-106-AW-51	7/7/84	81	CASS	T	
TE-106-AW-51	7/14/84	81	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-51	7/21/84	82	CASS	T	
TE-106-AW-51	7/28/84	83	CASS	T	
TE-106-AW-51	8/4/84	83	CASS	T	
TE-106-AW-51	8/11/84	84	CASS	T	
TE-106-AW-51	8/17/84	85	CASS	T	
TE-106-AW-51	8/25/84	91	CASS	T	
TE-106-AW-51	9/1/84	93	CASS	T	
TE-106-AW-51	9/7/84	93	CASS	T	
TE-106-AW-51	9/15/84	92	CASS	T	
TE-106-AW-51	9/22/84	92	CASS	T	
TE-106-AW-51	9/27/84	92	CASS	T	
TE-106-AW-51	10/3/84	92	CASS	T	
TE-106-AW-51	10/13/84	91	CASS	T	
TE-106-AW-51	10/18/84	90	CASS	T	
TE-106-AW-51	10/25/84	90	CASS	T	
TE-106-AW-51	11/3/84	88	CASS	T	
TE-106-AW-51	11/5/84	88	CASS	T	
TE-106-AW-51	11/11/84	83	CASS	T	
TE-106-AW-51	11/19/84	80	CASS	T	
TE-106-AW-51	11/28/84	77	CASS	T	
TE-106-AW-51	12/4/84	75	CASS	T	
TE-106-AW-51	12/12/84	73	CASS	T	
TE-106-AW-51	12/18/84	80	CASS	T	
TE-106-AW-51	12/28/84	98	CASS	T	
TE-106-AW-51	1/4/85	101	CASS	T	
TE-106-AW-51	1/12/85	107	CASS	T	
TE-106-AW-51	1/17/85	108	CASS	T	
TE-106-AW-51	1/28/85	112	CASS	T	
TE-106-AW-51	2/1/85	112	CASS	T	
TE-106-AW-51	2/8/85	111	CASS	T	
TE-106-AW-51	2/10/85	110	CASS	T	
TE-106-AW-51	2/17/85	96	CASS	T	
TE-106-AW-51	2/28/85	93	CASS	T	
TE-106-AW-51	3/9/85	91	CASS	T	
TE-106-AW-51	3/10/85	91	CASS	T	
TE-106-AW-51	3/28/85	87	CASS	T	
TE-106-AW-51	4/3/85	95	CASS	T	
TE-106-AW-51	4/7/85	90	CASS	T	
TE-106-AW-51	4/20/85	106	CASS	T	
TE-106-AW-51	4/22/85	106	CASS	T	
TE-106-AW-51	5/4/85	102	CASS	T	
TE-106-AW-51	5/7/85	105	CASS	T	
TE-106-AW-51	5/13/85	104	CASS	T	
TE-106-AW-51	5/20/85	108	CASS	T	
TE-106-AW-51	5/28/85	108	CASS	T	
TE-106-AW-51	6/8/85	105	CASS	T	
TE-106-AW-51	6/9/85	103	CASS	T	
TE-106-AW-51	6/17/85	100	CASS	T	
TE-106-AW-51	11/1/85	103	CASS	T	
TE-106-AW-51	12/1/85	108	CASS	T	
TE-106-AW-51	1/4/86	110	CASS	T	
TE-106-AW-51	1/7/86	113	CASS	T	
TE-106-AW-51	1/18/86	119	CASS	T	
TE-106-AW-51	1/20/86	120	CASS	T	
TE-106-AW-51	1/28/86	107	CASS	T	
TE-106-AW-51	2/8/86	102	CASS	T	
TE-106-AW-51	2/9/86	101	CASS	T	
TE-106-AW-51	2/22/86	96	CASS	T	
TE-106-AW-51	2/25/86	96	CASS	T	
TE-106-AW-51	3/4/86	99	CASS	T	
TE-106-AW-51	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-106-AW-51	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-51	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-51	9/16/86	96	CASS	T	
TE-106-AW-51	9/28/86	94	CASS	T	
TE-106-AW-51	10/2/86	93	CASS	T	
TE-106-AW-51	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-106-AW-51	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-106-AW-51	10/5/86	238	CASS	S	Data point did not agree with local trend
TE-106-AW-51	10/6/86	232	CASS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-51	10/9/86	92	CASS	T	
TE-106-AW-51	10/17/86	102	CASS	T	
TE-106-AW-51	10/20/86	102	CASS	T	
TE-106-AW-51	11/1/86	102	CASS	T	
TE-106-AW-51	11/8/86	106	CASS	T	
TE-106-AW-51	11/15/86	107	CASS	T	
TE-106-AW-51	11/20/86	109	CASS	T	
TE-106-AW-51	11/29/86	110	CASS	T	
TE-106-AW-51	11/30/86	108	CASS	T	
TE-106-AW-51	12/8/86	103	CASS	T	
TE-106-AW-51	12/20/86	105	CASS	T	
TE-106-AW-51	12/27/86	107	CASS	T	
TE-106-AW-51	12/29/86	106	CASS	T	
TE-106-AW-51	7/1/87	89	CASS	T	
TE-106-AW-51	7/11/87	88	CASS	T	
TE-106-AW-51	7/17/87	89	CASS	T	
TE-106-AW-51	7/22/87	89	CASS	T	
TE-106-AW-51	7/30/87	113	CASS	T	
TE-106-AW-51	8/8/87	115	CASS	T	
TE-106-AW-51	8/13/87	117	CASS	T	
TE-106-AW-51	8/22/87	115	CASS	T	
TE-106-AW-51	8/29/87	117	CASS	T	
TE-106-AW-51	9/3/87	120	CASS	T	
TE-106-AW-51	9/8/87	113	CASS	T	
TE-106-AW-51	11/28/87	111	CASS	T	
TE-106-AW-51	11/29/87	114	CASS	S	Data point did not agree with local trend
TE-106-AW-51	11/30/87	97	CASS	T	
TE-106-AW-51	3/25/88	91	CASS	T	
TE-106-AW-51	3/30/88	92	CASS	T	
TE-106-AW-51	6/4/88	101	CASS	T	
TE-106-AW-51	6/9/88	103	CASS	T	
TE-106-AW-51	6/18/88	102	CASS	T	
TE-106-AW-51	6/25/88	103	CASS	T	
TE-106-AW-51	7/2/88	108	CASS	T	
TE-106-AW-51	7/9/88	113	CASS	T	
TE-106-AW-51	7/13/88	114	CASS	T	
TE-106-AW-51	7/15/88	594	CASS	S	Data point did not agree with local trend
TE-106-AW-51	7/21/88	122	CASS	T	
TE-106-AW-51	7/26/88	122	CASS	T	
TE-106-AW-51	8/2/88	98	CASS	S	Data point did not agree with local trend
TE-106-AW-51	8/4/88	120	CASS	T	
TE-106-AW-51	8/12/88	119	CASS	T	
TE-106-AW-51	12/3/88	103	CASS	T	
TE-106-AW-51	12/10/88	102	CASS	T	
TE-106-AW-51	12/13/88	105	CASS	T	
TE-106-AW-51	12/18/88	95	CASS	T	
TE-106-AW-51	9/2/89	86	CASS	T	
TE-106-AW-51	9/5/89	87	CASS	T	
TE-106-AW-51	9/15/89	87	CASS	T	
TE-106-AW-51	9/23/89	86	CASS	T	
TE-106-AW-51	9/30/89	87	CASS	T	
TE-106-AW-51	11/2/89	83	CASS	T	
TE-106-AW-51	11/10/89	83	CASS	T	
TE-106-AW-51	11/18/89	83	CASS	T	
TE-106-AW-51	11/22/89	83	CASS	T	
TE-106-AW-51	12/1/89	82	CASS	T	
TE-106-AW-51	12/8/89	82	CASS	T	
TE-106-AW-51	12/14/89	81	CASS	T	
TE-106-AW-51	12/23/89	80	CASS	T	
TE-106-AW-51	12/25/89	80	CASS	T	
TE-106-AW-51	1/8/90	78	CASS	T	
TE-106-AW-51	1/7/90	79	CASS	T	
TE-106-AW-51	1/16/90	78	CASS	T	
TE-106-AW-51	1/27/90	77	CASS	T	
TE-106-AW-51	2/3/90	77	CASS	T	
TE-106-AW-51	2/10/90	77	CASS	T	
TE-106-AW-51	2/11/90	77	CASS	T	
TE-106-AW-51	2/24/90	76	CASS	T	
TE-106-AW-51	2/27/90	76	CASS	T	
TE-106-AW-51	3/10/90	76	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-108 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-108-AW-51	3/17/90	76	CASS	T	
TE-108-AW-51	3/22/90	76	CASS	T	
TE-108-AW-51	3/31/90	76	CASS	T	
TE-108-AW-51	4/7/90	76	CASS	T	
TE-108-AW-51	4/14/90	76	CASS	T	
TE-108-AW-51	4/21/90	77	CASS	T	
TE-108-AW-51	4/28/90	77	CASS	T	
TE-108-AW-51	5/5/90	77	CASS	T	
TE-108-AW-51	5/12/90	77	CASS	T	
TE-108-AW-51	5/19/90	77	CASS	T	
TE-108-AW-51	5/22/90	77	CASS	T	
TE-108-AW-51	6/2/90	77	CASS	T	
TE-108-AW-51	6/9/90	78	CASS	T	
TE-108-AW-51	6/16/90	78	CASS	T	
TE-108-AW-51	6/23/90	78	CASS	T	
TE-108-AW-51	6/30/90	79	CASS	T	
TE-108-AW-51	7/3/90	80	CASS	T	
TE-108-AW-51	7/14/90	80	CASS	T	
TE-108-AW-51	7/21/90	81	CASS	T	
TE-108-AW-51	7/28/90	81	CASS	T	
TE-108-AW-51	8/4/90	82	CASS	T	
TE-108-AW-51	8/11/90	83	CASS	T	
TE-108-AW-51	8/18/90	83	CASS	T	
TE-108-AW-51	8/25/90	83	CASS	T	
TE-108-AW-51	9/1/90	83	CASS	T	
TE-108-AW-51	9/8/90	83	CASS	T	
TE-108-AW-51	9/11/90	84	CASS	T	
TE-108-AW-51	9/22/90	83	CASS	T	
TE-108-AW-51	9/29/90	83	CASS	T	
TE-108-AW-51	10/5/90	83	CASS	T	
TE-108-AW-51	10/13/90	83	CASS	T	
TE-108-AW-51	10/14/90	83	CASS	T	
TE-108-AW-51	10/27/90	82	CASS	T	
TE-108-AW-51	11/3/90	82	CASS	T	
TE-108-AW-51	11/10/90	82	CASS	T	
TE-108-AW-51	11/11/90	82	CASS	T	
TE-108-AW-51	11/18/90	82	CASS	T	
TE-108-AW-51	11/25/90	82	CASS	T	
TE-108-AW-51	12/8/90	80	CASS	T	
TE-108-AW-51	12/14/90	80	CASS	T	
TE-108-AW-51	12/17/90	80	CASS	T	
TE-108-AW-51	12/28/90	78	CASS	T	
TE-108-AW-51	1/5/91	77	CASS	T	
TE-108-AW-51	1/11/91	77	CASS	T	
TE-108-AW-51	1/15/91	77	CASS	T	
TE-108-AW-51	1/25/91	76	CASS	T	
TE-108-AW-51	2/2/91	75	CASS	T	
TE-108-AW-51	2/5/91	76	CASS	T	
TE-108-AW-51	2/16/91	75	CASS	T	
TE-108-AW-51	2/22/91	75	CASS	T	
TE-108-AW-51	3/2/91	75	CASS	T	
TE-108-AW-51	3/4/91	75	CASS	T	
TE-108-AW-51	3/18/91	74	CASS	T	
TE-108-AW-51	3/23/91	74	CASS	T	
TE-108-AW-51	3/25/91	75	CASS	T	
TE-108-AW-51	4/1/91	75	CASS	T	
TE-108-AW-51	4/13/91	74	CASS	T	
TE-108-AW-51	4/20/91	75	CASS	T	
TE-108-AW-51	4/27/91	75	CASS	T	
TE-108-AW-51	5/4/91	76	CASS	T	
TE-108-AW-51	5/11/91	76	CASS	T	
TE-108-AW-51	5/18/91	76	CASS	T	
TE-108-AW-51	5/25/91	76	CASS	T	
TE-108-AW-51	5/29/91	77	CASS	T	
TE-108-AW-51	6/8/91	77	CASS	T	
TE-108-AW-51	6/15/91	77	CASS	T	
TE-108-AW-51	6/20/91	77	CASS	T	
TE-108-AW-51	6/25/91	78	CASS	T	
TE-108-AW-51	4/4/92	88	CASS	S	Disagreement with nearby thermocouples
TE-108-AW-51	4/17/92	88	CASS	S	Disagreement with nearby thermocouples

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-52	7/16/83	83	CASS	T	
TE-106-AW-52	7/23/83	83	CASS	T	
TE-106-AW-52	7/30/83	83	CASS	T	
TE-106-AW-52	8/6/83	84	CASS	T	
TE-106-AW-52	8/13/83	84	CASS	T	
TE-106-AW-52	8/19/83	85	CASS	T	
TE-106-AW-52	8/27/83	85	CASS	T	
TE-106-AW-52	8/31/83	85	CASS	T	
TE-106-AW-52	9/10/83	85	CASS	T	
TE-106-AW-52	9/14/83	85	CASS	T	
TE-106-AW-52	9/23/83	85	CASS	T	
TE-106-AW-52	10/1/83	84	CASS	T	
TE-106-AW-52	10/5/83	84	CASS	T	
TE-106-AW-52	10/15/83	84	CASS	T	
TE-106-AW-52	10/17/83	84	CASS	T	
TE-106-AW-52	3/10/84	74	CASS	T	
TE-106-AW-52	3/17/84	75	CASS	T	
TE-106-AW-52	3/24/84	75	CASS	T	
TE-106-AW-52	3/31/84	75	CASS	T	
TE-106-AW-52	4/7/84	75	CASS	T	
TE-106-AW-52	4/14/84	75	CASS	T	
TE-106-AW-52	4/20/84	76	CASS	T	
TE-106-AW-52	4/28/84	76	CASS	T	
TE-106-AW-52	5/5/84	76	CASS	T	
TE-106-AW-52	5/12/84	76	CASS	T	
TE-106-AW-52	5/19/84	77	CASS	T	
TE-106-AW-52	5/26/84	77	CASS	T	
TE-106-AW-52	6/2/84	78	CASS	T	
TE-106-AW-52	6/7/84	78	CASS	T	
TE-106-AW-52	6/23/84	79	CASS	T	
TE-106-AW-52	6/30/84	80	CASS	T	
TE-106-AW-52	7/7/84	81	CASS	T	
TE-106-AW-52	7/14/84	81	CASS	T	
TE-106-AW-52	7/21/84	82	CASS	T	
TE-106-AW-52	7/28/84	83	CASS	T	
TE-106-AW-52	8/4/84	83	CASS	T	
TE-106-AW-52	8/11/84	84	CASS	T	
TE-106-AW-52	8/17/84	85	CASS	T	
TE-106-AW-52	8/25/84	91	CASS	T	
TE-106-AW-52	9/1/84	92	CASS	T	
TE-106-AW-52	9/7/84	93	CASS	T	
TE-106-AW-52	9/15/84	92	CASS	T	
TE-106-AW-52	9/22/84	92	CASS	T	
TE-106-AW-52	9/24/84	92	CASS	T	
TE-106-AW-52	10/8/84	91	CASS	T	
TE-106-AW-52	10/12/84	91	CASS	T	
TE-106-AW-52	10/17/84	90	CASS	T	
TE-106-AW-52	10/25/84	90	CASS	T	
TE-106-AW-52	11/3/84	88	CASS	T	
TE-106-AW-52	11/5/84	88	CASS	T	
TE-106-AW-52	11/11/84	83	CASS	T	
TE-106-AW-52	11/18/84	80	CASS	T	
TE-106-AW-52	11/25/84	77	CASS	T	
TE-106-AW-52	12/4/84	75	CASS	T	
TE-106-AW-52	12/12/84	73	CASS	T	
TE-106-AW-52	12/19/84	74	CASS	T	
TE-106-AW-52	12/28/84	96	CASS	T	
TE-106-AW-52	1/4/85	101	CASS	T	
TE-106-AW-52	1/11/85	104	CASS	T	
TE-106-AW-52	1/19/85	102	CASS	T	
TE-106-AW-52	1/26/85	111	CASS	T	
TE-106-AW-52	2/1/85	112	CASS	T	
TE-106-AW-52	2/8/85	111	CASS	T	
TE-106-AW-52	2/11/85	104	CASS	T	
TE-106-AW-52	2/19/85	95	CASS	T	
TE-106-AW-52	2/25/85	93	CASS	T	
TE-106-AW-52	3/7/85	91	CASS	T	
TE-106-AW-52	3/14/85	90	CASS	T	
TE-106-AW-52	3/28/85	87	CASS	T	
TE-106-AW-52	4/2/85	95	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-52	4/12/85	87	CASS	T	
TE-106-AW-52	4/20/85	105	CASS	T	
TE-106-AW-52	4/22/85	108	CASS	T	
TE-106-AW-52	5/4/85	102	CASS	T	
TE-106-AW-52	5/6/85	105	CASS	T	
TE-106-AW-52	5/15/85	103	CASS	T	
TE-106-AW-52	5/23/85	107	CASS	T	
TE-106-AW-52	5/31/85	106	CASS	T	
TE-106-AW-52	6/6/85	104	CASS	T	
TE-106-AW-52	6/10/85	102	CASS	T	
TE-106-AW-52	6/17/85	100	CASS	T	
TE-106-AW-52	12/1/85	106	CASS	T	
TE-106-AW-52	1/4/86	110	CASS	T	
TE-106-AW-52	1/7/86	112	CASS	T	
TE-106-AW-52	1/18/86	119	CASS	T	
TE-106-AW-52	1/20/86	119	CASS	T	
TE-106-AW-52	1/26/86	106	CASS	T	
TE-106-AW-52	2/7/86	101	CASS	T	
TE-106-AW-52	2/9/86	100	CASS	T	
TE-106-AW-52	2/22/86	97	CASS	T	
TE-106-AW-52	3/1/86	95	CASS	T	
TE-106-AW-52	3/4/86	98	CASS	T	
TE-106-AW-52	9/13/86	200	CASS	S	Data point did not agree with local trend
TE-106-AW-52	9/14/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-52	9/15/86	72	CASS	S	Data point did not agree with local trend
TE-106-AW-52	9/19/86	94	CASS	T	
TE-106-AW-52	9/26/86	94	CASS	T	
TE-106-AW-52	10/2/86	93	CASS	T	
TE-106-AW-52	10/3/86	243	CASS	S	Data point did not agree with local trend
TE-106-AW-52	10/4/86	242	CASS	S	Data point did not agree with local trend
TE-106-AW-52	10/5/86	236	CASS	S	Data point did not agree with local trend
TE-106-AW-52	10/6/86	232	CASS	S	Data point did not agree with local trend
TE-106-AW-52	10/9/86	92	CASS	T	
TE-106-AW-52	10/17/86	102	CASS	T	
TE-106-AW-52	10/20/86	102	CASS	T	
TE-106-AW-52	11/1/86	102	CASS	T	
TE-106-AW-52	11/8/86	106	CASS	T	
TE-106-AW-52	11/15/86	107	CASS	T	
TE-106-AW-52	11/20/86	109	CASS	T	
TE-106-AW-52	11/29/86	110	CASS	T	
TE-106-AW-52	11/30/86	106	CASS	T	
TE-106-AW-52	12/8/86	103	CASS	T	
TE-106-AW-52	12/20/86	105	CASS	T	
TE-106-AW-52	12/27/86	107	CASS	T	
TE-106-AW-52	12/29/86	106	CASS	T	
TE-106-AW-52	7/4/87	88	CASS	T	
TE-106-AW-52	7/11/87	88	CASS	T	
TE-106-AW-52	7/17/87	89	CASS	T	
TE-106-AW-52	7/22/87	89	CASS	T	
TE-106-AW-52	7/31/87	112	CASS	T	
TE-106-AW-52	8/8/87	115	CASS	T	
TE-106-AW-52	8/13/87	117	CASS	T	
TE-106-AW-52	8/22/87	114	CASS	T	
TE-106-AW-52	8/29/87	117	CASS	T	
TE-106-AW-52	8/31/87	120	CASS	T	
TE-106-AW-52	9/6/87	113	CASS	T	
TE-106-AW-52	11/26/87	106	CASS	T	
TE-106-AW-52	11/29/87	108	CASS	T	
TE-106-AW-52	3/25/88	91	CASS	T	
TE-106-AW-52	3/30/88	92	CASS	T	
TE-106-AW-52	6/1/88	101	CASS	T	
TE-106-AW-52	6/10/88	102	CASS	T	
TE-106-AW-52	6/16/88	102	CASS	T	
TE-106-AW-52	6/25/88	102	CASS	T	
TE-106-AW-52	7/2/88	105	CASS	T	
TE-106-AW-52	7/8/88	112	CASS	T	
TE-106-AW-52	7/16/88	115	CASS	T	
TE-106-AW-52	7/21/88	122	CASS	T	
TE-106-AW-52	7/26/88	119	CASS	T	
TE-106-AW-52	8/2/88	98	CASS	S	Data point did not agree with local trend

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-52	8/4/88	119	CASS	T	
TE-106-AW-52	8/12/88	118	CASS	T	
TE-106-AW-52	12/3/88	103	CASS	T	
TE-106-AW-52	12/10/88	102	CASS	T	
TE-106-AW-52	12/13/88	105	CASS	T	
TE-106-AW-52	12/18/88	95	CASS	T	
TE-106-AW-52	9/2/89	86	CASS	T	
TE-106-AW-52	9/9/89	86	CASS	T	
TE-106-AW-52	9/16/89	86	CASS	T	
TE-106-AW-52	9/23/89	86	CASS	T	
TE-106-AW-52	9/29/89	87	CASS	T	
TE-106-AW-52	11/2/89	83	CASS	T	
TE-106-AW-52	11/9/89	83	CASS	T	
TE-106-AW-52	11/15/89	83	CASS	T	
TE-106-AW-52	11/19/89	83	CASS	T	
TE-106-AW-52	11/30/89	82	CASS	T	
TE-106-AW-52	12/9/89	81	CASS	T	
TE-106-AW-52	12/11/89	81	CASS	T	
TE-106-AW-52	12/23/89	80	CASS	T	
TE-106-AW-52	12/25/89	80	CASS	T	
TE-106-AW-52	1/6/90	78	CASS	T	
TE-106-AW-52	1/13/90	78	CASS	T	
TE-106-AW-52	1/20/90	77	CASS	T	
TE-106-AW-52	1/27/90	77	CASS	T	
TE-106-AW-52	2/3/90	77	CASS	T	
TE-106-AW-52	2/10/90	77	CASS	T	
TE-106-AW-52	2/14/90	76	CASS	T	
TE-106-AW-52	2/24/90	76	CASS	T	
TE-106-AW-52	2/27/90	76	CASS	T	
TE-106-AW-52	3/10/90	76	CASS	T	
TE-106-AW-52	3/14/90	76	CASS	T	
TE-106-AW-52	3/20/90	76	CASS	T	
TE-106-AW-52	3/31/90	76	CASS	T	
TE-106-AW-52	4/7/90	76	CASS	T	
TE-106-AW-52	4/14/90	76	CASS	T	
TE-106-AW-52	4/21/90	77	CASS	T	
TE-106-AW-52	4/24/90	77	CASS	T	
TE-106-AW-52	5/5/90	77	CASS	T	
TE-106-AW-52	5/12/90	77	CASS	T	
TE-106-AW-52	5/19/90	77	CASS	T	
TE-106-AW-52	5/22/90	77	CASS	T	
TE-106-AW-52	6/2/90	77	CASS	T	
TE-106-AW-52	6/9/90	78	CASS	T	
TE-106-AW-52	6/16/90	78	CASS	T	
TE-106-AW-52	6/23/90	78	CASS	T	
TE-106-AW-52	6/30/90	79	CASS	T	
TE-106-AW-52	7/3/90	80	CASS	T	
TE-106-AW-52	7/14/90	80	CASS	T	
TE-106-AW-52	7/21/90	81	CASS	T	
TE-106-AW-52	7/28/90	81	CASS	T	
TE-106-AW-52	8/4/90	82	CASS	T	
TE-106-AW-52	8/11/90	82	CASS	T	
TE-106-AW-52	8/13/90	83	CASS	T	
TE-106-AW-52	8/25/90	82	CASS	T	
TE-106-AW-52	9/1/90	83	CASS	T	
TE-106-AW-52	9/8/90	83	CASS	T	
TE-106-AW-52	9/15/90	83	CASS	T	
TE-106-AW-52	9/22/90	83	CASS	T	
TE-106-AW-52	9/29/90	83	CASS	T	
TE-106-AW-52	10/5/90	83	CASS	T	
TE-106-AW-52	10/10/90	83	CASS	T	
TE-106-AW-52	10/20/90	82	CASS	T	
TE-106-AW-52	10/27/90	82	CASS	T	
TE-106-AW-52	11/1/90	82	CASS	T	
TE-106-AW-52	11/10/90	81	CASS	T	
TE-106-AW-52	11/17/90	81	CASS	T	
TE-106-AW-52	11/24/90	81	CASS	T	
TE-106-AW-52	11/26/90	81	CASS	T	
TE-106-AW-52	12/6/90	81	CASS	T	
TE-106-AW-52	12/11/90	80	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-52	12/19/90	79	CASS	T	
TE-106-AW-52	12/28/90	78	CASS	T	
TE-106-AW-52	1/4/91	77	CASS	T	
TE-106-AW-52	1/11/91	77	CASS	T	
TE-106-AW-52	1/18/91	76	CASS	T	
TE-106-AW-52	1/28/91	75	CASS	T	
TE-106-AW-52	2/2/91	75	CASS	T	
TE-106-AW-52	2/7/91	75	CASS	T	
TE-106-AW-52	2/15/91	75	CASS	T	
TE-106-AW-52	2/23/91	74	CASS	T	
TE-106-AW-52	3/2/91	74	CASS	T	
TE-106-AW-52	3/8/91	74	CASS	T	
TE-106-AW-52	3/14/91	74	CASS	T	
TE-106-AW-52	3/23/91	74	CASS	T	
TE-106-AW-52	3/30/91	74	CASS	T	
TE-106-AW-52	4/8/91	74	CASS	T	
TE-106-AW-52	4/13/91	74	CASS	T	
TE-106-AW-52	4/20/91	74	CASS	T	
TE-106-AW-52	4/24/91	75	CASS	T	
TE-106-AW-52	5/4/91	75	CASS	T	
TE-106-AW-52	5/11/91	75	CASS	T	
TE-106-AW-52	5/12/91	76	CASS	T	
TE-106-AW-52	5/25/91	76	CASS	T	
TE-106-AW-52	5/31/91	76	CASS	T	
TE-106-AW-52	6/7/91	77	CASS	T	
TE-106-AW-52	6/15/91	77	CASS	T	
TE-106-AW-52	6/19/91	77	CASS	T	
TE-106-AW-52	6/25/91	77	CASS	T	
TE-106-AW-52	1/6/92	73	SACS	T	
TE-106-AW-52	1/13/92	72	SACS	T	
TE-106-AW-52	1/20/92	72	SACS	T	
TE-106-AW-52	1/27/92	72	SACS	T	
TE-106-AW-52	2/3/92	71	SACS	T	
TE-106-AW-52	2/10/92	71	SACS	T	
TE-106-AW-52	2/17/92	71	SACS	T	
TE-106-AW-52	2/24/92	70	SACS	T	
TE-106-AW-52	3/4/92	71	SACS	T	
TE-106-AW-52	3/9/92	70	SACS	T	
TE-106-AW-52	3/18/92	70	SACS	T	
TE-106-AW-52	3/23/92	71	SACS	T	
TE-106-AW-52	3/30/92	71	SACS	T	
TE-106-AW-52	4/4/92	68	CASS	S	Disagreement between CASS and SACS
TE-106-AW-52	4/8/92	71	SACS	T	
TE-106-AW-52	4/13/92	70	SACS	T	
TE-106-AW-52	4/17/92	68	CASS	S	Disagreement between CASS and SACS
TE-106-AW-52	4/20/92	71	SACS	T	
TE-106-AW-52	4/27/92	71	SACS	T	
TE-106-AW-52	5/4/92	71	SACS	T	
TE-106-AW-52	5/18/92	77	SACS	T	
TE-106-AW-52	5/25/92	76	SACS	T	
TE-106-AW-52	6/6/92	73	SACS	T	
TE-106-AW-52	6/15/92	73	SACS	T	
TE-106-AW-52	6/22/92	73	SACS	T	
TE-106-AW-52	6/29/92	74	SACS	T	
TE-106-AW-52	7/6/92	74	SACS	T	
TE-106-AW-52	7/13/92	75	SACS	T	
TE-106-AW-52	7/20/92	75	SACS	T	
TE-106-AW-52	7/27/92	75	SACS	T	
TE-106-AW-52	8/3/92	75	SACS	T	
TE-106-AW-52	8/10/92	76	SACS	T	
TE-106-AW-52	8/17/92	74	SACS	T	
TE-106-AW-52	8/24/92	75	SACS	T	
TE-106-AW-52	8/31/92	74	SACS	T	
TE-106-AW-52	9/7/92	75	SACS	T	
TE-106-AW-52	9/14/92	74	SACS	T	
TE-106-AW-52	9/21/92	73	SACS	T	
TE-106-AW-52	9/28/92	81	SACS	T	
TE-106-AW-52	10/5/92	79	SACS	T	
TE-106-AW-52	10/12/92	78	SACS	T	
TE-106-AW-52	10/19/92	75	SACS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-52	10/28/92	76	SACS	T	
TE-106-AW-52	11/2/92	73	SACS	T	
TE-106-AW-52	11/9/92	74	SACS	T	
TE-106-AW-52	11/18/92	73	SACS	T	
TE-106-AW-52	11/23/92	73	SACS	T	
TE-106-AW-52	11/30/92	71	SACS	T	
TE-106-AW-52	12/7/92	70	SACS	T	
TE-106-AW-52	12/14/92	72	SACS	T	
TE-106-AW-52	12/21/92	70	SACS	T	
TE-106-AW-52	12/28/92	69	SACS	T	
TE-106-AW-52	1/4/93	69	SACS	T	
TE-106-AW-52	1/11/93	68	SACS	T	
TE-106-AW-52	1/18/93	69	SACS	T	
TE-106-AW-52	1/25/93	70	SACS	T	
TE-106-AW-52	2/1/93	71	SACS	T	
TE-106-AW-52	2/8/93	68	SACS	T	
TE-106-AW-52	2/15/93	68	SACS	T	
TE-106-AW-52	3/1/93	72	SACS	T	
TE-106-AW-52	3/8/93	69	SACS	T	
TE-106-AW-52	3/20/93	67	SACS	T	
TE-106-AW-52	3/22/93	68	SACS	T	
TE-106-AW-52	3/29/93	67	SACS	T	
TE-106-AW-52	4/5/93	67	SACS	T	
TE-106-AW-52	4/12/93	67	SACS	T	
TE-106-AW-52	4/19/93	67	SACS	T	
TE-106-AW-52	4/28/93	66	SACS	T	
TE-106-AW-52	5/3/93	67	SACS	T	
TE-106-AW-52	5/10/93	66	SACS	T	
TE-106-AW-52	5/17/93	70	SACS	T	
TE-106-AW-52	5/24/93	72	SACS	T	
TE-106-AW-52	5/31/93	71	SACS	T	
TE-106-AW-52	6/7/93	74	SACS	T	
TE-106-AW-52	6/15/93	75	SACS	T	
TE-106-AW-52	6/22/93	75	SACS	T	
TE-106-AW-52	6/28/93	73	SACS	T	
TE-106-AW-52	7/5/93	72	SACS	T	
TE-106-AW-52	7/12/93	73	SACS	T	
TE-106-AW-52	7/19/93	74	SACS	T	
TE-106-AW-52	7/26/93	73	SACS	T	
TE-106-AW-52	8/2/93	74	SACS	T	
TE-106-AW-52	8/9/93	76	SACS	T	
TE-106-AW-52	8/16/93	74	SACS	T	
TE-106-AW-52	8/23/93	75	SACS	T	
TE-106-AW-52	8/30/93	76	SACS	T	
TE-106-AW-52	9/13/93	76	SACS	T	
TE-106-AW-52	9/21/93	76	SACS	T	
TE-106-AW-52	9/27/93	76	SACS	T	
TE-106-AW-52	10/11/93	77	SACS	T	
TE-106-AW-52	10/19/93	75	SACS	T	
TE-106-AW-52	10/28/93	75	SACS	T	
TE-106-AW-52	11/1/93	74	SACS	T	
TE-106-AW-52	11/15/93	73	SACS	T	
TE-106-AW-52	11/26/93	74	SACS	T	
TE-106-AW-52	11/29/93	71	SACS	T	
TE-106-AW-52	12/6/93	72	SACS	T	
TE-106-AW-52	12/13/93	72	SACS	T	
TE-106-AW-52	12/20/93	71	SACS	T	
TE-106-AW-52	12/27/93	70	SACS	T	
TE-106-AW-52	1/5/94	69	SACS	T	
TE-106-AW-52	1/24/94	71	SACS	T	
TE-106-AW-52	1/31/94	70	SACS	T	
TE-106-AW-52	2/7/94	68	SACS	G	
TE-106-AW-52	2/21/94	68	SACS	G	
TE-106-AW-52	2/28/94	66	SACS	T	
TE-106-AW-52	3/7/94	66	SACS	T	
TE-106-AW-52	3/14/94	66	SACS	G	
TE-106-AW-52	3/21/94	66	SACS	G	
TE-106-AW-52	3/28/94	66	SACS	G	
TE-106-AW-52	4/5/94	66	SACS	G	
TE-106-AW-52	4/11/94	66	SACS	G	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-52	4/18/84	77	SACS	G	
TE-106-AW-52	4/25/84	86	SACS	G	
TE-106-AW-52	5/2/84	90	SACS	G	
TE-106-AW-52	5/9/84	97	SACS	G	
TE-106-AW-52	5/16/84	96	SACS	G	
TE-106-AW-52	5/31/84	104	SACS	G	
TE-106-AW-52	6/6/84	100	SACS	G	
TE-106-AW-52	6/13/84	103	SACS	G	
TE-106-AW-52	6/20/84	97	SACS	G	
TE-106-AW-52	6/27/84	96	SACS	G	
TE-106-AW-52	7/4/84	96	SACS	G	
TE-106-AW-52	7/11/84	96	SACS	G	
TE-106-AW-52	7/25/84	97	SACS	G	
TE-106-AW-52	8/1/84	96	SACS	G	
TE-106-AW-52	8/8/84	95	SACS	G	
TE-106-AW-52	8/15/84	95	SACS	G	
TE-106-AW-52	8/22/84	94	SACS	G	
TE-106-AW-52	8/29/84	93	SACS	G	
TE-106-AW-52	9/12/84	92	SACS	G	
TE-106-AW-52	9/19/84	92	SACS	G	
TE-106-AW-52	9/26/84	104	SACS	G	
TE-106-AW-52	10/10/84	106	SACS	G	
TE-106-AW-52	10/17/84	106	SACS	G	
TE-106-AW-52	10/24/84	105	SACS	G	
TE-106-AW-52	10/31/84	105	SACS	G	
TE-106-AW-52	11/7/84	103	SACS	G	
TE-106-AW-52	11/14/84	103	SACS	G	
TE-106-AW-52	11/21/84	100	SACS	G	
TE-106-AW-52	11/28/84	96	SACS	G	
TE-106-AW-52	12/5/84	97	SACS	G	
TE-106-AW-52	12/12/84	96	SACS	G	
TE-106-AW-52	12/19/84	95	SACS	G	
TE-106-AW-52	12/26/84	95	SACS	G	
TE-106-AW-52	1/2/85	94	SACS	G	
TE-106-AW-52	1/9/85	93	SACS	G	
TE-106-AW-52	1/16/85	92	SACS	G	
TE-106-AW-52	1/23/85	91	SACS	G	
TE-106-AW-52	1/30/85	89	SACS	G	
TE-106-AW-52	2/6/85	88	SACS	G	
TE-106-AW-52	2/13/85	88	SACS	G	
TE-106-AW-52	2/24/85	86	SACS	G	
TE-106-AW-52	2/27/85	86	SACS	G	
TE-106-AW-52	3/6/85	85	SACS	G	
TE-106-AW-52	3/19/85	84	SACS	G	
TE-106-AW-52	3/27/85	84	SACS	G	
TE-106-AW-52	4/3/85	83	SACS	G	
TE-106-AW-52	4/10/85	83	SACS	G	
TE-106-AW-52	4/17/85	82	SACS	G	
TE-106-AW-52	4/24/85	80	SACS	G	
TE-106-AW-52	5/1/85	79	SACS	G	
TE-106-AW-52	5/13/85	79	SACS	G	
TE-106-AW-52	5/22/85	80	SACS	G	
TE-106-AW-52	5/29/85	81	SACS	G	
TE-106-AW-52	6/5/85	83	SACS	G	
TE-106-AW-52	6/13/85	99	SACS	G	
TE-106-AW-52	6/19/85	101	SACS	G	
TE-106-AW-52	6/26/85	103	SACS	G	
TE-106-AW-53	7/16/83	83	CASS	T	
TE-106-AW-53	7/23/83	83	CASS	T	
TE-106-AW-53	7/30/83	83	CASS	T	
TE-106-AW-53	8/6/83	84	CASS	T	
TE-106-AW-53	8/13/83	84	CASS	T	
TE-106-AW-53	8/19/83	85	CASS	T	
TE-106-AW-53	8/27/83	85	CASS	T	
TE-106-AW-53	8/31/83	85	CASS	T	
TE-106-AW-53	9/10/83	85	CASS	T	
TE-106-AW-53	9/14/83	85	CASS	T	
TE-106-AW-53	9/23/83	85	CASS	T	
TE-106-AW-53	10/1/83	84	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1985; and Surveillance Analysis Computer System (SACS), June 1985.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-53	10/5/83	84	CASS	T	
TE-106-AW-53	10/15/83	84	CASS	T	
TE-106-AW-53	10/17/83	84	CASS	T	
TE-106-AW-53	3/10/84	74	CASS	T	
TE-106-AW-53	3/17/84	75	CASS	T	
TE-106-AW-53	3/24/84	75	CASS	T	
TE-106-AW-53	3/31/84	75	CASS	T	
TE-106-AW-53	4/5/84	76	CASS	T	
TE-106-AW-53	4/14/84	75	CASS	T	
TE-106-AW-53	4/20/84	76	CASS	T	
TE-106-AW-53	4/28/84	76	CASS	T	
TE-106-AW-53	5/5/84	76	CASS	T	
TE-106-AW-53	5/12/84	76	CASS	T	
TE-106-AW-53	5/19/84	77	CASS	T	
TE-106-AW-53	5/26/84	77	CASS	T	
TE-106-AW-53	6/2/84	78	CASS	T	
TE-106-AW-53	6/7/84	78	CASS	T	
TE-106-AW-53	6/23/84	79	CASS	T	
TE-106-AW-53	6/30/84	80	CASS	T	
TE-106-AW-53	7/7/84	81	CASS	T	
TE-106-AW-53	7/14/84	81	CASS	T	
TE-106-AW-53	7/21/84	82	CASS	T	
TE-106-AW-53	7/28/84	83	CASS	T	
TE-106-AW-53	8/3/84	84	CASS	T	
TE-106-AW-53	8/11/84	84	CASS	T	
TE-106-AW-53	8/17/84	85	CASS	T	
TE-106-AW-53	8/25/84	91	CASS	T	
TE-106-AW-53	9/1/84	92	CASS	T	
TE-106-AW-53	9/7/84	93	CASS	T	
TE-106-AW-53	9/15/84	92	CASS	T	
TE-106-AW-53	9/22/84	92	CASS	T	
TE-106-AW-53	9/25/84	92	CASS	T	
TE-106-AW-53	10/6/84	91	CASS	T	
TE-106-AW-53	10/13/84	91	CASS	T	
TE-106-AW-53	10/17/84	90	CASS	T	
TE-106-AW-53	10/25/84	90	CASS	T	
TE-106-AW-53	11/3/84	88	CASS	T	
TE-106-AW-53	11/5/84	88	CASS	T	
TE-106-AW-53	11/11/84	83	CASS	T	
TE-106-AW-53	11/18/84	80	CASS	T	
TE-106-AW-53	11/26/84	77	CASS	T	
TE-106-AW-53	12/4/84	75	CASS	T	
TE-106-AW-53	12/12/84	73	CASS	T	
TE-106-AW-53	12/18/84	80	CASS	T	
TE-106-AW-53	12/29/84	96	CASS	T	
TE-106-AW-53	1/4/85	101	CASS	T	
TE-106-AW-53	1/11/85	104	CASS	T	
TE-106-AW-53	1/19/85	102	CASS	T	
TE-106-AW-53	1/28/85	112	CASS	T	
TE-106-AW-53	2/1/85	112	CASS	T	
TE-106-AW-53	2/8/85	111	CASS	T	
TE-106-AW-53	2/11/85	104	CASS	T	
TE-106-AW-53	2/18/85	95	CASS	T	
TE-106-AW-53	2/25/85	93	CASS	T	
TE-106-AW-53	3/7/85	91	CASS	T	
TE-106-AW-53	3/14/85	90	CASS	T	
TE-106-AW-53	3/28/85	87	CASS	T	
TE-106-AW-53	4/2/85	95	CASS	T	
TE-106-AW-53	4/12/85	87	CASS	T	
TE-106-AW-53	4/20/85	105	CASS	T	
TE-106-AW-53	4/22/85	106	CASS	T	
TE-106-AW-53	5/4/85	102	CASS	T	
TE-106-AW-53	5/8/85	105	CASS	T	
TE-106-AW-53	5/15/85	103	CASS	T	
TE-106-AW-53	5/23/85	107	CASS	T	
TE-106-AW-53	5/27/85	133	CASS	S	Data point did not agree with local trend
TE-106-AW-53	5/31/85	106	CASS	T	
TE-106-AW-53	6/6/85	104	CASS	T	
TE-106-AW-53	6/10/85	102	CASS	T	
TE-106-AW-53	6/15/85	100	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1985; and Surveillance Analysis Computer System (SACS), June 1985.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-53	8/17/85	351	CASS	S	Data point did not agree with local trend
TE-106-AW-53	12/1/85	348	CASS	S	Data point did not agree with local trend
TE-106-AW-53	1/4/86	110	CASS	T	
TE-106-AW-53	1/7/86	112	CASS	T	
TE-106-AW-53	1/18/86	119	CASS	T	
TE-106-AW-53	1/20/86	119	CASS	T	
TE-106-AW-53	1/28/86	108	CASS	T	
TE-106-AW-53	2/7/86	101	CASS	T	
TE-106-AW-53	2/9/86	100	CASS	T	
TE-106-AW-53	2/22/86	97	CASS	T	
TE-106-AW-53	3/1/86	95	CASS	T	
TE-106-AW-53	3/4/86	98	CASS	T	
TE-106-AW-53	9/13/88	200	CASS	S	Data point did not agree with local trend
TE-106-AW-53	9/14/88	72	CASS	S	Data point did not agree with local trend
TE-106-AW-53	9/15/88	72	CASS	S	Data point did not agree with local trend
TE-106-AW-53	9/19/88	94	CASS	T	
TE-106-AW-53	9/28/88	94	CASS	T	
TE-106-AW-53	10/2/88	93	CASS	T	
TE-106-AW-53	10/3/88	243	CASS	S	Data point did not agree with local trend
TE-106-AW-53	10/4/88	242	CASS	S	Data point did not agree with local trend
TE-106-AW-53	10/5/88	236	CASS	S	Data point did not agree with local trend
TE-106-AW-53	10/8/88	232	CASS	S	Data point did not agree with local trend
TE-106-AW-53	10/9/88	92	CASS	T	
TE-106-AW-53	10/18/88	102	CASS	T	
TE-106-AW-53	10/20/88	103	CASS	T	
TE-106-AW-53	10/28/88	102	CASS	T	
TE-106-AW-53	11/30/87	97	CASS	T	
TE-106-AW-53	3/25/88	91	CASS	T	
TE-106-AW-53	3/30/88	92	CASS	T	
TE-106-AW-53	7/8/88	328	CASS	S	Data point did not agree with local trend
TE-106-AW-53	7/17/88	358	CASS	S	Data point did not agree with local trend
TE-106-AW-53	8/2/88	99	CASS	T	
TE-106-AW-53	12/3/88	103	CASS	T	
TE-106-AW-53	12/10/88	102	CASS	T	
TE-106-AW-53	12/13/88	105	CASS	T	
TE-106-AW-53	12/18/88	95	CASS	T	
TE-106-AW-53	7/10/89	79	SACS	T	
TE-106-AW-53	7/17/89	79	SACS	T	
TE-106-AW-53	7/24/89	80	SACS	T	
TE-106-AW-53	8/7/89	80	SACS	T	
TE-106-AW-53	8/14/89	82	SACS	T	
TE-106-AW-53	8/21/89	81	SACS	T	
TE-106-AW-53	9/2/89	88	CASS	T	
TE-106-AW-53	9/5/89	87	CASS	T	
TE-106-AW-53	9/18/89	86	CASS	T	
TE-106-AW-53	9/23/89	86	CASS	T	
TE-106-AW-53	9/30/89	87	CASS	T	
TE-106-AW-53	10/1/89	83	SACS	T	
TE-106-AW-53	10/9/89	83	SACS	T	
TE-106-AW-53	10/16/89	82	SACS	T	
TE-106-AW-53	10/24/89	84	SACS	T	
TE-106-AW-53	11/2/89	83	CASS	T	
TE-106-AW-53	11/9/89	83	CASS	T	
TE-106-AW-53	11/16/89	83	CASS	T	
TE-106-AW-53	11/19/89	83	CASS	T	
TE-106-AW-53	11/30/89	82	CASS	T	
TE-106-AW-53	12/4/89	82	CASS	T	
TE-106-AW-53	12/14/89	81	CASS	T	
TE-106-AW-53	12/23/89	80	CASS	T	
TE-106-AW-53	12/25/89	80	CASS	T	
TE-106-AW-53	1/2/90	79	SACS	T	
TE-106-AW-53	1/13/90	78	CASS	T	
TE-106-AW-53	1/15/90	78	SACS	T	
TE-106-AW-53	1/27/90	77	CASS	T	
TE-106-AW-53	1/29/90	78	SACS	T	
TE-106-AW-53	2/10/90	77	CASS	T	
TE-106-AW-53	2/12/90	78	SACS	T	
TE-106-AW-53	2/19/90	77	SACS	T	
TE-106-AW-53	2/27/90	76	CASS	T	
TE-106-AW-53	3/10/90	76	CASS	T	

Data obtained from Computer Automated Surveillance System (CASS), April 1995; and Surveillance Analysis Computer System (SACS), June 1995.

TANK 241-AW-106 THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-63	3/14/90	76	CASS	T	
TE-106-AW-63	3/21/90	76	CASS	T	
TE-106-AW-63	3/31/90	76	CASS	T	
TE-106-AW-63	4/7/90	76	CASS	T	
TE-106-AW-63	4/14/90	76	CASS	T	
TE-106-AW-63	4/21/90	77	CASS	T	
TE-106-AW-63	4/27/90	77	CASS	T	
TE-106-AW-63	5/5/90	77	CASS	T	
TE-106-AW-63	5/12/90	77	CASS	T	
TE-106-AW-63	5/19/90	77	CASS	T	
TE-106-AW-63	5/22/90	77	CASS	T	
TE-106-AW-63	6/2/90	77	CASS	T	
TE-106-AW-63	6/9/90	78	CASS	T	
TE-106-AW-63	6/16/90	78	CASS	T	
TE-106-AW-63	6/23/90	78	CASS	T	
TE-106-AW-63	6/30/90	79	CASS	T	
TE-106-AW-63	7/3/90	80	CASS	T	
TE-106-AW-63	7/14/90	80	CASS	T	
TE-106-AW-63	7/21/90	81	CASS	T	
TE-106-AW-63	7/28/90	81	CASS	T	
TE-106-AW-63	8/4/90	82	CASS	T	
TE-106-AW-63	8/11/90	83	CASS	T	
TE-106-AW-63	8/16/90	83	CASS	T	
TE-106-AW-63	8/25/90	83	CASS	T	
TE-106-AW-63	9/1/90	83	CASS	T	
TE-106-AW-63	9/8/90	83	CASS	T	
TE-106-AW-63	9/15/90	83	CASS	T	
TE-106-AW-63	9/22/90	83	CASS	T	
TE-106-AW-63	9/29/90	83	CASS	T	
TE-106-AW-63	10/5/90	83	CASS	T	
TE-106-AW-63	10/10/90	83	CASS	T	
TE-106-AW-63	10/20/90	82	CASS	T	
TE-106-AW-63	10/27/90	82	CASS	T	
TE-106-AW-63	11/2/90	82	CASS	T	
TE-106-AW-63	11/8/90	82	CASS	T	
TE-106-AW-63	11/17/90	81	CASS	T	
TE-106-AW-63	11/24/90	81	CASS	T	
TE-106-AW-63	11/29/90	81	CASS	T	
TE-106-AW-63	12/6/90	81	CASS	T	
TE-106-AW-63	12/13/90	80	CASS	T	
TE-106-AW-63	12/19/90	79	CASS	T	
TE-106-AW-63	12/26/90	78	CASS	T	
TE-106-AW-63	1/4/91	77	CASS	T	
TE-106-AW-63	1/11/91	77	CASS	T	
TE-106-AW-63	1/18/91	76	CASS	T	
TE-106-AW-63	1/28/91	75	CASS	T	
TE-106-AW-63	2/2/91	75	CASS	T	
TE-106-AW-63	2/7/91	75	CASS	T	
TE-106-AW-63	2/15/91	75	CASS	T	
TE-106-AW-63	2/22/91	75	CASS	T	
TE-106-AW-63	3/2/91	74	CASS	T	
TE-106-AW-63	3/9/91	74	CASS	T	
TE-106-AW-63	3/14/91	74	CASS	T	
TE-106-AW-63	3/23/91	74	CASS	T	
TE-106-AW-63	3/30/91	74	CASS	T	
TE-106-AW-63	4/6/91	74	CASS	T	
TE-106-AW-63	4/13/91	74	CASS	T	
TE-106-AW-63	4/20/91	75	CASS	T	
TE-106-AW-63	4/27/91	75	CASS	T	
TE-106-AW-63	5/4/91	75	CASS	T	
TE-106-AW-63	5/11/91	75	CASS	T	
TE-106-AW-63	5/18/91	76	CASS	T	
TE-106-AW-63	5/25/91	76	CASS	T	
TE-106-AW-63	5/29/91	77	CASS	T	
TE-106-AW-63	6/7/91	77	CASS	T	
TE-106-AW-63	6/15/91	77	CASS	T	
TE-106-AW-63	6/20/91	77	CASS	T	
TE-106-AW-63	6/25/91	77	CASS	T	
TE-106-AW-63	7/1/91	74	SACS	T	
TE-106-AW-63	7/8/91	73	SACS	T	

TANK 241-AW-106					
THERMOCOUPLE DATA					
THERMOCOUPLE #	DATE	TEMPERATURE (°F)	DATA SOURCE	QUALITY	COMMENT
TE-106-AW-53	7/15/91	75	SACS	T	
TE-106-AW-53	7/22/91	74	SACS	T	
TE-106-AW-53	7/29/91	75	SACS	T	
TE-106-AW-53	8/4/91	76	SACS	T	
TE-106-AW-53	8/19/91	75	SACS	T	
TE-106-AW-53	8/26/91	76	SACS	T	
TE-106-AW-53	9/2/91	78	SACS	T	
TE-106-AW-53	9/9/91	79	SACS	T	
TE-106-AW-53	9/16/91	79	SACS	T	
TE-106-AW-53	9/23/91	79	SACS	T	
TE-106-AW-53	9/30/91	79	SACS	T	
TE-106-AW-53	10/7/91	78	SACS	T	
TE-106-AW-53	10/14/91	79	SACS	T	
TE-106-AW-53	10/21/91	78	SACS	T	
TE-106-AW-53	10/28/91	78	SACS	T	
TE-106-AW-53	11/5/91	77	SACS	T	
TE-106-AW-53	11/11/91	77	SACS	T	
TE-106-AW-53	11/18/91	77	SACS	T	
TE-106-AW-53	11/25/91	78	SACS	T	
TE-106-AW-53	12/2/91	76	SACS	T	
TE-106-AW-53	12/9/91	75	SACS	T	
TE-106-AW-53	12/16/91	75	SACS	T	
TE-106-AW-53	12/23/91	74	SACS	T	
TE-106-AW-53	12/30/91	73	SACS	T	
TE-106-AW-53	4/4/92	88	CASS	S	Disagreement with nearby thermocouples
TE-106-AW-53	4/17/92	86	CASS	S	Disagreement with nearby thermocouples

THIS PAGE INTENTIONALLY
LEFT BLANK

RMIS View/Print Document Cover Sheet

This document was retrieved from the Boeing ISEARCH System.

Accession #: D196052394

Document #: SD-WM-ER-316

Title/Desc:

SUPPORTING DOCUMENT FOR THE SOUTHEAST QUADRANT
HISTORICAL TANK CONTENT ESTIMATE REPORT FOR AW
TANK FARM [VOL II SEC 1 OF 2 PAGE E-1 TO E-470]

THIS DOCUMENT WAS TOO LARGE TO SCAN AS A SINGLE DOCUMENT. IT REQUIRED BREAKING INTO SMALLER SECTIONS.

DOCUMENT NUMBER: SD-WM-ER-316 Vol II of II

SECTION: 1 OF 2

TITLE: Southeast Quadrant Historical Tank
Content Estimate Report for AW-Tank
Farm

AUTHOR: LA Gaddis / SD Consort

RECIPIENT:

DATE: 9/15/95

KEYWORDS:

REFERENCES:

THIS PAGE INTENTIONALLY
LEFT BLANK

Sta. 4 (3)

SEP 15 1995

ENGINEERING DATA TRANSMITTAL

Page 1 of 1

1. EDT NO 612786

2. To: (Receiving Organization) TWRS		3. From: (Originating Organization) ICF-KH		4. Related EDT No.:							
5. Proj./Prog./Dept./Div.: ER4945/E11730		6. Cog. Engr.: L.A. Gaddis/S.D. Consort		7. Purchase Order No.:							
8. Originator Remarks: This Supporting Document is for the Southeast Quadrant Historical Tank Content Estimate Report for AW-Tank Farm located in the Hanford 200 East Area. For external release				9. Equip./Component No.: N/A							
				10. System/Bldg./Facility: Tank Farms							
				12. Major Assm. Dwg. No.: N/A							
				13. Permit/Permit Application No.: N/A							
11. Receiver Remarks:				14. Required Response Date: N/A							
15. DATA TRANSMITTED											
(A) Item No.	(B) Document/Drawing No.	(C) Sheet No.	(D) Rev. No.	(E) Title or Description of Data Transmitted	(F) Approval Designator	(G) Reason for Transmittal	(H) Originator Disposition	(I) Receiver Disposition			
1	WHC-SD-WM-ER-316		0	Supporting Document for the Southeast Quadrant Historical Tank Content Estimate Report for AW-Tank Farm. (Volume I and II)	N/A	1	1	1			
16. KEY											
Approval Designator (F)		Reason for Transmittal (G)			Disposition (H) & (I)						
E, S, Q, D or N/A (see WHC-CM-3-5, Sec.12.7)		1. Approval 2. Release 3. Information 4. Review 5. Post-Review 6. Dist. (Receipt Acknow. Required)			1. Approved 2. Approved w/comment 3. Disapproved w/comment 4. Reviewed no/comment 5. Reviewed w/comment 6. Receipt acknowledged						
17. SIGNATURE/DISTRIBUTION (See Approval Designator for required signatures)											
(G) Reason	(H) Disp.	(J) Name	(K) Signature	(L) Date	(M) MSIN	(J) Name	(K) Signature	(L) Date	(M) MSIN	(G) Reason	(H) Disp.
1	1	Cog. Eng. T M Brown	<i>T M Brown</i>	9/12/95	R2-12	C. H. Brevick	<i>C H Brevick</i>	9/12/95	S3-10	1	1
1	1	Cog. Mgr. S J Eberlein	<i>S J Eberlein</i>	9/12/95	R2-12	L. A. Gaddis	<i>L A Gaddis</i>	9/12/95	S3-09	1	1
						S. D. Consort	<i>S D Consort</i>	9/12/95	S3-09	1	1
18.		19.		20.		21. DOE APPROVAL (if required)					
C. H. Brevick <i>C H Brevick</i> Signature of EDT originator		S. J. Eberlein <i>S J Eberlein</i> Authorized Representative for Receiving Organization		Date 9/12/95		☐ Ctrl. No. ☐ Approved ☐ Approved w/comments ☐ Disapproved w/comments					

THIS PAGE INTENTIONALLY
LEFT BLANK

SUPPORTING DOCUMENT

1. Total Pages *1468*

2. Title

Supporting Document for the Southeast Quadrant
Historical Tank Content Estimate Report for AW-
Tank Farm. (Volume I and II)

3. Number

WHC-SD-WM-ER-316

4. Rev No.

0

5. Key Words

Southeast Quadrant, Historical Tank Content
Estimate, Historical Characterization, Tank Farms,
Tank Waste Level, Tank Aerial Photos, In-Tank
Photo, Tank Layer Model. Estimated Composite
Inventories, Riser Locations, Tank Layering Model.
Supernatant Mixing Model.

6. Author

Name: CHBrevick/LAGaddis
SDConsort

CHBrevick/LAGaddis/SDConsort
Signature

Organization/Charge Code 5A400/E11730
Facilities and Technical Support

7. Abstract

Historical Tank Content Estimate of the Southeast Quadrant provides historical evaluations on a tank by tank basis of the radioactive mixed wastes stored in the underground double-shell tanks of the Hanford 200 East and West Areas. This report summarizes historical information such as waste history, temperature profiles, psychrometric data, tank integrity, inventory estimates and tank level history on a tank by tank basis. Tank Farm aerial photos and in-tank photos of each tank are provided. A brief description of instrumentation methods used for waste tank surveillance are included. Components of the data management effort, such as Waste Status and Transaction Record Summary, Tank Layer Model, Supernatant Mixing Model, Defined Waste Types, and Inventory Estimates which generate these tank content estimates, are also given in this report.

8. RELEASE STAMP

OFFICIAL RELEASE
BY WHC
DATE SEP 15 1995

Sta. 4

THIS PAGE INTENTIONALLY
LEFT BLANK

**SUPPORTING DOCUMENT FOR THE
HISTORICAL TANK CONTENT
ESTIMATE FOR**

**AW TANK FARM
VOLUME II**

WORK ORDER E11730

Prepared for

Westinghouse Hanford Company

September 1995

Prepared by

**ICF Kaiser Hanford Company
Richland, Washington**

THIS PAGE INTENTIONALLY
LEFT BLANK

APPENDIX E

Surface Level Graphs and Data

THIS PAGE INTENTIONALLY
LEFT BLANK

241-AW-101
Surface Level Data
FIC

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

**241-AW-101
Surface Level Data
Manual Tape**

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102
Surface Level Data
FIC

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

**241-AW-102
Surface Level Data
Manual Tape**

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

**241-AW-103
Surface Level Data
FIC**

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

**241-AW-103
Surface Level Data
Manual Tape**

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104
Surface Level Data
FIC

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

**241-AW-104
Surface Level Data
Manual Tape**

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

**241-AW-105
Surface Level Data
FIC**

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

**241-AW-105
Surface Level Data
Manual Tape**

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106
Surface Level Data
FIC

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106
Surface Level Data
Manual Tape

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/1/91 0:00	Manual Tape	413.75	Good	
1/1/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/2/91 0:00	Manual Tape	413.75	Good	
1/2/91 7:02	Auto FIC	0	Suspect	Data not included in graph
1/3/91 0:00	Manual Tape	414.25	Good	
1/3/91 7:03	Auto FIC	0	Suspect	Data not included in graph
1/4/91 0:00	Manual Tape	414.5	Good	
1/4/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/5/91 0:00	Manual Tape	414.50	Good	
1/5/91 7:02	Auto FIC	0	Suspect	Data not included in graph
1/6/91 0:00	Manual Tape	414.50	Good	
1/6/91 7:02	Auto FIC	0	Suspect	Data not included in graph
1/7/91 0:00	Manual Tape	414.5	Good	
1/7/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/8/91 0:00	Manual Tape	414.50	Good	
1/8/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/9/91 0:00	Manual Tape	414.25	Good	
1/9/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/10/91 0:00	Manual Tape	414.5	Good	
1/10/91 7:02	Auto FIC	0	Suspect	Data not included in graph
1/11/91 0:00	Manual Tape	414.5	Good	
1/11/91 7:03	Auto FIC	0	Suspect	Data not included in graph
1/12/91 0:00	Manual Tape	414.25	Good	
1/12/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/13/91 0:00	Manual Tape	414.25	Good	
1/13/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/14/91 0:00	Manual Tape	414.00	Good	
1/14/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/15/91 0:00	Manual Tape	414	Good	
1/15/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/16/91 0:00	Manual Tape	414.25	Good	
1/16/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/17/91 0:00	Manual Tape	414.50	Good	
1/17/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/18/91 0:00	Manual Tape	414.50	Good	
1/18/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/19/91 0:00	Manual Tape	413.75	Good	
1/19/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/20/91 0:00	Manual Tape	413.25	Good	
1/20/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/21/91 0:00	Manual Tape	413.75	Good	
1/21/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/22/91 0:00	Manual Tape	413.25	Good	
1/22/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/23/91 0:00	Manual Tape	413.75	Good	
1/23/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/24/91 0:00	Manual Tape	413.25	Good	
1/24/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/25/91 0:00	Manual Tape	413.25	Good	
1/25/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/26/91 0:00	Manual Tape	413.25	Good	
1/26/91 7:03	Auto FIC	0	Suspect	Data not included in graph
1/27/91 0:00	Manual Tape	413.5	Good	
1/27/91 7:03	Auto FIC	0	Suspect	Data not included in graph
1/28/91 0:00	Manual Tape	413.25	Good	
1/29/91 0:00	Manual Tape	413.50	Good	
1/29/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/30/91 0:00	Manual Tape	413.75	Good	
1/31/91 0:00	Manual Tape	413	Good	
1/31/91 7:02	Auto FIC	0	Suspect	Data not included in graph
2/1/91 0:00	Manual Tape	412.75	Good	
2/1/91 7:02	Auto FIC	0	Suspect	Data not included in graph
2/2/91 0:00	Manual Tape	412.5	Good	
2/2/91 7:04	Auto FIC	406.90	Good	
2/3/91 0:00	Manual FIC	406.80	Good	
2/3/91 0:00	Manual Tape	412.50	Good	
2/3/91 7:03	Auto FIC	6.80	Suspect	Data not included in graph
2/4/91 0:00	Manual Tape	412.50	Good	
2/4/91 7:03	Auto FIC	406.80	Good	
2/5/91 0:00	Manual FIC	406.8	Good	
2/5/91 0:00	Manual Tape	412.5	Good	
2/5/91 7:04	Auto FIC	6.8	Suspect	Data not included in graph
2/6/91 0:00	Manual FIC	406.7	Good	
2/6/91 0:00	Manual Tape	412.25	Good	
2/6/91 7:04	Auto FIC	6.7	Suspect	Data not included in graph
2/7/91 0:00	Manual FIC	406.75	Good	
2/7/91 0:00	Manual Tape	412.25	Good	
2/7/91 7:04	Auto FIC	6.80	Suspect	Data not included in graph
2/8/91 0:00	Manual Tape	412.25	Good	
2/8/91 7:04	Auto FIC	406.8	Good	
2/9/91 0:00	Manual Tape	412.25	Good	
2/9/91 7:04	Auto FIC	406.8	Good	
2/10/91 0:00	Manual Tape	412	Good	
2/10/91 7:03	Auto FIC	406.80	Good	
2/11/91 0:00	Manual Tape	412.00	Good	
2/11/91 7:04	Auto FIC	406.80	Good	
2/12/91 0:00	Manual Tape	412.00	Good	
2/12/91 7:04	Auto FIC	406.80	Good	
2/13/91 0:00	Manual Tape	412	Good	
2/13/91 7:04	Auto FIC	406.8	Good	
2/14/91 0:00	Manual Tape	412	Good	
2/14/91 7:04	Auto FIC	406.8	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/15/91 0:00	Manual Tape	412.00	Good	
2/15/91 7:03	Auto FIC	406.90	Good	
2/16/91 0:00	Manual Tape	412.00	Good	
2/16/91 7:02	Auto FIC	406.9	Good	
2/17/91 0:00	Manual Tape	412.00	Good	
2/17/91 7:02	Auto FIC	406.9	Good	
2/18/91 0:00	Manual Tape	412.25	Good	
2/18/91 7:03	Auto FIC	406.8	Good	
2/19/91 0:00	Manual Tape	412.25	Good	
2/19/91 7:02	Auto FIC	406.90	Good	
2/20/91 0:00	Manual Tape	412.25	Good	
2/20/91 7:03	Auto FIC	406.9	Good	
2/21/91 0:00	Manual Tape	412.25	Good	
2/21/91 7:02	Auto FIC	406.9	Good	
2/22/91 0:00	Manual Tape	412.25	Good	
2/22/91 7:02	Auto FIC	406.90	Good	
2/23/91 0:00	Manual Tape	412.75	Good	
2/23/91 7:02	Auto FIC	406.90	Good	
2/24/91 0:00	Manual Tape	412.25	Good	
2/24/91 7:03	Auto FIC	406.90	Good	
2/25/91 0:00	Manual Tape	412.25	Good	
2/25/91 7:03	Auto FIC	406.9	Good	
2/26/91 0:00	Manual Tape	412.25	Good	
2/26/91 7:03	Auto FIC	406.90	Good	
2/27/91 0:00	Manual Tape	412.25	Good	
2/27/91 7:02	Auto FIC	407.00	Good	
2/28/91 0:00	Manual Tape	412.25	Good	
2/28/91 7:02	Auto FIC	407	Good	
3/1/91 0:00	Manual Tape	412.00	Good	
3/1/91 7:02	Auto FIC	407	Good	
3/2/91 0:00	Manual Tape	412.25	Good	
3/2/91 7:02	Auto FIC	407.00	Good	
3/3/91 0:00	Manual Tape	412.25	Good	
3/3/91 7:03	Auto FIC	407.00	Good	
3/4/91 0:00	Manual Tape	412.25	Good	
3/4/91 7:03	Auto FIC	407	Good	
3/5/91 0:00	Manual Tape	412.25	Good	
3/5/91 7:03	Auto FIC	407.00	Good	
3/6/91 0:00	Manual Tape	412.25	Good	
3/6/91 7:02	Auto FIC	407.00	Good	
3/7/91 0:00	Manual Tape	412.25	Good	
3/7/91 7:02	Auto FIC	407	Good	
3/8/91 0:00	Manual Tape	412.25	Good	
3/8/91 7:02	Auto FIC	407.00	Good	
3/9/91 0:00	Manual Tape	412.5	Good	
3/9/91 7:02	Auto FIC	407.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/10/91 0:00	Manual Tape	412.5	Good	
3/10/91 7:02	Auto FIC	407	Good	
3/11/91 0:00	Manual Tape	412.50	Good	
3/11/91 7:02	Auto FIC	407	Good	
3/12/91 0:00	Manual Tape	412.50	Good	
3/12/91 7:03	Auto FIC	407.1	Good	
3/13/91 0:00	Manual Tape	412.5	Good	
3/13/91 7:03	Auto FIC	407.10	Good	
3/14/91 0:00	Manual Tape	412.5	Good	
3/14/91 7:03	Auto FIC	407.10	Good	
3/15/91 0:00	Manual Tape	412.50	Good	
3/15/91 7:03	Auto FIC	407.1	Good	
3/16/91 0:00	Manual Tape	412.50	Good	
3/16/91 7:03	Auto FIC	407.20	Good	
3/17/91 0:00	Manual Tape	412.50	Good	
3/17/91 7:02	Auto FIC	407.20	Good	
3/18/91 0:00	Manual Tape	412.25	Good	
3/18/91 7:03	Auto FIC	407.30	Good	
3/19/91 0:00	Manual Tape	412.50	Good	
3/19/91 7:03	Auto FIC	407.2	Good	
3/20/91 0:00	Manual Tape	412.50	Good	
3/20/91 7:02	Auto FIC	407.1	Good	
3/21/91 0:00	Manual Tape	412.5	Good	
3/21/91 7:03	Auto FIC	407.20	Good	
3/22/91 0:00	Manual Tape	412.5	Good	
3/22/91 7:02	Auto FIC	407.20	Good	
3/23/91 0:00	Manual Tape	412.50	Good	
3/23/91 7:03	Auto FIC	407.2	Good	
3/24/91 0:00	Manual Tape	412.50	Good	
3/24/91 7:03	Auto FIC	407.1	Good	
3/25/91 0:00	Manual Tape	412.50	Good	
3/25/91 7:03	Auto FIC	407.20	Good	
3/26/91 0:00	Manual Tape	412.5	Good	
3/26/91 7:03	Auto FIC	407.10	Good	
3/27/91 0:00	Manual Tape	412.5	Good	
3/27/91 7:03	Auto FIC	407.1	Good	
3/28/91 0:00	Manual Tape	412.25	Good	
3/28/91 7:03	Auto FIC	407.1	Good	
3/29/91 0:00	Manual Tape	412.50	Good	
3/29/91 7:03	Auto FIC	407.10	Good	
3/30/91 0:00	Manual Tape	412.5	Good	
3/30/91 7:03	Auto FIC	407.1	Good	
3/31/91 0:00	Manual Tape	412.50	Good	
3/31/91 7:03	Auto FIC	407.1	Good	
4/1/91 0:00	Manual Tape	412.50	Good	
4/1/91 7:03	Auto FIC	407.10	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/2/91 0:00	Manual Tape	412.5	Good	
4/2/91 7:03	Auto FIC	407.10	Good	
4/3/91 0:00	Manual Tape	412.75	Good	
4/3/91 7:03	Auto FIC	407.10	Good	
4/4/91 0:00	Manual Tape	412.75	Good	
4/4/91 7:03	Auto FIC	407.1	Good	
4/5/91 0:00	Manual Tape	412.75	Good	
4/5/91 7:03	Auto FIC	407.2	Good	
4/6/91 0:00	Manual Tape	412.75	Good	
4/6/91 7:03	Auto FIC	407.20	Good	
4/7/91 0:00	Manual Tape	412.75	Good	
4/7/91 7:03	Auto FIC	407.10	Good	
4/8/91 0:00	Manual Tape	412.75	Good	
4/8/91 7:04	Auto FIC	407.1	Good	
4/9/91 0:00	Manual Tape	412.75	Good	
4/9/91 7:03	Auto FIC	407.2	Good	
4/10/91 0:00	Manual Tape	412.75	Good	
4/10/91 7:03	Auto FIC	407.20	Good	
4/11/91 0:00	Manual Tape	412.75	Good	
4/11/91 7:03	Auto FIC	407.1	Good	
4/12/91 0:00	Manual Tape	412.75	Good	
4/12/91 7:03	Auto FIC	407.1	Good	
4/13/91 0:00	Manual Tape	412.75	Good	
4/13/91 7:04	Auto FIC	407.20	Good	
4/14/91 0:00	Manual Tape	412.75	Good	
4/14/91 7:03	Auto FIC	407.30	Good	
4/15/91 0:00	Manual Tape	412.75	Good	
4/15/91 7:03	Auto FIC	407.30	Good	
4/16/91 0:00	Manual FIC	407.3	Good	
4/16/91 0:00	Manual Tape	412.75	Good	
4/17/91 0:00	Manual Tape	413.00	Good	
4/17/91 7:03	Auto FIC	407.4	Good	
4/18/91 0:00	Manual Tape	413.00	Good	
4/18/91 7:06	Auto FIC	407.4	Good	
4/19/91 0:00	Manual Tape	413	Good	
4/19/91 7:05	Auto FIC	407.50	Good	
4/20/91 0:00	Manual Tape	413.00	Good	
4/20/91 7:06	Auto FIC	407.40	Good	
4/21/91 0:00	Manual Tape	413.00	Good	
4/21/91 7:05	Auto FIC	407.4	Good	
4/22/91 0:00	Manual Tape	413.00	Good	
4/22/91 7:06	Auto FIC	407.40	Good	
4/23/91 0:00	Manual Tape	413.00	Good	
4/23/91 7:06	Auto FIC	407.50	Good	
4/24/91 0:00	Manual Tape	413.00	Good	
4/24/91 7:05	Auto FIC	407.4	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/25/91 0:00	Manual Tape	412.75	Good	
4/25/91 7:05	Auto FIC	407.5	Good	
4/26/91 0:00	Manual Tape	413.00	Good	
4/26/91 7:05	Auto FIC	407.5	Good	
4/27/91 0:00	Manual Tape	413.00	Good	
4/27/91 7:05	Auto FIC	407.4	Good	
4/28/91 0:00	Manual Tape	413.00	Good	
4/28/91 7:06	Auto FIC	407.40	Good	
4/29/91 0:00	Manual Tape	413	Good	
4/29/91 7:05	Auto FIC	407.40	Good	
4/30/91 0:00	Manual Tape	413.00	Good	
4/30/91 7:06	Auto FIC	407.40	Good	
5/1/91 0:00	Manual Tape	413.00	Good	
5/1/91 7:05	Auto FIC	407.5	Good	
5/2/91 0:00	Manual Tape	413.00	Good	
5/2/91 7:05	Auto FIC	407.50	Good	
5/3/91 0:00	Manual Tape	413	Good	
5/3/91 7:06	Auto FIC	406.9	Good	
5/4/91 0:00	Manual Tape	412.75	Good	
5/4/91 7:05	Auto FIC	406.8	Good	
5/5/91 0:00	Manual Tape	412.75	Good	
5/5/91 7:05	Auto FIC	406.80	Good	
5/6/91 0:00	Manual Tape	412.75	Good	
5/6/91 7:05	Auto FIC	406.9	Good	
5/7/91 0:00	Manual Tape	412.75	Good	
5/7/91 7:05	Auto FIC	406.9	Good	
5/8/91 0:00	Manual Tape	413.00	Good	
5/8/91 7:05	Auto FIC	406.90	Good	
5/9/91 0:00	Manual Tape	413.00	Good	
5/9/91 7:05	Auto FIC	406.90	Good	
5/10/91 0:00	Manual Tape	413.00	Good	
5/10/91 7:05	Auto FIC	406.90	Good	
5/11/91 0:00	Manual Tape	412.75	Good	
5/11/91 7:05	Auto FIC	406.9	Good	
5/12/91 0:00	Manual Tape	412.75	Good	
5/12/91 7:05	Auto FIC	407	Good	
5/13/91 0:00	Manual Tape	412.75	Good	
5/13/91 7:05	Auto FIC	407.00	Good	
5/14/91 0:00	Manual Tape	412.75	Good	
5/14/91 7:05	Auto FIC	407	Good	
5/15/91 0:00	Manual Tape	412.75	Good	
5/15/91 7:05	Auto FIC	407.00	Good	
5/16/91 0:00	Manual Tape	412.5	Good	
5/16/91 7:06	Auto FIC	407.00	Good	
5/17/91 0:00	Manual Tape	412.50	Good	
5/17/91 7:06	Auto FIC	407.1	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/18/91 0:00	Manual Tape	412.75	Good	
5/18/91 7:06	Auto FIC	407.10	Good	
5/19/91 0:00	Manual Tape	412.75	Good	
5/19/91 7:05	Auto FIC	407.10	Good	
5/20/91 0:00	Manual Tape	412.50	Good	
5/20/91 7:06	Auto FIC	407.1	Good	
5/21/91 0:00	Manual Tape	412.75	Good	
5/21/91 7:06	Auto FIC	407.1	Good	
5/22/91 0:00	Manual Tape	412.5	Good	
5/22/91 7:05	Auto FIC	407.1	Good	
5/23/91 0:00	Manual Tape	412.5	Good	
5/23/91 7:05	Auto FIC	407.10	Good	
5/24/91 0:00	Manual Tape	412.75	Good	
5/24/91 7:05	Auto FIC	407.10	Good	
5/25/91 0:00	Manual Tape	412.50	Good	
5/25/91 7:05	Auto FIC	407.10	Good	
5/26/91 0:00	Manual Tape	412.50	Good	
5/26/91 7:05	Auto FIC	407.20	Good	
5/27/91 0:00	Manual Tape	412.75	Good	
5/27/91 7:05	Auto FIC	407.2	Good	
5/28/91 0:00	Manual Tape	412.75	Good	
5/28/91 7:05	Auto FIC	407.2	Good	
5/29/91 0:00	Manual Tape	413.00	Good	
5/29/91 7:05	Auto FIC	407.20	Good	
5/30/91 0:00	Manual Tape	412.75	Good	
5/30/91 7:05	Auto FIC	407.3	Good	
5/31/91 0:00	Manual Tape	412.75	Good	
5/31/91 7:05	Auto FIC	407.30	Good	
6/1/91 0:00	Manual Tape	412.25	Good	
6/1/91 6:05	Auto FIC	407.30	Good	
6/2/91 0:00	Manual Tape	412.75	Good	
6/2/91 3:05	Auto FIC	407.4	Good	
6/3/91 0:00	Manual Tape	412.75	Good	
6/3/91 7:05	Auto FIC	407.40	Good	
6/4/91 0:00	Manual Tape	412.75	Good	
6/4/91 7:05	Auto FIC	407.30	Good	
6/5/91 0:00	Manual Tape	413.00	Good	
6/5/91 7:05	Auto FIC	407.4	Good	
6/6/91 0:00	Manual Tape	413.00	Good	
6/6/91 7:06	Auto FIC	407.40	Good	
6/7/91 0:00	Manual Tape	413.00	Good	
6/7/91 7:05	Auto FIC	407.4	Good	
6/8/91 0:00	Manual Tape	413	Good	
6/8/91 7:05	Auto FIC	407.4	Good	
6/9/91 0:00	Manual Tape	413	Good	
6/9/91 7:05	Auto FIC	407.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/10/91 0:00	Manual Tape	413.25	Good	
6/10/91 7:06	Auto FIC	407.50	Good	
6/11/91 0:00	Manual Tape	413.25	Good	
6/11/91 7:05	Auto FIC	407.50	Good	
6/12/91 0:00	Manual Tape	413.25	Good	
6/12/91 7:04	Auto FIC	407.5	Good	
6/13/91 0:00	Manual Tape	413	Good	
6/13/91 7:05	Auto FIC	407.5	Good	
6/14/91 0:00	Manual Tape	413.25	Good	
6/14/91 7:05	Auto FIC	407.50	Good	
6/15/91 0:00	Manual Tape	413.25	Good	
6/15/91 7:05	Auto FIC	407.5	Good	
6/16/91 0:00	Manual Tape	413.25	Good	
6/16/91 7:05	Auto FIC	407.5	Good	
6/17/91 0:00	Manual Tape	413.25	Good	
6/17/91 7:05	Auto FIC	407.50	Good	
6/18/91 0:00	Manual Tape	413.25	Good	
6/18/91 7:05	Auto FIC	407.50	Good	
6/19/91 0:00	Manual Tape	413.25	Good	
6/19/91 7:05	Auto FIC	407.60	Good	
6/20/91 0:00	Manual Tape	413.25	Good	
6/20/91 7:05	Auto FIC	407.6	Good	
6/21/91 0:00	Manual Tape	413.25	Good	
6/21/91 7:06	Auto FIC	407.6	Good	
6/22/91 0:00	Manual Tape	413.25	Good	
6/22/91 3:06	Auto FIC	407.60	Good	
6/23/91 0:00	Manual Tape	413.25	Good	
6/23/91 7:05	Auto FIC	407.6	Good	
6/24/91 0:00	Manual Tape	413.25	Good	
6/24/91 5:05	Auto FIC	407.6	Good	
6/25/91 0:00	Manual Tape	413.25	Good	
6/25/91 7:06	Auto FIC	407.60	Good	
6/26/91 0:00	Manual Tape	413.25	Good	
6/26/91 1:03	Auto FIC	407.80	Good	
6/27/91 0:00	Manual FIC	407.70	Good	
6/27/91 0:00	Manual Tape	413.25	Good	
6/28/91 0:00	Manual Tape	413.25	Good	
6/28/91 7:03	Auto FIC	407.7	Good	
6/29/91 0:00	Manual FIC	407.80	Good	
6/29/91 0:00	Manual Tape	413.25	Good	
6/29/91 6:02	Auto FIC	400.8	Suspect	Data not included in graph
6/30/91 0:00	Manual FIC	407.7	Good	
6/30/91 0:00	Manual Tape	413.25	Good	
7/1/91 0:00	Manual FIC	407.70	Good	
7/1/91 0:00	Manual Tape	413.50	Good	
7/2/91 0:00	Manual FIC	407.80	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/2/91 0:00	Manual Tape	413.5	Good	
7/3/91 0:00	Manual FIC	407.8	Good	
7/3/91 0:00	Manual Tape	413.5	Good	
7/3/91 7:06	Auto FIC	0	Suspect	Data not included in graph
7/4/91 0:00	Manual FIC	407.85	Good	
7/4/91 0:00	Manual Tape	413.50	Good	
7/5/91 0:00	Manual FIC	407.85	Good	
7/5/91 0:00	Manual Tape	413.50	Good	
7/6/91 0:00	Manual FIC	407.85	Good	
7/6/91 0:00	Manual Tape	413.50	Good	
7/7/91 0:00	Manual FIC	407.90	Good	
7/7/91 0:00	Manual Tape	413.5	Good	
7/8/91 0:00	Manual FIC	407.9	Good	
7/8/91 0:00	Manual Tape	413.5	Good	
7/9/91 0:00	Manual FIC	407.90	Good	
7/9/91 0:00	Manual Tape	413.50	Good	
7/10/91 0:00	Manual FIC	408.00	Good	
7/10/91 0:00	Manual Tape	413.50	Good	
7/11/91 0:00	Manual FIC	407.9	Good	
7/11/91 0:00	Manual Tape	413.5	Good	
7/11/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/12/91 0:00	Manual Tape	413.25	Good	
7/12/91 7:06	Auto FIC	407.9	Good	
7/13/91 0:00	Manual Tape	413.50	Good	
7/13/91 7:06	Auto FIC	408	Good	
7/14/91 0:00	Manual Tape	413.5	Good	
7/14/91 2:06	Auto FIC	408.10	Good	
7/15/91 0:00	Manual Tape	413.50	Good	
7/15/91 7:06	Auto FIC	408.20	Good	
7/16/91 0:00	Manual FIC	408.2	Good	
7/16/91 0:00	Manual Tape	413.5	Good	
7/17/91 0:00	Manual FIC	408.30	Good	
7/17/91 0:00	Manual Tape	413.50	Good	
7/17/91 7:05	Auto FIC	203.1	Suspect	Data not included in graph
7/18/91 0:00	Manual FIC	408.20	Good	
7/18/91 0:00	Manual Tape	413.50	Good	
7/19/91 0:00	Manual Tape	413.5	Good	
7/19/91 7:05	Auto FIC	408.2	Good	
7/20/91 0:00	Manual Tape	413.5	Good	
7/20/91 2:05	Auto FIC	408.1	Good	
7/21/91 0:00	Manual Tape	413.50	Good	
7/21/91 1:05	Auto FIC	408.20	Good	
7/22/91 0:00	Manual FIC	408.20	Good	
7/22/91 0:00	Manual Tape	413.50	Good	
7/23/91 0:00	Manual Tape	413.50	Good	
7/23/91 0:05	Auto FIC	408.3	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/24/91 0:00	Manual Tape	413.5	Good	
7/24/91 7:05	Auto FIC	408.3	Good	
7/25/91 0:00	Manual Tape	413.5	Good	
7/25/91 1:03	Auto FIC	408.30	Good	
7/26/91 0:00	Manual FIC	408.30	Good	
7/26/91 0:00	Manual Tape	413.75	Good	
7/27/91 0:00	Manual FIC	408.3	Good	
7/27/91 0:00	Manual Tape	413.50	Good	
7/28/91 0:00	Manual FIC	408.4	Good	
7/28/91 0:00	Manual Tape	413.50	Good	
7/29/91 0:00	Manual FIC	408.40	Good	
7/29/91 0:00	Manual Tape	414	Good	
7/30/91 0:00	Manual Tape	413.75	Good	
7/30/91 7:02	Auto FIC	408.40	Good	
7/31/91 0:00	Manual Tape	413.75	Good	
7/31/91 7:02	Auto FIC	408.40	Good	
8/1/91 0:00	Manual Tape	413.75	Good	
8/1/91 7:02	Auto FIC	408.4	Good	
8/2/91 0:00	Manual Tape	413.75	Good	
8/2/91 7:02	Auto FIC	408.4	Good	
8/3/91 0:00	Manual FIC	408.40	Good	
8/3/91 0:00	Manual Tape	413.75	Good	
8/3/91 7:02	Auto FIC	8.50	Suspect	Data not included in graph
8/4/91 0:00	Manual Tape	413.75	Good	
8/4/91 7:02	Auto FIC	408.4	Good	
8/5/91 0:00	Manual Tape	413.75	Good	
8/5/91 7:02	Auto FIC	408.4	Good	
8/6/91 0:00	Manual Tape	413.75	Good	
8/6/91 7:02	Auto FIC	408.40	Good	
8/7/91 0:00	Manual Tape	414.00	Good	
8/7/91 7:06	Auto FIC	408.40	Good	
8/8/91 0:00	Manual Tape	414.00	Good	
8/8/91 7:06	Auto FIC	408.40	Good	
8/9/91 0:00	Manual Tape	414.00	Good	
8/9/91 7:04	Auto FIC	408.5	Good	
8/10/91 0:00	Manual Tape	413.75	Good	
8/10/91 7:04	Auto FIC	408.3	Good	
8/11/91 0:00	Manual Tape	413.75	Good	
8/11/91 7:04	Auto FIC	408.30	Good	
8/12/91 0:00	Manual Tape	413.75	Good	
8/12/91 7:04	Auto FIC	408.3	Good	
8/13/91 0:00	Manual Tape	413.75	Good	
8/13/91 7:04	Auto FIC	408.3	Good	
8/14/91 0:00	Manual Tape	413.75	Good	
8/14/91 7:04	Auto FIC	408.3	Good	
8/15/91 0:00	Manual Tape	414.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/15/91 7:03	Auto FIC	408.30	Good	
8/16/91 0:00	Manual FIC	408.5	Good	
8/16/91 0:00	Manual Tape	414.00	Good	
8/17/91 0:00	Manual Tape	413.25	Good	
8/17/91 7:02	Auto FIC	408.40	Good	
8/18/91 0:00	Manual Tape	414	Good	
8/18/91 7:03	Auto FIC	408.4	Good	
8/19/91 0:00	Manual Tape	414.00	Good	
8/19/91 7:02	Auto FIC	408.40	Good	
8/20/91 0:00	Manual Tape	414.00	Good	
8/20/91 7:04	Auto FIC	408.60	Good	
8/21/91 0:00	Manual Tape	414.00	Good	
8/21/91 7:03	Auto FIC	408.4	Good	
8/22/91 0:00	Manual Tape	414	Good	
8/22/91 7:03	Auto FIC	408.5	Good	
8/23/91 0:00	Manual Tape	414	Good	
8/23/91 7:02	Auto FIC	408.6	Good	
8/24/91 0:00	Manual FIC	408.80	Good	
8/24/91 0:00	Manual Tape	414.00	Good	
8/24/91 7:02	Auto FIC	8.7	Suspect	Data not included in graph
8/25/91 0:00	Manual Tape	414.00	Good	
8/25/91 7:02	Auto FIC	408.8	Good	
8/26/91 0:00	Manual Tape	414	Good	
8/26/91 7:03	Auto FIC	408.80	Good	
8/27/91 0:00	Manual Tape	414.25	Good	
8/27/91 7:03	Auto FIC	408.8	Good	
8/28/91 0:00	Manual Tape	414.00	Good	
8/28/91 7:03	Auto FIC	408.9	Good	
8/29/91 0:00	Manual Tape	414.25	Good	
8/29/91 7:02	Auto FIC	408.8	Good	
8/30/91 0:00	Manual Tape	414.25	Good	
8/30/91 6:02	Auto FIC	408.90	Good	
8/31/91 0:00	Manual Tape	414.25	Good	
8/31/91 7:02	Auto FIC	409	Good	
9/1/91 0:00	Manual Tape	414.25	Good	
9/1/91 7:02	Auto FIC	408.8	Good	
9/2/91 0:00	Manual Tape	414.25	Good	
9/2/91 7:02	Auto FIC	409	Good	
9/3/91 0:00	Manual Tape	414.25	Good	
9/3/91 7:02	Auto FIC	409.00	Good	
9/4/91 0:00	Manual Tape	414.25	Good	
9/4/91 7:03	Auto FIC	409	Good	
9/5/91 0:00	Manual Tape	414.25	Good	
9/5/91 7:02	Auto FIC	409	Good	
9/6/91 0:00	Manual Tape	414.50	Good	
9/6/91 7:02	Auto FIC	409	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/7/91 0:00	Manual Tape	414.5	Good	
9/7/91 7:02	Auto FIC	409.10	Good	
9/8/91 0:00	Manual FIC	409	Good	
9/8/91 0:00	Manual Tape	414.50	Good	
9/8/91 7:02	Auto FIC	1	Suspect	Data not included in graph
9/9/91 0:00	Manual Tape	414.50	Good	
9/9/91 7:03	Auto FIC	409	Good	
9/10/91 0:00	Manual Tape	414.5	Good	
9/10/91 7:02	Auto FIC	408.7	Good	
9/11/91 0:00	Manual Tape	414.5	Good	
9/11/91 7:03	Auto FIC	408.70	Good	
9/12/91 0:00	Manual Tape	414.50	Good	
9/12/91 7:02	Auto FIC	408.6	Good	
9/13/91 0:00	Manual Tape	414.75	Good	
9/13/91 7:02	Auto FIC	408.7	Good	
9/14/91 0:00	Manual Tape	414.50	Good	
9/14/91 7:03	Auto FIC	408.6	Good	
9/15/91 0:00	Manual Tape	414.50	Good	
9/15/91 7:02	Auto FIC	408.60	Good	
9/16/91 0:00	Manual Tape	414.5	Good	
9/16/91 7:03	Auto FIC	408.7	Good	
9/17/91 0:00	Manual Tape	414.5	Good	
9/17/91 7:03	Auto FIC	408.7	Good	
9/18/91 0:00	Manual Tape	414.50	Good	
9/18/91 7:03	Auto FIC	408.7	Good	
9/19/91 0:00	Manual Tape	414.50	Good	
9/19/91 7:03	Auto FIC	408.70	Good	
9/20/91 0:00	Manual Tape	414.5	Good	
9/20/91 7:02	Auto FIC	408.8	Good	
9/21/91 0:00	Manual Tape	414.75	Good	
9/21/91 7:02	Auto FIC	408.7	Good	
9/22/91 0:00	Manual Tape	414.75	Good	
9/22/91 7:03	Auto FIC	408.7	Good	
9/23/91 0:00	Manual Tape	414.75	Good	
9/23/91 7:03	Auto FIC	408.80	Good	
9/24/91 0:00	Manual Tape	414.75	Good	
9/24/91 7:02	Auto FIC	408.8	Good	
9/25/91 0:00	Manual Tape	415	Good	
9/25/91 7:03	Auto FIC	408.8	Good	
9/26/91 0:00	Manual Tape	415.00	Good	
9/26/91 7:03	Auto FIC	408.80	Good	
9/27/91 0:00	Manual Tape	415.00	Good	
9/27/91 7:02	Auto FIC	408.90	Good	
9/28/91 0:00	Manual Tape	415	Good	
9/28/91 7:02	Auto FIC	408.9	Good	
9/29/91 0:00	Manual Tape	415	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/29/91 7:03	Auto FIC	408.9	Good	
9/30/91 0:00	Manual Tape	415.00	Good	
9/30/91 7:03	Auto FIC	408.90	Good	
10/1/91 0:00	Manual Tape	415.00	Good	
10/1/91 7:02	Auto FIC	408.90	Good	
10/2/91 0:00	Manual Tape	415.00	Good	
10/2/91 7:02	Auto FIC	408.9	Good	
10/3/91 0:00	Manual Tape	415.00	Good	
10/3/91 7:02	Auto FIC	408.9	Good	
10/4/91 0:00	Manual Tape	415	Good	
10/4/91 7:03	Auto FIC	408.90	Good	
10/5/91 0:00	Manual FIC	409.00	Good	
10/5/91 0:00	Manual Tape	415.00	Good	
10/6/91 0:00	Manual Tape	415.00	Good	
10/6/91 7:03	Auto FIC	409.00	Good	
10/7/91 0:00	Manual Tape	415	Good	
10/7/91 7:02	Auto FIC	409	Good	
10/8/91 0:00	Manual Tape	415.00	Good	
10/8/91 7:02	Auto FIC	409	Good	
10/9/91 0:00	Manual Tape	415.00	Good	
10/9/91 7:02	Auto FIC	409.10	Good	
10/10/91 0:00	Manual Tape	415.25	Good	
10/10/91 7:02	Auto FIC	409.00	Good	
10/11/91 0:00	Manual Tape	415.25	Good	
10/11/91 7:02	Auto FIC	409	Good	
10/12/91 0:00	Manual Tape	415.25	Good	
10/12/91 7:02	Auto FIC	409	Good	
10/13/91 0:00	Manual Tape	415.25	Good	
10/13/91 7:03	Auto FIC	409.00	Good	
10/14/91 0:00	Manual Tape	415.25	Good	
10/14/91 7:02	Auto FIC	409.00	Good	
10/15/91 0:00	Manual Tape	415.25	Good	
10/15/91 7:02	Auto FIC	409	Good	
10/16/91 0:00	Manual Tape	415.25	Good	
10/16/91 7:03	Auto FIC	409.1	Good	
10/17/91 0:00	Manual Tape	415.25	Good	
10/17/91 7:05	Auto FIC	409.00	Good	
10/18/91 0:00	Manual Tape	415.25	Good	
10/18/91 7:06	Auto FIC	409.00	Good	
10/19/91 0:00	Manual Tape	415.25	Good	
10/19/91 7:06	Auto FIC	409	Good	
10/20/91 0:00	Manual Tape	415.25	Good	
10/20/91 7:02	Auto FIC	409.1	Good	
10/21/91 0:00	Manual Tape	415.25	Good	
10/21/91 7:02	Auto FIC	409.20	Good	
10/22/91 0:00	Manual Tape	415.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/22/91 7:03	Auto FIC	409.10	Good	
10/23/91 0:00	Manual Tape	415.25	Good	
10/23/91 7:02	Auto FIC	409.1	Good	
10/24/91 0:00	Manual Tape	415.25	Good	
10/24/91 7:02	Auto FIC	409.1	Good	
10/25/91 0:00	Manual Tape	415.25	Good	
10/25/91 7:03	Auto FIC	409.20	Good	
10/26/91 0:00	Manual Tape	415.25	Good	
10/26/91 7:03	Auto FIC	409.20	Good	
10/27/91 0:00	Manual Tape	415.25	Good	
10/27/91 7:02	Auto FIC	409.1	Good	
10/28/91 0:00	Manual Tape	415.25	Good	
10/28/91 7:02	Auto FIC	409.1	Good	
10/29/91 0:00	Manual Tape	415.25	Good	
10/29/91 7:03	Auto FIC	409.10	Good	
10/30/91 0:00	Manual Tape	415.25	Good	
10/30/91 7:03	Auto FIC	409.10	Good	
10/31/91 0:00	Manual Tape	415.25	Good	
10/31/91 7:03	Auto FIC	409.2	Good	
11/1/91 0:00	Manual Tape	415.50	Good	
11/1/91 7:02	Auto FIC	409.2	Good	
11/2/91 0:00	Manual Tape	415.00	Good	
11/2/91 7:03	Auto FIC	409.20	Good	
11/3/91 0:00	Manual Tape	414.75	Good	
11/3/91 7:03	Auto FIC	408.90	Good	
11/4/91 0:00	Manual Tape	414.75	Good	
11/4/91 7:02	Auto FIC	408.8	Good	
11/5/91 0:00	Manual FIC	408.80	Good	
11/5/91 0:00	Manual Tape	414.75	Good	
11/5/91 7:03	Auto FIC	8.8	Suspect	Data not included in graph
11/6/91 0:00	Manual FIC	408.80	Good	
11/6/91 0:00	Manual Tape	414.75	Good	
11/6/91 7:03	Auto FIC	8.90	Suspect	Data not included in graph
11/7/91 0:00	Manual FIC	408.8	Good	
11/7/91 0:00	Manual Tape	414.50	Good	
11/7/91 7:02	Auto FIC	8.80	Suspect	Data not included in graph
11/8/91 0:00	Manual FIC	409	Good	
11/8/91 0:00	Manual Tape	414.25	Good	
11/8/91 7:03	Auto FIC	8.9	Suspect	Data not included in graph
11/9/91 0:00	Manual FIC	408.75	Good	
11/9/91 0:00	Manual Tape	414.25	Good	
11/9/91 7:02	Auto FIC	8.9	Suspect	Data not included in graph
11/10/91 0:00	Manual Tape	414.25	Good	
11/10/91 7:03	Auto FIC	408.90	Good	
11/11/91 0:00	Manual Tape	414.25	Good	
11/11/91 6:03	Auto FIC	408.80	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/12/91 0:00	Manual Tape	414.25	Good	
11/12/91 7:03	Auto FIC	408.8	Good	
11/13/91 0:00	Manual Tape	414.25	Good	
11/13/91 7:03	Auto FIC	408.8	Good	
11/14/91 0:00	Manual Tape	414.25	Good	
11/14/91 7:03	Auto FIC	408.80	Good	
11/15/91 0:00	Manual FIC	408.80	Good	
11/15/91 0:00	Manual Tape	414.25	Good	
11/15/91 7:03	Auto FIC	8.90	Suspect	Data not included in graph
11/16/91 0:00	Manual FIC	408.9	Good	
11/16/91 0:00	Manual Tape	414.25	Good	
11/16/91 7:03	Auto FIC	8.9	Suspect	Data not included in graph
11/17/91 0:00	Manual Tape	414.50	Good	
11/17/91 7:02	Auto FIC	408.9	Good	
11/18/91 0:00	Manual FIC	409.00	Good	
11/18/91 0:00	Manual Tape	414.50	Good	
11/18/91 7:03	Auto FIC	8.90	Suspect	Data not included in graph
11/19/91 0:00	Manual FIC	409	Good	
11/19/91 0:00	Manual Tape	414.50	Good	
11/19/91 7:03	Auto FIC	8.90	Suspect	Data not included in graph
11/20/91 0:00	Manual Tape	414.5	Good	
11/20/91 0:03	Auto FIC	409	Good	
11/21/91 0:00	Manual FIC	408.80	Good	
11/21/91 0:00	Manual Tape	414.25	Good	
11/21/91 7:02	Auto FIC	8.9	Suspect	Data not included in graph
11/22/91 0:00	Manual FIC	408.80	Good	
11/22/91 0:00	Manual Tape	414.25	Good	
11/22/91 7:03	Auto FIC	8.80	Suspect	Data not included in graph
11/23/91 0:00	Manual Tape	414.25	Good	
11/23/91 7:02	Auto FIC	408.80	Good	
11/24/91 0:00	Manual Tape	414.25	Good	
11/24/91 7:03	Auto FIC	408.7	Good	
11/25/91 0:00	Manual FIC	408.8	Good	
11/25/91 0:00	Manual Tape	414.50	Good	
11/25/91 6:03	Auto FIC	8.8	Suspect	Data not included in graph
11/26/91 0:00	Manual FIC	408.90	Good	
11/26/91 0:00	Manual Tape	414.25	Good	
11/27/91 0:00	Manual Tape	414.25	Good	
11/27/91 7:03	Auto FIC	408.90	Good	
11/28/91 0:00	Manual FIC	408.80	Good	
11/28/91 0:00	Manual Tape	414.25	Good	
11/28/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/29/91 0:00	Manual FIC	408.8	Good	
11/29/91 0:00	Manual Tape	414.25	Good	
11/29/91 7:03	Auto FIC	8.8	Suspect	Data not included in graph
11/30/91 0:00	Manual FIC	408.80	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/30/91 0:00	Manual Tape	414.25	Good	
11/30/91 3:03	Auto FIC	8.7	Suspect	Data not included in graph
12/1/91 0:00	Manual Tape	414.25	Good	
12/1/91 5:03	Auto FIC	408.80	Good	
12/2/91 0:00	Manual Tape	414.25	Good	
12/2/91 7:03	Auto FIC	408.80	Good	
12/3/91 0:00	Manual Tape	414.5	Good	
12/3/91 7:03	Auto FIC	408.8	Good	
12/4/91 0:00	Manual Tape	414.25	Good	
12/4/91 7:03	Auto FIC	408.8	Good	
12/5/91 0:00	Manual Tape	414.25	Good	
12/5/91 7:03	Auto FIC	408.80	Good	
12/6/91 0:00	Manual Tape	414.5	Good	
12/6/91 7:04	Auto FIC	408.90	Good	
12/7/91 0:00	Manual FIC	408.9	Good	
12/7/91 0:00	Manual Tape	414.25	Good	
12/7/91 7:03	Auto FIC	8.9	Suspect	Data not included in graph
12/8/91 0:00	Manual Tape	414.25	Good	
12/8/91 7:03	Auto FIC	408.8	Good	
12/9/91 0:00	Manual Tape	414.25	Good	
12/9/91 7:03	Auto FIC	408.80	Good	
12/10/91 0:00	Manual Tape	414.25	Good	
12/10/91 7:03	Auto FIC	408.80	Good	
12/11/91 0:00	Manual FIC	408.90	Good	
12/11/91 0:00	Manual Tape	414.25	Good	
12/11/91 7:02	Auto FIC	8.90	Suspect	Data not included in graph
12/12/91 0:00	Manual Tape	414.25	Good	
12/12/91 7:03	Auto FIC	408.9	Good	
12/13/91 0:00	Manual Tape	414.25	Good	
12/13/91 1:06	Auto FIC	408.8	Good	
12/14/91 0:00	Manual Tape	414.25	Good	
12/14/91 6:02	Auto FIC	408.80	Good	
12/15/91 0:00	Manual Tape	414.25	Good	
12/15/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
12/16/91 0:00	Manual FIC	408.8	Good	
12/16/91 0:00	Manual Tape	414.25	Good	
12/16/91 7:03	Auto FIC	0	Suspect	Data not included in graph
12/17/91 0:00	Manual Tape	414.25	Good	
12/17/91 7:06	Auto FIC	408.7	Good	
12/18/91 0:00	Manual Tape	414.5	Good	
12/18/91 7:03	Auto FIC	408.80	Good	
12/19/91 0:00	Manual FIC	408.70	Good	
12/19/91 0:00	Manual Tape	414.25	Good	
12/19/91 7:03	Auto FIC	8.70	Suspect	Data not included in graph
12/20/91 0:00	Manual Tape	414.25	Good	
12/20/91 7:02	Auto FIC	408.70	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/21/91 0:00	Manual Tape	414.25	Good	
12/21/91 7:03	Auto FIC	408.8	Good	
12/22/91 0:00	Manual FIC	408.9	Good	
12/22/91 0:00	Manual Tape	414.25	Good	
12/22/91 7:05	Auto FIC	8.8	Suspect	Data not included in graph
12/23/91 0:00	Manual Tape	414.50	Good	
12/23/91 7:06	Auto FIC	408.80	Good	
12/24/91 0:00	Manual Tape	414.5	Good	
12/24/91 7:03	Auto FIC	408.80	Good	
12/25/91 0:00	Manual Tape	414.50	Good	
12/25/91 7:03	Auto FIC	408.8	Good	
12/26/91 0:00	Manual Tape	414.5	Good	
12/26/91 7:03	Auto FIC	408.9	Good	
12/27/91 0:00	Manual Tape	414.5	Good	
12/27/91 7:03	Auto FIC	408.9	Good	
12/28/91 0:00	Manual Tape	414.50	Good	
12/28/91 7:02	Auto FIC	409.00	Good	
12/29/91 0:00	Manual FIC	408.90	Good	
12/29/91 0:00	Manual Tape	414.50	Good	
12/29/91 7:03	Auto FIC	8.90	Suspect	Data not included in graph
12/30/91 0:00	Manual Tape	414.75	Good	
12/30/91 7:03	Auto FIC	408.90	Good	
12/31/91 0:00	Manual Tape	414.50	Good	
12/31/91 6:03	Auto FIC	408.8	Good	
1/1/92 0:00	Manual Tape	414.5	Good	
1/1/92 7:03	Auto FIC	408.9	Good	
1/2/92 0:00	Manual Tape	414.75	Good	
1/2/92 7:02	Auto FIC	409	Good	
1/3/92 0:00	Manual Tape	414.5	Good	
1/3/92 7:04	Auto FIC	409.00	Good	
1/4/92 0:00	Manual Tape	414.50	Good	
1/4/92 1:02	Auto FIC	409.00	Good	
1/5/92 0:00	Manual Tape	414.50	Good	
1/5/92 7:03	Auto FIC	409	Good	
1/6/92 0:00	Manual Tape	414.75	Good	
1/6/92 7:03	Auto FIC	408.9	Good	
1/7/92 0:00	Manual FIC	408.90	Good	
1/7/92 0:00	Manual Tape	414.5	Good	
1/7/92 7:04	Auto FIC	8.90	Suspect	Data not included in graph
1/8/92 0:00	Manual Tape	414.5	Good	
1/8/92 7:03	Auto FIC	408.80	Good	
1/9/92 0:00	Manual FIC	408.9	Good	
1/9/92 0:00	Manual Tape	414.5	Good	
1/9/92 7:03	Auto FIC	8.9	Suspect	Data not included in graph
1/10/92 0:00	Manual FIC	408.90	Good	
1/10/92 0:00	Manual Tape	414.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/10/92 7:04	Auto FIC	0	Suspect	Data not included in graph
1/11/92 0:00	Manual FIC	409.00	Good	
1/11/92 0:00	Manual Tape	414.5	Good	
1/11/92 7:04	Auto FIC	8.90	Suspect	Data not included in graph
1/12/92 0:00	Manual FIC	408.90	Good	
1/12/92 0:00	Manual Tape	414.50	Good	
1/13/92 0:00	Manual FIC	408.9	Good	
1/13/92 0:00	Manual Tape	414.50	Good	
1/14/92 0:00	Manual FIC	408.90	Good	
1/14/92 0:00	Manual Tape	414.5	Good	
1/15/92 0:00	Manual FIC	408.85	Good	
1/15/92 0:00	Manual Tape	414.5	Good	
1/15/92 7:03	Auto FIC	8.9	Suspect	Data not included in graph
1/16/92 0:00	Manual FIC	408.90	Good	
1/16/92 0:00	Manual Tape	414.50	Good	
1/16/92 7:04	Auto FIC	8.9	Suspect	Data not included in graph
1/17/92 0:00	Manual Tape	414.75	Good	
1/17/92 7:04	Auto FIC	8.90	Suspect	Data not included in graph
1/18/92 0:00	Manual FIC	408.8	Good	
1/18/92 0:00	Manual Tape	414.25	Good	
1/18/92 7:04	Auto FIC	8.80	Suspect	Data not included in graph
1/19/92 0:00	Manual Tape	414.5	Good	
1/19/92 7:03	Auto FIC	408.90	Good	
1/20/92 0:00	Manual Tape	414.25	Good	
1/20/92 7:03	Auto FIC	408.9	Good	
1/21/92 0:00	Manual FIC	408.90	Good	
1/21/92 0:00	Manual Tape	414.50	Good	
1/21/92 7:03	Auto FIC	8.9	Suspect	Data not included in graph
1/22/92 0:00	Manual FIC	408.9	Good	
1/22/92 0:00	Manual Tape	414.50	Good	
1/22/92 7:06	Auto FIC	8.90	Suspect	Data not included in graph
1/23/92 0:00	Manual Tape	414.5	Good	
1/23/92 7:03	Auto FIC	409.00	Good	
1/24/92 0:00	Manual Tape	414.50	Good	
1/24/92 7:02	Auto FIC	409.00	Good	
1/25/92 0:00	Manual Tape	414.5	Good	
1/25/92 7:03	Auto FIC	409.1	Good	
1/26/92 0:00	Manual Tape	414.5	Good	
1/26/92 1:02	Auto FIC	409	Good	
1/27/92 0:00	Manual Tape	414.5	Good	
1/27/92 7:02	Auto FIC	409.00	Good	
1/28/92 0:00	Manual Tape	414.50	Good	
1/28/92 7:03	Auto FIC	0	Suspect	Data not included in graph
1/29/92 0:00	Manual Tape	414.50	Good	
1/29/92 7:03	Auto FIC	0	Suspect	Data not included in graph
1/30/92 0:00	Manual Tape	414.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/30/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/31/92 0:00	Manual Tape	414.75	Good	
1/31/92 7:03	Auto FIC	409.20	Good	
2/1/92 0:00	Manual Tape	414.5	Good	
2/1/92 7:02	Auto FIC	409.00	Good	
2/2/92 0:00	Manual Tape	414.25	Good	
2/2/92 7:03	Auto FIC	409	Good	
2/3/92 0:00	Manual Tape	414.75	Good	
2/3/92 7:03	Auto FIC	409	Good	
2/4/92 0:00	Manual Tape	414.75	Good	
2/4/92 7:03	Auto FIC	409.00	Good	
2/5/92 0:00	Manual Tape	414.75	Good	
2/5/92 7:02	Auto FIC	409	Good	
2/6/92 0:00	Manual FIC	409.00	Good	
2/6/92 0:00	Manual Tape	414.75	Good	
2/7/92 0:00	Manual FIC	409	Good	
2/7/92 0:00	Manual Tape	414.75	Good	
2/8/92 0:00	Manual Tape	414.5	Good	
2/8/92 7:04	Auto FIC	409	Good	
2/9/92 0:00	Manual Tape	414.50	Good	
2/9/92 7:03	Auto FIC	409.00	Good	
2/10/92 0:00	Manual Tape	414.5	Good	
2/10/92 7:04	Auto FIC	409.10	Good	
2/11/92 0:00	Manual Tape	414.75	Good	
2/11/92 7:03	Auto FIC	409.1	Good	
2/12/92 0:00	Manual Tape	414.75	Good	
2/12/92 7:03	Auto FIC	409	Good	
2/13/92 0:00	Manual Tape	415.00	Good	
2/13/92 3:03	Auto FIC	409.10	Good	
2/14/92 0:00	Manual Tape	414.75	Good	
2/14/92 7:03	Auto FIC	409.10	Good	
2/15/92 0:00	Manual Tape	415.75	Good	
2/15/92 7:03	Auto FIC	409.1	Good	
2/16/92 0:00	Manual Tape	414.75	Good	
2/16/92 7:03	Auto FIC	409	Good	
2/17/92 0:00	Manual Tape	414.5	Good	
2/17/92 7:03	Auto FIC	409.00	Good	
2/18/92 0:00	Manual Tape	414.75	Good	
2/18/92 7:03	Auto FIC	409.20	Good	
2/19/92 0:00	Manual Tape	414.75	Good	
2/19/92 7:03	Auto FIC	409	Good	
2/20/92 0:00	Manual Tape	414.75	Good	
2/20/92 7:03	Auto FIC	409.1	Good	
2/21/92 0:00	Manual Tape	414.75	Good	
2/21/92 7:03	Auto FIC	409.10	Good	
2/22/92 0:00	Manual Tape	414.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/22/92 7:03	Auto FIC	409.10	Good	
2/23/92 0:00	Manual Tape	414.75	Good	
2/23/92 7:03	Auto FIC	409	Good	
2/24/92 0:00	Manual Tape	414.75	Good	
2/24/92 7:03	Auto FIC	409	Good	
2/25/92 0:00	Manual Tape	414.75	Good	
2/25/92 7:04	Auto FIC	409	Good	
2/26/92 0:00	Manual Tape	414.75	Good	
2/26/92 7:03	Auto FIC	409.00	Good	
2/27/92 0:00	Manual Tape	414.75	Good	
2/27/92 7:04	Auto FIC	409.10	Good	
2/28/92 0:00	Manual Tape	414.75	Good	
2/28/92 7:04	Auto FIC	409.1	Good	
2/29/92 0:00	Manual Tape	414.75	Good	
2/29/92 7:03	Auto FIC	409.2	Good	
3/1/92 0:00	Manual Tape	414.75	Good	
3/1/92 7:03	Auto FIC	409.20	Good	
3/2/92 0:00	Manual Tape	414.75	Good	
3/2/92 7:03	Auto FIC	409.2	Good	
3/3/92 0:00	Manual Tape	414.75	Good	
3/3/92 7:04	Auto FIC	409.3	Good	
3/4/92 0:00	Manual Tape	414.75	Good	
3/4/92 7:04	Auto FIC	409.20	Good	
3/5/92 0:00	Manual Tape	415.00	Good	
3/5/92 7:03	Auto FIC	409.20	Good	
3/6/92 0:00	Manual Tape	415.00	Good	
3/6/92 7:03	Auto FIC	409.3	Good	
3/7/92 0:00	Manual Tape	414.75	Good	
3/7/92 7:02	Auto FIC	409.2	Good	
3/8/92 0:00	Manual Tape	414.75	Good	
3/8/92 7:02	Auto FIC	409.10	Good	
3/9/92 0:00	Manual Tape	414.75	Good	
3/9/92 7:02	Auto FIC	409.10	Good	
3/10/92 0:00	Manual Tape	414.75	Good	
3/10/92 7:03	Auto FIC	409.1	Good	
3/11/92 0:00	Manual Tape	415	Good	
3/11/92 7:03	Auto FIC	409.1	Good	
3/12/92 0:00	Manual Tape	415.00	Good	
3/12/92 7:03	Auto FIC	409.20	Good	
3/13/92 0:00	Manual Tape	415	Good	
3/13/92 7:03	Auto FIC	409.20	Good	
3/14/92 0:00	Manual Tape	415	Good	
3/14/92 7:03	Auto FIC	409.2	Good	
3/15/92 0:00	Manual Tape	415.00	Good	
3/15/92 7:06	Auto FIC	409.2	Good	
3/16/92 0:00	Manual Tape	415.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/16/92 7:03	Auto FIC	409.2	Good	
3/17/92 0:00	Manual FIC	409.20	Good	
3/17/92 0:00	Manual Tape	415	Good	
3/17/92 7:03	Auto FIC	9.20	Suspect	Data not included in graph
3/18/92 0:00	Manual Tape	414.75	Good	
3/18/92 7:03	Auto FIC	409.20	Good	
3/19/92 0:00	Manual Tape	415	Good	
3/19/92 6:02	Auto FIC	409.2	Good	
3/20/92 0:00	Manual Tape	415	Good	
3/20/92 7:02	Auto FIC	409.2	Good	
3/21/92 0:00	Manual Tape	414.75	Good	
3/21/92 7:03	Auto FIC	408.40	Good	
3/22/92 0:00	Manual Tape	414.75	Good	
3/22/92 7:02	Auto FIC	408.8	Good	
3/23/92 0:00	Manual Tape	414.75	Good	
3/23/92 7:02	Auto FIC	408.9	Good	
3/24/92 0:00	Manual Tape	414.50	Good	
3/24/92 7:02	Auto FIC	408.7	Good	
3/25/92 0:00	Manual Tape	414.75	Good	
3/25/92 7:03	Auto FIC	408.70	Good	
3/26/92 0:00	Manual Tape	414.75	Good	
3/26/92 7:03	Auto FIC	408.80	Good	
3/27/92 0:00	Manual Tape	414.5	Good	
3/27/92 7:02	Auto FIC	408.8	Good	
3/28/92 0:00	Manual Tape	414.50	Good	
3/28/92 7:03	Auto FIC	408.7	Good	
3/29/92 0:00	Manual Tape	414.5	Good	
3/29/92 7:03	Auto FIC	408.60	Good	
3/30/92 0:00	Manual Tape	414.50	Good	
3/30/92 5:03	Auto FIC	408.50	Good	
3/31/92 0:00	Manual Tape	414.50	Good	
3/31/92 7:03	Auto FIC	408.5	Good	
4/1/92 0:00	Manual Tape	414.75	Good	
4/1/92 7:03	Auto FIC	408.6	Good	
4/2/92 0:00	Manual Tape	414.75	Good	
4/2/92 4:03	Auto FIC	408.50	Good	
4/3/92 0:00	Manual Tape	414.75	Good	
4/3/92 7:03	Auto FIC	408.7	Good	
4/4/92 0:00	Manual Tape	414.5	Good	
4/4/92 7:03	Auto FIC	408.6	Good	
4/5/92 0:00	Manual Tape	414.75	Good	
4/5/92 7:03	Auto FIC	408.40	Good	
4/6/92 0:00	Manual Tape	414.50	Good	
4/6/92 7:03	Auto FIC	408.60	Good	
4/7/92 0:00	Manual Tape	392	Suspect	Data not included in graph
4/7/92 5:03	Auto FIC	408.6	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/8/92 0:00	Manual Tape	414.75	Good	
4/8/92 5:02	Auto FIC	408.9	Good	
4/9/92 0:00	Manual Tape	414.75	Good	
4/9/92 7:03	Auto FIC	9.00	Suspect	Data not included in graph
4/10/92 0:00	Manual Tape	414.75	Good	
4/10/92 7:03	Auto FIC	409.00	Good	
4/11/92 0:00	Manual Tape	414.75	Good	
4/11/92 7:03	Auto FIC	408.9	Good	
4/12/92 0:00	Manual Tape	414.75	Good	
4/12/92 5:03	Auto FIC	408.8	Good	
4/13/92 0:00	Manual Tape	414.5	Good	
4/13/92 7:03	Auto FIC	408.90	Good	
4/14/92 0:00	Manual Tape	414.75	Good	
4/14/92 7:03	Auto FIC	409.00	Good	
4/15/92 0:00	Manual Tape	415.00	Good	
4/15/92 7:02	Auto FIC	408.90	Good	
4/16/92 0:00	Manual Tape	414.75	Good	
4/16/92 7:03	Auto FIC	409	Good	
4/17/92 0:00	Manual Tape	414.50	Good	
4/17/92 7:03	Auto FIC	409	Good	
4/18/92 0:00	Manual Tape	414.25	Good	
4/18/92 7:02	Auto FIC	408.70	Good	
4/19/92 0:00	Manual Tape	414.25	Good	
4/19/92 7:02	Auto FIC	408.8	Good	
4/20/92 0:00	Manual Tape	414.25	Good	
4/20/92 7:03	Auto FIC	408.8	Good	
4/21/92 0:00	Manual Tape	414.25	Good	
4/21/92 7:03	Auto FIC	408.80	Good	
4/22/92 0:00	Manual Tape	414.25	Good	
4/22/92 0:02	Auto FIC	409.00	Good	
4/23/92 0:00	Manual Tape	414.50	Good	
4/23/92 7:03	Auto FIC	408.9	Good	
4/24/92 0:00	Manual Tape	414.25	Good	
4/24/92 0:03	Auto FIC	408.8	Good	
4/25/92 0:00	Manual FIC	408.85	Good	
4/25/92 0:00	Manual Tape	414	Good	
4/25/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
4/26/92 0:00	Manual Tape	414.25	Good	
4/26/92 7:03	Auto FIC	408.90	Good	
4/27/92 0:00	Manual Tape	415.75	Good	
4/27/92 7:04	Auto FIC	409.10	Good	
4/28/92 0:00	Manual Tape	414.5	Good	
4/28/92 7:03	Auto FIC	409	Good	
4/29/92 0:00	Manual Tape	414.50	Good	
4/29/92 7:03	Auto FIC	409.1	Good	
4/30/92 0:00	Manual Tape	414.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/30/92 7:03	Auto FIC	409.00	Good	
5/1/92 0:00	Manual FIC	409	Good	
5/1/92 0:00	Manual Tape	414.75	Good	
5/1/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/2/92 0:00	Manual FIC	409	Good	
5/2/92 0:00	Manual Tape	414.75	Good	
5/3/92 0:00	Manual Tape	414.50	Good	
5/3/92 7:03	Auto FIC	408.9	Good	
5/4/92 0:00	Manual Tape	414.5	Good	
5/4/92 7:03	Auto FIC	409.00	Good	
5/5/92 0:00	Manual Tape	414.50	Good	
5/5/92 6:04	Auto FIC	409.10	Good	
5/6/92 0:00	Manual Tape	414.50	Good	
5/6/92 7:03	Auto FIC	409	Good	
5/7/92 0:00	Manual Tape	414.5	Good	
5/7/92 7:04	Auto FIC	409.1	Good	
5/8/92 0:00	Manual Tape	414.75	Good	
5/8/92 3:03	Auto FIC	409.00	Good	
5/9/92 0:00	Manual Tape	414.50	Good	
5/10/92 0:00	Manual Tape	414.5	Good	
5/11/92 0:00	Manual FIC	408.40	Good	
5/11/92 0:00	Manual Tape	414.50	Good	
5/12/92 0:00	Manual FIC	408.10	Good	
5/12/92 0:00	Manual Tape	414.5	Good	
5/12/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/13/92 0:00	Manual Tape	414.5	Good	
5/13/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/14/92 0:00	Manual Tape	414.5	Good	
5/14/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/15/92 0:00	Manual Tape	414.50	Good	
5/15/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/16/92 0:00	Manual Tape	414.75	Good	
5/16/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/17/92 0:00	Manual Tape	414.50	Good	
5/17/92 7:02	Auto FIC	0	Suspect	Data not included in graph
5/18/92 0:00	Manual Tape	414.5	Good	
5/18/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/19/92 0:00	Manual Tape	414.5	Good	
5/19/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/20/92 0:00	Manual Tape	414.75	Good	
5/20/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/21/92 0:00	Manual Tape	414.75	Good	
5/21/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/22/92 0:00	Manual Tape	414.75	Good	
5/22/92 7:02	Auto FIC	0	Suspect	Data not included in graph
5/23/92 0:00	Manual Tape	414.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/23/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/24/92 0:00	Manual Tape	414.75	Good	
5/24/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/25/92 0:00	Manual Tape	414.75	Good	
5/25/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/26/92 0:00	Manual Tape	414.75	Good	
5/27/92 0:00	Manual Tape	414.75	Good	
5/27/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/28/92 0:00	Manual Tape	414.75	Good	
5/28/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
5/29/92 0:00	Manual Tape	414.75	Good	
5/29/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
5/30/92 0:00	Manual Tape	414.75	Good	
5/30/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/31/92 0:00	Manual Tape	414.75	Good	
5/31/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/1/92 0:00	Manual Tape	414.75	Good	
6/1/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/2/92 0:00	Manual Tape	414.75	Good	
6/2/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/3/92 0:00	Manual Tape	414.75	Good	
6/3/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/4/92 0:00	Manual Tape	414.75	Good	
6/4/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/5/92 0:00	Manual Tape	414.75	Good	
6/5/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
6/6/92 0:00	Manual Tape	414.75	Good	
6/6/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/7/92 0:00	Manual Tape	414.75	Good	
6/7/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/8/92 0:00	Manual Tape	414.75	Good	
6/8/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/9/92 0:00	Manual Tape	415	Good	
6/9/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/10/92 0:00	Manual Tape	415	Good	
6/10/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/11/92 0:00	Manual Tape	414.75	Good	
6/11/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/12/92 0:00	Manual Tape	415	Good	
6/12/92 7:05	Auto FIC	0	Suspect	Data not included in graph
6/13/92 0:00	Manual Tape	415	Good	
6/13/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/14/92 0:00	Manual Tape	415.00	Good	
6/15/92 0:00	Manual Tape	415.00	Good	
6/15/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/16/92 0:00	Manual Tape	415	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/16/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/17/92 0:00	Manual Tape	415	Good	
6/17/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/18/92 0:00	Manual Tape	415.00	Good	
6/18/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/19/92 0:00	Manual Tape	415	Good	
6/19/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
6/20/92 0:00	Manual Tape	415.00	Good	
6/20/92 7:02	Auto FIC	0	Suspect	Data not included in graph
6/21/92 0:00	Manual Tape	415	Good	
6/21/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/22/92 0:00	Manual Tape	415	Good	
6/22/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/23/92 0:00	Manual Tape	415.00	Good	
6/23/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/24/92 0:00	Manual Tape	415.00	Good	
6/24/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/25/92 0:00	Manual Tape	415	Good	
6/25/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/26/92 0:00	Manual Tape	415.00	Good	
6/26/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
6/27/92 0:00	Manual Tape	415	Good	
6/27/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/28/92 0:00	Manual Tape	415	Good	
6/28/92 7:06	Auto FIC	0	Suspect	Data not included in graph
6/29/92 0:00	Manual Tape	415.00	Good	
6/29/92 7:06	Auto FIC	0	Suspect	Data not included in graph
6/30/92 0:00	Manual Tape	415.00	Good	
6/30/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/1/92 0:00	Manual Tape	415	Good	
7/2/92 0:00	Manual Tape	415	Good	
7/3/92 0:00	Manual Tape	415.75	Good	
7/3/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/4/92 0:00	Manual Tape	415	Good	
7/4/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/5/92 0:00	Manual Tape	415.25	Good	
7/5/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/6/92 0:00	Manual Tape	415.00	Good	
7/6/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/7/92 0:00	Manual Tape	414.25	Good	
7/7/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/8/92 0:00	Manual Tape	415	Good	
7/8/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/9/92 0:00	Manual Tape	415.00	Good	
7/9/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/10/92 0:00	Manual Tape	415	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/10/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/11/92 0:00	Manual Tape	415.00	Good	
7/11/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/12/92 0:00	Manual Tape	415.25	Good	
7/12/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/13/92 0:00	Manual Tape	415.25	Good	
7/13/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/14/92 0:00	Manual Tape	415.25	Good	
7/14/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/15/92 0:00	Manual Tape	415.25	Good	
7/15/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/16/92 0:00	Manual Tape	415.5	Good	
7/16/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/17/92 0:00	Manual Tape	415.25	Good	
7/17/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/18/92 0:00	Manual Tape	415.25	Good	
7/18/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/19/92 0:00	Manual Tape	415.25	Good	
7/19/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/20/92 0:00	Manual Tape	415.25	Good	
7/20/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/21/92 0:00	Manual Tape	415.25	Good	
7/21/92 7:05	Auto FIC	0	Suspect	Data not included in graph
7/22/92 0:00	Manual Tape	415.00	Good	
7/22/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/23/92 0:00	Manual Tape	415.25	Good	
7/24/92 0:00	Manual Tape	415.25	Good	
7/24/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph
7/25/92 0:00	Manual Tape	415	Good	
7/25/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/26/92 0:00	Manual Tape	415.00	Good	
7/26/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/27/92 0:00	Manual Tape	415.00	Good	
7/27/92 7:05	Auto FIC	0	Suspect	Data not included in graph
7/28/92 0:00	Manual Tape	415.25	Good	
7/28/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/29/92 0:00	Manual Tape	415.75	Good	
7/29/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/30/92 0:00	Manual Tape	415.00	Good	
7/30/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/31/92 0:00	Manual Tape	415.25	Good	
7/31/92 7:05	Auto FIC	0	Suspect	Data not included in graph
8/1/92 0:00	Manual Tape	415.25	Good	
8/1/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/2/92 0:00	Manual Tape	415.25	Good	
8/2/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/3/92 0:00	Manual Tape	451.25	Suspect	Data not included in graph
8/3/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/4/92 0:00	Manual Tape	415.25	Good	
8/4/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/5/92 0:00	Manual Tape	415	Good	
8/5/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph
8/6/92 0:00	Manual Tape	415	Good	
8/6/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph
8/7/92 0:00	Manual Tape	415.25	Good	
8/7/92 7:05	Auto FIC	0	Suspect	Data not included in graph
8/8/92 0:00	Manual Tape	415.25	Good	
8/8/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/9/92 0:00	Manual Tape	415.50	Good	
8/9/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/10/92 0:00	Manual Tape	415.50	Good	
8/10/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph
8/11/92 0:00	Manual Tape	415.25	Good	
8/11/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/12/92 0:00	Manual Tape	415.25	Good	
8/12/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/13/92 0:00	Manual Tape	415.25	Good	
8/13/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/14/92 0:00	Manual Tape	415.25	Good	
8/14/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/15/92 0:00	Manual Tape	415.25	Good	
8/15/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/16/92 0:00	Manual Tape	415.25	Good	
8/16/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/17/92 0:00	Manual Tape	415.25	Good	
8/17/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/18/92 0:00	Manual Tape	415.25	Good	
8/18/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/19/92 0:00	Manual Tape	415.25	Good	
8/19/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/20/92 0:00	Manual Tape	415.25	Good	
8/20/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/21/92 0:00	Manual Tape	415.25	Good	
8/21/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph
8/22/92 0:00	Manual Tape	415.25	Good	
8/22/92 7:04	Auto FIC	0	Suspect	Data not included in graph
8/23/92 0:00	Manual Tape	415.25	Good	
8/23/92 7:04	Auto FIC	0	Suspect	Data not included in graph
8/24/92 0:00	Manual Tape	415.25	Good	
8/24/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/25/92 0:00	Manual Tape	415.25	Good	
8/25/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/26/92 0:00	Manual Tape	415.25	Good	
8/26/92 7:03	Auto FIC	0	Suspect	Data not included in graph
8/27/92 0:00	Manual Tape	415.5	Good	
8/27/92 7:04	Auto FIC	0	Suspect	Data not included in graph
8/28/92 0:00	Manual Tape	415.5	Good	
8/28/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/29/92 0:00	Manual Tape	415.5	Good	
8/29/92 7:02	Auto FIC	409.40	Good	
8/30/92 0:00	Manual Tape	415.50	Good	
8/30/92 7:02	Auto FIC	409.4	Good	
8/31/92 0:00	Manual Tape	415.5	Good	
8/31/92 7:02	Auto FIC	409.5	Good	
9/1/92 0:00	Manual Tape	415.50	Good	
9/1/92 7:02	Auto FIC	409.50	Good	
9/1/92 10:02	Manual Tape	415.5	Good	
9/2/92 0:00	Manual Tape	415.50	Good	
9/2/92 7:02	Auto FIC	409.50	Good	
9/2/92 10:02	Manual Tape	415.50	Good	
9/3/92 0:00	Manual Tape	415.75	Good	
9/3/92 7:04	Auto FIC	409.5	Good	
9/3/92 10:02	Manual Tape	415.75	Good	
9/4/92 0:00	Manual Tape	415.50	Good	
9/4/92 7:04	Auto FIC	409.5	Good	
9/4/92 10:02	Manual Tape	415.50	Good	
9/5/92 0:00	Manual Tape	415.50	Good	
9/5/92 7:04	Auto FIC	409.50	Good	
9/5/92 10:02	Manual Tape	415.5	Good	
9/6/92 0:00	Manual Tape	415.5	Good	
9/6/92 7:04	Auto FIC	409.5	Good	
9/6/92 10:02	Manual Tape	415.50	Good	
9/7/92 0:00	Manual Tape	415.50	Good	
9/7/92 7:05	Auto FIC	409.4	Good	
9/7/92 10:02	Manual Tape	415.5	Good	
9/8/92 0:00	Manual Tape	415.50	Good	
9/8/92 7:05	Auto FIC	409.60	Good	
9/8/92 10:02	Manual Tape	415.50	Good	
9/9/92 0:00	Manual Tape	415.50	Good	
9/9/92 7:04	Auto FIC	409.50	Good	
9/9/92 10:02	Manual Tape	415.5	Good	
9/10/92 0:00	Manual Tape	415.75	Good	
9/10/92 7:03	Auto FIC	409.6	Good	
9/10/92 10:02	Manual Tape	415.75	Good	
9/11/92 0:00	Manual Tape	415.75	Good	
9/11/92 7:06	Manual FIC	409.60	Good	
9/11/92 10:02	Manual Tape	415.75	Good	
9/12/92 0:00	Manual Tape	415.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/12/92 7:06	Manual FIC	409.60	Good	
9/12/92 10:02	Manual Tape	415.50	Good	
9/13/92 0:00	Manual Tape	415.25	Good	
9/13/92 7:06	Manual FIC	409.5	Good	
9/13/92 10:02	Manual Tape	415.25	Good	
9/14/92 0:00	Manual Tape	415.50	Good	
9/14/92 7:06	Manual FIC	409.6	Good	
9/14/92 10:02	Manual Tape	415.50	Good	
9/15/92 0:00	Manual Tape	415.50	Good	
9/15/92 7:06	Manual FIC	409.60	Good	
9/15/92 10:02	Manual Tape	415.5	Good	
9/16/92 0:00	Manual Tape	415.5	Good	
9/16/92 7:06	Manual FIC	409.60	Good	
9/16/92 10:02	Manual Tape	415.50	Good	
9/17/92 0:00	Manual Tape	415.50	Good	
9/17/92 7:06	Auto FIC	409.6	Good	
9/17/92 10:02	Manual Tape	415.5	Good	
9/18/92 0:00	Manual Tape	415.50	Good	
9/18/92 7:06	Auto FIC	409.6	Good	
9/18/92 10:02	Manual Tape	415.50	Good	
9/19/92 0:00	Manual Tape	415.5	Good	
9/19/92 7:06	Manual FIC	409.60	Good	
9/19/92 10:02	Manual Tape	415.5	Good	
9/20/92 0:00	Manual Tape	415.50	Good	
9/20/92 7:06	Manual FIC	409.70	Good	
9/20/92 10:02	Manual Tape	415.50	Good	
9/21/92 0:00	Manual Tape	415.50	Good	
9/21/92 7:06	Auto FIC	409.60	Good	
9/21/92 10:02	Manual Tape	415.5	Good	
9/22/92 0:00	Manual Tape	415.75	Good	
9/22/92 7:03	Auto FIC	411.10	Good	
9/22/92 10:02	Manual Tape	415.75	Good	
9/23/92 0:00	Manual Tape	416.00	Good	
9/23/92 7:03	Auto FIC	411	Good	
9/23/92 10:02	Manual Tape	416	Good	
9/24/92 0:00	Manual Tape	416.00	Good	
9/24/92 7:03	Auto FIC	411	Good	
9/24/92 10:02	Manual Tape	416.00	Good	
9/25/92 0:00	Manual Tape	416	Good	
9/25/92 7:03	Auto FIC	411.00	Good	
9/26/92 0:00	Manual Tape	416	Good	
9/26/92 7:02	Auto FIC	411	Good	
9/27/92 0:00	Manual Tape	415.75	Good	
9/27/92 7:02	Auto FIC	410.9	Good	
9/28/92 0:00	Manual Tape	415.75	Good	
9/28/92 7:02	Auto FIC	410.90	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/29/92 0:00	Manual Tape	415.75	Good	
9/29/92 4:03	Auto FIC	410.90	Good	
9/30/92 0:00	Manual Tape	415.75	Good	
9/30/92 7:02	Auto FIC	411	Good	
10/1/92 7:03	Auto FIC	411	Good	
10/1/92 9:00	Manual Tape	415.50	Good	
10/2/92 7:02	Auto FIC	411	Good	
10/2/92 9:00	Manual Tape	415.75	Good	
10/3/92 7:03	Auto FIC	411.00	Good	
10/3/92 9:00	Manual Tape	415.75	Good	
10/4/92 7:03	Auto FIC	411.00	Good	
10/4/92 9:00	Manual Tape	415.75	Good	
10/5/92 7:03	Auto FIC	411	Good	
10/5/92 9:00	Manual Tape	415.75	Good	
10/6/92 7:03	Auto FIC	410.9	Good	
10/6/92 9:00	Manual Tape	415.75	Good	
10/7/92 0:00	Manual FIC	411.00	Good	
10/7/92 9:00	Manual Tape	415.50	Good	
10/8/92 7:02	Auto FIC	411.00	Good	
10/8/92 9:00	Manual Tape	415.75	Good	
10/9/92 4:03	Auto FIC	411	Good	
10/9/92 9:00	Manual Tape	415.75	Good	
10/10/92 7:03	Auto FIC	411	Good	
10/10/92 9:00	Manual Tape	416	Good	
10/11/92 7:03	Auto FIC	411.00	Good	
10/11/92 9:00	Manual Tape	416	Good	
10/12/92 0:00	Manual FIC	411.1	Good	
10/12/92 9:00	Manual Tape	416	Good	
10/13/92 0:00	Manual FIC	411.1	Good	
10/13/92 9:00	Manual Tape	416.00	Good	
10/14/92 5:03	Auto FIC	411.00	Good	
10/14/92 9:00	Manual Tape	416.00	Good	
10/15/92 5:04	Auto FIC	411	Good	
10/15/92 9:00	Manual Tape	416.00	Good	
10/16/92 0:02	Auto FIC	411.00	Good	
10/16/92 9:00	Manual Tape	416	Good	
10/17/92 5:03	Auto FIC	411	Good	
10/17/92 9:00	Manual Tape	416	Good	
10/18/92 7:03	Auto FIC	411.1	Good	
10/18/92 9:00	Manual Tape	416.00	Good	
10/19/92 7:03	Auto FIC	411.10	Good	
10/19/92 9:00	Manual Tape	416.00	Good	
10/20/92 7:03	Auto FIC	411.10	Good	
10/20/92 9:00	Manual Tape	416	Good	
10/21/92 7:03	Auto FIC	411.2	Good	
10/21/92 9:00	Manual Tape	416.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/22/92 0:00	Manual FIC	409.70	Good	
10/22/92 7:03	Auto FIC	409.7	Suspect	Data not included in graph
10/22/92 9:00	Manual Tape	416.25	Good	
10/23/92 0:03	Manual FIC	409.60	Good	
10/23/92 9:00	Manual Tape	416.00	Good	
10/24/92 4:04	Auto FIC	409.4	Good	
10/24/92 9:00	Manual Tape	416	Good	
10/25/92 0:00	Manual FIC	409.30	Good	
10/25/92 7:03	Auto FIC	409.30	Suspect	Data not included in graph
10/25/92 9:00	Manual Tape	415.75	Good	
10/26/92 0:03	Manual FIC	409.6	Good	
10/26/92 9:00	Manual Tape	415.50	Good	
10/27/92 7:04	Auto FIC	0	Suspect	Data not included in graph
10/27/92 9:00	Manual Tape	415.50	Good	
10/28/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/28/92 9:00	Manual Tape	415.5	Good	
10/29/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/29/92 9:00	Manual Tape	415.50	Good	
10/30/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/30/92 9:00	Manual Tape	415.50	Good	
10/31/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/31/92 9:00	Manual Tape	415.50	Good	
11/1/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/1/92 9:00	Manual Tape	415.5	Good	
11/2/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/2/92 9:00	Manual Tape	415.50	Good	
11/3/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/3/92 9:00	Manual Tape	415.75	Good	
11/4/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/4/92 9:00	Manual Tape	415.50	Good	
11/5/92 9:00	Manual Tape	415.25	Good	
11/6/92 9:00	Manual Tape	415.5	Good	
11/7/92 9:00	Manual Tape	415.25	Good	
11/8/92 9:00	Manual Tape	415.50	Good	
11/9/92 9:00	Manual Tape	415.5	Good	
11/10/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/10/92 9:00	Manual Tape	415.50	Good	
11/11/92 7:04	Auto FIC	0	Suspect	Data not included in graph
11/11/92 9:00	Manual Tape	415.50	Good	
11/12/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/12/92 9:00	Manual Tape	415.5	Good	
11/13/92 7:04	Auto FIC	0	Suspect	Data not included in graph
11/13/92 9:00	Manual Tape	415.50	Good	
11/14/92 7:04	Auto FIC	0	Suspect	Data not included in graph
11/14/92 9:00	Manual Tape	415.5	Good	
11/15/92 7:04	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/15/92 9:00	Manual Tape	415.50	Good	
11/16/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/16/92 9:00	Manual Tape	415.50	Good	
11/17/92 7:04	Auto FIC	0	Suspect	Data not included in graph
11/17/92 9:00	Manual Tape	415.5	Good	
11/18/92 7:02	Auto FIC	0	Suspect	Data not included in graph
11/18/92 9:00	Manual Tape	415.5	Good	
11/19/92 7:02	Auto FIC	0	Suspect	Data not included in graph
11/19/92 9:00	Manual Tape	415.50	Good	
11/20/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/20/92 9:00	Manual Tape	415.50	Good	
11/21/92 7:02	Auto FIC	0	Suspect	Data not included in graph
11/21/92 9:00	Manual Tape	415.5	Good	
11/22/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/22/92 9:00	Manual Tape	415.50	Good	
11/23/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/23/92 9:00	Manual Tape	415.50	Good	
11/24/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/24/92 9:00	Manual Tape	415.50	Good	
11/25/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/25/92 9:00	Manual Tape	415.5	Good	
11/26/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/26/92 9:00	Manual Tape	415.50	Good	
11/27/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/27/92 9:00	Manual Tape	415.5	Good	
11/28/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/28/92 9:00	Manual Tape	415.5	Good	
11/29/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/29/92 9:00	Manual Tape	415.50	Good	
11/30/92 9:00	Manual Tape	415.5	Good	
12/1/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/1/92 9:00	Manual Tape	415.5	Good	
12/2/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/2/92 9:00	Manual Tape	415.50	Good	
12/3/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/3/92 9:00	Manual Tape	415.75	Good	
12/4/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/4/92 9:00	Manual Tape	415.75	Good	
12/5/92 9:00	Manual Tape	415.75	Good	
12/6/92 7:02	Auto FIC	0	Suspect	Data not included in graph
12/6/92 9:00	Manual Tape	415.75	Good	
12/7/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/7/92 9:00	Manual Tape	415.75	Good	
12/8/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/8/92 9:00	Manual Tape	415.75	Good	
12/9/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/9/92 9:00	Manual Tape	416	Good	
12/10/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/10/92 9:00	Manual Tape	416.00	Good	
12/11/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/11/92 9:00	Manual Tape	416	Good	
12/12/92 9:00	Manual Tape	416	Good	
12/13/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/13/92 9:00	Manual Tape	416.00	Good	
12/14/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/14/92 9:00	Manual Tape	416.00	Good	
12/15/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/15/92 9:00	Manual Tape	416	Good	
12/16/92 7:04	Auto FIC	407.90	Suspect	Data not included in graph
12/16/92 9:00	Manual FIC	407.8	Good	
12/16/92 9:00	Manual Tape	416	Good	
12/17/92 7:03	Auto FIC	407.90	Good	
12/17/92 9:00	Manual FIC	407.90	Good	
12/17/92 9:00	Manual Tape	416.00	Good	
12/18/92 7:03	Auto FIC	407.9	Good	
12/18/92 9:00	Manual FIC	407.90	Good	
12/18/92 9:00	Manual Tape	416.00	Good	
12/19/92 7:03	Auto FIC	407.9	Good	
12/19/92 9:00	Manual FIC	407.90	Good	
12/19/92 9:00	Manual Tape	416	Good	
12/20/92 7:04	Auto FIC	407.9	Good	
12/20/92 9:00	Manual FIC	407.90	Good	
12/20/92 9:00	Manual Tape	416	Good	
12/21/92 7:04	Auto FIC	408.00	Good	
12/21/92 9:00	Manual FIC	408	Good	
12/21/92 9:00	Manual Tape	416.25	Good	
12/22/92 9:00	Manual FIC	408	Good	
12/22/92 9:00	Manual Tape	416.25	Good	
12/23/92 7:04	Auto FIC	407.90	Good	
12/23/92 9:00	Manual FIC	407.9	Good	
12/23/92 9:00	Manual Tape	416.25	Good	
12/24/92 7:03	Auto FIC	407.90	Good	
12/24/92 9:00	Manual FIC	407.90	Good	
12/24/92 9:00	Manual Tape	416.25	Good	
12/25/92 7:03	Auto FIC	407.9	Good	
12/25/92 9:00	Manual FIC	407.90	Good	
12/25/92 9:00	Manual Tape	416.25	Good	
12/26/92 7:03	Auto FIC	408	Good	
12/26/92 9:00	Manual FIC	408.00	Good	
12/26/92 9:00	Manual Tape	416.25	Good	
12/27/92 7:03	Auto FIC	408	Good	
12/27/92 9:00	Manual FIC	408.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/27/92 9:00	Manual Tape	416.25	Good	
12/28/92 7:03	Auto FIC	408.10	Good	
12/28/92 9:00	Manual FIC	408.1	Good	
12/28/92 9:00	Manual Tape	416.25	Good	
12/29/92 9:00	Manual FIC	408.05	Good	
12/29/92 9:00	Manual Tape	416.25	Good	
12/30/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/30/92 9:00	Manual FIC	408.10	Good	
12/30/92 9:00	Manual Tape	416.25	Good	
12/31/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/31/92 9:00	Manual FIC	408.10	Good	
12/31/92 9:00	Manual Tape	416.25	Good	
1/1/93 7:04	Auto FIC	0	Suspect	Data not included in graph
1/1/93 10:00	Manual FIC	408.10	Good	
1/1/93 10:00	Manual Tape	416.25	Good	
1/2/93 10:00	Manual FIC	408	Good	
1/2/93 10:00	Manual Tape	416.25	Good	
1/3/93 10:00	Manual FIC	408	Good	
1/3/93 10:00	Manual Tape	416.25	Good	
1/4/93 10:00	Manual FIC	408.10	Good	
1/4/93 10:00	Manual Tape	416.25	Good	
1/5/93 10:00	Manual FIC	408.00	Good	
1/5/93 10:00	Manual Tape	416.25	Good	
1/6/93 10:00	Manual FIC	408.00	Good	
1/6/93 10:00	Manual Tape	416.25	Good	
1/7/93 10:00	Manual FIC	408.00	Good	
1/7/93 10:00	Manual Tape	416.25	Good	
1/8/93 10:00	Manual Tape	416.25	Good	
1/9/93 10:00	Manual Tape	416.25	Good	
1/10/93 10:00	Manual Tape	416.25	Good	
1/11/93 10:00	Manual Tape	416.25	Good	
1/12/93 7:06	Auto FIC	0	Suspect	Data not included in graph
1/12/93 10:00	Manual Tape	416.5	Good	
1/13/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
1/13/93 10:00	Manual Tape	416.50	Good	
1/14/93 7:03	Auto FIC	0	Suspect	Data not included in graph
1/14/93 10:00	Manual Tape	416.50	Good	
1/15/93 7:03	Auto FIC	0	Suspect	Data not included in graph
1/15/93 10:00	Manual Tape	416.50	Good	
1/16/93 10:00	Manual Tape	416.5	Good	
1/17/93 10:00	Manual Tape	416.5	Good	
1/18/93 10:00	Manual Tape	416.50	Good	
1/19/93 10:00	Manual Tape	416.5	Good	
1/20/93 10:00	Manual Tape	416.50	Good	
1/21/93 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/21/93 10:00	Manual Tape	416.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/22/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/22/93 10:00	Manual Tape	416.5	Good	
1/23/93 7:03	Auto FIC	0	Suspect	Data not included in graph
1/23/93 10:00	Manual Tape	416.5	Good	
1/24/93 7:03	Auto FIC	0	Suspect	Data not included in graph
1/24/93 10:00	Manual Tape	416.5	Good	
1/25/93 7:03	Auto FIC	0	Suspect	Data not included in graph
1/25/93 10:00	Manual Tape	416.50	Good	
1/26/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/26/93 10:00	Manual Tape	416.50	Good	
1/27/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/27/93 10:00	Manual Tape	416.75	Good	
1/28/93 7:04	Auto FIC	0	Suspect	Data not included in graph
1/28/93 10:00	Manual Tape	416.5	Good	
1/29/93 7:04	Auto FIC	0	Suspect	Data not included in graph
1/29/93 10:00	Manual Tape	416.5	Good	
1/30/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/30/93 10:00	Manual Tape	416.50	Good	
1/31/93 7:04	Auto FIC	0	Suspect	Data not included in graph
1/31/93 10:00	Manual Tape	416.50	Good	
2/1/93 7:04	Auto FIC	0	Suspect	Data not included in graph
2/1/93 10:00	Manual Tape	416.25	Good	
2/2/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/2/93 10:00	Manual Tape	416.25	Good	
2/3/93 10:00	Manual Tape	416.50	Good	
2/4/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/4/93 10:00	Manual Tape	416.5	Good	
2/5/93 7:04	Auto FIC	0	Suspect	Data not included in graph
2/5/93 10:00	Manual Tape	416.75	Good	
2/6/93 7:04	Auto FIC	0	Suspect	Data not included in graph
2/6/93 10:00	Manual Tape	416.75	Good	
2/7/93 7:03	Auto FIC	0	Suspect	Data not included in graph
2/7/93 10:00	Manual Tape	416.75	Good	
2/8/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/8/93 10:00	Manual Tape	416.75	Good	
2/9/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/9/93 10:00	Manual Tape	416.75	Good	
2/10/93 7:04	Auto FIC	0	Suspect	Data not included in graph
2/10/93 10:00	Manual Tape	416.75	Good	
2/11/93 7:04	Auto FIC	0	Suspect	Data not included in graph
2/11/93 10:00	Manual Tape	416.75	Good	
2/12/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/12/93 10:00	Manual Tape	416.75	Good	
2/13/93 7:03	Auto FIC	0	Suspect	Data not included in graph
2/13/93 10:00	Manual Tape	416.75	Good	
2/14/93 7:04	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/14/93 10:00	Manual Tape	416.75	Good	
2/15/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/15/93 10:00	Manual Tape	416.5	Good	
2/16/93 7:02	Auto FIC	0.00	Suspect	Data not included in graph
2/16/93 10:00	Manual Tape	416.75	Good	
2/17/93 10:00	Manual Tape	416.75	Good	
2/18/93 7:03	Auto FIC	0	Suspect	Data not included in graph
2/18/93 10:00	Manual Tape	416.75	Good	
2/19/93 7:02	Auto FIC	0	Suspect	Data not included in graph
2/19/93 10:00	Manual Tape	417	Good	
2/20/93 7:03	Auto FIC	0	Suspect	Data not included in graph
2/20/93 10:00	Manual Tape	417.25	Good	
2/21/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/21/93 10:00	Manual Tape	417.25	Good	
2/22/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/22/93 10:00	Manual Tape	417.25	Good	
2/23/93 7:03	Auto FIC	0	Suspect	Data not included in graph
2/23/93 10:00	Manual Tape	417.00	Good	
2/24/93 7:04	Auto FIC	0	Suspect	Data not included in graph
2/24/93 10:00	Manual Tape	417.25	Good	
2/25/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/25/93 10:00	Manual Tape	417.25	Good	
2/26/93 7:03	Auto FIC	0	Suspect	Data not included in graph
2/26/93 10:00	Manual Tape	417.25	Good	
2/27/93 7:04	Auto FIC	0	Suspect	Data not included in graph
2/27/93 10:00	Manual Tape	417.25	Good	
2/28/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/28/93 10:00	Manual Tape	417.25	Good	
3/1/93 7:03	Auto FIC	0	Suspect	Data not included in graph
3/1/93 10:00	Manual Tape	417.25	Good	
3/2/93 7:04	Auto FIC	0	Suspect	Data not included in graph
3/2/93 10:00	Manual Tape	417.25	Good	
3/3/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/3/93 10:00	Manual Tape	417.25	Good	
3/4/93 7:04	Auto FIC	0	Suspect	Data not included in graph
3/4/93 10:00	Manual Tape	417.25	Good	
3/5/93 7:04	Auto FIC	0	Suspect	Data not included in graph
3/5/93 10:00	Manual Tape	417.50	Good	
3/6/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/6/93 10:00	Manual Tape	417.50	Good	
3/7/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/7/93 10:00	Manual Tape	417.50	Good	
3/8/93 7:03	Auto FIC	0	Suspect	Data not included in graph
3/8/93 10:00	Manual Tape	417.5	Good	
3/9/93 7:04	Auto FIC	0	Suspect	Data not included in graph
3/9/93 10:00	Manual Tape	417.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/10/93 7:05	Auto FIC	0	Suspect	Data not included in graph
3/10/93 10:00	Manual Tape	417.50	Good	
3/11/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/11/93 10:00	Manual Tape	417.50	Good	
3/12/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/12/93 10:00	Manual Tape	417.5	Good	
3/13/93 7:03	Auto FIC	0	Suspect	Data not included in graph
3/13/93 10:00	Manual Tape	417.50	Good	
3/14/93 7:04	Auto FIC	0	Suspect	Data not included in graph
3/14/93 10:00	Manual Tape	417.50	Good	
3/15/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/15/93 10:00	Manual Tape	417.50	Good	
3/16/93 7:04	Auto FIC	0	Suspect	Data not included in graph
3/16/93 10:00	Manual Tape	417.5	Good	
3/17/93 7:03	Auto FIC	0	Suspect	Data not included in graph
3/17/93 10:00	Manual Tape	417.50	Good	
3/18/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/18/93 10:00	Manual Tape	417.50	Good	
3/19/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/19/93 10:00	Manual Tape	417.50	Good	
3/20/93 7:04	Auto FIC	0	Suspect	Data not included in graph
3/20/93 10:00	Manual Tape	417.5	Good	
3/21/93 7:04	Auto FIC	0	Suspect	Data not included in graph
3/21/93 10:00	Manual Tape	417.75	Good	
3/22/93 7:03	Auto FIC	0	Suspect	Data not included in graph
3/22/93 10:00	Manual Tape	417.75	Good	
3/23/93 10:00	Manual Tape	417.75	Good	
3/24/93 10:00	Manual Tape	417.75	Good	
3/25/93 10:00	Manual Tape	417.75	Good	
3/26/93 10:00	Manual Tape	417.50	Good	
3/27/93 10:00	Manual Tape	417.50	Good	
3/28/93 10:00	Manual Tape	417.75	Good	
3/29/93 10:00	Manual Tape	417.25	Good	
3/30/93 10:00	Manual Tape	417.5	Good	
3/31/93 10:00	Manual Tape	417.50	Good	
4/1/93 10:03	Manual Tape	417.50	Good	
4/2/93 10:03	Manual Tape	417.50	Good	
4/3/93 10:03	Manual Tape	417.5	Good	
4/4/93 10:03	Manual Tape	417.5	Good	
4/5/93 10:03	Manual Tape	417.50	Good	
4/6/93 10:03	Manual Tape	417.50	Good	
4/7/93 10:03	Manual Tape	417.5	Good	
4/8/93 10:03	Manual Tape	417.50	Good	
4/9/93 10:03	Manual Tape	417.50	Good	
4/10/93 10:03	Manual Tape	417.5	Good	
4/11/93 10:03	Manual Tape	417.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/12/93 10:03	Manual Tape	417.50	Good	
4/13/93 10:03	Manual Tape	417.75	Good	
4/14/93 10:03	Manual Tape	417.75	Good	
4/15/93 10:03	Manual Tape	417.5	Good	
4/16/93 10:03	Manual Tape	417.50	Good	
4/17/93 10:03	Manual Tape	417.50	Good	
4/18/93 10:03	Manual Tape	417.50	Good	
4/19/93 10:03	Manual Tape	417.75	Good	
4/20/93 10:03	Manual Tape	417.75	Good	
4/21/93 10:03	Manual Tape	418.00	Good	
4/22/93 10:03	Manual Tape	418.00	Good	
4/23/93 10:03	Manual Tape	418	Good	
4/24/93 10:03	Manual Tape	418.00	Good	
4/25/93 10:03	Manual Tape	418.00	Good	
4/26/93 10:03	Manual Tape	418.00	Good	
4/27/93 10:03	Manual Tape	417.75	Good	
4/28/93 10:03	Manual Tape	417.75	Good	
4/29/93 10:03	Manual Tape	418	Good	
4/30/93 10:03	Manual Tape	418.00	Good	
5/1/93 10:03	Manual Tape	417.75	Good	
5/2/93 10:03	Manual Tape	417.75	Good	
5/3/93 10:03	Manual Tape	418	Good	
5/4/93 10:03	Manual Tape	418.00	Good	
5/5/93 10:03	Manual Tape	418.00	Good	
5/6/93 10:03	Manual Tape	418.00	Good	
5/7/93 10:03	Manual Tape	418	Good	
5/8/93 10:03	Manual Tape	418.00	Good	
5/9/93 10:03	Manual Tape	418	Good	
5/10/93 10:03	Manual Tape	418	Good	
5/11/93 10:03	Manual Tape	418.00	Good	
5/12/93 10:03	Manual Tape	418.25	Good	
5/13/93 10:03	Manual Tape	418.5	Good	
5/14/93 10:03	Manual Tape	418.50	Good	
5/15/93 10:03	Manual Tape	418.25	Good	
5/16/93 10:03	Manual Tape	418.25	Good	
5/17/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/17/93 10:03	Manual Tape	418.25	Good	
5/18/93 7:03	Auto FIC	0	Suspect	Data not included in graph
5/18/93 10:03	Manual Tape	418.25	Good	
5/19/93 7:03	Auto FIC	0	Suspect	Data not included in graph
5/19/93 10:03	Manual Tape	418.25	Good	
5/20/93 7:03	Auto FIC	0	Suspect	Data not included in graph
5/20/93 10:03	Manual Tape	418.25	Good	
5/21/93 10:03	Manual Tape	418.00	Good	
5/22/93 10:03	Manual Tape	418.25	Good	
5/23/93 10:03	Manual Tape	418.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/24/93 10:03	Manual Tape	418.25	Good	
5/25/93 10:03	Manual Tape	418.25	Good	
5/26/93 10:03	Manual Tape	418.25	Good	
5/27/93 10:03	Manual Tape	418.25	Good	
5/28/93 10:03	Manual Tape	418.50	Good	
5/29/93 10:03	Manual Tape	418.50	Good	
5/30/93 10:03	Manual Tape	418.50	Good	
5/31/93 10:03	Manual Tape	418.25	Good	
6/1/93 10:00	Manual Tape	418.25	Good	
6/2/93 10:00	Manual Tape	418.50	Good	
6/3/93 10:00	Manual Tape	419.25	Good	
6/4/93 10:00	Manual Tape	418.5	Good	
6/5/93 10:00	Manual Tape	418.25	Good	
6/6/93 10:00	Manual Tape	418.25	Good	
6/7/93 10:00	Manual Tape	418.25	Good	
6/8/93 10:00	Manual Tape	418.25	Good	
6/9/93 10:00	Manual Tape	418.25	Good	
6/10/93 10:00	Manual Tape	418.50	Good	
6/11/93 10:00	Manual Tape	418.50	Good	
6/12/93 10:00	Manual Tape	418.5	Good	
6/13/93 10:00	Manual Tape	418.50	Good	
6/14/93 10:00	Manual Tape	418.50	Good	
6/15/93 10:00	Manual Tape	418.50	Good	
6/16/93 10:00	Manual Tape	418.5	Good	
6/17/93 10:00	Manual Tape	418.50	Good	
6/18/93 10:00	Manual Tape	418.50	Good	
6/19/93 10:00	Manual Tape	418.25	Good	
6/20/93 10:00	Manual Tape	418.25	Good	
6/21/93 10:00	Manual Tape	418.50	Good	
6/22/93 10:00	Manual Tape	418.75	Good	
6/23/93 10:00	Manual Tape	418.75	Good	
6/24/93 10:00	Manual Tape	418.25	Good	
6/25/93 10:00	Manual Tape	418.50	Good	
6/26/93 10:00	Manual Tape	418.25	Good	
6/27/93 10:00	Manual Tape	418.25	Good	
6/28/93 10:00	Manual Tape	418.5	Good	
6/29/93 10:00	Manual Tape	418.50	Good	
6/30/93 10:00	Manual Tape	418.50	Good	
7/1/93 10:00	Manual Tape	418.50	Good	
7/2/93 10:00	Manual Tape	418.5	Good	
7/3/93 10:00	Manual Tape	418.50	Good	
7/4/93 10:00	Manual Tape	418.50	Good	
7/5/93 10:00	Manual Tape	418.50	Good	
7/6/93 10:00	Manual Tape	418.5	Good	
7/7/93 10:00	Manual Tape	418.5	Good	
7/8/93 10:00	Manual Tape	419.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/9/93 10:00	Manual Tape	419	Good	
7/10/93 10:00	Manual Tape	418.75	Good	
7/11/93 10:00	Manual Tape	418.75	Good	
7/11/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/12/93 10:00	Manual Tape	418.50	Good	
7/12/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/13/93 10:00	Manual Tape	418.5	Good	
7/13/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/14/93 10:00	Manual Tape	418.5	Good	
7/14/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/15/93 10:00	Manual Tape	418.5	Good	
7/15/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/16/93 10:00	Manual Tape	418.5	Good	
7/16/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/17/93 10:00	Manual Tape	418.75	Good	
7/17/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/18/93 10:00	Manual Tape	418.75	Good	
7/18/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/19/93 10:00	Manual Tape	418.75	Good	
7/19/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/20/93 10:00	Manual Tape	418.50	Good	
7/20/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/21/93 10:00	Manual Tape	418.75	Good	
7/21/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/22/93 10:00	Manual Tape	418.5	Good	
7/22/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/23/93 10:00	Manual Tape	418.5	Good	
7/23/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/24/93 10:00	Manual Tape	418.5	Good	
7/24/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/25/93 10:00	Manual Tape	418.5	Good	
7/25/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/26/93 10:00	Manual Tape	418.50	Good	
7/26/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/27/93 10:00	Manual Tape	418.5	Good	
7/27/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/28/93 10:00	Manual Tape	418.5	Good	
7/28/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/29/93 10:00	Manual Tape	418.5	Good	
7/29/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/30/93 10:00	Manual Tape	418.5	Good	
7/30/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/31/93 10:00	Manual Tape	418.5	Good	
7/31/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
8/1/93 7:03	Auto FIC	0	Suspect	Data not included in graph
8/1/93 10:00	Manual Tape	418.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/2/93 7:06	Auto FIC	0	Suspect	Data not included in graph
8/2/93 10:00	Manual Tape	418.25	Good	
8/3/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/3/93 10:00	Manual Tape	418.5	Good	
8/4/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/4/93 10:00	Manual Tape	418.5	Good	
8/5/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/5/93 10:00	Manual Tape	418.5	Good	
8/6/93 10:00	Manual Tape	418.5	Good	
8/6/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
8/7/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/7/93 10:00	Manual Tape	418.50	Good	
8/8/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/8/93 10:00	Manual Tape	418.5	Good	
8/9/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/9/93 10:00	Manual Tape	418.5	Good	
8/10/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/10/93 10:00	Manual Tape	418.5	Good	
8/11/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/11/93 10:00	Manual Tape	418.5	Good	
8/12/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/12/93 10:00	Manual Tape	418.5	Good	
8/13/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/13/93 10:00	Manual Tape	418.50	Good	
8/14/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/14/93 10:00	Manual Tape	418.5	Good	
8/15/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/15/93 10:00	Manual Tape	418.5	Good	
8/16/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/16/93 10:00	Manual Tape	418.5	Good	
8/17/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/17/93 10:00	Manual Tape	418.75	Good	
8/18/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/18/93 10:00	Manual Tape	418.75	Good	
8/19/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/19/93 10:00	Manual Tape	418.75	Good	
8/20/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/20/93 10:00	Manual Tape	419	Good	
8/21/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/21/93 10:00	Manual Tape	419	Good	
8/22/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/22/93 10:00	Manual Tape	419	Good	
8/23/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/23/93 10:00	Manual Tape	419	Good	
8/24/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/24/93 10:00	Manual Tape	419	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/25/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/25/93 10:00	Manual Tape	419.00	Good	
8/26/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/26/93 10:00	Manual Tape	418.5	Good	
8/27/93 7:05	Auto FIC	0.00	Suspect	Data not included in graph
8/27/93 10:00	Manual Tape	418.75	Good	
8/28/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/28/93 10:00	Manual Tape	419	Good	
8/29/93 7:03	Auto FIC	0	Suspect	Data not included in graph
8/29/93 10:00	Manual Tape	418.5	Good	
8/30/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/30/93 10:00	Manual Tape	418.5	Good	
8/31/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/31/93 10:00	Manual Tape	418.75	Good	
9/1/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/1/93 10:00	Manual Tape	418.75	Good	
9/2/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/2/93 10:00	Manual Tape	419.5	Good	
9/3/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/3/93 10:00	Manual Tape	419.25	Good	
9/4/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/4/93 10:00	Manual Tape	419.25	Good	
9/5/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/5/93 10:00	Manual Tape	419.25	Good	
9/6/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/6/93 10:00	Manual Tape	419.00	Good	
9/7/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/7/93 10:00	Manual Tape	418.75	Good	
9/8/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/8/93 10:00	Manual Tape	418.75	Good	
9/9/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/9/93 10:00	Manual Tape	418.75	Good	
9/10/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/10/93 10:00	Manual Tape	418.75	Good	
9/11/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/11/93 10:00	Manual Tape	418.75	Good	
9/12/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/12/93 10:00	Manual Tape	418.75	Good	
9/13/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/13/93 10:00	Manual Tape	418.5	Good	
9/14/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/14/93 10:00	Manual Tape	418.75	Good	
9/15/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/15/93 10:00	Manual Tape	418.75	Good	
9/16/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/16/93 10:00	Manual Tape	418.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/17/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/17/93 10:00	Manual Tape	418.5	Good	
9/18/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/18/93 10:00	Manual Tape	418.75	Good	
9/19/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/19/93 10:00	Manual Tape	418.75	Good	
9/20/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/20/93 10:00	Manual Tape	418.75	Good	
9/21/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/21/93 10:00	Manual Tape	418.5	Good	
9/22/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/22/93 10:00	Manual Tape	418.75	Good	
9/23/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/23/93 10:00	Manual Tape	418.75	Good	
9/24/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/24/93 10:00	Manual Tape	418.75	Good	
9/25/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/25/93 10:00	Manual Tape	418.75	Good	
9/26/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/26/93 10:00	Manual Tape	418.5	Good	
9/27/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/27/93 10:00	Manual Tape	418.75	Good	
9/28/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/28/93 10:00	Manual Tape	418.75	Good	
9/29/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/29/93 10:00	Manual Tape	418.75	Good	
9/30/93 7:03	Auto FIC	0	Suspect	Data not included in graph
9/30/93 10:00	Manual Tape	418.75	Good	
10/1/93 0:00	Manual Tape	418.75	Good	
10/1/93 7:05	Auto FIC	0.00	Suspect	Data not included in graph
10/1/93 10:00	Manual Tape	418.75	Suspect	Data not included in graph
10/2/93 0:00	Manual Tape	418.75	Good	
10/2/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/2/93 10:00	Manual Tape	418.75	Suspect	Data not included in graph
10/3/93 0:00	Manual Tape	418.5	Good	
10/3/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/3/93 10:00	Manual Tape	418.50	Suspect	Data not included in graph
10/4/93 0:00	Manual Tape	418.75	Good	
10/4/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/4/93 10:00	Manual Tape	418.75	Suspect	Data not included in graph
10/5/93 0:00	Manual Tape	418.75	Good	
10/5/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/5/93 10:00	Manual Tape	418.75	Suspect	Data not included in graph
10/6/93 0:00	Manual Tape	418.75	Good	
10/6/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/6/93 10:00	Manual Tape	418.75	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/7/93 0:00	Manual Tape	418.5	Good	
10/7/93 10:00	Manual Tape	418.5	Suspect	Data not included in graph
10/8/93 0:00	Manual Tape	418.75	Good	
10/8/93 10:00	Manual Tape	418.75	Suspect	Data not included in graph
10/9/93 0:00	Manual Tape	418.5	Good	
10/9/93 10:00	Manual Tape	418.50	Suspect	Data not included in graph
10/10/93 0:00	Manual Tape	418.5	Good	
10/10/93 10:00	Manual Tape	418.5	Suspect	Data not included in graph
10/11/93 0:00	Manual Tape	418.75	Good	
10/11/93 10:00	Manual Tape	418.75	Suspect	Data not included in graph
10/12/93 0:00	Manual Tape	418.75	Good	
10/12/93 10:00	Manual Tape	418.75	Suspect	Data not included in graph
10/13/93 0:00	Manual Tape	418.5	Good	
10/13/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/13/93 10:00	Manual Tape	418.5	Suspect	Data not included in graph
10/14/93 0:00	Manual Tape	418.50	Good	
10/14/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/14/93 10:00	Manual Tape	418.5	Suspect	Data not included in graph
10/15/93 0:00	Manual Tape	418.5	Good	
10/15/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/15/93 10:00	Manual Tape	418.5	Suspect	Data not included in graph
10/16/93 0:00	Manual Tape	418.75	Good	
10/16/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/16/93 10:00	Manual Tape	418.75	Suspect	Data not included in graph
10/17/93 0:00	Manual Tape	418.75	Good	
10/17/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/17/93 10:00	Manual Tape	418.75	Suspect	Data not included in graph
10/18/93 0:00	Manual Tape	418.75	Good	
10/18/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/18/93 10:00	Manual Tape	418.75	Suspect	Data not included in graph
10/19/93 0:00	Manual Tape	418.5	Good	
10/19/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/19/93 10:00	Manual Tape	418.50	Suspect	Data not included in graph
10/20/93 0:00	Manual Tape	418.5	Good	
10/20/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/20/93 10:00	Manual Tape	418.5	Suspect	Data not included in graph
10/21/93 0:00	Manual Tape	418.5	Good	
10/21/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/21/93 10:00	Manual Tape	418.5	Suspect	Data not included in graph
10/22/93 0:00	Manual Tape	418.5	Good	
10/22/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/22/93 10:00	Manual Tape	418.50	Suspect	Data not included in graph
10/23/93 0:00	Manual Tape	418.5	Good	
10/23/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/23/93 10:00	Manual Tape	418.5	Suspect	Data not included in graph
10/24/93 0:00	Manual Tape	418.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/24/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/24/93 10:00	Manual Tape	418.75	Suspect	Data not included in graph
10/25/93 0:00	Manual Tape	418.5	Good	
10/25/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/25/93 10:00	Manual Tape	418.50	Suspect	Data not included in graph
10/26/93 0:00	Manual Tape	419	Good	
10/26/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/26/93 10:00	Manual Tape	419	Suspect	Data not included in graph
10/27/93 0:00	Manual Tape	419	Good	
10/27/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/27/93 10:00	Manual Tape	419	Suspect	Data not included in graph
10/28/93 0:00	Manual Tape	415	Good	
10/28/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/28/93 10:00	Manual Tape	415.00	Suspect	Data not included in graph
10/28/93 13:05	Manual Tape	417	Suspect	Data not included in graph
10/28/93 14:00	Manual Tape	417.25	Suspect	Data not included in graph
10/29/93 0:00	Manual Tape	415.5	Suspect	Data not included in graph
10/29/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/29/93 13:05	Manual Tape	417	Good	
10/30/93 0:00	Manual Tape	417.00	Good	
10/30/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/31/93 0:00	Manual Tape	417	Good	
10/31/93 7:06	Auto FIC	0	Suspect	Data not included in graph
11/1/93 0:00	Manual Tape	417	Good	
11/1/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
11/2/93 0:00	Manual Tape	416	Good	
11/2/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/3/93 0:00	Manual Tape	416.75	Good	
11/3/93 7:06	Auto FIC	0	Suspect	Data not included in graph
11/4/93 0:00	Manual Tape	417.25	Good	
11/4/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/5/93 0:00	Manual Tape	416.00	Good	
11/5/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
11/6/93 0:00	Manual Tape	414.5	Good	
11/6/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
11/7/93 0:00	Manual Tape	414.5	Good	
11/7/93 7:06	Auto FIC	0	Suspect	Data not included in graph
11/8/93 0:00	Manual Tape	414.25	Good	
11/8/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
11/9/93 0:00	Manual Tape	417.00	Good	
11/9/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/10/93 0:00	Manual Tape	414.5	Good	
11/10/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/11/93 0:00	Manual Tape	414.75	Good	
11/11/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/12/93 0:00	Manual Tape	416.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/12/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/13/93 0:00	Manual Tape	416	Good	
11/13/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/14/93 0:00	Manual Tape	414.75	Good	
11/14/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/15/93 0:00	Manual Tape	415.00	Good	
11/15/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/16/93 0:00	Manual Tape	417.5	Good	
11/16/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/17/93 0:00	Manual Tape	417.5	Good	
11/17/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/18/93 0:00	Manual Tape	417	Good	
11/18/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/19/93 0:00	Manual Tape	417.50	Good	
11/19/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/20/93 0:00	Manual Tape	417.75	Good	
11/20/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/21/93 0:00	Manual Tape	417.5	Good	
11/21/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/22/93 0:00	Manual Tape	415.5	Good	
11/22/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/23/93 0:00	Manual Tape	415.50	Good	
11/23/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/24/93 0:00	Manual Tape	416	Good	
11/24/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/25/93 0:00	Manual Tape	416.25	Good	
11/25/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/26/93 0:00	Manual Tape	416.25	Good	
11/26/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/27/93 0:00	Manual Tape	417.75	Good	
11/27/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/28/93 0:00	Manual Tape	417.75	Good	
11/28/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/29/93 0:00	Manual Tape	417.75	Good	
11/29/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/30/93 0:00	Manual Tape	415	Good	
11/30/93 7:03	Auto FIC	0	Suspect	Data not included in graph
12/1/93 0:00	Manual Tape	415	Good	
12/1/93 7:04	Auto FIC	0	Suspect	Data not included in graph
12/2/93 0:00	Manual Tape	416.5	Good	
12/2/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/3/93 0:00	Manual Tape	416.50	Good	
12/3/93 7:05	Auto FIC	0.00	Suspect	Data not included in graph
12/4/93 0:00	Manual Tape	415.5	Good	
12/4/93 7:05	Auto FIC	0	Suspect	Data not included in graph
12/5/93 0:00	Manual Tape	415.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/5/93 7:04	Auto FIC	0	Suspect	Data not included in graph
12/6/93 0:00	Manual Tape	406.5	Suspect	Data not included in graph
12/6/93 7:05	Auto FIC	0.00	Suspect	Data not included in graph
12/6/93 18:00	Manual Tape	416.50	Good	
12/7/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/7/93 18:00	Manual Tape	416	Good	
12/8/93 7:06	Auto FIC	0	Suspect	Data not included in graph
12/8/93 18:00	Manual Tape	416.25	Good	
12/9/93 7:04	Auto FIC	0	Suspect	Data not included in graph
12/9/93 18:00	Manual Tape	416.75	Good	
12/10/93 18:00	Manual Tape	415.50	Good	
12/11/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
12/11/93 18:00	Manual Tape	415.75	Good	
12/12/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
12/12/93 18:00	Manual Tape	414.75	Good	
12/13/93 7:06	Auto FIC	0	Suspect	Data not included in graph
12/13/93 18:00	Manual Tape	414.75	Good	
12/14/93 7:06	Auto FIC	0	Suspect	Data not included in graph
12/14/93 18:00	Manual Tape	414.00	Good	
12/15/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
12/15/93 18:00	Manual Tape	414	Good	
12/16/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
12/16/93 18:00	Manual Tape	414.75	Good	
12/17/93 7:05	Auto FIC	0	Suspect	Data not included in graph
12/17/93 18:00	Manual Tape	413.75	Good	
12/18/93 7:06	Auto FIC	0	Suspect	Data not included in graph
12/18/93 18:00	Manual Tape	414.75	Good	
12/19/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
12/19/93 18:00	Manual Tape	413.75	Good	
12/20/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
12/20/93 18:00	Manual Tape	413.75	Good	
12/21/93 7:06	Auto FIC	0	Suspect	Data not included in graph
12/21/93 18:00	Manual Tape	413.75	Good	
12/22/93 7:05	Auto FIC	0	Suspect	Data not included in graph
12/22/93 18:00	Manual Tape	413.75	Good	
12/23/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/23/93 18:00	Manual Tape	413.75	Good	
12/24/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
12/24/93 18:00	Manual Tape	413.75	Good	
12/25/93 7:06	Auto FIC	0	Suspect	Data not included in graph
12/25/93 18:00	Manual Tape	413.75	Good	
12/26/93 7:06	Auto FIC	0	Suspect	Data not included in graph
12/26/93 18:00	Manual Tape	413.75	Good	
12/27/93 0:00	Manual Tape	413.50	Good	
12/27/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
12/28/93 0:00	Manual Tape	413.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/28/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
12/29/93 0:00	Manual Tape	414.00	Good	
12/29/93 7:06	Auto FIC	0	Suspect	Data not included in graph
12/30/93 0:00	Manual Tape	413.5	Good	
12/30/93 7:05	Auto FIC	0	Suspect	Data not included in graph
12/31/93 0:00	Manual Tape	413.5	Good	
12/31/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
1/1/94 0:00	Manual Tape	413.75	Good	
1/1/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
1/2/94 0:00	Manual Tape	414.00	Good	
1/2/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
1/3/94 0:00	Manual Tape	413.5	Good	
1/3/94 7:07	Auto FIC	0	Suspect	Data not included in graph
1/4/94 0:00	Manual Tape	413.5	Good	
1/4/94 7:07	Auto FIC	0	Suspect	Data not included in graph
1/5/94 0:00	Manual Tape	413.5	Good	
1/5/94 7:06	Auto FIC	0	Suspect	Data not included in graph
1/6/94 0:00	Manual Tape	413.50	Good	
1/6/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
1/7/94 0:00	Manual Tape	413.5	Good	
1/7/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
1/8/94 0:00	Manual Tape	413.5	Good	
1/8/94 7:06	Auto FIC	0	Suspect	Data not included in graph
1/9/94 0:00	Manual Tape	413.5	Good	
1/9/94 7:06	Auto FIC	0	Suspect	Data not included in graph
1/10/94 0:00	Manual Tape	413.50	Good	
1/10/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
1/11/94 0:00	Manual Tape	413.5	Good	
1/11/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
1/12/94 0:00	Manual Tape	413.5	Good	
1/12/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
1/13/94 0:00	Manual Tape	413.25	Good	
1/13/94 7:04	Auto FIC	0	Suspect	Data not included in graph
1/14/94 0:00	Manual Tape	413.5	Good	
1/14/94 7:06	Auto FIC	0	Suspect	Data not included in graph
1/15/94 0:00	Manual Tape	413.50	Good	
1/15/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/16/94 0:00	Manual Tape	413.5	Good	
1/16/94 7:07	Auto FIC	0	Suspect	Data not included in graph
1/17/94 0:00	Manual Tape	413.5	Good	
1/17/94 7:07	Auto FIC	0	Suspect	Data not included in graph
1/18/94 0:00	Manual Tape	413.75	Good	
1/18/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
1/19/94 0:00	Manual Tape	413.75	Good	
1/19/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
1/20/94 0:00	Manual Tape	413.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/20/94 7:07	Auto FIC	0	Suspect	Data not included in graph
1/21/94 0:00	Manual Tape	413.75	Good	
1/21/94 7:07	Auto FIC	0	Suspect	Data not included in graph
1/22/94 0:00	Manual Tape	413.75	Good	
1/22/94 7:08	Auto FIC	0.00	Suspect	Data not included in graph
1/23/94 0:00	Manual Tape	413.5	Good	
1/23/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
1/24/94 0:00	Manual Tape	413.75	Good	
1/24/94 7:08	Auto FIC	0	Suspect	Data not included in graph
1/25/94 0:00	Manual Tape	413.75	Good	
1/25/94 7:07	Auto FIC	0	Suspect	Data not included in graph
1/26/94 0:00	Manual Tape	413.75	Good	
1/26/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
1/27/94 0:00	Manual Tape	413.75	Good	
1/27/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/28/94 0:00	Manual Tape	413.75	Good	
1/28/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
1/29/94 0:00	Manual Tape	413.5	Good	
1/29/94 7:07	Auto FIC	0	Suspect	Data not included in graph
1/30/94 0:00	Manual Tape	414.00	Good	
1/30/94 7:06	Auto FIC	0	Suspect	Data not included in graph
1/31/94 0:00	Manual Tape	413.75	Good	
1/31/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
2/1/94 0:00	Manual Tape	413.75	Good	
2/1/94 7:06	Auto FIC	0	Suspect	Data not included in graph
2/2/94 0:00	Manual Tape	413.75	Good	
2/2/94 7:07	Auto FIC	0	Suspect	Data not included in graph
2/3/94 0:00	Manual Tape	413.75	Good	
2/3/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
2/4/94 0:00	Manual Tape	413.75	Good	
2/4/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
2/5/94 0:00	Manual Tape	413.75	Good	
2/5/94 7:07	Auto FIC	0	Suspect	Data not included in graph
2/6/94 0:00	Manual Tape	413.75	Good	
2/6/94 7:07	Auto FIC	0	Suspect	Data not included in graph
2/7/94 0:00	Manual Tape	413.75	Good	
2/7/94 7:06	Auto FIC	0	Suspect	Data not included in graph
2/8/94 0:00	Manual Tape	413.75	Good	
2/8/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
2/9/94 0:00	Manual Tape	413.75	Good	
2/9/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/10/94 0:00	Manual Tape	413.75	Good	
2/10/94 7:04	Auto FIC	0	Suspect	Data not included in graph
2/11/94 0:00	Manual Tape	413.75	Good	
2/11/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/12/94 0:00	Manual Tape	413.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/12/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/13/94 0:00	Manual Tape	413.75	Good	
2/13/94 7:04	Auto FIC	0	Suspect	Data not included in graph
2/14/94 0:00	Manual Tape	413.75	Good	
2/14/94 7:04	Auto FIC	0	Suspect	Data not included in graph
2/15/94 0:00	Manual Tape	413.75	Good	
2/15/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/16/94 0:00	Manual Tape	413.75	Good	
2/16/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/17/94 0:00	Manual Tape	414	Good	
2/17/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/18/94 0:00	Manual Tape	414	Good	
2/18/94 7:06	Auto FIC	0	Suspect	Data not included in graph
2/19/94 0:00	Manual Tape	414.00	Good	
2/19/94 7:06	Auto FIC	0	Suspect	Data not included in graph
2/20/94 0:00	Manual Tape	414	Good	
2/20/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
2/21/94 0:00	Manual Tape	414	Good	
2/21/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/22/94 0:00	Manual Tape	414	Good	
2/22/94 7:05	Auto FIC	0	Suspect	Data not included in graph
2/23/94 0:00	Manual Tape	414.00	Good	
2/23/94 7:06	Auto FIC	0	Suspect	Data not included in graph
2/24/94 0:00	Manual Tape	414	Good	
2/24/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/25/94 0:00	Manual Tape	413.75	Good	
2/26/94 0:00	Manual Tape	413.75	Good	
2/26/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
2/27/94 0:00	Manual Tape	413.75	Good	
2/27/94 7:07	Auto FIC	0	Suspect	Data not included in graph
2/28/94 0:00	Manual Tape	414	Good	
3/1/94 0:00	Manual Tape	413.50	Good	
3/1/94 7:04	Auto FIC	0	Suspect	Data not included in graph
3/2/94 0:00	Manual Tape	414	Good	
3/2/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
3/3/94 0:00	Manual Tape	414	Good	
3/3/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
3/4/94 0:00	Manual Tape	414	Good	
3/4/94 7:04	Auto FIC	0	Suspect	Data not included in graph
3/5/94 0:00	Manual Tape	414.00	Good	
3/5/94 7:05	Auto FIC	0	Suspect	Data not included in graph
3/6/94 0:00	Manual Tape	413.75	Good	
3/6/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
3/7/94 0:00	Manual Tape	413.75	Good	
3/7/94 7:05	Auto FIC	0	Suspect	Data not included in graph
3/8/94 0:00	Manual Tape	414	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/8/94 7:04	Auto FIC	0	Suspect	Data not included in graph
3/9/94 0:00	Manual Tape	414.00	Good	
3/9/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/10/94 0:00	Manual Tape	414	Good	
3/10/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
3/11/94 0:00	Manual Tape	414.00	Good	
3/11/94 7:06	Auto FIC	0	Suspect	Data not included in graph
3/12/94 0:00	Manual Tape	414	Good	
3/12/94 7:06	Auto FIC	0	Suspect	Data not included in graph
3/13/94 0:00	Manual Tape	414	Good	
3/13/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
3/14/94 0:00	Manual Tape	414	Good	
3/15/94 0:00	Manual Tape	414.00	Good	
3/15/94 7:05	Auto FIC	0	Suspect	Data not included in graph
3/16/94 0:00	Manual Tape	414	Good	
3/16/94 7:04	Auto FIC	0	Suspect	Data not included in graph
3/17/94 0:00	Manual Tape	414	Good	
3/17/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
3/18/94 0:00	Manual FIC	408.6	Good	
3/18/94 0:00	Manual Tape	414	Good	
3/18/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
3/19/94 0:00	Manual FIC	408.6	Good	
3/19/94 0:00	Manual Tape	414.00	Good	
3/19/94 7:04	Auto FIC	0	Suspect	Data not included in graph
3/20/94 0:00	Manual FIC	408.50	Good	
3/20/94 0:00	Manual Tape	414	Good	
3/20/94 7:05	Auto FIC	0	Suspect	Data not included in graph
3/21/94 0:00	Manual FIC	408.30	Good	
3/21/94 0:00	Manual Tape	414	Good	
3/21/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
3/22/94 0:00	Manual FIC	407.20	Good	
3/22/94 0:00	Manual Tape	414.25	Good	
3/22/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/23/94 0:00	Manual Tape	414	Good	
3/24/94 0:00	Manual Tape	414	Good	
3/24/94 7:04	Auto FIC	0	Suspect	Data not included in graph
3/25/94 0:00	Manual Tape	414	Good	
3/25/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
3/26/94 0:00	Manual Tape	414.5	Good	
3/26/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/27/94 0:00	Manual Tape	414.5	Good	
3/27/94 7:04	Auto FIC	0	Suspect	Data not included in graph
3/28/94 0:00	Manual Tape	414.25	Good	
3/28/94 7:04	Auto FIC	0	Suspect	Data not included in graph
3/29/94 0:00	Manual Tape	414	Good	
3/29/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/30/94 0:00	Manual Tape	414	Good	
3/30/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/31/94 0:00	Manual FIC	408.70	Good	
3/31/94 0:00	Manual Tape	414	Good	
3/31/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/1/94 0:00	Manual Tape	414.25	Good	
4/2/94 0:00	Manual FIC	408.70	Good	
4/2/94 0:00	Manual Tape	414.5	Good	
4/2/94 7:07	Auto FIC	0	Suspect	Data not included in graph
4/3/94 0:00	Manual FIC	408.7	Good	
4/3/94 0:00	Manual Tape	414.25	Good	
4/3/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/4/94 0:00	Manual FIC	408.65	Good	
4/4/94 0:00	Manual Tape	414.25	Good	
4/4/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/5/94 0:00	Manual FIC	408.85	Good	
4/5/94 0:00	Manual Tape	414.25	Good	
4/5/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/6/94 0:00	Manual FIC	408.80	Good	
4/6/94 0:00	Manual Tape	414.25	Good	
4/6/94 7:06	Auto FIC	0	Suspect	Data not included in graph
4/7/94 0:00	Manual FIC	408.80	Good	
4/7/94 0:00	Manual Tape	414.25	Good	
4/7/94 7:07	Auto FIC	0	Suspect	Data not included in graph
4/8/94 0:00	Manual FIC	408.8	Good	
4/8/94 0:00	Manual Tape	414.25	Good	
4/8/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/9/94 0:00	Manual FIC	408.9	Good	
4/9/94 0:00	Manual Tape	414.5	Good	
4/9/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
4/10/94 0:00	Manual FIC	408.60	Good	
4/10/94 0:00	Manual Tape	414.25	Good	
4/10/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/11/94 0:00	Manual Tape	414.25	Good	
4/11/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/12/94 0:00	Manual Tape	414.25	Good	
4/12/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/13/94 0:00	Manual Tape	414.25	Good	
4/13/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/14/94 0:00	Manual FIC	408.60	Good	
4/14/94 0:00	Manual Tape	414.25	Good	
4/14/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/15/94 0:00	Manual FIC	408.55	Good	
4/15/94 0:00	Manual Tape	414.25	Good	
4/15/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/16/94 0:00	Manual FIC	408.60	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/16/94 0:00	Manual Tape	414	Good	
4/16/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/17/94 0:00	Manual FIC	408.6	Good	
4/17/94 0:00	Manual Tape	414.25	Good	
4/17/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/18/94 0:00	Manual FIC	408.65	Good	
4/18/94 0:00	Manual Tape	414.25	Good	
4/18/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/19/94 0:00	Manual FIC	408.60	Good	
4/19/94 0:00	Manual Tape	414.25	Good	
4/20/94 0:00	Manual FIC	408.60	Good	
4/20/94 0:00	Manual Tape	414	Good	
4/20/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
4/21/94 0:00	Manual FIC	408.70	Good	
4/21/94 0:00	Manual Tape	414	Good	
4/21/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
4/22/94 0:00	Manual FIC	408.60	Good	
4/22/94 0:00	Manual Tape	414.25	Good	
4/22/94 7:04	Auto FIC	0	Suspect	Data not included in graph
4/23/94 0:00	Manual FIC	408.60	Good	
4/23/94 0:00	Manual Tape	414.25	Good	
4/23/94 7:05	Auto FIC	0	Suspect	Data not included in graph
4/24/94 0:00	Manual FIC	408.6	Good	
4/24/94 0:00	Manual Tape	414.5	Good	
4/24/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
4/25/94 0:00	Manual FIC	408.7	Good	
4/25/94 0:00	Manual Tape	414.25	Good	
4/25/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
4/26/94 0:00	Manual FIC	408.60	Good	
4/26/94 0:00	Manual Tape	414	Good	
4/26/94 7:07	Auto FIC	0	Suspect	Data not included in graph
4/27/94 0:00	Manual FIC	408.60	Good	
4/27/94 0:00	Manual Tape	414.25	Good	
4/27/94 7:04	Auto FIC	0	Suspect	Data not included in graph
4/28/94 0:00	Manual FIC	408.60	Good	
4/28/94 0:00	Manual Tape	414.25	Good	
4/28/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
4/29/94 0:00	Manual FIC	408.65	Good	
4/29/94 0:00	Manual Tape	414.25	Good	
4/29/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
4/30/94 0:00	Manual FIC	408.65	Good	
4/30/94 0:00	Manual Tape	414.25	Good	
4/30/94 7:05	Auto FIC	0	Suspect	Data not included in graph
5/1/94 0:00	Manual FIC	408.70	Good	
5/1/94 0:00	Manual Tape	414.25	Good	
5/1/94 7:05	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/2/94 0:00	Manual FIC	408.70	Good	
5/2/94 0:00	Manual Tape	414.25	Good	
5/2/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/3/94 0:00	Manual FIC	408.7	Good	
5/3/94 0:00	Manual Tape	414.25	Good	
5/3/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/4/94 0:00	Manual FIC	408.70	Good	
5/4/94 0:00	Manual Tape	415	Good	
5/4/94 7:05	Auto FIC	0	Suspect	Data not included in graph
5/5/94 0:00	Manual FIC	408.7	Good	
5/5/94 0:00	Manual Tape	414.5	Good	
5/5/94 7:03	Auto FIC	0	Suspect	Data not included in graph
5/6/94 0:00	Manual FIC	408.75	Good	
5/6/94 0:00	Manual Tape	414.5	Good	
5/6/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/7/94 0:00	Manual FIC	408.8	Good	
5/7/94 0:00	Manual Tape	414.5	Good	
5/7/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/8/94 0:00	Manual FIC	408.80	Good	
5/8/94 0:00	Manual Tape	414.5	Good	
5/8/94 7:03	Auto FIC	0	Suspect	Data not included in graph
5/9/94 0:00	Manual FIC	408.8	Good	
5/9/94 0:00	Manual Tape	414.5	Good	
5/9/94 7:03	Auto FIC	0	Suspect	Data not included in graph
5/10/94 0:00	Manual FIC	408.80	Good	
5/10/94 0:00	Manual Tape	414.5	Good	
5/10/94 7:03	Auto FIC	0	Suspect	Data not included in graph
5/11/94 0:00	Manual FIC	408.8	Good	
5/11/94 0:00	Manual Tape	414.25	Good	
5/11/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/12/94 0:00	Manual FIC	408.85	Good	
5/12/94 0:00	Manual Tape	414.5	Good	
5/13/94 0:00	Manual FIC	408.8	Good	
5/13/94 0:00	Manual Tape	414.5	Good	
5/13/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/14/94 0:00	Manual FIC	408.90	Good	
5/14/94 7:03	Auto FIC	0	Suspect	Data not included in graph
5/15/94 0:00	Manual FIC	408.85	Good	
5/15/94 7:06	Auto FIC	0	Suspect	Data not included in graph
5/16/94 0:00	Manual FIC	408.80	Good	
5/16/94 7:02	Auto FIC	0.00	Suspect	Data not included in graph
5/17/94 0:00	Manual FIC	408.70	Good	
5/17/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/18/94 0:00	Manual FIC	408.7	Good	
5/18/94 0:00	Manual Tape	414.25	Good	
5/18/94 7:03	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/19/94 0:00	Manual FIC	408.7	Good	
5/19/94 0:00	Manual Tape	414.5	Good	
5/19/94 7:03	Auto FIC	0	Suspect	Data not included in graph
5/20/94 0:00	Manual FIC	408.7	Good	
5/20/94 0:00	Manual Tape	414.75	Good	
5/20/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/21/94 0:00	Manual FIC	408.70	Good	
5/21/94 0:00	Manual Tape	414.5	Good	
5/21/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/22/94 0:00	Manual FIC	408.65	Good	
5/22/94 0:00	Manual Tape	414.5	Good	
5/22/94 7:05	Auto FIC	0	Suspect	Data not included in graph
5/23/94 0:00	Manual FIC	408.60	Good	
5/23/94 0:00	Manual Tape	414.5	Good	
5/23/94 7:04	Auto FIC	0	Suspect	Data not included in graph
5/24/94 0:00	Manual FIC	408.7	Good	
5/24/94 0:00	Manual Tape	414.5	Good	
5/24/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/25/94 0:00	Manual FIC	408.75	Good	
5/25/94 0:00	Manual Tape	414.25	Good	
5/25/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/26/94 0:00	Manual FIC	408.7	Good	
5/26/94 0:00	Manual Tape	414.5	Good	
5/27/94 0:00	Manual FIC	408.80	Good	
5/27/94 0:00	Manual Tape	414.25	Good	
5/27/94 7:03	Auto FIC	0	Suspect	Data not included in graph
5/28/94 0:00	Manual FIC	408.75	Good	
5/28/94 0:00	Manual Tape	414.25	Good	
5/28/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/29/94 0:00	Manual FIC	408.80	Good	
5/29/94 0:00	Manual Tape	414.25	Good	
5/29/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/30/94 0:00	Manual FIC	408.7	Good	
5/30/94 0:00	Manual Tape	414.25	Good	
5/30/94 7:02	Auto FIC	0	Suspect	Data not included in graph
5/31/94 0:00	Manual FIC	408.8	Good	
5/31/94 0:00	Manual Tape	414.5	Good	
5/31/94 7:03	Auto FIC	0	Suspect	Data not included in graph
6/1/94 0:00	Manual FIC	408.75	Good	
6/1/94 0:00	Manual Tape	0	Suspect	Data not included in graph
6/1/94 7:03	Auto FIC	0	Suspect	Data not included in graph
6/2/94 0:00	Manual FIC	408.75	Good	
6/2/94 0:00	Manual Tape	414.5	Good	
6/2/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/2/94 15:00	Manual FIC	408.75	Good	
6/3/94 0:00	Manual FIC	408.80	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/3/94 0:00	Manual Tape	414.5	Good	
6/3/94 15:00	Manual FIC	408.8	Good	
6/4/94 0:00	Manual FIC	408.85	Good	
6/4/94 0:00	Manual Tape	414.5	Good	
6/4/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
6/4/94 15:00	Manual FIC	408.85	Good	
6/5/94 0:00	Manual FIC	408.85	Good	
6/5/94 0:00	Manual Tape	414.5	Good	
6/5/94 7:03	Auto FIC	0	Suspect	Data not included in graph
6/5/94 15:00	Manual FIC	408.85	Good	
6/6/94 0:00	Manual FIC	409.00	Good	
6/6/94 0:00	Manual Tape	414.5	Good	
6/6/94 7:06	Auto FIC	0	Suspect	Data not included in graph
6/6/94 15:00	Manual FIC	409	Good	
6/7/94 0:00	Manual FIC	409	Good	
6/7/94 0:00	Manual Tape	0	Suspect	Data not included in graph
6/7/94 7:02	Auto FIC	0.00	Suspect	Data not included in graph
6/7/94 15:00	Manual FIC	409.00	Good	
6/8/94 0:00	Manual FIC	409.00	Good	
6/8/94 0:00	Manual Tape	0	Suspect	Data not included in graph
6/8/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/8/94 15:00	Manual FIC	409.00	Good	
6/9/94 0:00	Manual FIC	409	Good	
6/9/94 0:00	Manual Tape	0	Suspect	Data not included in graph
6/9/94 15:00	Manual FIC	409	Good	
6/10/94 0:00	Manual FIC	409.10	Good	
6/10/94 0:00	Manual Tape	414.75	Good	
6/10/94 7:04	Auto FIC	0	Suspect	Data not included in graph
6/10/94 15:00	Manual FIC	409.10	Good	
6/11/94 0:00	Manual FIC	409.00	Good	
6/11/94 0:00	Manual Tape	0	Suspect	Data not included in graph
6/11/94 7:04	Auto FIC	0	Suspect	Data not included in graph
6/11/94 15:00	Manual FIC	409	Good	
6/12/94 0:00	Manual FIC	409.00	Good	
6/12/94 0:00	Manual Tape	0	Suspect	Data not included in graph
6/12/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/12/94 15:00	Manual FIC	409.00	Good	
6/13/94 0:00	Manual FIC	409.00	Good	
6/13/94 0:00	Manual Tape	414.75	Good	
6/13/94 7:02	Auto FIC	0.00	Suspect	Data not included in graph
6/13/94 15:00	Manual FIC	409	Good	
6/14/94 0:00	Manual FIC	409.00	Good	
6/14/94 0:00	Manual Tape	0	Suspect	Data not included in graph
6/14/94 7:03	Auto FIC	0	Suspect	Data not included in graph
6/14/94 15:00	Manual FIC	409.00	Good	
6/15/94 0:00	Manual FIC	409.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/15/94 0:00	Manual Tape	0	Suspect	Data not included in graph
6/15/94 7:03	Auto FIC	0	Suspect	Data not included in graph
6/16/94 0:00	Manual FIC	409	Good	
6/16/94 0:00	Manual Tape	414.75	Good	
6/16/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/17/94 0:00	Manual FIC	409.00	Good	
6/17/94 0:00	Manual Tape	414.75	Good	
6/17/94 7:03	Auto FIC	0	Suspect	Data not included in graph
6/18/94 0:00	Manual FIC	409	Good	
6/18/94 0:00	Manual Tape	414.75	Good	
6/18/94 7:04	Auto FIC	0	Suspect	Data not included in graph
6/19/94 0:00	Manual FIC	409.00	Good	
6/19/94 0:00	Manual Tape	414.75	Good	
6/19/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
6/20/94 0:00	Manual FIC	409.05	Good	
6/20/94 0:00	Manual Tape	414.75	Good	
6/20/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
6/21/94 0:00	Manual FIC	409.10	Good	
6/21/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
6/22/94 0:00	Manual FIC	409.1	Good	
6/22/94 7:03	Auto FIC	0	Suspect	Data not included in graph
6/23/94 0:00	Manual FIC	409.10	Good	
6/23/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/24/94 0:00	Manual FIC	409.10	Good	
6/24/94 0:00	Manual Tape	414.75	Good	
6/24/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/25/94 0:00	Manual FIC	409.1	Good	
6/25/94 0:00	Manual Tape	414.75	Good	
6/25/94 7:05	Auto FIC	0	Suspect	Data not included in graph
6/26/94 0:00	Manual FIC	409.1	Good	
6/26/94 0:00	Manual Tape	414.75	Good	
6/26/94 7:06	Auto FIC	0	Suspect	Data not included in graph
6/27/94 0:00	Manual FIC	409.15	Good	
6/27/94 0:00	Manual Tape	415	Good	
6/27/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/28/94 0:00	Manual FIC	409.20	Good	
6/28/94 0:00	Manual Tape	415	Good	
6/28/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/29/94 0:00	Manual FIC	409.20	Good	
6/29/94 0:00	Manual Tape	415.25	Good	
6/29/94 7:03	Auto FIC	0	Suspect	Data not included in graph
6/30/94 0:00	Manual FIC	409.25	Good	
6/30/94 0:00	Manual Tape	415	Good	
6/30/94 7:04	Auto FIC	0	Suspect	Data not included in graph
7/1/94 0:00	Manual FIC	409.25	Good	
7/1/94 0:00	Manual Tape	415	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/1/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
7/2/94 0:00	Manual FIC	409.20	Good	
7/2/94 0:00	Manual Tape	415	Good	
7/2/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
7/3/94 0:00	Manual FIC	409.10	Good	
7/3/94 0:00	Manual Tape	414.5	Good	
7/3/94 7:04	Auto FIC	0	Suspect	Data not included in graph
7/4/94 0:00	Manual FIC	409.15	Good	
7/4/94 0:00	Manual Tape	414.75	Good	
7/4/94 7:04	Auto FIC	0	Suspect	Data not included in graph
7/5/94 0:00	Manual FIC	409.15	Good	
7/5/94 0:00	Manual Tape	414.5	Good	
7/5/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
7/6/94 0:00	Manual FIC	409.10	Good	
7/6/94 0:00	Manual Tape	414.5	Good	
7/6/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
7/7/94 0:00	Manual FIC	409.2	Good	
7/7/94 0:00	Manual Tape	414.75	Good	
7/7/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
7/8/94 0:00	Manual FIC	409.2	Good	
7/8/94 0:00	Manual Tape	414.75	Good	
7/8/94 7:03	Auto FIC	0	Suspect	Data not included in graph
7/9/94 0:00	Manual FIC	409.30	Good	
7/9/94 0:00	Manual Tape	414.75	Good	
7/9/94 7:03	Auto FIC	0	Suspect	Data not included in graph
7/10/94 0:00	Manual FIC	409.20	Good	
7/10/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
7/11/94 0:00	Manual FIC	409.15	Good	
7/11/94 0:00	Manual Tape	414.75	Good	
7/11/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
7/12/94 0:00	Manual FIC	409.1	Good	
7/12/94 0:00	Manual Tape	414.75	Good	
7/12/94 7:03	Auto FIC	0	Suspect	Data not included in graph
7/13/94 0:00	Manual FIC	409.1	Good	
7/13/94 0:00	Manual Tape	414.75	Good	
7/13/94 7:03	Auto FIC	0	Suspect	Data not included in graph
7/14/94 0:00	Manual FIC	409.20	Good	
7/14/94 0:00	Manual Tape	414.75	Good	
7/14/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
7/15/94 0:00	Manual FIC	409.15	Good	
7/15/94 0:00	Manual Tape	414.5	Good	
7/15/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
7/16/94 0:00	Manual FIC	409.2	Good	
7/16/94 0:00	Manual Tape	414.5	Good	
7/16/94 7:04	Auto FIC	0	Suspect	Data not included in graph
7/17/94 0:00	Manual FIC	409.20	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/17/94 0:00	Manual Tape	414.5	Good	
7/17/94 7:04	Auto FIC	0	Suspect	Data not included in graph
7/18/94 0:00	Manual FIC	409.15	Good	
7/18/94 0:00	Manual Tape	415	Good	
7/19/94 0:00	Manual FIC	409.1	Good	
7/19/94 0:00	Manual Tape	414.75	Good	
7/19/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
7/20/94 0:00	Manual FIC	409.10	Good	
7/20/94 0:00	Manual Tape	414.75	Good	
7/20/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
7/21/94 0:00	Manual FIC	409.10	Good	
7/21/94 0:00	Manual Tape	414.75	Good	
7/21/94 7:03	Auto FIC	0	Suspect	Data not included in graph
7/22/94 0:00	Manual FIC	409.10	Good	
7/22/94 0:00	Manual Tape	414.75	Good	
7/22/94 7:03	Auto FIC	0	Suspect	Data not included in graph
7/23/94 0:00	Manual FIC	409.10	Good	
7/23/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
7/24/94 0:00	Manual FIC	409.10	Good	
7/24/94 7:03	Auto FIC	0	Suspect	Data not included in graph
7/25/94 0:00	Manual FIC	409.1	Good	
7/25/94 0:00	Manual Tape	414.5	Good	
7/25/94 7:03	Auto FIC	0	Suspect	Data not included in graph
7/26/94 0:00	Manual FIC	409.10	Good	
7/26/94 7:03	Auto FIC	0	Suspect	Data not included in graph
7/26/94 12:00	Manual Tape	415	Good	
7/27/94 0:00	Manual FIC	409.10	Good	
7/27/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
7/27/94 12:00	Manual Tape	414.25	Good	
7/28/94 0:00	Manual FIC	409.2	Good	
7/28/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
7/28/94 12:00	Manual Tape	414.5	Good	
7/29/94 7:04	Auto FIC	0	Suspect	Data not included in graph
7/29/94 12:00	Manual FIC	409.20	Good	
7/29/94 12:00	Manual Tape	414.5	Good	
7/30/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
7/30/94 12:00	Manual FIC	409.20	Good	
7/30/94 12:00	Manual Tape	414.75	Good	
7/31/94 12:00	Manual FIC	409.2	Good	
7/31/94 12:00	Manual Tape	414.75	Good	
7/31/94 23:03	Auto FIC	0.00	Suspect	Data not included in graph
8/1/94 7:03	Auto FIC	0	Suspect	Data not included in graph
8/1/94 12:00	Manual FIC	409.2	Good	
8/1/94 12:00	Manual Tape	415	Good	
8/2/94 7:03	Auto FIC	0	Suspect	Data not included in graph
8/2/94 12:00	Manual FIC	409.20	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/2/94 12:00	Manual Tape	414.75	Good	
8/3/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/3/94 12:00	Manual FIC	409.3	Good	
8/3/94 12:00	Manual Tape	414.75	Good	
8/4/94 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/4/94 12:00	Manual FIC	409.30	Good	
8/4/94 12:00	Manual Tape	414.75	Good	
8/5/94 7:03	Auto FIC	0	Suspect	Data not included in graph
8/5/94 12:00	Manual FIC	409.30	Good	
8/5/94 12:00	Manual Tape	414.75	Good	
8/6/94 7:03	Auto FIC	0	Suspect	Data not included in graph
8/6/94 12:00	Manual FIC	409.3	Good	
8/7/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/7/94 12:00	Manual FIC	409.4	Good	
8/8/94 7:12	Auto FIC	0.00	Suspect	Data not included in graph
8/8/94 12:00	Manual FIC	409.40	Good	
8/9/94 7:06	Auto FIC	0	Suspect	Data not included in graph
8/9/94 12:00	Manual FIC	409.3	Good	
8/10/94 7:04	Auto FIC	0	Suspect	Data not included in graph
8/10/94 12:00	Manual FIC	409.30	Good	
8/10/94 12:00	Manual Tape	415	Good	
8/11/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/11/94 12:00	Manual FIC	409.30	Good	
8/12/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/12/94 12:00	Manual FIC	409.35	Good	
8/12/94 12:00	Manual Tape	414.5	Good	
8/13/94 7:03	Auto FIC	0	Suspect	Data not included in graph
8/13/94 12:00	Manual FIC	409.3	Good	
8/13/94 12:00	Manual Tape	415	Good	
8/14/94 7:06	Auto FIC	0	Suspect	Data not included in graph
8/14/94 12:00	Manual FIC	409.40	Good	
8/14/94 12:00	Manual Tape	415	Good	
8/15/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/15/94 12:00	Manual FIC	409.35	Good	
8/15/94 12:00	Manual Tape	415	Good	
8/16/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/16/94 12:00	Manual FIC	409.35	Good	
8/16/94 12:00	Manual Tape	414.5	Good	
8/17/94 7:06	Auto FIC	0	Suspect	Data not included in graph
8/17/94 12:00	Manual FIC	409.35	Good	
8/17/94 12:00	Manual Tape	414.75	Good	
8/18/94 7:06	Auto FIC	0	Suspect	Data not included in graph
8/18/94 12:00	Manual FIC	409.35	Good	
8/18/94 12:00	Manual Tape	414.75	Good	
8/19/94 7:10	Auto FIC	0.00	Suspect	Data not included in graph
8/19/94 12:00	Manual FIC	409.4	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/19/94 12:00	Manual Tape	414.75	Good	
8/20/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/20/94 12:00	Manual FIC	409.40	Good	
8/20/94 12:00	Manual Tape	414.75	Good	
8/21/94 7:04	Auto FIC	0	Suspect	Data not included in graph
8/21/94 12:00	Manual FIC	409.40	Good	
8/21/94 12:00	Manual Tape	414.75	Good	
8/22/94 7:10	Auto FIC	0	Suspect	Data not included in graph
8/22/94 12:00	Manual FIC	409.4	Good	
8/22/94 12:00	Manual Tape	414.75	Good	
8/23/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/23/94 12:00	Manual FIC	409.4	Good	
8/23/94 12:00	Manual Tape	414.75	Good	
8/24/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/24/94 12:00	Manual FIC	409.40	Good	
8/24/94 12:00	Manual Tape	414.75	Good	
8/25/94 7:03	Auto FIC	0	Suspect	Data not included in graph
8/25/94 12:00	Manual FIC	409.40	Good	
8/25/94 12:00	Manual Tape	414.75	Good	
8/26/94 7:06	Auto FIC	0	Suspect	Data not included in graph
8/26/94 12:00	Manual FIC	409.40	Good	
8/26/94 12:00	Manual Tape	414.75	Good	
8/27/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/27/94 12:00	Manual FIC	409.4	Good	
8/27/94 12:00	Manual Tape	414.5	Good	
8/28/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/28/94 12:00	Manual FIC	409.4	Good	
8/28/94 12:00	Manual Tape	415	Good	
8/29/94 7:04	Auto FIC	0	Suspect	Data not included in graph
8/29/94 12:00	Manual FIC	409.40	Good	
8/29/94 12:00	Manual Tape	415.5	Good	
8/30/94 7:04	Auto FIC	0	Suspect	Data not included in graph
8/30/94 12:00	Manual FIC	409.40	Good	
8/30/94 12:00	Manual Tape	415.25	Good	
8/31/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/31/94 12:00	Manual FIC	409.45	Good	
8/31/94 12:00	Manual Tape	415	Good	
9/1/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/1/94 12:00	Manual FIC	409.45	Good	
9/1/94 12:00	Manual Tape	415	Good	
9/2/94 7:06	Auto FIC	0	Suspect	Data not included in graph
9/2/94 12:00	Manual FIC	409.45	Good	
9/2/94 12:00	Manual Tape	415	Good	
9/3/94 12:00	Manual FIC	409.5	Good	
9/3/94 12:00	Manual Tape	415	Good	
9/3/94 23:04	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/4/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/4/94 12:00	Manual FIC	409.4	Good	
9/4/94 12:00	Manual Tape	403	Suspect	Data not included in graph
9/5/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/5/94 12:00	Manual FIC	409.40	Good	
9/5/94 12:00	Manual Tape	415	Good	
9/6/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/6/94 12:00	Manual FIC	409.40	Good	
9/6/94 12:00	Manual Tape	415	Good	
9/7/94 7:03	Auto FIC	0	Suspect	Data not included in graph
9/7/94 12:00	Manual FIC	409.50	Good	
9/7/94 12:00	Manual Tape	415	Good	
9/8/94 7:04	Auto FIC	0	Suspect	Data not included in graph
9/8/94 12:00	Manual FIC	409.50	Good	
9/8/94 12:00	Manual Tape	415	Good	
9/9/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/9/94 12:00	Manual FIC	409.5	Good	
9/9/94 12:00	Manual Tape	415	Good	
9/10/94 7:04	Auto FIC	0	Suspect	Data not included in graph
9/10/94 12:00	Manual FIC	409.5	Good	
9/10/94 12:00	Manual Tape	415	Good	
9/11/94 7:03	Auto FIC	0	Suspect	Data not included in graph
9/11/94 12:00	Manual FIC	409.50	Good	
9/11/94 12:00	Manual Tape	415	Good	
9/12/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/12/94 12:00	Manual FIC	409.50	Good	
9/12/94 12:00	Manual Tape	414.75	Good	
9/13/94 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/13/94 12:00	Manual FIC	409.50	Good	
9/13/94 12:00	Manual Tape	415	Good	
9/14/94 7:03	Auto FIC	0	Suspect	Data not included in graph
9/14/94 12:00	Manual FIC	409.5	Good	
9/14/94 12:00	Manual Tape	415	Good	
9/15/94 7:03	Auto FIC	0	Suspect	Data not included in graph
9/15/94 12:00	Manual FIC	409.5	Good	
9/15/94 12:00	Manual Tape	415	Good	
9/16/94 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/16/94 12:00	Manual FIC	409.50	Good	
9/16/94 12:00	Manual Tape	415	Good	
9/17/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/17/94 12:00	Manual FIC	409.60	Good	
9/17/94 12:00	Manual Tape	414.75	Good	
9/18/94 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/18/94 12:00	Manual FIC	409.6	Good	
9/18/94 12:00	Manual Tape	414.75	Good	
9/19/94 7:03	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/19/94 12:00	Manual FIC	409.60	Good	
9/19/94 12:00	Manual Tape	414.75	Good	
9/20/94 7:03	Auto FIC	0	Suspect	Data not included in graph
9/20/94 12:00	Manual FIC	409.60	Good	
9/20/94 12:00	Manual Tape	414.75	Good	
9/21/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/21/94 12:00	Manual FIC	409.5	Good	
9/21/94 12:00	Manual Tape	414.75	Good	
9/22/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/22/94 12:00	Manual FIC	409.55	Good	
9/22/94 12:00	Manual Tape	415	Good	
9/23/94 7:04	Auto FIC	0	Suspect	Data not included in graph
9/23/94 12:00	Manual FIC	409.60	Good	
9/23/94 12:00	Manual Tape	416	Good	
9/24/94 7:04	Auto FIC	0	Suspect	Data not included in graph
9/24/94 12:00	Manual FIC	409.6	Good	
9/24/94 12:00	Manual Tape	415	Good	
9/25/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/25/94 12:00	Manual FIC	409.60	Good	
9/25/94 12:00	Manual Tape	416	Good	
9/26/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/26/94 12:00	Manual FIC	409.65	Good	
9/27/94 7:04	Auto FIC	0	Suspect	Data not included in graph
9/27/94 12:00	Manual FIC	409.60	Good	
9/28/94 7:03	Auto FIC	0	Suspect	Data not included in graph
9/28/94 12:00	Manual FIC	409.65	Good	
9/29/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/29/94 12:00	Manual FIC	409.7	Good	
9/30/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/30/94 12:00	Manual FIC	409.70	Good	
9/30/94 12:00	Manual Tape	415.5	Good	
10/1/94 7:06	Auto FIC	0	Suspect	Data not included in graph
10/1/94 12:00	Manual FIC	409.80	Good	
10/1/94 12:00	Manual Tape	415.25	Good	
10/2/94 7:05	Auto FIC	0	Suspect	Data not included in graph
10/2/94 12:00	Manual FIC	409.7	Good	
10/2/94 12:00	Manual Tape	415	Good	
10/3/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/3/94 12:00	Manual FIC	409.60	Good	
10/3/94 12:00	Manual Tape	415.25	Good	
10/4/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/4/94 12:00	Manual FIC	409.05	Good	
10/4/94 12:00	Manual Tape	415	Good	
10/5/94 6:04	Auto FIC	235	Suspect	Data not included in graph
10/5/94 12:00	Manual FIC	409.2	Good	
10/5/94 12:00	Manual Tape	415	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/6/94 7:04	Auto FIC	0	Suspect	Data not included in graph
10/6/94 12:00	Manual FIC	409.10	Good	
10/6/94 12:00	Manual Tape	415	Good	
10/7/94 7:10	Auto FIC	0.00	Suspect	Data not included in graph
10/7/94 12:00	Manual FIC	409.10	Good	
10/7/94 12:00	Manual Tape	415	Good	
10/8/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/8/94 12:00	Manual FIC	409.1	Good	
10/8/94 12:00	Manual Tape	415	Good	
10/9/94 7:06	Auto FIC	0	Suspect	Data not included in graph
10/9/94 12:00	Manual FIC	409.10	Good	
10/9/94 12:00	Manual Tape	415	Good	
10/10/94 7:05	Auto FIC	0	Suspect	Data not included in graph
10/10/94 12:00	Manual FIC	409.10	Good	
10/10/94 12:00	Manual Tape	415	Good	
10/11/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/11/94 12:00	Manual FIC	409.10	Good	
10/11/94 12:00	Manual Tape	415	Good	
10/12/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
10/12/94 12:00	Manual FIC	409.1	Good	
10/12/94 12:00	Manual Tape	414.75	Good	
10/13/94 7:05	Auto FIC	0	Suspect	Data not included in graph
10/13/94 12:00	Manual FIC	409.1	Good	
10/13/94 12:00	Manual Tape	414.75	Good	
10/14/94 7:06	Auto FIC	0	Suspect	Data not included in graph
10/14/94 12:00	Manual FIC	409.30	Good	
10/14/94 12:00	Manual Tape	415	Good	
10/15/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
10/15/94 12:00	Manual FIC	409.20	Good	
10/15/94 12:00	Manual Tape	415	Good	
10/16/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
10/16/94 12:00	Manual FIC	409.1	Good	
10/16/94 12:00	Manual Tape	414.75	Good	
10/17/94 7:06	Auto FIC	0	Suspect	Data not included in graph
10/17/94 12:00	Manual FIC	409.00	Good	
10/17/94 12:00	Manual Tape	415	Good	
10/18/94 7:06	Auto FIC	0	Suspect	Data not included in graph
10/18/94 12:00	Manual FIC	409.05	Good	
10/18/94 12:00	Manual Tape	414.75	Good	
10/19/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
10/19/94 12:00	Manual FIC	409.10	Good	
10/19/94 12:00	Manual Tape	414.75	Good	
10/20/94 7:10	Auto FIC	0.00	Suspect	Data not included in graph
10/20/94 12:00	Manual FIC	409	Good	
10/20/94 12:00	Manual Tape	414.75	Good	
10/21/94 7:06	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/21/94 12:00	Manual FIC	409	Good	
10/21/94 12:00	Manual Tape	414.75	Good	
10/22/94 12:00	Manual FIC	408.90	Good	
10/22/94 12:00	Manual Tape	414.5	Good	
10/22/94 23:06	Auto FIC	0	Suspect	Data not included in graph
10/23/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
10/23/94 12:00	Manual FIC	408.90	Good	
10/23/94 12:00	Manual Tape	414.75	Good	
10/24/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
10/24/94 12:00	Manual FIC	408.9	Good	
10/24/94 12:00	Manual Tape	414.75	Good	
10/25/94 7:06	Auto FIC	0	Suspect	Data not included in graph
10/25/94 12:00	Manual FIC	408.90	Good	
10/25/94 12:00	Manual Tape	414.25	Good	
10/26/94 7:06	Auto FIC	0	Suspect	Data not included in graph
10/26/94 12:00	Manual FIC	409.00	Good	
10/26/94 12:00	Manual Tape	415	Good	
10/27/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
10/27/94 12:00	Manual FIC	409.10	Good	
10/27/94 12:00	Manual Tape	414.75	Good	
10/28/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/28/94 12:00	Manual FIC	409	Good	
10/28/94 12:00	Manual Tape	414.75	Good	
10/29/94 12:00	Manual FIC	409	Good	
10/29/94 12:00	Manual Tape	415	Good	
10/30/94 12:00	Manual FIC	409.00	Good	
10/30/94 12:00	Manual Tape	414.75	Good	
10/30/94 23:04	Auto FIC	0	Suspect	Data not included in graph
10/31/94 7:05	Auto FIC	0	Suspect	Data not included in graph
10/31/94 12:00	Manual FIC	409.00	Good	
11/1/94 12:00	Manual FIC	409.1	Good	
11/1/94 12:00	Manual Tape	415	Good	
11/1/94 23:04	Auto FIC	0.00	Suspect	Data not included in graph
11/2/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/2/94 12:00	Manual FIC	409.00	Good	
11/2/94 12:00	Manual Tape	415	Good	
11/3/94 7:04	Auto FIC	0	Suspect	Data not included in graph
11/3/94 12:00	Manual FIC	408.90	Good	
11/3/94 12:00	Manual Tape	415	Good	
11/4/94 7:03	Auto FIC	0	Suspect	Data not included in graph
11/4/94 12:00	Manual FIC	409.00	Good	
11/4/94 12:00	Manual Tape	415	Good	
11/5/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/5/94 12:00	Manual FIC	409.00	Good	
11/5/94 12:00	Manual Tape	415	Good	
11/6/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/6/94 12:00	Manual FIC	409	Good	
11/6/94 12:00	Manual Tape	415	Good	
11/7/94 7:04	Auto FIC	0	Suspect	Data not included in graph
11/7/94 12:00	Manual FIC	408.9	Good	
11/7/94 12:00	Manual Tape	414.75	Good	
11/8/94 7:03	Auto FIC	0	Suspect	Data not included in graph
11/8/94 11:02	Manual Tape	414.75	Good	
11/8/94 12:00	Manual FIC	408.95	Good	
11/9/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
11/9/94 11:02	Manual Tape	415	Good	
11/9/94 12:00	Manual FIC	409.00	Good	
11/10/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/10/94 11:02	Manual Tape	415	Good	
11/10/94 12:00	Manual FIC	409.00	Good	
11/11/94 7:03	Auto FIC	0	Suspect	Data not included in graph
11/11/94 11:02	Manual Tape	414.75	Good	
11/11/94 12:00	Manual FIC	408.9	Good	
11/12/94 7:03	Auto FIC	0	Suspect	Data not included in graph
11/12/94 12:00	Manual FIC	409.00	Good	
11/13/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/13/94 12:00	Manual FIC	408.90	Good	
11/14/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/14/94 11:02	Manual FIC	408.9	Good	
11/15/94 7:04	Auto FIC	0	Suspect	Data not included in graph
11/15/94 12:00	Manual FIC	408.95	Good	
11/15/94 12:00	Manual Tape	415	Good	
11/16/94 7:06	Auto FIC	0	Suspect	Data not included in graph
11/16/94 12:00	Manual FIC	409.00	Good	
11/16/94 12:00	Manual Tape	415	Good	
11/17/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/17/94 12:00	Manual FIC	408.95	Good	
11/17/94 12:00	Manual Tape	415	Good	
11/18/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/18/94 12:00	Manual FIC	408.80	Good	
11/19/94 7:03	Auto FIC	0	Suspect	Data not included in graph
11/19/94 12:00	Manual FIC	408.9	Good	
11/19/94 12:00	Manual Tape	414.5	Good	
11/20/94 7:03	Auto FIC	0	Suspect	Data not included in graph
11/21/94 7:04	Auto FIC	0	Suspect	Data not included in graph
11/21/94 12:00	Manual FIC	408.8	Good	
11/21/94 12:00	Manual Tape	411	Good	
11/22/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/22/94 12:00	Manual FIC	408.80	Good	
11/22/94 12:00	Manual Tape	411.25	Good	
11/23/94 12:00	Manual FIC	408.90	Good	
11/23/94 12:00	Manual Tape	409	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (inches)	Data Quality	Comments
11/24/94 12:00	Manual FIC	408.9	Good	
11/24/94 12:00	Manual Tape	410.5	Good	
11/24/94 23:03	Auto FIC	0.00	Suspect	Data not included in graph
11/25/94 12:00	Manual FIC	409.00	Good	
11/25/94 12:00	Manual Tape	411.25	Good	
11/25/94 23:03	Auto FIC	0	Suspect	Data not included in graph
11/26/94 7:03	Auto FIC	0	Suspect	Data not included in graph
11/26/94 12:00	Manual FIC	408.90	Good	
11/26/94 12:00	Manual Tape	411.25	Good	
11/27/94 7:04	Auto FIC	0	Suspect	Data not included in graph
11/27/94 12:00	Manual FIC	408.80	Good	
11/27/94 12:00	Manual Tape	409.25	Good	
11/28/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/28/94 12:00	Manual FIC	409.1	Good	
11/28/94 12:00	Manual Tape	411.25	Good	
11/29/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/29/94 12:00	Manual FIC	409.2	Good	
11/29/94 12:00	Manual Tape	411.5	Good	
11/30/94 7:03	Auto FIC	0	Suspect	Data not included in graph
11/30/94 12:00	Manual FIC	409.20	Good	
11/30/94 12:00	Manual Tape	411.5	Good	
12/1/94 7:10	Auto FIC	0	Suspect	Data not included in graph
12/1/94 12:00	Manual FIC	409.10	Good	
12/1/94 12:00	Manual Tape	411.5	Good	
12/2/94 7:03	Auto FIC	0	Suspect	Data not included in graph
12/2/94 12:00	Manual FIC	409.1	Good	
12/2/94 12:00	Manual Tape	411.5	Good	
12/3/94 7:10	Auto FIC	0.00	Suspect	Data not included in graph
12/3/94 12:00	Manual FIC	409.10	Good	
12/3/94 12:00	Manual Tape	411.5	Good	
12/4/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/4/94 12:00	Manual FIC	409.00	Good	
12/4/94 12:00	Manual Tape	411.5	Good	
12/5/94 7:03	Auto FIC	0	Suspect	Data not included in graph
12/5/94 12:00	Manual FIC	408.90	Good	
12/6/94 7:04	Auto FIC	0	Suspect	Data not included in graph
12/6/94 12:00	Manual FIC	408.9	Good	
12/7/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/7/94 12:00	Manual FIC	408.9	Good	
12/8/94 7:10	Auto FIC	0.00	Suspect	Data not included in graph
12/8/94 12:00	Manual FIC	408.8	Good	
12/9/94 7:03	Auto FIC	0	Suspect	Data not included in graph
12/9/94 12:00	Manual FIC	408.80	Good	
12/9/94 12:00	Manual Tape	410	Good	
12/10/94 7:04	Auto FIC	0	Suspect	Data not included in graph
12/10/94 12:00	Manual FIC	408.9	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/10/94 12:00	Manual Tape	410	Good	
12/11/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/11/94 12:00	Manual FIC	408.90	Good	
12/11/94 12:00	Manual Tape	410.5	Good	
12/12/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/12/94 12:00	Manual FIC	408.90	Good	
12/12/94 12:00	Manual Tape	410.5	Good	
12/13/94 7:03	Auto FIC	0	Suspect	Data not included in graph
12/13/94 12:00	Manual FIC	408.90	Good	
12/14/94 7:04	Auto FIC	0	Suspect	Data not included in graph
12/14/94 12:00	Manual FIC	408.9	Good	
12/15/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/15/94 12:00	Manual FIC	408.9	Good	
12/16/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/16/94 12:00	Manual FIC	408.90	Good	
12/17/94 7:06	Auto FIC	0	Suspect	Data not included in graph
12/17/94 12:00	Manual FIC	408.90	Good	
12/18/94 7:04	Auto FIC	0	Suspect	Data not included in graph
12/18/94 12:00	Manual FIC	408.95	Good	
12/19/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/19/94 12:00	Manual FIC	408.90	Good	
12/19/94 12:00	Manual Tape	409.75	Good	
12/20/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/20/94 11:03	Manual FIC	408.8	Good	
12/20/94 11:03	Manual Tape	409.5	Good	
12/21/94 7:04	Auto FIC	0	Suspect	Data not included in graph
12/21/94 11:03	Manual FIC	408.80	Good	
12/22/94 7:05	Auto FIC	0	Suspect	Data not included in graph
12/22/94 12:00	Manual FIC	408.6	Good	
12/23/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/23/94 12:00	Manual FIC	408.60	Good	
12/24/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/24/94 12:00	Manual FIC	408.60	Good	
12/25/94 7:03	Auto FIC	0	Suspect	Data not included in graph
12/25/94 12:00	Manual FIC	408.5	Good	
12/26/94 7:03	Auto FIC	0	Suspect	Data not included in graph
12/26/94 12:00	Manual FIC	408.50	Good	
12/27/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/27/94 12:00	Manual FIC	408.50	Good	
12/28/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/28/94 12:00	Manual FIC	408.50	Good	
12/29/94 7:04	Auto FIC	0	Suspect	Data not included in graph
12/29/94 12:00	Manual FIC	408.40	Good	
12/30/94 7:04	Auto FIC	0	Suspect	Data not included in graph
12/30/94 12:00	Manual FIC	408.4	Good	
12/31/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/31/94 12:00	Manual FIC	408.3	Good	
1/1/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/1/95 12:00	Manual FIC	408.35	Good	
1/2/95 7:03	Auto FIC	0	Suspect	Data not included in graph
1/2/95 12:00	Manual FIC	408.40	Good	
1/3/95 7:02	Auto FIC	0	Suspect	Data not included in graph
1/3/95 12:00	Manual FIC	408.40	Good	
1/4/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/4/95 12:00	Manual FIC	408.4	Good	
1/5/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/5/95 12:00	Manual FIC	408.5	Good	
1/6/95 7:04	Auto FIC	0	Suspect	Data not included in graph
1/6/95 12:00	Manual FIC	408.5	Good	
1/7/95 7:04	Auto FIC	0	Suspect	Data not included in graph
1/7/95 12:00	Manual FIC	408.50	Good	
1/8/95 12:00	Manual FIC	408.6	Good	
1/8/95 23:03	Auto FIC	0.00	Suspect	Data not included in graph
1/9/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
1/9/95 12:00	Manual FIC	408.60	Good	
1/10/95 7:06	Auto FIC	0	Suspect	Data not included in graph
1/11/95 7:07	Auto FIC	0	Suspect	Data not included in graph
1/11/95 12:00	Manual FIC	408.9	Good	
1/12/95 7:07	Auto FIC	0.00	Suspect	Data not included in graph
1/12/95 12:00	Manual FIC	408.6	Good	
1/13/95 7:10	Auto FIC	0.00	Suspect	Data not included in graph
1/13/95 12:00	Manual FIC	408.6	Good	
1/14/95 7:07	Auto FIC	0	Suspect	Data not included in graph
1/14/95 12:00	Manual FIC	409.10	Good	
1/15/95 7:06	Auto FIC	0	Suspect	Data not included in graph
1/15/95 12:00	Manual FIC	408.6	Good	
1/16/95 7:08	Auto FIC	0.00	Suspect	Data not included in graph
1/16/95 12:00	Manual FIC	408.60	Good	
1/17/95 7:10	Auto FIC	0.00	Suspect	Data not included in graph
1/17/95 12:00	Manual FIC	408.6	Good	
1/18/95 7:07	Auto FIC	0	Suspect	Data not included in graph
1/18/95 12:00	Manual FIC	408.6	Good	
1/19/95 7:07	Auto FIC	0	Suspect	Data not included in graph
1/19/95 12:00	Manual FIC	408.50	Good	
1/20/95 1:03	Auto FIC	408.50	Good	
1/21/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/21/95 12:00	Manual FIC	408.50	Good	
1/22/95 7:03	Auto FIC	0	Suspect	Data not included in graph
1/22/95 12:00	Manual FIC	408.45	Good	
1/23/95 7:03	Auto FIC	0	Suspect	Data not included in graph
1/23/95 12:00	Manual FIC	408.45	Good	
1/24/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/24/95 12:00	Manual FIC	408.7	Good	
1/25/95 7:03	Auto FIC	0	Suspect	Data not included in graph
1/25/95 12:00	Manual FIC	408.7	Good	
1/26/95 7:03	Auto FIC	0	Suspect	Data not included in graph
1/26/95 12:00	Manual FIC	408.7	Good	
1/27/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/27/95 12:00	Manual FIC	408.70	Good	
1/28/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/28/95 12:00	Manual FIC	408.60	Good	
1/29/95 7:04	Auto FIC	0	Suspect	Data not included in graph
1/29/95 12:00	Manual FIC	408.70	Good	
1/30/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/30/95 12:00	Manual FIC	409.00	Good	
1/31/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/31/95 12:00	Manual FIC	409	Good	
2/1/95 7:03	Auto FIC	0	Suspect	Data not included in graph
2/1/95 12:00	Manual FIC	408.8	Good	
2/2/95 7:04	Auto FIC	0	Suspect	Data not included in graph
2/2/95 12:00	Manual FIC	408.70	Good	
2/3/95 7:03	Auto FIC	0	Suspect	Data not included in graph
2/3/95 12:00	Manual FIC	408.70	Good	
2/4/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/4/95 12:00	Manual FIC	408.70	Good	
2/5/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/5/95 12:00	Manual FIC	408.70	Good	
2/6/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/6/95 12:00	Manual FIC	408.65	Good	
2/7/95 7:03	Auto FIC	0	Suspect	Data not included in graph
2/7/95 12:00	Manual FIC	409	Good	
2/7/95 12:00	Manual Tape	408.7	Suspect	Data not included in graph
2/8/95 7:04	Auto FIC	0	Suspect	Data not included in graph
2/8/95 12:00	Manual FIC	408.90	Good	
2/9/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/9/95 12:00	Manual FIC	408.65	Good	
2/10/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/10/95 12:00	Manual FIC	408.65	Good	
2/11/95 7:07	Auto FIC	0.00	Suspect	Data not included in graph
2/11/95 12:00	Manual FIC	408.70	Good	
2/12/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/12/95 12:00	Manual FIC	408.70	Good	
2/13/95 7:05	Auto FIC	0	Suspect	Data not included in graph
2/13/95 12:00	Manual FIC	408.75	Good	
2/14/95 7:06	Auto FIC	0	Suspect	Data not included in graph
2/14/95 12:00	Manual FIC	408.70	Good	
2/15/95 7:07	Auto FIC	0.00	Suspect	Data not included in graph
2/15/95 12:00	Manual FIC	408.80	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/16/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/16/95 12:00	Manual FIC	408.70	Good	
2/17/95 7:06	Auto FIC	0	Suspect	Data not included in graph
2/17/95 12:00	Manual FIC	408.75	Good	
2/18/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/18/95 12:00	Manual FIC	408.7	Good	
2/19/95 7:06	Auto FIC	0	Suspect	Data not included in graph
2/19/95 12:00	Manual FIC	408.70	Good	
2/20/95 7:07	Auto FIC	0	Suspect	Data not included in graph
2/20/95 12:00	Manual FIC	408.70	Good	
2/21/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/21/95 12:00	Manual FIC	408.7	Good	
2/22/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/22/95 12:00	Manual FIC	408.70	Good	
2/23/95 7:07	Auto FIC	0.00	Suspect	Data not included in graph
2/23/95 12:00	Manual FIC	408.70	Good	
2/24/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/24/95 12:00	Manual FIC	408.7	Good	
2/25/95 7:06	Auto FIC	0	Suspect	Data not included in graph
2/25/95 12:00	Manual FIC	408.70	Good	
2/26/95 7:10	Auto FIC	0	Suspect	Data not included in graph
2/26/95 12:00	Manual FIC	408.70	Good	
2/27/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/27/95 12:00	Manual FIC	408.6	Good	
2/28/95 7:10	Auto FIC	0.00	Suspect	Data not included in graph
2/28/95 12:00	Manual FIC	408.65	Good	
2/28/95 12:00	Manual Tape	410	Suspect	Data not included in graph
3/1/95 7:06	Auto FIC	0	Suspect	Data not included in graph
3/1/95 12:00	Manual FIC	408.65	Good	
3/1/95 12:00	Manual Tape	410	Suspect	Data not included in graph
3/2/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
3/2/95 12:00	Manual FIC	408.70	Good	
3/2/95 12:00	Manual Tape	408.25	Good	
3/3/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
3/3/95 12:00	Manual FIC	408.70	Good	
3/3/95 12:00	Manual Tape	409.5	Good	
3/4/95 7:06	Auto FIC	0	Suspect	Data not included in graph
3/4/95 12:00	Manual FIC	408.75	Good	
3/4/95 12:00	Manual Tape	409.5	Good	
3/5/95 7:06	Auto FIC	0	Suspect	Data not included in graph
3/5/95 12:00	Manual FIC	408.75	Good	
3/5/95 12:00	Manual Tape	409.5	Good	
3/6/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
3/6/95 12:00	Manual FIC	408.6	Good	
3/6/95 12:00	Manual Tape	409	Good	
3/7/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/7/95 12:00	Manual FIC	408.60	Good	
3/7/95 12:00	Manual Tape	409	Good	
3/8/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/8/95 12:00	Manual FIC	408.70	Good	
3/8/95 12:00	Manual Tape	410	Suspect	Data not included in graph
3/9/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/9/95 12:00	Manual FIC	409.10	Suspect	Data not included in graph
3/9/95 12:00	Manual Tape	409.5	Good	
3/10/95 7:02	Auto FIC	0	Suspect	Data not included in graph
3/10/95 12:00	Manual FIC	409.4	Suspect	Data not included in graph
3/10/95 12:00	Manual Tape	408.75	Good	
3/11/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/11/95 12:00	Manual FIC	409.3	Suspect	Data not included in graph
3/11/95 12:00	Manual Tape	408.75	Good	
3/12/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/12/95 12:00	Manual FIC	409.10	Suspect	Data not included in graph
3/13/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/13/95 12:00	Manual FIC	408.75	Good	
3/14/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/14/95 12:00	Manual FIC	408.7	Good	
3/15/95 7:05	Auto FIC	0	Suspect	Data not included in graph
3/15/95 12:00	Manual FIC	409.10	Suspect	Data not included in graph
3/15/95 12:00	Manual Tape	408.5	Good	
3/16/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/16/95 12:00	Manual FIC	408.70	Good	
3/16/95 12:00	Manual Tape	408.5	Good	
3/17/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/17/95 12:00	Manual FIC	408.9	Good	
3/17/95 12:00	Manual Tape	408.5	Good	
3/18/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/18/95 12:00	Manual FIC	408.70	Good	
3/18/95 12:00	Manual Tape	409.75	Good	
3/19/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/19/95 12:00	Manual FIC	408.60	Good	
3/19/95 12:00	Manual Tape	409.5	Good	
3/20/95 7:08	Auto FIC	0.00	Suspect	Data not included in graph
3/20/95 12:00	Manual FIC	408.8	Good	
3/20/95 12:00	Manual Tape	410.25	Suspect	Data not included in graph
3/21/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/21/95 12:00	Manual FIC	408.70	Good	
3/21/95 12:00	Manual Tape	408.25	Good	
3/22/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/22/95 12:00	Manual FIC	408.70	Good	
3/22/95 12:00	Manual Tape	408.75	Good	
3/23/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/23/95 12:00	Manual FIC	408.7	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/23/95 12:00	Manual Tape	409.5	Good	
3/24/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/24/95 12:00	Manual FIC	408.70	Good	
3/24/95 12:00	Manual Tape	408.5	Good	
3/25/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/25/95 12:00	Manual FIC	408.60	Good	
3/25/95 12:00	Manual Tape	409.5	Good	
3/26/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/26/95 12:00	Manual FIC	408.6	Good	
3/26/95 12:00	Manual Tape	409.5	Good	
3/27/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/27/95 12:00	Manual FIC	408.60	Good	
3/27/95 12:00	Manual Tape	409.5	Good	
3/28/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/28/95 12:00	Manual FIC	408.55	Good	
3/28/95 12:00	Manual Tape	409.5	Good	
3/29/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/29/95 12:00	Manual FIC	408.6	Good	
3/29/95 12:00	Manual Tape	409	Good	
3/30/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/30/95 12:00	Manual FIC	408.6	Good	
3/30/95 12:00	Manual Tape	409.25	Good	
3/31/95 7:04	Auto FIC	0	Suspect	Data not included in graph
3/31/95 12:00	Manual FIC	408.60	Good	
3/31/95 12:00	Manual Tape	409.5	Good	
4/1/95 7:02	Auto FIC	0	Suspect	Data not included in graph
4/1/95 12:00	Manual FIC	408.60	Good	
4/1/95 12:00	Manual Tape	409.5	Good	
4/2/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/2/95 12:00	Manual FIC	408.60	Good	
4/2/95 12:00	Manual Tape	408.75	Good	
4/3/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/3/95 12:00	Manual FIC	408.6	Good	
4/3/95 12:00	Manual Tape	408.75	Good	
4/4/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/4/95 12:00	Manual FIC	408.7	Good	
4/4/95 12:00	Manual Tape	409.5	Good	
4/5/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/5/95 12:00	Manual FIC	408.70	Good	
4/5/95 12:00	Manual Tape	408.5	Good	
4/6/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/6/95 12:00	Manual FIC	408.70	Good	
4/6/95 12:00	Manual Tape	408.5	Good	
4/7/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/7/95 12:00	Manual FIC	408.7	Good	
4/7/95 12:00	Manual Tape	408.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/8/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
4/8/95 12:00	Manual FIC	408.70	Good	
4/8/95 12:00	Manual Tape	408.5	Good	
4/9/95 12:00	Manual FIC	408.70	Good	
4/9/95 12:00	Manual Tape	408.5	Good	
4/9/95 23:03	Auto FIC	0	Suspect	Data not included in graph
4/10/95 7:02	Auto FIC	0	Suspect	Data not included in graph
4/10/95 12:00	Manual FIC	408.6	Good	
4/10/95 12:00	Manual Tape	408	Good	
4/11/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
4/11/95 12:00	Manual FIC	408.6	Good	
4/11/95 12:00	Manual Tape	408.5	Good	
4/12/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/12/95 12:00	Manual FIC	408.60	Good	
4/12/95 12:00	Manual Tape	408.25	Good	
4/13/95 7:05	Auto FIC	0	Suspect	Data not included in graph
4/13/95 12:00	Manual FIC	409.10	Good	
4/13/95 12:00	Manual Tape	408	Good	
4/14/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/14/95 12:00	Manual FIC	409.00	Good	
4/14/95 12:00	Manual Tape	409	Good	
4/15/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/15/95 12:00	Manual FIC	408.8	Good	
4/15/95 12:00	Manual Tape	409	Good	
4/16/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/16/95 12:00	Manual FIC	408.7	Good	
4/16/95 12:00	Manual Tape	408.5	Good	
4/17/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/17/95 12:00	Manual FIC	408.70	Good	
4/17/95 12:00	Manual Tape	408.5	Good	
4/18/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/18/95 12:00	Manual FIC	408.60	Good	
4/18/95 12:00	Manual Tape	410	Good	
4/19/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/19/95 12:00	Manual FIC	408.7	Good	
4/19/95 12:00	Manual Tape	410	Good	
4/20/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/20/95 12:00	Manual FIC	408.75	Good	
4/20/95 12:00	Manual Tape	410	Good	
4/21/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/21/95 12:00	Manual FIC	408.60	Good	
4/21/95 12:00	Manual Tape	410.25	Good	
4/22/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/22/95 12:00	Manual FIC	408.6	Good	
4/22/95 12:00	Manual Tape	409	Good	
4/23/95 7:03	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/23/95 12:00	Manual FIC	408.6	Good	
4/23/95 12:00	Manual Tape	409	Good	
4/24/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/24/95 12:00	Manual FIC	408.70	Good	
4/25/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/25/95 12:00	Manual FIC	408.65	Good	
4/25/95 12:00	Manual Tape	408.5	Good	
4/26/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/26/95 12:00	Manual FIC	408.70	Good	
4/26/95 12:00	Manual Tape	409.75	Good	
4/27/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/27/95 12:00	Manual FIC	409.3	Good	
4/27/95 12:00	Manual Tape	409	Good	
4/28/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/28/95 12:00	Manual FIC	408.9	Good	
4/28/95 12:00	Manual Tape	409	Good	
4/29/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/29/95 12:00	Manual FIC	409.40	Good	
4/29/95 12:00	Manual Tape	410.5	Good	
4/30/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/30/95 12:00	Manual FIC	409.10	Good	
4/30/95 12:00	Manual Tape	410.5	Good	
5/1/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/1/95 12:00	Manual FIC	408.9	Good	
5/1/95 12:00	Manual Tape	409	Good	
5/2/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
5/2/95 12:00	Manual FIC	408.90	Good	
5/2/95 12:00	Manual Tape	409	Good	
5/3/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/3/95 12:00	Manual FIC	408.75	Good	
5/3/95 12:00	Manual Tape	409	Good	
5/4/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/4/95 12:00	Manual FIC	408.7	Good	
5/4/95 12:00	Manual Tape	409.25	Good	
5/5/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/5/95 12:00	Manual FIC	408.7	Good	
5/5/95 12:00	Manual Tape	409.5	Good	
5/6/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/6/95 12:00	Manual FIC	408.85	Good	
5/6/95 12:00	Manual Tape	409.5	Good	
5/7/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/7/95 12:00	Manual FIC	408.80	Good	
5/7/95 12:00	Manual Tape	409.5	Good	
5/8/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/8/95 12:00	Manual FIC	409.00	Good	
5/8/95 12:00	Manual Tape	409.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/9/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/9/95 12:00	Manual FIC	409.35	Good	
5/9/95 12:00	Manual Tape	409.5	Good	
5/10/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/10/95 12:00	Manual FIC	408.9	Good	
5/10/95 12:00	Manual Tape	409.5	Good	
5/11/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/11/95 12:00	Manual FIC	409.10	Good	
5/11/95 12:00	Manual Tape	409.25	Good	
5/12/95 7:06	Auto FIC	0	Suspect	Data not included in graph
5/12/95 12:00	Manual FIC	408.80	Good	
5/12/95 12:00	Manual Tape	409.5	Good	
5/13/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/13/95 12:00	Manual FIC	408.9	Good	
5/13/95 12:00	Manual Tape	410.5	Good	
5/14/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/14/95 12:00	Manual FIC	408.80	Good	
5/14/95 12:00	Manual Tape	410.25	Good	
5/15/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/15/95 12:00	Manual FIC	408.80	Good	
5/15/95 12:00	Manual Tape	410.25	Good	
5/16/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/16/95 12:00	Manual FIC	408.8	Good	
5/16/95 12:00	Manual Tape	408.75	Good	
5/17/95 7:02	Auto FIC	0	Suspect	Data not included in graph
5/17/95 12:00	Manual FIC	408.7	Good	
5/17/95 12:00	Manual Tape	408.5	Good	
5/18/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/18/95 12:00	Manual FIC	408.70	Good	
5/18/95 12:00	Manual Tape	409	Good	
5/19/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/19/95 12:00	Manual FIC	408.50	Good	
5/19/95 12:00	Manual Tape	407.75	Suspect	Data not included in graph
5/20/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/20/95 12:00	Manual FIC	408.50	Good	
5/20/95 12:00	Manual Tape	408	Good	
5/21/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/21/95 12:00	Manual FIC	408.45	Good	
5/21/95 12:00	Manual Tape	408	Good	
5/22/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/22/95 12:00	Manual FIC	408.45	Good	
5/22/95 12:00	Manual Tape	408	Good	
5/23/95 7:11	Auto FIC	0.00	Suspect	Data not included in graph
5/23/95 12:00	Manual FIC	408.45	Good	
5/23/95 12:00	Manual Tape	408.25	Good	
5/24/95 7:10	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/24/95 12:00	Manual FIC	408.45	Good	
5/24/95 12:00	Manual Tape	408.5	Good	
5/25/95 7:10	Auto FIC	0	Suspect	Data not included in graph
5/25/95 12:00	Manual FIC	408.50	Good	
5/25/95 12:00	Manual Tape	409	Good	
5/26/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/26/95 12:00	Manual FIC	408.45	Good	
5/26/95 12:00	Manual Tape	408.5	Good	
5/27/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/27/95 12:00	Manual FIC	408.4	Good	
5/27/95 12:00	Manual Tape	408	Good	
5/28/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/28/95 12:00	Manual FIC	408.50	Good	
5/28/95 12:00	Manual Tape	408	Good	
5/29/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/29/95 12:00	Manual FIC	408.50	Good	
5/29/95 12:00	Manual Tape	408	Good	
5/30/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/30/95 12:00	Manual FIC	408.50	Good	
5/30/95 12:00	Manual Tape	415	Suspect	Data not included in graph
5/31/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/31/95 12:00	Manual FIC	408.5	Good	
5/31/95 12:00	Manual Tape	409.25	Good	
6/1/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/1/95 12:00	Manual FIC	408.5	Good	
6/1/95 12:00	Manual Tape	408.5	Good	
6/2/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/2/95 12:00	Manual FIC	408.55	Good	
6/2/95 12:00	Manual Tape	409.25	Good	
6/3/95 12:00	Manual FIC	409.35	Suspect	Data not included in graph
6/3/95 12:00	Manual Tape	409.25	Good	
6/3/95 23:05	Auto FIC	0.00	Suspect	Data not included in graph
6/4/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/4/95 12:00	Manual FIC	409.00	Suspect	Data not included in graph
6/4/95 12:00	Manual Tape	408.5	Good	
6/5/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/5/95 12:00	Manual FIC	409.30	Suspect	Data not included in graph
6/5/95 12:00	Manual Tape	409.5	Good	
6/6/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/6/95 12:00	Manual FIC	409.8	Suspect	Data not included in graph
6/6/95 12:00	Manual Tape	408	Good	
6/7/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/7/95 12:00	Manual FIC	409.8	Suspect	Data not included in graph
6/7/95 12:00	Manual Tape	408.25	Good	
6/8/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/8/95 12:00	Manual FIC	408.80	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/8/95 12:00	Manual Tape	409	Good	
6/9/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/9/95 12:00	Manual FIC	408.70	Good	
6/9/95 12:00	Manual Tape	409	Good	
6/10/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/10/95 12:00	Manual FIC	408.75	Good	
6/10/95 12:00	Manual Tape	410.25	Good	
6/11/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/11/95 12:00	Manual FIC	408.65	Good	
6/11/95 12:00	Manual Tape	410	Good	
6/12/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/12/95 12:00	Manual FIC	408.70	Good	
6/12/95 12:00	Manual Tape	410	Good	
6/13/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/13/95 12:00	Manual FIC	408.7	Good	
6/13/95 12:00	Manual Tape	408.5	Good	
6/14/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/14/95 12:00	Manual FIC	408.7	Good	
6/14/95 12:00	Manual Tape	410	Good	
6/15/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/15/95 12:00	Manual FIC	408.90	Good	
6/15/95 12:00	Manual Tape	408.75	Good	
6/16/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/16/95 12:00	Manual FIC	408.90	Good	
6/16/95 12:00	Manual Tape	408.75	Good	
6/17/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/17/95 12:00	Manual FIC	408.90	Good	
6/17/95 12:00	Manual Tape	409	Good	
6/18/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/18/95 12:00	Manual FIC	408.9	Good	
6/18/95 12:00	Manual Tape	401	Suspect	Data not included in graph
6/19/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/19/95 12:00	Manual FIC	408.8	Good	
6/19/95 12:00	Manual Tape	401	Suspect	Data not included in graph
6/20/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/20/95 12:00	Manual FIC	409.10	Good	
6/20/95 12:00	Manual Tape	409.75	Good	
6/21/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/21/95 11:59	Manual Tape	401.75	Suspect	Data not included in graph
6/21/95 12:00	Manual FIC	409.00	Good	
6/21/95 12:00	Manual Tape	409.5	Good	
6/22/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/22/95 12:00	Manual FIC	408.95	Good	
6/22/95 12:00	Manual Tape	409.25	Good	
6/23/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/23/95 12:00	Manual FIC	408.90	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-101				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/23/95 12:00	Manual Tape	409.5	Good	
6/24/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/24/95 12:00	Manual FIC	408.90	Good	
6/24/95 12:00	Manual Tape	408.5	Good	
6/25/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/25/95 12:00	Manual FIC	408.9	Good	
6/26/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/26/95 12:00	Manual FIC	408.9	Good	
6/27/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/27/95 12:00	Manual FIC	408.75	Good	
6/27/95 12:00	Manual Tape	408.5	Good	
6/28/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/28/95 12:00	Manual FIC	408.75	Good	
6/28/95 12:00	Manual Tape	408.5	Good	
6/29/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/29/95 12:00	Manual FIC	408.85	Good	
6/29/95 12:00	Manual Tape	408.75	Good	
6/30/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/30/95 12:00	Manual FIC	409.1	Good	
6/30/95 12:00	Manual Tape	408.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/1/91 0:00	Manual Tape	372.75	Good	
1/1/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/2/91 0:00	Manual Tape	372.75	Good	
1/2/91 7:02	Auto FIC	0	Suspect	Data not included in graph
1/3/91 0:00	Manual Tape	372.50	Good	
1/3/91 7:03	Auto FIC	0	Suspect	Data not included in graph
1/4/91 0:00	Manual Tape	372.5	Good	
1/4/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/5/91 0:00	Manual Tape	372.50	Good	
1/5/91 7:02	Auto FIC	0	Suspect	Data not included in graph
1/6/91 0:00	Manual Tape	372.5	Good	
1/6/91 7:02	Auto FIC	0	Suspect	Data not included in graph
1/7/91 0:00	Manual Tape	372.50	Good	
1/7/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/8/91 0:00	Manual Tape	372.5	Good	
1/8/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/9/91 0:00	Manual Tape	372.50	Good	
1/9/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/10/91 0:00	Manual Tape	372.5	Good	
1/10/91 7:02	Auto FIC	0	Suspect	Data not included in graph
1/11/91 0:00	Manual Tape	372.50	Good	
1/11/91 7:03	Auto FIC	0	Suspect	Data not included in graph
1/12/91 0:00	Manual Tape	372.5	Good	
1/12/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/13/91 0:00	Manual Tape	372.5	Good	
1/13/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/14/91 0:00	Manual Tape	372.5	Good	
1/14/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/15/91 0:00	Manual Tape	372.50	Good	
1/15/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/16/91 0:00	Manual Tape	372.50	Good	
1/16/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/17/91 0:00	Manual Tape	372.50	Good	
1/17/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/18/91 0:00	Manual Tape	372.50	Good	
1/18/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/19/91 0:00	Manual Tape	372.5	Good	
1/19/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/20/91 0:00	Manual Tape	372.5	Good	
1/20/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/21/91 0:00	Manual Tape	372.50	Good	
1/21/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/22/91 0:00	Manual Tape	372.50	Good	
1/22/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/23/91 0:00	Manual Tape	372.50	Good	
1/23/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/24/91 0:00	Manual Tape	372.25	Good	
1/24/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/25/91 0:00	Manual Tape	372.50	Good	
1/25/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/26/91 0:00	Manual Tape	372.5	Good	
1/26/91 7:03	Auto FIC	0	Suspect	Data not included in graph
1/27/91 0:00	Manual Tape	372.5	Good	
1/27/91 7:03	Auto FIC	0	Suspect	Data not included in graph
1/28/91 0:00	Manual Tape	372.50	Good	
1/29/91 0:00	Manual Tape	372.50	Good	
1/29/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/30/91 0:00	Manual Tape	372.50	Good	
1/31/91 0:00	Manual Tape	372.5	Good	
1/31/91 7:02	Auto FIC	0	Suspect	Data not included in graph
2/1/91 0:00	Manual Tape	372.5	Good	
2/1/91 7:02	Auto FIC	0	Suspect	Data not included in graph
2/2/91 0:00	Manual Tape	372.50	Good	
2/2/91 7:04	Auto FIC	374.70	Good	
2/3/91 0:00	Manual Tape	372.50	Good	
2/3/91 7:03	Auto FIC	374.70	Good	
2/4/91 0:00	Manual Tape	372.50	Good	
2/4/91 7:03	Auto FIC	374.70	Good	
2/5/91 0:00	Manual Tape	372.50	Good	
2/5/91 7:04	Auto FIC	374.7	Good	
2/6/91 0:00	Manual Tape	372.5	Good	
2/6/91 7:04	Auto FIC	374.7	Good	
2/7/91 0:00	Manual Tape	372.5	Good	
2/7/91 7:04	Auto FIC	374.80	Good	
2/8/91 0:00	Manual Tape	372.5	Good	
2/8/91 7:04	Auto FIC	374.8	Good	
2/9/91 0:00	Manual Tape	372.50	Good	
2/9/91 7:04	Auto FIC	374.8	Good	
2/10/91 0:00	Manual Tape	372.50	Good	
2/10/91 7:03	Auto FIC	374.70	Good	
2/11/91 0:00	Manual Tape	372.50	Good	
2/11/91 7:04	Auto FIC	374.70	Good	
2/12/91 0:00	Manual Tape	372.50	Good	
2/12/91 7:04	Auto FIC	374.70	Good	
2/13/91 0:00	Manual Tape	372.5	Good	
2/13/91 7:04	Auto FIC	374.7	Good	
2/14/91 0:00	Manual Tape	372.5	Good	
2/14/91 7:04	Auto FIC	374.7	Good	
2/15/91 0:00	Manual Tape	372.50	Good	
2/15/91 7:03	Auto FIC	374.70	Good	
2/16/91 0:00	Manual Tape	372.50	Good	
2/16/91 7:02	Auto FIC	374.7	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/17/91 0:00	Manual Tape	372.50	Good	
2/17/91 7:02	Auto FIC	374.7	Good	
2/18/91 0:00	Manual Tape	372.5	Good	
2/18/91 7:03	Auto FIC	374.7	Good	
2/19/91 0:00	Manual Tape	372.5	Good	
2/19/91 7:02	Auto FIC	374.70	Good	
2/20/91 0:00	Manual Tape	372.50	Good	
2/20/91 7:03	Auto FIC	374.7	Good	
2/21/91 0:00	Manual Tape	372.50	Good	
2/21/91 7:02	Auto FIC	374.7	Good	
2/22/91 0:00	Manual Tape	372.50	Good	
2/22/91 7:02	Auto FIC	374.70	Good	
2/23/91 0:00	Manual Tape	372.50	Good	
2/23/91 7:02	Auto FIC	374.70	Good	
2/24/91 0:00	Manual Tape	372.5	Good	
2/24/91 7:03	Auto FIC	374.70	Good	
2/25/91 0:00	Manual Tape	372.5	Good	
2/25/91 7:03	Auto FIC	374.7	Good	
2/26/91 0:00	Manual Tape	372.50	Good	
2/26/91 7:03	Auto FIC	374.70	Good	
2/27/91 0:00	Manual Tape	372.50	Good	
2/27/91 7:02	Auto FIC	374.70	Good	
2/28/91 0:00	Manual Tape	372.50	Good	
2/28/91 7:02	Auto FIC	374.7	Good	
3/1/91 0:00	Manual Tape	372.25	Good	
3/1/91 7:02	Auto FIC	374.7	Good	
3/2/91 0:00	Manual Tape	372.50	Good	
3/2/91 7:02	Auto FIC	374.70	Good	
3/3/91 0:00	Manual Tape	372.5	Good	
3/3/91 7:03	Auto FIC	374.70	Good	
3/4/91 0:00	Manual Tape	372.5	Good	
3/4/91 7:03	Auto FIC	374.7	Good	
3/5/91 0:00	Manual Tape	372.50	Good	
3/5/91 7:03	Auto FIC	374.80	Good	
3/6/91 0:00	Manual Tape	372.50	Good	
3/6/91 7:02	Auto FIC	374.90	Good	
3/7/91 0:00	Manual Tape	372.50	Good	
3/7/91 7:02	Auto FIC	374.9	Good	
3/8/91 0:00	Manual Tape	372.5	Good	
3/8/91 7:02	Auto FIC	374.90	Good	
3/9/91 0:00	Manual Tape	372.5	Good	
3/9/91 7:02	Auto FIC	374.80	Good	
3/10/91 0:00	Manual Tape	372.50	Good	
3/10/91 7:02	Auto FIC	374.8	Good	
3/11/91 0:00	Manual Tape	372.50	Good	
3/11/91 7:02	Auto FIC	374.8	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/12/91 0:00	Manual Tape	372.5	Good	
3/12/91 7:03	Auto FIC	374.8	Good	
3/13/91 0:00	Manual Tape	31.50	Suspect	Data not included in graph
3/13/91 7:03	Auto FIC	374.80	Good	
3/14/91 0:00	Manual Tape	372.5	Good	
3/14/91 7:03	Auto FIC	374.80	Good	
3/15/91 0:00	Manual Tape	372.5	Good	
3/15/91 7:03	Auto FIC	374.8	Good	
3/16/91 0:00	Manual Tape	372.50	Good	
3/16/91 7:03	Auto FIC	374.80	Good	
3/17/91 0:00	Manual Tape	372.50	Good	
3/17/91 7:02	Auto FIC	374.80	Good	
3/18/91 0:00	Manual Tape	372.50	Good	
3/18/91 7:03	Auto FIC	374.70	Good	
3/19/91 0:00	Manual Tape	372.25	Good	
3/19/91 7:03	Auto FIC	374.8	Good	
3/20/91 0:00	Manual Tape	372.50	Good	
3/20/91 7:02	Auto FIC	374.8	Good	
3/21/91 0:00	Manual Tape	372.5	Good	
3/21/91 7:03	Auto FIC	374.80	Good	
3/22/91 0:00	Manual Tape	372.5	Good	
3/22/91 7:02	Auto FIC	374.80	Good	
3/23/91 0:00	Manual Tape	372.50	Good	
3/23/91 7:03	Auto FIC	374.8	Good	
3/24/91 0:00	Manual Tape	372.25	Good	
3/24/91 7:03	Auto FIC	374.8	Good	
3/25/91 0:00	Manual Tape	372.25	Good	
3/25/91 7:03	Auto FIC	374.80	Good	
3/26/91 0:00	Manual Tape	372.25	Good	
3/26/91 7:03	Auto FIC	374.80	Good	
3/27/91 0:00	Manual Tape	372.25	Good	
3/27/91 7:03	Auto FIC	374.8	Good	
3/28/91 0:00	Manual Tape	372.25	Good	
3/28/91 7:03	Auto FIC	374.8	Good	
3/29/91 0:00	Manual Tape	372.25	Good	
3/29/91 7:03	Auto FIC	374.80	Good	
3/30/91 0:00	Manual Tape	372.25	Good	
3/30/91 7:03	Auto FIC	374.7	Good	
3/31/91 0:00	Manual Tape	372.25	Good	
3/31/91 7:03	Auto FIC	374.7	Good	
4/1/91 0:00	Manual Tape	372.25	Good	
4/1/91 7:03	Auto FIC	374.70	Good	
4/2/91 0:00	Manual Tape	372.25	Good	
4/2/91 7:03	Auto FIC	374.70	Good	
4/3/91 0:00	Manual Tape	372.25	Good	
4/3/91 7:03	Auto FIC	374.70	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/4/91 0:00	Manual Tape	372.25	Good	
4/4/91 7:03	Auto FIC	374.6	Good	
4/5/91 0:00	Manual Tape	372.25	Good	
4/5/91 7:03	Auto FIC	374.6	Good	
4/6/91 0:00	Manual Tape	372.50	Good	
4/6/91 7:03	Auto FIC	374.70	Good	
4/7/91 0:00	Manual Tape	372.5	Good	
4/7/91 7:03	Auto FIC	374.70	Good	
4/8/91 0:00	Manual Tape	372.5	Good	
4/8/91 7:04	Auto FIC	374.7	Good	
4/9/91 0:00	Manual Tape	372.5	Good	
4/9/91 7:03	Auto FIC	374.7	Good	
4/10/91 0:00	Manual Tape	372.63	Good	
4/10/91 7:03	Auto FIC	374.70	Good	
4/11/91 0:00	Manual Tape	372.50	Good	
4/11/91 7:03	Auto FIC	374.7	Good	
4/12/91 0:00	Manual Tape	372.25	Good	
4/12/91 7:03	Auto FIC	374.7	Good	
4/13/91 0:00	Manual Tape	372.25	Good	
4/13/91 7:04	Auto FIC	374.70	Good	
4/14/91 0:00	Manual Tape	372.25	Good	
4/14/91 7:03	Auto FIC	374.70	Good	
4/15/91 0:00	Manual Tape	372.25	Good	
4/15/91 7:03	Auto FIC	374.60	Good	
4/16/91 0:00	Manual FIC	374.70	Good	
4/16/91 0:00	Manual Tape	372.25	Good	
4/17/91 0:00	Manual Tape	372.50	Good	
4/17/91 7:03	Auto FIC	374.7	Good	
4/18/91 0:00	Manual Tape	372.25	Good	
4/18/91 7:06	Auto FIC	374.6	Good	
4/19/91 0:00	Manual Tape	372.25	Good	
4/19/91 7:05	Auto FIC	374.60	Good	
4/20/91 0:00	Manual Tape	372.25	Good	
4/20/91 7:06	Auto FIC	374.60	Good	
4/21/91 0:00	Manual Tape	372.25	Good	
4/21/91 7:05	Auto FIC	374.6	Good	
4/22/91 0:00	Manual Tape	372.25	Good	
4/22/91 7:06	Auto FIC	374.60	Good	
4/23/91 0:00	Manual Tape	372.25	Good	
4/23/91 7:06	Auto FIC	374.60	Good	
4/24/91 0:00	Manual Tape	372.25	Good	
4/24/91 7:05	Auto FIC	374.6	Good	
4/25/91 0:00	Manual Tape	372.50	Good	
4/25/91 7:05	Auto FIC	374.6	Good	
4/26/91 0:00	Manual Tape	372.5	Good	
4/26/91 7:05	Auto FIC	374.6	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/27/91 0:00	Manual Tape	372.5	Good	
4/27/91 7:05	Auto FIC	374.6	Good	
4/28/91 0:00	Manual Tape	372.50	Good	
4/28/91 7:06	Auto FIC	374.50	Good	
4/29/91 0:00	Manual Tape	372.50	Good	
4/29/91 7:05	Auto FIC	374.50	Good	
4/30/91 0:00	Manual Tape	372.50	Good	
4/30/91 7:06	Auto FIC	374.50	Good	
5/1/91 0:00	Manual Tape	372.50	Good	
5/1/91 7:05	Auto FIC	374.5	Good	
5/2/91 0:00	Manual Tape	372.5	Good	
5/2/91 7:05	Auto FIC	374.50	Good	
5/3/91 0:00	Manual Tape	372.5	Good	
5/3/91 7:06	Auto FIC	374.5	Good	
5/4/91 0:00	Manual Tape	372.50	Good	
5/4/91 7:05	Auto FIC	374.6	Good	
5/5/91 0:00	Manual Tape	372.25	Good	
5/5/91 7:05	Auto FIC	374.60	Good	
5/6/91 0:00	Manual Tape	372.25	Good	
5/6/91 7:05	Auto FIC	374.6	Good	
5/7/91 0:00	Manual Tape	372.25	Good	
5/7/91 7:05	Auto FIC	374.6	Good	
5/8/91 0:00	Manual Tape	372.5	Good	
5/8/91 7:05	Auto FIC	374.60	Good	
5/9/91 0:00	Manual Tape	372.25	Good	
5/9/91 7:05	Auto FIC	374.60	Good	
5/10/91 0:00	Manual Tape	372.50	Good	
5/10/91 7:05	Auto FIC	374.60	Good	
5/11/91 0:00	Manual Tape	372.50	Good	
5/11/91 7:05	Auto FIC	374.6	Good	
5/12/91 0:00	Manual Tape	372.50	Good	
5/12/91 7:05	Auto FIC	374.6	Good	
5/13/91 0:00	Manual Tape	372.5	Good	
5/13/91 7:05	Auto FIC	374.60	Good	
5/14/91 0:00	Manual Tape	372.5	Good	
5/14/91 7:05	Auto FIC	374.6	Good	
5/15/91 0:00	Manual Tape	372.50	Good	
5/15/91 7:05	Auto FIC	374.60	Good	
5/16/91 0:00	Manual Tape	372.50	Good	
5/16/91 7:06	Auto FIC	374.60	Good	
5/17/91 0:00	Manual Tape	372.50	Good	
5/17/91 7:06	Auto FIC	374.6	Good	
5/18/91 0:00	Manual Tape	372.5	Good	
5/18/91 7:06	Auto FIC	374.60	Good	
5/19/91 0:00	Manual Tape	372.50	Good	
5/19/91 7:05	Auto FIC	374.60	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/20/91 0:00	Manual Tape	372.50	Good	
5/20/91 7:06	Auto FIC	374.6	Good	
5/21/91 0:00	Manual Tape	372.50	Good	
5/21/91 7:06	Auto FIC	374.6	Good	
5/22/91 0:00	Manual Tape	372.25	Good	
5/22/91 7:05	Auto FIC	374.6	Good	
5/23/91 0:00	Manual Tape	372.50	Good	
5/23/91 7:05	Auto FIC	374.60	Good	
5/24/91 0:00	Manual Tape	372.50	Good	
5/24/91 7:05	Auto FIC	374.60	Good	
5/25/91 0:00	Manual Tape	372.25	Good	
5/25/91 7:05	Auto FIC	374.60	Good	
5/26/91 0:00	Manual Tape	372.25	Good	
5/26/91 7:05	Auto FIC	374.60	Good	
5/27/91 0:00	Manual Tape	372.50	Good	
5/27/91 7:05	Auto FIC	374.6	Good	
5/28/91 0:00	Manual Tape	372.5	Good	
5/28/91 7:05	Auto FIC	374.8	Good	
5/29/91 0:00	Manual Tape	372.50	Good	
5/29/91 7:05	Auto FIC	374.70	Good	
5/30/91 0:00	Manual Tape	372.50	Good	
5/30/91 7:05	Auto FIC	374.5	Good	
5/31/91 0:00	Manual Tape	372.50	Good	
5/31/91 7:05	Auto FIC	374.60	Good	
6/1/91 0:00	Manual Tape	372.5	Good	
6/1/91 6:05	Auto FIC	374.60	Good	
6/2/91 0:00	Manual Tape	372.50	Good	
6/2/91 3:05	Auto FIC	374.6	Good	
6/3/91 0:00	Manual Tape	372.50	Good	
6/3/91 7:05	Auto FIC	374.60	Good	
6/4/91 0:00	Manual Tape	372.75	Good	
6/4/91 7:05	Auto FIC	374.60	Good	
6/5/91 0:00	Manual Tape	373	Good	
6/5/91 7:05	Auto FIC	374.6	Good	
6/6/91 0:00	Manual Tape	372.50	Good	
6/6/91 7:06	Auto FIC	374.70	Good	
6/7/91 0:00	Manual Tape	372.50	Good	
6/7/91 7:05	Auto FIC	374.7	Good	
6/8/91 0:00	Manual Tape	372.50	Good	
6/8/91 7:05	Auto FIC	374.7	Good	
6/9/91 0:00	Manual Tape	372.5	Good	
6/9/91 7:05	Auto FIC	374.70	Good	
6/10/91 0:00	Manual Tape	372.5	Good	
6/10/91 7:06	Auto FIC	374.80	Good	
6/11/91 0:00	Manual Tape	372.50	Good	
6/11/91 7:05	Auto FIC	374.70	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/12/91 0:00	Manual Tape	372.50	Good	
6/12/91 7:04	Auto FIC	374.6	Good	
6/13/91 0:00	Manual Tape	372.5	Good	
6/13/91 0:05	Auto FIC	375	Good	
6/14/91 0:00	Manual Tape	372.50	Good	
6/14/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/15/91 0:00	Manual Tape	372.50	Good	
6/15/91 7:05	Auto FIC	0	Suspect	Data not included in graph
6/16/91 0:00	Manual Tape	372.5	Good	
6/16/91 7:05	Auto FIC	0	Suspect	Data not included in graph
6/17/91 0:00	Manual Tape	372.5	Good	
6/17/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/18/91 0:00	Manual Tape	372.50	Good	
6/18/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/19/91 0:00	Manual Tape	372.50	Good	
6/19/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/20/91 0:00	Manual Tape	372.50	Good	
6/20/91 7:05	Auto FIC	0	Suspect	Data not included in graph
6/21/91 0:00	Manual Tape	372.5	Good	
6/21/91 7:06	Auto FIC	0	Suspect	Data not included in graph
6/22/91 0:00	Manual Tape	372.5	Good	
6/23/91 0:00	Manual Tape	372.50	Good	
6/23/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/24/91 0:00	Manual Tape	372.50	Good	
6/25/91 0:00	Manual Tape	372.5	Good	
6/25/91 7:06	Auto FIC	0	Suspect	Data not included in graph
6/26/91 0:00	Manual Tape	372.50	Good	
6/27/91 0:00	Manual Tape	372.5	Good	
6/28/91 0:00	Manual Tape	372.5	Good	
6/28/91 7:03	Auto FIC	0	Suspect	Data not included in graph
6/29/91 0:00	Manual Tape	372.50	Good	
6/30/91 0:00	Manual Tape	372.50	Good	
7/1/91 0:00	Manual Tape	372.75	Good	
7/2/91 0:00	Manual Tape	372.50	Good	
7/3/91 0:00	Manual Tape	372.50	Good	
7/3/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/4/91 0:00	Manual Tape	372.5	Good	
7/5/91 0:00	Manual Tape	372.50	Good	
7/6/91 0:00	Manual Tape	372.50	Good	
7/7/91 0:00	Manual Tape	372.75	Good	
7/8/91 0:00	Manual Tape	372.75	Good	
7/9/91 0:00	Manual Tape	372.75	Good	
7/10/91 0:00	Manual Tape	372.75	Good	
7/11/91 0:00	Manual Tape	372.5	Good	
7/11/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/12/91 0:00	Manual Tape	372.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/12/91 7:06	Auto FIC	0	Suspect	Data not included in graph
7/13/91 0:00	Manual Tape	372.5	Good	
7/13/91 7:06	Auto FIC	0	Suspect	Data not included in graph
7/14/91 0:00	Manual Tape	372.75	Good	
7/15/91 0:00	Manual Tape	372.75	Good	
7/15/91 7:06	Auto FIC	0	Suspect	Data not included in graph
7/16/91 0:00	Manual Tape	372.75	Good	
7/17/91 0:00	Manual Tape	372.75	Good	
7/17/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
7/18/91 0:00	Manual Tape	373.00	Good	
7/19/91 0:00	Manual Tape	373	Good	
7/19/91 7:05	Auto FIC	0	Suspect	Data not included in graph
7/20/91 0:00	Manual Tape	373.00	Good	
7/21/91 0:00	Manual Tape	373.25	Good	
7/22/91 0:00	Manual Tape	373.25	Good	
7/23/91 0:00	Manual Tape	373.25	Good	
7/24/91 0:00	Manual Tape	373.25	Good	
7/24/91 7:05	Auto FIC	0	Suspect	Data not included in graph
7/25/91 0:00	Manual Tape	373.25	Good	
7/26/91 0:00	Manual Tape	373.5	Good	
7/27/91 0:00	Manual Tape	373.25	Good	
7/28/91 0:00	Manual Tape	373.25	Good	
7/29/91 0:00	Manual Tape	373.25	Good	
7/30/91 0:00	Manual Tape	373.25	Good	
7/30/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
7/31/91 0:00	Manual Tape	373.25	Good	
7/31/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/1/91 0:00	Manual Tape	373.5	Good	
8/1/91 7:02	Auto FIC	0	Suspect	Data not included in graph
8/2/91 0:00	Manual Tape	373.25	Good	
8/2/91 7:02	Auto FIC	0	Suspect	Data not included in graph
8/3/91 0:00	Manual Tape	373.25	Good	
8/3/91 7:02	Auto FIC	0	Suspect	Data not included in graph
8/4/91 0:00	Manual Tape	373.25	Good	
8/4/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/5/91 0:00	Manual Tape	373.25	Good	
8/5/91 7:02	Auto FIC	0	Suspect	Data not included in graph
8/6/91 0:00	Manual Tape	373.25	Good	
8/6/91 7:02	Auto FIC	0	Suspect	Data not included in graph
8/7/91 0:00	Manual Tape	373.5	Good	
8/7/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/8/91 0:00	Manual Tape	373.50	Good	
8/8/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/9/91 0:00	Manual Tape	373.50	Good	
8/9/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/10/91 0:00	Manual Tape	373.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/10/91 7:04	Auto FIC	0	Suspect	Data not included in graph
8/11/91 0:00	Manual Tape	373.50	Good	
8/11/91 7:04	Auto FIC	0	Suspect	Data not included in graph
8/12/91 0:00	Manual Tape	373.50	Good	
8/12/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/13/91 0:00	Manual Tape	373.5	Good	
8/13/91 7:04	Auto FIC	0	Suspect	Data not included in graph
8/14/91 0:00	Manual Tape	373.5	Good	
8/14/91 7:04	Auto FIC	0	Suspect	Data not included in graph
8/15/91 0:00	Manual Tape	373.50	Good	
8/15/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/16/91 0:00	Manual Tape	373.50	Good	
8/17/91 0:00	Manual Tape	373.50	Good	
8/17/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/18/91 0:00	Manual Tape	373.50	Good	
8/18/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/19/91 0:00	Manual Tape	373.5	Good	
8/19/91 7:02	Auto FIC	0	Suspect	Data not included in graph
8/20/91 0:00	Manual Tape	373.5	Good	
8/20/91 7:04	Auto FIC	0	Suspect	Data not included in graph
8/21/91 0:00	Manual Tape	373.50	Good	
8/21/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/22/91 0:00	Manual Tape	373.50	Good	
8/22/91 7:03	Auto FIC	0	Suspect	Data not included in graph
8/23/91 0:00	Manual Tape	373.25	Good	
8/23/91 7:02	Auto FIC	0	Suspect	Data not included in graph
8/24/91 0:00	Manual Tape	373.5	Good	
8/24/91 7:02	Auto FIC	0	Suspect	Data not included in graph
8/25/91 0:00	Manual Tape	373.5	Good	
8/25/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/26/91 0:00	Manual Tape	373.25	Good	
8/26/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/27/91 0:00	Manual Tape	373.50	Good	
8/27/91 7:03	Auto FIC	0	Suspect	Data not included in graph
8/28/91 0:00	Manual Tape	373.5	Good	
8/28/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/29/91 0:00	Manual Tape	373.50	Good	
8/29/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/30/91 0:00	Manual Tape	373.50	Good	
8/31/91 0:00	Manual Tape	373.5	Good	
8/31/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/1/91 0:00	Manual Tape	373.50	Good	
9/1/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/2/91 0:00	Manual Tape	373.50	Good	
9/2/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/3/91 0:00	Manual Tape	373.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/3/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/4/91 0:00	Manual Tape	373.50	Good	
9/4/91 7:03	Auto FIC	0	Suspect	Data not included in graph
9/5/91 0:00	Manual Tape	373.50	Good	
9/5/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/6/91 0:00	Manual Tape	373.50	Good	
9/6/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/7/91 0:00	Manual Tape	373.5	Good	
9/7/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/8/91 0:00	Manual Tape	373.5	Good	
9/8/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/9/91 0:00	Manual Tape	373.50	Good	
9/9/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/10/91 0:00	Manual Tape	373.50	Good	
9/10/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/11/91 0:00	Manual Tape	373.5	Good	
9/11/91 7:03	Auto FIC	0	Suspect	Data not included in graph
9/12/91 0:00	Manual Tape	373.50	Good	
9/12/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/13/91 0:00	Manual Tape	373.25	Good	
9/13/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/14/91 0:00	Manual Tape	373.5	Good	
9/14/91 7:03	Auto FIC	0	Suspect	Data not included in graph
9/15/91 0:00	Manual Tape	373.50	Good	
9/15/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/16/91 0:00	Manual Tape	373.50	Good	
9/16/91 7:03	Auto FIC	0	Suspect	Data not included in graph
9/17/91 0:00	Manual Tape	373.5	Good	
9/17/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/18/91 0:00	Manual Tape	373.25	Good	
9/18/91 7:03	Auto FIC	0	Suspect	Data not included in graph
9/19/91 0:00	Manual Tape	373.25	Good	
9/19/91 7:03	Auto FIC	0	Suspect	Data not included in graph
9/20/91 0:00	Manual Tape	373.25	Good	
9/20/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/21/91 0:00	Manual Tape	373.25	Good	
9/21/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/22/91 0:00	Manual Tape	373.25	Good	
9/22/91 7:03	Auto FIC	0	Suspect	Data not included in graph
9/23/91 0:00	Manual Tape	373.25	Good	
9/23/91 7:03	Auto FIC	0	Suspect	Data not included in graph
9/24/91 0:00	Manual Tape	373.50	Good	
9/24/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/25/91 0:00	Manual Tape	373.5	Good	
9/25/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/26/91 0:00	Manual Tape	373.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/26/91 7:03	Auto FIC	0	Suspect	Data not included in graph
9/27/91 0:00	Manual Tape	373.50	Good	
9/27/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/28/91 0:00	Manual Tape	373.50	Good	
9/28/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/29/91 0:00	Manual Tape	373.5	Good	
9/29/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/30/91 0:00	Manual Tape	373.5	Good	
9/30/91 7:03	Auto FIC	0	Suspect	Data not included in graph
10/1/91 0:00	Manual Tape	373.50	Good	
10/1/91 7:02	Auto FIC	0	Suspect	Data not included in graph
10/2/91 0:00	Manual Tape	373.50	Good	
10/2/91 7:02	Auto FIC	0	Suspect	Data not included in graph
10/3/91 0:00	Manual Tape	374.5	Good	
10/3/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/4/91 0:00	Manual Tape	374.50	Good	
10/4/91 7:03	Auto FIC	0	Suspect	Data not included in graph
10/5/91 0:00	Manual Tape	374.50	Good	
10/6/91 0:00	Manual Tape	374.50	Good	
10/6/91 7:03	Auto FIC	0	Suspect	Data not included in graph
10/7/91 0:00	Manual Tape	374.5	Good	
10/7/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/8/91 0:00	Manual Tape	374.5	Good	
10/8/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/9/91 0:00	Manual Tape	374.50	Good	
10/9/91 7:02	Auto FIC	0	Suspect	Data not included in graph
10/10/91 0:00	Manual Tape	374.50	Good	
10/10/91 7:02	Auto FIC	0	Suspect	Data not included in graph
10/11/91 0:00	Manual Tape	374.5	Good	
10/11/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/12/91 0:00	Manual Tape	374.50	Good	
10/12/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/13/91 0:00	Manual Tape	374.50	Good	
10/13/91 7:03	Auto FIC	0	Suspect	Data not included in graph
10/14/91 0:00	Manual Tape	374.50	Good	
10/14/91 7:02	Auto FIC	0	Suspect	Data not included in graph
10/15/91 0:00	Manual Tape	374.50	Good	
10/15/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/16/91 0:00	Manual Tape	374.5	Good	
10/16/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/17/91 0:00	Manual Tape	374.5	Good	
10/17/91 7:05	Auto FIC	0	Suspect	Data not included in graph
10/18/91 0:00	Manual Tape	374.50	Good	
10/18/91 7:06	Auto FIC	0	Suspect	Data not included in graph
10/19/91 0:00	Manual Tape	374.50	Good	
10/19/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/20/91 0:00	Manual Tape	374.50	Good	
10/20/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/21/91 0:00	Manual Tape	374.5	Good	
10/21/91 7:02	Auto FIC	0	Suspect	Data not included in graph
10/22/91 0:00	Manual Tape	374.50	Good	
10/22/91 7:03	Auto FIC	0	Suspect	Data not included in graph
10/23/91 0:00	Manual Tape	374.50	Good	
10/23/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/24/91 0:00	Manual Tape	374.5	Good	
10/24/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/25/91 0:00	Manual Tape	374.5	Good	
10/25/91 7:03	Auto FIC	0	Suspect	Data not included in graph
10/26/91 0:00	Manual Tape	374.50	Good	
10/26/91 7:03	Auto FIC	0	Suspect	Data not included in graph
10/27/91 0:00	Manual Tape	374.50	Good	
10/27/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/28/91 0:00	Manual Tape	374.50	Good	
10/28/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/29/91 0:00	Manual Tape	375.5	Good	
10/29/91 7:03	Auto FIC	0	Suspect	Data not included in graph
10/30/91 0:00	Manual Tape	375.5	Good	
10/30/91 7:03	Auto FIC	0	Suspect	Data not included in graph
10/31/91 0:00	Manual Tape	375.50	Good	
10/31/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/1/91 0:00	Manual Tape	375.50	Good	
11/1/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
11/2/91 0:00	Manual Tape	375.75	Good	
11/2/91 7:03	Auto FIC	0	Suspect	Data not included in graph
11/3/91 0:00	Manual Tape	375.75	Good	
11/3/91 7:03	Auto FIC	0	Suspect	Data not included in graph
11/4/91 0:00	Manual Tape	375.50	Good	
11/4/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
11/5/91 0:00	Manual Tape	375.50	Good	
11/5/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/6/91 0:00	Manual Tape	375.75	Good	
11/6/91 7:03	Auto FIC	0	Suspect	Data not included in graph
11/7/91 0:00	Manual Tape	375.75	Good	
11/7/91 7:02	Auto FIC	0	Suspect	Data not included in graph
11/8/91 0:00	Manual Tape	375.50	Good	
11/8/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/9/91 0:00	Manual Tape	375.50	Good	
11/9/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
11/10/91 0:00	Manual Tape	375.75	Good	
11/10/91 7:03	Auto FIC	0	Suspect	Data not included in graph
11/11/91 0:00	Manual Tape	375.50	Good	
11/12/91 0:00	Manual Tape	375.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/12/91 7:03	Auto FIC	0	Suspect	Data not included in graph
11/13/91 0:00	Manual Tape	375.75	Good	
11/13/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/14/91 0:00	Manual Tape	375.75	Good	
11/14/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/15/91 0:00	Manual Tape	375.75	Good	
11/15/91 7:03	Auto FIC	0	Suspect	Data not included in graph
11/16/91 0:00	Manual Tape	375.75	Good	
11/16/91 7:03	Auto FIC	0	Suspect	Data not included in graph
11/17/91 0:00	Manual Tape	375.50	Good	
11/17/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
11/18/91 0:00	Manual Tape	375.75	Good	
11/18/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/19/91 0:00	Manual Tape	375.75	Good	
11/19/91 7:03	Auto FIC	0	Suspect	Data not included in graph
11/20/91 0:00	Manual Tape	375.50	Good	
11/20/91 7:03	Auto FIC	0	Suspect	Data not included in graph
11/21/91 0:00	Manual Tape	375.50	Good	
11/21/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
11/22/91 0:00	Manual Tape	375.75	Good	
11/22/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/23/91 0:00	Manual Tape	375.5	Good	
11/23/91 7:02	Auto FIC	0	Suspect	Data not included in graph
11/24/91 0:00	Manual Tape	375.50	Good	
11/24/91 7:03	Auto FIC	0	Suspect	Data not included in graph
11/25/91 0:00	Manual Tape	375.50	Good	
11/25/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/26/91 0:00	Manual Tape	375.50	Good	
11/27/91 0:00	Manual Tape	375.50	Good	
11/27/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/28/91 0:00	Manual Tape	375.5	Good	
11/28/91 7:03	Auto FIC	376.7	Good	
11/29/91 0:00	Manual Tape	375.50	Good	
11/29/91 7:03	Auto FIC	376.8	Good	
11/30/91 0:00	Manual Tape	375.5	Good	
11/30/91 7:03	Auto FIC	376.70	Good	
12/1/91 0:00	Manual Tape	375.50	Good	
12/1/91 7:03	Auto FIC	376.70	Good	
12/2/91 0:00	Manual Tape	375.25	Good	
12/2/91 7:03	Auto FIC	376.7	Good	
12/3/91 0:00	Manual Tape	375.5	Good	
12/3/91 7:03	Auto FIC	376.7	Good	
12/4/91 0:00	Manual Tape	375.75	Good	
12/4/91 7:03	Auto FIC	376.70	Good	
12/5/91 0:00	Manual Tape	375.75	Good	
12/5/91 7:03	Auto FIC	376.60	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/6/91 0:00	Manual Tape	375.75	Good	
12/6/91 7:04	Auto FIC	376.6	Good	
12/7/91 0:00	Manual Tape	375.75	Good	
12/7/91 7:03	Auto FIC	376.7	Good	
12/8/91 0:00	Manual Tape	375.75	Good	
12/8/91 7:03	Auto FIC	376.70	Good	
12/9/91 0:00	Manual Tape	375.75	Good	
12/9/91 7:03	Auto FIC	376.70	Good	
12/10/91 0:00	Manual Tape	375.50	Good	
12/10/91 7:03	Auto FIC	376.6	Good	
12/11/91 0:00	Manual Tape	375.50	Good	
12/11/91 7:02	Auto FIC	376.6	Good	
12/12/91 0:00	Manual Tape	375.50	Good	
12/12/91 7:03	Auto FIC	376.60	Good	
12/13/91 0:00	Manual Tape	375.5	Good	
12/13/91 7:05	Auto FIC	376.60	Good	
12/14/91 0:00	Manual Tape	375.75	Good	
12/14/91 7:02	Auto FIC	376.6	Good	
12/15/91 0:00	Manual Tape	375.5	Good	
12/15/91 7:02	Auto FIC	376.6	Good	
12/16/91 0:00	Manual Tape	375.50	Good	
12/16/91 7:03	Auto FIC	376.60	Good	
12/17/91 0:00	Manual Tape	375.5	Good	
12/17/91 7:06	Auto FIC	376.60	Good	
12/18/91 0:00	Manual Tape	375.50	Good	
12/18/91 7:03	Auto FIC	376.6	Good	
12/19/91 0:00	Manual Tape	375.5	Good	
12/19/91 7:03	Auto FIC	376.6	Good	
12/20/91 0:00	Manual Tape	375.5	Good	
12/20/91 7:02	Auto FIC	376.60	Good	
12/21/91 0:00	Manual Tape	375.5	Good	
12/21/91 7:03	Auto FIC	376.60	Good	
12/22/91 0:00	Manual Tape	375.50	Good	
12/22/91 7:05	Auto FIC	376.60	Good	
12/23/91 0:00	Manual Tape	375.5	Good	
12/23/91 7:06	Auto FIC	376.6	Good	
12/24/91 0:00	Manual Tape	375.50	Good	
12/24/91 7:03	Auto FIC	376.6	Good	
12/25/91 0:00	Manual Tape	375.5	Good	
12/25/91 7:03	Auto FIC	376.60	Good	
12/26/91 0:00	Manual Tape	375.5	Good	
12/26/91 7:03	Auto FIC	376.60	Good	
12/27/91 0:00	Manual Tape	375.50	Good	
12/27/91 7:03	Auto FIC	376.5	Good	
12/28/91 0:00	Manual Tape	375.50	Good	
12/28/91 7:02	Auto FIC	376.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/29/91 0:00	Manual Tape	375.5	Good	
12/29/91 7:03	Auto FIC	376.50	Good	
12/30/91 0:00	Manual Tape	375.50	Good	
12/30/91 7:03	Auto FIC	376.50	Good	
12/31/91 0:00	Manual Tape	375.5	Good	
12/31/91 7:03	Auto FIC	376.50	Good	
1/1/92 0:00	Manual Tape	375.5	Good	
1/1/92 7:03	Auto FIC	376.5	Good	
1/2/92 0:00	Manual Tape	375.5	Good	
1/2/92 7:02	Auto FIC	376.5	Good	
1/3/92 0:00	Manual Tape	375.50	Good	
1/3/92 7:04	Auto FIC	376.50	Good	
1/4/92 0:00	Manual Tape	375.50	Good	
1/4/92 7:03	Auto FIC	376.50	Good	
1/5/92 0:00	Manual Tape	375.50	Good	
1/5/92 7:03	Auto FIC	376.5	Good	
1/6/92 0:00	Manual Tape	375.50	Good	
1/6/92 7:03	Auto FIC	376.5	Good	
1/7/92 0:00	Manual Tape	375.5	Good	
1/7/92 7:04	Auto FIC	376.5	Good	
1/8/92 0:00	Manual Tape	375.5	Good	
1/8/92 7:03	Auto FIC	376.50	Good	
1/9/92 0:00	Manual Tape	375.50	Good	
1/9/92 7:03	Auto FIC	376.50	Good	
1/10/92 0:00	Manual Tape	375.50	Good	
1/10/92 7:04	Auto FIC	376.40	Good	
1/11/92 0:00	Manual Tape	375.50	Good	
1/11/92 7:04	Auto FIC	376.5	Good	
1/12/92 0:00	Manual FIC	376.4	Good	
1/12/92 0:00	Manual Tape	375.50	Good	
1/13/92 0:00	Manual FIC	376.4	Good	
1/13/92 0:00	Manual Tape	375.50	Good	
1/14/92 0:00	Manual FIC	376.4	Good	
1/14/92 0:00	Manual Tape	375.5	Good	
1/15/92 0:00	Manual Tape	375.50	Good	
1/15/92 7:03	Auto FIC	376.4	Good	
1/16/92 0:00	Manual Tape	375.5	Good	
1/16/92 7:04	Auto FIC	376.4	Good	
1/17/92 0:00	Manual Tape	375.25	Good	
1/17/92 7:04	Auto FIC	376.40	Good	
1/18/92 0:00	Manual Tape	375.25	Good	
1/18/92 7:04	Auto FIC	376.40	Good	
1/19/92 0:00	Manual Tape	375.25	Good	
1/19/92 7:03	Auto FIC	376.4	Good	
1/20/92 0:00	Manual Tape	375.25	Good	
1/20/92 7:03	Auto FIC	376.4	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/21/92 0:00	Manual Tape	375.25	Good	
1/21/92 7:03	Auto FIC	376.40	Good	
1/22/92 0:00	Manual Tape	375.25	Good	
1/22/92 7:06	Auto FIC	376.40	Good	
1/23/92 0:00	Manual Tape	375.25	Good	
1/23/92 7:03	Auto FIC	376.4	Good	
1/24/92 0:00	Manual Tape	375.5	Good	
1/24/92 7:02	Auto FIC	376.4	Good	
1/25/92 0:00	Manual Tape	375.5	Good	
1/25/92 7:03	Auto FIC	376.40	Good	
1/26/92 0:00	Manual Tape	375.50	Good	
1/26/92 6:03	Auto FIC	376.4	Good	
1/27/92 0:00	Manual Tape	375.25	Good	
1/27/92 7:02	Auto FIC	376.3	Good	
1/28/92 0:00	Manual Tape	375.25	Good	
1/28/92 7:03	Auto FIC	376.40	Good	
1/29/92 0:00	Manual Tape	375.25	Good	
1/29/92 7:03	Auto FIC	376.40	Good	
1/30/92 0:00	Manual Tape	375.50	Good	
1/30/92 7:03	Auto FIC	376.40	Good	
1/31/92 0:00	Manual Tape	375.5	Good	
1/31/92 7:03	Auto FIC	376.3	Good	
2/1/92 0:00	Manual Tape	375.25	Good	
2/1/92 7:02	Auto FIC	376.3	Good	
2/2/92 0:00	Manual Tape	375.25	Good	
2/2/92 7:03	Auto FIC	376.30	Good	
2/3/92 0:00	Manual Tape	375.25	Good	
2/3/92 7:03	Auto FIC	376.30	Good	
2/4/92 0:00	Manual Tape	375.25	Good	
2/4/92 7:03	Auto FIC	376.30	Good	
2/5/92 0:00	Manual Tape	375.25	Good	
2/5/92 7:02	Auto FIC	376.3	Good	
2/6/92 0:00	Manual FIC	376.30	Good	
2/6/92 0:00	Manual Tape	375.25	Good	
2/7/92 0:00	Manual FIC	376.3	Good	
2/7/92 0:00	Manual Tape	375.25	Good	
2/8/92 0:00	Manual Tape	375.25	Good	
2/8/92 7:04	Auto FIC	376.3	Good	
2/9/92 0:00	Manual Tape	375.25	Good	
2/9/92 7:03	Auto FIC	376.30	Good	
2/10/92 0:00	Manual Tape	375.25	Good	
2/10/92 7:04	Auto FIC	376.3	Good	
2/11/92 0:00	Manual Tape	375.25	Good	
2/11/92 7:03	Auto FIC	376.3	Good	
2/12/92 0:00	Manual Tape	375.25	Good	
2/12/92 7:03	Auto FIC	376.40	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/13/92 0:00	Manual Tape	375.25	Good	
2/13/92 7:03	Auto FIC	376.40	Good	
2/14/92 0:00	Manual Tape	375.25	Good	
2/14/92 7:03	Auto FIC	376.40	Good	
2/15/92 0:00	Manual Tape	375.25	Good	
2/15/92 7:03	Auto FIC	376.4	Good	
2/16/92 0:00	Manual Tape	375.25	Good	
2/16/92 7:03	Auto FIC	376.4	Good	
2/17/92 0:00	Manual Tape	375.25	Good	
2/17/92 7:03	Auto FIC	376.40	Good	
2/18/92 0:00	Manual Tape	375.25	Good	
2/18/92 7:03	Auto FIC	376.4	Good	
2/19/92 0:00	Manual Tape	375.25	Good	
2/19/92 7:03	Auto FIC	376.4	Good	
2/20/92 0:00	Manual Tape	375.25	Good	
2/20/92 7:03	Auto FIC	376.40	Good	
2/21/92 0:00	Manual Tape	375.25	Good	
2/21/92 7:03	Auto FIC	376.40	Good	
2/22/92 0:00	Manual Tape	375.25	Good	
2/22/92 7:03	Auto FIC	376.4	Good	
2/23/92 0:00	Manual Tape	375.25	Good	
2/23/92 7:03	Auto FIC	376.4	Good	
2/24/92 0:00	Manual Tape	375.5	Good	
2/24/92 7:03	Auto FIC	376.40	Good	
2/25/92 0:00	Manual Tape	375.50	Good	
2/25/92 7:04	Auto FIC	376.40	Good	
2/26/92 0:00	Manual Tape	375.50	Good	
2/26/92 7:03	Auto FIC	376.5	Good	
2/27/92 0:00	Manual Tape	375.5	Good	
2/27/92 7:04	Auto FIC	376.5	Good	
2/28/92 0:00	Manual Tape	375.50	Good	
2/28/92 7:04	Auto FIC	376.50	Good	
2/29/92 0:00	Manual Tape	375.50	Good	
2/29/92 7:03	Auto FIC	376.60	Good	
3/1/92 0:00	Manual Tape	375.5	Good	
3/1/92 7:03	Auto FIC	376.6	Good	
3/2/92 0:00	Manual Tape	375.50	Good	
3/2/92 7:03	Auto FIC	376.6	Good	
3/3/92 0:00	Manual Tape	375.50	Good	
3/3/92 7:04	Auto FIC	376.60	Good	
3/4/92 0:00	Manual Tape	375.75	Good	
3/4/92 7:04	Auto FIC	376.60	Good	
3/5/92 0:00	Manual Tape	376	Good	
3/5/92 7:03	Auto FIC	377	Good	
3/6/92 0:00	Manual Tape	376.25	Good	
3/6/92 7:03	Auto FIC	377.1	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/7/92 0:00	Manual Tape	376.25	Good	
3/7/92 7:02	Auto FIC	377.1	Good	
3/8/92 0:00	Manual Tape	376.25	Good	
3/8/92 7:02	Auto FIC	377.10	Good	
3/9/92 0:00	Manual Tape	376.25	Good	
3/9/92 7:02	Auto FIC	377.10	Good	
3/10/92 0:00	Manual Tape	376.25	Good	
3/10/92 7:03	Auto FIC	377.1	Good	
3/11/92 0:00	Manual Tape	376.00	Good	
3/11/92 7:03	Auto FIC	377.1	Good	
3/12/92 0:00	Manual Tape	376.25	Good	
3/12/92 7:03	Auto FIC	377.10	Good	
3/13/92 0:00	Manual Tape	376	Good	
3/13/92 7:03	Auto FIC	377.1	Good	
3/14/92 0:00	Manual Tape	376.25	Good	
3/14/92 7:03	Auto FIC	377.1	Good	
3/15/92 0:00	Manual Tape	376.25	Good	
3/15/92 7:06	Auto FIC	377.10	Good	
3/16/92 0:00	Manual Tape	376.25	Good	
3/16/92 7:03	Auto FIC	377.10	Good	
3/17/92 0:00	Manual Tape	376	Good	
3/17/92 7:03	Auto FIC	377.1	Good	
3/18/92 0:00	Manual Tape	376.00	Good	
3/18/92 7:03	Auto FIC	377.1	Good	
3/19/92 0:00	Manual Tape	376.00	Good	
3/19/92 6:02	Auto FIC	377.10	Good	
3/20/92 0:00	Manual Tape	376.00	Good	
3/20/92 7:02	Auto FIC	377.10	Good	
3/21/92 0:00	Manual Tape	376	Good	
3/21/92 7:03	Auto FIC	377.1	Good	
3/22/92 0:00	Manual Tape	376	Good	
3/22/92 7:02	Auto FIC	377	Good	
3/23/92 0:00	Manual Tape	376.00	Good	
3/23/92 7:02	Auto FIC	377.00	Good	
3/24/92 0:00	Manual Tape	376.00	Good	
3/24/92 7:02	Auto FIC	377.00	Good	
3/25/92 0:00	Manual Tape	376	Good	
3/25/92 7:03	Auto FIC	377	Good	
3/26/92 0:00	Manual Tape	376.00	Good	
3/26/92 7:03	Auto FIC	377	Good	
3/27/92 0:00	Manual Tape	376.00	Good	
3/27/92 7:02	Auto FIC	377	Good	
3/28/92 0:00	Manual Tape	376	Good	
3/28/92 7:03	Auto FIC	377.00	Good	
3/29/92 0:00	Manual Tape	376	Good	
3/29/92 7:03	Auto FIC	377.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/30/92 0:00	Manual Tape	376.25	Good	
3/30/92 7:03	Auto FIC	377	Good	
3/31/92 0:00	Manual Tape	376.00	Good	
3/31/92 7:03	Auto FIC	377	Good	
4/1/92 0:00	Manual Tape	376.00	Good	
4/1/92 7:03	Auto FIC	377.00	Good	
4/2/92 0:00	Manual Tape	376	Good	
4/2/92 7:03	Auto FIC	377	Good	
4/3/92 0:00	Manual Tape	376	Good	
4/3/92 7:03	Auto FIC	377	Good	
4/4/92 0:00	Manual Tape	376.00	Good	
4/4/92 7:03	Auto FIC	377	Good	
4/5/92 0:00	Manual Tape	376.00	Good	
4/5/92 7:03	Auto FIC	377.00	Good	
4/6/92 0:00	Manual Tape	376	Good	
4/6/92 7:03	Auto FIC	376.90	Good	
4/7/92 0:00	Manual Tape	375.75	Good	
4/7/92 7:03	Auto FIC	377	Good	
4/8/92 0:00	Manual Tape	375.75	Good	
4/8/92 5:02	Auto FIC	376.9	Good	
4/9/92 0:00	Manual Tape	372.75	Good	
4/9/92 7:03	Auto FIC	377.00	Good	
4/10/92 0:00	Manual Tape	376	Good	
4/10/92 7:03	Auto FIC	377.00	Good	
4/11/92 0:00	Manual Tape	376.00	Good	
4/11/92 7:03	Auto FIC	377	Good	
4/12/92 0:00	Manual Tape	376.00	Good	
4/12/92 5:03	Auto FIC	377	Good	
4/13/92 0:00	Manual Tape	376.00	Good	
4/13/92 7:03	Auto FIC	377.10	Good	
4/14/92 0:00	Manual Tape	376	Good	
4/14/92 7:03	Auto FIC	377.2	Good	
4/15/92 0:00	Manual Tape	376	Good	
4/15/92 7:02	Auto FIC	377.2	Good	
4/16/92 0:00	Manual Tape	376.00	Good	
4/16/92 7:03	Auto FIC	377.20	Good	
4/17/92 0:00	Manual Tape	376.25	Good	
4/17/92 7:03	Auto FIC	377.20	Good	
4/18/92 0:00	Manual Tape	376.25	Good	
4/18/92 7:02	Auto FIC	377.2	Good	
4/19/92 0:00	Manual Tape	376.25	Good	
4/19/92 7:02	Auto FIC	377.2	Good	
4/20/92 0:00	Manual Tape	376.25	Good	
4/20/92 7:03	Auto FIC	377.20	Good	
4/21/92 0:00	Manual Tape	376.25	Good	
4/21/92 7:03	Auto FIC	377.20	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/22/92 0:00	Manual Tape	376	Good	
4/22/92 7:02	Auto FIC	377.2	Good	
4/23/92 0:00	Manual Tape	376.25	Good	
4/23/92 7:03	Auto FIC	377.1	Good	
4/24/92 0:00	Manual Tape	376.00	Good	
4/24/92 7:03	Auto FIC	377.10	Good	
4/25/92 0:00	Manual Tape	376.00	Good	
4/25/92 7:04	Auto FIC	377.10	Good	
4/26/92 0:00	Manual Tape	376	Good	
4/26/92 7:03	Auto FIC	377.10	Good	
4/27/92 0:00	Manual Tape	377	Good	
4/27/92 7:04	Auto FIC	377.2	Good	
4/28/92 0:00	Manual Tape	376.25	Good	
4/28/92 7:03	Auto FIC	377.2	Good	
4/29/92 0:00	Manual Tape	376.25	Good	
4/29/92 7:03	Auto FIC	377.20	Good	
4/30/92 0:00	Manual Tape	376.25	Good	
4/30/92 7:03	Auto FIC	377.1	Good	
5/1/92 0:00	Manual Tape	376.25	Good	
5/1/92 7:03	Auto FIC	377.1	Good	
5/2/92 0:00	Manual Tape	376.25	Good	
5/2/92 2:03	Auto FIC	377.10	Good	
5/3/92 0:00	Manual Tape	376.25	Good	
5/3/92 7:03	Auto FIC	377.10	Good	
5/4/92 0:00	Manual Tape	376.00	Good	
5/4/92 7:03	Auto FIC	377.1	Good	
5/5/92 0:00	Manual Tape	376.00	Good	
5/5/92 7:04	Auto FIC	377.1	Good	
5/6/92 0:00	Manual Tape	376	Good	
5/6/92 7:03	Auto FIC	377.10	Good	
5/7/92 0:00	Manual Tape	376	Good	
5/7/92 7:04	Auto FIC	377.10	Good	
5/8/92 0:00	Manual Tape	376	Good	
5/8/92 7:03	Auto FIC	377.10	Good	
5/9/92 0:00	Manual FIC	377.2	Good	
5/9/92 0:00	Manual Tape	376.00	Good	
5/10/92 0:00	Manual Tape	376.00	Good	
5/10/92 6:03	Auto FIC	377.2	Good	
5/11/92 0:00	Manual FIC	377.2	Good	
5/11/92 0:00	Manual Tape	376.00	Good	
5/12/92 0:00	Manual Tape	376	Good	
5/12/92 7:03	Auto FIC	377.2	Good	
5/13/92 0:00	Manual Tape	376	Good	
5/13/92 7:03	Auto FIC	377.10	Good	
5/14/92 0:00	Manual Tape	376.00	Good	
5/14/92 7:03	Auto FIC	377.10	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/15/92 0:00	Manual Tape	376.25	Good	
5/15/92 7:03	Auto FIC	377.1	Good	
5/16/92 0:00	Manual Tape	376.25	Good	
5/16/92 7:03	Auto FIC	377.10	Good	
5/17/92 0:00	Manual Tape	376.00	Good	
5/17/92 7:02	Auto FIC	377.10	Good	
5/18/92 0:00	Manual Tape	376.00	Good	
5/18/92 7:03	Auto FIC	377.1	Good	
5/19/92 0:00	Manual Tape	376	Good	
5/19/92 7:03	Auto FIC	377.1	Good	
5/20/92 0:00	Manual Tape	376	Good	
5/20/92 7:03	Auto FIC	377.10	Good	
5/21/92 0:00	Manual Tape	376.25	Good	
5/21/92 7:03	Auto FIC	377.10	Good	
5/22/92 0:00	Manual Tape	376.25	Good	
5/22/92 7:02	Auto FIC	377.1	Good	
5/23/92 0:00	Manual Tape	376.25	Good	
5/23/92 7:03	Auto FIC	377.1	Good	
5/24/92 0:00	Manual Tape	376	Good	
5/24/92 7:03	Auto FIC	377.10	Good	
5/25/92 0:00	Manual Tape	376	Good	
5/25/92 7:03	Auto FIC	377.10	Good	
5/26/92 0:00	Manual FIC	377.1	Good	
5/26/92 0:00	Manual Tape	376.00	Good	
5/27/92 0:00	Manual Tape	376.25	Good	
5/27/92 7:03	Auto FIC	377.2	Good	
5/28/92 0:00	Manual Tape	376.25	Good	
5/28/92 7:02	Auto FIC	377.2	Good	
5/29/92 0:00	Manual Tape	376.25	Good	
5/29/92 7:02	Auto FIC	377.20	Good	
5/30/92 0:00	Manual Tape	376.25	Good	
5/30/92 7:03	Auto FIC	377.20	Good	
5/31/92 0:00	Manual Tape	376.25	Good	
5/31/92 7:03	Auto FIC	377.2	Good	
6/1/92 0:00	Manual Tape	376.25	Good	
6/1/92 7:03	Auto FIC	377.2	Good	
6/2/92 0:00	Manual Tape	376.25	Good	
6/2/92 7:03	Auto FIC	377.20	Good	
6/3/92 0:00	Manual Tape	376.25	Good	
6/3/92 7:03	Auto FIC	377.20	Good	
6/4/92 0:00	Manual Tape	376.25	Good	
6/4/92 7:03	Auto FIC	377.2	Good	
6/5/92 0:00	Manual Tape	376	Good	
6/5/92 7:02	Auto FIC	377.2	Good	
6/6/92 0:00	Manual Tape	376.25	Good	
6/6/92 7:03	Auto FIC	377.20	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/7/92 0:00	Manual Tape	376.25	Good	
6/7/92 7:03	Auto FIC	377.20	Good	
6/8/92 0:00	Manual Tape	376.25	Good	
6/8/92 7:03	Auto FIC	377.2	Good	
6/9/92 0:00	Manual Tape	376	Good	
6/9/92 7:03	Auto FIC	377.2	Good	
6/10/92 0:00	Manual Tape	376.00	Good	
6/10/92 7:03	Auto FIC	377.20	Good	
6/11/92 0:00	Manual Tape	376.00	Good	
6/11/92 7:03	Auto FIC	377.20	Good	
6/12/92 0:00	Manual Tape	376	Good	
6/12/92 7:05	Auto FIC	377.2	Good	
6/13/92 0:00	Manual Tape	376	Good	
6/13/92 7:05	Auto FIC	377.3	Good	
6/14/92 0:00	Manual FIC	377.3	Good	
6/14/92 0:00	Manual Tape	376.25	Good	
6/15/92 0:00	Manual Tape	376.25	Good	
6/15/92 7:03	Auto FIC	377.30	Good	
6/16/92 0:00	Manual Tape	376.25	Good	
6/16/92 7:03	Auto FIC	377.30	Good	
6/17/92 0:00	Manual Tape	376.5	Good	
6/17/92 7:03	Auto FIC	377.4	Good	
6/18/92 0:00	Manual Tape	376.5	Good	
6/18/92 7:03	Auto FIC	377.4	Good	
6/19/92 0:00	Manual Tape	376.50	Good	
6/19/92 7:02	Auto FIC	377.40	Good	
6/20/92 0:00	Manual Tape	376.50	Good	
6/20/92 7:02	Auto FIC	377.40	Good	
6/21/92 0:00	Manual Tape	376.5	Good	
6/21/92 7:03	Auto FIC	377.4	Good	
6/22/92 0:00	Manual Tape	376.5	Good	
6/22/92 7:03	Auto FIC	377.4	Good	
6/23/92 0:00	Manual Tape	376.50	Good	
6/23/92 7:03	Auto FIC	377.40	Good	
6/24/92 0:00	Manual Tape	376.00	Good	
6/24/92 7:03	Auto FIC	377.40	Good	
6/25/92 0:00	Manual Tape	376.5	Good	
6/25/92 7:03	Auto FIC	377.5	Good	
6/26/92 0:00	Manual Tape	376.50	Good	
6/26/92 7:02	Auto FIC	377.4	Good	
6/27/92 0:00	Manual Tape	376.50	Good	
6/27/92 7:03	Auto FIC	377.40	Good	
6/28/92 0:00	Manual Tape	376.5	Good	
6/28/92 7:06	Auto FIC	377.40	Good	
6/29/92 0:00	Manual Tape	376.5	Good	
6/29/92 7:06	Auto FIC	377.4	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/30/92 0:00	Manual Tape	376.50	Good	
6/30/92 7:06	Auto FIC	377.5	Good	
7/1/92 0:00	Manual FIC	377.5	Good	
7/1/92 0:00	Manual Tape	376.50	Good	
7/2/92 0:00	Manual FIC	377.6	Good	
7/2/92 0:00	Manual Tape	376.50	Good	
7/3/92 0:00	Manual Tape	376.75	Good	
7/3/92 7:06	Auto FIC	377.6	Good	
7/4/92 0:00	Manual Tape	376.5	Good	
7/4/92 7:06	Auto FIC	377.60	Good	
7/5/92 0:00	Manual Tape	376.75	Good	
7/5/92 7:06	Auto FIC	377.60	Good	
7/6/92 0:00	Manual Tape	376.50	Good	
7/6/92 7:06	Auto FIC	377.6	Good	
7/7/92 0:00	Manual Tape	377	Good	
7/7/92 7:06	Auto FIC	377.60	Good	
7/8/92 0:00	Manual Tape	376.50	Good	
7/8/92 7:06	Auto FIC	377.70	Good	
7/9/92 0:00	Manual Tape	376.50	Good	
7/9/92 7:06	Auto FIC	377.8	Good	
7/10/92 0:00	Manual Tape	376.5	Good	
7/10/92 7:06	Auto FIC	377.8	Good	
7/11/92 0:00	Manual Tape	376.75	Good	
7/11/92 7:06	Auto FIC	377.8	Good	
7/12/92 0:00	Manual Tape	376.75	Good	
7/12/92 7:06	Auto FIC	377.80	Good	
7/13/92 0:00	Manual Tape	376.75	Good	
7/13/92 7:06	Auto FIC	377.90	Good	
7/14/92 0:00	Manual Tape	376.75	Good	
7/14/92 7:06	Auto FIC	377.8	Good	
7/15/92 0:00	Manual Tape	376.75	Good	
7/15/92 7:06	Auto FIC	377.9	Good	
7/16/92 0:00	Manual Tape	376.75	Good	
7/16/92 7:06	Auto FIC	377.90	Good	
7/17/92 0:00	Manual Tape	376.75	Good	
7/17/92 7:06	Auto FIC	378.00	Good	
7/18/92 0:00	Manual Tape	376.75	Good	
7/18/92 7:06	Auto FIC	378	Good	
7/19/92 0:00	Manual Tape	376.75	Good	
7/19/92 7:06	Auto FIC	378	Good	
7/20/92 0:00	Manual Tape	376.75	Good	
7/20/92 7:06	Auto FIC	378.00	Good	
7/21/92 0:00	Manual Tape	376.75	Good	
7/21/92 7:06	Auto FIC	378.00	Good	
7/22/92 0:00	Manual Tape	376.75	Good	
7/22/92 7:06	Auto FIC	378	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/23/92 0:00	Manual FIC	378	Good	
7/23/92 0:00	Manual Tape	376.75	Good	
7/24/92 0:00	Manual Tape	376.75	Good	
7/24/92 7:05	Auto FIC	378	Good	
7/25/92 0:00	Manual Tape	376.75	Good	
7/25/92 7:06	Auto FIC	378.40	Good	
7/26/92 0:00	Manual Tape	376.75	Good	
7/26/92 7:06	Auto FIC	378.40	Good	
7/27/92 0:00	Manual Tape	376.75	Good	
7/27/92 7:05	Auto FIC	378.1	Good	
7/28/92 0:00	Manual Tape	377.00	Good	
7/28/92 7:06	Auto FIC	377.9	Good	
7/29/92 0:00	Manual Tape	377	Good	
7/29/92 7:06	Auto FIC	377.90	Good	
7/30/92 0:00	Manual Tape	377.00	Good	
7/30/92 7:06	Auto FIC	378.00	Good	
7/31/92 0:00	Manual Tape	377.00	Good	
7/31/92 7:05	Auto FIC	378.1	Good	
8/1/92 0:00	Manual Tape	377	Good	
8/1/92 7:06	Auto FIC	378.1	Good	
8/2/92 0:00	Manual Tape	377	Good	
8/2/92 7:06	Auto FIC	378.10	Good	
8/3/92 0:00	Manual Tape	377.00	Good	
8/3/92 7:06	Auto FIC	378.20	Good	
8/4/92 0:00	Manual Tape	377.00	Good	
8/4/92 7:06	Auto FIC	378.2	Good	
8/5/92 0:00	Manual Tape	377.00	Good	
8/5/92 7:05	Auto FIC	378.2	Good	
8/6/92 0:00	Manual Tape	377.25	Good	
8/6/92 7:05	Auto FIC	378.30	Good	
8/7/92 0:00	Manual Tape	377.25	Good	
8/7/92 7:05	Auto FIC	378.40	Good	
8/8/92 0:00	Manual Tape	377.50	Good	
8/8/92 7:06	Auto FIC	378.5	Good	
8/9/92 0:00	Manual Tape	377.50	Good	
8/9/92 7:06	Auto FIC	378.5	Good	
8/10/92 0:00	Manual Tape	377.5	Good	
8/10/92 7:05	Auto FIC	378.50	Good	
8/11/92 0:00	Manual Tape	377.50	Good	
8/11/92 7:06	Auto FIC	378.50	Good	
8/12/92 0:00	Manual Tape	377.50	Good	
8/12/92 7:06	Auto FIC	378.8	Good	
8/13/92 0:00	Manual Tape	326.75	Good	
8/13/92 7:06	Auto FIC	328.8	Good	
8/14/92 0:00	Manual Tape	299.25	Good	
8/14/92 7:06	Auto FIC	306.30	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/15/92 0:00	Manual Tape	246.00	Good	
8/15/92 7:06	Auto FIC	251.50	Good	
8/16/92 0:00	Manual Tape	244.50	Good	
8/16/92 7:06	Auto FIC	245.5	Good	
8/17/92 0:00	Manual Tape	244.50	Good	
8/17/92 7:06	Auto FIC	245.5	Good	
8/18/92 0:00	Manual Tape	244.5	Good	
8/18/92 7:06	Auto FIC	245.60	Good	
8/19/92 0:00	Manual Tape	244.5	Good	
8/19/92 7:06	Auto FIC	245.70	Good	
8/20/92 0:00	Manual Tape	244.75	Good	
8/20/92 7:06	Auto FIC	245.8	Good	
8/21/92 0:00	Manual Tape	245.00	Good	
8/21/92 7:05	Auto FIC	246.1	Good	
8/22/92 0:00	Manual Tape	245	Good	
8/22/92 7:04	Auto FIC	246.20	Good	
8/23/92 0:00	Manual Tape	244.75	Good	
8/23/92 7:04	Auto FIC	246.20	Good	
8/24/92 0:00	Manual Tape	245.25	Good	
8/24/92 7:04	Auto FIC	246.3	Good	
8/25/92 0:00	Manual Tape	245.25	Good	
8/25/92 7:04	Auto FIC	246.4	Good	
8/26/92 0:00	Manual Tape	245.5	Good	
8/26/92 7:03	Auto FIC	246.40	Good	
8/27/92 0:00	Manual Tape	245.50	Good	
8/27/92 7:04	Auto FIC	246.50	Good	
8/28/92 0:00	Manual Tape	245.50	Good	
8/28/92 7:02	Auto FIC	246.6	Good	
8/29/92 0:00	Manual Tape	245.5	Good	
8/29/92 7:02	Auto FIC	246.7	Good	
8/30/92 0:00	Manual Tape	245.5	Good	
8/30/92 7:02	Auto FIC	246.70	Good	
8/31/92 0:00	Manual Tape	245.50	Good	
8/31/92 7:02	Auto FIC	246.7	Good	
9/1/92 0:00	Manual Tape	245.50	Good	
9/1/92 7:02	Auto FIC	246.8	Good	
9/2/92 0:00	Manual Tape	245.75	Good	
9/2/92 7:02	Auto FIC	246.80	Good	
9/3/92 0:00	Manual Tape	245.75	Good	
9/3/92 7:04	Auto FIC	246.80	Good	
9/4/92 0:00	Manual Tape	245.75	Good	
9/4/92 7:04	Auto FIC	246.8	Good	
9/5/92 0:00	Manual Tape	245.75	Good	
9/5/92 7:04	Auto FIC	246.8	Good	
9/6/92 0:00	Manual Tape	245.75	Good	
9/6/92 7:04	Auto FIC	246.80	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/7/92 0:00	Manual Tape	245.75	Good	
9/7/92 7:05	Auto FIC	246.80	Good	
9/8/92 0:00	Manual Tape	245.75	Good	
9/8/92 7:05	Auto FIC	246.8	Good	
9/9/92 0:00	Manual Tape	245.75	Good	
9/9/92 7:04	Auto FIC	246.8	Good	
9/10/92 0:00	Manual Tape	245.75	Good	
9/10/92 7:03	Auto FIC	246.80	Good	
9/11/92 0:00	Manual FIC	246.9	Good	
9/11/92 0:00	Manual Tape	245.75	Good	
9/12/92 0:00	Manual FIC	246.9	Good	
9/12/92 0:00	Manual Tape	245.75	Good	
9/13/92 0:00	Manual FIC	247.1	Good	
9/13/92 0:00	Manual Tape	246.00	Good	
9/14/92 0:00	Manual FIC	247.6	Good	
9/14/92 0:00	Manual Tape	246.50	Good	
9/15/92 0:00	Manual FIC	248.1	Good	
9/15/92 0:00	Manual Tape	246.75	Good	
9/16/92 0:00	Manual FIC	248.8	Good	
9/16/92 0:00	Manual Tape	247.75	Good	
9/17/92 0:00	Manual Tape	248.75	Good	
9/17/92 7:06	Auto FIC	249.20	Good	
9/18/92 0:00	Manual Tape	248.75	Good	
9/18/92 7:06	Auto FIC	249.7	Good	
9/19/92 0:00	Manual FIC	249.8	Good	
9/19/92 0:00	Manual Tape	248.5	Good	
9/20/92 0:00	Manual FIC	249.8	Good	
9/20/92 0:00	Manual Tape	248.75	Good	
9/21/92 0:00	Manual Tape	248.75	Good	
9/21/92 7:06	Auto FIC	250	Good	
9/22/92 0:00	Manual Tape	251.75	Good	
9/22/92 7:03	Auto FIC	252.60	Good	
9/23/92 0:00	Manual Tape	252.5	Good	
9/23/92 7:03	Auto FIC	253.4	Good	
9/24/92 0:00	Manual Tape	253	Good	
9/24/92 7:03	Auto FIC	254	Good	
9/25/92 0:00	Manual Tape	253.75	Good	
9/25/92 7:03	Auto FIC	256.30	Good	
9/26/92 0:00	Manual Tape	263.25	Good	
9/26/92 7:02	Auto FIC	264.50	Good	
9/27/92 0:00	Manual Tape	263.25	Good	
9/27/92 7:02	Auto FIC	264.6	Good	
9/28/92 0:00	Manual Tape	263.50	Good	
9/28/92 7:02	Auto FIC	264.8	Good	
9/29/92 0:00	Manual Tape	263.50	Good	
9/29/92 7:03	Auto FIC	264.4	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/30/92 0:00	Manual Tape	263.25	Good	
9/30/92 7:02	Auto FIC	264.50	Good	
10/1/92 0:00	Manual Tape	264.75	Good	
10/1/92 7:03	Auto FIC	265.70	Good	
10/2/92 0:00	Manual Tape	264.50	Good	
10/2/92 7:02	Auto FIC	265.8	Good	
10/3/92 0:00	Manual Tape	264.50	Good	
10/3/92 7:03	Auto FIC	265.7	Good	
10/4/92 0:00	Manual Tape	264.50	Good	
10/4/92 7:03	Auto FIC	265.80	Good	
10/5/92 0:00	Manual Tape	264.75	Good	
10/5/92 7:03	Auto FIC	265.7	Good	
10/6/92 0:00	Manual Tape	264.75	Good	
10/6/92 7:03	Auto FIC	265.7	Good	
10/7/92 0:00	Manual FIC	265.7	Good	
10/7/92 0:00	Manual Tape	264.50	Good	
10/8/92 0:00	Manual Tape	264.50	Good	
10/8/92 7:02	Auto FIC	265.70	Good	
10/9/92 0:00	Manual Tape	264.75	Good	
10/9/92 7:03	Auto FIC	265.70	Good	
10/10/92 0:00	Manual Tape	264.75	Good	
10/10/92 7:03	Auto FIC	265.8	Good	
10/11/92 0:00	Manual Tape	264.75	Good	
10/11/92 7:03	Auto FIC	265.8	Good	
10/12/92 0:00	Manual FIC	265.7	Good	
10/12/92 0:00	Manual Tape	264.75	Good	
10/13/92 0:00	Manual FIC	265.8	Good	
10/13/92 0:00	Manual Tape	264.75	Good	
10/14/92 0:00	Manual Tape	264.75	Good	
10/14/92 7:03	Auto FIC	265.8	Good	
10/15/92 0:00	Manual Tape	264.5	Good	
10/15/92 7:04	Auto FIC	265.60	Good	
10/16/92 0:00	Manual Tape	264.50	Good	
10/16/92 7:03	Auto FIC	265.60	Good	
10/17/92 0:00	Manual Tape	264.50	Good	
10/17/92 7:03	Auto FIC	265.6	Good	
10/18/92 0:00	Manual Tape	264.50	Good	
10/18/92 7:03	Auto FIC	265.6	Good	
10/19/92 0:00	Manual Tape	264.5	Good	
10/19/92 7:03	Auto FIC	265.60	Good	
10/20/92 0:00	Manual Tape	264.50	Good	
10/20/92 7:03	Auto FIC	265.6	Good	
10/21/92 0:00	Manual Tape	264.50	Good	
10/21/92 7:03	Auto FIC	265.6	Good	
10/22/92 0:00	Manual FIC	265.6	Good	
10/22/92 0:00	Manual Tape	264.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/23/92 0:00	Manual FIC	265.6	Good	
10/23/92 0:00	Manual Tape	264.5	Good	
10/24/92 0:00	Manual Tape	264.50	Good	
10/24/92 7:03	Auto FIC	265.60	Good	
10/25/92 0:00	Manual Tape	264.50	Good	
10/25/92 7:03	Auto FIC	265.60	Good	
10/26/92 0:00	Manual FIC	265.6	Good	
10/26/92 0:00	Manual Tape	408.50	Suspect	Data not included in graph
10/27/92 0:00	Manual Tape	264.5	Good	
10/27/92 7:04	Auto FIC	265.5	Good	
10/28/92 0:00	Manual Tape	264.50	Good	
10/28/92 7:03	Auto FIC	265.50	Good	
10/29/92 0:00	Manual Tape	264.50	Good	
10/29/92 7:03	Auto FIC	265.5	Good	
10/30/92 0:00	Manual Tape	264.50	Good	
10/30/92 7:03	Auto FIC	265.5	Good	
10/31/92 0:00	Manual Tape	264.5	Good	
10/31/92 7:03	Auto FIC	265.50	Good	
11/1/92 0:00	Manual Tape	264.5	Good	
11/1/92 7:03	Auto FIC	265.50	Good	
11/2/92 0:00	Manual Tape	264.50	Good	
11/2/92 7:03	Auto FIC	265.5	Good	
11/3/92 0:00	Manual Tape	264.50	Good	
11/3/92 7:03	Auto FIC	265.5	Good	
11/4/92 0:00	Manual Tape	264.25	Good	
11/4/92 7:03	Auto FIC	265.5	Good	
11/5/92 0:00	Manual FIC	265.5	Good	
11/5/92 0:00	Manual Tape	264.25	Good	
11/6/92 0:00	Manual FIC	265.5	Good	
11/6/92 0:00	Manual Tape	264.25	Good	
11/7/92 0:00	Manual FIC	265.5	Good	
11/7/92 0:00	Manual Tape	264.5	Good	
11/8/92 0:00	Manual FIC	265.55	Good	
11/8/92 0:00	Manual Tape	264.5	Good	
11/9/92 0:00	Manual FIC	265.5	Good	
11/9/92 0:00	Manual Tape	264.50	Good	
11/10/92 0:00	Manual Tape	264.50	Good	
11/10/92 7:03	Auto FIC	265.50	Good	
11/11/92 0:00	Manual Tape	264.50	Good	
11/11/92 7:04	Auto FIC	265.6	Good	
11/12/92 0:00	Manual Tape	264.5	Good	
11/12/92 7:03	Auto FIC	265.6	Good	
11/13/92 0:00	Manual Tape	264.5	Good	
11/13/92 7:04	Auto FIC	265.6	Good	
11/14/92 0:00	Manual Tape	264.50	Good	
11/14/92 7:04	Auto FIC	265.60	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/15/92 0:00	Manual Tape	264.50	Good	
11/15/92 7:04	Auto FIC	265.5	Good	
11/16/92 0:00	Manual Tape	264.5	Good	
11/16/92 7:04	Auto FIC	265.5	Good	
11/17/92 0:00	Manual Tape	264.50	Good	
11/17/92 7:04	Auto FIC	265.6	Good	
11/18/92 0:00	Manual Tape	264.50	Good	
11/18/92 7:02	Auto FIC	265.50	Good	
11/19/92 0:00	Manual Tape	264.75	Good	
11/19/92 7:02	Auto FIC	265.5	Good	
11/20/92 0:00	Manual Tape	264.5	Good	
11/20/92 7:03	Auto FIC	265.5	Good	
11/21/92 0:00	Manual Tape	264.50	Good	
11/21/92 7:02	Auto FIC	265.5	Good	
11/22/92 0:00	Manual Tape	265.25	Good	
11/22/92 7:03	Auto FIC	266.20	Good	
11/23/92 0:00	Manual Tape	265.50	Good	
11/23/92 7:03	Auto FIC	266.7	Good	
11/24/92 0:00	Manual Tape	267.25	Good	
11/24/92 7:03	Auto FIC	268.2	Good	
11/25/92 0:00	Manual Tape	267.5	Good	
11/25/92 7:03	Auto FIC	268.6	Good	
11/26/92 0:00	Manual Tape	267.50	Good	
11/26/92 7:03	Auto FIC	268.70	Good	
11/27/92 0:00	Manual Tape	267.50	Good	
11/27/92 7:03	Auto FIC	268.7	Good	
11/28/92 0:00	Manual Tape	267.75	Good	
11/28/92 7:03	Auto FIC	268.7	Good	
11/29/92 0:00	Manual Tape	267.75	Good	
11/29/92 7:03	Auto FIC	268.7	Good	
11/30/92 0:00	Manual FIC	268.8	Good	
11/30/92 0:00	Manual Tape	267.75	Good	
12/1/92 0:00	Manual Tape	367.75	Suspect	Data not included in graph
12/1/92 7:03	Auto FIC	268.80	Good	
12/2/92 0:00	Manual Tape	367.75	Suspect	Data not included in graph
12/2/92 7:03	Auto FIC	268.8	Good	
12/3/92 0:00	Manual Tape	267.75	Good	
12/3/92 7:03	Auto FIC	268.8	Good	
12/4/92 0:00	Manual Tape	267.75	Good	
12/4/92 7:03	Auto FIC	268.8	Good	
12/5/92 0:00	Manual FIC	268.8	Good	
12/5/92 0:00	Manual Tape	267.75	Good	
12/6/92 0:00	Manual Tape	267.5	Good	
12/6/92 7:02	Auto FIC	268.80	Good	
12/7/92 0:00	Manual Tape	267.75	Good	
12/7/92 7:03	Auto FIC	268.70	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/8/92 0:00	Manual FIC	268.7	Good	
12/8/92 0:00	Manual Tape	267.50	Good	
12/8/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/9/92 0:00	Manual Tape	268.00	Good	
12/9/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/10/92 0:00	Manual Tape	268.50	Good	
12/10/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/11/92 0:00	Manual Tape	269.5	Good	
12/11/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/12/92 0:00	Manual Tape	270	Good	
12/13/92 0:00	Manual Tape	270.50	Good	
12/13/92 7:04	Auto FIC	0	Suspect	Data not included in graph
12/14/92 0:00	Manual Tape	271.00	Good	
12/14/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/15/92 0:00	Manual Tape	271.5	Good	
12/15/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/16/92 0:00	Manual Tape	272.00	Good	
12/16/92 7:04	Auto FIC	0	Suspect	Data not included in graph
12/17/92 0:00	Manual Tape	272.50	Good	
12/17/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/18/92 0:00	Manual Tape	272.5	Good	
12/18/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/19/92 0:00	Manual Tape	272.5	Good	
12/19/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/20/92 0:00	Manual Tape	272.50	Good	
12/20/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/21/92 0:00	Manual Tape	272.50	Good	
12/21/92 7:04	Auto FIC	0	Suspect	Data not included in graph
12/22/92 0:00	Manual Tape	272.50	Good	
12/23/92 0:00	Manual Tape	272.5	Good	
12/23/92 7:04	Auto FIC	0	Suspect	Data not included in graph
12/24/92 0:00	Manual Tape	272.5	Good	
12/24/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/25/92 0:00	Manual Tape	272.50	Good	
12/25/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/26/92 0:00	Manual Tape	272.50	Good	
12/26/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/27/92 0:00	Manual Tape	272.5	Good	
12/27/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/28/92 0:00	Manual FIC	273.4	Good	
12/28/92 0:00	Manual Tape	272.50	Good	
12/28/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/29/92 0:00	Manual FIC	273.4	Good	
12/29/92 0:00	Manual Tape	272.50	Good	
12/30/92 0:00	Manual Tape	272.5	Good	
12/30/92 7:03	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/31/92 0:00	Manual Tape	272.50	Good	
12/31/92 7:03	Auto FIC	0	Suspect	Data not included in graph
1/1/93 0:00	Manual Tape	272.5	Good	
1/1/93 7:04	Auto FIC	0	Suspect	Data not included in graph
1/2/93 0:00	Manual Tape	272.50	Good	
1/3/93 0:00	Manual Tape	272.50	Good	
1/4/93 0:00	Manual Tape	272.5	Good	
1/5/93 0:00	Manual Tape	272.5	Good	
1/6/93 0:00	Manual Tape	272.50	Good	
1/7/93 0:00	Manual FIC	273.4	Good	
1/7/93 0:00	Manual Tape	272.50	Good	
1/8/93 0:00	Manual Tape	272.50	Good	
1/9/93 0:00	Manual Tape	272.5	Good	
1/10/93 0:00	Manual Tape	272.5	Good	
1/11/93 0:00	Manual FIC	273.5	Good	
1/11/93 0:00	Manual Tape	272.50	Good	
1/12/93 0:00	Manual Tape	272.50	Good	
1/12/93 7:06	Auto FIC	273.70	Good	
1/13/93 0:00	Manual Tape	272.50	Good	
1/13/93 7:06	Auto FIC	273.80	Good	
1/14/93 0:00	Manual Tape	272.5	Good	
1/14/93 7:03	Auto FIC	273.90	Good	
1/15/93 0:00	Manual Tape	272.5	Good	
1/15/93 7:03	Auto FIC	273.9	Good	
1/16/93 0:00	Manual FIC	274.45	Good	
1/16/93 0:00	Manual Tape	273.00	Good	
1/17/93 0:00	Manual FIC	275.2	Good	
1/17/93 0:00	Manual Tape	273.75	Good	
1/18/93 0:00	Manual FIC	275.8	Good	
1/18/93 0:00	Manual Tape	274.5	Good	
1/19/93 0:00	Manual FIC	276.65	Good	
1/19/93 0:00	Manual Tape	275.25	Good	
1/20/93 0:00	Manual FIC	277.5	Good	
1/20/93 0:00	Manual Tape	276.25	Good	
1/21/93 0:00	Manual Tape	277	Good	
1/21/93 7:02	Auto FIC	278.3	Good	
1/22/93 0:00	Manual Tape	278	Good	
1/22/93 7:04	Auto FIC	279.1	Good	
1/23/93 0:00	Manual Tape	267.75	Good	
1/23/93 7:03	Auto FIC	279.70	Good	
1/24/93 0:00	Manual Tape	269.25	Good	
1/24/93 7:03	Auto FIC	280.50	Good	
1/25/93 0:00	Manual Tape	280.00	Good	
1/25/93 7:03	Auto FIC	281.1	Good	
1/26/93 0:00	Manual Tape	280.75	Good	
1/26/93 7:04	Auto FIC	282	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/27/93 0:00	Manual Tape	280.5	Good	
1/27/93 7:04	Auto FIC	282.5	Good	
1/28/93 0:00	Manual Tape	283.00	Good	
1/28/93 7:04	Auto FIC	284.00	Good	
1/29/93 0:00	Manual Tape	283.50	Good	
1/29/93 7:04	Auto FIC	284.7	Good	
1/30/93 0:00	Manual Tape	284.25	Good	
1/30/93 7:03	Auto FIC	285.2	Good	
1/31/93 0:00	Manual Tape	285.00	Good	
1/31/93 7:04	Auto FIC	285.80	Good	
2/1/93 0:00	Manual Tape	285.00	Good	
2/1/93 7:04	Auto FIC	286.40	Good	
2/2/93 0:00	Manual Tape	285.25	Good	
2/2/93 7:04	Auto FIC	286.5	Good	
2/3/93 0:00	Manual FIC	286.4	Good	
2/3/93 0:00	Manual Tape	285.5	Good	
2/4/93 0:00	Manual Tape	285.50	Good	
2/4/93 7:04	Auto FIC	286.5	Good	
2/5/93 0:00	Manual Tape	285.50	Good	
2/5/93 7:04	Auto FIC	286.6	Good	
2/6/93 0:00	Manual Tape	285.50	Good	
2/6/93 7:04	Auto FIC	286.80	Good	
2/7/93 0:00	Manual Tape	285.5	Good	
2/7/93 7:03	Auto FIC	286.90	Good	
2/8/93 0:00	Manual Tape	285.5	Good	
2/8/93 7:04	Auto FIC	286.9	Good	
2/9/93 0:00	Manual Tape	285.50	Good	
2/9/93 7:04	Auto FIC	286.9	Good	
2/10/93 0:00	Manual Tape	285.50	Good	
2/10/93 7:04	Auto FIC	286.90	Good	
2/11/93 0:00	Manual Tape	285.5	Good	
2/11/93 7:04	Auto FIC	287	Good	
2/12/93 0:00	Manual Tape	285.50	Good	
2/12/93 7:03	Auto FIC	287	Good	
2/13/93 0:00	Manual Tape	285.50	Good	
2/13/93 7:03	Auto FIC	287.00	Good	
2/14/93 0:00	Manual Tape	285.5	Good	
2/14/93 7:04	Auto FIC	287.00	Good	
2/15/93 0:00	Manual Tape	285.25	Good	
2/15/93 7:04	Auto FIC	287	Good	
2/16/93 0:00	Manual Tape	285.50	Good	
2/16/93 7:02	Auto FIC	287	Good	
2/17/93 0:00	Manual FIC	287	Good	
2/17/93 0:00	Manual Tape	286.00	Good	
2/18/93 0:00	Manual Tape	286.50	Good	
2/18/93 7:03	Auto FIC	287.6	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/19/93 0:00	Manual Tape	287	Good	
2/19/93 7:02	Auto FIC	288.20	Good	
2/20/93 0:00	Manual Tape	287.75	Good	
2/20/93 7:03	Auto FIC	288.70	Good	
2/21/93 0:00	Manual Tape	288.25	Good	
2/21/93 7:04	Auto FIC	289.3	Good	
2/22/93 0:00	Manual Tape	289.00	Good	
2/22/93 7:04	Auto FIC	289.8	Good	
2/23/93 0:00	Manual Tape	289.5	Good	
2/23/93 7:03	Auto FIC	290.40	Good	
2/24/93 0:00	Manual Tape	290.00	Good	
2/24/93 7:04	Auto FIC	290.9	Good	
2/25/93 0:00	Manual Tape	290.25	Good	
2/25/93 7:03	Auto FIC	291.4	Good	
2/26/93 0:00	Manual Tape	290	Good	
2/26/93 7:03	Auto FIC	292.30	Good	
2/27/93 0:00	Manual Tape	292	Good	
2/27/93 7:04	Auto FIC	292.90	Good	
2/28/93 0:00	Manual Tape	292.75	Good	
2/28/93 7:03	Auto FIC	293.6	Good	
3/1/93 0:00	Manual Tape	293.00	Good	
3/1/93 7:03	Auto FIC	294	Good	
3/2/93 0:00	Manual Tape	293.25	Good	
3/2/93 7:04	Auto FIC	294.4	Good	
3/3/93 0:00	Manual Tape	293.25	Good	
3/3/93 7:03	Auto FIC	294.50	Good	
3/4/93 0:00	Manual Tape	293.75	Good	
3/4/93 7:04	Auto FIC	294.70	Good	
3/5/93 0:00	Manual Tape	293.5	Good	
3/5/93 7:04	Auto FIC	294.7	Good	
3/6/93 0:00	Manual Tape	293.75	Good	
3/6/93 7:03	Auto FIC	294.7	Good	
3/7/93 0:00	Manual Tape	293.75	Good	
3/7/93 7:03	Auto FIC	294.70	Good	
3/8/93 0:00	Manual Tape	293.75	Good	
3/8/93 7:03	Auto FIC	294.7	Good	
3/9/93 0:00	Manual Tape	293.75	Good	
3/9/93 7:04	Auto FIC	294.7	Good	
3/10/93 0:00	Manual Tape	293.75	Good	
3/10/93 7:05	Auto FIC	294.70	Good	
3/11/93 0:00	Manual Tape	293.75	Good	
3/11/93 7:04	Auto FIC	294.7	Good	
3/12/93 0:00	Manual Tape	293.75	Good	
3/12/93 7:04	Auto FIC	294.7	Good	
3/13/93 0:00	Manual Tape	293.5	Good	
3/13/93 7:03	Auto FIC	294.60	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/14/93 0:00	Manual Tape	293.75	Good	
3/14/93 7:04	Auto FIC	294.6	Good	
3/15/93 0:00	Manual Tape	293.75	Good	
3/15/93 7:03	Auto FIC	294.7	Good	
3/16/93 0:00	Manual Tape	293.75	Good	
3/16/93 7:04	Auto FIC	294.70	Good	
3/17/93 0:00	Manual Tape	293.875	Good	
3/17/93 7:03	Auto FIC	294.70	Good	
3/18/93 0:00	Manual Tape	293.75	Good	
3/18/93 7:04	Auto FIC	294.8	Good	
3/19/93 0:00	Manual Tape	294.00	Good	
3/19/93 7:03	Auto FIC	294.8	Good	
3/20/93 0:00	Manual Tape	293.88	Good	
3/20/93 7:04	Auto FIC	294.8	Good	
3/21/93 0:00	Manual Tape	293.88	Good	
3/21/93 7:04	Auto FIC	294.80	Good	
3/22/93 0:00	Manual Tape	294	Good	
3/22/93 7:03	Auto FIC	294.80	Good	
3/23/93 0:00	Manual Tape	294.00	Good	
3/23/93 7:03	Auto FIC	294.9	Good	
3/24/93 0:00	Manual Tape	294.00	Good	
3/24/93 7:04	Auto FIC	294.9	Good	
3/25/93 0:00	Manual Tape	294	Good	
3/25/93 7:03	Auto FIC	294.90	Good	
3/26/93 0:00	Manual Tape	294.00	Good	
3/26/93 7:03	Auto FIC	294.9	Good	
3/27/93 0:00	Manual Tape	294.00	Good	
3/27/93 7:03	Auto FIC	294.8	Good	
3/28/93 0:00	Manual Tape	294	Good	
3/28/93 7:03	Auto FIC	294.90	Good	
3/29/93 0:00	Manual Tape	294	Good	
3/29/93 7:03	Auto FIC	294.90	Good	
3/30/93 0:00	Manual Tape	294.00	Good	
3/30/93 7:03	Auto FIC	294.9	Good	
3/31/93 0:00	Manual Tape	294.00	Good	
3/31/93 7:03	Auto FIC	294.9	Good	
4/1/93 0:00	Manual Tape	293.75	Good	
4/1/93 7:03	Auto FIC	294.9	Good	
4/1/93 10:03	Manual Tape	293.75	Good	
4/2/93 0:00	Manual Tape	294	Good	
4/2/93 7:06	Auto FIC	294.90	Good	
4/2/93 10:03	Manual Tape	294.00	Good	
4/3/93 0:00	Manual Tape	294.00	Good	
4/3/93 7:06	Auto FIC	294.9	Good	
4/3/93 10:03	Manual Tape	294	Good	
4/4/93 0:00	Manual Tape	294.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/4/93 7:05	Auto FIC	294.9	Good	
4/4/93 10:03	Manual Tape	294.00	Good	
4/5/93 0:00	Manual Tape	294	Good	
4/5/93 7:06	Auto FIC	294.9	Good	
4/5/93 10:03	Manual Tape	294	Good	
4/6/93 0:00	Manual Tape	293.75	Good	
4/6/93 7:06	Auto FIC	294.90	Good	
4/6/93 10:03	Manual Tape	293.75	Good	
4/7/93 0:00	Manual Tape	294.00	Good	
4/7/93 7:06	Auto FIC	294.90	Good	
4/7/93 10:03	Manual Tape	294	Good	
4/8/93 0:00	Manual Tape	294	Good	
4/8/93 7:06	Auto FIC	295	Good	
4/8/93 10:03	Manual Tape	294	Good	
4/9/93 0:00	Manual Tape	294.00	Good	
4/9/93 7:06	Auto FIC	295	Good	
4/9/93 10:03	Manual Tape	294.00	Good	
4/10/93 0:00	Manual Tape	294.00	Good	
4/10/93 7:05	Auto FIC	295.00	Good	
4/10/93 10:03	Manual Tape	294.00	Good	
4/11/93 0:00	Manual Tape	294	Good	
4/11/93 7:06	Auto FIC	295	Good	
4/11/93 10:03	Manual Tape	294	Good	
4/12/93 0:00	Manual Tape	294.00	Good	
4/12/93 7:06	Auto FIC	295	Good	
4/12/93 10:03	Manual Tape	294.00	Good	
4/13/93 0:00	Manual Tape	294.00	Good	
4/13/93 7:06	Auto FIC	295.00	Good	
4/13/93 10:03	Manual Tape	294.00	Good	
4/14/93 0:00	Manual Tape	294	Good	
4/14/93 7:06	Auto FIC	295.00	Good	
4/14/93 10:03	Manual Tape	294	Good	
4/15/93 0:00	Manual Tape	294.00	Good	
4/15/93 7:03	Auto FIC	295	Good	
4/15/93 10:03	Manual Tape	294	Good	
4/16/93 0:00	Manual Tape	294.00	Good	
4/16/93 7:06	Auto FIC	295	Good	
4/16/93 10:03	Manual Tape	294.00	Good	
4/17/93 0:00	Manual Tape	294	Good	
4/17/93 7:05	Auto FIC	295.00	Good	
4/17/93 10:03	Manual Tape	294	Good	
4/18/93 0:00	Manual Tape	294.00	Good	
4/18/93 7:06	Auto FIC	295.00	Good	
4/18/93 10:03	Manual Tape	294.00	Good	
4/19/93 0:00	Manual Tape	294.00	Good	
4/19/93 7:06	Auto FIC	295	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/19/93 10:03	Manual Tape	294	Good	
4/20/93 0:00	Manual Tape	294.25	Good	
4/20/93 10:03	Manual Tape	294.25	Good	
4/20/93 10:06	Manual FIC	295	Good	
4/21/93 0:00	Manual Tape	294.00	Good	
4/21/93 10:03	Manual Tape	294	Good	
4/21/93 10:06	Manual FIC	295	Good	
4/22/93 0:00	Manual Tape	294.00	Good	
4/22/93 7:06	Auto FIC	295	Good	
4/22/93 10:03	Manual Tape	294.00	Good	
4/23/93 0:00	Manual Tape	294	Good	
4/23/93 7:06	Auto FIC	295.00	Good	
4/23/93 10:03	Manual Tape	294	Good	
4/24/93 0:00	Manual Tape	294.00	Good	
4/24/93 7:05	Auto FIC	295.00	Good	
4/24/93 10:03	Manual Tape	294.00	Good	
4/25/93 0:00	Manual Tape	294.00	Good	
4/25/93 7:06	Auto FIC	295	Good	
4/25/93 10:03	Manual Tape	294	Good	
4/26/93 0:00	Manual Tape	294	Good	
4/26/93 7:06	Auto FIC	295	Good	
4/26/93 10:03	Manual Tape	294	Good	
4/27/93 0:00	Manual Tape	294.00	Good	
4/27/93 7:06	Auto FIC	294.90	Good	
4/27/93 10:03	Manual Tape	294	Good	
4/28/93 0:00	Manual Tape	294.00	Good	
4/28/93 7:03	Auto FIC	294.90	Good	
4/28/93 10:03	Manual Tape	294.00	Good	
4/29/93 0:00	Manual Tape	294	Good	
4/29/93 7:03	Auto FIC	294.9	Good	
4/29/93 10:03	Manual Tape	294	Good	
4/30/93 0:00	Manual Tape	294.00	Good	
4/30/93 7:06	Auto FIC	294.9	Good	
4/30/93 10:03	Manual Tape	294	Good	
5/1/93 0:00	Manual Tape	294.00	Good	
5/1/93 7:05	Auto FIC	294.90	Good	
5/1/93 10:05	Manual Tape	294	Good	
5/2/93 0:00	Manual Tape	294	Good	
5/2/93 7:06	Auto FIC	294.90	Good	
5/2/93 10:05	Manual Tape	294	Good	
5/3/93 0:00	Manual Tape	294.00	Good	
5/3/93 7:06	Auto FIC	294.9	Good	
5/3/93 10:05	Manual Tape	294	Good	
5/4/93 0:00	Manual Tape	294.00	Good	
5/4/93 10:05	Manual FIC	294.9	Good	
5/4/93 10:05	Manual Tape	294.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/5/93 0:00	Manual Tape	294	Good	
5/5/93 10:05	Manual FIC	294.9	Good	
5/5/93 10:05	Manual Tape	294	Good	
5/6/93 0:00	Manual Tape	294.00	Good	
5/6/93 10:05	Manual FIC	294.9	Good	
5/6/93 10:05	Manual Tape	294	Good	
5/7/93 0:00	Manual Tape	294.00	Good	
5/7/93 10:05	Manual FIC	294.9	Good	
5/7/93 10:05	Manual Tape	294	Good	
5/8/93 0:00	Manual Tape	294	Good	
5/8/93 10:05	Manual FIC	294.9	Good	
5/8/93 10:05	Manual Tape	294.00	Good	
5/9/93 0:00	Manual Tape	294.00	Good	
5/9/93 10:05	Manual FIC	294.9	Good	
5/9/93 10:05	Manual Tape	294	Good	
5/10/93 0:00	Manual Tape	294.00	Good	
5/10/93 10:05	Manual FIC	294.9	Good	
5/10/93 10:05	Manual Tape	294	Good	
5/11/93 0:00	Manual Tape	294	Good	
5/11/93 7:06	Auto FIC	295.30	Good	
5/11/93 10:05	Manual Tape	294	Good	
5/12/93 0:00	Manual Tape	294.50	Good	
5/12/93 7:06	Auto FIC	296.10	Good	
5/12/93 10:05	Manual Tape	294.50	Good	
5/13/93 0:00	Manual Tape	295.75	Good	
5/13/93 10:05	Manual Tape	295.75	Good	
5/13/93 10:06	Manual FIC	296.95	Good	
5/14/93 0:00	Manual Tape	295.5	Good	
5/14/93 10:05	Manual Tape	295.5	Good	
5/14/93 10:06	Manual FIC	297.1	Good	
5/15/93 0:00	Manual Tape	296.50	Good	
5/15/93 7:06	Auto FIC	297.5	Good	
5/15/93 10:05	Manual Tape	296.5	Good	
5/16/93 0:00	Manual Tape	297.00	Good	
5/16/93 7:05	Auto FIC	298	Good	
5/16/93 10:05	Manual Tape	297.00	Good	
5/17/93 0:00	Manual Tape	297.5	Good	
5/17/93 7:03	Auto FIC	298.40	Good	
5/17/93 10:05	Manual Tape	297.5	Good	
5/18/93 0:00	Manual Tape	297.50	Good	
5/18/93 7:03	Auto FIC	299.00	Good	
5/18/93 10:05	Manual Tape	297.5	Good	
5/19/93 0:00	Manual Tape	418.50	Suspect	Data not included in graph
5/19/93 7:03	Auto FIC	299.7	Good	
5/19/93 10:05	Manual Tape	418.5	Suspect	Data not included in graph
5/20/93 0:00	Manual Tape	298.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/20/93 7:03	Auto FIC	300.5	Good	
5/20/93 10:05	Manual Tape	298.50	Good	
5/21/93 0:00	Manual Tape	299.25	Good	
5/21/93 10:03	Manual FIC	301.6	Good	
5/21/93 10:05	Manual Tape	299.25	Good	
5/22/93 0:00	Manual Tape	299.75	Good	
5/22/93 7:03	Auto FIC	300.70	Good	
5/22/93 10:05	Manual Tape	299.75	Good	
5/23/93 0:00	Manual Tape	300.25	Good	
5/23/93 7:04	Auto FIC	301.70	Good	
5/23/93 10:05	Manual Tape	300.25	Good	
5/24/93 0:00	Manual Tape	300.25	Good	
5/24/93 7:03	Auto FIC	302.1	Good	
5/24/93 10:05	Manual Tape	300.25	Good	
5/25/93 0:00	Manual Tape	300.50	Good	
5/25/93 7:03	Auto FIC	302.4	Good	
5/25/93 10:05	Manual Tape	300.5	Good	
5/26/93 0:00	Manual Tape	300.5	Good	
5/26/93 7:03	Auto FIC	302.30	Good	
5/26/93 10:05	Manual Tape	300.5	Good	
5/27/93 0:00	Manual Tape	300.50	Good	
5/27/93 7:03	Auto FIC	302.20	Good	
5/27/93 10:05	Manual Tape	300.5	Good	
5/28/93 0:00	Manual Tape	300.50	Good	
5/28/93 7:03	Auto FIC	302.2	Good	
5/28/93 10:05	Manual Tape	300.50	Good	
5/29/93 0:00	Manual Tape	300.50	Good	
5/29/93 7:05	Auto FIC	301.6	Good	
5/29/93 10:05	Manual Tape	300.5	Good	
5/30/93 0:00	Manual Tape	300.50	Good	
5/30/93 7:05	Auto FIC	301.60	Good	
5/30/93 10:05	Manual Tape	300.5	Good	
5/31/93 0:00	Manual Tape	300.50	Good	
5/31/93 10:05	Manual FIC	301.6	Good	
5/31/93 10:05	Manual Tape	300.5	Good	
6/1/93 0:00	Manual Tape	300.50	Good	
6/1/93 7:06	Auto FIC	301.70	Good	
6/1/93 10:06	Manual Tape	300.50	Good	
6/2/93 0:00	Manual Tape	300.5	Good	
6/2/93 7:06	Auto FIC	301.6	Good	
6/2/93 10:06	Manual Tape	300.50	Good	
6/3/93 0:00	Manual Tape	300.5	Good	
6/3/93 7:06	Auto FIC	301.8	Good	
6/3/93 10:06	Manual Tape	300.50	Good	
6/4/93 0:00	Manual Tape	300.50	Good	
6/4/93 7:06	Auto FIC	302.10	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/4/93 10:06	Manual Tape	300.5	Good	
6/5/93 0:00	Manual Tape	302.00	Good	
6/5/93 7:06	Auto FIC	303.00	Good	
6/5/93 10:06	Manual Tape	302	Good	
6/6/93 0:00	Manual Tape	302.75	Good	
6/6/93 7:05	Auto FIC	303.9	Good	
6/6/93 10:06	Manual Tape	302.75	Good	
6/7/93 0:00	Manual Tape	302.75	Good	
6/7/93 7:05	Auto FIC	304.6	Good	
6/7/93 10:06	Manual Tape	302.75	Good	
6/8/93 0:00	Manual Tape	304.00	Good	
6/8/93 7:05	Auto FIC	305.10	Good	
6/8/93 10:06	Manual Tape	304	Good	
6/9/93 0:00	Manual Tape	304.75	Good	
6/9/93 7:05	Auto FIC	305.30	Good	
6/9/93 10:06	Manual Tape	304.75	Good	
6/10/93 0:00	Manual Tape	305.25	Good	
6/10/93 7:04	Auto FIC	306.3	Good	
6/10/93 10:06	Manual Tape	305.25	Good	
6/11/93 0:00	Manual Tape	306.00	Good	
6/11/93 7:05	Auto FIC	307	Good	
6/11/93 10:06	Manual Tape	306.00	Good	
6/12/93 0:00	Manual Tape	306.25	Good	
6/12/93 7:05	Auto FIC	307.80	Good	
6/12/93 10:06	Manual Tape	306.25	Good	
6/13/93 0:00	Manual Tape	307.00	Good	
6/13/93 7:04	Auto FIC	308.20	Good	
6/13/93 10:06	Manual Tape	307	Good	
6/14/93 0:00	Manual Tape	307.50	Good	
6/14/93 7:05	Auto FIC	308.7	Good	
6/14/93 10:06	Manual Tape	307.5	Good	
6/15/93 0:00	Manual Tape	308.00	Good	
6/15/93 7:05	Auto FIC	309.3	Good	
6/15/93 10:06	Manual Tape	308	Good	
6/16/93 0:00	Manual Tape	310	Good	
6/16/93 7:05	Auto FIC	310.40	Good	
6/16/93 10:06	Manual Tape	310.00	Good	
6/17/93 0:00	Manual Tape	309.75	Good	
6/17/93 7:05	Auto FIC	310.50	Good	
6/17/93 10:06	Manual Tape	309.75	Good	
6/18/93 0:00	Manual Tape	309.25	Good	
6/18/93 10:06	Manual Tape	309.25	Good	
6/19/93 0:00	Manual Tape	309.25	Good	
6/19/93 10:06	Manual Tape	309.25	Good	
6/20/93 0:00	Manual Tape	309.25	Good	
6/20/93 10:06	Manual Tape	309.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/21/93 0:00	Manual Tape	309.50	Good	
6/21/93 10:06	Manual Tape	309.5	Good	
6/22/93 0:00	Manual Tape	318.5	Good	
6/22/93 10:06	Manual Tape	318.5	Good	
6/23/93 0:00	Manual Tape	318.50	Good	
6/23/93 10:06	Manual Tape	318.5	Good	
6/24/93 0:00	Manual Tape	318.50	Good	
6/24/93 10:06	Manual Tape	318.50	Good	
6/25/93 0:00	Manual Tape	318.5	Good	
6/25/93 10:06	Manual Tape	318.5	Good	
6/26/93 0:00	Manual Tape	318.50	Good	
6/26/93 10:06	Manual Tape	318.5	Good	
6/27/93 0:00	Manual Tape	318.50	Good	
6/27/93 10:06	Manual Tape	318.50	Good	
6/28/93 0:00	Manual Tape	318.5	Good	
6/28/93 10:06	Manual Tape	318.50	Good	
6/29/93 0:00	Manual Tape	318.50	Good	
6/29/93 10:06	Manual Tape	318.5	Good	
6/30/93 0:00	Manual Tape	318.50	Good	
6/30/93 10:06	Manual Tape	318.5	Good	
7/1/93 0:00	Manual Tape	318.5	Good	
7/1/93 10:00	Manual Tape	318.50	Good	
7/2/93 0:00	Manual Tape	318.50	Good	
7/2/93 10:00	Manual Tape	318.50	Good	
7/3/93 0:00	Manual Tape	318.50	Good	
7/3/93 10:00	Manual Tape	318.5	Good	
7/4/93 0:00	Manual Tape	318.5	Good	
7/4/93 10:00	Manual Tape	318.5	Good	
7/5/93 0:00	Manual Tape	318.50	Good	
7/5/93 10:00	Manual Tape	318.50	Good	
7/6/93 0:00	Manual Tape	318.75	Good	
7/6/93 10:00	Manual Tape	318.75	Good	
7/7/93 0:00	Manual Tape	318.5	Good	
7/7/93 10:00	Manual Tape	318.5	Good	
7/8/93 0:00	Manual Tape	318.00	Good	
7/8/93 10:00	Manual Tape	318	Good	
7/9/93 0:00	Manual Tape	318.50	Good	
7/9/93 10:00	Manual Tape	318.50	Good	
7/10/93 0:00	Manual Tape	318.5	Good	
7/10/93 10:00	Manual Tape	318.5	Good	
7/11/93 0:00	Manual Tape	318.50	Good	
7/11/93 10:00	Manual Tape	318.5	Good	
7/11/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/12/93 0:00	Manual Tape	318.50	Good	
7/12/93 10:00	Manual Tape	318.50	Good	
7/12/93 15:04	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/13/93 0:00	Manual Tape	318.5	Good	
7/13/93 10:00	Manual Tape	318.5	Good	
7/13/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/14/93 0:00	Manual Tape	318.50	Good	
7/14/93 10:00	Manual Tape	318.5	Good	
7/14/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/15/93 0:00	Manual Tape	318.50	Good	
7/15/93 10:00	Manual Tape	318.5	Good	
7/15/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/16/93 0:00	Manual Tape	318.5	Good	
7/16/93 10:00	Manual Tape	318.5	Good	
7/16/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/17/93 0:00	Manual Tape	318.50	Good	
7/17/93 10:00	Manual Tape	318.50	Good	
7/17/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/18/93 0:00	Manual Tape	318.75	Good	
7/18/93 10:00	Manual Tape	318.75	Good	
7/18/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/19/93 0:00	Manual Tape	318.75	Good	
7/19/93 10:00	Manual Tape	318.75	Good	
7/19/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/20/93 0:00	Manual Tape	318.75	Good	
7/20/93 10:00	Manual Tape	318.75	Good	
7/20/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/21/93 0:00	Manual Tape	318.75	Good	
7/21/93 10:00	Manual Tape	318.75	Good	
7/21/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/22/93 0:00	Manual Tape	318.5	Good	
7/22/93 10:00	Manual Tape	318.5	Good	
7/22/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/23/93 0:00	Manual Tape	318.5	Good	
7/23/93 10:00	Manual Tape	318.50	Good	
7/23/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/24/93 0:00	Manual Tape	318.75	Good	
7/24/93 10:00	Manual Tape	318.75	Good	
7/24/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/25/93 0:00	Manual Tape	318.50	Good	
7/25/93 10:00	Manual Tape	318.5	Good	
7/25/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/26/93 0:00	Manual Tape	318.50	Good	
7/26/93 10:00	Manual Tape	318.5	Good	
7/26/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/27/93 0:00	Manual Tape	318.5	Good	
7/27/93 10:00	Manual Tape	318.50	Good	
7/27/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/28/93 0:00	Manual Tape	318.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/28/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/29/93 0:00	Manual Tape	318.75	Good	
7/29/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
7/30/93 0:00	Manual Tape	320.75	Good	
7/30/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
7/31/93 0:00	Manual Tape	321.25	Good	
7/31/93 7:03	Auto FIC	0	Suspect	Data not included in graph
8/1/93 0:00	Manual Tape	322	Good	
8/1/93 7:03	Auto FIC	0	Suspect	Data not included in graph
8/2/93 0:00	Manual Tape	322.25	Good	
8/2/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/3/93 0:00	Manual Tape	322.75	Good	
8/3/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/4/93 0:00	Manual Tape	323.25	Good	
8/4/93 7:03	Auto FIC	0	Suspect	Data not included in graph
8/5/93 0:00	Manual Tape	324.00	Good	
8/5/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/6/93 0:00	Manual Tape	325.00	Good	
8/6/93 15:04	Auto FIC	0	Suspect	Data not included in graph
8/7/93 0:00	Manual Tape	325.5	Good	
8/7/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/8/93 0:00	Manual Tape	326	Good	
8/8/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/9/93 0:00	Manual Tape	326.75	Good	
8/9/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/10/93 0:00	Manual Tape	327.5	Good	
8/10/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/11/93 0:00	Manual Tape	327.75	Good	
8/11/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/12/93 0:00	Manual Tape	328.25	Good	
8/12/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/13/93 0:00	Manual Tape	328.75	Good	
8/13/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/14/93 0:00	Manual Tape	329.25	Good	
8/14/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/15/93 0:00	Manual Tape	329.75	Good	
8/15/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/16/93 0:00	Manual Tape	330	Good	
8/16/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/17/93 0:00	Manual Tape	330.75	Good	
8/17/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/18/93 0:00	Manual Tape	331	Good	
8/18/93 7:03	Auto FIC	0	Suspect	Data not included in graph
8/19/93 0:00	Manual Tape	331.5	Good	
8/19/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/20/93 0:00	Manual Tape	332.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/20/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/21/93 0:00	Manual Tape	341.25	Good	
8/21/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/22/93 0:00	Manual Tape	341.25	Good	
8/22/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/23/93 0:00	Manual Tape	341.5	Good	
8/23/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/24/93 0:00	Manual Tape	341.25	Good	
8/24/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/25/93 0:00	Manual Tape	341.25	Good	
8/25/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/26/93 0:00	Manual Tape	341.25	Good	
8/26/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/27/93 0:00	Manual Tape	341.25	Good	
8/27/93 7:05	Auto FIC	0.00	Suspect	Data not included in graph
8/28/93 0:00	Manual Tape	341.25	Good	
8/28/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/29/93 0:00	Manual Tape	341.25	Good	
8/29/93 7:03	Auto FIC	0	Suspect	Data not included in graph
8/30/93 0:00	Manual Tape	341.25	Good	
8/30/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/31/93 0:00	Manual Tape	341.25	Good	
8/31/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/1/93 0:00	Manual Tape	341.25	Good	
9/1/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/2/93 0:00	Manual Tape	341.25	Good	
9/2/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/3/93 0:00	Manual Tape	341.25	Good	
9/3/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/4/93 0:00	Manual Tape	341.25	Good	
9/4/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/5/93 0:00	Manual Tape	341.25	Good	
9/5/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/6/93 0:00	Manual Tape	341.25	Good	
9/6/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/7/93 0:00	Manual Tape	341.25	Good	
9/7/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/8/93 0:00	Manual Tape	341.25	Good	
9/8/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/9/93 0:00	Manual Tape	341.25	Good	
9/9/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/10/93 0:00	Manual Tape	341.25	Good	
9/10/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/11/93 0:00	Manual Tape	341.25	Good	
9/11/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/12/93 0:00	Manual Tape	341.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/12/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/13/93 0:00	Manual Tape	341.25	Good	
9/13/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/14/93 0:00	Manual Tape	341.25	Good	
9/14/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/15/93 0:00	Manual Tape	341.25	Good	
9/15/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/16/93 0:00	Manual Tape	341.50	Good	
9/16/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/17/93 0:00	Manual Tape	341.25	Good	
9/17/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/18/93 0:00	Manual Tape	341.25	Good	
9/18/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/19/93 0:00	Manual Tape	341.25	Good	
9/19/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/20/93 0:00	Manual Tape	341.25	Good	
9/20/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/21/93 0:00	Manual Tape	341.25	Good	
9/21/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/22/93 0:00	Manual Tape	341.25	Good	
9/22/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/23/93 0:00	Manual Tape	341.25	Good	
9/23/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/24/93 0:00	Manual Tape	341.25	Good	
9/24/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/25/93 0:00	Manual Tape	341.25	Good	
9/25/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/26/93 0:00	Manual Tape	341.25	Good	
9/26/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/27/93 0:00	Manual Tape	341.25	Good	
9/27/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/28/93 0:00	Manual Tape	341.25	Good	
9/28/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/29/93 0:00	Manual Tape	341.25	Good	
9/29/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/30/93 0:00	Manual Tape	341.25	Good	
9/30/93 7:03	Auto FIC	0	Suspect	Data not included in graph
10/1/93 0:00	Manual Tape	341.25	Good	
10/1/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
10/2/93 0:00	Manual Tape	341.25	Good	
10/2/93 7:05	Auto FIC	0.00	Suspect	Data not included in graph
10/3/93 0:00	Manual Tape	341.25	Good	
10/3/93 7:06	Auto FIC	0	Suspect	Data not included in graph
10/4/93 0:00	Manual Tape	341.25	Good	
10/4/93 7:06	Auto FIC	0	Suspect	Data not included in graph
10/5/93 0:00	Manual Tape	341.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/5/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
10/6/93 0:00	Manual Tape	341.25	Good	
10/6/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
10/7/93 0:00	Manual Tape	341.00	Good	
10/7/93 7:05	Auto FIC	0	Suspect	Data not included in graph
10/8/93 0:00	Manual Tape	341.25	Good	
10/8/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/9/93 0:00	Manual Tape	341	Good	
10/9/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/10/93 0:00	Manual Tape	341	Good	
10/11/93 0:00	Manual Tape	341.00	Good	
10/11/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/12/93 0:00	Manual Tape	341.00	Good	
10/12/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/13/93 0:00	Manual Tape	341.00	Good	
10/13/93 7:03	Auto FIC	0	Suspect	Data not included in graph
10/14/93 0:00	Manual Tape	341	Good	
10/14/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/15/93 0:00	Manual Tape	341	Good	
10/15/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/16/93 0:00	Manual Tape	340.75	Good	
10/16/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/17/93 0:00	Manual Tape	340.75	Good	
10/17/93 7:03	Auto FIC	0	Suspect	Data not included in graph
10/18/93 0:00	Manual Tape	341	Good	
10/18/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/19/93 0:00	Manual Tape	341	Good	
10/19/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/20/93 0:00	Manual Tape	341	Good	
10/20/93 7:03	Auto FIC	0	Suspect	Data not included in graph
10/21/93 0:00	Manual Tape	341.00	Good	
10/21/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/22/93 0:00	Manual Tape	341	Good	
10/22/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/23/93 0:00	Manual Tape	341.00	Good	
10/23/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/24/93 0:00	Manual Tape	340.75	Good	
10/24/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/25/93 0:00	Manual Tape	341.00	Good	
10/25/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/26/93 0:00	Manual Tape	340.75	Good	
10/26/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/27/93 0:00	Manual Tape	341.00	Good	
10/27/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/28/93 0:00	Manual Tape	340.75	Good	
10/28/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/29/93 0:00	Manual Tape	345.25	Good	
10/29/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/30/93 0:00	Manual Tape	345.75	Good	
10/30/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/31/93 0:00	Manual Tape	345.75	Good	
10/31/93 7:06	Auto FIC	0	Suspect	Data not included in graph
11/1/93 0:00	Manual Tape	345.75	Good	
11/1/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
11/2/93 0:00	Manual Tape	345.75	Good	
11/2/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/3/93 0:00	Manual Tape	345.75	Good	
11/3/93 7:06	Auto FIC	0	Suspect	Data not included in graph
11/4/93 0:00	Manual Tape	345.75	Good	
11/4/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/5/93 0:00	Manual Tape	345.75	Good	
11/5/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
11/6/93 0:00	Manual Tape	345.75	Good	
11/6/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
11/7/93 0:00	Manual Tape	345.75	Good	
11/7/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
11/8/93 0:00	Manual Tape	345.75	Good	
11/8/93 7:06	Auto FIC	0	Suspect	Data not included in graph
11/9/93 0:00	Manual Tape	345.75	Good	
11/9/93 7:03	Auto FIC	0	Suspect	Data not included in graph
11/10/93 0:00	Manual Tape	345.5	Good	
11/10/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/11/93 0:00	Manual Tape	345.75	Good	
11/11/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/12/93 0:00	Manual Tape	345.50	Good	
11/12/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/13/93 0:00	Manual Tape	345.5	Good	
11/13/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/14/93 0:00	Manual Tape	345.50	Good	
11/14/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/15/93 0:00	Manual Tape	345.75	Good	
11/15/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/16/93 0:00	Manual Tape	345.5	Good	
11/16/93 7:03	Auto FIC	0	Suspect	Data not included in graph
11/17/93 0:00	Manual Tape	345.75	Good	
11/17/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/18/93 0:00	Manual Tape	345.50	Good	
11/18/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/19/93 0:00	Manual Tape	345.50	Good	
11/19/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/20/93 0:00	Manual Tape	345.50	Good	
11/20/93 7:04	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/21/93 0:00	Manual Tape	346	Good	
11/21/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/22/93 0:00	Manual Tape	346	Good	
11/22/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/23/93 0:00	Manual Tape	346.00	Good	
11/23/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/24/93 0:00	Manual Tape	347.00	Good	
11/24/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/25/93 0:00	Manual Tape	347	Good	
11/25/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/26/93 0:00	Manual Tape	347.00	Good	
11/26/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/27/93 0:00	Manual Tape	346.75	Good	
11/27/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/28/93 0:00	Manual Tape	346.75	Good	
11/28/93 7:03	Auto FIC	0	Suspect	Data not included in graph
11/29/93 0:00	Manual Tape	346.75	Good	
11/29/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/30/93 0:00	Manual Tape	347.00	Good	
11/30/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/1/93 0:00	Manual Tape	347.00	Good	
12/1/93 7:04	Auto FIC	0	Suspect	Data not included in graph
12/2/93 0:00	Manual Tape	347.00	Good	
12/2/93 7:04	Auto FIC	0	Suspect	Data not included in graph
12/3/93 0:00	Manual FIC	347.9	Good	
12/3/93 0:00	Manual Tape	346.75	Good	
12/3/93 7:05	Auto FIC	0	Suspect	Data not included in graph
12/4/93 0:00	Manual Tape	347	Good	
12/4/93 7:05	Auto FIC	347.80	Good	
12/5/93 0:00	Manual Tape	347.50	Good	
12/5/93 7:04	Auto FIC	348.20	Good	
12/6/93 0:00	Manual Tape	348.25	Good	
12/6/93 7:05	Auto FIC	349.1	Good	
12/7/93 0:00	Manual Tape	347	Good	
12/7/93 7:04	Auto FIC	349.70	Good	
12/8/93 0:00	Manual Tape	349.50	Good	
12/8/93 7:06	Auto FIC	350.30	Good	
12/9/93 0:00	Manual Tape	349.75	Good	
12/9/93 7:04	Auto FIC	350.8	Good	
12/10/93 0:00	Manual Tape	349.75	Good	
12/10/93 6:05	Auto FIC	350.9	Good	
12/11/93 0:00	Manual Tape	349.5	Good	
12/11/93 7:06	Auto FIC	350.90	Good	
12/12/93 0:00	Manual Tape	349.75	Good	
12/12/93 7:06	Auto FIC	350.90	Good	
12/13/93 0:00	Manual Tape	349.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/13/93 7:06	Auto FIC	350.90	Good	
12/14/93 0:00	Manual Tape	349.5	Good	
12/14/93 7:06	Auto FIC	350.9	Good	
12/15/93 0:00	Manual Tape	349.75	Good	
12/15/93 7:06	Auto FIC	350.8	Good	
12/16/93 0:00	Manual Tape	349.75	Good	
12/16/93 7:06	Auto FIC	350.90	Good	
12/17/93 0:00	Manual Tape	349.75	Good	
12/17/93 7:05	Auto FIC	350.80	Good	
12/18/93 0:00	Manual Tape	349.75	Good	
12/18/93 7:06	Auto FIC	350.8	Good	
12/19/93 0:00	Manual Tape	349.75	Good	
12/19/93 7:06	Auto FIC	350.8	Good	
12/20/93 0:00	Manual Tape	349.75	Good	
12/20/93 7:06	Auto FIC	350.80	Good	
12/21/93 0:00	Manual Tape	350.00	Good	
12/21/93 7:06	Auto FIC	350.90	Good	
12/22/93 0:00	Manual Tape	350.00	Good	
12/22/93 7:05	Auto FIC	350.8	Good	
12/23/93 0:00	Manual Tape	350	Good	
12/23/93 6:06	Auto FIC	350.8	Good	
12/24/93 0:00	Manual Tape	350.00	Good	
12/24/93 7:06	Auto FIC	350.80	Good	
12/25/93 0:00	Manual Tape	350	Good	
12/25/93 7:06	Auto FIC	350.80	Good	
12/26/93 0:00	Manual Tape	350	Good	
12/26/93 7:06	Auto FIC	350.8	Good	
12/27/93 0:00	Manual Tape	349.5	Good	
12/27/93 7:06	Auto FIC	350.9	Good	
12/28/93 0:00	Manual Tape	350.00	Good	
12/28/93 7:06	Auto FIC	350.90	Good	
12/29/93 0:00	Manual Tape	350.00	Good	
12/29/93 7:06	Auto FIC	351	Good	
12/30/93 0:00	Manual Tape	350.00	Good	
12/30/93 7:05	Auto FIC	351.1	Good	
12/31/93 0:00	Manual Tape	350	Good	
12/31/93 7:06	Auto FIC	351.20	Good	
1/1/94 0:00	Manual Tape	350	Good	
1/1/94 7:06	Auto FIC	351.20	Good	
1/2/94 0:00	Manual Tape	350.00	Good	
1/2/94 7:06	Auto FIC	351.2	Good	
1/3/94 0:00	Manual Tape	350.00	Good	
1/3/94 7:07	Auto FIC	351.4	Good	
1/4/94 0:00	Manual Tape	350	Good	
1/4/94 7:07	Auto FIC	351.20	Good	
1/5/94 0:00	Manual Tape	350.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/5/94 7:06	Auto FIC	351.2	Good	
1/6/94 0:00	Manual Tape	350.25	Good	
1/6/94 7:06	Auto FIC	351.2	Good	
1/7/94 0:00	Manual Tape	350.00	Good	
1/7/94 7:07	Auto FIC	351.40	Good	
1/8/94 0:00	Manual Tape	350	Good	
1/8/94 7:06	Auto FIC	351.30	Good	
1/9/94 0:00	Manual Tape	350.00	Good	
1/9/94 7:06	Auto FIC	351.2	Good	
1/10/94 0:00	Manual Tape	350.00	Good	
1/10/94 7:07	Auto FIC	351.2	Good	
1/11/94 0:00	Manual Tape	350.00	Good	
1/11/94 7:07	Auto FIC	351.20	Good	
1/12/94 0:00	Manual Tape	350	Good	
1/12/94 7:06	Auto FIC	351.20	Good	
1/13/94 0:00	Manual Tape	350.00	Good	
1/13/94 5:07	Auto FIC	351.7	Good	
1/14/94 0:00	Manual Tape	351.00	Good	
1/14/94 7:06	Auto FIC	352.40	Good	
1/15/94 0:00	Manual Tape	351.25	Good	
1/15/94 5:07	Auto FIC	353.10	Good	
1/16/94 0:00	Manual Tape	352.25	Good	
1/16/94 7:07	Auto FIC	353.7	Good	
1/17/94 0:00	Manual Tape	352.75	Good	
1/17/94 7:07	Auto FIC	354.1	Good	
1/18/94 0:00	Manual Tape	353.50	Good	
1/18/94 7:07	Auto FIC	354.80	Good	
1/19/94 0:00	Manual Tape	354.00	Good	
1/19/94 7:07	Auto FIC	355.80	Good	
1/20/94 0:00	Manual Tape	355	Good	
1/20/94 7:07	Auto FIC	356.6	Good	
1/21/94 0:00	Manual Tape	355	Good	
1/21/94 7:07	Auto FIC	356	Good	
1/22/94 0:00	Manual Tape	355.00	Good	
1/22/94 7:08	Auto FIC	356.00	Good	
1/23/94 0:00	Manual Tape	355.00	Good	
1/23/94 7:07	Auto FIC	356.00	Good	
1/24/94 0:00	Manual Tape	354.75	Good	
1/24/94 7:08	Auto FIC	356	Good	
1/25/94 0:00	Manual Tape	355.00	Good	
1/25/94 7:07	Auto FIC	356	Good	
1/26/94 0:00	Manual Tape	354.75	Good	
1/26/94 7:06	Auto FIC	356	Good	
1/27/94 0:00	Manual Tape	355	Good	
1/27/94 6:06	Auto FIC	356.00	Good	
1/28/94 0:00	Manual Tape	355.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/28/94 7:07	Auto FIC	356.00	Good	
1/29/94 0:00	Manual Tape	355	Good	
1/29/94 7:07	Auto FIC	356	Good	
1/30/94 0:00	Manual Tape	355.00	Good	
1/30/94 7:06	Auto FIC	356.10	Good	
1/31/94 0:00	Manual Tape	355.00	Good	
1/31/94 7:07	Auto FIC	356.20	Good	
2/1/94 0:00	Manual Tape	355	Good	
2/1/94 7:06	Auto FIC	356.1	Good	
2/2/94 0:00	Manual Tape	355	Good	
2/2/94 7:07	Auto FIC	356	Good	
2/3/94 0:00	Manual Tape	355.00	Good	
2/3/94 7:07	Auto FIC	356.10	Good	
2/4/94 0:00	Manual Tape	355.00	Good	
2/4/94 7:07	Auto FIC	356.00	Good	
2/5/94 0:00	Manual Tape	354.75	Good	
2/5/94 7:07	Auto FIC	356	Good	
2/6/94 0:00	Manual Tape	354.75	Good	
2/6/94 7:07	Auto FIC	356	Good	
2/7/94 0:00	Manual Tape	354.50	Good	
2/7/94 7:06	Auto FIC	356.20	Good	
2/8/94 0:00	Manual Tape	355.00	Good	
2/8/94 7:07	Auto FIC	356.20	Good	
2/9/94 0:00	Manual Tape	354.75	Good	
2/9/94 7:04	Auto FIC	356.2	Good	
2/10/94 0:00	Manual Tape	354.75	Good	
2/10/94 7:04	Auto FIC	356.1	Good	
2/11/94 0:00	Manual Tape	354.75	Good	
2/11/94 7:06	Auto FIC	356.10	Good	
2/12/94 0:00	Manual Tape	354.75	Good	
2/12/94 7:03	Auto FIC	356.10	Good	
2/13/94 0:00	Manual Tape	355.00	Good	
2/13/94 7:04	Auto FIC	356.2	Good	
2/14/94 0:00	Manual Tape	354.75	Good	
2/14/94 7:04	Auto FIC	356.2	Good	
2/15/94 0:00	Manual Tape	354.75	Good	
2/15/94 7:04	Auto FIC	356.10	Good	
2/16/94 0:00	Manual Tape	354.75	Good	
2/16/94 7:03	Auto FIC	356.20	Good	
2/17/94 0:00	Manual Tape	354.75	Good	
2/17/94 7:04	Auto FIC	356.3	Good	
2/18/94 0:00	Manual Tape	354.75	Good	
2/18/94 7:06	Auto FIC	356.1	Good	
2/19/94 0:00	Manual Tape	354.75	Good	
2/19/94 7:06	Auto FIC	356.00	Good	
2/20/94 0:00	Manual Tape	354.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/20/94 7:07	Auto FIC	356.00	Good	
2/21/94 0:00	Manual Tape	354.75	Good	
2/21/94 7:06	Auto FIC	356	Good	
2/22/94 0:00	Manual Tape	354.75	Good	
2/22/94 7:05	Auto FIC	356.1	Good	
2/23/94 0:00	Manual Tape	355	Good	
2/23/94 7:06	Auto FIC	356.10	Good	
2/24/94 0:00	Manual Tape	354.75	Good	
2/24/94 7:06	Auto FIC	356.10	Good	
2/25/94 0:00	Manual Tape	355	Good	
2/25/94 6:06	Auto FIC	356	Good	
2/26/94 0:00	Manual Tape	354.75	Good	
2/26/94 7:07	Auto FIC	356	Good	
2/27/94 0:00	Manual Tape	354.75	Good	
2/27/94 7:07	Auto FIC	356.1	Good	
2/28/94 0:00	Manual Tape	354.75	Good	
2/28/94 6:06	Auto FIC	356.10	Good	
3/1/94 0:00	Manual Tape	355	Good	
3/1/94 7:04	Auto FIC	356.30	Good	
3/2/94 0:00	Manual Tape	355	Good	
3/2/94 7:06	Auto FIC	356.3	Good	
3/3/94 0:00	Manual Tape	354.75	Good	
3/3/94 7:06	Auto FIC	356.4	Good	
3/4/94 0:00	Manual Tape	354.75	Good	
3/4/94 7:04	Auto FIC	356.20	Good	
3/5/94 0:00	Manual Tape	354.75	Good	
3/5/94 7:05	Auto FIC	356.10	Good	
3/6/94 0:00	Manual Tape	354.75	Good	
3/6/94 7:05	Auto FIC	356.1	Good	
3/7/94 0:00	Manual Tape	354.75	Good	
3/7/94 7:05	Auto FIC	356.1	Good	
3/8/94 0:00	Manual Tape	354.75	Good	
3/8/94 7:04	Auto FIC	356.10	Good	
3/9/94 0:00	Manual Tape	354.75	Good	
3/9/94 7:04	Auto FIC	356.00	Good	
3/10/94 0:00	Manual Tape	354.75	Good	
3/10/94 7:05	Auto FIC	356	Good	
3/11/94 0:00	Manual Tape	354.75	Good	
3/11/94 7:06	Auto FIC	356.1	Good	
3/12/94 0:00	Manual Tape	355	Good	
3/12/94 7:06	Auto FIC	356.10	Good	
3/13/94 0:00	Manual FIC	356.2	Good	
3/13/94 0:00	Manual Tape	355.00	Good	
3/13/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
3/14/94 0:00	Manual FIC	356.25	Good	
3/14/94 0:00	Manual Tape	355.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/15/94 0:00	Manual FIC	356.2	Good	
3/15/94 0:00	Manual Tape	355	Good	
3/15/94 7:05	Auto FIC	0	Suspect	Data not included in graph
3/16/94 0:00	Manual Tape	354.75	Good	
3/16/94 7:04	Auto FIC	356.10	Good	
3/17/94 0:00	Manual Tape	354.75	Good	
3/17/94 7:05	Auto FIC	356.10	Good	
3/18/94 0:00	Manual Tape	355.00	Good	
3/18/94 7:05	Auto FIC	356.1	Good	
3/19/94 0:00	Manual Tape	355	Good	
3/19/94 7:04	Auto FIC	356.1	Good	
3/20/94 0:00	Manual Tape	355	Good	
3/20/94 7:05	Auto FIC	356	Good	
3/21/94 0:00	Manual Tape	355.00	Good	
3/21/94 7:05	Auto FIC	356.10	Good	
3/22/94 0:00	Manual Tape	355.00	Good	
3/22/94 7:04	Auto FIC	355.70	Good	
3/23/94 0:00	Manual FIC	356.1	Good	
3/23/94 0:00	Manual Tape	354.75	Good	
3/24/94 0:00	Manual Tape	354.50	Good	
3/24/94 7:04	Auto FIC	355.6	Good	
3/25/94 0:00	Manual Tape	354.50	Good	
3/25/94 7:05	Auto FIC	355.6	Good	
3/26/94 0:00	Manual Tape	354.5	Good	
3/26/94 7:04	Auto FIC	355.50	Good	
3/27/94 0:00	Manual Tape	354.5	Good	
3/27/94 7:04	Auto FIC	355.60	Good	
3/28/94 0:00	Manual Tape	355	Good	
3/28/94 7:04	Auto FIC	355.5	Good	
3/29/94 0:00	Manual Tape	354.75	Good	
3/29/94 7:03	Auto FIC	355.5	Good	
3/30/94 0:00	Manual Tape	354.50	Good	
3/30/94 7:03	Auto FIC	355.70	Good	
3/31/94 0:00	Manual Tape	354.75	Good	
3/31/94 7:03	Auto FIC	355.60	Good	
4/1/94 0:00	Manual Tape	354.75	Good	
4/1/94 0:04	Auto FIC	355.6	Good	
4/2/94 0:00	Manual Tape	354.75	Good	
4/2/94 7:07	Auto FIC	355.6	Good	
4/3/94 0:00	Manual Tape	354.75	Good	
4/3/94 7:03	Auto FIC	355.60	Good	
4/4/94 0:00	Manual Tape	354.75	Good	
4/4/94 7:03	Auto FIC	355.6	Good	
4/5/94 0:00	Manual Tape	354.75	Good	
4/5/94 7:03	Auto FIC	355.6	Good	
4/6/94 0:00	Manual Tape	354.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/6/94 7:06	Auto FIC	355.60	Good	
4/7/94 0:00	Manual Tape	354.50	Good	
4/7/94 7:07	Auto FIC	355.60	Good	
4/8/94 0:00	Manual Tape	354.5	Good	
4/8/94 7:03	Auto FIC	355.60	Good	
4/9/94 0:00	Manual Tape	354.75	Good	
4/9/94 7:07	Auto FIC	355.6	Good	
4/10/94 0:00	Manual Tape	354.5	Good	
4/10/94 7:03	Auto FIC	355.60	Good	
4/11/94 0:00	Manual Tape	355.75	Good	
4/11/94 7:03	Auto FIC	355.50	Good	
4/12/94 0:00	Manual Tape	355.75	Good	
4/12/94 7:03	Auto FIC	355.8	Good	
4/13/94 0:00	Manual Tape	364.00	Good	
4/13/94 7:03	Auto FIC	365.8	Good	
4/14/94 0:00	Manual Tape	367	Good	
4/14/94 7:03	Auto FIC	366.70	Good	
4/15/94 0:00	Manual Tape	367	Good	
4/15/94 7:03	Auto FIC	368.00	Good	
4/16/94 0:00	Manual Tape	350.00	Good	
4/16/94 7:03	Auto FIC	351.2	Good	
4/17/94 0:00	Manual Tape	356.75	Good	
4/17/94 7:03	Auto FIC	362.4	Good	
4/18/94 0:00	Manual Tape	328	Good	
4/18/94 7:03	Auto FIC	331.90	Good	
4/19/94 0:00	Manual Tape	370.00	Good	
4/19/94 6:06	Auto FIC	374.70	Good	
4/20/94 0:00	Manual Tape	349.50	Good	
4/20/94 7:04	Auto FIC	350.2	Good	
4/21/94 0:00	Manual Tape	317	Good	
4/21/94 7:05	Auto FIC	320.7	Good	
4/22/94 0:00	Manual Tape	273	Good	
4/22/94 7:04	Auto FIC	277.10	Good	
4/23/94 0:00	Manual Tape	281.25	Good	
4/23/94 7:05	Auto FIC	275.00	Good	
4/24/94 0:00	Manual Tape	325.50	Good	
4/24/94 7:04	Auto FIC	325.80	Good	
4/25/94 0:00	Manual Tape	328.00	Good	
4/25/94 7:04	Auto FIC	327.6	Good	
4/26/94 0:00	Manual Tape	327.75	Good	
4/26/94 7:07	Auto FIC	328.6	Good	
4/27/94 0:00	Manual Tape	296.75	Good	
4/27/94 7:04	Auto FIC	301.30	Good	
4/28/94 0:00	Manual Tape	296.00	Suspect	Data not included in graph
4/28/94 2:00	Manual Tape	291.00	Good	
4/28/94 7:05	Auto FIC	292.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/29/94 0:00	Manual Tape	216.75	Good	
4/29/94 7:04	Auto FIC	258.1	Good	
4/30/94 0:00	Manual Tape	255	Good	
4/30/94 7:05	Auto FIC	218	Good	
5/1/94 0:00	Manual Tape	176	Good	
5/1/94 7:05	Auto FIC	179.50	Good	
5/2/94 0:00	Manual Tape	226.00	Good	
5/2/94 7:05	Auto FIC	217.10	Good	
5/3/94 0:00	Manual Tape	278.50	Good	
5/3/94 7:05	Auto FIC	279.3	Good	
5/4/94 0:00	Manual Tape	275.00	Good	
5/4/94 7:05	Auto FIC	279.5	Good	
5/5/94 0:00	Manual Tape	240.75	Good	
5/5/94 7:03	Auto FIC	245.80	Good	
5/6/94 0:00	Manual Tape	260.5	Good	
5/6/94 7:03	Auto FIC	243.10	Good	
5/7/94 0:00	Manual Tape	319.75	Good	
5/7/94 7:03	Auto FIC	314.6	Good	
5/8/94 0:00	Manual Tape	299.50	Good	
5/8/94 7:03	Auto FIC	301.8	Good	
5/9/94 0:00	Manual Tape	253.70	Good	
5/9/94 7:03	Auto FIC	259.80	Good	
5/10/94 0:00	Manual Tape	232.00	Good	
5/10/94 7:03	Auto FIC	232	Good	
5/11/94 0:00	Manual Tape	233	Good	
5/11/94 7:03	Auto FIC	234	Good	
5/12/94 0:00	Manual Tape	235.75	Good	
5/12/94 6:03	Auto FIC	235.9	Good	
5/13/94 0:00	Manual Tape	237	Good	
5/13/94 7:03	Auto FIC	237.30	Good	
5/14/94 0:00	Manual Tape	238.25	Good	
5/14/94 7:03	Auto FIC	239.00	Good	
5/15/94 0:00	Manual Tape	217	Good	
5/15/94 7:06	Auto FIC	221.3	Good	
5/16/94 0:00	Manual Tape	253.00	Good	
5/16/94 7:02	Auto FIC	242.80	Good	
5/17/94 0:00	Manual Tape	303.75	Good	
5/17/94 7:03	Auto FIC	299.60	Good	
5/18/94 0:00	Manual Tape	276.50	Good	
5/18/94 7:03	Auto FIC	284.4	Good	
5/19/94 0:00	Manual Tape	285.00	Good	
5/19/94 7:03	Auto FIC	287.5	Good	
5/20/94 0:00	Manual Tape	325.00	Good	
5/20/94 7:03	Auto FIC	314.50	Good	
5/21/94 0:00	Manual Tape	349.25	Good	
5/21/94 7:05	Auto FIC	355.30	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/22/94 0:00	Manual Tape	305	Good	
5/22/94 7:05	Auto FIC	310.2	Good	
5/23/94 0:00	Manual Tape	256.00	Good	
5/23/94 7:04	Auto FIC	270.3	Good	
5/24/94 0:00	Manual Tape	230.25	Good	
5/24/94 7:04	Auto FIC	237.10	Good	
5/25/94 0:00	Manual Tape	267.75	Good	
5/25/94 7:04	Auto FIC	259.80	Good	
5/26/94 0:00	Manual Tape	314	Good	
5/26/94 6:05	Auto FIC	305	Good	
5/27/94 0:00	Manual Tape	285.25	Good	
5/27/94 7:03	Auto FIC	291.5	Good	
5/28/94 0:00	Manual Tape	240.00	Good	
5/28/94 7:03	Auto FIC	244.40	Good	
5/29/94 0:00	Manual Tape	189.50	Good	
5/29/94 7:03	Auto FIC	196.10	Good	
5/30/94 0:00	Manual FIC	144	Good	
5/30/94 0:00	Manual Tape	143	Good	
5/30/94 7:02	Auto FIC	148.5	Good	
5/31/94 0:00	Manual FIC	124.3	Good	
5/31/94 0:00	Manual Tape	122.50	Good	
5/31/94 7:03	Auto FIC	124.3	Good	
6/1/94 0:00	Manual Tape	71.00	Good	
6/1/94 7:03	Auto FIC	78.10	Good	
6/2/94 0:00	Manual Tape	22.00	Good	
6/2/94 7:03	Auto FIC	27.80	Good	
6/3/94 0:00	Manual FIC	60.2	Good	
6/3/94 0:00	Manual Tape	59.25	Good	
6/4/94 0:00	Manual Tape	159.75	Good	
6/4/94 7:04	Auto FIC	144.6	Good	
6/5/94 0:00	Manual Tape	248.5	Good	
6/5/94 7:03	Auto FIC	241.7	Good	
6/6/94 0:00	Manual Tape	255.75	Good	
6/6/94 7:06	Auto FIC	258.70	Good	
6/7/94 0:00	Manual Tape	250.5	Good	
6/7/94 7:02	Auto FIC	251.20	Good	
6/8/94 0:00	Manual Tape	248.25	Good	
6/8/94 7:03	Auto FIC	251.2	Good	
6/9/94 0:00	Manual FIC	206.1	Good	
6/9/94 0:00	Manual Tape	207.00	Good	
6/10/94 0:00	Manual Tape	162.00	Good	
6/10/94 7:04	Auto FIC	167.2	Good	
6/11/94 0:00	Manual Tape	108.675	Good	
6/11/94 7:04	Auto FIC	117.80	Good	
6/12/94 0:00	Manual Tape	61	Good	
6/12/94 7:03	Auto FIC	68.90	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/13/94 0:00	Manual Tape	16.25	Good	
6/13/94 7:02	Auto FIC	20.4	Good	
6/14/94 0:00	Manual Tape	18.50	Good	
6/14/94 7:03	Auto FIC	19.3	Good	
6/15/94 0:00	Manual Tape	29.25	Good	
6/15/94 7:03	Auto FIC	30.10	Good	
6/16/94 0:00	Manual Tape	29.00	Good	
6/16/94 7:03	Auto FIC	30.10	Good	
6/17/94 0:00	Manual Tape	29.25	Good	
6/17/94 7:03	Auto FIC	30.2	Good	
6/18/94 0:00	Manual Tape	29.5	Good	
6/18/94 7:04	Auto FIC	30	Good	
6/19/94 0:00	Manual Tape	29.00	Good	
6/19/94 7:04	Auto FIC	30.00	Good	
6/20/94 0:00	Manual Tape	29.00	Good	
6/20/94 7:04	Auto FIC	30.00	Good	
6/21/94 0:00	Manual Tape	29	Good	
6/21/94 7:04	Auto FIC	30	Good	
6/22/94 0:00	Manual Tape	29.00	Good	
6/22/94 7:03	Auto FIC	29.9	Good	
6/23/94 0:00	Manual Tape	29.00	Good	
6/23/94 7:05	Auto FIC	29.90	Good	
6/24/94 0:00	Manual Tape	28.75	Good	
6/24/94 7:06	Auto FIC	29.90	Good	
6/25/94 0:00	Manual Tape	28.75	Good	
6/25/94 7:05	Auto FIC	29.80	Good	
6/26/94 0:00	Manual Tape	28.75	Good	
6/26/94 7:06	Auto FIC	29.8	Good	
6/27/94 0:00	Manual Tape	28.75	Good	
6/27/94 7:06	Auto FIC	29.8	Good	
6/28/94 0:00	Manual Tape	28.75	Good	
6/28/94 7:06	Auto FIC	29.80	Good	
6/29/94 0:00	Manual Tape	29	Good	
6/29/94 7:03	Auto FIC	29.8	Good	
6/30/94 0:00	Manual Tape	28.75	Good	
6/30/94 7:04	Auto FIC	29.8	Good	
7/1/94 0:00	Manual Tape	28.75	Good	
7/1/94 7:04	Auto FIC	29.80	Good	
7/2/94 0:00	Manual Tape	28.75	Good	
7/2/94 7:04	Auto FIC	29.80	Good	
7/3/94 0:00	Manual Tape	28.5	Good	
7/3/94 7:04	Auto FIC	29.7	Good	
7/4/94 0:00	Manual Tape	28.75	Good	
7/4/94 7:04	Auto FIC	29.7	Good	
7/5/94 0:00	Manual Tape	28.50	Good	
7/5/94 7:03	Auto FIC	29.70	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/6/94 0:00	Manual Tape	28.25	Good	
7/6/94 7:05	Auto FIC	29.80	Good	
7/7/94 0:00	Manual Tape	28.5	Good	
7/7/94 7:03	Auto FIC	29.80	Good	
7/8/94 0:00	Manual Tape	28.50	Good	
7/8/94 7:03	Auto FIC	29.8	Good	
7/9/94 0:00	Manual Tape	28.50	Good	
7/9/94 7:03	Auto FIC	29.8	Good	
7/10/94 0:00	Manual Tape	28.75	Good	
7/10/94 7:03	Auto FIC	29.70	Good	
7/11/94 0:00	Manual Tape	28.75	Good	
7/11/94 7:03	Auto FIC	29.70	Good	
7/12/94 0:00	Manual Tape	28.50	Good	
7/12/94 7:03	Auto FIC	29.7	Good	
7/13/94 0:00	Manual Tape	28.5	Good	
7/13/94 7:03	Auto FIC	29.7	Good	
7/14/94 0:00	Manual Tape	28.50	Good	
7/14/94 7:04	Auto FIC	29.70	Good	
7/15/94 0:00	Manual Tape	28.50	Good	
7/15/94 7:04	Auto FIC	29.70	Good	
7/16/94 0:00	Manual Tape	28.50	Good	
7/16/94 7:04	Auto FIC	29.7	Good	
7/17/94 0:00	Manual Tape	28.5	Good	
7/17/94 7:04	Auto FIC	29.7	Good	
7/18/94 0:00	Manual FIC	29.7	Good	
7/18/94 0:00	Manual Tape	29.00	Good	
7/19/94 0:00	Manual Tape	28.50	Good	
7/19/94 7:03	Auto FIC	29.70	Good	
7/20/94 0:00	Manual Tape	28.50	Good	
7/20/94 7:03	Auto FIC	29.80	Good	
7/21/94 0:00	Manual Tape	28.5	Good	
7/21/94 7:03	Auto FIC	29.8	Good	
7/22/94 0:00	Manual Tape	28.50	Good	
7/22/94 7:03	Auto FIC	29.8	Good	
7/23/94 0:00	Manual Tape	28.5	Good	
7/23/94 7:03	Auto FIC	29.80	Good	
7/24/94 0:00	Manual Tape	28.5	Good	
7/24/94 7:03	Auto FIC	29.70	Good	
7/25/94 0:00	Manual Tape	28.75	Good	
7/25/94 7:03	Auto FIC	29.8	Good	
7/26/94 7:03	Auto FIC	29.8	Good	
7/26/94 12:00	Manual Tape	28.50	Good	
7/27/94 7:03	Auto FIC	29.80	Good	
7/27/94 12:00	Manual Tape	28.5	Good	
7/28/94 7:04	Auto FIC	29.80	Good	
7/28/94 12:00	Manual Tape	28.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/29/94 7:04	Auto FIC	29.8	Good	
7/29/94 12:00	Manual Tape	28.50	Good	
7/30/94 7:04	Auto FIC	29.8	Good	
7/30/94 12:00	Manual Tape	28.75	Good	
7/31/94 12:00	Manual Tape	28.75	Good	
7/31/94 23:03	Auto FIC	29.80	Good	
8/1/94 7:03	Auto FIC	29.80	Good	
8/1/94 12:00	Manual Tape	28.75	Good	
8/2/94 7:03	Auto FIC	29.8	Good	
8/2/94 12:00	Manual Tape	28.75	Good	
8/3/94 7:03	Auto FIC	29.8	Good	
8/3/94 12:00	Manual Tape	28.75	Good	
8/4/94 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/4/94 12:00	Manual FIC	29.8	Good	
8/4/94 12:00	Manual Tape	28.50	Good	
8/5/94 7:03	Auto FIC	29.80	Good	
8/5/94 12:00	Manual Tape	28.5	Good	
8/6/94 7:03	Auto FIC	29.8	Good	
8/6/94 12:00	Manual Tape	28.50	Good	
8/7/94 7:04	Auto FIC	29.7	Good	
8/7/94 12:00	Manual Tape	28.75	Good	
8/8/94 7:12	Auto FIC	0.00	Suspect	Data not included in graph
8/8/94 12:00	Manual FIC	29.8	Good	
8/8/94 12:00	Manual Tape	28.75	Good	
8/9/94 7:06	Auto FIC	29.70	Good	
8/9/94 12:00	Manual Tape	28.75	Good	
8/10/94 7:04	Auto FIC	29.7	Good	
8/10/94 12:00	Manual Tape	28.5	Good	
8/11/94 7:04	Auto FIC	29.7	Good	
8/11/94 12:00	Manual Tape	28.50	Good	
8/12/94 7:04	Auto FIC	106.20	Good	
8/12/94 12:00	Manual Tape	120.50	Good	
8/13/94 7:03	Auto FIC	142.90	Good	
8/13/94 12:00	Manual Tape	142.50	Good	
8/14/94 7:06	Auto FIC	142.9	Good	
8/14/94 12:00	Manual Tape	142	Good	
8/15/94 7:06	Auto FIC	142.9	Good	
8/15/94 12:00	Manual Tape	141.25	Good	
8/16/94 7:06	Auto FIC	142.80	Good	
8/16/94 12:00	Manual Tape	142.00	Good	
8/17/94 7:06	Auto FIC	142.90	Good	
8/17/94 12:00	Manual Tape	142.00	Good	
8/18/94 7:06	Auto FIC	142.9	Good	
8/18/94 12:00	Manual Tape	141.75	Good	
8/19/94 6:06	Auto FIC	142.9	Good	
8/19/94 12:00	Manual Tape	142.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/20/94 7:04	Auto FIC	186.40	Good	
8/20/94 12:00	Manual Tape	200.00	Good	
8/21/94 7:04	Auto FIC	293.50	Good	
8/21/94 12:00	Manual Tape	299.00	Good	
8/22/94 6:04	Auto FIC	299.8	Good	
8/22/94 12:00	Manual Tape	299	Good	
8/23/94 7:04	Auto FIC	299.8	Good	
8/23/94 12:00	Manual Tape	298.75	Good	
8/24/94 7:04	Auto FIC	299.80	Good	
8/24/94 12:00	Manual Tape	298.75	Good	
8/25/94 7:03	Auto FIC	299.80	Good	
8/25/94 12:00	Manual Tape	298.75	Good	
8/26/94 7:06	Auto FIC	399.9	Suspect	Data not included in graph
8/26/94 12:00	Manual FIC	300	Good	
8/26/94 12:00	Manual Tape	298.75	Good	
8/27/94 7:04	Auto FIC	300.2	Good	
8/27/94 12:00	Manual Tape	299.25	Good	
8/28/94 7:04	Auto FIC	300.70	Good	
8/28/94 12:00	Manual Tape	299.75	Good	
8/29/94 7:04	Auto FIC	301.40	Good	
8/29/94 12:00	Manual Tape	300.50	Good	
8/30/94 7:04	Auto FIC	301.8	Good	
8/30/94 12:00	Manual Tape	300.75	Good	
8/31/94 7:04	Auto FIC	302.2	Good	
8/31/94 12:00	Manual Tape	301.25	Good	
9/1/94 7:04	Auto FIC	304.40	Good	
9/1/94 12:00	Manual Tape	303.50	Good	
9/2/94 7:06	Auto FIC	304.80	Good	
9/2/94 12:00	Manual Tape	303.75	Good	
9/3/94 12:00	Manual Tape	304.5	Good	
9/3/94 23:04	Auto FIC	305.6	Good	
9/4/94 7:04	Auto FIC	305.7	Good	
9/4/94 12:00	Manual Tape	304.75	Good	
9/5/94 7:04	Auto FIC	306.10	Good	
9/5/94 12:00	Manual Tape	305.00	Good	
9/6/94 7:03	Auto FIC	306.80	Good	
9/6/94 12:00	Manual Tape	305.75	Good	
9/7/94 7:03	Auto FIC	307.1	Good	
9/7/94 12:00	Manual Tape	306	Good	
9/8/94 7:04	Auto FIC	307.5	Good	
9/8/94 12:00	Manual Tape	306.50	Good	
9/9/94 7:03	Auto FIC	316.7	Good	
9/9/94 12:00	Manual Tape	315.75	Good	
9/10/94 7:04	Auto FIC	316.70	Good	
9/10/94 12:00	Manual Tape	315.50	Good	
9/11/94 7:03	Auto FIC	316.70	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/11/94 12:00	Manual Tape	315.75	Good	
9/12/94 7:03	Auto FIC	316.7	Good	
9/12/94 12:00	Manual Tape	315.75	Good	
9/13/94 7:02	Auto FIC	316.7	Good	
9/13/94 12:00	Manual Tape	316.00	Good	
9/14/94 7:03	Auto FIC	316.7	Good	
9/14/94 12:00	Manual Tape	315.75	Good	
9/15/94 7:03	Auto FIC	316.80	Good	
9/15/94 12:00	Manual Tape	316	Good	
9/16/94 7:02	Auto FIC	316.80	Good	
9/16/94 12:00	Manual Tape	315.50	Good	
9/17/94 7:03	Auto FIC	316.8	Good	
9/17/94 12:00	Manual Tape	315.75	Good	
9/18/94 7:02	Auto FIC	316.9	Good	
9/18/94 12:00	Manual Tape	315.75	Good	
9/19/94 7:03	Auto FIC	316.9	Good	
9/19/94 12:00	Manual Tape	316	Good	
9/20/94 7:03	Auto FIC	316.90	Good	
9/20/94 12:00	Manual Tape	316	Good	
9/21/94 7:04	Auto FIC	316.60	Good	
9/21/94 12:00	Manual Tape	316.25	Good	
9/22/94 7:03	Auto FIC	308.3	Good	
9/22/94 12:00	Manual Tape	307	Good	
9/23/94 7:04	Auto FIC	282.2	Good	
9/23/94 12:00	Manual Tape	280.25	Good	
9/24/94 7:04	Auto FIC	261.00	Good	
9/24/94 12:00	Manual Tape	253.75	Good	
9/25/94 7:03	Auto FIC	286.10	Good	
9/25/94 12:00	Manual Tape	293.00	Good	
9/26/94 7:04	Auto FIC	333.5	Good	
9/26/94 12:00	Manual FIC	333.5	Good	
9/26/94 12:00	Manual Tape	334.5	Good	
9/27/94 6:04	Auto FIC	300.1	Good	
9/27/94 12:00	Manual Tape	280.25	Good	
9/28/94 7:03	Auto FIC	56.30	Suspect	Data not included in graph
9/28/94 12:00	Manual FIC	253.2	Good	
9/28/94 12:00	Manual Tape	252.25	Good	
9/29/94 7:04	Auto FIC	212.20	Good	
9/29/94 12:00	Manual Tape	210.25	Good	
9/30/94 7:04	Auto FIC	229	Good	
9/30/94 12:00	Manual Tape	221.5	Good	
10/1/94 7:06	Auto FIC	269.6	Good	
10/1/94 12:00	Manual Tape	273	Good	
10/2/94 7:05	Auto FIC	291.00	Good	
10/2/94 12:00	Manual Tape	290.25	Good	
10/3/94 7:04	Auto FIC	258.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/3/94 12:00	Manual Tape	253.50	Good	
10/4/94 7:04	Auto FIC	210.3	Good	
10/4/94 12:00	Manual Tape	204	Good	
10/5/94 7:04	Auto FIC	164.8	Good	
10/5/94 12:00	Manual Tape	373.75	Suspect	Data not included in graph
10/6/94 7:04	Auto FIC	153.10	Good	
10/6/94 12:00	Manual Tape	156	Good	
10/7/94 6:04	Auto FIC	180.70	Good	
10/7/94 12:00	Manual Tape	173.5	Good	
10/8/94 7:03	Auto FIC	177	Good	
10/8/94 12:00	Manual Tape	182	Good	
10/9/94 7:06	Auto FIC	201.8	Good	
10/9/94 12:00	Manual Tape	205.00	Good	
10/10/94 7:05	Auto FIC	228.90	Good	
10/10/94 12:00	Manual Tape	230.75	Good	
10/11/94 7:03	Auto FIC	232.80	Good	
10/11/94 12:00	Manual Tape	227.25	Good	
10/12/94 7:06	Auto FIC	185.6	Good	
10/12/94 12:00	Manual Tape	178.5	Good	
10/13/94 7:05	Auto FIC	137.4	Good	
10/13/94 12:00	Manual Tape	132	Good	
10/14/94 7:06	Auto FIC	107.30	Good	
10/14/94 12:00	Manual Tape	103	Good	
10/15/94 7:06	Auto FIC	135.30	Good	
10/15/94 12:00	Manual Tape	134.00	Good	
10/16/94 7:06	Auto FIC	134.2	Good	
10/16/94 12:00	Manual Tape	133.25	Good	
10/17/94 7:06	Auto FIC	114.1	Good	
10/17/94 12:00	Manual Tape	113.25	Good	
10/18/94 7:06	Auto FIC	114.40	Good	
10/18/94 12:00	Manual Tape	113.5	Good	
10/19/94 7:06	Auto FIC	114.40	Good	
10/19/94 12:00	Manual Tape	113.5	Good	
10/20/94 5:07	Auto FIC	114.4	Good	
10/20/94 12:00	Manual Tape	69.5	Good	
10/21/94 7:06	Auto FIC	189.5	Good	
10/21/94 12:00	Manual Tape	188.50	Good	
10/22/94 12:00	Manual Tape	188.25	Good	
10/22/94 23:06	Auto FIC	190.50	Good	
10/23/94 7:06	Auto FIC	185.30	Good	
10/23/94 12:00	Manual Tape	179.75	Good	
10/24/94 7:06	Auto FIC	199.2	Good	
10/24/94 12:00	Manual Tape	204.5	Good	
10/25/94 7:06	Auto FIC	260.9	Good	
10/25/94 12:00	Manual Tape	266	Good	
10/26/94 7:06	Auto FIC	320.30	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/26/94 12:00	Manual Tape	322.5	Good	
10/27/94 7:06	Auto FIC	318.80	Good	
10/27/94 12:00	Manual Tape	314.25	Good	
10/28/94 7:04	Auto FIC	269.3	Good	
10/28/94 12:00	Manual Tape	264.5	Good	
10/29/94 12:00	Manual FIC	276.8	Good	
10/29/94 12:00	Manual Tape	275	Good	
10/30/94 12:00	Manual Tape	325.6	Good	
10/30/94 23:04	Auto FIC	350.3	Good	
10/31/94 7:05	Auto FIC	365.10	Good	
10/31/94 12:00	Manual Tape	368	Good	
11/1/94 12:00	Manual FIC	320.7	Good	
11/1/94 12:00	Manual Tape	319.5	Good	
11/1/94 23:04	Auto FIC	288.50	Good	
11/2/94 7:03	Auto FIC	272.3	Good	
11/2/94 12:00	Manual FIC	270.6	Good	
11/2/94 12:00	Manual Tape	270.75	Good	
11/3/94 7:04	Auto FIC	222.5	Good	
11/3/94 12:00	Manual FIC	219.7	Good	
11/3/94 12:00	Manual Tape	218.25	Good	
11/4/94 7:03	Auto FIC	173.60	Good	
11/4/94 12:00	Manual Tape	168.5	Good	
11/5/94 7:03	Auto FIC	126.90	Good	
11/5/94 12:00	Manual Tape	118.25	Good	
11/6/94 7:04	Auto FIC	159.6	Good	
11/6/94 12:00	Manual Tape	163	Good	
11/7/94 7:04	Auto FIC	213.3	Good	
11/7/94 12:00	Manual Tape	227	Good	
11/8/94 7:03	Auto FIC	300.00	Good	
11/8/94 11:02	Manual Tape	300.75	Good	
11/9/94 7:05	Auto FIC	300.00	Good	
11/9/94 11:02	Manual Tape	300	Good	
11/10/94 7:03	Auto FIC	300.1	Good	
11/10/94 11:02	Manual Tape	299.75	Good	
11/11/94 7:03	Auto FIC	300	Good	
11/11/94 11:02	Manual Tape	299.75	Good	
11/12/94 7:03	Auto FIC	291.80	Good	
11/12/94 11:02	Manual Tape	282	Good	
11/13/94 7:04	Auto FIC	245.6	Good	
11/13/94 11:02	Manual Tape	238	Good	
11/14/94 7:03	Auto FIC	198.2	Good	
11/14/94 11:02	Manual Tape	184.50	Good	
11/15/94 7:04	Auto FIC	151.30	Good	
11/15/94 12:00	Manual Tape	144.75	Good	
11/16/94 7:06	Auto FIC	101.00	Good	
11/16/94 12:00	Manual Tape	95.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/17/94 7:04	Auto FIC	70.3	Good	
11/17/94 12:00	Manual Tape	64	Good	
11/18/94 7:04	Auto FIC	18.60	Good	
11/18/94 12:00	Manual Tape	17.75	Good	
11/19/94 7:03	Auto FIC	21.30	Good	
11/19/94 12:00	Manual Tape	24	Good	
11/20/94 7:03	Auto FIC	31.7	Good	
11/21/94 7:04	Auto FIC	31.7	Good	
11/21/94 12:00	Manual Tape	30.50	Good	
11/22/94 7:03	Auto FIC	31.6	Good	
11/22/94 12:00	Manual Tape	30.5	Good	
11/23/94 12:00	Manual FIC	31.6	Good	
11/23/94 12:00	Manual Tape	30.5	Good	
11/24/94 12:00	Manual Tape	31	Good	
11/24/94 23:03	Auto FIC	31.60	Good	
11/25/94 12:00	Manual Tape	30.5	Good	
11/25/94 23:03	Auto FIC	31.50	Good	
11/26/94 7:03	Auto FIC	31.50	Good	
11/26/94 12:00	Manual Tape	30.5	Good	
11/27/94 7:04	Auto FIC	31.5	Good	
11/27/94 12:00	Manual Tape	30.50	Good	
11/28/94 7:04	Auto FIC	31.5	Good	
11/28/94 12:00	Manual Tape	30.5	Good	
11/29/94 7:04	Auto FIC	31.50	Good	
11/29/94 12:00	Manual Tape	30.5	Good	
11/30/94 7:03	Auto FIC	31.40	Good	
11/30/94 12:00	Manual Tape	30.5	Good	
12/1/94 6:05	Auto FIC	31.40	Good	
12/1/94 12:00	Manual Tape	30.25	Good	
12/2/94 7:03	Auto FIC	31.40	Good	
12/2/94 12:00	Manual Tape	30.25	Good	
12/3/94 6:04	Auto FIC	31.4	Good	
12/3/94 12:00	Manual Tape	30.25	Good	
12/4/94 7:03	Auto FIC	31.3	Good	
12/4/94 12:00	Manual Tape	30.25	Good	
12/5/94 7:03	Auto FIC	31.30	Good	
12/5/94 12:00	Manual Tape	30.25	Good	
12/6/94 7:04	Auto FIC	31.30	Good	
12/6/94 12:00	Manual Tape	30.25	Good	
12/7/94 7:03	Auto FIC	31.4	Good	
12/7/94 12:00	Manual Tape	30.5	Good	
12/8/94 5:03	Auto FIC	31.30	Good	
12/8/94 12:00	Manual Tape	30.25	Good	
12/9/94 7:03	Auto FIC	31.3	Good	
12/9/94 12:00	Manual Tape	30.25	Good	
12/10/94 7:04	Auto FIC	31.4	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/10/94 12:00	Manual Tape	30.25	Good	
12/11/94 7:04	Auto FIC	31.30	Good	
12/11/94 12:00	Manual Tape	30.25	Good	
12/12/94 7:03	Auto FIC	31.30	Good	
12/12/94 12:00	Manual Tape	30.25	Good	
12/13/94 7:03	Auto FIC	31.30	Good	
12/13/94 12:00	Manual Tape	30.25	Good	
12/14/94 7:04	Auto FIC	31.30	Good	
12/14/94 12:00	Manual Tape	30.5	Good	
12/15/94 7:03	Auto FIC	31.3	Good	
12/15/94 12:00	Manual Tape	30.25	Good	
12/16/94 7:03	Auto FIC	31.3	Good	
12/16/94 12:00	Manual Tape	30.25	Good	
12/17/94 7:06	Auto FIC	31.30	Good	
12/17/94 12:00	Manual Tape	30.5	Good	
12/18/94 7:04	Auto FIC	31.30	Good	
12/18/94 12:00	Manual Tape	30.25	Good	
12/19/94 7:04	Auto FIC	31.3	Good	
12/19/94 12:00	Manual Tape	30.25	Good	
12/20/94 7:04	Auto FIC	31.30	Good	
12/20/94 12:00	Manual Tape	30.25	Good	
12/21/94 7:04	Auto FIC	31.30	Good	
12/21/94 12:00	Manual Tape	30.50	Good	
12/22/94 7:05	Auto FIC	31.3	Good	
12/22/94 12:00	Manual Tape	30.25	Good	
12/23/94 7:03	Auto FIC	30.9	Good	
12/23/94 12:00	Manual Tape	30.25	Good	
12/24/94 7:04	Auto FIC	31.30	Good	
12/24/94 12:00	Manual Tape	30.25	Good	
12/25/94 7:03	Auto FIC	31.30	Good	
12/25/94 12:00	Manual Tape	30.25	Good	
12/26/94 7:03	Auto FIC	31.3	Good	
12/26/94 12:00	Manual Tape	30.25	Good	
12/27/94 7:04	Auto FIC	31.3	Good	
12/27/94 12:00	Manual Tape	30.25	Good	
12/28/94 7:04	Auto FIC	31.3	Good	
12/28/94 12:00	Manual Tape	30.25	Good	
12/29/94 7:04	Auto FIC	31.3	Good	
12/29/94 12:00	Manual Tape	30.25	Good	
12/30/94 7:04	Auto FIC	31.40	Good	
12/30/94 12:00	Manual Tape	30.25	Good	
12/31/94 7:04	Auto FIC	31.40	Good	
12/31/94 12:00	Manual Tape	30.5	Good	
1/1/95 7:04	Auto FIC	31.3	Good	
1/1/95 12:00	Manual Tape	30.5	Good	
1/2/95 7:03	Auto FIC	31.3	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/2/95 12:00	Manual Tape	30.50	Good	
1/3/95 7:02	Auto FIC	31.30	Good	
1/3/95 12:00	Manual Tape	30.25	Good	
1/4/95 7:03	Auto FIC	31.40	Good	
1/4/95 12:00	Manual Tape	30.5	Good	
1/5/95 7:04	Auto FIC	31.4	Good	
1/5/95 12:00	Manual Tape	30.5	Good	
1/6/95 7:04	Auto FIC	31.4	Good	
1/6/95 12:00	Manual Tape	30.75	Good	
1/7/95 7:04	Auto FIC	31.40	Good	
1/7/95 12:00	Manual Tape	30.5	Good	
1/8/95 12:00	Manual Tape	30.5	Good	
1/8/95 23:03	Auto FIC	31.40	Good	
1/9/95 7:05	Auto FIC	31.40	Good	
1/9/95 12:00	Manual Tape	30.5	Good	
1/10/95 7:06	Auto FIC	31.5	Good	
1/10/95 12:00	Manual Tape	30.5	Good	
1/11/95 7:07	Auto FIC	31.5	Good	
1/11/95 12:00	Manual Tape	30.50	Good	
1/12/95 7:07	Auto FIC	31.50	Good	
1/12/95 12:00	Manual Tape	30.5	Good	
1/13/95 6:07	Auto FIC	31.50	Good	
1/13/95 12:00	Manual Tape	30.5	Good	
1/14/95 7:07	Auto FIC	31.5	Good	
1/14/95 12:00	Manual Tape	30.5	Good	
1/15/95 7:06	Auto FIC	31.5	Good	
1/15/95 12:00	Manual Tape	30.5	Good	
1/16/95 7:08	Auto FIC	31.50	Good	
1/16/95 12:00	Manual Tape	30.75	Good	
1/17/95 6:07	Auto FIC	31.60	Good	
1/17/95 12:00	Manual Tape	30.5	Good	
1/18/95 7:07	Auto FIC	31.5	Good	
1/18/95 12:00	Manual Tape	30.5	Good	
1/19/95 7:07	Auto FIC	31.5	Good	
1/19/95 12:00	Manual Tape	30.5	Good	
1/20/95 7:03	Auto FIC	31.50	Good	
1/20/95 12:00	Manual Tape	30.5	Good	
1/21/95 7:04	Auto FIC	31.70	Good	
1/21/95 12:00	Manual Tape	30.75	Good	
1/22/95 7:03	Auto FIC	31.7	Good	
1/22/95 12:00	Manual Tape	30.75	Good	
1/23/95 7:03	Auto FIC	31.7	Good	
1/23/95 12:00	Manual Tape	30.75	Good	
1/24/95 7:04	Auto FIC	31.70	Good	
1/24/95 12:00	Manual Tape	30.75	Good	
1/25/95 7:03	Auto FIC	31.80	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/25/95 12:00	Manual Tape	30.75	Good	
1/26/95 7:03	Auto FIC	31.80	Good	
1/26/95 12:00	Manual Tape	30.75	Good	
1/27/95 7:03	Auto FIC	31.8	Good	
1/27/95 12:00	Manual Tape	30.75	Good	
1/28/95 7:04	Auto FIC	31.8	Good	
1/28/95 12:00	Manual Tape	30.75	Good	
1/29/95 7:04	Auto FIC	31.80	Good	
1/29/95 12:00	Manual Tape	30.75	Good	
1/30/95 7:04	Auto FIC	31.80	Good	
1/30/95 12:00	Manual Tape	30.75	Good	
1/31/95 7:03	Auto FIC	31.8	Good	
1/31/95 12:00	Manual Tape	30.75	Good	
2/1/95 7:03	Auto FIC	31.8	Good	
2/1/95 12:00	Manual Tape	30.75	Good	
2/2/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/2/95 12:00	Manual FIC	31.8	Good	
2/2/95 12:00	Manual Tape	30.75	Good	
2/3/95 7:03	Auto FIC	31.80	Good	
2/3/95 12:00	Manual Tape	30.75	Good	
2/4/95 7:04	Auto FIC	31.8	Good	
2/4/95 12:00	Manual Tape	31.5	Good	
2/5/95 7:03	Auto FIC	31.8	Good	
2/5/95 12:00	Manual Tape	30.75	Good	
2/6/95 7:03	Auto FIC	31.8	Good	
2/6/95 12:00	Manual Tape	31	Good	
2/7/95 7:03	Auto FIC	31.80	Good	
2/7/95 12:00	Manual Tape	30.75	Good	
2/8/95 7:04	Auto FIC	31.80	Good	
2/8/95 12:00	Manual Tape	30.75	Good	
2/9/95 7:06	Auto FIC	31.80	Good	
2/9/95 12:00	Manual Tape	30.75	Good	
2/10/95 7:06	Auto FIC	31.8	Good	
2/10/95 12:00	Manual Tape	30.75	Good	
2/11/95 7:07	Auto FIC	31.8	Good	
2/11/95 12:00	Manual Tape	30.75	Good	
2/12/95 7:06	Auto FIC	31.80	Good	
2/12/95 12:00	Manual Tape	30.75	Good	
2/13/95 7:05	Auto FIC	31.80	Good	
2/13/95 12:00	Manual Tape	30.75	Good	
2/14/95 7:06	Auto FIC	31.8	Good	
2/14/95 12:00	Manual Tape	30.75	Good	
2/15/95 7:07	Auto FIC	31.80	Good	
2/15/95 12:00	Manual Tape	30.75	Good	
2/16/95 7:06	Auto FIC	31.80	Good	
2/16/95 12:00	Manual Tape	30.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/17/95 7:06	Auto FIC	31.8	Good	
2/17/95 12:00	Manual Tape	30.75	Good	
2/18/95 7:06	Auto FIC	31.8	Good	
2/18/95 12:00	Manual Tape	30.75	Good	
2/19/95 7:06	Auto FIC	31.80	Good	
2/19/95 12:00	Manual Tape	30.75	Good	
2/20/95 7:07	Auto FIC	31.80	Good	
2/20/95 12:00	Manual Tape	31.00	Good	
2/21/95 7:06	Auto FIC	31.80	Good	
2/21/95 12:00	Manual Tape	30.75	Good	
2/22/95 7:06	Auto FIC	31.8	Good	
2/22/95 12:00	Manual Tape	30.75	Good	
2/23/95 7:07	Auto FIC	31.8	Good	
2/23/95 12:00	Manual Tape	31	Good	
2/24/95 7:06	Auto FIC	31.80	Good	
2/24/95 12:00	Manual Tape	31.00	Good	
2/25/95 7:06	Auto FIC	31.90	Good	
2/25/95 12:00	Manual Tape	31	Good	
2/26/95 6:07	Auto FIC	31.9	Good	
2/26/95 12:00	Manual Tape	30.5	Good	
2/27/95 7:06	Auto FIC	31.90	Good	
2/27/95 12:00	Manual Tape	30.75	Good	
2/28/95 5:07	Auto FIC	31.80	Good	
2/28/95 12:00	Manual Tape	30.75	Good	
3/1/95 7:06	Auto FIC	31.8	Good	
3/1/95 12:00	Manual Tape	30.75	Good	
3/2/95 7:06	Auto FIC	31.8	Good	
3/2/95 12:00	Manual Tape	30.75	Good	
3/3/95 7:06	Auto FIC	31.80	Good	
3/3/95 12:00	Manual Tape	30.75	Good	
3/4/95 7:06	Auto FIC	31.80	Good	
3/4/95 12:00	Manual Tape	30.75	Good	
3/5/95 7:06	Auto FIC	31.80	Good	
3/5/95 12:00	Manual Tape	30.75	Good	
3/6/95 7:06	Auto FIC	31.8	Good	
3/6/95 12:00	Manual Tape	30.75	Good	
3/7/95 7:06	Auto FIC	31.8	Good	
3/7/95 12:00	Manual Tape	30.75	Good	
3/8/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/8/95 12:00	Manual Tape	30.75	Good	
3/8/95 12:01	Manual FIC	31.8	Good	
3/9/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/9/95 12:00	Manual FIC	31.8	Good	
3/9/95 12:00	Manual Tape	30.75	Good	
3/10/95 7:02	Auto FIC	0	Suspect	Data not included in graph
3/10/95 12:00	Manual FIC	31.85	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/10/95 12:00	Manual Tape	30.75	Good	
3/11/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/11/95 12:00	Manual FIC	31.9	Good	
3/11/95 12:00	Manual Tape	30.75	Good	
3/12/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/12/95 12:00	Manual FIC	31.9	Good	
3/12/95 12:00	Manual Tape	31	Good	
3/13/95 7:02	Auto FIC	0	Suspect	Data not included in graph
3/13/95 12:00	Manual FIC	31.9	Good	
3/13/95 12:00	Manual Tape	30.75	Good	
3/14/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/14/95 12:00	Manual FIC	31.9	Good	
3/14/95 12:00	Manual Tape	30.75	Good	
3/15/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
3/15/95 12:00	Manual FIC	31.9	Good	
3/15/95 12:00	Manual Tape	30.75	Good	
3/16/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/16/95 12:00	Manual FIC	32	Good	
3/16/95 12:00	Manual Tape	31.00	Good	
3/17/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/17/95 12:00	Manual FIC	32	Good	
3/17/95 12:00	Manual Tape	31	Good	
3/18/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/18/95 12:00	Manual FIC	32	Good	
3/18/95 12:00	Manual Tape	31	Good	
3/19/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/19/95 12:00	Manual FIC	32	Good	
3/19/95 12:00	Manual Tape	31	Good	
3/20/95 7:08	Auto FIC	0	Suspect	Data not included in graph
3/20/95 12:00	Manual FIC	32.1	Good	
3/20/95 12:00	Manual Tape	31.00	Good	
3/21/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/21/95 12:00	Manual FIC	32.1	Good	
3/21/95 12:00	Manual Tape	30.5	Good	
3/22/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/22/95 12:00	Manual FIC	32.1	Good	
3/22/95 12:00	Manual Tape	31	Good	
3/23/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/23/95 12:00	Manual FIC	32.2	Good	
3/23/95 12:00	Manual Tape	31.25	Good	
3/24/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/24/95 12:00	Manual FIC	32.2	Good	
3/24/95 12:00	Manual Tape	31.25	Good	
3/25/95 7:02	Auto FIC	0	Suspect	Data not included in graph
3/25/95 12:00	Manual FIC	32.2	Good	
3/25/95 12:00	Manual Tape	31.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/26/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/26/95 12:00	Manual FIC	32.2	Good	
3/26/95 12:00	Manual Tape	31.25	Good	
3/27/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/27/95 12:00	Manual FIC	33.2	Good	
3/27/95 12:00	Manual Tape	32.25	Good	
3/28/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/28/95 12:00	Manual FIC	63.2	Good	
3/28/95 12:00	Manual Tape	62.50	Good	
3/29/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/29/95 12:00	Manual FIC	63.45	Good	
3/29/95 12:00	Manual Tape	62.5	Good	
3/30/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/30/95 12:00	Manual FIC	63.5	Good	
3/30/95 12:00	Manual Tape	62.5	Good	
3/31/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/31/95 12:00	Manual FIC	63.45	Good	
3/31/95 12:00	Manual Tape	62.5	Good	
4/1/95 7:02	Auto FIC	0	Suspect	Data not included in graph
4/1/95 12:00	Manual FIC	63.45	Good	
4/1/95 12:00	Manual Tape	62.50	Good	
4/2/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/2/95 12:00	Manual FIC	63.5	Good	
4/2/95 12:00	Manual Tape	62.5	Good	
4/3/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/3/95 12:00	Manual FIC	63.4	Good	
4/3/95 12:00	Manual Tape	62.5	Good	
4/4/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/4/95 12:00	Manual FIC	63.45	Good	
4/4/95 12:00	Manual Tape	62.5	Good	
4/5/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/5/95 12:00	Manual FIC	63.45	Good	
4/5/95 12:00	Manual Tape	62.75	Good	
4/6/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/6/95 12:00	Manual FIC	63.45	Good	
4/6/95 12:00	Manual Tape	62.5	Good	
4/7/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/7/95 12:00	Manual FIC	63.45	Good	
4/7/95 12:00	Manual Tape	62.5	Good	
4/8/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
4/8/95 12:00	Manual FIC	63.4	Good	
4/8/95 12:00	Manual Tape	62.5	Good	
4/9/95 12:00	Manual FIC	63.4	Good	
4/9/95 12:00	Manual Tape	62.5	Good	
4/9/95 23:03	Auto FIC	0.00	Suspect	Data not included in graph
4/10/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/10/95 12:00	Manual FIC	63.4	Good	
4/10/95 12:00	Manual Tape	62.50	Good	
4/11/95 7:04	Auto FIC	0	Suspect	Data not included in graph
4/11/95 12:00	Manual FIC	63.4	Good	
4/11/95 12:00	Manual Tape	62.5	Good	
4/12/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/12/95 12:00	Manual FIC	63.4	Good	
4/12/95 12:00	Manual Tape	62.5	Good	
4/13/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
4/13/95 12:00	Manual FIC	64.45	Good	
4/13/95 12:00	Manual Tape	63.5	Good	
4/14/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/14/95 12:00	Manual FIC	65	Good	
4/14/95 12:00	Manual Tape	64.00	Good	
4/15/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/15/95 12:00	Manual FIC	65.7	Good	
4/15/95 12:00	Manual Tape	64	Good	
4/16/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/16/95 12:00	Manual FIC	66.2	Good	
4/16/95 12:00	Manual Tape	64.75	Good	
4/17/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/17/95 12:00	Manual FIC	66.8	Good	
4/17/95 12:00	Manual Tape	65.25	Good	
4/18/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/18/95 12:00	Manual FIC	67.2	Good	
4/18/95 12:00	Manual Tape	66.25	Good	
4/19/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/19/95 12:00	Manual FIC	67.8	Good	
4/19/95 12:00	Manual Tape	66.75	Good	
4/20/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/20/95 12:00	Manual FIC	68.2	Good	
4/20/95 12:00	Manual Tape	67.25	Good	
4/21/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/21/95 12:00	Manual FIC	68.65	Good	
4/21/95 12:00	Manual Tape	68	Good	
4/22/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/22/95 12:00	Manual FIC	69.2	Good	
4/22/95 12:00	Manual Tape	68.25	Good	
4/23/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/23/95 12:00	Manual FIC	69.5	Good	
4/23/95 12:00	Manual Tape	68.25	Good	
4/24/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/24/95 12:00	Manual FIC	70.2	Good	
4/24/95 12:00	Manual Tape	69.00	Good	
4/25/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/25/95 12:00	Manual FIC	70.8	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/25/95 12:00	Manual Tape	69.75	Good	
4/26/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/26/95 12:00	Manual FIC	71.2	Good	
4/26/95 12:00	Manual Tape	70.25	Good	
4/27/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/27/95 12:00	Manual FIC	71.65	Good	
4/27/95 12:00	Manual Tape	70.75	Good	
4/28/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/28/95 12:00	Manual FIC	72.1	Good	
4/28/95 12:00	Manual Tape	71.00	Good	
4/29/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/29/95 12:00	Manual FIC	72.6	Good	
4/29/95 12:00	Manual Tape	72	Good	
4/30/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/30/95 12:00	Manual FIC	82	Good	
4/30/95 12:00	Manual Tape	81.25	Good	
5/1/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/1/95 12:00	Manual FIC	82	Good	
5/1/95 12:00	Manual Tape	81	Good	
5/2/95 7:02	Auto FIC	0	Suspect	Data not included in graph
5/2/95 12:00	Manual FIC	82.1	Good	
5/2/95 12:00	Manual Tape	81	Good	
5/3/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/3/95 12:00	Manual FIC	82.1	Good	
5/3/95 12:00	Manual Tape	81.25	Good	
5/4/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/4/95 12:00	Manual FIC	82.1	Good	
5/4/95 12:00	Manual Tape	81	Good	
5/5/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/5/95 12:00	Manual FIC	82.1	Good	
5/5/95 12:00	Manual Tape	81	Good	
5/6/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/6/95 12:00	Manual FIC	82.1	Good	
5/6/95 12:00	Manual Tape	81.00	Good	
5/7/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/7/95 12:00	Manual FIC	82.1	Good	
5/7/95 12:00	Manual Tape	81	Good	
5/8/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/8/95 12:00	Manual FIC	82.1	Good	
5/8/95 12:00	Manual Tape	81.25	Good	
5/9/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/9/95 12:00	Manual FIC	82.1	Good	
5/9/95 12:00	Manual Tape	81.25	Good	
5/10/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/10/95 12:00	Manual FIC	82.1	Good	
5/10/95 12:00	Manual Tape	81.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/11/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/11/95 12:00	Manual FIC	82.1	Good	
5/11/95 12:00	Manual Tape	81.25	Good	
5/12/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
5/12/95 12:00	Manual FIC	82.1	Good	
5/12/95 12:00	Manual Tape	81.25	Good	
5/13/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/13/95 12:00	Manual FIC	82.1	Good	
5/13/95 12:00	Manual Tape	81.25	Good	
5/14/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/14/95 12:00	Manual FIC	82.1	Good	
5/14/95 12:00	Manual Tape	81.25	Good	
5/15/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/15/95 12:00	Manual FIC	82.1	Good	
5/15/95 12:00	Manual Tape	81	Good	
5/16/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/16/95 12:00	Manual FIC	82.1	Good	
5/16/95 12:00	Manual Tape	81	Good	
5/17/95 7:02	Auto FIC	0	Suspect	Data not included in graph
5/17/95 12:00	Manual FIC	82.1	Good	
5/17/95 12:00	Manual Tape	81	Good	
5/18/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/18/95 12:00	Manual FIC	82.3	Good	
5/18/95 12:00	Manual Tape	81.25	Good	
5/19/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/19/95 12:00	Manual FIC	82.3	Good	
5/19/95 12:00	Manual Tape	81.25	Good	
5/20/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/20/95 12:00	Manual FIC	141.3	Good	
5/20/95 12:00	Manual Tape	141	Good	
5/21/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/21/95 12:00	Manual FIC	217.1	Good	
5/21/95 12:00	Manual Tape	216	Good	
5/22/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/22/95 12:00	Manual FIC	217.2	Good	
5/22/95 12:00	Manual Tape	216.25	Good	
5/23/95 7:11	Auto FIC	0	Suspect	Data not included in graph
5/23/95 12:00	Manual FIC	217.1	Good	
5/23/95 12:00	Manual Tape	216.25	Good	
5/24/95 7:10	Auto FIC	0.00	Suspect	Data not included in graph
5/24/95 12:00	Manual FIC	286	Good	
5/24/95 12:00	Manual Tape	285	Good	
5/25/95 7:10	Auto FIC	0.00	Suspect	Data not included in graph
5/25/95 12:00	Manual FIC	352.7	Good	
5/25/95 12:00	Manual Tape	351.5	Good	
5/26/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/26/95 12:00	Manual FIC	352.5	Good	
5/26/95 12:00	Manual Tape	351.50	Good	
5/27/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/27/95 12:00	Manual FIC	352.4	Good	
5/27/95 12:00	Manual Tape	352.5	Good	
5/28/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/28/95 12:00	Manual FIC	352.6	Good	
5/28/95 12:00	Manual Tape	352	Good	
5/29/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/29/95 12:00	Manual FIC	352.5	Good	
5/29/95 12:00	Manual Tape	352	Good	
5/30/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/30/95 12:00	Manual FIC	352.55	Good	
5/30/95 12:00	Manual Tape	352.00	Good	
5/31/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/31/95 12:00	Manual FIC	352.8	Good	
5/31/95 12:00	Manual Tape	351.75	Good	
6/1/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/1/95 12:00	Manual FIC	352.8	Good	
6/1/95 12:00	Manual Tape	352	Good	
6/2/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/2/95 12:00	Manual FIC	352.8	Good	
6/2/95 12:00	Manual Tape	351.75	Good	
6/3/95 12:00	Manual FIC	353.2	Good	
6/3/95 12:00	Manual Tape	353.50	Good	
6/3/95 23:05	Auto FIC	0	Suspect	Data not included in graph
6/4/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/4/95 12:00	Manual FIC	355.5	Good	
6/4/95 12:00	Manual Tape	354.75	Good	
6/5/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/5/95 12:00	Manual FIC	356.4	Good	
6/5/95 12:00	Manual Tape	356.5	Good	
6/6/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/6/95 12:00	Manual FIC	356.5	Good	
6/6/95 12:00	Manual Tape	356.5	Good	
6/7/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/7/95 12:00	Manual FIC	356.9	Good	
6/7/95 12:00	Manual Tape	356.75	Good	
6/8/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/8/95 12:00	Manual FIC	357.45	Good	
6/8/95 12:00	Manual Tape	356.5	Good	
6/9/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/9/95 12:00	Manual FIC	348.7	Good	
6/9/95 12:00	Manual Tape	346	Good	
6/10/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/10/95 12:00	Manual FIC	298.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/10/95 12:00	Manual Tape	298.25	Good	
6/11/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/11/95 12:00	Manual FIC	253	Good	
6/11/95 12:00	Manual Tape	252.00	Good	
6/12/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/12/95 12:00	Manual FIC	205.8	Good	
6/12/95 12:00	Manual Tape	204.5	Good	
6/13/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/13/95 12:00	Manual FIC	201.85	Good	
6/13/95 12:00	Manual Tape	201.00	Good	
6/14/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/14/95 12:00	Manual FIC	238.8	Good	
6/14/95 12:00	Manual Tape	236.75	Good	
6/15/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/15/95 12:00	Manual Tape	214.5	Good	
6/16/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/16/95 12:00	Manual Tape	209.25	Good	
6/17/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/17/95 12:00	Manual Tape	235.50	Good	
6/17/95 12:01	Manual FIC	251.5	Good	
6/18/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/18/95 12:00	Manual FIC	251.5	Suspect	Data not included in graph
6/18/95 12:00	Manual Tape	280.5	Good	
6/18/95 12:01	Manual FIC	251.5	Suspect	Data not included in graph
6/18/95 12:02	Manual FIC	280.9	Good	
6/19/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/19/95 12:00	Manual FIC	270.3	Good	
6/19/95 12:00	Manual Tape	269.25	Good	
6/20/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/20/95 12:00	Manual FIC	289.4	Good	
6/20/95 12:00	Manual Tape	289.75	Good	
6/21/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/21/95 12:00	Manual FIC	291	Good	
6/21/95 12:00	Manual Tape	290.75	Good	
6/22/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/22/95 12:00	Manual FIC	309	Good	
6/22/95 12:00	Manual Tape	308.5	Good	
6/23/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/23/95 12:00	Manual FIC	375.7	Good	
6/23/95 12:00	Manual Tape	375.25	Good	
6/24/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/24/95 12:00	Manual FIC	364.2	Good	
6/24/95 12:00	Manual Tape	361.5	Good	
6/25/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/25/95 12:00	Manual FIC	319.5	Good	
6/25/95 12:00	Manual Tape	319.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-102				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/26/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/26/95 12:00	Manual FIC	271.2	Good	
6/26/95 12:00	Manual Tape	270.5	Good	
6/27/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/27/95 12:00	Manual FIC	238.2	Good	
6/27/95 12:00	Manual Tape	238.00	Good	
6/28/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/28/95 12:00	Manual FIC	270.2	Good	
6/28/95 12:00	Manual Tape	270.75	Good	
6/29/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/29/95 12:00	Manual FIC	221.3	Good	
6/29/95 12:00	Manual Tape	224.25	Good	
6/30/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/30/95 12:00	Manual FIC	174.2	Good	
6/30/95 12:00	Manual Tape	172.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/1/91 0:00	Manual Tape	233.75	Good	
1/1/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/2/91 0:00	Manual Tape	233.75	Good	
1/2/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/3/91 0:00	Manual Tape	233.50	Good	
1/3/91 7:03	Auto FIC	0	Suspect	Data not included in graph
1/4/91 0:00	Manual Tape	233.5	Good	
1/4/91 7:02	Auto FIC	0	Suspect	Data not included in graph
1/5/91 0:00	Manual Tape	233.5	Good	
1/5/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/6/91 0:00	Manual Tape	233.50	Good	
1/6/91 7:02	Auto FIC	0	Suspect	Data not included in graph
1/7/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/7/91 7:06	Manual Tape	233.50	Good	
1/8/91 0:00	Manual Tape	233.50	Good	
1/8/91 7:03	Auto FIC	0	Suspect	Data not included in graph
1/9/91 0:00	Manual Tape	233.75	Good	
1/9/91 7:02	Auto FIC	0	Suspect	Data not included in graph
1/10/91 0:00	Manual Tape	233.75	Good	
1/10/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/11/91 0:00	Manual Tape	233.75	Good	
1/11/91 7:03	Auto FIC	0	Suspect	Data not included in graph
1/12/91 0:00	Manual Tape	233.75	Good	
1/12/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/13/91 0:00	Manual Tape	233.75	Good	
1/13/91 7:03	Auto FIC	0	Suspect	Data not included in graph
1/14/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/14/91 7:06	Manual Tape	233.75	Good	
1/15/91 0:00	Manual Tape	233.75	Good	
1/15/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/16/91 0:00	Manual Tape	233.75	Good	
1/16/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/17/91 0:00	Manual Tape	234	Good	
1/17/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/18/91 0:00	Manual Tape	234	Good	
1/18/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/19/91 0:00	Manual Tape	233.75	Good	
1/19/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/20/91 0:00	Manual Tape	233.5	Good	
1/20/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/21/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/21/91 7:06	Manual Tape	233.50	Good	
1/22/91 0:00	Manual Tape	233.5	Good	
1/22/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/23/91 0:00	Manual Tape	233.75	Good	
1/23/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/24/91 0:00	Manual Tape	233.50	Good	
1/24/91 7:04	Auto FIC	0	Suspect	Data not included in graph
1/25/91 0:00	Manual Tape	233.5	Good	
1/25/91 7:03	Auto FIC	0	Suspect	Data not included in graph
1/26/91 0:00	Manual Tape	233.5	Good	
1/26/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/27/91 0:00	Manual Tape	233.75	Good	
1/27/91 7:03	Auto FIC	0	Suspect	Data not included in graph
1/28/91 7:06	Manual Tape	233.75	Good	
1/29/91 0:00	Manual Tape	233.75	Good	
1/29/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/30/91 7:06	Manual Tape	235.50	Good	
1/31/91 0:00	Manual Tape	235.5	Good	
1/31/91 7:02	Auto FIC	0	Suspect	Data not included in graph
2/1/91 0:00	Manual Tape	235.5	Good	
2/1/91 7:02	Auto FIC	0	Suspect	Data not included in graph
2/2/91 0:00	Manual Tape	235.75	Good	
2/2/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/3/91 0:00	Manual Tape	235.75	Good	
2/3/91 7:03	Auto FIC	0	Suspect	Data not included in graph
2/4/91 7:03	Auto FIC	0	Suspect	Data not included in graph
2/4/91 7:06	Manual Tape	235.75	Good	
2/5/91 0:00	Manual Tape	235.75	Good	
2/5/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/6/91 0:00	Manual Tape	235.5	Good	
2/6/91 7:04	Auto FIC	0	Suspect	Data not included in graph
2/7/91 0:00	Manual Tape	235.75	Good	
2/7/91 7:04	Auto FIC	0	Suspect	Data not included in graph
2/8/91 0:00	Manual Tape	235.50	Good	
2/8/91 7:04	Auto FIC	0	Suspect	Data not included in graph
2/9/91 0:00	Manual Tape	235.75	Good	
2/9/91 7:04	Auto FIC	0	Suspect	Data not included in graph
2/10/91 0:00	Manual Tape	235.5	Good	
2/10/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/11/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/11/91 7:06	Manual Tape	235.5	Good	
2/12/91 0:00	Manual Tape	235.5	Good	
2/12/91 7:04	Auto FIC	0	Suspect	Data not included in graph
2/13/91 0:00	Manual Tape	235.75	Good	
2/13/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/14/91 0:00	Manual Tape	235.75	Good	
2/14/91 7:04	Auto FIC	0	Suspect	Data not included in graph
2/15/91 0:00	Manual Tape	235.75	Good	
2/15/91 7:03	Auto FIC	0	Suspect	Data not included in graph
2/16/91 0:00	Manual Tape	235.75	Good	
2/16/91 7:02	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/17/91 0:00	Manual Tape	235.75	Good	
2/17/91 7:02	Auto FIC	0	Suspect	Data not included in graph
2/18/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/18/91 7:06	Manual Tape	235.75	Good	
2/19/91 0:00	Manual Tape	235.75	Good	
2/19/91 7:02	Auto FIC	0	Suspect	Data not included in graph
2/20/91 0:00	Manual Tape	235.75	Good	
2/20/91 7:03	Auto FIC	0	Suspect	Data not included in graph
2/21/91 0:00	Manual Tape	235.75	Good	
2/21/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
2/22/91 0:00	Manual Tape	235.75	Good	
2/22/91 7:02	Auto FIC	0	Suspect	Data not included in graph
2/23/91 0:00	Manual Tape	235.75	Good	
2/23/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
2/24/91 0:00	Manual Tape	235.75	Good	
2/24/91 7:03	Auto FIC	0	Suspect	Data not included in graph
2/25/91 7:03	Auto FIC	0	Suspect	Data not included in graph
2/25/91 7:06	Manual Tape	235.75	Good	
2/26/91 0:00	Manual Tape	235.75	Good	
2/26/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/27/91 0:00	Manual Tape	235.75	Good	
2/27/91 7:02	Auto FIC	0	Suspect	Data not included in graph
2/28/91 0:00	Manual Tape	235.75	Good	
2/28/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/1/91 0:00	Manual Tape	235.5	Good	
3/1/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/2/91 0:00	Manual Tape	235.50	Good	
3/2/91 7:02	Auto FIC	0	Suspect	Data not included in graph
3/3/91 0:00	Manual Tape	235.50	Good	
3/3/91 7:03	Auto FIC	0	Suspect	Data not included in graph
3/4/91 7:03	Auto FIC	0	Suspect	Data not included in graph
3/4/91 7:06	Manual Tape	235.50	Good	
3/5/91 0:00	Manual Tape	235.5	Good	
3/5/91 7:03	Auto FIC	0	Suspect	Data not included in graph
3/6/91 0:00	Manual Tape	235.5	Good	
3/6/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/7/91 0:00	Manual Tape	235.50	Good	
3/7/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/8/91 0:00	Manual Tape	235.50	Good	
3/8/91 7:02	Auto FIC	0	Suspect	Data not included in graph
3/9/91 0:00	Manual Tape	235.5	Good	
3/9/91 7:02	Auto FIC	0	Suspect	Data not included in graph
3/10/91 0:00	Manual Tape	235.5	Good	
3/10/91 7:02	Auto FIC	0	Suspect	Data not included in graph
3/11/91 7:02	Auto FIC	0	Suspect	Data not included in graph
3/11/91 7:06	Manual Tape	235.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/12/91 0:00	Manual Tape	235.5	Good	
3/12/91 7:03	Auto FIC	0	Suspect	Data not included in graph
3/13/91 0:00	Manual Tape	235.50	Good	
3/13/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/14/91 0:00	Manual Tape	235.5	Good	
3/14/91 7:03	Auto FIC	0	Suspect	Data not included in graph
3/15/91 0:00	Manual Tape	235.50	Good	
3/15/91 7:03	Auto FIC	0	Suspect	Data not included in graph
3/16/91 0:00	Manual Tape	235.50	Good	
3/16/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/17/91 0:00	Manual Tape	235.5	Good	
3/17/91 7:02	Auto FIC	0	Suspect	Data not included in graph
3/18/91 7:03	Auto FIC	0	Suspect	Data not included in graph
3/18/91 7:06	Manual Tape	235.50	Good	
3/19/91 0:00	Manual Tape	235.50	Good	
3/19/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/20/91 0:00	Manual Tape	235.50	Good	
3/20/91 7:02	Auto FIC	0	Suspect	Data not included in graph
3/21/91 0:00	Manual Tape	235.5	Good	
3/21/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/22/91 0:00	Manual Tape	235.50	Good	
3/22/91 7:02	Auto FIC	0	Suspect	Data not included in graph
3/23/91 0:00	Manual Tape	235.50	Good	
3/23/91 7:03	Auto FIC	0	Suspect	Data not included in graph
3/24/91 0:00	Manual Tape	235.5	Good	
3/24/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/25/91 0:00	Manual Tape	235.50	Good	
3/25/91 7:03	Auto FIC	0	Suspect	Data not included in graph
3/26/91 0:00	Manual Tape	235.5	Good	
3/26/91 7:03	Auto FIC	0	Suspect	Data not included in graph
3/27/91 0:00	Manual Tape	235.50	Good	
3/27/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/28/91 0:00	Manual Tape	235.50	Good	
3/28/91 7:03	Auto FIC	0	Suspect	Data not included in graph
3/29/91 0:00	Manual Tape	235.50	Good	
3/29/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/30/91 0:00	Manual Tape	235.50	Good	
3/30/91 7:03	Auto FIC	0	Suspect	Data not included in graph
3/31/91 0:00	Manual Tape	235.5	Good	
3/31/91 7:03	Auto FIC	0	Suspect	Data not included in graph
4/1/91 7:02	Manual Tape	235.50	Good	
4/1/91 7:03	Auto FIC	0	Suspect	Data not included in graph
4/2/91 7:02	Manual Tape	235.5	Good	
4/2/91 7:03	Auto FIC	0	Suspect	Data not included in graph
4/3/91 7:02	Manual Tape	235.50	Good	
4/3/91 7:03	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/4/91 7:02	Manual Tape	235.5	Good	
4/4/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/5/91 7:02	Manual Tape	235.5	Good	
4/5/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/6/91 7:02	Manual Tape	235.50	Good	
4/6/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/7/91 7:02	Manual Tape	235.5	Good	
4/7/91 7:03	Auto FIC	0	Suspect	Data not included in graph
4/8/91 7:02	Manual Tape	235.50	Good	
4/8/91 7:04	Auto FIC	0	Suspect	Data not included in graph
4/9/91 7:02	Manual Tape	235.50	Good	
4/9/91 7:03	Auto FIC	0	Suspect	Data not included in graph
4/10/91 7:02	Manual Tape	235.75	Good	
4/10/91 7:03	Auto FIC	0	Suspect	Data not included in graph
4/11/91 7:02	Manual Tape	235.75	Good	
4/11/91 7:03	Auto FIC	0	Suspect	Data not included in graph
4/12/91 7:02	Manual Tape	235.5	Good	
4/12/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/13/91 7:02	Manual Tape	235.5	Good	
4/13/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
4/14/91 7:02	Manual Tape	235.5	Good	
4/14/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/15/91 7:02	Manual Tape	235.50	Good	
4/15/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/16/91 7:02	Manual Tape	235.50	Good	
4/17/91 7:02	Manual Tape	235.5	Good	
4/17/91 7:03	Auto FIC	0	Suspect	Data not included in graph
4/18/91 7:02	Manual Tape	235.50	Good	
4/18/91 7:06	Auto FIC	0	Suspect	Data not included in graph
4/19/91 7:02	Manual Tape	235.5	Good	
4/19/91 7:05	Auto FIC	0	Suspect	Data not included in graph
4/20/91 7:02	Manual Tape	235.50	Good	
4/20/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
4/21/91 7:02	Manual Tape	235.5	Good	
4/21/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
4/22/91 7:02	Manual Tape	235.50	Good	
4/22/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
4/23/91 7:02	Manual Tape	235.5	Good	
4/23/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
4/24/91 0:00	Manual Tape	235.50	Good	
4/24/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
4/25/91 0:00	Manual Tape	235.5	Good	
4/25/91 7:05	Auto FIC	0	Suspect	Data not included in graph
4/26/91 0:00	Manual Tape	235.50	Good	
4/26/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
4/27/91 0:00	Manual Tape	235.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/27/91 7:05	Auto FIC	0	Suspect	Data not included in graph
4/28/91 0:00	Manual Tape	235.50	Good	
4/28/91 7:06	Auto FIC	0	Suspect	Data not included in graph
4/29/91 0:00	Manual Tape	235.5	Good	
4/29/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
4/30/91 0:00	Manual Tape	235.5	Good	
4/30/91 7:06	Auto FIC	0	Suspect	Data not included in graph
5/1/91 0:00	Manual Tape	235.5	Good	
5/1/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/2/91 0:00	Manual Tape	235.5	Good	
5/2/91 7:05	Auto FIC	0	Suspect	Data not included in graph
5/3/91 0:00	Manual Tape	235.50	Good	
5/3/91 7:06	Auto FIC	0	Suspect	Data not included in graph
5/4/91 0:00	Manual Tape	235.50	Good	
5/4/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/5/91 0:00	Manual Tape	235.50	Good	
5/5/91 7:05	Auto FIC	0	Suspect	Data not included in graph
5/6/91 0:00	Manual Tape	235.50	Good	
5/6/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/7/91 0:00	Manual Tape	235.5	Good	
5/7/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/8/91 0:00	Manual Tape	235.50	Good	
5/8/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/9/91 0:00	Manual Tape	235.5	Good	
5/9/91 7:05	Auto FIC	0	Suspect	Data not included in graph
5/10/91 0:00	Manual Tape	235.50	Good	
5/10/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/11/91 0:00	Manual Tape	235.5	Good	
5/11/91 7:05	Auto FIC	0	Suspect	Data not included in graph
5/12/91 0:00	Manual Tape	235.50	Good	
5/12/91 7:05	Auto FIC	0	Suspect	Data not included in graph
5/13/91 0:00	Manual Tape	235.5	Good	
5/13/91 7:05	Auto FIC	0	Suspect	Data not included in graph
5/14/91 0:00	Manual Tape	235.5	Good	
5/14/91 7:05	Auto FIC	0	Suspect	Data not included in graph
5/15/91 0:00	Manual Tape	235.50	Good	
5/15/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/16/91 0:00	Manual Tape	235.50	Good	
5/16/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
5/17/91 0:00	Manual Tape	235.50	Good	
5/17/91 7:06	Auto FIC	0	Suspect	Data not included in graph
5/18/91 0:00	Manual Tape	235.5	Good	
5/18/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
5/19/91 0:00	Manual Tape	235.5	Good	
5/19/91 7:05	Auto FIC	0	Suspect	Data not included in graph
5/20/91 0:00	Manual Tape	235.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/20/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
5/21/91 0:00	Manual Tape	235.50	Good	
5/21/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
5/22/91 0:00	Manual Tape	235.5	Good	
5/22/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/23/91 0:00	Manual Tape	235.5	Good	
5/23/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/24/91 0:00	Manual Tape	235.5	Good	
5/24/91 7:05	Auto FIC	0	Suspect	Data not included in graph
5/25/91 0:00	Manual Tape	235.50	Good	
5/25/91 7:05	Auto FIC	0	Suspect	Data not included in graph
5/26/91 0:00	Manual Tape	235.5	Good	
5/26/91 7:05	Auto FIC	0	Suspect	Data not included in graph
5/27/91 0:00	Manual Tape	235.50	Good	
5/27/91 7:05	Auto FIC	0	Suspect	Data not included in graph
5/28/91 0:00	Manual Tape	235.5	Good	
5/28/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/29/91 0:00	Manual Tape	235.50	Good	
5/29/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/30/91 0:00	Manual Tape	235.50	Good	
5/30/91 7:05	Auto FIC	0	Suspect	Data not included in graph
5/31/91 0:00	Manual Tape	235.5	Good	
5/31/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/1/91 0:00	Manual Tape	235.50	Good	
6/2/91 0:00	Manual Tape	235.50	Good	
6/3/91 0:00	Manual Tape	235.5	Good	
6/3/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/4/91 0:00	Manual Tape	235.5	Good	
6/4/91 7:05	Auto FIC	0	Suspect	Data not included in graph
6/5/91 0:00	Manual Tape	235.5	Good	
6/5/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/6/91 0:00	Manual Tape	235.25	Good	
6/6/91 7:06	Auto FIC	0	Suspect	Data not included in graph
6/7/91 0:00	Manual Tape	235.5	Good	
6/7/91 7:05	Auto FIC	0	Suspect	Data not included in graph
6/8/91 0:00	Manual Tape	235.50	Good	
6/8/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/9/91 0:00	Manual Tape	235.5	Good	
6/9/91 7:05	Auto FIC	0	Suspect	Data not included in graph
6/10/91 0:00	Manual Tape	235.50	Good	
6/10/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/11/91 0:00	Manual Tape	235.50	Good	
6/11/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/12/91 0:00	Manual Tape	235.5	Good	
6/12/91 7:04	Auto FIC	0	Suspect	Data not included in graph
6/13/91 0:00	Manual Tape	235.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/13/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/14/91 0:00	Manual Tape	235.5	Good	
6/14/91 7:05	Auto FIC	0	Suspect	Data not included in graph
6/15/91 0:00	Manual Tape	235.5	Good	
6/15/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/16/91 0:00	Manual Tape	235.5	Good	
6/16/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/17/91 0:00	Manual Tape	235.50	Good	
6/17/91 7:05	Auto FIC	0	Suspect	Data not included in graph
6/18/91 0:00	Manual Tape	235.50	Good	
6/18/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/19/91 0:00	Manual Tape	235.75	Good	
6/19/91 7:05	Auto FIC	0	Suspect	Data not included in graph
6/20/91 0:00	Manual Tape	235.75	Good	
6/20/91 7:05	Auto FIC	0	Suspect	Data not included in graph
6/21/91 0:00	Manual Tape	235.75	Good	
6/21/91 7:06	Auto FIC	0	Suspect	Data not included in graph
6/22/91 0:00	Manual Tape	235.75	Good	
6/23/91 0:00	Manual Tape	235.5	Good	
6/23/91 7:05	Auto FIC	0	Suspect	Data not included in graph
6/24/91 0:00	Manual Tape	235.5	Good	
6/25/91 0:00	Manual Tape	235.50	Good	
6/25/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/26/91 0:00	Manual Tape	235.50	Good	
6/27/91 0:00	Manual Tape	235.5	Good	
6/28/91 0:00	Manual Tape	235.50	Good	
6/28/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/29/91 0:00	Manual Tape	235.50	Good	
6/30/91 0:00	Manual Tape	235.50	Good	
7/1/91 0:00	Manual Tape	235.5	Good	
7/2/91 0:00	Manual Tape	235.5	Good	
7/3/91 0:00	Manual Tape	235.5	Good	
7/3/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/4/91 0:00	Manual Tape	235.5	Good	
7/5/91 0:00	Manual Tape	235.50	Good	
7/6/91 0:00	Manual Tape	235.5	Good	
7/7/91 0:00	Manual Tape	235.50	Good	
7/8/91 0:00	Manual Tape	235.50	Good	
7/9/91 0:00	Manual Tape	235.5	Good	
7/10/91 0:00	Manual Tape	235.50	Good	
7/11/91 0:00	Manual Tape	235.5	Good	
7/11/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/12/91 0:00	Manual Tape	235.5	Good	
7/12/91 7:06	Auto FIC	0	Suspect	Data not included in graph
7/13/91 0:00	Manual Tape	235.5	Good	
7/13/91 7:06	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/14/91 0:00	Manual Tape	235.50	Good	
7/15/91 0:00	Manual Tape	235.50	Good	
7/15/91 7:06	Auto FIC	0	Suspect	Data not included in graph
7/16/91 0:00	Manual Tape	235.5	Good	
7/17/91 0:00	Manual Tape	235.50	Good	
7/17/91 7:05	Auto FIC	0	Suspect	Data not included in graph
7/18/91 0:00	Manual Tape	235.5	Good	
7/19/91 0:00	Manual Tape	235.50	Good	
7/19/91 7:05	Auto FIC	0	Suspect	Data not included in graph
7/20/91 0:00	Manual Tape	235.50	Good	
7/21/91 0:00	Manual Tape	235.50	Good	
7/22/91 0:00	Manual Tape	235.50	Good	
7/23/91 0:00	Manual Tape	235.50	Good	
7/24/91 0:00	Manual Tape	235.25	Good	
7/24/91 7:05	Auto FIC	0.00	Suspect	Data not included in graph
7/25/91 0:00	Manual Tape	235.25	Good	
7/26/91 0:00	Manual Tape	235.50	Good	
7/27/91 0:00	Manual Tape	235.25	Good	
7/28/91 0:00	Manual Tape	235.5	Good	
7/29/91 0:00	Manual Tape	235.50	Good	
7/30/91 0:00	Manual Tape	235.5	Good	
7/30/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
7/31/91 0:00	Manual Tape	235.75	Good	
7/31/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/1/91 0:00	Manual Tape	235.25	Good	
8/1/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/2/91 0:00	Manual Tape	235.75	Good	
8/2/91 7:02	Auto FIC	0	Suspect	Data not included in graph
8/3/91 0:00	Manual Tape	235.75	Good	
8/3/91 7:02	Auto FIC	0	Suspect	Data not included in graph
8/4/91 0:00	Manual Tape	235.75	Good	
8/4/91 7:02	Auto FIC	0	Suspect	Data not included in graph
8/5/91 0:00	Manual Tape	235.25	Good	
8/5/91 7:02	Auto FIC	0	Suspect	Data not included in graph
8/6/91 0:00	Manual Tape	235.5	Good	
8/6/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/7/91 0:00	Manual Tape	235.50	Good	
8/7/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/8/91 0:00	Manual Tape	235.5	Good	
8/8/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/9/91 0:00	Manual Tape	235.5	Good	
8/9/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/10/91 0:00	Manual Tape	235.50	Good	
8/10/91 7:04	Auto FIC	0	Suspect	Data not included in graph
8/11/91 0:00	Manual Tape	235.5	Good	
8/11/91 7:04	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/12/91 0:00	Manual Tape	235.50	Good	
8/12/91 7:04	Auto FIC	0	Suspect	Data not included in graph
8/13/91 0:00	Manual Tape	235.5	Good	
8/13/91 7:04	Auto FIC	0	Suspect	Data not included in graph
8/14/91 0:00	Manual Tape	235.5	Good	
8/14/91 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/15/91 0:00	Manual Tape	235.50	Good	
8/15/91 7:03	Auto FIC	0	Suspect	Data not included in graph
8/16/91 0:00	Manual Tape	235.75	Good	
8/17/91 0:00	Manual Tape	235.5	Good	
8/17/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/18/91 0:00	Manual Tape	235.5	Good	
8/18/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/19/91 0:00	Manual Tape	235.50	Good	
8/19/91 7:02	Auto FIC	0	Suspect	Data not included in graph
8/20/91 0:00	Manual Tape	235.5	Good	
8/20/91 7:04	Auto FIC	0	Suspect	Data not included in graph
8/21/91 0:00	Manual Tape	235.5	Good	
8/21/91 7:03	Auto FIC	0	Suspect	Data not included in graph
8/22/91 0:00	Manual Tape	235.50	Good	
8/22/91 7:03	Auto FIC	0	Suspect	Data not included in graph
8/23/91 0:00	Manual Tape	235.50	Good	
8/23/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/24/91 0:00	Manual Tape	235.25	Good	
8/24/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/25/91 0:00	Manual Tape	235.25	Good	
8/25/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/26/91 0:00	Manual Tape	235.25	Good	
8/26/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/27/91 0:00	Manual Tape	235.50	Good	
8/27/91 7:03	Auto FIC	0	Suspect	Data not included in graph
8/28/91 0:00	Manual Tape	235.5	Good	
8/28/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/29/91 0:00	Manual Tape	235.5	Good	
8/29/91 7:02	Auto FIC	0	Suspect	Data not included in graph
8/30/91 0:00	Manual Tape	235.5	Good	
8/31/91 0:00	Manual Tape	235.5	Good	
8/31/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/1/91 0:00	Manual Tape	235.50	Good	
9/1/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/2/91 0:00	Manual Tape	235.5	Good	
9/2/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/3/91 0:00	Manual Tape	235.5	Good	
9/3/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/4/91 0:00	Manual Tape	235.5	Good	
9/4/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/5/91 0:00	Manual Tape	235.50	Good	
9/5/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/6/91 0:00	Manual Tape	235.50	Good	
9/6/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/7/91 0:00	Manual Tape	235.5	Good	
9/7/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/8/91 0:00	Manual Tape	235.50	Good	
9/8/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/9/91 0:00	Manual Tape	235.5	Good	
9/9/91 7:03	Auto FIC	0	Suspect	Data not included in graph
9/10/91 0:00	Manual Tape	235.5	Good	
9/10/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/11/91 0:00	Manual Tape	235.5	Good	
9/11/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/12/91 0:00	Manual Tape	235.5	Good	
9/12/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/13/91 0:00	Manual Tape	235.5	Good	
9/13/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/14/91 0:00	Manual Tape	235.5	Good	
9/14/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/15/91 0:00	Manual Tape	235.50	Good	
9/15/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/16/91 0:00	Manual Tape	235.5	Good	
9/16/91 7:03	Auto FIC	0	Suspect	Data not included in graph
9/17/91 0:00	Manual Tape	235.50	Good	
9/17/91 7:03	Auto FIC	0	Suspect	Data not included in graph
9/18/91 0:00	Manual Tape	235.25	Good	
9/18/91 7:03	Auto FIC	0	Suspect	Data not included in graph
9/19/91 0:00	Manual Tape	235.25	Good	
9/19/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/20/91 0:00	Manual Tape	235.50	Good	
9/20/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/21/91 0:00	Manual Tape	235.25	Good	
9/21/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/22/91 0:00	Manual Tape	235.25	Good	
9/22/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/23/91 0:00	Manual Tape	235.25	Good	
9/23/91 7:03	Auto FIC	0	Suspect	Data not included in graph
9/24/91 0:00	Manual Tape	235.5	Good	
9/24/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/25/91 0:00	Manual Tape	235.25	Good	
9/25/91 7:03	Auto FIC	0	Suspect	Data not included in graph
9/26/91 0:00	Manual Tape	235.50	Good	
9/26/91 7:03	Auto FIC	0	Suspect	Data not included in graph
9/27/91 0:00	Manual Tape	235.5	Good	
9/27/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/28/91 0:00	Manual Tape	235.5	Good	
9/28/91 7:02	Auto FIC	0	Suspect	Data not included in graph
9/29/91 0:00	Manual Tape	235.50	Good	
9/29/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/30/91 0:00	Manual Tape	235.5	Good	
9/30/91 7:03	Auto FIC	0	Suspect	Data not included in graph
10/1/91 0:00	Manual Tape	235.25	Good	
10/1/91 7:02	Auto FIC	0	Suspect	Data not included in graph
10/2/91 0:00	Manual Tape	235.5	Good	
10/2/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/3/91 0:00	Manual Tape	235.5	Good	
10/3/91 7:02	Auto FIC	0	Suspect	Data not included in graph
10/4/91 0:00	Manual Tape	235.25	Good	
10/4/91 7:03	Auto FIC	0	Suspect	Data not included in graph
10/5/91 0:00	Manual Tape	235.25	Good	
10/6/91 0:00	Manual Tape	235.25	Good	
10/6/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/7/91 0:00	Manual Tape	235.25	Good	
10/7/91 7:02	Auto FIC	0	Suspect	Data not included in graph
10/8/91 0:00	Manual Tape	235.25	Good	
10/8/91 7:02	Auto FIC	0	Suspect	Data not included in graph
10/9/91 0:00	Manual Tape	235.25	Good	
10/9/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/10/91 0:00	Manual Tape	235.25	Good	
10/10/91 7:02	Auto FIC	0	Suspect	Data not included in graph
10/11/91 0:00	Manual Tape	235.25	Good	
10/11/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/12/91 0:00	Manual Tape	235.25	Good	
10/12/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/13/91 0:00	Manual Tape	235.25	Good	
10/13/91 7:03	Auto FIC	0	Suspect	Data not included in graph
10/14/91 0:00	Manual Tape	235.25	Good	
10/14/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/15/91 0:00	Manual Tape	235.25	Good	
10/15/91 7:02	Auto FIC	0	Suspect	Data not included in graph
10/16/91 0:00	Manual Tape	235.25	Good	
10/16/91 7:03	Auto FIC	0	Suspect	Data not included in graph
10/17/91 0:00	Manual Tape	235.25	Good	
10/17/91 7:05	Auto FIC	0	Suspect	Data not included in graph
10/18/91 0:00	Manual Tape	235.25	Good	
10/18/91 7:06	Auto FIC	0	Suspect	Data not included in graph
10/19/91 0:00	Manual Tape	235.25	Good	
10/19/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
10/20/91 0:00	Manual Tape	235.25	Good	
10/20/91 7:02	Auto FIC	0	Suspect	Data not included in graph
10/21/91 0:00	Manual Tape	235.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/21/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/22/91 0:00	Manual Tape	235.5	Good	
10/22/91 7:03	Auto FIC	0	Suspect	Data not included in graph
10/23/91 0:00	Manual Tape	235.25	Good	
10/23/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/24/91 0:00	Manual Tape	235.25	Good	
10/24/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/25/91 0:00	Manual Tape	235.25	Good	
10/25/91 7:03	Auto FIC	0	Suspect	Data not included in graph
10/26/91 0:00	Manual Tape	235.25	Good	
10/26/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/27/91 0:00	Manual Tape	235.25	Good	
10/27/91 7:02	Auto FIC	0	Suspect	Data not included in graph
10/28/91 0:00	Manual Tape	235.25	Good	
10/28/91 7:02	Auto FIC	0	Suspect	Data not included in graph
10/29/91 0:00	Manual Tape	235.25	Good	
10/29/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/30/91 0:00	Manual Tape	235	Good	
10/30/91 7:03	Auto FIC	0	Suspect	Data not included in graph
10/31/91 0:00	Manual Tape	235.25	Good	
10/31/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/1/91 0:00	Manual Tape	235.00	Good	
11/1/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
11/2/91 0:00	Manual Tape	235.25	Good	
11/2/91 7:03	Auto FIC	0	Suspect	Data not included in graph
11/3/91 0:00	Manual Tape	235.25	Good	
11/3/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/4/91 0:00	Manual Tape	235.25	Good	
11/4/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
11/5/91 0:00	Manual Tape	235.25	Good	
11/5/91 7:03	Auto FIC	0	Suspect	Data not included in graph
11/6/91 0:00	Manual Tape	235.25	Good	
11/6/91 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/7/91 0:00	Manual Tape	235.25	Good	
11/7/91 7:02	Auto FIC	0	Suspect	Data not included in graph
11/8/91 0:00	Manual Tape	235	Good	
11/8/91 7:03	Auto FIC	236.3	Good	
11/9/91 0:00	Manual Tape	235.00	Good	
11/9/91 7:02	Auto FIC	236.30	Good	
11/10/91 0:00	Manual Tape	235.25	Good	
11/10/91 7:03	Auto FIC	236.3	Good	
11/11/91 0:00	Manual Tape	235.25	Good	
11/11/91 6:03	Auto FIC	236.3	Good	
11/12/91 0:00	Manual Tape	235.25	Good	
11/12/91 7:03	Auto FIC	236.30	Good	
11/13/91 0:00	Manual Tape	235.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/13/91 7:03	Auto FIC	236.20	Good	
11/14/91 0:00	Manual Tape	235.25	Good	
11/14/91 7:03	Auto FIC	236.3	Good	
11/15/91 0:00	Manual Tape	235.25	Good	
11/15/91 7:03	Auto FIC	236.30	Good	
11/16/91 0:00	Manual Tape	235.25	Good	
11/16/91 7:03	Auto FIC	236.30	Good	
11/17/91 0:00	Manual Tape	235.25	Good	
11/17/91 7:02	Auto FIC	236.3	Good	
11/18/91 0:00	Manual Tape	235.25	Good	
11/18/91 7:03	Auto FIC	236.30	Good	
11/19/91 0:00	Manual Tape	235.25	Good	
11/19/91 7:03	Auto FIC	236.3	Good	
11/20/91 0:00	Manual Tape	235	Good	
11/20/91 7:03	Auto FIC	236.3	Good	
11/21/91 0:00	Manual Tape	235.00	Good	
11/21/91 7:02	Auto FIC	236.30	Good	
11/22/91 0:00	Manual Tape	235.00	Good	
11/22/91 7:03	Auto FIC	236.2	Good	
11/23/91 0:00	Manual Tape	235	Good	
11/23/91 7:02	Auto FIC	236.2	Good	
11/24/91 0:00	Manual Tape	235	Good	
11/24/91 7:03	Auto FIC	236.30	Good	
11/25/91 0:00	Manual Tape	235	Good	
11/25/91 7:03	Auto FIC	236.3	Good	
11/26/91 0:00	Manual FIC	236.3	Good	
11/26/91 0:00	Manual Tape	235	Good	
11/27/91 0:00	Manual Tape	235.00	Good	
11/27/91 7:03	Auto FIC	236.30	Good	
11/28/91 0:00	Manual Tape	235.25	Good	
11/28/91 7:03	Auto FIC	236.3	Good	
11/29/91 0:00	Manual Tape	235.25	Good	
11/29/91 7:03	Auto FIC	236.30	Good	
11/30/91 0:00	Manual Tape	235.25	Good	
11/30/91 7:03	Auto FIC	236.30	Good	
12/1/91 0:00	Manual Tape	235.25	Good	
12/1/91 7:03	Auto FIC	236.3	Good	
12/2/91 0:00	Manual Tape	235.25	Good	
12/2/91 7:03	Auto FIC	236.30	Good	
12/3/91 0:00	Manual Tape	235	Good	
12/3/91 7:03	Auto FIC	236.3	Good	
12/4/91 0:00	Manual Tape	235	Good	
12/4/91 7:03	Auto FIC	236.30	Good	
12/5/91 0:00	Manual Tape	235	Good	
12/5/91 7:03	Auto FIC	236.30	Good	
12/6/91 0:00	Manual Tape	235.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/6/91 7:04	Auto FIC	236.3	Good	
12/7/91 0:00	Manual Tape	235.00	Good	
12/7/91 7:03	Auto FIC	236.30	Good	
12/8/91 0:00	Manual Tape	235	Good	
12/8/91 7:03	Auto FIC	236.3	Good	
12/9/91 0:00	Manual Tape	235	Good	
12/9/91 7:03	Auto FIC	236.3	Good	
12/10/91 0:00	Manual Tape	235	Good	
12/10/91 7:03	Auto FIC	236.30	Good	
12/11/91 0:00	Manual Tape	235	Good	
12/11/91 7:02	Auto FIC	236.30	Good	
12/12/91 0:00	Manual Tape	235.00	Good	
12/12/91 7:03	Auto FIC	236.30	Good	
12/13/91 0:00	Manual Tape	235.25	Good	
12/13/91 7:05	Auto FIC	236.20	Good	
12/14/91 0:00	Manual Tape	235.00	Good	
12/14/91 7:02	Auto FIC	236.20	Good	
12/15/91 0:00	Manual Tape	235.25	Good	
12/15/91 7:02	Auto FIC	236.2	Good	
12/16/91 0:00	Manual Tape	235.25	Good	
12/16/91 7:03	Auto FIC	236.30	Good	
12/17/91 0:00	Manual Tape	235.25	Good	
12/17/91 7:06	Auto FIC	236.30	Good	
12/18/91 0:00	Manual Tape	235.25	Good	
12/18/91 7:03	Auto FIC	236.40	Good	
12/19/91 0:00	Manual Tape	235	Good	
12/19/91 7:03	Auto FIC	236.40	Good	
12/20/91 0:00	Manual Tape	235.25	Good	
12/20/91 7:02	Auto FIC	236.3	Good	
12/21/91 0:00	Manual Tape	235.25	Good	
12/21/91 7:03	Auto FIC	236.3	Good	
12/22/91 0:00	Manual Tape	235.25	Good	
12/22/91 7:05	Auto FIC	236.3	Good	
12/23/91 0:00	Manual Tape	235.00	Good	
12/23/91 7:06	Auto FIC	236.20	Good	
12/24/91 0:00	Manual Tape	235	Good	
12/24/91 7:03	Auto FIC	236.30	Good	
12/25/91 0:00	Manual Tape	235	Good	
12/25/91 7:03	Auto FIC	236.20	Good	
12/26/91 0:00	Manual Tape	235	Good	
12/26/91 7:03	Auto FIC	236.3	Good	
12/27/91 0:00	Manual Tape	235	Good	
12/27/91 7:03	Auto FIC	236.2	Good	
12/28/91 0:00	Manual Tape	235.00	Good	
12/28/91 7:02	Auto FIC	236.30	Good	
12/29/91 0:00	Manual Tape	235.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/29/91 7:03	Auto FIC	236.3	Good	
12/30/91 0:00	Manual Tape	235	Good	
12/30/91 7:03	Auto FIC	236.30	Good	
12/31/91 0:00	Manual Tape	235.00	Good	
12/31/91 7:03	Auto FIC	236.20	Good	
1/1/92 0:00	Manual Tape	235	Good	
1/1/92 7:03	Auto FIC	236.3	Good	
1/2/92 0:00	Manual Tape	235.00	Good	
1/2/92 7:02	Auto FIC	236.30	Good	
1/3/92 0:00	Manual Tape	235.25	Good	
1/3/92 7:04	Auto FIC	236.20	Good	
1/4/92 0:00	Manual Tape	235	Good	
1/4/92 7:03	Auto FIC	236.30	Good	
1/5/92 0:00	Manual Tape	235	Good	
1/5/92 7:03	Auto FIC	236.30	Good	
1/6/92 0:00	Manual Tape	235.00	Good	
1/6/92 7:03	Auto FIC	236.3	Good	
1/7/92 0:00	Manual Tape	235.00	Good	
1/7/92 7:04	Auto FIC	236.3	Good	
1/8/92 0:00	Manual Tape	235.00	Good	
1/8/92 7:03	Auto FIC	236.3	Good	
1/9/92 0:00	Manual Tape	235	Good	
1/9/92 7:03	Auto FIC	236.3	Good	
1/10/92 0:00	Manual Tape	235	Good	
1/10/92 7:04	Auto FIC	236.30	Good	
1/11/92 0:00	Manual Tape	235.00	Good	
1/11/92 7:04	Auto FIC	236.3	Good	
1/12/92 0:00	Manual FIC	236.2	Good	
1/12/92 0:00	Manual Tape	235.00	Good	
1/13/92 0:00	Manual FIC	236.20	Good	
1/13/92 0:00	Manual Tape	235.00	Good	
1/14/92 0:00	Manual FIC	236.2	Good	
1/14/92 0:00	Manual Tape	235.00	Good	
1/15/92 0:00	Manual Tape	235	Good	
1/15/92 7:03	Auto FIC	236.20	Good	
1/16/92 0:00	Manual Tape	235	Good	
1/16/92 7:04	Auto FIC	236.20	Good	
1/17/92 0:00	Manual Tape	235.00	Good	
1/17/92 7:04	Auto FIC	236.2	Good	
1/18/92 0:00	Manual Tape	235.00	Good	
1/18/92 7:04	Auto FIC	236.2	Good	
1/19/92 0:00	Manual Tape	235	Good	
1/19/92 7:03	Auto FIC	236.20	Good	
1/20/92 0:00	Manual Tape	235.00	Good	
1/20/92 7:03	Auto FIC	236.2	Good	
1/21/92 0:00	Manual Tape	235.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/21/92 7:03	Auto FIC	236.20	Good	
1/22/92 0:00	Manual Tape	235	Good	
1/22/92 7:06	Auto FIC	236.20	Good	
1/23/92 0:00	Manual Tape	235	Good	
1/23/92 7:03	Auto FIC	236.2	Good	
1/24/92 0:00	Manual Tape	235.00	Good	
1/24/92 7:02	Auto FIC	236.20	Good	
1/25/92 0:00	Manual Tape	235.00	Good	
1/25/92 7:03	Auto FIC	236.2	Good	
1/26/92 0:00	Manual Tape	235.00	Good	
1/26/92 6:03	Auto FIC	236.20	Good	
1/27/92 0:00	Manual Tape	235	Good	
1/27/92 7:02	Auto FIC	236.20	Good	
1/28/92 0:00	Manual Tape	235	Good	
1/28/92 7:03	Auto FIC	236.2	Good	
1/29/92 0:00	Manual Tape	235.00	Good	
1/29/92 7:03	Auto FIC	236.20	Good	
1/30/92 0:00	Manual Tape	235.00	Good	
1/30/92 7:03	Auto FIC	236.2	Good	
1/31/92 0:00	Manual Tape	235	Good	
1/31/92 7:03	Auto FIC	236.2	Good	
2/1/92 0:00	Manual Tape	235.00	Good	
2/1/92 7:02	Auto FIC	236.9	Good	
2/2/92 0:00	Manual Tape	235	Good	
2/2/92 7:03	Auto FIC	236.3	Good	
2/3/92 0:00	Manual Tape	235	Good	
2/3/92 7:03	Auto FIC	236.20	Good	
2/4/92 0:00	Manual Tape	235	Good	
2/4/92 7:03	Auto FIC	236.10	Good	
2/5/92 0:00	Manual Tape	235.00	Good	
2/5/92 7:02	Auto FIC	236.20	Good	
2/6/92 0:00	Manual FIC	236.2	Good	
2/6/92 0:00	Manual Tape	235.00	Good	
2/7/92 0:00	Manual FIC	236.20	Good	
2/7/92 0:00	Manual Tape	235.00	Good	
2/8/92 0:00	Manual Tape	235	Good	
2/8/92 7:04	Auto FIC	236.20	Good	
2/9/92 0:00	Manual Tape	235	Good	
2/9/92 7:03	Auto FIC	236.2	Good	
2/10/92 0:00	Manual Tape	235.00	Good	
2/10/92 7:04	Auto FIC	236.2	Good	
2/11/92 0:00	Manual Tape	235.00	Good	
2/11/92 7:03	Auto FIC	236.2	Good	
2/12/92 0:00	Manual Tape	235	Good	
2/12/92 7:03	Auto FIC	236.2	Good	
2/13/92 0:00	Manual Tape	235	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/13/92 7:03	Auto FIC	236.2	Good	
2/14/92 0:00	Manual Tape	235.00	Good	
2/14/92 7:03	Auto FIC	236.20	Good	
2/15/92 0:00	Manual Tape	235	Good	
2/15/92 7:03	Auto FIC	236.2	Good	
2/16/92 0:00	Manual Tape	235.00	Good	
2/16/92 7:03	Auto FIC	236.2	Good	
2/17/92 0:00	Manual Tape	235	Good	
2/17/92 7:03	Auto FIC	236.20	Good	
2/18/92 0:00	Manual Tape	235	Good	
2/18/92 7:03	Auto FIC	236.2	Good	
2/19/92 0:00	Manual Tape	235.00	Good	
2/19/92 7:03	Auto FIC	236.2	Good	
2/20/92 0:00	Manual Tape	235.00	Good	
2/20/92 7:03	Auto FIC	236.2	Good	
2/21/92 0:00	Manual Tape	235.00	Good	
2/21/92 7:03	Auto FIC	236.2	Good	
2/22/92 0:00	Manual Tape	235	Good	
2/22/92 7:03	Auto FIC	236.2	Good	
2/23/92 0:00	Manual Tape	235	Good	
2/23/92 7:03	Auto FIC	236.2	Good	
2/24/92 0:00	Manual Tape	235.00	Good	
2/24/92 7:03	Auto FIC	236.2	Good	
2/25/92 0:00	Manual Tape	235.00	Good	
2/25/92 7:04	Auto FIC	236.10	Good	
2/26/92 0:00	Manual Tape	235.00	Good	
2/26/92 7:03	Auto FIC	236.1	Good	
2/27/92 0:00	Manual Tape	235	Good	
2/27/92 7:04	Auto FIC	236.00	Good	
2/28/92 0:00	Manual Tape	235	Good	
2/28/92 7:04	Auto FIC	236	Good	
2/29/92 0:00	Manual Tape	235.00	Good	
2/29/92 7:03	Auto FIC	236.10	Good	
3/1/92 0:00	Manual Tape	235	Good	
3/1/92 7:03	Auto FIC	236.1	Good	
3/2/92 0:00	Manual Tape	235.00	Good	
3/2/92 7:03	Auto FIC	236.10	Good	
3/3/92 0:00	Manual Tape	235	Good	
3/3/92 7:04	Auto FIC	236.1	Good	
3/4/92 0:00	Manual Tape	235	Good	
3/4/92 7:04	Auto FIC	236.10	Good	
3/5/92 0:00	Manual Tape	235.00	Good	
3/5/92 7:03	Auto FIC	236.1	Good	
3/6/92 0:00	Manual Tape	235	Good	
3/6/92 7:03	Auto FIC	236.10	Good	
3/7/92 0:00	Manual Tape	235	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/7/92 7:02	Auto FIC	236.1	Good	
3/8/92 0:00	Manual Tape	235	Good	
3/8/92 7:02	Auto FIC	236.1	Good	
3/9/92 0:00	Manual Tape	235.00	Good	
3/9/92 7:02	Auto FIC	236.10	Good	
3/10/92 0:00	Manual Tape	235.00	Good	
3/10/92 7:03	Auto FIC	236.1	Good	
3/11/92 0:00	Manual Tape	235	Good	
3/11/92 7:03	Auto FIC	236	Good	
3/12/92 0:00	Manual FIC	236	Good	
3/12/92 0:00	Manual Tape	235.00	Good	
3/12/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/13/92 0:00	Manual FIC	236.05	Good	
3/13/92 0:00	Manual Tape	234.75	Good	
3/13/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/14/92 0:00	Manual Tape	235	Good	
3/14/92 7:03	Auto FIC	0	Suspect	Data not included in graph
3/15/92 0:00	Manual Tape	235.00	Good	
3/15/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
3/16/92 0:00	Manual Tape	235.00	Good	
3/16/92 7:03	Auto FIC	0	Suspect	Data not included in graph
3/17/92 0:00	Manual Tape	234.75	Good	
3/17/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/18/92 0:00	Manual Tape	235.00	Good	
3/18/92 7:03	Auto FIC	236	Good	
3/19/92 0:00	Manual Tape	234.75	Good	
3/19/92 6:02	Auto FIC	236	Good	
3/20/92 0:00	Manual Tape	234.75	Good	
3/20/92 7:02	Auto FIC	236.00	Good	
3/21/92 0:00	Manual Tape	235	Good	
3/21/92 7:03	Auto FIC	236	Good	
3/22/92 0:00	Manual Tape	235.00	Good	
3/22/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/23/92 0:00	Manual Tape	235.00	Good	
3/23/92 7:02	Auto FIC	0	Suspect	Data not included in graph
3/24/92 0:00	Manual Tape	235.00	Good	
3/24/92 7:02	Auto FIC	0	Suspect	Data not included in graph
3/25/92 0:00	Manual Tape	235	Good	
3/25/92 7:03	Auto FIC	0	Suspect	Data not included in graph
3/26/92 0:00	Manual Tape	235	Good	
3/26/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/27/92 0:00	Manual Tape	235	Good	
3/27/92 7:02	Auto FIC	0	Suspect	Data not included in graph
3/28/92 0:00	Manual Tape	235.00	Good	
3/28/92 7:03	Auto FIC	0	Suspect	Data not included in graph
3/29/92 0:00	Manual Tape	235.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/29/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/30/92 0:00	Manual Tape	235.00	Good	
3/30/92 7:03	Auto FIC	0	Suspect	Data not included in graph
3/31/92 0:00	Manual Tape	234.75	Good	
3/31/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/1/92 0:00	Manual Tape	235	Good	
4/1/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/2/92 0:00	Manual Tape	235	Good	
4/2/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/3/92 0:00	Manual Tape	235	Good	
4/3/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/4/92 0:00	Manual Tape	234.75	Good	
4/4/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/5/92 0:00	Manual Tape	235.00	Good	
4/5/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/6/92 0:00	Manual Tape	234.75	Good	
4/6/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/7/92 0:00	Manual Tape	235.00	Good	
4/7/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/8/92 0:00	Manual Tape	235.00	Good	
4/9/92 0:00	Manual Tape	235.00	Good	
4/9/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/10/92 0:00	Manual Tape	235	Good	
4/10/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/11/92 0:00	Manual Tape	235	Good	
4/11/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/12/92 0:00	Manual Tape	235	Good	
4/13/92 0:00	Manual Tape	235.00	Good	
4/13/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/14/92 0:00	Manual Tape	235	Good	
4/14/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/15/92 0:00	Manual Tape	235.00	Good	
4/15/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
4/16/92 0:00	Manual Tape	235.00	Good	
4/16/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/17/92 0:00	Manual Tape	235.00	Good	
4/17/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/18/92 0:00	Manual Tape	235.00	Good	
4/18/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
4/19/92 0:00	Manual Tape	235	Good	
4/19/92 7:02	Auto FIC	0	Suspect	Data not included in graph
4/20/92 0:00	Manual Tape	234.75	Good	
4/20/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/21/92 0:00	Manual Tape	234.75	Good	
4/21/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/22/92 0:00	Manual Tape	234.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/22/92 7:02	Auto FIC	0	Suspect	Data not included in graph
4/23/92 0:00	Manual Tape	234.75	Good	
4/23/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/24/92 0:00	Manual Tape	234.75	Good	
4/24/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/25/92 0:00	Manual Tape	235.00	Good	
4/25/92 7:04	Auto FIC	0	Suspect	Data not included in graph
4/26/92 0:00	Manual Tape	234.75	Good	
4/26/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/27/92 0:00	Manual Tape	235.25	Good	
4/27/92 7:04	Auto FIC	0	Suspect	Data not included in graph
4/28/92 0:00	Manual Tape	234.75	Good	
4/28/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/29/92 0:00	Manual Tape	234.75	Good	
4/29/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/30/92 0:00	Manual Tape	235.00	Good	
4/30/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/1/92 0:00	Manual Tape	235.00	Good	
5/1/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/2/92 0:00	Manual Tape	234.75	Good	
5/3/92 0:00	Manual Tape	234.75	Good	
5/3/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/4/92 0:00	Manual Tape	234.75	Good	
5/4/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/5/92 0:00	Manual Tape	234.75	Good	
5/5/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/6/92 0:00	Manual Tape	234.75	Good	
5/6/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/7/92 0:00	Manual Tape	234.75	Good	
5/7/92 7:04	Auto FIC	0	Suspect	Data not included in graph
5/8/92 0:00	Manual Tape	234.75	Good	
5/8/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/9/92 0:00	Manual Tape	234.75	Good	
5/10/92 0:00	Manual Tape	234.75	Good	
5/11/92 0:00	Manual Tape	234.75	Good	
5/12/92 0:00	Manual Tape	234.75	Good	
5/12/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/13/92 0:00	Manual Tape	234.75	Good	
5/13/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/14/92 0:00	Manual Tape	234.75	Good	
5/14/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/15/92 0:00	Manual Tape	234.75	Good	
5/15/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/16/92 0:00	Manual Tape	234.75	Good	
5/16/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/17/92 0:00	Manual Tape	234.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/17/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
5/18/92 0:00	Manual Tape	234.75	Good	
5/18/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/19/92 0:00	Manual Tape	234.75	Good	
5/19/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/20/92 0:00	Manual Tape	234.75	Good	
5/20/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/21/92 0:00	Manual Tape	234.75	Good	
5/21/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/22/92 0:00	Manual Tape	234.75	Good	
5/22/92 7:02	Auto FIC	0	Suspect	Data not included in graph
5/23/92 0:00	Manual Tape	234.75	Good	
5/23/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/24/92 0:00	Manual Tape	234.75	Good	
5/24/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/25/92 0:00	Manual Tape	234.75	Good	
5/25/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/26/92 0:00	Manual Tape	234.75	Good	
5/27/92 0:00	Manual Tape	234.75	Good	
5/27/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/28/92 0:00	Manual Tape	234.75	Good	
5/28/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
5/29/92 0:00	Manual Tape	234.75	Good	
5/29/92 7:02	Auto FIC	0	Suspect	Data not included in graph
5/30/92 0:00	Manual Tape	234.75	Good	
5/30/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/31/92 0:00	Manual Tape	234.75	Good	
5/31/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/1/92 0:00	Manual Tape	234.75	Good	
6/1/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/2/92 0:00	Manual Tape	235	Good	
6/2/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/3/92 0:00	Manual Tape	234.75	Good	
6/3/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/4/92 0:00	Manual Tape	234.75	Good	
6/4/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/5/92 0:00	Manual Tape	234.75	Good	
6/5/92 7:02	Auto FIC	0	Suspect	Data not included in graph
6/6/92 0:00	Manual Tape	234.75	Good	
6/6/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/7/92 0:00	Manual Tape	235.00	Good	
6/7/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/8/92 0:00	Manual Tape	234.75	Good	
6/8/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/9/92 0:00	Manual Tape	234.75	Good	
6/9/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/10/92 0:00	Manual Tape	234.75	Good	
6/10/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/11/92 0:00	Manual Tape	234.75	Good	
6/11/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/12/92 0:00	Manual Tape	234.75	Good	
6/12/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/13/92 0:00	Manual Tape	234.75	Good	
6/13/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/14/92 0:00	Manual Tape	234.75	Good	
6/15/92 0:00	Manual Tape	234.75	Good	
6/15/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/16/92 0:00	Manual Tape	234.75	Good	
6/16/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/17/92 0:00	Manual Tape	234.75	Good	
6/17/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/18/92 0:00	Manual Tape	235.00	Good	
6/18/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/19/92 0:00	Manual Tape	235.00	Good	
6/19/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
6/20/92 0:00	Manual Tape	235.00	Good	
6/20/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
6/21/92 0:00	Manual Tape	235	Good	
6/21/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/22/92 0:00	Manual Tape	235	Good	
6/22/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/23/92 0:00	Manual Tape	234.75	Good	
6/23/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/24/92 0:00	Manual Tape	234.75	Good	
6/24/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/25/92 0:00	Manual Tape	235	Good	
6/25/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/26/92 0:00	Manual Tape	235.00	Good	
6/26/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
6/27/92 0:00	Manual Tape	235.00	Good	
6/27/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/28/92 0:00	Manual Tape	235	Good	
6/28/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/29/92 0:00	Manual Tape	234.75	Good	
6/29/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/30/92 0:00	Manual Tape	235.00	Good	
6/30/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/1/92 0:00	Manual Tape	235.00	Good	
7/2/92 0:00	Manual Tape	235.00	Good	
7/3/92 0:00	Manual Tape	235.00	Good	
7/3/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/4/92 0:00	Manual Tape	234.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/4/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/5/92 0:00	Manual Tape	234.75	Good	
7/5/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/6/92 0:00	Manual Tape	235.00	Good	
7/6/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/7/92 0:00	Manual Tape	234.75	Good	
7/7/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/8/92 0:00	Manual Tape	234.75	Good	
7/8/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/9/92 0:00	Manual Tape	234.75	Good	
7/9/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/10/92 0:00	Manual Tape	234.75	Good	
7/10/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/11/92 0:00	Manual Tape	234.75	Good	
7/11/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/12/92 0:00	Manual Tape	234.75	Good	
7/12/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/13/92 0:00	Manual Tape	234.75	Good	
7/13/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/14/92 0:00	Manual Tape	234.75	Good	
7/14/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/15/92 0:00	Manual Tape	234.75	Good	
7/15/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/16/92 0:00	Manual Tape	234.75	Good	
7/16/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/17/92 0:00	Manual Tape	234.75	Good	
7/17/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/18/92 0:00	Manual Tape	234.75	Good	
7/18/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/19/92 0:00	Manual Tape	234.75	Good	
7/19/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/20/92 0:00	Manual Tape	234.75	Good	
7/20/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/21/92 0:00	Manual Tape	234.75	Good	
7/21/92 7:05	Auto FIC	0	Suspect	Data not included in graph
7/22/92 0:00	Manual Tape	234.75	Good	
7/22/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/23/92 0:00	Manual Tape	234.75	Good	
7/24/92 0:00	Manual Tape	234.75	Good	
7/24/92 7:05	Auto FIC	0	Suspect	Data not included in graph
7/25/92 0:00	Manual Tape	234.75	Good	
7/25/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/26/92 0:00	Manual Tape	234.75	Good	
7/26/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/27/92 0:00	Manual Tape	234.75	Good	
7/27/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/28/92 0:00	Manual Tape	235	Good	
7/28/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/29/92 0:00	Manual Tape	234.75	Good	
7/29/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/30/92 0:00	Manual Tape	234.75	Good	
7/30/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/31/92 0:00	Manual Tape	235.00	Good	
7/31/92 7:05	Auto FIC	0	Suspect	Data not included in graph
8/1/92 0:00	Manual Tape	235	Good	
8/1/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/2/92 0:00	Manual Tape	235.00	Good	
8/2/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/3/92 0:00	Manual Tape	235	Good	
8/3/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/4/92 0:00	Manual Tape	235	Good	
8/4/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/5/92 0:00	Manual Tape	234.75	Good	
8/5/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph
8/6/92 0:00	Manual Tape	234.75	Good	
8/6/92 7:05	Auto FIC	0	Suspect	Data not included in graph
8/7/92 0:00	Manual Tape	234.75	Good	
8/7/92 7:05	Auto FIC	0	Suspect	Data not included in graph
8/8/92 0:00	Manual Tape	234.75	Good	
8/8/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/9/92 0:00	Manual Tape	234.75	Good	
8/9/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/10/92 0:00	Manual Tape	234.75	Good	
8/10/92 7:05	Auto FIC	0	Suspect	Data not included in graph
8/11/92 0:00	Manual Tape	234.75	Good	
8/11/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/12/92 0:00	Manual Tape	234.75	Good	
8/12/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/13/92 0:00	Manual Tape	234.75	Good	
8/13/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/14/92 0:00	Manual Tape	234.75	Good	
8/14/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/15/92 0:00	Manual Tape	234.75	Good	
8/15/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/16/92 0:00	Manual Tape	234.75	Good	
8/16/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/17/92 0:00	Manual Tape	234.75	Good	
8/17/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/18/92 0:00	Manual Tape	234.75	Good	
8/18/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/19/92 0:00	Manual Tape	234.75	Good	
8/19/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/20/92 0:00	Manual Tape	234.75	Good	
8/20/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/21/92 0:00	Manual Tape	234.75	Good	
8/21/92 7:05	Auto FIC	0	Suspect	Data not included in graph
8/22/92 0:00	Manual Tape	234.75	Good	
8/22/92 7:04	Auto FIC	0	Suspect	Data not included in graph
8/23/92 0:00	Manual Tape	234.75	Good	
8/23/92 7:04	Auto FIC	0	Suspect	Data not included in graph
8/24/92 0:00	Manual Tape	234.75	Good	
8/24/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/25/92 0:00	Manual Tape	234.75	Good	
8/25/92 7:04	Auto FIC	0	Suspect	Data not included in graph
8/26/92 0:00	Manual Tape	234.75	Good	
8/26/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/27/92 0:00	Manual Tape	234.75	Good	
8/27/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/28/92 0:00	Manual Tape	234.75	Good	
8/28/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/29/92 0:00	Manual Tape	234.75	Good	
8/29/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/30/92 0:00	Manual Tape	234.75	Good	
8/30/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/31/92 0:00	Manual Tape	234.75	Good	
8/31/92 7:02	Auto FIC	0	Suspect	Data not included in graph
9/1/92 0:00	Manual Tape	234.75	Good	
9/1/92 7:02	Auto FIC	0	Suspect	Data not included in graph
9/2/92 0:00	Manual Tape	234.75	Good	
9/2/92 7:02	Auto FIC	0	Suspect	Data not included in graph
9/3/92 0:00	Manual Tape	234.75	Good	
9/3/92 7:04	Auto FIC	0	Suspect	Data not included in graph
9/4/92 0:00	Manual Tape	234.75	Good	
9/4/92 7:04	Auto FIC	0	Suspect	Data not included in graph
9/5/92 0:00	Manual Tape	234.75	Good	
9/5/92 7:04	Auto FIC	0	Suspect	Data not included in graph
9/6/92 0:00	Manual Tape	234.75	Good	
9/6/92 7:04	Auto FIC	0	Suspect	Data not included in graph
9/7/92 0:00	Manual Tape	234.75	Good	
9/7/92 7:05	Auto FIC	0	Suspect	Data not included in graph
9/8/92 0:00	Manual Tape	234.75	Good	
9/8/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph
9/9/92 0:00	Manual Tape	235	Good	
9/9/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/10/92 0:00	Manual Tape	235	Good	
9/10/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/11/92 0:00	Manual Tape	235.00	Good	
9/12/92 0:00	Manual Tape	234.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/13/92 0:00	Manual Tape	234.75	Good	
9/14/92 0:00	Manual Tape	234.75	Good	
9/15/92 0:00	Manual Tape	234.75	Good	
9/16/92 0:00	Manual Tape	234.75	Good	
9/17/92 0:00	Manual Tape	234.75	Good	
9/17/92 7:06	Auto FIC	0	Suspect	Data not included in graph
9/18/92 0:00	Manual Tape	234.75	Good	
9/18/92 7:06	Auto FIC	0	Suspect	Data not included in graph
9/19/92 0:00	Manual Tape	234.75	Good	
9/20/92 0:00	Manual Tape	234.75	Good	
9/21/92 0:00	Manual Tape	234.75	Good	
9/21/92 7:06	Auto FIC	0	Suspect	Data not included in graph
9/22/92 0:00	Manual Tape	234.75	Good	
9/22/92 7:03	Auto FIC	0	Suspect	Data not included in graph
9/23/92 0:00	Manual Tape	234.75	Good	
9/23/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/24/92 0:00	Manual Tape	234.75	Good	
9/24/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/25/92 0:00	Manual Tape	234.75	Good	
9/25/92 7:03	Auto FIC	0	Suspect	Data not included in graph
9/26/92 0:00	Manual Tape	234.75	Good	
9/26/92 7:02	Auto FIC	0	Suspect	Data not included in graph
9/27/92 0:00	Manual Tape	234.75	Good	
9/27/92 7:02	Auto FIC	0	Suspect	Data not included in graph
9/28/92 0:00	Manual Tape	234.75	Good	
9/28/92 7:02	Auto FIC	0	Suspect	Data not included in graph
9/29/92 0:00	Manual Tape	234.75	Good	
9/29/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/30/92 0:00	Manual Tape	234.75	Good	
9/30/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/1/92 0:00	Manual Tape	235.25	Good	
10/1/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/2/92 0:00	Manual Tape	234.75	Good	
10/2/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/3/92 0:00	Manual Tape	234.75	Good	
10/3/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/4/92 0:00	Manual Tape	234.75	Good	
10/4/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/5/92 0:00	Manual Tape	234.75	Good	
10/5/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/6/92 0:00	Manual Tape	234.75	Good	
10/6/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/7/92 0:00	Manual Tape	234.50	Good	
10/8/92 0:00	Manual Tape	234.50	Good	
10/8/92 7:02	Auto FIC	0	Suspect	Data not included in graph
10/9/92 0:00	Manual Tape	234.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/9/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/10/92 0:00	Manual Tape	234.75	Good	
10/10/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/11/92 0:00	Manual Tape	234.75	Good	
10/11/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/12/92 0:00	Manual Tape	234.75	Good	
10/13/92 0:00	Manual Tape	234.75	Good	
10/14/92 0:00	Manual Tape	234.75	Good	
10/14/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/15/92 0:00	Manual Tape	234.75	Good	
10/15/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/16/92 0:00	Manual Tape	234.75	Good	
10/16/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/17/92 0:00	Manual Tape	234.75	Good	
10/17/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/18/92 0:00	Manual Tape	234.75	Good	
10/18/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/19/92 0:00	Manual Tape	234.75	Good	
10/19/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/20/92 0:00	Manual Tape	234.75	Good	
10/20/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/21/92 0:00	Manual Tape	234.75	Good	
10/21/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/22/92 0:00	Manual Tape	234.75	Good	
10/23/92 0:00	Manual Tape	234.75	Good	
10/24/92 0:00	Manual Tape	234.75	Good	
10/24/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/25/92 0:00	Manual Tape	234.75	Good	
10/25/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/26/92 0:00	Manual Tape	234.75	Good	
10/27/92 0:00	Manual Tape	234.75	Good	
10/27/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/28/92 0:00	Manual Tape	234.75	Good	
10/28/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/29/92 0:00	Manual Tape	234.75	Good	
10/29/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/30/92 0:00	Manual Tape	234.75	Good	
10/30/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/31/92 0:00	Manual Tape	234.75	Good	
10/31/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/1/92 0:00	Manual Tape	234.75	Good	
11/1/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/2/92 0:00	Manual Tape	234.75	Good	
11/2/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/3/92 0:00	Manual Tape	234.75	Good	
11/3/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/4/92 0:00	Manual Tape	234.75	Good	
11/4/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/5/92 0:00	Manual Tape	234.75	Good	
11/6/92 0:00	Manual Tape	234.75	Good	
11/7/92 0:00	Manual Tape	234.75	Good	
11/8/92 0:00	Manual Tape	234.75	Good	
11/9/92 0:00	Manual Tape	234.75	Good	
11/10/92 0:00	Manual Tape	234.75	Good	
11/10/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/11/92 0:00	Manual Tape	234.75	Good	
11/11/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/12/92 0:00	Manual Tape	234.75	Good	
11/12/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/13/92 0:00	Manual Tape	234.75	Good	
11/13/92 7:04	Auto FIC	0	Suspect	Data not included in graph
11/14/92 0:00	Manual Tape	234.75	Good	
11/14/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/15/92 0:00	Manual Tape	234.75	Good	
11/15/92 7:04	Auto FIC	0	Suspect	Data not included in graph
11/16/92 0:00	Manual Tape	234.75	Good	
11/16/92 7:04	Auto FIC	0	Suspect	Data not included in graph
11/17/92 0:00	Manual Tape	234.75	Good	
11/17/92 7:04	Auto FIC	0	Suspect	Data not included in graph
11/18/92 0:00	Manual Tape	234.75	Good	
11/18/92 7:02	Auto FIC	0	Suspect	Data not included in graph
11/19/92 0:00	Manual Tape	234.50	Good	
11/19/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
11/20/92 0:00	Manual Tape	234.75	Good	
11/20/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/21/92 0:00	Manual Tape	234.75	Good	
11/21/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
11/22/92 0:00	Manual Tape	234.75	Good	
11/22/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/23/92 0:00	Manual Tape	234.75	Good	
11/23/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/24/92 0:00	Manual Tape	234.75	Good	
11/24/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/25/92 0:00	Manual Tape	234.50	Good	
11/25/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/26/92 0:00	Manual Tape	234.5	Good	
11/26/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/27/92 0:00	Manual Tape	234.50	Good	
11/27/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/28/92 0:00	Manual Tape	234.50	Good	
11/28/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/29/92 0:00	Manual Tape	234.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/29/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/30/92 0:00	Manual Tape	234.5	Good	
12/1/92 0:00	Manual Tape	234.75	Good	
12/1/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/2/92 0:00	Manual Tape	234.75	Good	
12/2/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/3/92 0:00	Manual Tape	234.75	Good	
12/3/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/4/92 0:00	Manual Tape	234.75	Good	
12/4/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/5/92 0:00	Manual Tape	234.75	Good	
12/6/92 0:00	Manual Tape	234.75	Good	
12/6/92 7:02	Auto FIC	0	Suspect	Data not included in graph
12/7/92 0:00	Manual Tape	234.75	Good	
12/7/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/8/92 0:00	Manual Tape	234.75	Good	
12/8/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/9/92 0:00	Manual Tape	234.75	Good	
12/9/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/10/92 0:00	Manual Tape	234.75	Good	
12/10/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/11/92 0:00	Manual Tape	234.75	Good	
12/11/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/12/92 0:00	Manual Tape	234.75	Good	
12/13/92 0:00	Manual Tape	234.75	Good	
12/13/92 7:04	Auto FIC	0	Suspect	Data not included in graph
12/14/92 0:00	Manual Tape	234.75	Good	
12/14/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/15/92 0:00	Manual Tape	234.75	Good	
12/15/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/16/92 0:00	Manual Tape	234.75	Good	
12/16/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/17/92 0:00	Manual Tape	234.75	Good	
12/17/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/18/92 0:00	Manual Tape	234.5	Good	
12/18/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/19/92 0:00	Manual Tape	234.5	Good	
12/19/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/20/92 0:00	Manual Tape	234.75	Good	
12/20/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/21/92 0:00	Manual Tape	234.75	Good	
12/21/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/22/92 0:00	Manual Tape	234.75	Good	
12/23/92 0:00	Manual Tape	234.75	Good	
12/23/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/24/92 0:00	Manual Tape	234.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/24/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/25/92 0:00	Manual Tape	234.75	Good	
12/25/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/26/92 0:00	Manual Tape	234.75	Good	
12/26/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/27/92 0:00	Manual Tape	234.75	Good	
12/27/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/28/92 0:00	Manual Tape	234.75	Good	
12/28/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/29/92 0:00	Manual Tape	234.50	Good	
12/30/92 0:00	Manual Tape	234.75	Good	
12/30/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/31/92 0:00	Manual Tape	234.75	Good	
12/31/92 7:03	Auto FIC	0	Suspect	Data not included in graph
1/1/93 0:00	Manual Tape	234.75	Good	
1/1/93 7:04	Auto FIC	0	Suspect	Data not included in graph
1/2/93 0:00	Manual Tape	234.5	Good	
1/3/93 0:00	Manual Tape	234.5	Good	
1/4/93 0:00	Manual Tape	234.5	Good	
1/5/93 0:00	Manual Tape	234.50	Good	
1/6/93 0:00	Manual Tape	234.50	Good	
1/7/93 0:00	Manual Tape	234.50	Good	
1/8/93 0:00	Manual Tape	234.75	Good	
1/9/93 0:00	Manual Tape	234.75	Good	
1/10/93 0:00	Manual Tape	234.75	Good	
1/11/93 0:00	Manual Tape	234.5	Good	
1/12/93 0:00	Manual Tape	234.50	Good	
1/12/93 7:06	Auto FIC	0	Suspect	Data not included in graph
1/13/93 0:00	Manual Tape	234.5	Good	
1/13/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
1/14/93 0:00	Manual Tape	234.25	Good	
1/14/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/15/93 0:00	Manual Tape	234.5	Good	
1/15/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/16/93 0:00	Manual Tape	234.5	Good	
1/17/93 0:00	Manual Tape	234.50	Good	
1/18/93 0:00	Manual Tape	234.50	Good	
1/19/93 0:00	Manual Tape	234.50	Good	
1/20/93 0:00	Manual Tape	234.5	Good	
1/21/93 0:00	Manual Tape	234.5	Good	
1/21/93 7:02	Auto FIC	0.00	Suspect	Data not included in graph
1/22/93 0:00	Manual Tape	234.5	Good	
1/22/93 7:04	Auto FIC	0	Suspect	Data not included in graph
1/23/93 0:00	Manual Tape	234.50	Good	
1/23/93 7:03	Auto FIC	0	Suspect	Data not included in graph
1/24/93 0:00	Manual Tape	234.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/24/93 7:03	Auto FIC	0	Suspect	Data not included in graph
1/25/93 0:00	Manual Tape	234.5	Good	
1/25/93 7:03	Auto FIC	0	Suspect	Data not included in graph
1/26/93 0:00	Manual Tape	234.50	Good	
1/26/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/27/93 0:00	Manual Tape	234.75	Good	
1/27/93 7:04	Auto FIC	0	Suspect	Data not included in graph
1/28/93 0:00	Manual Tape	234.5	Good	
1/28/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/29/93 0:00	Manual Tape	234.5	Good	
1/29/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/30/93 0:00	Manual Tape	234.5	Good	
1/30/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/31/93 0:00	Manual Tape	234.50	Good	
1/31/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/1/93 0:00	Manual Tape	234.50	Good	
2/1/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/2/93 0:00	Manual Tape	234.5	Good	
2/2/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/3/93 0:00	Manual Tape	234.5	Good	
2/4/93 0:00	Manual Tape	234.50	Good	
2/4/93 7:04	Auto FIC	0	Suspect	Data not included in graph
2/5/93 0:00	Manual Tape	234.50	Good	
2/5/93 7:04	Auto FIC	0	Suspect	Data not included in graph
2/6/93 0:00	Manual Tape	234.5	Good	
2/6/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/7/93 0:00	Manual Tape	234.5	Good	
2/7/93 7:03	Auto FIC	0	Suspect	Data not included in graph
2/8/93 0:00	Manual Tape	234.5	Good	
2/8/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/9/93 0:00	Manual Tape	234.5	Good	
2/9/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/10/93 0:00	Manual Tape	234.50	Good	
2/10/93 7:04	Auto FIC	0	Suspect	Data not included in graph
2/11/93 0:00	Manual Tape	234.50	Good	
2/11/93 7:04	Auto FIC	0	Suspect	Data not included in graph
2/12/93 0:00	Manual Tape	234.50	Good	
2/12/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/13/93 0:00	Manual Tape	234.50	Good	
2/13/93 7:03	Auto FIC	0	Suspect	Data not included in graph
2/14/93 0:00	Manual Tape	234.5	Good	
2/14/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/15/93 0:00	Manual Tape	234.25	Good	
2/15/93 7:04	Auto FIC	0	Suspect	Data not included in graph
2/16/93 0:00	Manual Tape	234.5	Good	
2/16/93 7:02	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/17/93 0:00	Manual Tape	234.5	Good	
2/18/93 0:00	Manual Tape	234.5	Good	
2/18/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/19/93 0:00	Manual Tape	234.50	Good	
2/19/93 7:02	Auto FIC	0	Suspect	Data not included in graph
2/20/93 0:00	Manual Tape	234.50	Good	
2/20/93 7:03	Auto FIC	0	Suspect	Data not included in graph
2/21/93 0:00	Manual Tape	234.5	Good	
2/21/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/22/93 0:00	Manual Tape	234.50	Good	
2/22/93 7:04	Auto FIC	0	Suspect	Data not included in graph
2/23/93 0:00	Manual Tape	234.5	Good	
2/23/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/24/93 0:00	Manual Tape	234.50	Good	
2/24/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/25/93 0:00	Manual Tape	234.5	Good	
2/25/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/26/93 0:00	Manual Tape	234.50	Good	
2/26/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/27/93 0:00	Manual Tape	234.5	Good	
2/27/93 7:04	Auto FIC	0	Suspect	Data not included in graph
2/28/93 0:00	Manual Tape	234.50	Good	
2/28/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/1/93 0:00	Manual Tape	234.5	Good	
3/1/93 7:03	Auto FIC	0	Suspect	Data not included in graph
3/2/93 0:00	Manual Tape	234.5	Good	
3/2/93 7:04	Auto FIC	0	Suspect	Data not included in graph
3/3/93 0:00	Manual Tape	234.50	Good	
3/3/93 7:03	Auto FIC	0	Suspect	Data not included in graph
3/4/93 0:00	Manual Tape	234.50	Good	
3/4/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/5/93 0:00	Manual Tape	234.5	Good	
3/5/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/6/93 0:00	Manual Tape	234.5	Good	
3/6/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/7/93 0:00	Manual Tape	234.5	Good	
3/7/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/8/93 0:00	Manual Tape	234.50	Good	
3/8/93 7:03	Auto FIC	0	Suspect	Data not included in graph
3/9/93 0:00	Manual Tape	234.50	Good	
3/9/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/10/93 0:00	Manual Tape	234.50	Good	
3/10/93 7:05	Auto FIC	0	Suspect	Data not included in graph
3/11/93 0:00	Manual Tape	234.5	Good	
3/11/93 7:04	Auto FIC	0	Suspect	Data not included in graph
3/12/93 0:00	Manual Tape	234.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/12/93 7:04	Auto FIC	0	Suspect	Data not included in graph
3/13/93 0:00	Manual Tape	234.50	Good	
3/13/93 7:03	Auto FIC	0	Suspect	Data not included in graph
3/14/93 0:00	Manual Tape	234.5	Good	
3/14/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/15/93 0:00	Manual Tape	234.5	Good	
3/15/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/16/93 0:00	Manual Tape	234.5	Good	
3/16/93 7:04	Auto FIC	0	Suspect	Data not included in graph
3/17/93 0:00	Manual Tape	234.5	Good	
3/17/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/18/93 0:00	Manual Tape	234.50	Good	
3/18/93 7:04	Auto FIC	0	Suspect	Data not included in graph
3/19/93 0:00	Manual Tape	234.50	Good	
3/19/93 7:03	Auto FIC	0	Suspect	Data not included in graph
3/20/93 0:00	Manual Tape	234.38	Good	
3/20/93 7:04	Auto FIC	0	Suspect	Data not included in graph
3/21/93 0:00	Manual Tape	234.50	Good	
3/21/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/22/93 0:00	Manual Tape	234.50	Good	
3/22/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/23/93 0:00	Manual Tape	234.5	Good	
3/23/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/24/93 0:00	Manual Tape	234.5	Good	
3/24/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/25/93 0:00	Manual Tape	234.5	Good	
3/25/93 7:03	Auto FIC	0	Suspect	Data not included in graph
3/26/93 0:00	Manual Tape	234.5	Good	
3/26/93 7:03	Auto FIC	0	Suspect	Data not included in graph
3/27/93 0:00	Manual Tape	234.50	Good	
3/27/93 7:03	Auto FIC	236.5	Good	
3/28/93 0:00	Manual Tape	234.50	Good	
3/28/93 7:03	Auto FIC	236.50	Good	
3/29/93 0:00	Manual FIC	236.5	Good	
3/29/93 0:00	Manual Tape	234.50	Good	
3/29/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/30/93 0:00	Manual FIC	236.5	Good	
3/30/93 0:00	Manual Tape	234.50	Good	
3/30/93 7:03	Auto FIC	236.50	Good	
3/31/93 0:00	Manual FIC	236.5	Good	
3/31/93 0:00	Manual Tape	234.5	Good	
3/31/93 7:03	Auto FIC	0	Suspect	Data not included in graph
4/1/93 0:00	Manual FIC	236.5	Good	
4/1/93 10:06	Manual FIC	236.5	Good	
4/1/93 10:06	Manual Tape	234.50	Good	
4/2/93 0:00	Manual FIC	236.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/2/93 10:06	Manual FIC	236.50	Good	
4/2/93 10:06	Manual Tape	234.50	Good	
4/3/93 0:00	Manual FIC	236.5	Good	
4/3/93 10:06	Manual FIC	236.5	Good	
4/3/93 10:06	Manual Tape	234.50	Good	
4/4/93 0:00	Manual FIC	236.55	Good	
4/4/93 10:06	Manual FIC	236.55	Good	
4/4/93 10:06	Manual Tape	234.5	Good	
4/5/93 0:00	Manual FIC	236.55	Good	
4/5/93 10:06	Manual FIC	236.55	Good	
4/5/93 10:06	Manual Tape	234.5	Good	
4/6/93 10:06	Manual Tape	234.5	Good	
4/7/93 10:06	Manual Tape	234.5	Good	
4/8/93 0:00	Manual FIC	236.50	Good	
4/8/93 10:06	Manual FIC	236.55	Good	
4/8/93 10:06	Manual Tape	234.50	Good	
4/9/93 0:00	Manual FIC	236.5	Good	
4/9/93 10:06	Manual Tape	234.50	Good	
4/10/93 0:00	Manual FIC	236.5	Good	
4/10/93 10:06	Manual Tape	234.5	Good	
4/11/93 0:00	Manual FIC	236.5	Good	
4/11/93 10:06	Manual Tape	234.50	Good	
4/12/93 0:00	Manual FIC	236.5	Good	
4/12/93 10:06	Manual Tape	234.5	Good	
4/13/93 0:00	Manual FIC	236.55	Good	
4/13/93 10:06	Manual FIC	236.55	Good	
4/13/93 10:06	Manual Tape	234.5	Good	
4/14/93 10:06	Manual Tape	234.5	Good	
4/15/93 10:06	Manual Tape	234.50	Good	
4/16/93 10:06	Manual Tape	234.50	Good	
4/17/93 10:06	Manual Tape	234.50	Good	
4/18/93 10:06	Manual Tape	234.50	Good	
4/19/93 10:06	Manual Tape	234.50	Good	
4/20/93 10:06	Manual Tape	234.38	Good	
4/21/93 10:06	Manual Tape	234.50	Good	
4/22/93 10:06	Manual Tape	234.5	Good	
4/23/93 10:06	Manual Tape	234.50	Good	
4/24/93 10:06	Manual Tape	234.5	Good	
4/25/93 10:06	Manual Tape	234.25	Good	
4/26/93 10:06	Manual Tape	234.25	Good	
4/27/93 7:06	Auto FIC	236.5	Good	
4/27/93 10:06	Manual Tape	234.50	Good	
4/28/93 7:03	Auto FIC	236.50	Good	
4/28/93 10:06	Manual Tape	234.25	Good	
4/29/93 7:03	Auto FIC	236.5	Good	
4/29/93 10:06	Manual Tape	234.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/30/93 7:06	Auto FIC	236.50	Good	
4/30/93 10:06	Manual Tape	234	Good	
5/1/93 7:05	Auto FIC	236.50	Good	
5/1/93 10:05	Manual Tape	234	Good	
5/2/93 7:06	Auto FIC	236.5	Good	
5/2/93 10:05	Manual Tape	234.00	Good	
5/3/93 7:06	Auto FIC	236.60	Good	
5/3/93 10:05	Manual Tape	234.50	Good	
5/4/93 0:00	Manual FIC	236.60	Good	
5/4/93 10:05	Manual FIC	236.6	Good	
5/4/93 10:05	Manual Tape	234.50	Good	
5/5/93 0:00	Manual FIC	236.5	Good	
5/5/93 10:05	Manual FIC	236.5	Good	
5/5/93 10:05	Manual Tape	234.50	Good	
5/6/93 0:00	Manual FIC	236.6	Good	
5/6/93 10:05	Manual FIC	236.6	Good	
5/6/93 10:05	Manual Tape	234.5	Good	
5/7/93 0:00	Manual FIC	222.1	Suspect	Data not included in graph
5/7/93 10:05	Manual FIC	222.1	Suspect	Data not included in graph
5/7/93 10:05	Manual Tape	234.25	Good	
5/8/93 10:05	Manual Tape	234.25	Good	
5/9/93 10:05	Manual Tape	234.25	Good	
5/10/93 10:05	Manual Tape	234.25	Good	
5/11/93 10:05	Manual Tape	234.25	Good	
5/12/93 10:05	Manual Tape	234.25	Good	
5/13/93 10:05	Manual Tape	234.5	Good	
5/14/93 10:05	Manual Tape	234.50	Good	
5/15/93 10:05	Manual Tape	234.5	Good	
5/16/93 10:05	Manual Tape	234.5	Good	
5/17/93 7:03	Auto FIC	0	Suspect	Data not included in graph
5/17/93 10:05	Manual Tape	234.5	Good	
5/18/93 7:03	Auto FIC	0	Suspect	Data not included in graph
5/18/93 10:05	Manual Tape	234.50	Good	
5/19/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/19/93 10:05	Manual Tape	234.50	Good	
5/20/93 7:03	Auto FIC	0	Suspect	Data not included in graph
5/20/93 10:05	Manual Tape	234.5	Good	
5/21/93 10:05	Manual Tape	234.50	Good	
5/22/93 10:05	Manual Tape	234.50	Good	
5/23/93 10:05	Manual Tape	234.5	Good	
5/24/93 10:05	Manual Tape	234.50	Good	
5/25/93 10:05	Manual Tape	234.5	Good	
5/26/93 10:05	Manual Tape	234.5	Good	
5/27/93 10:05	Manual Tape	234.25	Good	
5/28/93 10:05	Manual Tape	234.5	Good	
5/29/93 10:05	Manual Tape	234.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/30/93 10:05	Manual Tape	234.25	Good	
5/31/93 10:05	Manual Tape	234.50	Good	
6/1/93 10:00	Manual Tape	234.5	Good	
6/2/93 10:00	Manual Tape	234.25	Good	
6/3/93 10:00	Manual Tape	234.5	Good	
6/4/93 10:00	Manual Tape	234.25	Good	
6/5/93 10:00	Manual Tape	234.25	Good	
6/6/93 10:00	Manual Tape	234.25	Good	
6/7/93 10:00	Manual Tape	234.25	Good	
6/8/93 10:00	Manual Tape	234.25	Good	
6/9/93 10:00	Manual Tape	234.25	Good	
6/10/93 10:00	Manual Tape	234.25	Good	
6/11/93 10:00	Manual Tape	234.25	Good	
6/12/93 10:00	Manual Tape	234.25	Good	
6/13/93 10:00	Manual Tape	234.25	Good	
6/14/93 10:00	Manual Tape	234.50	Good	
6/15/93 10:00	Manual Tape	234.5	Good	
6/16/93 10:00	Manual Tape	234.25	Good	
6/17/93 10:00	Manual Tape	234.25	Good	
6/18/93 10:00	Manual Tape	234.5	Good	
6/19/93 10:00	Manual Tape	234.25	Good	
6/20/93 10:00	Manual Tape	234.25	Good	
6/21/93 10:00	Manual Tape	234.25	Good	
6/22/93 10:00	Manual Tape	234.25	Good	
6/23/93 10:00	Manual Tape	234.25	Good	
6/24/93 10:00	Manual Tape	234.25	Good	
6/25/93 10:00	Manual Tape	234.25	Good	
6/26/93 10:00	Manual Tape	234.00	Good	
6/27/93 10:00	Manual Tape	234.25	Good	
6/28/93 10:00	Manual Tape	234.5	Good	
6/29/93 10:00	Manual Tape	234.5	Good	
6/30/93 10:00	Manual Tape	234.25	Good	
7/1/93 10:00	Manual Tape	234.50	Good	
7/2/93 10:00	Manual Tape	234.25	Good	
7/3/93 10:00	Manual Tape	234.5	Good	
7/4/93 10:00	Manual Tape	234.5	Good	
7/5/93 10:00	Manual Tape	234.50	Good	
7/6/93 10:00	Manual Tape	234.5	Good	
7/7/93 10:00	Manual Tape	234.25	Good	
7/8/93 10:00	Manual Tape	234.50	Good	
7/9/93 10:00	Manual Tape	234.25	Good	
7/10/93 10:00	Manual Tape	234.5	Good	
7/11/93 10:00	Manual Tape	234.50	Good	
7/11/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/12/93 10:00	Manual Tape	234.5	Good	
7/12/93 15:04	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/13/93 10:00	Manual Tape	234.50	Good	
7/13/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/14/93 10:00	Manual Tape	234.5	Good	
7/14/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/15/93 10:00	Manual Tape	234.50	Good	
7/15/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/16/93 10:00	Manual Tape	234.5	Good	
7/16/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/17/93 10:00	Manual Tape	234.50	Good	
7/17/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/18/93 10:00	Manual Tape	234.50	Good	
7/18/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/19/93 10:00	Manual Tape	234.50	Good	
7/19/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/20/93 10:00	Manual Tape	234.5	Good	
7/20/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/21/93 10:00	Manual Tape	234.25	Good	
7/21/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/22/93 10:00	Manual Tape	234.50	Good	
7/22/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/23/93 10:00	Manual Tape	234.50	Good	
7/23/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/24/93 10:00	Manual Tape	234.5	Good	
7/24/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/25/93 10:00	Manual Tape	234.50	Good	
7/25/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/26/93 10:00	Manual Tape	234.5	Good	
7/26/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/27/93 10:00	Manual Tape	234.5	Good	
7/27/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/28/93 0:00	Manual Tape	234.5	Good	
7/28/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/29/93 0:00	Manual Tape	234.50	Good	
7/29/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
7/30/93 0:00	Manual Tape	234.5	Good	
7/30/93 7:03	Auto FIC	0	Suspect	Data not included in graph
7/31/93 0:00	Manual Tape	234.5	Good	
7/31/93 7:03	Auto FIC	0	Suspect	Data not included in graph
8/1/93 0:00	Manual Tape	234.50	Good	
8/1/93 7:03	Auto FIC	0	Suspect	Data not included in graph
8/2/93 0:00	Manual FIC	235.60	Good	
8/2/93 0:00	Manual Tape	234.50	Good	
8/2/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/3/93 0:00	Manual Tape	234.50	Good	
8/3/93 7:03	Auto FIC	235.6	Good	
8/4/93 0:00	Manual Tape	234.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/4/93 7:03	Auto FIC	235.60	Good	
8/5/93 0:00	Manual Tape	234.50	Good	
8/5/93 7:04	Auto FIC	235.60	Good	
8/6/93 0:00	Manual Tape	234.5	Good	
8/6/93 7:04	Auto FIC	235.60	Good	
8/7/93 0:00	Manual Tape	234.50	Good	
8/7/93 7:04	Auto FIC	235.6	Good	
8/8/93 0:00	Manual Tape	234.50	Good	
8/8/93 7:04	Auto FIC	235.60	Good	
8/9/93 0:00	Manual Tape	234.50	Good	
8/9/93 7:04	Auto FIC	235.6	Good	
8/10/93 0:00	Manual Tape	234.5	Good	
8/10/93 7:04	Auto FIC	235.60	Good	
8/11/93 0:00	Manual Tape	234.5	Good	
8/11/93 7:04	Auto FIC	235.6	Good	
8/12/93 0:00	Manual Tape	234.50	Good	
8/12/93 7:04	Auto FIC	235.6	Good	
8/13/93 0:00	Manual Tape	234.50	Good	
8/13/93 7:04	Auto FIC	235.6	Good	
8/14/93 0:00	Manual Tape	234.5	Good	
8/14/93 7:03	Auto FIC	235.60	Good	
8/15/93 0:00	Manual Tape	234.5	Good	
8/15/93 7:04	Auto FIC	235.60	Good	
8/16/93 0:00	Manual Tape	234.5	Good	
8/16/93 7:04	Auto FIC	235.60	Good	
8/17/93 0:00	Manual Tape	234.5	Good	
8/17/93 7:04	Auto FIC	235.60	Good	
8/18/93 0:00	Manual Tape	234.50	Good	
8/18/93 7:03	Auto FIC	235.60	Good	
8/19/93 0:00	Manual Tape	234.50	Good	
8/19/93 7:04	Auto FIC	235.6	Good	
8/20/93 0:00	Manual Tape	234.50	Good	
8/20/93 7:04	Auto FIC	235.6	Good	
8/21/93 0:00	Manual Tape	234.50	Good	
8/21/93 7:04	Auto FIC	235.6	Good	
8/22/93 0:00	Manual Tape	234.50	Good	
8/22/93 7:04	Auto FIC	235.60	Good	
8/23/93 0:00	Manual Tape	234.5	Good	
8/23/93 7:04	Auto FIC	235.6	Good	
8/24/93 0:00	Manual Tape	234.5	Good	
8/24/93 7:04	Auto FIC	235.6	Good	
8/25/93 0:00	Manual Tape	234.5	Good	
8/25/93 7:04	Auto FIC	235.6	Good	
8/26/93 0:00	Manual Tape	234.5	Good	
8/26/93 7:04	Auto FIC	235.60	Good	
8/27/93 0:00	Manual Tape	234.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/27/93 7:05	Auto FIC	235.60	Good	
8/28/93 0:00	Manual Tape	234.50	Good	
8/28/93 7:04	Auto FIC	235.60	Good	
8/29/93 0:00	Manual Tape	234.50	Good	
8/29/93 7:03	Auto FIC	235.6	Good	
8/30/93 0:00	Manual Tape	234.5	Good	
8/30/93 7:04	Auto FIC	235.60	Good	
8/31/93 0:00	Manual Tape	234.5	Good	
8/31/93 7:04	Auto FIC	235.6	Good	
9/1/93 0:00	Manual Tape	234.5	Good	
9/1/93 7:04	Auto FIC	235.6	Good	
9/2/93 0:00	Manual Tape	234.50	Good	
9/2/93 7:04	Auto FIC	235.6	Good	
9/3/93 0:00	Manual Tape	234.50	Good	
9/3/93 7:04	Auto FIC	235.60	Good	
9/4/93 0:00	Manual Tape	234.50	Good	
9/4/93 7:04	Auto FIC	235.60	Good	
9/5/93 0:00	Manual Tape	234.50	Good	
9/5/93 7:04	Auto FIC	235.6	Good	
9/6/93 0:00	Manual Tape	234.5	Good	
9/6/93 7:04	Auto FIC	235.6	Good	
9/7/93 0:00	Manual Tape	234.5	Good	
9/7/93 7:04	Auto FIC	235.6	Good	
9/8/93 0:00	Manual Tape	234.5	Good	
9/8/93 7:04	Auto FIC	235.60	Good	
9/9/93 0:00	Manual Tape	234.5	Good	
9/9/93 7:04	Auto FIC	235.60	Good	
9/10/93 0:00	Manual Tape	234.50	Good	
9/10/93 7:04	Auto FIC	235.60	Good	
9/11/93 0:00	Manual Tape	234.5	Good	
9/11/93 7:04	Auto FIC	235.60	Good	
9/12/93 0:00	Manual Tape	234.50	Good	
9/12/93 7:04	Auto FIC	235.6	Good	
9/13/93 0:00	Manual Tape	234.50	Good	
9/13/93 7:04	Auto FIC	235.50	Good	
9/14/93 0:00	Manual Tape	234.50	Good	
9/14/93 7:04	Auto FIC	235.60	Good	
9/15/93 0:00	Manual Tape	234.50	Good	
9/15/93 7:04	Auto FIC	235.60	Good	
9/16/93 0:00	Manual Tape	234.5	Good	
9/16/93 7:04	Auto FIC	235.6	Good	
9/17/93 0:00	Manual Tape	234.50	Good	
9/17/93 7:04	Auto FIC	235.6	Good	
9/18/93 0:00	Manual Tape	234.5	Good	
9/18/93 7:04	Auto FIC	235.6	Good	
9/19/93 0:00	Manual Tape	234.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/19/93 7:04	Auto FIC	235.6	Good	
9/20/93 0:00	Manual Tape	234.25	Good	
9/20/93 7:04	Auto FIC	235.6	Good	
9/21/93 0:00	Manual Tape	234.5	Good	
9/21/93 7:04	Auto FIC	235.50	Good	
9/22/93 0:00	Manual Tape	234.50	Good	
9/22/93 7:04	Auto FIC	235.6	Good	
9/23/93 0:00	Manual Tape	234.5	Good	
9/23/93 7:04	Auto FIC	235.50	Good	
9/24/93 0:00	Manual Tape	234.5	Good	
9/24/93 7:04	Auto FIC	235.5	Good	
9/25/93 0:00	Manual Tape	234.5	Good	
9/25/93 7:04	Auto FIC	235.50	Good	
9/26/93 0:00	Manual Tape	234.50	Good	
9/26/93 7:04	Auto FIC	235.5	Good	
9/27/93 0:00	Manual Tape	234.50	Good	
9/27/93 7:04	Auto FIC	235.50	Good	
9/28/93 0:00	Manual Tape	234.50	Good	
9/28/93 7:04	Auto FIC	235.6	Good	
9/29/93 0:00	Manual Tape	234.50	Good	
9/29/93 7:04	Auto FIC	235.5	Good	
9/30/93 0:00	Manual Tape	234.5	Good	
9/30/93 7:03	Auto FIC	235.6	Good	
10/1/93 0:00	Manual Tape	234.25	Good	
10/1/93 7:06	Auto FIC	235.6	Good	
10/2/93 0:00	Manual Tape	234.5	Good	
10/2/93 7:05	Auto FIC	235.6	Good	
10/3/93 0:00	Manual Tape	234.50	Good	
10/3/93 7:06	Auto FIC	235.60	Good	
10/4/93 0:00	Manual Tape	234.50	Good	
10/4/93 7:06	Auto FIC	235.6	Good	
10/5/93 0:00	Manual Tape	234.50	Good	
10/5/93 7:06	Auto FIC	235.6	Good	
10/6/93 0:00	Manual Tape	234.5	Good	
10/6/93 7:06	Auto FIC	235.70	Good	
10/7/93 0:00	Manual Tape	234.5	Good	
10/7/93 7:05	Auto FIC	235.70	Good	
10/8/93 0:00	Manual Tape	234.5	Good	
10/8/93 7:04	Auto FIC	235.6	Good	
10/9/93 0:00	Manual Tape	234.5	Good	
10/9/93 7:03	Auto FIC	235.60	Good	
10/10/93 0:00	Manual Tape	234.50	Good	
10/10/93 6:04	Auto FIC	235.70	Good	
10/11/93 0:00	Manual Tape	234.50	Good	
10/11/93 7:03	Auto FIC	235.6	Good	
10/12/93 0:00	Manual Tape	234.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/12/93 7:04	Auto FIC	235.6	Good	
10/13/93 0:00	Manual Tape	234.25	Good	
10/13/93 7:03	Auto FIC	235.6	Good	
10/14/93 0:00	Manual Tape	234.5	Good	
10/14/93 7:04	Auto FIC	235.6	Good	
10/15/93 0:00	Manual Tape	234.50	Good	
10/15/93 7:04	Auto FIC	235.70	Good	
10/16/93 0:00	Manual Tape	234.5	Good	
10/16/93 7:04	Auto FIC	235.7	Good	
10/17/93 0:00	Manual Tape	234.5	Good	
10/17/93 7:03	Auto FIC	235.70	Good	
10/18/93 0:00	Manual Tape	234.5	Good	
10/18/93 7:04	Auto FIC	235.7	Good	
10/19/93 0:00	Manual Tape	234.5	Good	
10/19/93 7:04	Auto FIC	235.70	Good	
10/20/93 0:00	Manual Tape	234.50	Good	
10/20/93 7:03	Auto FIC	235.70	Good	
10/21/93 0:00	Manual Tape	234.50	Good	
10/21/93 7:04	Auto FIC	235.7	Good	
10/22/93 0:00	Manual Tape	234.50	Good	
10/22/93 7:04	Auto FIC	235.70	Good	
10/23/93 0:00	Manual Tape	234.50	Good	
10/23/93 7:04	Auto FIC	235.7	Good	
10/24/93 0:00	Manual Tape	234.5	Good	
10/24/93 7:04	Auto FIC	235.7	Good	
10/25/93 0:00	Manual Tape	234.5	Good	
10/25/93 7:04	Auto FIC	235.70	Good	
10/26/93 0:00	Manual Tape	234.5	Good	
10/26/93 6:03	Auto FIC	235.70	Good	
10/27/93 0:00	Manual Tape	234.50	Good	
10/27/93 7:04	Auto FIC	235.70	Good	
10/28/93 0:00	Manual Tape	234.25	Good	
10/28/93 7:04	Auto FIC	235.70	Good	
10/29/93 0:00	Manual Tape	234.25	Good	
10/29/93 6:03	Auto FIC	235.7	Good	
10/30/93 0:00	Manual Tape	234.5	Good	
10/30/93 7:04	Auto FIC	235.7	Good	
10/31/93 0:00	Manual Tape	234.5	Good	
10/31/93 7:06	Auto FIC	235.70	Good	
11/1/93 0:00	Manual Tape	234.5	Good	
11/1/93 7:06	Auto FIC	235.7	Good	
11/2/93 0:00	Manual Tape	234.5	Good	
11/2/93 7:04	Auto FIC	235.7	Good	
11/3/93 0:00	Manual Tape	234.50	Good	
11/3/93 7:06	Auto FIC	235.7	Good	
11/4/93 0:00	Manual Tape	234.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/4/93 7:04	Auto FIC	235.7	Good	
11/5/93 0:00	Manual Tape	234.50	Good	
11/5/93 7:06	Auto FIC	235.70	Good	
11/6/93 0:00	Manual Tape	234.5	Good	
11/6/93 7:06	Auto FIC	235.80	Good	
11/7/93 0:00	Manual Tape	234.5	Good	
11/7/93 7:06	Auto FIC	235.80	Good	
11/8/93 0:00	Manual Tape	234.50	Good	
11/8/93 7:06	Auto FIC	235.80	Good	
11/9/93 0:00	Manual Tape	234.5	Good	
11/9/93 7:03	Auto FIC	235.8	Good	
11/10/93 0:00	Manual Tape	234.50	Good	
11/10/93 7:04	Auto FIC	235.8	Good	
11/11/93 0:00	Manual Tape	234.5	Good	
11/11/93 7:04	Auto FIC	235.8	Good	
11/12/93 0:00	Manual Tape	234.50	Good	
11/12/93 7:04	Auto FIC	235.80	Good	
11/13/93 0:00	Manual Tape	234.50	Good	
11/13/93 7:04	Auto FIC	235.80	Good	
11/14/93 0:00	Manual Tape	234.50	Good	
11/14/93 6:04	Auto FIC	235.8	Good	
11/15/93 0:00	Manual Tape	234.50	Good	
11/15/93 7:04	Auto FIC	235.9	Good	
11/16/93 0:00	Manual Tape	234.50	Good	
11/16/93 7:03	Auto FIC	235.90	Good	
11/17/93 0:00	Manual Tape	234.5	Good	
11/17/93 7:04	Auto FIC	235.9	Good	
11/18/93 0:00	Manual Tape	234.25	Good	
11/18/93 7:04	Auto FIC	235.80	Good	
11/19/93 0:00	Manual Tape	234	Good	
11/19/93 7:04	Auto FIC	235.8	Good	
11/20/93 0:00	Manual Tape	234.25	Good	
11/20/93 7:04	Auto FIC	235.8	Good	
11/21/93 0:00	Manual Tape	234.25	Good	
11/21/93 7:04	Auto FIC	235.80	Good	
11/22/93 0:00	Manual Tape	234.5	Good	
11/22/93 7:04	Auto FIC	235.80	Good	
11/23/93 0:00	Manual Tape	234.25	Good	
11/23/93 7:04	Auto FIC	235.80	Good	
11/24/93 0:00	Manual Tape	234.25	Good	
11/24/93 7:04	Auto FIC	235.80	Good	
11/25/93 0:00	Manual Tape	234.25	Good	
11/25/93 7:04	Auto FIC	235.70	Good	
11/26/93 0:00	Manual Tape	234.25	Good	
11/26/93 7:04	Auto FIC	235.7	Good	
11/27/93 0:00	Manual Tape	234.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/27/93 7:04	Auto FIC	235.7	Good	
11/28/93 0:00	Manual Tape	234.25	Good	
11/28/93 7:03	Auto FIC	235.70	Good	
11/29/93 0:00	Manual Tape	234.25	Good	
11/29/93 7:04	Auto FIC	235.7	Good	
11/30/93 0:00	Manual Tape	234.5	Good	
11/30/93 7:03	Auto FIC	235.80	Good	
12/1/93 0:00	Manual Tape	234.5	Good	
12/1/93 7:04	Auto FIC	235.8	Good	
12/2/93 0:00	Manual Tape	234.50	Good	
12/2/93 7:04	Auto FIC	235.8	Good	
12/3/93 0:00	Manual Tape	234.5	Good	
12/3/93 7:05	Auto FIC	235.8	Good	
12/4/93 0:00	Manual Tape	234.5	Good	
12/4/93 7:05	Auto FIC	235.80	Good	
12/5/93 0:00	Manual Tape	234.50	Good	
12/5/93 7:04	Auto FIC	235.70	Good	
12/6/93 0:00	Manual Tape	234.00	Good	
12/6/93 7:05	Auto FIC	235.70	Good	
12/7/93 0:00	Manual Tape	234.50	Good	
12/7/93 7:04	Auto FIC	235.7	Good	
12/8/93 0:00	Manual Tape	234.00	Good	
12/8/93 3:05	Auto FIC	235.8	Good	
12/9/93 0:00	Manual Tape	234.25	Good	
12/9/93 7:04	Auto FIC	0	Suspect	Data not included in graph
12/10/93 0:00	Manual Tape	234	Good	
12/11/93 0:00	Manual Tape	234.25	Good	
12/11/93 7:06	Auto FIC	0	Suspect	Data not included in graph
12/12/93 0:00	Manual FIC	235.40	Good	
12/12/93 0:00	Manual Tape	234.25	Good	
12/12/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
12/13/93 0:00	Manual FIC	235.40	Good	
12/13/93 0:00	Manual Tape	234	Good	
12/13/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
12/14/93 0:00	Manual FIC	235.5	Good	
12/14/93 0:00	Manual Tape	234.00	Good	
12/14/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
12/15/93 0:00	Manual FIC	235.5	Good	
12/15/93 0:00	Manual Tape	234.00	Good	
12/15/93 7:06	Auto FIC	0	Suspect	Data not included in graph
12/16/93 0:00	Manual FIC	235.35	Good	
12/16/93 0:00	Manual Tape	234.25	Good	
12/16/93 7:06	Auto FIC	0	Suspect	Data not included in graph
12/17/93 0:00	Manual FIC	235.30	Good	
12/17/93 0:00	Manual Tape	234.25	Good	
12/17/93 7:05	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/18/93 0:00	Manual FIC	235.3	Good	
12/18/93 0:00	Manual Tape	234.00	Good	
12/18/93 7:06	Auto FIC	0	Suspect	Data not included in graph
12/19/93 0:00	Manual FIC	235.30	Good	
12/19/93 0:00	Manual Tape	234.25	Good	
12/19/93 7:06	Auto FIC	0	Suspect	Data not included in graph
12/20/93 0:00	Manual FIC	235.3	Good	
12/20/93 0:00	Manual Tape	234.25	Good	
12/20/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
12/21/93 0:00	Manual Tape	234.25	Good	
12/21/93 7:06	Auto FIC	0	Suspect	Data not included in graph
12/22/93 0:00	Manual FIC	235.25	Good	
12/22/93 0:00	Manual Tape	234.25	Good	
12/22/93 7:05	Auto FIC	0.00	Suspect	Data not included in graph
12/23/93 0:00	Manual FIC	235.2	Good	
12/23/93 0:00	Manual Tape	234.25	Good	
12/23/93 7:04	Auto FIC	0	Suspect	Data not included in graph
12/24/93 0:00	Manual FIC	235.25	Good	
12/24/93 0:00	Manual Tape	234.25	Good	
12/24/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
12/25/93 0:00	Manual FIC	235.25	Good	
12/25/93 0:00	Manual Tape	234.25	Good	
12/25/93 7:06	Auto FIC	0	Suspect	Data not included in graph
12/26/93 0:00	Manual FIC	235.25	Good	
12/26/93 0:00	Manual Tape	234.25	Good	
12/26/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
12/27/93 0:00	Manual FIC	235.3	Good	
12/27/93 0:00	Manual Tape	234.5	Good	
12/27/93 7:06	Auto FIC	0	Suspect	Data not included in graph
12/28/93 0:00	Manual FIC	235.25	Good	
12/28/93 0:00	Manual Tape	234.25	Good	
12/28/93 7:06	Auto FIC	0	Suspect	Data not included in graph
12/29/93 0:00	Manual FIC	235.2	Good	
12/29/93 0:00	Manual Tape	234.25	Good	
12/29/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
12/30/93 0:00	Manual FIC	235.25	Good	
12/30/93 0:00	Manual Tape	234.25	Good	
12/30/93 7:05	Auto FIC	0	Suspect	Data not included in graph
12/31/93 0:00	Manual FIC	235.3	Good	
12/31/93 0:00	Manual Tape	234.25	Good	
12/31/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
1/1/94 0:00	Manual FIC	235.3	Good	
1/1/94 0:00	Manual Tape	234	Good	
1/1/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
1/2/94 0:00	Manual FIC	235.3	Good	
1/2/94 0:00	Manual Tape	234.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/2/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
1/3/94 0:00	Manual FIC	235.25	Good	
1/3/94 0:00	Manual Tape	234.25	Good	
1/3/94 7:07	Auto FIC	0	Suspect	Data not included in graph
1/4/94 0:00	Manual FIC	235.3	Good	
1/4/94 0:00	Manual Tape	234.25	Good	
1/4/94 7:07	Auto FIC	0	Suspect	Data not included in graph
1/5/94 0:00	Manual FIC	235.30	Good	
1/5/94 0:00	Manual Tape	234.50	Good	
1/5/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
1/6/94 0:00	Manual FIC	235.30	Good	
1/6/94 0:00	Manual Tape	234.25	Good	
1/6/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
1/7/94 0:00	Manual FIC	235.3	Good	
1/7/94 0:00	Manual Tape	234.25	Good	
1/7/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
1/8/94 0:00	Manual FIC	235.3	Good	
1/8/94 0:00	Manual Tape	234.25	Good	
1/8/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
1/9/94 0:00	Manual FIC	235.3	Good	
1/9/94 0:00	Manual Tape	234.25	Good	
1/9/94 7:06	Auto FIC	0	Suspect	Data not included in graph
1/10/94 0:00	Manual FIC	235.3	Good	
1/10/94 0:00	Manual Tape	234.25	Good	
1/10/94 7:07	Auto FIC	0	Suspect	Data not included in graph
1/11/94 0:00	Manual FIC	235.35	Good	
1/11/94 0:00	Manual Tape	234.25	Good	
1/11/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
1/12/94 0:00	Manual FIC	235.3	Good	
1/12/94 0:00	Manual Tape	234.25	Good	
1/12/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
1/13/94 0:00	Manual FIC	235.30	Good	
1/13/94 0:00	Manual Tape	234.25	Good	
1/13/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/14/94 0:00	Manual FIC	235.3	Good	
1/14/94 0:00	Manual Tape	234.25	Good	
1/14/94 7:06	Auto FIC	0	Suspect	Data not included in graph
1/15/94 0:00	Manual FIC	235.35	Good	
1/15/94 0:00	Manual Tape	234.25	Good	
1/15/94 7:04	Auto FIC	0	Suspect	Data not included in graph
1/16/94 0:00	Manual FIC	235.4	Good	
1/16/94 0:00	Manual Tape	234.25	Good	
1/16/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
1/17/94 0:00	Manual FIC	235.3	Good	
1/17/94 0:00	Manual Tape	234.25	Good	
1/17/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/18/94 0:00	Manual FIC	235.30	Good	
1/18/94 0:00	Manual Tape	234.25	Good	
1/18/94 7:07	Auto FIC	0	Suspect	Data not included in graph
1/19/94 0:00	Manual FIC	235.30	Good	
1/19/94 0:00	Manual Tape	234.25	Good	
1/19/94 7:07	Auto FIC	0	Suspect	Data not included in graph
1/20/94 0:00	Manual FIC	235.3	Good	
1/20/94 0:00	Manual Tape	234.25	Good	
1/20/94 7:07	Auto FIC	0	Suspect	Data not included in graph
1/21/94 0:00	Manual FIC	235.30	Good	
1/21/94 0:00	Manual Tape	234.25	Good	
1/21/94 7:07	Auto FIC	0	Suspect	Data not included in graph
1/22/94 0:00	Manual FIC	235.3	Good	
1/22/94 0:00	Manual Tape	234.25	Good	
1/22/94 7:08	Auto FIC	0	Suspect	Data not included in graph
1/23/94 0:00	Manual FIC	235.3	Good	
1/23/94 0:00	Manual Tape	234.25	Good	
1/23/94 7:07	Auto FIC	0	Suspect	Data not included in graph
1/24/94 0:00	Manual FIC	235.3	Good	
1/24/94 0:00	Manual Tape	234.25	Good	
1/24/94 7:08	Auto FIC	0.00	Suspect	Data not included in graph
1/25/94 0:00	Manual FIC	235.3	Good	
1/25/94 0:00	Manual Tape	234.25	Good	
1/25/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
1/26/94 0:00	Manual FIC	235.3	Good	
1/26/94 0:00	Manual Tape	234.00	Good	
1/26/94 7:06	Auto FIC	0	Suspect	Data not included in graph
1/27/94 0:00	Manual FIC	235.3	Good	
1/27/94 0:00	Manual Tape	234.25	Good	
1/27/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/28/94 0:00	Manual Tape	234.25	Good	
1/28/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
1/29/94 0:00	Manual FIC	235.25	Good	
1/29/94 0:00	Manual Tape	234.25	Good	
1/29/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
1/30/94 0:00	Manual FIC	235.30	Good	
1/30/94 0:00	Manual Tape	234.25	Good	
1/30/94 7:06	Auto FIC	0	Suspect	Data not included in graph
1/31/94 0:00	Manual FIC	235.25	Good	
1/31/94 0:00	Manual Tape	234.25	Good	
1/31/94 7:07	Auto FIC	0	Suspect	Data not included in graph
2/1/94 0:00	Manual FIC	235.25	Good	
2/1/94 0:00	Manual Tape	234.25	Good	
2/1/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/2/94 0:00	Manual FIC	235.2	Good	
2/2/94 0:00	Manual Tape	234.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/2/94 7:07	Auto FIC	0	Suspect	Data not included in graph
2/3/94 0:00	Manual FIC	235.25	Good	
2/3/94 0:00	Manual Tape	234.25	Good	
2/3/94 7:07	Auto FIC	0	Suspect	Data not included in graph
2/4/94 0:00	Manual FIC	235.2	Good	
2/4/94 0:00	Manual Tape	234.25	Good	
2/4/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
2/5/94 0:00	Manual FIC	235.2	Good	
2/5/94 0:00	Manual Tape	234.25	Good	
2/5/94 7:07	Auto FIC	0	Suspect	Data not included in graph
2/6/94 0:00	Manual FIC	235.3	Good	
2/6/94 0:00	Manual Tape	234	Good	
2/6/94 7:07	Auto FIC	0	Suspect	Data not included in graph
2/7/94 0:00	Manual FIC	235.30	Good	
2/7/94 0:00	Manual Tape	234.25	Good	
2/7/94 7:06	Auto FIC	0	Suspect	Data not included in graph
2/8/94 0:00	Manual FIC	235.2	Good	
2/8/94 0:00	Manual Tape	234.25	Good	
2/8/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
2/9/94 0:00	Manual FIC	235.2	Good	
2/9/94 0:00	Manual Tape	234.25	Good	
2/9/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/10/94 0:00	Manual FIC	235.2	Good	
2/10/94 0:00	Manual Tape	234.25	Good	
2/10/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/11/94 0:00	Manual FIC	235.2	Good	
2/11/94 0:00	Manual Tape	234.25	Good	
2/11/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/12/94 0:00	Manual FIC	235.20	Good	
2/12/94 0:00	Manual Tape	234.25	Good	
2/12/94 7:03	Auto FIC	0	Suspect	Data not included in graph
2/13/94 0:00	Manual FIC	235.20	Good	
2/13/94 0:00	Manual Tape	234.25	Good	
2/13/94 7:04	Auto FIC	0	Suspect	Data not included in graph
2/14/94 0:00	Manual FIC	235.2	Good	
2/14/94 0:00	Manual Tape	234.25	Good	
2/14/94 7:04	Auto FIC	0	Suspect	Data not included in graph
2/15/94 0:00	Manual FIC	235.25	Good	
2/15/94 0:00	Manual Tape	234.25	Good	
2/15/94 7:04	Auto FIC	0	Suspect	Data not included in graph
2/16/94 0:00	Manual FIC	235.25	Good	
2/16/94 0:00	Manual Tape	234.25	Good	
2/16/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/17/94 0:00	Manual FIC	235.25	Good	
2/17/94 0:00	Manual Tape	234.25	Good	
2/17/94 7:04	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/18/94 0:00	Manual FIC	235.2	Good	
2/18/94 0:00	Manual Tape	234.25	Good	
2/18/94 7:06	Auto FIC	0	Suspect	Data not included in graph
2/19/94 0:00	Manual FIC	235.3	Good	
2/19/94 0:00	Manual Tape	234.00	Good	
2/19/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/20/94 0:00	Manual FIC	235.3	Good	
2/20/94 0:00	Manual Tape	234.00	Good	
2/20/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
2/21/94 0:00	Manual FIC	235.3	Good	
2/21/94 0:00	Manual Tape	234	Good	
2/21/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/22/94 0:00	Manual FIC	235.2	Good	
2/22/94 0:00	Manual Tape	234.25	Good	
2/22/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
2/23/94 0:00	Manual FIC	235.30	Good	
2/23/94 0:00	Manual Tape	234.25	Good	
2/23/94 7:06	Auto FIC	0	Suspect	Data not included in graph
2/24/94 0:00	Manual FIC	235.30	Good	
2/24/94 0:00	Manual Tape	234	Good	
2/24/94 7:06	Auto FIC	0	Suspect	Data not included in graph
2/25/94 0:00	Manual FIC	235.3	Good	
2/25/94 0:00	Manual Tape	234.00	Good	
2/26/94 0:00	Manual FIC	235.3	Good	
2/26/94 0:00	Manual Tape	234.00	Good	
2/26/94 7:07	Auto FIC	0	Suspect	Data not included in graph
2/27/94 0:00	Manual FIC	235.25	Good	
2/27/94 0:00	Manual Tape	234.00	Good	
2/27/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
2/28/94 0:00	Manual FIC	235.2	Good	
2/28/94 0:00	Manual Tape	234.00	Good	
3/1/94 0:00	Manual FIC	235.30	Good	
3/1/94 0:00	Manual Tape	234	Good	
3/1/94 7:04	Auto FIC	0	Suspect	Data not included in graph
3/2/94 0:00	Manual FIC	235.25	Good	
3/2/94 0:00	Manual Tape	234	Good	
3/2/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
3/3/94 0:00	Manual FIC	235.20	Good	
3/3/94 0:00	Manual Tape	234	Good	
3/3/94 7:06	Auto FIC	0	Suspect	Data not included in graph
3/4/94 0:00	Manual FIC	235.2	Good	
3/4/94 0:00	Manual Tape	234	Good	
3/4/94 7:04	Auto FIC	0	Suspect	Data not included in graph
3/5/94 0:00	Manual FIC	235.20	Good	
3/5/94 0:00	Manual Tape	234.00	Good	
3/5/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/6/94 0:00	Manual FIC	235.2	Good	
3/6/94 0:00	Manual Tape	234	Good	
3/6/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
3/7/94 0:00	Manual FIC	235.2	Good	
3/7/94 0:00	Manual Tape	234.00	Good	
3/7/94 7:05	Auto FIC	0	Suspect	Data not included in graph
3/8/94 0:00	Manual FIC	235.15	Good	
3/8/94 0:00	Manual Tape	234	Good	
3/8/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/9/94 0:00	Manual FIC	235.15	Good	
3/9/94 0:00	Manual Tape	234	Good	
3/9/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/10/94 0:00	Manual FIC	235.20	Good	
3/10/94 0:00	Manual Tape	234.00	Good	
3/10/94 7:05	Auto FIC	0	Suspect	Data not included in graph
3/11/94 0:00	Manual FIC	235.15	Good	
3/11/94 0:00	Manual Tape	234.00	Good	
3/11/94 7:06	Auto FIC	0	Suspect	Data not included in graph
3/12/94 0:00	Manual FIC	235.1	Good	
3/12/94 0:00	Manual Tape	234.00	Good	
3/12/94 7:06	Auto FIC	0	Suspect	Data not included in graph
3/13/94 0:00	Manual FIC	235.1	Good	
3/13/94 0:00	Manual Tape	234.00	Good	
3/13/94 7:05	Auto FIC	0	Suspect	Data not included in graph
3/14/94 0:00	Manual FIC	235.1	Good	
3/14/94 0:00	Manual Tape	234	Good	
3/15/94 0:00	Manual FIC	235.15	Good	
3/15/94 0:00	Manual Tape	234	Good	
3/15/94 7:05	Auto FIC	0	Suspect	Data not included in graph
3/16/94 0:00	Manual FIC	235.2	Good	
3/16/94 0:00	Manual Tape	234	Good	
3/16/94 7:04	Auto FIC	0	Suspect	Data not included in graph
3/17/94 0:00	Manual FIC	235.1	Good	
3/17/94 0:00	Manual Tape	234	Good	
3/17/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
3/18/94 0:00	Manual FIC	235.10	Good	
3/18/94 0:00	Manual Tape	234	Good	
3/18/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
3/19/94 0:00	Manual FIC	235.1	Good	
3/19/94 0:00	Manual Tape	234	Good	
3/19/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/20/94 0:00	Manual FIC	235.1	Good	
3/20/94 0:00	Manual Tape	234.00	Good	
3/20/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
3/21/94 0:00	Manual FIC	235.10	Good	
3/21/94 0:00	Manual Tape	234.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/21/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
3/22/94 0:00	Manual FIC	235.1	Good	
3/22/94 0:00	Manual Tape	234.00	Good	
3/22/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/23/94 0:00	Manual FIC	235.1	Good	
3/23/94 0:00	Manual Tape	234.00	Good	
3/24/94 0:00	Manual FIC	235.10	Good	
3/24/94 0:00	Manual Tape	234	Good	
3/24/94 7:04	Auto FIC	0	Suspect	Data not included in graph
3/25/94 0:00	Manual FIC	235.1	Good	
3/25/94 0:00	Manual Tape	234	Good	
3/25/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
3/26/94 0:00	Manual FIC	235.10	Good	
3/26/94 0:00	Manual Tape	234	Good	
3/26/94 7:04	Auto FIC	0	Suspect	Data not included in graph
3/27/94 0:00	Manual FIC	235.1	Good	
3/27/94 0:00	Manual Tape	234.00	Good	
3/27/94 7:04	Auto FIC	0	Suspect	Data not included in graph
3/28/94 0:00	Manual FIC	235.10	Good	
3/28/94 0:00	Manual Tape	234	Good	
3/28/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/29/94 0:00	Manual FIC	235.05	Good	
3/29/94 0:00	Manual Tape	234	Good	
3/29/94 7:03	Auto FIC	0	Suspect	Data not included in graph
3/30/94 0:00	Manual FIC	235.1	Good	
3/30/94 0:00	Manual Tape	234.00	Good	
3/30/94 7:03	Auto FIC	0	Suspect	Data not included in graph
3/31/94 0:00	Manual FIC	235	Good	
3/31/94 0:00	Manual Tape	234	Good	
3/31/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/1/94 0:00	Manual FIC	235.05	Good	
4/1/94 0:00	Manual Tape	234.00	Good	
4/2/94 0:00	Manual FIC	235.10	Good	
4/2/94 0:00	Manual Tape	234	Good	
4/2/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
4/3/94 0:00	Manual FIC	235.05	Good	
4/3/94 0:00	Manual Tape	234	Good	
4/3/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/4/94 0:00	Manual FIC	235.05	Good	
4/4/94 0:00	Manual Tape	234	Good	
4/4/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/5/94 0:00	Manual FIC	235.15	Good	
4/5/94 0:00	Manual Tape	234	Good	
4/5/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/6/94 0:00	Manual FIC	235.1	Good	
4/6/94 0:00	Manual Tape	234.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/6/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
4/7/94 0:00	Manual FIC	235.2	Good	
4/7/94 0:00	Manual Tape	234.00	Good	
4/7/94 7:07	Auto FIC	0	Suspect	Data not included in graph
4/8/94 0:00	Manual FIC	235.2	Good	
4/8/94 0:00	Manual Tape	234.00	Good	
4/8/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/9/94 0:00	Manual Tape	234.00	Good	
4/9/94 7:07	Auto FIC	0	Suspect	Data not included in graph
4/10/94 0:00	Manual FIC	235.10	Good	
4/10/94 0:00	Manual Tape	234	Good	
4/10/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/11/94 0:00	Manual Tape	234	Good	
4/11/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/12/94 0:00	Manual Tape	234	Good	
4/12/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/13/94 0:00	Manual FIC	235.1	Good	
4/13/94 0:00	Manual Tape	234.00	Good	
4/13/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/14/94 0:00	Manual FIC	235.10	Good	
4/14/94 0:00	Manual Tape	234	Good	
4/14/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/15/94 0:00	Manual FIC	235.1	Good	
4/15/94 0:00	Manual Tape	234	Good	
4/15/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/16/94 0:00	Manual FIC	235.10	Good	
4/16/94 0:00	Manual Tape	234.00	Good	
4/16/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/17/94 0:00	Manual FIC	235.10	Good	
4/17/94 0:00	Manual Tape	234.00	Good	
4/17/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/18/94 0:00	Manual FIC	235.1	Good	
4/18/94 0:00	Manual Tape	234.25	Good	
4/18/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/19/94 0:00	Manual FIC	235.1	Good	
4/19/94 0:00	Manual Tape	234.25	Good	
4/20/94 0:00	Manual FIC	235.1	Good	
4/20/94 0:00	Manual Tape	234	Good	
4/20/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
4/21/94 0:00	Manual FIC	235.1	Good	
4/21/94 0:00	Manual Tape	234	Good	
4/21/94 7:05	Auto FIC	0	Suspect	Data not included in graph
4/22/94 0:00	Manual FIC	235.1	Good	
4/22/94 0:00	Manual Tape	234	Good	
4/22/94 7:04	Auto FIC	0	Suspect	Data not included in graph
4/23/94 0:00	Manual FIC	235.10	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/23/94 0:00	Manual Tape	234	Good	
4/23/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
4/24/94 0:00	Manual FIC	235	Good	
4/24/94 0:00	Manual Tape	234	Good	
4/24/94 7:04	Auto FIC	0	Suspect	Data not included in graph
4/25/94 0:00	Manual FIC	235	Good	
4/25/94 0:00	Manual Tape	234	Good	
4/25/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
4/26/94 0:00	Manual FIC	235	Good	
4/26/94 0:00	Manual Tape	234	Good	
4/26/94 7:07	Auto FIC	0	Suspect	Data not included in graph
4/27/94 0:00	Manual FIC	235	Good	
4/27/94 0:00	Manual Tape	234.00	Good	
4/27/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
4/28/94 0:00	Manual FIC	235	Good	
4/28/94 0:00	Manual Tape	234.00	Good	
4/28/94 7:05	Auto FIC	0	Suspect	Data not included in graph
4/29/94 0:00	Manual FIC	235	Good	
4/29/94 0:00	Manual Tape	234	Good	
4/29/94 7:04	Auto FIC	0	Suspect	Data not included in graph
4/30/94 0:00	Manual FIC	235.00	Good	
4/30/94 0:00	Manual Tape	234.00	Good	
4/30/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/1/94 0:00	Manual Tape	234	Good	
5/1/94 7:05	Auto FIC	235.1	Good	
5/2/94 0:00	Manual Tape	234.1	Good	
5/2/94 7:05	Auto FIC	235.10	Good	
5/3/94 0:00	Manual Tape	234	Good	
5/3/94 7:05	Auto FIC	235.1	Good	
5/4/94 0:00	Manual Tape	234	Good	
5/4/94 7:05	Auto FIC	235.10	Good	
5/5/94 0:00	Manual Tape	234	Good	
5/5/94 5:03	Auto FIC	235.10	Good	
5/6/94 0:00	Manual Tape	234	Good	
5/6/94 4:03	Auto FIC	235.00	Good	
5/7/94 0:00	Manual Tape	234.00	Good	
5/7/94 6:03	Auto FIC	235	Good	
5/8/94 0:00	Manual Tape	234.00	Good	
5/8/94 7:03	Auto FIC	235.00	Good	
5/9/94 0:00	Manual Tape	234.00	Good	
5/9/94 7:03	Auto FIC	235	Good	
5/10/94 0:00	Manual Tape	234	Good	
5/10/94 7:03	Auto FIC	235	Good	
5/11/94 0:00	Manual Tape	234	Good	
5/11/94 7:03	Auto FIC	235	Good	
5/12/94 0:00	Manual Tape	234	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/12/94 6:03	Auto FIC	235.2	Good	
5/13/94 0:00	Manual Tape	234	Good	
5/13/94 7:03	Auto FIC	235.20	Good	
5/14/94 0:00	Manual Tape	234	Good	
5/14/94 7:03	Auto FIC	235.20	Good	
5/15/94 0:00	Manual Tape	234.00	Good	
5/15/94 7:06	Auto FIC	235.20	Good	
5/16/94 0:00	Manual Tape	234.00	Good	
5/16/94 7:02	Auto FIC	235.20	Good	
5/17/94 0:00	Manual Tape	234.00	Good	
5/17/94 7:03	Auto FIC	235.2	Good	
5/18/94 0:00	Manual Tape	234.00	Good	
5/18/94 7:03	Auto FIC	235.10	Good	
5/19/94 0:00	Manual Tape	0	Suspect	Data not included in graph
5/19/94 7:03	Auto FIC	235.20	Good	
5/20/94 0:00	Manual Tape	234	Good	
5/20/94 7:03	Auto FIC	235.20	Good	
5/21/94 0:00	Manual Tape	234	Good	
5/21/94 7:05	Auto FIC	235.2	Good	
5/22/94 0:00	Manual Tape	234	Good	
5/22/94 7:05	Auto FIC	235.2	Good	
5/23/94 0:00	Manual Tape	234.00	Good	
5/23/94 7:04	Auto FIC	235.2	Good	
5/24/94 0:00	Manual Tape	234.00	Good	
5/24/94 7:04	Auto FIC	235.2	Good	
5/25/94 0:00	Manual Tape	233.5	Good	
5/25/94 7:04	Auto FIC	235.20	Good	
5/26/94 0:00	Manual Tape	234	Good	
5/26/94 6:05	Auto FIC	235.10	Good	
5/27/94 0:00	Manual Tape	234	Good	
5/27/94 7:03	Auto FIC	235.1	Good	
5/28/94 0:00	Manual Tape	234.00	Good	
5/28/94 7:03	Auto FIC	235.10	Good	
5/29/94 0:00	Manual Tape	234.00	Good	
5/29/94 7:03	Auto FIC	235.1	Good	
5/30/94 0:00	Manual FIC	235.10	Good	
5/30/94 0:00	Manual Tape	234	Good	
5/30/94 7:02	Auto FIC	0.00	Suspect	Data not included in graph
5/31/94 0:00	Manual FIC	235.1	Good	
5/31/94 0:00	Manual Tape	234.00	Good	
5/31/94 7:03	Auto FIC	235.1	Good	
6/1/94 0:00	Manual Tape	234	Good	
6/1/94 2:03	Auto FIC	235.10	Good	
6/2/94 0:00	Manual Tape	234	Good	
6/2/94 7:03	Auto FIC	235.1	Good	
6/2/94 15:00	Manual FIC	235.10	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/3/94 0:00	Manual FIC	235.1	Good	
6/3/94 0:00	Manual Tape	234	Good	
6/3/94 15:00	Manual FIC	235.1	Good	
6/4/94 0:00	Manual FIC	235.15	Good	
6/4/94 0:00	Manual Tape	234	Good	
6/4/94 7:04	Auto FIC	0	Suspect	Data not included in graph
6/4/94 15:00	Manual FIC	235.15	Good	
6/5/94 0:00	Manual Tape	234.00	Good	
6/5/94 7:03	Auto FIC	235.2	Good	
6/5/94 15:00	Manual FIC	235.2	Good	
6/6/94 0:00	Manual Tape	234.00	Good	
6/6/94 7:06	Auto FIC	235.20	Good	
6/6/94 15:00	Manual FIC	235.20	Good	
6/7/94 0:00	Manual FIC	235.2	Good	
6/7/94 0:00	Manual Tape	234	Good	
6/7/94 7:02	Auto FIC	0	Suspect	Data not included in graph
6/7/94 15:00	Manual FIC	235.2	Good	
6/8/94 0:00	Manual Tape	234.00	Good	
6/8/94 7:03	Auto FIC	235.2	Good	
6/8/94 15:00	Manual FIC	235.20	Good	
6/9/94 0:00	Manual FIC	235.20	Good	
6/9/94 0:00	Manual Tape	234.00	Good	
6/9/94 15:00	Manual FIC	235.2	Good	
6/10/94 0:00	Manual Tape	234	Good	
6/10/94 7:04	Auto FIC	235.20	Good	
6/10/94 15:00	Manual FIC	235.2	Good	
6/11/94 0:00	Manual Tape	234.13	Good	
6/11/94 7:04	Auto FIC	235.20	Good	
6/11/94 15:00	Manual FIC	235.2	Good	
6/12/94 0:00	Manual Tape	234.25	Good	
6/12/94 0:03	Auto FIC	235.20	Good	
6/12/94 15:00	Manual FIC	235.2	Good	
6/13/94 0:00	Manual Tape	234	Good	
6/13/94 7:02	Auto FIC	235.20	Good	
6/13/94 15:00	Manual FIC	235.2	Good	
6/14/94 0:00	Manual Tape	234	Good	
6/14/94 7:03	Auto FIC	235.2	Good	
6/15/94 0:00	Manual Tape	234.00	Good	
6/15/94 7:03	Auto FIC	235.2	Good	
6/16/94 0:00	Manual Tape	234.00	Good	
6/16/94 7:03	Auto FIC	235.2	Good	
6/17/94 0:00	Manual Tape	234	Good	
6/17/94 7:03	Auto FIC	235.2	Good	
6/18/94 0:00	Manual Tape	234.00	Good	
6/18/94 7:04	Auto FIC	235.2	Good	
6/19/94 0:00	Manual FIC	235.2	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/19/94 0:00	Manual Tape	234	Good	
6/19/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
6/20/94 0:00	Manual Tape	234	Good	
6/20/94 7:04	Auto FIC	235.2	Good	
6/21/94 0:00	Manual Tape	234	Good	
6/21/94 7:04	Auto FIC	235.30	Good	
6/22/94 0:00	Manual Tape	234	Good	
6/22/94 7:03	Auto FIC	235.20	Good	
6/23/94 0:00	Manual Tape	234.00	Good	
6/23/94 7:05	Auto FIC	235.20	Good	
6/24/94 0:00	Manual Tape	234.00	Good	
6/24/94 2:06	Auto FIC	235.20	Good	
6/25/94 0:00	Manual Tape	234	Good	
6/25/94 4:06	Auto FIC	235.2	Good	
6/26/94 0:00	Manual Tape	234.00	Good	
6/26/94 4:06	Auto FIC	235.20	Good	
6/27/94 0:00	Manual Tape	234	Good	
6/27/94 7:06	Auto FIC	235.2	Good	
6/28/94 0:00	Manual Tape	234	Good	
6/28/94 7:06	Auto FIC	235.3	Good	
6/29/94 0:00	Manual Tape	234.00	Good	
6/29/94 7:03	Auto FIC	235.30	Good	
6/30/94 0:00	Manual Tape	234	Good	
6/30/94 7:04	Auto FIC	235.3	Good	
7/1/94 0:00	Manual Tape	234.00	Good	
7/1/94 7:04	Auto FIC	235.30	Good	
7/2/94 0:00	Manual Tape	234	Good	
7/2/94 0:04	Auto FIC	235.30	Good	
7/3/94 0:00	Manual Tape	234	Good	
7/3/94 0:04	Auto FIC	235.3	Good	
7/4/94 0:00	Manual Tape	234	Good	
7/4/94 7:04	Auto FIC	235.3	Good	
7/5/94 0:00	Manual Tape	234	Good	
7/5/94 1:03	Auto FIC	235.30	Good	
7/6/94 0:00	Manual Tape	234.00	Good	
7/6/94 2:00	Manual FIC	235.3	Good	
7/6/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
7/7/94 0:00	Manual Tape	234	Good	
7/7/94 7:03	Auto FIC	235.30	Good	
7/8/94 0:00	Manual Tape	234.00	Good	
7/8/94 7:03	Auto FIC	235.3	Good	
7/9/94 0:00	Manual Tape	234.125	Good	
7/9/94 7:03	Auto FIC	235.3	Good	
7/10/94 0:00	Manual Tape	234	Good	
7/10/94 7:03	Auto FIC	235.30	Good	
7/11/94 0:00	Manual Tape	234.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/11/94 7:03	Auto FIC	235.3	Good	
7/12/94 0:00	Manual Tape	234.125	Good	
7/12/94 7:03	Auto FIC	235.3	Good	
7/13/94 0:00	Manual Tape	234.00	Good	
7/13/94 7:03	Auto FIC	235.30	Good	
7/14/94 0:00	Manual Tape	234	Good	
7/14/94 7:04	Auto FIC	235.3	Good	
7/15/94 0:00	Manual Tape	234	Good	
7/15/94 7:04	Auto FIC	235.20	Good	
7/16/94 0:00	Manual Tape	234.50	Good	
7/16/94 7:04	Auto FIC	235.20	Good	
7/17/94 0:00	Manual Tape	233.5	Good	
7/17/94 7:04	Auto FIC	235.3	Good	
7/18/94 0:00	Manual FIC	235.20	Good	
7/18/94 0:00	Manual Tape	234.00	Good	
7/19/94 0:00	Manual Tape	234.00	Good	
7/19/94 7:03	Auto FIC	235.30	Good	
7/20/94 0:00	Manual Tape	234	Good	
7/20/94 7:03	Auto FIC	235.30	Good	
7/21/94 0:00	Manual Tape	234	Good	
7/21/94 7:03	Auto FIC	235.30	Good	
7/22/94 0:00	Manual Tape	234	Good	
7/22/94 7:03	Auto FIC	235.30	Good	
7/23/94 0:00	Manual Tape	234.00	Good	
7/23/94 7:03	Auto FIC	235.3	Good	
7/24/94 0:00	Manual Tape	234.00	Good	
7/24/94 7:03	Auto FIC	235.30	Good	
7/25/94 0:00	Manual Tape	234	Good	
7/25/94 7:03	Auto FIC	235.3	Good	
7/26/94 7:03	Auto FIC	235.20	Good	
7/26/94 12:00	Manual Tape	234.00	Good	
7/27/94 7:03	Auto FIC	235.20	Good	
7/27/94 12:00	Manual Tape	234	Good	
7/28/94 7:04	Auto FIC	235.3	Good	
7/28/94 12:00	Manual Tape	234	Good	
7/29/94 7:04	Auto FIC	235.2	Good	
7/29/94 12:00	Manual Tape	234	Good	
7/30/94 7:04	Auto FIC	235.30	Good	
7/30/94 12:00	Manual Tape	234.00	Good	
7/31/94 12:00	Manual Tape	234.00	Good	
7/31/94 23:03	Auto FIC	235.3	Good	
8/1/94 7:03	Auto FIC	235.20	Good	
8/1/94 12:00	Manual Tape	234.00	Good	
8/2/94 7:03	Auto FIC	235.20	Good	
8/2/94 12:00	Manual Tape	234	Good	
8/3/94 7:03	Auto FIC	235.2	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/3/94 12:00	Manual Tape	234	Good	
8/4/94 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/4/94 12:00	Manual FIC	235.2	Good	
8/4/94 12:00	Manual Tape	234.00	Good	
8/5/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/5/94 12:00	Manual Tape	234	Good	
8/6/94 7:03	Auto FIC	235	Good	
8/6/94 12:00	Manual Tape	234.00	Good	
8/7/94 7:04	Auto FIC	235.00	Good	
8/7/94 12:00	Manual Tape	234.00	Good	
8/8/94 7:12	Auto FIC	0	Suspect	Data not included in graph
8/8/94 12:00	Manual FIC	235.1	Good	
8/8/94 12:00	Manual Tape	234	Good	
8/9/94 7:06	Auto FIC	235.00	Good	
8/9/94 12:00	Manual Tape	234.00	Good	
8/10/94 7:04	Auto FIC	235.1	Good	
8/10/94 12:00	Manual Tape	234	Good	
8/11/94 7:04	Auto FIC	235.00	Good	
8/11/94 12:00	Manual Tape	234.00	Good	
8/12/94 7:04	Auto FIC	235.00	Good	
8/12/94 12:00	Manual Tape	234	Good	
8/13/94 7:03	Auto FIC	235	Good	
8/13/94 12:00	Manual Tape	234	Good	
8/14/94 7:06	Auto FIC	235	Good	
8/14/94 12:00	Manual Tape	234	Good	
8/15/94 7:06	Auto FIC	235	Good	
8/15/94 12:00	Manual Tape	234	Good	
8/16/94 7:06	Auto FIC	235	Good	
8/16/94 12:00	Manual Tape	234.00	Good	
8/17/94 7:06	Auto FIC	235.00	Good	
8/17/94 12:00	Manual Tape	234.00	Good	
8/18/94 7:06	Auto FIC	235.00	Good	
8/18/94 12:00	Manual Tape	234.00	Good	
8/19/94 6:06	Auto FIC	235.00	Good	
8/19/94 12:00	Manual Tape	234	Good	
8/20/94 7:04	Auto FIC	235.00	Good	
8/20/94 12:00	Manual Tape	234	Good	
8/21/94 7:04	Auto FIC	235.00	Good	
8/21/94 12:00	Manual Tape	234	Good	
8/22/94 6:04	Auto FIC	235.00	Good	
8/22/94 12:00	Manual Tape	234	Good	
8/23/94 7:04	Auto FIC	235.00	Good	
8/23/94 12:00	Manual Tape	234.00	Good	
8/24/94 7:04	Auto FIC	235.00	Good	
8/24/94 12:00	Manual Tape	234.00	Good	
8/25/94 7:03	Auto FIC	235	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/25/94 12:00	Manual Tape	234.00	Good	
8/26/94 7:06	Auto FIC	235	Good	
8/26/94 12:00	Manual Tape	234	Good	
8/27/94 7:04	Auto FIC	235	Good	
8/27/94 12:00	Manual Tape	234.00	Good	
8/28/94 7:04	Auto FIC	235	Good	
8/28/94 12:00	Manual Tape	234.00	Good	
8/29/94 7:04	Auto FIC	235.00	Good	
8/29/94 12:00	Manual Tape	234	Good	
8/30/94 7:04	Auto FIC	235.00	Good	
8/30/94 12:00	Manual Tape	234	Good	
8/31/94 7:04	Auto FIC	235	Good	
8/31/94 12:00	Manual Tape	234	Good	
9/1/94 7:04	Auto FIC	235.00	Good	
9/1/94 12:00	Manual Tape	234	Good	
9/2/94 7:06	Auto FIC	235	Good	
9/2/94 12:00	Manual Tape	234.00	Good	
9/3/94 12:00	Manual Tape	234.00	Good	
9/3/94 23:04	Auto FIC	235.00	Good	
9/4/94 7:04	Auto FIC	235.00	Good	
9/4/94 12:00	Manual Tape	234	Good	
9/5/94 7:04	Auto FIC	235.00	Good	
9/5/94 12:00	Manual Tape	234.00	Good	
9/6/94 7:03	Auto FIC	235.00	Good	
9/6/94 12:00	Manual Tape	234	Good	
9/7/94 7:03	Auto FIC	235	Good	
9/7/94 12:00	Manual Tape	234	Good	
9/8/94 7:04	Auto FIC	235	Good	
9/8/94 12:00	Manual Tape	234.00	Good	
9/9/94 7:03	Auto FIC	235.00	Good	
9/9/94 12:00	Manual Tape	234	Good	
9/10/94 7:04	Auto FIC	235	Good	
9/10/94 12:00	Manual Tape	234.00	Good	
9/11/94 7:03	Auto FIC	235.00	Good	
9/11/94 12:00	Manual Tape	234.00	Good	
9/12/94 7:03	Auto FIC	235	Good	
9/12/94 12:00	Manual Tape	234.00	Good	
9/13/94 7:02	Auto FIC	235	Good	
9/13/94 12:00	Manual Tape	234	Good	
9/14/94 7:03	Auto FIC	235.00	Good	
9/14/94 12:00	Manual Tape	234	Good	
9/15/94 7:03	Auto FIC	235.00	Good	
9/15/94 12:00	Manual Tape	234.00	Good	
9/16/94 7:02	Auto FIC	235	Good	
9/16/94 12:00	Manual Tape	234	Good	
9/17/94 7:03	Auto FIC	235.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/17/94 12:00	Manual Tape	234	Good	
9/18/94 7:02	Auto FIC	235	Good	
9/18/94 12:00	Manual Tape	234.00	Good	
9/19/94 7:03	Auto FIC	235	Good	
9/19/94 12:00	Manual Tape	234	Good	
9/20/94 7:03	Auto FIC	235.00	Good	
9/20/94 12:00	Manual Tape	234	Good	
9/21/94 7:04	Auto FIC	235.00	Good	
9/21/94 12:00	Manual Tape	234.00	Good	
9/22/94 7:03	Auto FIC	235.00	Good	
9/22/94 12:00	Manual Tape	234	Good	
9/23/94 7:04	Auto FIC	235.00	Good	
9/23/94 12:00	Manual Tape	234.00	Good	
9/24/94 7:04	Auto FIC	235.00	Good	
9/24/94 12:00	Manual Tape	234	Good	
9/25/94 7:03	Auto FIC	235	Good	
9/25/94 12:00	Manual Tape	234	Good	
9/26/94 7:04	Auto FIC	235	Good	
9/26/94 12:00	Manual Tape	234.00	Good	
9/27/94 7:04	Auto FIC	235	Good	
9/27/94 12:00	Manual Tape	234	Good	
9/28/94 7:03	Auto FIC	235	Good	
9/28/94 12:00	Manual Tape	234	Good	
9/29/94 7:04	Auto FIC	235.00	Good	
9/29/94 12:00	Manual Tape	233.00	Suspect	Data not included in graph
9/30/94 7:04	Auto FIC	235.00	Good	
9/30/94 12:00	Manual Tape	234	Good	
10/1/94 7:06	Auto FIC	235.00	Good	
10/1/94 12:00	Manual Tape	234	Good	
10/2/94 7:05	Auto FIC	235.00	Good	
10/2/94 12:00	Manual Tape	234	Good	
10/3/94 7:04	Auto FIC	235.00	Good	
10/3/94 12:00	Manual Tape	234	Good	
10/4/94 7:04	Auto FIC	235	Good	
10/4/94 12:00	Manual Tape	234.00	Good	
10/5/94 7:04	Auto FIC	235	Good	
10/5/94 12:00	Manual Tape	233.75	Good	
10/6/94 7:04	Auto FIC	235.00	Good	
10/6/94 12:00	Manual Tape	234.00	Good	
10/7/94 6:04	Auto FIC	235	Good	
10/7/94 12:00	Manual Tape	234.00	Good	
10/8/94 7:03	Auto FIC	235	Good	
10/8/94 12:00	Manual Tape	234.00	Good	
10/9/94 7:06	Auto FIC	235	Good	
10/9/94 12:00	Manual Tape	234	Good	
10/10/94 7:05	Auto FIC	235	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/10/94 12:00	Manual Tape	234	Good	
10/11/94 7:03	Auto FIC	235.00	Good	
10/11/94 12:00	Manual Tape	234.00	Good	
10/12/94 7:06	Auto FIC	235.00	Good	
10/12/94 12:00	Manual Tape	234	Good	
10/13/94 7:05	Auto FIC	235.00	Good	
10/13/94 12:00	Manual Tape	234.00	Good	
10/14/94 7:06	Auto FIC	235.00	Good	
10/14/94 12:00	Manual Tape	234.00	Good	
10/15/94 7:06	Auto FIC	235.10	Good	
10/15/94 12:00	Manual Tape	234	Good	
10/16/94 7:06	Auto FIC	235.1	Good	
10/16/94 12:00	Manual Tape	233.75	Good	
10/17/94 7:06	Auto FIC	235.10	Good	
10/17/94 12:00	Manual Tape	233.75	Good	
10/18/94 7:06	Auto FIC	235.1	Good	
10/18/94 12:00	Manual Tape	234	Good	
10/19/94 7:06	Auto FIC	235.1	Good	
10/19/94 12:00	Manual Tape	234.00	Good	
10/20/94 5:07	Auto FIC	224.1	Good	
10/20/94 12:00	Manual Tape	216.50	Good	
10/21/94 7:06	Auto FIC	186.4	Good	
10/21/94 12:00	Manual Tape	188.25	Good	
10/22/94 12:00	Manual Tape	185.00	Good	
10/22/94 23:06	Auto FIC	186.5	Good	
10/23/94 7:06	Auto FIC	186.50	Good	
10/23/94 12:00	Manual Tape	185.25	Good	
10/24/94 7:06	Auto FIC	186.60	Good	
10/24/94 12:00	Manual Tape	185.25	Good	
10/25/94 7:06	Auto FIC	186.6	Good	
10/25/94 12:00	Manual Tape	234.00	Good	
10/26/94 7:06	Auto FIC	186.60	Good	
10/26/94 12:00	Manual Tape	185.25	Good	
10/27/94 7:06	Auto FIC	186.70	Good	
10/27/94 12:00	Manual Tape	185.25	Good	
10/28/94 7:04	Auto FIC	186.7	Good	
10/28/94 12:00	Manual Tape	185.25	Good	
10/29/94 12:00	Manual FIC	186.7	Good	
10/29/94 12:00	Manual Tape	185.50	Good	
10/30/94 12:00	Manual Tape	185.25	Good	
10/30/94 23:04	Auto FIC	186.80	Good	
10/31/94 7:05	Auto FIC	186.80	Good	
10/31/94 12:00	Manual Tape	185.5	Good	
11/1/94 12:00	Manual Tape	185.25	Good	
11/1/94 23:04	Auto FIC	186.9	Good	
11/2/94 7:03	Auto FIC	186.90	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/2/94 12:00	Manual Tape	185.25	Good	
11/3/94 7:04	Auto FIC	186.90	Good	
11/3/94 12:00	Manual Tape	185.5	Good	
11/4/94 7:03	Auto FIC	187.00	Good	
11/4/94 12:00	Manual Tape	185.50	Good	
11/5/94 7:03	Auto FIC	187.00	Good	
11/5/94 12:00	Manual Tape	185.5	Good	
11/6/94 7:04	Auto FIC	187.00	Good	
11/6/94 12:00	Manual Tape	185.50	Good	
11/7/94 7:04	Auto FIC	187	Good	
11/7/94 12:00	Manual Tape	185.50	Good	
11/8/94 7:03	Auto FIC	187	Good	
11/8/94 11:02	Manual Tape	185.50	Good	
11/9/94 7:05	Auto FIC	187.00	Good	
11/9/94 11:02	Manual Tape	185.5	Good	
11/10/94 7:03	Auto FIC	187.1	Good	
11/10/94 11:02	Manual Tape	185.5	Good	
11/11/94 7:03	Auto FIC	187.00	Good	
11/11/94 11:02	Manual Tape	185.50	Good	
11/12/94 7:03	Auto FIC	187.1	Good	
11/12/94 11:02	Manual Tape	185.5	Good	
11/13/94 7:04	Auto FIC	187.1	Good	
11/13/94 11:02	Manual Tape	184.75	Good	
11/14/94 7:03	Auto FIC	187.1	Good	
11/14/94 11:02	Manual Tape	185.5	Good	
11/15/94 7:04	Auto FIC	187.1	Good	
11/15/94 12:00	Manual Tape	185.5	Good	
11/16/94 7:06	Auto FIC	187.20	Good	
11/16/94 12:00	Manual Tape	185.50	Good	
11/17/94 7:04	Auto FIC	187.20	Good	
11/17/94 12:00	Manual Tape	185.50	Good	
11/18/94 7:04	Auto FIC	187.20	Good	
11/18/94 12:00	Manual Tape	185.50	Good	
11/19/94 7:03	Auto FIC	187.20	Good	
11/19/94 12:00	Manual Tape	185.50	Good	
11/20/94 7:03	Auto FIC	187.2	Good	
11/21/94 7:04	Auto FIC	187.20	Good	
11/21/94 12:00	Manual Tape	185.50	Good	
11/22/94 7:03	Auto FIC	187.2	Good	
11/22/94 12:00	Manual Tape	185.5	Good	
11/23/94 12:00	Manual FIC	187.2	Good	
11/23/94 12:00	Manual Tape	185.5	Good	
11/24/94 12:00	Manual Tape	185.50	Good	
11/24/94 23:03	Auto FIC	187.3	Good	
11/25/94 12:00	Manual Tape	185.50	Good	
11/25/94 23:03	Auto FIC	187.3	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/26/94 7:03	Auto FIC	187.30	Good	
11/26/94 12:00	Manual Tape	185.50	Good	
11/27/94 7:04	Auto FIC	187.3	Good	
11/27/94 12:00	Manual Tape	185.50	Good	
11/28/94 7:04	Auto FIC	187.20	Good	
11/28/94 12:00	Manual Tape	185.5	Good	
11/29/94 7:04	Auto FIC	187.20	Good	
11/29/94 12:00	Manual Tape	185.5	Good	
11/30/94 7:03	Auto FIC	187.30	Good	
11/30/94 12:00	Manual Tape	185.5	Good	
12/1/94 6:05	Auto FIC	187.30	Good	
12/1/94 12:00	Manual Tape	185.5	Good	
12/2/94 7:03	Auto FIC	187.30	Good	
12/2/94 12:00	Manual Tape	185.5	Good	
12/3/94 6:04	Auto FIC	187.30	Good	
12/3/94 12:00	Manual Tape	185.50	Good	
12/4/94 7:03	Auto FIC	187.2	Good	
12/4/94 12:00	Manual Tape	185.5	Good	
12/5/94 7:03	Auto FIC	187.30	Good	
12/5/94 12:00	Manual Tape	185.5	Good	
12/6/94 7:04	Auto FIC	187.30	Good	
12/6/94 12:00	Manual Tape	185.50	Good	
12/7/94 7:03	Auto FIC	187.3	Good	
12/7/94 12:00	Manual Tape	185.50	Good	
12/8/94 5:03	Auto FIC	187.30	Good	
12/8/94 12:00	Manual Tape	185.50	Good	
12/9/94 7:03	Auto FIC	187.3	Good	
12/9/94 12:00	Manual Tape	185.50	Good	
12/10/94 7:04	Auto FIC	187.30	Good	
12/10/94 12:00	Manual Tape	185.50	Good	
12/11/94 7:04	Auto FIC	187.30	Good	
12/11/94 12:00	Manual Tape	185.25	Good	
12/12/94 7:03	Auto FIC	187.3	Good	
12/12/94 12:00	Manual Tape	185.75	Good	
12/13/94 7:03	Auto FIC	187.30	Good	
12/13/94 12:00	Manual Tape	185.75	Good	
12/14/94 7:04	Auto FIC	187.30	Good	
12/14/94 12:00	Manual Tape	185.625	Good	
12/15/94 7:03	Auto FIC	187.2	Good	
12/15/94 12:00	Manual Tape	185.75	Good	
12/16/94 7:03	Auto FIC	187.40	Good	
12/16/94 12:00	Manual Tape	185.75	Good	
12/17/94 7:06	Auto FIC	187.4	Good	
12/17/94 12:00	Manual Tape	185.75	Good	
12/18/94 7:04	Auto FIC	187.5	Good	
12/18/94 12:00	Manual Tape	185.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/19/94 7:04	Auto FIC	187.40	Good	
12/19/94 12:00	Manual Tape	185.75	Good	
12/20/94 7:04	Auto FIC	187.40	Good	
12/20/94 12:00	Manual Tape	185.75	Good	
12/21/94 7:04	Auto FIC	187.40	Good	
12/21/94 12:00	Manual Tape	185.75	Good	
12/22/94 7:05	Auto FIC	187.40	Good	
12/22/94 12:00	Manual Tape	185.75	Good	
12/23/94 7:03	Auto FIC	187.4	Good	
12/23/94 12:00	Manual Tape	185.75	Good	
12/24/94 7:04	Auto FIC	187.4	Good	
12/24/94 12:00	Manual Tape	185.50	Good	
12/25/94 7:03	Auto FIC	187.4	Good	
12/25/94 12:00	Manual Tape	185.75	Good	
12/26/94 7:03	Auto FIC	187.40	Good	
12/26/94 12:00	Manual Tape	186	Good	
12/27/94 7:04	Auto FIC	187.40	Good	
12/27/94 12:00	Manual Tape	185.50	Good	
12/28/94 7:04	Auto FIC	187.40	Good	
12/28/94 12:00	Manual Tape	185.75	Good	
12/29/94 7:04	Auto FIC	187.30	Good	
12/29/94 12:00	Manual Tape	185.75	Good	
12/30/94 7:04	Auto FIC	187.30	Good	
12/30/94 12:00	Manual Tape	185.75	Good	
12/31/94 7:04	Auto FIC	187.3	Good	
12/31/94 12:00	Manual Tape	185.75	Good	
1/1/95 7:04	Auto FIC	187.30	Good	
1/1/95 12:00	Manual Tape	185.75	Good	
1/2/95 7:03	Auto FIC	187.3	Good	
1/2/95 12:00	Manual Tape	185.75	Good	
1/3/95 7:02	Auto FIC	187.3	Good	
1/3/95 12:00	Manual Tape	185.75	Good	
1/4/95 7:03	Auto FIC	187.30	Good	
1/4/95 12:00	Manual Tape	185.75	Good	
1/5/95 7:04	Auto FIC	187.4	Good	
1/5/95 12:00	Manual FIC	20.5	Suspect	Data not included in graph
1/5/95 12:00	Manual Tape	185.75	Good	
1/6/95 7:04	Auto FIC	187.30	Good	
1/6/95 12:00	Manual FIC	20.5	Suspect	Data not included in graph
1/6/95 12:00	Manual Tape	185.75	Good	
1/7/95 7:04	Auto FIC	187.4	Good	
1/7/95 12:00	Manual FIC	20.5	Suspect	Data not included in graph
1/7/95 12:00	Manual Tape	185.75	Good	
1/8/95 12:00	Manual FIC	20.5	Suspect	Data not included in graph
1/8/95 12:00	Manual Tape	185.75	Good	
1/8/95 23:03	Auto FIC	187.4	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/9/95 7:05	Auto FIC	187.40	Good	
1/9/95 12:00	Manual Tape	185.75	Good	
1/10/95 7:06	Auto FIC	187.50	Good	
1/10/95 12:00	Manual Tape	185.75	Good	
1/11/95 5:05	Auto FIC	187.5	Good	
1/11/95 12:00	Manual FIC	187.50	Good	
1/11/95 12:00	Manual Tape	185.75	Good	
1/12/95 6:07	Auto FIC	187.50	Good	
1/12/95 12:00	Manual FIC	187.50	Good	
1/12/95 12:00	Manual Tape	186.00	Good	
1/13/95 5:07	Auto FIC	187.40	Good	
1/13/95 12:00	Manual FIC	187.4	Good	
1/13/95 12:00	Manual Tape	186	Good	
1/14/95 7:07	Auto FIC	0	Suspect	Data not included in graph
1/14/95 12:00	Manual FIC	187.50	Good	
1/14/95 12:00	Manual Tape	186	Good	
1/15/95 4:06	Auto FIC	187.50	Good	
1/15/95 12:00	Manual FIC	187.5	Good	
1/15/95 12:00	Manual Tape	185.75	Good	
1/16/95 7:08	Auto FIC	0	Suspect	Data not included in graph
1/16/95 12:00	Manual FIC	187.5	Good	
1/16/95 12:00	Manual Tape	186.00	Good	
1/17/95 7:10	Auto FIC	0	Suspect	Data not included in graph
1/17/95 12:00	Manual FIC	187.45	Good	
1/17/95 12:00	Manual Tape	185.75	Good	
1/18/95 7:07	Auto FIC	0.00	Suspect	Data not included in graph
1/18/95 12:00	Manual FIC	187.45	Good	
1/18/95 12:00	Manual Tape	185.75	Good	
1/19/95 7:07	Auto FIC	0.00	Suspect	Data not included in graph
1/19/95 12:00	Manual FIC	187.4	Good	
1/19/95 12:00	Manual Tape	185.75	Good	
1/20/95 7:03	Auto FIC	187.4	Good	
1/20/95 12:00	Manual Tape	185.50	Good	
1/21/95 7:04	Auto FIC	187.4	Good	
1/21/95 12:00	Manual Tape	185.75	Good	
1/22/95 7:03	Auto FIC	187.40	Good	
1/22/95 12:00	Manual Tape	185.88	Good	
1/23/95 7:03	Auto FIC	187.40	Good	
1/23/95 12:00	Manual Tape	185.75	Good	
1/24/95 7:04	Auto FIC	187.4	Good	
1/24/95 12:00	Manual Tape	185.75	Good	
1/25/95 7:03	Auto FIC	187.40	Good	
1/25/95 12:00	Manual Tape	185.75	Good	
1/26/95 7:03	Auto FIC	187.4	Good	
1/26/95 12:00	Manual Tape	185.75	Good	
1/27/95 7:03	Auto FIC	187.4	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/27/95 12:00	Manual Tape	185.75	Good	
1/28/95 7:04	Auto FIC	187.4	Good	
1/28/95 12:00	Manual Tape	185.75	Good	
1/29/95 7:04	Auto FIC	0	Suspect	Data not included in graph
1/29/95 12:00	Manual FIC	187.4	Good	
1/29/95 12:00	Manual Tape	185.75	Good	
1/30/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/30/95 12:00	Manual FIC	187.4	Good	
1/30/95 12:00	Manual Tape	186	Good	
1/31/95 0:03	Auto FIC	187.40	Good	
1/31/95 12:00	Manual Tape	185.75	Good	
2/1/95 7:03	Auto FIC	187.40	Good	
2/1/95 12:00	Manual Tape	185.75	Good	
2/2/95 7:04	Auto FIC	187.30	Good	
2/2/95 12:00	Manual Tape	185.75	Good	
2/3/95 7:03	Auto FIC	187.40	Good	
2/3/95 12:00	Manual Tape	186.00	Good	
2/4/95 7:04	Auto FIC	187.4	Good	
2/4/95 12:00	Manual Tape	185.75	Good	
2/5/95 7:03	Auto FIC	187.3	Good	
2/5/95 12:00	Manual Tape	186.00	Good	
2/6/95 7:03	Auto FIC	187.3	Good	
2/6/95 12:00	Manual Tape	185.75	Good	
2/7/95 7:03	Auto FIC	187.3	Good	
2/7/95 12:00	Manual Tape	185.75	Good	
2/8/95 7:04	Auto FIC	187.30	Good	
2/8/95 12:00	Manual Tape	185.75	Good	
2/9/95 7:06	Auto FIC	187.30	Good	
2/9/95 12:00	Manual Tape	186.00	Good	
2/10/95 7:06	Auto FIC	187.30	Good	
2/10/95 12:00	Manual Tape	186.00	Good	
2/11/95 7:07	Auto FIC	187.30	Good	
2/11/95 12:00	Manual Tape	186.00	Good	
2/12/95 7:06	Auto FIC	187.30	Good	
2/12/95 12:00	Manual Tape	186	Good	
2/13/95 7:05	Auto FIC	187.3	Good	
2/13/95 12:00	Manual Tape	186.00	Good	
2/14/95 7:06	Auto FIC	187.30	Good	
2/14/95 12:00	Manual Tape	185.75	Good	
2/15/95 7:07	Auto FIC	187.3	Good	
2/15/95 12:00	Manual Tape	185.75	Good	
2/16/95 7:06	Auto FIC	187.3	Good	
2/16/95 12:00	Manual Tape	185.75	Good	
2/17/95 7:06	Auto FIC	187.40	Good	
2/17/95 12:00	Manual Tape	185.75	Good	
2/18/95 7:06	Auto FIC	187.3	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/18/95 12:00	Manual Tape	186.00	Good	
2/19/95 7:06	Auto FIC	187.30	Good	
2/19/95 12:00	Manual Tape	186.00	Good	
2/20/95 7:07	Auto FIC	187.30	Good	
2/20/95 12:00	Manual Tape	186.00	Good	
2/21/95 7:06	Auto FIC	187.3	Good	
2/21/95 12:00	Manual Tape	186.00	Good	
2/22/95 7:06	Auto FIC	187.20	Good	
2/22/95 12:00	Manual Tape	186	Good	
2/23/95 7:07	Auto FIC	187.2	Good	
2/23/95 12:00	Manual Tape	186	Good	
2/24/95 7:06	Auto FIC	187.20	Good	
2/24/95 12:00	Manual Tape	186.00	Good	
2/25/95 7:06	Auto FIC	187.20	Good	
2/25/95 12:00	Manual Tape	186.00	Good	
2/26/95 6:07	Auto FIC	187.2	Good	
2/26/95 12:00	Manual Tape	185.50	Good	
2/27/95 7:06	Auto FIC	187.10	Good	
2/27/95 12:00	Manual Tape	185.75	Good	
2/28/95 5:07	Auto FIC	187.1	Good	
2/28/95 12:00	Manual Tape	185.75	Good	
3/1/95 7:06	Auto FIC	187.1	Good	
3/1/95 12:00	Manual Tape	185.75	Good	
3/2/95 7:06	Auto FIC	187.1	Good	
3/2/95 12:00	Manual Tape	186	Good	
3/3/95 7:06	Auto FIC	187.10	Good	
3/3/95 12:00	Manual Tape	185.75	Good	
3/4/95 7:06	Auto FIC	187.10	Good	
3/4/95 12:00	Manual Tape	186	Good	
3/5/95 7:06	Auto FIC	187.20	Good	
3/5/95 12:00	Manual Tape	186	Good	
3/6/95 7:06	Auto FIC	187.20	Good	
3/6/95 12:00	Manual Tape	186.00	Good	
3/7/95 7:06	Auto FIC	187.2	Good	
3/7/95 12:00	Manual Tape	185.75	Good	
3/8/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/8/95 12:00	Manual Tape	186.00	Good	
3/8/95 12:01	Manual FIC	187.2	Good	
3/9/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/9/95 12:00	Manual FIC	187.3	Good	
3/9/95 12:00	Manual Tape	186.00	Good	
3/10/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/10/95 12:00	Manual FIC	187.3	Good	
3/10/95 12:00	Manual Tape	186	Good	
3/11/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/11/95 12:00	Manual FIC	187.3	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/11/95 12:00	Manual Tape	186	Good	
3/12/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/12/95 12:00	Manual FIC	187.30	Good	
3/12/95 12:00	Manual Tape	186.00	Good	
3/13/95 7:02	Auto FIC	0	Suspect	Data not included in graph
3/13/95 12:00	Manual FIC	187.3	Good	
3/13/95 12:00	Manual Tape	185.25	Good	
3/14/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/14/95 12:00	Manual FIC	187.3	Good	
3/14/95 12:00	Manual Tape	186.00	Good	
3/15/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
3/15/95 12:00	Manual FIC	187.3	Good	
3/15/95 12:00	Manual Tape	186.00	Good	
3/16/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/16/95 12:00	Manual FIC	187.30	Good	
3/16/95 12:00	Manual Tape	186	Good	
3/17/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/17/95 12:00	Manual FIC	187.3	Good	
3/17/95 12:00	Manual Tape	186	Good	
3/18/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/18/95 12:00	Manual FIC	187.3	Good	
3/18/95 12:00	Manual Tape	186.25	Good	
3/19/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/19/95 12:00	Manual FIC	187.3	Good	
3/19/95 12:00	Manual Tape	186	Good	
3/20/95 7:08	Auto FIC	0.00	Suspect	Data not included in graph
3/20/95 12:00	Manual FIC	187.4	Good	
3/20/95 12:00	Manual Tape	186	Good	
3/21/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/21/95 12:00	Manual FIC	187.4	Good	
3/21/95 12:00	Manual Tape	185.00	Good	
3/22/95 7:02	Auto FIC	0	Suspect	Data not included in graph
3/22/95 12:00	Manual FIC	187.45	Good	
3/22/95 12:00	Manual Tape	186.25	Suspect	Data not included in graph
3/23/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/23/95 12:00	Manual FIC	187.4	Good	
3/23/95 12:00	Manual Tape	186.00	Good	
3/24/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/24/95 12:00	Manual FIC	187.30	Good	
3/24/95 12:00	Manual Tape	186.00	Good	
3/25/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/25/95 12:00	Manual FIC	187.3	Good	
3/25/95 12:00	Manual Tape	186.00	Good	
3/26/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/26/95 12:00	Manual FIC	187.3	Good	
3/26/95 12:00	Manual Tape	186	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/27/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/27/95 12:00	Manual FIC	187.30	Good	
3/27/95 12:00	Manual Tape	186	Good	
3/28/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/28/95 12:00	Manual FIC	187.3	Good	
3/28/95 12:00	Manual Tape	186.00	Good	
3/29/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/29/95 12:00	Manual FIC	187.3	Good	
3/29/95 12:00	Manual Tape	186.00	Good	
3/30/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/30/95 12:00	Manual FIC	187.3	Good	
3/30/95 12:00	Manual Tape	186.00	Good	
3/31/95 7:04	Auto FIC	0	Suspect	Data not included in graph
3/31/95 12:00	Manual FIC	187.3	Good	
3/31/95 12:00	Manual Tape	186.00	Good	
4/1/95 7:02	Auto FIC	0	Suspect	Data not included in graph
4/1/95 12:00	Manual FIC	187.3	Good	
4/1/95 12:00	Manual Tape	186	Good	
4/2/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/2/95 12:00	Manual FIC	187.3	Good	
4/2/95 12:00	Manual Tape	186.00	Good	
4/3/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/3/95 12:00	Manual FIC	187.30	Good	
4/3/95 12:00	Manual Tape	186	Good	
4/4/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/4/95 12:00	Manual FIC	187.3	Good	
4/4/95 12:00	Manual Tape	186	Good	
4/5/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/5/95 12:00	Manual FIC	187.25	Good	
4/5/95 12:00	Manual Tape	186	Good	
4/6/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/6/95 12:00	Manual FIC	187.3	Good	
4/6/95 12:00	Manual Tape	186.00	Good	
4/7/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/7/95 12:00	Manual FIC	187.3	Good	
4/7/95 12:00	Manual Tape	186.00	Good	
4/8/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
4/8/95 12:00	Manual FIC	187.3	Good	
4/8/95 12:00	Manual Tape	186.00	Good	
4/9/95 12:00	Manual FIC	187.3	Good	
4/9/95 12:00	Manual Tape	186.00	Good	
4/9/95 23:03	Auto FIC	0	Suspect	Data not included in graph
4/10/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
4/10/95 12:00	Manual FIC	187.2	Good	
4/10/95 12:00	Manual Tape	186.00	Good	
4/11/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/11/95 12:00	Manual FIC	187.3	Good	
4/11/95 12:00	Manual Tape	186	Good	
4/12/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/12/95 12:00	Manual FIC	187.3	Good	
4/12/95 12:00	Manual Tape	186	Good	
4/13/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
4/13/95 12:00	Manual FIC	187.3	Good	
4/13/95 12:00	Manual Tape	186.00	Good	
4/14/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/14/95 12:00	Manual FIC	187.3	Good	
4/14/95 12:00	Manual Tape	185.75	Good	
4/15/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/15/95 12:00	Manual FIC	187.3	Good	
4/15/95 12:00	Manual Tape	185	Good	
4/16/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/16/95 12:00	Manual FIC	187.35	Good	
4/16/95 12:00	Manual Tape	185.25	Good	
4/17/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/17/95 12:00	Manual FIC	187.50	Good	
4/17/95 12:00	Manual Tape	185.00	Good	
4/18/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/18/95 12:00	Manual FIC	187.45	Good	
4/18/95 12:00	Manual Tape	186.00	Good	
4/19/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/19/95 12:00	Manual FIC	187.5	Good	
4/19/95 12:00	Manual Tape	186.00	Good	
4/20/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/20/95 12:00	Manual FIC	187.5	Good	
4/20/95 12:00	Manual Tape	186.00	Good	
4/21/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/21/95 12:00	Manual FIC	187.50	Good	
4/21/95 12:00	Manual Tape	186.25	Good	
4/22/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/22/95 11:27	Manual Tape	186.00	Good	
4/22/95 12:00	Manual FIC	187.5	Good	
4/23/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/23/95 11:27	Manual Tape	186	Good	
4/23/95 12:00	Manual FIC	187.5	Good	
4/24/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/24/95 12:00	Manual FIC	187.5	Good	
4/24/95 12:00	Manual Tape	186	Good	
4/25/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/25/95 12:00	Manual FIC	187.5	Good	
4/25/95 12:00	Manual Tape	186	Good	
4/26/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/26/95 12:00	Manual FIC	187.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/26/95 12:00	Manual Tape	186.00	Good	
4/27/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/27/95 12:00	Manual FIC	187.5	Good	
4/27/95 12:00	Manual Tape	186.00	Good	
4/28/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/28/95 12:00	Manual FIC	187.5	Good	
4/28/95 12:00	Manual Tape	186	Good	
4/29/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/29/95 12:00	Manual FIC	187.50	Good	
4/29/95 12:00	Manual Tape	186.25	Good	
4/30/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/30/95 12:00	Manual FIC	187.5	Good	
4/30/95 12:00	Manual Tape	186.25	Good	
5/1/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/1/95 12:00	Manual FIC	187.5	Good	
5/1/95 12:00	Manual Tape	186	Good	
5/2/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
5/2/95 12:00	Manual FIC	187.50	Good	
5/2/95 12:00	Manual Tape	186	Good	
5/3/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/3/95 12:00	Manual FIC	187.5	Good	
5/3/95 12:00	Manual Tape	186.00	Good	
5/4/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/4/95 12:00	Manual FIC	187.5	Good	
5/4/95 12:00	Manual Tape	186	Good	
5/5/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/5/95 12:00	Manual FIC	187.5	Good	
5/5/95 12:00	Manual Tape	186	Good	
5/6/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/6/95 12:00	Manual FIC	187.55	Good	
5/6/95 12:00	Manual Tape	186.00	Good	
5/7/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/7/95 12:00	Manual FIC	187.5	Good	
5/7/95 12:00	Manual Tape	186.00	Good	
5/8/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/8/95 12:00	Manual FIC	187.5	Good	
5/8/95 12:00	Manual Tape	186.25	Good	
5/9/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/9/95 12:00	Manual FIC	187.50	Good	
5/9/95 12:00	Manual Tape	186.25	Good	
5/10/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/10/95 12:00	Manual FIC	187.55	Good	
5/10/95 12:00	Manual Tape	186	Good	
5/11/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/11/95 12:00	Manual FIC	187.6	Good	
5/11/95 12:00	Manual Tape	186.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/12/95 7:06	Auto FIC	0	Suspect	Data not included in graph
5/12/95 12:00	Manual FIC	187.55	Good	
5/12/95 12:00	Manual Tape	186.25	Good	
5/13/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/13/95 12:00	Manual FIC	187.55	Good	
5/13/95 12:00	Manual Tape	186.25	Good	
5/14/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/14/95 12:00	Manual FIC	187.55	Good	
5/14/95 12:00	Manual Tape	186.25	Good	
5/15/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/15/95 12:00	Manual FIC	187.6	Good	
5/15/95 12:00	Manual Tape	186.00	Good	
5/16/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/16/95 12:00	Manual FIC	187.6	Good	
5/16/95 12:00	Manual Tape	186.00	Good	
5/17/95 7:02	Auto FIC	0	Suspect	Data not included in graph
5/17/95 12:00	Manual FIC	187.6	Good	
5/17/95 12:00	Manual Tape	186	Good	
5/18/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/18/95 12:00	Manual FIC	187.6	Good	
5/18/95 12:00	Manual Tape	186	Good	
5/19/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/19/95 12:00	Manual FIC	187.5	Good	
5/19/95 12:00	Manual Tape	186	Good	
5/20/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/20/95 12:00	Manual FIC	187.55	Good	
5/20/95 12:00	Manual Tape	186.00	Good	
5/21/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/21/95 12:00	Manual FIC	187.6	Good	
5/21/95 12:00	Manual Tape	186	Good	
5/22/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/22/95 12:00	Manual FIC	187.6	Good	
5/22/95 12:00	Manual Tape	186	Good	
5/23/95 7:11	Auto FIC	0.00	Suspect	Data not included in graph
5/23/95 12:00	Manual FIC	187.60	Good	
5/23/95 12:00	Manual Tape	186.00	Good	
5/24/95 7:10	Auto FIC	0.00	Suspect	Data not included in graph
5/24/95 12:00	Manual FIC	187.6	Good	
5/24/95 12:00	Manual Tape	186.00	Good	
5/25/95 7:10	Auto FIC	0.00	Suspect	Data not included in graph
5/25/95 12:00	Manual FIC	187.6	Good	
5/25/95 12:00	Manual Tape	186.00	Good	
5/26/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/26/95 12:00	Manual FIC	187.60	Good	
5/26/95 12:00	Manual Tape	186.00	Good	
5/27/95 7:05	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/27/95 12:00	Manual FIC	187.55	Good	
5/27/95 12:00	Manual Tape	185	Good	
5/28/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/28/95 12:00	Manual FIC	187.5	Good	
5/28/95 12:00	Manual Tape	186.25	Good	
5/29/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/29/95 12:00	Manual FIC	187.6	Good	
5/29/95 12:00	Manual Tape	186.50	Good	
5/30/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/30/95 12:00	Manual FIC	187.55	Good	
5/30/95 12:00	Manual Tape	186.25	Good	
5/31/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/31/95 12:00	Manual FIC	187.55	Good	
5/31/95 12:00	Manual Tape	186.00	Good	
6/1/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/1/95 12:00	Manual FIC	187.6	Good	
6/1/95 12:00	Manual Tape	186.00	Good	
6/2/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/2/95 12:00	Manual FIC	187.55	Good	
6/2/95 12:00	Manual Tape	186.00	Good	
6/3/95 12:00	Manual FIC	187.6	Good	
6/3/95 12:00	Manual Tape	186	Good	
6/3/95 23:05	Auto FIC	0	Suspect	Data not included in graph
6/4/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/4/95 12:00	Manual FIC	187.60	Good	
6/4/95 12:00	Manual Tape	186	Good	
6/5/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/5/95 12:00	Manual FIC	187.6	Good	
6/5/95 12:00	Manual Tape	186.00	Good	
6/6/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/6/95 12:00	Manual FIC	187.6	Good	
6/6/95 12:00	Manual Tape	186	Good	
6/7/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/7/95 12:00	Manual FIC	187.6	Good	
6/7/95 12:00	Manual Tape	186.00	Good	
6/8/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/8/95 12:00	Manual FIC	187.6	Good	
6/8/95 12:00	Manual Tape	186.00	Good	
6/9/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/9/95 12:00	Manual FIC	187.6	Good	
6/9/95 12:00	Manual Tape	186.00	Good	
6/10/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/10/95 12:00	Manual FIC	187.6	Good	
6/10/95 12:00	Manual Tape	186	Good	
6/11/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/11/95 12:00	Manual FIC	187.6	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/11/95 12:00	Manual Tape	186.25	Good	
6/12/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/12/95 12:00	Manual FIC	187.6	Good	
6/12/95 12:00	Manual Tape	186.25	Good	
6/13/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/13/95 12:00	Manual FIC	187.60	Good	
6/13/95 12:00	Manual Tape	186	Good	
6/14/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/14/95 12:00	Manual FIC	187.60	Good	
6/14/95 12:00	Manual Tape	186.25	Good	
6/15/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/15/95 12:00	Manual FIC	187.6	Good	
6/15/95 12:00	Manual Tape	186.00	Good	
6/16/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/16/95 12:00	Manual FIC	187.60	Good	
6/16/95 12:00	Manual Tape	186	Good	
6/17/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/17/95 12:00	Manual FIC	187.6	Good	
6/17/95 12:00	Manual Tape	186.00	Good	
6/18/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/18/95 12:00	Manual FIC	187.6	Good	
6/18/95 12:00	Manual Tape	186.00	Good	
6/19/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/19/95 12:00	Manual FIC	187.60	Good	
6/19/95 12:00	Manual Tape	186	Good	
6/20/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/20/95 12:00	Manual FIC	187.6	Good	
6/20/95 12:00	Manual Tape	186	Good	
6/21/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/21/95 12:00	Manual FIC	187.6	Good	
6/21/95 12:00	Manual Tape	186	Good	
6/22/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/22/95 12:00	Manual FIC	187.55	Good	
6/22/95 12:00	Manual Tape	186.00	Good	
6/23/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/23/95 12:00	Manual FIC	187.55	Good	
6/23/95 12:00	Manual Tape	186.00	Good	
6/24/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/24/95 12:00	Manual FIC	187.55	Good	
6/24/95 12:00	Manual Tape	186	Good	
6/25/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/25/95 12:00	Manual FIC	187.6	Good	
6/25/95 12:00	Manual Tape	180.00	Suspect	Data not included in graph
6/26/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/26/95 12:00	Manual FIC	187.6	Good	
6/26/95 12:00	Manual Tape	186.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-103				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/27/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/27/95 12:00	Manual FIC	187.6	Good	
6/27/95 12:00	Manual Tape	186.25	Good	
6/28/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/28/95 12:00	Manual FIC	187.55	Good	
6/28/95 12:00	Manual Tape	186.00	Good	
6/29/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/29/95 12:00	Manual FIC	187.6	Good	
6/29/95 12:00	Manual Tape	186	Good	
6/30/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/30/95 12:00	Manual FIC	187.6	Good	
6/30/95 12:00	Manual Tape	186	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/1/91 0:00	Manual Tape	362.00	Good	
1/1/91 7:03	Auto FIC	363.50	Good	
1/2/91 0:00	Manual Tape	362	Good	
1/2/91 7:02	Auto FIC	363.5	Good	
1/3/91 0:00	Manual Tape	362.00	Good	
1/3/91 7:03	Auto FIC	363.5	Good	
1/4/91 0:00	Manual Tape	362.00	Good	
1/4/91 7:02	Auto FIC	363.5	Good	
1/5/91 0:00	Manual Tape	362	Good	
1/5/91 7:02	Auto FIC	363.50	Good	
1/6/91 0:00	Manual Tape	362	Good	
1/6/91 7:02	Auto FIC	363.40	Good	
1/7/91 0:00	Manual Tape	362	Good	
1/7/91 7:02	Auto FIC	363.5	Good	
1/8/91 0:00	Manual Tape	362.00	Good	
1/8/91 7:03	Auto FIC	363.5	Good	
1/9/91 0:00	Manual Tape	362.25	Good	
1/9/91 7:02	Auto FIC	363.50	Good	
1/10/91 0:00	Manual Tape	362	Good	
1/10/91 7:02	Auto FIC	363.5	Good	
1/11/91 0:00	Manual Tape	362	Good	
1/11/91 7:03	Auto FIC	363.4	Good	
1/12/91 0:00	Manual Tape	362.00	Good	
1/12/91 7:02	Auto FIC	363.5	Good	
1/13/91 0:00	Manual Tape	362.25	Good	
1/13/91 7:03	Auto FIC	363.40	Good	
1/14/91 0:00	Manual Tape	362.25	Good	
1/14/91 7:04	Auto FIC	363.40	Good	
1/15/91 0:00	Manual Tape	365.75	Good	
1/15/91 7:03	Auto FIC	367.1	Good	
1/16/91 0:00	Manual Tape	365.75	Good	
1/16/91 7:04	Auto FIC	367.1	Good	
1/17/91 0:00	Manual Tape	371.75	Good	
1/17/91 7:04	Auto FIC	372.90	Good	
1/18/91 0:00	Manual Tape	371.5	Good	
1/18/91 7:04	Auto FIC	372.9	Good	
1/19/91 0:00	Manual Tape	374.5	Good	
1/19/91 7:04	Auto FIC	375.3	Good	
1/20/91 0:00	Manual Tape	374.25	Good	
1/20/91 7:04	Auto FIC	375.70	Good	
1/21/91 0:00	Manual Tape	374.25	Good	
1/21/91 7:04	Auto FIC	375.70	Good	
1/22/91 0:00	Manual Tape	374.25	Good	
1/22/91 7:04	Auto FIC	375.8	Good	
1/23/91 0:00	Manual Tape	374.5	Good	
1/23/91 7:04	Auto FIC	378.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/24/91 0:00	Manual Tape	377.13	Good	
1/24/91 7:04	Auto FIC	378.5	Good	
1/25/91 0:00	Manual Tape	377.25	Good	
1/25/91 7:03	Auto FIC	378.50	Good	
1/26/91 0:00	Manual Tape	377.25	Good	
1/26/91 7:03	Auto FIC	378.50	Good	
1/27/91 0:00	Manual Tape	377.25	Good	
1/27/91 7:03	Auto FIC	378.5	Good	
1/28/91 0:00	Manual Tape	377.00	Good	
1/28/91 6:03	Auto FIC	378.6	Good	
1/29/91 0:00	Manual Tape	377.25	Good	
1/29/91 7:02	Auto FIC	378.50	Good	
1/30/91 0:00	Manual Tape	380	Good	
1/30/91 0:00	Manual FIC	381.5	Good	
1/31/91 0:00	Manual Tape	380	Good	
1/31/91 0:00	Manual FIC	381.5	Good	
1/31/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
2/1/91 0:00	Manual Tape	381.50	Good	
2/1/91 7:02	Auto FIC	383.1	Good	
2/2/91 0:00	Manual Tape	261.75	Suspect	Data not included in graph
2/2/91 7:04	Auto FIC	383.2	Good	
2/3/91 0:00	Manual Tape	261.75	Suspect	Data not included in graph
2/3/91 7:03	Auto FIC	383.2	Good	
2/4/91 0:00	Manual Tape	261.75	Suspect	Data not included in graph
2/4/91 7:03	Auto FIC	383.1	Good	
2/5/91 0:00	Manual Tape	381.75	Good	
2/5/91 7:04	Auto FIC	383.20	Good	
2/6/91 0:00	Manual Tape	382.75	Good	
2/6/91 7:04	Auto FIC	384.6	Good	
2/7/91 0:00	Manual Tape	383.00	Good	
2/7/91 7:04	Auto FIC	384.6	Good	
2/8/91 0:00	Manual Tape	383.00	Good	
2/8/91 7:04	Auto FIC	384.7	Good	
2/9/91 0:00	Manual Tape	383	Good	
2/9/91 7:04	Auto FIC	384.60	Good	
2/10/91 0:00	Manual Tape	383	Good	
2/10/91 7:03	Auto FIC	384.8	Good	
2/11/91 0:00	Manual Tape	383.00	Good	
2/11/91 7:04	Auto FIC	384.8	Good	
2/12/91 0:00	Manual Tape	383.00	Good	
2/12/91 7:04	Auto FIC	384.8	Good	
2/13/91 0:00	Manual Tape	383	Good	
2/13/91 7:04	Auto FIC	384.9	Good	
2/14/91 0:00	Manual Tape	383	Good	
2/14/91 7:04	Auto FIC	384.7	Good	
2/15/91 0:00	Manual Tape	383.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/15/91 7:03	Auto FIC	384.80	Good	
2/16/91 0:00	Manual Tape	386.00	Good	
2/16/91 7:02	Auto FIC	387.4	Good	
2/17/91 0:00	Manual Tape	386	Good	
2/17/91 7:02	Auto FIC	387.4	Good	
2/18/91 0:00	Manual Tape	386	Good	
2/18/91 7:03	Auto FIC	387.4	Good	
2/19/91 0:00	Manual Tape	386.00	Good	
2/19/91 7:02	Auto FIC	387.50	Good	
2/20/91 0:00	Manual Tape	386.00	Good	
2/20/91 7:03	Auto FIC	387.40	Good	
2/21/91 0:00	Manual Tape	386	Good	
2/21/91 7:02	Auto FIC	387.4	Good	
2/22/91 0:00	Manual Tape	386	Good	
2/22/91 7:02	Auto FIC	387.40	Good	
2/23/91 0:00	Manual Tape	390.75	Good	
2/23/91 7:02	Auto FIC	390.20	Good	
2/24/91 0:00	Manual Tape	390.75	Good	
2/24/91 7:03	Auto FIC	391.80	Good	
2/25/91 0:00	Manual Tape	390.75	Good	
2/25/91 7:03	Auto FIC	391.80	Good	
2/26/91 0:00	Manual Tape	390.5	Good	
2/26/91 7:03	Auto FIC	391.8	Good	
2/27/91 0:00	Manual Tape	390.50	Good	
2/27/91 7:02	Auto FIC	391.9	Good	
2/28/91 0:00	Manual Tape	390.50	Good	
2/28/91 7:02	Auto FIC	392.1	Good	
3/1/91 0:00	Manual Tape	393	Good	
3/1/91 7:02	Auto FIC	394.60	Good	
3/2/91 0:00	Manual Tape	390.25	Good	
3/2/91 7:02	Auto FIC	394.50	Good	
3/3/91 0:00	Manual Tape	390.25	Good	
3/3/91 7:03	Auto FIC	394.50	Good	
3/4/91 0:00	Manual Tape	393	Good	
3/4/91 7:03	Auto FIC	394.50	Good	
3/5/91 0:00	Manual Tape	393	Good	
3/5/91 7:03	Auto FIC	394.5	Good	
3/6/91 0:00	Manual Tape	392.75	Good	
3/6/91 7:02	Auto FIC	394.5	Good	
3/7/91 0:00	Manual Tape	392.75	Good	
3/7/91 7:02	Auto FIC	394.50	Good	
3/8/91 0:00	Manual Tape	395.75	Good	
3/8/91 7:02	Auto FIC	396.70	Good	
3/9/91 0:00	Manual Tape	395.5	Good	
3/9/91 7:02	Auto FIC	396.80	Good	
3/10/91 0:00	Manual Tape	395.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/10/91 7:02	Auto FIC	396.80	Good	
3/11/91 0:00	Manual Tape	395.50	Good	
3/11/91 7:02	Auto FIC	396.8	Good	
3/12/91 0:00	Manual Tape	395.5	Good	
3/12/91 7:03	Auto FIC	396.8	Good	
3/13/91 0:00	Manual Tape	395.5	Good	
3/13/91 7:03	Auto FIC	396.90	Good	
3/14/91 0:00	Manual Tape	395.50	Good	
3/14/91 7:03	Auto FIC	396.8	Good	
3/15/91 0:00	Manual Tape	395.50	Good	
3/15/91 7:03	Auto FIC	396.80	Good	
3/16/91 0:00	Manual Tape	395.5	Good	
3/16/91 7:03	Auto FIC	396.70	Good	
3/17/91 0:00	Manual Tape	395.25	Good	
3/17/91 7:02	Auto FIC	396.8	Good	
3/18/91 0:00	Manual Tape	395.25	Good	
3/18/91 7:03	Auto FIC	396.9	Good	
3/19/91 0:00	Manual Tape	395.25	Good	
3/19/91 7:03	Auto FIC	396.90	Good	
3/20/91 0:00	Manual Tape	395.25	Good	
3/20/91 7:02	Auto FIC	396.90	Good	
3/21/91 0:00	Manual Tape	395.25	Good	
3/21/91 7:03	Auto FIC	397.00	Good	
3/22/91 0:00	Manual Tape	395.25	Good	
3/22/91 7:02	Auto FIC	397	Good	
3/23/91 0:00	Manual Tape	397.25	Good	
3/23/91 7:03	Auto FIC	398.6	Good	
3/24/91 0:00	Manual Tape	397.25	Good	
3/24/91 7:03	Auto FIC	398.7	Good	
3/25/91 0:00	Manual Tape	397	Good	
3/25/91 7:03	Auto FIC	398.80	Good	
3/26/91 0:00	Manual Tape	397.00	Good	
3/26/91 7:03	Auto FIC	398.70	Good	
3/27/91 0:00	Manual Tape	397.00	Good	
3/27/91 7:03	Auto FIC	398.7	Good	
3/28/91 0:00	Manual Tape	397	Good	
3/28/91 7:03	Auto FIC	398.7	Good	
3/29/91 0:00	Manual Tape	397	Good	
3/29/91 7:03	Auto FIC	398.6	Good	
3/30/91 0:00	Manual Tape	397.25	Good	
3/30/91 7:03	Auto FIC	398.70	Good	
3/31/91 0:00	Manual Tape	401.25	Good	
3/31/91 7:03	Auto FIC	402.60	Good	
4/1/91 0:00	Manual Tape	401.25	Good	
4/1/91 7:03	Auto FIC	402.6	Good	
4/2/91 0:00	Manual Tape	401.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/2/91 7:03	Auto FIC	402.6	Good	
4/3/91 0:00	Manual Tape	401.25	Good	
4/3/91 7:03	Auto FIC	402.60	Good	
4/4/91 0:00	Manual Tape	401.25	Good	
4/4/91 7:03	Auto FIC	402.60	Good	
4/5/91 0:00	Manual Tape	401.25	Good	
4/5/91 7:03	Auto FIC	402.7	Good	
4/6/91 0:00	Manual Tape	405	Good	
4/6/91 7:03	Auto FIC	406.2	Good	
4/7/91 0:00	Manual Tape	405.00	Good	
4/7/91 7:03	Auto FIC	406.2	Good	
4/8/91 0:00	Manual Tape	405.00	Good	
4/8/91 7:04	Auto FIC	406.20	Good	
4/9/91 0:00	Manual Tape	404.5	Good	
4/9/91 7:03	Auto FIC	406.3	Good	
4/10/91 0:00	Manual Tape	405	Good	
4/10/91 7:03	Auto FIC	406.3	Good	
4/11/91 0:00	Manual Tape	404.50	Good	
4/11/91 7:03	Auto FIC	406.20	Good	
4/12/91 0:00	Manual Tape	404.50	Good	
4/12/91 7:03	Auto FIC	406.20	Good	
4/13/91 0:00	Manual Tape	404.5	Good	
4/13/91 7:04	Auto FIC	406.20	Good	
4/14/91 0:00	Manual Tape	404.75	Good	
4/14/91 7:03	Auto FIC	406.3	Good	
4/15/91 0:00	Manual Tape	404.75	Good	
4/15/91 7:03	Auto FIC	406.2	Good	
4/16/91 0:00	Manual Tape	404.75	Good	
4/16/91 0:00	Manual FIC	406.40	Good	
4/17/91 0:00	Manual Tape	405	Good	
4/17/91 7:03	Auto FIC	406.20	Good	
4/18/91 0:00	Manual Tape	404.75	Good	
4/18/91 7:06	Auto FIC	406.3	Good	
4/19/91 0:00	Manual Tape	404.75	Good	
4/19/91 7:05	Auto FIC	406.2	Good	
4/20/91 0:00	Manual Tape	406.75	Good	
4/20/91 7:06	Auto FIC	408.10	Good	
4/21/91 0:00	Manual Tape	406.75	Good	
4/21/91 7:05	Auto FIC	408.20	Good	
4/22/91 0:00	Manual Tape	406.75	Good	
4/22/91 7:06	Auto FIC	408.1	Good	
4/23/91 0:00	Manual Tape	406.75	Good	
4/23/91 7:06	Auto FIC	408.2	Good	
4/24/91 0:00	Manual Tape	406.75	Good	
4/24/91 7:05	Auto FIC	408.30	Good	
4/25/91 0:00	Manual Tape	406.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/25/91 7:05	Auto FIC	408.30	Good	
4/26/91 0:00	Manual Tape	407	Good	
4/26/91 7:05	Auto FIC	408.30	Good	
4/27/91 0:00	Manual Tape	409	Good	
4/27/91 7:05	Auto FIC	409.6	Good	
4/28/91 0:00	Manual Tape	408.25	Good	
4/28/91 7:06	Auto FIC	409.6	Good	
4/29/91 0:00	Manual Tape	408.25	Good	
4/29/91 7:05	Auto FIC	409.7	Good	
4/30/91 0:00	Manual Tape	408.25	Good	
4/30/91 7:06	Auto FIC	409.70	Good	
5/1/91 0:00	Manual Tape	408.25	Good	
5/1/91 7:05	Auto FIC	409.7	Good	
5/2/91 0:00	Manual Tape	408.25	Good	
5/2/91 7:05	Auto FIC	409.7	Good	
5/3/91 0:00	Manual Tape	408.25	Good	
5/3/91 7:06	Auto FIC	409.80	Good	
5/4/91 0:00	Manual Tape	408.25	Good	
5/4/91 7:05	Auto FIC	409.70	Good	
5/5/91 0:00	Manual Tape	408.25	Good	
5/5/91 7:05	Auto FIC	409.7	Good	
5/6/91 0:00	Manual Tape	408.25	Good	
5/6/91 7:05	Auto FIC	409.7	Good	
5/7/91 0:00	Manual Tape	408.25	Good	
5/7/91 7:05	Auto FIC	409.7	Good	
5/8/91 0:00	Manual Tape	408.25	Good	
5/8/91 7:05	Auto FIC	409.70	Good	
5/9/91 0:00	Manual Tape	408.25	Good	
5/9/91 7:05	Auto FIC	409.70	Good	
5/10/91 0:00	Manual Tape	408.25	Good	
5/10/91 7:05	Auto FIC	409.70	Good	
5/11/91 0:00	Manual Tape	408.25	Good	
5/11/91 7:05	Auto FIC	409.7	Good	
5/12/91 0:00	Manual Tape	408.25	Good	
5/12/91 7:05	Auto FIC	409.8	Good	
5/13/91 0:00	Manual Tape	408.25	Good	
5/13/91 7:05	Auto FIC	409.70	Good	
5/14/91 0:00	Manual Tape	408.25	Good	
5/14/91 7:05	Auto FIC	409.80	Good	
5/15/91 0:00	Manual Tape	408.25	Good	
5/15/91 7:05	Auto FIC	409.7	Good	
5/16/91 0:00	Manual Tape	408.25	Good	
5/16/91 7:06	Auto FIC	409.80	Good	
5/17/91 0:00	Manual Tape	408.25	Good	
5/17/91 7:06	Auto FIC	409.70	Good	
5/18/91 0:00	Manual Tape	408.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/18/91 7:06	Auto FIC	409.7	Good	
5/19/91 0:00	Manual Tape	408.25	Good	
5/19/91 7:05	Auto FIC	409.7	Good	
5/20/91 0:00	Manual Tape	408.25	Good	
5/20/91 7:06	Auto FIC	409.70	Good	
5/21/91 0:00	Manual Tape	408.25	Good	
5/21/91 7:06	Auto FIC	409.7	Good	
5/22/91 0:00	Manual Tape	408.00	Good	
5/22/91 7:05	Auto FIC	409.70	Good	
5/23/91 0:00	Manual Tape	408	Good	
5/23/91 7:05	Auto FIC	409.60	Good	
5/24/91 0:00	Manual Tape	408	Good	
5/24/91 7:05	Auto FIC	409.7	Good	
5/25/91 0:00	Manual Tape	408.00	Good	
5/25/91 7:05	Auto FIC	409.6	Good	
5/26/91 0:00	Manual Tape	408	Good	
5/26/91 7:05	Auto FIC	409.70	Good	
5/27/91 0:00	Manual Tape	408	Good	
5/27/91 7:05	Auto FIC	409.70	Good	
5/28/91 0:00	Manual Tape	408	Good	
5/28/91 7:05	Auto FIC	409.70	Good	
5/29/91 0:00	Manual Tape	408.00	Good	
5/29/91 7:05	Auto FIC	409.7	Good	
5/30/91 0:00	Manual Tape	408.00	Good	
5/30/91 7:05	Auto FIC	409.7	Good	
5/31/91 0:00	Manual Tape	408.00	Good	
5/31/91 7:05	Auto FIC	409.60	Good	
6/1/91 0:00	Manual Tape	408	Good	
6/1/91 6:05	Auto FIC	409.60	Good	
6/2/91 0:00	Manual Tape	408	Good	
6/2/91 3:05	Auto FIC	409.6	Good	
6/3/91 0:00	Manual Tape	408.00	Good	
6/3/91 7:05	Auto FIC	409.60	Good	
6/4/91 0:00	Manual Tape	408.00	Good	
6/4/91 7:05	Auto FIC	409.60	Good	
6/5/91 0:00	Manual Tape	408.25	Good	
6/5/91 7:05	Auto FIC	409.6	Good	
6/6/91 0:00	Manual Tape	408.00	Good	
6/6/91 7:06	Auto FIC	409.60	Good	
6/7/91 0:00	Manual Tape	408.00	Good	
6/7/91 7:05	Auto FIC	409.60	Good	
6/8/91 0:00	Manual Tape	408.25	Good	
6/8/91 7:05	Auto FIC	409.6	Good	
6/9/91 0:00	Manual Tape	408.5	Good	
6/9/91 7:05	Auto FIC	409.60	Good	
6/10/91 0:00	Manual Tape	408.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/10/91 7:06	Auto FIC	409.70	Good	
6/11/91 0:00	Manual Tape	408	Good	
6/11/91 7:05	Auto FIC	409.7	Good	
6/12/91 0:00	Manual Tape	408.00	Good	
6/12/91 7:04	Auto FIC	409.6	Good	
6/13/91 0:00	Manual Tape	408.25	Good	
6/13/91 7:05	Auto FIC	409.60	Good	
6/14/91 0:00	Manual Tape	408	Good	
6/14/91 7:05	Auto FIC	409.60	Good	
6/15/91 0:00	Manual Tape	408.00	Good	
6/15/91 7:05	Auto FIC	409.70	Good	
6/16/91 0:00	Manual Tape	408.00	Good	
6/16/91 7:05	Auto FIC	409.7	Good	
6/17/91 0:00	Manual Tape	408	Good	
6/17/91 7:05	Auto FIC	409.7	Good	
6/18/91 0:00	Manual Tape	408	Good	
6/18/91 7:05	Auto FIC	409.60	Good	
6/19/91 0:00	Manual Tape	408.25	Good	
6/19/91 7:05	Auto FIC	409.70	Good	
6/20/91 0:00	Manual Tape	408.25	Good	
6/20/91 7:05	Auto FIC	409.6	Good	
6/21/91 0:00	Manual Tape	408.25	Good	
6/21/91 7:06	Auto FIC	409.60	Good	
6/22/91 0:00	Manual Tape	408.25	Good	
6/22/91 3:06	Auto FIC	409.60	Good	
6/23/91 0:00	Manual Tape	408.25	Good	
6/23/91 7:05	Auto FIC	409.6	Good	
6/24/91 0:00	Manual Tape	408.25	Good	
6/24/91 5:05	Auto FIC	409.6	Good	
6/25/91 0:00	Manual Tape	408.25	Good	
6/25/91 7:06	Auto FIC	409.60	Good	
6/26/91 0:00	Manual Tape	408.25	Good	
6/26/91 1:03	Auto FIC	409.60	Good	
6/27/91 0:00	Manual Tape	408.25	Good	
6/27/91 0:00	Manual FIC	409.6	Good	
6/28/91 0:00	Manual Tape	408.25	Good	
6/28/91 7:03	Auto FIC	409.7	Good	
6/29/91 0:00	Manual Tape	408.25	Good	
6/29/91 6:02	Auto FIC	409.70	Good	
6/30/91 0:00	Manual Tape	408.25	Good	
6/30/91 0:00	Manual FIC	409.80	Good	
7/1/91 0:00	Manual Tape	408	Good	
7/1/91 0:00	Manual FIC	409.6	Good	
7/2/91 0:00	Manual Tape	408	Good	
7/2/91 0:00	Manual FIC	409.6	Good	
7/3/91 0:00	Manual Tape	408	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/3/91 0:00	Manual FIC	409.60	Good	
7/3/91 7:06	Auto FIC	0	Suspect	Data not included in graph
7/4/91 0:00	Manual Tape	408	Good	
7/4/91 0:00	Manual FIC	409.65	Good	
7/5/91 0:00	Manual Tape	408	Good	
7/5/91 0:00	Manual FIC	409.65	Good	
7/6/91 0:00	Manual Tape	408	Good	
7/6/91 0:00	Manual FIC	409.7	Good	
7/7/91 0:00	Manual Tape	408	Good	
7/7/91 0:00	Manual FIC	409.7	Good	
7/8/91 0:00	Manual Tape	408	Good	
7/8/91 0:00	Manual FIC	409.70	Good	
7/9/91 0:00	Manual Tape	408	Good	
7/9/91 0:00	Manual FIC	409.70	Good	
7/10/91 0:00	Manual Tape	408.25	Good	
7/10/91 0:00	Manual FIC	409.70	Good	
7/11/91 0:00	Manual Tape	408.25	Good	
7/11/91 0:00	Manual FIC	409.70	Good	
7/11/91 7:06	Auto FIC	0	Suspect	Data not included in graph
7/12/91 0:00	Manual Tape	408.25	Good	
7/12/91 7:06	Auto FIC	409.7	Good	
7/13/91 0:00	Manual Tape	408.25	Good	
7/13/91 7:06	Auto FIC	409.7	Good	
7/14/91 0:00	Manual Tape	408.25	Good	
7/14/91 2:06	Auto FIC	409.70	Good	
7/15/91 0:00	Manual Tape	408.25	Good	
7/15/91 7:06	Auto FIC	409.7	Good	
7/16/91 0:00	Manual Tape	408.25	Good	
7/16/91 0:00	Manual FIC	409.70	Good	
7/17/91 0:00	Manual Tape	408.25	Good	
7/17/91 0:05	Auto FIC	409.70	Good	
7/18/91 0:00	Manual Tape	408.25	Good	
7/18/91 0:00	Manual FIC	409.70	Good	
7/19/91 0:00	Manual Tape	408.25	Good	
7/19/91 7:05	Auto FIC	409.7	Good	
7/20/91 0:00	Manual Tape	408.25	Good	
7/20/91 2:05	Auto FIC	409.8	Good	
7/21/91 0:00	Manual Tape	408.25	Good	
7/21/91 1:05	Auto FIC	409.8	Good	
7/22/91 0:00	Manual Tape	408.25	Good	
7/22/91 0:00	Manual FIC	409.75	Good	
7/23/91 0:00	Manual Tape	408.25	Good	
7/23/91 0:05	Auto FIC	409.8	Good	
7/24/91 0:00	Manual Tape	408.25	Good	
7/24/91 7:05	Auto FIC	409.80	Good	
7/25/91 0:00	Manual Tape	408	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/25/91 1:03	Auto FIC	409.80	Good	
7/26/91 0:00	Manual Tape	408.25	Good	
7/26/91 0:00	Manual FIC	409.8	Good	
7/27/91 0:00	Manual Tape	408.00	Good	
7/27/91 0:00	Manual FIC	409.8	Good	
7/28/91 0:00	Manual Tape	408	Good	
7/28/91 0:00	Manual FIC	409.8	Good	
7/29/91 0:00	Manual Tape	408.25	Good	
7/29/91 0:00	Manual FIC	409.8	Good	
7/30/91 0:00	Manual Tape	408.25	Good	
7/30/91 7:02	Auto FIC	409.8	Good	
7/31/91 0:00	Manual Tape	408.25	Good	
7/31/91 7:02	Auto FIC	409.8	Good	
8/1/91 0:00	Manual Tape	408.00	Good	
8/1/91 7:02	Auto FIC	409.80	Good	
8/2/91 0:00	Manual Tape	408.25	Good	
8/2/91 7:02	Auto FIC	409.80	Good	
8/3/91 0:00	Manual Tape	408.25	Good	
8/3/91 7:02	Auto FIC	409.8	Good	
8/4/91 0:00	Manual Tape	408.25	Good	
8/4/91 7:02	Auto FIC	409.8	Good	
8/5/91 0:00	Manual Tape	408.25	Good	
8/5/91 7:02	Auto FIC	409.80	Good	
8/6/91 0:00	Manual Tape	408.25	Good	
8/6/91 7:02	Auto FIC	409.80	Good	
8/7/91 0:00	Manual Tape	408.25	Good	
8/7/91 0:00	Manual FIC	409.8	Good	
8/7/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/8/91 0:00	Manual Tape	408.25	Good	
8/8/91 7:06	Auto FIC	409.80	Good	
8/9/91 0:00	Manual Tape	408.25	Good	
8/9/91 7:04	Auto FIC	409.80	Good	
8/10/91 0:00	Manual Tape	408.00	Good	
8/10/91 7:04	Auto FIC	409.8	Good	
8/11/91 0:00	Manual Tape	408.25	Good	
8/11/91 7:04	Auto FIC	409.8	Good	
8/12/91 0:00	Manual Tape	408	Good	
8/12/91 7:04	Auto FIC	409.8	Good	
8/13/91 0:00	Manual Tape	408.25	Good	
8/13/91 7:04	Auto FIC	409.8	Good	
8/14/91 0:00	Manual Tape	408.00	Good	
8/14/91 7:04	Auto FIC	409.80	Good	
8/15/91 0:00	Manual Tape	408.25	Good	
8/15/91 7:03	Auto FIC	409.8	Good	
8/16/91 0:00	Manual Tape	408.25	Good	
8/16/91 0:00	Manual FIC	409.8	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/17/91 0:00	Manual Tape	408	Good	
8/17/91 0:00	Manual FIC	409.8	Good	
8/17/91 7:02	Auto FIC	409.80	Good	
8/18/91 0:00	Manual Tape	408.25	Good	
8/18/91 7:03	Auto FIC	409.80	Good	
8/19/91 0:00	Manual Tape	408.25	Good	
8/19/91 7:02	Auto FIC	409.8	Good	
8/20/91 0:00	Manual Tape	408.25	Good	
8/20/91 7:04	Auto FIC	409.8	Good	
8/21/91 0:00	Manual Tape	408.25	Good	
8/21/91 7:03	Auto FIC	409.80	Good	
8/22/91 0:00	Manual Tape	408.25	Good	
8/22/91 7:03	Auto FIC	409.80	Good	
8/23/91 0:00	Manual Tape	408.25	Good	
8/23/91 7:02	Auto FIC	409.8	Good	
8/24/91 0:00	Manual Tape	408.25	Good	
8/24/91 7:02	Auto FIC	409.8	Good	
8/25/91 0:00	Manual Tape	408.25	Good	
8/25/91 7:02	Auto FIC	409.8	Good	
8/26/91 0:00	Manual Tape	408.25	Good	
8/26/91 7:03	Auto FIC	409.80	Good	
8/27/91 0:00	Manual Tape	408.25	Good	
8/27/91 7:03	Auto FIC	409.8	Good	
8/28/91 0:00	Manual Tape	408.25	Good	
8/28/91 7:03	Auto FIC	409.8	Good	
8/29/91 0:00	Manual Tape	408.25	Good	
8/29/91 7:02	Auto FIC	409.80	Good	
8/30/91 0:00	Manual Tape	408.25	Good	
8/30/91 6:02	Auto FIC	409.80	Good	
8/31/91 0:00	Manual Tape	408.25	Good	
8/31/91 7:02	Auto FIC	409.80	Good	
9/1/91 0:00	Manual Tape	408.25	Good	
9/1/91 7:02	Auto FIC	409.8	Good	
9/2/91 0:00	Manual Tape	408.25	Good	
9/2/91 7:02	Auto FIC	409.7	Good	
9/3/91 0:00	Manual Tape	408.25	Good	
9/3/91 7:02	Auto FIC	409.70	Good	
9/4/91 0:00	Manual Tape	408.25	Good	
9/4/91 7:03	Auto FIC	409.70	Good	
9/5/91 0:00	Manual Tape	408.25	Good	
9/5/91 7:02	Auto FIC	409.8	Good	
9/6/91 0:00	Manual Tape	408.25	Good	
9/6/91 7:02	Auto FIC	409.8	Good	
9/7/91 0:00	Manual Tape	408.25	Good	
9/7/91 7:02	Auto FIC	409.80	Good	
9/8/91 0:00	Manual Tape	408.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/8/91 7:02	Auto FIC	409.80	Good	
9/9/91 0:00	Manual Tape	408.25	Good	
9/9/91 7:03	Auto FIC	409.7	Good	
9/10/91 0:00	Manual Tape	408.25	Good	
9/10/91 7:02	Auto FIC	409.8	Good	
9/11/91 0:00	Manual Tape	408.25	Good	
9/11/91 7:03	Auto FIC	409.80	Good	
9/12/91 0:00	Manual Tape	408.25	Good	
9/12/91 7:02	Auto FIC	409.80	Good	
9/13/91 0:00	Manual Tape	408.25	Good	
9/13/91 7:02	Auto FIC	409.8	Good	
9/14/91 0:00	Manual Tape	408.25	Good	
9/14/91 7:03	Auto FIC	409.7	Good	
9/15/91 0:00	Manual Tape	408.25	Good	
9/15/91 7:02	Auto FIC	409.70	Good	
9/16/91 0:00	Manual Tape	408.25	Good	
9/16/91 7:03	Auto FIC	409.70	Good	
9/17/91 0:00	Manual Tape	408.25	Good	
9/17/91 7:03	Auto FIC	409.7	Good	
9/18/91 0:00	Manual Tape	408.25	Good	
9/18/91 7:03	Auto FIC	409.7	Good	
9/19/91 0:00	Manual Tape	408.25	Good	
9/19/91 7:03	Auto FIC	409.70	Good	
9/20/91 0:00	Manual Tape	408.25	Good	
9/20/91 7:02	Auto FIC	409.80	Good	
9/21/91 0:00	Manual Tape	408.25	Good	
9/21/91 7:02	Auto FIC	409.7	Good	
9/22/91 0:00	Manual Tape	408.25	Good	
9/22/91 7:03	Auto FIC	409.7	Good	
9/23/91 0:00	Manual Tape	408.25	Good	
9/23/91 7:03	Auto FIC	409.70	Good	
9/24/91 0:00	Manual Tape	408.25	Good	
9/24/91 7:02	Auto FIC	409.70	Good	
9/25/91 0:00	Manual Tape	408.25	Good	
9/25/91 7:03	Auto FIC	409.7	Good	
9/26/91 0:00	Manual Tape	408.25	Good	
9/26/91 7:03	Auto FIC	409.70	Good	
9/27/91 0:00	Manual Tape	408.25	Good	
9/27/91 7:02	Auto FIC	409.70	Good	
9/28/91 0:00	Manual Tape	408.25	Good	
9/28/91 7:02	Auto FIC	409.7	Good	
9/29/91 0:00	Manual Tape	408.25	Good	
9/29/91 7:03	Auto FIC	409.7	Good	
9/30/91 0:00	Manual Tape	408.25	Good	
9/30/91 7:03	Auto FIC	409.7	Good	
10/1/91 0:00	Manual Tape	408.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/1/91 7:02	Auto FIC	409.70	Good	
10/2/91 0:00	Manual Tape	408.25	Good	
10/2/91 7:02	Auto FIC	409.70	Good	
10/3/91 0:00	Manual Tape	408.25	Good	
10/3/91 7:02	Auto FIC	409.7	Good	
10/4/91 0:00	Manual Tape	408.25	Good	
10/4/91 7:03	Auto FIC	409.7	Good	
10/5/91 0:00	Manual Tape	408.25	Good	
10/5/91 0:00	Manual FIC	409.5	Good	
10/6/91 0:00	Manual Tape	408.25	Good	
10/6/91 7:03	Auto FIC	409.7	Good	
10/7/91 0:00	Manual Tape	408.25	Good	
10/7/91 7:02	Auto FIC	409.70	Good	
10/8/91 0:00	Manual Tape	408.25	Good	
10/8/91 7:02	Auto FIC	409.70	Good	
10/9/91 0:00	Manual Tape	408.25	Good	
10/9/91 7:02	Auto FIC	409.7	Good	
10/10/91 0:00	Manual Tape	408.25	Good	
10/10/91 7:02	Auto FIC	409.7	Good	
10/11/91 0:00	Manual Tape	408.25	Good	
10/11/91 7:02	Auto FIC	409.70	Good	
10/12/91 0:00	Manual Tape	408.25	Good	
10/12/91 7:02	Auto FIC	409.7	Good	
10/13/91 0:00	Manual Tape	408.25	Good	
10/13/91 7:03	Auto FIC	409.7	Good	
10/14/91 0:00	Manual Tape	408.25	Good	
10/14/91 7:02	Auto FIC	409.70	Good	
10/15/91 0:00	Manual Tape	408.25	Good	
10/15/91 7:02	Auto FIC	409.70	Good	
10/16/91 0:00	Manual Tape	408.25	Good	
10/16/91 7:03	Auto FIC	409.7	Good	
10/17/91 0:00	Manual Tape	408.25	Good	
10/17/91 7:05	Auto FIC	409.7	Good	
10/18/91 0:00	Manual Tape	408.25	Good	
10/18/91 7:06	Auto FIC	409.6	Good	
10/19/91 0:00	Manual Tape	408.25	Good	
10/19/91 7:06	Auto FIC	409.60	Good	
10/20/91 0:00	Manual Tape	408.25	Good	
10/20/91 7:02	Auto FIC	409.60	Good	
10/21/91 0:00	Manual Tape	408.25	Good	
10/21/91 7:02	Auto FIC	409.7	Good	
10/22/91 0:00	Manual Tape	408.25	Good	
10/22/91 7:03	Auto FIC	409.7	Good	
10/23/91 0:00	Manual Tape	408.25	Good	
10/23/91 7:02	Auto FIC	409.60	Good	
10/24/91 0:00	Manual Tape	408.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/24/91 7:02	Auto FIC	409.7	Good	
10/25/91 0:00	Manual Tape	408.25	Good	
10/25/91 7:03	Auto FIC	409.7	Good	
10/26/91 0:00	Manual Tape	408.25	Good	
10/26/91 7:03	Auto FIC	409.7	Good	
10/27/91 0:00	Manual Tape	408.25	Good	
10/27/91 7:02	Auto FIC	409.60	Good	
10/28/91 0:00	Manual Tape	408.25	Good	
10/28/91 7:02	Auto FIC	409.60	Good	
10/29/91 0:00	Manual Tape	408.25	Good	
10/29/91 7:03	Auto FIC	409.6	Good	
10/30/91 0:00	Manual Tape	408.25	Good	
10/30/91 7:03	Auto FIC	409.6	Good	
10/31/91 0:00	Manual Tape	408.25	Good	
10/31/91 7:03	Auto FIC	409.60	Good	
11/1/91 0:00	Manual Tape	408.25	Good	
11/1/91 7:02	Auto FIC	409.6	Good	
11/2/91 0:00	Manual Tape	408.25	Good	
11/2/91 7:03	Auto FIC	409.6	Good	
11/3/91 0:00	Manual Tape	408.25	Good	
11/3/91 7:03	Auto FIC	409.60	Good	
11/4/91 0:00	Manual Tape	408.25	Good	
11/4/91 7:02	Auto FIC	409.60	Good	
11/5/91 0:00	Manual Tape	408.25	Good	
11/5/91 7:03	Auto FIC	409.6	Good	
11/6/91 0:00	Manual Tape	408.25	Good	
11/6/91 7:03	Auto FIC	409.6	Good	
11/7/91 0:00	Manual Tape	408.25	Good	
11/7/91 7:02	Auto FIC	409.6	Good	
11/8/91 0:00	Manual Tape	408	Good	
11/8/91 7:03	Auto FIC	409.60	Good	
11/9/91 0:00	Manual Tape	408.00	Good	
11/9/91 7:02	Auto FIC	409.60	Good	
11/10/91 0:00	Manual Tape	408.25	Good	
11/10/91 7:03	Auto FIC	409.6	Good	
11/11/91 0:00	Manual Tape	408.25	Good	
11/11/91 6:03	Auto FIC	409.6	Good	
11/12/91 0:00	Manual Tape	408.25	Good	
11/12/91 7:03	Auto FIC	409.60	Good	
11/13/91 0:00	Manual Tape	408.25	Good	
11/13/91 7:03	Auto FIC	409.6	Good	
11/14/91 0:00	Manual Tape	408.25	Good	
11/14/91 7:03	Auto FIC	409.6	Good	
11/15/91 0:00	Manual Tape	408.25	Good	
11/15/91 7:03	Auto FIC	409.60	Good	
11/16/91 0:00	Manual Tape	408.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/16/91 7:03	Auto FIC	409.60	Good	
11/17/91 0:00	Manual Tape	408.25	Good	
11/17/91 7:02	Auto FIC	409.60	Good	
11/18/91 0:00	Manual Tape	408.25	Good	
11/18/91 7:03	Auto FIC	409.6	Good	
11/19/91 0:00	Manual Tape	408.25	Good	
11/19/91 7:03	Auto FIC	409.50	Good	
11/20/91 0:00	Manual Tape	408	Good	
11/20/91 7:03	Auto FIC	409.60	Good	
11/21/91 0:00	Manual Tape	408.00	Good	
11/21/91 7:02	Auto FIC	409.5	Good	
11/22/91 0:00	Manual Tape	408.25	Good	
11/22/91 7:03	Auto FIC	409.5	Good	
11/23/91 0:00	Manual Tape	408.00	Good	
11/23/91 7:02	Auto FIC	409.50	Good	
11/24/91 0:00	Manual Tape	408.00	Good	
11/24/91 7:03	Auto FIC	409.50	Good	
11/25/91 0:00	Manual Tape	408.25	Good	
11/25/91 7:03	Auto FIC	409.6	Good	
11/26/91 0:00	Manual Tape	408	Good	
11/26/91 0:00	Manual FIC	409.5	Good	
11/27/91 0:00	Manual Tape	408.00	Good	
11/27/91 7:03	Auto FIC	409.6	Good	
11/28/91 0:00	Manual Tape	408.25	Good	
11/28/91 7:03	Auto FIC	409.50	Good	
11/29/91 0:00	Manual Tape	408.25	Good	
11/29/91 7:03	Auto FIC	409.50	Good	
11/30/91 0:00	Manual Tape	408.25	Good	
11/30/91 7:03	Auto FIC	409.50	Good	
12/1/91 0:00	Manual Tape	408.25	Good	
12/1/91 7:03	Auto FIC	409.5	Good	
12/2/91 0:00	Manual Tape	408.25	Good	
12/2/91 7:03	Auto FIC	409.5	Good	
12/3/91 0:00	Manual Tape	408.00	Good	
12/3/91 7:03	Auto FIC	409.50	Good	
12/4/91 0:00	Manual Tape	408.25	Good	
12/4/91 7:03	Auto FIC	409.5	Good	
12/5/91 0:00	Manual Tape	408.75	Good	
12/5/91 7:03	Auto FIC	409.6	Good	
12/6/91 0:00	Manual Tape	408.75	Good	
12/6/91 7:04	Auto FIC	409.6	Good	
12/7/91 0:00	Manual Tape	408.25	Good	
12/7/91 7:03	Auto FIC	409.50	Good	
12/8/91 0:00	Manual Tape	408.25	Good	
12/8/91 7:03	Auto FIC	409.5	Good	
12/9/91 0:00	Manual Tape	408.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/9/91 7:03	Auto FIC	409.5	Good	
12/10/91 0:00	Manual Tape	408.25	Good	
12/10/91 7:03	Auto FIC	409.50	Good	
12/11/91 0:00	Manual Tape	408.25	Good	
12/11/91 7:02	Auto FIC	409.50	Good	
12/12/91 0:00	Manual Tape	408.25	Good	
12/12/91 7:03	Auto FIC	409.50	Good	
12/13/91 0:00	Manual Tape	408.25	Good	
12/13/91 7:05	Auto FIC	409.4	Good	
12/14/91 0:00	Manual Tape	408.25	Good	
12/14/91 7:02	Auto FIC	409.50	Good	
12/15/91 0:00	Manual Tape	408.25	Good	
12/15/91 7:02	Auto FIC	409.40	Good	
12/16/91 0:00	Manual Tape	408.25	Good	
12/16/91 7:03	Auto FIC	409.5	Good	
12/17/91 0:00	Manual Tape	408.25	Good	
12/17/91 7:06	Auto FIC	409.5	Good	
12/18/91 0:00	Manual Tape	408.25	Good	
12/18/91 7:03	Auto FIC	409.5	Good	
12/19/91 0:00	Manual Tape	408.25	Good	
12/19/91 7:03	Auto FIC	409.50	Good	
12/20/91 0:00	Manual Tape	408.25	Good	
12/20/91 7:02	Auto FIC	409.4	Good	
12/21/91 0:00	Manual Tape	408.25	Good	
12/21/91 7:03	Auto FIC	409.5	Good	
12/22/91 0:00	Manual Tape	408.25	Good	
12/22/91 7:05	Auto FIC	409.3	Good	
12/23/91 0:00	Manual Tape	408.25	Good	
12/23/91 7:06	Auto FIC	409.30	Good	
12/24/91 0:00	Manual Tape	408.00	Good	
12/24/91 7:03	Auto FIC	409.30	Good	
12/25/91 0:00	Manual Tape	408	Good	
12/25/91 7:03	Auto FIC	409.3	Good	
12/26/91 0:00	Manual Tape	408	Good	
12/26/91 7:03	Auto FIC	409.30	Good	
12/27/91 0:00	Manual Tape	408.00	Good	
12/27/91 7:03	Auto FIC	409.30	Good	
12/28/91 0:00	Manual Tape	408	Good	
12/28/91 7:02	Auto FIC	409.3	Good	
12/29/91 0:00	Manual Tape	408.00	Good	
12/29/91 7:03	Auto FIC	409.3	Good	
12/30/91 0:00	Manual Tape	408.00	Good	
12/30/91 7:03	Auto FIC	409.30	Good	
12/31/91 0:00	Manual Tape	408	Good	
12/31/91 7:03	Auto FIC	409.30	Good	
1/1/92 0:00	Manual Tape	408	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/1/92 7:03	Auto FIC	409.3	Good	
1/2/92 0:00	Manual Tape	408.00	Good	
1/2/92 7:02	Auto FIC	409.3	Good	
1/3/92 0:00	Manual Tape	408.25	Good	
1/3/92 7:04	Auto FIC	409.3	Good	
1/4/92 0:00	Manual Tape	408.00	Good	
1/4/92 7:03	Auto FIC	409.30	Good	
1/5/92 0:00	Manual Tape	408.00	Good	
1/5/92 7:03	Auto FIC	409.30	Good	
1/6/92 0:00	Manual Tape	408	Good	
1/6/92 7:03	Auto FIC	409.3	Good	
1/7/92 0:00	Manual Tape	408	Good	
1/7/92 7:04	Auto FIC	409.30	Good	
1/8/92 0:00	Manual Tape	408.00	Good	
1/8/92 7:03	Auto FIC	409.20	Good	
1/9/92 0:00	Manual Tape	408.00	Good	
1/9/92 7:03	Auto FIC	409.2	Good	
1/10/92 0:00	Manual Tape	408	Good	
1/10/92 7:04	Auto FIC	409.2	Good	
1/11/92 0:00	Manual Tape	407.75	Good	
1/11/92 7:04	Auto FIC	409.30	Good	
1/12/92 0:00	Manual Tape	407.75	Good	
1/12/92 0:00	Manual FIC	409.2	Good	
1/13/92 0:00	Manual Tape	408	Good	
1/13/92 0:00	Manual FIC	409.2	Good	
1/14/92 0:00	Manual Tape	408.00	Good	
1/14/92 0:00	Manual FIC	409.2	Good	
1/15/92 0:00	Manual Tape	408.00	Good	
1/15/92 7:03	Auto FIC	409.20	Good	
1/16/92 0:00	Manual Tape	408.00	Good	
1/16/92 7:04	Auto FIC	409.2	Good	
1/17/92 0:00	Manual Tape	407.75	Good	
1/17/92 7:04	Auto FIC	409.2	Good	
1/18/92 0:00	Manual Tape	407.75	Good	
1/18/92 7:04	Auto FIC	409.2	Good	
1/19/92 0:00	Manual Tape	408	Good	
1/19/92 7:03	Auto FIC	409.2	Good	
1/20/92 0:00	Manual Tape	408.00	Good	
1/20/92 7:03	Auto FIC	409.20	Good	
1/21/92 0:00	Manual Tape	408.00	Good	
1/21/92 7:03	Auto FIC	409.20	Good	
1/22/92 0:00	Manual Tape	408.00	Good	
1/22/92 7:06	Auto FIC	409.2	Good	
1/23/92 0:00	Manual Tape	408	Good	
1/23/92 7:03	Auto FIC	409.2	Good	
1/24/92 0:00	Manual Tape	407.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/24/92 7:02	Auto FIC	409.2	Good	
1/25/92 0:00	Manual Tape	407.75	Good	
1/25/92 7:03	Auto FIC	409.2	Good	
1/26/92 0:00	Manual Tape	407.75	Good	
1/26/92 6:03	Auto FIC	409.20	Good	
1/27/92 0:00	Manual Tape	407.75	Good	
1/27/92 7:02	Auto FIC	409.2	Good	
1/28/92 0:00	Manual Tape	407.75	Good	
1/28/92 7:03	Auto FIC	409.2	Good	
1/29/92 0:00	Manual Tape	407.25	Good	
1/29/92 7:03	Auto FIC	409.2	Good	
1/30/92 0:00	Manual Tape	407.50	Good	
1/30/92 7:03	Auto FIC	409.20	Good	
1/31/92 0:00	Manual Tape	407.5	Good	
1/31/92 7:03	Auto FIC	409.2	Good	
2/1/92 0:00	Manual Tape	407.75	Good	
2/1/92 7:02	Auto FIC	409.20	Good	
2/2/92 0:00	Manual Tape	407.75	Good	
2/2/92 7:03	Auto FIC	409.20	Good	
2/3/92 0:00	Manual Tape	407.75	Good	
2/3/92 7:03	Auto FIC	409.1	Good	
2/4/92 0:00	Manual Tape	407.75	Good	
2/4/92 7:03	Auto FIC	409.10	Good	
2/5/92 0:00	Manual Tape	407.75	Good	
2/5/92 7:02	Auto FIC	409.2	Good	
2/6/92 0:00	Manual Tape	407.75	Good	
2/6/92 0:00	Manual FIC	409.2	Good	
2/7/92 0:00	Manual Tape	407.75	Good	
2/7/92 0:00	Manual FIC	409.2	Good	
2/8/92 0:00	Manual Tape	407.50	Good	
2/8/92 7:04	Auto FIC	409.2	Good	
2/9/92 0:00	Manual Tape	407.50	Good	
2/9/92 7:03	Auto FIC	409.2	Good	
2/10/92 0:00	Manual Tape	407.75	Good	
2/10/92 7:04	Auto FIC	409.2	Good	
2/11/92 0:00	Manual Tape	407.75	Good	
2/11/92 7:03	Auto FIC	409.2	Good	
2/12/92 0:00	Manual Tape	407.75	Good	
2/12/92 7:03	Auto FIC	409.2	Good	
2/13/92 0:00	Manual Tape	408	Good	
2/13/92 7:03	Auto FIC	409.2	Good	
2/14/92 0:00	Manual Tape	407.75	Good	
2/14/92 7:03	Auto FIC	409.2	Good	
2/15/92 0:00	Manual Tape	407.75	Good	
2/15/92 7:03	Auto FIC	409.20	Good	
2/16/92 0:00	Manual Tape	407.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/16/92 7:03	Auto FIC	409.2	Good	
2/17/92 0:00	Manual Tape	407.75	Good	
2/17/92 7:03	Auto FIC	409.10	Good	
2/18/92 0:00	Manual Tape	407.75	Good	
2/18/92 7:03	Auto FIC	409.2	Good	
2/19/92 0:00	Manual Tape	407.75	Good	
2/19/92 7:03	Auto FIC	409.2	Good	
2/20/92 0:00	Manual Tape	407.75	Good	
2/20/92 7:03	Auto FIC	409.2	Good	
2/21/92 0:00	Manual Tape	407.75	Good	
2/21/92 7:03	Auto FIC	409.2	Good	
2/22/92 0:00	Manual Tape	407.75	Good	
2/22/92 7:03	Auto FIC	409.10	Good	
2/23/92 0:00	Manual Tape	407.5	Good	
2/23/92 7:03	Auto FIC	409.10	Good	
2/24/92 0:00	Manual Tape	407.75	Good	
2/24/92 7:03	Auto FIC	409.1	Good	
2/25/92 0:00	Manual Tape	407.75	Good	
2/25/92 7:04	Auto FIC	409.10	Good	
2/26/92 0:00	Manual Tape	407.75	Good	
2/26/92 7:03	Auto FIC	409.10	Good	
2/27/92 0:00	Manual Tape	407.75	Good	
2/27/92 7:04	Auto FIC	409.1	Good	
2/28/92 0:00	Manual Tape	407.75	Good	
2/28/92 7:04	Auto FIC	409.1	Good	
2/29/92 0:00	Manual Tape	407.75	Good	
2/29/92 7:03	Auto FIC	409.1	Good	
3/1/92 0:00	Manual Tape	407.75	Good	
3/1/92 7:03	Auto FIC	409.10	Good	
3/2/92 0:00	Manual Tape	407.75	Good	
3/2/92 7:03	Auto FIC	409.10	Good	
3/3/92 0:00	Manual Tape	407.75	Good	
3/3/92 7:04	Auto FIC	409.1	Good	
3/4/92 0:00	Manual Tape	407.75	Good	
3/4/92 7:04	Auto FIC	409.1	Good	
3/5/92 0:00	Manual Tape	407.75	Good	
3/5/92 7:03	Auto FIC	409.10	Good	
3/6/92 0:00	Manual Tape	407.75	Good	
3/6/92 7:03	Auto FIC	409.1	Good	
3/7/92 0:00	Manual Tape	407.75	Good	
3/7/92 7:02	Auto FIC	409.1	Good	
3/8/92 0:00	Manual Tape	408.00	Good	
3/8/92 7:02	Auto FIC	409.1	Good	
3/9/92 0:00	Manual Tape	408	Good	
3/9/92 7:02	Auto FIC	409.10	Good	
3/10/92 0:00	Manual Tape	407.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/10/92 7:03	Auto FIC	409.10	Good	
3/11/92 0:00	Manual Tape	407.75	Good	
3/11/92 7:03	Auto FIC	409.10	Good	
3/12/92 0:00	Manual Tape	407.75	Good	
3/12/92 7:03	Auto FIC	409.1	Good	
3/13/92 0:00	Manual Tape	407.75	Good	
3/13/92 7:03	Auto FIC	409.1	Good	
3/14/92 0:00	Manual Tape	407.75	Good	
3/14/92 7:03	Auto FIC	409.1	Good	
3/15/92 0:00	Manual Tape	407.75	Good	
3/15/92 7:06	Auto FIC	409.1	Good	
3/16/92 0:00	Manual Tape	407.75	Good	
3/16/92 7:03	Auto FIC	409.10	Good	
3/17/92 0:00	Manual Tape	407.75	Good	
3/17/92 7:03	Auto FIC	409.1	Good	
3/18/92 0:00	Manual Tape	407.75	Good	
3/18/92 7:03	Auto FIC	409.1	Good	
3/19/92 0:00	Manual Tape	407.75	Good	
3/19/92 6:02	Auto FIC	409.10	Good	
3/20/92 0:00	Manual Tape	407.75	Good	
3/20/92 7:02	Auto FIC	409.10	Good	
3/21/92 0:00	Manual Tape	407.75	Good	
3/21/92 7:03	Auto FIC	409.1	Good	
3/22/92 0:00	Manual Tape	407.75	Good	
3/22/92 7:02	Auto FIC	409.1	Good	
3/23/92 0:00	Manual Tape	407.75	Good	
3/23/92 7:02	Auto FIC	409.10	Good	
3/24/92 0:00	Manual Tape	407.75	Good	
3/24/92 7:02	Auto FIC	409.10	Good	
3/25/92 0:00	Manual Tape	407.75	Good	
3/25/92 7:03	Auto FIC	409.10	Good	
3/26/92 0:00	Manual Tape	407.75	Good	
3/26/92 7:03	Auto FIC	409.00	Good	
3/27/92 0:00	Manual Tape	407.75	Good	
3/27/92 7:02	Auto FIC	409	Good	
3/28/92 0:00	Manual Tape	407.75	Good	
3/28/92 7:03	Auto FIC	408.9	Good	
3/29/92 0:00	Manual Tape	407.75	Good	
3/29/92 7:03	Auto FIC	408.90	Good	
3/30/92 0:00	Manual Tape	407.75	Good	
3/30/92 7:03	Auto FIC	409	Good	
3/31/92 0:00	Manual Tape	407.5	Good	
3/31/92 7:03	Auto FIC	408.90	Good	
4/1/92 0:00	Manual Tape	407.75	Good	
4/1/92 7:03	Auto FIC	408.90	Good	
4/2/92 0:00	Manual Tape	407.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/2/92 7:03	Auto FIC	409	Good	
4/3/92 0:00	Manual Tape	407.75	Good	
4/3/92 7:03	Auto FIC	409.00	Good	
4/4/92 0:00	Manual Tape	407.50	Good	
4/4/92 7:03	Auto FIC	409.00	Good	
4/5/92 0:00	Manual Tape	407.75	Good	
4/5/92 7:03	Auto FIC	408.9	Good	
4/6/92 0:00	Manual Tape	407.50	Good	
4/6/92 7:03	Auto FIC	408.90	Good	
4/7/92 0:00	Manual Tape	407.75	Good	
4/7/92 7:03	Auto FIC	408.9	Good	
4/8/92 0:00	Manual Tape	407.75	Good	
4/8/92 5:02	Auto FIC	408.9	Good	
4/9/92 0:00	Manual Tape	407.75	Good	
4/9/92 7:03	Auto FIC	409	Good	
4/10/92 0:00	Manual Tape	407.75	Good	
4/10/92 7:03	Auto FIC	409.00	Good	
4/11/92 0:00	Manual Tape	407.75	Good	
4/11/92 7:03	Auto FIC	408.90	Good	
4/12/92 0:00	Manual Tape	407.75	Good	
4/12/92 5:03	Auto FIC	409.00	Good	
4/13/92 0:00	Manual Tape	407.75	Good	
4/13/92 7:03	Auto FIC	409	Good	
4/14/92 0:00	Manual Tape	407.75	Good	
4/14/92 7:03	Auto FIC	408.9	Good	
4/15/92 0:00	Manual Tape	407.5	Good	
4/15/92 7:02	Auto FIC	409.00	Good	
4/16/92 0:00	Manual Tape	407.75	Good	
4/16/92 7:03	Auto FIC	409	Good	
4/17/92 0:00	Manual Tape	407.75	Good	
4/17/92 7:03	Auto FIC	409.00	Good	
4/18/92 0:00	Manual Tape	407.75	Good	
4/18/92 7:02	Auto FIC	408.90	Good	
4/19/92 0:00	Manual Tape	407.75	Good	
4/19/92 7:02	Auto FIC	408.9	Good	
4/20/92 0:00	Manual Tape	407.75	Good	
4/20/92 7:03	Auto FIC	408.9	Good	
4/21/92 0:00	Manual Tape	407.75	Good	
4/21/92 7:03	Auto FIC	409.00	Good	
4/22/92 0:00	Manual Tape	407.75	Good	
4/22/92 7:02	Auto FIC	408.9	Good	
4/23/92 0:00	Manual Tape	407.50	Good	
4/23/92 7:03	Auto FIC	408.90	Good	
4/24/92 0:00	Manual Tape	407.50	Good	
4/24/92 7:03	Auto FIC	408.90	Good	
4/25/92 0:00	Manual Tape	407.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/25/92 7:04	Auto FIC	408.9	Good	
4/26/92 0:00	Manual Tape	407.5	Good	
4/26/92 7:03	Auto FIC	409.00	Good	
4/27/92 0:00	Manual Tape	408	Good	
4/27/92 7:04	Auto FIC	408.90	Good	
4/28/92 0:00	Manual Tape	408	Good	
4/28/92 7:03	Auto FIC	408.9	Good	
4/29/92 0:00	Manual Tape	408.00	Good	
4/29/92 7:03	Auto FIC	409.00	Good	
4/30/92 0:00	Manual Tape	408	Good	
4/30/92 7:03	Auto FIC	409.00	Good	
5/1/92 0:00	Manual Tape	408.00	Good	
5/1/92 7:03	Auto FIC	408.9	Good	
5/2/92 0:00	Manual Tape	408	Good	
5/2/92 2:03	Auto FIC	408.9	Good	
5/3/92 0:00	Manual Tape	407.75	Good	
5/3/92 7:03	Auto FIC	408.9	Good	
5/4/92 0:00	Manual Tape	407.75	Good	
5/4/92 7:03	Auto FIC	408.90	Good	
5/5/92 0:00	Manual Tape	407.75	Good	
5/5/92 7:04	Auto FIC	408.90	Good	
5/6/92 0:00	Manual Tape	407.75	Good	
5/6/92 7:03	Auto FIC	408.90	Good	
5/7/92 0:00	Manual Tape	407.75	Good	
5/7/92 7:04	Auto FIC	408.9	Good	
5/8/92 0:00	Manual Tape	407.75	Good	
5/8/92 7:03	Auto FIC	408.9	Good	
5/9/92 0:00	Manual Tape	407.75	Good	
5/9/92 0:00	Manual FIC	408.90	Good	
5/10/92 0:00	Manual Tape	407.75	Good	
5/10/92 6:03	Auto FIC	408.9	Good	
5/11/92 0:00	Manual Tape	407.75	Good	
5/11/92 0:00	Manual FIC	408.90	Good	
5/12/92 0:00	Manual Tape	407.5	Good	
5/12/92 7:03	Auto FIC	408.90	Good	
5/13/92 0:00	Manual Tape	407.75	Good	
5/13/92 7:03	Auto FIC	400.90	Good	
5/14/92 0:00	Manual Tape	407.75	Good	
5/14/92 7:03	Auto FIC	408.90	Good	
5/15/92 0:00	Manual Tape	407.75	Good	
5/15/92 7:03	Auto FIC	408.9	Good	
5/16/92 0:00	Manual Tape	407.75	Good	
5/16/92 7:03	Auto FIC	408.9	Good	
5/17/92 0:00	Manual Tape	407.75	Good	
5/17/92 7:02	Auto FIC	408.90	Good	
5/18/92 0:00	Manual Tape	407.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/18/92 7:03	Auto FIC	408.9	Good	
5/19/92 0:00	Manual Tape	407.75	Good	
5/19/92 7:03	Auto FIC	408.90	Good	
5/20/92 0:00	Manual Tape	407.75	Good	
5/20/92 7:03	Auto FIC	408.9	Good	
5/21/92 0:00	Manual Tape	407.75	Good	
5/21/92 7:03	Auto FIC	408.90	Good	
5/22/92 0:00	Manual Tape	407.75	Good	
5/22/92 7:02	Auto FIC	408.90	Good	
5/23/92 0:00	Manual Tape	407.75	Good	
5/23/92 7:03	Auto FIC	408.90	Good	
5/24/92 0:00	Manual Tape	407.75	Good	
5/24/92 7:03	Auto FIC	408.9	Good	
5/25/92 0:00	Manual Tape	407.75	Good	
5/25/92 7:03	Auto FIC	408.9	Good	
5/26/92 0:00	Manual Tape	407.75	Good	
5/26/92 0:00	Manual FIC	408.9	Good	
5/27/92 0:00	Manual Tape	407.75	Good	
5/27/92 7:03	Auto FIC	408.90	Good	
5/28/92 0:00	Manual Tape	407.75	Good	
5/28/92 7:02	Auto FIC	408.9	Good	
5/29/92 0:00	Manual Tape	407.75	Good	
5/29/92 7:02	Auto FIC	408.9	Good	
5/30/92 0:00	Manual Tape	407.75	Good	
5/30/92 7:03	Auto FIC	408.9	Good	
5/31/92 0:00	Manual Tape	407.75	Good	
5/31/92 7:03	Auto FIC	408.90	Good	
6/1/92 0:00	Manual Tape	407.75	Good	
6/1/92 7:03	Auto FIC	408.90	Good	
6/2/92 0:00	Manual Tape	407.75	Good	
6/2/92 7:03	Auto FIC	408.9	Good	
6/3/92 7:03	Auto FIC	408.90	Good	
6/4/92 0:00	Manual Tape	407.50	Good	
6/4/92 7:03	Auto FIC	408.90	Good	
6/5/92 0:00	Manual Tape	407.5	Good	
6/5/92 7:02	Auto FIC	0	Suspect	Data not included in graph
6/6/92 0:00	Manual Tape	407.75	Good	
6/6/92 0:00	Manual FIC	408.9	Good	
6/6/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/7/92 0:00	Manual Tape	407.75	Good	
6/7/92 7:03	Auto FIC	408.9	Good	
6/8/92 0:00	Manual Tape	407.75	Good	
6/8/92 7:03	Auto FIC	408.9	Good	
6/9/92 0:00	Manual Tape	407.75	Good	
6/9/92 7:03	Auto FIC	408.9	Good	
6/10/92 0:00	Manual Tape	407.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/10/92 7:03	Auto FIC	408.9	Good	
6/11/92 0:00	Manual Tape	407.75	Good	
6/11/92 7:03	Auto FIC	408.9	Good	
6/12/92 0:00	Manual Tape	407.75	Good	
6/12/92 7:05	Auto FIC	408.9	Good	
6/13/92 0:00	Manual Tape	407.75	Good	
6/13/92 7:05	Auto FIC	408.90	Good	
6/14/92 0:00	Manual Tape	407.75	Good	
6/14/92 0:00	Manual FIC	408.90	Good	
6/15/92 0:00	Manual Tape	407.75	Good	
6/15/92 7:03	Auto FIC	408.9	Good	
6/16/92 0:00	Manual Tape	407.75	Good	
6/16/92 7:03	Auto FIC	408.9	Good	
6/17/92 0:00	Manual Tape	407.75	Good	
6/17/92 7:03	Auto FIC	408.9	Good	
6/18/92 0:00	Manual Tape	408.00	Good	
6/18/92 7:03	Auto FIC	408.9	Good	
6/19/92 0:00	Manual Tape	408.00	Good	
6/19/92 7:02	Auto FIC	408.90	Good	
6/20/92 0:00	Manual Tape	408.00	Good	
6/20/92 7:02	Auto FIC	408.90	Good	
6/21/92 0:00	Manual Tape	407.75	Good	
6/21/92 7:03	Auto FIC	408.90	Good	
6/22/92 0:00	Manual Tape	407.75	Good	
6/22/92 7:03	Auto FIC	408.9	Good	
6/23/92 0:00	Manual Tape	407.50	Good	
6/23/92 7:03	Auto FIC	408.9	Good	
6/24/92 0:00	Manual Tape	407.50	Good	
6/24/92 7:03	Auto FIC	409.00	Good	
6/25/92 0:00	Manual Tape	407.5	Good	
6/25/92 7:03	Auto FIC	409	Good	
6/26/92 0:00	Manual Tape	407.75	Good	
6/26/92 7:02	Auto FIC	408.90	Good	
6/27/92 0:00	Manual Tape	407.75	Good	
6/27/92 7:03	Auto FIC	408.9	Good	
6/28/92 0:00	Manual Tape	407.75	Good	
6/28/92 7:06	Auto FIC	409.00	Good	
6/29/92 0:00	Manual Tape	407.75	Good	
6/29/92 7:06	Auto FIC	408.9	Good	
6/30/92 0:00	Manual Tape	407.75	Good	
6/30/92 7:06	Auto FIC	408.9	Good	
7/1/92 0:00	Manual Tape	407.75	Good	
7/1/92 0:00	Manual FIC	408.90	Good	
7/2/92 0:00	Manual Tape	407.75	Good	
7/2/92 0:00	Manual FIC	408.90	Good	
7/3/92 0:00	Manual Tape	407.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/3/92 7:06	Auto FIC	408.90	Good	
7/4/92 0:00	Manual Tape	407.75	Good	
7/4/92 7:06	Auto FIC	408.9	Good	
7/5/92 0:00	Manual Tape	407.75	Good	
7/5/92 7:06	Auto FIC	408.9	Good	
7/6/92 0:00	Manual Tape	407.75	Good	
7/6/92 7:06	Auto FIC	408.90	Good	
7/7/92 0:00	Manual Tape	408	Good	
7/7/92 7:06	Auto FIC	408.9	Good	
7/8/92 0:00	Manual Tape	407.75	Good	
7/8/92 7:06	Auto FIC	408.9	Good	
7/9/92 0:00	Manual Tape	407.75	Good	
7/9/92 7:06	Auto FIC	408.90	Good	
7/10/92 0:00	Manual Tape	407.75	Good	
7/10/92 7:06	Auto FIC	408.90	Good	
7/11/92 0:00	Manual Tape	407.75	Good	
7/11/92 7:06	Auto FIC	408.9	Good	
7/12/92 0:00	Manual Tape	407.75	Good	
7/12/92 7:06	Auto FIC	408.9	Good	
7/13/92 0:00	Manual Tape	407.75	Good	
7/13/92 7:06	Auto FIC	408.9	Good	
7/14/92 0:00	Manual Tape	407.75	Good	
7/14/92 7:06	Auto FIC	408.90	Good	
7/15/92 0:00	Manual Tape	407.75	Good	
7/15/92 7:06	Auto FIC	408.9	Good	
7/16/92 0:00	Manual Tape	407.75	Good	
7/16/92 7:06	Auto FIC	408.9	Good	
7/17/92 0:00	Manual Tape	407.75	Good	
7/17/92 7:06	Auto FIC	408.90	Good	
7/18/92 0:00	Manual Tape	407.75	Good	
7/18/92 7:06	Auto FIC	408.90	Good	
7/19/92 0:00	Manual Tape	407.75	Good	
7/19/92 7:06	Auto FIC	408.90	Good	
7/20/92 0:00	Manual Tape	407.75	Good	
7/20/92 7:06	Auto FIC	408.90	Good	
7/21/92 0:00	Manual Tape	407.75	Good	
7/21/92 7:05	Auto FIC	408.9	Good	
7/22/92 0:00	Manual Tape	419.75	Suspect	Data not included in graph
7/22/92 7:06	Auto FIC	408.9	Good	
7/23/92 0:00	Manual Tape	419.75	Suspect	Data not included in graph
7/23/92 0:00	Manual FIC	408.90	Good	
7/24/92 0:00	Manual Tape	408	Good	
7/24/92 7:05	Auto FIC	408.90	Good	
7/25/92 0:00	Manual Tape	407.75	Good	
7/25/92 7:06	Auto FIC	408.90	Good	
7/26/92 0:00	Manual Tape	407.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/26/92 7:06	Auto FIC	408.90	Good	
7/27/92 0:00	Manual Tape	407.50	Good	
7/27/92 7:05	Auto FIC	408.9	Good	
7/28/92 0:00	Manual Tape	407.75	Good	
7/28/92 7:06	Auto FIC	408.90	Good	
7/29/92 0:00	Manual Tape	407.75	Good	
7/29/92 7:06	Auto FIC	408.90	Good	
7/30/92 0:00	Manual Tape	407.75	Good	
7/30/92 7:06	Auto FIC	409	Good	
7/31/92 0:00	Manual Tape	407.75	Good	
7/31/92 7:05	Auto FIC	409.00	Good	
8/1/92 0:00	Manual Tape	407.75	Good	
8/1/92 7:06	Auto FIC	409.00	Good	
8/2/92 0:00	Manual Tape	407.75	Good	
8/2/92 7:06	Auto FIC	408.9	Good	
8/3/92 0:00	Manual Tape	407.75	Good	
8/3/92 7:06	Auto FIC	409.00	Good	
8/4/92 0:00	Manual Tape	407.75	Good	
8/4/92 7:06	Auto FIC	409.00	Good	
8/5/92 0:00	Manual Tape	407.75	Good	
8/5/92 7:05	Auto FIC	409	Good	
8/6/92 0:00	Manual Tape	408	Good	
8/6/92 7:05	Auto FIC	409	Good	
8/7/92 0:00	Manual Tape	408	Good	
8/7/92 7:05	Auto FIC	409.00	Good	
8/8/92 0:00	Manual Tape	408.00	Good	
8/8/92 7:06	Auto FIC	408.90	Good	
8/9/92 0:00	Manual Tape	408.00	Good	
8/9/92 7:06	Auto FIC	408.90	Good	
8/10/92 0:00	Manual Tape	408	Good	
8/10/92 7:05	Auto FIC	408.9	Good	
8/11/92 0:00	Manual Tape	408.00	Good	
8/11/92 7:06	Auto FIC	408.9	Good	
8/12/92 0:00	Manual Tape	408	Good	
8/12/92 7:06	Auto FIC	409	Good	
8/13/92 0:00	Manual Tape	408	Good	
8/13/92 7:06	Auto FIC	409.00	Good	
8/14/92 0:00	Manual Tape	408.00	Good	
8/14/92 7:06	Auto FIC	409.00	Good	
8/15/92 0:00	Manual Tape	408.00	Good	
8/15/92 7:06	Auto FIC	409.00	Good	
8/16/92 0:00	Manual Tape	408.25	Good	
8/16/92 7:06	Auto FIC	409.00	Good	
8/17/92 0:00	Manual Tape	287.25	Suspect	Data not included in graph
8/17/92 7:06	Auto FIC	409	Good	
8/18/92 0:00	Manual Tape	408	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/18/92 7:06	Auto FIC	409	Good	
8/19/92 0:00	Manual Tape	408	Good	
8/19/92 7:06	Auto FIC	409.00	Good	
8/20/92 0:00	Manual Tape	408.00	Good	
8/20/92 7:06	Auto FIC	409	Good	
8/21/92 0:00	Manual Tape	408.00	Good	
8/21/92 7:05	Auto FIC	409.00	Good	
8/22/92 0:00	Manual Tape	408	Good	
8/22/92 7:04	Auto FIC	409.00	Good	
8/23/92 0:00	Manual Tape	408.00	Good	
8/23/92 7:04	Auto FIC	408.9	Good	
8/24/92 0:00	Manual Tape	407.75	Good	
8/24/92 7:04	Auto FIC	408.90	Good	
8/25/92 0:00	Manual Tape	407.75	Good	
8/25/92 7:04	Auto FIC	408.90	Good	
8/26/92 0:00	Manual Tape	407.75	Good	
8/26/92 7:03	Auto FIC	408.9	Good	
8/27/92 7:04	Auto FIC	408.9	Good	
8/28/92 0:00	Manual Tape	408.00	Good	
8/28/92 7:02	Auto FIC	409	Good	
8/29/92 0:00	Manual Tape	408.00	Good	
8/29/92 7:02	Auto FIC	408.9	Good	
8/30/92 0:00	Manual Tape	408	Good	
8/30/92 7:02	Auto FIC	409	Good	
8/31/92 0:00	Manual Tape	408	Good	
8/31/92 7:02	Auto FIC	409.00	Good	
9/1/92 0:00	Manual Tape	408.00	Good	
9/1/92 7:02	Auto FIC	408.90	Good	
9/2/92 0:00	Manual Tape	408.00	Good	
9/2/92 7:02	Auto FIC	409	Good	
9/3/92 0:00	Manual Tape	408.00	Good	
9/3/92 7:04	Auto FIC	409	Good	
9/4/92 0:00	Manual Tape	408	Good	
9/4/92 7:04	Auto FIC	409	Good	
9/5/92 0:00	Manual Tape	408.00	Good	
9/5/92 7:04	Auto FIC	408.9	Good	
9/6/92 0:00	Manual Tape	408.00	Good	
9/6/92 7:04	Auto FIC	408.90	Good	
9/7/92 0:00	Manual Tape	408.00	Good	
9/7/92 7:05	Auto FIC	408.90	Good	
9/8/92 0:00	Manual Tape	408.00	Good	
9/8/92 7:05	Auto FIC	409.00	Good	
9/9/92 0:00	Manual Tape	408	Good	
9/9/92 7:04	Auto FIC	408.90	Good	
9/10/92 0:00	Manual Tape	408.00	Good	
9/10/92 7:03	Auto FIC	408.9	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/11/92 0:00	Manual Tape	408.00	Good	
9/11/92 0:00	Manual FIC	409	Good	
9/12/92 0:00	Manual Tape	407.75	Good	
9/12/92 0:00	Manual FIC	408.90	Good	
9/13/92 0:00	Manual Tape	407.75	Good	
9/13/92 0:00	Manual FIC	408.90	Good	
9/14/92 0:00	Manual Tape	396.75	Suspect	Data not included in graph
9/14/92 0:00	Manual FIC	408.9	Good	
9/15/92 0:00	Manual Tape	396.75	Suspect	Data not included in graph
9/15/92 0:00	Manual FIC	408.9	Good	
9/16/92 0:00	Manual Tape	408	Good	
9/16/92 0:00	Manual FIC	408.90	Good	
9/17/92 0:00	Manual Tape	408.00	Good	
9/17/92 7:06	Auto FIC	408.90	Good	
9/18/92 0:00	Manual Tape	408.00	Good	
9/18/92 7:06	Auto FIC	408.9	Good	
9/19/92 0:00	Manual Tape	408	Good	
9/19/92 0:00	Manual FIC	409	Good	
9/20/92 0:00	Manual Tape	408.00	Good	
9/20/92 0:00	Manual FIC	409.00	Good	
9/21/92 0:00	Manual Tape	408.00	Good	
9/21/92 7:06	Auto FIC	408.90	Good	
9/22/92 0:00	Manual Tape	408.00	Good	
9/22/92 7:03	Auto FIC	408.9	Good	
9/23/92 0:00	Manual Tape	408.00	Good	
9/23/92 7:03	Auto FIC	409	Good	
9/24/92 0:00	Manual Tape	408	Good	
9/24/92 7:03	Auto FIC	409.00	Good	
9/25/92 0:00	Manual Tape	408	Good	
9/25/92 7:03	Auto FIC	408.90	Good	
9/26/92 0:00	Manual Tape	408	Good	
9/26/92 7:02	Auto FIC	408.9	Good	
9/27/92 0:00	Manual Tape	408.00	Good	
9/27/92 7:02	Auto FIC	408.90	Good	
9/28/92 0:00	Manual Tape	408	Good	
9/28/92 7:02	Auto FIC	408.90	Good	
9/29/92 0:00	Manual Tape	408.00	Good	
9/29/92 7:03	Auto FIC	408.9	Good	
9/30/92 0:00	Manual Tape	408.25	Good	
9/30/92 7:02	Auto FIC	408.9	Good	
10/1/92 0:00	Manual Tape	408	Good	
10/1/92 7:03	Auto FIC	408.90	Good	
10/2/92 0:00	Manual Tape	408.00	Good	
10/2/92 7:02	Auto FIC	409	Good	
10/3/92 0:00	Manual Tape	408.25	Good	
10/3/92 7:03	Auto FIC	408.90	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/4/92 0:00	Manual Tape	408.25	Good	
10/4/92 7:03	Auto FIC	408.9	Good	
10/5/92 0:00	Manual Tape	408.25	Good	
10/5/92 7:03	Auto FIC	408.9	Good	
10/6/92 0:00	Manual Tape	408.25	Good	
10/6/92 7:03	Auto FIC	408.9	Good	
10/7/92 0:00	Manual Tape	408	Good	
10/7/92 0:00	Manual FIC	408.90	Good	
10/8/92 0:00	Manual Tape	408.00	Good	
10/8/92 7:02	Auto FIC	408.90	Good	
10/9/92 0:00	Manual Tape	408.00	Good	
10/9/92 7:03	Auto FIC	408.90	Good	
10/10/92 0:00	Manual Tape	408.25	Good	
10/10/92 7:03	Auto FIC	408.9	Good	
10/11/92 0:00	Manual Tape	408.25	Good	
10/11/92 7:03	Auto FIC	408.9	Good	
10/12/92 0:00	Manual Tape	408.25	Good	
10/12/92 0:00	Manual FIC	408.90	Good	
10/13/92 0:00	Manual Tape	408.25	Good	
10/13/92 0:00	Manual FIC	408.90	Good	
10/14/92 0:00	Manual Tape	408.25	Good	
10/14/92 7:03	Auto FIC	408.9	Good	
10/15/92 0:00	Manual Tape	408.50	Good	
10/15/92 7:04	Auto FIC	408.8	Good	
10/16/92 0:00	Manual Tape	408.5	Good	
10/16/92 7:03	Auto FIC	408.90	Good	
10/17/92 0:00	Manual Tape	408.5	Good	
10/17/92 7:03	Auto FIC	408.90	Good	
10/18/92 0:00	Manual Tape	408.50	Good	
10/18/92 7:03	Auto FIC	408.9	Good	
10/19/92 0:00	Manual Tape	408.50	Good	
10/19/92 7:03	Auto FIC	408.9	Good	
10/20/92 0:00	Manual Tape	408.50	Good	
10/20/92 7:03	Auto FIC	408.90	Good	
10/21/92 0:00	Manual Tape	408	Good	
10/21/92 7:03	Auto FIC	408.90	Good	
10/22/92 0:00	Manual Tape	408	Good	
10/22/92 0:00	Manual FIC	408.9	Good	
10/23/92 0:00	Manual Tape	408	Good	
10/23/92 0:00	Manual FIC	408.80	Good	
10/24/92 0:00	Manual Tape	408.00	Good	
10/24/92 7:03	Auto FIC	408.90	Good	
10/25/92 0:00	Manual Tape	408.00	Good	
10/25/92 7:03	Auto FIC	408.9	Good	
10/26/92 0:00	Manual Tape	408	Good	
10/26/92 0:00	Manual FIC	408.90	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/27/92 0:00	Manual Tape	408.00	Good	
10/27/92 7:04	Auto FIC	408.90	Good	
10/28/92 0:00	Manual Tape	408.00	Good	
10/28/92 7:03	Auto FIC	408.9	Good	
10/29/92 0:00	Manual Tape	408	Good	
10/29/92 7:03	Auto FIC	408.90	Good	
10/30/92 0:00	Manual Tape	408.25	Good	
10/30/92 7:03	Auto FIC	408.9	Good	
10/31/92 0:00	Manual Tape	408.25	Good	
10/31/92 7:03	Auto FIC	408.9	Good	
11/1/92 0:00	Manual Tape	408.25	Good	
11/1/92 7:03	Auto FIC	408.9	Good	
11/2/92 0:00	Manual Tape	408.25	Good	
11/2/92 7:03	Auto FIC	408.90	Good	
11/3/92 0:00	Manual Tape	408	Good	
11/3/92 7:03	Auto FIC	408.80	Good	
11/4/92 0:00	Manual Tape	408.00	Good	
11/4/92 7:03	Auto FIC	408.90	Good	
11/5/92 0:00	Manual Tape	408.00	Good	
11/5/92 0:00	Manual FIC	408.90	Good	
11/6/92 0:00	Manual Tape	408	Good	
11/6/92 0:00	Manual FIC	408.9	Good	
11/7/92 0:00	Manual Tape	408	Good	
11/7/92 0:00	Manual FIC	408.9	Good	
11/8/92 0:00	Manual Tape	408.00	Good	
11/8/92 0:00	Manual FIC	408.90	Good	
11/9/92 0:00	Manual Tape	408.00	Good	
11/9/92 0:00	Manual FIC	408.90	Good	
11/10/92 0:00	Manual Tape	408	Good	
11/10/92 7:03	Auto FIC	408.80	Good	
11/11/92 0:00	Manual Tape	408	Good	
11/11/92 7:04	Auto FIC	408.90	Good	
11/12/92 0:00	Manual Tape	408.00	Good	
11/12/92 7:03	Auto FIC	408.8	Good	
11/13/92 0:00	Manual Tape	408.00	Good	
11/13/92 7:04	Auto FIC	408.8	Good	
11/14/92 0:00	Manual Tape	408	Good	
11/14/92 7:04	Auto FIC	408.80	Good	
11/15/92 0:00	Manual Tape	408	Good	
11/15/92 7:04	Auto FIC	408.9	Good	
11/16/92 0:00	Manual Tape	408.00	Good	
11/16/92 7:04	Auto FIC	408.90	Good	
11/17/92 0:00	Manual Tape	408.00	Good	
11/17/92 7:04	Auto FIC	408.90	Good	
11/18/92 0:00	Manual Tape	408	Good	
11/18/92 7:02	Auto FIC	408.8	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/19/92 0:00	Manual Tape	408.00	Good	
11/19/92 7:02	Auto FIC	408.90	Good	
11/20/92 0:00	Manual Tape	408.25	Good	
11/20/92 7:03	Auto FIC	408.8	Good	
11/21/92 0:00	Manual Tape	408.25	Good	
11/21/92 7:02	Auto FIC	408.90	Good	
11/22/92 7:03	Auto FIC	408.90	Good	
11/23/92 0:00	Manual Tape	408.25	Good	
11/23/92 7:03	Auto FIC	408.8	Good	
11/24/92 0:00	Manual Tape	408.25	Good	
11/24/92 7:03	Auto FIC	408.8	Good	
11/25/92 0:00	Manual Tape	408	Good	
11/25/92 7:03	Auto FIC	408.80	Good	
11/26/92 0:00	Manual Tape	408.00	Good	
11/26/92 7:03	Auto FIC	408.80	Good	
11/27/92 0:00	Manual Tape	408.00	Good	
11/27/92 7:03	Auto FIC	408.80	Good	
11/28/92 0:00	Manual Tape	408.25	Good	
11/28/92 7:03	Auto FIC	408.8	Good	
11/29/92 0:00	Manual Tape	408	Good	
11/29/92 7:03	Auto FIC	408.8	Good	
11/30/92 0:00	Manual Tape	408.00	Good	
11/30/92 0:00	Manual FIC	408.9	Good	
12/1/92 0:00	Manual Tape	408.00	Good	
12/1/92 7:03	Auto FIC	408.80	Good	
12/2/92 0:00	Manual Tape	408	Good	
12/2/92 7:03	Auto FIC	408.80	Good	
12/3/92 0:00	Manual Tape	408	Good	
12/3/92 7:03	Auto FIC	408.80	Good	
12/4/92 0:00	Manual Tape	408.00	Good	
12/4/92 7:03	Auto FIC	400.80	Good	
12/5/92 0:00	Manual Tape	408.00	Good	
12/5/92 0:00	Manual FIC	408.9	Good	
12/6/92 0:00	Manual Tape	408	Good	
12/6/92 7:02	Auto FIC	408.9	Good	
12/7/92 0:00	Manual Tape	408.00	Good	
12/7/92 7:03	Auto FIC	408.90	Good	
12/8/92 0:00	Manual Tape	408	Good	
12/8/92 7:03	Auto FIC	408.9	Good	
12/9/92 0:00	Manual Tape	408	Good	
12/9/92 7:03	Auto FIC	400.90	Good	
12/10/92 0:00	Manual Tape	408.00	Good	
12/10/92 7:03	Auto FIC	408.90	Good	
12/11/92 0:00	Manual Tape	408	Good	
12/11/92 7:03	Auto FIC	408.90	Good	
12/12/92 0:00	Manual Tape	408	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/12/92 0:00	Manual FIC	408.9	Good	
12/13/92 0:00	Manual Tape	407.75	Good	
12/13/92 7:04	Auto FIC	408.80	Good	
12/14/92 0:00	Manual Tape	408.00	Good	
12/14/92 7:03	Auto FIC	408.90	Good	
12/15/92 0:00	Manual Tape	407.50	Good	
12/15/92 7:03	Auto FIC	408.8	Good	
12/16/92 0:00	Manual Tape	407.75	Good	
12/16/92 7:04	Auto FIC	408.8	Good	
12/17/92 0:00	Manual Tape	407.75	Good	
12/17/92 7:03	Auto FIC	408.90	Good	
12/18/92 0:00	Manual Tape	407.75	Good	
12/18/92 7:03	Auto FIC	408.8	Good	
12/19/92 0:00	Manual Tape	407.75	Good	
12/19/92 7:03	Auto FIC	410.8	Suspect	Data not included in graph
12/20/92 0:00	Manual Tape	407.5	Good	
12/20/92 7:04	Auto FIC	410.9	Suspect	Data not included in graph
12/21/92 7:04	Auto FIC	410.8	Suspect	Data not included in graph
12/22/92 0:00	Manual FIC	408.6	Good	
12/23/92 7:04	Auto FIC	408.60	Good	
12/24/92 0:00	Manual Tape	407.75	Good	
12/24/92 7:03	Auto FIC	408.6	Good	
12/25/92 0:00	Manual Tape	407.75	Good	
12/25/92 7:03	Auto FIC	408.6	Good	
12/26/92 7:03	Auto FIC	408.7	Good	
12/27/92 7:03	Auto FIC	408.7	Good	
12/28/92 0:00	Manual Tape	408	Good	
12/28/92 7:03	Auto FIC	408.7	Good	
12/29/92 0:00	Manual Tape	408.00	Good	
12/29/92 0:00	Manual FIC	408.7	Good	
12/30/92 0:00	Manual Tape	408	Good	
12/30/92 7:03	Auto FIC	408.60	Good	
12/31/92 0:00	Manual Tape	408	Good	
12/31/92 7:03	Auto FIC	408.6	Good	
1/1/93 0:00	Manual Tape	408	Good	
1/1/93 7:04	Auto FIC	408.6	Good	
1/2/93 0:00	Auto FIC	408.6	Good	
1/2/93 0:00	Manual Tape	408.00	Good	
1/3/93 0:00	Auto FIC	408.6	Good	
1/3/93 0:00	Manual Tape	408	Good	
1/4/93 0:00	Auto FIC	408.60	Good	
1/4/93 0:00	Manual Tape	408.00	Good	
1/5/93 0:00	Auto FIC	408.60	Good	
1/5/93 0:00	Manual Tape	408	Good	
1/6/93 0:00	Auto FIC	408.60	Good	
1/6/93 0:00	Manual Tape	408.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/7/93 0:00	Auto FIC	408.60	Good	
1/7/93 0:00	Manual Tape	408.25	Good	
1/8/93 0:00	Auto FIC	408.6	Good	
1/8/93 0:00	Manual Tape	408.00	Good	
1/9/93 0:00	Auto FIC	408.6	Good	
1/9/93 0:00	Manual Tape	408	Good	
1/10/93 0:00	Auto FIC	408.6	Good	
1/10/93 0:00	Manual Tape	408	Good	
1/11/93 0:00	Auto FIC	408.6	Good	
1/11/93 0:00	Manual Tape	408.00	Good	
1/12/93 0:00	Manual Tape	408	Good	
1/12/93 7:06	Auto FIC	408.6	Good	
1/13/93 0:00	Manual Tape	408.00	Good	
1/13/93 7:06	Auto FIC	408.6	Good	
1/14/93 0:00	Manual Tape	408	Good	
1/14/93 7:03	Auto FIC	408.6	Good	
1/15/93 0:00	Manual Tape	408	Good	
1/15/93 7:03	Auto FIC	408.6	Good	
1/16/93 0:00	Auto FIC	408.60	Good	
1/16/93 0:00	Manual Tape	408.25	Good	
1/17/93 0:00	Auto FIC	408.6	Good	
1/17/93 0:00	Manual Tape	408.25	Good	
1/18/93 0:00	Auto FIC	408.60	Good	
1/18/93 0:00	Manual Tape	408.00	Good	
1/19/93 0:00	Auto FIC	408.6	Good	
1/19/93 0:00	Manual Tape	408	Good	
1/20/93 0:00	Auto FIC	408.65	Good	
1/20/93 0:00	Manual Tape	408.00	Good	
1/21/93 0:00	Manual Tape	408.00	Good	
1/21/93 7:02	Auto FIC	408.6	Good	
1/22/93 0:00	Manual Tape	408	Good	
1/22/93 7:04	Auto FIC	408.6	Good	
1/23/93 7:03	Auto FIC	408.6	Good	
1/24/93 0:00	Manual Tape	408.00	Good	
1/24/93 7:03	Auto FIC	408.6	Good	
1/25/93 7:03	Auto FIC	408.60	Good	
1/26/93 7:04	Auto FIC	408.60	Good	
1/27/93 7:04	Auto FIC	408.6	Good	
1/28/93 0:00	Manual Tape	408.00	Good	
1/28/93 7:04	Auto FIC	408.6	Good	
1/29/93 7:04	Auto FIC	408.6	Good	
1/30/93 0:00	Manual Tape	408	Good	
1/30/93 7:03	Auto FIC	408.60	Good	
1/31/93 7:04	Auto FIC	408.6	Good	
2/1/93 7:04	Auto FIC	408.6	Good	
2/2/93 7:04	Auto FIC	408.60	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/3/93 0:00	Auto FIC	408.6	Good	
2/4/93 0:00	Manual Tape	407.75	Good	
2/4/93 7:04	Auto FIC	408.6	Good	
2/5/93 0:00	Manual Tape	407.50	Good	
2/5/93 7:04	Auto FIC	408.60	Good	
2/6/93 0:00	Manual Tape	407.75	Good	
2/6/93 7:04	Auto FIC	408.6	Good	
2/7/93 0:00	Manual Tape	407.75	Good	
2/7/93 7:03	Auto FIC	408.60	Good	
2/8/93 0:00	Manual Tape	407.75	Good	
2/8/93 7:04	Auto FIC	408.6	Good	
2/9/93 0:00	Manual Tape	407.75	Good	
2/9/93 7:04	Auto FIC	408.6	Good	
2/10/93 0:00	Manual Tape	407.75	Good	
2/10/93 7:04	Auto FIC	408.60	Good	
2/11/93 0:00	Manual Tape	407.75	Good	
2/11/93 7:04	Auto FIC	408.60	Good	
2/12/93 0:00	Manual Tape	407.75	Good	
2/12/93 7:03	Auto FIC	408.6	Good	
2/13/93 7:03	Auto FIC	408.60	Good	
2/14/93 7:04	Auto FIC	408.60	Good	
2/15/93 7:04	Auto FIC	408.60	Good	
2/16/93 7:02	Auto FIC	408.5	Good	
2/17/93 0:00	Manual Tape	407.75	Good	
2/17/93 0:00	Manual FIC	408.50	Good	
2/18/93 0:00	Manual Tape	407.75	Good	
2/18/93 7:03	Auto FIC	408.60	Good	
2/19/93 0:00	Manual Tape	407.75	Good	
2/19/93 7:02	Auto FIC	408.70	Good	
2/20/93 0:00	Manual Tape	407.75	Good	
2/20/93 7:03	Auto FIC	408.60	Good	
2/21/93 0:00	Manual Tape	407.75	Good	
2/21/93 7:04	Auto FIC	408.6	Good	
2/22/93 0:00	Manual Tape	407.75	Good	
2/22/93 7:04	Auto FIC	408.6	Good	
2/23/93 0:00	Manual Tape	407.75	Good	
2/23/93 7:03	Auto FIC	408.6	Good	
2/24/93 0:00	Manual Tape	407.75	Good	
2/24/93 7:04	Auto FIC	408.60	Good	
2/25/93 0:00	Manual Tape	407.75	Good	
2/25/93 7:03	Auto FIC	408.50	Good	
2/26/93 0:00	Manual Tape	408.00	Good	
2/26/93 7:03	Auto FIC	408.50	Good	
2/27/93 0:00	Manual Tape	408.00	Good	
2/27/93 7:04	Auto FIC	408.5	Good	
2/28/93 0:00	Manual Tape	408	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/28/93 7:03	Auto FIC	408.5	Good	
3/1/93 0:00	Manual Tape	408.00	Good	
3/1/93 7:03	Auto FIC	408.60	Good	
3/2/93 0:00	Manual Tape	407.75	Good	
3/2/93 7:04	Auto FIC	408.50	Good	
3/3/93 0:00	Manual Tape	407.75	Good	
3/3/93 7:03	Auto FIC	408.60	Good	
3/4/93 0:00	Manual Tape	407.75	Good	
3/4/93 7:04	Auto FIC	408.50	Good	
3/5/93 0:00	Manual Tape	407.75	Good	
3/5/93 7:04	Auto FIC	408.50	Good	
3/6/93 0:00	Manual Tape	407.75	Good	
3/6/93 7:03	Auto FIC	408.50	Good	
3/7/93 0:00	Manual Tape	407.75	Good	
3/7/93 7:03	Auto FIC	408.60	Good	
3/8/93 0:00	Manual Tape	408	Good	
3/8/93 7:03	Auto FIC	408.6	Good	
3/9/93 0:00	Manual Tape	407.75	Good	
3/9/93 7:04	Auto FIC	408.5	Good	
3/10/93 0:00	Manual Tape	408.00	Good	
3/10/93 7:05	Auto FIC	408.50	Good	
3/11/93 0:00	Manual Tape	408.00	Good	
3/11/93 7:04	Auto FIC	408.50	Good	
3/12/93 0:00	Manual Tape	408	Good	
3/12/93 7:04	Auto FIC	408.50	Good	
3/13/93 0:00	Manual Tape	408	Good	
3/13/93 7:03	Auto FIC	408.60	Good	
3/14/93 0:00	Manual Tape	408	Good	
3/14/93 7:04	Auto FIC	408.60	Good	
3/15/93 0:00	Manual Tape	408	Good	
3/15/93 7:03	Auto FIC	408.6	Good	
3/16/93 0:00	Manual Tape	408.00	Good	
3/16/93 7:04	Auto FIC	408.50	Good	
3/17/93 0:00	Manual Tape	408.00	Good	
3/17/93 7:03	Auto FIC	408.6	Good	
3/18/93 0:00	Manual Tape	408	Good	
3/18/93 7:04	Auto FIC	408.60	Good	
3/19/93 0:00	Manual Tape	408.00	Good	
3/19/93 7:03	Auto FIC	408.5	Good	
3/20/93 0:00	Manual Tape	408	Good	
3/20/93 7:04	Auto FIC	408.6	Good	
3/21/93 0:00	Manual Tape	408.00	Good	
3/21/93 7:04	Auto FIC	408.5	Good	
3/22/93 0:00	Manual Tape	407.75	Good	
3/22/93 7:03	Auto FIC	408.6	Good	
3/23/93 0:00	Manual Tape	408.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/23/93 7:03	Auto FIC	408.60	Good	
3/24/93 0:00	Manual Tape	408	Good	
3/24/93 7:04	Auto FIC	408.60	Good	
3/25/93 0:00	Manual Tape	408.00	Good	
3/25/93 7:03	Auto FIC	408.5	Good	
3/26/93 0:00	Manual Tape	407.75	Good	
3/26/93 7:03	Auto FIC	408.6	Good	
3/27/93 0:00	Manual Tape	407.50	Good	
3/27/93 7:03	Auto FIC	408.6	Good	
3/28/93 0:00	Manual Tape	408.00	Good	
3/28/93 7:03	Auto FIC	408.6	Good	
3/29/93 0:00	Manual Tape	407.50	Good	
3/29/93 7:03	Auto FIC	408.60	Good	
3/30/93 0:00	Manual Tape	407.5	Good	
3/30/93 7:03	Auto FIC	408.60	Good	
3/31/93 0:00	Manual Tape	407.75	Good	
3/31/93 7:03	Auto FIC	408.5	Good	
4/1/93 7:03	Auto FIC	408.6	Good	
4/1/93 10:03	Manual Tape	407.75	Good	
4/2/93 7:06	Auto FIC	408.60	Good	
4/2/93 10:03	Manual Tape	407.75	Good	
4/3/93 7:06	Auto FIC	408.60	Good	
4/3/93 10:03	Manual Tape	407.75	Good	
4/4/93 7:05	Auto FIC	408.6	Good	
4/4/93 10:03	Manual Tape	407.75	Good	
4/5/93 7:06	Auto FIC	408.6	Good	
4/5/93 10:03	Manual Tape	407.75	Good	
4/6/93 7:06	Auto FIC	408.60	Good	
4/6/93 10:03	Manual Tape	407.75	Good	
4/7/93 7:06	Auto FIC	408.50	Good	
4/7/93 10:03	Manual Tape	407.75	Good	
4/8/93 7:06	Auto FIC	408.60	Good	
4/8/93 10:03	Manual Tape	407.75	Good	
4/9/93 7:06	Auto FIC	408.6	Good	
4/9/93 10:03	Manual Tape	407.75	Good	
4/10/93 7:05	Auto FIC	408.6	Good	
4/10/93 10:03	Manual Tape	407.75	Good	
4/11/93 7:06	Auto FIC	408.5	Good	
4/11/93 10:03	Manual Tape	407.75	Good	
4/12/93 7:06	Auto FIC	408.50	Good	
4/12/93 10:03	Manual Tape	407.75	Good	
4/13/93 7:06	Auto FIC	408.50	Good	
4/13/93 10:03	Manual Tape	408	Good	
4/14/93 7:06	Auto FIC	408.5	Good	
4/14/93 10:03	Manual Tape	408	Good	
4/15/93 7:03	Auto FIC	408.60	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/15/93 10:03	Manual Tape	408.00	Good	
4/16/93 7:06	Auto FIC	408.6	Good	
4/16/93 10:03	Manual Tape	408.00	Good	
4/17/93 7:05	Auto FIC	408.6	Good	
4/17/93 10:03	Manual Tape	408.00	Good	
4/18/93 7:06	Auto FIC	408.60	Good	
4/18/93 10:03	Manual Tape	408.00	Good	
4/19/93 7:06	Auto FIC	408.50	Good	
4/19/93 10:03	Manual Tape	408.00	Good	
4/20/93 10:03	Manual Tape	407.75	Good	
4/20/93 10:06	Manual FIC	408.5	Good	
4/21/93 10:03	Manual Tape	407.75	Good	
4/21/93 10:06	Manual FIC	408.5	Good	
4/22/93 7:06	Auto FIC	408.5	Good	
4/22/93 10:03	Manual Tape	407.75	Good	
4/23/93 7:06	Auto FIC	408.5	Good	
4/23/93 10:03	Manual Tape	407.75	Good	
4/24/93 7:05	Auto FIC	408.60	Good	
4/24/93 10:03	Manual Tape	407.75	Good	
4/25/93 7:06	Auto FIC	408.50	Good	
4/25/93 10:03	Manual Tape	407.75	Good	
4/26/93 7:06	Auto FIC	408.50	Good	
4/26/93 10:03	Manual Tape	407.75	Good	
4/27/93 7:06	Auto FIC	408.50	Good	
4/27/93 10:03	Manual Tape	407.75	Good	
4/28/93 7:03	Auto FIC	408.5	Good	
4/28/93 10:03	Manual Tape	407.75	Good	
4/29/93 7:03	Auto FIC	408.5	Good	
4/29/93 10:03	Manual Tape	407.75	Good	
4/30/93 7:06	Auto FIC	408.5	Good	
4/30/93 10:03	Manual Tape	407.75	Good	
5/1/93 7:05	Auto FIC	408.50	Good	
5/1/93 10:05	Manual Tape	407.75	Good	
5/2/93 7:06	Auto FIC	408.6	Good	
5/2/93 10:05	Manual Tape	407.75	Good	
5/3/93 7:06	Auto FIC	408.60	Good	
5/3/93 10:05	Manual Tape	407.75	Good	
5/4/93 10:05	Manual Tape	407.75	Good	
5/4/93 10:05	Manual FIC	408.50	Good	
5/5/93 10:05	Manual Tape	407.75	Good	
5/5/93 10:05	Manual FIC	408.50	Good	
5/6/93 10:05	Manual Tape	407.75	Good	
5/6/93 10:05	Manual FIC	408.6	Good	
5/7/93 10:05	Manual Tape	407.75	Good	
5/7/93 10:05	Manual FIC	408.5	Good	
5/8/93 10:05	Manual Tape	407.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/8/93 10:05	Manual FIC	408.5	Good	
5/9/93 10:05	Manual Tape	407.75	Good	
5/9/93 10:05	Manual FIC	408.50	Good	
5/10/93 10:05	Manual Tape	407.75	Good	
5/10/93 10:05	Manual FIC	408.6	Good	
5/11/93 7:06	Auto FIC	408.6	Good	
5/11/93 10:05	Manual Tape	408.00	Good	
5/12/93 7:06	Auto FIC	408.60	Good	
5/12/93 10:05	Manual Tape	407.75	Good	
5/13/93 10:05	Manual Tape	408.00	Good	
5/13/93 10:06	Manual FIC	408.55	Good	
5/14/93 10:05	Manual Tape	407.75	Good	
5/14/93 10:06	Manual FIC	408.6	Good	
5/15/93 7:06	Auto FIC	408.6	Good	
5/15/93 10:05	Manual Tape	407.75	Good	
5/16/93 7:05	Auto FIC	408.6	Good	
5/16/93 10:05	Manual Tape	407.75	Good	
5/17/93 7:03	Auto FIC	408.6	Good	
5/17/93 10:05	Manual Tape	407.75	Good	
5/18/93 7:03	Auto FIC	408.6	Good	
5/18/93 10:05	Manual Tape	407.75	Good	
5/19/93 7:03	Auto FIC	408.60	Good	
5/19/93 10:05	Manual Tape	407.75	Good	
5/20/93 7:03	Auto FIC	408.6	Good	
5/20/93 10:05	Manual Tape	407.75	Good	
5/21/93 10:03	Manual FIC	408.5	Good	
5/21/93 10:05	Manual Tape	408	Good	
5/22/93 7:03	Auto FIC	408.60	Good	
5/22/93 10:05	Manual Tape	408	Good	
5/23/93 7:04	Auto FIC	408.6	Good	
5/23/93 10:05	Manual Tape	408.00	Good	
5/24/93 7:03	Auto FIC	408.6	Good	
5/24/93 10:05	Manual Tape	408	Good	
5/25/93 7:03	Auto FIC	408.6	Good	
5/25/93 10:05	Manual Tape	408	Good	
5/26/93 7:03	Auto FIC	408.60	Good	
5/26/93 10:05	Manual Tape	408.00	Good	
5/27/93 7:03	Auto FIC	408.6	Good	
5/27/93 10:05	Manual Tape	408	Good	
5/28/93 7:03	Auto FIC	408.60	Good	
5/28/93 10:05	Manual Tape	408	Good	
5/29/93 7:05	Auto FIC	408.60	Good	
5/29/93 10:05	Manual Tape	408	Good	
5/30/93 7:05	Auto FIC	408.5	Good	
5/30/93 10:05	Manual Tape	408	Good	
5/31/93 7:06	Auto FIC	408.60	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/31/93 10:05	Manual Tape	408	Good	
6/1/93 7:06	Auto FIC	408.60	Good	
6/1/93 10:06	Manual Tape	408.00	Good	
6/2/93 7:06	Auto FIC	408.6	Good	
6/2/93 10:06	Manual Tape	408.00	Good	
6/3/93 7:06	Auto FIC	408.6	Good	
6/3/93 10:06	Manual Tape	408	Good	
6/4/93 7:06	Auto FIC	408.6	Good	
6/4/93 10:06	Manual Tape	408.00	Good	
6/5/93 7:06	Auto FIC	408.7	Good	
6/5/93 10:06	Manual Tape	408.00	Good	
6/6/93 7:05	Auto FIC	408.60	Good	
6/6/93 10:06	Manual Tape	408	Good	
6/7/93 7:05	Auto FIC	408.6	Good	
6/7/93 10:06	Manual Tape	408	Good	
6/8/93 7:05	Auto FIC	408.6	Good	
6/8/93 10:06	Manual Tape	408.00	Good	
6/9/93 7:05	Auto FIC	408.60	Good	
6/9/93 10:06	Manual Tape	408	Good	
6/10/93 7:04	Auto FIC	408.6	Good	
6/10/93 10:06	Manual Tape	408.00	Good	
6/11/93 7:05	Auto FIC	408.6	Good	
6/11/93 10:06	Manual Tape	408.00	Good	
6/12/93 7:05	Auto FIC	408.6	Good	
6/12/93 10:06	Manual Tape	408	Good	
6/13/93 7:04	Auto FIC	408.60	Good	
6/13/93 10:06	Manual Tape	408.00	Good	
6/14/93 7:05	Auto FIC	408.6	Good	
6/14/93 10:06	Manual Tape	408.25	Good	
6/15/93 7:05	Auto FIC	408.60	Good	
6/15/93 10:06	Manual Tape	408.25	Good	
6/16/93 7:05	Auto FIC	408.60	Good	
6/16/93 10:06	Manual Tape	408	Good	
6/17/93 7:05	Auto FIC	408.6	Good	
6/17/93 10:06	Manual Tape	408.25	Good	
6/18/93 7:06	Auto FIC	408.60	Good	
6/18/93 10:06	Manual Tape	408.5	Good	
6/19/93 7:06	Auto FIC	408.60	Good	
6/19/93 10:06	Manual Tape	408.25	Good	
6/20/93 7:06	Auto FIC	408.6	Good	
6/20/93 10:06	Manual Tape	408.25	Good	
6/21/93 7:06	Auto FIC	408.55	Good	
6/21/93 10:06	Manual Tape	408.5	Good	
6/22/93 7:06	Auto FIC	408.60	Good	
6/22/93 10:06	Manual Tape	408.50	Good	
6/23/93 7:06	Auto FIC	408.6	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/23/93 10:06	Manual Tape	408.50	Good	
6/24/93 7:06	Auto FIC	408.50	Good	
6/24/93 10:06	Manual Tape	408.5	Good	
6/25/93 7:03	Auto FIC	408.5	Good	
6/25/93 10:06	Manual Tape	408.5	Good	
6/26/93 7:03	Auto FIC	408.6	Good	
6/26/93 10:06	Manual Tape	408.50	Good	
6/27/93 7:04	Auto FIC	408.60	Good	
6/27/93 10:06	Manual Tape	408.5	Good	
6/28/93 7:03	Auto FIC	408.6	Good	
6/28/93 10:06	Manual Tape	408.5	Good	
6/29/93 7:04	Auto FIC	408.6	Good	
6/29/93 10:06	Manual Tape	407.50	Good	
6/30/93 7:03	Auto FIC	408.5	Good	
6/30/93 10:06	Manual Tape	407.25	Good	
7/1/93 7:06	Auto FIC	408.55	Good	
7/1/93 10:06	Manual Tape	407.5	Good	
7/2/93 7:06	Auto FIC	408.55	Good	
7/2/93 10:06	Manual Tape	407.5	Good	
7/3/93 7:06	Auto FIC	408.55	Good	
7/3/93 10:06	Manual Tape	407.50	Good	
7/4/93 7:06	Auto FIC	408.55	Good	
7/4/93 10:06	Manual Tape	407.50	Good	
7/5/93 7:06	Auto FIC	408.55	Good	
7/5/93 10:06	Manual Tape	407.5	Good	
7/6/93 0:00	Manual FIC	408.6	Good	
7/6/93 10:06	Manual Tape	407.5	Good	
7/7/93 7:04	Auto FIC	408.6	Good	
7/7/93 10:06	Manual Tape	407.50	Good	
7/8/93 7:04	Auto FIC	408.60	Good	
7/8/93 10:06	Manual Tape	407.5	Good	
7/9/93 7:05	Auto FIC	408.60	Good	
7/9/93 10:06	Manual Tape	407.5	Good	
7/10/93 7:03	Auto FIC	408.60	Good	
7/10/93 10:06	Manual Tape	407.5	Good	
7/11/93 7:03	Auto FIC	408.6	Good	
7/11/93 10:06	Manual Tape	407.5	Good	
7/12/93 7:02	Auto FIC	408.60	Good	
7/12/93 10:06	Manual Tape	407.50	Good	
7/13/93 7:03	Auto FIC	408.60	Good	
7/13/93 10:06	Manual Tape	407.5	Good	
7/14/93 7:06	Auto FIC	408.6	Good	
7/14/93 10:06	Manual Tape	407.50	Good	
7/15/93 7:06	Auto FIC	408.70	Good	
7/15/93 10:06	Manual Tape	407.50	Good	
7/16/93 7:06	Auto FIC	408.60	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/16/93 10:06	Manual Tape	407.5	Good	
7/17/93 7:07	Auto FIC	408.6	Good	
7/17/93 10:06	Manual Tape	407.50	Good	
7/18/93 7:06	Auto FIC	408.50	Good	
7/18/93 10:06	Manual Tape	407.5	Good	
7/19/93 7:03	Auto FIC	408.60	Good	
7/19/93 10:06	Manual Tape	407.50	Good	
7/20/93 7:03	Auto FIC	408.6	Good	
7/20/93 10:06	Manual Tape	407.5	Good	
7/21/93 7:03	Auto FIC	408.60	Good	
7/21/93 10:06	Manual Tape	407.50	Good	
7/22/93 7:03	Auto FIC	408.70	Good	
7/22/93 10:06	Manual Tape	407.75	Good	
7/23/93 7:03	Auto FIC	408.7	Good	
7/23/93 10:06	Manual Tape	407.50	Good	
7/24/93 7:03	Auto FIC	408.60	Good	
7/24/93 10:06	Manual Tape	407.75	Good	
7/25/93 7:04	Auto FIC	408.70	Good	
7/25/93 10:06	Manual Tape	407.75	Good	
7/26/93 7:03	Auto FIC	408.6	Good	
7/26/93 10:06	Manual Tape	407.75	Good	
7/27/93 7:03	Auto FIC	408.80	Good	
7/27/93 10:06	Manual Tape	407.75	Good	
7/28/93 0:00	Manual Tape	407.75	Good	
7/28/93 7:04	Auto FIC	408.7	Good	
7/29/93 0:00	Manual Tape	407.75	Good	
7/29/93 7:03	Auto FIC	408.80	Good	
7/30/93 0:00	Manual Tape	407.75	Good	
7/30/93 7:03	Auto FIC	408.7	Good	
7/31/93 0:00	Manual Tape	407.75	Good	
7/31/93 7:03	Auto FIC	408.60	Good	
8/1/93 0:00	Manual Tape	407.75	Good	
8/1/93 7:03	Auto FIC	408.60	Good	
8/2/93 0:00	Manual Tape	407.5	Good	
8/2/93 7:06	Auto FIC	408.7	Good	
8/3/93 0:00	Manual Tape	407.75	Good	
8/3/93 7:03	Auto FIC	408.70	Good	
8/4/93 0:00	Manual Tape	407.75	Good	
8/4/93 7:03	Auto FIC	408.7	Good	
8/5/93 0:00	Manual Tape	407.5	Good	
8/5/93 7:04	Auto FIC	408.60	Good	
8/6/93 0:00	Manual Tape	407.75	Good	
8/6/93 7:04	Auto FIC	408.60	Good	
8/7/93 0:00	Manual Tape	407.75	Good	
8/7/93 7:04	Auto FIC	408.7	Good	
8/8/93 0:00	Manual Tape	407.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/8/93 7:04	Auto FIC	408.6	Good	
8/9/93 0:00	Manual Tape	407.75	Good	
8/9/93 7:04	Auto FIC	408.7	Good	
8/10/93 0:00	Manual Tape	407.75	Good	
8/10/93 7:04	Auto FIC	408.70	Good	
8/11/93 0:00	Manual Tape	407.75	Good	
8/11/93 7:04	Auto FIC	408.7	Good	
8/12/93 0:00	Manual Tape	407.75	Good	
8/12/93 7:04	Auto FIC	408.70	Good	
8/13/93 0:00	Manual Tape	407.75	Good	
8/13/93 7:04	Auto FIC	408.6	Good	
8/14/93 0:00	Manual Tape	407.75	Good	
8/14/93 7:03	Auto FIC	408.7	Good	
8/15/93 0:00	Manual Tape	407.75	Good	
8/15/93 7:04	Auto FIC	408.70	Good	
8/16/93 0:00	Manual Tape	407.75	Good	
8/16/93 7:04	Auto FIC	408.7	Good	
8/17/93 0:00	Manual Tape	407.75	Good	
8/17/93 7:04	Auto FIC	408.60	Good	
8/18/93 0:00	Manual Tape	407.75	Good	
8/18/93 7:03	Auto FIC	408.6	Good	
8/19/93 0:00	Manual Tape	407.75	Good	
8/19/93 7:04	Auto FIC	408.70	Good	
8/20/93 0:00	Manual Tape	407.75	Good	
8/20/93 7:04	Auto FIC	408.7	Good	
8/21/93 0:00	Manual Tape	407.75	Good	
8/21/93 7:04	Auto FIC	408.7	Good	
8/22/93 0:00	Manual Tape	407.75	Good	
8/22/93 7:04	Auto FIC	408.70	Good	
8/23/93 7:04	Auto FIC	408.60	Good	
8/24/93 0:00	Manual Tape	407.75	Good	
8/24/93 7:04	Auto FIC	408.7	Good	
8/25/93 0:00	Manual Tape	407.75	Good	
8/25/93 7:04	Auto FIC	408.7	Good	
8/26/93 0:00	Manual Tape	407.00	Good	
8/26/93 7:04	Auto FIC	408.60	Good	
8/27/93 0:00	Manual Tape	407.75	Good	
8/27/93 7:05	Auto FIC	408.60	Good	
8/28/93 0:00	Manual Tape	407.75	Good	
8/28/93 7:04	Auto FIC	408.60	Good	
8/29/93 0:00	Manual Tape	407.75	Good	
8/29/93 7:03	Auto FIC	408.6	Good	
8/30/93 0:00	Manual Tape	407.75	Good	
8/30/93 7:04	Auto FIC	408.70	Good	
8/31/93 0:00	Manual Tape	407.75	Good	
8/31/93 7:04	Auto FIC	408.70	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/1/93 0:00	Manual Tape	408.00	Good	
9/1/93 7:04	Auto FIC	408.70	Good	
9/2/93 0:00	Manual Tape	407.75	Good	
9/2/93 7:04	Auto FIC	408.7	Good	
9/3/93 0:00	Manual Tape	407.75	Good	
9/3/93 7:04	Auto FIC	408.70	Good	
9/4/93 0:00	Manual Tape	407.75	Good	
9/4/93 7:04	Auto FIC	408.6	Good	
9/5/93 0:00	Manual Tape	407.75	Good	
9/5/93 7:04	Auto FIC	408.70	Good	
9/6/93 0:00	Manual Tape	407.75	Good	
9/6/93 7:04	Auto FIC	408.7	Good	
9/7/93 0:00	Manual Tape	407.5	Good	
9/7/93 7:04	Auto FIC	408.70	Good	
9/8/93 0:00	Manual Tape	407.50	Good	
9/8/93 7:04	Auto FIC	408.70	Good	
9/9/93 0:00	Manual Tape	407.5	Good	
9/9/93 7:04	Auto FIC	408.7	Good	
9/10/93 0:00	Manual Tape	407.50	Good	
9/10/93 7:04	Auto FIC	408.70	Good	
9/11/93 0:00	Manual Tape	407.5	Good	
9/11/93 7:04	Auto FIC	408.8	Good	
9/12/93 0:00	Manual Tape	407.5	Good	
9/12/93 7:04	Auto FIC	408.70	Good	
9/13/93 7:04	Auto FIC	408.70	Good	
9/14/93 0:00	Manual Tape	407.50	Good	
9/14/93 7:04	Auto FIC	408.60	Good	
9/15/93 0:00	Manual Tape	407.50	Good	
9/15/93 7:04	Auto FIC	408.60	Good	
9/16/93 0:00	Manual Tape	407.25	Good	
9/16/93 7:04	Auto FIC	408.6	Good	
9/17/93 0:00	Manual Tape	407.25	Good	
9/17/93 7:04	Auto FIC	408.6	Good	
9/18/93 0:00	Manual Tape	407.25	Good	
9/18/93 7:04	Auto FIC	408.60	Good	
9/19/93 0:00	Manual Tape	407.25	Good	
9/19/93 7:04	Auto FIC	408.70	Good	
9/20/93 0:00	Manual Tape	407.25	Good	
9/20/93 7:04	Auto FIC	408.70	Good	
9/21/93 0:00	Manual Tape	407.5	Good	
9/21/93 7:04	Auto FIC	408.6	Good	
9/22/93 0:00	Manual Tape	407.50	Good	
9/22/93 7:04	Auto FIC	408.60	Good	
9/23/93 0:00	Manual Tape	407.5	Good	
9/23/93 7:04	Auto FIC	408.60	Good	
9/24/93 0:00	Manual Tape	407.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/24/93 7:04	Auto FIC	408.7	Good	
9/25/93 0:00	Manual Tape	407.5	Good	
9/25/93 7:04	Auto FIC	408.7	Good	
9/26/93 0:00	Manual Tape	407.50	Good	
9/26/93 7:04	Auto FIC	408.60	Good	
9/27/93 0:00	Manual Tape	407.50	Good	
9/27/93 7:04	Auto FIC	408.70	Good	
9/28/93 0:00	Manual Tape	407.5	Good	
9/28/93 7:04	Auto FIC	408.70	Good	
9/29/93 0:00	Manual Tape	407.5	Good	
9/29/93 7:04	Auto FIC	408.70	Good	
9/30/93 0:00	Manual Tape	407.5	Good	
9/30/93 7:03	Auto FIC	408.6	Good	
10/1/93 0:00	Manual Tape	407.50	Good	
10/1/93 7:06	Auto FIC	408.60	Good	
10/2/93 0:00	Manual Tape	407.50	Good	
10/2/93 7:05	Auto FIC	408.6	Good	
10/3/93 0:00	Manual Tape	407.25	Good	
10/3/93 7:06	Auto FIC	408.60	Good	
10/4/93 0:00	Manual Tape	407.50	Good	
10/4/93 7:06	Auto FIC	408.6	Good	
10/5/93 0:00	Manual Tape	407.5	Good	
10/5/93 7:06	Auto FIC	408.6	Good	
10/6/93 0:00	Manual Tape	407.50	Good	
10/6/93 7:06	Auto FIC	408.6	Good	
10/7/93 0:00	Manual Tape	407.25	Good	
10/7/93 7:05	Auto FIC	408.60	Good	
10/8/93 0:00	Manual Tape	407.5	Good	
10/8/93 7:04	Auto FIC	408.6	Good	
10/9/93 7:03	Auto FIC	408.60	Good	
10/10/93 6:04	Auto FIC	408.60	Good	
10/11/93 0:00	Manual Tape	407.50	Good	
10/11/93 7:03	Auto FIC	408.60	Good	
10/12/93 0:00	Manual Tape	407.5	Good	
10/12/93 7:04	Auto FIC	408.6	Good	
10/13/93 0:00	Manual Tape	407.75	Good	
10/13/93 7:03	Auto FIC	408.60	Good	
10/14/93 0:00	Manual Tape	407.75	Good	
10/14/93 7:04	Auto FIC	408.60	Good	
10/15/93 0:00	Manual Tape	407.75	Good	
10/15/93 7:04	Auto FIC	408.6	Good	
10/16/93 0:00	Manual Tape	407.75	Good	
10/16/93 7:04	Auto FIC	408.60	Good	
10/17/93 0:00	Manual Tape	407.75	Good	
10/17/93 7:03	Auto FIC	408.70	Good	
10/18/93 0:00	Manual Tape	407.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/18/93 7:04	Auto FIC	408.70	Good	
10/19/93 0:00	Manual Tape	407.75	Good	
10/19/93 7:04	Auto FIC	408.6	Good	
10/20/93 0:00	Manual Tape	407.75	Good	
10/20/93 7:03	Auto FIC	408.50	Good	
10/21/93 0:00	Manual Tape	407.75	Good	
10/21/93 7:04	Auto FIC	408.6	Good	
10/22/93 0:00	Manual Tape	407.75	Good	
10/22/93 7:04	Auto FIC	408.60	Good	
10/23/93 7:04	Auto FIC	408.60	Good	
10/24/93 0:00	Manual Tape	407.75	Good	
10/24/93 7:04	Auto FIC	408.6	Good	
10/25/93 0:00	Manual Tape	407.75	Good	
10/25/93 7:04	Auto FIC	408.6	Good	
10/26/93 0:00	Manual Tape	407.75	Good	
10/26/93 6:03	Auto FIC	408.5	Good	
10/27/93 0:00	Manual Tape	407.75	Good	
10/27/93 7:04	Auto FIC	408.6	Good	
10/28/93 0:00	Manual Tape	407.75	Good	
10/28/93 7:04	Auto FIC	408.60	Good	
10/29/93 0:00	Manual Tape	407.75	Good	
10/29/93 6:03	Auto FIC	408.60	Good	
10/30/93 0:00	Manual Tape	407.75	Good	
10/30/93 7:04	Auto FIC	408.6	Good	
10/31/93 0:00	Manual Tape	407.75	Good	
10/31/93 7:06	Auto FIC	408.60	Good	
11/1/93 0:00	Manual Tape	407.75	Good	
11/1/93 7:06	Auto FIC	408.5	Good	
11/2/93 0:00	Manual Tape	407.75	Good	
11/2/93 7:04	Auto FIC	408.5	Good	
11/3/93 0:00	Manual Tape	407.75	Good	
11/3/93 7:06	Auto FIC	408.6	Good	
11/4/93 0:00	Manual Tape	407.75	Good	
11/4/93 7:04	Auto FIC	408.50	Good	
11/5/93 0:00	Manual Tape	407.75	Good	
11/5/93 7:06	Auto FIC	408.5	Good	
11/6/93 0:00	Manual Tape	407.75	Good	
11/6/93 7:06	Auto FIC	408.50	Good	
11/7/93 0:00	Manual Tape	407.75	Good	
11/7/93 7:06	Auto FIC	408.5	Good	
11/8/93 0:00	Manual Tape	407.75	Good	
11/8/93 7:06	Auto FIC	408.5	Good	
11/9/93 0:00	Manual Tape	407.75	Good	
11/9/93 7:03	Auto FIC	408.60	Good	
11/10/93 0:00	Manual Tape	407.75	Good	
11/10/93 7:04	Auto FIC	408.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/11/93 0:00	Manual Tape	407.75	Good	
11/11/93 7:04	Auto FIC	408.60	Good	
11/12/93 0:00	Manual Tape	407.75	Good	
11/12/93 7:04	Auto FIC	408.5	Good	
11/13/93 0:00	Manual Tape	407.75	Good	
11/13/93 7:04	Auto FIC	408.5	Good	
11/14/93 0:00	Manual Tape	407.75	Good	
11/14/93 6:04	Auto FIC	408.50	Good	
11/15/93 0:00	Manual Tape	408	Good	
11/15/93 7:04	Auto FIC	408.5	Good	
11/16/93 0:00	Manual Tape	407.75	Good	
11/16/93 7:03	Auto FIC	408.5	Good	
11/17/93 0:00	Manual Tape	408	Good	
11/17/93 7:04	Auto FIC	408.50	Good	
11/18/93 0:00	Manual Tape	407.75	Good	
11/18/93 7:04	Auto FIC	408.50	Good	
11/19/93 0:00	Manual Tape	407.75	Good	
11/19/93 7:04	Auto FIC	408.50	Good	
11/20/93 0:00	Manual Tape	407.75	Good	
11/20/93 7:04	Auto FIC	408.50	Good	
11/21/93 0:00	Manual Tape	407.75	Good	
11/21/93 7:04	Auto FIC	408.50	Good	
11/22/93 0:00	Manual Tape	407.75	Good	
11/22/93 7:04	Auto FIC	408.5	Good	
11/23/93 0:00	Manual Tape	407.75	Good	
11/23/93 7:04	Auto FIC	408.40	Good	
11/24/93 0:00	Manual Tape	407.75	Good	
11/24/93 7:04	Auto FIC	408.30	Good	
11/25/93 0:00	Manual Tape	407.75	Good	
11/25/93 7:04	Auto FIC	408.4	Good	
11/26/93 0:00	Manual Tape	407.75	Good	
11/26/93 7:04	Auto FIC	408.40	Good	
11/27/93 7:04	Auto FIC	408.4	Good	
11/28/93 0:00	Manual Tape	407.75	Good	
11/28/93 7:03	Auto FIC	408.4	Good	
11/29/93 0:00	Manual Tape	407.75	Good	
11/29/93 7:04	Auto FIC	408.40	Good	
11/30/93 0:00	Manual Tape	407.75	Good	
11/30/93 7:03	Auto FIC	408.40	Good	
12/1/93 0:00	Manual Tape	407.75	Good	
12/1/93 7:04	Auto FIC	408.40	Good	
12/2/93 0:00	Manual Tape	407.75	Good	
12/2/93 7:04	Auto FIC	408.40	Good	
12/3/93 0:00	Manual Tape	407.75	Good	
12/3/93 7:05	Auto FIC	408.4	Good	
12/4/93 0:00	Manual Tape	407.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/4/93 7:05	Auto FIC	408.50	Good	
12/5/93 0:00	Manual Tape	407.75	Good	
12/5/93 7:04	Auto FIC	408.4	Good	
12/6/93 0:00	Manual Tape	407.75	Good	
12/6/93 7:05	Auto FIC	408.50	Good	
12/7/93 0:00	Manual Tape	407.75	Good	
12/7/93 7:04	Auto FIC	408.4	Good	
12/8/93 0:00	Manual Tape	407.75	Good	
12/8/93 7:06	Auto FIC	408.50	Good	
12/9/93 0:00	Manual Tape	407.75	Good	
12/9/93 7:04	Auto FIC	408.4	Good	
12/10/93 0:00	Manual Tape	407.75	Good	
12/10/93 6:05	Auto FIC	408.5	Good	
12/11/93 0:00	Manual Tape	407.75	Good	
12/11/93 7:06	Auto FIC	408.50	Good	
12/12/93 0:00	Manual Tape	407.75	Good	
12/12/93 7:06	Auto FIC	408.40	Good	
12/13/93 0:00	Manual Tape	407.75	Good	
12/13/93 7:06	Auto FIC	408.4	Good	
12/14/93 0:00	Manual Tape	407.75	Good	
12/14/93 7:06	Auto FIC	408.4	Good	
12/15/93 0:00	Manual Tape	407.75	Good	
12/15/93 7:06	Auto FIC	408.4	Good	
12/16/93 0:00	Manual Tape	407.75	Good	
12/16/93 7:06	Auto FIC	408.4	Good	
12/17/93 0:00	Manual Tape	407.75	Good	
12/17/93 7:05	Auto FIC	408.30	Good	
12/18/93 0:00	Manual Tape	407.50	Good	
12/18/93 7:06	Auto FIC	408.40	Good	
12/19/93 0:00	Manual Tape	407.75	Good	
12/19/93 7:06	Auto FIC	408.3	Good	
12/20/93 0:00	Manual Tape	407.5	Good	
12/20/93 7:06	Auto FIC	408.30	Good	
12/21/93 0:00	Manual Tape	407.75	Good	
12/21/93 7:06	Auto FIC	408.30	Good	
12/22/93 0:00	Manual Tape	407.75	Good	
12/22/93 7:05	Auto FIC	408.3	Good	
12/23/93 0:00	Manual Tape	407.75	Good	
12/23/93 6:06	Auto FIC	408.3	Good	
12/24/93 0:00	Manual Tape	407.75	Good	
12/24/93 7:06	Auto FIC	408.3	Good	
12/25/93 0:00	Manual Tape	407.75	Good	
12/25/93 7:06	Auto FIC	408.30	Good	
12/26/93 0:00	Manual Tape	407.75	Good	
12/26/93 7:06	Auto FIC	408.4	Good	
12/27/93 0:00	Manual Tape	407.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/27/93 7:06	Auto FIC	408.30	Good	
12/28/93 0:00	Manual Tape	407.5	Good	
12/28/93 7:06	Auto FIC	408.3	Good	
12/29/93 0:00	Manual Tape	407.75	Good	
12/29/93 7:06	Auto FIC	408.30	Good	
12/30/93 0:00	Manual Tape	407.75	Good	
12/30/93 7:05	Auto FIC	408.3	Good	
12/31/93 0:00	Manual Tape	407.75	Good	
12/31/93 7:06	Auto FIC	408.4	Good	
1/1/94 0:00	Manual Tape	407.5	Good	
1/1/94 7:06	Auto FIC	408.4	Good	
1/2/94 0:00	Manual Tape	407.75	Good	
1/2/94 7:06	Auto FIC	408.30	Good	
1/3/94 0:00	Manual Tape	407.75	Good	
1/3/94 7:07	Auto FIC	408.30	Good	
1/4/94 0:00	Manual Tape	407.75	Good	
1/4/94 7:07	Auto FIC	408.4	Good	
1/5/94 0:00	Manual Tape	407.5	Good	
1/5/94 7:06	Auto FIC	408.40	Good	
1/6/94 0:00	Manual Tape	407.75	Good	
1/6/94 7:06	Auto FIC	408.30	Good	
1/7/94 0:00	Manual Tape	407.75	Good	
1/7/94 7:07	Auto FIC	408.3	Good	
1/8/94 0:00	Manual Tape	407.75	Good	
1/8/94 7:06	Auto FIC	408.30	Good	
1/9/94 0:00	Manual Tape	407.75	Good	
1/9/94 7:06	Auto FIC	408.4	Good	
1/10/94 0:00	Manual Tape	407.75	Good	
1/10/94 7:07	Auto FIC	408.30	Good	
1/11/94 0:00	Manual Tape	407.75	Good	
1/11/94 7:07	Auto FIC	408.3	Good	
1/12/94 0:00	Manual Tape	407.5	Good	
1/12/94 7:06	Auto FIC	408.3	Good	
1/13/94 0:00	Manual Tape	407.75	Good	
1/13/94 5:07	Auto FIC	408.30	Good	
1/14/94 0:00	Manual Tape	407.50	Good	
1/14/94 7:06	Auto FIC	408.30	Good	
1/15/94 0:00	Manual Tape	407.50	Good	
1/15/94 5:07	Auto FIC	408.4	Good	
1/16/94 0:00	Manual Tape	407.75	Good	
1/16/94 7:07	Auto FIC	408.3	Good	
1/17/94 0:00	Manual Tape	407.50	Good	
1/17/94 7:07	Auto FIC	408.3	Good	
1/18/94 0:00	Manual Tape	407.75	Good	
1/18/94 7:07	Auto FIC	408.3	Good	
1/19/94 0:00	Manual Tape	407.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/19/94 7:07	Auto FIC	408.30	Good	
1/20/94 0:00	Manual Tape	407.75	Good	
1/20/94 7:07	Auto FIC	408.30	Good	
1/21/94 0:00	Manual Tape	407.75	Good	
1/21/94 7:07	Auto FIC	408.3	Good	
1/22/94 0:00	Manual Tape	407.75	Good	
1/22/94 7:08	Auto FIC	408.30	Good	
1/23/94 0:00	Manual Tape	407.75	Good	
1/23/94 7:07	Auto FIC	408.4	Good	
1/24/94 0:00	Manual Tape	407.75	Good	
1/24/94 7:08	Auto FIC	408.30	Good	
1/25/94 0:00	Manual Tape	407.75	Good	
1/25/94 7:07	Auto FIC	408.3	Good	
1/26/94 0:00	Manual Tape	407.75	Good	
1/26/94 7:06	Auto FIC	408.30	Good	
1/27/94 0:00	Manual Tape	407.75	Good	
1/27/94 6:06	Auto FIC	408.3	Good	
1/28/94 0:00	Manual Tape	407.5	Good	
1/28/94 7:07	Auto FIC	408.30	Good	
1/29/94 7:07	Auto FIC	408.30	Good	
1/30/94 0:00	Manual Tape	407.5	Good	
1/30/94 7:06	Auto FIC	408.2	Good	
1/31/94 0:00	Manual Tape	407.75	Good	
1/31/94 7:07	Auto FIC	408.3	Good	
2/1/94 0:00	Manual Tape	407.75	Good	
2/1/94 7:06	Auto FIC	408.30	Good	
2/2/94 0:00	Manual Tape	407.75	Good	
2/2/94 7:07	Auto FIC	408.30	Good	
2/3/94 0:00	Manual Tape	407.75	Good	
2/3/94 7:07	Auto FIC	408.3	Good	
2/4/94 0:00	Manual Tape	407.75	Good	
2/4/94 7:07	Auto FIC	408.3	Good	
2/5/94 0:00	Manual Tape	407.75	Good	
2/5/94 7:07	Auto FIC	408.30	Good	
2/6/94 0:00	Manual Tape	407.75	Good	
2/6/94 7:07	Auto FIC	408.3	Good	
2/7/94 0:00	Manual Tape	407.75	Good	
2/7/94 7:06	Auto FIC	408.3	Good	
2/8/94 0:00	Manual Tape	407.75	Good	
2/8/94 7:07	Auto FIC	408.3	Good	
2/9/94 0:00	Manual Tape	407.75	Good	
2/9/94 7:04	Auto FIC	408.3	Good	
2/10/94 0:00	Manual Tape	407.75	Good	
2/10/94 7:04	Auto FIC	408.3	Good	
2/11/94 0:00	Manual Tape	407.75	Good	
2/11/94 7:06	Auto FIC	408.30	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/12/94 0:00	Manual Tape	407.75	Good	
2/12/94 7:03	Auto FIC	408.3	Good	
2/13/94 0:00	Manual Tape	407.75	Good	
2/13/94 7:04	Auto FIC	408.3	Good	
2/14/94 0:00	Manual Tape	407.75	Good	
2/14/94 7:04	Auto FIC	408.30	Good	
2/15/94 0:00	Manual Tape	407.75	Good	
2/15/94 7:04	Auto FIC	408.3	Good	
2/16/94 0:00	Manual Tape	407.75	Good	
2/16/94 7:03	Auto FIC	408.20	Good	
2/17/94 0:00	Manual Tape	407.75	Good	
2/17/94 7:04	Auto FIC	408.4	Good	
2/18/94 0:00	Manual Tape	407.75	Good	
2/18/94 7:06	Auto FIC	408.3	Good	
2/19/94 0:00	Manual Tape	407.75	Good	
2/19/94 7:06	Auto FIC	408.30	Good	
2/20/94 0:00	Manual Tape	407.75	Good	
2/20/94 7:07	Auto FIC	408.30	Good	
2/21/94 0:00	Manual Tape	407.50	Good	
2/21/94 7:06	Auto FIC	408.3	Good	
2/22/94 0:00	Manual Tape	407.75	Good	
2/22/94 7:05	Auto FIC	408.4	Good	
2/23/94 7:06	Auto FIC	408.3	Good	
2/24/94 7:06	Auto FIC	408.20	Good	
2/25/94 0:00	Manual Tape	407.50	Good	
2/25/94 6:06	Auto FIC	408.20	Good	
2/26/94 0:00	Manual Tape	407.50	Good	
2/26/94 7:07	Auto FIC	408.2	Good	
2/27/94 0:00	Manual Tape	407.75	Good	
2/27/94 7:07	Auto FIC	408.30	Good	
2/28/94 0:00	Manual Tape	407.50	Good	
2/28/94 6:06	Auto FIC	408.3	Good	
3/1/94 0:00	Manual Tape	407.5	Good	
3/1/94 7:04	Auto FIC	408.2	Good	
3/2/94 0:00	Manual Tape	407.5	Good	
3/2/94 7:06	Auto FIC	408.30	Good	
3/3/94 0:00	Manual Tape	407.50	Good	
3/3/94 7:06	Auto FIC	408.2	Good	
3/4/94 0:00	Manual Tape	407.50	Good	
3/4/94 7:04	Auto FIC	408.2	Good	
3/5/94 0:00	Manual Tape	407.75	Good	
3/5/94 7:05	Auto FIC	408.2	Good	
3/6/94 0:00	Manual Tape	407.50	Good	
3/6/94 7:05	Auto FIC	408.20	Good	
3/7/94 0:00	Manual Tape	407.75	Good	
3/7/94 7:05	Auto FIC	408.20	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (inches)	Data Quality	Comments
3/8/94 0:00	Manual Tape	407.75	Good	
3/8/94 7:04	Auto FIC	408.2	Good	
3/9/94 0:00	Manual Tape	407.50	Good	
3/9/94 7:04	Auto FIC	408.2	Good	
3/10/94 0:00	Manual Tape	407.50	Good	
3/10/94 7:05	Auto FIC	408.2	Good	
3/11/94 0:00	Manual Tape	407.50	Good	
3/11/94 7:06	Auto FIC	408.20	Good	
3/12/94 0:00	Manual Tape	407.50	Good	
3/12/94 7:06	Auto FIC	408.2	Good	
3/13/94 0:00	Manual Tape	407.5	Good	
3/13/94 7:05	Auto FIC	408.2	Good	
3/14/94 0:00	Manual Tape	407.5	Good	
3/14/94 0:00	Manual FIC	408.20	Good	
3/15/94 0:00	Manual Tape	399.25	Suspect	Data not included in graph
3/15/94 7:05	Auto FIC	408.30	Good	
3/16/94 0:00	Manual Tape	407.75	Good	
3/16/94 7:04	Auto FIC	408.3	Good	
3/17/94 0:00	Manual Tape	407.75	Good	
3/17/94 7:05	Auto FIC	408.2	Good	
3/18/94 0:00	Manual Tape	407.75	Good	
3/18/94 7:05	Auto FIC	408.3	Good	
3/19/94 0:00	Manual Tape	407.75	Good	
3/19/94 7:04	Auto FIC	408.20	Good	
3/20/94 0:00	Manual Tape	407.75	Good	
3/20/94 7:05	Auto FIC	408.20	Good	
3/21/94 0:00	Manual Tape	407.5	Good	
3/21/94 7:05	Auto FIC	408.2	Good	
3/22/94 0:00	Manual Tape	407.75	Good	
3/22/94 7:04	Auto FIC	408.20	Good	
3/23/94 0:00	Manual Tape	407.75	Good	
3/23/94 0:00	Manual FIC	408.2	Good	
3/24/94 0:00	Manual Tape	407.75	Good	
3/24/94 7:04	Auto FIC	408.20	Good	
3/25/94 0:00	Manual Tape	407.75	Good	
3/25/94 7:05	Auto FIC	408.20	Good	
3/26/94 0:00	Manual Tape	407.75	Good	
3/26/94 7:04	Auto FIC	408.2	Good	
3/27/94 0:00	Manual Tape	407.75	Good	
3/27/94 7:04	Auto FIC	408.2	Good	
3/28/94 0:00	Manual Tape	407.75	Good	
3/28/94 7:04	Auto FIC	408.2	Good	
3/29/94 0:00	Manual Tape	419.50	Suspect	Data not included in graph
3/29/94 7:03	Auto FIC	408.2	Good	
3/30/94 0:00	Manual Tape	407.50	Good	
3/30/94 7:03	Auto FIC	408.2	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/31/94 0:00	Manual Tape	407.75	Good	
3/31/94 7:03	Auto FIC	408.20	Good	
4/1/94 0:00	Manual Tape	407.75	Good	
4/1/94 0:04	Auto FIC	408.2	Good	
4/2/94 0:00	Manual Tape	407.75	Good	
4/2/94 7:07	Auto FIC	408.20	Good	
4/3/94 0:00	Manual Tape	407.75	Good	
4/3/94 7:03	Auto FIC	408.30	Good	
4/4/94 0:00	Manual Tape	407.75	Good	
4/4/94 7:03	Auto FIC	408.3	Good	
4/5/94 0:00	Manual Tape	407.75	Good	
4/5/94 7:03	Auto FIC	408.3	Good	
4/6/94 0:00	Manual Tape	408.00	Good	
4/6/94 7:06	Auto FIC	408.3	Good	
4/7/94 0:00	Manual Tape	408	Good	
4/7/94 7:07	Auto FIC	408.2	Good	
4/8/94 0:00	Manual Tape	408.00	Good	
4/8/94 7:03	Auto FIC	408.40	Good	
4/9/94 0:00	Manual Tape	408.00	Good	
4/9/94 7:07	Auto FIC	408.2	Good	
4/10/94 0:00	Manual Tape	407.75	Good	
4/10/94 7:03	Auto FIC	408.30	Good	
4/11/94 0:00	Manual Tape	407.50	Good	
4/11/94 7:03	Auto FIC	408.20	Good	
4/12/94 0:00	Manual Tape	407.5	Good	
4/12/94 7:03	Auto FIC	408.3	Good	
4/13/94 0:00	Manual Tape	407.50	Good	
4/13/94 7:03	Auto FIC	408.30	Good	
4/14/94 0:00	Manual Tape	407.50	Good	
4/14/94 7:03	Auto FIC	408.3	Good	
4/15/94 0:00	Manual Tape	407.75	Good	
4/15/94 7:03	Auto FIC	408.30	Good	
4/16/94 0:00	Manual Tape	407.75	Good	
4/16/94 7:03	Auto FIC	408.30	Good	
4/17/94 0:00	Manual Tape	407.75	Good	
4/17/94 7:03	Auto FIC	408.3	Good	
4/18/94 0:00	Manual Tape	407.75	Good	
4/18/94 7:03	Auto FIC	408.30	Good	
4/19/94 0:00	Manual Tape	407.75	Good	
4/19/94 6:06	Auto FIC	408.30	Good	
4/20/94 0:00	Manual Tape	407.75	Good	
4/20/94 7:04	Auto FIC	408.20	Good	
4/21/94 0:00	Manual Tape	408	Good	
4/21/94 7:05	Auto FIC	408.30	Good	
4/22/94 0:00	Manual Tape	407.75	Good	
4/22/94 7:04	Auto FIC	408.30	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/23/94 0:00	Manual Tape	407.75	Good	
4/23/94 7:05	Auto FIC	408.30	Good	
4/24/94 0:00	Manual Tape	407.75	Good	
4/24/94 7:04	Auto FIC	408.30	Good	
4/25/94 0:00	Manual Tape	407.75	Good	
4/25/94 7:04	Auto FIC	408.30	Good	
4/26/94 0:00	Manual Tape	407.75	Good	
4/26/94 7:07	Auto FIC	408.2	Good	
4/27/94 0:00	Manual Tape	407.75	Good	
4/27/94 7:04	Auto FIC	408.20	Good	
4/28/94 0:00	Manual Tape	407.75	Good	
4/28/94 7:05	Auto FIC	408.2	Good	
4/29/94 0:00	Manual Tape	407.75	Good	
4/29/94 7:04	Auto FIC	408.20	Good	
4/30/94 0:00	Manual Tape	407.75	Good	
4/30/94 7:05	Auto FIC	408.3	Good	
5/1/94 0:00	Manual Tape	407.75	Good	
5/1/94 7:05	Auto FIC	408.2	Good	
5/2/94 0:00	Manual Tape	408.00	Good	
5/2/94 7:05	Auto FIC	408.20	Good	
5/3/94 0:00	Manual Tape	407.75	Good	
5/3/94 7:05	Auto FIC	408.2	Good	
5/4/94 0:00	Manual Tape	407.75	Good	
5/4/94 7:05	Auto FIC	408.20	Good	
5/5/94 0:00	Manual Tape	406.75	Suspect	Data not included in graph
5/5/94 7:03	Auto FIC	408.2	Good	
5/6/94 0:00	Manual Tape	407.75	Good	
5/6/94 7:03	Auto FIC	408.3	Good	
5/7/94 0:00	Manual Tape	407.75	Good	
5/7/94 7:03	Auto FIC	408.20	Good	
5/8/94 0:00	Manual Tape	407.75	Good	
5/8/94 7:03	Auto FIC	408.20	Good	
5/9/94 0:00	Manual Tape	407.75	Good	
5/9/94 7:03	Auto FIC	408.30	Good	
5/10/94 0:00	Manual Tape	407.75	Good	
5/10/94 7:03	Auto FIC	408.3	Good	
5/11/94 0:00	Manual Tape	407.75	Good	
5/11/94 7:03	Auto FIC	408.2	Good	
5/12/94 0:00	Manual Tape	407.75	Good	
5/12/94 6:03	Auto FIC	408.20	Good	
5/13/94 0:00	Manual Tape	407.75	Good	
5/13/94 7:03	Auto FIC	408.2	Good	
5/14/94 0:00	Manual Tape	407.75	Good	
5/14/94 7:03	Auto FIC	408.2	Good	
5/15/94 0:00	Manual Tape	407.75	Good	
5/15/94 7:06	Auto FIC	408.20	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/16/94 0:00	Manual Tape	407.75	Good	
5/16/94 7:02	Auto FIC	408.20	Good	
5/17/94 0:00	Manual Tape	407.75	Good	
5/17/94 7:03	Auto FIC	408.2	Good	
5/18/94 0:00	Manual Tape	407.75	Good	
5/18/94 7:03	Auto FIC	408.2	Good	
5/19/94 0:00	Manual Tape	407.75	Good	
5/19/94 7:03	Auto FIC	408.2	Good	
5/20/94 0:00	Manual Tape	407.75	Good	
5/20/94 7:03	Auto FIC	408.20	Good	
5/21/94 0:00	Manual Tape	407.75	Good	
5/21/94 7:05	Auto FIC	408.20	Good	
5/22/94 0:00	Manual Tape	408	Good	
5/22/94 7:05	Auto FIC	408.20	Good	
5/23/94 0:00	Manual Tape	408	Good	
5/23/94 7:04	Auto FIC	408.2	Good	
5/24/94 0:00	Manual Tape	408.00	Good	
5/24/94 7:04	Auto FIC	408.3	Good	
5/25/94 0:00	Manual Tape	408.00	Good	
5/25/94 7:04	Auto FIC	408.3	Good	
5/26/94 0:00	Manual Tape	408	Good	
5/26/94 6:05	Auto FIC	408.1	Good	
5/27/94 0:00	Manual Tape	408.00	Good	
5/27/94 7:03	Auto FIC	408.30	Good	
5/28/94 0:00	Manual Tape	408.00	Good	
5/28/94 7:03	Auto FIC	408.20	Good	
5/29/94 0:00	Manual Tape	408	Good	
5/29/94 7:03	Auto FIC	408.3	Good	
5/30/94 0:00	Manual Tape	408	Good	
5/30/94 0:00	Manual FIC	408.20	Good	
5/30/94 7:02	Auto FIC	408.20	Good	
5/31/94 0:00	Manual Tape	408.25	Good	
5/31/94 0:00	Manual FIC	408.3	Good	
5/31/94 7:03	Auto FIC	408.3	Good	
6/1/94 0:00	Auto FIC	408	Good	
6/1/94 0:00	Manual Tape	408	Good	
6/1/94 7:03	Auto FIC	408.20	Good	
6/1/94 7:03	Manual Tape	408.20	Good	
6/2/94 0:00	Manual Tape	408.00	Good	
6/2/94 7:03	Auto FIC	408.20	Good	
6/3/94 0:00	Manual Tape	408	Good	
6/3/94 0:00	Manual FIC	408.20	Good	
6/4/94 0:00	Manual Tape	408	Good	
6/4/94 7:04	Auto FIC	408.3	Good	
6/5/94 0:00	Manual Tape	408	Good	
6/5/94 7:03	Auto FIC	408.3	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/6/94 0:00	Manual Tape	408.00	Good	
6/6/94 7:06	Auto FIC	408.30	Good	
6/7/94 0:00	Manual Tape	0.00	Suspect	Data not included in graph
6/7/94 7:02	Auto FIC	408.30	Good	
6/8/94 0:00	Manual Tape	0	Suspect	Data not included in graph
6/8/94 7:03	Auto FIC	408.2	Good	
6/9/94 0:00	Manual Tape	0	Suspect	Data not included in graph
6/9/94 0:00	Manual FIC	408.20	Good	
6/10/94 0:00	Manual Tape	408.00	Good	
6/10/94 7:04	Auto FIC	408.30	Good	
6/11/94 0:00	Manual Tape	0	Suspect	Data not included in graph
6/11/94 7:04	Auto FIC	408.3	Good	
6/12/94 0:00	Manual Tape	0	Suspect	Data not included in graph
6/12/94 7:03	Auto FIC	408.3	Good	
6/13/94 0:00	Manual Tape	0.00	Suspect	Data not included in graph
6/13/94 7:02	Auto FIC	408.30	Good	
6/14/94 0:00	Manual Tape	408.00	Good	
6/14/94 7:03	Auto FIC	408.3	Good	
6/15/94 0:00	Manual Tape	408	Good	
6/15/94 7:03	Auto FIC	408.20	Good	
6/16/94 0:00	Manual Tape	408	Good	
6/16/94 7:03	Auto FIC	408.30	Good	
6/17/94 0:00	Manual Tape	407.5	Good	
6/17/94 7:03	Auto FIC	408.20	Good	
6/18/94 0:00	Manual Tape	407.50	Good	
6/18/94 7:04	Auto FIC	408.30	Good	
6/19/94 0:00	Manual Tape	407.00	Good	
6/19/94 7:04	Auto FIC	408.30	Good	
6/20/94 0:00	Manual Tape	407.25	Good	
6/20/94 7:04	Auto FIC	408.40	Good	
6/21/94 0:00	Manual Tape	407	Good	
6/21/94 7:04	Auto FIC	408.30	Good	
6/22/94 0:00	Manual Tape	407.00	Good	
6/22/94 7:03	Auto FIC	408.2	Good	
6/23/94 0:00	Manual Tape	407.25	Good	
6/23/94 7:05	Auto FIC	408.30	Good	
6/24/94 0:00	Manual Tape	407.25	Good	
6/24/94 7:06	Auto FIC	408.30	Good	
6/25/94 0:00	Manual Tape	407.25	Good	
6/25/94 7:05	Auto FIC	408.30	Good	
6/26/94 7:06	Auto FIC	408.20	Good	
6/27/94 0:00	Manual Tape	409.25	Suspect	Data not included in graph
6/27/94 7:06	Auto FIC	408.3	Good	
6/28/94 0:00	Manual Tape	407.25	Good	
6/28/94 7:06	Auto FIC	408.2	Good	
6/29/94 0:00	Manual Tape	407.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/29/94 7:03	Auto FIC	408.20	Good	
6/30/94 0:00	Manual Tape	407.00	Good	
6/30/94 7:04	Auto FIC	408.20	Good	
7/1/94 0:00	Manual Tape	407.75	Good	
7/1/94 7:04	Auto FIC	408.2	Good	
7/2/94 7:04	Auto FIC	408.2	Good	
7/3/94 0:00	Manual Tape	407.25	Good	
7/3/94 7:04	Auto FIC	408.2	Good	
7/4/94 7:04	Auto FIC	408.2	Good	
7/5/94 0:00	Manual Tape	407.50	Good	
7/5/94 7:03	Auto FIC	408.10	Good	
7/6/94 0:00	Manual Tape	407.50	Good	
7/6/94 7:05	Auto FIC	408.10	Good	
7/7/94 0:00	Manual Tape	407.25	Good	
7/7/94 7:03	Auto FIC	408.2	Good	
7/8/94 0:00	Manual Tape	407.5	Good	
7/8/94 7:03	Auto FIC	408.2	Good	
7/9/94 0:00	Manual Tape	407.125	Good	
7/9/94 7:03	Auto FIC	408.20	Good	
7/10/94 0:00	Manual Tape	407.25	Good	
7/10/94 7:03	Auto FIC	408.20	Good	
7/11/94 0:00	Manual Tape	407.00	Good	
7/11/94 7:03	Auto FIC	408.2	Good	
7/12/94 0:00	Manual Tape	407.13	Good	
7/12/94 7:03	Auto FIC	408.2	Good	
7/13/94 0:00	Manual Tape	407.00	Good	
7/13/94 7:03	Auto FIC	408.30	Good	
7/14/94 0:00	Manual Tape	407	Good	
7/14/94 7:04	Auto FIC	408.20	Good	
7/15/94 0:00	Manual Tape	407	Good	
7/15/94 7:04	Auto FIC	408.10	Good	
7/16/94 0:00	Manual Tape	407.00	Good	
7/16/94 7:04	Auto FIC	408.2	Good	
7/17/94 7:04	Auto FIC	408.20	Good	
7/18/94 0:00	Manual Tape	407.25	Good	
7/18/94 0:00	Manual FIC	408.2	Good	
7/19/94 0:00	Manual Tape	407.25	Good	
7/19/94 7:03	Auto FIC	408.20	Good	
7/20/94 0:00	Manual Tape	407.00	Good	
7/20/94 7:03	Auto FIC	408.20	Good	
7/21/94 0:00	Manual Tape	407	Good	
7/21/94 7:03	Auto FIC	408.20	Good	
7/22/94 0:00	Manual Tape	407	Good	
7/22/94 7:03	Auto FIC	408.20	Good	
7/23/94 0:00	Manual Tape	407	Good	
7/23/94 7:03	Auto FIC	408.2	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/24/94 0:00	Manual Tape	407.25	Good	
7/24/94 7:03	Auto FIC	408.10	Good	
7/25/94 0:00	Manual Tape	407.50	Good	
7/25/94 7:03	Auto FIC	408.1	Good	
7/26/94 7:03	Auto FIC	408.2	Good	
7/26/94 12:00	Manual Tape	407.5	Good	
7/27/94 7:03	Auto FIC	408.10	Good	
7/27/94 12:00	Manual Tape	407.50	Good	
7/28/94 7:04	Auto FIC	408.10	Good	
7/28/94 12:00	Manual Tape	407.50	Good	
7/29/94 7:04	Auto FIC	408.1	Good	
7/29/94 12:00	Manual Tape	407.50	Good	
7/30/94 7:04	Auto FIC	408.1	Good	
7/30/94 12:00	Manual Tape	407.5	Good	
7/31/94 12:00	Manual Tape	407.5	Good	
7/31/94 23:03	Auto FIC	408.10	Good	
8/1/94 7:03	Auto FIC	408.2	Good	
8/1/94 12:00	Manual Tape	407.5	Good	
8/2/94 7:03	Auto FIC	408.20	Good	
8/2/94 12:00	Manual Tape	407.50	Good	
8/3/94 7:03	Auto FIC	408.2	Good	
8/3/94 12:00	Manual Tape	407.5	Good	
8/4/94 7:02	Auto FIC	0	Suspect	Data not included in graph
8/4/94 12:00	Manual Tape	407.5	Good	
8/4/94 12:00	Manual FIC	408.2	Good	
8/5/94 7:03	Auto FIC	408.20	Good	
8/5/94 12:00	Manual Tape	407.5	Good	
8/6/94 7:03	Auto FIC	408.20	Good	
8/6/94 12:00	Manual Tape	407.5	Good	
8/7/94 7:04	Auto FIC	408.20	Good	
8/7/94 12:00	Manual Tape	407.50	Good	
8/8/94 7:12	Auto FIC	0.00	Suspect	Data not included in graph
8/8/94 12:00	Manual FIC	408.1	Good	
8/9/94 7:06	Auto FIC	408.2	Good	
8/9/94 12:00	Manual Tape	407.25	Good	
8/10/94 7:04	Auto FIC	408.2	Good	
8/10/94 12:00	Manual Tape	407.50	Good	
8/11/94 7:04	Auto FIC	408.30	Good	
8/11/94 12:00	Manual Tape	407.50	Good	
8/12/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/12/94 12:00	Manual Tape	407.5	Good	
8/13/94 7:03	Auto FIC	0	Suspect	Data not included in graph
8/13/94 12:00	Manual Tape	407.5	Good	
8/14/94 7:06	Auto FIC	0	Suspect	Data not included in graph
8/14/94 12:00	Manual Tape	407.50	Good	
8/15/94 7:06	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/15/94 12:00	Manual Tape	407.50	Good	
8/16/94 7:06	Auto FIC	0	Suspect	Data not included in graph
8/16/94 12:00	Manual Tape	407.25	Good	
8/17/94 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/17/94 12:00	Manual Tape	407.50	Good	
8/18/94 7:06	Auto FIC	408.00	Good	
8/18/94 12:00	Manual Tape	407.50	Good	
8/19/94 6:06	Auto FIC	408.1	Good	
8/19/94 12:00	Manual Tape	407.25	Good	
8/20/94 7:04	Auto FIC	408.1	Good	
8/20/94 12:00	Manual Tape	407.25	Good	
8/21/94 7:04	Auto FIC	408.1	Good	
8/21/94 12:00	Manual Tape	407.25	Good	
8/22/94 6:04	Auto FIC	408.20	Good	
8/22/94 12:00	Manual Tape	407.50	Good	
8/23/94 7:04	Auto FIC	408.10	Good	
8/24/94 7:04	Auto FIC	408.10	Good	
8/25/94 7:03	Auto FIC	408.2	Good	
8/25/94 12:00	Manual Tape	407.25	Good	
8/26/94 7:06	Auto FIC	408.2	Good	
8/26/94 12:00	Manual Tape	407.25	Good	
8/27/94 7:04	Auto FIC	408.3	Good	
8/27/94 12:00	Manual Tape	407.25	Good	
8/28/94 7:04	Auto FIC	408.20	Good	
8/28/94 12:00	Manual Tape	407.5	Good	
8/29/94 7:04	Auto FIC	408.30	Good	
8/30/94 7:04	Auto FIC	408.3	Good	
8/30/94 12:00	Manual Tape	407.25	Good	
8/31/94 7:04	Auto FIC	408.3	Good	
8/31/94 12:00	Manual Tape	407.25	Good	
9/1/94 7:04	Auto FIC	408.20	Good	
9/1/94 12:00	Manual Tape	407.25	Good	
9/2/94 7:06	Auto FIC	408.30	Good	
9/2/94 12:00	Manual Tape	407.50	Good	
9/3/94 12:00	Manual Tape	407.5	Good	
9/3/94 23:04	Auto FIC	408.6	Good	
9/4/94 7:04	Auto FIC	408.6	Good	
9/4/94 12:00	Manual Tape	407.25	Good	
9/5/94 7:04	Auto FIC	408.6	Good	
9/5/94 12:00	Manual Tape	407.5	Good	
9/6/94 7:03	Auto FIC	408.60	Good	
9/6/94 12:00	Manual Tape	407.25	Good	
9/7/94 7:03	Auto FIC	408.5	Good	
9/7/94 12:00	Manual Tape	407.5	Good	
9/8/94 7:04	Auto FIC	408.5	Good	
9/8/94 12:00	Manual Tape	407.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/9/94 7:03	Auto FIC	408.3	Good	
9/9/94 12:00	Manual Tape	407.5	Good	
9/10/94 7:04	Auto FIC	408.6	Good	
9/10/94 12:00	Manual Tape	407.5	Good	
9/11/94 7:03	Auto FIC	408.5	Good	
9/11/94 12:00	Manual Tape	407.50	Good	
9/12/94 7:03	Auto FIC	408.50	Good	
9/12/94 12:00	Manual Tape	407.25	Good	
9/13/94 7:02	Auto FIC	408.50	Good	
9/13/94 12:00	Manual Tape	407.25	Good	
9/14/94 7:03	Auto FIC	408.2	Good	
9/14/94 12:00	Manual Tape	407.25	Good	
9/15/94 7:03	Auto FIC	408.2	Good	
9/15/94 12:00	Manual Tape	407.5	Good	
9/16/94 7:02	Auto FIC	408.1	Good	
9/16/94 12:00	Manual Tape	407.50	Good	
9/17/94 7:03	Auto FIC	408.20	Good	
9/17/94 12:00	Manual Tape	407.50	Good	
9/18/94 7:02	Auto FIC	408.1	Good	
9/18/94 12:00	Manual Tape	407.5	Good	
9/19/94 7:03	Auto FIC	408.2	Good	
9/19/94 12:00	Manual Tape	407.5	Good	
9/20/94 7:03	Auto FIC	408.2	Good	
9/20/94 12:00	Manual Tape	407.50	Good	
9/21/94 7:04	Auto FIC	408.60	Good	
9/21/94 12:00	Manual Tape	407.50	Good	
9/22/94 7:03	Auto FIC	408.70	Good	
9/22/94 12:00	Manual Tape	407.25	Good	
9/23/94 7:04	Auto FIC	408.6	Good	
9/23/94 12:00	Manual Tape	407.25	Good	
9/24/94 7:04	Auto FIC	408.6	Good	
9/24/94 12:00	Manual Tape	407.50	Good	
9/25/94 7:03	Auto FIC	408.70	Good	
9/25/94 12:00	Manual Tape	407.5	Good	
9/26/94 7:04	Auto FIC	408.6	Good	
9/26/94 12:00	Manual Tape	407.5	Good	
9/27/94 7:04	Auto FIC	408.60	Good	
9/27/94 12:00	Manual Tape	407.50	Good	
9/28/94 7:03	Auto FIC	408.4	Good	
9/28/94 12:00	Manual Tape	407.75	Good	
9/29/94 7:04	Auto FIC	408.2	Good	
9/29/94 12:00	Manual Tape	407.25	Good	
9/30/94 7:04	Auto FIC	408.2	Good	
9/30/94 12:00	Manual Tape	407.5	Good	
10/1/94 7:06	Auto FIC	408.10	Good	
10/1/94 12:00	Manual Tape	407.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/2/94 7:05	Auto FIC	408.1	Good	
10/2/94 12:00	Manual Tape	407.50	Good	
10/3/94 7:04	Auto FIC	408.10	Good	
10/3/94 12:00	Manual Tape	407.5	Good	
10/4/94 7:04	Auto FIC	408.20	Good	
10/4/94 12:00	Manual Tape	407.5	Good	
10/5/94 7:04	Auto FIC	408.1	Good	
10/5/94 12:00	Manual Tape	407.5	Good	
10/6/94 7:04	Auto FIC	408.20	Good	
10/6/94 12:00	Manual Tape	407.75	Good	
10/7/94 6:04	Auto FIC	408.2	Good	
10/7/94 12:00	Manual Tape	407.50	Good	
10/8/94 7:03	Auto FIC	408.3	Good	
10/8/94 12:00	Manual Tape	407.5	Good	
10/9/94 7:06	Auto FIC	408.3	Good	
10/9/94 12:00	Manual Tape	407.25	Good	
10/10/94 7:05	Auto FIC	408.30	Good	
10/10/94 12:00	Manual Tape	407.25	Good	
10/11/94 7:03	Auto FIC	408.3	Good	
10/11/94 12:00	Manual Tape	407.25	Good	
10/12/94 7:06	Auto FIC	408.2	Good	
10/12/94 12:00	Manual Tape	407.25	Good	
10/13/94 7:05	Auto FIC	408.30	Good	
10/13/94 12:00	Manual Tape	407.25	Good	
10/14/94 7:06	Auto FIC	408.10	Good	
10/14/94 12:00	Manual Tape	407.25	Good	
10/15/94 7:06	Auto FIC	408.1	Good	
10/15/94 12:00	Manual Tape	407.25	Good	
10/16/94 7:06	Auto FIC	408	Good	
10/16/94 12:00	Manual Tape	407.25	Good	
10/17/94 7:06	Auto FIC	408.1	Good	
10/17/94 12:00	Manual Tape	407.25	Good	
10/18/94 7:06	Auto FIC	408.2	Good	
10/18/94 12:00	Manual Tape	407.25	Good	
10/19/94 7:06	Auto FIC	408.10	Good	
10/19/94 12:00	Manual Tape	407.5	Good	
10/20/94 5:07	Auto FIC	408.10	Good	
10/20/94 12:00	Manual Tape	407.5	Good	
10/21/94 7:06	Auto FIC	408.2	Good	
10/21/94 12:00	Manual Tape	407.50	Good	
10/22/94 12:00	Manual Tape	407	Good	
10/22/94 23:06	Auto FIC	408.20	Good	
10/23/94 7:06	Auto FIC	408.10	Good	
10/23/94 12:00	Manual Tape	407.5	Good	
10/24/94 7:06	Auto FIC	408.1	Good	
10/24/94 12:00	Manual Tape	407.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/25/94 7:06	Auto FIC	408.10	Good	
10/25/94 12:00	Manual Tape	407.50	Good	
10/26/94 7:06	Auto FIC	408.2	Good	
10/26/94 12:00	Manual Tape	407.50	Good	
10/27/94 7:06	Auto FIC	408.2	Good	
10/28/94 7:04	Auto FIC	408.1	Good	
10/28/94 12:00	Manual Tape	407.5	Good	
10/29/94 12:00	Manual Tape	407.75	Good	
10/29/94 12:00	Manual FIC	408.10	Good	
10/30/94 12:00	Manual Tape	407.75	Good	
10/30/94 23:04	Auto FIC	408.2	Good	
10/31/94 7:05	Auto FIC	408.2	Good	
10/31/94 12:00	Manual Tape	408.00	Good	
11/1/94 12:00	Manual Tape	407.5	Good	
11/1/94 23:04	Auto FIC	408.20	Good	
11/2/94 7:03	Auto FIC	408.10	Good	
11/2/94 12:00	Manual Tape	407.5	Good	
11/3/94 7:04	Auto FIC	408.20	Good	
11/3/94 12:00	Manual Tape	407.5	Good	
11/4/94 7:03	Auto FIC	408.20	Good	
11/4/94 12:00	Manual Tape	407.5	Good	
11/5/94 7:03	Auto FIC	408.3	Good	
11/5/94 12:00	Manual Tape	407.5	Good	
11/6/94 7:04	Auto FIC	408.2	Good	
11/6/94 12:00	Manual Tape	407.50	Good	
11/7/94 7:04	Auto FIC	408.30	Good	
11/7/94 12:00	Manual Tape	407.75	Good	
11/8/94 7:03	Auto FIC	408.3	Good	
11/8/94 11:02	Manual Tape	407.75	Good	
11/9/94 7:05	Auto FIC	408.3	Good	
11/9/94 11:02	Manual Tape	407.5	Good	
11/10/94 7:03	Auto FIC	408.20	Good	
11/10/94 11:02	Manual Tape	407.50	Good	
11/11/94 7:03	Auto FIC	408.30	Good	
11/11/94 11:02	Manual Tape	407.5	Good	
11/12/94 7:03	Auto FIC	408.40	Good	
11/12/94 11:02	Manual Tape	407.75	Good	
11/13/94 7:04	Auto FIC	408.2	Good	
11/13/94 11:02	Manual Tape	407.75	Good	
11/14/94 7:03	Auto FIC	408.2	Good	
11/14/94 11:02	Manual Tape	407.75	Good	
11/15/94 7:04	Auto FIC	408.30	Good	
11/15/94 12:00	Manual Tape	407.75	Good	
11/16/94 7:06	Auto FIC	408.3	Good	
11/16/94 12:00	Manual Tape	407.75	Good	
11/17/94 7:04	Auto FIC	408.3	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/17/94 12:00	Manual Tape	407.75	Good	
11/18/94 7:04	Auto FIC	408.10	Good	
11/18/94 12:00	Manual Tape	407.5	Good	
11/19/94 7:03	Auto FIC	408.20	Good	
11/19/94 12:00	Manual Tape	407.50	Good	
11/20/94 7:03	Auto FIC	408.20	Good	
11/21/94 7:04	Auto FIC	408.1	Good	
11/21/94 12:00	Manual Tape	407.25	Good	
11/22/94 7:03	Auto FIC	408.10	Good	
11/22/94 12:00	Manual Tape	407.5	Good	
11/23/94 12:00	Manual Tape	407.5	Good	
11/23/94 12:00	Manual FIC	408.20	Good	
11/24/94 12:00	Manual Tape	407.5	Good	
11/24/94 23:03	Auto FIC	408.2	Good	
11/25/94 12:00	Manual Tape	407.50	Good	
11/25/94 23:03	Auto FIC	408.2	Good	
11/26/94 7:03	Auto FIC	408.20	Good	
11/26/94 12:00	Manual Tape	407.5	Good	
11/27/94 7:04	Auto FIC	408.2	Good	
11/27/94 12:00	Manual Tape	407.50	Good	
11/28/94 7:04	Auto FIC	408.1	Good	
11/28/94 12:00	Manual Tape	407.5	Good	
11/29/94 7:04	Auto FIC	408.10	Good	
11/29/94 12:00	Manual Tape	407.5	Good	
11/30/94 7:03	Auto FIC	408.2	Good	
11/30/94 12:00	Manual Tape	407.5	Good	
12/1/94 6:05	Auto FIC	408.2	Good	
12/1/94 12:00	Manual Tape	407.50	Good	
12/2/94 7:03	Auto FIC	408.20	Good	
12/2/94 12:00	Manual Tape	407.50	Good	
12/3/94 6:04	Auto FIC	408.20	Good	
12/3/94 12:00	Manual Tape	407.50	Good	
12/4/94 7:03	Auto FIC	408.1	Good	
12/4/94 12:00	Manual Tape	407.5	Good	
12/5/94 7:03	Auto FIC	408.10	Good	
12/5/94 12:00	Manual Tape	407.5	Good	
12/6/94 7:04	Auto FIC	408.10	Good	
12/6/94 12:00	Manual Tape	407.50	Good	
12/7/94 7:03	Auto FIC	408.1	Good	
12/7/94 12:00	Manual Tape	407.50	Good	
12/8/94 5:03	Auto FIC	408.10	Good	
12/8/94 12:00	Manual Tape	407.25	Good	
12/9/94 7:03	Auto FIC	408.10	Good	
12/9/94 12:00	Manual Tape	407.50	Good	
12/10/94 7:04	Auto FIC	408.3	Good	
12/10/94 12:00	Manual Tape	407.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/11/94 7:04	Auto FIC	408.30	Good	
12/11/94 12:00	Manual Tape	407.25	Good	
12/12/94 7:03	Auto FIC	408.40	Good	
12/12/94 12:00	Manual Tape	407.50	Good	
12/13/94 7:03	Auto FIC	408.3	Good	
12/13/94 12:00	Manual Tape	407.75	Good	
12/14/94 7:04	Auto FIC	408.30	Good	
12/14/94 12:00	Manual Tape	407.50	Good	
12/15/94 7:03	Auto FIC	408.3	Good	
12/15/94 12:00	Manual Tape	407.75	Good	
12/16/94 7:03	Auto FIC	408.40	Good	
12/16/94 12:00	Manual Tape	407.25	Good	
12/17/94 7:06	Auto FIC	408.30	Good	
12/17/94 12:00	Manual Tape	407.75	Good	
12/18/94 7:04	Auto FIC	408.40	Good	
12/18/94 12:00	Manual Tape	408.00	Good	
12/19/94 7:04	Auto FIC	408.40	Good	
12/19/94 12:00	Manual Tape	407.75	Good	
12/20/94 7:04	Auto FIC	408.4	Good	
12/20/94 12:00	Manual Tape	407.75	Good	
12/21/94 7:04	Auto FIC	408.3	Good	
12/21/94 12:00	Manual Tape	407.75	Good	
12/22/94 7:05	Auto FIC	408.3	Good	
12/22/94 12:00	Manual Tape	407.5	Good	
12/23/94 7:03	Auto FIC	408.30	Good	
12/23/94 12:00	Manual Tape	407.50	Good	
12/24/94 7:04	Auto FIC	408.40	Good	
12/24/94 12:00	Manual Tape	407.50	Good	
12/25/94 7:03	Auto FIC	408.20	Good	
12/25/94 12:00	Manual Tape	407.5	Good	
12/26/94 7:03	Auto FIC	408.3	Good	
12/26/94 12:00	Manual Tape	407.50	Good	
12/27/94 7:04	Auto FIC	408.50	Good	
12/27/94 12:00	Manual Tape	407.50	Good	
12/28/94 7:04	Auto FIC	408.40	Good	
12/28/94 12:00	Manual Tape	407.5	Good	
12/29/94 7:04	Auto FIC	408.3	Good	
12/29/94 12:00	Manual Tape	407.5	Good	
12/30/94 7:04	Auto FIC	408.2	Good	
12/30/94 12:00	Manual Tape	407.5	Good	
12/31/94 7:04	Auto FIC	408.20	Good	
12/31/94 12:00	Manual Tape	407.5	Good	
1/1/95 7:04	Auto FIC	408.2	Good	
1/1/95 12:00	Manual Tape	407.50	Good	
1/2/95 7:03	Auto FIC	408.20	Good	
1/2/95 12:00	Manual Tape	407.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/3/95 7:02	Auto FIC	408.40	Good	
1/3/95 12:00	Manual Tape	407.50	Good	
1/4/95 7:03	Auto FIC	408.4	Good	
1/4/95 12:00	Manual Tape	407.75	Good	
1/5/95 7:04	Auto FIC	408.3	Good	
1/5/95 12:00	Manual Tape	407.75	Good	
1/6/95 7:04	Auto FIC	408.20	Good	
1/6/95 12:00	Manual Tape	407.50	Good	
1/7/95 7:04	Auto FIC	408.30	Good	
1/7/95 12:00	Manual Tape	407.50	Good	
1/8/95 12:00	Manual Tape	407.50	Good	
1/8/95 23:03	Auto FIC	408.3	Good	
1/9/95 7:05	Auto FIC	408.3	Good	
1/9/95 12:00	Manual Tape	407.5	Good	
1/10/95 7:06	Auto FIC	408.4	Good	
1/11/95 7:07	Auto FIC	408.60	Good	
1/11/95 12:00	Manual Tape	408.00	Good	
1/12/95 7:07	Auto FIC	408.8	Good	
1/12/95 12:00	Manual Tape	408.00	Good	
1/13/95 6:07	Auto FIC	409	Good	
1/13/95 12:00	Manual Tape	408	Good	
1/14/95 7:07	Auto FIC	409	Good	
1/14/95 12:00	Manual Tape	408.25	Good	
1/15/95 7:06	Auto FIC	409.10	Good	
1/15/95 12:00	Manual Tape	408.25	Good	
1/16/95 7:08	Auto FIC	409.00	Good	
1/16/95 12:00	Manual Tape	408.25	Good	
1/17/95 6:07	Auto FIC	409	Good	
1/18/95 7:07	Auto FIC	409	Good	
1/19/95 7:07	Auto FIC	409.00	Good	
1/20/95 7:03	Auto FIC	409.10	Good	
1/21/95 7:04	Auto FIC	409.20	Good	
1/22/95 7:03	Auto FIC	409.10	Good	
1/23/95 7:03	Auto FIC	409	Good	
1/23/95 12:00	Manual Tape	408.25	Good	
1/24/95 7:04	Auto FIC	409.1	Good	
1/24/95 12:00	Manual Tape	408.5	Good	
1/25/95 7:03	Auto FIC	409	Good	
1/26/95 7:03	Auto FIC	409.00	Good	
1/27/95 7:03	Auto FIC	409.10	Good	
1/27/95 12:00	Manual Tape	408.75	Good	
1/28/95 7:04	Auto FIC	409.00	Good	
1/29/95 7:04	Auto FIC	409.10	Good	
1/30/95 7:04	Auto FIC	409.1	Good	
1/31/95 7:03	Auto FIC	409	Good	
2/1/95 7:03	Auto FIC	409.10	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/2/95 7:04	Auto FIC	408.90	Good	
2/3/95 7:03	Auto FIC	409.10	Good	
2/4/95 7:04	Auto FIC	409.00	Good	
2/5/95 7:03	Auto FIC	409	Good	
2/6/95 7:03	Auto FIC	409.00	Good	
2/7/95 7:03	Auto FIC	409	Good	
2/8/95 7:04	Auto FIC	409	Good	
2/9/95 7:06	Auto FIC	409	Good	
2/10/95 7:06	Auto FIC	409.00	Good	
2/10/95 12:00	Manual Tape	408.50	Good	
2/11/95 7:07	Auto FIC	409.00	Good	
2/11/95 12:00	Manual Tape	408.50	Good	
2/12/95 7:06	Auto FIC	409.00	Good	
2/12/95 12:00	Manual Tape	408.5	Good	
2/13/95 7:05	Auto FIC	409	Good	
2/13/95 12:00	Manual Tape	408.50	Good	
2/14/95 7:06	Auto FIC	409.00	Good	
2/15/95 7:07	Auto FIC	409.00	Good	
2/15/95 12:00	Manual Tape	408.75	Good	
2/16/95 7:06	Auto FIC	409	Good	
2/16/95 12:00	Manual Tape	408.75	Good	
2/17/95 7:06	Auto FIC	409	Good	
2/17/95 12:00	Manual Tape	408.75	Good	
2/18/95 7:06	Auto FIC	409	Good	
2/18/95 12:00	Manual Tape	408.75	Good	
2/19/95 7:06	Auto FIC	409.00	Good	
2/19/95 12:00	Manual Tape	408.75	Good	
2/20/95 7:07	Auto FIC	409.00	Good	
2/20/95 12:00	Manual Tape	408.75	Good	
2/21/95 7:06	Auto FIC	409	Good	
2/21/95 12:00	Manual Tape	408.5	Good	
2/22/95 7:06	Auto FIC	409.00	Good	
2/22/95 12:00	Manual Tape	409.00	Good	
2/23/95 7:07	Auto FIC	409.00	Good	
2/23/95 12:00	Manual Tape	409.00	Good	
2/24/95 7:06	Auto FIC	409	Good	
2/24/95 12:00	Manual Tape	409.00	Good	
2/25/95 7:06	Auto FIC	409	Good	
2/25/95 12:00	Manual Tape	409	Good	
2/26/95 6:07	Auto FIC	409	Good	
2/26/95 12:00	Manual Tape	409	Good	
2/27/95 7:06	Auto FIC	409.00	Good	
2/27/95 12:00	Manual Tape	409.00	Good	
2/28/95 5:07	Auto FIC	409.00	Good	
2/28/95 12:00	Manual Tape	409.25	Good	
3/1/95 7:06	Auto FIC	409	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/1/95 12:00	Manual Tape	408.25	Good	
3/2/95 7:06	Auto FIC	409.00	Good	
3/2/95 12:00	Manual Tape	408.25	Good	
3/3/95 7:06	Auto FIC	409.00	Good	
3/3/95 12:00	Manual Tape	408.25	Good	
3/4/95 7:06	Auto FIC	409	Good	
3/4/95 12:00	Manual Tape	408.25	Good	
3/5/95 7:06	Auto FIC	409	Good	
3/5/95 12:00	Manual Tape	408.25	Good	
3/6/95 7:06	Auto FIC	400.9	Suspect	Data not included in graph
3/6/95 12:00	Manual Tape	408.13	Good	
3/7/95 7:06	Auto FIC	409.00	Good	
3/7/95 12:00	Manual Tape	408.13	Good	
3/8/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/8/95 12:00	Manual Tape	408.25	Good	
3/8/95 12:01	Manual FIC	409	Good	
3/9/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/9/95 12:00	Manual Tape	408.50	Good	
3/9/95 12:00	Manual FIC	409.00	Good	
3/10/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/10/95 12:00	Manual Tape	408.50	Good	
3/10/95 12:00	Manual FIC	409	Good	
3/11/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/11/95 12:00	Manual Tape	408.5	Good	
3/11/95 12:00	Manual FIC	409	Good	
3/12/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/12/95 12:00	Manual Tape	408.25	Good	
3/12/95 12:00	Manual FIC	409.00	Good	
3/13/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/13/95 12:00	Manual Tape	408.25	Good	
3/13/95 12:00	Manual FIC	408.90	Good	
3/14/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/14/95 12:00	Manual Tape	408.25	Good	
3/14/95 12:00	Manual FIC	408.90	Good	
3/15/95 7:05	Auto FIC	0	Suspect	Data not included in graph
3/15/95 12:00	Manual Tape	408.25	Good	
3/15/95 12:00	Manual FIC	408.9	Good	
3/16/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/16/95 12:00	Manual Tape	408.25	Good	
3/16/95 12:00	Manual FIC	408.90	Good	
3/17/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/17/95 12:00	Manual Tape	408.25	Good	
3/17/95 12:00	Manual FIC	408.90	Good	
3/18/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/18/95 12:00	Manual Tape	408.5	Good	
3/18/95 12:00	Manual FIC	409	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/19/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/19/95 12:00	Manual Tape	408.50	Good	
3/19/95 12:00	Manual FIC	409	Good	
3/20/95 7:08	Auto FIC	0.00	Suspect	Data not included in graph
3/20/95 12:00	Manual Tape	408.50	Good	
3/20/95 12:00	Manual FIC	409	Good	
3/21/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/21/95 12:00	Manual Tape	408.25	Good	
3/21/95 12:00	Manual FIC	409	Good	
3/22/95 7:02	Auto FIC	0	Suspect	Data not included in graph
3/22/95 12:00	Manual Tape	408.50	Good	
3/22/95 12:00	Manual FIC	409.00	Good	
3/23/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/23/95 12:00	Manual Tape	408.25	Good	
3/23/95 12:00	Manual FIC	409	Good	
3/24/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/24/95 12:00	Manual Tape	408.25	Good	
3/24/95 12:00	Manual FIC	408.9	Good	
3/25/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/25/95 12:00	Manual Tape	408.25	Good	
3/25/95 12:00	Manual FIC	408.90	Good	
3/26/95 7:02	Auto FIC	0	Suspect	Data not included in graph
3/26/95 12:00	Manual Tape	408.25	Good	
3/26/95 12:00	Manual FIC	408.9	Good	
3/27/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/27/95 12:00	Manual Tape	408.5	Good	
3/27/95 12:00	Manual FIC	408.9	Good	
3/28/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/28/95 12:00	Manual Tape	408.50	Good	
3/28/95 12:00	Manual FIC	408.90	Good	
3/29/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/29/95 12:00	Manual Tape	408.75	Good	
3/29/95 12:00	Manual FIC	408.90	Good	
3/30/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/30/95 12:00	Manual Tape	408.5	Good	
3/30/95 12:00	Manual FIC	408.95	Good	
3/31/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/31/95 12:00	Manual Tape	408.50	Good	
3/31/95 12:00	Manual FIC	408.95	Good	
4/1/95 7:02	Auto FIC	0	Suspect	Data not included in graph
4/1/95 12:00	Manual Tape	408.50	Good	
4/1/95 12:00	Manual FIC	408.9	Good	
4/2/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/2/95 12:00	Manual Tape	408.75	Good	
4/2/95 12:00	Manual FIC	408.90	Good	
4/3/95 7:03	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/3/95 12:00	Manual Tape	408.5	Good	
4/3/95 12:00	Manual FIC	408.9	Good	
4/4/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/4/95 12:00	Manual Tape	408.50	Good	
4/4/95 12:00	Manual FIC	408.90	Good	
4/5/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/5/95 12:00	Manual Tape	408.50	Good	
4/5/95 12:00	Manual FIC	408.90	Good	
4/6/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/6/95 12:00	Manual Tape	408.5	Good	
4/6/95 12:00	Manual FIC	408.9	Good	
4/7/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/7/95 12:00	Manual Tape	408.50	Good	
4/7/95 12:00	Manual FIC	409	Good	
4/8/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
4/8/95 12:00	Manual Tape	408.5	Good	
4/8/95 12:00	Manual FIC	409	Good	
4/9/95 12:00	Manual Tape	408.50	Good	
4/9/95 12:00	Manual FIC	408.9	Good	
4/9/95 23:03	Auto FIC	0	Suspect	Data not included in graph
4/10/95 7:02	Auto FIC	0	Suspect	Data not included in graph
4/10/95 12:00	Manual Tape	408.5	Good	
4/10/95 12:00	Manual FIC	408.90	Good	
4/11/95 7:04	Auto FIC	0	Suspect	Data not included in graph
4/11/95 12:00	Manual Tape	408.50	Good	
4/11/95 12:00	Manual FIC	408.90	Good	
4/12/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/12/95 12:00	Manual Tape	408.5	Good	
4/12/95 12:00	Manual FIC	408.9	Good	
4/13/95 7:05	Auto FIC	0	Suspect	Data not included in graph
4/13/95 12:00	Manual Tape	408.50	Good	
4/13/95 12:00	Manual FIC	409	Good	
4/14/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/14/95 12:00	Manual Tape	408.75	Good	
4/14/95 12:00	Manual FIC	408.9	Good	
4/15/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/15/95 12:00	Manual Tape	408.5	Good	
4/15/95 12:00	Manual FIC	408.9	Good	
4/16/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/16/95 12:00	Manual Tape	408.5	Good	
4/16/95 12:00	Manual FIC	408.9	Good	
4/17/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/17/95 12:00	Manual Tape	408.5	Good	
4/17/95 12:00	Manual FIC	408.95	Good	
4/18/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/18/95 12:00	Manual Tape	408.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/18/95 12:00	Manual FIC	408.90	Good	
4/19/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/19/95 12:00	Manual Tape	408.5	Good	
4/19/95 12:00	Manual FIC	408.95	Good	
4/20/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/20/95 12:00	Manual Tape	408.5	Good	
4/20/95 12:00	Manual FIC	408.95	Good	
4/21/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/21/95 12:00	Manual Tape	408.25	Good	
4/21/95 12:00	Manual FIC	408.9	Good	
4/22/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/22/95 12:00	Manual Tape	408.5	Good	
4/22/95 12:00	Manual FIC	408.9	Good	
4/23/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/23/95 12:00	Manual Tape	408.5	Good	
4/23/95 12:00	Manual FIC	408.9	Good	
4/24/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/24/95 12:00	Manual Tape	408.5	Good	
4/24/95 12:00	Manual FIC	408.9	Good	
4/25/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/25/95 12:00	Manual Tape	408.5	Good	
4/25/95 12:00	Manual FIC	408.9	Good	
4/26/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/26/95 12:00	Manual Tape	408.5	Good	
4/26/95 12:00	Manual FIC	408.90	Good	
4/27/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/27/95 12:00	Manual Tape	408.50	Good	
4/27/95 12:00	Manual FIC	408.9	Good	
4/28/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/28/95 12:00	Manual Tape	408.5	Good	
4/28/95 12:00	Manual FIC	408.90	Good	
4/29/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/29/95 12:00	Manual Tape	409.25	Good	
4/29/95 12:00	Manual FIC	409	Good	
4/30/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/30/95 12:00	Manual Tape	409.25	Good	
4/30/95 12:00	Manual FIC	408.9	Good	
5/1/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/1/95 12:00	Manual Tape	408.75	Good	
5/1/95 12:00	Manual FIC	408.9	Good	
5/2/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
5/2/95 12:00	Manual Tape	409	Good	
5/2/95 12:00	Manual FIC	408.9	Good	
5/3/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/3/95 12:00	Manual Tape	408.75	Good	
5/3/95 12:00	Manual FIC	408.95	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/4/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/4/95 12:00	Manual Tape	408.75	Good	
5/4/95 12:00	Manual FIC	408.90	Good	
5/5/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/5/95 12:00	Manual Tape	408.75	Good	
5/5/95 12:00	Manual FIC	408.95	Good	
5/6/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/6/95 12:00	Manual Tape	408.75	Good	
5/6/95 12:00	Manual FIC	408.95	Good	
5/7/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/7/95 12:00	Manual Tape	408.75	Good	
5/7/95 12:00	Manual FIC	408.9	Good	
5/8/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/8/95 12:00	Manual Tape	409.25	Good	
5/8/95 12:00	Manual FIC	408.95	Good	
5/9/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/9/95 12:00	Manual Tape	409.00	Good	
5/9/95 12:00	Manual FIC	409	Good	
5/10/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/10/95 12:00	Manual Tape	408	Good	
5/10/95 12:00	Manual FIC	408.95	Good	
5/11/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/11/95 12:00	Manual Tape	408	Good	
5/11/95 12:00	Manual FIC	408.95	Good	
5/12/95 7:06	Auto FIC	0	Suspect	Data not included in graph
5/12/95 12:00	Manual Tape	408	Good	
5/12/95 12:00	Manual FIC	408.95	Good	
5/13/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/13/95 12:00	Manual Tape	408.25	Good	
5/13/95 12:00	Manual FIC	408.95	Good	
5/14/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/14/95 12:00	Manual Tape	408.25	Good	
5/14/95 12:00	Manual FIC	408.95	Good	
5/15/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/15/95 12:00	Manual Tape	408.25	Good	
5/15/95 12:00	Manual FIC	409	Good	
5/16/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/16/95 12:00	Manual Tape	408.25	Good	
5/16/95 12:00	Manual FIC	409	Good	
5/17/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
5/17/95 12:00	Manual Tape	408.25	Good	
5/17/95 12:00	Manual FIC	409	Good	
5/18/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/18/95 12:00	Manual Tape	408.25	Good	
5/18/95 12:00	Manual FIC	408.9	Good	
5/19/95 7:05	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/19/95 12:00	Manual Tape	408	Good	
5/19/95 12:00	Manual FIC	408.9	Good	
5/20/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/20/95 12:00	Manual Tape	408.25	Good	
5/20/95 12:00	Manual FIC	408.90	Good	
5/21/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/21/95 12:00	Manual Tape	408.25	Good	
5/21/95 12:00	Manual FIC	408.9	Good	
5/22/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/22/95 12:00	Manual Tape	408.25	Good	
5/22/95 12:00	Manual FIC	408.90	Good	
5/23/95 7:11	Auto FIC	0	Suspect	Data not included in graph
5/23/95 12:00	Manual Tape	408.25	Good	
5/23/95 12:00	Manual FIC	408.9	Good	
5/24/95 7:10	Auto FIC	0.00	Suspect	Data not included in graph
5/24/95 12:00	Manual Tape	408.25	Good	
5/24/95 12:00	Manual FIC	408.9	Good	
5/25/95 7:10	Auto FIC	0	Suspect	Data not included in graph
5/25/95 12:00	Manual Tape	408.25	Good	
5/25/95 12:00	Manual FIC	408.90	Good	
5/26/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/26/95 12:00	Manual Tape	408.25	Good	
5/26/95 12:00	Manual FIC	408.9	Good	
5/27/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/27/95 12:00	Manual Tape	408.25	Good	
5/27/95 12:00	Manual FIC	408.9	Good	
5/28/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/28/95 12:00	Manual Tape	408.50	Good	
5/28/95 12:00	Manual FIC	408.9	Good	
5/29/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/29/95 12:00	Manual Tape	408.50	Good	
5/29/95 12:00	Manual FIC	409	Good	
5/30/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/30/95 12:00	Manual Tape	408.50	Good	
5/30/95 12:00	Manual FIC	409	Good	
5/31/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/31/95 12:00	Manual Tape	408.5	Good	
5/31/95 12:00	Manual FIC	409.00	Good	
6/1/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/1/95 12:00	Manual Tape	408.5	Good	
6/1/95 12:00	Manual FIC	409	Good	
6/2/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/2/95 12:00	Manual Tape	408.50	Good	
6/2/95 12:00	Manual FIC	409.00	Good	
6/3/95 12:00	Manual Tape	408.5	Good	
6/3/95 12:00	Manual FIC	409	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/3/95 23:05	Auto FIC	0	Suspect	Data not included in graph
6/4/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/4/95 12:00	Manual Tape	408.25	Good	
6/4/95 12:00	Manual FIC	409.00	Good	
6/5/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/5/95 12:00	Manual Tape	408.25	Good	
6/5/95 12:00	Manual FIC	409	Good	
6/6/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/6/95 12:00	Manual Tape	408.00	Good	
6/6/95 12:00	Manual FIC	409	Good	
6/7/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/7/95 12:00	Manual Tape	408.25	Good	
6/7/95 12:00	Manual FIC	408.85	Good	
6/8/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/8/95 12:00	Manual Tape	408.00	Good	
6/8/95 12:00	Manual FIC	408.9	Good	
6/9/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/9/95 12:00	Manual Tape	408.25	Good	
6/9/95 12:00	Manual FIC	408.85	Good	
6/10/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/10/95 12:00	Manual Tape	408.5	Good	
6/10/95 12:00	Manual FIC	408.85	Good	
6/11/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/11/95 12:00	Manual Tape	408.25	Good	
6/11/95 12:00	Manual FIC	408.90	Good	
6/12/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/12/95 12:00	Manual Tape	408.25	Good	
6/12/95 12:00	Manual FIC	408.9	Good	
6/13/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/13/95 12:00	Manual Tape	408.25	Good	
6/13/95 12:00	Manual FIC	408.90	Good	
6/14/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/14/95 12:00	Manual Tape	408.25	Good	
6/14/95 12:00	Manual FIC	408.95	Good	
6/15/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/15/95 12:00	Manual Tape	408.5	Good	
6/15/95 12:00	Manual FIC	409	Good	
6/16/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/16/95 12:00	Manual Tape	408.25	Good	
6/16/95 12:00	Manual FIC	408.9	Good	
6/17/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/17/95 12:00	Manual Tape	408.5	Good	
6/17/95 12:00	Manual FIC	408.80	Good	
6/18/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/18/95 12:00	Manual Tape	408.25	Good	
6/18/95 12:00	Manual FIC	408.8	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-104				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/19/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/19/95 12:00	Manual Tape	408.25	Good	
6/19/95 12:00	Manual FIC	408.8	Good	
6/20/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/20/95 12:00	Manual Tape	408.5	Good	
6/20/95 12:00	Manual FIC	408.80	Good	
6/21/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/21/95 12:00	Manual Tape	408.25	Good	
6/21/95 12:00	Manual FIC	408.80	Good	
6/22/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/22/95 12:00	Manual Tape	408.5	Good	
6/22/95 12:00	Manual FIC	408.80	Good	
6/23/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/23/95 12:00	Manual Tape	408.5	Good	
6/23/95 12:00	Manual FIC	408.8	Good	
6/24/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/24/95 12:00	Manual Tape	408.5	Good	
6/24/95 12:00	Manual FIC	408.8	Good	
6/25/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/25/95 12:00	Manual Tape	408.5	Good	
6/25/95 12:00	Manual FIC	408.80	Good	
6/26/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/26/95 12:00	Manual Tape	408.5	Good	
6/26/95 12:00	Manual FIC	408.8	Good	
6/27/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/27/95 12:00	Manual Tape	408.5	Good	
6/27/95 12:00	Manual FIC	408.8	Good	
6/28/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/28/95 12:00	Manual Tape	408.5	Good	
6/28/95 12:00	Manual FIC	408.8	Good	
6/29/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/29/95 12:00	Manual Tape	408.5	Good	
6/29/95 12:00	Manual FIC	408.80	Good	
6/30/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/30/95 12:00	Manual Tape	408.5	Good	
6/30/95 12:00	Manual FIC	408.80	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/1/91 0:00	Manual Tape	327.25	Good	
1/1/91 7:03	Auto FIC	328.30	Good	
1/2/91 0:00	Manual Tape	327.25	Good	
1/2/91 7:02	Auto FIC	328.4	Good	
1/3/91 0:00	Manual Tape	327.00	Good	
1/3/91 7:03	Auto FIC	328.3	Good	
1/4/91 0:00	Manual Tape	327.00	Good	
1/4/91 7:02	Auto FIC	328.4	Good	
1/5/91 0:00	Manual Tape	327.25	Good	
1/5/91 7:02	Auto FIC	328.30	Good	
1/6/91 0:00	Manual Tape	327.25	Good	
1/6/91 7:02	Auto FIC	328.40	Good	
1/7/91 0:00	Manual Tape	327.25	Good	
1/7/91 7:02	Auto FIC	328.4	Good	
1/8/91 0:00	Manual Tape	327.25	Good	
1/8/91 7:03	Auto FIC	328.4	Good	
1/9/91 0:00	Manual Tape	327.25	Good	
1/9/91 7:02	Auto FIC	328.40	Good	
1/10/91 0:00	Manual Tape	327.25	Good	
1/10/91 7:02	Auto FIC	328.3	Good	
1/11/91 0:00	Manual Tape	327.25	Good	
1/11/91 7:03	Auto FIC	328.4	Good	
1/12/91 0:00	Manual Tape	327.25	Good	
1/12/91 7:02	Auto FIC	328.4	Good	
1/13/91 0:00	Manual Tape	327.25	Good	
1/13/91 7:03	Auto FIC	328.40	Good	
1/14/91 0:00	Manual Tape	327.25	Good	
1/14/91 7:04	Auto FIC	328.40	Good	
1/15/91 0:00	Manual Tape	327.25	Good	
1/15/91 7:03	Auto FIC	328.4	Good	
1/16/91 0:00	Manual Tape	327.25	Good	
1/16/91 7:04	Auto FIC	328.3	Good	
1/17/91 0:00	Manual Tape	327.25	Good	
1/17/91 7:04	Auto FIC	328.30	Good	
1/18/91 0:00	Manual Tape	327.25	Good	
1/18/91 7:04	Auto FIC	328.4	Good	
1/19/91 0:00	Manual Tape	327	Good	
1/19/91 7:04	Auto FIC	328.3	Good	
1/20/91 0:00	Manual Tape	327.25	Good	
1/20/91 7:04	Auto FIC	328.30	Good	
1/21/91 0:00	Manual Tape	327	Good	
1/21/91 7:04	Auto FIC	328.30	Good	
1/22/91 0:00	Manual Tape	327.25	Good	
1/22/91 7:04	Auto FIC	328.3	Good	
1/23/91 0:00	Manual Tape	326.75	Good	
1/23/91 7:04	Auto FIC	328.3	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/24/91 0:00	Manual Tape	326.75	Good	
1/24/91 7:04	Auto FIC	328.3	Good	
1/25/91 0:00	Manual Tape	326.75	Good	
1/25/91 7:03	Auto FIC	328.30	Good	
1/26/91 0:00	Manual Tape	326.75	Good	
1/26/91 7:03	Auto FIC	328.30	Good	
1/27/91 0:00	Manual Tape	326.75	Good	
1/27/91 7:03	Auto FIC	328.3	Good	
1/28/91 0:00	Manual Tape	327.00	Good	
1/28/91 6:03	Auto FIC	328.3	Good	
1/29/91 0:00	Manual Tape	327.00	Good	
1/29/91 7:02	Auto FIC	328.30	Good	
1/30/91 0:00	Manual Tape	327.25	Good	
1/30/91 0:00	Manual FIC	328.4	Good	
1/31/91 0:00	Manual Tape	327	Good	
1/31/91 0:00	Manual FIC	328.3	Good	
1/31/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
2/1/91 0:00	Manual Tape	327.00	Good	
2/1/91 0:00	Manual FIC	328.3	Good	
2/1/91 7:02	Auto FIC	328.3	Good	
2/2/91 0:00	Manual Tape	327	Good	
2/2/91 7:04	Auto FIC	328.3	Good	
2/3/91 0:00	Manual Tape	327	Good	
2/3/91 7:03	Auto FIC	328.30	Good	
2/4/91 0:00	Manual Tape	327	Good	
2/4/91 7:03	Auto FIC	328.3	Good	
2/5/91 0:00	Manual Tape	327.00	Good	
2/5/91 7:04	Auto FIC	328.3	Good	
2/6/91 0:00	Manual Tape	327	Good	
2/6/91 7:04	Auto FIC	328.30	Good	
2/7/91 0:00	Manual Tape	327	Good	
2/7/91 7:04	Auto FIC	328.30	Good	
2/8/91 0:00	Manual Tape	327	Good	
2/8/91 7:04	Auto FIC	328.3	Good	
2/9/91 0:00	Manual Tape	327.00	Good	
2/9/91 7:04	Auto FIC	328.3	Good	
2/10/91 0:00	Manual Tape	327	Good	
2/10/91 7:03	Auto FIC	328.30	Good	
2/11/91 0:00	Manual Tape	327	Good	
2/11/91 7:04	Auto FIC	328.30	Good	
2/12/91 0:00	Manual Tape	327	Good	
2/12/91 7:04	Auto FIC	328.3	Good	
2/13/91 0:00	Manual Tape	327.25	Good	
2/13/91 7:04	Auto FIC	328.3	Good	
2/14/91 0:00	Manual Tape	327.25	Good	
2/14/91 7:04	Auto FIC	328.30	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/15/91 0:00	Manual Tape	327.25	Good	
2/15/91 7:03	Auto FIC	328.30	Good	
2/16/91 0:00	Manual Tape	327.25	Good	
2/16/91 7:02	Auto FIC	328.3	Good	
2/17/91 0:00	Manual Tape	327.25	Good	
2/17/91 7:02	Auto FIC	328.3	Good	
2/18/91 0:00	Manual Tape	327.25	Good	
2/18/91 7:03	Auto FIC	328.30	Good	
2/19/91 0:00	Manual Tape	327.25	Good	
2/19/91 7:02	Auto FIC	328.30	Good	
2/20/91 0:00	Manual Tape	327.25	Good	
2/20/91 7:03	Auto FIC	328.3	Good	
2/21/91 0:00	Manual Tape	327.25	Good	
2/21/91 7:02	Auto FIC	328.3	Good	
2/22/91 0:00	Manual Tape	327.25	Good	
2/22/91 7:02	Auto FIC	328.30	Good	
2/23/91 0:00	Manual Tape	327.25	Good	
2/23/91 7:02	Auto FIC	328.30	Good	
2/24/91 0:00	Manual Tape	327.25	Good	
2/24/91 7:03	Auto FIC	328.3	Good	
2/25/91 0:00	Manual Tape	327.25	Good	
2/25/91 7:03	Auto FIC	328.3	Good	
2/26/91 0:00	Manual Tape	327.25	Good	
2/26/91 7:03	Auto FIC	328.30	Good	
2/27/91 0:00	Manual Tape	327.25	Good	
2/27/91 7:02	Auto FIC	328.30	Good	
2/28/91 0:00	Manual Tape	327.25	Good	
2/28/91 7:02	Auto FIC	328.3	Good	
3/1/91 0:00	Manual Tape	327.25	Good	
3/1/91 7:02	Auto FIC	328.3	Good	
3/2/91 0:00	Manual Tape	327.00	Good	
3/2/91 7:02	Auto FIC	328.30	Good	
3/3/91 0:00	Manual Tape	327.00	Good	
3/3/91 7:03	Auto FIC	328.3	Good	
3/4/91 0:00	Manual Tape	327.25	Good	
3/4/91 7:03	Auto FIC	328.3	Good	
3/5/91 0:00	Manual Tape	327	Good	
3/5/91 7:03	Auto FIC	328.3	Good	
3/6/91 0:00	Manual Tape	327	Good	
3/6/91 7:02	Auto FIC	328.30	Good	
3/7/91 0:00	Manual Tape	327.25	Good	
3/7/91 7:02	Auto FIC	328.3	Good	
3/8/91 0:00	Manual Tape	327.00	Good	
3/8/91 7:02	Auto FIC	328.3	Good	
3/9/91 0:00	Manual Tape	327.25	Good	
3/9/91 7:02	Auto FIC	328.30	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/10/91 0:00	Manual Tape	327.25	Good	
3/10/91 7:02	Auto FIC	328.30	Good	
3/11/91 0:00	Manual Tape	327.25	Good	
3/11/91 7:02	Auto FIC	328.3	Good	
3/12/91 0:00	Manual Tape	327.25	Good	
3/12/91 7:03	Auto FIC	328.3	Good	
3/13/91 0:00	Manual Tape	327.25	Good	
3/13/91 7:03	Auto FIC	328.30	Good	
3/14/91 0:00	Manual Tape	327.25	Good	
3/14/91 7:03	Auto FIC	328.30	Good	
3/15/91 0:00	Manual Tape	327.25	Good	
3/15/91 7:03	Auto FIC	328.3	Good	
3/16/91 0:00	Manual Tape	327.25	Good	
3/16/91 7:03	Auto FIC	328.3	Good	
3/17/91 0:00	Manual Tape	327.25	Good	
3/17/91 7:02	Auto FIC	328.30	Good	
3/18/91 0:00	Manual Tape	327.25	Good	
3/18/91 7:03	Auto FIC	328.30	Good	
3/19/91 0:00	Manual Tape	327.25	Good	
3/19/91 7:03	Auto FIC	328.3	Good	
3/20/91 0:00	Manual Tape	327.25	Good	
3/20/91 7:02	Auto FIC	328.3	Good	
3/21/91 0:00	Manual Tape	327.25	Good	
3/21/91 7:03	Auto FIC	328.30	Good	
3/22/91 0:00	Manual Tape	327.25	Good	
3/22/91 7:02	Auto FIC	328.30	Good	
3/23/91 0:00	Manual Tape	327.25	Good	
3/23/91 7:03	Auto FIC	328.3	Good	
3/24/91 0:00	Manual Tape	327.25	Good	
3/24/91 7:03	Auto FIC	328.3	Good	
3/25/91 0:00	Manual Tape	327.00	Good	
3/25/91 7:03	Auto FIC	328.30	Good	
3/26/91 0:00	Manual Tape	327.00	Good	
3/26/91 7:03	Auto FIC	328.30	Good	
3/27/91 0:00	Manual Tape	327	Good	
3/27/91 7:03	Auto FIC	328.3	Good	
3/28/91 0:00	Manual Tape	327	Good	
3/28/91 7:03	Auto FIC	328.3	Good	
3/29/91 0:00	Manual Tape	327	Good	
3/29/91 7:03	Auto FIC	328.30	Good	
3/30/91 0:00	Manual Tape	327.00	Good	
3/30/91 7:03	Auto FIC	328.20	Good	
3/31/91 0:00	Manual Tape	327.00	Good	
3/31/91 7:03	Auto FIC	328.2	Good	
4/1/91 0:00	Manual Tape	327	Good	
4/1/91 7:03	Auto FIC	328.3	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/2/91 0:00	Manual Tape	327	Good	
4/2/91 7:03	Auto FIC	328.30	Good	
4/3/91 0:00	Manual Tape	327.25	Good	
4/3/91 7:03	Auto FIC	328.20	Good	
4/4/91 0:00	Manual Tape	327.25	Good	
4/4/91 7:03	Auto FIC	328.3	Good	
4/5/91 0:00	Manual Tape	327.25	Good	
4/5/91 7:03	Auto FIC	328.3	Good	
4/6/91 0:00	Manual Tape	327.25	Good	
4/6/91 7:03	Auto FIC	328.30	Good	
4/7/91 0:00	Manual Tape	327.25	Good	
4/7/91 7:03	Auto FIC	328.20	Good	
4/8/91 0:00	Manual Tape	327.25	Good	
4/8/91 7:04	Auto FIC	328.2	Good	
4/9/91 0:00	Manual Tape	327.25	Good	
4/9/91 7:03	Auto FIC	328.3	Good	
4/10/91 0:00	Manual Tape	327.5	Good	
4/10/91 7:03	Auto FIC	328.30	Good	
4/11/91 0:00	Manual Tape	327.00	Good	
4/11/91 7:03	Auto FIC	328.20	Good	
4/12/91 0:00	Manual Tape	327.00	Good	
4/12/91 7:03	Auto FIC	328.3	Good	
4/13/91 0:00	Manual Tape	327.00	Good	
4/13/91 7:04	Auto FIC	328.2	Good	
4/14/91 0:00	Manual Tape	327	Good	
4/14/91 7:03	Auto FIC	328.30	Good	
4/15/91 0:00	Manual Tape	327	Good	
4/15/91 7:03	Auto FIC	328.20	Good	
4/16/91 0:00	Manual Tape	327.00	Good	
4/16/91 0:00	Manual FIC	328.3	Good	
4/17/91 0:00	Manual Tape	327.25	Good	
4/17/91 7:03	Auto FIC	328.2	Good	
4/18/91 0:00	Manual Tape	327	Good	
4/18/91 7:06	Auto FIC	328.2	Good	
4/19/91 0:00	Manual Tape	327	Good	
4/19/91 7:05	Auto FIC	328.20	Good	
4/20/91 0:00	Manual Tape	327.00	Good	
4/20/91 7:06	Auto FIC	328.20	Good	
4/21/91 0:00	Manual Tape	327.00	Good	
4/21/91 7:05	Auto FIC	328.2	Good	
4/22/91 0:00	Manual Tape	327	Good	
4/22/91 7:06	Auto FIC	328.2	Good	
4/23/91 0:00	Manual Tape	327	Good	
4/23/91 7:06	Auto FIC	328.30	Good	
4/24/91 0:00	Manual Tape	327.00	Good	
4/24/91 7:05	Auto FIC	328.30	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/25/91 0:00	Manual Tape	327.00	Good	
4/25/91 7:05	Auto FIC	328.2	Good	
4/26/91 0:00	Manual Tape	327.00	Good	
4/26/91 7:05	Auto FIC	328.2	Good	
4/27/91 0:00	Manual Tape	327	Good	
4/27/91 7:05	Auto FIC	328.20	Good	
4/28/91 0:00	Manual Tape	327	Good	
4/28/91 7:06	Auto FIC	328.20	Good	
4/29/91 0:00	Manual Tape	327	Good	
4/29/91 7:05	Auto FIC	328.2	Good	
4/30/91 0:00	Manual Tape	327.00	Good	
4/30/91 7:06	Auto FIC	328.2	Good	
5/1/91 0:00	Manual Tape	327	Good	
5/1/91 7:05	Auto FIC	328.20	Good	
5/2/91 0:00	Manual Tape	327	Good	
5/2/91 7:05	Auto FIC	328.2	Good	
5/3/91 0:00	Manual Tape	327.00	Good	
5/3/91 7:06	Auto FIC	328.2	Good	
5/4/91 0:00	Manual Tape	327.00	Good	
5/4/91 7:05	Auto FIC	328.20	Good	
5/5/91 0:00	Manual Tape	327	Good	
5/5/91 7:05	Auto FIC	328.20	Good	
5/6/91 0:00	Manual Tape	327	Good	
5/6/91 7:05	Auto FIC	328.2	Good	
5/7/91 0:00	Manual Tape	327	Good	
5/7/91 7:05	Auto FIC	328.2	Good	
5/8/91 0:00	Manual Tape	327.25	Good	
5/8/91 7:05	Auto FIC	328.3	Good	
5/9/91 0:00	Manual Tape	327.00	Good	
5/9/91 7:05	Auto FIC	328.2	Good	
5/10/91 0:00	Manual Tape	327.25	Good	
5/10/91 7:05	Auto FIC	328.20	Good	
5/11/91 0:00	Manual Tape	327	Good	
5/11/91 7:05	Auto FIC	328.20	Good	
5/12/91 0:00	Manual Tape	327.25	Good	
5/12/91 7:05	Auto FIC	328.3	Good	
5/13/91 0:00	Manual Tape	327.25	Good	
5/13/91 7:05	Auto FIC	328.3	Good	
5/14/91 0:00	Manual Tape	327.25	Good	
5/14/91 7:05	Auto FIC	328.20	Good	
5/15/91 0:00	Manual Tape	327.25	Good	
5/15/91 7:05	Auto FIC	328.20	Good	
5/16/91 0:00	Manual Tape	327.25	Good	
5/16/91 7:06	Auto FIC	328.3	Good	
5/17/91 0:00	Manual Tape	327.25	Good	
5/17/91 7:06	Auto FIC	328.2	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/18/91 0:00	Manual Tape	327.25	Good	
5/18/91 7:06	Auto FIC	328.30	Good	
5/19/91 0:00	Manual Tape	327.25	Good	
5/19/91 7:05	Auto FIC	328.3	Good	
5/20/91 0:00	Manual Tape	327.25	Good	
5/20/91 7:06	Auto FIC	328.30	Good	
5/21/91 0:00	Manual Tape	327.25	Good	
5/21/91 7:06	Auto FIC	328.30	Good	
5/22/91 0:00	Manual Tape	327.00	Good	
5/22/91 7:05	Auto FIC	328.3	Good	
5/23/91 0:00	Manual Tape	326.75	Good	
5/23/91 7:05	Auto FIC	328.3	Good	
5/24/91 0:00	Manual Tape	327.25	Good	
5/24/91 7:05	Auto FIC	328.30	Good	
5/25/91 0:00	Manual Tape	327	Good	
5/25/91 7:05	Auto FIC	328.3	Good	
5/26/91 0:00	Manual Tape	327.00	Good	
5/26/91 7:05	Auto FIC	328.3	Good	
5/27/91 0:00	Manual Tape	327.00	Good	
5/27/91 7:05	Auto FIC	328.2	Good	
5/28/91 0:00	Manual Tape	327.00	Good	
5/28/91 7:05	Auto FIC	328.30	Good	
5/29/91 0:00	Manual Tape	326.5	Good	
5/29/91 7:05	Auto FIC	328.30	Good	
5/30/91 0:00	Manual Tape	327	Good	
5/30/91 7:05	Auto FIC	328.30	Good	
5/31/91 0:00	Manual Tape	327.00	Good	
5/31/91 7:05	Auto FIC	328.3	Good	
6/1/91 0:00	Manual Tape	327.00	Good	
6/1/91 6:05	Auto FIC	328.3	Good	
6/2/91 0:00	Manual Tape	327	Good	
6/2/91 3:05	Auto FIC	328.20	Good	
6/3/91 0:00	Manual Tape	327.00	Good	
6/3/91 7:05	Auto FIC	328.30	Good	
6/4/91 0:00	Manual Tape	326.75	Good	
6/4/91 7:05	Auto FIC	328.30	Good	
6/5/91 0:00	Manual Tape	327	Good	
6/5/91 7:05	Auto FIC	328.30	Good	
6/6/91 0:00	Manual Tape	327.00	Good	
6/6/91 7:06	Auto FIC	328.30	Good	
6/7/91 0:00	Manual Tape	327.50	Good	
6/7/91 7:05	Auto FIC	328.3	Good	
6/8/91 0:00	Manual Tape	327.25	Good	
6/8/91 7:05	Auto FIC	328.3	Good	
6/9/91 0:00	Manual Tape	327.25	Good	
6/9/91 7:05	Auto FIC	328.30	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/10/91 0:00	Manual Tape	327.25	Good	
6/10/91 7:06	Auto FIC	328.3	Good	
6/11/91 0:00	Manual Tape	327.25	Good	
6/11/91 7:05	Auto FIC	328.30	Good	
6/12/91 0:00	Manual Tape	327.25	Good	
6/12/91 7:04	Auto FIC	328.30	Good	
6/13/91 0:00	Manual Tape	327.00	Good	
6/13/91 7:05	Auto FIC	328.3	Good	
6/14/91 0:00	Manual Tape	327.00	Good	
6/14/91 7:05	Auto FIC	328.30	Good	
6/15/91 0:00	Manual Tape	327.00	Good	
6/15/91 7:05	Auto FIC	328.30	Good	
6/16/91 0:00	Manual Tape	327.25	Good	
6/16/91 7:05	Auto FIC	328.3	Good	
6/17/91 0:00	Manual Tape	327	Good	
6/17/91 7:05	Auto FIC	328.3	Good	
6/18/91 0:00	Manual Tape	327.00	Good	
6/18/91 7:05	Auto FIC	328.3	Good	
6/19/91 0:00	Manual Tape	327.25	Good	
6/19/91 7:05	Auto FIC	328.30	Good	
6/20/91 0:00	Manual Tape	327.5	Good	
6/20/91 7:05	Auto FIC	328.3	Good	
6/21/91 0:00	Manual Tape	327.50	Good	
6/21/91 7:06	Auto FIC	328.3	Good	
6/22/91 0:00	Manual Tape	327.50	Good	
6/22/91 3:06	Auto FIC	328.30	Good	
6/23/91 0:00	Manual Tape	327.5	Good	
6/23/91 7:05	Auto FIC	328.30	Good	
6/24/91 0:00	Manual Tape	327.5	Good	
6/24/91 5:05	Auto FIC	328.30	Good	
6/25/91 0:00	Manual Tape	327.50	Good	
6/25/91 7:06	Auto FIC	328.3	Good	
6/26/91 0:00	Manual Tape	327.50	Good	
6/26/91 1:03	Auto FIC	328.3	Good	
6/27/91 0:00	Manual Tape	327.5	Good	
6/27/91 0:00	Manual FIC	328.3	Good	
6/28/91 0:00	Manual Tape	327.25	Good	
6/28/91 7:03	Auto FIC	328.30	Good	
6/29/91 0:00	Manual Tape	327.25	Good	
6/29/91 6:02	Auto FIC	328.30	Good	
6/30/91 0:00	Manual Tape	327.25	Good	
6/30/91 0:00	Manual FIC	328.3	Good	
7/1/91 0:00	Manual Tape	327.25	Good	
7/1/91 0:00	Manual FIC	328.3	Good	
7/2/91 0:00	Manual Tape	327.5	Good	
7/2/91 0:00	Manual FIC	328.3	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/3/91 0:00	Manual Tape	327.50	Good	
7/3/91 0:00	Manual FIC	328.3	Good	
7/3/91 7:06	Auto FIC	0	Suspect	Data not included in graph
7/4/91 0:00	Manual Tape	327.25	Good	
7/4/91 0:00	Manual FIC	328.3	Good	
7/5/91 0:00	Manual Tape	327.25	Good	
7/5/91 0:00	Manual FIC	328.35	Good	
7/6/91 0:00	Manual Tape	327.25	Good	
7/6/91 0:00	Manual FIC	328.3	Good	
7/7/91 0:00	Manual Tape	327.25	Good	
7/7/91 0:00	Manual FIC	328.3	Good	
7/8/91 0:00	Manual Tape	327.25	Good	
7/8/91 0:00	Manual FIC	328.3	Good	
7/9/91 0:00	Manual Tape	327.25	Good	
7/9/91 0:00	Manual FIC	328.3	Good	
7/10/91 0:00	Manual Tape	327.25	Good	
7/10/91 0:00	Manual FIC	328.3	Good	
7/11/91 0:00	Manual Tape	327.25	Good	
7/11/91 0:00	Manual FIC	328.3	Good	
7/11/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/12/91 0:00	Manual Tape	327.25	Good	
7/12/91 7:06	Auto FIC	328.30	Good	
7/13/91 0:00	Manual Tape	327.25	Good	
7/13/91 7:06	Auto FIC	328.3	Good	
7/14/91 0:00	Manual Tape	327.25	Good	
7/14/91 2:06	Auto FIC	328.3	Good	
7/15/91 0:00	Manual Tape	327.25	Good	
7/15/91 7:06	Auto FIC	328.30	Good	
7/16/91 0:00	Manual Tape	327.25	Good	
7/16/91 0:00	Manual FIC	328.3	Good	
7/17/91 0:00	Manual Tape	327.25	Good	
7/17/91 0:00	Manual FIC	328.3	Good	
7/17/91 7:05	Auto FIC	242.50	Suspect	Data not included in graph
7/18/91 0:00	Manual Tape	327.5	Good	
7/18/91 0:00	Manual FIC	328.3	Good	
7/19/91 0:00	Manual Tape	327.50	Good	
7/19/91 7:05	Auto FIC	328.3	Good	
7/20/91 0:00	Manual Tape	327.50	Good	
7/20/91 2:05	Auto FIC	328.3	Good	
7/21/91 0:00	Manual Tape	327.5	Good	
7/21/91 1:05	Auto FIC	328.3	Good	
7/22/91 0:00	Manual Tape	327.50	Good	
7/22/91 0:00	Manual FIC	328.35	Good	
7/23/91 0:00	Manual Tape	327.5	Good	
7/23/91 0:05	Auto FIC	328.30	Good	
7/24/91 0:00	Manual Tape	327.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/24/91 7:05	Auto FIC	328.30	Good	
7/25/91 0:00	Manual Tape	327.50	Good	
7/25/91 1:03	Auto FIC	328.3	Good	
7/26/91 0:00	Manual Tape	327.50	Good	
7/26/91 0:00	Manual FIC	328.3	Good	
7/27/91 0:00	Manual Tape	327.25	Good	
7/27/91 0:00	Manual FIC	328.3	Good	
7/28/91 0:00	Manual Tape	327.25	Good	
7/28/91 0:00	Manual FIC	328.3	Good	
7/29/91 0:00	Manual Tape	327.25	Good	
7/29/91 0:00	Manual FIC	328.4	Good	
7/30/91 0:00	Manual Tape	327.25	Good	
7/30/91 7:02	Auto FIC	328.3	Good	
7/31/91 0:00	Manual Tape	327.25	Good	
7/31/91 7:02	Auto FIC	328.40	Good	
8/1/91 0:00	Manual Tape	327.50	Good	
8/1/91 7:02	Auto FIC	328.30	Good	
8/2/91 0:00	Manual Tape	327.25	Good	
8/2/91 7:02	Auto FIC	328.3	Good	
8/3/91 0:00	Manual Tape	327.25	Good	
8/3/91 7:02	Auto FIC	328.3	Good	
8/4/91 0:00	Manual Tape	327.25	Good	
8/4/91 7:02	Auto FIC	328.30	Good	
8/5/91 0:00	Manual Tape	327	Good	
8/5/91 7:02	Auto FIC	328.30	Good	
8/6/91 0:00	Manual Tape	327.25	Good	
8/6/91 7:02	Auto FIC	328.3	Good	
8/7/91 0:00	Manual Tape	327.50	Good	
8/7/91 7:06	Auto FIC	328.3	Good	
8/8/91 0:00	Manual Tape	327.50	Good	
8/8/91 7:06	Auto FIC	328.30	Good	
8/9/91 0:00	Manual Tape	327.50	Good	
8/9/91 7:04	Auto FIC	328.40	Good	
8/10/91 0:00	Manual Tape	327.25	Good	
8/10/91 7:04	Auto FIC	328.3	Good	
8/11/91 0:00	Manual Tape	327.25	Good	
8/11/91 7:04	Auto FIC	328.3	Good	
8/12/91 0:00	Manual Tape	327	Good	
8/12/91 7:04	Auto FIC	328.40	Good	
8/13/91 0:00	Manual Tape	327.25	Good	
8/13/91 7:04	Auto FIC	328.40	Good	
8/14/91 0:00	Manual Tape	327.25	Good	
8/14/91 7:04	Auto FIC	328.4	Good	
8/15/91 0:00	Manual Tape	327.5	Good	
8/15/91 7:03	Auto FIC	328.4	Good	
8/16/91 0:00	Manual Tape	327	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/16/91 0:00	Manual FIC	328.4	Good	
8/17/91 0:00	Manual Tape	327.25	Good	
8/17/91 7:02	Auto FIC	328.40	Good	
8/18/91 0:00	Manual Tape	327.25	Good	
8/18/91 7:03	Auto FIC	328.40	Good	
8/19/91 0:00	Manual Tape	327.25	Good	
8/19/91 7:02	Auto FIC	328.4	Good	
8/20/91 0:00	Manual Tape	327.25	Good	
8/20/91 7:04	Auto FIC	328.4	Good	
8/21/91 0:00	Manual Tape	327.25	Good	
8/21/91 7:03	Auto FIC	328.40	Good	
8/22/91 0:00	Manual Tape	327.50	Good	
8/22/91 7:03	Auto FIC	328.30	Good	
8/23/91 0:00	Manual Tape	327.25	Good	
8/23/91 7:02	Auto FIC	328.4	Good	
8/24/91 0:00	Manual Tape	327.5	Good	
8/24/91 7:02	Auto FIC	328.4	Good	
8/25/91 0:00	Manual Tape	327.50	Good	
8/25/91 7:02	Auto FIC	328.4	Good	
8/26/91 0:00	Manual Tape	327.5	Good	
8/26/91 7:03	Auto FIC	328.40	Good	
8/27/91 0:00	Manual Tape	327.25	Good	
8/27/91 7:03	Auto FIC	328.4	Good	
8/28/91 0:00	Manual Tape	327.50	Good	
8/28/91 7:03	Auto FIC	328.4	Good	
8/29/91 0:00	Manual Tape	327.5	Good	
8/29/91 7:02	Auto FIC	328.40	Good	
8/30/91 0:00	Manual Tape	327.50	Good	
8/30/91 6:02	Auto FIC	328.40	Good	
8/31/91 0:00	Manual Tape	327.50	Good	
8/31/91 7:02	Auto FIC	328.40	Good	
9/1/91 0:00	Manual Tape	327.5	Good	
9/1/91 7:02	Auto FIC	328.4	Good	
9/2/91 0:00	Manual Tape	327.50	Good	
9/2/91 7:02	Auto FIC	328.4	Good	
9/3/91 0:00	Manual Tape	327.50	Good	
9/3/91 7:02	Auto FIC	328.40	Good	
9/4/91 0:00	Manual Tape	327.5	Good	
9/4/91 7:03	Auto FIC	328.40	Good	
9/5/91 0:00	Manual Tape	327.5	Good	
9/5/91 7:02	Auto FIC	328.4	Good	
9/6/91 0:00	Manual Tape	327.25	Good	
9/6/91 7:02	Auto FIC	328.4	Good	
9/7/91 0:00	Manual Tape	327.25	Good	
9/7/91 7:02	Auto FIC	328.40	Good	
9/8/91 0:00	Manual Tape	327.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/8/91 7:02	Auto FIC	328.40	Good	
9/9/91 0:00	Manual Tape	327.25	Good	
9/9/91 7:03	Auto FIC	328.4	Good	
9/10/91 0:00	Manual Tape	327.25	Good	
9/10/91 7:02	Auto FIC	328.4	Good	
9/11/91 0:00	Manual Tape	327.25	Good	
9/11/91 7:03	Auto FIC	328.40	Good	
9/12/91 0:00	Manual Tape	327.25	Good	
9/12/91 7:02	Auto FIC	328.40	Good	
9/13/91 0:00	Manual Tape	327.25	Good	
9/13/91 7:02	Auto FIC	328.4	Good	
9/14/91 0:00	Manual Tape	327.25	Good	
9/14/91 7:03	Auto FIC	328.4	Good	
9/15/91 0:00	Manual Tape	327.25	Good	
9/15/91 7:02	Auto FIC	328.40	Good	
9/16/91 0:00	Manual Tape	327.25	Good	
9/16/91 7:03	Auto FIC	328.40	Good	
9/17/91 0:00	Manual Tape	327.25	Good	
9/17/91 7:03	Auto FIC	328.4	Good	
9/18/91 0:00	Manual Tape	327.25	Good	
9/18/91 7:03	Auto FIC	328.4	Good	
9/19/91 0:00	Manual Tape	327	Good	
9/19/91 7:03	Auto FIC	328.40	Good	
9/20/91 0:00	Manual Tape	327.25	Good	
9/20/91 7:02	Auto FIC	328.40	Good	
9/21/91 0:00	Manual Tape	327.25	Good	
9/21/91 7:02	Auto FIC	328.4	Good	
9/22/91 0:00	Manual Tape	327.25	Good	
9/22/91 7:03	Auto FIC	328.4	Good	
9/23/91 0:00	Manual Tape	327.25	Good	
9/23/91 7:03	Auto FIC	328.30	Good	
9/24/91 0:00	Manual Tape	327.5	Good	
9/24/91 7:02	Auto FIC	328.40	Good	
9/25/91 0:00	Manual Tape	327.50	Good	
9/25/91 7:03	Auto FIC	328.4	Good	
9/26/91 0:00	Manual Tape	327.25	Good	
9/26/91 7:03	Auto FIC	328.40	Good	
9/27/91 0:00	Manual Tape	327.5	Good	
9/27/91 7:02	Auto FIC	328.40	Good	
9/28/91 0:00	Manual Tape	327.5	Good	
9/28/91 7:02	Auto FIC	328.3	Good	
9/29/91 0:00	Manual Tape	327.5	Good	
9/29/91 7:03	Auto FIC	328.3	Good	
9/30/91 0:00	Manual Tape	327.25	Good	
9/30/91 7:03	Auto FIC	328.3	Good	
10/1/91 0:00	Manual Tape	327.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/1/91 7:02	Auto FIC	328.30	Good	
10/2/91 0:00	Manual Tape	327.50	Good	
10/2/91 7:02	Auto FIC	328.40	Good	
10/3/91 0:00	Manual Tape	327.50	Good	
10/3/91 7:02	Auto FIC	328.4	Good	
10/4/91 0:00	Manual Tape	327.5	Good	
10/4/91 7:03	Auto FIC	328.3	Good	
10/5/91 0:00	Manual Tape	327.5	Good	
10/5/91 0:00	Manual FIC	328.3	Good	
10/6/91 0:00	Manual Tape	327.5	Good	
10/6/91 7:03	Auto FIC	328.3	Good	
10/7/91 0:00	Manual Tape	327.5	Good	
10/7/91 7:02	Auto FIC	328.40	Good	
10/8/91 0:00	Manual Tape	327.50	Good	
10/8/91 7:02	Auto FIC	328.40	Good	
10/9/91 0:00	Manual Tape	327.25	Good	
10/9/91 7:02	Auto FIC	328.4	Good	
10/10/91 0:00	Manual Tape	327.25	Good	
10/10/91 7:02	Auto FIC	328.3	Good	
10/11/91 0:00	Manual Tape	327.25	Good	
10/11/91 7:02	Auto FIC	328.40	Good	
10/12/91 0:00	Manual Tape	327.25	Good	
10/12/91 7:02	Auto FIC	328.4	Good	
10/13/91 0:00	Manual Tape	327.25	Good	
10/13/91 7:03	Auto FIC	328.3	Good	
10/14/91 0:00	Manual Tape	327.25	Good	
10/14/91 7:02	Auto FIC	328.30	Good	
10/15/91 0:00	Manual Tape	327.25	Good	
10/15/91 7:02	Auto FIC	328.40	Good	
10/16/91 0:00	Manual Tape	327.25	Good	
10/16/91 7:03	Auto FIC	328.4	Good	
10/17/91 0:00	Manual Tape	327.25	Good	
10/17/91 6:06	Auto FIC	328.4	Good	
10/18/91 0:00	Manual Tape	327.25	Good	
10/18/91 7:06	Auto FIC	328.4	Good	
10/19/91 0:00	Manual Tape	327.25	Good	
10/19/91 7:06	Auto FIC	328.30	Good	
10/20/91 0:00	Manual Tape	327.25	Good	
10/20/91 7:02	Auto FIC	328.40	Good	
10/21/91 0:00	Manual Tape	327.25	Good	
10/21/91 7:02	Auto FIC	328.4	Good	
10/22/91 0:00	Manual Tape	327.25	Good	
10/22/91 7:03	Auto FIC	328.4	Good	
10/23/91 0:00	Manual Tape	327.25	Good	
10/23/91 7:02	Auto FIC	328.40	Good	
10/24/91 0:00	Manual Tape	327.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/24/91 7:02	Auto FIC	328.4	Good	
10/25/91 0:00	Manual Tape	327.25	Good	
10/25/91 7:03	Auto FIC	328.4	Good	
10/26/91 0:00	Manual Tape	327.5	Good	
10/26/91 7:03	Auto FIC	328.4	Good	
10/27/91 0:00	Manual Tape	327.25	Good	
10/27/91 7:02	Auto FIC	328.40	Good	
10/28/91 0:00	Manual Tape	327.50	Good	
10/28/91 7:02	Auto FIC	328.40	Good	
10/29/91 0:00	Manual Tape	327.5	Good	
10/29/91 7:03	Auto FIC	328.3	Good	
10/30/91 0:00	Manual Tape	327.25	Good	
10/30/91 7:03	Auto FIC	328.4	Good	
10/31/91 0:00	Manual Tape	327.25	Good	
10/31/91 7:03	Auto FIC	328.40	Good	
11/1/91 0:00	Manual Tape	327.25	Good	
11/1/91 7:02	Auto FIC	328.4	Good	
11/2/91 0:00	Manual Tape	327.25	Good	
11/2/91 7:03	Auto FIC	328.4	Good	
11/3/91 0:00	Manual Tape	327.25	Good	
11/3/91 7:03	Auto FIC	328.40	Good	
11/4/91 0:00	Manual Tape	327.50	Good	
11/4/91 7:02	Auto FIC	328.40	Good	
11/5/91 0:00	Manual Tape	327.25	Good	
11/5/91 7:03	Auto FIC	328.4	Good	
11/6/91 0:00	Manual Tape	327.50	Good	
11/6/91 7:03	Auto FIC	328.4	Good	
11/7/91 0:00	Manual Tape	327.5	Good	
11/7/91 7:02	Auto FIC	328.4	Good	
11/8/91 0:00	Manual Tape	327.5	Good	
11/8/91 7:03	Auto FIC	328.50	Good	
11/9/91 0:00	Manual Tape	327.50	Good	
11/9/91 7:02	Auto FIC	328.40	Good	
11/10/91 0:00	Manual Tape	327.5	Good	
11/10/91 7:03	Auto FIC	328.4	Good	
11/11/91 0:00	Manual Tape	327.50	Good	
11/11/91 6:03	Auto FIC	328.4	Good	
11/12/91 0:00	Manual Tape	327.50	Good	
11/12/91 7:03	Auto FIC	328.40	Good	
11/13/91 0:00	Manual Tape	327.25	Good	
11/13/91 7:03	Auto FIC	328.4	Good	
11/14/91 0:00	Manual Tape	327.25	Good	
11/14/91 7:03	Auto FIC	328.5	Good	
11/15/91 0:00	Manual Tape	327.25	Good	
11/15/91 7:03	Auto FIC	328.40	Good	
11/16/91 0:00	Manual Tape	327.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/16/91 7:03	Auto FIC	328.50	Good	
11/17/91 0:00	Manual Tape	327.25	Good	
11/17/91 7:02	Auto FIC	328.40	Good	
11/18/91 0:00	Manual Tape	327.25	Good	
11/18/91 7:03	Auto FIC	328.4	Good	
11/19/91 0:00	Manual Tape	327.5	Good	
11/19/91 7:03	Auto FIC	328.40	Good	
11/20/91 0:00	Manual Tape	327.25	Good	
11/20/91 7:03	Auto FIC	328.50	Good	
11/21/91 0:00	Manual Tape	327.00	Good	
11/21/91 7:02	Auto FIC	328.4	Good	
11/22/91 0:00	Manual Tape	327	Good	
11/22/91 7:03	Auto FIC	328.3	Good	
11/23/91 0:00	Manual Tape	327.00	Good	
11/23/91 7:02	Auto FIC	328.40	Good	
11/24/91 0:00	Manual Tape	327.00	Good	
11/24/91 7:03	Auto FIC	328.40	Good	
11/25/91 0:00	Manual Tape	327.25	Good	
11/25/91 7:03	Auto FIC	328.4	Good	
11/26/91 0:00	Manual Tape	327.25	Good	
11/26/91 0:00	Manual FIC	328.4	Good	
11/27/91 0:00	Manual Tape	327.25	Good	
11/27/91 7:03	Auto FIC	328.4	Good	
11/28/91 0:00	Manual Tape	327.25	Good	
11/28/91 7:03	Auto FIC	328.40	Good	
11/29/91 0:00	Manual Tape	327.25	Good	
11/29/91 7:03	Auto FIC	328.30	Good	
11/30/91 0:00	Manual Tape	327.25	Good	
11/30/91 7:03	Auto FIC	328.40	Good	
12/1/91 0:00	Manual Tape	327.25	Good	
12/1/91 7:03	Auto FIC	328.4	Good	
12/2/91 0:00	Manual Tape	327.25	Good	
12/2/91 7:03	Auto FIC	328.4	Good	
12/3/91 0:00	Manual Tape	327.00	Good	
12/3/91 7:03	Auto FIC	328.40	Good	
12/4/91 0:00	Manual Tape	327.25	Good	
12/4/91 7:03	Auto FIC	328.4	Good	
12/5/91 0:00	Manual Tape	327.75	Good	
12/5/91 7:03	Auto FIC	328.4	Good	
12/6/91 0:00	Manual Tape	327.25	Good	
12/6/91 7:04	Auto FIC	328.4	Good	
12/7/91 0:00	Manual Tape	327	Good	
12/7/91 7:03	Auto FIC	328.40	Good	
12/8/91 0:00	Manual Tape	327.25	Good	
12/8/91 7:03	Auto FIC	328.4	Good	
12/9/91 0:00	Manual Tape	327.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/9/91 7:03	Auto FIC	328.5	Good	
12/10/91 0:00	Manual Tape	327.25	Good	
12/10/91 7:03	Auto FIC	328.40	Good	
12/11/91 0:00	Manual Tape	327.25	Good	
12/11/91 7:02	Auto FIC	328.40	Good	
12/12/91 0:00	Manual Tape	327.25	Good	
12/12/91 7:03	Auto FIC	328.40	Good	
12/13/91 0:00	Manual Tape	327.5	Good	
12/13/91 7:05	Auto FIC	328.4	Good	
12/14/91 0:00	Manual Tape	327.25	Good	
12/14/91 7:02	Auto FIC	328.40	Good	
12/15/91 0:00	Manual Tape	327.25	Good	
12/15/91 7:02	Auto FIC	328.40	Good	
12/16/91 0:00	Manual Tape	327.25	Good	
12/16/91 7:03	Auto FIC	328.4	Good	
12/17/91 0:00	Manual Tape	327.25	Good	
12/17/91 7:06	Auto FIC	328.4	Good	
12/18/91 0:00	Manual Tape	327.5	Good	
12/18/91 7:03	Auto FIC	328.4	Good	
12/19/91 0:00	Manual Tape	327.25	Good	
12/19/91 7:03	Auto FIC	328.30	Good	
12/20/91 0:00	Manual Tape	327.25	Good	
12/20/91 7:02	Auto FIC	328.3	Good	
12/21/91 0:00	Manual Tape	327.25	Good	
12/21/91 7:03	Auto FIC	328.4	Good	
12/22/91 0:00	Manual Tape	327.25	Good	
12/22/91 7:05	Auto FIC	328.4	Good	
12/23/91 0:00	Manual Tape	327.25	Good	
12/23/91 7:06	Auto FIC	328.40	Good	
12/24/91 0:00	Manual Tape	327.25	Good	
12/24/91 7:03	Auto FIC	328.30	Good	
12/25/91 0:00	Manual Tape	327.25	Good	
12/25/91 7:03	Auto FIC	328.4	Good	
12/26/91 0:00	Manual Tape	327.25	Good	
12/26/91 7:03	Auto FIC	328.40	Good	
12/27/91 0:00	Manual Tape	327.25	Good	
12/27/91 7:03	Auto FIC	328.40	Good	
12/28/91 0:00	Manual Tape	327.25	Good	
12/28/91 7:02	Auto FIC	328.4	Good	
12/29/91 0:00	Manual Tape	327.25	Good	
12/29/91 7:03	Auto FIC	328.4	Good	
12/30/91 0:00	Manual Tape	327.25	Good	
12/30/91 7:03	Auto FIC	328.40	Good	
12/31/91 0:00	Manual Tape	327.25	Good	
12/31/91 7:03	Auto FIC	328.30	Good	
1/1/92 0:00	Manual Tape	327.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/1/92 7:03	Auto FIC	328.4	Good	
1/2/92 0:00	Manual Tape	327.50	Good	
1/2/92 7:02	Auto FIC	328.4	Good	
1/3/92 0:00	Manual Tape	327.5	Good	
1/3/92 7:04	Auto FIC	328.4	Good	
1/4/92 0:00	Manual Tape	327.50	Good	
1/4/92 7:03	Auto FIC	328.40	Good	
1/5/92 0:00	Manual Tape	327.25	Good	
1/5/92 7:03	Auto FIC	328.40	Good	
1/6/92 0:00	Manual Tape	327.5	Good	
1/6/92 7:03	Auto FIC	328.3	Good	
1/7/92 0:00	Manual Tape	327.5	Good	
1/7/92 7:04	Auto FIC	328.40	Good	
1/8/92 0:00	Manual Tape	327.25	Good	
1/8/92 7:03	Auto FIC	328.40	Good	
1/9/92 0:00	Manual Tape	327.50	Good	
1/9/92 7:03	Auto FIC	328.4	Good	
1/10/92 0:00	Manual Tape	327.5	Good	
1/10/92 7:04	Auto FIC	328.4	Good	
1/11/92 0:00	Manual Tape	327.25	Good	
1/11/92 7:04	Auto FIC	328.40	Good	
1/12/92 0:00	Manual Tape	327.25	Good	
1/12/92 0:00	Manual FIC	328.3	Good	
1/13/92 0:00	Manual Tape	327.25	Good	
1/13/92 0:00	Manual FIC	328.3	Good	
1/14/92 0:00	Manual Tape	327.25	Good	
1/14/92 0:00	Manual FIC	328.3	Good	
1/15/92 0:00	Manual Tape	327.25	Good	
1/15/92 7:03	Auto FIC	328.40	Good	
1/16/92 0:00	Manual Tape	327.25	Good	
1/16/92 7:04	Auto FIC	328.3	Good	
1/17/92 0:00	Manual Tape	327.25	Good	
1/17/92 7:04	Auto FIC	328.3	Good	
1/18/92 0:00	Manual Tape	327.25	Good	
1/18/92 7:04	Auto FIC	328.3	Good	
1/19/92 0:00	Manual Tape	327.25	Good	
1/19/92 7:03	Auto FIC	328.3	Good	
1/20/92 0:00	Manual Tape	327.50	Good	
1/20/92 7:03	Auto FIC	328.30	Good	
1/21/92 0:00	Manual Tape	327.25	Good	
1/21/92 7:03	Auto FIC	328.30	Good	
1/22/92 0:00	Manual Tape	327.25	Good	
1/22/92 7:06	Auto FIC	328.3	Good	
1/23/92 0:00	Manual Tape	327.25	Good	
1/23/92 7:03	Auto FIC	328.3	Good	
1/24/92 0:00	Manual Tape	327.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/24/92 7:02	Auto FIC	328.4	Good	
1/25/92 0:00	Manual Tape	327.25	Good	
1/25/92 7:03	Auto FIC	328.3	Good	
1/26/92 0:00	Manual Tape	327.25	Good	
1/26/92 6:03	Auto FIC	328.30	Good	
1/27/92 0:00	Manual Tape	327.25	Good	
1/27/92 7:02	Auto FIC	328.3	Good	
1/28/92 0:00	Manual Tape	327.25	Good	
1/28/92 7:03	Auto FIC	328.3	Good	
1/29/92 0:00	Manual Tape	327.5	Good	
1/29/92 7:03	Auto FIC	328.3	Good	
1/30/92 0:00	Manual Tape	327.50	Good	
1/30/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/31/92 0:00	Manual Tape	327.5	Good	
1/31/92 7:03	Auto FIC	0	Suspect	Data not included in graph
2/1/92 0:00	Manual Tape	327.5	Good	
2/1/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
2/2/92 0:00	Manual Tape	327.50	Good	
2/2/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/3/92 0:00	Manual Tape	327.25	Good	
2/3/92 7:03	Auto FIC	0	Suspect	Data not included in graph
2/4/92 0:00	Manual Tape	327.25	Good	
2/4/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/5/92 0:00	Manual Tape	327.25	Good	
2/5/92 7:02	Auto FIC	0	Suspect	Data not included in graph
2/6/92 0:00	Manual Tape	327.25	Good	
2/7/92 0:00	Manual Tape	327.25	Good	
2/8/92 0:00	Manual Tape	327.25	Good	
2/8/92 7:04	Auto FIC	0	Suspect	Data not included in graph
2/9/92 0:00	Manual Tape	327.25	Good	
2/9/92 7:03	Auto FIC	0	Suspect	Data not included in graph
2/10/92 0:00	Manual Tape	327.25	Good	
2/10/92 7:04	Auto FIC	0	Suspect	Data not included in graph
2/11/92 0:00	Manual Tape	327.25	Good	
2/11/92 7:03	Auto FIC	0	Suspect	Data not included in graph
2/12/92 0:00	Manual Tape	327.25	Good	
2/12/92 7:03	Auto FIC	0	Suspect	Data not included in graph
2/13/92 0:00	Manual Tape	327.5	Good	
2/13/92 7:03	Auto FIC	0	Suspect	Data not included in graph
2/14/92 0:00	Manual Tape	327.25	Good	
2/14/92 7:03	Auto FIC	0	Suspect	Data not included in graph
2/15/92 0:00	Manual Tape	327.25	Good	
2/15/92 7:03	Auto FIC	0	Suspect	Data not included in graph
2/16/92 0:00	Manual Tape	327.25	Good	
2/16/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/17/92 0:00	Manual Tape	327.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/17/92 7:03	Auto FIC	0	Suspect	Data not included in graph
2/18/92 0:00	Manual Tape	327.25	Good	
2/18/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/19/92 0:00	Manual Tape	327.25	Good	
2/19/92 7:03	Auto FIC	0	Suspect	Data not included in graph
2/20/92 0:00	Manual Tape	327.25	Good	
2/20/92 7:03	Auto FIC	0	Suspect	Data not included in graph
2/21/92 0:00	Manual Tape	327.50	Good	
2/21/92 7:03	Auto FIC	0	Suspect	Data not included in graph
2/22/92 0:00	Manual Tape	327.25	Good	
2/22/92 7:03	Auto FIC	0	Suspect	Data not included in graph
2/23/92 0:00	Manual Tape	327.25	Good	
2/23/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/24/92 0:00	Manual Tape	327.5	Good	
2/24/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/25/92 0:00	Manual Tape	327.25	Good	
2/25/92 7:04	Auto FIC	0	Suspect	Data not included in graph
2/26/92 0:00	Manual Tape	327.25	Good	
2/26/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/27/92 0:00	Manual Tape	327.25	Good	
2/27/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/28/92 0:00	Manual Tape	327.25	Good	
2/28/92 7:04	Auto FIC	0	Suspect	Data not included in graph
2/29/92 0:00	Manual Tape	327.25	Good	
2/29/92 7:03	Auto FIC	0	Suspect	Data not included in graph
3/1/92 0:00	Manual Tape	327.5	Good	
3/1/92 7:03	Auto FIC	0	Suspect	Data not included in graph
3/2/92 0:00	Manual Tape	327.5	Good	
3/2/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/3/92 0:00	Manual Tape	327.50	Good	
3/3/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
3/4/92 0:00	Manual Tape	327.50	Good	
3/4/92 7:04	Auto FIC	0	Suspect	Data not included in graph
3/5/92 0:00	Manual Tape	327.5	Good	
3/5/92 7:03	Auto FIC	0	Suspect	Data not included in graph
3/6/92 0:00	Manual Tape	327.50	Good	
3/6/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/7/92 0:00	Manual Tape	327.5	Good	
3/7/92 7:02	Auto FIC	0	Suspect	Data not included in graph
3/8/92 0:00	Manual Tape	327.50	Good	
3/8/92 7:02	Auto FIC	0	Suspect	Data not included in graph
3/9/92 0:00	Manual Tape	327.50	Good	
3/9/92 7:02	Auto FIC	0	Suspect	Data not included in graph
3/10/92 0:00	Manual Tape	327.25	Good	
3/10/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/11/92 0:00	Manual Tape	327.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/11/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/12/92 0:00	Manual Tape	327.25	Good	
3/12/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/13/92 0:00	Manual Tape	327.25	Good	
3/13/92 7:03	Auto FIC	0	Suspect	Data not included in graph
3/14/92 0:00	Manual Tape	327.25	Good	
3/14/92 7:03	Auto FIC	0	Suspect	Data not included in graph
3/15/92 0:00	Manual Tape	327.25	Good	
3/15/92 7:06	Auto FIC	0	Suspect	Data not included in graph
3/16/92 0:00	Manual Tape	327.25	Good	
3/16/92 7:03	Auto FIC	0	Suspect	Data not included in graph
3/17/92 0:00	Manual Tape	327.25	Good	
3/17/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/18/92 0:00	Manual Tape	327.00	Good	
3/18/92 7:03	Auto FIC	0	Suspect	Data not included in graph
3/19/92 0:00	Manual Tape	327	Good	
3/20/92 0:00	Manual Tape	327	Good	
3/20/92 7:02	Auto FIC	0	Suspect	Data not included in graph
3/21/92 0:00	Manual Tape	327.25	Good	
3/21/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/22/92 0:00	Manual Tape	327.25	Good	
3/22/92 7:02	Auto FIC	0	Suspect	Data not included in graph
3/23/92 0:00	Manual Tape	327.25	Good	
3/23/92 7:02	Auto FIC	0	Suspect	Data not included in graph
3/24/92 0:00	Manual Tape	327	Good	
3/24/92 7:02	Auto FIC	0	Suspect	Data not included in graph
3/25/92 0:00	Manual Tape	327.50	Good	
3/25/92 7:03	Auto FIC	0	Suspect	Data not included in graph
3/26/92 0:00	Manual Tape	327.25	Good	
3/26/92 7:03	Auto FIC	0	Suspect	Data not included in graph
3/27/92 0:00	Manual Tape	327.00	Good	
3/27/92 7:02	Auto FIC	0	Suspect	Data not included in graph
3/28/92 0:00	Manual Tape	327.00	Good	
3/28/92 7:03	Auto FIC	0	Suspect	Data not included in graph
3/29/92 0:00	Manual Tape	327	Good	
3/29/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/30/92 0:00	Manual Tape	327	Good	
3/30/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/31/92 0:00	Manual Tape	327.00	Good	
3/31/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/1/92 0:00	Manual Tape	327	Good	
4/1/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/2/92 0:00	Manual Tape	327.25	Good	
4/2/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/3/92 0:00	Manual Tape	327.25	Good	
4/3/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/4/92 0:00	Manual Tape	327.25	Good	
4/4/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/5/92 0:00	Manual Tape	327.25	Good	
4/5/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/6/92 0:00	Manual Tape	327.25	Good	
4/6/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/7/92 0:00	Manual Tape	327.25	Good	
4/7/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/8/92 0:00	Manual Tape	327.25	Good	
4/9/92 0:00	Manual Tape	327.25	Good	
4/9/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/10/92 0:00	Manual Tape	327.25	Good	
4/10/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/11/92 0:00	Manual Tape	327.25	Good	
4/11/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/12/92 0:00	Manual Tape	327.25	Good	
4/13/92 0:00	Manual Tape	327.25	Good	
4/13/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/14/92 0:00	Manual Tape	327.25	Good	
4/14/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/15/92 0:00	Manual Tape	327.25	Good	
4/15/92 7:02	Auto FIC	0	Suspect	Data not included in graph
4/16/92 0:00	Manual Tape	327.25	Good	
4/16/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/17/92 0:00	Manual Tape	327.5	Good	
4/17/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/18/92 0:00	Manual Tape	327.25	Good	
4/18/92 7:02	Auto FIC	0	Suspect	Data not included in graph
4/19/92 0:00	Manual Tape	327.25	Good	
4/19/92 7:02	Auto FIC	0	Suspect	Data not included in graph
4/20/92 0:00	Manual Tape	327.25	Good	
4/20/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/21/92 0:00	Manual Tape	327.25	Good	
4/21/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/22/92 0:00	Manual Tape	327.25	Good	
4/22/92 7:02	Auto FIC	0	Suspect	Data not included in graph
4/23/92 0:00	Manual Tape	327.25	Good	
4/23/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/24/92 0:00	Manual Tape	327.25	Good	
4/24/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/25/92 0:00	Manual Tape	327	Good	
4/25/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
4/26/92 0:00	Manual Tape	327.00	Good	
4/26/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/27/92 0:00	Manual Tape	327.75	Good	
4/27/92 7:04	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/28/92 0:00	Manual Tape	327.25	Good	
4/28/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/29/92 0:00	Manual Tape	327.25	Good	
4/29/92 7:03	Auto FIC	0	Suspect	Data not included in graph
4/30/92 0:00	Manual Tape	327.25	Good	
4/30/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/1/92 0:00	Manual Tape	327.25	Good	
5/1/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/2/92 0:00	Manual Tape	327.25	Good	
5/3/92 0:00	Manual Tape	327.25	Good	
5/3/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/4/92 0:00	Manual Tape	327.25	Good	
5/4/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/5/92 0:00	Manual Tape	327.25	Good	
5/5/92 7:04	Auto FIC	0	Suspect	Data not included in graph
5/6/92 0:00	Manual Tape	327.25	Good	
5/6/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/7/92 0:00	Manual Tape	327.25	Good	
5/7/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/8/92 0:00	Manual Tape	327.25	Good	
5/8/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/9/92 0:00	Manual Tape	327.25	Good	
5/10/92 0:00	Manual Tape	327.25	Good	
5/11/92 0:00	Manual Tape	327.25	Good	
5/12/92 0:00	Manual Tape	327.25	Good	
5/12/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/13/92 0:00	Manual Tape	327.25	Good	
5/13/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/14/92 0:00	Manual Tape	327.25	Good	
5/14/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/15/92 0:00	Manual Tape	327.25	Good	
5/15/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/16/92 0:00	Manual Tape	327.25	Good	
5/16/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/17/92 0:00	Manual Tape	327.50	Good	
5/17/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
5/18/92 0:00	Manual Tape	327.25	Good	
5/18/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/19/92 0:00	Manual Tape	327.25	Good	
5/19/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/20/92 0:00	Manual Tape	327.25	Good	
5/20/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/21/92 0:00	Manual Tape	327.25	Good	
5/21/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/22/92 0:00	Manual Tape	327.25	Good	
5/22/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/23/92 0:00	Manual Tape	327.25	Good	
5/23/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/24/92 0:00	Manual Tape	327.25	Good	
5/24/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/25/92 0:00	Manual Tape	327.25	Good	
5/25/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/26/92 0:00	Manual Tape	327.25	Good	
5/27/92 0:00	Manual Tape	327.25	Good	
5/27/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/28/92 0:00	Manual Tape	327.25	Good	
5/28/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
5/29/92 0:00	Manual Tape	327.25	Good	
5/29/92 7:02	Auto FIC	0	Suspect	Data not included in graph
5/30/92 0:00	Manual Tape	327.25	Good	
5/30/92 7:03	Auto FIC	0	Suspect	Data not included in graph
5/31/92 0:00	Manual Tape	327.25	Good	
5/31/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/1/92 0:00	Manual Tape	327.25	Good	
6/1/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/2/92 0:00	Manual Tape	327.00	Good	
6/2/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/3/92 0:00	Manual Tape	327.25	Good	
6/3/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/4/92 0:00	Manual Tape	327.25	Good	
6/4/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/5/92 0:00	Manual Tape	327.25	Good	
6/5/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
6/6/92 0:00	Manual Tape	327.25	Good	
6/6/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/7/92 0:00	Manual Tape	327.25	Good	
6/7/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/8/92 0:00	Manual Tape	327.25	Good	
6/8/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/9/92 0:00	Manual Tape	327.00	Good	
6/9/92 0:00	Manual FIC	323	Suspect	Data not included in graph
6/9/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/10/92 0:00	Manual Tape	327	Good	
6/10/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/11/92 0:00	Manual Tape	327.00	Good	
6/11/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/12/92 0:00	Manual Tape	327.25	Good	
6/12/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/13/92 0:00	Manual Tape	327.25	Good	
6/13/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/14/92 0:00	Manual Tape	327.5	Good	
6/15/92 0:00	Manual Tape	327.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/15/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/16/92 0:00	Manual Tape	327.25	Good	
6/16/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/17/92 0:00	Manual Tape	327.50	Good	
6/17/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/18/92 0:00	Manual Tape	327.5	Good	
6/18/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/19/92 0:00	Manual Tape	327.25	Good	
6/19/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
6/20/92 0:00	Manual Tape	327.25	Good	
6/20/92 7:02	Auto FIC	0	Suspect	Data not included in graph
6/21/92 0:00	Manual Tape	327.5	Good	
6/21/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/22/92 0:00	Manual Tape	327.5	Good	
6/22/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/23/92 0:00	Manual Tape	327.50	Good	
6/23/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/24/92 0:00	Manual Tape	327.50	Good	
6/24/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/25/92 0:00	Manual Tape	327.25	Good	
6/25/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
6/26/92 0:00	Manual Tape	327.25	Good	
6/26/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
6/27/92 0:00	Manual Tape	327.5	Good	
6/27/92 7:03	Auto FIC	0	Suspect	Data not included in graph
6/28/92 0:00	Manual Tape	327.50	Good	
6/28/92 7:06	Auto FIC	0	Suspect	Data not included in graph
6/29/92 0:00	Manual Tape	327.25	Good	
6/29/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/30/92 0:00	Manual Tape	327.25	Good	
6/30/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/1/92 0:00	Manual Tape	327.25	Good	
7/2/92 0:00	Manual Tape	327.25	Good	
7/3/92 0:00	Manual Tape	327.50	Good	
7/3/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/4/92 0:00	Manual Tape	327.5	Good	
7/4/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/5/92 0:00	Manual Tape	327.5	Good	
7/5/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/6/92 0:00	Manual Tape	327.50	Good	
7/6/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/7/92 0:00	Manual Tape	327.75	Good	
7/7/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/8/92 0:00	Manual Tape	327.25	Good	
7/8/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/9/92 0:00	Manual Tape	327.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/9/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/10/92 0:00	Manual Tape	327.50	Good	
7/10/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/11/92 0:00	Manual Tape	327.50	Good	
7/11/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/12/92 0:00	Manual Tape	327.50	Good	
7/12/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/13/92 0:00	Manual Tape	327.5	Good	
7/13/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/14/92 0:00	Manual Tape	327.50	Good	
7/14/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/15/92 0:00	Manual Tape	327.50	Good	
7/15/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/16/92 0:00	Manual Tape	327.5	Good	
7/16/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/17/92 0:00	Manual Tape	327.50	Good	
7/17/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/18/92 0:00	Manual Tape	327.50	Good	
7/18/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/19/92 0:00	Manual Tape	327.50	Good	
7/19/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/20/92 0:00	Manual Tape	327.50	Good	
7/20/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/21/92 0:00	Manual Tape	327.5	Good	
7/21/92 7:05	Auto FIC	0	Suspect	Data not included in graph
7/22/92 0:00	Manual Tape	327.25	Good	
7/22/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/23/92 0:00	Manual Tape	327.50	Good	
7/24/92 0:00	Manual Tape	327.50	Good	
7/24/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph
7/25/92 0:00	Manual Tape	327.50	Good	
7/25/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/26/92 0:00	Manual Tape	327.50	Good	
7/26/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/27/92 0:00	Manual Tape	327.50	Good	
7/27/92 7:05	Auto FIC	0	Suspect	Data not included in graph
7/28/92 0:00	Manual Tape	327.5	Good	
7/28/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/29/92 0:00	Manual Tape	327.75	Good	
7/29/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/30/92 0:00	Manual Tape	329.50	Good	
7/30/92 7:06	Auto FIC	0	Suspect	Data not included in graph
7/31/92 0:00	Manual Tape	329.50	Good	
7/31/92 7:05	Auto FIC	0	Suspect	Data not included in graph
8/1/92 0:00	Manual Tape	329.50	Good	
8/1/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/2/92 0:00	Manual Tape	329.50	Good	
8/2/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/3/92 0:00	Manual Tape	329.5	Good	
8/3/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/4/92 0:00	Manual Tape	329.50	Good	
8/4/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/5/92 0:00	Manual Tape	329.50	Good	
8/5/92 7:05	Auto FIC	0	Suspect	Data not included in graph
8/6/92 0:00	Manual Tape	329.25	Good	
8/6/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph
8/7/92 0:00	Manual Tape	329.25	Good	
8/7/92 7:05	Auto FIC	0	Suspect	Data not included in graph
8/8/92 0:00	Manual Tape	329.50	Good	
8/8/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/9/92 0:00	Manual Tape	329.5	Good	
8/9/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/10/92 0:00	Manual Tape	329.50	Good	
8/10/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph
8/11/92 0:00	Manual Tape	330.50	Good	
8/11/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/12/92 0:00	Manual Tape	330.25	Good	
8/12/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/13/92 0:00	Manual Tape	330.25	Good	
8/13/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/14/92 0:00	Manual Tape	330.50	Good	
8/14/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/15/92 0:00	Manual Tape	330.75	Good	
8/15/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/16/92 0:00	Manual Tape	330.75	Good	
8/16/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/17/92 0:00	Manual Tape	330.5	Good	
8/17/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/18/92 0:00	Manual Tape	330.5	Good	
8/18/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/19/92 0:00	Manual Tape	330	Good	
8/19/92 7:06	Auto FIC	0	Suspect	Data not included in graph
8/20/92 0:00	Manual Tape	330.25	Good	
8/20/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
8/21/92 0:00	Manual Tape	330.25	Good	
8/21/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph
8/22/92 0:00	Manual Tape	330.25	Good	
8/22/92 7:04	Auto FIC	0	Suspect	Data not included in graph
8/23/92 0:00	Manual Tape	330.50	Good	
8/23/92 7:04	Auto FIC	0	Suspect	Data not included in graph
8/24/92 0:00	Manual Tape	330.5	Good	
8/24/92 7:04	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/25/92 0:00	Manual Tape	330.5	Good	
8/25/92 7:04	Auto FIC	0	Suspect	Data not included in graph
8/26/92 0:00	Manual Tape	330.50	Good	
8/26/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/27/92 0:00	Manual Tape	331.5	Good	
8/27/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/28/92 0:00	Manual Tape	331.00	Good	
8/28/92 7:02	Auto FIC	0	Suspect	Data not included in graph
8/29/92 0:00	Manual Tape	331.25	Good	
8/29/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/30/92 0:00	Manual Tape	331.25	Good	
8/30/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
8/31/92 0:00	Manual Tape	331.50	Good	
8/31/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/1/92 0:00	Manual Tape	331.25	Good	
9/1/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/2/92 0:00	Manual Tape	331.5	Good	
9/2/92 7:02	Auto FIC	0	Suspect	Data not included in graph
9/3/92 0:00	Manual Tape	331.50	Good	
9/3/92 7:04	Auto FIC	0	Suspect	Data not included in graph
9/4/92 0:00	Manual Tape	331.50	Good	
9/4/92 7:04	Auto FIC	0	Suspect	Data not included in graph
9/5/92 0:00	Manual Tape	331.5	Good	
9/5/92 7:04	Auto FIC	0	Suspect	Data not included in graph
9/6/92 0:00	Manual Tape	331.5	Good	
9/6/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/7/92 0:00	Manual Tape	331.50	Good	
9/7/92 7:05	Auto FIC	0.00	Suspect	Data not included in graph
9/8/92 0:00	Manual Tape	331.50	Good	
9/8/92 7:05	Auto FIC	0	Suspect	Data not included in graph
9/9/92 0:00	Manual Tape	331.25	Good	
9/9/92 7:04	Auto FIC	0	Suspect	Data not included in graph
9/10/92 0:00	Manual Tape	331.25	Good	
9/10/92 7:03	Auto FIC	0	Suspect	Data not included in graph
9/11/92 0:00	Manual Tape	331.25	Good	
9/12/92 0:00	Manual Tape	331.5	Good	
9/13/92 0:00	Manual Tape	331.25	Good	
9/14/92 0:00	Manual Tape	331.50	Good	
9/15/92 0:00	Manual Tape	331.50	Good	
9/16/92 0:00	Manual Tape	331.25	Good	
9/17/92 0:00	Manual Tape	331.25	Good	
9/17/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
9/18/92 0:00	Manual Tape	331.25	Good	
9/18/92 7:06	Auto FIC	0.00	Suspect	Data not included in graph
9/19/92 0:00	Manual Tape	331.50	Good	
9/20/92 0:00	Manual Tape	331.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/21/92 0:00	Manual Tape	331.25	Good	
9/21/92 7:06	Auto FIC	0	Suspect	Data not included in graph
9/22/92 0:00	Manual Tape	331.25	Good	
9/22/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/23/92 0:00	Manual Tape	331.25	Good	
9/23/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
9/24/92 0:00	Manual Tape	331.25	Good	
9/24/92 7:03	Auto FIC	0	Suspect	Data not included in graph
9/25/92 0:00	Manual Tape	331.25	Good	
9/25/92 7:03	Auto FIC	0	Suspect	Data not included in graph
9/26/92 0:00	Manual Tape	333.75	Good	
9/26/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/27/92 0:00	Manual Tape	335.75	Good	
9/27/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
9/28/92 0:00	Manual Tape	338.00	Good	
9/28/92 7:02	Auto FIC	0	Suspect	Data not included in graph
9/29/92 0:00	Manual Tape	339.75	Good	
9/29/92 7:03	Auto FIC	0	Suspect	Data not included in graph
9/30/92 0:00	Manual Tape	339.50	Good	
9/30/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
10/1/92 0:00	Manual Tape	340.00	Good	
10/1/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/2/92 0:00	Manual Tape	339.25	Good	
10/2/92 7:02	Auto FIC	0	Suspect	Data not included in graph
10/3/92 0:00	Manual Tape	339.50	Good	
10/3/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/4/92 0:00	Manual Tape	339.5	Good	
10/4/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/5/92 0:00	Manual Tape	339.5	Good	
10/5/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/6/92 0:00	Manual Tape	339.25	Good	
10/6/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/7/92 0:00	Manual Tape	339.25	Good	
10/8/92 0:00	Manual Tape	339.25	Good	
10/8/92 7:02	Auto FIC	0	Suspect	Data not included in graph
10/9/92 0:00	Manual Tape	339.25	Good	
10/9/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/10/92 0:00	Manual Tape	339.5	Good	
10/10/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/11/92 0:00	Manual Tape	339.5	Good	
10/11/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/12/92 0:00	Manual Tape	339.50	Good	
10/13/92 0:00	Manual Tape	339.50	Good	
10/14/92 0:00	Manual Tape	339.5	Good	
10/14/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/15/92 0:00	Manual Tape	339.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/15/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/16/92 0:00	Manual Tape	339.5	Good	
10/16/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/17/92 0:00	Manual Tape	339.5	Good	
10/17/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/18/92 0:00	Manual Tape	339.5	Good	
10/18/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/19/92 0:00	Manual Tape	339.50	Good	
10/19/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/20/92 0:00	Manual Tape	339.50	Good	
10/20/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/21/92 0:00	Manual Tape	339.50	Good	
10/21/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/22/92 0:00	Manual Tape	339.5	Good	
10/23/92 0:00	Manual Tape	339.5	Good	
10/24/92 0:00	Manual Tape	339.5	Good	
10/24/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/25/92 0:00	Manual Tape	339.50	Good	
10/25/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/26/92 0:00	Manual Tape	339.50	Good	
10/27/92 0:00	Manual Tape	339.50	Good	
10/27/92 7:04	Auto FIC	0	Suspect	Data not included in graph
10/28/92 0:00	Manual Tape	339.50	Good	
10/28/92 7:03	Auto FIC	0	Suspect	Data not included in graph
10/29/92 0:00	Manual Tape	339.5	Good	
10/29/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/30/92 0:00	Manual Tape	339.5	Good	
10/30/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
10/31/92 0:00	Manual Tape	341.75	Good	
10/31/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/1/92 0:00	Manual Tape	341.75	Good	
11/1/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/2/92 0:00	Manual Tape	341.75	Good	
11/2/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/3/92 0:00	Manual Tape	341.5	Good	
11/3/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/4/92 0:00	Manual Tape	341.5	Good	
11/4/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/5/92 0:00	Manual Tape	341.5	Good	
11/6/92 0:00	Manual Tape	341.50	Good	
11/7/92 0:00	Manual Tape	341.75	Good	
11/8/92 0:00	Manual Tape	341.50	Good	
11/9/92 0:00	Manual Tape	341.50	Good	
11/10/92 0:00	Manual Tape	341.5	Good	
11/10/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/11/92 0:00	Manual Tape	341.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/11/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/12/92 0:00	Manual Tape	341.50	Good	
11/12/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/13/92 0:00	Manual Tape	341.5	Good	
11/13/92 7:04	Auto FIC	0	Suspect	Data not included in graph
11/14/92 0:00	Manual Tape	341.50	Good	
11/14/92 7:04	Auto FIC	0	Suspect	Data not included in graph
11/15/92 0:00	Manual Tape	343.75	Good	
11/15/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/16/92 0:00	Manual Tape	343.75	Good	
11/16/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/17/92 0:00	Manual Tape	343.5	Good	
11/17/92 7:04	Auto FIC	0	Suspect	Data not included in graph
11/18/92 0:00	Manual Tape	343.50	Good	
11/18/92 7:02	Auto FIC	0	Suspect	Data not included in graph
11/19/92 0:00	Manual Tape	343.50	Good	
11/19/92 7:02	Auto FIC	0.00	Suspect	Data not included in graph
11/20/92 0:00	Manual Tape	343.50	Good	
11/20/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/21/92 0:00	Manual Tape	343.50	Good	
11/21/92 7:02	Auto FIC	0	Suspect	Data not included in graph
11/22/92 0:00	Manual Tape	343.5	Good	
11/22/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/23/92 0:00	Manual Tape	343.5	Good	
11/23/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/24/92 0:00	Manual Tape	343.50	Good	
11/24/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/25/92 0:00	Manual Tape	343.50	Good	
11/25/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/26/92 0:00	Manual Tape	343.50	Good	
11/26/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/27/92 0:00	Manual Tape	343.50	Good	
11/27/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/28/92 0:00	Manual Tape	343.5	Good	
11/28/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
11/29/92 0:00	Manual Tape	343.5	Good	
11/29/92 7:03	Auto FIC	0	Suspect	Data not included in graph
11/30/92 0:00	Manual Tape	343.50	Good	
12/1/92 0:00	Manual Tape	343.5	Good	
12/1/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/2/92 0:00	Manual Tape	343.50	Good	
12/2/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/3/92 0:00	Manual Tape	343.50	Good	
12/3/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/4/92 0:00	Manual Tape	343.5	Good	
12/4/92 7:03	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/5/92 0:00	Manual Tape	343.50	Good	
12/6/92 0:00	Manual Tape	343.50	Good	
12/6/92 7:02	Auto FIC	0	Suspect	Data not included in graph
12/7/92 0:00	Manual Tape	343.5	Good	
12/7/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/8/92 0:00	Manual Tape	343.25	Good	
12/8/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/9/92 0:00	Manual Tape	343.25	Good	
12/9/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/10/92 0:00	Manual Tape	343.5	Good	
12/10/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/11/92 0:00	Manual Tape	343.5	Good	
12/11/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/12/92 0:00	Manual Tape	345.50	Good	
12/13/92 0:00	Manual Tape	345.25	Good	
12/13/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/14/92 0:00	Manual Tape	345.50	Good	
12/14/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/15/92 0:00	Manual Tape	345.5	Good	
12/15/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/16/92 0:00	Manual Tape	345.25	Good	
12/16/92 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/17/92 0:00	Manual Tape	345.5	Good	
12/17/92 7:03	Auto FIC	0.00	Suspect	Data not included in graph
12/18/92 0:00	Manual Tape	345.25	Good	
12/18/92 7:03	Auto FIC	0	Suspect	Data not included in graph
12/19/92 0:00	Manual Tape	345.50	Good	
12/19/92 7:03	Auto FIC	346.5	Good	
12/20/92 0:00	Manual Tape	345.75	Good	
12/20/92 7:04	Auto FIC	346.50	Good	
12/21/92 0:00	Manual Tape	345.75	Good	
12/21/92 7:04	Auto FIC	346.50	Good	
12/22/92 0:00	Manual Tape	345.5	Good	
12/22/92 0:00	Manual FIC	346.5	Good	
12/23/92 0:00	Manual Tape	345.5	Good	
12/23/92 7:04	Auto FIC	346.50	Good	
12/24/92 0:00	Manual Tape	345.50	Good	
12/24/92 7:03	Auto FIC	346.4	Good	
12/25/92 0:00	Manual Tape	345.5	Good	
12/25/92 7:03	Auto FIC	346.5	Good	
12/26/92 0:00	Manual Tape	345.25	Good	
12/26/92 7:03	Auto FIC	346.50	Good	
12/27/92 0:00	Manual Tape	345.25	Good	
12/27/92 7:03	Auto FIC	346.5	Good	
12/28/92 0:00	Manual Tape	345.25	Good	
12/28/92 7:03	Auto FIC	346.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/29/92 0:00	Manual Tape	345.5	Good	
12/29/92 0:00	Manual FIC	346.5	Good	
12/30/92 0:00	Manual Tape	345.50	Good	
12/30/92 7:03	Auto FIC	346.50	Good	
12/31/92 0:00	Manual Tape	359.00	Suspect	Data not included in graph
12/31/92 7:03	Auto FIC	348.20	Good	
1/1/93 0:00	Manual Tape	359	Suspect	Data not included in graph
1/1/93 7:04	Auto FIC	348.2	Good	
1/2/93 0:00	Manual Tape	347	Good	
1/2/93 0:00	Manual FIC	348.2	Good	
1/2/93 17:04	Manual Tape	347.00	Good	
1/3/93 0:00	Manual Tape	347	Good	
1/3/93 0:00	Manual FIC	348.2	Good	
1/3/93 17:04	Manual Tape	347.00	Good	
1/4/93 0:00	Manual Tape	347	Good	
1/4/93 0:00	Manual FIC	348.2	Good	
1/4/93 17:04	Manual Tape	347	Good	
1/5/93 0:00	Manual Tape	347	Good	
1/5/93 0:00	Manual FIC	348.2	Good	
1/5/93 17:04	Manual Tape	347.00	Good	
1/6/93 0:00	Manual Tape	347	Good	
1/6/93 0:00	Manual FIC	348.2	Good	
1/6/93 17:04	Manual Tape	347.00	Good	
1/7/93 0:00	Manual Tape	347	Good	
1/7/93 0:00	Manual FIC	348.25	Good	
1/7/93 17:04	Manual Tape	347	Good	
1/8/93 0:00	Manual Tape	346.5	Good	
1/8/93 0:00	Manual FIC	348.2	Good	
1/8/93 17:04	Manual Tape	346.50	Good	
1/9/93 0:00	Manual Tape	346.5	Good	
1/9/93 0:00	Manual FIC	348.2	Good	
1/9/93 17:04	Manual Tape	346.50	Good	
1/10/93 0:00	Manual Tape	346.5	Good	
1/10/93 0:00	Manual FIC	348.2	Good	
1/10/93 17:04	Manual Tape	346.5	Good	
1/11/93 0:00	Manual Tape	346.75	Good	
1/11/93 0:00	Manual FIC	348.2	Good	
1/11/93 17:04	Manual Tape	346.75	Good	
1/12/93 0:00	Manual Tape	346.75	Good	
1/12/93 7:06	Auto FIC	348.2	Good	
1/12/93 17:04	Manual Tape	346.75	Good	
1/13/93 0:00	Manual Tape	346.75	Good	
1/13/93 7:06	Auto FIC	348.20	Good	
1/13/93 17:04	Manual Tape	346.75	Good	
1/14/93 0:00	Manual Tape	346.75	Good	
1/14/93 7:03	Auto FIC	348.20	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/14/93 17:04	Manual Tape	346.75	Good	
1/15/93 0:00	Manual Tape	346.75	Good	
1/15/93 7:03	Auto FIC	348.2	Good	
1/15/93 17:04	Manual Tape	346.75	Good	
1/16/93 0:00	Manual Tape	346.75	Good	
1/16/93 0:00	Manual FIC	348.2	Good	
1/16/93 17:04	Manual Tape	346.75	Good	
1/17/93 0:00	Manual Tape	351	Good	
1/17/93 0:00	Manual FIC	350	Good	
1/17/93 17:04	Manual Tape	351.00	Good	
1/18/93 0:00	Manual Tape	348.75	Good	
1/18/93 0:00	Manual FIC	350.05	Good	
1/18/93 17:04	Manual Tape	348.75	Good	
1/19/93 0:00	Manual Tape	348.5	Good	
1/19/93 0:00	Manual FIC	350.05	Good	
1/19/93 17:04	Manual Tape	348.5	Good	
1/20/93 0:00	Manual Tape	349	Good	
1/20/93 0:00	Manual FIC	350	Good	
1/20/93 17:04	Manual Tape	349.00	Good	
1/21/93 0:00	Manual Tape	349	Good	
1/21/93 7:02	Auto FIC	350	Good	
1/21/93 17:04	Manual Tape	349.00	Good	
1/22/93 0:00	Manual Tape	349.00	Good	
1/22/93 7:04	Auto FIC	350.00	Good	
1/22/93 17:04	Manual Tape	349	Good	
1/23/93 0:00	Manual Tape	349	Good	
1/23/93 7:03	Auto FIC	350.00	Good	
1/23/93 17:04	Manual Tape	349.00	Good	
1/24/93 0:00	Manual Tape	348.75	Good	
1/24/93 7:03	Auto FIC	350	Good	
1/24/93 17:04	Manual Tape	348.75	Good	
1/25/93 0:00	Manual Tape	348.75	Good	
1/25/93 7:03	Auto FIC	350	Good	
1/25/93 17:04	Manual Tape	348.75	Good	
1/26/93 0:00	Manual Tape	349	Good	
1/26/93 7:04	Auto FIC	350.00	Good	
1/26/93 17:04	Manual Tape	349.00	Good	
1/27/93 0:00	Manual Tape	349	Good	
1/27/93 7:04	Auto FIC	350.00	Good	
1/27/93 17:04	Manual Tape	349	Good	
1/28/93 0:00	Manual Tape	349	Good	
1/28/93 7:04	Auto FIC	350	Good	
1/28/93 17:04	Manual Tape	349.00	Good	
1/29/93 0:00	Manual Tape	349	Good	
1/29/93 7:04	Auto FIC	350	Good	
1/29/93 17:04	Manual Tape	349.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/30/93 0:00	Manual Tape	349	Good	
1/30/93 7:03	Auto FIC	350.00	Good	
1/30/93 17:04	Manual Tape	349	Good	
1/31/93 0:00	Manual Tape	349.00	Good	
1/31/93 7:04	Auto FIC	350.00	Good	
1/31/93 17:04	Manual Tape	349.00	Good	
2/1/93 0:00	Manual Tape	348.5	Good	
2/1/93 7:04	Auto FIC	350	Good	
2/1/93 17:04	Manual Tape	348.50	Good	
2/2/93 0:00	Manual Tape	351.25	Good	
2/2/93 7:04	Auto FIC	352	Good	
2/2/93 17:04	Manual Tape	351.25	Good	
2/3/93 0:00	Manual Tape	351	Good	
2/3/93 0:00	Manual FIC	352	Good	
2/3/93 17:04	Manual Tape	351.00	Good	
2/4/93 0:00	Manual Tape	351	Good	
2/4/93 7:04	Auto FIC	352.00	Good	
2/4/93 17:04	Manual Tape	351.00	Good	
2/5/93 0:00	Manual Tape	350.5	Good	
2/5/93 7:04	Auto FIC	352.00	Good	
2/5/93 17:04	Manual Tape	350.50	Good	
2/6/93 0:00	Manual Tape	350.75	Good	
2/6/93 7:04	Auto FIC	352	Good	
2/6/93 17:04	Manual Tape	350.75	Good	
2/7/93 0:00	Manual Tape	350.75	Good	
2/7/93 7:03	Auto FIC	352	Good	
2/7/93 17:04	Manual Tape	350.75	Good	
2/8/93 0:00	Manual Tape	350.75	Good	
2/8/93 7:04	Auto FIC	352.00	Good	
2/8/93 17:04	Manual Tape	350.75	Good	
2/9/93 0:00	Manual Tape	350.75	Good	
2/9/93 7:04	Auto FIC	352.00	Good	
2/9/93 17:04	Manual Tape	350.75	Good	
2/10/93 0:00	Manual Tape	350.75	Good	
2/10/93 7:04	Auto FIC	352	Good	
2/10/93 17:04	Manual Tape	350.75	Good	
2/11/93 0:00	Manual Tape	350.75	Good	
2/11/93 7:04	Auto FIC	352	Good	
2/11/93 17:04	Manual Tape	350.75	Good	
2/12/93 0:00	Manual Tape	350.75	Good	
2/12/93 7:03	Auto FIC	352.00	Good	
2/12/93 17:04	Manual Tape	350.75	Good	
2/13/93 0:00	Manual Tape	350.50	Good	
2/13/93 7:03	Auto FIC	352.00	Good	
2/13/93 17:04	Manual Tape	350.5	Good	
2/14/93 0:00	Manual Tape	350.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/14/93 7:04	Auto FIC	352	Good	
2/14/93 17:04	Manual Tape	350.75	Good	
2/15/93 0:00	Manual Tape	350.75	Good	
2/15/93 7:04	Auto FIC	352	Good	
2/15/93 17:04	Manual Tape	350.75	Good	
2/16/93 0:00	Manual Tape	350.75	Good	
2/16/93 7:02	Auto FIC	352.00	Good	
2/16/93 17:04	Manual Tape	350.75	Good	
2/17/93 0:00	Manual Tape	350.75	Good	
2/17/93 0:00	Manual FIC	352	Good	
2/17/93 17:04	Manual Tape	350.75	Good	
2/18/93 0:00	Manual Tape	350.75	Good	
2/18/93 7:03	Auto FIC	352.00	Good	
2/18/93 17:04	Manual Tape	350.75	Good	
2/19/93 0:00	Manual Tape	350.75	Good	
2/19/93 7:02	Auto FIC	352	Good	
2/19/93 17:04	Manual Tape	350.75	Good	
2/20/93 0:00	Manual Tape	351	Good	
2/20/93 7:03	Auto FIC	352	Good	
2/20/93 17:04	Manual Tape	351.00	Good	
2/21/93 0:00	Manual Tape	351.00	Good	
2/21/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/21/93 17:04	Manual Tape	351.00	Good	
2/22/93 0:00	Manual Tape	351	Good	
2/22/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/22/93 17:04	Manual Tape	351	Good	
2/23/93 0:00	Manual Tape	350.50	Good	
2/23/93 7:03	Auto FIC	352.1	Good	
2/23/93 17:04	Manual Tape	350.50	Good	
2/24/93 0:00	Manual Tape	352.25	Good	
2/24/93 7:04	Auto FIC	353.3	Good	
2/24/93 17:04	Manual Tape	352.25	Good	
2/25/93 0:00	Manual Tape	352.00	Good	
2/25/93 7:03	Auto FIC	353.20	Good	
2/25/93 17:04	Manual Tape	352	Good	
2/26/93 0:00	Manual Tape	352	Good	
2/26/93 7:03	Auto FIC	353.20	Good	
2/26/93 17:04	Manual Tape	352.00	Good	
2/27/93 0:00	Manual Tape	354.25	Good	
2/27/93 7:04	Auto FIC	355.4	Good	
2/27/93 17:04	Manual Tape	354.25	Good	
2/28/93 0:00	Manual Tape	354.25	Good	
2/28/93 7:03	Auto FIC	355.4	Good	
2/28/93 17:04	Manual Tape	354.25	Good	
3/1/93 0:00	Manual Tape	354.25	Good	
3/1/93 7:03	Auto FIC	355.40	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/1/93 17:03	Manual Tape	354.25	Good	
3/2/93 0:00	Manual Tape	354.25	Good	
3/2/93 7:04	Auto FIC	355.40	Good	
3/2/93 17:03	Manual Tape	354.25	Good	
3/3/93 0:00	Manual Tape	354.5	Good	
3/3/93 7:03	Auto FIC	355.4	Good	
3/3/93 17:03	Manual Tape	354.5	Good	
3/4/93 0:00	Manual Tape	354.25	Good	
3/4/93 7:04	Auto FIC	355.4	Good	
3/4/93 17:03	Manual Tape	354.25	Good	
3/5/93 0:00	Manual Tape	354	Good	
3/5/93 7:04	Auto FIC	355.40	Good	
3/5/93 17:03	Manual Tape	354.00	Good	
3/6/93 0:00	Manual Tape	356.25	Good	
3/6/93 7:03	Auto FIC	355.90	Good	
3/6/93 17:03	Manual Tape	356.25	Good	
3/7/93 0:00	Manual Tape	355.75	Good	
3/7/93 7:03	Auto FIC	357.1	Good	
3/7/93 17:03	Manual Tape	355.75	Good	
3/8/93 0:00	Manual Tape	355.75	Good	
3/8/93 7:03	Auto FIC	357.1	Good	
3/8/93 17:03	Manual Tape	355.75	Good	
3/9/93 0:00	Manual Tape	355.75	Good	
3/9/93 7:04	Auto FIC	357.1	Good	
3/9/93 17:03	Manual Tape	355.75	Good	
3/10/93 0:00	Manual Tape	355.25	Good	
3/10/93 7:05	Auto FIC	357.10	Good	
3/10/93 17:03	Manual Tape	355.25	Good	
3/11/93 0:00	Manual Tape	356	Good	
3/11/93 7:04	Auto FIC	357.10	Good	
3/11/93 17:03	Manual Tape	356.00	Good	
3/12/93 0:00	Manual Tape	356.00	Good	
3/12/93 7:04	Auto FIC	357.1	Good	
3/12/93 17:03	Manual Tape	356	Good	
3/13/93 0:00	Manual Tape	355.5	Good	
3/13/93 7:03	Auto FIC	357.1	Good	
3/13/93 17:03	Manual Tape	355.50	Good	
3/14/93 0:00	Manual Tape	355.75	Good	
3/14/93 7:04	Auto FIC	357.10	Good	
3/14/93 17:03	Manual Tape	355.75	Good	
3/15/93 0:00	Manual Tape	355.5	Good	
3/15/93 7:03	Auto FIC	357.10	Good	
3/15/93 17:03	Manual Tape	355.5	Good	
3/16/93 0:00	Manual Tape	355.5	Good	
3/16/93 7:04	Auto FIC	357.1	Good	
3/16/93 17:03	Manual Tape	355.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/17/93 0:00	Manual Tape	355.50	Good	
3/17/93 7:03	Auto FIC	357.1	Good	
3/17/93 17:03	Manual Tape	355.50	Good	
3/18/93 0:00	Manual Tape	355.5	Good	
3/18/93 7:04	Auto FIC	357.10	Good	
3/18/93 17:03	Manual Tape	355.50	Good	
3/19/93 0:00	Manual Tape	357.25	Good	
3/19/93 7:03	Auto FIC	358.60	Good	
3/19/93 17:03	Manual Tape	357.25	Good	
3/20/93 0:00	Manual Tape	357.5	Good	
3/20/93 7:04	Auto FIC	358.7	Good	
3/20/93 17:03	Manual Tape	357.50	Good	
3/21/93 0:00	Manual Tape	357.5	Good	
3/21/93 7:04	Auto FIC	358.7	Good	
3/21/93 17:03	Manual Tape	357.50	Good	
3/22/93 0:00	Manual Tape	357.5	Good	
3/22/93 7:03	Auto FIC	358.70	Good	
3/22/93 17:03	Manual Tape	357.50	Good	
3/23/93 0:00	Manual Tape	357.5	Good	
3/23/93 7:03	Auto FIC	358.70	Good	
3/23/93 17:03	Manual Tape	357.50	Good	
3/24/93 0:00	Manual Tape	357.50	Good	
3/24/93 7:04	Auto FIC	358.7	Good	
3/24/93 17:03	Manual Tape	357.50	Good	
3/25/93 0:00	Manual Tape	357.5	Good	
3/25/93 7:03	Auto FIC	358.7	Good	
3/25/93 17:03	Manual Tape	357.50	Good	
3/26/93 0:00	Manual Tape	357.5	Good	
3/26/93 7:03	Auto FIC	358.70	Good	
3/26/93 17:03	Manual Tape	357.5	Good	
3/27/93 0:00	Manual Tape	357.5	Good	
3/27/93 7:03	Auto FIC	358.70	Good	
3/27/93 17:03	Manual Tape	357.50	Good	
3/28/93 0:00	Manual Tape	357.5	Good	
3/28/93 7:03	Auto FIC	358.7	Good	
3/28/93 17:03	Manual Tape	357.50	Good	
3/29/93 0:00	Manual Tape	357	Good	
3/29/93 7:03	Auto FIC	358.7	Good	
3/29/93 17:03	Manual Tape	357.00	Good	
3/30/93 0:00	Manual Tape	357.25	Good	
3/30/93 7:03	Auto FIC	358.70	Good	
3/30/93 17:03	Manual Tape	357.25	Good	
3/31/93 0:00	Manual Tape	357.25	Good	
3/31/93 7:03	Auto FIC	358.60	Good	
3/31/93 17:03	Manual Tape	357.25	Good	
4/1/93 0:00	Manual Tape	357.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/1/93 7:03	Auto FIC	358.7	Good	
4/1/93 10:03	Manual Tape	357.5	Good	
4/2/93 0:00	Manual Tape	357.25	Good	
4/2/93 7:06	Auto FIC	358.7	Good	
4/2/93 10:03	Manual Tape	357.25	Good	
4/3/93 0:00	Manual Tape	357.25	Good	
4/3/93 7:06	Auto FIC	358.70	Good	
4/3/93 10:03	Manual Tape	357.25	Good	
4/4/93 0:00	Manual Tape	357.25	Good	
4/4/93 7:05	Auto FIC	358.70	Good	
4/4/93 10:03	Manual Tape	357.25	Good	
4/5/93 0:00	Manual Tape	357.25	Good	
4/5/93 7:06	Auto FIC	358.7	Good	
4/5/93 10:03	Manual Tape	357.25	Good	
4/6/93 0:00	Manual Tape	357.25	Good	
4/6/93 7:06	Auto FIC	358.8	Good	
4/6/93 10:03	Manual Tape	357.25	Good	
4/7/93 0:00	Manual Tape	357.25	Good	
4/7/93 7:06	Auto FIC	358.70	Good	
4/7/93 10:03	Manual Tape	357.25	Good	
4/8/93 0:00	Manual Tape	357.25	Good	
4/8/93 7:06	Auto FIC	358.70	Good	
4/8/93 10:03	Manual Tape	357.25	Good	
4/9/93 0:00	Manual Tape	357.25	Good	
4/9/93 10:03	Manual Tape	357.25	Good	
4/10/93 0:00	Manual Tape	357.25	Good	
4/10/93 10:03	Manual Tape	357.25	Good	
4/11/93 0:00	Manual Tape	357.25	Good	
4/11/93 10:03	Manual Tape	357.25	Good	
4/12/93 0:00	Manual Tape	357.25	Good	
4/12/93 10:03	Manual Tape	357.25	Good	
4/13/93 0:00	Manual Tape	357.25	Good	
4/13/93 10:03	Manual Tape	357.25	Good	
4/14/93 0:00	Manual Tape	357.25	Good	
4/14/93 10:03	Manual Tape	357.25	Good	
4/15/93 0:00	Manual Tape	357.25	Good	
4/15/93 10:03	Manual Tape	357.25	Good	
4/16/93 0:00	Manual Tape	357.5	Good	
4/16/93 10:03	Manual Tape	357.5	Good	
4/17/93 0:00	Manual Tape	357.50	Good	
4/17/93 10:03	Manual Tape	357.5	Good	
4/18/93 0:00	Manual Tape	357.50	Good	
4/18/93 10:03	Manual Tape	357.5	Good	
4/19/93 0:00	Manual Tape	357.5	Good	
4/19/93 10:03	Manual Tape	357.5	Good	
4/20/93 0:00	Manual Tape	357.38	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/20/93 10:03	Manual Tape	357.2	Good	
4/21/93 0:00	Manual Tape	357.25	Good	
4/21/93 10:03	Manual Tape	357.25	Good	
4/22/93 0:00	Manual Tape	357.5	Good	
4/22/93 10:03	Manual Tape	357.50	Good	
4/23/93 0:00	Manual Tape	357.5	Good	
4/23/93 10:03	Manual Tape	357.5	Good	
4/24/93 0:00	Manual Tape	357.25	Good	
4/24/93 10:03	Manual Tape	357.25	Good	
4/25/93 0:00	Manual Tape	357.5	Good	
4/25/93 10:03	Manual Tape	357.50	Good	
4/26/93 0:00	Manual Tape	357.25	Good	
4/26/93 10:03	Manual Tape	357.25	Good	
4/27/93 0:00	Manual Tape	357	Good	
4/27/93 10:03	Manual Tape	357	Good	
4/28/93 0:00	Manual Tape	357.5	Good	
4/28/93 10:03	Manual Tape	357.50	Good	
4/29/93 0:00	Manual Tape	354.75	Good	
4/29/93 10:03	Manual Tape	354.75	Good	
4/30/93 0:00	Manual Tape	357	Good	
4/30/93 10:03	Manual Tape	357.00	Good	
5/1/93 0:00	Manual Tape	357.25	Good	
5/1/93 10:00	Manual Tape	357.25	Good	
5/2/93 0:00	Manual Tape	357.25	Good	
5/2/93 10:00	Manual Tape	357.25	Good	
5/3/93 0:00	Manual Tape	357.25	Good	
5/3/93 10:00	Manual Tape	357.25	Good	
5/4/93 0:00	Manual Tape	357.5	Good	
5/4/93 10:00	Manual Tape	357.5	Good	
5/5/93 0:00	Manual Tape	357.25	Good	
5/5/93 10:00	Manual Tape	357.25	Good	
5/6/93 0:00	Manual Tape	357.25	Good	
5/6/93 10:00	Manual Tape	357.25	Good	
5/7/93 0:00	Manual Tape	357.25	Good	
5/7/93 10:00	Manual Tape	357.25	Good	
5/8/93 0:00	Manual Tape	357.25	Good	
5/8/93 10:00	Manual Tape	357.25	Good	
5/9/93 0:00	Manual Tape	357.25	Good	
5/9/93 10:00	Manual Tape	357.25	Good	
5/10/93 0:00	Manual Tape	357.25	Good	
5/10/93 10:00	Manual Tape	357.25	Good	
5/11/93 0:00	Manual Tape	360.25	Good	
5/11/93 10:00	Manual Tape	357.25	Good	
5/12/93 0:00	Manual Tape	360.00	Good	
5/12/93 10:00	Manual Tape	360.00	Good	
5/13/93 0:00	Manual Tape	359.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/13/93 10:00	Manual Tape	359.75	Good	
5/14/93 0:00	Manual Tape	359.75	Good	
5/14/93 10:00	Manual Tape	359.75	Good	
5/15/93 0:00	Manual Tape	359.75	Good	
5/15/93 10:00	Manual Tape	359.75	Good	
5/16/93 0:00	Manual Tape	359.75	Good	
5/16/93 10:00	Manual Tape	359.75	Good	
5/17/93 0:00	Manual Tape	359.75	Good	
5/17/93 7:03	Auto FIC	0	Suspect	Data not included in graph
5/17/93 10:00	Manual Tape	359.75	Good	
5/18/93 0:00	Manual Tape	360	Good	
5/18/93 7:03	Auto FIC	0	Suspect	Data not included in graph
5/18/93 10:00	Manual Tape	360.00	Good	
5/19/93 0:00	Manual Tape	360	Good	
5/19/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/19/93 10:00	Manual Tape	360.00	Good	
5/20/93 0:00	Manual Tape	360	Good	
5/20/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/20/93 10:00	Manual Tape	360	Good	
5/21/93 0:00	Manual Tape	359.75	Good	
5/21/93 10:00	Manual Tape	359.75	Good	
5/22/93 0:00	Manual Tape	361.75	Good	
5/22/93 10:00	Manual Tape	361.75	Good	
5/23/93 0:00	Manual Tape	361.75	Good	
5/23/93 10:00	Manual Tape	361.75	Good	
5/24/93 0:00	Manual Tape	361.75	Good	
5/24/93 10:00	Manual Tape	361.75	Good	
5/25/93 0:00	Manual Tape	361.25	Good	
5/25/93 10:00	Manual Tape	361.25	Good	
5/26/93 0:00	Manual Tape	361.75	Good	
5/26/93 10:00	Manual Tape	361.75	Good	
5/27/93 0:00	Manual Tape	361.50	Good	
5/27/93 10:00	Manual Tape	361.5	Good	
5/28/93 0:00	Manual Tape	361.50	Good	
5/28/93 10:00	Manual Tape	361.5	Good	
5/29/93 0:00	Manual Tape	361.5	Good	
5/29/93 10:00	Manual Tape	361.5	Good	
5/30/93 0:00	Manual Tape	361.25	Good	
5/30/93 10:00	Manual Tape	361.25	Good	
5/31/93 0:00	Manual Tape	361.50	Good	
5/31/93 10:00	Manual Tape	361.25	Good	
6/1/93 0:00	Manual Tape	361.5	Good	
6/1/93 10:00	Manual Tape	361.50	Good	
6/2/93 0:00	Manual Tape	361.50	Good	
6/2/93 10:00	Manual Tape	361.50	Good	
6/3/93 0:00	Manual Tape	361.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/3/93 10:00	Manual Tape	361.5	Good	
6/4/93 0:00	Manual Tape	361.5	Good	
6/4/93 10:00	Manual Tape	361.50	Good	
6/5/93 0:00	Manual Tape	361.50	Good	
6/5/93 10:00	Manual Tape	361.5	Good	
6/6/93 0:00	Manual Tape	361.25	Good	
6/6/93 10:00	Manual Tape	361.25	Good	
6/7/93 0:00	Manual Tape	361.25	Good	
6/7/93 10:00	Manual Tape	361.25	Good	
6/8/93 0:00	Manual Tape	361.25	Good	
6/8/93 10:00	Manual Tape	361.25	Good	
6/9/93 0:00	Manual Tape	361.25	Good	
6/9/93 10:00	Manual Tape	361.25	Good	
6/10/93 0:00	Manual Tape	361.25	Good	
6/10/93 10:00	Manual Tape	361.25	Good	
6/11/93 0:00	Manual Tape	361.25	Good	
6/11/93 10:00	Manual Tape	361.25	Good	
6/12/93 0:00	Manual Tape	361.25	Good	
6/12/93 10:00	Manual Tape	361.25	Good	
6/13/93 0:00	Manual Tape	361.25	Good	
6/13/93 10:00	Manual Tape	361.25	Good	
6/14/93 0:00	Manual Tape	361.25	Good	
6/14/93 10:00	Manual Tape	361.25	Good	
6/15/93 0:00	Manual Tape	361.50	Good	
6/15/93 10:00	Manual Tape	361.5	Good	
6/16/93 0:00	Manual Tape	361.5	Good	
6/16/93 10:00	Manual Tape	361.50	Good	
6/17/93 0:00	Manual Tape	361.25	Good	
6/17/93 7:05	Auto FIC	362.7	Good	
6/17/93 10:00	Manual Tape	361.25	Good	
6/18/93 0:00	Manual Tape	361.50	Good	
6/18/93 0:00	Manual FIC	362.7	Good	
6/18/93 10:00	Manual Tape	361.50	Good	
6/19/93 0:00	Manual Tape	361.25	Good	
6/19/93 10:00	Manual Tape	361.25	Good	
6/20/93 0:00	Manual Tape	361.50	Good	
6/20/93 10:00	Manual Tape	361.50	Good	
6/21/93 0:00	Manual Tape	361.50	Good	
6/21/93 10:00	Manual Tape	361.5	Good	
6/22/93 0:00	Manual Tape	361.5	Good	
6/22/93 10:00	Manual Tape	361.50	Good	
6/23/93 0:00	Manual Tape	361.50	Good	
6/23/93 10:00	Manual Tape	361.50	Good	
6/24/93 0:00	Manual Tape	361.25	Good	
6/24/93 10:00	Manual Tape	361.25	Good	
6/25/93 0:00	Manual Tape	361.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/25/93 10:00	Manual Tape	361.5	Good	
6/26/93 0:00	Manual Tape	361.00	Good	
6/26/93 10:00	Manual Tape	361	Good	
6/27/93 0:00	Manual Tape	361	Good	
6/27/93 10:00	Manual Tape	361.00	Good	
6/28/93 0:00	Manual Tape	361.25	Good	
6/28/93 10:00	Manual Tape	361.25	Good	
6/29/93 0:00	Manual Tape	363	Good	
6/29/93 10:00	Manual Tape	363.00	Good	
6/30/93 0:00	Manual Tape	363.00	Good	
6/30/93 10:00	Manual Tape	363	Good	
7/1/93 0:00	Manual Tape	363.00	Good	
7/1/93 10:00	Manual Tape	363	Good	
7/2/93 0:00	Manual Tape	362.75	Good	
7/2/93 10:00	Manual Tape	362.75	Good	
7/3/93 0:00	Manual Tape	362.75	Good	
7/3/93 10:00	Manual Tape	362.75	Good	
7/4/93 0:00	Manual Tape	362.75	Good	
7/4/93 10:00	Manual Tape	362.75	Good	
7/5/93 0:00	Manual Tape	363	Good	
7/5/93 10:00	Manual Tape	363	Good	
7/6/93 0:00	Manual Tape	363.00	Good	
7/6/93 10:00	Manual Tape	363.00	Good	
7/7/93 0:00	Manual Tape	362.50	Good	
7/7/93 10:00	Manual Tape	362	Good	
7/8/93 0:00	Manual Tape	362.75	Good	
7/8/93 10:00	Manual Tape	362.75	Good	
7/9/93 0:00	Manual Tape	363.00	Good	
7/9/93 10:00	Manual Tape	363.00	Good	
7/10/93 0:00	Manual Tape	363.00	Good	
7/10/93 10:00	Manual Tape	363.00	Good	
7/11/93 0:00	Manual Tape	363	Good	
7/11/93 10:00	Manual Tape	363	Good	
7/11/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/12/93 0:00	Manual Tape	363.00	Good	
7/12/93 10:00	Manual Tape	363.00	Good	
7/12/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/13/93 0:00	Manual Tape	363.00	Good	
7/13/93 7:03	Auto FIC	364.20	Good	
7/13/93 10:00	Manual Tape	363.00	Good	
7/14/93 0:00	Manual Tape	363	Good	
7/14/93 7:06	Auto FIC	364.2	Good	
7/14/93 10:00	Manual Tape	363	Good	
7/15/93 0:00	Manual Tape	363.00	Good	
7/15/93 7:06	Auto FIC	364.2	Good	
7/15/93 10:00	Manual Tape	363.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/16/93 0:00	Manual Tape	363.00	Good	
7/16/93 7:06	Auto FIC	364.20	Good	
7/16/93 10:00	Manual Tape	363.00	Good	
7/17/93 0:00	Manual Tape	363	Good	
7/17/93 7:07	Auto FIC	364.3	Good	
7/17/93 10:00	Manual Tape	363.00	Good	
7/18/93 0:00	Manual Tape	363.00	Good	
7/18/93 7:06	Auto FIC	364.3	Good	
7/18/93 10:00	Manual Tape	363	Good	
7/19/93 0:00	Manual Tape	363.00	Good	
7/19/93 10:00	Manual Tape	363.00	Good	
7/19/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/20/93 0:00	Manual Tape	363.25	Good	
7/20/93 5:03	Auto FIC	364.30	Good	
7/20/93 10:00	Manual Tape	363.25	Good	
7/21/93 0:00	Manual Tape	363.00	Good	
7/21/93 7:03	Auto FIC	364.3	Good	
7/21/93 10:00	Manual Tape	363	Good	
7/22/93 0:00	Manual Tape	362.75	Good	
7/22/93 10:00	Manual Tape	362.75	Good	
7/22/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/23/93 0:00	Manual Tape	362.75	Good	
7/23/93 10:00	Manual Tape	362.75	Good	
7/23/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/24/93 0:00	Manual Tape	362.75	Good	
7/24/93 10:00	Manual Tape	362.75	Good	
7/24/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/25/93 0:00	Manual Tape	363.00	Good	
7/25/93 10:00	Manual Tape	363.00	Good	
7/25/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/26/93 0:00	Manual Tape	363	Good	
7/26/93 10:00	Manual Tape	363	Good	
7/26/93 15:04	Auto FIC	0	Suspect	Data not included in graph
7/27/93 0:00	Manual Tape	362.75	Good	
7/27/93 10:00	Manual Tape	362.75	Good	
7/27/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/28/93 0:00	Manual Tape	362.75	Good	
7/28/93 10:00	Manual Tape	362.75	Good	
7/28/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
7/29/93 0:00	Manual Tape	362.75	Good	
7/29/93 7:03	Auto FIC	0	Suspect	Data not included in graph
7/29/93 10:00	Manual Tape	362.75	Good	
7/30/93 0:00	Manual Tape	363.00	Good	
7/30/93 7:03	Auto FIC	0	Suspect	Data not included in graph
7/30/93 10:00	Manual Tape	363.00	Good	
7/31/93 0:00	Manual Tape	363.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/31/93 7:03	Auto FIC	0	Suspect	Data not included in graph
7/31/93 10:00	Manual Tape	363	Good	
8/1/93 0:00	Manual Tape	364.5	Good	
8/1/93 7:03	Auto FIC	0.00	Suspect	Data not included in graph
8/1/93 17:03	Manual Tape	364.50	Good	
8/2/93 0:00	Manual Tape	364.00	Good	
8/2/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
8/2/93 17:03	Manual Tape	364	Good	
8/3/93 0:00	Manual Tape	364.50	Good	
8/3/93 15:04	Auto FIC	0	Suspect	Data not included in graph
8/3/93 17:03	Manual Tape	364.50	Good	
8/4/93 0:00	Manual Tape	364.5	Good	
8/4/93 15:04	Auto FIC	0	Suspect	Data not included in graph
8/4/93 17:03	Manual Tape	364.50	Good	
8/5/93 0:00	Manual Tape	364.50	Good	
8/5/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
8/5/93 17:03	Manual Tape	364.5	Good	
8/6/93 0:00	Manual Tape	364.50	Good	
8/6/93 15:04	Auto FIC	0.00	Suspect	Data not included in graph
8/6/93 17:03	Manual Tape	364.50	Good	
8/7/93 0:00	Manual Tape	364.5	Good	
8/7/93 15:04	Auto FIC	0	Suspect	Data not included in graph
8/7/93 17:03	Manual Tape	364.5	Good	
8/8/93 0:00	Manual Tape	364.50	Good	
8/8/93 15:04	Auto FIC	0	Suspect	Data not included in graph
8/8/93 17:03	Manual Tape	364.50	Good	
8/9/93 0:00	Manual Tape	364.00	Good	
8/9/93 17:03	Manual Tape	364	Good	
8/10/93 0:00	Manual Tape	364	Good	
8/10/93 17:03	Manual Tape	364.00	Good	
8/11/93 0:00	Manual Tape	364.25	Good	
8/11/93 17:03	Manual Tape	364.25	Good	
8/12/93 0:00	Manual Tape	364.50	Good	
8/12/93 17:03	Manual Tape	364.25	Good	
8/13/93 0:00	Manual Tape	364.25	Good	
8/13/93 17:03	Manual Tape	364.25	Good	
8/14/93 0:00	Manual Tape	364.25	Good	
8/14/93 17:03	Manual Tape	364.25	Good	
8/15/93 0:00	Manual Tape	364.25	Good	
8/15/93 17:03	Manual Tape	364.25	Good	
8/16/93 0:00	Manual Tape	364.25	Good	
8/16/93 17:03	Manual Tape	364.25	Good	
8/17/93 0:00	Manual Tape	364.25	Good	
8/17/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/17/93 17:03	Manual Tape	364.25	Good	
8/18/93 0:00	Manual Tape	364.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/18/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/18/93 17:03	Manual Tape	364.25	Good	
8/19/93 0:00	Manual Tape	364.25	Good	
8/19/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/19/93 17:03	Manual Tape	364.25	Good	
8/20/93 0:00	Manual Tape	364.25	Good	
8/20/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/20/93 17:03	Manual Tape	364.25	Good	
8/21/93 0:00	Manual Tape	364.50	Good	
8/21/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/21/93 17:03	Manual Tape	364.50	Good	
8/22/93 0:00	Manual Tape	364.5	Good	
8/22/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/22/93 17:03	Manual Tape	364.5	Good	
8/23/93 0:00	Manual Tape	364.25	Good	
8/23/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/23/93 17:03	Manual Tape	364.25	Good	
8/24/93 0:00	Manual Tape	364.25	Good	
8/24/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/24/93 17:03	Manual Tape	364.25	Good	
8/25/93 0:00	Manual Tape	364.25	Good	
8/25/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/25/93 17:03	Manual Tape	364.25	Good	
8/26/93 0:00	Manual Tape	364.5	Good	
8/26/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/26/93 17:03	Manual Tape	364.50	Good	
8/27/93 0:00	Manual Tape	364.25	Good	
8/27/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/27/93 17:03	Manual Tape	364.25	Good	
8/28/93 0:00	Manual Tape	364.25	Good	
8/28/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/28/93 17:03	Manual Tape	364.25	Good	
8/29/93 0:00	Manual Tape	364.25	Good	
8/29/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/29/93 17:03	Manual Tape	364.25	Good	
8/30/93 0:00	Manual Tape	364.25	Good	
8/30/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
8/30/93 17:03	Manual Tape	364.25	Good	
8/31/93 0:00	Manual Tape	364.25	Good	
8/31/93 7:04	Auto FIC	0	Suspect	Data not included in graph
8/31/93 17:03	Manual Tape	364.25	Good	
9/1/93 0:00	Manual Tape	364.25	Good	
9/1/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/1/93 17:04	Manual Tape	364.25	Good	
9/2/93 0:00	Manual Tape	364.25	Good	
9/2/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/2/93 17:04	Manual Tape	364.25	Good	
9/3/93 0:00	Manual Tape	364.25	Good	
9/3/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/3/93 17:04	Manual Tape	364.25	Good	
9/4/93 0:00	Manual Tape	364.25	Good	
9/4/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/4/93 17:04	Manual Tape	364.25	Good	
9/5/93 0:00	Manual Tape	364.25	Good	
9/5/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/5/93 17:04	Manual Tape	364.25	Good	
9/6/93 0:00	Manual Tape	364.25	Good	
9/6/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/6/93 17:04	Manual Tape	364.25	Good	
9/7/93 0:00	Manual Tape	364.25	Good	
9/7/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/7/93 17:04	Manual Tape	364.25	Good	
9/8/93 0:00	Manual Tape	364.25	Good	
9/8/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/8/93 17:04	Manual Tape	364.25	Good	
9/9/93 0:00	Manual Tape	364.25	Good	
9/9/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/9/93 17:04	Manual Tape	364.25	Good	
9/10/93 0:00	Manual Tape	364.25	Good	
9/10/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/10/93 17:04	Manual Tape	364.25	Good	
9/11/93 0:00	Manual Tape	364.25	Good	
9/11/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/11/93 17:04	Manual Tape	364.25	Good	
9/12/93 0:00	Manual Tape	364.25	Good	
9/12/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/12/93 17:04	Manual Tape	364.25	Good	
9/13/93 0:00	Manual Tape	364.25	Good	
9/13/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/13/93 17:04	Manual Tape	364.25	Good	
9/14/93 0:00	Manual Tape	364.25	Good	
9/14/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/14/93 17:04	Manual Tape	364.25	Good	
9/15/93 0:00	Manual Tape	364.25	Good	
9/15/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/15/93 17:04	Manual Tape	364.25	Good	
9/16/93 0:00	Manual Tape	364.25	Good	
9/16/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/16/93 17:04	Manual Tape	364.25	Good	
9/17/93 0:00	Manual Tape	364.25	Good	
9/17/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/17/93 17:04	Manual Tape	364.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/18/93 0:00	Manual Tape	364.25	Good	
9/18/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/18/93 17:04	Manual Tape	364.25	Good	
9/19/93 0:00	Manual Tape	364.25	Good	
9/19/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/19/93 17:04	Manual Tape	364.25	Good	
9/20/93 0:00	Manual Tape	364.25	Good	
9/20/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/20/93 17:04	Manual Tape	364.25	Good	
9/21/93 0:00	Manual Tape	364.25	Good	
9/21/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/21/93 17:04	Manual Tape	364.25	Good	
9/22/93 0:00	Manual Tape	364.25	Good	
9/22/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/22/93 17:04	Manual Tape	364.25	Good	
9/23/93 0:00	Manual Tape	364.25	Good	
9/23/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/23/93 17:04	Manual Tape	364.25	Good	
9/24/93 0:00	Manual Tape	364.25	Good	
9/24/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/24/93 17:04	Manual Tape	364.25	Good	
9/25/93 0:00	Manual Tape	364.25	Good	
9/25/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/25/93 17:04	Manual Tape	364.25	Good	
9/26/93 0:00	Manual Tape	364.25	Good	
9/26/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/26/93 17:04	Manual Tape	364.25	Good	
9/27/93 0:00	Manual Tape	364.50	Good	
9/27/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/27/93 17:04	Manual Tape	364.5	Good	
9/28/93 0:00	Manual Tape	364.5	Good	
9/28/93 7:04	Auto FIC	0	Suspect	Data not included in graph
9/28/93 17:04	Manual Tape	364.50	Good	
9/29/93 0:00	Manual Tape	364.50	Good	
9/29/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
9/29/93 17:04	Manual Tape	364.50	Good	
9/30/93 0:00	Manual Tape	364.5	Good	
9/30/93 7:03	Auto FIC	0	Suspect	Data not included in graph
9/30/93 17:04	Manual Tape	364.5	Good	
10/1/93 0:00	Manual Tape	364.25	Good	
10/1/93 7:06	Auto FIC	0	Suspect	Data not included in graph
10/1/93 14:06	Manual Tape	364.25	Good	
10/2/93 0:00	Manual Tape	364.50	Good	
10/2/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/2/93 14:06	Manual Tape	364.5	Good	
10/3/93 0:00	Manual Tape	364.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/3/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/3/93 14:06	Manual Tape	364.5	Good	
10/4/93 0:00	Manual Tape	364.5	Good	
10/4/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/4/93 14:06	Manual Tape	364.50	Good	
10/5/93 0:00	Manual Tape	364.50	Good	
10/5/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/5/93 14:06	Manual Tape	364.50	Good	
10/6/93 0:00	Manual Tape	364.5	Good	
10/6/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/6/93 14:06	Manual Tape	364.5	Good	
10/7/93 0:00	Manual Tape	364.25	Good	
10/7/93 14:06	Manual Tape	364.25	Good	
10/8/93 0:00	Manual Tape	364.5	Good	
10/8/93 14:06	Manual Tape	364.50	Good	
10/9/93 0:00	Manual Tape	364.25	Good	
10/9/93 14:06	Manual Tape	364.25	Good	
10/10/93 0:00	Manual Tape	364.25	Good	
10/10/93 14:06	Manual Tape	364.25	Good	
10/11/93 0:00	Manual Tape	364.50	Good	
10/11/93 14:06	Manual Tape	364.50	Good	
10/12/93 0:00	Manual Tape	364	Good	
10/12/93 14:06	Manual Tape	364	Good	
10/13/93 0:00	Manual Tape	364.25	Good	
10/13/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/13/93 14:06	Manual Tape	364.25	Good	
10/14/93 0:00	Manual Tape	364.25	Good	
10/14/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/14/93 14:06	Manual Tape	364.25	Good	
10/15/93 0:00	Manual Tape	364.25	Good	
10/15/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/15/93 14:06	Manual Tape	364.25	Good	
10/16/93 0:00	Manual Tape	364.25	Good	
10/16/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/16/93 14:06	Manual Tape	364.25	Good	
10/17/93 0:00	Manual Tape	364.25	Good	
10/17/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/17/93 14:06	Manual Tape	364.25	Good	
10/18/93 0:00	Manual Tape	364.25	Good	
10/18/93 7:04	Auto FIC	365.5	Good	
10/18/93 14:06	Manual Tape	364.25	Good	
10/19/93 0:00	Manual Tape	364.00	Good	
10/19/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/19/93 14:06	Manual Tape	364.00	Good	
10/20/93 0:00	Manual Tape	366.5	Good	
10/20/93 7:04	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/20/93 14:06	Manual Tape	366.50	Good	
10/21/93 0:00	Manual Tape	366.50	Good	
10/21/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/21/93 14:06	Manual Tape	366.5	Good	
10/22/93 0:00	Manual Tape	366.5	Good	
10/22/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/22/93 14:06	Manual Tape	366.50	Good	
10/23/93 0:00	Manual Tape	368.00	Good	
10/23/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/23/93 14:06	Manual Tape	368.00	Good	
10/24/93 0:00	Manual Tape	367.75	Good	
10/24/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/24/93 14:06	Manual Tape	367.75	Good	
10/25/93 0:00	Manual Tape	368	Good	
10/25/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/25/93 14:06	Manual Tape	368.00	Good	
10/26/93 0:00	Manual Tape	367.75	Good	
10/26/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/26/93 14:06	Manual Tape	367.75	Good	
10/27/93 0:00	Manual Tape	367.75	Good	
10/27/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/27/93 14:06	Manual Tape	367.75	Good	
10/28/93 0:00	Manual Tape	369.25	Good	
10/28/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/28/93 14:06	Manual Tape	369.25	Good	
10/29/93 0:00	Manual Tape	369.25	Good	
10/29/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
10/29/93 14:06	Manual Tape	369.25	Good	
10/30/93 0:00	Manual Tape	369.25	Good	
10/30/93 7:04	Auto FIC	0	Suspect	Data not included in graph
10/30/93 14:06	Manual Tape	369.25	Good	
10/31/93 0:00	Manual Tape	369.25	Good	
10/31/93 7:06	Auto FIC	0	Suspect	Data not included in graph
10/31/93 14:06	Manual Tape	369.25	Good	
11/1/93 0:00	Manual Tape	369.25	Good	
11/1/93 7:06	Auto FIC	0	Suspect	Data not included in graph
11/1/93 14:06	Manual Tape	369.25	Good	
11/2/93 0:00	Manual Tape	371	Good	
11/2/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/2/93 14:06	Manual Tape	371	Good	
11/3/93 0:00	Manual Tape	371.00	Good	
11/3/93 7:06	Auto FIC	0	Suspect	Data not included in graph
11/3/93 14:06	Manual Tape	371.00	Good	
11/4/93 0:00	Manual Tape	371	Good	
11/4/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/4/93 14:06	Manual Tape	371.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/5/93 0:00	Manual Tape	371.25	Good	
11/5/93 7:06	Auto FIC	0	Suspect	Data not included in graph
11/5/93 14:06	Manual Tape	371.25	Good	
11/6/93 0:00	Manual Tape	372.5	Good	
11/6/93 7:06	Auto FIC	0.00	Suspect	Data not included in graph
11/6/93 14:06	Manual Tape	372.50	Good	
11/7/93 0:00	Manual Tape	372.50	Good	
11/7/93 7:06	Auto FIC	0	Suspect	Data not included in graph
11/7/93 14:06	Manual Tape	372.50	Good	
11/8/93 0:00	Manual Tape	372.50	Good	
11/8/93 7:06	Auto FIC	0	Suspect	Data not included in graph
11/8/93 14:06	Manual Tape	372.5	Good	
11/9/93 0:00	Manual Tape	372.25	Good	
11/9/93 7:03	Auto FIC	0	Suspect	Data not included in graph
11/9/93 14:06	Manual Tape	372.25	Good	
11/10/93 0:00	Manual Tape	372.25	Good	
11/10/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/10/93 14:06	Manual Tape	372.25	Good	
11/11/93 0:00	Manual Tape	372.50	Good	
11/11/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/11/93 14:06	Manual Tape	372.5	Good	
11/12/93 0:00	Manual Tape	374.25	Good	
11/12/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/12/93 17:04	Manual Tape	374.25	Good	
11/13/93 0:00	Manual Tape	376.00	Good	
11/13/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/13/93 17:04	Manual Tape	376.00	Good	
11/14/93 0:00	Manual Tape	375.75	Good	
11/14/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/14/93 17:04	Manual Tape	375.75	Good	
11/15/93 0:00	Manual Tape	375.75	Good	
11/15/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/15/93 17:04	Manual Tape	375.75	Good	
11/16/93 0:00	Manual Tape	375.5	Good	
11/16/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/16/93 17:04	Manual Tape	375.50	Good	
11/17/93 0:00	Manual Tape	375.75	Good	
11/17/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/17/93 17:04	Manual Tape	375.75	Good	
11/18/93 0:00	Manual Tape	375.25	Good	
11/18/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/18/93 17:04	Manual Tape	375.75	Good	
11/19/93 0:00	Manual Tape	376.75	Good	
11/19/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/19/93 17:04	Manual Tape	376.75	Good	
11/20/93 0:00	Manual Tape	376.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/20/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/20/93 17:04	Manual Tape	376.75	Good	
11/21/93 0:00	Manual Tape	377.00	Good	
11/21/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/21/93 17:04	Manual Tape	377.00	Good	
11/22/93 0:00	Manual Tape	377.25	Good	
11/22/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/22/93 17:04	Manual Tape	377.25	Good	
11/23/93 0:00	Manual Tape	377.00	Good	
11/23/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/23/93 17:04	Manual Tape	377	Good	
11/24/93 0:00	Manual Tape	376.75	Good	
11/24/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/24/93 17:04	Manual Tape	376.75	Good	
11/25/93 0:00	Manual Tape	376.75	Good	
11/25/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/25/93 17:04	Manual Tape	376.75	Good	
11/26/93 0:00	Manual Tape	376.75	Good	
11/26/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/26/93 17:04	Manual Tape	376.75	Good	
11/27/93 0:00	Manual Tape	376.75	Good	
11/27/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/27/93 17:04	Manual Tape	376.75	Good	
11/28/93 0:00	Manual Tape	376.75	Good	
11/28/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/28/93 17:04	Manual Tape	376.75	Good	
11/29/93 0:00	Manual Tape	376.75	Good	
11/29/93 7:04	Auto FIC	0	Suspect	Data not included in graph
11/29/93 17:04	Manual Tape	376.75	Good	
11/30/93 0:00	Manual Tape	377.00	Good	
11/30/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
11/30/93 17:04	Manual Tape	377	Good	
12/1/93 0:00	Manual Tape	377.00	Good	
12/1/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/1/93 17:04	Manual Tape	377	Good	
12/2/93 0:00	Manual Tape	377.25	Good	
12/2/93 7:04	Auto FIC	0	Suspect	Data not included in graph
12/2/93 17:04	Manual Tape	377.25	Good	
12/3/93 0:00	Manual Tape	377.00	Good	
12/3/93 7:04	Auto FIC	0	Suspect	Data not included in graph
12/3/93 17:04	Manual Tape	377	Good	
12/4/93 0:00	Manual Tape	377	Good	
12/4/93 7:04	Auto FIC	0.00	Suspect	Data not included in graph
12/4/93 17:04	Manual Tape	377	Good	
12/5/93 0:00	Manual Tape	377.00	Good	
12/5/93 7:04	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/5/93 17:04	Manual Tape	377.00	Good	
12/6/93 0:00	Manual Tape	377.00	Good	
12/6/93 15:04	Auto FIC	378.20	Good	
12/6/93 17:04	Manual Tape	377	Good	
12/7/93 0:00	Manual Tape	377	Good	
12/7/93 7:04	Auto FIC	378.20	Good	
12/7/93 17:04	Manual Tape	377.00	Good	
12/8/93 0:00	Manual Tape	378.25	Good	
12/8/93 7:06	Auto FIC	379.7	Good	
12/8/93 17:04	Manual Tape	378.25	Good	
12/9/93 0:00	Manual Tape	378.25	Good	
12/9/93 7:04	Auto FIC	379.8	Good	
12/9/93 17:04	Manual Tape	378.25	Good	
12/10/93 0:00	Manual Tape	378	Good	
12/10/93 0:00	Manual FIC	379.8	Good	
12/10/93 17:04	Manual Tape	378	Good	
12/11/93 0:00	Manual Tape	378.00	Good	
12/11/93 7:06	Auto FIC	379.80	Good	
12/11/93 17:04	Manual Tape	378.00	Good	
12/12/93 0:00	Manual Tape	378.25	Good	
12/12/93 7:06	Auto FIC	379.8	Good	
12/12/93 17:04	Manual Tape	378.25	Good	
12/13/93 0:00	Manual Tape	378.25	Good	
12/13/93 7:06	Auto FIC	379.80	Good	
12/13/93 17:04	Manual Tape	378.25	Good	
12/14/93 0:00	Manual Tape	377.5	Good	
12/14/93 7:06	Auto FIC	379.80	Good	
12/14/93 17:04	Manual Tape	377.50	Good	
12/15/93 0:00	Manual Tape	378.25	Good	
12/15/93 7:06	Auto FIC	379.8	Good	
12/15/93 17:04	Manual Tape	378.25	Good	
12/16/93 0:00	Manual Tape	378.50	Good	
12/16/93 7:06	Auto FIC	379.8	Good	
12/16/93 17:04	Manual Tape	378.50	Good	
12/17/93 0:00	Manual Tape	378.25	Good	
12/17/93 7:05	Auto FIC	379.8	Good	
12/17/93 17:04	Manual Tape	378.25	Good	
12/18/93 0:00	Manual Tape	378.00	Good	
12/18/93 7:06	Auto FIC	379.8	Good	
12/18/93 17:04	Manual Tape	378.00	Good	
12/19/93 0:00	Manual Tape	378	Good	
12/19/93 7:06	Auto FIC	379.80	Good	
12/19/93 17:04	Manual Tape	378	Good	
12/20/93 0:00	Manual Tape	378.00	Good	
12/20/93 7:06	Auto FIC	379.80	Good	
12/20/93 17:04	Manual Tape	378.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/21/93 0:00	Manual Tape	378.25	Good	
12/21/93 7:06	Auto FIC	379.80	Good	
12/21/93 17:04	Manual Tape	378.25	Good	
12/22/93 0:00	Manual Tape	378.50	Good	
12/22/93 7:05	Auto FIC	379.8	Good	
12/22/93 17:04	Manual Tape	378.50	Good	
12/23/93 0:00	Manual Tape	378.5	Good	
12/23/93 6:06	Auto FIC	379.8	Good	
12/23/93 17:04	Manual Tape	378.5	Good	
12/24/93 0:00	Manual Tape	378.50	Good	
12/24/93 7:06	Auto FIC	379.8	Good	
12/24/93 17:04	Manual Tape	378.5	Good	
12/25/93 0:00	Manual Tape	378.50	Good	
12/25/93 7:06	Auto FIC	379.80	Good	
12/25/93 17:04	Manual Tape	378.50	Good	
12/26/93 0:00	Manual Tape	378.5	Good	
12/26/93 7:06	Auto FIC	379.80	Good	
12/26/93 17:04	Manual Tape	378.5	Good	
12/27/93 0:00	Manual Tape	378.50	Good	
12/27/93 7:06	Auto FIC	379.80	Good	
12/27/93 17:04	Manual Tape	378.50	Good	
12/28/93 0:00	Manual Tape	378.5	Good	
12/28/93 7:06	Auto FIC	379.8	Good	
12/28/93 17:04	Manual Tape	378.50	Good	
12/29/93 0:00	Manual Tape	378.50	Good	
12/29/93 7:06	Auto FIC	379.8	Good	
12/29/93 17:04	Manual Tape	378.5	Good	
12/30/93 0:00	Manual Tape	378.5	Good	
12/30/93 7:05	Auto FIC	379.8	Good	
12/30/93 17:04	Manual Tape	378.00	Good	
12/31/93 0:00	Manual Tape	377.75	Good	
12/31/93 7:06	Auto FIC	379.80	Good	
12/31/93 17:04	Manual Tape	377.75	Good	
1/1/94 7:06	Auto FIC	379.80	Good	
1/1/94 17:06	Manual Tape	377.75	Good	
1/2/94 7:06	Auto FIC	379.7	Good	
1/2/94 17:06	Manual Tape	377.75	Good	
1/3/94 7:07	Auto FIC	379.7	Good	
1/3/94 17:06	Manual Tape	378.25	Good	
1/4/94 7:07	Auto FIC	379.70	Good	
1/4/94 17:06	Manual Tape	378.00	Good	
1/5/94 7:06	Auto FIC	379.7	Good	
1/5/94 17:06	Manual Tape	378	Good	
1/6/94 7:06	Auto FIC	379.7	Good	
1/6/94 17:06	Manual Tape	378.00	Good	
1/7/94 7:07	Auto FIC	379.70	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/7/94 17:06	Manual Tape	378.25	Good	
1/8/94 7:06	Auto FIC	379.70	Good	
1/8/94 17:06	Manual Tape	378.25	Good	
1/9/94 7:06	Auto FIC	379.7	Good	
1/9/94 17:06	Manual Tape	378.25	Good	
1/10/94 7:07	Auto FIC	379.7	Good	
1/10/94 17:06	Manual Tape	378.25	Good	
1/11/94 7:07	Auto FIC	379.7	Good	
1/11/94 17:06	Manual Tape	378.25	Good	
1/12/94 7:06	Auto FIC	379.70	Good	
1/12/94 17:06	Manual Tape	378.25	Good	
1/13/94 5:07	Auto FIC	379.70	Good	
1/13/94 17:06	Manual Tape	378	Good	
1/14/94 7:06	Auto FIC	379.70	Good	
1/14/94 17:06	Manual Tape	378.25	Good	
1/15/94 5:07	Auto FIC	379.7	Good	
1/15/94 17:06	Manual Tape	378.25	Good	
1/16/94 7:07	Auto FIC	379.7	Good	
1/16/94 17:06	Manual Tape	378.25	Good	
1/17/94 0:00	Manual Tape	378	Good	
1/17/94 7:07	Auto FIC	379.6	Good	
1/18/94 0:00	Manual Tape	378	Good	
1/18/94 7:07	Auto FIC	379.70	Good	
1/19/94 0:00	Manual Tape	378.00	Good	
1/19/94 7:07	Auto FIC	379.70	Good	
1/20/94 0:00	Manual Tape	378.00	Good	
1/20/94 7:07	Auto FIC	379.7	Good	
1/21/94 0:00	Manual Tape	378	Good	
1/21/94 7:07	Auto FIC	379.7	Good	
1/22/94 0:00	Manual Tape	378.25	Good	
1/22/94 7:08	Auto FIC	379.70	Good	
1/23/94 0:00	Manual Tape	378.25	Good	
1/23/94 7:07	Auto FIC	379.7	Good	
1/24/94 0:00	Manual Tape	378	Good	
1/24/94 7:08	Auto FIC	379.7	Good	
1/25/94 0:00	Manual Tape	378.25	Good	
1/25/94 7:07	Auto FIC	379.70	Good	
1/26/94 0:00	Manual Tape	378.00	Good	
1/26/94 7:06	Auto FIC	379.70	Good	
1/27/94 0:00	Manual Tape	378.25	Good	
1/27/94 6:06	Auto FIC	379.6	Good	
1/28/94 0:00	Manual Tape	378.00	Good	
1/28/94 7:07	Auto FIC	379.6	Good	
1/29/94 0:00	Manual Tape	378.25	Good	
1/29/94 7:07	Auto FIC	379.6	Good	
1/30/94 0:00	Manual Tape	378	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/30/94 7:06	Auto FIC	379.60	Good	
1/31/94 0:00	Manual Tape	378.25	Good	
1/31/94 7:07	Auto FIC	379.60	Good	
2/1/94 0:00	Manual Tape	378.00	Good	
2/1/94 7:06	Auto FIC	379.6	Good	
2/2/94 0:00	Manual Tape	378.25	Good	
2/2/94 7:07	Auto FIC	379.6	Good	
2/3/94 0:00	Manual Tape	378.25	Good	
2/3/94 7:07	Auto FIC	379.60	Good	
2/4/94 0:00	Manual Tape	378.50	Good	
2/4/94 7:07	Auto FIC	379.6	Good	
2/5/94 0:00	Manual Tape	378.5	Good	
2/5/94 7:07	Auto FIC	379.6	Good	
2/6/94 0:00	Manual Tape	378	Good	
2/6/94 7:07	Auto FIC	379.60	Good	
2/7/94 0:00	Manual Tape	378.00	Good	
2/7/94 7:06	Auto FIC	379.60	Good	
2/8/94 0:00	Manual Tape	378.25	Good	
2/8/94 7:07	Auto FIC	379.6	Good	
2/9/94 0:00	Manual Tape	378.25	Good	
2/9/94 7:04	Auto FIC	379.6	Good	
2/10/94 0:00	Manual Tape	378.25	Good	
2/10/94 7:04	Auto FIC	379.6	Good	
2/11/94 0:00	Manual Tape	378.50	Good	
2/11/94 7:06	Auto FIC	379.60	Good	
2/12/94 0:00	Manual Tape	378.50	Good	
2/12/94 7:03	Auto FIC	379.60	Good	
2/13/94 0:00	Manual Tape	378.25	Good	
2/13/94 7:04	Auto FIC	379.6	Good	
2/14/94 0:00	Manual Tape	378.25	Good	
2/14/94 7:04	Auto FIC	379.6	Good	
2/15/94 0:00	Manual Tape	378.50	Good	
2/15/94 7:04	Auto FIC	379.60	Good	
2/16/94 0:00	Manual Tape	378.25	Good	
2/16/94 7:03	Auto FIC	379.6	Good	
2/17/94 0:00	Manual Tape	378.25	Good	
2/17/94 7:04	Auto FIC	379.6	Good	
2/18/94 0:00	Manual Tape	378.25	Good	
2/18/94 7:06	Auto FIC	379.6	Good	
2/19/94 0:00	Manual Tape	378.25	Good	
2/19/94 7:06	Auto FIC	379.60	Good	
2/20/94 0:00	Manual Tape	378.25	Good	
2/20/94 7:07	Auto FIC	379.6	Good	
2/21/94 0:00	Manual Tape	378.25	Good	
2/21/94 7:06	Auto FIC	379.6	Good	
2/22/94 0:00	Manual Tape	378	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/22/94 7:05	Auto FIC	379.60	Good	
2/23/94 0:00	Manual Tape	378.25	Good	
2/23/94 7:06	Auto FIC	379.60	Good	
2/24/94 0:00	Manual Tape	378.25	Good	
2/24/94 7:06	Auto FIC	379.6	Good	
2/25/94 0:00	Manual Tape	378.25	Good	
2/25/94 6:06	Auto FIC	379.6	Good	
2/26/94 0:00	Manual Tape	378	Good	
2/26/94 7:07	Auto FIC	379.6	Good	
2/27/94 0:00	Manual Tape	378.00	Good	
2/27/94 7:07	Auto FIC	379.60	Good	
2/28/94 0:00	Manual Tape	378.25	Good	
2/28/94 6:06	Auto FIC	379.60	Good	
3/1/94 0:00	Manual Tape	378.00	Good	
3/1/94 7:04	Auto FIC	379.6	Good	
3/2/94 0:00	Manual Tape	378.25	Good	
3/2/94 7:06	Auto FIC	379.6	Good	
3/3/94 0:00	Manual Tape	378	Good	
3/3/94 7:06	Auto FIC	379.60	Good	
3/4/94 0:00	Manual Tape	378	Good	
3/4/94 7:04	Auto FIC	379.60	Good	
3/5/94 0:00	Manual Tape	378.00	Good	
3/5/94 7:05	Auto FIC	379.6	Good	
3/6/94 0:00	Manual Tape	378.00	Good	
3/6/94 7:05	Auto FIC	379.5	Good	
3/7/94 0:00	Manual Tape	378.00	Good	
3/7/94 7:05	Auto FIC	379.50	Good	
3/8/94 0:00	Manual Tape	378	Good	
3/8/94 7:04	Auto FIC	379.50	Good	
3/9/94 0:00	Manual Tape	378	Good	
3/9/94 7:04	Auto FIC	379.50	Good	
3/10/94 0:00	Manual Tape	377.75	Good	
3/10/94 7:05	Auto FIC	379.5	Good	
3/11/94 0:00	Manual Tape	378.50	Good	
3/11/94 7:06	Auto FIC	379.5	Good	
3/12/94 0:00	Manual Tape	378.5	Good	
3/12/94 7:06	Auto FIC	379.50	Good	
3/13/94 0:00	Manual Tape	378.50	Good	
3/13/94 7:05	Auto FIC	379.50	Good	
3/14/94 0:00	Manual Tape	378.00	Good	
3/14/94 0:00	Manual FIC	379.5	Good	
3/15/94 0:00	Manual Tape	378.25	Good	
3/15/94 7:05	Auto FIC	379.5	Good	
3/16/94 0:00	Manual Tape	378.75	Good	
3/16/94 7:04	Auto FIC	379.5	Good	
3/17/94 0:00	Manual Tape	378	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/17/94 7:05	Auto FIC	379.50	Good	
3/18/94 0:00	Manual Tape	378.00	Good	
3/18/94 7:05	Auto FIC	379.50	Good	
3/19/94 0:00	Manual Tape	378	Good	
3/19/94 7:04	Auto FIC	379.4	Good	
3/20/94 0:00	Manual Tape	378	Good	
3/20/94 7:05	Auto FIC	379.40	Good	
3/21/94 0:00	Manual Tape	378.00	Good	
3/21/94 7:05	Auto FIC	379.40	Good	
3/22/94 0:00	Manual Tape	378.50	Good	
3/22/94 7:04	Auto FIC	379.4	Good	
3/23/94 0:00	Manual Tape	378.00	Good	
3/23/94 0:00	Manual FIC	379.4	Good	
3/24/94 0:00	Manual Tape	378	Good	
3/24/94 7:04	Auto FIC	379.4	Good	
3/25/94 0:00	Manual Tape	378.00	Good	
3/25/94 7:05	Auto FIC	379.4	Good	
3/26/94 0:00	Manual Tape	378	Good	
3/26/94 7:04	Auto FIC	379.40	Good	
3/27/94 0:00	Manual Tape	378.00	Good	
3/27/94 7:04	Auto FIC	379.4	Good	
3/28/94 0:00	Manual Tape	378.25	Good	
3/28/94 7:04	Auto FIC	379.4	Good	
3/29/94 0:00	Manual Tape	378	Good	
3/29/94 7:03	Auto FIC	379.4	Good	
3/30/94 0:00	Manual Tape	378.00	Good	
3/30/94 0:00	Manual FIC	379.4	Good	
3/30/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/31/94 0:00	Manual Tape	378.25	Good	
3/31/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/1/94 0:00	Manual Tape	378.25	Good	
4/2/94 0:00	Manual Tape	378.25	Good	
4/2/94 7:07	Auto FIC	0	Suspect	Data not included in graph
4/3/94 0:00	Manual Tape	378.25	Good	
4/3/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/4/94 0:00	Manual Tape	378.25	Good	
4/4/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/5/94 0:00	Manual Tape	378.25	Good	
4/5/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/6/94 0:00	Manual Tape	378.25	Good	
4/6/94 7:06	Auto FIC	0	Suspect	Data not included in graph
4/7/94 0:00	Manual Tape	378.25	Good	
4/7/94 7:07	Auto FIC	0	Suspect	Data not included in graph
4/8/94 0:00	Manual Tape	378.25	Good	
4/8/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/9/94 0:00	Manual Tape	378.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/9/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
4/10/94 0:00	Manual Tape	378	Good	
4/10/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/11/94 0:00	Manual Tape	377.75	Good	
4/11/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/12/94 0:00	Manual Tape	378.00	Good	
4/12/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/13/94 0:00	Manual Tape	378	Good	
4/13/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/14/94 0:00	Manual Tape	377.75	Good	
4/14/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/15/94 0:00	Manual Tape	378	Good	
4/15/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/16/94 0:00	Manual Tape	378.00	Good	
4/16/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/17/94 0:00	Manual Tape	378.00	Good	
4/17/94 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/18/94 0:00	Manual Tape	378.25	Good	
4/18/94 7:03	Auto FIC	0	Suspect	Data not included in graph
4/19/94 0:00	Manual Tape	378.25	Good	
4/20/94 0:00	Manual Tape	378.00	Good	
4/20/94 7:04	Auto FIC	0	Suspect	Data not included in graph
4/21/94 0:00	Manual Tape	378	Good	
4/21/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
4/22/94 0:00	Manual Tape	378.25	Good	
4/22/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
4/23/94 0:00	Manual Tape	378.25	Good	
4/23/94 7:05	Auto FIC	0	Suspect	Data not included in graph
4/24/94 0:00	Manual Tape	378.25	Good	
4/24/94 7:04	Auto FIC	0	Suspect	Data not included in graph
4/25/94 0:00	Manual Tape	377.50	Good	
4/25/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
4/26/94 0:00	Manual Tape	377.75	Good	
4/26/94 7:07	Auto FIC	0.00	Suspect	Data not included in graph
4/27/94 0:00	Manual Tape	377.75	Good	
4/27/94 7:04	Auto FIC	0	Suspect	Data not included in graph
4/28/94 0:00	Manual Tape	378	Good	
4/28/94 7:05	Auto FIC	0.00	Suspect	Data not included in graph
4/29/94 0:00	Manual Tape	378.25	Good	
4/29/94 0:00	Manual FIC	379.3	Good	
4/29/94 7:04	Auto FIC	0.00	Suspect	Data not included in graph
4/30/94 0:00	Manual Tape	378.00	Good	
4/30/94 7:05	Auto FIC	379.3	Good	
5/1/94 0:00	Manual Tape	378	Good	
5/1/94 0:00	Manual FIC	379.3	Good	
5/1/94 7:05	Auto FIC	379.3	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/2/94 0:00	Manual Tape	378	Good	
5/2/94 0:00	Manual FIC	379.3	Good	
5/2/94 7:05	Auto FIC	379.3	Good	
5/3/94 0:00	Manual Tape	378	Good	
5/3/94 0:00	Manual FIC	379.3	Good	
5/3/94 7:05	Auto FIC	379.30	Good	
5/4/94 0:00	Manual Tape	377.75	Good	
5/4/94 0:00	Manual FIC	379.3	Good	
5/4/94 7:05	Auto FIC	379.30	Good	
5/5/94 0:00	Manual Tape	378	Good	
5/5/94 0:00	Manual FIC	379.3	Good	
5/5/94 7:03	Auto FIC	379.3	Good	
5/6/94 0:00	Manual Tape	378	Good	
5/6/94 7:03	Auto FIC	379.3	Good	
5/7/94 0:00	Manual Tape	378	Good	
5/7/94 7:03	Auto FIC	379.30	Good	
5/8/94 0:00	Manual Tape	378.00	Good	
5/8/94 7:03	Auto FIC	379.30	Good	
5/9/94 0:00	Manual Tape	378	Good	
5/9/94 7:03	Auto FIC	379.3	Good	
5/10/94 0:00	Manual Tape	378	Good	
5/10/94 7:03	Auto FIC	379.3	Good	
5/11/94 0:00	Manual Tape	377.75	Good	
5/11/94 7:03	Auto FIC	379.30	Good	
5/12/94 0:00	Manual Tape	377.50	Good	
5/12/94 6:03	Auto FIC	379.30	Good	
5/13/94 0:00	Manual Tape	377.75	Good	
5/13/94 7:03	Auto FIC	379.3	Good	
5/14/94 0:00	Manual Tape	377.75	Good	
5/14/94 7:03	Auto FIC	379.3	Good	
5/15/94 0:00	Manual Tape	377.75	Good	
5/15/94 7:06	Auto FIC	379.30	Good	
5/16/94 0:00	Manual Tape	377.50	Good	
5/16/94 7:02	Auto FIC	379.3	Good	
5/17/94 0:00	Manual Tape	377.75	Good	
5/17/94 7:03	Auto FIC	379.3	Good	
5/18/94 0:00	Manual Tape	377.75	Good	
5/18/94 7:03	Auto FIC	379.30	Good	
5/19/94 0:00	Manual Tape	378.25	Good	
5/19/94 7:03	Auto FIC	379.30	Good	
5/20/94 0:00	Manual Tape	378.25	Good	
5/20/94 7:03	Auto FIC	379.3	Good	
5/21/94 0:00	Manual Tape	378	Good	
5/21/94 7:05	Auto FIC	379.3	Good	
5/22/94 0:00	Manual Tape	377.75	Good	
5/22/94 7:05	Auto FIC	379.30	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/23/94 0:00	Manual Tape	378.5	Good	
5/23/94 7:04	Auto FIC	379.30	Good	
5/24/94 0:00	Manual Tape	378.00	Good	
5/24/94 7:04	Auto FIC	379.3	Good	
5/25/94 0:00	Manual Tape	378.00	Good	
5/25/94 7:04	Auto FIC	379.3	Good	
5/26/94 0:00	Manual Tape	378.25	Good	
5/26/94 6:05	Auto FIC	379.3	Good	
5/27/94 0:00	Manual Tape	377.75	Good	
5/27/94 7:03	Auto FIC	379.30	Good	
5/28/94 0:00	Manual Tape	378	Good	
5/28/94 7:03	Auto FIC	379.30	Good	
5/29/94 0:00	Manual Tape	377.75	Good	
5/29/94 7:03	Auto FIC	379.3	Good	
5/30/94 0:00	Manual Tape	377.75	Good	
5/30/94 0:00	Manual FIC	379.3	Good	
5/30/94 7:02	Auto FIC	379.30	Good	
5/31/94 0:00	Manual Tape	377.50	Good	
5/31/94 0:00	Manual FIC	379.3	Good	
5/31/94 7:03	Auto FIC	379.30	Good	
6/1/94 0:00	Manual Tape	378	Good	
6/1/94 7:03	Auto FIC	379.3	Good	
6/2/94 0:00	Manual Tape	377.50	Good	
6/2/94 7:03	Auto FIC	379.3	Good	
6/3/94 0:00	Manual Tape	377.75	Good	
6/3/94 0:00	Manual FIC	379.3	Good	
6/4/94 0:00	Manual Tape	378	Good	
6/4/94 7:04	Auto FIC	379.3	Good	
6/5/94 0:00	Manual Tape	378	Good	
6/5/94 7:03	Auto FIC	379.30	Good	
6/6/94 0:00	Manual Tape	378	Good	
6/6/94 7:06	Auto FIC	379.30	Good	
6/7/94 0:00	Manual Tape	378	Good	
6/7/94 7:02	Auto FIC	379.3	Good	
6/8/94 0:00	Manual Tape	378.25	Good	
6/8/94 7:03	Auto FIC	379.3	Good	
6/9/94 0:00	Manual Tape	378.25	Good	
6/9/94 0:00	Manual FIC	379.3	Good	
6/10/94 0:00	Manual Tape	378	Good	
6/10/94 7:04	Auto FIC	379.30	Good	
6/11/94 0:00	Manual Tape	378.25	Good	
6/11/94 7:04	Auto FIC	379.30	Good	
6/12/94 0:00	Manual Tape	378.50	Good	
6/12/94 7:03	Auto FIC	379.3	Good	
6/13/94 0:00	Manual Tape	378	Good	
6/13/94 7:02	Auto FIC	379.3	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/14/94 0:00	Manual Tape	378.00	Good	
6/14/94 7:03	Auto FIC	379.30	Good	
6/15/94 0:00	Manual Tape	377.75	Good	
6/15/94 7:03	Auto FIC	379.30	Good	
6/16/94 0:00	Manual Tape	378.25	Good	
6/16/94 7:03	Auto FIC	379.3	Good	
6/17/94 0:00	Manual Tape	378	Good	
6/17/94 7:03	Auto FIC	379.30	Good	
6/18/94 0:00	Manual Tape	378.00	Good	
6/18/94 7:04	Auto FIC	381.20	Good	
6/19/94 0:00	Manual Tape	379.75	Good	
6/19/94 7:04	Auto FIC	381.1	Good	
6/20/94 0:00	Manual Tape	379.75	Good	
6/20/94 7:04	Auto FIC	381.2	Good	
6/21/94 0:00	Manual Tape	380.00	Good	
6/21/94 7:04	Auto FIC	381.20	Good	
6/22/94 0:00	Manual Tape	379.75	Good	
6/22/94 7:03	Auto FIC	381.20	Good	
6/23/94 0:00	Manual Tape	380	Good	
6/23/94 7:05	Auto FIC	381.20	Good	
6/24/94 0:00	Manual Tape	380	Good	
6/24/94 7:06	Auto FIC	381.1	Good	
6/25/94 0:00	Manual Tape	380	Good	
6/25/94 7:05	Auto FIC	381.2	Good	
6/26/94 0:00	Manual Tape	379.50	Good	
6/26/94 7:06	Auto FIC	381.10	Good	
6/27/94 0:00	Manual Tape	380.00	Good	
6/27/94 7:06	Auto FIC	381.1	Good	
6/28/94 0:00	Manual Tape	379.75	Good	
6/28/94 7:06	Auto FIC	381.1	Good	
6/29/94 0:00	Manual Tape	379.75	Good	
6/29/94 7:03	Auto FIC	381.20	Good	
6/30/94 0:00	Manual Tape	379.50	Good	
6/30/94 7:04	Auto FIC	381.10	Good	
7/1/94 0:00	Manual Tape	379.75	Good	
7/1/94 7:04	Auto FIC	381.10	Good	
7/2/94 0:00	Manual Tape	379.50	Good	
7/2/94 7:04	Auto FIC	381.1	Good	
7/3/94 0:00	Manual Tape	379.5	Good	
7/3/94 7:04	Auto FIC	381.1	Good	
7/4/94 0:00	Manual Tape	379.75	Good	
7/4/94 7:04	Auto FIC	381.10	Good	
7/5/94 0:00	Manual Tape	379.00	Good	
7/5/94 7:03	Auto FIC	381.1	Good	
7/6/94 0:00	Manual Tape	380.00	Good	
7/6/94 7:05	Auto FIC	381.1	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/7/94 0:00	Manual Tape	379.75	Good	
7/7/94 7:03	Auto FIC	381.10	Good	
7/8/94 0:00	Manual Tape	379.75	Good	
7/8/94 7:03	Auto FIC	381.10	Good	
7/9/94 0:00	Manual Tape	380.00	Good	
7/9/94 7:03	Auto FIC	381.20	Good	
7/10/94 0:00	Manual Tape	379.75	Good	
7/10/94 7:03	Auto FIC	381.1	Good	
7/11/94 0:00	Manual Tape	377.25	Good	
7/11/94 7:03	Auto FIC	381.1	Good	
7/12/94 0:00	Manual Tape	380	Good	
7/12/94 7:03	Auto FIC	381.10	Good	
7/13/94 0:00	Manual Tape	380	Good	
7/13/94 7:03	Auto FIC	381.1	Good	
7/14/94 0:00	Manual Tape	380.00	Good	
7/14/94 7:04	Auto FIC	381.1	Good	
7/15/94 0:00	Manual Tape	380.00	Good	
7/15/94 7:04	Auto FIC	381.1	Good	
7/16/94 0:00	Manual Tape	380	Good	
7/16/94 7:04	Auto FIC	381.10	Good	
7/17/94 0:00	Manual Tape	380	Good	
7/17/94 7:04	Auto FIC	381.1	Good	
7/18/94 0:00	Manual Tape	380.00	Good	
7/18/94 0:00	Manual FIC	381.1	Good	
7/19/94 0:00	Manual Tape	380	Good	
7/19/94 7:03	Auto FIC	381.1	Good	
7/20/94 0:00	Manual Tape	380	Good	
7/20/94 7:03	Auto FIC	381.10	Good	
7/21/94 0:00	Manual Tape	380.00	Good	
7/21/94 7:03	Auto FIC	381.10	Good	
7/22/94 0:00	Manual Tape	380.00	Good	
7/22/94 7:03	Auto FIC	381.10	Good	
7/23/94 0:00	Manual Tape	380	Good	
7/23/94 7:03	Auto FIC	381.1	Good	
7/24/94 0:00	Manual Tape	380.00	Good	
7/24/94 7:03	Auto FIC	381.1	Good	
7/25/94 0:00	Manual Tape	380.00	Good	
7/25/94 7:03	Auto FIC	381.10	Good	
7/26/94 0:00	Manual Tape	379.75	Suspect	Data not included in graph
7/26/94 7:03	Auto FIC	381.10	Good	
7/26/94 12:00	Manual Tape	376.50	Suspect	Data not included in graph
7/27/94 7:03	Auto FIC	381.1	Good	
7/27/94 12:00	Manual Tape	378.50	Good	
7/28/94 7:04	Auto FIC	381.10	Good	
7/28/94 12:00	Manual Tape	379	Good	
7/29/94 7:04	Auto FIC	381.10	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/29/94 12:00	Manual Tape	379.00	Good	
7/30/94 7:04	Auto FIC	381.1	Good	
7/30/94 12:00	Manual Tape	379.75	Good	
7/31/94 12:00	Manual Tape	379.75	Good	
7/31/94 23:03	Auto FIC	381.1	Good	
8/1/94 7:03	Auto FIC	381.1	Good	
8/1/94 12:00	Manual Tape	379.50	Good	
8/2/94 7:03	Auto FIC	381.10	Good	
8/2/94 12:00	Manual Tape	379.75	Good	
8/3/94 7:03	Auto FIC	381.10	Good	
8/3/94 12:00	Manual Tape	379.75	Good	
8/4/94 7:02	Auto FIC	0	Suspect	Data not included in graph
8/4/94 12:00	Manual Tape	379.75	Good	
8/4/94 12:00	Manual FIC	381.1	Good	
8/5/94 7:03	Auto FIC	381.10	Good	
8/5/94 12:00	Manual Tape	379.75	Good	
8/6/94 7:03	Auto FIC	381.10	Good	
8/6/94 12:00	Manual Tape	379.75	Good	
8/7/94 7:04	Auto FIC	381.1	Good	
8/7/94 12:00	Manual Tape	379.50	Good	
8/8/94 7:12	Auto FIC	0	Suspect	Data not included in graph
8/8/94 12:00	Manual Tape	379.75	Good	
8/8/94 12:00	Manual FIC	381.1	Good	
8/9/94 7:06	Auto FIC	381.1	Good	
8/9/94 12:00	Manual Tape	380.00	Good	
8/10/94 7:04	Auto FIC	381.10	Good	
8/10/94 12:00	Manual Tape	379.50	Good	
8/11/94 7:04	Auto FIC	381.10	Good	
8/11/94 12:00	Manual Tape	378.75	Good	
8/12/94 7:04	Auto FIC	381.1	Good	
8/12/94 12:00	Manual Tape	379.5	Good	
8/13/94 7:03	Auto FIC	381.10	Good	
8/13/94 12:00	Manual Tape	379.50	Good	
8/14/94 7:06	Auto FIC	381.10	Good	
8/14/94 12:00	Manual Tape	379.50	Good	
8/15/94 7:06	Auto FIC	381.1	Good	
8/15/94 12:00	Manual Tape	379.75	Good	
8/16/94 7:06	Auto FIC	381.1	Good	
8/16/94 12:00	Manual Tape	379.75	Good	
8/17/94 7:06	Auto FIC	381.1	Good	
8/17/94 12:00	Manual Tape	379.75	Good	
8/18/94 7:06	Auto FIC	381.1	Good	
8/18/94 12:00	Manual Tape	379.75	Good	
8/19/94 6:06	Auto FIC	381.10	Good	
8/19/94 12:00	Manual Tape	379.75	Good	
8/20/94 7:04	Auto FIC	381.10	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/20/94 12:00	Manual Tape	379.50	Good	
8/21/94 7:04	Auto FIC	382.70	Good	
8/21/94 12:00	Manual Tape	381.5	Good	
8/22/94 6:04	Auto FIC	382.7	Good	
8/22/94 12:00	Manual Tape	381.5	Good	
8/23/94 7:04	Auto FIC	382.7	Good	
8/23/94 12:00	Manual Tape	381.25	Good	
8/24/94 7:04	Auto FIC	382.70	Good	
8/24/94 12:00	Manual Tape	381.25	Good	
8/25/94 7:03	Auto FIC	382.70	Good	
8/25/94 12:00	Manual Tape	381.25	Good	
8/26/94 7:06	Auto FIC	382.7	Good	
8/26/94 12:00	Manual Tape	381.25	Good	
8/27/94 7:04	Auto FIC	382.9	Good	
8/27/94 12:00	Manual Tape	395.5	Good	
8/28/94 7:04	Auto FIC	384.30	Good	
8/28/94 12:00	Manual Tape	419.00	Suspect	Data not included in graph
8/29/94 7:04	Auto FIC	384.3	Good	
8/29/94 12:00	Manual Tape	395.00	Good	
8/30/94 7:04	Auto FIC	384.3	Good	
8/30/94 12:00	Manual Tape	383	Good	
8/31/94 7:04	Auto FIC	384.3	Good	
8/31/94 12:00	Manual Tape	383.00	Good	
9/1/94 7:04	Auto FIC	384.30	Good	
9/1/94 12:00	Manual Tape	383.00	Good	
9/2/94 7:06	Auto FIC	386.00	Good	
9/2/94 12:00	Manual Tape	384.75	Good	
9/3/94 12:00	Manual Tape	386.5	Good	
9/3/94 23:04	Auto FIC	387.7	Good	
9/4/94 7:04	Auto FIC	387.70	Good	
9/4/94 12:00	Manual Tape	385.75	Good	
9/5/94 7:04	Auto FIC	387.70	Good	
9/5/94 12:00	Manual Tape	385.75	Good	
9/6/94 7:03	Auto FIC	387.7	Good	
9/6/94 12:00	Manual Tape	385.75	Good	
9/7/94 7:03	Auto FIC	387.7	Good	
9/7/94 12:00	Manual Tape	386	Good	
9/8/94 7:04	Auto FIC	387.7	Good	
9/8/94 12:00	Manual Tape	386.00	Good	
9/9/94 7:03	Auto FIC	387.70	Good	
9/9/94 12:00	Manual Tape	386.00	Good	
9/10/94 7:04	Auto FIC	387.70	Good	
9/10/94 12:00	Manual Tape	386.00	Good	
9/11/94 7:03	Auto FIC	387.7	Good	
9/11/94 12:00	Manual Tape	386.5	Good	
9/12/94 7:03	Auto FIC	387.70	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/12/94 12:00	Manual Tape	386.00	Good	
9/13/94 7:02	Auto FIC	387.70	Good	
9/13/94 12:00	Manual Tape	386.50	Good	
9/14/94 7:03	Auto FIC	387.7	Good	
9/14/94 12:00	Manual Tape	386.50	Good	
9/15/94 7:03	Auto FIC	387.6	Good	
9/15/94 12:00	Manual Tape	386.5	Good	
9/16/94 7:02	Auto FIC	389.3	Good	
9/16/94 12:00	Manual Tape	388.00	Good	
9/17/94 7:03	Auto FIC	389.30	Good	
9/17/94 12:00	Manual Tape	388.00	Good	
9/18/94 7:02	Auto FIC	389.30	Good	
9/18/94 12:00	Manual Tape	387.25	Good	
9/19/94 7:03	Auto FIC	389.3	Good	
9/19/94 12:00	Manual Tape	387.25	Good	
9/20/94 7:03	Auto FIC	391.00	Good	
9/20/94 12:00	Manual Tape	389.75	Good	
9/21/94 7:04	Auto FIC	391.00	Good	
9/21/94 12:00	Manual Tape	389.75	Good	
9/22/94 7:03	Auto FIC	391	Good	
9/22/94 12:00	Manual Tape	389.25	Good	
9/23/94 7:04	Auto FIC	391	Good	
9/23/94 12:00	Manual Tape	389.75	Good	
9/24/94 7:04	Auto FIC	391	Good	
9/24/94 12:00	Manual Tape	389.75	Good	
9/25/94 7:03	Auto FIC	391.00	Good	
9/25/94 12:00	Manual Tape	389.75	Good	
9/26/94 7:04	Auto FIC	391.00	Good	
9/26/94 12:00	Manual Tape	389.50	Good	
9/27/94 7:04	Auto FIC	391	Good	
9/27/94 12:00	Manual Tape	389.25	Good	
9/28/94 7:03	Auto FIC	391.00	Good	
9/28/94 12:00	Manual Tape	390.00	Good	
9/29/94 7:04	Auto FIC	391.00	Good	
9/29/94 12:00	Manual Tape	389.50	Good	
9/30/94 7:04	Auto FIC	391	Good	
9/30/94 12:00	Manual Tape	389.75	Good	
10/1/94 7:06	Auto FIC	391	Good	
10/1/94 12:00	Manual Tape	389.5	Good	
10/2/94 7:05	Auto FIC	391	Good	
10/2/94 12:00	Manual Tape	389.5	Good	
10/3/94 7:04	Auto FIC	391.00	Good	
10/3/94 12:00	Manual Tape	389.00	Good	
10/4/94 7:04	Auto FIC	391.00	Good	
10/4/94 12:00	Manual Tape	389.25	Good	
10/5/94 7:04	Auto FIC	391	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/5/94 12:00	Manual Tape	389.25	Good	
10/6/94 7:04	Auto FIC	391.00	Good	
10/6/94 12:00	Manual Tape	390.00	Good	
10/7/94 6:04	Auto FIC	391.00	Good	
10/7/94 12:00	Manual Tape	389.50	Good	
10/8/94 7:03	Auto FIC	391	Good	
10/8/94 12:00	Manual Tape	389.5	Good	
10/9/94 7:06	Auto FIC	391	Good	
10/9/94 12:00	Manual Tape	389.75	Good	
10/10/94 7:05	Auto FIC	391	Good	
10/10/94 12:00	Manual Tape	389.75	Good	
10/11/94 7:03	Auto FIC	391.00	Good	
10/11/94 12:00	Manual Tape	389.75	Good	
10/12/94 7:06	Auto FIC	391.00	Good	
10/12/94 12:00	Manual Tape	390.00	Good	
10/13/94 7:05	Auto FIC	391	Good	
10/13/94 12:00	Manual Tape	389.75	Good	
10/14/94 7:06	Auto FIC	391.00	Good	
10/14/94 12:00	Manual Tape	389.75	Good	
10/15/94 7:06	Auto FIC	391.00	Good	
10/15/94 12:00	Manual Tape	389.75	Good	
10/16/94 7:06	Auto FIC	391	Good	
10/16/94 12:00	Manual Tape	389.50	Good	
10/17/94 7:06	Auto FIC	390.9	Good	
10/17/94 12:00	Manual Tape	389.75	Good	
10/18/94 7:06	Auto FIC	390.9	Good	
10/18/94 12:00	Manual Tape	389.75	Good	
10/19/94 7:06	Auto FIC	390.90	Good	
10/19/94 12:00	Manual Tape	389.75	Good	
10/20/94 5:07	Auto FIC	390.90	Good	
10/20/94 12:00	Manual Tape	389.75	Good	
10/21/94 7:06	Auto FIC	390.9	Good	
10/21/94 12:00	Manual Tape	389.75	Good	
10/22/94 12:00	Manual Tape	390.00	Good	
10/22/94 23:06	Auto FIC	390.9	Good	
10/23/94 7:06	Auto FIC	390.9	Good	
10/23/94 12:00	Manual Tape	389.75	Good	
10/24/94 7:06	Auto FIC	390.90	Good	
10/24/94 12:00	Manual Tape	389.75	Good	
10/25/94 7:06	Auto FIC	390.90	Good	
10/25/94 12:00	Manual Tape	389.75	Good	
10/26/94 7:06	Auto FIC	390.9	Good	
10/26/94 12:00	Manual Tape	390.00	Good	
10/27/94 7:06	Auto FIC	390.9	Good	
10/27/94 12:00	Manual Tape	390	Good	
10/28/94 7:04	Auto FIC	390.9	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/28/94 12:00	Manual Tape	389.50	Good	
10/29/94 12:00	Manual Tape	390.00	Good	
10/29/94 12:00	Manual FIC	390.85	Good	
10/30/94 12:00	Manual Tape	390.00	Good	
10/30/94 23:04	Auto FIC	390.80	Good	
10/31/94 7:05	Auto FIC	390.8	Good	
10/31/94 12:00	Manual Tape	390	Good	
11/1/94 12:00	Manual Tape	390.00	Good	
11/1/94 23:04	Auto FIC	390.9	Good	
11/2/94 7:03	Auto FIC	390.9	Good	
11/2/94 12:00	Manual Tape	390.00	Good	
11/3/94 7:04	Auto FIC	390.80	Good	
11/3/94 12:00	Manual Tape	389.75	Good	
11/4/94 7:03	Auto FIC	390.8	Good	
11/4/94 12:00	Manual Tape	389.75	Good	
11/5/94 7:03	Auto FIC	390.8	Good	
11/5/94 12:00	Manual Tape	389.75	Good	
11/6/94 7:04	Auto FIC	390.8	Good	
11/6/94 12:00	Manual Tape	389.75	Good	
11/7/94 7:04	Auto FIC	390.80	Good	
11/7/94 12:00	Manual Tape	389.50	Good	
11/8/94 7:03	Auto FIC	390.8	Good	
11/8/94 11:02	Manual Tape	389.75	Good	
11/9/94 7:05	Auto FIC	390.8	Good	
11/9/94 11:02	Manual Tape	389.75	Good	
11/10/94 7:03	Auto FIC	390.8	Good	
11/10/94 11:02	Manual Tape	389.75	Good	
11/11/94 7:03	Auto FIC	390.80	Good	
11/11/94 11:02	Manual Tape	389.75	Good	
11/12/94 7:03	Auto FIC	392.50	Good	
11/12/94 11:02	Manual Tape	391.50	Good	
11/13/94 7:04	Auto FIC	392.4	Good	
11/13/94 11:02	Manual Tape	391.00	Good	
11/14/94 7:03	Auto FIC	392.40	Good	
11/14/94 11:02	Manual Tape	391.25	Good	
11/15/94 7:04	Auto FIC	392.40	Good	
11/15/94 12:00	Manual Tape	391.25	Good	
11/16/94 7:06	Auto FIC	394.10	Good	
11/16/94 12:00	Manual Tape	393	Good	
11/17/94 7:04	Auto FIC	394.1	Good	
11/17/94 12:00	Manual Tape	393.00	Good	
11/18/94 7:04	Auto FIC	395.8	Good	
11/18/94 12:00	Manual Tape	394.75	Good	
11/19/94 7:03	Auto FIC	395.80	Good	
11/19/94 12:00	Manual Tape	394.50	Good	
11/20/94 7:03	Auto FIC	397.4	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/21/94 7:04	Auto FIC	397.4	Good	
11/21/94 12:00	Manual Tape	396.5	Good	
11/22/94 7:03	Auto FIC	397.4	Good	
11/22/94 12:00	Manual Tape	397.00	Good	
11/23/94 12:00	Manual Tape	396.75	Good	
11/23/94 12:00	Manual FIC	397.4	Good	
11/24/94 12:00	Manual Tape	308.50	Good	
11/24/94 23:03	Auto FIC	290.60	Good	
11/25/94 12:00	Manual Tape	289.5	Good	
11/25/94 23:03	Auto FIC	290.6	Good	
11/26/94 7:03	Auto FIC	290.6	Good	
11/26/94 12:00	Manual Tape	289.50	Good	
11/27/94 7:04	Auto FIC	290.60	Good	
11/27/94 12:00	Manual Tape	289.5	Good	
11/28/94 7:04	Auto FIC	290.60	Good	
11/28/94 12:00	Manual Tape	289.75	Good	
11/29/94 7:04	Auto FIC	290.6	Good	
11/29/94 12:00	Manual Tape	289.75	Good	
11/30/94 7:03	Auto FIC	290.6	Good	
11/30/94 12:00	Manual Tape	289.75	Good	
12/1/94 6:05	Auto FIC	234.1	Good	
12/1/94 12:00	Manual Tape	223	Good	
12/2/94 7:03	Auto FIC	142.00	Good	
12/2/94 12:00	Manual Tape	134.5	Good	
12/3/94 6:04	Auto FIC	119.20	Good	
12/3/94 12:00	Manual Tape	118.25	Good	
12/4/94 7:03	Auto FIC	119.2	Good	
12/4/94 12:00	Manual Tape	118.25	Good	
12/5/94 7:03	Auto FIC	119.2	Good	
12/5/94 12:00	Manual Tape	118.25	Good	
12/6/94 7:04	Auto FIC	121.10	Good	
12/6/94 12:00	Manual Tape	118	Good	
12/7/94 7:03	Auto FIC	121.1	Good	
12/7/94 12:00	Manual Tape	120	Good	
12/8/94 5:03	Auto FIC	121.1	Good	
12/8/94 12:00	Manual Tape	118.00	Good	
12/9/94 7:03	Auto FIC	121.1	Good	
12/9/94 12:00	Manual Tape	120.5	Good	
12/10/94 7:04	Auto FIC	121.10	Good	
12/10/94 12:00	Manual Tape	120.5	Good	
12/11/94 7:04	Auto FIC	121.1	Good	
12/11/94 12:00	Manual Tape	120	Good	
12/12/94 7:03	Auto FIC	121.1	Good	
12/12/94 12:00	Manual Tape	120	Good	
12/13/94 7:03	Auto FIC	121.1	Good	
12/13/94 12:00	Manual Tape	118.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/14/94 7:04	Auto FIC	121.10	Good	
12/14/94 12:00	Manual Tape	120.25	Good	
12/15/94 7:03	Auto FIC	121.1	Good	
12/15/94 12:00	Manual Tape	120.25	Good	
12/16/94 7:03	Auto FIC	121.1	Good	
12/16/94 12:00	Manual Tape	120.25	Good	
12/17/94 7:06	Auto FIC	121.1	Good	
12/17/94 12:00	Manual Tape	120.25	Good	
12/18/94 7:04	Auto FIC	121.10	Good	
12/18/94 12:00	Manual Tape	118	Good	
12/19/94 7:04	Auto FIC	121.1	Good	
12/19/94 12:00	Manual Tape	118.125	Good	
12/20/94 7:04	Auto FIC	121.7	Good	
12/20/94 12:00	Manual Tape	118.75	Good	
12/21/94 7:04	Auto FIC	121.7	Good	
12/21/94 12:00	Manual Tape	118.75	Good	
12/22/94 7:05	Auto FIC	121.80	Good	
12/22/94 12:00	Manual Tape	120.75	Good	
12/23/94 7:03	Auto FIC	123.6	Good	
12/23/94 12:00	Manual Tape	122.75	Good	
12/24/94 7:04	Auto FIC	124.3	Good	
12/24/94 12:00	Manual Tape	123.25	Good	
12/25/94 7:03	Auto FIC	124.4	Good	
12/25/94 12:00	Manual Tape	123.5	Good	
12/26/94 7:03	Auto FIC	124.40	Good	
12/26/94 12:00	Manual Tape	123.50	Good	
12/27/94 7:04	Auto FIC	124.40	Good	
12/27/94 12:00	Manual Tape	123.25	Good	
12/28/94 7:04	Auto FIC	124.4	Good	
12/28/94 12:00	Manual Tape	123.5	Good	
12/29/94 7:04	Auto FIC	124.40	Good	
12/29/94 12:00	Manual Tape	123.25	Good	
12/30/94 7:04	Auto FIC	124.30	Good	
12/30/94 12:00	Manual Tape	123.25	Good	
12/31/94 7:04	Auto FIC	124.30	Good	
12/31/94 12:00	Manual Tape	123.5	Good	
1/1/95 7:04	Auto FIC	124.3	Good	
1/1/95 12:00	Manual Tape	123.50	Good	
1/2/95 7:03	Auto FIC	124.3	Good	
1/2/95 12:00	Manual Tape	123.5	Good	
1/3/95 7:02	Auto FIC	124.30	Good	
1/3/95 12:00	Manual Tape	123.25	Good	
1/4/95 7:03	Auto FIC	124.3	Good	
1/4/95 12:00	Manual Tape	123.5	Good	
1/5/95 7:04	Auto FIC	124.3	Good	
1/5/95 12:00	Manual Tape	123.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/6/95 7:04	Auto FIC	124.3	Good	
1/6/95 12:00	Manual Tape	123.5	Good	
1/7/95 7:04	Auto FIC	126.30	Good	
1/7/95 12:00	Manual Tape	125.50	Good	
1/8/95 12:00	Manual Tape	125.5	Good	
1/8/95 23:03	Auto FIC	126.3	Good	
1/9/95 7:05	Auto FIC	126.3	Good	
1/9/95 12:00	Manual Tape	125.5	Good	
1/10/95 7:06	Auto FIC	126.30	Good	
1/10/95 12:00	Manual Tape	125.5	Good	
1/11/95 7:07	Auto FIC	126.40	Good	
1/11/95 12:00	Manual Tape	125.5	Good	
1/12/95 7:07	Auto FIC	126.50	Good	
1/12/95 12:00	Manual Tape	125.5	Good	
1/13/95 6:07	Auto FIC	126.5	Good	
1/13/95 12:00	Manual Tape	125.50	Good	
1/14/95 7:07	Auto FIC	126.30	Good	
1/14/95 12:00	Manual Tape	125.5	Good	
1/15/95 7:06	Auto FIC	126.30	Good	
1/15/95 12:00	Manual Tape	125.5	Good	
1/16/95 7:08	Auto FIC	126.3	Good	
1/16/95 12:00	Manual Tape	125.5	Good	
1/17/95 6:07	Auto FIC	126.4	Good	
1/17/95 12:00	Manual Tape	125.5	Good	
1/18/95 7:07	Auto FIC	126.3	Good	
1/18/95 12:00	Manual Tape	125.5	Good	
1/19/95 7:07	Auto FIC	126.30	Good	
1/19/95 12:00	Manual Tape	125.25	Good	
1/20/95 7:03	Auto FIC	126.30	Good	
1/20/95 12:00	Manual Tape	125.5	Good	
1/21/95 7:04	Auto FIC	127.9	Good	
1/21/95 12:00	Manual Tape	127.13	Good	
1/22/95 7:03	Auto FIC	128	Good	
1/22/95 12:00	Manual Tape	127.13	Good	
1/23/95 7:03	Auto FIC	128.20	Good	
1/23/95 12:00	Manual Tape	127.25	Good	
1/24/95 7:04	Auto FIC	128.2	Good	
1/24/95 12:00	Manual Tape	127.125	Good	
1/25/95 7:03	Auto FIC	128.1	Good	
1/25/95 12:00	Manual Tape	127.00	Good	
1/26/95 7:03	Auto FIC	128.00	Good	
1/26/95 12:00	Manual Tape	127	Good	
1/27/95 7:03	Auto FIC	128.00	Good	
1/27/95 12:00	Manual Tape	127	Good	
1/28/95 7:04	Auto FIC	129.6	Good	
1/28/95 12:00	Manual Tape	128.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/29/95 7:04	Auto FIC	129.6	Good	
1/29/95 12:00	Manual Tape	128.75	Good	
1/30/95 7:04	Auto FIC	129.6	Good	
1/30/95 12:00	Manual Tape	128.75	Good	
1/31/95 7:03	Auto FIC	129.60	Good	
1/31/95 12:00	Manual Tape	128.75	Good	
2/1/95 7:03	Auto FIC	131.3	Good	
2/1/95 12:00	Manual Tape	130.25	Good	
2/2/95 7:04	Auto FIC	131.2	Good	
2/2/95 12:00	Manual Tape	130.25	Good	
2/3/95 7:03	Auto FIC	131.20	Good	
2/3/95 12:00	Manual Tape	130.25	Good	
2/4/95 7:04	Auto FIC	132.90	Good	
2/4/95 12:00	Manual Tape	132	Good	
2/5/95 7:03	Auto FIC	132.90	Good	
2/5/95 12:00	Manual Tape	132	Good	
2/6/95 7:03	Auto FIC	132.9	Good	
2/6/95 12:00	Manual Tape	133	Good	
2/7/95 7:03	Auto FIC	132.9	Good	
2/8/95 7:04	Auto FIC	132.90	Good	
2/8/95 12:00	Manual Tape	132	Good	
2/9/95 7:06	Auto FIC	132.9	Good	
2/9/95 12:00	Manual Tape	132	Good	
2/10/95 7:06	Auto FIC	132.9	Good	
2/10/95 12:00	Manual Tape	132.00	Good	
2/11/95 7:07	Auto FIC	134.5	Good	
2/11/95 12:00	Manual Tape	133.5	Good	
2/12/95 7:06	Auto FIC	134.50	Good	
2/12/95 12:00	Manual Tape	133.5	Good	
2/13/95 7:05	Auto FIC	134.5	Good	
2/13/95 12:00	Manual Tape	133.50	Good	
2/14/95 7:06	Auto FIC	134.5	Good	
2/14/95 12:00	Manual Tape	133.5	Good	
2/15/95 7:07	Auto FIC	136.00	Good	
2/15/95 12:00	Manual Tape	135	Good	
2/16/95 7:06	Auto FIC	136.10	Good	
2/16/95 12:00	Manual Tape	135	Good	
2/17/95 7:06	Auto FIC	136.00	Good	
2/17/95 12:00	Manual Tape	135	Good	
2/18/95 7:06	Auto FIC	137.4	Good	
2/18/95 12:00	Manual Tape	136.5	Good	
2/19/95 7:06	Auto FIC	137.4	Good	
2/19/95 12:00	Manual Tape	136.50	Good	
2/20/95 7:07	Auto FIC	137.40	Good	
2/20/95 12:00	Manual Tape	136.5	Good	
2/21/95 7:06	Auto FIC	137.4	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/21/95 12:00	Manual Tape	136.25	Good	
2/22/95 7:06	Auto FIC	137.4	Good	
2/22/95 12:00	Manual Tape	136.5	Good	
2/23/95 7:07	Auto FIC	137.40	Good	
2/23/95 12:00	Manual Tape	136.25	Good	
2/24/95 7:06	Auto FIC	137.40	Good	
2/24/95 12:00	Manual Tape	136.5	Good	
2/25/95 7:06	Auto FIC	138.90	Good	
2/25/95 12:00	Manual Tape	138.00	Good	
2/26/95 6:07	Auto FIC	138.9	Good	
2/26/95 12:00	Manual Tape	138	Good	
2/27/95 7:06	Auto FIC	130.9	Suspect	Data not included in graph
2/27/95 12:00	Manual Tape	138.25	Good	
2/27/95 12:00	Manual FIC	138.9	Good	
2/28/95 5:07	Auto FIC	138.90	Good	
2/28/95 12:00	Manual Tape	137.75	Good	
3/1/95 7:06	Auto FIC	140.5	Good	
3/1/95 12:00	Manual Tape	139.75	Good	
3/2/95 7:06	Auto FIC	140.5	Good	
3/2/95 12:00	Manual Tape	139.125	Good	
3/3/95 7:06	Auto FIC	140.5	Good	
3/3/95 12:00	Manual Tape	140.50	Good	
3/4/95 7:06	Auto FIC	142.10	Good	
3/4/95 12:00	Manual Tape	141.25	Good	
3/5/95 7:06	Auto FIC	142.10	Good	
3/5/95 12:00	Manual Tape	141.25	Good	
3/6/95 7:06	Auto FIC	142.1	Good	
3/6/95 12:00	Manual Tape	141.25	Good	
3/7/95 7:06	Auto FIC	142.1	Good	
3/7/95 12:00	Manual Tape	141.25	Good	
3/8/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/8/95 12:00	Manual Tape	142.5	Good	
3/8/95 12:01	Manual FIC	143.7	Good	
3/9/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/9/95 12:00	Manual Tape	142.50	Good	
3/9/95 12:00	Manual FIC	143.7	Good	
3/10/95 7:02	Auto FIC	0	Suspect	Data not included in graph
3/10/95 12:00	Manual Tape	144.5	Good	
3/10/95 12:00	Manual FIC	145.3	Good	
3/11/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/11/95 12:00	Manual Tape	144.25	Good	
3/11/95 12:00	Manual FIC	145.3	Good	
3/12/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/12/95 12:00	Manual Tape	144.5	Good	
3/12/95 12:00	Manual FIC	145.3	Good	
3/13/95 7:02	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/13/95 12:00	Manual Tape	144.25	Good	
3/13/95 12:00	Manual FIC	145.25	Good	
3/14/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/14/95 12:00	Manual Tape	144.25	Good	
3/14/95 12:00	Manual FIC	145.3	Good	
3/15/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
3/15/95 12:00	Manual Tape	145.75	Good	
3/15/95 12:00	Manual FIC	146.8	Good	
3/16/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/16/95 12:00	Manual Tape	146	Good	
3/16/95 12:00	Manual FIC	146.8	Good	
3/17/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/17/95 12:00	Manual Tape	146	Good	
3/17/95 12:00	Manual FIC	146.8	Good	
3/18/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/18/95 12:00	Manual Tape	146	Good	
3/18/95 12:00	Manual FIC	146.8	Good	
3/19/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/19/95 12:00	Manual Tape	145.75	Good	
3/19/95 12:00	Manual FIC	146.8	Good	
3/20/95 7:08	Auto FIC	0.00	Suspect	Data not included in graph
3/20/95 12:00	Manual Tape	146	Good	
3/20/95 12:00	Manual FIC	146.8	Good	
3/21/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/21/95 12:00	Manual Tape	145.00	Good	
3/21/95 12:00	Manual FIC	146.8	Good	
3/22/95 7:02	Auto FIC	0	Suspect	Data not included in graph
3/22/95 12:00	Manual Tape	145.75	Good	
3/22/95 12:00	Manual FIC	146.8	Good	
3/23/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/23/95 12:00	Manual Tape	147.75	Good	
3/23/95 12:00	Manual FIC	148.6	Good	
3/24/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/24/95 12:00	Manual Tape	147.5	Good	
3/24/95 12:00	Manual FIC	148.6	Good	
3/25/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/25/95 12:00	Manual Tape	149.25	Good	
3/25/95 12:00	Manual FIC	150.2	Good	
3/26/95 7:02	Auto FIC	0	Suspect	Data not included in graph
3/26/95 12:00	Manual Tape	149.25	Good	
3/26/95 12:00	Manual FIC	150.2	Good	
3/27/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/27/95 12:00	Manual Tape	148.50	Good	
3/27/95 12:00	Manual FIC	150.2	Good	
3/28/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/28/95 12:00	Manual Tape	149.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/28/95 12:00	Manual FIC	150.2	Good	
3/29/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/29/95 12:00	Manual Tape	149.25	Good	
3/29/95 12:00	Manual FIC	150.2	Good	
3/30/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/30/95 12:00	Manual Tape	149.25	Good	
3/30/95 12:00	Manual FIC	150.2	Good	
3/31/95 7:04	Auto FIC	0	Suspect	Data not included in graph
3/31/95 12:00	Manual Tape	149.25	Good	
3/31/95 12:00	Manual FIC	150.2	Good	
4/1/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
4/1/95 12:00	Manual Tape	149.25	Good	
4/1/95 12:00	Manual FIC	150.2	Good	
4/2/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/2/95 12:00	Manual Tape	149.25	Good	
4/2/95 12:00	Manual FIC	150.2	Good	
4/3/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/3/95 12:00	Manual Tape	149	Good	
4/3/95 12:00	Manual FIC	150.1	Good	
4/4/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/4/95 12:00	Manual Tape	148.75	Good	
4/4/95 12:00	Manual FIC	150.15	Good	
4/5/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/5/95 12:00	Manual Tape	149.25	Good	
4/5/95 12:00	Manual FIC	150.15	Good	
4/6/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/6/95 12:00	Manual Tape	150.75	Good	
4/6/95 12:00	Manual FIC	151.7	Good	
4/7/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/7/95 12:00	Manual Tape	150.5	Good	
4/7/95 12:00	Manual FIC	151.7	Good	
4/8/95 7:02	Auto FIC	0	Suspect	Data not included in graph
4/8/95 12:00	Manual Tape	150.75	Good	
4/8/95 12:00	Manual FIC	151.7	Good	
4/9/95 12:00	Manual Tape	150.75	Good	
4/9/95 12:00	Manual FIC	151.7	Good	
4/9/95 23:03	Auto FIC	0.00	Suspect	Data not included in graph
4/10/95 7:02	Auto FIC	0	Suspect	Data not included in graph
4/10/95 12:00	Manual Tape	150.75	Good	
4/10/95 12:00	Manual FIC	151.7	Good	
4/11/95 7:04	Auto FIC	0	Suspect	Data not included in graph
4/11/95 12:00	Manual Tape	150.75	Good	
4/11/95 12:00	Manual FIC	151.7	Good	
4/12/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/12/95 12:00	Manual Tape	152.25	Good	
4/12/95 12:00	Manual FIC	153.1	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/13/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
4/13/95 12:00	Manual Tape	152	Good	
4/13/95 12:00	Manual FIC	153.1	Good	
4/14/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/14/95 12:00	Manual Tape	152.25	Good	
4/14/95 12:00	Manual FIC	153.1	Good	
4/15/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/15/95 12:00	Manual Tape	151.75	Good	
4/15/95 12:00	Manual FIC	153.1	Good	
4/16/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/16/95 12:00	Manual Tape	151.75	Good	
4/16/95 12:00	Manual FIC	153.1	Good	
4/17/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/17/95 12:00	Manual Tape	152	Good	
4/17/95 12:00	Manual FIC	153.1	Good	
4/18/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/18/95 12:00	Manual Tape	152	Good	
4/18/95 12:00	Manual FIC	153.1	Good	
4/19/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/19/95 12:00	Manual Tape	152	Good	
4/19/95 12:00	Manual FIC	153.1	Good	
4/20/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/20/95 12:00	Manual Tape	152.00	Good	
4/20/95 12:00	Manual FIC	153.1	Good	
4/21/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/21/95 12:00	Manual Tape	152.25	Good	
4/21/95 12:00	Manual FIC	153.5	Good	
4/22/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/22/95 12:00	Manual Tape	152	Good	
4/22/95 12:00	Manual FIC	153.05	Good	
4/23/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/23/95 12:00	Manual Tape	152	Good	
4/23/95 12:00	Manual FIC	153.05	Good	
4/24/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/24/95 12:00	Manual Tape	152	Good	
4/24/95 12:00	Manual FIC	153.1	Good	
4/25/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/25/95 12:00	Manual Tape	152.25	Good	
4/25/95 12:00	Manual FIC	153.05	Good	
4/26/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/26/95 12:00	Manual Tape	153.25	Good	
4/26/95 12:00	Manual FIC	154.3	Good	
4/27/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/27/95 12:00	Manual Tape	153.25	Good	
4/27/95 12:00	Manual FIC	154.3	Good	
4/28/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/28/95 12:00	Manual Tape	153.25	Good	
4/28/95 12:00	Manual FIC	154.3	Good	
4/29/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/29/95 12:00	Manual Tape	153.75	Good	
4/29/95 12:00	Manual FIC	154.35	Good	
4/30/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/30/95 12:00	Manual Tape	153.75	Good	
4/30/95 12:00	Manual FIC	154.3	Good	
5/1/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/1/95 12:00	Manual Tape	153.5	Good	
5/1/95 12:00	Manual FIC	154.3	Good	
5/2/95 7:02	Auto FIC	0	Suspect	Data not included in graph
5/2/95 12:00	Manual Tape	155	Good	
5/2/95 12:00	Manual FIC	155.9	Good	
5/3/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/3/95 12:00	Manual Tape	156	Good	
5/3/95 12:00	Manual FIC	157.3	Good	
5/4/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/4/95 12:00	Manual Tape	157.5	Good	
5/4/95 12:00	Manual FIC	158.7	Good	
5/5/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/5/95 12:00	Manual Tape	157.75	Good	
5/5/95 12:00	Manual FIC	160.3	Good	
5/6/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/6/95 12:00	Manual Tape	161	Good	
5/6/95 12:00	Manual FIC	161.85	Good	
5/7/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/7/95 12:00	Manual Tape	161	Good	
5/7/95 12:00	Manual FIC	162	Good	
5/8/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/8/95 12:00	Manual Tape	161	Good	
5/8/95 12:00	Manual FIC	161.85	Good	
5/9/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/9/95 12:00	Manual Tape	161	Good	
5/9/95 12:00	Manual FIC	161.9	Good	
5/10/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/10/95 12:00	Manual Tape	162.75	Good	
5/11/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/11/95 12:00	Manual Tape	162.75	Good	
5/11/95 12:00	Manual FIC	163.55	Good	
5/12/95 7:06	Auto FIC	0	Suspect	Data not included in graph
5/12/95 12:00	Manual Tape	164.5	Good	
5/12/95 12:00	Manual FIC	165.3	Good	
5/13/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/13/95 12:00	Manual Tape	166	Good	
5/13/95 12:00	Manual FIC	166.9	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/14/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/14/95 12:00	Manual Tape	166	Good	
5/14/95 12:00	Manual FIC	167.1	Good	
5/15/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/15/95 12:00	Manual Tape	166	Good	
5/15/95 12:00	Manual FIC	166.9	Good	
5/16/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/16/95 12:00	Manual Tape	167.5	Good	
5/16/95 12:00	Manual FIC	168.5	Good	
5/17/95 7:02	Auto FIC	0	Suspect	Data not included in graph
5/17/95 12:00	Manual Tape	169.50	Good	
5/17/95 12:00	Manual FIC	170.2	Good	
5/18/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/18/95 12:00	Manual Tape	169	Good	
5/18/95 12:00	Manual FIC	170.2	Good	
5/19/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/19/95 12:00	Manual Tape	169.25	Good	
5/19/95 12:00	Manual FIC	170.2	Good	
5/20/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/20/95 12:00	Manual Tape	169.25	Good	
5/20/95 12:00	Manual FIC	170.2	Good	
5/21/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/21/95 12:00	Manual Tape	169.25	Good	
5/21/95 12:00	Manual FIC	170.2	Good	
5/22/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/22/95 12:00	Manual Tape	169.25	Good	
5/22/95 12:00	Manual FIC	170.2	Good	
5/23/95 7:11	Auto FIC	0.00	Suspect	Data not included in graph
5/23/95 12:00	Manual Tape	169.5	Good	
5/23/95 12:00	Manual FIC	170.2	Good	
5/24/95 7:10	Auto FIC	0	Suspect	Data not included in graph
5/24/95 12:00	Manual Tape	169.25	Good	
5/24/95 12:00	Manual FIC	170.2	Good	
5/25/95 7:10	Auto FIC	0	Suspect	Data not included in graph
5/25/95 12:00	Manual Tape	169.5	Good	
5/25/95 12:00	Manual FIC	170.2	Good	
5/26/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/26/95 12:00	Manual Tape	169.25	Good	
5/26/95 12:00	Manual FIC	170.2	Good	
5/27/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/27/95 12:00	Manual Tape	169.5	Good	
5/27/95 12:00	Manual FIC	170.1	Good	
5/28/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/28/95 12:00	Manual Tape	169	Good	
5/28/95 12:00	Manual FIC	170.2	Good	
5/29/95 7:05	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/29/95 12:00	Manual Tape	169.50	Good	
5/29/95 12:00	Manual FIC	170.1	Good	
5/30/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/30/95 12:00	Manual Tape	169.5	Good	
5/30/95 12:00	Manual FIC	170.15	Good	
5/31/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/31/95 12:00	Manual Tape	169.25	Good	
5/31/95 12:00	Manual FIC	170.15	Good	
6/1/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/1/95 12:00	Manual Tape	171	Good	
6/1/95 12:00	Manual FIC	171.9	Good	
6/1/95 12:01	Manual Tape	170.75	Good	
6/2/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/2/95 12:00	Manual Tape	169.75	Good	
6/2/95 12:00	Manual FIC	171.95	Good	
6/3/95 12:00	Manual Tape	171.00	Good	
6/3/95 12:00	Manual FIC	171.9	Good	
6/3/95 23:05	Auto FIC	0	Suspect	Data not included in graph
6/4/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/4/95 12:00	Manual Tape	171.25	Good	
6/4/95 12:00	Manual FIC	171.9	Good	
6/5/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/5/95 12:00	Manual Tape	169	Good	
6/5/95 12:00	Manual FIC	171.9	Good	
6/6/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/6/95 12:00	Manual Tape	169	Good	
6/6/95 12:00	Manual FIC	171.9	Good	
6/7/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/7/95 12:00	Manual Tape	172.25	Good	
6/7/95 12:00	Manual FIC	173.3	Good	
6/8/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/8/95 12:00	Manual Tape	172.25	Good	
6/8/95 12:00	Manual FIC	173.3	Good	
6/9/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/9/95 12:00	Manual Tape	172.50	Good	
6/9/95 12:00	Manual FIC	173.35	Good	
6/10/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/10/95 12:00	Manual Tape	173.75	Good	
6/10/95 12:00	Manual FIC	174.7	Good	
6/11/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/11/95 12:00	Manual Tape	173.75	Good	
6/11/95 12:00	Manual FIC	174.7	Good	
6/12/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/12/95 12:00	Manual Tape	173.5	Good	
6/12/95 12:00	Manual FIC	174.7	Good	
6/13/95 7:05	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/13/95 12:00	Manual Tape	173.75	Good	
6/13/95 12:00	Manual FIC	174.7	Good	
6/14/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/14/95 12:00	Manual Tape	173.5	Good	
6/14/95 12:00	Manual FIC	174.7	Good	
6/15/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/15/95 12:00	Manual Tape	175.25	Good	
6/15/95 12:00	Manual FIC	176.1	Good	
6/16/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/16/95 12:00	Manual Tape	175	Good	
6/16/95 12:00	Manual FIC	176.1	Good	
6/17/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/17/95 12:00	Manual Tape	175	Good	
6/17/95 12:00	Manual FIC	176.05	Good	
6/18/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/18/95 12:00	Manual Tape	175.25	Good	
6/18/95 12:00	Manual FIC	176.05	Good	
6/19/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/19/95 12:00	Manual Tape	175.25	Good	
6/19/95 12:00	Manual FIC	176.05	Good	
6/20/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/20/95 12:00	Manual Tape	175.25	Good	
6/20/95 12:00	Manual FIC	176	Good	
6/21/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/21/95 12:00	Manual Tape	198.75	Good	
6/21/95 12:00	Manual FIC	199	Good	
6/22/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/22/95 12:00	Manual Tape	207.25	Good	
6/22/95 12:00	Manual FIC	208.1	Good	
6/23/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/23/95 12:00	Manual Tape	207.5	Good	
6/23/95 12:00	Manual FIC	208.1	Good	
6/24/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/24/95 12:00	Manual Tape	207.25	Good	
6/24/95 12:00	Manual FIC	208.1	Good	
6/25/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/25/95 12:00	Manual Tape	207	Good	
6/25/95 12:00	Manual FIC	208.05	Good	
6/26/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/26/95 12:00	Manual Tape	207.25	Good	
6/26/95 12:00	Manual FIC	208	Good	
6/27/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/27/95 12:00	Manual Tape	207.25	Good	
6/27/95 12:00	Manual FIC	208	Good	
6/28/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/28/95 12:00	Manual Tape	208	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-105				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/28/95 12:00	Manual FIC	208.9	Good	
6/29/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/29/95 12:00	Manual Tape	208	Good	
6/29/95 12:00	Manual FIC	208.8	Good	
6/30/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/30/95 12:00	Manual Tape	208	Good	
6/30/95 12:00	Manual FIC	208.9	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/1/91 0:00	Manual Tape	193.50	Good	
1/1/91 0:00	Manual FIC	193.9	Good	
1/1/91 7:03	Auto FIC	190.8	Suspect	Data not included in graph
1/2/91 0:00	Manual Tape	193.5	Good	
1/2/91 7:02	Auto FIC	193.90	Good	
1/3/91 0:00	Manual Tape	193.00	Good	
1/3/91 7:03	Auto FIC	193.9	Good	
1/4/91 0:00	Manual Tape	193	Good	
1/4/91 7:02	Auto FIC	193.90	Good	
1/5/91 0:00	Manual Tape	193.25	Good	
1/5/91 7:02	Auto FIC	193.8	Good	
1/6/91 0:00	Manual Tape	193.25	Good	
1/6/91 7:02	Auto FIC	193.90	Good	
1/7/91 0:00	Manual Tape	193.25	Good	
1/7/91 7:02	Auto FIC	193.9	Good	
1/8/91 0:00	Manual Tape	193.25	Good	
1/8/91 7:03	Auto FIC	193.90	Good	
1/9/91 0:00	Manual Tape	193.25	Good	
1/9/91 7:02	Auto FIC	193.9	Good	
1/10/91 0:00	Manual Tape	193.25	Good	
1/10/91 7:02	Auto FIC	193.90	Good	
1/11/91 0:00	Manual Tape	193.25	Good	
1/11/91 7:03	Auto FIC	193.9	Good	
1/12/91 0:00	Manual Tape	193.25	Good	
1/12/91 7:02	Auto FIC	193.90	Good	
1/13/91 0:00	Manual Tape	193.25	Good	
1/13/91 7:03	Auto FIC	193.9	Good	
1/14/91 0:00	Manual Tape	193.25	Good	
1/14/91 7:04	Auto FIC	193.80	Good	
1/15/91 0:00	Manual Tape	193.25	Good	
1/15/91 7:03	Auto FIC	193.8	Good	
1/16/91 0:00	Manual Tape	192.25	Good	
1/16/91 7:04	Auto FIC	193.80	Good	
1/17/91 0:00	Manual Tape	192.25	Good	
1/17/91 7:04	Auto FIC	193.8	Good	
1/18/91 0:00	Manual Tape	193.00	Good	
1/18/91 7:04	Auto FIC	193.80	Good	
1/19/91 0:00	Manual Tape	193	Good	
1/19/91 7:04	Auto FIC	193.7	Good	
1/20/91 0:00	Manual Tape	193.00	Good	
1/20/91 7:04	Auto FIC	193.70	Good	
1/21/91 0:00	Manual Tape	193	Good	
1/21/91 7:04	Auto FIC	193.7	Good	
1/22/91 0:00	Manual Tape	193.00	Good	
1/22/91 7:04	Auto FIC	193.70	Good	
1/23/91 0:00	Manual Tape	192.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/23/91 7:04	Auto FIC	193.7	Good	
1/24/91 0:00	Manual Tape	193.00	Good	
1/24/91 7:04	Auto FIC	193.70	Good	
1/25/91 0:00	Manual Tape	193	Good	
1/25/91 7:03	Auto FIC	193.7	Good	
1/26/91 0:00	Manual Tape	193.00	Good	
1/26/91 7:03	Auto FIC	193.70	Good	
1/27/91 0:00	Manual Tape	193	Good	
1/27/91 7:03	Auto FIC	193.7	Good	
1/28/91 0:00	Manual Tape	193.00	Good	
1/28/91 6:03	Auto FIC	193.70	Good	
1/29/91 0:00	Manual Tape	193	Good	
1/29/91 7:02	Auto FIC	193.7	Good	
1/30/91 0:00	Manual Tape	193.00	Good	
1/30/91 0:00	Manual FIC	193.7	Good	
1/31/91 0:00	Manual Tape	193	Good	
1/31/91 0:00	Manual FIC	193.7	Good	
1/31/91 7:02	Auto FIC	0.00	Suspect	Data not included in graph
2/1/91 0:00	Manual Tape	193	Good	
2/1/91 7:02	Auto FIC	193.7	Good	
2/2/91 0:00	Manual Tape	193.00	Good	
2/2/91 7:04	Auto FIC	193.70	Good	
2/3/91 0:00	Manual Tape	193	Good	
2/3/91 7:03	Auto FIC	193.6	Good	
2/4/91 0:00	Manual Tape	193.00	Good	
2/4/91 7:03	Auto FIC	193.70	Good	
2/5/91 0:00	Manual Tape	193	Good	
2/5/91 7:04	Auto FIC	193.7	Good	
2/6/91 0:00	Manual Tape	193.00	Good	
2/6/91 7:04	Auto FIC	193.60	Good	
2/7/91 0:00	Manual Tape	193	Good	
2/7/91 7:04	Auto FIC	193.6	Good	
2/8/91 0:00	Manual Tape	192.75	Good	
2/8/91 7:04	Auto FIC	193.60	Good	
2/9/91 0:00	Manual Tape	192.75	Good	
2/9/91 7:04	Auto FIC	193.6	Good	
2/10/91 0:00	Manual Tape	192.75	Good	
2/10/91 7:03	Auto FIC	193.60	Good	
2/11/91 0:00	Manual Tape	192.75	Good	
2/11/91 7:04	Auto FIC	193.6	Good	
2/12/91 0:00	Manual Tape	192.75	Good	
2/12/91 7:04	Auto FIC	193.60	Good	
2/13/91 0:00	Manual Tape	192.75	Good	
2/13/91 7:04	Auto FIC	193.6	Good	
2/14/91 0:00	Manual Tape	192.75	Good	
2/14/91 7:04	Auto FIC	193.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/15/91 0:00	Manual Tape	192.75	Good	
2/15/91 7:03	Auto FIC	193.6	Good	
2/16/91 0:00	Manual Tape	192.75	Good	
2/16/91 7:02	Auto FIC	193.60	Good	
2/17/91 0:00	Manual Tape	192.75	Good	
2/17/91 7:02	Auto FIC	193.5	Good	
2/18/91 0:00	Manual Tape	192.75	Good	
2/18/91 7:03	Auto FIC	193.50	Good	
2/19/91 0:00	Manual Tape	192.75	Good	
2/19/91 7:02	Auto FIC	193.5	Good	
2/20/91 0:00	Manual Tape	192.75	Good	
2/20/91 7:03	Auto FIC	193.50	Good	
2/21/91 0:00	Manual Tape	192.75	Good	
2/21/91 7:02	Auto FIC	193.5	Good	
2/22/91 0:00	Manual Tape	192.75	Good	
2/22/91 7:02	Auto FIC	193.50	Good	
2/23/91 0:00	Manual Tape	192.5	Good	
2/23/91 7:02	Auto FIC	193.4	Good	
2/24/91 0:00	Manual Tape	192.75	Good	
2/24/91 7:03	Auto FIC	193.40	Good	
2/25/91 0:00	Manual Tape	192.75	Good	
2/25/91 7:03	Auto FIC	193.4	Good	
2/26/91 0:00	Manual Tape	192.75	Good	
2/26/91 7:03	Auto FIC	193.40	Good	
2/27/91 0:00	Manual Tape	192.75	Good	
2/27/91 7:02	Auto FIC	193.4	Good	
2/28/91 0:00	Manual Tape	192.75	Good	
2/28/91 7:02	Auto FIC	193.4	Good	
3/1/91 0:00	Manual Tape	192.5	Good	
3/1/91 7:02	Auto FIC	193.40	Good	
3/2/91 0:00	Manual Tape	192.75	Good	
3/2/91 7:02	Auto FIC	193.4	Good	
3/3/91 0:00	Manual Tape	192.5	Good	
3/3/91 7:03	Auto FIC	193.4	Good	
3/4/91 0:00	Manual Tape	192.75	Good	
3/4/91 7:03	Auto FIC	193.40	Good	
3/5/91 0:00	Manual Tape	192.50	Good	
3/5/91 7:03	Auto FIC	193.4	Good	
3/6/91 0:00	Manual Tape	192.5	Good	
3/6/91 7:02	Auto FIC	193.30	Good	
3/7/91 0:00	Manual Tape	192.50	Good	
3/7/91 7:02	Auto FIC	193.3	Good	
3/8/91 0:00	Manual Tape	192.5	Good	
3/8/91 7:02	Auto FIC	193.30	Good	
3/9/91 0:00	Manual Tape	192.5	Good	
3/9/91 7:02	Auto FIC	193.30	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/10/91 0:00	Manual Tape	192.50	Good	
3/10/91 7:02	Auto FIC	193.3	Good	
3/11/91 0:00	Manual Tape	192.5	Good	
3/11/91 7:02	Auto FIC	193.30	Good	
3/12/91 0:00	Manual Tape	192.5	Good	
3/12/91 7:03	Auto FIC	193.3	Good	
3/13/91 0:00	Manual Tape	192.5	Good	
3/13/91 7:03	Auto FIC	193.20	Good	
3/14/91 0:00	Manual Tape	192.50	Good	
3/14/91 7:03	Auto FIC	193.20	Good	
3/15/91 0:00	Manual Tape	192.5	Good	
3/15/91 7:03	Auto FIC	193.2	Good	
3/16/91 0:00	Manual Tape	192.50	Good	
3/16/91 7:03	Auto FIC	193.20	Good	
3/17/91 0:00	Manual Tape	192.50	Good	
3/17/91 7:02	Auto FIC	193.20	Good	
3/18/91 0:00	Manual Tape	192.50	Good	
3/18/91 7:03	Auto FIC	193.2	Good	
3/19/91 0:00	Manual Tape	192.5	Good	
3/19/91 7:03	Auto FIC	193.20	Good	
3/20/91 0:00	Manual Tape	192.5	Good	
3/20/91 7:02	Auto FIC	193.20	Good	
3/21/91 0:00	Manual Tape	192.50	Good	
3/21/91 7:03	Auto FIC	193.2	Good	
3/22/91 0:00	Manual Tape	192.50	Good	
3/22/91 7:02	Auto FIC	193.20	Good	
3/23/91 0:00	Manual Tape	192.5	Good	
3/23/91 7:03	Auto FIC	193.1	Good	
3/24/91 0:00	Manual Tape	192.25	Good	
3/24/91 7:03	Auto FIC	193.20	Good	
3/25/91 0:00	Manual Tape	192.5	Good	
3/25/91 7:03	Auto FIC	193.2	Good	
3/26/91 0:00	Manual Tape	192.50	Good	
3/26/91 7:03	Auto FIC	193.20	Good	
3/27/91 0:00	Manual Tape	192.50	Good	
3/27/91 7:03	Auto FIC	193.1	Good	
3/28/91 0:00	Manual Tape	192.25	Good	
3/28/91 7:03	Auto FIC	193.10	Good	
3/29/91 0:00	Manual Tape	192.25	Good	
3/29/91 7:03	Auto FIC	193.1	Good	
3/30/91 0:00	Manual Tape	192.25	Good	
3/30/91 7:03	Auto FIC	193.10	Good	
3/31/91 0:00	Manual Tape	192.25	Good	
3/31/91 7:03	Auto FIC	193.1	Good	
4/1/91 0:00	Manual Tape	192.25	Good	
4/1/91 7:03	Auto FIC	193.10	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/2/91 0:00	Manual Tape	192.25	Good	
4/2/91 7:03	Auto FIC	193.1	Good	
4/3/91 0:00	Manual Tape	192.25	Good	
4/3/91 7:03	Auto FIC	193.10	Good	
4/4/91 0:00	Manual Tape	192.50	Good	
4/4/91 7:03	Auto FIC	193.1	Good	
4/5/91 0:00	Manual Tape	192.25	Good	
4/5/91 7:03	Auto FIC	193.10	Good	
4/6/91 0:00	Manual Tape	192.25	Good	
4/6/91 7:03	Auto FIC	193.1	Good	
4/7/91 0:00	Manual Tape	192.25	Good	
4/7/91 7:03	Auto FIC	193.10	Good	
4/8/91 0:00	Manual Tape	192.25	Good	
4/8/91 7:04	Auto FIC	193	Good	
4/9/91 0:00	Manual Tape	192.25	Good	
4/9/91 7:03	Auto FIC	193.00	Good	
4/10/91 0:00	Manual Tape	192.50	Good	
4/10/91 7:03	Auto FIC	193	Good	
4/11/91 0:00	Manual Tape	192	Good	
4/11/91 7:03	Auto FIC	193.00	Good	
4/12/91 0:00	Manual Tape	192.25	Good	
4/12/91 7:03	Auto FIC	193	Good	
4/13/91 0:00	Manual Tape	192.25	Good	
4/13/91 7:04	Auto FIC	193.00	Good	
4/14/91 0:00	Manual Tape	192.25	Good	
4/14/91 7:03	Auto FIC	193	Good	
4/15/91 0:00	Manual Tape	192.25	Good	
4/15/91 7:03	Auto FIC	193.00	Good	
4/16/91 0:00	Manual Tape	192.25	Good	
4/16/91 0:00	Manual FIC	193	Good	
4/17/91 0:00	Manual Tape	192.25	Good	
4/17/91 7:03	Auto FIC	193	Good	
4/18/91 0:00	Manual Tape	192.25	Good	
4/18/91 7:06	Auto FIC	193	Good	
4/19/91 0:00	Manual Tape	192.25	Good	
4/19/91 7:05	Auto FIC	193.00	Good	
4/20/91 0:00	Manual Tape	192.25	Good	
4/20/91 7:06	Auto FIC	193.00	Good	
4/21/91 0:00	Manual Tape	192.25	Good	
4/21/91 7:05	Auto FIC	193	Good	
4/22/91 0:00	Manual Tape	192.25	Good	
4/22/91 7:06	Auto FIC	193.00	Good	
4/23/91 0:00	Manual Tape	192.25	Good	
4/23/91 7:06	Auto FIC	193	Good	
4/24/91 0:00	Manual Tape	192.25	Good	
4/24/91 7:05	Auto FIC	193.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/25/91 0:00	Manual Tape	192.25	Good	
4/25/91 7:05	Auto FIC	193	Good	
4/26/91 0:00	Manual Tape	192.25	Good	
4/26/91 7:05	Auto FIC	193.00	Good	
4/27/91 0:00	Manual Tape	192.25	Good	
4/27/91 7:05	Auto FIC	193	Good	
4/28/91 0:00	Manual Tape	192.25	Good	
4/28/91 7:06	Auto FIC	192.90	Good	
4/29/91 0:00	Manual Tape	192.25	Good	
4/29/91 7:05	Auto FIC	192.9	Good	
4/30/91 0:00	Manual Tape	192.25	Good	
4/30/91 7:06	Auto FIC	192.90	Good	
5/1/91 0:00	Manual Tape	192.25	Good	
5/1/91 7:05	Auto FIC	192.9	Good	
5/2/91 0:00	Manual Tape	192.25	Good	
5/2/91 7:05	Auto FIC	192.90	Good	
5/3/91 0:00	Manual Tape	192.25	Good	
5/3/91 7:06	Auto FIC	192.90	Good	
5/4/91 0:00	Manual Tape	192.25	Good	
5/4/91 7:05	Auto FIC	192.9	Good	
5/5/91 0:00	Manual Tape	192.25	Good	
5/5/91 7:05	Auto FIC	192.9	Good	
5/6/91 0:00	Manual Tape	192.00	Good	
5/6/91 7:05	Auto FIC	192.90	Good	
5/7/91 0:00	Manual Tape	192	Good	
5/7/91 7:05	Auto FIC	192.9	Good	
5/8/91 0:00	Manual Tape	192.25	Good	
5/8/91 7:05	Auto FIC	192.90	Good	
5/9/91 0:00	Manual Tape	192.25	Good	
5/9/91 7:05	Auto FIC	192.9	Good	
5/10/91 0:00	Manual Tape	192.25	Good	
5/10/91 7:05	Auto FIC	192.90	Good	
5/11/91 0:00	Manual Tape	192	Good	
5/11/91 7:05	Auto FIC	192.9	Good	
5/12/91 0:00	Manual Tape	192.00	Good	
5/12/91 7:05	Auto FIC	192.90	Good	
5/13/91 0:00	Manual Tape	192	Good	
5/13/91 7:05	Auto FIC	192.9	Good	
5/14/91 0:00	Manual Tape	192	Good	
5/14/91 7:05	Auto FIC	192.90	Good	
5/15/91 0:00	Manual Tape	192.00	Good	
5/15/91 7:05	Auto FIC	192.8	Good	
5/16/91 0:00	Manual Tape	192	Good	
5/16/91 7:06	Auto FIC	192.80	Good	
5/17/91 0:00	Manual Tape	192	Good	
5/17/91 7:06	Auto FIC	192.9	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/18/91 0:00	Manual Tape	192.25	Good	
5/18/91 7:06	Auto FIC	192.80	Good	
5/19/91 0:00	Manual Tape	192.25	Good	
5/19/91 7:05	Auto FIC	192.8	Good	
5/20/91 0:00	Manual Tape	192.25	Good	
5/20/91 7:06	Auto FIC	192.80	Good	
5/21/91 0:00	Manual Tape	192.25	Good	
5/21/91 7:06	Auto FIC	192.8	Good	
5/22/91 0:00	Manual Tape	192.00	Good	
5/22/91 7:05	Auto FIC	192.80	Good	
5/23/91 0:00	Manual Tape	192	Good	
5/23/91 7:05	Auto FIC	192.8	Good	
5/24/91 0:00	Manual Tape	192	Good	
5/24/91 7:05	Auto FIC	192.80	Good	
5/25/91 0:00	Manual Tape	192.00	Good	
5/25/91 7:05	Auto FIC	192.8	Good	
5/26/91 0:00	Manual Tape	192	Good	
5/26/91 7:05	Auto FIC	192.80	Good	
5/27/91 0:00	Manual Tape	192	Good	
5/27/91 7:05	Auto FIC	192.8	Good	
5/28/91 0:00	Manual Tape	192.00	Good	
5/28/91 7:05	Auto FIC	192.80	Good	
5/29/91 0:00	Manual Tape	192.00	Good	
5/29/91 7:05	Auto FIC	192.8	Good	
5/30/91 0:00	Manual Tape	192.00	Good	
5/30/91 7:05	Auto FIC	192.80	Good	
5/31/91 0:00	Manual Tape	192	Good	
5/31/91 7:05	Auto FIC	192.8	Good	
6/1/91 0:00	Manual Tape	192.00	Good	
6/1/91 6:05	Auto FIC	192.70	Good	
6/2/91 0:00	Manual Tape	192	Good	
6/2/91 3:05	Auto FIC	192.8	Good	
6/3/91 0:00	Manual Tape	192.00	Good	
6/3/91 7:05	Auto FIC	192.70	Good	
6/4/91 0:00	Manual Tape	192.00	Good	
6/4/91 7:05	Auto FIC	192.7	Good	
6/5/91 0:00	Manual Tape	192	Good	
6/5/91 7:05	Auto FIC	192.70	Good	
6/6/91 0:00	Manual Tape	192	Good	
6/6/91 7:06	Auto FIC	192.7	Good	
6/7/91 0:00	Manual Tape	192	Good	
6/7/91 7:05	Auto FIC	192.70	Good	
6/8/91 0:00	Manual Tape	192	Good	
6/8/91 7:05	Auto FIC	192.7	Good	
6/9/91 0:00	Manual Tape	192.25	Good	
6/9/91 7:05	Auto FIC	192.70	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/10/91 0:00	Manual Tape	192.00	Good	
6/10/91 7:06	Auto FIC	192.7	Good	
6/11/91 0:00	Manual Tape	192.00	Good	
6/11/91 7:05	Auto FIC	192.70	Good	
6/12/91 0:00	Manual Tape	192	Good	
6/12/91 7:04	Auto FIC	192.7	Good	
6/13/91 0:00	Manual Tape	192	Good	
6/13/91 7:05	Auto FIC	192.70	Good	
6/14/91 0:00	Manual Tape	192	Good	
6/14/91 7:05	Auto FIC	192.7	Good	
6/15/91 0:00	Manual Tape	192	Good	
6/15/91 7:05	Auto FIC	192.70	Good	
6/16/91 0:00	Manual Tape	192.00	Good	
6/16/91 7:05	Auto FIC	192.7	Good	
6/17/91 0:00	Manual Tape	192.00	Good	
6/17/91 7:05	Auto FIC	192.70	Good	
6/18/91 0:00	Manual Tape	192	Good	
6/18/91 7:05	Auto FIC	192.7	Good	
6/19/91 0:00	Manual Tape	192.25	Good	
6/19/91 7:05	Auto FIC	192.70	Good	
6/20/91 0:00	Manual Tape	192	Good	
6/20/91 7:05	Auto FIC	192.7	Good	
6/21/91 0:00	Manual Tape	192	Good	
6/21/91 7:06	Auto FIC	192.70	Good	
6/22/91 0:00	Manual Tape	192.00	Good	
6/22/91 3:06	Auto FIC	192.7	Good	
6/23/91 0:00	Manual Tape	192.00	Good	
6/23/91 7:05	Auto FIC	192.70	Good	
6/24/91 0:00	Manual Tape	192	Good	
6/24/91 5:05	Auto FIC	192.7	Good	
6/25/91 0:00	Manual Tape	192.00	Good	
6/25/91 7:06	Auto FIC	192.70	Good	
6/26/91 0:00	Manual Tape	192	Good	
6/26/91 1:03	Auto FIC	192.7	Good	
6/27/91 0:00	Manual Tape	192	Good	
6/27/91 0:00	Manual FIC	192.7	Good	
6/28/91 0:00	Manual Tape	192.00	Good	
6/28/91 7:03	Auto FIC	192.70	Good	
6/29/91 0:00	Manual Tape	192	Good	
6/29/91 6:02	Auto FIC	192.7	Good	
6/30/91 0:00	Manual Tape	192	Good	
6/30/91 0:00	Manual FIC	192.7	Good	
7/1/91 0:00	Manual Tape	191.75	Good	
7/1/91 0:00	Manual FIC	192.7	Good	
7/2/91 0:00	Manual Tape	191.75	Good	
7/2/91 0:00	Manual FIC	192.7	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/3/91 0:00	Manual Tape	192.00	Good	
7/3/91 0:00	Manual FIC	192.7	Good	
7/3/91 7:06	Auto FIC	0.00	Suspect	Data not included in graph
7/4/91 0:00	Manual Tape	192.00	Good	
7/4/91 0:00	Manual FIC	192.7	Good	
7/5/91 0:00	Manual Tape	192.00	Good	
7/5/91 0:00	Manual FIC	192.7	Good	
7/6/91 0:00	Manual Tape	192	Good	
7/6/91 0:00	Manual FIC	192.65	Good	
7/7/91 0:00	Manual Tape	192	Good	
7/7/91 0:00	Manual FIC	192.65	Good	
7/8/91 0:00	Manual Tape	192	Good	
7/8/91 0:00	Manual FIC	192.65	Good	
7/9/91 0:00	Manual Tape	192	Good	
7/9/91 0:00	Manual FIC	192.65	Good	
7/10/91 0:00	Manual Tape	192.00	Good	
7/10/91 0:00	Manual FIC	192.6	Good	
7/11/91 0:00	Manual Tape	192.00	Good	
7/11/91 0:00	Manual FIC	192.6	Good	
7/11/91 7:06	Auto FIC	0	Suspect	Data not included in graph
7/12/91 0:00	Manual Tape	192	Good	
7/12/91 7:06	Auto FIC	192.6	Good	
7/13/91 0:00	Manual Tape	192.00	Good	
7/13/91 7:06	Auto FIC	192.80	Good	
7/14/91 0:00	Manual Tape	180.75	Suspect	Data not included in graph
7/14/91 2:06	Auto FIC	192.80	Good	
7/15/91 0:00	Manual Tape	191.75	Good	
7/15/91 7:06	Auto FIC	192.8	Good	
7/16/91 0:00	Manual FIC	192.8	Transcribed	
7/16/91 0:00	Manual Tape	191.75	Good	
7/17/91 0:00	Manual Tape	191.75	Good	
7/17/91 0:05	Auto FIC	192.80	Good	
7/18/91 0:00	Manual Tape	191.75	Good	
7/18/91 0:00	Manual FIC	192.8	Good	
7/19/91 0:00	Manual Tape	191.75	Good	
7/19/91 7:05	Auto FIC	192.8	Good	
7/20/91 0:00	Manual Tape	191.75	Good	
7/20/91 2:05	Auto FIC	192.8	Good	
7/21/91 0:00	Manual Tape	191.75	Good	
7/21/91 1:05	Auto FIC	192.80	Good	
7/22/91 0:00	Manual Tape	192.00	Good	
7/22/91 0:00	Manual FIC	192.8	Good	
7/23/91 0:00	Manual Tape	192	Good	
7/23/91 0:05	Auto FIC	192.8	Good	
7/24/91 0:00	Manual Tape	191.75	Good	
7/24/91 7:05	Auto FIC	192.80	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/25/91 0:00	Manual Tape	191.75	Good	
7/25/91 1:03	Auto FIC	192.8	Good	
7/26/91 0:00	Manual Tape	192.00	Good	
7/26/91 0:00	Manual FIC	192.8	Good	
7/27/91 0:00	Manual FIC	192.8	Transcribed	
7/27/91 0:00	Manual Tape	191.75	Good	
7/28/91 0:00	Manual FIC	192.8	Transcribed	
7/28/91 0:00	Manual Tape	191.75	Good	
7/29/91 0:00	Manual FIC	192.8	Transcribed	
7/29/91 0:00	Manual Tape	191.75	Good	
7/30/91 0:00	Manual Tape	191.75	Good	
7/30/91 7:02	Auto FIC	192.80	Good	
7/31/91 0:00	Manual Tape	191.75	Good	
7/31/91 7:02	Auto FIC	192.8	Good	
8/1/91 0:00	Manual Tape	191.75	Good	
8/1/91 7:02	Auto FIC	192.80	Good	
8/2/91 0:00	Manual Tape	191.75	Good	
8/2/91 7:02	Auto FIC	192.80	Good	
8/3/91 0:00	Manual Tape	191.75	Good	
8/3/91 7:02	Auto FIC	192.80	Good	
8/4/91 0:00	Manual Tape	191.75	Good	
8/4/91 7:02	Auto FIC	192.8	Good	
8/5/91 0:00	Manual Tape	191.5	Good	
8/5/91 7:02	Auto FIC	192.8	Good	
8/6/91 0:00	Manual Tape	191.75	Good	
8/6/91 7:02	Auto FIC	192.8	Good	
8/7/91 0:00	Manual Tape	192.00	Good	
8/7/91 7:06	Auto FIC	192.8	Good	
8/8/91 0:00	Manual Tape	192	Good	
8/8/91 7:06	Auto FIC	192.8	Good	
8/9/91 0:00	Manual Tape	192.00	Good	
8/9/91 7:04	Auto FIC	192.80	Good	
8/10/91 0:00	Manual Tape	191.75	Good	
8/10/91 7:04	Auto FIC	192.7	Good	
8/11/91 0:00	Manual Tape	191.75	Good	
8/11/91 7:04	Auto FIC	192.70	Good	
8/12/91 0:00	Manual Tape	191.75	Good	
8/12/91 7:04	Auto FIC	192.7	Good	
8/13/91 0:00	Manual Tape	191.75	Good	
8/13/91 7:04	Auto FIC	192.7	Good	
8/14/91 0:00	Manual Tape	191.75	Good	
8/14/91 7:04	Auto FIC	192.70	Good	
8/15/91 0:00	Manual Tape	191.75	Good	
8/15/91 7:03	Auto FIC	192.7	Good	
8/16/91 0:00	Manual Tape	191.75	Good	
8/16/91 0:00	Manual FIC	192.7	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/17/91 0:00	Manual Tape	191.75	Good	
8/17/91 7:02	Auto FIC	192.70	Good	
8/18/91 0:00	Manual Tape	191.75	Good	
8/18/91 7:03	Auto FIC	192.7	Good	
8/19/91 0:00	Manual Tape	191.75	Good	
8/19/91 7:02	Auto FIC	192.7	Good	
8/20/91 0:00	Manual Tape	191.75	Good	
8/20/91 7:04	Auto FIC	192.70	Good	
8/21/91 0:00	Manual Tape	191.75	Good	
8/21/91 7:03	Auto FIC	192.7	Good	
8/22/91 0:00	Manual Tape	191.75	Good	
8/22/91 7:03	Auto FIC	192.70	Good	
8/23/91 0:00	Manual Tape	191.50	Good	
8/23/91 7:02	Auto FIC	192.70	Good	
8/24/91 0:00	Manual Tape	191.75	Good	
8/24/91 7:02	Auto FIC	192.7	Good	
8/25/91 0:00	Manual Tape	191.75	Good	
8/25/91 7:02	Auto FIC	192.70	Good	
8/26/91 0:00	Manual Tape	191.75	Good	
8/26/91 7:03	Auto FIC	192.7	Good	
8/27/91 0:00	Manual Tape	191.75	Good	
8/27/91 7:03	Auto FIC	192.70	Good	
8/28/91 0:00	Manual Tape	191.75	Good	
8/28/91 7:03	Auto FIC	192.7	Good	
8/29/91 0:00	Manual Tape	191.75	Good	
8/29/91 7:02	Auto FIC	192.70	Good	
8/30/91 0:00	Manual Tape	191.75	Good	
8/30/91 6:02	Auto FIC	192.7	Good	
8/31/91 0:00	Manual Tape	191.75	Good	
8/31/91 7:02	Auto FIC	192.7	Good	
9/1/91 0:00	Manual Tape	191.75	Good	
9/1/91 7:02	Auto FIC	192.70	Good	
9/2/91 0:00	Manual Tape	191.75	Good	
9/2/91 7:02	Auto FIC	192.60	Good	
9/3/91 0:00	Manual Tape	191.75	Good	
9/3/91 7:02	Auto FIC	192.6	Good	
9/4/91 0:00	Manual Tape	191.75	Good	
9/4/91 7:03	Auto FIC	192.60	Good	
9/5/91 0:00	Manual Tape	191.75	Good	
9/5/91 7:02	Auto FIC	192.6	Good	
9/6/91 0:00	Manual Tape	191.5	Good	
9/6/91 7:02	Auto FIC	192.7	Good	
9/7/91 0:00	Manual Tape	191.75	Good	
9/7/91 7:02	Auto FIC	192.60	Good	
9/8/91 0:00	Manual Tape	191.75	Good	
9/8/91 7:02	Auto FIC	192.60	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/9/91 0:00	Manual Tape	191.75	Good	
9/9/91 7:03	Auto FIC	192.6	Good	
9/10/91 0:00	Manual Tape	191.75	Good	
9/10/91 7:02	Auto FIC	192.6	Good	
9/11/91 0:00	Manual Tape	191.75	Good	
9/11/91 7:03	Auto FIC	192.60	Good	
9/12/91 0:00	Manual Tape	191.75	Good	
9/12/91 7:02	Auto FIC	192.6	Good	
9/13/91 0:00	Manual Tape	191.75	Good	
9/13/91 7:02	Auto FIC	192.60	Good	
9/14/91 0:00	Manual Tape	191.75	Good	
9/14/91 7:03	Auto FIC	192.6	Good	
9/15/91 0:00	Manual Tape	191.75	Good	
9/15/91 7:02	Auto FIC	192.60	Good	
9/16/91 0:00	Manual Tape	191.75	Good	
9/16/91 7:03	Auto FIC	192.5	Good	
9/17/91 0:00	Manual Tape	191.75	Good	
9/17/91 7:03	Auto FIC	192.50	Good	
9/18/91 0:00	Manual Tape	191.5	Good	
9/18/91 7:03	Auto FIC	192.5	Good	
9/19/91 0:00	Manual Tape	191.5	Good	
9/19/91 7:03	Auto FIC	192.50	Good	
9/20/91 0:00	Manual Tape	191.5	Good	
9/20/91 7:02	Auto FIC	192.5	Good	
9/21/91 0:00	Manual Tape	191.50	Good	
9/21/91 7:02	Auto FIC	192.50	Good	
9/22/91 0:00	Manual Tape	191.50	Good	
9/22/91 7:03	Auto FIC	192.5	Good	
9/23/91 0:00	Manual Tape	191.5	Good	
9/23/91 7:03	Auto FIC	192.50	Good	
9/24/91 0:00	Manual Tape	191.5	Good	
9/24/91 7:02	Auto FIC	192.5	Good	
9/25/91 0:00	Manual Tape	191.50	Good	
9/25/91 7:03	Auto FIC	192.50	Good	
9/26/91 0:00	Manual Tape	191.5	Good	
9/26/91 7:03	Auto FIC	192.5	Good	
9/27/91 0:00	Manual Tape	191.5	Good	
9/27/91 7:02	Auto FIC	192.50	Good	
9/28/91 0:00	Manual Tape	191.5	Good	
9/28/91 7:02	Auto FIC	192.5	Good	
9/29/91 0:00	Manual Tape	191.50	Good	
9/29/91 7:03	Auto FIC	192.50	Good	
9/30/91 0:00	Manual Tape	191.50	Good	
9/30/91 7:03	Auto FIC	192.4	Good	
10/1/91 0:00	Manual Tape	191.5	Good	
10/1/91 7:02	Auto FIC	192.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/2/91 0:00	Manual Tape	191.50	Good	
10/2/91 7:02	Auto FIC	192.4	Good	
10/3/91 0:00	Manual Tape	191.50	Good	
10/3/91 7:02	Auto FIC	192.4	Good	
10/4/91 0:00	Manual Tape	191.5	Good	
10/4/91 7:03	Auto FIC	192.40	Good	
10/5/91 0:00	Manual Tape	191.50	Good	
10/5/91 0:00	Manual FIC	192.4	Good	
10/6/91 0:00	Manual Tape	191.5	Good	
10/6/91 7:03	Auto FIC	192.4	Good	
10/7/91 0:00	Manual Tape	191.5	Good	
10/7/91 7:02	Auto FIC	192.40	Good	
10/8/91 0:00	Manual Tape	191.75	Good	
10/8/91 7:02	Auto FIC	192.4	Good	
10/9/91 0:00	Manual Tape	191.50	Good	
10/9/91 7:02	Auto FIC	192.40	Good	
10/10/91 0:00	Manual Tape	191.50	Good	
10/10/91 7:02	Auto FIC	192.40	Good	
10/11/91 0:00	Manual Tape	191.5	Good	
10/11/91 7:02	Auto FIC	192.4	Good	
10/12/91 0:00	Manual Tape	191.5	Good	
10/12/91 7:02	Auto FIC	192.4	Good	
10/13/91 0:00	Manual Tape	191.50	Good	
10/13/91 7:03	Auto FIC	192.30	Good	
10/14/91 0:00	Manual Tape	191.25	Good	
10/14/91 7:02	Auto FIC	192.3	Good	
10/15/91 0:00	Manual Tape	191.75	Good	
10/15/91 7:02	Auto FIC	192.30	Good	
10/16/91 0:00	Manual Tape	191.50	Good	
10/16/91 7:03	Auto FIC	192.4	Good	
10/17/91 0:00	Manual Tape	191.50	Good	
10/17/91 7:05	Auto FIC	192.30	Good	
10/18/91 0:00	Manual Tape	191.5	Good	
10/18/91 7:06	Auto FIC	192.3	Good	
10/19/91 0:00	Manual Tape	191.50	Good	
10/19/91 7:06	Auto FIC	192.30	Good	
10/20/91 0:00	Manual Tape	191.5	Good	
10/20/91 7:02	Auto FIC	192.3	Good	
10/21/91 0:00	Manual Tape	191.50	Good	
10/21/91 7:02	Auto FIC	192.30	Good	
10/22/91 0:00	Manual Tape	191.25	Good	
10/22/91 7:03	Auto FIC	192.3	Good	
10/23/91 0:00	Manual Tape	191.75	Good	
10/23/91 7:02	Auto FIC	192.30	Good	
10/24/91 0:00	Manual Tape	191.25	Good	
10/24/91 7:02	Auto FIC	192.3	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/25/91 0:00	Manual Tape	191.25	Good	
10/25/91 7:03	Auto FIC	192.30	Good	
10/26/91 0:00	Manual Tape	191.5	Good	
10/26/91 7:03	Auto FIC	192.3	Good	
10/27/91 0:00	Manual Tape	191.75	Good	
10/27/91 7:02	Auto FIC	192.30	Good	
10/28/91 0:00	Manual Tape	191.25	Good	
10/28/91 7:02	Auto FIC	192.2	Good	
10/29/91 0:00	Manual Tape	191.25	Good	
10/29/91 7:03	Auto FIC	192.20	Good	
10/30/91 0:00	Manual Tape	191.25	Good	
10/30/91 7:03	Auto FIC	192.10	Good	
10/31/91 0:00	Manual Tape	191.25	Good	
10/31/91 7:03	Auto FIC	192.2	Good	
11/1/91 0:00	Manual Tape	191	Good	
11/1/91 7:02	Auto FIC	192.20	Good	
11/2/91 0:00	Manual Tape	191.00	Good	
11/2/91 7:03	Auto FIC	192.1	Good	
11/3/91 0:00	Manual Tape	191.25	Good	
11/3/91 7:03	Auto FIC	192.10	Good	
11/4/91 0:00	Manual Tape	191.25	Good	
11/4/91 7:02	Auto FIC	192.1	Good	
11/5/91 0:00	Manual Tape	191.25	Good	
11/5/91 7:03	Auto FIC	192.20	Good	
11/6/91 0:00	Manual Tape	191.25	Good	
11/6/91 7:03	Auto FIC	192.2	Good	
11/7/91 0:00	Manual Tape	191.25	Good	
11/7/91 7:02	Auto FIC	192.10	Good	
11/8/91 0:00	Manual Tape	191.00	Good	
11/8/91 7:03	Auto FIC	192.2	Good	
11/9/91 0:00	Manual Tape	191	Good	
11/9/91 7:02	Auto FIC	192.10	Good	
11/10/91 0:00	Manual Tape	191.25	Good	
11/10/91 7:03	Auto FIC	192.1	Good	
11/11/91 0:00	Manual Tape	191	Good	
11/11/91 6:03	Auto FIC	192.10	Good	
11/12/91 0:00	Manual Tape	191.00	Good	
11/12/91 7:03	Auto FIC	192.1	Good	
11/13/91 0:00	Manual Tape	191.25	Good	
11/13/91 7:03	Auto FIC	192.10	Good	
11/14/91 0:00	Manual Tape	191.25	Good	
11/14/91 7:03	Auto FIC	192.1	Good	
11/15/91 0:00	Manual Tape	191.25	Good	
11/15/91 7:03	Auto FIC	192.10	Good	
11/16/91 0:00	Manual Tape	191.25	Good	
11/16/91 7:03	Auto FIC	192.1	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/17/91 0:00	Manual Tape	191.5	Good	
11/17/91 7:02	Auto FIC	192.10	Good	
11/18/91 0:00	Manual Tape	191.25	Good	
11/18/91 7:03	Auto FIC	192.1	Good	
11/19/91 0:00	Manual Tape	191.25	Good	
11/19/91 7:03	Auto FIC	192.00	Good	
11/20/91 0:00	Manual Tape	191.00	Good	
11/20/91 7:03	Auto FIC	192.1	Good	
11/21/91 0:00	Manual Tape	191	Good	
11/21/91 7:02	Auto FIC	192.00	Good	
11/22/91 0:00	Manual Tape	191.00	Good	
11/22/91 7:03	Auto FIC	192	Good	
11/23/91 0:00	Manual Tape	191	Good	
11/23/91 7:02	Auto FIC	192.00	Good	
11/24/91 0:00	Manual Tape	191.00	Good	
11/24/91 7:03	Auto FIC	192.00	Good	
11/25/91 0:00	Manual Tape	191	Good	
11/25/91 7:03	Auto FIC	192	Good	
11/26/91 0:00	Manual Tape	191.00	Good	
11/26/91 0:00	Manual FIC	192	Good	
11/27/91 0:00	Manual Tape	191	Good	
11/27/91 7:03	Auto FIC	192.00	Good	
11/28/91 0:00	Manual Tape	191.00	Good	
11/28/91 7:03	Auto FIC	192	Good	
11/29/91 0:00	Manual Tape	191	Good	
11/29/91 7:03	Auto FIC	192.00	Good	
11/30/91 0:00	Manual Tape	191.00	Good	
11/30/91 7:03	Auto FIC	192	Good	
12/1/91 0:00	Manual Tape	191	Good	
12/1/91 7:03	Auto FIC	192.00	Good	
12/2/91 0:00	Manual Tape	191.00	Good	
12/2/91 7:03	Auto FIC	192	Good	
12/3/91 0:00	Manual Tape	191	Good	
12/3/91 7:03	Auto FIC	191.90	Good	
12/4/91 0:00	Manual Tape	191.00	Good	
12/4/91 7:03	Auto FIC	192	Good	
12/5/91 0:00	Manual Tape	191	Good	
12/5/91 7:03	Auto FIC	192.00	Good	
12/6/91 0:00	Manual Tape	191.00	Good	
12/6/91 7:04	Auto FIC	192	Good	
12/7/91 0:00	Manual Tape	191	Good	
12/7/91 7:03	Auto FIC	192.00	Good	
12/8/91 0:00	Manual Tape	191.00	Good	
12/8/91 7:03	Auto FIC	191.9	Good	
12/9/91 0:00	Manual Tape	191	Good	
12/9/91 7:03	Auto FIC	191.90	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/10/91 0:00	Manual Tape	190.75	Good	
12/10/91 7:03	Auto FIC	191.9	Good	
12/11/91 0:00	Manual Tape	190.75	Good	
12/11/91 7:02	Auto FIC	191.90	Good	
12/12/91 0:00	Manual Tape	190.75	Good	
12/12/91 7:03	Auto FIC	191.9	Good	
12/13/91 0:00	Manual Tape	190.75	Good	
12/13/91 7:05	Auto FIC	191.80	Good	
12/14/91 0:00	Manual Tape	191.00	Good	
12/14/91 7:02	Auto FIC	191.8	Good	
12/15/91 0:00	Manual Tape	190.75	Good	
12/15/91 7:02	Auto FIC	191.80	Good	
12/16/91 0:00	Manual Tape	190.75	Good	
12/16/91 7:03	Auto FIC	191.8	Good	
12/17/91 0:00	Manual Tape	190.75	Good	
12/17/91 7:06	Auto FIC	191.80	Good	
12/18/91 0:00	Manual Tape	191.00	Good	
12/18/91 7:03	Auto FIC	191.8	Good	
12/19/91 0:00	Manual Tape	190.75	Good	
12/19/91 7:03	Auto FIC	191.80	Good	
12/20/91 0:00	Manual Tape	190.75	Good	
12/20/91 7:02	Auto FIC	191.7	Good	
12/21/91 0:00	Manual Tape	190.75	Good	
12/21/91 7:03	Auto FIC	191.80	Good	
12/22/91 0:00	Manual Tape	190.75	Good	
12/22/91 7:05	Auto FIC	191.8	Good	
12/23/91 0:00	Manual Tape	190.75	Good	
12/23/91 7:06	Auto FIC	191.7	Good	
12/24/91 0:00	Manual Tape	190.50	Good	
12/24/91 7:03	Auto FIC	191.70	Good	
12/25/91 0:00	Manual Tape	190.75	Good	
12/25/91 7:03	Auto FIC	191.7	Good	
12/26/91 0:00	Manual Tape	190.75	Good	
12/26/91 7:03	Auto FIC	191.70	Good	
12/27/91 0:00	Manual Tape	190.75	Good	
12/27/91 7:03	Auto FIC	191.7	Good	
12/28/91 0:00	Manual Tape	190.75	Good	
12/28/91 7:02	Auto FIC	191.80	Good	
12/29/91 0:00	Manual Tape	190.75	Good	
12/29/91 7:03	Auto FIC	191.8	Good	
12/30/91 0:00	Manual Tape	190.75	Good	
12/30/91 7:03	Auto FIC	191.70	Good	
12/31/91 0:00	Manual Tape	190.75	Good	
12/31/91 7:03	Auto FIC	191.7	Good	
1/1/92 0:00	Manual Tape	190.75	Good	
1/1/92 7:03	Auto FIC	191.70	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/2/92 0:00	Manual Tape	190.75	Good	
1/2/92 7:02	Auto FIC	191.7	Good	
1/3/92 0:00	Manual Tape	190.75	Good	
1/3/92 7:04	Auto FIC	191.70	Good	
1/4/92 0:00	Manual Tape	190.75	Good	
1/4/92 7:03	Auto FIC	191.7	Good	
1/5/92 0:00	Manual Tape	190.75	Good	
1/5/92 7:03	Auto FIC	191.70	Good	
1/6/92 0:00	Manual Tape	190.75	Good	
1/6/92 7:03	Auto FIC	191.7	Good	
1/7/92 0:00	Manual Tape	190.75	Good	
1/7/92 7:04	Auto FIC	191.70	Good	
1/8/92 0:00	Manual Tape	190.75	Good	
1/8/92 7:03	Auto FIC	191.6	Good	
1/9/92 0:00	Manual Tape	190.50	Good	
1/9/92 7:03	Auto FIC	191.60	Good	
1/10/92 0:00	Manual Tape	190.5	Good	
1/10/92 7:04	Auto FIC	191.6	Good	
1/11/92 0:00	Manual Tape	190.50	Good	
1/11/92 7:04	Auto FIC	191.60	Good	
1/12/92 0:00	Manual Tape	190.5	Good	
1/12/92 0:00	Manual FIC	191.6	Good	
1/13/92 0:00	Manual Tape	190.50	Good	
1/13/92 0:00	Manual FIC	191.6	Good	
1/14/92 0:00	Manual Tape	190.5	Good	
1/14/92 0:00	Manual FIC	191.6	Good	
1/15/92 0:00	Manual Tape	190.50	Good	
1/15/92 7:03	Auto FIC	191.6	Good	
1/16/92 0:00	Manual Tape	190.5	Good	
1/16/92 7:04	Auto FIC	191.60	Good	
1/17/92 0:00	Manual Tape	190.50	Good	
1/17/92 7:04	Auto FIC	191.5	Good	
1/18/92 0:00	Manual Tape	190.5	Good	
1/18/92 7:04	Auto FIC	191.50	Good	
1/19/92 0:00	Manual Tape	190.50	Good	
1/19/92 7:03	Auto FIC	191.5	Good	
1/20/92 0:00	Manual Tape	190.75	Good	
1/20/92 7:03	Auto FIC	191.5	Good	
1/21/92 0:00	Manual Tape	190.50	Good	
1/21/92 7:03	Auto FIC	191.50	Good	
1/22/92 0:00	Manual Tape	190.5	Good	
1/22/92 7:06	Auto FIC	191.5	Good	
1/23/92 0:00	Manual Tape	190.50	Good	
1/23/92 7:03	Auto FIC	191.50	Good	
1/24/92 0:00	Manual Tape	190.5	Good	
1/24/92 7:02	Auto FIC	191.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/25/92 0:00	Manual Tape	190.50	Good	
1/25/92 7:03	Auto FIC	191.50	Good	
1/26/92 0:00	Manual Tape	190.5	Good	
1/26/92 6:03	Auto FIC	191.5	Good	
1/27/92 0:00	Manual Tape	190.50	Good	
1/27/92 7:02	Auto FIC	191.50	Good	
1/28/92 0:00	Manual Tape	190.5	Good	
1/28/92 7:03	Auto FIC	191.5	Good	
1/29/92 0:00	Manual Tape	190.50	Good	
1/29/92 7:03	Auto FIC	191.50	Good	
1/30/92 0:00	Manual Tape	190.5	Good	
1/30/92 7:03	Auto FIC	191.5	Good	
1/31/92 0:00	Manual Tape	190.50	Good	
1/31/92 7:03	Auto FIC	191.50	Good	
2/1/92 0:00	Manual Tape	190.5	Good	
2/1/92 7:02	Auto FIC	191.5	Good	
2/2/92 0:00	Manual Tape	190.50	Good	
2/2/92 7:03	Auto FIC	191.50	Good	
2/3/92 0:00	Manual Tape	190.5	Good	
2/3/92 7:03	Auto FIC	191.4	Good	
2/4/92 0:00	Manual Tape	190.5	Good	
2/4/92 7:03	Auto FIC	191.40	Good	
2/5/92 0:00	Manual Tape	190.50	Good	
2/5/92 7:02	Auto FIC	191.4	Good	
2/6/92 0:00	Manual Tape	190.5	Good	
2/6/92 0:00	Manual FIC	191.4	Good	
2/7/92 0:00	Manual Tape	190.5	Good	
2/7/92 0:00	Manual FIC	191.4	Good	
2/8/92 0:00	Manual Tape	190.50	Good	
2/8/92 7:04	Auto FIC	191.40	Good	
2/9/92 0:00	Manual Tape	190.5	Good	
2/9/92 7:03	Auto FIC	191.4	Good	
2/10/92 0:00	Manual Tape	190.5	Good	
2/10/92 7:04	Auto FIC	191.40	Good	
2/11/92 0:00	Manual Tape	190.50	Good	
2/11/92 7:03	Auto FIC	191.4	Good	
2/12/92 0:00	Manual Tape	190.5	Good	
2/12/92 7:03	Auto FIC	191.40	Good	
2/13/92 0:00	Manual Tape	190.5	Good	
2/13/92 7:03	Auto FIC	191.4	Good	
2/14/92 0:00	Manual Tape	190.50	Good	
2/14/92 7:03	Auto FIC	191.40	Good	
2/15/92 0:00	Manual Tape	190.5	Good	
2/15/92 7:03	Auto FIC	191.40	Good	
2/16/92 0:00	Manual Tape	190.5	Good	
2/16/92 7:03	Auto FIC	191.4	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/17/92 0:00	Manual Tape	190.50	Good	
2/17/92 7:03	Auto FIC	191.40	Good	
2/18/92 0:00	Manual Tape	190.25	Good	
2/18/92 7:03	Auto FIC	191.4	Good	
2/19/92 0:00	Manual Tape	190.25	Good	
2/19/92 7:03	Auto FIC	191.40	Good	
2/20/92 0:00	Manual Tape	190.25	Good	
2/20/92 7:03	Auto FIC	191.4	Good	
2/21/92 0:00	Manual Tape	190.25	Good	
2/21/92 7:03	Auto FIC	191.40	Good	
2/22/92 0:00	Manual Tape	190.5	Good	
2/22/92 7:03	Auto FIC	191.3	Good	
2/23/92 0:00	Manual Tape	190.25	Good	
2/23/92 7:03	Auto FIC	191.30	Good	
2/24/92 0:00	Manual Tape	190.5	Good	
2/24/92 7:03	Auto FIC	191.3	Good	
2/25/92 0:00	Manual Tape	190.5	Good	
2/25/92 7:04	Auto FIC	191.30	Good	
2/26/92 0:00	Manual Tape	190.5	Good	
2/26/92 7:03	Auto FIC	191.3	Good	
2/27/92 0:00	Manual Tape	190.5	Good	
2/27/92 7:04	Auto FIC	191.30	Good	
2/28/92 0:00	Manual Tape	190.5	Good	
2/28/92 7:04	Auto FIC	191.3	Good	
2/29/92 0:00	Manual Tape	190.5	Good	
2/29/92 7:03	Auto FIC	191.30	Good	
3/1/92 0:00	Manual Tape	190.25	Good	
3/1/92 7:03	Auto FIC	191.3	Good	
3/2/92 0:00	Manual Tape	190.25	Good	
3/2/92 7:03	Auto FIC	191.30	Good	
3/3/92 0:00	Manual Tape	190.25	Good	
3/3/92 7:04	Auto FIC	191.3	Good	
3/4/92 0:00	Manual Tape	190.25	Good	
3/4/92 7:04	Auto FIC	191.30	Good	
3/5/92 0:00	Manual Tape	190.25	Good	
3/5/92 7:03	Auto FIC	191.3	Good	
3/6/92 0:00	Manual Tape	190.25	Good	
3/6/92 7:03	Auto FIC	191.30	Good	
3/7/92 0:00	Manual Tape	190.25	Good	
3/7/92 7:02	Auto FIC	191.3	Good	
3/8/92 0:00	Manual Tape	190.25	Good	
3/8/92 7:02	Auto FIC	191.3	Good	
3/9/92 0:00	Manual Tape	190.25	Good	
3/9/92 7:02	Auto FIC	191.20	Good	
3/10/92 0:00	Manual Tape	190.25	Good	
3/10/92 7:03	Auto FIC	191.20	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/11/92 0:00	Manual Tape	190.25	Good	
3/11/92 7:03	Auto FIC	191.2	Good	
3/12/92 0:00	Manual Tape	190.25	Good	
3/12/92 7:03	Auto FIC	191.20	Good	
3/13/92 0:00	Manual Tape	190	Good	
3/13/92 7:03	Auto FIC	191.2	Good	
3/14/92 0:00	Manual Tape	190	Good	
3/14/92 7:03	Auto FIC	191.20	Good	
3/15/92 0:00	Manual Tape	190.25	Good	
3/15/92 7:06	Auto FIC	191.2	Good	
3/16/92 0:00	Manual Tape	190.25	Good	
3/16/92 7:03	Auto FIC	191.20	Good	
3/17/92 0:00	Manual Tape	190.25	Good	
3/17/92 7:03	Auto FIC	191.20	Good	
3/18/92 0:00	Manual Tape	190.25	Good	
3/18/92 7:03	Auto FIC	191.2	Good	
3/19/92 0:00	Manual Tape	190.25	Good	
3/19/92 6:02	Auto FIC	191.20	Good	
3/20/92 0:00	Manual Tape	190.25	Good	
3/20/92 7:02	Auto FIC	191.20	Good	
3/21/92 0:00	Manual Tape	190.25	Good	
3/21/92 7:03	Auto FIC	191.2	Good	
3/22/92 0:00	Manual Tape	190.25	Good	
3/22/92 7:02	Auto FIC	191.2	Good	
3/23/92 0:00	Manual Tape	190.25	Good	
3/23/92 7:02	Auto FIC	191.20	Good	
3/24/92 0:00	Manual Tape	190.25	Good	
3/24/92 7:02	Auto FIC	191.20	Good	
3/25/92 0:00	Manual Tape	190.25	Good	
3/25/92 7:03	Auto FIC	191.1	Good	
3/26/92 0:00	Manual Tape	190.25	Good	
3/26/92 7:03	Auto FIC	191.20	Good	
3/27/92 0:00	Manual Tape	190.00	Good	
3/27/92 7:02	Auto FIC	191.20	Good	
3/28/92 0:00	Manual Tape	190	Good	
3/28/92 7:03	Auto FIC	191.1	Good	
3/29/92 0:00	Manual Tape	190	Good	
3/29/92 7:03	Auto FIC	191.10	Good	
3/30/92 0:00	Manual Tape	190.00	Good	
3/30/92 7:03	Auto FIC	191.1	Good	
3/31/92 0:00	Manual Tape	190	Good	
3/31/92 7:03	Auto FIC	191.10	Good	
4/1/92 0:00	Manual Tape	190	Good	
4/1/92 7:03	Auto FIC	191.1	Good	
4/2/92 0:00	Manual Tape	190.25	Good	
4/2/92 7:03	Auto FIC	191.10	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/3/92 0:00	Manual Tape	190	Good	
4/3/92 7:03	Auto FIC	191.1	Good	
4/4/92 0:00	Manual Tape	190	Good	
4/4/92 7:03	Auto FIC	191.10	Good	
4/5/92 0:00	Manual Tape	190.00	Good	
4/5/92 7:03	Auto FIC	191.10	Good	
4/6/92 0:00	Manual Tape	190	Good	
4/6/92 7:03	Auto FIC	191	Good	
4/7/92 0:00	Manual Tape	190	Good	
4/7/92 7:03	Auto FIC	191.00	Good	
4/8/92 0:00	Manual Tape	190.00	Good	
4/8/92 5:02	Auto FIC	191	Good	
4/9/92 0:00	Manual Tape	190	Good	
4/9/92 7:03	Auto FIC	191.10	Good	
4/10/92 0:00	Manual Tape	190	Good	
4/10/92 7:03	Auto FIC	191.1	Good	
4/11/92 0:00	Manual Tape	190.00	Good	
4/11/92 7:03	Auto FIC	191.10	Good	
4/12/92 0:00	Manual Tape	190	Good	
4/12/92 5:03	Auto FIC	191.1	Good	
4/13/92 0:00	Manual Tape	190	Good	
4/13/92 7:03	Auto FIC	191.10	Good	
4/14/92 0:00	Manual Tape	190.00	Good	
4/14/92 7:03	Auto FIC	191.1	Good	
4/15/92 0:00	Manual Tape	190	Good	
4/15/92 7:02	Auto FIC	191.10	Good	
4/16/92 0:00	Manual Tape	190	Good	
4/16/92 7:03	Auto FIC	191.1	Good	
4/17/92 0:00	Manual Tape	190.25	Good	
4/17/92 7:03	Auto FIC	191.10	Good	
4/18/92 0:00	Manual Tape	190.25	Good	
4/18/92 7:02	Auto FIC	191	Good	
4/19/92 0:00	Manual Tape	190.25	Good	
4/19/92 7:02	Auto FIC	191.00	Good	
4/20/92 0:00	Manual Tape	190.25	Good	
4/20/92 7:03	Auto FIC	191	Good	
4/21/92 0:00	Manual Tape	190.25	Good	
4/21/92 7:03	Auto FIC	191.00	Good	
4/22/92 0:00	Manual Tape	190	Good	
4/22/92 7:02	Auto FIC	191	Good	
4/23/92 0:00	Manual Tape	190	Good	
4/23/92 7:03	Auto FIC	191.00	Good	
4/24/92 0:00	Manual Tape	190	Good	
4/24/92 7:03	Auto FIC	191	Good	
4/25/92 0:00	Manual Tape	190.00	Good	
4/25/92 7:04	Auto FIC	191.00	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/26/92 0:00	Manual Tape	190	Good	
4/26/92 7:03	Auto FIC	191	Good	
4/27/92 0:00	Manual Tape	190.25	Good	
4/27/92 7:04	Auto FIC	191.00	Good	
4/28/92 0:00	Manual Tape	190.00	Good	
4/28/92 7:03	Auto FIC	191	Good	
4/29/92 0:00	Manual Tape	190	Good	
4/29/92 7:03	Auto FIC	191.00	Good	
4/30/92 0:00	Manual Tape	190.00	Good	
4/30/92 7:03	Auto FIC	191	Good	
5/1/92 0:00	Manual Tape	190	Good	
5/1/92 7:03	Auto FIC	191.00	Good	
5/2/92 0:00	Manual Tape	189.75	Good	
5/2/92 2:03	Auto FIC	191.00	Good	
5/3/92 0:00	Manual Tape	189.75	Good	
5/3/92 7:03	Auto FIC	191	Good	
5/4/92 0:00	Manual Tape	190.00	Good	
5/4/92 7:03	Auto FIC	191.00	Good	
5/5/92 0:00	Manual Tape	190	Good	
5/5/92 7:04	Auto FIC	191	Good	
5/6/92 0:00	Manual Tape	190.00	Good	
5/6/92 7:03	Auto FIC	191.00	Good	
5/7/92 0:00	Manual Tape	190	Good	
5/7/92 7:04	Auto FIC	191.00	Good	
5/8/92 0:00	Manual Tape	189.75	Good	
5/8/92 7:03	Auto FIC	191	Good	
5/9/92 0:00	Manual Tape	190	Good	
5/9/92 0:00	Manual FIC	191	Good	
5/10/92 0:00	Manual Tape	189.75	Good	
5/10/92 6:03	Auto FIC	191	Good	
5/11/92 0:00	Manual Tape	189.75	Good	
5/11/92 0:00	Manual FIC	191	Good	
5/12/92 0:00	Manual Tape	189.75	Good	
5/12/92 7:03	Auto FIC	190.90	Good	
5/13/92 0:00	Manual Tape	189.75	Good	
5/13/92 7:03	Auto FIC	190.9	Good	
5/14/92 0:00	Manual Tape	189.75	Good	
5/14/92 7:03	Auto FIC	190.90	Good	
5/15/92 0:00	Manual Tape	190	Good	
5/15/92 7:03	Auto FIC	190.9	Good	
5/16/92 0:00	Manual Tape	190.00	Good	
5/16/92 7:03	Auto FIC	190.90	Good	
5/17/92 0:00	Manual Tape	190	Good	
5/17/92 7:02	Auto FIC	190.90	Good	
5/18/92 0:00	Manual Tape	190.00	Good	
5/18/92 7:03	Auto FIC	190.9	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/19/92 0:00	Manual Tape	190	Good	
5/19/92 7:03	Auto FIC	190.9	Good	
5/20/92 0:00	Manual Tape	190.00	Good	
5/20/92 7:03	Auto FIC	190.90	Good	
5/21/92 0:00	Manual Tape	190	Good	
5/21/92 7:03	Auto FIC	190.9	Good	
5/22/92 0:00	Manual Tape	190.00	Good	
5/22/92 7:02	Auto FIC	190.90	Good	
5/23/92 0:00	Manual Tape	190	Good	
5/23/92 7:03	Auto FIC	190.9	Good	
5/24/92 0:00	Manual Tape	189.75	Good	
5/24/92 7:03	Auto FIC	190.90	Good	
5/25/92 0:00	Manual Tape	189.75	Good	
5/25/92 7:03	Auto FIC	190.90	Good	
5/26/92 0:00	Manual Tape	189.75	Good	
5/26/92 0:00	Manual FIC	190.9	Good	
5/27/92 0:00	Manual Tape	189.75	Good	
5/27/92 7:03	Auto FIC	190.9	Good	
5/28/92 0:00	Manual Tape	189.75	Good	
5/28/92 7:02	Auto FIC	190.90	Good	
5/29/92 0:00	Manual Tape	189.75	Good	
5/29/92 7:02	Auto FIC	190.9	Good	
5/30/92 0:00	Manual Tape	189.75	Good	
5/30/92 7:03	Auto FIC	190.80	Good	
5/31/92 0:00	Manual Tape	189.75	Good	
5/31/92 7:03	Auto FIC	190.8	Good	
6/1/92 0:00	Manual Tape	189.75	Good	
6/1/92 7:03	Auto FIC	190.80	Good	
6/2/92 0:00	Manual Tape	190	Good	
6/2/92 7:03	Auto FIC	190.8	Good	
6/3/92 0:00	Manual Tape	189.75	Good	
6/3/92 7:03	Auto FIC	190.8	Good	
6/4/92 0:00	Manual Tape	189.75	Good	
6/4/92 7:03	Auto FIC	190.80	Good	
6/5/92 0:00	Manual Tape	189.75	Good	
6/5/92 7:02	Auto FIC	190.8	Good	
6/6/92 0:00	Manual Tape	189.75	Good	
6/6/92 7:03	Auto FIC	190.80	Good	
6/7/92 0:00	Manual Tape	189.75	Good	
6/7/92 7:03	Auto FIC	190.8	Good	
6/8/92 0:00	Manual Tape	189.75	Good	
6/8/92 7:03	Auto FIC	190.8	Good	
6/9/92 0:00	Manual Tape	189.75	Good	
6/9/92 7:03	Auto FIC	190.80	Good	
6/10/92 0:00	Manual Tape	189.75	Good	
6/10/92 7:03	Auto FIC	190.80	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/11/92 0:00	Manual Tape	190.00	Good	
6/11/92 7:03	Auto FIC	190.8	Good	
6/12/92 0:00	Manual Tape	189.75	Good	
6/12/92 7:05	Auto FIC	190.8	Good	
6/13/92 0:00	Manual Tape	190.00	Good	
6/13/92 7:05	Auto FIC	190.80	Good	
6/14/92 0:00	Manual Tape	190	Good	
6/14/92 0:00	Manual FIC	190.8	Good	
6/15/92 0:00	Manual Tape	190.00	Good	
6/15/92 7:03	Auto FIC	190.80	Good	
6/16/92 0:00	Manual Tape	190	Good	
6/16/92 7:03	Auto FIC	190.8	Good	
6/17/92 0:00	Manual Tape	189.75	Good	
6/17/92 7:03	Auto FIC	190.80	Good	
6/18/92 0:00	Manual Tape	189.75	Good	
6/18/92 7:03	Auto FIC	190.80	Good	
6/19/92 0:00	Manual Tape	189.75	Good	
6/19/92 7:02	Auto FIC	190.8	Good	
6/20/92 0:00	Manual Tape	189.75	Good	
6/20/92 7:02	Auto FIC	190.80	Good	
6/21/92 0:00	Manual Tape	189.75	Good	
6/21/92 7:03	Auto FIC	190.80	Good	
6/22/92 0:00	Manual Tape	189.75	Good	
6/22/92 7:03	Auto FIC	190.8	Good	
6/23/92 0:00	Manual Tape	189.75	Good	
6/23/92 7:03	Auto FIC	190.8	Good	
6/24/92 0:00	Manual Tape	189.5	Good	
6/24/92 7:03	Auto FIC	190.80	Good	
6/25/92 0:00	Manual Tape	189.50	Good	
6/25/92 7:03	Auto FIC	190.80	Good	
6/26/92 0:00	Manual Tape	189.75	Good	
6/26/92 7:02	Auto FIC	190.8	Good	
6/27/92 0:00	Manual Tape	189.75	Good	
6/27/92 7:03	Auto FIC	190.8	Good	
6/28/92 0:00	Manual Tape	190	Good	
6/28/92 7:06	Auto FIC	190.70	Good	
6/29/92 0:00	Manual Tape	189.75	Good	
6/29/92 7:06	Auto FIC	190.80	Good	
6/30/92 0:00	Manual Tape	189.75	Good	
6/30/92 7:06	Auto FIC	190.8	Good	
7/1/92 0:00	Manual Tape	189.75	Good	
7/1/92 0:00	Manual FIC	190.8	Good	
7/2/92 0:00	Manual Tape	189.75	Good	
7/2/92 0:00	Manual FIC	190.8	Good	
7/3/92 0:00	Manual Tape	189.75	Good	
7/3/92 7:06	Auto FIC	190.8	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/4/92 0:00	Manual Tape	189.75	Good	
7/4/92 7:06	Auto FIC	190.80	Good	
7/5/92 0:00	Manual Tape	189.75	Good	
7/5/92 7:06	Auto FIC	190.80	Good	
7/6/92 0:00	Manual Tape	189.75	Good	
7/6/92 7:06	Auto FIC	190.8	Good	
7/7/92 0:00	Manual Tape	189.75	Good	
7/7/92 7:06	Auto FIC	190.80	Good	
7/8/92 0:00	Manual Tape	189.75	Good	
7/8/92 7:06	Auto FIC	190.80	Good	
7/9/92 0:00	Manual Tape	189.75	Good	
7/9/92 7:06	Auto FIC	190.8	Good	
7/10/92 0:00	Manual Tape	189.75	Good	
7/10/92 7:06	Auto FIC	190.8	Good	
7/11/92 0:00	Manual Tape	189.75	Good	
7/11/92 7:06	Auto FIC	190.80	Good	
7/12/92 0:00	Manual Tape	189.75	Good	
7/12/92 7:06	Auto FIC	190.80	Good	
7/13/92 0:00	Manual Tape	189.75	Good	
7/13/92 7:06	Auto FIC	190.8	Good	
7/14/92 0:00	Manual Tape	189.75	Good	
7/14/92 7:06	Auto FIC	190.8	Good	
7/15/92 0:00	Manual Tape	189.75	Good	
7/15/92 7:06	Auto FIC	190.80	Good	
7/16/92 0:00	Manual Tape	189.75	Good	
7/16/92 7:06	Auto FIC	190.80	Good	
7/17/92 0:00	Manual Tape	189.75	Good	
7/17/92 7:06	Auto FIC	190.9	Good	
7/18/92 0:00	Manual Tape	189.75	Good	
7/18/92 7:06	Auto FIC	190.9	Good	
7/19/92 0:00	Manual Tape	189.75	Good	
7/19/92 7:06	Auto FIC	190.80	Good	
7/20/92 0:00	Manual Tape	189.75	Good	
7/20/92 7:06	Auto FIC	190.80	Good	
7/21/92 0:00	Manual Tape	189.75	Good	
7/21/92 7:05	Auto FIC	190.8	Good	
7/22/92 0:00	Manual Tape	189.75	Good	
7/22/92 7:06	Auto FIC	190.80	Good	
7/23/92 0:00	Manual Tape	189.5	Good	
7/23/92 0:00	Manual FIC	190.8	Good	
7/24/92 0:00	Manual Tape	189.75	Good	
7/24/92 7:05	Auto FIC	190.8	Good	
7/25/92 0:00	Manual Tape	189.75	Good	
7/25/92 7:06	Auto FIC	190.8	Good	
7/26/92 0:00	Manual Tape	189.75	Good	
7/26/92 7:06	Auto FIC	190.80	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/27/92 0:00	Manual Tape	189.75	Good	
7/27/92 7:05	Auto FIC	190.80	Good	
7/28/92 0:00	Manual Tape	189.50	Good	
7/28/92 7:06	Auto FIC	190.8	Good	
7/29/92 0:00	Manual Tape	189.75	Good	
7/29/92 7:06	Auto FIC	190.8	Good	
7/30/92 0:00	Manual Tape	189.75	Good	
7/30/92 7:06	Auto FIC	190.80	Good	
7/31/92 0:00	Manual Tape	189.75	Good	
7/31/92 7:05	Auto FIC	190.80	Good	
8/1/92 0:00	Manual Tape	189.75	Good	
8/1/92 7:06	Auto FIC	190.8	Good	
8/2/92 0:00	Manual Tape	189.75	Good	
8/2/92 7:06	Auto FIC	190.8	Good	
8/3/92 0:00	Manual Tape	189.75	Good	
8/3/92 7:06	Auto FIC	190.80	Good	
8/4/92 0:00	Manual Tape	189.75	Good	
8/4/92 7:06	Auto FIC	190.80	Good	
8/5/92 0:00	Manual Tape	189.75	Good	
8/5/92 7:05	Auto FIC	190.8	Good	
8/6/92 0:00	Manual Tape	189.75	Good	
8/6/92 7:05	Auto FIC	190.8	Good	
8/7/92 0:00	Manual Tape	189.75	Good	
8/7/92 7:05	Auto FIC	190.80	Good	
8/8/92 0:00	Manual Tape	189.75	Good	
8/8/92 7:06	Auto FIC	190.80	Good	
8/9/92 0:00	Manual Tape	189.75	Good	
8/9/92 7:06	Auto FIC	190.8	Good	
8/10/92 0:00	Manual Tape	189.75	Good	
8/10/92 7:05	Auto FIC	190.8	Good	
8/11/92 0:00	Manual Tape	189.75	Good	
8/11/92 7:06	Auto FIC	190.80	Good	
8/12/92 0:00	Manual Tape	189.75	Good	
8/12/92 7:06	Auto FIC	190.80	Good	
8/13/92 0:00	Manual Tape	240.00	Good	
8/13/92 7:06	Auto FIC	240.2	Good	
8/14/92 0:00	Manual Tape	268	Good	
8/14/92 7:06	Auto FIC	262.4	Good	
8/15/92 0:00	Manual Tape	320.25	Good	
8/15/92 7:06	Auto FIC	316.80	Good	
8/16/92 0:00	Manual Tape	333.75	Good	
8/16/92 7:06	Auto FIC	322.80	Good	
8/17/92 0:00	Manual Tape	321.75	Good	
8/17/92 7:06	Auto FIC	322.8	Good	
8/18/92 0:00	Manual Tape	321.75	Good	
8/18/92 7:06	Auto FIC	322.8	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/19/92 0:00	Manual Tape	321.75	Good	
8/19/92 7:06	Auto FIC	322.80	Good	
8/20/92 0:00	Manual Tape	321.75	Good	
8/20/92 7:06	Auto FIC	323	Good	
8/21/92 0:00	Manual Tape	321.75	Good	
8/21/92 7:05	Auto FIC	323.00	Good	
8/22/92 0:00	Manual Tape	322.00	Good	
8/22/92 7:04	Auto FIC	322.8	Good	
8/23/92 0:00	Manual Tape	322	Good	
8/23/92 7:04	Auto FIC	322.8	Good	
8/24/92 0:00	Manual Tape	321.50	Good	
8/24/92 7:04	Auto FIC	322.9	Good	
8/25/92 0:00	Manual Tape	321.5	Good	
8/25/92 7:04	Auto FIC	322.8	Good	
8/26/92 0:00	Manual Tape	321.50	Good	
8/26/92 7:03	Auto FIC	322.8	Good	
8/27/92 0:00	Manual Tape	322	Good	
8/27/92 7:04	Auto FIC	322.8	Good	
8/28/92 0:00	Manual Tape	322.00	Good	
8/28/92 7:02	Auto FIC	323	Good	
8/29/92 0:00	Manual Tape	322	Good	
8/29/92 7:02	Auto FIC	322.8	Good	
8/30/92 0:00	Manual Tape	322.00	Good	
8/30/92 7:02	Auto FIC	322.90	Good	
8/31/92 0:00	Manual Tape	322	Good	
8/31/92 7:02	Auto FIC	322.90	Good	
9/1/92 0:00	Manual Tape	322.00	Good	
9/1/92 7:02	Auto FIC	322.90	Good	
9/2/92 0:00	Manual Tape	322	Good	
9/2/92 7:02	Auto FIC	322.9	Good	
9/3/92 0:00	Manual Tape	322.00	Good	
9/3/92 7:04	Auto FIC	323.1	Good	
9/4/92 0:00	Manual Tape	322	Good	
9/4/92 7:04	Auto FIC	323.1	Good	
9/5/92 0:00	Manual Tape	322.00	Good	
9/5/92 7:04	Auto FIC	323.1	Good	
9/6/92 0:00	Manual Tape	322	Good	
9/6/92 7:04	Auto FIC	322.90	Good	
9/7/92 0:00	Manual Tape	322.00	Good	
9/7/92 7:05	Auto FIC	322.9	Good	
9/8/92 0:00	Manual Tape	322	Good	
9/8/92 7:05	Auto FIC	323	Good	
9/9/92 0:00	Manual Tape	322.00	Good	
9/9/92 7:04	Auto FIC	323.00	Good	
9/10/92 0:00	Manual Tape	322	Good	
9/10/92 7:03	Auto FIC	323	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/11/92 0:00	Manual Tape	322.00	Good	
9/11/92 0:00	Manual FIC	323	Good	
9/12/92 0:00	Manual Tape	321.75	Good	
9/12/92 0:00	Manual FIC	323	Good	
9/13/92 0:00	Manual Tape	322.00	Good	
9/13/92 0:00	Manual FIC	323	Good	
9/14/92 0:00	Manual Tape	322	Good	
9/14/92 0:00	Manual FIC	323.2	Good	
9/15/92 0:00	Manual Tape	322.00	Good	
9/15/92 0:00	Manual FIC	323.2	Good	
9/16/92 0:00	Manual Tape	325.75	Good	
9/16/92 0:00	Manual FIC	323.8	Good	
9/17/92 0:00	Manual Tape	326.00	Good	
9/17/92 7:06	Auto FIC	326.8	Good	
9/18/92 0:00	Manual Tape	326	Good	
9/18/92 7:06	Auto FIC	326.8	Good	
9/19/92 0:00	Manual Tape	326.00	Good	
9/19/92 0:00	Manual FIC	326.8	Good	
9/20/92 0:00	Manual Tape	326	Good	
9/20/92 0:00	Manual FIC	326.8	Good	
9/21/92 0:00	Manual Tape	326.00	Good	
9/21/92 7:06	Auto FIC	326.80	Good	
9/22/92 0:00	Manual Tape	326	Good	
9/22/92 7:03	Auto FIC	327.00	Good	
9/23/92 0:00	Manual Tape	331.50	Good	
9/23/92 7:03	Auto FIC	332.40	Good	
9/24/92 0:00	Manual Tape	334	Good	
9/24/92 7:03	Auto FIC	335.3	Good	
9/25/92 0:00	Manual Tape	334.00	Good	
9/25/92 7:03	Auto FIC	335.2	Good	
9/26/92 0:00	Manual Tape	338	Good	
9/26/92 7:02	Auto FIC	339	Good	
9/27/92 0:00	Manual Tape	338.00	Good	
9/27/92 7:02	Auto FIC	339	Good	
9/28/92 0:00	Manual Tape	338	Good	
9/28/92 7:02	Auto FIC	339.00	Good	
9/29/92 0:00	Manual Tape	338.00	Good	
9/29/92 7:03	Auto FIC	339.00	Good	
9/30/92 0:00	Manual Tape	338	Good	
9/30/92 7:02	Auto FIC	339.10	Good	
10/1/92 0:00	Manual Tape	338.00	Good	
10/1/92 7:03	Auto FIC	339.1	Good	
10/2/92 0:00	Manual Tape	338	Good	
10/2/92 7:02	Auto FIC	339.2	Good	
10/3/92 0:00	Manual Tape	338.00	Good	
10/3/92 7:03	Auto FIC	339.30	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/4/92 0:00	Manual Tape	338	Good	
10/4/92 7:03	Auto FIC	339.4	Good	
10/5/92 0:00	Manual Tape	338.00	Good	
10/5/92 7:03	Auto FIC	339.4	Good	
10/6/92 0:00	Manual Tape	338	Good	
10/6/92 7:03	Auto FIC	339.40	Good	
10/7/92 0:00	Manual Tape	337.75	Good	
10/7/92 0:00	Manual FIC	339.4	Good	
10/8/92 0:00	Manual Tape	337.75	Good	
10/8/92 7:02	Auto FIC	339.4	Good	
10/9/92 0:00	Manual Tape	337.75	Good	
10/9/92 7:03	Auto FIC	339.5	Good	
10/10/92 0:00	Manual Tape	338	Good	
10/10/92 7:03	Auto FIC	339.50	Good	
10/11/92 0:00	Manual Tape	338.00	Good	
10/11/92 7:03	Auto FIC	339.60	Good	
10/12/92 0:00	Manual Tape	337.75	Good	
10/12/92 0:00	Manual FIC	339.7	Good	
10/13/92 0:00	Manual Tape	337.75	Good	
10/13/92 0:00	Manual FIC	339.7	Good	
10/14/92 0:00	Manual Tape	338	Good	
10/14/92 7:03	Auto FIC	339.8	Good	
10/15/92 0:00	Manual Tape	338.00	Good	
10/15/92 7:04	Auto FIC	339.7	Good	
10/16/92 0:00	Manual Tape	338	Good	
10/16/92 7:03	Auto FIC	339.90	Good	
10/17/92 0:00	Manual Tape	339.75	Good	
10/17/92 7:03	Auto FIC	339.90	Good	
10/18/92 0:00	Manual Tape	340.25	Good	
10/18/92 7:03	Auto FIC	341.2	Good	
10/19/92 0:00	Manual Tape	340.00	Good	
10/19/92 7:03	Auto FIC	341.2	Good	
10/20/92 0:00	Manual Tape	340	Good	
10/20/92 7:03	Auto FIC	341.20	Good	
10/21/92 0:00	Manual Tape	340.00	Good	
10/21/92 7:03	Auto FIC	341.20	Good	
10/22/92 0:00	Manual Tape	340	Good	
10/22/92 0:00	Manual FIC	341.1	Good	
10/23/92 0:00	Manual Tape	340.25	Good	
10/23/92 0:00	Manual FIC	341.2	Good	
10/24/92 0:00	Manual Tape	340.25	Good	
10/24/92 7:03	Auto FIC	341.2	Good	
10/25/92 0:00	Manual Tape	340.25	Good	
10/25/92 7:03	Auto FIC	341.20	Good	
10/26/92 0:00	Manual Tape	340.25	Good	
10/26/92 0:00	Manual FIC	341.2	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/27/92 0:00	Manual Tape	340.25	Good	
10/27/92 7:04	Auto FIC	341.20	Good	
10/28/92 0:00	Manual Tape	340.25	Good	
10/28/92 7:03	Auto FIC	341.3	Good	
10/29/92 0:00	Manual Tape	340.25	Good	
10/29/92 7:03	Auto FIC	341.3	Good	
10/30/92 0:00	Manual Tape	340.25	Good	
10/30/92 7:03	Auto FIC	341.30	Good	
10/31/92 0:00	Manual Tape	340.25	Good	
10/31/92 7:03	Auto FIC	341.20	Good	
11/1/92 0:00	Manual Tape	340.25	Good	
11/1/92 7:03	Auto FIC	341.3	Good	
11/2/92 0:00	Manual Tape	340.25	Good	
11/2/92 7:03	Auto FIC	341.2	Good	
11/3/92 0:00	Manual Tape	340.25	Good	
11/3/92 7:03	Auto FIC	341.2	Good	
11/4/92 0:00	Manual Tape	340.25	Good	
11/4/92 7:03	Auto FIC	341.20	Good	
11/5/92 0:00	Manual Tape	340.25	Good	
11/5/92 0:00	Manual FIC	341.2	Good	
11/6/92 0:00	Manual Tape	340.25	Good	
11/6/92 0:00	Manual FIC	341.2	Good	
11/7/92 0:00	Manual Tape	340.25	Good	
11/7/92 0:00	Manual FIC	341.2	Good	
11/8/92 0:00	Manual Tape	340.25	Good	
11/8/92 0:00	Manual FIC	341.3	Good	
11/9/92 0:00	Manual Tape	340.25	Good	
11/9/92 0:00	Manual FIC	341.2	Good	
11/10/92 0:00	Manual Tape	340.25	Good	
11/10/92 7:03	Auto FIC	341.20	Good	
11/11/92 0:00	Manual Tape	340	Good	
11/11/92 7:04	Auto FIC	341.2	Good	
11/12/92 0:00	Manual Tape	340.25	Good	
11/12/92 7:03	Auto FIC	341.2	Good	
11/13/92 0:00	Manual Tape	340.25	Good	
11/13/92 7:04	Auto FIC	341.20	Good	
11/14/92 0:00	Manual Tape	340.50	Good	
11/14/92 7:04	Auto FIC	341.20	Good	
11/15/92 0:00	Manual Tape	340.25	Good	
11/15/92 7:04	Auto FIC	341.2	Good	
11/16/92 0:00	Manual Tape	340.25	Good	
11/16/92 7:04	Auto FIC	341.2	Good	
11/17/92 0:00	Manual Tape	340	Good	
11/17/92 7:04	Auto FIC	341.20	Good	
11/18/92 0:00	Manual Tape	340.25	Good	
11/18/92 7:02	Auto FIC	341.30	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/19/92 0:00	Manual Tape	340.25	Good	
11/19/92 7:02	Auto FIC	341.2	Good	
11/20/92 0:00	Manual Tape	340.25	Good	
11/20/92 7:03	Auto FIC	341.2	Good	
11/21/92 0:00	Manual Tape	340.25	Good	
11/21/92 7:02	Auto FIC	341.20	Good	
11/22/92 0:00	Manual Tape	340.25	Good	
11/22/92 7:03	Auto FIC	341.20	Good	
11/23/92 0:00	Manual Tape	340.25	Good	
11/23/92 7:03	Auto FIC	341.2	Good	
11/24/92 0:00	Manual Tape	340.50	Good	
11/24/92 7:03	Auto FIC	341.6	Good	
11/25/92 0:00	Manual Tape	340.5	Good	
11/25/92 7:03	Auto FIC	341.5	Good	
11/26/92 0:00	Manual Tape	340.50	Good	
11/26/92 7:03	Auto FIC	341.50	Good	
11/27/92 0:00	Manual Tape	340.5	Good	
11/27/92 7:03	Auto FIC	341.50	Good	
11/28/92 0:00	Manual Tape	340.50	Good	
11/28/92 7:03	Auto FIC	341.5	Good	
11/29/92 0:00	Manual Tape	340.5	Good	
11/29/92 7:03	Auto FIC	341.5	Good	
11/30/92 0:00	Manual Tape	340.50	Good	
11/30/92 0:00	Manual FIC	341.5	Good	
12/1/92 0:00	Manual Tape	340.5	Good	
12/1/92 7:03	Auto FIC	341.50	Good	
12/2/92 0:00	Manual Tape	340.50	Good	
12/2/92 7:03	Auto FIC	341.60	Good	
12/3/92 0:00	Manual Tape	340.5	Good	
12/3/92 7:03	Auto FIC	341.6	Good	
12/4/92 0:00	Manual Tape	340.50	Good	
12/4/92 7:03	Auto FIC	341.6	Good	
12/5/92 0:00	Manual Tape	340.5	Good	
12/5/92 0:00	Manual FIC	341.6	Good	
12/6/92 0:00	Manual Tape	340.50	Good	
12/6/92 7:02	Auto FIC	341.60	Good	
12/7/92 0:00	Manual Tape	340.5	Good	
12/7/92 7:03	Auto FIC	341.60	Good	
12/8/92 0:00	Manual Tape	340.50	Good	
12/8/92 7:03	Auto FIC	341.6	Good	
12/9/92 0:00	Manual Tape	340.5	Good	
12/9/92 7:03	Auto FIC	341.6	Good	
12/10/92 0:00	Manual Tape	342.75	Good	
12/10/92 7:03	Auto FIC	343.70	Good	
12/11/92 0:00	Manual Tape	342.75	Good	
12/11/92 7:03	Auto FIC	343.70	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/12/92 0:00	Manual Tape	344.50	Good	
12/12/92 0:00	Manual FIC	345.6	Good	
12/13/92 0:00	Manual Tape	344.5	Good	
12/13/92 7:04	Auto FIC	345.3	Good	
12/14/92 0:00	Manual Tape	344.75	Good	
12/14/92 7:03	Auto FIC	345.8	Good	
12/15/92 0:00	Manual Tape	347	Good	
12/15/92 7:03	Auto FIC	348.00	Good	
12/16/92 0:00	Manual Tape	346.75	Good	
12/16/92 7:04	Auto FIC	348.10	Good	
12/17/92 0:00	Manual Tape	347	Good	
12/17/92 7:03	Auto FIC	347.9	Good	
12/18/92 0:00	Manual Tape	346.75	Good	
12/18/92 7:03	Auto FIC	347.9	Good	
12/19/92 0:00	Manual Tape	346.75	Good	
12/19/92 7:03	Auto FIC	347.90	Good	
12/20/92 0:00	Manual Tape	346.75	Good	
12/20/92 7:04	Auto FIC	347.90	Good	
12/21/92 0:00	Manual Tape	347.00	Good	
12/21/92 7:04	Auto FIC	347.9	Good	
12/22/92 0:00	Manual Tape	347	Good	
12/22/92 0:00	Manual FIC	347.8	Good	
12/23/92 0:00	Manual Tape	347.00	Good	
12/23/92 7:04	Auto FIC	347.9	Good	
12/24/92 0:00	Manual Tape	347	Good	
12/24/92 7:03	Auto FIC	347.90	Good	
12/25/92 0:00	Manual Tape	347	Good	
12/25/92 7:03	Auto FIC	347.90	Good	
12/26/92 0:00	Manual Tape	347.00	Good	
12/26/92 7:03	Auto FIC	347.9	Good	
12/27/92 0:00	Manual Tape	347	Good	
12/27/92 7:03	Auto FIC	347.9	Good	
12/28/92 0:00	Manual Tape	347.00	Good	
12/28/92 7:03	Auto FIC	348.00	Good	
12/29/92 0:00	Manual Tape	347	Good	
12/29/92 0:00	Manual FIC	347.9	Good	
12/30/92 0:00	Manual Tape	347.00	Good	
12/30/92 7:03	Auto FIC	347.90	Good	
12/31/92 0:00	Manual Tape	347	Good	
12/31/92 7:03	Auto FIC	347.90	Good	
1/1/93 0:00	Manual Tape	347.00	Good	
1/1/93 7:04	Auto FIC	347.9	Good	
1/2/93 0:00	Manual Tape	347	Good	
1/2/93 0:00	Manual FIC	347.9	Good	
1/3/93 0:00	Manual Tape	347.00	Good	
1/3/93 0:00	Manual FIC	347.9	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/4/93 0:00	Manual Tape	347	Good	
1/4/93 0:00	Manual FIC	347.9	Good	
1/5/93 0:00	Manual Tape	347.00	Good	
1/5/93 0:00	Manual FIC	347.8	Good	
1/6/93 0:00	Manual Tape	347	Good	
1/6/93 0:00	Manual FIC	347.8	Good	
1/7/93 0:00	Manual Tape	347.00	Good	
1/7/93 0:00	Manual FIC	347.9	Good	
1/8/93 0:00	Manual Tape	347	Good	
1/8/93 0:00	Manual FIC	347.9	Good	
1/9/93 0:00	Manual Tape	346.75	Good	
1/9/93 0:00	Manual FIC	347.8	Good	
1/10/93 0:00	Manual Tape	346.75	Good	
1/10/93 0:00	Manual FIC	347.9	Good	
1/11/93 0:00	Manual Tape	347.00	Good	
1/11/93 0:00	Manual FIC	347.9	Good	
1/12/93 0:00	Manual Tape	346.75	Good	
1/12/93 7:06	Auto FIC	347.8	Good	
1/13/93 0:00	Manual Tape	346.75	Good	
1/13/93 7:06	Auto FIC	347.90	Good	
1/14/93 0:00	Manual Tape	347	Good	
1/14/93 7:03	Auto FIC	347.9	Good	
1/15/93 0:00	Manual Tape	347.00	Good	
1/15/93 7:03	Auto FIC	347.8	Good	
1/16/93 0:00	Manual Tape	347.75	Good	
1/16/93 0:00	Manual FIC	347.85	Good	
1/17/93 0:00	Manual Tape	348.00	Good	
1/17/93 0:00	Manual FIC	348.9	Good	
1/18/93 0:00	Manual Tape	349.5	Good	
1/18/93 0:00	Manual FIC	350.5	Good	
1/19/93 0:00	Manual Tape	349.50	Good	
1/19/93 0:00	Manual FIC	350.5	Good	
1/20/93 0:00	Manual Tape	351	Good	
1/20/93 0:00	Manual FIC	352	Good	
1/21/93 0:00	Manual Tape	352.75	Good	
1/21/93 7:02	Auto FIC	353.8	Good	
1/22/93 0:00	Manual Tape	353.75	Good	
1/22/93 7:04	Auto FIC	354.8	Good	
1/23/93 0:00	Manual Tape	353.75	Good	
1/23/93 7:03	Auto FIC	354.7	Good	
1/24/93 0:00	Manual Tape	354.75	Good	
1/24/93 7:03	Auto FIC	355.80	Good	
1/25/93 0:00	Manual Tape	356.25	Good	
1/25/93 7:03	Auto FIC	357.20	Good	
1/26/93 0:00	Manual Tape	356.50	Good	
1/26/93 7:04	Auto FIC	357.40	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/27/93 0:00	Manual Tape	356.25	Good	
1/27/93 7:04	Auto FIC	357.4	Good	
1/28/93 0:00	Manual Tape	358	Good	
1/28/93 7:04	Auto FIC	358.9	Good	
1/29/93 0:00	Manual Tape	358.00	Good	
1/29/93 7:04	Auto FIC	358.90	Good	
1/30/93 0:00	Manual Tape	359.00	Good	
1/30/93 7:03	Auto FIC	359.90	Good	
1/31/93 0:00	Manual Tape	359.5	Good	
1/31/93 7:04	Auto FIC	360.7	Good	
2/1/93 0:00	Manual Tape	360.00	Good	
2/1/93 7:04	Auto FIC	361.20	Good	
2/2/93 0:00	Manual Tape	360.00	Good	
2/2/93 7:04	Auto FIC	361.20	Good	
2/3/93 0:00	Manual Tape	360.25	Good	
2/3/93 0:00	Manual FIC	361.2	Good	
2/4/93 0:00	Manual Tape	360.25	Good	
2/4/93 7:04	Auto FIC	361.2	Good	
2/5/93 0:00	Manual Tape	363.25	Good	
2/5/93 7:04	Auto FIC	364.10	Good	
2/6/93 0:00	Manual Tape	363.25	Good	
2/6/93 7:04	Auto FIC	364.2	Good	
2/7/93 0:00	Manual Tape	363.25	Good	
2/7/93 7:03	Auto FIC	363.90	Good	
2/8/93 0:00	Manual Tape	363.25	Good	
2/8/93 7:04	Auto FIC	363.9	Good	
2/9/93 0:00	Manual Tape	363.25	Good	
2/9/93 7:04	Auto FIC	363.9	Good	
2/10/93 0:00	Manual Tape	363.25	Good	
2/10/93 7:04	Auto FIC	363.90	Good	
2/11/93 0:00	Manual Tape	363.25	Good	
2/11/93 7:04	Auto FIC	363.9	Good	
2/12/93 0:00	Manual Tape	363.25	Good	
2/12/93 7:03	Auto FIC	364.00	Good	
2/13/93 0:00	Manual Tape	363.25	Good	
2/13/93 7:03	Auto FIC	363.9	Good	
2/14/93 0:00	Manual Tape	363.25	Good	
2/14/93 7:04	Auto FIC	363.90	Good	
2/15/93 0:00	Manual Tape	363.25	Good	
2/15/93 7:04	Auto FIC	363.8	Good	
2/16/93 0:00	Manual Tape	363.25	Good	
2/16/93 7:02	Auto FIC	364	Good	
2/17/93 0:00	Manual Tape	363.25	Good	
2/17/93 0:00	Manual FIC	363.9	Good	
2/18/93 0:00	Manual Tape	364.5	Good	
2/18/93 7:03	Auto FIC	365.40	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/19/93 0:00	Manual Tape	366.50	Good	
2/19/93 7:02	Auto FIC	366.80	Good	
2/20/93 0:00	Manual Tape	366.75	Good	
2/20/93 7:03	Auto FIC	367.2	Good	
2/21/93 0:00	Manual Tape	366.75	Good	
2/21/93 7:04	Auto FIC	367.20	Good	
2/22/93 0:00	Manual Tape	366.5	Good	
2/22/93 7:04	Auto FIC	367.2	Good	
2/23/93 0:00	Manual Tape	368.00	Good	
2/23/93 7:03	Auto FIC	368.90	Good	
2/24/93 0:00	Manual Tape	368.25	Good	
2/24/93 7:04	Auto FIC	368.9	Good	
2/25/93 0:00	Manual Tape	368.25	Good	
2/25/93 7:03	Auto FIC	368.90	Good	
2/26/93 0:00	Manual Tape	369.75	Good	
2/26/93 7:03	Auto FIC	370.3	Good	
2/27/93 0:00	Manual Tape	370.75	Good	
2/27/93 7:04	Auto FIC	370.3	Good	
2/28/93 0:00	Manual Tape	372.00	Good	
2/28/93 7:03	Auto FIC	372.5	Good	
3/1/93 0:00	Manual Tape	372.75	Good	
3/1/93 7:03	Auto FIC	372.50	Good	
3/2/93 0:00	Manual Tape	373.00	Good	
3/2/93 7:04	Auto FIC	373.8	Good	
3/3/93 0:00	Manual Tape	373.25	Good	
3/3/93 7:03	Auto FIC	373.9	Good	
3/4/93 0:00	Manual Tape	373.25	Good	
3/4/93 7:04	Auto FIC	373.80	Good	
3/5/93 0:00	Manual Tape	373.25	Good	
3/5/93 7:04	Auto FIC	373.8	Good	
3/6/93 0:00	Manual Tape	373.25	Good	
3/6/93 7:03	Auto FIC	373.90	Good	
3/7/93 0:00	Manual Tape	373.25	Good	
3/7/93 7:03	Auto FIC	373.9	Good	
3/8/93 0:00	Manual Tape	373.25	Good	
3/8/93 7:03	Auto FIC	373.90	Good	
3/9/93 0:00	Manual Tape	373.25	Good	
3/9/93 7:04	Auto FIC	373.9	Good	
3/10/93 0:00	Manual Tape	373.25	Good	
3/10/93 7:05	Auto FIC	373.9	Good	
3/11/93 0:00	Manual Tape	373.00	Good	
3/11/93 7:04	Auto FIC	373.90	Good	
3/12/93 0:00	Manual Tape	373.25	Good	
3/12/93 7:04	Auto FIC	373.9	Good	
3/13/93 0:00	Manual Tape	373.25	Good	
3/13/93 7:03	Auto FIC	373.90	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/14/93 0:00	Manual Tape	373.25	Good	
3/14/93 7:04	Auto FIC	373.9	Good	
3/15/93 0:00	Manual Tape	373.25	Good	
3/15/93 7:03	Auto FIC	370.80	Good	
3/16/93 0:00	Manual Tape	373.25	Good	
3/16/93 7:04	Auto FIC	373.9	Good	
3/17/93 0:00	Manual Tape	372.50	Good	
3/17/93 7:03	Auto FIC	373.90	Good	
3/18/93 0:00	Manual Tape	373.5	Good	
3/18/93 7:04	Auto FIC	373.90	Good	
3/19/93 0:00	Manual Tape	373.50	Good	
3/19/93 7:03	Auto FIC	373.8	Good	
3/20/93 0:00	Manual Tape	373.50	Good	
3/20/93 7:04	Auto FIC	373.90	Good	
3/21/93 0:00	Manual Tape	373.25	Good	
3/21/93 7:04	Auto FIC	373.8	Good	
3/22/93 0:00	Manual Tape	373.25	Good	
3/22/93 7:03	Auto FIC	373.90	Good	
3/23/93 0:00	Manual Tape	373.50	Good	
3/23/93 7:03	Auto FIC	373.9	Good	
3/24/93 0:00	Manual Tape	373.5	Good	
3/24/93 7:04	Auto FIC	373.90	Good	
3/25/93 0:00	Manual Tape	373.50	Good	
3/25/93 7:03	Auto FIC	373.9	Good	
3/26/93 0:00	Manual Tape	373.50	Good	
3/26/93 7:03	Auto FIC	373.90	Good	
3/27/93 0:00	Manual Tape	373.5	Good	
3/27/93 7:03	Auto FIC	373.9	Good	
3/28/93 0:00	Manual Tape	373.50	Good	
3/28/93 7:03	Auto FIC	373.80	Good	
3/29/93 0:00	Manual Tape	373.25	Good	
3/29/93 7:03	Auto FIC	373.8	Good	
3/30/93 0:00	Manual Tape	373.50	Good	
3/30/93 7:03	Auto FIC	373.90	Good	
3/31/93 0:00	Manual Tape	373.5	Good	
3/31/93 7:03	Auto FIC	373.9	Good	
4/1/93 7:03	Auto FIC	373.90	Good	
4/1/93 10:03	Manual Tape	373.25	Good	
4/2/93 7:06	Auto FIC	373.9	Good	
4/2/93 10:03	Manual Tape	373.5	Good	
4/3/93 7:06	Auto FIC	373.9	Good	
4/3/93 10:03	Manual Tape	373.50	Good	
4/4/93 7:05	Auto FIC	373.80	Good	
4/4/93 10:03	Manual Tape	373.25	Good	
4/5/93 7:06	Auto FIC	373.80	Good	
4/5/93 10:03	Manual Tape	373.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/6/93 7:06	Auto FIC	373.9	Good	
4/6/93 10:03	Manual Tape	373.25	Good	
4/7/93 7:06	Auto FIC	373.9	Good	
4/7/93 10:03	Manual Tape	373.25	Good	
4/8/93 7:06	Auto FIC	373.90	Good	
4/8/93 10:03	Manual Tape	373.25	Good	
4/9/93 7:06	Auto FIC	373.80	Good	
4/9/93 10:03	Manual Tape	373.25	Good	
4/10/93 7:05	Auto FIC	373.9	Good	
4/10/93 10:03	Manual Tape	373.25	Good	
4/11/93 7:06	Auto FIC	373.8	Good	
4/11/93 10:03	Manual Tape	373.25	Good	
4/12/93 7:06	Auto FIC	373.80	Good	
4/12/93 10:03	Manual Tape	373.25	Good	
4/13/93 7:06	Auto FIC	373.9	Good	
4/13/93 10:03	Manual Tape	373.25	Good	
4/14/93 7:06	Auto FIC	373.90	Good	
4/14/93 10:03	Manual Tape	373.25	Good	
4/15/93 7:03	Auto FIC	373.90	Good	
4/15/93 10:03	Manual Tape	373.25	Good	
4/16/93 7:06	Auto FIC	373.8	Good	
4/16/93 10:03	Manual Tape	373.25	Good	
4/17/93 7:05	Auto FIC	373.90	Good	
4/17/93 10:03	Manual Tape	373.25	Good	
4/18/93 7:06	Auto FIC	373.9	Good	
4/18/93 10:03	Manual Tape	373.25	Good	
4/19/93 7:06	Auto FIC	373.90	Good	
4/19/93 10:03	Manual Tape	373.25	Good	
4/20/93 0:00	Manual FIC	373.9	Good	
4/20/93 10:03	Manual Tape	373.25	Good	
4/20/93 10:06	Manual FIC	373.9	Good	
4/21/93 0:00	Manual FIC	373.9	Good	
4/21/93 10:03	Manual Tape	373.25	Good	
4/21/93 10:06	Manual FIC	373.9	Good	
4/22/93 7:06	Auto FIC	373.9	Good	
4/22/93 10:03	Manual Tape	373.25	Good	
4/23/93 7:06	Auto FIC	373.9	Good	
4/23/93 10:03	Manual Tape	373.25	Good	
4/24/93 7:05	Auto FIC	374.00	Good	
4/24/93 10:03	Manual Tape	373.25	Good	
4/25/93 7:06	Auto FIC	373.90	Good	
4/25/93 10:03	Manual Tape	373.25	Good	
4/26/93 7:06	Auto FIC	373.9	Good	
4/26/93 10:03	Manual Tape	373.25	Good	
4/27/93 7:06	Auto FIC	373.9	Good	
4/27/93 10:03	Manual Tape	373.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/28/93 7:03	Auto FIC	373.90	Good	
4/28/93 10:03	Manual Tape	373.25	Good	
4/29/93 7:03	Auto FIC	373.90	Good	
4/29/93 10:03	Manual Tape	373.25	Good	
4/30/93 7:06	Auto FIC	373.9	Good	
4/30/93 10:03	Manual Tape	373.25	Good	
5/1/93 7:05	Auto FIC	373.90	Good	
5/1/93 10:05	Manual Tape	373.25	Good	
5/2/93 7:06	Auto FIC	373.9	Good	
5/2/93 10:05	Manual Tape	373.00	Good	
5/3/93 7:06	Auto FIC	374	Good	
5/3/93 10:05	Manual Tape	373.25	Good	
5/4/93 0:00	Manual FIC	374	Good	
5/4/93 10:05	Manual Tape	373.25	Good	
5/4/93 10:05	Manual FIC	374	Good	
5/5/93 0:00	Manual FIC	373.9	Good	
5/5/93 10:05	Manual Tape	373.25	Good	
5/5/93 10:05	Manual FIC	373.9	Good	
5/6/93 0:00	Manual FIC	374	Good	
5/6/93 10:05	Manual Tape	373.25	Good	
5/6/93 10:05	Manual FIC	374	Good	
5/7/93 0:00	Manual FIC	373.9	Good	
5/7/93 10:05	Manual Tape	373.25	Good	
5/7/93 10:05	Manual FIC	373.9	Good	
5/8/93 0:00	Manual FIC	373.9	Good	
5/8/93 10:05	Manual Tape	373.25	Good	
5/8/93 10:05	Manual FIC	373.9	Good	
5/9/93 0:00	Manual FIC	373.9	Good	
5/9/93 10:05	Manual Tape	373.25	Good	
5/9/93 10:05	Manual FIC	373.9	Good	
5/10/93 0:00	Manual FIC	373.9	Good	
5/10/93 10:05	Manual Tape	373.25	Good	
5/10/93 10:05	Manual FIC	373.9	Good	
5/11/93 7:06	Auto FIC	374.00	Good	
5/11/93 10:05	Manual Tape	373.25	Good	
5/12/93 7:06	Auto FIC	375.20	Good	
5/12/93 10:05	Manual Tape	373.75	Good	
5/13/93 0:00	Manual FIC	377.25	Good	
5/13/93 10:05	Manual Tape	376	Good	
5/13/93 10:06	Manual FIC	377.25	Good	
5/14/93 0:00	Manual FIC	377.2	Good	
5/14/93 10:05	Manual Tape	376.25	Good	
5/14/93 10:06	Manual FIC	377.2	Good	
5/15/93 7:06	Auto FIC	377.2	Good	
5/15/93 10:05	Manual Tape	376.50	Good	
5/16/93 7:05	Auto FIC	377.4	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/16/93 10:05	Manual Tape	376.75	Good	
5/17/93 7:03	Auto FIC	377.40	Good	
5/17/93 10:05	Manual Tape	376.75	Good	
5/18/93 7:03	Auto FIC	378.30	Good	
5/18/93 10:05	Manual Tape	377.25	Good	
5/19/93 7:03	Auto FIC	379.6	Good	
5/19/93 10:05	Manual Tape	379	Good	
5/20/93 7:03	Auto FIC	379.6	Good	
5/20/93 10:05	Manual Tape	379.00	Good	
5/21/93 0:00	Manual FIC	381.2	Good	
5/21/93 10:03	Manual FIC	381.2	Good	
5/21/93 10:05	Manual Tape	380.50	Good	
5/22/93 7:03	Auto FIC	381.10	Good	
5/22/93 10:05	Manual Tape	380.5	Good	
5/23/93 7:04	Auto FIC	381.10	Good	
5/23/93 10:05	Manual Tape	380.50	Good	
5/24/93 7:03	Auto FIC	381.1	Good	
5/24/93 10:05	Manual Tape	380.50	Good	
5/25/93 7:03	Auto FIC	381.2	Good	
5/25/93 10:05	Manual Tape	380.5	Good	
5/26/93 7:03	Auto FIC	381.2	Good	
5/26/93 10:05	Manual Tape	380.75	Good	
5/27/93 7:03	Auto FIC	381.20	Good	
5/27/93 10:05	Manual Tape	380.50	Good	
5/28/93 7:03	Auto FIC	381.20	Good	
5/28/93 10:05	Manual Tape	380.5	Good	
5/29/93 7:05	Auto FIC	381.1	Good	
5/29/93 10:05	Manual Tape	380.50	Good	
5/30/93 7:05	Auto FIC	381.1	Good	
5/30/93 10:05	Manual Tape	380.50	Good	
5/31/93 7:06	Auto FIC	381.20	Good	
5/31/93 10:05	Manual Tape	380.5	Good	
6/1/93 7:06	Auto FIC	381.2	Good	
6/1/93 10:06	Manual Tape	380.50	Good	
6/2/93 7:06	Auto FIC	381.20	Good	
6/2/93 10:06	Manual Tape	380.50	Good	
6/3/93 7:06	Auto FIC	381.20	Good	
6/3/93 10:06	Manual Tape	380.5	Good	
6/4/93 7:06	Auto FIC	382	Good	
6/4/93 10:06	Manual Tape	380.50	Good	
6/5/93 7:06	Auto FIC	383.1	Good	
6/5/93 10:06	Manual Tape	380.25	Good	
6/6/93 7:05	Auto FIC	384.50	Good	
6/6/93 10:06	Manual Tape	383.75	Good	
6/7/93 7:05	Auto FIC	386.2	Good	
6/7/93 10:06	Manual Tape	385.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/8/93 7:05	Auto FIC	386.20	Good	
6/8/93 10:06	Manual Tape	385.50	Good	
6/9/93 7:05	Auto FIC	386.20	Good	
6/9/93 10:06	Manual Tape	385.5	Good	
6/10/93 7:04	Auto FIC	388.10	Good	
6/10/93 10:06	Manual Tape	387.50	Good	
6/11/93 7:05	Auto FIC	389.5	Good	
6/11/93 10:06	Manual Tape	389.00	Good	
6/12/93 7:05	Auto FIC	389.40	Good	
6/12/93 10:06	Manual Tape	389	Good	
6/13/93 7:04	Auto FIC	389.4	Good	
6/13/93 10:06	Manual Tape	389.00	Good	
6/14/93 7:05	Auto FIC	389.50	Good	
6/14/93 10:06	Manual Tape	389.00	Good	
6/15/93 7:05	Auto FIC	390.4	Good	
6/15/93 10:06	Manual Tape	389.5	Good	
6/16/93 7:05	Auto FIC	390.4	Good	
6/16/93 10:06	Manual Tape	389.25	Good	
6/17/93 7:05	Auto FIC	390.40	Good	
6/17/93 10:06	Manual Tape	389.25	Good	
6/18/93 7:06	Auto FIC	390.4	Good	
6/18/93 10:06	Manual Tape	389.75	Good	
6/19/93 7:06	Auto FIC	390.40	Good	
6/19/93 10:06	Manual Tape	389.75	Good	
6/20/93 7:06	Auto FIC	390.4	Good	
6/20/93 10:06	Manual Tape	389.75	Good	
6/21/93 7:06	Auto FIC	390.45	Good	
6/21/93 10:06	Manual Tape	389.75	Good	
6/22/93 7:06	Auto FIC	390.4	Good	
6/22/93 10:06	Manual Tape	389.75	Good	
6/23/93 7:06	Auto FIC	390.4	Good	
6/23/93 10:06	Manual Tape	389.75	Good	
6/24/93 7:06	Auto FIC	390.40	Good	
6/24/93 10:06	Manual Tape	389.75	Good	
6/25/93 7:03	Auto FIC	390.4	Good	
6/25/93 10:06	Manual Tape	389.75	Good	
6/26/93 7:03	Auto FIC	390.5	Good	
6/26/93 10:06	Manual Tape	389.75	Good	
6/27/93 7:04	Auto FIC	390.50	Good	
6/27/93 10:06	Manual Tape	389.75	Good	
6/28/93 7:03	Auto FIC	390.5	Good	
6/28/93 10:06	Manual Tape	389.75	Good	
6/29/93 7:04	Auto FIC	390.50	Good	
6/29/93 10:06	Manual Tape	389.75	Good	
6/30/93 7:03	Auto FIC	390.5	Good	
6/30/93 10:06	Manual Tape	389.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/1/93 7:06	Auto FIC	390.5	Good	
7/1/93 10:06	Manual Tape	389.75	Good	
7/2/93 7:06	Auto FIC	390.50	Good	
7/2/93 10:06	Manual Tape	390.00	Good	
7/3/93 7:03	Auto FIC	390.50	Good	
7/3/93 10:06	Manual Tape	390.00	Good	
7/4/93 7:04	Auto FIC	390.5	Good	
7/4/93 10:06	Manual Tape	390.00	Good	
7/5/93 7:03	Auto FIC	390.50	Good	
7/5/93 10:06	Manual Tape	390.00	Good	
7/6/93 7:03	Auto FIC	390.5	Good	
7/6/93 10:06	Manual Tape	389.75	Good	
7/7/93 7:04	Auto FIC	390.5	Good	
7/7/93 10:06	Manual Tape	389.50	Good	
7/8/93 7:04	Auto FIC	390.50	Good	
7/8/93 10:06	Manual Tape	389.75	Good	
7/9/93 7:05	Auto FIC	390.5	Good	
7/9/93 10:06	Manual Tape	390.00	Good	
7/10/93 7:03	Auto FIC	390.5	Good	
7/10/93 10:06	Manual Tape	390	Good	
7/11/93 7:03	Auto FIC	390.50	Good	
7/11/93 10:06	Manual Tape	389.75	Good	
7/12/93 7:02	Auto FIC	390.50	Good	
7/12/93 10:06	Manual Tape	389.75	Good	
7/13/93 7:03	Auto FIC	390.5	Good	
7/13/93 10:06	Manual Tape	389.75	Good	
7/14/93 7:06	Auto FIC	390.5	Good	
7/14/93 10:06	Manual Tape	389.75	Good	
7/15/93 7:06	Auto FIC	390.50	Good	
7/15/93 10:06	Manual Tape	389.75	Good	
7/16/93 7:06	Auto FIC	390.50	Good	
7/16/93 10:06	Manual Tape	389.75	Good	
7/17/93 2:05	Auto FIC	390.5	Good	
7/17/93 10:06	Manual Tape	389.00	Good	
7/18/93 7:06	Auto FIC	390.5	Good	
7/18/93 10:06	Manual Tape	389.00	Good	
7/19/93 7:03	Auto FIC	390.50	Good	
7/19/93 10:06	Manual Tape	389.75	Good	
7/20/93 7:03	Auto FIC	390.5	Good	
7/20/93 10:06	Manual Tape	389.50	Good	
7/21/93 7:03	Auto FIC	390.50	Good	
7/21/93 10:06	Manual Tape	389.75	Good	
7/22/93 7:03	Auto FIC	390.5	Good	
7/22/93 10:06	Manual Tape	389.75	Good	
7/23/93 7:03	Auto FIC	390.50	Good	
7/23/93 10:06	Manual Tape	389.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/24/93 7:03	Auto FIC	390.5	Good	
7/24/93 10:06	Manual Tape	389.75	Good	
7/25/93 7:04	Auto FIC	390.5	Good	
7/25/93 10:06	Manual Tape	389.75	Good	
7/26/93 7:03	Auto FIC	390.50	Good	
7/26/93 10:06	Manual Tape	389.75	Good	
7/27/93 7:03	Auto FIC	390.5	Good	
7/27/93 10:06	Manual Tape	389.75	Good	
7/28/93 0:00	Manual Tape	389.75	Good	
7/28/93 7:04	Auto FIC	390.50	Good	
7/29/93 0:00	Manual Tape	389.75	Good	
7/29/93 7:03	Auto FIC	390.5	Good	
7/30/93 0:00	Manual Tape	390.00	Good	
7/30/93 7:03	Auto FIC	390.50	Good	
7/31/93 0:00	Manual Tape	390	Good	
7/31/93 7:03	Auto FIC	390.50	Good	
8/1/93 0:00	Manual Tape	390.00	Good	
8/1/93 7:03	Auto FIC	390.5	Good	
8/2/93 0:00	Manual Tape	389.75	Good	
8/2/93 7:06	Auto FIC	390.50	Good	
8/3/93 0:00	Manual Tape	390	Good	
8/3/93 7:03	Auto FIC	390.5	Good	
8/4/93 0:00	Manual Tape	389.75	Good	
8/4/93 7:03	Auto FIC	390.50	Good	
8/5/93 0:00	Manual Tape	392.25	Good	
8/5/93 7:04	Auto FIC	392.6	Good	
8/6/93 0:00	Manual Tape	393.00	Good	
8/6/93 7:04	Auto FIC	393.80	Good	
8/7/93 0:00	Manual Tape	393.00	Good	
8/7/93 7:04	Auto FIC	393.80	Good	
8/8/93 0:00	Manual Tape	393	Good	
8/8/93 7:04	Auto FIC	393.8	Good	
8/9/93 0:00	Manual Tape	393.00	Good	
8/9/93 7:04	Auto FIC	393.8	Good	
8/10/93 0:00	Manual Tape	393.25	Good	
8/10/93 7:04	Auto FIC	393.80	Good	
8/11/93 0:00	Manual Tape	393.25	Good	
8/11/93 7:04	Auto FIC	394.00	Good	
8/12/93 0:00	Manual Tape	393.25	Good	
8/12/93 7:04	Auto FIC	394.1	Good	
8/13/93 0:00	Manual Tape	393.25	Good	
8/13/93 7:04	Auto FIC	394.1	Good	
8/14/93 0:00	Manual Tape	393.25	Good	
8/14/93 7:03	Auto FIC	394.1	Good	
8/15/93 0:00	Manual Tape	393.25	Good	
8/15/93 7:04	Auto FIC	394.10	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/16/93 0:00	Manual Tape	393.25	Good	
8/16/93 7:04	Auto FIC	394.10	Good	
8/17/93 0:00	Manual Tape	393.25	Good	
8/17/93 7:04	Auto FIC	394.1	Good	
8/18/93 0:00	Manual Tape	393.25	Good	
8/18/93 7:03	Auto FIC	394.1	Good	
8/19/93 0:00	Manual Tape	393.25	Good	
8/19/93 7:04	Auto FIC	394.10	Good	
8/20/93 0:00	Manual Tape	393.25	Good	
8/20/93 7:04	Auto FIC	394.1	Good	
8/21/93 0:00	Manual Tape	393.25	Good	
8/21/93 7:04	Auto FIC	394.1	Good	
8/22/93 0:00	Manual Tape	393.25	Good	
8/22/93 7:04	Auto FIC	394.10	Good	
8/23/93 0:00	Manual Tape	393.25	Good	
8/23/93 7:04	Auto FIC	394.10	Good	
8/24/93 0:00	Manual Tape	393.50	Good	
8/24/93 7:04	Auto FIC	394.1	Good	
8/25/93 0:00	Manual Tape	393.25	Good	
8/25/93 7:04	Auto FIC	394.1	Good	
8/26/93 0:00	Manual Tape	393.25	Good	
8/26/93 7:04	Auto FIC	394.1	Good	
8/27/93 0:00	Manual Tape	393.25	Good	
8/27/93 7:05	Auto FIC	394.1	Good	
8/28/93 0:00	Manual Tape	393.25	Good	
8/28/93 7:04	Auto FIC	394.10	Good	
8/29/93 0:00	Manual Tape	393.25	Good	
8/29/93 7:03	Auto FIC	394.10	Good	
8/30/93 0:00	Manual Tape	393.25	Good	
8/30/93 7:04	Auto FIC	394.1	Good	
8/31/93 0:00	Manual Tape	393.25	Good	
8/31/93 7:04	Auto FIC	394.1	Good	
9/1/93 0:00	Manual Tape	393.25	Good	
9/1/93 7:04	Auto FIC	394.10	Good	
9/2/93 0:00	Manual Tape	393.25	Good	
9/2/93 7:04	Auto FIC	394.10	Good	
9/3/93 0:00	Manual Tape	393.25	Good	
9/3/93 7:04	Auto FIC	394.1	Good	
9/4/93 0:00	Manual Tape	393.25	Good	
9/4/93 7:04	Auto FIC	394.1	Good	
9/5/93 0:00	Manual Tape	393.25	Good	
9/5/93 7:04	Auto FIC	394.1	Good	
9/6/93 0:00	Manual Tape	393.25	Good	
9/6/93 7:04	Auto FIC	394.1	Good	
9/7/93 0:00	Manual Tape	393.25	Good	
9/7/93 7:04	Auto FIC	394.1	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/8/93 0:00	Manual Tape	393.25	Good	
9/8/93 7:04	Auto FIC	394.10	Good	
9/9/93 0:00	Manual Tape	393.25	Good	
9/9/93 7:04	Auto FIC	394.10	Good	
9/10/93 0:00	Manual Tape	393.25	Good	
9/10/93 7:04	Auto FIC	394.1	Good	
9/11/93 0:00	Manual Tape	393.25	Good	
9/11/93 7:04	Auto FIC	394.10	Good	
9/12/93 0:00	Manual Tape	393.25	Good	
9/12/93 7:04	Auto FIC	394.10	Good	
9/13/93 0:00	Manual Tape	393.25	Good	
9/13/93 7:04	Auto FIC	394.1	Good	
9/14/93 0:00	Manual Tape	393.25	Good	
9/14/93 7:04	Auto FIC	394.2	Good	
9/15/93 0:00	Manual Tape	393.25	Good	
9/15/93 7:04	Auto FIC	394.1	Good	
9/16/93 0:00	Manual Tape	393.50	Good	
9/16/93 7:04	Auto FIC	394.1	Good	
9/17/93 0:00	Manual Tape	393.50	Good	
9/17/93 7:04	Auto FIC	394.1	Good	
9/18/93 0:00	Manual Tape	393.25	Good	
9/18/93 7:04	Auto FIC	394.10	Good	
9/19/93 0:00	Manual Tape	393.25	Good	
9/19/93 7:04	Auto FIC	394.1	Good	
9/20/93 0:00	Manual Tape	393.25	Good	
9/20/93 7:04	Auto FIC	394.10	Good	
9/21/93 0:00	Manual Tape	393.75	Good	
9/21/93 7:04	Auto FIC	394.1	Good	
9/22/93 0:00	Manual Tape	393.5	Good	
9/22/93 7:04	Auto FIC	394.10	Good	
9/23/93 0:00	Manual Tape	393.50	Good	
9/23/93 7:04	Auto FIC	394.1	Good	
9/24/93 0:00	Manual Tape	393.50	Good	
9/24/93 7:04	Auto FIC	394.10	Good	
9/25/93 0:00	Manual Tape	393.50	Good	
9/25/93 7:04	Auto FIC	394.1	Good	
9/26/93 0:00	Manual Tape	393.5	Good	
9/26/93 7:04	Auto FIC	394.10	Good	
9/27/93 0:00	Manual Tape	393.50	Good	
9/27/93 7:04	Auto FIC	394.1	Good	
9/28/93 0:00	Manual Tape	393.50	Good	
9/28/93 7:04	Auto FIC	394.10	Good	
9/29/93 0:00	Manual Tape	393.50	Good	
9/29/93 7:04	Auto FIC	394.10	Good	
9/30/93 0:00	Manual Tape	393.5	Good	
9/30/93 7:03	Auto FIC	394.10	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/1/93 0:00	Manual Tape	393.50	Good	
10/1/93 7:06	Auto FIC	394.1	Good	
10/2/93 0:00	Manual Tape	393.50	Good	
10/2/93 7:05	Auto FIC	394.10	Good	
10/3/93 0:00	Manual Tape	393.50	Good	
10/3/93 7:06	Auto FIC	394.10	Good	
10/4/93 0:00	Manual Tape	393.5	Good	
10/4/93 7:06	Auto FIC	394.1	Good	
10/5/93 0:00	Manual Tape	393.50	Good	
10/5/93 7:06	Auto FIC	394.20	Good	
10/6/93 0:00	Manual Tape	393.50	Good	
10/6/93 7:06	Auto FIC	394.10	Good	
10/7/93 0:00	Manual Tape	393.50	Good	
10/7/93 7:05	Auto FIC	394.1	Good	
10/8/93 0:00	Manual Tape	393.5	Good	
10/8/93 7:04	Auto FIC	394.10	Good	
10/9/93 0:00	Manual Tape	393.25	Good	
10/9/93 7:03	Auto FIC	394.10	Good	
10/10/93 0:00	Manual Tape	393.25	Good	
10/10/93 6:04	Auto FIC	394.1	Good	
10/11/93 0:00	Manual Tape	393.50	Good	
10/11/93 7:03	Auto FIC	394.10	Good	
10/12/93 0:00	Manual Tape	393.25	Good	
10/12/93 7:04	Auto FIC	394.00	Good	
10/13/93 0:00	Manual Tape	393.25	Good	
10/13/93 7:03	Auto FIC	394.1	Good	
10/14/93 0:00	Manual Tape	393.25	Good	
10/14/93 7:04	Auto FIC	394.10	Good	
10/15/93 0:00	Manual Tape	393.25	Good	
10/15/93 7:04	Auto FIC	394.1	Good	
10/16/93 0:00	Manual Tape	393.25	Good	
10/16/93 7:04	Auto FIC	394.10	Good	
10/17/93 0:00	Manual Tape	393.25	Good	
10/17/93 7:03	Auto FIC	394.1	Good	
10/18/93 0:00	Manual Tape	393.25	Good	
10/18/93 7:04	Auto FIC	394.1	Good	
10/19/93 0:00	Manual Tape	393.25	Good	
10/19/93 7:04	Auto FIC	394.10	Good	
10/20/93 0:00	Manual Tape	393.25	Good	
10/20/93 7:03	Auto FIC	394.10	Good	
10/21/93 0:00	Manual Tape	393.25	Good	
10/21/93 7:04	Auto FIC	394.1	Good	
10/22/93 0:00	Manual Tape	393.25	Good	
10/22/93 7:04	Auto FIC	394	Good	
10/23/93 0:00	Manual Tape	393.25	Good	
10/23/93 7:04	Auto FIC	394.10	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/24/93 0:00	Manual Tape	393.25	Good	
10/24/93 7:04	Auto FIC	394.10	Good	
10/25/93 0:00	Manual Tape	393.25	Good	
10/25/93 7:04	Auto FIC	394.1	Good	
10/26/93 0:00	Manual Tape	393.00	Good	
10/26/93 6:03	Auto FIC	394.10	Good	
10/27/93 0:00	Manual Tape	393.25	Good	
10/27/93 7:04	Auto FIC	394	Good	
10/28/93 0:00	Manual Tape	393.00	Good	
10/28/93 7:04	Auto FIC	394.10	Good	
10/29/93 0:00	Manual Tape	388.25	Good	
10/29/93 6:03	Auto FIC	389.1	Good	
10/30/93 0:00	Manual Tape	388.25	Good	
10/30/93 7:04	Auto FIC	389.2	Good	
10/31/93 0:00	Manual Tape	388.25	Good	
10/31/93 7:06	Auto FIC	389.20	Good	
11/1/93 0:00	Manual Tape	388.50	Good	
11/1/93 7:06	Auto FIC	389.10	Good	
11/2/93 0:00	Manual Tape	388.25	Good	
11/2/93 7:04	Auto FIC	389.1	Good	
11/3/93 0:00	Manual Tape	388.00	Good	
11/3/93 7:06	Auto FIC	389.2	Good	
11/4/93 0:00	Manual Tape	388.50	Good	
11/4/93 7:04	Auto FIC	389.10	Good	
11/5/93 0:00	Manual Tape	388.5	Good	
11/5/93 7:06	Auto FIC	389.10	Good	
11/6/93 0:00	Manual Tape	388.50	Good	
11/6/93 7:06	Auto FIC	389.1	Good	
11/7/93 0:00	Manual Tape	388.50	Good	
11/7/93 7:06	Auto FIC	389.10	Good	
11/8/93 0:00	Manual Tape	388.25	Good	
11/8/93 7:06	Auto FIC	389.10	Good	
11/9/93 0:00	Manual Tape	388.25	Good	
11/9/93 7:03	Auto FIC	389.10	Good	
11/10/93 0:00	Manual Tape	388.25	Good	
11/10/93 7:04	Auto FIC	389.1	Good	
11/11/93 0:00	Manual Tape	388.25	Good	
11/11/93 7:04	Auto FIC	389.1	Good	
11/12/93 0:00	Manual Tape	388.25	Good	
11/12/93 7:04	Auto FIC	389.10	Good	
11/13/93 0:00	Manual Tape	388.25	Good	
11/13/93 7:04	Auto FIC	389.1	Good	
11/14/93 0:00	Manual Tape	388.25	Good	
11/14/93 6:04	Auto FIC	389.10	Good	
11/15/93 0:00	Manual Tape	388.25	Good	
11/15/93 7:04	Auto FIC	389.1	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/16/93 0:00	Manual Tape	388.25	Good	
11/16/93 7:03	Auto FIC	389.1	Good	
11/17/93 0:00	Manual Tape	388.25	Good	
11/17/93 7:04	Auto FIC	389.1	Good	
11/18/93 0:00	Manual Tape	388.00	Good	
11/18/93 7:04	Auto FIC	389.10	Good	
11/19/93 0:00	Manual Tape	388.00	Good	
11/19/93 7:04	Auto FIC	389	Good	
11/20/93 0:00	Manual Tape	388	Good	
11/20/93 7:04	Auto FIC	389.1	Good	
11/21/93 0:00	Manual Tape	388.00	Good	
11/21/93 7:04	Auto FIC	389.10	Good	
11/22/93 0:00	Manual Tape	388.25	Good	
11/22/93 7:04	Auto FIC	389.10	Good	
11/23/93 0:00	Manual Tape	388.25	Good	
11/23/93 7:04	Auto FIC	389	Good	
11/24/93 0:00	Manual Tape	388.25	Good	
11/24/93 7:04	Auto FIC	389.00	Good	
11/25/93 0:00	Manual Tape	388.25	Good	
11/25/93 7:04	Auto FIC	389	Good	
11/26/93 0:00	Manual Tape	388.5	Good	
11/26/93 7:04	Auto FIC	389	Good	
11/27/93 0:00	Manual Tape	388.00	Good	
11/27/93 7:04	Auto FIC	389.00	Good	
11/28/93 0:00	Manual Tape	388.00	Good	
11/28/93 7:03	Auto FIC	389.00	Good	
11/29/93 0:00	Manual Tape	388	Good	
11/29/93 7:04	Auto FIC	389.00	Good	
11/30/93 0:00	Manual Tape	388.00	Good	
11/30/93 7:03	Auto FIC	389	Good	
12/1/93 0:00	Manual Tape	388.25	Good	
12/1/93 7:04	Auto FIC	389	Good	
12/2/93 0:00	Manual Tape	388.5	Good	
12/2/93 7:04	Auto FIC	389	Good	
12/3/93 0:00	Manual Tape	388.50	Good	
12/3/93 7:05	Auto FIC	389.00	Good	
12/4/93 0:00	Manual Tape	388.25	Good	
12/4/93 7:05	Auto FIC	389.00	Good	
12/5/93 0:00	Manual Tape	388.25	Good	
12/5/93 7:04	Auto FIC	389	Good	
12/6/93 0:00	Manual Tape	390.75	Good	
12/6/93 7:05	Auto FIC	391.60	Good	
12/7/93 0:00	Manual Tape	388.25	Good	
12/7/93 7:04	Auto FIC	391.60	Good	
12/8/93 0:00	Manual Tape	392.75	Good	
12/8/93 7:06	Auto FIC	393.5	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/9/93 0:00	Manual Tape	392.75	Good	
12/9/93 7:04	Auto FIC	393.5	Good	
12/10/93 0:00	Manual Tape	392.75	Good	
12/10/93 6:05	Auto FIC	393.50	Good	
12/11/93 0:00	Manual Tape	392.75	Good	
12/11/93 7:06	Auto FIC	393.50	Good	
12/12/93 0:00	Manual Tape	392.50	Good	
12/12/93 7:06	Auto FIC	393.5	Good	
12/13/93 0:00	Manual Tape	392.50	Good	
12/13/93 7:06	Auto FIC	393.50	Good	
12/14/93 0:00	Manual Tape	392.75	Good	
12/14/93 7:06	Auto FIC	393.5	Good	
12/15/93 0:00	Manual Tape	392.75	Good	
12/15/93 7:06	Auto FIC	393.50	Good	
12/16/93 0:00	Manual Tape	392.75	Good	
12/16/93 7:06	Auto FIC	393.4	Good	
12/17/93 0:00	Manual Tape	392.75	Good	
12/17/93 7:05	Auto FIC	393.4	Good	
12/18/93 0:00	Manual Tape	392.50	Good	
12/18/93 7:06	Auto FIC	393.40	Good	
12/19/93 0:00	Manual Tape	392.75	Good	
12/19/93 7:06	Auto FIC	393.40	Good	
12/20/93 0:00	Manual Tape	392.75	Good	
12/20/93 7:06	Auto FIC	393.4	Good	
12/21/93 0:00	Manual Tape	392.00	Good	
12/21/93 7:06	Auto FIC	393.4	Good	
12/22/93 0:00	Manual Tape	392.75	Good	
12/22/93 7:05	Auto FIC	393.40	Good	
12/23/93 0:00	Manual Tape	392.75	Good	
12/23/93 6:06	Auto FIC	393.4	Good	
12/24/93 0:00	Manual Tape	392.75	Good	
12/24/93 7:06	Auto FIC	393.40	Good	
12/25/93 0:00	Manual Tape	392.75	Good	
12/25/93 7:06	Auto FIC	393.4	Good	
12/26/93 0:00	Manual Tape	392.75	Good	
12/26/93 7:06	Auto FIC	393.4	Good	
12/27/93 0:00	Manual Tape	392.75	Good	
12/27/93 7:06	Auto FIC	393.4	Good	
12/28/93 0:00	Manual Tape	392.75	Good	
12/28/93 7:06	Auto FIC	393.3	Good	
12/29/93 0:00	Manual Tape	392.75	Good	
12/29/93 7:06	Auto FIC	393.3	Good	
12/30/93 0:00	Manual Tape	392.75	Good	
12/30/93 7:05	Auto FIC	393.4	Good	
12/31/93 0:00	Manual Tape	392.75	Good	
12/31/93 7:06	Auto FIC	393.4	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/1/94 0:00	Manual Tape	392.75	Good	
1/1/94 7:06	Auto FIC	393.4	Good	
1/2/94 0:00	Manual Tape	392.75	Good	
1/2/94 7:06	Auto FIC	393.3	Good	
1/3/94 0:00	Manual Tape	392.75	Good	
1/3/94 7:07	Auto FIC	393.3	Good	
1/4/94 0:00	Manual Tape	392.75	Good	
1/4/94 7:07	Auto FIC	393.4	Good	
1/5/94 0:00	Manual Tape	392.75	Good	
1/5/94 7:06	Auto FIC	393.40	Good	
1/6/94 0:00	Manual Tape	392.75	Good	
1/6/94 7:06	Auto FIC	393.30	Good	
1/7/94 0:00	Manual Tape	392.75	Good	
1/7/94 7:07	Auto FIC	393.3	Good	
1/8/94 0:00	Manual Tape	392.75	Good	
1/8/94 7:06	Auto FIC	393.3	Good	
1/9/94 0:00	Manual Tape	392.75	Good	
1/9/94 7:06	Auto FIC	393.3	Good	
1/10/94 0:00	Manual Tape	392.75	Good	
1/10/94 7:07	Auto FIC	393.3	Good	
1/11/94 0:00	Manual Tape	392.75	Good	
1/11/94 7:07	Auto FIC	393.3	Good	
1/12/94 0:00	Manual Tape	392.5	Good	
1/12/94 7:06	Auto FIC	393.3	Good	
1/13/94 0:00	Manual Tape	393.25	Good	
1/13/94 5:07	Auto FIC	393.3	Good	
1/14/94 0:00	Manual Tape	394.25	Good	
1/14/94 7:06	Auto FIC	394.90	Good	
1/15/94 0:00	Manual Tape	396.25	Good	
1/15/94 5:07	Auto FIC	397	Good	
1/16/94 0:00	Manual Tape	398.25	Good	
1/16/94 7:07	Auto FIC	397.20	Good	
1/17/94 0:00	Manual Tape	398.5	Good	
1/17/94 7:07	Auto FIC	399.1	Good	
1/18/94 0:00	Manual Tape	400.50	Good	
1/18/94 7:07	Auto FIC	401.4	Good	
1/19/94 0:00	Manual Tape	400.50	Good	
1/19/94 7:07	Auto FIC	401.4	Good	
1/20/94 0:00	Manual Tape	402.5	Good	
1/20/94 7:07	Auto FIC	403.4	Good	
1/21/94 0:00	Manual Tape	402.50	Good	
1/21/94 7:07	Auto FIC	403.4	Good	
1/22/94 0:00	Manual Tape	402.75	Good	
1/22/94 7:08	Auto FIC	403.4	Good	
1/23/94 0:00	Manual Tape	402.75	Good	
1/23/94 7:07	Auto FIC	403.40	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/24/94 0:00	Manual Tape	402.75	Good	
1/24/94 7:08	Auto FIC	403.4	Good	
1/25/94 0:00	Manual Tape	402.75	Good	
1/25/94 7:07	Auto FIC	403.40	Good	
1/26/94 0:00	Manual Tape	402.75	Good	
1/26/94 7:06	Auto FIC	403.3	Good	
1/27/94 0:00	Manual Tape	402.75	Good	
1/27/94 6:06	Auto FIC	403.3	Good	
1/28/94 0:00	Manual Tape	402.75	Good	
1/28/94 7:07	Auto FIC	403.3	Good	
1/29/94 0:00	Manual Tape	402.75	Good	
1/29/94 7:07	Auto FIC	403.30	Good	
1/30/94 0:00	Manual Tape	402.75	Good	
1/30/94 7:06	Auto FIC	403.30	Good	
1/31/94 0:00	Manual Tape	402.50	Good	
1/31/94 7:07	Auto FIC	403.3	Good	
2/1/94 0:00	Manual Tape	402.75	Good	
2/1/94 7:06	Auto FIC	403.30	Good	
2/2/94 0:00	Manual Tape	402.75	Good	
2/2/94 7:07	Auto FIC	403.30	Good	
2/3/94 0:00	Manual Tape	402.75	Good	
2/3/94 7:07	Auto FIC	403.3	Good	
2/4/94 0:00	Manual Tape	402.75	Good	
2/4/94 7:07	Auto FIC	403.3	Good	
2/5/94 0:00	Manual Tape	402.75	Good	
2/5/94 7:07	Auto FIC	403.30	Good	
2/6/94 0:00	Manual Tape	402.5	Good	
2/6/94 7:07	Auto FIC	403.3	Good	
2/7/94 0:00	Manual Tape	402.75	Good	
2/7/94 7:06	Auto FIC	403.30	Good	
2/8/94 0:00	Manual Tape	402.50	Good	
2/8/94 7:07	Auto FIC	403.2	Good	
2/9/94 0:00	Manual Tape	402.5	Good	
2/9/94 7:04	Auto FIC	403.20	Good	
2/10/94 0:00	Manual Tape	402.50	Good	
2/10/94 7:04	Auto FIC	403.2	Good	
2/11/94 0:00	Manual Tape	402.50	Good	
2/11/94 7:06	Auto FIC	403.20	Good	
2/12/94 0:00	Manual Tape	402.5	Good	
2/12/94 7:03	Auto FIC	403.2	Good	
2/13/94 0:00	Manual Tape	402.50	Good	
2/13/94 7:04	Auto FIC	403.20	Good	
2/14/94 0:00	Manual Tape	402.50	Good	
2/14/94 7:04	Auto FIC	403.1	Good	
2/15/94 0:00	Manual Tape	402.5	Good	
2/15/94 7:04	Auto FIC	403.20	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/16/94 0:00	Manual Tape	402.50	Good	
2/16/94 7:03	Auto FIC	403.2	Good	
2/17/94 0:00	Manual Tape	402.50	Good	
2/17/94 7:04	Auto FIC	403.20	Good	
2/18/94 0:00	Manual Tape	402.5	Good	
2/18/94 7:06	Auto FIC	403.2	Good	
2/19/94 0:00	Manual Tape	402.50	Good	
2/19/94 7:06	Auto FIC	403.1	Good	
2/20/94 0:00	Manual Tape	402.5	Good	
2/20/94 7:07	Auto FIC	403.10	Good	
2/21/94 0:00	Manual Tape	402.50	Good	
2/21/94 7:06	Auto FIC	403.1	Good	
2/22/94 0:00	Manual Tape	402.50	Good	
2/22/94 7:05	Auto FIC	403.1	Good	
2/23/94 0:00	Manual Tape	402.50	Good	
2/23/94 7:06	Auto FIC	403.1	Good	
2/24/94 0:00	Manual Tape	402.5	Good	
2/24/94 7:06	Auto FIC	403.10	Good	
2/25/94 0:00	Manual Tape	402.50	Good	
2/25/94 6:06	Auto FIC	403	Good	
2/26/94 0:00	Manual Tape	402.25	Good	
2/26/94 7:07	Auto FIC	403	Good	
2/27/94 0:00	Manual Tape	402.5	Good	
2/27/94 7:07	Auto FIC	403.2	Good	
2/28/94 0:00	Manual Tape	402.50	Good	
2/28/94 6:06	Auto FIC	403.20	Good	
3/1/94 0:00	Manual Tape	402.50	Good	
3/1/94 7:04	Auto FIC	403.2	Good	
3/2/94 0:00	Manual Tape	402.25	Good	
3/2/94 7:06	Auto FIC	403.2	Good	
3/3/94 0:00	Manual Tape	402.25	Good	
3/3/94 7:06	Auto FIC	403.2	Good	
3/4/94 0:00	Manual Tape	402.25	Good	
3/4/94 7:04	Auto FIC	403.20	Good	
3/5/94 0:00	Manual Tape	402.5	Good	
3/5/94 7:05	Auto FIC	403.2	Good	
3/6/94 0:00	Manual Tape	402.00	Good	
3/6/94 7:05	Auto FIC	403.2	Good	
3/7/94 0:00	Manual Tape	402.25	Good	
3/7/94 7:05	Auto FIC	403.2	Good	
3/8/94 0:00	Manual Tape	402.25	Good	
3/8/94 7:04	Auto FIC	403.2	Good	
3/9/94 0:00	Manual Tape	402.25	Good	
3/9/94 7:04	Auto FIC	403.20	Good	
3/10/94 0:00	Manual Tape	402.25	Good	
3/10/94 7:05	Auto FIC	403.2	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/11/94 0:00	Manual Tape	402.25	Good	
3/11/94 7:06	Auto FIC	403.10	Good	
3/12/94 0:00	Manual Tape	402.50	Good	
3/12/94 7:06	Auto FIC	403.1	Good	
3/13/94 0:00	Manual Tape	402.25	Good	
3/13/94 7:05	Auto FIC	403.1	Good	
3/14/94 0:00	Manual Tape	402.25	Good	
3/14/94 0:00	Manual FIC	403.1	Good	
3/15/94 0:00	Manual Tape	402.25	Good	
3/15/94 7:05	Auto FIC	403.1	Good	
3/16/94 0:00	Manual Tape	402.25	Good	
3/16/94 7:04	Auto FIC	403.10	Good	
3/17/94 0:00	Manual Tape	402.25	Good	
3/17/94 7:05	Auto FIC	403.1	Good	
3/18/94 0:00	Manual Tape	402.50	Good	
3/18/94 7:05	Auto FIC	403.1	Good	
3/19/94 0:00	Manual Tape	402.25	Good	
3/19/94 7:04	Auto FIC	403.1	Good	
3/20/94 0:00	Manual Tape	402.25	Good	
3/20/94 7:05	Auto FIC	403	Good	
3/21/94 0:00	Manual Tape	402.25	Good	
3/21/94 7:05	Auto FIC	403.1	Good	
3/22/94 0:00	Manual Tape	402.25	Good	
3/22/94 7:04	Auto FIC	403.10	Good	
3/23/94 0:00	Manual Tape	402.25	Good	
3/23/94 0:00	Manual FIC	403.1	Good	
3/24/94 0:00	Manual Tape	402.25	Good	
3/24/94 0:00	Manual FIC	403	Good	
3/24/94 7:04	Auto FIC	403	Good	
3/25/94 0:00	Manual Tape	402.25	Good	
3/25/94 0:00	Manual FIC	403	Good	
3/25/94 7:05	Auto FIC	403	Good	
3/26/94 0:00	Manual Tape	402.25	Good	
3/26/94 0:00	Manual FIC	403	Good	
3/26/94 7:04	Auto FIC	403	Good	
3/27/94 0:00	Manual Tape	402.25	Good	
3/27/94 0:00	Manual FIC	403	Good	
3/27/94 7:04	Auto FIC	403	Good	
3/28/94 0:00	Manual Tape	402.25	Good	
3/28/94 0:00	Manual FIC	403	Good	
3/28/94 7:04	Auto FIC	403	Good	
3/29/94 0:00	Manual Tape	402.00	Good	
3/29/94 0:00	Manual FIC	403	Good	
3/29/94 7:03	Auto FIC	403	Good	
3/30/94 0:00	Manual Tape	402.25	Good	
3/30/94 0:00	Manual FIC	403	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/30/94 7:03	Auto FIC	403	Good	
3/31/94 0:00	Manual Tape	402.25	Good	
3/31/94 0:00	Manual FIC	403	Good	
3/31/94 7:03	Auto FIC	403	Good	
4/1/94 0:00	Manual Tape	402.25	Good	
4/1/94 0:00	Manual FIC	403	Good	
4/1/94 0:04	Auto FIC	403	Good	
4/2/94 0:00	Manual Tape	402.25	Good	
4/2/94 0:00	Manual FIC	403	Good	
4/2/94 7:07	Auto FIC	403.00	Good	
4/3/94 0:00	Manual Tape	402.25	Good	
4/3/94 0:00	Manual FIC	403	Good	
4/3/94 7:03	Auto FIC	403	Good	
4/4/94 0:00	Manual Tape	402.25	Good	
4/4/94 0:00	Manual FIC	403	Good	
4/4/94 7:03	Auto FIC	403.00	Good	
4/5/94 0:00	Manual Tape	402.25	Good	
4/5/94 0:00	Manual FIC	403	Good	
4/5/94 7:03	Auto FIC	403	Good	
4/6/94 0:00	Manual Tape	402.00	Good	
4/6/94 0:00	Manual FIC	403	Good	
4/6/94 7:06	Auto FIC	403.00	Good	
4/7/94 0:00	Manual Tape	402.00	Good	
4/7/94 0:00	Manual FIC	403	Good	
4/7/94 7:07	Auto FIC	403.00	Good	
4/8/94 0:00	Manual Tape	402.125	Good	
4/8/94 0:00	Manual FIC	403	Good	
4/8/94 7:03	Auto FIC	403	Good	
4/9/94 0:00	Manual Tape	402.00	Good	
4/9/94 0:00	Manual FIC	403	Good	
4/9/94 7:07	Auto FIC	403.00	Good	
4/10/94 0:00	Manual Tape	402.25	Good	
4/10/94 0:00	Manual FIC	402.9	Good	
4/10/94 7:03	Auto FIC	402.9	Good	
4/11/94 0:00	Manual Tape	402.125	Good	
4/11/94 0:00	Manual FIC	402.9	Good	
4/11/94 7:03	Auto FIC	402.90	Good	
4/12/94 0:00	Manual Tape	402.00	Good	
4/12/94 0:00	Manual FIC	402.9	Good	
4/12/94 7:03	Auto FIC	402.9	Good	
4/13/94 0:00	Manual Tape	392.50	Good	
4/13/94 0:00	Manual FIC	393.3	Good	
4/13/94 7:03	Auto FIC	393.30	Good	
4/14/94 0:00	Manual Tape	392.5	Good	
4/14/94 0:00	Manual FIC	393.3	Good	
4/14/94 7:03	Auto FIC	393.30	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/15/94 0:00	Manual Tape	392.50	Good	
4/15/94 0:00	Manual FIC	393.3	Good	
4/15/94 7:03	Auto FIC	393.3	Good	
4/16/94 0:00	Manual Tape	399.50	Good	
4/16/94 0:00	Manual FIC	400.3	Good	
4/16/94 7:03	Auto FIC	400.30	Good	
4/17/94 0:00	Manual Tape	378.5	Good	
4/17/94 0:00	Manual FIC	376.9	Good	
4/17/94 7:03	Auto FIC	376.9	Good	
4/18/94 0:00	Manual Tape	391.75	Good	
4/18/94 0:00	Manual FIC	390.1	Good	
4/18/94 7:03	Auto FIC	390.30	Good	
4/19/94 0:00	Manual Tape	453.00	Suspect	Data not included in graph
4/19/94 0:00	Manual FIC	333.6	Good	
4/19/94 6:06	Auto FIC	331.2	Good	
4/20/94 0:00	Manual Tape	343.5	Good	
4/20/94 0:00	Manual FIC	344.4	Good	
4/20/94 7:04	Auto FIC	344.40	Good	
4/21/94 0:00	Manual Tape	358.00	Good	
4/21/94 0:00	Manual FIC	357.2	Good	
4/21/94 7:05	Auto FIC	357.20	Good	
4/22/94 0:00	Manual Tape	380.50	Good	
4/22/94 0:00	Manual FIC	377.6	Good	
4/22/94 7:04	Auto FIC	377.6	Good	
4/23/94 0:00	Manual Tape	346	Good	
4/23/94 0:00	Manual FIC	356.2	Good	
4/23/94 7:05	Auto FIC	356.20	Good	
4/24/94 0:00	Manual Tape	291.25	Good	
4/24/94 0:00	Manual FIC	291.7	Good	
4/24/94 7:04	Auto FIC	291.7	Good	
4/25/94 0:00	Manual Tape	291.00	Good	
4/25/94 0:00	Manual FIC	291.7	Good	
4/25/94 7:04	Auto FIC	291.70	Good	
4/26/94 0:00	Manual Tape	291.25	Good	
4/26/94 0:00	Manual FIC	291.9	Good	
4/26/94 7:07	Auto FIC	291.9	Good	
4/27/94 0:00	Manual Tape	305.00	Good	
4/27/94 0:00	Manual FIC	305.8	Good	
4/27/94 7:04	Auto FIC	303.70	Good	
4/28/94 0:00	Manual Tape	308.25	Good	
4/28/94 0:00	Manual FIC	308.7	Good	
4/28/94 7:05	Auto FIC	307.1	Good	
4/29/94 0:00	Manual Tape	341.25	Good	
4/29/94 0:00	Manual FIC	324	Good	
4/29/94 7:04	Auto FIC	324.00	Good	
4/30/94 0:00	Manual Tape	324.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/30/94 7:05	Auto FIC	341	Good	
5/1/94 0:00	Manual Tape	358.25	Good	
5/1/94 0:00	Manual FIC	359.1	Good	
5/1/94 7:05	Auto FIC	357.80	Good	
5/2/94 0:00	Manual Tape	310.75	Good	
5/2/94 0:00	Manual FIC	311.55	Good	
5/2/94 7:05	Auto FIC	319.9	Good	
5/3/94 0:00	Manual Tape	256.75	Good	
5/3/94 7:05	Auto FIC	257.50	Good	
5/4/94 0:00	Manual Tape	257.25	Good	
5/4/94 7:05	Auto FIC	257.8	Good	
5/5/94 0:00	Manual Tape	257.25	Good	
5/5/94 7:03	Auto FIC	274.00	Good	
5/6/94 0:00	Manual Tape	299.00	Good	
5/6/94 7:03	Auto FIC	296.50	Good	
5/7/94 0:00	Manual Tape	320.75	Good	
5/7/94 7:03	Auto FIC	319.2	Good	
5/8/94 0:00	Manual Tape	342.75	Good	
5/8/94 7:03	Auto FIC	341.50	Good	
5/9/94 0:00	Manual Tape	367.00	Good	
5/9/94 7:03	Auto FIC	364.9	Good	
5/10/94 0:00	Manual Tape	379.50	Good	
5/10/94 7:03	Auto FIC	380.00	Good	
5/11/94 0:00	Manual Tape	379.25	Good	
5/11/94 7:03	Auto FIC	380	Good	
5/12/94 0:00	Manual Tape	379.25	Good	
5/12/94 6:03	Auto FIC	380.00	Good	
5/13/94 0:00	Manual Tape	379.50	Good	
5/13/94 7:03	Auto FIC	380.1	Good	
5/14/94 0:00	Manual Tape	379.5	Good	
5/14/94 7:03	Auto FIC	380.10	Good	
5/15/94 0:00	Manual Tape	387.75	Good	
5/15/94 7:06	Auto FIC	385.6	Good	
5/16/94 0:00	Manual Tape	333.75	Good	
5/16/94 7:02	Auto FIC	349	Good	
5/17/94 0:00	Manual Tape	264.25	Good	
5/17/94 7:03	Auto FIC	273.5	Good	
5/18/94 0:00	Manual Tape	268.75	Good	
5/18/94 7:03	Auto FIC	265.40	Good	
5/19/94 0:00	Manual Tape	288.75	Good	
5/19/94 7:03	Auto FIC	288.2	Good	
5/20/94 0:00	Manual Tape	313.75	Good	
5/20/94 7:03	Auto FIC	311.10	Good	
5/21/94 0:00	Manual Tape	335.75	Good	
5/21/94 7:05	Auto FIC	334	Good	
5/22/94 0:00	Manual Tape	358.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/22/94 7:05	Auto FIC	356.90	Good	
5/23/94 0:00	Manual Tape	382.5	Good	
5/23/94 7:04	Auto FIC	379.7	Good	
5/24/94 0:00	Manual Tape	383.00	Good	
5/24/94 7:04	Auto FIC	394.20	Good	
5/25/94 0:00	Manual Tape	339.50	Good	
5/25/94 7:04	Auto FIC	348	Good	
5/26/94 0:00	Manual Tape	264.5	Good	
5/26/94 6:05	Auto FIC	279.50	Good	
5/27/94 0:00	Manual Tape	267.25	Good	
5/27/94 7:03	Auto FIC	265.50	Good	
5/28/94 0:00	Manual Tape	290	Good	
5/28/94 7:03	Auto FIC	288.9	Good	
5/29/94 0:00	Manual Tape	313.50	Good	
5/29/94 7:03	Auto FIC	311.1	Good	
5/30/94 0:00	Manual Tape	335.25	Good	
5/30/94 0:00	Manual FIC	335.9	Good	
5/30/94 7:02	Auto FIC	333.6	Good	
5/31/94 0:00	Manual Tape	329.25	Good	
5/31/94 0:00	Manual FIC	331.7	Good	
5/31/94 7:03	Auto FIC	331.7	Good	
6/1/94 0:00	Manual Tape	353	Good	
6/1/94 7:03	Auto FIC	350.60	Good	
6/2/94 0:00	Manual Tape	375.00	Good	
6/2/94 7:03	Auto FIC	373.3	Good	
6/3/94 0:00	Manual Tape	346.00	Good	
6/3/94 0:00	Manual FIC	346	Good	
6/4/94 0:00	Manual Tape	247	Good	
6/4/94 7:04	Auto FIC	263.60	Good	
6/5/94 0:00	Manual Tape	158.00	Good	
6/5/94 7:03	Auto FIC	166.9	Good	
6/6/94 0:00	Manual Tape	149.25	Good	
6/6/94 7:06	Auto FIC	150.60	Good	
6/7/94 0:00	Manual Tape	149.25	Good	
6/7/94 7:02	Auto FIC	150.2	Good	
6/8/94 0:00	Manual Tape	149.25	Good	
6/8/94 7:03	Auto FIC	150.10	Good	
6/9/94 0:00	Manual Tape	164.50	Good	
6/9/94 0:00	Manual FIC	164.5	Good	
6/10/94 0:00	Manual Tape	185	Good	
6/10/94 7:04	Auto FIC	183.3	Good	
6/11/94 0:00	Manual Tape	209.50	Good	
6/11/94 7:04	Auto FIC	206.00	Good	
6/12/94 0:00	Manual Tape	232.00	Good	
6/12/94 7:03	Auto FIC	228.80	Good	
6/13/94 0:00	Manual Tape	253	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/13/94 7:02	Auto FIC	251.6	Good	
6/14/94 0:00	Manual Tape	260.25	Good	
6/14/94 7:03	Auto FIC	261.00	Good	
6/15/94 0:00	Manual Tape	260.75	Good	
6/15/94 7:03	Auto FIC	261.40	Good	
6/16/94 0:00	Manual Tape	260.75	Good	
6/16/94 7:03	Auto FIC	261.4	Good	
6/17/94 0:00	Manual Tape	32.75	Suspect	Data not included in graph
6/17/94 7:03	Auto FIC	261.40	Good	
6/18/94 0:00	Manual Tape	260.50	Good	
6/18/94 7:04	Auto FIC	261.40	Good	
6/19/94 0:00	Manual Tape	260.75	Good	
6/19/94 7:04	Auto FIC	261.40	Good	
6/20/94 0:00	Manual Tape	260.75	Good	
6/20/94 7:04	Auto FIC	261.3	Good	
6/21/94 0:00	Manual Tape	260.75	Good	
6/21/94 7:04	Auto FIC	261.60	Good	
6/22/94 0:00	Manual Tape	260.75	Good	
6/22/94 7:03	Auto FIC	261.60	Good	
6/23/94 0:00	Manual Tape	260.75	Good	
6/23/94 7:05	Auto FIC	261.7	Good	
6/24/94 0:00	Manual Tape	260.75	Good	
6/24/94 7:06	Auto FIC	261.70	Good	
6/25/94 0:00	Manual Tape	260.75	Good	
6/25/94 7:05	Auto FIC	261.7	Good	
6/26/94 0:00	Manual Tape	261.25	Good	
6/26/94 7:06	Auto FIC	261.30	Good	
6/27/94 0:00	Manual Tape	261.00	Good	
6/27/94 7:06	Auto FIC	261.30	Good	
6/28/94 0:00	Manual Tape	260.5	Good	
6/28/94 7:06	Auto FIC	261.2	Good	
6/29/94 0:00	Manual Tape	260.75	Good	
6/29/94 7:03	Auto FIC	261.20	Good	
6/30/94 0:00	Manual Tape	260.50	Good	
6/30/94 7:04	Auto FIC	261.2	Good	
7/1/94 0:00	Manual Tape	260.75	Good	
7/1/94 7:04	Auto FIC	261.30	Good	
7/2/94 0:00	Manual Tape	260.75	Good	
7/2/94 7:04	Auto FIC	261.20	Good	
7/3/94 0:00	Manual Tape	260.75	Good	
7/3/94 7:04	Auto FIC	261.1	Good	
7/4/94 0:00	Manual Tape	260.5	Good	
7/4/94 7:04	Auto FIC	261.10	Good	
7/5/94 0:00	Manual Tape	260.50	Good	
7/5/94 7:03	Auto FIC	261.1	Good	
7/6/94 0:00	Manual Tape	260.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/6/94 7:05	Auto FIC	261.20	Good	
7/7/94 0:00	Manual Tape	260.25	Good	
7/7/94 7:03	Auto FIC	261.30	Good	
7/8/94 0:00	Manual Tape	260.75	Good	
7/8/94 7:03	Auto FIC	261	Good	
7/9/94 0:00	Manual Tape	260.75	Good	
7/9/94 7:03	Auto FIC	261.00	Good	
7/10/94 0:00	Manual Tape	260.75	Good	
7/10/94 7:03	Auto FIC	261	Good	
7/11/94 0:00	Manual Tape	260.00	Good	
7/11/94 7:03	Auto FIC	261.10	Good	
7/12/94 0:00	Manual Tape	260.75	Good	
7/12/94 7:03	Auto FIC	261	Good	
7/13/94 0:00	Manual Tape	260.75	Good	
7/13/94 7:03	Auto FIC	261.00	Good	
7/14/94 0:00	Manual Tape	260.75	Good	
7/14/94 7:04	Auto FIC	260.90	Good	
7/15/94 0:00	Manual Tape	260.75	Good	
7/15/94 7:04	Auto FIC	260.9	Good	
7/16/94 0:00	Manual Tape	260.5	Good	
7/16/94 7:04	Auto FIC	260.90	Good	
7/17/94 0:00	Manual Tape	260.25	Good	
7/17/94 7:04	Auto FIC	260.90	Good	
7/18/94 0:00	Manual Tape	260.00	Good	
7/18/94 0:00	Manual FIC	260.9	Good	
7/19/94 0:00	Manual Tape	260	Good	
7/19/94 7:03	Auto FIC	260.8	Good	
7/20/94 0:00	Manual Tape	260.75	Good	
7/20/94 7:03	Auto FIC	260.80	Good	
7/21/94 0:00	Manual Tape	260.75	Good	
7/21/94 7:03	Auto FIC	260.8	Good	
7/22/94 0:00	Manual Tape	260.75	Good	
7/22/94 7:03	Auto FIC	260.80	Good	
7/23/94 0:00	Manual Tape	260.75	Good	
7/23/94 7:03	Auto FIC	260.9	Good	
7/24/94 0:00	Manual Tape	260.50	Good	
7/24/94 7:03	Auto FIC	260.80	Good	
7/25/94 0:00	Manual Tape	260.25	Good	
7/25/94 7:03	Auto FIC	260.7	Good	
7/26/94 7:03	Auto FIC	260.70	Good	
7/26/94 12:00	Manual Tape	260.50	Good	
7/27/94 7:03	Auto FIC	260.7	Good	
7/27/94 12:00	Manual Tape	260.75	Good	
7/28/94 7:04	Auto FIC	260.70	Good	
7/28/94 12:00	Manual Tape	260	Good	
7/29/94 7:04	Auto FIC	260.7	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
7/29/94 12:00	Manual Tape	260.00	Good	
7/30/94 7:04	Auto FIC	260.70	Good	
7/30/94 12:00	Manual Tape	260.00	Good	
7/31/94 12:00	Manual Tape	260	Good	
7/31/94 23:03	Auto FIC	260.7	Good	
8/1/94 7:03	Auto FIC	260.60	Good	
8/1/94 12:00	Manual Tape	260.00	Good	
8/2/94 7:03	Auto FIC	260.6	Good	
8/2/94 12:00	Manual Tape	260.00	Good	
8/3/94 7:03	Auto FIC	260.60	Good	
8/3/94 12:00	Manual Tape	260	Good	
8/4/94 7:02	Auto FIC	0	Suspect	Data not included in graph
8/4/94 12:00	Manual Tape	259.75	Good	
8/4/94 12:00	Manual FIC	260.6	Good	
8/5/94 7:03	Auto FIC	260.50	Good	
8/5/94 12:00	Manual Tape	259.75	Good	
8/6/94 7:03	Auto FIC	260.5	Good	
8/6/94 12:00	Manual Tape	259.75	Good	
8/7/94 7:04	Auto FIC	260.50	Good	
8/7/94 12:00	Manual Tape	259.75	Good	
8/8/94 7:12	Auto FIC	0	Suspect	Data not included in graph
8/8/94 12:00	Manual Tape	260.00	Good	
8/8/94 12:00	Manual FIC	260.5	Good	
8/9/94 7:06	Auto FIC	260.50	Good	
8/9/94 12:00	Manual Tape	260.00	Good	
8/10/94 7:04	Auto FIC	260.4	Good	
8/10/94 12:00	Manual Tape	259.75	Good	
8/11/94 7:04	Auto FIC	260.40	Good	
8/11/94 12:00	Manual Tape	259.00	Good	
8/12/94 7:04	Auto FIC	260.4	Good	
8/12/94 12:00	Manual Tape	259.50	Good	
8/13/94 7:03	Auto FIC	260.40	Good	
8/13/94 12:00	Manual Tape	259.50	Good	
8/14/94 7:06	Auto FIC	260.4	Good	
8/14/94 12:00	Manual Tape	259.75	Good	
8/15/94 7:06	Auto FIC	260.40	Good	
8/15/94 12:00	Manual Tape	259.75	Good	
8/16/94 7:06	Auto FIC	260.3	Good	
8/16/94 12:00	Manual Tape	259.75	Good	
8/17/94 7:06	Auto FIC	260.30	Good	
8/17/94 12:00	Manual Tape	259.75	Good	
8/18/94 7:06	Auto FIC	260.30	Good	
8/18/94 12:00	Manual Tape	259.75	Good	
8/19/94 6:06	Auto FIC	260.3	Good	
8/19/94 12:00	Manual Tape	259.75	Good	
8/20/94 7:04	Auto FIC	260.30	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
8/20/94 12:00	Manual Tape	259.5	Good	
8/21/94 7:04	Auto FIC	260.3	Good	
8/21/94 12:00	Manual Tape	259.75	Good	
8/22/94 6:04	Auto FIC	260.2	Good	
8/22/94 12:00	Manual Tape	259.75	Good	
8/23/94 7:04	Auto FIC	260.20	Good	
8/23/94 12:00	Manual Tape	259.5	Good	
8/24/94 7:04	Auto FIC	260.2	Good	
8/24/94 12:00	Manual Tape	259.50	Good	
8/25/94 7:03	Auto FIC	260.20	Good	
8/25/94 12:00	Manual Tape	259.50	Good	
8/26/94 7:06	Auto FIC	260.2	Good	
8/26/94 12:00	Manual Tape	259.75	Good	
8/27/94 7:04	Auto FIC	260.10	Good	
8/27/94 12:00	Manual Tape	259.50	Good	
8/28/94 7:04	Auto FIC	260.1	Good	
8/28/94 12:00	Manual Tape	259.50	Good	
8/29/94 7:04	Auto FIC	260.10	Good	
8/29/94 12:00	Manual Tape	259.5	Good	
8/30/94 7:04	Auto FIC	260.1	Good	
8/30/94 12:00	Manual Tape	259.50	Good	
8/31/94 7:04	Auto FIC	260.10	Good	
8/31/94 12:00	Manual Tape	259.50	Good	
9/1/94 7:04	Auto FIC	260.2	Good	
9/1/94 12:00	Manual Tape	259.5	Good	
9/2/94 7:06	Auto FIC	260.50	Good	
9/2/94 12:00	Manual Tape	259.50	Good	
9/3/94 12:00	Manual Tape	259.50	Good	
9/3/94 23:04	Auto FIC	260.3	Good	
9/4/94 7:04	Auto FIC	260.30	Good	
9/4/94 12:00	Manual Tape	259.75	Good	
9/5/94 7:04	Auto FIC	260.1	Good	
9/5/94 12:00	Manual Tape	259.50	Good	
9/6/94 7:03	Auto FIC	260.10	Good	
9/6/94 12:00	Manual Tape	259.50	Good	
9/7/94 7:03	Auto FIC	260.1	Good	
9/7/94 12:00	Manual Tape	259.5	Good	
9/8/94 7:04	Auto FIC	259.70	Good	
9/8/94 12:00	Manual Tape	259.50	Good	
9/9/94 7:03	Auto FIC	260.1	Good	
9/9/94 12:00	Manual Tape	259.50	Good	
9/10/94 7:04	Auto FIC	239.50	Good	
9/10/94 12:00	Manual Tape	233	Good	
9/11/94 7:03	Auto FIC	194.2	Good	
9/11/94 12:00	Manual Tape	183.75	Good	
9/12/94 7:03	Auto FIC	149.40	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
9/12/94 12:00	Manual Tape	142.00	Good	
9/13/94 7:02	Auto FIC	115.2	Good	
9/13/94 12:00	Manual Tape	114.5	Good	
9/14/94 7:03	Auto FIC	115.10	Good	
9/14/94 12:00	Manual Tape	114.50	Good	
9/15/94 7:03	Auto FIC	115.2	Good	
9/15/94 12:00	Manual Tape	114.50	Good	
9/16/94 7:02	Auto FIC	115.10	Good	
9/16/94 12:00	Manual Tape	114.5	Good	
9/17/94 7:03	Auto FIC	115.1	Good	
9/17/94 12:00	Manual Tape	114.50	Good	
9/18/94 7:02	Auto FIC	115.30	Good	
9/18/94 12:00	Manual Tape	114.50	Good	
9/19/94 7:03	Auto FIC	115	Good	
9/19/94 12:00	Manual Tape	114.5	Good	
9/20/94 7:03	Auto FIC	115.00	Good	
9/20/94 12:00	Manual Tape	114.50	Good	
9/21/94 7:04	Auto FIC	115.1	Good	
9/21/94 12:00	Manual Tape	114.50	Good	
9/22/94 7:03	Auto FIC	115.00	Good	
9/22/94 12:00	Manual Tape	114.5	Good	
9/23/94 7:04	Auto FIC	126.1	Good	
9/23/94 12:00	Manual Tape	127.50	Good	
9/24/94 7:04	Auto FIC	144.60	Good	
9/24/94 12:00	Manual Tape	147.25	Good	
9/25/94 7:03	Auto FIC	166.40	Good	
9/25/94 12:00	Manual Tape	167.75	Good	
9/26/94 7:04	Auto FIC	188.3	Good	
9/26/94 12:00	Manual Tape	191.00	Good	
9/27/94 7:04	Auto FIC	210.2	Good	
9/27/94 12:00	Manual Tape	217.00	Good	
9/28/94 7:03	Auto FIC	232.10	Good	
9/28/94 12:00	Manual Tape	233.25	Good	
9/29/94 7:04	Auto FIC	253.1	Good	
9/29/94 12:00	Manual Tape	254.25	Good	
9/30/94 7:04	Auto FIC	274.90	Good	
9/30/94 12:00	Manual Tape	276.50	Good	
10/1/94 7:06	Auto FIC	297	Good	
10/1/94 12:00	Manual Tape	299.5	Good	
10/2/94 7:05	Auto FIC	312.1	Good	
10/2/94 12:00	Manual Tape	314.50	Good	
10/3/94 7:04	Auto FIC	334.00	Good	
10/3/94 12:00	Manual Tape	335.75	Good	
10/4/94 7:04	Auto FIC	355.1	Good	
10/4/94 12:00	Manual Tape	357.75	Good	
10/5/94 7:04	Auto FIC	375.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/5/94 12:00	Manual Tape	377.75	Good	
10/6/94 7:04	Auto FIC	360.3	Good	
10/6/94 12:00	Manual Tape	353.25	Good	
10/7/94 6:04	Auto FIC	307.60	Good	
10/7/94 12:00	Manual Tape	310	Good	
10/8/94 7:03	Auto FIC	283.1	Good	
10/8/94 12:00	Manual Tape	272.50	Good	
10/9/94 7:06	Auto FIC	269.50	Good	
10/9/94 12:00	Manual Tape	272.00	Good	
10/10/94 7:05	Auto FIC	292.50	Good	
10/10/94 12:00	Manual Tape	294.25	Good	
10/11/94 7:03	Auto FIC	315.3	Good	
10/11/94 12:00	Manual Tape	317.25	Good	
10/12/94 7:06	Auto FIC	338.00	Good	
10/12/94 12:00	Manual Tape	340.50	Good	
10/13/94 7:05	Auto FIC	360.80	Good	
10/13/94 12:00	Manual Tape	362.5	Good	
10/14/94 7:06	Auto FIC	367.9	Good	
10/14/94 12:00	Manual Tape	369.25	Good	
10/15/94 7:06	Auto FIC	339.00	Good	
10/15/94 12:00	Manual Tape	337.50	Good	
10/16/94 7:06	Auto FIC	341.1	Good	
10/16/94 12:00	Manual Tape	340.25	Good	
10/17/94 7:06	Auto FIC	359.20	Good	
10/17/94 12:00	Manual Tape	358.25	Good	
10/18/94 7:06	Auto FIC	359.2	Good	
10/18/94 12:00	Manual Tape	358.50	Good	
10/19/94 7:06	Auto FIC	359.20	Good	
10/19/94 12:00	Manual Tape	358.50	Good	
10/20/94 5:07	Auto FIC	359.2	Good	
10/20/94 12:00	Manual Tape	358.5	Good	
10/21/94 7:06	Auto FIC	284.40	Good	
10/21/94 12:00	Manual Tape	283.75	Good	
10/22/94 12:00	Manual Tape	283.75	Good	
10/22/94 23:06	Auto FIC	284.4	Good	
10/23/94 7:06	Auto FIC	284.40	Good	
10/23/94 12:00	Manual Tape	283.75	Good	
10/24/94 7:06	Auto FIC	295.2	Good	
10/24/94 12:00	Manual Tape	296.75	Good	
10/25/94 7:06	Auto FIC	317.90	Good	
10/25/94 12:00	Manual Tape	320	Good	
10/26/94 7:06	Auto FIC	341.1	Good	
10/26/94 12:00	Manual Tape	341.75	Good	
10/27/94 7:06	Auto FIC	360.00	Good	
10/27/94 12:00	Manual Tape	361.50	Good	
10/28/94 7:04	Auto FIC	382.8	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
10/28/94 12:00	Manual Tape	384	Good	
10/29/94 12:00	Manual Tape	344.50	Good	
10/29/94 12:00	Manual FIC	345.8	Good	
10/30/94 12:00	Manual Tape	265.50	Good	
10/30/94 23:04	Auto FIC	227.60	Good	
10/31/94 7:05	Auto FIC	203.7	Good	
10/31/94 12:00	Manual Tape	202.5	Good	
11/1/94 12:00	Manual Tape	220.25	Good	
11/1/94 12:00	Manual FIC	219.5	Good	
11/1/94 23:04	Auto FIC	233.50	Good	
11/2/94 7:03	Auto FIC	240.9	Good	
11/2/94 12:00	Manual Tape	246.00	Good	
11/2/94 12:00	Manual FIC	241.8	Good	
11/3/94 7:04	Auto FIC	263.20	Good	
11/3/94 12:00	Manual Tape	266.25	Good	
11/3/94 12:00	Manual FIC	264.4	Good	
11/4/94 7:03	Auto FIC	285.5	Good	
11/4/94 12:00	Manual Tape	290.50	Good	
11/5/94 7:03	Auto FIC	306.70	Good	
11/5/94 12:00	Manual Tape	308.75	Good	
11/6/94 7:04	Auto FIC	248.4	Good	
11/6/94 12:00	Manual Tape	239.5	Good	
11/7/94 7:04	Auto FIC	186.10	Good	
11/7/94 12:00	Manual Tape	170.75	Good	
11/8/94 7:03	Auto FIC	100.2	Good	
11/8/94 11:02	Manual Tape	99.50	Good	
11/9/94 7:05	Auto FIC	100.00	Good	
11/9/94 11:02	Manual Tape	99.25	Good	
11/10/94 7:03	Auto FIC	99.8	Good	
11/10/94 11:02	Manual Tape	99.25	Good	
11/11/94 7:03	Auto FIC	99.70	Good	
11/11/94 11:02	Manual Tape	99.25	Good	
11/12/94 7:03	Auto FIC	99.80	Good	
11/12/94 11:02	Manual Tape	103.00	Good	
11/13/94 7:04	Auto FIC	121.1	Good	
11/13/94 11:02	Manual Tape	124	Good	
11/14/94 7:03	Auto FIC	143.00	Good	
11/14/94 11:02	Manual Tape	148.50	Good	
11/15/94 7:04	Auto FIC	164.6	Good	
11/15/94 12:00	Manual Tape	148.50	Good	
11/16/94 7:06	Auto FIC	188.80	Good	
11/16/94 12:00	Manual Tape	191.25	Good	
11/17/94 7:04	Auto FIC	204.2	Good	
11/17/94 12:00	Manual Tape	206.25	Good	
11/18/94 7:04	Auto FIC	232.50	Good	
11/18/94 12:00	Manual Tape	237.75	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
11/19/94 7:03	Auto FIC	240.5	Good	
11/19/94 12:00	Manual Tape	240.00	Good	
11/20/94 7:03	Auto FIC	240.70	Good	
11/21/94 7:04	Auto FIC	240.7	Good	
11/21/94 12:00	Manual Tape	240.00	Good	
11/22/94 7:03	Auto FIC	240.70	Good	
11/22/94 12:00	Manual Tape	240.25	Good	
11/23/94 12:00	Manual Tape	240	Good	
11/23/94 12:00	Manual FIC	240.7	Good	
11/24/94 12:00	Manual Tape	240.00	Good	
11/24/94 23:03	Auto FIC	240.6	Good	
11/25/94 12:00	Manual Tape	240.00	Good	
11/25/94 23:03	Auto FIC	240.60	Good	
11/26/94 7:03	Auto FIC	240.7	Good	
11/26/94 12:00	Manual Tape	240	Good	
11/27/94 7:04	Auto FIC	240.70	Good	
11/27/94 12:00	Manual Tape	240.00	Good	
11/28/94 7:04	Auto FIC	240.7	Good	
11/28/94 12:00	Manual Tape	240.00	Good	
11/29/94 7:04	Auto FIC	240.70	Good	
11/29/94 12:00	Manual Tape	240	Good	
11/30/94 7:03	Auto FIC	240.7	Good	
11/30/94 12:00	Manual Tape	240.00	Good	
12/1/94 6:05	Auto FIC	240.70	Good	
12/1/94 12:00	Manual Tape	240.00	Good	
12/2/94 7:03	Auto FIC	240.6	Good	
12/2/94 12:00	Manual Tape	240	Good	
12/3/94 6:04	Auto FIC	240.60	Good	
12/3/94 12:00	Manual Tape	240.00	Good	
12/4/94 7:03	Auto FIC	240.5	Good	
12/4/94 12:00	Manual Tape	240.00	Good	
12/5/94 7:03	Auto FIC	240.50	Good	
12/5/94 12:00	Manual Tape	240	Good	
12/6/94 7:04	Auto FIC	240.5	Good	
12/6/94 12:00	Manual Tape	239.75	Good	
12/7/94 7:03	Auto FIC	240.60	Good	
12/7/94 12:00	Manual Tape	240.00	Good	
12/8/94 5:03	Auto FIC	240.5	Good	
12/8/94 12:00	Manual Tape	239.75	Good	
12/9/94 7:03	Auto FIC	240.60	Good	
12/9/94 12:00	Manual Tape	239.75	Good	
12/10/94 7:04	Auto FIC	240.4	Good	
12/10/94 12:00	Manual Tape	239.75	Good	
12/11/94 7:04	Auto FIC	240.60	Good	
12/11/94 12:00	Manual Tape	239.50	Good	
12/12/94 7:03	Auto FIC	240.6	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
12/12/94 12:00	Manual Tape	239.75	Good	
12/13/94 7:03	Auto FIC	240.50	Good	
12/13/94 12:00	Manual Tape	240	Good	
12/14/94 7:04	Auto FIC	240.4	Good	
12/14/94 12:00	Manual Tape	239.75	Good	
12/15/94 7:03	Auto FIC	240.40	Good	
12/15/94 12:00	Manual Tape	239.75	Good	
12/16/94 7:03	Auto FIC	240.4	Good	
12/16/94 12:00	Manual Tape	239.75	Good	
12/17/94 7:06	Auto FIC	240.40	Good	
12/17/94 12:00	Manual Tape	240.00	Good	
12/18/94 7:04	Auto FIC	240.4	Good	
12/18/94 12:00	Manual Tape	240.00	Good	
12/19/94 7:04	Auto FIC	240.40	Good	
12/19/94 12:00	Manual Tape	239.87	Good	
12/20/94 7:04	Auto FIC	240.4	Good	
12/20/94 12:00	Manual Tape	239.50	Good	
12/21/94 7:04	Auto FIC	240.3	Good	
12/21/94 12:00	Manual Tape	239.50	Good	
12/22/94 7:05	Auto FIC	240.30	Good	
12/22/94 12:00	Manual Tape	239.25	Good	
12/23/94 7:03	Auto FIC	240.50	Good	
12/23/94 12:00	Manual Tape	239.63	Good	
12/24/94 7:04	Auto FIC	240.30	Good	
12/24/94 12:00	Manual Tape	239.50	Good	
12/25/94 7:03	Auto FIC	240.2	Good	
12/25/94 12:00	Manual Tape	239.50	Good	
12/26/94 7:03	Auto FIC	240.20	Good	
12/26/94 12:00	Manual Tape	239.00	Good	
12/27/94 7:04	Auto FIC	240.2	Good	
12/27/94 12:00	Manual Tape	239.75	Good	
12/28/94 7:04	Auto FIC	240.2	Good	
12/28/94 12:00	Manual Tape	239.50	Good	
12/29/94 7:04	Auto FIC	240.10	Good	
12/29/94 12:00	Manual Tape	239.5	Good	
12/30/94 7:04	Auto FIC	240.1	Good	
12/30/94 12:00	Manual Tape	239.50	Good	
12/31/94 7:04	Auto FIC	240.10	Good	
12/31/94 12:00	Manual Tape	239.50	Good	
1/1/95 7:04	Auto FIC	240.1	Good	
1/1/95 12:00	Manual Tape	239.5	Good	
1/2/95 7:03	Auto FIC	240.1	Good	
1/2/95 12:00	Manual Tape	239.50	Good	
1/3/95 7:02	Auto FIC	240.00	Good	
1/3/95 12:00	Manual Tape	239.50	Good	
1/4/95 7:03	Auto FIC	240	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/4/95 12:00	Manual Tape	239.5	Good	
1/5/95 7:04	Auto FIC	240.00	Good	
1/5/95 12:00	Manual Tape	239.25	Good	
1/6/95 7:04	Auto FIC	240	Good	
1/6/95 12:00	Manual Tape	239.25	Good	
1/7/95 7:04	Auto FIC	240.00	Good	
1/7/95 12:00	Manual Tape	239.25	Good	
1/8/95 12:00	Manual Tape	239.25	Good	
1/8/95 23:03	Auto FIC	240	Good	
1/9/95 7:05	Auto FIC	240.00	Good	
1/9/95 12:00	Manual Tape	239.5	Good	
1/10/95 7:06	Auto FIC	240	Good	
1/10/95 12:00	Manual Tape	239.50	Good	
1/11/95 2:06	Auto FIC	240.00	Good	
1/11/95 12:00	Manual Tape	239.50	Good	
1/12/95 7:07	Auto FIC	0	Suspect	Data not included in graph
1/12/95 12:00	Manual Tape	239.50	Good	
1/12/95 12:00	Manual FIC	240	Good	
1/13/95 6:07	Auto FIC	239.90	Good	
1/13/95 12:00	Manual Tape	239.25	Good	
1/14/95 7:07	Auto FIC	0	Suspect	Data not included in graph
1/14/95 12:00	Manual Tape	239.50	Good	
1/14/95 12:00	Manual FIC	239.6	Good	
1/15/95 7:06	Auto FIC	239.90	Good	
1/15/95 12:00	Manual Tape	239.25	Good	
1/16/95 5:07	Auto FIC	239.9	Good	
1/16/95 12:00	Manual Tape	239.25	Good	
1/17/95 7:10	Auto FIC	0.00	Suspect	Data not included in graph
1/17/95 12:00	Manual Tape	239.25	Good	
1/17/95 12:00	Manual FIC	239.8	Good	
1/18/95 7:07	Auto FIC	0	Suspect	Data not included in graph
1/18/95 12:00	Manual Tape	239.25	Good	
1/18/95 12:00	Manual FIC	239.8	Good	
1/19/95 7:07	Auto FIC	0.00	Suspect	Data not included in graph
1/19/95 12:00	Manual Tape	239.00	Good	
1/19/95 12:00	Manual FIC	239.8	Good	
1/20/95 4:03	Auto FIC	239.4	Suspect	Data not included in graph
1/20/95 12:00	Manual Tape	239.25	Good	
1/21/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/21/95 12:00	Manual Tape	239.25	Good	
1/21/95 12:00	Manual FIC	239.75	Good	
1/22/95 7:03	Auto FIC	0	Suspect	Data not included in graph
1/22/95 12:00	Manual Tape	239.25	Good	
1/22/95 12:00	Manual FIC	239.7	Good	
1/23/95 7:03	Auto FIC	0	Suspect	Data not included in graph
1/23/95 12:00	Manual Tape	239	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
1/23/95 12:00	Manual FIC	239.7	Good	
1/24/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/24/95 12:00	Manual Tape	239.00	Good	
1/24/95 12:00	Manual FIC	239.7	Good	
1/25/95 7:03	Auto FIC	0	Suspect	Data not included in graph
1/25/95 12:00	Manual FIC	239.7	Good	
1/26/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
1/26/95 12:00	Manual FIC	239.7	Good	
1/27/95 7:03	Auto FIC	0	Suspect	Data not included in graph
1/27/95 12:00	Manual FIC	239.3	Suspect	Data not included in graph
1/28/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/28/95 12:00	Manual FIC	239.6	Good	
1/29/95 7:04	Auto FIC	0	Suspect	Data not included in graph
1/29/95 12:00	Manual FIC	239.6	Good	
1/30/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
1/30/95 12:00	Manual FIC	239.6	Good	
1/31/95 7:03	Auto FIC	0	Suspect	Data not included in graph
1/31/95 12:00	Manual FIC	239.6	Good	
2/1/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/1/95 12:00	Manual Tape	239.00	Good	
2/1/95 12:00	Manual FIC	239.6	Good	
2/2/95 7:04	Auto FIC	0	Suspect	Data not included in graph
2/2/95 12:00	Manual Tape	239.00	Good	
2/2/95 12:00	Manual FIC	239.5	Good	
2/3/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/3/95 12:00	Manual Tape	239	Good	
2/3/95 12:00	Manual FIC	239.5	Good	
2/4/95 7:04	Auto FIC	0	Suspect	Data not included in graph
2/4/95 12:00	Manual Tape	239.00	Good	
2/4/95 12:00	Manual FIC	239.5	Good	
2/5/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/5/95 12:00	Manual Tape	238.87	Good	
2/5/95 12:00	Manual FIC	239.6	Good	
2/6/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
2/6/95 12:00	Manual Tape	239	Good	
2/6/95 12:00	Manual FIC	239.5	Good	
2/7/95 7:03	Auto FIC	0	Suspect	Data not included in graph
2/7/95 12:00	Manual Tape	238.75	Good	
2/7/95 12:00	Manual FIC	239.45	Good	
2/8/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
2/8/95 12:00	Manual Tape	238.75	Good	
2/8/95 12:00	Manual FIC	239.45	Good	
2/9/95 7:06	Auto FIC	0	Suspect	Data not included in graph
2/9/95 12:00	Manual Tape	238.75	Good	
2/9/95 12:00	Manual FIC	239.4	Good	
2/10/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/10/95 12:00	Manual Tape	238.75	Good	
2/10/95 12:00	Manual FIC	239.4	Good	
2/11/95 7:07	Auto FIC	0	Suspect	Data not included in graph
2/11/95 12:00	Manual Tape	238.75	Good	
2/11/95 12:00	Manual FIC	239.4	Good	
2/12/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/12/95 12:00	Manual Tape	238.75	Good	
2/12/95 12:00	Manual FIC	239.4	Good	
2/13/95 7:05	Auto FIC	0	Suspect	Data not included in graph
2/13/95 12:00	Manual Tape	238.75	Good	
2/13/95 12:00	Manual FIC	239.4	Good	
2/14/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/14/95 12:00	Manual Tape	238.75	Good	
2/14/95 12:00	Manual FIC	239.45	Good	
2/15/95 7:07	Auto FIC	0	Suspect	Data not included in graph
2/15/95 12:00	Manual Tape	238.75	Good	
2/15/95 12:00	Manual FIC	239.4	Good	
2/16/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/16/95 12:00	Manual Tape	238.75	Good	
2/16/95 12:00	Manual FIC	239.4	Good	
2/17/95 7:06	Auto FIC	0	Suspect	Data not included in graph
2/17/95 12:00	Manual Tape	238.75	Good	
2/17/95 12:00	Manual FIC	239.35	Good	
2/18/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/18/95 12:00	Manual Tape	238.5	Good	
2/18/95 12:00	Manual FIC	239.3	Good	
2/19/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/19/95 12:00	Manual Tape	238.75	Good	
2/19/95 12:00	Manual FIC	239.3	Good	
2/20/95 7:07	Auto FIC	0	Suspect	Data not included in graph
2/20/95 12:00	Manual Tape	238.75	Good	
2/20/95 12:00	Manual FIC	239.4	Good	
2/21/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/21/95 12:00	Manual Tape	238.5	Good	
2/21/95 12:00	Manual FIC	239.4	Good	
2/22/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/22/95 12:00	Manual Tape	238.50	Good	
2/22/95 12:00	Manual FIC	239.7	Good	
2/23/95 7:07	Auto FIC	0	Suspect	Data not included in graph
2/23/95 12:00	Manual Tape	238.50	Good	
2/24/95 7:06	Auto FIC	0	Suspect	Data not included in graph
2/24/95 12:00	Manual Tape	238.5	Good	
2/25/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/25/95 12:00	Manual Tape	238.50	Good	
2/26/95 7:10	Auto FIC	0	Suspect	Data not included in graph
2/26/95 12:00	Manual Tape	238.50	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
2/27/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
2/27/95 12:00	Manual Tape	238.5	Good	
2/28/95 7:10	Auto FIC	0.00	Suspect	Data not included in graph
2/28/95 12:00	Manual Tape	238.50	Good	
3/1/95 7:06	Auto FIC	0	Suspect	Data not included in graph
3/1/95 12:00	Manual Tape	10.00	Suspect	Data not included in graph
3/1/95 12:01	Manual Tape	238.50	Good	
3/2/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
3/2/95 12:00	Manual Tape	238.50	Good	
3/3/95 7:06	Auto FIC	0	Suspect	Data not included in graph
3/3/95 12:00	Manual Tape	238.25	Good	
3/4/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
3/4/95 12:00	Manual Tape	238.50	Good	
3/5/95 7:06	Auto FIC	0	Suspect	Data not included in graph
3/5/95 12:00	Manual Tape	238.50	Good	
3/6/95 7:06	Auto FIC	0	Suspect	Data not included in graph
3/6/95 12:00	Manual Tape	238.38	Good	
3/7/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
3/7/95 12:00	Manual Tape	238.50	Good	
3/8/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/8/95 12:00	Manual Tape	238.50	Good	
3/9/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/9/95 12:00	Manual Tape	238.5	Good	
3/10/95 7:02	Auto FIC	0	Suspect	Data not included in graph
3/10/95 12:00	Manual Tape	238.50	Good	
3/11/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/11/95 12:00	Manual Tape	238.50	Good	
3/12/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/12/95 12:00	Manual Tape	238.25	Good	
3/13/95 7:02	Auto FIC	0	Suspect	Data not included in graph
3/13/95 12:00	Manual Tape	238.25	Good	
3/14/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/14/95 12:00	Manual Tape	238.25	Good	
3/15/95 7:05	Auto FIC	0	Suspect	Data not included in graph
3/15/95 12:00	Manual Tape	238.25	Good	
3/16/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/16/95 12:00	Manual Tape	238.25	Good	
3/17/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/17/95 12:00	Manual Tape	238.25	Good	
3/18/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/18/95 12:00	Manual Tape	238.5	Good	
3/19/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/19/95 12:00	Manual Tape	238.25	Good	
3/20/95 7:08	Auto FIC	0.00	Suspect	Data not included in graph
3/20/95 12:00	Manual Tape	238.25	Good	
3/21/95 7:03	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
3/21/95 12:00	Manual Tape	238.25	Good	
3/22/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/22/95 12:00	Manual Tape	238.50	Good	
3/23/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/23/95 12:00	Manual Tape	238.50	Good	
3/24/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/24/95 12:00	Manual Tape	238.25	Good	
3/25/95 7:02	Auto FIC	0	Suspect	Data not included in graph
3/25/95 12:00	Manual Tape	238.50	Good	
3/26/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
3/26/95 12:00	Manual Tape	238.25	Good	
3/27/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/27/95 12:00	Manual Tape	238.00	Good	
3/28/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/28/95 12:00	Manual Tape	238.25	Good	
3/29/95 7:03	Auto FIC	0	Suspect	Data not included in graph
3/29/95 12:00	Manual Tape	238.25	Good	
3/30/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
3/30/95 12:00	Manual Tape	238.25	Good	
3/31/95 7:04	Auto FIC	0	Suspect	Data not included in graph
3/31/95 12:00	Manual Tape	238.25	Good	
4/1/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
4/1/95 12:00	Manual Tape	238.25	Good	
4/2/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/2/95 12:00	Manual Tape	238.25	Good	
4/3/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/3/95 12:00	Manual Tape	238.25	Good	
4/4/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/4/95 12:00	Manual Tape	238.25	Good	
4/5/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/5/95 12:00	Manual Tape	238.25	Good	
4/6/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/6/95 12:00	Manual Tape	238.00	Good	
4/7/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/7/95 12:00	Manual Tape	238.00	Good	
4/8/95 7:02	Auto FIC	0	Suspect	Data not included in graph
4/8/95 12:00	Manual Tape	238.00	Good	
4/9/95 12:00	Manual Tape	238.00	Good	
4/9/95 23:03	Auto FIC	0.00	Suspect	Data not included in graph
4/10/95 7:02	Auto FIC	0	Suspect	Data not included in graph
4/10/95 12:00	Manual Tape	238.00	Good	
4/11/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
4/11/95 12:00	Manual Tape	238.00	Good	
4/12/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/12/95 12:00	Manual Tape	238.00	Good	
4/13/95 7:05	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
4/13/95 12:00	Manual Tape	238.00	Good	
4/14/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/14/95 12:00	Manual Tape	238.00	Good	
4/15/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/15/95 12:00	Manual Tape	238.00	Good	
4/16/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/16/95 12:00	Manual Tape	238.25	Good	
4/17/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/17/95 12:00	Manual Tape	238.00	Good	
4/18/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/18/95 12:00	Manual Tape	238.00	Good	
4/19/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/19/95 12:00	Manual Tape	238.00	Good	
4/20/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/20/95 12:00	Manual Tape	238.00	Good	
4/21/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/21/95 12:00	Manual Tape	238.00	Good	
4/22/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/22/95 12:00	Manual Tape	238.25	Good	
4/23/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/23/95 12:00	Manual Tape	238.00	Good	
4/24/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/24/95 12:00	Manual Tape	238.00	Good	
4/25/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/25/95 12:00	Manual Tape	238.25	Good	
4/26/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/26/95 12:00	Manual Tape	239.00	Good	
4/27/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/27/95 12:00	Manual Tape	238.75	Good	
4/28/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
4/28/95 12:00	Manual Tape	239.00	Good	
4/29/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/29/95 12:00	Manual Tape	239.50	Good	
4/30/95 7:03	Auto FIC	0	Suspect	Data not included in graph
4/30/95 12:00	Manual Tape	239.5	Good	
5/1/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/1/95 12:00	Manual Tape	239.5	Good	
5/2/95 7:02	Auto FIC	0	Suspect	Data not included in graph
5/2/95 12:00	Manual Tape	239.25	Good	
5/3/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/3/95 12:00	Manual Tape	239.25	Good	
5/4/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/4/95 12:00	Manual Tape	239.25	Good	
5/4/95 12:00	Manual FIC	240.5	Good	
5/5/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/5/95 12:00	Manual Tape	239.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/5/95 12:00	Manual FIC	240.5	Good	
5/6/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/6/95 12:00	Manual Tape	239.5	Good	
5/6/95 12:00	Manual FIC	240.55	Good	
5/7/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/7/95 12:00	Manual Tape	239.5	Good	
5/7/95 12:00	Manual FIC	240	Good	
5/8/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/8/95 12:00	Manual Tape	239.25	Good	
5/8/95 12:00	Manual FIC	240	Good	
5/9/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/9/95 12:00	Manual Tape	239.25	Good	
5/9/95 12:00	Manual FIC	240.05	Good	
5/10/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/10/95 12:00	Manual Tape	239.25	Good	
5/10/95 12:00	Manual FIC	240	Good	
5/11/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/11/95 12:00	Manual Tape	239.25	Good	
5/11/95 12:00	Manual FIC	240.2	Good	
5/12/95 7:06	Auto FIC	0	Suspect	Data not included in graph
5/12/95 12:00	Manual Tape	239.5	Good	
5/12/95 12:00	Manual FIC	240.15	Good	
5/13/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/13/95 12:00	Manual Tape	239.5	Good	
5/13/95 12:00	Manual FIC	240.55	Good	
5/14/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/14/95 12:00	Manual Tape	239.5	Good	
5/14/95 12:00	Manual FIC	240.1	Good	
5/15/95 7:03	Auto FIC	0.00	Suspect	Data not included in graph
5/15/95 12:00	Manual Tape	239.5	Good	
5/15/95 12:00	Manual FIC	240.2	Good	
5/16/95 7:03	Auto FIC	0	Suspect	Data not included in graph
5/16/95 12:00	Manual Tape	239.5	Good	
5/16/95 12:00	Manual FIC	240.2	Good	
5/17/95 7:02	Auto FIC	0.00	Suspect	Data not included in graph
5/17/95 12:00	Manual Tape	239.5	Good	
5/17/95 12:00	Manual FIC	240	Good	
5/18/95 7:04	Auto FIC	0	Suspect	Data not included in graph
5/18/95 12:00	Manual Tape	239.5	Good	
5/18/95 12:00	Manual FIC	240.1	Good	
5/19/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/19/95 12:00	Manual Tape	239.25	Good	
5/19/95 12:00	Manual FIC	240.1	Good	
5/20/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/20/95 12:00	Manual Tape	239.25	Good	
5/20/95 12:00	Manual FIC	240.1	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
5/21/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/21/95 12:00	Manual Tape	239.25	Good	
5/21/95 12:00	Manual FIC	240.1	Good	
5/22/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/22/95 12:00	Manual Tape	239.25	Good	
5/22/95 12:00	Manual FIC	240.1	Good	
5/23/95 7:11	Auto FIC	0.00	Suspect	Data not included in graph
5/23/95 12:00	Manual Tape	239.5	Good	
5/23/95 12:00	Manual FIC	240.1	Good	
5/24/95 7:10	Auto FIC	0	Suspect	Data not included in graph
5/24/95 12:00	Manual Tape	239.5	Good	
5/24/95 12:00	Manual FIC	240.1	Good	
5/25/95 7:10	Auto FIC	0	Suspect	Data not included in graph
5/25/95 12:00	Manual Tape	239.5	Good	
5/25/95 12:00	Manual FIC	240.1	Good	
5/26/95 7:04	Auto FIC	0.00	Suspect	Data not included in graph
5/26/95 12:00	Manual Tape	239.5	Good	
5/26/95 12:00	Manual FIC	240.1	Good	
5/27/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/27/95 12:00	Manual Tape	239.75	Good	
5/27/95 12:00	Manual FIC	240.1	Good	
5/28/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/28/95 12:00	Manual Tape	239.5	Good	
5/28/95 12:00	Manual FIC	240.1	Good	
5/29/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/29/95 12:00	Manual Tape	239.5	Good	
5/29/95 12:00	Manual FIC	240.1	Good	
5/30/95 7:05	Auto FIC	0	Suspect	Data not included in graph
5/30/95 12:00	Manual Tape	239.5	Good	
5/30/95 12:00	Manual FIC	240.1	Good	
5/31/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
5/31/95 12:00	Manual Tape	239.5	Good	
5/31/95 12:00	Manual FIC	240	Good	
6/1/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/1/95 12:00	Manual Tape	240	Good	
6/1/95 12:00	Manual FIC	240	Good	
6/2/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/2/95 12:00	Manual Tape	239.5	Good	
6/2/95 12:00	Manual FIC	240	Good	
6/3/95 12:00	Manual Tape	239.5	Good	
6/3/95 12:00	Manual FIC	240	Good	
6/3/95 23:05	Auto FIC	0	Suspect	Data not included in graph
6/4/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/4/95 12:00	Manual Tape	239.25	Good	
6/4/95 12:00	Manual FIC	240	Good	
6/5/95 7:05	Auto FIC	0	Suspect	Data not included in graph

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/5/95 12:00	Manual Tape	239.5	Good	
6/5/95 12:00	Manual FIC	240	Good	
6/6/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/6/95 12:00	Manual Tape	239	Good	
6/6/95 12:00	Manual FIC	240	Good	
6/7/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/7/95 12:00	Manual Tape	239.25	Good	
6/7/95 12:00	Manual FIC	239.95	Good	
6/8/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/8/95 12:00	Manual Tape	239	Good	
6/8/95 12:00	Manual FIC	240	Good	
6/9/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/9/95 12:00	Manual Tape	242	Good	
6/9/95 12:00	Manual FIC	242.7	Good	
6/10/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/10/95 12:00	Manual Tape	265.75	Good	
6/10/95 12:00	Manual FIC	266	Good	
6/11/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/11/95 12:00	Manual Tape	288.25	Good	
6/11/95 12:00	Manual FIC	288.5	Good	
6/12/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/12/95 12:00	Manual Tape	310.5	Good	
6/12/95 12:00	Manual FIC	311.4	Good	
6/13/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/13/95 12:00	Manual Tape	333.75	Good	
6/13/95 12:00	Manual FIC	334.2	Good	
6/14/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/14/95 12:00	Manual Tape	355.5	Good	
6/14/95 12:00	Manual FIC	356.05	Good	
6/15/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/15/95 12:00	Manual Tape	378.25	Good	
6/15/95 12:00	Manual FIC	378.75	Good	
6/16/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/16/95 12:00	Manual Tape	357.75	Good	
6/16/95 12:00	Manual FIC	358.6	Good	
6/17/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/17/95 12:00	Manual Tape	319	Good	
6/17/95 12:00	Manual FIC	319	Good	
6/18/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/18/95 12:00	Manual Tape	341	Good	
6/18/95 12:00	Manual FIC	341	Good	
6/19/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/19/95 12:00	Manual Tape	362.75	Good	
6/19/95 12:00	Manual FIC	363.2	Good	
6/20/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/20/95 12:00	Manual Tape	331.25	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

241-AW-106				
Surface Level Data				
Date	Type of Measurement	Level (Inches)	Data Quality	Comments
6/20/95 12:00	Manual FIC	331.6	Good	
6/21/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/21/95 12:00	Manual Tape	306.25	Good	
6/21/95 12:00	Manual FIC	306.3	Good	
6/22/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/22/95 12:00	Manual Tape	323.75	Good	
6/22/95 12:00	Manual FIC	324.2	Good	
6/23/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/23/95 12:00	Manual Tape	333	Good	
6/23/95 12:00	Manual FIC	333.7	Good	
6/24/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/24/95 12:00	Manual Tape	334.25	Good	
6/24/95 12:00	Manual FIC	334.9	Good	
6/25/95 7:05	Auto FIC	0.00	Suspect	Data not included in graph
6/25/95 12:00	Manual Tape	353.5	Good	
6/25/95 12:00	Manual FIC	354.1	Good	
6/26/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/26/95 12:00	Manual Tape	376.5	Good	
6/26/95 12:00	Manual FIC	377	Good	
6/27/95 7:06	Auto FIC	0.00	Suspect	Data not included in graph
6/27/95 12:00	Manual Tape	383.75	Good	
6/27/95 12:00	Manual FIC	384.4	Good	
6/28/95 7:05	Auto FIC	0	Suspect	Data not included in graph
6/28/95 12:00	Manual Tape	326.75	Good	
6/28/95 12:00	Manual FIC	327.25	Good	
6/29/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/29/95 12:00	Manual Tape	349.75	Good	
6/29/95 12:00	Manual FIC	350.25	Good	
6/30/95 7:06	Auto FIC	0	Suspect	Data not included in graph
6/30/95 12:00	Manual Tape	372.5	Good	
6/30/95 12:00	Manual FIC	373.2	Good	

Data obtained from WHC Surveillance Analysis Computer System (PC SACS), July 10, 1995.

RMIS View/Print Document Cover Sheet

This document was retrieved from the Boeing ISEARCH System.

Accession #: D196052397

Document #: SD-WM-ER-316

Title/Desc:

SUPPORTING DOCUMENT FOR THE SOUTHEAST QUADRANT
HISTORICAL TANK CONTENT ESTIMATE REPORT FOR AW
TANK FARM [VOL II SEC 2 OF 2 PAGE F-1 TO K-11]

THIS DOCUMENT WAS TOO LARGE TO SCAN AS A SINGLE DOCUMENT. IT REQUIRED BREAKING INTO SMALLER SECTIONS.

DOCUMENT NUMBER: SD-WM-ER-316 - Vol II of II

SECTION: 2 OF 2

TITLE: Southeast Quadrant Historical Tank
Content Estimate Report for AW-Tank
Farm

AUTHOR: LA Gaddis / SD Consort

RECIPIENT:

DATE: 9/15/95

KEYWORDS:

REFERENCES:

THIS PAGE INTENTIONALLY
LEFT BLANK

APPENDIX F

Psychrometric Data

THIS PAGE INTENTIONALLY
LEFT BLANK

241-AW-101
Tank Evaporation Rate

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-101
Heat Transfer Rate To Tank Ventilation System

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-101
Tank Evaporation Rate

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-101
Heat Transfer Rate To Annulus Ventilation System

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-101
Annulus Evaporation Rate

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-102
Tank Evaporation Rate

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-102
Heat Transfer Rate To Tank Ventilation System

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-102
Tank Evaporation Rate

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-102
Heat Transfer Rate To Annulus Ventilation System

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-102
Annulus Evaporation Rate

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-103
Tank Evaporation Rate

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-103
Heat Transfer Rate To Tank Ventilation System

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-103
Tank Evaporation Rate

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-103
Heat Transfer Rate To Annulus Ventilation System

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-103
Annulus Evaporation Rate

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-104
Tank Evaporation Rate

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-104
Heat Transfer Rate To Tank Ventilation System

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-104
Tank Evaporation Rate

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-104
Heat Transfer Rate To Annulus Ventilation System

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-104
Annulus Evaporation Rate

Data obtained from WHC Surveillance, January 16, 1995.

**241-AW-105
Tank Evaporation Rate**

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-105
Heat Transfer Rate To Tank Ventilation System

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-105
Tank Evaporation Rate

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-105
Heat Transfer Rate To Annulus Ventilation System

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-105
Annulus Evaporation Rate

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-106
Tank Evaporation Rate

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-106
Heat Transfer Rate To Tank Ventilation System

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-106
Tank Evaporation Rate

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-106
Heat Transfer Rate To Annulus Ventilation System

Data obtained from WHC Surveillance, January 16, 1995.

241-AW-106
Annulus Evaporation Rate

Data obtained from WHC Surveillance, January 16, 1995.

TANK DATA																													
		HAND WRITTEN FROM HP CALCULATOR						ELECTRONICALLY WRITTEN FROM PROGRAM						CALCULATED HERE USING PROGRAM															
TANK	DATE	COMMENTS	AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	
AW101	11/10/81		41	41	83.3	86	217	0.013	28,752					0.121	28,541	334.5									0.067	15,551	183.6		
AW101	1/15/82	Wet Bulb Temp. 38.0°F	37	40	73.4	73.4	156	0.069	15,690						15,551	183.6									0.041	9,908	112.5		
AW101	2/5/82	Temp.	26	33	68	69.8	99	0.041	9,979						9,979	112.5									0.046	8,997	125.4		
AW101	3/2/82		46	56	68	68	145	0.047	9,084						9,084	125.4									0.039	6,647	108.4		
AW101	5/4/82		48	62	68	68	115	0.040	6,716						6,716	125.4									0.022	3,719	61.3		
AW101	6/7/82		54	68	72.5	73.4	63	0.022	3,753						3,753	108.4									0.043	5,064	119.4		
AW101	7/27/82		66	91	76.1	80.6	133	0.043	5,118						5,118	61.3									0.019	3,155	53.7		
AW101	8/9/82		67	79	75.2	80.6	103	0.020	3,179						3,179	119.7									0.043	10,206	119.7		
AW101	10/14/82		50	53	75.2	78.8	130	0.045	10,282						10,282	156.6									0.057	15,369	156.6		
AW101	12/15/82		35	36	59	59	270	0.058	15,532						15,532	82.7									0.030	8,096	82.7		
AW101	1/25/83		37	39	56.3	57.2	178	0.030	8,183						8,183	30.9									0.011	2,449	30.9		
AW101	2/11/83		47	51	53.6	55.6	147	0.010	2,476						2,476										0.003	1,822	7.2		
AW101	3/4/83		49	51	53.6	59	156	0.003	1,834	8.0					1,834										0.044	8,802	122.5		
AW101	4/11/83		42	52	64.4	65.3	149	0.050	8,896						8,896										0.051	7,776	140.5		
AW101	5/11/83		55	71	71.6	71.6	146	0.050	7,853	143.0					7,853										0.027	5,094	73.4		
AW101	6/9/83		57	68	71.6	77	108	0.027	5,135	76.0					5,135										0.050	7,613	138.6		
AW101	7/11/83		61	77	71.6	77	212	0.051	7,684						7,684										0.003	-1,285	8.7		
AW101	8/4/83		66	92	62.6	78.8	121	0.003	-1,283	7.6					-1,283										0.031	6,194	85.2		
AW101	9/23/83		54	63	73.4	77	100	0.034	6,243	88.1					6,243										0.049	10,628	134.3		
AW101	10/7/83		45	53	71.6	75.2	139	0.050	10,722						10,722										0.088	20,936	241.7		
AW101	11/23/83		38	37.5	77	77.9	182	0.090	21,114	248.8					21,114										0.029	8,469	79.1		
AW101	12/12/83		28	28	68	72.5	88	0.029	8,526						8,526										0.050	10,265	136.6		
AW101	1/25/84		43	52	66.2	68	164	0.050	10,368						10,368										0.030	6,134	81.6		
AW101	3/29/84		43	52	66.2	68	98	0.030	6,196	83.6					6,196										0.073	13,129	202.1		
AW101	4/16/84		52	71	86	89.6	109	0.070	13,231	206.0					13,231										0.109	21,456	299.2		
AW101	5/24/84		46	55	90.5	91.4	137	0.110	21,608	306.3					21,608										0.056	8,813	153.5		
AW101	7/3/84		62	85	82	88	117	0.060	8,885	157.0					8,885										0.121	23,144	332.8		
AW101	9/20/84		62	67	98.6	98.6	141	0.130	23,269	347.4					23,269										0.066	14,264	182.6		
AW101	12/3/84		22	26	71	71	123	0.058	14,471	159.8					14,471										0.052	11,738	143.7		
AW101	3/6/85		43	48	78	78	135	0.060	14,200	187.8					14,200										0.080	14,777	220.7		
AW101	3/6/85		55	67	76	88	172	0.060	11,826	149.3					11,826										0.056	12,222	154.5		
AW101	5/6/85		52	64	80.6	80.6	153	0.070	14,893	226.3					14,893										0.111	18,037	305.6		
AW101	6/6/85		55	56	86	86	108	0.060	12,298	162.1					12,298										0.088	16,092	242.8		
AW101	7/15/85		65	88	94	96	141	0.110	18,155	313.3					18,155										0.076	15,037	208.6		
AW101	8/27/85		54	70	94.1	96.8	102		14,617	219.0					14,617										0.183	38,443	505.0		
AW101	9/11/85		55	61	93.2	95	100		15,130	216.0					15,130										0.091	21,345	250.3		
AW101	11/8/85		39	45	86	86	259	0.190	38,743	516.1					38,743										0.124	29,428	340.4		
AW101	12/9/85		28	30	81	81	147	0.092	21,531	255.4					21,531										0.079	16,300	218.7		
AW101	1/8/86		34	36	75.2	75.2	263	0.130	29,691	349.5					29,691										0.071	13,256	195.5		
AW101	3/6/86		52	57	80.6	80.6	169	0.070	16,417	226.7					16,417										0.057	11,215	157.6		
AW101	4/17/86		48	60	69.8	71.6	208	0.072	13,383	200.1					13,383										0.090	12,535	247.6		
AW101	5/8/86		51	60	71.6	73.4	178	0.059	11,312	162.4					11,312										0.118	22,471	324.7		
AW101	6/24/86	Suspicious "low" outlet temp. - General Dr.	71	96	91.4	87.8	132	0.070	9,906	193.6					9,906														
AW101	7/10/86		59	69	102.2	107.6	116	0.130	22,601	336.1					22,601														

TANK DATA			TANK DATA										ELECTRONICALLY WRITTEN FROM PROGRAM										CALCULATED HERE USING PROGRAM			
			RAW DATA					HAND WRITTEN FROM HP CALCULATOR					EVAPORATION RATE (GAL/HR)					HEAT TRANSFER (BTU/HR)					EVAPORATION RATE (GAL/HR)		HEAT TRANSFER (BTU/HR)	
TANK	DATE	COMMENTS	AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)		
AW101	8/7/86		64	84	95	108	100	0.070	13,459	204.3							0.072	13,383	197.7			0.072	13,383	197.7		
AW101	9/16/86		54	55	87.8	98.6	116	0.060	14,163	167.4							0.058	14,195	160.5			0.058	14,195	160.5		
AW101	10/27/86		54	59	80.6	86	124	0.052	11,302	144.9							0.050	11,225	138.6			0.050	11,225	138.6		
AW101	11/20/86		54	64	78.8	86	197	0.070	16,418	220.3							0.077	16,297	212.7			0.077	16,297	212.7		
AW101	12/11/86		25	26	73.4	75.2	235	0.110	28,447	302.2							0.108	28,242	297.1			0.108	28,242	297.1		
AW101	1/14/87		32	34	70	72	80	0.030	7,779	84.4							0.030	7,705	82.2			0.030	7,705	82.2		
AW101	2/3/87		36	37	67	67	166	0.050	13,301	147.5							0.052	13,176	142.8			0.052	13,176	142.8		
AW101	3/4/87		49	51	70	72	104	0.030	6,491	77.0							0.027	6,440	73.6			0.027	6,440	73.6		
AW101	4/9/87		50	62	70	72	175	0.058	10,550	160.7							0.057	10,451	156.8			0.057	10,451	156.8		
AW101	6/8/87		64	67	75.2	87.8	98	0.010	3,878	32.4							0.010	3,859	28.2			0.010	3,859	28.2		
AW101	7/7/87		65	87	75.2	84.2	147	0.040	5,516	109.5							0.039	5,464	107.3			0.039	5,464	107.3		
AW101	8/4/87		63	82	75.2	91.4	266	0.038	12,756	104.6							0.057	11,321	156.6			0.057	11,321	156.6		
AW101	9/2/87		58	74	84.2	87.8	243	0.140	23,701	373.7							0.132	23,527	363.8			0.132	23,527	363.8		
AW101	10/8/87		55	65	80	83	84	0.038	7,274	105.3							0.037	7,220	102.0			0.037	7,220	102.0		
AW101	11/5/87		46	49	69.8	73.4	113	0.030	7,732	88.9							0.031	7,669	85.3			0.031	7,669	85.3		
AW101	12/4/87		43	44	74	81	100	0.030	8,949	94.0							0.033	8,880	89.9			0.033	8,880	89.9		
AW101	1/6/88		24	26	64.4	68	239	0.076	22,048	209.6							0.075	21,865	206.2			0.075	21,865	206.2		
AW101	2/4/88		32	34	57	66	108	0.015	6,099	43.8							0.015	6,038	42.0			0.015	6,038	42.0		
AW101	2/8/88		38	40	37	71.3	100	0.040		136.5							-0.024	-213	-67.4			-0.024	-213	-67.4		
AW101	3/3/88		41	56	62.8	78	446	0.088	23,480	242.7							0.094	24,350	258.7			0.094	24,350	258.7		
AW101	4/21/88		56	62	72.4	78.4	132	0.030	6,996	87.1							0.030	6,945	82.9			0.030	6,945	82.9		
AW101	5/13/88		59	65	66.2	82.4	176	<0.1	3,863	11.6							0.003	3,848	7.9			0.003	3,848	7.9		
AW101	6/6/88		56	68	72	91.4	40	<0.1	2,004	19.1							0.007	1,991	18.0			0.007	1,991	18.0		
AW101	7/11/88		63	79	70	89	134	0.010	3,106	31.5							0.011	3,086	29.4			0.011	3,086	29.4		
AW101	8/11/88		63	75	82.4	91.4	116	0.040	8,568	121.9							0.042	8,511	116.8			0.042	8,511	116.8		
AW101	9/19/88		77	80.6	77	80.6	172	0.060	13,131	164.1							0.000	0	0.0			0.000	0	0.0		
AW101	10/12/88		57	68	77	78.8	40	0.015	2,758	42.5							0.015	2,737	41.3			0.015	2,737	41.3		
AW101	11/8/88		45	49	77	79	166	0.070	16,239	204.1							0.072	16,112	197.4			0.072	16,112	197.4		
AW101	12/8/88		40	41	73	75	99	0.037	9,190	104.4							0.037	9,113	100.7			0.037	9,113	100.7		
AW101	1/4/89		44	48	73	77	73	0.020	6,150	72.5							0.025	6,100	70.1			0.025	6,100	70.1		
AW101	2/17/89		26	27	74	74	166										0.080	20,108	219.4			0.080	20,108	219.4		
AW101	3/8/89		44	44	66	69	108										0.023	6,432	63.2			0.023	6,432	63.2		
AW101	4/13/89		75	84	69.8	75.2	90										-0.006	-1,801	-15.3			-0.006	-1,801	-15.3		
AW101	5/9/89		77	77	72	79	52										-0.008	-1,066	-21.3			-0.008	-1,066	-21.3		
AW101	6/14/89		63	72	81	81	114										0.044	7,797	120.7			0.044	7,797	120.7		
AW101	7/18/89		66	89	68	91	99										0.003	660	8.1			0.003	660	8.1		
AW101	12/16/89		36	36	68	70	42										0.032	7,462	87.6			0.032	7,462	87.6		
AW101	1/12/90		40	45	68	70	100										0.026	7,536	71.9			0.026	7,536	71.9		
AW101	2/8/90		35	41	65	65	59										0.087	18,677	238.9			0.087	18,677	238.9		
AW101	3/30/90		44	53	63	75	153										0.014	4,063	39.8			0.014	4,063	39.8		
AW101	4/5/90		49	63	61	72	580										0.342	55,005	940.9			0.342	55,005	940.9		
AW101	5/7/90		46	56	67	81	71										0.053	6,148	145.6			0.053	6,148	145.6		
AW101	6/5/90	Slugged Due to High Air Flow	57	75	68	77	1604																			
AW101	7/7/90		65	88	73	80	213																			

			TANK DATA																
TANK	DATE	COMMENTS	RAW DATA					HAND WRITTEN FROM HP CALCULATOR				ELECTRONICALLY WRITTEN FROM PROGRAM				CALCULATED HERE USING PROGRAM			
			AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)			
AW101	8/6/90		71	100	73	93	207				0.021	1,604	57.5	0.021	1,604	57.5			
AW101	9/4/90		63	83	77	94	132				0.033	6,547	90.7	0.033	6,547	90.7			
AW101	10/8/90		53	64	65	70	108				0.020	3,794	56.3	0.020	3,794	56.3			
AW101	11/9/90		51	65	48	51	230				0.013	-1,681	36.5	0.013	-1,681	36.5			
AW101	12/5/90		46	53	68	70	116				0.034	7,190	92.5	0.034	7,190	92.5			
AW101	1/7/91		21	21	63	63	80												
AW101	2/6/91		36	40	63	70	108				0.024	7,112	66.6	0.024	7,112	66.6			
AW101	3/5/91		39	49	63	67	100				0.028	6,047	75.8	0.028	6,047	75.8			
AW101	4/3/91		46	52	68	75	108				0.026	6,623	72.0	0.026	6,623	72.0			
AW101	5/16/91		51	69	62	78	147				0.020	4,420	55.1	0.020	4,420	55.1			
AW101	6/3/91		50	70	64	78	100				0.020	3,875	55.6	0.020	3,875	55.6			
AW101	7/1/91		72	85	74	82	40				0.003	317	8.2	0.003	317	8.2			
AW101	8/1/91	No Data																	
AW101	9/3/91		61	93	60	86	116				0.004	-320	9.9	0.004	-320	9.9			
AW101	10/30/92		54	58	68	75.2	156				0.024	6,571	65.4	0.024	6,571	65.4			
AW101	3/1/93		24	24	61	64	130							0.034	10,634	92.6			
AW101	3/10/94		49.5	62.5	59	63	170				0.028	4,361	78.4	0.028	4,361	78.4			
AW101	4/13/94		42	52	58	68	0				0.000	0	0.0	0.000	0	0.0			

Data obtained from WHC Surveillance, January 16, 1995.

ANNULUS DATA																			
TANK		DATE	COMMENTS	RAW DATA				HAND WRITTEN FROM HP CALCULATOR				ELECTRONICALLY WRITTEN FROM PROGRAM				CALCULATED HERE USING PROGRAM			
				AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)		
AW101		11/10/81		41	41	59.9	80.6	734		33,609	0.0				0.092	33,415	34.9		
AW101		1/15/82	Ambient Temp from Weather Tower	37	40	57.2	82.4	748		34,322	0.0				0.013	34,117	5.0		
AW101		2/5/82		26	33	50	78.8	203		9,573	-49.0				-0.009	9,574	-3.3		
AW101		3/2/82		46	56	56.3	75.2	604		15,375	0.0				0.131	15,274	49.8		
AW101		5/4/82		48	62	50	71.6	443		2,042	46.9				-0.125	2,057	-47.3		
AW101		6/7/82		54	68	55.4	75.2	425		1,511	-32.6				-0.089	1,521	-33.6		
AW101		7/27/82		66	91	59	78.8	492		-10,663	-78.6				-0.188	-10,601	-71.4		
AW101		8/9/82		67	79	66.2	80.6	658		-1,852	-54.7				-0.144	-1,826	-54.7		
AW101		10/14/82		50	53	60.8	77	608		17,509	0.0				0.062	17,424	23.6		
AW101		12/15/82		35	36	50	60.8	629		20,583	64.3				0.149	20,406	56.6		
AW101		1/25/83		37	39	56.3	59	635		29,073	281.1				0.712	28,771	270.3		
AW101		2/11/83		47	51	48.2	57.2	633		1,752	-48.0				-0.131	1,765	-49.7		
AW101		3/4/83		49	51	51.8	59	686		4,769	-23.0				-0.074	4,755	-28.0		
AW101		4/8/83		42	52	48.2	65.3	620		8,623	-6.7				-0.023	8,574	-8.6		
AW101		5/11/83		55	71	53.6	71.6	593		-2,256	-48.0				-0.126	-2,222	-47.8		
AW101		6/9/83		57	68	59	75.2	557		3,081	-22.0				-0.067	3,081	-25.2		
AW101		7/11/83		61	77	60.8	77	570		-348	-6.0				-0.017	-345	-6.3		
AW101		8/4/83		66	92	59	74.3	525		-11,346	-25.0				-0.045	-11,309	-17.0		
AW101		9/23/83		54	63	59	77	613		8,282	-16.0				-0.059	8,261	-22.3		
AW101		10/7/83		45	53	53.6	77	796		16,119	-78.8				-0.224	16,079	-85.0		
AW101		11/23/83		36	37.5	57.2	82.4	773		36,921	5.7				-0.019	36,702	-7.3		
AW101		12/12/83		28	28	55.4	78.8	754		43,361	50.5				0.116	43,220	43.9		
AW101		1/25/84		43	52	57.2	74.3	807		27,937	161.1				0.402	27,716	152.5		
AW101		3/29/84		43	52	51.8	71.6	476		9,678	-6.7				-0.025	9,627	-9.5		
AW101		4/16/84		52	71	64.4	86	654		22,753	230.0				0.590	22,564	223.7		
AW101		5/24/84		46	55	64.4	87.8	736		35,566	192.0				0.472	35,353	179.2		
AW101		7/3/84	Suspect Data: High Air Flow	62	85	66	90	1413		17,752	191.6				0.481	17,622	182.6		
AW101		9/20/84		62	67	73.4	96.8	687		25,934	90.2				0.160	25,842	60.6		
AW101		12/12/84		22	26	55	83	656		43,042	68.8				0.182	42,707	69.1		
AW101		3/6/85		43	48	56	80	1014		31,164	-60.1				-0.194	31,036	-73.5		
AW101		4/8/85		55	67	58	86	789		6,074	-179.8				-0.490	6,087	-185.8		
AW101		5/6/85		52	64	60.8	80.6	794		18,931	92.2				0.219	18,818	83.1		
AW101		6/6/85		55	56	64.4	86	758		20,159	-68.9				-0.243	20,125	-92.3		
AW101		7/15/85		65	88	64	94	782		-2,703	-139.1				-0.368	-2,628	-139.6		
AW101		8/27/85		54	70	66.2	93.2	697		24,309	140.4				0.342	24,170	129.9		
AW101		9/11/85		55	61	66.2	93.2	693		22,176	-17.3				-0.097	22,120	-36.8		
AW101		10/24/85		53	65	60	88	657		12,116	-68.0				-0.198	12,110	-75.2		
AW101		11/8/85		39	45	66	86	689		46,958	324.2				0.818	46,588	310.3		
AW101		12/9/85		28	30	54	77	705		38,093	52.4				0.121	37,798	45.8		
AW101		1/8/86		34	36	53.6	69.8	714		30,767	87.9				0.207	30,517	78.4		
AW101		3/6/86		52	57	60.8	77	898		21,465	43.0				0.072	21,366	27.2		
AW101		4/17/86		48	60	53.6	68	450		6,292	44.3				0.111	6,239	42.0		
AW101		5/8/86		51	60	53.6	73.4	861		5,450	-128.5				-0.350	5,492	-132.8		
AW101		6/24/86		71	96	60.4	82.4	826		-29,120	-316.3				-0.773	-28,919	-293.3		

Data obtained from WHC Surveillance, January 16, 1995.

ANNULUS DATA																						
		RAW DATA							HAND WRITTEN FROM HP CALCULATOR					ELECTRONICALLY WRITTEN FROM PROGRAM					CALCULATED HERE USING PROGRAM			
TANK	DATE	COMMENTS	AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)			
AW101	7/10/86		59	69	84.2	107.6	847		76,999	817.6				2.024	76,540	768.2						
AW101	8/7/86		74	84	73	117	830		24,005	-58.9				-1.632	-4,152	-619.4						
AW101	9/16/86		54	55	75.4	101.2	812		54,113	295.1				0.657	53,851	249.4						
AW101	10/27/86		54	59	71.6	91.4	842		45,108	312.0				0.739	44,853	280.4						
AW101	11/20/86		54	64	71.6	102.2	893		46,798	224.1				0.517	46,573	196.1						
AW101	12/11/86		25	26	51.9	96.3	883		45,234	-357.6				-0.898	45,607	-340.8						
AW101	1/14/87		32	34	54	90	885		40,491	-207.5				-0.567	40,338	-215.2						
AW101	2/3/87		36	37	61	85	869		50,697	129.2				0.291	50,357	110.4						
AW101	3/4/87		49	51	64	86	866		34,865	57.3				0.085	34,709	32.1						
AW101	4/9/87		50	62	64	96	847		31,515	34.8				0.057	31,391	21.7						
AW101	6/8/87		64	67	71	95	782		19,523	-57.5				-0.318	17,790	-120.7						
AW101	7/7/87		65	87	71.6	95	782		17,637	206.0				0.515	17,514	195.5						
AW101	8/4/87		63	82	68	97.2	781		12,237	0.6				-0.025	12,213	-9.5						
AW101	9/1/87		58	74	66.2	91.4	780		19,053	91.7				0.212	18,961	80.5						
AW101	10/8/87		55	65	70	90	747		33,988	269.9				0.659	33,779	249.9						
AW101	11/5/87		46	49	68	91.4	642		38,264	186.7				0.437	38,039	165.9						
AW101	12/4/87		43	44	65	88	588		33,209	115.5				0.257	33,014	97.7						
AW101	1/5/88		24	26	55.4	79.8	579		37,024	75.5				0.194	36,833	73.7						
AW101	2/4/88		32	34	57	81	808		44,190	75.5				0.169	43,867	64.3						
AW101	3/10/88		41	56	59	85	910		39,145	212.9				0.551	38,835	209.2						
AW101	4/21/88		56	62	67.8	83.6	678		24,167	162.1				0.380	24,030	144.0						
AW101	5/13/88		59	65	66.2	87.8	639		13,771	-27.3				-0.113	13,746	-42.9						
AW101	6/6/88		56	68	63.4	87	690		14,506	14.4				0.012	14,456	4.6						
AW101	7/11/88		63	79	93	104	510		64,603	956.1				2.431	64,198	922.3						
AW101	8/11/88		63	75	82.4	91.4	653		14,446	61.3				1.733	47,912	657.4						
AW101	9/19/88		54	57	68	91.4	716		29,147	66.2				0.108	29,031	40.8						
AW101	10/13/88		57	68	66.2	82.4	655		18,168	152.0				0.371	18,051	140.6						
AW101	11/8/88		45	49	68	86	785		49,072	347.3				0.854	48,730	324.1						
AW101	12/8/88		40	41	61	82	602		30,666	86.0				0.189	30,471	71.7						
AW101	1/4/89		44	48	59	79	659		24,435	51.0				0.103	24,295	39.2						
AW101	2/17/89		26	27	58	77	721							0.516	48,909	195.9						
AW101	3/8/89		44	44	57	78	405							-0.460	-12,009	-174.5						
AW101	4/13/89		75	84	66.2	78.8	366							0.339	10,569	128.8						
AW101	5/9/89		77	77	70	85	356							0.064	1,985	24.2						
AW101	6/14/89		63	72	72	81	343							0.028	27,449	10.7						
AW101	7/18/89		66	89	68	91	298							0.353	21,281	134.0						
AW101	12/16/89		36	36	61	81	712							0.223	24,814	84.7						
AW101	1/12/90		40	45	57	81	697							0.046	25,614	17.6						
AW101	2/8/90		35	41	59	75	386							0.390	29,422	148.2						
AW101	3/30/90		44	53	59	81	675							1.623	49,572	615.8						
AW101	4/5/90		49	63	59	86	1010							0.528	12,661	200.3						
AW101	5/7/90		46	56	63	86	671															
AW101	6/5/90	Suspected Data: High Air Flow	57	75	68	85	1475															
AW101	7/7/90		65	88	70	90	747															

Subject Data - High Air Flow

ANNULUS DATA																		
TANK	DATE	COMMENTS	RAW DATA					HAND WRITTEN FROM HP CALCULATOR				ELECTRONICALLY WRITTEN FROM PROGRAM				CALCULATED HERE USING PROGRAM		
			AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)		
AW101	8/6/90		71	100	66	93	673											
AW101	9/4/90		63	83	68	93	653											
AW101	10/8/90		53	64	65	66	668											
AW101	11/9/90		51	65	51	51	679											
AW101	12/5/90		46	53	59	85	670											
AW101	17/91		21	21	54	73	377											
AW101	2/6/91		36	40	55	70	395											
AW101	3/5/91		39	49	61	79	872											
AW101	4/3/91		46	52	63	84	760											
AW101	5/16/91		51	69	58	82	650											
AW101	6/3/91		50	70	58	82	716											
AW101	7/1/91		72	85	64	82	753											
AW101	8/19/91		74	89	65	85	738											
AW101	9/4/91		61	93	65	90	656											
AW101	10/30/92		48	48	62.6	80.6	210											
AW101	3/1/93		24	24	57	68	303											
AW101	3/10/94		49.5	62.5	60	74	321											
AW101	4/13/94		42	52	57	75	345											

Data obtained from WHC Surveillance, January 16, 1995.

TANK DATA										ELECTRONICALLY WRITTEN FROM PROGRAM										CALCULATED HERE USING PROGRAM										
TANK	DATE	COMMENTS	RAW DATA					HAND WRITTEN FROM HP CALCULATOR					ELECTRONICALLY WRITTEN FROM PROGRAM					CALCULATED HERE USING PROGRAM												
			AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)											
AW102	9/25/81		45	50	64.4	68.9	376	0.080	19,789							0.079	19,789	216.7	0.079	19,789	216.7	0.079	19,789	216.7	0.079	19,789	216.7	0.079	19,789	216.7
AW102	11/10/81		41	41	68	68	274	0.082	20,138							0.079	19,962	217.3	0.079	19,962	217.3	0.079	19,962	217.3	0.079	19,962	217.3	0.079	19,962	217.3
AW102	1/15/82		37	40	56.3	57.2	258	0.047	11,865							0.046	11,736	125.5	0.046	11,736	125.5	0.046	11,736	125.5	0.046	11,736	125.5	0.046	11,736	125.5
AW102	2/5/82		26	33	68	69.8	132	0.055	13,306							0.054	13,211	150.0	0.054	13,211	150.0	0.054	13,211	150.0	0.054	13,211	150.0	0.054	13,211	150.0
AW102	3/2/82		46	56	57.2	57.2	204	0.039	5,994							0.038	5,918	104.0	0.038	5,918	104.0	0.038	5,918	104.0	0.038	5,918	104.0	0.038	5,918	104.0
AW102	5/4/82		48	62	55.4	60.8	314	0.043	6,083							0.043	5,997	118.0	0.043	5,997	118.0	0.043	5,997	118.0	0.043	5,997	118.0	0.043	5,997	118.0
AW102	6/7/82		66	91	73.4	122	259	0.027	1,173							0.027	1,131	75.0	0.027	1,131	75.0	0.027	1,131	75.0	0.027	1,131	75.0	0.027	1,131	75.0
AW102	8/9/82		67	79	69.8	75.2	266	0.026	2,721							-0.013	6,237	-36.6	-0.013	6,237	-36.6	-0.013	6,237	-36.6	-0.013	6,237	-36.6	-0.013	6,237	-36.6
AW102	10/14/82		50	53	84.6	93.2	335	0.230	48,053							0.025	2,691	69.6	0.025	2,691	69.6	0.025	2,691	69.6	0.025	2,691	69.6	0.025	2,691	69.6
AW102	12/15/82		35	36	89.6	89.6	174	0.140	30,344							0.166	39,241	458.4	0.166	39,241	458.4	0.166	39,241	458.4	0.166	39,241	458.4	0.166	39,241	458.4
AW102	1/25/83		37	39	67.1	71.6	221	0.064	17,199							0.137	30,118	377.5	0.137	30,118	377.5	0.137	30,118	377.5	0.137	30,118	377.5	0.137	30,118	377.5
AW102	2/11/83		47	51	73.4	75.2	193	0.070	15,345							0.062	17,042	170.3	0.062	17,042	170.3	0.062	17,042	170.3	0.062	17,042	170.3	0.062	17,042	170.3
AW102	3/4/83		49	51	62.6	66.2	199	0.030	7,511							0.067	15,222	185.8	0.067	15,222	185.8	0.067	15,222	185.8	0.067	15,222	185.8	0.067	15,222	185.8
AW102	4/8/83		42	52	60.8	63.5	136	0.070	15,345							0.062	17,042	170.3	0.062	17,042	170.3	0.062	17,042	170.3	0.062	17,042	170.3	0.062	17,042	170.3
AW102	5/11/83		55	71	44.6	64.4	278	0.030	6,589							0.027	7,449	74.2	0.027	7,449	74.2	0.027	7,449	74.2	0.027	7,449	74.2	0.027	7,449	74.2
AW102	6/9/83		57	68	73.4	73.4	232	0.076	12,752							0.032	6,517	88.6	0.032	6,517	88.6	0.032	6,517	88.6	0.032	6,517	88.6	0.032	6,517	88.6
AW102	7/11/83		61	77	68	75.2	132	0.022	3,060							-0.034	-7,151	-93.3	-0.034	-7,151	-93.3	-0.034	-7,151	-93.3	-0.034	-7,151	-93.3	-0.034	-7,151	-93.3
AW102	8/4/83		64	78	75	78.8	151	0.022	3,060							0.075	12,645	205.4	0.075	12,645	205.4	0.075	12,645	205.4	0.075	12,645	205.4	0.075	12,645	205.4
AW102	9/23/83		54	63	75.2	77	147	0.040	6,062							0.022	3,029	59.9	0.022	3,029	59.9	0.022	3,029	59.9	0.022	3,029	59.9	0.022	3,029	59.9
AW102	10/7/83		45	53	77	78.8	135	0.040	6,062							0.039	6,012	106.6	0.039	6,012	106.6	0.039	6,012	106.6	0.039	6,012	106.6	0.039	6,012	106.6
AW102	11/23/83		36	37.5	71.6	73.4	171	0.054	10,236							0.052	10,156	144.4	0.052	10,156	144.4	0.052	10,156	144.4	0.052	10,156	144.4	0.052	10,156	144.4
AW102	12/12/83		28	28	75.2	79.9	100	0.060	13,223							0.063	13,115	172.7	0.063	13,115	172.7	0.063	13,115	172.7	0.063	13,115	172.7	0.063	13,115	172.7
AW102	1/25/84		43	52	69.8	71.6	316	0.066	16,341							0.064	16,196	176.8	0.064	16,196	176.8	0.064	16,196	176.8	0.064	16,196	176.8	0.064	16,196	176.8
AW102	3/29/84		43	52	80.6	82.4	279	0.116	23,817							0.113	23,594	311.5	0.113	23,594	311.5	0.113	23,594	311.5	0.113	23,594	311.5	0.113	23,594	311.5
AW102	4/6/84		52	71	77	78.8	285	0.160	32,657							0.157	32,392	431.9	0.157	32,392	431.9	0.157	32,392	431.9	0.157	32,392	431.9	0.157	32,392	431.9
AW102	5/24/84		46	55	73.4	73.4	147	0.140	23,408							0.139	23,197	382.1	0.139	23,197	382.1	0.139	23,197	382.1	0.139	23,197	382.1	0.139	23,197	382.1
AW102	7/3/84		62	85	90	90	208	0.062	12,079							0.060	11,973	166.4	0.060	11,973	166.4	0.060	11,973	166.4	0.060	11,973	166.4	0.060	11,973	166.4
AW102	9/20/84		62	67	95	100.4	323	0.154	24,158							0.151	23,987	416.4	0.151	23,987	416.4	0.151	23,987	416.4	0.151	23,987	416.4	0.151	23,987	416.4
AW102	12/3/84		22	26	81	91	336	0.230	45,822							0.224	45,566	615.8	0.224	45,566	615.8	0.224	45,566	615.8	0.224	45,566	615.8	0.224	45,566	615.8
AW102	3/6/85		43	48	72	76	133	0.197	51,434							0.194	50,984	555.0	0.194	50,984	555.0	0.194	50,984	555.0	0.194	50,984	555.0	0.194	50,984	555.0
AW102	4/8/85		55	67	80	80	173	0.050	11,004							0.046	10,911	126.8	0.046	10,911	126.8	0.046	10,911	126.8	0.046	10,911	126.8	0.046	10,911	126.8
AW102	5/6/85		52	64	75.2	75.2	140	0.080	15,083							0.083	14,968	229.0	0.083	14,968	229.0	0.083	14,968	229.0	0.083	14,968	229.0	0.083	14,968	229.0
AW102	6/6/85		55	57	89.6	89.6	307	0.060	10,508							0.058	10,419	159.7	0.058	10,419	159.7	0.058	10,419	159.7	0.058	10,419	159.7	0.058	10,419	159.7
AW102	7/15/85		65	88	100	100	314	0.200	40,618							0.196	40,380	538.9	0.196	40,380	538.9	0.196	40,380	538.9	0.196	40,380	538.9	0.196	40,380	538.9
AW102	8/27/85		54	70	89.6	95	311	0.320	52,073							0.315	51,762	867.8	0.315	51,762	867.8	0.315	51,762	867.8	0.315	51,762	867.8	0.315	51,762	867.8
AW102	9/11/85		55	61	96.8	96.8	276	0.230	41,641							0.221	41,348	608.8	0.221	41,348	608.8	0.221	41,348	608.8	0.221	41,348	608.8	0.221	41,348	608.8
AW102	11/8/85		39	45	90	90	308	0.253	47,625							0.245	47,343	673.9	0.245	47,343	673.9	0.245	47,343	673.9	0.245	47,343	673.9	0.245	47,343	673.9
AW102	12/9/85		28	30	94	94	222	0.260	52,127							0.251	51,741	690.4	0.251	51,741	690.4	0.251	51,741	690.4	0.251	51,741	690.4	0.251	51,741	690.4
AW102	1/8/86		34	36	91.4	91.4	323	0.217	46,418							0.213	46,067	586.8	0.213	46,067	586.8	0.213								

TANK		DATE	COMMENTS	RAW DATA							HAND WRITTEN FROM HP CALCULATOR				ELECTRONICALLY WRITTEN FROM PROGRAM				CALCULATED HERE USING PROGRAM			
				AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	WET BULB (°F)	OUTLET (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (INAWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/ANK)	EVAPORATION RATE (INAWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/ANK)	EVAPORATION RATE (INAWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/ANK)				
AW102		8/6/90		71	100	62	77	426				-0.012	-12,808	-31.8	-0.012	-12,808	-31.8	-0.012	-12,808	-31.8		
AW102		9/4/90		63	83	77	81	388				0.137	19,836	376.0	0.137	19,836	376.0	0.137	19,836	376.0		
AW102		10/8/90		53	64	69	78	438				0.095	21,044	262.8	0.095	21,044	262.8	0.095	21,044	262.8		
AW102		11/9/90		51	65	49	51	426														
AW102		12/5/90		46	53	66	66	390				0.032	-2,057	87.0	0.032	-2,057	87.0	0.032	-2,057	87.0		
AW102		1/7/91		21	21	59	59	380							0.107	21,684	295.9	0.107	21,684	295.9		
AW102		2/6/91		36	40	59	60	405										0.103	30,952	282.4		
AW102		3/5/91		39	49	59	60	382							0.089	22,239	245.9	0.089	22,239	245.9		
AW102		4/3/91		46	52	63	64	457							0.095	18,738	261.3	0.095	18,738	261.3		
AW102		5/16/91		51	69	60	62	400				0.100	21,000	274.1	0.100	21,000	274.1	0.100	21,000	274.1		
AW102		6/3/91		50	70	60	64	440				0.088	10,045	241.2	0.088	10,045	241.2	0.088	10,045	241.2		
AW102		7/1/91		72	85	64	68	391				0.100	12,089	275.2	0.100	12,089	275.2	0.100	12,089	275.2		
AW102		8/1/91	No Data									-0.020	-11,022	-56.2	-0.020	-11,022	-56.2	-0.020	-11,022	-56.2		
AW102		9/4/91		61	93	60	86	417														
AW102		10/30/92		48	48	64.4	66.2	405				0.013	-1,151	35.4	0.013	-1,151	35.4	0.013	-1,151	35.4		
AW102		3/1/93	REPLACEMENT TOWER NO. 2 STARTING UP	24	24	55	54	391							0.068	18,452	186.2	0.068	18,452	186.2		
AW102		3/11/94		47	57	54	55	390							0.086	25,790	237.9	0.086	25,790	237.9		
AW102		4/13/94		42	52	61	62	446				0.052	6,967	144.4	0.052	6,967	144.4	0.052	6,967	144.4		
AW102												0.113	21,713	310.3	0.113	21,713	310.3	0.113	21,713	310.3		

Data obtained from VHC Surveillance, January 16, 1995.

ANNUAL DATA																			
			RAW DATA					HAND WRITTEN FROM HP CALCULATOR				ELECTRONICALLY WRITTEN FROM PROGRAM				CALCULATED HERE USING PROGRAM			
TANK	DATE	COMMENTS	AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)			
AW102	9/23/81		45	50	53.6	69.8	465		9,596	<1				-0.030	9,549	-11.4			
AW102	11/10/81		41	41	55.4	66.2	418		14,367	0.0				0.123	14,261	46.6			
AW102	1/15/82		37	40	48.2	59	450		11,026	0.0				0.068	10,934	25.9			
AW102	2/5/82	Ambient Temp from Weather Station	26	33	41	59	124		3,519	-28.1				0.001	3,533	0.4			
AW102	3/2/82		46	56	48.2	57.2	406		2,144	0.0				0.076	2,117	28.9			
AW102	5/4/82		48	62	46.4	60.8	762		-2,908	-35.2				-0.090	-2,873	-34.2			
AW102	6/7/82		54	73	48.2	62.6	677		-9,932	-40.9				-0.098	-9,866	-37.2			
AW102	7/27/82		66	91	56.3	71.6	472		-13,932	-74.5				-0.170	-13,861	-64.6			
AW102	8/9/82		67	79	62.7	73.4	671		-9,525	-101.1				-0.244	-9,463	-92.7			
AW102	10/14/82		50	53	62.6	89.6	560		18,602	-51.3				-0.174	18,559	-66.2			
AW102	12/15/82		35	36	59	84.2	514		28,002	36.5				0.071	27,821	26.8			
AW102	1/25/83		37	39	53.6	73.4	726		26,888	1.7				-0.021	26,719	-8.1			
AW102	2/11/83		47	51	55.4	73.4	554		11,450	-34.0				-0.111	11,413	-42.1			
AW102	3/4/83		49	51	55.4	66.2	663		10,815	-2.8				-0.029	10,766	-11.1			
AW102	4/8/83		42	52	48.2	65.3	561		7,803	-6.0				-0.020	7,758	-7.7			
AW102	5/11/83		55	71	53.6	66.2	544		-1,992	15.6				0.044	-1,993	16.8			
AW102	6/9/83		57	68	59	71.6	485		2,760	16.3				0.038	2,744	14.4			
AW102	7/11/83		61	77	59	74.3	488		-2,898	-27.0				-0.067	-2,878	-25.6			
AW102	8/4/83		64	78	60.8	77	639		-6,444	-106.0				-0.271	-6,381	-102.7			
AW102	9/23/83		54	63	59	77	681		9,201	-17.9				-0.065	9,177	-24.7			
AW102	10/7/83		45	53	55.4	78.8	681		16,972	-31.5				-0.100	16,905	-37.9			
AW102	11/23/83		36	37.5	59	72.5	696		37,570	212.9				0.525	37,253	199.3			
AW102	12/12/83		28	28	56.3	77	687		41,330	102.5				0.252	41,164	95.7			
AW102	1/25/84	Subsequent Data - Ambient Wet Bulb Greater Than	43	42	55.4	69.8	470		13,986	2.3				-0.030	13,923	-11.5			
AW102	3/29/84		43	52	55.4	80.6	807		23,520	16.9				-0.062	23,409	-23.4			
AW102	4/16/84		52	71	59	69.8	699		13,580	267.5				0.692	13,398	262.6			
AW102	5/24/84		46	55	55.4	75.2	625		14,349	15.7				0.027	14,272	10.2			
AW102	7/3/84		62	85	64	91	687		4,126	-2.8				-0.015	4,119	-5.5			
AW102	9/20/84		62	67	73.4	102.2	596		22,175	14.5				-0.035	22,122	-13.4			
AW102	12/12/84		22	26	71	91	549		62,221	473.9				1.234	61,667	468.3			
AW102	3/6/85		43	48	58	77	503		18,390	53.0				0.119	18,273	45.2			
AW102	4/8/85		55	67	54	84	621		-1,996	-242.8				-0.643	-1,858	-244.1			
AW102	5/6/85		52	64	60.8	77	579		13,958	110.0				0.273	13,855	103.5			
AW102	6/6/85		55	56	66.2	86	659		21,410	12.4				-0.026	21,339	-9.9			
AW102	7/15/85		65	88	72	103	667		15,636	100.6				0.237	15,564	89.9			
AW102	8/27/85		54	70	69.8	91.4	571		27,054	266.3				0.672	26,858	255.1			
AW102	9/11/85		55	61	68	95	595		24,072	59.5				0.031	22,454	11.9			
AW102	10/24/85		53	65	62	92	430		10,371	-31.0				-0.097	10,354	-36.9			
AW102	11/8/85		39	45	59	88	596		27,729	18.1				0.028	27,575	10.8			
AW102	12/9/85		28	30	59	80	637		42,888	171.6				0.430	42,526	163.2			
AW102	1/8/86		34	36	62.6	89.6	541		35,826	105.7				0.251	35,577	95.2			
AW102	3/6/86		52	57	64.4	87.8	688		23,544	25.9				0.022	23,453	8.3			
AW102	4/17/86		48	60	62.6	89.6	193		7,410	37.8				0.062	7,314	23.6			
AW102	5/8/86		51	60	57.2	87.8	754		11,581	-191.8				-0.527	11,638	-200.0			

ANNULUS DATA																		
		RAW DATA					HAND WRITTEN FROM HP CALCULATOR				ELECTRONICALLY WRITTEN FROM PROGRAM				CALCULATED HERE USING PROGRAM			
TANK	DATE	COMMENTS	AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)		
AW102	6/24/86		71	96	69.8	102.2	701		-3,227	-140.8				-0.375	-3,157	-142.1		
AW102	7/10/86		59	69	69.8	100.4	698		23,023	11.5				-0.025	22,965	-9.5		
AW102	8/7/86		64	84	68	92	605		7,835	51.9				0.122	7,796	46.3		
AW102	9/16/86		54	55	69.8	96.8	496		22,980	30.7				0.022	22,901	8.5		
AW102	10/27/86		54	59	71.6	100.4	549		28,809	103.9				0.215	28,686	81.6		
AW102	11/20/86		54	64	69.8	165.8	604		27,543	35.1				-1.667	24,218	-632.6		
AW102	12/11/86		25	26	59	89.6	603		42,741	53.1				0.133	42,593	50.6		
AW102	1/14/87		32	34	57	77	620		34,199	108.5				0.262	33,922	99.4		
AW102	2/3/87		36	37	58	81	599		30,034	40.3				0.077	29,839	29.1		
AW102	3/4/87		49	51	59	70	583		15,368	63.2				0.139	15,274	52.7		
AW102	4/9/87		50	62	59	70	563		13,625	162.3				0.413	13,493	156.8		
AW102	6/8/87		64	67	64.4	75.2	579		575	-83.5				-0.234	605	-88.7		
AW102	7/7/87		65	87	64.4	80.6	577		-989	53.7				0.147	-1,011	55.8		
AW102	8/4/87		63	82	66.2	90.6	485		4,846	9.4				0.015	4,831	5.5		
AW102	9/1/87		58	74	66.2	93.2	587		14,257	47.9				0.103	14,198	39.3		
AW102	10/8/87		55	65	66	88	641		20,462	93.8				0.212	20,360	80.6		
AW102	11/5/87		46	49	64.6	84.2	569		28,011	129.4				0.300	27,840	114.0		
AW102	12/4/87		43	44	61	75	470		21,380	108.0				0.255	21,231	96.7		
AW102	1/5/88		24	26	51.8	75.2	657		36,266	32.2				0.083	36,103	31.4		
AW102	2/4/88		32	34	57	64	495		28,073	221.7				0.562	27,785	213.4		
AW102	3/10/88	SUSPECTED TANK AIR LEAKING OUT	41	56	57	70	545		21,139	239.5				0.620	20,904	235.2		
AW102	4/21/88		56	62	74.6	65.6	494		14,300	141.4				1.400	31,095	531.1		
AW102	5/13/88		59	65	62.6	77	577		6,088	-24.0				-0.083	6,080	-31.4		
AW102	6/6/88		56	68	61.2	76.8	579		8,602	58.6				0.141	8,548	53.4		
AW102	7/11/88		63	79	64	82	465		1,435	-0.7				-0.006	1,432	-2.1		
AW102	8/11/88		63	75	68	86	535		8,637	45.4				0.099	8,599	37.6		
AW102	9/19/88		54	57	66.7	87.8	445		16,312	36.8				0.059	16,246	22.6		
AW102	10/13/88		57	68	64.2	65.6	445		9,955	205.4				0.532	9,843	201.8		
AW102	11/8/88		45	49	66	81	424		23,917	178.2				0.440	23,742	166.9		
AW102	12/8/88		40	41	59	79	607		27,552	57.1				0.116	27,380	44.1		
AW102	1/4/89		44	48	55	70	618		16,433	32.5				0.064	16,331	24.4		
AW102	2/17/89		26	27	54	65	662							0.555	38,696	210.4		
AW102	3/8/89	SUSPECTED TANK AIR LEAKING OUT	44	44	59	66	405							0.261	15,350	98.9		
AW102	4/13/89		84	75	64.4	75.2	370							-1.408	-30,177	-534.1		
AW102	5/9/89		77	77	64	75	353							-0.775	-17,359	-294.2		
AW102	6/14/89		63	72	70	70	352							0.446	8,518	169.3		
AW102	7/18/89		66	89	63	79	444							0.035	-4,199	13.4		
AW102	12/16/89		36	36	52	82	33							0.035	-4,199	13.4		
AW102	1/12/90		40	45	52	67	1012							-0.025	1,123	-9.4		
AW102	2/8/90		35	41	50	63	485							0.150	27,543	56.7		
AW102	3/30/90		44	53	68	72	917							0.194	15,668	73.7		
AW102	4/5/90		49	63	51	63	869							2.027	60,618	769.0		
AW102	5/7/90		46	56	54	66	895							0.209	4,320	79.4		
AW102	6/5/90		57	75	63	69	548							0.373	17,551	141.5		
AW102														0.655	9,968	248.7		

Data obtained from WHC Surveillance, January 16, 1995.

ANNULUS DATA																
		RAW DATA					HAND WRITTEN FROM HP CALCULATOR				ELECTRONICALLY WRITTEN FROM PROGRAM				CALCULATED HERE USING PROGRAM	
TANK	DATE	COMMENTS	AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)
AW102	7/7/90		65	88	61	74	870				0.140	-10,706	52.9	0.140	-10,706	52.9
AW102	8/6/90		71	100	59	75	733				-0.381	-28,763	-144.6	-0.381	-28,763	-144.6
AW102	9/4/90		63	83	63	83	790				0.000	0	0.0	0.000	0	0.0
AW102	10/8/90		53	64	67	77	711				0.928	29,296	351.3	0.928	29,296	351.3
AW102	11/9/90		51	65	48	50	635				0.302	-4,637	114.5	0.302	-4,637	114.5
AW102	12/5/90		46	53	54	67	908				0.177	17,721	67.0	0.177	17,721	67.0
AW102	1/7/91		21	21	43	59	562							-0.017	23,118	-6.5
AW102	2/6/91		36	40	55	57	537				0.653	23,548	247.9	0.653	23,548	247.9
AW102	3/5/91		39	49	46	67	808				-0.186	11,997	-70.4	-0.186	11,997	-70.4
AW102	4/3/91		46	52	52	64	842				0.042	12,141	15.8	0.042	12,141	15.8
AW102	5/16/91		51	69	58	82	650				0.133	11,763	50.6	0.133	11,763	50.6
AW102	6/3/91		50	70	50	62	953				0.412	137	156.5	0.412	137	156.5
AW102	7/1/91	Support Data: TUBING AND GASKETS OK	72	85	65	59	976				0.301	-24,284	114.1	0.301	-24,284	114.1
AW102	8/19/91		74	89	64	75	910				-0.836	-32,694	-317.0	-0.836	-32,694	-317.0
AW102	9/4/91		61	93	57	75	822				0.327	-9,197	124.1	0.327	-9,197	124.1
AW102	10/30/92		48	48	57.2	68	413							0.019	9,704	7.3
AW102	3/1/93		24	24	52	55	428							0.494	24,768	187.4
AW102	3/11/94		47	57	49	59	410				0.051	1,964	19.2	0.051	1,964	19.2
AW102	4/13/94		42	52	51	60	455				0.268	9,528	101.6	0.268	9,528	101.6

Data obtained from WHC Surveillance, January 16, 1995.

		TANK DATA																			
TANK	DATE	COMMENTS	RAW DATA					HAND WRITTEN FROM HP CALCULATOR					ELECTRONICALLY WRITTEN FROM PROGRAM					CALCULATED HERE USING PROGRAM			
			AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (INWVK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (INWVK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (INWVK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (INWVK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)		
AW103	10/24/80		44	55	69.8	83.3	109	0.030	7,793						0.030	7,726	82.3				
AW103	11/18/80		38	39	80.6	92.3	125	0.060	15,557						0.057	15,439	156.4				
AW103	12/2/80		33.5	34	73	93.2	240	0.070	24,372						0.063	24,180	173.6				
AW103	1/7/81		39	43	71.6	93.2	154	0.040	13,298						0.034	13,199	94.7				
AW103	2/2/81		37	39	78.8	84.2	211	0.110	25,397						0.101	25,191	279.1				
AW103	3/23/81		29	30	75.2	79.7	250	0.111	29,718						0.113	29,887	310.8				
AW103	4/2/81		40	44	69.8	77	137	0.042	11,041						0.041	10,945	112.2				
AW103	4/15/81		40	47	69.8	74.3	182	0.060	14,758						0.062	14,622	171.4				
AW103	6/29/81		53	73	68	75.2	174	0.011	639						0.049	7,832	136.0				
AW103	7/22/81		58	77	64.4	86	183	0.012	3,485						0.011	3,460	30.8				
AW103	8/13/81		61	83	71.6	87.8	190	0.038	6,728						0.038	6,668	103.6				
AW103	9/23/81		68	104	76.1	90.5	128	0.037	4,004						0.038	3,953	105.0				
AW103	11/10/81		45	50	65.3	87.8	136	0.013	7,249						0.011	7,204	31.7				
AW103	1/15/82		41	41	66.2	79.7	210	0.035	13,777						0.033	13,674	89.7				
AW103	2/5/82		37	40	63.5	63.5	160	0.045	10,730						0.044	10,622	119.9				
AW103	3/2/82		26	32	53.6	66.2	100	0.015	5,764						0.014	5,737	38.4				
AW103	5/4/82		46	56	64.4	84.4	128	0.036	6,532						0.035	6,463	97.2				
AW103	6/7/82		48	62	71.6	73.4	107	0.072	12,238						0.041	7,506	113.8				
AW103	7/27/82		54	68	77.9	77.9	108	0.051	8,743						0.050	8,671	137.5				
AW103	8/9/82		66	91	82.4	86.9	141	0.066	9,262						0.065	9,186	177.9				
AW103	10/14/82		67	79	84.2	84.2	111	0.048	7,875						0.047	7,829	129.9				
AW103	12/15/82		50	53	82.4	86	189	0.095	20,610						0.091	20,467	251.8				
AW103	1/25/83		35	36	73.4	77	165	0.067	17,090						0.065	16,941	179.2				
AW103	3/4/83		37	39	70.7	71.6	181	0.068	16,408						0.066	16,260	182.2				
AW103	4/8/83		45	51	71.6	73.4	141	0.050	10,911						0.049	10,817	135.8				
AW103	5/11/83		49	51	68.9	71.6	162	0.040	9,472						0.038	9,397	104.3				
AW103	6/9/83		42	52	66.2	68	141	0.046	9,216						0.045	9,123	123.2				
AW103	7/11/83		55	71	69.8	71.6	140	0.043	6,587						0.043	6,519	117.6				
AW103	8/4/83		57	68	77	77	98	0.039	6,783						0.038	6,731	105.1				
AW103	9/23/83		61	77	73.4	77	187	0.054	8,083						0.053	8,011	145.8				
AW103	10/7/83		66	92	80.6	82.4	107	0.050	6,205						0.048	6,150	131.9				
AW103	11/23/83		54	63	80.6	81.5	122	0.059	11,236	164.0					0.058	11,154	159.1				
AW103	12/12/83		45	53	68	74.3	239	0.070	15,344						0.065	15,208	178.4				
AW103	1/25/84		36	37.5	57.2	75.2	177	0.010	8,591	27.2					0.009	8,526	24.1				
AW103	3/29/84		28	28	69.8	72.5	166	0.063	17,146						0.061	17,024	168.8				
AW103	4/16/84		43	52	82.4	82.4	197	0.120	24,055						0.122	24,485	334.8				
AW103	5/24/84		43	52	80.6	82.4	103	0.060	12,056	163.0					0.058	11,958	159.5				
AW103	7/3/84		52	71	84.2	86	166	0.109	18,810	299.9					0.107	18,660	294.4				
AW103	9/20/84		46	55	86	86	116	0.080	15,723						0.079	15,607	217.4				
AW103	12/3/84		62	85	93	93	192	0.159	25,437	439.9					0.156	25,265	430.3				
AW103	3/6/85		62	67	82.4	82.4	159	0.066	12,414	182.2					0.063	12,336	174.1				
AW103	4/8/85		22	26	67	67	99	0.040	10,324	111.1					0.040	10,216	109.5				
AW103			43	48	76	78	135	0.060	13,249	166.7					0.059	13,141	161.8				
AW103			55	67	86	88	166	0.100	18,950	283.9					0.100	18,817	276.0				

TANK DATA										ELECTRONICALLY WRITTEN FROM PROGRAM										CALCULATED HERE USING PROGRAM									
TANK	DATE	COMMENTS	RAW DATA					HAND WRITTEN FROM HP CALCULATOR					ELECTRONICALLY WRITTEN FROM PROGRAM					CALCULATED HERE USING PROGRAM											
			AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (INWK)	HEAT TRANSFER (BTUHR)	EVAPORATION RATE (GALWK)	EVAPORATION RATE (INWK)	HEAT TRANSFER (BTUHR)	EVAPORATION RATE (GALWK)	EVAPORATION RATE (INWK)	HEAT TRANSFER (BTUHR)	EVAPORATION RATE (GALWK)	EVAPORATION RATE (INWK)	HEAT TRANSFER (BTUHR)	EVAPORATION RATE (GALWK)										
AW103	5/6/85		52	64	86	86	141	0.090	17,205	259.0						0.092	17,081	252.6											
AW103	6/6/85		55	56	86	87.8	116	0.060	13,209	174.1						0.060	13,127	166.0											
AW103	7/15/85		65	88	68	94	136	0.003	1,331	9.0						0.003	1,324	8.1											
AW103	8/27/85		54	70	80.6	86	100		9,147	138.4						0.049	9,075	135.0											
AW103	9/11/85		55	61	82.4	84.2	132	0.065	12,836	178.5						0.062	12,749	171.9											
AW103	11/8/85		39	45	77	77	227		25,100	3.0						0.115	24,885	316.5											
AW103	12/9/85		28	30	70	70	116	0.049	12,126	133.4						0.047	12,007	130.4											
AW103	1/8/86		34	36	51.8	69.8	140	<0.1	5,380	5.0						0.001	5,340	3.4											
AW103	3/6/86		52	57	84.2	84.2	147	0.080	16,657	231.6						0.081	16,543	223.6											
AW103	4/17/86		48	60	75.2	77	182	0.081	15,341	223.6						0.079	15,209	218.5											
AW103	5/8/86		51	60	79.2	77	213	0.084	16,431	233.4						0.106	19,889	292.5											
AW103	6/24/86		71	96	82.4	84.2	124	0.050	6,063	139.5						0.050	6,012	137.8											
AW103	7/10/86		59	69	84.2	84.2	116	0.060	11,052	170.4						0.060	10,977	164.8											
AW103	8/7/86		64	84	85	95	100	0.080	13,796	233.7						0.047	8,242	128.3											
AW103	9/16/86		54	55	86	87.8	108	0.060	12,571	165.2						0.057	12,492	157.7											
AW103	10/27/86		54	59	80.6	82.4	100	0.045	9,181	124.7						0.044	9,118	119.9											
AW103	11/20/86		54	64	86	86	60	0.038	7,024	104.7						0.037	6,975	101.7											
AW103	12/11/86		25	26	72	72	177	0.073	20,414	202.9						0.072	20,269	199.3											
AW103	1/4/87		32	34	72	74	116	0.048	12,092	133.4						0.047	11,980	129.9											
AW103	2/3/87		36	37	72	72	159	0.064	15,476	177.5						0.062	15,338	172.1											
AW103	3/4/87		49	51	70	70	166	0.048	10,406	130.2						0.045	10,323	124.8											
AW103	4/9/87		50	62	70	70	137	0.048	8,296	131.8						0.047	8,217	128.8											
AW103	6/8/87		64	67	71.6	77	94	0.010	2,487	27.4						0.009	2,473	25.2											
AW103	7/7/87		65	87	73.4	82.4	162	0.038	4,940	105.4						0.038	4,890	103.6											
AW103	8/4/87		63	82	80.6	80.6	266	0.122	17,946	338.1						0.120	17,802	330.9											
AW103	9/2/87		58	74	86	86	181	0.114	19,338	315.6						0.112	19,200	307.8											
AW103	10/8/87		55	65	78	81	176	0.072	13,756	199.8						0.070	13,653	193.5											
AW103	11/5/87		46	49	73.4	75.2	188	0.068	15,365	188.1						0.066	15,242	181.2											
AW103	12/4/87		43	44	61	70	141	0.017	6,490	47.1						0.016	6,438	43.9											
AW103	1/6/88		24	26	64.4	64.4	217	0.075	20,160	207.6						0.074	19,988	204.3											
AW103	2/4/88		32	34	68	68	100	0.036	9,084	101.0						0.036	8,995	98.4											
AW103	3/10/88		41	56	78	78	446	0.260	49,419	724.8						0.259	48,965	714.4											
AW103	4/21/88		56	62	76.8	76.8	100	0.040	7,095	102.3						0.036	7,043	98.6											
AW103	5/13/88		59	65	73.4	73.4	169	0.045	8,307	125.0						0.044	8,244	120.9											
AW103	6/6/88		56	68	67.8	70.2	60	0.014	2,228	38.6						0.014	2,207	37.6											
AW103	7/11/88		63	79	88	91	183	0.110	18,654	302.5						0.107	18,529	293.5											
AW103	8/11/88		63	75	93.2	93.2	112	0.080	14,592	231.1						0.081	14,506	223.3											
AW103	9/18/88		54	57	91.4	91.4	141	0.103	20,354	285.3						0.100	20,230	274.3											
AW103	10/12/88		57	68	84.2	87.8	60	0.032	6,003	88.3						0.031	5,962	85.4											
AW103	11/8/88		45	49	88	88	139	0.100	20,472	276.4						0.097	20,328	268.5											
AW103	12/8/88		40	41	82	84	139	0.079	17,918	217.5						0.076	17,781	210.6											
AW103	1/4/89		44	48	81	86	153	0.070	17,729	217.1						0.076	17,596	210.1											
AW103	2/17/89		26	27	74	77	362									0.174	46,018	479.5											
AW103	3/8/89		44	44	70	70	108									0.032	7,928	88.7											

		TANK DATA										ELECTRONICALLY WRITTEN FROM PROGRAM										CALCULATED HERE USING PROGRAM		
TANK	DATE	COMMENTS	RAW DATA							HAND WRITTEN FROM HP CALCULATOR			ELECTRONICALLY WRITTEN FROM PROGRAM						CALCULATED HERE USING PROGRAM					
			AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)					
AW103	4/13/89		75	84	71.6	75.2	85				-0.001	-1,122	-4.1	-0.001	-1,122	-4.1	-0.001	-1,122	-4.1					
AW103	5/9/89		77	77	73	73	57										-0.004	-940	-11.7					
AW103	6/14/89		63	72	76	76	82										0.023	3,870	63.5					
AW103	7/18/89		66	89	67	90	99				0.001	327	4.0	0.001	327	4.0	0.001	327	4.0					
AW103	12/16/89		36	36	63	70	88										0.017	5,793	46.6					
AW103	1/12/90		40	45	68	70	60				0.019	4,477	52.5	0.019	4,477	52.5	0.019	4,477	52.5					
AW103	2/8/90		35	41	65	65	106										0.035	7,934	95.7					
AW103	3/30/90		44	53	56	68	55				0.005	1,613	13.1	0.005	1,613	13.1	0.005	1,613	13.1					
AW103	4/5/90		49	63	56	56	484										0.082	8,645	225.9					
AW103	5/7/90		46	56	70	70	92										0.033	6,363	91.3					
AW103	6/5/90	Sluggish Data: High Air Flow	57	75	71	76	1528				0.447	69,059	1,231.2	0.447	69,059	1,231.2	0.447	69,059	1,231.2					
AW103	7/7/90		65	88	72	81	221				0.048	5,512	130.9	0.048	5,512	130.9	0.048	5,512	130.9					
AW103	8/6/90		71	100	59	77	138				-0.012	-5,406	-32.9	-0.012	-5,406	-32.9	-0.012	-5,406	-32.9					
AW103	9/4/90		63	83	77	81	147				0.052	7,515	142.4	0.052	7,515	142.4	0.052	7,515	142.4					
AW103	10/8/90		53	64	65	68	60				0.012	2,118	33.9	0.012	2,118	33.9	0.012	2,118	33.9					
AW103	11/9/90		51	65	46	51	168				0.004	-2,038	11.8	0.004	-2,038	11.8	0.004	-2,038	11.8					
AW103	12/5/90		46	53	66	68	108				0.028	5,979	77.2	0.028	5,979	77.2	0.028	5,979	77.2					
AW103	1/7/91		21	21	61	61	108										0.032	9,406	87.6					
AW103	2/6/91		36	40	59	63	108				0.021	5,894	58.5	0.021	5,894	58.5	0.021	5,894	58.5					
AW103	3/5/91		39	49	62	63	80				0.023	4,626	63.0	0.023	4,626	63.0	0.023	4,626	63.0					
AW103	4/3/91		46	52	66	68	108				0.027	5,978	74.9	0.027	5,978	74.9	0.027	5,978	74.9					
AW103	5/16/91		51	69	68	68	147										0.051	7,456	139.8					
AW103	6/3/91		50	70	68	68	80										0.030	4,255	81.4					
AW103	7/1/91		72	85	69	74	96				0.001	-1,040	3.6	0.001	-1,040	3.6	0.001	-1,040	3.6					
AW103	8/1/91	No Data																						
AW103	9/4/91		61	93	75	82	88				0.035	4,319	97.5	0.035	4,319	97.5	0.035	4,319	97.5					
AW103	10/30/92	No Data																						
AW103	3/1/93		24	24	54	57	62										0.011	3,899	30.5					
AW103	3/10/94		49.5	62.5	60.5	61	141				0.030	4,274	82.9	0.030	4,274	82.9	0.030	4,274	82.9					
AW103	4/13/94		42	52	64	66	141				0.040	8,134	110.4	0.040	8,134	110.4	0.040	8,134	110.4					

Data obtained from WHC Surveillance, January 16, 1995.

			ANNULUS DATA																			
		COMMENTS	RAW DATA					HAND WRITTEN FROM HP CALCULATOR					ELECTRONICALLY WRITTEN FROM PROGRAM					CALCULATED HERE USING PROGRAM				
TANK	DATE		AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/HK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HK)	EVAPORATION RATE (IN/HK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HK)	EVAPORATION RATE (IN/HK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HK)						
AW103	10/24/80		44	55	61.7	92.3	708	0.030	31,064					0.162	30,896	61.4						
AW103	12/2/80		33.5	34	62	72.2	796	0.144	53,875					0.986	53,385	377.8						
AW103	1/7/81		39	43	62.5	95	243	0.000	13,593					0.016	13,523	6.1						
AW103	1/26/81		37	39	60.8	91.4	793	<0.1	43,703	10.8				-0.012	43,467	-4.5						
AW103	2/2/81		29	30	61.7	87.8	706	0.060	51,137					0.393	50,789	149.1						
AW103	3/23/81		40	44	59	86.9	771	<0.1	34,408	-3.8				-0.043	34,234	-16.3						
AW103	4/2/81		40	47	57.2	81.2	708	<0.1	28,247	10.4				0.120	28,268	45.4						
AW103	4/15/81		53	73	55.4	86	687	<0.1	4,045	-98.2				-0.260	4,086	-98.7						
AW103	6/29/81		58	77	62.6	86	708	0.019	9,448					0.122	9,397	46.3						
AW103	7/22/81		61	83	67.1	90.5	694	0.053	13,299					0.366	13,201	138.9						
AW103	8/13/81		68	104	64.4	92.3	671	<0.1	-7,731	-7.9				0.031	-7,724	11.9						
AW103	9/23/81		45	50	64.4	89.6	678	0.041	34,042					0.257	33,850	97.4						
AW103	11/10/81		41	41	62.6	86	228	0.009	12,149					0.052	12,079	19.6						
AW103	1/15/82		37	40	57.2	80.6	779	0.016	35,890					0.088	35,660	33.3						
AW103	2/5/82	Freezing	32	32	57.8	80.6	230	0.026	15,453													
AW103	3/2/82		46	56	57.2	77	650	0.024	18,091					0.157	17,974	59.4						
AW103	5/4/82		48	62	55.4	82.4	722	<0.1	13,024	-46.6				-0.132	12,992	-49.9						
AW103	6/7/82		54	68	60.8	85.1	684	0.002	12,656					0.001	12,611	0.3						
AW103	7/27/82		66	91	62.6	99.6	650	<0.1	-7,244	-230.1				-0.625	-7,102	-237.3						
AW103	8/9/82		67	79	68	91.4	627	<0.1	1,827	-115.0				-0.325	1,872	-123.2						
AW103	10/14/82		50	53	64.4	86	590		23,126	0.0				0.089	23,020	33.8						
AW103	12/15/82		35	36	59	80.6	444		24,396	63.9				0.146	24,202	55.4						
AW103	1/25/83		37	39	56.3	79.7	656		28,648	6.3				-0.011	28,477	-4.0						
AW103	2/11/83		47	51	59	78.8	614		18,675	10.0				-0.003	18,588	-1.1						
AW103	3/4/83		49	51	58.1	77	671		15,586	-58.0				-0.182	15,546	-68.9						
AW103	4/8/83		42	52	50	72.5	544		9,750	-41.5				-0.114	9,715	-43.3						
AW103	5/11/83		55	71	53.6	71.6	553		-2,103	-45.0				-0.118	-2,072	-44.6						
AW103	6/9/83		57	68	60.8	77	569		6,163	12.9				0.022	6,139	8.4						
AW103	7/11/83		61	77	60.8	77	554		-339	-6.0				-0.016	-335	-6.1						
AW103	8/4/83		66	92	61.7	78.7	534		-7,176	5.8				0.033	-7,163	12.6						
AW103	9/23/83		54	63	60.8	80.6	717		13,366	0.0				-0.025	13,321	-9.5						
AW103	10/14/83		45	53	53.8	77	730		14,783	-72.0				-0.187	15,124	-71.0						
AW103	11/23/83		36	37.5	75.2	77	769		83,692	960.0				2.456	82,976	932.0						
AW103	12/12/83		28	28	53.6	69.8	723		38,891	117.0				0.292	38,731	110.7						
AW103	1/25/84		43	52	56.3	75.2	844		27,034	113.5				0.277	26,838	105.2						
AW103	3/29/84		43	52	55.4	78.8	578		16,926	8.9				0.011	16,835	4.1						
AW103	4/16/84		52	71	62.6	80.6	794		23,477	284.9				0.731	23,256	277.3						
AW103	7/3/84		62	85	66	90	704		8,844	95.4				0.240	8,780	91.0						
AW103	9/20/84		62	67	68	82.4	744		14,291	40.4				0.062	14,240	23.7						
AW103	12/12/84		22	26	48	67	700		35,020	72.7				0.190	34,712	72.1						
AW103	3/6/85		43	48	54	74	858		22,147	-33.0				-0.112	22,045	-42.4						
AW103	4/8/85		55	67	58	82	776		6,062	-115.0				-0.318	6,100	-120.7						
AW103	5/6/85		52	64	62.6	82.4	744		21,733	135.0				0.329	21,594	124.8						
AW103	6/6/85		55	56	64.4	86	818		21,755	-74.4				-0.263	21,718	-99.6						

		ANNULUS DATA																					
				RAW DATA					HAND WRITTEN FROM RIP CALCULATOR					ELECTRONICALLY WRITTEN FROM PROGRAM					CALCULATED HERE USING PROGRAM				
TANK	DATE	COMMENTS	AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)				
AW103	7/15/85		65	88	72	92	801		19,486	297.6							0.759	19,322	287.8				
AW103	8/27/85		54	70	64.4	86	654		19,397	156.0							0.389	19,263	147.8				
AW103	9/11/85		55	61	64.4	86	681		20,010	40.0							-0.024	18,156	-9.1				
AW103	10/24/85		53	65	58	80	458		6,017	-23.4							-0.071	6,007	-27.0				
AW103	11/8/85		39	45	55	77	682		24,927	31.2							0.064	24,768	24.3				
AW103	12/9/85		28	30	54	68	673		37,061	175.2							0.441	36,710	167.3				
AW103	1/8/86		34	36	71.6	73.4	621		61,649	687.4							1.761	61,085	668.2				
AW103	3/6/86		52	57	60.8	80.6	710		16,765	-17.9							-0.082	16,731	-31.2				
AW103	4/17/86		40	60	59	77	400		11,380	76.7							0.540	18,177	204.9				
AW103	5/8/86		51	60	53.6	75.2	730		4,566	-135.5							-0.367	4,616	-139.2				
AW103	6/24/86		71	96	64.4	82.4	658		14,880	-100.3							-0.225	-14,811	-85.5				
AW103	7/10/86		59	69	64.4	86	667		10,608	-23.9							-0.090	10,590	-34.3				
AW103	8/7/86		64	84	75	95	659		25,487	332.2							0.838	25,303	317.9				
AW103	9/16/86		54	55	68	86	650		26,784	104.9							0.214	26,658	81.1				
AW103	10/27/86		54	59	64.6	80.6	652		19,839	91.4							0.201	19,736	76.3				
AW103	11/20/86		54	64	60.8	86	652		11,945	-57.5							-0.175	11,933	-66.2				
AW103	12/11/86		25	26	58	77	628		33,520	-11.2							0.470	43,638	178.4				
AW103	1/14/87		32	34	54	74	660		31,275	56.0							0.126	31,031	47.8				
AW103	2/3/87		36	37	54	70	674		27,178	59.1							0.128	26,976	48.7				
AW103	3/4/87		49	51	59	70	628		16,554	68.1							0.150	16,453	56.7				
AW103	4/9/87		50	62	55	72	670		8,523	24.4							0.055	8,473	20.7				
AW103	6/8/87		64	67	64.4	75.2	604		600	-87.1							-0.244	631	-92.5				
AW103	7/7/87		65	87	66.2	78.8	644		2,819	155.1							0.412	2,747	156.1				
AW103	8/4/87		63	82	60.8	78.8	591		-3,981	-36.3							-0.089	-3,954	-33.7				
AW103	9/1/87		58	74	60.8	84.2	702		5,499	-37.6							-0.110	5,501	-41.7				
AW103	10/8/87		55	65	64	72	637		17,006	226.0							0.573	16,856	217.4				
AW103	11/5/87		46	49	59	77	506		16,804	27.9							0.048	16,516	18.2				
AW103	12/4/87		43	44	70	75	335		25,259	264.0							0.665	25,055	252.3				
AW103	1/6/88		24	26	64.4	64.4	493		45,801	471.7							1.223	45,410	464.1				
AW103	2/4/88		32	34	50	64	644		24,543	64.4							0.152	24,327	57.7				
AW103	3/10/88		41	56	57	72	702		27,097	278.9							0.722	26,809	273.8				
AW103	4/21/88		56	62	68	76.8	530		19,610	208.4							0.516	19,471	195.8				
AW103	5/13/88		59	65	59	69.8	646		-193	-111.5							-0.174	-83	-66.1				
AW103	6/6/88		56	68	59	68	465		4,040	74.6							0.192	3,993	73.0				
AW103	7/1/88		63	79	66	88	485		4,537	-0.5							-0.013	4,527	-4.8				
AW103	8/11/88		63	75	68	87.8	491		7,868	23.9							0.042	7,840	16.1				
AW103	9/19/88		54	57	68	89.6	405		16,561	52.1							0.100	16,489	38.0				
AW103	10/13/88		57	68	66.2	82.4	392		10,872	90.9							0.222	10,803	84.2				
AW103	11/8/88		45	49	63	77	470		22,173	151.7							0.372	22,009	141.1				
AW103	12/8/88		40	41	59	82	600		27,048	19.9							0.019	26,897	7.1				
AW103	1/4/89		44	48	59	73	595		22,392	119.5							0.287	22,229	109.0				
AW103	2/17/89		26	27	56	68	711										0.665	45,115	252.3				
AW103	3/8/89		44	44	54	66	356										-0.012	8,526	-4.7				
AW103	4/13/89		84	75	62.6	71.6	329										-1.276	-28,910	-484.1				

Data obtained from WHC Surveillance, January 16, 1995.

		ANNULUS DATA																		
		RAW DATA					HAND WRITTEN FROM HP CALCULATOR					ELECTRONICALLY WRITTEN FROM PROGRAM					CALCULATED HERE USING PROGRAM			
TANK	DATE	COMMENTS	AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)				
AW103	5/8/89		77	77	64	75	356							-0.782	-17,507	-296.7				
AW103	6/14/89		63	72	68	76	338				0.195	5,602	73.8	0.195	5,602	73.8				
AW103	7/18/89		66	89	63	79	270				0.022	-2,554	8.2	0.022	-2,554	8.2				
AW103	12/16/89		36	36	54	66	653													
AW103	1/12/90		40	45	57	67	640													
AW103	2/8/90		35	41	50	63	345				0.511	25,965	194.1	0.511	25,965	194.1				
AW103	3/30/90		44	53	57	68	596				0.138	11,146	52.4	0.138	11,146	52.4				
AW103	4/5/90		49	63	50	66	960				0.454	19,140	172.3	0.454	19,140	172.3				
AW103	5/7/90		46	56	59	66	660				-0.042	2,302	-16.0	-0.042	2,302	-16.0				
AW103	6/5/90	Sample Data: High Air Flow	57	75	57	70	1461				0.723	22,164	274.2	0.723	22,164	274.2				
AW103	7/7/90			65	88	63	77	672			0.398	180	151.1	0.398	180	151.1				
AW103	8/6/90			71	100	59	77	638			0.196	-4,113	74.5	0.196	-4,113	74.5				
AW103	9/4/90			63	83	61	75	586			-0.401	-24,993	-152.2	-0.401	-24,993	-152.2				
AW103	10/8/90		53	64	64	66	646				0.082	-3,505	31.3	0.082	-3,505	31.3				
AW103	11/9/90		51	65	48	51	666				0.934	20,790	354.4	0.934	20,790	354.4				
AW103	12/5/90		46	53	52	68	638				0.279	-4,867	105.7	0.279	-4,867	105.7				
AW103	1/7/91		21	21	48	61	333				-0.072	9,101	-27.3	-0.072	9,101	-27.3				
AW103	2/6/91		36	40	55	59	307				0.339	13,406	128.5	0.339	13,406	128.5				
AW103	3/5/91		39	49	48	63	565				0.120	11,110	45.4	0.120	11,110	45.4				
AW103	4/3/91		46	52	54	64	591				0.180	11,619	68.2	0.180	11,619	68.2				
AW103	5/16/91		51	69	52	68	523				0.092	1,336	35.0	0.092	1,336	35.0				
AW103	6/3/91		50	70	52	68	547				0.192	2,766	72.7	0.192	2,766	72.7				
AW103	7/1/91	Sample Data: Outlet Val. Closed. Do	72	85	67	62	560													
AW103	8/16/91			74	89	66	78	579												
AW103	9/4/91			61	93	60	81	760				-0.446	-16,901	-169.3	-0.446	-16,901	-169.3			
AW103	10/30/92			54	58	55.4	68	397				0.372	-2,010	141.1	0.372	-2,010	141.1			
AW103	3/1/93		24	24	52	55	356				-0.149	1,416	-56.5	-0.149	1,416	-56.5				
AW103	3/10/94		49.5	62.5	52	61	386				0.150	2,454	57.0	0.150	2,454	57.0				
AW103	4/13/94		42	52	51	63	379				0.160	7,878	60.8	0.160	7,878	60.8				

Data obtained from WHC Surveillance, January 16, 1995.

		TANK DATA										ELECTRONICALLY WRITTEN FROM PROGRAM										CALCULATED HERE USING PROGRAM									
TANK	DATE	COMMENTS	RAW DATA							HAND WRITTEN FROM HP CALCULATOR					ELECTRONICALLY WRITTEN FROM PROGRAM					CALCULATED HERE USING PROGRAM											
			AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)												
AW104	9/23/81		45	50	67.1	90.5	199	0.023	11,720						0.021	11,646	56.9							0.021	11,646	56.9					
AW104	11/10/81		41	41	52.7	64.4	193	0.002	5,258						0.001	5,224	3.2							0.001	5,224	3.2					
AW104	1/15/82		37	40	51.8	53.6	117	0.015	3,980						0.014	3,935	39.7							0.014	3,935	39.7					
AW104	2/5/82	Resistor Temp From Water Tank	26	33	51.8	53.6	284	0.060	15,448						0.060	15,351	166.4							0.060	15,351	166.4					
AW104	3/2/82		46	56	50.9	53.6	206	0.021	2,527						0.020	2,486	56.1							0.020	2,486	56.1					
AW104	5/4/82		48	62	51.8	57.2	328	0.033	3,213						0.033	3,152	90.3							0.033	3,152	90.3					
AW104	6/7/82		54	73	53.6	62.6	274	0.020	-206						0.020	-232	53.8							0.020	-232	53.8					
AW104	7/27/82		66	91	59	75.2	206	<0.1	-4,462						<0.1	-4,443	-14.7							-0.005	-4,443	-14.7					
AW104	8/9/82		67	79	62.6	75.2	247	<0.1	-3,593						-0.016	-3,566	-45.0							-0.016	-3,566	-45.0					
AW104	10/14/82		50	53	100	104	280	0.290	56,669						0.277	56,328	761.6							0.277	56,328	761.6					
AW104	12/15/82		35	36	71.6	71.6	140	0.056	13,688						0.055	13,564	151.1							0.055	13,564	151.1					
AW104	1/25/83		37	39	67.1	68.9	113	0.035	8,843						0.034	8,761	93.8							0.034	8,761	93.8					
AW104	2/11/83		47	51	60.8	62.6	141	0.020	5,250						0.022	5,201	61.8							0.022	5,201	61.8					
AW104	3/4/83		49	51	53.6	62.6	169	<0.1	1,957	-3.6					-0.002	1,949	-5.1							-0.002	1,949	-5.1					
AW104	4/8/83		42	52	62.6	63.5	116	0.030	6,275						0.032	6,206	87.6							0.032	6,206	87.6					
AW104	5/11/83		55	71	44.6	64.4	159								-0.019	-4,090	-53.3							-0.019	-4,090	-53.3					
AW104	6/14/83		57	68	68	71.6	98	0.020	3,421						0.020	3,390	54.7							0.020	3,390	54.7					
AW104	7/11/83		61	77	68	76.1	153	0.024	3,537						0.024	3,501	66.5							0.024	3,501	66.5					
AW104	8/4/83		64	78	71.6	77	99	0.020	2,662						0.018	2,638	49.9							0.018	2,638	49.9					
AW104	9/23/83		54	63	95	95.9	141	0.124	23,161	342.0					0.120	23,017	331.8							0.120	23,017	331.8					
AW104	10/7/83		45	53	91	93.2	114	0.040	18,470						0.040	18,341	250.1							0.040	18,341	250.1					
AW104	11/23/83		36	37.5	86.9	88.7	100	0.070	15,802	197.6					0.070	15,762	192.5							0.070	15,762	192.5					
AW104	12/12/83		28	28	80.6	83.3	100	0.058	14,405						0.057	14,307	157.9							0.057	14,307	157.9					
AW104	1/25/84		43	52	86	86	203	0.218	42,966						0.143	28,566	393.3							0.143	28,566	393.3					
AW104	3/29/84		43	52	69.8	75.2	294	0.100	21,994	273.5					0.097	21,793	266.6							0.097	21,793	266.6					
AW104	4/16/84		52	71	68	73.4	137	0.040	6,602	115.5					0.041	6,532	113.3							0.041	6,532	113.3					
AW104	5/24/84		46	55	94.1	95	109	0.100	19,307	276.2					0.098	19,176	270.0							0.098	19,176	270.0					
AW104	7/3/84		62	85	100	100	339	0.360	59,169	996.6					0.354	58,805	974.4							0.354	58,805	974.4					
AW104	9/20/84		62	67	86	86	95	0.057	12,329	158.0					0.054	12,257	149.0							0.054	12,257	149.0					
AW104	12/3/84		22	26	80	91	115	0.064	17,102	175.9					0.063	16,952	173.8							0.063	16,952	173.8					
AW104	3/6/85		43	48	68	72	108	0.030	7,430	86.4					0.030	7,364	83.6							0.030	7,364	83.6					
AW104	4/8/85		55	67	72	94	144	0.030	7,544	65.4					0.022	7,496	61.4							0.022	7,496	61.4					
AW104	5/6/85		52	64	73.4	87.8	100	0.030	6,602	76.3					0.027	6,552	73.6							0.027	6,552	73.6					
AW104	6/6/85		55	56	78.8	86	108	0.035	8,695	98.5					0.034	8,640	92.6							0.034	8,640	92.6					
AW104	7/15/85		65	88	82	104	147	0.047	9,470	130.6					0.046	9,404	125.7							0.046	9,404	125.7					
AW104	8/27/85		54	70	77	96.8	100	0.030	7,417	86.4					0.030	7,362	83.5							0.030	7,362	83.5					
AW104	9/11/85		55	61	75.2	95	141	0.028	9,072	26.7					0.026	9,019	70.7							0.026	9,019	70.7					
AW104	11/8/85		39	45	73	84	177	0.063	16,500	172.6					0.061	16,361	167.6							0.061	16,361	167.6					
AW104	12/9/85		28	30	75	75	166	0.084	20,338	231.7					0.082	20,150	226.8							0.082	20,150	226.8					
AW104	1/8/86		34	36	69.8	69.8	152	0.060	14,184	161.5					0.057	14,050	157.1							0.057	14,050	157.1					
AW104	3/6/86		52	57	84.2	84.2	198	0.110	22,436	312.0					0.109	22,283	301.2							0.109	22,283	301.2					
AW104	4/17/86		48	60	75.2	77	124	0.055	10,453	152.3					0.054	10,362	148.8							0.054	10,362	148.8					
AW104	5/8/86		51	60	84.2	84.2	100	0.061	11,582	167.9					0.059	11,498	163.3							0.059	11,498	163.3					
AW104	6/24/86		71	95	80.6	93.2	104	0.030	4,101	78.9					0.028	4,068	77.1							0.028	4,068	77.1					

TANK		DATE	COMMENTS	RAW DATA				HAND WRITTEN FROM HP CALCULATOR				ELECTRONICALLY WRITTEN FROM PROGRAM				CALCULATED HERE USING PROGRAM			
				AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (INWVK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WVK)	EVAPORATION RATE (INWVK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WVK)	EVAPORATION RATE (INWVK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WVK)		
AW104		7/10/86		59	69	82.4	89.6	80	0.035	6,853	95.2			0.033	6,807	91.4			
AW104		8/7/86		64	84	95	97	153	0.127	21,030	350.5			0.124	20,898	341.2			
AW104		9/16/86		54	56	91.4	93.2	102	0.070	14,670	198.3			0.069	14,582	189.7			
AW104		10/27/86		54	59	75.2	86.8	80	0.020	5,444	57.9			0.020	5,408	54.6			
AW104		11/20/86		54	64	84.2	87.8	57	0.031	6,142	87.7			0.031	6,099	85.0			
AW104		12/11/86		25	26	70.6	70.6	245	0.106	27,324	291.8			0.104	27,123	286.9			
AW104		1/14/87		32	34	72	72	172	0.074	18,000	205.4			0.073	17,831	200.2			
AW104		2/3/87		36	37	74	74	177	0.078	18,527	215.3			0.076	18,365	208.9			
AW104		3/4/87		49	51	73	75	163	0.050	11,950	144.5			0.050	11,858	138.3			
AW104		4/9/87		50	62	83	83	108	0.066	12,177	181.7			0.064	12,084	177.5			
AW104		6/8/87		64	67	86	87.8	187	0.084	16,580	232.0			0.080	16,485	219.5			
AW104		7/7/87		65	87	84.3	91.4	108	0.050	8,335	144.5			0.051	8,273	140.8			
AW104		8/4/87		63	82	96.8	96.8	87	0.079	13,188	219.1			0.078	13,107	213.5			
AW104		9/2/87		58	74	96.8	96.8	230	0.219	38,008	604.3			0.214	37,771	589.2			
AW104		10/8/87		55	65	88	90	100	0.050	10,630	133.7			0.064	12,310	176.2			
AW104		11/5/87		46	49	87.8	91.4	216	0.145	30,932	400.1			0.140	30,720	386.8			
AW104		12/4/87		43	44	81	81	100	0.050	11,901	149.1			0.052	11,812	144.1			
AW104		1/6/88		24	26	79.8	79.8	294	0.182	43,457	501.8			0.180	43,121	494.4			
AW104		2/4/88		32	34	75	78	48	0.022	5,522	61.4			0.022	5,472	59.8			
AW104		3/10/88		41	56	82	82	188	0.127	24,003	350.5			0.126	23,795	345.7			
AW104		4/21/88		56	62	86	87	132	0.080	14,733	209.5			0.073	14,638	201.7			
AW104		5/13/88		59	65	87.8	87.8	60	0.037	6,761	98.9			0.035	6,719	95.1			
AW104		6/6/88		56	68	86	86	247	0.155	27,670	426.5			0.151	27,477	414.6			
AW104		7/4/88		63	79	91	95	100	0.061	11,739	186.5			0.066	11,664	180.7			
AW104		8/4/88		63	75	95	95	192	0.160	28,989	426.5			0.150	26,842	412.2			
AW104		9/19/88		54	57	89.6	93.2	100	0.065	13,397	179.7			0.063	13,313	172.3			
AW104		10/13/88		57	68	86	91.4	20	0.010	2,164	31.1			0.011	2,150	30.1			
AW104		11/8/88		45	49	86	86	20	0.010	2,751	38.8			0.013	2,732	35.8			
AW104		12/8/88		40	41	79	81	99	0.049	11,502	136.7			0.048	11,412	132.2			
AW104		1/4/89		44	48	72	73	135	0.040	10,948	136.4			0.048	10,855	132.0			
AW104		2/17/89		26	27	65	65	172						0.058	15,613	158.5			
AW104		3/8/89		44	44	69	70	63						0.017	4,398	47.5			
AW104		4/13/89		75	84	77	77	74						0.008	646	22.6			
AW104		5/9/89		77	77	83	83	106						0.014	2,873	37.5			
AW104		6/14/89		63	72	84	84	90						0.041	7,390	112.3			
AW104		7/18/89		66	89	84	86	153						0.077	11,150	211.2			
AW104		12/16/89		36	36	68	68	46						0.015	3,803	40.5			
AW104		1/12/90		40	45	70	70	277						0.101	22,641	279.0			
AW104		2/8/90		35	41	67	67	243						0.087	19,745	239.0			
AW104		3/30/90		44	53	72	72	27						0.010	2,155	26.9			
AW104		4/5/90		49	63	70	72	14						0.005	870	13.5			
AW104		5/7/90		46	56	70	76	95						0.030	6,490	81.8			
AW104		6/5/90		57	75	74	77	367						0.132	20,769	364.8			
AW104		7/7/90		65	88	81	89	193						0.077	11,868	211.6			

		TANK DATA																			
TANK	DATE	COMMENTS	RAW DATA							HAND WRITTEN FROM HP CALCULATOR				ELECTRONICALLY WRITTEN FROM PROGRAM				CALCULATED HERE USING PROGRAM			
			AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (INAWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/AWK)	EVAPORATION RATE (INAWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/AWK)	EVAPORATION RATE (INAWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/AWK)	EVAPORATION RATE (INAWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/AWK)		
AW104	8/6/90		71	100	79	86	284								0.090	9,340	247.6	0.090	9,340	247.6	
AW104	9/4/90		63	83	81	83	116								0.052	7,937	144.3	0.052	7,937	144.3	
AW104	10/8/90		53	64	65	70	108								0.020	3,794	56.3	0.020	3,794	56.3	
AW104	11/9/90		51	65	48	55	176								0.005	-1,289	12.9	0.005	-1,289	12.9	
AW104	12/5/90		46	53	66	66	108											0.030	6,005	81.9	
AW104	1/7/91		21	21	59	63	111											0.026	8,973	72.8	
AW104	2/6/91		36	40	63	64	88								0.024	5,865	65.7	0.024	5,865	65.7	
AW104	3/5/91		39	49	67	68	48								0.017	3,527	47.0	0.017	3,527	47.0	
AW104	4/3/91		46	52	23	23	139											-0.012	-6,664	-33.3	
AW104	5/16/91		51	69	70	70	100											0.038	5,767	103.9	
AW104	6/3/91		50	70	72	72	100											0.043	6,731	119.7	
AW104	7/1/91		72	85	72	72	124											0.013	64	35.3	
AW104	8/1/91	No Data																			
AW104	9/4/91		61	93	74	79	178								0.071	8,087	196.0	0.071	8,087	196.0	
AW104	10/30/92		48	48	68	68	25											0.006	1,439	16.1	
AW104	3/1/93		24	24	50	57	62											0.007	3,262	18.6	
AW104	3/11/94		47	57	59	60	150								0.028	4,763	78.4	0.028	4,763	78.4	
AW104	4/13/94		42	52	62	62	137											0.037	7,094	103.2	

TANK		DATE	COMMENTS	RAW DATA					HAND WRITTEN FROM HP CALCULATOR					ELECTRONICALLY WRITTEN FROM PROGRAM					CALCULATED HERE USING PROGRAM				
				AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (INAWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (INAWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (INAWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)						
AW104		9/23/81		45	50	56.3	72.5	314	0.008	8,724				0.044	8,671	16.8							
AW104		11/10/81		41	41	53.6	62.6	287	0.012	8,544				0.074	8,479	28.1							
AW104		1/15/82	Ambient Temp From Weather Tower	37	40	46.4	54.5	221	0.006	4,518				0.043	4,476	16.1							
AW104		2/5/82		26	33	41	53.6	251	0.010	7,212				0.076	7,226	28.7							
AW104		3/2/82		46	56	48.2	57.2	296	0.008	1,563				0.056	1,543	21.1							
AW104		5/4/82		48	62	44.6	59.9	768	<0.1	-6,151	-80.1			-0.207	-6,071	-78.7							
AW104		6/7/82		54	73	47.3	61.7	711	<0.1	-11,989	-58.5			-0.142	-11,902	-54.0							
AW104		7/27/82		66	91	57.2	69.8	496	<0.1	-13,367	-36.6			-0.070	-13,317	-26.4							
AW104		8/9/82		67	79	60.8	71.6	729	<0.1	-14,706	-163.7			-0.398	-14,605	-151.1							
AW104		10/14/82		50	53	68	98.6	528	0.010	26,236	28.9			0.026	26,138	9.8							
AW104		12/15/82		35	36	55.4	77	636		28,802	19.0			0.023	28,612	8.8							
AW104		1/25/83		37	39	55.4	75.2	727		30,291	40.2			0.077	30,088	29.1							
AW104		2/11/83		47	51	53.6	71.6	630		10,037	-73.0			-0.211	10,024	-80.1							
AW104		3/4/83		49	51	53.6	66.2	676		7,732	-64.0			-0.189	7,724	-71.8							
AW104		4/8/83		42	52	48.2	66.2	644		8,924	-18.8			-0.055	8,884	-20.7							
AW104		5/11/83	SUSPENSION COAGULANT Gashco, Inc.	55	71	53.6	44.6	620		-1,930	306.0			0.818	-2,050	310.3							
AW104		6/9/83		57	68	57.2	68	543		312	5.7			0.015	309	5.6							
AW104		7/11/83		61	77	58.1	70.7	508		-4,319	-16.0			-0.033	-4,299	-12.7							
AW104		8/4/83		64	78	59	71.6	432		-6,667	-67.0			-0.166	-6,620	-62.9							
AW104		9/23/83		54	63	66.2	96.8	751		2,578	-6.0			-0.064	25,713	-24.2							
AW104		10/7/83		45	53	60.8	93.2	731		28,454	-36.3			-0.123	28,354	-46.8							
AW104		11/23/83		36	37.5	59.9	86	545		29,975	42.5			0.084	29,788	32.0							
AW104		12/12/83		28	28	56.3	80.6	596		35,589	45.3			0.105	35,469	39.8							
AW104		1/25/84		43	52	59	84.2	411		15,962	38.1			0.088	15,867	33.5							
AW104		3/29/84		43	52	55.4	78.8	681		19,942	10.4			0.013	19,835	4.8							
AW104		4/16/84		52	71	57.2	77	559		7,707	76.4			0.195	7,638	73.9							
AW104		5/24/84		46	55	62.6	87.8	544		23,228	85.4			0.202	23,082	76.6							
AW104		7/3/84		62	85	68	100	541		10,081	32.9			0.071	10,046	27.0							
AW104		9/20/84		62	67	73.4	95	535		20,293	89.5			0.177	20,214	67.1							
AW104		12/12/84		22	26	63	103	455		38,691	58.5			0.157	38,430	59.6							
AW104		3/6/85		43	48	60	94	403		16,399	51.4			-0.153	16,352	-58.2							
AW104		4/8/85		55	67	66	98	659		20,501	-8.6			-0.057	20,449	-21.8							
AW104		5/6/85		52	64	68	98.6	644		29,095	116.4			0.270	28,954	102.5							
AW104		6/6/85		55	56	69.8	100	668		29,013	-19.7			-0.134	28,942	-50.9							
AW104		7/15/85		65	88	72	102	740		17,406	126.2			0.302	17,319	114.6							
AW104		8/27/85		54	70	68	96.8	662		26,841	159.5			0.390	26,690	148.0							
AW104		9/11/85		55	61	69.8	98.6	653		28,556	62.9			0.104	28,452	39.6							
AW104		10/24/85		53	65	66	92	478		17,557	77.4			0.180	17,467	68.4							
AW104		11/8/85		39	45	63	95	688		39,551	76.4			0.174	39,323	65.9							
AW104		12/9/85		28	30	59	90	688		45,393	46.2			0.103	45,082	39.1							
AW104		1/8/86		34	36	59	87.8	532		29,736	17.8			0.025	29,552	9.4							
AW104		3/6/86		52	57	66.2	89.6	820		32,720	90.5			0.177	32,573	67.2							
AW104		4/17/86		48	60	62.6	89.6	313		11,928	42.4			0.101	11,862	38.3							
AW104		5/8/86		51	60	60.8	93.2	886		22,398	-149.6			-0.431	22,396	-163.5							

		ANNULUS DATA																			
		RAW DATA					HAND WRITTEN FROM HP CALCULATOR					ELECTRONICALLY WRITTEN FROM PROGRAM					CALCULATED HERE USING PROGRAM				
TANK	DATE	COMMENTS	AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (INWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (INWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (INWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (INWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)		
AW104	6/24/86		71	96	68	95	792		-8,460	-140.4							-0.357	-8,384	-135.5		
AW104	7/10/86		59	69	66.2	81.4	676		14,482	-23.2							0.269	14,893	102.1		
AW104	8/7/86		64	84	68	95	757		9,662	19.7							0.031	9,635	11.8		
AW104	9/16/86		54	55	68	91.4	548		22,276	28.9							0.019	22,197	7.3		
AW104	10/27/86		54	59	64.6	91.4	548		16,173	-42.2							-0.150	16,143	-57.0		
AW104	11/20/86		54	64	62.6	84.2	580		13,880	28.8							0.052	13,821	19.8		
AW104	12/11/86		25	26	57.2	70.6	552		37,801	211.3							0.545	37,587	206.7		
AW104	1/14/87		32	34	54	75	516		24,398	33.2							0.071	24,213	26.9		
AW104	2/3/87		36	37	58	70	566		29,076	166.5							0.410	28,826	155.4		
AW104	3/4/87		49	51	63	77	583		22,139	111.2							0.254	22,004	96.5		
AW104	4/9/87		50	62	61	83	581		16,941	75.7							0.181	16,840	68.7		
AW104	6/8/87		64	67	68	87.8	624		7,831	-106.7							-0.326	7,854	-123.8		
AW104	7/7/87		65	87	68	91.4	696		6,866	68.2							0.168	6,842	63.9		
AW104	8/4/87		63	82	66.2	93.2	562		5,533	-18.2							-0.061	5,530	-23.1		
AW104	9/1/87		58	74	68	89.6	713		21,861	190.1							0.470	21,720	178.2		
AW104	10/8/87		55	65	68	85	725		28,261	241.6							0.593	28,075	225.1		
AW104	11/5/87		46	49	66.4	84.2	476		26,238	160.6							0.386	26,065	146.6		
AW104	12/4/87		43	44	63	83	511		25,933	91.9							0.205	25,775	77.9		
AW104	1/5/88		24	26	55.4	75.2	571		36,854	128.2							0.331	36,635	125.6		
AW104	2/4/88		32	34	61	77	414		27,612	161.9							0.406	27,369	154.2		
AW104	3/10/88		41	56	57	72	445		17,177	176.8							0.457	16,994	173.6		
AW104	4/21/88		56	62	68	86	609		21,989	123.5							0.281	21,875	106.5		
AW104	5/13/88		59	65	64.4	84.2	492		7,814	-39.5							-0.130	7,809	-49.2		
AW104	6/6/88		56	68	65.6	86	525		14,799	90.5							0.215	14,715	81.6		
AW104	7/11/88		63	79	66	93	512		4,648	-51.3							-0.150	4,662	-57.0		
AW104	8/11/88		63	75	73.4	95	731		25,715	196.5							0.461	25,584	175.1		
AW104	9/19/88		54	57	68	95	718		28,965	14.9							-0.030	28,873	-11.6		
AW104	10/13/88		57	68	66.2	75.2	627		17,767	239.3							0.606	17,617	230.1		
AW104	11/8/88		45	49	66	83	712		39,985	269.7							0.660	39,704	250.6		
AW104	12/8/88		40	41	64	86	590		35,203	137.8							0.321	34,973	121.7		
AW104	1/4/89		44	48	59	77	615		22,917	72.7							0.163	22,773	61.8		
AW104	2/17/89		26	27	58	74	629										0.553	42,910	209.6		
AW104	3/8/89		44	44	57	72	140										0.005	4,440	1.7		
AW104	4/13/89	SUPPORT UNIT - KROGER VPS Cranston, RI	84	75	66.2	78.8	314										-1.169	-23,584	-443.4		
AW104	5/9/89		77	77	68	79	327										-0.581	-11,559	-220.6		
AW104	6/14/89		63	72	70	81	297										0.188	6,947	71.5		
AW104	7/18/89		66	89	66	88	452										0.024	15	9.2		
AW104	12/16/89		36	36	55	82	1071											-0.405	44,593	-153.6	
AW104	1/12/90		40	45	54	77	1074										-0.148	34,046	-56.2		
AW104	2/8/90		35	41	54	70	565										0.292	23,687	110.7		
AW104	3/30/90		44	53	59	77	1015										0.554	37,644	210.1		
AW104	4/5/90		49	63	56	77	1008										0.119	17,686	45.2		
AW104	5/7/90		46	56	57	80	936										0.051	25,182	19.2		
AW104	6/5/90		57	75	60	74	608										0.287	5,285	108.8		

Data obtained from WHC Surveillance, January 16, 1995.

		ANNULUS DATA																
TANK	DATE	COMMENTS	RAW DATA					HAND WRITTEN FROM HP CALCULATOR			ELECTRONICALLY WRITTEN FROM PROGRAM				CALCULATED HERE USING PROGRAM			
			AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)		
AW104	7/7/90		65	88	54	83	883				-1.121	-28,318	-425.4	-1.121	-28,318	-425.4		
AW104	8/6/90		71	100	61	82	697				-0.429	-23,041	-162.6	-0.429	-23,041	-162.6		
AW104	9/4/90		63	83	65	81	820				0.341	5,309	129.3	0.341	5,309	129.3		
AW104	10/8/90		53	64	65	76	844				0.874	29,219	331.7	0.874	29,219	331.7		
AW104	11/9/90		51	65	51	55	697				0.388	134	147.1	0.388	134	147.1		
AW104	12/5/90		46	53	54	69	863				0.074	16,754	27.9	0.074	16,754	27.9		
AW104	1/7/91		21	21	48	66	601											
AW104	2/6/91		36	40	54	67	534				0.280	21,512	106.4	0.280	21,512	106.4		
AW104	3/5/91		39	49	52	69	911				0.334	26,553	126.6	0.334	26,553	126.6		
AW104	4/3/91		46	52	59	73	936				0.452	30,873	171.4	0.452	30,873	171.4		
AW104	5/16/91		51	69	54	72	1038				0.220	7,932	83.5	0.220	7,932	83.5		
AW104	6/3/91		50	70	54	72	1019				0.393	10,315	149.2	0.393	10,315	149.2		
AW104	7/1/91		72	85	62	73	1064				-1.031	-36,792	-391.2	-1.031	-36,792	-391.2		
AW104	8/19/91		74	89	80	94	997				0.906	24,803	343.6	0.906	24,803	343.6		
AW104	9/4/91		61	93	58	78	897				0.334	-7,526	126.6	0.334	-7,526	126.6		
AW104	10/30/92		48	48	57.2	69.8	451							-0.024	10,547	-9.0		
AW104	3/1/93		24	24	50	59	449							0.306	23,530	116.0		
AW104	3/11/94		47	57	52	63	372				0.100	4,542	37.9	0.100	4,542	37.9		
AW104	4/13/94		42	52	52	62	397				0.239	9,285	90.7	0.239	9,285	90.7		

Data obtained from WHC Surveillance, January 16, 1995.

		TANK DATA										HAND WRITTEN FROM HP CALCULATOR										ELECTRONICALLY WRITTEN FROM PROGRAM										CALCULATED HERE USING PROGRAM									
TANK	DATE	COMMENTS	AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (INWK)	HEAT TRANSFER (BTUHR)	EVAPORATION RATE (GALWK)	EVAPORATION RATE (INWK)	HEAT TRANSFER (BTUHR)	EVAPORATION RATE (GALWK)	EVAPORATION RATE (INWK)	HEAT TRANSFER (BTUHR)	EVAPORATION RATE (GALWK)	EVAPORATION RATE (INWK)	HEAT TRANSFER (BTUHR)	EVAPORATION RATE (GALWK)	EVAPORATION RATE (INWK)	HEAT TRANSFER (BTUHR)	EVAPORATION RATE (GALWK)	EVAPORATION RATE (INWK)	HEAT TRANSFER (BTUHR)	EVAPORATION RATE (GALWK)	EVAPORATION RATE (INWK)	HEAT TRANSFER (BTUHR)	EVAPORATION RATE (GALWK)	EVAPORATION RATE (INWK)	HEAT TRANSFER (BTUHR)	EVAPORATION RATE (GALWK)										
AW105	8/23/80		61	86	105.8	106.7	140	0.184	30,309								0.180	30,127	495.7				0.180	30,127	495.7				0.180	30,127	495.7										
AW105	9/17/80		61	71	88.7	93.2	256	0.151	28,366								0.146	28,189	400.8				0.146	28,189	400.8				0.146	28,189	400.8										
AW105	9/30/80		61	80	91.2	93.2	316	0.236	39,441								0.230	39,177	632.7				0.230	39,177	632.7				0.230	39,177	632.7										
AW105	11/18/80	No air flow given	38	39	78.8	81.5		0.131	30,840																																
AW105	12/2/80		33.5	34	75.2	78.8	298	0.133	33,673								0.129	33,382	354.3				0.129	33,382	354.3				0.129	33,382	354.3										
AW105	1/7/81		39	43	69.8	73.4	314	0.108	26,118								0.104	25,883	287.4				0.104	25,883	287.4				0.104	25,883	287.4										
AW105	1/26/81		37	39	68	71.6	256	0.080	20,721								0.077	20,533	212.0				0.077	20,533	212.0				0.077	20,533	212.0										
AW105	2/2/81		29	30	67.1	69.8	234	0.080	21,677								0.048	11,875	133.0				0.048	11,875	133.0				0.048	11,875	133.0										
AW105	3/23/81		40	44	67.1	69.8	166	0.050	11,986								0.061	13,615	167.9				0.061	13,615	167.9				0.061	13,615	167.9										
AW105	4/2/81		40	47	66.2	68	198	0.060	13,750								0.043	5,903	117.8				0.043	5,903	117.8				0.043	5,903	117.8										
AW105	4/15/81		53	73	66.2	69.8	150	0.040	5,974								0.051	8,089	139.3				0.051	8,089	139.3				0.051	8,089	139.3										
AW105	6/29/81		58	77	68.9	78.8	234	0.052	8,170								0.068	9,953	188.2				0.068	9,953	188.2				0.068	9,953	188.2										
AW105	7/22/81		61	83	73.4	81.5	234	0.070	10,052								0.027	1,990	75.4				0.027	1,990	75.4				0.027	1,990	75.4										
AW105	8/13/81		68	104	72.7	86	112	<.01	2,026								0.057	14,358	156.7				0.057	14,358	156.7				0.057	14,358	156.7										
AW105	9/23/81		45	50	69.8	76.1	206	0.059	14,479								0.025	9,164	70.1				0.025	9,164	70.1				0.025	9,164	70.1										
AW105	11/10/81		41	41	60.8	67.1	185	0.027	9,243								0.031	7,644	85.1				0.031	7,644	85.1				0.031	7,644	85.1										
AW105	1/15/82		37	40	59	59	144	0.032	7,726																																
AW105	2/5/82	Suspect tank Ambient Wet Bulb No Value	Freezing	32	60.8	61.7	127	0.004	9,998																																
AW105	3/2/82		46	56	61.7	62.6	142	0.034	6,036								0.033	5,970	90.8				0.033	5,970	90.8				0.033	5,970	90.8										
AW105	5/4/82		48	62	64.4	69.8	180	0.048	8,271								0.044	8,174	122.2				0.044	8,174	122.2				0.044	8,174	122.2										
AW105	5/4/82		48	62	64.4	69.8	180	0.045	8,261								0.026	4,099	72.4				0.026	4,099	72.4				0.026	4,099	72.4										
AW105	6/7/82		54	73	67.1	74.3	104	0.026	4,144								0.008	1,846	22.6				0.008	1,846	22.6				0.008	1,846	22.6										
AW105	7/27/82		66	91	70.7	83.3	153	0.025	2,595								0.028	6,926	76.8				0.028	6,926	76.8				0.028	6,926	76.8										
AW105	8/9/82		67	79	72	84	103	0.008	1,846								0.027	7,266	73.1				0.027	7,266	73.1				0.027	7,266	73.1										
AW105	10/14/82		50	53	68	71.6	132	0.030	6,981								0.019	5,044	52.1				0.019	5,044	52.1				0.019	5,044	52.1										
AW105	12/15/82		35	36	57.2	57.2	140	0.027	7,344								0.022	3,713	60.5				0.022	3,713	60.5				0.022	3,713	60.5										
AW105	1/25/83		37	39	58.1	59	100	0.019	5,098								0.025	6,202	68.0				0.025	6,202	68.0				0.025	6,202	68.0										
AW105	2/11/83		47	57	60.8	60.8	100	0.020	3,756								0.044	8,669	120.0				0.044	8,669	120.0				0.044	8,669	120.0										
AW105	3/4/83		49	51	62.6	64.4	165	0.030	6,256								0.077	12,175	213.0				0.077	12,175	213.0				0.077	12,175	213.0										
AW105	4/8/83		42	52	65.3	66.2	140	0.040	8,761								0.037	7,020	102.2				0.037	7,020	102.2				0.037	7,020	102.2										
AW105	5/11/83		55	71	73.4	73.4	203	0.079	12,289								0.044	7,073	119.8				0.044	7,073	119.8				0.044	7,073	119.8										
AW105	6/8/83		57	68	77	80.6	103	0.038	7,073								0.100	11,848	216.2				0.100	11,727	216.2				0.100	11,727	216.2										
AW105	7/11/83		61	77	77	80.6	124	0.044	7,131								0.041	8,822	112.2				0.041	8,822	112.2				0.041	8,822	112.2										
AW105	8/4/83		66	92	77	80.6	280	0.100	11,848								0.043	8,921	117.2				0.043	8,921	117.2				0.043	8,921	117.2										
AW105	9/23/83		54	63	73.8	80.6	140	0.042	8,890								0.084	22,040	231.2				0.084	22,040	231.2				0.084	22,040	231.2										
AW105	10/7/83		45	53	75.2	77	99	0.040	8,997								0.039	9,577	107.9				0.039	9,577	107.9				0.039	9,577	107.9										
AW105	11/23/83		36	37.5	59	83.3	179	0.005	9,437								0.059	11,999	163.6				0.059	11,999	163.6				0.059	11,999	163.6										
AW105	12/12/83		28	28	75.2	77.9	181	0.086	22,156								0.062	10,838	171.3				0.062	10,838	171.3				0.062	10,838	171.3										
AW105	1/25/84		43	52	66.2	74.3	155	0.040	9,666								0.087	17,189	240.2				0.087	17,189	240.2				0.087	17,189	240.2										
AW105	3/29/84		43	52	80.6	80.6	103	0.060	12,098								0.095	15,396	262.2				0.095	15,396	262.2				0.095	15,396	262.2										
AW105	4/16/84		43	52	80.6	80.6	103	0.060	12,098								0.116	21,555	320.6				0.116	21,555	320.6				0.116	21,555	320.6										
AW105	5/24/84		52	71	75.2	80.6	147	0.060	10,938																																
AW105	5/24/84		46	55	87.8	87.8	120	0.089	17,314																																
AW105	7/3/84		62	85	93	93	117	0.097	15,500																																
AW105	9/20/84		62	67	96.8	96.8	140	0.116	21,555																																

			TANK DATA										ELECTRONICALLY WRITTEN FROM PROGRAM										CALCULATED HERE USING PROGRAM					
TANK	DATE	COMMENTS	RAW DATA					HAND WRITTEN FROM HP CALCULATOR					EVAPORATION RATE (GAL/WK)					HEAT TRANSFER (BTU/HR)					EVAPORATION RATE (IN/WK)		HEAT TRANSFER (BTU/HR)		EVAPORATION RATE (GAL/WK)	
			AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)			
AW105	12/3/84		22	26	71	71	99	0.047	11,648	128.6									0.046	11,532	126.9							
AW105	3/6/85		43	48	62	68	122	0.020	6,029	63.0									0.022	5,974	60.6							
AW105	4/8/85		55	67	75	75	169	0.070	11,256	181.6									0.064	11,162	176.9							
AW105	5/6/85		52	64	75.2	75.2	100	0.040	7,506	116.9									0.041	7,442	114.1							
AW105	6/6/85		55	56	66.2	78.8	108	0.010	3,579	17.9									0.005	3,561	14.6							
AW105	7/15/85		65	88	88	92	139	0.085	13,331	235.0									0.083	13,236	229.4							
AW105	8/27/85		54	70	95	98.6	159	0.140	26,024	396.5									0.141	25,852	387.5							
AW105	9/11/85		55	61	93.2	95	100	0.078	15,130	216.0									0.076	15,037	208.6							
AW105	11/8/85		39	45	91	91	159	0.137	27,730	376.6									0.134	27,527	368.8							
AW105	12/9/85		28	30	70	75	166	0.084	20,338	231.7									0.081	17,022	168.4							
AW105	1/8/86		34	36	59	59	140	0.032	8,322	89.1									0.031	8,232	86.4							
AW105	3/6/86		52	57	62.6	68	203	0.025	6,133	68.9									0.024	6,082	65.4							
AW105	4/17/86		48	60	84.2	87.8	187	0.117	22,807	323.1									0.115	22,633	315.7							
AW105	5/8/86		51	60	78.8	82.4	147	0.067	13,427	184.9									0.065	13,325	179.3							
AW105	6/24/86		71	96	73.4	89.6	159	0.020	1,503	47.1									0.017	1,482	47.1							
AW105	7/10/86		59	69	71.6	84.2	141	0.020	5,799	65.6									0.022	5,759	61.9							
AW105	8/7/86		64	84	66	92	116	<0.1	717	-4.5									-0.002	717	-5.3							
AW105	9/16/86		54	55	71.6	84.2	82	0.010	4,457	36.0									0.012	4,430	32.6							
AW105	10/27/86		54	59	71.6	77	147	0.035	8,141	98.8									0.034	8,081	94.1							
AW105	11/20/86		54	64	62.6	67.8	46	0.010	1,151	16.0									0.006	1,146	17.4							
AW105	12/11/86		25	26	57.5	60.8	147	0.033	10,523	91.9									0.032	10,323	87.9							
AW105	1/14/87		32	34	51	66	176	0.010	7,117	18.5									0.006	7,055	16.6							
AW105	2/3/87		36	37	58	61	139	0.024	7,284	67.6									0.024	7,211	64.8							
AW105	3/4/87		49	51	63	64	140	0.020	5,494	65.2									0.023	5,446	62.2							
AW105	4/9/87		50	62	54	70	133	<0.1	1,345	3.6									0.001	1,337	3.1							
AW105	6/8/87		64	67	66.2	78.8	98	<0.1	673	-10.3									-0.004	675	-11.9							
AW105	7/7/87		65	87	75.2	80.6	265	0.079	10,042	217.8									0.078	9,943	214.3							
AW105	8/4/87		63	82	68	80.6	340	0.041	5,705	114.4									0.041	5,644	112.1							
AW105	9/2/87		58	74	75.2	80.6	97	0.030	5,688	92.6									0.033	5,640	90.2							
AW105	10/8/87		55	65	68	80	181	0.028	7,147	79.1									0.027	7,093	75.2							
AW105	11/5/87		46	49	64.4	73.4	79	0.013	3,935	34.8									0.012	3,904	32.8							
AW105	12/4/87		43	44	59	74	133	0.010	5,272	18.6									0.006	5,238	15.7							
AW105	1/6/88		24	26	48.2	59	166	0.010	7,982	36.4									0.013	7,932	35.8							
AW105	2/4/88		32	34	54	59	100	0.014	4,898	40.0									0.014	4,845	38.5							
AW105	3/10/88		41	56	64	65	88	0.030	5,335	82.9									0.030	5,273	81.7							
AW105	4/21/88		56	62	67.8	67.8	159	0.030	5,911	90.9									0.032	5,860	87.9							
AW105	5/13/88		59	65	64.4	71.6	166	0.010	2,771	29.4									0.010	2,752	27.4							
AW105	6/6/88		56	68	74.6	74.6	124	0.046	7,734	126.9									0.045	7,669	123.6							
AW105	7/11/88		63	79	64	82	159	<0.1	491	-0.3									0.000	489	-0.7							
AW105	8/11/88		63	75	68	82.4	161	0.010	2,638	25.4									0.009	2,622	23.4							
AW105	9/19/88		54	57	73.4	80.6	132	0.030	8,152	90.2									0.031	8,096	85.0							
AW105	10/12/88		57	68	68	73.4	114	0.022	3,961	61.0									0.021	3,926	59.2							
AW105	11/8/88		45	49	73	73	68	0.026	5,628	72.1									0.025	5,582	69.9							
AW105	12/8/88		40	41	72	72	60	0.022	5,372	62.9									0.022	5,327	60.8							

Data obtained from WHC Surveillance, January 16, 1995.

		TANK DATA										ELECTRONICALLY WRITTEN FROM PROGRAM										CALCULATED HERE USING PROGRAM									
TANK	DATE	COMMENTS	RAW DATA					HAND WRITTEN FROM HP CALCULATOR					ELECTRONICALLY WRITTEN FROM PROGRAM					CALCULATED HERE USING PROGRAM													
			AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)												
AW105	1/4/89		44	48	59	61	108	0.010	4,187	49.1	0.017	4,145	47.4	0.017	4,145	47.4	0.017	4,145	47.4												
AW105	2/17/89		26	27	54	59	199				0.032	11,768	88.6	0.032	11,768	88.6	0.032	11,768	88.6												
AW105	3/8/89		44	44	54	65	193										0.001	4,634	1.5												
AW105	4/13/89		75	84	62.6	69.8	177				-0.032	-7,967	-88.2	-0.032	-7,967	-88.2	-0.032	-7,967	-88.2												
AW105	5/9/89		77	77	64	73	198										-0.057	-9,754	-156.5												
AW105	6/14/89		63	72	70	77	203				0.024	4,807	66.4	0.024	4,807	66.4	0.024	4,807	66.4												
AW105	7/18/89		66	89	63	79	239				0.003	-2,260	7.2	0.003	-2,260	7.2	0.003	-2,260	7.2												
AW105	12/16/89		36	36	54	59	274										0.028	11,220	77.2												
AW105	1/12/90		40	45	50	59	347				0.016	7,858	45.0	0.016	7,858	45.0	0.016	7,858	45.0												
AW105	2/8/90		35	41	52	59	270				0.032	10,162	88.9	0.032	10,162	88.9	0.032	10,162	88.9												
AW105	3/30/90		44	53	54	56	346				0.049	8,532	135.9	0.049	8,532	135.9	0.049	8,532	135.9												
AW105	4/4/90		49	63	50	68	708				-0.015	1,667	-40.8	-0.015	1,667	-40.8	-0.015	1,667	-40.8												
AW105	5/7/90		46	56	55	66	320				0.024	7,135	66.4	0.024	7,135	66.4	0.024	7,135	66.4												
AW105	6/5/90	Stagnant Data - High Air Flow	57	75	57	68	1378				0.073	239	200.3	0.073	239	200.3	0.073	239	200.3												
AW105	7/7/90		65	88	70	81	320				0.053	5,602	146.4	0.053	5,602	146.4	0.053	5,602	146.4												
AW105	8/6/90		71	100	63	82	302				-0.013	-8,110	-36.7	-0.013	-8,110	-36.7	-0.013	-8,110	-36.7												
AW105	9/4/90		63	83	68	75	314				0.054	5,328	147.6	0.054	5,328	147.6	0.054	5,328	147.6												
AW105	10/8/90		53	64	65	71	298				0.054	10,444	149.0	0.054	10,444	149.0	0.054	10,444	149.0												
AW105	11/9/90		51	65	49	51	314				0.023	-1,516	64.1	0.023	-1,516	64.1	0.023	-1,516	64.1												
AW105	12/5/90		46	53	52	61	324				0.012	4,718	33.4	0.012	4,718	33.4	0.012	4,718	33.4												
AW105	1/7/91		21	21	43	54	314										0.010	13,036	28.8												
AW105	2/6/91		36	40	50	55	305				0.029	9,430	79.9	0.029	9,430	79.9	0.029	9,430	79.9												
AW105	3/5/91		39	49	46	57	278				0.012	4,232	32.7	0.012	4,232	32.7	0.012	4,232	32.7												
AW105	4/3/91		46	52	52	63	195				0.003	2,820	7.7	0.003	2,820	7.7	0.003	2,820	7.7												
AW105	5/16/91		51	69	54	66	153				0.011	1,200	31.3	0.011	1,200	31.3	0.011	1,200	31.3												
AW105	6/3/91		50	70	58	68	222				0.035	4,735	95.9	0.035	4,735	95.9	0.035	4,735	95.9												
AW105	7/1/91		72	85	65	73	171				-0.012	-4,243	-32.9	-0.012	-4,243	-32.9	-0.012	-4,243	-32.9												
AW105	8/1/91	No Data																													
AW105	9/4/91		61	93	61	76	178				0.022	85	61.1	0.022	85	61.1	0.022	85	61.1												
AW105	10/30/92		54	58	62.6	64.4	76				0.009	1,902	24.6	0.009	1,902	24.6	0.009	1,902	24.6												
AW105	3/1/93		24	24	54	57	192										0.034	12,074	94.6												
AW105	3/11/94		47	57	53	59	371				0.032	5,561	87.1	0.032	5,561	87.1	0.032	5,561	87.1												
AW105	4/13/94		42	52	56	62	288				0.045	9,816	122.7	0.045	9,816	122.7	0.045	9,816	122.7												

Data obtained from WHC Surveillance, January 16, 1995.

ANNULUS DATA																			
		RAW DATA					HAND WRITTEN FROM HP CALCULATOR					ELECTRONICALLY WRITTEN FROM PROGRAM					CALCULATED HERE USING PROGRAM		
TANK	DATE	COMMENTS	AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (INW/K)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (INW/K)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (INW/K)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)			
AW105	8/23/80		61	86	66.2	96.8	329	0.010	5,212	28.7				0.069	5,186	26.3			
AW105	9/17/80		61	71	71.6	98.6	738	0.028	25,047					0.141	24,960	53.3			
AW105	9/30/80		61	80	66.2	93.2	597	<0.1	9,464	28.7				0.047	9,431	17.7			
AW105	11/18/80		38	39	59	87.8	783	<0.1	37,903	-37.0				-0.141	37,720	-53.7			
AW105	12/2/80		33.5	34	57.2	84.2	660	<0.1	34,433	-7.5				-0.050	34,224	-18.8			
AW105	1/7/81		39	43	55.4	78.8	808	0.530	30,243	-8.3				-0.051	30,076	-19.3			
AW105	1/26/81		37	39	53.6	77	786	<0.1	28,861	-56.0				-0.174	28,711	-65.9			
AW105	2/2/81		29	30	53.6	74.3	708	0.020	36,517	55.0				0.125	36,273	47.4			
AW105	3/23/81		40	44	53.6	74.3	748	<0.1	23,194	-28.0				-0.076	23,069	-28.9			
AW105	4/2/81		40	47	51.8	73.4	663	<0.1	17,557	-22.7				-0.072	17,464	-27.2			
AW105	4/15/81		53	73	51.8	73.4	680	<0.1	-2,126	-44.6				-0.115	-2,093	-43.8			
AW105	6/29/81		58	77	57.2	77	680	<0.1	-1,556	-28.7				-0.074	-1,537	-28.0			
AW105	7/22/81		61	83	62.5	78.8	680	0.042	3,274					0.304	3,211	115.4			
AW105	8/13/81		68	104	59.9	80.6	492	<0.1	-11,488	-5.3				0.005	-12,463	1.7			
AW105	9/23/81		45	50	59	78.8	649	0.019	22,672					0.109	22,542	41.5			
AW105	11/10/81		41	41	56.3	75.2	473	<0.1	17,060	-4.5				-0.037	16,969	-14.0			
AW105	1/15/82		37	40	50.9	68	705		21,541	2.7				-0.012	21,397	-4.5			
AW105	2/5/82	Freezing	32	46.4	46.4	68	226	0.003	8,967	74.3				0.202	10,568	76.6			
AW105	3/2/82	No Value	46	56	53.6	66.2	570	0.029	10,662	79.7				-0.116	5,962	-44.0			
AW105	5/4/82		48	62	51.8	73.7	659	<0.1	6,056					-0.041	-598	-15.5			
AW105	6/7/82		54	73	53.6	73.4	564	<0.1	-609	-15.7				-0.207	-11,635	-78.4			
AW105	7/27/82		66	91	59	78.8	540	<0.1	-11,704	86.3				-0.316	-5,410	-120.0			
AW105	8/9/82		67	79	64	81	539	<0.1	-5,472	-12.2				-0.027	11,506	-10.4			
AW105	10/14/82		50	53	59	75.2	490	<0.1	11,553	-7.6				-0.017	18,539	-6.5			
AW105	12/15/82		35	36	51.8	69.8	511	0.193	18,666					-0.069	16,961	-26.0			
AW105	1/25/83		37	39	50.9	68.9	560	<0.1	17,064	18.0				0.050	11,137	19.1			
AW105	2/11/83		47	51	55.4	68	533		11,203	25.6				-0.001	12,524	-0.2			
AW105	3/4/83		49	51	57.2	69.8	595		12,584	9.0				-0.061	9,580	-23.1			
AW105	4/8/83		42	52	50	70.7	534		9,626	-21.2				0.013	572	5.1			
AW105	5/11/83		55	71	55.4	71.5	532		576	5.3				0.014	3,841	5.2			
AW105	6/9/83		57	68	60.8	77	356		3,856	8.0				0.002	1,000	0.7			
AW105	7/11/83		61	77	61.7	78.8	481		1,003	1.5				1.120	17,712	424.8			
AW105	8/4/83		66	92	76.1	80.8	465		17,912	432.0				-0.089	12,455	-33.7			
AW105	9/23/83		54	63	60.8	82.4	674		12,485	-24.0				-0.066	19,416	-25.0			
AW105	10/7/83		45	53	57.2	82.4	659		19,498	-17.5				2.596	87,561	985.0			
AW105	11/23/83		36	37.5	78.8	82.4	720		88,284	1,014.5				0.291	46,241	110.4			
AW105	12/12/83		28	28	57.2	78.8	744		46,430	118.2				0.217	28,869	82.5			
AW105	1/25/84		43	52	57.2	78.8	849		29,060	91.1				0.033	17,070	12.6			
AW105	3/29/84		43	52	57.2	82.4	506		17,163	17.4				0.158	13,733	59.8			
AW105	4/16/84		52	71	59	84.2	747		13,816	63.8				-0.035	23,848	-13.2			
AW105	5/24/84		46	55	59	86	744		23,945	-4.0				-0.016	4,413	-5.9			
AW105	7/3/84		62	85	64	91	736		4,421	-3.0				-0.117	-2,188	-44.5			
AW105	8/16/84		69	100	68	100.4	636		-2,214	-45.4				-0.064	22,103	-24.3			
AW105	9/20/84		62	67	71.6	96.8	715		22,154	4.1									

Data obtained from WHC Surveillance, January 16, 1995.

TANK	DATE	COMMENTS	RAW DATA					HAND WRITTEN FROM HP CALCULATOR					ELECTRONICALLY WRITTEN FROM PROGRAM					CALCULATED HERE USING PROGRAM				
			AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)
AW105	12/12/84		22	26	55	85	694		45,354	44.9				0.121	45,018	45.9				0.121	45,018	45.9
AW105	3/6/85		43	48	54	78	867		22,132	-103.2				-0.297	22,068	-112.8				-0.297	22,068	-112.8
AW105	4/8/85		55	67	84	76	762		20,677	243.6				0.615	20,505	233.3				0.615	20,505	233.3
AW105	5/6/85		52	64	57.2	73.4	792		10,912	54.1				0.129	10,842	48.8				0.129	10,842	48.8
AW105	6/6/85		55	56	60.8	77	814		13,008	-97.2				-0.300	13,004	-114.0				-0.300	13,004	-114.0
AW105	7/15/85		65	88	64	86	820		-2,599	-16.2				-0.038	-2,587	-14.4				-0.038	-2,587	-14.4
AW105	8/27/85		54	70	68	95	718		29,244	198.9				0.491	29,067	186.5				0.491	29,067	186.5
AW105	9/11/85		55	61	68	95	703		26,620	36.3				0.037	26,529	14.1				0.037	26,529	14.1
AW105	10/24/85		53	65	66	92	522		19,173	84.6				0.197	19,074	74.7				0.197	19,074	74.7
AW105	11/8/85		39	45	63	90	674		39,162	142.2				0.346	38,902	131.3				0.346	38,902	131.3
AW105	12/9/85		28	30	57	91	783		47,245	-44.0				-0.132	46,961	-50.3				-0.132	46,961	-50.3
AW105	1/8/86		34	36	55.4	77	637		30,040	41.4				0.086	29,826	32.5				0.086	29,826	32.5
AW105	3/6/86		52	57	59	73.4	757		14,215	16.4				0.015	14,152	5.8				0.015	14,152	5.8
AW105	4/17/86		48	60	59	84.2	438		12,210	18.9				0.041	12,153	15.6				0.041	12,153	15.6
AW105	5/8/86		51	60	60.8	84.2	730		18,951	6.8				-0.011	18,878	-4.0				-0.011	18,878	-4.0
AW105	6/24/86		71	96	66.2	87.8	719		-1,992	-106.8				-0.265	-11,926	-96.6				-0.265	-11,926	-96.6
AW105	7/10/86		59	69	64.4	86	716		11,388	-25.6				-0.087	11,368	-36.8				-0.087	11,368	-36.8
AW105	8/7/86		64	84	66	90	728		4,572	0.4				-0.009	4,563	-3.5				-0.009	4,563	-3.5
AW105	9/16/86		54	55	66.2	84.2	687		24,226	57.8				0.092	24,125	35.1				0.092	24,125	35.1
AW105	10/27/86		54	59	64.6	71.6	737		22,989	241.1				0.598	22,826	226.8				0.598	22,826	226.8
AW105	11/20/86		54	64	59	77	744		10,076	-4.4				-0.030	10,042	-11.3				-0.030	10,042	-11.3
AW105	12/11/86		25	26	51.8	82.4	739		39,004	-93.0				-0.245	38,967	-92.9				-0.245	38,967	-92.9
AW105	1/14/87		32	34	54	70	717		34,276	120.0				0.291	33,979	110.5				0.291	33,979	110.5
AW105	2/3/87		36	37	54	66	716		29,141	122.4				0.293	28,895	111.1				0.293	28,895	111.1
AW105	3/4/87		49	51	57	64	684		14,339	85.8				0.202	14,237	76.5				0.202	14,237	76.5
AW105	4/9/87		50	62	54	70	633		6,403	17.3				0.038	6,365	14.6				0.038	6,365	14.6
AW105	6/8/87		64	67	64.4	75.2	659		655	-95.0				-0.266	688	-100.9				-0.266	688	-100.9
AW105	7/7/87		65	87	64.4	78.8	730		-1,202	94.9				0.258	-1,241	98.1				0.258	-1,241	98.1
AW105	8/4/87		63	82	62.6	77	717		-772	56.2				0.153	-795	58.0				0.153	-795	58.0
AW105	9/1/87		58	74	62.6	80.4	641		8,699	80.4				0.200	8,636	75.7				0.200	8,636	75.7
AW105	10/8/87		55	65	67	84	665		23,704	192.9				0.472	23,550	178.9				0.472	23,550	178.9
AW105	11/5/87		46	49	62.6	78.8	612		26,613	134.8				0.317	26,440	120.2				0.317	26,440	120.2
AW105	12/4/87		43	44	61	64	482		22,496	222.9				0.559	22,295	212.1				0.559	22,295	212.1
AW105	1/5/88		24	26	50	69.8	606		31,109	46.0				0.119	30,961	45.0				0.119	30,961	45.0
AW105	2/4/88		32	34	50	68	833		31,455	14.3				0.016	31,214	6.2				0.016	31,214	6.2
AW105	3/10/88		41	56	52	67	742		18,942	187.1				0.484	18,731	183.5				0.484	18,731	183.5
AW105	4/21/88		56	62	62.6	67.8	620		12,167	153.1				0.384	12,066	145.8				0.384	12,066	145.8
AW105	5/13/88		59	65	59	69.8	683		-117	-67.7				-0.184	-88	-69.9				-0.184	-88	-69.9
AW105	6/6/88		56	68	58.8	72.2	675		5,327	42.0				0.103	5,289	39.0				0.103	5,289	39.0
AW105	7/11/88		63	79	63	77	524		41	21.4				0.058	32	21.9				0.058	32	21.9
AW105	8/11/88		63	75	62.6	78.8	649		-921	-65.4				-0.175	-890	-66.6				-0.175	-890	-66.6
AW105	9/19/88		54	57	62.6	80.6	525		12,594	10.0				-0.058	12,555	-22.0				-0.058	12,555	-22.0
AW105	10/13/88		57	68	66.2	75.2	622		17,626	237.4				0.601	17,477	228.2				0.601	17,477	228.2
AW105	11/8/88		45	49	61	75	568		23,403	141.5				0.343	23,233	130.1				0.343	23,233	130.1

Data obtained from WHC Surveillance, January 16, 1995.

ANNULUS DATA																		
TANK		DATE	COMMENTS	RAW DATA				HAND WRITTEN FROM HP CALCULATOR				ELECTRONICALLY WRITTEN FROM PROGRAM				CALCULATED HERE USING PROGRAM		
				AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (INAWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/AWK)	EVAPORATION RATE (INAWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/AWK)	EVAPORATION RATE (INAWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/AWK)	
AW105		12/8/88		40	41	57	73	602		24,258	66.6				0.145	24,093	55.2	
AW105		1/4/89		44	48	54	68	612		14,706	26.7	0.051	14,615	19.4	0.051	14,615	19.4	
AW105		2/17/89		26	27	54	63	679				0.644	39,843	244.4	0.644	39,843	244.4	
AW105		3/8/89		44	44	54	65	305							0.006	7,323	2.3	
AW105		4/13/89	Supercharger Airside Valve Closed	84	75	62.6	71.6	316							-1.225	-27,767	-464.9	
AW105		5/8/89		77	77	64	72	314							-0.636	-15,482	-241.5	
AW105		6/14/89		63	72	68	74	369				0.254	6,161	96.6	0.254	6,161	96.6	
AW105		7/18/89		66	89	61	77	329				-0.035	-5,148	-13.4	-0.035	-5,148	-13.4	
AW105		12/16/89		36	36	52	64	780							0.162	27,548	61.4	
AW105		1/12/90		40	45	50	83	790				-0.738	16,919	-280.1	-0.738	16,919	-280.1	
AW105		2/8/90		35	41	50	59	394				0.245	12,837	92.8	0.245	12,837	92.8	
AW105		3/30/90		44	53	52	56	781				0.607	15,107	230.2	0.607	15,107	230.2	
AW105		4/5/90		49	63	50	68	1103				-0.167	2,597	-63.6	-0.167	2,597	-63.6	
AW105		5/7/90		46	56	54	67	710				0.257	13,886	97.4	0.257	13,886	97.4	
AW105		6/5/90		57	75	58	69	1202				0.559	3,614	212.2	0.559	3,614	212.2	
AW105		8/6/90		65	88	67	77	718				0.663	5,098	251.7	0.663	5,098	251.7	
AW105		9/4/90		63	83	59	75	739				-0.366	-27,625	-138.9	-0.366	-27,625	-138.9	
AW105		10/8/90		53	64	65	73	662				-0.107	-8,839	-40.8	-0.107	-8,839	-40.8	
AW105		11/9/90		51	65	45	50	727				0.797	23,087	302.5	0.797	23,087	302.5	
AW105		12/5/90		46	53	52	54	748				0.093	-10,536	35.2	0.093	-10,536	35.2	
AW105		1/7/91		21	21	45	64	366				0.498	11,119	189.1	0.498	11,119	189.1	
AW105		2/6/91		36	40	54	55	332				0.398	13,716	151.0	-0.030	16,517	-11.4	
AW105		3/5/91		39	49	46	57	625				0.194	9,513	73.6	0.194	9,513	73.6	
AW105		4/3/91		46	52	52	66	653				-0.039	9,361	-14.9	-0.039	9,361	-14.9	
AW105		5/16/91		51	69	50	64	639				0.096	-1,542	36.4	0.096	-1,542	36.4	
AW105		6/3/91		50	70	50	64	636				0.206	68	78.1	0.206	68	78.1	
AW105		7/1/91		72	85	61	69	633				-0.565	-23,939	-214.4	-0.565	-23,939	-214.4	
AW105		8/19/91		74	89	64	76	619				-0.603	-22,225	-228.8	-0.603	-22,225	-228.8	
AW105		9/4/91		61	93	50	75	557				-0.270	-16,474	-102.3	-0.270	-16,474	-102.3	
AW105		10/30/92		54	58	57.2	68	281				-0.037	2,414	-14.2	-0.037	2,414	-14.2	
AW105		3/1/93		24	24	54	55	212							0.300	13,383	113.7	
AW105		3/11/94		47	57	50	60	305				0.057	2,208	21.8	0.057	2,208	21.8	
AW105		4/13/94		42	52	51	61	273				0.146	5,703	55.2	0.146	5,703	55.2	

Data obtained from WHC Surveillance, January 16, 1995.

TANK		DATE	COMMENTS	RAW DATA				HAND WRITTEN FROM HP CALCULATOR				ELECTRONICALLY WRITTEN FROM PROGRAM				CALCULATED HERE USING PROGRAM			
				AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)		
AW106		8/23/80		61	86	80.6	86	111	0.050	8,085				0.053	8,015	146.0			
AW106		9/17/80		61	71	78.8	86	172	0.060	10,056				0.054	10,981	148.0			
AW106		9/30/80		61	80	74.3	84.2	199	0.020	3,434				0.054	9,093	149.0			
AW106		11/18/80		38	39	66.2	73.4	198	0.050	14,361				0.046	14,236	126.1			
AW106		12/2/80		33.5	34	66.2	71.6	213	0.060	17,319				0.057	17,158	156.9			
AW106		17/81		39	43	50	66.2	277	<00	6,770				-0.002	6,728	-6.5			
AW106		1/26/81		37	39	59	64.4	187	0.030	9,911				0.031	9,815	84.6			
AW106		2/2/81		29	30	57.2	63.5	150	0.027	9,403				0.026	9,315	70.8			
AW106		3/23/81		40	44	53.6	73.4	156	<01	4,848				-0.001	4,821	-3.2			
AW106		4/2/81		40	47	57.2	62.6	291	0.050	12,218				0.048	12,088	130.9			
AW106		4/15/81		53	73	57.2	64.4	141	0.020	1,683				0.020	1,649	54.7			
AW106		6/29/81		58	77	59	71.6	146	<01	457				0.009	444	24.0			
AW106		7/22/81		61	83	66.2	75.2	238	0.040	238				0.040	4,024	110.5			
AW106		8/11/81		68	104	66.2	77.9	151	0.020	-774				0.023	-802	63.6			
AW106		9/23/81		45	50	59	74.3	190	0.012	6,713				0.011	6,667	29.7			
AW106		11/10/81		41	41	64.4	68	187	0.041	1,145				0.039	11,354	106.3			
AW106		1/15/82	Ambient Temp From Weather Tower	37	40	53.6	53.6	172	0.028	6,680				0.027	6,603	73.5			
AW106		2/5/82		26	33	54.5	55.4	210	0.052	12,893				0.052	12,807	142.8			
AW106		3/2/82		46	56	56.3	57.2	137	0.024	3,669				0.023	3,622	63.3			
AW106		5/4/82		48	62	66.2	69.8	190	0.056	9,865				0.054	9,762	149.9			
AW106		6/7/82		54	73	61.7	70.7	126	0.021	2,822				0.021	2,786	56.8			
AW106		7/27/82		66	91	74.3	78.8	120	0.035	3,752				0.035	3,709	96.6			
AW106		8/9/82		67	79	76	82	99	0.020	3,370				0.020	3,345	54.4			
AW106		10/14/82		50	53	75.2	77	181	0.065	14,369				0.063	14,262	173.8			
AW106		12/15/82		35	36	64.4	64.4	165	0.048	12,158				0.046	12,038	127.4			
AW106		1/25/83		37	39	63.5	64.4	100	0.026	6,692				0.026	6,626	70.8			
AW106		2/11/83	Subsided Tank Located 100 Gallons Up	47	51	59	59	104	0.016	3,335				0.016	3,301	43.4			
AW106		3/4/83		49	51	59	55.4	202	0.010	3,380				0.030	5,495	82.2			
AW106		4/8/83		42	52	65.3	71.6	147	0.040	9,091				0.039	9,002	108.7			
AW106		5/11/83		55	71	71.5	75.2	136	0.040	7,202				0.043	7,134	119.1			
AW106		6/9/83		57	68	73.4	78.8	103	0.029	5,590				0.029	5,546	78.9			
AW106		7/11/83		61	77	73.4	80.6	153	0.040	6,553				0.039	6,497	107.2			
AW106		8/4/83		66	92	76.1	86	182	0.050	6,908				0.053	6,839	145.5			
AW106		9/23/83		54	63	80.6	82.4	140	0.068	12,870	185.0			0.065	12,776	179.8			
AW106		10/7/83		45	53	71.6	78.8	138	0.050	10,565				0.044	10,476	122.5			
AW106		11/23/83		36	37.5	66.2	69.8	132	0.035	10,157	103.9			0.036	10,063	100.2			
AW106		12/12/83		28	28	67.1	70.7	172	0.056	16,195				0.055	16,081	151.6			
AW106		1/25/84		43	52	68	69.8	131	0.040	9,065				0.043	8,978	118.9			
AW106		3/29/84		43	52	64.4	68	98	0.026	5,606	72.6			0.026	5,550	70.8			
AW106		4/16/84		52	71	57.2	77	99	0.005	1,365	17.5			0.005	1,353	13.1			
AW106		5/24/84		46	55	68	75.2	113	0.030	6,993	84.6			0.030	6,931	82.1			
AW106		7/3/84		62	85	73	82	170	0.047	6,525	130.1			0.046	6,460	127.6			
AW106		9/20/84		62	67	75.2	93.2	100	0.012	4,518	33.5			0.011	4,496	29.1			
AW106		12/3/84		22	26	63	71	99	0.028	8,852	78.0			0.028	8,860	76.8			

Data obtained from WHC Surveillance, January 16, 1995.

TANK DATA																			
TANK	DATE	COMMENTS	RAW DATA					HAND WRITTEN FROM HP CALCULATOR				ELECTRONICALLY WRITTEN FROM PROGRAM				CALCULATED HERE USING PROGRAM			
			AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET FLOW (CFM)	AIR FLOW (CFM)	EVAPORATION RATE (INAWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WRK)	EVAPORATION RATE (INAWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WRK)	EVAPORATION RATE (INAWK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WRK)			
AW106	3/6/85		43	48	80	88	122	0.050	13,795	162.4			0.057	13,690	157.3				
AW106	4/8/85		55	67	76	86	141	0.050	9,736	128.4			0.045	9,663	123.9				
AW106	5/6/85		52	64	100.4	100.4	100	0.110	20,206	306.7			0.109	20,081	299.5				
AW106	6/6/85		55	56	96.8	98.6	124	0.110	21,311	296.4			0.103	21,189	284.0				
AW106	7/15/85		65	88	112	112	132	0.200	33,432	559.3			0.198	33,253	545.4				
AW106	8/27/85		54	70	95	100.4	116	0.103	18,926	284.4			0.183	18,800	277.8				
AW106	9/11/85		55	61	107.6	107.6	141	0.188	34,465	519.0			0.174	35,340	478.6				
AW106	11/8/85		39	45	97	99	172	0.177	35,587	488.3			0.138	30,117	379.0				
AW106	12/9/85		28	30	92	92	153	0.140	30,351	385.9			0.093	21,822	255.2				
AW106	1/8/86		34	36	86	91.4	140	0.100	21,994	261.6			0.127	25,776	349.9				
AW106	3/6/86		52	57	86	86	213	0.132	25,950	362.4			0.061	12,099	168.4				
AW106	4/17/86		48	60	84.2	88	100	0.062	12,192	172.3			0.230	43,615	634.7				
AW106	5/8/86		51	60	104	105.8	193	0.236	43,878	651.3			0.129	21,042	354.9				
AW106	6/24/86		71	96	102.2	105.8	132	0.140	21,162	365.5			0.187	34,551	516.2				
AW106	7/10/86		59	69	100.4	100.4	188	0.200	34,749	533.3			0.093	15,814	256.0				
AW106	8/7/86		64	84	95	98	116	0.100	15,914	263.0			0.048	10,754	130.9				
AW106	9/16/86		54	55	87.8	93.2	87	0.050	10,821	137.6			0.015	6,605	41.3				
AW106	10/27/86		54	59	71.6	91.4	124	0.016	6,643	45.9			0.068	12,907	168.4				
AW106	11/20/86		54	64	100.4	102.2	66	0.070	12,985	193.8			0.090	19,966	249.1				
AW106	12/11/86		25	26	93.2	93.2	96	0.091	20,097	252.9			0.055	12,771	150.7				
AW106	1/14/87		32	34	86	90	80	0.050	12,874	154.2			0.092	21,035	263.9				
AW106	2/3/87		36	37	83	83	150	0.094	21,203	261.0			0.063	13,585	172.5				
AW106	3/4/87		49	51	82	82	124	0.065	13,680	179.3			0.070	13,087	192.8				
AW106	4/9/87		50	62	81	81	127	0.070	13,191	197.5			0.032	6,689	87.6				
AW106	6/8/87		64	67	80.6	82.4	106	0.030	6,730	92.8			0.116	17,297	319.5				
AW106	7/7/87		65	87	80.6	86	288	0.118	17,440	326.6			0.385	66,826	1,061.3				
AW106	8/4/87		63	82	104	106	340	0.396	67,212	1,090.7			0.107	18,888	284.9				
AW106	9/2/87		58	74	107.6	107.6	80	0.110	18,996	302.2			0.146	27,192	401.7				
AW106	10/8/87		55	65	99	99	147	0.150	27,356	413.4			0.052	11,716	143.7				
AW106	11/5/87		46	49	89.6	96.8	78	0.054	11,795	148.8			0.061	13,961	167.5				
AW106	12/4/87		43	44	86	90	100	0.060	14,061	173.4			0.085	20,534	235.4				
AW106	1/6/88		24	26	79.8	79.8	140	0.066	20,694	238.9			0.016	3,867	42.9				
AW106	2/4/88		32	34	70	70	40	0.016	3,905	44.0			0.053	10,020	146.0				
AW106	3/10/88		41	56	79	79	88	0.030	10,111	148.0			0.100	19,666	274.6				
AW106	4/21/88		56	62	86	86	177	0.103	19,795	284.9			0.063	13,088	172.7				
AW106	5/13/88		59	65	82.4	86.4	153	0.065	13,175	180.8			0.122	22,372	335.5				
AW106	6/6/88		56	68	95	95	141	0.125	22,513	345.0			0.128	22,591	352.0				
AW106	7/11/88		63	79	100	102	133	0.131	22,722	362.8			0.170	30,739	467.2				
AW106	8/11/88		63	75	105.8	107.6	147	0.180	30,905	483.6			0.136	25,881	374.6				
AW106	9/19/88		54	57	109.4	109.4	100	0.140	2,603	387.5			0.103	19,943	284.0				
AW106	10/13/88		57	68	95	100.4	129	0.106	20,068	293.4			0.038	7,764	104.9				
AW106	11/8/88		45	49	97	99	40	0.039	7,814	107.8			0.064	13,699	175.5				
AW106	12/8/88		40	41	91	91	80	0.060	13,795	180.5			0.050	13,740	138.9				
AW106	1/4/89		44	48	75	86	153	0.050	13,846	144.6			0.050	13,740	138.9				

Data obtained from WHC Surveillance, January 16, 1995.

TANK DATA																		
TANK	DATE	COMMENTS	RAW DATA					HAND WRITTEN FROM HP CALCULATOR				ELECTRONICALLY WRITTEN FROM PROGRAM				CALCULATED HERE USING PROGRAM		
			AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)		
AW106	2/17/89		26	27	74	74	199							0.096	24,106	263.0		
AW106	3/8/89		44	44	74	77	136							0.047	11,885	128.5		
AW106	4/13/89		75	84	84.2	84.2	116							0.031	4,806	85.6		
AW106	5/9/89		77	77	75	75	141							-0.005	-1,184	-14.9		
AW106	6/14/89		63	72	81	81	93							0.036	6,361	98.4		
AW106	7/18/89		66	89	79	82	172						0.066	8,645	180.7			
AW106	12/16/89		36	36	72	72	130							0.050	12,540	137.8		
AW106	1/12/90		40	45	72	72	108							0.043	9,591	118.8		
AW106	2/8/90		35	41	68	72	116						0.039	9,731	108.8			
AW106	3/30/90		44	53	72	75	213						0.080	17,071	221.6			
AW106	4/5/90		49	63	70	72	830						0.290	51,557	798.6			
AW106	5/7/90		46	56	74	74	199							0.085	16,659	235.4		
AW106	6/5/90	Stopper Data: High Air Flow	57	75	77	78	2496						1.084	171,473	2,984.1			
AW106	7/7/90		65	88	80	81	208						0.090	12,075	248.1			
AW106	8/6/90		71	100	52	79	177					-0.040	-10,319	-110.6				
AW106	9/4/90		63	83	72	83	139					0.028	4,305	78.2				
AW106	10/8/90		53	64	68	71	124					0.031	5,613	85.2				
AW106	11/9/90		51	65	48	53	145					0.006	-1,061	16.8				
AW106	12/5/90		46	53	68	73	130					0.035	8,007	95.1				
AW106	1/7/91		21	21	70	70	166						0.070	19,109	194.0			
AW106	2/6/91		36	40	66	67	218						0.068	16,567	187.9			
AW106	3/5/91		39	49	67	68	203						0.072	14,918	198.9			
AW106	4/3/91	Stopper Data: Outlet Valve Closed On	46	52	73	72	183											
AW106	5/16/91		51	69	70	70	182							0.071	14,655	196.0		
AW106	6/3/91		50	70	72	72	141							0.069	10,496	189.1		
AW106	7/1/91		72	85	73	76	132						0.061	9,490	168.6			
AW106	8/1/91	No Data											0.013	562	35.1			
AW106	9/4/91		61	93	78	80	166											
AW106	10/30/92		54	58	71.6	71.6	152					0.083	10,262	229.0	0.083	10,262	229.0	
AW106	3/7/93		24	24	63	64	135							0.041	8,453	112.1		
AW106	3/11/94		47	57	64	64	291							0.041	11,875	111.8		
AW106	4/13/94		42	52	65	65	214							0.076	13,664	209.9		
AW106														0.067	13,072	185.2		

Data obtained from WHC Surveillance, January 16, 1995.

		ANNULUS DATA																			
TANK	DATE	COMMENTS	RAW DATA				HAND WRITTEN FROM HP CALCULATOR				ELECTRONICALLY WRITTEN FROM PROGRAM				CALCULATED HERE USING PROGRAM						
			AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)	EVAPORATION RATE (IN/HR)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/HR)					
AW106	8/23/80		61	86	62.6	84.2	357	0.020	1,782					0.118	1,755		44.6				
AW106	9/17/80		61	71	65.3	84.2	790	<0.1	10,356	-11.5				-0.060	10,335		-22.7				
AW106	9/30/80		61	80	64.4	82.4	324	<0.1	3,433	48.2				0.122	3,403		46.5				
AW106	11/18/80		38	39	53.6	73.4	783	<0.1	27,448	-27.1				-0.103	27,294		-39.0				
AW106	12/2/80		33.5	34	51.8	71.6	680	<0.1	25,857	-16.0				-0.065	25,685		-24.8				
AW106	1/7/81		39	43	50	66.2	590	<0.1	14,419	-8.0				-0.036	14,331		-13.8				
AW106	1/26/81		37	39	51.8	64.4	607	0.020	20,102					0.141	19,940		53.5				
AW106	2/23/81		29	30	49.1	64.4	545	0.014	22,469					0.087	22,310		32.9				
AW106	4/2/81		40	44	51.8	64.4	382	0.012	10,340					0.080	10,260		30.2				
AW106	5/15/81		40	47	48.2	64.4	488	<0.1	8,846	-7.8				-0.027	8,792		-10.2				
AW106	6/29/81		53	73	50	64.4	336	<0.1	-2,524	11.6				0.032	-2,519		12.3				
AW106	7/22/81		58	77	55.4	69.8	368	<0.1	-2,630	4.3				0.015	-2,623		5.8				
AW106	7/22/81		61	83	59.9	71.6	408	0.026	-1,197					0.189	-1,227		71.6				
AW106	9/23/81		68	104	59	74.3	521	-0.007	-17,688					0.117	-14,628		44.3				
AW106	11/10/81		45	50	54.5	72.5	386	<0.1	8,825	-9.5				-0.037	8,785		-14.0				
AW106	1/15/82		41	41	55.4	68	306	0.010	10,470					0.060	10,398		22.6				
AW106	2/5/82	Suspect Data: Ambient Values No Value	37	40	48.2	62.6	404	<0.1	9,804	-3.6				-0.018	9,738		-7.0				
AW106	3/2/82		46	56	50.9	61.7	376	0.014	4,466												
AW106	5/4/82		48	62	48.2	66.2	548	<0.1	203	-42.0				0.099	4,423		37.6				
AW106	6/7/82		54	73	51.8	68	633	<0.1	-3,584	-2.8				-0.112	225		-42.4				
AW106	7/27/82		66	91	58.1	75.2	360	<0.1	-8,752	-48.9				-0.004	-3,568		-1.5				
AW106	8/9/82		67	79	63	75	603	<0.1	-7,995	-93.0				-0.113	-8,708		-42.7				
AW106	10/14/82		50	53	59	73.4	390	0.005	9,246					-0.246	-7,937		-93.4				
AW106	12/15/82		35	36	50	68	416		13,377	-19.6				0.017	9,202		6.3				
AW106	1/25/83		37	39	50	64.4	602		17,189	8.4				-0.064	13,293		-24.4				
AW106	2/11/83		47	51	51.8	62.6	483		5,638	-9.2				0.008	17,068		2.9				
AW106	3/4/83		49	51	53.6	59	611		7,184	33.0				-0.034	5,613		-12.9				
AW106	4/8/83		42	52	52.8	77.9	534		13,155	-28.9				0.075	7,135		28.4				
AW106	5/11/83		55	71	59	69.8	525		6,020	123.7				-0.083	13,098		-31.5				
AW106	6/9/83		57	68	62.6	82.4	326		5,238	5.2				0.320	5,941		121.4				
AW106	7/11/83		61	77	63.5	83.3	436		3,286	7.0				0.003	5,220		1.2				
AW106	8/4/83		66	92	63.5	86	426		-3,378	-12.8				0.012	3,275		4.7				
AW106	9/23/83		54	63	60.8	84.2	622		11,449	-45.0				-0.027	-3,366		-10.4				
AW106	10/7/83		45	53	57.2	84.2	604		17,785	-37.9				-0.142	11,432		-53.8				
AW106	11/23/83		36	37.5	63.3	80.6	599		39,490	227.6				-0.117	17,722		-44.6				
AW106	12/12/83		28	28	56.3	77	628		37,780	93.7				0.563	39,176		213.5				
AW106	1/25/84		43	52	56.3	75.2	426		13,645	57.3				0.230	37,629		87.4				
AW106	3/29/84		43	52	53.6	75.2	543		13,443	-0.5				0.140	13,546		53.1				
AW106	4/16/84		52	71	68	71.6	648		31,365	571.8				-0.011	13,371		-4.3				
AW106	5/24/84		46	55	59	78.8	544		17,843	76.0				1.479	31,022		561.4				
AW106	7/3/84		62	85	63	80	581		12,975	92.4				0.182	17,727		69.2				
AW106	9/20/84		62	67	69.8	87.8	515		12,975	32.7				0.243	18,993		92.3				
AW106	12/12/84		22	26	55	71	448		30,110	157.4				0.046	12,931		17.4				
AW106														0.410	29,618		155.4				

Data obtained from WHC Surveillance, January 16, 1995.

ANNULUS DATA																				
TANK		DATE	COMMENTS	RAW DATA					HAND WRITTEN FROM HP CALCULATOR				ELECTRONICALLY WRITTEN FROM PROGRAM				CALCULATED HERE USING PROGRAM			
				AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)
AW106		3/6/85		43	48	60	90	698		28,675	34.2					-0.122	28,561	-46.2		
AW106		4/8/85		55	67	58	84	662		5,264	-128.0					-0.352	5,311	-133.4		
AW106		5/6/85		52	64	62.6	95	660		18,603	-46.4					-0.148	18,567	-56.0		
AW106		6/6/85		55	56	68	93	707		26,790	-8.4					-0.090	26,728	-34.0		
AW106		7/15/85		65	88	70	108	736		11,680	-58.4					-0.182	11,692	-69.0		
AW106		8/27/85		54	70	68	100.4	704		28,287	119.2					0.282	28,153	107.0		
AW106		9/11/85		55	61	71.5	104	707		35,034	77.5					0.129	34,910	49.0		
AW106		10/24/85		53	65	66	104	544		19,367	-40.3					-0.135	19,334	-51.1		
AW106		11/8/85		39	45	63	97	744		42,588	53.2					0.111	42,359	42.1		
AW106		12/9/85		28	30	54	92	634		33,195	-141.7					-0.381	33,049	-144.7		
AW106		1/8/86		34	36	93.2	95	794		154,309	1,990.2					5.129	153,181	1,946.4		
AW106		3/6/86		52	57	64.4	87.8	703		24,057	26.4					0.022	23,965	8.5		
AW106		4/17/86		48	60	64.4	88	314		13,782	85.5					0.213	13,690	80.7		
AW106		5/8/86		51	60	64.4	102.2	714		25,304	-100.1					-0.304	25,277	-115.2		
AW106		6/24/86		71	96	75.2	109.4	921		10,419	29.4					0.037	13,989	13.9		
AW106		7/10/86		59	69	69.8	104	978		31,872	-52.4					-0.220	31,890	-83.3		
AW106		8/7/86		64	84	66	99	877		5,107	-154.5					-0.428	5,174	-162.2		
AW106		9/16/86		54	55	68	95	772		23,447	-157.1					-0.122	31,013	-46.2		
AW106		10/27/86		54	59	86.8	93.2	816		97,389	1,275.0					3.222	96,760	1,222.6		
AW106		11/20/86		54	64	68	96.8	815		32,897	100.5					0.210	32,758	79.9		
AW106		12/11/86		25	26	59	89.6	845		59,894	74.5					0.187	59,686	70.8		
AW106		1/14/87		32	34	54	70	820		48,938	79.8					0.333	38,860	126.4		
AW106		2/3/87		36	37	59	83	847		44,682	67.8					0.135	44,394	51.2		
AW106		3/4/87		49	51	64	82	808		32,853	119.0					0.254	32,676	96.3		
AW106		4/9/87		50	62	63	85	817		28,683	166.1					0.407	28,499	154.3		
AW106		6/8/87		64	67	68	87.8	798		10,015	-136.4					-0.417	10,044	-158.3		
AW106		7/7/87		65	87	68	87.8	843		8,516	143.8					0.368	8,436	139.7		
AW106		8/4/87		63	82	68	90.6	792		12,756	104.6					0.253	12,682	96.2		
AW106		9/11/87		58	74	73.4	98.6	771		38,009	343.9					0.853	37,772	323.7		
AW106		10/8/87		55	65	70	90	799		36,354	288.7					0.704	36,130	267.3		
AW106		11/5/87		46	49	68	89.6	776		46,433	254.0					0.604	46,147	229.0		
AW106		12/4/87		43	44	64	86	697		37,314	123.7					0.273	37,094	103.6		
AW106		1/5/88		24	26	55.4	82.4	827		52,606	64.2					0.165	52,357	62.6		
AW106		2/4/88		32	34	54	80	828		38,722	-30.5					-0.105	38,476	-39.7		
AW106		3/10/88		41	56	57	75	742		28,434	248.2					0.642	28,154	243.7		
AW106		4/21/88		56	62	67.8	85.8	724		25,655	140.5					0.318	25,522	120.5		
AW106		5/13/88		59	65	64.4	87.8	778		12,177	-118.3					-0.356	12,196	-135.2		
AW106		6/6/88		56	68	67.8	90.4	763		26,850	168.1					0.400	26,701	152.0		
AW106		7/11/88		63	79	100	102	700		15,629	10.9					4.882	118,988	1,852.4		
AW106		8/11/88		63	75	75	105.8	684		27,556	115.2					0.235	27,455	89.1		
AW106		9/19/88		57	54	73.4	107.6	652		37,919	86.2					-0.241	32,740	-91.4		
AW106		10/13/88		57	68	71.6	89.6	575		26,515	251.6					0.621	26,343	235.7		
AW106		11/8/88		45	49	66	92	649		35,728	126.7					0.287	35,528	108.9		
AW106		12/8/88		40	41	64	87	651		38,760	138.9					0.319	38,512	121.1		

ANNULUS DATA																			
RAW DATA		HAND WRITTEN FROM HP CALCULATOR							ELECTRONICALLY WRITTEN FROM PROGRAM							CALCULATED HERE USING PROGRAM			
TANK	DATE	COMMENTS	AMBIENT WET BULB (°F)	AMBIENT DRY BULB (°F)	OUTLET WET BULB (°F)	OUTLET DRY BULB (°F)	AIR FLOW (CFM)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)	EVAPORATION RATE (IN/WK)	HEAT TRANSFER (BTU/HR)	EVAPORATION RATE (GAL/WK)
AW106	1/4/89		44	48	61	79	702		30,177	131.7	0.310	29,977	117.4	0.310	29,977	117.4	0.310	29,977	117.4
AW106	2/17/89		26	27	56	74	774				0.471	48,557	178.7	0.471	48,557	178.7	0.471	48,557	178.7
AW106	3/8/89		44	44	54	65	400										0.008	9,604	3.1
AW106	4/13/89	Suspicious Ambient vs. Control Dr.	84	75	64.4	75.2	221										-0.841	-18,025	-319.0
AW106	5/9/89		77	77	66	77	222										-0.442	-9,408	-167.9
AW106	6/14/89		63	72	68	76	246				0.142	4,077	53.7	0.142	4,077	53.7	0.142	4,077	53.7
AW106	7/18/89		60	89	64	82	181				0.173	2,253	65.8	0.173	2,253	65.8	0.173	2,253	65.8
AW106	12/16/89		36	36	55	70	419										0.110	17,877	41.7
AW106	1/12/90		40	45	52	70	413				-0.006	11,164	-2.3	-0.006	11,164	-2.3	-0.006	11,164	-2.3
AW106	2/8/90		35	41	54	63	208				0.187	8,847	71.1	0.187	8,847	71.1	0.187	8,847	71.1
AW106	3/30/90		44	53	56	68	462				0.290	13,553	109.9	0.290	13,553	109.9	0.290	13,553	109.9
AW106	4/5/90		49	63	57	72	1102				0.575	22,662	218.1	0.575	22,662	218.1	0.575	22,662	218.1
AW106	5/7/90		46	56	56	70	402				0.185	9,964	70.1	0.185	9,964	70.1	0.185	9,964	70.1
AW106	6/5/90	Suspicious Data: High Air Flow	57	75	67	76	1788				2.568	55,288	974.3	2.568	55,288	974.3	2.568	55,288	974.3
AW106	7/7/90		65	88	67	81	431				0.302	2,983	114.5	0.302	2,983	114.5	0.302	2,983	114.5
AW106	8/6/90		71	100	63	82	387				-0.124	-10,392	-47.1	-0.124	-10,392	-47.1	-0.124	-10,392	-47.1
AW106	9/4/90		63	83	68	81	438				0.395	7,273	149.7	0.395	7,273	149.7	0.395	7,273	149.7
AW106	10/8/90		53	64	67	78	332				0.414	13,648	157.0	0.414	13,648	157.0	0.414	13,648	157.0
AW106	11/9/90		51	65	54	65	298				0.112	2,325	42.7	0.112	2,325	42.7	0.112	2,325	42.7
AW106	12/5/90		46	53	55	69	360				0.077	7,950	29.4	0.077	7,950	29.4	0.077	7,950	29.4
AW106	1/7/91		21	21	50	64	208										0.102	11,807	38.8
AW106	2/6/91		36	40	54	59	166				0.161	6,800	61.1	0.161	6,800	61.1	0.161	6,800	61.1
AW106	3/5/91		39	49	52	67	273				0.130	7,992	49.2	0.130	7,992	49.2	0.130	7,992	49.2
AW106	4/3/91		46	52	59	70	291				0.189	9,666	71.6	0.189	9,666	71.6	0.189	9,666	71.6
AW106	5/16/91		51	69	56	72	342				0.162	4,455	61.3	0.162	4,455	61.3	0.162	4,455	61.3
AW106	6/3/91		50	70	56	72	316				0.204	4,899	77.5	0.204	4,899	77.5	0.204	4,899	77.5
AW106	7/1/91		72	85	65	74	308				-0.173	-7,641	-65.8	-0.173	-7,641	-65.8	-0.173	-7,641	-65.8
AW106	8/19/91		74	89	65	80	281				-0.292	-9,140	-111.0	-0.292	-9,140	-111.0	-0.292	-9,140	-111.0
AW106	9/4/91		61	93	60	81	492				0.241	-1,301	91.4	0.241	-1,301	91.4	0.241	-1,301	91.4
AW106	10/30/92		54	58	59	73.4	308				-0.056	4,169	-21.2	-0.056	4,169	-21.2	-0.056	4,169	-21.2
AW106	3/1/93		24	24	52	57	318										0.331	18,332	125.6
AW106	3/11/94		47	57	54	66	268				0.096	4,641	36.4	0.096	4,641	36.4	0.096	4,641	36.4
AW106	4/13/94		42	52	54	67	296				0.172	8,377	65.2	0.172	8,377	65.2	0.172	8,377	65.2

APPENDIX G

Riser Configuration and Tank Cross Section

THIS PAGE INTENTIONALLY
LEFT BLANK

Ref: WHC-SD-RE-TI-093, Rev.3
H-2-70403, Rev.6
H-14-010502, Sh.2, Rev.0

If there was a discrepancy between the documents and drawing, the drawing shall take precedence.

Ref: H-2-70394 Rev.2

*- Tank volume based upon
inventory estimate on 1/94.
"Tank Layer Model (TLM)" Rev.1a
Agnew, S.F., April 1995

[not to scale]

241-AW-101			
*NEW NO.	NO.	DIA.	DESCRIPTION AND COMMENTS
201	1A	4"	LIQUID LEVEL IND.
202	1B	4"	SMP, P/CP (12 IN. CVR)
203	1C	4"	SMP
204	2A	4"	LIT
205	3A	12"	SUPERNATANT PUMP, CENTRAL PUMP PIT
206	4A	4"	THERMOCOUPLE PROBE
207	5A	42"	MANHOLE / SPARE
208	5B	42"	MANHOLE / SPARE [4 FLANGE CVR W/ CAMERA & EQPT, ECN 613265, 1-25-95]
209	6A	24"	ANNULUS ACCESS OPENING / SPARE
210	6B	24"	ANNULUS ACCESS OPENING / SPARE
211	7A	12"	TANK VENTILATION
212	7B	12"	SPARE
213	8A	4"	ANNULUS AIR INLET
214	8B	4"	ANNULUS AIR INLET
215	8C	4"	ANNULUS AIR INLET
217	8D	4"	ANNULUS AIR INLET
218	8E	4"	ANNULUS AIR INLET
219	8F	4"	ANNULUS AIR INLET
221	8G	4"	ANNULUS AIR INLET
222	8H	4"	ANNULUS AIR INLET
223	9A	8"	ANNULUS AIR OUTLET
224	9B	8"	ANNULUS AIR OUTLET
225	9C	8"	ANNULUS AIR OUTLET
226	9D	8"	ANNULUS AIR OUTLET
227	10A	4"	SPARE, P/CP (12 IN. CVR)
228	11A	42"	SLURRY DISTRIBUTOR, CENTRAL PUMP PIT
229	12A	12"	OBSERVATION PORT / SPARE
231	13A	4"	SPARE
232	13B	4"	TANK PRESSURE, P/CP (24 IN. CVR)
233	14A	4"	SUPERNATANT RETURN, CENTRAL PUMP PIT
234	15A	4"	SPARE, P/CP (12 IN. CVR)
235	16A	4"	SMP, P/CP (12 IN. CVR)
236	16B	4"	PRESSURE INDICATOR
237	16C	4"	SMP
238	17A	4"	ANNULUS INSPECTION PORT
239	17B	4"	ANNULUS INSPECTION PORT
241	17C	4"	ANNULUS INSPECTION PORT, P/CP (12 IN. CVR)
242	17D	4"	ANNULUS INSPECTION PORT

241-AW-101			
*NEW NO.	NO.	DIA.	DESCRIPTION AND COMMENTS
243	17E	4"	ANNULUS INSPECTION PORT, P/CP (12 IN. CVR)
244	17F	4"	ANNULUS INSPECTION PORT
245	17G	4"	ANNULUS INSPECTION PORT
246	17H	4"	ANNULUS INSPECTION PORT
247	17J	4"	ANNULUS INSPECTION PORT
248	17K	4"	ANNULUS INSPECTION PORT
249	17L	4"	ANNULUS INSPECTION PORT
251	18A	12"	ANNULUS ACCESS
252	18B	12"	ANNULUS ACCESS
253	19A	4"	TBX 101-4
254	19B	4"	TBX 101-5
255	19C	4"	TBX 101-6
256	19D	4"	TBX 101-1
257	19E	4"	TBX 101-2
258	19F	4"	TBX 101-3
259	20A	12"	ANNULUS PUMP PIT DRAIN
260	21A	4"	HIGH LEVEL SENSOR, P/CP (12 IN. CVR)
262	22A	4"	SMP
263	24A	12"	SPARE
264	24B	12"	SPARE
265	25A	20"	SPARE
266	25B	20"	SPARE
267	26A	36"	SPARE
268	27A	4"	LEAK DETECTOR 101-4
269	27B	4"	LEAK DETECTOR 101-2
270	27C	4"	LEAK DETECTOR 101-3

Ref: WHC-SD-RE-TI-093, Rev.3
H-2-70403, Rev.6
H-14-010502 Sh.2, Rev.0

If there was a discrepancy between the documents and the drawing,
the most recent drawing shall take precedence.

Comments placed in [] denote Engineering Change Notices (ECN) made against the reference drawings.

* Denotes Engineering Change Notice (ECN) 613265, dated 1/25/95, made against the reference drawings.

THIS PAGE INTENTIONALLY LEFT BLANK

241-AW-102

4,396,400 Liters
[1,160,000 Gallons]

TANK RISER LOCATION

Approximate Grade Elevation 209.6m [687.66ft]

Ref: WHC-SD-RE-TI-093, Rev.3
H-2-70404, Rev.12
H-14-010502, Sh.2, Rev.0

If there was a discrepancy between the documents and drawing, the drawing shall take precedence.

Ref: H-2-70394

TANK CROSS-SECTION

[not to scale]

G-5

*- Tank volume based upon inventory estimate on 1/94.
"Tank Layer Model (TLM)" Rev.1a
Agnew, S.F., April 1995

241-AW-102			
*NEW NO.	NO.	DIA.	DESCRIPTION AND COMMENTS
201	1A	4"	LIQUID LEVEL IND.
202	1B	4"	SMP, P/CP (12 IN. CVR)
203	1C	4"	SMP, P/CP (12 IN. CVR)
204	2A	4"	LIT
205	3A	12"	SUPERNATANT PUMP, CENTRAL PUMP PIT
206	4A	4"	THERMOCOUPLE PROBE
207	5A	42"	MANHOLE / SPARE
208	5B	42"	MANHOLE / SPARE
209	6A	24"	ANNULUS ACCESS OPENING / SPARE
210	6B	24"	ANNULUS ACCESS OPENING / SPARE
211	7A	12"	SPECIFIC GRAVITY
212	7B	12"	TANK VENTILATION
213	8A	4"	ANNULUS AIR INLET
214	8B	4"	ANNULUS AIR INLET
215	8C	4"	ANNULUS AIR INLET
217	8D	4"	ANNULUS AIR INLET
218	8E	4"	ANNULUS AIR INLET
219	8F	4"	ANNULUS AIR INLET
221	8G	4"	ANNULUS AIR INLET
222	8H	4"	ANNULUS AIR INLET
223	9A	8"	ANNULUS AIR OUTLET
224	9B	8"	ANNULUS AIR OUTLET [was 9A, ECN 613265, 1-25-95]
225	9C	8"	ANNULUS AIR OUTLET
226	9D	8"	ANNULUS AIR OUTLET
227	10A	4"	FLUSH / SERVICE PIT DRAIN
228	11A	42"	AIR LIFT CIRCULATOR
229	12A	12"	OBSERVATION PORT / SPARE
231	13A	4"	HVAC SEAL POTS DRAIN
232	13B	4"	TANK PRESSURE, P/CP (24 IN. CVR)
233	14A	4"	SUPERNATANT RETURN, CENTRAL PUMP PIT
234	15A	4"	SPARE, P/CP (12 IN. CVR)
235	16A	4"	SMP
236	16B	4"	PRESSURE INDICATOR
237	16C	4"	SMP, P/CP (12 IN. CVR)
238	17A	4"	ANNULUS INSPECTION PORT
239	17B	4"	ANNULUS INSPECTION PORT
241	17C	4"	ANNULUS INSPECTION PORT
242	17D	4"	ANNULUS INSPECTION PORT

241-AW-102			
*NEW NO.	NO.	DIA.	DESCRIPTION AND COMMENTS
243	17E	4"	ANNULUS INSPECTION PORT, P/CP (12 IN. CVR)
244	17F	4"	TBX102-6
245	17G	4"	ANNULUS INSPECTION PORT
246	17H	4"	ANNULUS INSPECTION PORT, P/CP (12 IN. CVR)
247	17J	4"	ANNULUS INSPECTION PORT
248	17K	4"	ANNULUS INSPECTION PORT, P/CP (12 IN. CVR)
249	17L	4"	ANNULUS INSPECTION PORT
251	18A	12"	ANNULUS ACCESS
252	18B	12"	ANNULUS ACCESS
253	19A	4"	TBX 102-4
254	19B	4"	TBX 102-5
255	19C	4"	ANNULUS INSPECTION PORT
256	19D	4"	TBX 102-1
257	19E	4"	TBX 102-2
258	19F	4"	TBX 102-3
259	20A	12"	ANNULUS PUMP PIT DRAIN
260	21A	4"	HIGH LEVEL SENSOR, P/CP (12 IN. CVR)
262	22A	4"	SMP
263	24A	12"	FEED PUMP PIT DRAIN
264	24B	12"	SPARE, P/CP (24 IN. CVR)
265	25A	20"	SPARE
266	25B	20"	272-AW DECON. SHOWER DRAIN
267	26A	36"	241-AW VALVE PIT & 242-A BLDG. DRAIN
268	27A	4"	LEAK DETECTOR 102-4
269	27B	4"	LEAK DETECTOR 102-2
270	27C	4"	LEAK DETECTOR 102-3

Ref: WHC-SD-RE-TI-093, Rev.3
H-2-70404, Rev.12
H-14-010502, Sh. 2, Rev.0

If there was a discrepancy between the documents and the drawing,
the most resent drawing shall take precedence.

Comments placed in [] denote Engineering Change Notices (ECN) made against the reference drawings.

* Denotes Engineering Change Notice (ECN) 613265, dated 1/25/95, made against the reference drawings.

THIS PAGE INTENTIONALLY LEFT BLANK

241-AW-103

4,396,400 Liters
[1,160,000 Gallons]

TANK RISER LOCATION

Approximate Grade Elevation 209.6m [687.99ft]

Ref: WHC-SD-RE-TI-093, Rev.3
H-2-70405, Rev.7
H-14-010502, Sh.2, Rev.0

If there was a discrepancy between
the documents and drawing, the
drawing shall take precedence.

Ref: H-2-70394 Rev.2

TANK CROSS-SECTION

[not to scale]

G-9

*- Tank volume based upon
inventory estimate on 1/94.
"Tank Layer Model (TLM)" Rev.1a
Agnew, S.F., April 1995

241-AW-103			
*NEW NO.	NO.	DIA.	DESCRIPTION AND COMMENTS
201	1A	4"	LIQUID LEVEL IND.
202	1B	4"	SMP
203	1C	4"	SMP, P/CP (12 IN. CVR)
204	2A	4"	LIT
205	3A	12"	SUPERNATANT PUMP, CENTRAL PUMP PIT
206	4A	4"	THERMOCOUPLE PROBE
207	5A	42"	MANHOLE / SPARE
208	5B	42"	MANHOLE / SPARE
209	6A	24"	ANNULUS ACCESS OPENING / SPARE
210	6B	24"	ANNULUS ACCESS OPENING / SPARE
211	7A	12"	SPARE
212	7B	12"	TANK VENTILATION
213	8A	4"	ANNULUS AIR INLET
214	8B	4"	ANNULUS AIR INLET
215	8C	4"	ANNULUS AIR INLET
217	8D	4"	ANNULUS AIR INLET
218	8E	4"	ANNULUS AIR INLET
219	8F	4"	ANNULUS AIR INLET
221	8G	4"	ANNULUS AIR INLET
222	8H	4"	ANNULUS AIR INLET
223	9A	8"	ANNULUS AIR OUTLET
224	9B	8"	ANNULUS AIR OUTLET
225	9C	8"	ANNULUS AIR OUTLET
226	9D	8"	ANNULUS AIR OUTLET
227	10A	4"	SPARE
228	11A	42"	SLURRY DISTRIBUTOR, CENTRAL PUMP PIT
229	12A	12"	OBSERVATION PORT / SPARE
231	13A	4"	LOW
232	13B	4"	TANK PRESSURE, P/CP (24 IN. CVR)
233	14A	4"	SUPERNATANT RETURN, CENTRAL PUMP PIT
234	15A	4"	SPARE
235	16A	4"	SMP
236	16B	4"	PRESSURE INDICATOR
237	16C	4"	SMP, P/CP (12 IN. CVR)
238	17A	4"	ANNULUS INSPECTION PORT
239	17B	4"	ANNULUS INSPECTION PORT

241-AW-103			
*NEW NO.	NO.	DIA.	DESCRIPTION AND COMMENTS
241	17C	4"	ANNULUS INSPECTION PORT
242	17D	4"	ANNULUS INSPECTION PORT
243	17E	4"	ANNULUS INSPECTION PORT
244	17F	4"	TBX 103-6
245	17G	4"	ANNULUS INSPECTION PORT
246	17H	4"	ANNULUS INSPECTION PORT, P/CP (12 IN. CVR)
247	17J	4"	ANNULUS INSPECTION PORT
248	17K	4"	ANNULUS INSPECTION PORT, P/CP (12 IN. CVR)
249	17L	4"	ANNULUS INSPECTION PORT
251	18A	12"	ANNULUS ACCESS
252	18B	12"	ANNULUS ACCESS
253	19A	4"	TBX 103-4
254	19B	4"	TBX 103-5
255	19C	4"	ANNULUS INSPECTION PORT
256	19D	4"	TBX 103-1
257	19E	4"	TBX 103-2
258	19F	4"	TBX 103-3
259	20A	12"	ANNULUS PUMP PIT DRAIN
260	21A	4"	HIGH LEVEL SENSOR
262	22A	4"	SMP
268	27A	4"	LEAK DETECTOR 103-4
269	27B	4"	LEAK DETECTOR 103-2
270	27C	4"	LEAK DETECTOR 103-3

Ref: WHC-SD-RE-TI-093, Rev.3
H-2-70405, Rev.7
H-14-010502, SH.2, Rev.0

If there was a discrepancy between the documents and the drawing,
the drawing shall take precedence.

* Denotes Engineering Change Notice (ECN) 613265, dated 1/25/95, made against the reference
drawings.

THIS PAGE INTENTIONALLY LEFT BLANK

241-AW-104

4,396,400 Liters
[1,160,000 Gallons]

TANK RISER LOCATION

Approximate Grade Elevation 209.6m [687.66ft]

Ref: WHC-SD-RE-TI-093, Rev.3
H-2-70406, Rev.9
H-14-010502, Sh.2, Rev.0If there was a discrepancy between
the documents and drawing, the
drawing shall take precedence.

Ref: H-2-70394 Rev.2

TANK CROSS-SECTION

[not to scale]

G-13

*- Tank volume based upon
inventory estimate on 1/94.
"Tank Layer Model (TLM)" Rev.1a
Agnew, S.F., April 1995

241-AW-104			
*NEW NO.	NO.	DIA.	DESCRIPTION AND COMMENTS
201	1A	4"	LIQUID LEVEL IND.
202	1B	4"	SMP, P/CP (12 IN. CVR)
203	1C	4"	SMP
204	2A	4"	LIT
205	3A	12"	SUPERNATANT PUMP, CENTRAL PUMP PIT
206	4A	4"	THERMOCOUPLE PROBE
207	5A	42"	MANHOLE / SPARE
208	5B	42"	MANHOLE / SPARE
209	6A	24"	ANNULUS ACCESS OPENING / SPARE
210	6B	24"	ANNULUS ACCESS OPENING / SPARE
211	7A	12"	TANK VENTILATION
212	7B	12"	SPARE
213	8A	4"	ANNULUS AIR INLET
214	8B	4"	ANNULUS AIR INLET
215	8C	4"	ANNULUS AIR INLET
217	8D	4"	ANNULUS AIR INLET
218	8E	4"	ANNULUS AIR INLET
219	8F	4"	ANNULUS AIR INLET
221	8G	4"	ANNULUS AIR INLET
222	8H	4"	ANNULUS AIR INLET
223	9A	8"	ANNULUS AIR OUTLET
224	9B	8"	ANNULUS AIR OUTLET
225	9C	8"	ANNULUS AIR OUTLET
226	9D	8"	ANNULUS AIR OUTLET
227	10A	4"	SPARE, P/CP (12 IN. CVR)
228	11A	42"	SLURRY DISTRIBUTOR, CENTRAL PUMP PIT
229	12A	12"	OBSERVATION PORT / SPARE
231	13A	4"	SMP / SPARE
232	13B	4"	TANK PRESSURE, P/CP (12 IN. CVR)
233	14A	4"	SUPERNATANT RETURN, CENTRAL PUMP PIT
234	15A	4"	SPARE
235	16A	4"	SMP, P/CP (12 IN. CVR)
236	16B	4"	PRESSURE INDICATOR
237	16C	4"	SMP
238	17A	4"	ANNULUS INSPECTION PORT
239	17B	4"	ANNULUS INSPECTION PORT

241-AW-104			
*NEW NO.	NO.	DIA.	DESCRIPTION AND COMMENTS
241	17C	4"	ANNULUS INSPECTION PORT, P/CP (12 IN. CVR)
242	17D	4"	ANNULUS INSPECTION PORT
243	17E	4"	ANNULUS INSPECTION PORT, P/CP (12 IN. CVR)
244	17F	4"	TBX 104-6
245	17G	4"	ANNULUS INSPECTION PORT
246	17H	4"	ANNULUS INSPECTION PORT
247	17J	4"	ANNULUS INSPECTION PORT
248	17K	4"	ANNULUS INSPECTION PORT
249	17L	4"	ANNULUS INSPECTION PORT
251	18A	12"	ANNULUS ACCESS
252	18B	12"	ANNULUS ACCESS
253	19A	4"	TBX 104-4
254	19B	4"	TBX 104-5
255	19C	4"	SPARE
256	19D	4"	TBX 104-1
257	19E	4"	TBX 104-2
258	19F	4"	TBX 104-3
259	20A	12"	ANNULUS PUMP PIT DRAIN
260	21A	4"	HIGH LEVEL SENSOR, P/CP (12 IN. CVR)
262	22A	4"	LOW
268	27A	4"	LEAK DETECTOR 4
269	27B	4"	LEAK DETECTOR 2
270	27C	4"	LEAK DETECTOR 3

Ref: WHC-SD-RE-TI-093, Rev.3
H-2-70406, Rev.9
H-14-010502, Sh.2, Rev.0

If there was a discrepancy between the documents and the drawing,
the drawing shall take precedence.

* Denotes Engineering Change Notice (ECN) 613265, dated 1/25/95, made against the reference drawings.

THIS PAGE INTENTIONALLY LEFT BLANK

241-AW-105

WHC-SD-WM-ER-316, Rev. 0

4,396,400 Liters
[1,160,000 Gallons]

TANK RISER LOCATION

Approximate Grade Elevation 209.6m [687.66ft]

Ref: WHC-SD-RE-TI-093, Rev.3

H-2-70407, Rev.5

H-14-010502, Sh.2, Rev.0

If there was a discrepancy between the documents and drawing, the drawing shall take precedence.

Ref: H-2-70394 Rev.2

TANK CROSS-SECTION

[not to scale]

*- Tank volume based upon inventory estimate on 1/94.
"Tank Layer Model (TLM)" Rev.1a
Agnew, S.F., April 1995

241-AW-105			
*NEW NO.	NO.	DIA.	DESCRIPTION AND COMMENTS
201	1A	4"	LIQUID LEVEL IND.
202	1B	4"	SMP
203	1C	4"	SMP, P/CP (12 IN. CVR)
204	2A	4"	LIT
205	3A	12"	SUPERNATANT PUMP, CENTRAL PUMP PIT
206	4A	4"	THERMOCOUPLE PROBE
207	5A	42"	MANHOLE / SPARE
208	5B	42"	MANHOLE / SPARE
209	6A	24"	ANNULUS ACCESS OPENING / SPARE
210	6B	24"	ANNULUS ACCESS OPENING / SPARE
211	7A	12"	SPARE, P/CP (12 IN. CVR)
212	7B	12"	TANK VENTILATION
213	8A	4"	ANNULUS AIR INLET
214	8B	4"	ANNULUS AIR INLET
215	8C	4"	ANNULUS AIR INLET
217	8D	4"	ANNULUS AIR INLET
218	8E	4"	ANNULUS AIR INLET
219	8F	4"	ANNULUS AIR INLET
221	8G	4"	ANNULUS AIR INLET
222	8H	4"	ANNULUS AIR INLET
223	9A	8"	ANNULUS AIR OUTLET
224	9B	8"	ANNULUS AIR OUTLET
225	9C	8"	ANNULUS AIR OUTLET
226	9D	8"	ANNULUS AIR OUTLET
227	10A	4"	SPARE
228	11A	42"	SLURRY DISTRIBUTOR, CENTRAL PUMP PIT
229	12A	12"	OBSERVATION PORT / SPARE
231	13A	4"	SMP / SPARE
232	13B	4"	TANK PRESSURE, P/CP (24 IN. CVR)
233	14A	4"	SUPERNATANT RETURN, CENTRAL PUMP PIT
234	15A	4"	SPARE
235	16A	4"	SMP
236	16B	4"	PRESSURE INDICATOR
237	16C	4"	SMP, P/CP (12 IN. CVR)
238	17A	4"	ANNULUS INSPECTION PORT
239	17B	4"	ANNULUS INSPECTION PORT

241-AW-105			
*NEW NO.	NO.	DIA.	DESCRIPTION AND COMMENTS
241	17C	4"	ANNULUS INSPECTION PORT
242	17D	4"	ANNULUS INSPECTION PORT
243	17E	4"	ANNULUS INSPECTION PORT
244	17F	4"	ANNULUS INSPECTION PORT
245	17G	4"	ANNULUS INSPECTION PORT
246	17H	4"	ANNULUS INSPECTION PORT, P/CP (12 IN. CVR)
247	17J	4"	ANNULUS INSPECTION PORT
248	17K	4"	ANNULUS INSPECTION PORT, P/CP (12 IN. CVR)
249	17L	4"	ANNULUS INSPECTION PORT
251	18A	12"	ANNULUS ACCESS
252	18B	12"	ANNULUS ACCESS
253	19A	4"	TBX 105-4
254	19B	4"	TBX 105-5
255	19C	4"	TBX 105-6
256	19D	4"	TBX 105-1
257	19E	4"	TBX 105-2
258	19F	4"	TBX 105-3
259	20A	12"	ANNULUS PUMP PIT DRAIN
260	21A	4"	HIGH LEVEL SENSOR
262	22A	4"	SMP
268	27A	4"	LEAK DETECTOR 105-4
269	27B	4"	LEAK DETECTOR 105-2
270	27C	4"	LEAK DETECTOR 105-3

Ref: WHC-SD-RE-TI-093, Rev.3
H-2-70407, Rev.5
H-14-010502, Sh.2, Rev.0

If there was a discrepancy between the documents and the drawing,
the drawing shall take precedence.

* Denotes Engineering Change Notice (ECN) 613265, dated 1/25/95, made against the reference drawings.

THIS PAGE INTENTIONALLY LEFT BLANK

Ref: WHC-SD-RE-TI-093, Rev.3
H-2-70408, Rev.5
H-14-010502, Sh.2, Rev.0

If there was a discrepancy between the documents and drawing, the drawing shall take precedence.

TANK CROSS-SECTION

*- Tank volume based upon inventory estimate on 1/94.
"Tank Layer Model (TLM)" Rev.1a
Agnew, S.F., April 1995

[not to scale]

G-21

241-AW-106			
*NEW NO.	NO.	DIA.	DESCRIPTION AND COMMENTS
201	1A	4"	LIQUID LEVEL IND.
202	1B	4"	SMP, P/CP (12 IN. CVR)
203	1C	4"	SMP
204	2A	4"	LIT
205	3A	12"	SUPERNATANT PUMP, CENTRAL PUMP PIT
206	4A	4"	THERMOCOUPLE PROBE
207	5A	42"	MANHOLE / SPARE
208	5B	42"	MANHOLE / SPARE
209	6A	24"	ANNULUS ACCESS OPENING / SPARE
210	6B	24"	ANNULUS ACCESS OPENING / SPARE
211	7A	12"	SPARE, P/CP (24 IN. CVR)
212	7B	12"	TANK VENTILATION
213	8A	4"	ANNULUS AIR INLET
214	8B	4"	ANNULUS AIR INLET
215	8C	4"	ANNULUS AIR INLET
217	8D	4"	ANNULUS AIR INLET
218	8E	4"	ANNULUS AIR INLET
219	8F	4"	ANNULUS AIR INLET
221	8G	4"	ANNULUS AIR INLET
222	8H	4"	ANNULUS AIR INLET
223	9A	8"	ANNULUS AIR OUTLET
224	9B	8"	ANNULUS AIR OUTLET
225	9C	8"	ANNULUS AIR OUTLET
226	9D	8"	ANNULUS AIR OUTLET
227	10A	4"	SPARE, P/CP (12 IN. CVR)
228	11A	42"	SLURRY DISTRIBUTOR, CENTRAL PUMP PIT
229	12A	12"	OBSERVATION PORT / SPARE
231	13A	4"	SPARE
232	13B	4"	TANK PRESSURE, P/CP (24 IN. CVR)
233	14A	4"	SUPERNATANT RETURN, CENTRAL PUMP PIT
234	15A	4"	SPARE, P/CP (12 IN. CVR)
235	16A	4"	SMP, P/CP (12 IN. CVR)
236	16B	4"	PRESSURE INDICATOR
237	16C	4"	SMP
238	17A	4"	ANNULUS INSPECTION PORT
239	17B	4"	ANNULUS INSPECTION PORT

241-AW-106			
*NEW NO.	NO.	DIA.	DESCRIPTION AND COMMENTS
241	17C	4"	ANNULUS INSPECTION PORT, P/CP (12 IN. CVR)
242	17D	4"	ANNULUS INSPECTION PORT
243	17E	4"	ANNULUS INSPECTION PORT, P/CP (12 IN. CVR)
244	17F	4"	TBX 106-6
245	17G	4"	ANNULUS INSPECTION PORT
246	17H	4"	ANNULUS INSPECTION PORT
247	17J	4"	ANNULUS INSPECTION PORT
248	17K	4"	ANNULUS INSPECTION PORT
249	17L	4"	ANNULUS INSPECTION PORT
251	18A	12"	ANNULUS ACCESS
252	18B	12"	ANNULUS ACCESS
253	19A	4"	TBX 106-4
254	19B	4"	TBX 106-5
255	19C	4"	SPARE
256	19D	4"	TBX 106-1
257	19E	4"	TBX 106-2
258	19F	4"	TBX 106-3
259	20A	12"	ANNULUS PUMP PIT DRAIN
260	21A	4"	HIGH LEVEL SENSOR, P/CP (12 IN. CVR)
262	22A	4"	SMP
268	27A	4"	LEAK DETECTOR 106-4
269	27B	4"	LEAK DETECTOR 106-2
270	27C	4"	LEAK DETECTOR 106-3

Ref: WHC-SD-RE-TI-093, Rev.3
H-2-70408, Rev.5
H-14-010502, Sh.2, Rev.0

If there was a discrepancy between the documents and the drawing,
the drawing shall take precedence.

* Denotes Engineering Change Notice (ECN) 613265, dated 1/25/95, made against the reference drawings.

THIS PAGE INTENTIONALLY
LEFT BLANK

APPENDIX H

Sampling Data

THIS PAGE INTENTIONALLY
LEFT BLANK

Waste Tank AW-101		
Analysis of Waste Tank Sample (Two feet below surface)		
December 30, 1981		
Sample: T-1048		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Yellow, no solids @ 54 Degs. C.	
SpG	1.324	
H2O	58.13	Wt%
Chemical Analysis		
Al	0.824	M
OH	1.56	M
NO3	2.98	M
NO2	1.52	M
PO4	0.084	M
CO3	0.557	M
Pu	3.47E-05	g/l
Radiological Analysis		
Cs 137	4.39E + 05	uCi/l
Sr 89/90	1.36E + 04	uCi/l

Waste Tank AW-101		
Analysis of Waste Tank Sample (Six feet below surface)		
December 30, 1981		
Sample: T-1049		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Yellow, no solids @ 54 Degr. C.	
SpG	1.329	
H2O	57.91	Wt%
Chemical Analysis		
Al	0.799	M
OH	1.56	M
NO3	3.11	M
NO2	1.59	M
PO4	0.089	M
CO3	0.531	M
Pu	3.31E-05	g/l
Radiological Analysis		
Cs 137	4.55E + 05	uCi/l
Sr 89/90	1.46E + 04	uCi/l

Waste Tank AW-101		
Analysis of Waste Tank Sample		
November 9, 1984		
Sample: R-3185		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
SpG	1.024	
H2O	94.7	Wt%
Chemical Analysis		
OH	0.745	M
NO3	0.190	M
NO2	0.043	M
CO3	0.053	M
TOC	0.757	M
PO4	0.001	M
F	0.005	M
Na	1.110	M
K	0.006	M
NH3	0.007	M
Radiological Analysis		
Cs 134	1.5E+02	uCi/l
Cs 137	2.18E+04	uCi/l
Sr 90	4.25E+02	uCi/l

Waste Tank AW-101		
Analysis of Waste Tank Sample		
November 9, 1984		
Sample: T-5350 Received: April 21, 1985		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Light yellow, no solids, .30 Rad/Hr	
pH	1.299E+01	
SpG	1.0279	
H2O	9.334E+01	Wt%
Chemical Analysis		
Al	<8.09E-03	M
Cl	1.16E-03	M
CO3	5.08E-02	M
TOC	6.00E-01	GM/L C
F	4.84E-03	M
K	2.79E-03	M
Na	8.73E-01	M
NH3	1.15E-02	M
NO2	4.37E-02	M
NO3	1.63E-01	M
OH-	5.85E-01	M
PO4	1.10E-03	M
Pu	6.89E-04	G/L
SO4	3.24E-03	M
Radiological Analysis		
Cs 134	5.64E+02	uCi/l
Cs 137	9.64E+03	uCi/l
Am	<4.18E+01	uCi/l
Ru 103	9.22E+02	uCi/l
Rh 106	8.58E+03	uCi/l
Pm	4.15E+03	uCi/l
Sr	5.08E+01	uCi/l

Waste Tank AW-101		
Analysis of Waste Tank Sample		
November 9, 1984		
Sample: T-5351 Received: April 21, 1985		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Light yellow supernate, 30% brown (settled) solids, 4.5 Rad/Hr	
SpG	1.0411	
pH	1.285 + 01	
H2O	9.122E+01	Wt%
Chemical Analysis		
Al	1.62E-02	M
Cl	4.44E-03	M
CO3	6.41999E-02	M
TOC	6.66E-01	GM/L C
F	6.12E-03	M
K	4.73E-03	M
Na	1.11	M
NH3	<4.00E-03	M
NO2	8.34E-02	M
NO3	3.67E-01	M
OH-	6.10E-01	M
PO4	4.53E-03	M
Pu	2.55E-05	G/L
SO4	9.63E-03	M
Radiological Analysis		
Cs 134	5.03E+02	uCi/l
Cs 137	1.52E+04	uCi/l
Am	<4.76E+01	uCi/l
Nb 95	2.00E+02	uCi/l
Ru 103	8.07E+02	uCi/l
Rh 106	9.22E+03	uCi/l
Pm	4.00E+03	uCi/l
Sr	2.07E+02	uCi/l

Waste Tank AW-101		
Analysis of Waste Tank Sample		
November 9, 1984		
Sample: T-9368 Received: August 18, 1985		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Two Phases, 50% brown turbid top phase, 50% clear bottom phase, no visible organic, 1.0 Rad/hr	
pH	1.321E+01	
SpG	1.0392	
H2O	2.39E+01	Wt%
Chemical Analysis		
Al	4.412E-02	M
Cl	7.54E-03	M
CO3	3.76E-02	M
TOC	3.68E-01	GM/L C
F	1.48E-02	M
K	2.74E-03	M
Na	1.0173	M
NH3	1.19E-02	M
NO2	4.46E-02	M
NO3	1.21E-02	M
OH-	6.177E-01	M
PO4	2.90E-04	M
Pu	1.02E-03	G/L
SO4	1.40E-03	M
Radiological Analysis		
Cs 134	5.93E+02	uCi/l
Cs 137	6.43E+03	uCi/l
Ru 103	9.22E+02	uCi/l
RuRh 106	8.94E+03	uCi/l
Nb 95	3.74E+02	uCi/l
Sr 85	1.15E+03	uCi/l
Sr	2.48E+02	uCi/l

Waste Tank AW-101		
Analysis of Waste Tank Sample		
November 20, 1984		
Sample: R-2645		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
Al(+ 3)	0.0104	Moles/Liter
NO ₂ -	0.069	Moles/Liter
NO ₃ -	0.237	Moles/Liter
OH-	0.669	Moles/Liter
CO ₃ (-2)	0.086	Moles/Liter
Pu	1.36E-03	g/L
Mg(+ 2)	3.08E-03	Moles/Liter
PO ₄ (-3)	0.0015	Moles/Liter
Radiological Analysis		
Ce 144	1.40E + 03	uCi/l
Ce/Pr 144	2.80E + 03	uCi/l
Cs 134	1.41E + 03	uCi/l
Cs 137	2.76E + 04	uCi/l
Nb 95	82.4	uCi/l
Rh 106	1.83E + 04	uCi/l
Ru 103	182	uCi/l
Zr 95	225	uCi/l
Sr 90	340	uCi/l

Waste Tank AW-101			
Analysis of Waste Tank Sample			
November 20, 1984			
Sample: R-2644			
COMPONENT	SUPERNATANT	SOLIDS*	LAB UNIT
Chemical Analysis			
Al(+ 3)		0.074	Moles/Liter
OH-	0.691		Moles/Liter
NO ₂ -	0.122		Moles/Liter
NO ₃ -	0.368		Moles/Liter
CO ₃ (-2)	0.179		Moles/Liter
TOC	2.83	38.8 g	g/L
PO ₄ (-3)	0.004	0.015	Moles/Liter
Mn(+ 2)		0.834	Moles/Liter
Mg(+ 2)		0.042	Moles/Liter
Pu	3.00E-03	1.72 g	g/L
Radiological Analysis			
Cs 137	5.44E + 04		uCi/l
Sr 90		1.91E + 06	uCi
Sr 90	2.70E + 03		uCi/l
Tc 99		7.35E + 03	uCi
Tc 99	1.18E + 02		uCi/l
*Reported as moles of component per liter of centrifuged solids			

Waste Tank AW-101		
Composition of Tank Sample Taken for Evaporator Run 86-3		
April 29, 1986		
Sample: T-7697 Received: March 30, 1986		
COMPONENT	LAB VALUE *	LAB UNIT
Physical Data		
H2O	96.6	Wt%
SpG	0.997	
Chemical Analysis		
Al	0.002	M
OH	0.208	M
NO2	0.035	M
NO3	0.182	M
CO3	0.040	M
PO4	0.007	M
SO4	<0.005	M
F	0.007	M
Cl	0.002	M
K	0.015	M
Na	0.349	M
NH3	<0.004	M
TOC	0.434	g/l
Np	4.91E-05	g/l
Pu 239, 240	1.34E-08	g/l
Radiological Analysis		
Am 241	<3.52E-01	uCi/l
Cs 134	3.43E+02	uCi/l
Cs 137	5.47E+03	uCi/l
RuRh 106	5.75E+03	uCi/l
Ru 103	2.56E+02	uCi/l
Pm	2.90E+02	uCi/l
Sr 89, 90	4.59E+01	uCi/l
Tc 99	2.20E+01	uCi/l
*Mass balance = 99.95		

Waste Tank AW-101		
Composition of Tank Sample Taken for Evaporator Run 86-3		
April 29, 1986		
Sample: T-7698 Received: March 30, 1986		
COMPONENT	LAB VALUE *	LAB UNIT
Physical Data		
H2O	97.1	Wt%
SpG	0.993	
Chemical Analysis		
Al	0.002	M
OH	0.203	M
NO2	0.036	M
NO3	0.171	M
CO3	0.036	M
PO4	0.0002	M
SO4	<0.005	M
F	0.007	M
Cl	0.002	M
K	0.011	M
Na	0.375	M
NH3	0.013	M
TOC	0.424	g/l
Np	3.56E-04	g/l
Pu 239, 240	1.03E-06	g/l
Radiological Analysis		
Am 241	<5.53E-01	uCi/l
Cs 134	2.98E+02	uCi/l
Cs 137	5.48E+03	uCi/l
RuRh 106	7.02E+03	uCi/l
Ru 103	2.60E+02	uCi/l
Pm	2.63E+02	uCi/l
Sr 89, 90	3.28E+01	uCi/l
Tc 99	1.83E+01	uCi/l
*Mass balance = 100.23		

Waste Tank AW-101		
Analysis of Purex Miscellaneous Waste Tank Sample		
February 20, 1986		
Sample: T-2641 Received: November 14, 1985		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
SpG	1.01	
H2O	96	Wt%
Chemical Analysis		
Al	0.057	M
OH	0.505	M
NO2	0.032	M
NO3	0.184	M
CO3	0.062	M
PO4	0.001	M
SO4	0.001	M
F	0.010	M
Cl	0.005	M
K	0.002	M
Na	0.516	M
NH3	0.014	M
TOC	0.657	g/l
Radiological Analysis		
Am 241	<3.23	uCi/l
Cs 134	3.79E+02	uCi/l
Cs 137	4.47E+03	uCi/l
RuRh 106	7.68E+03	uCi/l
Ru 103	2.55E+03	uCi/l
Pm	6.49	uCi/l
Pu 239, 240	3.04E-05	uCi/l
Sr	3.72E+01	uCi/l

Waste Tank AW-101		
Analysis of Purex Miscellaneous Waste Tank Sample		
February 20, 1986		
Sample: T-2601 Received: November 14, 1985		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
SpG	1.01	
H2O	95.3	Wt%
Chemical Analysis		
Al	0.045	M
OH	0.607	M
NO2	0.042	M
NO3	0.157	M
CO3	0.061	M
PO4	0.003	M
SO4	0.001	M
F	0.010	M
K	0.002	M
Na	0.648	M
NH3	0.006	M
TOC	0.619	g/l
Radiological Analysis		
Sr	2.84E+01	uCi/l

Waste Tank AW-101		
Analysis of Waste Tank Sample (4' below surface)		
April 3, 1984		
Sample: R-9408		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Contained only a trace of solids	
SpG	1.33	
H2O	61.4	Wt%
Chemical Analysis		
Al+3	0.33	M
OH-	1.2	M
NO2-	0.85	M
NO3-	2.79	M
CO2(-3)	0.88	M
PO4(-3)	0.035	M
SO4(-2)	0.064	M
Fe + 3	0.023	M
TOC	28.04	g/l
Radiological Analysis		
Cs 137	3.99E+05	uCi/l
Sr 90	1.15E+05	uCi/l

Waste Tank AW-101		
Analysis of Waste Tank Sample (2' below surface)		
April 3, 1984		
Sample: R-9414		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Contained only a trace of solids	
SpG	1.37	
H2O	61.4	Wt%
Chemical Analysis		
Al(+ 3)	0.33	M
OH-	1.2	M
NO2-	0.84	M
NO3-	2.85	M
CO2(-3)	0.88	M
PO4(-3)	0.036	M
SO4(-2)	0.062	M
Fe(+ 3)	0.024	M
TOC	28.32	g/l
Radiological Analysis		
Cs 137	1.82E+06	uCi/l
Sr	9.72E+04	uCi/l

Waste Tank AW-102		
Analysis of Waste Tank Sample		
April 15, 1982		
Sample: T-1562 Received: March 22, 1982		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Clear, light green, no organic	
H ₂ O	4.863E+01	Wt%
SpG	1.422	
pH	1.361E+01	
Chemical Analysis		
Al	1.45	M
OH -	3.28	M
Cl	3.10E-01	M
CO ₃	1.52E-01	M
TOC	2.31	GM/L C
F	1.69E-03	M
Na	9.68	M
NO ₂	1.70	M
PO ₄	4.35E-02	M
Pu	2.81E-06	G/L
Radiological Analysis		
Cs 137	3.77E+05	uCi/l
Sr	6.22E+02	uCi/l

Waste Tank AW-102		
Analysis of Waste Tank Sample		
April 15, 1982		
Sample: T-1582 Received: March 26, 1982		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Cloudy light green, no solids, 1.5 Rad	
H2O	4.947E + 01	Wt %
SpG	1.42	
pH	1.378E + 01	
Chemical Analysis		
Al	1.22	M
OH -	2.73	M
Cl	2.95E-01	M
CO3	1.86E-01	M
TOC	2.32	GM/L C
F	3.75E-03	M
Na	9.41	M
NO2	1.76	M
PO4	5.07E-02	M
Pu	1.21E-05	G/L
Radiological Analysis		
Cs 137	3.57E + 05	uCi/l
Sr	5.32E + 02	uCi/l

Waste Tank AW-102		
Analysis of Waste Tank Feed Sample (Slurry)		
December 7, 1982		
Sample: T-3256 Received: October 11, 1982		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
H ₂ O	44.5	%
SpG	1.262	
Chemical Analysis		
NaAlO ₂	0.86	M
NaOH	1.07	M
NaNO ₂	1.22	M
NaNO ₃	1.86	M
Na ₂ CO ₃	0.18	M
TOC	2.07	g/L
Na ₃ PO ₄	0.04	M
Pu	4.00E-06	g/L
NaAlO ₂	5.6	Wt%
NaOH	3.4	Wt%
NaNO ₂	6.7	Wt%
NaNO ₃	12.5	Wt%
Na ₂ CO ₃	1.5	Wt%
TOC	0.5	g/L
Na ₃ PO ₄	0.5	Wt%
Radiological Analysis		
Cs 137	2.50E + 05	uCi/L
Sr 90	960	uCi/L

Waste Tank AW-102		
Analysis of Waste Tank Feed Sample (Filtrate)		
December 7, 1982		
Sample: T-3256 Received: October 11, 1982		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
H2O	37.9	Wt%
SpG	1.264	
Chemical Analysis		
NaAlO2	0.74	M
NaOH	1.48	M
NaNO2	1.22	M
NaNO3	1.82	M
Na2CO3	0.18	M
TOC	2.26	g/L
Na3PO4	0.3	M
Pu	2.63E-06	g/L
NaAlO2	4.8	Wt%
NaOH	4.7	Wt%
NaNO2	6.7	Wt%
NaNO3	12.2	Wt%
Na2CO3	1.5	Wt%
TOC	0.5	g/L
Na3PO4	0.4	Wt%
Radiological Analysis		
Cs 137	2.44E + 05	uCi/L
Sr 90	792	uCi/L

Waste Tank AW-102		
Analysis of Waste Tank Feed Sample		
January 24, 1983		
Received: December 20, 1982		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Clear, yellow liquids with only a trace of solids	
H ₂ O	68.8	Wt%
SpG	1.25	
Chemical Analysis		
NaAlO ₂	0.36	M
NaOH	0.633	M
NaNO ₂	0.76	M
NaNO ₃	1.91	M
Na ₂ CO ₃	0.74	M
TOC	10.43	g/L
Na ₂ SO ₄	0.053	M
Na ₃ PO ₄	0.045	M
Pu	2.04E-04	g/l
NaAlO ₂	2.36	%
NaOH	2.02	%
NaNO ₂	4.20	%
NaNO ₃	12.97	%
Na ₂ CO ₃	6.25	%
TOC	2.48	g/L
Na ₂ SO ₄	0.61	%
Na ₃ PO ₄	0.59	%
Radiological Analysis		
Cs 134	410	uCi/L
Cs 137	4.35E + 05	uCi/L
Co 60	263	uCi/L
Ra 226	6.0E + 03	uCi/L
Eu 155	973	uCi/L
Sr 90	4.88E + 04	uCi/L

Waste Tank AW-102		
Analysis of Waste Tank Sample		
April 15, 1982		
Sample: T-1549 Received: March 20, 1982		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Cloudy green, no solids, @ 50 degs. C .25 Rad /Hr	
H2O	4.924E+01	Wt%
SpG	1.435	
pH	1.332E+01	
Chemical Analysis		
Al	1.39	M
OH -	3.27	M
Cl	6.82	M
CO3	1.60E-01	M
TOC	2.39	gm/L Carbon
F	2.24E-03	M
Na	1.084E+01	M
NO2	1.92	M
PO4	4.56E-02	M
Pu	8.39E-06	G/L
Radiological Analysis		
Cs 137	4.04E+05	uCi/l
Sr	6.69E+02	uCi/l

Waste Tank AW-102		
Composition of 102AW Concentrated Product Slurry		
April 1, 1983		
Sample: 4289		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Clear solution with trace of light colored solids	
SpG	1.494	
H2O	44.17	Wt%
Chemical Analysis		
NaAlO ₂	1.40	M
NaOH	3.34	M
NaNO ₂	1.17	M
NaNO ₃	4.12	M
Na ₂ CO ₃	0.412	M
TOC	4.36	g/L
Na ₃ PO ₄	0.04	M
NaAlO ₂	7.68	Wt%
NaOH	8.94	Wt%
NaNO ₂	5.41	Wt%
NaNO ₃	23.44	Wt%
Na ₂ CO ₃	2.92	Wt%
TOC	0.87	Wt%
Na ₃ PO ₄	0.44	Wt%

Waste Tank AW-102			
Composition of 102AW Concentrated Product Phases			
April 1, 1983			
Sample: 4289			
COMPONENT	FILTRATE	SOLIDS	LAB UNIT
Physical Data			
Vis-OTR	Clear solution with a trace of light-colored solids		
SpG	1.43		
H2O	45.5		Wt%
Chemical Analysis			
NaAlO ₂	1.36		M
NaOH	3.32		M
NaNO ₂	0.58		M
NaNO ₃	4.18		M
Na ₂ CO ₃	0.25		M
TOC	4.40		g/L
Na ₃ PO ₄	0.02		M
NaAlO ₂	7.8		Wt%
NaOH	9.29		Wt%
NaNO ₂	2.78	57	Wt%
NaNO ₃	24.84	17	Wt%
Na ₂ CO ₃	1.88	26	Wt%
TOC	0.91		Wt%
Na ₃ PO ₄	0.23		Wt%

Waste Tank AW-102		
Analysis of Waste Tank Slurry Sample		
April 1, 1983		
Sample: 4289		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Clear solution with trace of light colored solids	
SpG	1.18	
Chemical Analysis		
NaAlO ₂	0.375	M
NaOH	1.19	M
NaNO ₂	0.38	M
NaNO ₃	1.26	M
Na ₂ CO ₃	0.13	M
TOC	1.36	g/L
Na ₃ PO ₄	0.03	M
Radiological Analysis		
Cs 137	1.48E+05	uCi/L
Sr 90	7.18E+02	uCi/L

Waste Tank AW-102		
Analysis of Waste Tank Sample		
April 7, 1983		
Sample: R-5001 Recieved: January 28, 1983		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Trace of settled, dark brown solids, approx. 2-5 vol.%	
SpG	1.36	
Chemical Analysis		
Al	0.87	moles/L
OH	1.25	moles/L
NO3	2.85	moles/L
NO2	1.46	moles/L
CO3	0.64	moles/L
TOC	6.60	g/L
PO4	0.047	moles/L
SO4	0.24	moles/L
Pu	4.11E-05	g/l
K	0.063	moles/L
Cr	0.029	moles/L
Ni	0.001	moles/L
B	0.003	moles/L
Si	0.002	moles/L
Ca	0.002	moles/L
Radiological Analysis		
Cs 137	5.85E + 05	uCi/l
Sr 89/90	9.96E + 03	uCi/l

Waste Tank AW-102		
Analysis of Waste Tank Feed Sample (4' below surface)		
September 22, 1983		
Sample: R-7811 Recieved: September 9, 1983		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Pale yellow clear liquid, trace of dark solids	
SpG	1.015	
H2O	96.0	Wt%
Chemical Analysis		
Al(+3)	0.0121	moles/L
OH -	0.045	moles/L
NO2-	0.036	moles/L
NO3-	0.0827	moles/L
SO4(-2)	0.0169	moles/L
PO4(-3)	0.231	moles/L
TOC	0.69	g/L
Radiological Analysis		
Cs 137	8.89E+03	uCi/l
Sr 89/90	2.14E-02	uCi/l

Waste Tank AW-102		
Analysis of Waste Tank Feed Sample (2' from the bottom)		
September 22, 1983		
Sample: R-7811 Recieved: September 9, 1983		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Pale yellow clear liquid, trace of dark solids	
SpG	1.021	
H2O	95.6	Wt %
Chemical Analysis		
Al(+3)	0.0119	moles/L
OH -	0.0293	moles/L
NO2-	0.046	moles/L
NO3-	0.0818	moles/L
PO4(-3)	0.279	moles/L
SO4(-2)	0.0014	moles/L
TOC	0.74	g/L
Radiological Analysis		
Cs 137	9.02E-03	uCi/l
Sr 89/90	2.39E-02	uCi/l

Waste Tank AW-102		
Analysis of Waste Tank Sample		
September 22, 1983		
Sample: R-6875		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
SpG	1.030	
H2O	96.4	Wt%
Chemical Analysis		
Al(+3)	0.0067	moles/L
OH-	0.106	moles/L
NO2-	0.019	moles/L
NO3-	0.025	moles/L
CO3(-2)	0.0090	moles/L
PO4(-3)	0.078	moles/L
SO4(-2)	0.002	moles/L
Na+	0.30	moles/L
Radiological Analysis		
GEA	4.92E+03	uCi/l

Waste Tank AW-102		
Analysis of Waste Tank Sample (Surface)		
November 28, 1983		
Sample: R-8555		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Amber liquid with a trace of gray solids	
SpG	1.0219	
Chemical Analysis		
Al(+3)	0.0021	M
OH-	0.034	M
NO ₂ -	0.016	M
NO ₃ -	0.013	M
CO ₃ (-2)	0.011	M
TOC	0.79	g/L
PO ₄ (-3)	0.191	M
Pu	3.05E-06	g/L
Radiological Analysis		
Cs 137	2.82E+03	uCi/L
Sr 90	0.823	uCi/L

Waste Tank AW-102		
Analysis of Waste Tank Sample (6' Feet)		
November 28, 1983		
Sample: R-8556		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
SpG (Slurry)	1.0315	
SpG (Supernatant)	1.0283	
SpG (Solids)	1.124	
Chemical Analysis		
Al + 3	0.0055	M
OH -	0.041	M
NO ₂ -	0.032	M
NO ₃ -	0.043	M
CO ₃ (-2)	0.0213	M
TOC	0.98	g/L
PO ₄ (-3)	0.189	M
Pu	2.66E-07	g/L
Radiological Analysis		
Cs 137	8.80E + 04	uCi/L
Sr 90	7.65	uCi/L

Waste Tank AW-102			
Composition of 84-3 Concentrated Product			
April 23, 1984			
Sample: R-9300			
COMPONENT	FILTRATE	SOLIDS	LAB UNIT
Physical Data			
SpG	1.485		
Chemical Analysis			
Al(+ 3)	1.55		M
OH -	4.04		M
NO2-	2.00		M
NO3-	3.00		M
CO3(-2)	0.14		M
TOC	3.48		g/L
SO4(-2)		32	Wt%
PO4(-3)	0.032		M
Cr(+ 2)(+ 3)	0.013		M
Fe(+ 2)(+ 3)	2.02E-04		M
Pu	2.13E-04		g/L
CO3(-2)		53	Wt%
PO4(-3)		13	Wt%
Radiological Analysis			
Cs 137	6.32E + 04		uCi/L
Sr 90	928		uCi/L
Am	2.98		uCi/L

Waste Tank AW-102				
Composition of AW-102 and Evaporator Run 84-5 Product				
November 9, 1984				
Sample: R-3302 and R-3303				
COMPONENT	FEED	SUPERNATANT	SOLIDS	LAB UNIT
Physical Data				
Vis-OTR	Feed Sample: Yellow with some dark brown solids. Slurry: Yellow with 45% settled solids			
SpG	1.32	1.40	1.53	
Centrifuged Solids			37.3	%
Chemical Analysis				
Al	.757	1.300		M
OH	2.750	4.600		M
NO ₂	1.138	1.970		M
NO ₃	2.415	2.880		M
NO ₃			49	Wt%
CO ₃	0.413	0.255		M
CO ₃			39	Wt%
TOC	4.525	6.600		g/L
TOC			3	Wt%
SO ₄	0.50		5	Wt%
PO ₄	0.018	0.020		M
PO ₄			3	Wt%
Cl	0.128	0.215		M
Na	8.850	14.350		M
K	0.095	0.154		M
NH ₃	0.003	0.005		M
Radiological Analysis				
Cs 134	8.15E+03	1.26+03		uCi/L
Cs 137	5.45E+06	9.40E+05		uCi/L
Sr 90*	2.02E+04	1.71E+04		uCi/L
* ± 15%				

Waste Tank AW-102		
Composition of Feed for Boildown 102-AW		
January 18, 1985		
Sample: R-3181		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
SpG	1.359	
Chemical Analysis		
Al(+3)	0.546	M
OH-	2.48	M
NO ₂ -	1.32	M
NO ₃ -	2.07	M
CO ₃ (-2)	0.45	M
PO ₄ (-3)	0.030	M
SO ₄ (-2)	0.036	M
TOC	3.85	g/L
Cl-	0.12	M
Na+	8.43	M
K+	0.060	M
Radiological Analysis		
Cs 137	5.08E+05	uCi/l
Sr 90	2.26E+04	uCi/l
Pu 241	79.5	uCi/l
Total Pu	5.05	uCi/L
Am 241	6.47	uCi/l

Waste Tank AW-102		
Composition of Feed for Boildown 102-AW		
January 18, 1985		
Sample: R-3180		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
SpG	1.36 *	
H2O	56.1	Wt%
Chemical Analysis		
Al(+3)	0.89	M
OH-	3.28	M
NO2-	1.46	M
NO3-	3.18	M
CO3(-2)	0.48	M
PO4(-3)	0.040	M
TOC	4.48	g/L
SO4(-2)	0.053	M
Cl-	0.15	M
Na+	9.3	M
K+	0.453	M
Am	3.3E-03	M
Pu 241	5.4E-04	M
Total Pu	7.8E-05	M
Radiological Analysis		
Cs 134	8.53E+02	uCi/l
Cs 137	5.9E+05	uCi/L
Ra 226	2.29E+04	uCi/L
Rh 106	7.18E+03	uCi/L
Sr 90	2.04E+04	uCi/L
*Estimated		

Waste Tank AW-102		
Composition of Feed for Boildown 102-AW		
January 18, 1985		
Sample: R-3209		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
SpG	1.37	
H ₂ O	55.9	Wt%
Chemical Analysis		
Al(+3)	0.85	M
OH-	2.65	M
NO ₂ -	1.46	M
NO ₃ -	3.08	M
CO ₃ (-2)	0.405	M
PO ₄ (-3)	0.04	M
TOC	2.42	g/L
SO ₄ (-2)	0.01	M
Cl-	0.08	M
Na+	7.30	M
K+	0.09	M
Radiological Analysis		
Cs 137	2.53E+05	uCi/L
Sr 90	1.66E+04	uCi/L

Waste Tank AW-102				
Chemical Analyses of 16' Sample and the Boildown Product				
August 13, 1985				
Sample: R-4149 Received: March 4, 1985				
		SLURRY		
COMPONENT	FEED	FILTRATE	SOLIDS	LAB UNIT
Physical Data				
Vis-OTR	Greenish yellow solution with little or no solids			
SpG	1.40	1.50	1.61	
H2O	55.3	47.9	20.4	%
pH	~13.4			
Chemical Analysis				
Al	1.05	1.77		M
Al			5	Wt%
OH	2.13	4.50		M
NO2	1.71	2.44		M
NO2			9	Wt%
NO3	2.58	3.00		M
NO3			62	Wt%
CO3	0.45	0.95		M
CO3			23	Wt%
TOC	3.55	4.88		g/L
PO4	0.02	0.04		M
Cl	0.18	0.38		M
Na	9.35	13.25		M
K	0.11	0.20		M
NH3	3.73E-03			M
Radiological Analysis				
Pu	2.93			uCi/L
Cs 137	4.20E+05			uCi/L
Sr	2.45E+03			uCi/L

Waste Tank AW-102				
Chemical Analyses of 16' Sample and the Boildown Product				
August 13, 1985				
Sample: R-4151 Received: March 4, 1985				
		SLURRY		
COMPONENT	FEED	FILTRATE	SOLIDS	LAB UNIT
Physical Data				
SpG	1.12	1.45	1.61	
H2O	62.0	53.1	20.4	%
pH	~ 13.4			
Chemical Analysis				
Al	0.75	1.18		M
Al			6	Wt%
OH	2.63	4.48		M
NO2	0.87	1.44		M
NO2			5	Wt%
NO3	2.29	3.53		M
NO3			38	Wt%
CO3	0.80	0.16		M
CO3			43	Wt%
PO4	0.10	0.02		M
F		0.04		M
F			3	Wt%
Cl	0.08	0.06		M
TOC	6.85	3.40	4	g/L
Na	7.7	11.63		M
K	0.07	0.13		M
Radiological Analysis				
Cs 134	9.05E+02			uCi/L
Cs 137	2.98E+05			uCi/L
Rh 106	1.06E+04			uCi/L
Pu	2.06E+01			uCi/L
Sr	2.90E+03			uCi/L

Waste Tank AW-102			
Chemical Analyses of Feed (R-4679) / Slurry (R-4680) Samples			
August 13, 1985			
Received: March 29, 1985			
COMPONENT	FEED	SLURRY	LAB UNIT
Physical Data			
Vis-OTR (Feed)	Yellow, slight (<1%) amount of settles tan solids		
Vis-OTR (Slurry)	Yellow with 40-50% lighter colored settled solids		
SpG	1.34	1.53	
H2O	45.8	40.1	%
pH	~13.6	~13.5	
Chemical Analysis			
Al	1.10	1.7	M
OH	2.07	3.05	M
NO2	1.67	2.42	M
NO3	2.50	4.18	M
CO3	0.45	0.70	M
TOC	3.65	4.1	g/L
PO4	0.02	0.03	M
SO4	0.04		M
Cl	0.18	0.28	M
Na	4.95	11.45	M
K	0.11	0.14	M
Radiological Analysis			
Pu	6.25		uCi/L
Cs 137	3.13E+05	6.13E+05	uCi/L
Sr	3.00E+03	3.95E+03	uCi/L

Waste Tank AW-102				
Chemical Analyses of Feed (R-4682) / Slurry (R-4683) Sample				
August 13, 1985				
Received: April 3, 1985				
		SLURRY		
COMPONENT	FEED	FILTRATE	SOLIDS	LAB UNIT
Physical Data				
Vis-OTR	Feed - Yellow with a light (< 1%) amount of settled tan solids			
Vis-OTR	Slurry - Yellow with 40-50% lighter colored settled solids			
SpG	1.34	1.43	1.53	
H2O	55.5	50.0	28.1	%
Chemical Analysis				
Al	1.03	1.80		M
Al			1	Wt%
OH	2.24	4.48		M
NO2	1.35	2.28		M
NO2			2	Wt%
NO3	2.24	2.13		M
NO3			73	Wt%
CO3	0.38	0.14		M
CO3			22	Wt%
PO4	0.01	0.01		M
PO4			1	Wt%
Cl	0.13	0.24		M
TOC	2.78	5.30		g/L
Na	9.45	11.38		M
K	0.10	0.18		M
NH3		0.02		M
Radiological Analysis				
Cs 134	5.30E+02			uCi/L
Cs 137	3.40E+05			uCi/L
Rh 106	5.40E+03			uCi/L
Pu	1.10E+01			uCi/L
Sr	3.03E+03			uCi/L

Waste Tank AW-102				
Chemical Analyses of Feed (R-4686) / Slurry (R-4687) Sample				
August 13, 1985				
Received: April 10, 1985				
		SLURRY		
COMPONENT	FEED	FILTRATE	SOLIDS	LAB UNIT
Physical Data				
Vis-OTR	Feed - Yellow with a light (<1%) amount of settled tan solids			
Vis-OTR	Slurry - Yellow with 40-50% lighter colored settled solids			
SpG	1.31	1.51	1.41	
H2O	58.5	50.0	14.8	%
Chemical Analysis				
Al	1.01	1.73		M
Al			3	Wt%
OH	2.26	3.38		M
NO2	1.20	3.13		M
NO2			5	Wt%
NO3	2.40	3.05		M
NO3			61	Wt%
CO3	0.36	0.25		M
CO3			25	Wt%
PO4	0.01	0.02		M
F			1	M
Cl	0.12	0.20		M
TOC	4.80	2.23		g/L
Na	8.75	13.08		M
K	0.09	0.15		M
NH3		0.02		M
Radiological Analysis				
Cs 137	2.98E+05			uCi/L
Rh 106	4.68E+03			uCi/L
Pu	8.18			uCi/L
Sr	3.48E+03			uCi/L

Waste Tank AW-102		
Analysis of Waste Tank Sample		
March 21, 1986		
Sample: R-5898 Received: July 30, 1985		
COMPONENT	LAB VALUE*	LAB UNIT
Physical Data		
H2O	82.3	Wt%
SpG	1.14	
Chemical Analysis		
Al	0.072	M
OH	1.08	M
NO2	0.231	M
NO3	0.935	M
CO3	0.114	M
PO4	0.038	g/L
F	0.359	M
Radiological Analysis		
Cs 134	1.43E+03	uCi/L
Cs 137	7.30E+04	uCi/L
Pu 239/240	1.47E+01	uCi/L
Total Beta	1.56E+05	uCi/L
* Mass balance = 97.9% Wt. %		

Waste Tank AW-102			
Chemical Composition of Dip Sample at 2' and 16'			
August 13, 1985			
Sample: T-5578 / T-5579 Received: February 4, 1986			
COMPONENT	2' Sample (T-5578)	16' Sample (T-5579)	LAB UNIT
Physical Data			
SpG	1.47	1.49	
H2O	50.4	50.3	%
pH	13.8	13.7	
Chemical Analysis			
Al	1.86	1.84	M
OH	4.11	4.05	M
NO2	1.80	1.62	M
NO3	2.66	3.02	M
CO3	0.13	0.13	M
PO4	0.011	0.017	M
SO4	<0.029	<0.029	M
Cl	0.18	0.18	M
F	0.061	0.066	M
K	0.24	0.26	M
Na	10.52	10.26	M
NH3	<0.004	<0.004	M
TOC	3.71	3.75	g/L
Np	<1.00E-03	<1.00E-03	g/L
Pu 239 / 240	1.52E-06	1.43E-06	g/L
Radiological Analysis			
Am 241	3.61	3.50	uCi/L
Cs 137	5.78E+05	6.21E+05	uCi/L
Pm		2.05E+02	uCi/L
Sr 90	4.24E+02	4.22E+02	uCi/L

Waste Tank AW-102		
Composition of Tank Sample for Evaporator Run 86-3		
April 29, 1986		
Sample: R-8586 Received: March 10, 1986		
COMPONENT	LAB VALUE *	LAB UNIT
Physical Data		
H2O	72.9	Wt%
SpG	1.22	
Chemical Analysis		
Al	0.14	M
OH	2.24	M
NO2	0.34	M
NO3	1.61	M
CO3	0.28	M
PO4	0.013	M
SO4	0.062	M
F	0.094	M
Cl	0.037	M
K	0.51	M
Na	4.83	M
Ca	4.83E-04	M
Cr	3.80E-03	M
Mg	1.20E-04	M
Si	3.53E-03	M
P	1.62E-02	M
Zn	8.03E-05 ± 15%	M
NH3	0.050	M
TOC	1.45	g/L
Radiological Analysis		
Tc 99	9.65E+01	uCi/L
I - 129	<0.11	uCi/L
*Mass balance = 98.5%		

Waste Tank AW-102		
Chemical Composition of Tank AW-102 Waste		
June 21, 1988		
Sample: T-8435 Received: April 20, 1988		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Slightly cloudy, <1% solids, no visible organic, yellowish color, 11 Mr/Hr	
SpG	1.0371	
H2O	9.327E+01	Wt %
Chemical Analysis		
Cl	4.76E-03	M
CO3	4.83E-02	M
TOC	4.95E-01	GM/L C
F	3.34E-01	M
Al	2.48E-02	M
Ca	3.97E-04	M
Mg	1.10E-04	M
B	5.76E-04	M
Cr	4.39E-04	M
P	6.96E-03	M
Na	1.19	M
K	2.70E-01	M
NH3	5.90E-02	M
NO2	5.48E-02	M
NO3	3.16E-01	M
Np	<1.53E-04	g/L
OH-	6.69E-01	M
PO4	2.54E-03	M
Pu	1.011E-03	g/L
SO4	1.16E-02	M
Radiological Analysis		
Am	<1.09	uCi/L
Cs 134	5.62E+02	uCi/L
Cs 137	2.99E+04	uCi/L
Pm	7.46E+02	uCi/L
Sr 89/90	1.35E+01	uCi/L

Waste Tank AW-102		
Chemical Composition of Tank AW-102 Waste		
October 1, 1988		
Sample: T-1521A Received: August 4, 1988		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Supernate Density	1.16	G/ml
pH	12.9	
Chemical Analysis		
Al	1.38E-01	M
Cl	1.72E-02	M
CO3	1.39E-01	M
TOC	1.23	g/l C
F	2.41E-01	M
K	3.43E-01	M
Na	2.63	M
NH3	<4.00E-03	M
NO2	2.30E-01	M
NO3	9.05E-01	M
Np	<3.07E-05	g/l
OH	1.27	M
PO4	5.26E-03	M
Pu	4.28E-07	g/l
SO4	2.02E-02	M
Radiological Analysis		
Am	<4.92	uCi/L
Cs 134	9.87E+02	uCi/L
Cs 137	7.92E+04	uCi/L
Pm	1.50E+02	uCi/L
Sr 89/90	1.93E+02	uCi/L

Waste Tank AW-103		
Analysis of Waste Tank Sample (2' below the surface)		
March 31, 1983		
Received: March 20, 1983		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
SpG	1.265	
Chemical Analysis		
Al	0.69	moles/Liter
OH	1.25	moles/Liter
NO2	1.42	moles/Liter
NO3	2.61	moles/Liter
CO3	0.109	moles/Liter
TOC	3.78	g/L
PO4	0.039	moles/Liter
F	0.136	moles/Liter
Radiological Analysis		
Cs 137	8.60E + 04	uCi/L
Sr 90	2.57E + 02	uCi/L

Waste Tank AW-103		
Analysis of Waste Tank Slurry Sample (Bottom)		
March 31, 1983		
Received: March 20, 1983		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Less than one volume percent solids	
SpG	1.271	
Chemical Analysis		
Al	0.16	moles/Liter
OH	1.03	moles/Liter
NO2	0.031	moles/Liter
NO3	3.36	moles/Liter
CO3	0.1	moles/Liter
TOC	4.58	g/L
F	0.15	moles/Liter
Radiological Analysis		
Cs 137	2.28E+05	uCi/L
Sr 90	78.7	uCi/L

Waste Tank AW-103			
Analysis of Waste Tank Bottom Sample (Phases)			
March 31, 1983			
Received: March 20, 1983			
COMPONENT	FILTRATE	SOLIDS	LAB UNIT
Physical Data			
SpG	1.281		
Chemical Analysis			
Al	0.69		moles/Liter
Al		54	Wt%
OH	1.31		moles/Liter
NO2	1.08		moles/Liter
NO3	2.90		moles/Liter
CO3	0.11		moles/Liter
TOC	3.68		g/L
TOC		46	Wt%
PO4	0.04		moles/Liter
F	0.15		moles/Liter
Radiological Analysis			
Cs 137	2.17E+05		uCi/L
Sr 90	2.51E+02		uCi/L

Waste Tank AW-103			
Analysis of Bottom Waste Tank Sample			
May 24, 1983			
Sample: 5467 Received: April 12, 1983			
COMPONENT	SUPERNATANT	SOLIDS	LAB UNIT
Physical Data			
Vis-OTR	Dark green mixture, virtually 100% suspended solids.		
SpG	1.42		
Chemical Analysis			
Al	1.43		M
Al		45	Wt%
OH	2.64		M
NO ₂	2.25		M
NO ₃	3.27		M
CO ₃	0.15		M
TOC	7.17		g/L
TOC		55	Wt%
Radiological Analysis			
Cs 137	4.96E + 05		uCi/L

Waste Tank AW-103				
Analysis of Waste Tank Sample				
May 24, 1983				
Sample: 5467 Received: April 12, 1983				
COMPONENT	SOLIDS	SUPERNATE	SETTLED SOLIDS	LAB UNIT
Chemical Analysis				
Zr	0.555		0.352	Moles/l
U	1.71	0.00889		g/l
NH ₃	0.417			M
OH + NH ₃		0.945		M
(OH)		0.528		M
F		0.712		M
NO ₃		0.109		M
NO ₂		0.0198		M
CO ₃		0.014		M
K		0.511		M
Na		1.48		M
Al		0.00275		M
Radiological Analysis				
Pu	240		160	nCi/ml
Am	260			nCi/ml
Sr 90	3.1			mCi/l
Cs	7.2			mCi/l
Nb 95	75			mCi/l
Rh 106	12.5	1.68		mCi/l
Cs 137		34.3		mCi/l
Cs 134		1.14		mCi/l

Waste Tank AW-103		
Analysis of Supernatant		
August 1, 1984		
Sample: 202107 (taken 49' below riser)		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
U	0.00889	g/L
Zr	<8.00E-05	M
NH3 (total)	0.417	M
Na	1.48	M
K	0.511	M
Al	0.00275	M
F-	0.712	M
NO2-	0.0198	M
NO3-	0.109	M
CO3(2-)	0.014	g C/L
TOC	0.096	M
Radiological Analysis		
Cs 137	34	mCi/L
Cs 134	1.14	mCi/L
Pu	0.06	nCi/mL
Am 241	<10	nCi/mL
Rh 106	1.68	mCi/L

Waste Tank AW-103		
Analysis of Waste Tank Settled Solids Sample		
August 1, 1984		
Sample: 202107 (taken 49' below riser)		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
U	2.1	g/L
Zr	0.53	moles/L *
Radiological Analysis		
Cs 137	4.8	mCi/L
Sb 125	2.9	mCi/L
Rh 106	8.2	mCi/L
Zr 95	22.2	mCi/L
Ce 144	10.4	mCi/L
Pu	250	nCi/mL *
Am 241	< 10	nCi/L
*Averages of two subsamples of the solids		

Waste Tank AW-103			
Analysis of Waste Tank Supernatant Liquid Sample			
November 30, 1984			
Sample: 2750 / 2836 Received: August of 1984			
COMPONENT	LAB VALUE - 2750	LAB VALUE - 2836	LAB UNIT
Physical Data			
Settled Solids Vol. %	15	96	
Settled Solids Bulk SpG	1.181	1.344	
Centrifuged Solids Vol. %	5	54	
Centrifuged Solids Bulk SpG	1.415	1.517	
Distance from Tank Bottom	62	45	inches
Chemical Analysis			
OH-	1.14		M
F-	0.70		M
NO3-	0.088		M
NO2-	0.021		M
CO3(2-)	0.108	0.128	M
SO4(2-)	<0.0013		M
PO4(3-)	0.0007		M
Na +	1.55	2.96	M
K +	0.524	0.518	M
Al	0.0028	0.192	M
Zr	<0.0002		M
NH3	0.091		M
TOC	<0.01	0.73	g/L
U	0.025		g/L
Radiological Analysis			
Cs 137		8.8E+04	nCi/mL
Sr	1.45	3.47	nCi/mL
Tc 99	20.2		nCi/mL
Pu	0.32 - 1.28	0.16 - 0.64	nCi/mL
Pu 241	2.3 - 9.2	3.2 - 12.8	nCi/mL
Am 241	0.041 - 0.062	0.083 - 0.125	nCi/mL

Waste Tank AW-103			
Analysis of Supernatant Liquid and Water Soluble Solids Sample			
November 30, 1984			
Sample: 2837 / 2838 Received: August of 1984			
COMPONENT	LAB VALUE - 2837	LAB VALUE - 2838	LAB UNIT
Physical Data			
Settled Solids Vol. %	100	100	
Settled Solids Bulk SpG	1.391		
Centrifuged Solids Vol. %	86	100	
Centrifuged Solids Bulk SpG	1.426		
Distance from Tank Bottom	28	16-18	inches
Chemical Analysis			
OH-	2.11	0.49	M
F-	<0.06	0.225	M
NO3-		1.94	M
NO2-		0.40	M
CO3(2-)	0.128	0.047	M
SO4(2-)		<0.005	M
PO4(3-)		0.011	M
Na +		4.01	M
K +		0.09	M
Al		0.196	M
Zr			M
NH3	<0.02	0.012	M
TOC		1.66	g/L
U		<0.005	g/L
Radiological Analysis			
Cs 137	3.1E+05	7.1E+04	nCi/mL
Sr	40.1	18.9	nCi/mL
Tc 99	101.0	35.3	nCi/mL

Waste Tank AW-103			
Chemical Analyses of Solid Fractions - Raw Data			
November 30, 1984			
Sample: 2750 / 2836 Received: August of 1984			
COMPONENT	LAB VALUE - 2750	LAB VALUE - 2836	LAB UNIT
Physical Data			
Settled Solids Vol. %	15	96	
Settled Solids Bulk SpG	1.181	1.344	
Centrifuged Solids Vol. %	5	54	
Centrifuged Solids Bulk SpG	1.415	1.517	
Distance from Tank Bottom	62	45	inches
Wt . Centrifuges Solids*	1.994	5.733	g
Chemical Analyses			
Na +	0.226	0.765	M
Zr	0.050	0.126	M
U	0.221	0.968	g/L
Radiological Analysis			
Pu	1.7 - 6.8	3.0 - 12.0	nCi/mL
Pu 241	34 - 135	13 - 52	nCi/mL
Am 241	0.32 - 0.48	2.7 - 4.0	nCi/mL
Ce 144	1630	3760	nCi/mL
Cs 137	922	5990	nCi/mL
Nb 95	8400	8420	nCi/mL
Rh 106	2110	2860	nCi/mL
Sb 125	663	1070	nCi/mL
Zr 95	4910	4410	nCi/mL
Sr	319	1990	nCi/mL
*Sample weight of centrifuged solids dissolved and deluted to 50 mL			
total sample volume			

Waste Tank AW-103				
Chemical Analyses of Solid Fractions - Raw Data				
November 30, 1984				
Sample: 2837 / 2838 Received: August of 1984				
	LAB VALUES			
COMPONENT	#2837	#2838 - a	#2838 - b	LAB UNIT
Physical Data				
Settled Solids Vol. %	100	100		
Settled Solids Bulk SpG	1.391			
Centrifuged Solids Vol. %	86	100		
Centrifuged Solids Bulk SpG	1.426			
Distance from Tank Bottom	28	16-18		inches
Wt . Centrifuges Solids*	3884	4.831	3.116	g
Chemical Analyses				
Na +	0.626	0.673	0.0004	M
Zr	0.075	0.052	0.0027	M
U	0.760	0.622	0.272	g/L
Radiological Analysis				
Pu	5.0 - 20.0	5.6 - 22.4	2.5 - 10.0	nCi/mL
Pu 241	26 - 104	22 - 88	40 - 160	nCi/mL
Am 241	0.97 - 1.46	2.9 - 4.4	0.64 - 0.96	nCi/mL
Ce 144	2240	861		nCi/mL
Cs 137	4920	1180		nCi/mL
Nb 95	1740	434		nCi/mL
Rh 106	1890	910		nCi/mL
Sb 125	670	320		nCi/mL
Zr 95	944	217		nCi/mL
Sr	523	1100		nCi/mL
*Sample weight of centrifuged solids dissolved and diluted to 50 mL				
total sample volume				
a - Referenced to total volume of sample 2838				
b - based on the empirical approximation Total TRU = Pu-a + 241 Am + (0.33) (241 Pu)				

Waste Tank AW-103			
Compositions of Solid Fractions - - Calculated			
November 30, 1984			
Sample: 2750 / 2836 Received: August of 1984			
COMPONENT	LAB VALUE - 2750	LAB VALUE - 2836	LAB UNIT
Physical Data			
Settled Solids Vol. %	15	96	
Settled Solids Bulk SpG	1.181	1.344	
Centrifuged Solids Vol. %	5	54	
Centrifuged Solids Bulk SpG	1.415	1.517	
Distance from Tank Bottom	62	45	inches
Chemical Analyses			
Zr	0.59	0.94	moles/L
NaF(d)	24	28	Wt%
Zr(OH)4	20	17	Wt%
UF4	0.7	1.1	Wt%
Radiological Analysis			
Pu	21 - 84	22-88	nCi/mL
Pu 241	420 - 1680	95-380	nCi/mL
Am 241	4.0 - 6.0	20-30	nCi/mL
Total TRU(b)	39 - 146	45 - 131	nCi/mL
b - Based on empirical approximation Total TRU = Pu-a + 241 Am + (0.33) (241 Pu)			
d - Wt% values based on assumptions that all Na in sample comes from NaF, all Sr from Zr(OH)4, and all U from UF4			

Waste Tank AW-103				
Compositions of Solid Fractions - - Calculated				
November 30, 1984				
Sample: 2837 / 2838 Received: August of 1984				
	LAB VALUES			
COMPONENT	#2837	#2838 - a	#2838 - b	LAB UNIT
Physical Data				
Settled Solids Vol. %	100	100		
Settled Solids Bulk SpG	1.391			
Centrifuged Solids Vol. %	86	100		
Centrifuged Solids Bulk SpG	1.426			
Distance from Tank Bottom	28	16-18		inches
Chemical Analyses				
Zr	1.18	0.22(e)	0.04(e)	mole/L
NaF(d)	34			Wt%
Zr(OH) ₄	15			Wt%
UF ₄	1.3			Wt%
Radiological Analysis				
Pu - a	79 - 316	23 - 92(a)	22 - 88(a)	nCi/mL
Pu 241	410 - 1640	90 - 360	350 - 1400	nCi/mL
Am 241	15 - 23	12 - 16	6 - 9	nCi/mL
Total TRU(b)	108 - 394	38 - 152(c)	40 - 144(c)	nCi/mL
a - Referenced to total volume of sample 2838				
b - based on the empirical approximation Total TRU = Pu-a + 241 Am + (0.33) (241 Pu)				
c - Total TRU in 2838 is the sum of 2838-a + 2838-b = 78-296 nCi/mL				
d - Wt% values based on assumptions that all Na in sample comes from NaF, all Zr from Zr(OH) ₄ , and all U from UF ₄				
e - Per liter of top layer or bottom layer centrifuged solids				

Waste Tank AW-103			
Chemical Analysis of Filtrates and Water-Wash Solutions(a)			
August 7, 1985			
Sample: 3937 (at 38")			
COMPONENT	FILTRATE	WATER WASH	LAB UNIT
Physical Data			
Color of Settled Solids	Green		
Settled Solids	85		Vol%
Centrifuged Solids	54		Vol%
SpG of overall sample	1.613		
SpG of liquid phase	1.33		
SpG of centrifuged solids	1.76		
Chemical Analysis			
Na	7.37	8.38	moles/L
Al	0.83	0.27	moles/L
K	0.346	0.14	moles/L
OH	2.30	1.05E+00	moles/L
NO3	1.77	0.77	moles/L
NO2	1.90	0.66	moles/L
F	<0.065	13.34(c)	moles/L
CO3	0.106	0.053	moles/L
NH3	0.091	0.047	moles/L
U	5.4E-04	6.4E-03	g/l
Radiological Analysis			
Cs 137(b)	6.96E+04	1.2E+05	nCi/mL
C 14(b)	0.75	<1.5	nCi/mL
(a) Values reported for water-wash solutions are calculated to represent			
moles (except as noted) of solute per liter of 103-AW slurry.			
(b) Units are nCi/mL of slurry			
(c) This value is unquestionably too high. Judging by the cation: anion			
balance, it should be about 5M.			

Waste Tank AW-103			
Chemical Analysis of Filtrates and Water-Wash Solutions(a)			
August 7, 1985			
Sample: 3936 (at 18")			
COMPONENT	SUPERNATE	WATER WASH	LAB UNIT
Physical Data			
Color of Settled Solids	Green		
Settled Solids	90		Vol%
Centrifuged Solids	73		Vol%
SpG of overall sample	1.696		
SpG of liquid phase	1.39		
SpG of centrifuged solids	1.804		
Chemical Analysis			
Na	7.99	9.39	moles/L
Al	1.09	0.78	moles/L
K	0.37	0.23	moles/L
OH	2.39	1.36	moles/L
NO3	2.35	1.25	moles/L
NO2	2.25	1.17	moles/L
F	<0.077	3.57	moles/L
CO3	0.116	0.072	moles/L
NH3	0.049	0.039	moles/L
U	6.2E-03	7.1E-03	g/l
Radiological Analysis			
Cs 137(b)	4.20E+05	2.0E+05	nCi/mL
C 14(b)	0.78	<1.0	nCi/mL
(a) Values reported for water-wash solutions are calculated to represent			
moles (except as noted) of solute per liter of 103-AW slurry.			
(b) Units are nCi/mL of slurry.			

Waste Tank AW-103			
Chemical Analysis of Filtrates and Water-Wash Solutions(a)			
August 7, 1985			
Sample: 4013 (at Bottom)			
COMPONENT	FILTRATE	WATER WASH	LAB UNIT
Physical Data			
Color of Settled Solids	off-white		
Settled Solids	50		Vol%
Centrifuged Solids	33		Vol%
SpG of overall sample	1.291		
SpG of liquid phase	1.13		
SpG of centrifuged solids	1.55		
Chemical Analysis			
Na	3.04	3.69	moles/L
Al	0.265	0.04	moles/L
K	0.484	0.009	moles/L
OH	1.37	0.40	moles/L
NO3	0.522	0.128	moles/L
NO2	0.539	0.128	moles/L
F	0.256	2.27	moles/L
CO3	0.046	0.014	moles/L
NH3	0.13	0.068	moles/L
U	8.0E-03	3.2E-03	g/l
Radiological Analysis			
Cs 137(b)	1.15E+04	2.8E+04	nCi/mL
C 14(b)	0.40	<0.59	nCi/mL
(a) Values reported for water-wash solutions are calculated to represent			
moles (except as noted) of solute per liter of 103-AW slurry.			
(b) Units are nCi/mL of slurry.			

Waste Tank AW-103		
Radionuclide Analysis of Dissolved Solids Fractions		
August 7, 1985		
Sample: 4013 (at Bottom)		
COMPONENT	HNO3/HF(a)	LAB UNIT
Physical Data		
Color of Settled Solids	off-white	
Settled Solids	50	Vol%
Centrifuged Solids	33	Vol%
SpG of overall sample	1.291	
SpG of liquid phase	1.13	
SpG of centrifuged solids	1.55	
Chemical Analysis		
U	21.9	g/l
Radiological Analysis		
60 Co	17	nCi/mL
137 Cs	507	nCi/mL
95 Nb	845	nCi/mL
106 Rh	1190	nCi/mL
125 Sb	752	nCi/mL
95 Zr	287	nCi/mL
(a) nCi/mL in solution as submitted for analysis		

Waste Tank AW-103				
Chemical Analysis of Filtrates and Water-Wash Solutions(a)				
August 7, 1985				
Sample: 3936 (18")				
COMPONENT	HNO3/HF(a)	ANN*/HNO3(a)	SLURRY(e)	LAB UNIT
Physical Data				
Color of Settled Solids	off-white			
Settled Solids	90			Vol%
Centrifuged Solids	73			Vol%
SpG of overall sample	1.696			
SpG of liquid phase	1.39			
SpG of centrifuged solids	1.804			
Chemical Analysis				
U	1.2	0.4	12	g/L
Radiological Analysis				
144 CePr		5340	27600	nCi/mL
144 Ce		2670	13800	nCi/mL
60 Co	12		99	nCi/mL
137 Cs	942	198	8820(c)	nCi/mL
155 Eu		90	470	nCi/mL
154 Eu		43	220	nCi/mL
22 Na		15	78	nCi/mL
95 Nb	206	149	2480	nCi/mL
106 Rh	362	334	4720	nCi/mL
125 Sb	335	67	3120	nCi/mL
95 Zr	11	251	2080	nCi/mL
* Aluminum nitrate (ANN)				
(a) nCi/mL in solution as submitted for analysis				
(c) Note that represents only the 137 Cs from the solids remaining after water-wash.				
(e) Total slurry				

Waste Tank AW-103		
Analysis of Waste Tank Water Sample		
January 23, 1986		
Sample: R-7533		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	< 1 mRad at 2 inches	
Radiological Analysis		
TA	< 5.00E-05	uCi/L
TB	1.16E-01	uCi/L
Cs 137	1.50E-02	uCi/L
Sr 90	2.90E-02	uCi/L

Waste Tank AW-103			
Chemical Composition of Waste Tank Samples (1' and 10' Depth)			
March 21, 1986			
Sample: R-6449 / R-6450 Received: September 3, 1986			
COMPONENT	LAB VALUE - R6449(a)	LAB VALUE - R6450(b)	LAB UNIT
Chemical Analysis			
Al	0.002	0.002	M
OH	0.761	0.744	M
NO ₂	0.017	0.016	M
NO ₃	0.063	0.064	M
CO ₃	0.011	0.011	M
PO ₄	0.001	0.001	M
F	0.714	0.714	M
TOC	0.016	0.010	M
K	0.606	0.485	M
Na	1.31	1.07	M
NH ₃	0.288	0.318	M
Pu 239/240	1.37E-03	1.01E-03	g/L
Radiological Analysis			
Cs 134	3.30E+03	3.23E+03	uCi/L
Cs 137	3.81E+04	3.80E+04	uCi/L
Ru/Rh 106	1.19E+04	1.21E+04	uCi/L
Rh 106	5.96E+03	6.06E+03	uCi/L
C 14	1.34E-01	<1.21E-01	uCi/L
Sr	1.36E-02	4.02E-01	uCi/L
Tc 99	3.74E+01	4.42E+01	uCi/L
a - Mass Balance = 98.6 Wt%			
b - Mass Balance = 98.5 Wt%			

Waste Tank AW-103			
Analysis of NCRW Core Samples (Seg 3A and 4A)			
February 2, 1987			
Lab No.: 7927 / 7928			
COMPONENT	LAB VALUE - 7927	LAB VALUE - 7928	LAB UNIT
Physical Data			
V/O Settled Solids	100	100	Vol
Density Settled Solids	1.22	1.28	g/ml
V/O Centrifuged Solids	64	76	Vol
Density Centrifuged Solids	1.18	1.27	g/ml
W/O H2O	76	74	
Chemical Analysis			
CO3(-2)	2.20E+03	2.80E+03	ug/g
TOC	1.10E+02	1.50E+02	ug/g
U	3.1	4.4	mg/g
Radiological Analysis			
Pu 239 + 240	3.70E+02	5.10E+02	Nano Ci/g
Am 241	14	17	Nano Ci/g
Nb 95	3.50E+08	4.70E+08	dis/min/g
Zr 95	1.70E+08	2.30E+08	dis/min/g
Ru 106	9.80E+07	1.40E+08	dis/min/g
Sb 125	1.90E+07	2.80E+07	dis/min/g
Cs 134	4.10E+06	3.70E+06	dis/min/g
Cs 137	6.20E+07	6.10E+07	dis/min/g
Ce 144	1.60E+08	1.90E+08	dis/min/g
Co 60	3.50E+05	4.40E+05	dis/min/g
Pu 238	0.023	0.033	Atom %
Pu 239	92.95	92.71	Atom %
Pu 240	6.25	6.44	Atom %
Pu 241	0.752	0.788	Atom %
Pu 242	0.030	0.028	Atom %

Waste Tank AW-103			
Analysis of NCRW Core Samples (Seg 5A and 6A)			
February 2, 1987			
Lab No.: 7929 / 7930			
COMPONENT	LAB VALUE - 7929	LAB VALUE - 7930	LAB UNIT
Physical Data			
V/O Settled Solids	100	100	Vol
Density Settled Solids	1.38	1.40	g/ml
V/O Centrifuged Solids	82	83	Vol
Density Centrifuged Solids	1.37	1.40	g/ml
W/O H2O	66	62	
Chemical Analysis			
CO3(-2)	2.00E+03	1.90E+03	ug/g
TOC	2.00E+02	1.80E+02	ug/g
U	5.3	4.6	mg/g
Radiological Analysis			
Pu 239 + 240	2.80E+02	6.40E+02	Nano Ci/g
Am 241	14	39	Nano Ci/g
Nb 95	5.30E+06	9.40E+07	dis/min/g
Zr 95	3.10E+06	4.40E+07	dis/min/g
Ru 106	5.40E+07	1.00E+08	dis/min/g
Sb 125	2.30E+07	3.40E+07	dis/min/g
Cs 134	1.20E+06	3.60E+06	dis/min/g
Cs 137	5.00E+07	7.30E+07	dis/min/g
Ce 144	3.20E+07	8.70E+07	dis/min/g
Co 60	3.20E+05	7.00E+05	dis/min/g
Pu 238	0.36	0.046	Atom %
Pu 239	91.33	92.32	Atom %
Pu 240	7.54	6.77	Atom %
Pu 241	1.03	0.833	Atom %
Pu 242	0.060	0.036	Atom %

Waste Tank AW-103			
Analysis of NCRW Core Samples (Supernate and Seg 7A)			
February 2, 1987			
Lab No.: 7931 / 7932			
COMPONENT	LAB VALUE - 7931	LAB VALUE - 7932	LAB UNIT
Physical Data			
V/O Settled Solids		100	Vol
Density Settled Solids		1.47	g/ml
V/O Centrifuged Solids		79	Vol
Density Centrifuged Solids		1.54	g/ml
W/O H2O	91	54	
Chemical Analysis			
CO3(-2)		5.10E+03	ug/g
CO3(-2)	1.20E+03		ug/ml
TOC		4.7E+02	ug/g
TOC	63		ug/ml
U		7.2	mg/g
U	6.80E-03		mg/ml
Radiological Analysis			
Pu 239 + 240		5.30E+02	nCi/g
Pu 239 + 240	<0.2		nCi/ml
Am 241		56	nCi/g
Am 241	<0.05		nCi/ml
Nb 95		1.30E+06	dis/min/g
Zr 95		6.40E+05	dis/min/g
Ru 106		2.10E+07	dis/min/g
Ru 106	9.30E+06		dis/min/ml
Sb 125		1.50E+07	dis/min/g
Cs 134		5.20E+05	dis/min/g
Cs 134	4.90E+06		dis/min/ml
Cs 137		1.10E+08	dis/min/g
Cs 137	7.70E+07		dis/min/ml
Ce 144		1.30E+07	dis/min/g
Co 60		3.80E+05	dis/min/g
Pu 238		0.030	Atom %
Pu 239		92.47	Atom %
Pu 240		6.76	Atom %
Pu 241		0.698	Atom %
Pu 242		0.038	Atom %

Waste Tank AW-103			
Analysis of NCRW Core Samples (Rep-1 and Rep-2)			
February 2, 1987			
Lab No.: 7933 / 7934			
COMPONENT	LAB VALUE - 7933	LAB VALUE - 7934	LAB UNIT
Physical Data			
W/O H2O	67	53	
Chemical Analysis			
CO3(-2)	4.30E+03	3.00E+03	ug/g
TOC	1.60E+02	4.70E+02	ug/g
U	4.7	7.6	mg/g
Radiological Analysis			
Pu 239 + 240	5.60E+02	5.60E+02	nCi/g
Am 241	33	61	nCi/g
Nb 95	6.90E+07	1.10E+06	dis/min/g
Zr 95	3.50E+07	< 1.0E+06	dis/min/g
Ru 106	8.00E+07	2.00E+07	dis/min/g
Sb 125	2.80E+07	1.60E+07	dis/min/g
Cs 134	2.40E+06	< 6.0E+05	dis/min/g
Cs 137	8.70E+07	1.30E+08	dis/min/g
Ce 144	8.20E+07	1.50E+07	dis/min/g
Pu 238	0.36	0.026	Atom %
Pu 239	91.45	92.45	Atom %
Pu 240	7.44	6.77	Atom %
Pu 241	1.02	0.712	Atom %
Pu 242	0.057	0.036	Atom %

Waste Tank AW-103			
Analysis of NCRW Core Samples (Seg 8A and Seg 8,9 GRNA Dark)			
February 2, 1987			
Lab No.: 7935 / 7936			
COMPONENT	LAB VALUE - 7935	LAB VALUE - 7936	LAB UNIT
Physical Data			
V/O Settled Solids	100	100	Vol
Density Settled Solids	1.54	1.51	g/ml
V/O Centrifuged Solids	78	100	Vol
Density Centrifuged Solids	1.70	1.57	g/ml
W/O H2O	41	32	
Chemical Analysis			
CO3(-2)	5.60E+03	9.10E+03	ug/g
TOC	2.30E+03	9.80E+03	ug/g
U	10.6	0.87	mg/g
Radiological Analysis			
Pu 239 + 240	6.80E+02	39	nCi/g
Am 241	93	80	nCi/g
Nb 95	2.30E+05		dis/min/g
Zr 95	1.20E+05		dis/min/g
Ru 106	6.10E+06		dis/min/g
Sb 125	8.10E+06		dis/min/g
Cs 134	1.60E+05		dis/min/g
Cs 137	2.50E+08	5.20E+08	dis/min/g
Ce 144	8.20E+06		dis/min/g
Co 60	3.40E+05	4.40E+05	dis/min/g
Eu 154		7.30E+05	dis/min/g
Eu 155		8.70E+05	dis/min/g
Pu 238	0.026		Atom %
Pu 239	92.45		Atom %
Pu 240	6.84		Atom %
Pu 241	0.652		Atom %
Pu 242	0.036		Atom %

Waste Tank AW-103		
Composition of Tank Sample		
June 15, 1988		
Sample: T-8200 Received: April 9, 1988		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Clear light yellow, no organics, no solids, 30 mRad/hr	
H ₂ O	9.37E+01	Wt%
SpG	1.04	
pH	13.22	
Centrifuged Supernate	100	Vol% / Wt%
Chemical Analysis		
Al	2.07E-03	moles/l
Cl	2.77E-03	moles/l
CO ₃	2.46E-02	moles/l
TOC	1.29E-01	g/l
F	7.39E-01	moles/l
Ce	1.35E-02	moles/l
K	3.73E-01	moles/l
Na	8.59E-01	moles/l
NH ₃	1.92E-01	moles/l
NO ₂	6.17E-03	moles/l
NO ₃	8.10E-02	moles/l
Np	1.17E-04	g/l
PO ₄	<2.67E-03	moles/l
SO ₄	<2.75E-04	moles/l
OH	6.35E-01	moles/l
Pu	2.90E-03	g/l
Radiological Analysis		
Am	<1.08	uCi/l
Cs 134	7.11E+02	uCi/l
Cs 137	2.66E+04	uCi/l
RuRh 106	3.45E+03	uCi/l
Pm	5.61E+02	uCi/L
Sr 89/90	1.52E-01	uCi/L

Waste Tank AW-103			
Tank Farm Supernatant Samples Routine TRU Analyses			
July 29, 1988			
Sample: T-3328 / T-5959 / T-8200			
Received: October 13, 1987 / January 29, 1988 / April 9, 1988			
COMPONENT	Sample T-3328	Sample T-5959	LAB UNIT
Radiological Analysis			
Am 241	1.08	2.28	uCi/l
Pu 239/240	22.2	0.0282	uCi/l
Pu 239	20.202	0.025662	nCi/g
Pu 240	1.998	0.002538	nCi/g

Waste Tank AW-103			
Analysis of Supernatant Solutions from Dip Samples			
December 27, 1988			
Sample: R-3760 / R-3761 Date Taken: October 4, 1988			
COMPONENT	LAB VALUE - R-3760	LAB VALUE - R-3761	LAB UNIT
Physical Data			
Settled Solids		90	Vol%
Fuged Solids		69	Vol%
Sludge SpG		1.25	
SpG of Fuged Solids		1.38	
Chemical Analysis			
F	0.89	0.86	M
NO ₂	0.013	0.042	M
NO ₃	0.057	0.064	M
OH	0.31	0.705	M
NH ₃	0.37	0.042	M
Na	9.2E-01		M
K	3.0E-01		M
Al	1.8E-03		M
P	2.9E-04		M
Ca	2.2E-05		M
Zn	5.1E-05		M
Radiological Analysis			
Cs 134	1,070	1,110	uCi/L
Cs 137	18800	35700	uCi/L
Pu 239/40	<0.08		uCi/L
Am 241	0.26		uCi/L

Waste Tank AW-103			
Analysis of Supernatant Solutions from Dip Samples (Sludge)			
December 27, 1988			
Sample: R-3762 / R-4251 Date Taken: October 4, 1988			
COMPONENT	LAB VALUE - R-3762	LAB VALUE - R-4251	LAB UNIT
Physical Data			
Settled Solids	70	75	Vol%
Fuged Solids	50	44	Vol%
Sludge SpG	1.23	1.22	
SpG of Fuged Solids	1.42	1.46	
Chemical Analysis			
F	0.88	0.86	M
NO ₂	0.027	0.022	M
NO ₃	0.063	0.060	M
OH	0.49	<0.49	M
NH ₃	0.015	<0.006	M
Na		1.2E+00	M
K		5.0E-01	M
Si		5.1E-03	M
Al		1.8E-03	M
Cr		1.1E-03	M
P		7.3E-04	M
B		5.6E-04	M
Sn		4.7E-04	M
Ca		9.8E-05	M
Zn		1.0E-05	M
Radiological Analysis			
Cs 134	990	974	uCi/L
Cs 137	33700	37800	uCi/L
Pu 239/40		<0.2	uCi/L
Am 241		<0.2	uCi/L

Waste Tank AW-103		
Analysis of Supernatant Solutions from Dip Samples (Sludge)		
December 27, 1988		
Sample: R-4252 Date Taken: October 4, 1988		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Settled Solids	10	Vol%
Fuged Solids	12	Vol%
Sludge SpG	1.05	
SpG of Fuged Solids	1.41	
Chemical Analysis		
F	0.83	M
NO ₂	0.028	M
NO ₃	0.061	M
OH	<0.46	M
NH ₃	0.095	M
Na	9.8E-01	M
K	3.9E-01	M
Si	3.4E-03	M
Al	2.0E-03	M
Cr	3.2E-04	M
P	5.8E-02	M
B	3.3E-04	M
Sn	3.4E-04	M
Ca	6.6E-05	M
Zn	5.2E-05	M
Radiological Analysis		
Cs 134	896	uCi/L
Cs 137	28,900	uCi/L
Pu 239/40	<0.06	uCi/L
Am 241	<0.05	uCi/L

Waste Tank AW-103		
Sample Status Report on Waste Tank AW-103		
April 20, 1989		
Sample: R-4695 Received: March 14, 1989		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
La	101.8	%
Nd	103.2	%
B	94.8	%
Al	101.8	%
Pd	103.7	%
Ca	102.3	%
Fe	106.4	%
Zr	103.4	%
Ce	105.1	%
Mg	105.6	%
Si	101.7	%
Ti	103.4	%
Mn	100.3	%
Na	98.1	%
K	100.1	%
Bi	103.1	%
Mo	96.1	%
Ba	100.3	%
Np	102.0	%
U	97.8	%
Radiological Analysis		
GEA-Liq	100.9	%
Pu 239/40	103.7	%
Sr 89/90	105.6	%
Am 241	109.4	%
Am 241	95.3	%

Waste Tank AW-103		
Sample Status Report on Waste Tank AW-103		
April 20, 1989		
Sample: R-4705 Received: March 14, 1989		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
La	103.6	%
Ba	98.7	%
B	96.3	%
Al	103.8	%
Pd	102.2	%
Ca	105.5	%
Fe	104.2	%
K	99.3	%
Zr	102.9	%
Mg	106.0	%
Si	96.0	%
Na	100.4	%
Mn	101.2	%
Nd	103.1	%
Np	102.5	%
U	101.6	%
Radiological Analysis		
GEA-Liq	101.4	%
Pu 239/40	111.0	%
Sr 89/90	109.9	%
Am 241	94.7	%

Waste Tank AW-103		
Composition of Tank AW-103 (Sludge)		
May 5, 1989		
Sample: R-4346 Received: December 11, 1988		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Settled Solids	95	Vol%
Fuged Solids	49	Vol%
Sludge SpG	1.26	
SpG of Fuged Solids	1.49	
Chemical Analysis		
F	0.990	M
NO ₂	0.027	M
NO ₃	0.067	M
OH	0.34	M
NH ₃	0.09	M
Radiological Analysis		
Cs 134	8.69E + 02	uCi/l
Cs 137	32200	uCi/l

Waste Tank AW-103			
Chemical Analysis of Acid-Dissolved Solids			
May 5, 1989			
Sample: R-4346 Received: December 11, 1988			
COMPONENT	ACID LEACH	SOLIDS	LAB UNIT
Physical Data			
Settled Solids	95		Vol%
Fuged Solids	49		Vol%
Sludge SpG	1.26		
SpG of Fuged Solids	1.49		
Chemical Analysis			
Na	3.5E+00		mmol/g
Zr	9.9E-01		mmol/g
Pd	3.0E-01		mmol/g
K	1.90E-01		mmol/g
Al	7.1E-02		mmol/g
Mg	7.0E-02		mmol/g
Ca	2.4E-02		mmol/g
Sn	1.3E-02		mmol/g
Ce	1.2E-02		mmol/g
P	8.2E-03		mmol/g
Fe	7.5E-03		mmol/g
Mn	5.1E-03		mmol/g
Cr	4.0E-03		mmol/g
Ba	3.0E-03		mmol/g
La	1.0E-03		mmol/g
Mo	9.7E-04		mmol/g
Bi	7.7E-04		mmol/g
Ni	6.7E-04		mmol/g
Nd	3.8E-04		mmol/g
Ti	3.1E-04		mmol/g
Cu	1.4E-04		mmol/g
Zn	9.6E-05		mmol/g
Radiological Analysis			
Cs 137		1.2E+04	nCi/g
Nb 95		8.0E+03	nCi/g
RuRh 106		3.5E+04	nCi/g
Sb 125		2.1E+04	nCi/g
Zr 95		2.9E+03	nCi/g
Pu 239/40		86	nCi/g
Am 241		2	nCi/g

Waste Tank AW-103		
Sample Status Report on Waste Tank AW-103		
June 8, 1989		
Sample: R-4685 Received: March 14, 1989		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
As	101.3	%
Cl	97.6	%
TOC	97.2	%
F	98.5	%
Hg	104.89	%
B	98.5	%
Na	100.5	%
Mg	106.2	%
Si	106.2	%
P	100.3	%
K	98.1	%
Ca	103.7	%
Cu	106.5	%
Sr	102.8	%
Mo	99.9	%
Ag	100.0	%
Cd	103.1	%
La	102.5	%
Pb	100.2	%
Bi	104.8	%
Al	102.4	%
Ti	103.1	%
Cr	99.6	%
Mn	98.9	%
Fe	103.1	%
Co	101.0	%
Ni	103.6	%
Zr	101.3	%
Pd	100.3	%
Sn	91.6	%
Ba	99.3	%
Ce	98.8	%
Nd	99.7	%
Ta	101.3	%
NHS	98.2	%
NO2	102.3	%
NO3	102.6	%
Np	92.4	%
PO4	100.7	%
Se	96.8	%
SO4	100.7	%
U	96.6	%
Radiological Analysis		
GEA-Liq	109.8	%
Pu 239/40	109.7	%
Sr 89/90	103.7	%
Am 241	108.8	%
Am 241	95.3	%

Waste Tank AW-103		
Sample Status Report on Waste Tank AW-103		
June 8, 1989		
Sample: R-4694 Received: March 14, 1989		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
As	97.0	%
Cl	96.4	%
TOC	98.1	%
F	96.0	%
Hg	109.52	%
Li	97.3	%
B	95.9	%
Al	100.6	%
Ti	102.4	%
Cr	100.8	%
Mn	97.3	%
Fe	104.0	%
Co	103.0	%
Ni	105.2	%
Zr	103.7	%
Pd	101.6	%
Ba	100.5	%
Ce	100.4	%
Nd	99.7	%
Ta	99.2	%
Na	96.9	%
Mg	105.9	%
Si	104.6	%
P	101.5	%
K	95.2	%
Ca	101.8	%
Cu	104.9	%
Zn	102.0	%
Sr	101.6	%
Mo	97.8	%
Ag	97.8	%
Cd	104.7	%
La	101.8	%
Pb	99.3	%
Bi	103.3	%
NH3	98.2	%
NO2	101.9	%
NO3	95.8	%
Np	97.3	%
PO4	89.3	%
Se	101.3	%
SO4	95.7	%
U	107.8	%
Radiological Analysis		
GEA-Liq	105.0	%
Pu 239/40	103.1	%
Sr 89/90	103.7	%
Am 241	109.4	%

Waste Tank AW-103		
Component Analysis of Segment 4-1st Subquarter		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
Ag	0.0008	g/g
Ba	0.0002	g/g
Ca	0.0002	g/g
Fe	0.0009	g/g
La	0.0035	g/g
Mo	0.0002	g/g
Na	0.0483	g/g
Ni	0.0001	g/g
Sn	0.0018	g/g
F- (Oxalic Leach)	0.0242	g/g
NO3- (Oxalic Leach)	0.0033	g/g
CO3- (Water Leach)	0.0066	g/g
Al	0.0021	g/g
B	0.0002	g/g
Bi	0.0006	g/g
Ce	0.0021	g/g
Cr	0.0003	g/g
K	0.0173	g/g
Mg	0.0004	g/g
Mn	0.0007	g/g
Nd	0.0016	g/g
P	0.0005	g/g
Si	0.0076	g/g
Ta	0.0001	g/g
U	0.0132	g/g
Zr	0.2135	g/g
F- (Water Leach)	0.0470	g/g
NO3- (Water Leach)	0.0022	g/g
OH- (Water Leach)	0.0065	g/g

Waste Tank AW-103		
Component Analysis of Segment 4-1st Subquarter (Cont.)		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Radiological Analysis		
Pu 239/240	1780	nCi/g
Am 241	130	nCi/g
Cs 137	27.3	uCi/g
Cs 134	0.75	uCi/g
CePr 144	221	uCi/g
RuRh 106	88.7	uCi/g
Co 60	0.51	uCi/g
Sb 125	21.9	uCi/g
Sn 113	0.25	uCi/g
Nb 95	6.77	uCi/g
Zr 95	3.08	uCi/g
Sr 89/90	11.6	uCi/g
Cs 137 (Water Leach)	22.6	uCi/g
Cs 134 (Water Leach)	0.61	uCi/g

Waste Tank AW-103		
Component Analysis of Segment 4-2nd Subquarter		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
Ag	0.0008	g/g
Ba	0.0004	g/g
Ca	0.0006	g/g
Fe	0.0010	g/g
La	0.0041	g/g
Mo	0.0003	g/g
Na	0.0584	g/g
Ni	0.0002	g/g
F- (Oxalic Leach)	0.0281	g/g
NO3- (Oxalic Leach)	0.0040	g/g
CO3- (Water Leach)	0.0132	g/g
Al	0.0025	g/g
B	0.0002	g/g
Bi	0.0007	g/g
Ce	0.0029	g/g
Cr	0.0004	g/g
K	0.0216	g/g
Mg	0.0005	g/g
Mn	0.0009	g/g
Nd	0.0015	g/g
P	0.0005	g/g
Si	0.0093	g/g
Ta	0.0001	g/g
U	0.0165	g/g
Zr	0.2367	g/g
F- (Water Leach)	0.0279	g/g
NO3- (Water Leach)	<0.0044	g/g
OH- (Water Leach)	0.0091	g/g

Waste Tank AW-103		
Component Analysis of Segment 4-2nd Subquarter (Cont.)		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Radiological Analysis		
Pu 239/240	1680	nCi/g
Am 241	134	nCi/g
Cs 137	31.1	uCi/g
Cs 134	0.88	uCi/g
CePr 144	209	uCi/g
RuRh 106	95.0	uCi/g
Sb 125	26.7	uCi/g
Sn 113	0.44	uCi/g
Nb 95	6.99	uCi/g
Zr 95	0.08	uCi/g
Sr 89/90	27.1	uCi/g
Cs 137 (Water Leach)	26.6	uCi/g
Cs 134 (Water Leach)	0.70	uCi/g

Waste Tank AW-103		
Component Analysis of Segment 4-3rd Subquarter		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
Ag	0.0007	g/g
Ba	0.0003	g/g
Ca	0.0006	g/g
Fe	0.0009	g/g
La	0.0028	g/g
Mo	0.0002	g/g
Na	0.0509	g/g
Ni	0.0001	g/g
Sn	0.0018	g/g
F- (Oxalic Leach)	0.0353	g/g
NO3- (Oxalic Leach)	0.0039	g/g
CO3- (Water Leach)	0.0069	g/g
Al	0.0022	g/g
B	0.0002	g/g
Bi	0.0006	g/g
Ce	0.0026	g/g
Cr	0.0003	g/g
K	0.0182	g/g
Mg	0.0005	g/g
Mn	0.0007	g/g
Nd	0.0010	g/g
P	0.0005	g/g
Si	0.0085	g/g
Ta	0.0001	g/g
U	0.0132	g/g
Zr	0.2012	g/g
F- (Water Leach)	0.0245	g/g
NO3- (Water Leach)	0.0020	g/g
OH- (Water Leach)	0.0090	g/g

Waste Tank AW-103		
Component Analysis of Segment 4-3rd Subquarter (Cont.)		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Radiological Analysis		
Pu 239/240	1160	nCi/g
Am 241	82.8	nCi/g
Cs 137	26.5	uCi/g
Cs 134	0.75	uCi/g
CePr 144	143	uCi/g
RuRh 106	86.7	uCi/g
Sb 125	22.9	uCi/g
Eu 155	0.40	uCi/g
Nb 95	6.37	uCi/g
Mn 54	0.07	uCi/g
Sr 89/90	25.2	uCi/g
Cs 137 (Water Leach)	23.0	uCi/g
Cs 134 (Water Leach)	0.62	uCi/g

Waste Tank AW-103		
Component Analysis of Segment 4-4th Subquarter		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
Ag	0.0007	g/g
Ba	0.0004	g/g
Ca	0.0007	g/g
Fe	0.0009	g/g
La	0.0026	g/g
Mo	0.0003	g/g
Na	0.0566	g/g
Ni	0.0001	g/g
Sn	0.0019	g/g
F- (Oxalic Leach)	0.0214	g/g
NO3- (Oxalic Leach)	0.0034	g/g
CO3- (Water Leach)	0.0082	g/g
Al	0.0022	g/g
B	0.0002	g/g
Bi	0.0006	g/g
Ce	0.0026	g/g
Cr	0.0003	g/g
K	0.0167	g/g
Mg	0.0005	g/g
Mn	0.0007	g/g
Nd	0.0009	g/g
P	0.0005	g/g
Si	0.0096	g/g
Ta	0.0001	g/g
U	0.0151	g/g
Zr	0.1949	g/g
F- (Water Leach)	0.0305	g/g
NO3- (Water Leach)	0.0021	g/g
OH- (Water Leach)	0.0090	g/g

Waste Tank AW-103		
Component Analysis of Segment 4-4th Subquarter (Cont.)		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Radiological Analysis		
Pu 239/240	1100	nCi/g
Am 241	40.2	nCi/g
Cs 137	26.1	uCi/g
Cs 134	0.65	uCi/g
CePr 144	130	uCi/g
RuRh 106	92.2	uCi/g
Co 60	0.48	uCi/g
Sb 125	23.7	uCi/g
Eu 155	0.34	uCi/g
Nb 95	7.34	uCi/g
Sr 89/90	18.2	uCi/g
Cs 137 (Water Leach)	22.5	uCi/g
Cs 134 (Water Leach)	0.61	uCi/g

Waste Tank AW-103		
Component Analysis of Segment 4R, Composite (1st + 4th Subsegment)		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
Ag	0.0005	g/g
Ba	0.0006	g/g
Ca	0.0010	g/g
Fe	0.0008	g/g
La	0.0004	g/g
Mo	0.0002	g/g
Na	0.1117	g/g
Ni	0.0001	g/g
Sn	0.0023	g/g
Zn	0.0001	g/g
F- (Oxalic Leach)	0.0683	g/g
NO3- (Oxalic Leach)	0.0029	g/g
CO3- (Water Leach)	0.0140	g/g
Al	0.0026	g/g
B	0.0005	g/g
Bi	0.0003	g/g
Ce	0.0021	g/g
Cr	0.0003	g/g
K	0.0118	g/g
Mg	0.0016	g/g
Mn	0.0004	g/g
Nd	0.0001	g/g
P	0.0004	g/g
Si	0.0002	g/g
U	0.0057	g/g
Zr	0.1709	g/g
F- (Water Leach)	0.0738	g/g
NO3- (Water Leach)	0.0021	g/g
OH- (Water Leach)	0.0012	g/g

Waste Tank AW-103		
Component Analysis of Segment 4R, Composite (1st + 4th Subsegment) Continued		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Radiological Analysis		
Pu 239/240	142	nCi/g
Am 241	4.22	nCi/g
Cs 137	22.0	uCi/g
CePr 144	10.1	uCi/g
RuRh 106	71.3	uCi/g
Co 60	0.04	uCi/g
Sb 125	26.9	uCi/g
Sn 113	0.63	uCi/g
Sr 89/90	0.38	uCi/g
Cs 137 (Water Leach)	19.9	uCi/g
Cs 134 (Water Leach)	0.56	uCi/g

Waste Tank AW-103		
Component Analysis of Segment 5R, 1st Subquarter		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
Ba	0.0003	g/g
Ca	0.0006	g/g
Fe	0.0008	g/g
La	0.0036	g/g
Mo	0.0002	g/g
Na	0.0334	g/g
Ni	0.0001	g/g
Sn	0.0010	g/g
F- (Oxalic Leach)	0.0155	g/g
NO3- (Oxalic Leach)	<0.0050	g/g
CO3- (Water Leach)	0.0139	g/g
Al	0.0015	g/g
B	0.0002	g/g
Bi	0.0005	g/g
Ce	0.0016	g/g
Cr	0.0002	g/g
K	0.0141	g/g
Mg	0.0004	g/g
Mn	0.0006	g/g
Nd	0.0013	g/g
P	0.0003	g/g
Si	0.0067	g/g
U	0.0117	g/g
Zr	0.1211	g/g
F- (Water Leach)	0.0230	g/g
NO3- (Water Leach)	0.0026	g/g
OH- (Water Leach)	0.0088	g/g

Waste Tank AW-103		
Component Analysis of Segment 5R, 1st Subquarter (Cont.)		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Radiological Analysis		
Pu 239/240	2050	nCi/g
Am 241	855	nCi/g
Cs 137	22.1	uCi/g
Cs 134	0.57	uCi/g
CePr 144	169	uCi/g
RuRh 106	49.19	uCi/g
Co 60	0.31	uCi/g
Sb 125	13.1	uCi/g
Eu 155	0.68	uCi/g
Mn 54	0.04	uCi/g
Sr 89/90	25.3	uCi/g
Cs 137 (Water Leach)	24.5	uCi/g
Cs 134 (Water Leach)	0.67	uCi/g

Waste Tank AW-103		
Component Analysis of Segment 5R, 2nd Subquarter		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
Ag	0.0005	g/g
Ba	0.0005	g/g
Ca	0.0010	g/g
Fe	0.0005	g/g
La	0.0015	g/g
Mo	0.0002	g/g
Na	0.0989	g/g
Ni	0.0001	g/g
Sn	0.0014	g/g
Zn	0.0001	g/g
F- (Oxalic Leach)	0.0598	g/g
NO3- (Oxalic Leach)	0.0043	g/g
CO3- (Water Leach)	0.0186	g/g
Al	0.0028	g/g
B	0.0004	g/g
Bi	0.0004	g/g
Ce	0.0021	g/g
Cr	0.0002	g/g
K	0.0220	g/g
Mg	0.0016	g/g
Mn	0.0005	g/g
Nd	0.0005	g/g
P	0.0004	g/g
Si	0.0434	g/g
U	0.0087	g/g
Zr	0.1678	g/g
F- (Water Leach)	0.0556	g/g
NO3- (Water Leach)	0.0027	g/g
OH- (Water Leach)	0.0045	g/g

Waste Tank AW-103		
Component Analysis of Segment 5R, 2nd Subquarter (Cont.)		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Radiological Analysis		
Pu 239/240	1480	nCi/g
Am 241	336	nCi/g
Cs 137	24.9	uCi/g
Cs 134	0.65	uCi/g
CePr 144	56.7	uCi/g
RuRh 106	4.43	uCi/g
Co 60	0.34	uCi/g
Sb 125	8.82	uCi/g
Eu 155	0.28	uCi/g
Nb 95	0.58	uCi/g
Sr 89/90	4.98	uCi/g
Cs 137 (Water Leach)	23.5	uCi/g
Cs 134 (Water Leach)	0.59	uCi/g

Waste Tank AW-103		
Component Analysis of Segment 5R, 3rd Subquarter		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
Ba	0.0007	g/g
Ca	0.0017	g/g
Fe	0.0007	g/g
La	0.0017	g/g
Mo	0.0001	g/g
Na	0.1270	g/g
Ni	0.0001	g/g
Sn	0.0010	g/g
Zn	0.0001	g/g
F- (Oxalic Leach)	0.0788	g/g
NO3- (Oxalic Leach)	0.0063	g/g
CO3- (Water Leach)	0.0059	g/g
Al	0.0031	g/g
B	0.0006	g/g
Bi	0.0004	g/g
Ce	0.0016	g/g
Cr	0.0002	g/g
K	0.0148	g/g
Mg	0.0022	g/g
Mn	0.0003	g/g
Nd	0.0005	g/g
P	0.0003	g/g
Si	0.0340	g/g
U	0.0113	g/g
Zr	0.1356	g/g
F- (Water Leach)	0.0149	g/g
NO3- (Water Leach)	0.0031	g/g
OH- (Water Leach)	0.0078	g/g

Waste Tank AW-103		
Component Analysis of Segment 5R, 3rd Subquarter (Cont.)		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Radiological Analysis		
Pu 239/240	1090	nCi/g
Am 241	118	nCi/g
Cs 137	26.1	uCi/g
Cs 134	0.57	uCi/g
CePr 144	75.1	uCi/g
RuRh 106	41.1	uCi/g
Co 60	0.38	uCi/g
Sb 125	12.7	uCi/g
Eu 155	0.51	uCi/g
Nb 95	0.37	uCi/g
Sr 89/90	2.97	uCi/g
Cs 137 (Water Leach)	23.5	uCi/g
Cs 134 (Water Leach)	0.53	uCi/g

Waste Tank AW-103		
Component Analysis of Segment 5R, 4th Subquarter		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
Ba	0.0005	g/g
Ca	0.0012	g/g
Fe	0.0006	g/g
La	0.0015	g/g
Mo	0.0002	g/g
Na	0.1236	g/g
Ni	0.0001	g/g
Sn	0.0010	g/g
F- (Oxalic Leach)	0.0814	g/g
NO3- (Oxalic Leach)	0.0065	g/g
CO3- (Water Leach)	0.0080	g/g
Al	0.0030	g/g
B	0.0005	g/g
Bi	0.0004	g/g
Ce	0.0017	g/g
Cr	0.0002	g/g
K	0.0004	g/g
Mg	0.0020	g/g
Mn	0.0004	g/g
Nd	0.0005	g/g
P	0.0003	g/g
Si	0.0305	g/g
U	0.0107	g/g
Zr	0.1389	g/g
F- (Water Leach)	0.1935	g/g
NO3- (Water Leach)	0.0037	g/g
OH- (Water Leach)	0.0066	g/g

Waste Tank AW-103		
Component Analysis of Segment 5R, 4rd Subquarter (Cont.)		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Radiological Analysis		
Pu 239/240	833	nCi/g
Am 241	74.0	nCi/g
Cs 137	25.6	uCi/g
Cs 134	0.53	uCi/g
CePr 144	57.1	uCi/g
RuRh 106	39.4	uCi/g
Co 60	0.34	uCi/g
Sb 125	10.6	uCi/g
Eu 155	0.50	uCi/g
Mn 54	1.78	uCi/g
Sr 89/90	3.16	uCi/g
Cs 137 (Water Leach)	25.0	uCi/g
Cs 134 (Water Leach)	0.56	uCi/g

Waste Tank AW-103		
Component Analysis of Segments 6 Through 10 Composite		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
Ag	0.0003	g/g
Ba	0.0006	g/g
Ca	0.0014	g/g
Fe	0.0008	g/g
La	0.0002	g/g
Mo	0.0001	g/g
Na	0.1159	g/g
Ni	0.0001	g/g
Sn	0.0004	g/g
F- (Oxalic Leach)	0.0436	g/g
NO3- (Oxalic Leach)	0.167	g/g
CO3- (Water Leach)	0.0063	g/g
Al	0.0072	g/g
B	0.0006	g/g
Bi	0.0003	g/g
Ce	0.0006	g/g
Cr	0.0017	g/g
K	0.0078	g/g
Mg	0.0008	g/g
Mn	0.0002	g/g
Nd	0.0001	g/g
P	0.0010	g/g
U	0.0087	g/g
Zr	0.0585	g/g
F- (Water Leach)	0.0581	g/g
NO3- (Water Leach)	0.127	g/g
OH- (Water Leach)	0.0127	g/g

Waste Tank AW-103		
Component Analysis of Segments 6 Through 10 Composite (Cont.)		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Radiological Analysis		
Pu 239/240	380	nCi/g
Am 241	38.8	nCi/g
Cs 137	66.8	uCi/g
Cs 134	0.16	uCi/g
CePr 144	3.03	uCi/g
RuRh 106	5.13	uCi/g
Co 60	0.13	uCi/g
Sb 125	3.18	uCi/g
Eu 155	0.03	uCi/g
Sr 89/90	6.47	uCi/g
Cs 137 (Water Leach)	85.6	uCi/g
Cs 134 (Water Leach)	0.19	uCi/g

Waste Tank AW-103		
Component Analysis of Segments 6 Through 10 Composite (duplicate)		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
Ag	0.0003	g/g
Ba	0.0007	g/g
Ca	0.0015	g/g
Fe	0.0010	g/g
La	0.0002	g/g
Mo	0.0001	g/g
Na	0.1970	g/g
Ni	0.0001	g/g
Sn	0.0005	g/g
F- (Oxalic Leach)	0.0375	g/g
NO3- (Oxalic Leach)	0.138	g/g
CO3- (Water Leach)	0.0056	g/g
Al	0.0067	g/g
B	0.0007	g/g
Bi	0.0004	g/g
Ce	0.0008	g/g
Cr	0.0023	g/g
K	0.0075	g/g
Mg	0.0009	g/g
Mn	0.0002	g/g
Nd	0.0001	g/g
P	0.0012	g/g
U	0.0080	g/g
Zr	0.0795	g/g
F- (Water Leach)	0.0675	g/g
NO3- (Water Leach)	0.129	g/g
OH- (Water Leach)	0.0112	g/g

Waste Tank AW-103		
Component Analysis of Segments 6 Through 10 Composite (duplicate) Cont.		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Radiological Analysis		
Pu 239/240	502	nCi/g
Am 241	47.8	nCi/g
Cs 137	90.1	uCi/g
Cs 134	0.17	uCi/g
CePr 144	4.05	uCi/g
RuRh 106	7.60	uCi/g
Co 60	0.15	uCi/g
Eu 155	0.02	uCi/g
Sr 89/90	13.1	uCi/g
Cs 137 (Water Leach)	84.8	uCi/g
Cs 134 (Water Leach)	0.17	uCi/g

Waste Tank AW-103		
Component Analysis of Segments 1 + 2 Liquid Composite		
February 22, 1990		
Sample Taken: Late January 1989		
COMPONENT	LAB VALUE	LAB UNIT
Chemical Analysis		
Al	0.00104	M
B	0.00014	M
Cr	0.00003	M
Fe	0.00003	M
K	0.237	M
P	0.00047	M
U	0.00001	M
F-	0.825	M
NO2-	0.0147	M
CO3-	0.0082	M
Cl-	<0.005	M
As	0.00010	M
Ca	0.00001	M
Cu	0.00002	M
Hg	<5E-07	M
Na	0.771	M
Se	<2E-06	M
An	0.00012	M
NH3	0.0159	M
NO3-	0.0554	M
OH-	0.0090	M
PO4	<0.015	M
TOC	0.846	g/l
Radiological Analysis		
Am 241	<0.32	uCi/l
Np 237	<0.0015	g/l
Cs 137	2740	uCi/l
Cs 134	114	uCi/l
Pu 239/240	<0.081	uCi/l
Sr 89/90	0.148	uCi/l

Waste Tank AW-103		
Composition of Tank AW-103 (Supernate)		
October 31, 1990		
Sample: R-4345 Received: December 11, 1988		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	No solids	
Chemical Analysis		
F	0.913	moles/l
NO2	0.015	moles/l
NO3	0.058	moles/l
OH	00.14	moles/l
NH3	0.41	moles/l
Radiological Analysis		
Cs 134	1180	uCi/l
Cs 137	21100	uCi/l
RuRh 106	4130	uCi/l
Pu 239/40	<0.16	uCi/l
Am 241	<0.95	uCi/l

Waste Tank AW-103				
Composition of Tank 103 AW				
October 31, 1990				
Sample: R-4346 Date Taken: December 11, 1988				
COMPONENT	SUPERNATE	SOLIDS	ACID LEACH	LAB UNIT
Physical Data				
Slurry (Sludge) Density	1.26			G/ml
Centrifuged Solids Density		1.49		G/ml
Centrifuged (Filtered) Supernate	51			Vol%
Centrifuged (Filtered) Solids		49		Vol%
Chemical Analysis				
F	0.990			moles/l
NO ₂	0.027			moles/l
NO ₃	0.067			moles/l
OH	0.34			moles/l
NH ₃	0.09			moles/l
Na			3.5	mmol/g
Zr			9.9E-01	mmol/g
Pd			3.0E-01	mmol/g
K			1.9E-01	mmol/g
Al			7.1E-02	mmol/g
Mg			7.0E-02	mmol/g
Ca			2.4E-02	mmol/g
Sn			1.3E-02	mmol/g
Ce			1.2E-02	mmol/g
P			8.2E-03	mmol/g
Fe			7.5E-03	mmol/g
Mn			5.1E-03	mmol/g
Cr			4.0E-03	mmol/g
Be			3.0E-03	mmol/g
La			1.0E-03	mmol/g
Mo			9.7E-04	mmol/g
Bi			7.7E-04	mmol/g
Ni			6.7E-04	mmol/g
Nd			3.8E-04	mmol/g
Ti			3.1E-04	mmol/g
Cu			1.4E-04	mmol/g
Zn			9.6E-05	mmol/g
Radiological Analysis				
Cs 134	869			uCi/L
Cs 137	32,200	1.2E+04		uCi/L
Nb 95		8.0E+03		uCi/L
RuRh 106		3.5E+04		uCi/L
Sb 125		2.1E+04		uCi/L
Zr 95		2.9E+03		uCi/L
Pu 239/40		86		nCi/g
Am		2		nCi/g

Waste Tank AW-103		
Composition of Tank AW-103 (Supernate)		
October 31, 1990		
Sample: R-4347 Received: December 11, 1988		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	No solids	
Chemical Analysis		
F	0.923	moles/l
NO2	0.015	moles/l
NO3	0.058	moles/l
OH	00.15	moles/l
NH3	0.42	moles/l
Radiological Analysis		
Cs 134	1130	uCi/l
Cs 137	20500	uCi/l
RuRh 106	3710	uCi/l
Pu 239/40	<0.16	uCi/l
Am 241	<0.19	uCi/l

Waste Tank AW-104		
Analytical Results of Sample for Tank AW-104		
October 10, 1980		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Colorless liquid, rust-colored solids	
pH	9.3	
Chemical Analysis		
NO ₂ -	3.13E-02	M
Radiological Analysis		
Total alpha	< 2.95E-04	uCi/l
Total beta	< 7.03E-04	uCi/l
Total alpha (solids)	< 2.24E-04	uCi/l
Total beta (solids)	4.14E-04	uCi/l

Waste Tank AW-104		
Analytical Results of Sample for Tank AW-104		
October 10, 1980		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Dark brown, no solids	
SpG	1.259	
Chemical Analysis		
OH- **	0.464	M
TOC	14.6	g/l
Na +	5.66	M
Al(+ 3)	0.344	M
F -	0.0362	M
Radiological Analysis		
Pu	21.3 (191)*	nCi/g
Am 241	109	nCi/g
Tc 99	144	nCi/g
Sr 90	4.70E + 05	uCi/L
Cs 137	4.36E + 05	uCi/L
*Seconds measurement for Pu. Discrepancy discussed in text		
**Hydroxide concentration at pH 9.4 ("free" hydroxide).		

Waste Tank AW-104		
Water-Soluble Fractions of Dried Tank Filtrate Samples*		
October 10, 1980		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Dark brown, no solids	
Chemical Analysis		
TOC	0.0106	g/l
Radiological Analysis		
Pu	140,87**	nCi/g
Sr 90	3.55E + 04	uCi/L
Cs 137	4.44E + 05	uCi/L
*Concentrations based on original sample that was dried and redissolved.		
**Double analyses.		

Waste Tank AW-104		
Acid-Soluble Fractions of Dried Tank Filtrate Samples*		
October 10, 1980		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Dark brown, no solids	
Chemical Analysis		
TOC	0.0074	g/l
Radiological Analysis		
Pu	207	nCi/g
Am 241	130	nCi/g
Cs 137	4.76E+05	uCi/L
*Concentrations based on original sample that was dried and redissolved.		

Waste Tank AW-104		
Composition of Tank AW-104 Sample		
November 9, 1984		
Sample: R-3206		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Dark brown, no solids	
SpG	1.410	
H2O	54.7	%
Chemical Analysis		
Al	0.868	M
OH	3.100	M
NO2	1.405	M
NO3	2.725	M
CO3	0.502	M
TOC	4.675	M
PO4	0.040	M
SO4	0.080	M
Cl	0.150	M
Na	10.625	M
K	0.119	M
Radiological Analysis		
Cs 134	8.55E+05	uCi/L
Cs 137	6.03E+02	uCi/L
Sr 90	3.63E+04	uCi/L

Waste Tank AW-104		
Sample Status Report for AW-104 (90" level)*		
April 30, 1985		
Sample: T-8793 Received: November 30, 1983		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Light green, no solids, 1.5 Rad OTR	
SpG	1.084	
Chemical Analysis		
Al	7.680E-02	M
OH	4.240E-01	M
CO3	2.480E-01	M
TOC	5.470E-01	GM/L C
NO2	1.600E-01	M
NO3	5.080E-01	M
PO4	8.730E-03	M
SO4	<1.020E-01	M
*Measured from bottom of tank.		

Waste Tank AW-104		
Sample Status Report for AW-104 (284" level)*		
April 30, 1985		
Sample: T-8797 Received: November 30, 1983		
COMPONENT	LAB VALUE	LAB UNIT
Physical Data		
Vis-OTR	Light green, no solids, 1.5 Rad OTR	
SpG	1.080	
Chemical Analysis		
Al	7.840E-02	M
OH	4.310E-01	M
CO3	2.390E-01	M
TOC	4.780E-01	GM/L C
NO2	1.610E-01	M
NO3	5.170E-01	M
PO4	8.840E-03	M
SO4	<1.020E-01	M
*Measured from bottom of tank.		

Waste Tank AW-104		
Composition of Tank Sample for Evaporator Run 86-3		
April 29, 1986		
Sample: T-8586 Received: March 12, 1986		
COMPONENT	LAB VALUE*	LAB UNIT
Physical Data		
SpG	1.48	
H2O	49.2	%
Settled Solids	< 1	%
Chemical Analysis		
Al	0.39	M
OH	4.18	M
NO2	2.14	M
NO3	3.28	M
CO3	0.21	M
PO4	0.018	M
SO4	<0.04	M
F	0.06	M
Cl	0.17	M
K	1.47	M
Na	13.40	M
Ca	1.95E-03	M
Cr	1.03E-02	M
Mg	1.22E-04	M
Si	9.53E-03	M
P	4.48E-02	M
Zn	5.93E-04	M
B	1.73E-03	M
NH3	0.044	M
TOC	5.95	g/L
Radiological Analysis		
Tc 99	2.48E + 02	uCi/l
I-129	0.08	uCi/l
*Mass balance = 95.1 Wt. %		

Waste Tank AW-105		
Composition of Waste Sample		
September 20, 1982		
COMPONENT	LAB VALUE	LAB UNITS
Physical Data		
Vis-OTR	Dark brown, no solids	
SpG	1.356	
Chemical Analysis		
OH- **	0.647	M
TOC	34.8	g/L
Na +	8.52	M
Al(+ 3)	0.506	M
F-	0.0270	M
HEDTA	0.1044	moles / liter
EDTA	0.0323	moles / liter
Radiological Analysis		
Pu	7.9 (107) *	nCi/g
Am 241	121	nCi/g
Tc 99	78	nCi/g
Sr 90	9.10E + 03	uCi/L
Cs 137	2.37E + 05	uCi/L
*Seconds measurement for Pu. Discrepancy discussed in text.		
**Hydroxide concentration at pH 9.4 ("free" hydroxide).		

Waste Tank AW-105		
Water-Soluble Fractions of Dried Tank Filtrate Sample*		
September 20, 1982		
COMPONENT	LAB VALUE	LAB UNITS
Physical Data		
Vis-OTR	Dark brown, no solids	
Chemical Analysis		
TOC	0.0162	g/L
Radiological Analysis		
Pu	135,156**	nCi/g
Am 241	160	nCi/g
Sr 90	599	uCi/L
Cs 137	3.15E+05	uCi/L
*Concentrations based on original sample that was dried and redissolved.		
**Double analyses.		

Waste Tank AW-105			
Composition of Tank AW-105 (Supporting Run 84-5)			
May 10, 1984			
Sample: R-9837 (Aqueous) / R-9838			
COMPONENT	SURFACE (R-9837)	4 FEET (R-9838)	LAB UNITS
Physical Data			
Vis-OTR	65 volume % immiscible floating organic	Clear yellow solution with slight trace of solids	
pH	13.15	13.14	
SpG	1.020	1.030	
Chemical Analysis			
Al(+3)	0.0099	0.0087	Moles/Liter
OH-	0.611	0.611	Moles/Liter
NO ₂ -	0.0484	0.0477	Moles/Liter
NO ₃ -	0.178	0.234	Moles/Liter
CO ₃ (-2)	0.0563	0.0491	Moles/Liter
TOC	0.71	0.57	g/L
Na+	1.07	0.92	Moles/Liter
K+	0.011	0.0096	Moles/Liter
Cl-	0.0046	0.021	Moles/Liter
PO ₄ (-3)	0.00069	0.00082	Moles/Liter
SO ₄ (-2)	0.0038	0.0036	Moles/Liter
Radiological Analysis			
Cs 137	2.07E+04	1.54E+04	uCi/L
Cs 134	7.18E+02	5.25E+02	uCi/L
Sr 90	6.79E+04		uCi/L
Ru/Rh 106	6.56E+03	4.58E+03	uCi/L

Waste Tank AW-105		
Status Report for AW-105		
April 30, 1985		
Sample: T-9706 Received: January 6, 1984		
COMPONENT	LAB VALUE	LAB UNITS
Physical Data		
Vis-OTR	Yellow, no organic, < 1% solids, 20 M/Rad/Hr	
SpG	0.1022E+01	
Solids	<1	%
Chemical Analysis		
Al	0.3320E-01	M
OH-	0.5890	M
CO3	0.5470E-01	M
TOC	0.5060	GM/L C
NO2	0.4400E-01	M
NO3	0.2200	M
PO4	0.7890E-03	M
SO4	<0.2100E-02	M

Waste Tank AW-105		
Status Report for AW-105		
April 30, 1985		
Sample: T-9707 Received: January 6, 1984		
COMPONENT	LAB VALUE	LAB UNITS
Physical Data		
Vis-OTR	Yellow, no organic, < 1% solids, 150 M/Rad/Hr	
SpG	0.1065E+01	
Solids	< 1	%
Chemical Analysis		
Al	0.1220	M
OH-	0.7740	M
CO3	0.3620E-01	M
TOC	0.1230E+01	GM/L C
NO2	0.1950	M
NO3	0.4230	M
PO4	0.8480E-02	M
SO4	<0.2100E-02	M

Waste Tank AW-105		
Composition of Surface Sample		
June 10, 1985		
Sample: R-4036 Received: Early January		
COMPONENT	LAB VALUE	LAB UNITS
Physical Data		
Vis-OTR	Clear and colorless with 2% clear, colorless organic phase on surface	
SpG	0.974	g/mL
pH	> 13.0	
H2O	90.7	%
Chemical Analysis		
Al	0.002	M
Oh	0.773	g/L
NO2	0.018	M
NO3	0.074	M
CO3	0.014	M
SO4	<0.001	M
PO4	0.001	M
NH3	0.417	M
F	0.741	M
Cl	0.007	M
Ba	0.00002	M
Ca	0.000022	M
Ag	<0.00002	M
K	0.423	M
Cr	0.00001	M
Fe	0.00001	M
Mg	0.00014	M
P	0.0049	M
Sn	<0.0041	M
Si	0.0047	M
Na	1.22	M
Se	<0.050	M
Hg	<0.100	mg/L
As	<0.200	mg/L
TOC	6.040	g/L
U	1.75E-02	g/L
Radiological Analysis		
TB	9.18E+04	uCi/L
TA	1.96E+01	uCi/L
Am	<0.602	uCi/L
C 14	0.420	uCi/L
Cs 134	2.72E+03	uCi/L
Cs 137	3.34E+04	uCi/L
Rh 106	6.04E+03	uCi/L
Pm	8.55E+02	uCi/L
Pu 241	<0.755	uCi/L
Pu	3.12E+01	uCi/L
Sr	5.46E-02	uCi/L
Tc 99	<9.15E-02	uCi/L

Waste Tank AW-105		
Water Sample from AW-105 Hose Bib *		
January 23, 1986		
Sample: R-7534		
COMPONENT	LAB VALUE	LAB UNITS
Radiological Analysis		
TA	<4.00E-05	uCi/L
TB	1.13E-01	uCi/L
Sr 90	7.00E-02	uCi/L
Cs 137	8.30E-04	uCi/L
* Sample <1 mRad at 2 inches		

Waste Tank AW-105				
Neutralized Coating Waste Analytical Results				
August 11, 1986				
Lab. No. : 7625 / 7626 / 7627				
COMPONENT	No. 7625	No. 7626	No. 7627	LAB UNITS
Physical Data				
Density Settled Solids	1.74	1.34	1.36	g/ml
Density Centrifuged Solids	1.73	1.34	1.37	g/ml
Centrifuged Solids	97	94	93	Vol%
Radiological Analysis				
Pu 239 + 240	524	520	382	nCi/g
Am 241	37	29	18	nCi/g

Waste Tank AW-105				
Neutralized Coating Waste Analytical Results (Cont.)				
August 11, 1986				
Lab. No. : 7628 / 7629 / 7630				
COMPONENT	No. 7628	No. 7629	No. 7630	LAB UNITS
Physical Data				
Density Settled Solids	1.35	1.44	1.39	g/ml
Density Centrifuged Solids	1.35	1.43	1.38	g/ml
Centrifuged Solids	91	100	100	Vol%
Radiological Analysis				
Pu 239 + 240	368	527	546	nCi/g
Am 241	19	2178	1170	nCi/g

Waste Tank AW-105				
Neutralized Coating Waste Analytical Results (Cont.)				
August 11, 1986				
Lab. No. : 7631 / 7632 / 7633				
COMPONENT	No. 7631	No. 7632	No. 7633	LAB UNITS
Physical Data				
Density Settled Solids	1.22	1.28	1.41	g/ml
Density Centrifuged Solids	1.22	1.3	1.38	g/ml
Centrifuged Solids	90	84	95	Vol%
Radiological Analysis				
Pu 239 + 240	266	1137	666	nCi/g
Am 241	19	504	42	nCi/g

Waste Tank AW-105				
Neutralized Coating Waste Analytical Results (Cont.)				
August 11, 1986				
Lab. No. : 7634 / 7635 / 7636				
COMPONENT	No. 7634	No. 7635 *	No. 7636 *	LAB UNITS
Physical Data				
Density Settled Solids	1.39	1.54	1.50	g/ml
Density Centrifuged Solids	1.34	1.53	1.52	g/ml
Centrifuged Solids	97	91	89	Vol%
Radiological Analysis				
Pu 239 + 240	636	531	63	nCi/g
Am 241	400	135	14	nCi/g
* Standard samples				

Waste Tank AW-105				
Core Sample Results (Neutralized Coating Removal Waste)				
August 11, 1986				
Segment No.: 5 and 6				
COMPONENT	SEG. 5	SEG. 6	SEG. 6	LAB UNITS
Physical Data				
Vis-OTR	Supernatant with 2" white solids	White solids		
Density	1.22		1.34	g/l
Chemical Analysis				
La	0.04	0.07	0.07	Wt%
Zr	5.09	7.44	7.70	Wt%
Sn	0.04	0.07	0.07	Wt%
Al	<0.05	0.10	<0.08	Wt%
Na	6.57	9.91	9.69	Wt%
Cr		0.01	<0.01	Wt%
U	0.18	0.47	0.48	Wt%
Fe	0.02	0.09	0.04	Wt%
K	1.3	1.2	1.2	Wt%
Radiological Analysis				
Pu 239 + 240	266	524	520	nCi/g
Am 241	19	37	29	nCi/g
NOTE: All results are reported per gram of settled solids.				

Waste Tank AW-105				
Core Sample Results (Neutralized Coating Removal Waste) Cont.				
August 11, 1986				
Segment No.: 7 and 8				
COMPONENT	SEG. 7	SEG. 8	SEG. 8	LAB UNITS
Physical Data				
Vis-OTR	White solids			
Density	1.28	1.36	1.35	g/l
Chemical Analysis				
La	0.06	0.04	0.04	Wt%
Zr	6.53	7.27	7.48	Wt%
Sn	0.05	0.06	0.07	Wt%
Al	<0.09	0.11	0.12	Wt%
Na	9.02	12.20	12.60	Wt%
Cr	<0.01	<0.01	<0.01	Wt%
U	0.45	0.48	0.47	Wt%
Fe	0.03	0.06	0.05	Wt%
K	1.0	0.8	0.8	Wt%
Radiological Analysis				
Pu 239 + 240	1137	382	368	nCi/g
Am 241	504	18	19	nCi/g
NOTE: All results are reported per gram of settled solids.				

Waste Tank AW-105				
Core Sample Results (Neutralized Coating Removal Waste) Cont.				
August 11, 1986				
Segment No.: 9 and 10				
COMPONENT	SEG. 9	SEG. 10	SEG. 10	LAB UNITS
Physical Data				
Vis-OTR	White solids with consistency of toothpaste	Approximately 12" of black, grainy solids with remainder white solids		
Density	1.41	1.44	1.39	g/l
Chemical Analysis				
La	<0.01	<0.01	<0.01	Wt%
Zr	8.20	2.91	3.11	Wt%
Sn	0.08	0.08	0.07	Wt%
Al	0.16	0.67	0.65	Wt%
Na	12.50	10.70	10.70	Wt%
Mn		0.56	0.57	Wt%
Cr		0.35	0.33	Wt%
U	1.38	6.02	5.95	Wt%
Fe	0.04	1.05	0.97	Wt%
K	<0.5	<0.2	<0.2	Wt%
Radiological Analysis				
Pu 239 + 240	666	527	546	nCi/g
Am 241	42	2178	1170	nCi/g
NOTE: All results are reported per gram of settled solids.				

Waste Tank AW-105		
Core Sample Results (Neutralized Coating Removal Waste) Cont.		
August 11, 1986		
Composite Sample		
COMPONENT	LAB VALUE	LAB UNITS
Physical Data		
Density	1.39	g/l
Chemical Analysis		
La	0.03	Wt%
Zr	6.89	Wt%
Sn	0.07	Wt%
Al	0.26	Wt%
Na	11.10	Wt%
Mn	0.12	Wt%
Cr	0.10	Wt%
U	1.07	Wt%
Fe	0.24	Wt%
K	<0.7	Wt%
Radiological Analysis		
Pu 239 + 240	636	nCi/g
Am 241	400	nCi/g
NOTE: All results are reported per gram of settled solids.		

Waste Tank AW-105			
Neutralized Coating Removal Waste Sludge and Heel Sample			
February 18, 1987			
Sample No.: 7937 and 7939			
COMPONENT	LAB VALUE - 7937	LAB VALUE - 7939	LAB UNITS
Physical Data			
Vis-OTR	Supernatant with 2" white solids	White solids	
Settled Solids	96	100	%
Density	1.17	1.18	g/mL
Centrifuged Solids	64	78	%
Density	1.30	1.29	g/mL
H2O	73	70	%
Chemical Analysis			
U	7.6	5.07	g/L
TOC	1.120	3.693	g C/L
CO3	0.071	0.069	mole/L
Al	2.69E-02	3.50E-02	mole/L
B	2.81E-02	2.51E-02	mole/L
Ba	7.67E-04	8.59E-04	mole/L
Ca	2.04E-03	3.24E-03	mole/L
Cr	2.02E-03	2.27E-03	mole/L
Fe	3.98E-03	4.44E-03	mole/L
K	3.89E-01	3.32E-01	mole/L
La	4.38E-03	4.50E-03	mole/L
Mg	9.63E-04	1.94E-03	mole/L
Mn		8.59E-05	mole/L
Na	3.87E+00	4.36E+00	mole/L
Nd	1.46E-03	1.55E-03	mole/L
Ni	5.98E-04	8.04E-04	mole/L
Si	9.16E-02	9.24E-02	mole/L
Sr	4.01E-05	6.73E-05	mole/L
Ti	7.33E-04	7.39E-04	mole/L
Zr	7.82E-01	8.79E-01	mole/L
NH3	0.127	0.089	mole/L
OH	0.757	0.694	mole/L
F	2.525	3.105	mole/L
Cl	0.010	0.010	mole/L
NO2	0.074	0.085	mole/L
NO3	0.283	0.324	mole/L
SO4	0.010	0.012	mole/L

Waste Tank AW-105			
Neutralized Coating Removal Waste Sludge and Heel Sample (Cont.)			
February 18, 1987			
Sample No.: 7937 and 7939			
COMPONENT	LAB VALUE - 7937	LAB VALUE - 7939	LAB UNITS
Radiological Analysis			
Pu 239 + 240	412	1003	nCi/g
Am 241	28	425	nCi/g
Nb 95	2.04E+04	6.01E+04	uCi/L
Zr 95	9.28E+03	2.90E+04	uCi/L
Ru 106	2.59E+04	2.68E+04	uCi/L
Sb 125	9.75E+03	8.45E+03	uCi/L
Cs 134	1.70E+03	1.37E+03	uCi/L
Cs 137	3.90E+04	3.10E+04	uCi/L
Ce 144	3.20E+04	3.10E+04	uCi/L
Co 60	2.05E+02	2.92E+02	uCi/L
Pu 238	21	145	nCi/g
Pu 239	322	653	nCi/g
Pu 240	90	350	nCi/g
Pu 241	5058	26182	nCi/g
Pu 242	0.009	0.128	nCi/g

Waste Tank AW-105			
Neutralized Coating Removal Waste Sludge and Heel Sample			
February 18, 1987			
Sample No.: 7940 and 7941			
COMPONENT	LAB VALUE - 7940	LAB VALUE - 7941	LAB UNITS
Physical Data			
Vis-OTR	White solids	White solids	
Settled Solids	88	99	%
Density	1.43	1.34	g/mL
Centrifuged Solids	78	86	%
Density	1.37	1.38	g/mL
H2O	65	57	%
Chemical Analysis			
U	6.72	8.04	g/L
TOC	6.249	7.236	g C/L
CO3	0.084	0.163	mole/L
Al	5.67E-02	1.09E-01	mole/L
B	8.60E-02	6.45E-02	mole/L
Ba	1.56E-03	1.27E-03	mole/L
Ca	6.78E-03	5.01E-03	mole/L
Cr	3.30E-03	3.87E-03	mole/L
Fe	6.66E-03	1.01E-02	mole/L
K	3.11E-01	2.23E-01	mole/L
La	5.76E-03	9.65E-05	mole/L
Mg	4.71E-03	2.76E-03	mole/L
Mn	1.04E-04	2.44E-04	mole/L
Na	6.72E+00	7.58E+00	mole/L
Nd	1.78E-03	1.86E-04	mole/L
Ni	1.22E-03	2.74E-03	mole/L
Si	3.51E-01	2.48E-01	mole/L
Sr	1.14E-04	9.18E-05	mole/L
Ti	8.96E-04	1.12E-03	mole/L
Zr	1.08E+00	1.28E-00	mole/L
NH3	0.134	0.080	mole/L
OH	0.504	0.630	mole/L
F	5.043	5.289	mole/L
Cl	0.010	0.020	mole/L
NO2	0.131	0.271	mole/L
NO3	0.369	0.713	mole/L
SO4	0.015	0.012	mole/L

Waste Tank AW-105			
Neutralized Coating Removal Waste Sludge and Heel Sample (Cont.)			
February 18, 1987			
Sample No.: 7940 and 7941			
COMPONENT	LAB VALUE - 7940	LAB VALUE - 7941	LAB UNITS
Radiological Analysis			
Pu 239 + 240	381	610	nCi/g
Am 241	83	42	nCi/g
Nb 95	2.70E+04	9.11E+02	uCi/L
Zr 95	1.24E+04	4.87E+02	uCi/L
Ru 106	3.53E+04	2.38E+04	uCi/L
Sb 125	1.27E+04	1.39E+04	uCi/L
Cs 134	1.19E+03	7.79E+02	uCi/L
Cs 137	3.49E+04	6.70E+04	uCi/L
Ce 144	3.57E+04	2.38E+04	uCi/L
Co 60	2.25E+02	4.47E+02	uCi/L
Pu 238	77	33	nCi/g
Pu 239	283	480	nCi/g
Pu 240	98	130	nCi/g
Pu 241	6263	7159	nCi/g
Pu 242	0.023	0.010	nCi/g

Waste Tank AW-105			
Neutralized Coating Removal Waste Sludge and Heel Sample			
February 18, 1987			
Sample No.: 7942 and 7946			
COMPONENT	LAB VALUE - 7942	LAB VALUE - 7946	LAB UNITS
Physical Data			
Vis-OTR	12" black solids and the remainder white solids		
Settled Solids	100	100	%
Density	1.41	1.36	g/mL
Centrifuged Solids	77	94	%
Density	1.57	1.37	g/mL
H2O	53	53	%
Chemical Analysis			
U	9.02	40.80	g/L
TOC	13.409	21.216	g C/L
CO3	0.371	0.519	mole/L
Al	2.50E-01	4.98E-01	mole/L
B	3.26E-02	1.51E-02	mole/L
Ba	1.13E-03	6.93E-04	mole/L
Ca	2.04E-02	1.68E-01	mole/L
Ce		2.72E-03	mole/L
Cr	9.22E-03	1.92E-01	mole/L
Fe	6.31E-03	4.38E-01	mole/L
K	1.01E-01	6.61E-02	mole/L
La	1.42E-04	6.85E-04	mole/L
Mg	1.74E-03	7.72E-02	mole/L
Mn	6.93E-03	2.72E-01	mole/L
Mo		4.25E-04	mole/L
Na	8.22E+00	5.38E+00	mole/L
Nd	4.89E-04	2.36E-03	mole/L
Ni	5.04E-03	2.29E-02	mole/L
Rh		4.10E-03	mole/L
Ru	1.51E-03	3.87E-03	mole/L
Si	1.13E-01	6.92E-02	mole/L
Sr	1.29E-04	7.76E-04	mole/L
Te	4.42E-04	1.07E-03	mole/L
Ti	1.18E-03	1.42E-03	mole/L
Zn	4.31E-04	2.50E-03	mole/L
Zr	1.24E+00	2.40E-01	mole/L
NH3	0.049	0.007	mole/L
OH	0.663	0.384	mole/L
F	4.482	0.587	mole/L
Cl	0.028	0.031	mole/L
NO2	0.509	0.591	mole/L
NO3	1.233	1.294	mole/L
SO4	0.022	0.028	mole/L

Waste Tank AW-105			
Neutralized Coating Removal Waste Sludge and Heel Sample (Cont.)			
February 18, 1987			
Sample No.: 7942 and 7946			
COMPONENT	LAB VALUE - 7942	LAB VALUE - 7946	LAB UNITS
Radiological Analysis			
Pu 239 + 240	481	883	nCi/g
Am 241	250	1820	nCi/g
Ru 106	2.10E+04	9.01E+03	uCi/L
Sb 125	1.40E+04	3.33E+03	uCi/L
Cs 134	4.12E+02		uCi/L
Cs 137	1.12E+05	1.54E+05	uCi/L
Ce 144	1.65E+04	8.58E+04	uCi/L
Co 60	4.57E+02	6.74E+01	uCi/L
Eu 154	1.23E+03	4.73E+03	uCi/L
Eu 155	1.30E+03	5.95E+03	uCi/L
Pu 238	60	90	nCi/g
Pu 239	378	681	nCi/g
Pu 240	102	202	nCi/g
Pu 241	5557	7336	nCi/g
Pu 242	0.009	0.030	nCi/g

Waste Tank AW-105		
Neutralized Coating Removal Waste Sludge and Heel Sample		
February 18, 1987		
(Mixed Sludge Composite from Segments of Core Sample)		
COMPONENT	LAB VALUE	LAB UNITS
Physical Data		
Settled Solids	9.66E+01	%
Density	1.30E+00	g/mL
Centrifuged Solids	7.77E+01	%
Density	1.37E+00	g/mL
H2O	6.36E+01	%
Chemical Analysis		
U	9.30E+00	g/L
TOC	6.83E+00	g C/L
CO3	1.61E-01	mole/L
Al	1.11E-01	mole/L
B	4.62E-02	mole/L
Ba	1.09E-03	mole/L
Ca	1.68E-02	mole/L
Ce	1.72E-04	mole/L
Cr	1.57E-02	mole/L
Fe	3.36E-02	mole/L
K	2.69E-01	mole/L
La	3.01E-03	mole/L
Mg	7.19E-03	mole/L
Mn	1.82E-02	mole/L
Mo	2.69E-05	mole/L
Na	5.97E+00	mole/L
Nd	1.21E-03	mole/L
Ni	3.21E-03	mole/L
Rh	2.59E-04	mole/L
Ru	4.51E-04	mole/L
Si	1.77E-01	mole/L
Sr	1.29E-04	mole/L
Te	1.28E-04	mole/L
Ti	9.48E-04	mole/L
Zn	2.17E-04	mole/L
Zr	9.89E-01	mole/L
NH3	9.32E-02	mole/L
OH	6.32E-01	mole/L
F	3.84E+00	mole/L
Cl	1.58E-02	mole/L
NO2	2.19E-01	mole/L
NO3	5.88E-01	mole/L
SO4	1.47E-02	mole/L

Waste Tank AW-105		
Neutralized Coating Removal Waste Sludge and Heel Sample (Cont.)		
February 18, 1987		
(Mixed Sludge Composite from Segments of Core Sample)		
COMPONENT	LAB VALUE	LAB UNITS
Radiological Analysis		
Pu 239 + 240	6.03E+02	nCi/g
Am 241	2.65E+02	nCi/g
Nb 95	2.71E+04	uCi/L
Zr 95	1.28E+04	uCi/L
Ru 106	2.58E+04	uCi/L
Sb 125	1.11E+04	uCi/L
Cs 134	1.06E+03	uCi/L
Cs 137	5.94E+04	uCi/L
Ce 144	3.22E+04	uCi/L
Co 60	3.01E+02	uCi/L
Eu 154	4.66E+02	uCi/L
Eu 155	5.53E+02	uCi/L
Pu 238	6.91E+01	nCi/g
Pu 239	4.42E+02	nCi/g
Pu 240	1.60E+02	nCi/g
Pu 241	1.02E+04	nCi/g
Pu 242	3.74E-02	nCi/g

Waste Tank AW-105		
Sample Status Report		
September 10, 1990		
Sample: T-805 Received: July 8, 1988		
COMPONENT	LAB VALUE	LAB UNITS
Physical Data		
Vis-OTR	Clear, pale yellow, <1.0% solids, no organic, 45 mRad/Hr at 1 inch	
SpG	1.013	
H2O	98	Wt%
pH	1.261E+01	
Chemical Analysis		
Al	2.03E-02	M
Cl	2.64E-02	M
CO3	2.28E-02	M
TOC	3.58E-01	GM/L C
F	1.96E-01	M
K	1.06E-01	M
Na	5.54E-01	M
NH3	5.25E-02	M
NO2	1.37E-02	M
NO3	1.13E-01	M
Np	8.65E-03	G/L
OH-	3.26E-01	M
PO4	<1.54E-03	PPM
Pu	4.93837E-04	G/L
SO4	4.18E-03	M
Radiological Analysis		
Am	<9.01E-01	uCi/L
Cs 134	2.28E+02	uCi/L
Cs 137	8.28E+03	uCi/L
Pm	1.36E+02	uCi/L
Sr 89/90	2.83E+01	uCi/L

Waste Tank AW-105		
Composition of Tank AW-105		
September 10, 1990		
Sample: T-7966 Received: July 13, 1988		
COMPONENT	LAB VALUE	LAB UNITS
Physical Data		
Vis-OTR	Aqueous, yellow, clear, no visible solids, 110 mRad/hr	
SpG	1.0081	
H ₂ O	94.59	Wt%
pH	12.93	
Chemical Analysis		
Cl	4.36E-03	moles/l
CO ₃	3.35E-02	moles/l
TOC	4.98E-01	g/l
F	1.71E-01	moles/l
Al	3.89E-02	moles/l
Ca	9.46E-04	moles/l
Cr	1.12E-03	moles/l
Mg	1.44E-04	moles/l
Na	8.47E-01	moles/l
NH ₃	4.44E-02	moles/l
NO ₂	3.25E-02	moles/l
NO ₃	2.58E-01	moles/l
Np	1.84E-05	g/l
OH	3.88E-01	moles/l
PO ₄	4.98E-03	moles/l
Pu	1.57E-04	g/l
SO ₄	1.01E-02	moles/l
Radiological Analysis		
Am	<9.01E-01	uCi/l
Total a	3.72E-01	uCi/l
Cs 134	2.28E+02	uCi/l
Cs 137	8.28E+03	uCi/l
Pm	2.83E+01	uCi/l
Sr 89/90	2.37E+05	uCi/l

Waste Tank AW-105			
Measured Elemental Content of Actual NCRW* Sludge, Interstitial Liquor, and Centrifuged Solids			
June 6, 1986			
COMPONENT	SUPERNATE	WATER SOLUBLE SOLIDS (a)	LAB UNITS
Physical Data (Average Value)			
Supernate Density	1.079		g mL-1
pH (actual value)	13.2	9.7	
Total Solids	28		Wt%
H2O	72		Wt%
Chemical Analysis			
F-	11	28	mg/g
Cl-	4	1	mg/g
NO2-	5.0	3.7	mg/g
NO3-	28	21	mg/g
PO4(-3)	<2	<1	mg/g
SO4(-2)	11	9	mg/g
TOC	3.2		mg/g
CO3(-2)	52		mg/g
OH-	12		mg/g
NH3	1.8		mg/g
Group I (c)			
Al	410	430	ug/g
Ba		50	ug/g
Ca	40	110	ug/g
Cr	30	25	ug/g
Fe		30	ug/g
K	12600	10400	ug/g
Mg	90	40	ug/g
Mo	220	25	ug/g
Na	38400	56700	ug/g
Ni		30	ug/g
Si		600	ug/g
Zr		6200	ug/g
Group II (d)			
Ag	<240	<100	ug/g
As	<2400	<960	ug/g
Cd	<120	<50	ug/g
Cu	<120	<50	ug/g
Hg	<12,000	<4800	ug/g
Pb	<1200	<480	ug/g
Sb	<1200	<480	ug/g
Se	<4700	<1900	ug/g
Sn	<1200	<480	ug/g
(a) 1000g DI water/g, centrifuged, supernate analyzed			
(b) 1000 g 0.8M HNO3/g.			
(c) Group I elements measured using direct reader spectrometer of the ICP			
(d) Group II elements measured using scanning reader spectrometer of the ICP			
(e) At or near detection limit.			
*NCRW - Neutralized cladding removal waste			

Waste Tank AW-105			
Measured Elemental Content of Actual NCRW* Sludge, Interstitial Liquor, and Centrifuged Solids (Cont.)			
June 6, 1986			
COMPONENT	CENTRIFUGED SOLIDS (b)	WATER SOLUBLE SLUDGE(a)	LAB UNITS
Physical Data (Average Value)			
Sludge Density		1.20	g mL ⁻¹
Density	1.35		g mL ⁻¹
pH (actual value)		7.3	
Total Solids	28		Wt%
H ₂ O	72		Wt%
Chemical Analysis			
F-	39	85	mg/g
Cl-	2	1	mg/g
NO ₂ -		4.5	mg/g
NO ₃ -		25	mg/g
PO ₄ (-3)	< 26	< 1	mg/g
SO ₄ (-2)	< 90	5.8	mg/g
TOC	5.2	5.4	mg/g
CO ₃ (-2)		63	mg/g
OH-	12		mg/g
NH ₃	0.22		mg/g
Group I (c)			
Al	1200	95	ug/g
Ba	110	15	ug/g
Ca	240	36	ug/g
Cr	200	20	ug/g
Fe	450	10	ug/g
K	12800	11800	ug/g
La	530		ug/g
Mg	10	30	ug/g
Mn	10		ug/g
Mo		20	ug/g
Na	82000	110000	ug/g
Nd	180		ug/g
Ni	80	30	ug/g
Ru	< 30		ug/g
Si	1500	280	ug/g
Zr	116000	2200	ug/g
Group II (d)			
Ag	310(e)	< 100	ug/g
As	< 1000	< 980	ug/g
Cd	< 50	< 50	ug/g
Cu	< 50	< 50	ug/g
Hg	< 5200	< 4900	ug/g
Pb	4600	< 490	ug/g
Sb	< 500	< 490	ug/g
Se	< 2100	< 2000	ug/g
Sn	940(e)	< 490	ug/g
(a) 1000g DI water/g, centrifuged, supernate analyzed			
(b) 1000 g 0.8M HNO ₃ /g.			
(c) Group I elements measured using direct reader spectrometer of the ICP			
(d) Group II elements measured using scanning reader spectrometer of the ICP			
(e) At or near detection limit.			
*NCRW - Neutralized cladding removal waste			

Waste Tank AW-105		
Measured Elemental Content of Actual NCRW* Sludge, Interstitial Liquor, and Centrifuged Solids (Cont.)		
June 6, 1986		
COMPONENT	SLUDGE(b)	LAB UNITS
Physical Data (Average Value)		
Sludge Density	1.20	g mL-1
Total Solids	28	Wt%
H2O	72	Wt%
Chemical Analysis		
F-	75	mg/g
Cl-	2	mg/g
PO3(-3)	<25	mg/g
SO4(-2)	85(e)	mg/g
OH-	11	mg/g
NH3	0.39	mg/g
TOC	5.2	mg/g
Group I (c)		
Al	960	ug/g
Ba	70	ug/g
Ca	200	ug/g
Cr	170	ug/g
Fe	320	ug/g
K	12300	ug/g
La	340	ug/g
Mg	10	ug/g
Mn	10	ug/g
Mo	15	ug/g
Na	112000	ug/g
Nd	80(e)	ug/g
Ni	60	ug/g
Ru	100(e)	ug/g
Si	1100	ug/g
Zr	79000	ug/g
Group II (d)		
Ag	200(e)	ug/g
As	<1000	ug/g
Cd	<50	ug/g
Cu	<50	ug/g
Hg	<5100	ug/g
Pb	3100	ug/g
Sb	<500	ug/g
Se	<2000	ug/g
Sn	1200(e)	ug/g
(a) 1000g DI water/g, centrifuged, supernate analyzed		
(b) 1000 g 0.8M HNO3/g.		
(c) Group I elements measured using direct reader spectrometer of the ICP		
(d) Group II elements measured using scanning reader spectrometer of the ICP		
(e) At or near detection limit.		
*NCRW - Neutralized cladding removal waste		

Waste Tank AW-105			
Radionuclide Content of Actual NCRW* Sludge, Interstitial Liquor, and Centrifuged Solids			
June 6, 1986			
COMPONENT	SUPERNATE	WATER SOLUBLE SOLIDS (a)	LAB UNITS
Physical Data (Average Value)			
Supernate Density	1.079		g mL-1
pH (actual value)	13.2	9.7	
Total Solids	28		Wt%
H2O	72		Wt%
Radiological Analysis			
144 Ce	4.21E-01	3.63E+00	uCi/g
137 Cs	4.59E+01	4.62E+01	uCi/g
134 Cs	1.88E+00	1.85E+00	uCi/g
106 Ru	7.83E+00	1.09E+01	uCi/g
125 Sb - 125 Te	<5E-01	1.97E+00	uCi/g
95 Nb		9.95E+00	uCi/g
95 Zr		5.12E+00	uCi/g
239 Pu - 240 Pu	1.07E-04	6.66E-02	uCi/g
239 Pu (d)	7.79E-05	4.82E-02	uCi/g
240 Pu (d)	2.91E-05	1.80E-02	uCi/g
241 Pu (d)	2.24E-03	1.39E+00	uCi/g
U Total (e)	6.92E+00(e)	1.54E+03(e)	uCi/g
241 Am	9.26E-06	2.08E-02	uCi/g
90 Sr	3.37E-03	2.92E+00	uCi/g
99 Tc	1.15E-02	1.04E-02	uCi/g
14 C	9.18E-05	8.05E-02	uCi/g
129 - I	2.8E-05	<2E-05	uCi/g
Total a	2.32E-04	9.43E-02	uCi/g
Total b	6.15E+01	8.48E+01	uCi/g
(a) 1000g DI water/g, centrifuged, supernate analyzed after acidification			
(b) 1000 g 0.8M HNO3/g.			
(c) Sample of 0.21 g slurry + 20g DI H2O taken and acidified			
(d) Calculated using 239 Pu + 240 Pu analysis and isotopic mass ratios 240 Pu: 239 Pu and 241 Pu: 239 Pu			
(e) Units for U are ug/g			
*NCRW - Neutralized cladding removal waste			

Waste Tank AW-105			
Radionuclide Content of Actual NCRW* Sludge, Interstitial Liquor, and Centrifuged Solids (Cont.)			
June 6, 1986			
COMPONENT	CENTRIFUGED SOLIDS (b)	WATER SOLUBLE SLUDGE(a)	LAB UNITS
Physical Data (Average Value)			
Sludge Density		1.20	g mL-1
Centrifuged Solids Density	1.35		g mL-1
pH (actual value)		7.3	
Total Solids	28		Wt%
H2O	72		Wt%
Radiological Analysis			
144 Ce	4.87E+01		uCi/g
137 Cs	4.23E+01	3.30E+01	uCi/g
134 Cs	1.70E+00	1.12E+00	uCi/g
103 Ru	<1.4E+00		uCi/g
106 Ru	5.06E+01	6.06E+00	uCi/g
125 Sb - 125 Te	1.77E+01	1.62E+00	uCi/g
95 Nb	2.24E+02	8.45E-01	uCi/g
95 Zr	1.08E+02	4.70E-01	uCi/g
239 Pu - 240 Pu	7.86E-01	1.72E-02	uCi/g
239 Pu (d)	5.72E-01	1.25E-02	uCi/g
240 Pu (d)	2.14E-01	4.69E-03	uCi/g
241 Pu (d)	1.65E+01	3.61E-01	uCi/g
U Total (e)	7.04E+03(e)	2.54E-02(e)	uCi/g
241 Am	1.69E-01	1.15E-02	uCi/g
90 Sr	1.52E+01	3.63E-01	uCi/g
99 Tc	1.66E-02	<9.55E-03	uCi/g
14 C	1.52E-02	<4.77E-03	uCi/g
129 - I	1.89E-05		uCi/g
Total a	1.02E+00	3.87E-02	uCi/g
Total b	3.49E+02	4.30E+01	uCi/g
(a) 1000g DI water/g, centrifuged, supernate analyzed after acidification			
(b) 1000 g 0.8M HNO3/g.			
(c) Sample of 0.21 g slurry + 20g DI H2O taken and acidified			
(d) Calculated using 239 Pu + 240 Pu analysis and isotopic mass ratios 240 Pu: 239 Pu and 241 Pu; 239 Pu			
(e) Units for U are ug/g			
*NCRW - Neutralized cladding removal waste			

Waste Tank AW-105		
Radionuclide Content of Actual NCRW* Sludge, Interstitial Liquor, and Centrifuged Solids (Cont.)		
June 6, 1986		
COMPONENT	SLUDGE(c)	LAB UNITS
Physical Data (Average Value)		
Sludge Density	1.20	g mL ⁻¹
Total Solids	28	Wt%
H ₂ O	72	Wt%
Radiological Analysis		
¹⁴⁴ Ce	3.28E+01	uCi/g
¹³⁷ Cs	3.69E+01	uCi/g
¹³⁴ Cs	1.49E+00	uCi/g
¹⁰³ Ru	<8E-01	uCi/g
¹⁰⁶ Ru	3.53E+01	uCi/g
¹²⁵ Sb - ¹²⁵ Te	1.11E+01	uCi/g
⁹⁵ Nb	1.22E+02	uCi/g
⁹⁵ Zr	5.71E+01	uCi/g
²³⁹ Pu - ²⁴⁰ Pu	5.63E-01	uCi/g
²³⁹ Pu (d)	4.10E-01	uCi/g
²⁴⁰ Pu (d)	1.53E-01	uCi/g
²⁴¹ Pu (d)	1.18E+01	uCi/g
U Total (e)	6.58E+03(e)	uCi/g
²⁴¹ Am	1.12E-01	uCi/g
⁹⁰ Sr	1.08E+01	uCi/g
⁹⁹ Tc	1.37E-02	uCi/g
¹⁴ C	2.36E-03	uCi/g
¹²⁹ - I	3.56E-05	uCi/g
Total a	7.39E-01	uCi/g
Total b	2.30E+02	uCi/g
(a) 1000g DI water/g, centrifuged, supernate analyzed after acidification		
(b) 1000 g 0.8M HNO ₃ /g.		
(c) Sample of 0.21 g slurry + 20g DI H ₂ O taken and acidified		
(d) Calculated using ²³⁹ Pu + ²⁴⁰ Pu analysis and isotopic mass ratios ²⁴⁰ Pu: ²³⁹ Pu and ²⁴¹ Pu: ²³⁹ Pu		
(e) Units for U are ug/g		
*NCRW - Neutralized cladding removal waste		

Waste Tank AW-106				
Analysis of AW-106 Tank Sample				
June 25, 1984				
Sample: R-9722 (Top #22) Received: May 30, 1984				
COMPONENT	LAB VALUE	LAB UNIT	LAB VALUE	LAB UNIT
Physical Data				
H2O	58.2	%		
SpG			1.38	
Chemical Analysis				
NaAlO2	1.09	M	6.5	Wt%
NaOH	1.81	M	5.2	Wt%
Na2CO3	0.19	M	1.5	Wt%
NaF	0.0674	M	0.2	Wt%
KNO	0.172	M	1.3	Wt%
NaNO2	1.51	M	7.6	Wt%
NaNO3	3.26	M	20.1	Wt%
Na3PO4	0.0349	M	0.4	Wt%
Na2SO4	0.0918	M	0.9	Wt%
NH4NO3	4.07E-03	M		
TOC	6.42	g/L	1.4	Wt%
Na	10.8	M		

Waste Tank AW-106				
Analysis of AW-106 Tank Sample				
June 25, 1984				
Sample: R-9723 (Top #23) Received: May 30, 1984				
COMPONENT	LAB VALUE	LAB UNIT	LAB VALUE	LAB UNIT
Physical Data				
H2O	53.8	%		
SpG			1.43	
Chemical Analysis				
NaAlO2	1.44	M	8.3	Wt%
NaOH	2.43	M	6.8	Wt%
Na2CO3	0.178	M	1.3	Wt%
NaF	0.0994	M	0.3	Wt%
KNO	0.127	M	0.9	Wt%
NaNO2	2.24	M	10.8	Wt%
NaNO3	2.88	M	17.1	Wt%
Na3PO4	0.0296	M	0.3	Wt%
Na2SO4	9.42E-03	M	0.1	Wt%
NH4NO3	0.013	M	0.1	Wt%
TOC	8.26	g/L	1.7	Wt%
Na	11.2	M		

Waste Tank AW-106				
Analysis of AW-106 Tank Sample				
June 25, 1984				
Sample: R-9724 (Top 1-C) Received: May 30, 1984				
COMPONENT	LAB VALUE	LAB UNIT	LAB VALUE	LAB UNIT
Physical Data				
H2O	49.9	%		
Chemical Analysis				
NaAlO2	1.79	M	10.0	Wt%
NaOH	2.90	M	7.9	Wt%
Na2CO3	0.230	M	1.7	Wt%
NaF	0.107	M	0.3	Wt%
KNO	0.189	M	1.3	Wt%
NaNO2	2.51	M	11.9	Wt%
NaNO3	2.61	M	15.2	Wt%
Na3PO4	0.0319	M	0.4	Wt%
Na2SO4	0.0112	M	0.1	Wt%
NH4NO3	0.0103	M	0.1	Wt%
TOC	7.76	g/L	1.6	Wt%
Na	12.4	M		

Waste Tank AW-106		
Composition of Feeds for Bolldown on AW-106		
January 18, 1985		
Sample: T-6851		
COMPONENT	LAB VALUE	LAB UNITS
Physical Data		
SpG	1.40 *	
H2O	48.5	%
Chemical Analysis		
Al(+3)	1.86	M
OH-	3.08	M
NO2-	3.10	M
NO3-	2.83	M
CO3(-2)	0.19	M
TOC	8.63	M
PO4(-3)	0.063	M
Cl-	0.23	M
Na +	11.08	M
K +	0.186	M
NH3	0.014	M
Radiological Analysis		
Cs 137	5.53E + 05	uCi/L
Sr 90	1.85E + 04	uCi/L
* Estimated		

Waste Tank AW-106		
Chemical Analyses of Slurry Sample		
March 21, 1986		
Sample: R-5899 Taken: July 30, 1985		
COMPONENT	LAB VALUE (a)	LAB UNITS
Physical Data		
SpG	1.55	
H2O	38.3 (b)	%
Chemical Analysis		
Al	0.080	M
OH	1.14	M
NO2	0.270	M
NO3	1.075	M
CO3	0.155	M
PO4	0.255	M
F	2.99 (c)	M
Cl	0.024	M
Radiological Analysis		
TB	1.82E+05	uCi/L
Cs 134	1.66E+03	uCi/L
Cs 137	8.50E+04	uCi/L
Pu 239/240	3.68E+01	uCi/L
(a) Contained ~60% settled solids which were primarily comprised of NaF		
(b) Analysis results appear low: Mass balance indicates the %H2O should be 78%		
Mass balance = 60.7% Wt%		
(c) Average of two values: 2.75 M and 3.23 M.		

Waste Tank AW-106		
Composition of Tank Samples for Evaporator Run 86-3		
April 29, 1986		
Sample: R-8537 Received: March 10, 1986		
COMPONENT	LAB VALUE *	LAB UNITS
Physical Data		
SpG	1.24	
H2O	73.7	%
Settled Solids	<1	%
Chemical Analysis		
Al	0.12	M
OH	2.41	M
NO2	0.31	M
NO3	1.52	M
CO3	0.31	M
PO4	0.022	M
SO4	0.039	M
F	0.17	M
Cl	0.036	M
K	0.59	M
Na	5.05	M
Ca	7.70E-04	M
Cr	3.88E-03	M
Mg	8.98E-05	M
Si	6.10E-03	M
P	2.85E-02	M
Zn	9.30E-05	M
NH3	0.095	M
TOC	1.92	g/L
Radiological Analysis		
Tc 99	8.18E+01	uCi/L
I - 129	<0.11	uCi/L
* Mass balance = 98.9 Wt%		

Waste Tank AW-106				
Chemical Analyses of 16' Sample and the Boildown Product				
August 13, 1986				
Sample: R-4151 Received: March 4, 1985				
		SLURRY		
COMPONENT	FEED	FILTRATE	SOLIDS	LAB UNITS
Physical Data				
Vis-OTR	Brownish-yellow, approximately 10% settled solids			
pH	~ 13.4			
H2O	62.0	53.1	33.8	%
SpG	1.12	1.45	1.53	
Chemical Analysis				
Al	0.75	1.18	6	M
OH	2.63	4.48		M
NO2	0.87	1.44	5	M
NO3	2.29	3.53	38	M
CO3	0.80	0.16	43	M
PO4	0.10	0.02		M
F		0.04	3	M
Cl	0.08	0.06		M
TOC	6.86	3.40	4	M
Na	7.70	11.63		M
K	0.07	0.13		M
Radiological Analysis				
Cs 134	9.05E+02			uCi/L
Cs 137	2.98E+05			uCi/L
Rh 106	1.06E+04			uCi/L
Pu	2.06E+01			uCi/L
Sr	2.90E+03			uCi/L

Waste Tank AW-106		
Sample Status Report		
August 17, 1988		
Sample: T-1621 Received: July 7, 1986		
COMPONENT	LAB VALUE	LAB UNITS
Physical Data		
Vis-OTR	Pale yellow, clear, no solids, no organic, 200 mRad/hr	
SpG	1.2414	
pH	1.343 + 01	
H2O	7.96 + 01	%
Chemical Analysis		
Al	3.25E-01	M
Cl	4.22E-02	M
CO3	2.69E-01	M
TOC	2.68	GM/L C
F	1.71E-01	M
K	6.87E-01	M
Na	5.72	M
NH3	< 3.97E-03	M
NO2	5.44E-01	M
NO3	1.97E-01	M
Np	< 3.07E-05	G/L
OH-	2.58	M
PO4	1.13E-02	M
Pu	4.40E-06	G/L
SO4	3.24E-02	M
Radiological Analysis		
Am	6.16E-01	uCi/L
Cs 134	1.84E + 03	uCi/L
Cs 137	1.92E + 05	uCi/L
RuRh 106	< 4.26E + 03	uCi/L
Pm	1.6464E + 02	uCi/L
Sr 89/90	2.13E + 04	uCi/L
* Mass balance = 98.9 Wt%		

THIS PAGE INTENTIONALLY
LEFT BLANK

APPENDIX I

Tank Photographs

THIS PAGE INTENTIONALLY
LEFT BLANK

AW TANK FARM

BEST AVAILABLE COPY

THIS PAGE INTENTIONALLY
LEFT BLANK

241-AW-101

Photo date 3/1/88

BEST AVAILABLE COPY

THIS PAGE INTENTIONALLY
LEFT BLANK

241-AW-104

BEST AVAILABLE COPY

THIS PAGE INTENTIONALLY
LEFT BLANK

241-AW-106

Photo dated: 12/1/88

Temperature Probe

High Level Sensor

FIC
Level Probe

Emergency Pump

BEST AVAILABLE COPY

THIS PAGE INTENTIONALLY
LEFT BLANK

APPENDIX J

Inventory Estimates

THIS PAGE INTENTIONALLY
LEFT BLANK

Double-Shell Tank 241-AW-101			
Total Inventory Estimate*			
Physical Properties			
Total Waste	5.97E+06 kg (1.14E+03 kgal)		
Heat Load	5.34 kW (1.82E+04 BTU/hr)		
Bulk Density†	1.39 (g/cc)		
Water wt%†	50.5		
TOC wt% C (wet)†	0.907		
Chemical Constituents	mole/L	ppm	kg
Na ⁺	8.53	1.41E+05	8.45E+05
Al ³⁺	0.946	1.84E+04	1.10E+05
Fe ³⁺ (total Fe)	2.60E-02	1.05E+03	6.25E+03
Cr ³⁺	2.97E-02	1.11E+03	6.66E+03
Bi ³⁺	8.62E-04	130	776
La ³⁺	5.34E-06	0.535	3.20
Hg ²⁺	1.12E-04	16.2	96.8
Zr (as ZrO(OH) ₂)	5.15E-02	3.39E+03	2.02E+04
Pb ²⁺	9.28E-05	13.9	82.8
Ni ²⁺	4.96E-03	210	1.25E+03
Sr ²⁺	5.65E-06	0.357	2.13
Mn ⁴⁺	1.09E-02	430	2.57E+03
Ca ²⁺	4.80E-02	1.39E+03	8.29E+03
K ⁺	0.129	3.65E+03	2.18E+04
OH ⁻	4.52	5.55E+04	3.31E+05
NO ₃ ⁻	3.26	1.46E+05	8.71E+05
NO ₂ ⁻	1.43	4.76E+04	2.84E+05
CO ₃ ²⁻	0.473	2.05E+04	1.22E+05
PO ₄ ³⁻	0.163	1.11E+04	6.65E+04
SO ₄ ²⁻	0.206	1.43E+04	8.52E+04
Si (as SiO ₃ ²⁻)	3.87E-02	785	4.69E+03
F ⁻	0.443	6.07E+03	3.62E+04
Cl ⁻	0.141	3.60E+03	2.15E+04
C ₆ H ₅ O ₇ ³⁻	2.78E-02	3.79E+03	2.27E+04
EDTA ⁴⁻	1.21E-02	2.52E+03	1.51E+04
HEDTA ³⁻	1.98E-02	3.92E+03	2.34E+04
glycolate ⁻	0.135	7.29E+03	4.35E+04
acetate ⁻	1.42E-02	605	3.62E+03
oxalate ²⁻	2.02E-05	1.28	7.64
DBP	1.51E-02	1.76E+03	1.05E+04
butanol	1.51E-02	809	4.83E+03
NH ₃	0.400	4.91E+03	2.93E+04
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu		7.13E-02 (μCi/g)	7.09 (kg)
U	6.70E-03 (M)	1.15E+03 (μg/g)	6.87E+03 (kg)
Cs	0.240 (Ci/L)	173 (μCi/g)	1.04E+06 (Ci)
Sr	1.70E-02 (Ci/L)	12.3 (μCi/g)	7.32E+04 (Ci)

*Unknowns in tank solids inventory are assigned by Tank Layering Model (TLM).

†Volume average for density, mass average Water wt% and TOC wt% C.

Derived by Los Alamos National Laboratory (LANL).

Double-Shell Tank 241-AW-101			
SMM Composite Inventory Estimate			
Physical Properties			
Total Supernatant	5.68E+06 kg (1.08E+03 kgal)		
Heat Load	5.34 kW (1.82E+04 BTU/hr)		
Bulk Density*	1.39 (g/cc)		
Water wt%†	49.5		
TOC wt% C (wet)	0.959		
Chemical Constituents	mole/L	ppm	kg
Na ⁺	8.70	1.44E+05	8.16E+05
Al ³⁺	1.000	1.94E+04	1.10E+05
Fe ³⁺ (total Fe)	6.83E-03	274	1.55E+03
Cr ³⁺	3.14E-02	1.17E+03	6.66E+03
Bi ³⁺	9.11E-04	137	776
La ³⁺	5.64E-06	0.563	3.20
Hg ²⁺	1.03E-05	1.48	8.41
Zr (as ZrO(OH) ₂)	1.91E-03	125	710
Pb ²⁺	9.81E-05	14.6	82.8
Ni ²⁺	5.24E-03	221	1.25E+03
Sr ²⁺	5.97E-06	0.375	2.13
Mn ⁴⁺	1.15E-02	453	2.57E+03
Ca ²⁺	4.78E-02	1.37E+03	7.81E+03
K ⁺	0.126	3.53E+03	2.00E+04
OH ⁻	4.50	5.49E+04	3.12E+05
NO ₃ ⁻	3.43	1.53E+05	8.66E+05
NO ₂ ⁻	1.51	5.00E+04	2.84E+05
CO ₃ ²⁻	0.497	2.14E+04	1.22E+05
PO ₄ ³⁻	0.172	1.17E+04	6.65E+04
SO ₄ ²⁻	0.218	1.50E+04	8.52E+04
Si (as SiO ₃ ²⁻)	4.09E-02	825	4.69E+03
F ⁻	0.168	2.29E+03	1.30E+04
Cl ⁻	0.149	3.78E+03	2.15E+04
C ₆ H ₅ O ₇ ³⁻	2.94E-02	3.99E+03	2.27E+04
EDTA ⁴⁻	1.28E-02	2.65E+03	1.51E+04
HEDTA ³⁻	2.10E-02	4.12E+03	2.34E+04
glycolate ⁻	0.142	7.67E+03	4.35E+04
acetate ⁻	1.50E-02	637	3.62E+03
oxalate ²⁻	2.13E-05	1.35	7.64
DBP	1.60E-02	1.85E+03	1.05E+04
butanol	1.60E-02	851	4.83E+03
NH ₃	0.385	4.70E+03	2.67E+04
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu	51.8 (μCi/L)		3.52 (kg)
U	6.94E-03 (M)	1.19E+03 (μg/g)	6.73E+03 (kg)
Cs	0.254 (Ci/L)	182 (μCi/g)	1.03E+06 (Ci)
Sr	1.78E-02 (Ci/L)	12.8 (μCi/g)	7.26E+04 (Ci)

*Density is calculated based on Na, OH⁻, and AlO₂⁻.

†Water wt% derived from the difference of density and total dissolved species.

Derived by Los Alamos National Laboratory (LANL).

Double-Shell Tank 241-AW-101			
TLM Solids Composite Inventory Estimate*			
Physical Properties			
Total Solid Waste	2.94E+05 kg	(61 kgal)	
Heat Load	7.60E-03 kW	(26 BTU/hr)	
Bulk Density	1.27 (g/cc)		
Water wt%	67.8		
TOC wt% C (wet)	0		
Chemical Constituents	mole/L	ppm	kg
Na ⁺	5.50	9.95E+04	2.92E+04
Al ³⁺	0	0	0
Fe ³⁺ (total Fe)	0.364	1.60E+04	4.69E+03
Cr ³⁺	0	0	0
Bi ³⁺	0	0	0
La ³⁺	0	0	0
Hg ²⁺	1.91E-03	301	88.3
Zr (as ZrO(OH) ₂)	0.927	6.65E+04	1.95E+04
Pb ²⁺	0	0	0
Ni ²⁺	0	0	0
Sr ²⁺	0	0	0
Mn ⁴⁺	0	0	0
Ca ²⁺	5.24E-02	1.65E+03	485
K ⁺	0.191	5.88E+03	1.73E+03
OH ⁻	4.88	6.52E+04	1.91E+04
NO ₃ ⁻	0.335	1.63E+04	4.79E+03
NO ₂ ⁻	7.04E-03	255	74.8
CO ₃ ²⁻	5.24E-02	2.47E+03	726
PO ₄ ³⁻	0	0	0
SO ₄ ²⁻	0	0	0
Si (as SiO ₃ ²⁻)	0	0	0
F ⁻	5.29	7.90E+04	2.32E+04
Cl ⁻	4.00E-03	111	32.7
C ₆ H ₅ O ₇ ³⁻	0	0	0
EDTA ⁴⁻	0	0	0
HEDTA ³⁻	0	0	0
glycolate ⁻	0	0	0
acetate ⁻	0	0	0
oxalate ²⁻	0	0	0
DBP	0	0	0
butanol	0	0	0
NH ₃	0.669	8.94E+03	2.63E+03
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu		0.730 (μCi/g)	3.57 (kg)
U	2.48E-03 (M)	464 (μg/g)	136 (kg)
Cs	2.91E-03 (Ci/L)	2.29 (μCi/g)	672 (Ci)
Sr	2.86E-03 (Ci/L)	2.25 (μCi/g)	661 (Ci)

*Unknowns in tank solids inventory are assigned by Tank Layering Model (TLM).

Derived by Los Alamos National Laboratory (LANL).

Double-Shell Tank 241-AW-102			
Total Inventory Estimate*			
Physical Properties			
Total Waste	4.21E+06 kg (966 kgal)		
Heat Load	2.10 kW (7.19E+03 BTU/hr)		
Bulk Density†	1.15 (g/cc)		
Water wt%†	75.9		
TOC wt% C (wet)†	0.360		
Chemical Constituents	mole/L	ppm	kg
Na ⁺	3.40	6.78E+04	2.85E+05
Al ³⁺	0.368	8.62E+03	3.63E+04
Fe ³⁺ (total Fe)	4.19E-03	203	855
Cr ³⁺	1.13E-02	509	2.14E+03
Bi ³⁺	2.07E-04	37.5	158
La ³⁺	1.36E-06	0.164	0.691
Hg ²⁺	4.74E-06	0.825	3.47
Zr (as ZrO(OH) ₂)	1.16E-03	91.6	385
Pb ²⁺	3.96E-05	7.12	30.0
Ni ²⁺	2.55E-03	130	547
Sr ²⁺	1.44E-06	0.109	0.460
Mn ⁴⁺	5.08E-03	242	1.02E+03
Ca ²⁺	2.93E-02	1.02E+03	4.30E+03
K ⁺	8.47E-02	2.88E+03	1.21E+04
OH ⁻	1.69	2.49E+04	1.05E+05
NO ₃ ⁻	1.51	8.11E+04	3.42E+05
NO ₂ ⁻	0.369	1.47E+04	6.20E+04
CO ₃ ²⁻	0.238	1.24E+04	5.21E+04
PO ₄ ³⁻	6.98E-02	5.75E+03	2.42E+04
SO ₄ ²⁻	8.01E-02	6.69E+03	2.82E+04
Si (as SiO ₃ ²⁻)	1.80E-02	438	1.85E+03
F ⁻	9.61E-02	1.59E+03	6.68E+03
Cl ⁻	5.63E-02	1.73E+03	7.30E+03
C ₆ H ₅ O ₇ ³⁻	1.03E-02	1.69E+03	7.12E+03
EDTA ⁴⁻	2.92E-03	730	3.07E+03
HEDTA ³⁻	4.83E-03	1.15E+03	4.84E+03
glycolate ⁻	8.23E-02	5.36E+03	2.26E+04
acetate ⁻	3.22E-03	165	694
oxalate ²⁻	5.13E-06	0.392	1.65
DBP	4.84E-03	676	2.85E+03
butanol	4.84E-03	311	1.31E+03
NH ₃	0.292	4.30E+03	1.81E+04
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu		2.31E-02 (μCi/g)	1.62 (kg)
U	3.48E-03 (M)	720 (μg/g)	3.03E+03 (kg)
Cs	0.109 (Ci/L)	94.8 (μCi/g)	3.99E+05 (Ci)
Sr	9.53E-03 (Ci/L)	8.28 (μCi/g)	3.48E+04 (Ci)

*Unknowns in tank solids inventory are assigned by Tank Layering Model (TLM).

†Volume average for density, mass average Water wt% and TOC wt% C.

Derived by Los Alamos National Laboratory (LANL).

Double-Shell Tank 241-AW-102			
SMM Composite Inventory Estimate			
Physical Properties			
Total Supernatant	4.21E+06 kg	(966 kgal)	
Heat Load	2.10 kW	(7.19E+03 BTU/hr)	
Bulk Density*	1.15	(g/cc)	
Water wt%†	75.9		
TOC wt% C (wet)	0.360		
Chemical Constituents	mole/L	ppm	kg
Na ⁺	3.40	6.78E+04	2.85E+05
Al ³⁺	0.368	8.62E+03	3.63E+04
Fe ³⁺ (total Fe)	4.19E-03	203	855
Cr ³⁺	1.13E-02	509	2.14E+03
Bi ³⁺	2.07E-04	37.5	158
La ³⁺	1.36E-06	0.164	0.691
Hg ²⁺	4.74E-06	0.825	3.47
Zr (as ZrO(OH) ₂)	1.16E-03	91.6	385
Pb ²⁺	3.96E-05	7.12	30.0
Ni ²⁺	2.55E-03	130	547
Sr ²⁺	1.44E-06	0.109	0.460
Mn ⁴⁺	5.08E-03	242	1.02E+03
Ca ²⁺	2.93E-02	1.02E+03	4.30E+03
K ⁺	8.47E-02	2.88E+03	1.21E+04
OH ⁻	1.69	2.49E+04	1.05E+05
NO ₃ ⁻	1.51	8.11E+04	3.42E+05
NO ₂ ⁻	0.369	1.47E+04	6.20E+04
CO ₃ ²⁻	0.238	1.24E+04	5.21E+04
PO ₄ ³⁻	6.98E-02	5.75E+03	2.42E+04
SO ₄ ²⁻	8.01E-02	6.69E+03	2.82E+04
Si (as SiO ₃ ²⁻)	1.80E-02	438	1.85E+03
F ⁻	9.61E-02	1.59E+03	6.68E+03
Cl ⁻	5.63E-02	1.73E+03	7.30E+03
C ₆ H ₅ O ₇ ³⁻	1.03E-02	1.69E+03	7.12E+03
EDTA ⁴⁻	2.92E-03	730	3.07E+03
HEDTA ³⁻	4.83E-03	1.15E+03	4.84E+03
glycolate ⁻	8.23E-02	5.36E+03	2.26E+04
acetate ⁻	3.22E-03	165	694
oxalate ²⁻	5.13E-06	0.392	1.65
DBP	4.84E-03	676	2.85E+03
butanol	4.84E-03	311	1.31E+03
NH ₃	0.292	4.30E+03	1.81E+04
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu	26.6 (μCi/L)		1.62 (kg)
U	3.48E-03 (M)	720 (μg/g)	3.03E+03 (kg)
Cs	0.109 (Ci/L)	94.8 (μCi/g)	3.99E+05 (Ci)
Sr	9.53E-03 (Ci/L)	8.28 (μCi/g)	3.48E+04 (Ci)

*Density is calculated based on Na, OH, and AlO₂.

†Water wt% derived from the difference of density and total dissolved species.

Derived by Los Alamos National Laboratory (LANL).

Double-Shell Tank 241-AW-102			
TLM Solids Composite Inventory Estimate*			
Physical Properties			
Total Solid Waste	0 kg	(0 kgal)	
Heat Load	0 kW	(0 BTU/hr)	
Bulk Density	0 (g/cc)		
Water wt%	0		
TOC wt% C (wet)	0		
Chemical Constituents	mole/L	ppm	kg
Na ⁺	0	0	0
Al ³⁺	0	0	0
Fe ³⁺ (total Fe)	0	0	0
Cr ³⁺	0	0	0
Bi ³⁺	0	0	0
La ³⁺	0	0	0
Hg ²⁺	0	0	0
Zr (as ZrO(OH) ₂)	0	0	0
Pb ²⁺	0	0	0
Ni ²⁺	0	0	0
Sr ²⁺	0	0	0
Mn ⁴⁺	0	0	0
Ca ²⁺	0	0	0
K ⁺	0	0	0
OH ⁻	0	0	0
NO ₃ ⁻	0	0	0
NO ₂ ⁻	0	0	0
CO ₃ ²⁻	0	0	0
PO ₄ ³⁻	0	0	0
SO ₄ ²⁻	0	0	0
Si (as SiO ₂ ²⁻)	0	0	0
F ⁻	0	0	0
Cl ⁻	0	0	0
C ₆ H ₅ O ₇ ³⁻	0	0	0
EDTA ⁴⁻	0	0	0
HEDTA ³⁻	0	0	0
glycolate ⁻	0	0	0
acetate ⁻	0	0	0
oxalate ²⁻	0	0	0
DBP	0	0	0
butanol	0	0	0
NH ₃	0	0	0
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu		0	0
U	0	0	0
Cs	0	0	0
Sr	0	0	0

*Unknowns in tank solids inventory are assigned by Tank Layering Model (TLM).

Derived by Los Alamos National Laboratory (LANL).

Double-Shell Tank 241-AW-103			
Total Inventory Estimate*			
Physical Properties			
Total Waste	2.84E+06 kg	(647 kgal)	
Heat Load	9.91E-02 kW	(338 BTU/hr)	
Bulk Density†	1.16 (g/cc)		
Water wt%†	80.1		
TOC wt% C (wet)†	0.009		
Chemical Constituents	mole/L	ppm	kg
Na ⁺	3.28	6.49E+04	1.85E+05
Al ³⁺	9.12E-03	212	603
Fe ³⁺ (total Fe)	0.205	9.85E+03	2.80E+04
Cr ³⁺	3.48E-04	15.6	44.3
Bi ³⁺	8.56E-06	1.54	4.38
La ³⁺	3.87E-08	4.64E-03	1.32E-02
Hg ²⁺	1.07E-03	185	527
Zr (as ZrO(OH) ₂)	0.521	4.09E+04	1.16E+05
Pb ²⁺	1.33E-06	0.238	0.675
Ni ²⁺	6.15E-05	3.11	8.85
Sr ²⁺	4.09E-08	3.09E-03	8.78E-03
Mn ⁴⁺	1.61E-04	7.61	21.6
Ca ²⁺	3.30E-02	1.14E+03	3.23E+03
K ⁺	0.157	5.27E+03	1.50E+04
OH ⁻	2.80	4.10E+04	1.17E+05
NO ₃ ⁻	0.304	1.62E+04	4.61E+04
NO ₂ ⁻	1.99E-02	791	2.25E+03
CO ₃ ²⁻	3.79E-02	1.96E+03	5.57E+03
PO ₄ ³⁻	2.19E-03	179	510
SO ₄ ²⁻	2.03E-03	168	477
Si (as SiO ₃ ²⁻)	3.68E-04	8.92	25.3
F ⁻	3.02	4.95E+04	1.41E+05
Cl ⁻	4.57E-03	140	397
C ₆ H ₅ O ₇ ³⁻	2.68E-04	43.7	124
EDTA ⁴⁻	1.18E-04	29.2	83.1
HEDTA ³⁻	1.91E-04	45.1	128
glycolate ⁻	1.31E-03	84.4	240
acetate ⁻	1.44E-04	7.32	20.8
oxalate ²⁻	1.46E-07	1.11E-02	3.15E-02
DBP	1.78E-04	24.8	70.3
butanol	1.78E-04	11.4	32.4
NH ₃	0.547	8.02E+03	2.28E+04
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu		0.454 (μCi/g)	21.5 (kg)
U	2.08E-03 (M)	427 (μg/g)	1.21E+03 (kg)
Cs	4.96E-03 (Ci/L)	4.28 (μCi/g)	1.22E+04 (Ci)
Sr	2.56E-03 (Ci/L)	2.20 (μCi/g)	6.26E+03 (Ci)

*Unknowns in tank solids inventory are assigned by Tank Layering Model (TLM).

†Volume average for density, mass average Water wt% and TOC wt% C.

Derived by Los Alamos National Laboratory (LANL).

Double-Shell Tank 241-AW-103			
SMM Composite Inventory Estimate			
Physical Properties			
Total Supernatant	1.09E+06 kg	(284 kgal)	
Heat Load	5.39E-02 kW	(184 BTU/hr)	
Bulk Density*	1.02 (g/cc)		
Water wt%†	95.9		
TOC wt% C (wet)	0.021		
Chemical Constituents	mole/l	µm	kg
Na ⁺	0.431	9.74E+03	1.06E+04
Al ³⁺	2.08E-02	551	603
Fe ³⁺ (total Fe)	1.16E-03	63.5	69.4
Cr ³⁺	7.92E-04	40.5	44.3
Bi ³⁺	1.95E-05	4.01	4.38
La ³⁺	8.82E-08	1.21E-02	1.32E-02
Hg ²⁺	5.11E-06	1.01	1.10
Zr (as ZrO(OH) ₂)	1.51E-03	135	148
Pb ²⁺	3.03E-06	0.618	0.675
Ni ²⁺	1.40E-04	8.09	8.85
Sr ²⁺	9.32E-08	8.03E-03	8.78E-03
Mn ⁴⁺	3.66E-04	19.8	21.6
Ca ²⁺	8.09E-03	319	349
K ⁺	0.112	4.31E+03	4.72E+03
OH ⁻	0.145	2.43E+03	2.66E+03
NO ₃ ⁻	0.264	1.61E+04	1.76E+04
NO ₂ ⁻	3.64E-02	1.65E+03	1.80E+03
CO ₃ ²⁻	1.94E-02	1.14E+03	1.25E+03
PO ₄ ³⁻	4.99E-03	466	510
SO ₄ ²⁻	4.62E-03	436	477
Si (as SiO ₂ ²⁻)	8.39E-04	23.2	25.3
F ⁻	0.121	2.26E+03	2.47E+03
Cl ⁻	5.31E-03	185	202
C ₆ H ₅ O ₇ ³⁻	6.11E-04	114	124
EDTA ⁴⁻	2.68E-04	76.0	83.1
HEDTA ³⁻	4.34E-04	117	128
glycolate ⁻	2.97E-03	219	240
acetate ⁻	3.28E-04	19.0	20.8
oxalate ²⁻	3.33E-07	2.88E-02	3.15E-02
DBP	4.06E-04	64.4	70.3
butanol	4.06E-04	29.6	32.4
NH ₃	0.391	6.54E+03	7.15E+03
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu	12.8 (µCi/L)		0.230 (kg)
U	1.57E-03 (M)	368 (µg/g)	402 (kg)
Cs	7.59E-03 (Ci/L)	7.46 (µCi/g)	8.15E+03 (Ci)
Sr	2.16E-03 (Ci/L)	2.13 (µCi/g)	2.32E+03 (Ci)

*Density is calculated based on Na, OH⁻, and AlO₂⁻.

†Water wt% derived from the difference of density and total dissolved species.

Derived by Los Alamos National Laboratory (LANL).

Double-Shell Tank 241-AW-103			
TLM Solids Composite Inventory Estimate*			
Physical Properties			
Total Solid Waste	1.75E+06 kg	(363 kgal)	
Heat Load	4.52E-02 kW	(155 BTU/hr)	
Bulk Density	1.27 (g/cc)		
Water wt%	67.8		
TOC wt% C (wet)	0		
Chemical Constituents	mole/L	ppm	kg
Na ⁺	5.50	9.95E+04	1.74E+05
Al ³⁺	0	0	0
Fe ³⁺ (total Fe)	0.364	1.60E+04	2.79E+04
Cr ³⁺	0	0	0
Bi ³⁺	0	0	0
La ³⁺	0	0	0
Hg ²⁺	1.91E-03	301	526
Zr (as ZrO(OH) ₂)	0.927	6.65E+04	1.16E+05
Pb ²⁺	0	0	0
Ni ²⁺	0	0	0
Sr ²⁺	0	0	0
Mn ⁴⁺	0	0	0
Ca ²⁺	5.24E-02	1.65E+03	2.89E+03
K ⁺	0.191	5.88E+03	1.03E+04
OH ⁻	4.88	6.52E+04	1.14E+05
NO ₃ ⁻	0.335	1.63E+04	2.85E+04
NO ₂ ⁻	7.04E-03	255	445
CO ₃ ²⁻	5.24E-02	2.47E+03	4.32E+03
PO ₄ ³⁻	0	0	0
SO ₄ ²⁻	0	0	0
Si (as SiO ₃ ²⁻)	0	0	0
F ⁻	5.29	7.90E+04	1.38E+05
Cl ⁻	4.00E-03	111	195
C ₆ H ₅ O ₇ ³⁻	0	0	0
EDTA ⁴⁻	0	0	0
HEDTA ³⁻	0	0	0
glycolate ⁻	0	0	0
acetate ⁻	0	0	0
oxalate ²⁻	0	0	0
DBP	0	0	0
butanol	0	0	0
NH ₃	0.669	8.94E+03	1.56E+04
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu		0.730 (μCi/g)	21.3 (kg)
U	2.48E-03 (M)	464 (μg/g)	811 (kg)
Cs	2.91E-03 (Ci/L)	2.29 (μCi/g)	4.00E+03 (Ci)
Sr	2.86E-03 (Ci/L)	2.25 (μCi/g)	3.94E+03 (Ci)

*Unknowns in tank solids inventory are assigned by Tank Layering Model (TLM).

Derived by Los Alamos National Laboratory (LANL).

Double-Shell Tank 241-AW-104			
Total Inventory Estimate*			
Physical Properties			
Total Waste	4.40E+06 kg (1.12E+03 kgal)		
Heat Load	3.11 kW (1.06E+04 BTU/hr)		
Bulk Density†	1.04 (g/cc)		
Water wt%†	94.1		
TOC wt% C (wet)†	0.041		
Chemical Constituents	mole/L	ppm	kg
Na ⁺	0.618	1.37E+04	6.04E+04
Al ³⁺	1.87E-03	48.6	214
Fe ³⁺ (total Fe)	0.169	9.13E+03	4.02E+04
Cr ³⁺	7.28E-03	366	1.61E+03
Bi ³⁺	1.84E-06	0.371	1.63
La ³⁺	8.45E-09	1.13E-03	4.99E-03
Hg ²⁺	8.50E-06	1.65	7.25
Zr (as ZrO(OH) ₂)	4.13E-03	364	1.60E+03
Pb ²⁺	3.94E-05	7.88	34.7
Ni ²⁺	1.12E-02	638	2.81E+03
Sr ²⁺	8.93E-09	7.55E-04	3.32E-03
Mn ⁴⁺	5.44E-03	288	1.27E+03
Ca ²⁺	3.05E-02	1.18E+03	5.20E+03
K ⁺	6.31E-03	238	1.05E+03
OH ⁻	0.561	9.22E+03	4.06E+04
NO ₃ ⁻	0.235	1.40E+04	6.18E+04
NO ₂ ⁻	1.58E-02	701	3.09E+03
CO ₃ ²⁻	0.123	7.15E+03	3.15E+04
PO ₄ ³⁻	6.31E-02	5.78E+03	2.55E+04
SO ₄ ²⁻	4.06E-03	377	1.66E+03
Si (as SiO ₃ ²⁻)	7.47E-05	2.03	8.92
F ⁻	2.37E-02	434	1.91E+03
Cl ⁻	3.81E-03	130	573
C ₆ H ₅ O ₇ ³⁻	5.64E-05	10.3	45.3
EDTA ⁴⁻	2.69E-05	7.49	33.0
HEDTA ³⁻	4.48E-05	11.9	52.2
glycolate ⁻	2.35E-04	17.0	74.8
acetate ⁻	2.89E-05	1.65	7.25
oxalate ²⁻	3.19E-08	2.71E-03	1.19E-02
DBP	2.87E-03	472	2.08E+03
butanol	2.87E-03	206	906
NH ₃	3.03E-03	49.8	219
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu		1.91E-02 (μCi/g)	1.40 (kg)
U	4.39E-04 (M)	101 (μg/g)	444 (kg)
Cs	2.76E-02 (Ci/L)	26.7 (μCi/g)	1.17E+05 (Ci)
Sr	8.93E-02 (Ci/L)	86.2 (μCi/g)	3.80E+05 (Ci)

*Unknowns in tank solids inventory are assigned by Tank Layering Model (TLM).

†Volume average for density, mass average Water wt% and TOC wt% C.

Derived by Los Alamos National Laboratory (LANL).

Double-Shell Tank 241-AW-104			
SMM Composite Inventory Estimate			
Physical Properties			
Total Supernatant	3.95E+06 kg (1.02E+03 kgal)		
Heat Load	0.667 kW (2.28E+03 BTU/hr)		
Bulk Density*	1.02 (g/cc)		
Water wt%†	95.6		
TOC wt% C (wet)	0.042		
Chemical Constituents	mole/l	ppm	kg
Na ⁺	0.597	1.34E+04	5.30E+04
Al ³⁺	2.05E-03	54.2	214
Fe ³⁺ (total Fe)	1.82E-03	99.4	392
Cr ³⁺	7.31E-03	372	1.47E+03
Bi ³⁺	2.02E-06	0.414	1.63
La ³⁺	9.30E-09	1.26E-03	4.99E-03
Hg ²⁺	1.31E-08	2.57E-03	1.02E-02
Zr (as ZrO(OH) ₂)	1.18E-06	0.105	0.415
Pb ²⁺	3.95E-05	8.01	31.6
Ni ²⁺	1.64E-03	93.9	371
Sr ²⁺	9.83E-09	8.42E-04	3.32E-03
Mn ⁴⁺	5.46E-03	293	1.16E+03
Ca ²⁺	1.27E-02	499	1.97E+03
K ⁺	5.48E-03	210	828
OH ⁻	2.39E-02	398	1.57E+03
NO ₃ ⁻	0.234	1.42E+04	5.61E+04
NO ₂ ⁻	1.61E-02	725	2.86E+03
CO ₃ ²⁻	0.106	6.22E+03	2.46E+04
PO ₄ ³⁻	6.33E-02	5.88E+03	2.32E+04
SO ₄ ²⁻	4.12E-03	387	1.53E+03
Si (as SiO ₃ ²⁻)	8.23E-05	2.26	8.92
F ⁻	1.27E-04	2.37	9.35
Cl ⁻	3.83E-03	133	523
C ₆ H ₅ O ₇ ³⁻	6.21E-05	11.5	45.3
EDTA ⁴⁻	2.96E-05	8.35	33.0
HEDTA ³⁻	4.93E-05	13.2	52.2
glycolate ⁻	2.58E-04	18.9	74.8
acetate ⁻	3.18E-05	1.84	7.25
oxalate ²⁻	3.51E-08	3.02E-03	1.19E-02
DBP	2.89E-03	454	1.79E+03
butanol	2.89E-03	209	826
NH ₃	5.80E-05	0.965	3.81
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu	0.844 (μCi/L)		5.43E-02 (kg)
U	4.30E-04 (M)	100 (μg/g)	395 (kg)
Cs	2.77E-02 (Ci/L)	27.1 (μCi/g)	1.07E+05 (Ci)
Sr	6.35E-03 (Ci/L)	6.21 (μCi/g)	2.45E+04 (Ci)

*Density is calculated based on Na, OH⁻, and AlO₂⁻.

†Water wt% derived from the difference of density and total dissolved species.

Derived by Los Alamos National Laboratory (LANL).

Double-Shell Tank 241-AW-104			
TLM Solids Composite Inventory Estimate*			
Physical Properties			
Total Solid Waste	4.55E+05 kg	(103 kgal)	
Heat Load	2.44 kW	(8.33E+03 BTU/hr)	
Bulk Density	1.17 (g/cc)		
Water wt%	78.5		
TOC wt% C (wet)	0.034		
Chemical Constituents	mole/l	ppm	kg
Na ⁺	0.827	1.63E+04	7.41E+03
Al ³⁺	0	0	0
Fe ³⁺ (total Fe)	1.83	8.75E+04	3.98E+04
Cr ³⁺	7.00E-03	312	142
Bi ³⁺	0	0	0
La ³⁺	0	0	0
Hg ²⁺	9.26E-05	15.9	7.24
Zr (as ZrO(OH) ₂)	4.50E-02	3.52E+03	1.60E+03
Pb ²⁺	3.80E-05	6.75	3.07
Ni ²⁺	0.106	5.36E+03	2.44E+03
Sr ²⁺	0	0	0
Mn ⁴⁺	5.25E-03	247	112
Ca ²⁺	0.207	7.11E+03	3.23E+03
K ⁺	1.45E-02	487	221
OH ⁻	5.88	8.58E+04	3.90E+04
NO ₃ ⁻	0.237	1.26E+04	5.72E+03
NO ₂ ⁻	1.26E-02	496	226
CO ₃ ²⁻	0.296	1.52E+04	6.93E+03
PO ₄ ³⁻	6.08E-02	4.95E+03	2.25E+03
SO ₄ ²⁻	3.54E-03	291	132
Si (as SiO ₃ ²⁻)	0	0	0
F ⁻	0.257	4.18E+03	1.90E+03
Cl ⁻	3.61E-03	110	49.9
C ₆ H ₅ O ₇ ³⁻	0	0	0
EDTA ⁴⁻	0	0	0
HEDTA ³⁻	0	0	0
glycolate ⁻	0	0	0
acetate ⁻	0	0	0
oxalate ²⁻	0	0	0
DBP	2.75E-03	628	286
butanol	2.75E-03	175	79.6
NH ₃	3.25E-02	474	215
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu		0.178 (μCi/g)	1.35 (kg)
U	5.24E-04 (M)	107 (μg/g)	48.7 (kg)
Cs	2.64E-02 (Ci/L)	22.6 (μCi/g)	1.03E+04 (Ci)
Sr	0.911 (Ci/L)	781 (μCi/g)	3.55E+05 (Ci)

*Unknowns in tank solids inventory are assigned by Tank Layering Model (TLM).

Derived by Los Alamos National Laboratory (LANL).

Double-Shell Tank 241-AW-105			
Total Inventory Estimate*			
Physical Properties			
Total Waste	4.65E+06 kg (1.04E+03 kgal)		
Heat Load	1.96 kW (6.68E+03 BTU/hr)		
Bulk Density†	1.18 (g/cc)		
Water wt%†	74.0		
TOC wt% C (wet)†	0.273		
Chemical Constituents	mole/L	ppm	kg
Na ⁺	3.78	7.39E+04	3.44E+05
Al ³⁺	0.280	6.42E+03	2.98E+04
Fe ³⁺ (total Fe)	0.123	5.86E+03	2.72E+04
Cr ³⁺	9.11E-03	402	1.87E+03
Bi ³⁺	1.89E-04	33.6	156
La ³⁺	1.21E-06	0.143	0.663
Hg ²⁺	3.98E-04	67.8	315
Zr (as ZrO(OH) ₂)	0.192	1.49E+04	6.93E+04
Pb ²⁺	3.07E-05	5.40	25.1
Ni ²⁺	4.52E-03	226	1.05E+03
Sr ²⁺	1.28E-06	9.50E-02	0.442
Mn ⁴⁺	3.84E-03	179	833
Ca ²⁺	3.67E-02	1.25E+03	5.81E+03
K ⁺	0.131	4.36E+03	2.03E+04
OH ⁻	2.44	3.89E+04	1.64E+05
NO ₃ ⁻	1.24	7.37E+04	3.05E+05
NO ₂ ⁻	0.328	1.45E+04	5.97E+04
CO ₃ ²⁻	0.190	1.09E+04	4.50E+04
PO ₄ ³⁻	5.37E-02	4.87E+03	2.01E+04
SO ₄ ²⁻	6.05E-02	5.56E+03	2.29E+04
Si (as SiO ₃ ²⁻)	1.28E-02	343	1.42E+03
F ⁻	1.19	2.09E+04	8.96E+04
Cl ⁻	4.49E-02	1.52E+03	6.28E+03
C ₆ H ₅ O ₇ ³⁻	7.96E-03	1.44E+03	5.95E+03
EDTA ⁴⁻	2.67E-03	736	3.04E+03
HEDTA ³⁻	4.39E-03	1.15E+03	4.76E+03
glycolate ⁻	5.50E-02	3.95E+03	1.63E+04
acetate ⁻	3.04E-03	172	709
oxalate ²⁻	4.56E-06	0.384	1.59
DBP	4.05E-03	630	2.60E+03
butanol	4.05E-03	287	1.19E+03
NH ₃	0.446	7.16E+03	2.99E+04
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu		0.185 (μCi/g)	14.3 (kg)
U	3.40E-03 (M)	687 (μg/g)	3.20E+03 (kg)
Cs	6.17E-02 (Ci/L)	52.4 (μCi/g)	2.44E+05 (Ci)
Sr	3.06E-02 (Ci/L)	26.0 (μCi/g)	1.21E+05 (Ci)

*Unknowns in tank solids inventory are assigned by Tank Layering Model (TLM).

†Volume average for density, mass average Water wt% and TOC wt% C.

Derived by Los Alamos National Laboratory (LANL).

Double-Shell Tank 241-AW-105			
SMM Composite Inventory Estimate			
Physical Properties			
Total Supernatant	3.51E+06 kg (804 kgal)		
Heat Load	1.31 kW (4.46E+03 BTU/hr)		
Bulk Density*	1.15 (g/cc)		
Water wt%†	75.5		
TOC wt% C (wet)	0.354		
Chemical Constituents	mole/L	ppm	kg
Na ⁺	3.42	6.83E+04	2.39E+05
Al ³⁺	0.363	8.51E+03	2.98E+04
Fe ³⁺ (total Fe)	3.85E-03	186	654
Cr ³⁺	1.16E-02	523	1.84E+03
Bi ³⁺	2.46E-04	44.5	156
La ³⁺	1.57E-06	0.189	0.663
Hg ²⁺	6.50E-06	1.13	3.97
Zr (as ZrO(OH) ₂)	1.63E-03	129	454
Pb ²⁺	3.86E-05	6.94	24.3
Ni ²⁺	2.39E-03	122	428
Sr ²⁺	1.66E-06	0.126	0.442
Mn ⁴⁺	4.81E-03	230	805
Ca ²⁺	2.69E-02	937	3.29E+03
K ⁺	0.119	4.04E+03	1.42E+04
OH ⁻	1.67	2.78E+04	8.66E+04
NO ₃ ⁻	1.52	9.21E+04	2.87E+05
NO ₂ ⁻	0.424	1.91E+04	5.94E+04
CO ₃ ²⁻	0.223	1.31E+04	4.07E+04
PO ₄ ³⁻	6.77E-02	6.29E+03	1.96E+04
SO ₄ ²⁻	7.84E-02	7.36E+03	2.29E+04
Si (as SiO ₃ ²⁻)	1.66E-02	455	1.42E+03
F ⁻	0.135	2.51E+03	7.80E+03
Cl ⁻	5.71E-02	1.98E+03	6.16E+03
C ₆ H ₅ O ₇ ³⁻	1.03E-02	1.91E+03	5.95E+03
EDTA ⁴⁻	3.47E-03	977	3.04E+03
HEDTA ³⁻	5.70E-03	1.53E+03	4.76E+03
glycolate ⁻	7.14E-02	5.24E+03	1.63E+04
acetate ⁻	3.95E-03	228	709
oxalate ²⁻	5.92E-06	0.510	1.59
DBP	5.17E-03	813	2.53E+03
butanol	5.17E-03	374	1.17E+03
NH ₃	0.400	6.65E+03	2.07E+04
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu	29.0 (μCi/L)		1.47 (kg)
U	3.74E-03 (M)	772 (μg/g)	2.71E+03 (kg)
Cs	7.85E-02 (Ci/L)	68.1 (μCi/g)	2.39E+05 (Ci)
Sr	9.20E-03 (Ci/L)	7.98 (μCi/g)	2.80E+04 (Ci)

*Density is calculated based on Na, OH⁻, and AlO₂⁻.

†Water wt% derived from the difference of density and total dissolved species.

Derived by Los Alamos National Laboratory (LANL).

Double-Shell Tank 241-AW-105			
TLM Solids Composite Inventory Estimate*			
Physical Properties			
Total Solid Waste	1.15E+06 kg (240 kgal)		
Heat Load	0.649 kW (2.22E+03 BTU/hr)		
Bulk Density	1.26 (g/cc)		
Water wt%	68.9		
TOC wt% C (wet)	0.004		
Chemical Constituents	mole/L	ppm	kg
Na ⁺	4.99	9.11E+04	1.04E+05
Al ³⁺	0	0	0
Fe ³⁺ (total Fe)	0.524	2.32E+04	2.66E+04
Cr ³⁺	7.66E-04	31.6	36.2
Bi ³⁺	0	0	0
La ³⁺	0	0	0
Hg ²⁺	1.71E-03	272	311
Zr (as ZrO(OH) ₂)	0.830	6.01E+04	6.88E+04
Pb ²⁺	4.16E-06	0.684	0.783
Ni ²⁺	1.17E-02	543	622
Sr ²⁺	0	0	0
Mn ⁴⁺	5.74E-04	25.0	28.7
Ca ²⁺	6.93E-02	2.20E+03	2.52E+03
K ⁺	0.172	5.33E+03	6.10E+03
OH ⁻	4.99	7.27E+04	7.70E+04
NO ₃ ⁻	0.324	1.72E+04	1.83E+04
NO ₂ ⁻	7.65E-03	302	320
CO ₃ ²⁻	7.91E-02	4.07E+03	4.31E+03
PO ₄ ³⁻	6.66E-03	542	574
SO ₄ ²⁻	3.87E-04	31.9	33.8
Si (as SiO ₂ ²⁻)	0	0	0
F ⁻	4.74	7.72E+04	8.18E+04
Cl ⁻	3.96E-03	120	127
C ₆ H ₅ O ₇ ³⁻	0	0	0
EDTA ⁴⁻	0	0	0
HEDTA ³⁻	0	0	0
glycolate ⁻	0	0	0
acetate ⁻	0	0	0
oxalate ²⁻	0	0	0
DBP	3.01E-04	68.8	72.9
butanol	3.01E-04	19.2	20.3
NH ₃	0.599	8.74E+03	9.26E+03
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu		0.674 (μCi/g)	12.9 (kg)
U	2.27E-03 (M)	428 (μg/g)	490 (kg)
Cs	5.48E-03 (Ci/L)	4.35 (μCi/g)	4.98E+03 (Ci)
Sr	0.102 (Ci/L)	81.1 (μCi/g)	9.29E+04 (Ci)

*Unknowns in tank solids inventory are assigned by Tank Layering Model (TLM).

Derived by Los Alamos National Laboratory (LANL).

Double-Shell Tank 241-AW-106			
Total Inventory Estimate*			
Physical Properties			
Total Waste	4.93E+06 kg (1.08E+03 kgal)		
Heat Load	2.79 kW (9.54E+03 BTU/hr)		
Bulk Density†	1.20 (g/cc)		
Water wt%†	69.0		
TOC wt% C (wet)†	0.488		
Chemical Constituents	mole/L	ppm	kg
Na ⁺	4.54	8.67E+04	4.27E+05
Al ³⁺	0.495	1.11E+04	5.47E+04
Fe ³⁺ (total Fe)	7.37E-03	342	1.69E+03
Cr ³⁺	1.48E-02	640	3.16E+03
Bi ³⁺	2.72E-04	47.2	233
La ³⁺	1.80E-06	0.207	1.02
Hg ²⁺	6.37E-06	1.06	5.23
Zr (as ZrO(OH) ₂)	1.56E-03	118	584
Pb ²⁺	5.33E-05	9.18	45.3
Ni ²⁺	3.71E-03	181	891
Sr ²⁺	1.90E-06	0.138	0.681
Mn ⁴⁺	6.85E-03	313	1.54E+03
Ca ²⁺	3.94E-02	1.31E+03	6.46E+03
K ⁺	0.115	3.73E+03	1.84E+04
OH ⁻	2.27	3.36E+04	1.58E+05
NO ₃ ⁻	2.02	1.09E+05	5.13E+05
NO ₂ ⁻	0.481	1.92E+04	9.06E+04
CO ₃ ²⁻	0.322	1.68E+04	7.92E+04
PO ₄ ³⁻	9.41E-02	7.75E+03	3.66E+04
SO ₄ ²⁻	0.107	8.94E+03	4.22E+04
Si (as SiO ₃ ²⁻)	2.49E-02	614	2.86E+03
F ⁻	0.130	2.14E+03	1.01E+04
Cl ⁻	7.48E-02	2.30E+03	1.09E+04
C ₆ H ₅ O ₇ ³⁻	1.40E-02	2.29E+03	1.08E+04
EDTA ⁴⁻	3.83E-03	958	4.52E+03
HEDTA ³⁻	6.35E-03	1.51E+03	7.12E+03
glycolate ⁻	0.114	7.41E+03	3.49E+04
acetate ⁻	4.23E-03	217	1.02E+03
oxalate ²⁻	6.78E-06	0.517	2.44
DBP	6.45E-03	901	4.26E+03
butanol	6.45E-03	415	1.96E+03
NH ₃	0.395	5.82E+03	2.75E+04
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu		3.06E-02 (μCi/g)	2.52 (kg)
U	5.93E-03 (M)	1.17E+03 (μg/g)	5.79E+03 (kg)
Cs	0.111 (Ci/L)	92.3 (μCi/g)	4.55E+05 (Ci)
Sr	2.40E-02 (Ci/L)	19.9 (μCi/g)	9.82E+04 (Ci)

*Unknowns in tank solids inventory are assigned by Tank Layering Model (TLM).

†Volume average for density, mass average Water wt% and TOC wt% C.

Derived by Los Alamos National Laboratory (LANL).

Double-Shell Tank 241-AW-106			
SMM Composite Inventory Estimate			
Physical Properties			
Total Supernatant	4.92E+06 kg (1.08E+03 kgal)		
Heat Load	2.49 kW (8.50E+03 BTU/hr)		
Bulk Density*	1.20 (g/cc)		
Water wt%†	69.1		
TOC wt% C (wet)	0.489		
Chemical Constituents	mole/l	ppm	kg
Na ⁺	4.54	8.67E+04	4.27E+05
Al ³⁺	0.494	1.11E+04	5.45E+04
Fe ³⁺ (total Fe)	5.60E-03	260	1.28E+03
Cr ³⁺	1.48E-02	641	3.16E+03
Bi ³⁺	2.72E-04	47.3	233
La ³⁺	1.80E-06	0.208	1.02
Hg ²⁺	6.38E-06	1.06	5.23
Zr (as ZrO(OH) ₂)	1.56E-03	119	584
Pb ²⁺	5.34E-05	9.20	45.3
Ni ²⁺	3.41E-03	166	818
Sr ²⁺	1.90E-06	0.138	0.681
Mn ⁴⁺	6.86E-03	313	1.54E+03
Ca ²⁺	3.92E-02	1.31E+03	6.43E+03
K ⁺	0.115	3.73E+03	1.84E+04
OH ⁻	2.25	3.33E+04	1.57E+05
NO ₃ ⁻	2.02	1.09E+05	5.13E+05
NO ₂ ⁻	0.481	1.92E+04	9.06E+04
CO ₃ ²⁻	0.322	1.68E+04	7.91E+04
PO ₄ ³⁻	9.41E-02	7.76E+03	3.66E+04
SO ₄ ²⁻	0.107	8.95E+03	4.22E+04
Si (as SiO ₃ ²⁻)	2.43E-02	592	2.79E+03
F ⁻	0.130	2.14E+03	1.01E+04
Cl ⁻	7.48E-02	2.30E+03	1.08E+04
C ₆ H ₅ O ₇ ³⁻	1.40E-02	2.29E+03	1.08E+04
EDTA ⁴⁻	3.84E-03	959	4.52E+03
HEDTA ³⁻	6.35E-03	1.51E+03	7.12E+03
glycolate ⁻	0.114	7.40E+03	3.49E+04
acetate ⁻	4.24E-03	217	1.02E+03
oxalate ²⁻	6.78E-06	0.518	2.44
DBP	6.46E-03	903	4.26E+03
butanol	6.46E-03	416	1.96E+03
NH ₃	0.395	5.83E+03	2.75E+04
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu	35.6 (μCi/L)		2.43 (kg)
U	4.72E-03 (M)	933 (μg/g)	4.59E+03 (kg)
Cs	0.111 (Ci/L)	92.4 (μCi/g)	4.55E+05 (Ci)
Sr	1.29E-02 (Ci/L)	10.7 (μCi/g)	5.29E+04 (Ci)

*Density is calculated based on Na, OH⁻, and AlO₂⁻.

†Water wt% derived from the difference of density and total dissolved species.

Derived by Los Alamos National Laboratory (LANL).

Double-Shell Tank 241-AW-106			
TLM Solids Composite Inventory Estimate*			
Physical Properties			
Total Solid Waste	7.40E+03 kg (1 kgal)		
Heat Load	0.305 kW (1.04E+03 BTU/hr)		
Bulk Density	1.95 (g/cc)		
Water wt%	50.0		
TOC wt% C (wet)	0.251		
Chemical Constituents	mole/L	ppm	kg
Na ⁺	4.22	4.97E+04	368
Al ³⁺	2.00	2.77E+04	205
Fe ³⁺ (total Fe)	1.92	5.49E+04	406
Cr ³⁺	1.67E-07	4.44E-03	3.29E-05
Bi ³⁺	0	0	0
La ³⁺	0	0	0
Hg ²⁺	0	0	0
Zr (as ZrO(OH) ₂)	0	0	0
Pb ²⁺	0	0	0
Ni ²⁺	0.330	9.91E+03	73.3
Sr ²⁺	0	0	0
Mn ⁴⁺	0	0	0
Ca ²⁺	0.188	3.85E+03	28.5
K ⁺	0	0	0
OH ⁻	20.9	2.82E+05	1.35E+03
NO ₃ ⁻	1.42	6.99E+04	334
NO ₂ ⁻	1.96E-02	714	3.41
CO ₃ ²⁻	0.398	1.89E+04	90.3
PO ₄ ³⁻	8.35E-03	629	3.00
SO ₄ ²⁻	9.18E-02	7.00E+03	33.4
Si (as SiO ₃ ²⁻)	0.675	1.50E+04	71.8
F ⁻	0	0	0
Cl ⁻	5.37E-02	1.51E+03	7.21
C ₆ H ₅ O ₇ ³⁻	1.25E-02	1.88E+03	8.96
EDTA ⁴⁻	0	0	0
HEDTA ³⁻	0	0	0
glycolate ⁻	0.167	9.93E+03	47.4
acetate ⁻	0	0	0
oxalate ²⁻	0	0	0
DBP	0	0	0
butanol	0	0	0
NH ₃	3.70E-06	4.99E-02	2.38E-04
Fe(CN) ₆ ⁴⁻	0	0	0
Radiological Constituents			
Pu		0.740 (μCi/g)	9.13E-02 (kg)
U	1.32 (M)	1.61E+05 (μg/g)	1.19E+03 (kg)
Cs	0	0	0
Sr	12.0 (Ci/L)	6.13E+03 (μCi/g)	4.53E+04 (Ci)

*Unknowns in tank solids inventory are assigned by Tank Layering Model (TLM).

Derived by Los Alamos National Laboratory (LANL).

APPENDIX K

Tank Layering Comparison and Data

THIS PAGE INTENTIONALLY
LEFT BLANK

The following table describes the column headings for the Tank Layer Model developed by Los Alamos National Laboratories and the column headings correspond with the tables presented in this appendix.

Column Heading	Description
Tank	tank number
Year	year of last primary addition and year of solid measurement
Qtr	quarter of last primary addition and quarter of solid measurement
Meas, solids	reported solids from Anderson-91 in kgal
Solids change	calculated solids based on primary fill record or difference between solids records
Pred layer	predicted layer now in tank in kgal
Layer type	Defined Waste Type for that layer
Waste volume	sumation of primary waste additions calculated for this period
Comments	various details of each calculation

Tank Layer Model for SE Quadrant

AW Farm

Tank Layer Model for SE Quadrant

Tank_n	Year	Qtr	Meas. solids	Solids change	Pred layer	Layer Type	Waste Volume	Comments
AW-101	1980	3	0	0				
	1983	4		1	N		9 1%	
	1986	1		61	61 PL2		2761 2.20%	
	1987	3	84					
	1993	4	84	23	no TML assignment			solids from concentrate
AW-102	1981	1	0	0				
	1982	2		0	BL		3 2.50%	
	1983	2		0	PL2		21 2.20%	
	1984	1	3	3				
	1984	4	1	-2				
	1986	3		20	PL2		898 2.20%	
	1993	4	1	-22	no TML assignment			Sent throughout SE quad., solids from concentrate
AW-103	1980	3	0	0				
	1980	4	959	959				SU REC from AX-101 and A-101.
	1981	4	0					ignore
	1983	4		28	CW/ZR2		265 10.50%	
	1983	4	3	-984				sent to AW-105 and AW-106
	1984	1		43	CW/ZR2		405 10.50%	
	1984	1	47	1				
	1984	3		43	CW/ZR2		406 10.50%	
	1984	3	340	250				unk gain
	1984	4	47					ignore
	1986	3		161	CW/ZR2		1535 10.50%	
	1987	1	371	-130				
	1988	2		77	CW/ZR2		729 10.50%	
	1988	3	330	-118				
	1988	4		13	CW/ZR2		122 10.50%	
	1989	1	363	20				
	1991	1		1	PL2		10 10.50%	
	1993	4	363	-1	363 CW/ZR2			

* Predicted layer is not considered as part of the solids volume
Derived by Los Alamos National Laboratories (LANL)

Tank Layer Model for SE Quadrant

Tank_n	Year	Qtr	Meas. solids	Solids change	Pred layer	Layer Type	Waste Volume	Comments
AW-104	1980	3	0	0				
	1982	4		0		PL2	13 2.20%	
	1983	1		5	5	CW/ZR2	47 10.50%	
	1984	1	13	8				
	1984	4	32	19			8558	unk gain, REC from AW-102
	1985	1	111	67				
	1986	1					270	REC from AW-102.
	1986	4		19		PL2	863 2.20%	
	1987	1	381	251				
	1987	3		17		PL2	775 2.20%	
AW-105	1987	3	290	-108			11200	Sent to AW-102.
	1991	2		61	98	PL2	2792 2.20%	
	1993	4	290	-61		no TML assignment	2317	Sent to AW-102, solids from concentrate
	1981	1	0	0				
	1983	1		0		BL	13 2.50%	
	1984	1		30	*	14 PL2	1383 2.20%	
	1984	1	14	-16				Sent to AW-101, AW-102, AZ-102 and AN-
	1984	3		10	24	PL2	474 2.20%	
	1984	3		33		CW/ZR2	313 10.50%	
	1984	3	223	166				
	1984	4	14					ignore
	1987	1		139	172	CW/ZR2	1322 10.50%	
	1987	1	297	-65				
	1988	1				no TML assignment	784	from A2EVAP., solids from concentrate
	1990	1		43	43	CW/ZR2	410 10.50%	
	1992	4		1	1	PL2	58 2.20%	
	1993	4	297	-44				unk loss

* Predicted layer is not considered as part of the solids volume
Derived by Los Alamos National Laboratories (LANL)

Tank Layer Model for SE Quadrant

Tank_n	Year	Qtr	Meas. solids	Solids change	Pred layer	Layer Type	Waste Volume	Comments
AW-106	1980	3	0					
	1982	4		1	1 BL		33	2.50%
	1984	1	53					Start receiving from AW-102.
	1985	1	85					
	1987	1	258					
	1989	2	283					
	1992	1	296					
	1993	4	296	296		no TML assignment		solids from concentrate

* Predicted layer is not considered as part of the solids volume
Derived by Los Alamos National Laboratories (LANL)

SMM-HDW Compositions for SE Quadrant (vol%)

STRS DWX	MW1	ICI	1C2	2C1	2C2	UR	PFeCN1	PFeCN2	TFeCN	ICFeCN	RI	R2	CWR1	CWR2	P1	P2	CWP1	CWP2
Appendix id #	1	3	4	5	6	8	9	10	11	12	13	14	15	16	17	18	21	22
Tank																		
AN-101											1							
AN-102	1						1			2					1	1		1
AN-103											1				1			
AN-104	1									2					1	1		1
AN-105	1	1					1	1		2					1	1		1
AN-106	1						1	1		3					1	1		1
AN-107	1	1				1	1	1		3					2	1		1
AP-101																		
AP-102	1						1	1		3					1	1		1
AP-103																		
AP-104																		
AP-105																		
AP-106																		
AP-107																		
AP-108																		
AW-101											1				1			
AW-102																		
AW-103																		
AW-104																		
AW-105											1							
AW-106																		
AY-101											1				1			
AY-102																		
AZ-101																		
AZ-102																		
SY-101	2	1									5		1		1			
SY-102																		
SY-103	1	1	1			1					7		1		2	1		1
BSLTCK		48	-4	5	4	44	3											
BYSLTCK	-1	2				4		3	2									
SISLTCK		1				3					24	1	3	2	2	1	1	36
TISLTCK	2	32	16	1		42				6								5
T2SLTCK		3	2			10	1			1	10	2	3	4	5	3	1	6
RSLTCK											25	72	1	2				

Derived by Los Alamos National Laboratory(LANL).

SMM-HDW Compositions for SE Quadrant (vol%)

STRS DWX	OWW1	OWW2	OWW3	Z	SSW	TH66	TH70	AR	B	BL	SRR	CSR	DW	N	P3	PL2	CWPZR2	PASF	BYSTC
Appendix id #	24	25	26	27	28	29	30	31	32	33	34	35	36	37	47	48	49	50	42
Tank																			
AN-101				5				1	1	17	1	1	9	1		33	20		3
AN-102		1		2				3	2	14	2	6	5	3		30	1		9
AN-103				4				2	1	15	1	2	7	3		28	15		6
AN-104		1		3				2	2	13	2	4	7	5		21	9		8
AN-105		1		4				3	2	16	2	2	9	1		19	5		11
AN-106		1		5				3	3	9	2	2	17	17		2	1		10
AN-107	1	1		2				7	6	12	6	4	8	1		5			19
AP-101				1						6			2			11	6	69	1
AP-102		1		5				3	3	8	2	2	16	21		2	1		10
AP-103				6						34			17		1	16	9	10	1
AP-104														100					
AP-105				3				1	17			1	5	1		33	17	15	2
AP-106				3				1	21			1	7	1		29	16	14	2
AP-107																		100	
AP-108				2						41			8		1	21	6	17	1
AW-101				4				1	1	13	1	2	7	2		33	15		5
AW-102				3				1	17			1	6	1		32	16	15	2
AW-103										1						2	96		
AW-104																100			
AW-105				3				1	1	13		1	6	1		28	34	4	2
AW-106				3				1	18			1	5	1		33	17	15	2
AY-101				1				2	2	6	23	47	2			3			5
AY-102				2						58			16		1	10	5	5	1
AZ-101				1				1	1	18	1		1		65	6			2
AZ-102										1					96	3			
SY-101								1	1	1	1	1							3
SY-102				26						1			65			3	1		1
SY-103		1						5	4	3	4	3	1						11
BSLTCK																			
BSLTCK			13		1	2			1	2		18	1	1					
SISLTCK	1	1	2					2	1	6	2	19	6	3					
TISLTCK																			
T2SLTCK	1	2	2	4				1	1	6	2	14	11	1					
RSLTCK																			

Derived by Los Alamos National Laboratory(LANL).

SMM-HDW Compositions for SE Quadrant (vol%)

STRS DWX	S1STC	T1STC	T2STC	R2STC	OTHER supernatant vol (kgal)	Concentration factor (v ₁ -v ₂)/v ₁ (vol%)	amt/v ₁ (vol%)	amt/v ₁ (vol%)
Appendix id #	43	39	41	40				
Tank								
AN-101	3		2		2	700	-572	20
AN-102	7		6		2	1095	41	6
AN-103	6		4		4	951	79	5
AN-104	9		6		2	1058	55	8
AN-105	9		5		2	1131	60	7
AN-106	12		6		1	21	62	11
AN-107	8		6		2	1066	49	12
AP-101	1		1		2	1060	23	3
AP-102	11		6			1104	29	11
AP-103	1		1		4	1131	7	5
AP-104						18	-58	84
AP-105	2		1		2	821	78	5
AP-106	2		1		2	1128	62	5
AP-107						1108	-1	2
AP-108	1				2	899	-3	11
AW-101	5		3		6	1077	71	6
AW-102	2		1		3	966	52	7
AW-103					1	284	46	11
AW-104						1020	1	7
AW-105	2		1		2	804	55	5
AW-106	2		1		1	1081	64	5
AY-101	2		2		3	858	-35	15
AY-102	1				1	912	-91	4
AZ-101	2		1		1	902	0	7
AZ-102						931	-174	21
SY-101	47		31		4	1102	11	19
SY-102					3	661	-53	15
SY-103	34		15		3	758	15	17
BSLTCK						2494	59	20
BYSLTCK					1	8093	81	48
SISLTCK		1	9	1	3	13709	68	18
TISLTCK					1	3384	59	37
T2SLTCK		5		1	-2	13116	70	20
RSLTCK						3525	61	3

Derived by Los Alamos National Laboratory(LANL).

SMM-HDW Distributions for SE Quadrant (vol%)

WSTRS DWXT	MW1	IC1	IC2	2C1	2C2	UR	PFeCN1	PFeCN2	TFeCN	ICFeCN	R1	R2	CWR1
Appendix id #	1	3	4	5	6	8	9	10	11	12	13	14	15
Tank													
AN-101													
AN-102													
AN-103													
AN-104													
AN-105													
AN-106													
AN-107													
AP-101													
AP-102													
AP-103													
AP-104													
AP-105													
AP-106													
AP-107													
AP-108													
AW-101													
AW-102													
AW-103													
AW-104													
AW-105													
AW-106													
AY-101													
AY-102													
AZ-101													
AZ-102													
SY-101													
SY-102													
SY-103													
BSLTCK	15	-5	2	2	2	12	1						
BYSLTCK	-1	5	-3			7		6	6				1
SISLTCK	3	4		1	1	5	1	1	1	3	42	6	47
TISLTCK	1	13	30	1		15				14			
T2SLTCK		6	20		1	20	2	1		8	17	8	37
RSLTCK											9	61	2
OTHER (SST's, Cribs)	100	58	54	97	96	41	96	92	93	75	32	25	13
Total SMM Inventory (kgal)	21524	19750	4379	15881	15361	22578	13179	20537	11602	3818	24956	10690	2894

Derived by Los Alamos National Laboratory(LANL).

SMM-HDW Distributions for SE Quadrant (vol%)

WSTRS DWXT	CWR2	P1	P2	CWPI	CWP2	OWW1	OWW2	OWW3	Z	SSW	TH66	TH70	AR	B	BL
Appendix id #	16	17	18	21	22	24	25	26	27	28	29	30	31	32	33
Tank															
AN-101															
AN-102									1				1		2
AN-103									5				1	1	5
AN-104									2				1		2
AN-105									3				1	1	3
AN-106															
AN-107									1	1			2	1	2
AP-101															1
AP-102									2				1		1
AP-103									2						3
AP-104															
AP-105									3						5
AP-106									3						5
AP-107															
AP-108															
AW-101															3
AW-102									5				1		4
AW-103									2						2
AW-104															
AW-105															
AW-105									2						2
AW-106									2						4
AY-101															
AY-102															
AZ-101															2
AZ-101															1
AZ-102															
SY-101															
SY-102															
SY-102									3						
SY-103														1	
BSLTCK															
BYSLTCK	1	2	5	71	67	-1		70		66	76	88	1	4	7
SISLTCK	25	4	5	7	9	5	3	8	5	13	7	4	12	3	18
TISLTCK															
T2SLTCK	61	8	13	5	12	7	8	11	50	6	11	6	7	3	17
RSLTCK	6														
OTHER (SST's,Cribs)	7	86	77	17	12	89	89	11	9	14	6	2	71	87	11
Total SMM Inventory (kgal)	3033	26768	9530	6252	22286	4686	11053	8138	3302	800	927	428	5796	11536	13913

Derived by Los Alamos National Laboratory(LANL).

SMM-HDW Distributions for SE Quadrant (vol%)

WSTRS DWXT	SRR	CSR	DW	N	P3	PL2	CWPZR2	PASF	BYSTC	SISTC	TISTC	T2STC	RSTC
Appendix id #	34	35	36	37	47	48	49	50	42	43	39	41	40
Tank													
AN-101													
AN-102	1		1	2		5			2	1		1	
AN-103	2		3	3		11	12		3	2		1	
AN-104	1		1	3		4	4		2	1		1	
AN-105	2		2	1		5	3		4	2		1	
AN-106													
AN-107	4		1			1			5	1		1	
AP-101						1	2	22					
AP-102	1		2	9					2	1		1	
AP-103			2		1	2	2	3					
AP-104													
AP-105			2	1		11	12	13	1	1			
AP-106			2	1		8	8	10	1				
AP-107								26					
AP-108			1		1	2	1	4					
AW-101	1		2	2		11	10		2	1		1	
AW-102			1		1	6	6	7					
AW-103							9						
AW-104						9							
AW-105			1			4	11	2					
AW-106			1	1		9	9	11	1				
AY-101	4	1											
AY-102			1					1					
AZ-101					52								
AZ-102					29								
SY-101										4		3	
SY-102			2										
SY-103	1								1	2		1	
BSLTCK													
BYSLTCK		29	3	6									
SISLTCK	25	32	22	38					1	-1	15	31	17
TISLTCK													
T2SLTCK	24	23	38	9							63		7
RLTCK													
OTHER (SST's, Cribbs)	34	15	12	24	16	11	11	1	75	85	22	58	76
Total SMM Inventory (kgal)	3355	26035	12008	3798	1132	11244	5556	4227	8107	13706	3384	13102	3525

Derived by Los Alamos National Laboratory(LANL).

THIS PAGE INTENTIONALLY
LEFT BLANK