Radiological Conditions at Naen, Yugui, Lomiulal, Kabelle and Mellu Islands in the Northern Half of Rongelap Atoll

William L Robison
Cynthia L. Conrado

RECEIVED
JUL 22 1996
OSTI

March 1996

This is an informal report intended primarily for internal or limited external distribution. The opinions and conclusions stated are those of the author and may or may not be those of the Laboratory.

Work performed under the auspices of the U.S. Department of Energy by the Lawrence Livermore National Laboratory under Contract W-7405-ENG-48.

DISCLAIMER

This document was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor the University of California nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the University of California, and shall not be used for advertising or product endorsement purposes.

This report has been reproduced
directly from the best available copy.

Available to DOE and DOE contractors from the
Office of Scientific and Technical Information
P.O. Box 62, Oak Ridge, TN 37831
Prices available from (615) 576-8401, FTS 626-8401

Available to the public from the
National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Rd.,
Springfield, VA 22161

DISCLAIMER

**Portions of this document may be illegible
in electronic image products. Images are
produced from the best available original
document.**

Radiological Conditions at Naen, Yugui, Lomiulal, Kabell
and Mells Islands in the Northern Half of Rongelap Atoll

William L. Robison
Cynthia L. Conrado

Lawrence Livermore National Laboratory
Environmental Sciences Division

Report to DOE Environment, Safety, and Health
for Dr. Harry Pettengill, March 1992

March, 1996

TABLE OF CONTENTS

	Introductory Comments.....	01
Table 1	The number of food crops collected at the northern islands at Rongelap Atoll and the mean and median ^{137}Cs concentrations.	02
Table 2	The number of indicator species collected at the northern islands at Rongelap Atoll and the mean and median ^{137}Cs concentrations.....	03
Table 3	The number of animal samples collected at the northern islands at Rongelap Atoll and the mean and median ^{137}Cs concentrations.....	04
Table 4	The number of soil samples collected at the northern islands at Rongelap Atoll.	05
Table 5	Average ^{137}Cs , ^{90}Sr , $^{239+240}\text{Pu}$, and ^{241}Am soil concentrations in pCi/g dry weight for soil profiles taken on Naen Island (F1).....	06
Table 6	Average ^{137}Cs , ^{90}Sr , $^{239+240}\text{Pu}$, and ^{241}Am soil concentrations in pCi/g dry weight for soil profiles taken on Yugui Island (F5).....	06
Table 7	Average ^{137}Cs , ^{90}Sr , $^{239+240}\text{Pu}$, and ^{241}Am soil concentrations in pCi/g dry weight for soil profiles taken on Lomiulal Island (F7).....	07
Table 8	Average ^{137}Cs , ^{90}Sr , $^{239+240}\text{Pu}$, and ^{241}Am soil concentrations in pCi/g dry weight for soil profiles taken on Kabelle Island (F13).....	07
Table 9	Average ^{137}Cs , ^{90}Sr , $^{239+240}\text{Pu}$, and ^{241}Am soil concentrations in pCi/g dry weight for soil profiles taken on Mellu Island (F23).....	08
Figure 1	^{137}Cs in soil at Rongelap Atoll—northern islands.....	09
Appendix A	Radionuclide concentration summary in vegetation samples collected during the 1978 NMIRS and from 1986 through 1989 in the northern islands of Rongelap Atoll.....	A-10
Table A-1	The ^{137}Cs radionuclide concentration summary for vegetation (food crops) collected from the northern islands of Rongelap Atoll during the 1978 NMIRS together with our recent trips in 1986 through 1989..	A-11
Table A-2	The ^{137}Cs radionuclide concentration summary for vegetation (indicator species) collected from the northern islands of Rongelap Atoll during the 1978 NMIRS together with our recent trips in 1986 through 1989.	A-12

Appendix B	Radionuclide concentration summary in animal samples collected during the 1978 NMIRS and from 1986 through 1989 in the northern islands of Rongelap Atoll.....	B-13
Table B-1	The ¹³⁷ Cs radionuclide concentration summary for animals (food source) collected from the northern islands of Rongelap Atoll during the 1978 NMIRS together with our recent trips in 1986 through 1989.	B-14
Appendix C	Radionuclide concentration summary of all soil profile samples collected during the 1978 NMIRS and from 1986 through 1989 in the northern islands of Rongelap Atoll.....	C-15
Table C-1	Cesium-137 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trip in 1989 on Naen Island (F1).....	C-16
Table C-2	Cesium-137 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trip in 1989 on Yugui Island (F5).....	C-17
Table C-3	Cesium-137 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trip in 1989 on Lomiulal Island (F7).....	C-18
Table C-4	Cesium-137 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trips in 1988 through 1989 on Kabelle Island (F13).	C-19
Table C-5	Cesium-137 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trip in 1989 on Mellu Island (F23).....	C-20
Table C-6	Strontium-90 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS on Naen Island (F1).....	C-21
Table C-7	Strontium-90 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS on Yugui Island (F5).....	C-22
Table C-8	Strontium-90 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS on Lomiulal Island (F7).....	C-23
Table C-9	Strontium-90 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS on Kabelle Island (F13).	C-24
Table C-10	Strontium-90 radionuclide concentration summary of all soil profiles taken during the 1978 NMIRS on Mellu Island (F23).....	C-25

Table C-11	Plutonium 239+240 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS together with our recent trip in 1989 on Naen Island (F1).....	C-26
Table C-12	Plutonium 239+240 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS together with our recent trip in 1989 on Yugui Island (F5).....	C-27
Table C-13	Plutonium 239+240 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS together with our recent trip in 1989 on Lomiulal Island (F7).....	C-28
Table C-14	Plutonium 239+240 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS on Kabelle Island (F13).....	C-29
Table C-15	Plutonium 239+240 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS together with our recent trip in 1989 on Mellu Island (F23).....	C-30
Table C-16	Americium-241 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our recent trip in 1989 on Naen Island (F1).....	C-31
Table C-17	Americium-241 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trip in 1989 on Yugui Island (F5).....	C-32
Table C-18	Americium-241 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trip in 1989 on Lomiulal Island (F7).....	C-33
Table C-19	Americium-241 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trips in 1988 through 1989 on Kabelle Island (F13).....	C-34
Table C-20	Americium-241 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trip in 1989 on Mellu Island (F23).....	C-35
Appendix D	Maps of Islands.....	D-36

INTRODUCTORY COMMENTS

The data presented in the following tables is the total available for each northern island; they include both the data from the 1978 Northern Marshall Island Radiological Survey (NMIRS) and trips to Rongelap Atoll from 1986 through 1989.

In one table we present the number of vegetation samples collected in the 1978 NMIRS and from 1986 through 1989. Again the majority of the ^{137}Cs data is from the 1986-1989 trips. We have not made additional analyses of $^{239+240}\text{Pu}$, ^{241}Am and ^{90}Sr because the concentrations are very low and these radionuclides contribute less than 5% of an already very small dose.

In another table we show the number of soil samples collected at each island in 1978 and the number collected since 1986. Most of the data are from 1986 through 1989. The major exception is ^{90}Sr where all of the data are from the 1978 NMIRS. We have done some additional Pu analyses of surface soils (0-5cm depth) in the northern islands. A significant amount of new data for ^{137}Cs and ^{241}Am have been generated from the samples collected from 1986 through 1989.

The data are presented in the form of summary tables, graphics, detailed appendices and aerial photographs of the islands with the sample locations marked. The identified sample locations from the 1978 NMIRS will be added later.

Table 1. The number of food crops collected at the northern islands at Rongelap Atoll and the mean and median ¹³⁷Cs concentrations.

Island Name	Island Code	Number of Samples			Cs-137 pCi/g wet wt.	
		Total	1978 NMIRS	1986-1989	median	mean
Drinking Coconut Meat						
Naen	01f	8	2	6	4.2	6.7
Lomiulal	07f	1	1	0	9.9	9.9
Kabelle	13f	29	1	28	1.9	2.2
Mellu	23f	1	0	1	3.6	3.6
Drinking Coconut Juice						
Naen	01f	6	0	6	1.5	3.3
Lomiulal	07f	1	1	0	1.4	1.4
Kabelle	13f	28	1	27	0.86	1.0
Mellu	23f	1	0	1	2.7	2.7
Copra Meat						
Naen	01f	5	2	3	7.7	7.5
Yugui	05f	6	0	6	12	12
Lomiulal	07f	8	2	6	11	12
Kabelle	13f	23	2	21	3.3	4.4
Mellu	23f	12	3	9	2.8	4.0
Copra Juice						
Naen	01f	5	2	3	3.2	5.8
Yugui	05f	6	0	6	10	8.6
Lomiulal	07f	8	2	6	7.2	7.3
Kabelle	13f	22	2	20	2.4	2.5
Mellu	23f	11	2	9	2.1	3.1
Pandanus						
Naen	01f	4	3	1	5.7	6.1
Yugui	05f	6	2	4	8.2	8.3
Kabelle	13f	2	0	2	7.3	7.3
Mellu	23f	8	4	4	3.4	4.2
Tacca Meat						
Yugui	05f	2	0	2	10	10
Lomiulal	07f	1	1	0	1.3	1.3
Mellu	23f	2	1	1	2.4	2.4

NOTE: Specific activity is decay corrected to 1994.

Table 2. The number of indicator species collected at the northern islands at Rongelap Atoll and the mean and median ^{137}Cs concentrations.

Island Name	Island Code	Number of Samples			Cs-137 pCi/g wet wt.	
		Total	1978 NMIRS	1986-1989	median	mean
Morinda Fruit						
Kabelle	13f	1	1	0	1.2	1.2
Guettardia Leaves						
Kabelle	13f	7	0	7	0.45	0.43
Messerschmidia Leaves						
Naen	01f	2	2	0	8.7	8.7
Kabelle	13f	11	0	11	1.2	1.3
Pisonia Leaves						
Naen	01f	1	0	1	15	15
Yugui	05f	1	0	1	15	15
Lomiulal	07f	5	1	4	8.9	8.3
Kabelle	13f	4	0	4	4.8	4.6
Pandanus Leaves						
Yugui	05f	1	1	0	12	12
Lomiulal	07f	1	1	0	8.3	8.3
Kabelle	13f	1	0	1	2.4	2.4
Scaevola Leaves						
Naen	01f	6	1	5	1.6	1.8
Yugui	05f	5	0	5	2.0	2.2
Lomiulal	07f	9	0	9	1.3	1.6
Kabelle	13f	16	0	16	1.0	1.6
Coconut Fronds						
Kabelle	13f	8	0	8	3.0	3.0

NOTE: Specific activity decay corrected to 1994.

Table 3. The number of animal samples collected at the northern islands at Rongelap Atoll and the mean and median ^{137}Cs concentrations.

Island Name	Island Code	Number of Samples			Cs-137 pCi/g wet wt.	
		Total	1978 NMIRS	1986-1989	median	mean
Coconut Crab Muscle						
Naen	01f	1	0	1	14	14
Yugui	05f	1	0	1	20	20
Loniulal	07f	2	1	1	10	10
Kabelle	13f	10	0	10	4.0	5.2
Mellu	23f	3	1	2	3.5	3.9
Coconut Crab Hepatopancreas						
Naen	01f	1	0	1	14	14
Yugui	05f	1	0	1	17	17
Loniulal	07f	1	0	1	7.0	7.0
Kabelle	13f	9	0	9	5.7	7.6
Mellu	23f	2	0	2	3.2	3.2

NOTE: Specific activity decay corrected to 1994.

Table 4. The number of soil samples collected at the northern islands at Rongelap Atoll.

Island Name	Island Code	Number of Soil Samples for Cs-137 and Am-241			
		1978		1986-1989	
		Profiles	0-5 cm.	Profiles	0-5 cm.
Naen	01f	7	6	10	10
Yugui	05f	1	1	10	10
Lomiulal	07f	4	4	10	10
Kabelle	13f	5	5	12	29
Mellu	23f	4	4	11	11

Island Name	Island Code	Number of Soil Samples for Pu-239+240			
		1978		1986-1989	
		Profiles	0-5 cm.	Profiles	0-5 cm.
Naen	01f	7	7	0	9
Yugui	05f	1	1	0	10
Lomiulal	07f	4	4	0	10
Kabelle	13f	5	5	0	0
Mellu	23f	4	4	0	11

Island Name	Island Code	Number of Soil Samples for Sr-90			
		1978		1986-1989	
		Profiles	0-5 cm.	Profiles	0-5 cm.
Naen	01f	7	7	0	0
Yugui	05f	1	1	0	0
Lomiulal	07f	4	4	0	0
Kabelle	13f	5	5	0	0
Mellu	23f	4	4	0	0

Table 5. Average ^{137}Cs , ^{90}Sr , $^{239+240}\text{Pu}$, and ^{241}Am soil concentrations in pCi/g dry weight for soil profiles taken on Naen Island (F1).

Soil depth (cm)	^{137}Cs		^{90}Sr		$^{239+240}\text{Pu}$		^{241}Am	
	Median	Mean	Median	Mean	Median	Mean	Median	Mean
00-05	83	120	110	110	49	43	26	29
05-10	44	46	77	79	18	21	8.7	8.5
10-15	21	23	41	51	8.2	11	3.3	3.3
15-25	7.7	7.1	10	15	1.4	2.2	0.63	1.1
25-40	1.5	1.9	6.9	9.7	0.14	0.69	0.12	0.31
40-60	1.5	1.7	3.6	3.7	0.18	0.20	0.069	0.11
00-05	83	120	110	110	49	43	26	29
00-10	69	84	87	93	23	25	21	19
00-15	53	64	70	79	18	20	12	13
00-25	36	41	47	53	11	13	6.8	7.1
00-40	24	26	32	37	6.8	8.4	4.3	4.6
00-60	13	14	23	26	4.5	5.7	2.4	2.5

NOTE: Specific activity decay corrected to 1994.

Table 6. Average ^{137}Cs , ^{90}Sr , $^{239+240}\text{Pu}$, and ^{241}Am soil concentrations in pCi/g dry weight for soil profiles taken on Yugui Island (F5).

Soil depth (cm)	^{137}Cs		^{90}Sr		$^{239+240}\text{Pu}$		^{241}Am	
	Median	Mean	Median	Mean	Median	Mean	Median	Mean
00-05	170	170	32	32	55	58	48	53
05-10	73	86	20	20	2.3	2.3	4.3	16
10-15	32	28	11	11	0.66	0.66	0.89	1.7
15-25	8.8	9.7	3.6	3.6	0.23	0.23	0.32	0.40
25-40	2.8	3.2	2.7	2.7	0.12	0.12	0.054	0.054
40-60	0.53	0.53	0.21	0.21	0.032	0.032	0.0	0.0
00-05	170	170	32	32	55	58	48	53
00-10	140	130	26	26	8.6	8.6	27	34
00-15	100	95	21	21	5.9	5.9	19	21
00-25	65	61	14	14	3.7	3.7	18	18
00-40	42	39	9.9	9.9	2.3	2.3	1.1	1.1
00-60	14	14	6.7	6.7	1.6	1.6	0.0	0.0

NOTE: Specific activity decay corrected to 1994.

Table 7. Average ^{137}Cs , ^{90}Sr , $^{239+240}\text{Pu}$, and ^{241}Am soil concentrations in pCi/g dry weight for soil profiles taken on Lomiulal Island (F7).

Soil depth (cm)	^{137}Cs		^{90}Sr		$^{239+240}\text{Pu}$		^{241}Am	
	Median	Mean	Median	Mean	Median	Mean	Median	Mean
00-05	53	81	51	66	35	34	22	22
05-10	37	35	49	46	16	13	4.9	6.3
10-15	15	18	26	25	4.4	6.3	2.3	3.0
15-25	6.3	9.4	12	16	1.1	2.3	0.37	0.84
25-40	1.5	3.2	6.3	7.8	0.41	0.41	0.19	0.18
40-60	0.39	1.1	2.6	3.4	0.13	0.23	0.18	0.18
00-05	53	81	51	66	35	34	22	22
00-10	47	58	45	56	16	16	13	14
00-15	39	44	37	46	13	13	8.1	9.3
00-25	30	30	31	34	8.4	8.6	5.5	5.7
00-40	21	20	24	24	5.4	5.5	3.1	3.1
00-60	9.5	8.9	17	17	3.7	3.8	2.1	2.1

NOTE: Specific activity decay corrected to 1994.

Table 8. Average ^{137}Cs , ^{90}Sr , $^{239+240}\text{Pu}$, and ^{241}Am soil concentrations in pCi/g dry weight for soil profiles taken on Kabelle Island (F13).

Soil depth (cm)	^{137}Cs		^{90}Sr		$^{239+240}\text{Pu}$		^{241}Am	
	Median	Mean	Median	Mean	Median	Mean	Median	Mean
00-05	28	34	26	32	8.3	14	11	12
05-10	14	15	7.2	12	1.6	3.1	3.7	4.9
10-15	7.6	9.4	8.6	16	0.68	3.6	0.79	1.9
15-25	3.2	6.2	4.6	12	1.7	2.9	0.98	1.0
25-40	1.4	2.1	3.7	3.8	0.36	0.71	0.49	0.48
40-60	0.42	0.48	2.6	2.2	0.12	0.23	0.12	0.12
00-05	28	34	26	32	8.3	14	11	12
00-10	19	22	20	22	8.0	8.7	7.0	8.2
00-15	18	18	20	20	6.8	7.0	5.0	6.0
00-25	14	13	16	17	6.7	5.3	3.6	3.3
00-40	9.2	8.8	10	12	4.4	3.6	2.1	1.9
00-60	5.6	5.9	7.2	8.7	3.0	2.5	0.87	0.87

NOTE: Specific activity decay corrected to 1994.

Table 9. Average ^{137}Cs , ^{90}Sr , $^{239+240}\text{Pu}$, and ^{241}Am soil concentrations in pCi/g dry weight for soil profiles taken on Mellu Island (F23).

Soil depth (cm)	^{137}Cs		^{90}Sr		$^{239+240}\text{Pu}$		^{241}Am	
	Median	Mean	Median	Mean	Median	Mean	Median	Mean
00-05	32	38	35	32	17	14	7.5	9.2
05-10	19	29	27	23	3.5	5.3	3.4	5.6
10-15	13	17	14	17	2.6	3.6	2.3	3.3
15-25	9.9	11	12	13	1.3	1.5	1.6	1.7
25-40	4.0	5.0	10	8.3	1.1	1.1	0.42	0.47
40-60	2.0	2.0	2.3	2.3	0.064	0.064	0.024	0.024
00-05	32	38	35	32	17	14	7.5	9.2
00-10	27	34	31	27	9.9	9.9	7.6	7.6
00-15	22	28	25	24	7.0	7.8	6.8	6.5
00-25	16	21	19	20	4.4	5.3	4.5	4.8
00-40	13	16	14	15	3.0	3.7	1.7	2.1
00-60	21	21	12	12	1.8	1.8	0.94	0.94

NOTE: Specific activity decay corrected to 1994.

^{137}Cs in Soil at Rongelap Atoll--Northern Islands

Figure 1. ^{137}Cs in soil at Rongelap Atoll--northern islands.

Appendix A

Radionuclide concentration summary in vegetation samples collected during the 1978 NMIRS and from 1986 through 1989 in the northern islands of Rongelap Atoll.

Table A-1. The ^{137}Cs radionuclide concentration summary for vegetation (food crops) collected from the northern islands of Rongelap Atoll during the 1978 NMIRS together with our recent trips in 1986 through 1989.

Island name	Island code	N ^a	pCi g ⁻¹ wet wt					Mean of logs	SD of logs	
			Minimum	Maximum	Median	Mean	SD			
Drinking Coconut Meat										
Naen	01f	8	1.8 × 10 ⁰	2.8 × 10 ¹	4.2 × 10 ⁰	6.7 × 10 ⁰	8.6 × 10 ⁰	1.5 × 10 ⁰	8.7 × 10 ⁻¹	
Lomiulal	07f	1	9.9 × 10 ⁰	9.9 × 10 ⁰	9.9 × 10 ⁰	9.9 × 10 ⁰	0.0 × 10 ⁰	2.3 × 10 ⁰	0.0 × 10 ⁰	
Kabelle	13f	29	8.7 × 10 ⁻¹	7.2 × 10 ⁰	1.9 × 10 ⁰	2.2 × 10 ⁰	1.3 × 10 ⁰	6.8 × 10 ⁻¹	4.4 × 10 ⁻¹	
Mellu	23f	1	3.6 × 10 ⁰	3.6 × 10 ⁰	3.6 × 10 ⁰	3.6 × 10 ⁰	0.0 × 10 ⁰	1.3 × 10 ⁰	0.0 × 10 ⁰	
Drinking Coconut Juice										
Naen	01f	6	6.9 × 10 ⁻¹	1.3 × 10 ¹	1.5 × 10 ⁰	3.3 × 10 ⁰	4.7 × 10 ⁰	6.6 × 10 ⁻¹	1.0 × 10 ⁰	
Lomiulal	07f	1	1.4 × 10 ⁰	1.4 × 10 ⁰	1.4 × 10 ⁰	1.4 × 10 ⁰	0.0 × 10 ⁰	3.6 × 10 ⁻¹	0.0 × 10 ⁰	
Kabelle	13f	28	3.8 × 10 ⁻¹	2.4 × 10 ⁰	8.6 × 10 ⁻¹	1.0 × 10 ⁰	5.0 × 10 ⁻¹	-8.8 × 10 ⁻²	4.8 × 10 ⁻¹	
Mellu	23f	1	2.7 × 10 ⁰	2.7 × 10 ⁰	2.7 × 10 ⁰	2.7 × 10 ⁰	0.0 × 10 ⁰	9.9 × 10 ⁻¹	0.0 × 10 ⁰	
Copra Meat										
Naen	01f	5	4.5 × 10 ⁰	9.6 × 10 ⁰	7.7 × 10 ⁰	7.5 × 10 ⁰	2.2 × 10 ⁰	2.0 × 10 ⁰	3.3 × 10 ⁻¹	
Yugui	05f	6	4.9 × 10 ⁰	1.9 × 10 ¹	1.2 × 10 ¹	1.2 × 10 ¹	6.0 × 10 ⁰	2.3 × 10 ⁰	5.8 × 10 ⁻¹	
Lomiulal	07f	8	8.0 × 10 ⁰	1.9 × 10 ¹	1.1 × 10 ¹	1.2 × 10 ¹	4.1 × 10 ⁰	2.4 × 10 ⁰	3.2 × 10 ⁻¹	
Kabelle	13f	23	1.1 × 10 ⁰	1.3 × 10 ¹	3.3 × 10 ⁰	4.4 × 10 ⁰	2.7 × 10 ⁰	1.3 × 10 ⁰	5.5 × 10 ⁻¹	
Mellu	23f	12	1.1 × 10 ⁰	1.1 × 10 ¹	2.8 × 10 ⁰	4.0 × 10 ⁰	2.9 × 10 ⁰	1.2 × 10 ⁰	6.7 × 10 ⁻¹	
Copra Juice										
Naen	01f	5	1.6 × 10 ⁰	1.3 × 10 ¹	3.2 × 10 ⁰	5.8 × 10 ⁰	5.0 × 10 ⁰	1.4 × 10 ⁰	9.3 × 10 ⁻¹	
Yugui	05f	6	3.9 × 10 ⁰	1.2 × 10 ¹	1.0 × 10 ¹	8.6 × 10 ⁰	3.6 × 10 ⁰	2.1 × 10 ⁰	5.1 × 10 ⁻¹	
Lomiulal	07f	8	2.2 × 10 ⁰	1.8 × 10 ¹	7.2 × 10 ⁰	7.3 × 10 ⁰	5.1 × 10 ⁰	1.8 × 10 ⁰	7.4 × 10 ⁻¹	
Kabelle	13f	22	9.8 × 10 ⁻¹	5.1 × 10 ⁰	2.4 × 10 ⁰	2.5 × 10 ⁰	1.0 × 10 ⁰	8.3 × 10 ⁻¹	4.2 × 10 ⁻¹	
Mellu	23f	11	1.9 × 10 ⁻¹	9.3 × 10 ⁰	2.1 × 10 ⁰	3.1 × 10 ⁰	2.8 × 10 ⁰	6.2 × 10 ⁻¹	1.2 × 10 ⁰	
Pandanus										
Naen	01f	4	3.1 × 10 ⁰	1.0 × 10 ¹	5.7 × 10 ⁰	6.1 × 10 ⁰	3.2 × 10 ⁰	1.7 × 10 ⁰	5.6 × 10 ⁻¹	
Yugui	05f	6	4.7 × 10 ⁰	1.3 × 10 ¹	8.2 × 10 ⁰	8.3 × 10 ⁰	3.1 × 10 ⁰	2.1 × 10 ⁰	3.9 × 10 ⁻¹	
Kabelle	13f	2	2.9 × 10 ⁰	1.2 × 10 ¹	7.3 × 10 ⁰	7.3 × 10 ⁰	6.3 × 10 ⁰	1.8 × 10 ⁰	1.0 × 10 ⁰	
Mellu	23f	8	1.4 × 10 ⁰	8.9 × 10 ⁰	3.4 × 10 ⁰	4.2 × 10 ⁰	2.6 × 10 ⁰	1.3 × 10 ⁰	6.1 × 10 ⁻¹	
Tacca Meat										
Yugui	05f	2	7.3 × 10 ⁰	1.3 × 10 ¹	1.0 × 10 ¹	1.0 × 10 ¹	3.9 × 10 ⁰	2.3 × 10 ⁰	4.0 × 10 ⁻¹	
Lomiulal	07f	1	1.3 × 10 ⁰	1.3 × 10 ⁰	1.3 × 10 ⁰	1.3 × 10 ⁰	0.0 × 10 ⁰	2.7 × 10 ⁻¹	0.0 × 10 ⁰	
Mellu	23f	2	3.7 × 10 ⁻¹	4.3 × 10 ⁰	2.4 × 10 ⁰	2.4 × 10 ⁰	2.8 × 10 ⁰	2.4 × 10 ⁻¹	1.7 × 10 ⁰	

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table A-2. The ^{137}Cs radionuclide concentration summary for vegetation (indicator species) collected from the northern islands of Rongelap Atoll during the 1978 NMIRS together with our recent trips in 1986 through 1989.

Island name	Island code	N ^a	pCi g ⁻¹ wet wt					Mean of logs	SD of logs
			Minimum	Maximum	Median	Mean	SD		
Morinda Fruit									
Kabelle	13f	1	1.2 × 10 ⁰	1.2 × 10 ⁰	1.2 × 10 ⁰	1.2 × 10 ⁰	0.0 × 10 ⁰	1.5 × 10 ⁻¹	0.0 × 10 ⁰
Guettardia Leaves									
Kabelle	13f	7	1.9 × 10 ⁻¹	6.2 × 10 ⁻¹	4.5 × 10 ⁻¹	4.3 × 10 ⁻¹	1.5 × 10 ⁻¹	-9.1 × 10 ⁻¹	4.0 × 10 ⁻¹
Messerschmidia Leaves									
Naen	01f	2	7.4 × 10 ⁰	9.9 × 10 ⁰	8.7 × 10 ⁰	8.7 × 10 ⁰	1.7 × 10 ⁰	2.2 × 10 ⁰	2.0 × 10 ⁻¹
Kabelle	13f	11	3.3 × 10 ⁻²	2.2 × 10 ⁰	1.2 × 10 ⁰	1.3 × 10 ⁰	7.4 × 10 ⁻¹	-2.7 × 10 ⁻¹	1.5 × 10 ⁰
Pisonia Leaves									
Naen	01f	1	1.5 × 10 ¹	1.5 × 10 ¹	1.5 × 10 ¹	1.5 × 10 ¹	0.0 × 10 ⁰	2.7 × 10 ⁰	0.0 × 10 ⁰
Yugui	05f	1	1.5 × 10 ¹	1.5 × 10 ¹	1.5 × 10 ¹	1.5 × 10 ¹	0.0 × 10 ⁰	2.7 × 10 ⁰	0.0 × 10 ⁰
Lomiulal	07f	5	4.6 × 10 ⁰	1.0 × 10 ¹	8.9 × 10 ⁰	8.3 × 10 ⁰	2.2 × 10 ⁰	2.1 × 10 ⁰	3.1 × 10 ⁻¹
Kabelle	13f	4	2.5 × 10 ⁰	6.3 × 10 ⁰	4.8 × 10 ⁰	4.6 × 10 ⁰	1.6 × 10 ⁰	1.5 × 10 ⁰	3.9 × 10 ⁻¹
Pandanus Leaves									
Yugui	05f	1	1.2 × 10 ¹	1.2 × 10 ¹	1.2 × 10 ¹	1.2 × 10 ¹	0.0 × 10 ⁰	2.5 × 10 ⁰	0.0 × 10 ⁰
Lomiulal	07f	1	8.3 × 10 ⁰	8.3 × 10 ⁰	8.3 × 10 ⁰	8.3 × 10 ⁰	0.0 × 10 ⁰	2.1 × 10 ⁰	0.0 × 10 ⁰
Kabelle	13f	1	2.4 × 10 ⁰	2.4 × 10 ⁰	2.4 × 10 ⁰	2.4 × 10 ⁰	0.0 × 10 ⁰	8.9 × 10 ⁻¹	0.0 × 10 ⁰
Scaevola Leaves									
Naen	01f	6	7.4 × 10 ⁻¹	3.2 × 10 ⁰	1.6 × 10 ⁰	1.8 × 10 ⁰	1.1 × 10 ⁰	4.4 × 10 ⁻¹	6.5 × 10 ⁻¹
Yugui	05f	5	5.9 × 10 ⁻¹	4.3 × 10 ⁰	2.0 × 10 ⁰	2.2 × 10 ⁰	1.4 × 10 ⁰	5.8 × 10 ⁻¹	7.4 × 10 ⁻¹
Lomiulal	07f	9	8.6 × 10 ⁻¹	3.4 × 10 ⁰	1.3 × 10 ⁰	1.6 × 10 ⁰	8.1 × 10 ⁻¹	3.5 × 10 ⁻¹	4.6 × 10 ⁻¹
Kabelle	13f	16	5.3 × 10 ⁻¹	5.2 × 10 ⁰	1.0 × 10 ⁰	1.6 × 10 ⁰	1.4 × 10 ⁰	1.9 × 10 ⁻¹	7.0 × 10 ⁻¹
Coconut Fronds									
Kabelle	3f	8	2.2 × 10 ⁰	3.9 × 10 ⁰	3.0 × 10 ⁰	3.0 × 10 ⁰	4.9 × 10 ⁻¹	1.1 × 10 ⁰	1.7 × 10 ⁻¹

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Appendix B

Radionuclide concentration summary in animal samples collected during the 1978 NMIRS and from 1986 through 1989 in the northern islands of Rongelap Atoll.

Table B-1. The ^{137}Cs radionuclide concentration summary for animals (food source) collected from the northern islands of Rongelap Atoll during the 1978 NMIRS together with our recent trips in 1986 through 1989.

Island name	Island code	N ^a	pCi g ⁻¹ wet wt					Mean of logs	SD of logs
			Minimum	Maximum	Median	Mean	SD		
Coconut Crab Muscle									
Naen	01f	1	1.4 × 10 ¹	1.4 × 10 ¹	1.4 × 10 ¹	1.4 × 10 ¹	0.0 × 10 ⁰	2.7 × 10 ⁰	0.0 × 10 ⁰
Yugui	05f	1	2.0 × 10 ¹	2.0 × 10 ¹	2.0 × 10 ¹	2.0 × 10 ¹	0.0 × 10 ⁰	3.0 × 10 ⁰	0.0 × 10 ⁰
Lomiulal	07f	2	7.9 × 10 ⁰	1.3 × 10 ¹	1.0 × 10 ¹	1.0 × 10 ¹	3.4 × 10 ⁰	2.3 × 10 ⁰	3.3 × 10 ⁻¹
Kabelle	13f	10	3.0 × 10 ⁰	9.8 × 10 ⁰	4.0 × 10 ⁰	5.2 × 10 ⁰	2.5 × 10 ⁰	1.5 × 10 ⁰	4.6 × 10 ⁻¹
Mellu	23f	3	2.7 × 10 ⁰	5.5 × 10 ⁰	3.5 × 10 ⁰	3.9 × 10 ⁰	1.4 × 10 ⁰	1.3 × 10 ⁰	3.6 × 10 ⁻¹
Coconut Crab Hepatopancreas									
Naen	01f	1	1.4 × 10 ¹	1.4 × 10 ¹	1.4 × 10 ¹	1.4 × 10 ¹	0.0 × 10 ⁰	2.7 × 10 ⁰	0.0 × 10 ⁰
Yugui	05f	1	1.7 × 10 ¹	1.7 × 10 ¹	1.7 × 10 ¹	1.7 × 10 ¹	0.0 × 10 ⁰	2.9 × 10 ⁰	0.0 × 10 ⁰
Lomiulal	07f	1	7.0 × 10 ⁰	7.0 × 10 ⁰	7.0 × 10 ⁰	7.0 × 10 ⁰	0.0 × 10 ⁰	1.9 × 10 ⁰	0.0 × 10 ⁰
Kabelle	13f	9	1.9 × 10 ⁰	1.6 × 10 ¹	5.7 × 10 ⁰	7.6 × 10 ⁰	4.7 × 10 ⁰	1.8 × 10 ⁰	6.8 × 10 ⁻¹
Mellu	23f	2	1.9 × 10 ⁰	4.5 × 10 ⁰	3.2 × 10 ⁰	3.2 × 10 ⁰	1.8 × 10 ⁰	1.1 × 10 ⁰	5.9 × 10 ⁻¹

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Appendix C

Radionuclide concentration summary of all soil profile samples collected during the 1978 NMIRS and from 1986 through 1989 in the northern islands of Rongelap Atoll.

Table C-1. Cesium-137 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trip in 1989 on Naen Island (F1).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	16	1.1×10^1	4.0×10^2	8.3×10^1	1.2×10^2	1.1×10^2	4.4×10^0	9.3×10^{-1}
05-10	17	1.3×10^1	1.0×10^2	4.4×10^1	4.6×10^1	2.4×10^1	3.7×10^0	6.0×10^{-1}
10-15	17	4.0×10^0	7.3×10^1	2.1×10^1	2.3×10^1	1.6×10^1	3.0×10^0	6.7×10^{-1}
15-25	17	1.5×10^0	1.5×10^1	7.7×10^0	7.1×10^0	3.5×10^0	1.8×10^0	5.8×10^{-1}
25-40	16	2.9×10^{-1}	5.6×10^0	1.5×10^0	1.9×10^0	1.5×10^0	3.8×10^{-1}	7.8×10^{-1}
40-60	7	1.9×10^{-1}	4.9×10^0	1.5×10^0	1.7×10^0	1.6×10^0	2.8×10^{-2}	1.2×10^0
0-05	16	1.1×10^1	4.0×10^2	8.3×10^1	1.2×10^2	1.1×10^2	4.4×10^0	9.3×10^{-1}
0-10	16	1.5×10^1	2.2×10^2	6.9×10^1	8.4×10^1	5.8×10^1	4.2×10^0	7.5×10^{-1}
0-15	16	1.8×10^1	1.5×10^2	5.3×10^1	6.4×10^1	3.9×10^1	4.0×10^0	6.4×10^{-1}
0-25	16	1.4×10^1	9.5×10^1	3.6×10^1	4.1×10^1	2.3×10^1	3.6×10^0	5.7×10^{-1}
0-40	15	9.1×10^0	6.0×10^1	2.4×10^1	2.6×10^1	1.5×10^1	3.1×10^0	5.7×10^{-1}
0-60	6	6.1×10^0	2.3×10^1	1.3×10^1	1.4×10^1	7.2×10^0	2.6×10^0	5.4×10^{-1}

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-2. Cesium-137 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trip in 1989 on Yugui Island (F5).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	11	4.3×10^1	3.0×10^2	1.7×10^2	1.7×10^2	9.0×10^1	5.0×10^0	6.7×10^{-1}
05-10	11	7.4×10^0	2.7×10^2	7.3×10^1	8.6×10^1	7.1×10^1	4.1×10^0	9.4×10^{-1}
10-15	11	3.6×10^0	6.0×10^1	3.2×10^1	2.8×10^1	1.6×10^1	3.1×10^0	8.1×10^{-1}
15-25	11	2.7×10^0	3.0×10^1	8.8×10^0	9.7×10^0	7.9×10^0	2.0×10^0	7.3×10^{-1}
25-40	11	1.7×10^0	6.4×10^0	2.8×10^0	3.2×10^0	1.4×10^0	1.1×10^0	4.2×10^{-1}
40-60	1	5.3×10^{-1}	5.3×10^{-1}	5.3×10^{-1}	5.3×10^{-1}	0.0×10^0	-6.5×10^{-1}	0.0×10^0
0-05	11	4.3×10^1	3.0×10^2	1.7×10^2	1.7×10^2	9.0×10^1	5.0×10^0	6.7×10^{-1}
0-10	11	2.5×10^1	2.1×10^2	1.4×10^2	1.3×10^2	5.4×10^1	4.7×10^0	6.2×10^{-1}
0-15	11	1.8×10^1	1.5×10^2	1.0×10^2	9.5×10^1	3.9×10^1	4.4×10^0	6.1×10^{-1}
0-25	11	1.3×10^1	9.4×10^1	6.5×10^1	6.1×10^1	2.5×10^1	4.0×10^0	5.9×10^{-1}
0-40	11	1.0×10^1	6.0×10^1	4.2×10^1	3.9×10^1	1.5×10^1	3.6×10^0	5.3×10^{-1}
0-60	1	1.4×10^1	1.4×10^1	1.4×10^1	1.4×10^1	0.0×10^0	2.7×10^0	0.0×10^0

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-3. Cesium-137 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trip in 1989 on Lomiulal Island (F7).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	14	3.2×10^0	2.3×10^2	5.3×10^1	8.1×10^1	6.7×10^1	4.0×10^0	1.1×10^0
05-10	14	1.2×10^1	5.7×10^1	3.7×10^1	3.5×10^1	1.4×10^1	3.5×10^0	4.8×10^{-1}
10-15	14	3.9×10^0	4.6×10^1	1.5×10^1	1.8×10^1	1.1×10^1	2.7×10^0	6.1×10^{-1}
15-25	14	1.8×10^0	2.4×10^1	6.3×10^0	9.4×10^0	7.6×10^0	1.9×10^0	8.1×10^{-1}
25-40	14	6.1×10^{-1}	1.0×10^1	1.5×10^0	3.2×10^0	3.5×10^0	6.6×10^{-1}	1.0×10^0
40-60	3	9.0×10^{-2}	2.8×10^0	3.9×10^{-1}	1.1×10^0	1.5×10^0	-7.8×10^{-1}	1.7×10^0
0-05	14	3.2×10^0	2.3×10^2	5.3×10^1	8.1×10^1	6.7×10^1	4.0×10^0	1.1×10^0
0-10	14	1.8×10^1	1.3×10^2	4.7×10^1	5.8×10^1	3.6×10^1	3.9×10^0	6.4×10^{-1}
0-15	14	1.7×10^1	9.0×10^1	3.9×10^1	4.4×10^1	2.4×10^1	3.7×10^0	5.5×10^{-1}
0-25	14	1.3×10^1	5.6×10^1	3.0×10^1	3.0×10^1	1.4×10^1	3.3×10^0	4.7×10^{-1}
0-40	14	8.5×10^0	3.6×10^1	2.1×10^1	2.0×10^1	8.6×10^0	2.9×10^0	4.5×10^{-1}
0-60	3	6.4×10^0	1.1×10^1	9.5×10^0	8.9×10^0	2.3×10^0	2.2×10^0	2.8×10^{-1}

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-4. Cesium-137 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trips in 1988 through 1989 on Kabelle Island (F13).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	34	1.0×10^{-1}	1.2×10^2	2.8×10^1	3.4×10^1	2.8×10^1	3.0×10^0	1.4×10^0
05-10	16	5.8×10^{-2}	3.9×10^1	1.4×10^1	1.5×10^1	1.1×10^1	2.2×10^0	1.6×10^0
10-15	17	2.6×10^{-1}	2.5×10^1	7.6×10^0	9.4×10^0	7.0×10^0	1.9×10^0	1.1×10^0
15-25	17	7.5×10^{-1}	2.2×10^1	3.2×10^0	6.2×10^0	6.5×10^0	1.4×10^0	1.0×10^0
25-40	17	1.3×10^{-1}	1.1×10^1	1.4×10^0	2.1×10^0	2.7×10^0	9.7×10^{-2}	1.2×10^0
40-60	6	1.2×10^{-1}	1.1×10^0	4.2×10^{-1}	4.8×10^{-1}	3.5×10^{-1}	-9.9×10^{-1}	8.2×10^{-1}
0-05	34	1.0×10^{-1}	1.2×10^2	2.8×10^1	3.4×10^1	2.8×10^1	3.0×10^0	1.4×10^0
0-10	16	7.9×10^{-2}	6.3×10^1	1.9×10^1	2.2×10^1	1.7×10^1	2.5×10^0	1.6×10^0
0-15	16	1.4×10^{-1}	4.3×10^1	1.8×10^1	1.8×10^1	1.2×10^1	2.4×10^0	1.4×10^0
0-25	16	3.9×10^{-1}	2.6×10^1	1.4×10^1	1.3×10^1	7.8×10^0	2.2×10^0	1.1×10^0
0-40	16	2.2×10^0	1.8×10^1	9.2×10^0	8.8×10^0	5.2×10^0	2.0×10^0	7.2×10^{-1}
0-60	6	1.6×10^0	1.2×10^1	5.6×10^0	5.9×10^0	4.2×10^0	1.5×10^0	8.4×10^{-1}

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-5. Cesium-137 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trip in 1989 on Mellu Island (F23).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	15	1.1×10^1	1.0×10^2	3.2×10^1	3.8×10^1	2.8×10^1	3.4×10^0	7.3×10^{-1}
05-10	15	1.2×10^1	5.7×10^1	1.9×10^1	2.9×10^1	1.7×10^1	3.2×10^0	5.7×10^{-1}
10-15	15	9.2×10^0	4.7×10^1	1.3×10^1	1.7×10^1	1.0×10^1	2.7×10^0	4.7×10^{-1}
15-25	15	3.2×10^0	3.5×10^1	9.9×10^0	1.1×10^1	8.7×10^0	2.2×10^0	7.2×10^{-1}
25-40	14	9.7×10^{-1}	1.2×10^1	4.0×10^0	5.0×10^0	3.7×10^0	1.3×10^0	7.8×10^{-1}
40-60	1	2.0×10^0	2.0×10^0	2.0×10^0	2.0×10^0	0.0×10^0	6.8×10^{-1}	0.0×10^0
0-05	15	1.1×10^1	1.0×10^2	3.2×10^1	3.8×10^1	2.8×10^1	3.4×10^0	7.3×10^{-1}
0-10	15	1.1×10^1	7.9×10^1	2.7×10^1	3.4×10^1	2.1×10^1	3.3×10^0	6.1×10^{-1}
0-15	15	1.2×10^1	6.1×10^1	2.2×10^1	2.8×10^1	1.6×10^1	3.2×10^0	5.4×10^{-1}
0-25	15	1.0×10^1	5.1×10^1	1.6×10^1	2.1×10^1	1.2×10^1	2.9×10^0	5.0×10^{-1}
0-40	14	8.0×10^0	3.3×10^1	1.3×10^1	1.6×10^1	7.9×10^0	2.7×10^0	4.6×10^{-1}
0-60	1	2.1×10^1	2.1×10^1	2.1×10^1	2.1×10^1	0.0×10^0	3.0×10^0	0.0×10^0

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-6. Strontium-90 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS on Naen Island (F1).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	7	4.7×10^1	1.7×10^2	1.1×10^2	1.1×10^2	4.0×10^1	4.6×10^0	4.2×10^{-1}
05-10	7	1.1×10^1	1.3×10^2	7.7×10^1	7.9×10^1	3.9×10^1	4.2×10^0	8.3×10^{-1}
10-15	7	6.6×10^0	9.5×10^1	4.1×10^1	5.1×10^1	3.5×10^1	3.6×10^0	9.6×10^{-1}
15-25	7	2.0×10^0	4.8×10^1	1.0×10^1	1.5×10^1	1.6×10^1	2.2×10^0	1.1×10^0
25-40	7	1.6×10^0	3.6×10^1	6.9×10^0	9.7×10^0	1.2×10^1	1.8×10^0	9.5×10^{-1}
40-60	7	1.2×10^0	6.6×10^0	3.6×10^0	3.7×10^0	1.9×10^0	1.2×10^0	5.8×10^{-1}
0-05	7	4.7×10^1	1.7×10^2	1.1×10^2	1.1×10^2	4.0×10^1	4.6×10^0	4.2×10^{-1}
0-10	7	4.6×10^1	1.4×10^2	8.7×10^1	9.3×10^1	3.5×10^1	4.5×10^0	4.1×10^{-1}
0-15	7	3.3×10^1	1.2×10^2	7.0×10^1	7.9×10^1	3.0×10^1	4.3×10^0	4.3×10^{-1}
0-25	7	2.1×10^1	8.2×10^1	4.7×10^1	5.3×10^1	2.0×10^1	3.9×10^0	4.5×10^{-1}
0-40	7	1.6×10^1	6.5×10^1	3.2×10^1	3.7×10^1	1.6×10^1	3.5×10^0	4.4×10^{-1}
0-60	7	1.1×10^1	4.5×10^1	2.3×10^1	2.6×10^1	1.1×10^1	3.2×10^0	4.3×10^{-1}

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-7. Strontium-90 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS on Yugui Island (F5).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	1	3.2×10^1	3.2×10^1	3.2×10^1	3.2×10^1	0.0×10^0	3.5×10^0	0.0×10^0
05-10	1	2.0×10^1	2.0×10^1	2.0×10^1	2.0×10^1	0.0×10^0	3.0×10^0	0.0×10^0
10-15	1	1.1×10^1	1.1×10^1	1.1×10^1	1.1×10^1	0.0×10^0	2.4×10^0	0.0×10^0
15-25	1	3.6×10^0	3.6×10^0	3.6×10^0	3.6×10^0	0.0×10^0	1.3×10^0	0.0×10^0
25-40	1	2.7×10^0	2.7×10^0	2.7×10^0	2.7×10^0	0.0×10^0	1.0×10^0	0.0×10^0
40-60	1	2.1×10^{-1}	2.1×10^{-1}	2.1×10^{-1}	2.1×10^{-1}	0.0×10^0	-1.6×10^0	0.0×10^0
0-05	1	3.2×10^1	3.2×10^1	3.2×10^1	3.2×10^1	0.0×10^0	3.5×10^0	0.0×10^0
0-10	1	2.6×10^1	2.6×10^1	2.6×10^1	2.6×10^1	0.0×10^0	3.3×10^0	0.0×10^0
0-15	1	2.1×10^1	2.1×10^1	2.1×10^1	2.1×10^1	0.0×10^0	3.1×10^0	0.0×10^0
0-25	1	1.4×10^1	1.4×10^1	1.4×10^1	1.4×10^1	0.0×10^0	2.7×10^0	0.0×10^0
0-40	1	9.9×10^0	9.9×10^0	9.9×10^0	9.9×10^0	0.0×10^0	2.3×10^0	0.0×10^0
0-60	1	6.7×10^0	6.7×10^0	6.7×10^0	6.7×10^0	0.0×10^0	1.9×10^0	0.0×10^0

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-8. Strontium-90 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS on Lomiulal Island (F7).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	4	2.2×10^1	1.4×10^2	5.1×10^1	6.6×10^1	5.2×10^1	4.0×10^0	7.9×10^{-1}
05-10	4	2.0×10^1	6.7×10^1	4.9×10^1	4.6×10^1	2.1×10^1	3.7×10^0	5.4×10^{-1}
10-15	4	1.1×10^1	3.7×10^1	2.6×10^1	2.5×10^1	1.1×10^1	3.1×10^0	5.1×10^{-1}
15-25	4	6.8×10^0	3.2×10^1	1.2×10^1	1.6×10^1	1.1×10^1	2.6×10^0	6.5×10^{-1}
25-40	4	1.4×10^0	1.7×10^1	6.3×10^0	7.8×10^0	6.6×10^0	1.7×10^0	1.0×10^0
40-60	4	4.9×10^{-1}	8.1×10^0	2.6×10^0	3.4×10^0	3.3×10^0	8.1×10^{-1}	1.2×10^0
0-05	4	2.2×10^1	1.4×10^2	5.1×10^1	6.6×10^1	5.2×10^1	4.0×10^0	7.9×10^{-1}
0-10	4	3.0×10^1	1.0×10^2	4.5×10^1	5.6×10^1	3.3×10^1	3.9×10^0	5.2×10^{-1}
0-15	4	3.2×10^1	7.7×10^1	3.7×10^1	4.6×10^1	2.1×10^1	3.8×10^0	4.1×10^{-1}
0-25	4	2.5×10^1	4.9×10^1	3.1×10^1	3.4×10^1	1.1×10^1	3.5×10^0	2.9×10^{-1}
0-40	4	1.8×10^1	3.1×10^1	2.4×10^1	2.4×10^1	5.9×10^0	3.2×10^0	2.5×10^{-1}
0-60	4	1.3×10^1	2.1×10^1	1.7×10^1	1.7×10^1	4.1×10^0	2.8×10^0	2.5×10^{-1}

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-9. Strontium-90 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS on Kabelle Island (F13).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	5	6.4×10^0	6.5×10^1	2.6×10^1	3.2×10^1	2.2×10^1	3.2×10^0	8.6×10^{-1}
05-10	5	2.7×10^0	3.1×10^1	7.2×10^0	1.2×10^1	1.1×10^1	2.2×10^0	9.0×10^{-1}
10-15	5	1.6×10^0	4.8×10^1	8.6×10^0	1.6×10^1	1.9×10^1	2.1×10^0	1.3×10^0
15-25	5	2.7×10^0	3.7×10^1	4.6×10^0	1.2×10^1	1.5×10^1	2.0×10^0	1.1×10^0
25-40	5	1.1×10^0	7.1×10^0	3.7×10^0	3.8×10^0	2.2×10^0	1.2×10^0	6.8×10^{-1}
40-60	5	9.2×10^{-1}	3.2×10^0	2.6×10^0	2.2×10^0	1.1×10^0	6.7×10^{-1}	5.9×10^{-1}
0-05	5	6.4×10^0	6.5×10^1	2.6×10^1	3.2×10^1	2.2×10^1	3.2×10^0	8.6×10^{-1}
0-10	5	6.3×10^0	3.6×10^1	2.0×10^1	2.2×10^1	1.1×10^1	3.0×10^0	6.7×10^{-1}
0-15	5	1.4×10^1	2.6×10^1	2.0×10^1	2.0×10^1	5.2×10^0	3.0×10^0	2.7×10^{-1}
0-25	5	1.0×10^1	2.7×10^1	1.6×10^1	1.7×10^1	6.3×10^0	2.8×10^0	3.6×10^{-1}
0-40	5	9.0×10^0	1.9×10^1	1.0×10^1	1.2×10^1	3.8×10^0	2.4×10^0	2.8×10^{-1}
0-60	5	6.8×10^0	1.3×10^1	7.2×10^0	8.7×10^0	2.8×10^0	2.1×10^0	2.8×10^{-1}

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-10. Strontium-90 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS on Mellu Island (F23).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	4	1.9×10^1	3.8×10^1	3.5×10^1	3.2×10^1	8.4×10^0	3.4×10^0	3.1×10^{-1}
05-10	4	8.6×10^0	3.1×10^1	2.7×10^1	2.3×10^1	9.8×10^0	3.0×10^0	5.9×10^{-1}
10-15	4	8.4×10^0	3.2×10^1	1.4×10^1	1.7×10^1	1.0×10^1	2.7×10^0	5.6×10^{-1}
15-25	4	4.6×10^0	2.3×10^1	1.2×10^1	1.3×10^1	8.1×10^0	2.4×10^0	7.0×10^{-1}
25-40	4	1.7×10^0	1.1×10^1	1.0×10^1	8.3×10^0	4.5×10^0	1.9×10^0	9.3×10^{-1}
40-60	1	2.3×10^0	2.3×10^0	2.3×10^0	2.3×10^0	0.0×10^0	8.4×10^{-1}	0.0×10^0
0-05	4	1.9×10^1	3.8×10^1	3.5×10^1	3.2×10^1	8.4×10^0	3.4×10^0	3.1×10^{-1}
0-10	4	1.4×10^1	3.4×10^1	3.1×10^1	2.7×10^1	9.1×10^0	3.3×10^0	4.2×10^{-1}
0-15	4	1.2×10^1	3.3×10^1	2.5×10^1	2.4×10^1	8.8×10^0	3.1×10^0	4.3×10^{-1}
0-25	4	1.1×10^1	2.9×10^1	1.9×10^1	2.0×10^1	7.8×10^0	2.9×10^0	4.2×10^{-1}
0-40	4	1.1×10^1	2.3×10^1	1.4×10^1	1.5×10^1	5.7×10^0	2.7×10^0	3.7×10^{-1}
0-60	1	1.2×10^1	1.2×10^1	1.2×10^1	1.2×10^1	0.0×10^0	2.5×10^0	0.0×10^0

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-11. Plutonium-239+240 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS together with our recent trip in 1989 on Naen Island (F1).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	16	4.8×10^0	1.0×10^2	4.9×10^1	4.3×10^1	2.5×10^1	3.5×10^0	8.1×10^{-1}
05-10	7	3.1×10^0	5.2×10^1	1.8×10^1	2.1×10^1	1.6×10^1	2.8×10^0	8.6×10^{-1}
10-15	7	2.1×10^0	1.9×10^1	8.2×10^0	1.1×10^1	6.4×10^0	2.2×10^0	7.7×10^{-1}
15-25	7	2.8×10^{-1}	7.6×10^0	1.4×10^0	2.2×10^0	2.6×10^0	2.5×10^{-1}	1.2×10^0
25-40	7	6.6×10^{-2}	3.3×10^0	1.4×10^{-1}	6.9×10^{-1}	1.2×10^0	-1.3×10^0	1.4×10^0
40-60	7	4.5×10^{-2}	5.5×10^{-1}	1.8×10^{-1}	2.0×10^{-1}	1.7×10^{-1}	-1.9×10^0	8.5×10^{-1}
0-05	16	4.8×10^0	1.0×10^2	4.9×10^1	4.3×10^1	2.5×10^1	3.5×10^0	8.1×10^{-1}
0-10	7	8.4×10^0	5.7×10^1	2.3×10^1	2.5×10^1	1.7×10^1	3.0×10^0	6.6×10^{-1}
0-15	7	8.3×10^0	4.4×10^1	1.8×10^1	2.0×10^1	1.2×10^1	2.9×10^0	5.8×10^{-1}
0-25	7	5.2×10^0	2.7×10^1	1.1×10^1	1.3×10^1	7.4×10^0	2.4×10^0	5.6×10^{-1}
0-40	7	3.3×10^0	1.7×10^1	6.8×10^0	8.4×10^0	4.7×10^0	2.0×10^0	5.7×10^{-1}
0-60	7	2.2×10^0	1.1×10^1	4.5×10^0	5.7×10^0	3.2×10^0	1.6×10^0	5.7×10^{-1}

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-12. Plutonium-239+240 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS together with our recent trip in 1989 on Yugui Island (F5).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	11	1.5×10^1	1.2×10^2	5.5×10^1	5.8×10^1	3.1×10^1	3.9×10^0	5.9×10^{-1}
05-10	1	2.3×10^0	2.3×10^0	2.3×10^0	2.3×10^0	0.0×10^0	8.1×10^{-1}	0.0×10^0
10-15	1	6.6×10^{-1}	6.6×10^{-1}	6.6×10^{-1}	6.6×10^{-1}	0.0×10^0	-4.1×10^{-1}	0.0×10^0
15-25	1	2.3×10^{-1}	2.3×10^{-1}	2.3×10^{-1}	2.3×10^{-1}	0.0×10^0	-1.5×10^0	0.0×10^0
25-40	1	1.2×10^{-1}	1.2×10^{-1}	1.2×10^{-1}	1.2×10^{-1}	0.0×10^0	-2.2×10^0	0.0×10^0
40-60	1	3.2×10^{-2}	3.2×10^{-2}	3.2×10^{-2}	3.2×10^{-2}	0.0×10^0	-3.4×10^0	0.0×10^0
0-05	11	1.5×10^1	1.2×10^2	5.5×10^1	5.8×10^1	3.1×10^1	3.9×10^0	5.9×10^{-1}
0-10	1	8.6×10^0	8.6×10^0	8.6×10^0	8.6×10^0	0.0×10^0	2.2×10^0	0.0×10^0
0-15	1	5.9×10^0	5.9×10^0	5.9×10^0	5.9×10^0	0.0×10^0	1.8×10^0	0.0×10^0
0-25	1	3.7×10^0	3.7×10^0	3.7×10^0	3.7×10^0	0.0×10^0	1.3×10^0	0.0×10^0
0-40	1	2.3×10^0	2.3×10^0	2.3×10^0	2.3×10^0	0.0×10^0	8.5×10^{-1}	0.0×10^0
0-60	1	1.6×10^0	1.6×10^0	1.6×10^0	1.6×10^0	0.0×10^0	4.5×10^{-1}	0.0×10^0

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-13. Plutonium-239+240 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS together with our recent trip in 1989 on Lomiulal Island (F7).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	14	8.6×10^0	6.7×10^1	3.5×10^1	3.4×10^1	1.8×10^1	3.4×10^0	6.5×10^{-1}
05-10	4	3.9×10^0	1.7×10^1	1.6×10^1	1.3×10^1	6.2×10^0	2.4×10^0	7.1×10^{-1}
10-15	4	1.4×10^0	1.5×10^1	4.4×10^0	6.3×10^0	6.1×10^0	1.5×10^0	1.0×10^0
15-25	4	5.4×10^{-1}	6.3×10^0	1.1×10^0	2.3×10^0	2.7×10^0	3.6×10^{-1}	1.1×10^0
25-40	4	8.6×10^{-2}	7.2×10^{-1}	4.1×10^{-1}	4.0×10^{-1}	3.2×10^{-1}	-1.2×10^0	1.0×10^0
40-60	4	1.9×10^{-2}	6.3×10^{-1}	1.3×10^{-1}	2.3×10^{-1}	2.8×10^{-1}	-2.2×10^0	1.5×10^0
0-05	14	8.6×10^0	6.7×10^1	3.5×10^1	3.4×10^1	1.8×10^1	3.4×10^0	6.5×10^{-1}
0-10	4	1.3×10^1	2.1×10^1	1.6×10^1	1.6×10^1	3.8×10^0	2.8×10^0	2.4×10^{-1}
0-15	4	1.1×10^1	1.5×10^1	1.3×10^1	1.3×10^1	1.8×10^0	2.5×10^0	1.4×10^{-1}
0-25	4	6.9×10^0	1.1×10^1	8.4×10^0	8.6×10^0	1.7×10^0	2.1×10^0	1.9×10^{-1}
0-40	4	4.4×10^0	6.9×10^0	5.4×10^0	5.5×10^0	1.1×10^0	1.7×10^0	1.9×10^{-1}
0-60	4	2.9×10^0	4.8×10^0	3.7×10^0	3.8×10^0	7.9×10^{-1}	1.3×10^0	2.1×10^{-1}

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-14. Plutonium-239+240 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS on Kabelle Island (F13).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	5	5.5×10^{-1}	3.2×10^1	8.3×10^0	1.4×10^1	1.5×10^1	1.8×10^0	1.8×10^0
05-10	5	5.0×10^{-1}	7.8×10^0	1.6×10^0	3.1×10^0	2.9×10^0	7.4×10^{-1}	1.1×10^0
10-15	5	4.5×10^{-1}	1.2×10^1	6.8×10^{-1}	3.6×10^0	4.8×10^0	4.7×10^{-1}	1.4×10^0
15-25	5	1.8×10^{-1}	9.4×10^0	1.7×10^0	2.9×10^0	3.8×10^0	2.0×10^{-1}	1.6×10^0
25-40	5	7.1×10^{-2}	1.8×10^0	3.6×10^{-1}	7.1×10^{-1}	7.0×10^{-1}	-8.7×10^{-1}	1.3×10^0
40-60	5	5.1×10^{-2}	5.0×10^{-1}	1.2×10^{-1}	2.3×10^{-1}	2.0×10^{-1}	-1.8×10^0	9.9×10^{-1}
0-05	5	5.5×10^{-1}	3.2×10^1	8.3×10^0	1.4×10^1	1.5×10^1	1.8×10^0	1.8×10^0
0-10	5	5.3×10^{-1}	1.7×10^1	8.0×10^0	8.7×10^0	7.7×10^0	1.5×10^0	1.5×10^0
0-15	5	5.8×10^{-1}	1.2×10^1	6.8×10^0	7.0×10^0	4.5×10^0	1.6×10^0	1.2×10^0
0-25	5	1.0×10^0	7.6×10^0	6.7×10^0	5.3×10^0	2.7×10^0	1.5×10^0	8.5×10^{-1}
0-40	5	1.3×10^0	4.9×10^0	4.4×10^0	3.6×10^0	1.5×10^0	1.2×10^0	5.6×10^{-1}
0-60	5	1.0×10^0	3.3×10^0	3.0×10^0	2.5×10^0	9.9×10^{-1}	8.2×10^{-1}	5.0×10^{-1}

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-15. Plutonium-239+240 radionuclide concentration summary for all soil profiles taken during the 1978 NMIRS together with our recent trip in 1989 on Mellu Island (F23).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	15	3.0×10^0	2.3×10^1	1.7×10^1	1.4×10^1	7.1×10^0	2.4×10^0	6.9×10^{-1}
05-10	4	2.5×10^0	1.2×10^1	3.5×10^0	5.3×10^0	4.3×10^0	1.5×10^0	6.9×10^{-1}
10-15	4	7.2×10^{-1}	8.7×10^0	2.6×10^0	3.6×10^0	3.6×10^0	9.0×10^{-1}	1.1×10^0
15-25	4	3.6×10^{-1}	3.2×10^0	1.3×10^0	1.5×10^0	1.3×10^0	1.1×10^{-1}	9.7×10^{-1}
25-40	4	1.7×10^{-1}	2.2×10^0	1.1×10^0	1.1×10^0	9.8×10^{-1}	-3.3×10^{-1}	1.2×10^0
40-60	1	6.4×10^{-2}	6.4×10^{-2}	6.4×10^{-2}	6.4×10^{-2}	0.0×10^0	-2.8×10^0	0.0×10^0
0-05	15	3.0×10^0	2.3×10^1	1.7×10^1	1.4×10^1	7.1×10^0	2.4×10^0	6.9×10^{-1}
0-10	4	5.4×10^0	1.4×10^1	9.9×10^0	9.9×10^0	3.7×10^0	2.2×10^0	4.1×10^{-1}
0-15	4	4.7×10^0	1.2×10^1	7.0×10^0	7.8×10^0	3.3×10^0	2.0×10^0	4.0×10^{-1}
0-25	4	3.6×10^0	8.7×10^0	4.4×10^0	5.3×10^0	2.3×10^0	1.6×10^0	3.9×10^{-1}
0-40	4	2.7×10^0	6.1×10^0	3.0×10^0	3.7×10^0	1.6×10^0	1.3×10^0	3.7×10^{-1}
0-60	1	1.8×10^0	1.8×10^0	1.8×10^0	1.8×10^0	0.0×10^0	6.1×10^{-1}	0.0×10^0

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-16. Americium-241 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trip in 1989 on Naen Island (F1).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	16	6.9×10^0	6.9×10^1	2.6×10^1	2.9×10^1	2.0×10^1	3.1×10^0	7.8×10^{-1}
05-10	15	1.3×10^0	1.5×10^1	8.7×10^0	8.5×10^0	4.2×10^0	2.0×10^0	6.6×10^{-1}
10-15	14	2.5×10^{-1}	1.1×10^1	3.3×10^0	3.3×10^0	2.9×10^0	7.1×10^{-1}	1.1×10^0
15-25	10	1.0×10^{-1}	3.9×10^0	6.3×10^{-1}	1.1×10^0	1.1×10^0	-4.2×10^{-1}	1.1×10^0
25-40	9	3.0×10^{-2}	2.0×10^0	1.2×10^{-1}	3.1×10^{-1}	6.3×10^{-1}	-2.2×10^0	1.3×10^0
40-60	6	1.4×10^{-2}	3.6×10^{-1}	6.9×10^{-2}	1.1×10^{-1}	1.3×10^{-1}	-2.8×10^0	1.2×10^0
0-05	16	6.9×10^0	6.9×10^1	2.6×10^1	2.9×10^1	2.0×10^1	3.1×10^0	7.8×10^{-1}
0-10	15	6.1×10^0	3.7×10^1	2.1×10^1	1.9×10^1	9.6×10^0	2.8×10^0	5.5×10^{-1}
0-15	13	4.3×10^0	2.2×10^1	1.2×10^1	1.3×10^1	5.7×10^0	2.5×10^0	4.9×10^{-1}
0-25	10	2.7×10^0	1.4×10^1	6.8×10^0	7.1×10^0	3.2×10^0	1.9×10^0	4.7×10^{-1}
0-40	8	1.7×10^0	8.5×10^0	4.3×10^0	4.6×10^0	2.2×10^0	1.4×10^0	5.2×10^{-1}
0-60	6	1.1×10^0	4.3×10^0	2.4×10^0	2.5×10^0	1.1×10^0	8.4×10^{-1}	4.6×10^{-1}

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-17. Americium-241 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trip in 1989 on Yugui Island (F5).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	11	6.5×10^0	1.2×10^2	4.8×10^1	5.3×10^1	3.1×10^1	3.8×10^0	7.7×10^{-1}
05-10	9	1.5×10^0	1.1×10^2	4.3×10^0	1.6×10^1	3.4×10^1	1.7×10^0	1.3×10^0
10-15	7	2.4×10^{-1}	4.9×10^0	8.9×10^{-1}	1.7×10^0	1.6×10^0	1.3×10^{-1}	1.0×10^0
15-25	4	7.7×10^{-2}	8.7×10^{-1}	3.2×10^{-1}	4.0×10^{-1}	3.4×10^{-1}	-1.3×10^0	1.0×10^0
25-40	1	5.4×10^{-2}	5.4×10^{-2}	5.4×10^{-2}	5.4×10^{-2}	0.0×10^0	-2.9×10^0	0.0×10^0
40-60	0	0.0×10^0	0.0×10^0	0.0×10^0	0.0×10^0	0.0×10^0	0.0×10^0	0.0×10^0
0-05	11	6.5×10^0	1.2×10^2	4.8×10^1	5.3×10^1	3.1×10^1	3.8×10^0	7.7×10^{-1}
0-10	9	4.0×10^0	8.3×10^1	2.7×10^1	3.4×10^1	2.5×10^1	3.2×10^0	8.8×10^{-1}
0-15	7	2.8×10^0	5.6×10^1	1.9×10^1	2.1×10^1	1.7×10^1	2.7×10^0	9.3×10^{-1}
0-25	2	1.7×10^0	3.4×10^1	1.8×10^1	1.8×10^1	2.3×10^1	2.0×10^0	2.1×10^0
0-40	1	1.1×10^0	1.1×10^0	1.1×10^0	1.1×10^0	0.0×10^0	7.6×10^{-2}	0.0×10^0
0-60	0	0.0×10^0	0.0×10^0	0.0×10^0	0.0×10^0	0.0×10^0	0.0×10^0	0.0×10^0

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-18. Americium-241 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trip in 1989 on Lomiulal Island (F7).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	12	4.7×10^0	4.5×10^1	2.2×10^1	2.2×10^1	1.3×10^1	2.9×10^0	7.6×10^{-1}
05-10	11	1.9×10^0	1.7×10^1	4.9×10^0	6.3×10^0	4.2×10^0	1.7×10^0	6.0×10^{-1}
10-15	9	1.2×10^0	8.9×10^0	2.3×10^0	3.0×10^0	2.4×10^0	8.9×10^{-1}	6.3×10^{-1}
15-25	7	2.0×10^{-1}	3.6×10^0	3.7×10^{-1}	8.4×10^{-1}	1.2×10^0	-7.1×10^{-1}	9.7×10^{-1}
25-40	3	5.6×10^{-2}	2.9×10^{-1}	1.9×10^{-1}	1.8×10^{-1}	1.2×10^{-1}	-1.9×10^0	8.5×10^{-1}
40-60	2	1.4×10^{-2}	3.4×10^{-1}	1.8×10^{-1}	1.8×10^{-1}	2.3×10^{-1}	-2.7×10^0	2.3×10^0
0-05	12	4.7×10^0	4.5×10^1	2.2×10^1	2.2×10^1	1.3×10^1	2.9×10^0	7.6×10^{-1}
0-10	11	6.1×10^0	2.4×10^1	1.3×10^1	1.4×10^1	6.4×10^0	2.5×10^0	5.0×10^{-1}
0-15	9	4.6×10^0	1.5×10^1	8.1×10^0	9.3×10^0	3.8×10^0	2.2×10^0	4.2×10^{-1}
0-25	4	3.4×10^0	8.6×10^0	5.5×10^0	5.7×10^0	2.3×10^0	1.7×10^0	4.0×10^{-1}
0-40	2	2.1×10^0	4.0×10^0	3.1×10^0	3.1×10^0	1.3×10^0	1.1×10^0	4.5×10^{-1}
0-60	2	1.4×10^0	2.8×10^0	2.1×10^0	2.1×10^0	9.6×10^{-1}	6.9×10^{-1}	4.7×10^{-1}

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-19. Americium-241 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trips in 1988 through 1989 on Kabelle Island (F13).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	31	3.0×10^{-1}	3.0×10^1	1.1×10^1	1.2×10^1	6.9×10^0	2.2×10^0	1.0×10^0
05-10	13	3.4×10^{-1}	2.4×10^1	3.7×10^0	4.9×10^0	6.2×10^0	1.0×10^0	1.2×10^0
10-15	13	1.4×10^1	5.1×10^0	7.9×10^{-1}	1.9×10^0	1.9×10^0	5.7×10^{-2}	1.2×10^0
15-25	9	5.2×10^{-2}	2.1×10^0	9.8×10^{-1}	1.0×10^0	7.0×10^{-1}	-3.9×10^{-1}	1.2×10^0
25-40	4	2.8×10^{-2}	9.1×10^{-1}	4.9×10^{-1}	4.8×10^{-1}	4.2×10^{-1}	-1.4×10^0	1.6×10^0
40-60	2	4.7×10^{-2}	2.0×10^{-1}	1.2×10^{-1}	1.2×10^{-1}	1.1×10^{-1}	-2.3×10^0	1.0×10^0
0-05	31	3.0×10^{-1}	3.0×10^1	1.1×10^1	1.2×10^1	6.9×10^0	2.2×10^0	1.0×10^0
0-10	13	3.2×10^{-1}	2.4×10^1	7.0×10^0	8.2×10^0	6.1×10^0	1.8×10^0	1.0×10^0
0-15	12	3.3×10^{-1}	1.6×10^1	5.0×10^0	6.0×10^0	4.1×10^0	1.5×10^0	9.6×10^{-1}
0-25	8	5.9×10^{-1}	4.6×10^0	3.6×10^0	3.3×10^0	1.3×10^0	1.1×10^0	6.7×10^{-1}
0-40	4	7.1×10^{-1}	2.7×10^0	2.1×10^0	1.9×10^0	8.9×10^{-1}	5.3×10^{-1}	6.1×10^{-1}
0-60	2	5.4×10^{-1}	1.2×10^0	8.7×10^{-1}	8.7×10^{-1}	4.7×10^{-1}	-2.2×10^{-1}	5.7×10^{-1}

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Table C-20. Americium-241 radionuclide concentration summary for all soil profiles taken from the 1978 NMIRS together with our most recent trip in 1989 on Mellu Island (F23).

Soil depth (cm)	N ^a	pCi g ⁻¹ dry wt					Mean of logs	SD of logs
		Minimum	Maximum	Median	Mean	SD		
0-05	13	1.5×10^0	2.5×10^1	7.5×10^0	9.2×10^0	6.6×10^0	1.9×10^0	8.2×10^{-1}
05-10	12	1.2×10^0	1.5×10^1	3.4×10^0	5.6×10^0	4.7×10^0	1.4×10^0	8.2×10^{-1}
10-15	10	9.1×10^{-1}	1.1×10^1	2.3×10^0	3.3×10^0	3.1×10^0	9.2×10^{-1}	7.5×10^{-1}
15-25	9	2.6×10^{-1}	5.6×10^0	1.6×10^0	1.7×10^0	1.6×10^0	1.9×10^{-1}	9.3×10^{-1}
25-40	4	1.7×10^{-1}	8.8×10^{-1}	4.2×10^{-1}	4.7×10^{-1}	3.1×10^{-1}	-9.4×10^{-1}	7.2×10^{-1}
40-60	1	2.4×10^{-2}	2.4×10^{-2}	2.4×10^{-2}	2.4×10^{-2}	0.0×10^0	-3.7×10^0	0.0×10^0
0-05	13	1.5×10^0	2.5×10^1	7.5×10^0	9.2×10^0	6.6×10^0	1.9×10^0	8.2×10^{-1}
0-10	12	1.4×10^0	1.9×10^1	7.6×10^0	7.6×10^0	4.7×10^0	1.8×10^0	6.9×10^{-1}
0-15	9	1.3×10^0	1.5×10^1	6.8×10^0	6.5×10^0	4.1×10^0	1.7×10^0	7.4×10^{-1}
0-25	7	2.1×10^0	9.5×10^0	4.5×10^0	4.8×10^0	2.8×10^0	1.4×10^0	5.9×10^{-1}
0-40	3	1.4×10^0	3.3×10^0	1.7×10^0	2.1×10^0	1.0×10^0	6.8×10^{-1}	4.5×10^{-1}
0-60	1	9.4×10^{-1}	9.4×10^{-1}	9.4×10^{-1}	9.4×10^{-1}	0.0×10^0	-6.6×10^{-2}	0.0×10^0

NOTE: Specific activity is decay corrected to 1994.

N^a stands for number of individual samples.

Appendix D

Maps of the Islands

Rongelap Atoll
Naen Island F-1

Rongelap Atoll, Yugu Is.

F-5

Coccol

Palms

Vegetation

Coccol Orals

Nov. 1969

Rongelap Atoll

Loniufal Island F-7

Rongelap Atoll
Kabelle Island F-13

WOMEN'S & YOUTH
T-SHIRT
WOMEN'S & YOUTH