ORNL/TM-13086

**OAK RIDGE
NATIONAL
LABORATORY**

**Coefficient Adaptive Triangulation for
Strongly Anisotropic Problems**

MARTIN MARIETTA

E. F. D'Azevedo
C. H. Romine
J. M. Donato

MANAGED BY
MARTIN MARIETTA ENERGY SYSTEMS, INC.
FOR THE UNITED STATES
DEPARTMENT OF ENERGY

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

MASTER

This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from the Office of Scientific and Technical Information, P.O. Box 62, Oak Ridge, TN 37831; prices available from (615) 576-8401, FTS 626-8401.

Available to the public from the National Technical Information Service, U.S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161.

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Computer Science and Mathematics Division

Mathematical Sciences Section

**COEFFICIENT ADAPTIVE TRIANGULATION FOR STRONGLY
ANISOTROPIC PROBLEMS**

E.F. D'Azevedo

C.H. Romine

J.M. Donato

Mathematical Sciences Section
Oak Ridge National Laboratory
P.O. Box 2008, Bldg. 6012
Oak Ridge, TN 37831-6367

Date Published: January 1996

Research supported by the Applied Mathematical Sciences subprogram of the Office of Energy Research, U.S. Department of Energy

Prepared by the
Oak Ridge National Laboratory
Oak Ridge, Tennessee 37831
managed by
Lockheed Martin Energy Research Corporation
for the
U.S. Department of Energy
under Contract No. DE-AC05-96OR22464

Contents

1	Introduction	1
2	Fourier Analysis of Anisotropic Problem	2
3	Coefficient Adaptive Triangulation	5
4	Stone's problem	6
5	Results	8
6	Summary	11
7	References	12

List of Figures

4.1	Stone's third problem.	7
4.2	Coefficient adaptive triangulation of Stone's Third Problem, $\gamma = 100$	7
5.1	Accurate solution on 121×121 grid with $\gamma = 100$	9

COEFFICIENT ADAPTIVE TRIANGULATION FOR STRONGLY ANISOTROPIC PROBLEMS

E.F. D'Azevedo

C.H. Romine

J.M. Donato

Abstract

Second order elliptic partial differential equations arise in many important applications, including flow through porous media, heat conduction, and the distribution of electrical or magnetic potential. The prototype is the Laplace problem, which in discrete form produces a coefficient matrix that is relatively easy to solve in a regular domain. However, the presence of anisotropy produces a matrix whose condition number is increased, making the resulting linear system more difficult to solve.

In this work, we take the anisotropy into account in the discretization by mapping each anisotropic region into a "stretched" coordinate space in which the anisotropy is removed. The region is then uniformly triangulated, and the resulting triangulation mapped back to the original space. The effect is to generate long slender triangles that are oriented in the direction of "preferred flow." Slender triangles are generally regarded as numerically undesirable since they tend to cause poor conditioning; however, our triangulation has the effect of producing effective isotropy, thus improving the condition number of the resulting coefficient matrix.

1. Introduction

Second order elliptic partial differential equations arise in many important applications, including flow through porous media, heat conduction, and the distribution of electrical potential. A simple prototype is the piecewise constant coefficient equation,

$$\frac{\partial}{\partial x} \left(K_x \frac{\partial P}{\partial x} \right) + \frac{\partial}{\partial y} \left(K_y \frac{\partial P}{\partial y} \right) = -q \quad (1.1)$$

which reduces to the Laplace problem for $K_x = K_y = 1$. The discretization of the Laplace problem over a regular grid produces a coefficient matrix that is relatively easy to solve. However, the presence of strong anisotropy ($K_x \gg K_y$) produces a poorly conditioned matrix, making the resulting linear system more difficult to solve.

In this report, we take the anisotropy into account in the discretization by mapping each anisotropic region into a “stretched” coordinate space in which the anisotropy is removed. The region is then uniformly triangulated, and the resulting triangulation mapped back to the original space. The effect is to generate long slender triangles that are oriented in the direction of “preferred flow.” Slender triangles are generally regarded as numerically undesirable; however, our triangulation has the effect of producing effective isotropy, thus producing a coefficient matrix with a smaller condition number. Furthermore, our initial experiments suggest such “coefficient-adaptive” triangulation suffers no degradation in approximation accuracy.

The idea of using special approximation basis functions that depend on the rough coefficients has also been proposed by Falk and Osborn [3] in the analysis of mixed finite element methods for problems with rough coefficients. A technique of using Delaunay triangulation under an anisotropic transformation has been examined by Letniowski [9] and Forsyth [4]. The idea in their work is to ensure that the coefficient matrix resulting from the standard Galerkin finite element approximation of the second-order diffusion operator is an M-matrix. Our work

differs in that our focus is on improving the conditioning of the linear system.

In Section 2, we describe the motivation for coefficient-adaptive mesh generation, using a simple example for illustration. In Section 3, we describe in more detail the approach that we have taken to discretizing anisotropic problems. Section 4 presents our sequence of test problems, based on Stone's third problem [10]. Section 5 presents the results of our empirical studies, comparing our coefficient-adaptive discretization to the standard 5-point Laplacian discretization on the test problems. Finally, in Section 6, we summarize our conclusions and discuss how the results can be expanded.

2. Fourier Analysis of Anisotropic Problem

In this section, we use a Fourier analysis technique to analyze the condition of the coefficient matrix arising from the 5-point finite difference discretization of a model anisotropic problem. The analysis we present here follows the technique described by Chan and Elman [1] and Donato and Chan [2].

The problem we analyze is

$$\frac{\partial}{\partial x} \left(K_x \frac{\partial P}{\partial x} \right) + \frac{\partial}{\partial y} \left(K_y \frac{\partial P}{\partial y} \right) = -q$$

on the unit square with Neumann boundary conditions, where K_x and K_y are constant. Clearly, the differential equation with pure Neumann boundary conditions is not well-posed, and the resulting coefficient matrix will be rank-deficient. Rather than imposing an additional constraint, we define the *modified condition number* of the coefficient matrix to be

$$\tilde{\kappa} = \frac{\lambda_{max}}{\tilde{\lambda}_{min}}, \quad (2.1)$$

where $\tilde{\lambda}_{min}$ is the smallest *nonzero* eigenvalue of the matrix.

Let h_x , h_y be the grid spacing in x and y , so that $n_x = h_x^{-1}$ and $n_y = h_y^{-1}$ are the number of grid points in x and y , respectively. We wish to compute the

modified condition number as a function of K_x , K_y , h_x and h_y . More accurately, we will compute the modified condition number as a function of the *degree of anisotropy* $\alpha = K_y/K_x$ and the *grid aspect ratio* $\rho = h_y/h_x$. The corresponding finite difference equations are:

$$K_x \frac{-P_{i-1,j} + 2P_{ij} - P_{i+1,j}}{h_x^2} + K_y \frac{-P_{i,j-1} + 2P_{ij} - P_{i,j+1}}{h_y^2} = q_{ij}. \quad (2.2)$$

On the boundary of the square, the Neumann boundary conditions can be imposed using centered differences, yielding

$$P_{i,j+1} = P_{i,j-1} \quad \text{for } i = 0 \text{ and } i = n_x;$$

$$P_{i+1,j} = P_{i-1,j} \quad \text{for } j = 0 \text{ and } j = n_y.$$

If we scale (2.2) symmetrically so that the coefficient of P_{ij} is 1, we have

$$P_{ij} + b(P_{i-1,j} + P_{i+1,j}) + c(P_{i,j-1} + P_{i,j+1}) = \tilde{q}_{ij} \quad (2.3)$$

where $b = -\frac{1}{2}(1 + \alpha/\rho^2)^{-1}$ and $c = -\frac{1}{2}(1 + \rho^2/\alpha)^{-1} = -\frac{1}{2} - b$. A straightforward analysis of the spectrum of the difference operator leads to the following expression for the eigenvalues:

$$\lambda_{ij} = 1 + 2b \cos \theta_i + 2c \cos \phi_j, \quad (2.4)$$

where $\theta_i = i\pi h_x$ for $i = 0, \dots, n_x - 1$ and $\phi_j = j\pi h_y$ for $j = 0, \dots, n_y - 1$.

The pure Neumann boundary conditions mean that $(1, 1, \dots, 1)^T$ is an eigenvector, with corresponding eigenvalue $\lambda_{00} = 0$. Furthermore, since b and c are both negative, λ_{max} occurs at $i = n_x - 1$ and $j = n_y - 1$, yielding $\lambda_{max} = 2$. By inspection, $\tilde{\lambda}_{min} = \min\{\lambda_{10}, \lambda_{01}\}$. To determine which of these eigenvalues is smaller, we use the Taylor approximation $\cos \theta = 1 - \theta^2/2 + O(\theta^4)$. This yields

$$\lambda_{10} = \frac{1}{2}(1 + \alpha/\rho^2)^{-1}(\pi^2 h_x^2) + O(h_x^4)$$

$$\lambda_{01} = \frac{1}{2}(1 + \rho^2/\alpha)^{-1}(\pi^2 h_y^2) + O(h_y^4).$$

If we ignore the fourth-order terms, simple algebraic manipulation verifies that $\lambda_{01} = \alpha\lambda_{10}$. Hence, if $K_x > K_y$ so that $\alpha < 1$, then $\tilde{\lambda}_{min} = \lambda_{01}$. Conversely, if $K_x < K_y$, $\tilde{\lambda}_{min} = \lambda_{10}$.

We now have an expression for the modified condition number, $\tilde{\kappa} = \lambda_{max}/\tilde{\lambda}_{min}$ as a function of α and ρ . If $K_y > K_x$, then

$$\tilde{\kappa}(\alpha, \rho) \approx \frac{4(1 + \alpha/\rho^2)}{\pi^2 h_x^2}.$$

If $K_y < K_x$, then

$$\tilde{\kappa}(\alpha, \rho) \approx \frac{4(1 + \rho^2/\alpha)}{\pi^2 h_y^2}.$$

Now we have the machinery in place to answer our primary question concerning the construction of a discretization grid: For a given degree of anisotropy (fixed α) and a given number of unknowns N , what is the grid aspect ratio (ρ) that minimizes the (modified) condition number of the resulting coefficient matrix? If we assume that $\alpha > 1$, then we seek to minimize

$$\tilde{\kappa} \approx \frac{4(1 + \alpha/\rho^2)}{\pi^2 h_x^2}.$$

Using the fact that $N = n_x n_y = h_x^{-1} h_y^{-1}$ we can rewrite this as

$$\tilde{\kappa} = 4\pi^2 N(\rho + \alpha/\rho)$$

for which the minimum occurs at $\rho = \sqrt{\alpha}$. The same result is obtained for $\alpha < 1$. We use this result in defining the mapping described in Section 3. The smallest condition number is obtained when $\alpha = 1$, indicating that the isotropic case produces the best conditioned matrix.

To summarize, for $\rho = \sqrt{\alpha}$, we have

$$\tilde{\kappa} \approx \frac{8N}{\pi^2} (\max\{K_y/K_x, K_x/K_y\})^{1/2}.$$

We used a series of MATLAB tests to verify the conclusions of the analysis described above. Table 2.1 is in three sections. The first four rows display the close agreement between the condition number $\tilde{\kappa}_{FDM}$ of the coefficient matrix and the theoretical condition number $\tilde{\kappa}$, both computed by MATLAB. Two digits of agreement are obtained even for very small problems.

The second section of the table verifies that as the degree of anisotropy (α) is multiplied (or divided) by 100, the optimal condition number $\tilde{\kappa}$ increases by $\sqrt{100} = 10$, as predicted. The second and third sections of the table together illustrate that choosing the correct aspect ratio ρ can significantly improve the condition number of the resulting coefficient matrix.

α	n_x	n_y	$n_x * n_y$	# unknowns	$\tilde{\kappa}$	$\tilde{\kappa}_{FDM}$
1	12	12	144	169	1.1672e+02	1.1739e+02
2	14	10	140	165	1.6049e+02	1.6117e+02
4	16	8	128	153	2.0751e+02	2.0817e+02
10	21	6	126	154	3.2463e+02	3.2524e+02
5	5,981	2,674	15,993,194	16,001,850	2.8987e+07	—
500	18,914	845	15,982,330	16,002,090	2.8968e+08	—
1/500	845	18,914	15,982,330	16,002,090	2.8968e+08	—
5	4,000	4,000	16,000,000	16,008,001	3.8907e+07	—
500	4,000	4,000	16,000,000	16,008,001	3.2488e+09	—
1/500	4,000	4,000	16,000,000	16,008,001	3.2488e+09	—

Table 2.1: MATLAB results verifying the analysis.

3. Coefficient Adaptive Triangulation

We modified an existing triangular mesh generation package, GEOMPACK [7], to generate coefficient adaptive triangulations. GEOMPACK is a mathematical software package written in Fortran 77 for the generation of convex polygon decompositions and triangular meshes in two-dimensional polygonal regions.

GEOMPACK generates a triangular mesh by first decomposing the polygonal domain into simpler convex polygons [6]. The decomposition can be further

controlled by equidistribution of a user supplied density function. We chose to use $(K_x K_y)^{1/2}$ as the density function, to allocate proportionally *more* triangles in regions where K_x or K_y is small. GEOMPACK then generates a uniform triangulation within the interior of each convex subdomain [5]. A final step handles the mesh connection between neighboring subdomains [8] to generate a Delaunay triangulation.

GEOMPACK was modified to perform a rescaling by $K_x^{-1/2}$ and $K_y^{-1/2}$ in the x and y directions before the generation of a uniform mesh within each convex subdomain. The node coordinates of this triangulation are then mapped back into the original space.

4. Stone's problem

We tested the technique for coefficient adaptive triangulation on a variant of Stone's third problem [10] in solving

$$\frac{\partial}{\partial x} \left(K_x \frac{\partial P}{\partial x} \right) + \frac{\partial}{\partial y} \left(K_y \frac{\partial P}{\partial y} \right) = -q$$

on the $[0, 30] \times [0, 30]$ with Neumann boundary conditions. Locations and strengths of point sources and sinks are

$$\begin{aligned} q_1(3, 3) &= 1.0, & q_2(3, 37) &= 0.5, & q_3(23, 4) &= 0.6, \\ q_4(14, 15) &= -1.83, & q_5(27, 27) &= -0.27. \end{aligned} \quad (4.1)$$

The distribution of material properties, K_x , K_y were (see Figure 4.1)

$$(K_x, K_y) = \begin{cases} (1, \gamma) & \text{if } (x_i, y_j) \in B, \quad 14 \leq i \leq 30, \quad 0 \leq j \leq 16, \\ (\gamma, 1) & \text{if } (x_i, y_j) \in C, \quad 5 \leq i \leq 12, \quad 5 \leq j \leq 12, \\ (0, 0) & \text{if } (x_i, y_j) \in D, \quad 12 \leq i \leq 19, \quad 21 \leq j \leq 28, \\ (1, 1) & \text{if } (x_i, y_j) \in A. \end{cases} \quad (4.2)$$

A 31×31 regular grid with $\gamma = 100$ was used in the original problem. Note

Figure 4.1: Stone's third problem.

Figure 4.2: Coefficient adaptive triangulation of Stone's Third Problem, $\gamma = 100$.

that region D with $K_x = K_y = 0$ was modeled as a hole in the plate. We chose a consistent discretization scheme based on linear triangular elements in a Galerkin Finite Element formulation. Even on a regular rectangular grid, we generate a triangulation by consistently splitting each rectangle into two right-angle triangles. For the regular rectangular grid, this yields the identical standard 5-point finite difference stencil, with the exception of the nodes at interfaces between different materials.

5. Results

We chose MATLAB to perform the numerical experiments and visualization. We used linear triangular elements in a Galerkin Finite Element formulation to perform the matrix assembly. Initially, we imposed a Dirichlet condition at the origin $(0,0)$ to avoid exact rank deficiency. However, subsequent testing revealed that the CG iteration applied to the original semi-definite problem converged more rapidly than CG iteration on the problem with a Dirichlet condition imposed. We have reported the times for both problems in the interest of completeness. To simplify visualization, all solutions were interpolated and compared on a 31×31 regular rectangular mesh. Since region D is modeled as a hole, nodes within region D were set to zero for simplicity. We used the solution obtained from a 121×121 grid as an accurate solution. Note that the sources and sinks introduce point singularities; thus in comparing solution accuracies we ignore the errors within one mesh block of the point singularities.

Figure 4.2 displays the coefficient adaptive unstructured triangular mesh for $\gamma = 100$. Note the orientation of slender triangles within regions B and C . Figure 5.1 displays the accurate solution obtained with the 121×121 mesh for $\gamma = 100$. Notice the flat solution profiles in regions C and D (see also Figure 4.1).

The linear systems resulting from the discretization were first scaled to unit diagonal, before they were solved using the conjugate gradient (CG) method with no further preconditioning. We used a relative reduction in the initial residual as

Figure 5.1: Accurate solution on 121×121 grid with $\gamma = 100$.

our termination criterion:

$$\|r_k\|_2 \leq 10^{-10} \|r_0\|_2 ,$$

where r_k is the residual vector on the k -th iteration. Tables 5.1 and 5.2 show the number of CG iterations, maximum discretization error and condition number.¹

We also tested the problems using CG with SSOR preconditioning. If matrix $A = I - (L + L^T)$ represents the global assembled matrix with unit diagonal, and L is strictly lower triangular, then the SSOR factorization used is

$$Q = (I - \omega L)(I - \omega L^T) . \quad (5.1)$$

A few preliminary runs on various problem show the optimal ω to be between

¹For the semidefinite case, we report the ‘modified’ condition number (2.1).

	Regular Grid			Adaptive Triangulation				
γ	iters	err ^a	$\tilde{\kappa}$	iters	err ^a	$\tilde{\kappa}$	nelts ^b	N^c
1	180	3.7e-2	8.9e+2	170	8.6e-3	8.5e+2	1653	900
10	210	6.7e-2	1.8e+3	168	4.9e-2	9.3e+2	1635	894
100	367	8.4e-2	1.3e+4	202	3.2e-2	1.7e+3	1589	870
1000	629	7.7e-2	1.2e+5	278	1.7e-2	8.9e+3	1579	865

Table 5.1: Diagonally Scaled PCG on Stone’s Third Problem, No Dirichlet Boundary Condition Imposed

	Regular Grid		Adaptive Triangulation			
γ	iters	κ	iters	κ	nelts ^b	N^c
1	207	1.9e+4	195	1.8e+4	1653	900
10	243	5.0e+4	190	2.1e+4	1635	894
100	418	3.6e+5	227	4.5e+4	1589	870
1000	665	3.4e+6	305	2.2e+5	1579	865

Table 5.2: Diagonally Scaled PCG on Stone’s Third Problem, Dirichlet Boundary Condition Imposed

^aMaximum discretization error, estimated by comparing a highly accurate solution of the resulting linear system to the ‘exact’ solution.

^bNumber of triangular elements in the discretization.

^cTotal number of unknowns in the resulting linear system.

1.4 and 1.6. A value of $\omega = 1.5$ was consistently used for all runs for simplicity. All matrices were also consistently reordered using the bandwidth reducing RCM (Reverse Cuthill-McKee) ordering to minimize the effect of matrix ordering on convergence. The results are summarized in Table 5.3.

	Regular Grid	Adaptive Triangulation
γ	iters	iters
1	47	51
10	56	53
100	104	70
1000	207	111

Table 5.3: Results of SSOR PCG on Stone's Third Problem

The results from Tables 5.1 and 5.3 show coefficient adaptive triangulations generate better conditioned matrices with no loss of approximation accuracy even using slender triangles.

6. Summary

We have explored the use of coefficient adaptive mesh generation techniques on strongly anisotropic problems. The initial results on Stone's problem suggest there is no loss in approximation accuracy even with slender triangles and the resulting discretization produces better conditioned matrices.

More extensive testing with more realistic problems is required. It is straightforward to extend this approach to generating tetrahedral meshes in three-dimensions.

Acknowledgments

The authors thank Professor Barry Joe for providing GEOMPACK. We also thank Pat Worley and Steve Lee for their insightful comments, which improved the paper.

ORNL/TM-13086

INTERNAL DISTRIBUTION

1. B. R. Appleton	32. B. A. Riley
2. B. A. Carreras	33-37. C. H. Romine
3-7. E. F. D'Azevedo	38. W. A. Shelton
8. T. S. Darland	39-43. R. F. Sincovec
9-13. J. M. Donato	44. G. M. Stocks
14. J. J. Dongarra	45. M. R. Strayer
15. J. B. Drake	46. D. W. Walker
16. T. H. Dunigan	47. P. H. Worley
17. G. A. Geist	48. T. Zacharia
18. K. L. Kliewer	49. Central Research Library
19-23. M. R. Leuze	50. ORNL Patent Office
24. E. G. Ng	51. K-25 Applied Technology Li-
brary
25. C. E. Oliver	52. Y-12 Technical Library
26. B. W. Peyton	53. Laboratory Records - RC
27-31. S. A. Raby	54-55. Laboratory Records Dept.

EXTERNAL DISTRIBUTION

56. Loyce M. Adams, Applied Mathematics, FS-20, University of Washington, Seattle, WA 98195
57. Christopher R. Anderson, Department of Mathematics, University of California, Los Angeles, CA 90024
58. Todd Arbogast, Department of Mathematical Sciences, Rice University, P. O. Box 1892, Houston, TX 77251
59. Donald M. Austin, 6196 EECS Building, University of Minnesota, 200 Union Street, S.E., Minneapolis, MN 55455
60. Robert G. Babb, Oregon Graduate Center, CSE Department, 19600 N.W. Walker Road, Beaverton, OR 97006
61. David H. Bailey, NASA Ames, Mail Stop 258-5, NASA Ames Research Center, Moffet Field, CA 94035
62. Jesse L. Barlow, Department of Computer Science and Engineering, 220 Pond Laboratory, The Pennsylvania State University, University Park, PA 16802-6106
63. Edward H. Barsis, Computer Science and Mathematics, P. O. Box 5800, Sandia National Laboratory, Albuquerque, NM 87185
64. Adam Beguelin, Carnegie Mellon University, School of Computer Science, 5000 Forbes Avenue, Pittsburgh, PA 15213-3890
65. Robert E. Benner, Parallel Processing Division 1413, Sandia National Laboratories, P. O. Box 5800, Albuquerque, NM 87185

66. Marsha J. Berger, Courant Institute of Mathematical Sciences, 251 Mercer Street, New York, NY 10012
67. Philippe Berger, Institut National Polytechnique, ENSEEIHT, 2 rue Charles Camichel-F, 31071 Toulouse Cedex, France
68. Ake Bjorck, Department of Mathematics, Linkoping University, S-581 83 Linkoping, Sweden
69. John H. Bolstad, L-16, Lawrence Livermore National Laboratory, P. O. Box 808, Livermore, CA 94550
70. Roger W. Brockett, Harvard University, Pierce Hall, 29 Oxford Street Cambridge, MA 02138
71. James C. Browne, Department of Computer Sciences, University of Texas, Austin, TX 78712
72. Bill L. Buzbee, Scientific Computing Division, National Center for Atmospheric Research, P. O. Box 3000, Boulder, CO 80307
73. Donald A. Calahan, Department of Electrical and Computer Engineering, University of Michigan, Ann Arbor, MI 48109
74. Thomas A. Callcott, Director, The Science Alliance Program, 53 Turner House, University of Tennessee, Knoxville, TN 37996
75. Tony Chan, Department of Mathematics, University of California, Los Angeles, 405 Hilgard Avenue, Los Angeles, CA 90024
76. Jagdish Chandra, Army Research Office, P. O. Box 12211, Research Triangle Park, NC 27709
77. Siddhartha Chatterjee, Dept. of Computer Science, CB 3175, Sitterson Hall, The University of North Carolina, Chapel Hill, NC 27599-3175
78. Melvyn Ciment, National Science Foundation, 1800 G Street N.W., Washington, DC 20550
79. Tom Coleman, Department of Computer Science, Cornell University, Ithaca, NY 14853
80. Alva Couch, Department of Computer Science, Tufts University, Medford, MA 02155
81. Paul Concus, Mathematics and Computing, Lawrence Berkeley Laboratory, Berkeley, CA 94720
82. Tom Crockett, ICASE, Mail Stop 132C, NASA Langley Research Center, Hampton, VA 23665-5225
83. Jane K. Cullum, IBM T. J. Watson Research Center, P. O. Box 218, Yorktown Heights, NY 10598
84. George Cybenko, Center for Supercomputing Research and Development, University of Illinois, 104 South Wright Street, Urbana, IL 61801-2932
85. Helen Davis, Computer Science Department, Stanford University, Stanford, CA 94305
86. Michel Dayde, Institut National Polytechnique, ENSEEIHT, 2 rue Charles Camichel-F, 31071 Toulouse Cedex, France

87. Craig Douglas, IBM T. J. Watson Research Center, P. O. Box 218, Yorktown Heights, NY 10598-0218
88. Iain S. Duff, Atlas Centre, Rutherford Appleton Laboratory, Chilton, Oxon OX11 0QX, England
89. Victor Eijkhout, 405 Hilgard Avenue, Department of Mathematics, UCLA, Los Angeles, CA 90024
90. Stanley Eisenstat, Department of Computer Science, Yale University, P. O. Box 2158 Yale Station, New Haven, CT 06520
91. Howard C. Elman, Computer Science Department, University of Maryland, College Park, MD 20742
92. Richard E. Ewing, Director, Institute for Scientific Computations, Texas A&M University, College Station, TX 77843-3404
93. Edward Felten, Department of Computer Science, University of Washington, Seattle, WA 98195
94. Charles Fineman, Ames Research Center, Mail Stop 269/3, Moffet Field, CA 94035
95. David Fisher, Department of Mathematics, Harvey Mudd College, Claremont, CA 91711
96. Jon Flower, Parasoftware Corporation, 2500 E. Foothill Boulevard, Suite 205, Pasadena, CA 91107
97. Geoffrey C. Fox, NPAC, 111 College Place, Syracuse University, Syracuse, NY 13244-4100
98. Chris Fraley, Statistical Sciences, Inc., 1700 Westlake Avenue N, Suite 500, Seattle, WA 98119
99. Joan M. Francioni, Computer Science Department, University of Southwestern Louisiana, Lafayette, LA 70504
100. Paul O. Frederickson, ACL, MS B287, Los Alamos National Laboratory, Los Alamos, NM 87545
101. Offir Frieder, George Mason University, Science and Technology Building, Computer Science Department, 4400 University Drive, Fairfax, Va 22030-4444
102. Robert E. Funderlic, Department of Computer Science, North Carolina State University, Raleigh, NC 27650
103. Dennis B. Gannon, Computer Science Department, Indiana University, Bloomington, IN 47401
104. C. William Gear, NEC Research Institute, 4 Independence Way, Princeton, NJ 08540
105. W. Morven Gentleman, Division of Electrical Engineering, National Research Council, Building M-50, Room 344, Montreal Road, Ottawa, Ontario, Canada K1A 0R8
106. Alan George, Vice President, Academic and Provost, Needles Hall, University of Waterloo, Waterloo, Ontario, Canada N2L 3G1

107. James Glimm, SUNY-Stony Brook, Department of Applied Mathematics and Statistics, Stony Brook, NY 11794
108. Gene Golub, Computer Science Department, Stanford University, Stanford, CA 94305
109. Joseph F. Grcar, Division 8245, Sandia National Laboratories, Livermore, CA 94551-0969
110. William D. Gropp, Mathematics and Computer Science Division, Argonne National Laboratory, 9700 South Cass Avenue, Argonne, IL 60439
111. Eric Grosse, AT&T Bell Labs 2T-504, Murray Hill, NJ 07974
112. Sanjay Gupta, ICASE, Mail Stop 132C, NASA Langley Research Center, Hampton, VA 23665-5225
113. John L. Gustafson, Ames Laboratory, 236 Wilhelm Hall, Iowa State University, Ames, IA 50011-3020
114. Christian Halloy, Assistant Director of JICS, 104 South College, Joint Institute for Computational Science, University of Tennessee, Knoxville, TN 37996-1301
115. Sven J. Hammarling, The Numerical Algorithms Group, Ltd., Wilkinson House, Jordan Hill Road, Oxford OX2 8DR, United Kingdom
116. Robert M. Haralick, Department of Electrical Engineering, Director, Intelligent Systems Lab, University of Washington, 402 Electrical Engineering Building, FT-10, Seattle, WA 98195
117. Ann H. Hayes, Computing and Communications Division, Los Alamos National Laboratory, Los Alamos, NM 87545
118. Michael T. Heath, National Center for Supercomputing Applications, 4157 Beckman Institute University of Illinois, 405 North Mathews Avenue, Urbana, IL 61801-2300
119. Gerald W. Hedstrom, L-71, Lawrence Livermore National Laboratory, P. O. Box 808, Livermore, CA 94550
120. Don E. Heller, Ames Laboratory, 327 Wilhelm, Ames, IA 50011
121. John L. Hennessy, CIS 208, Stanford University, Stanford, CA 94305
122. N. J. Higham, Department of Mathematics, University of Manchester, Gtr Manchester, M13 9PL, England
123. Dan Hitchcock, Office of Scientific Computing, ER-7, Applied Mathematical Sciences, Office of Energy Research, U.S. Department of Energy, Washington, DC 20585
124. Charles J. Holland, Air Force Office of Scientific Research, Building 410, Bolling Air Force Base, Washington, DC 20332
125. Fred Howes, Office of Scientific Computing, ER-7, Applied Mathematical Sciences, Office of Energy Research, Department of Energy, Washington, DC 20585
126. Robert E. Huddleston, Computation Department, Lawrence Livermore National Laboratory, P. O. Box 808, Livermore, CA 94550
127. Jenq-Neng Hwang, Department of Electrical Engineering, FT-10, University of Washington, Seattle, WA 98195

128. Ilse Ipsen, Department of Computer Science, Yale University, P. O. Box 2158 Yale Station, New Haven, CT 06520
129. Leah H. Jamieson, School of Electrical Engineering, Purdue University, West Lafayette, IN 47907
130. Gary Johnson, Office of Scientific Computing, ER-7, Applied Mathematical Sciences, Office of Energy Research, U.S. Department of Energy, Washington, DC 20585
131. Lennart Johnsson, Thinking Machines Corporation, 245 First Street, Cambridge, MA 02142-1214
132. Harry Jordan, Department of Electrical and Computer Engineering, University of Colorado, Boulder, CO 80309
133. Bo Kagstrom, Institute of Information Processing, University of Umea, 5-901 87 Umea, Sweden
134. Malvyn Kalos, Cornell Theory Center, Engineering and Theory Center Building, Cornell University, Ithaca, NY 14853-3901
135. Hans Kaper, Mathematics and Computer Science Division, Argonne National Laboratory, 9700 South Cass Avenue, Bldg. 221, Argonne, IL 60439
136. Alan H. Karp, HP Labs 3U-7, Hewlett-Packard Company, 1501 Page Mill Road, Palo Alto, CA 94304
137. Linda Kaufman, Bell Laboratories, 600 Mountain Avenue, Murray Hill, NJ 07974
138. Robert J. Kee, Applied Mathematics Division 8245, Sandia National Laboratories, Livermore, CA 94551-0969
139. Kenneth Kennedy, Department of Computer Science, Rice University, P.O. Box 1892, Houston, TX 77001
140. Tom Kitchens, Office of Scientific Computing, ER-7, Applied Mathematical Sciences, Office of Energy Research, U.S. Department of Energy, Washington, DC 20585
141. Clyde P. Kruskal, Department of Computer Science, University of Maryland, College Park, MD 20742
142. Edward Kushner, Intel Corporation, 15201 NW Greenbrier Parkway, Beaverton, OR 97006
143. Michael Langston, Department of Computer Science, University of Tennessee, Knoxville, TN 37996-1301
144. Richard Lau, Office of Naval Research, Code 111MA 800 Quincy Street, Boston Tower 1, Arlington, VA 22217-5000
145. Robert L. Launer, Army Research Office, P. O. Box 12211, Research Triangle Park, NC 27709
146. Tom Leighton, Lab for Computer Science, Massachusetts Institute of Technology, 545 Technology Square, Cambridge, MA 02139
147. Robert Leland, Sandia National Laboratories, 1424, P. O. Box 5800, Albuquerque, NM 87185-5800

148. Randall J. LeVeque, Applied Mathematics, FS-20, University of Washington, Seattle, WA 98195
149. John G. Lewis, Boeing Computer Services, P. O. Box 24346, M/S 7L-21, Seattle, WA 98124-0346
150. Heather M. Liddell, Center for Parallel Computing, Department of Computer Science and Statistics, Queen Mary College, University of London, Mile End Road, London E1 4NS, England
151. Brent Lindquist, SUNY-Stony Brook, Department of Applied Mathematics and Statistics, Stony Brook, NY 11794
152. Rik Littlefield, Pacific Northwest Laboratory, MS K1-87, P.O.Box 999, Richland, WA 99352
153. Joseph Liu, Department of Computer Science, York University, 4700 Keele Street, Downsview, Ontario, Canada M3J 1P3
154. Franklin Luk, Department of Computer Science, Amos Eaton Building — No. 131 Rensselaer Polytechnic Institute Troy, NY 12180-3590
155. Ewing Lusk, Mathematics and Computer Science Division, Argonne National Laboratory, 9700 South Cass Avenue, MCS 221 Argonne, IL 60439-4844
156. Allen D. Malony, Department of Computer and Information Science, University of Oregon, Eugene, OR 97403
157. Thomas A. Manteuffel, Department of Mathematics, University of Colorado - Denver, Denver, CO 80202
158. Anita Mayo, IBM T. J. Watson Research Center, P. O. Box 218, Yorktown Heights, NY 10598
159. Oliver McBryan, University of Colorado at Boulder, Department of Computer Science, Campus Box 425, Boulder, CO 80309-0425
160. James McGraw, Lawrence Livermore National Laboratory, L-306, P. O. Box 808, Livermore, CA 94550
161. Piyush Mehrotra, ICASE, Mail Stop 132C, NASA Langley Research Center, Hampton, VA 23665
162. Paul C. Messina, Mail Code 158-79, California Institute of Technology, 1201 E. California Boulevard, Pasadena, CA 91125
163. Cleve B. Moler, MathWorks, 325 Linfield Place, Menlo Park, CA 94025
164. Jorge J. More, Mathematics and Computer Science Division, Argonne National Laboratory, 9700 South Cass Avenue, Argonne, IL 60439
165. William A. Mulder, Koninklijke Shell Exploratie en Produktie Laboratorium, Postbus 60, 2280 AB Rijswijk, The Netherlands
166. David Nelson, Director, Office of Scientific Computing, ER-7, Applied Mathematical Sciences, Office of Energy Research, U.S. Department of Energy, Washington, DC 20585
167. V. E. Oberacker, Department of Physics, Vanderbilt University, Box 1807, Station B, Nashville, TN 37235

168. Dianne P. O'Leary, Computer Science Department, University of Maryland, College Park, MD 20742
169. Joseph Oliger, Computer Science Department, Stanford University, Stanford, CA 94305
170. James M. Ortega, Department of Computer Science, Thornton Hall, University of Virginia, Charlottesville, VA 22901
171. Steve Otto, Oregon Graduate Institute, Department of Computer Science and Engineering, 19600 NW von Neumann Drive, Beaverton, OR 97006-1999
172. Cherri Pancake, Department of Computer Science, Oregon State University, Corvallis, OR 97331-3202
173. Joseph E. Pasciak, Applied Mathematics, Brookhaven National Laboratory, Upton, NY 11973
174. Merrell Patrick, National Science Foundation, 1800 G Street N.W., Washington, DC 20550
175. David Payne, Intel Corporation, Supercomputer Systems Division, 15201 NW Greenbrier Parkway, Beaverton, OR 97006
176. Ronald F. Peierls, DAS — Bldg. 490-D, P.O. Box 5000, Brookhaven National Laboratory, Upton, NY 11973
177. Linda R. Petzold, Computer Science Department, University of Minnesota, 200 Union Street, S.E., Room 4-192, Minneapolis, MN 55455
178. Dan Pierce, Boeing Computer Services, P.O. Box 24346, M/S 7L-21, Seattle, WA 98124-0346
179. Paul Pierce, Intel Corporation, Supercomputer Systems Division, 15201 NW Greenbrier Parkway, Beaverton, OR 97006
180. Robert J. Plemmons, Departments of Mathematics and Computer Science, Box 7311, Wake Forest University, Winston-Salem, NC 27109
181. James C. T. Pool, Deputy Director, Caltech Concurrent Supercomputing Facility, California Institute of Technology, MS 158-79, Pasadena, CA 91125
182. Jesse Poore, Computer Science Department, University of Tennessee, Knoxville, TN 37996-1300
183. David A. Poplawski, Department of Computer Science, Michigan Technological University, Houghton, MI 49931
184. Roldan Pozo, University of Tennessee, 107 Ayres Hall, Department of Computer Science, Knoxville, TN 37996-1301
185. Padma Raghavan, University of Illinois, NCSA, 4151 Beckman Institute, 405 North Matthews Avenue, Urbana, IL 61801
186. Daniel A. Reed, Computer Science Department, University of Illinois, Urbana, IL 61801
187. John K. Reid, Numerical Analysis Group, Central Computing Department, Atlas Centre, Rutherford Appleton Laboratory, Didcot, Oxon OX11 0QX, England
188. John R. Rice, Computer Science Department, Purdue University, West Lafayette, IN 47907

189. Garry Rodrigue, Numerical Mathematics Group, Lawrence Livermore National Laboratory, Livermore, CA 94550
190. Donald J. Rose, Department of Computer Science, Duke University, Durham, NC 27706
191. Ahmed H. Sameh, Department of Computer Science, University of Minnesota, 200 Union Street S.E., Minneapolis, MN 55455
192. Joel Saltz, Computer Science Department, A.V. Williams Building, University of Maryland, College Park, MD 20742
193. Jorge Sanz, IBM Almaden Research Center, Department K53/802, 650 Harry Road, San Jose, CA 95120
194. Robert B. Schnabel, Department of Computer Science, University of Colorado at Boulder, ECOT 7-7 Engineering Center, Campus Box 430, Boulder, CO 80309-0430
195. Robert Schreiber, RIACS, MS T27A-1, NASA Ames Research Center, Moffet Field, CA 94035
196. Martin H. Schultz, Department of Computer Science, Yale University, P. O. Box 2158 Yale Station, New Haven, CT 06520
197. David S. Scott, Intel Scientific Computers, 15201 N.W. Greenbrier Parkway, Beaverton, OR 97006
198. The Secretary, Department of Computer Science and Statistics, The University of Rhode Island, Kingston, RI 02881
199. Charles L. Seitz, Department of Computer Science, California Institute of Technology, Pasadena, CA 91125
200. Margaret L. Simmons, Computing and Communications Division, Los Alamos National Laboratory, Los Alamos, NM 87545
201. Horst D. Simon, NASA Ames Research Center, Mail Stop T045-1, Moffett Field, CA 94035
202. William C. Skamarock, 3973 Escuela Court, Boulder, CO 80301
203. Tony Skjellum, Dept of Computer Science, Mississippi State University, PO Drawer CS, Mississippi State, MS 39762-5623
204. Burton Smith, Tera Computer Company, 400 North 34th Street, Suite 300, Seattle, WA 98103
205. Marc Snir, IBM T.J. Watson Research Center, Department 420/36-241, P. O. Box 218, Yorktown Heights, NY 10598
206. Larry Snyder, Department of Computer Science and Engineering, FR-35, University of Washington, Seattle, WA 98195
207. Danny C. Sorensen, Department of Mathematical Sciences, Rice University, P. O. Box 1892, Houston, TX 77251
208. Rick Stevens, Mathematics and Computer Science Division, Argonne National Laboratory, 9700 South Cass Avenue, Argonne, IL 60439
209. G. W. Stewart, Computer Science Department, University of Maryland, College Park, MD 20742

210. Paul N. Swarztrauber, National Center for Atmospheric Research, P. O. Box 3000, Boulder, CO 80307
211. Julie Swisshelm, Sandia National Laboratories, 1421, Parallel Computational Sciences Department, Albuquerque, New Mexico 87185-5800
212. Wei Pai Tang, Department of Computer Science, University of Waterloo, Waterloo, Ontario, Canada N2L 3G1
213. Bernard Tourancheau, LIP ENS-Lyon 69364, Lyon cedex 07, France
214. Joseph F. Traub, Department of Computer Science, Columbia University, New York, NY 10027
215. Lloyd N. Trefethen, Department of Computer Science, Cornell University, Ithaca, NY 14853
216. Robert van de Geijn, University of Texas, Department of Computer Sciences , TAI 2.124, Austin, TX 78712
217. Charles Van Loan, Department of Computer Science, Cornell University, Ithaca, NY 14853
218. Udaya B. Vemulapati, Department of Computer Science, University of Central Florida, Orlando, FL 32816-0362
219. Robert G. Voigt, National Science Foundation, Room 417, 1800 G Street N.W., Washington, DC 20550
220. Bi R. Vona, Center for Numerical Analysis, RLM 13.150, University of Texas at Austin, Austin, TX 78712
221. Henk A. van der Vorst, Professor Dept. of Mathematics, Universiteit Utrecht, P.O. Box 80010, 3508 TA, Utrecht, THE NETHERLANDS
222. Michael D. Vose, 107 Ayres Hall, Department of Computer Science, University of Tennessee, Knoxville, TN 37996-1301
223. Phuong Vu, Cray Research, Inc., 19607 Franz Road, Houston, TX 77084
224. A. J. Wathen, School of Mathematics, University Walk, Bristol BSB 1TW, England
225. Robert P. Weaver, 1555 Rockmont Circle, Boulder, CO 80303
226. Mary F. Wheeler, Department of Mathematical Sciences, Rice University, P. O. Box 1892, Houston, TX 77251
227. Andrew B. White, Computing Division, Los Alamos National Laboratory, Los Alamos, NM 87545
228. John Zahorjan, Department of Computer Science and Engineering, Sieg Hall, FR-35, University of Washington, Seattle, WA 98195
229. Office of Assistant Manager for Energy Research and Development, U.S. Department of Energy, Oak Ridge Operations Office, P. O. Box 2001, Oak Ridge, TN 37831-8600
- 230-231. Office of Scientific & Technical Information, P. O. Box 62, Oak Ridge, TN 37831