**ENVIRONMENTAL
RESTORATION
PROGRAM****Technical Specification for Transferring
Tank Construction Data to the Oak Ridge
Environmental Information
System (OREIS)****RECEIVED
JUN 28 1996
OSTI****DISCLAIMER**

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

This document has been approved by the
K-25 Site Technical Information Office
for release to the public. Date: 6/13/96
ENERGY SYSTEMS

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED**ER**
»»»»»**MASTER**

MANAGED BY
LOCKHEED MARTIN ENERGY SYSTEMS, INC.
FOR THE UNITED STATES
DEPARTMENT OF ENERGY

This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from the Office of Scientific and Technical Information, P.O. Box 62, Oak Ridge, TN 37831; prices available from 423-576-8401 (fax 423-576-2865).

Available to the public from the National Technical Information Service, U.S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

**Technical Specification for Transferring
Tank Construction Data to the Oak Ridge
Environmental Information
System (OREIS)**

Environmental Restoration Division
P. O. Box 2003
Oak Ridge, Tennessee 37831-7298

Date Issued—June 1996

Prepared by the
Oak Ridge Environmental Information System
(OREIS) Program

Prepared for
U.S. Department of Energy
Office of Environmental Management
under budget and reporting code EW 20

LOCKHEED MARTIN ENERGY SYSTEMS, INC.
managing the
Environmental Management Activities at the
Oak Ridge K-25 Site Paducah Gaseous Diffusion Plant
Oak Ridge Y-12 Plant Portsmouth Gaseous Diffusion Plant
Oak Ridge National Laboratory
under contract DE-AC05-84OR21400
for the
U.S. Department of Energy

APPROVAL

**Technical Specification for Transferring
Tank Construction Data to the Oak Ridge
Environmental Information
System (OREIS)
(ES/ER/TM-189)**

Approved by: Date: 5/12/96
T. L. James
OREIS Data Base Team Leader

Approved by: Date: 5/10/96
M. P. North
OREIS Data Modeler/Tank Team Facilitator

Approved by: Date: 6/3/96
A. M. Stanley
K-25 Tank Representative

Approved by: Date: 5/10/96
M. L. Whitehead
LMES Inactive Tanks Facility Manager

Approved by: Date: 5.28.96
B. A. Watts
OREIS Program Manager

Approved by: Date: 5/28/96
B. C. Zygmunt
OREIS Data Base Administrator

PREFACE

The purpose of this technical specification report is to address the consolidated environmental data requirements of the Federal Facility Agreement (FFA) and the Tennessee Oversight Agreement (TOA) and to document the technical specifications for transmitting tank construction data to the Oak Ridge Environmental Information System (OREIS). This work was performed under Work Breakdown Structure Number 1.4.12.2.3.04.04.01 (Activity Data Sheet 8304).

ACKNOWLEDGMENTS

B. A. Watts, an employee of Environmental Restoration, Lockheed Martin Energy Systems, Inc. (LMES), is Program Manager of the Oak Ridge Environmental Information System (OREIS). OREIS Team Leaders are P. J. Pace, T. L. James, M. L. Land, J. K. Thomas, and E. P. Tinnel. E. P. Tinnel is a member of the Computational Physics and Engineering Division (CPED), Oak Ridge National Laboratory (ORNL); P. J. Pace and T. L. James are University of Tennessee (UT) subcontractors with CPED. M. L. Land and J. K. Thomas are members of the Health Sciences Research Division (HSRD), ORNL.

M. P. North, lead author of this document and facilitator for the Tanks Technical Specifications Team, is a member of Data Systems Research and Development (DSRD), LMES.

The author acknowledges the contributions of the members of the Tank Specifications Team who were instrumental in developing the specifications presented in this document. Team members and their affiliations include: G. W. Thompson, a former member of Environmental Restoration Division, LMER; M. L. Whitehead, a member of Environmental Restoration Division, LMES; A. M. Stanley, a member of Health Sciences Research Division, LMER; T. L. James, a UT subcontractor with CPED, LMER; and B. C. Zygmunt, a member of CPED, LMER.

CONTENTS

PREFACE	iii
ACKNOWLEDGMENTS	v
ABBREVIATIONS	ix
EXECUTIVE SUMMARY	xi
1. INTRODUCTION	1
1.1 PURPOSE	1
1.2 SCOPE	1
1.3 PARTICIPANTS	1
1.4 FREQUENCY OF SUBMISSION	1
1.5 OREIS DATA MODEL	1
2. ROLES AND RESPONSIBILITIES	2
2.1 ENVIRONMENTAL RESTORATION ORGANIZATION	2
2.2 OREIS	2
3. LOGICAL FILE LAYOUT AND BUSINESS RULES	4
3.1 TANK CONSTRUCTION DATA	4
3.1.1 PROJECT Entity Type	4
3.1.2 STATION Entity Type	6
3.1.3 LOCATION Entity Type	7
3.1.4 STATION_EVENT Entity Type	9
3.1.5 STAT_ALIAS Entity Type	9
3.1.6 PROJECT_STATION_EVENT Entity Type	10
3.1.7 TANK Entity Type	10
3.1.8 TANK_MEDIA_TYPE Entity Type	13
3.1.9 CONTAIN_SYS_TYPE Entity Type	13
3.1.10 REFERENCE_SOURCE Entity Type	14
4. CHANGES TO OREIS DATA MODEL	15
5. CHANGES TO OREIS CODE TABLES	16
6. VALID VALUES FOR OREIS CODE_TYPES	19
7. DATA TRANSFER SPECIFICATIONS	22
8. OREIS DATA INTEGRITY CHECKS	23
9. REQUESTING CHANGES TO TANK CONSTRUCTION DATA IN OREIS	24
10. CONFIGURATION CONTROL	25

REFERENCES	26
------------------	----

Appendix. OREIS ENTITY RELATIONSHIP DIAGRAM	A-1
---	-----

ABBREVIATIONS

C	conditional
CPED	Computational Physics and Engineering Division
CWA	Clean Water Act
DOE	U.S. Department of Energy
EPA	Environmental Protection Agency
ER	Environmental Restoration
FCAP	Filled Coal Ash Pond
FFA	Federal Facility Agreement
HSRD	Health Sciences Research Division
LMES	Lockheed Martin Energy Systems, Inc.
M	mandatory
M&O	Maintenance and Operations
msl	mean sea level
NPDES	National Pollutant Discharge Elimination System
OREIS	Oak Ridge Environmental Information System
ORNL	Oak Ridge National Laboratory
ORR	Oak Ridge Reservation
PAD	Paducah Gaseous Diffusion Plant
PORTS	Portsmouth Gaseous Diffusion Plant
R	recommended
RTL	ready-to-load
SWMU	Solid Waste Management Unit
TDEC	Tennessee Department of Environment and Conservation
TOA	Tennessee Oversight Agreement
UT	University of Tennessee

EXECUTIVE SUMMARY

In February 1996, a team was formed to develop, document, and implement technical specifications for transmitting tank construction data to the Oak Ridge Environmental Information System (OREIS). This document describes the requirements, responsibilities, criteria, and format for transmitting tank construction data to OREIS as determined by the Tank Technical Specification Team. The approach used to transmit these data is documented in ERWM/ER-P2701, *Transmitting Data to the Oak Ridge Environmental Information System*.

1. INTRODUCTION

1.1 PURPOSE

The primary goal of this technical specification is to meet the consolidated environmental data requirements defined by the Federal Facility Agreement (FFA) and the Tennessee Oversight Agreement (TOA) as they pertain to tank construction data maintained in Oak Ridge, Tennessee, by the U.S. Department of Energy's (DOE) Maintenance and Operations (M&O) contractor Lockheed Martin Energy Systems, Inc. (LMES), and prime contractors to the Department of Energy (DOE).

This technical specification describes the organizational responsibilities for loading tank construction data into OREIS, describes the logical and physical data transfer files, addresses business rules and submission rules, addresses configuration control of this technical specification, and addresses required changes to the current OREIS data base structure based on site requirements.

1.2 SCOPE

This technical specification addresses the tank construction data maintained by the Y-12, K-25, and ORNL sites that will be sent to OREIS. The initial submission of data will include only inactive Environmental Restoration tanks as specified by the FFA.

1.3 PARTICIPANTS

The team consisted of site tank representatives and OREIS technical staff. The initial activities required tank representatives to determine the availability of data for loading into OREIS and to alter data management activities as required to conform to a common data transfer specification. Follow-on activities required computing personnel to modify, test, and implement application systems to transfer the data via the technical specification.

1.4 FREQUENCY OF SUBMISSION

When fully implemented, tank construction data will be sent to OREIS for the inactive Environmental Restoration FFA tanks which pertain to the gunite monitoring tank data and the Old Hydrofracture Facility monitoring tank data. Any new tank construction data will be sent to OREIS prior to or with any associated tank measurements data.

1.5 OREIS DATA MODEL

Reference the latest revision of the *Data Dictionary for the Oak Ridge Environmental Information System*, ES/ER/TM-116 for a definition of the measurement data base structures, descriptions of the data base tables, and listings of valid values for codes, parameters, and methods.

The appendix contains the OREIS Entity Relationship Diagram.

2. ROLES AND RESPONSIBILITIES

2.1 ENVIRONMENTAL RESTORATION ORGANIZATION

The site environmental restoration programs collect tank construction data and are responsible for overseeing the data activities for transmitting data to the DOE, appropriate regulatory agencies, and to OREIS. Other responsibilities include compiling data into a data base; quality assuring data and metadata; transmitting data to OREIS as defined in this specification; and using valid values listings (e.g., codes, parameters, units of measure) as agreed upon by the team. Each site is responsible for data verification and standardization prior to transmitting data to OREIS.

2.2 OREIS

OREIS is the consolidated environmental data base that provides consistent and well documented environmental data and data products to support the planning, decision making, and reporting activities of DOE, DOE's M&O contractor, DOE's prime contractors, and DOE subcontractors. OREIS will receive and process tank construction data from the sites as defined in this specification. OREIS responsibilities include:

- obtaining a data transmittal package from each site which indicates the location of the data transfer file and the individual transmitting the data (e.g., the site may have a directory on the OREIS machine where the data transfer file can be copied; the transmittal package tells OREIS the file is ready to process);
- processing the data received;
- conducting data base integrity checks;
- loading the data into OREIS;
- providing a processing summary for review by data generators (to obtain authorization to release the data to the public);
- providing the data and metadata to DOE, Environmental Protection Agency (EPA), and Tennessee Department of Environment and Conservation (TDEC);
- providing a user-friendly and integrated means of accessing the data contained in the OREIS data base;
- maintaining and validating the valid values listings for codes, parameters, units of measure, analysis methods, etc.;
- maintaining a data dictionary which defines all OREIS data base tables, field names, field definitions, field formats, field optionality, etc.;
- communicating changes to the lists of OREIS code values to users through the OREIS User Services activities;

- providing a way for modifications to this specification and the tank construction data to be easily communicated and implemented using the latest revision of ER procedure ERWM/ER-P2703, *Submitting, Reviewing, and Approving Changes to the Oak Ridge Environmental Information System (OREIS)*; and
- making every possible and reasonable effort to ensure that the tank construction data are not manipulated or misrepresented such that invalid conclusions may be drawn from the use of the data.

3. LOGICAL FILE LAYOUT AND BUSINESS RULES

This section contains a logical representation of the subset of the OREIS model that pertains to the tank construction data. The entity names, entity definitions, field names, data types, field lengths, and field definitions are shown for each entity type. The requirement for each field is shown under the Req. (requirement) column. The categories are "M" (mandatory), "R" (recommended), and "C" (conditional). Field names marked "M" must be sent to OREIS. The data for "R" fields, if it is available or can be obtained, should be transmitted to OREIS. The physical data base field name is in ("[]") brackets.

Specifications for physically transmitting data to OREIS and associated submission rules are in Sect. 7.

3.1 TANK CONSTRUCTION DATA

The following entity types contain fields associated with transferring tank construction data to OREIS.

3.1.1 PROJECT Entity Type

A PROJECT is an environmental program responsible for collecting samples or taking measurements and creating regulatory reports. A PROJECT is defined by its site (or facility), sponsor, and project domain (either the geographic domain of the project within a site or its thematic domain).

Field Name	Data Type	Length	Req.	Definition
Project Site [PROJ_SITE]	VARCHAR2	10	M	Coded value that represents the site initiating the work (e.g., X-10, Y-12, K-25, ORR, PAD, PORTS, OFFSITE). See CODE table where CODE_TYPE = PROJ_SITE for a list of valid values and their descriptions.
Project Code [PROJ_CODE]	VARCHAR2	30	M	Acronym assigned by the project (e.g., 'FCAP' for Filled Coal Ash Pond, 'NPDES' for National Pollutant Discharge Elimination System, K-25 Groundwater, Y-12 Groundwater).

Field Name	Data Type	Length	Req.	Definition
Project Name [PROJ_NAME]	VARCHAR2	100	M	Name of the project assigned by the project staff (e.g., National Pollutant Discharge Elimination System, Y-12 Groundwater).
Date Completed [D_COMPLETED]	DATE	.	C	Date the project was completed, if applicable.
Date Initiated [D_INITIATED]	DATE	.	R	Date that the project was initiated.
Project Contact [PROJ_CONTACT]	VARCHAR2	20	R	The person at the site responsible for reporting data to DOE, the State of Tennessee, or a regulatory agency (e.g., format = JB SMITH).
Project Description [PROJ_DESCRIPTION]	VARCHAR2	240	R	Description of the project, often taken from ORR Site Management Plan of the ER Program.
Project Program [PROJ_PROGRAM]	VARCHAR2	8	R	The environmental program, legislation, or DOE order that initiated the project (e.g., the Clean Water Act [CWA]).
Sponsor [SPONSOR]	VARCHAR2	50	R	The organization responsible for data generation (e.g., Y-12 Environmental Management).
ADS Name [ADS_NAME]	VARCHAR2	60	R	Activity data sheet name.
ADS Number [ADS_NUM]	VARCHAR2	10	R	Activity data sheet number.
Comments [COMMENTS]	VARCHAR2	2000	R	Comments about the project.

Business Rules:

- If a PROJECT record already exists in OREIS, with the submission of tank construction data the PROJ_SITE, PROJ_CODE, and PROJ_NAME must be supplied at a minimum to help identify the PROJECT the tank construction data belongs to.

3.1.2 STATION Entity Type

The STATION table contains data about sampling points associated with one or more projects. Each point has a distinct station name/station type within a project.

Field Name	Data Type	Length	Req.	Definition
Station Name [STA_NAME]	VARCHAR2	15	M	Unique station name assigned by the individual projects (e.g., GW101).
Station Type [STA_TYPE]	VARCHAR2	2	M	Coded value that represents the type of station (e.g., seep, spring, well). See CODE table where CODE_TYPE = STA_TYPE for a list of valid values and their descriptions.
Station Status [STA_STATUS]	VARCHAR2	2	R	Coded value that represents the status of the station (e.g., active, inactive, destroyed, lost, plugged and abandoned). See CODE table where CODE_TYPE = STA_STATUS for a list of valid values and their descriptions.
Station Description [STA_DESC]	VARCHAR2	200	R	Description of the specific sampling or measuring location.
Date Discontinued [D_DISCONTINUED]	DATE	.	C	Date the station was discontinued or plugged and abandoned in the field, if applicable.
Date Established [D_ESTABLISHED]	DATE	.	C	Date the station was established in the field. For a hole, this is the date when construction of the hole is completed.

Field Name	Data Type	Length	Req.	Definition
Associated Facility Number [ASSOC_FACILITY_ NO]	VARCHAR2	8	C	Environmental Restoration Program Facility or building number associated with the station.
Comments [COMMENTS]	VARCHAR2	2000	R	Comments about the station.

Business Rule(s):

- The STA_NAME + STA_TYPE must be unique within a project.
- If a STATION record already exists in OREIS for a particular tank, at a minimum the STA_NAME and STA_TYPE must be supplied with the submission of tank construction data to help identify the STATION the tank construction data are associated with.

3.1.3 LOCATION Entity Type

The LOCATION table contains coordinate and other information describing a point on the ground. Most locations are points described by x y coordinates, but a location could be a line or a polygon where measuring events occur. In those cases, a single point, such as the estimated center point, is used.

Field Name	Data Type	Length	Req.	Definition
Site [SITE]	VARCHAR2	10	M	Coded value that represents the site where the coordinates are located (e.g., X-10, Y-12, K-25, ORR, PAD, PORTS, OFFSITE). See CODE table where CODE_TYPE = SITE for a list of valid values and their descriptions.
Received X Coordinate [RCVD_X]	NUMBER	.	M	Received X-value of the distance in feet or decimal degrees, of a sampling or measuring location from the reference location.

Field Name	Data Type	Length	Req.	Definition
Received Y Coordinate [RCVD_Y]	NUMBER	.	M	Received Y-value of the distance in feet or decimal degrees, of a sampling or measuring location from the reference location.
Received Coordinate System [RCVD_COORD_SYS]	VARCHAR2	10	M	Coded value that represents the coordinate system which defines units used for RCVD_X and RCVD_Y. See CODE table where CODE_TYPE = RCVD_COORD_SYS for a list of valid values and their descriptions.
Date Location Established [D_LOC_ESTABLISHED]	DATE	.	R	The date the location was surveyed.
Elevation Error [ELV_ERROR]	NUMBER	.	R	Elevation measurement error in feet.
Elevation Method [ELV_METHOD]	VARCHAR2	10	C	Coded value that represents the elevation measurement method. See CODE table where CODE_TYPE = ELV_METHOD for a list of valid values and their descriptions.
Ground Elevation [GRND_ELV]	NUMBER	.	R	Elevation of ground surface (for groundwater, soil, or sediment sampling) at a sampling or measuring location in feet above mean sea level (msl).
Location Description [LOC_DESC]	VARCHAR2	200	R	The description of the location of the station.
Solid Waste Management Unit [SWMU]	VARCHAR2	10	C	Acronym for Solid Waste Management Unit, if applicable.

Field Name	Data Type	Length	Req.	Definition
Comments [COMMENTS]	VARCHAR2	2000	R	Comments about the location.

3.1.4 STATION_EVENT Entity Type

The STATION_EVENT table contains data about an event occurring at one station, during which SAMPLES and any associated FLD_SMP_MEASUREMENTS are taken at a point in time. FIELD_MEASUREMENTS can also be taken during a STATION_EVENT which are not directly associated with a SAMPLE.

Field Name	Data Type	Length	Req.	Definition
Date Start [D_START]	DATE	.	M	The date the sampling began at the STATION.
Date End [D_END]	DATE	.	M	The date the sampling ended at the STATION.
Event Name [EVENT_NAME]	VARCHAR2	40	R	The EVENT_NAME indicates the grouping of measurement results designated by the project.
Time End [T_END]	VARCHAR2	4	R	The time the sampling ended at the station.
Time Start [T_START]	VARCHAR2	4	R	The time the sampling started at the station.
Comments [COMMENTS]	VARCHAR2	2000	R	Comments about the station event.

Business Rules:

- If a STATION_EVENT record already exists in OREIS, with the submission of tank construction data the D_START, D_END and/or EVENT_NAME must be supplied at a minimum to help identify the STATION_EVENT the tank construction data belongs to.

3.1.5 STAT_ALIAS Entity Type

An alternate name by which a given station is identified.

Field Name	Data Type	Length	Req.	Definition
Alias Name [ALIAS_NAME]	VARCHAR2	40	M	Alternative or additional names used in records and reports to refer to the station.

Field Name	Data Type	Length	Req.	Definition
Comments [COMMENTS]	VARCHAR2	2000	R	Comments about the station alias.

3.1.6 PROJECT_STATION_EVENT Entity Type

The PROJECT_STATION_EVENT table is an association of a STATION_EVENT which has data of interest to a specific PROJECT. Resolves the fact that data collected during a particular STATION_EVENT may be shared by multiple PROJECTs.

Field Name	Data Type	Length	Req.	Definition
Station Group [STA_GROUP]	VARCHAR2	30	R	The STA_GROUP indicates the grouping of stations designated by the project_based sampling design or other criteria (e.g., general category of discharge). For NPDES data, this field will contain one of the following outfall categories: CATEGORY I, CATEGORY II, CATEGORY III, and CATEGORY IV. A category is a grouping of out falls for NPDES data.
Sample Group [SMP_GROUP]	VARCHAR2	30	R	The SMP_GROUP indicates the grouping of measurement events designated by the project-based sampling design or other criteria, if available.

Business Rules:

- The STA_GROUP is used to indicate the grouping of tanks (e.g., GROUP1, GROUP2).

3.1.7 TANK Entity Type

A TANK is an environmental container as defined in the Federal Facility Agreement (FFA) for the Oak Ridge Reservation (ORR). A tank is assigned to one of four categories (A, B, C, D). A tank can be new or replacement tank system(s) with secondary containment; an existing tank system(s) with secondary containment; an existing tank system(s) without secondary containment; or an existing tank system(s) without secondary containment that are removed from service.

Field Name	Data Type	Length	Req.	Definition
Federal Facility Agreement Category [FFA_CAT]	VARCHAR2	2	M	Coded value that represents the Federal Facility Agreement Category assigned to a tank. See CODE table where CODE_TYPE = FFA_CAT for a list of valid values and their descriptions.
Level Detection [LEVEL_DETECT]	VARCHAR2	4	R	Coded value that represents the type of device installed to measure tank levels. See CODE table where CODE_TYPE = LEVEL_DETECT for a list of valid values and their descriptions.
Tank Construction Material [TANK_CONSTR_MAT]	VARCHAR2	3	M	Coded value that represents the physical material used to construct the tank shell and related components. See CODE table where CODE_TYPE = TANK_CONSTR_MAT for a list of valid values and their descriptions.
Cathode Protection [CATH_PROT]	VARCHAR2	2	R	A logical field denoting if cathodic protection was implemented for the tank (e.g., Y=Yes, N=No, NA=Not Available).
Tank Orientation [TANK_ORIENT]	VARCHAR2	1	R	Coded value that represents the orientation of the tank's major axis. See CODE table where CODE_TYPE = TANK_ORIENT for a list of valid values and their descriptions.
Outer Diameter Value [OUTER_DIAM_VAL]	NUMBER		R	Measurement of the outer diameter about the tank's major axis, in feet.

Field Name	Data Type	Length	Req.	Definition
Height Value [HEIGHT_VAL]	NUMBER		C	Measurement of height about the tank's major axis. The height of the tank must be supplied if the TANK_ORIENT is vertical.
Length Value [LENGTH_VAL]	NUMBER		C	Measurement of length about the tank's major axis. The length of the tank must be supplied if the TANK_ORIENT is horizontal.
Capacity [CAPACITY]	NUMBER		R	Measurement of tank volume.
Capacity Unit [CAP_UNIT]	VARCHAR2	10	R	Coded value that represents the units of measure used to report the parameter value. See CODE table where CODE_TYPE = CAP_UNITS for a list of valid values and their descriptions.
Burial Depth [BURIAL_DEPTH]	NUMBER		R	Burial depth to top of tank, relative to the ground surface.
Burial Depth Unit [BURIAL_UNIT]	VARCHAR2	10	R	Coded value that represents the units of measure used to report the parameter value. See CODE table where CODE_TYPE = BURIAL_UNITS for a list of valid values and their descriptions.
Shell Thickness [SHELL_THICKNESS]	NUMBER		R	Measurement of tank wall thickness about the major axis.
Shell Thickness Unit [SHELL_UNIT]	VARCHAR2	10	R	Coded value that represents the units of measure used to report the parameter value. See CODE table where CODE_TYPE = SHELL_UNITS for a list of valid values and their descriptions.

Field Name	Data Type	Length	Req.	Definition
Head Thickness [HEAD_THICKNESS]	NUMBER		R	Measurement of tank wall thickness at ends or top/bottom.
Head Thickness Unit [HEAD_UNIT]	VARCHAR2	10	R	Coded value that represents the units of measure used to report the parameter value. See CODE table where CODE_TYPE = HEAD_UNITS for a list of valid values and their descriptions.

3.1.8 TANK_MEDIA_TYPE Entity Type

The TANK_MEDIA_TYPE is the medium(s) from which a sample was collected in the tank.

Field Name	Data Type	Length	Req.	Definition
Media Type [MED_TYPE]	VARCHAR2	2	M	Coded value that represents the part of the environment from which a sample is collected, or on which a field measurement or observation is made. See CODE table where CODE_TYPE = MED_TYPE for a list of valid values and their descriptions.

3.1.9 CONTAIN_SYS_TYPE Entity Type

The CONTAIN_SYS_TYPE table relates to the structural integrity as defined by DOE for each tank system.

Field Name	Data Type	Length	Req.	Definition
Containment System Type [CONTAIN_SYS_TYPE]	VARCHAR2	4	M	Coded value that represents the method of secondary containment for a tank. See CODE table where CODE_TYPE = CONTAIN_SYS_TYPE for a list of valid values and their descriptions.

3.1.10 REFERENCE_SOURCE Entity Type

A REFERENCE_SOURCE is a reference to any documentation containing detailed information about a specific location, or the effluent limitations and monitoring requirements under which stations are monitored (e.g., NPDES permit).

Field Name	Data Type	Length	Req.	Definition
Comments [COMMENTS]	VARCHAR2	2000	R	Comments about the reference source.
Document Title [DOC_TITLE]	VARCHAR2	2000	R	The official title of a given publication/document/geophysical log.
Publication Date [D_PUBLICATION]	DATE	.	R	The day, month, and year on which a given reference source was disseminated.
Reference Source Number [REF_SRCE_NUM]	VARCHAR2	20	M	A number which identifies a specific reference source for a given location, bore hole/well, or the permit number(s) under which the station is monitored.

4. CHANGES TO OREIS DATA MODEL

This section describes proposed changes made to the OREIS data model to support tank construction data.

Add the following entity types and corresponding definitions to the data model:

TANK	Sect. 3.1.7
TANK_MEDIA_TYPE	Sect. 3.1.8
CONTAIN_SYS_TYPE	Sect. 3.1.9

Add the field ASSOC_FACILITY_NO to the STATION table with the following definition.

Field Name	Data Type	Length	Req.	Definition
Associated Facility Number [ASSOC_FACILITY_NO]	VARCHAR2	8	C	Environmental Restoration Program Facility or building number associated with the station.

5. CHANGES TO OREIS CODE TABLES

This section describes proposed changes made to the OREIS code tables to support tank construction data.

Add CODE_TYPE of FFA_CAT with the following codes.

Code_Type	Code	Code_Description
FFA_CAT	A	New or replacement tank system(s) with secondary containment.
	B	Existing tank system(s) with secondary containment.
	C	Existing tank system(s) without secondary containment.
	D	Existing tank system(s) without secondary containment that are removed from service.
	UN	Unknown
	?	Other, defined in COMMENTS column

Add CODE_TYPE of LEVEL_DETECT with the following codes.

Code_Type	Code	Code_Description
LEVEL_DETECT	CP	Conductivity Probe
	FS	Float and Staff
	PMG	Pneumatic Gauge
	UN	Unknown
	?	Other, defined in COMMENTS column

Add CODE_TYPE of TANK_CONSTR_MAT with the following codes.

Code_Type	Code	Code_Description
TANK_CONSTR_MAT	CS	Carbon Steel
	GUN	Gunitite
	MC	Metal Composite
	SLS	Stainless Steel

UN	Unknown
?	Other, defined in COMMENTS column

Add CODE_TYPE of CONTAIN_SYS_TYPE with the following codes.

Code_Type	Code	Code_Description
CONTAIN_SYS_TYPE	CV	Concrete Vault
	CPMS	Concrete Pit with Monitored Sump
	CD	Concrete Dike
	EPXV	Epoxy Lined Concrete Vault
	RL	Rubber Lined
	SLSV	Stainless Steel Lined Vault
	UN	Unknown
	?	Other, defined in COMMENTS column

Add CODE_TYPE of TANK_ORIENT with the following codes.

Code_Type	Code	Code_Description
TANK_ORIENT	H	Horizontal
	V	Vertical

Modify CODE_TYPE of MED_TYPE with the following codes.

Code_Type	Code	Code_Description
MED_TYPE	LT	Liquid from tank
	SN	Super natant

Add CODE_TYPE of CAP_UNIT with the following codes.

Code_Type	Code	Code_Description
CAP_UNIT	gal	gallon

Add CODE_TYPE of BURIAL_UNIT with the following codes.

Code_Type	Code	Code_Description
BURIAL_UNIT	ft	foot
	in	inch

Add CODE_TYPE of SHELL_UNITS with the following codes.

Code_Type	Code	Code_Description
SHELL_UNIT	in	inch

Add CODE_TYPE of HEAD_UNIT with the following codes.

Code_Type	Code	Code_Description
HEAD_UNIT	in	inch

6. VALID VALUES FOR OREIS CODE_TYPES

The following list contains proposed valid values for those CODE_TYPES that pertain specifically to tank construction data. Refer to the latest revision of the *Data Dictionary for the Oak Ridge Environmental Information System*, ES/ER/TM-116, for the most current and complete listings of valid values for codes, parameters, and methods.

Code_type	Code	Code_description
ELV_METHOD	?	Other, defined in COMMENTS column
	ECM	Estimated from Contour Map
	GPS	Global Positioning System
	SURVEY	Survey Method
	UNKNOWN	Unknown
PROJ_SITE	K-25	K-25 Site
	OFFSITE	Offsite
	ORR	Oak Ridge Reservation
	PAD	Paducah
	PORTS	Portsmouth
	X-10	Oak Ridge National Laboratory
	Y-12	Y-12 Plant
RCVD_COORD_SYS	?	Other, defined in COMMENTS column
	ADMIN	Administrative Grid
	K-25	K-25 Grid
	LATLON	Latitude/Longitude
	ORNL	ORNL Grid
	PAD	Paducah Grid
	PORTS	Portsmouth Grid
	STATE	State Plane
	UNKN	Unknown

Code_type	Code	Code_description
	Y-12	Y-12 Grid
SITE	K-25	K-25 Site
	OFFSITE	Offsite
	ORR	Oak Ridge Reservation
	PAD	Paducah
	PORTS	Portsmouth
	X-10	Oak Ridge National Laboratory
	Y-12	Y-12 Plant
STA_STATUS	?	Other, defined in COMMENTS column
	A	Active station
	D	Destroyed
	I	Inactive station
	L	Lost
	PA	Plugged and Abandoned
	UN	Unknown
STA_TYPE	AA	Ambient Air
	BH	Bore Hole
	BR	Barrel
	CB	Catch Basin
	CH	Channel/Ditch
	CP	Composite From Several Locations
	CT	Cooling Tower
	DK	Dike
	FB	Fixed Location Building
	FD	French Drain

Code_type	Code	Code_description
	FL	Flume
	FR	Fixed Location Receptacle
	FW	Faucet/Tap
	HP	Holding Pond/Lagoon
	LH	Leachate From Landfill
	LK	Lake/Pond
	MH	Manhole Cover
	NA	Not Available
	NF	Non-Fixed Location Receptacle
	OC	Outcrop
	PP	Pipe
	RA	RAD Emissions
	RE	Reservoir
	RV	River/Stream
	SE	Seep
	SL	Surface Location
	SP	Spring
	SS	Surface Survey
	SU	Sump
	SW	Storm Water
	TF	Treatment Facility
	TK	Tank
	TP	Test Pit
	WL	Well (e.g., core hole, open hole, piezometer)
	WP	Well Point
	WR	Weir
	WW	Waste Water

7. DATA TRANSFER SPECIFICATIONS

Data can be transferred to OREIS using SAS¹, DBF, Oracle² Export files, or ASCII comma delimited files. These data base export file formats are specified in the latest revision of the ER procedure ERWM/ER-P2701, *Transmitting Data in Ready-To-Load (RTL) Format to the Oak Ridge Environmental Information System (OREIS)*. Data that are transmitted to OREIS will be evaluated by OREIS staff to ensure that the transmitted data are consistent, complete, qualified, and documented.³

General Submission Rules:

- Refer to procedure the latest revision of ERWM/ER-P2701, *Transmitting Data in Ready-To-Load (RTL) Format to the Oak Ridge Environmental Information System (OREIS)*, and to the training course for more details concerning submission rules.
- All mandatory fields must be populated with data, and all coded fields must use the OREIS codes, else the entire data transfer file will be returned to the site for correction and resubmission.
- STA_NAME and STA_TYPE must be unique within a project.
- Time must be 4 characters (e.g., 0700). All time is 24 hour local time zone.
- Coded fields must match OREIS codes exactly.
- The first eight characters of the field name must match OREIS field names exactly.
- The order of the fields does not matter if using SAS and DBF files. If using Oracle export files or ASCII comma delimited files the order must be specified.
- The number of records transmitted must be supplied on the data transmittal form.

¹SAS is the trademark of the SAS Institute Inc., Cary, N. C.

²Oracle is the trademark of the Oracle Corporation.

³Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof.

8. OREIS DATA INTEGRITY CHECKS

Data that are transmitted to OREIS will be evaluated by OREIS staff to ensure that the transmitted data are consistent, complete, qualified and documented. The data base integrity checking process will confirm that (1) the number of records received matches the number of records transmitted, (2) the locations are valid, and (3) all coded fields sent to OREIS contain valid OREIS codes. OREIS will provide summary statistics to the users to verify what was loaded.

Reviews for data consistency and completeness may include (1) range checks, elementary statistics, or scatter plots of numeric and date fields to check for missing data, reasonable values, and outliers; (2) frequency tabulations and sorted lists of units, qualifiers, codes, and other selected character fields to check for missing data, miscoded data, and inconsistencies; (3) comparison of new and existing data to check for errors and wrong units of measure; (4) maps of station locations to verify coordinates; (5) checks to confirm that related records can be linked, (i.e., that laboratory measurement results match with records that define the field sampling date and the coordinates of the sampling location); and (6) other checks based on the data (e.g., check for samples from discontinued stations).

9. REQUESTING CHANGES TO TANK CONSTRUCTION DATA IN OREIS

A request for a change to tank construction data stored in OREIS will be handled according to the latest revision of ER procedure, ERWM/ER-P2703, *Submitting, Reviewing, and Approving Changes to the Oak Ridge Environmental Information System (OREIS)*.

10. CONFIGURATION CONTROL

Configuration control of this technical specification will be handled according to the latest revision of the ER procedure, ERWM/ER-P2703, *Submitting, Reviewing, and Approving Changes to the Oak Ridge Environmental Information System (OREIS)*. Users should request changes to this specification as stated in the above procedure. The change request will be documented, reviewed, and approved by all tank construction program groups and the OREIS staff.

REFERENCES

- EPA (Environmental Protection Agency), TDEC (Tennessee Department of Environment and Conservation -formerly TDHE: Tennessee Department of Health Environment), and DOE (U.S. Department of Energy), 1992. *Federal Facility Agreement for the Oak Ridge Reservation*, DOE/OR-104, U.S. Environmental Protection Agency Region IV, U.S. Department of Energy, Tennessee Department of Environment and Conservation, Atlanta, Georgia.
- OREIS (Oak Ridge Environmental Information System), 1996. *Data Dictionary for the Oak Ridge Environmental Information System (OREIS)*, ES/ER/TM-116/R1, Environmental Restoration Division, Lockheed Martin Energy Systems, Inc., Oak Ridge, Tennessee.
- OREIS (Oak Ridge Environmental Information System), 1995. *Submitting, Reviewing, and Approving Changes to the Oak Ridge Environmental Information System (OREIS)*, ERWM/ER-P2703, Rev. 1, Environmental Restoration Division Procedure, Lockheed Martin Energy Systems, Inc., Oak Ridge, Tennessee.
- OREIS (Oak Ridge Environmental Information System), 1996. *Transmitting Data in Ready-To-Load (RTL) Format to the Oak Ridge Environmental Information System (OREIS)*, ERWM/ER-P2701, Rev. 3, Environmental Restoration Division Procedure, Lockheed Martin Energy Systems, Inc., Oak Ridge, Tennessee.
- TDEC (Tennessee Department of Environment and Conservation -formerly TDHE: Tennessee Department of Health Environment), and DOE (U. S. Department of Energy), 1991. *Tennessee Oversight Agreement between the United States Department of Energy and the State of Tennessee*, May 13, 1991.

Appendix

OREIS ENTITY RELATIONSHIP DIAGRAM

1870

1871

1872

1873

1874

1875

1876

1877

1878

1879

1880

1881

1882

1883

DISTRIBUTION

1. L. V. Asplund
2. B. W. Henderson
3. D. D. Herr
4. T. L. James
5. D. M. Matteo
- 6-11. M. P. North
12. P. T. Owen
- 13-15. A. S. Quist
16. A. M. Stanley
17. J. K. Thomas
18. B. A. Watts
19. D. C. White
- 20-21. M. L. Whitehead
22. B. C. Zygmunt
23. Central Research Library
- 24-25. ER Document Management Center-RC